

 [Ermlab](#) / [hog-svm-inria](#)

Pedestrian classification from photos using the Linear SVM and HOG features in INRIA dataset

 MIT License 3 stars  1 fork Star Watch ▾[Code](#)[Issues](#) 1[Pull requests](#)[Actions](#)[Projects](#)[Wiki](#)[Security](#)[Insights](#) master ▾

...



simongeeek ...

on 13 Jul 2018

[View code](#)

README.md


# Pedestrian classification from photos using the Linear SVM and HOG features

## Introduction to HOG

HOG is an acronym for Histogram of Oriented Gradients. It's an algorithm called a feature descriptor which helps with object detection in computer vision and image processing models. HOG is a kind of feature descriptor that counts occurrences of gradient orientation in localized portions of an image.

We use **optional** third-party analytics cookies to understand how you use GitHub.com so we can build better products. [Learn more](#).

[Accept](#)[Reject](#)



We use **optional** third-party analytics cookies to understand how you use GitHub.com so we can build better products. [Learn more.](#)

Accept

Reject

Positive image 0





Positive HOG



Negative image 0



Negative HOG



## The INRIA Person dataset

### Summary

After working through this tutorial you learned:

- What is HOG and how to use it
- What is Computer Vision
- How to use ready dataset
- What is classification
- The basics of OpenCV, Scikit-learn and Scikit-image

If you have any questions about the project or this post, please ask your question in the

We use **optional** third-party analytics cookies to understand how you use GitHub.com so we can build better products. [Learn more.](#)

Accept

Reject

1. [INRIA Person dataset](#)

- 2.

- 3.

- 4.

---

## Releases

No releases published

---

## Packages

No packages published

---

## Languages

● Python 100.0%

We use **optional** third-party analytics cookies to understand how you use GitHub.com so we can build better products. [Learn more.](#)

Accept

Reject