

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Ouvidoria - Prefeitura Santo Antônio de Leverger

URL: <https://ouvidoria.leverger.mt.gov.br/Manifestacao/>

Data: 2026-09-21 23:50:43

7.2

Nota AccessMonitor

Resumo dos testes

154

Aceitáveis

43

Não aceitáveis

3

Verificar manualmente

32 prácticas identificadas · **1036** elementos (x)HTML

Práticas avaliadas

[illegible]

Prática	Veredito	Elementos	Descrição
ariaAtribDefinido	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
hxHasANome	passed	1	The test target has a non-empty accessible name.
hxHasANome	passed	1	The test target has a non-empty accessible name.
hxHasANome	passed	1	The test target has a non-empty accessible name.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—

Prática	Veredito	Elementos	Descrição
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—