

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Ouvidoria - Prefeitura de Novo Santo Antônio

URL: <https://ouvidoria.novosantoantonio.mt.gov.br/Manifestacao/>

Data: 2026-09-21 23:47:39

7.2

Nota AccessMonitor

Resumo dos testes

148

Aceitáveis

41

Não aceitáveis

1

Verificar manualmente

32 práticas identificadas · **920** elementos (x)HTML

Práticas avaliadas

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
ariaAtribDefinido	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
hxSkip	failed	1	Headings are not in the correct order.
hxSkip	failed	1	Headings are not in the correct order.
aSkipFirstNo	failed	1	The first focusable control on the Web page links to an inexistent element.
aImgAltNo	failed	1	The image doesn't have an accessible name.
formSubmit	passed	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
formSubmit	passed	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].

Prática	Veredito	Elementos	Descrição
focusBlur	failed	1	Element didn't keep focus.
focusBlur	failed	1	Element didn't keep focus.
hx	warning	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	passed	1	There is one banner landmark
noDuplicateContentinfo	passed	1	There is one contentinfo landmark
bannerTopLevel	passed	1	The banner landmark is at top level.
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
listCorrectly	passed	1	List is used correctly

Prática	Veredito	Elementos	Descrição
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
contentinfoTopLevel	passed	1	The complementary landmark is at top level.
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—

Prática	Veredito	Elementos	Descrição
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—