

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Serviço de Informação ao Cidadão e Ouvidoria

URL: <https://www.itiquira.mt.gov.br/ouvidoria/open.php>

Data: 2026-09-21 23:43:50

5.7

Nota AccessMonitor

Resumo dos testes

97

Aceitáveis

38

Não aceitáveis

4

Verificar manualmente

24 práticas identificadas · **375** elementos (x)HTML

Práticas avaliadas

[illegible]

Prática	Veredito	Elementos	Descrição
linkAName	passed	1	The test target has an accessible name.
linkAName	passed	1	The test target has an accessible name.
linkAName	passed	1	The test target has an accessible name.
linkAName	passed	1	The test target has an accessible name.
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
imgAltNo	failed	1	The test target doesn't have an accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.

Prática	Veredito	Elementos	Descrição
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element doesn't have human language text.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element doesn't have human language text.

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
textContrastHNot	failed	1	Element has contrast ratio lower than minimum.
hxSkip	failed	1	Headings are not in the correct order.
aSkipFirstNo	failed	1	The first focusable control on the Web page does not links to local content.
tableDataCaption	failed	1	The `caption` element doesn't exist or is empty ("").
tableComplexError	failed	1	This table is a layout table with id or headers attributes.
tableLayout	failed	1	There are missing table child elements.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
labelPosNo	failed	1	The form field has incorrect positioned label.
formSubmit	passed	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
layoutElem	failed	1	The webpage uses the element font to control the visual content presentation.
layoutElem	failed	1	The webpage uses the element font to control the visual content presentation.
layoutElem	failed	1	The webpage uses the element u to control the visual content presentation.
layoutElem	failed	1	The webpage uses the element u to control the visual content presentation.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.

[illegible]

Prática	Veredito	Elementos	Descrição
idAtt	passed	0	—