

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Prefeitura Municipal de Rondolândia

URL: https://rondolandia.mt.gov.br/

Data AMAWeb: 2026-09-20 07:39:40

8.3

Nota AMAWeb (0–10)

425

Elementos (x)HTML

34

Práticas identificadas

59903 bytes

Tamanho da página

Resumo dos testes

200

Aceitáveis

16

Não aceitáveis

25

Verificar manualmente

Práticas retornadas pelo AMAWeb

Prática	Status	Elementos	Descrição
titleOk	Aceitável	1	The `title` element exists and it's not empty ("").
lang	Aceitável	1	The `lang` attribute exists and has a value.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").

Prática	Status	Elementos	Descrição
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
elementDec	Aceitável	1	The test target is not focusable.
ariaStPermitted	Aceitável	1	The `aria-describedby` property is supported or inherited by the `role` searchbox.
ariaStPermitted	Aceitável	1	The `aria-live` property is supported or inherited by the `role` generic.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` group.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` group.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` group.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` group.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` group.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-current` property is supported or inherited by the `role` button.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-live` property is supported or inherited by the `role` generic.
ariaStPermitted	Aceitável	1	The `aria-atomic` property is supported or inherited by the `role` generic.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property

Prática	Status	Elementos	Descrição
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-current` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-atomic` attribute has a valid value.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.

Prática	Status	Elementos	Descrição
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
inputLabel	Aceitável	1	The test target has an accessible name.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target is decorative.
imgAlt	Aceitável	1	The test target is decorative.
imgAlt	Aceitável	1	The test target is decorative.
imgAlt	Aceitável	1	The test target is decorative.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.

Prática	Status	Elementos	Descrição
autoCmpltNotValid	Não aceitável	1	The test target `autocomplete` attribute is not valid.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	Aceitável	1	There is one banner landmark
noDuplicateContentinfo	Aceitável	1	There is one contentinfo landmark
bannerTopLevel	Aceitável	1	The banner landmark is at top level.
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically

[illegible]

Prática	Status	Elementos	Descrição
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
contentinfoTo pLevel	Aceitável	1	The complementary landmark is at top level.