

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Página inicial
URL: https://site.sorriso.mt.gov.br/
Data AMAWeb: 2026-09-20 07:48:57

5.9

Nota AMAWeb (0–10)

2571

Elementos (x)HTML

40

Práticas identificadas

274559 bytes

Tamanho da página

Resumo dos testes

555

Aceitáveis

420

Não aceitáveis

23

Verificar manualmente

Práticas retornadas pelo AMAWeb

Prática	Status	Elementos	Descrição
titleOk	Aceitável	1	The `title` element exists and it's not empty ("").
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
lang	Aceitável	1	The `lang` attribute exists and has a value.
buttonNotAccessible	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAccessible	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAccessibleName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.
aSameText	Verificar manualmente	3	The `links` with the same accessible name have different content. Verify if the content is equivalent.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-atomic` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-current` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-atomic` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-atomic` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-current` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-atomic` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.

Prática	Status	Elementos	Descrição
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
tableHdrNot	Não aceitável	1	The column header element does not have at least one assigned cell.
elementHidden Focus	Aceitável	1	The test target is not in the accessibility tree.
elementHidden Focus	Aceitável	1	The test target is not in the accessibility tree.

Prática	Status	Elementos	Descrição
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
aImgAltNo	Não aceitável	1	The image doesn't have an accessible name.
aImgAltNo	Não aceitável	1	The image doesn't have an accessible name.
formSubmit	Aceitável	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
formSubmit	Aceitável	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
tableNested	Não aceitável	1	There are table elements inside other table elements
layoutElem	Não aceitável	1	The webpage uses the element b to control the visual content presentation.
brSec	Não aceitável	1	`br` elements are being be used as a list.
brSec	Não aceitável	1	`br` elements are being be used as a list.
brSec	Não aceitável	1	`br` elements are being be used as a list.
brSec	Não aceitável	1	`br` elements are being be used as a list.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.

Prática	Status	Elementos	Descrição
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
noDuplicateContentinfo	Aceitável	1	There is one contentinfo landmark

[illegible]

Prática	Status	Elementos	Descrição
contentinfoTo pLevel	Aceitável	1	The complementary landmark is at top level.

JSON anexo contém resposta bruta completa do AMAWeb. Relatório gerado em 20/09/2026 03:49.