

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Página Inicial - Consórcio de CONSPREV

URL: <https://www.consprev.com.br/>

Data AMAWeb: 2026-09-20 06:56:25

8.2

Nota AMAWeb (0–10)

731

Elementos (x)HTML

43

Práticas identificadas

106263 bytes

Tamanho da página

Resumo dos testes

254

Aceitáveis

40

Não aceitáveis

85

Verificar manualmente

Práticas retornadas pelo AMAWeb

Prática	Status	Elementos	Descrição
titleOk	Aceitável	1	The `title` element exists and it's not empty ("").
lang	Aceitável	1	The `lang` attribute exists and has a value.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").

Prática	Status	Elementos	Descrição
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
metaRefresh	Aceitável	1	The test target refreshes/redirects immediately.
ariaReqElem	Aceitável	1	The test target only owns elements with correct role.
ariaReqElem	Aceitável	1	The test target only owns elements with correct role.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify if the content is equivalent.

Prática	Status	Elementos	Descrição
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify if the content is equivalent.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-selected` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` generic.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.

[illegible]

Prática	Status	Elementos	Descrição
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property

Prática	Status	Elementos	Descrição
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
inputLabelNo	Não aceitável	1	The test target accessible name doesn't exist or it's empty (").
roleValid	Aceitável	1	The test target has a valid `role` attribute.

Prática	Status	Elementos	Descrição
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
ariaCntxRole	Aceitável	1	The test target parent has the required context `role`.
ariaCntxRole	Aceitável	1	The test target parent has the required context `role`.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target is decorative.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAltNull	Aceitável	1	The test target is decorative.
iframeTitleNo	Não aceitável	1	The test target accessible name doesn't exist or it's empty ("").
iframeNegTabIndex	Aceitável	1	The nested browsing context does not include elements that are visible and part of the sequential focus navigation.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastH Not	Não aceitável	1	Element has contrast ratio lower than minimum.
hxSkip	Não aceitável	1	Headings are not in the correct order.
hxSkip	Não aceitável	1	Headings are not in the correct order.
aSkipFirst	Verificar manualmente	1	The first focusable control is a visible link to a <main> element.
formSubmit	Aceitável	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
idAttNot	Não aceitável	3	Several elements have the same `id` attribute.
imgAltLong	Não aceitável	1	The img alt text attribute has more than 100 characters.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
listNotCorrectly	Não aceitável	1	List is not used correctly
contentinfoToPLevel	Aceitável	1	The complementary landmark is at top level.
mainTopLevel	Aceitável	1	The main landmark is at top level.

JSON anexo contém resposta bruta completa do AMAWeb. Relatório gerado em 20/09/2026 02:56.