

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Prefeitura de Cuiabá

URL: <https://www.cuiaba.mt.gov.br/>

Data AMAWeb: 2026-09-20 06:58:06

8.0

Nota AMAWeb (0–10)

700

Elementos (x)HTML

40

Práticas identificadas

85404 bytes

Tamanho da página

Resumo dos testes

461

Aceitáveis

65

Não aceitáveis

19

Verificar manualmente

Práticas retornadas pelo AMAWeb

[illegible]

Prática	Status	Elementos	Descrição
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.
ariaReqElem	Aceitável	1	The test target only owns elements with correct role.
aSameText	Verificar manualmente	3	The `links` with the same accessible name have different content. Verify if the content is equivalent.
aSameText	Verificar manualmente	6	The `links` with the same accessible name have different content. Verify if the content is equivalent.

Prática	Status	Elementos	Descrição
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify if the content is equivalent.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` searchbox.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-selected` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-selected` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-selected` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-selected` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
inputLabel	Aceitável	1	The test target has an accessible name.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
roleValid	Aceitável	1	The test target has a valid `role` attribute.
ariaCntxRole	Aceitável	1	The test target parent has the required context `role`.
ariaCntxRole	Aceitável	1	The test target parent has the required context `role`.
ariaCntxRole	Aceitável	1	The test target parent has the required context `role`.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	Aceitável	1	There is one banner landmark
noDuplicateContentinfo	Aceitável	1	There is one contentinfo landmark
noDuplicateMain	Aceitável	1	There is one main landmark.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
contentinfoNotTopLevel	Não aceitável	1	The complementary landmark is not at top level.
mainTopLevel	Aceitável	1	The main landmark is at top level.

JSON anexo contém resposta bruta completa do AMAWeb. Relatório gerado em 20/09/2026 02:58.