

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Câmara Municipal de Denise

URL: https://www.denise.mt.leg.br/

Data AMAWeb: 2026-09-20 07:02:07

6.3

Nota AMAWeb (0–10)

574

Elementos (x)HTML

30

Práticas identificadas

56505 bytes

Tamanho da página

Resumo dos testes

77

Aceitáveis

96

Não aceitáveis

17

Verificar manualmente

Práticas retornadas pelo AMAWeb

Prática	Status	Elementos	Descrição
titleOk	Aceitável	1	The `title` element exists and it's not empty ("").
lang	Aceitável	1	The `lang` attribute exists and has a value.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.

[illegible]

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
inputLabel	Aceitável	1	The test target has an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
imgAltNo	Não aceitável	1	The test target doesn't have an accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
tableHdr	Aceitável	1	The column header element has at least one assigned cell.
tableHdr	Aceitável	1	The column header element has at least one assigned cell.
letterSpacing	Aceitável	1	The letter-spacing property is not !important.
letterSpacing	Aceitável	1	The letter-spacing property is not !important.
letterSpacing	Aceitável	1	The letter-spacing property is not !important.
letterSpacing	Aceitável	1	The cascaded letter-spacing is not the declared value.
letterSpacing	Aceitável	1	The cascaded letter-spacing is not the declared value.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.