

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Página Inicial - Câmara Municipal de Nobres - MT

URL: <https://www.nobres.mt.leg.br/>

Data AMAWeb: 2026-09-20 07:18:40

8.4

Nota AMAWeb (0–10)

1685

Elementos (x)HTML

40

Práticas identificadas

249831 bytes

Tamanho da página

Resumo dos testes

668

Aceitáveis

66

Não aceitáveis

144

Verificar manualmente

Práticas retornadas pelo AMAWeb

[illegible]

Prática	Status	Elementos	Descrição
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty (").
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
metaRefresh	Aceitável	1	The test target refreshes/redirects immediately.
ariaReqElem	Aceitável	1	The test target only owns elements with correct role.
ariaReqElem	Aceitável	1	The test target only owns elements with correct role.
aSameText	Verificar manualmente	3	The `links` with the same accessible name have different content. Verify if the content is equivalent.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-describedby` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-describedby` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	Aceitável	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	Aceitável	1	There is one banner landmark

Prática	Status	Elementos	Descrição
noDuplicateContentinfo	Aceitável	1	There is one contentinfo landmark
noDuplicateMain	Aceitável	1	There is one main landmark.
notOneh1	Não aceitável	1	—
notOneh1	Não aceitável	1	—
notOneh1	Não aceitável	1	—
notOneh1	Não aceitável	1	—
notOneh1	Não aceitável	1	—
notOneh1	Não aceitável	1	—
notOneh1	Não aceitável	1	—
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
bannerTopLevel	Aceitável	1	The banner landmark is at top level.
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly
listCorrectly	Aceitável	1	List is used correctly

