

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Câmara Municipal de Novo Mundo

URL: <https://www.novomundo.mt.leg.br/>

Data AMAWeb: 2026-09-20 07:27:31

7.4

Nota AMAWeb (0–10)

3519

Elementos (x)HTML

43

Práticas identificadas

451782 bytes

Tamanho da página

Resumo dos testes

533

Aceitáveis

320

Não aceitáveis

92

Verificar manualmente

Práticas retornadas pelo AMAWeb

Prática	Status	Elementos	Descrição
titleOk	Aceitável	1	The `title` element exists and it's not empty ("").
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
scrollableAccess	Aceitável	1	This scrollable section element is included in sequential focus navigation.
lang	Aceitável	1	The `lang` attribute exists and has a value.
buttonNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").

Prática	Status	Elementos	Descrição
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
buttonNotAnam e	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
linkAName	Aceitável	1	The test target has an accessible name.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.

Prática	Status	Elementos	Descrição
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target children are not focusable.
elementDec	Aceitável	1	The test target is not focusable.
elementDec	Aceitável	1	The test target is not focusable.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	4	The `links` with the same accessible name have different content. Verify is the content is equivalent.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-controls` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaAtribDefined	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.

[illegible]

Prática	Status	Elementos	Descrição
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link
labelPosNo	Não aceitável	1	The form field label is empty.
labelPosNo	Não aceitável	1	The form field label is empty.
formSubmit	Aceitável	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
formSubmit	Aceitável	1	The form contains one of the following elements input[type~='submit image'], button[type='submit'].
focusBlur	Não aceitável	1	Element didn't keep focus.
focusBlur	Não aceitável	1	Element didn't keep focus.
focusBlur	Não aceitável	1	Element didn't keep focus.
focusBlur	Não aceitável	1	Element didn't keep focus.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
idAttNot	Não aceitável	2	Several elements have the same `id` attribute.
imgAltLong	Não aceitável	1	The img alt text attribute has more than 100 characters.
imgAltLong	Não aceitável	1	The img alt text attribute has more than 100 characters.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
liSemantically	Aceitável	1	Listitem is used semantically
listNotCorrectly	Não aceitável	1	List is not used correctly
listNotCorrectly	Não aceitável	1	List is not used correctly
listNotCorrectly	Não aceitável	1	List is not used correctly
listNotCorrectly	Não aceitável	1	List is not used correctly
listNotCorrectly	Não aceitável	1	List is not used correctly
contentinfoToPLevel	Aceitável	1	The complementary landmark is at top level.
mainTopLevel	Aceitável	1	The main landmark is at top level.

JSON anexo contém resposta bruta completa do AMAWeb. Relatório gerado em 20/09/2026 03:27.