

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Página Inicial Prefeitura Municipal de Querência

URL: <https://www.querencia.mt.gov.br/>

Data AMAWeb: 2026-09-20 07:34:36

5.9

Nota AMAWeb (0–10)

1316

Elementos (x)HTML

38

Práticas identificadas

121088 bytes

Tamanho da página

Resumo dos testes

485

Aceitáveis

250

Não aceitáveis

34

Verificar manualmente

Práticas retornadas pelo AMAWeb

[illegible]

Prática	Status	Elementos	Descrição
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
buttonAname	Aceitável	1	The test target has an accessible name.
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
elementNotDec	Não aceitável	1	The test target has focusable children.
aSameText	Verificar manualmente	3	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.
aSameText	Verificar manualmente	2	The `links` with the same accessible name have different content. Verify is the content is equivalent.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefi ned	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property

[illegible]

Prática	Status	Elementos	Descrição
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
elementRole	Aceitável	1	The test target `role` doesn't have required state or property
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-current` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
imgAltNull	Aceitável	1	The test target is decorative.
labelAName	Aceitável	1	The complete visible text content of the test target either matches or is contained within its accessible name.
labelAName	Aceitável	1	The complete visible text content of the test target either matches or is contained within its accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	Aceitável	1	There is one banner landmark
noDuplicateMain	Aceitável	1	There is one main landmark.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
a	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
aSkip	Verificar manualmente	2	This link skips a content block.
bannerTopLevel	Aceitável	1	The banner landmark is at top level.
liNotSemantically	Não aceitável	1	Listitem is not used semantically not used semantically

