

Relatório de acessibilidade

Avaliação realizada pelo AMAWeb

Página: Fale Conosco | Prefeitura Municipal de Gaúcha do Norte MT

URL: <https://www.gauchadonorte.mt.gov.br/fale-conosco>

Data AMAWeb: 2026-09-21 15:58:58

7.7

Nota AMAWeb (0–10)

237

Elementos (x)HTML

31

Práticas identificadas

73029 bytes

Tamanho da página

Resumo dos testes

147

Aceitáveis

62

Não aceitáveis

1

Verificar manualmente

Práticas retornadas pelo AMAWeb

Prática	Status	Elementos	Descrição
titleOk	Aceitável	1	The `title` element exists and it's not empty ("").
lang	Aceitável	1	The `lang` attribute exists and has a value.
buttonNotAname	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	Não aceitável	1	The test target doesn't have an accessible name, or it's empty ("").
elementDec	Aceitável	1	The test target is not focusable.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` link.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` navigation.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-haspopup` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` navigation.
ariaStPermitted	Aceitável	1	The `aria-label` property is supported or inherited by the `role` region.

Prática	Status	Elementos	Descrição
ariaStPermitted	Aceitável	1	The `aria-live` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-relevant` property is supported or inherited by the `role` region.
ariaStPermitted	Aceitável	1	The `aria-atomic` property is supported or inherited by the `role` region.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	Aceitável	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.

Prática	Status	Elementos	Descrição
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-label` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-live` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-relevant` attribute has a valid value.
ariaStValid	Aceitável	1	The test target `aria-atomic` attribute has a valid value.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
linkIdentAName	Aceitável	2	The `links` with the same accessible name have equal content.
inputLabel	Aceitável	1	The test target has an accessible name.

Prática	Status	Elementos	Descrição
inputLabel	Aceitável	1	The test target has an accessible name.
inputLabel	Aceitável	1	The test target has an accessible name.
inputLabel	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
imgAlt	Aceitável	1	The test target has an accessible name.
iframeTitleNo	Não aceitável	1	The test target accessible name doesn't exist or it's empty ("").
iframeNegTabIndex	Aceitável	1	The nested browsing context does not include elements that are visible and part of the sequential focus navigation.
hxHasAName	Aceitável	1	The test target has a non-empty accessible name.
elementHiddenFocus	Aceitável	1	The test target is not in the accessibility tree.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.
colorContrast	Não aceitável	1	Element has contrast ratio lower than minimum.

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
elementPresentChildrenNoFocus	Aceitável	1	The element doesn't have descendants in the flat tree that are part of sequential focus navigation.
elementPresentChildrenNoFocus	Aceitável	1	The element doesn't have descendants in the flat tree that are part of sequential focus navigation.
elementPresentChildrenNoFocus	Aceitável	1	The element doesn't have descendants in the flat tree that are part of sequential focus navigation.
elementPresentChildrenNoFocus	Aceitável	1	The element doesn't have descendants in the flat tree that are part of sequential focus navigation.
elementPresentChildrenNoFocus	Aceitável	1	The element doesn't have descendants in the flat tree that are part of sequential focus navigation.
textContrastHighNot	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastHighNot	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastHighNot	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastHighNot	Não aceitável	1	Element has contrast ratio lower than minimum.
textContrastHighNot	Não aceitável	1	Element has contrast ratio lower than minimum.
aSkipFirstNo	Não aceitável	1	The first focusable control on the Web page does not links to local content.
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link
aTitleMatch	Não aceitável	1	The element contains a title attribute equal to the text in the link

[illegible]

[illegible]

Prática	Status	Elementos	Descrição
colorFgBgNo	Não aceitável	1	The test target has a author defined background property but not a color css property.
colorFgBgNo	Não aceitável	1	The test target has a author defined background property but not a color css property.
colorFgBgNo	Não aceitável	1	The test target has a author defined background property but not a color css property.
colorFgBgNo	Não aceitável	1	The test target has a author defined background property but not a color css property.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
idAtt	Aceitável	1	The test target has a unique `id` attribute.
layoutElem	Não aceitável	1	The webpage uses the element b to control the visual content presentation.
layoutElem	Não aceitável	1	The webpage uses the element b to control the visual content presentation.

Prática	Status	Elementos	Descrição
layoutElem	Não aceitável	1	The webpage uses the element b to control the visual content presentation.
hx	Verificar manualmente	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	Aceitável	1	There is one banner landmark
noDuplicateContentinfo	Aceitável	1	There is one contentinfo landmark
onlyOneh1	Aceitável	1	The H1 element is used and unique
bannerTopLevel	Aceitável	1	The banner landmark is at top level.
liNotSemantically	Não aceitável	1	Listitem is not used semantically not used semantically
liNotSemantically	Não aceitável	1	Listitem is not used semantically not used semantically
contentinfoToplevel	Aceitável	1	The complementary landmark is at top level.

JSON anexo contém resposta bruta completa do AMAWeb. Relatório gerado em 21/09/2026 11:58.