

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Ouvidoria - Prefeitura Municipal de Apiacás
URL: https://ouvidoria.apiacas.mt.gov.br/Manifestacao/
Data: 2026-09-21 23:38:43

7.5

Nota AccessMonitor

Resumo dos testes

146 Aceitáveis	50 Não aceitáveis	3 Verificar manualmente
--------------------------------------	---	---

33 práticas identificadas · 699 elementos (x)HTML

Práticas avaliadas

Prática	Veredito	Elementos	Descrição
titleOk	passed	1	The `title` element exists and it's not empty ("").
lang	passed	1	The `lang` attribute exists and has a value.
langCodeNo	failed	1	The `lang` attribute does not have a valid value.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").

[illegible]

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
inputLabel	passed	1	The test target has an accessible name.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—

Prática	Veredito	Elementos	Descrição
idAtt	passed	0	—