

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Página Inicial - Câmara Municipal de Colíder - Mato Grosso

URL: <https://www.camaracolider.mt.gov.br/>

Data: 2026-09-21 21:12:48

6.3

Nota AccessMonitor

Resumo dos testes

545

Aceitáveis

45

Não aceitáveis

52

Verificar manualmente

35 práticas identificadas · **1404** elementos (x)HTML

Práticas avaliadas

[illegible]

Prática	Veredito	Elementos	Descrição
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
buttonAname	passed	1	The test target has an accessible name.
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.

Prática	Veredito	Elementos	Descrição
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
metaRefresh	passed	1	The test target refreshes/redirects immediately.
ariaReqElem	passed	1	The test target only owns elements with correct role.
ariaReqElem	passed	1	The test target only owns elements with correct role.
ariaReqElem	passed	1	The test target only owns elements with correct role.
ariaReqElem	passed	1	The test target only owns elements with correct role.
ariaReqElem	passed	1	The test target only owns elements with correct role.
ariaStNotPermitted	failed	1	The `aria-expanded` property is neither inherited nor supported by the `role` generic.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.

[illegible]

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-disabled` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-selected` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-haspopup` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
inputLabelNo	failed	1	The test target accessible name doesn't exist or it's empty (").
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.

[illegible]

Prática	Veredito	Elementos	Descrição
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
ariaCntxRole	passed	1	The test target parent has the required context `role`.
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.

Prática	Veredito	Elementos	Descrição
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
imgAltNull	passed	1	The test target is decorative.
labelAName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.
labelAName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.
labelAName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.
labelAName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.
labelAName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
not0neh1	failed	1	—
not0neh1	failed	1	—
not0neh1	failed	1	—
not0neh1	failed	1	—
not0neh1	failed	1	—

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—