

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Página Inicial - Câmara Municipal de Nobres - MT

URL: <https://www.nobres.mt.leg.br/>

Data: 2026-09-21 21:28:33

8.5

Nota AccessMonitor

Resumo dos testes

779

Aceitáveis

60

Não aceitáveis

141

Verificar manualmente

40 práticas identificadas · 2213 elementos (x)HTML

Práticas avaliadas

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target is not focusable.
metaRefresh	passed	1	The test target refreshes/redirects immediately.
ariaReqElem	passed	1	The test target only owns elements with correct role.
ariaReqElem	passed	1	The test target only owns elements with correct role.
aSameText	warning	3	The `links` with the same accessible name have different content. Verify is the content is equivalent.
ariaStPermitted	passed	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	passed	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	passed	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	passed	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-expanded` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	passed	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.

[illegible]

Prática	Veredito	Elementos	Descrição
ariaStPermitted	passed	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaStPermitted	passed	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	passed	1	The `aria-describedby` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	passed	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	passed	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	passed	1	The `aria-hidden` property is supported or inherited by the `role` tabpanel.
ariaStPermitted	passed	1	The `aria-label` property is supported or inherited by the `role` button.
ariaStPermitted	passed	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	passed	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	passed	1	The `aria-selected` property is supported or inherited by the `role` tab.
ariaStPermitted	passed	1	The `aria-controls` property is supported or inherited by the `role` tab.
ariaStPermitted	passed	1	The `aria-label` property is supported or inherited by the `role` tab.
ariaStPermitted	passed	1	The `aria-labelledby` property is supported or inherited by the `role` region.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property

Prática	Veredito	Elementos	Descrição
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-describedby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-controls` attribute has a valid value.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
noDuplicateBanner	passed	1	There is one banner landmark
noDuplicateContentinfo	passed	1	There is one contentinfo landmark
noDuplicateMain	passed	1	There is one main landmark.
notOneh1	failed	1	—
notOneh1	failed	1	—
notOneh1	failed	1	—
notOneh1	failed	1	—
notOneh1	failed	1	—
notOneh1	failed	1	—
notOneh1	failed	1	—
a	warning	2	This link skips a content block.
a	warning	2	This link skips a content block.
a	warning	2	This link skips a content block.
a	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
bannerTopLevel	passed	1	The banner landmark is at top level.
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
contentinfoTopLevel	passed	1	The complementary landmark is at top level.
mainTopLevel	passed	1	The main landmark is at top level.
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	1	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—
idAtt	passed	0	—

[illegible]

[illegible]