

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Página Inicial - Prefeitura de Porto Alegre do Norte - MT

URL: <https://www.portoalegredonorte.mt.gov.br/home>

Data: 2026-09-21 21:39:01

7.5

Nota AccessMonitor

Resumo dos testes

419

Aceitáveis

35

Não aceitáveis

45

Verificar manualmente

40 prácticas identificadas · **2355** elementos (x)HTML

Práticas avaliadas

[illegible]

Prática	Veredito	Elementos	Descrição
buttonName	passed	1	The test target has an accessible name.
buttonName	passed	1	The test target has an accessible name.
buttonName	passed	1	The test target has an accessible name.
buttonName	passed	1	The test target has an accessible name.
buttonName	passed	1	The test target has an accessible name.
buttonName	passed	1	The test target has an accessible name.
buttonName	passed	1	The test target has an accessible name.
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty (").
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target is not focusable.
elementDec	passed	1	The test target children are not focusable.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
ariaAtribDefinido	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefinido	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
elementRole	passed	1	The test target `role` doesn't have required state or property
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-expanded` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-current` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-hidden` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-labelledby` attribute has a valid value.

Prática	Veredito	Elementos	Descrição
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
ariaStValid	passed	1	The test target `aria-label` attribute has a valid value.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
linkIdentAName	passed	2	The `links` with the same accessible name have equal content.
inputLabel	passed	1	The test target has an accessible name.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
roleValid	passed	1	The test target has a valid `role` attribute.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.

Prática	Veredito	Elementos	Descrição
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
imgAlt	passed	1	The test target has an accessible name.
labelName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.
labelName	passed	1	The complete visible text content of the test target either matches or is contained within its accessible name.
htmlHasName	passed	1	The test target has a non-empty accessible name.
htmlHasName	passed	1	The test target has a non-empty accessible name.
htmlHasName	passed	1	The test target has a non-empty accessible name.
htmlHasName	passed	1	The test target has a non-empty accessible name.
htmlHasName	passed	1	The test target has a non-empty accessible name.

Prática	Veredito	Elementos	Descrição
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
hxHasAName	passed	1	The test target has a non-empty accessible name.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.
colorContrast	failed	1	Element has contrast ratio lower than minimum.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
hx	warning	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	passed	1	There is one banner landmark
noDuplicateContentinfo	passed	1	There is one contentinfo landmark
noDuplicateMain	passed	1	There is one main landmark.
aGroupNo	failed	1	It was found a group of 10 or more links not grouped within a nav element.
a	warning	2	This link skips a content block.
a	warning	2	This link skips a content block.
a	warning	2	This link skips a content block.
a	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
aSkip	warning	2	This link skips a content block.
bannerTopLevel	passed	1	The banner landmark is at top level.
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically

Prática	Veredito	Elementos	Descrição
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
listCorrectly	passed	1	List is used correctly

Prática	Veredito	Elementos	Descrição
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
contentinfoTopLevel	passed	1	The complementary landmark is at top level.
mainTopLevel	passed	1	The main landmark is at top level.
idAttNot	failed	2	—
idAttNot	failed	8	—
idAttNot	failed	2	—
idAttNot	failed	2	—
idAttNot	failed	2	—
idAttNot	failed	3	—
idAttNot	failed	6	—