

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Site em manutenção — TJMT

URL: <https://www.tjmt.jus.br/>

Data: 2026-09-21 21:16:19

8.4

Nota AccessMonitor

Resumo dos testes

32 Aceitáveis	3 Não aceitáveis	1 Verificar manualmente
-------------------------------------	--	---

20 práticas identificadas · 335 elementos (x)HTML

Práticas avaliadas

Prática	Veredito	Elementos	Descrição
titleOk	passed	1	The `title` element exists and it's not empty ("").
lang	passed	1	The `lang` attribute exists and has a value.
elementDec	passed	1	The test target children are not focusable.
elementDec	passed	1	The test target children are not focusable.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
ariaAtribDefined	passed	1	All aria-* attributes in this element are defined in ARIA 1.1.
hxHasAName	passed	1	The test target has a non-empty accessible name.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.
colorContrastOk	passed	1	Element has contrast ratio higher than minimum.

Prática	Veredito	Elementos	Descrição
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
colorContrast0k	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
aSkipFirstNo	failed	0	This Web page does not have focusable controls.
brSec	failed	1	`br` elements are being be used as a list.
hx	warning	1	Check that heading markup is used when content is a heading.
noDuplicateBanner	passed	1	There is one banner landmark
noDuplicateContentinfo	passed	1	There is one contentinfo landmark

Prática	Veredito	Elementos	Descrição
noDuplicateMain	passed	1	There is one main landmark.
onlyOneh1	passed	1	The H1 element is used and unique
aSkipNo	failed	0	This page does not have links.
bannerTopLevel	passed	1	The banner landmark is at top level.
contentinfoTopLevel	passed	1	The complementary landmark is at top level.
mainTopLevel	passed	1	The main landmark is at top level.