

Relatório de acessibilidade

Avaliação realizada pelo AccessMonitor local.

Página: Consórcio Intermunicipal de Saúde Da Região Norte Matogrossense

URL: <https://www.ciscn.com.br/#/home>

Data: 2026-09-22 14:09:53

5.8

Nota AccessMonitor

Resumo dos testes

66 Aceitáveis	13 Não aceitáveis	0 Verificar manualmente
-------------------------------------	---	---

17 práticas identificadas · 264 elementos (x)HTML

Práticas avaliadas

Prática	Veredito	Elementos	Descrição
titleOk	passed	1	The `title` element exists and it's not empty ("").
langNo	failed	1	The `lang` attribute doesn't exist or is empty ("").
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").
linkNotAName	failed	1	The test target doesn't have an accessible name, or it's empty ("").
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNo	failed	1	The test target doesn't have an accessible name.
imgAltNull	passed	1	The test target is decorative.
elementHiddenFocus	passed	1	The test target is not in the accessibility tree.

[illegible]

[illegible]

Prática	Veredito	Elementos	Descrição
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
textContrastH	passed	1	Element has contrast ratio higher than minimum.
aSkipFirstNo	failed	1	The first focusable control on the Web page does not links to local content.
aImgAltNo	failed	1	The image doesn't have an accessible name.
aImgAltNo	failed	1	The image doesn't have an accessible name.
hxBNone	failed	0	This page doesn't use headings.
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically

Prática	Veredito	Elementos	Descrição
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
liSemantically	passed	1	Listitem is used semantically
listCorrectly	passed	1	List is used correctly
listCorrectly	passed	1	List is used correctly
idAtt	passed	1	—
idAtt	passed	1	—