Możliwości reprodukowalności magazynów na przestrzeni lat

AUTORZY: MIKOŁAJ MALEC, MACIEJ PACZÓSKI, BARTOSZ ROŻEK



Czym jest reprodukowalność

Reprodukowalność to możliwość uzyskania tych samych wyników (lub bardzo bliskich), przy wykorzystaniu tych samych zasobów i środowiska.

Nasz cel

Chcemy zbadać jakie cechy powinien posiadać artykuł z obszaru uczenia maszynowego, by można było przeprowadzić jego reprodukowalność. W tym celu ocenimy wybrane przez nas magazyny pod względem w jaki sposób gwarantują lub ułatwiają reprodukowalność swoich artykułów. Będziemy się przyglądać takim cechom jak:

- 1. Zamieszczony kod źródłowy lub link do niego
- 2. Dostępność tabel z danymi użytych w artykule
- 3. Czy paczki (packages) użyte w artykule są nadal dostępne
- 4. Informacje o urządzeniu i środowisku

JMLR Machine Learning Open Source Software

Journal of Machine Learning Research (JMLR) stanowi międzynarodowe forum elektronicznej i papierowej publikacji wysokiej jakości artykułów naukowych we wszystkich obszarach uczenia maszynowego. Wszystkie opublikowane prace są dostępne bezpłatnie w Internecie.

W większości autorzy nie zamieszczają kodu, ani odsyłań do swoich stron. Administratorzy magazynu zachęcają do zamieszczania swojego kodu.

Niestety niewiele autorów się do niego stosuje. Nie umniejsza to treści zawartych w artykułach, lecz pod względem reprodukowalności jest już gorzej. Rzeczy zamieszczone w artykułach, które powinny dać się zreprodukować to eksperymenty na zbiorach danych i kod, który został użyty do stworzenia finalnych tabel / wykresów.



JMLR Machine Learning Open Source Software

```
JMLR Volume 21
                    A Low Complexity Algorithm with O(\sqrt{T}) Regret and O(1) Constraint Violations for Online Convex Optimization with Long Term Constraints
    Home Page
                          Hao Yu, Michael J. Neely; (1):1-24, 2020.
                          [abs][pdf][bib]
        Papers
                    A Statistical Learning Approach to Modal Regression
   Submissions
                          Yunlong Feng, Jun Fan, Johan A.K. Suykens; (2):1-35, 2020.
                          [abs][pdf][bib]
         News
                    A Model of Fake Data in Data-driven Analysis
Editorial Board
                          Xiaofan Li, Andrew B. Whinston; (3):1-26, 2020.
Announcements
                          [abs][pdf][bib]
                    Universal Latent Space Model Fitting for Large Networks with Edge Covariates
   Proceedings
                          Zhuang Ma, Zongming Ma, Hongsong Yuan; (4):1-67, 2020.
  Open Source
                          [abs][pdf][bib]
      Software
                    Lower Bounds for Parallel and Randomized Convex Optimization
        Search
                          Jelena Diakonikolas, Cristóbal Guzmán; (5):1-31, 2020.
                          [abs][pdf][bib]
      Statistics
                    Path-Based Spectral Clustering: Guarantees, Robustness to Outliers, and Fast Algorithms
         Login
                          Anna Little, Mauro Maggioni, James M. Murphy; (6):1-66, 2020.
                          [abs][pdf][bib] [code]
    Contact Us
                    Target Propagation in Recurrent Neural Networks
                          Nikolay Manchev, Michael Spratling; (7):1-33, 2020.
                          [abs][pdf][bib] [code]
```

Jednak istnieją artykuły, które mają odnośnik [code]. Najczęściej odsyła on do repozytorium autora (np. GitHub). Reprodukowalność takiego artykułu zależy wtedy od autora i w jaki sposób tworzył swój kod. Odnośniki zaczęły się pojawiać od 2011 (magazyn zaczną swoją działalność w 2001). Z upływem lat jest coraz więcej artykułów z odnośnikami z kodem, lecz te nadal stanowią mniejszość. Administratorzy stworzyli specjalną zakładkę z artykułami posiadającymi odnośnik z kodem, zapewne w celu popularyzacji takich odnośników.



Navigation

Current Issue Accepted articles

Archive

R News

News and Notes

Submissions

Reviews and Proofreading

Editorial Board

Subscribe

RSS Feed 🔊

ISSN: 2073-4859

The R Journal

Bibliography of articles (all issues, .bib)

- · 2019, Issue 2, December
- 2019. Issue 1, June
- 2018, Issue 2, Dec.
- 2018, Issue 1, Jul
- 2017. Issue 2, Dec.
- 2017. Issue 1, June
- 2016. Issue 2, Dec.
- 2016, Issue 1, Aug.
- 2015. Issue 2. Dec.
- 2015. Issue 1, June
- 2014. Issue 2, Dec.
- 2014. Issue 1, June
- 2013. Issue 2, Dec.
- 2013. Issue 1, June

1. Dostęp do artykułów

2. Opis strony artykułu



Current Issue Accepted articles Archive R News News and Notes

Submissions Reviews and Proofreading **Editorial Board**

Subscribe

RSS Feed

ISSN: 2073-4859

The R Journal: article published in 2019, volume 11:2

BondValuation: An R Package for Fixed Coupon Bond Analysis

Wadim Djatschenko , The R Journal (2019) 11:2, pages 124-141.

Abstract The purpose of this paper is to introduce the R package BondValuation for the analysis of large datasets of fixed coupon bonds. The conceptual heterogeneity of fixed coupon bonds traded in the global markets imposes a high degree of complexity on their comparative analysis. Contrary to baseline fixed income theory, in practice, most bonds feature coupon period irregularities. In addition, there are a multitude of day count methods that determine the interest accrual, the cash flows and the discount factors used in bond valuation. Several R packages, e.g., fBonds, RQuantLib, and YieldCurve, provide tools for fixed income analysis. Nevertheless, none of them is capable of evaluating bonds featuring irregular first and/or final coupon periods, and neither provides adequate coverage of day count conventions currently used in the global bond markets. The R package BondValuation closes this gap using the generalized valuation methodology presented in Djatschenko (2019).

Received: 2018-12-01; online 2020-01-06, supplementary material, (3.3 Kb) CRAN packages: BondValuation, fBonds, RQuantLib, YieldCurve CRAN Task Views implied by cited CRAN packages: Finance

This article and supplementary materials are licensed under a Creative Commons Attribution 4.0 International license.

```
@article{RJ-2019-055,
 author = {Wadim Djatschenko},
 title = {{BondValuation: An R Package for Fixed Coupon Bond Analysis}},
 year = {2019},
  journal = {{The R Journal}},
  doi = {10.32614/RJ-2019-055}
  url = {https://doi.org/10.32614/RJ-2019-055},
 pages = \{124 - 141\},
 volume = {11},
 number = \{2\}
```

The R Foundation, web page contact.



Navigation

Archive R News

Current Issue Accepted articles

News and Notes

Editorial Board

Reviews and Proofreading

Volume 11/2, December 2019

Complete issue

Complete bibliography

Access the article landing page through its title or go straight to the article through the PDF icon:

Table of contents

Editorial

Michael J. Kane 4

Contributed Research Articles

Using Web Services to Work with Geodata in R



Jan-Philipp Kolb 6

orthoDr: Semiparametric Dimension Reduction via Orthogonality Constrained Optimization Ruoqing Zhu, Jiyang Zhang, Ruilin Zhao, Peng Xu, Wenzhuo Zhou and Xin Zhang 24

coxed: An R Package for Computing Duration-Based Quantities from the Cox Proportional Hazards

RSS Feed

Subscribe

ISSN: 2073-4859

BondValuation: Fixed Coupon Bond Valuation Allowing for Odd Coupon Periods and Various Day Count Conventions

Analysis of large datasets of fixed coupon bonds, allowing for irregular first and last coupon periods and various day count conventions. With this package you can compute the yield to maturity, the modified and MacAulay durations and the convexity of fixed-rate bonds. It provides the function AnnivDates, which can be used to evaluate the quality of the data and return time-invariant properties and temporal structure of a bond.

Version: 0.1.0

Depends: $R (\ge 2.15.1)$ Imports: Rcpp, timeDate

LinkingTo: Rcpp
Published: 2018-11-14

Author: Djatschenko Wadim [aut, cre]

Maintainer: Djatschenko Wadim <wadim.djatschenko at gmx.de>

License: GPL-3
NeedsCompilation: yes
Materials: NEWS

CRAN checks: <u>BondValuation results</u>

Downloads:

Reference manual: <u>BondValuation.pdf</u>
Package source: <u>BondValuation_0.1.0.tar.gz</u>

Windows binaries: r-devel: BondValuation_0.1.0.zip, r-release: BondValuation_0.1.0.zip, r-oldrel: BondValuation_0.1.0.zip

macOS binaries: r-release: BondValuation_0.1.0.tgz, r-oldrel: BondValuation_0.1.0.tgz

Reverse dependencies:

Reverse suggests: ragtop

Linking:

Please use the canonical form https://cran.r-project.org/package=BondValuation to link to this page.

3. Supplementary material

4. Paczki z CRAN i ich

aktualna dostępność 5. Porównanie na

przestrzeni lat

Object not found!

The requested URL was not found on this server. The link on the <u>referring page</u> seems to be wrong or outdated. Please inform the author of <u>that page</u> about the error.

If you think this is a server error, please contact the <u>webmaster</u>.

Error 404

cran.r-project.org

Apache

Package 'RQGIS' was removed from the CRAN repository.

Formerly available versions can be obtained from the archive.


Archived on 2020-04-19 at the request of the maintainer.

Please use the canonical form https://cran.r-project.org/package=RQGIS to link to this page.

Journal of Statistical Software

Cechy ogólne w latach 2010-2020

- Opisywany pakiet załączony do pobrania bezpośrednio ze strony magazynu
- Kod do replikacji dostępny do pobrania
- Gdy wymagane dodatkowe pliki (np. JPG, CSV) dostępne do pobrania



Journal of Statistical Software

Home | Mission | Instructions for Authors | Style Guide | Editorial Board | Contact | Register | Current Volume | Archives | Search

Home > Vol 93 (2020) > Issue 4

Authors: Rainer Hirk, Kurt Hornik, Laura Vana

Title: mvord: An R Package for Fitting Multivariate Ordinal Regression Models

Abstract: The R package mvord implements composite likelihood estimation in the class of multivariate ordinal regression models with a multivariate probit and a multivariate logit link. A flexible modeling framework for multiple ordinal measurements on the same subject is set up, which takes into consideration the dependence among the

logic link. A flexible modeling flamework for multiple obtains the same subject is set up, which takes into consideration the dependence alrions in multiple observations by employing different error structures. Heterogeneity in the error structure across the subjects can be accounted for by the package, which allows for covariate dependent error structures. In addition, different regression coefficients and threshold parameters for each response are supported. If a reduction of the parameter space is desired, constraints on the threshold as well as on the regression coefficients can be specified by the user. The proposed

multivariate framework is illustrated by means of a credit risk application.

Page views:: 825. Submitted: 2017-10-18. Published: 2020-04-18.

Paper: mvord: An R Package for Fitting Multivariate Ordinal Regression Models Download PDF (Downloads: 261)

Supplements: mvord_1.0.0.tar.gz: R source package <u>Download (Downloads: 19; 3MB)</u>

v93i04.R: R replication code <u>Download</u> (Downloads: 38; 8KB)

DOI: 10.18637/jss.v093.i04

This work is licensed under the licenses
Paper: Creative Commons Attribution 3.0 Unported License

Code: GNU General Public License (at least one of version 2 or version 3) or a GPL-compatible license.

ARTICLE TOOLS

Print this article

Indexing metadata

How to cite item

Supplementary files

Finding References

Email this article (Login required)

Email the author (Login required)

RELATED ITEMS

Show all

ABOUT THE AUTHORS

Rainer Hirk

Kurt Hornik

Laura Vana

OPEN JOURNAL SYSTEMS

Journal Help

USER

Username

Password

Remember me

Login

FEEDS

- RSS
- Atom

NOTIFICATIONS

Journal of Statistical Software

Current Volume | Archives | Search Home | Mission | Instructions for Authors | Style Guide | Editorial Board | Contact | Register

Home > Vol 81 (2017) > Issue

Authors

Oleg Sofrygin, Mark J. van der Laan, Romain Neugebauer

simcausal R Package: Conducting Transparent and Reproducible Simulation Studies of Causal Effect Estimation with Complex Longitudinal Data

Abstract:

The \pkg{simcausal} \proglang{R} package is a tool for specification and simulation of complex longitudinal data structures that are based on structural equation models. The package aims to provide a flexible tool for simplifying the conduct of transparent and reproducible simulation studies, with a particular emphasis on the types of data and interventions frequently encountered in real-world causal inference problems, such as, observational data with time-dependent confounding, selection bias, and random monitoring processes. The package interface allows for concise expression of complex functional dependencies between a large number of nodes, where each node may represent a

measurement at a specific time point. The package allows for specification and simulation of counterfactual data under various user-specified interventions (e.g.,

static, dynamic, deterministic, or stochastic). In particular, the interventions may

represent exposures to treatment regimens, the occurrence or non-occurrence of right-censoring events, or of clinical monitoring events. Finally, the package enables the computation of a selected set of user-specified features of the distribution of the counterfactual data that represent common causal quantities of interest, such as, treatment-specific means, the average treatment effects and coefficients from working marginal structural models. The applicability of \pkg{simcausal} is demonstrated by replicating the results of two published simulation studies.

Page views:: 131. Submitted: 2015-09-26. Published: 2018-10-16.

Paper:

simcausal R Package: Conducting Transparent and Reproducible Simulation Studies of Causal Effect Estimation with Complex Longitudinal Data (Downloads: 0)

Supplements:

simcausal_0.4.0.tar.gz: Latest CRAN version source code for the simcausal R package

sofrygin_simcausalRpackage_source.zip: Replication materials for the results in the paper

Replication_Rcode_Sections_3_4_5.R: Replication code

TXT.txt: response to initial comments

JSS 2360 prescreened.zip: simcausal R Package: Conducting Transparent and Reproducible Simulation Studies of Causal Effect Estimation with Complex Longitudinal Data

Download (Downloads: 22: 933KB)

Download (Downloads:

25; 52KB)

Download (Downloads:

34; 37KB)

Download (Downloads:

27; 3KB)

Download (Downloads:

32: 1MB)

ARTICLE TOOLS

Print this article

Indexing metadata

How to cite item

Supplementary files

Finding References

Email this article (Login required)

Email the author (Login required)

RELATED ITEMS

Show all

ABOUT THE AUTHORS

Division of Research, Kaiser Permanente Northern California Division of Biostatistics, School of Public Health, University of California, Berkeley United States

Mark J. van der Laan Division of Biostatistics, School of Public Health, University of California, Berkeley

Professor of Biostatistics and Statistics at UC Berkeley

Romain Neugebauer Division of Research, Kaiser Permanente Northern California

Research Scientist II

OPEN JOURNAL SYSTEMS

Journal Help


USER

Username

Title

Paper: Creative Commons Attribution 3.0 Unported License Code: GNU General Public License (at least one of version 2 or version 3) or a GPL-compatible license.

Dostępność pakietów na CRAN-nie




Zakończenie

Plany na przyszłość

Więcej wizualizacji naszych badań. Na przykład wykresy dostępności kodu, paczek...

Ocena kolejnych magazynów

Stworzenie listy wskazówek dla magazynów w jaki sposób zapewnić reprodukowalność artykułów.



https://picpedia.org/handwriting/p/plan.html