

Forest Damage Inventory

Waldschadensstelle

version-pairs-v1 synthetic corpus

auditors.

The methodology follows the standard protocol of the institute and was reviewed by two independent auditors. The methodology is archived with its instrument identifier so that the series can be reconstructed.

The main survey documents a peak value of 9.75 at the Steinach station in 2020. Every raw value is

This report summarises the 2020 measurement programme for the forest damage inventory.

Measurement Programme

chain.

Comparability with earlier editions is ensured by the unchanged station layout and the stable calibration series.

Follow-up measurements are scheduled for the next reporting period and will be appended to this

The review board confirmed that 88 of the monitored sites met the quality threshold during 2020.

The quality assessment compares all monitored sites against the agreed thresholds.

Quality Assessment

Every raw value is archived with its instrument identifier so that the series can be reconstructed.
series.

Follow-up measurements are scheduled for the next reporting period and will be appended to this

All figures in this section refer to the reporting period and use the calibrated reference instruments.
auditors.

The methodology follows the standard protocol of the institute and was reviewed by two independent

This annex collects additional context that arrived after the first edition went to print.

Inserted Annex

auditors.

methodology follows the standard protocol of the institute and was reviewed by two independent

Field teams verified 88 reference points along Steinach before the final report was signed. The

Field verification completes the annual cycle and confirms the reported figures.

Field Verification

All figures in this section refer to the reporting period and use the calibrated reference instruments.
appendix.
Data gaps shorter than one week were interpolated with the approved procedure and marked in the