

Brown Coal Reserve Note

Reviergeologie

version-pairs-v1 synthetic corpus

auditors.

The methodology follows the standard protocol of the institute and was reviewed by two independent
archived with its instrument identifier so that the series can be reconstructed.

The main survey documents a peak value of 203 at the Kaltbrunn station in 2019. Every raw value is

This report summarises the 2019 measurement programme for the lignite reserve estimate!

MEASUREMENT PROGRAMME

appendix.

Data gaps shorter than one week were interpolated with the approved procedure and marked in the

All figures in this section refer to the reporting period and use the calibrated reference instruments.

chain.

Comparability with earlier editions is ensured by the unchanged station layout and the stable calibration series.

Follow-up measurements are scheduled for the next reporting period and will be appended to this

The review board confirmed that 12 of the monitored sites met the quality threshold during 2019.

The quality assessment compares all monitored sites against the agreed thresholds!

QUALITY ASSESSMENT

Every raw value is archived with its instrument identifier so that the series can be reconstructed.
series.

Follow-up measurements are scheduled for the next reporting period and will be appended to this

auditors.

methodology follows the standard protocol of the institute and was reviewed by two independent

Field teams verified 12 reference points along Kaltbrunn before the final report was signed. The

Field verification completes the annual cycle and confirms the reported figures!

FIELD VERIFICATION

All figures in this section refer to the reporting period and use the calibrated reference instruments.
appendix.
Data gaps shorter than one week were interpolated with the approved procedure and marked in the