

Question 1**1 pts**

The _____ can be used between any pair of tokens

☒ Whitespace

☐ String

☐ Object

☐ Number

Question 2**1 pts**

A _____ is a sequence of Unicode characters wrapped within quotes ("")

String

Question 3**1 pts**

Load Testing is to test the system behavior under normal workload conditions, and it is just testing or simulating with the actual workload.

☒ True

☐ False

Question 4**1 pts**

Which of the following Stress Testing technique concentrates on finding defects related to data locking and blocking, network issues and performance bottlenecks in an application?

☐ Systemic

☐ Distributed

☒ Application

☐ Transactional

Question 5**1 pts**

SOAP stands for what?

- ☒ Simple Object Access Protocol
- ☐ Simple Object Access Prime
- ☐ Size Object Access Protocol
- ☐ Simple Objective Access Protocol

Question 6**1 pts**

XML is not case-sensitive

- ☐ True
- ☒ False

Question 7**1 pts**

Stress testing tries to create a new system by testing with overwhelming data or resources.

- ☐ True
- ☒ False

Question 8**1 pts**

Exploratory Stress Testing is one of the types of stress testing, which is used to test the system with unusual parameters or conditions that are unlikely to occur in a real scenario.

- ☒ True
- ☐ False

Question 9**1 pts**

Both JSON and XML can be used by Ajax

- ☒ True
- ☐ False

Question 10**1 pts**

It is a network accessible interface to application functionality, built using standard Internet technologies

- ☐ Stress Testing
- ☐ JSON
- ☒ Web Service
- ☐ XML

Question 11**1 pts**

A _____ is a sequence of Unicode characters wrapped within quotes ("")

- ☒ string
- ☐ integer
- ☐ double
- ☐ float

Question 12**1 pts**

Which of the following Stress Testing Process gather the system data, analyze the system, define the stress test goals.

- ☐ Results Analysis
- ☐ Create Automation Scripts
- ☐ Script execution
- ☒ Planning the Stress Test

Question 13**1 pts**

WSDL stands for what?

- ☐ Web Services Discovery Language
- ☐ Web Script Description Language
- ☐ Web Script Discovery Language
- ☒ Web Services Description Language

Question 14**1 pts**

Which of the following Stress Testing Tool define as open Source testing tool and it is a pure Java application for stress and Performance Testing?

- ☐ Stress tester
- ☐ LoadRunner
- ☐ NeoLoad
- ☒ Jmeter

Question 15**1 pts**

XML tags are predefined

- ☐ True
- ☒ False

**Question 16****1 pts**

Stress Testing tool does not provides an extensive analysis of the web application performance, provides results in graphical format, and it is extremely easy to use.

- ☐ True
- ☒ False

Question 17**1 pts**

XML is designed to be self-descriptive

- ☒ True
- ☐ False

Question 18**1 pts**

Stress testing is used to find out if or how the application recovers after its success.

- ☐ True
- ☒ False

Question 19**1 pts**

The role of stress server is to combine a set of stress tests to all stress clients and track the status of the client.

☒ True☐ False**Question 20****1 pts**

In distributed client-server systems, testing is done across all clients from the server.

☒ True☐ False**Question 21****1 pts**

XML was designed to carry data and to display data

☐ True☒ False**Question 22****1 pts**

Any legal XML document is not always parsable by an XML parser, without knowledge of tag meaning

☐ True☒ False

Question 23**1 pts**

JSON is a (mostly) language-independent way of specifying objects as name-value pairs

- ☒ True
- ☐ False

Question 24**1 pts**

Which of the following is a legal JSON string?

- ☒ { "comment": "This is a very, very long comment" }
- ☐ No answer text provided.
- ☐ No answer text provided.
- ☐ { "comment": "This is a very, very long comment" }

Question 25**1 pts**

An_____ is an ordered collection of values

- ☐ Object
- ☐ String
- ☐ Value
- ☒ Array

Question 26**1 pts**

Stress Testing Process Script Execution, in this stage, you run manually the Stress testing scripts and store the stress results.

- ☒ True
- ☐ False

Question 27**1 pts**

An_____ is an ordered collection of values

- ☒ Array
- ☐ Object
- ☐ String
- ☐ Value

Question 28**1 pts**

Which of the following Stress Testing Process generate the test data for the stress scenarios?

- ☒ Create Automation Scripts
- ☐ Scrip Execution
- ☐ Results Analysis
- ☐ Planning the Stress Test

Question 29**1 pts**

Load testing is used to find the limit of the load which the application or system cannot withstand, the performance levels at the limits.

- ☐ True
- ☒ False

Question 30**1 pts**

In JSON syntax, an object is an unordered set of name/value pairs. Select all true statement below about object.

- ☒ Pairs are separated by commas
- ☒ The pairs are enclosed within braces.
- ☐ There is a period between the name and the value

Question 31**1 pts**

Which of the following JSON syntax can be used between any pair of tokens?

- ☒ whitespace
- ☐ value
- ☐ number
- ☐ string

Question 32**1 pts**

JSON strings are always delimited by _____. Select all that applies.

- ☐ curly braces
- ☐ commas
- ☐ single quotes
- ☒ double quotes

Question 33**1 pts**

Load testing does break the system.

- ☐ True
- ☒ False

Question 34**1 pts**

Which of the following tools can simulate thousands of users to evaluate the application performance under load and analyze the response times.

- ☐ JSON
- ☐ Web Service
- ☐ XML
- ☒ Stress Testing

Question 35**1 pts**

It is used to study how the application responds under unusually heavy loads.

- ☐ XML
- ☐ JSON
- ☐ Load Testing
- ☒ Stress testing

Question 36**1 pts**

XML strings (such as attribute values) may be delimited by _____.? Select all that applies.

- ☐ commas
- ☒ single quotes
- ☐ curly braces
- ☒ double quotes

Question 37**1 pts**

There's a multiple root element

- ☐ True
- ☐ False

Question 38**1 pts**

Which of the following Stress Testing technique define as an integrated stress testing which can be tested across multiple systems running on the same server?

- ☐ Application
- ☐ Distributed
- ☐ Transactional
- ☒ Systemic

Question 39**1 pts**

XML Blends data and schema (structure)

- ☒ True
- ☐ False

Question 40**1 pts**

Which of the following is a legal JSON string?

- ☐ No answer text provided.
- ☐ No answer text provided.
- ☐ { "comment": "This is a very, very long comment" }
- ☒ { "comment": "This is a very, very long comment" }

Question 41**1 pts**

JSON is commonly used in Web as a vehicle to describe data being sent between systems

☒ True

☐ False

Question 42**1 pts**

JSON stands for what?

☐ JavaScript Object Note

☐ JavaScript Object Notation

☐ JavaScript Objective Notation

☒ JavaScript Object Notation

Question 43**1 pts**

In JSON syntax, an object is an unordered set of name/value pairs. Select all true statement below about object.

☐ There is a period between the name and the value

☒ Pairs are separated by commas

☒ The pairs are enclosed within braces.

Xml – EXTENSIVBLE MARKUP LANGUAGE

Question 45

1 pts

JSON strings are always delimited by _____. Select all that applies.

- ☐ curly braces
- ☐ double quotes
- ☒ single quotes
- ☐ commas

Question 46

1 pts

Which of the following is a true statement about comments in JSON? Select all correct answers.

Use the double slash (//) to add comments in JSON instance.

- ☒ You cannot comment a JSON instance document.
- ☐ The syntax in writing comments in JSON is the same as in XML.
- ☒ There is no syntax for commenting JSON instances.
- ☐ Use the double slash (//) to add comments in JSON instance.

Question 47

1 pts

Stress testing is also known as _____.

- ☐ Comfortable testing
- ☐ Endure Testing
- ☐ Discomfort Testing
- ☒ Endurance Testing

Question 48**1 pts**

Stress Testing Process Results Analysis, in this stage, you ignore the Stress Test results and identify bottlenecks.

- ☐ True
- ☒ False

Question 49**1 pts**

Which of the following is a true statement about comments in JSON? Select all correct answers.

Use the double slash (//) to add comments in JSON instance.

- ☒ You cannot comment a JSON instance document.
- ☐ Use the double slash (//) to add comments in JSON instance.
- ☐ The syntax in writing comments in JSON is the same as in XML.
- ☒ There is no syntax for commenting JSON instances.

Question 50**1 pts**

The _____ can be used between any pair of tokens

- ☐ Object
- ☐ Number
- ☐ String
- ☒ Whitespace