

Programming

Assignment 1

1 Python problem

The Listing 1 shows Python `code`.

Listing 1: Sample Python script with highlighting

```
1 def f(x):
2     s = ("Test", 2 + 3, {'a': 'b'}, x) # Comment
3     if s:
4         print(s[0].lower())
5
6 class Foo:
7     def __init__(self):
8         byte_string = 'newline:\n also newline:\x0a'
9         text_string = "Cyrillic R is \u0422f."
10        self.makeSense(whatever=1)
11
12    def make_sense(self, whatever):
13        self.sense = whatever
14
15 x = len('abc')
16 print(f.__doc__)
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

2 Java problem

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

The Figure 1 shows an example.



Figure 1: A sample figure

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Listing 2: Sample Java script

```
1 public class Foo {
2
3     public static void main(String[] args) {
4         printOne();
5         printOne();
6         printTwo();
7     }
8
9     public static void printOne() {
10        System.out.println("Hello world");
11    }
12
13    public static void printTwo() {
14        printOne();
15        printOne();
16    }
17
18 }
```

```
def f(x):
    s = ("Test", 2 + 3, {'a': 'b'}, x) # Comment
    if s:
        print(s[0].lower())

class Foo:
```

```
def __init__(self):
    byte_string = 'newline:\n also newline:\x0a'
    text_string = "Cyrillic R is \u042f. Oops \u042f"
    self.makeSense(whatever=1)

def make_sense(self, whatever):
    self.sense = whatever

x = len('abc')
print(f.__doc__)
```

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.