
CDC WONDER

[FAQs](#)

[Help](#)

[Contact Us](#)

[WONDER Search](#)

The Vaccine Adverse Event Reporting System (VAERS) Results

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
ANXIETY	MODERNA	012L20A	Missing	30-39 years	1	3.23%
ANXIETY	MODERNA	012L20A	Missing	Total	1	3.23%
ANXIETY	MODERNA	012L20A	Total		1	3.23%
ANXIETY	MODERNA	Total			1	3.23%
ANXIETY	Total				1	3.23%
ASTHENIA	MODERNA	025I202A	Yes	65+ years	1	3.23%
ASTHENIA	MODERNA	025I202A	Yes	Total	1	3.23%
ASTHENIA	MODERNA	025I202A	Total		1	3.23%
ASTHENIA	MODERNA	Total			1	3.23%
ASTHENIA	Total				1	3.23%
BLISTER	MODERNA	011J02A	Missing	18-29 years	1	3.23%
BLISTER	MODERNA	011J02A	Missing	Total	1	3.23%
BLISTER	MODERNA	011J02A	Total		1	3.23%
BLISTER	MODERNA	042I20A	Yes	18-29 years	1	3.23%
BLISTER	MODERNA	042I20A	Yes	Total	1	3.23%
BLISTER	MODERNA	042I20A	Total		1	3.23%
BLISTER	MODERNA	Total			2	6.45%
BLISTER	Total				2	6.45%
BLOOD PRESSURE INCREASED	MODERNA	011J20A	Yes	50-59 years	1	3.23%
BLOOD PRESSURE INCREASED	MODERNA	011J20A	Yes	Total	1	3.23%
BLOOD PRESSURE INCREASED	MODERNA	011J20A	Total		1	3.23%
BLOOD PRESSURE INCREASED	MODERNA	030M20A	Yes	50-59 years	1	3.23%
BLOOD PRESSURE INCREASED	MODERNA	030M20A	Yes	Total	1	3.23%
BLOOD PRESSURE INCREASED	MODERNA	030M20A	Total		1	3.23%
BLOOD PRESSURE INCREASED	MODERNA	Total			2	6.45%
BLOOD PRESSURE INCREASED	Total				2	6.45%
BODY TEMPERATURE INCREASED	MODERNA	027L20A	Unknown	65+ years	1	3.23%
BODY TEMPERATURE INCREASED	MODERNA	027L20A	Unknown	Total	1	3.23%
BODY TEMPERATURE INCREASED	MODERNA	027L20A	Total		1	3.23%
BODY TEMPERATURE INCREASED	MODERNA	Total			1	3.23%
BODY TEMPERATURE INCREASED	Total				1	3.23%
CARDIO-RESPIRATORY ARREST	PFIZER\BIONTECH	EL9269	No	65+ years	1	3.23%
CARDIO-RESPIRATORY ARREST	PFIZER\BIONTECH	EL9269	No	Total	1	3.23%
CARDIO-RESPIRATORY ARREST	PFIZER\BIONTECH	EL9269	Total		1	3.23%
CARDIO-RESPIRATORY ARREST	PFIZER\BIONTECH	Total			1	3.23%
CARDIO-RESPIRATORY ARREST	Total				1	3.23%
CELLULITIS	MODERNA	013L20A	Missing	65+ years	1	3.23%
CELLULITIS	MODERNA	013L20A	Missing	Total	1	3.23%
CELLULITIS	MODERNA	013L20A	Total		1	3.23%
CELLULITIS	MODERNA	Total			1	3.23%
CELLULITIS	Total				1	3.23%
CEREBROVASCULAR ACCIDENT	MODERNA	037K20A	Unknown	65+ years	1	3.23%
CEREBROVASCULAR ACCIDENT	MODERNA	037K20A	Unknown	Total	1	3.23%
CEREBROVASCULAR ACCIDENT	MODERNA	037K20A	Total		1	3.23%
CEREBROVASCULAR ACCIDENT	MODERNA	Total			1	3.23%
CEREBROVASCULAR ACCIDENT	Total				1	3.23%
CHEST DISCOMFORT	MODERNA	011J20A	Yes	50-59 years	1	3.23%
CHEST DISCOMFORT	MODERNA	011J20A	Yes	Total	1	3.23%
CHEST DISCOMFORT	MODERNA	011J20A	Total		1	3.23%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
CHEST DISCOMFORT	MODERNA	012L20A	Missing	30-39 years	1	3.23%
CHEST DISCOMFORT	MODERNA	012L20A	Missing	Total	1	3.23%
CHEST DISCOMFORT	MODERNA	012L20A	Total		1	3.23%
CHEST DISCOMFORT	MODERNA	Total			2	6.45%
CHEST DISCOMFORT	Total				2	6.45%
CHILLS	MODERNA	027L20A	Unknown	65+ years	1	3.23%
CHILLS	MODERNA	027L20A	Unknown	Total	1	3.23%
CHILLS	MODERNA	027L20A	Total		1	3.23%
CHILLS	MODERNA	042120A	Yes	18-29 years	1	3.23%
CHILLS	MODERNA	042120A	Yes	Total	1	3.23%
CHILLS	MODERNA	042120A	Total		1	3.23%
CHILLS	MODERNA	Total			2	6.45%
CHILLS	Total				2	6.45%
COUGH	PFIZER\BIONTECH	EJ1685	Yes	Unknown	1	3.23%
COUGH	PFIZER\BIONTECH	EJ1685	Yes	Total	1	3.23%
COUGH	PFIZER\BIONTECH	EJ1685	Total		1	3.23%
COUGH	PFIZER\BIONTECH	Total			1	3.23%
COUGH	Total				1	3.23%
DEATH	PFIZER\BIONTECH	EL9269	No	65+ years	1	3.23%
DEATH	PFIZER\BIONTECH	EL9269	No	Total	1	3.23%
DEATH	PFIZER\BIONTECH	EL9269	Total		1	3.23%
DEATH	PFIZER\BIONTECH	Total			1	3.23%
DEATH	Total				1	3.23%
DECREASED APPETITE	MODERNA	011J02A	Missing	18-29 years	1	3.23%
DECREASED APPETITE	MODERNA	011J02A	Missing	Total	1	3.23%
DECREASED APPETITE	MODERNA	011J02A	Total		1	3.23%
DECREASED APPETITE	MODERNA	Total			1	3.23%
DECREASED APPETITE	Total				1	3.23%
DIARRHOEA	MODERNA	030M20A	Yes	50-59 years	1	3.23%
DIARRHOEA	MODERNA	030M20A	Yes	Total	1	3.23%
DIARRHOEA	MODERNA	030M20A	Total		1	3.23%
DIARRHOEA	MODERNA	Total			1	3.23%
DIARRHOEA	Total				1	3.23%
DIZZINESS	MODERNA	011J20A	Yes	50-59 years	1	3.23%
DIZZINESS	MODERNA	011J20A	Yes	Total	1	3.23%
DIZZINESS	MODERNA	011J20A	Total		1	3.23%
DIZZINESS	MODERNA	Total			1	3.23%
DIZZINESS	PFIZER\BIONTECH	EL - 9264	Yes	18-29 years	1	3.23%
DIZZINESS	PFIZER\BIONTECH	EL - 9264	Yes	Total	1	3.23%
DIZZINESS	PFIZER\BIONTECH	EL - 9264	Total		1	3.23%
DIZZINESS	PFIZER\BIONTECH	EL9262	Yes	Unknown	1	3.23%
DIZZINESS	PFIZER\BIONTECH	EL9262	Yes	Total	1	3.23%
DIZZINESS	PFIZER\BIONTECH	EL9262	Total		1	3.23%
DIZZINESS	PFIZER\BIONTECH	Total			2	6.45%
DIZZINESS	Total				3	9.68%
DYSPNOEA	MODERNA	011J20A	Yes	40-49 years	1	3.23%
DYSPNOEA	MODERNA	011J20A	Yes	Total	1	3.23%
DYSPNOEA	MODERNA	011J20A	Total		1	3.23%
DYSPNOEA	MODERNA	012L20A	Missing	30-39 years	1	3.23%
DYSPNOEA	MODERNA	012L20A	Missing	Total	1	3.23%
DYSPNOEA	MODERNA	012L20A	Total		1	3.23%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
DYSPNOEA	MODERNA	Total			2	6.45%
DYSPNOEA	Total				2	6.45%
ELECTROCARDIOGRAM	MODERNA	030M20A	Yes	50-59 years	1	3.23%
ELECTROCARDIOGRAM	MODERNA	030M20A	Yes	Total	1	3.23%
ELECTROCARDIOGRAM	MODERNA	030M20A	Total		1	3.23%
ELECTROCARDIOGRAM	MODERNA	Total			1	3.23%
ELECTROCARDIOGRAM	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
ELECTROCARDIOGRAM	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
ELECTROCARDIOGRAM	PFIZER\BIONTECH	EK5730	Total		1	3.23%
ELECTROCARDIOGRAM	PFIZER\BIONTECH	Total			1	3.23%
ELECTROCARDIOGRAM	Total				2	6.45%
ERYTHEMA	MODERNA	013L20A	Missing	65+ years	1	3.23%
ERYTHEMA	MODERNA	013L20A	Missing	Total	1	3.23%
ERYTHEMA	MODERNA	013L20A	Total		1	3.23%
ERYTHEMA	MODERNA	029L20A	Yes	50-59 years	1	3.23%
ERYTHEMA	MODERNA	029L20A	Yes	Total	1	3.23%
ERYTHEMA	MODERNA	029L20A	Total		1	3.23%
ERYTHEMA	MODERNA	Total			2	6.45%
ERYTHEMA	Total				2	6.45%
FALL	PFIZER\BIONTECH	EL9269	Missing	18-29 years	1	3.23%
FALL	PFIZER\BIONTECH	EL9269	Missing	Total	1	3.23%
FALL	PFIZER\BIONTECH	EL9269	Total		1	3.23%
FALL	PFIZER\BIONTECH	Total			1	3.23%
FALL	Total				1	3.23%
FATIGUE	MODERNA	013L20A	No	60-64 years	1	3.23%
FATIGUE	MODERNA	013L20A	No	Total	1	3.23%
FATIGUE	MODERNA	013L20A	Total		1	3.23%
FATIGUE	MODERNA	Total			1	3.23%
FATIGUE	Total				1	3.23%
FEELING HOT	MODERNA	027L20A	Unknown	65+ years	1	3.23%
FEELING HOT	MODERNA	027L20A	Unknown	Total	1	3.23%
FEELING HOT	MODERNA	027L20A	Total		1	3.23%
FEELING HOT	MODERNA	Total			1	3.23%
FEELING HOT	Total				1	3.23%
FLUSHING	MODERNA	012L20A	Missing	30-39 years	1	3.23%
FLUSHING	MODERNA	012L20A	Missing	Total	1	3.23%
FLUSHING	MODERNA	012L20A	Total		1	3.23%
FLUSHING	MODERNA	Total			1	3.23%
FLUSHING	Total				1	3.23%
GAIT DISTURBANCE	MODERNA	025I202A	Yes	65+ years	1	3.23%
GAIT DISTURBANCE	MODERNA	025I202A	Yes	Total	1	3.23%
GAIT DISTURBANCE	MODERNA	025I202A	Total		1	3.23%
GAIT DISTURBANCE	MODERNA	Total			1	3.23%
GAIT DISTURBANCE	Total				1	3.23%
HEADACHE	MODERNA	013L20A	No	60-64 years	1	3.23%
HEADACHE	MODERNA	013L20A	No	Total	1	3.23%
HEADACHE	MODERNA	013L20A	Total		1	3.23%
HEADACHE	MODERNA	042I20A	Yes	18-29 years	1	3.23%
HEADACHE	MODERNA	042I20A	Yes	Total	1	3.23%
HEADACHE	MODERNA	042I20A	Total		1	3.23%
HEADACHE	MODERNA	Total			2	6.45%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
HEADACHE	Total				2	6.45%
HEART RATE INCREASED	MODERNA	030M20A	Yes	50-59 years	1	3.23%
HEART RATE INCREASED	MODERNA	030M20A	Yes	Total	1	3.23%
HEART RATE INCREASED	MODERNA	030M20A	Total		1	3.23%
HEART RATE INCREASED	MODERNA	Total			1	3.23%
HEART RATE INCREASED	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
HEART RATE INCREASED	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
HEART RATE INCREASED	PFIZER\BIONTECH	EK5730	Total		1	3.23%
HEART RATE INCREASED	PFIZER\BIONTECH	Total			1	3.23%
HEART RATE INCREASED	Total				2	6.45%
HYPERHIDROSIS	MODERNA	042120A	Yes	18-29 years	1	3.23%
HYPERHIDROSIS	MODERNA	042120A	Yes	Total	1	3.23%
HYPERHIDROSIS	MODERNA	042120A	Total		1	3.23%
HYPERHIDROSIS	MODERNA	Total			1	3.23%
HYPERHIDROSIS	Total				1	3.23%
HYPERVENTILATION	PFIZER\BIONTECH	EL - 9264	Yes	18-29 years	1	3.23%
HYPERVENTILATION	PFIZER\BIONTECH	EL - 9264	Yes	Total	1	3.23%
HYPERVENTILATION	PFIZER\BIONTECH	EL - 9264	Total		1	3.23%
HYPERVENTILATION	PFIZER\BIONTECH	Total			1	3.23%
HYPERVENTILATION	Total				1	3.23%
IMPAIRED WORK ABILITY	MODERNA	030M20A	Yes	50-59 years	1	3.23%
IMPAIRED WORK ABILITY	MODERNA	030M20A	Yes	Total	1	3.23%
IMPAIRED WORK ABILITY	MODERNA	030M20A	Total		1	3.23%
IMPAIRED WORK ABILITY	MODERNA	Total			1	3.23%
IMPAIRED WORK ABILITY	Total				1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	MODERNA	010M20A	Yes	65+ years	1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	MODERNA	010M20A	Yes	Total	1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	MODERNA	010M20A	Total		1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	MODERNA	Total			1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	PFIZER\BIONTECH	EL3302	Yes	50-59 years	1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	PFIZER\BIONTECH	EL3302	Yes	Total	1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	PFIZER\BIONTECH	EL3302	Total		1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	PFIZER\BIONTECH	Total			1	3.23%
INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	Total				2	6.45%
INJECTION SITE ERYTHEMA	MODERNA	012L20A	Yes	30-39 years	1	3.23%
INJECTION SITE ERYTHEMA	MODERNA	012L20A	Yes	Total	1	3.23%
INJECTION SITE ERYTHEMA	MODERNA	012L20A	Total		1	3.23%
INJECTION SITE ERYTHEMA	MODERNA	027L20A	Yes	65+ years	1	3.23%
INJECTION SITE ERYTHEMA	MODERNA	027L20A	Yes	Total	1	3.23%
INJECTION SITE ERYTHEMA	MODERNA	027L20A	Total		1	3.23%
INJECTION SITE ERYTHEMA	MODERNA	Total			2	6.45%
INJECTION SITE ERYTHEMA	Total				2	6.45%
INJECTION SITE PAIN	MODERNA	013L20A	No	60-64 years	1	3.23%
INJECTION SITE PAIN	MODERNA	013L20A	No	Total	1	3.23%
INJECTION SITE PAIN	MODERNA	013L20A	Total		1	3.23%
INJECTION SITE PAIN	MODERNA	027L20A	Yes	65+ years	1	3.23%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
INJECTION SITE PAIN	MODERNA	027L20A	Yes	Total	1	3.23%
INJECTION SITE PAIN	MODERNA	027L20A	Total		1	3.23%
INJECTION SITE PAIN	MODERNA	Total			2	6.45%
INJECTION SITE PAIN	Total				2	6.45%
INJECTION SITE PRURITUS	MODERNA	027L20A	Yes	65+ years	1	3.23%
INJECTION SITE PRURITUS	MODERNA	027L20A	Yes	Total	1	3.23%
INJECTION SITE PRURITUS	MODERNA	027L20A	Total		1	3.23%
INJECTION SITE PRURITUS	MODERNA	029L20A	Yes	50-59 years	1	3.23%
INJECTION SITE PRURITUS	MODERNA	029L20A	Yes	Total	1	3.23%
INJECTION SITE PRURITUS	MODERNA	029L20A	Total		1	3.23%
INJECTION SITE PRURITUS	MODERNA	Total			2	6.45%
INJECTION SITE PRURITUS	Total				2	6.45%
INJECTION SITE REACTION	MODERNA	012L20A	Yes	30-39 years	1	3.23%
INJECTION SITE REACTION	MODERNA	012L20A	Yes	Total	1	3.23%
INJECTION SITE REACTION	MODERNA	012L20A	Total		1	3.23%
INJECTION SITE REACTION	MODERNA	Total			1	3.23%
INJECTION SITE REACTION	Total				1	3.23%
INJECTION SITE SWELLING	MODERNA	012L20A	Yes	30-39 years	1	3.23%
INJECTION SITE SWELLING	MODERNA	012L20A	Yes	Total	1	3.23%
INJECTION SITE SWELLING	MODERNA	012L20A	Total		1	3.23%
INJECTION SITE SWELLING	MODERNA	013L20A	No	60-64 years	1	3.23%
INJECTION SITE SWELLING	MODERNA	013L20A	No	Total	1	3.23%
INJECTION SITE SWELLING	MODERNA	013L20A	Total		1	3.23%
INJECTION SITE SWELLING	MODERNA	027L20A	Yes	65+ years	1	3.23%
INJECTION SITE SWELLING	MODERNA	027L20A	Yes	Total	1	3.23%
INJECTION SITE SWELLING	MODERNA	027L20A	Total		1	3.23%
INJECTION SITE SWELLING	MODERNA	Total			3	9.68%
INJECTION SITE SWELLING	Total				3	9.68%
INJECTION SITE WARMTH	MODERNA	012L20A	Yes	30-39 years	1	3.23%
INJECTION SITE WARMTH	MODERNA	012L20A	Yes	Total	1	3.23%
INJECTION SITE WARMTH	MODERNA	012L20A	Total		1	3.23%
INJECTION SITE WARMTH	MODERNA	Total			1	3.23%
INJECTION SITE WARMTH	Total				1	3.23%
INTERCHANGE OF VACCINE PRODUCTS	PFIZER\BIONTECH	EL3302	Yes	50-59 years	1	3.23%
INTERCHANGE OF VACCINE PRODUCTS	PFIZER\BIONTECH	EL3302	Yes	Total	1	3.23%
INTERCHANGE OF VACCINE PRODUCTS	PFIZER\BIONTECH	EL3302	Total		1	3.23%
INTERCHANGE OF VACCINE PRODUCTS	PFIZER\BIONTECH	Total			1	3.23%
INTERCHANGE OF VACCINE PRODUCTS	Total				1	3.23%
JOINT SWELLING	MODERNA	011L20A	Unknown	30-39 years	1	3.23%
JOINT SWELLING	MODERNA	011L20A	Unknown	Total	1	3.23%
JOINT SWELLING	MODERNA	011L20A	Total		1	3.23%
JOINT SWELLING	MODERNA	Total			1	3.23%
JOINT SWELLING	Total				1	3.23%
LIP SWELLING	MODERNA	011L20A	Unknown	30-39 years	1	3.23%
LIP SWELLING	MODERNA	011L20A	Unknown	Total	1	3.23%
LIP SWELLING	MODERNA	011L20A	Total		1	3.23%
LIP SWELLING	MODERNA	013L20A	No	60-64 years	1	3.23%
LIP SWELLING	MODERNA	013L20A	No	Total	1	3.23%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
LIP SWELLING	MODERNA	013L20A	Total		1	3.23%
LIP SWELLING	MODERNA	Total			2	6.45%
LIP SWELLING	Total				2	6.45%
LOSS OF CONSCIOUSNESS	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
LOSS OF CONSCIOUSNESS	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
LOSS OF CONSCIOUSNESS	PFIZER\BIONTECH	EK5730	Total		1	3.23%
LOSS OF CONSCIOUSNESS	PFIZER\BIONTECH	Total			1	3.23%
LOSS OF CONSCIOUSNESS	Total				1	3.23%
MALAISE	MODERNA	011J02A	Missing	18-29 years	1	3.23%
MALAISE	MODERNA	011J02A	Missing	Total	1	3.23%
MALAISE	MODERNA	011J02A	Total		1	3.23%
MALAISE	MODERNA	030M20A	Yes	50-59 years	1	3.23%
MALAISE	MODERNA	030M20A	Yes	Total	1	3.23%
MALAISE	MODERNA	030M20A	Total		1	3.23%
MALAISE	MODERNA	Total			2	6.45%
MALAISE	Total				2	6.45%
MOBILITY DECREASED	MODERNA	025I202A	Yes	65+ years	1	3.23%
MOBILITY DECREASED	MODERNA	025I202A	Yes	Total	1	3.23%
MOBILITY DECREASED	MODERNA	025I202A	Total		1	3.23%
MOBILITY DECREASED	MODERNA	Total			1	3.23%
MOBILITY DECREASED	Total				1	3.23%
MUSCLE SPASMS	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
MUSCLE SPASMS	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
MUSCLE SPASMS	PFIZER\BIONTECH	EK5730	Total		1	3.23%
MUSCLE SPASMS	PFIZER\BIONTECH	Total			1	3.23%
MUSCLE SPASMS	Total				1	3.23%
MUSCULAR WEAKNESS	PFIZER\BIONTECH	EL3302	Yes	65+ years	1	3.23%
MUSCULAR WEAKNESS	PFIZER\BIONTECH	EL3302	Yes	Total	1	3.23%
MUSCULAR WEAKNESS	PFIZER\BIONTECH	EL3302	Total		1	3.23%
MUSCULAR WEAKNESS	PFIZER\BIONTECH	Total			1	3.23%
MUSCULAR WEAKNESS	Total				1	3.23%
NASOPHARYNGITIS	MODERNA	027L20A	Unknown	65+ years	1	3.23%
NASOPHARYNGITIS	MODERNA	027L20A	Unknown	Total	1	3.23%
NASOPHARYNGITIS	MODERNA	027L20A	Total		1	3.23%
NASOPHARYNGITIS	MODERNA	Total			1	3.23%
NASOPHARYNGITIS	Total				1	3.23%
NAUSEA	MODERNA	011J02A	Missing	18-29 years	1	3.23%
NAUSEA	MODERNA	011J02A	Missing	Total	1	3.23%
NAUSEA	MODERNA	011J02A	Total		1	3.23%
NAUSEA	MODERNA	011J20A	Yes	50-59 years	1	3.23%
NAUSEA	MODERNA	011J20A	Yes	Total	1	3.23%
NAUSEA	MODERNA	011J20A	Total		1	3.23%
NAUSEA	MODERNA	Total			2	6.45%
NAUSEA	Total				2	6.45%
NECK PAIN	PFIZER\BIONTECH	EK9231	Unknown	30-39 years	1	3.23%
NECK PAIN	PFIZER\BIONTECH	EK9231	Unknown	Total	1	3.23%
NECK PAIN	PFIZER\BIONTECH	EK9231	Total		1	3.23%
NECK PAIN	PFIZER\BIONTECH	Total			1	3.23%
NECK PAIN	Total				1	3.23%
PAIN	MODERNA	013L20A	Missing	65+ years	1	3.23%
PAIN	MODERNA	013L20A	Missing	Total	1	3.23%
PAIN	MODERNA	013L20A	Total		1	3.23%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
PAIN	MODERNA	025I202A	Yes	65+ years	1	3.23%
PAIN	MODERNA	025I202A	Yes	Total	1	3.23%
PAIN	MODERNA	025I202A	Total		1	3.23%
PAIN	MODERNA	042I20A	Yes	18-29 years	1	3.23%
PAIN	MODERNA	042I20A	Yes	Total	1	3.23%
PAIN	MODERNA	042I20A	Total		1	3.23%
PAIN	MODERNA	Total			3	9.68%
PAIN	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
PAIN	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
PAIN	PFIZER\BIONTECH	EK5730	Total		1	3.23%
PAIN	PFIZER\BIONTECH	Total			1	3.23%
PAIN	Total				4	12.90%
PAIN IN EXTREMITY	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
PAIN IN EXTREMITY	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
PAIN IN EXTREMITY	PFIZER\BIONTECH	EK5730	Total		1	3.23%
PAIN IN EXTREMITY	PFIZER\BIONTECH	EK9231	Unknown	30-39 years	1	3.23%
PAIN IN EXTREMITY	PFIZER\BIONTECH	EK9231	Unknown	Total	1	3.23%
PAIN IN EXTREMITY	PFIZER\BIONTECH	EK9231	Total		1	3.23%
PAIN IN EXTREMITY	PFIZER\BIONTECH	Total			2	6.45%
PAIN IN EXTREMITY	Total				2	6.45%
PALPITATIONS	MODERNA	012L20A	Missing	30-39 years	1	3.23%
PALPITATIONS	MODERNA	012L20A	Missing	Total	1	3.23%
PALPITATIONS	MODERNA	012L20A	Total		1	3.23%
PALPITATIONS	MODERNA	Total			1	3.23%
PALPITATIONS	Total				1	3.23%
PARAESTHESIA	PFIZER\BIONTECH	EL3302	Yes	65+ years	1	3.23%
PARAESTHESIA	PFIZER\BIONTECH	EL3302	Yes	Total	1	3.23%
PARAESTHESIA	PFIZER\BIONTECH	EL3302	Total		1	3.23%
PARAESTHESIA	PFIZER\BIONTECH	Total			1	3.23%
PARAESTHESIA	Total				1	3.23%
PERIPHERAL SWELLING	MODERNA	011L20A	Unknown	30-39 years	1	3.23%
PERIPHERAL SWELLING	MODERNA	011L20A	Unknown	Total	1	3.23%
PERIPHERAL SWELLING	MODERNA	011L20A	Total		1	3.23%
PERIPHERAL SWELLING	MODERNA	013L20A	Missing	65+ years	1	3.23%
PERIPHERAL SWELLING	MODERNA	013L20A	Missing	Total	1	3.23%
PERIPHERAL SWELLING	MODERNA	013L20A	Total		1	3.23%
PERIPHERAL SWELLING	MODERNA	Total			2	6.45%
PERIPHERAL SWELLING	PFIZER\BIONTECH	EK9231	Unknown	30-39 years	1	3.23%
PERIPHERAL SWELLING	PFIZER\BIONTECH	EK9231	Unknown	Total	1	3.23%
PERIPHERAL SWELLING	PFIZER\BIONTECH	EK9231	Total		1	3.23%
PERIPHERAL SWELLING	PFIZER\BIONTECH	Total			1	3.23%
PERIPHERAL SWELLING	Total				3	9.68%
PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE	MODERNA	043L20A	Yes	6-17 years	1	3.23%
PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE	MODERNA	043L20A	Yes	Total	1	3.23%
PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE	MODERNA	043L20A	Total		1	3.23%
PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE	MODERNA	Total			1	3.23%
PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE	Total				1	3.23%
PRURITUS	MODERNA	029L20A	Yes	50-59 years	1	3.23%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
PRURITUS	MODERNA	029L20A	Yes	Total	1	3.23%
PRURITUS	MODERNA	029L20A	Total		1	3.23%
PRURITUS	MODERNA	037K20A	Unknown	40-49 years	1	3.23%
PRURITUS	MODERNA	037K20A	Unknown	Total	1	3.23%
PRURITUS	MODERNA	037K20A	Total		1	3.23%
PRURITUS	MODERNA	Total			2	6.45%
PRURITUS	Total				2	6.45%
PYREXIA	MODERNA	025I202A	Yes	65+ years	1	3.23%
PYREXIA	MODERNA	025I202A	Yes	Total	1	3.23%
PYREXIA	MODERNA	025I202A	Total		1	3.23%
PYREXIA	MODERNA	042I20A	Yes	18-29 years	1	3.23%
PYREXIA	MODERNA	042I20A	Yes	Total	1	3.23%
PYREXIA	MODERNA	042I20A	Total		1	3.23%
PYREXIA	MODERNA	Total			2	6.45%
PYREXIA	Total				2	6.45%
RASH	MODERNA	013L20A	Missing	65+ years	1	3.23%
RASH	MODERNA	013L20A	Missing	Total	1	3.23%
RASH	MODERNA	013L20A	Total		1	3.23%
RASH	MODERNA	025I20-2A	Unknown	50-59 years	1	3.23%
RASH	MODERNA	025I20-2A	Unknown	Total	1	3.23%
RASH	MODERNA	025I20-2A	Total		1	3.23%
RASH	MODERNA	Total			2	6.45%
RASH	Total				2	6.45%
SKIN WARM	MODERNA	013L20A	Missing	65+ years	1	3.23%
SKIN WARM	MODERNA	013L20A	Missing	Total	1	3.23%
SKIN WARM	MODERNA	013L20A	Total		1	3.23%
SKIN WARM	MODERNA	Total			1	3.23%
SKIN WARM	Total				1	3.23%
SWELLING	PFIZER\BIONTECH	EK9231	Unknown	30-39 years	1	3.23%
SWELLING	PFIZER\BIONTECH	EK9231	Unknown	Total	1	3.23%
SWELLING	PFIZER\BIONTECH	EK9231	Total		1	3.23%
SWELLING	PFIZER\BIONTECH	Total			1	3.23%
SWELLING	Total				1	3.23%
SWOLLEN TONGUE	MODERNA	011J20A	Yes	40-49 years	1	3.23%
SWOLLEN TONGUE	MODERNA	011J20A	Yes	Total	1	3.23%
SWOLLEN TONGUE	MODERNA	011J20A	Total		1	3.23%
SWOLLEN TONGUE	MODERNA	Total			1	3.23%
SWOLLEN TONGUE	Total				1	3.23%
SYNCOPE	PFIZER\BIONTECH	EL9269	Missing	18-29 years	1	3.23%
SYNCOPE	PFIZER\BIONTECH	EL9269	Missing	Total	1	3.23%
SYNCOPE	PFIZER\BIONTECH	EL9269	Total		1	3.23%
SYNCOPE	PFIZER\BIONTECH	Total			1	3.23%
SYNCOPE	Total				1	3.23%
THROAT TIGHTNESS	MODERNA	011J20A	Yes	40-49 years	1	3.23%
THROAT TIGHTNESS	MODERNA	011J20A	Yes	Total	1	3.23%
THROAT TIGHTNESS	MODERNA	011J20A	Total		1	3.23%
THROAT TIGHTNESS	MODERNA	Total			1	3.23%
THROAT TIGHTNESS	PFIZER\BIONTECH	EJ1685	Yes	Unknown	1	3.23%
THROAT TIGHTNESS	PFIZER\BIONTECH	EJ1685	Yes	Total	1	3.23%
THROAT TIGHTNESS	PFIZER\BIONTECH	EJ1685	Total		1	3.23%
THROAT TIGHTNESS	PFIZER\BIONTECH	Total			1	3.23%
THROAT TIGHTNESS	Total				2	6.45%

Symptoms	Vaccine Manufacturer	Vaccine Lot	Recovered	Age	Events Reported	Percent (of 31)
TREMOR	MODERNA	025I202A	Yes	65+ years	1	3.23%
TREMOR	MODERNA	025I202A	Yes	Total	1	3.23%
TREMOR	MODERNA	025I202A	Total		1	3.23%
TREMOR	MODERNA	Total			1	3.23%
TREMOR	Total				1	3.23%
UNEVALUABLE EVENT	MODERNA	037K20A	Yes	40-49 years	1	3.23%
UNEVALUABLE EVENT	MODERNA	037K20A	Yes	Total	1	3.23%
UNEVALUABLE EVENT	MODERNA	037K20A	Total		1	3.23%
UNEVALUABLE EVENT	MODERNA	Total			1	3.23%
UNEVALUABLE EVENT	Total				1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	EK5730	Total		1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	EL9269	No	65+ years	1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	EL9269	No	Total	1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	EL9269	Total		1	3.23%
UNRESPONSIVE TO STIMULI	PFIZER\BIONTECH	Total			2	6.45%
UNRESPONSIVE TO STIMULI	Total				2	6.45%
URTICARIA	MODERNA	011L20A	Unknown	30-39 years	1	3.23%
URTICARIA	MODERNA	011L20A	Unknown	Total	1	3.23%
URTICARIA	MODERNA	011L20A	Total		1	3.23%
URTICARIA	MODERNA	Total			1	3.23%
URTICARIA	PFIZER\BIONTECH	EK5730	Yes	50-59 years	1	3.23%
URTICARIA	PFIZER\BIONTECH	EK5730	Yes	Total	1	3.23%
URTICARIA	PFIZER\BIONTECH	EK5730	Total		1	3.23%
URTICARIA	PFIZER\BIONTECH	Total			1	3.23%
URTICARIA	Total				2	6.45%
Total					96	309.68%

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

Notes:

Caveats: VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information.](#) ([/wonder/help/vaers.html#Suppress](#))

Data contains VAERS reports processed as of 5/7/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. Duplicate event reports and/or reports determined to be false are removed from VAERS. [More information.](#) ([/wonder/help/vaers.html#Reporting](#))

Vaccine Purchased By data are only available for events reported using the VAERS-1 form, active 07/01/1990 to 06/29/2017. Events reported using the VAERS 2.0 form are assigned the "Not Available" value for Vaccine Purchased By.

For more information on how many persons have been vaccinated in the US for COVID19 to date, see <https://covid.cdc.gov/covid-data-tracker/#vaccinations/> (<https://covid.cdc.gov/covid-data-tracker/#vaccinations/>)

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation](#) ([/wonder/help/vaers.html](#)) for more information.

Query Date: May 16, 2021 12:01:10 PM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - 5/7/2021, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on May 16, 2021 12:01:10 PM

Query Criteria:

State / Territory:	The United States/Territories/Unknown
Vaccine Lot:	All
Vaccine Products:	COVID19 VACCINE (COVID19)
Vaccine Purchased By:	Public **
Group By:	Symptoms; Vaccine Manufacturer; Vaccine Lot; Recovered; Age
Show Totals:	True
Show Zero Values:	Disabled