# YourCompany Name Zabbix Report

for

# RPiProxY8b923a

generated on

Monday 18th of February 2019 at 13:28

**YourCompany Nam**

ZABBIX

**Report start : 2019.02.18 13:28**
**Report end : 2019.02.18 14:28**

# Contents


Introduction . . . 1
Graphs for RPiProxY8b923a . . . 2
- Zabbix internal process busy % . . . 2
- Zabbix data gathering process busy % . . . 2
- Zabbix proxy performance . . . 2
- Zabbix cache usage, % free . . . 4
- CPU jumps . . . 4
- CPU load . . . 4
- CPU utilization . . . 5
- iowait . . . 5
- Swap usage . . . 5
- Memory usage . . . 6
- Temperature . . . 6

# Introduction

This is an automatically generated PDF file containing data gathered from Zabbix Monitoring System

# Graphs for RPiProxY8b923a

## Zabbix internal process busy %




| | | last | min | avg | max |
|---|---|---|---|---|---|
| Zabbix busy housekeeper processes, in % | [avg] | 0 % | 0 % | 0.006795 % | 0.41 % |
| Zabbix busy configuration syncer processes, in % | [avg] | 0 % | 0 % | 2.53 % | 13.62 % |
| Zabbix busy history syncer processes, in % | [avg] | 0.07 % | 0.05 % | 0.3 % | 2.21 % |
| Zabbix busy self-monitoring processes, in % | [avg] | 0.02 % | 0 % | 0.006762 % | 0.03 % |
| Zabbix busy heartbeat sender processes, in % | [avg] | 1.44 % | 1.34 % | 1.42 % | 1.71 % |
| Zabbix busy data sender processes, in % | [avg] | 45.74 % | 44.6 % | 46.34 % | 52.74 % |
| Zabbix busy task manager processes, in % | [avg] | 0.02 % | 0 % | 0.24 % | 2.94 % |

| | |
|---|---|
| Trigger: Zabbix housekeeper processes more than 75% busy | [> 75] |
| Trigger: Zabbix configuration syncer processes more than 75% busy | [> 75] |
| Trigger: Zabbix history syncer processes more than 75% busy | [> 75] |

## Zabbix data gathering process busy %




| | | last | min | avg | max |
|---|---|---|---|---|---|
| Zabbix busy trapper processes, in % | [avg] | 0.0034 % | 0 % | 0.00999 % | 0.28 % |
| Zabbix busy poller processes, in % | [avg] | 13.18 % | 2.74 % | 29.71 % | 100 % |
| Zabbix busy discoverer processes, in % | [avg] | 0.25 % | 0.09 % | 0.25 % | 2 % |
| Zabbix busy icmp pinger processes, in % | [avg] | 0 % | 0 % | 0.002253 % | 0.02 % |
| Zabbix busy http poller processes, in % | [avg] | 0.05 % | 0 % | 0.35 % | 4.35 % |
| Zabbix busy unreachable poller processes, in % | [avg] | 0 % | 0 % | 0.000845 % | 0.02 % |
| Zabbix busy snmp trapper processes, in % | [all] | 0 % | 0 % | 0.01 % | 0.03 % |

| | |
|---|---|
| Trigger: Zabbix trapper processes more than 75% busy | [> 75] |
| Trigger: Zabbix poller processes more than 75% busy | [> 75] |
| Trigger: Zabbix poller processes more than 75% busy | [> 75] |

## Zabbix proxy performance




| | | last | min | avg | max |
|---|---|---|---|---|---|
| Values processed by Zabbix proxy per second | [avg] | 1.57 | 1.07 | 2.35 | 4.07 |
| Zabbix queue | [avg] | 0 | 0 | 2.97 | 76 |

# Zabbix cache usage, % free




| | | last | min | avg | max |
|---|---|---|---|---|---|
| Zabbix configuration cache, % free | [avg] | 86.15 % | 86.15 % | 86.15 % | 86.15 % |
| Zabbix history index cache, % free | [avg] | 99.85 % | 99.84 % | 99.85 % | 99.85 % |
| Zabbix history write cache, % free | [avg] | 100 % | 99.93 % | 99.99 % | 100 % |

Trigger: Less than 25% free in the configuration cache [< 25]
Trigger: Less than 25% free in the history index cache [< 25]
Trigger: Less than 25% free in the history cache [< 25]

# CPU jumps




| | | last | min | avg | max |
|---|---|---|---|---|---|
| Interrupts per second | [avg] | 989 ips | 542 ips | 3.17 Kips | 17.83 Kips |

# CPU load




| | | last | min | avg | max |
|---|---|---|---|---|---|
| Processor load (1 min average per core) | [avg] | 0.1875 | 0.0025 | 0.1282 | 0.39 |
| Processor load (5 min average per core) | [avg] | 0.1025 | 0.0375 | 0.1279 | 0.2525 |
| Processor load (15 min average per core) | [avg] | 0.085 | 0.0675 | 0.1269 | 0.17 |

Trigger: Processor load is too high on RPiProxY8b923a [> 5]

# CPU utilization




# iowait




# Swap usage



# Memory usage




# Temperature