

Degree Project in
Second cycle, credits

## This is the title in the language of the thesis

An subtitle in the language of the thesis

**GLENN OLSSON** 

## This is the title in the language of the thesis

### An subtitle in the language of the thesis

**GLENN OLSSON** 

Master's Programme, Computer Science, 120 credits

Date: January 26, 2022

Supervisors: Hamid Ghasemirahni, Zachory Peterson

Examiner: Gerald Quentin Maguire Jr

Host company: Cal Poly

Swedish title: Detta är den svenska översättningen av titeln

Swedish subtitle: Detta är den svenska översättningen av undertiteln

### **Abstract**

Today there are free online services that can be used to store files of arbitrary types and sizes, such as Google Drive. These services are often limited by a certain total storage size. My goal is to create a filesystem that similarly can store arbitrary amount and types of data but without any real limit. This is to be achieved by taking advantage of online webpages such as Twitter where text and files can be posted on free accounts with no visible limit. The goal is to have a filesystem that behaves like any other but where the actual data is stored for free on unsuspecting websites.

### Keywords

Canvas Learning Management System, Docker containers, Performance tuning

Choose the most specific keyword from those used in your domain, see for example: the ACM Computing Classification System (https://www.acm.org/publications/computing-classification-system/how-to-use), the IEEE Taxonomy (https://www.ieee.org/publications/services/thesaurus-thank-you.html), PhySH (Physics Subject Headings) (https://physh.aps.org/), ...or keyword selection tools such as the National Library of Medicine's Medical Subject Headings (MeSH) (https://www.nlm.nih.gov/mesh/authors.html) or Google's Keyword Tool (https://keywordtool.io/)

#### **Mechanics**:

- The first letter of a keyword should be set with a capital letter and proper names should be capitalized as usual.
- Spell out acronyms and abbreviations.
- Avoid "stop words" as they generally carry little or no information.
- List your keywords separated by commas (",").

Since you should have both English and Swedish keywords - you might think of ordering them in corresponding order (*i.e.*, so that the n<sup>th</sup> word in each list correspond) - this makes it easier to mechanically find matching keywords.

### Sammanfattning

Sammanfattning på svenska

### Nyckelord

Canvas Lärplattform, Dockerbehållare, Prestandajustering

iv | Sammanfattning

## Acknowledgments

### Thanks to:

- Andrew Guenther, for uploading this template
- I would like to thank xxxx for having yyyy.

San Luis Obispo, January 2022 Glenn Olsson vi | Acknowledgments

## **Contents**

1	Intr	oduction	1
	1.1	Project Overview	1
2	Background		3
	2.1	Filesystems	3
	2.2	Twitter	3
	2.3	Related Work	4
3	Met	hod or Methods	5
4	Wha	at you did	7
5	Resi	ults and Analysis	9
6	Disc	eussion	11
7	Conclusions and Future work		13
	7.1	Conclusions	13
	7.2	Limitations	13
	7.3	Future work	13
		7.3.1 What has been left undone?	13
		7.3.1.1 Cost analysis	13
		7.3.1.2 Security	13
		7.3.2 Next obvious things to be done	14
	7.4	Reflections	14
Re	eferen	ices	15
	Som	nething Extra	17
		Just for testing KTH colors	17

## **List of Figures**

 $x \mid List \ of \ Figures$ 

## **List of Tables**

## Listings

## List of acronyms and abbreviations

SDG Sustainable Development Goal

UN United Nations

xvi | List of acronyms and abbreviations

## **Chapter 1**

### Introduction

### 1.1 Project Overview

This project intends to create a filesystem by taking advantage of online web services such as twitter. The idea is to save the files by posting/sending an encrypted version as one or more posts/private messages on for instance Twitter. The goal is to achieve storage of data in the same scale as the free accounts on online storage services such as Google Drive where users can store up to 15Gb of files. Accomplishing this would mean that one can store more data than that for free using this new filesystem.

The intention is not to create a revolutionary fast and usable filesystem but to instead to explore how well it is possible to utilizing the storage that Twitter and similar services provides by allowing users to post text and files, almost unmonitored.

The data posted will be encrypted and not be comprehensible by anyone who would stumble upon a post. Preferably, you should not be able tell that the post is used for storage of data at all.

## **Chapter 2**

### **Background**

This chapter provides basic background information about xxx. Additionally, this chapter describes xxx. The chapter also describes related work xxxx.

### 2.1 Filesystems

Filesystems are used to store data on for instance a hard drive of a computer. Google Drive is another file system that enables user to save their data online up to 15 GB for free[?] using their clusters of distributed storage devices, meaning that the data is saved on theirs servers which can be located wherever[?]. Paying customers can achieve higher amount of storage using the service.

A deniable filesystem is a system that does not expose files stored on this system without credentials - neither how many files are stored, their sizes, their content or even if there exists any files on the filesystem[?]. This is useful if for example one is to be exposed to an audit of their data by a totalitarian regim where they don't even want to disclose that they have data.

### 2.2 Twitter

Twitter is a micro-blog online where users can sign up for a free account and create public posts using text, images and videos. Text posts are limited to 280 characters while images can be up to 5mb and videos up to 512mb[?]. There is also possibility to send private messages to other accounts, where each message can contain up to  $10^{\circ}000$  characters and the same limitations on files. If one would represent an arbitrary file of X bytes, each byte (0x00)

- 0xFF) can be represented as a character and we can therefore represent this file as X different characters. Using the same set of characters for encoding and decoding we can get a symmetric relation for representing a file as a string of characters. This text can theoretically be posted on for instance Twitter, as long as the size is smaller than 280 or 10'000 bytes depending on if we would post a public post or a private message.

### 2.3 Related Work

 ${\tt peters}_d efy_2 014 created a deniable file system using a log-based structure in peters_defy_2 014 \cite{Lemma}. The file of the fil$ 

## **Chapter 3 Method or Methods**

6 | Method or Methods

# Chapter 4 What you did

# **Chapter 5 Results and Analysis**

10 | Results and Analysis

## **Chapter 6**

## **Discussion**

## **Chapter 7**

### **Conclusions and Future work**

### 7.1 Conclusions

### 7.2 Limitations

### 7.3 Future work

Due to the breadth of the problem, only some of the initial goals have been met. In these section we will focus on some of the remaining issues that should be addressed in future work. ...

#### 7.3.1 What has been left undone?

The prototype does not address the third requirment, i.e., a yearly unavailability of less than 3 minutes, this remains an open problem. ...

#### 7.3.1.1 Cost analysis

The current prototype works, but the performance from a cost perspective makes this an impractical solution. Future work must reduce the cost of this solution, to do so a cost analysis needs to first be done. ...

#### **7.3.1.2** Security

A future research effort is needed to address the security holes that results from using a self-signed certificate. Page filling text mass. Page filling text mass.

### 7.3.2 Next obvious things to be done

In particular, the author of this thesis wishes to point out xxxxxx remains as a problem to be solved. Solving this problem is the next thing that should be done. ...

### 7.4 Reflections

One of the most important results is the reduction in the amount of energy required to process each packet while at the same time reducing the time required to process each packet.

The thesis contributes to the UN SDGs numbers 1 and 9 by xxxx.

## References

# Appendix A Something Extra

### A.1 Just for testing KTH colors

This will be an appendix

### For DIVA

```
{
"Author1": { "Last name": "Olsson",
"First name": "Glenn",
"Local User Id": "u18orpa8",
"E-mail": "glennol@kth.se",
 "organisation": {"L1": "School of Electrical Engineering and Computer Science",
"Degree1": ("Educational program": "Master's Programme, Computer Science, 120 credits", "programcode": "TCSCM", "Degree0": "Degree of Master (120 credits)"
},
"Title": {
"Main title": "This is the title in the language of the thesis", "Subtitle": "An subtitle in the language of the thesis",
 "Language": "eng" },
"Alternative title": {
"Main title": "Detta är den svenska översättningen av titeln",
"Subtitle": "Detta är den svenska översättningen av undertiteln",
 "Language": "swe"
"Local User Id": "u1fz5jtv",
"E-mail": "hamidgr@kth.se",
 organisation": {"L1": ""
"L2": "Computer Science" }
},
"Supervisor2": { "Last name": "Peterson",
"First name": "Zachory",
"E-mail": "znjpeterson@gmail.com",
"Other organisation": "Cal Poly"
"Examiner1": { "Last name": "Maguire Jr", 
"First name": "Gerald Quentin",
 "Local User Id": "u1d13i2c",
"E-mail": "maguire@kth.se", "organisation": {"L1": "",
 "L2": "Computer Science" }
L2: Computer Science }
},

"Cooperation": { "Partner_name": "Cal Poly"},

"National Subject Categories": "10201",

"Other information": { "Year": "2022", "Number of pages": "xv,17"},

"Series": { "Title of series": "TRITA-EECS-EX", "No. in series": "2022:00"},

"Opponents": { "Name": "A. B. Normal & A. X. E. Normalè"},

"Presentation": { "Date": "2022-03-15 13:00"
,"Language":"eng"
,"Room": "via Zoom https://kth-se.zoom.us/j/ddddddddddd"
 Äddress": Ïsafjordsgatan 22 (Kistagången 16)"
 "City": "Stockholm" },
"Number of lang instances": "2",
"Abstract[eng]": €€€€
Today there are free online services that can be used to store files of arbitrary types and sizes, such as Google Drive. These services are often limited by a certain total storage size. My goal is to create a filesystem that similarly can store arbitrary amount and types of data but without any
real limit. This is to be achieved by taking advantage of online webpages such as Twitter where text and files can be posted on free accounts with
no visible limit. The goal is to have a filesystem that behaves like any other but where the actual data is stored for free on unsuspecting websites.
"Keywords[eng ]": €€€€
Canvas Learning Management System, Docker containers, Performance tuning €€€€,
 "Abstract[swe ]": €€€€
Sammanfattning på svenska   €€€€,
"Keywords[swe]":  €€€€
Canvas Lärplattform, Dockerbehållare, Prestandajustering €€€€,
```