

# 1. Description

## 1.1. Project

Project Name	L431
Board Name	custom
Generated with:	STM32CubeMX 6.3.0
Date	12/18/2022


### 1.2. MCU

MCU Series	STM32L4
MCU Line	STM32L4x1
MCU name	STM32L431RCTx
MCU Package	LQFP64
MCU Pin number	64

## 1.3. Core(s) information

Core(s)	Arm Cortex-M4


## 2. Pinout Configuration



# 3. Pins Configuration

Pin Number LQFP64	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	VBAT	Power		
7	NRST	Reset		
12	VSSA/VREF-	Power		
13	VDDA/VREF+	Power		
18	VSS	Power		
19	VDD	Power		
31	VSS	Power		
32	VDD	Power		
46	PA13 (JTMS-SWDIO)	I/O	SYS_JTMS-SWDIO	
47	VSS	Power		
48	VDD	Power		
49	PA14 (JTCK-SWCLK)	I/O	SYS_JTCK-SWCLK	
63	VSS	Power		
64	VDD	Power		

## 4. Clock Tree Configuration



Page 4

# 5. Software Project

### 5.1. Project Settings

Name	Value
Project Name	L431
Project Folder	/home/deh/GliderWinchItems/bmsmot/L431
Toolchain / IDE	Makefile
Firmware Package Name and Version	STM32Cube FW_L4 V1.17.2
Application Structure	Advanced
Generate Under Root	No
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

### 5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy all used libraries into the project folder
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power	No
consumption)	
Enable Full Assert	No

### 5.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	MX_GPIO_Init	GPIO
2	SystemClock_Config	RCC

## 6. Power Consumption Calculator report

#### 6.1. Microcontroller Selection

Series	STM32L4
Line	STM32L4x1
MCU	STM32L431RCTx
Datasheet	DS11453_Rev1

#### 6.2. Parameter Selection

Temperature	25
Vdd	3.0

### 6.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


## 6.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP2
Vdd	3.0	3.0
Voltage Source	Battery	Battery
Range	Range1-High	NoRange
Fetch Type	SRAM2	n/a
CPU Frequency	80 MHz	0 Hz
Clock Configuration	HSE BYP PLL	ALL CLOCKS OFF
Clock Source Frequency	4 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	8.71 mA	1.06 µA
Duration	0.1 ms	0.9 ms
DMIPS	100.0	0.0
Ta Max	103.82	105
Category	In DS Table	In DS Table

#### 6.5. Results

Sequence Time	1 ms	Average Current	871.95 μA
Battery Life	5 months, 9 days,	Average DMIPS	100.0 DMIPS
	16 hours		

### 6.6. Chart



## 7. Peripherals and Middlewares Configuration

#### 7.1. RCC

#### 7.1.1. Parameter Settings:

#### **System Parameters:**

VDD voltage (V) 3.3
Instruction Cache Enabled
Prefetch Buffer Disabled
Data Cache Enabled

Flash Latency(WS) 1 WS (2 CPU cycle)

**RCC Parameters:** 

HSI Calibration Value 16
MSI Calibration Value 0

MSI Auto Calibration Disabled
HSE Startup Timout Value (ms) 100
LSE Startup Timout Value (ms) 5000

**Power Parameters:** 

Power Regulator Voltage Scale Power Regulator Voltage Scale 1

#### 7.2. SYS

**Debug: Serial Wire** 

**Timebase Source: SysTick** 

<sup>\*</sup> User modified value

# 8. System Configuration

## 8.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
SYS	PA13 (JTMS- SWDIO)	SYS_JTMS- SWDIO	n/a	n/a	n/a	
	PA14 (JTCK- SWCLK)	SYS_JTCK- SWCLK	n/a	n/a	n/a	

## 8.2. DMA configuration

nothing configured in DMA service

## 8.3. NVIC configuration

## 8.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority	
Non maskable interrupt	true	0	0	
Hard fault interrupt	true	0	0	
Memory management fault	true	0	0	
Prefetch fault, memory access fault	true	0	0	
Undefined instruction or illegal state	true	0	0	
System service call via SWI instruction	true	0	0	
Debug monitor	true	0	0	
Pendable request for system service	true	0	0	
System tick timer	true	15	0	
PVD/PVM1/PVM2/PVM3/PVM4 interrupts through EXTI lines 16/35/36/37/38	unused			
Flash global interrupt	unused			
RCC global interrupt	unused			
FPU global interrupt	unused			

## 8.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
	sequence ordening	Hariotei	
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Prefetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	true	false
Debug monitor	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true

#### \* User modified value

# 9. System Views

9.1. Category view

9.1.1. Current

### 10. Docs & Resources

Type Link

Datasheet http://www.st.com/resource/en/datasheet/DM00257211.pdf

Reference http://www.st.com/resource/en/reference\_manual/DM00151940.pdf

manual

Programming http://www.st.com/resource/en/programming\_manual/DM00046982.pdf

manual

Errata sheet http://www.st.com/resource/en/errata\_sheet/DM00218224.pdf

Application note http://www.st.com/resource/en/application\_note/CD00160362.pdf

Application note http://www.st.com/resource/en/application\_note/CD00167594.pdf

Application note http://www.st.com/resource/en/application\_note/CD00211314.pdf

Application note http://www.st.com/resource/en/application\_note/CD00259245.pdf

Application note http://www.st.com/resource/en/application\_note/CD00264321.pdf

Application note http://www.st.com/resource/en/application\_note/CD00264342.pdf

Application note http://www.st.com/resource/en/application\_note/CD00264379.pdf

Application note http://www.st.com/resource/en/application\_note/DM00042534.pdf

Application note http://www.st.com/resource/en/application\_note/DM00072315.pdf

Application note http://www.st.com/resource/en/application\_note/DM00073742.pdf

Application note http://www.st.com/resource/en/application\_note/DM00073853.pdf

Application note http://www.st.com/resource/en/application\_note/DM00080497.pdf

Application note http://www.st.com/resource/en/application\_note/DM00081379.pdf

Application note http://www.st.com/resource/en/application\_note/DM00085385.pdf

Application note http://www.st.com/resource/en/application\_note/DM00087593.pdf

Application note http://www.st.com/resource/en/application\_note/DM00125306.pdf

Application note http://www.st.com/resource/en/application\_note/DM00129215.pdf

Application note http://www.st.com/resource/en/application\_note/DM00141025.pdf

Application note http://www.st.com/resource/en/application\_note/DM00144612.pdf

Application note http://www.st.com/resource/en/application\_note/DM00148033.pdf

Application note http://www.st.com/resource/en/application\_note/DM00150423.pdf

Application note http://www.st.com/resource/en/application\_note/DM00151811.pdf Application note http://www.st.com/resource/en/application\_note/DM00156964.pdf Application note http://www.st.com/resource/en/application\_note/DM00160482.pdf http://www.st.com/resource/en/application\_note/DM00209748.pdf Application note Application note http://www.st.com/resource/en/application\_note/DM00209768.pdf http://www.st.com/resource/en/application\_note/DM00209772.pdf Application note http://www.st.com/resource/en/application\_note/DM00216518.pdf Application note Application note http://www.st.com/resource/en/application\_note/DM00220769.pdf http://www.st.com/resource/en/application note/DM00226326.pdf Application note Application note http://www.st.com/resource/en/application note/DM00227538.pdf Application note http://www.st.com/resource/en/application\_note/DM00236305.pdf Application note http://www.st.com/resource/en/application\_note/DM00257177.pdf Application note http://www.st.com/resource/en/application\_note/DM00260952.pdf Application note http://www.st.com/resource/en/application\_note/DM00263732.pdf Application note http://www.st.com/resource/en/application\_note/DM00269143.pdf Application note http://www.st.com/resource/en/application\_note/DM00269146.pdf http://www.st.com/resource/en/application\_note/DM00272912.pdf Application note Application note http://www.st.com/resource/en/application\_note/DM00311483.pdf Application note http://www.st.com/resource/en/application\_note/DM00315319.pdf http://www.st.com/resource/en/application\_note/DM00327191.pdf Application note Application note http://www.st.com/resource/en/application\_note/DM00354244.pdf http://www.st.com/resource/en/application note/DM00354333.pdf Application note Application note http://www.st.com/resource/en/application\_note/DM00355687.pdf Application note http://www.st.com/resource/en/application\_note/DM00367673.pdf Application note http://www.st.com/resource/en/application\_note/DM00380469.pdf Application note http://www.st.com/resource/en/application\_note/DM00395696.pdf Application note http://www.st.com/resource/en/application\_note/DM00445657.pdf http://www.st.com/resource/en/application\_note/DM00476869.pdf Application note http://www.st.com/resource/en/application\_note/DM00493651.pdf Application note http://www.st.com/resource/en/application\_note/DM00536349.pdf Application note Application note http://www.st.com/resource/en/application\_note/DM00660597.pdf

