
A PAGE THAT RECEIVES A VARIABLE OF TYPE GET >>



THE CODE:

```
<form method="GET">
   <input type="text" name="name" required>
   <input type="number" name="phone" required>
   <input type="email" name="email" required>
   <button type="submit" name="send">کتسجیل الدخول</button>
```

TABLE IN A DATABA>>



THE CODE:

```
$password = " ";
$data = new PDO("mysql:host=localhost; dbname=databise; charset=utf8;",$username);
if(isset($_GET['send'])){
     $name= $_GET['name'];
     $phone= $_GET['phone'];
       Semail' Suri[ email ];

$da $data.prepare("INSERT INTO data_table (name,phone,email) VALUES(:name,:ph.

$da >bindParam("name",$name);

$da >bindParam("email",$email);
```

PAGE PHP >>

name	phone	email
ربيع حنين	2147483647	770956721r@gmail.com

THE CODE:

```
8 $da=$data->prepare("SELECT * FROM data_table");
9 $da->bindParam("name", $name);
10 $da->bindParam("phone", $phone);
11 $da->bindParam("email", $email);
12 $da->execute();
15 foreach($da AS $daa){
18 
24 
25 '.$daa['name'].'
26 '.$daa['phone'].'
27 '.$daa['email'].'
```

