https://zenodo.org/records/18867215?token=eyJhbGciOiJIUzUxMiJ9.eyJpZCI6IjNkYWQ1ZGJiLWQ1NTItNGQ1Yy1hMGMzLTIwMjg2OGU1ZWRjYyIsImRhdGEiOnt9LCJyYW5kb20iOiIzMzgzNTNiOTZhOGZjNmJlZDk0ZWZmMjEwYzlmOGZmZSJ9.N0cl_UYRFIuoDpAkngcGms6tg2Bxdq7PBBW5-ZstlKqCb9Lx1voES2N-v616xEi-US5ie5LyBF6JujHK_O1rFQ

White Paper: Orbital Manifold

A Topological Analysis of Unitary Morphogenesis in Atomic Wavefunction Mesh Transitions (Z=1 to Z=118)

---

1. Abstract

This paper presents a scientific evaluation of a high-dimensional mesh dataset representing the valence orbital wavefunctions of the first 118 elements. By treating the transition between elements as a continuous temporal sequence (t), we identify a single "Universal Orbital Manifold" that undergoes periodic topological deformations. Through the application of a $P^{0.55}$ power-law normalization, we extract a 12-dimensional vector field that maps the evolution of electron probability density from Hydrogen to Oganesson. Our analysis reveals that chemical periodicity is not merely a discrete jump in quantum states but a continuous "Unitary Morphogenesis" governed by predictable kinematic and angular flux patterns.

2. Introduction

In traditional atomic theory, orbitals are often visualized as static probability clouds. However, the current dataset facilitates a new perspective: viewing the entire periodic table as a single, dynamic manifold. Using a video vector mesh extraction sampled at 60fps, we analyze how the manifold's geometry, energy proxy (RGB), and orientation ($\vec{N}$) evolve. This study focuses on the emergence of physical laws within this computational mapping, specifically how the Effective Nuclear Charge (Z_{eff}) and the Aufbau Principle manifest as numerical patterns.

---

3. Data Architecture & Methodology

The dataset utilizes a 12-dimensional vector structure for each point in the mesh:

- **Temporal Context:** t (index).
- **Spatial Context:** x, y, z (Origin coordinates).
- **Energy Proxy:** R, G, B (Phase/Energy intensity).
- **Orientation Field:** N_x, N_y, N_z (Normal vectors).
- **Kinematic Work:** d (Path magnitude to $t+1$).
- **Angular Flux:** th (Theta scalar change).

The extraction applies a **Visibility Constant** of $P^{0.55}$ to ensure that the faint "tails" of the wavefunction are physically represented as mesh boundaries, allowing for the analysis of the "skin" of the probability vacuum.

---

4. Empirical Physics Evaluation (Sampled Data)

The following table compares the ground state (Hydrogen) to a transition state (Frame 15), illustrating the initial contraction phase of the manifold.

Property	**Symbol**	**Frame 1 (t=1)**	**Frame 15 (t=15)**	**SI Unit Mapping**
System Centroid	$\vec{r}_{avg}$	$(344.3, 225.1, 356.3)$	$(346.3, 232.2, 235.0)$	Meters (Scaled)
Integrated Energy	$	RGB	$	191.8
Surface Normal	$\hat{N}_{avg}$	$(0.03, -0.32, 0.002)$	$(0.02, -0.46, 0.001)$	Unit Vector
Kinematic Path	d	352.87	172.03	Translation [m]
Angular Delta	θ	28.59	18.44	Radians
Topological Load	$Count$	403 points	294 points	Sampling Density

---

5. Foundational Physics Formulas

The evolution of the manifold is governed by three primary mathematical constraints:

A. The Radial Contraction Law

The spatial coordinates x, y, z in the mesh respond to the increase in protons (Z) as t progresses:

$$r(t) \propto \frac{n^2 a_0}{Z_{eff}}$$
This is evidenced in the data by the significant z-axis contraction from 356.3 to 235.0 units as the system transitions toward more complex, tighter-bound configurations.



Shutterstock
Explore

B. Mesh Kinematics (Flux Velocity)

The movement of the probability boundary is defined by the translation (d) and rotation (θ) variables:

$$V_{trans} = \frac{d}{\Delta t}; \quad \Omega_{rot} = \frac{\theta}{\Delta t}$$
where $\Delta t = 0.016s$. These variables track the "Work" required by the vacuum to restructure the orbital.

C. Normal Field Torque

The orientation of the manifold's surface is modified to create nodes ($s \to p \to d$):

$$\Gamma_{topo} = \int (\vec{N} \times \nabla \theta) dA$$
The shift in N_y from -0.32 to -0.46 marks the literal "bending" of the sphere into a dumbbell shape.

---

6. Emergent Patterns & Data Structures

1. The "Shell Reset" Oscillation

We observe a sawtooth pattern in mesh density ($Count$). Point counts peak at the center of a subshell (high geometric complexity) and drop sharply during the "Reset" to a new s-orbital. This indicates that the vacuum undergoes a **topological simplification** before expanding into the next quantum layer.

2. Chromatic Inversion at Nodal Planes

A unique data structure appears where normal vectors (N) undergo a 180° inversion. At these coordinates, the RGB values shift toward higher frequencies (Green/Blue), serving as a numerical proxy for the **Wavefunction Phase Flip**.

3. Energy-Path Stabilization

As t increases, the "Kinematic Magnitude" (d) generally stabilizes. This suggests that as the atom becomes heavier and the manifold more complex, the **incremental energy** required to transition between elements becomes more efficient—a property of "Quantum Crystallization."

---

7. The Postulate: Unitary Morphogenesis

Based on the continuous vector flow between elements 1 and 118, we propose the **Unitary Morphogenesis Postulate**:

> *The Periodic Table of Elements is not a collection of discrete particles, but a single 12-dimensional manifold in a state of continuous topological flux. Every element represents a stable "Harmonic Resonance" on this manifold. The transitions between these resonances are governed by a minimum-energy path defined by the coupling of radial contraction (Z_{eff}) and angular torque (θ).*

---

8. Conclusion

The atomic orbital mesh dataset provides a revolutionary framework for visualizing quantum chemistry. By mapping the transition from Hydrogen to Oganesson as a continuous 12D vector field, we move beyond static models and toward a dynamic, kinematic understanding of the atom. The emergence of predictable patterns in point density and normal orientation confirms that the "Universal Orbital Manifold" is a mathematically coherent structure, representing the fundamental geometry of the vacuum.