Riphah International University

Mobile App Development (MAD)

Lab Task



Submitted by: Muhammad Qasim

Sap ID: 37137

Section: BSCS-6A

Submitted To: Sir Haroon

Riphah School of Computing & Innovation Faculty of Computing Riphah International University,

Lahore 2023

Code:

```
runApp(MyApp());
class MyApp extends StatelessWidget {
  const MyApp({Key? key}) : super(key: key);
  Widget build(BuildContext context) {
      home: Scaffold(
        appBar: AppBar(
              begin: Alignment.topCenter,
          child: Column (
            children: [
                children: [
                  Container (
                      boxShadow: [
                          color: Colors.black.withOpacity(0.3), // Add shadow
                          spreadRadius: 2,
                          offset: Offset(0, 3),
                    child: Column (
                      children: [
Colors.white), // Add icon
```

```
color: Colors.black.withOpacity(0.3), // Add shadow
            spreadRadius: 2,
            offset: Offset(0, 3),
      child: Column (
        children: [
          Text("Music", style: TextStyle(color: Colors.white)),
),
SizedBox (height: 30),
 children: [
    Container (
          image: AssetImage("assets/image/img.jpeg"),
        borderRadius: BorderRadius.circular(10), // Add rounded
        boxShadow: [
```

```
spreadRadius: 2,
children: [
     borderRadius: BorderRadius.circular(10), // Add rounded
          color: Colors.black.withOpacity(0.3), // Add shadow
    child: Column (
      children: [
        Icon(Icons.bookmark, size: 40, color: Colors.white),
        SizedBox (height: 5),
        Text("Bookmark", style: TextStyle(color:
     borderRadius: BorderRadius.circular(10), // Add rounded
     boxShadow: [
```

Output:

