Brand essentials

Version 1.0 / 30 October 2026



DNS & reverse proxy for macOS

Beacon gives local development projects .test domains and routes them to local ports. The identity pairs a warm amber signal with a restrained, native macOS interface.

Warm. Precise. Native.

Use clear names, visible destinations and quiet status indicators. Let the projects take priority.

Logo system

A signal symbol, a lowercase wordmark and a monochrome utility mark.





Amber symbol



Monochrome symbol

Use the full wordmark on the website, in onboarding and in supporting materials. Use the standalone symbol where space is limited.

Spacing & scale

Keep at least one stem-width of clear space around the mark. Preserve its proportions and leave both signal arcs intact. Start at 24 px for the symbol and 140 px for the full wordmark; review at the actual display size.

Colour & backgrounds

Use amber on Ink or Canvas, and black on light backgrounds. Keep the wordmark on a light surface. Do not stretch, rotate, outline or add effects. For the menu bar, use a template image so macOS controls its colour.

Colour palette

Amber establishes the brand; neutral surfaces keep the interface calm.

Signal
#F5B544
Primary actions and selection accents

Ink
#181C20
Primary text and dark surfaces

Canvas
#F5F3EE
Main light background

Slate
#737C86
Secondary icons and supporting details

Online
#38A88A
Healthy route indicators

White
#FFFFFF
Raised surfaces and inverse text

Practical colour use

Use Ink text on Signal buttons. Pair status colour with a label or icon. Slate is best for secondary details; use darker text for small labels on light surfaces.

Type & interface

Familiar macOS typography with clear technical information.

SF Pro

Interface labels, headings and body copy

`studio.test  localhost:3000`

SF Mono for ports, hosts, paths and diagnostic values

Projects ■ **Resolver active**

studio.test	`localhost:3000`	Online
api.test	`localhost:8000`	Online

Layout rhythm

Use an 8 pt spacing rhythm, 16-24 pt panel padding and compact 44-52 pt project rows. Keep domains easy to scan and align destinations consistently.

Hierarchy

Use 24-28 pt semibold page titles, 13-15 pt body text and 11-12 pt supporting labels. Reserve amber for the main action and selected content.

Voice & asset handoff

Straightforward language for a practical developer utility.

Approved descriptor

DNS & reverse proxy for macOS

Product description

Beacon gives your local projects .test domains and routes requests to the right local port.

Write what happened

Use direct labels such as Add project, Open in browser and Resolver active. Errors should identify the domain or port and give a specific next step.

Keep copy concrete

Describe the feature or action. Avoid slogan-like claims and vague promises. Use Beacon in prose and preserve the lowercase lettering in the logo.

Included in this pack

```
logos/        Three original transparent PNG assets
palette/      Hex values, RGB values and CSS variables
reference/    Original visual concept board
README.txt    File inventory and implementation notes
```

The reference board contains an earlier tagline. This guide supersedes it. PNG logos are raster artwork; no vector master or compiled app icon is included.