



**Anderson Guilherme, Guilherme Mascarenhas,
Ian Max, Lara Luíza e Manuelle Silva**

Projetos para Back-End

Banco de dados

TCC

CAMAÇARI

2025

Tabelas do banco de dados

Schema 'agrybem'

cliente

The screenshot shows the MySQL Workbench interface with the 'cliente' table being defined in the 'agrybem' schema. The 'Columns' tab is selected, displaying the following column definitions:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
id	INT(11)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL				
nome	VARCHAR(255)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL
email	VARCHAR(255)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL
telefone	VARCHAR(14)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL
senha	VARCHAR(255)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL

The 'Information' pane on the left shows the table structure:

Table: cliente

Columns:

- id int(11) AI PK
- nome varchar(255)
- email varchar(255)
- telefone varchar(14)
- senha varchar(255)

comentário

The screenshot shows the MySQL Workbench interface with the 'comentario' table selected in the 'commentario - Table' tab. The table structure is defined as follows:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
id	INT(11)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL
comentario	VARCHAR(500)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CURRENT_TIMESTAMP
data_post	DATETIME	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
id_cliente	INT(11)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
id_empreendimento	INT(11)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

The 'Object Info' tab is selected at the bottom.


empreendedor

The screenshot shows the MySQL Workbench interface with the 'empreendedor' table selected in the 'empreendedor - Table' tab. The table structure is defined as follows:


Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
id	INT(11)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL				
nome	VARCHAR(255)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL				
email	VARCHAR(255)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL
cnpj_cpf	VARCHAR(20)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL
senha	VARCHAR(255)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL
id_empreendimento	INT(11)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

The 'Object Info' tab is selected at the bottom.


empreendimento




endereço



instituição



order items



order

obs (ENUM('pending', 'in_transit', 'delivered', 'finished', 'canceled')

The screenshot shows the MySQL Workbench interface with the 'orders' table selected in the central workspace. The table has the following structure:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
<code>id</code>	<code>INT(11)</code>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>					
<code>cliente_id</code>	<code>INT(11)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>empresa_id</code>	<code>INT(11)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>total</code>	<code>DECIMAL(10,2)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>status</code>	<code>ENUM('pending', 'in_</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>pickup_date</code>	<code>DATE</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>pickup_time</code>	<code>TIME</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>created_at</code>	<code>DATETIME</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>id_telefone</code>	<code>INT(11)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>

Below the table structure, there is a preview of the 'empreendedor' table:

Column Name	Data Type	Default
<code>id</code>	<code>int(11)</code>	<input checked="" type="radio"/> Primary Key
<code>nome</code>	<code>varchar</code>	<input type="radio"/> Not Null
<code>email</code>	<code>varchar</code>	<input type="radio"/> Unique
<code>cnpj_cpf</code>	<code>varchar</code>	<input type="radio"/> Binary
<code>senha</code>	<code>varchar</code>	<input type="radio"/> Unsigned
<code>id_empreendimento</code>	<code>int(11)</code>	<input type="radio"/> Zero Fill
		<input type="checkbox"/> Auto Increment
		<input type="checkbox"/> Generated

The bottom status bar shows system information: 27°C Pred. limpo, 18:41, POR PTB2 24/11/2025.

produto

The screenshot shows the MySQL Workbench interface with the 'produto' table selected in the central workspace. The table has the following structure:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
<code>id</code>	<code>INT(11)</code>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>nome</code>	<code>VARCHAR(45)</code>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>				
<code>medida</code>	<code>VARCHAR(45)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>preco</code>	<code>DECIMAL(5,2)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>categoria</code>	<code>VARCHAR(45)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>foto</code>	<code>MEDIUMBLOB</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>
<code>id_empreendimento</code>	<code>INT(11)</code>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<code>NULL</code>

Below the table structure, there is a preview of the 'empreendedor' table:

Column Name	Data Type	Default
<code>id</code>	<code>int(11)</code>	<input checked="" type="radio"/> Primary Key
<code>nome</code>	<code>varchar</code>	<input type="radio"/> Not Null
<code>email</code>	<code>varchar</code>	<input type="radio"/> Unique
<code>cnpj_cpf</code>	<code>varchar</code>	<input type="radio"/> Binary
<code>senha</code>	<code>varchar</code>	<input type="radio"/> Unsigned
<code>id_empreendimento</code>	<code>int(11)</code>	<input type="radio"/> Zero Fill
		<input type="checkbox"/> Auto Increment
		<input type="checkbox"/> Generated

The bottom status bar shows system information: 27°C Pred. limpo, 18:41, POR PTB2 24/11/2025.