



WORKSPACE PRODUCTIVITY TOOLS

INTEG PRODUCT CATALOGUE QUARTER 3 2017/2018



Modtec Industries Ltd
PO Box 14, Silverdale
Auckland 0932, New Zealand

Phone
(+64)9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Integ

Table of contents

Ar-ray products	3
Single screen	3
Dual screen	3
Single screen + Laptop tray	3
Ar-ray Additions	4
Apollo solutions	5
Desk mount solutions	5
Single screen	5
Dual screen	6
Triple screen	7
Quad screen	8
Six screen	9
With laptop tray	10
With electrical fittings	11
Full solutions	11
CMS Snap-in	12
Elsafe Snap-in	13
Desk Mount Extrusions	14
Wall mount solutions	15
Single screen	15
Dual screen	16
Wall mount Extrusions	17
Electric height adjustment	18
Height Adjustable Tables	18
Electric kitset units	19
Electric kitset units – For existing Linak desks	20
Electric kitset unit – Other layouts in development	21
Floor to ceiling	22
Freestanding Solutions	23
Divider Screen Mount Solutions	24
Monitor arms	25
Desk clamps	26
Large Screen brackets	27
Adapters for standard arms	27
Large brackets for Apollo6 mounting	28
Accessories	29
Trays	29
Arm Limiter	30
Cable clips	31
CPU holders	32
Thin Client Mounts	33
Lights	34
Retrofit	35

FOR TERMS & CONDITIONS PLEASE SEE [INTEG.IT/TERMS_NZ](http://integ.it/terms_nz)



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Ar-ray products




Single screen

AR-4A2D

Integ, Ar-ray Series single monitor arm with Split Clamp


Weight limit: 6kg per arm, 16kg per pole



AR-4A2KG

Integ, Ar-ray Series single monitor arm with Grommet Clamp

Weight limit: 6kg per arm, 16kg per pole




Dual screen

AR-4A2B2D

Integ, Ar-ray dual monitor arm with Split Clamp


Weight limit: 6kg per arm, 16kg per pole



AR-4A2B2KG

Integ, Ar-ray dual monitor arm with Grommet Clamp

Weight limit: 6kg per arm, 16kg per pole




Single screen + Laptop tray

AR-4A2B2LD

Integ, Ar-ray Single Monitor Arm with Laptop Tray and Split Clamp


Weight limit: 6kg per arm, 16kg per pole



AR-4A2B2LKG

Integ, Ar-ray Single Monitor Arm with Laptop Tray and Grommet Clamp

Weight limit: 6kg per arm, 16kg per pole



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449




Email
order@integinternational.com

Ar-ray Additions





RAYB2-SLR-20

Ar-ray "B" retrofit arm
Weight limit: 6kg




SAM1181

Ar-ray Arm limiter
Colour: Black



The arm limiter can be retrofitted to an existing Ar-ray arm
Note: One limiter required per arm



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Apollo solutions


Desk mount solutions

Single screen

MA4-4S2D

Integ, 2-limb Mercury arm, 360 VESA with adjustable slimline split clamp (5 - 95mm), 400mm pole - Silver


Weight limit: 12kg per arm, 25kg per pole



MA4-4S2KG

Integ, 2-limb Mercury arm, 360 VESA with adjustable grommet clamp (5 - 30mm), 400mm pole - Silver


Weight limit: 12kg per arm, 25kg per pole



BMA4-4S2D

Integ, 2-limb Dynamic Blade monitor arm, Apollo4 400mm pole, adjustable slimline split clamp (5 - 95mm) - Silver


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



BMA4-4S2KG

Integ, 2-limb Dynamic Blade monitor arm, Apollo4 400mm pole, adjustable grommet clamp (5 - 30mm) - Silver


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



QA4-4S2D

Integ, 2-limb Mercury arm, Quick Release VESA with adjustable slimline split clamp (5 - 95mm), 400mm pole - Silver


Weight limit: 12kg per arm, 25kg per pole



QA4-4S2KG

Integ, 2-limb Mercury arm, Quick Release VESA with adjustable grommet clamp (5 - 30mm), 400mm pole - Silver

Weight limit: 12kg per arm, 25kg per pole



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449


Email
order@integinternational.com

Dual screen

MA4-4D2D

Integ, 2 x 2-limb Mercury arm, 360 VESA with adjustable slimline split clamp (5 - 95mm), 400mm pole - Silver


Weight limit: 12kg per arm, 25kg per pole



MA4-4D2KG

Integ, 2 x 2-limb Mercury arm, 360 VESA with adjustable grommet clamp (5 - 30mm), 400mm pole - Silver


Weight limit: 12kg per arm, 25kg per pole



BMA4-4D2D

Integ, 2 x 2-limb Dynamic Blade monitor arm, Apollo4 400mm pole, slimline split clamp (5 - 95mm) - Silver


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



BMA4-4D2KG

Integ, 2 x 2-limb Dynamic Blade monitor arm, Apollo4 400mm pole, adjustable grommet clamp (5 - 30mm) - Silver


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



QA4-4D2D

Integ, 2 x 2-limb Quick Release monitor arm, Apollo4 400mm pole, slimline split clamp (5 - 95mm) - Silver


Weight limit: 12kg per arm, 25 kg per pole



QA4-4D2KG

Integ, 2 x 2-limb Quick Release monitor arm, Apollo4 400mm pole, adjustable grommet clamp (5 - 30mm) - Silver

Weight limit: 12kg per arm, 25kg per pole



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ


Triple screen



MA4-4S0D2DM

Integ, 2 x 2-limb Mercury arm, 1 x 0-limb, 360 VESA with adjustable split clamp (5 - 95mm), 400mm pole - Silver


Weight limit: 12kg per arm, 25kg per pole
Max screen size = 17"



MA4-4S0D3DM

Integ, 2 x 3-limb Mercury arm, 1 x 0-limb, 360 VESA with adjustable split clamp (5 - 95mm), 400mm pole - Silver


Weight limit: 6kg per 3-limb arm, 12kg per 0-limb arm, 25kg per pole
Max screen size = 24"



BMPP-4S2D3D

Integ, Dynamic Blade triple monitor arm, Apollo4 400mm pole with adjustable split clamp (5 - 95mm) - Silver


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment
Max screen size = 24"



BMPP-4S2D3G

Integ, Dynamic Blade triple monitor arm, Apollo4 pole 400mm pole with adjustable grommet clamp (5 - 30mm) - Silver

Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment
Max screen size = 24"



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449


Email
order@integinternational.com

Quad screen

PCPD9-SW0-01 +
PPCD6-SW0-01 +
4 x MAKP2-SAR-10

Quad screen solution: Full split clamp + 600mm
Apollo4 pole + 4 x Mercury 2-Limb arms


Weight limit: 12kg per arm, 25kg per pole
Max screen size = 30"



PCPD9-SPP-00 +
PPDP6-SW0-01 +
4 x MAKP2-SAR-10

Quad screen solution: A4P+ split clamp + 600mm
Apollo4 Power+ pole + 4 x Mercury 2-Limb arms

Weight limit: 12kg per arm, 50kg per pole
Max screen size = 30"




FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Six screen

2 x PCPD9-SW0-01 +
2 x PPCD6-SW0-01 +
6 x MAKP2-SAR-10

Six screen solution: 2 x Full split clamps + 2 x
600mm Apollo4 pole + 6 x Mercury 2-Limb
arms


Weight limit: 12kg per arm, 25kg per pole
Max screen size = 30"



1 x PCPD9-SPP-00 +
1 x PPDP6-SW0-01 +
4 x MAKP3-SAR-10 +
2 x MAKP0-SAR-10

Six screen solution: A4P+ split clamp + 600mm
Apollo4 Power+ pole + 4 x Mercury 3-Limb arms + 2
x Mercury 0-Limb arms

Weight limit: 6kg per 3-limb arm, 12 kg per 0-
limb arm, 50kg per pole
Max screen size = 22"




FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

With laptop tray

MA4-2L2D

Integ, Apollo4 200mm desk mount (split clamp), laptop arm and Trae Mate - Silver


Weight limit: 12kg per arm, 25kg per pole



MA4-2L2KG

Integ, Apollo4 200mm desk mount (kidney grommet), laptop arm and Trae Mate - Silver


Weight limit: 12kg per arm, 25kg per pole



MA4-4B2L2D

Integ, Apollo4 400mm desk mount (split clamp), 2-limb Blade arm, laptop arm and Trae Mate - Silver


Weight limit: 2.5kg - 6kg per Blade arm, 12kg per Classic arm, 25kg per pole



MA4-4B2L2KG

Integ, Apollo4 400mm desk mount (kidney grommet), 2-limb Blade arm, laptop arm and Trae Mate - Silver


Weight limit: 2.5kg - 6kg per Blade arm, 12kg per Classic arm, 25kg per pole



MA4-4S2L2D

Integ, Apollo4 400mm desk mount (split clamp), 2-limb arm, laptop arm and Trae Mate - Silver


Weight limit: 12kg per arm, 25kg per pole



MA4-4S2L2KG

Integ, Apollo4 400mm desk mount (kidney grommet), 2-limb arm, laptop arm and Trae Mate - Silver

Weight limit: 12kg per arm, 25kg per pole



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

With electrical fittings




Full solutions

PP4-SPD-00

Integ, Apollo4P+ 400mm with adjustable split clamp, supplied with 2 GPO power, 2 data tiles and 500mm interconnecting lead - Silver


Weight limit: 50kg per pole
Colour: Silver



PP4-SPG-00

Integ, Apollo4P+ 400mm with grommet clamp, supplied with 2 GPO power, 2 data tiles and 500mm interconnecting lead - Silver


Weight limit: 50kg per pole
Colour: Silver



ELPP4-SPD-02

Integ, Apollo4P+ 400mm desk mount with Elsafe 2 power + twin USB fast charger, 1 data, 2m lead

Weight limit: 50kg per pole
Colour: Silver



ELPP4-SPG-01

Integ, Apollo4P+ 400mm with grommet mount, Elsafe 2 power + twin USB fast charger, 1 data, 2m lead

Weight limit: 50kg per pole
Colour: Silver



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

CMS Snap-in




Snap in CMS power/data assemblies

The following assemblies have an opening in the front suitable for specific CMS electrical components

CMS power 2 GPO

Note: The CMS part number given in the descriptions below (SW1802RWT) is for a white unit.




CMS dual data tiles ("clipsal")

Note: The CMS part number given in the descriptions below (SW18C-2WT) is for a white unit.

CMPP2-SPD-00

Integ, Apollo4P+ 200mm desk mount (split clamp), 2 power, CMS snap-in (1 x SW1802RWT) - Silver

Weight limit: 50kg per pole




Requires a CMS dual GPO to be purchased separately

CMPP2-SPG-00

Integ, Apollo4P+ 200mm desk mount (grommet), 2 power, CMS snap-in (1 x SW1802RWT) - Silver

Weight limit: 50kg per pole




Requires a CMS dual GPO to be purchased separately

CMPP4-SPD-00

Integ, Apollo4P+ 400mm desk mount (split clamp), 2 power, 2 data, CMS snap-in (1 x SW1802RWT, 1 x SW18C-2WT) - Silver

Weight limit: 50kg per pole




Requires a CMS dual GPO to be purchased separately

CMPP4-SPG-00

Integ, Apollo4P+ 400mm desk mount (grommet), 2 power, 2 data, CMS snap-in (1 x SW1802RWT, 1 x SW18C-2WT) - Silver

Weight limit: 50kg per pole



Requires a CMS dual GPO to be purchased separately

FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Elsafe Snap-in

Snap in Elsafe power/data assemblies

The following assemblies have an opening at the front that is suitable for specific Elsafe electrical components.

Elsafe power 2 GPO

Note: The Elsafe part number given in the descriptions below (152104) is for a white unit.




Elsafe data tiles - The tile on the left in the image shows a "clipsal" unit, the right unit is a "keystone" tile.

Note: The Elsafe part number given in the descriptions below (150778) is for a white "clipsal" unit.

ELPP2-SPD-00

Integ, Apollo4P+ 200mm desk mount (split clamp), Elsafe snap-in 2 power (Elsafe part No. 1 x 152104) - Silver


Weight limit: 50kg per pole
Electrical parts not included



ELPP2-SPG-00

Integ, Apollo4P+ 200mm desk mount (grommet), Elsafe snap-in 2 power (Elsafe part No. 1 x 152104) - Silver


Weight limit: 50kg per pole
Electrical parts not included



ELPP4-SPD-00

Integ, Apollo4P+ 400mm desk mount (split clamp), Elsafe snap-in 2 power, 2 data (Elsafe part No. 1 x 152104, 2 x 150778) - Silver


Weight limit: 50kg per pole
Electrical parts not included



ELPP4-SPG-00

Integ, Apollo4P+ 400mm desk mount (grommet), Elsafe snap-in 2 power, 2 data (Elsafe part No. 1 x 152104, 2 x 150778) - Silver

Weight limit: 50kg per pole
Electrical parts not included




FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Desk Mount Extrusions



PPCD2-SW0-02

Apollo4 200mm with pole clips and cap



PPCD4-SW0-02

Apollo4 400mm with pole clips and cap




PPCD6-SW0-02

Apollo4 600mm with pole clips and cap




PPCD8-SW0-02

Apollo4 800mm with pole clips and cap




PPDP4-SW0-01

Apollo4 Power+ 400mm with pole clips, cap and duct cover



PPDP6-SW0-01

Apollo4 Power+ 600mm with pole clips, cap and duct cover



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ


Wall mount solutions

Single screen

MDC-6S2WM

600mm Apollo2 wall mount with single professional series classic monitor arm


Weight limit: 12kg per arm



MDC-10B2K2WM

1000mm Apollo2 wall mount with single dynamic monitor arm and keyboard


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



MBW-12B2K2WM-00

1200mm Apollo6 wall mount with dual CMS power, 1.5m thermal overload starter lead, single dynamic monitor arm and keyboard


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



MBW-12B2K2WM-01

1200mm Apollo6 wall mount quad CMS power, 1.5m thermal overload starter lead, dual data, single dynamic monitor arm and keyboard

Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment




FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Dual screen

MDC-6D2WM

600mm Apollo2 wall mount with dual professional series classic monitor arm


Weight limit: 12kg per arm



MDC-10DB2K2WM

1000mm Apollo2 wall mount with dual dynamic monitor arm and keyboard


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



MBW-12DB2K2WM-00

1200mm Apollo6 wall mount with dual CMS power, 1.5m thermal overload starter lead, dual dynamic monitor arm and keyboard


Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



MBW-12DB2K2WM-01

1200mm Apollo6 wall mount with quad CMS power, 1.5m thermal overload starter lead, dual data, dual dynamic monitor arm and keyboard

Weight limit: 2.5kg - 6kg per arm
170mm of fingertip height adjustment



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ


Wall mount Extrusions

PPCC1-SW1-01

Apollo1, Single Slot, Wall Mount, 100mm w-caps

PPCC2-SW1-01

Apollo1, Single Slot, Wall Mount, 200mm w-caps




PPDC2-SW1-01

Apollo2 200mm wall mount with caps

PPDC4-SW1-01

Apollo2 400mm wall mount with caps




PPBW6-SW0-03

Apollo6 600mm wall mount with caps and duct covers

PPBW12-SW0-01

Apollo6 1200mm wall mount with caps and duct covers



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ


Electric height adjustment

Height Adjustable Tables

HA-W4BX-00

Integ Adjustable


Max weight = 100kg
 Max speed = 11mm/s
 Min height = 750mm
 Electric height adjustment = 430mm
 4 height presets
 1-press height adjustment
 Illuminated height display
 Bamboo top
 Cable tray
 Warranty: 5 years for frame, 3 years for motor



HA-W4XX-00

Integ Adjustable, No Top

Max weight = 100kg
 Max speed = 11mm/s
 Min height = 750mm
 Electric height adjustment = 430mm
 4 height presets
 1-press height adjustment
 Illuminated height display
 Cable tray
 Warranty: 5 years for frame, 3 years for motor




HA-W4BX-00 and
 HA-W4XX-00
 available in
 Auckland, New
 Zealand only

HK-W2BX-00

Integ Adjustable Premium


Max weight = 160kg
 Max speed = 35mm/s
 Min height = 620mm
 Electric height adjustment = 650mm
 Bamboo top
 Warranty: 3 years



HK-W2XX-00

Integ Adjustable Premium

Max weight = 160kg
 Max speed = 35mm/s
 Min height = 620mm
 Electric height adjustment = 650mm
 Warranty: 3 years



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
 PO Box 14, Silverdale Auckland
 0932, New Zealand

Phone
 (+64) 9 426 6380

Fax
 (+64) 9 426 9449


Email
order@integinternational.com

Electric kitset units

MCC-1.2S2G-00

Linak lifting column single screen assembly,
grommet mounted on desk.
Push button height adjustment: 660mm


Weight limit: 12kg per arm



MCC - 1.2D2G-00

Linak lifting column dual screen assembly,
grommet mounted on desk.
Push button height adjustment: 660mm


Weight limit: 12kg per arm



MCC-1.2S2D3G-00

Linak lifting column triple screen assembly,
grommet mounted on desk.
Push button height adjustment: 660mm


Weight limit: 6kg per arm



MCC-1.2Q2G-00

Linak lifting column quad screen assembly,
grommet mounted on desk.
Push button height adjustment: 660mm



Weight limit: 25kg total



MCC-1.2D2Q3G-00

Linak lifting column six screen assembly,
grommet mounted on desk.
Push button height adjustment: 660mm

Weight limit: 25kg total




FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Electric kitset units – For existing Linak desks


MCC-1.2S2G-01

Linak lifting column single screen assembly, grommet mounted on desk. No control box supplied.
Push button height adjustment: 660mm
Weight limit: 12kg per arm




MCC-1.2D2G-01

Linak lifting column dual screen assembly, grommet mounted on desk. No control box supplied.
Push button height adjustment: 660mm
Weight limit: 12kg per arm




MCC-1.2S2D3G-01

Linak lifting column triple screen assembly, grommet mounted on desk. No control box supplied.
Push button height adjustment: 660mm
Weight limit: 6kg per arm




MCC-1.2Q2G-01

Linak lifting column quad screen assembly, grommet mounted on desk. No control box supplied.
Push button height adjustment: 660mm
Weight limit: 25kg total



MCC-1.2D2Q3G-01

Linak lifting column six screen assembly, grommet mounted on desk – No control box supplied.
Push button height adjustment: 660mm
Weight limit: 25kg total



All of these electric kitset units come with the following parts:

- 1 x Switch
- 1 x Interconnecting cable


FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Electric kitset unit – Other layouts in development

DEV3729


Wall mounted lifting column with the following:

- 2-Limb arm
- Keyboard on a 3-Limb arm
- Shelf/Work surface



DEV3610

Linak lifting column single screen assembly, split clamp on desk.
Push button height adjustment: 660mm
Weight limit: 12kg per arm




FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Floor to ceiling


ASB-FC3.5-02

Apollo6 3.5m floor to ceiling with table bracket, CPU holder, 0-limb monitor arm and 600x200 large screen monitor bracket



ZE-FC-3.75-00

Apollo6 3.75m floor to ceiling with 400x400 large screen monitor bracket



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380


Fax
(+64) 9 426 9449

Email
order@integinternational.com

Freestanding Solutions


PPBF18-SW0-02

Apollo6 1.8m freestanding floor mount with 4 power and 1 USB.



Example for use:

Add a laptop tray and standard monitor arm for a standing solution that can be moved to wherever it is required. Note: There are cables coming out of the bottom of this that need to be plugged in to get the use out of the 4 power and 1USB on the back of the pole.



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Divider Screen Mount Solutions


Integ can make custom adapter fittings for some of our poles that fit in to existing office furniture such as screen dividers. Below are examples we have done.

PPCC3.5-SLX-00

Apollo1 350mm screen mount




This solution is suitable for the Lexicon screen extrusion (profile shown)



PPDC4-SAH-03

Integ, Apollo2 400mm Screen Mount (With 3 T-Nuts) - xone



This solution is suitable for the Xone screen extrusion (profile shown)



PSVP4-SW1-05

Integ, Extended keyway VESA monitor mount



This solution is suitable for getting the monitor as close to the screen as possible while providing basic height adjustment


Note: Requires an Integ pole/mount that is at least 300mm long

FOR TERMS & CONDITIONS PLEASE SEE [INTEG.IT/TERMS_NZ](http://integ.it/terms_nz)


Monitor arms




MAKP0-SAR-10BR Mercury 2-limb arm, front loading wedge, Blade Runner
Colour: Silver Weight limit = 2.5 - 6kg
170mm of fingertip height adjustment




MAKP0-SAR-10 Mercury 0-limb arm, front loading wedge, 360° knuckle
Colour: Silver Weight limit = 12kg




MAKP2-SAR-10BR Mercury 2-limb arm, front loading wedge, Blade Runner
Colour: Silver Weight limit = 2.5 - 6kg
170mm of fingertip height adjustment




MAKP2-SAR-10 Mercury Classic Professional Series Single Monitor Arm
Mercury 2-limb arm, front loading wedge, 360° knuckle
Colour: Silver Weight limit = 12kg




MAKP3-SAR-10BR Mercury 2-limb arm, front loading wedge, Blade Runner
Colour: Silver Weight limit = 2.5 - 6kg
170mm of fingertip height adjustment




MAKP3-SAR-10 Mercury 3-limb arm, front loading wedge, 360° knuckle
Colour: Silver Weight limit = 6kg



MAKP2-SAR-10HB Mercury 2-limb arm, front loading wedge, Heavy Duty Blade Runner
Colour: Silver Weight limit = 6 - 12kg



MAKP2-SAR-15 Mercury V18 2-limb arm, front loading wedge, QR 180° knuckle
Colour: Silver Weight limit = 12kg



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com


Desk clamps



PCPD9-SA2-02

Integ slimline split clamp with locking holes for Apollo4 and Ar-ray


Suitable for desks 3.5-94mm thick



PCPD9-SW0-06

Slimline split clamp angled for Apollo4 and Ar-ray

Suitable for desks 0-32mm and 52-77mm thick




Suitable for desks with a Lexicon cable tray

PCPD9-SW0-01

Apollo4 full split clamp


Suitable for desks 0-88mm thick



PCPG6-SW0-00

Integ grommet clamp, diecast top for Apollo4


Suitable for desks 0-25mm thick



PCPG2-SW0-01

Kidney grommet clamp Apollo4 and Ar-ray


Suitable for desks 0-30mm thick



PCPG2-SW0-05

Kidney grommet clamp, Apollo4 or Ar-ray, rubber coated bottom disk


Suitable for desks 0-30mm thick



PCPD9-SPP-00

Apollo4 Power+ Split clamp


Suitable for desks 1.5-94mm thick



PCPG7-SPP-00

Apollo4 Power+ Grommet clamp

Suitable for desks 0-40mm thick



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449


Email
order@integinternational.com

Large Screen brackets

Adapters for standard arms

PSVP3-SW0-01

200x100 VESA Adapter




Suitable for screens with a hole pattern of: 200 x 100mm

No screws supplied to attach to the monitor.

PSVP2-SW0-00

200x200mm VESA Adapter Assembly



Suitable for screens with a hole pattern of : 200 x 200mm


M6 and M8 monitor screws supplied.

FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

Large brackets for Apollo6 mounting

ASB-SSM-00

300x300 Large Screen Mount



Suitable for screens with a hole pattern of :
300 x 300mm


Requires an Integ Apollo6 to mount to.

M6 monitor screws supplied.

Monitor fixed in position once installed.

ASB-SSM-01

Fixed Screen Mount 400x300



Suitable for screens with a hole pattern of :
400 x 300mm


Requires an Integ Apollo6 to mount to.

M6 monitor screws supplied.

Monitor fixed in position once installed.

FC-SMM-03

Apollo6 400x300 Rotating Monitor Bracket with Std Mounts



Suitable for screens with a hole pattern of :
400 x 300mm


Requires an Integ Apollo6 to mount to.

M6 monitor screws supplied.

Monitor able to rotate once installed.

FC-SMM-00

Adjustable TV Mount 400x400



Suitable for screens with a hole pattern of :
400 x 400mm
400 x 200mm


Requires an Integ Apollo6 to mount to.

M6 monitor screws supplied.

Monitor able to tilt and rotate once installed.

SAM0627

600x200 Monitor Mount



Suitable for screens with a hole pattern of :
600 x 200mm
400 x 200mm

Requires an Integ Apollo6 to mount to.

M6 monitor screws supplied

Monitor able to tilt and rotate once installed.

FOR TERMS & CONDITIONS PLEASE SEE [INTEG.IT/TERMS_NZ](http://integ.it/terms_nz)

Accessories




Trays

PXTK1-SAT-00

Tabmate 2


- Suitable for tablets up to 300mm x 205mm x 18mm (Up to Surface Pro 3)
- Rubber topped, spring loaded grippers for easy tablet attachment and removal



PXTK1-SAT-01

Tabmate 1


- Suitable for tablets up to 242mm x 186mm x 18mm (Up to iPad 4)
- Rubber topped, spring loaded grippers for easy tablet attachment and removal



SAM0517X

Laptop Cobber


Folds down flat and helps prevent strains from prolonged laptop use. Comes with a protective neoprene bag which doubles as a mouse pad.



PXTK1-SAS-02

Trae Mate


Integ Trae Mate, laptop tray 320mm x 285mm



PXTK1-SAK-06


Integ Keyboard tray with wide holes

- Requires special keyboard arm



MAKP2-SLL-10K.02

Integ Keyboard arm
2-Limb Mercury arm with keyboard knuckle



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Arm Limiter



Arm limiters are useful when an arm is being used in the following circumstances:

- On a height adjustable table
- Near walls
- Near privacy screens
- Near desk partitions

SAM1179

Apollo Arm limiter

Colour: Black



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com


Cable clips



SAM0967

Mercury cable cover


Colour: Silver



PSPA1-CLC-00

Limb clips


Plastic clear clips to attach to Integ arms.
Limb clips supplied in bags of 12.



PSPA1-CPC-00

Pole clips

Plastic clear clips to attach to Integ poles.
Pole clips supplied in bags of 12.



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com


CPU holders

SAM0597X

Adjustable Slide & Rotate CPU Holder

Height adjustment from 24.7cm - 46.2cm Width adjustment from 8.5mm (0.85cm) - 24.5cm

Max weight = 12kg




PXTK1-SWC-03

CPU Holder #3

Width adjustment from 9.2cm - 12cm

Max weight = 12kg



Other sizes available of this type of holder:

PXTK1-SWC-01 3.4cm - 6.4cm


PXTK1-SWC-02 6.4cm - 9.4cm

SAM1057X

Anchor Adjustable CPU Holder

Height adjustment from 31cm - 55cm Width adjustment from 6.8cm - 26cm

Max weight = 30kg



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ


Thin Client Mounts

INTEG


WORKSPACE PRODUCTIVITY TOOLS

PSVP4-SW1-01

Integ, VESA-Angled Keyway Mount




Suitable for attaching a thin client to a post where the slot is in an angled orientation. E.g. Desk mounted solutions




PSVP4-SW1-03

Integ, VESA + Keyway Lock



Suitable for attaching a thin client to a post where the slot is in a straight orientation. E.g. Wall mounted solutions

FOR TERMS & CONDITIONS PLEASE SEE [INTEG.IT/TERMS_NZ](http://integ.it/terms_nz)

Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449


Email
order@integinternational.com

Lights




SAM1058X.01

Ellipse Task Light with front loading wedge



SAM1058X


Ellipse Task Light with split clamp



SAM0523X

Light Head with Base


Double arm LED task light with base



SAM0598X

Light Head with Split Clamp


Inted task light double arm with split clamp




SAM0523X.02

Light Head with Front Loading Wedge

Integ task light with modified front loading wedge sub assembly



NOTE: The SAM0523X.02 light has a wedge that is suitable to fit any standard Integ slot.



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com

Retrofit


INTEG

WORKSPACE PRODUCTIVITY TOOLS

PSBR-SW0-00


Blade Runner

Colour: Silver

 Weight limit: 2.5-6kg
Range: 170mm



Suitable for upgrading any Integ Mercury arms to Integ Dynamic height adjustment arms.

e.g.




PSBR-SW0-01

Heavy Duty Blade Runner

 Weight limit: 6-12kg
Range: 140mm



PSBR-BW0-02

Quick Release Blade Runner - Black

 Weight limit: 2.5-6kg
Range: 170mm


PSBR-BW0-03

Lightweight Blade Runner - Black

 Weight limit: 1.3-4kg
Range: 170mm

 FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ

 Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

 Phone
(+64) 9 426 6380


 Fax
(+64) 9 426 9449

 Email
order@integinternational.com

PSAA1-SAO-05


Spare 1 Limb Arm, 100mm With Pin

Colour: Silver




Note: This limb is useful if there is some obstruction behind the desk such as a wall or a modesty panel. The monitors can be pushed closer to the pole before the arm hits the obstruction.

Suitable for applications where a full length second limb may put the screens to close to the user




Comparison.




SAM1077

Locking pad for Apollo4 post




SAM1121

Locking pad for Ar-ray post



PSVP1-SMR-00

Masimo radical base plate



Suitable for Masimo Radical-7 monitor to connect to our standard quick release arm

Radical-7®
Pulse CO-Oximeter®

Breakthrough Measurements in a Versatile Monitor



FOR TERMS & CONDITIONS PLEASE SEE INTEG.IT/TERMS_NZ



Modtec Industries Ltd
PO Box 14, Silverdale Auckland
0932, New Zealand

Phone
(+64) 9 426 6380

Fax
(+64) 9 426 9449

Email
order@integinternational.com