

Test_TC API

Overview

Paths

GET /api/ApiPriority

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

POST /api/ApiPriority

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

GET /api/ApiPriority/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

PUT /api/ApiPriority/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

DELETE /api/ApiPriority/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

GET /api/ApiToDoItem

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

POST /api/ApiToDoItem

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

GET /api/ApiToDoItem/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

PUT /api/ApiToDoItem/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

DELETE /api/ApiToDoItem/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

POST /api/ApiToDoItem/{id}/complete

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

POST /api/ApiToDoItem/{id}/assign

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

GET /api/ApiUser

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

POST /api/ApiUser

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

GET /api/ApiUser/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | OK <i>Content</i> text/plain application/json text/json | No Links |

PUT /api/ApiUser/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

DELETE /api/ApiUser/{id}

Parameters

| Type | Name | Description | Schema |
|------|-----------------------|-------------|-----------------|
| path | id <i>required</i> | | integer (int32) |

Responses

| Code | Description | Links |
|------|-------------|----------|
| 200 | OK | No Links |

Components

Schemas

Priority

Properties

| Name | Description | Schema |
|---------------------------|--|---------------------------------------|
| Id <i>optional</i> | | integer (int32) |
| Level <i>optional</i> | <i>deprecated</i> Maximum: 10 Minimum: 1 | integer (int32) |
| TodoItems <i>optional</i> | <i>nullable</i> | < ToDoItem > array |

ToDoItem

Properties

| Name | Description | Schema |
|-----------------------------|-----------------|-----------------|
| Id <i>optional</i> | | integer (int32) |
| Title <i>optional</i> | <i>nullable</i> | string |
| Description <i>optional</i> | <i>nullable</i> | string |
| IsCompleted <i>optional</i> | | boolean |

| Name | Description | Schema |
|-------------------------------|-------------------------------------|--------------------------|
| DueDate <i>optional</i> | | string (date-time) |
| User <i>optional</i> | | User |
| UserId <i>optional</i> | <i>nullable</i> | integer (int32) |
| Priority <i>optional</i> | | Priority |
| PriorityId <i>optional</i> | | integer (int32) |
| Date <i>optional</i> | <i>read only</i> <i>nullable</i> | string |

User

Properties

| Name | Description | Schema |
|------------------------------|--------------------------|---------------------------------------|
| Id <i>optional</i> | | integer (int32) |
| Name <i>required</i> | Minimum Length: 1 | string |
| TodoItems <i>optional</i> | <i>nullable</i> | < ToDoItem > array |

UserAssignmentRequest

Properties

| Name | Description | Schema |
|---------------------------|-------------|-----------------|
| UserId <i>optional</i> | | integer (int32) |