

Document ID: b-confidential

Corpus ID: tenant-b-support

Tenant: Tenant B

Classification: confidential

Title: Tenant B Restricted Recovery Procedures

Fixture status: Synthetic tutorial content

Contains real customer data: No

Tenant B Restricted Recovery Procedures

Audience and scope

This document is for Tenant B analysts with a confidential-document grant. Every recovery event, role, checkpoint, and identifier below is fictional tutorial material and does not refer to real infrastructure, people, customers, or services.

The procedure models coordinated recovery without providing infrastructure commands, credentials, connection details, or attack instructions. Analysts use approved internal tooling represented only as abstract workflow steps in this synthetic fixture.

Recovery entry

When a fictional service is declared unavailable, the assigned analyst records a case reference, confirms the affected support function, and identifies the current recovery stage. The analyst does not copy protected evidence into public notes.

Review checkpoints

Initial assessment

The analyst confirms that the event description is complete, the recovery owner role is assigned, and the evidence set carries the correct Tenant B classification. Missing or contradictory details pause the workflow for review.

Controlled recovery

The recovery owner selects a previously approved abstract recovery plan and records each completed checkpoint. A second authorized analyst reviews the stated outcome without receiving secrets, executable commands, or unrelated document content.

- Validate the fictional case scope and classification.
- Record the chosen approved plan and responsible role.
- Require independent review before declaring service restored.
- Keep confidential evidence within the restricted case record.

Checkpoint completion is not inferred from a search result or generated summary. It is recorded by the authorized workflow after the responsible roles compare the synthetic evidence with the approved recovery plan.

Escalation and closure

Escalation rules

Escalation occurs when ownership is unclear, the fictional impact expands, evidence conflicts with the approved plan, or a checkpoint cannot be confirmed. The case moves to an authorized recovery coordinator rather than bypassing review.

If classification or tenant ownership is uncertain, the analyst stops content handling and requests a metadata review. The restricted record remains unavailable to public workflows while the fictional coordinator resolves the discrepancy.

Closure review

Closure requires an independent confirmation that the modeled support function is stable, the abstract checkpoints are complete, and confidential notes remain attached only to the Tenant B restricted case record.

The final fictional review captures lessons about sequencing, ownership, and evidence quality. It deliberately excludes real system details and cannot be used as an operational runbook, credential guide, or set of executable recovery instructions.