

E-Commerce Database Management System

Database Name:

EcommerceDB

Table 1: Customers Data

CustomerID	CustomerName	Age	Gender	City
1	Arjun	28	Male	Chennai
2	Priya	31	Female	Coimbatore
3	Rahul	26	Male	Madurai
4	Sneha	24	Female	Salem
5	Kavin	35	Male	Trichy

Table 2: Products Data

ProductID	ProductName	Category	Price
101	Laptop	Electronics	55000
102	Mobile	Electronics	22000
103	Shoes	Fashion	2500
104	Watch	Accessories	3200
105	Chair	Furniture	4500

Table 3: Orders Data

OrderID	CustomerID	ProductID	OrderDate	TotalAmount
1001	1	101	2026-05-10	55000

OrderID	CustomerID	ProductID	OrderDate	TotalAmount
1002	2	103	2026-05-11	2500
1003	3	102	2026-05-12	22000
1004	4	104	2026-05-13	3200
1005	5	105	2026-05-14	4500


TASK:

1. Count total number of customers.

```

48 #count total numbers of customers
49 • SELECT COUNT(*) AS total_customers FROM customers;
50

```



The screenshot shows a SQL query execution interface. The query is `SELECT COUNT(*) AS total_customers FROM customers;`. The result is displayed in a table with one column, `total_customers`, and one row with the value `5`. The interface includes a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'.


total_customers
5

2. Count total number of products.

```

51 #count total number of products
52 • SELECT COUNT(*) AS total_products FROM products;
53
54 #find highest product price

```



The screenshot shows a SQL query execution interface. The query is `SELECT COUNT(*) AS total_products FROM products;`. The result is displayed in a table with one column, `total_products`, and one row with the value `5`. The interface includes a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'.

total_products
5

3. Find highest product price.

```

53
54     #find highest product price
55 •   SELECT MAX(price) AS highest_price FROM products;
56
57     #find lowest product price
58 •   SELECT MIN(price) AS lowest_price FROM products;
59

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content
highest_price			
55000			

4. Find lowest product price.

```

56
57     #find lowest product price
58 •   SELECT MIN(price) AS lowest_price FROM products;
59
60     #calculate total sales amount from orders table
61 •   SELECT SUM(totalamount) AS total_saleamount FROM orders;
62

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content
lowest_price			
2500			

5. Calculate total sales amount from Orders table.

```

59
60     #calculate total sales amount from orders table
61 •   SELECT SUM(totalamount) AS total_saleamount FROM orders;
62
63     #find average product price
64 •   SELECT AVG(price) AS average_price FROM products;
65

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content: I A
total_saleamount			
87200			

6. Find average product price.

```

62
63 #find average product price
64 • SELECT AVG(price) AS average_price FROM products;
65
66 #show unique product categories
67 • SELECT DISTINCT(category) AS unique_category FROM products;

```

Result Grid

average_price
17440.0000

7. Show unique product categories.

```

65
66 #show unique product categories
67 • SELECT DISTINCT(category) AS unique_category FROM products;
68
69 #display first 2 products
70 • SELECT * FROM products LIMIT 2;

```

Result Grid

unique_category
Electronics
Fashion
Accessories
Furniture

8. Display first 2 products only.

```

68
69 #display first 2 products
70 • SELECT * FROM products LIMIT 2;
71
72 #rename customername as customer and city as location
73 • SELECT customername AS customer, city AS location FROM customers;

```

Result Grid

product_id	product_name	category	price
101	Laptop	Electronics	55000
102	Mobile	Electronics	22000
NULL	NULL	NULL	NULL

9. Rename CustomerName as Customer and City as Location.

```
70 • SELECT * FROM products LIMIT 2;  
71  
72 #rename customername as customer and city as location  
73 • SELECT customer_name AS customer,city AS location FROM customers;  
74  
75 #rename productname as item and price as cost  
76 • SELECT product_name AS item,price AS cost FROM products;
```

Result Grid			Filter Rows:	Export:	Wrap Cell Content:
	customer	location			
▶	Arjun	Chennai			
	Priya	Coimbatore			
	Rahul	Madurai			
	Sneha	Salem			
	Kavin	Trichy			

10. Rename ProductName as Item and Price as Cost.

```
75 #rename productname as item and price as cost  
76 • SELECT product_name AS item,price AS cost FROM products;  
77  
78 #find length of each productname  
79 • SELECT LENGTH(product_name) FROM products;
```

Result Grid			Filter Rows:	Export:	Wrap Cell Content:
	item	cost			
▶	Laptop	55000			
	Mobile	22000			
	Shoes	2500			
	Watch	3200			
	Chair	4500			

11. Find length of each product name.

```

75 #rename productname as item and price as cost
76 • SELECT product_name AS item,price AS cost FROM
77
78 #find length of each productname
79 • SELECT LENGTH(product_name) FROM products;
80
81 #display all customers names in uppercase
82 • SELECT UPPER(customer_name) FROM customers;

```

Result Grid




Filter Rows:

Export:



Wrap

	LENGTH(product_name)
▶	6
	6
	5
	5
	5

12. Display all customer names in uppercase.

```

78 #find length of each productname
79 • SELECT LENGTH(product_name) FROM products;
80
81 #display all customers names in uppercase
82 • SELECT UPPER(customer_name) FROM customers;
83
84 #display all categories in lowercase
85 • SELECT LOWER(category) FROM products;

```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	UPPER(customer_name)
▶	ARJUN
	PRIYA
	RAHUL
	SNEHA
	KAVIN

13. Display all categories in lowercase.

```

82 SELECT UPPER(customer_name) FROM customers;
83
84 #display all categories in lowercase
85 SELECT LOWER(category) FROM products;
86
87 #divide totalamountby 4 and rove the value
88 SELECT ROUND(totalamount/4) AS rounded_amount FROM orders;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

LOWER(category)
electronics
electronics
fashion
accessories
furniture

14. Divide TotalAmount by 4 and round the value.

```

87 #divide totalamountby 4 and rove the value
88 SELECT ROUND(totalamount/4) AS rounded_amount FROM orders;
89
90 #multiply product price by 2
91 SELECT product_id, ROUND(price*2) AS multiplied_price FROM products;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

rounded_amount
13750
625
5500
800
1125

15. Multiply product price by 2.

```

89
90 #multiply product price by 2
91 • SELECT product_id,ROUND(price*2) AS multiplied_price FROM products;
92
93 #show orderid with year and month from orderdate
94 • SELECT order_id, YEAR(orderdate) AS orderyear, MONTH(orderdate) AS ordermonth FROM orders;

```

Result Grid			Filter Rows:	Export:	Wrap Cell Content:
	product_id	multiplied_price			
▶	101	110000			
	102	44000			
	103	5000			
	104	6400			
	105	9000			

16. Show OrderID with Year and Month from OrderDate.

```

92
93 #show orderid with year and month from orderdate
94 • SELECT order_id, YEAR(orderdate) AS orderyear, MONTH(orderdate) AS ordermonth FROM orders;
95
96 #show current date and time
97 • SELECT NOW() AS current_date_time;

```

Result Grid				Filter Rows:	Export:	Wrap Cell Content:
	order_id	orderyear	ordermonth			
▶	1001	2026	5			
	1002	2026	5			
	1003	2026	5			
	1004	2026	5			
	1005	2026	5			

17. Show current date and time.

```

95
96     #show current date and time
97 •   SELECT NOW() AS current_date_time;
98
99     #show products under electronics category
100 •  SELECT * FROM products

```

Result Grid		Filter Rows:	Export:	Wrap
	current_date_time			
▶	2026-06-03 13:28:56			

18. Show products with price greater than 5000.

```

137 • SELECT product_name,category,price FROM products
138 where price > 5000;

```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	product_name	category	price	
▶	Laptop	Electronics	55000	
	Mobile	Electronics	22000	

19. Show customers from Chennai.

```

140 • SELECT customer_name,city FROM customers
141 WHERE city = "chennai";

```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	customer_name	city		
▶	Arjun	Chennai		

20. Show products under Electronics category.

```

100 • SELECT * FROM products
101 WHERE category="Electronics";
102
103 #display products where totalamount above 10000

```

product_id	product_name	category	price
101	Laptop	Electronics	55000
102	Mobile	Electronics	22000
NULL	NULL	NULL	NULL

21. Show orders where TotalAmount above 10000.

```

104 • SELECT * FROM orders
105 WHERE totalamount >= 10000;
106
107 #display products by price descending order
108 • SELECT price FROM products
109 ORDER BY price DESC;

```

order_id	customer_id	product_id	orderdate	totalamount
1001	1	101	2026-05-10	55000
1003	3	102	2026-05-12	22000
NULL	NULL	NULL	NULL	NULL

22. Display products by price descending order.

```
107 #display products by price descending order
```

```
108 • SELECT price FROM products
```

```
109 ORDER BY price ASC;
```

```
110
```

```
111 #show customers sorted by name
```

```
112 • SELECT customer_name FROM customers
```

```
113 ORDER BY customer_name ASC;
```

```
114
```

```
115 • SELECT customer_name FROM customers
```

Result Grid   Filter Rows: Export:  Wrap Cell Conte

	price
▶	2500
	3200
	4500
	22000
	55000

23. Show customers sorted by name

```
111 #show customers sorted by name
```

```
112 • SELECT customer_name FROM customers
```

```
113 ORDER BY customer_name ASC;
```

```
114
```

```
115 • SELECT customer_name FROM customers
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	customer_name
▶	Arjun
	Kavin
	Priya
	Rahul
	Sneha

```

114
115 • SELECT customer_name FROM customers
116 ORDER BY customer_name DESC;
117
118 #count how many products belong to Electronics category

```

Result Grid	Filter Rows:	Export:	Wrap Cell C
customer_name			
▶ Sneha			
Rahul			
Priya			
Kavin			
Arjun			

24. Count how many products belong to Electronics category.

```

119 • SELECT COUNT(category) AS counted_electronics FROM products
120 WHERE category = "Electronics";
121
122 #find average order amount
123 • SELECT AVG(totalamount) AS average_totalamount FROM orders;
124

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
counted_electronics			
▶ 2			

25. Find average order amount.

```

122     #find average order amount
123 •   SELECT AVG(totalamount) AS average_totalamount FROM orders;
124
125     #find maximum order amount
126 •   SELECT MAX(totalamount) AS max_totalamount FROM orders;
127
128     #find minimum order amount
129 •   SELECT MIN(totalamount) AS min_totalamount FROM orders;
130

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	average_totalamount
▶	17440.0000

26. Find maximum order amount.

```

124
125     #find maximum order amount
126 •   SELECT MAX(totalamount) AS max_totalamount FROM orders;
127
128     #find minimum order amount
129 •   SELECT MIN(totalamount) AS min_totalamount FROM orders;
130

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	max_totalamount
▶	55000

27. Find minimum order amount.

```

128 #find minimum order amount
129 • SELECT MIN(totalamount) AS min_totalamount FROM orders;
130

```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	min_totalamount			
▶	2500			

28. Show product price after adding GST 18%.

```

131 #show product price after adding gst 18%
132 • SELECT product_name,ROUND(price*1.18) AS increased_price FROM products;
133
134 #show customer names with city together

```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	product_name	increased_price		
▶	Laptop	64900		
	Mobile	25960		
	Shoes	2950		
	Watch	3776		
	Chair	5310		

29. Show customer names with city together.

```

134 #show customer names with city together
135 • SELECT CONCAT(customer_name," - ",city) AS customer_information FROM customers;
136
137 • SELECT product_name,ROUND(price*1.18) AS increased_price FROM products;

```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	customer_information			
▶	Arjun - Chennai			
	Priya - Coimbatore			
	Rahul - Madurai			
	Sneha - Salem			
	Kavin - Trichy			