## EE25BTECH11057 - Rushil Shanmukha Srinivas

**Question**: Find the direction cosines of the line passing through the two points (-2,4,-5) and (1,2,3).

## **Solution**:

Variable	Description	Values
A	Point	(-2, 4, -5)
В	Point	(1, 2, 3)

TABLE 0: Variables used

Let

$$\mathbf{A} = \begin{pmatrix} -2\\4\\-5 \end{pmatrix}, \quad \mathbf{B} = \begin{pmatrix} 1\\2\\3 \end{pmatrix}. \tag{0.1}$$

1

Thus the direction (difference) vector of the line is

$$\mathbf{v} = \mathbf{B} - \mathbf{A} = \begin{pmatrix} 3 \\ -2 \\ 8 \end{pmatrix}. \tag{0.2}$$

The length of v is

$$\mathbf{v}^{\mathsf{T}}\mathbf{v} = \begin{pmatrix} 3 & -2 & 8 \end{pmatrix} \begin{pmatrix} 3 \\ -2 \\ 8 \end{pmatrix}$$
$$= 3^3 + (-2)^2 + (8)^2$$
$$= 9 + 4 + 64 = 77$$

Therefore, the norm of  $\mathbf{v}$  is

$$||\mathbf{v}|| \stackrel{\Delta}{=} \sqrt{\mathbf{v}^{\mathsf{T}}\mathbf{v}} = \sqrt{77}$$

The unit vector in the direction of  $\mathbf{v}$  is

$$\frac{\mathbf{v}}{\|\mathbf{v}\|} = \frac{1}{\sqrt{77}} \begin{pmatrix} 3\\-2\\8 \end{pmatrix}$$

Let  $\alpha, \beta, \gamma$  be the angles made by the line with the x, y, z axes respectively. Then, the direction cosines are the elements of the above direction vector

$$\cos \alpha = \frac{3}{\sqrt{77}}, \quad \cos \beta = -\frac{2}{\sqrt{77}}, \quad \cos \gamma = \frac{8}{\sqrt{77}}$$

## Line passing through A and B with direction cosines




Fig: Vector v