

List of plant [species](#) in the [genus *Zephyranthes*](#).

List

As of January 2026, [Plants of the World Online](#) accepts the following 192 species:[\[1\]](#)

- [Zephyranthes advena](#) (Ker Gawl.) Nic.García
- [Zephyranthes alba](#) Flagg, G.Lom.Sm. & García-Mend.
- [Zephyranthes albiella](#) Traub
- [Zephyranthes albolilacina](#) Cárdenas
- [Zephyranthes amambaica](#) (Ravenna) Nic.García & Meerow
- [Zephyranthes americana](#) (Hoffmanns.) Ravenna
- [Zephyranthes amoena](#) Ravenna
- [Zephyranthes ananuca](#) (Phil.) Nic.García
- [Zephyranthes andalgalensis](#) (Ravenna) S.C.Arroyo
- [Zephyranthes andina](#) (R.E.Fr.) Traub
- [Zephyranthes araguaensis](#) (Ravenna) R.S.Oliveira & Dutilh
- [Zephyranthes araucana](#) (Phil.) Nic.García
- [Zephyranthes arenicola](#) Brandegees
- [Zephyranthes atamasco](#) (L.) Herb.
- [Zephyranthes aurata](#) (Ravenna) Nic.García & Meerow
- [Zephyranthes bagnoldii](#) (Herb.) Nic.García
- [Zephyranthes bahiensis](#) (Ravenna) R.S.Oliveira & Dutilh
- [Zephyranthes bakeri](#) (Phil.) ined.
- [Zephyranthes barrosiana](#) (Hunz. & Di Fulvio) S.C.Arroyo
- [Zephyranthes bella](#) T.M.Howard & S.Ogden
- [Zephyranthes berteriana](#) (Phil.) Nic.García
- [Zephyranthes bifida](#) (Herb.) Nic.García & Meerow
- [Zephyranthes bifolia](#) (Aubl.) M.Roem.
- [Zephyranthes blumenavia](#) (K.Koch & C.D.Bouché ex Carrière) Nic.García & Dutilh
- [Zephyranthes botumirimensis](#) (R.S.Oliveira) R.S.Oliveira & Dutilh
- [Zephyranthes brachyandra](#) (Baker) Backer
- [Zephyranthes brevipes](#) Standl.
- [Zephyranthes breviscapa](#) Ravenna
- [Zephyranthes briquetii](#) J.F.Macbr.
- [Zephyranthes caaguazuensis](#) (Ravenna) Nic.García & Meerow
- [Zephyranthes caerulea](#) (Griseb.) Baker
- [Zephyranthes calderensis](#) (Ravenna) Nic.García & S.C.Arroyo
- [Zephyranthes candida](#) Herb.
- [Zephyranthes capivarina](#) Ravenna
- [Zephyranthes cardinalis](#) C.H.Wright
- [Zephyranthes carinata](#) Herb.
- [Zephyranthes carminea](#) (Ravenna) S.C.Arroyo

- [*Zephyranthes cearensis*](#) (Herb.) Baker
- [*Zephyranthes chacoensis*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes chichimeca*](#) T.M.Howard & S.Ogden
- [*Zephyranthes chlorosolen*](#) (Herb.) D.Dietr.
- [*Zephyranthes chrysantha*](#) Greenm. & C.H.Thomps.
- [*Zephyranthes ciceroana*](#) M.M.Mejía & R.G.García
- [*Zephyranthes cisandina*](#) (Ravenna) Nic.García
- [*Zephyranthes citrina*](#) Baker
- [*Zephyranthes clintiae*](#) Traub
- [*Zephyranthes colonum*](#) (Phil.) ined.
- [*Zephyranthes comunelloi*](#) R.E.Bastian & Büneker
- [*Zephyranthes concinna*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes concolor*](#) (Lindl.) G.Nicholson
- [*Zephyranthes consobrina*](#) (Phil.) ined.
- [*Zephyranthes contermina*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes konzattii*](#) Greenm.
- [*Zephyranthes correntina*](#) (Roitman, J.A.Castillo & M.R.Barrios) Nic.García & S.C.Arroyo
- [*Zephyranthes crassibulba*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes crociflora*](#) T.M.Howard & S.Ogden
- [*Zephyranthes cubensis*](#) Urb.
- [*Zephyranthes datensis*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes depauperata*](#) Herb.
- [*Zephyranthes dichromantha*](#) T.M.Howard
- [*Zephyranthes diluta*](#) Ravenna
- [*Zephyranthes drummondii*](#) D.Don
- [*Zephyranthes duarteana*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes elegans*](#) Ravenna
- [*Zephyranthes elwesii*](#) (C.H.Wright) Nic.García
- [*Zephyranthes erubescens*](#) S.Watson
- [*Zephyranthes estensis*](#) (Ravenna) Nic.García & S.C.Arroyo
- [*Zephyranthes filifolia*](#) Herb. ex Kraenzl.
- [*Zephyranthes flavissima*](#) Ravenna
- [*Zephyranthes fluvialis*](#) Ravenna
- [*Zephyranthes formosissima*](#) (L.) Z.H.Feng
- [*Zephyranthes fosteri*](#) Traub
- [*Zephyranthes gameleirensis*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes gilliesiana*](#) (Herb.) Nic.García
- [*Zephyranthes goiana*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes graciliflora*](#) (Herb.) Nic.García
- [*Zephyranthes gracilifolia*](#) (Herb.) G.Nicholson
- [*Zephyranthes gracilis*](#) Herb.
- [*Zephyranthes gratissima*](#) Ravenna

- [*Zephyranthes guachipensis*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes guatemalensis*](#) L.B.Spencer
- [*Zephyranthes hondurensis*](#) Ravenna
- [*Zephyranthes howardii*](#) Traub
- [*Zephyranthes immaculata*](#) (Traub & Clint) Nic.García & Meerow
- [*Zephyranthes insularum*](#) H.H.Hume ex Moldenke
- [*Zephyranthes irwiniana*](#) (Ravenna) Nic.García
- [*Zephyranthes ischihualasta*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes ita-andivi*](#) García-Mend., Flagg & G.Lom.Sm.
- [*Zephyranthes itaobina*](#) (Ravenna) Nic.García
- [*Zephyranthes jamesonii*](#) (Baker) Nic.García & S.C.Arroyo
- [*Zephyranthes jonesii*](#) (Cory) Traub
- [*Zephyranthes jujuyensis*](#) E.Holmb.
- [*Zephyranthes katherinae*](#) L.B.Spencer
- [*Zephyranthes lactea*](#) S.Moore
- [*Zephyranthes laeta*](#) (Phil.) Nic.García
- [*Zephyranthes lagesiana*](#) Ravenna
- [*Zephyranthes lagopaivae*](#) (Campos-Rocha & Dutilh) Nic.García & Dutilh
- [*Zephyranthes latissimifolia*](#) L.B.Spencer
- [*Zephyranthes leonensis*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes leptandra*](#) (Ravenna) Nic.García
- [*Zephyranthes leucantha*](#) T.M.Howard
- [*Zephyranthes lindleyana*](#) Herb.
- [*Zephyranthes lineata*](#) (Phil.) ined.
- [*Zephyranthes longifolia*](#) Hemsl.
- [*Zephyranthes longipes*](#) Baker
- [*Zephyranthes longistyla*](#) Pax
- [*Zephyranthes longituba*](#) Flory ex Flagg & G.Lom.Sm.
- [*Zephyranthes lucida*](#) (R.S.Oliveira) R.S.Oliveira & Dutilh
- [*Zephyranthes macrosiphon*](#) Baker
- [*Zephyranthes maculata*](#) (L'Hér.) Nic.García
- [*Zephyranthes magnoi*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes martinezii*](#) (Ravenna) Nic.García
- [*Zephyranthes mataca*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes matogrossensis*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes medinae*](#) (L.O.Alvarado & García-Mend.) Nic.García & Meerow
- [*Zephyranthes mendocensis*](#) Baker
- [*Zephyranthes mesochloa*](#) Herb.
- [*Zephyranthes mexicana*](#) (T.M.Howard) Nic.García & Meerow
- [*Zephyranthes microcarpa*](#) (Rusby) S.C.Arroyo
- [*Zephyranthes microstigma*](#) Ravenna
- [*Zephyranthes millarensis*](#) (Ravenna) Nic.García

- [*Zephyranthes minima*](#) Herb.
- [*Zephyranthes minor*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes minuta*](#) (Kunth) D.Dietr.
- [*Zephyranthes miradorensis*](#) (Kraenzl.) Espejo & López-Ferr.
- [*Zephyranthes moctezumae*](#) T.M.Howard
- [*Zephyranthes modesta*](#) Ravenna
- [*Zephyranthes moelleri*](#) (Phil.) Nic.García
- [*Zephyranthes monantha*](#) (Ravenna) Nic.García
- [*Zephyranthes montana*](#) (Phil.) Nic.García
- [*Zephyranthes morrisclintii*](#) Traub & T.M.Howard
- [*Zephyranthes nelsonii*](#) Greenm.
- [*Zephyranthes nervosa*](#) Herb.
- [*Zephyranthes neumannii*](#) (Roitman, J.A.Castillo & Maza) Nic.García & S.C.Arroyo
- [*Zephyranthes nymphaea*](#) T.M.Howard & S.Ogden
- [*Zephyranthes oranensis*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes orellanae*](#) Carnevali, Duno & J.L.Tapia
- [*Zephyranthes pantanalensis*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes paranaensis*](#) Ravenna
- [*Zephyranthes pedunculosa*](#) (Herb.) Nic.García & S.C.Arroyo
- [*Zephyranthes philadelphica*](#) (Ravenna) Nic.García & Meerow
- [*Zephyranthes phycelloides*](#) (Herb.) Nic.García
- [*Zephyranthes picta*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes plumieri*](#) H.H.Hume ex Moldenke
- [*Zephyranthes popetana*](#) (Phil.) ined.
- [*Zephyranthes primulina*](#) T.M.Howard & S.Ogden
- [*Zephyranthes proctorii*](#) Acev.-Rodr. & M.T.Strong
- [*Zephyranthes pseudoconcolor*](#) Flagg, G.Lom.Sm. & García-Mend.
- [*Zephyranthes puertoricensis*](#) Traub
- [*Zephyranthes pulchella*](#) J.G.Sm.
- [*Zephyranthes purpurea*](#) Phil.
- [*Zephyranthes purpurella*](#) Ravenna
- [*Zephyranthes refugiensis*](#) F.B.Jones
- [*Zephyranthes reginae*](#) T.M.Howard & S.Ogden
- [*Zephyranthes riojana*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes robusta*](#) (Herb.) Baker
- [*Zephyranthes rosalensis*](#) Ravenna
- [*Zephyranthes rosea*](#) Lindl.
- [*Zephyranthes rubra*](#) (Ravenna) R.S.Oliveira & Dutilh
- [*Zephyranthes ruizlealii*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes saipinensis*](#) (Ravenna) Nic.García
- [*Zephyranthes salinarum*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes saltensis*](#) (Ravenna) S.C.Arroyo

- [*Zephyranthes sanavirone*](#) (Roitman, J.A.Castillo, G.M.Tourn & Uria) Nic.García & S.C.Arroyo
- [*Zephyranthes sarae*](#) J.M.Watson & A.R.Flores
- [*Zephyranthes schulziana*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes sessilis*](#) Herb.
- [*Zephyranthes simpsonii*](#) Chapm.
- [*Zephyranthes smallii*](#) (Alexander) Traub
- [*Zephyranthes solisii*](#) (Phil.) ined.
- [*Zephyranthes spectabilis*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes splendens*](#) (Renjifo) Nic.García
- [*Zephyranthes sprekeiopsis*](#) (Christenh. & Byng) Nic.García & Meerow
- [*Zephyranthes stellaris*](#) Ravenna
- [*Zephyranthes stellatorosea*](#) G.Lom.Sm., Spurrier, Flagg & Espejo
- [*Zephyranthes steyermarkii*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes subflava*](#) L.B.Spencer
- [*Zephyranthes susatana*](#) Fern.Alonso & Groenend.
- [*Zephyranthes sylvatica*](#) (Mart. ex Schult. & Schult.f.) Baker
- [*Zephyranthes tenuiflora*](#) (Phil.) Nic.García
- [*Zephyranthes tepicensis*](#) (Greenm. ex Flagg & G.Lom.Sm.) Flagg & G.Lom.Sm.
- [*Zephyranthes traubii*](#) (W.Hayw.) Moldenke
- [*Zephyranthes treatiae*](#) S.Watson
- [*Zephyranthes tubispatha*](#) (L'Hér.) Herb.
- [*Zephyranthes tucumanensis*](#) Hunz.
- [*Zephyranthes uruguaiatica*](#) Ravenna
- [*Zephyranthes venturiana*](#) (Ravenna) S.C.Arroyo
- [*Zephyranthes versicolor*](#) (Herb.) G.Nicholson
- [*Zephyranthes vittata*](#) (T.M.Howard) Nic.García & Meerow
- [*Zephyranthes* × *woelfleana*](#) (Traub) Z.H.Feng
- [*Zephyranthes wrightii*](#) Baker
- [*Zephyranthes yaviensis*](#) Ravenna
- [*Zephyranthes zapotecana*](#) Nic.García & Meerow

Some other names are found in the horticultural literature, but as of September 2011 not in scientific databases of plant names, such as the Kew Checklist or the International Plant Names Index. These include: *Zephyranthes huastecana*, *Zephyranthes lancasterae*, *Zephyranthes sylvestris* and *Zephyranthes zeyheri*. *Zephyranthes sulphurea* is *Z. citrina*.

From Wikipedia, the free encyclopedia

***Zamia* tree based on [transcriptomes\[1\]](#)**

Zamia I Caribbean islands 7 sp.

III III-A Mega Mexico A 14 sp.

III-B Mega Mexico B 7 sp.

IV *Zamia soconuscensis*

Zamia is a genus of [cycads](#) (non-flowering plants with seeds) found in the [Neotropical Realm](#) of the Americas. As of May 2025, there are about 90 species of *Zamia* recognized by major databases of plant species. A 2024 study analyzing [transcriptomes](#) from 77 species of *Zamia* found support for a [phylogenetic tree](#) of seven clades for the genus occupying different geographical ranges. Clade I includes species in the [Caribbean islands](#) and [Florida](#). Clade II includes species in states along the [Gulf Coast](#) of central [Mexico](#). Clade III, which is divided into the sub-clades III-A and III-B, includes species found in Mexico and northern Central America. Clade IV consists of a single species found in the Mexican state of [Chiapas](#). Clade V includes species found in southern Central America. Clade VI includes species found in southernmost [Panama](#) and west of the [Andes](#) in South America. Clade VII consists species found in northern [Colombia](#) and east of the Andes in South America.[1]

Accepted species

Almost all of the species in this table are accepted as valid in at least four of the following databases, including The World List of Cycads (WLC),[2] the USDA-ARS [Germplasm Resources Information Network](#) (GRIN),[3] the Kew Gardens [Plants of the World Online](#) (Kew),[4] the [World Flora Online](#) (WFO).[5] and [Tropicos](#). [6] A few species accepted in only three of the five databases are noted individually. The second column lists the clade in which the species was placed in the 2024 study based on transcriptomes. The third column lists the countries, or in the cases of Brazil, Mexico, and the

United States, the states, in which the species are found. The fourth column includes the vulnerability assessment published by the [International Union for Conservation of Nature](#) (IUCN) for each species.

Species	Clade[1]	Distribution	IUCN status
<i>Zamia acuminata</i> Oerst.ex Dyer	V (Isthmus)	Costa Rica , Nicaragua , Panama	Vulnerable
<i>Zamia amazonum</i> D.W.Stev.	VII (East of Andes)	Brazil , Colombia , Ecuador , Peru , Venezuela	Least concern
<i>Zamia amplifolia</i> Hort.Bull ex Mast.	VI (West of Andes)	Colombia	Endangered
<i>Zamia angustifolia</i> Jacq.	I (Caribbean)	Bahamas , Cuba	Vulnerable
<i>Zamia boliviana</i> (Brongn.) A.DC.	VII (East of Andes)	Bolivia , Brazil (Mato Grosso)	Least concern
<i>Zamia brasiliensis</i> Calonje & Segalla	(unknown)	Brazil (Mato Grosso , Rondônia)	Not evaluated
<i>Zamia chigua</i> Seem.	VI (West of Andes)	Colombia	Near threatened
<i>Zamia cremnophila</i> Vovides, Schutzman & Dehgan	III-A (Mega Mexico)	Mexico (Tabasco)	Endangered
<i>Zamia cunaria</i> Dressler & D.W.Stev.	VI (West of Andes)	Panama	Endangered
<i>Zamia decumbens</i> Calonje, Meerman, M.P. Griff. & Hoese	III-B (Mega Mexico)	Belize	Endangered
<i>Zamia disodon</i> D.W.Stev. & Sabato	VII (Manicata)	Colombia	Endangered
<i>Zamia dressleri</i> D.W.Stev.	V (Isthmus)	Panama	Endangered
<i>Zamia elegantissima</i> Schutzman, Vovides & R.S.Adams	V (Isthmus)	Panama	Endangered
<i>Zamia encephalartoides</i> D.W. Stev.	VII (East of Andes)	Colombia	Endangered
<i>Zamia erosa</i> O.F.Cook & G.N.Collins	I (Caribbean)	Cuba , Jamaica , Puerto Rico	Vulnerable
<i>Zamia fairchildiana</i> L.D.Gómez	V (Isthmus)	Panama , Costa Rica	Near threatened
<i>Zamia fischeri</i> Miq. ex Lem.	II (Fischeri)	Mexico (Hidalgo , San Luis Potosí , Querétaro , Tamaulipas , Veracruz)	Endangered
<i>Zamia furfuracea</i> L.f.	III-A (Mega Mexico)	Mexico (Veracruz)	Endangered
<i>Zamia gentryi</i> Dodson	VI (West of Andes)	Ecuador	Endangered
<i>Zamia gomeziana</i> R.H.Acuña	(unknown)	Costa Rica	Near threatened
<i>Zamia grijalvensis</i> Pérez-Farr., Vovides & Mart.-Camilo	III-A (Mega Mexico)	Mexico (Chiapas)	Critically endangered
<i>Zamia hamannii</i> A.S.Taylor,	V (Isthmus)	Panama	Vulnerable

Species	Clade[1]	Distribution	IUCN status
J.L.Haynes & Holzman			
<i>Zamia herrerae</i> Calderón & Standl.	III-A (Mega Mexico)	Mexico (Chiapas), El Salvador , Guatemala , Honduras , Nicaragua	Vulnerable
<i>Zamia huilensis</i> Calonje, H.E.Esquivel & D.W.Stev.	VII (East of Andes)	Colombia	Endangered
<i>Zamia hymenophyllidia</i> D.W.Stev.	VII (East of Andes)	Colombia , Peru	Least concern
<i>Zamia imbricata</i> Calonje & J.Castro	VII (Manicata)[7]	Colombia	Not evaluated
<i>Zamia imperialis</i> A.S.Taylor, J.L.Haynes & Holzman	V (Isthmus)	Panama	Endangered
<i>Zamia incognita</i> A.Lindstr. & Idárraga	VII (East of Andes)	Colombia	Endangered
<i>Zamia inermis</i> Vovides, J.D.Rees & Vázq.Torres	II (Fischeri)	Mexico (Veracruz)	Critically endangered
<i>Zamia integrifolia</i> L.f.	I (Caribbean)	Bahamas , Cayman Islands , Cuba , Puerto Rico , United States (Florida , Georgia [probably locally extinct])	Near threatened
<i>Zamia ipetiensis</i> D.W.Stev.	VI (West of Andes)	Panama	Endangered
<i>Zamia katzeriana</i> (Regel) E.Rettig	III-A (Mega Mexico)	Mexico	Critically endangered
<i>Zamia lacandona</i> Schutzman & Vovides	III-A (Mega Mexico)	Mexico (Chiapas)	Endangered
<i>Zamia lawsoniana</i> [a] Dye	(unknown)	Mexico (Chiapas , Oaxaca , Tabasco , Veracruz)	Not evaluated
<i>Zamia lecointei</i> Ducke	VII (East of Andes)	Brazil (Pará), Colombia , Peru , Venezuela	Least concern
<i>Zamia lindenii</i> Regel ex André	VI (West of Andes)	Ecuador , Peru	Endangered
<i>Zamia lindleyi</i> Warsz. ex A.Dietr.	V (Isthmus)	Panama	Endangered
<i>Zamia lindosensis</i> Stevenson, Cárdenas & Castaño	(unknown)	Colombia	Not evaluated
<i>Zamia loddigesii</i> Miq.	III-A (Mega Mexico)	Belize , El Salvador , Honduras , Mexico (Campeche , Chiapas , Veracruz , Puebla , Oaxaca , Hidalgo , Tabasco , Tamaulipas , Quintana Roo , Yucatán)	Near threatened
<i>Zamia lucayana</i> Britton	I (Caribbean)	Bahamas	Critically endangered
<i>Zamia macrochiera</i> D.W.Stev.	VII (East of Andes)	Peru	Endangered
<i>Zamia magnifica</i> Pérez-Farr., Gutt-Ortega & Calonje	(unknown)	Mexico (Oaxaca)	Not evaluated

Species	Clade[1]	Distribution	IUCN status
<i>Zamia manicata</i> Linden ex Regel	VII (Manicata)	Colombia , Panama	Near threatened
<i>Zamia meermanii</i> Calonje	III-A (Mega Mexico)	Belize	Endangered
<i>Zamia melanorrhachis</i> D.W.Stev.	VII (Manicata)[7]	Colombia	Endangered
<i>Zamia montana</i> A.Braun	VI (West of Andes)	Colombia	Critically endangered
<i>Zamia monticola</i> Chamb.	III-B (Mega Mexico)	Guatemala	Critically endangered
<i>Zamia multidentata</i> Calonje, Segalla & R.S.Pimenta	(unknown)	Brazil (Acre)	Not evaluated
<i>Zamia muricata</i> Willd.	VII (East of Andes)	Colombia , Venezuela	Least concern
<i>Zamia nana</i> [b] A.Lindstr., Calonje, D.W.Stev. & A.S.Taylor	V (Isthmus)	Panama	Endangered
<i>Zamia nesophila</i> A.S.Taylor, J.L.Haynes & Holzman	V (Isthmus)	Panama	Critically endangered
<i>Zamia neurophyllidia</i> D.W.Stev.	V (Isthmus)	Costa Rica , Nicaragua , Panama	Least concern
<i>Zamia obliqua</i> A.Braun	V (Isthmus)	Colombia , Panama	Least concern
<i>Zamia oligodonta</i> E.Calderón & D.E.Stev.	VI (West of Andes)	Colombia	Critically endangered
<i>Zamia onan-reyesii</i> C.Nelson & Sandoval	III-B (Mega Mexico)	Honduras	Endangered
<i>Zamia oreillyi</i> C.Nelson	III-B (Mega Mexico)	Honduras	Critically endangered
<i>Zamia orinoquiensis</i> Calonje, Betancur & A.Linstr.	VII (East of Andes)	Colombia	Not evaluated
<i>Zamia paucifoliolata</i> Calonje	VI (West of Andes)	Colombia	Not evaluated
<i>Zamia paucijuga</i> Wieland	III-A (Mega Mexico)	Mexico (Guerrero , Jalisco , Colima , Michoacán , Nayarit , Oaxaca)	Near threatened
<i>Zamia poeppigiana</i> Mart. & Eichler	VII (East of Andes)	Bolivia , Brazil (Acre)	Least concern
<i>Zamia portoricensis</i> Urb.	I (Caribbean)	Puerto Rico	Endangered
<i>Zamia prasina</i> W.Bull	III-A (Mega Mexico)	Belize , Mexico (Tabasco , Yucatán)	Least concern
<i>Zamia pseudomonticola</i> L.D.Gómez	V (Isthmus)	Costa Rica , Panama	Least concern
<i>Zamia pseudoparasitica</i> Yates	V (Isthmus)	Panama	Near threatened
<i>Zamia pumila</i> L.	I (Caribbean)	Hispaniola (Dominican Republic),	Vulnerable

Species	Clade[1]	Distribution	IUCN status
		possibly Cuba ; possibly locally extinct in Puerto Rico and Haiti	
Zamia purpurea Vovides, J.D.Rees & Vázq.Torres	III-A (Mega Mexico)	Mexico (Veracruz , Oaxaca)	Critically endangered
Zamia pygmaea Sims	I (Caribbean)	Cuba	Endangered
Zamia pyrophylla Calonje, D.W.Stev. & A.Lindstr.	VI (West of Andes)	Colombia	Critically endangered
Zamia restrepoi (D.W.Stev.) A.Lindstr.	VII (Manicata)	Colombia	Critically endangered
Zamia roezlii Regel ex Linden	VI (West of Andes)	Colombia , Ecuador	Least concern
Zamia sandovalii C.Nelson	III-B (Mega Mexico)	Honduras	Endangered
Zamia sinuensis Calonje & J.Castro	VII (Manicata)	Colombia	Not evaluated
Zamia skinneri Warsz. ex A.Dietr.	V (Isthmus)	Panama	Endangered
Zamia soconuscensis Schutzman, Vovides & Dehgan	IV	Mexico (Chiapas)	Endangered
Zamia spartea A.DC. in A.P.de Candolle	III-A (Mega Mexico)	Mexico (Oaxaca)	Critically endangered
Zamia splendens [c] Schutzman	III-A (Mega Mexico)	Mexico (Chiapas , Tabasco , Veracruz)	Endangered
Zamia standleyi Schutzman	III-B (Mega Mexico)	Guatemala , Honduras	Least concern
Zamia stenophyllidia Nicolalde-Morejón, Martínez-Domínguez & Stevenson	(unknown)	Mexico (Michoacán)	Not evaluated
Zamia stevensonii A.S.Taylor & Holzman	V (Isthmus)	Panama	Endangered
Zamia stricta Miq.	I (Caribbean)	Cuba	Vulnerable
Zamia tolimensis Calonje, H.E.Esquivel & D.W.Stev	VII (East of Andes)	Colombia	Endangered
Zamia tuerckheimii Donn.Sm.	III-B (Mega Mexico)	Guatemala	Near threatened
Zamia ulei Dammer	VII (East of Andes)	Brazil, Colombia , Ecuador , Peru , Venezuela	Least concern
Zamia urep B.Walln.	VII (East of Andes)	Peru	Endangered
Zamia variegata Warsz.	III-A (Mega Mexico)	Belize , Guatemala , Mexico (Chiapas)	Endangered
Zamia vazquezii D.W.Stev., Sabato & De Luca	II (Fischeri)	Mexico (Veracruz)	Critically endangered
Zamia verschaffeltii [d] Miq.	(unknown)	Mexico	Not evaluated

Species	Clade ^[1]	Distribution	IUCN status
<i>Zamia wallisii</i> H.J.Veitch	VI (West of Andes)	Colombia	Critically endangered

Invalid names

This list includes some 50 names of *Zamia* species that have been published, but have since been synonymized to other cycad species and are not currently accepted by the WLC, Kew, or WFO databases.

- *Zamia afra* Thunb., Syn. of [Encephalartos afer](#)
- *Zamia allison-armorii* Millsp., Syn. of [Z. pumila](#)
- *Zamia amblyphyllidia*, Syn. of [Z. erosa](#)
- *Zamia angustissima* Miq., Syn. of [Z. angustifolia](#)
- *Zamia atropurpurea* Parm. ex Miq., Syn. of [Ceratozamia mexicana](#)
- *Zamia baraquiniana* hort. ex Regel, Syn. of [Z. poeppigiana](#)
- *Zamia bussellii* Schutzman, R.S., R.S. Adams, J.L. Haynes & Whitelock, Syn. of [Z. onan-reyesii](#)
- *Zamia calocoma* Miq., Syn. of [Microcycas calocoma](#)
- *Zamia caracasana* Lodd. ex Miq., Syn. of [Z. loddigesii](#)
- *Zamia chamberlainii* J. Schuster., Syn. of [Z. pygmaea](#)
- *Zamia cupatiensis* Ducke, Syn. of [Z. ulei](#)
- *Zamia cycadifolia* Jacq., Syn. of [Encephalartos cycadifolius](#) or [Macrozamia fraseri](#)
- *Zamia debilis* L. f., Syn. of [Z. pumila](#)
- *Zamia dentata* Voigt, Syn. of [Z. integrifolia](#)
- *Zamia floridana* A. DC., Syn. of [Z. integrifolia](#)
- *Zamia friderici-guilielmi* hort. ex Miq., Syn. of [Encephalartos friderici-guilielmi](#)
- *Zamia fusca* Schaedtler, Syn. of [Z. verschaffeltii](#)
- *Zamia galeottii* de Vriese, Syn. of [Z. loddigesii](#)
- *Zamia guggenheimiana* Catabia, Syn. of [Z. angustifolia](#)
- *Zamia gutierrezii* Sauvalle, Syn. of [Z. muricata](#)
- *Zamia horrida* Jacq., Syn. of [Encephalartos horridus](#)
- *Zamia jirijirimensis* R.E. Schult., Syn. of [Z. lecointei](#)
- *Zamia kickxii* Miq., Syn. of [Z. pygmaea](#)
- *Zamia lanuginosa* Jacq., Syn. of [Z. wallisii](#)
- *Zamia latifolia* L.H.J.Veitch ex A. DC., Syn. of [Z. furfuracea](#) or [Z. muricata](#)
- *Zamia latifoliolata* Preneloup, L.A., Syn. of [Z. pumila](#)
- *Zamia lindleyana* Warsz. ex Schaedtler, Syn. of [Z. chigua](#)
- *Zamia longifolia* Jacq., Syn. of [Encephalartos longifolius](#)
- *Zamia macrophylla* Parm. ex Miq., Syn. of [Ceratozamia mexicana](#)
- *Zamia madida* R.E. Schult., Syn. of [Z. manicata](#)
- *Zamia maelani* Miq., Syn. of [Dioon edule](#)
- *Zamia media* Jacq., Syn. of [Z. integrifolia](#)
- *Zamia mexicana* (Brongn.) Linden, Syn. of [Z. loddigesii](#) or [Ceratozamia mexicana](#)
- *Zamia multifolioidentata* Calonje, R. Segalla & R.S. Pimenta

- *Zamia multifoliolata* A. DC., Syn. of [Z. angustifolia](#)
- *Zamia noeffiana* Linden x Wirm., [Nomen dubium](#)
- *Zamia obidensis* Ducke, Syn. of [Z. lecointei](#)
- *Zamia ottonis* Miq., Syn. of [Z. pygmaea](#)
- *Zamia picta* (Miq.) Dyer, Syn. of [Z. variegata](#)
- *Zamia polymorpha* D.W. Stev., A. Moretti & Vázq. Torres, Syn. of [Z. prasina](#)
- *Zamia potemkinii* hort. x Miq. [Nomen dubium](#) or Syn. of [Z. verschaffeltii](#)
- *Zamia princeps* W. Bull. ex Dyer, Syn. of [Z. chigua](#)
- *Zamia pungens* L.f. ex Salisb., Syn. of [Phoenix dactylifera](#)
- *Zamia spiralis* Salsb., Syn. of [Macrozamia spiralis](#)
- *Zamia sylvatica* Chamb., Syn. of [Z. loddigesii](#)
- *Zamia tenuis* Willd., Syn. of [Z. integrifolia](#)
- *Zamia tonkinensis* Linden & Rodigas, Syn. of [Cycas tonkinensis](#)
- *Zamia tridentata* Willd., Syn. of [Macrozamia](#) sp.
- *Zamia umbrosa* Small, Syn. of [Z. integrifolia](#)
- *Zamia wielandii* J. Schuster., Syn. of [Z. poeppigiana](#)
- *Zamia yatesii* Miq., Syn. of [Z. angustifolia](#)

Notes

1.
 - *Z. lawsonia* is accepted in WLC, WFO, and Tropicos.
 - *Z. nana* is accepted in WLC, Kew, and Tropicos.
 - *Z. splendens* is accepted in WLC, WFO, and Tropicos.
4. *Z. verschaffeltii* may be extinct.[\[8\]](#)

From Wikipedia, the free encyclopedia

[Xylosma](#) is a widespread [genus](#) of plants native to tropical and subtropical parts of Asia, the Americas, and the Pacific.[\[1\]](#)

Extant species

The following 112 species of *Xylosma* are accepted by [Plants of the World Online](#) as of October 2025:
[\[2\]](#)

A-C

- [Xylosma acunae](#) Borhidi & O.Muñiz
- [Xylosma avilae](#) Sleumer
- [Xylosma bahamensis](#) (Britton) Standl.
- [Xylosma benthamii](#) (Tul.) Triana & Planch.

- [*Xylosma bernardiana* Sleumer](#)
- [*Xylosma boliviana* Sleumer](#)
- [*Xylosma boulindae* Sleumer](#)
- [*Xylosma brachystachys* Craib](#)
- [*Xylosma buxifolia* A.Gray](#)
- [*Xylosma capillipes* Guillaumin](#)
- [*Xylosma characantha* Standl.](#)
- [*Xylosma chiapensis* Lundell](#)
- [*Xylosma chlorantha* Donn.Sm.](#)
- [*Xylosma ciliatifolia* \(Clos\) Eichler](#)
- [*Xylosma cinerea* \(Clos\) Hemsl.](#)
- [*Xylosma claraensis* Urb.](#)
- [*Xylosma confusa* Guillaumin](#)
- [*Xylosma congesta* \(Lour.\) Merr.](#)
- [*Xylosma controversa* Clos](#)
- [*Xylosma cordata* \(Kunth\) Gilg](#)
- [*Xylosma cordifolia* \(Sleumer\) Pillon](#)
- [*Xylosma coriacea* \(Poit.\) Eichler](#)
- [*Xylosma craynii* W.E.Cooper](#)
- [*Xylosma crenata* \(H.St.John\) H.St.John](#)

D-K

- [*Xylosma domingensis* \(Urb.\) M.H.Alford](#)
- [*Xylosma dothioensis* Guillaumin](#)
- [*Xylosma elegans* \(Tul.\) Triana & Planch.](#)
- [*Xylosma fasciculata* Guillaumin](#)
- [*Xylosma fawcettii* Urb.](#)
- [*Xylosma flexuosa* \(Kunth\) Hemsl.](#)
- [*Xylosma gigantifolia* Sleumer](#)
- [*Xylosma glaberrima* Sleumer](#)
- [*Xylosma glaucescens* Urb.](#)
- [*Xylosma grossecrenata* \(Sleumer\) Lescot](#)
- [*Xylosma guillauminii* Sleumer](#)
- [*Xylosma hawaiiensis* Seem.](#)
- [*Xylosma hispidula* Standl.](#)
- [*Xylosma horrida* Rose](#)
- [*Xylosma hurlimannii* Guillaumin](#)
- [*Xylosma iberiensis* J.E.Gut.](#)
- [*Xylosma inaequinervia* Sleumer](#)
- [*Xylosma intermedia* \(Seem.\) Triana & Planch.](#)
- [*Xylosma kaalaensis* Sleumer](#)
- [*Xylosma koghiensis* Guillaumin](#)

L-O

- [*Xylosma lancifolia* Sleumer](#)
- [*Xylosma lifuana* Guillaumin](#)
- [*Xylosma lineolata* Urb. & Ekman](#)
- [*Xylosma longifolia* Clos](#)
- [*Xylosma longipedicellata* A.Pool](#)
- [*Xylosma longipetiolata* Legname](#)
- [*Xylosma lucida* \(Tul.\) Sleumer](#)
- [*Xylosma luzonensis* Clos](#)
- [*Xylosma maidenii* Sleumer](#)
- [*Xylosma mandjeliana* \(Sleumer\) Pillon](#)
- [*Xylosma martinicensis* \(Krug & Urb.\) Urb.](#)
- [*Xylosma molesta* Sleumer](#)
- [*Xylosma nelsonii* Merr.](#)
- [*Xylosma nervosa* Guillaumin](#)
- [*Xylosma nipensis* Borhidi](#)
- [*Xylosma nitida* \(Hell.\) A.Gray ex Griseb.](#)
- [*Xylosma obovata* \(H.Karst.\) Triana & Planch.](#)
- [*Xylosma oligandra* Donn.Sm.](#)
- [*Xylosma orbiculata* \(J.R.Forst. & G.Forst.\) G.Forst.](#)
- [*Xylosma ovata* Benth.](#)

P-R

- [*Xylosma pachyphylla* \(Krug & Urb.\) Urb.](#)
- [*Xylosma palawanensis* Mend.](#)
- [*Xylosma panamensis* Turcz.](#)
- [*Xylosma pancheri* Guillaumin](#)
- [*Xylosma papuana* Gilg](#)
- [*Xylosma parvifolia* Jessup](#)
- [*Xylosma paucinervosa* \(Steyerm.\) Sleumer](#)
- [*Xylosma peltata* \(Sleumer\) Lescot](#)
- [*Xylosma pininsularis* Guillaumin](#)
- [*Xylosma planchonellifolia* Guillaumin](#)
- [*Xylosma prockia* \(Turcz.\) Turcz.](#)
- [*Xylosma proctorii* Sleumer](#)
- [*Xylosma pseudocoriacea* \(Sleumer\) Pillon](#)
- [*Xylosma pseudosalzmannii* Sleumer](#)
- [*Xylosma pubescens* Griseb.](#)
- [*Xylosma quichensis* Donn.Sm.](#)
- [*Xylosma raimondii* Sleumer](#)
- [*Xylosma reticulata* \(Schltr.\) Pillon](#)
- [*Xylosma rhombifolia* \(Britton & P.Wilson\) Sleumer](#)

- [*Xylosma rivularis* \(Sleumer\) Pillon](#)
- [*Xylosma roigiana* Borhidi](#)
- [*Xylosma rubicunda* \(H.Karst.\) Gilg](#)
- [*Xylosma ruiziana* Sleumer](#)
- [*Xylosma rusbyana* Sleumer](#)

S-Z

- [*Xylosma samoensis* \(Christoph.\) Sleumer](#)
- [*Xylosma sanctae-annae* Sleumer](#)
- [*Xylosma schaefferioides* A.Gray](#)
- [*Xylosma schroederi* Sleumer ex Herter](#)
- [*Xylosma schwaneckeanum* \(Krug & Urb.\) Urb.](#)
- [*Xylosma senticosa* Hance](#)
- [*Xylosma serpentina* Sleumer](#)
- [*Xylosma serrata* \(Sw.\) Urb.](#)
- [*Xylosma shaferi* \(P.Wilson\) R.A.Howard & W.R.Briggs](#)
- [*Xylosma simulans* A.C.Sm.](#)
- [*Xylosma smithiana* Fosberg](#)
- [*Xylosma spiculifera* \(Tul.\) Triana & Planch.](#)
- [*Xylosma suaveolens* \(J.R.Forst. & G.Forst.\) G.Forst.](#)
- [*Xylosma suluensis* Merr.](#)
- [*Xylosma sumatrana* Slooten](#)
- [*Xylosma terrae-reginae* C.T.White & Sleumer](#)
- [*Xylosma tessmannii* Sleumer](#)
- [*Xylosma trichostemonum* Guillaumin](#)
- [*Xylosma tuberculata* Sleumer](#)
- [*Xylosma tweediana* \(Clos\) Eichler](#)
- [*Xylosma velutina* \(Tul.\) Triana & Planch.](#)
- [*Xylosma venosa* N.E.Br.](#)
- [*Xylosma vincentii* Guillaumin](#)
- [*Xylosma zongoi* Pillon](#)

Fossil species

In addition to the living species, the following 2 fossil species have been ascribed to *Xylosma* according to the [International Fossil Plant Names Index](#) and the [Paleobiology Database](#) as of October 2025:[\[3\]](#)[\[4\]](#)

- †[*Xylosma eoapactis* Huzioka & Takahasi](#)
- †[*Xylosma nepalensis* Prasad & Pandey](#)

From Wikipedia, the free encyclopedia

The following is a list of [Wahlenbergia](#) species recognised by the [Plants of the World Online](#) as at August 2024:[1]

- [Wahlenbergia abyssinica](#) (Hochst. ex A.Rich.)
 - *Wahlenbergia abyssinica* subsp. *abyssinica*
 - *Wahlenbergia abyssinica* subsp. *parvipetala* Thulin
- [Wahlenbergia acaulis](#) E.Mey. ex A.DC. in A.P.de Candolle
- [Wahlenbergia acicularis](#) Brehmer
- [Wahlenbergia acuminata](#) Brehmer
- [Wahlenbergia adamsonii](#) Lammers
- [Wahlenbergia adpressa](#) (L.f.) Sond.
- [Wahlenbergia akaroa](#) J.A.Petterson
- [Wahlenbergia albens](#) (Spreng. ex A.DC.) Lammers
- [Wahlenbergia albicaulis](#) (Sond.) Lammers
- [Wahlenbergia albomarginata](#) Hook.
 - *Wahlenbergia albomarginata* subsp. *albomarginata*
 - *Wahlenbergia albomarginata* subsp. *decora* J.A.Petterson
 - *Wahlenbergia albomarginata* subsp. *flexilis* (Petrie) J.A.Petterson
 - *Wahlenbergia albomarginata* subsp. *laxa* (G.Simpson) J.A.Petterson
 - *Wahlenbergia albomarginata* subsp. *olivina* J.A.Petterson
- [Wahlenbergia androsacea](#) A.DC.
 - *Wahlenbergia androsacea* var. *multicaulis* Brehmer
- [Wahlenbergia angustifolia](#) (Roxb.) A.DC.
- [Wahlenbergia annua](#) (A.DC.) Thulin
- [Wahlenbergia annularis](#) A.DC. in A.P.de Candolle
- [Wahlenbergia annuliformis](#) Brehmer
- [Wahlenbergia appressifolia](#) Hilliard & B.L.Burt
- [Wahlenbergia arcta](#) Thulin
- [Wahlenbergia aridicola](#) P.J.Sm.
- [Wahlenbergia asparagoides](#) (Adamson) Lammers
- [Wahlenbergia asperifolia](#) Brehmer
- [Wahlenbergia axillaris](#) (Sond.) Lammers
- [Wahlenbergia banksiana](#) A.DC.
- [Wahlenbergia berteroi](#) Hook. & Arn.
- [Wahlenbergia bolusiana](#) Schltr. & Brehmer
- [Wahlenbergia bowkeriae](#) Sond.
- [Wahlenbergia brachiata](#) (Adamson) Lammers
- [Wahlenbergia brachycarpa](#) Schltr.
- [Wahlenbergia brachyphylla](#) (Adamson) Lammers
- [Wahlenbergia brasiliensis](#) Cham.
- [Wahlenbergia brehmeri](#) Lammers
- [Wahlenbergia brevisquamifolia](#) Brehmer

- [Wahlenbergia buseriana](#) Schltr. & Brehmer
- [Wahlenbergia calcarea](#) (Adamson) Lammers
- [Wahlenbergia calycina](#) Schltld. ex Griseb.
- [Wahlenbergia campanuloides](#) (Delile) Vatke
- [Wahlenbergia candolleana](#) (Hiern) Thulin
- [Wahlenbergia candollei](#) Tuyn
- [Wahlenbergia capensis](#) (L.) A.DC.
- [Wahlenbergia capillacea](#) (L.f.) A.DC.
 - *Wahlenbergia capillacea* subsp. *capillacea*
 - *Wahlenbergia capillacea* subsp. *tenuior* (Engl.) Thulin
- [Wahlenbergia capillaris](#) (G.Lodd.) G.Don in R.Sweet – tufted bluebell
- [Wahlenbergia capillata](#) Brehmer
- [Wahlenbergia capillifolia](#) E.Mey. ex Brehmer
- [Wahlenbergia capitata](#) (Baker) Thulin
- [Wahlenbergia cartilaginea](#) Hook.f.
- [Wahlenbergia caryophylloides](#) P.J.Sm.
- [Wahlenbergia celata](#) P.I.Forst.
- [Wahlenbergia cephalodina](#) Thulin
- [Wahlenbergia ceracea](#) Lothian – waxy bluebell
- [Wahlenbergia cerastioides](#) Thulin
- [Wahlenbergia cernua](#) (Thunb.) A.DC.
- [Wahlenbergia cinerea](#) (L.f.) Lammers
- [Wahlenbergia clavata](#) Brehmer
- [Wahlenbergia collomioides](#) (A.DC.) Thulin
- [Wahlenbergia compacta](#) Brehmer
- [Wahlenbergia confusa](#) Merr. & L.M.Perry
- [Wahlenbergia congesta](#) (Cheeseman) N.E.Br.
 - *Wahlenbergia congesta* subsp. *congesta*
 - *Wahlenbergia congesta* subsp. *haastii* J.A.Petterson
- [Wahlenbergia congestifolia](#) Brehmer
- [Wahlenbergia constricta](#) Brehmer
- [Wahlenbergia cooperi](#) Brehmer
- [Wahlenbergia cordata](#) (Adamson) Lammers
- [Wahlenbergia cordiformis](#) Cupido & Engelbrecht
- [Wahlenbergia costata](#) A.DC. in A.P.de Candolle
- [Wahlenbergia cuspidata](#) Brehmer
- [Wahlenbergia debilis](#) H.Buek in C.F.Ecklon & K.L.P.Zeyher
- [Wahlenbergia decipiens](#) A.DC. in A.P.de Candolle
- [Wahlenbergia densicaulis](#) Brehmer
 - *Wahlenbergia densicaulis* var. *angusta* Brehmer
- [Wahlenbergia densifolia](#) Lothian – fairy bluebell
- [Wahlenbergia dentata](#) Brehmer

- [Wahlenbergia denticulata](#) (Burch.) A.DC.
- [Wahlenbergia denudata](#) A.DC.
- [Wahlenbergia depressa](#) J.M.Wood & M.S.Evans
- [Wahlenbergia desmantha](#) Lammers
- [Wahlenbergia dichotoma](#) A.DC. in A.P.de Candolle
- [Wahlenbergia dieterlenii](#) (E.Phillips) Lammers
- [Wahlenbergia dilatata](#) Brehmer
- [Wahlenbergia distincta](#) Brehmer
- [Wahlenbergia divergens](#) A.DC. in A.P.de Candolle
- [Wahlenbergia doleritica](#) Hilliard & B.L.Burt
- [Wahlenbergia dunantii](#) A.DC.
- [Wahlenbergia ecklonii](#) H.Buek in C.F.Ecklon & K.L.P.Zeyher
- [Wahlenbergia effusa](#) (Adamson) Lammers
- [Wahlenbergia epacridea](#) Sond.
- [Wahlenbergia erecta](#) (Roth ex Schult.) Tuyn
- [Wahlenbergia ericoidella](#) (P.A.Duvign. & Denaeyer) Thulin
- [Wahlenbergia erophiloides](#) Markgr.
- [Wahlenbergia exilis](#) A.DC.
- [Wahlenbergia fasciculata](#) Brehmer
- [Wahlenbergia fernandeziana](#) A.DC.
- [Wahlenbergia filipes](#) Brehmer
- [Wahlenbergia fistulosa](#) Brehmer
- [Wahlenbergia flexuosa](#) (Hook.f. & Thomson) Thulin
- [Wahlenbergia floribunda](#) Schltr. & Brehmer
- [Wahlenbergia fluminalis](#) (J.M.Black) E.Wimm. ex H.Eichler – river bluebell
- [Wahlenbergia fruticosa](#) Brehmer
- [Wahlenbergia galpiniae](#) Schltr.
- [Wahlenbergia glabra](#) P.J.Sm.
- [Wahlenbergia glandulifera](#) Brehmer
- [Wahlenbergia globularis](#) E.Wimm.
- [Wahlenbergia gloriosa](#) Lothian – royal bluebell
- [Wahlenbergia gracilenta](#) Lothian – annual bluebell
- [Wahlenbergia gracilis](#) (G.Forst.) A.DC. – sprawling bluebell, Australian bluebell
- [Wahlenbergia grahamiae](#) Hemsl.
- [Wahlenbergia grandiflora](#) Brehmer
- [Wahlenbergia graniticola](#) Carolin
- [Wahlenbergia hederacea](#) (L.) Rchb.
- [Wahlenbergia hirsuta](#) (Edgew.) Tuyn
- [Wahlenbergia hookeri](#) (C.B.Clarke) Tuyn
- [Wahlenbergia humbertii](#) Thulin
- [Wahlenbergia huttonii](#) (Sond.) Thulin
- [Wahlenbergia ingrata](#) A.DC. in A.P.de Candolle

- [Wahlenbergia insulae-howeii](#) Lothian
- [Wahlenbergia intermedia](#) Zahlbr.
- [Wahlenbergia islensis](#) P.J.Sm.
- [Wahlenbergia itatiaiensis](#) Rollim & Trovó
- [Wahlenbergia juncea](#) (H.Buek) Lammers
- [Wahlenbergia kowiensis](#) R.A.Dyer
- [Wahlenbergia krebsii](#) Cham.
 - *Wahlenbergia krebsii* subsp. *arguta* (Hook.f.) Thulin
 - *Wahlenbergia krebsii* subsp. *krebsii*
- [Wahlenbergia lasiocarpa](#) Schltr. & Brehmer
- [Wahlenbergia laxiflora](#) (Sond.) Lammers
- [Wahlenbergia levynsiae](#) Lammers
- [Wahlenbergia linarioides](#) (Lam.) A.DC.
- [Wahlenbergia linifolia](#) (Roxb.) A.DC.
- [Wahlenbergia littoralis](#) (Labill.) Sweet
- [Wahlenbergia littoricola](#) P.J.Sm.
- [Wahlenbergia lobelioides](#) (L.f.) Link
 - *Wahlenbergia lobelioides* subsp. *lobelioides*
 - *Wahlenbergia lobelioides* subsp. *nutabunda* (Guss.) Murb.
 - *Wahlenbergia lobelioides* subsp. *riparia* (A.DC.) Thulin
- [Wahlenbergia lobulata](#) Brehmer
- [Wahlenbergia loddigesii](#) (A.DC.) I.M.Turner
- [Wahlenbergia longifolia](#) (A.DC.) Lammers
- [Wahlenbergia longisquamifolia](#) Brehmer
- [Wahlenbergia luteola](#) P.J.Sm.
- [Wahlenbergia lycopodioides](#) Schltr. & Brehmer
- [Wahlenbergia macrostachys](#) (A.DC.) Lammers
- [Wahlenbergia madagascariensis](#) A.DC.
- [Wahlenbergia magaliesbergensis](#) Lammers
- [Wahlenbergia malaissei](#) Thulin
- [Wahlenbergia marginata](#) (Thunb.) A.DC.
- [Wahlenbergia marunguensis](#) Thulin
- [Wahlenbergia masafuerae](#) (Phil.) Skottsb.
- [Wahlenbergia massonii](#) A.DC.
- [Wahlenbergia matthewsii](#) Cockayne
- [Wahlenbergia melanops](#) Goldblatt & J.C.Manning
- [Wahlenbergia meyeri](#) A.DC. in A.P.de Candolle
- [Wahlenbergia microphylla](#) (Adamson) Lammers
- [Wahlenbergia minuta](#) Brehmer
- [Wahlenbergia mollis](#) Brehmer
- [Wahlenbergia multicaulis](#) Benth. in S.L.Endlicher & al.
- [Wahlenbergia namaquana](#) Sond.

- [Wahlenbergia nana](#) Brehmer
- [Wahlenbergia napiformis](#) (A.DC.) Thulin
- [Wahlenbergia neorigida](#) Lammers
- [Wahlenbergia neostricta](#) Lammers
- [Wahlenbergia nodosa](#) (H.Buek) Lammers
- [Wahlenbergia obovata](#) Brehmer
- [Wahlenbergia oligantha](#) Lammers
- [Wahlenbergia oligotricha](#) Schltr. & Brehmer
- [Wahlenbergia oocarpa](#) Sond.
- [Wahlenbergia orae](#) Lammers
- [Wahlenbergia oxyphylla](#) A.DC. in A.P.de Candolle
- [Wahlenbergia pallidiflora](#) Hilliard & B.L.Burt
- [Wahlenbergia paludicola](#) Thulin
- [Wahlenbergia paniculata](#) (L.f.) A.DC.
- [Wahlenbergia papuana](#) P.Royen
- [Wahlenbergia parvifolia](#) (P.J.Bergius) Lammers
- [Wahlenbergia patula](#) A.DC. in A.P.de Candolle
- [Wahlenbergia paucidentata](#) Schinz
 - *Wahlenbergia paucidentata* var. *tysonii* Schinz
- [Wahlenbergia pauciflora](#) A.DC. in A.P.de Candolle
- [Wahlenbergia peduncularis](#) Wall. ex A.DC.) Hook.f. & Thomson
- [Wahlenbergia perrieri](#) Thulin
- [Wahlenbergia perrottetii](#) (A.DC.) Thulin
- [Wahlenbergia persimilis](#) Thulin
- [Wahlenbergia peruviana](#) A.Gray
- [Wahlenbergia petraea](#) Thulin
- [Wahlenbergia pilosa](#) H.Buek in C.F.Ecklon & K.L.P.Zeyher
- [Wahlenbergia pinifolia](#) N.E.Br.
- [Wahlenbergia pinnata](#) Compton
- [Wahlenbergia planiflora](#) P.J.Sm.
 - *Wahlenbergia planiflora* subsp. *longipila* Carolin ex P.J.Sm.
 - *Wahlenbergia planiflora* subsp. *planiflora*
- [Wahlenbergia planifolia](#) Gand.
- [Wahlenbergia polyantha](#) Lammers
- [Wahlenbergia polycephala](#) (Mildbr.) Thulin
- [Wahlenbergia polyclada](#) A.DC. in A.P.de Candolle
- [Wahlenbergia polyphylla](#) Thulin
- [Wahlenbergia polytrichifolia](#) Schltr.
 - *Wahlenbergia polytrichifolia* subsp. *dracomontana* Hilliard & B.L.Burt
 - *Wahlenbergia polytrichifolia* subsp. *polytrichifolia*
- [Wahlenbergia preissii](#) de Vriese in J.G.C.Lehmann
- [Wahlenbergia procumbens](#) (L.f.) A.DC.

- [Wahlenbergia prostrata](#) E.Mey. ex A.DC. in A.P.de Candolle
- [Wahlenbergia psammophila](#) Schltr.
- [Wahlenbergia pseudoandrosacea](#) Brehmer
- [Wahlenbergia pseudoinhambanensis](#) Brehmer
- [Wahlenbergia pseudonudicaulis](#) Brehmer
- [Wahlenbergia pulchella](#) Thulin
 - *Wahlenbergia pulchella* subsp. *laurentii* Thulin
 - *Wahlenbergia pulchella* subsp. *mbalensis* Thulin
 - *Wahlenbergia pulchella* subsp. *michelii* Thulin
 - *Wahlenbergia pulchella* subsp. *paradoxa* Thulin
 - *Wahlenbergia pulchella* subsp. *pedicellata* Thulin
 - *Wahlenbergia pulchella* subsp. *pulchella*
- [Wahlenbergia pulvillus-gigantis](#) Hilliard & B.L.Burt
- [Wahlenbergia pusilla](#) Hochst. ex A.Rich.
- [Wahlenbergia pygmaea](#) Colenso
 - *Wahlenbergia pygmaea* subsp. *drucei* J.A.Pettersen
 - *Wahlenbergia pygmaea* subsp. *pygmaea*
 - *Wahlenbergia pygmaea* subsp. *tararua* J.A.Pettersen
- [Wahlenbergia pyrophila](#) Lammers
- [Wahlenbergia queenslandica](#) Carolin ex P.J.Sm.
- [Wahlenbergia ramifera](#) Brehmer
- [Wahlenbergia ramosa](#) G.Simpson
- [Wahlenbergia ramosissima](#) (Hemsl.) Thulin
 - *Wahlenbergia ramosissima* subsp. *centiflora* Thulin
 - *Wahlenbergia ramosissima* subsp. *lateralis* (Brehmer) Thulin
 - *Wahlenbergia ramosissima* subsp. *oldeniandioides* Thulin
 - *Wahlenbergia ramosissima* subsp. *ramosissima*.
 - *Wahlenbergia ramosissima* subsp. *richardsiae* Thulin
 - *Wahlenbergia ramosissima* subsp. *subcapitata* Thulin
 - *Wahlenbergia ramosissima* subsp. *zambiensis* Thulin
- [Wahlenbergia rara](#) Schltr. & Brehmer
- [Wahlenbergia rhytidosperra](#) Thulin
- [Wahlenbergia riversdalensis](#) Lammers
- [Wahlenbergia rivularis](#) Diels
- [Wahlenbergia roelliflora](#) Schltr. & Brehmer
- [Wahlenbergia roxburghii](#) A.DC.
- [Wahlenbergia rubens](#) (H.Buek) Lammers
- [Wahlenbergia rubioides](#) (A.DC.) Lammers
- [Wahlenbergia rupestris](#) G.Simpson
- [Wahlenbergia rupicola](#) G.T.Plunkett & J.J.Brühl
- [Wahlenbergia saxicola](#) (R.Br.) A.DC.
- [Wahlenbergia schistacea](#) Brehmer

- [Wahlenbergia schlechteri](#) Brehmer
- [Wahlenbergia schwackeana](#) Zahlbr.
- [Wahlenbergia scopella](#) Brehmer
- [Wahlenbergia scopulicola](#) Carolin ex P.J.Sm.
- [Wahlenbergia scottii](#) Thulin
- [Wahlenbergia serpentina](#) Brehmer
- [Wahlenbergia sessiliflora](#) Brehmer
- [Wahlenbergia silenoides](#) Hochst. ex A.Rich.
- [Wahlenbergia sonderi](#) Lammers
- [Wahlenbergia songeana](#) Thulin
- [Wahlenbergia sphaerica](#) Brehmer
- [Wahlenbergia squamifolia](#) Brehmer
- [Wahlenbergia squarrosa](#) Brehmer
- [Wahlenbergia stellarioides](#) Cham.
- [Wahlenbergia stricta](#) (R.Br.) Sweet
 - *Wahlenbergia stricta* subsp. *alterna* P.J.Sm.
 - *Wahlenbergia stricta* subsp. *stricta*
- [Wahlenbergia subaphylla](#) (Baker) Thulin
 - *Wahlenbergia subaphylla* subsp. *scoparia* (Wild) Thulin
 - *Wahlenbergia subaphylla* subsp. *subaphylla*
 - *Wahlenbergia subaphylla* subsp. *thesioides* Thulin
- [Wahlenbergia subfusiformis](#) Brehmer
- [Wahlenbergia subpilosa](#) Brehmer
- [Wahlenbergia subrosulata](#) Brehmer
- [Wahlenbergia subtilis](#) Brehmer
- [Wahlenbergia subulata](#) (L'Hér.) Lammers
- [Wahlenbergia subumbellata](#) Markgr.
- [Wahlenbergia suffruticosa](#) Cupido
- [Wahlenbergia taiwaniana](#) S.S.Ying
- [Wahlenbergia telfordii](#) G.T.Plunkett & J.J.Bruhl
- [Wahlenbergia tenella](#) (L.f.) Lammers
- [Wahlenbergia tenuiloba](#) Thulin
- [Wahlenbergia tenuis](#) A.DC. in A.P.de Candolle
- [Wahlenbergia tetramera](#) Thulin
- [Wahlenbergia thulinii](#) Lammers
- [Wahlenbergia thunbergiana](#) (H.Buek) Lammers
- [Wahlenbergia thunbergii](#) (Schult.) B.Nord.
- [Wahlenbergia tibetica](#) Quézel
- [Wahlenbergia tomentosula](#) Brehmer
- [Wahlenbergia tortilis](#) Brehmer
- [Wahlenbergia transvaalensis](#) Brehmer
- [Wahlenbergia tsaratananae](#) Thulin

- [*Wahlenbergia tuberosa*](#) Hook.f.
- [*Wahlenbergia tumida*](#) Brehmer
- [*Wahlenbergia tumidifructa*](#) P.J.Sm.
- [*Wahlenbergia umbellata*](#) (Adamson) Lammers
- [*Wahlenbergia undulata*](#) (L.f.) A.DC.
- [*Wahlenbergia unidentata*](#) (L.f.) Lammers
- [*Wahlenbergia upembensis*](#) Thulin
- [*Wahlenbergia urcosensis*](#) E.Wimm.
- [*Wahlenbergia verbascoides*](#) Thulin
- [*Wahlenbergia vernicosa*](#) J.A.Petterson
- [*Wahlenbergia victoriensis*](#) P.J.Sm.
- [*Wahlenbergia violacea*](#) J.A.Petterson
- [*Wahlenbergia virgata*](#) Engl.
- [*Wahlenbergia virgulta*](#) Brehmer
- [*Wahlenbergia welwitschii*](#) (A.DC.) Thulin
- [*Wahlenbergia wittei*](#) Thulin
- [*Wahlenbergia wyleyana*](#) Sond.

From Wikipedia, the free encyclopedia

This is a **list of species in the plant genus *Viola***, often known as [violets](#) or [pansies](#).

[Viola](#) is the largest genus in the family [Violaceae](#), containing over 680 species.^{[[1](#)]}

Although similarly named, neither [African violets](#) nor [dogtooth violets](#) are closely related to the true violas.

List

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A



[Viola arborescens](#)

- [Viola abbreviata](#) J.M.Watson & A.R.Flores
- [Viola × aberrans](#) (Greene ex W.Stone) House
- [Viola abulensis](#) Fern.Casado & Nava
- [Viola × abundans](#) House
- [Viola abyssinica](#) Steud. ex Oliv.
- [Viola acanthophylla](#) Leyb. ex Reiche
- [Viola accrescens](#) Klokov
- [Viola acrocerauniensis](#) Erben
- [Viola acuminata](#) Ledeb. – acuminate violet
- [Viola acutifolia](#) (Kar. & Kir.) W.Becker
- [Viola adenothrix](#) Hayata
- [Viola × adulterina](#) Godr.
- [Viola adunca](#) Sm. – hookedspur violet, western dog violet
- [Viola aduncoides](#) Á.Löve & D.Löve
- [Viola aethnensis](#) (DC.) Strobl

- [*Viola aetolica*](#) Boiss. & Heldr.
- [*Viola affinis*](#) Leconte – sand violet
- [*Viola aizoon*](#) Reiche
- [*Viola alaica*](#) Vved.
- [*Viola alba*](#) Besser – white violet
- [*Viola albanica*](#) Halácsy
- [*Viola albida*](#) Palib.
- [*Viola* × *albimaritima*](#) Vl.V.Nikitin
- [*Viola* × *albovii*](#) Vl.V.Nikitin
- [*Viola alburnica*](#) Ricceri & Moraldo
- [*Viola alexandrowiana*](#) (W.Becker) Juz.
- [*Viola alexejana*](#) Kamelin & Junussov
- [*Viola allchariensis*](#) Beck – alšar violet
- [*Viola alliariiifolia*](#) Nakai
- [*Viola allochroa*](#) Botsch.
- [*Viola alpina*](#) Jacq.
- [*Viola altaica*](#) Ker Gawl.
- [*Viola amamiana*](#) Hatus.
- [*Viola ambigua*](#) Waldst. & Kit.
- [*Viola amiatina*](#) Ricceri & Moraldo
- [*Viola amurica*](#) W.Becker
- [*Viola anagae*](#) Gilli
- [*Viola* × *angelliae*](#) Pollard
- [*Viola angkae*](#) Craib
- [*Viola angustifolia*](#) Phil.
- [*Viola anitae*](#) J.M.Watson
- [*Viola annamensis*](#) Baker f.
- [*Viola appalachiensis*](#) L.K.Henry – Appalachian violet
- [*Viola araucaniae*](#) W.Becker
- [*Viola arborescens*](#) L.
- [*Viola argentina*](#) W.Becker
- [*Viola arguta*](#) Humb. & Bonpl. ex Schult.
- [*Viola arsenica*](#) Beck
- [*Viola arvensis*](#) Murray – field pansy, European field pansy
- [*Viola athois*](#) W.Becker
- [*Viola atropurpurea*](#) Leyb.
- [*Viola aurantiaca*](#) Leyb.
- [*Viola aurata*](#) Phil.
- [*Viola auricolor*](#) Skottsb.
- [*Viola auricula*](#) Leyb.
- [*Viola austrosinensis*](#) Y.S.Chen & Q.E.Yang
- [*Viola* × *awagataensis*](#) T.Yamaz., I.Ito & Ageishi

B

- [*Viola × bachtschisaraensis*](#) Vl.V.Nikitin
- [*Viola bakeri*](#) Greene – Baker's violet
- [*Viola balansae*](#) Gagnep.
- [*Viola balcanica*](#) Delip.
- [*Viola bangii*](#) Rusby
- [*Viola banksii*](#) K.R.Thiele & Prober – Banks' violet
- [*Viola baoshanensis*](#) W.S.Shu, W.Liu & C.Y.Lan
- [*Viola barhalensis*](#) G.Knoche & Marcussen
- [*Viola barkalovii*](#) Bezd.
- [*Viola barroetana*](#) W.Schaffn. ex Hemsl.
- [*Viola × bavarica*](#) Schrank
- [*Viola baxteri*](#) House
- [*Viola beamanii*](#) Calderón
- [*Viola beati*](#) J.M.Watson & A.R.Flores
- [*Viola beckeriana*](#) J.M.Watson & A.R.Flores
- [*Viola beckiana*](#) Fiala ex Beck
- [*Viola beckwithii*](#) Torr. & A.Gray – Beckwith's violet, Great Basin violet
- [*Viola belophylla*](#) Boissieu
- [*Viola bertolonii*](#) Pio
- [*Viola betonicifolia*](#) Sm. – showy violet, mountain violet
- [*Viola bezdelevae*](#) Vorosch.
- [*Viola bhutanica*](#) H.Hara
- [*Viola biflora*](#) L. – yellow wood violet, twoflower violet, arctic yellow violet
- [*Viola binayensis*](#) Okamoto & K.Ueda
- [*Viola × bissellii*](#) House – Bissell's violet
- [*Viola bissetii*](#) Maxim.
- [*Viola blanda*](#) Willd. – sweet white violet, Willdenow's violet
- [*Viola blandiformis*](#) Nakai
- [*Viola × blaxlandiae*](#) J.M.Watson & A.R.Flores
- [*Viola bocquetiana*](#) Yild.
- [*Viola boissieuana*](#) Makino
- [*Viola boliviana*](#) Britton
- [*Viola brachyceras*](#) Turcz.
- [*Viola brachypetala*](#) Gay
- [*Viola brachyphylla*](#) W.Becker
- [*Viola × braunii*](#) Borbás – Braun's violet
- [*Viola breviflora*](#) Jungsim Lee & M.Kim
- [*Viola brevistipulata*](#) (Franch. & Sav.) W.Becker – short stipule violet
- [*Viola bridgesii*](#) Britton
- [*Viola brittoniana*](#) Pollard – northern coastal violet, coast violet
- [*Viola bubanii*](#) Timb.-Lagr.

- [*Viola bulbosa*](#) Maxim.
- [*Viola* × *burnatii*](#) Greml
- [*Viola bustillosia*](#) Gay

C



[*Viola chaerophyllioides*](#)



[*Viola cornuta*](#)

- [*Viola* × *caesariensis*](#) House
- [*Viola calabra*](#) (A.Terracc.) Ricceri & Moraldo
- [*Viola calcarata*](#) L.
- [*Viola calchaquiensis*](#) W.Becker
- [*Viola calcicola*](#) R.A.McCauley & H.E.Ballard
- [*Viola calejana*](#) G.Don
- [*Viola cameleo*](#) H.Boissieu
- [*Viola canadensis*](#) L. – Canadian white violet, Canada violet
- [*Viola canescens*](#) Wall.
- [*Viola canina*](#) L. – dog violet, European heath dog violet
- [*Viola capillaris*](#) Pers.
- [*Viola caspia*](#) (Rupr.) Freyn
- [*Viola cassinensis*](#) Strobl
- [*Viola caucasica*](#) Kolen. ex Rupr.
- [*Viola cavillieri*](#) W.Becker
- [*Viola cazorlensis*](#) Gand.
- [*Viola cenisia*](#) L.
- [*Viola cephalonica*](#) Bornm.
- [*Viola cerasifolia*](#) A.St.-Hil.
- [*Viola cervatiana*](#) Ricceri & Moraldo
- [*Viola* × *cestrica*](#) House
- [*Viola chaerophyllioides*](#) (Regel) W.Becker
- [*Viola chalcosperma*](#) Brainerd
- [*Viola chamaedrys*](#) Leyb.
- [*Viola chamissoniana*](#) Ging. – olopu
- [*Viola* × *champlainensis*](#) House
- [*Viola changii*](#) J.S.Zhou & F.W.Xing

- [*Viola charlestonensis*](#) M.S.Baker & J.C.Clausen – Charleston mountain violet
- [*Viola chassanica*](#) Kork.
- [*Viola cheeseana*](#) J.M.Watson
- [*Viola cheiranthifolia*](#) Bonpl. – Teide violet
- [*Viola chejuensis*](#) Y.N.Lee & Y.C.Oh – China violet
- [*Viola chelmea*](#) Boiss.
- [*Viola chiapasiensis*](#) W.Becker
- [*Viola* × *chrysantha*](#) Schrad. ex Rchb.
- [*Viola cilentana*](#) Ricceri & Moraldo
- [*Viola cilicica*](#) Contandr. & Quézel
- [*Viola cinerea*](#) Boiss.
- [*Viola clauseniana*](#) M.S.Baker
- [*Viola cleistogamoides*](#) (L.G.Adams) Seppelt
- [*Viola cochranii*](#) H.E.Ballard
- [*Viola collina*](#) Besser – hill violet
- [*Viola* × *columbiana*](#) House
- [*Viola columnaris*](#) Skottsb.
- [*Viola comberi*](#) W.Becker
- [*Viola commersonii*](#) DC. ex Ging.
- [*Viola communis*](#) Pollard
- [*Viola comollia*](#) Massara
- [*Viola concordifolia*](#) C.J.Wang
- [*Viola confertifolia*](#) C.C.Chang
- [*Viola congesta*](#) Gillies ex Hook. & Arn.
- [*Viola* × *conjugens*](#) Greene
- [*Viola* × *consobrina*](#) House
- [*Viola* × *consocia*](#) House
- [*Viola* × *consona*](#) House
- [*Viola* × *contempta*](#) Jord.
- [*Viola* × *conturbata*](#) House
- [*Viola* × *convicta*](#) House
- [*Viola* × *cooperrideri*](#) H.E.Ballard
- [*Viola* × *cordifolia*](#) (Nutt.) Schwein.
- [*Viola cornuta*](#) L. – horned pansy, horned violet, Johnny-jump-up, bedding pansy
- [*Viola coronifera*](#) W.Becker
- [*Viola corralensis*](#) Phil.
- [*Viola corsica*](#) Nyman
- [*Viola cotyledon*](#) Ging.
- [*Viola crassa*](#) Makino
- [*Viola crassifolia*](#) Fenzl
- [*Viola crassiuscula*](#) Bory
- [*Viola* × *crassula*](#) Greene

- [*Viola cuatrecasasii*](#) L.B.Sm. & A.Fernández
- [*Viola cucullata*](#) Aiton – marsh blue violet
- [*Viola cuicochensis*](#) Hieron.
- [*Viola culminis*](#) F.Fen. & Moraldo
- [*Viola cuneata*](#) S.Watson – wedgeleaf violet
- [*Viola cunninghamii*](#) Hook.f.
- [*Viola curtisiae*](#) (L.G.Adams) K.R.Thiele
- [*Viola cuspidifolia*](#) W.Becker
- [*Viola czemalensis*](#) Zuev

D

- [*Viola dacica*](#) Borbás
- [*Viola dactyloides*](#) Schult.
- [*Viola dalatensis*](#) Gagnep.
- [*Viola dandoisiorum*](#) J.M.Watson & A.R.Flores
- [*Viola danielae*](#) Pînzaru
- [*Viola dasyphylla*](#) W.Becker
- [*Viola davidii*](#) Franch.
- [*Viola* × *davisii*](#) House – Davis' violet
- [*Viola decipiens*](#) Reiche
- [*Viola declinata*](#) Waldst. & Kit.
- [*Viola decumbens*](#) L.f.
- [*Viola dehnhardtii*](#) Ten.
- [*Viola delavayi*](#) Franch.
- [*Viola delphinantha*](#) Boiss.
- [*Viola demetria*](#) Prologo ex Boiss.
- [*Viola denizliensis*](#) O.D.Düşen, Göktürk, U.Sarpkaya & B.Gürçan
- [*Viola diamantiaca*](#) Nakai
- [*Viola dichroa*](#) Boiss.
- [*Viola diffusa*](#) Ging. – spreading violet
- [*Viola* × *dimissa*](#) House
- [*Viola dimorphophylla*](#) Y.S.Chen & Q.E.Yang
- [*Viola dirimliensis*](#) Blaxland
- [*Viola dirphyia*](#) Tiniakou
- [*Viola* × *discors*](#) House
- [*Viola disjuncta*](#) W.Becker
- [*Viola dissecta*](#) Ledeb.
- [*Viola* × *dissena*](#) House
- [*Viola* × *dissita*](#) House
- [*Viola diversifolia*](#) (DC.) W.Becker
- [*Viola doerfleri*](#) Degen
- [*Viola* × *doii*](#) Taken.

- [*Viola dombeyana*](#) DC. ex Ging.
- [*Viola domeikoana*](#) Gay
- [*Viola domestica*](#) E.P.Bicknell
- [*Viola douglasii*](#) Steud. – Douglas' golden violet
- [*Viola dubyana*](#) Burnat ex Gremli
- [*Viola duclouxii*](#) W.Becker
- [*Viola dukadjinica*](#) W.Becker & Košanin
- [*Viola dyris*](#) Maire

E

- [*Viola* × *eamesii*](#) House – Eames' violet
- [*Viola* × *eclipes*](#) H.E.Ballard
- [*Viola ecuadorensis*](#) W.Becker
- [*Viola edulis*](#) Spach
- [*Viola* × *egglestoniana*](#) House
- [*Viola egglestonii*](#) Brainerd – glade violet
- [*Viola* × *egregia*](#) House
- [*Viola eizanensis*](#) (Makino) Makino
- [*Viola* × *eizasieboldii*](#) Sugim. ex T.Shimizu
- [*Viola elatior*](#) Fr.
- [*Viola elegantula*](#) Schott
- [*Viola emarginata*](#) (Nutt.) Leconte
- [*Viola eminens*](#) K.R.Thiele & Prober
- [*Viola eminii*](#) (Engl.) R.E.Fr.
- [*Viola enmae*](#) P.González
- [*Viola epipsila*](#) Ledeb. – dwarf marsh violet, large marsh violet
- [*Viola epirota*](#) (Halácsy) Raus
- [*Viola eriocarpa*](#) Schwein.
- [*Viola ermenekensis*](#) Yild. & Dinç
- [*Viola* × *erratica*](#) House
- [*Viola erythraea*](#) (Fiori) Chiov.
- [*Viola escarapela*](#) J.M.Watson & A.R.Flores
- [*Viola escondidaensis*](#) W.Becker
- [*Viola etrusca*](#) Erben
- [*Viola euboea*](#) (Halácsy) Halácsy
- [*Viola eugeniae*](#) Parl.
- [*Viola evae*](#) Hieron. ex W.Becker
- [*Viola* × *excerpta*](#) House
- [*Viola eximia*](#) Formánek
- [*Viola exsul*](#) J.M.Watson & A.R.Flores

F

- [*Viola falconeri*](#) Hook.f. & Thomson
- [*Viola* × *fallacissima*](#) Greene
- [*Viola farkasiana*](#) J.M.Watson & A.R.Flores
- [*Viola faurieana*](#) W.Becker
- [*Viola* × *fennica*](#) F.Nyl.
- [*Viola ferdinandea*](#) Ricceri & Moraldo
- [*Viola* × *fernaldii*](#) House
- [*Viola ferrarinii*](#) Moraldo & Ricceri
- [*Viola ferreyrae*](#) P.González
- [*Viola* × *festata*](#) House
- [*Viola filicaulis*](#) Hook.f.
- [*Viola* × *filicetorum*](#) Greene
- [*Viola fimbriatula*](#) Sm. – fringed violet
- [*Viola fischeri*](#) W.Becker
- [*Viola flagelliformis*](#) Hemsl.
- [*Viola flavicans*](#) Wedd.
- [*Viola flettii*](#) Piper – Olympic violet, rock violet
- [*Viola floridana*](#) Brainerd
- [*Viola flos-idae*](#) Hieron.
- [*Viola fluehmannii*](#) Phil.
- [*Viola formosana*](#) Hayata
- [*Viola forrestiana*](#) W.Becker
- [*Viola fragrans*](#) Sieber
- [*Viola frank-smithii*](#) N.H.Holmgren – Frank-Smith's violet
- [*Viola friderici*](#) W.Becker
- [*Viola frigida*](#) Phil.
- [*Viola frondosa*](#) (Velen.) Velen.
- [*Viola frusinatae*](#) Ricceri & Moraldo
- [*Viola fruticosa*](#) W.Becker
- [*Viola* × *fujisanensis*](#) S.Watan.
- [*Viola fuscifolia*](#) W.Becker
- [*Viola fuscoviolacea*](#) (L.G.Adams) T.A.James

G

- [*Viola galeanaensis*](#) M.S.Baker
- [*Viola* × *ganeschinskii*](#) Vl.V.Nikitin
- [*Viola ganiatsasii*](#) Erben
- [*Viola gavioli*](#) Ricceri & Moraldo
- [*Viola gelida*](#) J.M.Watson, M.P.Cárdenas & A.R.Flores
- [*Viola germanii*](#) Sparre

- [*Viola glabella*](#) Nutt.
- [*Viola glaberrima*](#) (Ging. ex Chapm.) House
- [*Viola glandularis*](#) H.E.Ballard & P.M.Jørg.
- [*Viola glechomoides*](#) Leyb.
- [*Viola gmeliniana*](#) Schult.
- [*Viola godoyae*](#) Phil.
- [*Viola* × *gotlandica*](#) W.Becker
- [*Viola gracilis*](#) Sm.
- [*Viola gracillima*](#) A.St.-Hil.
- [*Viola graeca*](#) (W.Becker) Halácsy
- [*Viola grahamii*](#) Benth.
- [*Viola* × *grandis*](#) Greene
- [*Viola grandisepala*](#) W.Becker
- [*Viola granulosa*](#) Wedd.
- [*Viola grayi*](#) Franch. & Sav.
- [*Viola* × *greatrexii*](#) Nakai & F.Maek.
- [*Viola* × *greenei*](#) House
- [*Viola* × *greenmanii*](#) House
- [*Viola grisebachiana*](#) Vis.
- [*Viola* × *grubovii*](#) Vl.V.Nikitin
- [*Viola grypoceras*](#) A.Gray
- [*Viola guadalupensis*](#) A.M.Powell & Wauer – Guadalupe violet
- [*Viola quangzhouensis*](#) A.Q.Dong, J.S.Zhou & F.W.Xing
- [*Viola guatemalensis*](#) W.Becker
- [*Viola quaxarensis*](#) M.Marrero, Docoito Díaz & Martín Esquivel

H

- [*Viola* × *halacsyana*](#) Degen & Dörfl.
- [*Viola hallii*](#) A.Gray – Oregon violet
- [*Viola hamiltoniana*](#) D.Don
- [*Viola hancockii*](#) W.Becker
- [*Viola hastata*](#) Michx. - halberd-leaf yellow violet
- [*Viola* × *haynaldii*](#) Wiesb.
- [*Viola hederacea*](#) Labill. – Australian violet, trailing violet
- [*Viola hediniana*](#) W.Becker
- [*Viola heldreichiana*](#) Boiss.
- [*Viola helena*](#) C.N.Forbes & Lydgate – Wahiawa stream violet
- [*Viola hemsleyana*](#) Calderón
- [*Viola henriquesii*](#) (Willk. ex Cout.) W.Becker
- [*Viola henryi*](#) H.Boissieu
- [*Viola herzogii*](#) (W.Becker) Bornm. – Herzog violet
- [*Viola* × *heterocarpa*](#) Borbás

- [*Viola hieronymi*](#) W.Becker
- [*Viola hillii*](#) W.Becker
- [*Viola hirsutula*](#) Brainerd – southern woodland violet
- [*Viola hirta*](#) L. – hairy violet
- [*Viola* × *hirtiformis*](#) Wiesb.
- [*Viola hirtipes*](#) S.Moore
- [*Viola hispida*](#) Lam. – Rouen pansy
- [*Viola hissarica*](#) Juz.
- [*Viola* × *hollickii*](#) House – Hollick's violet
- [*Viola* × *holmiana*](#) House
- [*Viola hondoensis*](#) W.Becker & H.Boissieu
- [*Viola hookeri*](#) Thomson
- [*Viola hookeriana*](#) Kunth
- [*Viola howellii*](#) A.Gray – Howell's violet
- [*Viola huesoensis*](#) Martic.
- [*Viola huidobrii*](#) Gay
- [*Viola huizhouensis*](#) Y.S.Huang & Q.Fan
- [*Viola hultenii*](#) W.Becker
- [*Viola humilis*](#) Kunth
- [*Viola* × *hungarica*](#) Degen & Sabr.
- [*Viola hybanthoides*](#) W.B.Liao & Q.Fan
- [*Viola hymettia*](#) Boiss. & Heldr.
- [*Viola* × *hyrcanica*](#) Vl.V.Nikitin

I

- [*Viola* × *ibukiana*](#) Makino
- [*Viola* × *igoschinae*](#) Vl.V.Nikitin
- [*Viola ilvensis*](#) (W.Becker) Arrigoni
- [*Viola imbricata*](#) K.Menegoz & J.L.Celis-Diez
- [*Viola improcera*](#) L.G.Adams
- [*Viola incisa*](#) Turcz.
- [*Viola* × *incissecta*](#) Vl.V.Nikitin
- [*Viola incognita*](#) Brainerd – large-leaved white violet
- [*Viola inconspicua*](#) Blume
- [*Viola indica*](#) W.Becker
- [*Viola* × *indivisa*](#) Greene
- [*Viola ingolensis*](#) Elisafenko
- [*Viola* × *insessa*](#) House
- [*Viola* × *insolita*](#) House
- [*Viola* × *interjecta*](#) Borbás
- [*Viola* × *intersita*](#) Beck
- [*Viola ircutiana*](#) Turcz.

- [*Viola irinae*](#) Zolot.
- [*Viola isaurica*](#) Contandr. & Quézel
- [*Viola* × *iselensis*](#) W.Becker
- [*Viola isopetala*](#) Juz.
- [*Viola ivonis*](#) Erben
- [*Viola iwagawae*](#) Makino

J

- [*Viola* × *jagellonica*](#) Zapał.
- [*Viola jalapaensis*](#) W.Becker
- [*Viola jangiensis*](#) W.Becker
- [*Viola japonica*](#) Langsd. ex Ging. – Japanese violet
- [*Viola jaubertiana*](#) Marès & Vigin.
- [*Viola javanica*](#) W.Becker
- [*Viola jeniseensis*](#) Zuev
- [*Viola* × *jindoensis*](#) M.Kim
- [*Viola jinggangshanensis*](#) Z.L.Ning & J.P.Liao
- [*Viola jizushanensis*](#) S.H.Huang
- [*Viola* × *joannis-wagneri*](#) Kárpáti
- [*Viola joergensenii*](#) W.Becker
- [*Viola johnstonii*](#) W.Becker
- [*Viola jooi*](#) Janka – Carpathian violet, Transylvanian violet
- [*Viola jordanii*](#) Henry
- [*Viola* × *josephii*](#) J.M.Watson & A.R.Flores
- [*Viola* × *juzepczukii*](#) Vl.V.Nikitin

K

- [*Viola kamtschadalarum*](#) W.Becker & Hultén
- [*Viola* × *karakulensis*](#) Vl.V.Nikitin & O.Baranova
- [*Viola kauaensis*](#) A.Gray – *pohe hiwa*
- [*Viola keiskei*](#) Miq.
- [*Viola kermesina*](#) W.Becker
- [*Viola* × *kernerii*](#) Wiesb.
- [*Viola* × *kisoana*](#) Nakai
- [*Viola kitaibeliana*](#) Schult. – dwarf pansy
- [*Viola kitamiana*](#) Nakai
- [*Viola kizildaghensis*](#) Dinç & Yıld.
- [*Viola kjellbergii*](#) Melch.
- [*Viola* × *klingeana*](#) Ronniger
- [*Viola kopaonikensis*](#) Pančić ex Tomović & Niketić
- [*Viola kosanensis*](#) Hayata

- [*Viola kosaninii*](#) (Degen) Hayek – Košanin violet
- [*Viola kouliana*](#) Bhellum & Magotra
- [*Viola* × *kozo-poljanskii*](#) Grosset
- [*Viola* × *krascheninnikoviorum*](#) Vl.V.Nikitin
- [*Viola kunawarensis*](#) Royle
- [*Viola kusanoana*](#) Makino
- [*Viola kusnezowiana*](#) W.Becker

L



[*Viola labradorica*](#)



[*Viola*](#)

[*lutea*](#)

- [*Viola labradorica*](#) Schrank – alpine violet, Labrador violet
- [*Viola* × *lacmonica*](#) Hausskn.
- [*Viola lactea*](#) Sm. – pale dog violet
- [*Viola lactiflora*](#) Nakai
- [*Viola lainzii*](#) P.Monts.
- [*Viola lanaiensis*](#) W.Becker – Hawaii violet
- [*Viola lanceolata*](#) L. – bog white violet
- [*Viola langeana*](#) Valentine
- [*Viola langloisii*](#) Greene
- [*Viola langsдорffii*](#) Fisch. ex Ging. – Aleutian violet, Alaska violet
- [*Viola lanifera*](#) W.Becker
- [*Viola laricicola*](#) Marcussen
- [*Viola latistipula*](#) Hemsl.
- [*Viola latiuscula*](#) Greene
- [*Viola* × *lavandulacea*](#) E.P.Bicknell
- [*Viola lehmannii*](#) W.Becker
- [*Viola leyboldiana*](#) Phil.

- [*Viola libanotica*](#) Boiss.
- [*Viola lilliputana*](#) Iltis & H.E.Ballard – Lilliputian violet
- [*Viola lilloana*](#) W.Becker
- [*Viola limbarae*](#) (Merxm. & W.Lippert) Arrigoni
- [*Viola lithion*](#) N.H.Holmgren & P.K.Holmgren – rock violet
- [*Viola* × *litoralis*](#) Spreng.
- [*Viola livonica*](#) Vl.V.Nikitin
- [*Viola llullaillacoensis*](#) W.Becker
- [*Viola lobata*](#) Benth. – moosehorn violet, yellow wood violet, pine violet
- [*Viola lologensis*](#) (W.Becker) J.M.Watson
- [*Viola longibracteolata*](#) P.González, Ed.Navarro & J.M.Watson
- [*Viola longipetiolata*](#) Ricceri & Moraldo
- [*Viola lovelliana*](#) Brainerd
- [*Viola lucens*](#) W.Becker
- [*Viola* × *luciae*](#) Skottsbo. – Lucy's violet
- [*Viola lungtungensis*](#) S.S.Ying
- [*Viola lutea*](#) Huds. – mountain pansy
- [*Viola* × *lutzii*](#) E.G.Camus
- [*Viola lyallii*](#) Hook.f. – New Zealand native violet, *haaka*

M

- [*Viola macloskeyi*](#) F.E.Lloyd – small white violet, western sweet white violet
- [*Viola macroceras*](#) Bunge
- [*Viola maculata*](#) Cav.
- [*Viola magellanica*](#) G.Forst.
- [*Viola magellensis*](#) Porta & Rigo ex Strobl
- [*Viola magnifica*](#) C.J.Wang & X.D.Wang
- [*Viola majchurensis*](#) Pissjauk.
- [*Viola* × *malteana*](#) House
- [*Viola mandonii*](#) W.Becker
- [*Viola mandshurica*](#) W.Becker – Fuji dawn
- [*Viola maoershanensis*](#) Y.S.Chen & Q.E.Yang
- [*Viola marcelaferreyrae*](#) Nicola, J.M.Watson & A.R.Flores
- [*Viola marcelorosasii*](#) J.M.Watson & A.R.Flores
- [*Viola* × *markgrafii*](#) W.Becker
- [*Viola maroccana*](#) (Maire) Maire
- [*Viola* × *marylandica*](#) House
- [*Viola* × *matczkasensis*](#) Vl.V.Nikitin
- [*Viola matronae*](#) Stepanov
- [*Viola mauritii*](#) Tepl.
- [*Viola maviensis*](#) H.Mann – Hawaii bog violet
- [*Viola maximowicziana*](#) Makino

- [Viola maymanica](#) Grey-Wilson
- [Viola mearnsii](#) Merr.
- [Viola × melissifolia](#) Greene
- [Viola membranacea](#) W.Becker
- [Viola × menitzkii](#) Vl.V.Nikitin
- [Viola mercurii](#) Orph. ex Halácsy
- [Viola merrilliana](#) W.Becker
- [Viola merxmuelleri](#) Erben
- [Viola mesadensis](#) W.Becker
- [Viola miaolingensis](#) Y.S.Chen
- [Viola micranthella](#) Wedd.
- [Viola microcentra](#) W.Becker
- [Viola microphylla](#) Phil.
- [Viola milanae](#) Vl.V.Nikitin
- [Viola × militaris](#) Savouré
- [Viola minuscula](#) Greene
- [Viola minuta](#) M.Bieb.
- [Viola minutiflora](#) Phil.
- [Viola mirabilis](#) L. – wonder violet
- [Viola missouriensis](#) Greene – Missouri violet, banded violet
- [Viola × mistura](#) House
- [Viola × mixta](#) A.Kern.
- [Viola modesta](#) Fenzl
- [Viola × modica](#) House
- [Viola molisana](#) Ricceri & Moraldo
- [Viola × mollicula](#) House
- [Viola mongolica](#) Franch.
- [Viola montagnei](#) Gay
- [Viola montcaunica](#) Pau
- [Viola × montivaga](#) House
- [Viola moupinensis](#) Franch.
- [Viola mucronulifera](#) Hand.-Mazz.
- [Viola muehldorfii](#) Kiss
- [Viola × mulfordiae](#) Pollard – Mulford's violet
- [Viola muliensis](#) Y.S.Chen & Q.E.Yang
- [Viola munbyana](#) Boiss. & Reut.
- [Viola murrenensis](#) Ricceri & Moraldo
- [Viola muscoides](#) Phil.

N

- [Viola nagasawae](#) Makino & Hayata
- [Viola × najadum](#) Wein

- [*Viola nana*](#) (DC. ex Ging.) Le Jol.
- [*Viola nanlingensis*](#) J.S.Zhou & F.W.Xing
- [*Viola nannae*](#) R.E.Fr.
- [*Viola nannei*](#) Pol.
- [*Viola nassauvioides*](#) Phil.
- [*Viola nebrodensis*](#) C.Presl
- [*Viola* × *neglectiformis*](#) Vl.V.Nikitin
- [*Viola nemoralis*](#) Kütz.
- [*Viola nephrophylla*](#) Greene – northern bog violet
- [*Viola* × *nephrophylloides*](#) Farw.
- [*Viola niederleinii*](#) W.Becker
- [*Viola* × *nikitinii*](#) Vasjukov
- [*Viola nitida*](#) Y.S.Chen & Q.E.Yang
- [*Viola nobilis*](#) W.Becker
- [*Viola* × *notabilis*](#) E.P.Bicknell
- [*Viola novae-angliae*](#) House – New England blue violet
- [*Viola nubigena*](#) Leyb.
- [*Viola nuda*](#) W.Becker
- [*Viola nujiangensis*](#) Y.S.Chen & X.H.Jin
- [*Viola nummulariifolia*](#) Vill.
- [*Viola nuttallii*](#) Pursh – Nuttall's violet, yellow prairie violet

O



[*Viola ocellata*](#)



[*Viola*](#)

[*orientalis*](#)

- [*Viola oahuensis*](#) C.N.Forbes – Oahu violet
- [*Viola obituaria*](#) J.M.Watson & A.R.Flores
- [*Viola oblonga*](#) Blatt.
- [*Viola obtusa*](#) (Makino) Makino – blunt violet

- [*Viola × obtusoacuminata*](#) T.Hashim. ex T.Shimizu
- [*Viola × obtusogrypoceras*](#) Makino
- [*Viola occulta*](#) Lehm.
- [*Viola ocellata*](#) Torr. & A.Gray – pinto violet, two-eyed violet
- [*Viola odontocalycina*](#) Boiss.
- [*Viola odorata*](#) L. – sweet violet
- [*Viola × ogawae*](#) Nakai
- [*Viola × okuharae*](#) F.Maek. ex T.Shimizu
- [*Viola × olimpia*](#) Beggiat.
- [*Viola orbelica*](#) Pančić
- [*Viola orbiculata*](#) (A.Gray) Geyer ex B.D.Jacks. – darkwoods violet, western round-leaved violet
- [*Viola oreades*](#) M.Bieb.
- [*Viola orientalis*](#) (Maxim.) W.Becker
- [*Viola ornata*](#) P.González, Montesinos & J.M.Watson
- [*Viola orphanidis*](#) Boiss.
- [*Viola orthoceras*](#) Ledeb.
- [*Viola ovalleana*](#) Phil.
- [*Viola ovato-oblonga*](#) (Miq.) Makino
- [*Viola oxyodontis*](#) H.E.Ballard

P



[*Viola patrinii*](#)

- [*Viola pachyrrhiza*](#) Boiss. & Hohen.
- [*Viola pachysoma*](#) M.Sheader & J.M.Watson
- [*Viola pacifica*](#) Juz.
- [*Viola painteri*](#) Rose & House
- [*Viola palatina*](#) Y.N.Lee
- [*Viola pallascaensis*](#) W.Becker
- [*Viola palmata*](#) L. – crowfoot violet, early blue violet, palmate violet (edible leaves and flowers)
- [*Viola palmensis*](#) (Webb & Berthel.) Sauer
- [*Viola palustris*](#) L. – marsh violet, alpine marsh violet
- [*Viola papuana*](#) W.Becker & Pulle
- [*Viola paradoxa*](#) Lowe

- [*Viola × parca*](#) House
- [*Viola parnonia*](#) Kit Tan, Sfikas & Vold
- [*Viola parvula*](#) Tineo
- [*Viola patrinii*](#) Ging. – stemless violet
- [*Viola × peckiana*](#) House – Peck's violet
- [*Viola pectinata*](#) E.P.Bicknell
- [*Viola pedata*](#) L. – birdfoot violet, crowfoot violet
- [*Viola pedatifida*](#) G.Don – prairie violet, prairie birdfoot violet
- [*Viola pedunculata*](#) Torr. & A.Gray – California golden violet, grass pansy, yellow pansy
- [*Viola pekinensis*](#) (Regel) W.Becker
- [*Viola pendulicarpa*](#) W.Becker
- [*Viola pentadactyla*](#) Fenzl
- [*Viola perinensis*](#) W.Becker
- [*Viola × perplexa*](#) Gremli
- [*Viola perpusilla*](#) Boissieu
- [*Viola perreniformis*](#) (L.G.Adams) R.J.Little & Leiper
- [*Viola petraea*](#) W.Becker
- [*Viola phalacrocarpa*](#) Maxim.
- [*Viola philippiana*](#) Greene
- [*Viola philippica*](#) Cav.
- [*Viola phitosiana*](#) Erben
- [*Viola pilosa*](#) Blume
- [*Viola pilushanensis*](#) S.S.Ying
- [*Viola pinetorum*](#) Greene – goosefoot violet
- [*Viola pinnata*](#) L. – pinnate violet
- [*Viola pitouchaoensis*](#) S.S.Ying
- [*Viola placida*](#) W.Becker
- [*Viola × pluricaulis*](#) Borbás
- [*Viola pluviae*](#) Marcussen, H.E.Ballard & Blaxland
- [*Viola × poelliana*](#) Murr
- [*Viola poetica*](#) Boiss. & Spruner
- [*Viola polycephala*](#) H.E.Ballard & P.M.Jørg.
- [*Viola polypoda*](#) Turcz.
- [*Viola × polysecta*](#) Nakai
- [*Viola × popovae*](#) Vl.V.Nikitin
- [*Viola × populifolia*](#) Greene
- [*Viola × porphyrea*](#) R.Uechtr.
- [*Viola portalesia*](#) Gay
- [*Viola × porteriana*](#) Pollard – Porter's violet
- [*Viola portulacea*](#) Leyb.
- [*Viola praemorsa*](#) Douglas – canary violet
- [*Viola pratincola*](#) Greene

- [*Viola primulifolia*](#) L. – primrose-leaf violet
- [*Viola principis*](#) Boissieu
- [*Viola prionantha*](#) Bunge
- [*Viola producta*](#) W.Becker
- [*Viola pseudaeolica*](#) Tomović, Melovski & Niketić
- [*Viola pseudograeca*](#) Erben
- [*Viola* × *pseudomakinoi*](#) M.Mizush. ex T.Shimizu
- [*Viola pubescens*](#) Aiton – downy yellow violet
- [*Viola pubipetala*](#) S.S.Ying
- [*Viola pulvinata*](#) Reiche
- [*Viola pumila*](#) Chaix – meadow violet
- [*Viola purpurea*](#) Kellogg – goosefoot violet
- [*Viola pusilla*](#) Poepp.
- [*Viola pusillima*](#) Wedd.
- [*Viola pygmaea*](#) Juss. ex Poir.
- [*Viola* × *pynzarii*](#) Vl.V.Nikitin
- [*Viola pyrenaica*](#) Ramond ex DC.

Q

- [*Viola quercetorum*](#) M.S.Baker & J.C.Clausen

R

- [*Viola raddeana*](#) Regel
- [*Viola rafinesquei*](#) Greene – field pansy
- [*Viola ramiflora*](#) K.O.Yoo
- [*Viola ramosiana*](#) W.Becker
- [*Viola rauliniana*](#) Erben
- [*Viola* × *raunsiensis*](#) W.Becker & Košanin
- [*Viola rausii*](#) Erben
- [*Viola* × *ravida*](#) House
- [*Viola* × *redacta*](#) House
- [*Viola regina*](#) J.M.Watson & A.R.Flores
- [*Viola reichei*](#) Skottsbl. ex Macloskie – Reiche violet, Patagonian yellow violet, Chilean yellow violet
- [*Viola reichenbachiana*](#) Jord. ex Boreau – early dog violet, slender wood violet
- [*Viola renifolia*](#) A.Gray – northern white violet, kidney-leaved white violet
- [*Viola replicata*](#) W.Becker
- [*Viola* × *reschetnikovae*](#) Vl.V.Nikitin
- [*Viola retusa*](#) Greene
- [*Viola rheophila*](#) Okamoto
- [*Viola rhodopeia*](#) W.Becker

- [*Viola rhombifolia*](#) Leyb.
- [*Viola* × *ritschliana*](#) W.Becker
- [*Viola riviniana*](#) Rchb. – common dog violet
- [*Viola* × *robinsoniana*](#) House
- [*Viola roccabrunensis*](#) Espeut
- [*Viola rodriguezii*](#) W.Becker
- [*Viola roigii*](#) Rossow
- [*Viola rosacea*](#) Brainerd
- [*Viola rossii*](#) Hemsl.
- [*Viola rossowiana*](#) J.M.Watson & A.R.Flores
- [*Viola rostrata*](#) Muhl. ex Pursh – longspur violet
- [*Viola rosulata*](#) Poepp. & Endl.
- [*Viola rotundifolia*](#) Michx. – eastern roundleaf yellow violet, early yellow violet
- [*Viola rubella*](#) Cav.
- [*Viola rubromarginata*](#) J.M.Watson & A.R.Flores
- [*Viola rudolfii*](#) Vl.V.Nikitin
- [*Viola rudolphii*](#) Sparre
- [*Viola rugosa*](#) Phil. ex W.Becker
- [*Viola rugulosa*](#) Greene
- [*Viola* × *rupestriformis*](#) Vl.V.Nikitin
- [*Viola rupestris*](#) F.W.Schmidt – Teesdale violet, rock violet
- [*Viola rupicola*](#) Elmer
- [*Viola* × *ryoniae*](#) House – Ryon's violet

S

- [*Viola saccata*](#) Melch.
- [*Viola sacchalinensis*](#) H.Boissieu
- [*Viola sacculus*](#) Skottsb.
- [*Viola sagittata*](#) Aiton – arrowleaf violet
- [*Viola samothracica*](#) (Degen) Raus
- [*Viola sandaiojiaoensis*](#) S.S.Ying
- [*Viola sandrasea*](#) Melch.
- [*Viola santiagonensis*](#) W.Becker
- [*Viola* × *savatieri*](#) Makino
- [*Viola saxifraga*](#) Maire
- [*Viola* × *scabra*](#) F.Braun
- [*Viola scandens*](#) Humb. & Bonpl. ex Schult.
- [*Viola schachimardanica*](#) Khalk.
- [*Viola schariensis*](#) Erben – Šar mountain violet
- [*Viola* × *schauloi*](#) Vl.V.Nikitin
- [*Viola scopulorum*](#) (A.Gray) Greene
- [*Viola scorpiuroides*](#) Coss.

- [*Viola seleriana*](#) W.Becker
- [*Viola selkirkii*](#) Pursh ex Goldie – northern violet, Selkirk's violet
- [*Viola sempervirens*](#) Greene – evergreen violet, redwood violet
- [*Viola sempervivum*](#) Gay
- [*Viola* × *semseyana*](#) Borbás
- [*Viola senzanensis*](#) Hayata
- [*Viola septemloba*](#) Leconte – southern coastal violet
- [*Viola septentrionalis*](#) Greene – northern woodland violet, northern blue violet
- [*Viola sequeirae*](#) Capelo, R.Jardim, J.C.Costa, Lousã & Rivas Mart.
- [*Viola* × *sermenika*](#) Formánek
- [*Viola serpentinicola*](#) de Salas
- [*Viola serresiana*](#) Erben
- [*Viola sfikasiana*](#) Erben
- [*Viola shaoyoukengensis*](#) S.S.Ying
- [*Viola sheltonii*](#) Torr. – Shelton's violet
- [*Viola shikokiana*](#) Makino
- [*Viola shinchikuensis*](#) Yamam.
- [*Viola shiweii*](#) Xiao C.Li & Zheng W.Wang
- [*Viola sieberiana*](#) Spreng.
- [*Viola sieboldii*](#) Maxim.
- [*Viola sieheana*](#) W.Becker
- [*Viola sikkimensis*](#) W.Becker
- [*Viola silicestris*](#) K.R.Thiele & Prober
- [*Viola singularis*](#) J.M.Watson & A.R.Flores
- [*Viola sintenisii*](#) W.Becker
- [*Viola sirinica*](#) Ricceri & Moraldo
- [*Viola* × *skofitziana*](#) Wiesb.
- [*Viola skottsbergiana*](#) W.Becker
- [*Viola* × *slavinii*](#) House – Slavin's violet
- [*Viola somchetica*](#) K.Koch
- [*Viola sororia*](#) Willd. – woolly blue violet
- [*Viola spathulata*](#) Willd. ex Schult.
- [*Viola speciosa*](#) Pant.
- [*Viola spagazzinii*](#) W.Becker
- [*Viola sphaerocarpa*](#) W.Becker
- [*Viola stagnina*](#) Kit. ex Schult.
- [*Viola steinbachii*](#) W.Becker
- [*Viola stewardiana*](#) W.Becker
- [*Viola stipularis*](#) Sw.
- [*Viola stocksii*](#) Boiss.
- [*Viola stojanowii*](#) W.Becker
- [*Viola stoloniflora*](#) Yokota & Higa

- [*Viola stoneana*](#) House
- [*Viola striata*](#) Aiton – striped violet, striped cream violet, pale violet
- [*Viola striatella*](#) H.Boissieu
- [*Viola striis-notata*](#) (J.Wagner) Merxm. & W.Lippert
- [*Viola stuebelii*](#) Hieron.
- [*Viola suavis*](#) M.Bieb. – Russian violet
- [*Viola subandina*](#) J.M.Watson
- [*Viola subasica*](#) (Fiori) Ricceri & Moraldo
- [*Viola subatlantica*](#) (Maire) Ibn Tattou
- [*Viola subdimidiata*](#) A.St.-Hil.
- [*Viola* × *sublanceolata*](#) House
- [*Viola subsinuata*](#) (Greene) Greene – wavy-leaf violet
- [*Viola suecica*](#) Fr.
- [*Viola* × *sukaczewii*](#) Vl.V.Nikitin
- [*Viola sumatrana*](#) Miq.
- [*Viola szetschwanensis*](#) W.Becker & H.Boissieu

T



[*Viola tricolor*](#)

- [*Viola taltalensis*](#) W.Becker
- [*Viola tanaitica*](#) Grosset
- [*Viola* × *taradakensis*](#) Nakai
- [*Viola tarbagataica*](#) Klovov
- [*Viola tashiroi*](#) Makino
- [*Viola tatjanae*](#) Stepanov
- [*Viola tectiflora*](#) W.Becker

- [*Viola tenuipes*](#) Pollard
- [*Viola tenuissima*](#) C.C.Chang
- [*Viola teplouchovii*](#) Juz.
- [*Viola teshioensis*](#) Miyabe & Tatew.
- [*Viola thasia*](#) W.Becker
- [*Viola thianschanica*](#) Maxim.
- [*Viola thibaudieri*](#) Franch. & Sav.
- [*Viola thomasiana*](#) Songeon & E.P.Perrier
- [*Viola thomsonii*](#) Oudem.
- [*Viola thymifolia*](#) Britton
- [*Viola tienschiensis*](#) W.Becker
- [*Viola* × *tigirekica*](#) Vl.V.Nikitin
- [*Viola tineorum*](#) Erben & Raimondo
- [*Viola tokubuchiana*](#) Makino
- [*Viola tomentosa*](#) M.S.Baker & J.C.Clausen – feltleaf violet
- [*Viola* × *torslundensis*](#) W.Becker
- [*Viola tovarii*](#) P.González & Molina-Alor
- [*Viola triangulifolia*](#) W.Becker
- [*Viola trichopetala*](#) C.C.Chang
- [*Viola trichosepala*](#) (W.Becker) Juz.
- [*Viola tricolor*](#) L. – wild pansy, heart's-ease, Johnny-jump-up
- [*Viola tridentata*](#) Sm.
- [*Viola triflabellata*](#) W.Becker
- [*Viola trinervata*](#) (Howell) Howell ex A.Gray – Rainier violet, sagebrush violet
- [*Viola tripartita*](#) Elliott – threepart violet
- [*Viola trochlearis*](#) J.M.Watson & A.R.Flores
- [*Viola truncata*](#) Meyen
- [*Viola tucumanensis*](#) W.Becker
- [*Viola turkestanica*](#) Regel & Schmalh.
- [*Viola turritella*](#) J.M.Watson & A.R.Flores
- [*Viola* × *tuvinica*](#) Vl.V.Nikitin
- [*Viola* × *tzvelevii*](#) Vl.V.Nikitin

U

- [*Viola ucriana*](#) Erben & Raimondo
- [*Viola* × *uechtritziiana*](#) Borbás
- [*Viola uliginosa*](#) Besser – swamp violet
- [*Viola umbraticola*](#) Kunth – Ponderosa violet
- [*Viola umphangensis*](#) S.Nansai, Srisanga & Suwanph.
- [*Viola uniflora*](#) L.
- [*Viola unquissima*](#) J.M.Watson & A.R.Flores
- [*Viola unwinii*](#) W.Becker

- [*Viola urophylla*](#) Franch.
- [*Viola utahensis*](#) M.S.Baker & J.C.Clausen – Utah violet
- [*Viola utchinensis*](#) Koidz.

V

- [*Viola vadimii*](#) Vl.V.Nikitin
- [*Viola vaginata*](#) Maxim. – sheathed violet
- [*Viola valderia*](#) All.
- [*Viola vallenarensis*](#) W.Becker
- [*Viola vallicola*](#) A.Nelson – valley violet
- [*Viola vanroyenii*](#) H.St.John
- [*Viola variegata*](#) Fisch. ex Link
- [*Viola vectoris*](#) Ricceri & Moraldo
- [*Viola velutina*](#) Formánek
- [*Viola* × *venustula*](#) Greene
- [*Viola* × *vermontana*](#) House
- [*Viola veronicifolia*](#) Planch. & Linden
- [*Viola viarum*](#) Pollard – twoflower violet, plains violet, wayside violet
- [*Viola* × *viatkensis*](#) Vl.V.Nikitin
- [*Viola* × *villaquensis*](#) Benz
- [*Viola villosa*](#) Walter – Carolina violet, hairy violet, wrinkled violet
- [*Viola* × *vilnaensis*](#) W.Becker
- [*Viola* × *vindobonensis*](#) Wiesb.
- [*Viola violacea*](#) Makino
- [*Viola vittata*](#) Greene
- [*Viola volcanica*](#) Gillies ex Hook. & Arn.
- [*Viola voliotisii*](#) Erben
- [*Viola vorobievii*](#) Bezd.
- [*Viola vourinensis*](#) Erben
- [*Viola vulturis*](#) Ricceri & Moraldo

W

- [*Viola wailenalenae*](#) (Rock) Skottsb. – Alakai swamp violet
- [*Viola wallichiana*](#) Ging.
- [*Viola walteri*](#) House – prostrate blue violet, prostrate southern violet
- [*Viola wansanensis*](#) Y.N.Lee
- [*Viola weberbaueri*](#) W.Becker
- [*Viola websteri*](#) Hemsl.
- [*Viola weibelij*](#) J.F.Macbr.
- [*Viola* × *wilczekiana*](#) Beauverd
- [*Viola* × *wilhelmii*](#) Vl.V.Nikitin

- [*Viola × wilibaldii*](#) Vl.V.Nikitin
- [*Viola willkommii*](#) R.Roem. ex Willk.
- [*Viola woosanensis*](#) Y.N.Lee & J.Kim
- [*Viola woroschilovii*](#) Bezd.
- [*Viola × wujekii*](#) H.E.Ballard
- [*Viola wulinfarmensis*](#) S.S.Ying
- [*Viola wulingensis*](#) S.S.Ying

X

- [*Viola xanthopotamica*](#) J.M.Watson & A.R.Flores
- [*Viola xibaoensis*](#) S.S.Ying

Y

- [*Viola yazawana*](#) Makino
- [*Viola yezoensis*](#) Maxim.
- [*Viola yildirimlii*](#) Dinç & Bağcı
- [*Viola yunnanensis*](#) W.Becker & H.Boissieu
- [*Viola yunnanfuensis*](#) W.Becker
- [*Viola × yurii*](#) Vl.V.Nikitin
- [*Viola yuzufelensis*](#) A.P.Khokhr.

Z

- [*Viola × zophodes*](#) K.R.Thiele & Prober
- [*Viola × zwienenii*](#) J.M.Watson & A.R.Flores

References

From Wikipedia, the free encyclopedia

The following species in the genus [***Vicia***](#), the **vetches**, are accepted by [Plants of the World Online](#).^[1]

The taxonomy of this economically important genus remains unresolved, which hinders the development of [underutilized crop species](#).^[2]

- [*Vicia abbreviata*](#) Fisch. ex Spreng.
- [*Vicia acutifolia*](#) Elliott
- [*Vicia afghanica*](#) Chrtková
- [*Vicia aintabensis*](#) Boiss. & Hausskn.
- [*Vicia aktoensis*](#) Y.H.Wu
- [*Vicia alpestris*](#) Steven

- [Vicia altissima](#) Desf.
- [Vicia americana](#) Muhl. ex Willd.
- [Vicia amoena](#) Fisch. ex Ser.
- [Vicia amurensis](#) Oett.
- [Vicia anatolica](#) Turrill
- [Vicia andicola](#) Kunth
- [Vicia andina](#) Phil.
- [Vicia anguste-pinnata](#) Nakai
- [Vicia aphylla](#) C.Sm. ex Link
- [Vicia araucana](#) Phil.
- [Vicia argaea](#) (P.H.Davis) Greuter
- [Vicia argentea](#) Lapeyr.
- [Vicia armena](#) Boiss.
- [Vicia articulata](#) Hornem.
- [Vicia assyriaca](#) Boiss.
- [Vicia aucheri](#) Jaub. & Spach
- [Vicia bakeri](#) Ali
- [Vicia balansae](#) Boiss.
- [Vicia basaltica](#) Plitmann
- [Vicia benghalensis](#) L.
- [Vicia benthamiana](#) Ali
- [Vicia berteriana](#) Phil.
- [Vicia biebersteinii](#) Besser ex M.Bieb.
- [Vicia biennis](#) L.
- [Vicia bifolia](#) Nakai
- [Vicia bifoliolata](#) J.J.Rodr.
- [Vicia bijuga](#) Gillies ex Hook. & Arn.
- [Vicia bithynica](#) (L.) L.
- [Vicia brulloi](#) Sciandr., Giusso, Salmeri & Miniss.
- [Vicia bungei](#) Ohwi
- [Vicia caesarea](#) Boiss. & Balansa
- [Vicia canescens](#) Labill.
- [Vicia cappadocica](#) Boiss.
- [Vicia capreolata](#) Lowe
- [Vicia caroliniana](#) Walter
- [Vicia cassia](#) Boiss.
- [Vicia cassubica](#) L.
- [Vicia caucasica](#) Ektim.
- [Vicia cedretorum](#) Font Quer
- [Vicia chaetocalyx](#) Webb & Berthel.
- [Vicia chianschanensis](#) (P.Y.Fu & Y.A.Chen) Z.D.Xia
- [Vicia chinensis](#) Franch.

- [*Vicia chosenensis*](#) Ohwi
- [*Vicia ciceroidea*](#) Boiss.
- [*Vicia ciliatula*](#) Lipsky
- [*Vicia* × *colladensis*](#) Pérez Dacosta
- [*Vicia coquimbensis*](#) Martic.
- [*Vicia costae*](#) A.Hansen
- [*Vicia costata*](#) Ledeb.
- [*Vicia cracca*](#) L.
- [*Vicia cretica*](#) Boiss. & Heldr.
- [*Vicia crocea*](#) (Desf.) B.Fedtsch.
- [*Vicia cusnae*](#) Foggi & Ricceri
- [*Vicia cuspidata*](#) Boiss.
- [*Vicia cypria*](#) Kotschy
- [*Vicia dadianorum*](#) Sommier & Levier
- [*Vicia dalmatica*](#) A.Kern.
- [*Vicia davisii*](#) Greuter
- [*Vicia dennesiana*](#) H.C.Watson
- [*Vicia dichroantha*](#) Diels
- [*Vicia dionysiensis*](#) Mouterde
- [*Vicia disperma*](#) DC.
- [*Vicia dumetorum*](#) L.
- [*Vicia elegans*](#) Guss.
- [*Vicia epetiolearis*](#) Burkart
- [*Vicia eriocarpa*](#) (Hausskn.) Halácsy
- [*Vicia eristalioides*](#) Maxted
- [*Vicia ervilia*](#) (L.) Willd.
- [*Vicia erzurumica*](#) N.Demirkuş & S.Erik
- [*Vicia esdraelonensis*](#) Warb. & Eig
- [*Vicia faba*](#) L.
- [*Vicia fairchildiana*](#) Maire
- [*Vicia fauriei*](#) Franch.
- [*Vicia fedtschenkoana*](#) V.A.Nikitin
- [*Vicia ferreirensis*](#) Goyder
- [*Vicia filicaulis*](#) Webb & Berthel.
- [*Vicia floridana*](#) S.Watson
- [*Vicia freyniana*](#) Bornm.
- [*Vicia fulgens*](#) Batt.
- [*Vicia galeata*](#) Boiss.
- [*Vicia galilaea*](#) Plitmann & Zohary
- [*Vicia garinensis*](#) Dehshiri
- [*Vicia geminiflora*](#) Trautv.
- [*Vicia giacominiiana*](#) Segelb.

- [Vicia glareosa](#) P.H.Davis
- [Vicia glauca](#) C.Presl
- [Vicia gracilior](#) (Popov) Popov
- [Vicia graminea](#) Sm.
- [Vicia grandiflora](#) Scop.
- [Vicia × guyotii](#) Beauverd
- [Vicia hassei](#) S.Watson
- [Vicia hatschbachii](#) Burkart ex Vanni & D.B.Kurtz
- [Vicia hirsuta](#) (L.) Gray
- [Vicia hololasia](#) Woronow
- [Vicia hulensis](#) Plitmann
- [Vicia humilis](#) Kunth
- [Vicia hyaeniscyamus](#) Mouterde
- [Vicia hybrida](#) L.
- [Vicia hyrcanica](#) Fisch. & C.A.Mey.
- [Vicia iberica](#) Grossh.
- [Vicia incana](#) Gouan
- [Vicia inconspicua](#) Phil.
- [Vicia iranica](#) Boiss.
- [Vicia jadhavii](#) R.Kr.Singh & Arigela
- [Vicia janeae](#) Mardal.
- [Vicia japonica](#) A.Gray
- [Vicia johannis](#) Tamamsch.
- [Vicia jordanovii](#) Velchev
- [Vicia kalakhensis](#) Khattab, Maxted & F.A.Bisby
- [Vicia khokhriakovii](#) Vorosch.
- [Vicia kioshanica](#) L.H.Bailey
- [Vicia koeieana](#) Rech.f.
- [Vicia kokanica](#) Regel & Schmalh.
- [Vicia kotschyana](#) Boiss.
- [Vicia kulingana](#) L.H.Bailey
- [Vicia kurdica](#) Jalilian
- [Vicia laeta](#) Ces.
- [Vicia lanceolata](#) Phil.
- [Vicia larissae](#) Prima
- [Vicia lathyroides](#) L.
- [Vicia latibracteolata](#) K.T.Fu
- [Vicia lecomtei](#) Humbert & Maire
- [Vicia lens](#) (L.) Coss. & Germ.
- [Vicia lenticula](#) (Hoppe) Janka
- [Vicia lentoides](#) (Ten.) Coss. & Germ.
- [Vicia leucantha](#) Biv.

- [*Vicia leucomalla*](#) Bornm.
- [*Vicia leucophaea*](#) Greene
- [*Vicia lilacina*](#) Ledeb.
- [*Vicia linearifolia*](#) Hook. & Arn.
- [*Vicia loiseleurii*](#) (M.Bieb.) Litv.
- [*Vicia lomensis*](#) J.F.Macbr.
- [*Vicia ludoviciana*](#) Nutt.
- [*Vicia lunata*](#) (Boiss. & Balansa) Boiss.
- [*Vicia lutea*](#) L.
- [*Vicia macrantha*](#) Jurtzev
- [*Vicia macrograminea*](#) Burkart
- [*Vicia magellanica*](#) Hook.f.
- [*Vicia megalotropis*](#) Ledeb.
- [*Vicia melanops*](#) Sm.
- [*Vicia menziesii*](#) Spreng.
- [*Vicia michauxii*](#) Biehler
- [*Vicia micrantha*](#) Lowe
- [*Vicia mingyueshanensis*](#) Z.Y.Xiao & X.C.Li
- [*Vicia minutiflora*](#) D.Dietr.
- [*Vicia modesta*](#) Phil.
- [*Vicia mollis*](#) Boiss. & Hausskn.
- [*Vicia monantha*](#) Retz.
- [*Vicia monardii*](#) Boiss. & Reut.
- [*Vicia montbretii*](#) Fisch. & C.A.Mey.
- [*Vicia montenegrina*](#) Rohlena
- [*Vicia montevidensis*](#) Vogel
- [*Vicia mucronata*](#) Clos
- [*Vicia mulleriana*](#) B.L.Turner
- [*Vicia multicaulis*](#) Ledeb.
- [*Vicia multijuga*](#) (Boiss.) Rech.f.
- [*Vicia murbeckii*](#) Maire
- [*Vicia nana*](#) Vogel
- [*Vicia narbonensis*](#) L.
- [*Vicia nataliae*](#) U.Reifenb. & A.Reifenb.
- [*Vicia nigricans*](#) Hook. & Arn.
- [*Vicia nipponica*](#) Matsum.
- [*Vicia noeana*](#) Boiss. & Reut.
- [*Vicia nummularia*](#) Hand.-Mazz.
- [*Vicia ocalensis*](#) R.K.Godfrey & Kral
- [*Vicia ochroleuca*](#) Ten.
- [*Vicia ohwiana*](#) Hosok.
- [*Vicia olchonensis*](#) (Peschkova) O.D.Nikif.

- [*Vicia onobrychioides*](#) L.
- [*Vicia orientalis*](#) (Boiss.) Bég. & Diratz.
- [*Vicia oroboides*](#) Wulfen
- [*Vicia orobus*](#) DC.
- [*Vicia palaestina*](#) Boiss.
- [*Vicia pallida*](#) Hook. & Arn.
- [*Vicia pampicola*](#) Burkart
- [*Vicia pannonica*](#) Crantz
- [*Vicia parviflora*](#) Cav.
- [*Vicia parvula*](#) Ziel.
- [*Vicia paucifolia*](#) Baker
- [*Vicia pectinata*](#) Lowe
- [*Vicia peregrina*](#) L.
- [*Vicia perelegans*](#) K.T.Fu
- [*Vicia peruviana*](#) Vilchez
- [*Vicia pinetorum*](#) Boiss. & Spruner
- [*Vicia pisiformis*](#) L.
- [*Vicia platensis*](#) Speg.
- [*Vicia popovii*](#) O.D.Nikif.
- [*Vicia pseudo-orobus*](#) Fisch. & C.A.Mey.
- [*Vicia pseudocassubica*](#) Rech.f.
- [*Vicia pubescens*](#) (DC.) Link
- [*Vicia pulchella*](#) Kunth
- [*Vicia pyrenaica*](#) Pourr.
- [*Vicia qatmensis*](#) Gomb.
- [*Vicia quadrijuga*](#) P.H.Davis
- [*Vicia ramosissima*](#) Franch.
- [*Vicia ramuliflora*](#) (Maxim.) Ohwi
- [*Vicia raynaudii*](#) Coulot & Dobignard
- [*Vicia rigidula*](#) Royle
- [*Vicia sabinarum*](#) J.Gil
- [*Vicia sativa*](#) L.
- [*Vicia scandens*](#) R.P.Murray
- [*Vicia semenovii*](#) (Regel & Herder) B.Fedtsch.
- [*Vicia semiglabra*](#) Rupr. ex Boiss.
- [*Vicia sepium*](#) L.
- [*Vicia sericocarpa*](#) Fenzl
- [*Vicia serratifolia*](#) Jacq.
- [*Vicia sessei*](#) G.Don
- [*Vicia sessiliflora*](#) Clos
- [*Vicia setifolia*](#) Kunth
- [*Vicia sibthorpii*](#) Boiss.

- [*Vicia sicala*](#) (Raf.) Guss.
- [*Vicia sinaica*](#) Boulos
- [*Vicia singarensis*](#) Boiss. & Hausskn.
- [*Vicia sosnowskyi*](#) Ekutim.
- [*Vicia sparsiflora*](#) Ten.
- [*Vicia splendens*](#) P.H.Davis
- [*Vicia stenophylla*](#) Vogel
- [*Vicia subrotunda*](#) (Maxim.) Czeffr.
- [*Vicia subserrata*](#) Phil.
- [*Vicia subvillosa*](#) (Ledeb.) Boiss.
- [*Vicia sylvatica*](#) L.
- [*Vicia taipaica*](#) K.T.Fu
- [*Vicia tenera*](#) Benth.
- [*Vicia tenoi*](#) Marrero Rodr.
- [*Vicia tenuifolia*](#) Roth
- [*Vicia tenuissima*](#) (M.Bieb.) Schinz & Thell.
- [*Vicia tephrosioides*](#) Vogel
- [*Vicia ternata*](#) Z.D.Xia
- [*Vicia tetrantha*](#) H.W.Kung
- [*Vicia tetrasperma*](#) (L.) Schreb.
- [*Vicia tibetica*](#) Prain ex C.E.C.Fisch.
- [*Vicia tigridis*](#) Mouterde
- [*Vicia* × *tikeliana*](#) Starm.
- [*Vicia tsydenii*](#) Malyshev
- [*Vicia unijuga*](#) A.Braun
- [*Vicia uralensis*](#) Knjaz., Kulikov & E.G.Philippov
- [*Vicia variegata*](#) Willd.
- [*Vicia venosa*](#) (Willd. ex Link) Maxim.
- [*Vicia venulosa*](#) Boiss. & Hohen.
- [*Vicia vicina*](#) Clos
- [*Vicia vicioides*](#) (Desf.) Cout.
- [*Vicia villosa*](#) Roth
- [*Vicia voggenreiteriana*](#) J.Gil, R.Mesa & M.L.Gil
- [*Vicia vulcanorum*](#) J.Gil & M.L.Gil
- [*Vicia woroschilovii*](#) N.S.Pavlova
- [*Vicia wushanica*](#) Z.D.Xia
- [*Vicia* × *zabelii*](#) Asch. & Graebn.

References

1.
 - "[*Vicia* L.](#)" *Plants of the World Online*. [Royal Botanic Gardens, Kew](#). Retrieved 4 March 2026.

-

2. Wu, Fei-Fei; Gao, Qiu; Liu, Fang; Wang, Zan; Wang, Jian-Li; Wang, Xian-Guo (2020). "DNA barcoding evaluation of *Vicia* (Fabaceae): Comparative efficacy of six universal barcode loci on abundant species". *Journal of Systematics and Evolution*. **58**: 77–88. doi:[10.1111/jse.12474](https://doi.org/10.1111/jse.12474). S2CID 91574292.

Categories:

- [Vicia](#)
- [Lists of plant species](#)
-

From Wikipedia, the free encyclopedia

The following is a list of [Verticordia](#) species, commonly known as **featherflowers**, accepted by the [Australian Plant Census](#) as at March 2026:[\[1\]](#)

- [Verticordia acerosa](#) Lindl.
- [Verticordia aereiflora](#) Eliz.George & A.S.George
- [Verticordia albida](#) A.S.George
- [Verticordia amphigia](#) A.S.George – pixie ears
- [Verticordia apecta](#) Eliz.George & A.S.George – scruffy verticordia, Hay River featherflower
- [Verticordia argentea](#) A.S.George
- [Verticordia attenuata](#) A.S.George
- [Verticordia aurea](#) A.S.George - buttercups
- [Verticordia auriculata](#) A.S.George
- [Verticordia bifimbriata](#) A.S.George
- [Verticordia blepharophylla](#) A.S.George
- [Verticordia brachypoda](#) Turcz.
- [Verticordia brevifolia](#) A.S.George
- [Verticordia brownii](#) (Desf.) DC. – pink brownii, pink cauliflower
- [Verticordia capillaris](#) A.S.George – cauliflower bush
- [Verticordia carinata](#) Turcz. – pea-shaped featherflower, Stirling Range featherflower,
- [Verticordia centipeda](#) A.S.George
- [Verticordia chrysantha](#) Endl. – yellow featherflower, yellow Morrison
- [Verticordia chrysanthella](#) A.S.George – little chrysantha
- [Verticordia chrysostachys](#) Meisn.
- [Verticordia citrella](#) A.S.George
- [Verticordia comosa](#) A.S.George
- [Verticordia cooloomia](#) A.S.George - Cooloomia verticordia

- [Verticordia coronata](#) A.S.George
- [Verticordia crebra](#) A.S.George – Barrens featherflower, crowded featherflower, Twertup featherflower
- [Verticordia cunninghamii](#) [Schauer](#) – tree featherflower, liandu
- [Verticordia dasystylis](#) A.S.George
- [Verticordia decussata](#) [S.T.Blake](#) ex [Byrnes](#)
- [Verticordia densiflora](#) Lindl. – compacted featherflower
- [Verticordia dichroma](#) A.S.George
- [Verticordia drummondii](#) [Schauer](#) – Drummond's featherflower
- [Verticordia elizabethiae](#) [Rye](#) & [M.D.Barrett](#)
- [Verticordia endlicheriana](#) [Schauer](#)
- [Verticordia eriocephala](#) A.S.George – common cauliflower, lambswool, native cauliflower, wild cauliflower
- [Verticordia etheliana](#) [C.A.Gardner](#)
- [Verticordia fastigiata](#) Turcz. – mouse featherflower
- [Verticordia fimbriilepis](#) Turcz. – shy featherflower
- [Verticordia forrestii](#) [F.Muell.](#) – Forrest's featherflower
- [Verticordia fragrans](#) A.S.George – hollyhock verticordia
- [Verticordia galeata](#) A.S.George
- [Verticordia gracilis](#) A.S.George
- [Verticordia grandiflora](#) Endl. – claw featherflower, clawed featherflower, horned featherflower
- [Verticordia grandis](#) [Drumm.](#) – scarlet featherflower
- [Verticordia habrantha](#) [Schauer](#) – hidden featherflower
- [Verticordia halophila](#) A.S.George' – salt-loving featherflower, salt-loving verticordia
- [Verticordia harveyi](#) [Benth.](#) – autumn featherflower
- [Verticordia helichrysantha](#) [F.Muell.](#) ex [Benth.](#) – coast featherflower
- [Verticordia helmsii](#) [S.Moore](#)
- [Verticordia huegelii](#) Endl. – variegated featherflower
- [Verticordia hughanii](#) [F.Muell.](#) – Hughan's featherflower
- [Verticordia humilis](#) [Benth.](#) – small featherflower
- [Verticordia inclusa](#) A.S.George
- [Verticordia insignis](#) Endl.
- [Verticordia integra](#) A.S.George – plastic verticordia
- [Verticordia interioris](#) [C.A.Gardner](#) ex A.S.George
- [Verticordia jamiesonii](#) [F.Muell.](#)
- [Verticordia laciniata](#) A.S.George
- [Verticordia lehmannii](#) [Schauer](#)
- [Verticordia lepidophylla](#) [F.Muell.](#)
- [Verticordia lindleyi](#) [Schauer](#)
- [Verticordia longistylis](#) A.S.George – blue spruce verticordia
- [Verticordia luteola](#) A.S.George
- [Verticordia minutiflora](#) [F.Muell.](#)

- [*Verticordia mirabilis*](#) Eliz.George & A.S.George
- [*Verticordia mitchelliana*](#) C.A.Gardner – rapier featherflower
- [*Verticordia mitodes*](#) A.S.George
- [*Verticordia monadelphæ*](#) Turcz. – pink Morrison, woolly featherflower, pink or white woolly featherflower, pink cauliflower
- [*Verticordia muelleriana*](#) E.Pritz.
- [*Verticordia multiflora*](#) Turcz.
- [*Verticordia nitens*](#) (Lindl.) Endl. – Christmas Morrison, glistening Morrison, Morrison, Morrison featherflower, Morrison-flower, orange Morrison, yellow Morrison, kodjeningara, kotyeningara
- [*Verticordia nobilis*](#) Meisn. – northern grandiflora
- [*Verticordia oculata*](#) Meisn.
- [*Verticordia ovalifolia*](#) Meisn. – oval-leaved featherflower
- [*Verticordia oxylepis*](#) Turcz. – bonsai featherflower
- [*Verticordia paludosa*](#) A.S.George
- [*Verticordia patens*](#) A.S.George
- [*Verticordia penicillaris*](#) F.Muell.
- [*Verticordia pennigera*](#) Endl. – native tea
- [*Verticordia pholidophylla*](#) F.Muell.
- [*Verticordia picta*](#) Endl. – china cups, painted featherflower
- [*Verticordia pityrhops*](#) A.S.George – east Mt Barren featherflower, pine-like featherflower, little pine verticordia
- [*Verticordia plumosa*](#) (Desf.) [Druce](#) – plumed featherflower, Mundijong featherflower, vasse featherflower
- [*Verticordia polytricha*](#) Benth. – northern cauliflower
- [*Verticordia pritzelii*](#)Diels – Pritzel's featherflower
- [*Verticordia pulchella*](#) A.S.George
- [*Verticordia rennieana*](#) F.Muell. & [Tate](#)
- [*Verticordia roei*](#) Endl. – Roe's featherflower
- [*Verticordia rutilastra*](#) A.S.George – little grandiflora
- [*Verticordia serotina*](#) A.S.George
- [*Verticordia serrata*](#) (Lindl.) Schauer
- [*Verticordia setacea*](#) A.S.George
- [*Verticordia sieberi*](#) [Diesing](#) ex Schauer
- [*Verticordia spicata*](#) F.Muell. – spiked featherflower
- [*Verticordia staminosa*](#) C.A.Gardner & A.S.George
- [*Verticordia stenopetala*](#) Diels
- [*Verticordia subulata*](#) A.S.George
- [*Verticordia tumida*](#) A.S.George – summer featherflower
- [*Verticordia venusta*](#) A.S.George
- [*Verticordia verticillata*](#) Byrnes – tropical featherflower, whorled-leaved featherflower
- [*Verticordia verticordina*](#) (F.Muell.) A.S.George
- [*Verticordia vicinella*](#) A.S.George

- [*Verticordia wonganensis*](#) A.S.George
- [*Verticordia x eurardyensis*](#) Eliz.George & A.S.George – Eurardy magenta

Notable revisions

The genus *Verticordia* underwent a revision by [Alex George](#) in 1991.^[2]

References

1.
 - ["*Verticordia*"](#). *Australian Plant Census*. Retrieved 24 March 2026.
2. George, A.S. (1991) New taxa, combinations and typifications in *Verticordia* (Myrtaceae: Chamelaucieae). *Nuytsia* 7(3): 254

From Wikipedia, the free encyclopedia

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E–F](#)
- [G–H](#)
- [I–K](#)
- [L](#)
- [M–N](#)
- [O](#)
- [P–Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U–Z](#)
- [References](#)

As of October 2022, [Plants of the World Online](#) listed about 460 accepted species and hybrids in the genus [Veronica](#).^[1] Additionally, the [Australian Plant Census](#) accepts [Veronica brownii](#).^[2]

A

- [Veronica abyssinica](#) Fresen.
- [Veronica acinifolia](#) L.
- [Veronica acrotheca](#) Bornm. & Gauba
- [Veronica adamsii](#) Cheeseman
- [Veronica × affinis](#) (Cheeseman) Garn.-Jones
- [Veronica agrestis](#) L.
- [Veronica alaskensis](#) M.M.Mart.Ort. & Albach
- [Veronica alata](#) Popov
- [Veronica albicans](#) Petrie
- [Veronica albiflora](#) (Pennell) Albach
- [Veronica allahuekberensis](#) Öztürk
- [Veronica allionii](#) Vill.
- [Veronica alpina](#) L.
- [Veronica × altaica](#) Kosachev
- [Veronica americana](#) (Raf.) Schwein. ex Benth.
- [Veronica amoena](#) M.Bieb.
- [Veronica amplexicaulis](#) J.B.Armstr.
- [Veronica anagallis-aquatica](#) L.
- [Veronica anagalloides](#) Guss.
- [Veronica × andersonii](#) Lindl. & Paxton
- [Veronica angustifolia](#) (Vahl) Bernh.
- [Veronica angustissima](#) (Cockayne) Garn.-Jones
- [Veronica annulata](#) Cockayne ex Cheeseman
- [Veronica antalyensis](#) M.A.Fisch., Erik & Sümbül
- [Veronica aphylla](#) L.
- [Veronica aragonensis](#) Stroh
- [Veronica archboldii](#) Pennell
- [Veronica arcuata](#) (B.G.Briggs & Ehrend.) B.G.Briggs
- [Veronica arenaria](#) A.Cunn. ex Benth.
- [Veronica arenosa](#) (Serg.) Boriss.
- [Veronica arganthera](#) (Garn.-Jones, Bayly, W.G.Lee & Rance) Garn.-Jones
- [Veronica argute-serrata](#) Regel & Schmalh.
- [Veronica armena](#) Boiss. & A.Huet
- [Veronica armstrongii](#) Johnson ex J.B.Armstr.
- [Veronica arvensis](#) L.
- [Veronica aucheri](#) Boiss.
- [Veronica austriaca](#) L.
- [Veronica avromanica](#) M.A.Fisch.
- [Veronica aznavourii](#) Dörf.

B

- [*Veronica bachofenii*](#) Heuff.
- [*Veronica balansae*](#) Stroh
- [*Veronica baranetskii*](#) Bordz.
- [*Veronica barkeri*](#) Cockayne
- [*Veronica barrelieri*](#) H.Schott ex Roem. & Schult.
- [*Veronica baumgartenii*](#) Roem. & Schult.
- [*Veronica baylyi*](#) Garn.-Jones
- [*Veronica beccabunga*](#) L.
- [*Veronica bellidioides*](#) L.
- [*Veronica benthamii*](#) Hook.f.
- [*Veronica besseya*](#) M.M.Mart.Ort. & Albach
- [*Veronica* × *bidwillii*](#) Hook.
- [*Veronica biggarii*](#) Cockayne
- [*Veronica biloba*](#) Schreb. ex L.
- [*Veronica birleyi*](#) N.E.Br.
- [*Veronica bishopiana*](#) Petrie
- [*Veronica blakelyi*](#) (B.G.Briggs & Ehrend.) B.G.Briggs
- [*Veronica* × *blockiana*](#) (Trávn.) Albach
- [*Veronica bogosensis*](#) Tumadz.
- [*Veronica bollonsii*](#) Cockayne
- [*Veronica bombycina*](#) Boiss. & Kotschy
- [*Veronica borisovae*](#) Holub
- [*Veronica bozakmanii*](#) M.A.Fisch.
- [*Veronica brachysiphon*](#) (Summerh.) Bean
- [*Veronica brassii*](#) (Pennell) Albach
- [*Veronica breviracemosa*](#) W.R.B.Oliv.
- [*Veronica buchananii*](#) Hook.f.
- [*Veronica bucharica*](#) B.Fedtsch.
- [*Veronica bullii*](#) (Eaton) M.M.Mart.Ort. & Albach
- [*Veronica bungei*](#) Boiss.

C

- [*Veronica cachemirica*](#) Gand.
- [*Veronica caespitosa*](#) Boiss.
- [*Veronica calcicola*](#) (Bayly & Garn.-Jones) Garn.-Jones
- [*Veronica californica*](#) M.M.Mart.Ort. & Albach
- [*Veronica callitrichoides*](#) Kom.
- [*Veronica calycina*](#) R.Br.
- [*Veronica campylopoda*](#) Boiss.
- [*Veronica cana*](#) Wall. ex Benth.

- [Veronica canbyi](#) (Pennell) M.M.Mart.Ort. & Albach
- [Veronica canterburiensis](#) J.B.Armstr.
- [Veronica capillipes](#) Nevski
- [Veronica capitata](#) Royle ex Benth.
- [Veronica capsellcarpa](#) Dubovik
- [Veronica cardiocarpa](#) (Kar. & Kir.) Walp.
- [Veronica carminea](#) Albach
- [Veronica carsei](#) Petrie
- [Veronica carstensensis](#) Wernham
- [Veronica × cassinioides](#) Matthews ex Petrie
- [Veronica catarractae](#) G.Forst.
- [Veronica catenata](#) Pennell
- [Veronica caucasica](#) M.Bieb.
- [Veronica ceratocarpa](#) C.A.Mey.
- [Veronica cetikiana](#) Öztürk
- [Veronica chamaedrys](#) L.
- [Veronica chamaepithyoides](#) Lam.
- [Veronica chathamica](#) Buchanan
- [Veronica chayuensis](#) D.Y.Hong
- [Veronica cheesemanii](#) Benth.
- [Veronica chionoalpina](#) T.Yamaz.
- [Veronica chionantha](#) Bornm.
- [Veronica chionohebe](#) Garn.-Jones
- [Veronica ciliata](#) Fisch.
- [Veronica ciliolata](#) (Hook.f.) Cheeseman
- [Veronica cinerea](#) Boiss. & Balansa
- [Veronica cockayneana](#) Cheeseman
- [Veronica colensoi](#) Hook.f.
- [Veronica colostylis](#) Garn.-Jones
- [Veronica consolatae](#) Chiov.
- [Veronica continua](#) B.G.Briggs
- [Veronica copelandii](#) Eastw.
- [Veronica corriganii](#) (Carse) Garn.-Jones
- [Veronica cretacea](#) Ostapko
- [Veronica crinita](#) Kit. ex Schult.
- [Veronica crista-galli](#) Steven
- [Veronica cryptomorpha](#) (Bayly, Kellow, G.E.Harper & Garn.-Jones) Garn.-Jones
- [Veronica cuneifolia](#) D.Don
- [Veronica cupressoides](#) Hook.f.
- [Veronica cusickii](#) A.Gray
- [Veronica cymbalaria](#) Bodard
- [Veronica × czemalensis](#) Kosachev & Albach

- [*Veronica czerniakowskiana*](#) Monjuschko

D

- [*Veronica dabneyi*](#) Hochst. ex Seub.
- [*Veronica daghestanica*](#) Trautv.
- [*Veronica dalmatica*](#) Padilla-García, Rojas-Andrés, López-González & M.M.Mart.Ort.
- [*Veronica daranica*](#) Saeidi & Ghahr.
- [*Veronica daurica*](#) Steven
- [*Veronica davisii*](#) M.A.Fisch.
- [*Veronica debilis*](#) Freyn
- [*Veronica decora*](#) (Ashwin) Garn.-Jones
- [*Veronica decorosa*](#) F.Muell.
- [*Veronica decumbens*](#) J.B.Armstr.
- [*Veronica deltigera*](#) Wall. ex Benth.
- [*Veronica densiflora*](#) Ledeb.
- [*Veronica densifolia*](#) (F.Muell.) F.Muell.
- [*Veronica denudata*](#) Albov
- [*Veronica derwentiana*](#) Andrews
- [*Veronica dichrus*](#) Schott & Kotschy
- [*Veronica dieffenbachii*](#) Benth.
- [*Veronica dilatata*](#) (G.Simpson & J.S.Thomson) Garn.-Jones
- [*Veronica dillenii*](#) Crantz
- [*Veronica diosmifolia*](#) A.Cunn.
- [*Veronica diosmoides*](#) Schltr.
- [*Veronica dissecta*](#) (Rydb.) M.M.Mart.Ort. & Albach
- [*Veronica distans*](#) R.Br.
- [*Veronica* × *divergens*](#) Cheeseman
- [*Veronica donetzica*](#) Ostapko
- [*Veronica donii*](#) Römpf

E–F

- [*Veronica elliptica*](#) G.Forst.
- [*Veronica elmaliensis*](#) M.A.Fisch.
- [*Veronica emodi*](#) T.Yamaz.
- [*Veronica epacridea*](#) Hook.f.
- [*Veronica* × *erecta*](#) Kirk
- [*Veronica erinoides*](#) Boiss. & Spruner
- [*Veronica eriogyne*](#) H.J.P.Winkl.
- [*Veronica ersin-yucelii*](#) Yaylacı, O.Koyuncu & Ocak
- [*Veronica euphrasiifolia*](#) Link
- [*Veronica evenosa*](#) Petrie

- [*Veronica × fairfieldii*](#) Hook.f.
- [*Veronica fargesii*](#) Franch.
- [*Veronica farinosa*](#) Hausskn.
- [*Veronica fedtschenkoi*](#) Boriss.
- [*Veronica ferganica*](#) Popov
- [*Veronica filifolia*](#) Lipsky
- [*Veronica filiformis*](#) Sm.
- [*Veronica filipes*](#) P.C.Tsoong
- [*Veronica flavida*](#) (Bayly, Kellow & de Lange) Garn.-Jones
- [*Veronica formosa*](#) R.Br.
- [*Veronica forrestii*](#) Diels
- [*Veronica fragilis*](#) Boiss. & Hausskn.
- [*Veronica × franciscana*](#) Eastw.
- [*Veronica francispetae*](#) M.A.Fisch.
- [*Veronica fraterna*](#) N.E.Br.
- [*Veronica fridericae*](#) M.A.Fisch.
- [*Veronica fruticans*](#) Jacq.
- [*Veronica fruticulosa*](#) L.
- [*Veronica fuhsii*](#) Freyn & Sint.

G–H

- [*Veronica galathica*](#) Boiss.
- [*Veronica gandhii*](#) Kottaim.
- [*Veronica gaubae*](#) Bornm.
- [*Veronica gentianoides*](#) Vahl
- [*Veronica gibbsii*](#) Kirk
- [*Veronica glandulosa*](#) Hochst. ex Benth.
- [*Veronica glauca*](#) Sm.
- [*Veronica glaucophylla*](#) Cockayne
- [*Veronica × godronii*](#) Rouy
- [*Veronica gorbunovii*](#) Gontsch.
- [*Veronica gracilis*](#) R.Br.
- [*Veronica grandiflora*](#) Gaertn.
- [*Veronica × grisea*](#) Kosachev & A.L.Ebel
- [*Veronica grisebachii*](#) Walters
- [*Veronica grosseserrata*](#) B.G.Briggs & Ehrend.
- [*Veronica gunae*](#) Schweinf. ex Engl.
- [*Veronica haastii*](#) Hook.f.
- [*Veronica hectorii*](#) Hook.f.
- [*Veronica hederifolia*](#) L.
- [*Veronica henryi*](#) T.Yamaz.
- [*Veronica heureka*](#) (M.A.Fisch.) Tzvelev

- [Veronica hillebrandii](#) F.Muell.
- [Veronica himalensis](#) D.Don
- [Veronica hispidula](#) Boiss. & A.Huet
- [Veronica hookeri](#) (Buchanan) Garn.-Jones
- [Veronica hookeriana](#) Walp.
- [Veronica hulkeana](#) F.Muell. ex Hook.f.

I–K

- [Veronica idahoensis](#) M.M.Mart.Ort. & Albach
- [Veronica incana](#) L.
- [Veronica inflexa](#) Albach
- [Veronica insularis](#) Cheeseman
- [Veronica intercedens](#) Bornm.
- [Veronica ionantha](#) Albach
- [Veronica japonensis](#) Makino
- [Veronica javanica](#) Blume
- [Veronica jovellanooides](#) Garn.-Jones & de Lange
- [Veronica kaiseri](#) Täckh.
- [Veronica kellowiae](#) Garn.-Jones
- [Veronica khorassanica](#) Czerniak.
- [Veronica kindlii](#) Adamović
- [Veronica × kirkii](#) J.B.Armstr.
- [Veronica × kolyvanensis](#) Kosachev & Shmakov
- [Veronica kopetdaghensis](#) B.Fedtsch. ex Boriss.
- [Veronica kopgecidiensis](#) Öztürk & M.A.Fisch.
- [Veronica kotschyana](#) Benth.
- [Veronica krasnoborovii](#) Kosachev & Shaulo
- [Veronica krylovii](#) Schischk.
- [Veronica kurdica](#) Benth.

L

- [Veronica × lackschewitzii](#) J.Keller
- [Veronica laeta](#) Kar. & Kir.
- [Veronica × laevastonii](#) (Cockayne & Allan) Garn.-Jones
- [Veronica lanceolata](#) Benth.
- [Veronica lanosa](#) Royle ex Benth.
- [Veronica lanuginosa](#) Benth. ex Hook.f.
- [Veronica lavaudiana](#) Raoul
- [Veronica laxa](#) Benth.
- [Veronica laxissima](#) D.Y.Hong
- [Veronica leiocarpa](#) Boiss.

- [*Veronica leiophylla*](#) Cheeseman
- [*Veronica × leiosala*](#) (Cockayne & Allan) Garn.-Jones
- [*Veronica lendenfeldii*](#) F.Muell.
- [*Veronica × lewisii*](#) J.B.Armstr.
- [*Veronica ligustrifolia*](#) A.Cunn.
- [*Veronica lilliputiana*](#) Stearn
- [*Veronica linariifolia*](#) Pall. ex Link
- [*Veronica linearis*](#) (Bornm.) Rojas-Andrés & M.M.Mart.Ort.
- [*Veronica linifolia*](#) Hook.f.
- [*Veronica lithophila*](#) (B.G.Briggs & Ehrend.) B.G.Briggs
- [*Veronica liwanensis*](#) K.Koch
- [*Veronica × loganioides*](#) J.B.Armstr.
- [*Veronica longifolia*](#) L.
- [*Veronica longipedicellata*](#) Saeidi
- [*Veronica longipetiolata*](#) D.Y.Hong
- [*Veronica luetkeana*](#) Rupr.
- [*Veronica lyallii*](#) Hook.f.
- [*Veronica lycica*](#) E.Lehm.
- [*Veronica lycopodioides*](#) Hook.f.

M–N

- [*Veronica maccaskillii*](#) (Allan) Heenan
- [*Veronica macrantha*](#) Hook.f.
- [*Veronica macrocalyx*](#) J.B.Armstr.
- [*Veronica macrocarpa*](#) Vahl
- [*Veronica macropoda*](#) Boiss.
- [*Veronica macrostachya*](#) Vahl
- [*Veronica macrostemon*](#) Bunge
- [*Veronica magna*](#) M.A.Fisch.
- [*Veronica × major*](#) (Benth.) Wettst.
- [*Veronica mampodrensis*](#) Losa & P.Monts.
- [*Veronica mannii*](#) Hook.f.
- [*Veronica masoniae*](#) (L.B.Moore) Garn.-Jones
- [*Veronica matthewsii*](#) Cheeseman
- [*Veronica × mauksii*](#) Hulják
- [*Veronica mazanderanae*](#) Wendelbo
- [*Veronica × media*](#) Schrad.
- [*Veronica melanocaulon*](#) Garn.-Jones
- [*Veronica mexicana*](#) S.Watson
- [*Veronica michauxii*](#) Lam.
- [*Veronica micrantha*](#) Hoffmanns. & Link
- [*Veronica microcarpa*](#) Boiss.

- [Veronica miqueliana](#) Nakai
- [Veronica mirabilis](#) Wendelbo
- [Veronica missurica](#) Raf.
- [Veronica monantha](#) Merr.
- [Veronica montana](#) L.
- [Veronica montbretii](#) M.A.Fisch.
- [Veronica monticola](#) Trautv.
- [Veronica mooreae](#) (Heads) Garn.-Jones
- [Veronica morrisonicola](#) Hayata
- [Veronica multifida](#) L.
- [Veronica muratae](#) T.Yamaz.
- [Veronica murrellii](#) (G.Simpson & J.S.Thomson) Garn.-Jones
- [Veronica × myriantha](#) Tosh.Tanaka
- [Veronica nakaiana](#) Ohwi
- [Veronica nevadensis](#) (Pau) Pau
- [Veronica nipponica](#) Makino ex Furumi
- [Veronica nivea](#) Lindl.
- [Veronica notabilis](#) F.Muell. ex Benth.
- [Veronica notialis](#) Garn.-Jones
- [Veronica novae-hollandiae](#) Poir.
- [Veronica nummularia](#) Gouan

O

- [Veronica oblongifolia](#) (Pennell) M.M.Mart.Ort. & Albach
- [Veronica obtusata](#) Cheeseman
- [Veronica ochracea](#) (Ashwin) Garn.-Jones
- [Veronica odora](#) Hook.f.
- [Veronica oetaea](#) Gustavsson
- [Veronica officinalis](#) L.
- [Veronica ogurae](#) (T.Yamaz.) Albach
- [Veronica olgensis](#) Kom.
- [Veronica oligosperma](#) Hayata
- [Veronica oltensis](#) Woronow
- [Veronica onoei](#) Franch. & Sav.
- [Veronica opaca](#) Fr.
- [Veronica orbiculata](#) A.Kern.
- [Veronica orchidea](#) Crantz
- [Veronica orientalis](#) Mill.
- [Veronica ornata](#) Monjuschko
- [Veronica orsiniana](#) Ten.
- [Veronica ovata](#) Nakai
- [Veronica oxycarpa](#) Boiss.

- [*Veronica ozturkii*](#) Yild.

P–Q

- [*Veronica paederotae*](#) Boiss.
- [*Veronica panormitana*](#) Tineo ex Guss.
- [*Veronica papuana*](#) (P.Royen & Ehrend.) Albach
- [*Veronica pareora*](#) (Garn.-Jones & Molloy) Garn.-Jones
- [*Veronica parnkalliana*](#) J.M.Black
- [*Veronica parviflora*](#) Vahl
- [*Veronica parvifolia*](#) Vahl
- [*Veronica pauciramosa*](#) (Cockayne & Allan) Garn.-Jones
- [*Veronica paysonii*](#) (Pennell & L.O.Williams) M.M.Mart.Ort. & Albach
- [*Veronica pectinata*](#) L.
- [*Veronica peduncularis*](#) M.Bieb.
- [*Veronica pentasepala*](#) (L.B.Moore) Garn.-Jones
- [*Veronica perbella*](#) (de Lange) Garn.-Jones
- [*Veronica peregrina*](#) L.
- [*Veronica perfoliata*](#) R.Br.
- [*Veronica persica*](#) Poir.
- [*Veronica petraea*](#) Steven
- [*Veronica petriei*](#) (Buchanan) Kirk
- [*Veronica phormiiphila*](#) Garn.-Jones
- [*Veronica pimeleoides*](#) Hook.f.
- [*Veronica pinguifolia*](#) Hook.f.
- [*Veronica pinnata*](#) L.
- [*Veronica piroliformis*](#) Franch.
- [*Veronica planopetiolata*](#) G.Simpson & J.S.Thomson
- [*Veronica plantaginea*](#) E.James
- [*Veronica platycarpa*](#) Pennell
- [*Veronica plebeia*](#) R.Br.
- [*Veronica polifolia*](#) Benth.
- [*Veronica polita*](#) Fr.
- [*Veronica polium*](#) P.H.Davis
- [*Veronica poljensis*](#) Murb.
- [*Veronica ponae*](#) Gouan
- [*Veronica pontica*](#) (Rupr. ex Boiss.) Wettst.
- [*Veronica poppelwellii*](#) Cockayne
- [*Veronica porphyriana*](#) Pavlov
- [*Veronica praecox*](#) All.
- [*Veronica propinqua*](#) Cheeseman
- [*Veronica prostrata*](#) L.
- [*Veronica pubescens*](#) Banks & Sol. ex Benth.

- [*Veronica pulvinaris*](#) (Hook.f.) Cheeseman
- [*Veronica punicea*](#) Garn.-Jones
- [*Veronica pusanensis*](#) Y.N.Lee
- [*Veronica pusilla*](#) Kotschy ex Boiss.
- [*Veronica pyrethrina*](#) Nakai
- [*Veronica quadrifaria*](#) Kirk
- [*Veronica quezelii*](#) M.A.Fisch.

R

- [*Veronica rakaiensis*](#) J.B.Armstr.
- [*Veronica ramosissima*](#) Boriss.
- [*Veronica ranunculina*](#) (Pennell) M.M.Mart.Ort. & Albach
- [*Veronica raoulii*](#) Hook.f.
- [*Veronica rapensis*](#) F.Br.
- [*Veronica rechingeri*](#) M.A.Fisch.
- [*Veronica regina-nivalis*](#) M.M.Mart.Ort. & Albach
- [*Veronica repens*](#) Clarion ex DC.
- [*Veronica reuteriana*](#) Boiss.
- [*Veronica reverdattoi*](#) Krasnob.
- [*Veronica rhodopea*](#) (Velen.) Degen ex Stoj. & Stef.
- [*Veronica riae*](#) H.J.P.Winkl.
- [*Veronica rigidula*](#) Cheeseman
- [*Veronica ritteriana*](#) (Eastw.) M.M.Mart.Ort. & Albach
- [*Veronica rivalis*](#) Garn.-Jones
- [*Veronica robusta*](#) (Prain) T.Yamaz.
- [*Veronica rockii*](#) H.L.Li
- [*Veronica rosea*](#) Desf.
- [*Veronica rotunda*](#) Nakai
- [*Veronica rubra*](#) (Douglas ex Hook.) M.M.Mart.Ort. & Albach
- [*Veronica rubrifolia*](#) Boiss.
- [*Veronica rupicola*](#) Cheeseman

S

- [*Veronica sajanensis*](#) Printz
- [*Veronica salicifolia*](#) G.Forst.
- [*Veronica salicornioides*](#) Hook.f.
- [*Veronica samuelssonii*](#) Rech.f.
- [*Veronica* × *sapiehae*](#) (Błocki ex Holub) Albach
- [*Veronica* × *sapozhnikovii*](#) Kosachev
- [*Veronica sartoriana*](#) Boiss. & Heldr.
- [*Veronica satureiifolia*](#) Poit. & Turpin

- [Veronica saturejoides](#) Vis.
- [Veronica saxicola](#) (de Lange) Heenan
- [Veronica scardica](#) Griseb.
- [Veronica schistosa](#) E.A.Busch
- [Veronica schizantha](#) (Piper) M.M.Mart.Ort. & Albach
- [Veronica × schmakovii](#) Kosachev
- [Veronica schmidtiana](#) Regel
- [Veronica scopulorum](#) (Bayly, de Lange & Garn.-Jones) Garn.-Jones
- [Veronica scrupea](#) Garn.-Jones
- [Veronica scutellata](#) L.
- [Veronica senex](#) (Garn.-Jones) Garn.-Jones
- [Veronica sennenii](#) (Pau) M.M.Mart.Ort. & E.Rico
- [Veronica serpyllifolia](#) L.
- [Veronica × sessiliflora](#) Bunge
- [Veronica siaretensis](#) E.Lehm.
- [Veronica sibthorpioides](#) Debeaux ex Degen & Herv.
- [Veronica sieboldiana](#) Miq.
- [Veronica simensis](#) Fresen.
- [Veronica × simmonsii](#) Cockayne
- [Veronica simulans](#) Garn.-Jones
- [Veronica × smirnovii](#) Kosachev & D.A.German
- [Veronica sobolifera](#) B.G.Briggs & Ehrend.
- [Veronica societatis](#) (Bayly & Kellow) Garn.-Jones
- [Veronica spathulata](#) Benth.
- [Veronica speciosa](#) R.Cunn. ex A.Cunn.
- [Veronica spectabilis](#) (Garn.-Jones) Garn.-Jones
- [Veronica spicata](#) L.
- [Veronica spirei](#) Bonati
- [Veronica spuria](#) L.
- [Veronica stamatiadae](#) M.A.Fisch. & Greuter
- [Veronica stelleri](#) Pall. ex Schrad. & Link
- [Veronica stenophylla](#) Steud.
- [Veronica steppacea](#) Kotov
- [Veronica stewartii](#) Pennell
- [Veronica stricta](#) Banks & Sol. ex Benth.
- [Veronica strictissima](#) (Kirk) Garn.-Jones
- [Veronica strigosa](#) Albach
- [Veronica stylophora](#) Popov ex Vved.
- [Veronica subalpina](#) Cockayne
- [Veronica subfulvida](#) (G.Simpson & J.S.Thomson) Garn.-Jones
- [Veronica sublobata](#) M.A.Fisch.
- [Veronica subsessilis](#) (Miq.) Furumi

- [*Veronica subtilis*](#) B.G.Briggs & Ehrend.
- [*Veronica surculosa*](#) Boiss. & Balansa
- [*Veronica sutchuenensis*](#) Franch.
- [*Veronica syriaca*](#) Roem. & Schult.
- [*Veronica szechuanica*](#) Batalin

T

- [*Veronica tairawhiti*](#) (B.D.Clarkson & Garn.-Jones) Garn.-Jones
- [*Veronica taiwanica*](#) T.Yamaz.
- [*Veronica taurica*](#) Willd.
- [*Veronica tauricola*](#) Bornm.
- [*Veronica teberdensis*](#) (Kem.-Nath.) Boriss.
- [*Veronica telephiiifolia*](#) Vahl
- [*Veronica tenuifolia*](#) Asso
- [*Veronica tenuissima*](#) Boriss.
- [*Veronica tetragona*](#) Hook.
- [*Veronica tetrasticha*](#) Hook.f.
- [*Veronica teucrioides*](#) Boiss. & Heldr.
- [*Veronica teucrium*](#) L.
- [*Veronica thessalica*](#) Benth.
- [*Veronica thomsonii*](#) (Buchanan) Cheeseman
- [*Veronica thracica*](#) Velen.
- [*Veronica thymifolia*](#) Sm.
- [*Veronica thymoides*](#) P.H.Davis
- [*Veronica tianschanica*](#) Lincz.
- [*Veronica tibetica*](#) D.Y.Hong
- [*Veronica topiaria*](#) (L.B.Moore) Garn.-Jones
- [*Veronica townsonii*](#) Cheeseman
- [*Veronica traversii*](#) Hook.f.
- [*Veronica treadwellii*](#) (Cockayne & Allan) Garn.-Jones
- [*Veronica trichadena*](#) Jord. & Fourr.
- [*Veronica trifida*](#) Petrie
- [*Veronica triloba*](#) (Opiz) Opiz
- [*Veronica triphyllos*](#) L.
- [*Veronica truncatula*](#) Colenso
- [*Veronica tsinglingensis*](#) D.Y.Hong
- [*Veronica tubata*](#) (Diels) Albach
- [*Veronica tumadzhanovii*](#) Mardal.
- [*Veronica tumida*](#) Kirk
- [*Veronica turrilliana*](#) Stoj. & Stef.

U–Z

- [*Veronica umbelliformis*](#) Pennell
- [*Veronica undulata*](#) Wall.
- [*Veronica* × *uniflora*](#) Kirk
- [*Veronica urticifolia*](#) Jacq.
- [*Veronica urvilleana*](#) (W.R.B.Oliv.) Garn.-Jones
- [*Veronica utahensis*](#) M.M.Mart.Ort. & Albach
- [*Veronica vandellioides*](#) Maxim.
- [*Veronica vandewateri*](#) Wernham
- [*Veronica velutina*](#) (B.G.Briggs & Ehrend.) B.G.Briggs
- [*Veronica vendettadeae*](#) Albach
- [*Veronica venustula*](#) Colenso
- [*Veronica verna*](#) L.
- [*Veronica vernicosa*](#) Hook.f.
- [*Veronica viscosa*](#) Boiss.
- [*Veronica* × *wallii*](#) Garn.-Jones
- [*Veronica wilhelminensis*](#) Albach
- [*Veronica wormskjoldii*](#) Roem. & Schult.
- [*Veronica wyomingensis*](#) (A.Nelson) M.M.Mart.Ort. & Albach
- [*Veronica yildirimlii*](#) Öztürk
- [*Veronica yunnanensis*](#) D.Y.Hong
- [*Veronica zygantha*](#) Garn.-Jones

References

From Wikipedia, the free encyclopedia

[*Vernonia*](#) is a large, broadly distributed genus of [flowering plants](#) in the aster family, [Asteraceae](#). As of January 2019, there are around 350 accepted species in [Kew's Plants of the World Online](#).^[1]



Vernonia baldwinii



Vernonia gigantea

Vernonia lettermannii

- *Vernonia* × *georgiana* Bartlett
- *Vernonia acaulis* Gleason
- *Vernonia acrophila* Merr.
- *Vernonia actaea* J.Kost.
- *Vernonia acuminatissima* S.Moore
- *Vernonia adenocephala* S.Moore
- *Vernonia adulteriana* Thell.
- *Vernonia albifolia* J.Kost.
- *Vernonia albosquama* Y.L.Chen
- *Vernonia alleizettei* Humbert
- *Vernonia alticola* G.V.Pope
- *Vernonia amboinensis* J.Kost.
- *Vernonia ambolensis* Humbert
- *Vernonia ambrensis* Humbert
- *Vernonia amoena* S.Moore
- *Vernonia ampandrandavensis* Humbert
- *Vernonia anamallica* Bedd. ex Gamble
- *Vernonia anandrioides* S.Moore
- *Vernonia andapensis* Humbert
- *Vernonia angustifolia* Michx.
- *Vernonia annamensis* S.Moore
- *Vernonia anthelmintica* (L.) Willd.
- *Vernonia antunesii* O.Hoffm.
- *Vernonia aosteana* Buscal. & Muschl.
- *Vernonia apoensis* Elmer

- [Vernonia arabica](#) F.G.Davies
- [Vernonia areysiana](#) Deflers
- [Vernonia arkansana](#) DC.
- [Vernonia aschersonii](#) Sch.Bip.
- [Vernonia aschersonioides](#) Chiov.
- [Vernonia baillonii](#) Scott Elliot
- [Vernonia balansae](#) Gagnep.
- [Vernonia baldwinii](#) Torr.
- [Vernonia bambilorensis](#) Berhaut
- [Vernonia bauchiensis](#) Hutch. & Dalziel
- [Vernonia bealliae](#) McVaugh
- [Vernonia beddomei](#) Hook.f.
- [Vernonia benguellensis](#) Hiern
- [Vernonia benguetensis](#) Elmer
- [Vernonia betsilensis](#) Drake
- [Vernonia betsimisaraka](#) Humbert
- [Vernonia bipontini](#) Vatke
- [Vernonia blodgettii](#) Small
- [Vernonia bonapartei](#) Gagnep.
- [Vernonia bontocensis](#) Merr.
- [Vernonia boquerona](#) B.L.Turner
- [Vernonia borneensis](#) Miq.
- [Vernonia bottae](#) Jaub. & Spach
- [Vernonia bourneana](#) W.W.Sm.
- [Vernonia brachytrichoides](#) C.Jeffrey
- [Vernonia brazzavillensis](#) Aubrév. ex Compère
- [Vernonia brideliifolia](#) O.Hoffm.
- [Vernonia britteniana](#) Hiern
- [Vernonia bruceae](#) C.Jeffrey
- [Vernonia bruceana](#) Wild
- [Vernonia buchingeri](#) Sch.Bip. ex Steetz
- [Vernonia bulo-burtiensis](#) Mesfin
- [Vernonia calulu](#) Hiern
- [Vernonia campicola](#) S.Moore
- [Vernonia capituliflora](#) Miq.
- [Vernonia carnea](#) Hiern
- [Vernonia carnotiana](#) Humbert
- [Vernonia cephalophora](#) Oliv.
- [Vernonia chapmanii](#) C.D.Adams
- [Vernonia chevalieri](#) Gagnep.
- [Vernonia chiliocephala](#) O.Hoffm.
- [Vernonia cinerea](#) (L.) Less.

- [*Vernonia cleanthoides*](#) O.Hoffm.
- [*Vernonia clinopodioides*](#) O.Hoffm.
- [*Vernonia cockburniana*](#) Balf.f.
- [*Vernonia coerulea*](#) J.Kost.
- [*Vernonia colorata*](#) (Willd.) Drake
- [*Vernonia concinna*](#) Gleason
- [*Vernonia concinna*](#) S.Moore
- [*Vernonia confusa*](#) Redonda-Mart., Villaseñor & A.Campos
- [*Vernonia congolensis*](#) De Wild. & Muschl.
- [*Vernonia conyzoides*](#) DC.
- [*Vernonia corchoroides*](#) Muschl.
- [*Vernonia coronata*](#) J.Kost.
- [*Vernonia cryptocephala*](#) Baker
- [*Vernonia cylindrica*](#) Sch.Bip. ex Walp.
- [*Vernonia cymosa*](#) Blume
- [*Vernonia dalettiensis*](#) Mesfin
- [*Vernonia daphnifolia*](#) O.Hoffm.
- [*Vernonia decaryana*](#) Humbert
- [*Vernonia delapsa*](#) Baker
- [*Vernonia dembocola*](#) Kalanda
- [*Vernonia devredii*](#) Kalanda
- [*Vernonia dewildemaniana*](#) Muschl.
- [*Vernonia didessana*](#) Mesfin
- [*Vernonia dissimilis*](#) Gleason
- [*Vernonia diversifolia*](#) Bojer ex DC.
- [*Vernonia divulgata*](#) S.Moore
- [*Vernonia djalonensis*](#) A.Chev.
- [*Vernonia dranensis*](#) S.Moore
- [*Vernonia drymaria*](#) Klatt
- [*Vernonia durifolia*](#) J.Kost.
- [*Vernonia duvigneaudii*](#) Kalanda
- [*Vernonia echioides*](#) Less.
- [*Vernonia elmeri*](#) Merr.
- [*Vernonia evrardiana*](#) Kalanda
- [*Vernonia extranea*](#) S.Moore
- [*Vernonia eylesii*](#) S.Moore
- [*Vernonia fasciculata*](#) Michx.
- [*Vernonia faustiana*](#) (Chapm.) B.L.Turner
- [*Vernonia fimbrillata*](#) J.Kost.
- [*Vernonia fischeri*](#) O.Hoffm.
- [*Vernonia flaccidifolia*](#) Small
- [*Vernonia flanagani*](#) (E.Phillips) Hilliard

- [Vernonia floresiana](#) J.Kost.
- [Vernonia forbesii](#) S.Moore
- [Vernonia fractiflexa](#) Wild
- [Vernonia friisii](#) Mesfin
- [Vernonia galamensis](#) (Cass.) Less.
- [Vernonia galpinii](#) Klatt
- [Vernonia ganevii](#) D.J.N.Hind
- [Vernonia gerrardii](#) Harv.
- [Vernonia gertii](#) Dematt.
- [Vernonia gigantea](#) (Walter) Trel.
- [Vernonia gilbertii](#) Mesfin
- [Vernonia glandulifolia](#) Merr.
- [Vernonia glauca](#) Willd.
- [Vernonia goetzenii](#) O.Hoffm.
- [Vernonia gofensis](#) O.Hoffm.
- [Vernonia golungensis](#) Welw. ex Mendonça
- [Vernonia gossweileri](#) S.Moore
- [Vernonia gossypina](#) Gamble
- [Vernonia graniticola](#) G.V.Pope
- [Vernonia greggii](#) A.Gray
- [Vernonia griseopapposa](#) G.V.Pope
- [Vernonia guadalupensis](#) A.Heller
- [Vernonia hamata](#) Klatt
- [Vernonia helenae](#) Buscal. & Muschl.
- [Vernonia helferi](#) Hook.f.
- [Vernonia helodea](#) Wild
- [Vernonia hispidula](#) Drake
- [Vernonia holstii](#) O.Hoffm.
- [Vernonia homollei](#) Humbert
- [Vernonia huillensis](#) Hiern
- [Vernonia humillima](#) Humbert
- [Vernonia hyalina](#) C.E.C.Fisch.
- [Vernonia ianthina](#) Muschl.
- [Vernonia ikongensis](#) Humbert
- [Vernonia inanis](#) S.Moore
- [Vernonia incana](#) Less.
- [Vernonia isalensis](#) Humbert
- [Vernonia ischnophylla](#) Muschl.
- [Vernonia isoetifolia](#) Wild
- [Vernonia jaegeri](#) C.D.Adams
- [Vernonia joyaliae](#) B.L.Turner
- [Vernonia junghuhniana](#) J.Kost.

- [*Vernonia kabaensis*](#) J.Kost.
- [*Vernonia kamerunensis*](#) Mattf.
- [*Vernonia kandtii*](#) Muschl.
- [*Vernonia kannikattiensis*](#) Rajakumar, Selvak., S.Murug. & Chellap.
- [*Vernonia kapirensis*](#) De Wild.
- [*Vernonia kapolowensis*](#) Kalanda
- [*Vernonia karvinskiana*](#) DC.
- [*Vernonia kasaiensis*](#) Kalanda
- [*Vernonia kawoziensis*](#) F.G.Davies
- [*Vernonia kayuniana*](#) G.V.Pope
- [*Vernonia kenteocephala*](#) Baker
- [*Vernonia kigomae*](#) C.Jeffrey
- [*Vernonia klattii*](#) MacLeish
- [*Vernonia klossii*](#) S.Moore
- [*Vernonia kradungensis*](#) H.Koyama
- [*Vernonia lafukensis*](#) S.Moore
- [*Vernonia lamii*](#) J.Kost.
- [*Vernonia lancifolia*](#) Merr.
- [*Vernonia larseniae*](#) B.L.King & S.B.Jones
- [*Vernonia latisquamata*](#) (Humbert) Humbert
- [*Vernonia lavandulifolia*](#) Muschl. ex De Wild.
- [*Vernonia leandrii*](#) Humbert
- [*Vernonia ledermannii*](#) Mattf.
- [*Vernonia ledoctea*](#) P.A.Duvign. & Van Bockstal
- [*Vernonia lemurica*](#) Humbert
- [*Vernonia leonensis*](#) Cabrera
- [*Vernonia leptanthus*](#) Klatt
- [*Vernonia letlensis*](#) J.Kost.
- [*Vernonia lettermannii*](#) Engelm. ex A.Gray
- [*Vernonia limosa*](#) O.Hoffm.
- [*Vernonia lindheimeri*](#) A.Gray & Engelm.
- [*Vernonia lisowskii*](#) Kalanda
- [*Vernonia loandensis*](#) S.Moore
- [*Vernonia longibracteata*](#) S.Ortiz & Rodr.Oubiña
- [*Vernonia lualabaensis*](#) De Wild.
- [*Vernonia luhomeroensis*](#) Q.Luke & Beentje
- [*Vernonia lundensis*](#) (Hutch.) Wild & G.V.Pope
- [*Vernonia luxuriosa*](#) J.Kost.
- [*Vernonia lycioides*](#) Wild
- [*Vernonia macrachaenia*](#) Gagnep.
- [*Vernonia madefacta*](#) Wild
- [*Vernonia malabarica*](#) Hook.f.

- [Vernonia mandrarensis](#) Humbert
- [Vernonia manongarivensis](#) Humbert
- [Vernonia marginata](#) (Torr.) Raf.
- [Vernonia marojejyensis](#) Humbert
- [Vernonia mastersii](#)
- [Vernonia mazzocchii-alemannii](#) Chiov.
- [Vernonia mbalensis](#) G.V.Pope
- [Vernonia mecistophylla](#) Baker
- [Vernonia meeboldii](#) W.W.Sm.
- [Vernonia melanocoma](#) C.Jeffrey
- [Vernonia mesogramme](#) O.Hoffm.
- [Vernonia mikumiensis](#) C.Jeffrey
- [Vernonia milaniana](#) S.Moore
- [Vernonia mildbraedii](#) Muschl.
- [Vernonia mindanaensis](#) Merr.
- [Vernonia miombicola](#) Wild
- [Vernonia miombicoloides](#) C.Jeffrey
- [Vernonia missurica](#)
- [Vernonia mogadoxensis](#) Chiov.
- [Vernonia moluccensis](#) Miq.
- [Vernonia monantha](#) Humbert
- [Vernonia moritziana](#) Sch.Bip.
- [Vernonia mossambicensis](#) Buscal. & Muschl.
- [Vernonia muelleri](#) Wild
- [Vernonia mumpullensis](#) Hiern
- [Vernonia mushituensis](#) Wild
- [Vernonia mutimushii](#) Wild
- [Vernonia najas](#) Wild
- [Vernonia napus](#) O.Hoffm.
- [Vernonia neocoursiana](#) Humbert
- [Vernonia neoperrieriana](#) Humbert
- [Vernonia nepetifolia](#) Wild
- [Vernonia neumanniana](#) O.Hoffm.
- [Vernonia newbouldii](#) Beentje & Mesfin
- [Vernonia noveboracensis](#) (L.) Michx.
- [Vernonia nuxioides](#) O.Hoffm. & Muschl.
- [Vernonia obionifolia](#) O.Hoffm.
- [Vernonia occulta](#) Redonda-Mart. & Mora-Jarvio
- [Vernonia ochyrae](#) Lisowski
- [Vernonia orchidorrhiza](#) Welw. ex Hiern
- [Vernonia orgyalis](#) S.Moore
- [Vernonia ornata](#) S.Moore

- [Vernonia otophora](#) Mattf.
- [Vernonia pachyclada](#) Baker
- [Vernonia pandurata](#) Link
- [Vernonia papillosissima](#) Chiov.
- [Vernonia papuana](#) Lauterb.
- [Vernonia parapetersii](#) C.Jeffrey
- [Vernonia parryae](#) C.E.C.Fisch.
- [Vernonia patentissima](#) J.Kost.
- [Vernonia pellegrinii](#) Humbert ex Basse
- [Vernonia phanerophlebia](#) Merr.
- [Vernonia phillipsiae](#) S.Moore
- [Vernonia phlomoides](#) Muschl.
- [Vernonia pierreii](#) Gagnep.
- [Vernonia pinarensis](#) Kitan.
- [Vernonia platylepis](#) Drake
- [Vernonia plumbaginifolia](#) Fenzl
- [Vernonia poggeana](#) O.Hoffm.
- [Vernonia polyantha](#) Warb.
- [Vernonia popeana](#) C.Jeffrey
- [Vernonia potamophila](#) Baker
- [Vernonia praticola](#) S.Moore
- [Vernonia prolifera](#) Decne.
- [Vernonia pseudoappendiculata](#) Humbert
- [Vernonia pseudojugalis](#) Muschl.
- [Vernonia pulchella](#) Small
- [Vernonia pulgarensis](#) Elmer
- [Vernonia pygmaea](#) O.Hoffm.
- [Vernonia quangensis](#) O.Hoffm.
- [Vernonia rauii](#) Uniyal
- [Vernonia recurvata](#) G.M.Barroso
- [Vernonia reinwardtiana](#) de Vriese & Miq. ex Miq.
- [Vernonia retifolia](#) S.Moore
- [Vernonia revoluta](#) Buch.-Ham.
- [Vernonia rhodanthoidea](#) Muschl.
- [Vernonia rhodesiana](#) S.Moore
- [Vernonia rhodophylla](#) O.Hoffm.
- [Vernonia robecchiana](#) Muschl.
- [Vernonia robinsonii](#) Wild
- [Vernonia rosenii](#) R.E.Fr.
- [Vernonia roseo-violacea](#) De Wild.
- [Vernonia rubens](#) Wild
- [Vernonia rufuensis](#) Muschl.

- [Vernonia rupicola](#) Ridl.
- [Vernonia ruvungatundu](#) C.Jeffrey
- [Vernonia ruwenzoriensis](#) S.Moore
- [Vernonia sabulosa](#) Beentje & Mesfin
- [Vernonia saigonensis](#) Gagnep.
- [Vernonia sakalava](#) Humbert
- [Vernonia sambiranensis](#) (Humbert) Humbert
- [Vernonia sangka](#) Kerr
- [Vernonia sapinii](#) De Wild.
- [Vernonia scaettae](#) Humbert & Staner
- [Vernonia schlechteri](#) O.Hoffm.
- [Vernonia schliebenii](#) Mattf.
- [Vernonia schubotziana](#) Muschl.
- [Vernonia schweinfurthii](#) Oliv. & Hiern
- [Vernonia sclerophylla](#) O.Hoffm.
- [Vernonia scoparia](#) O.Hoffm.
- [Vernonia sechellensis](#) Baker
- [Vernonia sengana](#) S.Moore
- [Vernonia sericolepis](#) O.Hoffm.
- [Vernonia seyrigii](#) Humbert
- [Vernonia shabaensis](#) Kalanda
- [Vernonia sidamensis](#) O.Hoffm.
- [Vernonia solweziensis](#) Wild
- [Vernonia spathulata](#) Hochst. ex Sch.Bip.
- [Vernonia speiracephala](#) Baker
- [Vernonia spenceriana](#) Muschl.
- [Vernonia sphacelata](#) Klatt
- [Vernonia staehelinoides](#) Harv.
- [Vernonia stuhlmannii](#) O.Hoffm.
- [Vernonia subacaulis](#) Gagnep.
- [Vernonia subdentata](#) J.Kost.
- [Vernonia subplumosa](#) O.Hoffm.
- [Vernonia subscandens](#) R.E.Fr.
- [Vernonia subsimplex](#) Miq.
- [Vernonia subtilis](#) J.Kost.
- [Vernonia sumbavensis](#) J.Kost.
- [Vernonia suprafastigiata](#) Klatt
- [Vernonia syringifolia](#) O.Hoffm.
- [Vernonia tanalensis](#) Baker
- [Vernonia tanganyikensis](#) R.E.Fr.
- [Vernonia temnolepis](#) O.Hoffm.
- [Vernonia tengwallii](#) J.Kost.

- [*Vernonia teucroides*](#) Welw. ex O.Hoffm.
- [*Vernonia teuschii*](#) Klatt
- [*Vernonia tewoldei*](#) Mesfin
- [*Vernonia texana*](#) Small
- [*Vernonia thodei*](#) E.Phillips
- [*Vernonia thomsonii*](#) Hook.f.
- [*Vernonia thulinii*](#) Mesfin
- [*Vernonia timorensis*](#) J.Kost.
- [*Vernonia timpermaniana*](#) Kalanda
- [*Vernonia tinctosetosa*](#) C.Jeffrey
- [*Vernonia trachyphylla*](#) Muschl.
- [*Vernonia tricholoba*](#) C.Jeffrey
- [*Vernonia tropophila*](#) Humbert
- [*Vernonia tuberifera*](#) R.E.Fr.
- [*Vernonia unicata*](#) C.Jeffrey
- [*Vernonia upembaensis*](#) Kalanda
- [*Vernonia vaginata*](#) O.Hoffm.
- [*Vernonia vallicola*](#) S.Moore
- [*Vernonia verdickii*](#) O.Hoffm. & Muschl.
- [*Vernonia verrucosa*](#) Klatt
- [*Vernonia vietnamensis*](#) Bien
- [*Vernonia violacea*](#) Oliv. & Hiern ex Oliv.
- [*Vernonia violaceo-papposa*](#) De Wild.
- [*Vernonia vohemarensis*](#) Humbert
- [*Vernonia vollesenii*](#) C.Jeffrey
- [*Vernonia vulturina*](#) Shinnars
- [*Vernonia wakefieldii*](#) Oliv.
- [*Vernonia walshae*](#) J.Kost.
- [*Vernonia welwitschii*](#) O.Hoffm.
- [*Vernonia wetarensis*](#) J.Kost.
- [*Vernonia wollastonii*](#) S.Moore
- [*Vernonia yabelloana*](#) Mesfin
- [*Vernonia zambiana*](#) G.V.Pope
- [*Vernonia zernyi*](#) Gilli

References

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Verbesina*](#), often known as **crowns**, are accepted by [Plants of the World Online](#).^{[1][2]} Although the genus originated in North America, the greatest diversity is now found in South America.^[3]

A

- [*Verbesina abietifolia*](#) Rzed. & Calderón
- [*Verbesina abscondita*](#) Klatt
- [*Verbesina acapulcensis*](#) B.L.Rob. & Greenm.
- [*Verbesina acuminata*](#) DC.
- [*Verbesina agricolarum*](#) Standl. & Steyererm.
- [*Verbesina alata*](#) L.
- [*Verbesina albissima*](#) Sagást.
- [*Verbesina alcabrerae*](#) Rzed.
- [*Verbesina aligera*](#) S.F.Blake
- [*Verbesina allophylla*](#) S.F.Blake
- [*Verbesina alternifolia*](#) (L.) Britton ex Kearney
- [*Verbesina altipetens*](#) S.F.Blake
- [*Verbesina ampliata*](#) Sagást. & Quip.
- [*Verbesina ancashensis*](#) Sagást. & Quip.
- [*Verbesina angulata*](#) Urb.
- [*Verbesina angusta*](#) Maguire, Steyererm. & Wurdack
- [*Verbesina angustifolia*](#) S.F.Blake
- [*Verbesina angustissima*](#) S.F.Blake
- [*Verbesina apiculata*](#) J.R.Coleman
- [*Verbesina apleura*](#) S.F.Blake
- [*Verbesina aramberrana*](#) B.L.Turner
- [*Verbesina arborea*](#) Kunth
- [*Verbesina aristata*](#) A.Heller
- [*Verbesina aspera*](#) S.F.Blake
- [*Verbesina auriculata*](#) DC.
- [*Verbesina auriculigera*](#) S.F.Blake
- [*Verbesina aurita*](#) Phil.
- [*Verbesina ayabacensis*](#) Sagást.
- [*Verbesina aypatensis*](#) Sagást. & Quip.

B

- [*Verbesina baccharidea*](#) S.F.Blake
- [*Verbesina baccharifolia*](#) Mattf.
- [*Verbesina badilloi*](#) Panero
- [*Verbesina barclayae*](#) H.Rob.
- [*Verbesina barragana*](#) Cuatrec.

- [*Verbesina barrancae*](#) Harker & N.Jiménez
- [*Verbesina baruensis*](#) Hammel & D'Arcy
- [*Verbesina benderi*](#) Perkins
- [*Verbesina bipinnatifida*](#) Baker
- [*Verbesina biserrata*](#) H.Rob. & Panero
- [*Verbesina blakeana*](#) Steyerm.
- [*Verbesina bolanosana*](#) B.L.Turner
- [*Verbesina boliviana*](#) Klatt
- [*Verbesina brachypoda*](#) S.F.Blake
- [*Verbesina breedlovei*](#) B.L.Turner
- [*Verbesina brevilingua*](#) Sagást.
- [*Verbesina brunnea*](#) Sagást. & Quip.

C

- [*Verbesina cabreræ*](#) Sagást.
- [*Verbesina cajamarcensis*](#) Sagást.
- [*Verbesina calciphila*](#) Standl. & Steyerm.
- [*Verbesina caleifolia*](#) Cabrera
- [*Verbesina callacatensis*](#) Hieron.
- [*Verbesina callilepis*](#) S.F.Blake
- [*Verbesina calzadae*](#) Panero & Villaseñor
- [*Verbesina capituliparva*](#) Sagást.
- [*Verbesina caracasana*](#) B.L.Rob. & Greenm.
- [*Verbesina carangolensis*](#) Olsen
- [*Verbesina carranzae*](#) P.Carrillo
- [*Verbesina caymanensis*](#) Proctor
- [*Verbesina centroboyacana*](#) S.Díaz
- [*Verbesina chachapoyensis*](#) Sagást. & Quip.
- [*Verbesina chapmanii*](#) J.R.Coleman
- [*Verbesina chiapensis*](#) B.L.Rob. & Greenm.
- [*Verbesina chihuahuensis*](#) A.Gray
- [*Verbesina chilapana*](#) B.L.Turner
- [*Verbesina cinerea*](#) Rusby
- [*Verbesina citrina*](#) Sagást. & Zapata
- [*Verbesina clarkiae*](#) H.Rob. & Panero
- [*Verbesina claussenii*](#) Sch.Bip. ex Baker
- [*Verbesina coahuilensis*](#) A.Gray ex S.Watson
- [*Verbesina columbiana*](#) B.L.Rob.
- [*Verbesina contumacensis*](#) Sagást.
- [*Verbesina corral-diazii*](#) B.L.Turner
- [*Verbesina coulteri*](#) A.Gray
- [*Verbesina crassicaulis*](#) S.F.Blake

- [*Verbesina crassicephala*](#) Sagást. & Quip.
- [*Verbesina crassipes*](#) B.L.Rob. & Greenm.
- [*Verbesina crassiramea*](#) S.F.Blake
- [*Verbesina crocata*](#) (Cav.) Less.
- [*Verbesina cronquistii*](#) B.L.Turner
- [*Verbesina cuautlensis*](#) McVaugh
- [*Verbesina culminicola*](#) McVaugh
- [*Verbesina cumingii*](#) Sch.Bip.
- [*Verbesina curatella*](#) McVaugh
- [*Verbesina cymbipalea*](#) S.F.Blake

D

- [*Verbesina daviesiae*](#) B.L.Turner
- [*Verbesina densifolia*](#) S.F.Blake
- [*Verbesina dentata*](#) Kunth
- [*Verbesina dilloniana*](#) Sagást.
- [*Verbesina diluta*](#) V.M.Badillo
- [*Verbesina dissita*](#) A.Gray
- [*Verbesina diversifolia*](#) DC.
- [*Verbesina domingensis*](#) Urb.
- [*Verbesina durangensis*](#) B.L.Turner

E

- [*Verbesina ecuatoriana*](#) Sagást.
- [*Verbesina eggertii*](#) Hieron.
- [*Verbesina ekmanii*](#) Urb.
- [*Verbesina elegans*](#) Kunth
- [*Verbesina elgalloana*](#) B.L.Turner
- [*Verbesina encelioides*](#) (Cav.) Benth. & Hook.f. ex A.Gray
- [*Verbesina eperetma*](#) S.F.Blake
- [*Verbesina erosa*](#) Brandegees
- [*Verbesina etlana*](#) B.L.Turner

F

- [*Verbesina fastigiata*](#) B.L.Rob. & Greenm.
- [*Verbesina fayi*](#) B.L.Turner
- [*Verbesina felgeri*](#) B.L.Turner
- [*Verbesina flavovirens*](#) R.E.Fr.
- [*Verbesina floribunda*](#) Gardner
- [*Verbesina fraseri*](#) Hemsl.

- [*Verbesina furfuracea*](#) McVaugh
- [*Verbesina fuscasiccans*](#) (D'Arcy) D'Arcy
- [*Verbesina fuscicaulis*](#) Sagást.
- [*Verbesina fusiformis*](#) McVaugh

G

- [*Verbesina gentryi*](#) Standl.
- [*Verbesina gigantea*](#) Jacq.
- [*Verbesina glabrata*](#) Hook. & Arn.
- [*Verbesina glaucophylla*](#) S.F.Blake
- [*Verbesina gracilipes*](#) B.L.Rob.
- [*Verbesina grandifolia*](#) S.F.Blake
- [*Verbesina grandis*](#) S.F.Blake
- [*Verbesina grayi*](#) Benth. & Hook.f. ex Hemsl.
- [*Verbesina guadeloupensis*](#) Urb.
- [*Verbesina guaranitica*](#) Chodat
- [*Verbesina guatemalensis*](#) B.L.Rob. & Greenm.
- [*Verbesina guerreroana*](#) B.L.Turner
- [*Verbesina guianensis*](#) Baker

H

- [*Verbesina harlingii*](#) H.Rob.
- [*Verbesina hastata*](#) Kellogg ex Curran
- [*Verbesina hastifolia*](#) S.F.Blake
- [*Verbesina helianthoides*](#) Michx.
- [*Verbesina heterophylla*](#) A.Gray
- [*Verbesina hexantha*](#) Sagást.
- [*Verbesina hidalgoana*](#) B.L.Turner
- [*Verbesina hintoniorum*](#) B.L.Turner
- [*Verbesina hispida*](#) McVaugh
- [*Verbesina holwayi*](#) B.L.Rob.
- [*Verbesina howardiana*](#) Olsen
- [*Verbesina huancabambae*](#) Sagást. & Quip.
- [*Verbesina huaranchaliana*](#) Sagást.
- [*Verbesina humboldtii*](#) Spreng.
- [*Verbesina hygrophila*](#) Panero & Villaseñor
- [*Verbesina hypargyrea*](#) B.L.Rob. & Greenm.
- [*Verbesina hypoglauca*](#) Sch.Bip. ex Klatt
- [*Verbesina hypomalaca*](#) B.L.Rob. & Greenm.
- [*Verbesina hypsela*](#) B.L.Rob.

I – J

- [*Verbesina intermissa*](#) S.F.Blake
- [*Verbesina jacksonii*](#) B.L.Turner
- [*Verbesina jelskii*](#) Hieron.
- [*Verbesina jimrobbinsii*](#) B.L.Turner
- [*Verbesina juxtlahuacensis*](#) Panero & Villaseñor

K

- [*Verbesina karsticola*](#) Proctor
- [*Verbesina killipii*](#) S.F.Blake
- [*Verbesina kimii*](#) B.L.Turner
- [*Verbesina kingii*](#) H.Rob.
- [*Verbesina klattii*](#) B.L.Rob. & Greenm.

L

- [*Verbesina laevifolia*](#) S.F.Blake
- [*Verbesina laevis*](#) S.F.Blake
- [*Verbesina lanata*](#) B.L.Rob. & Greenm.
- [*Verbesina langfordiae*](#) B.L.Turner
- [*Verbesina langlassei*](#) B.L.Rob.
- [*Verbesina lanulosa*](#) Villarreal & A.E.Estrada
- [*Verbesina lapazii*](#) Panero
- [*Verbesina latisquama*](#) S.F.Blake
- [*Verbesina lehmannii*](#) Hieron.
- [*Verbesina leivae*](#) Sagást. & Quip.
- [*Verbesina leprosa*](#) Klatt
- [*Verbesina leptochaeta*](#) A.Gray
- [*Verbesina leucactinota*](#) B.L.Rob.
- [*Verbesina liebmannii*](#) Sch.Bip. ex Klatt
- [*Verbesina ligulata*](#) (Maguire & Wurdack) Pruski
- [*Verbesina lilloi*](#) S.F.Blake
- [*Verbesina lindheimeri*](#) B.L.Rob. & Greenm.
- [*Verbesina linearis*](#) (McVaugh) B.L.Turner
- [*Verbesina lloensis*](#) Hieron.
- [*Verbesina longifolia*](#) A.Gray
- [*Verbesina longipes*](#) Hemsl.
- [*Verbesina lopez-mirandae*](#) Sagást.
- [*Verbesina lottiana*](#) B.L.Turner & J.L.Olsen
- [*Verbesina luetzelburgii*](#) Mattf.
- [*Verbesina luisana*](#) Brandegee

- [*Verbesina lundellii*](#) S.F.Blake

M

- [*Verbesina macbridei*](#) S.F.Blake
- [*Verbesina macdonaldii*](#) B.L.Turner
- [*Verbesina machucana*](#) B.L.Turner
- [*Verbesina macrophylla*](#) (Cass.) S.F.Blake
- [*Verbesina macvaughii*](#) B.L.Turner
- [*Verbesina madrensis*](#) Greenm.
- [*Verbesina malacophylla*](#) S.F.Blake
- [*Verbesina maldonadoensis*](#) H.Rob. & Panero
- [*Verbesina mameana*](#) André
- [*Verbesina medullosa*](#) B.L.Rob.
- [*Verbesina mexiae*](#) B.L.Turner
- [*Verbesina miahuatlana*](#) B.L.Turner
- [*Verbesina mickelii*](#) McVaugh
- [*Verbesina microcarpa*](#) S.F.Blake
- [*Verbesina microptera*](#) DC.
- [*Verbesina minarum*](#) Standl. & Steyerl.
- [*Verbesina minuticeps*](#) S.F.Blake
- [*Verbesina mixtecana*](#) Brandege
- [*Verbesina mollis*](#) Kunth
- [*Verbesina monactioides*](#) Sagást., S.Leiva & Lezama
- [*Verbesina montanoifolia*](#) B.L.Rob. & Greenm.
- [*Verbesina monteverdensis*](#) Pruski
- [*Verbesina myriocephala*](#) Sch.Bip. ex Klatt

N

- [*Verbesina nana*](#) B.L.Rob. & Greenm.
- [*Verbesina nayaritensis*](#) B.L.Turner
- [*Verbesina negrensis*](#) Steyerl.
- [*Verbesina nelsonii*](#) B.L.Rob. & Greenm.
- [*Verbesina neotenoriensis*](#) B.L.Turner
- [*Verbesina neriifolia*](#) Hemsl.
- [*Verbesina nervosa*](#) S.F.Blake
- [*Verbesina nicotianifolia*](#) Baker
- [*Verbesina nudipes*](#) S.F.Blake

O

- [*Verbesina oaxacana*](#) DC.

- [*Verbesina occidentalis*](#) Walter
- [*Verbesina ochroleucotricha*](#) Sagást.
- [*Verbesina oerstediana*](#) Benth.
- [*Verbesina oligactis*](#) S.F.Blake
- [*Verbesina oligantha*](#) B.L.Rob.
- [*Verbesina oligocephala*](#) I.M.Johnst.
- [*Verbesina olsenii*](#) B.L.Turner
- [*Verbesina oncophora*](#) B.L.Rob. & Seaton
- [*Verbesina oreophila*](#) Wooton & Standl.
- [*Verbesina ortegae*](#) S.F.Blake
- [*Verbesina otophylla*](#) S.F.Blake
- [*Verbesina otuzcensis*](#) Sagást. & Quip.
- [*Verbesina ovata*](#) A.Gray
- [*Verbesina ovatifolia*](#) A.Gray
- [*Verbesina oxylepis*](#) S.F.Blake

P

- [*Verbesina pallens*](#) Benth.
- [*Verbesina palmeri*](#) S.Watson
- [*Verbesina paneroi*](#) B.L.Turner
- [*Verbesina pantoptera*](#) S.F.Blake
- [*Verbesina papasquiara*](#) Panero & Villaseñor
- [*Verbesina parviflora*](#) S.F.Blake
- [*Verbesina paucicephala*](#) Sagást.
- [*Verbesina pauciflora*](#) Hemsl.
- [*Verbesina pauciramea*](#) Sagást., S.Leiva & Lezama
- [*Verbesina pedunculosa*](#) (DC.) B.L.Rob.
- [*Verbesina pellucida*](#) Villaseñor & Panero
- [*Verbesina peninsularis*](#) S.F.Blake
- [*Verbesina pennellii*](#) S.F.Blake
- [*Verbesina pentalobifolia*](#) Sagást.
- [*Verbesina pentantha*](#) S.F.Blake
- [*Verbesina peraffinis*](#) S.F.Blake
- [*Verbesina perijaensis*](#) H.Rob.
- [*Verbesina perlanata*](#) Sagást. & Quip.
- [*Verbesina persicifolia*](#) DC.
- [*Verbesina peruviana*](#) Sagást.
- [*Verbesina perymenioides*](#) Sch.Bip. ex Klatt
- [*Verbesina petrobioides*](#) (Griseb.) S.F.Blake
- [*Verbesina petrophila*](#) Brandegees
- [*Verbesina petzalensis*](#) Standl. & Steyerm.
- [*Verbesina pflanzii*](#) Perkins

- [Verbesina phlebodes](#) S.F.Blake
- [Verbesina pichinchensis](#) H.Rob.
- [Verbesina pietatis](#) McVaugh
- [Verbesina pilosa](#) Maguire & Wurdack
- [Verbesina piurana](#) Sagást.
- [Verbesina planitiei](#) Cuatrec.
- [Verbesina platanara](#) B.L.Turner
- [Verbesina platyptera](#) Sch.Bip. ex Klatt
- [Verbesina pleistocephala](#) B.L.Rob.
- [Verbesina plowmanii](#) Sagást.
- [Verbesina polyanthes](#) Toledo
- [Verbesina portlandiana](#) Proctor
- [Verbesina potosina](#) B.L.Rob.
- [Verbesina propinqua](#) S.F.Blake
- [Verbesina pseudoclaussenii](#) D.J.N.Hind
- [Verbesina pseudovirgata](#) B.L.Turner
- [Verbesina pterocarpha](#) S.F.Blake
- [Verbesina pterocaula](#) DC.
- [Verbesina pterophora](#) S.F.Blake
- [Verbesina purpusii](#) Brandegees
- [Verbesina pustulata](#) M.E.Jones

Q – R

- [Verbesina quetamensis](#) Olsen
- [Verbesina resinosa](#) Klatt
- [Verbesina retifera](#) S.F.Blake
- [Verbesina reyesii](#) Panero & Villaseñor
- [Verbesina rhomboidea](#) J.Kost.
- [Verbesina richardsonii](#) B.L.Turner
- [Verbesina rivetii](#) S.F.Blake
- [Verbesina robinsonii](#) Fernald
- [Verbesina rosei](#) B.L.Rob. & Greenm.
- [Verbesina rothrockii](#) B.L.Rob. & Greenm.
- [Verbesina rugosa](#) Chodat
- [Verbesina rupestris](#) S.F.Blake

S

- [Verbesina saltensis](#) Cabrera
- [Verbesina salvadorensis](#) S.F.Blake
- [Verbesina sanchezii](#) Sagást.
- [Verbesina santanderensis](#) S.Díaz

- [*Verbesina sararensis*](#) Cuatrec.
- [*Verbesina saubinetia*](#) Klatt
- [*Verbesina saubinetioides*](#) S.F.Blake
- [*Verbesina scabrida*](#) Rzed.
- [*Verbesina scabriuscula*](#) S.F.Blake
- [*Verbesina scotiodonta*](#) S.F.Blake
- [*Verbesina seatonii*](#) S.F.Blake
- [*Verbesina semidecurrens*](#) Kuntze
- [*Verbesina sericea*](#) Kunth & C.D.Bouché
- [*Verbesina serrata*](#) Cav.
- [*Verbesina simplicicaulis*](#) Sagást.
- [*Verbesina simulans*](#) S.F.Blake
- [*Verbesina sinaloensis*](#) B.L.Turner
- [*Verbesina sodiroi*](#) Hieron.
- [*Verbesina sordescens*](#) DC.
- [*Verbesina sororia*](#) A.Gray
- [*Verbesina sousae*](#) J.J.Fay
- [*Verbesina sphaerocephala*](#) A.Gray
- [*Verbesina spooneri*](#) Panero
- [*Verbesina steinmannii*](#) P.Carrillo
- [*Verbesina stenophylla*](#) Greenm.
- [*Verbesina strotheri*](#) Panero & Villaseñor
- [*Verbesina subcordata*](#) DC.
- [*Verbesina subdiscoidea*](#) Toledo
- [*Verbesina suberosa*](#) P.Carrillo
- [*Verbesina subrotundifolia*](#) Sagást.
- [*Verbesina suncho*](#) S.F.Blake
- [*Verbesina synethes*](#) S.F.Blake
- [*Verbesina synotis*](#) S.F.Blake

T

- [*Verbesina tachirensis*](#) Steyerm.
- [*Verbesina tamaulipana*](#) B.L.Turner
- [*Verbesina tamaunuevana*](#) B.L.Turner
- [*Verbesina tapantiana*](#) Poveda & Hammel
- [*Verbesina tatei*](#) S.F.Blake
- [*Verbesina tecolotlana*](#) B.L.Turner
- [*Verbesina tenoriesis*](#) B.L.Turner
- [*Verbesina teotepecana*](#) B.L.Turner
- [*Verbesina tequendamensis*](#) Cuatrec.
- [*Verbesina tequilana*](#) J.R.Coleman
- [*Verbesina tetraptera*](#) A.Gray

- [*Verbesina textitana*](#) B.L.Turner
- [*Verbesina tiburonensis*](#) B.L.Turner
- [*Verbesina torresii*](#) B.L.Turner
- [*Verbesina tostimontis*](#) Cuatrec.
- [*Verbesina tovarii*](#) Cabrera
- [*Verbesina trichantha*](#) (Kuntze) S.F.Blake
- [*Verbesina trilobata*](#) B.L.Rob. & Greenm.
- [*Verbesina trujillensis*](#) Aristeg.
- [*Verbesina turbacensis*](#) Kunth

V

- [*Verbesina vallartana*](#) B.L.Turner & Olsen
- [*Verbesina venosa*](#) Greene
- [*Verbesina villaregalis*](#) McVaugh
- [*Verbesina villasenorii*](#) B.L.Turner
- [*Verbesina villonacoensis*](#) H.Rob.
- [*Verbesina virgata*](#) Cav.
- [*Verbesina virginica*](#) L.

W – Z

- [*Verbesina walteri*](#) Shinnery
- [*Verbesina xanthochlora*](#) B.L.Rob. & Greenm.
- [*Verbesina xicoana*](#) B.L.Turner
- [*Verbesina zaragosana*](#) B.L.Turner

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Verbascum*](#), the **mulleins**, are accepted by [Plants of the World Online](#).^[1] *Verbascum* has recently undergone rapid [radiation](#).^[2]

- [*Verbascum* × *abandense*](#) Hub.-Mor.
- [*Verbascum abieticola*](#) Bornm.
- [*Verbascum abyadicum*](#) Hemaid
- [*Verbascum acaule*](#) (Bory & Chaub.) Kuntze
- [*Verbascum adamovicii*](#) Velen.
- [*Verbascum adeliae*](#) Heldr.
- [*Verbascum adenanthum*](#) Bornm.
- [*Verbascum adenocarpum*](#) Hub.-Mor.
- [*Verbascum adenocaulon*](#) Boiss. & Balansa
- [*Verbascum adenophorum*](#) Boiss. & Balansa
- [*Verbascum adrianopolitanum*](#) Podp.

- [Verbascum adzharicum](#) P.P.Gritz.
- [Verbascum afyonense](#) Hub.-Mor.
- [Verbascum agastachyum](#) Hub.-Mor.
- [Verbascum agrimoniifolium](#) (K.Koch) Hub.-Mor.
- [Verbascum akdareense](#) (Murb.) Hub.-Mor.
- [Verbascum akhalkalakiense](#) Bordz.
- [Verbascum albidiflorum](#) Ranjbar & Nouri
- [Verbascum alceoides](#) Boiss. & Hausskn.
- [Verbascum alepense](#) Benth.
- [Verbascum aliciae](#) Post
- [Verbascum alpigenum](#) K.Koch
- [Verbascum alyssifolium](#) Boiss.
- [Verbascum × amaliense](#) Rech.f.
- [Verbascum amanum](#) Boiss.
- [Verbascum × ambigens](#) Hausskn.
- [Verbascum × ambiguum](#) Lej.
- [Verbascum × ambracicum](#) Halácsy
- [Verbascum anastasii](#) Nábelek
- [Verbascum ancyritanum](#) Bornm.
- [Verbascum andrusii](#) Post
- [Verbascum anisophyllum](#) Murb.
- [Verbascum antari](#) Post
- [Verbascum antilibanoticum](#) Hub.-Mor.
- [Verbascum antinori](#) Boiss. & Heldr.
- [Verbascum antiochium](#) Boiss. & Heldr.
- [Verbascum antitauricum](#) Hub.-Mor.
- [Verbascum aphentulium](#) Heldr.
- [Verbascum apiculatum](#) Hub.-Mor.
- [Verbascum aqranse](#) Al-Bermani & Al-Musawi
- [Verbascum × arabkireense](#) Hub.-Mor.
- [Verbascum × araratense](#) Hub.-Mor.
- [Verbascum arbelense](#) Bornm.
- [Verbascum arbusculum](#) (A.Rich.) Hub.-Mor.
- [Verbascum × arctotrichum](#) Murb.
- [Verbascum arcturus](#) L.
- [Verbascum × arenicola](#) Hub.-Mor.
- [Verbascum argenteum](#) Ten.
- [Verbascum armenum](#) Boiss. & Kotschy
- [Verbascum × arpaczajicum](#) Bordz.
- [Verbascum artvinense](#) E.Wulff
- [Verbascum aschersonii](#) Boiss. & Sint. ex Murb.
- [Verbascum asiricum](#) Hemaïd

- [*Verbascum asperuloides*](#) Hub.-Mor.
- [*Verbascum assureuse*](#) Bornm. & Hand.-Mazz.
- [*Verbascum* × *atchleyianum*](#) Rech.f.
- [*Verbascum atlanticum*](#) Batt.
- [*Verbascum atrovioleaceum*](#) (Sommier & Levier) Murb.
- [*Verbascum aucheri*](#) (Boiss.) Hub.-Mor.
- [*Verbascum auriculatum*](#) Sm.
- [*Verbascum* × *austroanatolicum*](#) Hub.-Mor.
- [*Verbascum austroiranicum*](#) Hub.-Mor.
- [*Verbascum aydogdui*](#) Karavel., Vural, B.Sahin & Aslan
- [*Verbascum azerbaijanense*](#) Sharifnia & Assadi
- [*Verbascum baldaccii*](#) Degen
- [*Verbascum* × *balikesireense*](#) Hub.-Mor.
- [*Verbascum ballii*](#) (Batt.) Hub.-Mor.
- [*Verbascum ballsianum*](#) Murb.
- [*Verbascum banaticum*](#) Schrad.
- [*Verbascum barbeyi*](#) Post
- [*Verbascum barnadesii*](#) Vahl
- [*Verbascum basivelatum*](#) Hub.-Mor.
- [*Verbascum* × *bastardii*](#) Roem. & Schult.
- [*Verbascum battandieri*](#) (Murb.) Hub.-Mor.
- [*Verbascum* × *baumgartnerianum*](#) Rech.f.
- [*Verbascum bellum*](#) Hub.-Mor.
- [*Verbascum benthamianum*](#) Hepper
- [*Verbascum beryteum*](#) Boiss.
- [*Verbascum betonicifolium*](#) (Desf.) Desf.
- [*Verbascum biledschikianum*](#) Bornm.
- [*Verbascum* × *binbogense*](#) Hub.-Mor.
- [*Verbascum birandianum*](#) Hub.-Mor.
- [*Verbascum biscutellifolium*](#) Benth.
- [*Verbascum bithynicum*](#) Boiss.
- [*Verbascum* × *bitlisianum*](#) Hub.-Mor.
- [*Verbascum blancheanum*](#) Boiss.
- [*Verbascum blattaria*](#) L.
- [*Verbascum boerhavii*](#) L.
- [*Verbascum boevae*](#) Stef.-Gat.
- [*Verbascum boissieri*](#) (Heldr. & Sart. ex Boiss.) Kuntze
- [*Verbascum bombyciferum*](#) Boiss.
- [*Verbascum* × *borbasianum*](#) Soó
- [*Verbascum bornmuellerianum*](#) Hub.-Mor.
- [*Verbascum botuliforme*](#) Murb.
- [*Verbascum bourgeauanum*](#) Hub.-Mor.

- [Verbascum bracteosum](#) Freyn & Sint.
- [Verbascum × brockmuelleri](#) Ruhmer
- [Verbascum bugulifolium](#) Lam.
- [Verbascum × bulanikense](#) Hub.-Mor.
- [Verbascum × burdurense](#) Hub.-Mor.
- [Verbascum caesareum](#) Boiss.
- [Verbascum × calcicola](#) Hub.-Mor.
- [Verbascum calvum](#) Boiss. & Kotschy
- [Verbascum calycinum](#) Ball
- [Verbascum calycosum](#) Hausskn. ex Murb.
- [Verbascum campestre](#) Boiss. & Heldr.
- [Verbascum × candelabrum](#) Kar. & Kir.
- [Verbascum capitis-viridis](#) Hub.-Mor.
- [Verbascum cappadocicum](#) Bornm.
- [Verbascum carduchorum](#) Bornm.
- [Verbascum cариense](#) Hub.-Mor.
- [Verbascum × carinthiacum](#) Fritsch
- [Verbascum carmanicum](#) (Bornm.) Hub.-Mor.
- [Verbascum caudatum](#) Freyn & Bornm.
- [Verbascum cedreti](#) Boiss.
- [Verbascum × cephalariense](#) Hub.-Mor. & Rech.f.
- [Verbascum cerinum](#) Boiss. & Heldr.
- [Verbascum × cernyi](#) Rohlena
- [Verbascum chaixii](#) Vill.
- [Verbascum charidemi](#) Murb.
- [Verbascum charputense](#) Murb.
- [Verbascum chaudharyanum](#) Hemaïd
- [Verbascum chazaliei](#) H.Boissieu
- [Verbascum cheiranthifolium](#) Boiss.
- [Verbascum chionophyllum](#) Hub.-Mor.
- [Verbascum chiovendae](#) Hub.-Mor.
- [Verbascum × chium](#) Rech.f.
- [Verbascum chlorostegium](#) Bornm. & Murb.
- [Verbascum chrysochaete](#) Stapf
- [Verbascum × chrysopolitanum](#) Rech.f.
- [Verbascum chrysorrhacos](#) Boiss.
- [Verbascum cicekdagensis](#) Karavel. & Vural
- [Verbascum cilicicum](#) Boiss.
- [Verbascum cilicium](#) (Boiss. & Heldr.) Kuntze
- [Verbascum × clinantherum](#) Bordz.
- [Verbascum × coenobitanum](#) Hausskn. & Heldr.
- [Verbascum × congestum](#) Huter

- [Verbascum conocarpum](#) Moris
- [Verbascum corinthiacum](#) Kit Tan, Zarkos, V.Christodoulou & Vold
- [Verbascum coromandelianum](#) (Vahl) Hub.-Mor.
- [Verbascum coronopifolium](#) (Boiss. & Balansa) Kuntze
- [Verbascum × coum](#) Rech.f.
- [Verbascum × crenulatum](#) Hub.-Mor.
- [Verbascum creticum](#) (L.) Cav.
- [Verbascum cucullatibracteum](#) Hub.-Mor.
- [Verbascum cylindrocarpum](#) Griseb.
- [Verbascum cylleneum](#) (Boiss. & Heldr.) Kuntze
- [Verbascum cymigerum](#) Hub.-Mor.
- [Verbascum cystolithicum](#) (Pett.) Hub.-Mor.
- [Verbascum daenzeri](#) (Fauché & Chaub.) Fenzl
- [Verbascum dalamanicum](#) Hub.-Mor.
- [Verbascum damascenum](#) Boiss.
- [Verbascum × danubiale](#) Simonk.
- [Verbascum davidoffii](#) Murb.
- [Verbascum davisianum](#) Hub.-Mor.
- [Verbascum decaisneanum](#) Kuntze
- [Verbascum × decalvans](#) Borbás
- [Verbascum decorum](#) Velen.
- [Verbascum decursivum](#) Hub.-Mor.
- [Verbascum × degenianum](#) Soó
- [Verbascum delphicum](#) Boiss. & Heldr.
- [Verbascum demirizianum](#) Hub.-Mor.
- [Verbascum densiflorum](#) Bertol.
- [Verbascum dentifolium](#) Delile
- [Verbascum × denudatum](#) Pfund
- [Verbascum × derekolense](#) Rech.f.
- [Verbascum × dervichorum](#) Hausskn. & Heldr.
- [Verbascum deterrentum](#) Boiss. & Heldr.
- [Verbascum dieckianum](#) Borbás & Degen
- [Verbascum × digitalifolium](#) Boiss. & Hausskn.
- [Verbascum dimonieii](#) Velen.
- [Verbascum dingleri](#) Mattf. & Stef.
- [Verbascum × diphyon](#) Franch.
- [Verbascum × dirmilense](#) Hub.-Mor.
- [Verbascum × dirupatae](#) Huter
- [Verbascum discolor](#) Murb.
- [Verbascum disjectum](#) (Murb.) Hub.-Mor.
- [Verbascum × divaricatum](#) Kitt.
- [Verbascum diversifolium](#) Hochst.

- [*Verbascum* × *dobrogense*](#) Prodan
- [*Verbascum* × *doiranense*](#) Bornm.
- [*Verbascum* × *dominii*](#) Rohlena
- [*Verbascum* × *dramense*](#) Rech.f.
- [*Verbascum dryophilum*](#) Hub.-Mor.
- [*Verbascum dryophyloides*](#) P.P.Gritz.
- [*Verbascum* × *duernsteinense*](#) Teyber
- [*Verbascum dumulosum*](#) P.H.Davis & Hub.-Mor.
- [*Verbascum* × *dupnicense*](#) Murb.
- [*Verbascum durmitoreum*](#) Rohlena
- [*Verbascum duzgunbabadagensis*](#) Karavel. & E.Yüce
- [*Verbascum* × *edessanum*](#) Hub.-Mor. & Rech.f.
- [*Verbascum* × *edremiticum*](#) Sutorý
- [*Verbascum* × *eginense*](#) Hub.-Mor.
- [*Verbascum* × *elasigense*](#) Hub.-Mor.
- [*Verbascum elegantulum*](#) Hub.-Mor.
- [*Verbascum eleonora*](#) Hub.-Mor.
- [*Verbascum epixanthinum*](#) Boiss. & Heldr.
- [*Verbascum eremobium*](#) Murb.
- [*Verbascum ergin-hamzaoglu*](#) Karavel.
- [*Verbascum erianthum*](#) Benth.
- [*Verbascum eriocarpum*](#) (Freyn & Sint.) Bornm.
- [*Verbascum eriophorum*](#) Godr.
- [*Verbascum eriorrhodon*](#) Boiss.
- [*Verbascum erivanicum*](#) E.Wulff
- [*Verbascum* × *ermenekense*](#) Hub.-Mor.
- [*Verbascum erosum*](#) Cav.
- [*Verbascum* × *erraticum*](#) Hausskn.
- [*Verbascum* × *ersin-yucelii*](#) Karavel.
- [*Verbascum* × *erzindschanense*](#) Hub.-Mor.
- [*Verbascum eskisehirensis*](#) Karavel., Ocak & Ekici
- [*Verbascum euboicum*](#) Murb. & Rech.f.
- [*Verbascum euphraticum*](#) Benth.
- [*Verbascum exuberans*](#) Hub.-Mor.
- [*Verbascum faik-karaveliogullarii*](#) Çingay & Cabi
- [*Verbascum* × *fallax*](#) Freyn & Sint.
- [*Verbascum farsistanicum*](#) (Murb.) Hub.-Mor.
- [*Verbascum faurei*](#) (Murb.) Hub.-Mor.
- [*Verbascum* × *festii*](#) Hayek
- [*Verbascum flavidum*](#) (Boiss.) Freyn & Bornm.
- [*Verbascum flavipannosum*](#) Hub.-Mor.
- [*Verbascum* × *florinense*](#) Hub.-Mor. & Rech.f.

- [*Verbascum × fluminense*](#) A.Kern. ex Nyman
- [*Verbascum foetidum*](#) Boiss. & Heldr.
- [*Verbascum fontqueri*](#) Benedí & J.M.Monts.
- [*Verbascum formosum*](#) Fisch. ex Schrank
- [*Verbascum × fragriforme*](#) Pfund
- [*Verbascum × freynianum*](#) Borbás
- [*Verbascum freynii*](#) (Sint.) Murb.
- [*Verbascum × fridae*](#) Murb.
- [*Verbascum froedinii*](#) Murb.
- [*Verbascum fruticulosum*](#) Post
- [*Verbascum gabrieliae*](#) (Bornm.) Hub.-Mor.
- [*Verbascum × gabrielianae*](#) (Hub.-Mor.) Hub.-Mor.
- [*Verbascum gaetulum*](#) (Maire) Murb.
- [*Verbascum gaillardotii*](#) Boiss.
- [*Verbascum galilaeum*](#) Boiss.
- [*Verbascum × geminatum*](#) Freyn
- [*Verbascum geminiflorum*](#) Hochst.
- [*Verbascum georgicum*](#) Benth.
- [*Verbascum germanicae*](#) Hausskn. ex Boiss.
- [*Verbascum giganteum*](#) Willk.
- [*Verbascum gilanicum*](#) Mozaff.
- [*Verbascum gimgimense*](#) Firat
- [*Verbascum × gintlii*](#) Rohlena
- [*Verbascum × giresunense*](#) Hub.-Mor.
- [*Verbascum glabratum*](#) Friv.
- [*Verbascum glanduliferum*](#) (Post) Hub.-Mor.
- [*Verbascum glandulosum*](#) Delile
- [*Verbascum globiferum*](#) Hub.-Mor.
- [*Verbascum globiflorum*](#) Boiss. & Noë
- [*Verbascum glomeratum*](#) Boiss.
- [*Verbascum glomerulosum*](#) Hub.-Mor.
- [*Verbascum gnaphalodes*](#) M.Bieb.
- [*Verbascum × godronii*](#) Boreau
- [*Verbascum × goeldschuekense*](#) Hub.-Mor.
- [*Verbascum golawanense*](#) Firat
- [*Verbascum gossypinum*](#) M.Bieb.
- [*Verbascum gracilescens*](#) Hub.-Mor.
- [*Verbascum graecum*](#) Heldr. & Sart.
- [*Verbascum × quelnarensense*](#) Hub.-Mor.
- [*Verbascum guicciardii*](#) Heldr.
- [*Verbascum gypsicola*](#) Vural & Aydogdu
- [*Verbascum hadschinense*](#) Freyn & Sint.

- [Verbascum haesarense](#) Freyn & Bornm.
- [Verbascum hajastanicum](#) Bordz.
- [Verbascum halacsyanum](#) Sint. & Bornm. ex Halácsy
- [Verbascum haraldi-adnani](#) Parolly & Eren
- [Verbascum hasbenlii](#) Aytaç & H.Duman
- [Verbascum × \[hatayense\]\(#\)](#) Hub.-Mor.
- [Verbascum haussknechtianum](#) Hub.-Mor.
- [Verbascum haussknechtii](#) Heldr. ex Hausskn.
- [Verbascum × \[haynaldianum\]\(#\)](#) Borbás
- [Verbascum helianthemoides](#) Hub.-Mor.
- [Verbascum hema-figranum](#) Hemaïd
- [Verbascum hervieri](#) Degen
- [Verbascum herzogii](#) Bornm.
- [Verbascum heterobarbatum](#) Hub.-Mor.
- [Verbascum heterodontum](#) Hub.-Mor.
- [Verbascum hookerianum](#) Ball
- [Verbascum × \[horakii\]\(#\)](#) Rohlena
- [Verbascum × \[horticola\]\(#\)](#) Hub.-Mor.
- [Verbascum humile](#) Janka
- [Verbascum × \[humnickii\]\(#\)](#) Franch.
- [Verbascum × \[hybridum\]\(#\)](#) Brot.
- [Verbascum hypoleucum](#) Boiss. & Heldr.
- [Verbascum ibrahim-belenlii](#) Karavel.
- [Verbascum iconium](#) Hub.-Mor.
- [Verbascum ifranensis](#) Khamar, Civeyrel, Pelissier, Badr, El Oualidi & Touhami-Ouaz
- [Verbascum × \[ignescens\]\(#\)](#) Tausch
- [Verbascum ikaricum](#) Murb.
- [Verbascum × \[ilgazdagense\]\(#\)](#) Hub.-Mor.
- [Verbascum inaequale](#) Freyn & Sint.
- [Verbascum × \[incanum\]\(#\)](#) Gaudin
- [Verbascum × \[inegoelense\]\(#\)](#) Hub.-Mor.
- [Verbascum × \[inexpectatum\]\(#\)](#) Rech.f.
- [Verbascum infidelium](#) Boiss. & Hausskn.
- [Verbascum × \[innominatum\]\(#\)](#) Rech.f.
- [Verbascum × \[insignitum\]\(#\)](#) Beck
- [Verbascum insulare](#) Boiss. & Heldr.
- [Verbascum × \[interjectum\]\(#\)](#) Pfund
- [Verbascum × \[intermedium\]\(#\)](#) Rupr. ex Pfund
- [Verbascum interruptum](#) (Fresen.) Kuntze
- [Verbascum intricatum](#) (Benth.) Kuntze
- [Verbascum × \[inulifolioides\]\(#\)](#) Hub.-Mor.
- [Verbascum inulifolium](#) Hub.-Mor.

- [Verbascum isauricum](#) Boiss. & Heldr.
- [Verbascum × isfendiyareense](#) Hub.-Mor.
- [Verbascum × iskenderunense](#) Hub.-Mor.
- [Verbascum × ispartense](#) Hub.-Mor.
- [Verbascum jankaeum](#) Pancic
- [Verbascum × johannis-zernyi](#) Murb.
- [Verbascum jordanicum](#) Murb.
- [Verbascum jordanovii](#) Stef.-Gat.
- [Verbascum josgadense](#) Murb.
- [Verbascum juruk](#) Stef.
- [Verbascum × kalabakense](#) Hub.-Mor. & Rech.f.
- [Verbascum × karaboertlenense](#) Hub.-Mor.
- [Verbascum × karadagense](#) Hub.-Mor.
- [Verbascum × karlikdagense](#) Rech.f.
- [Verbascum × karpatii](#) Boros
- [Verbascum kastamunicum](#) Murb.
- [Verbascum × kavallense](#) Rech.f.
- [Verbascum × kavinae](#) Rohlena
- [Verbascum × kayseriense](#) Hub.-Mor.
- [Verbascum × keklikolukense](#) Hub.-Mor.
- [Verbascum × kemerense](#) Hub.-Mor.
- [Verbascum × keneri](#) Borbás
- [Verbascum kochiiforme](#) Boiss. & Hausskn.
- [Verbascum korovinii](#) P.P.Gritz.
- [Verbascum × korphiaticum](#) Hub.-Mor. & Rech.f.
- [Verbascum kotschyi](#) Boiss. & Hohen.
- [Verbascum × kozaniense](#) Hub.-Mor. & Rech.f.
- [Verbascum krauseanum](#) Murb.
- [Verbascum × krokeense](#) Hub.-Mor. & Rech.f.
- [Verbascum × kubedagense](#) Hub.-Mor.
- [Verbascum × kuetahyense](#) Hub.-Mor.
- [Verbascum kurdicum](#) Hub.-Mor.
- [Verbascum kurdistanicum](#) Firat
- [Verbascum lachnopus](#) Hub.-Mor.
- [Verbascum laetum](#) Boiss. & Hausskn.
- [Verbascum lagurus](#) Fisch. & C.A.Mey.
- [Verbascum lanatum](#) Schrad.
- [Verbascum × laramberguei](#) Rouy
- [Verbascum × lasianthiforme](#) Hub.-Mor.
- [Verbascum lasianthum](#) Boiss. ex Benth.
- [Verbascum latisepalum](#) Hub.-Mor.
- [Verbascum leianthoides](#) Murb.

- [Verbascum leianthum](#) Benth.
- [Verbascum × leilense](#) Rech.f.
- [Verbascum leiocarpum](#) Murb.
- [Verbascum leiocladum](#) Murb.
- [Verbascum × lemaitrei](#) Boreau
- [Verbascum leptocladum](#) Boiss. & Heldr.
- [Verbascum leptostachyon](#) DC.
- [Verbascum letourneuxii](#) Asch.
- [Verbascum leuconeurum](#) Boiss. & Heldr.
- [Verbascum × leucophylloides](#) Hub.-Mor. & Rech.f.
- [Verbascum leucophyllum](#) Griseb.
- [Verbascum levanticum](#) I.K.Ferguson
- [Verbascum libanoticum](#) Murb. & J.Thiébaud
- [Verbascum limnense](#) Fraas
- [Verbascum lindae](#) Parolly & Kit Tan
- [Verbascum linearilobum](#) (Boiss.) Hub.-Mor.
- [Verbascum linguifolium](#) Hub.-Mor.
- [Verbascum litigiosum](#) Samp.
- [Verbascum lobatum](#) Hub.-Mor.
- [Verbascum × lobulatum](#) Hub.-Mor.
- [Verbascum × longeracemosum](#) Chaub.
- [Verbascum longibracteatum](#) Deflers
- [Verbascum longifolium](#) Ten.
- [Verbascum longipedicellatum](#) Hub.-Mor.
- [Verbascum longirostre](#) (Murb.) Hub.-Mor.
- [Verbascum luciliae](#) (Boiss.) Kuntze
- [Verbascum luntii](#) Baker
- [Verbascum luridiflorum](#) Hub.-Mor.
- [Verbascum lychnitis](#) L.
- [Verbascum lydium](#) Boiss.
- [Verbascum lyprocarpum](#) (Murb.) Hub.-Mor.
- [Verbascum lyratifolium](#) W.D.J.Koch ex Benth.
- [Verbascum lysiosepalum](#) Hub.-Mor.
- [Verbascum macedonicum](#) Kosonin & Murb.
- [Verbascum × macilentum](#) Franch.
- [Verbascum macrocarpum](#) Boiss.
- [Verbascum macrosepalum](#) Boiss. & Kotschy ex Murb.
- [Verbascum macrurum](#) Ten.
- [Verbascum maeandri](#) Bornm.
- [Verbascum × maeandriforme](#) Hub.-Mor.
- [Verbascum mairei](#) (Murb.) Hub.-Mor.
- [Verbascum mallophorum](#) Boiss. & Heldr.

- [*Verbascum maroccanum*](#) (Ball) Hub.-Mor.
- [*Verbascum* × *martini*](#) Franch.
- [*Verbascum masquindalii*](#) (Pau) Benedí & J.M.Monts.
- [*Verbascum maurum*](#) Maire & Murb.
- [*Verbascum mecit-vuralii*](#) Karavel.
- [*Verbascum medinecum*](#) Hemaïd
- [*Verbascum megricum*](#) (Tzvelev) Hub.-Mor.
- [*Verbascum meinckeanum*](#) Murb.
- [*Verbascum melhanense*](#) (Murb.) Hub.-Mor.
- [*Verbascum melitenense*](#) Hub.-Mor.
- [*Verbascum microsepalum*](#) Hub.-Mor.
- [*Verbascum* × *mirabile*](#) (Rech.f. & Hub.-Mor.) Hub.-Mor.
- [*Verbascum misirdalianum*](#) Karavel., Çeçen & Ünal
- [*Verbascum* × *mixtum*](#) Ramond ex DC.
- [*Verbascum* × *montenegrinum*](#) Sagorski ex Murb.
- [*Verbascum* × *morronense*](#) Huter
- [*Verbascum* × *mucronatifforme*](#) Hub.-Mor.
- [*Verbascum mucronatum*](#) Lam.
- [*Verbascum mughlaeum*](#) H.Duman, Uzunh. & Kit Tan
- [*Verbascum* × *muglense*](#) Hub.-Mor. & Reese
- [*Verbascum murbeckianum*](#) Hub.-Mor.
- [*Verbascum* × *murbeckii*](#) Teyber
- [*Verbascum* × *mutense*](#) Hub.-Mor.
- [*Verbascum mykales*](#) Bornm.
- [*Verbascum myrianthum*](#) Boiss.
- [*Verbascum* × *myriocarpoides*](#) Hub.-Mor.
- [*Verbascum myriocarpum*](#) Boiss. & Heldr.
- [*Verbascum* × *mytilinense*](#) Rech.f.
- [*Verbascum napifolium*](#) Boiss.
- [*Verbascum natolicum*](#) (Fisch. & C.A.Mey.) Hub.-Mor.
- [*Verbascum* × *neilreichii*](#) Reichardt
- [*Verbascum nevadense*](#) Boiss.
- [*Verbascum nicolai*](#) Rohlena
- [*Verbascum nigrum*](#) L.
- [*Verbascum nihatgoekyigitii*](#) Karavel. & Çingay
- [*Verbascum niveum*](#) Ten.
- [*Verbascum nobile*](#) Velen.
- [*Verbascum* × *nothum*](#) W.D.J.Koch
- [*Verbascum* × *nudatifforme*](#) Hub.-Mor.
- [*Verbascum nudatum*](#) Murb.
- [*Verbascum nudicaule*](#) (Wydler) Takht.
- [*Verbascum nudiusculum*](#) Hub.-Mor.

- [*Verbascum* × *nusaybinense*](#) Hub.-Mor.
- [*Verbascum* × *nydeggeri*](#) Hub.-Mor.
- [*Verbascum* × *obtusifoliiforme*](#) Sutorý
- [*Verbascum* × *obtusifolioides*](#) Hub.-Mor.
- [*Verbascum obtusifolium*](#) Hub.-Mor.
- [*Verbascum olympicum*](#) Boiss.
- [*Verbascum omanense*](#) Hub.-Mor.
- [*Verbascum* × *omissum*](#) Sutorý
- [*Verbascum oocarpum*](#) Murb.
- [*Verbascum orbicularifolium*](#) Hub.-Mor.
- [*Verbascum* × *ordymnense*](#) Rech.f.
- [*Verbascum oreodoxa*](#) Hub.-Mor.
- [*Verbascum* × *oreodoxiforme*](#) Hub.-Mor.
- [*Verbascum oreophilum*](#) K.Koch
- [*Verbascum orgyale*](#) Boiss. & Heldr.
- [*Verbascum orientale*](#) (L.) All.
- [*Verbascum orphanideum*](#) Murb.
- [*Verbascum ovalifolium*](#) Donn ex Sims
- [*Verbascum ozturkii*](#) Karavel., Uzunh. & S.Çelik
- [*Verbascum pallidiflorum*](#) Hub.-Mor.
- [*Verbascum palmyrense*](#) Post
- [*Verbascum* × *panicicii*](#) Bornm.
- [*Verbascum pangaeum*](#) Murb. & Rech.f.
- [*Verbascum paniculatum*](#) E.Wulff
- [*Verbascum* × *paphlagonicum*](#) Bornm.
- [*Verbascum* × *paradoxum*](#) Hausskn.
- [*Verbascum* × *parallelum*](#) Hausskn.
- [*Verbascum parsana*](#) Sotoodeh, Attar & Civeyrel
- [*Verbascum* × *parvifloriforme*](#) Hub.-Mor. & Nydegger
- [*Verbascum parviflorum*](#) Lam.
- [*Verbascum* × *patris*](#) (Bordz.) Bordz.
- [*Verbascum pedunculosum*](#) (Hochst. & Steud. ex Benth.) Kuntze
- [*Verbascum* × *pelitnopilodes*](#) Murb. & Rech.
- [*Verbascum pellitum*](#) Hub.-Mor.
- [*Verbascum pentelicum*](#) Murb.
- [*Verbascum peraffine*](#) (Rech.f.) Zograf. & Strid
- [*Verbascum pestalozzae*](#) Boiss.
- [*Verbascum petiolare*](#) Boiss. & Kotschy
- [*Verbascum petrae*](#) P.H.Davis & Hub.-Mor.
- [*Verbascum* × *phalereum*](#) Hausskn.
- [*Verbascum* × *philippiense*](#) Rech.f.
- [*Verbascum phlomoides*](#) L.

- [*Verbascum* × *phoeniceiforme*](#) Rothm.
- [*Verbascum phoeniceum*](#) L.
- [*Verbascum phrygium*](#) Bornm.
- [*Verbascum phyllostachyum*](#) Boiss. & Hausskn.
- [*Verbascum pinardii*](#) Boiss.
- [*Verbascum pinetorum*](#) (Boiss.) Kuntze
- [*Verbascum pinnatifidum*](#) Vahl
- [*Verbascum pinnatisectum*](#) (Batt.) Benedí
- [*Verbascum piscicidum*](#) Candargy
- [*Verbascum* × *pobicum*](#) Sutorý
- [*Verbascum* × *polyphyllopyramidatum*](#) Bordz.
- [*Verbascum ponticum*](#) (Boiss.) Kuntze
- [*Verbascum porteri*](#) Post
- [*Verbascum postianum*](#) Murb.
- [*Verbascum* × *pozanticum*](#) Hub.-Mor.
- [*Verbascum* × *praetutianum*](#) Huter
- [*Verbascum* × *prokopiense*](#) Hub.-Mor. & Rech.f.
- [*Verbascum protractum*](#) Fenzl
- [*Verbascum prunellii*](#) Rodr.Gracia & Valdés Berm.
- [*Verbascum* × *prusianiforme*](#) Hub.-Mor.
- [*Verbascum prusianum*](#) Boiss.
- [*Verbascum* × *pseudobanaticum*](#) Hub.-Mor. & Rech.f.
- [*Verbascum* × *pseudoblattaria*](#) (Gaudin) Schleich. ex W.D.J.Koch
- [*Verbascum* × *pseudochrysochaete*](#) Hub.-Mor.
- [*Verbascum pseudocreticum*](#) Benedí & J.M.Monts.
- [*Verbascum pseudodigitalis*](#) Nábelek
- [*Verbascum* × *pseudogeorgicum*](#) Hub.-Mor.
- [*Verbascum* × *pseudohajastanicum*](#) Hub.-Mor.
- [*Verbascum pseudoholotrichum*](#) Hub.-Mor.
- [*Verbascum* × *pseudolychnitis*](#) Schur
- [*Verbascum* × *pseudolydium*](#) Hub.-Mor.
- [*Verbascum pseudonobile*](#) Stoj. & Stef.
- [*Verbascum* × *pseudopterocalycinum*](#) Hub.-Mor.
- [*Verbascum* × *pseudosinuatum*](#) Hausskn.
- [*Verbascum* × *pseudosoongaricum*](#) Hub.-Mor.
- [*Verbascum* × *pseudospeciosum*](#) Rech.f.
- [*Verbascum* × *pseudothapsus*](#) Hub.-Mor.
- [*Verbascum pseudovarians*](#) Hub.-Mor.
- [*Verbascum* × *pterocalyciniforme*](#) Hub.-Mor.
- [*Verbascum pterocalycinum*](#) Hub.-Mor.
- [*Verbascum* × *pterocaulon*](#) Franch.
- [*Verbascum pterocladum*](#) Hub.-Mor.

- [Verbascum ptychophyllum](#) Boiss.
- [Verbascum pubescens](#) (Skan) Hub.-Mor.
- [Verbascum pulverulentum](#) Vill.
- [Verbascum pumiliforme](#) Hub.-Mor.
- [Verbascum pumilum](#) Boiss. & Heldr.
- [Verbascum punalense](#) Boiss. & Buhse
- [Verbascum purpureum](#) (Janka) Hub.-Mor.
- [Verbascum pycnostachyum](#) Boiss. & Heldr.
- [Verbascum pyramidatum](#) M.Bieb.
- [Verbascum pyroliforme](#) (Boiss. & Heldr.) Kuntze
- [Verbascum × quercetorum](#) Hub.-Mor.
- [Verbascum qulebicum](#) Post
- [Verbascum racemiferum](#) Boiss. & Hausskn.
- [Verbascum × ramigerum](#) Link ex Schrad.
- [Verbascum reeseanum](#) Hub.-Mor.
- [Verbascum × regelianum](#) Wirtg.
- [Verbascum reiseri](#) Halácsy
- [Verbascum renzii](#) Hub.-Mor.
- [Verbascum × rhodium](#) Rech.f.
- [Verbascum × rilaense](#) Murb.
- [Verbascum × roopianum](#) Bordz. ex Murb.
- [Verbascum roripifolium](#) (Halácsy) I.K.Ferguson
- [Verbascum rotundifolium](#) Ten.
- [Verbascum × rubiginosum](#) Waldst. & Kit.
- [Verbascum rubricaule](#) Boiss. & Heldr.
- [Verbascum × rumiciforme](#) O.Schwarz
- [Verbascum rupestre](#) (Davidov) I.K.Ferguson
- [Verbascum rupicola](#) (Hayek & Siehe) Hub.-Mor.
- [Verbascum × ruscinonense](#) Rouy
- [Verbascum saccatum](#) K.Koch
- [Verbascum × sakaryense](#) Hub.-Mor.
- [Verbascum salgirensis](#) Soldano
- [Verbascum × salmoneum](#) Troickij
- [Verbascum salviifolium](#) Boiss.
- [Verbascum × samium](#) Rech.f.
- [Verbascum samniticum](#) Ten.
- [Verbascum × sarikamischense](#) Hub.-Mor.
- [Verbascum scabridum](#) (Skan) Hub.-Mor.
- [Verbascum scamandri](#) Murb.
- [Verbascum scaposum](#) Boiss.
- [Verbascum schachdagense](#) P.P.Gritz.
- [Verbascum × schaklavense](#) Bornm. ex Murb.

- [Verbascum schimperianum](#) Boiss.
- [Verbascum × schottianum](#) Schrad.
- [Verbascum scoparium](#) Mozaff.
- [Verbascum sedgwickianum](#) (G.W.Schimp. ex Engl.) Hub.-Mor.
- [Verbascum × selimense](#) Hub.-Mor.
- [Verbascum × semialbum](#) Chaub.
- [Verbascum × semilanatum](#) Borbás
- [Verbascum × semirigidum](#) Hausskn.
- [Verbascum × semisplendidum](#) Rech.f.
- [Verbascum × semiundulatum](#) Rech.f.
- [Verbascum × semivulcanicum](#) Hub.-Mor.
- [Verbascum serpenticola](#) (Hub.-Mor.) Hub.-Mor.
- [Verbascum serratifolium](#) (Hub.-Mor.) Hub.-Mor.
- [Verbascum sessiliflorum](#) Murb.
- [Verbascum × sevanense](#) Hub.-Mor.
- [Verbascum seydischirens](#) Tugay & Ulukus
- [Verbascum shahsavarensis](#) Sotoodeh, Attar & Civeyrel
- [Verbascum sheilae](#) Hemaïd
- [Verbascum shiqrîcum](#) Hemaïd
- [Verbascum × siatistense](#) Hub.-Mor. & Rech.f.
- [Verbascum × sibyllinum](#) Sutorý
- [Verbascum siculum](#) Tod. ex Lojac.
- [Verbascum × silifkense](#) Hub.-Mor.
- [Verbascum × silvanense](#) Hub.-Mor.
- [Verbascum simavicum](#) Hub.-Mor.
- [Verbascum × simonianum](#) Hub.-Mor.
- [Verbascum simplex](#) Hoffmanns. & Link
- [Verbascum sinaiticum](#) Benth.
- [Verbascum × sinuatifolium](#) Hub.-Mor.
- [Verbascum sinuatum](#) L.
- [Verbascum × sivasicum](#) Hub.-Mor.
- [Verbascum × skamneliense](#) Hub.-Mor. & Rech.f.
- [Verbascum smyrnaeum](#) Boiss.
- [Verbascum songaricum](#) Schrenk
- [Verbascum sorgerae](#) (Hub.-Mor.) Hub.-Mor.
- [Verbascum spathulisepalum](#) Greuter & Rech.f.
- [Verbascum × speciosiforme](#) Hub.-Mor.
- [Verbascum speciosum](#) Schrad.
- [Verbascum sphenandroides](#) K.Koch
- [Verbascum spinosum](#) L.
- [Verbascum splendidum](#) Boiss.
- [Verbascum spodiotrichum](#) (Hub.-Mor.) Hub.-Mor.

- [Verbascum stachydifolium](#) Boiss. & Heldr.
- [Verbascum stachydiforme](#) Boiss. & Buhse
- [Verbascum stelurum](#) Murb.
- [Verbascum × steniense](#) Rech.f.
- [Verbascum stenocarpum](#) Boiss. & Heldr.
- [Verbascum stenostachyum](#) Hub.-Mor.
- [Verbascum stepporum](#) Hub.-Mor.
- [Verbascum × sterile](#) Hausskn.
- [Verbascum straussii](#) (Bornm.) Hub.-Mor.
- [Verbascum × stribrny](#) Murb. ex Sutorý
- [Verbascum strictum](#) E.D.Clarke
- [Verbascum × subantinori](#) Hub.-Mor.
- [Verbascum × subcaudatum](#) Hub.-Mor.
- [Verbascum × subcheiranthifolium](#) Hub.-Mor.
- [Verbascum × subcymosum](#) Hub.-Mor.
- [Verbascum × suberiocarpum](#) Hub.-Mor.
- [Verbascum × sublasianthum](#) Hub.-Mor.
- [Verbascum sublobatum](#) Murb.
- [Verbascum × submesopotamicum](#) Hub.-Mor.
- [Verbascum subnivale](#) Boiss. & Hausskn.
- [Verbascum × subphlomoides](#) Hausskn.
- [Verbascum subserratum](#) Hub.-Mor.
- [Verbascum × subsplendidum](#) Rech.f.
- [Verbascum × subvacillans](#) Rech.f.
- [Verbascum sudanicum](#) (Murb.) Hepper
- [Verbascum × sultanense](#) Bornm. ex Murb.
- [Verbascum suworowianum](#) (K.Koch) Kuntze
- [Verbascum symes](#) Murb. & Rech.f.
- [Verbascum syriacum](#) Schrad.
- [Verbascum szovitsianum](#) Boiss.
- [Verbascum tabukum](#) Hemaïd
- [Verbascum × tamderense](#) Hub.-Mor.
- [Verbascum tauri](#) Boiss. & Kotschy
- [Verbascum × tauricum](#) Hook.
- [Verbascum × tekirovense](#) Hub.-Mor.
- [Verbascum tenue](#) Murb.
- [Verbascum tenuicaule](#) (Murb.) Hub.-Mor.
- [Verbascum × terdschanense](#) Hub.-Mor.
- [Verbascum tetrandrum](#) Barratte & Murb.
- [Verbascum × thapsi](#) L.
- [Verbascum thapsus](#) L.
- [Verbascum × thessalum](#) Hausskn.

- [Verbascum tiberiadis](#) Boiss.
- [Verbascum tibesticum](#) (Quézel) Hub.-Mor.
- [Verbascum × tomentosulum](#) Freyn
- [Verbascum × torculifragum](#) Murb.
- [Verbascum tossiense](#) Freyn & Sint.
- [Verbascum transcaucasicum](#) E.Wulff
- [Verbascum transjordanicum](#) Murb.
- [Verbascum transolympicum](#) Hub.-Mor.
- [Verbascum trapifolium](#) (Stapf) Hub.-Mor.
- [Verbascum trichostylum](#) Hub.-Mor.
- [Verbascum tripolitanum](#) Boiss.
- [Verbascum tropidocarpum](#) Murb.
- [Verbascum × tschamlibelense](#) Hub.-Mor.
- [Verbascum × tschilemelekdagense](#) Hub.-Mor.
- [Verbascum × tschivrilense](#) Hub.-Mor.
- [Verbascum tuna-ekimii](#) Karavel., A.Duran & Hamzaoglu
- [Verbascum × tundscheliense](#) Hub.-Mor.
- [Verbascum turcicum](#) Bani, Adigüzel & Karavel.
- [Verbascum turcomanicum](#) Murb.
- [Verbascum turkestanicum](#) Franch.
- [Verbascum tzar-borisii](#) (Davidov ex Stoj.) Stef.-Gat.
- [Verbascum undulatum](#) Lam.
- [Verbascum urceolatum](#) Hub.-Mor.
- [Verbascum urobracteam](#) Hub.-Mor.
- [Verbascum urumoffii](#) Stoj. & Acht.
- [Verbascum uschakense](#) (Murb.) Hub.-Mor.
- [Verbascum × ustulatum](#) Celak.
- [Verbascum vacillans](#) Murb.
- [Verbascum × vajdae](#) Boros
- [Verbascum vandasii](#) (Rohlana) Rohlana
- [Verbascum vanense](#) Hub.-Mor.
- [Verbascum × varciorovae](#) Nyár.
- [Verbascum varians](#) Freyn & Sint.
- [Verbascum × versiflorum](#) Schrad.
- [Verbascum × vidavense](#) Simonk.
- [Verbascum virgatum](#) Stokes
- [Verbascum × vlassianum](#) Hub.-Mor. & Rech.f.
- [Verbascum × vodnense](#) Bornm.
- [Verbascum vulcanicum](#) Boiss. & Heldr.
- [Verbascum × vuyckii](#) Kloos
- [Verbascum wiedemannianum](#) Fisch. & C.A.Mey.
- [Verbascum wilhelmsianum](#) K.Koch

- [*Verbascum wraberi*](#) Micevski & Matevski



V. xanthopoeniceum

- [*Verbascum xanthopoeniceum*](#) Griseb.
- [*Verbascum yemense*](#) Deflers
- [*Verbascum yurtkuranianum*](#) Kaynak, Daskin & Yilmaz
- [*Verbascum zaianense*](#) (Murb.) Hub.-Mor.
- [*Verbascum* × *zlataroffii*](#) Davidov

From Wikipedia, the free encyclopedia


This is a list of accepted [species](#) of [Vanilla](#) (**vanilla orchids**), according to the most recent taxonomic research.[\[1\]](#) However, molecular phylogeny is still needed to support these findings as some morphological variations might be influenced by the local environment.[\[2\]](#)



Vanilla barbellata



Vanilla parvifolia



Vanilla chamissonis

illustration circa 1895
from "Flora Brasiliensis"

- *Vanilla abundiflora* (Borneo)
- *Vanilla acuminata* (Gabon)
- *Vanilla africana* (W & WC Tropical Africa)
- *Vanilla albida* (Indonesia)
- *Vanilla andamanica* (Andaman Islands)
- *Vanilla angustipetala* (Brazil, Paraguay, Argentina)
- *Vanilla annamica* (S China to Vietnam)

- [*Vanilla aphylla*](#) (SE Asia to Java)
- [*Vanilla appendiculata*](#) (Guyana, Surinam, Brazil, Peru)
- [*Vanilla bahiana*](#) (Brazil: Bahia)
- [*Vanilla barbellata*](#) (S Florida through Caribbean)
- [*Vanilla bertonensis*](#) (Paraguay)
- [*Vanilla bicolor*](#) (Caribbean to N South America)
- [*Vanilla borneensis*](#) (NE India, Thailand, Malaysia, Indonesia:Borneo)
- [*Vanilla bradei*](#) (Brazil: São Paulo)
- [*Vanilla calopogon*](#) (Philippines: Luzon)
- [*Vanilla calyculata*](#) (Honduras, El Salvador, Colombia)
- [*Vanilla chalottii*](#) (Gabon)
- [*Vanilla chamissonis*](#) (Brazil)
- [*Vanilla claviculata*](#) (Caribbean)
- [*Vanilla columbiana*](#) (Colombia)
- [*Vanilla coursii*](#) (Madagascar)
- [*Vanilla crenulata*](#) (W & WC Tropical Africa)
- [*Vanilla cristagalli*](#) (N Brazil)
- [*Vanilla cucullata*](#) (Cameroon)
- [*Vanilla decaryana*](#) (SW Madagascar)
- [*Vanilla diabolica*](#) (Indonesia: Sulawesi)
- [*Vanilla dilloniana*](#) (S Florida to Caribbean)
- [*Vanilla dubia*](#) (Brazil: Minas Gerais)
- [*Vanilla dungsii*](#) (Brazil)
- [*Vanilla edwallii*](#) (Brazil to Argentina)
- [*Vanilla fimbriata*](#) (Brazil, Guyana)
- [*Vanilla francoisii*](#) (NE Madagascar)
- [*Vanilla gardneri*](#) (Brazil)
- [*Vanilla giulianettii*](#) (New Guinea)
- [*Vanilla grandiflora*](#) (Venezuela, Trinidad & Tobago, Guyana, Peru, Brazil)
- [*Vanilla grandifolia*](#) (Príncipe to Zaire)
- [*Vanilla griffithii*](#) (W Malaysia)
- [*Vanilla guianensis*](#) (Guyana, Suriname, Brazil)
- [*Vanilla hallei*](#) (Gabon)
- [*Vanilla hamata*](#) (Peru)
- [*Vanilla hartii*](#) (Mexico to French Guiana & Brazil)
- [*Vanilla havilandii*](#) (Borneo)
- [*Vanilla helleri*](#) (Nicaragua, Costa Rica)
- [*Vanilla heterolopha*](#) (Gabon, Congo)
- [*Vanilla hostmannii*](#) (Colombia, Guyana, French Guiana, Suriname, Venezuela, Brazil)
- [*Vanilla humblotii*](#) (Comoros)
- [*Vanilla imperialis*](#) (W Tropical Africa to Tanzania and Angola)
- [*Vanilla inodora*](#) (Mexico and Central America)

- [*Vanilla insignis*](#) (Mexico and Central America)
- [*Vanilla kaniensis*](#) (New Guinea)
- [*Vanilla kempteriana*](#) (New Guinea)
- [*Vanilla kinabaluensis*](#) (Peninsular Malaysia to Borneo)
- [*Vanilla madagascariensis*](#) (N & NW Madagascar)
- [*Vanilla methonica*](#) (Colombia, Peru)
- [*Vanilla mexicana*](#) (S Florida, Mexico to Venezuela)
- [*Vanilla montana*](#) (Peninsular Malaysia)[3]
- [*Vanilla moonii*](#) (Sri Lanka)
- [*Vanilla nigerica*](#) (S Nigeria to Cameroon)
- [*Vanilla ochyrae*](#) (Cameroon)
- [*Vanilla odorata*](#) (S Mexico to tropical South America)
- [*Vanilla organensis*](#) (Brazil: Rio de Janeiro)
- [*Vanilla oroana*](#) (Ecuador)
- [*Vanilla ovalis*](#) (Philippines)
- [*Vanilla ovata*](#) (Venezuela & Guyana)
- [*Vanilla palembanica*](#) (Sumatra)
- [*Vanilla palmarum*](#) (Amazon Basin)
- [*Vanilla parvifolia*](#) (S Brazil to Paraguay)
- [*Vanilla penicillata*](#) (Venezuela, Brazil)
- [*Vanilla perrieri*](#) (NW Madagascar)
- [*Vanilla phaeantha*](#) (S Florida, Caribbean, Mexico, Venezuela)
- [*Vanilla phalaenopsis*](#) (Seychelles)
- [*Vanilla planifolia*](#) (Mexico & Central America, widely cultivated)
- [*Vanilla platyphylla*](#) (Indonesia: Sulawesi)
- [*Vanilla poitaei*](#) (Caribbean)
- [*Vanilla polylepis*](#) (Kenya to S tropical Africa)
- [*Vanilla pompona*](#) (Mexico, Nicaragua, Costa Rica, W Colombia, Ecuador)
- [*Vanilla ramificans*](#) (New Guinea)
- [*Vanilla ramosa*](#) (Ghana to Tanzania)
- [*Vanilla ribeiroi*](#) (Brazil, Guyana, Colombia)
- [*Vanilla roscheri*](#) (Ethiopia to NE KwaZulu-Natal)
- [*Vanilla ruiziana*](#) (Peru, Bolivia)
- [*Vanilla savannarum*](#) (Cuba)
- [*Vanilla schwackeana*](#) (Brazil: Minas Gerais)
- [*Vanilla seranica*](#) (Indonesia: Seram)
- [*Vanilla seretii*](#) (WC tropical Africa)
- [*Vanilla siamensis*](#) (S Yunnan to Thailand)
- [*Vanilla somae*](#) (China to Taiwan)
- [*Vanilla sprucei*](#) (Colombia)
- [*Vanilla sumatrana*](#) (Sumatra)
- [*Vanilla trigonocarpa*](#) (Costa Rica to N Brazil)

- [*Vanilla utteridgei*](#) (S New Guinea)
- [*Vanilla vellozii*](#) (Brazil, Paraguay, Argentina)
- [*Vanilla verrucosa*](#) (Argentina)
- [*Vanilla walkeriae*](#) (S India, Sri Lanka)
- [*Vanilla wariensis*](#) (New Guinea)
- [*Vanilla wightii*](#) (S India, Sri Lanka)
- [*Vanilla yersiniana*](#) (Thailand, Vietnam)
- [*Vanilla zanzibarica*](#) (E Africa)
- [*Vanilla* × *tahitensis*](#) (South Pacific)

References

1.
 - Soto Arenas, M.; Cribb, P. (2010). ["A new infrageneric classification and synopsis of the Genus *Vanilla* Plum. ex Mill.\(Orchidaceae: Vanillinae\)"](#) (PDF). *Lankesteriana*. **9** (3): 355–398.
 - Odoux, Eric; Grisoni, Michel (2010). [Vanilla](#). CRC Press. pp. [15](#)–16. [ISBN](#) .
3. Akmal Raff; Farah Alia Nordin; Jamilah Mohd Salim; Hardy Adrian A. Chin (October 2020). ["Vanilla montana Ridl., a new locality record in Peninsular Malaysia and its amended description"](#) (PDF). *Journal of Sustainability Science and Management*. **15** (7): 49–55. [doi:10.46754/jssm.2020.10.006](#).

External links



Wikimedia Commons has media related to [**Vanilla**](#).

- [U.S. Plants Database](#)

Categories:

- [Vanilla](#)
- [Lists of plant species](#)
-

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [**Valeriana**](#), the **valerians**, are accepted by [Plants of the World Online](#).^[1] The South American genus *Fedia* was found to be nested within *Valeriana*.^[2]

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Valeriana acutiloba*](#) Rydb.
- [*Valeriana adscendens*](#) Turcz.
- [*Valeriana aegaea*](#) Christenh. & Byng
- [*Valeriana aequiloba*](#) Clos
- [*Valeriana agrimoniifolia*](#) Killip
- [*Valeriana ajanensis*](#) Kom.
- [*Valeriana albiflora*](#) (Sharipova) Sharipova
- [*Valeriana albonervata*](#) B.L.Rob. ex Seaton
- [*Valeriana alliariifolia*](#) Vahl
- [*Valeriana alpestris*](#) Steven
- [*Valeriana altaica*](#) Sumnev.

- [*Valeriana alternifolia*](#) Ledeb.
- [*Valeriana alypifolia*](#) Kunth
- [*Valeriana amarella*](#) (Lindh. ex Engelm.) Christenh. & Byng
- [*Valeriana amazonum*](#) (Fridl. & A.Raynal) Christenh. & Byng
- [*Valeriana amurensis*](#) P.A.Smirn. ex Kom.
- [*Valeriana angustifolia*](#) Mill.
- [*Valeriana aphanoptera*](#) (A.Gray) Byng & Christenh.
- [*Valeriana apiifolia*](#) A.Gray ex S.Watson
- [*Valeriana apula*](#) Pourr.
- [*Valeriana arborea*](#) Killip & Cuatrec.
- [*Valeriana aretiastrea*](#) Christenh. & Byng
- [*Valeriana aretioides*](#) Kunth
- [*Valeriana arizonica*](#) A.Gray
- [*Valeriana arkansana*](#) Christenh. & Byng
- [*Valeriana armena*](#) P.A.Smirn.
- [*Valeriana asarifolia*](#) Dufr.
- [*Valeriana aschersoniana*](#) Graebn. ex Weberb.
- [*Valeriana asplenifolia*](#) Killip
- [*Valeriana asterothrix*](#) Killip
- [*Valeriana atacamensis*](#) Borsini
- [*Valeriana* × *aurigerana*](#) (Giraudias) Christenh. & Byng

B

- [*Valeriana baltana*](#) Graebn.
- [*Valeriana bambusicaulis*](#) Killip
- [*Valeriana barbareaifolia*](#) M.Martens & Galeotti
- [*Valeriana barbulata*](#) Diels
- [*Valeriana battandieri*](#) (Maire) Christenh. & Byng
- [*Valeriana beddomei*](#) C.B.Clarke
- [*Valeriana belonantha*](#) Christenh. & Byng
- [*Valeriana bertisceae*](#) Pancic
- [*Valeriana boelckeae*](#) Rossow
- [*Valeriana boliviana*](#) Britton
- [*Valeriana bolkarica*](#) Contandr. & Quézel
- [*Valeriana bornmuelleri*](#) Pilg.
- [*Valeriana borsinii*](#) Rossow
- [*Valeriana brachystemon*](#) (Fisch. & C.A.Mey.) Byng & Christenh.
- [*Valeriana bracteata*](#) Benth.
- [*Valeriana bracteosa*](#) Phil.
- [*Valeriana bractescens*](#) (Hook.) Höck
- [*Valeriana* × *braunii-blauquetii*](#) Laku ic
- [*Valeriana bridgesii*](#) Hook. & Arn.

- [*Valeriana briquetiana*](#) H.Lév.
- [*Valeriana bryophila*](#) Barrie
- [*Valeriana buxifolia*](#) F.G.Mey.

C

- [*Valeriana calcitrapae*](#) L.
- [*Valeriana californica*](#) A.Heller
- [*Valeriana calvescens*](#) Briq.
- [*Valeriana calycina*](#) (Maire) Christenh. & Byng
- [*Valeriana candolleana*](#) Gardner
- [*Valeriana caparaoensis*](#) Rabuske, Sobral & Iganci
- [*Valeriana capensis*](#) Thunb.
- [*Valeriana capitata*](#) Pall. ex Link
- [*Valeriana cardamines*](#) M.Bieb.
- [*Valeriana carinata*](#) (Loisel.) Christenh. & Byng
- [*Valeriana carnosa*](#) Sm.
- [*Valeriana castellanosi*](#) Borsini
- [*Valeriana catharinensis*](#) Graebn.
- [*Valeriana caucasica*](#) (Boiss.) Christenh. & Byng
- [*Valeriana celtica*](#) L.
- [*Valeriana cephalantha*](#) Schltdl.
- [*Valeriana ceratophylla*](#) Kunth
- [*Valeriana cernua*](#) B.Eriksen
- [*Valeriana cerosifolia*](#) Xena
- [*Valeriana chaerophylloides*](#) Sm.
- [*Valeriana chamaedryfolia*](#) Cham. & Schltdl.
- [*Valeriana chenopodiifolia*](#) (Pursh) Christenh. & Byng
- [*Valeriana chiapensis*](#) Barrie
- [*Valeriana chilensis*](#) Borsini
- [*Valeriana chionophila*](#) Popov & Kult.
- [*Valeriana ciliosa*](#) (Greene) Byng & Christenh.
- [*Valeriana clarionifolia*](#) Phil.
- [*Valeriana clarkei*](#) Briq.
- [*Valeriana clematidis*](#) Kunth
- [*Valeriana coarctata*](#) Ruiz & Pav.
- [*Valeriana colchica*](#) Utkin
- [*Valeriana coleophylla*](#) Diels
- [*Valeriana columbiana*](#) Piper
- [*Valeriana comosa*](#) B.Eriksen
- [*Valeriana condamoana*](#) Graebn.
- [*Valeriana congesta*](#) (Lindl.) Byng & Christenh.
- [*Valeriana connata*](#) Ruiz & Pav.

- [*Valeriana convallarioides*](#) (Schmale) B.B.Larsen
- [*Valeriana cornucopiae*](#) L.
- [*Valeriana coronata*](#) (L.) Mill.
- [*Valeriana corymbulosa*](#) (Wedd.) Cabrera
- [*Valeriana corynodes*](#) Borsini
- [*Valeriana costata*](#) Schmale
- [*Valeriana crassifolia*](#) Kunth
- [*Valeriana crassipes*](#) (Wedd.) Höck
- [*Valeriana crinii*](#) Orph. ex Boiss.
- [*Valeriana crispa*](#) Ruiz & Pav.
- [*Valeriana cuatrecasasii*](#) F.G.Mey.
- [*Valeriana cucurbitifolia*](#) Standl.
- [*Valeriana cumbemayensis*](#) B.Eriksen
- [*Valeriana cyclophylla*](#) Graebn.

D

- [*Valeriana daghestanica*](#) Rupr. ex Boiss.
- [*Valeriana daphniflora*](#) Hand.-Mazz.
- [*Valeriana davyana*](#) (Jeps.) Christenh. & Byng
- [*Valeriana decussata*](#) Ruiz & Pav.
- [*Valeriana deltoidea*](#) F.G.Mey.
- [*Valeriana densa*](#) (Wedd.) Höck
- [*Valeriana densiflora*](#) Benth.
- [*Valeriana dentata*](#) (L.) All.
- [*Valeriana descolei*](#) Borsini
- [*Valeriana dinorrhiza*](#) (Griseb.) Höck
- [*Valeriana dioica*](#) L.
- [*Valeriana dipsacoides*](#) Graebn.
- [*Valeriana discoidea*](#) (L.) Willd.
- [*Valeriana domingensis*](#) Urb.
- [*Valeriana dorotheae*](#) (Weberling) Christenh. & Byng
- [*Valeriana dubia*](#) Bunge

E

- [*Valeriana echinata*](#) L.
- [*Valeriana edulis*](#) Nutt.
- [*Valeriana edwardsensis*](#) Christenh. & Byng
- [*Valeriana effusa*](#) Griseb.
- [*Valeriana eichleriana*](#) (C.A.Müll.) Graebn.
- [*Valeriana* × *ekmanii*](#) F.G.Mey.
- [*Valeriana elongata*](#) Jacq.

- [*Valeriana emmanuelii*](#) Rzed. & Calderón
- [*Valeriana engleriana*](#) Höck
- [*Valeriana erikae*](#) (Graebn.) Christenh. & Byng
- [*Valeriana eriocarpa*](#) (Desv.) Christenh. & Byng
- [*Valeriana eriophylla*](#) (Ledeb.) Utkin
- [*Valeriana erotica*](#) Christenh. & Byng
- [*Valeriana eupatoria*](#) Sobral
- [*Valeriana excelsa*](#) Poir.
- [*Valeriana extincta*](#) Christenh. & Byng

F

- [*Valeriana fauriei*](#) Briq.
- [*Valeriana fedtschenkoi*](#) Coincy
- [*Valeriana ferax*](#) (Griseb.) Höck
- [*Valeriana ficariifolia*](#) Boiss.
- [*Valeriana flaccidissima*](#) Maxim.
- [*Valeriana flagellifera*](#) Batalin
- [*Valeriana florifera*](#) (Shinners) Christenh. & Byng
- [*Valeriana fonkii*](#) Phil.
- [*Valeriana fragilis*](#) Clos

G

- [*Valeriana gaimanensis*](#) N.Nagah.
- [*Valeriana galeottiana*](#) M.Martens
- [*Valeriana gallinae*](#) Barrie
- [*Valeriana* × *gesneri*](#) Brügger
- [*Valeriana gibbosa*](#) (Suksd.) Christenh. & Byng
- [*Valeriana gilgiana*](#) Graebn.
- [*Valeriana* × *gillotii*](#) (Giraudias) ined.
- [*Valeriana glaziovii*](#) Taub.
- [*Valeriana glechomifolia*](#) F.G.Mey.
- [*Valeriana globiflora*](#) Ruiz & Pav.
- [*Valeriana globularioides*](#) Graebn.
- [*Valeriana globularis*](#) A.Gray
- [*Valeriana graciliflora*](#) (Fisch. & C.A.Mey.) Byng & Christenh.
- [*Valeriana gracilipes*](#) Clos
- [*Valeriana granataea*](#) Xena
- [*Valeriana grandifolia*](#) Phil.
- [*Valeriana grisiana*](#) Wedd.
- [*Valeriana grossheimii*](#) Vorosch.

H

- [*Valeriana hadros*](#) Graebn.
- [*Valeriana hardwickei*](#) Wall.
- [*Valeriana hebecarpa*](#) DC.
- [*Valeriana hengduanensis*](#) D.Y.Hong
- [*Valeriana henrici*](#) (Graebn.) B.Eriksen
- [*Valeriana herrerae*](#) Killip
- [*Valeriana heterocarpa*](#) (Pomel) Christenh. & Byng
- [*Valeriana hiemalis*](#) Graebn.
- [*Valeriana himachalensis*](#) V.Prakash & Mehrotra
- [*Valeriana himalayana*](#) Grubov
- [*Valeriana hirsuta*](#) (Emb. & Maire) Christenh. & Byng
- [*Valeriana hirtella*](#) Kunth
- [*Valeriana hirticalyx*](#) L.C.Chiu
- [*Valeriana hornschuchiana*](#) Walp.
- [*Valeriana hsui*](#) M.J.Jung
- [*Valeriana humahuacensis*](#) Borsini
- [*Valeriana humboldtii*](#) Hook. & Arn.
- [*Valeriana hunzikeri*](#) Borsini
- [*Valeriana hyalinorrhiza*](#) Ruiz & Pav.

I

- [*Valeriana ibika*](#) Christenh. & Byng
- [*Valeriana iganciana*](#) C.Rabuske & J.Külkamp
- [*Valeriana imbricata*](#) Killip
- [*Valeriana inconspicua*](#) (Wedd.) Höck
- [*Valeriana insignis*](#) (Suksd.) Christenh. & Byng
- [*Valeriana interrupta*](#) Ruiz & Pav.
- [*Valeriana isoetifolia*](#) Killip
- [*Valeriana italica*](#) Lam.

J

- [*Valeriana jaeschkei*](#) C.B.Clarke
- [*Valeriana jasminoides*](#) Briq.
- [*Valeriana jatamansi*](#) Jones ex Roxb.
- [*Valeriana jelenevskyi*](#) P.A.Smirn.
- [*Valeriana johannae*](#) Weberling
- [*Valeriana juncea*](#) (Boiss. & Heldr.) Christenh. & Byng

K

- [*Valeriana kamelinii*](#) Sharipova
- [*Valeriana karstenii*](#) Briq.
- [*Valeriana kassarica*](#) Kharadze & Kapeller
- [*Valeriana kawakamii*](#) Hayata
- [*Valeriana kellereri*](#) (Stoj., Stef. & T.Georgiev) Christenh. & Byng
- [*Valeriana kilimandscharica*](#) Engl.
- [*Valeriana kotschyi*](#) (Boiss.) Christenh. & Byng
- [*Valeriana kurtziana*](#) Borsini

L

- [*Valeriana laciniosa*](#) M.Martens & Galeotti
- [*Valeriana lanata*](#) Christenh. & Byng
- [*Valeriana lancifolia*](#) Hand.-Mazz.
- [*Valeriana langei*](#) Christenh. & Byng
- [*Valeriana lapathifolia*](#) Vahl
- [*Valeriana lasiocarpa*](#) Griseb.
- [*Valeriana laxiflora*](#) DC.
- [*Valeriana laxissima*](#) Standl. & L.O.Williams
- [*Valeriana lecoqii*](#) (Jord.) Christenh. & Byng
- [*Valeriana ledoides*](#) Graebn.
- [*Valeriana lepidota*](#) Clos
- [*Valeriana leptothyrsos*](#) Graebn.
- [*Valeriana leschenaultii*](#) DC.
- [*Valeriana leucocarpa*](#) DC.
- [*Valeriana leucophaea*](#) DC.
- [*Valeriana locusta*](#) L.
- [*Valeriana longiflora*](#) Willk.
- [*Valeriana longitubulosa*](#) (Schmale) B.Eriksen
- [*Valeriana lyrata*](#) Vahl

M

- [*Valeriana macbridei*](#) Killip
- [*Valeriana macrocera*](#) (Torr. & A.Gray) Byng & Christenh.
- [*Valeriana macropoda*](#) Greenm.
- [*Valeriana macrorhiza*](#) Poepp. ex DC.
- [*Valeriana macrosiphon*](#) (Boiss.) Bailly
- [*Valeriana maipoana*](#) Ravenna
- [*Valeriana malvacea*](#) Graebn.
- [*Valeriana mandoniana*](#) (Wedd.) Höck

- [*Valeriana mandonii*](#) Britton
- [*Valeriana mapirensis*](#) (Britton) Weberling
- [*Valeriana maroccana*](#) (Rouy) Christenh. & Byng
- [*Valeriana martini*](#) (Losco) Christenh. & Byng
- [*Valeriana martjanovii*](#) Krylov
- [*Valeriana matheziana*](#) Christenh. & Byng
- [*Valeriana meonantha*](#) C.Y.Cheng & H.B.Chen
- [*Valeriana merxmuelleri*](#) W.Seitz
- [*Valeriana microphylla*](#) Kunth
- [*Valeriana micropterina*](#) Wedd.
- [*Valeriana minor*](#) (Hook.) Byng & Christenh.
- [*Valeriana minutiflora*](#) Hand.-Mazz.
- [*Valeriana montana*](#) L.
- [*Valeriana moonii*](#) Arn. ex C.B.Clarke
- [*Valeriana moorei*](#) Barrie
- [*Valeriana moyanoi*](#) Speg.
- [*Valeriana muelleri*](#) Graebn.
- [*Valeriana munozii*](#) Borsini
- [*Valeriana murrayi*](#) Krasnob. & Berkut.
- [*Valeriana mussooriensis*](#) V.Prakash, Aswal & Mehrotra

N

- [*Valeriana nahuelbutae*](#) Penneck.
- [*Valeriana naidae*](#) Barrie
- [*Valeriana neglecta*](#) R.Bernal
- [*Valeriana nelsonii*](#) Greenm.
- [*Valeriana nevadensis*](#) (Boiss.) Christenh. & Byng
- [*Valeriana nigricans*](#) Graebn.
- [*Valeriana niphobia*](#) Briq.
- [*Valeriana nivalis*](#) Wedd.
- [*Valeriana nuttallii*](#) (Torr. & A.Gray) Christenh. & Byng ([unplaced](#))

O

- [*Valeriana oaxacana*](#) Barrie
- [*Valeriana oblongifolia*](#) Ruiz & Pav.
- [*Valeriana obtusifolia*](#) DC.
- [*Valeriana obtusiloba*](#) (Boiss.) Christenh. & Byng
- [*Valeriana occidentalis*](#) A.Heller
- [*Valeriana officinalis*](#) L.
- [*Valeriana olenaea*](#) Boiss. & Heldr.
- [*Valeriana oligantha*](#) Boiss. & Heldr.

- [*Valeriana orbiculata*](#) Sm.
- [*Valeriana organensis*](#) (C.A.Müll.) Gardner
- [*Valeriana otomiana*](#) Barrie
- [*Valeriana oxyrhyncha*](#) (Fisch. & C.A.Mey.) Christenh. & Byng
- [*Valeriana ozarkana*](#) (Dyal) Christenh. & Byng

P

- [*Valeriana pallescens*](#) (Maire) Byng & Christenh.
- [*Valeriana palmatiloba*](#) F.G.Mey.
- [*Valeriana palmeri*](#) A.Gray
- [*Valeriana paniculata*](#) Ruiz & Pav.
- [*Valeriana papilla*](#) Bertero ex DC.
- [*Valeriana pardoana*](#) Graebn.
- [*Valeriana parvula*](#) Killip
- [*Valeriana pauciflora*](#) Michx.
- [*Valeriana paucijuga*](#) Sumnev.
- [*Valeriana paulae*](#) (Graebn.) Christenh. & Byng
- [*Valeriana peltata*](#) Clos
- [*Valeriana pennellii*](#) Killip
- [*Valeriana petersenii*](#) Weberling & Reese-Krug
- [*Valeriana petrophila*](#) Bunge
- [*Valeriana philippiana*](#) Briq.
- [*Valeriana phitosiana*](#) Quézel & Contandr.
- [*Valeriana phu*](#) L.
- [*Valeriana phyllicoides*](#) (Turcz.) Briq.
- [*Valeriana pilosa*](#) Ruiz & Pav.
- [*Valeriana pinnatifida*](#) Ruiz & Pav.
- [*Valeriana plagiostephana*](#) (Fisch. & C.A.Mey.) Christenh. & Byng
- [*Valeriana plectritoides*](#) Graebn.
- [*Valeriana pleurota*](#) Christenh. & Byng
- [*Valeriana polemonifolia*](#) Phil.
- [*Valeriana polybotrya*](#) (Griseb.) Höck
- [*Valeriana polyclada*](#) Briq.
- [*Valeriana polystachya*](#) Sm.
- [*Valeriana pontica*](#) (Lipsky) Christenh. & Byng
- [*Valeriana potopensis*](#) Briq.
- [*Valeriana pratensis*](#) Dierb.
- [*Valeriana prionophylla*](#) Standl.
- [*Valeriana protenta*](#) B.Eriksen
- [*Valeriana psychrophila*](#) Briq.
- [*Valeriana pulchella*](#) M.Martens & Galeotti
- [*Valeriana pulvinata*](#) (Rauh & Willer) Christenh. & Byng

- [*Valeriana pumila*](#) (L.) Willd.
- [*Valeriana punctata*](#) F.G.Mey.
- [*Valeriana pycnantha*](#) A.Gray
- [*Valeriana pyramidalis*](#) Kunth
- [*Valeriana pyrenaica*](#) L.
- [*Valeriana pyricarpa*](#) Borsini
- [*Valeriana pyrolifolia*](#) Decne.

Q

- [*Valeriana quadrangularis*](#) Kunth
- [*Valeriana quindiensis*](#) Killip
- [*Valeriana quirorana*](#) Xena

R

- [*Valeriana radicalis*](#) Clos
- [*Valeriana radicata*](#) Graebn.
- [*Valeriana reitziana*](#) Borsini
- [*Valeriana renifolia*](#) Killip
- [*Valeriana reverdattoana*](#) Sumnev.
- [*Valeriana rhizantha*](#) A.Gray
- [*Valeriana rigida*](#) Ruiz & Pav.
- [*Valeriana rimosa*](#) (Bastard) Christenh. & Byng
- [*Valeriana robertianifolia*](#) Briq.
- [*Valeriana rosaliana*](#) F.G.Mey.
- [*Valeriana rossica*](#) P.A.Smirn.
- [*Valeriana roylei*](#) Klotzsch
- [*Valeriana rubra*](#) L.
- [*Valeriana rufescens*](#) Killip
- [*Valeriana ruizlealii*](#) Borsini
- [*Valeriana rumicoides*](#) Wedd.
- [*Valeriana rusbyi*](#) Britton
- [*Valeriana rzedowskiorum*](#) Barrie

S

- [*Valeriana salicariifolia*](#) Vahl
- [*Valeriana saliunca*](#) All.
- [*Valeriana samolifolia*](#) (Bertero) Colla
- [*Valeriana saxatilis*](#) L.
- [*Valeriana saxicola*](#) C.A.Mey.
- [*Valeriana scandens*](#) L.

- [*Valeriana schachristanica*](#) Kamelin & B.A.Sharipova
- [*Valeriana sclerocarpa*](#) (Fisch. & C.A.Mey.) Christenh. & Byng
- [*Valeriana scouleri*](#) Rydb.
- [*Valeriana secunda*](#) B.Eriksen
- [*Valeriana sedifolia*](#) d'Urv.
- [*Valeriana selerorum*](#) Graebn. & Loes.
- [*Valeriana senecioides*](#) Phil.
- [*Valeriana serrata*](#) Ruiz & Pav.
- [*Valeriana serratifolia*](#) J.M.Acosta, L.Salomón & C.A.Zanotti
- [*Valeriana sibthorpii*](#) (Heldr. & Sart. ex Boiss.) Christenh. & Byng
- [*Valeriana sichuanica*](#) D.Y.Hong
- [*Valeriana sieberi*](#) (Heldr.) Christenh. & Byng
- [*Valeriana sisymbriifolia*](#) Vahl
- [*Valeriana sitchensis*](#) Bong.
- [*Valeriana smithii*](#) Killip
- [*Valeriana sobraliana*](#) Rabuske & Iganci
- [*Valeriana sorbifolia*](#) Kunth
- [*Valeriana spathulata*](#) Ruiz & Pav.
- [*Valeriana speluncaria*](#) Boiss.
- [*Valeriana sphaerocarpa*](#) Phil.
- [*Valeriana sphaerocephala*](#) Graebn.
- [*Valeriana sphaerophora*](#) Graebn.
- [*Valeriana spicata*](#) (Turcz.) Briq.
- [*Valeriana spiroflora*](#) B.B.Larsen
- [*Valeriana stenophylla*](#) Killip
- [*Valeriana stenoptera*](#) Diels
- [*Valeriana stolonifera*](#) Czern.
- [*Valeriana stracheyi*](#) C.B.Clarke
- [*Valeriana stricta*](#) Clos
- [*Valeriana stuckertii*](#) Briq.
- [*Valeriana sulcata*](#) (Pomel) Christenh. & Byng
- [*Valeriana supina*](#) Ard.
- [*Valeriana szovitsiana*](#) (Fisch. & C.A.Mey.) Christenh. & Byng

T

- [*Valeriana tachirensis*](#) Xena
- [*Valeriana tafiensis*](#) Borsini
- [*Valeriana tajuensis*](#) Sobral
- [*Valeriana tanacetifolia*](#) F.G.Mey.
- [*Valeriana tangutica*](#) Batalin
- [*Valeriana tatamana*](#) Killip
- [*Valeriana tessendorffiana*](#) Graebn.

- [Valeriana texana](#) Steyererm.
- [Valeriana theodorici](#) (Weberling) B.Eriksen
- [Valeriana tiliifolia](#) Troickij
- [Valeriana tomentosa](#) Kunth
- [Valeriana transjensis](#) Kreyer
- [Valeriana trichomanes](#) Graebn.
- [Valeriana trichostoma](#) Hand.-Mazz.
- [Valeriana trinervis](#) Viv.
- [Valeriana triphylla](#) Kunth
- [Valeriana triplaris](#) (Boiss. & Buhse) Christenh. & Byng
- [Valeriana triplinervis](#) (Turcz.) Briq.
- [Valeriana tripteris](#) L.
- [Valeriana tuberculata](#) (Boiss.) Christenh. & Byng
- [Valeriana tuberifera](#) Graebn.
- [Valeriana tuberosa](#) L.
- [Valeriana tucumana](#) Borsini
- [Valeriana tunuyanense](#) Méndez
- [Valeriana turgida](#) (Steven) Christenh. & Byng
- [Valeriana turkestanica](#) Sumnev.
- [Valeriana tzotziliana](#) Barrie

U

- [Valeriana ulei](#) Graebn.
- [Valeriana uliginosa](#) (Torr. & A.Gray) Rydb.
- [Valeriana umbilicata](#) (Sull.) Christenh. & Byng
- [Valeriana uncinata](#) M.Bieb.
- [Valeriana urbani](#) Phil.
- [Valeriana urticifolia](#) Kunth

V

- [Valeriana vaga](#) Clos
- [Valeriana vaginata](#) Kunth
- [Valeriana valdiviana](#) Phil.
- [Valeriana velutina](#) Clos
- [Valeriana venezuelana](#) Briq.
- [Valeriana verrucosa](#) Schmale
- [Valeriana verticillata](#) Clos
- [Valeriana vesicaria](#) (L.) Mill.
- [Valeriana vetasana](#) Killip
- [Valeriana vilcabambensis](#) Sylvester & Barrie
- [Valeriana virescens](#) Clos

- [*Valeriana virgata*](#) Ruiz & Pav.
- [*Valeriana volkensii*](#) Engl.

W

- [*Valeriana wandae*](#) (Graebn. & Tessend.) Christenh. & Byng
- [*Valeriana warburgii*](#) Graebn.
- [*Valeriana weberbaueri*](#) Graebn.
- [*Valeriana weddelliana*](#) Rouy
- [*Valeriana wolgensis*](#) Kazak.
- [*Valeriana woodsiana*](#) (Torr. & A.Gray) Christenh. & Byng

Z

- [*Valeriana zamoranensis*](#) Rzed. & Calderón
- [*Valeriana zapotecana*](#) Barrie

References

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [***Vaccinium***](#), containing the cranberries, blueberries, bilberries (whortleberries), lingonberries (cowberries), and huckleberries, are accepted by [Plants of the World Online](#).^[1] This taxon is highly [polyphyletic](#).^[2]

- [*Vaccinium absconditum*](#) J.J.Sm.
- [*Vaccinium acrobracteatum*](#) K.Schum.
- [*Vaccinium acutissimum*](#) F.Muell.
- [*Vaccinium adenochoetum*](#) Sleumer
- [*Vaccinium adenotrichum*](#) Sleumer
- [*Vaccinium agusanense*](#) Elmer
- [*Vaccinium aitapense*](#) Sleumer
- [*Vaccinium alainii*](#) Acuña & Roíg
- [*Vaccinium albicans*](#) Sleumer
- [*Vaccinium albidens*](#) H.Lév. & Vaniot
- [*Vaccinium almedae*](#) Wilbur & Luteyn
- [*Vaccinium altiterrae*](#) Veldkamp
- [*Vaccinium alvarezii*](#) Merr.
- [*Vaccinium amakhangium*](#) S.Panda & Sanjappa
- [*Vaccinium amazonicum*](#) Pedraza & Luteyn
- [*Vaccinium ambivalens*](#) Sleumer
- [*Vaccinium amblyandrum*](#) F.Muell.

- [*Vaccinium amphoterum*](#) Sleumer
- [*Vaccinium amplexicaule*](#) J.J.Sm.
- [*Vaccinium ampullaceum*](#) Sleumer
- [*Vaccinium angiense*](#) Kaneh. & Hatus.
- [*Vaccinium angustifolium*](#) Aiton
- [*Vaccinium apiculatum*](#) Sleumer
- [*Vaccinium apophysatum*](#) Sleumer
- [*Vaccinium appendiculatum*](#) Schltr.
- [*Vaccinium arboreum*](#) Marshall
- [*Vaccinium arbutoides*](#) C.B.Clarke
- [*Vaccinium arctostaphylos*](#) L.
- [*Vaccinium ardisioides*](#) Hook.f. ex C.B.Clarke
- [*Vaccinium aristatum*](#) Luteyn & Pedraza
- [*Vaccinium artum*](#) J.J.Sm.
- [*Vaccinium* × *atlanticum*](#) E.P.Bicknell
- [*Vaccinium aucupis*](#) Sleumer
- [*Vaccinium auriculifolium*](#) Sleumer
- [*Vaccinium bancanum*](#) Miq.
- [*Vaccinium banksii*](#) Merr.
- [*Vaccinium barandanum*](#) S.Vidal
- [*Vaccinium barbatum*](#) J.J.Sm.
- [*Vaccinium bartlettii*](#) Merr.
- [*Vaccinium beamanianum*](#) Wilbur & Luteyn
- [*Vaccinium benguetense*](#) S.Vidal
- [*Vaccinium besagiense*](#) J.J.Sm.
- [*Vaccinium bissei*](#) R.Berazaín
- [*Vaccinium blepharocalyx*](#) Schltr.
- [*Vaccinium bocatorensis*](#) Wilbur
- [*Vaccinium bodenii*](#) Wernham
- [*Vaccinium boninense*](#) Nakai
- [*Vaccinium boreale*](#) I.V.Hall & Aalders
- [*Vaccinium brachyandrum*](#) C.Y.Wu & R.C.Fang
- [*Vaccinium brachybotrys*](#) (Franch.) Handl.-Mazz.
- [*Vaccinium brachycladum*](#) Sleumer
- [*Vaccinium brachygyne*](#) J.J.Sm.
- [*Vaccinium brachytrichum*](#) Sleumer
- [*Vaccinium bracteatum*](#) Thunb.
- [*Vaccinium brassii*](#) Sleumer
- [*Vaccinium breedlovei*](#) L.O.Williams
- [*Vaccinium brevipedicellatum*](#) C.Y.Wu
- [*Vaccinium brevipedunculatum*](#) J.J.Sm.
- [*Vaccinium* × *brunoense*](#) P.W.Fritsch

- [*Vaccinium bullatum*](#) (Dop) Sleumer
- [*Vaccinium bulleyanum*](#) (Diels) Sleumer
- [*Vaccinium caesariense*](#) Mack.
- [*Vaccinium calycinum*](#) Sm.
- [*Vaccinium camiguinense*](#) Merr.
- [*Vaccinium campanense*](#) Wilbur & Luteyn
- [*Vaccinium candidum*](#) Veldkamp
- [*Vaccinium capillatum*](#) Sleumer
- [*Vaccinium cardiophorum*](#) Sleumer
- [*Vaccinium carlesii*](#) Dunn
- [*Vaccinium carneolum*](#) Sleumer
- [*Vaccinium* × *carolinianum*](#) Ashe
- [*Vaccinium caudatum*](#) Warb.
- [*Vaccinium cavendishioides*](#) Sleumer
- [*Vaccinium cavinerve*](#) C.Y.Wu
- [*Vaccinium cebuense*](#) Salares & Pelser
- [*Vaccinium centrocelebicum*](#) Sleumer
- [*Vaccinium ceraceum*](#) Argent
- [*Vaccinium ceramense*](#) Sleumer
- [*Vaccinium cercidifolium*](#) J.J.Sm.
- [*Vaccinium cereum*](#) (L.f.) G.Forst.
- [*Vaccinium cespitosum*](#) Michx.
- [*Vaccinium chaetothrix*](#) Sleumer
- [*Vaccinium chamaebuxus*](#) C.Y.Wu
- [*Vaccinium chengiae*](#) W.P.Fang
- [*Vaccinium chihuahuense*](#) Wilbur & Luteyn
- [*Vaccinium chimantense*](#) Maguire, Steyerl. & Luteyn
- [*Vaccinium chlaenophyllum*](#) Vuong, V.H.Bui & V.S.Dang
- [*Vaccinium chunii*](#) Merr. ex Sleumer
- [*Vaccinium ciliatum*](#) Thunb.
- [*Vaccinium claoxylon*](#) J.J.Sm.
- [*Vaccinium clementis*](#) Merr.
- [*Vaccinium coarctatum*](#) M.N.Tamayo & Fernando[3]
- [*Vaccinium coelorum*](#) Wernham
- [*Vaccinium commutatum*](#) Mabb. & Sleumer
- [*Vaccinium conchophyllum*](#) Rehder
- [*Vaccinium confertum*](#) Kunth
- [*Vaccinium consanguineum*](#) Klotzsch
- [*Vaccinium continuum*](#) Luteyn & Pedraza
- [*Vaccinium contractum*](#) Sleumer
- [*Vaccinium convallariiflorum*](#) J.J.Sm.
- [*Vaccinium convexifolium*](#) J.J.Sm.

- [*Vaccinium cordifolium*](#) (M.Martens & Galeotti) Hemsl.
- [*Vaccinium coriaceum*](#) Hook.f.
- [*Vaccinium cornigerum*](#) Sleumer
- [*Vaccinium corymbodendron*](#) Dunal
- [*Vaccinium corymbosum*](#) L.
- [*Vaccinium costaricense*](#) Wilbur & Luteyn
- [*Vaccinium costerifolium*](#) Sleumer
- [*Vaccinium craspedotum*](#) Sleumer
- [*Vaccinium crassiflorum*](#) J.J.Sm.
- [*Vaccinium crassifolium*](#) Andrews
- [*Vaccinium crassistylum*](#) Sleumer
- [*Vaccinium crassivenium*](#) Sleumer
- [*Vaccinium crenatifolium*](#) Sleumer
- [*Vaccinium crenatum*](#) (G.Don) Sleumer
- [*Vaccinium crinigerum*](#) Kloet
- [*Vaccinium cruentum*](#) Sleumer
- [*Vaccinium cubense*](#) Griseb.
- [*Vaccinium culminicola*](#) Wernham
- [*Vaccinium cumingianum*](#) S.Vidal
- [*Vaccinium cuneifolium*](#) (Blume) Miq.
- [*Vaccinium cuspidifolium*](#) C.Y.Wu & R.C.Fang
- [*Vaccinium cyclopense*](#) J.J.Sm.
- [*Vaccinium cylindraceum*](#) Sm.
- [*Vaccinium damingshanense*](#) Y.H.Tong & N.H.Xia
- [*Vaccinium daphniphyllum*](#) Schltr.
- [*Vaccinium darrowii*](#) Camp
- [*Vaccinium debilescens*](#) Sleumer
- [*Vaccinium decumbens*](#) J.J.Sm.
- [*Vaccinium delavayi*](#) Franch.
- [*Vaccinium deliciosum*](#) Piper
- [*Vaccinium dendrocharis*](#) Hand.-Mazz.
- [*Vaccinium densifolium*](#) J.J.Sm.
- [*Vaccinium dentatum*](#) Sm.
- [*Vaccinium dependens*](#) (G.Don) Sleumer
- [*Vaccinium dialypetalum*](#) J.J.Sm.
- [*Vaccinium dictyoneuron*](#) Sleumer
- [*Vaccinium didymanthum*](#) Dunal
- [*Vaccinium distichum*](#) Luteyn
- [*Vaccinium* × *dobbini*](#) Burnham
- [*Vaccinium dominans*](#) Sleumer
- [*Vaccinium dubiosum*](#) J.J.Sm.
- [*Vaccinium duclouxii*](#) (H.Lév.) Hand.-Mazz.

- [*Vaccinium dunalianum*](#) Wight
- [*Vaccinium dunnianum*](#) Sleumer
- [*Vaccinium ekmanii*](#) R.Berazaín
- [*Vaccinium elegans*](#) Elmer
- [*Vaccinium elliptifolium*](#) Merr.
- [*Vaccinium elvirae*](#) Luteyn
- [*Vaccinium emarginatum*](#) Hayata
- [*Vaccinium empetrum*](#) Aver. & K.S.Nguyen
- [*Vaccinium endertii*](#) J.J.Sm.
- [*Vaccinium epiphyticum*](#) Merr.
- [*Vaccinium erythrocarpum*](#) Michx.
- [*Vaccinium euryanthum*](#) A.C.Sm.
- [*Vaccinium evanidinervium*](#) Sleumer
- [*Vaccinium exaristatum*](#) Kurz
- [*Vaccinium exiguum*](#) M.N.Tamayo, R.Bustam. & P.W.Fritsch
- [*Vaccinium exul*](#) Bolus
- [*Vaccinium eymae*](#) Sleumer
- [*Vaccinium filipes*](#) Schltr.
- [*Vaccinium fimbribracteatum*](#) C.Y.Wu
- [*Vaccinium fimbricalyx*](#) Chun & W.P.Fang
- [*Vaccinium finisterrae*](#) Schltr.
- [*Vaccinium floccosum*](#) (L.O.Williams) Wilbur & Luteyn
- [*Vaccinium floribundum*](#) Kunth
- [*Vaccinium foetidissimum*](#) H.Lév. & Vaniot
- [*Vaccinium fragile*](#) Franch.
- [*Vaccinium fraternum*](#) Sleumer
- [*Vaccinium furfuraceum*](#) Wilbur & Luteyn
- [*Vaccinium gaultheriifolium*](#) (Griff.) Hook.f. ex C.B.Clarke
- [*Vaccinium geminiflorum*](#) Kunth
- [*Vaccinium gitingense*](#) Elmer
- [*Vaccinium gjellerupii*](#) J.J.Sm.
- [*Vaccinium glabrescens*](#) King & Gamble
- [*Vaccinium glandellatum*](#) Sleumer
- [*Vaccinium glaucoalbum*](#) Hook.f. ex C.B.Clarke
- [*Vaccinium glaucophyllum*](#) C.Y.Wu & R.C.Fang
- [*Vaccinium globosum*](#) J.J.Sm.
- [*Vaccinium goodenoughii*](#) Sleumer
- [*Vaccinium gracile*](#) J.J.Sm.
- [*Vaccinium gracilipes*](#) Sleumer
- [*Vaccinium gracillimum*](#) J.J.Sm.
- [*Vaccinium grandibracteatum*](#) Schltr.
- [*Vaccinium griffithianum*](#) Wight

- [*Vaccinium guangdongense*](#) W.P.Fang & Z.H.Pan
- [*Vaccinium habbema*](#) Koord.
- [*Vaccinium haematinum*](#) Standl. & Steyerl.
- [*Vaccinium haematochromum*](#) Sleumer
- [*Vaccinium* × *hagerupii*](#) (Á.Löve & D.Löve) Rothm.
- [*Vaccinium hainanense*](#) Sleumer
- [*Vaccinium haitangense*](#) Sleumer
- [*Vaccinium halconense*](#) Merr.
- [*Vaccinium hamiguitanense*](#) P.W.Fritsch
- [*Vaccinium hansmeyeri*](#) Argent
- [*Vaccinium hatamense*](#) Becc.
- [*Vaccinium hellwigianum*](#) Sleumer
- [*Vaccinium henryi*](#) Hemsl.
- [*Vaccinium hiepui*](#) Kloet
- [*Vaccinium hirsutum*](#) Buckley
- [*Vaccinium hirtum*](#) Thunb.
- [*Vaccinium hispidulissimum*](#) Wernham
- [*Vaccinium hooglandii*](#) Sleumer
- [*Vaccinium hopei*](#) Argent
- [*Vaccinium horizontale*](#) Sleumer
- [*Vaccinium* × *hybridum*](#) (Avrorin) Czerep.
- [*Vaccinium igneum*](#) J.J.Sm.
- [*Vaccinium imbricans*](#) J.J.Sm.
- [*Vaccinium impressinerve*](#) C.Y.Wu
- [*Vaccinium inconspicuum*](#) J.J.Sm.
- [*Vaccinium indutum*](#) S.Vidal
- [*Vaccinium insigne*](#) (Koord.) J.J.Sm.
- [*Vaccinium* × *intermedium*](#) Ruthe
- [*Vaccinium iragaense*](#) Merr.
- [*Vaccinium iteophyllum*](#) Hance
- [*Vaccinium jacobeanum*](#) P.F.Stevens
- [*Vaccinium jagorii*](#) Warb.
- [*Vaccinium japonicum*](#) Miq.
- [*Vaccinium jefense*](#) Luteyn & Wilbur
- [*Vaccinium jevidalianum*](#) Smitinand & P.H.Hô
- [*Vaccinium kachinense*](#) Brandis
- [*Vaccinium kengii*](#) C.E.Chang
- [*Vaccinium kingdon-wardii*](#) Sleumer
- [*Vaccinium kjellhergii*](#) J.J.Sm.
- [*Vaccinium korinchense*](#) Ridl.
- [*Vaccinium korthalsii*](#) Miq.
- [*Vaccinium kostermansii*](#) Sleumer

- [Vaccinium kunthianum](#) Klotzsch
- [Vaccinium lageniforme](#) J.J.Sm.
- [Vaccinium lamellatum](#) P.F.Stevens
- [Vaccinium lamprophyllum](#) C.Y.Wu & R.C.Fang
- [Vaccinium lanigerum](#) Sleumer
- [Vaccinium latifolium](#) (Griseb.) Benth. & Hook.f. ex B.D.Jacks.
- [Vaccinium latissimum](#) J.J.Sm.
- [Vaccinium laurifolium](#) (Blume) Miq.
- [Vaccinium leonis](#) Acuña & Roíg
- [Vaccinium leptocladum](#) Sleumer
- [Vaccinium leptomorphum](#) Sleumer
- [Vaccinium leptospermoides](#) J.J.Sm.
- [Vaccinium leucanthum](#) Schltdl.
- [Vaccinium leucobotrys](#) (Nutt. ex Hook.) G.Nicholson
- [Vaccinium ligustrifolium](#) J.J.Sm.
- [Vaccinium littoreum](#) Miq.
- [Vaccinium longepedicellatum](#) Sleumer
- [Vaccinium longicaudatum](#) Chun ex W.P.Fang & Z.H.Pan
- [Vaccinium longiporum](#) Schltr.
- [Vaccinium longisepalum](#) J.J.Sm.
- [Vaccinium loranthifolium](#) Ridl.
- [Vaccinium lorentzii](#) Koord.
- [Vaccinium lucidum](#) (Blume) Miq.
- [Vaccinium lundellianum](#) L.O.Williams
- [Vaccinium luteynii](#) Wilbur
- [Vaccinium luzoniense](#) S.Vidal
- [Vaccinium macgillivrayi](#) Seem.
- [Vaccinium macrocarpon](#) Aiton
- [Vaccinium madagascariense](#) (Thouars ex Poir.) Sleumer
- [Vaccinium malacothrix](#) Sleumer
- [Vaccinium mandarinorum](#) Diels
- [Vaccinium manipurens](#) (Watt ex Brandis) Sleumer
- [Vaccinium × marianum](#) P.Watson
- [Vaccinium mathewsii](#) Sleumer
- [Vaccinium megalophyes](#) Sleumer
- [Vaccinium membranaceum](#) Douglas ex Torr.
- [Vaccinium meridionale](#) Sw.
- [Vaccinium microcarpum](#) (Turcz. ex Rupr.) Schmalh.
- [Vaccinium microphyllum](#) Reinw. ex Blume
- [Vaccinium minusculum](#) Sleumer
- [Vaccinium minuticalcaratum](#) J.J.Sm.
- [Vaccinium miquelii](#) Boerl.

- [Vaccinium mjoebergii](#) J.J.Sm.
- [Vaccinium modestum](#) W.W.Sm.
- [Vaccinium molle](#) J.J.Sm.
- [Vaccinium monetarium](#) Sleumer
- [Vaccinium monteverdense](#) Wilbur & Luteyn
- [Vaccinium montis-ericae](#) Sleumer
- [Vaccinium morobense](#) Kloet
- [Vaccinium motuoense](#) Y.H.Tong & Y.J.Guo
- [Vaccinium moupinense](#) Franch.
- [Vaccinium muriculatum](#) J.J.Sm.
- [Vaccinium myodianum](#) S.Panda & Sanjappa
- [Vaccinium myrsinites](#) Lam.
- [Vaccinium myrsinoides](#) Schltr.
- [Vaccinium myrtilloides](#) Michx.
- [Vaccinium myrtillus](#) L.
- [Vaccinium myrtoides](#) (Blume) Miq.
- [Vaccinium nagamasu](#) Argent
- [Vaccinium napoense](#) Y.H.Tong & N.H.Xia
- [Vaccinium neilgherrense](#) Wight
- [Vaccinium nhatrangense](#) Dop
- [Vaccinium nitens](#) Sleumer
- [Vaccinium × nubigenum](#) Fernald
- [Vaccinium nummularia](#) Hook.f. & Thomson ex C.B.Clarke
- [Vaccinium nuttallii](#) (C.B.Clarke) Sleumer
- [Vaccinium obatapaquinorum](#) Takeuchi
- [Vaccinium obedii](#) Veldkamp
- [Vaccinium oldhamii](#) Miq.
- [Vaccinium omeiense](#) W.P.Fang
- [Vaccinium onimense](#) Argent
- [Vaccinium oranjense](#) J.J.Sm.
- [Vaccinium oreites](#) Sleumer
- [Vaccinium oreogenes](#) W.W.Sm.
- [Vaccinium oreomyrtus](#) Sleumer
- [Vaccinium orosiense](#) Wilbur & Luteyn
- [Vaccinium ortizii](#) Luteyn & Pedraza
- [Vaccinium oscarlopezianum](#) Co
- [Vaccinium otophyllum](#) Sleumer
- [Vaccinium ovalifolium](#) Sm.
- [Vaccinium ovatum](#) Pursh
- [Vaccinium oxycoccos](#) L.
- [Vaccinium pachydermum](#) Stapf
- [Vaccinium paddywoodsii](#) Argent

- [Vaccinium padifolium](#) Sm.
- [Vaccinium palawanense](#) Merr.
- [Vaccinium pallidum](#) Aiton
- [Vaccinium papillatum](#) P.F.Stevens
- [Vaccinium papulosum](#) C.Y.Wu & R.C.Fang
- [Vaccinium paradisearum](#) Becc.
- [Vaccinium parvifolium](#) Sm.
- [Vaccinium parvulifolium](#) F.Muell.
- [Vaccinium paucicrenatum](#) Sleumer
- [Vaccinium perrigidum](#) Elmer
- [Vaccinium petelotii](#) Merr.
- [Vaccinium philippinense](#) Warb.
- [Vaccinium phillippsiae](#) Argent
- [Vaccinium phillyreoides](#) Sleumer
- [Vaccinium piceifolium](#) Wernham
- [Vaccinium piliferum](#) (Hook.f. ex C.B.Clarke) Sleumer
- [Vaccinium pilosilobum](#) J.J.Sm.
- [Vaccinium pipolyi](#) Luteyn
- [Vaccinium platyphyllum](#) Merr.
- [Vaccinium poasanum](#) Donn.Sm.
- [Vaccinium podocarpoideum](#) W.P.Fang & Z.H.Pan
- [Vaccinium praeces](#) P.F.Stevens
- [Vaccinium praestans](#) Lamb.
- [Vaccinium pratense](#) P.C.Tam ex C.Y.Wu & R.C.Fang
- [Vaccinium prostratum](#) Sleumer
- [Vaccinium psammogenes](#) Sleumer
- [Vaccinium pseudobullatum](#) W.P.Fang & Z.H.Pan
- [Vaccinium pseudocaracasenum](#) Sleumer
- [Vaccinium pseudocaudatum](#) Sleumer
- [Vaccinium pseudodialypetalum](#) Ng
- [Vaccinium pseudorobustum](#) Sleumer
- [Vaccinium pseudospadiceum](#) Dop
- [Vaccinium pseudotonkinense](#) Sleumer
- [Vaccinium pterocalyx](#) Luteyn
- [Vaccinium puberulum](#) Klotzsch ex Meisn.
- [Vaccinium pubicalyx](#) Franch.
- [Vaccinium pugionifolium](#) Sleumer
- [Vaccinium pullei](#) J.J.Sm.
- [Vaccinium pumilum](#) Kurz
- [Vaccinium quinquefidum](#) J.J.Sm.
- [Vaccinium racemosum](#) (Vahl) Wilbur & Luteyn
- [Vaccinium randaiense](#) Hayata

- [*Vaccinium rapae*](#) Skottsb.
- [*Vaccinium reticulatovenosum*](#) Sleumer
- [*Vaccinium reticulatum*](#) Sm.
- [*Vaccinium retivenium*](#) Sleumer
- [*Vaccinium retusifolium*](#) J.J.Sm.
- [*Vaccinium retusum*](#) (Griff.) Hook.f. ex C.B.Clarke
- [*Vaccinium rigidifolium*](#) Sleumer
- [*Vaccinium roraimense*](#) N.E.Br.
- [*Vaccinium roseiflorum*](#) J.J.Sm.
- [*Vaccinium rubescens*](#) R.C.Fang
- [*Vaccinium rubroviolaceum*](#) Sleumer
- [*Vaccinium sandsii*](#) Argent
- [*Vaccinium sanguineum*](#) Schltr.
- [*Vaccinium santafeense*](#) Wilbur & Luteyn
- [*Vaccinium sarawakense*](#) Merr.
- [*Vaccinium saxatile*](#) Luteyn & Pedraza
- [*Vaccinium saxicola*](#) Chun
- [*Vaccinium scandens*](#) Schltr.
- [*Vaccinium schlechterianum*](#) Sleumer
- [*Vaccinium schoddei*](#) Sleumer
- [*Vaccinium schultzei*](#) Schltr.
- [*Vaccinium sciaphilum*](#) C.Y.Wu
- [*Vaccinium sclerophyllum*](#) Sleumer
- [*Vaccinium scoparium*](#) Leiberg ex Coville
- [*Vaccinium scopulorum*](#) W.W.Sm.
- [*Vaccinium scortechinii*](#) King & Gamble
- [*Vaccinium scyphocalyx*](#) Sleumer
- [*Vaccinium secundum*](#) Klotzsch
- [*Vaccinium selerianum*](#) (Loes.) Sleumer
- [*Vaccinium serrulatum*](#) W.P.Fang & Z.H.Pan
- [*Vaccinium setipes*](#) Airy Shaw
- [*Vaccinium shaferi*](#) Acuña & Roíg
- [*Vaccinium shastense*](#) J.K.Nelson & Lindstrand
- [*Vaccinium shikokianum*](#) Nakai
- [*Vaccinium sieboldii*](#) Miq.
- [*Vaccinium sikkimense*](#) C.B.Clarke
- [*Vaccinium simulans*](#) Sleumer
- [*Vaccinium singularis*](#) N.R.Salinas & Betancur
- [*Vaccinium sinicum*](#) Sleumer
- [*Vaccinium smallii*](#) A.Gray
- [*Vaccinium sororium*](#) J.J.Sm.
- [*Vaccinium spaniotrichum*](#) Sleumer

- [*Vaccinium sparsicapillum*](#) Sleumer
- [*Vaccinium sparsum*](#) Sleumer
- [*Vaccinium sphyrospennoides*](#) Sleumer
- [*Vaccinium spiculatum*](#) C.Y.Wu & R.C.Fang
- [*Vaccinium sprengelii*](#) (G.Don) Sleumer ex Rehder
- [*Vaccinium stamineum*](#) L.
- [*Vaccinium stanleyi*](#) Schweinf.
- [*Vaccinium steinii*](#) Sleumer
- [*Vaccinium stellae-montis*](#) Sleumer
- [*Vaccinium stenanthum*](#) Sleumer
- [*Vaccinium stenolobum*](#) Schltr.
- [*Vaccinium stenophyllum*](#) Steud.
- [*Vaccinium steyermarkii*](#) Luteyn
- [*Vaccinium striicaule*](#) Sleumer
- [*Vaccinium subdissitifolium*](#) P.F.Stevens
- [*Vaccinium subfalcatum*](#) Merr. ex Sleumer
- [*Vaccinium subulisepalum*](#) J.J.Sm.
- [*Vaccinium sumatranum*](#) Jack
- [*Vaccinium summifaucis*](#) Sleumer
- [*Vaccinium supracostatum*](#) Hand.-Mazz.
- [*Vaccinium sylvaticum*](#) Elmer
- [*Vaccinium symplocifolium*](#) (D.Don ex G.Don) Alston
- [*Vaccinium talamancense*](#) (Wilbur & Luteyn) Luteyn
- [*Vaccinium tanjungii*](#) Argent
- [*Vaccinium taxifolium*](#) Sleumer
- [*Vaccinium tectiflorum*](#) Danet
- [*Vaccinium tenellum*](#) Aiton
- [*Vaccinium tentaculatum*](#) J.J.Sm.
- [*Vaccinium tenuiflorum*](#) R.C.Fang
- [*Vaccinium tenuipes*](#) Merr.
- [*Vaccinium thibaudifolium*](#) Wernham
- [*Vaccinium timonioides*](#) Wernham
- [*Vaccinium timoreense*](#) Fawc.
- [*Vaccinium tomicipes*](#) J.J.Sm.
- [*Vaccinium tonkinense*](#) Dop
- [*Vaccinium trichocarpum*](#) Sleumer
- [*Vaccinium trichocladum*](#) Merr. & F.P.Metcalf
- [*Vaccinium triflorum*](#) Rehder
- [*Vaccinium truncatocalyx*](#) Chun
- [*Vaccinium tubiflorum*](#) J.J.Sm.
- [*Vaccinium turfosum*](#) Sleumer
- [*Vaccinium uliginosum*](#) L.

- [Vaccinium urceolatum](#) Hemsl.
- [Vaccinium urquiolae](#) Berazaín
- [Vaccinium urubambense](#) Luteyn & Pedraza
- [Vaccinium utteridgei](#) Argent
- [Vaccinium vacciniaceum](#) (Roxb.) Sleumer
- [Vaccinium varingiifolium](#) (Blume) Miq.
- [Vaccinium venosum](#) Wight
- [Vaccinium versteegii](#) Koord.
- [Vaccinium vidalii](#) Merr. & Rolfe
- [Vaccinium vietnamense](#) Smitinand & P.H.Hô
- [Vaccinium villosiflorum](#) J.J.Sm.
- [Vaccinium viridiflorum](#) J.J.Sm.
- [Vaccinium viscifolium](#) King & Gamble
- [Vaccinium vitis-idaea](#) L.
- [Vaccinium vonroemeri](#) Koord.
- [Vaccinium warburgii](#) Sleumer
- [Vaccinium whiteanum](#) Sleumer
- [Vaccinium whitfordii](#) Merr.
- [Vaccinium whitmeei](#) F.Muell.
- [Vaccinium whitmorei](#) Ng
- [Vaccinium wilburii](#) Almeda & Breedlove
- [Vaccinium wisselianum](#) Sleumer
- [Vaccinium wollastonii](#) Wernham
- [Vaccinium wondiwoiense](#) J.J.Sm.
- [Vaccinium woodianum](#) H.F.Copel.
- [Vaccinium wrightii](#) A.Gray
- [Vaccinium xerampelinum](#) Sleumer
- [Vaccinium yakushimense](#) Makino
- [Vaccinium yaoshanicum](#) Sleumer
- [Vaccinium yatabei](#) Makino
- [Vaccinium youngii](#) Pedraza & Luteyn

References

From Wikipedia, the free encyclopedia



Uvaria chamae



Uvaria



narum


Uvaria ovata





Uvaria littoralis at Sai Kung, Hong Kong

Uvaria sankowskyi



This is a list of [*Uvaria*](#) species, trees in the Annonaceae family, there are 168 accepted as of April 2021:
[1]

- [*Uvaria acuminata*](#) Oliv.
- [*Uvaria afzelii*](#) Scott Elliot
- [*Uvaria alba*](#) Merr.
- [*Uvaria albertisii*](#) Diels
- [*Uvaria ambongoensis*](#) (Baill.) Diels
- [*Uvaria amplexicaulis*](#) Diels
- [*Uvaria angolensis*](#) Welw. ex Oliv.
- [*Uvaria annickiae*](#) Jongkind
- [*Uvaria annonoides*](#) Baker f.
- [*Uvaria antsiranensis*](#) Le Thomas
- [*Uvaria argentea*](#) Blume
- [*Uvaria bathiei*](#) Ghesq. ex Cavaco & Keraudren
- [*Uvaria baumannii*](#) Engl. & Diels
- [*Uvaria beccarii*](#) Attan., I.M.Turner & R.M.K.Saunders
- [*Uvaria bipindensis*](#) Engl.
- [*Uvaria blumei*](#) (Boerl.) I.M.Turner
- [*Uvaria boniana*](#) Finet & Gagnep.
- [*Uvaria borneensis*](#) (Merr.) Utteridge
- [*Uvaria botryoides*](#) Paiva
- [*Uvaria brevistipitata*](#) De Wild.
- [*Uvaria buchholzii*](#) Engl. & Diels
- [*Uvaria busgenii*](#) A.Unwin
- [*Uvaria cabindensis*](#) Exell
- [*Uvaria cabrae*](#) De Wild.
- [*Uvaria caffra*](#) E.Mey. ex Sond.
- [*Uvaria calamistrata*](#) Hance
- [*Uvaria callicarpa*](#) Baill.
- [*Uvaria capuronii*](#) Keraudren
- [*Uvaria caroli-afzelii*](#) R.E.Fr.
- [*Uvaria chamae*](#) P.Beauv.
- [*Uvaria cinerascens*](#) (Miq.) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria clavata*](#) Pierre ex Engl. & Diels
- [*Uvaria clementis*](#) (Merr.) Attan., I.M.Turner & R.M.K.Saunders
- [*Uvaria combretifolia*](#) Diels
- [*Uvaria commersoniana*](#) Baill.
- [*Uvaria comperei*](#) Le Thomas
- [*Uvaria concava*](#) Teijsm. & Binn.
- [*Uvaria cornuana*](#) Engl. & Diels
- [*Uvaria cuanzensis*](#) Paiva
- [*Uvaria cuneifolia*](#) (Hook.f. & Thomson) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders

- [*Uvaria curtisii*](#) King
- [*Uvaria curvistipitata*](#) Attan., I.M.Turner & R.M.K.Saunders
- [*Uvaria dac*](#) Pierre ex Finet & Gagnep.
- [*Uvaria dacremonitii*](#) Boutique
- [*Uvaria dasoclema*](#) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria dasychlamys*](#) Miq.
- [*Uvaria decaryana*](#) Cavaco & Keraudren
- [*Uvaria decidua*](#) Diels
- [*Uvaria denhardtiana*](#) Engl. & Diels
- [*Uvaria dependens*](#) Engl. & Diels
- [*Uvaria dinklagei*](#) Engl. & Diels
- [*Uvaria diplocampta*](#) Diels
- [*Uvaria doeringii*](#) Diels
- [*Uvaria dulcis*](#) Dunal
- [*Uvaria edulis*](#) N.Robson
- [*Uvaria elliptifolia*](#) Merr.
- [*Uvaria excelsa*](#) (Hook.f. & Thomson) King
- [*Uvaria farquharii*](#) Hutch. & Dalziel
- [*Uvaria faulknerae*](#) Verdc.
- [*Uvaria ferruginea*](#) Buch.-Ham. ex Hook.f. & Thomson
- [*Uvaria flexuosa*](#) Jovet-Ast
- [*Uvaria forbesii*](#) (Baker f.) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria furfuracea*](#) (A.DC.) Walp.
- [*Uvaria gabonensis*](#) Engl. & Diels
- [*Uvaria glabra*](#) Span.
- [*Uvaria glabrata*](#) Engl. & Diels
- [*Uvaria goloensis*](#) Merr.
- [*Uvaria gracilipes*](#) N.Robson
- [*Uvaria grandiflora*](#) Roxb. ex Hornem.
- [*Uvaria griffithii*](#) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria hahnii*](#) (Finet & Gagnep.) J.Sinclair
- [*Uvaria hamata*](#) Dunal
- [*Uvaria hamiltonii*](#) Hook.f. & Thomson
- [*Uvaria heterotricha*](#) Pellegr.
- [*Uvaria hirsuta*](#) Jack
- [*Uvaria hispidocostata*](#) Pierre ex Engl. & Diels
- [*Uvaria humbertii*](#) Ghesq. ex Cavaco & Keraudren
- [*Uvaria johannis*](#) Exell
- [*Uvaria kirkii*](#) Oliv. ex Hook.f.
- [*Uvaria klaineana*](#) Engl. & Diels
- [*Uvaria klainei*](#) Pierre ex Engl. & Diels
- [*Uvaria kurzii*](#) (King) P.T.Li

- [*Uvaria lamponga*](#) Scheff.
- [*Uvaria lancifolia*](#) Merr.
- [*Uvaria lanuginosa*](#) Ridl.
- [*Uvaria larep*](#) Miq.
- [*Uvaria lastoursvillensis*](#) Pellegr.
- [*Uvaria laurentii*](#) De Wild.
- [*Uvaria leandrii*](#) Ghesq. ex Cavaco & Keraudren
- [*Uvaria leichhardtii*](#) (F.Muell.) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria lemurica*](#) Diels
- [*Uvaria leopoldvillensis*](#) De Wild.
- [*Uvaria leptocladon*](#) Oliv.
- [*Uvaria leptopoda*](#) (King) J.Sinclair
- [*Uvaria littoralis*](#) (Blume) Blume
- [*Uvaria lobbiana*](#) Hook.f. & Thomson
- [*Uvaria lombardii*](#) L.Gaut. & Deroin
- [*Uvaria lucida*](#) Bojer ex Benth.
- [*Uvaria lungonyana*](#) Vollesen
- [*Uvaria macclurei*](#) Diels
- [*Uvaria macgregorii*](#) Merr.
- [*Uvaria macrantha*](#) Hassk.
- [*Uvaria macropoda*](#) Hook.f. & Thomson
- [*Uvaria manjensis*](#) Cavaco & Keraudren
- [*Uvaria marenteria*](#) (DC.) Baill.
- [*Uvaria mendesii*](#) Paiva
- [*Uvaria micrantha*](#) (A.DC.) Hook.f. & Thomson
- [*Uvaria microcarpa*](#) Champ. ex Benth.
- [*Uvaria mocoli*](#) De Wild. & T.Durand
- [*Uvaria modesta*](#) (Diels) Couvreur
- [*Uvaria mollis*](#) Engl. & Diels
- [*Uvaria monticola*](#) Miq.
- [*Uvaria muricata*](#) Pierre ex Engl. & Diels
- [*Uvaria musaria*](#) (Dunal) A.DC. ex Merr.
- [*Uvaria narum*](#) (Dunal) Blume
- [*Uvaria neoguineensis*](#) Engl.
- [*Uvaria ngounyensis*](#) Pellegr.
- [*Uvaria nicobarica*](#) Raizada & K.C.Sahni
- [*Uvaria obanensis*](#) Baker f.
- [*Uvaria oligocarpa*](#) (Diels) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria osmantha*](#) Diels
- [*Uvaria ovata*](#) (Vahl ex DC.) Hook.f. & Benth.
- [*Uvaria paivana*](#) Couvreur
- [*Uvaria panayensis*](#) Merr.

- [Uvaria pandensis](#) Verdc.
- [Uvaria papuasica](#) (Diels) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria pauciovulata](#) Hook.f. & Thomson
- [Uvaria pierrei](#) Finet & Gagnep.
- [Uvaria poggei](#) Engl. & Diels
- [Uvaria psorosperma](#) Pierre ex Engl. & Diels
- [Uvaria puguensis](#) D.M.Johnson
- [Uvaria pulchra](#) Louis ex Boutique
- [Uvaria relambo](#) Derooin & L.Gaut.
- [Uvaria rivularis](#) Louis ex Boutique
- [Uvaria rovumae](#) Derooin & Lötter
- [Uvaria rufa](#) (Dunal) Blume
- [Uvaria rupestris](#) (Jessup) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria saboureaui](#) Cavaco & Keraudren
- [Uvaria sambiranensis](#) Derooin & L.Gaut.
- [Uvaria sankowskyi](#) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria sassandrensis](#) Jongkind
- [Uvaria scabrida](#) Oliv.
- [Uvaria scabridula](#) (Jessup) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria schefferi](#) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria scheffleri](#) Diels
- [Uvaria schizocalyx](#) Backer
- [Uvaria schweinfurthii](#) Engl. & Diels
- [Uvaria semecarpifolia](#) Hook.f. & Thomson
- [Uvaria siamensis](#) (Scheff.) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria smithii](#) Engl.
- [Uvaria sofa](#) Scott Elliot
- [Uvaria sphenocarpa](#) Hook.f. & Thomson
- [Uvaria tanzaniae](#) Verdc.
- [Uvaria thomasi](#) Sprague & Hutch.
- [Uvaria timoriensis](#) Blume
- [Uvaria tonkinensis](#) Finet & Gagnep.
- [Uvaria topazensis](#) (Jessup) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria tortilis](#) A.Chev. ex Hutch. & Dalziel
- [Uvaria uhrii](#) (F.Muell.) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria unguiculata](#) (Jessup) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria utteridgei](#) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [Uvaria valderramensis](#) Cabuang, Exconde & Alejandro
- [Uvaria verrucosa](#) Scheff.
- [Uvaria versicolor](#) Pierre ex Engl. & Diels
- [Uvaria vietnamensis](#) Meade
- [Uvaria welwitschii](#) (Hiern) Engl. & Diels

- [*Uvaria wrayi*](#) (King) L.L.Zhou, Y.C.F.Su & R.M.K.Saunders
- [*Uvaria zeylanica*](#) L.
- [*Uvaria zschokkei*](#) Elmer

References

From Wikipedia, the free encyclopedia

There are around 240 species in the genus [*Utricularia*](#), belonging to the bladderwort family ([*Lentibulariaceae*](#)). It is the largest genus of [*carnivorous plants*](#) and has a worldwide distribution, being absent only from Antarctica and the oceanic islands. This genus was considered to have 250 species until Peter Taylor reduced the number to 214 in his exhaustive study, [*The genus Utricularia - a taxonomic monograph*](#), published by [*HMSO*](#) (1989). Taylor's classification is generally accepted, though his division of the genus into two subgenera was soon seen as obsolete. Molecular genetic studies have mostly confirmed Taylor's sections with some modifications (Jobson et al., 2003), but reinstalled the division of the genus in three subgenera. This list follows the subgeneric classification *sensu* Müller & Borsch (2005), updated with new information in Müller et al. (2006).

For a list of known *Utricularia* species by common name, see [*Utricularia species by common name*](#).

Subgenus [*Bivalvaria*](#)

Section [*Aranella*](#)



[*Utricularia blanchetii*](#)

- [*Utricularia blanchetii*](#)
- [*Utricularia costata*](#)
- [*Utricularia fimbriata*](#)
- [*Utricularia laciniata*](#)
- [*Utricularia longeciliata*](#)
- [*Utricularia parthenopipes*](#)

- [Utricularia purpureocaerulea](#)
- [Utricularia rostrata](#)
- [Utricularia sandwithii](#)
- [Utricularia simulans](#)

Section [Australes](#)



[Utricularia lateriflora](#)

- [Utricularia delicatula](#)
- [Utricularia lateriflora](#)
- [Utricularia simplex](#)

Section [Avesicarioides](#)

- [Utricularia rigida](#)
- [Utricularia tetraloba](#)

Section [Benjaminia](#)

- [Utricularia nana](#)

Section Calpidisca



Utricularia bisquamata

- Utricularia arenaria
- Utricularia bisquamata
- Utricularia firmula
- Utricularia livida
- Utricularia microcalyx
- Utricularia odontosepala
- Utricularia pentadactyla
- Utricularia sandersonii
- Utricularia troupinii
- Utricularia welwitschii

Section Enskide

- Utricularia chrysantha
- Utricularia fulva

Section Lloydia

- Utricularia pubescens

Section Minutae

- Utricularia simmonsii[1]

Section *Nigrescentes*



Utricularia warburgii

- *Utricularia bracteata*
- *Utricularia caerulea*
- *Utricularia warburgii*

Section *Oligocista*

- *Utricularia adpressa*
- *Utricularia albocaerulea*
- *Utricularia andongensis*
- *Utricularia arcuata*
- *Utricularia babui*
- *Utricularia bifida*
- *Utricularia bosminifera*
- *Utricularia cecilia*
- *Utricularia chiribiquitensis*
- *Utricularia circumvoluta*
- *Utricularia delphinioides*
- *Utricularia densiflora*
- *Utricularia erectiflora*
- *Utricularia foveolata*
- *Utricularia graminifolia*
- *Utricularia heterosepala*
- *Utricularia involvens*
- *Utricularia jackii*
- *Utricularia laxa*
- *Utricularia lazulina*
- *Utricularia letestui*

- [Utricularia lloydii](#)
- [Utricularia macrocheilos](#)
- [Utricularia malabarica](#)
- [Utricularia meyeri](#)
- [Utricularia micropetala](#)
- [Utricularia odorata](#)
- [Utricularia pierrei](#)
- [Utricularia pobeguinii](#)
- [Utricularia polygaloides](#)
- [Utricularia praeterita](#)
- [Utricularia prehensilis](#)
- [Utricularia recta](#)
- [Utricularia reticulata](#)
- [Utricularia scandens](#)
- [Utricularia smithiana](#)
- [Utricularia spiralis](#)
- [Utricularia subramanyamii](#)
- [Utricularia tortilis](#)
- [Utricularia uliginosa](#)
- [Utricularia vitellina](#)
- [Utricularia wightiana](#)

Section **Phyllaria**

- [Utricularia brachiata](#)
- [Utricularia christopherei](#)
- [Utricularia corynephora](#)
- [Utricularia forrestii](#)
- [Utricularia furcellata](#)
- [Utricularia garrettii](#)
- [Utricularia inthanonensis](#)
- [Utricularia kumaonensis](#)
- [Utricularia moniliformis](#)
- [Utricularia multicaulis](#)
- [Utricularia phusoidaoensis](#)
- [Utricularia pulchra](#)
- [Utricularia salwinensis](#)
- [Utricularia spinomarginata](#)
- [Utricularia steenisii](#)
- [Utricularia striatula](#)

Section **Stomoisia**

- [Utricularia cornuta](#)



- [*Utricularia juncea*](#) [*Utricularia cornuta*](#)

Subgenus *Polypompholyx*

Section *Pleiochasia*



[*Utricularia dichotoma*](#)

- [*Utricularia albiflora*](#)
- [*Utricularia ameliae*](#)
- [*Utricularia barkeri*](#)
- [*Utricularia beaugleholei*](#)
- [*Utricularia benthamii*](#)
- [*Utricularia blackmanii*](#)
- [*Utricularia dichotoma*](#)
- [*Utricularia fenshamii*](#)
- [*Utricularia fistulosa*](#)
- [*Utricularia grampiana*](#)
- [*Utricularia hamiltonii*](#)
- [*Utricularia helix*](#)
- [*Utricularia inaequalis*](#)
- [*Utricularia menziesii*](#)
- [*Utricularia paulineae*](#)
- [*Utricularia petertaylorii*](#)
- [*Utricularia singeriana*](#)
- [*Utricularia terrae-reginae*](#)
- [*Utricularia triflora*](#)
- [*Utricularia tubulata*](#)

- [Utricularia violacea](#)
- [Utricularia volubilis](#)

Section **Lasiocaules**

Source:[2]

- [Utricularia albertiana](#)
- [Utricularia antennifera](#)
- [Utricularia arnhemica](#)
- [Utricularia bidentata](#)
- [Utricularia capilliflora](#)
- [Utricularia cheiranthos](#)
- [Utricularia dunlopii](#)
- [Utricularia dunstaniae](#)
- [Utricularia georgei](#)
- [Utricularia holtzei](#)
- [Utricularia kamienskii](#)
- [Utricularia kenneallyi](#)
- [Utricularia kimberleyensis](#)
- [Utricularia lasiocaulis](#)
- [Utricularia leptorhyncha](#)
- [Utricularia lowriei](#)
- [Utricularia magna](#)
- [Utricularia papilliscapa](#)
- [Utricularia quinquedentata](#)
- [Utricularia rhododactylos](#)
- [Utricularia tridactyla](#)
- [Utricularia uniflora](#)
- [Utricularia wannanii](#)

Section **Polypompholyx**

- [Utricularia multifida](#)
- [Utricularia tenella](#)

Section **Tridentaria**

- [Utricularia westonii](#)

Subgenus **Utricularia**

Section **Avesicaria**

- [Utricularia neottiioides](#)
- [Utricularia oliveriana](#)

Section *Candollea*

- *Utricularia podadena*

Section *Chelidon*

- *Utricularia mannii*

Section *Choristothecae*

- *Utricularia choristotheca*
- *Utricularia determannii*

Section *Foliosa*



Utricularia amethystina



Utricularia calycifida

- *Utricularia amethystina*
- *Utricularia calycifida*
- *Utricularia hintonii*
- *Utricularia hispida*
- *Utricularia huntii*
- *Utricularia longifolia*
- *Utricularia panamensis*
- *Utricularia petersoniae*
- *Utricularia praelonga*
- *Utricularia regia*
- *Utricularia schultesii*
- *Utricularia tricolor*
- *Utricularia tridentata*

Section **Kamienskia**

- *Utricularia mangshanensis*
- *Utricularia peranomala*

Section **Lecticula**

- *Utricularia resupinata*
- *Utricularia spruceana*

Section **Martinia**

- *Utricularia tenuissima*

Section **Meionula**

- *Utricularia geoffrayi*
- *Utricularia hirta*
- *Utricularia minutissima*

Section **Mirabiles**

- *Utricularia heterochroma*
- *Utricularia mirabilis*

Section **Nelipus**

- *Utricularia biloba*
- *Utricularia leptoplectra*
- *Utricularia limosa*

Section **Oliveria**

- *Utricularia appendiculata*

Section **Orchidioides**



Utricularia alpina

- *Utricularia alpina*

- [Utricularia asplundii](#)
- [Utricularia buntingiana](#)
- [Utricularia campbelliana](#)
- [Utricularia cornigera](#)
- [Utricularia endresii](#)
- [Utricularia geminiloba](#)
- [Utricularia humboldtii](#)
- [Utricularia jamesoniana](#)



[Utricularia nelumbifolia](#)

- [Utricularia nelumbifolia](#)
- [Utricularia nephrophylla](#)
- [Utricularia praetermissa](#)
- [Utricularia quelchii](#)
- [Utricularia reniformis](#)
- [Utricularia unifolia](#)
- [Utricularia uxoris](#)

Section [Setiscapella](#)



[Utricularia subulata](#)

- [Utricularia flaccida](#)
- [Utricularia nervosa](#)
- [Utricularia nigrescens](#)
- [Utricularia physoceras](#)
- [Utricularia pusilla](#)

- [Utricularia stanfieldii](#)
- [Utricularia subulata](#)
- [Utricularia trichophylla](#)
- [Utricularia triloba](#)

Section **Sprucea**

- [Utricularia viscosa](#)

Section **Steyermarkia**

- [Utricularia aureomaculata](#)
- [Utricularia cochleata](#)
- [Utricularia steyermarkii](#)

Section **Stylotheca**

- [Utricularia guyanensis](#)

Section *Utricularia*



Utricularia inflata



Utricularia macrorhiza

Utricularia vulgaris

- *Utricularia aurea*
- *Utricularia australis*
- *Utricularia benjaminiana*
- *Utricularia biovularioides*
- *Utricularia bremii*
- *Utricularia breviscapa*
- *Utricularia chiakiana*
- *Utricularia corneliana*
- *Utricularia cymbantha*
- *Utricularia dimorphantha*
- *Utricularia floridana*
- *Utricularia foliosa*
- *Utricularia geminiscapa*
- *Utricularia gibba*

- [*Utricularia hydrocarpa*](#)
- [*Utricularia incisa*](#)
- [*Utricularia inflata*](#)
- [*Utricularia inflexa*](#)
- [*Utricularia intermedia*](#)
- [*Utricularia macrorhiza*](#)
- [*Utricularia minor*](#)
- [*Utricularia muelleri*](#)
- [*Utricularia naviculata*](#)
- [*Utricularia ochroleuca*](#)
- [*Utricularia olivacea*](#)
- [*Utricularia perversa*](#)
- [*Utricularia platensis*](#)
- [*Utricularia poconensis*](#)
- [*Utricularia punctata*](#)
- [*Utricularia radiata*](#)
- [*Utricularia raynalii*](#)
- [*Utricularia reflexa*](#)
- [*Utricularia stellaris*](#)
- [*Utricularia striata*](#)
- [*Utricularia stygia*](#)
- [*Utricularia vulgaris*](#)
- [*Utricularia warmingii*](#)

Section ***Vesiculina***

- [*Utricularia cucullata*](#)
- [*Utricularia myriocista*](#)
- [*Utricularia purpurea*](#)

See also

- [*Utricularia capillacea*](#)
- [*Utricularia linearis*](#)

From Wikipedia, the free encyclopedia

A list of **species in genus *Trisetum***. There are approximately 75 species in this genus of [grasses](#).^[1]

- [*Trisetum aeneum*](#)
- [*Trisetum agrostideum*](#)
- [*Trisetum agrostoides*](#)
- [*Trisetum airaeforme*](#)

- [Trisetum airoides](#)
- [Trisetum alaskanum](#)
- [Trisetum albanicum](#)
- [Trisetum albidum](#)
- [Trisetum alopecuros](#)
- [Trisetum alpestre](#)
- [Trisetum alpinum](#)
- [Trisetum altaicum](#)
- [Trisetum altijugum](#)
- [Trisetum altum](#)
- [Trisetum ambiguum](#)
- [Trisetum americanum](#)
- [Trisetum andicola](#)
- [Trisetum andinum](#)
- [Trisetum andropogonoides](#)
- [Trisetum angustum](#)
- [Trisetum anomalum](#)
- [Trisetum antarcticum](#)
- [Trisetum antonii-josephii](#)
- [Trisetum araeanthum](#)
- [Trisetum arduanum](#)
- [Trisetum arenarium](#)
- [Trisetum argenteum](#)
- [Trisetum argentoideum](#)
- [Trisetum aristidoides](#)
- [Trisetum aureum](#)
- [Trisetum balearicum](#)
- [Trisetum bambusiforme](#)
- [Trisetum barbatipaleum](#)
- [Trisetum barbatum](#)
- [Trisetum barbinode](#)
- [Trisetum barcinonense](#)
- [Trisetum baregense](#)
- [Trisetum berterioanum](#)
- [Trisetum berteronianum](#)
- [Trisetum bertolonii](#)
- [Trisetum biaristatum](#)
- [Trisetum bifidum](#)
- [Trisetum biflorum](#)
- [Trisetum bongardii](#)
- [Trisetum bornmuelleri](#)
- [Trisetum brachyatherum](#)

- [Trisetum brandegei](#)
- [Trisetum brasiliense](#)
- [Trisetum brevifolium](#)
- [Trisetum brittonii](#)
- [Trisetum buchtienii](#)
- [Trisetum bulbosum](#)
- [Trisetum bungei](#)
- [Trisetum burnoufii](#)
- [Trisetum buschianum](#)
- [Trisetum californicum](#)
- [Trisetum canariense](#)
- [Trisetum canescens](#)
- [Trisetum carsicum](#)
- [Trisetum caudulatum](#)
- [Trisetum cavanillesianum](#)
- [Trisetum cavanillesii](#)
- [Trisetum cernuum](#)
- [Trisetum cheesemani](#)
- [Trisetum chiloense](#)
- [Trisetum chloranthum](#)
- [Trisetum chromostachyum](#)
- [Trisetum ciliare](#)
- [Trisetum clarkei](#)
- [Trisetum compressum](#)
- [Trisetum condensatum](#)
- [Trisetum confertum](#)
- [Trisetum congdoni](#)
- [Trisetum congdonii](#)
- [Trisetum conradiae](#)
- [Trisetum cristatum](#)
- [Trisetum cumingii](#)
- [Trisetum curvisetum](#)
- [Trisetum debile](#)
- [Trisetum depauperatum](#)
- [Trisetum deyeuxioides](#)
- [Trisetum dianthemum](#)
- [Trisetum disjunctum](#)
- [Trisetum distichophyllum](#)
- [Trisetum dozei](#)
- [Trisetum dregeanum](#)
- [Trisetum drucei](#)
- [Trisetum dufourei](#)

- [Trisetum durangense](#)
- [Trisetum elatum](#)
- [Trisetum elongatum](#)
- [Trisetum erectum](#)
- [Trisetum evolutum](#)
- [Trisetum faurei](#)
- [Trisetum fedtschenkoi](#)
- [Trisetum filifolium](#)
- [Trisetum flaccidum](#)
- [Trisetum flavescens](#)
- [Trisetum foliosum](#)
- [Trisetum formosanum](#)
- [Trisetum forskelii](#)
- [Trisetum fournieranum](#)
- [Trisetum fraudulentum](#)
- [Trisetum friesianum](#)
- [Trisetum frondosum](#)
- [Trisetum fuegianum](#)
- [Trisetum fuscescens](#)
- [Trisetum gallecicum](#)
- [Trisetum gaudinianum](#)
- [Trisetum glabratum](#)
- [Trisetum glabrum](#)
- [Trisetum glaciale](#)
- [Trisetum glomeratum](#)
- [Trisetum glumaceum](#)
- [Trisetum gmelini](#)
- [Trisetum gracile](#)
- [Trisetum griseovirens](#)
- [Trisetum groenlandicum](#)
- [Trisetum hallii](#)
- [Trisetum handelii](#)
- [Trisetum henryi](#)
- [Trisetum heteronymum](#)
- [Trisetum hirsutum](#)
- [Trisetum hirtiflorum](#)
- [Trisetum hirtulum](#)
- [Trisetum hirtum](#)
- [Trisetum hispanicum](#)
- [Trisetum hispidum](#)
- [Trisetum hohenackeri](#)
- [Trisetum homochlamys](#)

- [Trisetum howellii](#)
- [Trisetum humile](#)
- [Trisetum imberbe](#)
- [Trisetum inaequale](#)
- [Trisetum insulare](#)
- [Trisetum interruptum](#)
- [Trisetum irazuense](#)
- [Trisetum juergensii](#)
- [Trisetum kitadakense](#)
- [Trisetum kochianum](#)
- [Trisetum koelerioides](#)
- [Trisetum koidzumianum](#)
- [Trisetum kurtzii](#)
- [Trisetum labradoricum](#)
- [Trisetum lachnanthum](#)
- [Trisetum laconicum](#)
- [Trisetum lasianthum](#)
- [Trisetum lasiolepis](#)
- [Trisetum lasiorhachis](#)
- [Trisetum latifolium](#)
- [Trisetum lautum](#)
- [Trisetum laxiflorum](#)
- [Trisetum laxum](#)
- [Trisetum lechleri](#)
- [Trisetum leoninum](#)
- [Trisetum lepidum](#)
- [Trisetum leve](#)
- [Trisetum ligulatum](#)
- [Trisetum lineare](#)
- [Trisetum litorale](#)
- [Trisetum litvinovii](#)
- [Trisetum litvinowii](#)
- [Trisetum lobatum](#)
- [Trisetum loefflingii](#)
- [Trisetum loeflingianum](#)
- [Trisetum longiaristum](#)
- [Trisetum longifolium](#)
- [Trisetum longiglume](#)
- [Trisetum ludovicianum](#)
- [Trisetum lusitanicum](#)
- [Trisetum luteum](#)
- [Trisetum luzonense](#)

- [Trisetum macbridei](#)
- [Trisetum macilentum](#)
- [Trisetum macranthum](#)
- [Trisetum macratherum](#)
- [Trisetum macrochaetum](#)
- [Trisetum macrotrichum](#)
- [Trisetum macrum](#)
- [Trisetum maidenii](#)
- [Trisetum majus](#)
- [Trisetum malacanthum](#)
- [Trisetum malacophyllum](#)
- [Trisetum martha-gonzaleziae](#)
- [Trisetum mattheii](#)
- [Trisetum melicoides](#)
- [Trisetum melitense](#)
- [Trisetum mexicanum](#)
- [Trisetum micans](#)
- [Trisetum michellii](#)
- [Trisetum micranthum](#)
- [Trisetum micratherum](#)
- [Trisetum miegevillei](#)
- [Trisetum minutiflorum](#)
- [Trisetum molle](#)
- [Trisetum mollifolium](#)
- [Trisetum mongolicum](#)
- [Trisetum montanum](#)
- [Trisetum monticola](#)
- [Trisetum morisii](#)
- [Trisetum muricatum](#)
- [Trisetum muticum](#)
- [Trisetum myrianthum](#)
- [Trisetum nancaguense](#)
- [Trisetum nanum](#)
- [Trisetum neesii](#)
- [Trisetum neglectum](#)
- [Trisetum nemorosum](#)
- [Trisetum nitidum](#)
- [Trisetum nivosum](#)
- [Trisetum noeanum](#)
- [Trisetum nudum](#)
- [Trisetum nutkaense](#)
- [Trisetum obtusiflorum](#)

- [Trisetum ochrostachyum](#)
- [Trisetum oreophilum](#)
- [Trisetum orthochaetum](#)
- [Trisetum ovatipaniculatum](#)
- [Trisetum ovatum](#)
- [Trisetum pallidum](#)
- [Trisetum palmeri](#)
- [Trisetum palustre](#)
- [Trisetum palustris](#)
- [Trisetum paniceum](#)
- [Trisetum paniculatum](#)
- [Trisetum pappophoroides](#)
- [Trisetum paradoxum](#)
- [Trisetum parviflorum](#)
- [Trisetum parvispiculatum](#)
- [Trisetum pauciflorum](#)
- [Trisetum paui](#)
- [Trisetum pennsylvanicum](#)
- [Trisetum pensylvanicum](#)
- [Trisetum persicum](#)
- [Trisetum phleoides](#)
- [Trisetum pilosum](#)
- [Trisetum pinetorum](#)
- [Trisetum pourreti](#)
- [Trisetum praecox](#)
- [Trisetum pratense](#)
- [Trisetum preslei](#)
- [Trisetum pringlei](#)
- [Trisetum projectum](#)
- [Trisetum puberulum](#)
- [Trisetum pubescens](#)
- [Trisetum pubiflorum](#)
- [Trisetum pumilum](#)
- [Trisetum pungens](#)
- [Trisetum purpurascens](#)
- [Trisetum pyramidatum](#)
- [Trisetum rechingeri](#)
- [Trisetum rigidum](#)
- [Trisetum rohlfsii](#)
- [Trisetum rosei](#)
- [Trisetum rufescens](#)
- [Trisetum ruprechtii](#)

- [Trisetum sandbergii](#)
- [Trisetum saxeticola](#)
- [Trisetum scabriflorum](#)
- [Trisetum scabriusculum](#)
- [Trisetum scabrivalve](#)
- [Trisetum scitulum](#)
- [Trisetum sclerophyllum](#)
- [Trisetum seravschanicum](#)
- [Trisetum sericeum](#)
- [Trisetum serpentinum](#)
- [Trisetum sesquiflorum](#)
- [Trisetum sesquiterium](#)
- [Trisetum sesquitertium](#)
- [Trisetum shearii](#)
- [Trisetum sibiricum](#)
- [Trisetum sikkimense](#)
- [Trisetum smyrnaeum](#)
- [Trisetum spellenbergii](#)
- [Trisetum spicatum](#)
- [Trisetum spiciforme](#)
- [Trisetum splendens](#)
- [Trisetum splendidulum](#)
- [Trisetum steudelii](#)
- [Trisetum striatum](#)
- [Trisetum subaristatum](#)
- [Trisetum subspicatum](#)
- [Trisetum subspontaneum](#)
- [Trisetum taquetii](#)
- [Trisetum tarnowskii](#)
- [Trisetum teberdense](#)
- [Trisetum tenellum](#)
- [Trisetum tenue](#)
- [Trisetum tenuiforme](#)
- [Trisetum thospiticum](#)
- [Trisetum thunbergii](#)
- [Trisetum tibeticum](#)
- [Trisetum toluccense](#)
- [Trisetum tomentosum](#)
- [Trisetum tonduzii](#)
- [Trisetum transcaucasicum](#)
- [Trisetum transsilvanicum](#)
- [Trisetum transylvanicum](#)

- [*Trisetum triflorum*](#)
- [*Trisetum trinii*](#)
- [*Trisetum trisetaria*](#)
- [*Trisetum turcicum*](#)
- [*Trisetum umbratile*](#)
- [*Trisetum umbrosum*](#)
- [*Trisetum uniflorum*](#)
- [*Trisetum vaccarianum*](#)
- [*Trisetum valesiaca*](#)
- [*Trisetum valesiacum*](#)
- [*Trisetum variabile*](#)
- [*Trisetum varium*](#)
- [*Trisetum velutinum*](#)
- [*Trisetum viciosorum*](#)
- [*Trisetum vidali*](#)
- [*Trisetum villosum*](#)
- [*Trisetum virescens*](#)
- [*Trisetum viride*](#)
- [*Trisetum virletii*](#)
- [*Trisetum wilhelmsii*](#)
- [*Trisetum wiliamsii*](#)
- [*Trisetum williamsii*](#)
- [*Trisetum wolfii*](#)
- [*Trisetum wrangelense*](#)
- [*Trisetum youngii*](#)
- [*Trisetum yunnanense*](#)

From Wikipedia, the free encyclopedia

This is a list of species in [*Timonius*](#), a [genus](#) of [flowering plants](#) in the [family Rubiaceae](#). Species range from the Seychelles and Sri Lanka to Indochina, Malesia, Papuasia, northern Australia, and the Pacific Islands.^[1]

As of March 2026 [Plants of the World Online](#) accepts 259 species.^[1]

A

- [*Timonius abanii*](#) Jun H.Chen
- [*Timonius affinis*](#) A.Gray
- [*Timonius akunensis*](#) S.P.Darwin
- [*Timonius albus*](#) Volkens

- [*Timonius alejandroanus*](#) J.G.Chavez, Meve & Liede
- [*Timonius alius*](#) S.P.Darwin
- [*Timonius amboinicus*](#) (Miq.) Boerl.
- [*Timonius amungwiwanensis*](#) S.P.Darwin
- [*Timonius anodon*](#) (Miq.) Boerl.
- [*Timonius appendiculatus*](#) Merr.
- [*Timonius arboreus*](#) Elmer
- [*Timonius argenteus*](#) Valetton
- [*Timonius ariffinii*](#) Junhao Chen & K.M.Wong
- [*Timonius avenis*](#) Valetton
- [*Timonius azlanii*](#) Junhao Chen & K.M.Wong

B

- [*Timonius balansanus*](#) (Baill.) Schltr.
- [*Timonius baziae*](#) Junhao Chen & K.M.Wong
- [*Timonius beamanii*](#) K.M.Wong & Jun H.Chen
- [*Timonius belensis*](#) Merr. & L.M.Perry
- [*Timonius berhamanii*](#) Junhao Chen & K.M.Wong
- [*Timonius billitonensis*](#) Valetton
- [*Timonius bismarckensis*](#) S.P.Darwin
- [*Timonius bogoriensis*](#) Valetton
- [*Timonius borneensis*](#) Valetton
- [*Timonius bosaviensis*](#) S.P.Darwin
- [*Timonius bougainvillensis*](#) Merr. & L.M.Perry
- [*Timonius boycei*](#) Junhao Chen & K.M.Wong
- [*Timonius bracteatus*](#) Merr. & L.M.Perry
- [*Timonius bracteoides*](#) S.P.Darwin
- [*Timonius branderhorstii*](#) Valetton
- [*Timonius budaensis*](#) Junhao Chen & K.M.Wong
- [*Timonius bullatus*](#) K.M.Wong & Jun H.Chen
- [*Timonius buwaldae*](#) Junhao Chen & K.M.Wong

C

- [*Timonius calcicola*](#) Junhao Chen & K.M.Wong
- [*Timonius carii*](#) S.P.Darwin
- [*Timonius carstensensis*](#) Wernham
- [*Timonius caudatifolius*](#) Elmer
- [*Timonius caudatus*](#) Valetton
- [*Timonius celebicus*](#) Koord.
- [*Timonius chaianthus*](#) Junhao Chen & K.M.Wong
- [*Timonius chanii*](#) Junhao Chen & K.M.Wong

- [*Timonius cheechiewii*](#) Junhao Chen & K.M.Wong
- [*Timonius chinanthus*](#) Junhao Chen & K.M.Wong
- [*Timonius christinae*](#) Junhao Chen & K.M.Wong
- [*Timonius clathratus*](#) S.P.Darwin
- [*Timonius clementis*](#) Merr.
- [*Timonius collinus*](#) Junhao Chen & K.M.Wong
- [*Timonius confertiflorus*](#) Merr.
- [*Timonius coodei*](#) Junhao Chen & K.M.Wong
- [*Timonius corneri*](#) K.M.Wong
- [*Timonius corymbosus*](#) Valetton
- [*Timonius creber*](#) S.P.Darwin
- [*Timonius cryptophlebus*](#) S.Moore
- [*Timonius cuneatus*](#) Warb.
- [*Timonius cyathicalyx*](#) S.P.Darwin

D

- [*Timonius decipiens*](#) Merr. & L.M.Perry
- [*Timonius denigricans*](#) P.K.Hoo
- [*Timonius densiflorus*](#) Valetton
- [*Timonius devogelii*](#) Junhao Chen & K.M.Wong
- [*Timonius diffusus*](#) Ridl.
- [*Timonius dolichophyllus*](#) (Merr. & L.M.Perry) S.P.Darwin
- [*Timonius dumagat*](#) J.G.Chavez

E

- [*Timonius elegans*](#) S.P.Darwin
- [*Timonius elisabethiae*](#) Junhao Chen & K.M.Wong
- [*Timonius enderianus*](#) Warb.
- [*Timonius endertii*](#) Junhao Chen & K.M.Wong
- [*Timonius epiphyticus*](#) Elmer
- [*Timonius eranthus*](#) Junhao Chen & K.M.Wong
- [*Timonius eremiticus*](#) J.G.Chavez & Banag
- [*Timonius esherianus*](#) W.W.Sm.
- [*Timonius eximius*](#) (Baill.) Schltr.

F

- [*Timonius ferrugineus*](#) Merr.
- [*Timonius filipes*](#) Wernham
- [*Timonius finlaysonianus*](#) (Wall. ex G.Don) Hook.f.
- [*Timonius flavescens*](#) (Jack) Baker

- [*Timonius fuscus*](#) (Korth.) Walp.

G

- [*Timonius gammillii*](#) Elmer
- [*Timonius ganesanii*](#) Junhao Chen & K.M.Wong
- [*Timonius glabrior*](#) (Valeton) K.M.Wong
- [*Timonius gracilipes*](#) Merr.
- [*Timonius grandifolius*](#) Valeton

H

- [*Timonius hallieri*](#) Junhao Chen & K.M.Wong
- [*Timonius hentyi*](#) S.P.Darwin
- [*Timonius heptamerus*](#) Wernham
- [*Timonius hirsutus*](#) Merr.
- [*Timonius hughtanii*](#) Junhao Chen & K.M.Wong
- [*Timonius hydrangeifolius*](#) (Miq.) Boerl.

I – J

- [*Timonius imitans*](#) Merr. & L.M.Perry
- [*Timonius insularis*](#) S.P.Darwin
- [*Timonius involucratus*](#) Merr.
- [*Timonius jangarunii*](#) Junhao Chen & K.M.Wong
- [*Timonius jiewhoei*](#) Junhao Chen & K.M.Wong
- [*Timonius jobiensis*](#) Wernham
- [*Timonius joffreanthus*](#) Junhao Chen & K.M.Wong
- [*Timonius juliasangiae*](#) Junhao Chen & K.M.Wong

K

- [*Timonius kalimantanensis*](#) Junhao Chen & K.M.Wong
- [*Timonius kaniensis*](#) Valeton
- [*Timonius keningauensis*](#) Junhao Chen & K.M.Wong
- [*Timonius keranjiensis*](#) Junhao Chen & K.M.Wong
- [*Timonius kessleri*](#) Junhao Chen & K.M.Wong
- [*Timonius kiahiae*](#) Junhao Chen & K.M.Wong
- [*Timonius kinabaluensis*](#) Jun H.Chen
- [*Timonius klossii*](#) Wernham
- [*Timonius koikokoensis*](#) Wernham
- [*Timonius koordersii*](#) Valeton
- [*Timonius korrensis*](#) Kaneh.

- [*Timonius korthalsii*](#) Junhao Chen & K.M.Wong
- [*Timonius kostermansii*](#) S.P.Darwin
- [*Timonius kuteiensis*](#) Junhao Chen & K.M.Wong

L

- [*Timonius laevigatus*](#) Valetton
- [*Timonius lagenifer*](#) S.P.Darwin
- [*Timonius lamii*](#) S.P.Darwin
- [*Timonius lanceolatus*](#) Merr.
- [*Timonius lasianthoides*](#) Valetton
- [*Timonius latifolius*](#) K.Schum. & Lauterb.
- [*Timonius laugerioides*](#) Wernham
- [*Timonius lawalawaensis*](#) Junhao Chen & K.M.Wong
- [*Timonius laxus*](#) King & Gamble
- [*Timonius ledermannii*](#) Valetton
- [*Timonius leopoldii*](#) Jun H.Chen & K.M.Wong
- [*Timonius leptocalyx*](#) S.P.Darwin
- [*Timonius longifolius*](#) Valetton
- [*Timonius longistipulus*](#) Merr.
- [*Timonius longitubus*](#) Merr. & L.M.Perry
- [*Timonius louiseanthus*](#) Junhao Chen & K.M.Wong

M

- [*Timonius macrophyllus*](#) (Teijsm. & Binn.) Valetton
- [*Timonius malawaliensis*](#) Junhao Chen & K.M.Wong
- [*Timonius mapuluensis*](#) Junhao Chen & K.M.Wong
- [*Timonius matangensis*](#) Valetton
- [*Timonius megalocalyx*](#) P.K.Hoo
- [*Timonius melanophloeus*](#) Merr. & L.M.Perry
- [*Timonius meliganensis*](#) Junhao Chen & K.M.Wong
- [*Timonius meridionalis*](#) S.P.Darwin
- [*Timonius merokensis*](#) Wernham
- [*Timonius middletonii*](#) Junhao Chen & K.M.Wong
- [*Timonius minahassae*](#) Koord.
- [*Timonius minutifolius*](#) Valetton
- [*Timonius modestus*](#) Merr. & L.M.Perry
- [*Timonius mohamedii*](#) Junhao Chen & K.M.Wong
- [*Timonius mollis*](#) Valetton
- [*Timonius moluccanus*](#) S.P.Darwin
- [*Timonius monkoboensis*](#) Junhao Chen & K.M.Wong
- [*Timonius montanus*](#) Ridl.

- [*Timonius morobensis*](#) S.P.Darwin
- [*Timonius multinervis*](#) Valetton
- [*Timonius murudensis*](#) Junhao Chen & K.M.Wong

N

- [*Timonius neobritannicus*](#) S.P.Darwin
- [*Timonius neocaledonicus*](#) Schltr. & K.Krause
- [*Timonius niahensis*](#) Junhao Chen & K.M.Wong
- [*Timonius nitens*](#) Merr. & L.M.Perry
- [*Timonius nitidus*](#) (Bartl. ex DC.) Fern.-Vill.
- [*Timonius noli-tangere*](#) J.G.Chavez, Alejandro & Meve
- [*Timonius novoguineensis*](#) Warb.
- [*Timonius nudiceps*](#) Valetton
- [*Timonius nymannii*](#) Valetton

O

- [*Timonius oblanceolatus*](#) Valetton
- [*Timonius oblongus*](#) Valetton
- [*Timonius obovatifolius*](#) Junhao Chen & K.M.Wong
- [*Timonius obovatus*](#) Elmer
- [*Timonius octonervius*](#) Merr.
- [*Timonius oktediensis*](#) S.P.Darwin
- [*Timonius ophioliticus*](#) Jun H.Chen
- [*Timonius oreophilus*](#) Ridl.
- [*Timonius ovalis*](#) (Korth.) Boerl.
- [*Timonius ovalistipulus*](#) Valetton
- [*Timonius oxyphyllus*](#) Gand.

P – Q

- [*Timonius pachyphyllus*](#) Merr.
- [*Timonius paiawensis*](#) S.P.Darwin
- [*Timonius palawanensis*](#) Elmer
- [*Timonius paludosus*](#) Junhao Chen & K.M.Wong
- [*Timonius panayensis*](#) Merr.
- [*Timonius pannosus*](#) Jun H.Chen
- [*Timonius papuanus*](#) Merr.
- [*Timonius paulleongii*](#) Junhao Chen & K.M.Wong
- [*Timonius pearceae*](#) Junhao Chen & K.M.Wong
- [*Timonius pedunculatus*](#) (Thunb.) Ormerod
- [*Timonius pereirae*](#) Junhao Chen & K.M.Wong

- [*Timonius philippinensis*](#) Merr.
- [*Timonius piusii*](#) Junhao Chen & K.M.Wong
- [*Timonius platycarpus*](#) Montrouz.
- [*Timonius politus*](#) Junhao Chen & K.M.Wong
- [*Timonius polyneurus*](#) Valeton
- [*Timonius ponapensis*](#) Valeton
- [*Timonius postaranthus*](#) Junhao Chen & K.M.Wong
- [*Timonius pseudaffinis*](#) S.P.Darwin
- [*Timonius pseudoarboreus*](#) J.G.Chavez
- [*Timonius pseudocapitatus*](#) (Scheff.) F.Muell.
- [*Timonius puayyokii*](#) Junhao Chen & K.M.Wong
- [*Timonius pubistipulus*](#) S.P.Darwin
- [*Timonius puffii*](#) Junhao Chen & K.M.Wong
- [*Timonius pulgarensis*](#) Elmer
- [*Timonius pullenii*](#) S.P.Darwin
- [*Timonius pulposus*](#) C.T.White
- [*Timonius quinqueflorus*](#) Merr.

R

- [*Timonius reflexus*](#) S.P.Darwin
- [*Timonius repertus*](#) S.P.Darwin
- [*Timonius ridhanthus*](#) Junhao Chen & K.M.Wong
- [*Timonius ridleyi*](#) Merr.
- [*Timonius ridsdalei*](#) J.G.Chavez
- [*Timonius rigidus*](#) (Miq.) F.Muell.
- [*Timonius rimiae*](#) Junhao Chen & K.M.Wong
- [*Timonius riswanii*](#) Junhao Chen & K.M.Wong
- [*Timonius rivularis*](#) Merr. & L.M.Perry
- [*Timonius roemerii*](#) Valeton
- [*Timonius rosselensis*](#) S.P.Darwin
- [*Timonius rufescens*](#) (Miq.) Boerl.
- [*Timonius rufus*](#) Valeton
- [*Timonius runiae*](#) Junhao Chen & K.M.Wong

S

- [*Timonius salicifolius*](#) Valeton
- [*Timonius salsedoi*](#) Fosberg & Sachet
- [*Timonius sampitensis*](#) Junhao Chen & K.M.Wong
- [*Timonius scaber*](#) Valeton
- [*Timonius scabriflorus*](#) (Valeton) Merr. & L.M.Perry
- [*Timonius schefferi*](#) Valeton

- [*Timonius schumannii*](#) Koord. ex Valetton
- [*Timonius secundiflorus*](#) S.P.Darwin
- [*Timonius seowchoenanthus*](#) Junhao Chen & K.M.Wong
- [*Timonius sepilokensis*](#) Junhao Chen & K.M.Wong
- [*Timonius sepulutensis*](#) Junhao Chen & K.M.Wong
- [*Timonius serenae*](#) Junhao Chen & K.M.Wong
- [*Timonius sessilis*](#) (Scheff. ex King & Gamble) Valetton
- [*Timonius silamensis*](#) Junhao Chen & K.M.Wong
- [*Timonius singularis*](#) (F.Muell.) L.S.Sm.
- [*Timonius sinyengiae*](#) Junhao Chen & K.M.Wong
- [*Timonius solomonensis*](#) Merr. & L.M.Perry
- [*Timonius spes-vitarum*](#) J.G.Chavez
- [*Timonius splendens*](#) (Miq.) Boerl.
- [*Timonius stenolobus*](#) Jun H.Chen & K.M.Wong
- [*Timonius stevendarwinii*](#) J.G.Chavez
- [*Timonius subauritus*](#) Valetton
- [*Timonius subavenis*](#) (Valetton) S.P.Darwin
- [*Timonius subcoriaceus*](#) Valetton
- [*Timonius subsessilis*](#) Valetton
- [*Timonius sulitii*](#) Merr. & Quisumb. ex J.G.Chavez & Tandang
- [*Timonius sunsuronensis*](#) Junhao Chen & K.M.Wong
- [*Timonius suzanae*](#) Junhao Chen & K.M.Wong
- [*Timonius sylvestris*](#) S.Moore

T

- [*Timonius tambuyukonensis*](#) Jun H.Chen
- [*Timonius ternifolius*](#) (Bartl. ex DC.) Fern.-Vill.
- [*Timonius teysmannii*](#) Valetton
- [*Timonius thomasii*](#) Junhao Chen & K.M.Wong
- [*Timonius timon*](#) (Spreng.) Merr.
- [*Timonius tjiasmantoi*](#) Junhao Chen & K.M.Wong
- [*Timonius tomentosus*](#) (Valetton) S.P.Darwin
- [*Timonius trichanthus*](#) Merr. & L.M.Perry
- [*Timonius trichocaulon*](#) (Miq.) Boerl.
- [*Timonius trichocladus*](#) Merr. & L.M.Perry

U – V

- [*Timonius uniflorus*](#) (Banks ex C.F.Gaertn.) Govaerts
- [*Timonius vaccinioides*](#) Wernham ex Ridl.
- [*Timonius valetonii*](#) Elmer
- [*Timonius vanderentii*](#) Junhao Chen & K.M.Wong

- [*Timonius versteegii*](#) Valetton
- [*Timonius villosus*](#) Valetton
- [*Timonius virgatus*](#) Merr. & L.M.Perry

W – Z

- [*Timonius wallichianus*](#) Valetton
- [*Timonius wollastonii*](#) Wernham
- [*Timonius wrayi*](#) King & Gamble
- [*Timonius xanthocarpus*](#) Merr. & L.M.Perry
- [*Timonius zuckianus*](#) S.P.Darwin

References

From Wikipedia, the free encyclopedia

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)

- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Former species](#)
- [References](#)

As of October 2022, [Plants of the World Online](#) accepted about 660 species and hybrids in the genus [Tillandsia](#).^[1]

A

- [Tillandsia abbreviata](#) H.Luther
- [Tillandsia abdita](#) L.B.Sm.
- [Tillandsia achyrostachys](#) E. Morren ex Baker
- [Tillandsia acuminata](#) L.B.Sm.
- [Tillandsia adamsii](#) R.W. Read
- [Tillandsia adpressiflora](#) Mez
- [Tillandsia aequatorialis](#) L.B.Sm.
- [Tillandsia aeranthos](#) (Loiseleur) L.B.Sm.
- [Tillandsia afonsoana](#) T.Strehl
- [Tillandsia aguascalientensis](#) Gardner
- [Tillandsia aizoides](#) Mez
- [Tillandsia albertiana](#) F. Vervoorst
- [Tillandsia albida](#) Mez & Purpus
- [Tillandsia alfredo-lau](#) Rauh & Lehmann
- [Tillandsia alto-mayoensis](#) Gouda
- [Tillandsia alvareziae](#) Rauh
- [Tillandsia andicola](#) Griseb. ex Baker
- [Tillandsia andreana](#) E. Morren ex André
- [Tillandsia andrieuxii](#) (Mez) L.B.Sm.
- [Tillandsia angulosa](#) Mez
- [Tillandsia antillana](#) L.B.Sm.
- [Tillandsia appenii](#) (Rauh) J.R.Grant
- [Tillandsia araujei](#) Mez
- [Tillandsia archeri](#) L.B.Sm.
- [Tillandsia arenicola](#) L.B.Sm.
- [Tillandsia arequitae](#) (André) André ex Mez
- [Tillandsia argentea](#) Griseb.
- [Tillandsia argentina](#) C.H.Wright
- [Tillandsia arhiza](#) Mez
- [Tillandsia ariza-juliae](#) L.B.Sm. & Jiménez

- [*Tillandsia arroyoensis*](#) (W.Weber & Ehlers) Espejo & López-Ferrari
- [*Tillandsia atenangoensis*](#) Ehlers & Wülfighoff
- [*Tillandsia atrovioleacea*](#) Ehlers & Koide
- [*Tillandsia atroviridipetala*](#) Matuda
- [*Tillandsia aurea*](#) Mez
- [*Tillandsia australis*](#) Mez

B

- [*Tillandsia bagua-grandensis*](#) Rauh
- [*Tillandsia baileyi*](#) Rose ex Small
- [*Tillandsia bakiorum*](#) H.Luther
- [*Tillandsia balbisiana*](#) Schultes f.
- [*Tillandsia baliophylla*](#) Harms
- [*Tillandsia balsasensis*](#) Rauh
- [*Tillandsia bandensis*](#) Baker
- [*Tillandsia* × *baptistana*](#) C.N.Gonç. & Azevêdo-Gonç.
- [*Tillandsia barbeyana*](#) Wittmack
- [*Tillandsia barclayana*](#) Baker
- [*Tillandsia barfussii*](#) W.Till
- [*Tillandsia barrosoae*](#) W. Till
- [*Tillandsia barthlottii*](#) Rauh
- [*Tillandsia bartramii*](#) Elliott
- [*Tillandsia bella*](#) T.Strehl
- [*Tillandsia belloensis*](#) W.Weber
- [*Tillandsia bergeri*](#) Mez
- [*Tillandsia* × *bergiana*](#) H. Takizawa & P. Koide
- [*Tillandsia bermejoensis*](#) H. Hromadnik
- [*Tillandsia biflora*](#) Ruiz & Pav.
- [*Tillandsia bismarckii*](#) Rauh & Lehmann
- [*Tillandsia bochilensis*](#) Ehlers
- [*Tillandsia boliviana*](#) Mez
- [*Tillandsia bongarana*](#) L.B.Sm.
- [*Tillandsia bonita*](#) Versieux & Martinelli
- [*Tillandsia boqueronensis*](#) Ehlers
- [*Tillandsia borealis*](#) López-Ferrari & Espejo-Serna
- [*Tillandsia borinquensis*](#) Cedeño-Maldonado & Proctor
- [*Tillandsia borjaensis*](#) Manzan. & W.Till
- [*Tillandsia botterii*](#) É.Morren ex Baker
- [*Tillandsia bourgaei*](#) Baker
- [*Tillandsia brachycaulos*](#) Schlecht.
- [*Tillandsia brachyphylla*](#) Baker
- [*Tillandsia brealitoensis*](#) L. Hromadnik

- [*Tillandsia brenneri*](#) Rauh
- [*Tillandsia brevicapsula*](#) Gilmartin
- [*Tillandsia brevilingua*](#) Mez ex Harms
- [*Tillandsia brevior*](#) L.B.Sm.
- [*Tillandsia breviturneri*](#) Betancur & N. García
- [*Tillandsia buchlohii*](#) Rauh
- [*Tillandsia bulbosa*](#) Hook.
- [*Tillandsia buseri*](#) Mez
- [*Tillandsia butzii*](#) Mez

C

- [*Tillandsia caballosensis*](#) Ehlers
- [*Tillandsia cacticola*](#) L.B.Sm.
- [*Tillandsia caerulea*](#) Kunth
- [*Tillandsia cajamarcensis*](#) Rauh
- [*Tillandsia calcicola*](#) L.B.Sm. & Proctor
- [*Tillandsia califani*](#) Rauh
- [*Tillandsia caliginosa*](#) W. Till
- [*Tillandsia callichroma*](#) L. Hromadnik
- [*Tillandsia calochlamys*](#) Ehlers & L. Hromadnik
- [*Tillandsia calothyrsus*](#) Mez
- [*Tillandsia caloura*](#) Harms
- [*Tillandsia camargoensis*](#) L. Hromadnik
- [*Tillandsia candelifera*](#) Rohweder
- [*Tillandsia candida*](#) Leme
- [*Tillandsia canescens*](#) Swartz
- [*Tillandsia capillaris*](#) Ruiz & Pav.
- [*Tillandsia capistranoensis*](#) Ehlers & Weber
- [*Tillandsia capitata*](#) Griseb.
- [*Tillandsia caput-medusae*](#) E. Morren
- [*Tillandsia cardenasii*](#) L.B.Sm.
- [*Tillandsia carlos-hankii*](#) Matuda
- [*Tillandsia carlsoniae*](#) L.B.Sm.
- [*Tillandsia carminea*](#) W. Till
- [*Tillandsia carnosae*](#) L.B.Sm.
- [*Tillandsia carrierei*](#) André
- [*Tillandsia carrilloi*](#) Véliz & Feldhoff
- [*Tillandsia castelensis*](#) Leme & W.Till
- [*Tillandsia castellanii*](#) L.B.Sm.
- [*Tillandsia catimbauensis*](#) Leme, W. Till & J.A. Siqueira
- [*Tillandsia caulescens*](#) Brongniart ex Baker
- [*Tillandsia cauliflora*](#) Mez & Wercklé ex Mez

- [*Tillandsia cauligera*](#) Mez
- [*Tillandsia cees-goudae*](#) Gouda
- [*Tillandsia celata*](#) Ehlers & Lautner
- [*Tillandsia cernua*](#) L.B.Sm.
- [*Tillandsia cerrateana*](#) L.B.Sm.
- [*Tillandsia chaetophylla*](#) Mez
- [*Tillandsia chalcatzingensis*](#) Gonz.-Rocha, Cerros, López-Ferr. & Espejo
- [*Tillandsia chapalillaensis*](#) Ehlers & Lautner
- [*Tillandsia chapeuensis*](#) Rauh
- [*Tillandsia chartacea*](#) L.B.Sm.
- [*Tillandsia chasmophyta*](#) Büneker, R.Pontes & K.Souares
- [*Tillandsia chiapensis*](#) Gardner
- [*Tillandsia chiletensis*](#) Rauh
- [*Tillandsia chingacensis*](#) Aguirre-Santoro, Hernández-A., Hernández-Rodríguez, Betancur
- [*Tillandsia chlorophylla*](#) L.B.Sm.
- [*Tillandsia chontalensis*](#) Baker
- [*Tillandsia churinensis*](#) Rauh
- [*Tillandsia chusgonensis*](#) L. Hromadnik
- [*Tillandsia circinnatioides*](#) Matuda
- [*Tillandsia clavigera*](#) Mez
- [*Tillandsia coalcomanensis*](#) Ehlers
- [*Tillandsia cochabambae*](#) E. Gross & Rauh
- [*Tillandsia coinaensis*](#) Ehlers
- [*Tillandsia colganii*](#) Ehlers
- [*Tillandsia colorata*](#) L.Hrom.
- [*Tillandsia comarapaensis*](#) H.Luther
- [*Tillandsia comitanensis*](#) Ehlers
- [*Tillandsia compacta*](#) Griseb.
- [*Tillandsia complanata*](#) Benth.
- [*Tillandsia compressa*](#) Bertero ex Schultes f.
- [*Tillandsia comulcoensis*](#) Ehlers
- [*Tillandsia concolor*](#) L.B.Sm.
- [*Tillandsia confertiflora*](#) André
- [*Tillandsia confinis*](#) L.B.Sm.
- [*Tillandsia copalaensis*](#) Ehlers
- [*Tillandsia copanensis*](#) Rauh & Rutschmann
- [*Tillandsia copynii*](#) Gouda
- [*Tillandsia* × *cornissaensis*](#) Gouda
- [*Tillandsia* × *correalei*](#) H.Luther
- [*Tillandsia cossonii*](#) Baker
- [*Tillandsia cotagaitensis*](#) L. Hromadnik
- [*Tillandsia crenulipetala*](#) Mez

- [*Tillandsia cretacea*](#) L.B.Sm.
- [*Tillandsia crista-galli*](#) Ehlers (also spelt *Tillandsia crista-gallii*)
- [*Tillandsia crocata*](#) (E. Morren) Baker
- [*Tillandsia cryptopoda*](#) L.B.Sm.
- [*Tillandsia cuatrecasasii*](#) L.B.Sm.
- [*Tillandsia cucaensis*](#) Wittmack
- [*Tillandsia* × *cuchnichim*](#) R. Guess & V. Guess
- [*Tillandsia cucullata*](#) L.B.Sm.
- [*Tillandsia curvifolia*](#) (Ehlers & Rauh) Ehlers

D

- [*Tillandsia dasyleriifolia*](#) Baker
- [*Tillandsia deflexa*](#) L.B.Sm.
- [*Tillandsia delicata*](#) Ehlers
- [*Tillandsia demissa*](#) L.B.Sm.
- [*Tillandsia denudata*](#) André
- [*Tillandsia deppeana*](#) Steudel
- [*Tillandsia dexteri*](#) H.Luther
- [*Tillandsia diaguitensis*](#) Castellanos
- [*Tillandsia dichromantha*](#) Hern.-Cárdenas, López-Ferr. & Espejo
- [*Tillandsia dichrophylla*](#) L.B.Sm.
- [*Tillandsia didisticha*](#) (E. Morren) Baker
- [*Tillandsia didistichoides*](#) Mez
- [*Tillandsia diguetii*](#) Mez & Roland-Gosselin ex Mez
- [*Tillandsia disticha*](#) Kunth
- [*Tillandsia* × *donatoi*](#) Leme
- [*Tillandsia dorisdaltoniae*](#) P.L. Ibisich, R. Vásquez, I.G. Vargas & W. Till
- [*Tillandsia dorotheae*](#) Rauh
- [*Tillandsia dorotheehaseae*](#) Hase
- [*Tillandsia dugesii*](#) Baker
- [*Tillandsia dura*](#) Baker
- [*Tillandsia durangensis*](#) Rauh & Ehlers
- [*Tillandsia duratii*](#) Visiani

E

- [*Tillandsia ecarinata*](#) L.B.Sm.
- [*Tillandsia edithae*](#) Rauh
- [*Tillandsia eistetteri*](#) Ehlers
- [*Tillandsia eizii*](#) L.B.Sm.
- [*Tillandsia elizabethae*](#) Rauh
- [*Tillandsia elongata*](#) Kunth

- [*Tillandsia eltoniana*](#) E. Pereira
- [*Tillandsia elusiva*](#) Pinzón, I. Ramírez & Carnevali
- [*Tillandsia elvirae-grossiae*](#) Rauh
- [*Tillandsia emergens*](#) Mez & Sodiro ex Mez
- [*Tillandsia engleriana*](#) Wittmack
- [*Tillandsia erecta*](#) Gillies ex Baker
- [*Tillandsia erici*](#) Ehlers
- [*Tillandsia ermitae*](#) L. Hromadnik
- [*Tillandsia erubescens*](#) Schlecht.
- [*Tillandsia escahuascensis*](#) Espejo, López-Ferr., Ceja & A. Mend.
- [*Tillandsia espinosae*](#) L.B.Sm.
- [*Tillandsia esseriana*](#) Rauh & L.B.Sm.
- [*Tillandsia excavata*](#) L.B.Sm.
- [*Tillandsia excelsa*](#) Griseb.
- [*Tillandsia exserta*](#) Fernald
- [*Tillandsia extensa*](#) Mez

F

- [*Tillandsia fasciculata*](#) Swartz
- [*Tillandsia fascifolia*](#) Flores-Cruz & Diego-Esc.
- [*Tillandsia fassettii*](#) L.B.Sm.
- [*Tillandsia fendleri*](#) Griseb.
- [*Tillandsia ferreyrae*](#) L.B.Sm.
- [*Tillandsia ferrisiana*](#) L.B.Sm.
- [*Tillandsia festuoides*](#) Brongniart ex Mez
- [*Tillandsia filifolia*](#) Schlecht. & Chamisso
- [*Tillandsia flabellata*](#) Baker
- [*Tillandsia flagellata*](#) L.B.Sm.
- [*Tillandsia flavobracteata*](#) Matuda
- [*Tillandsia flavoviolacea*](#) Gouda
- [*Tillandsia flexuosa*](#) Swartz
- [*Tillandsia floresensis*](#) Ehlers
- [*Tillandsia floribunda*](#) Kunth
- [*Tillandsia* × *floridana*](#) L.B.Sm. (*T. bartramii* × *T. fasciculata*)
- [*Tillandsia foliosa*](#) M. Martens & Galeotti
- [*Tillandsia fragrans*](#) André
- [*Tillandsia francisci*](#) W. Till & J.R. Grant
- [*Tillandsia frank-hasei*](#) J.R. Grant
- [*Tillandsia fresnilloensis*](#) W. Weber & Ehlers
- [*Tillandsia friesii*](#) Mez
- [*Tillandsia fuchsii*](#) W. Till
- [*Tillandsia funebris*](#) Castellanos

- [*Tillandsia fusiformis*](#) L.B.Sm.

G

- [*Tillandsia gardneri*](#) Lindley
- [*Tillandsia geissei*](#) Philippi
- [*Tillandsia geminiflora*](#) Brongniart
- [*Tillandsia genseri*](#) Rauh
- [*Tillandsia gerd-muelleri*](#) W.Weber
- [*Tillandsia gerdae*](#) Ehlers
- [*Tillandsia gilliesii*](#) Baker
- [*Tillandsia glabrior*](#) (L.B.Sm.) Lopez-Ferrari, Espejo & I.Ramirez
- [*Tillandsia glauca*](#) L.B.Sm.
- [*Tillandsia globosa*](#) Wawra
- [*Tillandsia glossophylla*](#) L.B.Sm.
- [*Tillandsia gracillima*](#) L.B.Sm.
- [*Tillandsia graebeneri*](#) Mez
- [*Tillandsia grandispica*](#) Ehlers
- [*Tillandsia grao-mogolensis*](#) Silveira
- [*Tillandsia grazielae*](#) Sucre & R.Braga
- [*Tillandsia grossispicata*](#) Espejo, López-Ferr. & W.Till
- [*Tillandsia grovesiae*](#) Manzan. & W.Till
- [*Tillandsia gruberi*](#) (Ehlers) J.R.Grant
- [*Tillandsia guatemalensis*](#) L.B.Sm.
- [*Tillandsia guelzii*](#) Rauh
- [*Tillandsia guenther-nolleri*](#) Ehlers
- [*Tillandsia guerreroensis*](#) Rauh
- [*Tillandsia gutteana*](#) W.Weber
- [*Tillandsia gymnobotrya*](#) Baker

H

- [*Tillandsia hammeri*](#) Rauh & Ehlers
- [*Tillandsia hansonii*](#) Manzan. & Gouda
- [*Tillandsia harrisii*](#) Ehlers
- [*Tillandsia hasei*](#) Ehlers & L. Hromadnik
- [*Tillandsia hegeri*](#) Ehlers
- [*Tillandsia heliconioides*](#) Kunth
- [*Tillandsia helmutii*](#) L. Hromadnik
- [*Tillandsia hemkeri*](#) Rauh
- [*Tillandsia heterandra*](#) André
- [*Tillandsia heteromorpha*](#) Mez
- [*Tillandsia heterophylla*](#) E. Morren

- [*Tillandsia heubergeri*](#) Ehlers
- [*Tillandsia hildae*](#) Rauh
- [*Tillandsia hintoniana*](#) L.B.Sm.
- [*Tillandsia hirta*](#) W. Till & L. Hromadnik
- [*Tillandsia hirtzii*](#) Rauh
- [*Tillandsia hoeijeri*](#) H.Luther
- [*Tillandsia hofackeri*](#) Ehlers
- [*Tillandsia hondurensis*](#) Rauh
- [*Tillandsia horstii*](#) Rauh
- [*Tillandsia hotteana*](#) Urban
- [*Tillandsia huajuapense*](#) Ehlers & Lautner
- [*Tillandsia huamelulaensis*](#) Ehlers
- [*Tillandsia huarazensis*](#) Ehlers & W. Till
- [*Tillandsia hubertiana*](#) Matuda
- [*Tillandsia humilis*](#) Presl

I

- [*Tillandsia ignesia*](#) Mez
- [*Tillandsia ilseana*](#) W. Till, Halbritter & Zecher
- [*Tillandsia imperialis*](#) E. Morren ex Roezl
- [*Tillandsia imporaensis*](#) Ehlers
- [*Tillandsia incarnata*](#) Kunth
- [*Tillandsia indigofera*](#) Mez & Sodiro
- [*Tillandsia inopinata*](#) Espejo, López-Ferr. & W.Till
- [*Tillandsia intermedia*](#) Mez
- [*Tillandsia interrupta*](#) Mez
- [*Tillandsia intumescens*](#) L.B.Sm.
- [*Tillandsia ionantha*](#) Planchon
- [*Tillandsia ionochroma*](#) André ex Mez
- [*Tillandsia itatiensis*](#) E.H.Souza & Leodeg.
- [*Tillandsia itaubensis*](#) T.Strehl
- [*Tillandsia ixioides*](#) Griseb.
- [*Tillandsia izabalensis*](#) Pinzón, I.Ramírez & Carnevali

J

- [*Tillandsia × jaguactalensis*](#) I. Ramírez, Carnevali & Chi
- [*Tillandsia jalisco-pinicola*](#) L.Hrom. & P.Schneid. (also spelt *Tillandsia jalisco-pinicola*)
- [*Tillandsia jequiensis*](#) L.Hrom. & H.Hrom.
- [*Tillandsia joel-mandimboensis*](#) Flores-Cruz, C.Granados & Vázq.-Hurt.
- [*Tillandsia jonesii*](#) T.Strehl
- [*Tillandsia jucunda*](#) Castellanos

- [*Tillandsia juerg-rutschmannii*](#) Rauh
- [*Tillandsia juncea*](#) (Ruiz & Pav.) Poiret

K

- [*Tillandsia kalmbacheri*](#) Matuda
- [*Tillandsia kammii*](#) Rauh
- [*Tillandsia karineae*](#) Manzan., Gouda & Raack
- [*Tillandsia karwinskyana*](#) Schultes f.
- [*Tillandsia kauffmannii*](#) Ehlers
- [*Tillandsia kautskyi*](#) E. Pereira
- [*Tillandsia kegeliana*](#) Mez
- [*Tillandsia kentii*](#) (H.Luther & K.F.Norton) Manzan. & W.Till
- [*Tillandsia kessleri*](#) H.Luther
- [*Tillandsia kickiae*](#) Raack, Manzan. & Gouda
- [*Tillandsia kirchhoffiana*](#) Wittmack
- [*Tillandsia kirschneki*](#) Rauh & W. Till
- [*Tillandsia klausii*](#) Ehlers
- [*Tillandsia koehresiana*](#) Ehlers
- [*Tillandsia koideae*](#) Rauh & E. Gross
- [*Tillandsia kolbii*](#) W. Till & Schatzl
- [*Tillandsia krahni*](#) Rauh
- [*Tillandsia kretzii*](#) Ehlers & Lautner
- [*Tillandsia krukoffiana*](#) L.B.Sm.
- [*Tillandsia kuntzeana*](#) Mez
- [*Tillandsia kuzmae*](#) Ehlers

L

- [*Tillandsia lagunaensis*](#) Ehlers
- [*Tillandsia lajensis*](#) André
- [*Tillandsia lampropoda*](#) L.B.Sm.
- [*Tillandsia landbeckii*](#) Philippi
- [*Tillandsia langlasseana*](#) Mez
- [*Tillandsia latifolia*](#) Meyen
- [*Tillandsia laui*](#) Matuda
- [*Tillandsia lautneri*](#) Ehlers
- [*Tillandsia lechneri*](#) W.Till & Barfuss
- [*Tillandsia leiboldiana*](#) Schlecht.
- [*Tillandsia leonamiana*](#) E. Pereira
- [*Tillandsia lepidosepala*](#) L.B.Sm.
- [*Tillandsia leucolepis*](#) L.B.Sm.
- [*Tillandsia leucopetala*](#) Büneker, R.Pontes & Witeck

- [*Tillandsia limae*](#) L.B.Sm.
- [*Tillandsia limarum*](#) E. Pereira
- [*Tillandsia limbata*](#) Schlecht.
- [*Tillandsia linearis*](#) Vellozo
- [*Tillandsia lineatispica*](#) Mez
- [*Tillandsia lithophila*](#) L. Hromadnik
- [*Tillandsia loliacea*](#) Martius ex Schultes f.
- [*Tillandsia loma-blancae*](#) Ehlers & Lautner
- [*Tillandsia longifolia*](#) Baker
- [*Tillandsia longiscapa*](#) Leme & W.Till
- [*Tillandsia lopezii*](#) L.B.Sm.
- [*Tillandsia lorentziana*](#) Griseb.
- [*Tillandsia lotteae*](#) H. Hromadnik
- [*Tillandsia loxensis*](#) N.Jaram., Manzan. & A.M.Gut.
- [*Tillandsia loxichaensis*](#) Ehlers
- [*Tillandsia lucida*](#) E. Morren ex Baker
- [*Tillandsia lutheri*](#) (Manzan. & W.Till) J.R.Grant
- [*Tillandsia lydiae*](#) Ehlers
- [*Tillandsia lymanii*](#) Rauh

M

- [*Tillandsia macbrideana*](#) L.B.Sm.
- [*Tillandsia macdougallii*](#) L.B.Sm.
- [*Tillandsia machupicchuensis*](#) Gouda & J.Ochoa
- [*Tillandsia macrochlamys*](#) Baker
- [*Tillandsia macrodactylon*](#) Mez
- [*Tillandsia maculata*](#) Ruiz & Pav.
- [*Tillandsia macvaughii*](#) Espejo & López-Ferrari
- [*Tillandsia magnispica*](#) Espejo & López-Ferr.
- [*Tillandsia magnusiana*](#) Wittmack
- [*Tillandsia makoyana*](#) Baker
- [*Tillandsia makrinii*](#) L. Hromadnik
- [*Tillandsia mallemontii*](#) Glaziov ex Mez
- [*Tillandsia malyi*](#) L. Hromadnik
- [*Tillandsia malzinei*](#) (É.Morren) Baker
- [*Tillandsia mantiqueirae*](#) Paixão-Souza, N.G.Silva & R.J.V.Alves
- [*Tillandsia manzanilloensis*](#) Gouda
- [*Tillandsia marabascoensis*](#) Ehlers & Lautner
- [*Tillandsia marcalaensis*](#) Rauh & E.Gross
- [*Tillandsia* × *marceloi*](#) H. Takizawa & P. Koide
- [*Tillandsia marconae*](#) W. Till & Vitek
- [*Tillandsia maritima*](#) Matuda

- [*Tillandsia markusii*](#) L. Hromadnik
- [*Tillandsia marnieri-lapostollei*](#) Rauh[2] (also spelt *Tillandsia marnieri-apostollei*)
- [*Tillandsia mateoensis*](#) Ehlers
- [*Tillandsia matudae*](#) L.B.Sm.
- [*Tillandsia mauryana*](#) L.B.Sm.
- [*Tillandsia may-patii*](#) I. Ramírez & Carnevali
- [*Tillandsia maya*](#) I. Ramírez & Carnevali
- [*Tillandsia mazatlanensis*](#) Rauh
- [*Tillandsia mereliana*](#) Schinini
- [*Tillandsia micans*](#) L.B.Sm.
- [*Tillandsia milagrensis*](#) Leme
- [*Tillandsia mima*](#) L.B.Sm.
- [*Tillandsia minasgeraisensis*](#) Ehlers & W. Till.
- [*Tillandsia minutiflora*](#) Donadio
- [*Tillandsia mirabilis*](#) L. Hromadnik
- [*Tillandsia mitlaensis*](#) Weber & Ehlers
- [*Tillandsia mixtecorum*](#) Ehlers & Koide
- [*Tillandsia mollis*](#) H. Hromadnik & W. Till
- [*Tillandsia montana*](#) Reitz
- [*Tillandsia mooreana*](#) L.B.Sm.
- [*Tillandsia moronesensis*](#) Ehlers
- [*Tillandsia moscosoi*](#) L.B.Sm.
- [*Tillandsia muhriae*](#) W.Weber
- [*Tillandsia multicaulis*](#) Steudel
- [*Tillandsia myosura*](#) Griseb. ex Baker

N

- [*Tillandsia nana*](#) Baker
- [*Tillandsia nayelyana*](#) R.García Mart. & Beutelisp.
- [*Tillandsia neglecta*](#) E. Pereira
- [*Tillandsia nervata*](#) L.B.Sm.
- [*Tillandsia nervisepala*](#) (Gilmartin) L.B.Sm.
- [*Tillandsia nicolasensis*](#) Ehlers
- [*Tillandsia* × *nidus*](#) Rauh & Lehmann
- [*Tillandsia nizandaensis*](#) Ehlers
- [*Tillandsia nolleriana*](#) Ehlers
- [*Tillandsia novakii*](#) H.Luther
- [*Tillandsia nuptialis*](#) R. Braga & Sucre
- [*Tillandsia nuyooensis*](#) Ehlers

O

- [*Tillandsia oaxacana*](#) L.B.Sm.
- [*Tillandsia oblivata*](#) L. Hromadnik
- [*Tillandsia occulta*](#) H.Luther
- [*Tillandsia oerstediana*](#) L.B.Sm.
- [*Tillandsia oliveirae*](#) E.H.Souza & Leme
- [*Tillandsia orbicularis*](#) L.B.Sm.
- [*Tillandsia organensis*](#) Ehlers
- [*Tillandsia orogenes*](#) Standley & L.O. Williams
- [*Tillandsia oropezana*](#) L. Hromadnik
- [*Tillandsia oroyensis*](#) Mez
- [*Tillandsia ortgiesiana*](#) E. Morren ex Mez
- [*Tillandsia ovatispicata*](#) Gouda
- [*Tillandsia oxapampae*](#) Rauh & von Bismarck

P

- [*Tillandsia pachyaxon*](#) L.B.Sm.
- [*Tillandsia pacifica*](#) Ehlers
- [*Tillandsia paleacea*](#) Presl
- [*Tillandsia pallescens*](#) Betancur & N. García
- [*Tillandsia pamela*](#) Rauh
- [*Tillandsia pampasensis*](#) Rauh
- [*Tillandsia paniculata*](#) (L.) L.
- [*Tillandsia paraensis*](#) Mez
- [*Tillandsia paraibensis*](#) R.A.Pontes
- [*Tillandsia paraisoensis*](#) Ehlers
- [*Tillandsia pardo*](#) Gouda
- [*Tillandsia parryi*](#) Baker
- [*Tillandsia parvispica*](#) Baker
- [*Tillandsia pastensis*](#) André
- [*Tillandsia paucifolia*](#) Baker
- [*Tillandsia pedicellata*](#) (Mez) Castellanos
- [*Tillandsia peiranoi*](#) Castellanos
- [*Tillandsia penascoensis*](#) Ehlers & Lautner
- [*Tillandsia pentasticha*](#) Rauh & Wülfighoff
- [*Tillandsia pfeufferi*](#) Rauh
- [*Tillandsia pfisteri*](#) Rauh
- [*Tillandsia piauiensis*](#) Ehlers & J.Claus
- [*Tillandsia piepenbringii*](#) (Rauh) J.R.Grant
- [*Tillandsia pinicola*](#) I. Ramírez & Carnevali
- [*Tillandsia pinnatodigitata*](#) Mez

- [Tillandsia piurensis](#) L.B.Sm.
- [Tillandsia plagiotropica](#) Rohweder
- [Tillandsia platyphylla](#) Mez
- [Tillandsia plumosa](#) Baker
- [Tillandsia pohliana](#) Mez
- [Tillandsia polita](#) L.B.Sm.
- [Tillandsia polyantha](#) Mez & Sodiro
- [Tillandsia polystachia](#) (L.) L.
- [Tillandsia polzii](#) Ehlers
- [Tillandsia pomacochae](#) Rauh
- [Tillandsia ponderosa](#) L.B.Sm.
- [Tillandsia porongoensis](#) L. Hromadnik & P. Schneider
- [Tillandsia portillae](#) E. Gross & Wülfighoff
- [Tillandsia porvenirensis](#) Ehlers
- [Tillandsia praschekii](#) Ehlers & Willinger
- [Tillandsia pringlei](#) S.Watson
- [Tillandsia prodigiosa](#) (Lemaire) Baker
- [Tillandsia prolata](#) (H.Luther) Gouda & Barfuss
- [Tillandsia propagulifera](#) Rauh
- [Tillandsia pruinosa](#) Swartz
- [Tillandsia pseudobaileyi](#) Gardner
- [Tillandsia pseudocardenasii](#) W.Weber
- [Tillandsia pseudofloribunda](#) Gouda
- [Tillandsia pseudomacbrideana](#) Rauh
- [Tillandsia pseudomicans](#) Rauh
- [Tillandsia pseudomontana](#) W.Weber & Ehlers
- [Tillandsia pseudooaxacana](#) Ehlers
- [Tillandsia pseudosetacea](#) Ehlers & Rauh
- [Tillandsia pucaraensis](#) Ehlers
- [Tillandsia pueblensis](#) L.B.Sm.
- [Tillandsia punctulata](#) Schlecht. & Chamisso
- [Tillandsia purpurascens](#) Rauh
- [Tillandsia purpurea](#) Ruiz & Pav.
- [Tillandsia pyramidata](#) André

Q

- [Tillandsia quaquaflorifera](#) Matuda
- [Tillandsia queretaroensis](#) Ehlers
- [Tillandsia queroensis](#) Gilmartin

R

- [*Tillandsia raackii*](#) H.Luther
- [*Tillandsia racinae*](#) L.B.Sm.
- [*Tillandsia ramellae*](#) W. Till & S. Till
- [*Tillandsia rangelensis*](#) Hechav.
- [*Tillandsia rariflora*](#) André
- [*Tillandsia rauhii*](#) L.B.Sm.
- [*Tillandsia rauschii*](#) Rauh & Lehmann
- [*Tillandsia reclinata*](#) E. Pereira & Martinelli
- [*Tillandsia rectangula*](#) Baker
- [*Tillandsia* × *rectifolia*](#) C.A. Wiley
- [*Tillandsia recurvata*](#) (L.) L.
- [*Tillandsia recurvifolia*](#) Hook.
- [*Tillandsia recurvispica*](#) L. Hromadnik & P. Schneider
- [*Tillandsia reducta*](#) L.B.Sm.
- [*Tillandsia reichenbachii*](#) Baker
- [*Tillandsia religiosa*](#) Hern.-Cárdenas *et al.*[3]
- [*Tillandsia remota*](#) Wittmack
- [*Tillandsia renateae*](#) Gouda, Manzan. & Raack
- [*Tillandsia renateehlersiae*](#) Leme & Gouda
- [*Tillandsia restrepoana*](#) André
- [*Tillandsia retorta*](#) Griseb. ex Baker
- [*Tillandsia rettigiana*](#) Mez
- [*Tillandsia reuteri*](#) Rauh
- [*Tillandsia reversa*](#) L.B.Sm.
- [*Tillandsia rhodocephala*](#) Ehlers & Koide
- [*Tillandsia rhodosticta*](#) L.B.Sm.
- [*Tillandsia rhomboidea*](#) André
- [*Tillandsia rihondoensis*](#) Ehlers
- [*Tillandsia riverae*](#) Manzan. & W.Till
- [*Tillandsia rodrigueziana*](#) Mez
- [*Tillandsia roezlii*](#) E. Morren
- [*Tillandsia rohdenardinii*](#) Strehl
- [*Tillandsia roland-gosselinii*](#) Mez
- [*Tillandsia romeroi*](#) L.B.Sm.
- [*Tillandsia rosacea*](#) L. Hromadnik & W. Till
- [*Tillandsia rosarioae*](#) L. Hromadnik
- [*Tillandsia roseiflora*](#) Ehlers & W.Weber
- [*Tillandsia roseoscapa*](#) Matuda
- [*Tillandsia roseospicata*](#) Matuda
- [*Tillandsia rothii*](#) Rauh
- [*Tillandsia rotundata*](#) (L.B.Sm.) Gardner

- [*Tillandsia rubella*](#) Baker
- [*Tillandsia rubia*](#) Ehlers & L. Colgan
- [*Tillandsia rubripica*](#) Ehlers & Koide
- [*Tillandsia rubroviolacea*](#) Rauh
- [*Tillandsia rudolfii*](#) E. Gross & Hase
- [*Tillandsia rusbyi*](#) Baker

S

- [*Tillandsia sagasteguii*](#) L.B.Sm.
- [*Tillandsia salmonea*](#) Ehlers
- [*Tillandsia samaipatensis*](#) W. Till
- [*Tillandsia sangii*](#) Ehlers
- [*Tillandsia santiagoensis*](#) H.Hrom. & L.Hrom.
- [*Tillandsia santieusebii*](#) Morillo & Oliva-Esteva
- [*Tillandsia santosiae*](#) Ehlers
- [*Tillandsia scepitriformis*](#) Mez & Sodiro ex Mez
- [*Tillandsia schatzlii*](#) Rauh
- [*Tillandsia schiedeana*](#) Steudel
- [*Tillandsia schimperiana*](#) Wittmack
- [*Tillandsia schreiteri*](#) Lillo & A.Cast.
- [*Tillandsia schultzei*](#) Harms
- [*Tillandsia schusteri*](#) Rauh
- [*Tillandsia secunda*](#) Kunth
- [*Tillandsia seideliana*](#) E. Pereira
- [*Tillandsia seleriana*](#) Mez
- [*Tillandsia selleana*](#) Harms
- [*Tillandsia sessemocinoi*](#) Lopez-Ferrari, Espejo & P. Blanco
- [*Tillandsia setacea*](#) Swartz
- [*Tillandsia setiformis*](#) Ehlers
- [*Tillandsia sierrahalensis*](#) Espejo & López-Ferrari
- [*Tillandsia sierrajuarezensis*](#) Matuda
- [*Tillandsia sigmoidea*](#) L.B.Sm.
- [*Tillandsia simulata*](#) Small
- [*Tillandsia* × *smalliana*](#) H.Luther (*T. balbisiana* × *T. fasciculata*) – regarded as "unplaced" by [Plants of the World Online](#)
- [*Tillandsia socialis*](#) L.B.Sm.
- [*Tillandsia sodiroi*](#) Mez
- [*Tillandsia somnians*](#) L.B.Sm.
- [*Tillandsia spathacea*](#) Mez & Sodiro
- [*Tillandsia sphaerocephala*](#) Baker
- [*Tillandsia spiraliiflora*](#) Rauh
- [*Tillandsia spiralipetala*](#) Gouda

- [*Tillandsia sprengeliana*](#) Klotzsch ex Mez
- [*Tillandsia standleyi*](#) L.B.Sm.
- [*Tillandsia steiropoda*](#) L.B.Sm.
- [*Tillandsia stellifera*](#) L. Hromadnik
- [*Tillandsia stenoura*](#) Harms
- [*Tillandsia stipitata*](#) L.B.Sm.
- [*Tillandsia stoltenii*](#) Ehlers & E.Gross
- [*Tillandsia straminea*](#) Kunth
- [*Tillandsia streptocarpa*](#) Baker
- [*Tillandsia streptophylla*](#) Scheidweiler ex E. Morren
- [*Tillandsia stricta*](#) Solander
- [*Tillandsia subconcolor*](#) L.B.Sm.
- [*Tillandsia subinflata*](#) L.B.Sm.
- [*Tillandsia subteres*](#) H.Luther
- [*Tillandsia subulifera*](#) Mez
- [*Tillandsia sucrei*](#) E. Pereira
- [*Tillandsia sueae*](#) Ehlers
- [*Tillandsia suescana*](#) L.B.Sm.
- [*Tillandsia suesilliae*](#) Espejo, López-Ferrari & W. Till
- [*Tillandsia superba*](#) Mez & Sodiro
- [*Tillandsia superinsignis*](#) Matuda
- [*Tillandsia supermexicana*](#) Matuda

T

- [*Tillandsia tafiensis*](#) (L.B.Sm.) Gouda
- [*Tillandsia takizawae*](#) Ehlers & H.Luther
- [*Tillandsia taxcoensis*](#) Ehlers
- [*Tillandsia tecolometl*](#) Granados, Flores-Cruz & Salazar
- [*Tillandsia tecpanensis*](#) Ehlers & Lautner
- [*Tillandsia tectorum*](#) E. Morren
- [*Tillandsia tehuacana*](#) I. Ramírez & Carnevali
- [*Tillandsia teloloapanensis*](#) Ehlers & Lautner
- [*Tillandsia tenebra*](#) L. Hromadnik & W. Till
- [*Tillandsia tenuifolia*](#) L.
- [*Tillandsia teres*](#) L.B.Sm.
- [*Tillandsia thiekenii*](#) Ehlers
- [*Tillandsia thyrsigera*](#) E. Morren ex Baker
- [*Tillandsia tillii*](#) Ehlers
- [*Tillandsia tomekii*](#) L. Hromadnik
- [*Tillandsia tonalaensis*](#) Ehlers
- [*Tillandsia toropiensis*](#) Rauh
- [*Tillandsia tortilis*](#) Klotzsch ex Baker

- [*Tillandsia towarensis*](#) Mez
- [*Tillandsia tragophoba*](#) Dillon
- [*Tillandsia trauneri*](#) L. Hromadnik
- [*Tillandsia trelawniensis*](#) Proctor
- [*Tillandsia tricholepis*](#) Baker
- [*Tillandsia tricolor*](#) Schlecht. & Chamisso
- [*Tillandsia trigalensis*](#) Ehlers
- [*Tillandsia truxillana*](#) L.B.Sm.
- [*Tillandsia turneri*](#) Baker
- [*Tillandsia turquinensis*](#) Willinger & Michlek

U

- [*Tillandsia ulrici*](#) Ehlers
- [*Tillandsia ultima*](#) L.B.Sm.
- [*Tillandsia uruguayensis*](#) Rossado
- [*Tillandsia usneoides*](#) (L.) L.
- [*Tillandsia utriculata*](#) L.

V

- [*Tillandsia* × *vandenbergii*](#) Ehlers & Hase
- [*Tillandsia variabilis*](#) Schlecht.
- [*Tillandsia velutina*](#) Ehlers
- [*Tillandsia ventanaensis*](#) Ehlers & Koide
- [*Tillandsia verapazana*](#) Ehlers
- [*Tillandsia vernicosa*](#) Baker
- [*Tillandsia vicentina*](#) Standley
- [*Tillandsia violacea*](#) Baker
- [*Tillandsia violaceiflora*](#) L.Hrom.
- [*Tillandsia violascens*](#) Mez
- [*Tillandsia virescens*](#) Ruiz & Pav.
- [*Tillandsia vriesioides*](#) Matuda

W

- [*Tillandsia walter-richteri*](#) W.Weber
- [*Tillandsia walter-tillii*](#) J.R.Grant
- [*Tillandsia walteri*](#) Mez
- [*Tillandsia weberi*](#) L. Hromadnik & P. Schneider
- [*Tillandsia welzii*](#) Ehlers
- [*Tillandsia werdermannii*](#) Harms
- [*Tillandsia werner-rauhiana*](#) Koide & Takiz.

- [*Tillandsia werneriana*](#) J.R.Grant
- [*Tillandsia* × *wilinskii*](#) Gouda
- [*Tillandsia winkleri*](#) T.Strehl
- [*Tillandsia witeckii*](#) Büneker, R.Pontes & K.Souares
- [*Tillandsia wuelfinghoffii*](#) Ehlers
- [*Tillandsia wurdackii*](#) L.B.Sm.

X

- [*Tillandsia xerographica*](#) Rohweder
- [*Tillandsia xiphioides*](#) Ker-Gawler

Y

- [*Tillandsia yerba-santae*](#) Ehlers
- [*Tillandsia yuncharaensis*](#) W. Till
- [*Tillandsia yunckeri*](#) L.B.Sm.
- [*Tillandsia yutaninoensis*](#) Ehlers & Lautner

Z

- [*Tillandsia zacapanensis*](#) Véliz & Feldhoff
- [*Tillandsia zacualpanensis*](#) Ehlers & Wülfinghoff
- [*Tillandsia zaragozaensis*](#) Ehlers
- [*Tillandsia zaratensis*](#) W.Weber
- [*Tillandsia zarumensis*](#) Gilmartin
- [*Tillandsia zecheri*](#) W. Till
- [*Tillandsia zoquensis*](#) Ehlers

Former species

Species formerly placed in *Tillandsia* include:

- [*Billbergia amoena*](#) (Lodd. *et al.*) Lindl. (as *T. amoena* Lodd. *et al.*)
- [*Billbergia distachia*](#) (Vell.) Mez (as *T. distachia* Vell.)
- [*Catopsis berteroniana*](#) (Schult. & Schult.f.) Mez (as *T. berteroniana* Schult. & Schult.f.)
- [*Cipuropis amicorum*](#) (I.Ramírez & Bevil.) Gouda (as *T. amicorum* I. Ramírez & Bevilacqua)
- [*Cryptanthus acaulis*](#) (Lindl.) Beer (as *T. acaulis* Lindl.)
- [*Deuterocohnia brevifolia*](#) (Griseb.) M.A.Spencer & L.B.Sm. (as *T. chlorantha* Speg.)
- [*Guzmania lingulata*](#) (L.) Mez (as *T. lingulata* L.)
- [*Guzmania musaica*](#) (Linden & André) Mez (as *T. musaica* Linden & André)
- [*Josemania asplundii*](#) (L.B.Sm.) W.Till & Barfuss (as *T. asplundii* L.B.Sm.)
- [*Josemania singularis*](#) (Mez & Wercklé) W.Till & Barfuss (as *T. singularis* Mez & Wercklé)
- [*Josemania truncata*](#) (L.B.Sm.) Christenh. & Byng (as *T. truncata* L.B.Sm.)

- [*Pseudalcantarea grandis*](#) (Schltdl.) Pinzón & Barfuss (as *T. grandis* Schlecht.)
- [*Pseudalcantarea viridiflora*](#) (Beer) Pinzón & Barfuss (as *T. viridiflora* (Beer) Baker)
- [*Racinaea dielsii*](#) (Harms) H.Luther (as *T. dielsii* Harms)
- [*Racinaea pallidoflavens*](#) (Mez) M.A.Spencer & L.B.Sm. (as *T. pallidoflavens* Mez)
- [*Racinaea pendulispica*](#) (Mez) M.A.Spencer & L.B.Sm. (as *T. pendulispica* Mez)
- [*Racinaea undulifolia*](#) (Mez) H.Luther (as *T. undulifolia* Mez)
- [*Vriesea ensiformis*](#) (Vell.) Beer (as *T. ensiformis* Vell.)
- [*Vriesea gigantea*](#) Gaudich. (as *T. tessellata* Linden)
- *Vriesea myriantha* (Baker) Betancur (as [*Tillandsia myriantha*](#) Baker)
- [*Vriesea psittacina*](#) (Hook.) Lindl. (as *T. psittacina* Hook.)
- [*Vriesea regina*](#) (Vell.) Beer (as *T. regina* Vell.)
- [*Vriesea splendens*](#) (Brongn.) Lem. (as *T. splendens* Brongn.)
- [*Werauhia insignis*](#) (Mez) W.Till, Barfuss & M.R.Samuel (as *T. insignis* (Mez) L.B.Sm. & Pittendr.)

References

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Thymus*](#), the **thymes**, are accepted by [Plants of the World Online](#).^[1] *Thymus* is considered a well-defined genus within its family as its species have consistent chemical and morphological characters.^[2]

Species

- [*Thymus adamovicii*](#) Velen.
- [*Thymus* × *aitanae*](#) Mateo, M.B.Crespo & E.Laguna
- [*Thymus alatauensis*](#) (Klokov & Des.-Shost.) Klokov
- [*Thymus albicans*](#) Hoffmanns. & Link
- [*Thymus* × *alcarazii*](#) Pedauy , Perales & P.P.Ferrer
- [*Thymus alfredae*](#) Post
- [*Thymus algeriensis*](#) Boiss. & Reut.
- [*Thymus* × *almeriensis*](#) G.L pez & R.Morales
- [*Thymus* × *almijarensis*](#) Ru z Torre & Ru z Cast.
- [*Thymus alpestris*](#) (Celak.) Tausch ex A.Kern.
- [*Thymus altaicus*](#) Klokov & Des.-Shost.
- [*Thymus alternans*](#) Klokov
- [*Thymus amurensis*](#) Klokov
- [*Thymus antoninae*](#) Rouy & Coincy
- [*Thymus* × *aragonensis*](#) Mateo, M.B.Crespo & N.E.Mercadal
- [*Thymus* × *arcanus*](#) G.L pez & R.Morales
- [*Thymus* × *arcuatus*](#) R.Morales

- [*Thymus × arenarius*](#) Bernh. ex Rchb.
- [*Thymus argaeus*](#) (Fisch. & C.A.Mey.) Boiss. & Balansa
- [*Thymus × armuniae*](#) R.Morales
- [*Thymus arsenijevii*](#) Klovov
- [*Thymus artvinicus*](#) Ponert
- [*Thymus × arundanus*](#) Willk.
- [*Thymus × athous*](#) Ronniger
- [*Thymus atlanticus*](#) (Ball) Pau
- [*Thymus atticus*](#) Celak.
- [*Thymus aznavourii*](#) Velen.
- [*Thymus baeticus*](#) Boiss. ex Lacaita
- [*Thymus baicalensis*](#) Serg.
- [*Thymus bashkiriensis*](#) Klovov & Des.-Shost.
- [*Thymus × beltraniae*](#) Socorro, Espinar & Arrebola
- [*Thymus × benitorum*](#) Mateo, Mercadal & Pisco
- [*Thymus × bermius*](#) Ronniger
- [*Thymus bihoriensis*](#) Jalas
- [*Thymus bivalens*](#) (Mayol, L.Sáez & Rosselló) Camarda
- [*Thymus bleicherianus*](#) Pomel
- [*Thymus boissieri*](#) Halácsy
- [*Thymus bornmuelleri*](#) Velen.
- [*Thymus borysthenicus*](#) Klovov & Des.-Shost.
- [*Thymus × borzygis*](#) Mateo & M.B.Crespo
- [*Thymus bovei*](#) Benth.
- [*Thymus × brachychaetus*](#) (Willk.) Cout.
- [*Thymus brachychilus*](#) Jalas
- [*Thymus bracteatus*](#) Lange ex Cutanda
- [*Thymus bracteosus*](#) Vis. ex Benth.
- [*Thymus × bractichina*](#) R.Morales
- [*Thymus × braunii*](#) Borbás
- [*Thymus brevipetiolatus*](#) Cáp
- [*Thymus broussonetii*](#) Boiss.
- [*Thymus bulgaricus*](#) (Domin & Podp.) Ronniger
- [*Thymus × bulsanensis*](#) (Ronniger) Machule
- [*Thymus caespititius*](#) Brot.
- [*Thymus calcareus*](#) Klovov & Des.-Shost.
- [*Thymus callieri*](#) Borbás ex Velen.
- [*Thymus camphoratus*](#) Hoffmanns. & Link
- [*Thymus canoviridis*](#) Jalas
- [*Thymus capitellatus*](#) Hoffmanns. & Link
- [*Thymus cappadocicus*](#) Boiss.
- [*Thymus cariensis*](#) Hub.-Mor. & Jalas

- [Thymus carmanicus](#) Jalas
- [Thymus carnosus](#) Boiss.
- [Thymus × carrionii](#) F.Sáez & Sánchez Gómez
- [Thymus catharinae](#) Camarda
- [Thymus × celtibericus](#) Pau
- [Thymus chamarensis](#) Vasjukov
- [Thymus cherlerioides](#) Vis.
- [Thymus cilicicus](#) Boiss. & Balansa
- [Thymus × cimicinus](#) Blum ex Ledeb.
- [Thymus × citriodorus](#) (Pers.) Schreb.
- [Thymus collinus](#) M.Bieb.
- [Thymus comosus](#) Heuff. ex Griseb. & Schenk
- [Thymus comptus](#) Friv.
- [Thymus convolutus](#) Klokov
- [Thymus coriifolius](#) Ronniger
- [Thymus crebrifolius](#) Klokov
- [Thymus × cremnophilus](#) Káp
- [Thymus crenulatus](#) Klokov
- [Thymus curtus](#) Klokov
- [Thymus × czorsztyensis](#) Pawl.
- [Thymus dacicus](#) Borbás
- [Thymus daenensis](#) Celak.
- [Thymus daghestanicus](#) Klokov & Des.-Shost.
- [Thymus dahuricus](#) Serg.
- [Thymus decussatus](#) Benth.
- [Thymus degenii](#) Heinr.Braun
- [Thymus desjatovae](#) Ronniger
- [Thymus × diazii](#) Alcaraz, Rivas Mart. & Sánchez-Gómez
- [Thymus didukhii](#) V.M.Ostapko
- [Thymus diminutus](#) Klokov
- [Thymus × dimorphus](#) Klokov & Des.-Shost.
- [Thymus disjunctus](#) Klokov
- [Thymus dmitrievae](#) Gamajun.
- [Thymus doerfleri](#) Ronniger
- [Thymus dolomiticus](#) H.J.Coste
- [Thymus dolopicus](#) Formánek
- [Thymus dreatensis](#) Batt.
- [Thymus dubjanskyi](#) Klokov & Des.-Shost.
- [Thymus dzalindensis](#) Prob.
- [Thymus dzevanovskyi](#) Klokov & Des.-Shost.
- [Thymus eigii](#) (Zohary & P.H.Davis) Jalas
- [Thymus ekimii](#) Yild.

- [Thymus elegans](#) Serg.
- [Thymus elenevskyi](#) Vasjukov
- [Thymus × eliasii](#) Sennen & Pau
- [Thymus elisabethae](#) Klokov & Des.-Shost.
- [Thymus embergeri](#) Roussine
- [Thymus × enicensis](#) Blanca, Cueto, L.Gut. & M.J.Martínez
- [Thymus eravinensis](#) Serg.
- [Thymus eremita](#) Klokov
- [Thymus eriocalyx](#) (Ronniger) Jalas
- [Thymus evenkiensis](#) Byczenn.
- [Thymus extremus](#) Klokov
- [Thymus fallax](#) Fisch. & C.A.Mey.
- [Thymus × faustinoi](#) Sánchez-Gómez, López Esp., Sánchez Saorín & R.Mora
- [Thymus fedtschenkoi](#) Ronniger
- [Thymus flabellatus](#) Klokov
- [Thymus fontqueri](#) (Jalas) Molero & Rovira
- [Thymus funkii](#) Coss.
- [Thymus × genesianus](#) Galán Cela
- [Thymus × georgicus](#) Ronniger
- [Thymus glabricaulis](#) Klokov
- [Thymus gobi-altaicus](#) (N.Ulziykh.) Kamelin & A.L.Budantsev
- [Thymus gobicus](#) Czern.
- [Thymus granatensis](#) Boiss.
- [Thymus groenlandicus](#) Klokov
- [Thymus guberlinensis](#) Iljin
- [Thymus × guerrae](#) F.Sáez & Sánchez Gómez
- [Thymus guyonii](#) de Noé
- [Thymus hartvigii](#) R.Morales
- [Thymus haussknechtii](#) Velen.
- [Thymus helendzhicus](#) Klokov & Des.-Shost.
- [Thymus × henriquesii](#) Pau
- [Thymus × henryi](#) Ronniger
- [Thymus herba-barona](#) Loisel.
- [Thymus × hieronymi](#) Sennen
- [Thymus hohenackeri](#) Klokov
- [Thymus holosericeus](#) Celak.
- [Thymus × hybridus](#) Ronniger
- [Thymus hyemalis](#) Lange
- [Thymus × ibericus](#) Sennen & Pau
- [Thymus iljinii](#) Klokov & Des.-Shost.
- [Thymus inaequalis](#) Klokov
- [Thymus incertus](#) Klokov

- [*Thymus × indalicus*](#) Blanca, Cueto, L.Gut. & M.J.Martínez
- [*Thymus indigirkensis*](#) Karav.
- [*Thymus integer*](#) Griseb.
- [*Thymus jalasianus*](#) Stoyanov & Marinov
- [*Thymus jankae*](#) Celak.
- [*Thymus japonicus*](#) (H.Hara) Kitag.
- [*Thymus jennisseensis*](#) Iljin
- [*Thymus × jimenezii*](#) Socorro, Arrebola & Espinar
- [*Thymus × josephi-angeli*](#) Mansanet & Aguil.
- [*Thymus jurtzevii*](#) Vasjukov
- [*Thymus kamelinii*](#) Vasjukov
- [*Thymus karamarianicus*](#) Klokov & Des.-Shost.
- [*Thymus karatavicus*](#) Dmitrieva
- [*Thymus karavaevii*](#) Doronkin
- [*Thymus karjaginii*](#) Grossh.
- [*Thymus kimishepensis*](#) Klokov
- [*Thymus kirgisorum*](#) Dubj.
- [*Thymus koeieanus*](#) Ronniger
- [*Thymus komarovii*](#) Serg.
- [*Thymus kondratjukii*](#) V.M.Ostapko
- [*Thymus × korneckii*](#) Machule
- [*Thymus kosteleckyanus*](#) Opiz
- [*Thymus kotschyanus*](#) Boiss. & Hohen.
- [*Thymus krylovii*](#) Byczenn.
- [*Thymus lacaitae*](#) Pau
- [*Thymus laconicus*](#) J alas
- [*Thymus ladjanuricus*](#) Kem.-Nath.
- [*Thymus × lainzii*](#) Sánchez-Gómez, S.Fernández Jimenez & F.Sáez
- [*Thymus lanceolatus*](#) Desf.
- [*Thymus lavrenkoanus*](#) Klokov
- [*Thymus lenensis*](#) Vasjukov
- [*Thymus leptophyllus*](#) Lange
- [*Thymus leucospermus*](#) Hartvig
- [*Thymus leucostomus*](#) Hausskn. & Velen.
- [*Thymus leucotrichus*](#) Halácsy
- [*Thymus levitskyi*](#) Prob.
- [*Thymus linearis*](#) Benth.
- [*Thymus × littoralis*](#) Klokov & Des.-Shost.
- [*Thymus longedentatus*](#) (Degen & Urum.) Ronniger
- [*Thymus longicaulis*](#) C.Presl
- [*Thymus longiflorus*](#) Boiss.
- [*Thymus loscosii*](#) Willk.

- [*Thymus lotocephalus*](#) G.López & R.Morales
- [*Thymus magnificus*](#) Klokov
- [*Thymus majkopiensis*](#) Klokov & Des.-Shost.
- [*Thymus mandschuricus*](#) Ronniger
- [*Thymus marandensis*](#) Jamzad
- [*Thymus markhotensis*](#) Maleev
- [*Thymus maroccanus*](#) Ball
- [*Thymus* × *martinezii*](#) Pau
- [*Thymus mastichina*](#) (L.) L.
- [*Thymus* × *mastichinalis*](#) Sánchez-Gómez & F.Sáez
- [*Thymus mastigophorus*](#) Lacaita
- [*Thymus membranaceus*](#) Boiss.
- [*Thymus* × *mercadalii*](#) Mateo & Pisco
- [*Thymus michaelis*](#) Kamelin & A.L.Budantsev
- [*Thymus migricus*](#) Klokov & Des.-Shost.
- [*Thymus minussinensis*](#) Serg.
- [*Thymus* × *mixtus*](#) Pau
- [*Thymus moldavicus*](#) Klokov & Des.-Shost.
- [*Thymus mongolicus*](#) (Ronniger) Ronniger
- [*Thymus* × *monrealensis*](#) Pau ex R.Morales
- [*Thymus* × *monteilii*](#) Sennen ex Machule
- [*Thymus* × *moralesii*](#) Mateo & M.B.Crespo
- [*Thymus moroderi*](#) Pau ex Martínez
- [*Thymus* × *mourae*](#) Paiva & Salgueiro
- [*Thymus mugodzhariensis*](#) Klokov & Des.-Shost.
- [*Thymus munbyanus*](#) Boiss. & Reut.
- [*Thymus musilii*](#) Velen.
- [*Thymus nakhodkensis*](#) Gorovoj & Dudkin
- [*Thymus narymensis*](#) Serg.
- [*Thymus nerczensis*](#) Klokov
- [*Thymus nervosus*](#) J.Gay ex Willk.
- [*Thymus nervulosus*](#) Klokov
- [*Thymus neurophyllus*](#) (Rech.f.) R.Morales
- [*Thymus nitens*](#) Lamotte
- [*Thymus* × *novocastellanus*](#) Mateo, M.B.Crespo & Pisco
- [*Thymus novograbenovii*](#) Prob.
- [*Thymus numidicus*](#) Poir.
- [*Thymus nummularius*](#) M.Bieb.
- [*Thymus* × *nuriensis*](#) Sennen & Pau
- [*Thymus* × *oblongifolius*](#) Opiz
- [*Thymus ochotensis*](#) Klokov
- [*Thymus odoratissimus*](#) Mill.

- [Thymus oehmianus](#) Ronniger & Soska
- [Thymus oenipontanus](#) Heinr.Braun ex Borbás
- [Thymus origanoides](#) Webb & Berthel.
- [Thymus oriolanus](#) M.Fabregat & M.B.Crespo
- [Thymus orospedanus](#) Villar
- [Thymus osseticus](#) Vasjukov
- [Thymus pallasianus](#) Heinr.Braun
- [Thymus pallescens](#) de Noé
- [Thymus pallidus](#) Coss. ex Batt.
- [Thymus pannonicus](#) All.
- [Thymus × \[paradoxus\]\(#\)](#) Rouy
- [Thymus parnassicus](#) Halácsy
- [Thymus paronychioides](#) Celak.
- [Thymus pastoralis](#) Iljin
- [Thymus × \[pastoris\]\(#\)](#) Socorro & Arrebola
- [Thymus pavlovii](#) Serg.
- [Thymus pectinatus](#) Fisch. & C.A.Mey.
- [Thymus perinicus](#) (Velen.) J alas
- [Thymus persicus](#) (Ronniger ex Rech.f.) J alas
- [Thymus petraeus](#) Serg.
- [Thymus phyllopodus](#) Klokov
- [Thymus picentinus](#) (Lacaita) Bartolucci
- [Thymus piperella](#) L.
- [Thymus plasonii](#) Adamovic
- [Thymus × \[porcii\]\(#\)](#) Borbás
- [Thymus praecox](#) Opiz
- [Thymus probatovae](#) Vasjukov
- [Thymus proximus](#) Serg.
- [Thymus × \[pseudoalpestris\]\(#\)](#) Ronniger ex Nachychko
- [Thymus pseudocollinus](#) (Menitsky) Vasjukov
- [Thymus × \[pseudogranatensis\]\(#\)](#) Vizoso, F.B.Navarro & Lorite
- [Thymus × \[pseudograniticus\]\(#\)](#) Klokov & Des.-Shost.
- [Thymus pseudohirsutus](#) Klokov
- [Thymus × \[pseudostepposus\]\(#\)](#) Klokov
- [Thymus × \[pseudothracicus\]\(#\)](#) Ronniger
- [Thymus pubescens](#) Boiss. & Kotschy ex Celak.
- [Thymus pulchellus](#) C.A.Mey.
- [Thymus pulcherrimus](#) Schur
- [Thymus pulegioides](#) L.
- [Thymus pulvinatus](#) Celak.
- [Thymus punctulosus](#) Klokov
- [Thymus purpureoviolaceus](#) Byczenn. & Kuvaev

- [*Thymus putoranicus*](#) Byczenn. & Kuvaev
- [*Thymus quinquecostatus*](#) Celak.
- [*Thymus* × *radoi*](#) Borbás
- [*Thymus* × *ramonianus*](#) Paiva & Salgueiro
- [*Thymus rasitatus*](#) Klokov
- [*Thymus reverdattoanus*](#) Serg.
- [*Thymus revolutus*](#) Celak.
- [*Thymus riatarum*](#) Humbert & Maire
- [*Thymus richardii*](#) Pers.
- [*Thymus* × *riojanus*](#) Uribe-Ech.
- [*Thymus roegneri*](#) K.Koch
- [*Thymus roseus*](#) Schipcz.
- [*Thymus* × *royoi*](#) P.P.Ferrer, A.Navarro, P.Pérez & E.Laguna
- [*Thymus* × *rubioi*](#) Font Quer
- [*Thymus* × *ruiz-latorrei*](#) C.Vicioso
- [*Thymus sachalinensis*](#) Prob.
- [*Thymus samius*](#) Ronniger & Rech.f.
- [*Thymus saturejoides*](#) Coss.
- [*Thymus schimperi*](#) Ronniger
- [*Thymus schischkinii*](#) Serg.
- [*Thymus* × *schistosus*](#) Lyka
- [*Thymus schlothauerae*](#) Prob.
- [*Thymus* × *schmidtii*](#) Cáp
- [*Thymus* × *segurae*](#) Mateo & M.B.Crespo
- [*Thymus semiglaber*](#) Klokov
- [*Thymus* × *sennenii*](#) Pau
- [*Thymus seravschanicus*](#) Klokov
- [*Thymus sergievskajae*](#) Karav.
- [*Thymus serpylloides*](#) Bory
- [*Thymus serpyllum*](#) L.
- [*Thymus serrulatus*](#) Hochst. ex Benth.
- [*Thymus sessilifolius*](#) Klokov
- [*Thymus* × *severianoii*](#) Uribe-Ech.
- [*Thymus sibiricus*](#) (Serg.) Klokov & Des.-Shost.
- [*Thymus sibthorpii*](#) Benth.
- [*Thymus sipyleus*](#) Boiss.
- [*Thymus skopjensis*](#) Micevski & Matevski
- [*Thymus sokolovii*](#) Klokov
- [*Thymus spathulifolius*](#) Hausskn. & Velen.
- [*Thymus spinulosus*](#) Ten.
- [*Thymus spryginii*](#) Vasjukov
- [*Thymus stojanovii*](#) Degen

- [Thymus striatus](#) Vahl
- [Thymus subcollinus](#) Klokov
- [Thymus × subhirsutus](#) Borbás & Heinr.Braun
- [Thymus × subramosus](#) Ronniger
- [Thymus substriatus](#) Borbás
- [Thymus syriacus](#) Boiss.
- [Thymus talijevii](#) Klokov & Des.-Shost.
- [Thymus tauricus](#) Klokov & Des.-Shost.
- [Thymus ternejicus](#) Prob.
- [Thymus terskeicus](#) Klokov
- [Thymus teucroides](#) Boiss. & Spruner
- [Thymus thracicus](#) Velen.
- [Thymus tiflisiensis](#) Klokov & Des.-Shost.
- [Thymus × toletanus](#) Ladero
- [Thymus transcaspicus](#) Klokov
- [Thymus transcaucasicus](#) Ronniger
- [Thymus trautvetteri](#) Klokov & Des.-Shost.
- [Thymus × tschernjaievii](#) Klokov & Des.-Shost.
- [Thymus turczaninovii](#) Serg.
- [Thymus turkmenii](#) Yild.
- [Thymus × tzvelevii](#) Vasjukov
- [Thymus urumovii](#) (Velen.) Vasjukov
- [Thymus urussovii](#) Prob.
- [Thymus ussuriensis](#) Klokov
- [Thymus × valdesii](#) J.Gómez & R.Roselló
- [Thymus vavilovii](#) Klokov
- [Thymus verchojanicus](#) Doronkin
- [Thymus × viciosoi](#) Pau ex R.Morales
- [Thymus villosus](#) L.
- [Thymus × vitekii](#) R.Morales
- [Thymus vulgaris](#) L.
- [Thymus × welwitschii](#) Boiss.
- [Thymus willdenowii](#) Boiss.
- [Thymus willkommii](#) Ronniger
- [Thymus × xilocae](#) Mateo & M.B.Crespo
- [Thymus × zedelmejeri](#) Ronniger
- [Thymus zygioides](#) Griseb.
- [Thymus zygis](#) L.
- [Thymus × zygophorus](#) R.Morales

From Wikipedia, the free encyclopedia

Thunbergia is a genus of plants in the family [Acanthaceae](#).^[1] As of January 2025, [Plants of the World Online](#) accepted 150 species.^[2]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A



Thunbergia alata

- [*Thunbergia adenocalyx*](#) Radlk.
- [*Thunbergia affinis*](#) S.Moore
- [*Thunbergia alata*](#) Bojer ex Sims
- [*Thunbergia amoena*](#) C.B.Clarke
- [*Thunbergia amphaii*](#) Suwanph., K.Khamm., D.J.Middleton & Suddee
- [*Thunbergia anatina*](#) Benoist
- [*Thunbergia angolensis*](#) S.Moore
- [*Thunbergia angulata*](#) Hils. & Bojer ex Hook.
- [*Thunbergia annua*](#) Hochst. ex Nees
- [*Thunbergia armipotens*](#) S.Moore
- [*Thunbergia arnhemica*](#) F.Muell.
- [*Thunbergia atacorensis*](#) Akoègn. & Lisowski
- [*Thunbergia atriplicifolia*](#) E.Mey. ex Nees
- [*Thunbergia austromontana*](#) Vollesen

B

- [*Thunbergia bancana*](#) Bremek.
- [*Thunbergia barbata*](#) Vollesen
- [*Thunbergia batjanensis*](#) Bremek.
- [*Thunbergia battiscombei*](#) Turrill
- [*Thunbergia benguettensis*](#) Bremek.
- [*Thunbergia bianoensis*](#) De Wild. & Ledoux
- [*Thunbergia bicolor*](#) (Wight) Lindau
- [*Thunbergia bogoroensis*](#) De Wild.
- [*Thunbergia brachypoda*](#) Bremek.
- [*Thunbergia brachytyla*](#) Bremek.
- [*Thunbergia buennemeyeri*](#) Bremek.

C



Thunbergia coccinea

- [*Thunbergia capensis*](#) Retz.
- [*Thunbergia celebica*](#) Bremek.
- [*Thunbergia chrysops*](#) Hook.
- [*Thunbergia ciliata*](#) De Wild.
- [*Thunbergia citrina*](#) Vollesen
- [*Thunbergia coccinea*](#) Wall. ex D.Don
- [*Thunbergia colpifera*](#) B.Hansen
- [*Thunbergia convolvulifolia*](#) Baker
- [*Thunbergia crispa*](#) Burkill
- [*Thunbergia crispula*](#) Bremek.
- [*Thunbergia cuanzensis*](#) S.Moore
- [*Thunbergia cyanea*](#) Bojer ex Nees
- [*Thunbergia cycloneura*](#) Bremek.
- [*Thunbergia cycnium*](#) S.Moore
- [*Thunbergia cynanchifolia*](#) Benth.

D

- [*Thunbergia dasychlamys*](#) Bremek.
- [*Thunbergia dregeana*](#) C.Presl

E

- [*Thunbergia eberhardtii*](#) Benoist
- [*Thunbergia erecta*](#) (Benth.) T.Anderson

- [*Thunbergia erythraeae*](#) Schweinf. ex Lindau
- [*Thunbergia eymae*](#) Bremek.

F

- [*Thunbergia fasciculata*](#) Lindau
- [*Thunbergia fischeri*](#) Engl.
- [*Thunbergia fragrans*](#) Roxb.

G



Thunbergia grandiflora

- [*Thunbergia geoffrayi*](#) Benoist
- [*Thunbergia gibsonii*](#) S.Moore
- [*Thunbergia gossweileri*](#) S.Moore
- [*Thunbergia gracilis*](#) Benoist
- [*Thunbergia graminifolia*](#) De Wild.
- [*Thunbergia grandiflora*](#) Roxb.
- [*Thunbergia gregorii*](#) S.Moore
- [*Thunbergia guerkeana*](#) Lindau

H

- [*Thunbergia hamata*](#) Lindau ex Engl.
- [*Thunbergia hastata*](#) Decne.
- [*Thunbergia hebecocca*](#) Bremek.
- [*Thunbergia hederifolia*](#) Bremek.
- [*Thunbergia heterochondros*](#) (Mildbr.) Vollesen

- [*Thunbergia hirsuta*](#) T.Anderson
- [*Thunbergia hispida*](#) Solms
- [*Thunbergia holstii*](#) Lindau
- [*Thunbergia hossei*](#) C.B.Clarke
- [*Thunbergia huillensis*](#) S.Moore
- [*Thunbergia hyalina*](#) S.Moore

I

- [*Thunbergia ilocana*](#) Bremek.
- [*Thunbergia impatienoides*](#) Suwanph. & S.Vajrodaya

J

- [*Thunbergia javanica*](#) C.F.Gaertn.
- [*Thunbergia jayii*](#) S.Moore

K

- [*Thunbergia kangeanensis*](#) Bremek.
- [*Thunbergia kasajuana*](#) Bh.Adhikari & J.R.I.Wood
- [*Thunbergia kirkiana*](#) T.Anderson
- [*Thunbergia kirkii*](#) Hook.f.

L



Thunbergia laurifolia

- [*Thunbergia laborans*](#) Burkill
- [*Thunbergia laevis*](#) Wall. ex Nees
- [*Thunbergia lamellata*](#) Hiern
- [*Thunbergia lancifolia*](#) T.Anderson
- [*Thunbergia lathyroides*](#) Burkill
- [*Thunbergia laurifolia*](#) Lindl.
- [*Thunbergia leucorhiza*](#) Benoist
- [*Thunbergia liebrechtsiana*](#) De Wild. & T.Durand
- [*Thunbergia longifolia*](#) Lindau
- [*Thunbergia lutea*](#) T.Anderson

M

- [*Thunbergia macalensis*](#) Bremek.
- [*Thunbergia malangana*](#) Lindau
- [*Thunbergia masisiensis*](#) De Wild.
- [*Thunbergia mauginii*](#) Fiori
- [*Thunbergia mechowii*](#) Lindau
- [*Thunbergia microchlamys*](#) S.Moore
- [*Thunbergia mildbraediana*](#) Lebrun & L.Touss.
- [*Thunbergia minziroensis*](#) Vollesen
- [*Thunbergia mufindiensis*](#) Vollesen

- [*Thunbergia mysorensis*](#) (Wight) T.Anderson

N



Thunbergia natalensis

- [*Thunbergia napperae*](#) Mwachala, Malombe & Vollesen
- [*Thunbergia natalensis*](#) Hook.
- [*Thunbergia neglecta*](#) Sond.
- [*Thunbergia nepalensis*](#) Bh.Adhikari & J.R.I.Wood
- [*Thunbergia nivea*](#) Craib

O

- [*Thunbergia oblongifolia*](#) Oliv.
- [*Thunbergia oubanguiensis*](#) Benoist

P

- [*Thunbergia palawanensis*](#) Bremek.
- [*Thunbergia papilionacea*](#) W.W.Sm.
- [*Thunbergia papuana*](#) Bremek.
- [*Thunbergia parviflora*](#) Bremek.
- [*Thunbergia parvifolia*](#) Lindau
- [*Thunbergia paulitschkeana*](#) Beck
- [*Thunbergia petersiana*](#) Lindau
- [*Thunbergia pleistodonta*](#) Bremek.

- [*Thunbergia pondoensis*](#) Lindau
- [*Thunbergia purpurata*](#) Harv. ex C.B.Clarke
- [*Thunbergia pynaertii*](#) De Wild.

Q

- [*Thunbergia quadrialata*](#) Lindau
- [*Thunbergia quadricostata*](#) Bremek.

R

- [*Thunbergia racemosa*](#) Vollesen
- [*Thunbergia recasa*](#) S.Moore
- [*Thunbergia reniformis*](#) Vollesen
- [*Thunbergia retefolia*](#) S.Moore
- [*Thunbergia reticulata*](#) Hochst. ex Nees
- [*Thunbergia richardsiae*](#) Vollesen
- [*Thunbergia ridleyi*](#) Bremek.
- [*Thunbergia rogersii*](#) Turrill
- [*Thunbergia rufescens*](#) Lindau
- [*Thunbergia ruspolii*](#) Lindau

S

- [*Thunbergia schimbensis*](#) S.Moore
- [*Thunbergia schliebenii*](#) Vollesen
- [*Thunbergia schweinfurthii*](#) S.Moore
- [*Thunbergia serpens*](#) Vollesen
- [*Thunbergia sessilis*](#) Lindau
- [*Thunbergia siantanensis*](#) Bremek.
- [*Thunbergia similis*](#) Craib
- [*Thunbergia smilacifolia*](#) Kurz
- [*Thunbergia stellarioides*](#) Burkill
- [*Thunbergia stelligera*](#) Lindau
- [*Thunbergia stenochlamys*](#) Bremek.
- [*Thunbergia subalata*](#) Lindau
- [*Thunbergia subcordatifolia*](#) De Wild.

T

- [*Thunbergia thespesiifolia*](#) Bremek.
- [*Thunbergia togoensis*](#) Lindau
- [*Thunbergia tomentosa*](#) Wall. ex Nees

- [*Thunbergia trachychlamys*](#) Bremek.
- [*Thunbergia trichocarpa*](#) Bremek.
- [*Thunbergia tsavoensis*](#) Vollesen

U

- [*Thunbergia usambarica*](#) Lindau

V

- [*Thunbergia venosa*](#) C.B.Clarke
- [*Thunbergia verdcourtii*](#) Vollesen
- [*Thunbergia vogeliana*](#) Benth.
- [*Thunbergia vossiana*](#) De Wild.

From Wikipedia, the free encyclopedia

The following is a list of [*Thelymitra*](#) species accepted by the [*Index Kewensis*](#) at May 2018.^[1]

- [*Thelymitra abrupta*](#) R.J.Bates 2016 ([S.A.](#))
- [*Thelymitra adorata*](#) Jeanes 2011 – praying sun orchid ([N.S.W.](#))
- [*Thelymitra aemula*](#) Cheeseman 1919 – gumland sun orchid ([N.Z.](#))
- [*Thelymitra aggericola*](#) D.L.Jones 1999 – bleak sun orchid ([Tas.](#))
- [*Thelymitra albiflora*](#) Jeanes 2004 – white sun orchid ([S.A.](#))
- [*Thelymitra alcockiae*](#) Jeanes 2013 – Kath's sun orchid ([Vic.](#), S.A.)
- [*Thelymitra alpicola*](#) Jeanes 2012 – alpine striped sun orchid (N.S.W., Vic.)
- [*Thelymitra alpina*](#) Jeanes 2013 – mountain sun orchid ([A.C.T.](#), N.S.W., Vic.)
- [*Thelymitra angustifolia*](#) R.Br. 1810 – long-leaved sun orchid (N.S.W., Qld.)
- [*Thelymitra antennifera*](#) (Lindl.) Hook.f. 1858 – rabbit-eared sun orchid, lemon-scented orchid, vanilla orchid ([W.A.](#), S.A., Vic.)
- [*Thelymitra apiculata*](#) ([A.S.George](#)) M.A.Clem. & D.L.Jones 1989 – Cleopatra's needles (W.A.)
- [*Thelymitra arenaria*](#) Lindl. 1840 – forest sun orchid (N.S.W., A.C.T., Vic., Tas., S.A.)
- [*Thelymitra aristata*](#) Lindl. 1840 – great sun orchid (N.S.W., Vic., Tas., S.A.)
- [*Thelymitra atronitida*](#) Jeanes – black-hooded sun orchid 2000 (N.S.W., Vic., Tas.)
- [*Thelymitra azurea*](#) R.S.Rogers 1917 – azure sun orchid (Vic.)
- [*Thelymitra basaltica*](#) Jeanes – grasslands sun orchid 2004 (Vic.)
- [*Thelymitra batesii*](#) Jeanes 2004 – plump sun orchid (S.A.)
- [*Thelymitra benthamiana*](#) Rchb.f. 1871 – blotched sun orchid, leopard sun orchid (W.A., S.A., Vic., Tas.)

- [*Thelymitra bracteata*](#) J.Z.Weber ex Jeanes 2004 – leafy sun orchid, large-bracted sun orchid (S.A., Tas., Vic.)
- [*Thelymitra brevifolia*](#) Jeanes 2004 – peppertop sun orchid, short-leaf sun orchid (N.S.W., A.C.T., Vic. Tas., S.A.)
- [*Thelymitra campanulata*](#) Lindl. 1840 – bell-shaped thelymitra, shirt orchid (W.A.)
- [*Thelymitra canaliculata*](#) R.Br. 1810 – flushed sun orchid, blue sun orchid (W.A.)
- [*Thelymitra carnea*](#) R.Br. 1810 – tiny sun orchid (Qld., N.S.W., Vic., Tas., N.Z.)
- [*Thelymitra* × *chasmogama*](#) R.S.Rogers 2011 – globe-hood sun orchid (S.A., Vic.)
- [*Thelymitra circumsepta*](#) Fitzg. 1878 – naked sun orchid (N.S.W., Vic., S.A., Tas.)
- [*Thelymitra colensoi*](#) Hook.f. 1864 – Colenso's sun orchid (N.Z.)
- [*Thelymitra cornicina*](#) Rchb.f. 1871 – lilac sun orchid (W.A.)
- [*Thelymitra corrugata*](#) R.J.Bates 2013 (S.A.)
- [*Thelymitra crenulata*](#) R.J.Bates 2010 (S.A.)
- [*Thelymitra crinita*](#) Lindl. 1840 – long-haired thelymitra, blue lady orchid (W.A.)
- [*Thelymitra cucullata*](#) Rupp 1946 – swamp sun orchid (W.A.)
- [*Thelymitra cyanapicata*](#) Jeanes 2004 – dark-tipped sun orchid (Vic.)
- [*Thelymitra cyanea*](#) (Lindl.) Benth. 1873 – veined sun orchid (N.S.W., Vic., Tas., S.A., N.Z.)
- [*Thelymitra dedmaniarum*](#) R.S.Rogers 1938 – cinnamon sun orchid (W.A.)
- [*Thelymitra* × *dentata*](#) L.B.Moore 1968 (N.Z.)
- [*Thelymitra epipactoides*](#) F.Muell. 1866 – metallic sun orchid (Vic., S.A.)
- [*Thelymitra erosa*](#) D.L.Jones & M.A.Clem. 1998 – striped sun orchid (Tas.)
- [*Thelymitra exigua*](#) Jeanes 2004 – short sun orchid (S.A.)
- [*Thelymitra flexuosa*](#) Endl. 1839 – twisted sun orchid (W.A., S.A., Vic., Tas.)
- [*Thelymitra forbesii*](#) Ridl. in H.O.Forbes 1885 ([East Timor](#))
- [*Thelymitra formosa*](#) Colenso 1884 (N.Z.)
- [*Thelymitra fragrans*](#) D.L.Jones & M.A.Clem. 1988 – fragrant sun orchid ([Qld.](#), N.S.W.)
- [*Thelymitra frenchii*](#) Jeanes 2004 – scarp sun orchid, Jarrahdale sun orchid (W.A.)
- [*Thelymitra fuscolutea*](#) R.Br. 1810 – chestnut sun orchid (W.A.)
- [*Thelymitra glaucophylla*](#) R.J.Bates ex Jeanes 2013 (S.A.)
- [*Thelymitra graminea*](#) Lindl. 1840 – shy sun orchid (W.A.)
- [*Thelymitra grandiflora*](#) Fitz. 1882 – giant sun orchid (S.A.)
 - [*Thelymitra grandiflora* subsp. *exposa*](#) R.J.Bates 2014 (S.A.)
 - [*Thelymitra grandiflora* Fitz. subsp. *grandiflora*](#) 1882 (S.A.)
- [*Thelymitra granitora*](#) D.L.Jones & M.A.Clem. 1998 – coastal granite sun orchid, coastal sun orchid (W.A.)
- [*Thelymitra gregaria*](#) D.L.Jones & M.A.Clem. 1998 – clumping sun orchid (Vic.)
- [*Thelymitra hatchii*](#) L.B.Moore 1968 (N.Z.)
- [*Thelymitra hiemalis*](#) D.L.Jones & M.A.Clem. 1998 – winter sun orchid (Vic.)
- [*Thelymitra holmesii*](#) Nicholls 1932 – plain sun orchid (W.A., S.A., Vic., Tas.)
- [*Thelymitra hygrophila*](#) R.J.Bates 2010 – blue star sun orchid (S.A.)
- [*Thelymitra imbricata*](#) D.L.Jones & M.A.Clem. 1998 – broad sun orchid (Tas.)
- [*Thelymitra improcera*](#) D.L.Jones & M.A.Clem. – coastal sun orchid 1998 (Vic., Tas.)

- [*Thelymitra incurva*](#) Jeanes 2012 – coastal striped sun orchid (Vic., N.S.W.)
- [*Thelymitra inflata*](#) Jeanes 2004 inflated sun orchid (Vic., S.A., Tas.)
- [*Thelymitra irregularis*](#) Nicholls 1946 – crested sun orchid (Vic., N.S.W., Tas.)
- [*Thelymitra ixioides*](#) Sw., 1800 – spotted sun orchid (Qld., N.S.W., Vic., Tas., S.A., N.Z.)
- [*Thelymitra jacksonii*](#) Hopper & A.P.Br. ex Jeanes 2006 (W.A.)
- [*Thelymitra javanica*](#) Blume 1825 ([Indonesia](#) and the [Philippines](#))
- [*Thelymitra jonesii*](#) Jeanes 2001 – skyblue sun orchid (Tas.)
- [*Thelymitra juncifolia*](#) Lindl. 1840 – large-spotted sun orchid (N.S.W., A.C.T., Vic., Tas., S.A.)
- [*Thelymitra kangaloonica*](#) Jeanes 2011 – Kangaloon sun orchid (N.S.W.)
- [*Thelymitra latifolia*](#) R.J.Bates 2001 (S.A.)
- [*Thelymitra laticarpa*](#) Jeanes 2001 – wandoo sun orchid, wandoo shirt orchid (W.A.)
- [*Thelymitra longifolia*](#) J.R.Forst. & G.Forst. 1775 – white sun orchid, maikuku (N.Z.)
- [*Thelymitra longiloba*](#) D.L.Jones & M.A.Clem. 1998 – lobed sun orchid (N.S.W., Vic., Tas.)
- [*Thelymitra lucida*](#) Jeanes 2004 – glistening sun orchid (Vic., Tas.)
- [*Thelymitra luteocilium*](#) Fitzg. 1882 – fringed sun orchid (S.A., Vic.)
- [*Thelymitra* × *mackibbinii*](#) (= *Thelymitra mackibbinii*) F.Muell. 1881 – brilliant sun orchid (S.A., Vic.)
- [*Thelymitra* × *macmillanii*](#) F.Muell. 1865 – red sun orchid, crimson sun orchid (S.A., Vic.)
- [*Thelymitra macrophylla*](#) Lindl. 1840 – large-leaved thelymitra (W.A.)
- [*Thelymitra maculata*](#) Jeanes 2009 – spotted curly locks, eastern curly locks (W.A.)
- [*Thelymitra magnifica*](#) Jeanes 2006 (W.A.) – Crystal Brook sun orchid
- [*Thelymitra malvina*](#) M.A.Clem., D.L.Jones & Molloy 1989 – mauve-tufted sun orchid (Qld., N.S.W., Vic., Tas., S.A., N.Z.)
- [*Thelymitra matthewsii*](#) Cheeseman 1910 (publ. 1911) – spiral sun orchid (Vic., S.A., N.Z.)
- [*Thelymitra media*](#) R.Br. 1810 – tall sun orchid (N.S.W., Vic., Tas.)
 - [*Thelymitra media* R.Br.var. *media*](#) (N.S.W., Vic.)
 - [*Thelymitra media* var. *carneolutea*](#) Nicholls 1943 (Vic.)
- [*Thelymitra megacalyptra*](#) Fitzg. 1879 – plains sun orchid (N.S.W., Vic., A.C.T., S.A.)
- [*Thelymitra merraniae*](#) Nicholls 1929 – Merran's sun orchid (N.S.W., S.A., Vic., Tas.)
- [*Thelymitra mucida*](#) Fitzg. 1882 – plum sun orchid (W.A., S.A., Vic., Tas.)
- [*Thelymitra nervosa*](#) Colenso 1887 (publ. 1888) (N.Z.)
- [*Thelymitra nuda*](#) R.Br. 1810 – plain thelymitra (N.S.W., A.C.T., Vic. Tas., S.A.)
- [*Thelymitra occidentalis*](#) Jeanes 2001 – western azure sun orchid, rimmed sun orchid (W.A., S.A.)
- [*Thelymitra odora*](#) R.J.Bates 2010 (S.A.)
- [*Thelymitra orientalis*](#) R.J.Bates 2010 (Vic.)
- [*Thelymitra pallidiflora*](#) Jeanes 2004 –pale sun orchid (Vic.)
- [*Thelymitra pallidifructus*](#) R.J.Bates 2010 (S.A.)
- [*Thelymitra paludosa*](#) Jeanes 2013 (W.A.)
- [*Thelymitra papuana*](#) J.J.Sm. 1934 – Papua thelymitra ([New Guinea](#))
- [*Thelymitra pauciflora*](#) R.Br. 1810 – slender sun orchid (Qld., N.S.W., A.C.T., Vic., Tas., S.A., N.Z.)
- [*Thelymitra peniculata*](#) Jeanes 2004 – trim sun orchid (N.S.W., Vic., S.A., A.C.T., Tas.)

- [*Thelymitra petrophila*](#) Jeanes 2013 (W.A.)
- [*Thelymitra planicola*](#) Jeanes 2000 – glaucous sun orchid (Vic., N.S.W.)
- [*Thelymitra polychroma*](#) D.L.Jones & M.A.Clem. 1998 – rainbow sun orchid (Tas.)
- [*Thelymitra psammophila*](#) C.R.P.Andrews 1905 – sandplain sun orchid (W.A.)
- [*Thelymitra pulchella*](#) Hook.f. 1853 (N.Z.)
- [*Thelymitra pulcherrima*](#) Jeanes 2009 – northern Queen of Sheba (W.A.)
- [*Thelymitra purpurata*](#) Rupp 1946 – wallum sun orchid (Qld., N.S.W.)
- [*Thelymitra purpureofusca*](#) Colenso 1880 (N.Z.)
- [*Thelymitra queenslandica*](#) Jeanes – northern sun orchid 2013 (Qld.)
- [*Thelymitra reflexa*](#) Jeanes 2005 – reflexed sun orchid (Vic.)
- [*Thelymitra rubra*](#) Fitzg. 1882 – salmon sun orchid (N.S.W., Vic., Tas., S.A.)
- [*Thelymitra rubricaulis*](#) R.J.Bates 2010 (S.A.)
- [*Thelymitra sanscilia*](#) H.S.Irwin ex Hatch 1952 (N.Z.)
- [*Thelymitra sarasiniana*](#) Kraenzl. in F.Sarasin & J.Roux 1914 ([New Caledonia](#))
- [*Thelymitra sargentii*](#) R.S.Rogers 1930 – freckled sun orchid (W.A.)
- [*Thelymitra silena*](#) D.L.Jones 1999 – madonna sun orchid (Tas.)
- [*Thelymitra simulata*](#) D.L.Jones & M.A.Clem. 1998 – collared sun orchid (N.S.W., A.C.T., Vic., Tas.)
- [*Thelymitra spadicea*](#) D.L.Jones & M.A.Clem. 1998 – browntop sun orchid (Tas.)
- [*Thelymitra sparsa*](#) D.L.Jones & M.A.Clem. 1998 – wispy sun orchid (Tas.)
- [*Thelymitra speciosa*](#) Jeanes 2009 – eastern Queen of Sheba (W.A.)
- [*Thelymitra spiralis*](#) (Lindl.) F.Muell. 1865 – curly locks (W.A.)
- [*Thelymitra stellata*](#) Lindl. 1840 – starry sun orchid, star orchid (W.A.)
- [*Thelymitra tholiformis*](#) Molloy & Hatch 1990 (N.Z.)
- [*Thelymitra tigrina*](#) R.Br. 1810 – tiger orchid, tiger sun orchid (W.A.)
- [*Thelymitra* × *truncata*](#) R.S.Rogers 1917 – truncate sun orchid (Vic., S.A., Tas.)
- [*Thelymitra uliginosa*](#) Jeanes 2009 – southern curly locks, swamp curly locks (W.A.)
- [*Thelymitra variegata*](#) (Lindl.) F.Muell. 1865 – Queen of Sheba (W.A.)
- [*Thelymitra venosa*](#) R.Br. 1810 – large veined sun orchid (N.S.W.)
- [*Thelymitra villosa*](#) Lindl. 1840 – custard orchid (W.A.)
- [*Thelymitra viridis*](#) Jeanes 2004 – green sun orchid (Tas.)
- [*Thelymitra vulgaris*](#) Jeanes 2004 – slender sun orchid, common sun orchid (W.A.)
- [*Thelymitra xanthotricha*](#) Jeanes 2004 – yellow tufted sun orchid (W.A.)
- [*Thelymitra yorkensis*](#) Jeanes 2006 – York sun orchid, bronze sun orchid (W.A.)

Natural hybrids

- *Thelymitra* × *chasmogama* R.S.Rogers 1927 (*T. luteocilium* × *T. nuda*)
- *Thelymitra* × *dentata* L.B.Moore 1968 (*T. longifolia* × *T. pulchella*)
- *Thelymitra* × *mackibbinii* F.Muell. 1881 (*T.* × *macmillanii* × *T. nuda*)
- *Thelymitra* × *macmillanii* F.Muell. 1865 (*T. antennifera* × *T. luteocilium*)
- *Thelymitra* × *truncata* R.S.Rogers 1917

Intergeneric hybrid

- x*Calomitra* (*Calochilus* x *Thelymitra*) (unplaced name)

References

From Wikipedia, the free encyclopedia

The following is a list of [*Teucrium*](#) species accepted by [Plants of the World Online](#) at March 2021.^[1]

- [*Teucrium abolhayatensis*](#) Ranjbar & Mahmoudi
- [*Teucrium abutiloides*](#) L'Hér.
- [*Teucrium africanum*](#) Thunb.
- [*Teucrium afrum*](#) (Emb. & Maire) Pau & Font Quer
- [*Teucrium aladagense*](#) Vural & H.Duman
- [*Teucrium albicaule*](#) Toelken – scurfy germander (Australia)
- [*Teucrium albidum*](#) Munby
- [*Teucrium alborubrum*](#) Hemsl.
- [*Teucrium algarbiense*](#) (Cout.) Cout.
- [*Teucrium alopecurus*](#) de Noé
- [*Teucrium alpestre*](#) Sm.
- [*Teucrium alyssifolium*](#) Stapf
- [*Teucrium amplexicaule*](#) Benth.
- [*Teucrium andrusi*](#) Post
- [*Teucrium angustissimum*](#) Schreb.
- [*Teucrium anlungense*](#) C.Y.Wu & S.Chow
- [*Teucrium annandalei*](#) Mukerjee
- [*Teucrium antiatlanticum*](#) (Maire) Sauvage & Vindt
- [*Teucrium antilibanoticum*](#) Mouterde
- [*Teucrium antitauricum*](#) Ekim
- [*Teucrium apollinis*](#) Maire & Weiller
- [*Teucrium aragonense*](#) Loscos & J.Pardo
- [*Teucrium arduinoi*](#) L.
- [*Teucrium argutum*](#) R.Br. – native germander (Qld., N.S.W.)
- [*Teucrium aristatum*](#) Pérez Lara
- [*Teucrium aroanium*](#) Orph. ex Boiss.
- [*Teucrium asiaticum*](#) L.
- [*Teucrium atratum*](#) Pomel
- [*Teucrium aureiforme*](#) Pomel
- [*Teucrium aureocandidum*](#) Andr.
- [*Teucrium aureum*](#) Schreb.
- [*Teucrium balearicum*](#) (Coss. ex Pau) Castrov. & Bayon

- [*Teucrium balfourii*](#) Vierh.
- [*Teucrium balthazaris*](#) Sennen
- [*Teucrium baokangensis*](#) C.L.Xiang
- [*Teucrium barbarum*](#) Jahand. & Maire
- [*Teucrium barbeyanum*](#) Asch. & Taub. ex E.A.Durand & Barratte
- [*Teucrium betchei*](#) (F.Muell.) Kattari & Salmaki (Qld., N.S.W.)
- [*Teucrium betonicum*](#) L'Hér.
- [*Teucrium bicolor*](#) Sm.
- [*Teucrium bicoloreum*](#) Pau ex Vicioso
- [*Teucrium bidentatum*](#) Hemsl.
- [*Teucrium bogoutdinovae*](#) Melnikov
- [*Teucrium botrys*](#) L. - cutleaf germander
- [*Teucrium brachyandrum*](#) Puech
- [*Teucrium bracteatum*](#) Desf.
- [*Teucrium brevifolium*](#) Schreb.
- [*Teucrium bullatum*](#) Coss. & Balansa
- [*Teucrium burmanicum*](#) Mukerjee
- [*Teucrium buxifolium*](#) Schreb.
- [*Teucrium campanulatum*](#) L.
- [*Teucrium canadense*](#) L. – American germander, Canada germander, wood sage
- [*Teucrium canum*](#) Fisch. & C.A.Mey.
- [*Teucrium capitatum*](#) L.
- [*Teucrium carolipau*](#) Vicioso ex Pau
- [*Teucrium carthaginense*](#) Lange
- [*Teucrium caucasigenum*](#) Melnikov
- [*Teucrium cavanillesianum*](#) Font Quer & Jeronimo
- [*Teucrium cavernarum*](#) P.H.Davis
- [*Teucrium chamaedrys*](#) L. – wall germander
- [*Teucrium chardonianum*](#) Maire & Wilczek
- [*Teucrium charidemi*](#) Sandwith
- [*Teucrium chasmophyticum*](#) Rech.f.
- [*Teucrium chlorocephalum*](#) Celak.
- [*Teucrium chlorostachyum*](#) Pau & Font Quer
- [*Teucrium chowii*](#) Y.H.Tong & N.H.Xia
- [*Teucrium chrysotrichum*](#) Lange
- [*Teucrium cincinnatum*](#) Maire
- [*Teucrium clementiae*](#) Ryding
- [*Teucrium coahuilanum*](#) B.L.Turner
- [*Teucrium compactum*](#) Clemente ex Lag.
- [*Teucrium coniortodes*](#) Boiss. & Blanche
- [*Teucrium corymbiferum*](#) Desf.
- [*Teucrium corymbosum*](#) R.Br. – forest germander (Australia, New Guinea)

- [Teucrium cossonii](#) D.Wood – fruity germander
- [Teucrium creticum](#) L.
- [Teucrium cubense](#) Jacq. – small coastal germander, dwarf germander
- [Teucrium cuneifolium](#) Sm.
- [Teucrium cyprium](#) Boiss.
- [Teucrium cyrenaicum](#) (Maire & Weiller) Brullo & Furnari
- [Teucrium daucoides](#) A.R.Bean
- [Teucrium davaeanum](#) Coss.
- [Teucrium dealianum](#) Emb. & Maire
- [Teucrium decaisnei](#) C.Presl
- [Teucrium decipiens](#) Coss. & Balansa
- [Teucrium demnatense](#) Coss. ex Batt.
- [Teucrium disjunctum](#) K.R.Thiele & K.A.Sheph.
- [Teucrium divaricatum](#) Sieber ex Heldr.
- [Teucrium doumerguei](#) Sennen
- [Teucrium ducellieri](#) Batt.
- [Teucrium dumulosum](#) (Rech.f.) Brullo & Guarino
- [Teucrium dunense](#) Sennen
- [Teucrium eburneum](#) Thulin
- [Teucrium edetanum](#) M.B.Crespo, Mateo & T.Navarro
- [Teucrium embergeri](#) (Sauvage & Vindt) El Oualidi, T.Navarro & A.Martin
- [Teucrium eremaeum](#) Diels (W.A.)
- [Teucrium eriocephalum](#) Willk.
- [Teucrium eximium](#) O.Schwartz
- [Teucrium expassum](#) Pau
- [Teucrium fallax](#) A.R.Bean
- [Teucrium faurei](#) Maire
- [Teucrium fililobum](#) F.Muell. ex Benth.
- [Teucrium flavum](#) L.
- [Teucrium fragile](#) Boiss.
- [Teucrium franchetianum](#) Rouy & Coincy
- [Teucrium francisci-wernerii](#) Rech.f.
- [Teucrium francoi](#) M.Seq., Capelo, J.C.Costa & R.Jardim
- [Teucrium freynii](#) E.Rev. ex Willk.
- [Teucrium fruticans](#) L. – tree germander, shrubby germander
- [Teucrium gabrieliae](#) Bornm.
- [Teucrium gattefossei](#) Emb.
- [Teucrium glandulosum](#) Kellogg – sticky germander, desert germander
- [Teucrium gnaphalodes](#) L'Hér.
- [Teucrium goetzei](#) Gürke
- [Teucrium gracile](#) Barbey & Fors.-Major
- [Teucrium grandifolium](#) R.A.Clement

- [Teucrium grandiusculum](#) F.Muell. & Tate (W.A., S.A., N.T.)
- [Teucrium grosii](#) Pau
- [Teucrium gypsophilum](#) Emb. & Maire
- [Teucrium haenseleri](#) Boiss.
- [Teucrium halacsyanum](#) Heldr.
- [Teucrium haradjanii](#) Briq. ex Rech.f.
- [Teucrium helichrysoides](#) (Diels) Greuter & Burdet
- [Teucrium heterophyllum](#) L'Hér.
- [Teucrium heterotrichum](#) Briq. ex Rech.f.
- [Teucrium heynei](#) V.S.Kumar & Chakrab.
- [Teucrium hieronymi](#) Sennen
- [Teucrium hifacense](#) Pau
- [Teucrium hijazicum](#) Hedge & R.A.King
- [Teucrium hircanicum](#) L.
- [Teucrium homotrichum](#) (Font Quer) Rivas Mart.
- [Teucrium huotii](#) Emb. & Maire
- [Teucrium integrifolium](#) Benth. – teucry weed (W.A., N.T., Qld.)
- [Teucrium intricatum](#) Lange
- [Teucrium irroratum](#) A.R.Bean
- [Teucrium japonicum](#) Houtt.
- [Teucrium joannis](#) (Sauvage & Vindt) El Oualidi, T.Navarro & A.Martin
- [Teucrium jolyi](#) Mathez & Sauvage
- [Teucrium jordanicum](#) (Danin) Faried
- [Teucrium junceum](#) (A.Cunn. ex Walp.) Kattari & Heubl (Qld., N.S.W.)
- [Teucrium kabylicum](#) Batt.
- [Teucrium karpasiticum](#) Hadjik. & Hand
- [Teucrium kotschyanum](#) Poech
- [Teucrium kraussii](#) Codd
- [Teucrium krymense](#) Juz.
- [Teucrium kyreniae](#) (P.H.Davis) Hadjik. & Hand
- [Teucrium labiosum](#) C.Y.Wu & S.Chow
- [Teucrium laciniatum](#) Torr.
- [Teucrium lamiifolium](#) d'Urv.
- [Teucrium lanigerum](#) Lag.
- [Teucrium laxum](#) D.Don
- [Teucrium leonis](#) Sennen
- [Teucrium lepicephalum](#) Pau
- [Teucrium leucocladum](#) Boiss.
- [Teucrium leucophyllum](#) Montbret & Aucher ex Benth.
- [Teucrium libanitis](#) Schreb.
- [Teucrium lini-vaccarii](#) Pamp.
- [Teucrium lucidum](#) L.

- [*Teucrium lusitanicum*](#) Schreb.
- [*Teucrium luteum*](#) (Mill.) Degen
- [*Teucrium macrophyllum*](#) (C.Y.Wu & S.Chow) J.H.Zheng
- [*Teucrium macrum*](#) Boiss. & Hausskn.
- [*Teucrium maghrebinum*](#) Greuter & Burdet
- [*Teucrium malenconianum*](#) Maire
- [*Teucrium manghuaense*](#) Y.Z.Sun ex S.Chow
- [*Teucrium marum*](#) L.
- [*Teucrium mascatense*](#) Boiss.
- [*Teucrium massiliense*](#) L.
- [*Teucrium maximowiczii*](#) Prob.
- [*Teucrium melissoides*](#) Boiss. & Hausskn.
- [*Teucrium mesanidum*](#) (Litard. & Maire) Sauvage & Vindt
- [*Teucrium micranthum*](#) B.J.Conn (Qld.)
- [*Teucrium microphyllum*](#) Desf.
- [*Teucrium micropodioides*](#) Rouy
- [*Teucrium mideltense*](#) (Batt.) Humbert
- [*Teucrium miragestorum*](#) Gómez Nav., Roselló, P.P.Ferrer & Peris
- [*Teucrium mitecum*](#) Tattou & El Oualidi
- [*Teucrium modestum*](#) A.R.Bean
- [*Teucrium moleromesae*](#) Sánchez-Gómez, T.Navarro, J.F.Jiménez, J.B.Vera, Mota & del Río
- [*Teucrium montanum*](#) L.
- [*Teucrium montbretii*](#) Benth.
- [*Teucrium muletii*](#) Roselló, P.P.Ferrer, E.Laguna, Gómez Nav., A.Guillén & Peris
- [*Teucrium multicaule*](#) Montbret & Aucher ex Benth.
- [*Teucrium murcicum*](#) Sennen
- [*Teucrium musimonum*](#) Humbert ex Maire
- [*Teucrium myriocladum*](#) Diels (W.A.)
- [*Teucrium nanum*](#) C.Y.Wu & S.Chow
- [*Teucrium novorossicum*](#) Melnikov
- [*Teucrium nudicaule*](#) Hook.
- [*Teucrium nummulariifolium*](#) Baker
- [*Teucrium odontites*](#) Boiss. & Balansa
- [*Teucrium oliverianum*](#) Ging. ex Benth.
- [*Teucrium omeiense*](#) Y.Z.Sun
- [*Teucrium orientale*](#) L.
- [*Teucrium ornatum*](#) Hemsl.
- [*Teucrium oxylepis*](#) Font Quer
- [*Teucrium ozturkii*](#) A.P.Khokhr.
- [*Teucrium paederotoides*](#) Boiss.
- [*Teucrium pampaninii*](#) C.Du
- [*Teucrium parviflorum*](#) Schreb.

- [*Teucrium parvifolium*](#) (Hook.f.) Kattari & Salmaki
- [*Teucrium pernyi*](#) Franch.
- [*Teucrium persicum*](#) Boiss.
- [*Teucrium pestalozzae*](#) Boiss.
- [*Teucrium petelotii*](#) Doan ex Suddee & A.J.Paton
- [*Teucrium pilbaranum*](#) B.J.Conn (W.A.)
- [*Teucrium plectranthoides*](#) Gamble
- [*Teucrium polioides*](#) Ryding
- [*Teucrium polium*](#) L.
- [*Teucrium popovii*](#) R.A.King
- [*Teucrium procerum*](#) Boiss. & Blanche
- [*Teucrium proctorii*](#) L.O.Williams
- [*Teucrium pruinatum*](#) Boiss.
- [*Teucrium pseudaroanum*](#) Parolly, Erdag & Nordt
- [*Teucrium pseudochamaepitys*](#) L.
- [*Teucrium pseudoscorodonia*](#) Desf.
- [*Teucrium puberulum*](#) (F.Muell.) Kattari & Bräuchler (Qld., N.S.W.)
- [*Teucrium pugionifolium*](#) Pau
- [*Teucrium pumilum*](#) L.
- [*Teucrium pyrenaicum*](#) L.
- [*Teucrium quadrifarium*](#) Buch.-Ham. ex D.Don
- [*Teucrium racemosum*](#) R.Br. – forest germander (continental Australia)
- [*Teucrium radicans*](#) Bonnet & Barratte
- [*Teucrium ramosissimum*](#) Desf.
- [*Teucrium reidii*](#) Toelken & D.Dean Cunn. (South Australia)
- [*Teucrium resupinatum*](#) Desf.
- [*Teucrium rhodocalyx*](#) O.Schwartz
- [*Teucrium rufanum*](#) (Maire & Sennen) Maire & Sennen
- [*Teucrium rigidum*](#) Benth.
- [*Teucrium rivas-martinezii*](#) Alcaraz, Garre, Mart.Parras & Peinado
- [*Teucrium rixanense*](#) Ruíz Torre & Ruíz Cast.
- [*Teucrium ronnigeri*](#) Sennen
- [*Teucrium rotundifolium*](#) Schreb.
- [*Teucrium rouyanum*](#) Coste & Soulié
- [*Teucrium royleanum*](#) Wall. ex Benth.
- [*Teucrium rupestre*](#) Coss. & Balansa
- [*Teucrium sagittatum*](#) A.R.Bean
- [*Teucrium salaminium*](#) Hadjik. & Hand
- [*Teucrium salviastrum*](#) Schreb.
- [*Teucrium sandrasicum*](#) O.Schwarz
- [*Teucrium sanguisorbifolium*](#) (Pau & Font Quer) Dobignard

- [*Teucrium santae*](#) Quézel & Simonn. ex Greuter & Burdet
- [*Teucrium sauvagei*](#) Le Houér.
- [*Teucrium scabrum*](#) Suddee & A.J.Paton
- [*Teucrium schoenenbergeri*](#) Nabli
- [*Teucrium scordium*](#) L.
- [*Teucrium scorodonia*](#) L. – woodland germander
- [*Teucrium serpylloides*](#) Maire & Weiller
- [*Teucrium sessiliflorum*](#) Benth. (W.A., S.A., N.S.W., Vic.)
- [*Teucrium shanicum*](#) Mukerjee
- [*Teucrium siculum*](#) (Raf.) Guss.
- [*Teucrium similatum*](#) T.Navarro & Rosua
- [*Teucrium simplex*](#) Vaniot
- [*Teucrium sirnakense*](#) Özcan & Dirmenci
- [*Teucrium socinianum*](#) Boiss.
- [*Teucrium socotranum*](#) Vierh.
- [*Teucrium somalense*](#) Ryding
- [*Teucrium spinosum*](#) L.
- [*Teucrium stachyophyllum*](#) P.H.Davis
- [*Teucrium stocksianum*](#) Boiss.
- [*Teucrium subspinosum*](#) Pourr. ex Willd.
- [*Teucrium taiwanianum*](#) T.H.Hsieh & T.C.Huang
- [*Teucrium tananicum*](#) Maire
- [*Teucrium teinense*](#) Kudô
- [*Teucrium terciæ*](#) (Sánchez-Gómez, M.A.Carrión & A.Hern.) Sánchez-Gómez, M.A.Carrión & A.Hern.
- [*Teucrium teresanum*](#) Blanca, Cueto & J.Fuentes
- [*Teucrium teucriiflorum*](#) (F.Muell.) Kattari & Salmaki (W.A., N.T., S.A., Qld.)
- [*Teucrium thieleanum*](#) B.J.Conn (Victoria, Australia)
- [*Teucrium thymifolium*](#) Schreb.
- [*Teucrium thymoides*](#) Pomel
- [*Teucrium townsendii*](#) Vasey & Rose
- [*Teucrium trifidum*](#) Retz.
- [*Teucrium tsinlingense*](#) C.Y.Wu & S.Chow
- [*Teucrium turredanum*](#) Losa & Rivas Goday
- [*Teucrium ussuriense*](#) Kom.
- [*Teucrium veronicoides*](#) Maxim.
- [*Teucrium vesicarium*](#) Mill.
- [*Teucrium vincentinum*](#) Rouy
- [*Teucrium viscidum*](#) Blume
- [*Teucrium wattii*](#) Prain
- [*Teucrium webbianum*](#) Boiss.
- [*Teucrium wernerii*](#) Emb.
- [*Teucrium wightii*](#) Hook.f.

- [Teucrium yemense](#) Deflers
- [Teucrium zaianum](#) Emb. & Maire
- [Teucrium zanonii](#) Pamp.
- [Teucrium × alexeenkoanum](#) Juz.
- [Teucrium × alrumanae](#) M.B.Crespo & J.C.Cristóbal
- [Teucrium × alvarezii](#) Alcaraz, Sánchez-Gómez, De la Torre & S.Ríos
- [Teucrium × arenicola](#) M.B.Crespo & Camuñas
- [Teucrium × badiae](#) Sennen
- [Teucrium × bergadense](#) Sennen
- [Teucrium × bubanii](#) Sennen
- [Teucrium × carmelitanum](#) Roselló, P.P.Ferrer, A.Guillén, Gómez Nav., Peris & E.Laguna
- [Teucrium × carvalhoae](#) A.F.Carrillo, A.Hern., Coy, Güemes & Sánchez-Gómez
- [Teucrium × coeleste](#) Schreb.
- [Teucrium × conquense](#) M.B.Crespo & Mateo
- [Teucrium × contejeanii](#) Giraudias
- [Teucrium × delatorrei](#) M.B.Crespo & M.Á.Alonso
- [Teucrium × djebalicum](#) Font Quer
- [Teucrium × eloualidii](#) Sánchez-Gómez & T.Navarro
- [Teucrium × estevei](#) Alcaraz, Sánchez-Gómez & J.S.Carrión
- [Teucrium × gnaphaureum](#) M.B.Crespo & Mateo
- [Teucrium × guarae-requenae](#) P.P.Ferrer, E.Laguna, Gómez Nav., Roselló & Peris
- [Teucrium × guemesii](#) J.F.Jiménez, A.F.Carrillo, M.A.Carrión
- [Teucrium × lucentinum](#) M.B.Crespo, M.Á.Alonso, Camuñas & J.C.Cristóbal
- [Teucrium × maestracense](#) M.B.Crespo & Mateo
- [Teucrium × mailhoi](#) Giraudias
- [Teucrium × mateoi](#) Solanas, M.B.Crespo & De la Torre
- [Teucrium × motae](#) Lahora & Sánchez-Gómez
- [Teucrium × mugronense](#) P.P.Ferrer, Roselló, Gómez Nav. & Guara
- [Teucrium × navarroi](#) Sánchez-Gómez, Güemes, A.F.Carrillo, Coy & A.Hern.
- [Teucrium × pierae](#) Gómez Nav., P.P.Ferrer, R.Roselló, A.Guillén, E.Laguna & Per
- [Teucrium × portusmagni](#) Sánchez-Gómez, A.F.Carrillo, A.Hern. & T.Navarro
- [Teucrium × pseudoaragonense](#) M.B.Crespo & Mateo
- [Teucrium × pseudothymifolium](#) Sánchez-Gómez, Güemes & A.F.Carrillo
- [Teucrium × pujolii](#) Sennen
- [Teucrium × rigualii](#) De la Torre & Alcaraz
- [Teucrium × riosii](#) De la Torre & Alcaraz
- [Teucrium × riverae](#) De la Torre & Alcaraz
- [Teucrium × robledoi](#) De la Torre & Alcaraz
- [Teucrium × rubrovirens](#) Pau
- [Teucrium × sagarrae](#) Font Quer
- [Teucrium × scorolepis](#) Pajarón & A.Molina
- [Teucrium × turianum](#) M.B.Crespo, P.P.Ferrer, Roselló, M.A.Alonso, Juan & E.Laguna

- [*Teucrium × vallbonense*](#) M.B.Crespo, M.Á.Alonso, Camuñas & J.C.Cristóbal

References

From Wikipedia, the free encyclopedia



[*Terminalia phanerophlebia*](#)

This is a list of [*Terminalia*](#) species, trees in the family [Combretaceae](#).^[1] The list follows [Plants of the World Online](#), which recognised 282 accepted species as of April 2021:^[2]

- [*Terminalia actinophylla*](#) Mart.
- [*Terminalia acuminata*](#) (Allemão) Eichler
- [*Terminalia adamantium*](#) Cambess.
- [*Terminalia adenopoda*](#) Miq.
- [*Terminalia albida*](#) Scott Elliot
- [*Terminalia amazonia*](#) (J.F.Gmel.) Exell
- [*Terminalia anisoptera*](#) (Welw. ex M.A.Lawson) Gere & Boatwr.
- [*Terminalia ankaranensis*](#) Capuron
- [*Terminalia anogeissiana*](#) Gere & Boatwr.
- [*Terminalia apetala*](#) (Vollesen) Gere & Boatwr.
- [*Terminalia arbuscula*](#) Sw.
- [*Terminalia archboldiana*](#) Exell
- [*Terminalia archipelagi*](#) Coode
- [*Terminalia arenicola*](#) Byrnes
- [*Terminalia argentea*](#) Mart.
- [*Terminalia aridicola*](#) Domin
- [*Terminalia arjuna*](#) (Roxb. ex DC.) Wight & Arn.
- [*Terminalia aroidoi*](#) Bisse
- [*Terminalia arostrata*](#) Ewart & O.B.Davies
- [*Terminalia aubletii*](#) Gere & Boatwr.

- [Terminalia australis](#) Cambess.
- [Terminalia avicapitis](#) Coode
- [Terminalia avicennioides](#) Guill. & Perr.
- [Terminalia barbosae](#) (Exell) Gere & Boatwr.
- [Terminalia basilei](#) Chiov.
- [Terminalia beccarii](#) Exell
- [Terminalia belini](#) Capuron
- [Terminalia bellirica](#) (Gaertn.) Roxb.
- [Terminalia bentii](#) (Baker) Gere & Boatwr.
- [Terminalia bentzoe](#) (L.) L.f.
- [Terminalia bialata](#) (Roxb.) Steud.
- [Terminalia bipleura](#) Borhidi & O.Muñiz
- [Terminalia boivinii](#) Tul.
- [Terminalia brachystemma](#) Welw. ex Hiern
- [Terminalia brassii](#) Exell
- [Terminalia brevipes](#) Pamp.
- [Terminalia brownii](#) Fresen.
- [Terminalia buceras](#) (L.) C.Wright
- [Terminalia bucidoides](#) Standl. & L.O.Williams
- [Terminalia burmanica](#) King ex Prain
- [Terminalia bursarina](#) F.Muell.
- [Terminalia calamansanai](#) (Blanco) Rolfe
- [Terminalia calcicola](#) H.Perrier
- [Terminalia calogemma](#) Coode
- [Terminalia calophylla](#) Tul.
- [Terminalia cambodiana](#) Gagnep.
- [Terminalia camuxa](#) Pickel
- [Terminalia canaliculata](#) Exell
- [Terminalia canescens](#) (DC.) Radlk.
- [Terminalia capitanea](#) A.C.Sm.
- [Terminalia capitulata](#) Exell
- [Terminalia carolinensis](#) Kaneh.
- [Terminalia catappa](#) L.
- [Terminalia celebica](#) Exell
- [Terminalia cephalota](#) McPherson
- [Terminalia chebula](#) Retz.
- [Terminalia cherrieri](#) MacKee
- [Terminalia citrina](#) (Gaertn.) Roxb.
- [Terminalia clemensae](#) Exell
- [Terminalia complanata](#) K.Schum.
- [Terminalia congesta](#) (Ducke) Gere & Boatwr.
- [Terminalia coronata](#) (Stapf) Gere & Boatwr.

- [*Terminalia corrugata*](#) (Ducke) Gere & Boatwr.
- [*Terminalia corticosa*](#) Pierre ex Laness.
- [*Terminalia costaricensis*](#) (Stace) Gere & Boatwr.
- [*Terminalia crassipes*](#) Kaneh. & Hatus.
- [*Terminalia creaghii*](#) Ridl.
- [*Terminalia crebrifolia*](#) A.C.Sm.
- [*Terminalia crenata*](#) Tul.
- [*Terminalia crispialata*](#) (Ducke) Alwan & Stace
- [*Terminalia cunninghamii*](#) C.A.Gardner
- [*Terminalia cyanocarpa*](#) Capuron
- [*Terminalia darfeuillana*](#) Pierre ex Laness.
- [*Terminalia darlingii*](#) Merr.
- [*Terminalia densiflora*](#) Craib
- [*Terminalia dhofarica*](#) (A.J.Scott) Gere & Boatwr.
- [*Terminalia dichotoma*](#) G.Mey.
- [*Terminalia diptera*](#) (Sagra) Greuter & R.Rankin
- [*Terminalia disjuncta*](#) H.Perrier
- [*Terminalia divaricata*](#) H.Perrier
- [*Terminalia diversipilosa*](#) H.Perrier
- [*Terminalia domingensis*](#) Urb.
- [*Terminalia duckei*](#) Gere & Boatwr.
- [*Terminalia eddowesii*](#) Coode
- [*Terminalia eichleriana*](#) Alwan & Stace
- [*Terminalia elliptica*](#) Willd.
- [*Terminalia engleri*](#) Gere & Boatwr.
- [*Terminalia erici-rosenii*](#) R.E.Fr.
- [*Terminalia eriostachya*](#) A.Rich.
- [*Terminalia erythrocarpa*](#) F.Muell.
- [*Terminalia exelliana*](#) Capuron
- [*Terminalia exsculpta*](#) Tul.
- [*Terminalia fagifolia*](#) Mart.
- [*Terminalia fanshawei*](#) (Exell & Maguire) Gere & Boatwr.
- [*Terminalia fatraea*](#) (Poir.) DC.
- [*Terminalia ferdinandiana*](#) Exell
- [*Terminalia fitzgeraldii*](#) C.A.Gardner
- [*Terminalia flavicans*](#) Tul.
- [*Terminalia foetidissima*](#) Griff.
- [*Terminalia franchetii*](#) Gagnep.
- [*Terminalia gatopensis*](#) Guillaumin
- [*Terminalia gazensis*](#) Baker f.
- [*Terminalia glabrata*](#) G.Forst.
- [*Terminalia glabrescens*](#) Mart.

- [Terminalia glaucifolia](#) Craib
- [Terminalia gossweileri](#) Exell & J.G.García
- [Terminalia gracilipes](#) Capuron
- [Terminalia gracilis](#) Tul.
- [Terminalia grandiflora](#) Benth.
- [Terminalia grandis](#) (Ducke) Gere & Boatwr.
- [Terminalia griffithsiana](#) Liben
- [Terminalia guaiquinimae](#) Maguire & Exell
- [Terminalia guyanensis](#) Eichler
- [Terminalia habeensis](#) (Aubrév. ex Keay) Gere & Boatwr.
- [Terminalia hadleyana](#) W.Fitzg.
- [Terminalia harmandii](#) Gagnep.
- [Terminalia hoehneana](#) (N.F.Mattos) Gere & Boatwr.
- [Terminalia hylobates](#) Eichler
- [Terminalia hylodendron](#) (Mildbr.) Gere & Boatwr.
- [Terminalia hypargyrea](#) K.Schum. & Lauterb.
- [Terminalia impediens](#) Coode
- [Terminalia ivorensis](#) A.Chev.
- [Terminalia januarensis](#) DC.
- [Terminalia kaernbachii](#) Warb.
- [Terminalia kaiseriana](#) F.Hoffm.
- [Terminalia kajewskii](#) Exell
- [Terminalia kanchii](#) Dhabe
- [Terminalia kangeanensis](#) Slooten
- [Terminalia katikii](#) Coode
- [Terminalia kilimandscharica](#) Engl.
- [Terminalia kjellbergii](#) Exell
- [Terminalia kleinii](#) (Exell) Gere & Boatwr.
- [Terminalia kuhlmannii](#) Alwan & Stace
- [Terminalia kumpaja](#) R.L.Barrett
- [Terminalia laeteviridis](#) Gilg & Ledermann ex Engl.
- [Terminalia latifolia](#) Sw.
- [Terminalia latipes](#) Benth.
- [Terminalia laxiflora](#) Engl.
- [Terminalia leandriana](#) H.Perrier
- [Terminalia leiocarpa](#) (DC.) Baill.
- [Terminalia litoralis](#) Seem.
- [Terminalia longespicata](#) Slooten
- [Terminalia lucida](#) Hoffmanns. ex Mart.
- [Terminalia lundquistii](#) Exell
- [Terminalia luteola](#) A.C.Sm.
- [Terminalia macadamii](#) Exell

- [Terminalia macrantha](#) Rojo
- [Terminalia macrophylla](#) (Spruce ex Eichler) Gere & Boatwr.
- [Terminalia macroptera](#) Guill. & Perr.
- [Terminalia macrostachya](#) (Standl.) Alwan & Stace
- [Terminalia maestrensis](#) Bisse
- [Terminalia mameluco](#) Pickel
- [Terminalia mantaliopsis](#) Capuron
- [Terminalia mantaly](#) H.Perrier
- [Terminalia maoi](#) Dhabe
- [Terminalia megalocarpa](#) Exell
- [Terminalia megalophylla](#) (Van Heurck & Müll.Arg.) Gere & Boatwr.
- [Terminalia melanocarpa](#) F.Muell.
- [Terminalia menezesii](#) Mendes & Exell
- [Terminalia microcarpa](#) Decne.
- [Terminalia modesta](#) Tul.
- [Terminalia molii](#) Exell
- [Terminalia molinetii](#) M.Gómez
- [Terminalia mollis](#) M.A.Lawson
- [Terminalia morobensis](#) Coode
- [Terminalia muelleri](#) Benth.
- [Terminalia myanmarensis](#) W.J.Kress & DeFilipps
- [Terminalia myriocarpa](#) Van Heurck & Müll.Arg.
- [Terminalia myrtifolia](#) (M.A.Lawson) Gere & Boatwr.
- [Terminalia narnorokensis](#) H.Perrier
- [Terminalia neglecta](#) Bisse
- [Terminalia neotaliala](#) Capuron
- [Terminalia nigrovenulosa](#) Pierre
- [Terminalia nipensis](#) Alain
- [Terminalia nitens](#) C.Presl
- [Terminalia nitidissima](#) Rich.
- [Terminalia novocaledonica](#) Däniker
- [Terminalia obidensis](#) Ducke
- [Terminalia oblonga](#) (Ruiz & Pav.) Steud.
- [Terminalia oblongata](#) F.Muell.
- [Terminalia ochroprumna](#) (Eichler) Gere & Boatwr.
- [Terminalia oliveri](#) Brandis
- [Terminalia ombrophila](#) H.Perrier
- [Terminalia orbicularis](#) Engl. & Diels
- [Terminalia oreadum](#) Diels
- [Terminalia orientensis](#) Monach.
- [Terminalia oryzetorum](#) Craib
- [Terminalia oxycarpa](#) Mart.

- [*Terminalia oxyphylla*](#) Miq.
- [*Terminalia pachystyla*](#) Borhidi
- [*Terminalia pallida*](#) Brandis
- [*Terminalia pallidovirens*](#) (Cuatrec.) Gere & Boatwr.
- [*Terminalia paniculata*](#) Roth
- [*Terminalia papuana*](#) Exell
- [*Terminalia parvifolia*](#) (Ducke) Gere & Boatwr.
- [*Terminalia parvula*](#) Pamp.
- [*Terminalia pedicellata*](#) Nanakorn
- [*Terminalia pellucida*](#) C.Presl
- [*Terminalia pendula*](#) (Edgew.) Gere & Boatwr.
- [*Terminalia pennyana*](#) Anozie
- [*Terminalia perrieri*](#) Capuron
- [*Terminalia petiolaris*](#) A.Cunn. ex Benth.
- [*Terminalia phaeocarpa*](#) Eichler
- [*Terminalia phanerophlebia*](#) Engl. & Diels
- [*Terminalia phellocarpa*](#) King
- [*Terminalia phillyreifolia*](#) (Van Heurck & Müll.Arg.) Gere & Boatwr.
- [*Terminalia plagata*](#) Merr.
- [*Terminalia platyphylla*](#) F.Muell.
- [*Terminalia platyptera*](#) F.Muell.
- [*Terminalia polyantha*](#) C.Presl
- [*Terminalia polycarpa*](#) Engl. & Diels
- [*Terminalia porphyrocarpa*](#) F.Muell. ex Benth.
- [*Terminalia procera*](#) Roxb.
- [*Terminalia prostrata*](#) Pedley
- [*Terminalia prunioides*](#) M.A.Lawson
- [*Terminalia psilantha*](#) A.C.Sm.
- [*Terminalia pteleopsoides*](#) Exell
- [*Terminalia pterocarpa*](#) Melville & P.S.Green
- [*Terminalia pterocarya*](#) F.Muell.
- [*Terminalia pulcherrima*](#) (Exell & Stace) Gere & Boatwr.
- [*Terminalia quintalata*](#) Maguire
- [*Terminalia ramatuella*](#) Alwan & Stace
- [*Terminalia randii*](#) Baker f.
- [*Terminalia reitzii*](#) Exell
- [*Terminalia rerei*](#) Coode
- [*Terminalia rhopalophora*](#) Capuron
- [*Terminalia richii*](#) A.Gray
- [*Terminalia riedelii*](#) Eichler
- [*Terminalia rivularis*](#) (Gagnep.) Gere & Boatwr.
- [*Terminalia rostrata*](#) Fosberg & Falanruw

- [Terminalia rubiginosa](#) K.Schum.
- [Terminalia rubricarpa](#) Baker f.
- [Terminalia rufovestita](#) Capuron
- [Terminalia sambesiaca](#) Engl. & Diels
- [Terminalia samoensis](#) Rech.
- [Terminalia schimperiana](#) Hochst
- [Terminalia scutifera](#) Planch. ex M.A.Lawson
- [Terminalia sepicana](#) Diels
- [Terminalia septentrionalis](#) Capuron
- [Terminalia sericea](#) Burch. ex DC.
- [Terminalia seyrigii](#) (H.Perrier) Capuron
- [Terminalia shankarraoi](#) Dhabe
- [Terminalia × siloensis](#) Gibbs
- [Terminalia simulans](#) A.C.Sm.
- [Terminalia slooteniana](#) Exell
- [Terminalia soembawana](#) Slooten
- [Terminalia solomonensis](#) Exell
- [Terminalia spinosa](#) Engl.
- [Terminalia steenisiana](#) Exell
- [Terminalia stenostachya](#) Engl. & Diels
- [Terminalia strigillosa](#) A.C.Sm.
- [Terminalia stuhlmannii](#) Engl.
- [Terminalia suaveolens](#) (Eichler) Gere & Boatwr.
- [Terminalia subacroptera](#) Domin
- [Terminalia subserrata](#) H.Perrier
- [Terminalia subspathulata](#) King
- [Terminalia sulcata](#) Tul.
- [Terminalia superba](#) Engl. & Diels
- [Terminalia supitiana](#) Koord.
- [Terminalia supranitifolia](#) Byrnes
- [Terminalia surigaensis](#) Merr.
- [Terminalia tetrandra](#) (Danguy) Capuron
- [Terminalia tetraphylla](#) (Aubl.) Gere & Boatwr.
- [Terminalia tetraptera](#) (Wickens) Gere & Boatwr.
- [Terminalia travancorensis](#) Wight & Arn.
- [Terminalia trichopoda](#) Diels
- [Terminalia tricristata](#) Capuron
- [Terminalia triflora](#) (Griseb.) Lillo
- [Terminalia tristis](#) Gilg & Ledermann ex Engl.
- [Terminalia tropophylla](#) H.Perrier
- [Terminalia uleana](#) Engl. ex Alwan & Stace
- [Terminalia ulexoides](#) H.Perrier

- [*Terminalia urschii*](#) H.Perrier
- [*Terminalia valverdeae*](#) A.H.Gentry
- [*Terminalia vermae*](#) M.Gangop. & Chakrab.
- [*Terminalia virens*](#) (Spruce ex Eichler) Alwan & Stace
- [*Terminalia viridiflora*](#) (Ducke) Gere & Boatwr.
- [*Terminalia vitiensis*](#) A.C.Sm.
- [*Terminalia welwitschii*](#)
- [*Terminalia whitmorei*](#) Coode
- [*Terminalia yapacana*](#) Maguire
- [*Terminalia zeylanica*](#) Van Heurck & Müll.Arg.
- [*Terminalia zollingeri*](#) Exell

References

From Wikipedia, the free encyclopedia



This article **relies largely or entirely on a [single source](#)**. Relevant discussion may be found on the [talk page](#). Please help [improve this article](#) by [introducing citations to additional sources](#).

Find sources: "[List of Taraxacum species](#)" – [news](#) · [newspapers](#) · [books](#) · [scholar](#) · [JSTOR](#) (May 2025)

The following is a list of all 2487 [species](#) in the plant genus [*Taraxacum*](#) which are accepted by [Plants of the World Online](#) as of 19 June 2024.^{[\[1\]](#)}

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)

- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [Taraxacum abalienatum](#) Kirschner & Štěpánek
- [Taraxacum abax](#) Kirschner & Štěpánek
- [Taraxacum abbreviatulum](#) Kirschner & Štěpánek
- [Taraxacum abbreviatum](#) Rail.
- [Taraxacum aberrans](#) Hagend., Soest & Zevenb.
- [Taraxacum abietifolium](#) Saarsoo
- [Taraxacum abnorme](#) Štěpánek & Kirschner
- [Taraxacum abruptilobum](#) Štěpánek & Kirschner
- [Taraxacum absurdum](#) Soest
- [Taraxacum abundans](#) Rail.
- [Taraxacum accedens](#) G.E.Haglund
- [Taraxacum acervans](#) Rail.
- [Taraxacum acervatulum](#) Rail.
- [Taraxacum acidotum](#) M.P.Christ.
- [Taraxacum aclidiforme](#) Rail.
- [Taraxacum acre](#) H.Øllg.
- [Taraxacum acricorne](#) Dahlst.
- [Taraxacum acriculum](#) Rail.
- [Taraxacum acrifolium](#) Dahlst.
- [Taraxacum acroculpidatum](#) Sonck
- [Taraxacum acroglossum](#) Dahlst.
- [Taraxacum acrolobum](#) Dahlst.
- [Taraxacum acromaurum](#) Dahlst.
- [Taraxacum acrophilum](#) Kirschner & Štěpánek
- [Taraxacum acrophorum](#) G.E.Haglund
- [Taraxacum acutangulum](#) Markl.
- [Taraxacum acutatum](#) M.P.Christ.
- [Taraxacum acutidens](#) H.Lindb.
- [Taraxacum acutifidum](#) M.P.Christ.
- [Taraxacum acutiformatum](#) Rail.

- [*Taraxacum acutifrons*](#) Markl.
- [*Taraxacum acutilimbatum*](#) H.Øllg.
- [*Taraxacum acutisectum*](#) Markl.
- [*Taraxacum acutiusculum*](#) Sonck
- [*Taraxacum acutum*](#) A.J.Richards
- [*Taraxacum adamifolium*](#) Sahlén
- [*Taraxacum adamii*](#) C.Claire
- [*Taraxacum adamovicii*](#) Štěpánek & Kirschner
- [*Taraxacum adglabrum*](#) Kirschner & Štěpánek
- [*Taraxacum adhaerens*](#) Kirschner & Štěpánek
- [*Taraxacum admordum*](#) Sonck
- [*Taraxacum adpressiforme*](#) G.E.Haglund
- [*Taraxacum adpressum*](#) Dahlst.
- [*Taraxacum adunans*](#) G.E.Haglund
- [*Taraxacum aduncum*](#) Soest
- [*Taraxacum adustum*](#) Kirschner & Štěpánek
- [*Taraxacum aellenii*](#) Soest
- [*Taraxacum aemilianum*](#) Foggi & Ricceri
- [*Taraxacum aemulans*](#) Štěpánek & Kirschner
- [*Taraxacum aeneum*](#) Kirschner & Štěpánek
- [*Taraxacum aequabile*](#) G.E.Haglund
- [*Taraxacum aequilibratum*](#) Kirschner & Štěpánek
- [*Taraxacum aequilobiforme*](#) Soest
- [*Taraxacum aequilobum*](#) Dahlst.
- [*Taraxacum aequisectum*](#) M.P.Christ.
- [*Taraxacum aereum*](#) Soest
- [*Taraxacum aeruginiceps*](#) G.E.Haglund ex Sahlén
- [*Taraxacum aesculosum*](#) A.J.Richards
- [*Taraxacum aestivum*](#) Soest
- [*Taraxacum aetheocranum*](#) G.E.Haglund
- [*Taraxacum aethiopiforme*](#) H.Øllg.
- [*Taraxacum aethiops*](#) G.E.Haglund
- [*Taraxacum aganophytum*](#) Soest
- [*Taraxacum agaurum*](#) Soest
- [*Taraxacum aginnense*](#) Hofstra
- [*Taraxacum agrarium*](#) Sonck
- [*Taraxacum ahlneri*](#) Rail.
- [*Taraxacum ajanense*](#) Vorosch.
- [*Taraxacum ajano-majense*](#) Tzvelev
- [*Taraxacum akranesense*](#) M.P.Christ.
- [*Taraxacum akteum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum alacre*](#) Soest

- [*Taraxacum alaskanum*](#) Rydb.
- [*Taraxacum alatiforme*](#) Rail.
- [*Taraxacum alatopetiolum*](#) D.T.Zhai & C.H.An
- [*Taraxacum alatum*](#) H.Lindb.
- [*Taraxacum albertshoferi*](#) Sahlén
- [*Taraxacum albescens*](#) Dahlst.
- [*Taraxacum albidum*](#) Dahlst.
- [*Taraxacum albiflos*](#) Kirschner & Štěpánek
- [*Taraxacum albulense*](#) Soest
- [*Taraxacum album*](#) Kirschner & Štěpánek
- [*Taraxacum aleppicum*](#) Dahlst.
- [*Taraxacum aleurodes*](#) G.E.Haglund
- [*Taraxacum algarbiense*](#) Soest
- [*Taraxacum almaatense*](#) Schischk.
- [*Taraxacum alpicola*](#) Kitam.
- [*Taraxacum alsaticum*](#) Soest
- [*Taraxacum altipotens*](#) Rail.
- [*Taraxacum altissimum*](#) H.Lindb.
- [*Taraxacum amabile*](#) Soest
- [*Taraxacum amansii*](#) Hofstra
- [*Taraxacum amarellum*](#) Kirschner & Štěpánek
- [*Taraxacum amaurolepis*](#) Markl.
- [*Taraxacum ambitiosum*](#) Kirschner & Štěpánek
- [*Taraxacum amblylepidocarpum*](#) Soest
- [*Taraxacum amborum*](#) G.E.Haglund
- [*Taraxacum ambrosium*](#) Kirschner & Štěpánek
- [*Taraxacum amgense*](#) Kuvaev
- [*Taraxacum amicorum*](#) A.J.Richards
- [*Taraxacum amoenulum*](#) Štěpánek & Kirschner
- [*Taraxacum amphibolum*](#) M.P.Christ.
- [*Taraxacum amphiphron*](#) Böcher
- [*Taraxacum amphoraefrons*](#) Sahlén
- [*Taraxacum amplexum*](#) Sonck
- [*Taraxacum ampliusculum*](#) Rail.
- [*Taraxacum amplum*](#) Markl.
- [*Taraxacum ampullaceum*](#) Saarsoo
- [*Taraxacum anadyrense*](#) Nakai & Koidz.
- [*Taraxacum anadyricum*](#) Tzvelev
- [*Taraxacum anatolicum*](#) Soest
- [*Taraxacum ancistratum*](#) H.Øllg.
- [*Taraxacum ancistrolobum*](#) Dahlst.
- [*Taraxacum ancoriferum*](#) Hudziok

- [*Taraxacum andersonii*](#) G.E.Haglund
- [*Taraxacum andorriense*](#) Sahlin
- [*Taraxacum androssovii*](#) Schischk.
- [*Taraxacum anemoomum*](#) Soest
- [*Taraxacum anfractum*](#) M.P.Christ.
- [*Taraxacum angareense*](#) Kirschner & Štěpánek
- [*Taraxacum anglicum*](#) Dahlst.
- [*Taraxacum angulare*](#) Hagend., Soest & Zevenb.
- [*Taraxacum anguliferum*](#) Rail.
- [*Taraxacum angusticeps*](#) G.E.Haglund ex Soest
- [*Taraxacum angustisectum*](#) H.Lindb.
- [*Taraxacum angustisquameum*](#) Dahlst. ex H.Lindb.
- [*Taraxacum annae*](#) Vainberg
- [*Taraxacum annalisae*](#) Carlesi & Peruzzi
- [*Taraxacum annetteae*](#) Uhlemann
- [*Taraxacum anomalum*](#) Kirschner & Štěpánek
- [*Taraxacum anomum*](#) G.E.Haglund
- [*Taraxacum anzobicum*](#) Schischk. ex Vainberg
- [*Taraxacum apargia*](#) Kirschner & Štěpánek
- [*Taraxacum apargiiforme*](#) Dahlst.
- [*Taraxacum apenninum*](#) (Ten.) DC.
- [*Taraxacum aperavtum*](#) Soest
- [*Taraxacum aphanochroum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum aphrogenes*](#) Meikle
- [*Taraxacum apicatum*](#) Brenner
- [*Taraxacum apiculatiforme*](#) Soest
- [*Taraxacum apollinis*](#) Dahlst.
- [*Taraxacum aposeris*](#) Soest
- [*Taraxacum appositum*](#) M.P.Christ.
- [*Taraxacum apulicum*](#) Soest
- [*Taraxacum aquilinum*](#) Štěpánek & Kirschner
- [*Taraxacum aquilonare*](#) Hand.-Mazz.
- [*Taraxacum aquitanum*](#) Hofstra
- [*Taraxacum arachnoideum*](#) Kirschner & Štěpánek
- [*Taraxacum arachnotrichum*](#) Markl.
- [*Taraxacum aragonicum*](#) Sahlin
- [*Taraxacum araneosum*](#) Dahlst.
- [*Taraxacum arasanum*](#) R.Doll
- [*Taraxacum arcticum*](#) (Trautv.) Dahlst.
- [*Taraxacum arcuatum*](#) (Tausch) Dumort.
- [*Taraxacum ardlense*](#) A.J.Richards
- [*Taraxacum arenastrum*](#) A.J.Richards

- [*Taraxacum arenicola*](#) Lindb. ex R.Doll
- [*Taraxacum argillicola*](#) Soest
- [*Taraxacum argilliticola*](#) Björk
- [*Taraxacum argoviense*](#) Soest
- [*Taraxacum argutifrons*](#) A.J.Richards
- [*Taraxacum argutisectum*](#) Kirschner & Štěpánek
- [*Taraxacum argutulum*](#) G.E.Haglund
- [*Taraxacum argutum*](#) Dahlst.
- [*Taraxacum aridicola*](#) Rail.
- [*Taraxacum aristum*](#) G.E.Haglund & Markl.
- [*Taraxacum armatifrons*](#) Hagend., Soest & Zevenb.
- [*Taraxacum armatum*](#) M.P.Christ.
- [*Taraxacum armeniacum*](#) Schischk.
- [*Taraxacum arquitenens*](#) Rail.
- [*Taraxacum arrectipes*](#) G.E.Haglund
- [*Taraxacum arrectum*](#) Rail.
- [*Taraxacum arrhenii*](#) Palmgr.
- [*Taraxacum arrigens*](#) M.P.Christ.
- [*Taraxacum artificis*](#) Sonck
- [*Taraxacum artutum*](#) Rail.
- [*Taraxacum arvernum*](#) De Langhe & Soest
- [*Taraxacum ascensum*](#) Rail.
- [*Taraxacum aschabadense*](#) Schischk.
- [*Taraxacum ascitum*](#) Rail.
- [*Taraxacum asconense*](#) Dahlst.
- [*Taraxacum aspectabile*](#) Štěpánek, Kirschner, Vašut & Trávn.
- [*Taraxacum asperatilobum*](#) H.Øllg.
- [*Taraxacum assemanii*](#) C.I.Blanche ex Boiss.
- [*Taraxacum assimulans*](#) G.E.Haglund
- [*Taraxacum assurgens*](#) Markl.
- [*Taraxacum asturiense*](#) Soest
- [*Taraxacum atactum*](#) Sahlin & Soest
- [*Taraxacum atlanticola*](#) H.Lindb.
- [*Taraxacum atlanticum*](#) Pomel
- [*Taraxacum atlantis-majoris*](#) H.Lindb.
- [*Taraxacum atomatum*](#) Štěpánek & Kirschner
- [*Taraxacum atonolobum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum atrans*](#) Schischk.
- [*Taraxacum atratum*](#) G.E.Haglund
- [*Taraxacum atricapillum*](#) Sonck
- [*Taraxacum atriceps*](#) G.E.Haglund
- [*Taraxacum atrimarginatum*](#) H.Lindb.

- [*Taraxacum atrocarpum*](#) Kirschner & Štěpánek
- [*Taraxacum atrocephalum*](#) Soest
- [*Taraxacum atrochlorinum*](#) Kirschner & Štěpánek
- [*Taraxacum atrocollinum*](#) A.J.Richards
- [*Taraxacum atrolivaceum*](#) Štěpánek & Kirschner
- [*Taraxacum atroparadoxum*](#) Kirschner & Štěpánek
- [*Taraxacum atroplumbeum*](#) Dahlst.
- [*Taraxacum atropurpureum*](#) Kirschner, Štěpánek, Buryy, Cherny. & Efimov
- [*Taraxacum atosquamatum*](#) Soest
- [*Taraxacum atosubtile*](#) Kirschner & Štěpánek
- [*Taraxacum atroviride*](#) Štěpánek & Trávn.
- [*Taraxacum atrox*](#) Kirschner & Štěpánek
- [*Taraxacum attenuens*](#) Rail.
- [*Taraxacum aurantellum*](#) Soest
- [*Taraxacum aurantiacum*](#) Dahlst.
- [*Taraxacum aureocucullatum*](#) Soest
- [*Taraxacum auriapex*](#) Rail.
- [*Taraxacum auricula*](#) Štěpánek & Kirschner
- [*Taraxacum aurorum*](#) Soest
- [*Taraxacum aurosuloides*](#) Soest
- [*Taraxacum aurosulum*](#) H.Lindb.
- [*Taraxacum austrinum*](#) G.E.Haglund
- [*Taraxacum austrotibetanum*](#) Kirschner & Štěpánek
- [*Taraxacum austrouralense*](#) Muldashev & Tzvelev
- [*Taraxacum authionense*](#) Soest
- [*Taraxacum autumnale*](#) Castagne
- [*Taraxacum autumnaliforme*](#) Soest
- [*Taraxacum ayllonense*](#) A.Galán & Vicente Orell.
- [*Taraxacum azerbaijanicum*](#) Soest
- [*Taraxacum aznavourii*](#) Soest
- [*Taraxacum azureum*](#) M.P.Christ.
- [*Taraxacum azzizii*](#) Soest

B

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum babcockii*](#) Kirschner & Štěpánek
- [*Taraxacum bachczisaraicum*](#) Tzvelev
- [*Taraxacum badiocinnamomeum*](#) Kirschner & Štěpánek
- [*Taraxacum badzhalense*](#) Vorosch. & Schlothg.
- [*Taraxacum baeckii*](#) Rail.
- [*Taraxacum baeckiiforme*](#) Sahlin
- [*Taraxacum bakuense*](#) R.Doll
- [*Taraxacum balcanicum*](#) Rech.f.
- [*Taraxacum balticiforme*](#) Dahlst.
- [*Taraxacum balticum*](#) Dahlst.
- [*Taraxacum baltistanicum*](#) Soest
- [*Taraxacum baluchistanicum*](#) Soest
- [*Taraxacum banhyhalense*](#) Soest
- [*Taraxacum barbaricinum*](#) Arrigoni
- [*Taraxacum barbatulum*](#) H.Øllg.
- [*Taraxacum bargusicum*](#) Sahlin
- [*Taraxacum barycephalum*](#) G.E.Haglund
- [*Taraxacum basalticum*](#) Soest
- [*Taraxacum bashkiricum*](#) Muldashev & Tzvelev
- [*Taraxacum basilicum*](#) Štěpánek & Kirschner

- [*Taraxacum bavaricum*](#) Soest
- [*Taraxacum beeftinkii*](#) Hagend., Soest & Zevenb.
- [*Taraxacum behzudicum*](#) Soest
- [*Taraxacum bellicum*](#) Sonck
- [*Taraxacum bellidiforme*](#) Soest
- [*Taraxacum bellum*](#) H.Øllg.
- [*Taraxacum belonodens*](#) Soest
- [*Taraxacum belorussicum*](#) Val.N.Tikhom.
- [*Taraxacum benevolens*](#) Štěpánek & Kirschner
- [*Taraxacum bernhardi*](#) Rail.
- [*Taraxacum berthae*](#) C.C.Haw.
- [*Taraxacum besarabicum*](#) (Hornem.) Hand.-Mazz.
- [*Taraxacum bezidum*](#) R.Doll
- [*Taraxacum bhutanicum*](#) Soest
- [*Taraxacum bibulum*](#) Kirschner & Štěpánek
- [*Taraxacum bicornе*](#) Dahlst.
- [*Taraxacum bidentilobum*](#) Sonck
- [*Taraxacum bifalcatum*](#) Sonck
- [*Taraxacum biformatum*](#) H.Lindb.
- [*Taraxacum biforme*](#) Dahlst.
- [*Taraxacum binilobatum*](#) Sahlín
- [*Taraxacum bipinnatifidum*](#) Dahlst.
- [*Taraxacum bisectum*](#) Malmio
- [*Taraxacum bithynicum*](#) DC.
- [*Taraxacum blanditum*](#) Sahlín
- [*Taraxacum blandum*](#) Štěpánek & Kirschner
- [*Taraxacum blomgrenii*](#) G.E.Haglund
- [*Taraxacum boekmanii*](#) Borgv.
- [*Taraxacum bohemicum*](#) Kirschner & Štěpánek
- [*Taraxacum boldtii*](#) H.Lindb.
- [*Taraxacum bonae-spei*](#) Kirschner & Štěpánek
- [*Taraxacum boreicedens*](#) Rail.
- [*Taraxacum boreicola*](#) Rail.
- [*Taraxacum boreiforme*](#) Sonck
- [*Taraxacum boreophilum*](#) H.Lindb.
- [*Taraxacum boreum*](#) Dahlst.
- [*Taraxacum borgvallii*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum botanicorum*](#) Sonck
- [*Taraxacum botschantzevii*](#) Schischk.
- [*Taraxacum brabanticum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum brachycephalum*](#) Dahlst.
- [*Taraxacum brachyceras*](#) Dahlst.

- [*Taraxacum brachyeces*](#) G.E.Haglund
- [*Taraxacum brachyglossoides*](#) Soest
- [*Taraxacum brachyglossum*](#) (Dahlst.) Raunk.
- [*Taraxacum brachylepis*](#) Markl. ex Puol.
- [*Taraxacum brachyuncum*](#) G.E.Haglund
- [*Taraxacum brachyphyllum*](#) H.Koidz.
- [*Taraxacum brachypodon*](#) G.E.Haglund ex Soest
- [*Taraxacum brachyrhynchum*](#) G.E.Haglund
- [*Taraxacum bracteatum*](#) Dahlst.
- [*Taraxacum bracteolatum*](#) Soest
- [*Taraxacum brakelii*](#) Soest
- [*Taraxacum brandenburgicum*](#) Hudziok
- [*Taraxacum brassicifolium*](#) Kitag.
- [*Taraxacum braun-blanquetii*](#) Soest
- [*Taraxacum breconense*](#) C.C.Haw.
- [*Taraxacum breitfeldii*](#) Uhlemann
- [*Taraxacum brevialetum*](#) G.E.Haglund
- [*Taraxacum brevidentatum*](#) Rail.
- [*Taraxacum brevifloroides*](#) Soest
- [*Taraxacum breviflorum*](#) Dahlst.
- [*Taraxacum brevihastatum*](#) M.P.Christ.
- [*Taraxacum brevipapposum*](#) Sonck
- [*Taraxacum brevipyramidale*](#) Rail.
- [*Taraxacum brevirostre*](#) Hand.-Mazz.
- [*Taraxacum breviscapum*](#) A.J.Richards
- [*Taraxacum brevisectoides*](#) Soest
- [*Taraxacum brevisectum*](#) Palmgr.
- [*Taraxacum brevum*](#) R.Doll
- [*Taraxacum britannicum*](#) Dahlst.
- [*Taraxacum broddesonii*](#) Lundev. & H.Øllg.
- [*Taraxacum brunneum*](#) Soest
- [*Taraxacum bufonium*](#) Kirschner & Štěpánek
- [*Taraxacum bulgaricum*](#) Soest
- [*Taraxacum bulkovii*](#) Kovalevsk.
- [*Taraxacum butleri*](#) Soest
- [*Taraxacum byrrangicum*](#) Kozhev.

C

Contents:

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum cabannaeforme*](#) J.Räsänen
- [*Taraxacum cachkadzorum*](#) R.Doll
- [*Taraxacum cacuminatifrons*](#) Rail.
- [*Taraxacum cacuminatum*](#) G.E.Haglund
- [*Taraxacum caespitans*](#) Dahlst.
- [*Taraxacum caespitosum*](#) Soest
- [*Taraxacum calabricum*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum calamistratum*](#) G.E.Haglund
- [*Taraxacum calanthodium*](#) Dahlst.
- [*Taraxacum calanthum*](#) Dahlst.
- [*Taraxacum calcareum*](#) Korol.
- [*Taraxacum calciphilum*](#) A.J.Richards & Soest
- [*Taraxacum caledonicum*](#) A.J.Richards
- [*Taraxacum californicum*](#) Munz & I.M.Johnst.
- [*Taraxacum calliographum*](#) G.E.Haglund
- [*Taraxacum calliops*](#) G.E.Haglund

- [*Taraxacum callosum*](#) Soest
- [*Taraxacum calocapitatum*](#) R.Doll
- [*Taraxacum calocephaloides*](#) A.J.Richards
- [*Taraxacum calocephalum*](#) Hand.-Mazz.
- [*Taraxacum calochroum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum calomorphum*](#) G.E.Haglund ex Soest
- [*Taraxacum calophlebium*](#) Sonck
- [*Taraxacum calophyllum*](#) Dahlst.
- [*Taraxacum caloschistoides*](#) G.E.Haglund ex Sahlin
- [*Taraxacum caloschistum*](#) Dahlst.
- [*Taraxacum cambricum*](#) A.J.Richards
- [*Taraxacum campoduniense*](#) Sahlin
- [*Taraxacum campylodes*](#) G.E.Haglund
- [*Taraxacum camuratum*](#) Rail.
- [*Taraxacum canaliculatum*](#) H.Lindb.
- [*Taraxacum canarense*](#) Soest
- [*Taraxacum candidatum*](#) Kirschner, Štěpánek & Klimeš
- [*Taraxacum candrianii*](#) Soest
- [*Taraxacum canentifolium*](#) Markl.
- [*Taraxacum caninum*](#) Uhlemann
- [*Taraxacum canophyllum*](#) Soest
- [*Taraxacum canoviride*](#) H.Lindb. ex Puol.
- [*Taraxacum cantabricum*](#) A.Galán & Vicente Orell.
- [*Taraxacum canulum*](#) G.E.Haglund
- [*Taraxacum canum*](#) Soest
- [*Taraxacum caphocentrum*](#) Dahlst.
- [*Taraxacum capillosum*](#) H.Øllg. & Uhlemann
- [*Taraxacum capnocarpum*](#) Dahlst.
- [*Taraxacum capricum*](#) Soest
- [*Taraxacum caramanicae*](#) Lojac.
- [*Taraxacum cardinale*](#) Kirschner & Štěpánek
- [*Taraxacum cariciphilum*](#) Sonck & H.Øllg.
- [*Taraxacum carinthiacum*](#) Soest
- [*Taraxacum carneocoloratum*](#) A.Nelson
- [*Taraxacum caroli-frederici*](#) Rail.
- [*Taraxacum carpaticum*](#) Štěpánek & Kirschner
- [*Taraxacum carptum*](#) H.Øllg. & J.Räsänen
- [*Taraxacum carthusianorum*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum castaneum*](#) Soest
- [*Taraxacum catalanum*](#) Soest
- [*Taraxacum cataschistum*](#) Sahlin
- [*Taraxacum catenatum*](#) Kirschner & Štěpánek

- [*Taraxacum catodontum*](#) Sahlin
- [*Taraxacum caudatuliforme*](#) Soest
- [*Taraxacum caudatulum*](#) Dahlst.
- [*Taraxacum caudiferum*](#) G.E.Haglund
- [*Taraxacum celsum*](#) Kirschner & Štěpánek
- [*Taraxacum celticum*](#) A.J.Richards
- [*Taraxacum cenabense*](#) Sahlin
- [*Taraxacum centrasiaticum*](#) D.T.Zhai & C.H.An
- [*Taraxacum centrotum*](#) Sahlin
- [*Taraxacum cephalum*](#) R.Doll
- [*Taraxacum ceratolobum*](#) Dahlst.
- [*Taraxacum ceratophorum*](#) (Ledeb.) DC.
- [*Taraxacum ceratosectum*](#) Kirschner & Štěpánek
- [*Taraxacum cerbariense*](#) Arrigoni
- [*Taraxacum cerdanicum*](#) Soest
- [*Taraxacum cerebriforme*](#) Kirschner & Štěpánek
- [*Taraxacum cereum*](#) Kirschner & Štěpánek
- [*Taraxacum cescae*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum cestodes*](#) Rail.
- [*Taraxacum chelelobatum*](#) Sahlin
- [*Taraxacum cherwellense*](#) A.J.Richards
- [*Taraxacum chionogeiton*](#) Štěpánek & Kirschner
- [*Taraxacum chionomelas*](#) Kirschner & Štěpánek
- [*Taraxacum chionophilum*](#) Dahlst.
- [*Taraxacum chitralense*](#) Soest
- [*Taraxacum chloodeum*](#) M.P.Christ.
- [*Taraxacum chlorodes*](#) G.E.Haglund
- [*Taraxacum chlorofrugale*](#) Oosterv. ex A.J.Richards
- [*Taraxacum chloroticum*](#) Dahlst. ex Florstr.
- [*Taraxacum christelianum*](#) Sonck
- [*Taraxacum christiansenii*](#) G.E.Haglund
- [*Taraxacum chrysocephalum*](#) Štěpánek & Kirschner
- [*Taraxacum chrysoglossum*](#) A.J.Richards
- [*Taraxacum chrysophaenum*](#) Rail.
- [*Taraxacum chrysostylum*](#) Dahlst.
- [*Taraxacum ciconium*](#) M.P.Christ.
- [*Taraxacum ciliare*](#) Soest
- [*Taraxacum ciliatum*](#) Soest
- [*Taraxacum cinereum*](#) Soest
- [*Taraxacum cinnamomeum*](#) Kirschner & Štěpánek
- [*Taraxacum circense*](#) Štěpánek & Kirschner
- [*Taraxacum circinatum*](#) G.E.Haglund ex Soest

- [*Taraxacum ciscaucasicum*](#) Schischk.
- [*Taraxacum citrinum*](#) Rail.
- [*Taraxacum clandestinum*](#) Zámečník, Štěpánek & Kirschner
- [*Taraxacum clarum*](#) Kirschner, Štěpánek & Trávn.
- [*Taraxacum claudiae*](#) A.J.Richards
- [*Taraxacum clavatifrons*](#) Sonck
- [*Taraxacum clavatilobum*](#) Uhlemann
- [*Taraxacum claviflorum*](#) Sahlin
- [*Taraxacum clemens*](#) Matysiak
- [*Taraxacum clitolobum*](#) M.P.Christ.
- [*Taraxacum cloense*](#) A.J.Richards
- [*Taraxacum coacervans*](#) Rail.
- [*Taraxacum coartatiforme*](#) J.Räsänen
- [*Taraxacum coartatum*](#) G.E.Haglund
- [*Taraxacum cochleatoides*](#) Rail.
- [*Taraxacum cochleatum*](#) Dahlst. & H.Lindb.
- [*Taraxacum cognatum*](#) Kirschner & Štěpánek
- [*Taraxacum cognoscibile*](#) Štěpánek & Kirschner
- [*Taraxacum collariatum*](#) Vorosch.
- [*Taraxacum collarispinulosum*](#) Uhlemann
- [*Taraxacum comitans*](#) Kovalevsk.
- [*Taraxacum commixtum*](#) G.E.Haglund
- [*Taraxacum compactum*](#) Schischk.
- [*Taraxacum complicatum*](#) Soest
- [*Taraxacum comtulum*](#) G.E.Haglund
- [*Taraxacum conauditatum*](#) Kirschner & Štěpánek
- [*Taraxacum concaviformatum*](#) Rail.
- [*Taraxacum concavum*](#) M.P.Christ.
- [*Taraxacum concinnaticeps*](#) Rail.
- [*Taraxacum concinnum*](#) G.E.Haglund
- [*Taraxacum concolor*](#) H.Lindb.
- [*Taraxacum concucullatum*](#) A.J.Richards
- [*Taraxacum conforme*](#) Palmgr.
- [*Taraxacum confusaneum*](#) Kirschner & Štěpánek
- [*Taraxacum confusum*](#) Schischk.
- [*Taraxacum congestilobum*](#) Soest
- [*Taraxacum congestum*](#) G.E.Haglund & Saarsoo
- [*Taraxacum conicum*](#) R.Doll
- [*Taraxacum consanguineum*](#) Kirschner & Štěpánek
- [*Taraxacum consimile*](#) Kirschner & Štěpánek
- [*Taraxacum consobrinum*](#) Kirschner & Štěpánek
- [*Taraxacum conspersum*](#) H.Øllg.

- [*Taraxacum constrictiforme*](#) Rail.
- [*Taraxacum constrictifrons*](#) Markl. ex Eklund
- [*Taraxacum continium*](#) G.E.Haglund ex Sahlin
- [*Taraxacum contractum*](#) Markl.
- [*Taraxacum contristans*](#) Kovalevsk.
- [*Taraxacum conturbatum*](#) Sonck
- [*Taraxacum convergentilobatum*](#) Rail.
- [*Taraxacum convexum*](#) Dahlst.
- [*Taraxacum copidophylloides*](#) A.J.Richards
- [*Taraxacum copidophyllum*](#) Dahlst.
- [*Taraxacum cordatifolium*](#) Soest
- [*Taraxacum cordatifrons*](#) M.P.Christ.
- [*Taraxacum cordatum*](#) Palmgr.
- [*Taraxacum cordiferum*](#) Markl.
- [*Taraxacum cordilleranum*](#) Björk
- [*Taraxacum coreanum*](#) Nakai
- [*Taraxacum corneolum*](#) Railonsala.
- [*Taraxacum cornubiense*](#) A.J.Richards
- [*Taraxacum cornucopiae*](#) Kirschner & Štěpánek
- [*Taraxacum cornutum*](#) (Dahlst.) Dahlst.
- [*Taraxacum coronatum*](#) Hand.-Mazz.
- [*Taraxacum corpulentum*](#) Rail.
- [*Taraxacum corsicum*](#) Soest
- [*Taraxacum corvinum*](#) Kirschner & Štěpánek
- [*Taraxacum corynodes*](#) G.E.Haglund
- [*Taraxacum corynodiforme*](#) Hagend., Soest & Zevenb.
- [*Taraxacum coryphorum*](#) Sahlin
- [*Taraxacum craspedotoides*](#) A.J.Richards
- [*Taraxacum craspedotum*](#) Dahlst.
- [*Taraxacum crassipes*](#) H.Lindb.
- [*Taraxacum crassiusculum*](#) Rail.
- [*Taraxacum crassum*](#) H.Øllg. & Trávn.
- [*Taraxacum crebridens*](#) H.Lindb.
- [*Taraxacum crepidiforme*](#) DC.
- [*Taraxacum crispatum*](#) Dahlst.
- [*Taraxacum crispifolium*](#) H.Lindb.
- [*Taraxacum crispulum*](#) G.E.Haglund
- [*Taraxacum cristatum*](#) Kirschner, Štěpánek & Vašut
- [*Taraxacum croaticum*](#) Uhlemann
- [*Taraxacum croceicarpum*](#) Soest
- [*Taraxacum croceifloroides*](#) Soest
- [*Taraxacum croceiflorum*](#) Dahlst.

- [*Taraxacum crocellum*](#) Soest
- [*Taraxacum croceum*](#) Dahlst.
- [*Taraxacum crocinum*](#) (Dahlst.) G.E.Haglund & Nordenst.
- [*Taraxacum crocodes*](#) Dahlst.
- [*Taraxacum cucullatiforme*](#) Soest
- [*Taraxacum cucullatum*](#) Dahlst.
- [*Taraxacum cultratum*](#) G.E.Haglund ex Soest
- [*Taraxacum cumulatum*](#) Rail.
- [*Taraxacum cuneatum*](#) Sonck
- [*Taraxacum curtifrons*](#) H.Øllg.
- [*Taraxacum curvatum*](#) Dahlst.
- [*Taraxacum curvilobatum*](#) Sahlin
- [*Taraxacum cuspidatum*](#) Markl.
- [*Taraxacum cuspidifrons*](#) Markl.
- [*Taraxacum cuspidigerum*](#) Rail.
- [*Taraxacum cyanolepidiforme*](#) Soest
- [*Taraxacum cyanolepis*](#) Dahlst.
- [*Taraxacum cyathiforme*](#) Kirschner & Štěpánek
- [*Taraxacum cyclocentrum*](#) M.P.Christ.
- [*Taraxacum cycloides*](#) Rail.
- [*Taraxacum cygnorum*](#) Hand.-Mazz.
- [*Taraxacum cylleneum*](#) Fürnkranz
- [*Taraxacum cymbifolium*](#) H.Lindb. ex Dahlst.
- [*Taraxacum cyprium*](#) H.Lindb.
- [*Taraxacum cyrtolobum*](#) G.E.Haglund
- [*Taraxacum cyrtum*](#) Sahlin
- [*Taraxacum czaunense*](#) Jurtzev & Tzvelev
- [*Taraxacum czukoticum*](#) Jurtzev

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Taraxacum dahlii](#) Dahlst.
- [Taraxacum damnabile](#) Kirschner & Štěpánek
- [Taraxacum danicum](#) H.Øllg.
- [Taraxacum danubiense](#) Sahlin
- [Taraxacum danubium](#) A.J.Richards
- [Taraxacum darbandense](#) Soest
- [Taraxacum dargilanicum](#) Sonck
- [Taraxacum darschajense](#) Orazova
- [Taraxacum darvasicum](#) Vainberg
- [Taraxacum dasypodum](#) Soest
- [Taraxacum dasypogonum](#) Rail.
- [Taraxacum davisii](#) Soest
- [Taraxacum davosense](#) Soest
- [Taraxacum dealbatum](#) Hand.-Mazz.
- [Taraxacum debrayi](#) Hagend., Soest & Zevenb.
- [Taraxacum decastroi](#) A.Galán & Vicente Orell.
- [Taraxacum decipiens](#) Raunk.
- [Taraxacum declive](#) M.P.Christ.
- [Taraxacum declivicola](#) Kirschner, Sonck & Štěpánek
- [Taraxacum decolorans](#) Dahlst.
- [Taraxacum decorum](#) Dahlst.
- [Taraxacum decrepitum](#) Kirschner & Štěpánek
- [Taraxacum degelii](#) G.E.Haglund
- [Taraxacum delanghii](#) Soest

- [*Taraxacum delectum*](#) Uhlemann
- [*Taraxacum delicatulum*](#) Kirschner & Štěpánek
- [*Taraxacum delicatum*](#) Kirschner & Štěpánek
- [*Taraxacum delphicum*](#) Dahlst.
- [*Taraxacum deltoideum*](#) G.E.Haglund
- [*Taraxacum deltoidifrons*](#) H.Øllg.
- [*Taraxacum deludens*](#) Kirschner & Štěpánek
- [*Taraxacum deminutum*](#) Kirschner & Štěpánek
- [*Taraxacum demotes*](#) Sahlin
- [*Taraxacum denigratum*](#) Kirschner & Štěpánek
- [*Taraxacum densilobum*](#) Dahlst.
- [*Taraxacum dentatum*](#) Kirschner & Štěpánek
- [*Taraxacum dentex*](#) M.P.Christ.
- [*Taraxacum denticulatum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum dentilobum*](#) Soest
- [*Taraxacum dentisquamosum*](#) Rail.
- [*Taraxacum dentosum*](#) M.P.Christ.
- [*Taraxacum deorum*](#) A.J.Richards
- [*Taraxacum depauperatum*](#) Kirschner & Štěpánek
- [*Taraxacum desertorum*](#) Schischk.
- [*Taraxacum desideratum*](#) Sonck
- [*Taraxacum detonsum*](#) Olojsson & Sältin
- [*Taraxacum devexum*](#) M.P.Christ.
- [*Taraxacum devians*](#) Dahlst.
- [*Taraxacum dialeptum*](#) Sonck
- [*Taraxacum diaphorum*](#) G.E.Haglund
- [*Taraxacum diapyrum*](#) Soest
- [*Taraxacum diastematicum*](#) Markl.
- [*Taraxacum didymifolium*](#) Soest
- [*Taraxacum dilaceratum*](#) M.P.Christ.
- [*Taraxacum dilaniatum*](#) Rail.
- [*Taraxacum dilatatum*](#) H.Lindb.
- [*Taraxacum dilucidum*](#) Soest
- [*Taraxacum dilutissimum*](#) Kirschner & Štěpánek
- [*Taraxacum dispar*](#) G.E.Haglund
- [*Taraxacum dissectiforme*](#) Soest
- [*Taraxacum disseminatoides*](#) A.J.Richards
- [*Taraxacum disseminatum*](#) G.E.Haglund
- [*Taraxacum dissimile*](#) Dahlst.
- [*Taraxacum dissonum*](#) Rail.
- [*Taraxacum distans*](#) G.E.Haglund
- [*Taraxacum distantijugum*](#) Sahlin

- [*Taraxacum distantilobum*](#) H.Lindb.
- [*Taraxacum distinctilobum*](#) H.Øllg.
- [*Taraxacum distinctum*](#) H.Lindb.
- [*Taraxacum divarium*](#) Sahlin
- [*Taraxacum diversicolor*](#) Sonck
- [*Taraxacum diversifolium*](#) G.E.Haglund
- [*Taraxacum diversilobum*](#) G.E.Haglund
- [*Taraxacum divinum*](#) Sonck
- [*Taraxacum divulgatum*](#) Kirschner & Štěpánek
- [*Taraxacum divulsifolium*](#) Soest
- [*Taraxacum divulsiforme*](#) R.Doll
- [*Taraxacum divulsum*](#) G.E.Haglund
- [*Taraxacum dolichocentrum*](#) M.P.Christ.
- [*Taraxacum dolmiticum*](#) Soest
- [*Taraxacum domabile*](#) Kirschner & Štěpánek
- [*Taraxacum dombaiense*](#) R.Doll
- [*Taraxacum dooguei*](#) A.J.Richards
- [*Taraxacum dorchocarpum*](#) Soest
- [*Taraxacum dovrense*](#) Dahlst.
- [*Taraxacum drucei*](#) Dahlst.
- [*Taraxacum dubium*](#) Soest
- [*Taraxacum ducommunii*](#) Soest
- [*Taraxacum dudmanianum*](#) A.J.Richards
- [*Taraxacum dunense*](#) Soest
- [*Taraxacum dunenseforme*](#) Sonck
- [*Taraxacum duplidentifrons*](#) Dahlst.
- [*Taraxacum duriense*](#) Soest
- [*Taraxacum duvigneaudii*](#) Soest
- [*Taraxacum dzhungaricola*](#) Kirschner & Štěpánek

E

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum ecmiadzinum*](#) R.Doll
- [*Taraxacum ecornutum*](#) Kovalevsk.
- [*Taraxacum edessicoides*](#) Uhlemann
- [*Taraxacum edmondsonianum*](#) H.Øllg.
- [*Taraxacum edytomum*](#) G.E.Haglund
- [*Taraxacum effusum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum egilsstadirens*](#) M.P.Christ.
- [*Taraxacum egnatiae*](#) Sonck
- [*Taraxacum egregium*](#) Markl.
- [*Taraxacum ekmanii*](#) Dahlst.
- [*Taraxacum ekmaniiforme*](#) Hagend., Soest & Zevenb.
- [*Taraxacum elaverinum*](#) Sahlin
- [*Taraxacum elegans*](#) Soest
- [*Taraxacum elegantiforme*](#) Soest
- [*Taraxacum elegantifrons*](#) A.J.Richards
- [*Taraxacum elegantissimum*](#) Štěpánek & Kirschner
- [*Taraxacum elegantius*](#) Kirschner, H.Øllg. & Štěpánek
- [*Taraxacum elongatifrons*](#) G.E.Haglund
- [*Taraxacum elongatihastatum*](#) W.Koch ex Soest
- [*Taraxacum elongatum*](#) Kovalevsk.
- [*Taraxacum eminens*](#) Soest
- [*Taraxacum engadinense*](#) Soest
- [*Taraxacum enontekiense*](#) Rail.

- [*Taraxacum ensiculare*](#) Rail.
- [*Taraxacum ensigerum*](#) G.E.Haglund
- [*Taraxacum epacroides*](#) Markl. ex Puol.
- [*Taraxacum epacrum*](#) Dahlst.
- [*Taraxacum epirense*](#) Soest
- [*Taraxacum erectiusculilobatum*](#) Rail.
- [*Taraxacum erici*](#) H.Øllg. & J.Räsänen
- [*Taraxacum ericinoides*](#) Hagend., Soest & Zevenb.
- [*Taraxacum eriobasis*](#) Kovalevsk.
- [*Taraxacum eriopodium*](#) DC.
- [*Taraxacum erioscapum*](#) H.Hartmann
- [*Taraxacum erntrum*](#) Soest
- [*Taraxacum erostre*](#) Zakirov
- [*Taraxacum erythropodium*](#) Kitag.
- [*Taraxacum erythrospermum*](#) Andrz. ex Besser
- [*Taraxacum erzincanense*](#) Döll
- [*Taraxacum espinulosum*](#) M.P.Christ.
- [*Taraxacum estrelese*](#) A.Galán & Vicente Orell.
- [*Taraxacum etchebarnei*](#) Sonck
- [*Taraxacum eudontum*](#) Sahlin
- [*Taraxacum euoplocarpum*](#) Markl. ex H.Lindb.
- [*Taraxacum euranum*](#) Soest
- [*Taraxacum euryanthes*](#) G.E.Haglund ex Soest
- [*Taraxacum eurylobum*](#) G.E.Haglund
- [*Taraxacum euryphyllum*](#) (Dahlst.) M.P.Christ.
- [*Taraxacum exacutum*](#) Markl.
- [*Taraxacum excellens*](#) Dahlst.
- [*Taraxacum exiguiceps*](#) Markl.
- [*Taraxacum exiguum*](#) Soest
- [*Taraxacum eximium*](#) Dahlst.
- [*Taraxacum expallidiforme*](#) Dahlst.
- [*Taraxacum expallidum*](#) Dahlst.
- [*Taraxacum expandens*](#) Lundev. & H.Øllg.
- [*Taraxacum expansum*](#) Florstr.
- [*Taraxacum explicatum*](#) G.E.Haglund
- [*Taraxacum exsanguineum*](#) Soest
- [*Taraxacum exsertiforme*](#) Hagend., Soest & Zevenb.
- [*Taraxacum exsertum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum exsolutum*](#) Kirschner & Štěpánek
- [*Taraxacum extinctum*](#) Kirschner & Štěpánek
- [*Taraxacum exurgens*](#) Soest
- [*Taraxacum extensifrons*](#) G.E.Haglund

- [Taraxacum extensum](#) Dahlst.
- [Taraxacum extenuens](#) Rail.
- [Taraxacum extimum](#) Kirschner, Sonck & Štěpánek

F

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Taraxacum fabrei](#) Soest
- [Taraxacum facetum](#) Rail.
- [Taraxacum facile](#) Sonck
- [Taraxacum faeroense](#) (Dahlst.) Dahlst.
- [Taraxacum fagerstroemii](#) Sältin
- [Taraxacum falcatum](#) Brenner

- [*Taraxacum farellonicum*](#) Uhlemann
- [*Taraxacum farinosum*](#) Hausskn. & Bornm. ex Hand.-Mazz.
- [*Taraxacum fartoris*](#) Kirschner & Štěpánek
- [*Taraxacum fasciatiforme*](#) Soest
- [*Taraxacum fasciatum*](#) Dahlst.
- [*Taraxacum fascians*](#) Kirschner, Mikoláš & Štěpánek
- [*Taraxacum fastuosum*](#) Štěpánek, Kirschner, Zámečník & P.Trávn.
- [*Taraxacum faucicola*](#) Sahlin
- [*Taraxacum favorabile*](#) Štěpánek & Kirschner
- [*Taraxacum fedtschenkoi*](#) Hand.-Mazz.
- [*Taraxacum fennobalticum*](#) Sonck & Y.Mäkinen
- [*Taraxacum fennorodiae*](#) G.E.Haglund
- [*Taraxacum ferale*](#) Kirschner & Štěpánek
- [*Taraxacum fernandezianum*](#) Dahlst.
- [*Taraxacum ferum*](#) Štěpánek & Kirschner
- [*Taraxacum fibratum*](#) Sonck
- [*Taraxacum fictum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum filidens*](#) Hagend., Soest & Zevenb.
- [*Taraxacum fimbriatum*](#) Sonck
- [*Taraxacum finitimum*](#) Lundev. & H.Øllg.
- [*Taraxacum firmicaule*](#) Rail.
- [*Taraxacum firmum*](#) Dahlst.
- [*Taraxacum fissifolium*](#) Kirschner & Štěpánek
- [*Taraxacum flammeolum*](#) Kirschner & Štěpánek
- [*Taraxacum flandricum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum flavescens*](#) G.E.Haglund
- [*Taraxacum flavidum*](#) Kirschner & Štěpánek
- [*Taraxacum flavipapposum*](#) Kirschner & Štěpánek
- [*Taraxacum flavostylum*](#) Back
- [*Taraxacum flavoviride*](#) Sonck
- [*Taraxacum flavum*](#) Soest
- [*Taraxacum flevoense*](#) Soest
- [*Taraxacum flexile*](#) G.E.Haglund
- [*Taraxacum floccosum*](#) Rail.
- [*Taraxacum floribundum*](#) R.Doll
- [*Taraxacum florstroemii*](#) Markl.
- [*Taraxacum florum*](#) Kirschner & Štěpánek
- [*Taraxacum flos-lacus*](#) Kirschner & Štěpánek
- [*Taraxacum Flugum*](#) R.Doll
- [*Taraxacum flumineum*](#) R.Doll
- [*Taraxacum fluviatile*](#) Kirschner & Štěpánek
- [*Taraxacum font-queri*](#) Soest

- [*Taraxacum fontaniforme*](#) Soest
- [*Taraxacum fontanosquameum*](#) Soest
- [*Taraxacum fontanum*](#) Hand.-Mazz.
- [*Taraxacum forellense*](#) R.Doll
- [*Taraxacum formosissimum*](#) Kirschner & Štěpánek
- [*Taraxacum formosum*](#) Soest
- [*Taraxacum fornicatum*](#) Štěpánek & Kirschner
- [*Taraxacum forrestii*](#) Soest
- [*Taraxacum fragile*](#) Štěpánek & Kirschner
- [*Taraxacum fragosum*](#) Sonck
- [*Taraxacum fraudulentum*](#) Rail.
- [*Taraxacum freticola*](#) H.Øllg.
- [*Taraxacum fridenii*](#) Sahlin
- [*Taraxacum friesii*](#) Dahlst.
- [*Taraxacum friscum*](#) Soest
- [*Taraxacum frondatum*](#) H.Øllg.
- [*Taraxacum frugale*](#) Hagend., Oosterv. & Zevenb. ex Hofstra
- [*Taraxacum fulgidum*](#) G.E.Haglund
- [*Taraxacum fulvescens*](#) Soest
- [*Taraxacum fulvicarpum*](#) Dahlst.
- [*Taraxacum fulviforme*](#) Dahlst.
- [*Taraxacum fulvobrunneum*](#) Soest
- [*Taraxacum fulvum*](#) Raunk.
- [*Taraxacum fuornense*](#) Soest
- [*Taraxacum furvum*](#) M.P.Christ.
- [*Taraxacum fusciflorum*](#) H.Øllg.
- [*Taraxacum fusco-olivaceum*](#) G.E.Haglund
- [*Taraxacum fusculinerve*](#) Markl.

G

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum gaditanum*](#) Talavera
- [*Taraxacum gaelorum*](#) A.J.Richards
- [*Taraxacum galbaniforme*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum galbanum*](#) Dahlst.
- [*Taraxacum galeatum*](#) Dahlst.
- [*Taraxacum galeiferum*](#) M.P.Christ.
- [*Taraxacum galeifiguratum*](#) Rail.
- [*Taraxacum gallaecicum*](#) Soest
- [*Taraxacum gallicum*](#) Soest
- [*Taraxacum gamisansii*](#) Soest
- [*Taraxacum garbarianum*](#) Peruzzi, Aquaro, Caparelli & Raimondo
- [*Taraxacum gasparinii*](#) Tineo ex Lojac.
- [*Taraxacum geirhildae*](#) (Beeby) R.C.Palmer & W.Scott
- [*Taraxacum gelertii*](#) Raunk.
- [*Taraxacum gelertiiforme*](#) M.P.Christ.
- [*Taraxacum gelricum*](#) Soest
- [*Taraxacum geminatum*](#) G.E.Haglund
- [*Taraxacum geminidentatum*](#) Hudziok
- [*Taraxacum genargenteum*](#) Arrigoni
- [*Taraxacum gentile*](#) G.E.Haglund & Rail.
- [*Taraxacum germanicum*](#) Soest
- [*Taraxacum gesticulans*](#) H.Øllg.
- [*Taraxacum getulum*](#) Pomel
- [*Taraxacum gianninii*](#) Arrigoni, Ferretti & Padula

- [*Taraxacum gibberosum*](#) M.P.Christ.
- [*Taraxacum gibberum*](#) Markl.
- [*Taraxacum gibbiferum*](#) Brenner
- [*Taraxacum gibbosum*](#) Saarsoo
- [*Taraxacum giganteum*](#) H.Koidz.
- [*Taraxacum gilgitense*](#) Abedin
- [*Taraxacum gilliesii*](#) Hook. & Arn.
- [*Taraxacum gilvistigmatum*](#) Rail.
- [*Taraxacum gilvistylum*](#) Soest
- [*Taraxacum gilvum*](#) Rail.
- [*Taraxacum githagineum*](#) Kirschner & Štěpánek
- [*Taraxacum glabellum*](#) Schischk.
- [*Taraxacum glaberrimum*](#) R.Doll
- [*Taraxacum glabricaule*](#) Sonck
- [*Taraxacum glabrum*](#) DC.
- [*Taraxacum glaciale*](#) É.Huet & A.Huet ex Hand.-Mazz.
- [*Taraxacum gladiatum*](#) M.P.Christ.
- [*Taraxacum glandiforme*](#) Sonck
- [*Taraxacum glandonense*](#) Soest
- [*Taraxacum glaphyrum*](#) Sahlin
- [*Taraxacum glaucanthum*](#) (Ledeb.) DC.
- [*Taraxacum glauciniforme*](#) Dahlst.
- [*Taraxacum glaucinum*](#) Dahlst.
- [*Taraxacum glaucivirens*](#) Schischk.
- [*Taraxacum glaucolivaceum*](#) Kirschner & Štěpánek
- [*Taraxacum glaucophylloides*](#) Kirschner & Štěpánek
- [*Taraxacum glaucophyllum*](#) Soest
- [*Taraxacum globiceps*](#) Saarsoo
- [*Taraxacum glossocentrum*](#) Dahlst.
- [*Taraxacum glossodon*](#) Sonck & H.Øllg.
- [*Taraxacum glowackii*](#) H.Øllg.
- [*Taraxacum gnezdilloi*](#) Kovalevsk.
- [*Taraxacum goloskokovii*](#) Schischk.
- [*Taraxacum gorodkovii*](#) Kharkev. & Tzvelev
- [*Taraxacum gotlandicum*](#) (Dahlst.) Dahlst.
- [*Taraxacum gotoburgense*](#) Saarsoo & Borgv.
- [*Taraxacum gracilens*](#) Dahlst.
- [*Taraxacum graciliforme*](#) R.Doll
- [*Taraxacum gracilipes*](#) G.E.Haglund
- [*Taraxacum gracilisquameum*](#) Markl.
- [*Taraxacum gracilium*](#) R.Doll
- [*Taraxacum gracillimum*](#) Soest

- [*Taraxacum graecofontanum*](#) A.J.Richards & Sonck
- [*Taraxacum graecum*](#) Dahlst.
- [*Taraxacum graminicolor*](#) Soest
- [*Taraxacum grandidens*](#) M.P.Christ.
- [*Taraxacum grandiflorum*](#) Soest
- [*Taraxacum grandisquamum*](#) H.Koidz.
- [*Taraxacum graniticum*](#) Soest
- [*Taraxacum gratum*](#) Štěpánek, Kirschner & Meierott
- [*Taraxacum greuteri*](#) Štěpánek & Kirschner
- [*Taraxacum grootii*](#) Soest
- [*Taraxacum grossheimii*](#) Schischk.
- [*Taraxacum grossodentosum*](#) Rail.
- [*Taraxacum grossum*](#) Soest
- [*Taraxacum grypodiforme*](#) R.Doll
- [*Taraxacum grypodon*](#) Dahlst.
- [*Taraxacum grypolobum*](#) Sahlin
- [*Taraxacum guadalupense*](#) F.M.Vázquez
- [*Taraxacum guanchicum*](#) A.Galán, E.Linares & Vicente Orell.
- [*Taraxacum gulmargense*](#) Soest
- [*Taraxacum guntense*](#) Dengub.
- [*Taraxacum gurglense*](#) A.J.Richards
- [*Taraxacum gustavianum*](#) Sonck
- [*Taraxacum guttigestans*](#) H.Øllg. ex Kirschner & Štěpánek
- [*Taraxacum gyratum*](#) Rail.

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Taraxacum haareanum](#) Tzvelev
- [Taraxacum habile](#) Rail.
- [Taraxacum haemanthum](#) Kirschner & Štěpánek
- [Taraxacum haematicum](#) G.E.Haglund ex H.Øllg. & Wittzell
- [Taraxacum haematopus](#) H.Lindb.
- [Taraxacum hahnii](#) Uhlemann
- [Taraxacum hallaisanense](#) Nakai
- [Taraxacum halophilum](#) Regel
- [Taraxacum hamatiforme](#) Dahlst.
- [Taraxacum hamatilobum](#) Dahlst.
- [Taraxacum hamatulum](#) Hagend., Soest & Zevenb.
- [Taraxacum hamatum](#) Raunk.
- [Taraxacum hamidens](#) M.P.Christ.
- [Taraxacum hamiferum](#) Dahlst.
- [Taraxacum hamosiforme](#) Rail.
- [Taraxacum hamosius](#) R.Doll
- [Taraxacum hamosum](#) Dahlst.
- [Taraxacum handelii](#) Murr
- [Taraxacum haptolepium](#) Malmio
- [Taraxacum haraldii](#) Markl.
- [Taraxacum harbhajan-singhii](#) Soest
- [Taraxacum harpagoides](#) Sonck & H.Øllg.
- [Taraxacum hastatiforme](#) Soest
- [Taraxacum hostile](#) M.P.Christ.
- [Taraxacum hastiliforme](#) M.P.Christ.
- [Taraxacum haussknechtii](#) Uechtr.
- [Taraxacum haworthianum](#) Dudman & A.J.Richards
- [Taraxacum hebelobum](#) Hagend., Soest & Zevenb.

- [*Taraxacum hedinii*](#) G.E.Haglund ex Kirschner & Štěpánek
- [*Taraxacum heikkinenii*](#) Saarsoo
- [*Taraxacum heleocharis*](#) Kirschner & Štěpánek
- [*Taraxacum helianthum*](#) Soest
- [*Taraxacum helioscopium*](#) Kirschner & Štěpánek
- [*Taraxacum hellenicum*](#) Dahlst.
- [*Taraxacum helmi-emiliae*](#) Rail.
- [*Taraxacum helveticum*](#) Soest
- [*Taraxacum hemicyclum*](#) G.E.Haglund
- [*Taraxacum hempelianum*](#) Uhlemann
- [*Taraxacum hepaticolor*](#) Soest
- [*Taraxacum hepaticum*](#) Rail.
- [*Taraxacum heptapotamicum*](#) Schischk.
- [*Taraxacum herae*](#) Sonck
- [*Taraxacum hesperium*](#) C.C.Haw.
- [*Taraxacum heterolepis*](#) Nakai & Koidz. ex Kitag.
- [*Taraxacum heteroloma*](#) Hand.-Mazz.
- [*Taraxacum heterophylloides*](#) G.E.Haglund ex Soest
- [*Taraxacum heterophyllum*](#) Brenner
- [*Taraxacum heybroekii*](#) Soest
- [*Taraxacum hibernicola*](#) A.J.Richards
- [*Taraxacum hideoi*](#) Nakai
- [*Taraxacum hiemale*](#) Soest
- [*Taraxacum hilare*](#) Dahlst.
- [*Taraxacum hirsutissimum*](#) C.C.Haw.
- [*Taraxacum hirtellum*](#) Dahlst.
- [*Taraxacum hispanicum*](#) H.Lindb.
- [*Taraxacum hjeltii*](#) (Dahlst.) Dahlst.
- [*Taraxacum hohuanshanense*](#) S.S.Ying
- [*Taraxacum hollandicum*](#) Soest
- [*Taraxacum holmboei*](#) H.Lindb.
- [*Taraxacum holmenianum*](#) Sahlin
- [*Taraxacum holmgrenii*](#) G.E.Haglund
- [*Taraxacum homoschistum*](#) H.Øllg.
- [*Taraxacum honestum*](#) Štěpánek & Kirschner
- [*Taraxacum hooftii*](#) Soest
- [*Taraxacum hoplites*](#) M.P.Christ.
- [*Taraxacum horizontale*](#) Kirschner & Štěpánek
- [*Taraxacum horridifrons*](#) Rail.
- [*Taraxacum horridum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum huddungense*](#) Lundev. & H.Øllg.
- [*Taraxacum huelpersianum*](#) Dahlst. ex G.E.Haglund

- [Taraxacum humbertii](#) Maire
- [Taraxacum humidicola](#) Kirschner & Štěpánek
- [Taraxacum humifusum](#) Štěpánek & Kirschner
- [Taraxacum humile](#) Brenner
- [Taraxacum huterianum](#) Soest
- [Taraxacum hyberniforme](#) Soest
- [Taraxacum hybernum](#) Steven
- [Taraxacum hydrophilum](#) Soest
- [Taraxacum hygrophilum](#) Soest
- [Taraxacum hyoides](#) Rail.
- [Taraxacum hyoseridifolium](#) Arv.-Touv. & Marcailhou
- [Taraxacum hypanicum](#) Tzvelev
- [Taraxacum hyparcticum](#) Dahlst.
- [Taraxacum hyperoptum](#) G.E.Haglund
- [Taraxacum hypimbricans](#) Kirschner & Štěpánek
- [Taraxacum hypochaeris](#) Dahlst.
- [Taraxacum hypochoeroides](#) G.E.Haglund
- [Taraxacum hypocraterimorphum](#) Rail.
- [Taraxacum hypopolium](#) Sahlin
- [Taraxacum hrynsalmense](#) Saarsoo
- [Taraxacum hystrix](#) Kirschner & Štěpánek

I

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum iberanthum*](#) Sahlin
- [*Taraxacum ibericum*](#) Soest ex Masclans & Batalla
- [*Taraxacum icterinum*](#) Kirschner & Štěpánek
- [*Taraxacum idiolepium*](#) Markl.
- [*Taraxacum idiomorphum*](#) Markl.
- [*Taraxacum idiosomatum*](#) Rail.
- [*Taraxacum idlomorphoides*](#) Rail.
- [*Taraxacum ignivomum*](#) Kirschner & Štěpánek
- [*Taraxacum ikonnikovii*](#) Schischk.
- [*Taraxacum iliense*](#) Kirschner & Štěpánek
- [*Taraxacum illyricum*](#) Dahlst. ex Kirschner & Štěpánek
- [*Taraxacum imbricatius*](#) Kirschner & Štěpánek
- [*Taraxacum imitans*](#) H.Lindb. ex Sältin
- [*Taraxacum impolitum*](#) Rail.
- [*Taraxacum inaequilobum*](#) Pomel
- [*Taraxacum inane*](#) A.J.Richards
- [*Taraxacum inarmatum*](#) M.P.Christ.
- [*Taraxacum incantatum*](#) Štěpánek & Kirschner
- [*Taraxacum incisiforme*](#) Hagend., Soest & Zevenb.
- [*Taraxacum incisum*](#) Oellgaard
- [*Taraxacum inclinans*](#) G.E.Haglund ex Soest
- [*Taraxacum inclinorum*](#) A.J.Richards
- [*Taraxacum inclusum*](#) W.Koch ex Soest
- [*Taraxacum incomptum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum inconspicuum*](#) Soest
- [*Taraxacum index*](#) Sonck
- [*Taraxacum indicum*](#) H.Lindberg.
- [*Taraxacum indigenum*](#) Kirschner & Štěpánek
- [*Taraxacum indivisum*](#) G.E.Haglund
- [*Taraxacum indulgens*](#) Kirschner & Štěpánek
- [*Taraxacum infestum*](#) Hagend., Soest & Zevenb.

- [*Taraxacum infidulum*](#) G.E.Haglund & Saarsoo
- [*Taraxacum informe*](#) G.E.Haglund ex Soest
- [*Taraxacum infradentatum*](#) Sonck
- [*Taraxacum infucatum*](#) Sahlin
- [*Taraxacum infumatum*](#) G.E.Haglund
- [*Taraxacum infuscatum*](#) H.Øllg.
- [*Taraxacum ingens*](#) Palmgr.
- [*Taraxacum inimitabile*](#) Kirschner & Štěpánek
- [*Taraxacum inopinatum*](#) C.C.Haw.
- [*Taraxacum inops*](#) H.Øllg.
- [*Taraxacum insigne*](#) M.P.Christ. & Wiinst.
- [*Taraxacum insolitum*](#) Kirschner, Sonck & Štěpánek
- [*Taraxacum insubricum*](#) Soest
- [*Taraxacum insuetum*](#) M.P.Christ.
- [*Taraxacum insularum*](#) G.E.Haglund
- [*Taraxacum integriloboides*](#) Soest
- [*Taraxacum intercedens*](#) Markl.
- [*Taraxacum intermedium*](#) Raunk.
- [*Taraxacum interruptum*](#) Dahlst.
- [*Taraxacum interveniens*](#) G.E.Haglund
- [*Taraxacum intricatum*](#) H.Lindb.
- [*Taraxacum intumescens*](#) G.E.Haglund
- [*Taraxacum inundatum*](#) Kirschner & Štěpánek
- [*Taraxacum investiens*](#) Rail.
- [*Taraxacum invocatum*](#) Sonck
- [*Taraxacum involucratum*](#) Dahlst.
- [*Taraxacum involutum*](#) Rail.
- [*Taraxacum iranikum*](#) Soest
- [*Taraxacum irrigatum*](#) Kirschner & Štěpánek
- [*Taraxacum irritum*](#) Saarsoo
- [*Taraxacum irroratum*](#) Kirschner & Štěpánek
- [*Taraxacum ischnolepis*](#) Sahlin
- [*Taraxacum iseranum*](#) Soest
- [*Taraxacum islandicum*](#) Dahlst. ex M.P.Christ.
- [*Taraxacum isolobum*](#) M.P.Christ.
- [*Taraxacum isophyllum*](#) G.E.Haglund
- [*Taraxacum isthmicola*](#) H.Lindb.
- [*Taraxacum iucundum*](#) Štěpánek & Kirschner

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum jacuticum*](#) Tzvelev
- [*Taraxacum jailae*](#) Štěpánek & Kirschner
- [*Taraxacum janalamii*](#) Abedin
- [*Taraxacum janchenii*](#) Kirschner & Štěpánek
- [*Taraxacum japonicum*](#) Koidz.
- [*Taraxacum jaschilkuliense*](#) Vainberg
- [*Taraxacum javanicum*](#) Soest
- [*Taraxacum jemtlandicum*](#) Dahlst.
- [*Taraxacum jugiferum*](#) H.Øllg.
- [*Taraxacum junatovii*](#) Tzvelev
- [*Taraxacum junpeianum*](#) Kitam.
- [*Taraxacum jurassicum*](#) Soest
- [*Taraxacum jurtzevii*](#) Tzvelev
- [*Taraxacum juzepczukii*](#) Schischk.

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum kabulense* Soest](#)
- [*Taraxacum kalambakae* Sonck](#)
- [*Taraxacum kalchiainum* Soest](#)
- [*Taraxacum kaletkiniae* Vainberg](#)
- [*Taraxacum kamtchaticum* Dahlst.](#)
- [*Taraxacum karakoricum* Soest](#)
- [*Taraxacum karatavicum* Pavlov](#)
- [*Taraxacum karelicum* H.Lindb. & Marklund](#)
- [*Taraxacum karwendelense* Sahlén](#)
- [*Taraxacum kasachiforme* R.Doll](#)

- [*Taraxacum kasachum*](#) R.Doll
- [*Taraxacum kashmirensense*](#) Soest
- [*Taraxacum kaskelenense*](#) Kirschner & Štěpánek
- [*Taraxacum kernianum*](#) Soest, Hagend. & Zevenb.
- [*Taraxacum ketoinsense*](#) Tatew. & Kitam.
- [*Taraxacum kezmarkense*](#) R.Doll
- [*Taraxacum khatoonae*](#) Abedin
- [*Taraxacum kimuranum*](#) Kitam.
- [*Taraxacum kirghizicum*](#) Schischk.
- [*Taraxacum kirschneri*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum kiushianum*](#) H.Koidz.
- [*Taraxacum kjellmanii*](#) Dahlst.
- [*Taraxacum kjellmaniiforme*](#) Soest
- [*Taraxacum klimesianum*](#) Kirschner & Štěpánek
- [*Taraxacum klingstedtii*](#) Sonck
- [*Taraxacum klopotovii*](#) Tzvelev
- [*Taraxacum koelzii*](#) Soest
- [*Taraxacum kojimae*](#) Kitam.
- [*Taraxacum kok-saghyz*](#) Rodin
- [*Taraxacum kolaense*](#) H.Lindb. ex Dahlst.
- [*Taraxacum kolymense*](#) Khokhryakov
- [*Taraxacum kondariense*](#) Vainberg
- [*Taraxacum korbii*](#) Soest
- [*Taraxacum korjakense*](#) Kharkev. & Tzvelev
- [*Taraxacum korjakorum*](#) Kharkev. & Tzvelev
- [*Taraxacum kornasii*](#) Soest
- [*Taraxacum kotschyi*](#) Soest
- [*Taraxacum kovalevskiae*](#) Vainberg
- [*Taraxacum kozlovii*](#) Tzvelev
- [*Taraxacum kraettlii*](#) Soest
- [*Taraxacum krameriense*](#) Sahlin
- [*Taraxacum krasnikovii*](#) M.S.Ivanova
- [*Taraxacum krasnoborovii*](#) Krasnikov
- [*Taraxacum krylovii*](#) Krasnikov & Khanm.
- [*Taraxacum kupfferi*](#) G.E.Haglund
- [*Taraxacum kurdiciforme*](#) G.E.Haglund
- [*Taraxacum kurdicum*](#) Hand.-Mazz. ex Nábělek
- [*Taraxacum kuusamoense*](#) H.Lindb. & Palmgr.
- [*Taraxacum kuvajevii*](#) Tzvelev
- [*Taraxacum kuzmanovii*](#) Štěpánek & Kirschner

L

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum laceratum* \(Brenner\) Brenner](#)
- [*Taraxacum lacerifolium* G.E.Haglund](#)
- [*Taraxacum lacerilobatum* Saarsoo](#)
- [*Taraxacum lacertosum* Rail.](#)
- [*Taraxacum lacianense* A.Galán & Vicente Orell.](#)
- [*Taraxacum laciniatulum* Sahlin](#)
- [*Taraxacum laciniatum* Martrin-Donos](#)
- [*Taraxacum lacinosifrons* Dahlst. ex Wiinst.](#)
- [*Taraxacum lacinosum* Dahlst.](#)
- [*Taraxacum lacinulatum* Markl.](#)

- [*Taraxacum lacistophylloides*](#) Dahlst.
- [*Taraxacum lacistophyllum*](#) (Dahlst.) Raunk.
- [*Taraxacum lacistrum*](#) Sahlin
- [*Taraxacum lactucifolium*](#) Kirschner & Štěpánek
- [*Taraxacum lacusculorum*](#) Kirschner & Štěpánek
- [*Taraxacum lacustre*](#) Soest
- [*Taraxacum laetecolorans*](#) Lindstr.
- [*Taraxacum laeticeps*](#) G.E.Haglund
- [*Taraxacum laeticolor*](#) Dahlst.
- [*Taraxacum laetiforme*](#) Dahlst.
- [*Taraxacum laetum*](#) Dahlst.
- [*Taraxacum lagerkrantzii*](#) G.E.Haglund
- [*Taraxacum lahulense*](#) Soest
- [*Taraxacum laiense*](#) Soest
- [*Taraxacum lambinonii*](#) Soest
- [*Taraxacum lamprolepis*](#) Kitag.
- [*Taraxacum lamprophyllum*](#) M.P.Christ.
- [*Taraxacum lancastriense*](#) A.J.Richards
- [*Taraxacum lanceolatisquameum*](#) Rail.
- [*Taraxacum lancidens*](#) Hagend., Soest & Zevenb.
- [*Taraxacum landmarkii*](#) Dahlst.
- [*Taraxacum langeanum*](#) Dahlst.
- [*Taraxacum languidulum*](#) Rail.
- [*Taraxacum languidum*](#) Markl.
- [*Taraxacum lanigerum*](#) Soest
- [*Taraxacum lanjouwii*](#) Soest
- [*Taraxacum larssonii*](#) Dahlst.
- [*Taraxacum lasianthum*](#) H.Koidz.
- [*Taraxacum lasiodasum*](#) Soest
- [*Taraxacum latebracteatum*](#) W.Koch ex Soest
- [*Taraxacum latens*](#) H.Øllg.
- [*Taraxacum latericulum*](#) R.Doll
- [*Taraxacum lateritium*](#) Dahlst.
- [*Taraxacum latibasis*](#) Soest
- [*Taraxacum laticaudatum*](#) Rail.
- [*Taraxacum laticonicum*](#) M.P.Christ.
- [*Taraxacum laticordatum*](#) Markl.
- [*Taraxacum latidens*](#) M.P.Christ.
- [*Taraxacum latifrons*](#) M.P.Christ.
- [*Taraxacum latihastatum*](#) M.P.Christ.
- [*Taraxacum latilobum*](#) DC.
- [*Taraxacum latisectum*](#) H.Lindb.

- [*Taraxacum latissimum*](#) Palmgr.
- [*Taraxacum latulum*](#) H.Øllg.
- [*Taraxacum laudabile*](#) H.Øllg. & J.Räsänen
- [*Taraxacum laurentianum*](#) Fernald
- [*Taraxacum lautellum*](#) Björk
- [*Taraxacum lawalreei*](#) Soest
- [*Taraxacum laxum*](#) G.E.Haglund
- [*Taraxacum lecitodes*](#) Dahlst. ex Hagl.
- [*Taraxacum ledebourii*](#) Kirschner & Štěpánek
- [*Taraxacum lehbertii*](#) H.Lindb. ex Pettersson & H.Lindb.
- [*Taraxacum lenense*](#) Tzvelev
- [*Taraxacum lenkoranense*](#) R.Doll
- [*Taraxacum lentiginosum*](#) H.Øllg.
- [*Taraxacum lentum*](#) Kirschner & Štěpánek
- [*Taraxacum leonardii*](#) Soest
- [*Taraxacum leonicum*](#) Soest ex M.Laínz
- [*Taraxacum leoninum*](#) Kirschner & Štěpánek
- [*Taraxacum leopardinum*](#) Štěpánek & Kirschner
- [*Taraxacum lepidum*](#) M.P.Christ.
- [*Taraxacum leptaleum*](#) M.P.Christ.
- [*Taraxacum leptocarpum*](#) Saarsoo
- [*Taraxacum leptoceras*](#) Dahlst.
- [*Taraxacum leptodon*](#) Markl.
- [*Taraxacum leptoglotte*](#) M.P.Christ.
- [*Taraxacum leptolepis*](#) M.P.Christ.
- [*Taraxacum leptophyllum*](#) H.Lindb. ex Sältin
- [*Taraxacum leptoscelum*](#) H.Øllg.
- [*Taraxacum leroyi*](#) Soest
- [*Taraxacum leucanthum*](#) (Ledeb.) Ledeb.
- [*Taraxacum leucocalymnum*](#) G.E.Haglund
- [*Taraxacum leucocarpum*](#) Jurtzev & Tzvelev
- [*Taraxacum leucocephalum*](#) M.P.Christ.
- [*Taraxacum leucochlorum*](#) Soest
- [*Taraxacum leucoglossum*](#) Brenner
- [*Taraxacum leucopodioides*](#) G.E.Haglund ex Soest
- [*Taraxacum leucopodum*](#) G.E.Haglund
- [*Taraxacum leucospermum*](#) Jord.
- [*Taraxacum leucosquameum*](#) Sonck
- [*Taraxacum leutianum*](#) Soest
- [*Taraxacum lidianum*](#) Soest
- [*Taraxacum ligerinum*](#) Sahlin
- [*Taraxacum lilacinum*](#) Krasn. ex Schischk.

- [*Taraxacum lilianae*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum limbatum*](#) Dahlst.
- [*Taraxacum limburgense*](#) Hagend., Soest & Zevenb.
- [*Taraxacum limnanthes*](#) G.E.Haglund
- [*Taraxacum limnophilum*](#) Soest
- [*Taraxacum limnoticum*](#) A.J.Richards
- [*Taraxacum limosicola*](#) Kirschner & Štěpánek
- [*Taraxacum limosum*](#) Soest
- [*Taraxacum linczevskyi*](#) Schischk.
- [*Taraxacum lindstroemii*](#) Saarsoo & G.E.Haglund
- [*Taraxacum lineare*](#) Vorosch. & Schaga
- [*Taraxacum linearilobatum*](#) Rail.
- [*Taraxacum linearisquameum*](#) Soest
- [*Taraxacum linguatiforme*](#) Soest
- [*Taraxacum linguatifrons*](#) Markl.
- [*Taraxacum linguicuspis*](#) H.Lindb.
- [*Taraxacum lingulatum*](#) Markl.
- [*Taraxacum lingulilobum*](#) Sonck
- [*Taraxacum lissocarpum*](#) Dahlst.
- [*Taraxacum litardieri*](#) Soest
- [*Taraxacum litigiosum*](#) Kirschner & Štěpánek
- [*Taraxacum litophyllum*](#) De Langhe & Soest
- [*Taraxacum litorale*](#) Raunk.
- [*Taraxacum livonicum*](#) Markl.
- [*Taraxacum lobbichleri*](#) Soest
- [*Taraxacum lobulatum*](#) Brenner
- [*Taraxacum lofotense*](#) G.E.Haglund
- [*Taraxacum lojoense*](#) H.Lindb.
- [*Taraxacum lonchophyllum*](#) M.P.Christ.
- [*Taraxacum longicarpum*](#) Soest
- [*Taraxacum longicaudatum*](#) Rail.
- [*Taraxacum longiconicum*](#) H.Øllg.
- [*Taraxacum longicorne*](#) Dahlst.
- [*Taraxacum longicuspis*](#) Markl.
- [*Taraxacum longifrons*](#) G.E.Haglund
- [*Taraxacum longihastatum*](#) M.P.Christ.
- [*Taraxacum longipyramidatum*](#) Schischk.
- [*Taraxacum longisagittatum*](#) M.P.Christ.
- [*Taraxacum longisectum*](#) G.E.Haglund
- [*Taraxacum longispinulosum*](#) M.P.Christ.
- [*Taraxacum longisquameum*](#) H.Lindb.
- [*Taraxacum loratum*](#) M.P.Christ.

- [*Taraxacum lucense*](#) Arrigoni, Ferretti & Padula
- [*Taraxacum lucidepedatum*](#) Soest
- [*Taraxacum lucidiforme*](#) Hagend., Soest & Zevenb.
- [*Taraxacum lucidum*](#) Dahlst.
- [*Taraxacum luculentum*](#) Rail.
- [*Taraxacum ludlowii*](#) Soest
- [*Taraxacum ludmilae*](#) Kirschner & Štěpánek
- [*Taraxacum lugubre*](#) Dahlst.
- [*Taraxacum lugubriforme*](#) R.Doll
- [*Taraxacum lunare*](#) M.P.Christ.
- [*Taraxacum lundense*](#) H.Øllg. & Wittzell
- [*Taraxacum lundevallii*](#) Rail. & Sonck
- [*Taraxacum lunglungense*](#) Klimeš ex Kirschner & Štěpánek
- [*Taraxacum lupatiferum*](#) Rail.
- [*Taraxacum luridum*](#) G.E.Haglund
- [*Taraxacum lusitanicum*](#) Soest
- [*Taraxacum luteocucullatum*](#) W.Koch ex Soest
- [*Taraxacum luteodens*](#) M.P.Christ.
- [*Taraxacum luteolum*](#) G.E.Haglund ex Soest
- [*Taraxacum luteoviride*](#) M.P.Christ.
- [*Taraxacum lutescens*](#) Dahlst.
- [*Taraxacum luteum*](#) C.C.Haw. & A.J.Richards
- [*Taraxacum lutheri*](#) Sältin
- [*Taraxacum luxurians*](#) M.P.Christ.
- [*Taraxacum lyperum*](#) G.E.Haglund
- [*Taraxacum lyratum*](#) (Ledeb.) DC.

M

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)

- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Taraxacum macilentum](#) Dahlst.
- [Taraxacum macranthoides](#) G.E.Haglund
- [Taraxacum macrocarpum](#) H.Perss.
- [Taraxacum macrocedens](#) Rail.
- [Taraxacum macrocentrum](#) Dahlst.
- [Taraxacum macroceras](#) Dahlst.
- [Taraxacum macroceratodon](#) H.Øllg.
- [Taraxacum macrochlamydeum](#) Kovalevsk.
- [Taraxacum macrodon](#) Markl.
- [Taraxacum macrolepium](#) Schischk.
- [Taraxacum macrolobum](#) Dahlst.
- [Taraxacum macromerum](#) M.P.Christ.
- [Taraxacum macrophyllarium](#) Rail.
- [Taraxacum macrotomum](#) G.E.Haglund
- [Taraxacum macula](#) Kirschner & Štěpánek
- [Taraxacum maculatum](#) Jord.
- [Taraxacum maculigerum](#) H.Lindb.
- [Taraxacum maculosum](#) A.J.Richards
- [Taraxacum madidum](#) Kirschner & Štěpánek
- [Taraxacum maeandriforme](#) Rail.
- [Taraxacum magadanicum](#) Tzvelev
- [Taraxacum magnesicum](#) Sonck
- [Taraxacum magnobliquum](#) Soest
- [Taraxacum magnodilatatum](#) Soest
- [Taraxacum magnolevigatum](#) W.Koch ex Soest
- [Taraxacum magnoligulatum](#) Soest

- [*Taraxacum magnopyramidophorum*](#) Soest
- [*Taraxacum magnum*](#) Korol.
- [*Taraxacum mailleferi*](#) Soest
- [*Taraxacum majoricense*](#) A.Galán & L.Sáez
- [*Taraxacum majus*](#) Schischk.
- [*Taraxacum malato-belizii*](#) Soest
- [*Taraxacum malowitzum*](#) R.Doll
- [*Taraxacum malyi*](#) Soest
- [*Taraxacum mannoccii*](#) Carlesi & Peruzzi
- [*Taraxacum mansehracum*](#) Abedin
- [*Taraxacum maracandicum*](#) Kovalevsk.
- [*Taraxacum marchionii*](#) Soest
- [*Taraxacum margaritarium*](#) Kirschner & Štěpánek
- [*Taraxacum margettsii*](#) C.C.Haw.
- [*Taraxacum marginatum*](#) Dahlst.
- [*Taraxacum marginellum*](#) H.Lindb.
- [*Taraxacum marginiferum*](#) Kirschner & Štěpánek
- [*Taraxacum mariae*](#) J.Marciniuk & P.Marciniuk
- [*Taraxacum maricum*](#) Vašut, Kirschner & Štěpánek
- [*Taraxacum marklundii*](#) Palmgr.
- [*Taraxacum marmottae*](#) Sonck
- [*Taraxacum maroccanum*](#) H.Lindb.
- [*Taraxacum martellense*](#) Soest
- [*Taraxacum mastigophyllum*](#) Kirschner & Štěpánek
- [*Taraxacum mattmarkense*](#) Soest
- [*Taraxacum mauranthes*](#) Markl.
- [*Taraxacum maurocarpum*](#) Dahlst.
- [*Taraxacum maurocephalum*](#) Sonck
- [*Taraxacum maurophyllum*](#) Dahlst.
- [*Taraxacum maurostigma*](#) Markl.
- [*Taraxacum maurum*](#) G.E.Haglund
- [*Taraxacum mazzettii*](#) Soest
- [*Taraxacum medeense*](#) R.Doll
- [*Taraxacum medioximum*](#) Dahlst.
- [*Taraxacum mediterraneum*](#) Soest
- [*Taraxacum mediterraniforme*](#) Soest
- [*Taraxacum megalocarpum*](#) Soest
- [*Taraxacum megalophyllum*](#) G.E.Haglund
- [*Taraxacum megalosipteron*](#) Rail.
- [*Taraxacum meierottii*](#) Štěpánek & Kirschner
- [*Taraxacum meiseliae*](#) Soest
- [*Taraxacum melancholicum*](#) Kirschner & Štěpánek

- [*Taraxacum melanocephalum*](#) M.P.Christ.
- [*Taraxacum melanops*](#) Soest
- [*Taraxacum melanospilum*](#) Štěpánek & Kirschner
- [*Taraxacum melanostigma*](#) H.Lindb.
- [*Taraxacum melanostylum*](#) T.C.E.Fr.
- [*Taraxacum melanthoides*](#) M.P.Christ. & Wiinst.
- [*Taraxacum melittostylum*](#) H.Øllg.
- [*Taraxacum melleum*](#) Soest
- [*Taraxacum melzerianum*](#) Soest
- [*Taraxacum memorabile*](#) Kirschner & Štěpánek
- [*Taraxacum mendax*](#) Kirschner & Štěpánek
- [*Taraxacum merinoi*](#) Soest
- [*Taraxacum* × *mesohalobium*](#) Kirschner & Štěpánek
- [*Taraxacum messanense*](#) H.Lindb.
- [*Taraxacum metriocallosum*](#) Soest
- [*Taraxacum mexicanum*](#) DC.
- [*Taraxacum meyeri*](#) Sonck
- [*Taraxacum micans*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum microcarpum*](#) H.Lindb.
- [*Taraxacum microcephaloides*](#) Soest
- [*Taraxacum microcranium*](#) Markl.
- [*Taraxacum microdon*](#) Rail.
- [*Taraxacum microlobum*](#) Markl.
- [*Taraxacum microspermum*](#) Schischk.
- [*Taraxacum miltinum*](#) Sahlin
- [*Taraxacum mimosinum*](#) Sahlin
- [*Taraxacum mimuloides*](#) H.Lindb.
- [*Taraxacum mimulum*](#) Dahlst. ex H.Lindb.
- [*Taraxacum miniatum*](#) H.Lindb.
- [*Taraxacum minimum*](#) (V.Brig.) N.Terracc.
- [*Taraxacum minuticarpum*](#) Kirschner & Štěpánek
- [*Taraxacum minutilobum*](#) Popov ex Kovalevsk.
- [*Taraxacum minutissimum*](#) Soest
- [*Taraxacum mirabile*](#) Wagenitz
- [*Taraxacum mirosquamatum*](#) Rail.
- [*Taraxacum miserum*](#) M.P.Christ.
- [*Taraxacum mitalii*](#) Soest
- [*Taraxacum miyakei*](#) Kitam.
- [*Taraxacum modestum*](#) Schischk.
- [*Taraxacum moldavicum*](#) V.Chán, H.Øllg., Štěpánek, Trávn. & Žíla
- [*Taraxacum molybdinum*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum molybdolepis*](#) Dahlst.

- [*Taraxacum mongolicum*](#) Hand.-Mazz.
- [*Taraxacum mongoliforme*](#) R.Doll
- [*Taraxacum monochlamydeum*](#) Hand.-Mazz.
- [*Taraxacum monochroum*](#) G.E.Haglund
- [*Taraxacum monotropum*](#) Sahlin
- [*Taraxacum montellii*](#) H.Lindb. ex Sonck
- [*Taraxacum montesignum*](#) Soest
- [*Taraxacum montserratii*](#) Sahlin
- [*Taraxacum moriceps*](#) G.E.Haglund
- [*Taraxacum morulum*](#) G.E.Haglund ex Soest
- [*Taraxacum mosciense*](#) Dahlst.
- [*Taraxacum mucronatum*](#) H.Lindb.
- [*Taraxacum mucroniferum*](#) M.P.Christ.
- [*Taraxacum mucronulatum*](#) Soest
- [*Taraxacum mujense*](#) Petrochenko
- [*Taraxacum multicolorans*](#) Hagend., Soest & Zevenb.
- [*Taraxacum multidentatum*](#) Soest
- [*Taraxacum multidenticulatum*](#) Soest
- [*Taraxacum multifidum*](#) G.E.Haglund
- [*Taraxacum multiglossum*](#) Mart.Schmid
- [*Taraxacum multijugum*](#) W.Koch ex Soest
- [*Taraxacum multilaciniatum*](#) Arrigoni
- [*Taraxacum multilepis*](#) Kirschner & Štěpánek
- [*Taraxacum multiscaposum*](#) Schischk.
- [*Taraxacum multisinuatum*](#) Kirschner, Sonck & Štěpánek
- [*Taraxacum mundulum*](#) Rail.
- [*Taraxacum murgabicum*](#) Vainberg
- [*Taraxacum murmanicum*](#) N.I.Orlova
- [*Taraxacum musalae*](#) Štěpánek & Kirschner
- [*Taraxacum musteum*](#) Štěpánek & Kirschner
- [*Taraxacum mutabile*](#) Saarsoo
- [*Taraxacum mutatum*](#) Kirschner & Štěpánek

N

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum naevosiforme*](#) Dahlst.
- [*Taraxacum nagaricum*](#) Soest
- [*Taraxacum nairoense*](#) H.Koidz.
- [*Taraxacum nambuense*](#) H.Koidz.
- [*Taraxacum nanaunii*](#) Jurtzev
- [*Taraxacum nannophyes*](#) Rail.
- [*Taraxacum nanulum*](#) Sonck
- [*Taraxacum nanum*](#) Soest
- [*Taraxacum nasirii*](#) Soest
- [*Taraxacum navacerradense*](#) A.J.Richards
- [*Taraxacum navarrense*](#) Sonck
- [*Taraxacum necessarium*](#) H.Øllg.
- [*Taraxacum nectaristigmatum*](#) Rail.
- [*Taraxacum nematolobum*](#) M.P.Christ.
- [*Taraxacum nemorum*](#) G.E.Haglund
- [*Taraxacum neoaellenii*](#) Soest
- [*Taraxacum neokamtschaticum*](#) Vorosch.
- [*Taraxacum neolobulatum*](#) Soest
- [*Taraxacum neosachalinense*](#) H.Koidz.
- [*Taraxacum neosivaschicum*](#) Tzvelev

- [*Taraxacum neospurium*](#) Soest
- [*Taraxacum nepalense*](#) Soest
- [*Taraxacum neuolobum*](#) Soest
- [*Taraxacum nevadense*](#) H.Lindb.
- [*Taraxacum nevskii*](#) Juz.
- [*Taraxacum nietoi*](#) A.J.Richards
- [*Taraxacum nigrescens*](#) H.Øllg.
- [*Taraxacum nigricans*](#) (Kit.) Rchb.
- [*Taraxacum nigridentatum*](#) T.Edm.
- [*Taraxacum nigritum*](#) Soest
- [*Taraxacum nigrocephalum*](#) A.P.Khokhr.
- [*Taraxacum nigrofructum*](#) Kirschner & Štěpánek
- [*Taraxacum nigrum*](#) Soest
- [*Taraxacum nikolai*](#) Vainberg
- [*Taraxacum nitens*](#) G.E.Haglund
- [*Taraxacum nitidiorum*](#) Soest
- [*Taraxacum nitidum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum nitrophilum*](#) G.E.Haglund
- [*Taraxacum nivale*](#) Lange ex Kihlm.
- [*Taraxacum niveum*](#) Kirschner & Štěpánek
- [*Taraxacum nobile*](#) Kirschner & Štěpánek
- [*Taraxacum nordhagenii*](#) G.E.Haglund
- [*Taraxacum nordstedtii*](#) Dahlst.
- [*Taraxacum norvegicum*](#) (Dahlst.) Dahlst.
- [*Taraxacum notabile*](#) H.Øllg.
- [*Taraxacum noterophilum*](#) Kirschner, Sonck & Štěpánek
- [*Taraxacum nothum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum novae-zemliae*](#) Holmboe
- [*Taraxacum novoburgense*](#) Soest
- [*Taraxacum nubilum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum nudiscoposum*](#) Vorosch.
- [*Taraxacum nudum*](#) Soest
- [*Taraxacum nuratavicum*](#) Schischk.
- [*Taraxacum nutans*](#) Dahlst.
- [*Taraxacum nylandicum*](#) Sonck & H.Øllg.

O

Contents:

- [Top](#)
- [A](#)

- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum obitsiense*](#) Sahlin
- [*Taraxacum obliquiforme*](#) Rail.
- [*Taraxacum obliquilobum*](#) Dahlst.
- [*Taraxacum obliquum*](#) Dahlst.
- [*Taraxacum oblongatum*](#) Dahlst.
- [*Taraxacum obnubilum*](#) Puol.
- [*Taraxacum obnuptum*](#) Lundev. & H.Øllg.
- [*Taraxacum obovatifolium*](#) Soest
- [*Taraxacum obovatifrons*](#) M.P.Christ.
- [*Taraxacum obovatum*](#) (Willd.) DC.
- [*Taraxacum obscuratum*](#) Dahlst.
- [*Taraxacum obscurum*](#) Štěpánek & Kirschner
- [*Taraxacum obtextum*](#) Rail.
- [*Taraxacum obtusatum*](#) Dahlst.
- [*Taraxacum obtusifrons*](#) Markl.
- [*Taraxacum obtusilobum*](#) Dahlst.
- [*Taraxacum obtusiusculum*](#) H.Lindb.

- [*Taraxacum obtusulum*](#) H.Lindb.
- [*Taraxacum obtusum*](#) (Soest) R.Doll
- [*Taraxacum obuncum*](#) Kirschner & Štěpánek
- [*Taraxacum occidentale*](#) Dahlst.
- [*Taraxacum occultum*](#) Kirschner & Štěpánek
- [*Taraxacum ochotense*](#) Vorosch.
- [*Taraxacum ochraceistigmatum*](#) Rail.
- [*Taraxacum ochrocarpum*](#) (Soest) J.-M.Tison
- [*Taraxacum ochrochloroides*](#) Rail.
- [*Taraxacum ochrochlorum*](#) G.E.Haglund
- [*Taraxacum ochrospermum*](#) Soest
- [*Taraxacum oddense*](#) Lundev.
- [*Taraxacum odibile*](#) Kirschner & Štěpánek
- [*Taraxacum odiosum*](#) Kirschner & Štěpánek
- [*Taraxacum oelandicum*](#) (G.E.Haglund) H.Øllg.
- [*Taraxacum oellgaardii*](#) C.C.Haw.
- [*Taraxacum ohirens*](#) S.Watan. & Morita
- [*Taraxacum ohlsenii*](#) G.E.Haglund
- [*Taraxacum ohritense*](#) Sonck
- [*Taraxacum oinopolepis*](#) Dahlst.
- [*Taraxacum oinopopodum*](#) Sahlin
- [*Taraxacum oistophorum*](#) Markl.
- [*Taraxacum olgae*](#) A.J.Richards
- [*Taraxacum oliganthum*](#) Hand.-Mazz.
- [*Taraxacum oligolobatum*](#) Sahlin
- [*Taraxacum oligophyllum*](#) Brenner
- [*Taraxacum olitorium*](#) G.E.Haglund
- [*Taraxacum olivaceoides*](#) Soest
- [*Taraxacum olivaceum*](#) Soest
- [*Taraxacum olympicola*](#) Sonck
- [*Taraxacum olympophilum*](#) Sonck
- [*Taraxacum omissum*](#) G.E.Haglund
- [*Taraxacum onychodontum*](#) Dahlst.
- [*Taraxacum ooststroomii*](#) Soest
- [*Taraxacum opaciforme*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum opacum*](#) (Dahlst.) Dahlst.
- [*Taraxacum opeatolobum*](#) Dahlst.
- [*Taraxacum opertum*](#) H.Øllg.
- [*Taraxacum oplilobum*](#) Soest
- [*Taraxacum oppidanum*](#) Sonck
- [*Taraxacum optimae*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum opulens*](#) Rail.

- [*Taraxacum opulentiforme*](#) Sahlin
- [*Taraxacum orbicans*](#) G.E.Haglund
- [*Taraxacum orcadense*](#) Dahlst.
- [*Taraxacum ordinatum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum oreades*](#) Štěpánek & Kirschner
- [*Taraxacum oreinicola*](#) Soest
- [*Taraxacum oreinopsis*](#) G.E.Haglund ex Sonck
- [*Taraxacum oreinum*](#) G.E.Haglund
- [*Taraxacum oreophilum*](#) G.E.Haglund
- [*Taraxacum orientale*](#) Kirschner & Štěpánek
- [*Taraxacum orientali-atratum*](#) Kirschner & Štěpánek
- [*Taraxacum ornatum*](#) G.E.Haglund
- [*Taraxacum ossiclivosum*](#) J.Räsänen
- [*Taraxacum ostenfeldii*](#) Raunk.
- [*Taraxacum ostrinum*](#) M.P.Christ.
- [*Taraxacum otagirianum*](#) Koidz. ex Kitam.
- [*Taraxacum ottonis*](#) Uhlemann
- [*Taraxacum ovatum*](#) Kirschner & Štěpánek
- [*Taraxacum ovcinnikovii*](#) Vainberg
- [*Taraxacum ovillum*](#) H.Øllg.
- [*Taraxacum oxycentrum*](#) Markl.
- [*Taraxacum oxyglotte*](#) M.P.Christ.
- [*Taraxacum oxylobium*](#) Brenner
- [*Taraxacum oxyonchum*](#) Rail.
- [*Taraxacum oxyphoreum*](#) M.P.Christ.
- [*Taraxacum oxyrhinum*](#) Sahlin

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)

- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Taraxacum pacheri](#) Sch.Bip.
- [Taraxacum pachylobum](#) Dahlst.
- [Taraxacum pachymeroides](#) Hagend., Soest & Zevenb.
- [Taraxacum pachymerum](#) G.E.Haglund
- [Taraxacum pachypodum](#) H.Lindb.
- [Taraxacum pakistanicum](#) Soest
- [Taraxacum pallens](#) H.Lindb. ex Pettersson & H.Lindb.
- [Taraxacum pallescens](#) Dahlst.
- [Taraxacum pallescentiforme](#) Soest
- [Taraxacum pallidilateritium](#) M.P.Christ.
- [Taraxacum pallidipapposum](#) Soest
- [Taraxacum pallidipes](#) Markl.
- [Taraxacum pallidisquameum](#) Soest
- [Taraxacum pallidissimum](#) Soest
- [Taraxacum pallidulum](#) H.Lindb.
- [Taraxacum pallidum](#) Kirschner & Štěpánek
- [Taraxacum palmeri](#) W.Scott & T.C.G.Rich
- [Taraxacum palmgrenii](#) H.Øllg.
- [Taraxacum palpitans](#) Kirschner & Štěpánek
- [Taraxacum paludem-ornans](#) Kirschner & Štěpánek
- [Taraxacum paludosiforme](#) R.Doll
- [Taraxacum paludosum](#) (Scop.) Crépin
- [Taraxacum palustre](#) (Lyons) Symons
- [Taraxacum palustrisquameum](#) A.J.Richards
- [Taraxacum palvae](#) Rail.
- [Taraxacum panalpinum](#) Soest

- [*Taraxacum pandum*](#) Štěpánek & Kirschner
- [*Taraxacum panhellenicum*](#) Sonck
- [*Taraxacum pankhurstianum*](#) A.J.Richards & Ferguson-Smyth
- [*Taraxacum pannonicum*](#) Sonck & Soest
- [*Taraxacum pannucium*](#) Dahlst.
- [*Taraxacum pannulatiforme*](#) Dahlst.
- [*Taraxacum pannulatum*](#) Dahlst.
- [*Taraxacum panoplum*](#) Sahlin
- [*Taraxacum papposum*](#) R.Doll
- [*Taraxacum paradoxachrum*](#) Soest
- [*Taraxacum parallelum*](#) Kirschner & Štěpánek
- [*Taraxacum parasemum*](#) G.E.Haglund & Saarsoo
- [*Taraxacum parciflorum*](#) Brenner
- [*Taraxacum pardinum*](#) M.P.Christ.
- [*Taraxacum parile*](#) M.P.Christ.
- [*Taraxacum parnassicum*](#) Dahlst.
- [*Taraxacum parsennense*](#) Soest
- [*Taraxacum parvilobum*](#) Dahlst.
- [*Taraxacum parvuliforme*](#) Soest
- [*Taraxacum parvulum*](#) DC.
- [*Taraxacum pastiniferum*](#) Rail.
- [*Taraxacum pastorum*](#) Štěpánek & Kirschner
- [*Taraxacum patagiferum*](#) Rail.
- [*Taraxacum patagonicum*](#) Uhlemann
- [*Taraxacum patens*](#) (Dahlst.) Dahlst.
- [*Taraxacum pateriforme*](#) Rail.
- [*Taraxacum patibuliferum*](#) Rail.
- [*Taraxacum patiens*](#) Kirschner & Štěpánek
- [*Taraxacum paucidentatiforme*](#) Soest
- [*Taraxacum paucidentatum*](#) Soest
- [*Taraxacum paucijugum*](#) Markl.
- [*Taraxacum paucilacerum*](#) Saarsoo
- [*Taraxacum paucilobum*](#) Hudziok
- [*Taraxacum pauckertianum*](#) Hudziok
- [*Taraxacum paullum*](#) Rail.
- [*Taraxacum pavlovii*](#) Orazova
- [*Taraxacum pawlodarskum*](#) R.Doll
- [*Taraxacum pawlowskii*](#) Soest
- [*Taraxacum peccator*](#) Kirschner & Štěpánek
- [*Taraxacum pectinatiforme*](#) H.Lindb.
- [*Taraxacum pectinatum*](#) Kitam.
- [*Taraxacum pedemontanum*](#) Soest

- [*Taraxacum pedrotti*](#) Soest
- [*Taraxacum peliogoniatum*](#) Sahlin
- [*Taraxacum penelobum*](#) Sahlin
- [*Taraxacum penicilliforme*](#) H.Lindb.
- [*Taraxacum penyalarense*](#) A.Galán, E.Linares & Vicente Orell.
- [*Taraxacum peraccommodatum*](#) Rail.
- [*Taraxacum peralatum*](#) Soest
- [*Taraxacum peramplum*](#) Rail.
- [*Taraxacum perattenuatum*](#) H.Lindb.
- [*Taraxacum percurvatum*](#) Kirschner & Štěpánek
- [*Taraxacum perdeflexum*](#) G.E.Haglund
- [*Taraxacum perdevexum*](#) M.P.Christ.
- [*Taraxacum peregrinum*](#) G.E.Haglund & Soest
- [*Taraxacum perenne*](#) Kirschner & Štěpánek
- [*Taraxacum perfiljevii*](#) N.I.Orlova
- [*Taraxacum perfissum*](#) Soest
- [*Taraxacum pergracile*](#) M.P.Christ.
- [*Taraxacum perincisum*](#) (Rigo ex Murr) Murr
- [*Taraxacum perlatescens*](#) Dahlst.
- [*Taraxacum perminiatum*](#) Soest
- [*Taraxacum perplexans*](#) Kirschner & Štěpánek
- [*Taraxacum perpusillum*](#) Schischk.
- [*Taraxacum perrigidum*](#) Sonck
- [*Taraxacum persicum*](#) Soest
- [*Taraxacum persimile*](#) Dahlst.
- [*Taraxacum persquamulosum*](#) Kirschner & Štěpánek
- [*Taraxacum perssonii*](#) Plaglund ex Sahlin & Soest
- [*Taraxacum pertenu*](#) Kirschner & Štěpánek
- [*Taraxacum pervalidum*](#) Rail.
- [*Taraxacum petiolulatum*](#) (Huter) Soest
- [*Taraxacum petri-primi*](#) Vainberg
- [*Taraxacum petrovskiyi*](#) Tzvelev
- [*Taraxacum petterssonii*](#) Markl.
- [*Taraxacum phalarocephalum*](#) G.E.Haglund
- [*Taraxacum phaleratum*](#) G.E.Haglund
- [*Taraxacum philokalos*](#) Kirschner & Štěpánek
- [*Taraxacum phitosii*](#) Soest
- [*Taraxacum phoenicolepis*](#) Soest
- [*Taraxacum pholidocarpum*](#) Dahlst.
- [*Taraxacum phymatocarpum*](#) J.Vahl
- [*Taraxacum picatidens*](#) Markl.
- [*Taraxacum piceaticeps*](#) Dahlst.

- [*Taraxacum piceatiforme*](#) Soest
- [*Taraxacum piceatifrons*](#) Sahlin
- [*Taraxacum piceatum*](#) Dahlst.
- [*Taraxacum piceipictum*](#) Sahlin
- [*Taraxacum pictidum*](#) Rail.
- [*Taraxacum pictum*](#) Štěpánek & Kirschner
- [*Taraxacum pieninicum*](#) Pawł.
- [*Taraxacum pietii-oosterveldii*](#) H.Øllg.
- [*Taraxacum pilatense*](#) Soest
- [*Taraxacum pilicatum*](#) Soest
- [*Taraxacum pilosella*](#) Lundev. & H.Øllg.
- [*Taraxacum pilosum*](#) Döll
- [*Taraxacum piluliferum*](#) G.E.Haglund ex Soest
- [*Taraxacum pindicola*](#) (Bald.) Hand.-Mazz.
- [*Taraxacum pindicum*](#) Kirschner & Štěpánek
- [*Taraxacum pingue*](#) Schischk.
- [*Taraxacum pinnatifidum*](#) Soest
- [*Taraxacum pinto-silvae*](#) Soest
- [*Taraxacum pirinicum*](#) Štěpánek & Kirschner
- [*Taraxacum pittochromatum*](#) Sahlin
- [*Taraxacum placibile*](#) G.E.Haglund
- [*Taraxacum placidum*](#) A.J.Richards
- [*Taraxacum planifrons*](#) M.P.Christ.
- [*Taraxacum planoides*](#) Hagend., Soest & Zevenb.
- [*Taraxacum planum*](#) Raunk.
- [*Taraxacum platycarpum*](#) Dahlst.
- [*Taraxacum platycranum*](#) Dahlst.
- [*Taraxacum platyglossum*](#) Raunk.
- [*Taraxacum platylepium*](#) Dahlst.
- [*Taraxacum platylobum*](#) Dahlst.
- [*Taraxacum platypecidum*](#) Diels
- [*Taraxacum platyphyllum*](#) Rail.
- [*Taraxacum platyphyllum*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum pleniceps*](#) Markl.
- [*Taraxacum plicatiangulatum*](#) Rail.
- [*Taraxacum plicatifrons*](#) Saarsoo
- [*Taraxacum plicatulum*](#) Soest
- [*Taraxacum ploegii*](#) Hagend., Soest & Zevenb.
- [*Taraxacum plovdivense*](#) R.Doll
- [*Taraxacum plumbeum*](#) Dahlst.
- [*Taraxacum podlachiacum*](#) H.Øllg.
- [*Taraxacum podlechianum*](#) Sahlin

- [*Taraxacum poecilostictum*](#) G.E.Haglund
- [*Taraxacum pohlii*](#) Soest
- [*Taraxacum polatschekii*](#) Soest
- [*Taraxacum poliochloroides*](#) R.Doll
- [*Taraxacum poliochlorum*](#) Dahlst.
- [*Taraxacum poli melanum*](#) G.E.Haglund
- [*Taraxacum poliophytum*](#) G.E.Haglund
- [*Taraxacum polium*](#) Dahlst.
- [*Taraxacum pollichii*](#) Soest
- [*Taraxacum pollinense*](#) Aquaro, Caparelli & Peruzzi
- [*Taraxacum polonicum*](#) Małecka & Soest
- [*Taraxacum polozhiae*](#) Kurbatski
- [*Taraxacum polycercum*](#) Sahlin
- [*Taraxacum polyhamatum*](#) H.Øllg.
- [*Taraxacum polyodon*](#) Dahlst.
- [*Taraxacum polyschistum*](#) Dahlst.
- [*Taraxacum polytomum*](#) Saarsoo
- [*Taraxacum polyxanthum*](#) Dahlst.
- [*Taraxacum pomelianum*](#) Dobignard
- [*Taraxacum pomposum*](#) Štěpánek & Kirschner
- [*Taraxacum poodes*](#) Sahlin
- [*Taraxacum popovii*](#) Kovalevsk. ex Vainberg
- [*Taraxacum porcellisinus*](#) Sonck & H.Øllg.
- [*Taraxacum porphyranthum*](#) Boiss.
- [*Taraxacum porrectidens*](#) Dahlst.
- [*Taraxacum porrigens*](#) Markl. ex Puol.
- [*Taraxacum porrigentilobatum*](#) Rail.
- [*Taraxacum portentosum*](#) Kirschner & Štěpánek
- [*Taraxacum porteri*](#) C.C.Haw.
- [*Taraxacum pospelovii*](#) Tzvelev & E.B.Pospelova
- [*Taraxacum potaninii*](#) Tzvelev
- [*Taraxacum poter*](#) Kirschner & Štěpánek
- [*Taraxacum praecox*](#) Puol.
- [*Taraxacum praegracilens*](#) Sonck
- [*Taraxacum praeradians*](#) Dahlst.
- [*Taraxacum praeradiantifrons*](#) Dahlst.
- [*Taraxacum praesigne*](#) Sahlin
- [*Taraxacum praestabile*](#) Rail.
- [*Taraxacum praestans*](#) H.Lindb.
- [*Taraxacum praetervisum*](#) Kirschner & Štěpánek
- [*Taraxacum praeticum*](#) Soest
- [*Taraxacum prasinescens*](#) G.E.Haglund

- [*Taraxacum prasinum*](#) Sahlin
- [*Taraxacum praterense*](#) Sahlin
- [*Taraxacum prati-lucense*](#) Arrigoni
- [*Taraxacum praticola*](#) Dahlst.
- [*Taraxacum pravicentrum*](#) M.P.Christ.
- [*Taraxacum pravum*](#) M.P.Christ.
- [*Taraxacum prilipkoi*](#) Czerep.
- [*Taraxacum primigenium*](#) Hand.-Mazz.
- [*Taraxacum princeps*](#) Vašut & Trávn.
- [*Taraxacum prionum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum privum*](#) Dahlst.
- [*Taraxacum procerisquameum*](#) H.Øllg.
- [*Taraxacum procerum*](#) G.E.Haglund
- [*Taraxacum proclinatum*](#) Rail.
- [*Taraxacum prominens*](#) Markl.
- [*Taraxacum pronilobum*](#) H.Øllg.
- [*Taraxacum propinquum*](#) G.E.Haglund
- [*Taraxacum proruptum*](#) Rail.
- [*Taraxacum proteranthium*](#) Rail.
- [*Taraxacum protervum*](#) Sonck
- [*Taraxacum protractifolium*](#) G.E.Haglund
- [*Taraxacum protuberans*](#) Kirschner & Štěpánek
- [*Taraxacum providens*](#) Soest
- [*Taraxacum proximiforme*](#) Soest
- [*Taraxacum proximum*](#) (Dahlst.) Dahlst.
- [*Taraxacum pruinatum*](#) M.P.Christ.
- [*Taraxacum przewalskii*](#) Tzvelev
- [*Taraxacum psammophilum*](#) (G.E.Haglund) Saarsoo
- [*Taraxacum pseudacrolobum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum pseudelongatum*](#) Soest
- [*Taraxacum pseudoalaskanum*](#) Jurtzev
- [*Taraxacum pseudoalpestre*](#) Štěpánek & Kirschner
- [*Taraxacum pseudoatratum*](#) Orazova
- [*Taraxacum pseudobalticum*](#) Soest
- [*Taraxacum pseudobicorne*](#) Soest
- [*Taraxacum pseudobithynicum*](#) Gürdal, Štěpánek, Zeisek, Kirschner & Özhatay
- [*Taraxacum pseudoboreigenum*](#) Soest
- [*Taraxacum pseudobrachyglossum*](#) Soest
- [*Taraxacum pseudobrevirostre*](#) Vainberg
- [*Taraxacum pseudobulgaricum*](#) Štěpánek & Kirschner
- [*Taraxacum pseudocalanthodium*](#) Kirschner & Štěpánek
- [*Taraxacum pseudocalocephalum*](#) Soest

- [*Taraxacum pseudocastaneum*](#) Soest
- [*Taraxacum pseudodilatatum*](#) Soest
- [*Taraxacum pseudodissimile*](#) Soest
- [*Taraxacum pseudodunense*](#) Soest
- [*Taraxacum pseudoeriopodum*](#) Soest
- [*Taraxacum pseudoglabrum*](#) Dahlst.
- [*Taraxacum pseudogracilens*](#) R.Doll
- [*Taraxacum pseudohabile*](#) K.Jung, Meierott & Sackwitz
- [*Taraxacum pseudohamatum*](#) Dahlst.
- [*Taraxacum pseudohirtellum*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum pseudohoppeanum*](#) Kirschner & Štěpánek
- [*Taraxacum pseudokuluense*](#) Kirschner & Štěpánek
- [*Taraxacum pseudolandmarkii*](#) Franco & Rocha Afonso
- [*Taraxacum pseudolarssonii*](#) A.J.Richards
- [*Taraxacum pseudolaxum*](#) R.Doll
- [*Taraxacum pseudoleucanthum*](#) Soest
- [*Taraxacum pseudolilacinum*](#) Kirschner & Štěpánek
- [*Taraxacum pseudolobulatum*](#) R.Doll
- [*Taraxacum pseudolugubre*](#) R.Doll
- [*Taraxacum pseudomarklundii*](#) Soest
- [*Taraxacum pseudominutilobum*](#) Kovalevsk.
- [*Taraxacum pseudomurbeckianum*](#) Tzvelev
- [*Taraxacum pseudonigricans*](#) Hand.-Mazz.
- [*Taraxacum pseudonivale*](#) Malyshev
- [*Taraxacum pseudonordstedtii*](#) A.J.Richards
- [*Taraxacum pseudonutans*](#) Kirschner & Štěpánek
- [*Taraxacum pseudopalustre*](#) Murr
- [*Taraxacum pseudopaucilobum*](#) Kirschner & Štěpánek
- [*Taraxacum pseudophaleratum*](#) R.Doll
- [*Taraxacum pseudoplatylepium*](#) Jurtzev
- [*Taraxacum pseudoporphyranthum*](#) Kirschner & Štěpánek
- [*Taraxacum pseudoporrigens*](#) Sonck
- [*Taraxacum pseudopraecox*](#) Kirschner & Štěpánek
- [*Taraxacum pseudoproximum*](#) Soest
- [*Taraxacum pseudopulchrum*](#) Kirschner & Štěpánek
- [*Taraxacum pseudopyrenaicum*](#) Soest
- [*Taraxacum pseudorecognitum*](#) Štěpánek & Kirschner
- [*Taraxacum pseudorecurvum*](#) Soest
- [*Taraxacum pseudoretroflexum*](#) M.P.Christ.
- [*Taraxacum pseudoroseum*](#) Schischk.
- [*Taraxacum pseudosilesiacum*](#) R.Doll
- [*Taraxacum pseudosplendens*](#) Štěpánek & Kirschner

- [*Taraxacum pseudostenoceras*](#) Soest
- [*Taraxacum pseudostenolepium*](#) Soest
- [*Taraxacum pseudostenoschistum*](#) G.E.Haglund
- [*Taraxacum pseudostevenii*](#) Soest
- [*Taraxacum pseudosuecicum*](#) Kirschner & Štěpánek
- [*Taraxacum pseudosumneviczii*](#) Kirschner & Štěpánek
- [*Taraxacum pseudotenebristylum*](#) Soest
- [*Taraxacum pseudotianschanicum*](#) R.Doll
- [*Taraxacum pterygoideum*](#) Rail.
- [*Taraxacum ptilotoides*](#) Sahlin
- [*Taraxacum pubens*](#) Soest
- [*Taraxacum puberulum*](#) G.E.Haglund
- [*Taraxacum pubescens*](#) Fr.
- [*Taraxacum pubicaule*](#) Soest
- [*Taraxacum pudicum*](#) Vašut & Majeský
- [*Taraxacum pudilii*](#) Štěpánek & Kirschner
- [*Taraxacum pugioniferum*](#) Björk
- [*Taraxacum pugiunculum*](#) Rail.
- [*Taraxacum pulchellum*](#) Kirschner & Štěpánek
- [*Taraxacum pulcherrimum*](#) H.Lindb.
- [*Taraxacum pulchricurvum*](#) Back
- [*Taraxacum pulchriflos*](#) Klimeš ex Kirschner & Štěpánek
- [*Taraxacum pulchrifolium*](#) Markl.
- [*Taraxacum pullocarpum*](#) Soest
- [*Taraxacum pullum*](#) Markl. ex Puol.
- [*Taraxacum pulverulentum*](#) H.Øllg.
- [*Taraxacum puniceum*](#) Sahlin
- [*Taraxacum puolannei*](#) Markl. ex Puol.
- [*Taraxacum purpurei-petiolatum*](#) Soest
- [*Taraxacum purpureocornutum*](#) Soest
- [*Taraxacum purpureomarginatum*](#) Soest
- [*Taraxacum purpureum*](#) Raunk.
- [*Taraxacum purpuridens*](#) Dahlst.
- [*Taraxacum putidiusculum*](#) Rail.
- [*Taraxacum putum*](#) Sältin
- [*Taraxacum pycnocarpum*](#) G.E.Haglund
- [*Taraxacum pycnocedens*](#) Rail.
- [*Taraxacum pycnodon*](#) Brenner
- [*Taraxacum pycnoforme*](#) Rail.
- [*Taraxacum pycnolobum*](#) Dahlst.
- [*Taraxacum pycnoschistum*](#) Dahlst.
- [*Taraxacum pycnostictum*](#) M.P.Christ.

- [*Taraxacum pyrenaicum*](#) Reut.
- [*Taraxacum pyrochroma*](#) Soest
- [*Taraxacum pyropappum*](#) Boiss. & Reut.
- [*Taraxacum pyroporum*](#) Soest
- [*Taraxacum pyrranthes*](#) Sonck & Soest

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum qaiser*](#) Abidin
- [*Taraxacum qirae*](#) D.T.Zhai & C.H.An
- [*Taraxacum quadrangulum*](#) Rail.
- [*Taraxacum quadrans*](#) H.Øllg.

- [*Taraxacum quaesitum*](#) Kirschner & Štěpánek
- [*Taraxacum quettacum*](#) Abedin

R

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum radens*](#) Sonck
- [*Taraxacum radinum*](#) Sonck
- [*Taraxacum radiosum*](#) Dahlst.
- [*Taraxacum radmilae*](#) Štěpánek & Kirschner
- [*Taraxacum ragnar-baeckii*](#) Rail.
- [*Taraxacum raii*](#) (Gouan) Gray
- [*Taraxacum raikoviae*](#) Vainberg

- [*Taraxacum railonsalae*](#) G.E.Haglund & Saarsoo
- [*Taraxacum ranarium*](#) Kirschner & Štěpánek
- [*Taraxacum rangiferinum*](#) Sonck & H.Øllg.
- [*Taraxacum ranunculus*](#) Kirschner & Štěpánek
- [*Taraxacum rasuloviae*](#) Vainberg
- [*Taraxacum recessum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum reclinatum*](#) M.P.Christ.
- [*Taraxacum recognitum*](#) Štěpánek & Kirschner
- [*Taraxacum recurvidens*](#) Dahlst.
- [*Taraxacum recurvum*](#) Dahlst.
- [*Taraxacum refectum*](#) Sonck
- [*Taraxacum reflectens*](#) Dahlst.
- [*Taraxacum reichenbachii*](#) (Huter) Dahlst.
- [*Taraxacum reichlingii*](#) Soest
- [*Taraxacum reinthalii*](#) Markl.
- [*Taraxacum remanens*](#) G.E.Haglund
- [*Taraxacum remanentilobum*](#) Soest
- [*Taraxacum remotilobum*](#) Dahlst.
- [*Taraxacum renosense*](#) Soest
- [*Taraxacum reophilum*](#) Soest
- [*Taraxacum repandum*](#) Pavlov
- [*Taraxacum repletum*](#) Dahlst.
- [*Taraxacum replicatum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum resectum*](#) Rail.
- [*Taraxacum respersum*](#) Sonck
- [*Taraxacum retortum*](#) Soest
- [*Taraxacum retroflexum*](#) H.Lindb.
- [*Taraxacum retroversum*](#) Dahlst.
- [*Taraxacum retzii*](#) Soest
- [*Taraxacum revalense*](#) H.Lindb. ex Eklund
- [*Taraxacum revertitans*](#) Greuter
- [*Taraxacum revolutum*](#) G.E.Haglund
- [*Taraxacum rhaeticum*](#) Soest
- [*Taraxacum rhamphodes*](#) G.E.Haglund
- [*Taraxacum rhodocarpum*](#) Dahlst.
- [*Taraxacum rhodolepis*](#) Dahlst.
- [*Taraxacum rhodoneuron*](#) Dahlst.
- [*Taraxacum rhodopaeum*](#) Štěpánek & Kirschner
- [*Taraxacum rhodopodum*](#) M.P.Christ. & Wiinst.
- [*Taraxacum rhomboideum*](#) M.P.Christ.
- [*Taraxacum rhusirolepium*](#) Markl. ex H.Øllg. & J.Räsänen
- [*Taraxacum ribii*](#) D.P.Petit

- [*Taraxacum richardsianum*](#) C.C.Haw.
- [*Taraxacum rigens*](#) Hagend., Soest & Zevenb.
- [*Taraxacum rigescens*](#) Sonck
- [*Taraxacum rigidifolium*](#) Sonck
- [*Taraxacum rigidipes*](#) Sonck
- [*Taraxacum rigidum*](#) Soest
- [*Taraxacum riparium*](#) Štěpánek, Kirschner, P.Kirchm. & Meierott
- [*Taraxacum rivale*](#) R.Doll
- [*Taraxacum rivulare*](#) Soest
- [*Taraxacum rizaense*](#) R.Doll
- [*Taraxacum roborovskyi*](#) Tzvelev
- [*Taraxacum robustiosum*](#) Rail.
- [*Taraxacum robustisquameum*](#) Rail.
- [*Taraxacum ronae*](#) Margetts
- [*Taraxacum rorippa*](#) Soest
- [*Taraxacum roseiflos*](#) Kirschner & Štěpánek
- [*Taraxacum roseocarpum*](#) Soest
- [*Taraxacum roseoflavescens*](#) Tzvelev
- [*Taraxacum roseolepis*](#) Soest
- [*Taraxacum roseolum*](#) Kirschner & Štěpánek
- [*Taraxacum roseopedatum*](#) Soest
- [*Taraxacum roseopes*](#) K.Jung, Meierott & Sackwitz
- [*Taraxacum roseum*](#) Bornm. ex Hand.-Mazz.
- [*Taraxacum rostochiensis*](#) R.Doll
- [*Taraxacum rotundatum*](#) Markl.
- [*Taraxacum rubellum*](#) M.P.Christ.
- [*Taraxacum ruberuliforme*](#) Soest
- [*Taraxacum ruberulum*](#) Dahlst. & Borgv.
- [*Taraxacum rubicundum*](#) (Dahlst.) Dahlst.
- [*Taraxacum rubidipes*](#) G.E.Haglund
- [*Taraxacum rubidum*](#) Schischk.
- [*Taraxacum rubifolium*](#) Rasmussen
- [*Taraxacum rubiginans*](#) Dahlst.
- [*Taraxacum rubiginosum*](#) Dahlst.
- [*Taraxacum rubricatum*](#) Štěpánek & Kirschner
- [*Taraxacum rubrisquameum*](#) M.P.Christ.
- [*Taraxacum rubro-lineatum*](#) H.Lindb.
- [*Taraxacum rufinervosum*](#) Soest
- [*Taraxacum rufocarpoides*](#) Soest
- [*Taraxacum rufocarpum*](#) Soest
- [*Taraxacum rufofructum*](#) A.J.Richards
- [*Taraxacum rufonerve*](#) Soest

- [*Taraxacum rufulum*](#) Soest
- [*Taraxacum rufum*](#) Dahlst.
- [*Taraxacum rumelicum*](#) Štěpánek & Kirschner
- [*Taraxacum rupicaprae*](#) Štěpánek & Kirschner
- [*Taraxacum rupicola*](#) Yildirim
- [*Taraxacum ruptifolium*](#) H.Øllg.
- [*Taraxacum russum*](#) Kirschner & Štěpánek
- [*Taraxacum rutilum*](#) Kirschner & Štěpánek

S

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum saarsooanum*](#) G.E.Haglund

- [*Taraxacum saasense*](#) Soest
- [*Taraxacum sabaudum*](#) Soest
- [*Taraxacum sacrificatum*](#) Sonck
- [*Taraxacum saetigerum*](#) Saarsoo
- [*Taraxacum saevum*](#) Štěpánek & Kirschner
- [*Taraxacum sagittifolium*](#) H.Lindb.
- [*Taraxacum sagittifrons*](#) M.P.Christ.
- [*Taraxacum sagittilobum*](#) W.Koch ex Soest
- [*Taraxacum sagittipotens*](#) Dahlst. & Ohlsén
- [*Taraxacum sahlinianum*](#) Dudman & A.J.Richards
- [*Taraxacum sahlinii*](#) Rail.
- [*Taraxacum sajanense*](#) Krasnikov
- [*Taraxacum salonikiense*](#) Sonck
- [*Taraxacum salsitatis*](#) Kirschner, Štěpánek & Yild.
- [*Taraxacum salsum*](#) Kirschner & Štěpánek
- [*Taraxacum saluator*](#) Štěpánek & Kirschner
- [*Taraxacum samicum*](#) Sonck & H.Øllg.
- [*Taraxacum samuelssonii*](#) Dahlst. ex Soest
- [*Taraxacum sandomiriense*](#) Wolanin
- [*Taraxacum sangilense*](#) Krasnob. & Khanm.
- [*Taraxacum sanguineum*](#) Markl.
- [*Taraxacum sanguinicolor*](#) Saarsoo
- [*Taraxacum santandricum*](#) Soest
- [*Taraxacum saphycraspedum*](#) Saarsoo & G.E.Haglund
- [*Taraxacum saposhnikovii*](#) Schischk.
- [*Taraxacum sarcidanum*](#) Arrigoni
- [*Taraxacum sarcophyllum*](#) Dahlst.
- [*Taraxacum sardomontanum*](#) Arrigoni
- [*Taraxacum sasaense*](#) Soest
- [*Taraxacum saturatum*](#) Rail.
- [*Taraxacum saxenii*](#) Markl.
- [*Taraxacum saxonicum*](#) Uhlemann
- [*Taraxacum scalare*](#) H.Øllg. & J.Räsänen
- [*Taraxacum scalariferum*](#) Kirschner & Štěpánek
- [*Taraxacum scalenum*](#) M.P.Christ.
- [*Taraxacum scalifolium*](#) Hagend., Oosterv. & Zevenb.
- [*Taraxacum scaliforme*](#) W.Koch ex Soest
- [*Taraxacum scariosum*](#) (Tausch) Kirschner & Štěpánek
- [*Taraxacum scaturiginosum*](#) G.E.Haglund
- [*Taraxacum schelkovnikovii*](#) Schischk.
- [*Taraxacum schischkinii*](#) Korol.
- [*Taraxacum schlobarum*](#) R.Doll

- [*Taraxacum schmidianum*](#) Sahlin
- [*Taraxacum schroeterianum*](#) Hand.-Mazz.
- [*Taraxacum schugnanicum*](#) Schischk.
- [*Taraxacum scintillatum*](#) Rail.
- [*Taraxacum scolobum*](#) G.E.Haglund
- [*Taraxacum scolopendriforme*](#) R.Doll
- [*Taraxacum scolopendrinum*](#) Heldr. ex Dahlst.
- [*Taraxacum scopulorum*](#) (A.Gray) Rydb.
- [*Taraxacum scoticum*](#) A.J.Richards
- [*Taraxacum scotiniforme*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum scotinum*](#) Dahlst.
- [*Taraxacum scotocranum*](#) G.E.Haglund
- [*Taraxacum scotodes*](#) Dahlst.
- [*Taraxacum scotolepidiforme*](#) M.P.Christ.
- [*Taraxacum scotolepis*](#) Dahlst.
- [*Taraxacum scotophyllum*](#) Saarsoo
- [*Taraxacum sect.*](#) *Taraxacum* F.H.Wigg.
- [*Taraxacum sectum*](#) G.Wendt & H.Øllg.
- [*Taraxacum sedulum*](#) Kirschner & Štěpánek
- [*Taraxacum selanderi*](#) G.E.Haglund
- [*Taraxacum selengensis*](#) Tzvelev
- [*Taraxacum selenodon*](#) M.P.Christ.
- [*Taraxacum selenoides*](#) Sahlin
- [*Taraxacum selenolobum*](#) M.P.Christ.
- [*Taraxacum sellandii*](#) Dahlst.
- [*Taraxacum semicurvatum*](#) H.Øllg.
- [*Taraxacum semiglobosum*](#) H.Lindb.
- [*Taraxacum semilunare*](#) Saarsoo
- [*Taraxacum semireductum*](#) Rail.
- [*Taraxacum semisagittatum*](#) Rail.
- [*Taraxacum semitubulosum*](#) Jurtzev
- [*Taraxacum semiundulatum*](#) Rail.
- [*Taraxacum senile*](#) Soest
- [*Taraxacum senjavinensis*](#) Jurtzev & Tzvelev
- [*Taraxacum septentrionale*](#) Dahlst.
- [*Taraxacum seravschanicum*](#) Schischk.
- [*Taraxacum serenum*](#) Štěpánek & Kirschner
- [*Taraxacum serotinum*](#) (Waldst. & Kit.) Poir.
- [*Taraxacum serpenticola*](#) A.J.Richards
- [*Taraxacum serpentinum*](#) Soest
- [*Taraxacum serratidentatum*](#) G.E.Haglund & Rail.
- [*Taraxacum serratifrons*](#) Florstr.

- [*Taraxacum serrulatum*](#) Rail.
- [*Taraxacum sertatum*](#) Kirschner, H.Øllg. & Štěpánek
- [*Taraxacum severum*](#) M.P.Christ.
- [*Taraxacum sherriffii*](#) Soest
- [*Taraxacum shetlandicum*](#) Dahlst.
- [*Taraxacum shikotanense*](#) Kitam.
- [*Taraxacum shirakium*](#) R.Doll
- [*Taraxacum shqipericum*](#) Sonck
- [*Taraxacum shumushuense*](#) Kitam.
- [*Taraxacum sibiricum*](#) Dahlst.
- [*Taraxacum siculum*](#) Soest
- [*Taraxacum sieheaniforme*](#) R.Doll
- [*Taraxacum sieheanum*](#) Soest
- [*Taraxacum sigillatum*](#) Rail.
- [*Taraxacum sigmoideum*](#) M.P.Christ.
- [*Taraxacum sikkimense*](#) Hand.-Mazz.
- [*Taraxacum silvicola*](#) Soest
- [*Taraxacum silvrettense*](#) Soest
- [*Taraxacum simile*](#) Raunk.
- [*Taraxacum simplex*](#) Björk
- [*Taraxacum simplicifolium*](#) G.E.Haglund
- [*Taraxacum simpliciusculum*](#) Soest
- [*Taraxacum simulans*](#) Kirschner & Štěpánek
- [*Taraxacum simulum*](#) Brenner
- [*Taraxacum sinensiforme*](#) Kirschner & Štěpánek
- [*Taraxacum singulare*](#) Brenner
- [*Taraxacum sinicum*](#) Kitag.
- [*Taraxacum sinotianschanicum*](#) Tzvelev
- [*Taraxacum sintenisii*](#) Dahlst.
- [*Taraxacum sinuatum*](#) Dahlst.
- [*Taraxacum sinulosum*](#) Rail.
- [*Taraxacum sinus-avis*](#) J.Räsänen
- [*Taraxacum siphonanthum*](#) X.D.Sun, X.J.Ge, Kirschner & Štěpánek
- [*Taraxacum siticulosum*](#) Štěpánek & Kirschner
- [*Taraxacum sitnjakovense*](#) R.Doll
- [*Taraxacum skalinskanum*](#) Małecka & Soest
- [*Taraxacum skalnatense*](#) R.Doll
- [*Taraxacum skanderbegii*](#) Sonck
- [*Taraxacum slovacum*](#) Klášť.
- [*Taraxacum smirnovii*](#) M.S.Ivanova
- [*Taraxacum soczavae*](#) Tzvelev
- [*Taraxacum solenanthinum*](#) Sahlin

- [*Taraxacum solidum*](#) Rail.
- [*Taraxacum solitarium*](#) Kirschner & Štěpánek
- [*Taraxacum sonchoides*](#) (D.Don) Sch.Bip.
- [*Taraxacum sonckii*](#) G.E.Haglund ex Sahlin
- [*Taraxacum songoricum*](#) Schischk.
- [*Taraxacum sophiae*](#) Kirschner & Štěpánek
- [*Taraxacum sordidepapposum*](#) Soest
- [*Taraxacum sordidulum*](#) Sonck
- [*Taraxacum sordidum*](#) Kirschner & Štěpánek
- [*Taraxacum spadiceum*](#) Kirschner & Štěpánek
- [*Taraxacum sparsidens*](#) G.E.Haglund ex Soest
- [*Taraxacum sparsum*](#) Štěpánek, Zámečník & Kirschner
- [*Taraxacum speciosiflorum*](#) M.P.Christ.
- [*Taraxacum speciosum*](#) Raunk.
- [*Taraxacum spectabile*](#) Dahlst.
- [*Taraxacum spetanum*](#) Štěpánek & Kirschner
- [*Taraxacum sphaeroidale*](#) H.Øllg.
- [*Taraxacum sphaeroides*](#) Dahlst.
- [*Taraxacum sphenolobum*](#) G.E.Haglund
- [*Taraxacum spiculatum*](#) M.P.Christ.
- [*Taraxacum spiculiforme*](#) M.P.Christ.
- [*Taraxacum spiculigerum*](#) Rail.
- [*Taraxacum spilophylloides*](#) Dahlst.
- [*Taraxacum spilophyllum*](#) Dahlst.
- [*Taraxacum spilosum*](#) Sonck
- [*Taraxacum spissum*](#) H.Øllg. & J.Räsänen
- [*Taraxacum spiticum*](#) Soest
- [*Taraxacum splendens*](#) Štěpánek & Kirschner
- [*Taraxacum splendidum*](#) G.E.Haglund
- [*Taraxacum spuriosulum*](#) H.Øllg.
- [*Taraxacum squamulosum*](#) Soest
- [*Taraxacum squarrosiceps*](#) Soest
- [*Taraxacum squarrosum*](#) Dahlst.
- [*Taraxacum staintonii*](#) Soest
- [*Taraxacum stanjukoviczii*](#) Schischk.
- [*Taraxacum starmuehleri*](#) Uhlemann
- [*Taraxacum staticifolium*](#) Soest
- [*Taraxacum staturale*](#) Rail.
- [*Taraxacum steenhoffianum*](#) Dahlst.
- [*Taraxacum stellare*](#) Markl.
- [*Taraxacum stenacrum*](#) Dahlst.
- [*Taraxacum stenanthum*](#) G.E.Haglund

- [*Taraxacum stenocephalum*](#) Boiss. & Kotschy
- [*Taraxacum stenoceras*](#) Dahlst.
- [*Taraxacum stenoglossum*](#) Brenner
- [*Taraxacum stenolepium*](#) Hand.-Mazz.
- [*Taraxacum stenophyllum*](#) Markl.
- [*Taraxacum stenoschistoides*](#) Hagend., Soest & Zevenb.
- [*Taraxacum stenoschistum*](#) Dahlst.
- [*Taraxacum stenospermum*](#) Sennen
- [*Taraxacum stenotegulatum*](#) Kirschner & Štěpánek
- [*Taraxacum stepanovae*](#) Vorosch.
- [*Taraxacum stephanocephalum*](#) Soest
- [*Taraxacum stereodes*](#) Ekman ex G.E.Haglund
- [*Taraxacum stereodiforme*](#) Soest
- [*Taraxacum sternerii*](#) G.E.Haglund
- [*Taraxacum stevenii*](#) (Spreng.) DC.
- [*Taraxacum steveniiiforme*](#) R.Doll
- [*Taraxacum stewartii*](#) Soest
- [*Taraxacum stictophyllum*](#) Dahlst.
- [*Taraxacum strelitzense*](#) R.Doll
- [*Taraxacum striatifolium*](#) Štěpánek & Kirschner
- [*Taraxacum strictilobum*](#) Soest
- [*Taraxacum strictum*](#) Kirschner & Štěpánek
- [*Taraxacum strizhoviaae*](#) Vainberg
- [*Taraxacum strobilocephalum*](#) Kovalevsk.
- [*Taraxacum stupendum*](#) Kirschner & Štěpánek
- [*Taraxacum stylosum*](#) Soest
- [*Taraxacum suasorium*](#) Kirschner & Štěpánek
- [*Taraxacum suave*](#) Kirschner & Štěpánek
- [*Taraxacum suavissimum*](#) Kirschner & Štěpánek
- [*Taraxacum subalatum*](#) H.Lindb.
- [*Taraxacum subalpinum*](#) Hudziok
- [*Taraxacum subalternilobum*](#) A.P.Khokhr.
- [*Taraxacum subaragonicum*](#) Sahlin
- [*Taraxacum subargutum*](#) Soest
- [*Taraxacum subarmatum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum subatroplumbeum*](#) G.E.Haglund
- [*Taraxacum subaurosulum*](#) M.P.Christ.
- [*Taraxacum subborgvallii*](#) Uhlemann, Štěpánek & Kirschner
- [*Taraxacum subbracteatum*](#) A.J.Richards
- [*Taraxacum subbrevisectum*](#) Saarsoo
- [*Taraxacum subcalanthodium*](#) Kirschner & Štěpánek
- [*Taraxacum subcanescens*](#) Markl. ex Puol.

- [*Taraxacum subcollinum*](#) Kirschner & Štěpánek
- [*Taraxacum subcompactum*](#) Kirschner & Štěpánek
- [*Taraxacum subcontristans*](#) Kirschner & Štěpánek
- [*Taraxacum subcordatum*](#) Rail.
- [*Taraxacum subcoronatum*](#) Tzvelev
- [*Taraxacum subcrispum*](#) M.P.Christ.
- [*Taraxacum subdahlstedtii*](#) M.P.Christ.
- [*Taraxacum subdissimile*](#) Dahlst.
- [*Taraxacum subditivum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum subdolum*](#) Kirschner & Štěpánek
- [*Taraxacum subeburneum*](#) Rail.
- [*Taraxacum subecorniculatum*](#) Gilli
- [*Taraxacum subekmanii*](#) Rail.
- [*Taraxacum subelatum*](#) G.E.Haglund ex Soest
- [*Taraxacum subericinum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum suberiopodum*](#) Soest
- [*Taraxacum subestriatum*](#) M.P.Christ.
- [*Taraxacum subeximium*](#) M.P.Christ.
- [*Taraxacum subexpallidum*](#) Dahlst.
- [*Taraxacum subgentile*](#) Rail.
- [*Taraxacum subgentiliforme*](#) G.E.Haglund ex Soest
- [*Taraxacum subglaciale*](#) Schischk.
- [*Taraxacum subglaucescens*](#) Markl.
- [*Taraxacum subglebulosum*](#) Rail.
- [*Taraxacum subgrandidens*](#) G.E.Haglund
- [*Taraxacum subguttulosum*](#) Rail.
- [*Taraxacum subhamatum*](#) M.P.Christ.
- [*Taraxacum subhirtellum*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum subhoplites*](#) M.P.Christ.
- [*Taraxacum subhuelphersianum*](#) M.P.Christ.
- [*Taraxacum subintegrum*](#) Dahlst.
- [*Taraxacum subinvestiens*](#) J.Räsänen
- [*Taraxacum subjurassicum*](#) Soest
- [*Taraxacum sublaciniosum*](#) Dahlst. & H.Lindb.
- [*Taraxacum sublaeticolor*](#) Dahlst.
- [*Taraxacum subleucopodum*](#) M.P.Christ.
- [*Taraxacum sublilacinum*](#) Kirschner & Štěpánek
- [*Taraxacum sublime*](#) Sonck
- [*Taraxacum sublimiforme*](#) Sonck
- [*Taraxacum sublongisquameum*](#) M.P.Christ.
- [*Taraxacum submacilentum*](#) Tzvelev
- [*Taraxacum submaculosum*](#) Markl.

- [*Taraxacum submicrocranium*](#) Sonck
- [*Taraxacum submolle*](#) A.J.Richards
- [*Taraxacum submosciense*](#) Dahlst.
- [*Taraxacum submucronatum*](#) Dahlst.
- [*Taraxacum submuticum*](#) G.E.Haglund
- [*Taraxacum subnaevosum*](#) A.J.Richards
- [*Taraxacum subnefrens*](#) M.P.Christ.
- [*Taraxacum subolivaceum*](#) Sonck
- [*Taraxacum subopacum*](#) Dahlst.
- [*Taraxacum subpallidissimum*](#) Soest
- [*Taraxacum subpardinum*](#) M.P.Christ.
- [*Taraxacum subpatens*](#) G.E.Haglund ex Soest
- [*Taraxacum subpellucidum*](#) Rail.
- [*Taraxacum subpenicilliforme*](#) H.Lindb. ex Dahlst.
- [*Taraxacum subpolonicum*](#) Kirschner & Štěpánek
- [*Taraxacum subpraticola*](#) G.E.Haglund
- [*Taraxacum subreduncum*](#) M.P.Christ.
- [*Taraxacum subrubescens*](#) G.E.Haglund
- [*Taraxacum subsaeviforme*](#) Rail.
- [*Taraxacum subsagittipatens*](#) Dahlst.
- [*Taraxacum subsaxenii*](#) Sahlin
- [*Taraxacum subscolopendricum*](#) M.P.Christ.
- [*Taraxacum subserratifrons*](#) Saarsoo
- [*Taraxacum subsiphonium*](#) Kirschner & Štěpánek
- [*Taraxacum subspilophyllum*](#) G.E.Haglund
- [*Taraxacum subsucculentum*](#) Kirschner & Štěpánek
- [*Taraxacum subtenuiforme*](#) M.P.Christ.
- [*Taraxacum subtile*](#) Markl.
- [*Taraxacum subudum*](#) Kirschner & Štěpánek
- [*Taraxacum subulatidens*](#) G.E.Haglund
- [*Taraxacum subulatum*](#) Markl.
- [*Taraxacum subulicuspis*](#) G.E.Haglund
- [*Taraxacum subulisquameum*](#) Brenner
- [*Taraxacum subundulatum*](#) Dahlst.
- [*Taraxacum subvestrobootticum*](#) G.E.Haglund
- [*Taraxacum subvulpinum*](#) Kirschner & Štěpánek
- [*Taraxacum subxanthostigma*](#) M.P.Christ. ex H.Øllg.
- [*Taraxacum succedens*](#) Kirschner & Štěpánek
- [*Taraxacum suecicum*](#) G.E.Haglund
- [*Taraxacum suffocatum*](#) Kirschner & Štěpánek
- [*Taraxacum sugawarae*](#) H.Koidz.
- [*Taraxacum sulger-buelii*](#) Soest

- [*Taraxacum sulitelmae*](#) G.E.Haglund
- [*Taraxacum sumneviczii*](#) Schischk.
- [*Taraxacum sundbergii*](#) Dahlst.
- [*Taraxacum superbum*](#) Markl.
- [*Taraxacum suspectum*](#) Kirschner & Štěpánek
- [*Taraxacum svetlanae*](#) Czerep.
- [*Taraxacum symphorilobum*](#) G.E.Haglund
- [*Taraxacum syriacum*](#) Boiss.
- [*Taraxacum syrtorum*](#) Dshan.
- [*Taraxacum szovitsii*](#) Soest

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum taeniatum*](#) G.E.Haglund
- [*Taraxacum taeniformatum*](#) Rail.
- [*Taraxacum taimyrense*](#) Tzvelev
- [*Taraxacum tamarae*](#) Kharkev. & Tzvelev
- [*Taraxacum tamesense*](#) A.J.Richards
- [*Taraxacum tanylepis*](#) Dahlst.
- [*Taraxacum tanyodon*](#) Rail.
- [*Taraxacum tanyolobum*](#) Dahlst.
- [*Taraxacum tanyphyllum*](#) Dahlst.
- [*Taraxacum tarraconense*](#) Sennen
- [*Taraxacum tatewakii*](#) Kitam.
- [*Taraxacum tatrense*](#) R.Doll
- [*Taraxacum taxkorganicum*](#) Z.X.An ex D.T.Zhai
- [*Taraxacum telmatophilum*](#) Kirschner & Štěpánek
- [*Taraxacum tenebricans*](#) (Dahlst.) H.Lindb.
- [*Taraxacum tenebristylum*](#) Soest
- [*Taraxacum tenellisquameum*](#) Markl.
- [*Taraxacum tenue*](#) G.E.Haglund
- [*Taraxacum tenuiceps*](#) Soest
- [*Taraxacum tenuiculum*](#) Kirschner & Štěpánek
- [*Taraxacum tenuifolium*](#) (Hoppe & Hornsch.) W.D.J.Koch
- [*Taraxacum tenuiforme*](#) G.E.Haglund
- [*Taraxacum tenuilinguatum*](#) Rail.
- [*Taraxacum tenuilobum*](#) (Dahlst.) Dahlst.
- [*Taraxacum tenuipetiolatum*](#) Rail.
- [*Taraxacum tenuiprotractum*](#) Kirschner & Štěpánek
- [*Taraxacum tenuisectum*](#) Sommier & Levier
- [*Taraxacum tenuisquameum*](#) Dahlst. ex G.E.Haglund
- [*Taraxacum tephroleucum*](#) Štěpánek & Kirschner
- [*Taraxacum terenodes*](#) Sonck
- [*Taraxacum teres*](#) Sonck
- [*Taraxacum terrestre*](#) Štěpánek & Kirschner
- [*Taraxacum tetricum*](#) Štěpánek & Kirschner
- [*Taraxacum teuvaeense*](#) Rail.
- [*Taraxacum texelense*](#) Hagend., Soest & Zevenb.
- [*Taraxacum theodori*](#) Lundev. & H.Øllg.
- [*Taraxacum thessalicum*](#) Soest
- [*Taraxacum thorvaldii*](#) H.Øllg.
- [*Taraxacum thracicum*](#) Soest
- [*Taraxacum tianschanicum*](#) Pavlov
- [*Taraxacum tibetanum*](#) Hand.-Mazz.
- [*Taraxacum tilesianum*](#) Kirschner & Štěpánek

- [*Taraxacum tinctum*](#) Markl. ex H.Lindb.
- [*Taraxacum tirichense*](#) Soest
- [*Taraxacum tiroliense*](#) Dahlst.
- [*Taraxacum toletanum*](#) Sennen
- [*Taraxacum tolmaczevii*](#) Jurtzev
- [*Taraxacum tolonasum*](#) Sonck
- [*Taraxacum tonsum*](#) Kirschner & Štěpánek
- [*Taraxacum tornense*](#) T.C.E.Fr.
- [*Taraxacum tortilobiforme*](#) Soest
- [*Taraxacum tortilobum*](#) Florstr.
- [*Taraxacum tortuosum*](#) Hagend., Soest & Zevenb.
- [*Taraxacum torvum*](#) G.E.Haglund
- [*Taraxacum tourmalettense*](#) Soest
- [*Taraxacum transjordanicum*](#) Soest
- [*Taraxacum trepidans*](#) Kirschner & Štěpánek
- [*Taraxacum triangulare*](#) H.Lindb.
- [*Taraxacum triangularidentatum*](#) Soest
- [*Taraxacum tricolor*](#) Soest
- [*Taraxacum tricuspidatum*](#) Soest
- [*Taraxacum triforme*](#) Soest
- [*Taraxacum trigonense*](#) Sonck
- [*Taraxacum trigonum*](#) M.P.Christ.
- [*Taraxacum trilobatum*](#) Palmgr.
- [*Taraxacum trilobifolium*](#) Hudziok
- [*Taraxacum triste*](#) M.P.Christ.
- [*Taraxacum tristiceps*](#) Soest
- [*Taraxacum tropaeatum*](#) Rail.
- [*Taraxacum trottii*](#) Soest
- [*Taraxacum truculentum*](#) Rail.
- [*Taraxacum tschuktschorum*](#) (Tzvelev) Jurtzev & Tzvelev
- [*Taraxacum tubulosum*](#) Kirschner & Štěpánek
- [*Taraxacum tujuksuense*](#) Orazova
- [*Taraxacum tumentilobum*](#) Markl. ex Puol.
- [*Taraxacum turbidum*](#) Sonck
- [*Taraxacum turbiniceps*](#) G.E.Haglund
- [*Taraxacum turcicum*](#) Soest
- [*Taraxacum turcomanicum*](#) Schischk.
- [*Taraxacum turfosisiforme*](#) Kirschner & Štěpánek
- [*Taraxacum turfosum*](#) (Sch.Bip.) Soest
- [*Taraxacum turgaicum*](#) Schischk.
- [*Taraxacum turgidum*](#) Meierott & H.Øllg.
- [*Taraxacum turritum*](#) Kirschner & Štěpánek

- [*Taraxacum tuvense*](#) Krasnob. & Krasnikov
- [*Taraxacum tuzgolense*](#) Yild. & Dođru-Koca
- [*Taraxacum tzvelevii*](#) Schischk.

U

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum uberilobum*](#) H.Lindb.
- [*Taraxacum uberrimum*](#) Kirschner & Štěpánek
- [*Taraxacum udum*](#) Jord.
- [*Taraxacum uliginosum*](#) Kirschner & Štěpánek
- [*Taraxacum ulogonioides*](#) Rail.
- [*Taraxacum ulophyllum*](#) M.P.Christ.

- [*Taraxacum umbonulatum*](#) Rail.
- [*Taraxacum umbrosum*](#) Sonck, Kirschner & Štěpánek
- [*Taraxacum uncatilobum*](#) M.P.Christ.
- [*Taraxacum uncatum*](#) G.E.Haglund
- [*Taraxacum uncidentatum*](#) Rail.
- [*Taraxacum unciferum*](#) Markl. ex Rail.
- [*Taraxacum uncosum*](#) G.E.Haglund
- [*Taraxacum undulatiflorum*](#) M.P.Christ.
- [*Taraxacum undulatifforme*](#) Dahlst.
- [*Taraxacum undulatum*](#) H.Lindb. & Marklund
- [*Taraxacum unguiferum*](#) Markl. ex Back
- [*Taraxacum unguifrons*](#) Hagend., Soest & Zevenb.
- [*Taraxacum unguilobifrons*](#) A.J.Richards
- [*Taraxacum unguilobum*](#) Dahlst.
- [*Taraxacum ungulatum*](#) (Brenner) Brenner
- [*Taraxacum unicoloratum*](#) A.J.Richards
- [*Taraxacum uniforme*](#) H.Øllg.
- [*Taraxacum urbicola*](#) Kirschner, Štěpánek & Trávn.
- [*Taraxacum uschakovii*](#) Jurtzev
- [*Taraxacum userinum*](#) R.Doll
- [*Taraxacum ussuriense*](#) Kom.
- [*Taraxacum ustkanense*](#) M.S.Ivanova
- [*Taraxacum uvidum*](#) Kirschner & Štěpánek
- [*Taraxacum uzunoglui*](#) Soest

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum vaccarii*](#) Soest
- [*Taraxacum vacillans*](#) G.E.Haglund
- [*Taraxacum vadosum*](#) Kirschner & Štěpánek
- [*Taraxacum vagum*](#) Soest
- [*Taraxacum vaitolahtense*](#) G.E.Haglund
- [*Taraxacum valdedentatum*](#) Dahlst.
- [*Taraxacum valens*](#) Markl.
- [*Taraxacum valesiacum*](#) Soest
- [*Taraxacum validum*](#) Štěpánek & Kirschner
- [*Taraxacum vallis-nibulae*](#) Arrigoni
- [*Taraxacum vanum*](#) H.Øllg.
- [*Taraxacum varians*](#) Kirschner & Štěpánek
- [*Taraxacum variegatum*](#) Kitag.
- [*Taraxacum varioviolaceum*](#) A.P.Khokhr.
- [*Taraxacum varsobicum*](#) Schischk.
- [*Taraxacum vassilczenkoi*](#) Schischk.
- [*Taraxacum vastisectiforme*](#) Hagend., Soest & Zevenb.
- [*Taraxacum vastisectum*](#) Markl. ex Puol.
- [*Taraxacum vauchlusense*](#) Soest
- [*Taraxacum veglianum*](#) Uhlemann
- [*Taraxacum velebiticum*](#) Štěpánek & Kirschner
- [*Taraxacum vendibile*](#) Kirschner & Štěpánek
- [*Taraxacum venticola*](#) A.J.Richards
- [*Taraxacum ventorum*](#) G.E.Haglund
- [*Taraxacum venustius*](#) Kirschner & Štěpánek
- [*Taraxacum venustum*](#) Dahlst.
- [*Taraxacum vepallidum*](#) Kirschner & Štěpánek
- [*Taraxacum verecundum*](#) G.E.Haglund

- [*Taraxacum vernelense*](#) Soest
- [*Taraxacum versailleense*](#) Soest
- [*Taraxacum versilianum*](#) Arrigoni
- [*Taraxacum verticosum*](#) Rail.
- [*Taraxacum verutigerum*](#) Rail.
- [*Taraxacum vestitum*](#) Vorosch.
- [*Taraxacum vestmannicum*](#) M.P.Christ.
- [*Taraxacum vestrobttnicum*](#) Dahlst.
- [*Taraxacum vestrogothicum*](#) Dahlst.
- [*Taraxacum vetteri*](#) Soest
- [*Taraxacum vexatum*](#) Sonck
- [*Taraxacum vidlense*](#) R.Doll
- [*Taraxacum vigena*](#) Kirschner & Štěpánek
- [*Taraxacum vile*](#) Štěpánek & Kirschner
- [*Taraxacum vindobonense*](#) Soest
- [*Taraxacum vinosicoloratum*](#) Rail.
- [*Taraxacum vinosum*](#) Soest
- [*Taraxacum violaceifrons*](#) Trávn.
- [*Taraxacum violaceinervosum*](#) Rail.
- [*Taraxacum violaceipetiolatum*](#) Rail.
- [*Taraxacum violaceomaculatum*](#) Soest
- [*Taraxacum violaceum*](#) R.Doll
- [*Taraxacum violascens*](#) Dahlst.
- [*Taraxacum virellum*](#) G.E.Haglund ex Sahlin
- [*Taraxacum virgineum*](#) Kirschner, Štěpánek & Klimeš
- [*Taraxacum viridans*](#) G.E.Haglund ex H.Øllg.
- [*Taraxacum viridescens*](#) G.E.Haglund ex Soest
- [*Taraxacum vitalii*](#) Orazovot
- [*Taraxacum vitellicolor*](#) Štěpánek & Kirschner
- [*Taraxacum vitellinum*](#) Dahlst.
- [*Taraxacum volitans*](#) J.Räsänen
- [*Taraxacum voronovii*](#) Schischk.
- [*Taraxacum vulcanorum*](#) H.Koidz.
- [*Taraxacum vulgum*](#) R.Doll
- [*Taraxacum vulpinum*](#) Soest

W

Contents:

- [Top](#)
- [A](#)

- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Taraxacum wallichii*](#) DC.
- [*Taraxacum wallonicum*](#) Soest
- [*Taraxacum walo-kochii*](#) Soest
- [*Taraxacum waltheri*](#) R.Doll
- [*Taraxacum wardenium*](#) R.Doll
- [*Taraxacum warenum*](#) R.Doll
- [*Taraxacum webbii*](#) A.J.Richards
- [*Taraxacum wendelboanum*](#) Soest
- [*Taraxacum wendtii*](#) H.Øllg.
- [*Taraxacum wessbergii*](#) H.Øllg.
- [*Taraxacum westmanii*](#) Rail.
- [*Taraxacum wibergense*](#) H.Øllg.
- [*Taraxacum wiinstedtii*](#) H.Øllg.
- [*Taraxacum wijtmaniae*](#) Sterk & Fengler
- [*Taraxacum woroschilovii*](#) Gubanov
- [*Taraxacum wrangelicum*](#) Tzvelev
- [*Taraxacum wuqiaense*](#) L.Q.Zhao & Aogan

X

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum xanthiense*](#) Soest
- [*Taraxacum xantholigulatum*](#) Sonck
- [*Taraxacum xanthophyllum*](#) G.E.Haglund
- [*Taraxacum xanthostigma*](#) H.Lindb.
- [*Taraxacum xerophilum*](#) Markl. ex H.Lindb.
- [*Taraxacum xinyuanicum*](#) D.T.Zhai & C.H.An
- [*Taraxacum xiphoideum*](#) G.E.Haglund

Y

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Taraxacum yuparense*](#) H.Koidz.
- [*Taraxacum yvelinense*](#) Soest

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)

- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Taraxacum zagorae](#) Sonck
- [Taraxacum zajacii](#) J.Marciniuk & P.Marciniuk
- [Taraxacum zamarrudiae](#) Abedin
- [Taraxacum zanskarensae](#) Klimeš ex Kirschner & Štěpánek
- [Taraxacum zealandicum](#) Dahlst.
- [Taraxacum zelotes](#) Sahlin
- [Taraxacum zermattense](#) Dahlst.
- [Taraxacum zevenbergenii](#) Soest
- [Taraxacum zhukovae](#) Tzvelev
- [Taraxacum zineralum](#) R.Doll
- [Taraxacum zivaschum](#) R.Doll

From Wikipedia, the free encyclopedia

The following is a list of [Taeniophyllum](#) species accepted by the [Plants of the World Online](#) at January 2025.^[1]

- [Taeniophyllum acsmithii](#) Kocyan & Schuit.
- [Taeniophyllum acuminatum](#) (Schltr.) Kocyan & Schuit.

- [Taeniophyllum affine](#) Schltr.
- [Taeniophyllum aggregatum](#) Schltr.
- [Taeniophyllum alatum](#) (Ridl.) Kocyan & Schuit.
- [Taeniophyllum album](#) Schltr.
- [Taeniophyllum alwisii](#) Lindl.
- [Taeniophyllum amboinense](#) J.J.Sm.
- [Taeniophyllum amplebracteatum](#) Kocyan & Schuit.
- [Taeniophyllum andamanicum](#) N.P.Balakr. & N.Bhargava
- [Taeniophyllum annuliferum](#) Carr
- [Taeniophyllum antennatum](#) Schuit. & de Vogel
- [Taeniophyllum aphyllum](#) (Makino) Makino
- [Taeniophyllum apiculatum](#) J.J.Sm.
- [Taeniophyllum appendiculatum](#) P.O'Byrne & Gokusing
- [Taeniophyllum arachnites](#) J.J.Sm.
- [Taeniophyllum arunachalense](#) A.N.Rao & J.Lal
- [Taeniophyllum asperatum](#) Schltr.
- [Taeniophyllum aurantiacum](#) J.J.Sm.
- [Taeniophyllum aureum](#) Schltr.
- [Taeniophyllum bakhuiizenii](#) J.J.Sm.
- [Taeniophyllum baumei](#) B.Gray
- [Taeniophyllum bicostulatum](#) J.J.Sm.
- [Taeniophyllum biloculare](#) J.J.Sm.
- [Taeniophyllum biocellatum](#) J.J.Sm.
- [Taeniophyllum borneense](#) Schltr.)
- [Taeniophyllum brachyceras](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum brachypus](#) Schltr.
- [Taeniophyllum bracteatum](#) L.O.Williams
- [Taeniophyllum breviscapum](#) J.J.Sm.
- [Taeniophyllum brunnescens](#) Schltr.
- [Taeniophyllum bryoides](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum calcaratum](#) J.J.Sm.
- [Taeniophyllum calyptrochilum](#) J.J.Sm.
- [Taeniophyllum calyptrogyne](#) Ormerod
- [Taeniophyllum campanulatum](#) Carr
- [Taeniophyllum canaliculatum](#) J.J.Sm.
- [Taeniophyllum capillare](#) J.J.Sm.
- [Taeniophyllum cardiophorum](#) Schltr.
- [Taeniophyllum carinatum](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum carnosiflorum](#) Schltr.
- [Taeniophyllum celebicum](#) Rolfe
- [Taeniophyllum ceratostylis](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum chaetophorum](#) (Schltr.) Kocyan & Schuit.

- [*Taeniophyllum clavatum*](#) Schltr.
- [*Taeniophyllum clavicarum*](#) J.J.Sm.
- [*Taeniophyllum clavicaratum*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum clementsii*](#) (D.L.Jones & B.Gray) Kocyan & Schuit.
- [*Taeniophyllum cochleare*](#) Schltr.
- [*Taeniophyllum coiloglossum*](#) Schltr.
- [*Taeniophyllum collinum*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum compactum*](#) Ames
- [*Taeniophyllum complanatum*](#) Fukuy.
- [*Taeniophyllum concavum*](#) Schltr.
- [*Taeniophyllum confertum*](#) B.Gray & D.L.Jones
- [*Taeniophyllum confusum*](#) Kores & L.Jonss.
- [*Taeniophyllum conoceras*](#) Schltr.
- [*Taeniophyllum copelandii*](#) Ames
- [*Taeniophyllum coxii*](#) (Summerh.) Summerh.
- [*Taeniophyllum crenatum*](#) J.J.Sm.
- [*Taeniophyllum crepidiforme*](#) (King & Pantl.) King & Pantl.
- [*Taeniophyllum cucullatum*](#) Schltr.
- [*Taeniophyllum cycloglossum*](#) Schltr.
- [*Taeniophyllum cylindrocentrum*](#) Schltr.
- [*Taeniophyllum cymboglossum*](#) J.J.Sm.
- [*Taeniophyllum daroussinii*](#) Tixier & Guillaumin
- [*Taeniophyllum dentilobum*](#) J.J.Sm.)
- [*Taeniophyllum dischorensis*](#) Schltr.
- [*Taeniophyllum djampangense*](#) J.J.Sm.
- [*Taeniophyllum doctersii*](#) J.J.Sm.
- [*Taeniophyllum elegantissimum*](#) Rchb.f.
- [*Taeniophyllum elmeri*](#) Ames
- [*Taeniophyllum engae*](#) J.J.Wood
- [*Taeniophyllum epacridicola*](#) B.Gray
- [*Taeniophyllum erinaceum*](#) Ridl.
- [*Taeniophyllum erosulum*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum esetiferum*](#) J.J.Sm.
- [*Taeniophyllum excavatum*](#) J.J.Sm.
- [*Taeniophyllum exotrachys*](#) Schltr.
- [*Taeniophyllum explanatum*](#) B.Gray
- [*Taeniophyllum fasciculatum*](#) Aver.
- [*Taeniophyllum fasciola*](#) (G.Forst.) Seem.
- [*Taeniophyllum ferox*](#) Schltr.
- [*Taeniophyllum ficicola*](#) Schltr.
- [*Taeniophyllum filiforme*](#) J.J.Sm.
- [*Taeniophyllum fimbriatum*](#) J.J.Sm.

- [*Taeniophyllum finisterrae*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum flaccidum*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum foliatum*](#) Schltr.
- [*Taeniophyllum fragrans*](#) Schltr.
- [*Taeniophyllum gilimalense*](#) Jayaw.
- [*Taeniophyllum giriwoense*](#) J.J.Sm.
- [*Taeniophyllum glandulosum*](#) Blume
- [*Taeniophyllum govidjoae*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum gracile*](#) (Rolfe) Garay
- [*Taeniophyllum gracillimum*](#) Schltr.
- [*Taeniophyllum grandiflorum*](#) Schltr.
- [*Taeniophyllum graptolium*](#) N.Hallé
- [*Taeniophyllum halmaheranum*](#) Cavestro & J.Champ.
- [*Taeniophyllum hasseltii*](#) Rchb.f.
- [*Taeniophyllum hirtum*](#) Blume
- [*Taeniophyllum hosokawae*](#) (Fukuy.) L.O.Williams
- [*Taeniophyllum hygrophilum*](#) Schltr.
- [*Taeniophyllum iboense*](#) Schltr.
- [*Taeniophyllum iboetii*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum inconspicuum*](#) Schltr.
- [*Taeniophyllum insulare*](#) Seidenf.
- [*Taeniophyllum intermedium*](#) Carr
- [*Taeniophyllum jacobsonii*](#) J.J.Sm.
- [*Taeniophyllum jadunae*](#) Schltr.
- [*Taeniophyllum javanicum*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum jensenianum*](#) J.J.Sm.
- [*Taeniophyllum kaniense*](#) Schltr.
- [*Taeniophyllum kapahense*](#) Carr
- [*Taeniophyllum kenejianum*](#) Schltr.
- [*Taeniophyllum keysseri*](#) Mansf.
- [*Taeniophyllum kompsopus*](#) Schltr.
- [*Taeniophyllum labatii*](#) (M.Pignal & Munzinger) J.M.H.Shaw
- [*Taeniophyllum lamii*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum lamprorhizum*](#) Schltr.
- [*Taeniophyllum latipetalum*](#) Schltr.
- [*Taeniophyllum laxum*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum ledermannii*](#) Schltr.
- [*Taeniophyllum leeuwenii*](#) Kocyan & Schuit.
- [*Taeniophyllum leptorrhizum*](#) Schltr.
- [*Taeniophyllum leucanthum*](#) Schltr.
- [*Taeniophyllum leytense*](#) Ames
- [*Taeniophyllum lobatum*](#) Dockrill

- [Taeniophyllum longicaule](#) Kocyan & Schuit.
- [Taeniophyllum longisetigerum](#) J.J.Sm.
- [Taeniophyllum luteum](#) Kocyan & Schuit.
- [Taeniophyllum macranthum](#) Schltr.
- [Taeniophyllum macrorhynchum](#) Schltr.
- [Taeniophyllum macrotaenium](#) Schltr.
- [Taeniophyllum malianum](#) Schltr.
- [Taeniophyllum mamilliferum](#) J.J.Sm.
- [Taeniophyllum mangiferae](#) Schltr.
- [Taeniophyllum manubrioliferum](#) J.J.Sm.
- [Taeniophyllum marianense](#) Schltr.
- [Taeniophyllum maximum](#) J.J.Sm.
- [Taeniophyllum merapiense](#) Schltr.
- [Taeniophyllum merrillii](#) Ames
- [Taeniophyllum micranthum](#) Carr
- [Taeniophyllum minimum](#) Guillaumin
- [Taeniophyllum minusculum](#) Kocyan & Schuit.
- [Taeniophyllum minutiflorum](#) J.J.Sm.
- [Taeniophyllum mirum-labellum](#) Kocyan & Schuit.
- [Taeniophyllum montanum](#) Carr
- [Taeniophyllum muelleri](#) Lindl. ex Benth.
- [Taeniophyllum multiflorum](#) (Ridl.) Kocyan & Schuit.
- [Taeniophyllum muricatum](#) Schltr.
- [Taeniophyllum muriculatum](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum musciforme](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum neopommeranicum](#) Schltr.
- [Taeniophyllum neotorricellense](#) Kocyan & Schuit.
- [Taeniophyllum nephrophorum](#) Schltr.
- [Taeniophyllum norfolkianum](#) D.L.Jones, B.Gray & M.A.Clem.
- [Taeniophyllum northlandicum](#) R.Rice & M.A.M.Renner
- [Taeniophyllum oblongum](#) Schltr.
- [Taeniophyllum occultans](#) (Schuit. & de Vogel) Kocyan & Schuit.
- [Taeniophyllum orbiculare](#) Schltr.
- [Taeniophyllum oreophilum](#) (Schltr.) Kocyan & Schuit.
- [Taeniophyllum orthorhynchum](#) Schltr.
- [Taeniophyllum ovale](#) Schltr.
- [Taeniophyllum pachyacris](#) Schltr.
- [Taeniophyllum pahangense](#) Carr
- [Taeniophyllum paife](#) Drake
- [Taeniophyllum palawense](#) Schltr.
- [Taeniophyllum pallidiflorum](#) Carr)
- [Taeniophyllum pallidum](#) Schltr.

- [*Taeniophyllum palmicola*](#) Schltr. in K.M.Schumann & C.A.G.Lauterbach
- [*Taeniophyllum paludicola*](#) Schltr.
- [*Taeniophyllum paludosum*](#) J.J.Sm.
- [*Taeniophyllum pantjarens*](#) J.J.Sm.
- [*Taeniophyllum papillosum*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum papuanum*](#) (Schltr.) L.O.Williams
- [*Taeniophyllum pectiniferum*](#) Schltr.
- [*Taeniophyllum petrophilum*](#) Schltr.
- [*Taeniophyllum phaeanthum*](#) Schltr.
- [*Taeniophyllum philippinense*](#) Rchb.f.
- [*Taeniophyllum phitamii*](#) Aver.
- [*Taeniophyllum physodes*](#) Schltr.
- [*Taeniophyllum platyrhachis*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum platyrhizum*](#) Schltr.
- [*Taeniophyllum pleistorhizum*](#) Schltr.
- [*Taeniophyllum podochiloides*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum potamophyllum*](#) Schltr.
- [*Taeniophyllum proboscideum*](#) Schltr.
- [*Taeniophyllum proliferum*](#) J.J.Sm.
- [*Taeniophyllum pterophorum*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum pubicarpum*](#) Schltr.
- [*Taeniophyllum pulchellum*](#) Cootes, Cabactulan, R.B.Pimentel & M.Leon
- [*Taeniophyllum pulvinatum*](#) Schltr.
- [*Taeniophyllum pusillum*](#) (Willd.) Seidenf. & Ormerod
- [*Taeniophyllum pyriforme*](#) Schuit.
- [*Taeniophyllum quadratum*](#) Schltr.
- [*Taeniophyllum quadrilobum*](#) Seidenf.
- [*Taeniophyllum quaquaversum*](#) Schltr.
- [*Taeniophyllum radiatum*](#) J.J.Sm.
- [*Taeniophyllum recurvirostrum*](#) J.J.Sm.
- [*Taeniophyllum reijnvaanae*](#) J.J.Sm.
- [*Taeniophyllum retrospiculatum*](#) (King & Pantl.) King & Pantl.
- [*Taeniophyllum rhodantherum*](#) Schltr.
- [*Taeniophyllum rhombeum*](#) Kocyan & Schuit.
- [*Taeniophyllum rhomboglossum*](#) Schltr.
- [*Taeniophyllum robustum*](#) Schltr.
- [*Taeniophyllum rostellatum*](#) J.J.Sm.
- [*Taeniophyllum rostratum*](#) Carr
- [*Taeniophyllum rubrum*](#) Ridl.
- [*Taeniophyllum rudolfii*](#) Kocyan & Schuit.
- [*Taeniophyllum rugulosum*](#) Carr
- [*Taeniophyllum saccatum*](#) L.O.Williams

- [*Taeniophyllum samoense*](#) (Schltr.) Kocyan & Schuit.
- [*Taeniophyllum savaiense*](#) P.J.Cribb & Whistler
- [*Taeniophyllum scaberulum*](#) Hook.f.
- [*Taeniophyllum schlechteri*](#) Mansf.
- [*Taeniophyllum setipes*](#) Schltr.
- [*Taeniophyllum singulare*](#) J.J.Sm.
- [*Taeniophyllum smithii*](#) Kores & L.Jonss.
- [*Taeniophyllum steenisii*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum stella*](#) Carr
- [*Taeniophyllum stenosepalum*](#) Schltr.
- [*Taeniophyllum stipulaceum*](#) J.J.Sm.
- [*Taeniophyllum subtrilobum*](#) Schltr.
- [*Taeniophyllum sulawesiense*](#) Kocyan & Schuit.
- [*Taeniophyllum sumatranum*](#) Schltr.
- [*Taeniophyllum taenioides*](#) (P.O'Byrne) Kocyan & Schuit.
- [*Taeniophyllum tamianum*](#) J.J.Sm.
- [*Taeniophyllum tenerrimum*](#) J.J.Sm.
- [*Taeniophyllum terrestre*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum toranum*](#) J.J.Sm.
- [*Taeniophyllum torricellense*](#) Schltr.
- [*Taeniophyllum trachybracteum*](#) Schltr.
- [*Taeniophyllum trachypus*](#) Schltr.
- [*Taeniophyllum triangulare*](#) J.J.Sm.
- [*Taeniophyllum triangulipetalum*](#) (J.J.Sm.) Kocyan & Schuit.
- [*Taeniophyllum trichopus*](#) Schltr.
- [*Taeniophyllum trilobum*](#) Schltr.
- [*Taeniophyllum tripulvinatum*](#) J.J.Sm.
- [*Taeniophyllum triquetroradix*](#) B.Gray
- [*Taeniophyllum trukense*](#) Fukuy.
- [*Taeniophyllum tubulosum*](#) (J.J.Sm.) L.O.Williams
- [*Taeniophyllum wakatinense*](#) J.J.Sm.
- [*Taeniophyllum walkeri*](#) B.Gray
- [*Taeniophyllum whistleri*](#) P.J.Cribb
- [*Taeniophyllum xerophilum*](#) Schltr.
- [*Taeniophyllum xizangense*](#) J.D.Ya & C.Liu

From Wikipedia, the free encyclopedia

[*Syzygium*](#) is a large, broadly distributed [genus](#) of [flowering](#) plants in the myrtle family [Myrtaceae](#). The following is an alphabetical list of all 1246 [species](#) and one hybrid in the genus that are accepted by [Plants of the World Online](#) as of October 2025[1]

A

- [*Syzygium abatakum*](#) Widodo
- [*Syzygium abbreviatum*](#) Merr.
- [*Syzygium aborens*](#) (Dunn) Rathakr. & N.C.Nair
- [*Syzygium abortivum*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium abulugense*](#) Merr.
- [*Syzygium aciculinum*](#) Merr. & L.M.Perry
- [*Syzygium acre*](#) (Pancher ex Guillaumin) J.W.Dawson
- [*Syzygium acrophilum*](#) (C.B.Rob.) Merr.
- [*Syzygium acuminatissimum*](#) (Blume) DC.
- [*Syzygium acuminatum*](#) (Sweet) Miq.
- [*Syzygium acutangulum*](#) Nied.
- [*Syzygium acutatum*](#) (Miq.) Amshoff
- [*Syzygium adelphicum*](#) Diels
- [*Syzygium adenophyllum*](#) Merr. & L.M.Perry
- [*Syzygium aegiceroides*](#) (Korth. ex Miq.) Korth.
- [*Syzygium aemulum*](#) (Blume) Amshoff
- [*Syzygium aeoranthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium affine*](#) Merr.
- [*Syzygium afromontanum*](#) (F.White) Byng
- [*Syzygium agastyamalayanum*](#) M.B.Viswan. & Manik.
- [*Syzygium aggregatum*](#) J.W.Dawson
- [*Syzygium aksorniae*](#) Chantar. & J.Parn.
- [*Syzygium alatoramulum*](#) B.Hyland
- [*Syzygium alatum*](#) (Lauterb.) Diels
- [*Syzygium albayense*](#) Merr.
- [*Syzygium albiflorum*](#) (Duthie ex Kurz) Bahadur & R.C.Gaur
- [*Syzygium album*](#) Q.F.Zheng
- [*Syzygium alliiligneum*](#) B.Hyland
- [*Syzygium altecastaneum*](#) (P.S.Ashton) Byng & Christenh.
- [*Syzygium alternifolium*](#) (Wight) Walp.
- [*Syzygium alubo*](#) Kosterm.
- [*Syzygium alutaceum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium alvarezii*](#) (C.B.Rob.) Merr.
- [*Syzygium alyxiifolium*](#) (Ridl.) I.M.Turner
- [*Syzygium amicorum*](#) (A.Gray) Müll.Berol.
- [*Syzygium amieuense*](#) (Guillaumin) J.W.Dawson
- [*Syzygium amphoraecarpus*](#) Kosterm.
- [*Syzygium amplexicaule*](#) (Lindl.) N.P.Balakr.
- [*Syzygium ampliflorum*](#) (Koord. & Valetton) Amshoff
- [*Syzygium amplifolium*](#) L.M.Perry
- [*Syzygium amplum*](#) T.G.Hartley & L.M.Perry

- [*Syzygium ampullarium*](#) (Stapf) Merr. & L.M.Perry
- [*Syzygium anacardiifolium*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium anamalaianum*](#) Ramas. & Surendr.
- [*Syzygium andamanicum*](#) (King) N.P.Balacr.
- [*Syzygium aneityense*](#) Guillaumin
- [*Syzygium angkæ*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium angophoroides*](#) (F.Muell.) B.Hyland
- [*Syzygium angulare*](#) (Elmer) Merr.
- [*Syzygium angulatum*](#) (C.B.Rob.) Merr.
- [*Syzygium angustifolium*](#) (M.R.Hend.) Byng & Christenh.
- [*Syzygium angustovatum*](#) Widodo & Chikmaw.
- [*Syzygium anisatum*](#) (Vickery) Craven & Biffin
- [*Syzygium anisopetalum*](#) (R.Parker) N.P.Balacr.
- [*Syzygium anisosepalum*](#) (Duthie) I.M.Turner
- [*Syzygium anomalum*](#) Lauterb.
- [*Syzygium anthicoides*](#) P.S.Ashton
- [*Syzygium anthicum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium antisepticum*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium antonianum*](#) (Elmer) Merr.
- [*Syzygium aoupinianum*](#) J.W.Dawson
- [*Syzygium apetiolatum*](#) J.W.Dawson
- [*Syzygium apiarii*](#) P.S.Ashton
- [*Syzygium apodophyllum*](#) (F.Muell.) B.Hyland
- [*Syzygium apodum*](#) Miq.
- [*Syzygium apoense*](#) (Elmer) Merr.
- [*Syzygium aporematum*](#) Craven & Damas
- [*Syzygium aqueum*](#) (Burm.f.) Alston
- [*Syzygium araiocladum*](#) Merr. & L.M.Perry
- [*Syzygium araucariarum*](#) Craven & Damas
- [*Syzygium arboreum*](#) (Baker f.) J.W.Dawson
- [*Syzygium arcanum*](#) P.S.Ashton
- [*Syzygium arcuatinervium*](#) (Merr.) Craven & Biffin
- [*Syzygium arenitense*](#) Craven
- [*Syzygium argyrocalyx*](#) (Warb.) Merr. & L.M.Perry
- [*Syzygium argyropedicum*](#) B.Hyland
- [*Syzygium armstrongii*](#) (Benth.) B.Hyland
- [*Syzygium aromaticum*](#) (L.) Merr. & L.M.Perry
- [*Syzygium assamicum*](#) (Biswas & Purkay.) Raizada
- [*Syzygium assimile*](#) Thwaites
- [*Syzygium astronioides*](#) (C.B.Rob.) Merr.
- [*Syzygium attenuatum*](#) (Miq.) Merr. & L.M.Perry
- [*Syzygium attopeuense*](#) (Gagnep.) Merr. & L.M.Perry

- [*Syzygium aurantiacum*](#) (H.Perrier) Labat & Schatz
- [*Syzygium aureum*](#) Jayasinghe
- [*Syzygium auriculatum*](#) Brongn. & Gris
- [*Syzygium australe*](#) (J.C.Wendl. ex Link) B.Hyland
- [*Syzygium austrocaledonicum*](#) (Seem.) Guillaumin
- [*Syzygium austrosinense*](#) (Merr. & L.M.Perry) H.T.Chang & R.H.Miao
- [*Syzygium austroyunnanense*](#) H.T.Chang & R.H.Miao
- [*Syzygium avene*](#) Miq.

B

- [*Syzygium badescens*](#) P.S.Ashton
- [*Syzygium badium*](#) Merr. & L.M.Perry
- [*Syzygium baeuerlenii*](#) (F.Muell.) Craven & Biffin
- [*Syzygium bakoense*](#) P.S.Ashton
- [*Syzygium baladense*](#) (Brongn. & Gris) J.W.Dawson
- [*Syzygium balansae*](#) (Guillaumin) J.W.Dawson
- [*Syzygium balerense*](#) (C.B.Rob.) Merr.
- [*Syzygium balfourii*](#) (Baker) J.Guého & A.J.Scott
- [*Syzygium balgooyi*](#) Brambach, Byng & Culmsee
- [*Syzygium balsameum*](#) (Wight) Wall. ex Walp.
- [*Syzygium bamagense*](#) B.Hyland
- [*Syzygium bankense*](#) (Hassk.) Merr. & L.M.Perry
- [*Syzygium banksii*](#) (Britten & S.Moore) B.Hyland
- [*Syzygium bantamense*](#) (Koord. & Valetton) Sunarti
- [*Syzygium baramense*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium barnesii*](#) (Merr.) Merr.
- [*Syzygium barotsense*](#) (F.White) Byng & Christenh.
- [*Syzygium barringtonioides*](#) (Ridl.) Masam.
- [*Syzygium bartonii*](#) (F.M.Bailey) Merr. & L.M.Perry
- [*Syzygium bataanense*](#) (Merr.) Merr.
- [*Syzygium batadamba*](#) Kosterm.
- [*Syzygium baudouinii*](#) (Brongn. & Gris) N.Snow, Byng & J.W.Dawson
- [*Syzygium beccarii*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium beddomei*](#) (Duthie) Chithra
- [*Syzygium bengkulense*](#) Widodo
- [*Syzygium benguellense*](#) (Welw. ex Hiern) Engl.
- [*Syzygium benguetense*](#) (C.B.Rob.) Merr.
- [*Syzygium benjaminum*](#) Diels
- [*Syzygium benthamianum*](#) (Duthie) Gamble
- [*Syzygium bernardoi*](#) (Merr.) Merr.
- [*Syzygium bernieri*](#) (Baill. ex Drake) Labat & Schatz
- [*Syzygium bharathii*](#) Ramas.

- [*Syzygium bicolor*](#) Merr. & L.M.Perry
- [*Syzygium bicostatum*](#) P.S.Ashton
- [*Syzygium bijouxii*](#) J.Guého & A.J.Scott
- [*Syzygium biniflorum*](#) (Ridl.) P.S.Ashton
- [*Syzygium bisulcum*](#) (Miq.) Widodo
- [*Syzygium blancoi*](#) (Merr.) Merr.
- [*Syzygium bleeseri*](#) (O.Schwarz) Byng & Christenh.
- [*Syzygium blumei*](#) (Steud.) Merr. & L.M.Perry
- [*Syzygium boerlagei*](#) (Merr.) Govaerts
- [*Syzygium boisianum*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium bokorensae*](#) W.K.Soh & J.Parn.
- [*Syzygium boonjee*](#) B.Hyland
- [*Syzygium borbonicum*](#) J.Guého & A.J.Scott
- [*Syzygium bordenii*](#) (Merr.) Merr.
- [*Syzygium borneense*](#) (Miq.) Miq.
- [*Syzygium boulindaense*](#) J.W.Dawson
- [*Syzygium bourdillonii*](#) (Gamble) Rathakr. & N.C.Nair
- [*Syzygium bowersiae*](#) Craven & Damas
- [*Syzygium brachyanthelium*](#) Diels
- [*Syzygium brachybotryum*](#) Miq.
- [*Syzygium brachycalyx*](#) (Baker f.) J.W.Dawson
- [*Syzygium brachypodum*](#) Merr. & L.M.Perry
- [*Syzygium brachyrachis*](#) Merr. & L.M.Perry
- [*Syzygium brachythyrsum*](#) Merr. & L.M.Perry
- [*Syzygium brachyurum*](#) Merr.
- [*Syzygium brackenridgei*](#) (A.Gray) Müll.Berol.
- [*Syzygium bracteosum*](#) Merr. & L.M.Perry
- [*Syzygium branderhorstii*](#) Lauterb.
- [*Syzygium brassii*](#) Merr. & L.M.Perry
- [*Syzygium brazzavillense*](#) Aubrév. & Pellegr.
- [*Syzygium brevicymum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium brevifolium*](#) (A.Gray) Müll.Berol.
- [*Syzygium brevioperculatum*](#) J.W.Dawson
- [*Syzygium brevipaniculatum*](#) (Merr.) Merr.
- [*Syzygium brevipes*](#) (Brongn. & Gris) J.W.Dawson
- [*Syzygium brittonianum*](#) (C.B.Rob.) Merr.
- [*Syzygium brongniartii*](#) (Merr. & L.M.Perry) J.W.Dawson
- [*Syzygium bruynii*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium bubengense*](#) C.Chen
- [*Syzygium bubuuense*](#) Craven
- [*Syzygium buettnerianum*](#) (K.Schum.) Nied.
- [*Syzygium bujangii*](#) P.S.Ashton

- [*Syzygium bullatum*](#) (Brongn. & Gris) N.Snow & Byng
- [*Syzygium bullockii*](#) (Hance) Merr. & L.M.Perry
- [*Syzygium bungadinnia*](#) (F.M.Bailey) B.Hyland
- [*Syzygium burepense*](#) T.G.Hartley & L.M.Perry
- [*Syzygium burkillianum*](#) (King) I.M.Turner
- [*Syzygium busuense*](#) T.G.Hartley & L.M.Perry
- [*Syzygium buxifolioideum*](#) H.T.Chang & R.H.Miao
- [*Syzygium buxifolium*](#) Hook. & Arn.

C

- [*Syzygium cacuminis*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium cadetii*](#) Byng & Christenh.
- [*Syzygium cagayanense*](#) (Merr.) Merr.
- [*Syzygium calcicola*](#) (Merr.) Merr.
- [*Syzygium calleryanum*](#) (C.B.Rob.) Merr.
- [*Syzygium callianthum*](#) Merr. & L.M.Perry
- [*Syzygium calophyllifolium*](#) (Wight) Walp.
- [*Syzygium calubcob*](#) (C.B.Rob.) Merr.
- [*Syzygium calyptrocalyx*](#) P.S.Ashton
- [*Syzygium cameronum*](#) I.M.Turner
- [*Syzygium camptodromum*](#) Merr. & L.M.Perry
- [*Syzygium camptophyllum*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium candelabriforme*](#) (C.B.Rob.) Merr.
- [*Syzygium canicortex*](#) B.Hyland
- [*Syzygium capillaceum*](#) (Brongn. & Gris) J.W.Dawson
- [*Syzygium capitatum*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium capituliferum*](#) Merr. & L.M.Perry
- [*Syzygium capoasense*](#) (Merr.) Merr.
- [*Syzygium cardiophyllum*](#) (Merr.) Merr.
- [*Syzygium caroli*](#) Diels
- [*Syzygium carolinense*](#) (Koidz.) Hosok.
- [*Syzygium carrii*](#) T.G.Hartley & L.M.Perry
- [*Syzygium cartilagineum*](#) Merr. & L.M.Perry
- [*Syzygium caryophyllatum*](#) (L.) Alston
- [*Syzygium caryophylliflorum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium caryophylloides*](#) (Lauterb.) Merr. & L.M.Perry
- [*Syzygium casiguranense*](#) (Quisumb.) Merr.
- [*Syzygium castaneum*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium caudatilimum*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium caudatum*](#) (Merr.) Airy Shaw
- [*Syzygium cauliflorum*](#) T.G.Hartley & L.M.Perry
- [*Syzygium cavitense*](#) Merr.

- [*Syzygium celebicum*](#) (Blume) Widodo
- [*Syzygium cephalophorum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium cerasiforme*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium chaili*](#) P.S.Ashton
- [*Syzygium chamaebuxus*](#) Diels
- [*Syzygium championii*](#) (Benth.) Merr. & L.M.Perry
- [*Syzygium chanelii*](#) Tuiwawa & Craven
- [*Syzygium chantaranothaianum*](#) W.K.Soh & J.Parn.
- [*Syzygium chavaran*](#) (Bourd.) Gamble
- [*Syzygium cheesmaniae*](#) Craven & Damas
- [*Syzygium chimanimaniense*](#) Byng
- [*Syzygium chloranthum*](#) (Duthie) Merr. & L.M.Perry
- [*Syzygium chloroleucum*](#) (King) Masam.
- [*Syzygium christmannii*](#) Merr. & L.M.Perry
- [*Syzygium christophersenii*](#) Whistler
- [*Syzygium chunianum*](#) Merr. & L.M.Perry
- [*Syzygium ciliatosetosum*](#) (Merr.) Merr.
- [*Syzygium cinctum*](#) Merr. & L.M.Perry
- [*Syzygium cinnamomeum*](#) (Vidal) Merr.
- [*Syzygium cladopterum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium clavellatum*](#) (Merr.) Merr.
- [*Syzygium claviflorum*](#) (Roxb.) Wall. ex Steud.
- [*Syzygium cleistocalyx*](#) (Merr.) P.S.Ashton
- [*Syzygium clementis*](#) (C.B.Rob.) Merr.
- [*Syzygium cleverifolium*](#) (Yatabe) Makino
- [*Syzygium clusiifolium*](#) (A.Gray) Müll.Berol.
- [*Syzygium clypeolatum*](#) (Ridl.) I.M.Turner
- [*Syzygium coalitum*](#) (Greves) T.G.Hartley & L.M.Perry
- [*Syzygium coarctatum*](#) (Blume) Byng, N.Snow & Peter G.Wilson
- [*Syzygium coccineum*](#) J.W.Dawson
- [*Syzygium combretiflorum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium commersonii*](#) J.Guého & A.J.Scott
- [*Syzygium comorensis*](#) Byng & N.Snow
- [*Syzygium comosum*](#) Widodo
- [*Syzygium conceptionis*](#) Guillaumin
- [*Syzygium concinnum*](#) (A.C.Sm.) Craven & Biffin
- [*Syzygium condensatum*](#) (Baker) Labat & Schatz
- [*Syzygium confertiflorum*](#) (A.Gray) Müll.Berol.
- [*Syzygium confertum*](#) (Korth.) Merr. & L.M.Perry
- [*Syzygium confusum*](#) (Blume) Bakh.f.
- [*Syzygium congestiflorum*](#) H.T.Chang & R.H.Miao
- [*Syzygium congestum*](#) (Merr.) Merr.

- [*Syzygium conglobatum*](#) Merr.
- [*Syzygium conglomeratum*](#) (Duthie) I.M.Turner
- [*Syzygium congolense*](#) Vermoesen
- [*Syzygium conicum*](#) Korth.
- [*Syzygium consanguineum*](#) (Merr.) Merr.
- [*Syzygium consimile*](#) Merr.
- [*Syzygium conspersipunctatum*](#) (Merr. & L.M.Perry) Craven & Biffin
- [*Syzygium contiguum*](#) Brambach, Byng & Culmsee
- [*Syzygium contractum*](#) (Poir.) J.Guého & A.J.Scott
- [*Syzygium copelandii*](#) (C.B.Rob.) Merr.
- [*Syzygium cordatilimum*](#) (Merr.) Merr.
- [*Syzygium cordatum*](#) Hochst. ex C.Krauss
- [*Syzygium cordemoyi*](#) J.Bosser & Cadet
- [*Syzygium cordifoliatum*](#) (Ridl.) I.M.Turner
- [*Syzygium cordifolium*](#) (Wight) Walp.
- [*Syzygium coriaceum*](#) Bosser & J.Guého
- [*Syzygium cormiflorum*](#) (F.Muell.) B.Hyland
- [*Syzygium corneri*](#) Byng & Christenh.
- [*Syzygium cornifolium*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium cornuflorum*](#) P.S.Ashton
- [*Syzygium corticopapyraceum*](#) (Elmer) Merr.
- [*Syzygium corticosum*](#) (Lour.) Merr. & L.M.Perry
- [*Syzygium corymbosum*](#) (Blume) DC.
- [*Syzygium corynanthum*](#) (F.Muell.) L.A.S.Johnson
- [*Syzygium corynocarpum*](#) (A.Gray) Müll.Berol.
- [*Syzygium costulatum*](#) (C.B.Rob.) Merr.
- [*Syzygium courtallense*](#) (Gamble) Alston
- [*Syzygium craibii*](#) Chantar. & J.Parn.
- [*Syzygium crassibracteatum*](#) (Merr.) Merr.
- [*Syzygium crassiflorum*](#) Merr. & L.M.Perry
- [*Syzygium crassilimum*](#) (Merr.) Merr.
- [*Syzygium crassipes*](#) (C.B.Rob.) Merr.
- [*Syzygium crassissimum*](#) (Merr.) Merr.
- [*Syzygium cratermontense*](#) W.N.Takeuchi
- [*Syzygium cravenii*](#) B.J.Conn & Damas
- [*Syzygium creaghii*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium crebrinerve*](#) (C.T.White) L.A.S.Johnson
- [*Syzygium cruriflorum*](#) Diels
- [*Syzygium crypteronioides*](#) P.S.Ashton
- [*Syzygium crystalliferum*](#) Udasco, Garrino, Aumentado, M.G.Rule & Mansibang
- [*Syzygium cucphuongense*](#) W.K.Soh & J.Parn.
- [*Syzygium cumini*](#) (L.) Skeels

- [*Syzygium cuneatum*](#) (Blume) Masam.
- [*Syzygium cuneifolium*](#) (Baker) Byng, N.Snow & Phillipson
- [*Syzygium cuneiforme*](#) Merr. & L.M.Perry
- [*Syzygium curranii*](#) (C.B.Rob.) Merr.
- [*Syzygium curtiflorum*](#) (Elmer) Merr.
- [*Syzygium curtisii*](#) (King) Merr. & L.M.Perry
- [*Syzygium curvistylum*](#) (Gillespie) Merr. & L.M.Perry
- [*Syzygium cuttingii*](#) Merr. & L.M.Perry
- [*Syzygium cyanophyllum*](#) (P.C.Kanjilal & D.Das) Raizada
- [*Syzygium cylindricum*](#) (Wight) Alston
- [*Syzygium cymosum*](#) (Lam.) DC.
- [*Syzygium cyrtophylloides*](#) (Ridl.) I.M.Turner

D-F

- [*Syzygium danguyanum*](#) (H.Perrier) Labat & Schatz
- [*Syzygium dansiei*](#) B.Hyland
- [*Syzygium daphne*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium dasyphyllum*](#) Merr. & L.M.Perry
- [*Syzygium davaoense*](#) (Elmer) Merr.
- [*Syzygium dawsonianum*](#) N.Snow, S.L.Young & Callm.
- [*Syzygium dealatum*](#) (Burkill) A.C.Sm.
- [*Syzygium debruijnii*](#) Craven & Damas
- [*Syzygium decipiens*](#) (Koord. & Valetton) Merr. & L.M.Perry
- [*Syzygium decoriflorum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium decussatum*](#) (A.C.Sm.) Biffin & Craven
- [*Syzygium delicatulum*](#) Merr. & L.M.Perry
- [*Syzygium dempoense*](#) (Greves) Govaerts
- [*Syzygium densiflorum*](#) Wall. ex Wight & Arn.
- [*Syzygium densinervium*](#) (Merr.) Merr.
- [*Syzygium deplanchei*](#) (Guillaumin) J.W.Dawson
- [*Syzygium devogelii*](#) Brambach, Byng & Culmsee
- [*Syzygium dictyoneurum*](#) Diels
- [*Syzygium dielsianum*](#) Merr. & L.M.Perry
- [*Syzygium diffusiflorum*](#) Merr.
- [*Syzygium diffusum*](#) (Turrill) Merr. & L.M.Perry
- [*Syzygium diospyrifolium*](#) (Wall. ex Duthie) S.N.Mitra
- [*Syzygium discophorum*](#) (Koord. & Valetton) Amshoff
- [*Syzygium dispansum*](#) (Ridl.) Craven & Biffin
- [*Syzygium divaricatum*](#) (Merr. & L.M.Perry) Craven & Biffin
- [*Syzygium dolichophyllum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry
- [*Syzygium dolichorhynchum*](#) Diels
- [*Syzygium dolichostylum*](#) (Diels) Merr. & L.M.Perry

- [*Syzygium dubium*](#) (L.M.Perry) A.C.Sm.
- [*Syzygium duplomarginatum*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium dupontii*](#) (Baker) Govaerts
- [*Syzygium durifolium*](#) Merr. & L.M.Perry
- [*Syzygium durum*](#) (Merr.) Merr.
- [*Syzygium duthieanum*](#) (King) Masam.
- [*Syzygium dyerianum*](#) (King) Chantar. & J.Parn.
- [*Syzygium ebaloi*](#) Merr.
- [*Syzygium ecostulatum*](#) (Elmer) Merr.
- [*Syzygium effusum*](#) (A.Gray) Müll.Berol.
- [*Syzygium elegans*](#) (Brongn. & Gris) J.W.Dawson
- [*Syzygium elephantinum*](#) Tagane
- [*Syzygium elliptifolium*](#) (Merr.) Merr.
- [*Syzygium elliptilimum*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium elopuræ*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium emirnense*](#) (Baker) Labat & Schatz
- [*Syzygium endophloium*](#) B.Hyland
- [*Syzygium erythranthum*](#) Merr. & L.M.Perry
- [*Syzygium erythrocalyx*](#) (C.T.White) B.Hyland
- [*Syzygium erythroxum*](#) (S.Moore) B.Hyland
- [*Syzygium erythropetalum*](#) T.G.Hartley & L.M.Perry
- [*Syzygium escritorii*](#) Merr.
- [*Syzygium eucalyptoides*](#) (F.Muell.) B.Hyland
- [*Syzygium eugeniiforme*](#) P.S.Ashton
- [*Syzygium eugenoides*](#) (F.Muell.) Biffin & Craven
- [*Syzygium euonymifolium*](#) (F.P.Metcalf) Merr. & L.M.Perry
- [*Syzygium euphlebiu*](#) (Hayata) Mori
- [*Syzygium evenulosum*](#) Merr. & L.M.Perry
- [*Syzygium everettii*](#) (C.B.Rob.) Merr.
- [*Syzygium eximiiflorum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium eymæ*](#) Brambach, Byng & Culmsee
- [*Syzygium faciflorum*](#) P.S.Ashton
- [*Syzygium fastigiatum*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium fazangii*](#) Craven & Damas
- [*Syzygium fenicis*](#) (C.B.Rob.) Merr.
- [*Syzygium fergusonii*](#) (Trimen) Gamble
- [*Syzygium fibrosum*](#) (F.M.Bailey) T.G.Hartley & L.M.Perry
- [*Syzygium fijiense*](#) L.M.Perry
- [*Syzygium filiflorum*](#) J.W.Dawson
- [*Syzygium filiforme*](#) Chantar. & J.Parn.
- [*Syzygium filipes*](#) Merr.
- [*Syzygium finisterræ*](#) (Lauterb.) Merr. & L.M.Perry

- [*Syzygium fischeri*](#) (Merr.) Merr.
- [*Syzygium flabellum*](#) Tuiwawa & Craven
- [*Syzygium flagrimonte*](#) P.S.Ashton
- [*Syzygium flavescens*](#) Merr. & L.M.Perry
- [*Syzygium flavidum*](#) T.G.Hartley & L.M.Perry
- [*Syzygium floribundum*](#) F.Muell.
- [*Syzygium flosculiferum*](#) (M.R.Hend.) Sreek.
- [*Syzygium fluviatile*](#) (Hemsl.) Merr. & L.M.Perry
- [*Syzygium fluvicola*](#) (T.G.Hartley & Craven) Craven & Biffin
- [*Syzygium folidorhachis*](#) Merr. & L.M.Perry
- [*Syzygium foremanii*](#) Craven & Damas
- [*Syzygium formosanum*](#) (Hayata) K.Mori
- [*Syzygium formosum*](#) (Wall.) Mason
- [*Syzygium forrestii*](#) Merr. & L.M.Perry
- [*Syzygium forte*](#) (F.Muell.) B.Hyland
- [*Syzygium fossiramulosum*](#) P.S.Ashton
- [*Syzygium foxworthianum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium foxworthyi*](#) (Elmer) Merr.
- [*Syzygium francii*](#) (Guillaumin) N.Snow, Byng & Munzinger
- [*Syzygium francisii*](#) (F.M.Bailey) L.A.S.Johnson
- [*Syzygium fraserense*](#) Byng & Christenh.
- [*Syzygium fraternum*](#) Miq.
- [*Syzygium fratris*](#) Craven
- [*Syzygium frodinii*](#) Craven & Damas
- [*Syzygium frutescens*](#) Brongn. & Gris
- [*Syzygium fullagarii*](#) (F.Muell.) Craven
- [*Syzygium fulvotomentosum*](#) P.S.Ashton
- [*Syzygium furfuraceum*](#) Merr. & L.M.Perry
- [*Syzygium fuscescens*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium fusticuliferum*](#) (Ridl.) Merr. & L.M.Perry

G-I

- [*Syzygium gageanum*](#) (King) I.M.Turner
- [*Syzygium galanthum*](#) Brambach, Byng & Culmsee
- [*Syzygium ganophyllum*](#) Diels
- [*Syzygium garciae*](#) (Merr.) Merr.
- [*Syzygium garcinifolioides*](#) (M.R.Hend.) Byng & Christenh.
- [*Syzygium garciniifolium*](#) (King) Merr. & L.M.Perry
- [*Syzygium garcinioides*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium gardneri*](#) Thwaites
- [*Syzygium gaultherioides*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium georgeae*](#) P.S.Ashton

- [*Syzygium germainii*](#) Amshoff
- [*Syzygium gerrardi*](#) (Harv. ex Hook.f.) Hochst. ex Burt Davy
- [*Syzygium gigantifolium*](#) (Merr.) Merr.
- [*Syzygium gillespiei*](#) Merr. & L.M.Perry
- [*Syzygium gillettii*](#) De Wild.
- [*Syzygium gillisonii*](#) Craven & Damas
- [*Syzygium giorgii*](#) De Wild.
- [*Syzygium gitingense*](#) (Elmer) Merr.
- [*Syzygium gjellerupii*](#) Lauterb.
- [*Syzygium glabratum*](#) (DC.) Veldkamp
- [*Syzygium gladiatum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium glanduligerum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium glaucissimum*](#) (Haines) Rathakr. & N.C.Nair
- [*Syzygium glaucum*](#) (King) Chantar. & J.Parn.
- [*Syzygium glenum*](#) Craven
- [*Syzygium globiflorum*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium globosum*](#) (Elmer) Merr.
- [*Syzygium glomeratum*](#) (Lam.) DC.
- [*Syzygium glomerulatum*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium glomeruliferum*](#) Amshoff
- [*Syzygium gonatanthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium goniocalyx*](#) (Lauterb.) Merr. & L.M.Perry
- [*Syzygium goniopterum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium gonshanense*](#) P.Y.Bai
- [*Syzygium goodenovii*](#) (King) Masam.
- [*Syzygium gracilipaniculum*](#) P.S.Ashton
- [*Syzygium gracilipes*](#) (A.Gray) Merr. & L.M.Perry
- [*Syzygium graeffei*](#) Whistler
- [*Syzygium graeme-andersoniae*](#) (Ridl.) I.M.Turner
- [*Syzygium grande*](#) (Wight) Walp.
- [*Syzygium grandifolium*](#) Mansibang & Pelser
- [*Syzygium graveolens*](#) (F.M.Bailey) Craven & Biffin
- [*Syzygium grayi*](#) (Seem.) Merr. & L.M.Perry
- [*Syzygium grevesianum*](#) Merr. & L.M.Perry
- [*Syzygium griffithii*](#) (Duthie) Merr. & L.M.Perry
- [*Syzygium grijsii*](#) (Hance) Merr. & L.M.Perry
- [*Syzygium griseum*](#) (C.B.Rob.) Airy Shaw
- [*Syzygium guamense*](#) Byng
- [*Syzygium quangxiense*](#) H.T.Chang & R.H.Miao
- [*Syzygium guehoi*](#) Bosser & Florens
- [*Syzygium guillauminii*](#) J.W.Dawson
- [*Syzygium guineense*](#) (Willd.) DC.

- [*Syzygium gununganum*](#) Byng & Christenh.
- [*Syzygium gustavioides*](#) (F.M.Bailey) B.Hyland
- [*Syzygium gyrostemoneum*](#) Diels
- [*Syzygium hainanense*](#) H.T.Chang & R.H.Miao
- [*Syzygium halophilum*](#) (Merr.) Masam.
- [*Syzygium hancei*](#) Merr. & L.M.Perry
- [*Syzygium handelii*](#) Merr. & L.M.Perry
- [*Syzygium haniffii*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium harmandii*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium hartleyi*](#) Craven & Damas
- [*Syzygium havilandii*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium hebephyllum*](#) Melville
- [*Syzygium hedraiophyllum*](#) (F.Muell.) Craven & Biffin
- [*Syzygium helferi*](#) (Duthie) Chantar. & J.Parn.
- [*Syzygium heloanthum*](#) Diels
- [*Syzygium hemachandrae*](#) Jayasinghe
- [*Syzygium hemilamprum*](#) (F.Muell.) Craven & Biffin
- [*Syzygium hemisphericum*](#) (Wight) Alston
- [*Syzygium hemsleyanum*](#) (King) Chantar. & J.Parn.
- [*Syzygium hendersonii*](#) Merr.
- [*Syzygium hentyi*](#) Craven & Damas
- [*Syzygium heterobotrys*](#) Merr. & L.M.Perry
- [*Syzygium hirtum*](#) (Korth.) Merr. & L.M.Perry
- [*Syzygium hodgkinsoniae*](#) (F.Muell.) L.A.S.Johnson
- [*Syzygium holtumii*](#) (Ridl.) Byng & Christenh.
- [*Syzygium homichlophilum*](#) Diels
- [*Syzygium honbaense*](#) Tagane, V.S.Dang & Yahara
- [*Syzygium hooglandii*](#) Craven & Damas
- [*Syzygium hookeri*](#) M.V.Ramana, Chorghe & Venu
- [*Syzygium horsfieldii*](#) (Miq.) Widodo
- [*Syzygium hoseanum*](#) (King) Merr. & L.M.Perry
- [*Syzygium houttuynii*](#) Merr. & L.M.Perry
- [*Syzygium houttuyniifolia*](#) P.S.Ashton
- [*Syzygium howii*](#) Merr. & L.M.Perry
- [*Syzygium hughcumingii*](#) Merr.
- [*Syzygium huillense*](#) (Hiern) Engl.
- [*Syzygium hullettianum*](#) (King) Chantar. & J.Parn.
- [*Syzygium humbertii*](#) Byng
- [*Syzygium humblotii*](#) Labat & Schatz
- [*Syzygium hutchinsonii*](#) (C.B.Robinson) Merr.
- [*Syzygium hylochare*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium hylophilum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry

- [*Syzygium hypsipetes*](#) Airy Shaw
- [*Syzygium idanum*](#) Craven & Damas
- [*Syzygium idrisii*](#) P.S.Ashton
- [*Syzygium ignambiense*](#) (Baker f.) N.Snow & Byng
- [*Syzygium iliasii*](#) P.S.Ashton
- [*Syzygium ilocanum*](#) (Merr.) Merr.
- [*Syzygium imitans*](#) Merr. & L.M.Perry
- [*Syzygium imperiale*](#) P.S.Ashton
- [*Syzygium impressum*](#) N.H.Xia, Y.F.Deng & K.L.Yip
- [*Syzygium inasense*](#) (King) I.M.Turner
- [*Syzygium incarnatum*](#) (Elmer) Merr. & L.M.Perry
- [*Syzygium incrassatum*](#) (Elmer) Merr.
- [*Syzygium infrarubiginosum*](#) H.T.Chang & R.H.Miao
- [*Syzygium ingens*](#) (F.Muell. ex C.Moore) Craven & Biffin
- [*Syzygium inophylloides*](#) (A.Gray) Müll.Berol.
- [*Syzygium inophyllum*](#) DC.
- [*Syzygium inopinatum*](#) Amshoff
- [*Syzygium insulare*](#) T.G.Hartley & L.M.Perry
- [*Syzygium* × *intermedium*](#) Engl. & Brehmer
- [*Syzygium intumescens*](#) (C.B.Rob.) Merr.
- [*Syzygium isabelense*](#) (Quisumb.) Merr.
- [*Syzygium iteophyllum*](#) Diels
- [*Syzygium iwahigense*](#) (Elmer) Merr.
- [*Syzygium ixoroides*](#) Chantar. & J.Parn.

J-L

- [*Syzygium jaffrei*](#) J.W.Dawson
- [*Syzygium jaherii*](#) Merr. & L.M.Perry
- [*Syzygium jainii*](#) Harid. & R.R.Rao
- [*Syzygium jambos*](#) (L.) Alston
- [*Syzygium jasminifolium*](#) (Ridl.) Chantar. & J.Parn.
- [*Syzygium jienfunicum*](#) H.T.Chang & R.H.Miao
- [*Syzygium jiewhoei*](#) Hambali, Sunarti & Y.W.Low
- [*Syzygium johnsonii*](#) (F.Muell.) B.Hyland
- [*Syzygium jugorum*](#) (Craib) Byng & Christenh.
- [*Syzygium kabaense*](#) (Greves) Govaerts
- [*Syzygium kajewskii*](#) Guillaumin
- [*Syzygium kalahiense*](#) Korth.
- [*Syzygium kampoense*](#) Chantar.
- [*Syzygium kanneliyense*](#) Kosterm.
- [*Syzygium karimatense*](#) Merr. & L.M.Perry
- [*Syzygium kemamanense*](#) (M.R.Hend.) I.M.Turner

- [*Syzygium keroanthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium kerrii*](#) Chantar. & J.Parn.
- [*Syzygium kerstingii*](#) Engl.
- [*Syzygium ketambense*](#) Widodo
- [*Syzygium keysseri*](#) (Schltr. ex Diels) Merr. & L.M.Perry
- [*Syzygium khaoyaiense*](#) (Chantar. & J.Parn.) Craven & Biffin
- [*Syzygium khasianum*](#) (Duthie) N.P.Balacr.
- [*Syzygium khoonmengianum*](#) P.S.Ashton
- [*Syzygium kiahii*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium kiauense*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium kinabaluense*](#) (Stapf) Merr. & L.M.Perry
- [*Syzygium kipidamasii*](#) W.N.Takeuchi
- [*Syzygium klampok*](#) (Miq.) Amshoff
- [*Syzygium klossii*](#) (Ridl.) Masam.
- [*Syzygium koghianum*](#) Petitm. & Bonati
- [*Syzygium kokomo*](#) Craven
- [*Syzygium komatiense*](#) Byng & Pahlad.
- [*Syzygium koniamboense*](#) J.W.Dawson
- [*Syzygium koordersianum*](#) (King) I.M.Turner
- [*Syzygium korthalsianum*](#) (Miq.) Miq.
- [*Syzygium korthalsii*](#) Widodo
- [*Syzygium kosteri*](#) Craven & Damas
- [*Syzygium koumacense*](#) J.W.Dawson
- [*Syzygium kriegeri*](#) (Guillaumin) J.W.Dawson
- [*Syzygium kudatense*](#) P.S.Ashton
- [*Syzygium kuebiniense*](#) J.W.Dawson
- [*Syzygium kui*](#) Craven & Damas
- [*Syzygium kuiense*](#) B.J.Conn & Damas
- [*Syzygium kuneneense*](#) Swanepoel & A.E.van Wyk
- [*Syzygium kunstleri*](#) (King) Bahadur & R.C.Gaur
- [*Syzygium kuranda*](#) (F.M.Bailey) B.Hyland
- [*Syzygium kurzii*](#) (Duthie) N.P.Balacr.
- [*Syzygium kusukusuense*](#) (Hayata) Mori
- [*Syzygium kutubuense*](#) Craven & Damas
- [*Syzygium kwangtungense*](#) (Merr.) Merr.
- [*Syzygium lababiense*](#) B.J.Conn & Damas
- [*Syzygium labatii*](#) Byng & N.Snow
- [*Syzygium lacustre*](#) (C.B.Rob.) Merr.
- [*Syzygium laetum*](#) (Buch.-Ham.) Gandhi
- [*Syzygium lagerstroemioides*](#) Merr. & L.M.Perry
- [*Syzygium lakshnakarae*](#) Chantar. & J.Parn.
- [*Syzygium lambireense*](#) P.S.Ashton

- [*Syzygium lamii*](#) Merr. & L.M.Perry
- [*Syzygium lampeapiense*](#) Sunarti & Rugayah
- [*Syzygium lamprophyllum*](#) Diels
- [*Syzygium lanceolarium*](#) (Roxb.) N.P.Balacr.
- [*Syzygium lanceolatum*](#) (Lam.) Wight & Arn.
- [*Syzygium lancilimbus*](#) (Merr.) Merr.
- [*Syzygium laqueatum*](#) Merr. & L.M.Perry
- [*Syzygium lasianthifolium*](#) H.T.Chang & R.H.Miao
- [*Syzygium lateriflorum*](#) Brongn. & Gris
- [*Syzygium latifolium*](#) (Poir.) DC.
- [*Syzygium laurifolium*](#) (DC.) N.P.Balacr.
- [*Syzygium laxeracemosum*](#) (Guillaumin) J.W.Dawson
- [*Syzygium laxiflorum*](#) (Blume) DC.
- [*Syzygium lecardii*](#) Guillaumin
- [*Syzygium legatii*](#) Burt Davy & Greenway
- [*Syzygium lehuntii*](#) (F.M.Bailey) Merr. & L.M.Perry
- [*Syzygium lenbrassii*](#) Craven & Biffin
- [*Syzygium leonhardii*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium leptoneurum*](#) Diels
- [*Syzygium leptophlebioides*](#) Merr. & L.M.Perry
- [*Syzygium leptophlebium*](#) Diels
- [*Syzygium leptopodium*](#) Merr. & L.M.Perry
- [*Syzygium leptostemon*](#) (Korth.) Merr. & L.M.Perry
- [*Syzygium leucanthum*](#) L.M.Perry
- [*Syzygium leucocladum*](#) Merr. & L.M.Perry
- [*Syzygium leucoxydon*](#) Korth.
- [*Syzygium levinei*](#) (Merr.) Merr.
- [*Syzygium lewisii*](#) Alston
- [*Syzygium leyense*](#) (Elmer) Merr.
- [*Syzygium lifuanum*](#) Däniker
- [*Syzygium linocieroides*](#) (King) I.M.Turner
- [*Syzygium littorale*](#) (Blume) Amshoff
- [*Syzygium littorosum*](#) Byng
- [*Syzygium llanosii*](#) (Merr.) Merr.
- [*Syzygium loiseleurii*](#) (Baker) Govaerts
- [*Syzygium longifolium*](#) (Brongn. & Gris) J.W.Dawson
- [*Syzygium longipedicellatum*](#) (Merr.) Merr.
- [*Syzygium longipes*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium longipetiolatum*](#) Widodo
- [*Syzygium longissimum*](#) (Merr.) Merr.
- [*Syzygium longistylum*](#) (Merr.) Merr.
- [*Syzygium lorentzianum*](#) Lauterb.

- [*Syzygium lorofolium*](#) Merr.
- [*Syzygium ludovicii*](#) N.Snow
- [*Syzygium luehmannii*](#) (F.Muell.) L.A.S.Johnson
- [*Syzygium lugubre*](#) (H.Perrier) Labat & Schatz
- [*Syzygium lunduense*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium luteum*](#) (C.B.Rob.) Merr.
- [*Syzygium luzonense*](#) (Merr.) Merr.

M-O

- [*Syzygium macgregorii*](#) (C.B.Rob.) Merr.
- [*Syzygium macilwraithianum*](#) B.Hyland
- [*Syzygium mackinnonianum*](#) (B.Hyland) Craven & Biffin
- [*Syzygium macranthum*](#) Brongn. & Gris
- [*Syzygium macrocalyx*](#) Merr. & L.M.Perry
- [*Syzygium macromyrtus*](#) (Koord. & Valetton) Merr. & L.M.Perry
- [*Syzygium madangense*](#) T.G.Hartley & L.M.Perry
- [*Syzygium magnoliifolium*](#) (Blume) DC.
- [*Syzygium maingayi*](#) Chantar. & J.Parn.
- [*Syzygium mainitense*](#) (Elmer) Merr.
- [*Syzygium maire*](#) (A.Cunn.) Sykes & Garn.-Jones
- [*Syzygium makul*](#) Gaertn.
- [*Syzygium malabaricum*](#) (Bedd.) Gamble
- [*Syzygium malaccense*](#) (L.) Merr. & L.M.Perry
- [*Syzygium malagsam*](#) (Elmer) Merr.
- [*Syzygium mamillatum*](#) Bosser & J.Guého
- [*Syzygium mananquil*](#) (Blanco) Merr.
- [*Syzygium maneauense*](#) Craven & Damas
- [*Syzygium manii*](#) (King) N.P.Balacr.
- [*Syzygium maraca*](#) Craven & Biffin
- [*Syzygium marginatum*](#) Korth.
- [*Syzygium martelinoi*](#) (Merr.) Merr.
- [*Syzygium masukuense*](#) (Baker) R.E.Fr.
- [*Syzygium mauritianum*](#) J.Guého & A.J.Scott
- [*Syzygium mauritsii*](#) Govaerts
- [*Syzygium medium*](#) (Korth.) Merr. & L.M.Perry
- [*Syzygium megalanthum*](#) (C.B.Rob.) Merr.
- [*Syzygium megalospermum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry
- [*Syzygium megistophyllum*](#) Merr. & L.M.Perry
- [*Syzygium melanophilum*](#) H.T.Chang & R.H.Miao
- [*Syzygium melanostictum*](#) (Miq.) Craven & Biffin
- [*Syzygium melastomifolium*](#) (Blume) Veldkamp
- [*Syzygium melliodorum*](#) (C.B.Rob.) Merr.

- [*Syzygium meorianum*](#) J.W.Dawson
- [*Syzygium merokense*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium merrittianum*](#) (C.B.Rob.) Merr.
- [*Syzygium mesekerrak*](#) Lorence & Byng
- [*Syzygium micans*](#) Brongn. & Gris
- [*Syzygium micklethwaitii*](#) Verdc.
- [*Syzygium micrandrum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium micranthum*](#) Thwaites
- [*Syzygium microcymum*](#) (Koord. & Valetton) Amshoff
- [*Syzygium microphyllum*](#) Gamble
- [*Syzygium micropodum*](#) (Baker) Labat & Schatz
- [*Syzygium millariae*](#) Craven & Damas
- [*Syzygium millsii*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium mimicum*](#) (Merr.) Merr.
- [*Syzygium mindorensense*](#) (C.B.Rob.) Masam.
- [*Syzygium minimum*](#) (Blume) Airy Shaw
- [*Syzygium minus*](#) A.C.Sm.
- [*Syzygium minutiflorum*](#) Miq.
- [*Syzygium minutuliflorum*](#) (F.Muell.) B.Hyland
- [*Syzygium mirabile*](#) (Merr.) Merr.
- [*Syzygium mirandae*](#) (Merr.) Merr.
- [*Syzygium mishmiense*](#) Chatterjee
- [*Syzygium monetarium*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium monimioides*](#) Craven
- [*Syzygium monospermum*](#) Craven
- [*Syzygium montanum*](#) Gamble
- [*Syzygium monticola*](#) Merr. & L.M.Perry
- [*Syzygium montis-adam*](#) Kosterm.
- [*Syzygium montis-venetus*](#) Craven
- [*Syzygium moorei*](#) (F.Muell.) L.A.S.Johnson
- [*Syzygium mortonianum*](#) Byng
- [*Syzygium mouanum*](#) Guillaumin
- [*Syzygium moultonii*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium muelleri*](#) (Miq.) Miq.
- [*Syzygium mulgraveanum*](#) (B.Hyland) Craven & Biffin
- [*Syzygium multibracteolatum*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium multiglandulosum*](#) Merr. & L.M.Perry
- [*Syzygium multinerve*](#) (C.B.Rob.) Merr.
- [*Syzygium multipetalum*](#) Pancher ex Brongn. & Gris
- [*Syzygium multipuncticulatum*](#) Merr.
- [*Syzygium mundagam*](#) (Bourd.) Chithra
- [*Syzygium munnarensense*](#) Shareef, P.E.Roy & Krishnaraj

- [*Syzygium munroi*](#) (Wight) Chandrab.
- [*Syzygium myhendrae*](#) (Bedd. ex Brandis) Gamble
- [*Syzygium myriadenum*](#) Merr. & L.M.Perry
- [*Syzygium myrianthum*](#) (King) I.M.Turner
- [*Syzygium myrsinifolium*](#) (Hance) Merr. & L.M.Perry
- [*Syzygium myrtifolium*](#) Walp.
- [*Syzygium myrtilloides*](#) Merr. & L.M.Perry
- [*Syzygium myrtillus*](#) (Stapf) Merr. & L.M.Perry
- [*Syzygium myrtoides*](#) (A.Gray) R.Schmid
- [*Syzygium naiadum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium namborenses*](#) D.Dey, N.Devi & J.Sarma
- [*Syzygium namosialangense*](#) Widodo & E.Lucas
- [*Syzygium nandarivatense*](#) (Gillespie) L.M.Perry
- [*Syzygium nanpingense*](#) Y.Y.Qian
- [*Syzygium nanum*](#) J.W.Dawson
- [*Syzygium napiforme*](#) (Koord. & Valetton) Merr. & L.M.Perry
- [*Syzygium neesianum*](#) Arn.
- [*Syzygium nemorale*](#) Merr. & L.M.Perry
- [*Syzygium neocaledonicum*](#) (Seem.) J.W.Dawson
- [*Syzygium neo Eugenioides*](#) N.Snow, Byng & J.W.Dawson
- [*Syzygium neolaurifolium*](#) N.Snow & Byng
- [*Syzygium neriifolium*](#) Becc. ex Merr. & L.M.Perry
- [*Syzygium nervosum*](#) DC.
- [*Syzygium neurocalyx*](#) (A.Gray) Christoph.
- [*Syzygium neurophyllum*](#) N.Snow
- [*Syzygium ngadimanianum*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium ngheanense*](#) N.S.Lý, N.D.Do & T.H.Lê
- [*Syzygium ngoyense*](#) (Schltr.) Guillaumin
- [*Syzygium niassense*](#) Byng & J.E.Burrows
- [*Syzygium nicobaricum*](#) (King) Rathakr. & N.C.Nair
- [*Syzygium nidie*](#) Guillaumin
- [*Syzygium nigrans*](#) (Gagnep.) Craven & Biffin
- [*Syzygium nigricans*](#) (King) Merr. & L.M.Perry
- [*Syzygium nigropunctatum*](#) Merr. & L.M.Perry
- [*Syzygium nitens*](#) J.W.Dawson
- [*Syzygium nitidulum*](#) (Ridl.) I.M.Turner
- [*Syzygium nitidum*](#) Benth.
- [*Syzygium nitrasirirakii*](#) Chantar. & J.Parn.
- [*Syzygium nivae*](#) Barbhuiya, J.Sarma & S.Dey
- [*Syzygium nomoa*](#) Guillaumin
- [*Syzygium normaniensis*](#) T.G.Hartley & L.M.Perry
- [*Syzygium novoguineense*](#) Merr. & L.M.Perry

- [*Syzygium novotnyi*](#) Craven & Damas
- [*Syzygium nummularium*](#) Airy Shaw
- [*Syzygium nusatenggaraense*](#) Sunarti & Y.W.Low
- [*Syzygium nutans*](#) Merr. & L.M.Perry
- [*Syzygium oblanceolatum*](#) (C.B.Rob.) Merr.
- [*Syzygium oblancilimbium*](#) H.T.Chang & R.H.Miao
- [*Syzygium oblatum*](#) (Roxb.) Wall. ex A.M.Cowan & Cowan
- [*Syzygium obliquinervium*](#) (Elmer) Merr.
- [*Syzygium oblongifolium*](#) (Gillespie) Merr. & L.M.Perry
- [*Syzygium occidentale*](#) (Bourd.) Gandhi
- [*Syzygium occlusum*](#) Miq.
- [*Syzygium odoardo*](#) Merr. & L.M.Perry
- [*Syzygium odoratum*](#) (Lour.) DC.
- [*Syzygium oleosum*](#) (F.Muell.) B.Hyland
- [*Syzygium oligadelphum*](#) (Christoph.) Merr. & L.M.Perry
- [*Syzygium oliganthum*](#) Thwaites
- [*Syzygium oligomyrum*](#) Diels
- [*Syzygium omissum*](#) Mansibang & Fernando
- [*Syzygium onesimum*](#) Merr. & L.M.Perry
- [*Syzygium onivense*](#) (H.Perrier) Labat & Schatz
- [*Syzygium oransbariense*](#) Mustaqim, Y.W.Low & Heatubun
- [*Syzygium oreophilum*](#) I.M.Turner
- [*Syzygium orites*](#) (Ridl.) I.M.Turner
- [*Syzygium orthoneurum*](#) Diels
- [*Syzygium ovale*](#) Korth.
- [*Syzygium ovalifolium*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium owariense*](#) (P.Beauv.) Benth.
- [*Syzygium oxyphyllum*](#) Diels

P

- [*Syzygium pachyanthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium pachycladum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry
- [*Syzygium pachyphyllum*](#) (Kurz) Merr. & L.M.Perry
- [*Syzygium pachyrrachis*](#) Amshoff
- [*Syzygium pachysarcum*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium pachysepalum*](#) Merr. & L.M.Perry
- [*Syzygium padangense*](#) Widodo & E.Lucas
- [*Syzygium pahangense*](#) (Ridl.) I.M.Turner
- [*Syzygium palauense*](#) (Kaneh.) Hosok.
- [*Syzygium palawanense*](#) (C.B.Rob.) Merr. & L.M.Perry
- [*Syzygium palghatense*](#) Gamble
- [*Syzygium pallens*](#) Merr. & L.M.Perry

- [*Syzygium pallidilimbum*](#) Merr. & L.M.Perry
- [*Syzygium pallidulum*](#) (Ridl.) I.M.Turner
- [*Syzygium pallidum*](#) Merr.
- [*Syzygium palodense*](#) Shareef, E.S.S.Kumar & Shaju
- [*Syzygium paludosum*](#) P.S.Ashton
- [*Syzygium panayense*](#) (Merr.) Merr.
- [*Syzygium pancheri*](#) Brongn. & Gris
- [*Syzygium panduriforme*](#) (Elmer) Merr.
- [*Syzygium paniculatum*](#) Gaertn.
- [*Syzygium paniense*](#) (Baker f.) J.W.Dawson
- [*Syzygium panzeri*](#) Merr. & L.M.Perry
- [*Syzygium papillosum*](#) (Duthie) Merr. & L.M.Perry
- [*Syzygium papyraceum*](#) B.Hyland
- [*Syzygium paradoxum*](#) (Merr.) Masam.
- [*Syzygium paraiense*](#) Merr. & L.M.Perry
- [*Syzygium parameswaranii*](#) M.Mohanan & A.N.Henry
- [*Syzygium parkeri*](#) (Baker) Labat & Schatz
- [*Syzygium parnellii*](#) Byng & Christenh.
- [*Syzygium parvicarpum*](#) J.W.Dawson
- [*Syzygium parvifolium*](#) (Engl.) Mildbr.
- [*Syzygium parvipomum*](#) Fernando & Mansibang
- [*Syzygium parvulum*](#) Mildbr. ex Amshoff
- [*Syzygium pascasioii*](#) (Merr.) Merr.
- [*Syzygium patens*](#) Korth.
- [*Syzygium patentinerve*](#) Christoph.
- [*Syzygium patentinervium*](#) (P.S.Ashton) Byng & Christenh.
- [*Syzygium paucinervium*](#) (Chantar. & J.Parn.) Byng & Christenh.
- [*Syzygium paucipunctatum*](#) (Koord. & Valetton) Merr. & L.M.Perry
- [*Syzygium paucivenium*](#) (C.B.Rob.) Merr.
- [*Syzygium pauper*](#) (Ridl.) I.M.Turner
- [*Syzygium pellucidum*](#) (Duthie) N.P.Balakr.
- [*Syzygium penasii*](#) (Merr.) Merr.
- [*Syzygium pendens*](#) (Duthie) I.M.Turner
- [*Syzygium pendulinum*](#) J.W.Dawson
- [*Syzygium penibukanense*](#) Merr. & L.M.Perry
- [*Syzygium pennelii*](#) (Guillaumin) J.W.Dawson
- [*Syzygium peregrinum*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium perforatum*](#) (Miq.) Widodo
- [*Syzygium pergamaceum*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium pergamentaceum*](#) (King) Chantar. & J.Parn.
- [*Syzygium periyarensense*](#) Augustine & Sasidh.
- [*Syzygium perryae*](#) I.M.Turner

- [*Syzygium perspicuinervium*](#) (Merr.) Masam.
- [*Syzygium petakense*](#) Merr. & L.M.Perry
- [*Syzygium petraeum*](#) Diels
- [*Syzygium petrinense*](#) Bosser & J.Guého
- [*Syzygium petrophilum*](#) Merr. & L.M.Perry
- [*Syzygium phacelanthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium phaeophyllum*](#) Merr. & L.M.Perry
- [*Syzygium phaeostictum*](#) Merr. & L.M.Perry
- [*Syzygium phamhoangii*](#) Tagane, V.S.Dang & Yahara
- [*Syzygium phanerophlebium*](#) (C.B.Rob.) Merr.
- [*Syzygium phengklaii*](#) (Chantar. & J.Parn.) Craven & Biffin
- [*Syzygium philippinense*](#) (C.B.Rob.) Merr.
- [*Syzygium phillyreifolium*](#) (Baker) Labat & Schatz
- [*Syzygium phoukhaokhouayense*](#) Soulad., Tagane & Yahara
- [*Syzygium phryganodes*](#) Merr. & L.M.Perry
- [*Syzygium pierrei*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium pilgerianum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry
- [*Syzygium piluliferum*](#) Craven & Biffin
- [*Syzygium platycarpum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium platypodum*](#) Diels
- [*Syzygium plumbeum*](#) (King) I.M.Turner
- [*Syzygium plumeum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium pluviatile*](#) T.G.Hartley & L.M.Perry
- [*Syzygium polisense*](#) Merr.
- [*Syzygium politum*](#) (King) I.M.Turner
- [*Syzygium polyanthum*](#) (Wight) Walp.
- [*Syzygium polycephaloides*](#) (C.B.Rob.) Merr.
- [*Syzygium polycephalum*](#) (Miq.) Merr. & L.M.Perry
- [*Syzygium polypetaloides*](#) Merr. & L.M.Perry
- [*Syzygium polypetalum*](#) (Wall.) Merr. & L.M.Perry
- [*Syzygium polyphlebium*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium pondoense*](#) Engl.
- [*Syzygium ponmudianum*](#) A.K.Sreekala, Ramas., D.S.Pillai & Surendr.
- [*Syzygium pontianakense*](#) Merr. & L.M.Perry
- [*Syzygium populifolium*](#) (Baker) J.Guého & A.J.Scott
- [*Syzygium porphyranthum*](#) (Ridl.) I.M.Turner
- [*Syzygium porphyrocarpum*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium potamicum*](#) Kosterm.
- [*Syzygium poyanum*](#) J.W.Dawson
- [*Syzygium praecox*](#) (Roxb.) Rathakr. & N.C.Nair
- [*Syzygium praestantilimum*](#) P.S.Ashton
- [*Syzygium praestigiosum*](#) (M.R.Hend.) I.M.Turner

- [*Syzygium praetermissum*](#) (Gage) N.P.Balakr.
- [*Syzygium prainianum*](#) (King) Chantar. & J.Parn.
- [*Syzygium prasiniflorum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium pratense*](#) Byng
- [*Syzygium pringlei*](#) (B.Hyland) Craven & Biffin
- [*Syzygium prolatum*](#) Craven & Damas
- [*Syzygium propinquum*](#) (Guillaumin) J.W.Dawson
- [*Syzygium pseudocalcicola*](#) Craven & Biffin
- [*Syzygium pseudoclaviflorum*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium pseudofastigiatum*](#) B.Hyland
- [*Syzygium pseudolaetum*](#) (C.E.C.Fisch.) Merr. & L.M.Perry
- [*Syzygium pseudomalaccense*](#) (Vieill. ex Brongn. & Gris) Govaerts
- [*Syzygium pseudomegistophyllum*](#) W.N.Takeuchi
- [*Syzygium pseudomolle*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium pseudopinnatum*](#) Däniker
- [*Syzygium pterocalyx*](#) Brongn. & Gris
- [*Syzygium pterocarpum*](#) (Vieill. ex Pancher & Sebert) Govaerts
- [*Syzygium pterophorum*](#) Merr. & L.M.Perry
- [*Syzygium pteropodum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry
- [*Syzygium pterotum*](#) B.J.Conn & Damas
- [*Syzygium puberulum*](#) Merr. & L.M.Perry
- [*Syzygium pulaiense*](#) I.M.Turner
- [*Syzygium pulgarensense*](#) (C.B.Rob.) Merr.
- [*Syzygium pullei*](#) Diels
- [*Syzygium punctilimbum*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium purpureum*](#) (L.M.Perry) A.C.Sm.
- [*Syzygium purpuricarpum*](#) N.Snow
- [*Syzygium purpuriflorum*](#) (Elmer) Merr.
- [*Syzygium pustulatum*](#) (Duthie) Merr.
- [*Syzygium putii*](#) Chantar. & J.Parn.
- [*Syzygium pycnanthum*](#) Merr. & L.M.Perry
- [*Syzygium pyneei*](#) Byng, V.Florens & Baider
- [*Syzygium pyrifolium*](#) (Blume) DC.
- [*Syzygium pyriforme*](#) Merr. & L.M.Perry
- [*Syzygium pyrocarpum*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium pyrrophloeum*](#) Diels

Q-R

- [*Syzygium quadrangulare*](#) Guillaumin
- [*Syzygium quadrangulatum*](#) (A.Gray) Merr. & L.M.Perry
- [*Syzygium quadratum*](#) (King) I.M.Turner
- [*Syzygium quadrialatum*](#) Teijsm. & Binn.

- [*Syzygium quadribracteatum*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium quadricostatum*](#) P.S.Ashton
- [*Syzygium quadrisepalum*](#) (P.S.Ashton) Byng & Christenh.
- [*Syzygium quoctrianum*](#) W.K.Soh, H.V.Sam & J.Parn.
- [*Syzygium racemosum*](#) (Blume) DC.
- [*Syzygium radiciflorum*](#) Craven & Damas
- [*Syzygium rakotavaoanum*](#) N.Snow
- [*Syzygium rama-varmae*](#) (Bourd.) Chithra
- [*Syzygium rambutyense*](#) N.Snow
- [*Syzygium ramiflorum*](#) Airy Shaw
- [*Syzygium ramilepis*](#) J.W.Dawson
- [*Syzygium ramosii*](#) (C.B.Rob.) Merr.
- [*Syzygium ramosissimum*](#) (Blume) N.P.Balacr.
- [*Syzygium rampans*](#) (Baker) J.Guého & A.J.Scott
- [*Syzygium randianum*](#) Merr. & L.M.Perry
- [*Syzygium rechingeri*](#) Merr. & L.M.Perry
- [*Syzygium recurvovenosum*](#) (Lauterb.) Diels
- [*Syzygium refertum*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium rehderianum*](#) Merr. & L.M.Perry
- [*Syzygium reineckeii*](#) Whistler
- [*Syzygium rejangense*](#) Merr. & L.M.Perry
- [*Syzygium remotifolium*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium resa*](#) (B.Hyland) Craven & Biffin
- [*Syzygium reticulatum*](#) (Wight) Walp.
- [*Syzygium retinervium*](#) (Merr. & L.M.Perry) Craven & Biffin
- [*Syzygium revolutum*](#) (Wight) Walp.
- [*Syzygium rheophyticum*](#) P.S.Ashton
- [*Syzygium rhizophorum*](#) (Boerl. & Koord.-Schum.) Govaerts
- [*Syzygium rhomboideum*](#) (Ridl.) I.M.Turner
- [*Syzygium rhopalanthum*](#) Schltr.
- [*Syzygium rhysgardneri*](#) Craven
- [*Syzygium richardsonianum*](#) Merr. & L.M.Perry
- [*Syzygium richii*](#) (A.Gray) Merr. & L.M.Perry
- [*Syzygium ridleyi*](#) (King) Chantar. & J.Parn.
- [*Syzygium ridsdalei*](#) Craven & N.Snow
- [*Syzygium rigens*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium rigidifolium*](#) Merr.
- [*Syzygium riparium*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium ripicola*](#) (Craib) Merr. & L.M.Perry
- [*Syzygium rivulare*](#) Vieill. ex Guillaumin
- [*Syzygium rizalense*](#) (Merr.) Merr.
- [*Syzygium robbinsii*](#) T.G.Hartley & L.M.Perry

- [*Syzygium robertii*](#) (Merr.) Merr.
- [*Syzygium robinsonii*](#) (Elmer) Merr.
- [*Syzygium robustum*](#) Miq.
- [*Syzygium rockii*](#) Merr. & L.M.Perry
- [*Syzygium roemerii*](#) (Lauterb.) Merr. & L.M.Perry
- [*Syzygium rolfei*](#) Merr.
- [*Syzygium rosaceum*](#) Diels
- [*Syzygium rosenbluthii*](#) (C.B.Rob.) Merr.
- [*Syzygium roseomarginatum*](#) (C.B.Rob.) Merr. & L.M.Perry
- [*Syzygium roseum*](#) Merr. & L.M.Perry
- [*Syzygium rostadonis*](#) (Ridl.) I.M.Turner
- [*Syzygium rostratum*](#) (Blume) DC.
- [*Syzygium rosulentum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium rotundifolium*](#) Arn.
- [*Syzygium rowlandii*](#) Sprague
- [*Syzygium royenii*](#) Craven & Damas
- [*Syzygium rubens*](#) (Roxb.) Walp.
- [*Syzygium rubescens*](#) (A.Gray) Müll.Berol.
- [*Syzygium rubicundum*](#) Wight & Arn.
- [*Syzygium rubrimolle*](#) B.Hyland
- [*Syzygium rubroalabastrum*](#) Craven & Damas
- [*Syzygium rubropunctatum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium rubropurpureum*](#) (C.B.Rob.) Airy Shaw
- [*Syzygium rubrovenium*](#) (C.B.Rob.) Merr.
- [*Syzygium rugosum*](#) Korth.
- [*Syzygium rumphii*](#) (Merr.) Govaerts
- [*Syzygium rysopodum*](#) Merr. & L.M.Perry

S

- [*Syzygium sabangense*](#) (Lauterb.) Merr. & L.M.Perry
- [*Syzygium sahyadricum*](#) Sujanapal, Robi & Sasidh.
- [*Syzygium sakalavarum*](#) (H.Perrier) Labat & Schatz
- [*Syzygium salicifolium*](#) J.Graham
- [*Syzygium saliciforme*](#) Merr. & L.M.Perry
- [*Syzygium salicinum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium salictoides*](#) (Ridl.) I.M.Turner
- [*Syzygium salignum*](#) (Miq.) Rathakr. & N.C.Nair
- [*Syzygium salomonense*](#) (Hemsl.) Merr. & L.M.Perry
- [*Syzygium salpinganthum*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium salwinense*](#) Merr. & L.M.Perry
- [*Syzygium samarangense*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium sambiranense*](#) (H.Perrier) Labat & Schatz

- [*Syzygium sambogense*](#) T.G.Hartley & L.M.Perry
- [*Syzygium samianum*](#) W.K.Soh & J.Parn.
- [*Syzygium samoense*](#) (Burkill) Whistler
- [*Syzygium sandwicense*](#) (A.Gray) Müll.Berol.
- [*Syzygium sanjappanum*](#) M.V.Ramana
- [*Syzygium santosii*](#) (Merr.) Merr.
- [*Syzygium sarmentosum*](#) J.W.Dawson
- [*Syzygium sasidharanii*](#) Sujanapal
- [*Syzygium saundersii*](#) Craven
- [*Syzygium savaiiense*](#) (A.Gray) Müll.Berol.
- [*Syzygium saxatile*](#) H.T.Chang & R.H.Miao
- [*Syzygium sayeri*](#) (F.Muell.) B.Hyland
- [*Syzygium scabrum*](#) Tagane, Soulad. & Yahara
- [*Syzygium scalarinerve*](#) (King) I.M.Turner
- [*Syzygium schistaceum*](#) J.W.Dawson
- [*Syzygium schlechteri*](#) Diels
- [*Syzygium schlechterianum*](#) Hochr.
- [*Syzygium schmidii*](#) Rathakr. & N.C.Nair
- [*Syzygium schumannianum*](#) (Nied.) Diels
- [*Syzygium schwenckii*](#) Teijsm. & Binn.
- [*Syzygium sclerophyllum*](#) Thwaites
- [*Syzygium scolopophyllum*](#) (Ridl.) Masam.
- [*Syzygium scortechinii*](#) (King) Chantar. & J.Parn.
- [*Syzygium scytophyllum*](#) Diels
- [*Syzygium seemannianum*](#) Merr. & L.M.Perry
- [*Syzygium seemannii*](#) (A.Gray) Biffin & Craven
- [*Syzygium selukaifolium*](#) P.S.Ashton
- [*Syzygium sessililimbium*](#) (Merr.) Merr.
- [*Syzygium setosum*](#) (King) I.M.Turner
- [*Syzygium sexangulatum*](#) (Miq.) Amshoff
- [*Syzygium sharoniae*](#) B.Hyland
- [*Syzygium shimbaense*](#) (Verdc.) Byng & Christenh.
- [*Syzygium siamense*](#) (Craib) Chantar. & J.Parn.
- [*Syzygium sichuanense*](#) H.T.Chang & R.H.Miao
- [*Syzygium siderocola*](#) (Merr.) Merr.
- [*Syzygium silamense*](#) P.S.Ashton
- [*Syzygium simile*](#) (Merr.) Merr.
- [*Syzygium simillimum*](#) Merr. & L.M.Perry
- [*Syzygium singaporense*](#) (King) Airy Shaw
- [*Syzygium sipirokense*](#) Widodo & Veldkamp
- [*Syzygium sirindhorniae*](#) Chantar., Suksathan & Wongnak
- [*Syzygium skiophilum*](#) (Duthie) Airy Shaw

- [*Syzygium sleumeri*](#) Craven
- [*Syzygium slootenii*](#) Merr. & L.M.Perry
- [*Syzygium smalianum*](#) (Brandis) D.G.Long
- [*Syzygium smetsianum*](#) Byng & Christenh.
- [*Syzygium smithii*](#) (Poir.) Nied.
- [*Syzygium snowianum*](#) W.N.Takeuchi
- [*Syzygium soepadmoi*](#) P.S.Ashton
- [*Syzygium sogerense*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium sorongense*](#) (T.G.Hartley & Craven) Craven & Biffin
- [*Syzygium spathulatum*](#) Thwaites
- [*Syzygium speciosissimum*](#) (C.B.Rob.) Merr.
- [*Syzygium spectabile*](#) Merr. & L.M.Perry
- [*Syzygium spissifolium*](#) (Ridl.) I.M.Turner
- [*Syzygium splendens*](#) (Blume) Merr. & L.M.Perry
- [*Syzygium squamatum*](#) Merr. & L.M.Perry
- [*Syzygium squamiferum*](#) (C.B.Rob.) Merr.
- [*Syzygium striganesanii*](#) K.Ravik. & V.Lakshm.
- [*Syzygium stapfianum*](#) (King) I.M.Turner
- [*Syzygium staudtii*](#) (Engl.) Mildbr.
- [*Syzygium steenisii*](#) Merr. & L.M.Perry
- [*Syzygium stelechanthoides*](#) (Kaneh.) M.W.Tornab. & W.L.Wagner
- [*Syzygium stelechanthum*](#) (Diels) Glassman
- [*Syzygium stenocladum*](#) Merr. & L.M.Perry
- [*Syzygium stenurum*](#) Merr. & L.M.Perry
- [*Syzygium sterrophyllum*](#) Merr. & L.M.Perry
- [*Syzygium stipitatum*](#) P.S.Ashton
- [*Syzygium stipulare*](#) (Blume) Craven & T.G.Hartley
- [*Syzygium stocksii*](#) (Duthie) Gamble
- [*Syzygium striatulum*](#) (C.B.Rob.) Merr.
- [*Syzygium subalatum*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium subamplexicaule*](#) Merr. & L.M.Perry
- [*Syzygium subcapitulatum*](#) Miq.
- [*Syzygium subcaudatum*](#) (Merr.) Merr.
- [*Syzygium subcordatum*](#) (Verdc.) Byng & N.Snow
- [*Syzygium subcorymbosum*](#) Merr. & L.M.Perry
- [*Syzygium subcrenatum*](#) Merr. & L.M.Perry
- [*Syzygium subdecussatum*](#) (Duthie) I.M.Turner
- [*Syzygium suberosum*](#) Craven
- [*Syzygium subfalcatum*](#) (C.B.Rob.) Merr.
- [*Syzygium subfoetidum*](#) (C.B.Rob.) Merr.
- [*Syzygium subglobosum*](#) Merr. & L.M.Perry
- [*Syzygium subhorizontale*](#) (King) Chantar. & J.Parn.

- [*Syzygium subimbricatum*](#) Whistler
- [*Syzygium subisense*](#) P.S.Ashton
- [*Syzygium sublaetum*](#) (Craib) Byng & Christenh.
- [*Syzygium subnodosum*](#) Miq.
- [*Syzygium suborbiculare*](#) (Benth.) T.G.Hartley & L.M.Perry
- [*Syzygium subrotundifolium*](#) (C.B.Rob.) Merr.
- [*Syzygium subscandens*](#) Widodo
- [*Syzygium subsessile*](#) (C.B.Rob.) Merr.
- [*Syzygium subsessiliflorum*](#) (Merr.) Merr.
- [*Syzygium subsessilifolium*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium subsimile*](#) Diels
- [*Syzygium subtile*](#) Miq.
- [*Syzygium sulcistylum*](#) (C.B.Rob.) Merr.
- [*Syzygium sulitii*](#) Merr.
- [*Syzygium sulphuratum*](#) (Ridl.) Govaerts
- [*Syzygium sumatranum*](#) (Miq.) Widodo
- [*Syzygium surigaense*](#) (Merr.) Merr.
- [*Syzygium suringarianum*](#) (Koord. & Valetton) Amshoff
- [*Syzygium swettenhamianum*](#) (King) I.M.Turner
- [*Syzygium sylvicola*](#) T.G.Hartley & L.M.Perry
- [*Syzygium symingtonianum*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium synaptoneurum*](#) (K.Schum. & Lauterb.) Merr. & L.M.Perry
- [*Syzygium syzygioides*](#) (Miq.) Merr. & L.M.Perry

T-U

- [*Syzygium taeniatum*](#) Diels
- [*Syzygium tahanense*](#) (Ridl.) I.M.Turner
- [*Syzygium taipingense*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium taiwanicum*](#) H.T.Chang & R.H.Miao
- [*Syzygium takeuchii*](#) Craven & Damas
- [*Syzygium tapiaka*](#) (H.Perrier) Labat & Schatz
- [*Syzygium tavaianse*](#) (P.S.Ashton) Byng & Christenh.
- [*Syzygium tawahense*](#) (Korth.) Merr. & L.M.Perry
- [*Syzygium tayabense*](#) (Quisumb. & Merr.) Merr.
- [*Syzygium taytayense*](#) (Merr.) Merr.
- [*Syzygium tchambaense*](#) J.W.Dawson
- [*Syzygium tectum*](#) (King) I.M.Turner
- [*Syzygium tekuense*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium tenellum*](#) Blume ex Miq.
- [*Syzygium tenuicaudatum*](#) Merr. & L.M.Perry
- [*Syzygium tenuiflorum*](#) Brongn. & Gris
- [*Syzygium tenuifolium*](#) (Ridl.) Airy Shaw

- [*Syzygium tenuilimum*](#) P.S.Ashton
- [*Syzygium tenuipes*](#) (Merr.) Merr.
- [*Syzygium tenuirame*](#) (Miq.) Merr.
- [*Syzygium tenuirhachis*](#) H.T.Chang & R.H.Miao
- [*Syzygium tephrodes*](#) (Hance) Merr. & L.M.Perry
- [*Syzygium teretiflorum*](#) (Koord. & Valetton) Amshoff
- [*Syzygium tessellatum*](#) Korth.
- [*Syzygium tetragonum*](#) (Wight) Wall. ex Walp.
- [*Syzygium tetrapleurum*](#) L.M.Perry
- [*Syzygium tetrapterum*](#) (Miq.) Chantar. & J.Parn.
- [*Syzygium thalassicum*](#) Merr. & L.M.Perry
- [*Syzygium thompsonii*](#) (Merr.) N.Snow
- [*Syzygium thomsenii*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium thorelii*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium thornei*](#) T.G.Hartley & L.M.Perry
- [*Syzygium thouvenotii*](#) (Danguy) Byng
- [*Syzygium thumra*](#) (Roxb.) Mason
- [*Syzygium tierneyanum*](#) (F.Muell.) T.G.Hartley & L.M.Perry
- [*Syzygium timorianum*](#) Decne.
- [*Syzygium tinombalum*](#) Sunarti
- [*Syzygium tiumanense*](#) (Ridl.) I.M.Turner
- [*Syzygium toddalioides*](#) (Wight) Walp.
- [*Syzygium tolypanthum*](#) Diels
- [*Syzygium toninense*](#) (Baker f.) J.W.Dawson
- [*Syzygium tonkinense*](#) (Gagnep.) Merr. & L.M.Perry
- [*Syzygium tontoutaense*](#) J.W.Dawson
- [*Syzygium toppingii*](#) (Elmer) Merr.
- [*Syzygium torricellianum*](#) Diels
- [*Syzygium trachyanthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium trachyphloium*](#) (C.T.White) B.Hyland
- [*Syzygium treubii*](#) Merr. & L.M.Perry
- [*Syzygium trianthum*](#) (Merr.) Merr.
- [*Syzygium trichotomum*](#) (Greves) Merr. & L.M.Perry
- [*Syzygium tricolor*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium tringiense*](#) Byng & N.Snow
- [*Syzygium tripetalum*](#) Guillaumin
- [*Syzygium triphlebium*](#) Diels
- [*Syzygium triphyllum*](#) Merr.
- [*Syzygium tripinnatum*](#) (Blanco) Merr.
- [*Syzygium triplinervium*](#) Teijsm. & Binn.
- [*Syzygium triste*](#) (Kurz) N.P.Balakr.
- [*Syzygium trivene*](#) (Ridl.) Merr. & L.M.Perry

- [*Syzygium trukense*](#) (Hosok.) Costion & E.Lucas
- [*Syzygium tsoongii*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium tubiflorum*](#) P.S.Ashton
- [*Syzygium tula*](#) (Merr.) Merr.
- [*Syzygium turbinatum*](#) Alston
- [*Syzygium tympananthum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium ubogoense*](#) W.N.Takeuchi
- [*Syzygium ultramaficum*](#) P.S.Ashton
- [*Syzygium umbellatum*](#) Korth.
- [*Syzygium umbilicatum*](#) (Koord. & Valetton) Amshoff
- [*Syzygium umbrosum*](#) Thwaites
- [*Syzygium uniflorum*](#) Merr. & L.M.Perry
- [*Syzygium unipunctatum*](#) (B.Hyland) Craven & Biffin
- [*Syzygium urceolatum*](#) (Korth.) Merr. & L.M.Perry
- [*Syzygium urdanetense*](#) (Elmer) Merr.
- [*Syzygium urophyllum*](#) Merr.
- [*Syzygium utilis*](#) (Talbot) Rathakr. & N.C.Nair

V-Z

- [*Syzygium vacciniifolium*](#) Merr.
- [*Syzygium valdecoriaceum*](#) P.S.Ashton
- [*Syzygium valdepunctatum*](#) Merr.
- [*Syzygium valdevenosum*](#) (Duthie) Merr. & L.M.Perry
- [*Syzygium valentissimum*](#) P.S.Ashton
- [*Syzygium vaeleonianum*](#) (King) Widodo
- [*Syzygium validinerve*](#) T.G.Hartley & L.M.Perry
- [*Syzygium validum*](#) Korth.
- [*Syzygium vanderwateri*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium vanuatuense*](#) Tuiwawa & Craven
- [*Syzygium variabile*](#) T.G.Hartley & L.M.Perry
- [*Syzygium variifolium*](#) Miq.
- [*Syzygium variolosum*](#) (King) Chantar. & J.Parn.
- [*Syzygium vaughanii*](#) J.Guého & A.J.Scott
- [*Syzygium vaupelii*](#) Whistler
- [*Syzygium veal*](#) W.K.Soh, H.V.Sam & J.Parn.
- [*Syzygium veillonii*](#) J.W.Dawson
- [*Syzygium velarum*](#) B.Hyland
- [*Syzygium velutinum*](#) A.P.Davis
- [*Syzygium venosum*](#) DC.
- [*Syzygium venustum*](#) (Roxb.) Wight ex Mason
- [*Syzygium verniciflorum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium vernicosum*](#) Merr. & L.M.Perry

- [*Syzygium vernonioides*](#) (Elmer) Merr.
- [*Syzygium verrucosum*](#) Däniker
- [*Syzygium versteegii*](#) (Lauterb.) Merr. & L.M.Perry
- [*Syzygium verticillatum*](#) (C.Chen) G.Y.Li & Z.H.Chen
- [*Syzygium vestitum*](#) Merr. & L.M.Perry
- [*Syzygium viburnoides*](#) Diels
- [*Syzygium vidalianum*](#) (Elmer) Merr.
- [*Syzygium vieillardii*](#) N.Snow, Callm. & Byng
- [*Syzygium villamilii*](#) (Merr.) Merr. & L.M.Perry
- [*Syzygium villiferum*](#) (Ridl.) Masam.
- [*Syzygium virescens*](#) Merr. & L.M.Perry
- [*Syzygium viridescens*](#) (Ridl.) I.M.Turner
- [*Syzygium viriosum*](#) Craven & J.W.Dawson
- [*Syzygium virotii*](#) J.W.Dawson
- [*Syzygium vismioides*](#) (DC.) Govaerts
- [*Syzygium vrieseanum*](#) (Miq.) Amshoff
- [*Syzygium vulcanicum*](#) Elmer ex Merr.
- [*Syzygium wagapense*](#) Brongn. & Gris
- [*Syzygium waikaiunense*](#) T.G.Hartley & L.M.Perry
- [*Syzygium walkeri*](#) Merr. & L.M.Perry ex C.T.White
- [*Syzygium warburgii*](#) Merr. & L.M.Perry
- [*Syzygium waterhousei*](#) Merr. & L.M.Perry
- [*Syzygium watsonianum*](#) (M.R.Hend.) I.M.Turner
- [*Syzygium watutense*](#) Craven & N.Snow
- [*Syzygium wawoniense*](#) Sunarti & Rugayah
- [*Syzygium wenshanense*](#) H.T.Chang & R.H.Miao
- [*Syzygium wenzelii*](#) (Merr.) Merr.
- [*Syzygium wesa*](#) B.Hyland
- [*Syzygium whitfordii*](#) (Merr.) Merr.
- [*Syzygium whitmorei*](#) Craven & Damas
- [*Syzygium williamsii*](#) (C.B.Rob.) Merr.
- [*Syzygium wilsonii*](#) (F.Muell.) B.Hyland
- [*Syzygium winckelii*](#) Amshoff
- [*Syzygium winitii*](#) (Craib) Merr. & L.M.Perry
- [*Syzygium wolfii*](#) (Gillespie) Merr. & L.M.Perry
- [*Syzygium wollastonii*](#) (Ridl.) Merr. & L.M.Perry
- [*Syzygium womersleyi*](#) T.G.Hartley & L.M.Perry
- [*Syzygium wrayi*](#) (King) I.M.Turner
- [*Syzygium wrightii*](#) (Baker) A.J.Scott
- [*Syzygium xanthophyllum*](#) (C.B.Rob.) Merr.
- [*Syzygium xanthostemifolium*](#) (Guillaumin) J.W.Dawson
- [*Syzygium xerampelinum*](#) B.Hyland

- [*Syzygium xiphophyllum*](#) (Merr.) Merr.
- [*Syzygium xizangense*](#) H.T.Chang & R.H.Miao
- [*Syzygium xylopiaceum*](#) (Diels) Merr. & L.M.Perry
- [*Syzygium yersinii*](#) Tagane, V.S.Dang & Yahara
- [*Syzygium yunnanense*](#) Merr. & L.M.Perry
- [*Syzygium zamboangense*](#) (C.B.Rob.) Merr.
- [*Syzygium zeylanicum*](#) (L.) DC.
- [*Syzygium zhenghei*](#) Craven & Biffin
- [*Syzygium zimmermannii*](#) (Warb. ex Craib) Merr. & L.M.Perry
- [*Syzygium zollingerianum*](#) (Miq.) Amshoff

References

- 1.
1. "[*Syzygium Gaertn.*](#)". [Plants of the World Online](#). [Royal Botanic Gardens, Kew](#). Retrieved 4 October 2025.

Categories:

- [Syzygium](#)
- [Lists of plant species](#)
-

From Wikipedia, the free encyclopedia

[*Symplocos*](#) is a genus of plants in the family [Symplocaceae](#).^[1] As of July 2025, [Plants of the World Online](#) recognises the following 411 species.^[2]

A

- [*Symplocos abietorum*](#) Standl. & Steyerl.
- [*Symplocos abrahamiana*](#) R.Jagad., Gangapr. & S.P.Mathew
- [*Symplocos acananensis*](#) Steyerl.
- [*Symplocos acuminata*](#) (Blume) Miq.
- [*Symplocos adenophylla*](#) Wall. ex G.Don
- [*Symplocos adenopus*](#) Hance
- [*Symplocos altissima*](#) Brand
- [*Symplocos ambangensis*](#) Noot.
- [*Symplocos amplifolia*](#) Brand
- [*Symplocos ampulliformis*](#) C.T.White

- [*Symplocos anamallayana*](#) Bedd.
- [*Symplocos andicola*](#) B.Ståhl
- [*Symplocos angulata*](#) Brand
- [*Symplocos annamensis*](#) Noot.
- [*Symplocos anomala*](#) Brand
- [*Symplocos apiciflora*](#) B.Ståhl
- [*Symplocos aprilis*](#) Brand
- [*Symplocos araioura*](#) Merr.
- [*Symplocos arborea*](#) (Vieill.) Brongn. & Gris
- [*Symplocos arbutifolia*](#) Casar.
- [*Symplocos arechea*](#) L'Hér.
- [*Symplocos argenna*](#) Brand
- [*Symplocos atjehensis*](#) Noot.
- [*Symplocos atlantica*](#) Aranha
- [*Symplocos atriolivacea*](#) Merr. & Chun ex H.L.Li
- [*Symplocos austin-smithii*](#) Standl.
- [*Symplocos austromexicana*](#) Almeda
- [*Symplocos austrosinensis*](#) Hand.-Mazz.
- [*Symplocos authilingomii*](#) A.N.Henry & Gopalan

B

- [*Symplocos badia*](#) B.Ståhl
- [*Symplocos baehnii*](#) J.F.Macbr.
- [*Symplocos baeuerlenii*](#) R.T.Baker
- [*Symplocos banaensis*](#) Guillaumin
- [*Symplocos baracoensis*](#) P.W.Fritsch & Almeda
- [*Symplocos barisanica*](#) Noot.
- [*Symplocos barringtoniifolia*](#) Brand
- [*Symplocos batakensis*](#) Noot.
- [*Symplocos blancae*](#) B.Ståhl
- [*Symplocos bogotensis*](#) Brand
- [*Symplocos bolivarana*](#) Aristeg.
- [*Symplocos bombycina*](#) B.Ståhl
- [*Symplocos boninensis*](#) Rehder & E.H.Wilson
- [*Symplocos boonjee*](#) Jessup
- [*Symplocos borneensis*](#) Brand
- [*Symplocos brachybotrys*](#) Merr.
- [*Symplocos bractealis*](#) Thwaites
- [*Symplocos brandisii*](#) Koord. & Valetton
- [*Symplocos breedlovei*](#) Lundell
- [*Symplocos bullata*](#) Jessup
- [*Symplocos buxifolia*](#) Stapf

- [*Symplocos buxifolioides*](#) K.G.Pearce

C

- [*Symplocos caerulea*](#) (Vieill.) Brongn. & Gris
- [*Symplocos calycodactylos*](#) Brand
- [*Symplocos cambodiana*](#) (Pierre) Hallier f.
- [*Symplocos candelabrum*](#) Brand
- [*Symplocos canescens*](#) B.Ståhl
- [*Symplocos carmentis*](#) B.Ståhl
- [*Symplocos caudata*](#) Wall. ex G.Don
- [*Symplocos celastriifolia*](#) Griff. ex C.B.Clarke
- [*Symplocos celastriifolia*](#) Mart. ex Miq.
- [*Symplocos cerasifolia*](#) Wall. ex DC.
- [*Symplocos cernua*](#) Bonpl.
- [*Symplocos chaoanensis*](#) F.G.Wang & H.G.Ye
- [*Symplocos chimantensis*](#) Steyer. & Maguire
- [*Symplocos chloroleuca*](#) B.Ståhl
- [*Symplocos ciponimoides*](#) Griseb.
- [*Symplocos citrea*](#) Lex.
- [*Symplocos clethrifolia*](#) B.Ståhl
- [*Symplocos coccinea*](#) Bonpl.
- [*Symplocos cochinchinensis*](#) (Lour.) S.Moore
- [*Symplocos colombonensis*](#) Noot.
- [*Symplocos colorata*](#) Brand
- [*Symplocos columbuli*](#) Noot.
- [*Symplocos complanata*](#) Brand
- [*Symplocos composiracemosa*](#) Noot.
- [*Symplocos condorensis*](#) B.Ståhl
- [*Symplocos cordifolia*](#) Thwaites
- [*Symplocos coreana*](#) (H.Lév.) Ohwi
- [*Symplocos coriacea*](#) A.DC.
- [*Symplocos coronata*](#) Thwaites
- [*Symplocos corymboclados*](#) Brand
- [*Symplocos costaricana*](#) Hemsl.
- [*Symplocos costata*](#) (Blume) Choisy ex Zoll.
- [*Symplocos costatifructa*](#) Noot.
- [*Symplocos crassilimba*](#) Merr.
- [*Symplocos crassipes*](#) C.B.Clarke
- [*Symplocos crassiramifera*](#) Noot.
- [*Symplocos crassulacea*](#) B.Ståhl
- [*Symplocos cubensis*](#) Griseb.
- [*Symplocos culminicola*](#) Standl. & Steyer.

- [*Symplocos cundinamarcensis*](#) B.Ståhl
- [*Symplocos cuneata*](#) Thwaites
- [*Symplocos cuscoensis*](#) B.Ståhl
- [*Symplocos cyanocarpa*](#) C.T.White
- [*Symplocos cylindracea*](#) Noot.

D

- [*Symplocos dasyphylla*](#) Brand
- [*Symplocos debilis*](#) B.Ståhl
- [*Symplocos decorticans*](#) B.Ståhl
- [*Symplocos deflexa*](#) Stapf
- [*Symplocos denticulata*](#) B.Ståhl
- [*Symplocos disepala*](#) Guillaumin
- [*Symplocos diversifolia*](#) Brand
- [*Symplocos dolichopoda*](#) B.Ståhl
- [*Symplocos dolichotricha*](#) Merr.
- [*Symplocos domingensis*](#) Urb.
- [*Symplocos dryophila*](#) C.B.Clarke

E

- [*Symplocos ecuadorensis*](#) Little
- [*Symplocos ecuadorica*](#) Doweld
- [*Symplocos elegans*](#) Thwaites
- [*Symplocos elliptica*](#) L.M.Kelly & Almeda
- [*Symplocos estrellensis*](#) Casar.
- [*Symplocos euryoides*](#) Hand.-Mazz.
- [*Symplocos excelsa*](#) L.O.Williams
- [*Symplocos excoriata*](#) B.Ståhl
- [*Symplocos extraaxillaris*](#) Brand

F

- [*Symplocos falcata*](#) Brand
- [*Symplocos fasciculata*](#) Zoll.
- [*Symplocos ferruginea*](#) Roxb.
- [*Symplocos filipes*](#) Noot.
- [*Symplocos fimbriata*](#) B.Ståhl
- [*Symplocos flavescens*](#) Brand
- [*Symplocos flos-pilosa*](#) Aristeg.
- [*Symplocos flosfragrans*](#) Chaparro
- [*Symplocos foliosa*](#) Wight

- [*Symplocos fordii*](#) Hance
- [*Symplocos fragilis*](#) B.Ståhl
- [*Symplocos fukienensis*](#) Y.Ling
- [*Symplocos fuliginosa*](#) B.Ståhl
- [*Symplocos fuscata*](#) B.Ståhl

G

- [*Symplocos gambliana*](#) Brand
- [*Symplocos gigantifolia*](#) Noot.
- [*Symplocos gittinsii*](#) (Noot.) Jessup
- [*Symplocos glaberrima*](#) Gontsch.
- [*Symplocos glabriramifera*](#) Noot.
- [*Symplocos glandulifera*](#) Brand
- [*Symplocos glandulosomarginata*](#) Hoehne
- [*Symplocos glauca*](#) (Thunb.) Koidz.
- [*Symplocos glaziovii*](#) Brand
- [*Symplocos globulifera*](#) B.Ståhl
- [*Symplocos glomerata*](#) King ex C.B.Clarke
- [*Symplocos golondrinae*](#) B.Ståhl
- [*Symplocos goodeniacea*](#) Noot.
- [*Symplocos gracilis*](#) Brongn. & Gris
- [*Symplocos graniticola*](#) Jessup
- [*Symplocos groffii*](#) Merr.
- [*Symplocos guacamayensis*](#) B.Ståhl
- [*Symplocos guadeloupensis*](#) Krug & Urb.
- [*Symplocos guanwuensis*](#) S.S.Ying
- [*Symplocos guianensis*](#) (Aubl.) Gürke
- [*Symplocos quillauminii*](#) Merr.

H

- [*Symplocos hainanensis*](#) Merr. & Chun ex H.L.Li
- [*Symplocos harroldii*](#) Jessup
- [*Symplocos hartwegii*](#) A.DC.
- [*Symplocos hayesii*](#) C.T.White & W.D.Francis
- [*Symplocos heishanensis*](#) Hayata
- [*Symplocos henryi*](#) Brand
- [*Symplocos henschelii*](#) (Moritzi) Benth. ex C.B.Clarke
- [*Symplocos herzogii*](#) Sleumer
- [*Symplocos hiemalis*](#) Lingelsh.
- [*Symplocos hintonii*](#) Lundell
- [*Symplocos hongiaoensis*](#) Nagam. & Tagane

- [*Symplocos hookeri*](#) C.B.Clarke
- [*Symplocos hottae*](#) Nagam.
- [*Symplocos hotteana*](#) Urb. & Ekman
- [*Symplocos huegeliana*](#) Brand
- [*Symplocos hylandii*](#) Noot.

I

- [*Symplocos iliaspaiensis*](#) Noot.
- [*Symplocos imperialis*](#) Brand
- [*Symplocos incahuasensis*](#) Sagást. & M.O.Dillon
- [*Symplocos incrassata*](#) Aranha
- [*Symplocos inopinata*](#) Aranha
- [*Symplocos insignis*](#) Brand
- [*Symplocos insolita*](#) Aranha, P.W.Fritsch & Almeda
- [*Symplocos interrupta*](#) Brand
- [*Symplocos itatiaiae*](#) Wawra

J

- [*Symplocos jauaensis*](#) Steyerl. & Maguire
- [*Symplocos johniana*](#) Stapf
- [*Symplocos juiyenensis*](#) C.C.Wang & C.H.Ou
- [*Symplocos junghuhnii*](#) Koord.
- [*Symplocos jurgensenii*](#) Hemsl.

K

- [*Symplocos kawakamii*](#) Hayata
- [*Symplocos kemiriensis*](#) Nagam.
- [*Symplocos khasiana*](#) Brand
- [*Symplocos kleinii*](#) Aranha
- [*Symplocos koidzumiana*](#) Tatew. & B.Yoshim.
- [*Symplocos kothayarensis*](#) Sundaresan, Jothi, S.Rajkumar & Manickam
- [*Symplocos kurgensis*](#) C.B.Clarke

L

- [*Symplocos laeteviridis*](#) Stapf
- [*Symplocos lanata*](#) Krug & Urb.
- [*Symplocos lancifolia*](#) Siebold & Zucc.
- [*Symplocos lasserii*](#) Steyerl.
- [*Symplocos latifolia*](#) Krug & Urb.

- [*Symplocos laxiflora*](#) Benth.
- [*Symplocos ledermannii*](#) Brand
- [*Symplocos lehmannii*](#) Brand
- [*Symplocos leiostachya*](#) Kurz
- [*Symplocos leochaii*](#) P.Chai
- [*Symplocos leonis*](#) Britton & P.Wilson
- [*Symplocos leucantha*](#) Kurz
- [*Symplocos leucocarpa*](#) Brand
- [*Symplocos lilacina*](#) Brand
- [*Symplocos limoncillo*](#) Bonpl.
- [*Symplocos limonensis*](#) B.Ståhl, C.Ulloa & Minga
- [*Symplocos lindeniana*](#) Krug & Urb.
- [*Symplocos liukuensis*](#) Matsum.
- [*Symplocos longifolia*](#) H.R.Fletcher
- [*Symplocos longipes*](#) Lundell
- [*Symplocos lucida*](#) Wall. ex G.Don
- [*Symplocos lugubris*](#) Brand
- [*Symplocos lutescens*](#) Brand

M

- [*Symplocos macrocarpa*](#) Wight ex C.B.Clarke
- [*Symplocos macrophylla*](#) Wall. ex DC.
- [*Symplocos magdalenae*](#) B.Ståhl
- [*Symplocos maliliensis*](#) Noot.
- [*Symplocos mapiriensis*](#) Brand
- [*Symplocos martinicensis*](#) Jacq.
- [*Symplocos megalocarpa*](#) H.R.Fletcher
- [*Symplocos melanochara*](#) Sleumer
- [*Symplocos menglianensis*](#) Y.Y.Qian
- [*Symplocos mezii*](#) Szyszyl.
- [*Symplocos micrantha*](#) Krug & Urb.
- [*Symplocos microcalyx*](#) Hayata
- [*Symplocos microphylla*](#) Wight
- [*Symplocos microstyla*](#) Aranha, P.W.Fritsch & Almeda
- [*Symplocos migoi*](#) Nagam.
- [*Symplocos minima*](#) Aranha
- [*Symplocos moaensis*](#) Borhidi
- [*Symplocos mohananii*](#) J.Stephan, R.Akhil & P.W.Fritsch
- [*Symplocos monantha*](#) Wight
- [*Symplocos montana*](#) (Vieill.) Brongn. & Gris
- [*Symplocos morii*](#) Almeda & L.M.Kelly
- [*Symplocos mucronata*](#) Bonpl.

- [*Symplocos multibracteata*](#) Noot.
- [*Symplocos multipes*](#) Brand
- [*Symplocos myrtacea*](#) Siebold & Zucc.

N

- [*Symplocos nairii*](#) A.N.Henry, Gopalan & Swamin.
- [*Symplocos nakaharae*](#) (Hayata) Masam.
- [*Symplocos namboodiriana*](#) (Sivad. & N.Mohanan) J.Stephan, P.W.Fritsch & N.Mohanan
- [*Symplocos nana*](#) Brand
- [*Symplocos naniflora*](#) L.M.Kelly & Almeda
- [*Symplocos neblinae*](#) Maguire & Steyerm.
- [*Symplocos neei*](#) B.Ståhl
- [*Symplocos neglecta*](#) Brand
- [*Symplocos neillii*](#) B.Ståhl
- [*Symplocos neocaledonica*](#) (Vieill.) Noot.
- [*Symplocos nicolsonii*](#) R.Jagad., Gangapr., S.P.Mathew, E.S.S.Kumar & J.Stephan
- [*Symplocos nigridentata*](#) L.M.Kelly & Almeda
- [*Symplocos nitens*](#) (Pohl) Benth.
- [*Symplocos nitidiflora*](#) Brand
- [*Symplocos nivalis*](#) Linden ex Brand
- [*Symplocos nivea*](#) Brand
- [*Symplocos nokoensis*](#) (Hayata) Kaneh.
- [*Symplocos nuda*](#) Bonpl.

O

- [*Symplocos oblongifolia*](#) Casar.
- [*Symplocos obovatifolia*](#) Merr.
- [*Symplocos obtusa*](#) Wall. ex G.Don
- [*Symplocos occulta*](#) Aranha
- [*Symplocos octopetala*](#) Sw.
- [*Symplocos odoratissima*](#) (Blume) Choisy ex Zoll.
- [*Symplocos oligandra*](#) Bedd.
- [*Symplocos olivacea*](#) Merr.
- [*Symplocos ophirensis*](#) C.B.Clarke
- [*Symplocos oranjeensis*](#) Brand
- [*Symplocos oreophila*](#) Almeda
- [*Symplocos oresbia*](#) Jessup
- [*Symplocos organensis*](#) Brand
- [*Symplocos ovalis*](#) C.Wright ex Griseb.
- [*Symplocos ovata*](#) B.Ståhl
- [*Symplocos ovatilobata*](#) Noot.

- [*Symplocos oxyphylla*](#) Wall. ex DC.

P

- [*Symplocos pachycarpa*](#) L.M.Kelly & Almeda
- [*Symplocos panamensis*](#) McPherson
- [*Symplocos paniculata*](#) (Thunb.) Miq.
- [*Symplocos paniensis*](#) Pillon & Noot.
- [*Symplocos parvibracteata*](#) J.Stephan, P.W.Fritsch & N.Mohanan
- [*Symplocos parvifolia*](#) Benth.
- [*Symplocos patazensis*](#) Mansf.
- [*Symplocos paucinervia*](#) Noot.
- [*Symplocos paucistaminea*](#) F.Muell. & F.M.Bailey
- [*Symplocos pealii*](#) King ex Das
- [*Symplocos pedunculata*](#) Noot.
- [*Symplocos pendula*](#) Wight
- [*Symplocos pentandra*](#) (Mattos) Occhioni ex Aranha
- [*Symplocos pergracilis*](#) (Nakai) T.Yamaz.
- [*Symplocos peruviana*](#) (Szyszyl.) Brand
- [*Symplocos phaeoneura*](#) B.Ståhl
- [*Symplocos pichindensis*](#) Cuatrec.
- [*Symplocos pilosa*](#) Rehder
- [*Symplocos pilosiuscula*](#) Brand
- [*Symplocos pittieriana*](#) Steyererm.
- [*Symplocos platyphylla*](#) (Pohl) Benth.
- [*Symplocos pluribracteata*](#) B.Ståhl
- [*Symplocos pochinii*](#) C.E.C.Fisch.
- [*Symplocos poilanei*](#) Guillaumin
- [*Symplocos polyandra*](#) (Blanco) Brand
- [*Symplocos polyphylla*](#) B.Ståhl
- [*Symplocos povedae*](#) Almeda
- [*Symplocos pseudobarberina*](#) Gontsch.
- [*Symplocos psiloclada*](#) B.Ståhl
- [*Symplocos puberula*](#) Jessup
- [*Symplocos pubescens*](#) Klotzsch ex Benth.
- [*Symplocos pulchra*](#) Wight
- [*Symplocos pulvinata*](#) Noot.
- [*Symplocos pustulosa*](#) Aranha
- [*Symplocos pycnantha*](#) Hemsl.
- [*Symplocos pycnobotrya*](#) Mart. ex Miq.
- [*Symplocos pycnophylla*](#) Sleumer
- [*Symplocos pyriflora*](#) Ridl.
- [*Symplocos pyrifolia*](#) Wall. ex G.Don

Q

- [*Symplocos quindiuensis*](#) Brand
- [*Symplocos quitensis*](#) Brand

R

- [*Symplocos racemosa*](#) Roxb.
- [*Symplocos ramosissima*](#) Wall. ex G.Don
- [*Symplocos ramuliflora*](#) B.Ståhl
- [*Symplocos rayae*](#) Noot.
- [*Symplocos reflexa*](#) A.DC.
- [*Symplocos retusa*](#) Kriebel, J.A.González & Alfaro
- [*Symplocos revoluta*](#) (Mart.) Casar.
- [*Symplocos rhamnifolia*](#) A.DC.
- [*Symplocos rhomboidea*](#) B.Ståhl
- [*Symplocos riangensis*](#) Noot.
- [*Symplocos rigidissima*](#) Brand
- [*Symplocos rimbachii*](#) B.Ståhl
- [*Symplocos rimosa*](#) B.Ståhl
- [*Symplocos rizzinii*](#) Occhioni
- [*Symplocos robinfosteri*](#) B.Ståhl
- [*Symplocos robinsonii*](#) Ridl.
- [*Symplocos robusta*](#) B.Ståhl
- [*Symplocos rubiginosa*](#) Wall. ex A.DC.

S

- [*Symplocos salicifolia*](#) Griseb.
- [*Symplocos salicoides*](#) Noot.
- [*Symplocos sanaensis*](#) Masam. & Syozi
- [*Symplocos sandemanii*](#) B.Ståhl
- [*Symplocos sandiae*](#) Brand
- [*Symplocos sararensis*](#) Cuatrec.
- [*Symplocos sawafutagi*](#) Nagam.
- [*Symplocos saxatilis*](#) Aranha, P.W.Fritsch & Almeda
- [*Symplocos scabra*](#) J.F.Macbr.
- [*Symplocos schiedeana*](#) Schltdl.
- [*Symplocos schomburgkii*](#) Klotzsch ex Brand
- [*Symplocos serratifolia*](#) B.Ståhl
- [*Symplocos serrulata*](#) Bonpl.
- [*Symplocos setchuensis*](#) Brand
- [*Symplocos shilanensis*](#) Y.C.Liu & F.Y.Lu

- [*Symplocos silverstonei*](#) B.Ståhl
- [*Symplocos singuliflora*](#) Guillaumin
- [*Symplocos sisparensis*](#) B.Karthik, Murug., Anusuba, Premk. & Tharani
- [*Symplocos sonoharae*](#) Koidz.
- [*Symplocos sordida*](#) Guillaumin
- [*Symplocos sousae*](#) Almeda
- [*Symplocos speciosa*](#) Hemsl.
- [*Symplocos spectabilis*](#) Brand
- [*Symplocos spruceana*](#) (Miers) Gürke
- [*Symplocos stawellii*](#) F.Muell.
- [*Symplocos stellaris*](#) Brand
- [*Symplocos striata*](#) Kriebel & N.Zamora
- [*Symplocos suaveolens*](#) Klotzsch ex Brand
- [*Symplocos subandina*](#) B.Ståhl
- [*Symplocos subcuneata*](#) (Herzog) B.Ståhl
- [*Symplocos subintegra*](#) Chatterjee
- [*Symplocos subsecunda*](#) Brand
- [*Symplocos sukoei*](#) C.E.C.Fisch.
- [*Symplocos sulcinervia*](#) B.Ståhl
- [*Symplocos sumatrana*](#) Brand
- [*Symplocos sumuntia*](#) Buch.-Ham. ex D.Don

T

- [*Symplocos tacanensis*](#) Lundell
- [*Symplocos taiwanensis*](#) S.S.Ying
- [*Symplocos tamana*](#) Steyerm.
- [*Symplocos tanakae*](#) Matsum.
- [*Symplocos tanakana*](#) Nakai
- [*Symplocos tenuifolia*](#) Brand
- [*Symplocos tetragona*](#) Y.F.Wu
- [*Symplocos tetrandra*](#) (Mart.) Mart.
- [*Symplocos theifolia*](#) D.Don
- [*Symplocos theiformis*](#) (L.f.) Oken
- [*Symplocos theophrastifolia*](#) Siebold & Zucc.
- [*Symplocos thwaitesii*](#) F.Muell.
- [*Symplocos tinctoria*](#) (L.) L'Hér.
- [*Symplocos trachycarpus*](#) Brand
- [*Symplocos trianae*](#) Brand
- [*Symplocos tribracteolata*](#) Almeda
- [*Symplocos trichocarpa*](#) B.Ståhl
- [*Symplocos trichomarginalis*](#) Noot.
- [*Symplocos tricoccata*](#) Noot.

- [*Symplocos trisepala*](#) Merr.
- [*Symplocos truncata*](#) B.Ståhl
- [*Symplocos turrilliana*](#) A.C.Sm.

U

- [*Symplocos ulei*](#) Brand
- [*Symplocos ulotricha*](#) Y.Ling
- [*Symplocos umbellata*](#) Brand
- [*Symplocos uncarpa*](#) Noot.
- [*Symplocos uniflora*](#) (Pohl) Benth.
- [*Symplocos urbaniana*](#) Brand

V

- [*Symplocos vacciniifolia*](#) H.S.Chen & H.G.Ye
- [*Symplocos vanderwerffii*](#) B.Ståhl
- [*Symplocos vatteri*](#) Standl. & Steyererm.
- [*Symplocos venulosa*](#) Cuatrec.
- [*Symplocos verrucisurcula*](#) B.Ståhl
- [*Symplocos verticillifolia*](#) Noot.
- [*Symplocos vidalii*](#) Rolfe
- [*Symplocos vinosodentata*](#) H.Lév.
- [*Symplocos violacea*](#) Brand
- [*Symplocos viridissima*](#) Brand

W

- [*Symplocos weberbaueri*](#) Brand
- [*Symplocos whitfordii*](#) Brand
- [*Symplocos wikstroemiifolia*](#) Hayata
- [*Symplocos wooroonooran*](#) Jessup
- [*Symplocos wynadense*](#) (Kuntze) Noot.

Y

- [*Symplocos yangchunensis*](#) H.G.Ye & F.W.Xing
- [*Symplocos yapacanensis*](#) Steyererm.

Z

- [*Symplocos zizyphoides*](#) Stapf

From Wikipedia, the free encyclopedia

Symphyotrichum genus



Some *Symphyotrichum* species left–right, top–bottom are shown: *S. carnerosanum*, *S. chilense*, *S. adnatum*, *S. lateriflorum*, *S. concolor*, *S. ericoides*, *S. defoliatum*, *S. ciliatum*, *S. novae-angliae*.

Scientific classification

Kingdom:	Plantae
Clade:	Tracheophytes
Clade:	Angiosperms
Clade:	Eudicots
Clade:	Asterids
Order:	Asterales
Family:	Asteraceae
Subfamily:	Asteroideae
Tribe:	Astereae
Subtribe:	Symphyotrichinae
Genus:	Symphyotrichum Nees

Symphyotrichum is a [genus](#) of [flowering plants](#) in the [tribe](#) [Astereae](#) which includes the commonly cultivated New York aster (*S. novi-belgii*) and New England aster (*S. novae-angliae*). Its species are widespread in the Americas, including as far north as [subarctic](#) North America to as far south as [Chile](#), [Argentina](#), and the [Falkland Islands](#). One species has a [native](#) range extending into eastern [Eurasia](#).

Most of the species in the genus are [perennials](#). The flower heads have white, pink, purple, or blue [ray florets](#) surrounding white to yellow [disk florets](#). The disk floret [corollas](#) become pink, purple, or brown after pollination. The three species in [section](#) *Conyzopsis* have reduced or absent ray florets.

Symphyotrichum is the [type genus](#) of [subtribe Symphyotrichinae](#). There are 98 species in the genus, some with [varieties](#), and thirteen named [hybrids](#). The genus is split into five [subgenera](#): *Chapmaniana*, *Astropolium*, *Virgulus*, *Ascendentes*, and *Symphyotrichum*. Most of the species had been classified within the genus *Aster* until it was confirmed to be [polyphyletic](#). The American asters now are separated into [monophyletic](#) genera based on multiple [phylogenetic studies](#).

Conventions

NatureServe conservation categories

[NatureServe conservation categories](#)

Conservation status

GX	Presumed Extinct (0 species)
GH	Possibly Extinct (0 species)
G1	Critically Imperiled (3 species)
G2	Imperiled (9 species)
G3	Vulnerable (7 species)
G4	Apparently Secure (21 species)
G5	Secure (37 species)

Other categories

GNA	Not Applicable (8 species)
GNR	Not Ranked (0 species)
NL	Not listed (25 species)

•

Conservation status codes follow the [NatureServe conservation \(NS\)](#) rounded global status scheme. [Hybrids](#) have a column for parents in place of conservation status. Not listed (NL) is not a NatureServe category but is used here to represent those left out of global status rankings up to G5 (including GNA and GNR) and those not in NatureServe. [Type species](#) for each [clade](#) are in a separate table.

Scientific name and picture	Author citation	Basionym	Year	Common name(s) [and varieties]	NS	Habitat	Distribution
Abbreviated scientific name, link to species article,[a] and picture, if available	Author citation	Basionym	Year of the original species description	Common name(s) and varieties, if applicable	NatureServe rounded global conservation status	Habitat	Distribution map

Classification

Classification of *Symphyotrichum*

Subtribe *Symphyotrichinae* contains six genera. In addition to *Symphyotrichum*, these are *Almutaster*, *Ampelaster*, *Canadanthus*, *Psilactis*,^[1] and *Sanrobertia*,^[2] with *Symphyotrichum* being the largest at 98 species and thirteen named hybrids. The [cladogram](#) presented here for the subtribe is based on a combination of [cytotaxonomic](#) and [morphologic](#) data reported in multiple studies.^{[1][2][3]} *Symphyotrichum* is the [type genus](#) of the subtribe.^[4]

[Astereae](#) [Symphyotrichinae](#) [Canadanthus](#)^[ref 1]:818

[Ampelaster](#)^[ref 1]:818

[Sanrobertia](#)^[ref 2]:1

[Almutaster](#)^[ref 1]:818

[Psilactis](#)^[ref 1]:818

[Symphyotrichum](#)^[ref 1]:818

(other subtribes)

Cladogram references

1. *Systematic Botany*. 37 (3). *American Society of Plant Taxonomists*: 818–832. doi:[10.1600/036364412X648760](#). JSTOR [41515169](#). S2CID [84007309](#).
(*ae*: *Astereae*):
(*History*".

Classification within *Symphyotrichum*

Most of the species had been classified within the genus *Aster* until it was confirmed to be [polyphyletic](#) – as previously defined, the genus *Aster* contained groups of species with different most recent ancestors. The American asters were then separated into several genera based on morphological characteristics and phylogenetic studies.^{[5][6]}

Within *Symphyotrichum*, *S. novae-angliae* and *S. turbinellum* are monotypic within [sections](#). *S. novae-angliae* is classified in the [subgenus](#) *Virgulus*. In 1994, it was placed in section *Grandiflori*, subsection *Polyligulae*.^[7] In 2002, it was segregated within its own section *Polyliguli*.^[8] The list follows the [circumscription](#) of section *Polyliguli* for the species. *S. turbinellum* is classified in the subgenus *Symphyotrichum*. It has been placed within its own section *Turbinelli*.^[8] It was previously placed in

section *Symphyotrichum*, subsection *Turbinelli*.[\[9\]](#) The list follows the more recent circumscription of section *Turbinelli* for the species.

Clades

- *Symphyotrichum* subg. *Chapmaniana* ([Semple](#)) [Semple](#)[\[8\]](#)
- *Symphyotrichum* subg. *Astropolium* ([Nutt.](#)) [Semple](#)[\[8\]](#)
- *Symphyotrichum* subg. *Virgulus* ([Raf.](#)) [G.L.Nesom](#)[\[10\]](#)
 - sect. *Ericoidei* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[11\]](#)
 - sect. *Patentes* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[11\]](#)
 - subsect. *Brachyphylli* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[11\]](#)
 - subsect. *Patentes*[\[11\]](#)
 - sect. *Grandiflori* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[7\]](#)
 - subsect. *Mexicanae* [G.L.Nesom](#)[\[7\]](#)
 - subsect. *Grandiflori* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[7\]](#)
 - sect. *Polyliguli* ([Semple](#) & [Brouillet](#)) [Semple](#)[\[8\]](#)
 - sect. *Concolores* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[12\]](#)
- *Symphyotrichum* subg. *Ascendentes* ([Rydb.](#)) [Semple](#)[\[8\]](#)
- *Symphyotrichum* subg. *Symphyotrichum*[\[13\]](#)
 - sect. *Conyzopsis* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[14\]](#)
 - sect. *Occidentales* ([Rydb.](#)) [G.L.Nesom](#)[\[14\]](#)
 - sect. *Turbinelli* ([Rydb.](#)) [Semple](#)[\[8\]](#)
 - sect. *Symphyotrichum*[\[15\]](#)
 - subsect. *Dumosi* ([Torr.](#) & [A.Gray](#)) [G.L.Nesom](#)[\[9\]](#)
 - subsect. *Heterophylli* ([Nees](#)) [Semple](#)[\[8\]](#)
 - series *Concinni* ([Nees](#)) [Semple](#)[\[8\]](#)
 - series *Cordifolii* ([G.Don](#) in [Loudon](#)) [Semple](#)[\[8\]](#)
 - subsect. *Porteriani* ([Rydb.](#)) [G.L.Nesom](#)[\[16\]](#)
 - subsect. *Symphyotrichum*
 - series *Punicei* ([House](#)) [Semple](#)[\[8\]](#)
 - series *Symphyotrichum*

Clade	Type species	Source
Genus <i>Symphyotrichum</i>	<i>S. novi-belgii</i>	[13]
Subgenus <i>Chapmaniana</i>	<i>S. chapmanii</i>	[8]
Subgenus <i>Astropolium</i>	<i>S. tenuifolium</i>	[8]
Subgenus <i>Virgulus</i>	<i>S. concolor</i>	[10]
Section <i>Ericoidei</i>	<i>S. ericoides</i>	[11]
Section <i>Patentes</i>	<i>S. patens</i>	[11]
Subsection <i>Brachyphylli</i>	<i>S. walteri</i>	[11]
Subsection <i>Patentes</i>	<i>S. patens</i>	[11]
Section <i>Grandiflori</i>	<i>S. grandiflorum</i>	[7]

Clade	Type species	Source
Subsection <i>Mexicanae</i>	<i>S. moranense</i>	[7]
Subsection <i>Grandiflori</i>	<i>S. grandiflorum</i>	[7]
Section <i>Polyliguli</i>	<i>S. novae-angliae</i>	[8]
Section <i>Concolores</i>	<i>S. concolor</i>	[12]
Subgenus <i>Ascendentes</i>	<i>S. ascendens</i>	[8]
Subgenus <i>Symphyotrichum</i>	<i>S. novi-belgii</i>	[15]
Section <i>Conyzopsis</i>	<i>S. ciliatum</i>	[14]
Section <i>Occidentales</i>	<i>S. spathulatum</i>	[14]
Section <i>Turbinelli</i>	<i>S. turbinellum</i>	[8]
Section <i>Symphyotrichum</i>	<i>S. novi-belgii</i>	[15]
Subsection <i>Dumosi</i>	<i>S. dumosum</i>	[9]
Subsection <i>Heterophylli</i>	<i>S. cordifolium</i>	[8]
Series <i>Concinni</i>	<i>S. laeve</i>	[8]
Series <i>Cordifolii</i>	<i>S. cordifolium</i>	[8]
Subsection <i>Porteriani</i>	<i>S. porteri</i>	[16]
Subsection <i>Symphyotrichum</i>	<i>S. novi-belgii</i>	
Series <i>Punicei</i>	<i>S. puniceum</i>	[8]
Series <i>Symphyotrichum</i>	<i>S. novi-belgii</i>	
Species classifications		

Species list


Subgenus *Chapmaniana*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution
<u><i>S. chapmanii</i></u> 	(Torr. & A.Gray) Semple & Brouillet	<i>Aster chapmanii</i>	1841	Savanna aster	G2	Wetlands, bogs, acid swamps 0–30 m (0–100 ft)	

11

[2]

Subgenus *Astropolium*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties	NS [20]	Habitat	Distribution [17]
<u><i>S. divaricatum</i></u> 	(Nutt.) G.L.Nesom	<i>Tripolium divaricatum</i>	1840	Southern annual saltmarsh aster[22]	G5	Marshy habitats, roadsides, lawns, and waste places 0–1,500 m (0–4,921 ft) [19]	 [23][22]
<u><i>S. glabrifolium</i></u> 	(DC.) G.L.Nesom	<i>Erigeron glabrifolius</i>	1836		NL	Wet meadows and stream edges 1,500–2,400 m (4,920–7,870 ft) [24]	 [24]
<u><i>S. graminifolium</i></u> 	(Spreng.) G.L.Nesom	<i>Conyza graminifolia</i>	1826		NL	Humid places[25]	 [25]
<u><i>S. martii</i></u> 	(Baker) G.L.Nesom	<i>Aster martii</i>	1882		NL	Cerrado savanna, grasslands[26]	 [26]
<u><i>S. parviflorum</i></u> 	(Nees) G.L.Nesom	<i>Aster parviflorus</i>	1818	Southwestern annual saltmarsh aster[27]	NL	Marshy habitats and roadsides 0–1,100 m (0–3,609 ft) [28]	 [29]

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties	NS [20]	Habitat	Distribution [17]
<u>S. patagonicum</u>	(<u>Cabrera</u>) <u>G.L.Nesom</u>	<i>Aster patagonicus</i>	1971		NL	<u>Mallines and lagoon edges</u> 500–2,500 m (1,640–8,200 ft) <u>[30]</u>	 <u>30]</u>
<u>S. peteroanum</u> 	(<u>Phil.</u>) <u>G.L.Nesom</u>	<i>Aster peteroanus</i>	1894		NL	Humid <u>montane ecosystems</u> 1,000–2,200 m (3,280–7,220 ft) <u>[31]</u>	 <u>31]</u>
<u>S. potosinum</u> 	(<u>A.Gray</u>) <u>G.L.Nesom</u>	<i>Aster potosinus</i>	1880	Santa Rita Mountain aster <u>[19]</u>	G2	Muddy and wet soils on stream banks 1,500–1,900 m (4,920–6,230 ft) <u>[19]</u>	 <u>20]</u> <u>[32]</u>
<u>S. regnellii</u> 	(<u>Baker</u>) <u>G.L.Nesom</u>	<i>Aster regnellii</i>	1882		NL	Swamps or damp <u>savanna soils</u> <u>[33]</u>	 <u>33]</u> <u>[17]</u>
<u>S. subulatum</u> 	(<u>Michx.</u>) <u>G.L.Nesom</u>	<i>Aster subulatus</i>	1803	- Annual saltmarsh aster - Eastern annual saltmarsh aster<u>[19]</u>			

Three varieties[34]

G5

Brackish marshes, salt marshes, roadsides
0–4,000 m (0–13,120 ft)[34]



S. tenuifolium



(L.)
G.L.Nesom

Aster tenuifolius

1753

Perennial saltmarsh aster[19]

Two varieties[35]

G5

Coastal salt marshes, brackish marshes, low pine woods
0–10 m (0–30 ft)[35]



S. vahlii



(Gaudich.)
G.L.Nesom

Erigeron vahlii

1825

- Margarita
- Marsh daisy[36]

Two varieties[17]

NL

Grassland, heathland, peaty soil, sandy soil
20–1,200 m (70–3,940 ft)[37]



Subgenus *Virgulus*

Subgenus *Virgulus* (Raf.) G.L.Nesom[10]

Section *Ericoidei*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat	Distribution
<u>S. ericoides</u>	(L.) G.L.Nesom	<i>Aster ericoides</i>	1753	White heath aster			


Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat	Distribution
-----------------------------	----------------------	---------------	-----------	-----------------------------------	---------	---------	--------------



Two varieties[17]

G5

Open locations with sandy, gravelly, or disturbed soil
30–2,400 m (100–7,870 ft)
[38]



[17]

[39]

S. falcatum



(Lindl.)
G.L.Nesom

Aster falcatus


1834

- Western heath aster
- White prairie aster

Two varieties[17]

G5

Well-drained soils, stream banks and slopes, and others
200–2,500 m (660–8,200 ft)[38]



[17][40]

Section *Patentes*

Section *Patentes* (Torr. & A.Gray) G.L.Nesom[11]

Subsection *Brachyphylli*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [17]
-----------------------------	----------------------	---------------	-----------	---------------------	---------	--------------	-------------------

S. adnatum



(Nutt.)
G.L.Nesom

Aster adnatus

1834 Scaleleaf aster

G4

Sandy soils, scrub, woods
0–100 m (0–330 ft)



S. walteri

(Alexander)
G.L.Nesom

Aster walteri

1933 Walter's aster

G4

Sandy and clay soils, woods edges, open areas



Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [17]
						0–100 m (0–330 ft)	

Subsection *Patentes*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
-----------------------------	----------------------	---------------	-----------	-----------------------------------	---------	--------------	-------------------

S. georgianum



([Alexander](#)) *Aster*
[G.L.Nesom](#) *georgianus* 1933 Georgia aster

G3

Sandy or clay soil, woodlands, mostly [Piedmont](#)
0–300 m (0–980 ft)



S. patens



([Aiton](#)) *Aster*
[G.L.Nesom](#) *patens*


1789

- Late purple aster
- Spreading aster

Three varieties [17]

G5

Dry woodlands, sandy or clay soils, fields
0–1,000 m (0–3,280 ft) [17][41][38]



S. phlogifolium



([Muhl.](#) ex [Willd.](#)) *Aster*
[G.L.Nesom](#) *phlogifolius* 1803

Thinleaf late purple aster

G5

Various soils, rich mesic hardwood forests
0–1,100 m (0–3,610 ft)



Section *Grandiflori*

Section *Grandiflori* (Torr. & A.Gray) [G.L.Nesom](#) [7]


Subsection *Mexicanae*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s)	NS [20]	Habitat	Distribution
<u>S. bimater</u> 	(Standl. & Steyerl.) G.L.Nesom	<i>Aster bimater</i>	1944		NL	Pine-oak woods, ravines, slopes, grassy openings 1,000–2,150 m (3,280–7,050 ft)[42]	 [42]
<u>S. chihuahuense</u>	G.L.Nesom		2018		NL	Grassland, oak-pine woods 1,800–2,500 m (5,910–8,200 ft)[43]	 [43]
<u>S. hintonii</u> 	(G.L.Nesom) G.L.Nesom	<i>Aster hintonii</i>	1989		NL	Oak and oak-pine woods 1,400–2,200 m (4,590–7,220 ft)[44]	 [44]
<u>S. moranense</u> 	(Kunth) G.L.Nesom	<i>Aster moranensis</i>	1818		NL	Grassland, woodlands 1,000–2,750 m (3,280–9,020 ft)[45]	 [45]
<u>S. purpurascens</u>	(Sch.Bip.) G.L.Nesom	<i>Aster purpurascens</i>	1854		NL	Open woods 1,500–2,850 m (4,920–9,350 ft)[46]	 [43]
<u>S. trilineatum</u> 	(Sch.Bip. ex Klatt) G.L.Nesom	<i>Aster trilineatus</i>	1884		NL	Mountains (sierra)[47] 975–2,840 m (3,200–9,320 ft)[48]	 [48][17]
<u>S. turneri</u>	(S.D.Sundb. & A.G.Jones) G.L.Nesom	<i>Aster moranensis</i> var. <i>turneri</i>	1986		NL	Woods, along waterways, and in wet pastures	 [43]

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat	Distribution
						2,050–2,750 m (6,730–9,020 ft)[44]	

Subsection *Grandiflori*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [17]
<u>S. campestre</u> 	(<u>Nutt.</u>) <u>G.L.Nesom</u>	<i>Aster campestris</i>	1840	Western meadow aster	G5	Dry habitats, rocky and sandy soils near ponds and streams 1,500–2,500 m (4,920–8,200 ft)	
<u>S. estesii</u> 	<u>Semple</u> [49]		2019[49]	- May Prairie aster - Estes's aster[50]	G1	Hydroxeric soils in open, sunny, flat prairies Approx. 330 m (1,070 ft) [b][51]	May Prairie State Natural Area <u>Coffee County, Tennessee (US)</u> [50] 
<u>S. fendleri</u> 	(<u>A.Gray</u>) <u>G.L.Nesom</u>	<i>Aster fendleri</i>	1849	Fendler's aster	G4	Open, sandy, silty, shaly, often rocky soils and similar 600–2,000 m (1,970–6,560 ft)	
<u>S. fontinale</u>	(<u>Alexander</u>) <u>G.L.Nesom</u>	<i>Aster fontinalis</i>	1933	Florida water aster	G3	Marshes, sandhills, hammocks, flood plains, streams	 [52][53][54]

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [17]
						0–50 m (0–160 ft)	
<u>S. grandiflorum</u>	(<u>L.</u>) <u>G.L.Nesom</u>	<i>Aster grandiflorus</i>	1753	Large-flowered aster	G4	Sandy soils and hills, thickets, roadsides 0–200 m (0–660 ft) and higher	
	(<u>Nutt.</u>) <u>G.L.Nesom</u>	<i>Aster oblongifolius</i>	1818	• Aromatic aster • Oblong-leaved aster	G5	Open and dry, rocky or sandy soils 100–1,500 m (330–4,920 ft)	 [<u>19</u>]
<u>S. pygmaeum</u>	(<u>Lindl.</u>) <u>Brouillet</u> & <u>Selliah</u>	<i>Aster pygmaeus</i>	1834	Pygmy aster	G4	Sandy or silty wet areas, gravelly tundra, tundra slopes 0–200 m (0–660 ft)	 [<u>55</u>]
	(<u>Cronquist</u>) <u>G.L.Nesom</u>	<i>Aster yukonensis</i>	1945	Yukon aster	G3	Mud flats, rocky or silty lakeshores 300–1,500 m (980–4,920 ft)	 [<u>56</u>]

Section *Polyliguli*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [19]
-----------------------------	----------------------	---------------	-----------	---------------------	---------	--------------	-------------------

S. novae-angliae



([L.](#))
[G.L.Nesom](#)

Aster novae-angliae

1753 New England aster

G5

Open, typically moist habitats
0–1,600 m (0–5,250 ft)



Section *Concolores*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
-----------------------------	---	----------------------------------	------------------------------	---	----------------------------	---------------------------------	--------------------------------------

S. concolor



([L.](#))
[G.L.Nesom](#)

Aster concolor

1753 Eastern silver aster

Two varieties[\[17\]](#)

G5

Scrub, flatwoods, fields, roadsides
0–600 m (0–1,970 ft)[\[38\]](#)



S. lucayanum



([Britton](#))
[G.L.Nesom](#)

Aster lucayanum 1906

Pineland aster[\[57\]](#)

NL

Pine woodlands and wetland edges[\[57\]](#)
0–12 m (0–40 ft)[\[c\]](#)

Endemic to the island of Grand Bahama[\[57\]](#)



S. plumosum



([Small](#))
[Semple](#)

Aster plumosus 1924

G2

Deep, sandy soils, pine flatwoods, pine-scrub oak woods
0–40 m (0–130 ft)



[20\]](#)

S. pratense

([Raf.](#))
[G.L.Nesom](#)


Aster pratensis

1817

Barrens silky aster

G4

Prairies and fields, woodland and scrub, roadsides
0–500 m





(0–1,640 ft
)

S. sericeum



([Vent.](#)) *Aster*
[G.L.Nesom](#) *sericeus* 1800

Western
silvery
aster

G5

Many open
habitats
100–500 m
(330–1,640
ft)



Subgenus *Virgulus* named hybrids

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s)	Parents	Habitat	Distribution [17]
<i>S. × amethystinum</i> 	(Nutt.) G.L.Nesom	<i>Aster amethystinus</i>	1840	Amethyst aster [58]	<i>S. ericoides</i> × <i>S. novae- angliae</i> [59]	Prairies or fields, disturbe d ground, near parent plants 200–400 m (660– 1,310 ft) [58]	
<i>S. × batesii</i>	(Rydb.) G.L.Nesom	<i>Aster batesii</i>	1931		<i>S. ericoides</i> × <i>S. oblongifolium</i> [60]		
<i>S. × columbianum</i>	(Piper) G.L.Nesom	<i>Aster columbianus</i>	1913		<i>S. campestre</i> × <i>S. ericoides</i> [61]		

Subgenus *Ascendentes*

This subgenus contains two [allopolyploid](#) species derived from the historic hybridization of plants from the subgenera *Symphyotrichum* and *Virgulus*.[\[62\]](#)

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat	Distribution [19]
<u>S. ascendens</u> 	(Lindl.) G.L.Nesom	<i>Aster ascendens</i>	1834	- Long-leaved aster - Intermountain aster - Western aster	G5	Grasslands, sagebrush steppe, meadows 500–3,200 m (1,640–10,500 ft)	 17]
<u>S. defoliatum</u> 	(Parish) G.L.Nesom	<i>Aster defoliatus</i>	1904	San Bernardino aster	G2	Seeps, marshes, swamps, meadows, montane forests, coastal scrubs[63] 0–2,050 m (0–6,730 ft)	 64]

Subgenus *Symphyotrichum*


Section *Conyzopsis*

The three species in [section](#) *Conyzopsis* have reduced or absent ray florets.[65]

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat	Distribution [19]
<u>S. ciliatum</u> 	(Ledeb.) G.L.Nesom	<i>Erigeron ciliatus</i>	1829	- Rayless annual aster - Rayless alkali aster	G5	Moist prairies, steppes, salty areas (natural or manmade) 0–2,000 m (0–6,560 ft)	 17]
<u>S. frondosum</u> 	(Nutt.) G.L.Nesom	<i>Tripolium frondosum</i>	1840	Short-rayed alkali aster	G4	Wet meadows, marshes, saline conditions 10–2,200 m (30–7,220 ft)	

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [19]
<u>S. laurentianum</u> 	(Fernald) G.L.Nesom	<i>Aster laurentianus</i>	1914	Gulf of St. Lawrence aster	G1	Brackish or salty marshes, shores, and dunes Sea level (0 m (0 ft))	

Section *Occidentales*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
<u>S. chilense</u> 	(Nees) G.L.Nesom	<i>Aster chilensis</i>	1832	• Pacific aster • Common California aster	G5	Coastal salt marshes, dunes and banks, grasslands, coniferous forests 0–500 m (0–1,640 ft)	
<u>S. eatonii</u> 	(A.Gray) G.L.Nesom	<i>Aster foliaceus</i> var. <i>eatonii</i>	1884	Eaton's aster	G5	Sunny wetlands 500–3,100 m (1,640–10,170 ft)	
<u>S. foliaceum</u> 	(Lindl. ex DC.) G.L.Nesom	<i>Aster foliaceus</i>	1836	• Alpine leafybract aster • Leafy aster • Leafy-bracted aster			

Five
varieties[17]

G5

Meadows,
open areas
in woods,
slopes,
grasslands
1,000–
3,600 m
(3,280–
11,810 ft)
[38][67]



S. greatae



(Parish) *Aster*
G.L.Nesom *greatae*

1902

Greata's
aster[68]

G2

Damp
places in
canyons of
the south
slopes of
the San
Gabriel
Mountains
of
California
300–2,000
m (980–
6,560 ft)
[68]



S. hallii



(A.Gray)
G.L.Nesom

Aster hallii 1872

Hall's aster

G4

Grasslands
and
meadows
with
summer
dryness
0–500 m
(0–1,640 ft
)



S. hendersonii



(Fernald)
G.L.Nesom

Aster
hendersonii 1895

Henderson's
aster

G4

Meadows,
forest
openings,
banks
1,000–
1,500 m
(3,280–
4,920 ft)
and higher



S. jessicae

(Piper)
G.L.Nesom *Aster*
jessicae

1898

Jessica's
aster

G2

Dry
grasslands,
meadows,
banks,
woodland
openings





500–1,200
m (1,640–
3,940 ft)

S. lentum



([Greene](#))
[G.L.Nesom](#) *Aster lentus* 1894

Suisun
marsh aster

G2

Freshwater
marshes
and
swamps[71
0–300 m
(0–980 ft)
[72]



[71]

S. molle



([Rydb.](#))
[G.L.Nesom](#) *Aster mollis* 1901

Soft aster

G3

Dry
montane
meadows
2,000–
3,000 m
(6,560–
9,840 ft)



[73][19]

S. spathulatum



([Lindl.](#))
[G.L.Nesom](#) *Aster spathulatus* 1834

Western
mountain
aster

Three
varieties[74]

G5

Montane
meadows,
open
woodlands
100–2,900
m (330–
9,510 ft)
[74]



S. subspicatum



([Nees](#))
[G.L.Nesom](#) *Aster subspicatus* 1832

Douglas's
aster

G5

Disturbed
and
weedy
open
areas,
marshes,
thickets
0–1,000
m (0–
3,280 ft)



Section *Turbinelli*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) [19]	NS [20]	Habitat [19]	Distribution [19]
<u><i>S. turbinellum</i></u> 	(Lindl.) G.L.Nesom	<i>Aster turbinellus</i>	1835	Prairie aster	G4	Generally dry, acidic soils 60–900 m (200–2,950 ft)	

Section *Symphyotrichum*

Subsection *Dumosi*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
<u><i>S. boreale</i></u> 	(Torr. & A.Gray) Á.Löve & D.Löve	<i>Aster laxifolius</i> var. <i>borealis</i>	1841	- Rush aster - Slender white aster - Northern bog aster	G5	Calcareous areas, wetland areas 0–1,500 m (0–4,920 ft)	
<u><i>S. bullatum</i></u> 	(Klatt) G.L.Nesom	<i>Aster bullatus</i>	1894		NL	Wet ledges [75] 37–1,750 m (120–5,740 ft) [76]	
<u><i>S. burgessii</i></u> 	(Britton) G.L.Nesom	<i>Aster burgessii</i>	1914		NL	Rocky river banks [77]	 [78][17]
<u><i>S. carnerosanum</i></u> 	(S.Watson) G.L.Nesom	<i>Aster carnerosanus</i>	1891		NL	495–2,850 m (1,620–9,350 ft) [79]	

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
<u>S. dumosum</u> 	(L.) G.L.Nesom	<i>Aster dumosus</i>	1753	Bushy aster	G5	Wetlands, muddy or mucky areas, sand, woods 0–700 m (0–2,300 ft)	
<u>S. eulae</u> 	(Shinners) G.L.Nesom	<i>Aster eulae</i>	1950	Eula's aster	G4	Part shade, soils with clay or silt, bottom areas or stream banks 0–100 m (0–330 ft)	 Endemic to Texas [80] [81] [e]
<u>S. lanceolatum</u> 	(Willd.) G.L.Nesom	<i>Aster lanceolatus</i>	1803	- Lance-leaved aster - Panicled aster - White panicled aster			
Five varieties [83]	G5	Stream banks, thickets, borders, ditches, meadows, mucky soils (depending on variety) 10–2,700 m (30–8,860 ft) [83]	 [17] [84]				
<u>S. lateriflorum</u> 	(L.) Á.Löve & D.Löve	<i>Solidago lateriflora</i>	1753	- Calico aster - White woodland aster - Side-flowering aster	G5	Mostly shade, dry to humid soils, woodlan d edges	

0–400 m
(0–1,310 ft)

[S. leone](#)



([Britton](#))
[G.L.Nesom](#) *Aster leonis* 1920

NL

Marshes[
[85](#)]



[S. nahanniense](#)



(Cody)
[Semple](#) *Aster nahanniensis* 1974

Nahanni aster

G3

Stream
banks
near hot
mineral
springs
About
1,000 m
(3,280 ft)

[Nahanni National Park Reserve](#)
Northwest
Territories
(Canada)[[86](#)]



[S. ontarionis](#)



([Wiegand](#))
[G.L.Nesom](#) *Aster ontarionis* 1928

- Ontario aster
- Bottomland aster

Two
varieties[[17](#)]

G5

Moist soils
or shores,
other
wetlands,
field edges
10–300 m
(30–980 ft)
[[38](#)]



[S. praealtum](#)




([Poir.](#))
[G.L.Nesom](#) *Aster praealtus* 1811

- Willowleaf aster
- Willow aster

G5

Usually
moist and
wet areas
0–400 m
(0–1,310 ft)
)



[[19](#)]

[S. racemosum](#)

([Elliott](#))
[G.L.Nesom](#) *Aster racemosus* 1823

- Small white aster
- Smooth white oldfield

G4

Moist to
wet, often
brackish,
soils
0–200 m
(0–660 ft)





aster

[19\]](#)

[S. schaffneri](#)



(S.D.Sundb. & [A.G.Jones](#)) *Aster schaffneri* 1986
[G.L.Nesom](#)

NL

Disturbed oak forests, secondary vegetation areas, mountain mesophilic forests, rich black or brown soils[\[87\]](#)
120–2,500 m (390–8,200 ft)
[\[88\]](#)



[89\]](#)

[S. simmondsii](#)



([Small](#)) *Aster simmondsii* 1913
[G.L.Nesom](#)

Simmonds' aster

G4

Moist to dry soils
0–50 m
(0–160 ft)



[90\]](#)

[S. tradescantii](#)



([L.](#)) *Aster tradescantii* 1753
[G.L.Nesom](#)

- Tradescant's aster
- Shore aster

G4

Shores, streams, freshwater estuaries
0–200 m
(0–660 ft)



[S. welshii](#)




([Cronquist](#)) *Aster welshii* 1994
[G.L.Nesom](#)

Welsh's aster

G2

Wet soils in dry areas
1,300–2,300 m
(4,270–7,550 ft)



Subsection *Heterophylli*

Subsection *Heterophylli* ([Nees](#)) Semple[\[8\]](#)

Series *Concinni*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution
-----------------------------	----------------------	---------------	-----------	-----------------------------------	---------	--------------	--------------

S. laevis

(L.)
Á.Löve &
D.Löve

Aster
laevis

1753 Smooth aster

Four varieties [91]

G5

Open and dry habitats
0–2,400 m (0–7,870 ft)



[17][92][93]

S. oolentangiense


(Riddell)
G.L.Nesom

Aster
oolentangiensis 1835

- Azure aster
- Skyblue aster

G5

Dry or dry to wet habitats
50–500 m
(160–1,640 ft)



[17][19]

Series *Cordifolii*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
-----------------------------	----------------------	---------------	-----------	-----------------------------------	---------	--------------	-------------------

S. anomalum

(Engelm.)
G.L.Nesom

Aster
anomalus

1843 Manyray aster

G4

Dry soils over limestone, acid soils
50–500 m
(160–1,640 ft)



[19]

S. ciliolatum

(Lindl.)
Á.Löve &
D.Löve


Aster
ciliolatus


1836

- Lindley's aster
- Fringed blue aster

G5

Rich, open deciduous forests, trails, stream banks
0–2,000 m
(0–6,560 ft)



Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
<u>S. cordifolium</u> 	(L.) G.L.Nesom	<i>Aster cordifolius</i>	1753	- Heartleaf aster - Common blue wood aster	G5	Mostly rich, moist soils and woods 0–1,200 m (0–3,940 ft)	
<u>S. drummondii</u> 	(Lindl.) G.L.Nesom	<i>Aster drummondii</i>	1835	Drummond's aster			
Two varieties [94]	G5	Old fields, woodlands, savannas depending on variety [95] 0–500 m (0–1,640 ft) [94]					[17] [38]
<u>S. shortii</u> 	(Lindl.) G.L.Nesom	<i>Aster shortii</i>	1834	Short's aster	G5	Thin rocky soils of woodlands and thickets often around limestone bluffs 100–500 m (330–1,640 ft)	
<u>S. undulatum</u> 	(L.) G.L.Nesom	<i>Aster undulatus</i>	1753	Wavyleaf aster	G5	Dry or well-drained loamy or rocky soils 200–1,500 m (660–4,920 ft)	

[S. urophyllum](#)





([Lindl.](#)) *Aster*
[G.L.Nesom](#) *urophyllus* 1836

- White arrowleaf aster **G4**
 - Arrowleaf aster
- Open, dry to mesic habitats
40–300 m (130–980 ft) and higher



Subsection *Porteriani*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
<u>S. depauperatum</u> 	(Fernald) G.L.Nesom	<i>Aster depauperatus</i>	1908	• Serpentine aster • Starved aster	G2	Serpentine or diabasic soils 400–1,000 m (1,310–3,280 ft)	 [96][20][17]
<u>S. kentuckiense</u> 	(Britton) Medley [97]	<i>Aster kentuckiensis</i>	1901	• Price's aster[98] • Kentucky aster[99]	G4 [100] 1	Limestone cedar glades and limestone roadsides[101]	 [102][101]
<u>S. parviceps</u> 	(E.S.Burgess) G.L.Nesom	<i>Aster ericoides</i> var. <i>parviceps</i>	1898	• Smallhead aster • Small white aster	G4	Dry, sandy, or loamy soils; barrens, fields, roadsides, old cemeteries 200–400 m (660–1,310 ft)	
<u>S. pilosum</u> 	(Willd.) G.L.Nesom	<i>Aster pilosus</i>	1803	• Hairy aster • Frost aster • Hairy white oldfield aster			

Two varieties[103]

G5

Various and many, depending on variety 0–1,100 m (0–3,610 ft)



[103]

S. porteri



(A.Gray) Aster 1881
G.L.Nesom porteri

- Porter's aster
- Smooth white aster

G3



Rocky Mountain foothills 1,800–2,900 m (5,910–9,510 ft)



[104][19]

Subsection *Symphyotrichum*

Series *Punicea*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
<u>S. elliotii</u> 	(Torr. & A.Gray) G.L.Nesom	Aster elliotii	1841	Elliott's aster	G4	Swamps, bogs, marshes, brackish marshes 0–50 m (0–160 ft)	 [19]
<u>S. firmum</u> 	(Nees) G.L.Nesom	Aster firmus	1818	Glossy-leaved aster	G5	Wet soils, fens, marshes 100–400 m (330–1,310 ft)	
<u>S. prenanthoides</u> 	(Muhl. ex Willd.) G.L.Nesom	Aster prenanthoides	1803	Crookedstem aster	G4	Mostly wetlands such as swamps and seeps 100–1,500 m (330–4,920 ft)	
<u>S. puniceum</u>	(L.)	Aster	1753	• Purplestem			

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
-----------------------------	----------------------	---------------	-----------	-----------------------------------	---------	--------------	-------------------



[Å.Löve](#) &
[D.Löve](#)

puniceus

- aster
- Red-stemmed aster
- Swamp aster

Two varieties [105]

G5

Wetlands
0–2,000
m (0–
6,560 ft)
[105]



[S. rhiannon](#)



[Weakley](#)
& Govus

2004

- Rhiannon's aster
- Buck Creek aster [20]

G1

[Serpentine barrens](#)

900–1,300
m (2,950–
4,270 ft)

Buck Creek
Serpentine
Barrens, [106]
[Clay County,](#)
[North Carolina](#)
(US) [107]



Series *Symphyotrichum*

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s) and varieties [19]	NS [20]	Habitat [19]	Distribution [17]
-----------------------------	----------------------	---------------	-----------	-----------------------------------	---------	--------------	-------------------

[S. anticostense](#)



([Fernald](#))
[G.L.Nesom](#)

Aster
anticostensis

1915

Anticosti
aster

G3

Calcareous
river shores,
limestone lake
shores
0–100 m (0–
330 ft)



[19]

[S. novi-belgii](#)



([L.](#))
[G.L.Nesom](#)


Aster novi-
belgii

1753

New York
aster

Four varieties[17] G5

Mostly sea or stream shores, thickets, dunes, barrens (depending on variety) 0–800 m (0–2,620 ft) [38]



S. retroflexum



([Lindl.](#))
[G.L.Nesom](#)

Aster retroflexus 1836

Rigid whitetop aster G4

Moist or dry wooded areas, moist meadows 400–1,500 m (1,310–4,920 ft)



[108][109]

S. robynsianum



([J.Rousseau](#))
[Brouillet](#) &
[Labrecque](#)

Aster robynsianus 1957

Robyn's aster G5

Moist, open, sandy, gravelly, or rocky habitats 10–400 m (30–1,310 ft)



Subgenus *Symphyotrichum* named hybrids

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s)	Parents	Habitat	Distribution [1]
<i>S. × finkii</i>	(Rydb.) G.L.Nesom	<i>Aster finkii</i>	1931		S. cordifolium × S. shortii [110]	Wooded bluffs and fencerows[111]	 f[110]
<i>S. × gravesii</i> 	(E.S.Burgess) G.L.Nesom	<i>Aster gravesii</i>	1901	Graves' aster[113]	S. dumosum × S. laeve [114]	Dry woods[113]	

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s)	Parents	Habitat	Distribution [1]
<i>S. × longulum</i> 	(E.Sheld.) G.L.Nesom	<i>Aster longulus</i>	1894		S. boreale × S. puniceum [115]	Swampy and marshy areas[116]	
<i>S. × priceae</i> 	(Britton) G.L.Nesom	<i>Aster priceae</i>	1901		S. kentuckiense × S. pilosum [117]		Kentucky
<i>S. × salignum</i> 	(Willd.) G.L.Nesom	<i>Aster salignus</i>	1803		S. lanceolatum var. S. lanceolatum × S. novi-belgii var. S. novi-belgii [118]		 g]
<i>S. × schistosum</i> 	(E.S.Steele) G.L.Nesom	<i>Aster schistosus</i>	1911		S. cordifolium × S. laeve [119]	Shale gravel, dry hills[120]	
<i>S. × subgeminatum</i> 	(Fernald) G.L.Nesom	<i>Aster foliaceus</i> var. <i>subgeminatus</i>	1915		S. ciliolatum × S. novi-belgii var. S. novi-belgii [121]	"Damp bushy ravine in the limestone tableland" 200–300 m (660–980 ft) [122]	
<i>S. × tardiflorum</i>	(L.) Greuter , M.V.Agab. & Wagenitz	<i>Aster tardiflorus</i>	1763		S. cordifolium × S. puniceum [123]	Along streams[124]	

Scientific name and picture	Author citation [17]	Basionym [18]	Year [18]	Common name(s)	Parents	Habitat	Distribution [1]
							
<i>S. × versicolor</i>	(Willd.) G.L.Nesom	<i>Aster versicolor</i>	1803	Late Michaelmas daisy[125]	S. laeve var. laeve × S. novi-belgii var. novi-belgii [126]		
							
<i>S. × woldenii</i>	(Rydb.) G.L.Nesom	<i>Aster woldenii</i>	1931		S. laeve × S. praealtum [127]		

Notes

From Wikipedia, the free encyclopedia

Contents

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Discovery and description of new [Stylidium](#) species has been occurring since the late 18th century, the first of which was discovered in [Botany Bay](#) in 1770 and described by [Joseph Banks](#) and [Daniel Solander](#).^[1] In the early 19th century, the French botanist [Charles François Antoine Morren](#) described triggerplant anatomy, also providing illustrations with the descriptions. As of December 2024, 289 species were accepted in the genus *Stylidium*. There are also several more species that are awaiting a formal description.

List of species

The following species are recognised in the genus *Stylidium*:^[2]

A

- [Stylidium accedens](#) A.R.Bean
- [Stylidium aceratum](#) Lowrie & Kenneally
- [Stylidium acuminatum](#) (Carlquist) Wege
- [Stylidium adenophorum](#) Lowrie & Kenneally
- [Stylidium adnatum](#) R.Br. - beaked triggerplant
- [Stylidium adpressum](#) Benth. - trigger-on-stilts
- [Stylidium aeonioides](#) Carlquist
- [Stylidium affine](#) Sond. - queen triggerplant
- [Stylidium albolilacinum](#) (F.L.Erickson & J.H.Willis) Lowrie & Carlquist
- [Stylidium albomontis](#) Carlquist
- [Stylidium alsinoides](#) R.Br.
- [Stylidium amabile](#) Wege & D.J.Coates
- [Stylidium amoenum](#) R.Br. - lovely (or beautiful) triggerplant
- [Stylidium amphora](#) Lowrie & Kenneally
- [Stylidium androsaceum](#) Lindl.
- [Stylidium angustifolium](#) (Carlquist) Wege
- [Stylidium applanatum](#) Wege
- [Stylidium aquaticum](#) A.R.Bean

- [*Stylidium araeophyllum*](#) Wege
- [*Stylidium arenicola*](#) Carlquist
- [*Stylidium armeria*](#) (Labill.) Labill.
- [*Stylidium articulatum*](#) R.Br. - stout triggerplant
- [*Stylidium assimile*](#) R.Br. - bronze-leaved triggerplant
- [*Stylidium asymmetricum*](#) Wege - asymmetric triggerplant
- [*Stylidium austrocapense*](#) A.R.Bean

B

- [*Stylidium barleei*](#) F.Muell. - tooth-leaved triggerplant
- [*Stylidium barrettiorum*](#) Lowrie & Kenneally
- [*Stylidium beaugleholei*](#) J.H.Willis
- [*Stylidium bellum*](#) Wege
- [*Stylidium bicolor*](#) Lindl.
- [*Stylidium bindoon*](#) Lowrie & Kenneally
- [*Stylidium breviscapum*](#) R.Br. - boomerang triggerplant
- [*Stylidium brunonianum*](#) Benth. - pink fountain triggerplant
- [*Stylidium bulbiferum*](#) Benth. - circus triggerplant
- [*Stylidium burbridgeanum*](#) Lowrie & Kenneally

C

- [*Stylidium caespitosum*](#) R.Br. - fly-away triggerplant
- [*Stylidium calcaratum*](#) R.Br. - book triggerplant
- [*Stylidium candelabrum*](#) Lowrie & Kenneally
- [*Stylidium capillare*](#) R.Br.
- [*Stylidium caricifolium*](#) Lindl. - milkmaids
- [*Stylidium carlquistii*](#) Lowrie
- [*Stylidium carnosum*](#) Benth. - fleshy-leaved triggerplant
- [*Stylidium centrolepoides*](#) A.R.Bean
- [*Stylidium ceratophorum*](#) O.Schwarz
- [*Stylidium chiddarcoopingense*](#) Lowrie, D.J.Coates & Kenneally
- [*Stylidium choreanthum*](#) F.L.Erickson & J.H.Willis - dancing triggerplant
- [*Stylidium ciliatum*](#) Lindl. - golden triggerplant
- [*Stylidium cilium*](#) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium clarksonii*](#) Lowrie & Kenneally
- [*Stylidium clavatum*](#) (Carlquist) Wege
- [*Stylidium claytonioides*](#) W.Fitzg.
- [*Stylidium confertum*](#) A.R.Bean
- [*Stylidium confluens*](#) Banyard & S.H.James
- [*Stylidium cordifolium*](#) W.Fitzg.
- [*Stylidium cornuatum*](#) Wege

- [*Stylidium coroniforme*](#) F.L.Erickson & J.H.Willis - Wongan Hills triggerplant
- [*Stylidium corymbosum*](#) R.Br. - whitecaps
- [*Stylidium costulatum*](#) Kenneally & Lowrie
- [*Stylidium crassifolium*](#) R.Br. - thick-leaved triggerplant
- [*Stylidium crosscephalum*](#) F.Muell. - posy triggerplant
- [*Stylidium cygnorum*](#) W.Fitzg.
- [*Stylidium cymiferum*](#) Lowrie & Carlquist

D

- [*Stylidium daphne*](#) Lowrie & Kenneally
- [*Stylidium darwinii*](#) Punekar & Lakshmin.
- [*Stylidium debile*](#) F.Muell.
- [*Stylidium decipiens*](#) (Carlquist) Wege
- [*Stylidium delicatum*](#) A.R.Bean
- [*Stylidium desertorum*](#) Carlquist
- [*Stylidium despectum*](#) R.Br. - dwarf triggerplant
- [*Stylidium diademum*](#) Wege
- [*Stylidium diceratum*](#) Lowrie & Kenneally
- [*Stylidium dichotomum*](#) DC. - pins-and-needles
- [*Stylidium dielsianum*](#) E.Pritz. - tangle triggerplant
- [*Stylidium diffusum*](#) R.Br.
- [*Stylidium diplectroglossum*](#) (F.L.Erickson & J.H.Willis) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium diplotrichum*](#) Wege
- [*Stylidium dispernum*](#) F.Muell.
- [*Stylidium diuroides*](#) Lindl. - donkey triggerplant
- [*Stylidium divaricatum*](#) Sond. - daddy-long-legs
- [*Stylidium divergens*](#) A.R.Bean
- [*Stylidium diversifolium*](#) R.Br. - touch-me-not
- [*Stylidium drummondianum*](#) Lowrie & Carlquist
- [*Stylidium dunlopianum*](#) Carlquist

E

- [*Stylidium ecorne*](#) (F.Muell. ex F.L.Erickson & J.H.Willis) P.G.Farrell & S.H.James - foot triggerplant
- [*Stylidium edentatum*](#) Lowrie & Carlquist
- [*Stylidium eglandulosum*](#) F.Muell. - woolly-stemmed triggerplant
- [*Stylidium elachophyllum*](#) A.R.Bean & M.T.Mathieson
- [*Stylidium elongatum*](#) Benth. - tall triggerplant
- [*Stylidium emarginatum*](#) Sond.
- [*Stylidium ensatum*](#) A.R.Bean
- [*Stylidium ericksoniae*](#) J.H.Willis

- [*Stylidium eriorhizum*](#) R.Br.
- [*Stylidium exappendiculatum*](#) (Lowrie & Carlquist) Wege
- [*Stylidium exiguum*](#) A.R.Bean
- [*Stylidium expeditionis*](#) Carlquist - Tutanning triggerplant

F

- [*Stylidium falcatum*](#) R.Br. - slender beaked triggerplant
- [*Stylidium fasciculatum*](#) R.Br.
- [*Stylidium ferricola*](#) Wege & Keighery
- [*Stylidium fimbriatum*](#) Lowrie & Kenneally
- [*Stylidium fissilobum*](#) F.Muell.
- [*Stylidium flagellum*](#) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium floodii*](#) F.Muell.
- [*Stylidium floribundum*](#) R.Br.
- [*Stylidium fluminense*](#) F.L.Erickson & J.H.Willis
- [*Stylidium foveolatum*](#) A.R.Bean

G

- [*Stylidium galioides*](#) C.A.Gardner - yellow mountain triggerplant
- [*Stylidium glabrifolium*](#) Lowrie & Kenneally
- [*Stylidium glandulosissimum*](#) Wege
- [*Stylidium glandulosum*](#) Salisb. - bushy triggerplant
- [*Stylidium glaucum*](#) (Labill.) Labill. - grey triggerplant
- [*Stylidium gloeophyllum*](#) Wege
- [*Stylidium graminifolium*](#) Sw. ex Willd. - grass triggerplant
- [*Stylidium guttatum*](#) R.Br. - dotted triggerplant

H

- [*Stylidium hesperium*](#) Wege
- [*Stylidium hirsutum*](#) R.Br. - hairy triggerplant
- [*Stylidium hispidum*](#) Lindl. - white butterfly triggerplant
- [*Stylidium hortiorum*](#) Lowrie & Kenneally
- [*Stylidium humphreysii*](#) Carlquist
- [*Stylidium hygrophilum*](#) Wege
- [*Stylidium hymenocraspedum*](#) Wege

I

- [*Stylidium imbricatum*](#) Benth. - tile-leaved triggerplant
- [*Stylidium inaequipetalum*](#) J.M.Black

- [*Stylidium inconspicuum*](#) Slooten
- [*Stylidium induratum*](#) M.B.Scott - desert triggerplant
- [*Stylidium insensitivum*](#) Carlquist - insensitive triggerplant
- [*Stylidium inundatum*](#) R.Br. - hundreds and thousands
- [*Stylidium inversiflorum*](#) Carlquist
- [*Stylidium involucratum*](#) F.Muell.
- [*Stylidium ireneae*](#) Lowrie & Kenneally

J

- [*Stylidium javanicum*](#) Slooten
- [*Stylidium junceum*](#) R.Br. - reed triggerplant

K

- [*Stylidium kalbarriense*](#) Lowrie & Kenneally
- [*Stylidium keigheryi*](#) Lowrie & Carlquist
- [*Stylidium korijekup*](#) Wege, B.J.Keighery & Keighery

L

- [*Stylidium lachnopodum*](#) Domin
- [*Stylidium laciniatum*](#) C.A.Gardner - tattered triggerplant
- [*Stylidium laricifolium*](#) Rich. - tree (or larch-leaf) triggerplant
- [*Stylidium lateriticola*](#) Kenneally
- [*Stylidium latrodictus*](#) R.L.Barrett, M.D.Barrett & Lowrie
- [*Stylidium leeuwinense*](#) Lowrie & Kenneally
- [*Stylidium leiophyllum*](#) A.R.Bean
- [*Stylidium lepidum*](#) F.Muell. ex Benth. - redcaps
- [*Stylidium leptocalyx*](#) Sond. - slender-calyxed triggerplant
- [*Stylidium leptophyllum*](#) DC. - needle-leaved triggerplant
- [*Stylidium leptorrhizum*](#) F.Muell.
- [*Stylidium limbatum*](#) F.Muell. - leaved triggerplant
- [*Stylidium lineare*](#) Sw. ex Willd. - narrow-leaved triggerplant
- [*Stylidium lineatum*](#) Sond. - sunny triggerplant
- [*Stylidium lithophilum*](#) Wege
- [*Stylidium lobuliflorum*](#) F.Muell.
- [*Stylidium longibracteatum*](#) Carlquist - long-bracted triggerplant
- [*Stylidium longicornu*](#) Carlquist
- [*Stylidium longissimum*](#) A.R.Bean
- [*Stylidium longitubum*](#) Benth. - jumping jacks
- [*Stylidium lowrieianum*](#) Carlquist
- [*Stylidium luteum*](#) R.Br. - yellow triggerplant

M

- [*Stylidium macranthum*](#) Carlquist - crab claws
- [*Stylidium maitlandianum*](#) E.Pritz. - fountain triggerplant
- [*Stylidium maritimum*](#) Lowrie, D.J.Coates & Kenneally
- [*Stylidium marradongense*](#) Lowrie & Kenneally
- [*Stylidium megacarpum*](#) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium merrallii*](#) (F.Muell.) T.Durand & B.D.Jacks.Merrall's triggerplant
- [*Stylidium milleri*](#) Wege
- [*Stylidium miniatum*](#) Mildbr. - pink butterfly triggerplant
- [*Stylidium montanum*](#) Raulings & Ladiges
- [*Stylidium monticola*](#) Lowrie & Kenneally
- [*Stylidium mucronatum*](#) Lowrie & Kenneally
- [*Stylidium multiscapum*](#) O.Schwarz
- [*Stylidium muscicola*](#) F.Muell.

N

- [*Stylidium neglectum*](#) Mildbr. - neglected triggerplant
- [*Stylidium neurophyllum*](#) Wege
- [*Stylidium nitidum*](#) Lowrie & Kenneally
- [*Stylidium nominatum*](#) Carlquist
- [*Stylidium nonscandens*](#) Carlquist
- [*Stylidium notabile*](#) A.R.Bean
- [*Stylidium nungarinense*](#) S.Moore - Nungarin triggerplant
- [*Stylidium nymphaeum*](#) Wege

O

- [*Stylidium obtusatum*](#) Sond. - pinafore triggerplant
- [*Stylidium oreophilum*](#) Wege
- [*Stylidium ornatum*](#) S.T.Blake
- [*Stylidium osculum*](#) A.R.Bean
- [*Stylidium oviflorum*](#) A.R.Bean

P

- [*Stylidium pachyrrhizum*](#) F.Muell.
- [*Stylidium paludicola*](#) Wege
- [*Stylidium paniculatum*](#) (Maiden & Betcher) A.R.Bean
- [*Stylidium paulineae*](#) Lowrie & Kenneally
- [*Stylidium pedunculatum*](#) R.Br.
- [*Stylidium pendulum*](#) Keighery

- [*Stylidium periscelanthum*](#) F.L.Erickson & J.H.Willis - pantaloone triggerplant
- [*Stylidium perizoster*](#) Lowrie & Kenneally
- [*Stylidium perplexum*](#) Wege
- [*Stylidium perpusillum*](#) Hook.f. - tiny triggerplant
- [*Stylidium perula*](#) Wege
- [*Stylidium petiolare*](#) Sond. - horned triggerplant
- [*Stylidium piliferum*](#) R.Br. - common butterfly triggerplant
- [*Stylidium pilosum*](#) (Labill.) Labill.
- [*Stylidium pindanicum*](#) R.L.Barrett
- [*Stylidium pingrupense*](#) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium planirosula*](#) Wege
- [*Stylidium plantagineum*](#) Sond. - plantagenet triggerplant
- [*Stylidium ponticulus*](#) Lowrie & Kenneally
- [*Stylidium preissii*](#) F.Muell. - lizard triggerplant
- [*Stylidium pritzelianum*](#) Mildbr. - royal triggerplant
- [*Stylidium productum*](#) Hindm. & Blaxell
- [*Stylidium prophyllum*](#) Lowrie & Kenneally
- [*Stylidium pseudocaespitosum*](#) Mildbr.
- [*Stylidium pseudohirsutum*](#) Mildbr.
- [*Stylidium pseudosacculatum*](#) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium pubigerum*](#) Sond. - yellow butterfly triggerplant
- [*Stylidium pulchellum*](#) Sond. - Thumbelina triggerplant
- [*Stylidium pulviniforme*](#) Lowrie & Kenneally
- [*Stylidium purpureum*](#) Wege
- [*Stylidium pycnostachyum*](#) Lindl. - downy triggerplant
- [*Stylidium pygmaeum*](#) R.Br. - pygmy triggerplant

R

- [*Stylidium ramosissimum*](#) A.R.Bean
- [*Stylidium recurvum*](#) Graham
- [*Stylidium repens*](#) R.Br. - matted triggerplant
- [*Stylidium rhipidium*](#) F.L.Erickson & J.H.Willis - fan triggerplant
- [*Stylidium rhynchocarpum*](#) Sond. - black-beaked triggerplant
- [*Stylidium ricae*](#) Carlquist
- [*Stylidium rigidulum*](#) Sond.
- [*Stylidium rivulosum*](#) Lowrie & Kenneally
- [*Stylidium roseoalatum*](#) F.L.Erickson & J.H.Willis - pink-wing triggerplant
- [*Stylidium roseonanum*](#) Carlquist
- [*Stylidium rosulatum*](#) Wege
- [*Stylidium rotundifolium*](#) R.Br.
- [*Stylidium rubricalyx*](#) F.L.Erickson & J.H.Willis
- [*Stylidium rubriscapum*](#) W.Fitzg.

- [*Stylidium rupestre*](#) Sond. - rock triggerplant

S

- [*Stylidium sacculatum*](#) F.L.Erickson & J.H.Willis
- [*Stylidium saintpaulioides*](#) R.L.Barrett, M.D.Barrett & Lowrie
- [*Stylidium salmoneum*](#) Lowrie & Kenneally
- [*Stylidium scabridum*](#) Lindl. - moth triggerplant
- [*Stylidium scandens*](#) R.Br. - climbing triggerplant
- [*Stylidium scariosum*](#) DC.
- [*Stylidium schizanthum*](#) F.Muell.
- [*Stylidium schoenoides*](#) DC. - cow kicks
- [*Stylidium scintillans*](#) Wege
- [*Stylidium sejunctum*](#) Lowrie, D.J.Coates & Kenneally
- [*Stylidium semaphorum*](#) Lowrie & Kenneally
- [*Stylidium semipartitum*](#) F.Muell.
- [*Stylidium septentrionale*](#) (Mildbr.) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium shepherdianum*](#) Wege
- [*Stylidium simulans*](#) Carlquist
- [*Stylidium soboliferum*](#) F.Muell.
- [*Stylidium spathulatum*](#) R.Br. - creamy triggerplant
- [*Stylidium spiciforme*](#) Wege
- [*Stylidium spinulosum*](#) R.Br. - topsy-turvy triggerplant
- [*Stylidium squamellosum*](#) DC. - maze triggerplant
- [*Stylidium squamosotuberosum*](#) Carlquist - fleshy-rhizomed triggerplant
- [*Stylidium stenophyllum*](#) A.R.Bean
- [*Stylidium stenosepalum*](#) E.Pritz.
- [*Stylidium striatum*](#) Lindl. - fan-leaved triggerplant
- [*Stylidium strigosum*](#) Lowrie & Kenneally
- [*Stylidium subulatum*](#) Hook.f.
- [*Stylidium symonii*](#) Carlquist

T

- [*Stylidium tenellum*](#) Sw. ex Willd.
- [*Stylidium tenerimum*](#) F.Muell.
- [*Stylidium tenerum*](#) Spreng.
- [*Stylidium tenue*](#) Sond.
- [*Stylidium tenuicarpum*](#) Carlquist
- [*Stylidium tepperianum*](#) (F.Muell.) Mildbr.
- [*Stylidium thesioides*](#) DC. - delicate triggerplant
- [*Stylidium thryonides*](#) Wege
- [*Stylidium thylax*](#) Wege

- [*Stylidium tinkeri*](#) Lowrie & Kenneally
- [*Stylidium torticarpum*](#) Lowrie & Kenneally
- [*Stylidium trichopodum*](#) F.Muell.
- [*Stylidium trudgenii*](#) Lowrie & Kenneally
- [*Stylidium turbinatum*](#) Lowrie & Kenneally
- [*Stylidium turleyae*](#) Lowrie & Kenneally
- [*Stylidium tylosum*](#) Lowrie & Kenneally

U

- [*Stylidium udusicola*](#) Lowrie & Kenneally
- [*Stylidium uliginosum*](#) Sw. ex Willd.
- [*Stylidium uniflorum*](#) Sond. - pincushion triggerplant
- [*Stylidium utricularioides*](#) Benth. - pink fan triggerplant

V

- [*Stylidium validum*](#) Wege
- [*Stylidium velleioides*](#) A.R.Bean
- [*Stylidium verticillatum*](#) F.Muell. - pink mountain triggerplant
- [*Stylidium vinosum*](#) Lowrie & Kenneally
- [*Stylidium violaceum*](#) R.Br. - violet triggerplant

W

- [*Stylidium warriedarens*](#) Lowrie, A.H.Burb. & Kenneally
- [*Stylidium weeliwolli*](#) Lowrie & Kenneally
- [*Stylidium willingii*](#) R.L.Barrett, Kenneally & Lowrie
- [*Stylidium wilroyense*](#) Lowrie, D.J.Coates & Kenneally

X

- [*Stylidium xanthellum*](#) Wege
- [*Stylidium xanthopis*](#) F.L.Erickson & J.H.Willis - yellow eyed triggerplant

Y

- [*Stylidium yilgarnense*](#) E.Pritz. - Yilgarn triggerplant

Z

- [*Stylidium zeicolor*](#) F.L.Erickson & J.H.Willis - maize triggerplant

References

From Wikipedia, the free encyclopedia

[Strychnos](#) is a genus of plants in the family [Loganiaceae](#). As of August 2024, [Plants of the World Online](#) accepted about 200 species.^{[\[1\]](#)}

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- *[Strychnos aculeata](#)* Soler.
- *[Strychnos acuta](#)* Progel
- *[Strychnos aenea](#)* A.W.Hill

- [*Strychnos afzelii*](#) Gilg
- [*Strychnos alvimiana*](#) Krukoff & Barneby
- [*Strychnos amazonica*](#) Krukoff
- [*Strychnos andamanensis*](#) A.W.Hill
- [*Strychnos angolensis*](#) Gilg
- [*Strychnos angustiflora*](#) Benth.
- [*Strychnos araguaensis*](#) Krukoff & Barneby
- [*Strychnos asperula*](#) Sprague & Sandwith
- [*Strychnos asterantha*](#) Leeuwenb.
- [*Strychnos atlantica*](#) Krukoff & Barneby
- [*Strychnos axillaris*](#) Colebr.

B



Strychnos brasiliensis

- [*Strychnos bahiensis*](#) Krukoff & Barneby
- [*Strychnos barnhartiana*](#) Krukoff
- [*Strychnos barteri*](#) Soler.
- [*Strychnos benthamii*](#) C.B.Clarke
- [*Strychnos bicolor*](#) Progel
- [*Strychnos bifurcata*](#) Leeuwenb.
- [*Strychnos boonei*](#) De Wild.
- [*Strychnos borneensis*](#) Leenh.
- [*Strychnos brachiata*](#) Ruiz & Pav.
- [*Strychnos brachistantha*](#) Standl.
- [*Strychnos brasiliensis*](#) (Spreng.) Mart.
- [*Strychnos bredemeyeri*](#) (Schult.) Sprague & Sandwith

C

- [*Strychnos campicola*](#) Gilg ex Leeuwenb.
- [*Strychnos camptoneura*](#) Gilg & Busse
- [*Strychnos canthioides*](#) Leeuwenb.
- [*Strychnos castelnaeana*](#) Baill.
- [*Strychnos cathayensis*](#) Merr.
- [*Strychnos cayennensis*](#) Krukoff & Barneby

- [*Strychnos cerradoensis*](#) Krukoff & Barneby
- [*Strychnos chlorantha*](#) Progel
- [*Strychnos chromatoxylon*](#) Leeuwenb.
- [*Strychnos chrysophylla*](#) Gilg
- [*Strychnos cocculoides*](#) Baker
- [*Strychnos cogens*](#) Benth.
- [*Strychnos colombiensis*](#) Krukoff & Barneby
- [*Strychnos congolana*](#) Gilg
- [*Strychnos coriacea*](#) Thwaites
- [*Strychnos croatii*](#) Krukoff & Barneby
- [*Strychnos cuminodora*](#) Leeuwenb.
- [*Strychnos cuniculina*](#) Leeuwenb.
- [*Strychnos curtisii*](#) King & Gamble

D



Strychnos dalzellii

- [*Strychnos daclacensis*](#) C.K. Tran
- [*Strychnos dale*](#) De Wild.
- [*Strychnos dalzellii*](#) C.B. Clarke
- [*Strychnos dantaensis*](#) Manoel, Carrijo & E.F. Guim.
- [*Strychnos darienensis*](#) Seem.
- [*Strychnos davidsei*](#) Krukoff & Barneby
- [*Strychnos decussata*](#) (Pappe) Gilg
- [*Strychnos densiflora*](#) Baill.
- [*Strychnos diaboli*](#) Sandwith
- [*Strychnos dinhensis*](#) Pierre ex Dop
- [*Strychnos dinklagei*](#) Gilg
- [*Strychnos diplotricha*](#) Leeuwenb.
- [*Strychnos divaricans*](#) Ducke
- [*Strychnos dolichothyrsa*](#) Gilg ex Onochie & Hepper
- [*Strychnos duckei*](#) Krukoff & Monach.

E

- [*Strychnos ecuadoriensis*](#) Krukoff & Barneby
- [*Strychnos elaeocarpa*](#) Gilg ex Leeuwenb.
- [*Strychnos erichsonii*](#) R.H.Schomb. ex Progel
- [*Strychnos eugeniifolia*](#) Monach.

F

- [*Strychnos fallax*](#) Leeuwenb.
- [*Strychnos fendleri*](#) Sprague & Sandwith
- [*Strychnos flavescens*](#) King & Gamble
- [*Strychnos floribunda*](#) Gilg
- [*Strychnos froesii*](#) Ducke
- [*Strychnos fulvotomentosa*](#) Gilg

G

- [*Strychnos gardneri*](#) A.DC.
- [*Strychnos gerrardii*](#) N.E.Br.
- [*Strychnos glabra*](#) Sagot ex Progel
- [*Strychnos gnetifolia*](#) Gilg ex Onochie & Hepper
- [*Strychnos goiasensis*](#) Krukoff & Barneby
- [*Strychnos gossweileri*](#) Exell
- [*Strychnos grayi*](#) Griseb.
- [*Strychnos gubleri*](#) G.Planck.
- [*Strychnos guianensis*](#) (Aubl.) Mart.

H

- [*Strychnos henningsii*](#) Gilg
- [*Strychnos hirsuta*](#) Spruce ex Benth.

I

- [*Strychnos icaja*](#) Baill.
- [*Strychnos ignatii*](#) P.J.Bergius
- [*Strychnos innocua*](#) Delile

J

- [*Strychnos jacarepiensis*](#) Manoel & E.F.Guim.
- [*Strychnos javariensis*](#) Krukoff
- [*Strychnos jobertiana*](#) Baill.

- [*Strychnos johnsonii*](#) Hutch. & M.B.Moss

K

- [*Strychnos kasengaensis*](#) De Wild.
- [*Strychnos krukoffiana*](#) Ducke

L

- [*Strychnos lanata*](#) A.W.Hill
- [*Strychnos ledermannii*](#) Gilg & Gilg-Ben.
- [*Strychnos leenhoutsii*](#) Tirel
- [*Strychnos lobelioides*](#) Krukoff & Barneby
- [*Strychnos longicaudata*](#) Gilg
- [*Strychnos lucens*](#) Baker
- [*Strychnos lucida*](#) R.Br.
- [*Strychnos luzonensis*](#) Elmer

M



Strychnos madagascariensis

- [*Strychnos madagascariensis*](#) Poir.
- [*Strychnos maingayi*](#) C.B.Clarke
- [*Strychnos malacoclados*](#) C.H.Wright
- [*Strychnos malacosperma*](#) Ducke & Fróes
- [*Strychnos malchairii*](#) De Wild.
- [*Strychnos matopensis*](#) S.Moore
- [*Strychnos mattogrossensis*](#) S.Moore

- [*Strychnos medeola*](#) Sagot ex Progel
- [*Strychnos melanocarpa*](#) Gilg & Gilg-Ben.
- [*Strychnos melastomatoides*](#) Gilg
- [*Strychnos melinoniana*](#) Baill.
- [*Strychnos mellodora*](#) S.Moore
- [*Strychnos memecyloides*](#) S.Moore
- [*Strychnos millepunctata*](#) Leeuwenb.
- [*Strychnos mimfiensis*](#) Gilg ex Leeuwenb.
- [*Strychnos minor*](#) Dennst.
- [*Strychnos mitis*](#) S.Moore
- [*Strychnos mitscherlichii*](#) M.R.Schomb.
- [*Strychnos moandaensis*](#) De Wild.
- [*Strychnos mostueoides*](#) Leeuwenb.
- [*Strychnos myrioneura*](#) Gilg
- [*Strychnos myrtooides*](#) Gilg & Busse

N



Strychnos nux-vomica

- [*Strychnos nana*](#) E.S.Brandão
- [*Strychnos narcondamensis*](#) A.W.Hill
- [*Strychnos ndengensis*](#) Pellegr.
- [*Strychnos neglecta*](#) Krukoff & Barneby
- [*Strychnos ngouniensis*](#) Pellegr.
- [*Strychnos nicaraguensis*](#) Huft
- [*Strychnos nigricans*](#) Progel
- [*Strychnos nigritana*](#) Baker
- [*Strychnos nitida*](#) G.Don
- [*Strychnos nux-blanda*](#) A.W.Hill
- [*Strychnos nux-vomica*](#) L.

O

- [*Strychnos odorata*](#) A.Chev.

- [*Strychnos oiapocensis*](#) Fróes
- [*Strychnos oleifolia*](#) A.W.Hill
- [*Strychnos ovata*](#) A.W.Hill

P



Strychnos psilosperma

- [*Strychnos pachycarpa*](#) Ducke
- [*Strychnos panamensis*](#) Seem.
- [*Strychnos panganensis*](#) Gilg
- [*Strychnos parviflora*](#) Spruce ex Benth.
- [*Strychnos parvifolia*](#) A.DC.
- [*Strychnos peckii*](#) B.L.Rob.
- [*Strychnos penninervis*](#) A.Chev.
- [*Strychnos pentantha*](#) Leeuwenb.
- [*Strychnos phaeotricha*](#) Gilg
- [*Strychnos poeppigii*](#) Progel
- [*Strychnos polyantha*](#) Pierre ex Dop
- [*Strychnos polytrichantha*](#) Gilg
- [*Strychnos potatorum*](#) L.f.
- [*Strychnos progeliana*](#) Krukoff & Barneby
- [*Strychnos pseudoquina*](#) A.St.-Hil.
- [*Strychnos psilosperma*](#) F.Muell.
- [*Strychnos puberula*](#) McPherson
- [*Strychnos pubescens*](#) C.B.Clarke
- [*Strychnos pubiflora*](#) Krukoff
- [*Strychnos pungens*](#) Soler.

R

- [*Strychnos ramentifera*](#) Ducke
- [*Strychnos recognita*](#) Krukoff & Barneby
- [*Strychnos retinervis*](#) Leeuwenb.
- [*Strychnos ridleyi*](#) King & Gamble
- [*Strychnos romeu-belenii*](#) Krukoff & Barneby
- [*Strychnos rondeletiioides*](#) Spruce ex Benth.
- [*Strychnos rubiginosa*](#) A.DC.
- [*Strychnos rufa*](#) C.B.Clarke
- [*Strychnos rupicola*](#) Pierre ex Dop

S



Strychnos spinosa

- [*Strychnos samba*](#) P.A.Duvign.
- [*Strychnos sandwithiana*](#) Krukoff & Barneby
- [*Strychnos scheffleri*](#) Gilg
- [*Strychnos schultesiana*](#) Krukoff
- [*Strychnos schunkei*](#) Krukoff & Barneby
- [*Strychnos setosa*](#) Krukoff & Barneby
- [*Strychnos solerederi*](#) Gilg
- [*Strychnos solimoesana*](#) Krukoff
- [*Strychnos sonlaensis*](#) C.K.Tran
- [*Strychnos soubrensis*](#) Hutch. & Dalziel
- [*Strychnos spinosa*](#) Lam.
- [*Strychnos splendens*](#) Gilg
- [*Strychnos staudtii*](#) Gilg
- [*Strychnos subcordata*](#) Spruce ex Benth.

T

- [*Strychnos tabascana*](#) Sprague & Sandwith
- [*Strychnos talbotiae*](#) S.Moore
- [*Strychnos tarapotensis*](#) Sprague & Sandwith
- [*Strychnos tchibangensis*](#) Pellegr.

- [*Strychnos ternata*](#) Gilg ex Leeuwenb.
- [*Strychnos tetragona*](#) A.W.Hill
- [*Strychnos thorelii*](#) Pierre ex Dop
- [*Strychnos tomentosa*](#) Benth.
- [*Strychnos torresiana*](#) Krukoff & Monach.
- [*Strychnos toxifera*](#) R.H.Schomb. ex Lindl.
- [*Strychnos tricalysioides*](#) Hutch. & M.B.Moss
- [*Strychnos trichocalyx*](#) A.W.Hill
- [*Strychnos trichoneura*](#) Leeuwenb.
- [*Strychnos trinervis*](#) (Vell.) Mart.
- [*Strychnos tseasnum*](#) Krukoff & Barneby

U



Strychnos usambarensis

- [*Strychnos umbellata*](#) (Lour.) Merr.
- [*Strychnos urceolata*](#) Leeuwenb.
- [*Strychnos usambarensis*](#) Gilg ex Engl.

V

- [*Strychnos vanprukii*](#) Craib
- [*Strychnos variabilis*](#) De Wild.
- [*Strychnos villosa*](#) A.W.Hill
- [*Strychnos vitiensis*](#) A.W.Hill

W

- [*Strychnos wallichiana*](#) Steud. ex A.DC.

X

- [*Strychnos xantha*](#) Leeuwenb.
- [*Strychnos xylophylla*](#) Gilg

Z

- [*Strychnos zenkeri*](#) Gilg ex Baker

References

From Wikipedia, the free encyclopedia

For a list of species in the bee genus *Stelis*, see [List of *Stelis* \(bee\) species](#).

[*Stelis*](#) is a genus of flowering plants in the family [Orchidaceae](#).

Alphabetical list

As of August 2022, [Plants of the World Online](#) accepted the following species:^[1]

A

- [*Stelis abdita*](#) Luer
- [*Stelis aberrans*](#) Luer & R.Vásquez
- [*Stelis acaroi*](#) Luer & Hirtz
- [*Stelis aciculifolia*](#) Luer & R.Vásquez
- [*Stelis aclyda*](#) Luer & Hirtz
- [*Stelis acostaei*](#) Schltr.
- [*Stelis acrisepala*](#) Luer & Hirtz
- [*Stelis acuiifera*](#) Lindl.
- [*Stelis acuminata*](#) Luer & Hirtz
- [*Stelis acuminosa*](#) Luer & R.Escobar
- [*Stelis acutilabia*](#) Luer & Hirtz
- [*Stelis acutula*](#) Luer & Hirtz
- [*Stelis adelphae*](#) Luer & R.Vásquez
- [*Stelis adinfinatum*](#) Luer & R.Escobar
- [*Stelis adinostachya*](#) Luer & Hirtz
- [*Stelis adrianae*](#) Luer
- [*Stelis aemula*](#) Schltr.
- [*Stelis aenigma*](#) Karremans & M.Díaz
- [*Stelis aeolica*](#) Solano & Soto Arenas
- [*Stelis aequoris*](#) Luer & Hirtz
- [*Stelis aernbyae*](#) Luer & Dalström
- [*Stelis affinis*](#) C.Schweinf.
- [*Stelis agatha*](#) Luer & Hirtz
- [*Stelis aggregata*](#) Luer & R.Escobar
- [*Stelis aglochis*](#) Luer

- [Stelis agonzalezii](#) Luer & Hirtz
- [Stelis aguirreae](#) Luer & Sijm
- [Stelis alajuelensis](#) Pridgeon & M.W.Chase
- [Stelis alba](#) Kunth
- [Stelis alboviolacea](#) Luer
- [Stelis aleanophila](#) Luer
- [Stelis alfredii](#) Schltr.
- [Stelis aligera](#) (Luer & R.Vásquez) Pridgeon & M.W.Chase
- [Stelis allenii](#) L.O.Williams
- [Stelis alleyoop](#) Luer & R.Escobar
- [Stelis alloinfundibulosa](#) J.M.H.Shaw
- [Stelis aloisii](#) (Schltr.) Pridgeon & M.W.Chase
- [Stelis alta](#) Pridgeon & M.W.Chase
- [Stelis alternans](#) Luer & Hirtz
- [Stelis amabilis](#) Luer & Hirtz
- [Stelis amaliae](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis amaliana](#) Luer
- [Stelis ambrosia](#) Luer & R.Escobar
- [Stelis amethystina](#) Luer & R.Vásquez
- [Stelis amilotensis](#) Luer & R.Escobar
- [Stelis amoena](#) Pridgeon & M.W.Chase
- [Stelis amparoana](#) Schltr.
- [Stelis amphigena](#) O.Duque
- [Stelis anagraciae](#) Archila & Szlach.
- [Stelis anchorilabia](#) O.Duque
- [Stelis ancistra](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [Stelis anderssonii](#) Luer & Endara
- [Stelis andreettae](#) Luer & Hirtz
- [Stelis andrei](#) Luer
- [Stelis angustifolia](#) Kunth
- [Stelis anisopetala](#) O.Duque
- [Stelis ann-jesupiae](#) Luer
- [Stelis annedamoniae](#) Solano
- [Stelis anolis](#) Luer
- [Stelis antennata](#) Garay
- [Stelis anthracina](#) Luer & Hirtz
- [Stelis antillensis](#) Pridgeon & M.W.Chase
- [Stelis antioquiensis](#) Schltr.
- [Stelis aperta](#) Garay
- [Stelis aphidifera](#) Luer & Dalström
- [Stelis apiculifera](#) Luer & Hirtz
- [Stelis applanata](#) Luer & Hirtz

- [*Stelis apposita*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis aprica*](#) Lindl.
- [*Stelis aquinoana*](#) Schltr.
- [*Stelis arbuscula*](#) Luer & R.Escobar
- [*Stelis argentata*](#) Lindl.
- [*Stelis ariasii*](#) (Luer & Hirtz) Karremans
- [*Stelis arrecta*](#) Luer & R.Escobar
- [*Stelis ascendens*](#) Lindl.
- [*Stelis aspera*](#) (Ruiz & Pav.) Pers.
- [*Stelis aspergilliformis*](#) Luer & Hirtz
- [*Stelis asperilinguis*](#) (Rchb.f. & Warsz.) Karremans
- [*Stelis asperrima*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis asplundii*](#) Luer & Endara
- [*Stelis atomacea*](#) Luer & R.Escobar
- [*Stelis atra*](#) Lindl.
- [*Stelis atrocaerulea*](#) Luer
- [*Stelis atroculata*](#) Luer & Hirtz
- [*Stelis atrorubens*](#) L.O.Williams
- [*Stelis atroviolacea*](#) Rchb.f.
- [*Stelis attenuata*](#) Lindl.
- [*Stelis atwoodii*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis aurantiaca*](#) Luer & R.Vásquez
- [*Stelis aurea*](#) (Lindl.) Karremans
- [*Stelis auriculata*](#) O.Duque
- [*Stelis aviceps*](#) Lindl.
- [*Stelis avirostris*](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [*Stelis azuayensis*](#) Luer

B

- [*Stelis bacriosa*](#) Luer & R.Vásquez
- [*Stelis ballatrix*](#) Luer & R.Vásquez
- [*Stelis barbae*](#) Schltr.
- [*Stelis barbellata*](#) Luer & Hirtz
- [*Stelis barbimentosa*](#) Luer & Endara
- [*Stelis barbuda*](#) O.Duque
- [*Stelis batillacea*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis baudoensis*](#) Luer & R.Escobar
- [*Stelis beckii*](#) Luer & R.Vásquez
- [*Stelis beniensis*](#) Luer
- [*Stelis benzingii*](#) Luer & Hirtz
- [*Stelis bermejoensis*](#) Luer & Hirtz
- [*Stelis bevilacquana*](#) (Carnevali & I.Ramírez) Karremans

- [Stelis bialaria](#) Luer & R.Escobar
- [Stelis bicallosa](#) Schltr.
- [Stelis bicarinata](#) Luer & Hirtz
- [Stelis bicolor](#) Luer & Hirtz
- [Stelis bicornis](#) Lindl.
- [Stelis bifalcis](#) (Schltr.) Pridgeon & M.W.Chase
- [Stelis bigibba](#) Schltr.
- [Stelis binotii](#) De Wild.
- [Stelis biserrula](#) Lindl.
- [Stelis bivalvis](#) Luer
- [Stelis blandita](#) Luer & R.Escobar
- [Stelis bogotensis](#) Schltr.
- [Stelis bolivarensis](#) Luer & Hirtz
- [Stelis bovilinquis](#) Luer & Hirtz
- [Stelis boyacensis](#) Luer & R.Escobar
- [Stelis braccata](#) Rchb.f. & Warsz.
- [Stelis brachiata](#) Luer
- [Stelis brachyrachis](#) Luer & Hirtz
- [Stelis brachystachya](#) Luer & R.Vásquez
- [Stelis bracteata](#) Schltr.
- [Stelis bracteolenta](#) Luer & R.Escobar
- [Stelis bracteosa](#) (C.Schweinf.) Pridgeon & M.W.Chase
- [Stelis bractescens](#) Garay
- [Stelis bradei](#) Schltr.
- [Stelis brenesii](#) Schltr.
- [Stelis brenneri](#) (Luer) Karremans
- [Stelis brevilabris](#) Lindl.
- [Stelis brevis](#) Schltr.
- [Stelis brevissimicaudata](#) Luer & Hirtz
- [Stelis bricenorum](#) G.A.Romero & Luer
- [Stelis brittoniana](#) Rolfe
- [Stelis brunnea](#) (Dressler) Pridgeon & M.W.Chase
- [Stelis bucaramangae](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis buccella](#) Luer & Hirtz
- [Stelis bucculenta](#) Luer & Hirtz
- [Stelis butcheri](#) Luer
- [Stelis buxiflora](#) Luer & Hirtz

C

- [Stelis caesariata](#) Luer & Hirtz
- [Stelis caespitosa](#) Lindl.
- [Stelis caespitula](#) Luer & R.Escobar

- [Stelis cairoensis](#) Luer
- [Stelis cajanumae](#) Luer & Hirtz
- [Stelis calantha](#) Luer & Hirtz
- [Stelis calceolaris](#) Garay
- [Stelis calculosa](#) Luer & R.Escobar
- [Stelis caldaria](#) Luer & R.Vásquez
- [Stelis caldodsonii](#) Luer & R.Escobar
- [Stelis caliensis](#) Luer
- [Stelis calolemma](#) Luer & Hirtz
- [Stelis calopsix](#) Luer & R.Escobar
- [Stelis calothece](#) Schltr.
- [Stelis calotricha](#) Schltr.
- [Stelis calyptrata](#) Luer & Hirtz
- [Stelis campanulifera](#) Lindl.
- [Stelis canae](#) (Ames) Pridgeon & M.W.Chase
- [Stelis candida](#) (Luer & Hirtz) Karremans
- [Stelis capijumensis](#) Luer & Toscano
- [Stelis capillaris](#) Lindl.
- [Stelis capitata](#) Luer & Hirtz
- [Stelis capsula](#) Luer & Hirtz
- [Stelis carcharodonta](#) Carnevali & G.A.Romero
- [Stelis carchica](#) Luer & Hirtz
- [Stelis cardenasii](#) Luer & R.Vásquez
- [Stelis carnalis](#) Luer & R.Escobar
- [Stelis carnosiflora](#) Ames & C.Schweinf.
- [Stelis carnosilabia](#) (A.H.Heller & A.D.Hawkes) Pridgeon & M.W.Chase
- [Stelis carnosipetala](#) Luer & R.Vásquez
- [Stelis carnosula](#) Cogn.
- [Stelis caroliae](#) Luer
- [Stelis carpintera](#) (Schltr.) Pridgeon & M.W.Chase
- [Stelis carta](#) Luer & Hirtz
- [Stelis cassidis](#) (Lindl.) Pridgeon & M.W.Chase
- [Stelis catenata](#) Karremans
- [Stelis cauda-equina](#) Luer & R.Vásquez
- [Stelis caudex](#) Luer & R.Escobar
- [Stelis cauliflora](#) (Lindl.) Pridgeon & M.W.Chase
- [Stelis cavatella](#) Luer & R.Vásquez
- [Stelis caveata](#) O.Duque
- [Stelis cavernosa](#) Luer & Hirtz
- [Stelis cavernula](#) Luer & Dalström
- [Stelis celesticola](#) Luer & Hirtz
- [Stelis celsa](#) Luer & Hirtz

- [Stelis chaetostoma](#) Luer & Hirtz
- [Stelis chalatantha](#) Luer & Hirtz
- [Stelis chamaestelis](#) (Rchb.f.) Garay & Dunst.
- [Stelis chasei](#) Luer
- [Stelis chasmiphora](#) Luer & R.Escobar
- [Stelis chemophora](#) Luer & Hirtz
- [Stelis chihobensis](#) Ames
- [Stelis chiliantha](#) Luer & R.Escobar
- [Stelis chlorantha](#) Barb.Rodr.
- [Stelis chlorina](#) (Luer) Pridgeon & M.W.Chase
- [Stelis chocoensis](#) O.Duque
- [Stelis choerorhyncha](#) (Luer) Pridgeon & M.W.Chase
- [Stelis choriantha](#) Dod
- [Stelis chuspiatensis](#) Luer & R.Vásquez
- [Stelis ciliaris](#) Lindl.
- [Stelis ciliatissima](#) Luer & Hirtz
- [Stelis ciliolata](#) Luer & Dalström
- [Stelis cingens](#) Luer & Hirtz
- [Stelis citrinella](#) Luer
- [Stelis cladophora](#) Luer & R.Escobar
- [Stelis clausa](#) Luer & R.Vásquez
- [Stelis cleistogama](#) Schltr.
- [Stelis cleistogamoides](#) O.Duque
- [Stelis clematis](#) Luer & R.Escobar
- [Stelis climacella](#) Luer & R.Escobar
- [Stelis clipeus](#) O.Duque
- [Stelis cloesiorum](#) Luer
- [Stelis clusaris](#) Luer & Hirtz
- [Stelis cobanensis](#) (Schltr.) Pridgeon & M.W.Chase
- [Stelis coccidata](#) Luer & R.Vásquez
- [Stelis coccidifera](#) Luer & R.Escobar
- [Stelis cochabambae](#) J.M.H.Shaw
- [Stelis cochabambensis](#) Karremans
- [Stelis cochlearis](#) Garay
- [Stelis cochliops](#) Luer & Hirtz
- [Stelis cocornaensis](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis coeliaca](#) Luer & Hirtz
- [Stelis coelochila](#) Luer
- [Stelis coleata](#) Luer & Hirtz
- [Stelis collina](#) Schltr.
- [Stelis colombiana](#) Ames
- [Stelis colorata](#) O.Duque

- [*Stelis colossus*](#) Luer & R.Escobar
- [*Stelis columnaris*](#) Lindl.
- [*Stelis comica*](#) O.Duque
- [*Stelis comosa*](#) Luer & R.Vásquez
- [*Stelis complanata*](#) Luer & F.Werner
- [*Stelis compressicaulis*](#) Luer, Thoele & F.Werner
- [*Stelis concava*](#) M.R.Miranda, S.G.Furtado & Menini
- [*Stelis conchipetala*](#) Luer & R.Escobar
- [*Stelis concinna*](#) Lindl.
- [*Stelis condorensis*](#) Luer & Hirtz
- [*Stelis conduplicata*](#) Luer, Thoele & F.Werner
- [*Stelis congesta*](#) Luer & Hirtz
- [*Stelis connixta*](#) Schltr.
- [*Stelis conochila*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis consors*](#) Luer & R.Vásquez
- [*Stelis convallaria*](#) (Schltr.) Pridgeon & M.W.Chase
- [*Stelis convoluta*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis cooperi*](#) Schltr.
- [*Stelis copiosa*](#) Luer & Hirtz
- [*Stelis coracina*](#) Luer & Hirtz
- [*Stelis corae*](#) Foldvik
- [*Stelis coralloides*](#) Luer & Hirtz
- [*Stelis coriifolia*](#) Lindl.
- [*Stelis coripatae*](#) (Luer & R.Vásquez) Karremans
- [*Stelis corniculata*](#) Luer & Hirtz
- [*Stelis coroicensis*](#) Luer & R.Vásquez
- [*Stelis coronaria*](#) Luer
- [*Stelis cosangae*](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [*Stelis costaricensis*](#) Rchb.f.
- [*Stelis cotyligera*](#) Luer & Hirtz
- [*Stelis cracens*](#) Luer & Hirtz
- [*Stelis crassilabia*](#) Schltr.
- [*Stelis crassisepala*](#) Luer & R.Escobar
- [*Stelis craticula*](#) Luer & R.Escobar
- [*Stelis crenata*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis crenulata*](#) O.Duque
- [*Stelis creodantha*](#) Luer & Hirtz
- [*Stelis crescentiicola*](#) Schltr.
- [*Stelis crinita*](#) Luer & Hirtz
- [*Stelis croatii*](#) Luer
- [*Stelis crossota*](#) Luer & Hirtz
- [*Stelis cruenta*](#) O.Duque

- [*Stelis cryophila*](#) Luer & Hirtz
- [*Stelis cryptopetala*](#) Luer & Hirtz
- [*Stelis crystallina*](#) Ames
- [*Stelis cuatrecasasii*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis cubensis*](#) Schltr.
- [*Stelis cubicularia*](#) Luer & R.Vásquez
- [*Stelis cucullata*](#) Ames
- [*Stelis cuculligera*](#) Schltr.
- [*Stelis cuencana*](#) Schltr.
- [*Stelis culmosa*](#) Luer & R.Escobar
- [*Stelis cundinamarcae*](#) Schltr.
- [*Stelis cupidinea*](#) Luer & R.Escobar
- [*Stelis cupreata*](#) Luer & R.Escobar
- [*Stelis curiosa*](#) Luer & R.Escobar
- [*Stelis cuspidata*](#) Ames
- [*Stelis cutucuensis*](#) Luer & Hirtz
- [*Stelis cyathiflora*](#) (C.Schweinf.) Pridgeon & M.W.Chase
- [*Stelis cyathiformis*](#) Luer & Hirtz
- [*Stelis cyathochila*](#) Luer & R.Escobar
- [*Stelis cycloglossa*](#) Schltr.
- [*Stelis cylindrata*](#) Pridgeon & M.W.Chase
- [*Stelis cylindrica*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis cymbisepala*](#) Pridgeon & M.W.Chase
- [*Stelis cypripedioides*](#) (Luer) Pridgeon & M.W.Chase

D

- [*Stelis dactyloptera*](#) Rchb.f.
- [*Stelis dalessandroi*](#) Luer
- [*Stelis dalstroemii*](#) Luer
- [*Stelis damianii*](#) Karremans
- [*Stelis dapidis*](#) Luer & R.Escobar
- [*Stelis dapsilis*](#) Pridgeon & M.W.Chase
- [*Stelis darwinii*](#) Luer & R.Vásquez
- [*Stelis dasysepala*](#) Luer & R.Escobar
- [*Stelis debilis*](#) Luer
- [*Stelis decipiens*](#) Schltr.
- [*Stelis decipula*](#) Luer & R.Escobar
- [*Stelis declivis*](#) (Lindl.) Luer
- [*Stelis decurrens*](#) Pridgeon & M.W.Chase
- [*Stelis decurva*](#) Luer
- [*Stelis dejavu*](#) Luer & R.Escobar
- [*Stelis delasotae*](#) Luer

- [Stelis delhierroi](#) Luer & Hirtz
- [Stelis delicata](#) Luer & Hirtz
- [Stelis dendrophila](#) Luer & R.Escobar
- [Stelis depauperata](#) Lindl.
- [Stelis deregularis](#) Barb.Rodr.
- [Stelis desantiagoi](#) Solano & Salazar
- [Stelis desautelsii](#) Luer
- [Stelis despectans](#) Schltr.
- [Stelis deuteowerneri](#) J.M.H.Shaw
- [Stelis deuteroadrianae](#) J.M.H.Shaw
- [Stelis deuterodewildei](#) J.M.H.Shaw
- [Stelis dewildei](#) Luer & R.Escobar
- [Stelis dialissa](#) Rchb.f.
- [Stelis dies-natalis](#) Karremans & M.Díaz
- [Stelis diffusa](#) C.Schweinf.
- [Stelis digitata](#) Luer & Hirtz
- [Stelis digitifera](#) Luer & R.Escobar
- [Stelis dilatata](#) (C.Schweinf.) Pridgeon & M.W.Chase
- [Stelis dimidia](#) (Luer) Karremans
- [Stelis dimidiata](#) Luer & Hirtz
- [Stelis diminuta](#) (Luer) Pridgeon & M.W.Chase
- [Stelis dinoi](#) Luer & R.Vásquez
- [Stelis diprizo](#) Luer
- [Stelis dirigens](#) Luer & Hirtz
- [Stelis discoidea](#) Luer & Dalström
- [Stelis discolor](#) Rchb.f.
- [Stelis discophylla](#) Luer & Hirtz
- [Stelis discors](#) Luer & Hirtz
- [Stelis discrepans](#) Luer, Thoele & F.Werner
- [Stelis dissidens](#) Luer & R.Escobar
- [Stelis dissimulans](#) Luer & Dodson
- [Stelis distans](#) Luer & Hirtz
- [Stelis disticha](#) Poepp. & Endl.
- [Stelis dithele](#) Luer & R.Escobar
- [Stelis divaricans](#) Luer & R.Escobar
- [Stelis divergens](#) Luer & R.Escobar
- [Stelis diversifolia](#) Luer & Hirtz
- [Stelis dolabrata](#) Luer
- [Stelis dolichantha](#) Luer & Hirtz
- [Stelis dolichopus](#) Schltr.
- [Stelis domingensis](#) Cogn.
- [Stelis donaxopetala](#) Luer

- [*Stelis dracontea*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis dressleri*](#) Luer
- [*Stelis drewii*](#) Luer & Endara
- [*Stelis dromedarina*](#) Luer & Hirtz
- [*Stelis duckei*](#) E.M.Pessoa & M.Alves
- [*Stelis dunstervilleorum*](#) Foldats
- [*Stelis dupliciformis*](#) C.Schweinf.
- [*Stelis duquei*](#) P.Ortiz
- [*Stelis dusenii*](#) Garay
- [*Stelis dussii*](#) Cogn.
- [*Stelis dinamica*](#) Luer & R.Escobar

E

- [*Stelis ebenea*](#) Luer & Hirtz
- [*Stelis ecmeles*](#) Luer
- [*Stelis effusa*](#) Schltr.
- [*Stelis efsiella*](#) Luer
- [*Stelis ejuncida*](#) Luer & R.Escobar
- [*Stelis ekmanii*](#) Schltr.
- [*Stelis elatior*](#) Lindl.
- [*Stelis elatissima*](#) Luer & Hirtz
- [*Stelis elegans*](#) Luer & R.Vásquez
- [*Stelis elementaria*](#) Luer & R.Escobar
- [*Stelis ellipsophylla*](#) Luer & R.Escobar
- [*Stelis elongata*](#) Kunth
- [*Stelis elongatissima*](#) Luer & Hirtz
- [*Stelis emarginata*](#) (Lindl.) Soto Arenas & Solano
- [*Stelis embreei*](#) Luer & Hirtz
- [*Stelis encephalota*](#) Luer & Hirtz
- [*Stelis enervis*](#) Luer
- [*Stelis enormis*](#) Luer & R.Escobar
- [*Stelis entrichota*](#) Luer & Hirtz
- [*Stelis ephippium*](#) Luer & R.Escobar
- [*Stelis erecta*](#) O.Duque
- [*Stelis erectiflora*](#) (Luer) J.M.H.Shaw
- [*Stelis erucosa*](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [*Stelis escobarii*](#) Luer
- [*Stelis esmeraldae*](#) Luer & Hirtz
- [*Stelis espinosae*](#) Luer & Endara
- [*Stelis eublepharis*](#) Rchb.f.
- [*Stelis eudialema*](#) Luer & Hirtz
- [*Stelis eugenii*](#) Schltr.

- [*Stelis euglossina*](#) Luer & R.Escobar
- [*Stelis euprepes*](#) Luer & R.Escobar
- [*Stelis euspatha*](#) Rchb.f.
- [*Stelis eustylis*](#) Luer & Hirtz
- [*Stelis euthema*](#) Luer & R.Escobar
- [*Stelis exacta*](#) Luer & Hirtz
- [*Stelis exaltata*](#) Luer & R.Escobar
- [*Stelis exasperata*](#) Luer
- [*Stelis excelsa*](#) (Garay) Pridgeon & M.W.Chase
- [*Stelis exigua*](#) Luer & Hirtz
- [*Stelis exilis*](#) Luer & Hirtz
- [*Stelis expansa*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis exquisita*](#) Luer

F

- [*Stelis fabulosa*](#) Luer & Endara
- [*Stelis falcatiloba*](#) (Ames) Bogarín & Serracín
- [*Stelis falcifera*](#) Luer & Hirtz
- [*Stelis famelica*](#) Luer & R.Escobar
- [*Stelis farinosa*](#) Luer & R.Vásquez
- [*Stelis fasciculata*](#) Luer
- [*Stelis fascinata*](#) Luer & R.Escobar
- [*Stelis fecunda*](#) Luer & R.Escobar
- [*Stelis felix*](#) Luer & R.Escobar
- [*Stelis fendleri*](#) Lindl.
- [*Stelis ferrelliae*](#) Pridgeon & M.W.Chase
- [*Stelis filiformis*](#) Lindl.
- [*Stelis filomenoi*](#) Schltr.
- [*Stelis fissurata*](#) Luer & Hirtz
- [*Stelis fissurosa*](#) Luer & R.Escobar
- [*Stelis flacca*](#) Rchb.f.
- [*Stelis flaccida*](#) (Klinge) Pridgeon & M.W.Chase
- [*Stelis flagellaris*](#) Luer & Hirtz
- [*Stelis flagellifera*](#) Luer & R.Escobar
- [*Stelis flava*](#) Luer & Hirtz
- [*Stelis flexa*](#) Schltr.
- [*Stelis flexilis*](#) Luer & Hirtz
- [*Stelis flexuella*](#) Luer & R.Escobar
- [*Stelis flexuosissima*](#) Luer & Hirtz
- [*Stelis floresii*](#) Luer & Hirtz
- [*Stelis florianii*](#) Luer
- [*Stelis floripendens*](#) O.Duque

- [*Stelis florulenta*](#) Luer
- [*Stelis fluxflorum*](#) Luer & R.Escobar
- [*Stelis foetida*](#) O.Duque
- [*Stelis fons-stellarum*](#) Luer & R.Vásquez
- [*Stelis fonsflorum*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis formosa*](#) Luer & Hirtz
- [*Stelis fornicata*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis fornix*](#) Luer & R.Escobar
- [*Stelis fortis*](#) Luer & Dalström
- [*Stelis fortunae*](#) (Luer & Dressler) Pridgeon & M.W.Chase
- [*Stelis foveata*](#) Lindl.
- [*Stelis fractiflexa*](#) Ames & C.Schweinf.
- [*Stelis fragilis*](#) Luer
- [*Stelis franciscana*](#) O.Duque
- [*Stelis franciscensis*](#) Luer & F.Werner
- [*Stelis fredoniensis*](#) O.Duque
- [*Stelis freyi*](#) Luer & Toscano
- [*Stelis frondifera*](#) Luer & R.Escobar
- [*Stelis frontinensis*](#) O.Duque
- [*Stelis fuchsii*](#) Luer & R.Vásquez
- [*Stelis furculifera*](#) (Dressler & Bogarín) Bogarín
- [*Stelis furfuracea*](#) F.Lehm. & Kraenzl.
- [*Stelis fusilifera*](#) Luer & R.Escobar

G

- [*Stelis galapagosensis*](#) Luer & R.Escobar
- [*Stelis galeata*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis galeola*](#) Luer & Hirtz
- [*Stelis galerasensis*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis gargantua*](#) Pridgeon & M.W.Chase
- [*Stelis gastrodes*](#) Luer & Hirtz
- [*Stelis gelida*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis gemma*](#) Garay
- [*Stelis gemmuloa*](#) Luer & Hirtz
- [*Stelis gentryi*](#) Luer & Dodson
- [*Stelis genychila*](#) Garay
- [*Stelis gerontica*](#) Luer & R.Escobar
- [*Stelis gibbosa*](#) Luer & R.Vásquez
- [*Stelis gigantea*](#) Pridgeon & M.W.Chase
- [*Stelis gigantissima*](#) Luer
- [*Stelis gigapetala*](#) Luer & R.Escobar
- [*Stelis giraffina*](#) Luer & R.Escobar

- [*Stelis glaberrima*](#) Luer & Hirtz
- [*Stelis glacensis*](#) Dod
- [*Stelis glanduligera*](#) Luer & Hirtz
- [*Stelis glaucus*](#) A.Doucette & J.Portilla
- [*Stelis globiflora*](#) Rchb.f.
- [*Stelis globosa*](#) Pridgeon & M.W.Chase
- [*Stelis globulifera*](#) Luer & Hirtz
- [*Stelis glochochila*](#) Luer & R.Escobar
- [*Stelis glomerosa*](#) Luer
- [*Stelis glomifera*](#) Luer & R.Escobar
- [*Stelis gloriae*](#) O.Duque
- [*Stelis glossula*](#) Rchb.f.
- [*Stelis glossulicles*](#) Luer & Hirtz
- [*Stelis glumacea*](#) Lindl.
- [*Stelis gnoma*](#) Pridgeon & M.W.Chase
- [*Stelis gongylophora*](#) Luer & R.Escobar
- [*Stelis gracilifolia*](#) C.Schweinf.
- [*Stelis gracilis*](#) Ames
- [*Stelis grandibracteata*](#) C.Schweinf.
- [*Stelis grandiflora*](#) Lindl.
- [*Stelis grvida*](#) Luer & R.Escobar
- [*Stelis greenwoodii*](#) Soto Arenas & Solano
- [*Stelis grossilabris*](#) Rchb.f.
- [*Stelis guerrerensis*](#) Soto Arenas & Solano
- [*Stelis guianensis*](#) Rolfe
- [*Stelis gunningiana*](#) (Barb.Rodr.) ined.
- [*Stelis gustavoi*](#) O.Duque
- [*Stelis guttata*](#) (Luer) Pridgeon & M.W.Chase

H

- [*Stelis habrostachya*](#) Luer & Hirtz
- [*Stelis hagsateri*](#) Solano
- [*Stelis hallii*](#) Lindl.
- [*Stelis haltonii*](#) Luer
- [*Stelis hamiltoniana*](#) J.M.H.Shaw
- [*Stelis hamiltonii*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis hammelii*](#) Luer
- [*Stelis hansenacea*](#) Luer & R.Escobar
- [*Stelis harlingii*](#) (Garay) Pridgeon & M.W.Chase
- [*Stelis hercules*](#) Luer & R.Escobar
- [*Stelis herzogii*](#) Schltr.
- [*Stelis heteroarcuata*](#) J.M.H.Shaw

- [*Stelis heterosepala*](#) Schltr.
- [*Stelis hiatilabia*](#) Luer & R.Escobar
- [*Stelis hippocrepea*](#) Luer & R.Escobar
- [*Stelis hirsuta*](#) Garay
- [*Stelis hirtella*](#) (Garay) Luer
- [*Stelis hirtzii*](#) Luer
- [*Stelis hispida*](#) Luer & Hirtz
- [*Stelis hoeijeri*](#) Luer & Dalström
- [*Stelis hoppii*](#) Schltr.
- [*Stelis hualluapampensis*](#) Collantes & Karremans
- [*Stelis huilensis*](#) O.Duque
- [*Stelis humboldtina*](#) Luer & Hirtz
- [*Stelis humidensis*](#) Luer & R.Escobar
- [*Stelis humilis*](#) Lindl.
- [*Stelis hutchisonii*](#) D.E.Benn. & Christenson
- [*Stelis hyacinthalis*](#) Luer & R.Escobar
- [*Stelis hydra*](#) (Karremans & C.M.Sm.) Karremans
- [*Stelis hydroidea*](#) Luer & Hirtz
- [*Stelis hylophila*](#) Rchb.f.
- [*Stelis hymenantha*](#) Schltr.
- [*Stelis hymenopetala*](#) Luer & Endara
- [*Stelis hypsela*](#) Luer
- [*Stelis hypsitera*](#) Luer & R.Escobar

I–J

- [*Stelis ibischiorum*](#) Luer & R.Vásquez
- [*Stelis imbricans*](#) Luer & Hirtz
- [*Stelis immersa*](#) (Linden & Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis immodica*](#) Luer & Hirtz
- [*Stelis imperialis*](#) Luer & R.Escobar
- [*Stelis imperiosa*](#) Luer & R.Escobar
- [*Stelis impostor*](#) Luer & Hirtz
- [*Stelis imraei*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis inamoena*](#) Luer & R.Escobar
- [*Stelis inclinata*](#) O.Duque
- [*Stelis index*](#) Luer & R.Escobar
- [*Stelis inedita*](#) Luer & R.Escobar
- [*Stelis inflata*](#) Luer
- [*Stelis infundibulosa*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis ingridiana*](#) Luer & Hirtz
- [*Stelis inquisiviensis*](#) Luer & R.Vásquez
- [*Stelis insectifera*](#) Karremans

- [*Stelis intermedia*](#) Poepp. & Endl.
- [*Stelis intonsa*](#) Luer & Endara
- [*Stelis ionantha*](#) Luer & R.Escobar
- [*Stelis ipialesensis*](#) Luer & Hirtz
- [*Stelis irrasa*](#) Luer & R.Vásquez
- [*Stelis isthmi*](#) Schltr.
- [*Stelis itatiayae*](#) Schltr.
- [*Stelis iwatsukae*](#) T.Hashim.
- [*Stelis jalapensis*](#) (Kraenzl.) Pridgeon & M.W.Chase
- [*Stelis jamesonii*](#) Lindl.
- [*Stelis janetiae*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis janus*](#) Luer & Hirtz
- [*Stelis jatunyacuensis*](#) Luer & Hirtz
- [*Stelis jenssenii*](#) Urb.
- [*Stelis jesupiorum*](#) (Luer & Hirtz) Karremans
- [*Stelis jimburae*](#) Luer & Hirtz
- [*Stelis johnsonii*](#) Ames
- [*Stelis jorgei*](#) Luer
- [*Stelis jubata*](#) Luer & R.Vásquez
- [*Stelis juncea*](#) Luer & Hirtz
- [*Stelis juninensis*](#) Kraenzl.
- [*Stelis jurisdiccimensis*](#) Luer & R.Escobar
- [*Stelis jurisdixii*](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [*Stelis juxta*](#) (Luer, Thoele & F.Werner) J.M.H.Shaw

K–L

- [*Stelis kailae*](#) Solano & C.Dietz
- [*Stelis kareniae*](#) Luer
- [*Stelis kautskyi*](#) Luer & Toscano
- [*Stelis kefersteiniana*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis kentii*](#) Luer
- [*Stelis kilimanjaro*](#) Luer & R.Vásquez
- [*Stelis kroemeri*](#) Luer
- [*Stelis kuijtii*](#) Luer & Hirtz
- [*Stelis lacertina*](#) Luer & R.Escobar
- [*Stelis laevigata*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis laevis*](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [*Stelis lagarantha*](#) Luer & R.Escobar
- [*Stelis lagarophyta*](#) (Luer) Karremans
- [*Stelis lalinensis*](#) Luer & R.Escobar
- [*Stelis lamellata*](#) Lindl.
- [*Stelis laminata*](#) (Luer) Pridgeon & M.W.Chase

- [Stelis lanata](#) Lindl.
- [Stelis lancea](#) Lindl.
- [Stelis lanceolata](#) (Ruiz & Pav.) Willd.
- [Stelis lancifera](#) Luer & R.Escobar
- [Stelis langlassei](#) Schltr.
- [Stelis lankesteri](#) Ames
- [Stelis lanuginosa](#) Luer & Dalström
- [Stelis lapazensis](#) Villegas-Murillo & Karremans
- [Stelis lapinerae](#) Soto Arenas & Solano
- [Stelis laplanadensis](#) Luer & R.Escobar
- [Stelis lappacea](#) Luer & Teague
- [Stelis larsenii](#) Luer
- [Stelis lasallei](#) Foldats
- [Stelis latimarginata](#) Luer & Hirtz
- [Stelis latipetala](#) Ames
- [Stelis latisepala](#) C.Schweinf.
- [Stelis laudabilis](#) Luer & Hirtz
- [Stelis lauta](#) Karremans
- [Stelis laxa](#) Schltr.
- [Stelis lehmanneptis](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis lehmanniana](#) (Schltr.) Karremans
- [Stelis lehmannii](#) Pridgeon & M.W.Chase
- [Stelis lennartii](#) Karremans
- [Stelis lentiginosa](#) Lindl.
- [Stelis lepidella](#) Luer & Hirtz
- [Stelis leprina](#) Luer & R.Escobar
- [Stelis leptochila](#) Luer & R.Escobar
- [Stelis leptorhiza](#) Luer & R.Escobar
- [Stelis leptoschesa](#) Luer & Hirtz
- [Stelis leucantha](#) Luer
- [Stelis levicula](#) Luer
- [Stelis liberalis](#) Luer & J.Portilla
- [Stelis ligulata](#) (Lindl.) Pridgeon & M.W.Chase
- [Stelis lijiae](#) Luer & R.Escobar
- [Stelis lilliputana](#) Luer & F.Werner
- [Stelis limbata](#) Luer & Hirtz
- [Stelis lindenii](#) Lindl.
- [Stelis lindleyana](#) Cogn.
- [Stelis listerophora](#) (Schltr.) Pridgeon & M.W.Chase
- [Stelis listrophylla](#) Luer & Hirtz
- [Stelis litensis](#) Luer & Hirtz
- [Stelis llipiensis](#) Luer & Hirtz

- [*Stelis oculifera*](#) Luer
- [*Stelis loefgrenii*](#) Cogn.
- [*Stelis loejtnantii*](#) Luer & Endara
- [*Stelis londonnii*](#) O.Duque
- [*Stelis longipetala*](#) O.Duque
- [*Stelis longipetiolata*](#) Ames
- [*Stelis longiracemosa*](#) Schltr.
- [*Stelis longirepens*](#) Carnevali & J.L.Tapia
- [*Stelis longispicata*](#) (L.O.Williams) Pridgeon & M.W.Chase
- [*Stelis longissima*](#) Luer & Hirtz
- [*Stelis lopezii*](#) Luer
- [*Stelis lorenae*](#) Luer
- [*Stelis loxensis*](#) Lindl.
- [*Stelis lueri*](#) Karremans
- [*Stelis lueriana*](#) J.M.H.Shaw
- [*Stelis lugoi*](#) Luer & Endara
- [*Stelis luisii*](#) Luer
- [*Stelis lumbricosa*](#) O.Duque
- [*Stelis lutea*](#) Lindl.
- [*Stelis luteola*](#) Luer & Hirtz
- [*Stelis luteria*](#) Luer & Hirtz
- [*Stelis lynniana*](#) Luer

M

- [*Stelis machupicchuensis*](#) Collantes & C.Martel
- [*Stelis macilenta*](#) Luer & Hirtz
- [*Stelis macra*](#) Schltr.
- [*Stelis macrolemma*](#) Luer & Endara
- [*Stelis maculata*](#) Pridgeon & M.W.Chase
- [*Stelis maderoi*](#) Schltr.
- [*Stelis madsenii*](#) Luer & Endara
- [*Stelis maduroi*](#) Luer & Sijm
- [*Stelis magdalenae*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis magnesialis*](#) Luer & Hirtz
- [*Stelis magnicava*](#) Dod
- [*Stelis magnipetala*](#) Schltr.
- [*Stelis maguirei*](#) (Luer) Karremans
- [*Stelis major*](#) Rchb.f.
- [*Stelis majorella*](#) Luer & Hirtz
- [*Stelis majuscula*](#) Luer
- [*Stelis maloi*](#) Luer
- [*Stelis malvina*](#) Luer, Thoele & F.Werner

- [*Stelis mammillata*](#) Luer & Hirtz
- [*Stelis mandoniana*](#) Schltr.
- [*Stelis mandonii*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis maniola*](#) Luer & Hirtz
- [*Stelis marginata*](#) Luer & R.Escobar
- [*Stelis marioi*](#) Luer & Hirtz
- [*Stelis martinezii*](#) Solano
- [*Stelis matula*](#) Luer & Hirtz
- [*Stelis maxima*](#) Lindl.
- [*Stelis maxonii*](#) Schltr.
- [*Stelis medinae*](#) Luer & Hirtz
- [*Stelis mediocarinata*](#) (C.Schweinf.) Karremans
- [*Stelis meerenbergensis*](#) Luer & R.Escobar
- [*Stelis megachlamys*](#) (Schltr.) Pupulin
- [*Stelis megalocephala*](#) Luer
- [*Stelis megaloglossa*](#) Luer
- [*Stelis megalops*](#) Luer & Hirtz
- [*Stelis meganthera*](#) Luer
- [*Stelis megapetala*](#) Luer
- [*Stelis megistantha*](#) Schltr.
- [*Stelis melanopus*](#) (F.Lehm. & Kraenzl.) Karremans
- [*Stelis melanosteles*](#) (Luer & R.Vásquez) Pridgeon & M.W.Chase
- [*Stelis melanoxantha*](#) Rchb.f.
- [*Stelis membranacea*](#) Luer & Hirtz
- [*Stelis memorialis*](#) Luer & Hirtz
- [*Stelis mendietae*](#) (Luer, Thoele & F.Werner) J.M.H.Shaw
- [*Stelis mendozae*](#) Luer
- [*Stelis menippe*](#) Luer & R.Escobar
- [*Stelis meridana*](#) (Rchb.f.) Karremans
- [*Stelis mesohybos*](#) Schltr.
- [*Stelis micacea*](#) Luer & Hirtz
- [*Stelis micklowii*](#) Luer
- [*Stelis micragrostis*](#) Schltr.
- [*Stelis micrantha*](#) (Sw.) Sw.
- [*Stelis microchila*](#) Schltr.
- [*Stelis micropetala*](#) Luer & Hirtz
- [*Stelis microstigma*](#) Rchb.f.
- [*Stelis microsynema*](#) Luer & Hirtz
- [*Stelis microtatantha*](#) Schltr.
- [*Stelis microtis*](#) Rchb.f.
- [*Stelis milagrensis*](#) Luer & Hirtz
- [*Stelis millenaria*](#) Luer

- [*Stelis minima*](#) Luer & Toscano
- [*Stelis minuscula*](#) Luer & R.Vásquez
- [*Stelis minutissima*](#) Luer
- [*Stelis mirabilis*](#) Schltr.
- [*Stelis miranda*](#) Luer & R.Escobar
- [*Stelis mirandae*](#) Beutelsp. & Mor.-Mol.
- [*Stelis misera*](#) Luer & Hirtz
- [*Stelis mnemonica*](#) Luer & Hirtz
- [*Stelis mocoana*](#) Schltr.
- [*Stelis modesta*](#) Barb.Rodr.
- [*Stelis modica*](#) Luer, Thorerle & F.Werner
- [*Stelis molaui*](#) Luer & Endara
- [*Stelis molecula*](#) Luer & R.Escobar
- [*Stelis molleturensis*](#) Luer & Hirtz
- [*Stelis molleturoi*](#) (Luer & Dodson) Pridgeon & M.W.Chase
- [*Stelis monetaria*](#) Luer & R.Escobar
- [*Stelis monicae*](#) Luer & Hirtz
- [*Stelis moniligera*](#) Luer & Hirtz
- [*Stelis montana*](#) L.O.Williams
- [*Stelis montis-mortensis*](#) (Karremans & Bogarín) Bogarín & Karremans
- [*Stelis montserratii*](#) (Porsch) Karremans
- [*Stelis morae*](#) Luer
- [*Stelis mordica*](#) Luer & R.Escobar
- [*Stelis morenoi*](#) Luer & R.Vásquez
- [*Stelis morganii*](#) Dodson & Garay
- [*Stelis moritzii*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis morula*](#) Luer & R.Escobar
- [*Stelis mucronella*](#) Luer
- [*Stelis mucronipetala*](#) Schltr.
- [*Stelis mucrouncata*](#) Dod
- [*Stelis multiflora*](#) Luer & Hirtz
- [*Stelis multirostris*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis mundula*](#) Luer & Hirtz
- [*Stelis muscosa*](#) Lindl.
- [*Stelis mystax*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis mystrion*](#) Luer & R.Escobar

N

- [*Stelis nagelii*](#) Solano
- [*Stelis nambijae*](#) Luer & Hirtz
- [*Stelis nana*](#) Lindl.
- [*Stelis naniflora*](#) Luer & R.Vásquez

- [*Stelis navicularis*](#) Garay
- [*Stelis naviculigera*](#) Schltr.
- [*Stelis neglecta*](#) I.Bock & Speckm.
- [*Stelis nemoralis*](#) Luer & R.Escobar
- [*Stelis neowerneri*](#) J.M.H.Shaw
- [*Stelis nephropetala*](#) Schltr.
- [*Stelis nepotula*](#) Luer & Hirtz
- [*Stelis neudeckeri*](#) Luer & Dodson
- [*Stelis nexipous*](#) Garay
- [*Stelis nexosa*](#) Luer & R.Escobar
- [*Stelis niessen-andreae*](#) Luer
- [*Stelis niesseniae*](#) (Luer) Karremans
- [*Stelis nigrescens*](#) Luer & Hirtz
- [*Stelis nigriflora*](#) (L.O.Williams) Pridgeon & M.W.Chase
- [*Stelis nikiæ*](#) Luer & Hirtz
- [*Stelis ninguida*](#) Luer & Dalström
- [*Stelis nitens*](#) Rchb.f.
- [*Stelis nivalis*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis nonresupinata*](#) Solano & Soto Arenas
- [*Stelis norae*](#) Foldats
- [*Stelis nostalgia*](#) Luer
- [*Stelis nubis*](#) Ames
- [*Stelis nutans*](#) Lindl.
- [*Stelis nutationis*](#) Luer & R.Vásquez
- [*Stelis nycterina*](#) Luer & Hirtz

O

- [*Stelis oaxacana*](#) Solano
- [*Stelis obescula*](#) Luer & R.Escobar
- [*Stelis oblector*](#) Luer & R.Escobar
- [*Stelis oblonga*](#) (Ruiz & Pav.) Willd.
- [*Stelis oblongifolia*](#) Lindl.
- [*Stelis obovata*](#) C.Schweinf.
- [*Stelis obscurata*](#) Rchb.f.
- [*Stelis obtecta*](#) Luer & Dalström
- [*Stelis ocreosa*](#) Luer & R.Escobar
- [*Stelis octavioi*](#) Luer & R.Escobar
- [*Stelis odobenella*](#) Luer
- [*Stelis odontopetala*](#) Luer & Hirtz
- [*Stelis oestlundiana*](#) (L.O.Williams) Pridgeon & M.W.Chase
- [*Stelis oligantha*](#) Barb.Rodr.
- [*Stelis oligoblephara*](#) Schltr.

- [*Stelis oligobotrya*](#) Luer & R.Vásquez
- [*Stelis onychosepala*](#) Luer & R.Vásquez
- [*Stelis opercularis*](#) Luer
- [*Stelis ophioceps*](#) Luer & Hirtz
- [*Stelis ophiodontodes*](#) Luer & R.Escobar
- [*Stelis ophioglossoides*](#) (Jacq.) Sw.
- [*Stelis opimipetala*](#) Luer & Hirtz
- [*Stelis oreada*](#) Luer & Endara
- [*Stelis orecta*](#) Luer & Hirtz
- [*Stelis orectopus*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis oreibator*](#) Luer & R.Escobar
- [*Stelis ornata*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis orphana*](#) Luer
- [*Stelis ortegae*](#) Luer & Hirtz
- [*Stelis oscargrouchii*](#) Karremans
- [*Stelis oscarii*](#) Luer
- [*Stelis oscitans*](#) Luer
- [*Stelis otara*](#) Luer & R.Escobar
- [*Stelis ottonis*](#) Schltr.
- [*Stelis ovatilabia*](#) Schltr.
- [*Stelis oxypetala*](#) Schltr.
- [*Stelis oxysepala*](#) Schltr.
- [*Stelis ozota*](#) Luer & R.Escobar

P–Q

- [*Stelis pachoi*](#) Luer & R.Escobar
- [*Stelis pachyglossa*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis pachypetala*](#) Luer & R.Vásquez
- [*Stelis pachyphyta*](#) Luer & Hirtz
- [*Stelis pachypus*](#) F.Lehm. & Kraenzl.
- [*Stelis pachyrrhiza*](#) Luer & R.Vásquez
- [*Stelis pachystachya*](#) Lindl.
- [*Stelis pachythrinx*](#) Luer & R.Escobar
- [*Stelis pactensis*](#) Luer & Hirtz
- [*Stelis palifera*](#) Luer & R.Escobar
- [*Stelis palimmeces*](#) Luer & R.Escobar
- [*Stelis palmeiraensis*](#) Barb.Rodr.
- [*Stelis pan*](#) Luer & Hirtz
- [*Stelis panguiensis*](#) Luer & Hirtz
- [*Stelis paniculata*](#) Luer & Hirtz
- [*Stelis papaquerensis*](#) Rchb.f.
- [*Stelis papilio*](#) O.Duque

- [Stelis papiliopsis](#) O.Duque
- [Stelis papillifera](#) (Rolfe) Pridgeon & M.W.Chase
- [Stelis papposa](#) Luer & R.Escobar
- [Stelis papuligera](#) (Schltr.) Karremans
- [Stelis papulina](#) Luer & Dalström
- [Stelis paradisicola](#) Luer & Hirtz
- [Stelis paradoxa](#) Luer & R.Escobar
- [Stelis paraensis](#) Barb.Rodr.
- [Stelis paraguasensis](#) Luer
- [Stelis pardipes](#) Rchb.f.
- [Stelis parviflora](#) (Ruiz & Pav.) Pers.
- [Stelis parvifolia](#) Garay
- [Stelis parvilabris](#) Lindl.
- [Stelis parvipetala](#) Luer & Hirtz
- [Stelis parvula](#) Lindl.
- [Stelis pasminoi](#) Luer
- [Stelis pastoensis](#) Schltr.
- [Stelis patateensis](#) (Luer) Pridgeon & M.W.Chase
- [Stelis patella](#) O.Duque
- [Stelis patens](#) Karremans
- [Stelis patinaria](#) Luer & Hirtz
- [Stelis patzii](#) Luer
- [Stelis pauciflora](#) Lindl.
- [Stelis pauloensis](#) Hoehne & Schltr.
- [Stelis paulula](#) Luer & H.P.Jesup
- [Stelis pauxilla](#) Luer & R.Escobar
- [Stelis peculiaris](#) Karremans
- [Stelis pedanocaulon](#) Luer & Hirtz
- [Stelis peduncularis](#) Luer & Hirtz
- [Stelis peliochyla](#) Barb.Rodr.
- [Stelis pellucida](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [Stelis pelycophora](#) Luer & Hirtz
- [Stelis pendens](#) Luer & R.Vásquez
- [Stelis pendularis](#) O.Duque
- [Stelis pendulata](#) O.Duque
- [Stelis pennelliana](#) (Luer) Pridgeon & M.W.Chase
- [Stelis perbona](#) Luer & R.Escobar
- [Stelis peregrina](#) Luer
- [Stelis perexigua](#) Luer & Hirtz
- [Stelis perparva](#) C.Schweinf.
- [Stelis perpusilla](#) Cogn.
- [Stelis perpusilliflora](#) Cogn.

- [*Stelis pertenuis*](#) Luer & R.Escobar
- [*Stelis pertusa*](#) I.Jiménez
- [*Stelis peruviana*](#) Damian & Karremans
- [*Stelis petiolaris*](#) Schltr.
- [*Stelis petiolata*](#) Luer & Hirtz
- [*Stelis phaeomelana*](#) Schltr.
- [*Stelis phil-jesupii*](#) Luer
- [*Stelis philargyrus*](#) Rchb.f.
- [*Stelis pholeoglossa*](#) Luer & R.Vásquez
- [*Stelis physoglossa*](#) Luer & F.Werner
- [*Stelis picea*](#) Luer & Hirtz
- [*Stelis pidax*](#) (Luer) Karremans
- [*Stelis piestopus*](#) Schltr.
- [*Stelis pileata*](#) (Karremans & Bogarín) Karremans & Bogarín
- [*Stelis pilicrepa*](#) Luer & R.Escobar
- [*Stelis pilifera*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis pilipapillosa*](#) O.Duque
- [*Stelis pilosa*](#) Pridgeon & M.W.Chase
- [*Stelis pilosissima*](#) Luer
- [*Stelis pilostoma*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis pilulosa*](#) Luer, Thoele & F.Werner
- [*Stelis pinguis*](#) Luer & R.Escobar
- [*Stelis piperina*](#) Lindl.
- [*Stelis pisinna*](#) Luer & Hirtz
- [*Stelis pittieri*](#) (Schltr.) Rojas-Alv. & Karremans
- [*Stelis pixie*](#) Luer & Hirtz
- [*Stelis planipetala*](#) Ames
- [*Stelis platypetala*](#) Luer & Dalström
- [*Stelis platystachya*](#) Garay & Dunst.
- [*Stelis platystylis*](#) (Schltr.) Solano & Soto Arenas
- [*Stelis pluriracemosa*](#) Luer & Hirtz
- [*Stelis poasensis*](#) (Ames) Chinchilla & Karremans
- [*Stelis poculifera*](#) Luer & Hirtz
- [*Stelis pollerecta*](#) Luer & R.Escobar
- [*Stelis pollex*](#) Luer & Hirtz
- [*Stelis polyantha*](#) Luer & Hirtz
- [*Stelis polybotrya*](#) Lindl.
- [*Stelis polycarpica*](#) Luer & Hirtz
- [*Stelis pompalis*](#) (Ames) Pridgeon & M.W.Chase
- [*Stelis popayanensis*](#) F.Lehm. & Kraenzl.
- [*Stelis porpax*](#) Rchb.f.
- [*Stelis portillae*](#) Luer & Hirtz

- [Stelis posadarum](#) Luer & R.Escobar
- [Stelis possoae](#) (Luer) Karremans
- [Stelis potpourri](#) Luer
- [Stelis powellii](#) Schltr.
- [Stelis praealta](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [Stelis praecipua](#) Luer
- [Stelis praemorsa](#) Schltr.
- [Stelis prava](#) Luer & Hirtz
- [Stelis preclara](#) Luer & Hirtz
- [Stelis prionota](#) Luer & R.Escobar
- [Stelis pristis](#) Luer
- [Stelis prodigiosa](#) Luer & R.Escobar
- [Stelis prolata](#) Luer & Hirtz
- [Stelis prolificans](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [Stelis prolifcosa](#) Luer & Hirtz
- [Stelis prolixa](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [Stelis propagans](#) Luer & Hirtz
- [Stelis protracta](#) Luer & Hirtz
- [Stelis protuberans](#) Luer & Hirtz
- [Stelis pseudocheila](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis psilantha](#) (Luer) Pridgeon & M.W.Chase
- [Stelis pubipetala](#) Luer & Hirtz
- [Stelis pudens](#) Luer
- [Stelis pugiunculi](#) Lindl.
- [Stelis pulchella](#) Kunth
- [Stelis pulchra](#) Luer & R.Escobar
- [Stelis punchinello](#) Luer & R.Vásquez
- [Stelis punctulata](#) (Rchb.f.) Soto Arenas
- [Stelis punicea](#) Luer & R.Escobar
- [Stelis punoensis](#) C.Schweinf.
- [Stelis purdiaei](#) Lindl.
- [Stelis purpurascens](#) A.Rich. & Galeotti
- [Stelis purpurea](#) (Ruiz & Pav.) Willd.
- [Stelis purpurella](#) Luer & Hirtz
- [Stelis purpurina](#) Luer & R.Vásquez
- [Stelis pusilla](#) Kunth
- [Stelis putumayoensis](#) Luer & R.Escobar
- [Stelis pycnochila](#) Luer & R.Vásquez
- [Stelis pygmaea](#) Cogn.
- [Stelis pyramidalis](#) O.Duque
- [Stelis quadrata](#) Luer & R.Vásquez
- [Stelis quinquenervia](#) C.Schweinf.

- [*Stelis quintella*](#) Luer & Hirtz

R

- [*Stelis rabei*](#) Foldats
- [*Stelis radicans*](#) Luer & R.Escobar
- [*Stelis ramificans*](#) Luer & Endara
- [*Stelis ramonensis*](#) Schltr.
- [*Stelis ramosii*](#) Luer
- [*Stelis ramulosa*](#) Luer & Dalström
- [*Stelis rectangularis*](#) Luer & R.Escobar
- [*Stelis regalis*](#) (Luer) Karremans
- [*Stelis regia*](#) Luer, Thoele & F.Werner
- [*Stelis regina*](#) Luer & Hirtz
- [*Stelis reitzii*](#) Garay
- [*Stelis remifolia*](#) Luer & Hirtz
- [*Stelis remulifera*](#) Luer & R.Escobar
- [*Stelis reniformis*](#) Luer & Hirtz
- [*Stelis repens*](#) Cogn.
- [*Stelis reptans*](#) Pridgeon & M.W.Chase
- [*Stelis reptata*](#) Luer & R.Escobar
- [*Stelis resupinata*](#) (Ames) Pridgeon & M.W.Chase
- [*Stelis retroversa*](#) O.Duque
- [*Stelis retusa*](#) (Lex.) Pridgeon & M.W.Chase
- [*Stelis retusiloba*](#) (C.Schweinf.) Pridgeon & M.W.Chase
- [*Stelis rhamphosa*](#) O.Duque
- [*Stelis rhodochila*](#) Schltr.
- [*Stelis rhodotantha*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis rhombilabia*](#) C.Schweinf.
- [*Stelis rhomboglossa*](#) Schltr.
- [*Stelis rhomboidea*](#) Garay
- [*Stelis ricartensis*](#) Luer & Hirtz
- [*Stelis ricii*](#) Luer & R.Vásquez
- [*Stelis rictoria*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis rictus*](#) O.Duque
- [*Stelis rimulata*](#) Luer & Hirtz
- [*Stelis ringens*](#) Schltr.
- [*Stelis riozunagensis*](#) Luer & Hirtz
- [*Stelis risaraldae*](#) Luer & R.Escobar
- [*Stelis robertoi*](#) Luer
- [*Stelis rodrigoii*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis rosamariae*](#) Luer & Hirtz
- [*Stelis roseopunctata*](#) (Lindl.) R.Bernal

- [*Stelis rostrata*](#) Luer
- [*Stelis rostratissima*](#) (Luer & J.Portilla) Karremans
- [*Stelis rostriformis*](#) Zambrano & Solano
- [*Stelis rosulenta*](#) Luer & R.Vásquez
- [*Stelis rotunda*](#) Luer & Hirtz
- [*Stelis rubens*](#) Schltr.
- [*Stelis rudiculifera*](#) Luer
- [*Stelis rudolphiana*](#) Luer & Sijm
- [*Stelis rufescens*](#) Luer
- [*Stelis rufobrunnea*](#) (Lindl.) L.O.Williams
- [*Stelis ruprechtiana*](#) Rchb.f.
- [*Stelis ruris*](#) O.Duque
- [*Stelis rutrum*](#) Luer & R.Vásquez

S

- [*Stelis saavedrensis*](#) Luer & R.Vásquez
- [*Stelis saccata*](#) Luer & Hirtz
- [*Stelis sagittata*](#) Zambrano & Solano
- [*Stelis sagittosa*](#) Luer & R.Vásquez
- [*Stelis salazarii*](#) Solano
- [*Stelis salomonica*](#) O.Duque
- [*Stelis salpingantha*](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [*Stelis saltatrix*](#) Luer & R.Vásquez
- [*Stelis samaipatensis*](#) Luer & R.Vásquez
- [*Stelis samson*](#) Luer & R.Escobar
- [*Stelis sanchezii*](#) Luer & Hirtz
- [*Stelis sanchoi*](#) Ames
- [*Stelis sanctae-rosae*](#) Luer & Hirtz
- [*Stelis sanguinea*](#) Garay
- [*Stelis sanluisensis*](#) Foldats
- [*Stelis santiagoensis*](#) Mansf.
- [*Stelis santiagoi*](#) Luer & Hirtz
- [*Stelis sarae*](#) Luer & Hirtz
- [*Stelis sarcophylla*](#) Luer
- [*Stelis satyrella*](#) Luer & Hirtz
- [*Stelis satyrica*](#) Luer & Hirtz
- [*Stelis saurocephala*](#) Luer & Hirtz
- [*Stelis saurota*](#) Luer & R.Escobar
- [*Stelis scaberula*](#) Luer & Hirtz
- [*Stelis scabrata*](#) (Lindl.) Pridgeon & M.W.Chase
- [*Stelis scabrida*](#) Lindl.
- [*Stelis scalaris*](#) Luer & R.Escobar

- [Stelis scalena](#) Luer & Hirtz
- [Stelis scandens](#) Rolfe
- [Stelis scansor](#) Rchb.f.
- [Stelis scaphoglossa](#) Luer & Hirtz
- [Stelis scaphoides](#) O.Duque
- [Stelis scariosa](#) (Lex.) Karremans
- [Stelis sceptrumrubrum](#) Luer & R.Escobar
- [Stelis schenckii](#) Schltr.
- [Stelis schistochila](#) Luer & Hirtz
- [Stelis schlechteriana](#) Garay
- [Stelis schlimii](#) (Luer) Karremans
- [Stelis schmidtchenii](#) Schltr.
- [Stelis schnitteri](#) Schltr.
- [Stelis schomburgkii](#) Fawc. & Rendle
- [Stelis scitula](#) Luer & Hirtz
- [Stelis sclerophylla](#) (Lindl.) Karremans
- [Stelis scolnikiae](#) (Luer & Endara) J.M.H.Shaw
- [Stelis scopulosa](#) Luer & Hirtz
- [Stelis scutella](#) O.Duque
- [Stelis scutellifera](#) Luer & R.Escobar
- [Stelis secunda](#) Luer & Dalström
- [Stelis secundosa](#) Luer
- [Stelis segoviensis](#) (Rchb.f.) Pridgeon & M.W.Chase
- [Stelis selliformis](#) O.Duque
- [Stelis semperflorens](#) Luer
- [Stelis septella](#) Luer
- [Stelis septicola](#) Luer & Endara
- [Stelis seriata](#) Luer & R.Vásquez
- [Stelis serra](#) Lindl.
- [Stelis serrulifera](#) Luer & Hirtz
- [Stelis sessilis](#) Luer & Toscano
- [Stelis setacea](#) Lindl.
- [Stelis siberica](#) Luer & R.Vásquez
- [Stelis signifera](#) Luer & R.Vásquez
- [Stelis sijmii](#) Luer
- [Stelis silverstonei](#) Luer
- [Stelis silvestris](#) Luer & R.Escobar
- [Stelis simplex](#) (Ames & C.Schweinf.) Pridgeon & M.W.Chase
- [Stelis simplicilabia](#) (C.Schweinf.) Pridgeon & M.W.Chase
- [Stelis singularis](#) Luer & Hirtz
- [Stelis siphonantha](#) (Luer) Pridgeon & M.W.Chase
- [Stelis situlifera](#) Luer & Hirtz

- [Stelis skutchii](#) Ames
- [Stelis sobrina](#) Luer & R.Escobar
- [Stelis soconuscana](#) Solano
- [Stelis solomonii](#) Luer
- [Stelis somnolenta](#) Luer & Hirtz
- [Stelis soratana](#) (Rchb.f.) Karremans
- [Stelis soricina](#) Luer & Hirtz
- [Stelis sororcula](#) Luer & Hirtz
- [Stelis sotoarenasii](#) Solano
- [Stelis sparsiflora](#) Luer & Hirtz
- [Stelis spathilabia](#) (Schltr.) Karremans
- [Stelis spathosa](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis spathulata](#) Poepp. & Endl.
- [Stelis spathuliformis](#) (Luer & R.Vásquez) Karremans
- [Stelis speckmaieri](#) Luer & Sijm
- [Stelis splendens](#) Luer
- [Stelis standleyi](#) Ames
- [Stelis stapedia](#) O.Duque
- [Stelis steganopus](#) Garay
- [Stelis steinbachii](#) Luer
- [Stelis stelidiopsis](#) (Luer) Pridgeon & M.W.Chase
- [Stelis stenophylla](#) Rchb.f.
- [Stelis stergiosii](#) (Carnevali & I.Ramírez) Karremans
- [Stelis stevensonii](#) Luer
- [Stelis steyermarkii](#) Foldats
- [Stelis stigmatica](#) Luer & R.Escobar
- [Stelis stipitata](#) Luer & R.Escobar
- [Stelis stiriosa](#) Luer & Dalström
- [Stelis stolonifera](#) Luer & Hirtz
- [Stelis storkii](#) Ames
- [Stelis straminea](#) Luer & R.Escobar
- [Stelis strictissima](#) Luer & Hirtz
- [Stelis strigosa](#) Luer & R.Vásquez
- [Stelis striolata](#) Lindl.
- [Stelis strobilacea](#) Luer
- [Stelis subequalis](#) Luer & R.Vásquez
- [Stelis subinconspicua](#) Schltr.
- [Stelis sublesta](#) Luer & R.Escobar
- [Stelis subtilis](#) Luer & Dalström
- [Stelis succuba](#) Luer & R.Vásquez
- [Stelis suinii](#) (Luer) J.M.H.Shaw
- [Stelis sulcata](#) O.Duque

- [*Stelis sumacoensis*](#) Luer & Hirtz
- [*Stelis superbiens*](#) Lindl.
- [*Stelis supervivens*](#) Luer & Hirtz
- [*Stelis surrogatilabia*](#) Luer & Hirtz
- [*Stelis susanensis*](#) (Hoehne) Pridgeon & M.W.Chase
- [*Stelis synsepala*](#) Cogn.

T

- [*Stelis tachirensis*](#) Foldats
- [*Stelis tamboensis*](#) Luer & R.Vásquez
- [*Stelis tanythrix*](#) Luer & Hirtz
- [*Stelis tarantula*](#) (Luer & Hirtz) Pridgeon & M.W.Chase
- [*Stelis tarda*](#) Luer & Hirtz
- [*Stelis taurina*](#) O.Duque
- [*Stelis tauroculus*](#) Luer & R.Escobar
- [*Stelis taxis*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis teaguei*](#) Luer & Hirtz
- [*Stelis tempestuosa*](#) Luer & Hirtz
- [*Stelis tenebrosa*](#) (Archila, Szlach. & Chiron) Karremans
- [*Stelis tenuicaulis*](#) Lindl.
- [*Stelis tenuifolia*](#) Luer & Hirtz
- [*Stelis tenuilabris*](#) Lindl.
- [*Stelis tenuipetala*](#) Garay
- [*Stelis tenuissima*](#) Schltr.
- [*Stelis tepuiensis*](#) (Carnevali & I.Ramírez) Karremans
- [*Stelis tetramera*](#) Luer
- [*Stelis thamiostachya*](#) Luer & Endara
- [*Stelis thecoglossa*](#) Rchb.f.
- [*Stelis thelephora*](#) Luer, Thoele & F.Werner
- [*Stelis thermophila*](#) Schltr.
- [*Stelis thoeleae*](#) Luer
- [*Stelis thomasiae*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis thymochila*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis tinecae*](#) Luer & R.Vásquez
- [*Stelis tintinnabula*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis titanica*](#) Luer & R.Escobar
- [*Stelis tobarii*](#) Luer & Hirtz
- [*Stelis tolimensis*](#) Schltr.
- [*Stelis tomcroatii*](#) Luer
- [*Stelis tomentosa*](#) Luer & R.Vásquez
- [*Stelis tonduziana*](#) Schltr.
- [*Stelis torrenticola*](#) Luer & R.Vásquez

- [Stelis tortilis](#) (Luer & R.Escobar) Pridgeon & M.W.Chase
- [Stelis tortuosa](#) Luer & Hirtz
- [Stelis torulosa](#) Luer & R.Escobar
- [Stelis translucens](#) Luer & Hirtz
- [Stelis transversalis](#) Ames
- [Stelis triangulabia](#) Ames
- [Stelis triangularis](#) Barb.Rodr.
- [Stelis triangulisejala](#) C.Schweinf.
- [Stelis triapiculata](#) Dod
- [Stelis triaristata](#) Luer
- [Stelis tricardium](#) Lindl.
- [Stelis trichoglottis](#) Luer & Dodson
- [Stelis trichorrhachis](#) Rchb.f.
- [Stelis trichostoma](#) (Luer) Pridgeon & M.W.Chase
- [Stelis tricola](#) Luer & Hirtz
- [Stelis tridactyloides](#) Luer & Hirtz
- [Stelis tridactylon](#) Luer
- [Stelis tridentata](#) Lindl.
- [Stelis trifoliacea](#) Luer & R.Escobar
- [Stelis trilobata](#) O.Duque
- [Stelis trimera](#) Luer
- [Stelis triplaris](#) Luer & R.Escobar
- [Stelis triplex](#) Luer & Hirtz
- [Stelis triplicata](#) Lindl.
- [Stelis triseta](#) Lindl.
- [Stelis tritriangulata](#) Luer & R.Escobar
- [Stelis trochophora](#) Luer & R.Escobar
- [Stelis tropex](#) Luer & Endara
- [Stelis trulla](#) (Rchb.f. & Warsz.) Pridgeon & M.W.Chase
- [Stelis trullifera](#) Luer & R.Vásquez
- [Stelis trullilabia](#) Luer & R.Escobar
- [Stelis truncata](#) Lindl.
- [Stelis tryssa](#) Luer & R.Escobar
- [Stelis tsubotae](#) Luer & R.Escobar
- [Stelis tumida](#) Luer & Hirtz
- [Stelis tunariensis](#) Luer & R.Vásquez
- [Stelis tunguraguae](#) (F.Lehm. & Kraenzl.) Pridgeon & M.W.Chase
- [Stelis tweedieana](#) Lindl.
- [Stelis tyria](#) Luer, Thoele & F.Werner

U–V

- [Stelis uberis](#) Luer & R.Escobar

- [*Stelis umbelliformis*](#) Hespenh. & Dressler
- [*Stelis umbonis*](#) Luer & Hirtz
- [*Stelis umbriae*](#) Schltr.
- [*Stelis uncifera*](#) Luer & Hirtz
- [*Stelis uncinata*](#) Pridgeon & M.W.Chase
- [*Stelis uncinula*](#) Luer & Hirtz
- [*Stelis undecimi*](#) Luer & F.Werner
- [*Stelis unduavica*](#) (Luer & R.Vásquez) Karremans
- [*Stelis unduaviensis*](#) Luer & R.Vásquez
- [*Stelis undulata*](#) Luer & Hirtz
- [*Stelis uniflora*](#) Luer & Hirtz
- [*Stelis uninervia*](#) C.Schweinf.
- [*Stelis uribeorum*](#) Luer & R.Escobar
- [*Stelis uvaegelata*](#) L.E.Matthews
- [*Stelis validipes*](#) Luer & R.Escobar
- [*Stelis valladolidensis*](#) Luer & D'Aless.
- [*Stelis vallata*](#) Luer
- [*Stelis valvulosa*](#) Luer & R.Escobar
- [*Stelis vanescens*](#) Luer
- [*Stelis vargasii*](#) (C.Schweinf.) Pridgeon & M.W.Chase
- [*Stelis varicella*](#) Luer & R.Vásquez
- [*Stelis variola*](#) Luer & R.Escobar
- [*Stelis vasqueziana*](#) Karremans
- [*Stelis vasquezii*](#) (Luer) Karremans
- [*Stelis vegrandis*](#) (Luer & Dodson) Pridgeon & M.W.Chase
- [*Stelis velaticaulis*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis velatipes*](#) (Rchb.f.) Karremans
- [*Stelis velivolva*](#) Luer & Hirtz
- [*Stelis velutina*](#) Lindl.
- [*Stelis venezuelensis*](#) Foldats
- [*Stelis venosa*](#) Luer & Endara
- [*Stelis veracruzensis*](#) Solano
- [*Stelis veraguasensis*](#) Luer
- [*Stelis verbiformis*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis verecunda*](#) Schltr.
- [*Stelis verruculosa*](#) Luer & R.Escobar
- [*Stelis vesca*](#) Luer & Hirtz
- [*Stelis vespertina*](#) Solano & Soto Arenas
- [*Stelis vestita*](#) Ames
- [*Stelis viamontis*](#) Luer & Hirtz
- [*Stelis vicaria*](#) Luer & R.Escobar
- [*Stelis vigax*](#) Luer & R.Escobar

- [*Stelis vigoris*](#) Luer & R.Escobar
- [*Stelis villifera*](#) Luer
- [*Stelis villosa*](#) (Knowles & Westc.) Pridgeon & M.W.Chase
- [*Stelis villosilabia*](#) Luer & Hirtz
- [*Stelis violacea*](#) Garay
- [*Stelis virgata*](#) (Luer) Pridgeon & M.W.Chase
- [*Stelis virgulata*](#) Schltr.
- [*Stelis viridibrunnea*](#) F.Lehm. & Kraenzl.
- [*Stelis viridiflava*](#) (Karremans & Bogarín) Karremans & Bogarín
- [*Stelis viridula*](#) Luer
- [*Stelis vollesii*](#) Luer & Dodson
- [*Stelis voluptuosa*](#) Luer & R.Escobar
- [*Stelis vulcani*](#) Rchb.f.
- [*Stelis vulpecula*](#) Luer & R.Escobar

W–Z

- [*Stelis wagneri*](#) (Schltr.) Pridgeon & M.W.Chase
- [*Stelis walteri*](#) Schltr.
- [*Stelis weberbaueri*](#) Schltr.
- [*Stelis weddelliana*](#) (Rchb.f.) Pridgeon & M.W.Chase
- [*Stelis wendtii*](#) Solano
- [*Stelis wercklei*](#) Schltr.
- [*Stelis wernerii*](#) Schltr.
- [*Stelis wilhelmii*](#) Luer
- [*Stelis williamsii*](#) Ames
- [*Stelis xenica*](#) Luer & R.Escobar
- [*Stelis xerophila*](#) (Schltr.) Soto Arenas
- [*Stelis ximenae*](#) Luer & Hirtz
- [*Stelis xiphizusa*](#) (Rchb.f. & Warsz.) Pridgeon & M.W.Chase
- [*Stelis xystophora*](#) Luer
- [*Stelis yanganensis*](#) Luer & Hirtz
- [*Stelis zamorae*](#) Luer & Hirtz
- [*Stelis zarumae*](#) Luer & Hirtz
- [*Stelis zelenkoi*](#) Luer & Hirtz
- [*Stelis zelleri*](#) Luer
- [*Stelis zigzag*](#) Luer & Hirtz
- [*Stelis zongoensis*](#) Luer & R.Vásquez
- [*Stelis zootrophionoides*](#) Castañeda-Zárate & Ramos-Castro
- [*Stelis zothecula*](#) Luer
- [*Stelis zunagensis*](#) (Luer & Hirtz) Pridgeon & M.W.Chase

References

1.

1. "[Stelis Sw.](#)", *Plants of the World Online*, Royal Botanic Gardens, Kew, retrieved 2022-08-14

Categories:

- [Lists of plant species](#)
- [Stelis](#)
-

From Wikipedia, the free encyclopedia

Stachys is a genus of [flowering plants](#) in the family [Lamiaceae](#). [Plants of the World Online](#) currently accepts 373 species.[1] The genus is probably [paraphyletic](#). [2]

A

- [Stachys acerosa](#) Boiss.
- [Stachys aculeolata](#) Hook.f.
- [Stachys adulterina](#) Hemsl.
- [Stachys aegyptiaca](#) Pers.
- [Stachys aethiopica](#) L.
- [Stachys affinis](#) Bunge
- [Stachys afra](#) E.Mey. ex Benth.
- [Stachys agraria](#) Schltdl. & Cham.
- [Stachys ahmetsavranii](#) Doğu & Bağcı
- [Stachys ajugoides](#) Benth.
- [Stachys alabamica](#) B.R.Keener & L.J.Davenp.
- [Stachys albanica](#) Markgr.
- [Stachys albens](#) A.Gray
- [Stachys albicaulis](#) Lindl.
- [Stachys albiflora](#) N.E.Br.
- [Stachys albotomentosa](#) Ramamoorthy
- [Stachys aleurites](#) Boiss. & Heldr.
- [Stachys alpigena](#) T.C.E.Fr.
- [Stachys alpina](#) L.
- [Stachys amanica](#) P.H.Davis
- [Stachys × ambigua](#) Sm.

- [*Stachys anamurensis*](#) Sümbül
- [*Stachys andongensis*](#) Hiern
- [*Stachys angustifolia*](#) M.Bieb.
- [*Stachys anisochila*](#) Vis. & Pancic
- [*Stachys annua*](#) (L.) L.
- [*Stachys antalyensis*](#) Ayaşlıgil & P.H.Davis
- [*Stachys aperta*](#) Epling
- [*Stachys appalachiana*](#) D.B.Poind. & J.B.Nelson
- [*Stachys arabica*](#) Hornem.
- [*Stachys arachnoidea*](#) Codd
- [*Stachys araucana*](#) Phil.
- [*Stachys arenaria*](#) Vahl
- [*Stachys arenariiformis*](#) Rouy
- [*Stachys argillicola*](#) Sebsebe
- [*Stachys aristata*](#) Greenm.
- [*Stachys arrecta*](#) L.H.Bailey
- [*Stachys arriagana*](#) B.L.Turner
- [*Stachys arvensis*](#) (L.) L.
- [*Stachys aspera*](#) Michx.
- [*Stachys asperata*](#) Hedge
- [*Stachys atherocalyx*](#) K.Koch
- [*Stachys aucheri*](#) Benth.
- [*Stachys aurea*](#) Benth.

B

- [*Stachys babunensis*](#) Micevski
- [*Stachys bakeri*](#) Briq.
- [*Stachys balansae*](#) Boiss. & Kotschy
- [*Stachys balensis*](#) Sebsebe
- [*Stachys bayburtensis*](#) R.Bhattacharjee & Hub.-Mor.
- [*Stachys baytopiorum*](#) Kit Tan & Yildiz
- [*Stachys beckeana*](#) Dörfl. & Hayek
- [*Stachys benthamiana*](#) Boiss.
- [*Stachys bergii*](#) G.A.Mulligan & D.B.Munro
- [*Stachys bhattacharjeeae*](#) Ö.Güner
- [*Stachys bigelovii*](#) A.Gray
- [*Stachys bithynica*](#) Boiss.
- [*Stachys bizensis*](#) Schweinf. ex Baker
- [*Stachys × bodeana*](#) Bunge
- [*Stachys bogotensis*](#) Kunth
- [*Stachys bolusii*](#) Skan
- [*Stachys bombycina*](#) Boiss.

- [*Stachys boraginoides*](#) Schltdl. & Cham.
- [*Stachys brachiata*](#) Bojer ex Benth.
- [*Stachys brachyclada*](#) de Noé
- [*Stachys bridgesii*](#) Benth.
- [*Stachys bullata*](#) Benth.
- [*Stachys burchelliana*](#) Launert
- [*Stachys burgsdorffiioides*](#) (Benth.) Boiss.
- [*Stachys* × *burrii*](#) P.H.Davis
- [*Stachys buttleri*](#) R.R.Mill
- [*Stachys byzantina*](#) K.Koch

C

- [*Stachys calcicola*](#) Epling
- [*Stachys candida*](#) Bory & Chaub.
- [*Stachys canescens*](#) Bory & Chaub.
- [*Stachys carduchorum*](#) (R.Bhattacharjee) Rech.f.
- [*Stachys caroliniana*](#) J.B.Nelson & D.A.Rayner
- [*Stachys cataonica*](#) R.Bhattacharjee & Hub.-Mor.
- [*Stachys chamissonis*](#) Benth.
- [*Stachys chasmosericea*](#) Ayasligil & P.H.Davis
- [*Stachys chinensis*](#) Bunge ex Benth.
- [*Stachys choruhensis*](#) Kit Tan & Sorger
- [*Stachys chrysantha*](#) Boiss. & Heldr.
- [*Stachys circinata*](#) L'Hér.
- [*Stachys citrina*](#) Boiss. & Heldr. ex Benth.
- [*Stachys clingmanii*](#) Small
- [*Stachys coccinea*](#) Ortega
- [*Stachys collina*](#) Brandegees
- [*Stachys comosa*](#) Codd
- [*Stachys cordata*](#) Riddell
- [*Stachys cordifolia*](#) Prain
- [*Stachys corsica*](#) Pers.
- [*Stachys costaricensis*](#) Briq.
- [*Stachys cretica*](#) L.
- [*Stachys* × *cryptadenia*](#) Rech.f.
- [*Stachys cudiensis*](#) Fırat & Ö.Güner
- [*Stachys cuhacioglu*](#) Yıldırım & Ö.Güner
- [*Stachys cuneata*](#) Banks ex Benth.
- [*Stachys cydni*](#) Kotschy ex Gemici & Leblebici
- [*Stachys cymbalaria*](#) Briq.

D

- [*Stachys darciana*](#) A.Pool
- [*Stachys debilis*](#) Kunth
- [*Stachys didymantha*](#) Brenan
- [*Stachys* × *digenea*](#) Legué
- [*Stachys dinteri*](#) Launert
- [*Stachys distans*](#) Benth.
- [*Stachys diversifolia*](#) Boiss.
- [*Stachys dregeana*](#) Benth.
- [*Stachys drummondii*](#) Benth.
- [*Stachys durandiana*](#) Coss.
- [*Stachys duriaei*](#) de Noé

E

- [*Stachys ehrenbergii*](#) Boiss.
- [*Stachys elliptica*](#) Kunth
- [*Stachys eplingii*](#) J.B.Nelson
- [*Stachys erectiuscula*](#) Gürke
- [*Stachys eremicola*](#) Epling
- [*Stachys eriantha*](#) Benth.
- [*Stachys euadenia*](#) P.H.Davis
- [*Stachys euboica*](#) Rech.f.

F

- [*Stachys fendleri*](#) Briq.
- [*Stachys filifolia*](#) Hedge
- [*Stachys flavescens*](#) Benth.
- [*Stachys flexuosa*](#) Skan
- [*Stachys floccosa*](#) Benth.
- [*Stachys floridana*](#) Shuttlew. ex Benth.
- [*Stachys fominii*](#) Sosn. ex Grossh.
- [*Stachys fontqueri*](#) Pau
- [*Stachys forsythii*](#) Hedge
- [*Stachys fragillima*](#) Bornm.
- [*Stachys fruticulosa*](#) M.Bieb.

G

- [*Stachys gaziantepensis*](#) Dinç & Dogu
- [*Stachys geobombycis*](#) C.Y.Wu

- [*Stachys germanica*](#) L.
- [*Stachys gilliesii*](#) Benth.
- [*Stachys glandulibracteata*](#) Y.B.Harv.
- [*Stachys glandulifera*](#) Post
- [*Stachys glandulosa*](#) Hutch. & E.A.Bruce
- [*Stachys glandulosissima*](#) Floden
- [*Stachys glechomifolia*](#) Nábelek
- [*Stachys globosa*](#) Epling
- [*Stachys glutinosa*](#) L.
- [*Stachys gossweileri*](#) G.Taylor
- [*Stachys goulimyi*](#) Rech.f.
- [*Stachys graciliflora*](#) C.Presl
- [*Stachys graeca*](#) Boiss. & Heldr.
- [*Stachys grahamii*](#) Benth.
- [*Stachys grandidentata*](#) Lindl.
- [*Stachys grandifolia*](#) E.Mey.
- [*Stachys graveolens*](#) Nábelek
- [*Stachys guyoniana*](#) de Noé ex Batt.

H

- [*Stachys hakkariensis*](#) Akçiçek & Firat
- [*Stachys hamata*](#) Epling
- [*Stachys harkeræ*](#) J.G.González
- [*Stachys harleyana*](#) A.Pool
- [*Stachys hebens*](#) Epling
- [*Stachys heraclea*](#) All.
- [*Stachys herrerae*](#) Epling
- [*Stachys herreraana*](#) Rzed. & Calderón
- [*Stachys hians*](#) Briq.
- [*Stachys hildebrandtii*](#) Vatke
- [*Stachys hintoniorum*](#) B.L.Turner
- [*Stachys hispida*](#) Pursh
- [*Stachys hissarica*](#) Regel
- [*Stachys huber-morathii*](#) R.Bhattacharjee
- [*Stachys huetii*](#) Boiss.
- [*Stachys huillensis*](#) Hiern
- [*Stachys humbertii*](#) Hedge
- [*Stachys humifusa*](#) Burch. ex Benth.
- [*Stachys hydrophila*](#) Boiss.
- [*Stachys hyssopifolia*](#) Michx.
- [*Stachys hyssopoides*](#) Burch. ex Benth.

I – J

- [*Stachys iberica*](#) M.Bieb.
- [*Stachys ilicifolius*](#) (Schrenk ex Fisch. & C.A.Mey.) Sennikov
- [*Stachys iltisii*](#) J.B.Nelson
- [*Stachys inanis*](#) Hausskn. & Bornm.
- [*Stachys inflata*](#) Benth.
- [*Stachys intermedia*](#) Aiton
- [*Stachys ionica*](#) Halácsy
- [*Stachys iraqensis*](#) R.Bhattacharjee
- [*Stachys istanbulensis*](#) Ö.Güner
- [*Stachys iva*](#) Griseb.
- [*Stachys jaimehintonii*](#) B.L.Turner
- [*Stachys jijigaensis*](#) Sebsebe

K

- [*Stachys keerlii*](#) Benth.
- [*Stachys kermanshahensis*](#) Rech.f.
- [*Stachys ketenoglui*](#) Kaynak, Daskin & Yilmaz
- [*Stachys komarovii*](#) Knorring
- [*Stachys kotschy*](#) Boiss. & Hohen.
- [*Stachys kouyangensis*](#) (Vaniot) Dunn
- [*Stachys kulalensis*](#) Sebsebe
- [*Stachys kuntzei*](#) Gürke
- [*Stachys kurdica*](#) Boiss. & Hohen.

L

- [*Stachys lallaniana*](#) R.Kr.Singh & Sanjeet Kumar
- [*Stachys lamarckii*](#) Benth.
- [*Stachys lamioides*](#) Benth.
- [*Stachys langmaniae*](#) Rzed. & Calderón
- [*Stachys lanigera*](#) (Bornm.) Rech.f.
- [*Stachys latidens*](#) Small
- [*Stachys lavandulifolia*](#) Vahl
- [*Stachys laxa*](#) Boiss. & Buhse
- [*Stachys leucoglossa*](#) Griseb.
- [*Stachys* × *leucomalla*](#) Bornm. & Gauba
- [*Stachys libanotica*](#) Benth.
- [*Stachys lindenii*](#) Benth.
- [*Stachys linearis*](#) Burch. ex Benth.
- [*Stachys longespicata*](#) Boiss. & Kotschy

- [*Stachys longiflora*](#) Boiss. & Balansa
- [*Stachys lurestanica*](#) Jamzad
- [*Stachys lyallii*](#) Benth.

M

- [*Stachys macraei*](#) Benth.
- [*Stachys macrotricha*](#) Rech.f. & Goulimy
- [*Stachys manantlanensis*](#) B.L.Turner
- [*Stachys mandoniana*](#) Briq.
- [*Stachys marashica*](#) İlçim, Çenet & Dadandi
- [*Stachys mardinensis*](#) (Post) R.R.Mill
- [*Stachys maritima*](#) Gouan
- [*Stachys marrubiiifolia*](#) Viv.
- [*Stachys matthewsii*](#) G.P.Fleming, J.B.Nelson & J.F.Towns.
- [*Stachys × medebachensis*](#) Feld & O.Koenen
- [*Stachys megalodonta*](#) Hausskn. & Bornm. ex P.H.Davis
- [*Stachys melampyroides*](#) Hand.-Mazz.
- [*Stachys menthifolia*](#) Vis.
- [*Stachys menthoides*](#) Kotschy & Boiss.
- [*Stachys mexicana*](#) Benth.
- [*Stachys mialhesii*](#) de Noé
- [*Stachys milanii*](#) Petrov ex Magnier
- [*Stachys milasensis*](#) Ö.Güner
- [*Stachys minor*](#) (Boiss.) Akçiçek & Dirmenci
- [*Stachys × mirabilis*](#) Rouy
- [*Stachys mohinora*](#) B.L.Turner
- [*Stachys mollissima*](#) Willd.
- [*Stachys moorei*](#) B.L.Turner
- [*Stachys mouretii*](#) Batt. & Pit.
- [*Stachys mucronata*](#) Sieber ex Spreng.
- [*Stachys multicaulis*](#) Benth.
- [*Stachys munzurdagensis*](#) R.Bhattacharjee

N

- [*Stachys namazdagensis*](#) Yild.
- [*Stachys natalensis*](#) Hochst.
- [*Stachys nelsonii*](#) B.R.Keener & L.J.Davenp.
- [*Stachys nemorivaga*](#) Briq.
- [*Stachys nepetifolia*](#) Desf.
- [*Stachys nephrophylla*](#) Rech.f.
- [*Stachys neurocalycina*](#) Boiss.

- [*Stachys nigricans*](#) Benth.
- [*Stachys nivea*](#) Labill.
- [*Stachys nubilorum*](#) Epling

O

- [*Stachys obliqua*](#) Waldst. & Kit.
- [*Stachys oblongifolia*](#) Wall. ex Benth.
- [*Stachys obscura*](#) Boiss. & Balansa
- [*Stachys obtusicrena*](#) Boiss.
- [*Stachys obtusifolia*](#) MacOwan
- [*Stachys ochroleuca*](#) Phil.
- [*Stachys ocymastrum*](#) (L.) Briq.
- [*Stachys oligantha*](#) Baker
- [*Stachys oreophila*](#) Hedge

P

- [*Stachys palaestina*](#) L.
- [*Stachys palustris*](#) L.
- [*Stachys paneiana*](#) Mouterde
- [*Stachys pannosa*](#) Phil.
- [*Stachys parolinii*](#) Vis.
- [*Stachys patula*](#) Griseb.
- [*Stachys pauli*](#) Grossh.
- [*Stachys penanevada*](#) B.L.Turner
- [*Stachys peruviana*](#) Dombey ex Benth.
- [*Stachys petrokosmos*](#) Rech.f.
- [*Stachys philippiana*](#) Vatke
- [*Stachys pilifera*](#) Benth.
- [*Stachys pilosa*](#) Nutt.
- [*Stachys pilosissima*](#) M.Martens & Galeotti
- [*Stachys pinardii*](#) Boiss.
- [*Stachys pinetorum*](#) Boiss. & Balansa
- [*Stachys pittieri*](#) Briq.
- [*Stachys plumosa*](#) Griseb.
- [*Stachys pringlei*](#) Greenm.
- [*Stachys pseudohumifusa*](#) Sebsebe
- [*Stachys pseudonigricans*](#) Gürke
- [*Stachys pseudophlomis*](#) C.Y.Wu
- [*Stachys pseudopinardii*](#) R.Bhattacharjee & Hub.-Mor.
- [*Stachys pumila*](#) Banks & Sol.
- [*Stachys pusilla*](#) (Wedd.) Briq.

- [*Stachys pycnantha*](#) Benth.
- [*Stachys pyramidalis*](#) J.K.Morton

R

- [*Stachys radicans*](#) Epling
- [*Stachys ramosissima*](#) Montbret & Aucher ex Benth.
- [*Stachys recta*](#) L.
- [*Stachys rehmannii*](#) Skan
- [*Stachys reptans*](#) Hedge
- [*Stachys reticulata*](#) Codd
- [*Stachys richardiana*](#) R.Kr.Singh
- [*Stachys riederi*](#) Cham.
- [*Stachys rigida*](#) Nutt. ex Benth.
- [*Stachys riparia*](#) A.Pool
- [*Stachys rivularis*](#) J.M.Wood & M.S.Evans
- [*Stachys rizeensis*](#) R.Bhattacharjee
- [*Stachys rosea*](#) (Desf.) Boiss.
- [*Stachys rothrockii*](#) A.Gray
- [*Stachys rotundifolia*](#) Moc. & Sessé ex Benth.
- [*Stachys rubella*](#) Hedge
- [*Stachys rudatisii*](#) Skan
- [*Stachys rugosa*](#) Aiton
- [*Stachys rupestris*](#) Montbret & Aucher ex Benth.

S

- [*Stachys salisii*](#) Jord. & Fourn.
- [*Stachys sanchezii*](#) Rzed. & A.García
- [*Stachys sandersii*](#) B.L.Turner
- [*Stachys saturejoides*](#) Montbret & Aucher ex Benth.
- [*Stachys saxicola*](#) Coss. & Balansa
- [*Stachys scaberula*](#) Vatke
- [*Stachys scabrida*](#) Skan
- [*Stachys schimperi*](#) Vatke
- [*Stachys semsurenensis*](#) Firat
- [*Stachys serbica*](#) Pancic
- [*Stachys sericantha*](#) P.H.Davis
- [*Stachys sericea*](#) Cav.
- [*Stachys sericophylla*](#) Halácsy
- [*Stachys sessilifolia*](#) E.Mey.
- [*Stachys sessilis*](#) Gürke
- [*Stachys setifera*](#) C.A.Mey.

- [*Stachys siirtensis*](#) Ö.Güner & Akçiçek
- [*Stachys simplex*](#) Schltr.
- [*Stachys* × *sintensisii*](#) Gand.
- [*Stachys sivasica*](#) Kit Tan & Yildiz
- [*Stachys sparsipilosa*](#) R.Bhattacharjee & Hub.-Mor.
- [*Stachys spathulata*](#) Burch. ex Benth.
- [*Stachys spectabilis*](#) Choisy ex DC.
- [*Stachys speluncarum*](#) Contandr. & Quézel
- [*Stachys sphaerodonta*](#) Baker
- [*Stachys spinosa*](#) L.
- [*Stachys spinulosa*](#) Sm.
- [*Stachys splendens*](#) Wall. ex Benth.
- [*Stachys spreitzenhoferi*](#) Heldr.
- [*Stachys sprucei*](#) Briq.
- [*Stachys spruneri*](#) Boiss.
- [*Stachys stebbinsii*](#) G.A.Mulligan & D.B.Munro
- [*Stachys stricta*](#) Greene
- [*Stachys strictiflora*](#) C.Y.Wu
- [*Stachys subaphylla*](#) Rech.f.
- [*Stachys sublobata*](#) Skan
- [*Stachys subnuda*](#) Montbret & Aucher ex Benth.
- [*Stachys swainsonii*](#) Benth.
- [*Stachys sylvatica*](#) L.

T

- [*Stachys taliensis*](#) C.Y.Wu
- [*Stachys talyschensis*](#) Kapeller
- [*Stachys tamaulipana*](#) B.L.Turner
- [*Stachys tenerrima*](#) Epling
- [*Stachys tenuifolia*](#) Willd.
- [*Stachys tetragona*](#) Boiss. & Heldr.
- [*Stachys thirkei*](#) K.Koch
- [*Stachys thracica*](#) Davidov
- [*Stachys thunbergii*](#) Benth.
- [*Stachys thuspeinantha*](#) Sennikov
- [*Stachys tlaxiacana*](#) B.L.Turner
- [*Stachys tmolea*](#) Boiss.
- [*Stachys torresii*](#) B.L.Turner
- [*Stachys tournefortii*](#) Poir.
- [*Stachys trichophylla*](#) Baker
- [*Stachys trinervis*](#) Aitch. & Hemsl.
- [*Stachys truncata*](#) Kunze ex Benth.

- [*Stachys tubulosa*](#) MacOwan
- [*Stachys tundjeliensis*](#) Kit Tan & Sorger
- [*Stachys turcomanica*](#) Trautv.
- [*Stachys turkestanica*](#) (Regel) Popov ex Knorring
- [*Stachys turneri*](#) Rzed. & Calderón
- [*Stachys tymphaea*](#) Hausskn.
- [*Stachys tysonii*](#) Skan

U – V

- [*Stachys uniflora*](#) A.Pool
- [*Stachys urticoides*](#) Epling
- [*Stachys venezuelana*](#) Briq.
- [*Stachys venulosa*](#) Greene
- [*Stachys veroniciformis*](#) Rech.f.
- [*Stachys virgata*](#) Bory & Chaub.
- [*Stachys viscosa*](#) Montbret & Aucher ex Benth.
- [*Stachys viticina*](#) Boiss.
- [*Stachys vulnerabilis*](#) Rzed. & Calderón
- [*Stachys vuralii*](#) Yildiz, Dirmenci & Akçiçek

W – X

- [*Stachys willemsei*](#) Kit Tan & Hedge
- [*Stachys woronowii*](#) (Schischk. ex Grossh.) R.R.Mill
- [*Stachys xanthantha*](#) C.Y.Wu

Y – Z

- [*Stachys yemenensis*](#) Hedge
- [*Stachys yildirimlii*](#) Dinç
- [*Stachys yingzuijieensis*](#) L.Wu & Y.P.Chen
- [*Stachys zepeensis*](#) Formánek
- [*Stachys zeyheri*](#) Skan
- [*Stachys zoharyana*](#) Eig

From Wikipedia, the free encyclopedia

The genus [*Sporobolus*](#) contains about 220 species.[\[1\]](#)

- [*Sporobolus acinifolius*](#) Stapf
- [*Sporobolus actinocladius*](#) (F.Muell.) F.Muell.
- [*Sporobolus aculeatus*](#) (L.) P.M.Peterson

- [*Sporobolus acuminatus*](#) (Trin.) Hack.
- [*Sporobolus adustus*](#) (Trin.) Roseng., B.R.Arrill. & Izag.
- [*Sporobolus advenus*](#) (Stapf) P.M.Peterson
- [*Sporobolus aeneus*](#) (Trin.) Kunth
- [*Sporobolus africanus*](#) (Poir.) Robyns & Tournay
- [*Sporobolus agrostoides*](#) Chiov.
- [*Sporobolus airiformis*](#) Chiov.
- [*Sporobolus airoides*](#) (Torr.) Torr.
- [*Sporobolus albicans*](#) (Nees ex Trin.) Nees
- [*Sporobolus aldabrensis*](#) Renvoize
- [*Sporobolus alopecuroides*](#) (Piller & Mitterp.) P.M.Peterson
- [*Sporobolus alterniflorus*](#) (Loisel.) P.M.Peterson & Saarela
- [*Sporobolus amaliae*](#) Veldkamp
- [*Sporobolus anglicus*](#) (C.E.Hubb.) P.M.Peterson & Saarela
- [*Sporobolus angustifolius*](#) A.Rich.
- [*Sporobolus apiculatus*](#) Boechat & Longhi-Wagner
- [*Sporobolus arcuatus*](#) (K.E.Rogers) P.M.Peterson
- [*Sporobolus arenicola*](#) P.M.Peterson
- [*Sporobolus atrovirens*](#) (Kunth) Kunth
- [*Sporobolus australasicus*](#) Domin
- [*Sporobolus bahamensis*](#) Hack.
- [*Sporobolus bakeri*](#) (Merr.) P.M.Peterson & Saarela
- [*Sporobolus balansae*](#) Henrard
- [*Sporobolus bechuanicus*](#) Gooss.
- [*Sporobolus blakei*](#) B.K.Simon
- [*Sporobolus bogotensis*](#) Swallen & García-Barr.
- [*Sporobolus borszczowii*](#) (Regel) P.M.Peterson
- [*Sporobolus bosseri*](#) A.Camus
- [*Sporobolus brevipilis*](#) (Torr.) P.M.Peterson
- [*Sporobolus brockmanii*](#) Stapf
- [*Sporobolus buckleyi*](#) Vasey
- [*Sporobolus caespitosus*](#) Kunth
- [*Sporobolus camporum*](#) Swallen
- [*Sporobolus capillaris*](#) Miq.
- [*Sporobolus caroli*](#) Mez
- [*Sporobolus centrifugus*](#) (Trin.) Nees
- [*Sporobolus clandestinus*](#) (Biehler) Hitchc.
- [*Sporobolus coahuilensis*](#) J.Valdés
- [*Sporobolus coarctatus*](#) (Trin.) P.M.Peterson & Saarela
- [*Sporobolus collettii*](#) (Hook.f.) Bor
- [*Sporobolus compactus*](#) Clayton
- [*Sporobolus compositus*](#) (Poir.) Merr.

- [*Sporobolus confinis*](#) (Steud.) Chiov.
- [*Sporobolus congoensis*](#) Franch.
- [*Sporobolus consimilis*](#) Fresen.
- [*Sporobolus contiguus*](#) S.T.Blake
- [*Sporobolus contractus*](#) Hitchc.
- [*Sporobolus copei*](#) Verloove
- [*Sporobolus cordofanus*](#) (Hochst. ex Steud.) Hérincq ex Coss.
- [*Sporobolus coromandelianus*](#) (Retz.) Kunth
- [*Sporobolus creber*](#) De Nardi
- [*Sporobolus crucensis*](#) Renvoize
- [*Sporobolus cryptandrus*](#) (Torr.) A.Gray
- [*Sporobolus cubensis*](#) Hitchc.
- [*Sporobolus curtissii*](#) Small ex Kearney
- [*Sporobolus cynosuroides*](#) (L.) P.M.Peterson & Saarela
- [*Sporobolus diandrus*](#) (Retz.) P.Beauv.
- [*Sporobolus dinklagei*](#) Mez
- [*Sporobolus discosporus*](#) Nees
- [*Sporobolus disjunctus*](#) B.K.Simon
- [*Sporobolus distichivaginatus*](#) R.W.Pohl
- [*Sporobolus domingensis*](#) (Trin.) Kunth
- [*Sporobolus durus*](#) Brongn.
- [*Sporobolus* × *eatonianus*](#) P.M.Peterson & Saarela
- [*Sporobolus elatior*](#) Bosser
- [*Sporobolus elongatus*](#) R.Br.
- [*Sporobolus engleri*](#) Pilg.
- [*Sporobolus erectus*](#) Hitchc.
- [*Sporobolus eximius*](#) (Nees ex Trin.) Ekman
- [*Sporobolus factorovskyi*](#) (Eig) P.M.Peterson
- [*Sporobolus farinosus*](#) Hosok.
- [*Sporobolus fertilis*](#) (Steud.) Clayton
- [*Sporobolus festivus*](#) Hochst. ex A.Rich.
- [*Sporobolus fibrosus*](#) Cope
- [*Sporobolus fimbriatus*](#) (Nees ex Trin.) Nees
- [*Sporobolus flexuosus*](#) (Vasey) Rydb.
- [*Sporobolus floridanus*](#) Chapm.
- [*Sporobolus foliosus*](#) (Trin.) P.M.Peterson & Saarela
- [*Sporobolus fourcadei*](#) Stent
- [*Sporobolus geminatus*](#) Clayton
- [*Sporobolus giganteus*](#) Nash
- [*Sporobolus gloeocladus*](#) Cope
- [*Sporobolus hadjikyriakou*](#) (Raus & H.Scholz) P.M.Peterson
- [*Sporobolus hajrae*](#) P.Umam. & P.Daniel

- [*Sporobolus halophilus*](#) Bosser
- [*Sporobolus hancei*](#) Rendle
- [*Sporobolus harmandii*](#) Henrard
- [*Sporobolus helvolus*](#) (Trin.) T.Durand & Schinz
- [*Sporobolus heterolepis*](#) (A.Gray) A.Gray
- [*Sporobolus hians*](#) Van Schaack
- [*Sporobolus hintonii*](#) W.Hartley
- [*Sporobolus hookerianus*](#) P.M.Peterson & Saarela
- [*Sporobolus humilis*](#) J.Presl
- [*Sporobolus indicus*](#) (L.) R.Br.
- [*Sporobolus infirmus*](#) Mez
- [*Sporobolus interruptus*](#) Vasey
- [*Sporobolus ioclados*](#) (Nees ex Trin.) Nees
- [*Sporobolus ivakoanyensis*](#) A.Camus
- [*Sporobolus junceus*](#) (P.Beauv.) Kunth
- [*Sporobolus kerrii*](#) Bor
- [*Sporobolus lanuginellus*](#) Maire
- [*Sporobolus lasiophyllus*](#) Pilg.
- [*Sporobolus latzii*](#) B.K.Simon
- [*Sporobolus laxus*](#) B.K.Simon
- [*Sporobolus lenticularis*](#) S.T.Blake
- [*Sporobolus linearifolius*](#) Nicora
- [*Sporobolus linearis*](#) Mez
- [*Sporobolus longispicus*](#) (Hauman & Parodi ex St.-Yves) P.M.Peterson & Saarela
- [*Sporobolus ludwigii*](#) Hochst.
- [*Sporobolus macer*](#) (Trin.) Hitchc.
- [*Sporobolus macranthelus*](#) Chiov.
- [*Sporobolus macrospermus*](#) Scribn. ex Beal
- [*Sporobolus maderaspatanus*](#) Bor
- [*Sporobolus maritimus*](#) (Curtis) P.M.Peterson & Saarela
- [*Sporobolus maximus*](#) Hauman
- [*Sporobolus megalospermus*](#) (F.Muell. ex Benth.) P.M.Peterson
- [*Sporobolus mendocinus*](#) Méndez
- [*Sporobolus metallicola*](#) Longhi-Wagner & Boechat
- [*Sporobolus michauxianus*](#) (Hitchc.) P.M.Peterson & Saarela
- [*Sporobolus micranthus*](#) (Steud.) T.Durand & Schinz
- [*Sporobolus microprotus*](#) Stapf
- [*Sporobolus mildbraedii*](#) Pilg.
- [*Sporobolus minarum*](#) Boechat & Longhi-Wagner
- [*Sporobolus minimus*](#) Cope
- [*Sporobolus minor*](#) Kunth
- [*Sporobolus minuartioides*](#) (Bornm.) P.M.Peterson

- [*Sporobolus minutus*](#) Link
- [*Sporobolus mirabilis*](#) Pilg.
- [*Sporobolus mitchellii*](#) (Trin.) C.E.Hubb.
- [*Sporobolus mobberleyanus*](#) P.M.Peterson & Saarela
- [*Sporobolus molleri*](#) Hack.
- [*Sporobolus monandrus*](#) Roseng., B.R.Arrill. & Izag.
- [*Sporobolus montanus*](#) Engl.
- [*Sporobolus montevidensis*](#) (Arechav.) P.M.Peterson & Saarela
- [*Sporobolus mopane*](#) Cope
- [*Sporobolus multinodis*](#) Hack.
- [*Sporobolus multiramosus*](#) Longhi-Wagner & Boechat
- [*Sporobolus myrianthus*](#) Benth.
- [*Sporobolus natalensis*](#) (Steud.) T.Durand & Schinz
- [*Sporobolus nealleyi*](#) Vasey
- [*Sporobolus nebulosus*](#) Hack.
- [*Sporobolus neglectus*](#) Nash
- [*Sporobolus nervosus*](#) Hochst.
- [*Sporobolus nesiotioides*](#) Longhi-Wagner, R.J.V.Alves & N.G.Silva
- [*Sporobolus niliacus*](#) (Fig. & De Not.) P.M.Peterson
- [*Sporobolus nitens*](#) Stent
- [*Sporobolus novoguineensis*](#) Baaijens
- [*Sporobolus nudiramus*](#) Boechat & Longhi-Wagner
- [*Sporobolus olivaceus*](#) Napper
- [*Sporobolus osceolensis*](#) E.L.Bridges & Orzell
- [*Sporobolus oxyphyllus*](#) Fish
- [*Sporobolus palmeri*](#) Scribn.
- [*Sporobolus pamela*](#) B.K.Simon
- [*Sporobolus panicoides*](#) A.Rich.
- [*Sporobolus paniculatus*](#) (Trin.) T.Durand & Schinz
- [*Sporobolus partimpatens*](#) B.K.Simon
- [*Sporobolus pauciflorus*](#) A.Chev.
- [*Sporobolus paucifolius*](#) Boechat & Longhi-Wagner
- [*Sporobolus pectinatus*](#) Hack.
- [*Sporobolus pectinellus*](#) Mez
- [*Sporobolus pellucidus*](#) Hochst.
- [*Sporobolus perrieri*](#) A.Camus
- [*Sporobolus phleoides*](#) Hack. ex Stuck.
- [*Sporobolus piliferus*](#) (Trin.) Kunth
- [*Sporobolus pinetorum*](#) Weakley & P.M.Peterson
- [*Sporobolus platensis*](#) Parodi
- [*Sporobolus potosiensis*](#) Wipff & S.D.Jones
- [*Sporobolus pseudairoides*](#) Parodi

- [*Sporobolus pulchellus*](#) R.Br.
- [*Sporobolus pumilus*](#) (Roth) P.M.Peterson & Saarela
- [*Sporobolus pungens*](#) (Schreb.) Kunth
- [*Sporobolus purpurascens*](#) (Sw.) Ham.
- [*Sporobolus pyramidalis*](#) P.Beauv.
- [*Sporobolus pyramidatus*](#) (Lam.) Hitchc.
- [*Sporobolus quadratus*](#) Clayton
- [*Sporobolus ramigerus*](#) (F.Muell.) R.L.Barrett & P.M.Peterson
- [*Sporobolus recurvatus*](#) Boechat & Longhi-Wagner
- [*Sporobolus reflexus*](#) Boechat & Longhi-Wagner
- [*Sporobolus rhizomatosus*](#) (Steud.) T.Durand & Schinz
- [*Sporobolus rigens*](#) (Trin.) É.Desv.
- [*Sporobolus rigidifolius*](#) (Trin.) Mez ex Veldkamp
- [*Sporobolus rigidus*](#) (Buckley) P.M.Peterson
- [*Sporobolus robustus*](#) Kunth
- [*Sporobolus ruspolianus*](#) Chiov.
- [*Sporobolus salsus*](#) Mez
- [*Sporobolus sanguineus*](#) Rendle
- [*Sporobolus scabridus*](#) S.T.Blake
- [*Sporobolus schoenoides*](#) (L.) P.M.Peterson
- [*Sporobolus sciadocladus*](#) Ohwi
- [*Sporobolus scitulus*](#) Clayton
- [*Sporobolus sessilis*](#) B.K.Simon
- [*Sporobolus silveanus*](#) Swallen
- [*Sporobolus somalensis*](#) Chiov.
- [*Sporobolus spartinae*](#) (Trin.) P.M.Peterson & Saarela
- [*Sporobolus spicatus*](#) (Vahl) Kunth
- [*Sporobolus spiciformis*](#) Swallen
- [*Sporobolus splendens*](#) Swallen
- [*Sporobolus stapfianus*](#) Gand.
- [*Sporobolus stolzii*](#) Mez
- [*Sporobolus subglobosus*](#) A.Chev.
- [*Sporobolus subtilis*](#) Kunth
- [*Sporobolus subulatus*](#) Hack.
- [*Sporobolus temomairemensis*](#) Judz. & P.M.Peterson
- [*Sporobolus tenellus*](#) (A.Spreng.) Kunth
- [*Sporobolus tenuissimus*](#) (Mart. ex Schrank) Kuntze
- [*Sporobolus teretifolius*](#) R.M.Harper
- [*Sporobolus testudinum*](#) Renvoize
- [*Sporobolus tetragonus*](#) Bor
- [*Sporobolus texanus*](#) Vasey
- [*Sporobolus tourneuxii*](#) Coss.

- [*Sporobolus × townsendii*](#) (H.Groves & J.Groves) P.M.Peterson & Saarela
- [*Sporobolus trichodes*](#) Hitchc.
- [*Sporobolus tsiafajavonensis*](#) A.Camus
- [*Sporobolus turkestanicus*](#) (Eig) P.M.Peterson
- [*Sporobolus uniglumis*](#) Stent & J.M.Ratray
- [*Sporobolus vaginiflorus*](#) (Torr. ex A.Gray) Alph.Wood
- [*Sporobolus vaseyi*](#) P.M.Peterson
- [*Sporobolus versicolor*](#) (E.Fabre) P.M.Peterson & Saarela
- [*Sporobolus virginicus*](#) (L.) Kunth
- [*Sporobolus viscidus*](#) Sohns
- [*Sporobolus wallichii*](#) Munro ex Thwaites
- [*Sporobolus welwitschii*](#) Rendle
- [*Sporobolus wrightii*](#) Scribn.

References

From Wikipedia, the free encyclopedia



[*Sphagnum fimbriatum*](#)

As of September 2025, [World Flora Online](#) accepts 382 [species](#) in the peat-moss genus [*Sphagnum*](#), along with 330 synonyms and 96 unplaced.^[1]

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

List

A

- [*Sphagnum aciphyllum*](#) Müll. Hal.
- [*Sphagnum acutifolioides*](#) Warnst.
- [*Sphagnum acutirameum*](#) H.A. Crum
- [*Sphagnum aequalipunctatum*](#) H.A. Crum
- [*Sphagnum aequiporosum*](#) Warnst.
- [*Sphagnum affine*](#) Renauld & Cardot
- [*Sphagnum africanum*](#) Welw. & Duby
- [*Sphagnum alaskense*](#) R.E. Andrus & Janssens
- [*Sphagnum alegrense*](#) Warnst.
- [*Sphagnum amazonense*](#) H.A. Crum
- [*Sphagnum amazonicum*](#) H.A. Crum & W.R. Buck
- [*Sphagnum amoenoides*](#) H.A. Crum
- [*Sphagnum amoenum*](#) Warnst.
- [*Sphagnum andersonianum*](#) R.E. Andrus
- [*Sphagnum andrusii*](#) (H.A. Crum) Flatberg
- [*Sphagnum angermanicum*](#) Melin
- [*Sphagnum angustifolium*](#) (Russow) C.E.O. Jensen
- [*Sphagnum annulatum*](#) H. Lindb. ex Warnst.

- [*Sphagnum antareense*](#) Wijk & Zanten
- [*Sphagnum antioquiense*](#) H.A. Crum
- [*Sphagnum aongstroemii*](#) C. Hartm.
- [*Sphagnum apopenneysii*](#) B.C. Tan, Ignatov, Ignatova & Mishler
- [*Sphagnum arcticum*](#) Flatberg & Frisvoll
- [*Sphagnum atlanticum*](#) R.E. Andrus
- [*Sphagnum atroligneum*](#) H.A. Crum
- [*Sphagnum austinii*](#) Sull.
- [*Sphagnum australe*](#) Mitt.
- [*Sphagnum austro-americanum*](#) H.A. Crum
- [*Sphagnum azuayense*](#) H.A. Crum

B

- [*Sphagnum balslevii*](#) H.A. Crum
- [*Sphagnum balticum*](#) (Russow) C.E.O. Jensen
- [*Sphagnum barclayae*](#) H.A. Crum
- [*Sphagnum bartlettianum*](#) Warnst.
- [*Sphagnum beothuk*](#) R.E. Andrus
- [*Sphagnum bergianum*](#) R.E. Andrus
- [*Sphagnum beringiense*](#) A.J. Shaw, R.E. Andrus & B. Shaw
- [*Sphagnum billbuckii*](#) H.A. Crum
- [*Sphagnum boliviae*](#) Warnst.
- [*Sphagnum boomii*](#) H.A. Crum
- [*Sphagnum boyacanum*](#) H.A. Crum
- [*Sphagnum brachybolax*](#) Müll. Hal. ex Warnst.
- [*Sphagnum brasiliense*](#) Warnst.
- [*Sphagnum breedlovei*](#) H.A. Crum
- [*Sphagnum brevirameum*](#) Hampe

C

- [*Sphagnum calymmatophyllum*](#) Warnst. & Cardot
- [*Sphagnum capense*](#) Hornsch.
- [*Sphagnum capillifolium*](#) (Ehrh.) Hedw.
- [*Sphagnum carolinianum*](#) R.E. Andrus
- [*Sphagnum cavernulosum*](#) Flatberg & Whinam
- [*Sphagnum centrale*](#) C.E.O. Jensen
- [*Sphagnum ceylonicum*](#) Mitt. ex Warnst.
- [*Sphagnum chi-chiense*](#) H.A. Crum
- [*Sphagnum cleefii*](#) H.A. Crum
- [*Sphagnum comosum*](#) Müll. Hal.
- [*Sphagnum compactum*](#) DC.
- [*Sphagnum complanatum*](#) Flatberg & Whinam

- [*Sphagnum concinnum*](#) (Berggr.) Flatberg
- [*Sphagnum condensatum*](#) Brid.
- [*Sphagnum conflatum*](#) Müll. Hal. ex Warnst.
- [*Sphagnum connectens*](#) Warnst. & Cardot
- [*Sphagnum contortulum*](#) H.A. Crum
- [*Sphagnum contortum*](#) Schultz
- [*Sphagnum costae*](#) H.A. Crum
- [*Sphagnum cribriforme*](#) H.A. Crum
- [*Sphagnum cribrosum*](#) Lindb.
- [*Sphagnum cristatum*](#) Hampe
- [*Sphagnum crumii*](#) Schäf.-Verw.
- [*Sphagnum cuculliforme*](#) H.A. Crum
- [*Sphagnum cundinamarcanum*](#) H.A. Crum
- [*Sphagnum curicuriariense*](#) H.A. Crum & W.R. Buck
- [*Sphagnum curvatulum*](#) H.A. Crum
- [*Sphagnum cuspidatulum*](#) Müll. Hal.
- [*Sphagnum cuspidatum*](#) Ehrh. ex Hoffm.
- [*Sphagnum cyclocladum*](#) Warnst.
- [*Sphagnum cyclophyllum*](#) Sull. & Lesq.

D

- [*Sphagnum davidii*](#) Warnst.
- [*Sphagnum delamboyense*](#) Schäf.-Verw.
- [*Sphagnum denticulatum*](#) Brid.
- [*Sphagnum diabolicum*](#) A.J. Shaw, Agüero & Nieto-Lugilde
- [*Sphagnum diblastoides*](#) H.A. Crum
- [*Sphagnum dicladum*](#) Warnst.
- [*Sphagnum dimorphophyllum*](#) H.A. Crum & W.R. Buck
- [*Sphagnum divinum*](#) Flatberg & K. Hassel
- [*Sphagnum divisum*](#) H.A. Crum
- [*Sphagnum dominii*](#) Kavina

E

- [*Sphagnum efibrillosum*](#) A.L. Andrews
- [*Sphagnum engelii*](#) H.A. Crum
- [*Sphagnum ericetorum*](#) Brid.
- [*Sphagnum exile*](#) H.A. Crum
- [*Sphagnum exquisitum*](#) H.A. Crum

F

- [*Sphagnum falciculatum*](#) Besch.
- [*Sphagnum fallax*](#) (H. Klinggr.) H. Klinggr.

- [*Sphagnum fimbriatum*](#) Wilson
- [*Sphagnum fitzgeraldii*](#) Renauld
- [*Sphagnum flaccidum*](#) Besch.
- [*Sphagnum flavicaule*](#) Warnst.
- [*Sphagnum flavicomans*](#) (Cardot) Warnst.
- [*Sphagnum flexuosum*](#) Dozy & Molk.
- [*Sphagnum fontanum*](#) Müll. Hal.
- [*Sphagnum frahmii*](#) H.A. Crum
- [*Sphagnum fraudulentum*](#) H.A. Crum
- [*Sphagnum funkiae*](#) H.A. Crum
- [*Sphagnum fuscovinosum*](#) Seppelt & H.A. Crum
- [*Sphagnum fuscum*](#) (Schimp.) H. Klinggr.

G

- [*Sphagnum garysmithii*](#) H.A. Crum
- [*Sphagnum geraisense*](#) H.A. Crum
- [*Sphagnum girgensohnii*](#) Russow
- [*Sphagnum globicephalum*](#) Müll. Hal. ex Warnst.
- [*Sphagnum gomezii*](#) H.A. Crum
- [*Sphagnum gracilescens*](#) Hampe ex Müll. Hal.
- [*Sphagnum griseum*](#) Warnst.
- [*Sphagnum guwassanense*](#) Warnst.

H

- [*Sphagnum hampeanum*](#) Venturi
- [*Sphagnum harleyi*](#) H.A. Crum
- [*Sphagnum hegewaldii*](#) H.A. Crum
- [*Sphagnum helenicum*](#) Warnst.
- [*Sphagnum henryense*](#) Warnst.
- [*Sphagnum hertelianum*](#) H.A. Crum
- [*Sphagnum herteri*](#) H.A. Crum
- [*Sphagnum homophyllum*](#) H.A. Crum
- [*Sphagnum huilense*](#) H.A. Crum
- [*Sphagnum hypnoides*](#) (A. Braun ex Bruch) Brid.

I

- [*Sphagnum imbricatum*](#) Hornsch. ex Russow
- [*Sphagnum imperforatum*](#) H.A. Crum
- [*Sphagnum incertum*](#) Warnst. & Cardot
- [*Sphagnum incommodum*](#) H.A. Crum
- [*Sphagnum incundum*](#) Flatberg & K. Hassel
- [*Sphagnum inexpectatum*](#) Flatberg

- [*Sphagnum inundatum*](#) Russow
- [*Sphagnum irwinii*](#) H.A. Crum
- [*Sphagnum islei*](#) Warnst.
- [*Sphagnum itabense*](#) H.A. Crum & W.R. Buck

J

- [*Sphagnum jensenii*](#) H. Lindb.
- [*Sphagnum juliforme*](#) H.A. Crum
- [*Sphagnum junghuhnianum*](#) Dozy & Molk.

K

- [*Sphagnum kenaiense*](#) R.E. Andrus
- [*Sphagnum khasianum*](#) Mitt.
- [*Sphagnum kushiroense*](#) H. Suzuki

L

- [*Sphagnum laegaardii*](#) H.A. Crum
- [*Sphagnum lankesteri*](#) H.A. Crum
- [*Sphagnum laxirameum*](#) H.A. Crum
- [*Sphagnum laxulum*](#) H.A. Crum
- [*Sphagnum lenense*](#) H. Lindb. ex Pohle
- [*Sphagnum leonii*](#) H.A. Crum
- [*Sphagnum lescurii*](#) Sull.
- [*Sphagnum lewisii*](#) H.A. Crum
- [*Sphagnum liesneri*](#) H.A. Crum
- [*Sphagnum limbatum*](#) Mitt.
- [*Sphagnum lindbergii*](#) Schimp.
- [*Sphagnum lojense*](#) H.A. Crum
- [*Sphagnum longicomosum*](#) Müll. Hal. ex Warnst.
- [*Sphagnum longistolo*](#) Müll. Hal.
- [*Sphagnum luetzelburgii*](#) H.K.G. Paul ex H.A. Crum
- [*Sphagnum luzonense*](#) Warnst.
- [*Sphagnum lydiae*](#) Flatberg & K. Hassel

M

- [*Sphagnum macrophyllum*](#) Bernh. ex Brid.
- [*Sphagnum maegdefraui*](#) H. Suzuki
- [*Sphagnum magellanicum*](#) Brid.
- [*Sphagnum magistri*](#) H.A. Crum
- [*Sphagnum magniae*](#) A.J. Shaw, Aguero & Nieto-Lugilde
- [*Sphagnum magniporosum*](#) Flatberg, K. Hassel & Prestø

- [*Sphagnum majus*](#) (Russow) C.E.O. Jensen
- [*Sphagnum mcqueenii*](#) R.E. Andrus
- [*Sphagnum medium*](#) Limpr.
- [*Sphagnum mendocinum*](#) Sull. & Lesq.
- [*Sphagnum meridense*](#) (Hampe) Müll. Hal.
- [*Sphagnum microcarpum*](#) Warnst.
- [*Sphagnum microcuspidatum*](#) H.A. Crum
- [*Sphagnum microporum*](#) Warnst. ex Cardot
- [*Sphagnum minutulum*](#) Müll. Hal. & Warnst.
- [*Sphagnum mirabile*](#) Müll. Hal. & Warnst.
- [*Sphagnum mirum*](#) Flatberg & Thingsgaard
- [*Sphagnum mississippiense*](#) R.E. Andrus
- [*Sphagnum missouricum*](#) Warnst. & Cardot
- [*Sphagnum miyabeaenum*](#) Warnst.
- [*Sphagnum molle*](#) Sull.
- [*Sphagnum moronum*](#) H.A. Crum
- [*Sphagnum mucronatum*](#) Bruch & Schimp. ex Edmondston
- [*Sphagnum multifibrosum*](#) X.J. Li & M. Zang
- [*Sphagnum multiporosum*](#) H.A. Crum

N

- [*Sphagnum negrense*](#) Mitt.
- [*Sphagnum nepalense*](#) H. Suzuki
- [*Sphagnum nitidulum*](#) Warnst.
- [*Sphagnum noryungasense*](#) H.A. Crum
- [*Sphagnum novo-guineense*](#) M. Fleisch. & Warnst.
- [*Sphagnum novo-zelandicum*](#) Mitt.

O

- [*Sphagnum obliquefibrosum*](#) H.A. Crum
- [*Sphagnum obtusum*](#) Warnst.
- [*Sphagnum olafii*](#) Flatberg
- [*Sphagnum oregonense*](#) R.E. Andrus
- [*Sphagnum orientale*](#) L.I. Savicz
- [*Sphagnum ornatum*](#) H.A. Crum
- [*Sphagnum ovatum*](#) Hampe

P

- [*Sphagnum pacificum*](#) Flatberg
- [*Sphagnum pallens*](#) Warnst. & Cardot
- [*Sphagnum palustre*](#) L.
- [*Sphagnum papillosum*](#) Lindb.

- [*Sphagnum paranense*](#) H.A. Crum
- [*Sphagnum parcoramosum*](#) H.A. Crum
- [*Sphagnum perfoliatum*](#) L.I. Savicz
- [*Sphagnum perichaetiale*](#) Hampe
- [*Sphagnum perrieri*](#) Thér.
- [*Sphagnum planifolium*](#) Müll. Hal.
- [*Sphagnum platyphylloides*](#) Warnst.
- [*Sphagnum platyphyllum*](#) (Lindb. ex Braithw.) Sull. ex Warnst.
- [*Sphagnum pluriporosum*](#) H.A. Crum
- [*Sphagnum poasense*](#) H.A. Crum
- [*Sphagnum portoricense*](#) Hampe
- [*Sphagnum priceae*](#) H.A. Crum
- [*Sphagnum pseudoramulinum*](#) H.A. Crum
- [*Sphagnum pulchrum*](#) (Lindb.) Warnst.
- [*Sphagnum pungifolium*](#) X.J. Li
- [*Sphagnum pycnocladulum*](#) Müll. Hal.
- [*Sphagnum pylaesii*](#) Brid.

Q

- [*Sphagnum quinquefarium*](#) (Lindb.) Warnst.

R

- [*Sphagnum ramulinum*](#) Warnst.
- [*Sphagnum reclinatum*](#) H.A. Crum
- [*Sphagnum recurvum*](#) P. Beauv.
- [*Sphagnum reichardtii*](#) Hampe
- [*Sphagnum richardsianum*](#) H.A. Crum
- [*Sphagnum rio-negrense*](#) H.A. Crum
- [*Sphagnum riparium*](#) Ångstr.
- [*Sphagnum ripense*](#) H.A. Crum & W.R. Buck
- [*Sphagnum robinsonii*](#) Warnst.
- [*Sphagnum roraimense*](#) Warnst.
- [*Sphagnum rotundatum*](#) Müll. Hal. & Warnst.
- [*Sphagnum rotundifolium*](#) Müll. Hal. & Warnst.
- [*Sphagnum rubellum*](#) Wilson
- [*Sphagnum rubiginosum*](#) Flatberg
- [*Sphagnum rubroflexuosum*](#) R.E. Andrus
- [*Sphagnum russowii*](#) Warnst.
- [*Sphagnum rutenbergii*](#) Müll. Hal.

S

- [*Sphagnum sancto-josephense*](#) H.A. Crum & Crosby

- [*Sphagnum sanguinale*](#) Warnst.
- [*Sphagnum santanderense*](#) H.A. Crum
- [*Sphagnum schwabeanum*](#) H.K.G. Paul
- [*Sphagnum sehnemii*](#) H.A. Crum
- [*Sphagnum septatum*](#) Warnst.
- [*Sphagnum simplex*](#) Fife
- [*Sphagnum simplicicaulis*](#) H.A. Crum
- [*Sphagnum sipmanii*](#) H.A. Crum
- [*Sphagnum sitchense*](#) R.E. Andrus
- [*Sphagnum skyense*](#) Flatberg
- [*Sphagnum slooveri*](#) A. Eddy
- [*Sphagnum sonsonense*](#) H.A. Crum
- [*Sphagnum sparsum*](#) Hampe
- [*Sphagnum sphaericum*](#) H. Lindb.
- [*Sphagnum splendens*](#) Maass
- [*Sphagnum squarrosum*](#) Crome
- [*Sphagnum steerei*](#) R.E. Andrus
- [*Sphagnum strictum*](#) Sull.
- [*Sphagnum subacutifolium*](#) Schimp.
- [*Sphagnum subaequifolium*](#) Hampe
- [*Sphagnum subbalticum*](#) Warnst.
- [*Sphagnum subfulvum*](#) Sjörs
- [*Sphagnum subhomophyllum*](#) H.A. Crum
- [*Sphagnum submedium*](#) Warnst.
- [*Sphagnum subnitens*](#) Russow & Warnst.
- [*Sphagnum subobesum*](#) Warnst.
- [*Sphagnum subovalifolium*](#) Müll. Hal. & Warnst.
- [*Sphagnum subrufescens*](#) Warnst.
- [*Sphagnum subsecundoides*](#) H.A. Crum & W.R. Buck
- [*Sphagnum subsecundum*](#) Nees
- [*Sphagnum subtile*](#) (Russow) Warnst.
- [*Sphagnum sucrei*](#) H.A. Crum
- [*Sphagnum sumapazense*](#) H.A. Crum

T

- [*Sphagnum tabuleirense*](#) O. Yano & H.A. Crum
- [*Sphagnum talbotianum*](#) R.E. Andrus
- [*Sphagnum tenellum*](#) (Brid.) Bory
- [*Sphagnum tenerum*](#) Sull. & Lesq.
- [*Sphagnum teres*](#) (Schimp.) Ångstr. ex Hartm.
- [*Sphagnum tescorum*](#) Flatberg
- [*Sphagnum torreyanum*](#) Sull.

- [*Sphagnum tosaense*](#) Warnst.
- [*Sphagnum trinitense*](#) Müll. Hal.
- [*Sphagnum trirameum*](#) H.A. Crum
- [*Sphagnum triseriporum*](#) (H. Suzuki) A.J. Shaw
- [*Sphagnum troendelagicum*](#) Flatberg
- [*Sphagnum trollii*](#) H.A. Crum
- [*Sphagnum truncatum*](#) Hornsch.
- [*Sphagnum tumidulum*](#) Besch.
- [*Sphagnum tundrae*](#) Flatberg
- [*Sphagnum turgens*](#) Warnst.
- [*Sphagnum turgescens*](#) Warnst.
- [*Sphagnum typicum*](#) Meyl. ex Wijk, Margad. & Florsch.

U

- [*Sphagnum uruguayense*](#) H.A. Crum

V

- [*Sphagnum venustum*](#) Flatberg
- [*Sphagnum versiporum*](#) Warnst.
- [*Sphagnum violascens*](#) Müll. Hal.
- [*Sphagnum vitalii*](#) H.A. Crum

W

- [*Sphagnum warnstorffii*](#) Russow
- [*Sphagnum wheeleri*](#) Müll. Hal.
- [*Sphagnum wilfii*](#) H.A. Crum
- [*Sphagnum wulfianum*](#) Girg.

Formerly accepted

- [*Sphagnum inretortum*](#) H.A. Crum (now placed in genus *Eosphagnum* in [Ambuchananiaceae](#))
- [*Sphagnum leucobryoides*](#) T. Yamag., Seppelt & Z. Iwats. (now placed in genus *Ambuchanania* in family [Ambuchananiaceae](#))
- [*Sphagnum sericeum*](#) Müll. Hal. (transferred to genus *Flatbergium* in family Flatbergiaceae)

References

From Wikipedia, the free encyclopedia

The following species are recognised in the genus [*Sorbus*](#), many of which are called rowans or mountain-ashes:[1] This list follows a narrow definition of genus *Sorbus*; species that have been moved to the genera [*Aria*](#), [*Torminalis*](#), [*Cormus*](#), [*Chamaemespilus*](#), [*Hedlundia*](#), [*Scandosorbus*](#), [*Karpatiosorbus*](#), [*Mayovskya*](#) and [*Normeyera*](#) are not listed.

- [*Sorbus albopilosa*](#) T.T.Yu & L.T.Lu
- [*Sorbus americana*](#) Marshall
- [*Sorbus amoena*](#) McAll.
- [*Sorbus arachnoidea*](#) Koehne
- [*Sorbus aucuparia*](#) L.
- [*Sorbus bissetii*](#) McAll.
- [*Sorbus bulleyana*](#) McAll.
- [*Sorbus californica*](#) Greene
- [*Sorbus carmesina*](#) McAll.
- [*Sorbus cashmiriana*](#) Hedl.
- [*Sorbus cibagouensis*](#) H.Peng & Z.J.Yin
- [*Sorbus cinereopubescens*](#) McAll.
- [*Sorbus commixta*](#) Hedl.
- [*Sorbus coxii*](#) McAll.
- [*Sorbus decora*](#) (Sarg.) C.K.Schneid.
- [*Sorbus discolor*](#) (Maxim.) Maxim.
- [*Sorbus dolichofoliolatus*](#) X.F.Gao & Meng Li
- [*Sorbus domugledica*](#) Kárpáti
- [*Sorbus doshonglaensis*](#) Xin Chen, Xiao C.Zhang & C.Q.Tang
- [*Sorbus eburnea*](#) McAll.
- [*Sorbus ellipsoidalis*](#) McAll.
- [*Sorbus erzincanica*](#) Dönmez
- [*Sorbus esserteauana*](#) Koehne
- [*Sorbus fansipanensis*](#) McAll.
- [*Sorbus faohraei*](#) Hedrén & J.Levin
- [*Sorbus filipes*](#) Hand.-Mazz.
- [*Sorbus foliolosa*](#) (Wall.) Spach
- [*Sorbus forrestii*](#) McAll. & Gillham
- [*Sorbus frutescens*](#) McAll.
- [*Sorbus gilgitana*](#) McAll.
- [*Sorbus glabriuscula*](#) McAll.
- [*Sorbus glomerulata*](#) Koehne
- [*Sorbus gonggashanica*](#) McAll.
- [*Sorbus gongshanensis*](#) X.F.Gao & Meng Li
- [*Sorbus gracilis*](#) (Siebold & Zucc.) K.Koch
- [*Sorbus hajastana*](#) Gabrieljan
- [*Sorbus harrowiana*](#) (Balf.f. & W.W.Sm.) Rehder
- [*Sorbus helenae*](#) Koehne

- [*Sorbus herculis*](#) Kárpáti
- [*Sorbus himalaica*](#) Gabrieljan
- [*Sorbus hugh-mcallisteri*](#) Mikoláš
- [*Sorbus hupehensis*](#) C.K.Schneid.
- [*Sorbus insignis*](#) (Hook.f.) Hedl.
- [*Sorbus keenanii*](#) Rushforth
- [*Sorbus khumbuensis*](#) McAll.
- [*Sorbus kiukiangensis*](#) T.T.Yu
- [*Sorbus koehneana*](#) C.K.Schneid.
- [*Sorbus kongboensis*](#) McAll.
- [*Sorbus kurzii*](#) (G.Watt ex Prain) C.K.Schneid.
- [*Sorbus kusnetzovii*](#) Zinserl.
- [*Sorbus lanpingensis*](#) L.T.Lu
- [*Sorbus lingshiensis*](#) Rushforth
- [*Sorbus longii*](#) Rushforth
- [*Sorbus lushanensis*](#) Xin Chen & Jing Qiu
- [*Sorbus macallisteri*](#) Rushforth
- [*Sorbus macrantha*](#) Merr.
- [*Sorbus maderensis*](#) (Lowe) Dode
- [*Sorbus matsumurana*](#) (Makino) Koehne
- [*Sorbus microphylla*](#) Wenz.
- [*Sorbus monbeigii*](#) (Cardot) N.P.Balakr.
- [*Sorbus muliensis*](#) McAll.
- [*Sorbus obsoletidentata*](#) (Cardot) T.T.Yu
- [*Sorbus occidentalis*](#) (S.Watson) Greene
- [*Sorbus oligodonta*](#) (Cardot) Hand.-Mazz.
- [*Sorbus olivacea*](#) McAll.
- [*Sorbus ovalis*](#) McAll.
- [*Sorbus parva*](#) McAll.
- [*Sorbus parvifolia*](#) (Blatt.) N.P.Balakr.
- [*Sorbus parvifructa*](#) McAll.
- [*Sorbus pontica*](#) Zaik.
- [*Sorbus poteriifolia*](#) Hand.-Mazz.
- [*Sorbus prattii*](#) Koehne
- [*Sorbus* × *proctoriana*](#) T.C.G.Rich
- [*Sorbus pseudohupehensis*](#) McAll.
- [*Sorbus pseudovilmorinii*](#) McAll.
- [*Sorbus randaiensis*](#) (Hayata) Koidz.
- [*Sorbus reducta*](#) Diels
- [*Sorbus rehderiana*](#) Koehne
- [*Sorbus rinzenii*](#) Rushforth
- [*Sorbus rockii*](#) P.D.Sell

- [*Sorbus rosea*](#) McAll.
- [*Sorbus rubescens*](#) McAll.
- [*Sorbus rufopilosa*](#) C.K.Schneid.
- [*Sorbus rushforthii*](#) McAll.
- [*Sorbus rutilans*](#) McAll.
- [*Sorbus sambucifolia*](#) (Cham. & Schltdl.) M.Roem.
- [*Sorbus sargentiana*](#) Koehne
- [*Sorbus scalaris*](#) Koehne
- [*Sorbus scopulina*](#) Greene
- [*Sorbus setschwanensis*](#) (C.K.Schneid.) Koehne
- [*Sorbus shirinensis*](#) Hadač & Chrtek
- [*Sorbus sitchensis*](#) M.Roem.
- [*Sorbus splendens*](#) Grimshaw & C.R.Sanders
- [*Sorbus subfusca*](#) (Ledeb. ex Nordm.) Boiss.
- [*Sorbus sujoyi*](#) Ghora
- [*Sorbus tenuis*](#) McAll.
- [*Sorbus tianschanica*](#) Rupr.
- [*Sorbus tiantangensis*](#) X.M.Liu & C.L.Wang
- [*Sorbus tiliifolia*](#) H.Zare, Amini & Assadi
- [*Sorbus ulleungensis*](#) Chin S.Chang
- [*Sorbus ursina*](#) (Wall. ex G.Don) S.Schauer
- [*Sorbus vilmorinii*](#) C.K.Schneid.
- [*Sorbus wallichii*](#) (Hook.f.) T.T.Yu
- [*Sorbus wilsoniana*](#) C.K.Schneid.
- [*Sorbus* × *yokouchii*](#) M.Mizush. ex T.Shimizu
- [*Sorbus zayuensis*](#) T.T.Yu & L.T.Lu

References

- 1.
1. [*"Sorbus L."*](#) *Plants of the World Online*. Board of Trustees of the Royal Botanic Gardens, Kew. 2021. Retrieved 22 September 2023.

[Categories:](#)

- [Sorbus](#)
- [Lists of plant species](#)
-

From Wikipedia, the free encyclopedia



flowers of *Solanum dulcamara*, one of the 1240 accepted taxa that make up the genus *Solanum* (*Solanaceae*), along with economically important species such as the *potato* (*S. tuberosum*), the *tomato* (*S. lycopersicum*) and the *aubergine* (*S. melongena*).

This is a list of species in the plant genus *Solanum*. There may be as many as 1,500 species worldwide. [1] With some 1240 accepted specific and infra-specific taxa of the more than 4,000 described, the genus *Solanum* contains more species than any other genus in the family *Solanaceae* and it is one of the largest among the angiosperms.

Phylogenetic analysis of molecular data has established or confirmed that the genera *Lycopersicon*, *Cyphomandra*, *Normania*, and *Triguera*, which were previously classified independently, should in reality be included within the *Solanum*. In fact, all the species from these four genera have been formally transferred to *Solanum*. On the other hand, the genus *Lycianthes*, which is sometimes included within the *Solanum*, has been shown to be a separate genus.[2][3][4][5]

The following alphabetical list of *Solanum* species provides the *binomial name* followed by the name of the species authority, abbreviated according to the appropriate conventions and uses.

The *tuberous* species within the genus (those related to *Solanum tuberosum*, the potato, and therefore often called *wild potatoes*) have been indicated with the letter **T**. The nothospecies belonging to the genus appear at the end of the list, that is those taxa that have originated from a *hybrid* between two different species (for example, *Solanum* × *viirsooi*, which has been shown to be an interspecific hybrid resulting from the cross between *S. acaule* and *S. infundibuliforme*.)[6]

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Hybrid taxa](#)
- [References](#)

A



Solanum aethiopicum



Solanum americanum

Solanum arundo



inflorescence of *Solanum atropurpureum*



Solanum atropurpureum



Solanum aviculare

Solanum aviculare


- *Solanum abitaquense* S.Knapp
- *Solanum abortivum* Symon
- *Solanum absconditum* Agra
- *Solanum abutilifolium* Rusby
- *Solanum abutiloides* (Griseb.) Bitter & Lillo
- *Solanum acanthodapis* A.R.Bean
- **T** *Solanum acaule* Bitter
- *Solanum accrescens* Standl. & C.V.Morton
- *Solanum acerifolium* Dunal
- *Solanum achorum* S.R. Stern, 2010
- **T** *Solanum acroglossum* Juz.
- *Solanum acropterum* Griseb.
- **T** *Solanum acroscopicum* Ochoa
- *Solanum actaeabotrys* Rusby
- *Solanum actephilum* Guillaumin
- *Solanum aculeastrum* Dunal
- *Solanum aculeatissimum* Jacq.
- *Solanum acuminatum* Ruiz & Pav.
- *Solanum acutilobum* Dunal
- *Solanum adamantium* Gouvêa
- *Solanum adenobasis* M.Nee & Farruggia
- *Solanum adenophorum* F.Muell.

- [*Solanum adoense* Hochst.](#) ex [*A.Rich.*](#)
- [*Solanum adoxum* A.R.Bean](#)
- [*Solanum adscendens* Sendtn.](#) – Sonoita nightshade
- [*Solanum adpersum* Witasek](#)
- [*Solanum aemulans* Bitter & Wittm.](#)
- [*Solanum aethiopicum* L.](#)
- [*Solanum affine* Sendtn.](#)
- [*Solanum africanum* Mill.](#)
- [*Solanum agnewiorum* Voronts.](#)
- [*Solanum agnoston* S.Knapp](#)
- [*Solanum agrarium* Sendtn.](#)
- **T** [*Solanum agrimoniifolium* Rydb.](#)
- **T** [*Solanum ajanhuiri* Juz. & Bukasov](#)
- [*Solanum alatirameum* Bitter](#)
- [*Solanum albescens* \(Britton\) Hunz.](#)
- **T** [*Solanum albicans* \(Ochoa\) Ochoa.](#)
- [*Solanum albidum* Dunal](#)
- **T** [*Solanum albornozii* Correll.](#)
- [*Solanum albstellatum* R.W.Davis & P.J.H.Hurter](#)
- [*Solanum aldabrense* C.H.Wright](#)
- [*Solanum aligerum* Schltdl.](#)
- [*Solanum alliariifolium* M. Nee & Särkinen, 2015](#)
- [*Solanum allophyllum* \(Miers\) Standl.](#)
- [*Solanum aloysiifolium* Dunal](#)
- [*Solanum alphonsei* Dunal .](#)
- [*Solanum alpinum* Zoll. & Moritzi](#)
- [*Solanum alternatopinnatum* Steud.](#)
- **T** [*Solanum amayanum* Ochoa.](#)
- [*Solanum amblophyllum* Hook.](#)
- [*Solanum amblymerum* Dunal.](#)
- [*Solanum americanum* Mill.](#) – American nightshade, American black nightshade, glossy nightshade
- [*Solanum amicorum* Benth.](#)
- [*Solanum ammophilum* A.R.Bean.](#)
- [*Solanum amnicola* S.Knapp](#)
- [*Solanum amorimii* S. Knapp & Giacomini, 2015](#)
- [*Solanum amotapense* Svenson](#)
- [*Solanum amygdalifolium* Steud.](#)
- **T** [*Solanum anamatophilum* Ochoa.](#)
- [*Solanum anceps* Ruiz & Pav.](#)
- **T** [*Solanum ancophilum* \(Correll\) Ochoa.](#)
- **T** [*Solanum andreanum* Baker.](#)

- [*Solanum anfractum*](#) Symon
- [*Solanum anguivi*](#) Lam.
- [*Solanum angustialatum*](#) Bitter
- [*Solanum angustifidum*](#) Bitter
- [*Solanum angustifolium*](#) Mill.
- [*Solanum angustum*](#) Domin
- [*Solanum anisocladum*](#) Giacomini & Stehmann
- [*Solanum anisophyllum*](#) Van Heurck & [Müll.Arg.](#)
- [*Solanum annuum*](#) C.V.Morton
- [*Solanum anoacanthum*](#) Sendtn.
- [*Solanum anomalostemon*](#) S.Knapp & M.Nee
- [*Solanum anomalum*](#) Thonn.
- [*Solanum antisuyo*](#) Särkinen & S. Knapp, 2015
- [*Solanum apaporanum*](#) R.E.Schult.
- [*Solanum aparadense*](#) [Mentz](#) & [M.Nee](#)
- [*Solanum aphyodendron*](#) S.Knapp
- [*Solanum apiahyense*](#) Witassek
- [*Solanum apiculatum*](#) Sendtn.
- [*Solanum apodophyllum*](#) A.R.Bean
- [*Solanum appendiculatum*](#) Dunal
- [*Solanum appressum*](#) K.E. Roe
- [*Solanum arachnidanthum*](#) Rusby
- [*Solanum arachnoides*](#) A.R.Bean
- [*Solanum arboreum*](#) Dunal
- [*Solanum arcanum*](#) Peralta – "wild tomato"
- [*Solanum arenarium*](#) Sendtn.
- [*Solanum arenicola*](#) Särkinen & P. Gonzáles, 2015
- [*Solanum arequipense*](#) Bitter
- [*Solanum argenteum*](#) Dunal .
- [*Solanum argentinum*](#) Bitter & Lillo
- [*Solanum argopetalum*](#) A.R.Bean
- [*Solanum aridicola*](#) A.R.Bean
- [*Solanum aridum*](#) [Morong](#)
- [*Solanum armentalis*](#) J.L.Gentry & D'Arcy Ann.
- [*Solanum armourense*](#) A.R.Bean
- [*Solanum artense*](#) Montr
- [*Solanum arundo*](#) Mattei Boll.
- [*Solanum ashbyae*](#) Symon
- [*Solanum asperolanatum*](#) Ruiz & Pav.
- [*Solanum asperrimum*](#) Bitter
- [*Solanum aspersum*](#) S.Knapp
- [*Solanum asperum*](#) [Rich.](#) Actes

- [*Solanum asterophorum*](#) Mart.
- [*Solanum asteropilodes*](#) Bitter
- [*Solanum asymmetriphyllum*](#) Specht
- [*Solanum athenae*](#) Symon
- [*Solanum atitlanum*](#) K.E. Roe
- [*Solanum atropurpureum*](#) Schrank
- [*Solanum aturense*](#) Dunal
- [*Solanum augustii*](#) Ochoa
- [*Solanum aureitomentosum*](#) Bitter
- [*Solanum aureum*](#) Dunal
- [*Solanum austrocaledonicum*](#) Seem.
- [*Solanum austropiceum*](#) A.R.Bean
- [*Solanum aviculare*](#) [G.Forst.](#) – poroporo (New Zealand), kangaroo apple (Australia)
- [*Solanum axillifolium*](#) [K.E. Roe](#)
- **T** [*Solanum ayacuchense*](#) Ochoa.

B



Solanum baretiae



Solanum



betaceum

Solanum betaceum in longitudinal and axial cross



section.

Solanum bonariensis

- *Solanum bahamense* L.
- *Solanum bahianum* S.Knapp
- *Solanum banzicum* A.R.Bean
- *Solanum barbeyanum* Huber
- *Solanum barbisetum* Nees
- *Solanum barbulatum* Zahlbr.
- *Solanum baretiae* Tepe
- *Solanum basendopogon* Bitter
- *Solanum batoides* D'Arcy & Rakot.

- [*Solanum bauerianum* Endl.](#)
- [*Solanum beagleholei* Symon](#)
- [*Solanum bellum* S.Knapp](#)
- **T** [*Solanum berthaultii* Hawkes.](#)
- [*Solanum betaceum* Cav.](#) – tree tomato, [tamarillo](#)
- [*Solanum betroka* D'Arcy & Rakot.](#)
- [*Solanum bicolor* Willd. ex *Roem.* & Schult.](#)
- [*Solanum bicornu* Dunal](#)
- [*Solanum bistellatum* L.B.Sm. & Downs](#)
- [*Solanum bohssiae* J.D.Tovar](#)
- [*Solanum boldoense* Dunal & A.DC.](#)
- [*Solanum bolivianum* Britt. ex Rusby](#)
- **T** [*Solanum boliviense* Dunal. A. L. P. P. de Candolle](#)
- [*Solanum bombycinum* Ochoa](#)
- [*Solanum bonariense* L.](#)
- [*Solanum borgmannii* Symon](#)
- [*Solanum brachyantherum* Phil.](#)
- [*Solanum bradei* Giacomini & Stehmann, 2014](#)
- **T** [*Solanum brevicaule* Bitter.](#)
- [*Solanum brevifolium* Dunal](#)
- [*Solanum brevipedicellatum* K.E. Roe](#)
- [*Solanum brownii* Dunal](#)
- [*Solanum buddleiaefolium* Sendtn.](#)
- [*Solanum buesii* Vargas](#)
- **T** [*Solanum bulbocastanum* Dunal – ornamental nightshade](#)
- [*Solanum bullatum* Vell.](#)
- [*Solanum bumeliaefolium* Dunal](#)
- [*Solanum burchellii* Dunal](#)
- **T** [*Solanum burkartii* Ochoa](#)

C



Solanum candolleanum



Solanum



carolinense

Solanum chenopodioides growing between rocks



Solanum citrullifolium



Solanum



citrullifolium

Solanum crispum

- *Solanum caatingae* S.Knapp & Särkinen
- *Solanum caavurana* Vell.
- *Solanum cacosmum* Bohs
- *Solanum caelicola* Giacomini & Stehmann, 2013
- **T** *Solanum caesium* Griseb.
- **T** *Solanum cajamarquense* Ochoa.
- *Solanum cajanumense* Kunth
- *Solanum caldense* Carvalho
- *Solanum calidum* Bohs
- *Solanum calileguae* Cabrera
- *Solanum callianthum* C.V.Morton
- *Solanum callicarpoides* Wall.
- *Solanum callosum* A.R.Bean
- *Solanum campaniforme* Roem. & Schult.
- *Solanum campanulatum* R.Br.
- *Solanum campanuliflorum* C.H.Wright
- *Solanum campechiense* L.
- *Solanum camptostylum* Bitter
- *Solanum campylacanthum* Hochst. ex A.Rich.
- *Solanum camranhense* Dy Phon & Hul

- [*Solanum candelarianum*](#) Cárdenas
- T [*Solanum candidum*](#) Lindl.
- T [*Solanum candolleanum*](#) Berthault
- [*Solanum canense*](#) Rydb.
- [*Solanum cantense*](#) Ochoa
- [*Solanum capense*](#) L.
- [*Solanum capillipes*](#) Britton
- [*Solanum capitaneum*](#) A.R.Bean
- [*Solanum capsiciforme*](#) (Domin) Baylis
- T [*Solanum capsicoides*](#) All.
- [*Solanum carautae*](#) Carvalho
- T [*Solanum cardiophyllum*](#) Lindl. – heart-leaved nightshade, heartleaf horsenettle
- [*Solanum carduiforme*](#) Mueller
- [*Solanum caricaefolium*](#) Rusby
- T [*Solanum caripense*](#) Dunal
- T [*Solanum carolinense*](#) L. – horsenettle, Carolina horsenettle
- [*Solanum cassioides*](#) L.B.Sm. & Downs
- [*Solanum castaneum*](#) Carvalho
- [*Solanum cataphractum*](#) A.Cunn. ex Benth.
- [*Solanum catilliflorum*](#) G.J.Anderson, Martine, Prohens & Nuez
- [*Solanum catombelense*](#) Peyr.
- [*Solanum caumii*](#) (F.Br.) D.H.R.McClell.
- [*Solanum celatum*](#) A.R.Bean
- [*Solanum celsum*](#) Standl. & C.V.Morton
- [*Solanum centrale*](#) J.M.Black – bush tomato (central Australia)
- [*Solanum cerasiferum*](#) Dunal
- T [*Solanum cernuum*](#) Vell.
- [*Solanum chachapoyasense*](#) Bitter
- T [*Solanum chacoense*](#) Bitter.
- [*Solanum chalmersii*](#) S.Knapp
- [*Solanum chamaeacanthum*](#) Griseb.
- [*Solanum chamaepolybotryon*](#) Bitter
- [*Solanum cheesmaniae*](#) (L.Riley) Fosberg
- [*Solanum chenopodium*](#) Mueller
- [*Solanum chenopodioides*](#) Lam. – goosefoot nightshade, slender nightshade (including *S. gracilius*)
- [*Solanum chiapasense*](#) K.E.Roe
- [*Solanum chilense*](#) (Dunal) Reiche
- [*Solanum chillagoense*](#) (Domin) A.R.Bean
- [*Solanum chilliasense*](#) Ochoa
- [*Solanum chimborazense*](#) Bitter & Sodiro
- [*Solanum chingchunense*](#) S.S.Ying

- [*Solanum chippendalei*](#) Symon
- [*Solanum chiquidenum*](#) Ochoa
- [*Solanum chlamydogynum*](#) Bitter
- [*Solanum chmielewskii*](#) (C.M.Rick, Kesicki, Fobes & M.Holle) D.M.Spooner, G.J.Anderson & R.K.Jansen.
- [*Solanum chomatophilum*](#) Bitter
- [*Solanum chrysasteroides*](#) Werderm.
- [*Solanum chrysotrichum*](#) Schltdl.
- [*Solanum cinereum*](#) R.Br.
- [*Solanum cinnamomeum*](#) Sendtn.
- [*Solanum circaeifolium*](#) Bitter
- T [*Solanum circinatum*](#) Bohs.
- [*Solanum citrinum*](#) M.Nee
- T [*Solanum citrullifolium*](#) A.Braun
- [*Solanum cladotrichum*](#) Dunal
- [*Solanum clandestinum*](#) Bohs
- [*Solanum clarkiae*](#) Symon
- T [*Solanum clarum*](#) Correll
- [*Solanum clathratum*](#) Sendtn.
- [*Solanum cleistogamum*](#) Symon
- [*Solanum clivorum*](#) S.Knapp
- [*Solanum coactiliferum*](#) J.M.Black
- [*Solanum coagulans*](#) Forssk.
- [*Solanum coalitum*](#) S.Knapp
- [*Solanum cobanense*](#) J.L.Gentry
- [*Solanum cochabambense*](#) Bitter .
- [*Solanum cochoae*](#) G.J.Anderson & Bernardello
- [*Solanum cocosoides*](#) A.R.Bean
- T [*Solanum colombianum*](#) Dunal
- [*Solanum comarapanum*](#) M.Nee
- [*Solanum comitis*](#) Dunal
- T [*Solanum commersonii*](#) Dunal – Commerson's nightshade
- [*Solanum complectens*](#) M.Nee & G.J.Anderson
- [*Solanum compressum*](#) L.B.Sm. & Downs
- [*Solanum comptum*](#) C.V.Morton
- [*Solanum concarense*](#) Hunz.
- [*Solanum concinnum*](#) Schott ex Sendtn.
- [*Solanum confertiflorum*](#) Stehmann & Tabosa
- [*Solanum confertiseriatum*](#) Bitter
- [*Solanum confine*](#) Dunal in DC.
- [*Solanum confusum*](#) C.V.Morton
- [*Solanum conglobatum*](#) Dunal in DC.
- [*Solanum conicum*](#) Ruiz & Pav.

- [*Solanum conocarpum*](#) L.C.Rich. ex Dunal – marron bacoba
- [*Solanum consimile*](#) C.V.Morton
- [*Solanum contumazaense*](#) Ochoa
- [*Solanum cookii*](#) Symon
- [*Solanum coquimbense*](#) J.R.Benn.
- [*Solanum coracinum*](#) Symon
- [*Solanum cordatum*](#) Forssk.
- [*Solanum cordicitum*](#) S.R. Stern, 2014
- [*Solanum cordifolium*](#) Dunal
- [*Solanum cordioides*](#) S.Knapp
- [*Solanum cordovense*](#) Sessé & Moc.
- [*Solanum coriaceum*](#) Dunal
- [*Solanum corifolium*](#) Mueller
- [*Solanum cormanthum*](#) Vell.
- [*Solanum corneliomulleri*](#) J.F.Macbr.
- [*Solanum cornifolium*](#) Dunal
- [*Solanum corumbense*](#) S.Moore
- [*Solanum corymbiflorum*](#) (Sendtn.) Bohs
- [*Solanum corymbosum*](#) Jacq.
- [*Solanum costatum*](#) M.Nee
- [*Solanum cowiei*](#) Martine
- [*Solanum crassinervium*](#) Tepe
- [*Solanum crassitomentosum*](#) Domin
- [*Solanum crebrispinum*](#) A.R.Bean
- [*Solanum cremastanthemum*](#) Werderm.
- [*Solanum crinitipes*](#) Dunal
- [*Solanum crinitum*](#) Lam.
- [*Solanum crispum*](#) Ruiz & Pav. – Chilean potato vine, Chilean nightshade, Chilean potato tree
- [*Solanum croatii*](#) D'Arcy & R.C.Keating
- [*Solanum crotonifolium*](#) Dunal
- [*Solanum crotonoides*](#) Lam.
- [*Solanum cruciferum*](#) Bitter
- [*Solanum cucullatum*](#) S.Knapp
- [*Solanum cunninghamii*](#) Benth.
- T [*Solanum curtilobum*](#) Juz. & Bukasov
- [*Solanum curviciuspe*](#) Domin
- [*Solanum cutervanum*](#) Zahlbr.
- [*Solanum cyaneopurpureum*](#) de Wild.
- [*Solanum cyanocarphium*](#) Blume
- [*Solanum cyathophorum*](#) M.Nee & Farruggia
- [*Solanum cyclophyllum*](#) S.Knapp
- [*Solanum cylindricum*](#) Vell.

- *Solanum cymbalarifolium* Chiov.

D



Solanum dulcamara



Solanum



dulcamara

Solanum dulcamara, inflorescence and leaves



Solanum dulcamara



Solanum douglasii

Solanum dulcamara

- *Solanum dalibardiforme* Bitter
- *Solanum dallmannianum* Warb.
- *Solanum dammerianum* Lauterb. & K.Schum.
- *Solanum daphnophyllum* Bitter
- *Solanum darienense* S.Knapp
- *Solanum dasyanthum* Brandegees
- *Solanum dasyneuron* S.Knapp
- *Solanum dasyphyllum* Schumacher & Thonn.
- *Solanum davidsei* Carvalho
- *Solanum davisense* Whalen. – Davis' horsenettle
- *Solanum decompositiflorum* Sendtn.
- *Solanum decorum* Sendtn.
- *Solanum defensum* Mueller
- *Solanum deflexicarpum* C. Y. Wu & S. C. Huang
- *Solanum deflexiflorum* Bitter .
- *Solanum deflexum* Greenm.
- *Solanum delicatulum* L.B.Sm. & Downs
- *Solanum delitescens* C.V.Morton
- T *Solanum demissum* Lindl. – dwarf wild potato
- *Solanum dendroicum* O.E.Schulz & Ekman
- *Solanum dennekense* Dammer
- *Solanum denseaculeatum* Symon .

- [*Solanum densevestitum*](#) Mueller ex Benth.
- [*Solanum depauperatum*](#) Dunal
- [*Solanum diamantinense*](#) M.F.Agra.
- [*Solanum dianthum*](#) Rusby
- [*Solanum dichroandrum*](#) Dunal
- [*Solanum didymum*](#) Dunal
- [*Solanum dillonii*](#) S.Knapp
- [*Solanum dimidiatum*](#) Raf. – western horsenettle
- [*Solanum dimorphandrum*](#) S.Knapp
- [*Solanum dimorphispinum*](#) C. White.
- [*Solanum dioicum*](#) W. Fitzg.
- [*Solanum diphyllum*](#) L. – twin-leaved nightshade
- [*Solanum diploconos*](#) (Mart.) Bohs
- [*Solanum discolor*](#) R.Br.
- [*Solanum dissectum*](#) Symon
- [*Solanum dissimile*](#) C.V.Morton
- [*Solanum distichophyllum*](#) Sendtn.
- [*Solanum ditrichum*](#) A.R.Bean
- [*Solanum diversiflorum*](#) Mueller
- [*Solanum diversifolium*](#) Dunal
- [*Solanum doddsii*](#) Correll
- **T** [*Solanum dolichocremastrum*](#) Bitter.
- [*Solanum dolichorhachis*](#) Bitter
- [*Solanum dolichosepalum*](#) Bitter
- [*Solanum dolosum*](#) S.Knapp
- [*Solanum donianum*](#) Walp. – mullein nightshade
- [*Solanum douglasii*](#) Dunal – green-spotted nightshade
- [*Solanum dryanderense*](#) A.R.Bean
- [*Solanum dulcamara*](#) L. – bittersweet
- [*Solanum dulcamaroides*](#) Dunal
- [*Solanum dumicola*](#) A.R.Bean
- [*Solanum dunalianum*](#) Gaudich.
- [*Solanum dysprosium*](#) A.R.Bean

E

- [*Solanum eardleyae*](#) Symon
- [*Solanum eburneum*](#) Symon
- [*Solanum echegarayi*](#) Hieron.
- [*Solanum echidniforme*](#) Dunal
- [*Solanum echinatum*](#) R.Br.
- [*Solanum edinense*](#) Berthault
- [*Solanum edmonstonei*](#) Hook.f.

- [*Solanum edmundoi*](#) Cuevas & N.M. Núñez
- **T** [*Solanum ehrenbergii*](#) (Bitter) Rydb.
- [*Solanum eitenii*](#) Agra
- [*Solanum elachophyllum*](#) Mueller
- [*Solanum elaeagnifolium*](#) Cav. – silverleaf nightshade[7]
- [*Solanum elatius*](#) A.R.Bean
- [*Solanum ellipticum*](#) R.Br.
- [*Solanum elvasioides*](#) S.Knapp
- [*Solanum eminens*](#) A.R.Bean
- [*Solanum emmottii*](#) A.R.Bean
- [*Solanum emulans*](#) Raf.
- [*Solanum enantiophyllum*](#) Bitter
- [*Solanum endoadenium*](#) Bitter
- [*Solanum endopogon*](#) (Bitter) Bohs
- [*Solanum ensifolium*](#) Dunal
- [*Solanum eremophilum*](#) Mueller
- [*Solanum erianthum*](#) D.Don – potato tree, mullein nightshade
- [*Solanum erosomarginatum*](#) S.Knapp
- [*Solanum erythracanthum*](#) Dunal
- [*Solanum erythrotrichum*](#) Fernald
- [*Solanum esuriale*](#) Lindl.
- **T** [*Solanum etuberosum*](#) Lindl.
- [*Solanum euacanthum*](#) Phil.
- [*Solanum evolvulifolium*](#) Greenm.
- [*Solanum evolvuloides*](#) Giacomini & Stehmann
- [*Solanum evonymoides*](#) Sendtn. in Mart.
- [*Solanum exarmatum*](#) Anil, Maya, Soumya & K.Murugan
- [*Solanum excisiorhombeum*](#) Bitter
- [*Solanum exemptum*](#) A.R.Bean
- [*Solanum exiguum*](#) Bohs
- [*Solanum expedunculatum*](#) Symon

F



Solanum furcatum

- *Solanum falciforme* Farruggia
- *Solanum falconense* S.Knapp
- *Solanum fallax* Bohs
- *Solanum fecundum* A.R.Bean
- *Solanum felinum* Bitter ex Whalen
- *Solanum fernandesii* V. S. Sampaio & R. Moura, 2016
- **T** *Solanum fernandezianum* Phil.
- *Solanum ferocissimum* Lindl.
- *Solanum ferrugineum* Jacq.
- *Solanum fervens* A.R.Bean
- *Solanum fiebrigii* Bitter
- *Solanum filiforme* Ruiz & Pav.
- *Solanum filirhachis* Giacomini & Stehmann, 2015
- *Solanum flaccidum* Vell.
- *Solanum flagellare* Sendtn.
- **T** *Solanum flahaultii* Bitter.
- *Solanum flexicaule* Benth.
- *Solanum foetens* Pittier ex S.Knapp
- *Solanum forskalii* Dunal
- *Solanum fortunense* Bohs
- *Solanum fosbergianum* D'Arcy
- *Solanum fragile* Wedd.
- *Solanum francisii* A.R.Bean
- *Solanum fraxinifolium* Dunal
- *Solanum friburgense* Giacomini & Stehmann
- *Solanum fulgens* (J.F.Macbr.) K.E.Roe
- *Solanum fulvidum* Bitter
- *Solanum furcatum* Dunal
- *Solanum furfuraceum* R.Br.
- *Solanum fusiforme* L.B.Sm. & Downs

G

- [*Solanum gabrielae*](#) Domin
- [*Solanum galactites*](#) A.R.Bean
- [*Solanum galapagense*](#) [S.C.Darwin](#) & Peralta
- [*Solanum galbinum*](#) A.R.Bean
- [*Solanum gandarillasii*](#) Cárdenas
- **T** [*Solanum garcia-barrigae*](#) Ochoa.
- [*Solanum gardneri*](#) Sendtn.
- [*Solanum gertii*](#) S.Knapp
- [*Solanum gibbsiae*](#) [J.R.Drumm.](#)
- [*Solanum giganteum*](#) Jacq.
- [*Solanum gilesii*](#) Symon Trans.
- [*Solanum gilioides*](#) Rusby
- [*Solanum glabratum*](#) Dunal
- [*Solanum glandulosipilosum*](#) Bitter
- [*Solanum glaucescens*](#) [Zucc.](#)
- [*Solanum glaucophyllum*](#) Desf.
- [*Solanum glomuliflorum*](#) Sendtn.
- [*Solanum glutinosum*](#) Dunal
- [*Solanum gnaphalocarpon*](#) Vell.
- [*Solanum goetzei*](#) [Dammer](#)
- [*Solanum gomphodes*](#) Dunal in DC
- [*Solanum goniocaulon*](#) S.Knapp
- [*Solanum gonocladum*](#) Dunal
- [*Solanum gonyrhachis*](#) S.Knapp
- [*Solanum goodspeedii*](#) K.E.Roe
- [*Solanum graciliflorum*](#) Dunal
- [*Solanum gracilifrons*](#) Bitter
- [*Solanum grandidentatum*](#) Phil.
- [*Solanum grandiflorum*](#) Ruiz & Pav.
- [*Solanum graniticola*](#) V.Samp. & Gouvêa
- [*Solanum graniticum*](#) A.R.Bean
- [*Solanum granulosoleprosum*](#) Dunal
- [*Solanum gratum*](#) Bitter
- [*Solanum graveolens*](#) Bunbury
- [*Solanum grayi*](#) Rose vars. *grandiflorum* (basal) and *grayi* (smaller-flowered in [sympatry](#) with [*Solanum lumholtzianum*](#)[\[8\]](#)[\[9\]](#))
- [*Solanum guamense*](#) Merr.
- [*Solanum guaraniticum*](#) A.St.-Hil.
- [*Solanum guerreroense*](#) Correll
- [*Solanum guineense*](#) L.
- [*Solanum gundlachii*](#) Urb.

- [*Solanum gympiense*](#) Symon

H



[*Solanum heterodoxum*](#)



[*Solanum heterodoxum*](#). The fruit's persistent spiny sepals can also be seen.

- [*Solanum habrocaulon*](#) S.Knapp
- [*Solanum habrochaites*](#) S.Knapp & D.M.Spooner
- [*Solanum hamulosum*](#) C.T.White
- [*Solanum hapalum*](#) A.R.Bean
- [*Solanum harmandii*](#) Bonati
- [*Solanum hasslerianum*](#) Chodat
- [*Solanum hastifolium*](#) Hochst. ex Dunal
- **T** [*Solanum hastiforme*](#) Correll.
- [*Solanum havanense*](#) Jacq.
- [*Solanum hayesii*](#) Fernald
- [*Solanum hazenii*](#) Britton Bull.
- [*Solanum heinianum*](#) D'Arcy & R.C.Keating
- [*Solanum heiseri*](#) G.J.Anderson
- [*Solanum heleonastes*](#) S.Knapp
- [*Solanum helix*](#) Giacomini & Stehmann
- [*Solanum herba-bona*](#) Reiche
- [*Solanum herculeum*](#) Bohs
- [*Solanum hesperium*](#) Symon
- [*Solanum heterodoxum*](#) Dunal
- [*Solanum heteropodium*](#) Symon
- [*Solanum hexandrum*](#) Vell.
- [*Solanum hibernum*](#) Bohs
- [*Solanum hieronymi*](#) Kuntze
- [*Solanum hillebrandii*](#) H.St.John
- [*Solanum hindsianum*](#) Benth. – Hinds' nightshade
- **T** [*Solanum hintonii*](#) Correll
- [*Solanum hirtellum*](#) (Spreng.) Hassl.
- [*Solanum hirtulum*](#) Steud. ex A.Rich.
- [*Solanum hirtum*](#) Vahl Symb.

- T [*Solanum hjertingii*](#) Hawkes.
- [*Solanum hoehnei*](#) C.V.Morton
- [*Solanum hoffmanseggii*](#) Sendtn.
- [*Solanum homalospermum*](#) Chiarini
- [*Solanum hoplopetalum*](#) Bitter & Summerh.
- T [*Solanum hougasii*](#) Correll
- [*Solanum houstonii*](#) Martyn
- [*Solanum hovei*](#) Dunal
- [*Solanum huancabambense*](#) Ochoa
- [*Solanum huayavillense*](#) Del Vitto & Peten.
- [*Solanum huaylasense*](#) Peralta
- [*Solanum hugonis*](#) Heine
- [*Solanum huilense*](#) Bohs
- [*Solanum humblotii*](#) Dammer
- [*Solanum humboldtianum*](#) Granados-Tochoy & S.Knapp
- [*Solanum humectophilum*](#) Ochoa
- [*Solanum humile*](#) Lam. .
- [*Solanum hunzikeri*](#) Chiarini & Cantero
- [*Solanum hutchisonii*](#) (J.F.Macbr.) Bohs
- [*Solanum hydroides*](#) Gouvêa & Giacomini
- T [*Solanum hypocrarthurum*](#) Bitter
- [*Solanum hypoleurotrichum*](#) Bitter
- [*Solanum hypermegethes*](#) Werderm.
- [*Solanum hypocalycosarcum*](#) Bitter
- [*Solanum hyporhodium*](#) A.Braun & C.D.Bouché
- [*Solanum hystrix*](#) R.Br.

I

- [*Solanum igniferum*](#) Gouvêa & Stehmann
- [*Solanum iltisii*](#) K.E.Roe
- [*Solanum imamense*](#) Dunal
- [*Solanum imbaburensense*](#) S.Knapp
- [*Solanum imberbe*](#) Bitter
- T [*Solanum immite*](#) Dunal. [*A.DC.*](#)
- [*Solanum inaequilaterum*](#) Domin
- [*Solanum inaequiradians*](#) [*Werderm.*](#)
- [*Solanum inamoenum*](#) Benth.
- [*Solanum incanoalabastrum*](#) Symon
- [*Solanum incanum*](#) L.
- [*Solanum incarceratum*](#) Ruiz & Pav.
- [*Solanum incisum*](#) Griseb.
- [*Solanum incompletum*](#) Dunal

- [*Solanum incomptum*](#) Bitter
- [*Solanum incurvum*](#) Ruiz & Pav.
- [*Solanum indivisum*](#) Witasek ex J.R.Benn.
- [*Solanum inelegans*](#) Rusby Mem.
- **T** [*Solanum infundibuliforme*](#) Phil.
- [*Solanum infuscatum*](#) Symon
- [*Solanum innoxium*](#) A.R.Bean
- [*Solanum inodorum*](#) Vell.
- [*Solanum inornatum*](#) Witasek
- [*Solanum insidiosum*](#) Mart.
- [*Solanum insulae-pinorum*](#) Heine
- [*Solanum interandinum*](#) Bitter
- [*Solanum interius*](#) Rydb.
- [*Solanum intermedium*](#) Sendtn.
- [*Solanum intonsum*](#) A.R.Bean
- [*Solanum invictum*](#) A.R.Bean
- [*Solanum involucreatum*](#) Blume
- [*Solanum iodium*](#) A.R.Bean
- [*Solanum iodotrichum*](#) Van Heurck & Müll.Arg.
- [*Solanum ionidium*](#) Bitter
- **T** [*Solanum iopetalum*](#) (Bitter) Hawkes
- [*Solanum irregulare*](#) C.V.Morton
- [*Solanum isodynamum*](#) Sendtn.
- [*Solanum itatiaiae*](#) Dusén
- [*Solanum ivohibe*](#) D'Arcy & Rakot.

J

- [*Solanum jabrense*](#) Agra & M.Nee
- [*Solanum jamaicense*](#) Mill.
- **T** [*Solanum jamesii*](#) Torr. – wild potato
- [*Solanum jobsonii*](#) Martine, J.Cantley & L.M.Lacey
- [*Solanum johnsonianum*](#) A.R.Bean
- [*Solanum johnstonii*](#) Whalen
- [*Solanum jubae*](#) Bitter
- [*Solanum jucundum*](#) A.R.Bean
- [*Solanum juglandifolium*](#) Dunal
- [*Solanum julocrotonoides*](#) Hassl.
- [*Solanum junctum*](#) S.R. Stern & M. Nee, 2014
- [*Solanum juninense*](#) Bitter
- [*Solanum jussiaei*](#) Dunal
- [*Solanum juvenale*](#) Thell.
- [*Solanum juzepczukii*](#) Bukasov

K

- [*Solanum kachinense*](#) X.Aubriot & S.Knapp
- [*Solanum karsense*](#) Symon
- [*Solanum kentrocaule*](#) A.R.Bean
- [*Solanum kioniotrichum*](#) Bitter ex J.F.Macbr.
- [*Solanum kleinii*](#) L.B.Sm. & Downs
- [*Solanum knappiae*](#) Agra & V. S. Sampaio, 2016
- [*Solanum knoblochii*](#) (Whalen) S.R.Stern
- [*Solanum kollastrum*](#) Gouvêa & Giacomini
- [*Solanum kriegeri*](#) Giacomini & Stehmann, 2014
- [*Solanum kulliwaita*](#) S.Knapp
- **T** [*Solanum kurtzianum*](#) Bitter & Wittm.

L



Solanum laciniatum



Solanum



linnaeanum

Solanum lycopersicum (tomato)



Solanum lycocarpum - wolf apple

- *Solanum labyrinthinum* D.H.R.McClell.
- *Solanum lacerdae* Dusén
- *Solanum lachnophyllum* Symon
- *Solanum laciniatum* Aiton
- *Solanum lacteum* Vell.
- *Solanum lacunarium* Mueller
- *Solanum lagoense* Stehmann
- *Solanum lamprocarpum* Bitter

- [*Solanum lanceifolium*](#) Jacq.
- [*Solanum lanceolatum*](#) Cav.
- [*Solanum lantana*](#) Sendtn.
- [*Solanum lanzae*](#) J.-P.Lebrun & Stork
- [*Solanum lapidosum*](#) A.R.Bean
- [*Solanum lasiocarpum*](#) Dunal – Indian nightshade, hairy-fruited eggplant, Thai hairy-fruited eggplant
- [*Solanum lasiocladum*](#) S.Knapp
- [*Solanum lasiophyllum*](#) Dunal
- [*Solanum lasiopodium*](#) Dunal
- [*Solanum latens*](#) A.R.Bean
- [*Solanum latiflorum*](#) Bohs
- [*Solanum laurifrons*](#) Bitter
- [*Solanum laxissimum*](#) Bitter
- [*Solanum laxum*](#) Spreng. – jasmine nightshade
- [*Solanum leiophyllum*](#) Benth.
- [*Solanum leontopodium*](#) Sendtn.
- [*Solanum leopoldensis*](#) Symon
- [*Solanum lepidotum*](#) Dunal
- [*Solanum leptacanthum*](#) Merrill & L.M.Perry
- [*Solanum leptocaulon*](#) Van Heurck & Müll.Arg.
- [*Solanum leptopodium*](#) Van Heurck & Müll.Arg.
- [*Solanum leptorhachis*](#) Bitter
- [*Solanum leptostachys*](#) Dunal
- [*Solanum leratii*](#) Schltr.
- **T** [*Solanum lesteri*](#) Hawkes & Hjert.
- [*Solanum leucandrum*](#) Whalen
- [*Solanum leucocarpon*](#) Dunal
- [*Solanum leucodendron*](#) Sendtn.
- [*Solanum leucopogon*](#) Huber
- [*Solanum levigatum*](#) Dunal
- [*Solanum lhotskyanum*](#) Dunal
- [*Solanum lichtensteinii*](#) Willd.
- [*Solanum lidii*](#) Sunding
- [*Solanum lignescens*](#) Fernald
- [*Solanum lignicaule*](#) Vargas
- [*Solanum limbaniense*](#) Ochoa
- [*Solanum limitare*](#) A.R.Bean
- [*Solanum limoncochaense*](#) Tepe
- [*Solanum lindenii*](#) Rusby
- [*Solanum linearifolium*](#) Geras. ex Symon
- [*Solanum linnaeanum*](#) Hepper & P.-M.L.Jaeger

- *Solanum lithophilum* F.Muell.
- *Solanum litoraneum* A.E.Gonç.
- *Solanum lobatum* A.R.Bean
- *Solanum lobbianum* Bitter
- *Solanum longevirgatum* Bitter
- **T** *Solanum longiconicum* Bitter
- *Solanum longifilamentum* Särkinen & P.Gonzáles
- *Solanum loxophyllum* Bitter
- *Solanum lucani* F.Muell.
- *Solanum lucens* S.Knapp
- *Solanum luculentum* C.V.Morton ex S.Knapp
- *Solanum lumholtzianum* Bartlett
- *Solanum luridifuscescens* Bitter
- *Solanum luteoalbum* Pers.
- *Solanum luzoniense* Merrill
- *Solanum lycocarpum* St.-Hil. – wolf apple, *fruta-de-lobo*, *lobeira* (Brazil)
- *Solanum lycopersicoides* Dunal – Peruvian wolfpeach
- *Solanum lycopersicum* L. – **tomato**
- *Solanum lyratum* Thunb.
- *Solanum lythrocarpum* A.R.Bean

M



Solanum macrocarpon



Solanum mammosum

Solanum mauritianum



Solanum mauritianum



Solanum morelliforme

Solanum melongena (aubergine)



Solanum muricatum in cross section.



Solanum myriacanthum



Solanum myriacanthum

- *Solanum macbridei* Hunz. & Lallana
- *Solanum macoorai* F.M.Bailey
- *Solanum macracanthum* A.Rich.
- *Solanum macrocarpon* L.

- [*Solanum macrothyrsum*](#) Dammer
- [*Solanum macrotonum*](#) Bitter
- [*Solanum madagascariense*](#) Dunal
- [*Solanum maestrense*](#) Urb.
- **T** [*Solanum maglia*](#) Schltdl.
- [*Solanum magnifolium*](#) Mueller
- [*Solanum mahoriense*](#) D'Arcy & Rakot.
- [*Solanum malacothrix*](#) S.Knapp
- [*Solanum malignum*](#) A.R.Bean
- [*Solanum malindiense*](#) Voronts.
- [*Solanum malletii*](#) S.Knapp
- [*Solanum malmeanum*](#) Bitter
- [*Solanum mammosum*](#) L.
- [*Solanum manabiense*](#) S.R.Stern
- [*Solanum mapiricum*](#) S.Knapp
- [*Solanum mapiriense*](#) Bitter
- [*Solanum maranguapense*](#) Bitter
- [*Solanum marantifolium*](#) Bitter
- [*Solanum marginatum*](#) L.f.
- [*Solanum mariae*](#) Särkinen & S. Knapp, 2015
- [*Solanum marmoratum*](#) Barboza & S.Knapp
- [*Solanum martii*](#) Sendtn.
- [*Solanum matadori*](#) Smith & Downs
- [*Solanum maternum*](#) Bohs
- [*Solanum maturecalvans*](#) Bitter
- [*Solanum mauense*](#) Bitter
- [*Solanum mauritanum*](#) Scop. – woolly nightshade, ear-leaved nightshade, flannel weed, bugweed, tobacco weed, kerosene plant, "wild tobacco" (Australia)
- **T** [*Solanum medians*](#) Bitter
- [*Solanum medicagineum*](#) A.R.Bean
- [*Solanum medusae*](#) Gouvêa
- [*Solanum megalochiton*](#) Mart.
- [*Solanum megalonyx*](#) Sendtn.
- [*Solanum megaspermum*](#) Agra
- [*Solanum melanospermum*](#) Mueller
- [*Solanum melastomoides*](#) C.H.Wright
- [*Solanum melissarum*](#) Bohs
- [*Solanum mellobarretoi*](#) Agra & Stehmann
- [*Solanum melongena*](#) L. **Eggplant**
- [*Solanum memaoyanum*](#) D.H.R.McClell.
- [*Solanum memphiticum*](#) J.F.Gmel.
- [*Solanum mentiense*](#) A.R.Bean

- [*Solanum metrobotryon*](#) Dunal
- [*Solanum michaelis*](#) Särkinen & S. Knapp, 2016
- **T** [*Solanum michoacanum*](#) Rydb.
- **T** [*Solanum microdontum*](#) Bitter.
- [*Solanum microleprodes*](#) Bitter
- [*Solanum microphyllum*](#) (Lam.) Dunal
- [*Solanum milnei*](#) Seem.
- [*Solanum minutifoliolum*](#) Correll
- [*Solanum missimense*](#) Symon
- [*Solanum mitchellianum*](#) Domin
- [*Solanum mite*](#) Ruiz & Pav.
- [*Solanum mitlense*](#) Dunal
- [*Solanum miyakojimense*](#) T.Yamaz. & A.Takushi
- **T** [*Solanum mochiquense*](#) Ochoa.
- [*Solanum moense*](#) Britton & Wilson
- [*Solanum monachophyllum*](#) Dunal
- [*Solanum monadelphum*](#) Van Heurck & Müll.Arg.
- [*Solanum monanthemon*](#) S.Knapp
- [*Solanum monarchostemon*](#) S.Knapp
- [*Solanum montanum*](#) L.
- [*Solanum morellifolium*](#) Bohs
- **T** [*Solanum morelliforme*](#) Bitter & [*Münch*](#)
- [*Solanum morii*](#) S.Knapp
- [*Solanum mortonii*](#) Hunz.
- [*Solanum moxosense*](#) M.Nee
- [*Solanum muansense*](#) Dammer
- [*Solanum muenscherei*](#) Standl. & Steyerl.
- [*Solanum multifidum*](#) Lam.
- [*Solanum multiflorum*](#) Roth
- [*Solanum multiglandulosum*](#) Bitter
- [*Solanum multiglochidiatum*](#) Domin
- [*Solanum multiinterruptum*](#) Bitter
- [*Solanum multispinum*](#) N.E.Br.
- [*Solanum multivenosum*](#) Symon
- [*Solanum muricatum*](#) Aiton Hort. – pepino dulce, pepino melon, melon pear, "pepino", "tree melon"
- [*Solanum murinum*](#) Sendtn.
- [*Solanum myoxotrichum*](#) Baker
- [*Solanum myriacanthum*](#) Dunal
- [*Solanum myrsinoides*](#) D'Arcy & Rakot.

N



Solanum nelsonii



Solanum nigrum

- *Solanum narcoticosmum* Bitter
- *Solanum naucinum* S.Knapp
- *Solanum nava* Webb & Berthel.
- *Solanum nectarifolium* Martine, Brennan, Cantley, Webb & Newton – Tanami bush tomato
- *Solanum neei* Chiarini & L.A. Mentz
- *Solanum nelsonii* Dunal – Nelson's horsenettle
- *Solanum nematopus* Sendtn.
- *Solanum nematorhachis* S.Knapp
- *Solanum nemophilum* Mueller
- *Solanum nemorense* Dunal
- *Solanum neoanglicum* A.R.Bean
- **T** *Solanum neocardenasii* Hawkes & Hjert.
- *Solanum neorickii* D.M.Spooner, G.J.Anderson & R.K.Jansen
- *Solanum neorossii* Hawkes & Hjert.
- **T** *Solanum neoweberbaueri* Wittm.
- *Solanum nienkui* Merrill & Chun
- *Solanum nigrescens* M.Martens & Galeotti – divine nightshade
- *Solanum nigricans* M.Martens & Galeotti
- *Solanum nigriviolaceum* Bitter
- *Solanum nigrum* L. – European black nightshade, "black nightshade"
- *Solanum nitidibaccatum* Bitter
- *Solanum nitidum* Ruiz & Pav.
- *Solanum nobile* A.R.Bean
- *Solanum nolense* Symon
- *Solanum novomexicanum* (Bartlett) S.R.Stern
- *Solanum nubicola* Ochoa
- *Solanum nudum* Dunal – forest nightshade
- *Solanum nummularium* S.Moore
- *Solanum nuricum* M.Nee
- *Solanum nutans* Ruiz & Pav.

O

- [*Solanum obliquum*](#) Ruiz & Pav.
- [*Solanum oblongifolium*](#) Humb. & Bonpl. ex Dunal
- [*Solanum oblongum*](#) Ruiz & Pav.
- [*Solanum obovalifolium*](#) Pittier ex Benítez
- [*Solanum occultum*](#) Bohs
- [*Solanum ochranthum*](#) Humb. & Bonpl. ex Dunal
- [*Solanum ochrophyllum*](#) Van Heurck & [Müll.Arg.](#)
- [*Solanum octonum*](#) A.R.Bean
- [*Solanum odoriferum*](#) Vell.
- [*Solanum oedipus*](#) Symon
- **T** [*Solanum okadae*](#) Hawkes & Hjert.
- [*Solanum oldfieldii*](#) Mueller
- [*Solanum oligacanthum*](#) Mueller
- [*Solanum oligandrum*](#) Symon
- [*Solanum oliveirae*](#) Carvalho
- [*Solanum ombrophilum*](#) Pittier ex S.Knapp
- [*Solanum olmosense*](#) Ochoa
- [*Solanum olympicum*](#) Hassl.
- [*Solanum oocarpum*](#) Sendtn.
- [*Solanum oomsis*](#) A.R.Bean
- [*Solanum opacum*](#) A.Braun & Bouché .
- [*Solanum oppositifolium*](#) Ruiz & Pav.
- [*Solanum orbiculatum*](#) Dunal
- [*Solanum orbignianum*](#) Sendtn.
- [*Solanum orgadophilum*](#) A.R.Bean
- [*Solanum orthacanthum*](#) [O.E.Schulz](#)
- [*Solanum ortivum*](#) A.R.Bean
- [*Solanum ossicrumentum*](#) Martine & J.Cantley
- [*Solanum osteocarpum*](#) A.R.Bean
- [*Solanum ovalifolium*](#) Humb. & Bonpl. ex Dunal
- [*Solanum ovum-fringillae*](#) (Dunal) Bohs
- [*Solanum oxapampense*](#) S.Knapp
- [*Solanum oxycarpum*](#) Schiede
- [*Solanum oxycoccoides*](#) Bitter
- [*Solanum oxyphyllum*](#) C.V.Morton

P



[Solanum pimpinellifolium](#)



[Solanum pseudocapsicum](#)

- [Solanum pabstii](#) L.B.Sm. & Downs
- [Solanum pachimatium](#) Dunal
- [Solanum pachyandrum](#) Bitter
- [Solanum pachyneuroides](#) Amshoff
- [Solanum pachyneurum](#) O.E.Schulz
- [Solanum pacificum](#) Tepe
- [Solanum palinacanthum](#) Dunal .
- [Solanum palitans](#) C.V.Morton
- [Solanum pallidifolium](#) A.R.Bean
- [Solanum pallidum](#) Rusby
- [Solanum palmillae](#) Standl.
- [Solanum paludosum](#) Moric.
- [Solanum palustre](#) Schltdl.
- [Solanum pampaninii](#) Chiov.
- [Solanum pancheri](#) Guillaumin
- [Solanum paniculatum](#) L.
- [Solanum papaverifolium](#) Symon
- [Solanum paposanum](#) Phil.
- [Solanum papuanum](#) Symon
- [Solanum paraibanum](#) Agra
- [Solanum paralum](#) Bohs
- [Solanum paranense](#) Dusén

- [*Solanum parvifolium*](#) R.Br.
- [*Solanum pastillum*](#) S.Knapp
- [*Solanum paucidens*](#) Bitter
- [*Solanum paucispinum*](#) Werderm.
- [*Solanum paucisectum*](#) Ochoa
- [*Solanum pectinatum*](#) Dunal
- [*Solanum pedemontanum*](#) M.Nee
- [*Solanum pedersenii*](#) Cabrera
- [*Solanum peekelii*](#) Bitter
- [*Solanum peikuoense*](#) S.S.Ying
- [*Solanum pelagicum*](#) Bohs
- [*Solanum pendulum*](#) Ruiz & Pav.
- [*Solanum pennellii*](#) Correll
- [*Solanum pentaphyllum*](#) Bitter
- [*Solanum pentlandii*](#) Dunal
- [*Solanum pereirae*](#) Carvalho
- [*Solanum perlongistylum*](#) [G.J.Anderson](#), Martine, Prohens & Nuez
- [*Solanum perplexum*](#) Small
- [*Solanum pertenu*](#) Standl. & C.V.Morton
- [*Solanum peruvianum*](#) L. – Peruvian nightshade, "wild tomato"
- [*Solanum petilum*](#) A.R.Bean
- [*Solanum petraeum*](#) Symon
- [*Solanum petrophilum*](#) Mueller
- [*Solanum phaseoloides*](#) Pol.
- [*Solanum phlomoides*](#) A.Cunn. ex Benth.
- [*Solanum phoberum*](#) A.R.Bean
- [*Solanum phoxocarpum*](#) Voronts.
- [*Solanum physalidicalyx*](#) Bitter
- [*Solanum physalifolium*](#) Rusby (*Solanum sarrachoides* auct.) – hairy nightshade
- [*Solanum piceum*](#) A.R.Bean
- [*Solanum pilcomayense*](#) Morong
- [*Solanum pillahuatense*](#) Vargas
- [*Solanum piluliferum*](#) Dunal
- [*Solanum pimpinellifolium*](#) L. – [currant tomato](#)
- [*Solanum pinetorum*](#) (L.B.Sm. & Downs) Bohs .
- [*Solanum pinnatisectum*](#) Dunal – tansy-leaved nightshade
- [*Solanum pinnatum*](#) Cav.
- [*Solanum pisinum*](#) A.R.Bean
- [*Solanum pittosporifolium*](#) Hemsl.
- [*Solanum piurae*](#) Bitter
- [*Solanum placitum*](#) C.V.Morton
- [*Solanum plastisexum*](#) Martine & McDonnell

- [*Solanum platacanthum*](#) Dunal
- [*Solanum platense*](#) Diekm.
- [*Solanum platycypellon*](#) S.Knapp .
- [*Solanum plicatile*](#) (S.Moore) Symon
- [*Solanum plowmanii*](#) S.Knapp
- [*Solanum plumense*](#) Fernald
- [*Solanum pluriflorum*](#) A.R.Bean
- [*Solanum pluviale*](#) Standl.
- [*Solanum poinsettiifolium*](#) Rusby
- [*Solanum poka*](#) Dunal
- [*Solanum polhillii*](#) Voronts.
- [*Solanum polyacanthon*](#) Lam.
- [*Solanum polyacanthos*](#) Lam.
- [*Solanum polyadenium*](#) Greenm.
- [*Solanum polygamum*](#) Vahl – cakalaka berry
- [*Solanum polyphyllum*](#) Phil.
- [*Solanum polytrichostylum*](#) Bitter
- [*Solanum polytrichum*](#) Moric.
- [*Solanum praetermissum*](#) Kerr ex Barnett
- [*Solanum premnifolium*](#) (Miers) Bohs
- [*Solanum prinophyllum*](#) Dunal
- [*Solanum procumbens*](#) Lour.
- [*Solanum prolatum*](#) A.R.Bean
- [*Solanum proteanthum*](#) Bohs
- [*Solanum pruinsum*](#) Dunal
- [*Solanum pseuderanthemoides*](#) Schltr.
- [*Solanum pseudoamericanum*](#) Särkinen, P. Gonzáles & S. Knapp, 2013
- [*Solanum pseudoauriculatum*](#) Chodat & Hassl.
- [*Solanum pseudocapsicum*](#) L. – Jerusalem cherry, Madeira winter cherry, "winter cherry" (including *S. capsicastrum*)
- [*Solanum pseudodaphnopsis*](#) L.A. Mentz & Stehmann
- [*Solanum pseudogracile*](#) Heiser – Glowing nightshade
- [*Solanum pseudolulo*](#) Heiser
- [*Solanum pseudopedunculatum*](#) D.H.R.McClell.
- [*Solanum pseudoquina*](#) St.-Hil. (including *S. inaequale* Vell.)
- [*Solanum pseudosaponaceum*](#) Blume
- [*Solanum pseudospinosum*](#) C.H.Wright
- [*Solanum pseudosycophanta*](#) Farruggia
- [*Solanum psilophyllum*](#) Stehmann & Giacomini, 2015
- [*Solanum psychotrioides*](#) Dunal
- [*Solanum pubescens*](#) Willd.
- [*Solanum pubigerum*](#) Dunal

- [*Solanum pugiunculiferum*](#) C.T.White
- [*Solanum pulverulentifolium*](#) K.E. Roe.
- [*Solanum pumilum*](#) Dunal
- [*Solanum punctulatum*](#) Dunal
- [*Solanum pungetium*](#) R.Br.
- [*Solanum pusillum*](#) A.R.Bean
- [*Solanum putii*](#) Kerr ex Barnett
- [*Solanum pycnanthemum*](#) Mart.
- [*Solanum pycnotrichum*](#) A.R.Bean
- [*Solanum pygmaeum*](#) Cav.
- [*Solanum pyracanthos*](#) Lam.
- [*Solanum pyrifolium*](#) Lam.

Q

- [*Solanum quadriloculatum*](#) Mueller
- [*Solanum quaesitum*](#) C.V.Morton ex Gleason & A.C.Sm.
- [*Solanum quebradense*](#) S.Knapp
- [*Solanum quitoense*](#) Lam.

R



[*Solanum robustum*](#)

- [*Solanum radicans*](#) L.f.
- [*Solanum ramonense*](#) C.V.Morton & Standl.
- [*Solanum ramulosum*](#) Sendtn.
- [*Solanum raphanifolium*](#) Cárdenas & Hawkes
- [*Solanum raquialatum*](#) Ochoa
- [*Solanum ratale*](#) D.H.R.McClell.
- [*Solanum reclusum*](#) A.R.Bean
- [*Solanum reductum*](#) C.V.Morton
- [*Solanum reflexiflorum*](#) Moric. ex Dunal
- [*Solanum refractifolium*](#) Sendtn.
- [*Solanum refractum*](#) Hook. & Arn.

- [*Solanum reineckii*](#) Briq.
- [*Solanum reitzii*](#) L.B.Sm. & Downs
- [*Solanum remyanum*](#) Phil.
- [*Solanum repandum*](#) G.Forst.
- [*Solanum reptans*](#) Bunbury
- [*Solanum restingae*](#) S.Knapp
- [*Solanum retroflexum*](#) Dunal – wonderberry, sunberry
- [*Solanum retrorsum*](#) Elmer
- [*Solanum raphiotes*](#) A.R.Bean
- [*Solanum rhizomatum*](#) Särkinen & M. Nee, 2015
- **T** [*Solanum rhomboideilanceolatum*](#) Ochoa.
- [*Solanum rhytidoandrum*](#) Sendtn.
- [*Solanum richardii*](#) Dunal
- [*Solanum rigidum*](#) Lam. .
- [*Solanum riojense*](#) Bitter
- [*Solanum riparium*](#) Pers.
- [*Solanum ripense*](#) Dunal
- [*Solanum rivicola*](#) Symon
- [*Solanum rixosum*](#) A.R.Bean
- [*Solanum robinsonii*](#) Bonati
- [*Solanum roblense*](#) Bitter
- [*Solanum robustifrons*](#) Bitter
- [*Solanum robustum*](#) H.L.Wendl.
- [*Solanum rojasianum*](#) (Standl. & Steyerm.) Bohs
- [*Solanum roseum*](#) Bohs
- [*Solanum rostratum*](#) Dunal
- [*Solanum rovirosanum*](#) Donn. Sm.
- [*Solanum rubetorum*](#) Dunal
- [*Solanum rubicaule*](#) S.R. Stern, 2010
- [*Solanum rubiginosum*](#) Vahl
- [*Solanum rudepannum*](#) Dunal
- [*Solanum rufescens*](#) Sendtn.
- [*Solanum rufistellatum*](#) Steyerm.
- [*Solanum rugosum*](#) Dunal – *tabacon aspero*
- [*Solanum ruizii*](#) S.Knapp
- [*Solanum runsoriense*](#) C.H.Wright
- [*Solanum rupicola*](#) Sendtn.
- [*Solanum ruvu*](#) Voronts.

S



Solanum seaforthianum

- *Solanum sagittantherum* Granados-Tochoy & C.I. Orozco
- *Solanum salamancae* Hunz. & Barboza
- *Solanum salasianum* Ochoa
- *Solanum salicifolium* Phil.
- *Solanum sambiranense* D'Arcy & Rakot.
- *Solanum sambuciflorum* Sendtn.
- *Solanum sambucinum* Rydb.
- *Solanum sanchez-vegae* S.Knapp
- *Solanum sanctae-catharinae* Dunal
- *Solanum sanctae-marthae* Bitter
- *Solanum sandwicense* Hook. & Arn. – Hawaii horsenettle
- *Solanum sanfurgoi* Phil.
- *Solanum santosii* S.Knapp
- *Solanum saponaceum* Dunal
- *Solanum sarrachoides* Sendtn.
- *Solanum saruwagedensis* Symon
- *Solanum saturatum* M.Nee
- *Solanum savanillense* Bitter
- *Solanum savannarum* Rib.-Silva & Proença
- *Solanum scabrifolium* Ochoa
- *Solanum scabrum* Mill. – garden huckleberry
- *Solanum scalarium* Martine & T.M.Williams – Garrarnawun bush tomato
- *Solanum schefferi* Mueller
- *Solanum schenckii* Bitter
- *Solanum schimperianum* Hochst. ex A.Rich.
- *Solanum schizandrum* Sendtn.
- *Solanum schlechtendalianum* Walp.
- *Solanum schliebenii* Werderm.
- *Solanum schomburgkii* Sendtn.
- *Solanum schuechii* Sendtn.
- *Solanum schulzianum* Urb.

- [*Solanum schumannianum*](#) Dammer
- [*Solanum schwackeanum*](#) L.B.Sm. & Downs
- [*Solanum sciadostylis*](#) (Sendtn.) Bohs
- [*Solanum scolophyllum*](#) A.R.Bean
- [*Solanum scuticum*](#) M.Nee
- [*Solanum seaforthianum*](#) Andrews – Brazilian nightshade
- [*Solanum sejunctum*](#) Kym Brennan, Christopher T. Martine, & David E. Symon – Australian eggplant
- [*Solanum selachophyllum*](#) Bitter
- [*Solanum selleanum*](#) Urb. & Ekman
- [*Solanum sellowianum*](#) Sendtn.
- [*Solanum sellowii*](#) Dunal
- [*Solanum semiarmatum*](#) Mueller
- [*Solanum semisucculentum*](#) D.H.R.McClell.
- [*Solanum semotum*](#) M.Nee
- [*Solanum sendtnerianum*](#) Van Heurck & Müll.Arg.
- [*Solanum senticosum*](#) A.R.Bean
- [*Solanum septemlobum*](#) Bunge
- [*Solanum serpens*](#) A.R.Bean
- [*Solanum sessilantherum*](#) Gouvêa & Stehmann
- [*Solanum sessile*](#) Ruiz & Pav.
- [*Solanum sessiliflorum*](#) Dunal in Poir
- [*Solanum setaceum*](#) Dammer
- [*Solanum setigeroides*](#) (Whalen) S.R.Stern
- [*Solanum setosissimum*](#) Mentz & M.Nee
- [*Solanum shirleyanum*](#) Domin
- [*Solanum sibundoyense*](#) (Bohs) Bohs
- [*Solanum sieberi*](#) Van Heurck & Müll.Arg.
- [*Solanum silvestre*](#) A.R.Bean
- [*Solanum simile*](#) Mueller
- [*Solanum simplicissimum*](#) Ochoa
- [*Solanum sinuatiexcisum*](#) Bitter
- [*Solanum sinuatirecurvum*](#) Bitter
- [*Solanum sinuatorepandum*](#) K.Braun
- [*Solanum siphonobasis*](#) Bitter
- [*Solanum sisymbriifolium*](#) Lam. .
- [*Solanum sitiens*](#) I.M.Johnst.
- [*Solanum skutchii*](#) Correll
- [*Solanum smithii*](#) S.Knapp
- [*Solanum sodiroi*](#) Bitter (including *S. carchiense*)
- [*Solanum sodomaeodes*](#) Kuntze
- [*Solanum sogarandinum*](#) Ochoa
- [*Solanum solum*](#) J.F.Macbr.

- [*Solanum somalense*](#) Franch.
- [*Solanum sooretamum*](#) Carvalho
- [*Solanum sotobosquense*](#) Bohs
- [*Solanum sousae*](#) S.Knapp
- [*Solanum spirale*](#) Roxb.
- [*Solanum spissifolium*](#) Sendtn.
- [*Solanum splendens*](#) (Dunal) Bohs, 2015
- [*Solanum sporadotrichum*](#) Mueller
- [*Solanum stagnale*](#) Moric.
- [*Solanum stellatiglandulosum*](#) Bitter
- [*Solanum stellativelutinum*](#) Bitter
- [*Solanum stelligerum*](#) Sm.
- [*Solanum stenandrum*](#) Sendtn.
- [*Solanum stenophyllidium*](#) Bitter
- [*Solanum stenophyllum*](#) Dunal
- [*Solanum stenopterum*](#) A.R.Bean
- [*Solanum steyermarkii*](#) Carvalho
- [*Solanum stipitatostellatum*](#) Dammer
- [*Solanum stipulaceum*](#) Roem. & Schult.
- [*Solanum stipulatum*](#) Vell.
- [*Solanum stipuloideum*](#) Rusby
- [*Solanum stoloniferum*](#) Schltdl. – tigna potato, Fendler's horsenettle
- [*Solanum storkii*](#) C.V.Morton & Standl.
- [*Solanum stramoniifolium*](#) Jacq.
- [*Solanum stuckertii*](#) Bitter
- [*Solanum stupefactum*](#) Symon
- [*Solanum sturtianum*](#) Mueller
- [*Solanum suaveolens*](#) Kunth & [C.D.Bouché](#)
- [*Solanum subinerme*](#) Jacq.
- [*Solanum sublentum*](#) Hiern
- [*Solanum subserratum*](#) Dunal
- [*Solanum subsylvestre*](#) L.B.Sm. & Downs
- [*Solanum subtusviolaceum*](#) Bitter
- [*Solanum subumbellatum*](#) Vell.
- [*Solanum subvelutinum*](#) Rydb.
- [*Solanum succosum*](#) A.R.Bean & Albr.
- [*Solanum sulawesi*](#) X.Aubriot & S.Knapp
- [*Solanum sulphureum*](#) A.R.Bean
- [*Solanum sumacaspi*](#) S.Knapp
- [*Solanum superbum*](#) S.Knapp
- [*Solanum supinum*](#) Dunal
- [*Solanum swartzianum*](#) Roem. & Schult.

- *Solanum sycocarpum* Mart. & Sendtn.
- *Solanum sycophanta* Dunal
- *Solanum symmetricum* Rusby
- *Solanum symonii* H.Eichler

T



Solanum torvum



Solanum triflorum

Solanum tuberosum ("potato").



Solanum tuberosum






Solanum tuberosum

Solanum tuberosum



Solanum tuberosum



Solanum tuberosum - potato

- *Solanum tabanoense* Correll
- *Solanum tacanense* Lundell
- *Solanum taeniотrichum* Correll
- *Solanum taitense* Vatke
- *Solanum talarense* Svenson
- *Solanum tampicense* Dunal
- *Solanum tanysepalum* S.Knapp
- *Solanum tanderemotum* Bitter
- **T** *Solanum tarnii* Hawkes & Hjert.
- *Solanum tectum* Pers.
- *Solanum tegore* Aubl.
- *Solanum tenuiflagellatum* S.Knapp
- *Solanum tenuihamatum* Bitter
- *Solanum tenuipes* Bartlett – Fancy nightshade
- *Solanum tenuisetosum* (Bitter) Bohs
- *Solanum tenuispinum* Rusby
- *Solanum tenuissimum* Sendtn.
- *Solanum tepuiense* S.Knapp
- *Solanum tergosericeum* Ochoa
- *Solanum terminale* Forssk.
- *Solanum ternatum* Ruiz & Pav. (including *S. ternifolium*)
- *Solanum terraneum* Symon
- *Solanum tetramerum* Dunal
- *Solanum tetrandrum* R.Br.

- [*Solanum tetrathecum*](#) Mueller
- [*Solanum tetricum*](#) Dunal
- [*Solanum tettense*](#) Klotzsch
- [*Solanum thelopodium*](#) Sendtn.
- [*Solanum thomasiifolium*](#) Sendtn.
- [*Solanum tiinae*](#) Barboza & S.Knapp
- [*Solanum tobagense*](#) ([Sandwith](#)) Bohs
- [*Solanum toldense*](#) Mates. & Barboza
- [*Solanum toliaraea*](#) D'Arcy & Rakot.
- [*Solanum tomentosum*](#) L.
- [*Solanum torreanum*](#) [A.E.Gonç.](#)
- [*Solanum torricellense*](#) Bitter
- [*Solanum torvoideum*](#) Merrill & L.M.Perry
- [*Solanum torvum*](#) Sw. – turkey berry
- [*Solanum tovarii*](#) S.Knapp
- [*Solanum trachycarpum*](#) Bitter & Sodiro
- [*Solanum trachycyphum*](#) Bitter
- [*Solanum trachytrichium*](#) Bitter
- [*Solanum tribulosum*](#) Schauer
- [*Solanum trichopetiolatum*](#) D'Arcy & Rakot.
- [*Solanum trichostylum*](#) Merrill & L.M.Perry
- [*Solanum tricuspidatum*](#) Dunal
- T [*Solanum trifidum*](#) Correll
- [*Solanum triflorum*](#) Nutt. – cut-leaved nightshade
- [*Solanum trifolium*](#) Dunal
- [*Solanum trilobatum*](#) L.
- [*Solanum trinitense*](#) Ochoa
- [*Solanum trinominum*](#) J.R.Benn.
- [*Solanum tripartitum*](#) Dunal
- [*Solanum triplinervium*](#) C.V.Morton
- [*Solanum triquetrum*](#) Cav. – Texas nightshade
- [*Solanum trisectum*](#) Dunal
- [*Solanum triste*](#) Jacq. Enum.
- [*Solanum triunfense*](#) S. Knapp, 2015
- [*Solanum trizygum*](#) Bitter
- [*Solanum troyanum*](#) Urb.
- [*Solanum truncicola*](#) Bitter
- T [*Solanum tuberosum*](#) L. – [potato](#)
- [*Solanum tudununggae*](#) Symon
- [*Solanum tuerckheimii*](#) Greenm.
- [*Solanum tumulicola*](#) Symon
- [*Solanum tunariense*](#) Kuntze

- [*Solanum turgidum*](#) S.Knapp
- [*Solanum turneroides*](#) Chodat
- [*Solanum tweedianum*](#) Hook.

U

- [*Solanum uleanum*](#) Bitter
- [*Solanum ultimum*](#) A.R.Bean
- [*Solanum ultraspinosum*](#) A.R.Bean
- [*Solanum umalilaense*](#) Manoko, 2012
- [*Solanum umbellatum*](#) Mill.
- [*Solanum umbelliferum*](#) [Eschsch.](#) – bluewitch nightshade
- [*Solanum umbratile*](#) J.R.Johnst.
- [*Solanum umtuma*](#) Voronts. & S.Knapp
- [*Solanum uncinellum*](#) Lindl.
- [*Solanum unifoliatum*](#) S.Knapp
- [*Solanum unilobum*](#) (Rusby) Bohs
- [*Solanum unispinum*](#) A.R.Bean
- [*Solanum urens*](#) Dunal
- [*Solanum ursinum*](#) Rusby
- [*Solanum urticans*](#) Dunal
- [*Solanum urubambaense*](#) Agra
- [*Solanum usambarensense*](#) Bitter & Dammer
- [*Solanum usaramense*](#) Dammer

V



[*Solanum viarum*](#)

- [*Solanum vacciniiflorum*](#) Standl. & L.O.Williams
- [*Solanum vaccinioides*](#) Schltr.
- [*Solanum vagum*](#) Nees
- [*Solanum vaillantii*](#) Dunal
- [*Solanum valdiviense*](#) Dunal
- [*Solanum valerianum*](#) C.V.Morton & Standl.
- [*Solanum validinervium*](#) Benitez & S.Knapp

- [*Solanum vallis-mexici*](#) Juz. ex Bukasov
- [*Solanum vanheurckii*](#) Müll.Arg.
- [*Solanum vansittartense*](#) C.A.Gardner
- [*Solanum vanuatuense*](#) D.H.R.McClell.
- [*Solanum variabile*](#) Mart.
- [*Solanum velardei*](#) Ochoa
- [*Solanum velleum*](#) Thunb.
- [*Solanum vellozianum*](#) Dunal
- [*Solanum velutinum*](#) Dunal
- [*Solanum velutissimum*](#) Rusby
- [*Solanum venosum*](#) Dunal
- [*Solanum venturii*](#) Hawkes & Hjert.
- [*Solanum verecundum*](#) M.Nee
- **T** [*Solanum vernei*](#) Bitter & Wittm.
- **T** [*Solanum verrucosum*](#) Schltdl.
- [*Solanum versicolor*](#) A.R.Bean
- [*Solanum verticillatum*](#) S. Knapp & Stehmann, 2015
- [*Solanum vescum*](#) Mueller
- [*Solanum vespertilio*](#) Aiton
- [*Solanum vestissimum*](#) Dunal
- [*Solanum viarum*](#) Dunal
- [*Solanum vicinum*](#) A.R.Bean
- [*Solanum villosum*](#) Mill. – yellow nightshade
- [*Solanum violaceimarmoratum*](#) Bitter
- [*Solanum violaceum*](#) Ortega
- [*Solanum virginianum*](#) L.
- [*Solanum viride*](#) Spreng. – green nightshade
- [*Solanum viridifolium*](#) Dunal
- [*Solanum viscosissimum*](#) Sendtn.
- [*Solanum volubile*](#) Sw.

W

- [*Solanum wackettii*](#) Witasek
- [*Solanum wallacei*](#) (A.Gray) Parish – Wallace's nightshade, Catalina nightshade, Clokey's nightshade, "wild tomato"
- [*Solanum warmingii*](#) Hiern
- [*Solanum watneyi*](#) Martine & Frawley – Australian bush tomato, named after fictional character [Mark Watney](#) from "The Martian" [novel](#) and [film](#).[\[10\]](#)[\[11\]](#)
- [*Solanum weddellii*](#) Phil.
- [*Solanum wendlandii*](#) Hook.f.
- [*Solanum whalenii*](#) M.Nee
- [*Solanum wightii*](#) Nees

- [*Solanum wilkinsii*](#) S.Moore
- [*Solanum wittei*](#) Robyns
- [*Solanum wittmackii*](#) Bitter
- [*Solanum woodburyi*](#) Howard – Woodbury's nightshade
- [*Solanum woodii*](#) Särkinen & S. Knapp, 2016
- [*Solanum wrightii*](#) Benth.

X

- [*Solanum xanthophaeum*](#) Bitter

Y

- [*Solanum yanamonense*](#) S.Knapp
- [*Solanum youngii*](#) S.Knapp

Z

- [*Solanum zanzibarense*](#) Vatke.
- [*Solanum zoeae*](#) R.L.Barrett
- [*Solanum zuloagae*](#) Cabrera
- [*Solanum zumbense*](#) Bohs

Hybrid taxa (nothospecies)

- T [*Solanum* × *blanco-galdosii*](#) Ochoa.
- [*Solanum* × *procurrens*](#) A.C.Leslie
- [*Solanum* × *rechei*](#) Hawkes & Hjerting
- T [*Solanum* × *viirsooi*](#) K.A.Okada & A.M.Clausen

References

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Smilax*](#), the **greenbriers**, are accepted by [Plants of the World Online](#).^[1] Because members of *Smilax* have wide morphological variation and are [dioecious](#), it is a taxonomically difficult genus.^[2]

- [*Smilax aberrans*](#) Gagnep.
- [*Smilax aculeatissima*](#) Conran
- [*Smilax amamiana*](#) Z.S.Sun & P.Li
- [*Smilax amblyobasis*](#) K.Krause
- [*Smilax ampla*](#) Warb. ex K.Krause

- [*Smilax anceps*](#) Willd.
- [*Smilax anguina*](#) K.Krause
- [*Smilax annulata*](#) Warb. ex K.Krause
- [*Smilax aquifolium*](#) Ferrufino & Greuter
- [*Smilax arisanensis*](#) Hayata
- [*Smilax aristolochiifolia*](#) Mill.
- [*Smilax aspera*](#) L.
- [*Smilax aspericaulis*](#) Wall. ex A.DC.
- [*Smilax assumptionis*](#) A.DC.
- [*Smilax astrosperma*](#) F.T.Wang & Tang
- [*Smilax auriculata*](#) Walter
- [*Smilax australis*](#) R.Br.
- [*Smilax austrozhejiangensis*](#) Q.Lin
- [*Smilax azorica*](#) H.Schaef. & P.Schönfelder
- [*Smilax bapouensis*](#) H.Li
- [*Smilax basilata*](#) F.T.Wang & Tang
- [*Smilax bauhinioides*](#) Kunth
- [*Smilax bella*](#) J.F.Macbr.
- [*Smilax biflora*](#) Siebold ex Miq.
- [*Smilax biltmoreana*](#) (Small) J.B.Norton ex Pennell
- [*Smilax binchuanensis*](#) P.Li & C.X.Fu
- [*Smilax biumbellata*](#) T.Koyama
- [*Smilax blumei*](#) A.DC.
- [*Smilax bockii*](#) Warb.
- [*Smilax bona-nox*](#) L.
- [*Smilax borneensis*](#) A.DC.
- [*Smilax bracteata*](#) C.Presl
- [*Smilax brasiliensis*](#) Spreng.
- [*Smilax californica*](#) (A.DC.) A.Gray
- [*Smilax calophylla*](#) Wall. ex A.DC.
- [*Smilax cambodiana*](#) Gagnep.
- [*Smilax campestris*](#) Griseb.
- [*Smilax canariensis*](#) Willd.
- [*Smilax canellifolia*](#) Mill.
- [*Smilax celebica*](#) Blume
- [*Smilax chapaensis*](#) Gagnep.
- [*Smilax china*](#) L.
- [*Smilax chinensis*](#) (F.T.Wang) P.Li & C.X.Fu
- [*Smilax chingii*](#) F.T.Wang & Tang
- [*Smilax cinnamomea*](#) Desf. ex A.DC.
- [*Smilax cissoides*](#) M.Martens & Galeotti
- [*Smilax cocculoides*](#) Warb.

- [Smilax cognata](#) Kunth
- [Smilax compta](#) (Killip & C.V.Morton) Ferrufino
- [Smilax corbularia](#) Kunth
- [Smilax cordato-ovata](#) Rich.
- [Smilax cordifolia](#) Humb. & Bonpl. ex Willd.
- [Smilax coriacea](#) Spreng.
- [Smilax cristalensis](#) Ferrufino & Greuter
- [Smilax cuprea](#) Ferrufino & Greuter
- [Smilax cuspidata](#) Duhamel
- [Smilax darrisii](#) H.Lév.
- [Smilax davidiana](#) A.DC.
- [Smilax densibarbata](#) F.T.Wang & Tang
- [Smilax discotis](#) Warb.
- [Smilax domingensis](#) Willd.
- [Smilax ecirrhata](#) (Engelm. ex Kunth) S.Watson
- [Smilax elastica](#) Griseb.
- [Smilax elegans](#) Wall. ex Kunth
- [Smilax elegantissima](#) Gagnep.
- [Smilax elmeri](#) Merr.
- [Smilax elongatoumbellata](#) Hayata
- [Smilax emeiensis](#) J.M.Xu
- [Smilax erecta](#) Merr.
- [Smilax excelsa](#) L.
- [Smilax extensa](#) Wall. ex Hook.f.
- [Smilax ferox](#) Wall. ex Kunth
- [Smilax flavicaulis](#) Rusby
- [Smilax fluminensis](#) Steud.
- [Smilax fooningensis](#) F.T.Wang & Tang
- [Smilax fortunensis](#) Ferrufino & Gómez-Laur.
- [Smilax fui](#) Z.C.Qi & P.Li
- [Smilax gagnepainii](#) T.Koyama
- [Smilax gaudichaudiana](#) Kunth
- [Smilax gigantea](#) Merr.
- [Smilax gigantocarpa](#) Koord.
- [Smilax glabra](#) Roxb.
- [Smilax glauca](#) Walter
- [Smilax glaucochina](#) Warb.
- [Smilax glycyphylla](#) J.White
- [Smilax goyazana](#) A.DC.
- [Smilax gracilior](#) Ferrufino & Greuter
- [Smilax griffithii](#) A.DC.
- [Smilax guianensis](#) Vitman

- [*Smilax guiyangensis*](#) C.X.Fu & C.D.Shen
- [*Smilax havanensis*](#) Jacq.
- [*Smilax hayatae*](#) T.Koyama
- [*Smilax hemsleyana*](#) Craib
- [*Smilax herbacea*](#) L.
- [*Smilax hilariana*](#) A.DC.
- [*Smilax hirtellicaulis*](#) C.Y.Wu & C.Chen ex P.Li
- [*Smilax horridiramula*](#) Hayata
- [*Smilax hugeri*](#) (Small) J.B.Norton ex Pennell
- [*Smilax hypoglauca*](#) Benth.
- [*Smilax ilicifolia*](#) Desv.
- [*Smilax illinoensis*](#) Mangaly
- [*Smilax indosinica*](#) T.Koyama
- [*Smilax inversa*](#) T.Koyama
- [*Smilax irrorata*](#) Mart. ex Griseb.
- [*Smilax jamesii*](#) G.A.Wallace
- [*Smilax japicanga*](#) Griseb.
- [*Smilax javensis*](#) A.DC.
- [*Smilax kaniensis*](#) K.Krause
- [*Smilax keyensis*](#) Warb. ex K.Krause
- [*Smilax kingii*](#) Hook.f.
- [*Smilax klotzschii*](#) Kunth
- [*Smilax korthalsii*](#) A.DC.
- [*Smilax kwangsiensis*](#) F.T.Wang & Tang
- [*Smilax laevis*](#) Wall. ex A.DC.
- [*Smilax lanceifolia*](#) Roxb.
- [*Smilax lappacea*](#) Humb. & Bonpl. ex Willd.
- [*Smilax larvata*](#) Griseb.
- [*Smilax lasioneura*](#) Hook.
- [*Smilax laurifolia*](#) L.
- [*Smilax lebrunii*](#) H.Lév.
- [*Smilax leucophylla*](#) Blume
- [*Smilax ligneoriparia*](#) C.X.Fu & P.Li
- [*Smilax ligustrifolia*](#) A.DC.
- [*Smilax loheri*](#) Merr.
- [*Smilax longiflora*](#) (K.Y.Guan & Noltie) P.Li & C.X.Fu
- [*Smilax longifolia*](#) Rich.
- [*Smilax lucida*](#) Merr.
- [*Smilax luei*](#) T.Koyama
- [*Smilax lunlingensis*](#) F.T.Wang & Tang
- [*Smilax lushuiensis*](#) S.C.Chen
- [*Smilax lutescens*](#) Vell.

- [*Smilax luzonensis*](#) C.Presl
- [*Smilax macrocarpa*](#) Blume
- [*Smilax magnifolia*](#) J.F.Macbr.
- [*Smilax mairei*](#) H.Lév.
- [*Smilax malipoensis*](#) S.C.Chen
- [*Smilax maritima*](#) Feay ex Alph.Wood
- [*Smilax maypurensis*](#) Humb. & Bonpl. ex Willd.
- [*Smilax megacarpa*](#) A.DC.
- [*Smilax megalantha*](#) C.H.Wright
- [*Smilax melanocarpa*](#) Ridl.
- [*Smilax melastomifolia*](#) Sm.
- [*Smilax menispermoidea*](#) A.DC.
- [*Smilax micrandra*](#) (T.Koyama) P.Li & C.X.Fu
- [*Smilax micrantha*](#) Blume
- [*Smilax microdontus*](#) Z.S.Sun & C.X.Fu
- [*Smilax microphylla*](#) C.H.Wright
- [*Smilax minarum*](#) A.DC.
- [*Smilax minutiflora*](#) A.DC.
- [*Smilax modesta*](#) A.DC.
- [*Smilax mollis*](#) Humb. & Bonpl. ex Willd.
- [*Smilax moranensis*](#) M.Martens & Galeotti
- [*Smilax munita*](#) S.C.Chen
- [*Smilax muscosa*](#) Toledo
- [*Smilax myosotiflora*](#) A.DC.
- [*Smilax myrtillos*](#) A.DC.
- [*Smilax nageliana*](#) A.DC.
- [*Smilax nana*](#) F.T.Wang
- [*Smilax nantoensis*](#) T.Koyama
- [*Smilax neocaledonica*](#) Schltr.
- [*Smilax neocyclophylla*](#) I.M.Turner
- [*Smilax nervomarginata*](#) Hayata
- [*Smilax nigrescens*](#) F.T.Wang & Tang
- [*Smilax nipponica*](#) Miq.
- [*Smilax nova-guineensis*](#) T.Koyama
- [*Smilax obliquata*](#) Duhamel
- [*Smilax oblongata*](#) Sw.
- [*Smilax oblongifolia*](#) Pohl ex Griseb.
- [*Smilax ocreata*](#) A.DC.
- [*Smilax odoratissima*](#) Blume
- [*Smilax officinalis*](#) Kunth
- [*Smilax orbiculata*](#) Labill.
- [*Smilax ornata*](#) Lem.

- [*Smilax orthoptera*](#) A.DC.
- [*Smilax outanscianensis*](#) Pamp.
- [*Smilax ovalifolia*](#) Roxb. ex D.Don
- [*Smilax ovatolanceolata*](#) T.Koyama
- [*Smilax pachysandroides*](#) T.Koyama
- [*Smilax paniculata*](#) (Gagnep.) P.Li & C.X.Fu
- [*Smilax papuana*](#) Lauterb.
- [*Smilax perfoliata*](#) Lour.
- [*Smilax pertenuis*](#) T.Koyama
- [*Smilax petelotii*](#) T.Koyama
- [*Smilax pilcomayensis*](#) Guagl. & Gattuso
- [*Smilax pilosa*](#) Andreatta & Leoni
- [*Smilax pinfaensis*](#) H.Lév. & Vaniot
- [*Smilax plurifurcata*](#) A.DC.
- [*Smilax poilanei*](#) Gagnep.
- [*Smilax polyacantha*](#) Wall. ex Kunth
- [*Smilax polyandra*](#) (Gagnep.) P.Li & C.X.Fu
- [*Smilax polyantha*](#) Griseb.
- [*Smilax polycolea*](#) Warb.
- [*Smilax populnea*](#) Kunth
- [*Smilax pottingeri*](#) Prain
- [*Smilax prolifera*](#) Roxb.
- [*Smilax pseudochina*](#) L.
- [*Smilax pulverulenta*](#) Michx.
- [*Smilax pumila*](#) Walter
- [*Smilax purhampuy*](#) Ruiz
- [*Smilax purpurata*](#) G.Forst.
- [*Smilax pygmaea*](#) Merr.
- [*Smilax quadrata*](#) A.DC.
- [*Smilax quadrumbellata*](#) T.Koyama
- [*Smilax quinquenervia*](#) Vell.
- [*Smilax remotinervis*](#) Hand.-Mazz.
- [*Smilax retroflexa*](#) (F.T.Wang & Tang) S.C.Chen
- [*Smilax riparia*](#) A.DC.
- [*Smilax rotundifolia*](#) L.
- [*Smilax roxburghiana*](#) Wall. ex A.DC.
- [*Smilax rubromarginata*](#) K.Krause
- [*Smilax rufescens*](#) Griseb.
- [*Smilax sailenii*](#) Sarma, Baruah & Borthakur
- [*Smilax salicifolia*](#) Griseb.
- [*Smilax sanguinea*](#) Posada-Ar.
- [*Smilax santaremensis*](#) A.DC.

- [*Smilax saulensis*](#) J.D.Mitch.
- [*Smilax schomburgkiana*](#) Kunth
- [*Smilax scobinicaulis*](#) C.H.Wright
- [*Smilax sebeana*](#) Miq.
- [*Smilax seisuiensis*](#) (Hayata) P.Li & C.X.Fu
- [*Smilax septemnervia*](#) (F.T.Wang & Tang) P.Li & C.X.Fu
- [*Smilax setiramula*](#) F.T.Wang & Tang
- [*Smilax setosa*](#) Miq.
- [*Smilax sieboldii*](#) Miq.
- [*Smilax silverstonei*](#) Botina
- [*Smilax sinclairii*](#) T.Koyama
- [*Smilax siphilitica*](#) Humb. & Bonpl. ex Willd.
- [*Smilax solanifolia*](#) A.DC.
- [*Smilax spicata*](#) Vell.
- [*Smilax spinosa*](#) Mill.
- [*Smilax spissa*](#) Killip & C.V.Morton
- [*Smilax spruceana*](#) A.DC.
- [*Smilax stans*](#) Maxim.
- [*Smilax stenophylla*](#) A.DC.
- [*Smilax subinermis*](#) C.Presl
- [*Smilax subpubescens*](#) A.DC.
- [*Smilax subsessiliflora*](#) Duhamel
- [*Smilax sumatrensis*](#) (A.DC.) P.Li & C.X.Fu
- [*Smilax synandra*](#) Gagnep.
- [*Smilax talbotiana*](#) A.DC.
- [*Smilax tamnoides*](#) L.
- [*Smilax tetraptera*](#) Schltr.
- [*Smilax timorensis*](#) A.DC.
- [*Smilax tomentosa*](#) Kunth
- [*Smilax trachypoda*](#) J.B.Norton
- [*Smilax trinervula*](#) Miq.
- [*Smilax tsinchengshanensis*](#) F.T.Wang
- [*Smilax tuberculata*](#) C.Presl
- [*Smilax turbans*](#) F.T.Wang & Tang
- [*Smilax utilis*](#) C.H.Wright
- [*Smilax vaginata*](#) Decne.
- [*Smilax vanchingshanensis*](#) (F.T.Wang & Tang) F.T.Wang & Tang
- [*Smilax velutina*](#) Killip & C.V.Morton
- [*Smilax verrucosa*](#) Griseb.
- [*Smilax verticalis*](#) Gagnep.
- [*Smilax vitiensis*](#) (Seem.) A.DC.
- [*Smilax wallichii*](#) Kunth

- [*Smilax walteri*](#) Pursh
- [*Smilax wightii*](#) A.DC.
- [*Smilax williamsii*](#) Merr.
- [*Smilax yunnanensis*](#) S.C.Chen
- [*Smilax zeylanica*](#) L.

References

From Wikipedia, the free encyclopedia

Approximately 211 species are currently accepted within the genus [*Sisyrinchium*](#).^{[1][2]} Botanists have divided the genus using several schemes in the past, but the current division into 10 sections proposed by Inacio et al in 2017 is rooted in phylogenetic analysis and mapped to consistent morphological characters.

Accepted species^[3]



[*Sisyrinchium vaginatum*](#)

- [*Sisyrinchium abietum*](#) McVaugh
- [*Sisyrinchium acre*](#) H.Mann
- [*Sisyrinchium albidum*](#) Raf. – white blue-eyed grass
- [*Sisyrinchium albilapidense*](#) Ravenna
- [*Sisyrinchium anadenicum*](#) Ravenna
- [*Sisyrinchium andinopatagonicum*](#) Ravenna
- [*Sisyrinchium angustifolium*](#) Mill – narrow-leaf blue-eyed-grass
- [*Sisyrinchium angustissimum*](#) (B.L.Rob. & Greenman) Greenman & C.Thompson

- [*Sisyrinchium annuum*](#) Ravenna
- [*Sisyrinchium antucense*](#) Ravenna
- [*Sisyrinchium aquidaunicum*](#) Ravenna
- [*Sisyrinchium arenarium*](#) Poeppig – yellow-eyed grass
- [*Sisyrinchium arguellesiae*](#) Ceja, Espejo & López-Ferr.
- [*Sisyrinchium arizonicum*](#) Rothrock – Arizona blue-eyed grass
- [*Sisyrinchium arrayanicum*](#) Ravenna
- [*Sisyrinchium atlanticum*](#) Bickn. – eastern blue-eyed grass
- [*Sisyrinchium avenaceum*](#) Klatt
- [*Sisyrinchium azureum*](#) Philippi
- [*Sisyrinchium balansae*](#) Baker
- [*Sisyrinchium bellum*](#) S.Watson – western blue-eyed grass
- [*Sisyrinchium bermudiana*](#) – blue-eyed grass
- [*Sisyrinchium biflorum*](#) Griseb.
- [*Sisyrinchium biforme*](#) Bickn. – wiry blue-eyed grass
- [*Sisyrinchium binervatum*](#) Ravenna
- [*Sisyrinchium brasiliense*](#) (Ravenna) Ravenna
- [*Sisyrinchium breviarmium*](#) Ravenna
- [*Sisyrinchium brevipes*](#) Baker
- [*Sisyrinchium bromelioides*](#) R.C.Foster
- [*Sisyrinchium caespitificum*](#) Kraenzl.
- [*Sisyrinchium caeteantum*](#) Ravenna
- [*Sisyrinchium calathinum*](#) Ravenna
- [*Sisyrinchium californicum*](#) (Ker-Gawl.) Dryand. – golden blue-eyed grass, yellow-eyed-grass
- [*Sisyrinchium campestre*](#) Bickn. – prairie blue-eyed grass
- [*Sisyrinchium capillare*](#) Bickn.
- [*Sisyrinchium cernuum*](#) (Bickn.) Kearney – nodding blue-eyed grass
- [*Sisyrinchium chaguaranicum*](#) Ravenna
- [*Sisyrinchium chapelcoense*](#) Ravenna
- [*Sisyrinchium chilense*](#) Hook – swordleaf blue-eyed grass
- [*Sisyrinchium chiricanum*](#) Woodson
- [*Sisyrinchium cholewae*](#) Espejo, López-Ferr. & Ceja
- [*Sisyrinchium claritae*](#) Herter
- [*Sisyrinchium coalitum*](#) Ravenna
- [*Sisyrinchium commutatum*](#) Klatt
- [*Sisyrinchium convallium*](#) Ravenna
- [*Sisyrinchium convolutum*](#) Nocca
- [*Sisyrinchium konzattii*](#) Calderón & Rzed.
- [*Sisyrinchium coulterianum*](#) Klatt ex Baker
- [*Sisyrinchium cuspidatum*](#) Poeppig
- [*Sisyrinchium cylindrocarpium*](#) Herter
- [*Sisyrinchium cyperellum*](#) Ravenna

- [*Sisyrinchium dasyspathum*](#) (Ravenna) Ravenna
- [*Sisyrinchium decumbens*](#) Ravenna
- [*Sisyrinchium deflexum*](#) R.C.Foster
- [*Sisyrinchium demissum*](#) Greene — stiff blue-eyed grass
- [*Sisyrinchium densiflorum*](#) Ravenna
- [*Sisyrinchium deseadense*](#) Ravenna
- [*Sisyrinchium dichotomum*](#) Bickn. — wishbone blue-eyed grass
- [*Sisyrinchium elegantulum*](#) Ravenna
- [*Sisyrinchium elmeri*](#) Greene
- [*Sisyrinchium ensigerum*](#) E.P.Bicknell
- [*Sisyrinchium eserrulatum*](#) I.M.Johnst.
- [*Sisyrinchium exalatum*](#) B.L.Rob. & Greenman
- [*Sisyrinchium exilifolium*](#) Ravenna
- [*Sisyrinchium fasciculatum*](#) Klatt
- [*Sisyrinchium fiebrigii*](#) I.M.Johnst.
- [*Sisyrinchium firmifolium*](#) Ravenna
- [*Sisyrinchium foliosum*](#) I.M.Johnst
- [*Sisyrinchium funereum*](#) Bickn. — Funeral Mountain blue-eyed grass
- [*Sisyrinchium fuscum*](#) Bickn. — coastal plain blue-eyed grass
- [*Sisyrinchium galapagense*](#) Ravenna
- [*Sisyrinchium glaziovii*](#) Baker
- [*Sisyrinchium graminifolium*](#) Lindley
- [*Sisyrinchium gratissimum*](#) Ravenna
- [*Sisyrinchium groenlandicum*](#) Böcher
- [*Sisyrinchium guanajuatense*](#) Ceja, Espejo & López-Ferr
- [*Sisyrinchium halophilum*](#) Greene — Nevada blue-eyed grass
- [*Sisyrinchium hasslerianum*](#) Baker
- [*Sisyrinchium hintoniorum*](#) G.L.Nesom
- [*Sisyrinchium hirsutum*](#) Baker
- [*Sisyrinchium hitchcockii*](#) D.Henderson — Hitchcock's blue-eyed grass
- [*Sisyrinchium hoehnei*](#) I.M.Johnst.
- [*Sisyrinchium humidum*](#) Ravenna
- [*Sisyrinchium hypsophilum*](#) I.M.Johnst. ex R.C.Foster
- [*Sisyrinchium idahoense*](#) Bickn. — Idaho blue-eyed grass
- [*Sisyrinchium igatimiense*](#) Ravenna
- [*Sisyrinchium inclinatum*](#) Ravenna
- [*Sisyrinchium intihuatense*](#) (Vargas) Ravenna
- [*Sisyrinchium itabiritense*](#) Ravenna
- [*Sisyrinchium ivanii*](#) R.C.Foster
- [*Sisyrinchium jamesonii*](#) Baker
- [*Sisyrinchium johnstonii*](#) Standl.
- [*Sisyrinchium laetum*](#) (Ravenna) J.M.Watson & A.R.Flores

- [*Sisyrinchium laevigatum*](#) Ravenna
- [*Sisyrinchium langloisii*](#) Greene
- [*Sisyrinchium laterale*](#) Baker
- [*Sisyrinchium latiusculum*](#) Ravenna
- [*Sisyrinchium laxum*](#) Otto – veined yellow-eyed-grass
- [*Sisyrinchium limarinum*](#) Ravenna
- [*Sisyrinchium littorale*](#) Greene – Alaska blue-eyed grass
- [*Sisyrinchium longipes*](#) (Bickn.) Kearney & Peebles – timberland blue-eyed grass
- [*Sisyrinchium longispathum*](#) Conz.
- [*Sisyrinchium luzula*](#) Klotzsch ex Klatt
- [*Sisyrinchium macranthum*](#) Griseb.
- [*Sisyrinchium macrocarpum*](#) Hieron.
- [*Sisyrinchium macrophyllum*](#) Greenman
- [*Sisyrinchium magnicapsulare*](#) J.M. Watson
- [*Sisyrinchium maipoanum*](#) Ravenna
- [*Sisyrinchium mandonii*](#) Baker
- [*Sisyrinchium marchioides*](#) Ravenna
- [*Sisyrinchium martense*](#) Ravenna
- [*Sisyrinchium megapotaemicum*](#) Malme
- [*Sisyrinchium miamiense*](#) Bickn. – Miami blue-eyed grass
- [*Sisyrinchium micranthum*](#) Cav. – annual blue-eyed grass, blue pigroot, fairy stars, and striped rush-leaf
- [*Sisyrinchium microbracteatum*](#) G.L.Nesom
- [*Sisyrinchium minus*](#) Engelm. & A.Gray – dwarf blue-eyed grass
- [*Sisyrinchium minutiflorum*](#) Klatt
- [*Sisyrinchium montanum*](#) Greene – strict blue-eyed grass, American blue-eyed grass
- [*Sisyrinchium mucronatum*](#) Michx. – needletip blue-eyed grass
- [*Sisyrinchium nanum*](#) Phil.
- [*Sisyrinchium nashii*](#) Bickn. – Nash's blue-eyed grass
- [*Sisyrinchium nembyense*](#) Ravenna
- [*Sisyrinchium nidulare*](#) (Hand.-Mazz.) I.M. Johnst.
- [*Sisyrinchium nigricans*](#) Gay
- [*Sisyrinchium novoleonense*](#) G.L.Nesom & L.Hern.
- [*Sisyrinchium obconicum*](#) Ravenna
- [*Sisyrinchium orbiculatum*](#) Ravenna
- [*Sisyrinchium ostenianum*](#) Beauverd
- [*Sisyrinchium oxyspathum*](#) Ravenna
- [*Sisyrinchium pachyrhizum*](#) Baker
- [*Sisyrinchium pallidum*](#) Cholewa & D.Henderson – pale blue-eyed grass
- [*Sisyrinchium palmifolium*](#) L.
- [*Sisyrinchium palustre*](#) Diels
- [*Sisyrinchium papillosum*](#) R.C.Foster

- [*Sisyrinchium paramorum*](#) Ravenna
- [*Sisyrinchium parvifolium*](#) Baker
- [*Sisyrinchium patagonicum*](#) Phil. ex Baker
- [*Sisyrinchium paucispathum*](#) Ravenna
- [*Sisyrinchium pearcei*](#) Phil.
- [*Sisyrinchium pendulum*](#) Ravenna
- [*Sisyrinchium piliferum*](#) Klatt
- [*Sisyrinchium planicola*](#) Ceja & Cholewa
- [*Sisyrinchium platense*](#) I.M.Johnst
- [*Sisyrinchium platycaule*](#) Baker
- [*Sisyrinchium platyphyllum*](#) S. Wats.
- [*Sisyrinchium plicatulum*](#) Ravenna
- [*Sisyrinchium praealtum*](#) Kranzl.
- [*Sisyrinchium pringlei*](#) B.L.Rob. & Greenman
- [*Sisyrinchium pruinosum*](#) – spotted blue-eyed grass
- [*Sisyrinchium purpurellum*](#) Ravenna
- [*Sisyrinchium pusillum*](#) Kunth
- [*Sisyrinchium quadrangulatum*](#) Klatt
- [*Sisyrinchium radiculatum*](#) Bickn. – bigroot blue-eyed grass
- [*Sisyrinchium rambonis*](#) R.C.Foster
- [*Sisyrinchium rectilineum*](#) Ravenna
- [*Sisyrinchium rectivalvatum*](#) Ravenna
- [*Sisyrinchium reitzii*](#) R.C.Foster
- [*Sisyrinchium restioides*](#) Spreng.
- [*Sisyrinchium rigidifolium*](#) Baker
- [*Sisyrinchium rosengurtii*](#) I.M.Johnst.
- [*Sisyrinchium sagittiferum*](#) Bickn. – spearbract blue-eyed grass
- [*Sisyrinchium sarmentosum*](#) Suksdorf ex Greene – mountain blue-eyed grass
- [*Sisyrinchium scabrum*](#) Schltld. & Cham.
- [*Sisyrinchium scalarium*](#) Ravenna
- [*Sisyrinchium scariosum*](#) I.M.Johnst
- [*Sisyrinchium schaffneri*](#) S.Wats.
- [*Sisyrinchium schottii*](#) Herter
- [*Sisyrinchium sellowianum*](#) Klatt
- [*Sisyrinchium septentrionale*](#) Bickn. – northern blue-eyed grass
- [*Sisyrinchium serrulatum*](#) (E.P.Bicknell) Espejo & López-Ferr.
- [*Sisyrinchium setaceum*](#) Klatt
- [*Sisyrinchium sinuosum*](#) Ravenna
- [*Sisyrinchium soboliferum*](#) Ravenna
- [*Sisyrinchium somuncurensense*](#) Ravenna
- [*Sisyrinchium striatum*](#) Sm. – pale yellow-eyed-grass or satin flower
- [*Sisyrinchium subalpinum*](#) Henrich & Goldblatt

- [*Sisyrinchium subcernuum*](#) (E.Bickn.) Henrich & Goldblatt
- [*Sisyrinchium subnudum*](#) I.M.Johnst.
- [*Sisyrinchium subtile*](#) Ravenna
- [*Sisyrinchium tafiense*](#) Ravenna
- [*Sisyrinchium teleanthum*](#) Ravenna
- [*Sisyrinchium tenuifolium*](#) Humb. & Bonpl. ex Willd.
- [*Sisyrinchium tinctorium*](#) Kunth
- [*Sisyrinchium tofoense*](#) Ravenna
- [*Sisyrinchium tolucense*](#) Peyr.
- [*Sisyrinchium translucens*](#) (E.P.Bicknell) Espejo & López-Ferr.
- [*Sisyrinchium trichanthum*](#) Dusén
- [*Sisyrinchium tucumanum*](#) Ravenna
- [*Sisyrinchium uliginosum*](#) Ravenna
- [*Sisyrinchium unguiculatum*](#) Griseb.
- [*Sisyrinchium unispathaceum*](#) Klatt
- [*Sisyrinchium vaginatum*](#) Spreng.
- [*Sisyrinchium valparadiseum*](#) Ravenna
- [*Sisyrinchium venezolense*](#) Ravenna
- [*Sisyrinchium vestitum*](#) Ravenna
- [*Sisyrinchium weirii*](#) Baker
- [*Sisyrinchium wettsteinii*](#) Handel-Mazzetti
- [*Sisyrinchium xerophyllum*](#) Greene — jeweled blue-eyed grass
- [*Sisyrinchium zamudioi*](#) Espejo, López-Ferr. & Ceja[4]

Formerly placed here

- [*Calydorea speciosa*](#) (Hook.) Herb. (as *S. speciosum* Hook.)
- [*Eleutherine bulbosa*](#) (Mill.) Urb. (as *S. bulbosum* Mill.)
- [*Libertia ixioides*](#) (G.Forst.) Spreng. (as *S. ixioides* G.Forst.)
- [*Solenomelus pedunculatus*](#) (Gillies) Hochr. (as *S. pedunculatum* Gillies ex Hook.)[5]
- [*Olsynium junceum*](#)

From Wikipedia, the free encyclopedia

The following species in the genus [*Silene*](#) are recognised by [Plants of the World Online](#):[1]



Silene chalcidica



Silene colorata

Silene dioica



Silene flos-cuculi (ragged robin)



Silene flos-jovis



Silene



gallica var. quinquevulnera

Silene sieboldii



Silene virginica

- Silene abietum Font Quer & Maire[2]
- Silene acaulis (L.) Jacq. – moss campion
- Silene acutidentata Bondarenko & Vved.
- Silene acutifolia Link ex Rohrb.
- Silene adelphiae Runemark
- Silene adenocalyx F.N.Williams
- Silene adenopetala Raikova
- Silene adenophora (Schischk.) Czerep.
- Silene aegaea Oxelman
- Silene aegyptiaca (L.) L.f.

- [*Silene aellenii*](#) Sennen
- [*Silene aeoniopsis*](#) Bornm.
- [*Silene aethiopica*](#) Burm.f.
- [*Silene affghanica*](#) Rohrb.
- [*Silene ajanensis*](#) (Regel & Tiling) Vorosch.
- [*Silene akaisialpina*](#) (T.Yamaz.) H.Ohashi, Tateishi & H.Nakai
- [*Silene akinfijewii*](#) Schmalh.
- [*Silene akiyamae*](#) Rajbh. & Mits.Suzuki
- [*Silene akmaniana*](#) Ekim & Çelik
- [*Silene alaschanica*](#) (Maxim.) Bocquet
- [*Silene albescens*](#) Boiss.
- [*Silene alexandri*](#) Hillebr. – Kamalo Gulch catchfly
- [*Silene alexandrina*](#) (Asch.) Danin
- [*Silene alexeji*](#) Kolak.
- [*Silene almolae*](#) J.Gay
- [*Silene alpestris*](#) Willd. ex Nyman - alpine catch-fly
- [*Silene alpicola*](#) Schischk.
- [*Silene altaica*](#) Pers.
- [*Silene ammophila*](#) Boiss. & Heldr.
- [*Silene amoena*](#) L.
- [*Silene ampullata*](#) Boiss.
- [*Silene anatolica*](#) Melzh. & A.Baytop
- [*Silene andarabica*](#) Podlech
- [*Silene andicola*](#) Gillies ex Hook. & Arn.
- [*Silene andryalifolia*](#) Pomel
- [*Silene antarctica*](#) (Kuntze) Pedersen
- [*Silene antirrhina*](#) L. – sleepy catchfly
- [*Silene antri-jovis*](#) Greuter & Burdet
- [*Silene aomorensis*](#) M.Mizush.
- [*Silene aperta*](#) Greene – naked catchfly
- [*Silene apetala*](#) Willd.
- [*Silene aprica*](#) Turcz. ex Fisch. & C.A.Mey.
- [*Silene arabica*](#) Boiss.
- [*Silene araratica*](#) Schischk.
- [*Silene arenarioides*](#) Desf.
- [*Silene arenosa*](#) K.Koch
- [*Silene argaea*](#) Fisch. & C.A.Mey.
- [*Silene argentea*](#) Ledeb.
- [*Silene argentina*](#) (Pax) Bocquet
- [*Silene argentinensis*](#) Hauman
- [*Silene arghireica*](#) Vals.
- [*Silene argillosa*](#) Munby

- [*Silene arguta*](#) Fenzl
- [*Silene aristidis*](#) Pomel
- [*Silene armeria*](#) Boiss. – Sweet William catchfly
- [*Silene arsuensis*](#) Özbek & Uzunh.
- [*Silene articulata*](#) Viv.
- [*Silene asclepiadea*](#) Franch.
- [*Silene asirensis*](#) D.F.Chamb. & Collen.
- [*Silene assyriaca*](#) Hausskn. & Bornm. ex Lazkov
- [*Silene astartes*](#) Blanche ex Boiss.
- [*Silene astrachanicum*](#) (Pacz.) Takht.
- [*Silene atlantica*](#) Coss. & Durieu
- [*Silene atocioides*](#) Boiss.
- [*Silene atrocastanea*](#) Diels
- [*Silene atsaensis*](#) (C.Marquand) Bocquet
- [*Silene aucheriana*](#) Boiss.
- [*Silene auriculata*](#) Sm.
- [*Silene auriculifolia*](#) Pomel
- [*Silene austroiranica*](#) Rech.f., Aellen & Esfand.
- [*Silene avromana*](#) Boiss. & Hausskn.
- [*Silene ayachica*](#) Humbert
- [*Silene aydosensis*](#) K.Yildiz & Erik
- [*Silene azurensis*](#) Coode & Cullen
- [*Silene baccifera*](#) (L.) Durande
- [*Silene badachschanica*](#) Ovcz.
- [*Silene badaroi*](#) Breistr.
- [*Silene balansae*](#) Boiss.
- [*Silene baldshuanica*](#) B.Fedtsch.
- [*Silene bamianica*](#) Gilli
- [*Silene banksia*](#) (Meerb.) Mabb.
- [*Silene baranovii*](#) Ovcz. & Kurbanb.
- [*Silene barbara*](#) Humbert & Maire
- [*Silene barbeyana*](#) Heldr. ex Boiss.
- [*Silene barrattei*](#) Murb.
- [*Silene baschkirorum*](#) Janisch.
- [*Silene batangensis*](#) H.Limpr.
- [*Silene bayburtensis*](#) Hamzaoglu & Aksoy
- [*Silene bazardzica*](#) Tourková
- [*Silene beguinotii*](#) Vals.
- [*Silene behboudiana*](#) Rech.f. & Esfand.
- [*Silene behen*](#) L.
- [*Silene bellidifolia*](#) Juss. ex Jacq.
- [*Silene bernardina*](#) S.Watson – Palmer's catchfly

- [*Silene bersieri*](#) Bocquet
- [*Silene berthelotiana*](#) Webb ex Christ
- [*Silene betpakdalensis*](#) Bajtenov
- [*Silene biafrae*](#) Hook.f.
- [*Silene biappendiculata*](#) Ehrh. ex Rohrb.
- [*Silene bilgiii*](#) E.Dogan & H.Duman
- [*Silene bilingualis*](#) W.W.Sm.
- [*Silene birandiana*](#) Ekim
- [*Silene birgittae*](#) Bocquet
- [*Silene bitlisensis*](#) Tugay & Ertugrul
- [*Silene blepharicalyx*](#) Lidén[3]
- [*Silene bobrovii*](#) Schischk.
- [*Silene bolanthoides*](#) Quézel, Contandr. & Pamukç.
- [*Silene borderei*](#) Jord.
- [*Silene boryi*](#) Boiss.
- [*Silene borysthenea*](#) (Gruner) Walters
- [*Silene bourgaei*](#) Webb ex Christ
- [*Silene boyd-klineana*](#) Halda, P.Gustafson & Vostrák
- [*Silene brahuica*](#) Boiss.
- [*Silene breviauriculata*](#) Ghaz.
- [*Silene brevicalyx*](#) Hartvig & Å.Strid
- [*Silene brevicaulis*](#) Boiss.
- [*Silene brevistaminea*](#) Gilli
- [*Silene bridgesii*](#) Rohrb. – Bridges' catchfly
- [*Silene bucharica*](#) Popov
- [*Silene bungei*](#) Bocquet
- [*Silene bupleuroides*](#) L.
- [*Silene burchellii*](#) Oth
- [*Silene burmanica*](#) Collett & Hemsl.
- [*Silene cabulica*](#) Bornm.
- [*Silene caesarea*](#) Boiss. & Balansa
- [*Silene caesia*](#) Sm.
- [*Silene caespitella*](#) F.N.Williams
- [*Silene calabra*](#) Brullo, Scelsi & Spamp.
- [*Silene caliacrae*](#) Jordanov & Panov
- [*Silene cambessedesii*](#) Boiss. & Reut.
- [*Silene campanula*](#) Pers.
- [*Silene campanulata*](#) S.Watson – Red Mountain catchfly
- [*Silene canariensis*](#) Spreng.
- [*Silene cancellata*](#) (Jacquem. ex Edgew. & Hook.f.) Majumdar
- [*Silene capillipes*](#) Boiss. & Heldr.
- [*Silene capitata*](#) Kom.

- [*Silene capitellata*](#) Boiss.
- [*Silene cappadocica*](#) Boiss. & Heldr.
- [*Silene caramanica*](#) Boiss. & Heldr.
- [*Silene cardiopetala*](#) Franch.
- [*Silene cariensis*](#) Boiss.
- [*Silene caroli-henrici*](#) Melzh.
- [*Silene caroliniana*](#) Walter – wild pink
- [*Silene cartilaginea*](#) Hub.-Mor.
- [*Silene caryophylloides*](#) (Poir.) Otth
- [*Silene cashmeriana*](#) (Royle ex Benth.) Majumdar
- [*Silene catholica*](#) (L.) W.T.Aiton
- [*Silene cattariniana*](#) Ferrarini & Cecchi
- [*Silene caucasica*](#) (Bunge) Boiss.
- [*Silene caudata*](#) Ovcz.
- [*Silene cephalantha*](#) Boiss.
- [*Silene cephallenia*](#) Heldr.
- [*Silene chaetodonta*](#) Boiss.
- [*Silene chaetodontoidea*](#) Parsa
- [*Silene chalcedonica*](#) (L.) E.H.L.Krause – flower of Bristol, Maltese cross, meadow campion
- [*Silene chamarensis*](#) Turcz.
- [*Silene chersonensis*](#) (Zapal.) Kleopow
- [*Silene chihuahuensis*](#) Standl.
- [*Silene chilensis*](#) (Naudin) Bocquet
- [*Silene chirensis*](#) A.Rich.
- [*Silene chlorantha*](#) (Willd.) Ehrh.
- [*Silene chlorifolia*](#) Sm.
- [*Silene chodatii*](#) Bocquet
- [*Silene choruhensis*](#) Hamzaoglu
- [*Silene choulettii*](#) Coss.
- [*Silene chubutensis*](#) (Speg.) Bocquet
- [*Silene chungtienensis*](#) W.W.Sm.
- [*Silene chustupica*](#) Nersesian
- [*Silene ciliata*](#) Pourr.
- [*Silene cinerea*](#) Desf.
- [*Silene cintrana*](#) Rothm.
- [*Silene circumcarmanica*](#) F.Jafari, Gholipour, Mirtadz. & Pourmirzaei
- [*Silene cirpicii*](#) K.Yildiz & Dadandi
- [*Silene cirtensis*](#) Pomel
- [*Silene citrina*](#) Boiss.
- [*Silene claryi*](#) Batt.
- [*Silene claviformis*](#) Litv.
- [*Silene cobalticola*](#) P.A.Duvign. & Plancke

- [*Silene cognata*](#) (Maxim.) H.Ohashi & H.Nakai
- [*Silene colorata*](#) Poir.
- [*Silene colpophylla*](#) Wrigley
- [*Silene commelinifolia*](#) Boiss.
- [*Silene confertiflora*](#) Chowdhuri
- [*Silene congesta*](#) Sm.
- [*Silene conglomeratica*](#) Melzh.
- [*Silene conica*](#) L. – sand catchfly
- [*Silene coniflora*](#) Nees ex Otth
- [*Silene conoidea*](#) L. – weed silene
- [*Silene cordifolia*](#) All.
- [*Silene coronaria*](#) (L.) Clairv. – rose campion
- [*Silene corrugata*](#) Ball
- [*Silene corylina*](#) D.F.Chamb. & Collen.
- [*Silene coutinhoi*](#) Rothm. & P.Silva
- [*Silene crassifolia*](#) L.
- [*Silene crassipes*](#) Fenzl
- [*Silene crassiuscula*](#) Brullo, C.Brullo, Cambria, Bacch., Giusso & Ilardi
- [*Silene cretacea*](#) Fisch. ex Spreng.
- [*Silene cretica*](#) L.
- [*Silene crispans*](#) Litv.
- [*Silene crispata*](#) Steven
- [*Silene cryptoneura*](#) Stapf
- [*Silene cryptopetala*](#) Hillebr.
- [*Silene csereii*](#) Baumg.
- [*Silene cuatrecasasii*](#) Pau & Font Quer
- [*Silene cuspidata*](#) Pedersen
- [*Silene cyrenaica*](#) Maire & Weiller
- [*Silene cyri*](#) Schischk.
- [*Silene cythnia*](#) (Halácsy) Walters
- [*Silene czopandagensis*](#) Bondarenko
- [*Silene daenensis*](#) Melzh.
- [*Silene dagestanica*](#) Rupr.
- [*Silene damascena*](#) Boiss. & Gaill.
- [*Silene damboldtiana*](#) Greuter & Melzh.
- [*Silene danaensis*](#) Danin
- [*Silene danielii*](#) Hadac
- [*Silene davidii*](#) (Franch.) Oxelman & Lidén
- [*Silene davidlongii*](#) Rajbh. & Mits.Suzuki
- [*Silene dawoensis*](#) H.Limpr.
- [*Silene degeneri*](#) Sherff
- [*Silene delavayi*](#) Franch.

- [*Silene delicatula*](#) Boiss.
- [*Silene demawendica*](#) Bornm.
- [*Silene demirizii*](#) K.Yildiz & Çirpici
- [*Silene denizliensis*](#) Aytaç
- [*Silene densiflora*](#) d'Urv.
- [*Silene dentipetala*](#) H.Chuang
- [*Silene depressa*](#) M.Bieb.
- [*Silene dianthoides*](#) Pers.
- [*Silene dichotoma*](#) Ehrh. – forked catchfly
- [*Silene diclinis*](#) (Lag.) M.Laínz
- [*Silene dieterlei*](#) Podlech
- [*Silene dinarica*](#) Spreng.
- [*Silene dioica*](#) (L.) Clairv. – red campion
- [*Silene dirphya*](#) Greuter & Burdet
- [*Silene dissecta*](#) Litard. & Maire
- [*Silene disticha*](#) Willd.
- [*Silene divaricata*](#)/*Lychnis divaricata* Clemente
- [*Silene diversifolia*](#) Otth
- [*Silene doganii*](#) A.Duran & Menemen
- [*Silene donetzica*](#) Kleopow
- [*Silene douglasii*](#) Hook. – Douglas' catchfly
- [*Silene drummondii*](#) Hook.
- [*Silene dschuparensis*](#) Bornm.
- [*Silene dumanii*](#) Kandemir, G.E.Genç & I.Genç
- [*Silene dumetosa*](#) C.L.Tang
- [*Silene duralii*](#) Bağci
- [*Silene dyris*](#) Maire
- [*Silene echegarayi*](#) (Hieron.) Bocquet
- [*Silene echinata*](#) Otth
- [*Silene echinosperma*](#) Boiss. & Heldr.
- [*Silene echinospermoides*](#) Hub.-Mor.
- [*Silene edgeworthii*](#) Bocquet
- [*Silene elisabethae*](#) Jan
- [*Silene elymaitica*](#) Bornm.
- [*Silene eminentis*](#) Özçelik
- [*Silene erciyesdaghensis*](#) – discovered on [Mount Erciyes](#) and named after it[4]
- [*Silene eremitica*](#) Boiss.
- [*Silene eriocalycina*](#) Boiss.
- [*Silene ermenekensis*](#) Vural & Kit Tan
- [*Silene ertekinii*](#) Aydın & Oxelman
- [*Silene erubescens*](#) (Schischk.) Czerep.
- [*Silene erysimifolia*](#) Stapf

- [*Silene esquamata*](#) W.W.Sm.
- [*Silene eugeniae*](#) Kleopow
- [*Silene euxina*](#) (Rupr.) Hand.-Mazz.
- [*Silene eviscosa*](#) Bondarenko & Vved.
- [*Silene exaltata*](#) Friv.
- [*Silene fabaria*](#) (L.) Coyte
- [*Silene fabarioides*](#) Hausskn.
- [*Silene falcata*](#) Sm.
- [*Silene falconeriana*](#) Royle ex Benth.
- [*Silene farsistanica*](#) Melzh.
- [*Silene favargerii*](#) Bocquet
- [*Silene fedtschenkoana*](#) Preobr.
- [*Silene fedtschenkoi*](#) Bondarenko & Vved.
- [*Silene fenzlii*](#) Boiss. & Balansa
- [*Silene ferdowsii*](#) Joharchi, Nejati & F.Ghahrem.
- [*Silene ferganica*](#) Preobr.
- [*Silene fernandezii*](#) Jeanm.
- [*Silene fetissovii*](#) Lazkov
- [*Silene fetleri*](#) D.K.Pavlova
- [*Silene filifolia*](#) (Dusén) Bocquet
- [*Silene filipetala*](#) Litard. & Maire
- [*Silene firma*](#) Siebold & Zucc.
- [*Silene fissicalyx*](#) Bocquet & Chater
- [*Silene fissipetala*](#) Turcz.
- [*Silene flaccida*](#) Pau
- [*Silene flammulifolia*](#) Steud. ex A.Rich.
- [*Silene flavescens*](#) Waldst. & Kit.
- [*Silene flos-cuculi*](#) (L.) Greuter & Burdet – ragged robin
- [*Silene flos-jovis*](#) (L.) Greuter & Burdet – flower-of-Jove
- [*Silene foetida*](#) Link ex Spreng.
- [*Silene foliosa*](#) Maxim.
- [*Silene fraudatrix*](#) Meikle – North Cyprus catchfly
- [*Silene frivaldskyana*](#) Hampe
- [*Silene froedinii*](#) Rech.f.
- [*Silene fruticosa*](#) L.
- [*Silene fruticulosa*](#) M.Bieb.
- [*Silene fuscata*](#) Link ex Brot.
- [*Silene gaditana*](#) Talavera & Bocquet
- [*Silene galataea*](#) Boiss.
- [*Silene gallica*](#) L. – small-flowered catchfly
- [*Silene gallinyi*](#) Heuff. ex Rchb.
- [*Silene gangotriana*](#) Pusalkar, D.K.Singh & Lakshmin.

- [*Silene gasimailikensis*](#) B.Fedtsch.
- [*Silene gaubae*](#) Bornm. & Gauba
- [*Silene gavrillovii*](#) (Krasn.) Popov
- [*Silene gazulensis*](#) A.Galán, J.E.Cortés, Vicente Orell. & Mor.Alonso
- [*Silene gebleriana*](#) Schrenk
- [*Silene gemmata*](#) Meikle
- [*Silene genovevae*](#) Bocquet
- [*Silene georgievskyi*](#) Lazkov
- [*Silene germana*](#) J.Gay
- [*Silene gertraudiae*](#) Melzh.
- [*Silene gevasica*](#) Hamzaoglu
- [*Silene ghahremaninejadii*](#) Hoseini & Assadi
- [*Silene ghiarensis*](#) Batt.
- [*Silene gigantea*](#) L.
- [*Silene gillettii*](#) (Turrill) M.G.Gilbert
- [*Silene glaberrima*](#) Faure & Maire
- [*Silene glabrescens*](#) Coss.
- [*Silene gokuensis*](#) Budak, Hamzaoglu & Koç
- [*Silene goniocaula*](#) Boiss.
- [*Silene gonosperma*](#) (Rupr.) Bocquet
- [*Silene goulimyi*](#) Turrill
- [*Silene gracilenta*](#) H.Chuang
- [*Silene gracilicaulis*](#) C.L.Tang
- [*Silene gracilis*](#) DC.
- [*Silene gracillima*](#) Rohrb.
- [*Silene graeca*](#) Boiss. & Spruner
- [*Silene graminifolia*](#) Oth
- [*Silene grandiflora*](#) Franch.
- [*Silene grayi*](#) S.Watson – Gray's catchfly
- [*Silene* × *grecescui*](#) Gusul.
- [*Silene greenei*](#) (S.Watson ex B.L.Rob.) Howell
- [*Silene greywilsonii*](#) Rajbh. & Mits.Suzuki
- [*Silene grisea*](#) Boiss.
- [*Silene grisebachii*](#) (Davidov) Pirker & Greuter
- [*Silene grossheimii*](#) Schischk.
- [*Silene gubanovii*](#) Lazkov
- [*Silene guerbuezii*](#) Özçelik
- [*Silene guichardii*](#) Chevassut & Quézel
- [*Silene guinetii*](#) Quézel
- [*Silene guntensis*](#) (B.Fedtsch.) B.Fedtsch. ex Schischk.
- [*Silene gynodioica*](#) Ghaz.
- [*Silene habaensis*](#) H.Chuang

- [*Silene* × *hampeana*](#) Meusel & K.Werner
- [*Silene hamzaoglui*](#) Budak
- [*Silene haradjianii*](#) Chowdhuri
- [*Silene haumanii*](#) Bocquet
- [*Silene haussknechtii*](#) Heldr. ex Hausskn.
- [*Silene hawaiiensis*](#) Sherff – Hawaii catchfly
- [*Silene hayekiana*](#) Hand.-Mazz. & Janch.
- [*Silene heldreichii*](#) Boiss.
- [*Silene helleboriflora*](#) Exell & Bocquet
- [*Silene hellmannii*](#) Claus
- [*Silene helmandica*](#) Podlech
- [*Silene herbilegorum*](#) (Bocquet) Lidén & Oxelman
- [*Silene heterodonta*](#) F.N.Williams
- [*Silene heuffelii*](#) Soó
- [*Silene hicesiae*](#) Brullo & Signor.
- [*Silene hidaka-alpina*](#) (Miyabe & Tatew.) Ohwi & H.Ohashi
- [*Silene hideakiohbae*](#) Rajbh. & Mits.Suzuki
- [*Silene hifacensis*](#) Rouy ex Willk.
- [*Silene himalayensis*](#) (Rohrb.) Majumdar
- [*Silene hirticalyx*](#) Boiss. & Hausskn.
- [*Silene hitchguirei*](#) Bocquet
- [*Silene hoefftiana*](#) Fisch. & C.A.Mey.
- [*Silene holosteifolia*](#) Bocquet & Chater
- [*Silene holzmannii*](#) Heldr. ex Boiss.
- [*Silene hookeri*](#) Nutt. – Hooker's silene
- [*Silene horvati*](#) – Horvats's catchfly[5]
- [*Silene huguettiae*](#) Bocquet
- [*Silene humilis*](#) C.A.Mey.
- [*Silene huochenensis*](#) X.M.Pi & X.L.Pan
- [*Silene hupehensis*](#) C.L.Tang
- [*Silene hussonii*](#) Boiss.
- [*Silene ibosii*](#) Emb. & Maire
- [*Silene ichtnusa*](#) Brullo, De Marco & De Marco f.
- [*Silene ikonnikovii*](#) Lazkov
- [*Silene imbricata*](#) Desf.
- [*Silene inaperta*](#) L.
- [*Silene incisa*](#) C.L.Tang
- [*Silene inclinata*](#) Hub.-Mor.
- [*Silene incurvifolia*](#) Kar. & Kir.
- [*Silene indepressa*](#) Schischk.
- [*Silene indica*](#) Roxb. ex Oth
- [*Silene insularis*](#) Barbey

- [*Silene integripetala*](#) Bory & Chaub.
- [*Silene* × *intermedia*](#) (Lange) Bocquet
- [*Silene intramongolica*](#) Lazkov
- [*Silene intricata*](#) Post
- [*Silene invis*](#) C.L.Hitchc. & Maguire – red fir catchfly
- [*Silene involucrata*](#) (Cham. & Schltdl.) Bocquet
- [*Silene ionica*](#) Halácsy
- [*Silene* × *isabeliae*](#) P.P.Ferrer, Ferrando & E.Laguna
- [*Silene isaurica*](#) Contandr. & Quézel
- [*Silene ispartensis*](#) Ghaz.
- [*Silene italica*](#) (L.) Pers. – Italian catchfly
- [*Silene jailensis*](#) N.I.Rubtzov
- [*Silene jaxartica*](#) Pavlov
- [*Silene jeniseensis*](#) Willd.
- [*Silene joerstadii*](#) Wendelbo
- [*Silene jugora*](#) (F.N.Williams) Majumdar
- [*Silene julaensis*](#) Grierson
- [*Silene karaczukuri*](#) B.Fedtsch.
- [*Silene karekirii*](#) Bocquet
- [*Silene keiskei*](#) Miq.
- [*Silene kemahensis*](#) Aytaç & Kandemir
- [*Silene kemoniana*](#) C.Brullo, Brullo, Giusso, Ilardi & Sciandr.
- [*Silene kermanensis*](#) Bornm.
- [*Silene khasiana*](#) Rohrb.
- [*Silene kialensis*](#) (F.N.Williams) Lidén & Oxelman
- [*Silene kingii*](#) (S.Watson) Bocquet
- [*Silene kirgisensis*](#) Bajtenov & Nelina
- [*Silene kiusiana*](#) (Makino) H.Ohashi & H.Nakai
- [*Silene klokovii*](#) Knjaz.
- [*Silene koelzii*](#) Rech.f.
- [*Silene konuralpii*](#) Firat & K.Yildiz
- [*Silene koreana*](#) Kom. – sticky catchfly[6]
- [*Silene korshinskyi*](#) Schischk.
- [*Silene koycegizensis*](#) Dönmez & Vural
- [*Silene krantzii*](#) Stoughton
- [*Silene kremeri*](#) Soy.-Will. & Godr.
- [*Silene kubanensis*](#) Sommer & Levier
- [*Silene kucukodukii*](#) Bağcı & Uysal
- [*Silene kudrjashevii*](#) Schischk.
- [*Silene kulabensis*](#) B.Fedtsch.
- [*Silene kumaonensis*](#) F.N.Williams
- [*Silene kunawarensis*](#) Royle ex Benth.

- [*Silene kungessana*](#) B.Fedtsch.
- [*Silene kuschakewiczii*](#) Regel & Schmalh.
- [*Silene lacera*](#) (Steven) Sims
- [*Silene laciniata*](#) Cav.
- [*Silene laconica*](#) Boiss. & Orph.
- [*Silene ladyginae*](#) Lazkov
- [*Silene laevigata*](#) Sm. – Troödos catchfly
- [*Silene lagenocalyx*](#) Fenzl ex Boiss.
- [*Silene lagunensis*](#) C.Sm. ex Link
- [*Silene lamarum*](#) C.Y.Wu
- [*Silene lanceolata*](#) A.Gray – Kauai catchfly
- [*Silene lanuginosa*](#) Bertol.
- [*Silene lasiantha*](#) K.Koch
- [*Silene latifolia*](#) Poir. – white campion
- [*Silene laxa*](#) Boiss. & Kotschy
- [*Silene laxantha*](#) Majumdar
- [*Silene lazica*](#) Boiss.
- [*Silene legionensis*](#) Lag.
- [*Silene lemmonii*](#) S.Watson – Lemmon's catchfly
- [*Silene lenkoranica*](#) Lazkov
- [*Silene leptoclada*](#) Boiss.
- [*Silene leucophylla*](#) Boiss.
- [*Silene lhassana*](#) (F.N.Williams) Majumdar
- [*Silene libanotica*](#) Boiss.
- [*Silene lichiangensis*](#) W.W.Sm.
- [*Silene linae*](#) Bocquet
- [*Silene linearifolia*](#) Otth
- [*Silene lineariloba*](#) C.Y.Wu
- [*Silene linearis*](#) Decne.
- [*Silene linicola*](#) C.C.Gmel. – flaxfield catchfly
- [*Silene linoides*](#) Otth
- [*Silene lipskyi*](#) Lazkov
- [*Silene lithophila*](#) Kar. & Kir.
- [*Silene littorea*](#) Brot.
- [*Silene litwinowii*](#) Schischk.
- [*Silene lomalasinenensis*](#) (Engl.) T.Harris & Goyder
- [*Silene longicalycina*](#) Kom.
- [*Silene longicarpophora*](#) (Kom.) Bocquet
- [*Silene longicilia*](#) (Brot.) Otth
- [*Silene longicornuta*](#) C.Y.Wu & C.L.Tang
- [*Silene longidens*](#) Schischk.
- [*Silene longipetala*](#) Vent.

- [*Silene longisepala*](#) Nasir
- [*Silene lucida*](#) Chowdhuri
- [*Silene luciliae*](#) Bocquet
- [*Silene lycaonica*](#) Chowdhuri
- [*Silene lychnidea*](#) C.A.Mey.
- [*Silene lydia*](#) Boiss.
- [*Silene lynesii*](#) C.Norman
- [*Silene macrodonta*](#) Boiss.
- [*Silene macrosolen*](#) Steud. ex A.Rich.
- [*Silene macrostyla*](#) Maxim.
- [*Silene maeotica*](#) (Klokov) Czerep.
- [*Silene magellanica*](#) (Desr.) Bocquet
- [*Silene magenta*](#) Yild. & Kiliç
- [*Silene makmeliana*](#) Boiss.
- [*Silene mandonii*](#) (Rohrb.) Bocquet
- [*Silene manissadjianii*](#) Freyn
- [*Silene marcowiczii*](#) Schischk.
- [*Silene margaritae*](#) Bocquet
- [*Silene marizii*](#) Samp.
- [*Silene markamensis*](#) L.H.Zhou
- [*Silene marmarica*](#) Bég. & A.Vacc.
- [*Silene marmorensis*](#) Kruckeb. – Marble Mountain catchfly
- [*Silene marschallii*](#) C.A.Mey.
- [*Silene martinolii*](#) Bocchieri & Mulas
- [*Silene martyi*](#) Emb. & Maire
- [*Silene maurorum*](#) Batt. & Pit.
- [*Silene media*](#) (Litv.) Kleopow
- [*Silene megalantha*](#) Bondarenko & Vved.
- [*Silene mekinensis*](#) Coss.
- [*Silene melanantha*](#) Franch.
- [*Silene melanopotamica*](#) Pedersen
- [*Silene melikjanii*](#) Taisumov & Teimurov
- [*Silene melitensis*](#) Brullo, C.Brullo, Cambria, Lanfr., S.Lanfr., Miniss., Sciand
- [*Silene mellifera*](#) Boiss. & Reut.
- [*Silene melzheimeri*](#) Greuter
- [*Silene mentagensis*](#) Coss.
- [*Silene menziesii*](#) Hook. – Menzies' campion
- [*Silene mesatlantica*](#) Maire
- [*Silene meyeri*](#) Fenzl ex Boiss. & Buhse
- [*Silene michelsonii*](#) Preobr.
- [*Silene micropetala*](#) Lag.
- [*Silene microphylla*](#) Boiss.

- [*Silene microsperma*](#) Fenzl
- [*Silene miksensis*](#) Firat & K.Yildiz
- [*Silene minae*](#) Strobl
- [*Silene miqueliana*](#) (Rohrb.) H.Ohashi & H.Nakai
- [*Silene mirei*](#) Chevassut & Quézel
- [*Silene mishudaghensis*](#) Gholipour & Parsa Khanghah
- [*Silene modesta*](#) Boiss. & Blanche
- [*Silene mollissima*](#) (L.) Pers.
- [*Silene monbeigii*](#) W.W.Sm.
- [*Silene monerantha*](#) F.N.Williams
- [*Silene mongolica*](#) Maxim.
- [*Silene montbretiana*](#) Boiss.
- [*Silene* × *montistellensis*](#) Ladero
- [*Silene moorcroftiana*](#) Benth.
- [*Silene morganae*](#) Freyn
- [*Silene morisiana*](#) Bég. & Ravenel
- [*Silene morrisonmontana*](#) (Hayata) Ohwi & H.Ohashi
- [*Silene muliensis*](#) C.Y.Wu
- [*Silene multicaulis*](#) Guss.
- [*Silene multiflora*](#) (Ehrh.) Pers.
- [*Silene multifurcata*](#) C.L.Tang
- [*Silene multinervia*](#) S.Watson – manynerve catchfly
- [*Silene mundiana*](#) Eckl. & Zeyh.
- [*Silene muradica*](#) Schischk.
- [*Silene muschleri*](#) Bocquet
- [*Silene muscipula*](#) L.
- [*Silene muslimii*](#) Pavlov
- [*Silene mutabilis*](#) L.
- [*Silene myongcheonensis*](#) S.P.Hong & H.K.Moon
- [*Silene nachlingerae*](#) A.Tiehm
- [*Silene namlaensis*](#) (C.Marquand) Bocquet
- [*Silene nana*](#) Kar. & Kir.
- [*Silene nangqenensis*](#) C.L.Tang
- [*Silene napuligera*](#) Franch.
- [*Silene natalii*](#) F.O.Khass. & I.I.Malzev
- [*Silene nefelites*](#) C.Brullo, Brullo, Giusso & Ilardi
- [*Silene nemoralis*](#) Waldst. & Kit.
- [*Silene nemrutensis*](#) K.Yildiz
- [*Silene neoladyginae*](#) Lazkov
- [*Silene nepalensis*](#) Majumdar
- [*Silene nerimaniae*](#) G.E.Genç, Kandemir & I.Genç
- [*Silene nevskii*](#) Schischk.

- [*Silene nicaeensis*](#) All.
- [*Silene niederi*](#) Heldr.
- [*Silene nigrescens*](#) (Edgew.) Majumdar
- [*Silene ningxiaensis*](#) C.L.Tang
- [*Silene nivalis*](#) (Kit.) Rohrb.
- [*Silene nivea*](#) (Nutt.) Muhl. ex DC.
- [*Silene nizvana*](#) Melzh.
- [*Silene nocteolens*](#) Webb & Berthel.
- [*Silene noctiflora*](#) L. – night-flowering catchfly
- [*Silene nocturna*](#) L.
- [*Silene nodulosa*](#) Viv.
- [*Silene notarisii*](#) Ces.
- [*Silene novorossica*](#) Doweld
- [*Silene nuda*](#) (S.Watson) C.L.Hitchc. & Maguire – western fringed catchfly
- [*Silene nummica*](#) Vals.
- [*Silene nuncupanda*](#) Coode & Cullen
- [*Silene nuratavica*](#) Kamelin
- [*Silene nurensis*](#) Boiss. & Hausskn.
- [*Silene nutabunda*](#) Greuter
- [*Silene nutans*](#) L. – Nottingham catchfly
- [*Silene oblanceolata*](#) W.W.Sm.
- [*Silene obovata*](#) Schischk.
- [*Silene obscura*](#) Vorosch.
- [*Silene obtusidentata*](#) B.Fedtsch. & Popov
- [*Silene obtusifolia*](#) Willd.
- [*Silene occidentalis*](#) S.Watson – western catchfly
- [*Silene odontopetala*](#) Fenzl
- [*Silene odoratissima*](#) Bunge
- [*Silene oenotriae*](#) Brullo
- [*Silene olgae*](#) (Maxim.) Rohrb.
- [*Silene oligantha*](#) Boiss. & Heldr.
- [*Silene oligophylla*](#) Melzh.
- [*Silene oligotricha*](#) Hub.-Mor.
- [*Silene oliveriana*](#) Otth
- [*Silene olympica*](#) Boiss.
- [*Silene orbelica*](#) Greuter
- [*Silene oreades*](#) Boiss. & Heldr.
- [*Silene oregana*](#) S.Watson – Oregon silene
- [*Silene oreina*](#) Schischk.
- [*Silene oreophila*](#) Boiss.
- [*Silene oreosinaica*](#) Chowdhuri
- [*Silene orientolimongolica*](#) Kozhev.

- [*Silene orientoalborzensis*](#) F.Jafari & Mirtadz.
- [*Silene ornata*](#) Aiton
- [*Silene oropediorum*](#) Coss.
- [*Silene orphanidis*](#) Boiss.
- [*Silene otites*](#) (L.) Wibel – Spanish catchfly
- [*Silene otodonta*](#) Franch.
- [*Silene ovalifolia*](#) (Regel & Schmalh.) Popov
- [*Silene ovata*](#) Pursh – ovate-leaved catchfly[7]
- [*Silene oxelmanii*](#) Gholipour
- [*Silene oxyodonta*](#) Barbey
- [*Silene ozyurtii*](#) Aksoy & Hamzaoglu
- [*Silene paeoniensis*](#) Bornm. – Paeonian catchfly[8]
- [*Silene paghmanica*](#) Gilli
- [*Silene pakistanica*](#) Lazkov
- [*Silene paktiensis*](#) Podlech & Melzh.
- [*Silene palaestina*](#) Boiss.[9]
- [*Silene palinotricha*](#) Fenzl ex Boiss.
- [*Silene paphlagonica*](#) Bornm.
- [*Silene papillosa*](#) Boiss.
- [*Silene paradoxa*](#) L.
- [*Silene paranadena*](#) Bondarenko & Vved.
- [*Silene parishii*](#) S.Watson – Parish's catchfly
- [*Silene parjumanensis*](#) Podlech
- [*Silene parnassica*](#) Boiss. & Spruner
- [*Silene parrowiana*](#) Boiss. & Hausskn.
- [*Silene parryi*](#) (S.Watson) C.L.Hitchc. & Maguire
- [*Silene patagonica*](#) (Speg.) Bocquet
- [*Silene patula*](#) Desf.
- [*Silene peduncularis*](#) Boiss.
- [*Silene peloritana*](#) C.Brullo, Brullo, Giusso, Miniss. & Sciandr.
- [*Silene pendula*](#) L.
- [*Silene pentelica*](#) Boiss.
- [*Silene perlmanii*](#) W.L.Wagner, D.R.Herbst & Sohmer – cliff-face catchfly
- [*Silene persepolitana*](#) Melzh.
- [*Silene persica*](#) Boiss.
- [*Silene petersonii*](#) Maguire
- [*Silene petrarchae*](#) Ferrarini & Cecchi
- [*Silene pharnaceifolia*](#) Fenzl
- [*Silene phoenicodonta*](#) Franch.
- [*Silene phrygia*](#) Boiss.
- [*Silene physalodes*](#) Boiss.
- [*Silene physocalycina*](#) (Hausskn. & Bornm.) Melzh.

- [*Silene pichiana*](#) Ferrarini & Cecchi
- [*Silene pinetorum*](#) Boiss. & Heldr.
- [*Silene plankii*](#) C.L.Hitchc. & Maguire
- [*Silene platyphylla*](#) Franch.
- [*Silene plurifolia*](#) Schischk.
- [*Silene plutonica*](#) Naudin ex Gay
- [*Silene poa*](#) Lidén[3]
- [*Silene pogonocalyx*](#) (Svent.) Bramwell
- [*Silene polypetala*](#) (Walter) Fernald & B.G.Schub. – eastern fringed catchfly
- [*Silene pomelii*](#) Batt.
- [*Silene pompeiopoliitana*](#) J.Gay ex Boiss.
- [*Silene popovii*](#) Schischk.
- [*Silene porandica*](#) Gilli
- [*Silene portensis*](#) L.
- [*Silene praelonga*](#) Ovcz.
- [*Silene praemixta*](#) Popov
- [*Silene pravitziana*](#) Rech.f.
- [*Silene prilepensis*](#) Micevski – Prilep catchfly[5]
- [*Silene prilipkoana*](#) Schischk.
- [*Silene principis*](#) Oxelman & Lidén
- [*Silene procera*](#) Lidén[3]
- [*Silene procumbens*](#) Murray
- [*Silene pruinosa*](#) Boiss.
- [*Silene psammitis*](#) Link ex Spreng.
- [*Silene pseudaucheriana*](#) Melzh.
- [*Silene pseudoatocion*](#) Desf.
- [*Silene pseudobehen*](#) Boiss.
- [*Silene pseudocashmeriana*](#) Bocquet & Chater
- [*Silene pseudofortunei*](#) H.P.Tsui & C.L.Tang
- [*Silene pseudoholopetala*](#) Lazkov
- [*Silene pseudonurensis*](#) Melzh.
- [*Silene* × *pseudotites*](#) Besser ex Rchb.
- [*Silene pseudoverticillata*](#) Nasir
- [*Silene pseudovestita*](#) Batt.
- [*Silene pterosperma*](#) Maxim.
- [*Silene pubicalycina*](#) C.Y.Wu
- [*Silene pubicalyx*](#) Bondarenko & Vved.
- [*Silene pugionifolia*](#) Popov
- [*Silene pungens*](#) Boiss.
- [*Silene puranensis*](#) (L.H.Zhou) C.Y.Wu & H.Chuang
- [*Silene purii*](#) Bocquet & N.P.Saxena
- [*Silene pygmaea*](#) Adams

- [*Silene qiyunshanensis*](#) X.H.Guo & X.L.Liu
- [*Silene quadriloba*](#) Turcz. ex Kar. & Kir.
- [*Silene radicata*](#) Boiss. & Heldr.
- [*Silene ramosissima*](#) Desf.
- [*Silene rasvandica*](#) Melzh.
- [*Silene rechingeri*](#) Bocquet
- [*Silene rectiramea*](#) B.L.Rob.
- [*Silene regia*](#) Sims – royal catchfly, showy catchfly
- [*Silene reichenbachii*](#) Vis.
- [*Silene reinholdii*](#) Heldr.
- [*Silene reiseri*](#) K.Malý
- [*Silene renzii*](#) Melzh.
- [*Silene repens*](#) Patrin
- [*Silene requienii*](#) Otth
- [*Silene reticulata*](#) Desf.
- [*Silene retinervis*](#) Ghaz.
- [*Silene reverchonii*](#) Batt.
- [*Silene rhiphaena*](#) Pau & Font Quer
- [*Silene rhizophora*](#) (Muschl.) Bocquet
- [*Silene rhynchocarpa*](#) Boiss.
- [*Silene rigens*](#) Goldblatt & J.C.Manning
- [*Silene roemerii*](#) Friv.
- [*Silene roopiana*](#) Kleopow
- [*Silene rosiflora*](#) Kingdon-Ward ex W.W.Sm.
- [*Silene rosulata*](#) Soy.-Will. & Godr.
- [*Silene rothmaleri*](#) P.Silva
- [*Silene rotundifolia*](#) Nutt. – roundleaf catchfly
- [*Silene rouyana*](#) Batt.
- [*Silene rubella*](#) L.
- [*Silene rubricalyx*](#) (C.Marquand) Bocquet
- [*Silene ruinarum*](#) Popov
- [*Silene ruprechtii*](#) Schischk.
- [*Silene sabinosae*](#) Pit.
- [*Silene sachalinensis*](#) F.Schmidt
- [*Silene salamandra*](#) Pamp.
- [*Silene salangensis*](#) Melzh.
- [*Silene saldanhensis*](#) Goldblatt & J.C.Manning
- [*Silene salicifolia*](#) C.L.Tang
- [*Silene salmonacea*](#) T.W.Nelson, J.P.Nelson & S.A.Erwin – Klamath Mountain catchfly
- [*Silene salsuginea*](#) Hub.-Mor.
- [*Silene samarkandensis*](#) Preobr.
- [*Silene samia*](#) Melzh. & Christod.

- [*Silene samojedorum*](#) (Sambuk) Oxelman
- [*Silene samothracica*](#) (Rech.f.) Greuter
- [*Silene sangaria*](#) Coode & Cullen
- [*Silene sarawschanica*](#) Regel & Schmalh.
- [*Silene sargentii*](#) S.Watson – Sargent's catchfly
- [*Silene sartorii*](#) Boiss. & Heldr.
- [*Silene saxatilis*](#) Sims
- [*Silene saxifraga*](#) L.
- [*Silene scabrida*](#) Soy.-Will. & Godr.
- [*Silene scabriflora*](#) Brot.
- [*Silene scaposa*](#) S.Watson
- [*Silene schafta*](#) J.G.Gmel. ex Hohen. – autumn catchfly
- [*Silene schimperiana*](#) Boiss.
- [*Silene schischkinii*](#) (Popov) Vved.
- [*Silene schizopetala*](#) Bornm.
- [*Silene schlumbergeri*](#) Boiss.
- [*Silene schmuckeri*](#) Wettst.
- [*Silene schugnanica*](#) B.Fedtsch.
- [*Silene schwarzenbergeri*](#) Halácsy
- [*Silene sciaphila*](#) Melzh. & Rech.f.
- [*Silene sclerocarpa*](#) Dufour
- [*Silene sclerophylla*](#) Chowdhuri
- [*Silene scoparia*](#) Lidén[3]
- [*Silene scopulorum*](#) Franch.
- [*Silene scouleri*](#) Hook. – simple campion
- [*Silene secundiflora*](#) Otth
- [*Silene sedoides*](#) Poir.
- [*Silene seelyi*](#) C.V.Morton & J.W.Thomps.
- [*Silene sefidiana*](#) (Pau) Greuter & Burdet
- [*Silene semenovii*](#) Regel & Herder
- [*Silene sendtneri*](#) Boiss.
- [*Silene sennenii*](#) Pau
- [*Silene seoulensis*](#) Nakai
- [*Silene sericea*](#) All.
- [*Silene serpentinicola*](#) T.W.Nelson & J.P.Nelson – serpentine Indian pink
- [*Silene sessionis*](#) Batt.
- [*Silene setaesperma*](#) Majumdar
- [*Silene shahrudensis*](#) Rech.f.
- [*Silene shanbashakensis*](#) Rech.f.
- [*Silene shehbazii*](#) S.A.Ahmad
- [*Silene sibirica*](#) (L.) Pers.
- [*Silene siderophila*](#) Boiss. & Gaill.

- [*Silene sieberi*](#) Fenzl
- [*Silene simsii*](#) F.Jafari, Rabeler & Oxelman
- [*Silene sisianica*](#) Boiss. & Buhse
- [*Silene skorpilii*](#) Velen.
- [*Silene sojakii*](#) Melzh.
- [*Silene solenantha*](#) Trautv.
- [*Silene songarica*](#) (Fisch., C.A.Mey. & Avé-Lall.) Bocquet
- [*Silene sordida*](#) Hub.-Mor. & Reese
- [*Silene sorensenis*](#) (B.Boivin) Bocquet – Sorensen's catchfly
- [*Silene spaldingii*](#) S.Watson – Spalding's silene
- [*Silene spergulifolia*](#) (Willd.) M.Bieb.
- [*Silene spinescens*](#) Sm.
- [*Silene splendens*](#) Boiss.
- [*Silene squamigera*](#) Boiss.
- [*Silene staintonii*](#) Ghaz.
- [*Silene stapfii*](#) Melzh.
- [*Silene stellariifolia*](#) Bocquet & Chater
- [*Silene stellata*](#) (L.) Coyte – starry campion
- [*Silene stenantha*](#) Ovcz.
- [*Silene stenobotrys*](#) Boiss. & Hausskn.
- [*Silene stenophylla*](#) Ledeb. – narrow-leaved campion
- [*Silene stewartiana*](#) Diels
- [*Silene stewartii*](#) (Edgew.) Majumdar
- [*Silene stockenii*](#) Chater
- [*Silene stracheyi*](#) Edgew.
- [*Silene striata*](#) Ehrenb. ex Rohrb.
- [*Silene stricta*](#) L.
- [*Silene struthioloides*](#) A.Gray
- [*Silene stylosa*](#) Bunge
- [*Silene suaveolens*](#) Kar. & Kir.
- [*Silene subadenophora*](#) Ovcz.
- [*Silene subciliata*](#) B.L.Rob.
- [*Silene subconica*](#) Friv.
- [*Silene subcretacea*](#) F.N.Williams
- [*Silene subodhii*](#) S.R.Kundu
- [*Silene succulenta*](#) Forssk.
- [*Silene suecica*](#)
- [*Silene suksdorfii*](#) B.L.Rob. – Suksdorf's silene
- [*Silene sumbuliana*](#) Deniz & O.D.Dü?en
- [*Silene sunhangii*](#) D.G.Zhang, T.Deng & N.Lin
- [*Silene supina*](#) M.Bieb.
- [*Silene surculosa*](#) Hub.-Mor.

- [*Silene surobica*](#) Gilli
- [*Silene sussamyrica*](#) Lazkov
- [*Silene sveae*](#) Lidén & Oxelman
- [*Silene swertiifolia*](#) Boiss.
- [*Silene syngei*](#) (Turrill) T.Harris & Goyder
- [*Silene sytnikii*](#) Krytzka, Novosad & Protop.
- [*Silene tachtensis*](#) Franch.
- [*Silene taimyrensis*](#) (Tolm.) Bocquet – Taymyr catchfly
- [*Silene takeshimensis*](#) Uyeki & Sakata
- [*Silene taliewii*](#) Kleopow
- [*Silene talyschensis*](#) Schischk.
- [*Silene tamaranae*](#) Bramwell
- [*Silene tatarica*](#) (L.) Pers.
- [*Silene tatarinowii*](#) Regel
- [*Silene taygetea*](#) Halácsy
- [*Silene telavivensis*](#) Zohary & Plitmann
- [*Silene tenella*](#) C.A.Mey.
- [*Silene tenuiflora*](#) Guss.
- [*Silene thurberi*](#) S.Watson
- [*Silene thymifolia*](#) Sm.
- [*Silene thysanodes*](#) Fenzl
- [*Silene tibetica*](#) Lidén & Oxelman
- [*Silene tokachiensis*](#) Kadota
- [*Silene tolmatchevii*](#) Bocquet
- [*Silene tomentella*](#) Schischk.
- [*Silene tomentosa*](#) Otth
- [*Silene toussidana*](#) Quézel
- [*Silene trachyphylla*](#) Franch.
- [*Silene tragacantha*](#) Fenzl ex Boiss.
- [*Silene trajectory*](#) Kom.
- [*Silene tridentata*](#) Desf.
- [*Silene triflora*](#) (Bornm.) Bornm.
- [*Silene tuberculata*](#) (Ball) Maire & Weiller
- [*Silene tubiformis*](#) C.L.Tang
- [*Silene tubulosa*](#) Oxelman & Lidén
- [*Silene tunetana*](#) Murb.
- [*Silene tunicoides*](#) Boiss.
- [*Silene turbinata*](#) Guss.
- [*Silene turczaninovii*](#) Lazkov
- [*Silene turgida*](#) M.Bieb. ex Bunge
- [*Silene turkestanica*](#) Regel
- [*Silene undulata*](#) Aiton – large-flowered catchfly, gunpowder plant, wild tobacco[10]

- [*Silene ungeri*](#) Fenzl
- [*Silene uniflora*](#) Roth – sea campion
- [*Silene uralensis*](#) (Rupr.) Bocquet
- [*Silene* × *urbanica*](#) Panov
- [*Silene urodonta*](#) Bornm.
- [*Silene urvillei*](#) Schott ex d'Urv.
- [*Silene vachschii*](#) Ovcz.
- [*Silene vagans*](#) C.B.Clarke
- [*Silene vaginans*](#) Lidén[3]
- [*Silene vallesia*](#) L.
- [*Silene valsecchiae*](#) Bocchieri
- [*Silene variegata*](#) (Desf.) Boiss. & Heldr.
- [*Silene vautierae*](#) Bocquet
- [*Silene velcevii*](#) Jordanov & Panov
- [*Silene velebitica*](#) (Degen) Wrigley
- [*Silene velutina*](#) Pourr. ex Loisel.
- [*Silene velutinoides*](#) Pomel
- [*Silene ventricosa*](#) Adamovic
- [*Silene verecunda*](#) S.Watson – San Francisco campion
- [*Silene vidaliana*](#) Pau & Font Quer
- [*Silene villosa*](#) Forssk.
- [*Silene villosula*](#) (Trautv.) V.V.Petrovsky & Elven
- [*Silene violascens*](#) (Tolm.) V.V.Petrovsky & Elven
- [*Silene virescens*](#) Coss.
- [*Silene virgata*](#) Stapf
- [*Silene virginica*](#) L. – fire pink
- [*Silene viridiflora*](#) L.
- [*Silene viscaria*](#) – sticky catchfly
- [*Silene viscariopsis*](#) Bornm. – Mariovo catchfly[11]
- [*Silene viscidula*](#) Franch.
- [*Silene viscosa*](#) (L.) Pers. – white sticky catchfly
- [*Silene vivianii*](#) Steud.
- [*Silene volubilitana*](#) Braun-Blanq. & Maire
- [*Silene vulgaris*](#) (Moench) Garcke – bladder campion
- [*Silene wahlbergella*](#) Chowdhuri – northern catchfly
- [*Silene waldsteinii*](#) Griseb.
- [*Silene wardii*](#) (C.Marquand) Bocquet
- [*Silene weberbaueri*](#) (Muschl.) Bocquet
- [*Silene wendelboi*](#) Assadi
- [*Silene wilfordii*](#) (Regel) H.Ohashi & H.Nakai
- [*Silene williamsii*](#) Britton
- [*Silene wolgensis*](#) (Hornem.) Otth

- [*Silene wrightii*](#) A.Gray
- [*Silene yarmalii*](#) Podlech
- [*Silene yemensis*](#) Deflers
- [*Silene yetii*](#) Bocquet
- [*Silene yildirimlii*](#) Dinç
- [*Silene yunnanensis*](#) Franch.
- [*Silene zangezura*](#) Elenevsky
- [*Silene zawadzkii*](#) Herbich
- [*Silene zayuensis*](#) L.H.Zhou
- [*Silene zhongbaensis*](#) (L.H.Zhou) C.Y.Wu & C.L.Tang
- [*Silene zhoui*](#) C.Y.Wu
- [*Silene zuntoreica*](#) Zuev

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Sida*](#), the **fanpetals** or **sidas**, are accepted by [Plants of the World Online](#).^{[1][2][3]} *Sida* has historically been a [wastebasket taxon](#), including many plants that simply did not fit into other genera of the [Malvaceae](#). Species have been continually reclassified.^{[4][5]}

Species

- [*Sida abutifolia*](#) Mill.
- [*Sida acuta*](#) Burm.f.
- [*Sida adscendens*](#) A.St.-Hil.
- [*Sida aggregata*](#) C.Presl
- [*Sida alamosana*](#) S.Watson ex Rose
- [*Sida alba*](#) L.
- [*Sida albiflora*](#) (Chodat & Hassl.) Krapov.
- [*Sida alii*](#) Abedin
- [*Sida ammophila*](#) F.Muell. ex J.H.Willis
- [*Sida andersonii*](#) Fryxell
- [*Sida angustifolia*](#) Mill.
- [*Sida angustissima*](#) A.St.-Hil.
- [*Sida anodifolia*](#) Fryxell
- [*Sida anomala*](#) A.St.-Hil.
- [*Sida antillensis*](#) Urb.
- [*Sida aprica*](#) Domin
- [*Sida arboae*](#) Krapov.
- [*Sida arenicola*](#) S.T.Reynolds & A.E.Holland
- [*Sida argentea*](#) F.M.Bailey
- [*Sida argentina*](#) K.Schum.

- [*Sida argillacea*](#) A.E.Holland & S.T.Reynolds
- [*Sida arsiniata*](#) R.M.Barker
- [*Sida asterocalyx*](#) S.T.Reynolds & A.E.Holland
- [*Sida atherophora*](#) Domin
- [*Sida aurantiaca*](#) A.St.-Hil.
- [*Sida bakeriana*](#) Rusby
- [*Sida barclayi*](#) Baker f.
- [*Sida beckii*](#) Krapov.
- [*Sida bipartita*](#) Schltr.
- [*Sida blepharoprion*](#) Ulbr.
- [*Sida boliviana*](#) Gand.
- [*Sida bordasiana*](#) Krapov.
- [*Sida brachypoda*](#) A.E.Holland & S.T.Reynolds
- [*Sida brachystemon*](#) DC.
- [*Sida brittonii*](#) León
- [*Sida brownii*](#) Clement
- [*Sida cabraliana*](#) Krapov.
- [*Sida cabreriana*](#) Krapov.
- [*Sida calchaquiensis*](#) Rodrigo
- [*Sida calliantha*](#) Thulin
- [*Sida calva*](#) Fryxell
- [*Sida calyxhymenia*](#) J.Gay ex DC.
- [*Sida cambuiensis*](#) Monteiro
- [*Sida cardiophylla*](#) F.Muell.
- [*Sida carrascoana*](#) Bovini
- [*Sida castanocarpa*](#) Krapov.
- [*Sida caudata*](#) A.St.-Hil. & Naudin
- [*Sida cavernicola*](#) Krapov.
- [*Sida centuriata*](#) Clement
- [*Sida cerradoensis*](#) Krapov.
- [*Sida chapadensis*](#) K.Schum.
- [*Sida charpinii*](#) Krapov.
- [*Sida chinensis*](#) Retz.
- [*Sida chiquitana*](#) Krapov.
- [*Sida chrysantha*](#) Ulbr.
- [*Sida ciliaris*](#) L.
- [*Sida cleisocalyx*](#) F.Muell.
- [*Sida clementii*](#) Domin
- [*Sida confusa*](#) Hassl.
- [*Sida coradinii*](#) Krapov.
- [*Sida cordata*](#) (Burm.f.) Borss.Waalk.
- [*Sida cordifolia*](#) L.

- [*Sida cordifolioides*](#) K.M.Feng
- [*Sida corrugata*](#) Lindl.
- [*Sida coutinhoi*](#) Paiva & Noguiera
- [*Sida cristobaliana*](#) Krapov.
- [*Sida cuneifolia*](#) Roxb.
- [*Sida cuspidata*](#) (A.Robyns) Krapov.
- [*Sida decandra*](#) R.E.Fr.
- [*Sida dubia*](#) A.St.-Hil. & Naudin
- [*Sida dureana*](#) Krapov.
- [*Sida echinocarpa*](#) F.Muell.
- [*Sida ectogama*](#) W.R.Barker & R.M.Barker
- [*Sida elliottii*](#) Torr. & A.Gray
- [*Sida elongata*](#) Blume
- [*Sida emilei*](#) Hochr.
- [*Sida esperanzae*](#) R.E.Fr.
- [*Sida everistiana*](#) S.T.Reynolds & A.E.Holland
- [*Sida fallax*](#) Walp.
- [*Sida fastuosa*](#) Fryxell & S.D.Koch
- [*Sida ferrucciana*](#) Krapov.
- [*Sida fibulifera*](#) Lindl.
- [*Sida floccosa*](#) Thulin & Vollesen
- [*Sida galheirensis*](#) Ulbr.
- [*Sida gertiana*](#) Krapov.
- [*Sida glabra*](#) Mill.
- [*Sida glaziovii*](#) K.Schum.
- [*Sida glocimarii*](#) Krapov.
- [*Sida glomerata*](#) Cav.
- [*Sida glutinosa*](#) Comm. ex Cav.
- [*Sida goniocarpa*](#) (F.Muell. ex Benth.) Domin
- [*Sida goyazensis*](#) K.Schum.
- [*Sida gracilipes*](#) Rusby
- [*Sida gracillima*](#) Hassl.
- [*Sida graniticola*](#) J.R.I.Wood
- [*Sida grazielae*](#) Monteiro
- [*Sida hackettiana*](#) W.Fitzg.
- [*Sida haenkeana*](#) C.Presl
- [*Sida harleyi*](#) Krapov.
- [*Sida hassleri*](#) Hochr.
- [*Sida hatschbachii*](#) Krapov.
- [*Sida hederifolia*](#) Cav.
- [*Sida hemitropousa*](#) Pandeya
- [*Sida hibisciformis*](#) Bertol.

- [*Sida hirsutissima*](#) Mill.
- [*Sida hoepfneri*](#) Gürke
- [*Sida honoriana*](#) Krapov.
- [*Sida hookeriana*](#) Miq.
- [*Sida hyalina*](#) Fryxell
- [*Sida hyssopifolia*](#) C.Presl
- [*Sida intricata*](#) F.Muell.
- [*Sida itaparicana*](#) Krapov.
- [*Sida jamaicensis*](#) L.
- [*Sida japiiana*](#) Krapov.
- [*Sida jatrophioides*](#) L'Hér.
- [*Sida javensis*](#) Cav.
- [*Sida jussiaeana*](#) DC.
- [*Sida kingii*](#) F.Muell.
- [*Sida laciniata*](#) Bovini
- [*Sida lancifolia*](#) Burt Davy
- [*Sida leitaofilhoi*](#) Krapov.
- [*Sida libenii*](#) Hauman
- [*Sida lilianae*](#) Krapov.
- [*Sida limensis*](#) R.E.Fr.
- [*Sida lindheimeri*](#) Engelm. & A.Gray
- [*Sida linearifolia*](#) A.St.-Hil.
- [*Sida linearis*](#) Cav.
- [*Sida linifolia*](#) Juss. ex Cav.
- [*Sida littoralis*](#) Siedo
- [*Sida lonchitis*](#) A.St.-Hil. & Naudin
- [*Sida longipedicellata*](#) Thulin
- [*Sida longipes*](#) A.Gray
- [*Sida luschnathiana*](#) Steud.
- [*Sida macaibae*](#) Monteiro
- [*Sida macropetala*](#) Monteiro
- [*Sida magnifica*](#) Domin
- [*Sida marabaensis*](#) Monteiro
- [*Sida martiana*](#) A.St.-Hil.
- [*Sida massaica*](#) Vollesen
- [*Sida meloana*](#) Krapov.
- [*Sida meridiana*](#) Fryxell
- [*Sida michoacana*](#) Fryxell
- [*Sida monteiroi*](#) Krapov.
- [*Sida monticola*](#) Fryxell
- [*Sida multicrena*](#) Hochr.
- [*Sida mysorensis*](#) Wight & Arn.

- [*Sida nemorensis*](#) Mart. ex Colla
- [*Sida neomexicana*](#) A.Gray
- [*Sida nesogena*](#) I.M.Johnst.
- [*Sida nummularia*](#) Baker f.
- [*Sida oblonga*](#) Bovini
- [*Sida ogadensis*](#) Thulin & Vollesen
- [*Sida oligandra*](#) K.Schum.
- [*Sida orientalis*](#) Cav.
- [*Sida ovalis*](#) Kostel.
- [*Sida ovata*](#) Forssk.
- [*Sida palmata*](#) Cav.
- [*Sida paradoxa*](#) Rodrigo
- [*Sida parva*](#) Krapov.
- [*Sida paucifolia*](#) DC.
- [*Sida pedersenii*](#) Krapov.
- [*Sida pedunculata*](#) (A.Cunn. ex J.M.Black) J.M.Black
- [*Sida pernambucensis*](#) Baracho & J.L.Brandão
- [*Sida petrophila*](#) F.Muell.
- [*Sida petropolitana*](#) Monteiro
- [*Sida phaeotricha*](#) F.Muell.
- [*Sida picklesiana*](#) A.S.Markey, S.J.Dillon & R.M.Barker
- [*Sida pindapoyensis*](#) Krapov.
- [*Sida pires-blackii*](#) Monteiro
- [*Sida planicaulis*](#) Cav.
- [*Sida platycalyx*](#) F.Muell. ex Benth.
- [*Sida pleiantha*](#) F.Muell. ex Benth.
- [*Sida poeppigiana*](#) (K.Schum.) Fryxell
- [*Sida potentilloides*](#) A.St.-Hil.
- [*Sida potosina*](#) Brandegees
- [*Sida pradeepiana*](#) Tambde & Sardesai
- [*Sida pritzeliana*](#) Domin
- [*Sida prolifica*](#) Fryxell & S.D.Koch
- [*Sida pseudocordifolia*](#) Hochr.
- [*Sida pseudocymbalaria*](#) Hassl.
- [*Sida pseudopotentilloides*](#) Monteiro
- [*Sida pseudorubifolia*](#) Krapov.
- [*Sida pueblensis*](#) Fryxell
- [*Sida pusilla*](#) Cav.
- [*Sida quettensis*](#) I.Riedl
- [*Sida quinquevalvacea*](#) J.L.Liu
- [*Sida ravii*](#) Sivad. & Anil Kumar
- [*Sida regnellii*](#) R.E.Fr.

- [*Sida reitzii*](#) Krapov.
- [*Sida repens*](#) Dombey ex Cav.
- [*Sida rhizomatosa*](#) Krapov.
- [*Sida rhombifolia*](#) L.
- [*Sida riedelii*](#) K.Schum.
- [*Sida rigida*](#) (G.Don) D.Dietr.
- [*Sida rivulicola*](#) Ulbr.
- [*Sida rodrigoii*](#) Monteiro
- [*Sida rohlena*](#) Domin
- [*Sida rubifolia*](#) A.St.-Hil.
- [*Sida rubromarginata*](#) Nash
- [*Sida rufescens*](#) A.St.-Hil.
- [*Sida ruizii*](#) Ulbr.
- [*Sida rupicola*](#) Hassl.
- [*Sida rzedowskii*](#) Fryxell
- [*Sida salviifolia*](#) C.Presl
- [*Sida samoensis*](#) Rech.
- [*Sida sampaiana*](#) Monteiro
- [*Sida sangana*](#) Ulbr.
- [*Sida santaremensis*](#) Monteiro
- [*Sida schimperiana*](#) Hochst. ex A.Rich.
- [*Sida schininii*](#) Krapov.
- [*Sida schumanniana*](#) Krapov.
- [*Sida serrata*](#) Willd. ex Spreng.
- [*Sida setosa*](#) Mart. ex Colla
- [*Sida shinyangensis*](#) Vollesen
- [*Sida simpsonii*](#) Krapov.
- [*Sida sivarajanii*](#) Tambde, Sardesai & A.K.Pandey
- [*Sida spenceriana*](#) F.Muell.
- [*Sida spinosa*](#) L.
- [*Sida subcordata*](#) Span.
- [*Sida subcuneata*](#) A.St.-Hil.
- [*Sida sucupirana*](#) Krapov.
- [*Sida surumuensis*](#) Ulbr.
- [*Sida szechuensis*](#) Matsuda
- [*Sida tanaensis*](#) Vollesen
- [*Sida tenuicarpa*](#) Vollesen
- [*Sida teresinensis*](#) Krapov.
- [*Sida ternata*](#) L.f.
- [*Sida teysmannii*](#) Baker f.
- [*Sida tiagii*](#) Bhandari
- [*Sida tobatensis*](#) Ulbr.

- [*Sida tragiifolia*](#) A.Gray
- [*Sida tressensiae*](#) Krapov.
- [*Sida trichopoda*](#) F.Muell.
- [*Sida tuberculata*](#) R.E.Fr.
- [*Sida turneroides*](#) Standl.
- [*Sida uchoae*](#) Monteiro
- [*Sida ulei*](#) Ulbr.
- [*Sida ulmifolia*](#) Mill.
- [*Sida uniaristata*](#) Gonalez & V.N.Yoshik.
- [*Sida urens*](#) L.
- [*Sida vagans*](#) Krapov.
- [*Sida vallsii*](#) Krapov.
- [*Sida variegata*](#) (Griseb.) Krapov.
- [*Sida vespertina*](#) Ekman
- [*Sida viarum*](#) A.St.-Hil.
- [*Sida waltoniana*](#) Krapov.
- [*Sida weberbaueri*](#) Ulbr.
- [*Sida wingfieldii*](#) (Fryxell) Dorr
- [*Sida xanti*](#) A.Gray
- [*Sida yungasensis*](#) Krapov.
- [*Sida yunnanensis*](#) S.Y.Hu
- [*Sida zahlbruckneri*](#) Rech.

From Wikipedia, the free encyclopedia



Shorea robusta

from "Illustrations of the Forest Flora of North-West and Central India", 1874

[*Shorea*](#) is a large genus in family [Dipterocarpaceae](#), and has been subject to substantial revision over the decades. Prior to 2022 the genus included nearly 200 genera.[\[1\]](#)

Based on phylogenomic analyses showing that genus *Shorea* sensu Ashton (1982) was [polyphyletic](#), in 2022 [Ashton](#) and Heckenhauer proposed reviving the former genera [Doona](#) Thwaites, [Pentacme](#) A.DC., and [Richetia](#) F.Heim, raising *Shorea* sections [Anthoshorea](#) and [Neohopea](#) to genus rank, and combining *Shorea* sections *Brachyptera*, *Mutica*, *Ovalis*, *Pachycarpae*, and *Rubella* into the new genus [Rubroshorea](#), with two sections, *Shorea* and *Barbata*, remaining in genus *Shorea*.[\[1\]](#) [Plants of the World Online](#) currently recognizes *Anthoshorea*, *Doona*, *Neohopea*, *Pentacme*, *Richetia*, and *Rubroshorea* as separate genera.[\[2\]](#)

Shorea classification (Ashton *et al.* 2022)

[Plants of the World Online](#) currently accepts 47 species.[\[2\]](#) Ashton *et al.* (2022) accept two sections, *Barbata* and *Shorea*.[\[1\]](#)

Species	Section
	Shorea altopoensis Pierre
Shorea arsoriano H.G.Gut., Rojo & Madulid	
Shorea asahi P.S.Ashton	<i>Barbata</i>
Shorea astylosa Foxw.	<i>Shorea</i>
Shorea atrinervosa Symington	<i>Shorea</i>
Shorea biawak P.S.Ashton	<i>Barbata</i>
Shorea brunnescens P.S.Ashton	<i>Shorea</i>
Shorea calcicola P.S.Ashton	<i>Shorea</i>
Shorea ciliata King	<i>Shorea</i>
Shorea collina Ridl.	<i>Shorea</i>
Shorea crassa P.S.Ashton	<i>Shorea</i>
Shorea domatiosa P.S.Ashton	<i>Shorea</i>
Shorea dyeri Thwaites ex Trimen	<i>Shorea</i>
Shorea exelliptica Meijer	<i>Shorea</i>
Shorea falcata J.E.Vidal	<i>Shorea</i>
Shorea falcifera Dyer ex Brandis	<i>Shorea</i>
Shorea falciferoides Foxw.	<i>Shorea</i>
Shorea foxworthyi Symington	
Shorea geniculata Symington ex P.S.Ashton	<i>Shorea</i>
Shorea glauca King	<i>Barbata</i>
Shorea guiso (Blanco) Blume	<i>Shorea</i>
Shorea havilandii Brandis	<i>Shorea</i>
Shorea hypoleuca Meijer	<i>Shorea</i>

Species	Section
<i>Shorea inappendiculata</i> Burck	<i>Shorea</i>
<i>Shorea ladiana</i> P.S.Ashton	<i>Barbata</i>
<i>Shorea laevis</i> Ridl.	<i>Barbata</i>
<i>Shorea leptoderma</i> Meijer	<i>Shorea</i>
<i>Shorea lissophylla</i> Thwaites	<i>Shorea</i>
<i>Shorea lumutensis</i> Symington	<i>Shorea</i>
<i>Shorea lunduensis</i> P.S.Ashton	<i>Shorea</i>
<i>Shorea malibato</i> Foxw.	<i>Shorea</i>
<i>Shorea materialis</i> Ridl.	<i>Shorea</i>
<i>Shorea maxwelliana</i> King	<i>Barbata</i>
<i>Shorea micans</i> P.S.Ashton	<i>Barbata</i>
<i>Shorea oblongifolia</i> Thwaites	<i>Shorea</i>
<i>Shorea obscura</i> Meijer	<i>Shorea</i>
<i>Shorea obtusa</i> Wall. ex Blume	<i>Shorea</i>
<i>Shorea ochrophloia</i> Symington	<i>Shorea</i>
<i>Shorea pallescens</i> P.S.Ashton	<i>Shorea</i>
<i>Shorea robusta</i> C.F.Gaertn.	<i>Shorea</i>
<i>Shorea scrobiculata</i> Burck	<i>Shorea</i>
<i>Shorea seminis</i> (de Vriese) Slooten	<i>Shorea</i>
<i>Shorea submontana</i> Symington	<i>Shorea</i>
<i>Shorea sumatrana</i> (Slooten ex Thorenaar) Desch	<i>Shorea</i>
<i>Shorea superba</i> Symington	<i>Shorea</i>
<i>Shorea thorelii</i> Pierre ex Laness.	<i>Shorea</i>
<i>Shorea tumbugaia</i> Roxb.	<i>Shorea</i>

Shorea classification (Ashton *et al.* 2004)

This is a complete listing of [Shorea](#) species accepted by [Plants of the World Online](#) in July 2019. The subgeneric classification follows Ashton (2004) and covers only species native to northern Borneo, with some Sri Lankan species added.^[3] The [timber groups](#) classified according to the system proposed by Symington in the early 1940s.

Species	Ashton (2004) sections subsections	Groups	Accepted names per Plants of the World Online , October 2024
<i>Shorea affinis</i> (Thwaites) P.S.Ashton	<i>Doona</i>		<i>Doona affinis</i> Thwaites
<i>Shorea congestiflora</i> (Thwaites) P.S.Ashton	<i>Doona</i>		<i>Doona congestiflora</i> Thwaites
<i>Shorea cordifolia</i> (Thwaites) P.S.Ashton	<i>Doona</i>		<i>Doona cordifolia</i> Thwaites
<i>Shorea disticha</i> (Thwaites) P.S.Ashton	<i>Doona</i>		<i>Doona disticha</i> (Thwaites) Pierre

Species	Ashton (2004) sections subsections	Groups	Accepted names per Plants of the World Online , October 2024
<i>Shorea megistophylla</i> P.S.Ashton	<i>Doona</i>		<i>Doona macrophylla</i> Thwaites
<i>Shorea trapezifolia</i> (Thwaites) P.S.Ashton	<i>Doona</i>		<i>Doona trapezifolia</i> Thwaites
<i>Shorea zeylanica</i> (Thwaites) P.S.Ashton	<i>Doona</i>		<i>Doona zeylanica</i> Thwaites
<i>Shorea contorta</i> S.Vidal	<i>Pentacme</i>		<i>Pentacme contorta</i> (S.Vidal) Merr. & Rolfe
<i>Shorea siamensis</i> Miq.	<i>Pentacme</i>		<i>Pentacme siamensis</i> (Miq.) Kurz
<i>Shorea agami</i> P.S.Ashton	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea agami</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea bracteolata</i> Dyer	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea bracteolata</i> (Dyer) P.S.Ashton & J.Heck.
<i>Shorea confusa</i> P.S.Ashton	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea confusa</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea cordata</i> P.S.Ashton	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea cordata</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea dealbata</i> Foxw.	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea dealbata</i> (Foxw.) P.S.Ashton & J.Heck.
<i>Shorea gratissima</i> (Wall. ex. Kurz) Dyer	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea gratissima</i> (Wall. ex Kurz) P.S.Ashton & J.Heck.
<i>Shorea lamellata</i> Foxw.	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea lamellata</i> (Foxw.) P.S.Ashton & J.Heck.
<i>Shorea ochracea</i> Symington	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea ochracea</i> (Symington) P.S.Ashton & J.Heck.
<i>Shorea resinosa</i> Foxw.	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea resinosa</i> (Foxw.) P.S.Ashton & J.Heck.
<i>Shorea symingtonii</i> G.H.S.Wood	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea symingtonii</i> (G.H.S.Wood) P.S.Ashton & J.Heck.
<i>Shorea virescens</i> Parijs	<i>Anthoshorea</i>	white meranti group	<i>Anthoshorea virescens</i> (Parijs) P.S.Ashton & J.Heck.
<i>Shorea isoptera</i>	<i>Neohopea</i>	selangan	<i>Neohopea isoptera</i> (P.S.Ashton)

Species	Ashton (2004)		Groups	Accepted names per Plants of the World Online , October 2024
	sections	subsections		
P.S.Ashton			batu group	P.S.Ashton & J.Heck.
Shorea asahi P.S.Ashton	<i>Shorea</i>	<i>Barbata</i>	selangan batu group	Shorea asahi P.S.Ashton
Shorea biawak P.S.Ashton	<i>Shorea</i>	<i>Barbata</i>	selangan batu group	Shorea biawak P.S.Ashton
Shorea ladiana P.S.Ashton	<i>Shorea</i>	<i>Barbata</i>	selangan batu group	Shorea ladiana P.S.Ashton
Shorea laevis Ridl.	<i>Shorea</i>	<i>Barbata</i>	selangan batu group	Shorea laevis Ridl.
Shorea maxwelliana King	<i>Shorea</i>	<i>Barbata</i>	selangan batu group	Shorea maxwelliana King
Shorea micans P.S.Ashton	<i>Shorea</i>	<i>Barbata</i>	selangan batu group	Shorea micans P.S.Ashton
Shorea atrinervosa Symington	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea atrinervosa Symington
Shorea brunnescens P.S.Ashton	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea brunnescens P.S.Ashton
Shorea calcicola P.S.Ashton	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea calcicola P.S.Ashton
Shorea crassa P.S.Ashton	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea crassa P.S.Ashton
Shorea domatiosa P.S.Ashton	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea domatiosa P.S.Ashton
Shorea exelliptica Meijer	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea exelliptica Meijer
Shorea falcifera Dyer ex. Brandis	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea falcifera Dyer ex. Brandis
Shorea falciferoides Foxw.	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea falciferoides Foxw.
Shorea foxworthyi Symington	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea foxworthyi Symington
Shorea geniculata Symington ex. P.S.Ashton	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea geniculata Symington ex. P.S.Ashton
Shorea guiso (Blanco) Blume	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea guiso (Blanco) Blume
Shorea havilandii Brandis	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea havilandii Brandis
Shorea hypoleuca Meijer	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea hypoleuca Meijer
Shorea inappendiculata Burck	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea inappendiculata Burck
Shorea lunduensis	<i>Shorea</i>	<i>Shorea</i>	selangan	Shorea lunduensis P.S.Ashton

Species	Ashton (2004)		Groups	Accepted names per Plants of the World Online , October 2024
sections	subsections			
P.S.Ashton			batu group	
Shorea materialis Ridl.	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea materialis Ridl.
Shorea obscura Meijer	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea obscura Meijer
Shorea scrobiculata Burck	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea scrobiculata Burck
Shorea seminis (de Viese) Slooten	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea seminis (de Viese) Slooten
Shorea superba Symington	<i>Shorea</i>	<i>Shorea</i>	selangan batu group	Shorea superba Symington
Shorea almon Foxw.	<i>Brachypterae</i>		red meranti group	Rubroshorea almon (Foxw.) P.S.Ashton & J.Heck.
Shorea andulensis P.S.Ashton	<i>Brachypterae</i>		red meranti group	Rubroshorea andulensis (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea bullata P.S.Ashton	<i>Brachypterae</i>		red meranti group	Rubroshorea bullata (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea carapae P.S.Ashton	<i>Brachypterae</i>		red meranti group	Rubroshorea carapae (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea coriacea Burck	<i>Brachypterae</i>		red meranti group	Rubroshorea coriacea (Burck) P.S.Ashton & J.Heck.
Shorea fallax Meijer	<i>Brachypterae</i>		red meranti group	Rubroshorea fallax (Meijer) P.S.Ashton & J.Heck.
Shorea flaviflora Wood ex. P.S.Ashton	<i>Brachypterae</i>		red meranti group	Rubroshorea flaviflora (G.H.S.Wood ex P.S.Ashton) P.S.Ashton & J.Heck.
Shorea flemmichii Symington	<i>Brachypterae</i>		red meranti group	Rubroshorea flemmichii (Symington) P.S.Ashton & J.Heck.
Shorea inaequilateralis Symington	<i>Brachypterae</i>		red meranti group	Rubroshorea inaequilateralis (Symington) P.S.Ashton & J.Heck.
Shorea johorensis Foxw.	<i>Brachypterae</i>		red meranti group	Rubroshorea johorensis (Foxw.) P.S.Ashton & J.Heck.
Shorea kunstleri King	<i>Brachypterae</i>		red meranti group	Rubroshorea kunstleri (King) P.S.Ashton & J.Heck.
Shorea monticola P.S.Ashton	<i>Brachypterae</i>		red meranti group	Rubroshorea monticola (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea pachyphylla Ridl.	<i>Brachypterae</i>		red meranti	Rubroshorea pachyphylla (Ridl.)

Species	Ashton (2004) sections subsections		Groups	Accepted names per Plants of the World Online , October 2024
ex. Symington			group	ex Symington) P.S.Ashton & J.Heck.
Shorea palembanica Miq.	Brachypterae		red meranti group	Rubroshorea palembanica (Miq.) P.S.Ashton & J.Heck.
Shorea parvistipulata F.Heim	Brachypterae		red meranti group	Rubroshorea parvistipulata (F.Heim) P.S.Ashton & J.Heck.
Shorea pauciflora King	Brachypterae		red meranti group	Rubroshorea pauciflora (King) P.S.Ashton & J.Heck.
Shorea platyclados Slooten ex. Endert	Brachypterae		red meranti group	Rubroshorea platyclados (Slooten ex Endert) P.S.Ashton & J.Heck.
Shorea pubistyla P.S.Ashton	Brachypterae		red meranti group	Rubroshorea pubistyla (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea scaberrima Burck	Brachypterae		red meranti group	Rubroshorea scaberrima (Burck) P.S.Ashton & J.Heck.
Shorea smithiana Symington	Brachypterae		red meranti group	Rubroshorea smithiana (Symington) P.S.Ashton & J.Heck.
Shorea venulosa G.H.S.Wood ex. Meijer	Brachypterae		red meranti group	Rubroshorea venulosa (G.H.S.Wood ex Meijer) P.S.Ashton & J.Heck.
Shorea waltoni G.H.S.Wood ex. Meijer	Brachypterae		red meranti group	Rubroshorea waltoni (G.H.S.Wood ex Meijer) P.S.Ashton & J.Heck.
Shorea acuta P.S.Ashton	Mutica	Auriculatae	red meranti group	Rubroshorea acuta (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea ferruginea Dyer ex. Brandis	Mutica	Auriculatae	red meranti group	Rubroshorea ferruginea (Dyer ex Brandis) P.S.Ashton & J.Heck.
Shorea macroptera Dyer	Mutica	Auriculatae	red meranti group	Rubroshorea macroptera (Dyer) P.S.Ashton & J.Heck.
Shorea myrionerva Symington ex. P.S.Ashton	Mutica	Auriculatae	red meranti group	Rubroshorea myrionerva (Symington ex P.S.Ashton) P.S.Ashton & J.Heck.
Shorea sagittata P.S.Ashton	Mutica	Auriculatae	red meranti group	Rubroshorea sagittata (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea slootenii Wood ex. P.S.Ashton	Mutica	Auriculatae	red meranti group	Rubroshorea slootenii (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea argentifolia Symington	Mutica	Mutica	red meranti group	Rubroshorea argentifolia (Symington) P.S.Ashton & J.Heck.
Shorea curtisii Dyer ex.	Mutica	Mutica	red meranti	Rubroshorea curtisii (Dyer ex

Species	Ashton (2004)		Groups	Accepted names per Plants of the World Online , October 2024
sections	subsections			
Brandis			group	King) P.S.Ashton & J.Heck.
Shorea dasyphylla Foxw.	Mutica	Mutica	red meranti group	Rubroshorea dasyphylla (Foxw.) P.S.Ashton & J.Heck.
Shorea foraminifera P.S.Ashton	Mutica	Mutica	red meranti group	Rubroshorea foraminifera (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea hemsleyana (King) King ex. Foxw.	Mutica	Mutica	red meranti group	Rubroshorea hemsleyana (King) P.S.Ashton & J.Heck.
Shorea leprosula Miq.	Mutica	Mutica	red meranti group	Rubroshorea leprosula (Miq.) P.S.Ashton & J.Heck.
Shorea macrantha Brandis	Mutica	Mutica	red meranti group	Rubroshorea macrantha (Brandis) P.S.Ashton & J.Heck.
Shorea ovata Dyer ex. Brandis	Mutica	Mutica	red meranti group	Rubroshorea ovata (Dyer ex Brandis) P.S.Ashton & J.Heck.
Shorea pallidifolia P.S.Ashton	Mutica	Mutica	red meranti group	Rubroshorea pallidifolia (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea parvifolia Dyer	Mutica	Mutica	red meranti group	Rubroshorea parvifolia (Dyer) P.S.Ashton & J.Heck.
Shorea platycarpa F.Heim	Mutica	Mutica	red meranti group	Rubroshorea platycarpa (F.Heim) P.S.Ashton & J.Heck.
Shorea quadrinervis Slooten	Mutica	Mutica	red meranti group	Rubroshorea quadrinervis (Slooten) P.S.Ashton & J.Heck.
Shorea retusa Meijer	Mutica	Mutica	red meranti group	Rubroshorea retusa (Meijer) P.S.Ashton & J.Heck.
Shorea revoluta P.S.Ashton	Mutica	Mutica	red meranti group	Rubroshorea revoluta (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea rubra P.S.Ashton	Mutica	Mutica	red meranti group	Rubroshorea rubra (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea rugosa F.Heim	Mutica	Mutica	red meranti group	Rubroshorea rugosa (F.Heim) P.S.Ashton & J.Heck.
Shorea scabrida Symington	Mutica	Mutica	red meranti group	Rubroshorea scabrida (Symington) P.S.Ashton & J.Heck.
Shorea teysmanniana Dyer ex. Brandis	Mutica	Mutica	red meranti group	Rubroshorea teysmanniana (Dyer ex Brandis) P.S.Ashton & J.Heck.
Shorea uliginosa Foxw.	Mutica	Mutica	red meranti group	Rubroshorea uliginosa (Foxw.) P.S.Ashton & J.Heck.
Shorea ovalis (Korth.) Blume	Ovalis		red meranti group	Rubroshorea ovalis (Korth.) P.S.Ashton & J.Heck.
Shorea amplexicaulis	Pachycarpae		red meranti	Rubroshorea amplexicaulis

Species	Ashton (2004) sections subsections		Groups	Accepted names per Plants of the World Online , October 2024
P.S.Ashton			group	(P.S.Ashton) P.S.Ashton & J.Heck.
Shorea beccariana Burck	<i>Pachycarpae</i>		red meranti group	Rubroshorea beccariana (Burck) P.S.Ashton & J.Heck.
Shorea macrophylla (de Vriese) P.S.Ashton	<i>Pachycarpae</i>		red meranti group	Rubroshorea macrophylla (de Vriese) P.S.Ashton & J.Heck.
Shorea mecistopteryx Ridl.	<i>Pachycarpae</i>		red meranti group	Rubroshorea mecistopteryx (Ridl.) P.S.Ashton & J.Heck.
Shorea pilosa P.S.Ashton	<i>Pachycarpae</i>		red meranti group	Rubroshorea pilosa (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea pinanga Scheff.	<i>Pachycarpae</i>		red meranti group	Rubroshorea pinanga (Scheff.) P.S.Ashton & J.Heck.
Shorea praestans P.S.Ashton	<i>Pachycarpae</i>		red meranti group	Rubroshorea praestans (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea rotundifolia P.S.Ashton	<i>Pachycarpae</i>		red meranti group	Rubroshorea rotundifolia (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea splendida (de Vriese) P.S.Ashton	<i>Pachycarpae</i>		red meranti group	Rubroshorea splendida (de Vriese) P.S.Ashton & J.Heck.
Shorea stenoptera Burck	<i>Pachycarpae</i>		red meranti group	Rubroshorea stenoptera (Burck) P.S.Ashton & J.Heck.
Shorea woodii P.S.Ashton	<i>Pachycarpae</i>		red meranti group	Rubroshorea woodii (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea albida Symington	<i>Rubella</i>		red meranti group	Rubroshorea albida (Symington) P.S.Ashton & J.Heck.
Shorea dispar P.S.Ashton	<i>Rubella</i>		red meranti group	Rubroshorea dispar (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea elliptica Burck	<i>Rubella</i>		red meranti group	Rubroshorea elliptica (Burck) P.S.Ashton & J.Heck.
Shorea rubella P.S.Ashton	<i>Rubella</i>		red meranti group	Rubroshorea rubella (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea acuminatissima Symington	<i>Richetioides</i>		yellow meranti group	Richetia acuminatissima (Symington) P.S.Ashton & J.Heck.
Shorea alutacea P.S.Ashton	<i>Richetioides</i>		yellow meranti group	Richetia alutacea (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea angustifolia P.S.Ashton	<i>Richetioides</i>		yellow meranti group	Richetia angustifolia (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea bakoensis	<i>Richetioides</i>		yellow	Richetia bakoensis (P.S.Ashton)

Species	Ashton (2004) sections subsections	Groups	Accepted names per Plants of the World Online , October 2024
P.S.Ashton		meranti group	P.S.Ashton & J.Heck.
Shorea balanocarpoides Symington	<i>Richetioides</i>	yellow meranti group	Richetia balanocarpoides (Symington) P.S.Ashton & J.Heck.
Shorea chaiana P.S.Ashton	<i>Richetioides</i>	yellow meranti group	Richetia chaiana (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea collaris Slooten	<i>Richetioides</i>	yellow meranti group	Richetia collaris (Slooten) P.S.Ashton & J.Heck.
Shorea cuspidata P.S.Ashton	<i>Richetioides</i>	yellow meranti group	Richetia cuspidata (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea faguetiana F.Heim	<i>Richetioides</i>	yellow meranti group	Richetia faguetiana (F.Heim) P.S.Ashton & J.Heck.
Shorea faguetioides P.S.Ashton	<i>Richetioides</i>	yellow meranti group	Richetia faguetioides (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea gibbosa Brandis	<i>Richetioides</i>	yellow meranti group	Richetia gibbosa (Brandis) P.S.Ashton & J.Heck.
Shorea hopeifolia (F.Heim) Symington	<i>Richetioides</i>	yellow meranti group	Richetia hopeifolia (F.Heim) P.S.Ashton & J.Heck.
Shorea iliasii P.S.Ashton	<i>Richetioides</i>	yellow meranti group	Richetia iliasii (P.S.Ashton) P.S.Ashton & J.Heck.
Shorea induplicata Slooten	<i>Richetioides</i>	yellow meranti group	Richetia induplicata (Slooten) P.S.Ashton & J.Heck.
Shorea kudatensis G.H.S.Wood ex Meijer	<i>Richetioides</i>	yellow meranti group	Richetia kudatensis (G.H.S.Wood ex Meijer) P.S.Ashton & J.Heck.
Shorea laxa Slooten	<i>Richetioides</i>	yellow meranti group	Richetia laxa (Slooten) P.S.Ashton & J.Heck.
Shorea longiflora (Brandis) Symington	<i>Richetioides</i>	yellow meranti group	Richetia longiflora (Brandis) P.S.Ashton & J.Heck.
Shorea longisperma Roxb.	<i>Richetioides</i>	yellow meranti	Richetia longisperma (Roxb.) P.S.Ashton & J.Heck.

Species	Ashton (2004) sections subsections	Groups	Accepted names per Plants of the World Online , October 2024
<i>Shorea macrobalanos</i> P.S.Ashton	<i>Richetioides</i>	group yellow meranti group	<i>Richetia macrobalanos</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea mujongensis</i> P.S.Ashton	<i>Richetioides</i>	yellow meranti group	<i>Richetia mujongensis</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea multiflora</i> (Burck) Symington	<i>Richetioides</i>	yellow meranti group	<i>Richetia multiflora</i> (Burck) P.S.Ashton & J.Heck.
<i>Shorea obovoidea</i> Slooten	<i>Richetioides</i>	yellow meranti group	<i>Richetia obovoidea</i> (Slooten) P.S.Ashton & J.Heck.
<i>Shorea patoiensis</i> P.S.Ashton	<i>Richetioides</i>	yellow meranti group	<i>Richetia patoiensis</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea peltata</i> Symington	<i>Richetioides</i>	yellow meranti group	<i>Richetia peltata</i> (Symington) P.S.Ashton & J.Heck.
<i>Shorea polyandra</i> P.S.Ashton	<i>Richetioides</i>	yellow meranti group	<i>Richetia polyandra</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea richetia</i> Symington	<i>Richetioides</i>	yellow meranti group	<i>Richetia coriacea</i> F.Heim
<i>Shorea subcylindrica</i> Slooten	<i>Richetioides</i>	yellow meranti group	<i>Richetia subcylindrica</i> (Slooten) P.S.Ashton & J.Heck.
<i>Shorea tenuiramulosa</i> P.S.Ashton	<i>Richetioides</i>	yellow meranti group	<i>Richetia tenuiramulosa</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea xanthophylla</i> Symington	<i>Richetioides</i>	yellow meranti group	<i>Richetia xanthophylla</i> (Symington) P.S.Ashton & J.Heck.
<i>Shorea acuminata</i> Dyer			<i>Rubroshorea acuminata</i> (Dyer) P.S.Ashton & J.Heck.
<i>Shorea altoipoensis</i> Pierre			<i>Shorea altoipoensis</i> Pierre
<i>Shorea arsoriano</i> H.G.Gut., Rojo & Madulid			<i>Shorea arsoriano</i> H.G.Gut., Rojo & Madulid
<i>Shorea assamica</i> Dyer			<i>Anthoshorea assamica</i> (Dyer) P.S.Ashton & J.Heck.
<i>Shorea astylosa</i> Foxw.			<i>Shorea astylosa</i> Foxw.

Species	Ashton (2004) sections subsections	Groups	Accepted names per Plants of the World Online , October 2024
<i>Shorea bentongensis</i> Foxw.			<i>Anthoshorea bentongensis</i> (Foxw.) P.S.Ashton & J.Heck.
<i>Shorea blumutensis</i> Foxw.			<i>Richetia blumutensis</i> (Foxw.) P.S.Ashton & J.Heck.
<i>Shorea ciliata</i> King			<i>Shorea ciliata</i> King
<i>Shorea collina</i> Ridl.			<i>Shorea collina</i> Ridl.
<i>Shorea conica</i> Slooten			<i>Richetia conica</i> (Slooten) P.S.Ashton & J.Heck.
<i>Shorea dyeri</i> Thwaites ex Trimen			<i>Shorea dyeri</i> Thwaites ex Trimen
<i>Shorea falcata</i> J.E.Vidal			<i>Shorea falcata</i> J.E.Vidal
<i>Shorea farinosa</i> C.E.C.Fisch.			<i>Anthoshorea farinosa</i> (C.E.C.Fisch.) P.S.Ashton & J.Heck.
<i>Shorea gardneri</i> (Thwaites) P.S.Ashton			<i>Doona gardneri</i> Thwaites
<i>Shorea glauca</i> King			<i>Shorea glauca</i> King
<i>Shorea henryana</i> Pierre ex Laness.			<i>Anthoshorea henryana</i> (Pierre ex Laness.) P.S.Ashton & J.Heck.
<i>Shorea hulanidda</i> Kosterm.			<i>Anthoshorea hulanidda</i> (Kosterm.) P.S.Ashton & J.Heck.
<i>Shorea hypochra</i> Hance			<i>Anthoshorea hypochra</i> (Hance) P.S.Ashton & J.Heck.
<i>Shorea javanica</i> Koord. & Valeton			<i>Anthoshorea javanica</i> (Koord. & Valeton) P.S.Ashton & J.Heck.
<i>Shorea kuantanensis</i> P.S.Ashton			<i>Richetia kuantanensis</i> (P.S.Ashton) P.S.Ashton & J.Heck.
<i>Shorea lepidota</i> (Korth.) Blume			<i>Rubroshorea lepidota</i> (Korth.) P.S.Ashton & J.Heck.
<i>Shorea leptoderma</i> Meijer			<i>Shorea leptoderma</i> Meijer
<i>Shorea lissophylla</i> Thwaites			<i>Shorea lissophylla</i> Thwaites
<i>Shorea lumutensis</i> Symington			<i>Shorea lumutensis</i> Symington
<i>Shorea malibato</i> Foxw.			<i>Shorea malibato</i> Foxw.
<i>Shorea maxima</i> (King) Symington			<i>Richetia maxima</i> (King) P.S.Ashton & J.Heck.
<i>Shorea montigena</i> Slooten			<i>Anthoshorea montigena</i> (Slooten) P.S.Ashton & J.Heck.
<i>Shorea negrosensis</i> Foxw.			<i>Rubroshorea negrosensis</i> (Foxw.) P.S.Ashton & J.Heck.

Species	Ashton (2004) sections subsections	Groups	Accepted names per Plants of the World Online , October 2024
<i>Shorea oblongifolia</i> Thwaites			<i>Shorea oblongifolia</i> Thwaites
<i>Shorea obtusa</i> Wall.			<i>Shorea obtusa</i> Wall.
<i>Shorea ochrophloia</i> Symington			<i>Shorea ochrophloia</i> Symington
<i>Shorea ovalifolia</i> (Thwaites) P.S.Ashton			<i>Doona ovalifolia</i> Thwaites
<i>Shorea pallescens</i> P.S.Ashton			<i>Shorea pallescens</i> P.S.Ashton
<i>Shorea palosapis</i> (Blanco) Merr.			<i>Rubroshorea palosapis</i> (Blanco) P.S.Ashton & J.Heck.
<i>Shorea polita</i> S.Vidal			<i>Anthoshorea polita</i> (S.Vidal) P.S.Ashton & J.Heck.
<i>Shorea polysperma</i> (Blanco) Merr.			<i>Rubroshorea polysperma</i> (Blanco) P.S.Ashton & J.Heck.
<i>Shorea retinodes</i> Slooten			<i>Anthoshorea retinodes</i> (Slooten) P.S.Ashton & J.Heck.
<i>Shorea robusta</i> C.F.Gaertn.			<i>Shorea robusta</i> C.F.Gaertn.
<i>Shorea roxburghii</i> G.Don			<i>Anthoshorea roxburghii</i> (G.Don) P.S.Ashton & J.Heck.
<i>Shorea selanica</i> (Lam.) Blume			<i>Rubroshorea selanica</i> (Valmont) P.S.Ashton & J.Heck.
<i>Shorea singkawang</i> (Miq.) Burck			<i>Rubroshorea singkawang</i> (Miq.) P.S.Ashton & J.Heck.
<i>Shorea squamata</i> (Turcz.) Dyer ex S.Vidal			<i>Rubroshorea palosapis</i> (Blanco) P.S.Ashton & J.Heck.
<i>Shorea stipularis</i> Thwaites			<i>Anthoshorea stipularis</i> (Thwaites) P.S.Ashton & J.Heck.
<i>Shorea submontana</i> Symington			<i>Shorea submontana</i> Symington
<i>Shorea sumatrana</i> (Slooten ex Thorenaar) Desch			<i>Shorea sumatrana</i> (Slooten ex Thorenaar) Desch
<i>Shorea thorelii</i> Pierre ex. Laness			<i>Shorea thorelii</i> Pierre ex. Laness
<i>Shorea tumbuggaia</i> Roxb.			<i>Shorea tumbuggaia</i> Roxb.
<i>Shorea wangtianshuea</i> Y.K.Yang & J.K.Wu			<i>Parashorea chinensis</i> Wang Hsie
<i>Shorea worthingtonii</i> P.S.Ashton			<i>Doona venulosa</i> Thwaites

From Wikipedia, the free encyclopedia

Serjania is a genus of plants in the family [Sapindaceae](#). As of November 2024, [Plants of the World Online](#) accepted 254 species.^[1]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [Serjania acoma](#) Radlk.
- [Serjania aculeata](#) Radlk.
- [Serjania acuminata](#) Radlk.
- [Serjania acupunctata](#) Radlk.
- [Serjania acuta](#) Triana & Planch.

- [*Serjania acutidentata*](#) Radlk.
- [*Serjania adenophylla*](#) Ferrucci
- [*Serjania adiantoides*](#) Radlk.
- [*Serjania adusta*](#) Radlk.
- [*Serjania albida*](#) Radlk.
- [*Serjania altissima*](#) (Poepp.) Radlk.
- [*Serjania aluligera*](#) Radlk.
- [*Serjania ampelopsis*](#) Planch. & Linden
- [*Serjania amplifolia*](#) Radlk.
- [*Serjania angustifolia*](#) Willd.
- [*Serjania atrolineata*](#) C.Wright

B



Serjania brachycarpa

- [*Serjania bahiana*](#) Ferrucci
- [*Serjania biternata*](#) (Weath.) Acev.-Rodr.
- [*Serjania brachycarpa*](#) A.Gray ex Radlk.
- [*Serjania brachylopha*](#) Radlk.
- [*Serjania brachyptera*](#) Radlk.
- [*Serjania brachystachya*](#) Radlk.
- [*Serjania bradeana*](#) Somner
- [*Serjania brevipes*](#) Benth.
- [*Serjania brevipetiolata*](#) Ferrucci & Somner

C

- [*Serjania californica*](#) Radlk.
- [*Serjania calligera*](#) Radlk.
- [*Serjania cambessedesiana*](#) Schltdl. & Cham.
- [*Serjania caracasana*](#) (Jacq.) Willd.
- [*Serjania carautae*](#) Somner
- [*Serjania cardiospermoides*](#) Schltdl. & Cham.
- [*Serjania chacoensis*](#) Ferrucci & Acev.-Rodr.
- [*Serjania chaetocarpa*](#) Radlk.
- [*Serjania chartacea*](#) Radlk.
- [*Serjania circumvallata*](#) Radlk.
- [*Serjania cissoides*](#) Radlk.
- [*Serjania clematidea*](#) Triana & Planch.
- [*Serjania clematidifolia*](#) Cambess.
- [*Serjania columbiana*](#) Radlk.
- [*Serjania comata*](#) Radlk.
- [*Serjania communis*](#) Cambess.
- [*Serjania confertiflora*](#) Radlk.
- [*Serjania coradinii*](#) Ferrucci & Somner
- [*Serjania corindifolia*](#) Radlk.
- [*Serjania cornigera*](#) Turcz.
- [*Serjania corrugata*](#) Radlk.
- [*Serjania crassifolia*](#) Radlk.
- [*Serjania crassinervis*](#) Radlk.
- [*Serjania crenata*](#) Griseb.
- [*Serjania cristobaliae*](#) (Ferrucci & Urdampill.) Ferrucci & V.W.Steinm.
- [*Serjania crucensis*](#) Ferrucci & V.W.Steinm.
- [*Serjania cuneolata*](#) Radlk.
- [*Serjania curassavica*](#) (L.) Radlk.
- [*Serjania cystocarpa*](#) Radlk.

D



Serjania dissecta

- [*Serjania darcyi*](#) Croat
- [*Serjania dasyclados*](#) Radlk.
- [*Serjania decemstriata*](#) Radlk.
- [*Serjania deflexa*](#) Gardner
- [*Serjania deltoidea*](#) Radlk.
- [*Serjania dentata*](#) (Vell.) Radlk.
- [*Serjania depauperata*](#) Radlk.
- [*Serjania dibotrya*](#) Poepp.
- [*Serjania didymadenia*](#) Radlk.
- [*Serjania diffusa*](#) Radlk.
- [*Serjania dissecta*](#) (S.Watson) Ferrucci & V.W.Steinm.
- [*Serjania divaraticoccca*](#) Somner & Acev.-Rodr.
- [*Serjania diversifolia*](#) (Jacq.) Radlk.
- [*Serjania dumicola*](#) Radlk.
- [*Serjania dura*](#) Radlk.

E

- [*Serjania elegans*](#) Cambess.
- [*Serjania elongata*](#) J.F.Macbr.
- [*Serjania emarginata*](#) Kunth
- [*Serjania equestris*](#) Macfad.
- [*Serjania erecta*](#) Radlk.
- [*Serjania eriocarpa*](#) Radlk.
- [*Serjania erythrocaulis*](#) Acev.-Rodr. & Somner
- [*Serjania espiritosantensis*](#) Somner
- [*Serjania eucardia*](#) Radlk.

F

- [*Serjania faveolata*](#) Radlk.
- [*Serjania ferruginea*](#) (Lindl.) Mabb.
- [*Serjania filicifolia*](#) Radlk.
- [*Serjania flaviflora*](#) Radlk.
- [*Serjania fluminensis*](#) Acev.-Rodr.
- [*Serjania foveata*](#) Griseb.
- [*Serjania frutescens*](#) V.W.Steinm. & Ferrucci
- [*Serjania fusca*](#) Radlk.
- [*Serjania fuscifolia*](#) Radlk.
- [*Serjania fuscopunctata*](#) Radlk.
- [*Serjania fuscostriata*](#) Radlk.

G

- [*Serjania glabrata*](#) Kunth
- [*Serjania glandulosa*](#) Ferrucci & Somner
- [*Serjania goniocarpa*](#) Radlk.
- [*Serjania gracilis*](#) Radlk.
- [*Serjania grammatophora*](#) Radlk.
- [*Serjania grandiceps*](#) Radlk.
- [*Serjania grandidens*](#) Radlk.
- [*Serjania grandifolia*](#) Sagot ex Radlk.
- [*Serjania grandis*](#) Seem.
- [*Serjania grazielae*](#) Somner
- [*Serjania grosii*](#) Schltdl.
- [*Serjania guerrierensis*](#) (Cruz Durán & K.Vega) Acev.-Rodr.

H

- [*Serjania hamuligera*](#) Radlk.
- [*Serjania hatschbachii*](#) Ferrucci
- [*Serjania hebecarpa*](#) Benth.
- [*Serjania herteri*](#) Ferrucci
- [*Serjania heterocarpa*](#) Standl.
- [*Serjania hispida*](#) Standl. & Steyerm.

I

- [*Serjania ichthyctona*](#) Radlk.
- [*Serjania impressa*](#) Radlk.
- [*Serjania incana*](#) Radlk.
- [*Serjania incisa*](#) Torr.
- [*Serjania inebrians*](#) Radlk.
- [*Serjania inflata*](#) Poepp.
- [*Serjania inscripta*](#) Radlk.
- [*Serjania insignis*](#) Radlk.
- [*Serjania itatiaiensis*](#) Somner

L



Serjania laruotteana

- [*Serjania lachnocarpa*](#) (Benth. ex Radlk.) Acev.-Rodr.
- [*Serjania laevigata*](#) Radlk.
- [*Serjania lamelligera*](#) Radlk.
- [*Serjania lamprophylla*](#) Radlk.
- [*Serjania lancistipula*](#) Acev.-Rodr.
- [*Serjania laruotteana*](#) Cambess.
- [*Serjania lateritia*](#) Radlk.
- [*Serjania laxiflora*](#) Radlk.
- [*Serjania leptocarpa*](#) Radlk.
- [*Serjania lethalis*](#) A.St.-Hil.
- [*Serjania leucosepala*](#) Radlk.
- [*Serjania lineariifolia*](#) Lippold
- [*Serjania littoralis*](#) Somner & Ferrucci
- [*Serjania lobulata*](#) Standl. & Steyerm.
- [*Serjania longipes*](#) Radlk.
- [*Serjania longistipula*](#) Radlk.
- [*Serjania luciano*](#) Ferrucci & Coulleri
- [*Serjania lucida*](#) Schumach.
- [*Serjania lundellii*](#) Croat

M

- [*Serjania macrocarpa*](#) Standl. & Steyerm.
- [*Serjania macrococca*](#) Radlk.
- [*Serjania macrolopha*](#) (Radlk.) Acev.-Rodr. & Ferrucci
- [*Serjania macrostachya*](#) Radlk.
- [*Serjania magnistipulata*](#) Acev.-Rodr.
- [*Serjania mansiana*](#) Mart.
- [*Serjania marginata*](#) Casar.
- [*Serjania matogrossensis*](#) Ferrucci & Acev.-Rodr.
- [*Serjania membranacea*](#) Splitg.
- [*Serjania meridionalis*](#) Cambess.
- [*Serjania mexicana*](#) (L.) Willd.

- [*Serjania microphylla*](#) Lippold
- [*Serjania minutiflora*](#) Radlk.
- [*Serjania mollis*](#) Kunth
- [*Serjania monogyna*](#) Hoffmanns. ex Schltdl.
- [*Serjania morii*](#) Acev.-Rodr.
- [*Serjania mucronulata*](#) Radlk.
- [*Serjania multiflora*](#) Cambess.

N

- [*Serjania neei*](#) Acev.-Rodr.
- [*Serjania nigricans*](#) Radlk.
- [*Serjania nipensis*](#) Urb.
- [*Serjania nodosa*](#) (Jacq.) Radlk.
- [*Serjania noxia*](#) Cambess.
- [*Serjania nutans*](#) Poepp.

O

- [*Serjania oaxacana*](#) Standl.
- [*Serjania obtusidentata*](#) Radlk.
- [*Serjania occidentalis*](#) Lippold
- [*Serjania ochroclada*](#) Radlk.
- [*Serjania orbicularis*](#) Radlk.
- [*Serjania ovalifolia*](#) Radlk.
- [*Serjania oxyphylla*](#) Kunth
- [*Serjania oxytoma*](#) Radlk.

P



Serjania palmeri

- [*Serjania pacifica*](#) Standl.
- [*Serjania paleata*](#) Radlk.
- [*Serjania palmeri*](#) S.Watson

- [*Serjania paludosa*](#) Cambess.
- [*Serjania paniculata*](#) Kunth
- [*Serjania pannifolia*](#) Radlk.
- [*Serjania paradoxa*](#) Radlk.
- [*Serjania paranensis*](#) Ferrucci & Acev.-Rodr.
- [*Serjania parvifolia*](#) Kunth
- [*Serjania paucidentata*](#) DC.
- [*Serjania pedicellaris*](#) Radlk.
- [*Serjania pernambucensis*](#) Radlk.
- [*Serjania perulacea*](#) Radlk.
- [*Serjania peruviana*](#) Radlk.
- [*Serjania phaseoloides*](#) Standl. & Steyerl.
- [*Serjania pinnatifolia*](#) Radlk.
- [*Serjania piscatoria*](#) Radlk.
- [*Serjania platycarpa*](#) Benth.
- [*Serjania plicata*](#) Radlk.
- [*Serjania pluvialiflorens*](#) Croat
- [*Serjania polyphylla*](#) (L.) Radlk.
- [*Serjania polystachya*](#) (Turcz.) Radlk.
- [*Serjania psilophylla*](#) Radlk.
- [*Serjania pteleifolia*](#) Diels
- [*Serjania pterarthra*](#) Standl.
- [*Serjania punctata*](#) Radlk.
- [*Serjania punctulata*](#) Radlk.
- [*Serjania purpurascens*](#) Radlk.
- [*Serjania pygmaea*](#) (Radlk.) Ferrucci & Medina
- [*Serjania pyramidata*](#) Radlk.

R

- [*Serjania racemosa*](#) Schumach.
- [*Serjania rachiptera*](#) Radlk.
- [*Serjania regnellii*](#) Schltdl.
- [*Serjania rekoii*](#) Standl.
- [*Serjania reticulata*](#) Cambess.
- [*Serjania rhombea*](#) Radlk.
- [*Serjania rhytidococca*](#) Acev.-Rodr.
- [*Serjania rigida*](#) Radlk.
- [*Serjania rosalingae*](#) Ferrucci & V.W.Steinm.
- [*Serjania rubicaulis*](#) Benth. ex Radlk.
- [*Serjania rubicunda*](#) Radlk.
- [*Serjania rufa*](#) Radlk.
- [*Serjania rufisepala*](#) Radlk.

- [*Serjania rutifolia*](#) Radlk.
- [*Serjania rzedowskiana*](#) Ferrucci & V.W.Steinm.

S



Serjania spinosa

- [*Serjania salzmänniana*](#) Schltdl.
- [*Serjania schiedeana*](#) Schltdl.
- [*Serjania scopulifera*](#) Radlk.
- [*Serjania seriana*](#) (L.) Druce
- [*Serjania serjanioides*](#) (Rzed. & Calderón) Acev.-Rodr.
- [*Serjania serrata*](#) Radlk.
- [*Serjania setigera*](#) Radlk.
- [*Serjania sonorensis*](#) (S.Watson) Ferrucci & V.W.Steinm.
- [*Serjania souzana*](#) Ferrucci & Acev.-Rodr.
- [*Serjania sphaerococca*](#) Radlk.
- [*Serjania sphenocarpa*](#) Radlk.
- [*Serjania spinosa*](#) (Radlk.) Ferrucci & V.W.Steinm.
- [*Serjania squarrosa*](#) Radlk.
- [*Serjania striata*](#) Radlk.
- [*Serjania striolata*](#) Radlk.
- [*Serjania subdentata*](#) Juss. ex Poir.
- [*Serjania subimpunctata*](#) Radlk.
- [*Serjania suborbicularis*](#) Radlk.
- [*Serjania subrotundifolia*](#) Radlk.
- [*Serjania subtriplinervis*](#) Radlk.
- [*Serjania sufferruginea*](#) Radlk.

T



Serjania triquetra

- [*Serjania tailloniana*](#) Standl. & L.O.Williams
- [*Serjania tenuifolia*](#) Radlk.
- [*Serjania tenuis*](#) Radlk.
- [*Serjania thoracoides*](#) Radlk.
- [*Serjania tortuosa*](#) (Benth.) Ferrucci & V.W.Steinm.
- [*Serjania trachygona*](#) Radlk.
- [*Serjania trichomisca*](#) Radlk.
- [*Serjania tricostata*](#) Radlk.
- [*Serjania trifoliolata*](#) Radlk.
- [*Serjania tripleuria*](#) Ferrucci
- [*Serjania triquetra*](#) Radlk.
- [*Serjania trirostris*](#) Radlk.
- [*Serjania tristis*](#) Radlk.
- [*Serjania truncata*](#) Radlk.

U

- [*Serjania unguiculata*](#) Radlk.
- [*Serjania unidentata*](#) Acev.-Rodr.
- [*Serjania urvilleoides*](#) (Radlk.) Ferrucci & Urdampill.

V

- [*Serjania valerii*](#) Standl.
- [*Serjania velutina*](#) Cambess.
- [*Serjania vesicosa*](#) Radlk.

Y

- [*Serjania yucatanensis*](#) Standl.

From Wikipedia, the free encyclopedia

Senecio is a very large [genus](#) of flowering plants in the sunflower family ([Asteraceae](#)). As of March 2023, almost 1,500 species were accepted by [Plants of the World Online](#).^[1]

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Some former species](#)
- [References](#)

A

- [Senecio abbreviatus](#) S.Moore

- [Senecio abruptus](#) Thunb.
- [Senecio acarinus](#) Cabrera
- [Senecio acetosifolius](#) Baker
- [Senecio achalensis](#) Cabrera
- [Senecio achilleifolius](#) DC.
- [Senecio actinoleucus](#) F.Muell.
- [Senecio actinotus](#) Hand.-Mazz.
- [Senecio acutifolius](#) DC.
- [Senecio acutipinnus](#) Hand.-Mazz.
- [Senecio adamantinus](#) Bong.
- [Senecio adenophyllus](#) Meyen & Walp.
- [Senecio adenostylifolius](#) Humbert
- [Senecio adenotrichius](#) DC.
- [Senecio adglacialis](#) Cuatrec.
- [Senecio adnatus](#) DC.
- [Senecio adrianicus](#) Cabrera
- [Senecio adscendens](#) Bojer ex DC.
- [Senecio aegadensis](#) C.Brullo & Brullo
- [Senecio aegyptius](#) L.
- [Senecio aequinoctialis](#) R.E.Fr.
- [Senecio aetfatensis](#) B.Nord.
- [Senecio affinis](#) DC.
- [Senecio agapatensis](#) Sch.Bip.
- [Senecio agapetes](#) C.Jeffrey
- [Senecio albanensis](#) DC.
- [Senecio albanopsis](#) Hilliard
- [Senecio alberti-smithii](#) Cuatrec.
- [Senecio albifolius](#) DC.
- [Senecio albopunctatus](#) Bolus
- [Senecio albopurpureus](#) Kitam.
- [Senecio albus](#) J.N.Nakaj. & A.M.Teles
- [Senecio alcicornis](#) Hook. & Arn.
- [Senecio algens](#) Wedd.
- [Senecio allapajanus](#) Cuatrec.
- [Senecio alloeophyllus](#) O.Hoffm.
- [Senecio almasensis](#) Mattf.
- [Senecio almeidae](#) Phil.
- [Senecio almorzaderonis](#) Cuatrec.
- [Senecio alniphilus](#) Cabrera
- [Senecio aloides](#) DC.
- [Senecio altimontanus](#) A.M.Teles & L.D.Meireles
- [Senecio altissimus](#) Mill.

- [Senecio altoandinus](#) Cabrera
- [Senecio alvarezensis](#) Greenm.
- [Senecio ambatensis](#) Cabrera
- [Senecio ambositrensis](#) Humbert
- [Senecio ameghinoi](#) Speg.
- [Senecio amplexans](#) A.Gray
- [Senecio amplificatus](#) C.Jeffrey
- [Senecio ampullaceus](#) Hook.
- [Senecio anapetes](#) C.Jeffrey
- [Senecio ancashinus](#) Cabrera
- [Senecio anconquijae](#) Cabrera
- [Senecio andapensis](#) Humbert
- [Senecio andersonii](#) Hook.f.
- [Senecio andohahelensis](#) Humbert
- [Senecio anethifolius](#) A.Cunn. ex DC.
- [Senecio angulatus](#) L.f.
- [Senecio angustifolius](#) (Thunb.) Willd.
- [Senecio angustissimus](#) Phil.
- [Senecio anomalochrous](#) Hilliard
- [Senecio antaisaka](#) Humbert
- [Senecio antambolorum](#) Humbert
- [Senecio antandroi](#) Scott-Elliot
- [Senecio anthemidiphyllus](#) J.Rémy
- [Senecio anthemifolius](#) Harv.
- [Senecio antisanae](#) Benth.
- [Senecio antitensis](#) Baker
- [Senecio antofagastanus](#) Cabrera
- [Senecio apenninus](#) Tausch
- [Senecio apensis](#) Cabrera
- [Senecio aphanactis](#) Greene
- [Senecio apolobambensis](#) Cabrera
- [Senecio aquifoliaceus](#) DC.
- [Senecio aquilaris](#) Cabrera
- [Senecio arabidifolius](#) O.Hoffm.
- [Senecio arachnanthus](#) Franch.
- [Senecio arachnolomus](#) Wedd.
- [Senecio archavaletae](#) Baker
- [Senecio arenarius](#) Thunb.
- [Senecio argillosus](#) Baker
- [Senecio argophylloides](#) Griseb.
- [Senecio argutus](#) Kunth
- [Senecio argyreus](#) Phil.

- [Senecio aridus](#) Greenm.
- [Senecio aristeguietae](#) Cuatrec.
- [Senecio aristianus](#) J.Rémy
- [Senecio arizonicus](#) Greene
- [Senecio arleguianus](#) J.Rémy
- [Senecio arniciflorus](#) DC.
- [Senecio arnicoides](#) Hook. & Arn.
- [Senecio arnottii](#) Hook.f.
- [Senecio aronicoides](#) DC.
- [Senecio asirensis](#) Boulos & J.R.I.Wood
- [Senecio aspericaulis](#) J.Rémy
- [Senecio asperifolius](#) Franch.
- [Senecio asperulus](#) DC.
- [Senecio aspleniifolius](#) Griseb.
- [Senecio astephanus](#) Greene
- [Senecio atacamensis](#) Phil.
- [Senecio atratus](#) Greene
- [Senecio atrofuscus](#) Grierson
- [Senecio attenuatus](#) Sch.Bip. ex Rusby
- [Senecio auriculatissimus](#) Britton
- [Senecio auritifolius](#) Cabrera
- [Senecio australandinus](#) Cabrera
- [Senecio australis](#) Willd.
- [Senecio austromontanus](#) Hilliard
- [Senecio axillifolius](#) Cuatrec.

B

- [Senecio baccharidifolius](#)
- [Senecio bahioides](#) Hook. & Arn.
- [Senecio bairdii](#) S.L.Welsh
- [Senecio balensis](#) S.Ortiz & Vivero
- [Senecio balsamicus](#) Phil.
- [Senecio bampsianus](#) Lisowski
- [Senecio banksii](#) Hook.f.
- [Senecio barbarae](#) Cabrera
- [Senecio barbatus](#) DC.
- [Senecio barkhausioides](#) Turcz.
- [Senecio barkleyi](#) B.L.Turner
- [Senecio baronii](#) Humbert
- [Senecio barorum](#) Humbert
- [Senecio barrosianus](#) Cabrera
- [Senecio bartlettii](#) Greenm.

- [Senecio basalticus](#) Hilliard
- [Senecio bathurstianus](#) (DC.) Sch.Bip.
- [Senecio baurii](#) Oliv.
- [Senecio × baxteri](#) E.F.Marshall
- [Senecio bayonnensis](#) Boiss.
- [Senecio beaufilsii](#) Kuntze
- [Senecio behrianus](#) Sond. & F.Muell.
- [Senecio belbeysius](#) Delile
- [Senecio belenensis](#) Griseb.
- [Senecio belgaumensis](#) (Wight) C.B.Clarke
- [Senecio bellis](#) Harv.
- [Senecio beltranii](#) P.González & Montesinos
- [Senecio benaventianus](#) J.Rémy
- [Senecio bergii](#) Hieron.
- [Senecio bertramii](#) Post
- [Senecio biflorus](#) Vahl
- [Senecio bigelovii](#) A.Gray
- [Senecio biligulatus](#) W.W.Sm.
- [Senecio billieturneri](#) T.M.Barkley
- [Senecio bilushenmulatus](#) S.S.Ying
- [Senecio bipartitus](#) Sch.Bip. ex Deflers
- [Senecio bipinnatifidus](#) Hook. & Arn.
- [Senecio bipinnatisectus](#) Belcher
- [Senecio bipinnatus](#) Less.
- [Senecio bipontinii](#) Wedd.
- [Senecio biserratus](#) Belcher
- [Senecio bithynicus](#) J.Calvo
- [Senecio blanchei](#) Soldano
- [Senecio blochmaniae](#) Greene
- [Senecio boelckei](#) Cabrera
- [Senecio × bohemicus](#) Domin
- [Senecio boikoanus](#) (Vorosch. & Schlothg.) Vorosch.
- [Senecio × boiteaui](#) Humbert
- [Senecio bolivarianus](#) Cuatrec.
- [Senecio boliviensis](#) Sch.Bip. ex Klatt
- [Senecio bollei](#) Sunding & G.Kunkel
- [Senecio boluangensis](#) H.Koyama
- [Senecio bombayensis](#) N.P.Balakr.
- [Senecio bonariensis](#) Hook. & Arn.
- [Senecio botijae](#) C.Ehrh.
- [Senecio boutonii](#) Baker
- [Senecio brachyantherus](#) (Hiern) S.Moore

- [Senecio brachylobus](#) Phil.
- [Senecio brachypodus](#) DC.
- [Senecio bracteolatus](#) Hook. & Arn.
- [Senecio brasiliensis](#) (Spreng.) Less.
- [Senecio brassii](#) Belcher
- [Senecio bravensis](#) Cabrera
- [Senecio brevidentatus](#) M.D.Hend.
- [Senecio breviflorus](#) (Kadereit) Greuter
- [Senecio brevilorus](#) Hilliard
- [Senecio breviramulus](#) Tortosa & Adr.Bartoli
- [Senecio breviscapus](#) DC.
- [Senecio bridgesii](#) Hook. & Arn.
- [Senecio brigalowensis](#) I.Thomps.
- [Senecio brittenianus](#) Hiern
- [Senecio brunonianus](#) Hook. & Arn.
- [Senecio bryoniifolius](#) Harv.
- [Senecio bugalagrandis](#) Cuatrec.
- [Senecio buglossa](#) Phil.
- [Senecio × bujedoanus](#) Elias & Pau
- [Senecio bulbinefolius](#) DC.
- [Senecio bupleuroides](#) DC.
- [Senecio burchellii](#) DC.
- [Senecio burkartii](#) Cabrera
- [Senecio burtonii](#) Hook.f.
- [Senecio bustillosianus](#) J.Rémy
- [Senecio byrnensis](#) Hilliard

C

- [Senecio cacaliaster](#) Lam.
- [Senecio cachinalensis](#) Phil.
- [Senecio cajamarquillensis](#) Cabrera
- [Senecio cajonensis](#) Cabrera
- [Senecio cakilefolius](#) DC.
- [Senecio calcensis](#) Cabrera & Zardini
- [Senecio calchaquinus](#) Cabrera
- [Senecio calcicola](#) Meyen & Walp.
- [Senecio californicus](#) DC.
- [Senecio calingastensis](#) Tombesi
- [Senecio callosus](#) Sch.Bip.
- [Senecio calocephalus](#) Poepp.
- [Senecio caloneotes](#) Hilliard
- [Senecio calvus](#) Cuatrec.

- [*Senecio cambrensis*](#) Rosser
- [*Senecio campylocarpus*](#) I.Thomps.
- [*Senecio canabyi*](#) Humbert
- [*Senecio canaliculatus*](#) Bojer ex DC.
- [*Senecio canalipes*](#) DC.
- [*Senecio canchahuinganquensis*](#) Cabrera
- [*Senecio candicans*](#) Wall. ex DC.
- [*Senecio candidans*](#) DC.
- [*Senecio candolleanus*](#) Wall. ex DC.
- [*Senecio candollei*](#) Wedd.
- [*Senecio cano-purpureus*](#) Cuatrec.
- [*Senecio caparaoensis*](#) Cabrera
- [*Senecio capuronii*](#) Humbert
- [*Senecio carbonellii*](#) S.Díaz
- [*Senecio carbonensis*](#) C.Ezcurra, M.Ferreira & S.Clayton
- [*Senecio cardaminifolius*](#) DC.
- [*Senecio carhuanishoensis*](#) H.Beltrán & J.Calvo
- [*Senecio carnerensis*](#) Greenm.
- [*Senecio carnosulus*](#) (Kirk) C.J.Webb
- [*Senecio carnosus*](#) Thunb.
- [*Senecio caroli-malyi*](#) Horvatić
- [*Senecio carpetanus*](#) Boiss. & Reut.
- [*Senecio carroensis*](#) DC.
- [*Senecio casapaltensis*](#) Ball
- [*Senecio castagneanus*](#) DC.
- [*Senecio catamarcensis*](#) Cabrera
- [*Senecio cathcartensis*](#) O.Hoffm.
- [*Senecio caudatus*](#) DC.
- [*Senecio cedrorum*](#) Raynal
- [*Senecio cedrosensis*](#) Greene
- [*Senecio ceratophylloides*](#) Griseb.
- [*Senecio cerberoanus*](#) J.Rémy
- [*Senecio chachaniensis*](#) Cuatrec.
- [*Senecio chalureaui*](#) Humbert
- [*Senecio chamomillifolius*](#) Phil.
- [*Senecio chanaralensis*](#) Phil.
- [*Senecio changii*](#) C.Ren & Q.E.Yang
- [*Senecio chavaniilloensis*](#) Cuatrec.
- [*Senecio chihuahuensis*](#) S.Watson
- [*Senecio chilensis*](#) Less.
- [*Senecio chillanensis*](#) Cabrera
- [*Senecio chionogeton*](#) Wedd.

- [*Senecio chipauquilensis*](#) Troiani & Steibel
- [*Senecio chiquianensis*](#) Cabrera
- [*Senecio* × *choczensis*](#) Holub
- [*Senecio chodatianus*](#) Cuatrec.
- [*Senecio choroensis*](#) Cuatrec.
- [*Senecio chrysanthemum*](#) Dusén
- [*Senecio chrysocoma*](#) Meerb.
- [*Senecio chrysocomoides*](#) Hook. & Arn.
- [*Senecio chrysolepis*](#) Phil.
- [*Senecio chungtienensis*](#) C.Jeffrey & Y.L.Chen
- [*Senecio cinarifolius*](#) H.Lév.
- [*Senecio cinerarioides*](#) Kunth
- [*Senecio cinerascens*](#) Aiton
- [*Senecio cisplatinus*](#) Cabrera
- [*Senecio citriceps*](#) Hilliard & B.L.Burt
- [*Senecio clarioneifolius*](#) J.Rémy
- [*Senecio clarkianus*](#) A.Gray
- [*Senecio claryae*](#) B.L.Turner
- [*Senecio claussenii*](#) Decne.
- [*Senecio clivicola*](#) Wedd.
- [*Senecio coccineus*](#) Klatt
- [*Senecio cochabambensis*](#) Cabrera
- [*Senecio cochlearifolius*](#) Bojer ex DC.
- [*Senecio cocuyanus*](#) Cuatrec.
- [*Senecio colaminus*](#) Cuatrec.
- [*Senecio colensoi*](#) Hook.f.
- [*Senecio coleophyllus*](#) Turcz.
- [*Senecio collinus*](#) DC.
- [*Senecio colpodes*](#) Bong.
- [*Senecio colu-huapiensis*](#) Speg.
- [*Senecio comberi*](#) Cabrera
- [*Senecio comosus*](#) Sch.Bip.
- [*Senecio comptonii*](#) J.C.Manning & Goldblatt
- [*Senecio condimentarius*](#) Cabrera
- [*Senecio condylus*](#) I.Thomps.
- [*Senecio conferruminatus*](#) I.Thomps.
- [*Senecio confertus*](#) Sch.Bip. ex A.Rich.
- [*Senecio conrathii*](#) N.E.Br.
- [*Senecio consanguineus*](#) DC.
- [*Senecio conyzifolius*](#) Baker
- [*Senecio konzattii*](#) Greenm.
- [*Senecio coquimbensis*](#) Phil.

- [Senecio corcovadensis](#) Cabrera
- [Senecio cordifolius](#) L.f.
- [Senecio coriaceisquamus](#) C.C.Chang
- [Senecio cornu-cervi](#) MacOwan
- [Senecio coronatus](#) (Thunb.) Harv.
- [Senecio coronopifolius](#) Burm.f.
- [Senecio coronopodiphyllus](#) J.Rémy
- [Senecio coscayanus](#) Ricardi & Martic.
- [Senecio costaricensis](#) R.M.King
- [Senecio cotyledonis](#) DC.
- [Senecio covasii](#) Cabrera
- [Senecio covuncensis](#) Cabrera
- [Senecio coymolachensis](#) Cabrera
- [Senecio craibianus](#) Hosseus
- [Senecio crassiandinus](#) Montesinos & Pino
- [Senecio crassiflorus](#) (Poir.) DC.
- [Senecio crassifolius](#) Willd.
- [Senecio crassilodix](#) Cuatrec.
- [Senecio crassissimus](#) Humbert
- [Senecio crassiusculus](#) DC.
- [Senecio crassorhizus](#) De Wild.
- [Senecio crassulus](#) A.Gray
- [Senecio cremeiflorus](#) Mattf.
- [Senecio cremnicola](#) Cabrera
- [Senecio cremnophilus](#) I.M.Johnst.
- [Senecio crenatus](#) Thunb.
- [Senecio crenulatus](#) DC.
- [Senecio crepidifolius](#) DC.
- [Senecio crispatipilosus](#) C.Jeffrey
- [Senecio crispus](#) Thunb.
- [Senecio cristimontanus](#) Hilliard
- [Senecio crithmoides](#) Hook. & Arn.
- [Senecio cryphiactis](#) O.Hoffm.
- [Senecio cryptocephalus](#) Cabrera
- [Senecio cryptolanatus](#) Killick
- [Senecio ctenophyllus](#) Phil.
- [Senecio cuchumatanensis](#) L.O.Williams & Ant.Molina
- [Senecio cumingii](#) Hook. & Arn.
- [Senecio cuneatus](#) Hook.f.
- [Senecio cunninghamii](#) DC.
- [Senecio cyaneus](#) O.Hoffm.
- [Senecio cylindrocephalus](#) Cabrera

- [*Senecio cymbalariifolius*](#) (L.) Less.
- [*Senecio cyrenaicus*](#) (E.A.Durand & Barratte) Borzi

D

- [*Senecio daltonii*](#) F.Muell.
- [*Senecio dalzellii*](#) C.B.Clarke
- [*Senecio danal*](#) A.Gray
- [*Senecio daochengensis*](#) Y.L.Chen
- [*Senecio darwinii*](#) Hook. & Arn.
- [*Senecio davilae*](#) Phil.
- [*Senecio decaryi*](#) Humbert
- [*Senecio* × *decipiens*](#) Nyár.
- [*Senecio decurrens*](#) DC.
- [*Senecio deferens*](#) Griseb.
- [*Senecio deformis*](#) Klatt
- [*Senecio delbesianus*](#) Arènes
- [*Senecio deliculatus*](#) Cabrera & Zardini
- [*Senecio deltoideus*](#) Less.
- [*Senecio denisii*](#) Humbert
- [*Senecio densiserratus*](#) C.C.Chang
- [*Senecio dentatoalatus*](#) Mildbr. ex C.Jeffrey
- [*Senecio depauperatus*](#) Mattf.
- [*Senecio depressicola*](#) I.Thomps.
- [*Senecio desideratus*](#) DC.
- [*Senecio dewildeorum*](#) Tjitr.
- [*Senecio diaguita*](#) Cabrera
- [*Senecio diaschides*](#) D.G.Drury
- [*Senecio dichotomus*](#) Phil.
- [*Senecio diemii*](#) Cabrera
- [*Senecio diffusus*](#) L.f.
- [*Senecio digitalifolius*](#) DC.
- [*Senecio digitatus*](#) Phil.
- [*Senecio dilungensis*](#) Lisowski
- [*Senecio diodon*](#) DC.
- [*Senecio diphyllus*](#) De Wild. & Muschl.
- [*Senecio discodregeanus*](#) Hilliard & B.L.Burt
- [*Senecio discokaraguensis*](#) C.Jeffrey
- [*Senecio disjunctus*](#) Wedd.
- [*Senecio dissidens*](#) Fourc.
- [*Senecio dissimulans*](#) Hilliard & B.L.Burt
- [*Senecio distalilobatus*](#) I.Thomps.
- [*Senecio divaricoides*](#) Cabrera

- [*Senecio diversipinnus*](#) Y.Ling
- [*Senecio dodrans*](#) C.Winkl.
- [*Senecio dolichocephalus*](#) I.Thomps.
- [*Senecio × dominii*](#) Hodálová
- [*Senecio donianus*](#) Hook. & Arn.
- [*Senecio doratophyllus*](#) Benth.
- [*Senecio doria*](#) L.
- [*Senecio doriiformis*](#) DC.
- [*Senecio doronicum*](#) (L.) L.
- [*Senecio doryphoroides*](#) C.Jeffrey
- [*Senecio doryphorus*](#) Mattf.
- [*Senecio dracunculoides*](#) DC.
- [*Senecio dregeanus*](#) DC.
- [*Senecio drukensis*](#) C.Marquand & Airy Shaw
- [*Senecio dryophyllus*](#) Meyen & Walp.
- [*Senecio dubitabilis*](#) C.Jeffrey & Y.L.Chen
- [*Senecio dumeticola*](#) S.Moore
- [*Senecio dumetorum*](#) Gardner
- [*Senecio dumosus*](#) Fourc.
- [*Senecio dunedinensis*](#) Belcher
- [*Senecio duriaei*](#) J.Gay ex DC.

E

- [*Senecio × eboracensis*](#) R.J.Abbott & A.J.Lowe
- [*Senecio edgeworthii*](#) Hook.f.
- [*Senecio eenii*](#) (S.Moore) Merxm.
- [*Senecio eightsii*](#) Hook. & Arn.
- [*Senecio elegans*](#) L.
- [*Senecio eligulatus*](#) B.Nord., Moussavi & Djavadi
- [*Senecio eliseae*](#) J.Calvo
- [*Senecio ellenbeckii*](#) O.Hoffm.
- [*Senecio ellenbergii*](#) Cuatrec.
- [*Senecio elmeri*](#) Piper
- [*Senecio emiliopsis*](#) C.Jeffrey
- [*Senecio eminens*](#) Compton
- [*Senecio emirnensis*](#) DC.
- [*Senecio emmae*](#) Cabrera
- [*Senecio englerianus*](#) O.Hoffm.
- [*Senecio erechthithoides*](#) F.Muell.
- [*Senecio eremicola*](#) I.Thomps.
- [*Senecio eremophilus*](#) Richardson
- [*Senecio eriobasis*](#) DC.

- [*Senecio eriocladus*](#) Wedd.
- [*Senecio eriophyton*](#) J.Rémy
- [*Senecio eriopus*](#) Willk.
- [*Senecio erisithalifolius*](#) Sch.Bip. ex Baker
- [*Senecio erlangeri*](#) O.Hoffm.
- [*Senecio erosus*](#) L.f.
- [*Senecio ertterae*](#) T.M.Barkley
- [*Senecio erubescens*](#) Aiton
- [*Senecio eruciformis*](#) J.Rémy
- [*Senecio erysimoides*](#) DC.
- [*Senecio erythrophyllus*](#) Lazaro
- [*Senecio esleri*](#) C.J.Webb
- [*Senecio esperensis*](#) (Sykes) de Lange
- [*Senecio espinosae*](#) Cabrera
- [*Senecio espiritosantensis*](#) A.M.Teles
- [*Senecio esterhuyseniae*](#) J.C.Manning & Goldblatt
- [*Senecio eubaeus*](#) Boiss. & Heldr.
- [*Senecio euclaensis*](#) I.Thomps.
- [*Senecio euriopoides*](#) DC.
- [*Senecio evacoides*](#) Sch.Bip.
- [*Senecio evansianus*](#) Belcher
- [*Senecio evelynae*](#) Muschl.
- [*Senecio exarachnoideus*](#) C.Jeffrey
- [*Senecio expansus*](#) Wedd.
- [*Senecio extensus*](#) I.Thomps.
- [*Senecio exuberans*](#) R.A.Dyer
- [*Senecio exul*](#) Hance

F

- [*Senecio faberi*](#) Hemsl. ex F.B.Forbes & Hemsl.
- [*Senecio fabrisii*](#) Cabrera
- [*Senecio falklandicus*](#) Hook.f.
- [*Senecio famatinensis*](#) Cabrera
- [*Senecio fanshawei*](#) Beentje
- [*Senecio farinaceus*](#) Sch.Bip. ex A.Rich.
- [*Senecio farinifer*](#) Hook. & Arn.
- [*Senecio featherstonei*](#) Cuatrec.
- [*Senecio fernandinus*](#) H.Beltrán & J.Calvo
- [*Senecio ferreyrae*](#) Cabrera
- [*Senecio ferruglii*](#) Cabrera
- [*Senecio festucoides*](#) J.Calvo & A.Moreira
- [*Senecio filaginoides*](#) DC.

- [Senecio filiferus](#) Franch.
- [Senecio fistulosus](#) Poepp. ex Less
- [Senecio flaccidifolius](#) Wedd.
- [Senecio flaccidus](#) Less.
- [Senecio flagellifolius](#) Cabrera
- [Senecio flavus](#) (Decne.) Sch.Bip.
- [Senecio flexuosus](#) E.D.Clarke
- [Senecio foeniculoides](#) Harv.
- [Senecio folidentatus](#) Cuatrec.
- [Senecio fontanicola](#) Grulich & Hodálová
- [Senecio forbesii](#) Oliv. & Hiern
- [Senecio formosissimus](#) Cuatrec.
- [Senecio formosoides](#) Cuatrec.
- [Senecio formosus](#) Kunth
- [Senecio fradinii](#) Pomel
- [Senecio fragrantissimus](#) Tortosa & Bartoli
- [Senecio franchetii](#) C.Winkl.
- [Senecio francisci](#) Phil.
- [Senecio francoisii](#) Humbert
- [Senecio fremontii](#) Torr. & A.Gray
- [Senecio fresenii](#) Sch.Bip.
- [Senecio friesii](#) Cabrera
- [Senecio fruticosus](#) Sm.
- [Senecio fukienensis](#) Y.Ling ex C.Jeffrey & Y.L.Chen
- [Senecio funckii](#) Sch.Bip. ex Wedd.
- [Senecio × futakii](#) Hodálová

G

- [Senecio galeottii](#) Hemsl.
- [Senecio gallicus](#) Vill. ex Chaix
- [Senecio gamolepis](#) Cabrera
- [Senecio ganganensis](#) Cabrera
- [Senecio garaventai](#) Cabrera
- [Senecio garcibarrigae](#) Cuatrec.
- [Senecio gardneri](#) (Thwaites) C.B.Clarke
- [Senecio garipepiensis](#) Cron
- [Senecio garlandii](#) F.Muell. ex Belcher
- [Senecio garnieri](#) Klatt
- [Senecio gawlerensis](#) M.E.Lawr.
- [Senecio gayanus](#) DC.
- [Senecio gazensis](#) S.Moore
- [Senecio geniculipes](#) Cuatrec.

- [Senecio geniorum](#) Humbert
- [Senecio genisianus](#) Cuatrec.
- [Senecio georgianus](#) DC.
- [Senecio gerrardii](#) Harv.
- [Senecio gertii](#) Zardini
- [Senecio gibsonii](#) Hook.f.
- [Senecio giessii](#) Merxm.
- [Senecio gilbertii](#) Turcz.
- [Senecio gilliesianus](#) Hieron.
- [Senecio glaber](#) Less.
- [Senecio glaberrimus](#) DC.
- [Senecio glabratus](#) Hook. & Arn.
- [Senecio glabrescens](#) (DC.) Sch.Bip.
- [Senecio glandulifer](#) Dematt. & Cristóbal
- [Senecio glandulosohirtellus](#) Reiche
- [Senecio glandulosolanosus](#) Thell.
- [Senecio glandulosopilosus](#) Volkens & Muschl.
- [Senecio glandulosus](#) D.Don ex Hook. & Arn.
- [Senecio glastifolius](#) L.f.
- [Senecio glaucophyllus](#) Cheeseman
- [Senecio glaucus](#) L.
- [Senecio glomeratus](#) Desf. ex Poir.
- [Senecio glossanthus](#) (Sond.) Belcher
- [Senecio glutinarius](#) DC.
- [Senecio glutinosus](#) Thunb.
- [Senecio gnidioides](#) Phil.
- [Senecio gnoma](#) P.Royen
- [Senecio godmanii](#) Hemsl.
- [Senecio goldmanii](#) Greene
- [Senecio goldsackii](#) Phil.
- [Senecio gossweileri](#) Torre
- [Senecio gossypinus](#) Baker
- [Senecio graciellae](#) Cabrera
- [Senecio graciliflorus](#) DC.
- [Senecio gracilipes](#) A.Gray
- [Senecio gramineticola](#) C.Jeffrey
- [Senecio gramineus](#) Harv.
- [Senecio grandiflorus](#) P.J.Bergius
- [Senecio grandis](#) Gardner
- [Senecio grandjotii](#) Cabrera
- [Senecio gregatus](#) Hilliard
- [Senecio gregorii](#) F.Muell.[2]

- [*Senecio griffithii*](#) Hook.f. & Thomson ex C.B.Clarke
- [*Senecio grindeliifolius*](#) DC.
- [*Senecio grisebachii*](#) Baker
- [*Senecio grossidens*](#) Dusén ex Malme
- [*Senecio guascensis*](#) Cuatrec.
- [*Senecio guatulamensis*](#) Muñoz-Schick, A.Moreira & Trenq.
- [*Senecio gunkelii*](#) Cabrera
- [*Senecio gunnii*](#) (Hook.f.) Belcher
- [*Senecio gymnocaulos*](#) Phil.
- [*Senecio gypsicola*](#) (R.J.Bates) I.Thomps.

H

- [*Senecio hadiensis*](#) Forssk.
- [*Senecio haenkei*](#) DC.
- [*Senecio hakeifolius*](#) Bertero ex DC.
- [*Senecio halimifolius*](#) L.
- [*Senecio hallii*](#) Hieron.
- [*Senecio halophilus*](#) I.Thomps.
- [*Senecio haloragis*](#) J.Rémy
- [*Senecio hamersleyensis*](#) I.Thomps.
- [*Senecio hansweberi*](#) Cuatrec.
- [*Senecio harazianus*](#) Deflers
- [*Senecio harleyi*](#) D.J.N.Hind
- [*Senecio harveyanus*](#) MacOwan
- [*Senecio hastatifolius*](#) Cabrera
- [*Senecio hastatus*](#) L.
- [*Senecio hastifolius*](#) (L.f.) Less.
- [*Senecio hatcherianus*](#) O.Hoffm.
- [*Senecio hatschbachii*](#) Cabrera
- [*Senecio hauwai*](#) Sykes
- [*Senecio haygarthii*](#) M.Taylor ex Hilliard
- [*Senecio hebdingii*](#) (Rauh & Buchloh) G.D.Rowley
- [*Senecio hebetatus*](#) Wedd.
- [*Senecio hedbergii*](#) C.Jeffrey
- [*Senecio hederiformis*](#) Cron
- [*Senecio* × *heimerlii*](#) Müllner
- [*Senecio helgae*](#) Cabrera
- [*Senecio helichrysoides*](#) F.Muell.
- [*Senecio heliopsis*](#) Hilliard & B.L.Burt
- [*Senecio helminthioides*](#) (Sch.Bip.) Hilliard
- [*Senecio helodes*](#) Benth.
- [*Senecio* × *helwingii*](#) Beger ex Hegi

- [Senecio hemmendorffii](#) Malme
- [Senecio × herborgii](#) C.Jeffrey
- [Senecio hercynicus](#) Herborg
- [Senecio hermannii](#) B.Nord.
- [Senecio hesperidum](#) Jahand., Maire & Weiller
- [Senecio heterodontus](#) Greenm.
- [Senecio heteroschizus](#) Baker
- [Senecio heterotrichius](#) DC.
- [Senecio hewrensis](#) (Dalzell) Hook.f.
- [Senecio hickenii](#) Hauman
- [Senecio hieracioides](#) DC.
- [Senecio hieracium](#) J.Rémy
- [Senecio hieronymi](#) Griseb.
- [Senecio hilarianus](#) Cabrera
- [Senecio hildebrandtii](#) Baker
- [Senecio hirsutilobus](#) Hilliard
- [Senecio hirsutulus](#) Phil.
- [Senecio hirtifolius](#) DC.
- [Senecio hirto-crassus](#) Humbert
- [Senecio hirtus](#) Cabrera
- [Senecio hispidissimus](#) I.Thomps.
- [Senecio hispidulus](#) A.Rich.
- [Senecio hjertingii](#) Cabrera
- [Senecio hochstetteri](#) Sch.Bip. ex A.Rich.
- [Senecio hoehnei](#) Cabrera
- [Senecio hoggariensis](#) Batt. & Trab.
- [Senecio hohenackeri](#) Sch.Bip.
- [Senecio hollandii](#) Compton
- [Senecio holubii](#) Hutch. & Burtt Davy
- [Senecio hooglandii](#) Belcher
- [Senecio hortensiae](#) A.M.Teles
- [Senecio howeanus](#) Belcher
- [Senecio hualtaranensis](#) Peten., Ariza & Del Vitto
- [Senecio huaquilicus](#) Cabrera & Zardini
- [Senecio huaynaputinaensis](#) Montesinos & Chicalla
- [Senecio huitrinicus](#) Cabrera
- [Senecio humbertii](#) C.C.Chang
- [Senecio humidanus](#) C.Jeffrey
- [Senecio humifusus](#) (Hook.f.) Cabrera
- [Senecio humilis](#) Desf.
- [Senecio humillimus](#) Sch.Bip.
- [Senecio hydrophiloides](#) Rydb.

- [Senecio hydrophilus](#) Nutt.
- [Senecio hyoseridifolius](#) Wedd.
- [Senecio hyoseridis](#) (Benth.) L.Salomón & S.E.Freire
- [Senecio hypochoerideus](#) DC.
- [Senecio hypoleucus](#) F.Muell. ex Benth.
- [Senecio hypsiandinus](#) Cuatrec.
- [Senecio hypsobates](#) Wedd.

I

- [Senecio icoglossoides](#) Arechav.
- [Senecio icoglossus](#) DC.
- [Senecio ilicifolius](#) Thunb.
- [Senecio iljinii](#) Schischk.
- [Senecio illapelinus](#) Phil.
- [Senecio illinitus](#) Phil.
- [Senecio ilsae](#) A.Santos & Reyes-Bet.
- [Senecio immixtus](#) C.Jeffrey
- [Senecio inaequidens](#) DC.
- [Senecio incomptus](#) DC.
- [Senecio incrassatus](#) Lowe
- [Senecio inexpectatus](#) (Cronquist) Al Schneid.
- [Senecio infernillensis](#) Cuatrec.
- [Senecio infimus](#) Cabrera
- [Senecio infirmus](#) C.Jeffrey
- [Senecio ingeliensis](#) Hilliard
- [Senecio inghamii](#) Montesinos
- [Senecio inornatus](#) DC.
- [Senecio integerrimus](#) Nutt.
- [Senecio interpositus](#) I.Thomps.
- [Senecio intricatus](#) S.Moore
- [Senecio invalidus](#) C.Jeffrey
- [Senecio iodanthus](#) Greenm.
- [Senecio iranicus](#) B.Nord.
- [Senecio irgangii](#) Matzenb. & Mondin
- [Senecio isabelis](#) S.Díaz
- [Senecio isatideus](#) DC.
- [Senecio isatidoides](#) E.Phillips & C.A.Sm.
- [Senecio iscoensis](#) Hieron.
- [Senecio isernii](#) Phil.
- [Senecio ishcaivilcanus](#) Cuatrec.

J

- [*Senecio jacalensis*](#) Greenm.
- [*Senecio jacksonii*](#) S.Moore
- [*Senecio jacobaeiformis*](#) J.Rémy
- [*Senecio jaffuelii*](#) Cabrera
- [*Senecio jarae*](#) Phil.
- [*Senecio jilesii*](#) Cabrera
- [*Senecio jobii*](#) Cabrera
- [*Senecio joharchii*](#) F.Ghahrem., Ezazi, Rahch. & Attar
- [*Senecio johnstonianus*](#) Cabrera
- [*Senecio jorquerae*](#) Phil.
- [*Senecio juergensii*](#) Mattf.
- [*Senecio jujuyensis*](#) Cabrera
- [*Senecio julianus*](#) Speg.
- [*Senecio junceus*](#) (Less.) Harv.
- [*Senecio jungei*](#) Phil.
- [*Senecio jungioides*](#) Cabrera
- [*Senecio juniperinus*](#) L.f.
- [*Senecio junodii*](#) Hutch. & Burtt Davy

K

- [*Senecio kacondensis*](#) S.Moore
- [*Senecio kalambatitrensis*](#) Humbert
- [*Senecio kalingenwae*](#) Hilliard & B.L.Burtt
- [*Senecio karaguensis*](#) O.Hoffm.
- [*Senecio katangensis*](#) O.Hoffm.
- [*Senecio kayomborum*](#) Beentje
- [*Senecio keniophytum*](#) R.E.Fr.
- [*Senecio kenteicus*](#) Grubov
- [*Senecio kerdousianus*](#) Gómiz & Llamas
- [*Senecio kermadecensis*](#) Belcher
- [*Senecio × kernerii*](#) Błocki ex Nyman
- [*Senecio killipii*](#) Cabrera
- [*Senecio kingbishopii*](#) Cuatrec.
- [*Senecio kingii*](#) Hook.f.
- [*Senecio klattii*](#) Greenm.
- [*Senecio kolenatianus*](#) C.A.Mey.
- [*Senecio kongboensis*](#) Ludlow
- [*Senecio kosterae*](#) Cabrera
- [*Senecio kotschyanus*](#) Boiss.
- [*Senecio krapovickasii*](#) Cabrera

- [*Senecio krascheninnikovii*](#) Schischk.
- [*Senecio kuhbieri*](#) Cuatrec.
- [*Senecio kuluensis*](#) S.Moore
- [*Senecio kundaicus*](#) C.E.C.Fisch.
- [*Senecio kundelungensis*](#) Lisowski
- [*Senecio kunturinus*](#) Cabrera
- [*Senecio kuntzeanus*](#) Dinter
- [*Senecio kurzii*](#) C.B.Clarke ex Hook.f.

L

- [*Senecio laceratus*](#) (F.Muell.) Belcher
- [*Senecio lacustrinus*](#) I.Thomps.
- [*Senecio laetevirens*](#) Phil.
- [*Senecio laevicaulis*](#) DC.
- [*Senecio laevigatus*](#) Thunb.
- [*Senecio laevis*](#) Humbert
- [*Senecio lagascanus*](#) DC.
- [*Senecio lageniformis*](#) I.Thomps.
- [*Senecio lamarckianus*](#) Bullock
- [*Senecio* × *lamottei*](#) Rouy
- [*Senecio lanceus*](#) Aiton
- [*Senecio lancidentatus*](#) Cuatrec.
- [*Senecio landbeckii*](#) Phil.
- [*Senecio langei*](#) Malme
- [*Senecio lanibracteus*](#) I.Thomps.
- [*Senecio lanifer*](#) Mart. ex C.Jeffrey
- [*Senecio lanosissimus*](#) Cabrera
- [*Senecio larahuinensis*](#) H.Beltrán & A.Galán
- [*Senecio larecajensis*](#) Cabrera
- [*Senecio laricifolius*](#) Kunth
- [*Senecio lasequei*](#) Hombr. & Jacquinot ex Decne.
- [*Senecio lasiocaulon*](#) T.M.Barkley
- [*Senecio lastarrianus*](#) J.Rémy
- [*Senecio latecorymbosus*](#) Gilli
- [*Senecio latibracteatus*](#) Humbert
- [*Senecio laticipes*](#) Bruyns
- [*Senecio latiflorus*](#) Wedd.
- [*Senecio latifolius*](#) DC.
- [*Senecio latissimifolius*](#) S.Moore
- [*Senecio lautus*](#) Sol. ex G.Forst.
- [*Senecio lavandulifolius*](#) Wall. ex DC.
- [*Senecio lawalreeanus*](#) Lisowski

- [*Senecio lawsonii*](#) Gamble
- [*Senecio laxus*](#) DC.
- [*Senecio leandrii*](#) Humbert
- [*Senecio legionensis*](#) Lange
- [*Senecio lejolyanus*](#) Lisowski
- [*Senecio lelyi*](#) Hutch.
- [*Senecio lemmonii*](#) A.Gray
- [*Senecio leptocaulos*](#) Phil.
- [*Senecio leptolobus*](#) DC.
- [*Senecio leptopterus*](#) Mesfin
- [*Senecio leptoschizus*](#) Bong.
- [*Senecio lessingii*](#) Harv.
- [*Senecio letouzeyanus*](#) Lisowski
- [*Senecio leucadendron*](#) (G.Forst.) Hemsl.
- [*Senecio leucanthemifolius*](#) Poir.
- [*Senecio leucanthemoides*](#) Cuatrec.
- [*Senecio leuceria*](#) Cabrera
- [*Senecio leucoglossus*](#) F.Muell.
- [*Senecio leucomallus*](#) A.Gray
- [*Senecio leucopeplus*](#) Cabrera
- [*Senecio leucophorbium*](#) Cuatrec.
- [*Senecio leucophyton*](#) Phil.
- [*Senecio leucostachys*](#) Baker
- [*Senecio leucus*](#) Phil.
- [*Senecio lewallei*](#) Lisowski
- [*Senecio lhasaensis*](#) Y.Ling ex Y.L.Chen, S.Yun Liang & K.Y.Pan
- [*Senecio liangshanensis*](#) C.Jeffrey & Y.L.Chen
- [*Senecio lijiangensis*](#) C.Jeffrey & Y.L.Chen
- [*Senecio lilloi*](#) Cabrera
- [*Senecio linarensis*](#) Soldano
- [*Senecio linariifolius*](#) Poepp. ex DC.
- [*Senecio linearifolius*](#) A.Rich.
- [*Senecio linearilobus*](#) Bong.
- [*Senecio lineatus*](#) DC.
- [*Senecio lingianus*](#) C.Jeffrey & Y.L.Chen
- [*Senecio linifolius*](#) L.
- [*Senecio lisowskii*](#) Long Wang & Beentje
- [*Senecio lithophilus*](#) Greenm.
- [*Senecio lithostaurus*](#) Cabrera
- [*Senecio litorosus*](#) Fourc.
- [*Senecio littoreus*](#) Thunb.
- [*Senecio lividus*](#) L.

- [*Senecio loayzanus*](#) Cabrera
- [*Senecio lobelioides*](#) DC.
- [*Senecio lombokensis*](#) J.Kost.
- [*Senecio* × *londinensis*](#) Lousley
- [*Senecio longicollaris*](#) I.Thomps.
- [*Senecio longipilus*](#) I.Thomps.
- [*Senecio longiscapus*](#) Bojer ex DC.
- [*Senecio lopez-guillenii*](#) Cabrera
- [*Senecio lopez-mirandae*](#) Cabrera
- [*Senecio lopezii*](#) Boiss.
- [*Senecio lorentziella*](#) Hicken
- [*Senecio lorentzii*](#) Griseb.
- [*Senecio ludens*](#) C.B.Clarke
- [*Senecio luembensis*](#) De Wild. & Muschl.
- [*Senecio lugens*](#) Richardson
- [*Senecio* × *lulioi*](#) M.G.López & Xifreda
- [*Senecio lusitanicus*](#) (Cout.) Pérez-Romero
- [*Senecio luzoniensis*](#) Merr.
- [*Senecio lycopodioides*](#) Schltr.
- [*Senecio lydenburgensis*](#) Hutch. & Burtt Davy
- [*Senecio lygodes*](#) Hiern
- [*Senecio lyonii*](#) A.Gray ex Lyon
- [*Senecio lyratus*](#) Forssk.

M

- [*Senecio mabberleyi*](#) C.Jeffrey
- [*Senecio macedonicus*](#) Griseb.
- [*Senecio macowanii*](#) Hilliard
- [*Senecio macranthus*](#) A.Rich.
- [*Senecio macrocarpus*](#) F.Muell. ex Belcher
- [*Senecio macrocephalus*](#) DC.
- [*Senecio macroglossoides*](#) Hilliard
- [*Senecio macroglossus*](#) DC.
- [*Senecio macrospermus*](#) DC.
- [*Senecio macrotis*](#) Baker
- [*Senecio maculatus*](#) Cabrera
- [*Senecio madagascariensis*](#) Poir.
- [*Senecio madariagae*](#) Phil.
- [*Senecio madidiensis*](#) J.Calvo & A.Fuentes
- [*Senecio madrasensis*](#) C.Jeffrey
- [*Senecio madreensis*](#) A.Gray
- [*Senecio maeviae*](#) Cabrera

- [Senecio magnificus](#) F.Muell.
- [Senecio mahindae](#) G.L.Nesom & Vorobik
- [Senecio mairetianus](#) DC.
- [Senecio malacitanus](#) Huter
- [Senecio malacophyllus](#) Dusén
- [Senecio malaissei](#) Lisowski
- [Senecio mandrarensis](#) Humbert
- [Senecio manguensis](#) Cabrera & Zardini
- [Senecio mapuche](#) Cabrera
- [Senecio maranguensis](#) O.Hoffm.
- [Senecio margaritae](#) C.Jeffrey
- [Senecio marginalis](#) Hilliard
- [Senecio mariettae](#) Muschl.
- [Senecio maritimus](#) L.f.
- [Senecio marmorae](#) Moris
- [Senecio marnieri](#) Humbert
- [Senecio marojejyensis](#) Humbert
- [Senecio marotiri](#) C.J.Webb
- [Senecio martinensis](#) Dusén
- [Senecio martirensis](#) T.M.Barkley
- [Senecio massaicus](#) (Maire) Maire
- [Senecio mathewsii](#) Wedd.
- [Senecio matricariifolius](#) DC.
- [Senecio mattfeldianus](#) Cabrera
- [Senecio mattirolii](#) Chiov.
- [Senecio maulinus](#) Reiche
- [Senecio mauricei](#) Hilliard & B.L.Burt
- [Senecio maydae](#) Merxm.
- [Senecio mayurii](#) C.E.C.Fisch.
- [Senecio mbuluzensis](#) Compton
- [Senecio megacephalus](#) Nutt.
- [Senecio megaglossus](#) F.Muell.
- [Senecio megalanthus](#) Y.L.Chen
- [Senecio megaoreinus](#) Zardini
- [Senecio melanandrus](#) (Wedd.) J.Calvo, A.Granda & V.A.Funk
- [Senecio melanocalyx](#) Cuatrec.
- [Senecio melanolepis](#) DC.
- [Senecio melanopotamicus](#) Cabrera
- [Senecio melastomifolius](#) Baker
- [Senecio menesesiae](#) J.Calvo
- [Senecio mesembryanthemoides](#) Bojer ex DC.
- [Senecio mesembrynus](#) Cabrera

- [Senecio mesogrammoides](#) O.Hoffm.
- [Senecio meuselii](#) Rauh
- [Senecio meyeri-johannis](#) Engl.
- [Senecio microalatus](#) C.Jeffrey
- [Senecio microbasis](#) I.Thomps.
- [Senecio microglossus](#) DC.
- [Senecio microphyllus](#) Phil.
- [Senecio micropifolius](#) DC.
- [Senecio microspermus](#) DC.
- [Senecio microtis](#) Phil.
- [Senecio mimetes](#) Hutch. & R.A.Dyer
- [Senecio minesinus](#) Cuatrec.
- [Senecio minimus](#) Poir.
- [Senecio minutifolius](#) Phil.
- [Senecio mirus](#) Klatt
- [Senecio miser](#) Hook.f.
- [Senecio mishmi](#) C.B.Clarke
- [Senecio mitonis](#) Cuatrec.
- [Senecio mitophyllus](#) C.Jeffrey
- [Senecio mlilwanensis](#) Compton
- [Senecio modestus](#) Wedd.
- [Senecio mohavensis](#) A.Gray
- [Senecio mohinorensis](#) Greenm.
- [Senecio molinae](#) Phil.
- [Senecio montevidensis](#) (Spreng.) Baker
- [Senecio monticola](#) DC.
- [Senecio monttianus](#) J.Rémy
- [Senecio mooreanus](#) Hutch. & Burt Davy
- [Senecio moorei](#) R.E.Fr.
- [Senecio mooreioides](#) C.Jeffrey
- [Senecio moqueguensis](#) Montesinos
- [Senecio morisii](#) J.Calvo & Bacch.
- [Senecio morotonensis](#) C.Jeffrey
- [Senecio mucronatus](#) Willd.
- [Senecio mulgediifolius](#) S.Schauer
- [Senecio muliensis](#) C.Jeffrey & Y.L.Chen
- [Senecio multibracteatus](#) Harv.
- [Senecio multicaulis](#) A.Rich.
- [Senecio multiceps](#) N.P.Balakr.
- [Senecio multidentatus](#) Sch.Bip. ex Hemsl.
- [Senecio multidenticulatus](#) Humbert
- [Senecio multilobus](#) C.C.Chang

- [*Senecio munnozii*](#) Cabrera
- [*Senecio muricatus*](#) Thunb.
- [*Senecio murinus*](#) Phil.
- [*Senecio murorum*](#) J.Rémy
- [*Senecio murrayanus*](#) Wawra
- [*Senecio mustersii*](#) Speg.
- [*Senecio myriocephalus*](#) Sch.Bip. ex A.Rich.
- [*Senecio myriophyllus*](#) Phil.

N

- [*Senecio namnaoensis*](#) H.Koyama
- [*Senecio nanus*](#) Sch.Bip. ex A.Rich.
- [*Senecio napifolius*](#) MacOwan
- [*Senecio narinyonis*](#) Cuatrec.
- [*Senecio natalicola*](#) Hilliard
- [*Senecio navicularis*](#) Humbert
- [*Senecio navugabensis*](#) C.Jeffrey
- [*Senecio neaei*](#) DC.
- [*Senecio* × *neapolitanus*](#) Evers
- [*Senecio neelgherryanus*](#) DC.
- [*Senecio nemiae*](#) Adr.Bartoli, Tortosa & S.E.Freire
- [*Senecio nemoralis*](#) Dusén
- [*Senecio nemorensis*](#) L.
- [*Senecio neobakeri*](#) Humbert
- [*Senecio neoglandulosus*](#) Cuatrec.
- [*Senecio neoviscidulus*](#) Soldano
- [*Senecio neoviscosus*](#) Cuatrec.
- [*Senecio neowebsteri*](#) S.F.Blake
- [*Senecio nevadensis*](#) Boiss. & Reut.
- [*Senecio ngandae*](#) Beentje
- [*Senecio ngoyanus*](#) Hilliard
- [*Senecio niederleinii*](#) Cabrera
- [*Senecio nigrapicus*](#) I.Thomps.
- [*Senecio nigrescens*](#) Hook. & Arn.
- [*Senecio nigrocinctus*](#) Franch.
- [*Senecio niveoaurus*](#) Cuatrec.
- [*Senecio niveoplanus*](#) I.Thomps.
- [*Senecio nodiflorus*](#) C.C.Chang
- [*Senecio nublensis*](#) Soldano
- [*Senecio nuraniae*](#) Roldugin
- [*Senecio nutans*](#) Sch.Bip.
- [*Senecio nyangani*](#) Beentje

- [*Senecio nyungwensis*](#) P.Maquet

O

- [*Senecio obesus*](#) Klatt
- [*Senecio obtectus*](#) Kuntze
- [*Senecio ochoanus*](#) Cuatrec.
- [*Senecio ochrocarpus*](#) Oliv. & Hiern
- [*Senecio octolepis*](#) Griseb.
- [*Senecio octophyllus*](#) Sch.Bip. & Rusby
- [*Senecio odonellii*](#) Cabrera
- [*Senecio odontophyllus*](#) C.Jeffrey
- [*Senecio odontopterus*](#) DC.
- [*Senecio odoratus*](#) Hornem.
- [*Senecio oederifolius*](#) DC.
- [*Senecio oerstedianus*](#) Benth.
- [*Senecio oflasii*](#) Yild. & Kılıç
- [*Senecio oldfieldii*](#) I.Thomps.
- [*Senecio oleosus*](#) Vell.
- [*Senecio olgae*](#) Regel & Schmalh.
- [*Senecio oligoleucus*](#) Baker
- [*Senecio oligophyllus*](#) Baker
- [*Senecio olivaceobracteatus*](#) Ricardi & Martic.
- [*Senecio olympicus*](#) Boiss.
- [*Senecio oophyllus*](#) C.Jeffrey
- [*Senecio* × *orarius*](#) J.M.Black
- [*Senecio oreinus*](#) Cabrera
- [*Senecio oreophyton*](#) J.Rémy
- [*Senecio orizabensis*](#) Sch.Bip. ex Hemsl.
- [*Senecio ornatus*](#) S.Moore
- [*Senecio oryzetorum*](#) Diels
- [*Senecio ostenii*](#) Mattf.
- [*Senecio otaequianus*](#) Phil.
- [*Senecio othonniflorus*](#) DC.
- [*Senecio otites*](#) Kunze ex DC.
- [*Senecio otopterus*](#) Griseb.
- [*Senecio otuscensis*](#) Cabrera
- [*Senecio ovatus*](#) (G.Gaertn., B.Mey. & Scherb.) Willd.
- [*Senecio oxyodontus*](#) DC.
- [*Senecio oxyphyllus*](#) DC.
- [*Senecio oxyriifolius*](#) DC.
- [*Senecio* × *oyensis*](#) Hepp
- [*Senecio ozolotepecanus*](#) B.L.Turner

P

- [*Senecio paarlensis*](#) DC.
- [*Senecio pachyphyllos*](#) J.Rémy
- [*Senecio pachyrhizus*](#) O.Hoffm.
- [*Senecio paludaffinis*](#) Hilliard
- [*Senecio pampeanus*](#) Cabrera
- [*Senecio panduratus*](#) Less.
- [*Senecio panduriformis*](#) Hilliard
- [*Senecio paniculatus*](#) P.J.Bergius
- [*Senecio pappii*](#) Ricardi & Martic.
- [*Senecio papuanus*](#) (Lauterb.) Belcher
- [*Senecio paraguariensis*](#) Mattf.
- [*Senecio parascitus*](#) Hilliard
- [*Senecio parentalis*](#) Hilliard & B.L.Burt
- [*Senecio parodii*](#) Cabrera
- [*Senecio parryi*](#) A.Gray
- [*Senecio parvifolius*](#) DC.
- [*Senecio parvocapitatus*](#) Cabrera
- [*Senecio pascoensis*](#) Cabrera
- [*Senecio pascuandinus*](#) Cuatrec.
- [*Senecio patagonicus*](#) Hook. & Arn.
- [*Senecio patersonianus*](#) R.M.Burton
- [*Senecio pattersonensis*](#) Hoover
- [*Senecio pattersonii*](#) B.L.Turner
- [*Senecio paucicalyculatus*](#) Klatt
- [*Senecio paucidentatus*](#) DC.
- [*Senecio pauciflosculosus*](#) C.Jeffrey
- [*Senecio paucijugus*](#) Baker
- [*Senecio pauciradiatus*](#) Belcher
- [*Senecio paulensis*](#) Bong.
- [*Senecio paulsenii*](#) O.Hoffm.
- [*Senecio pearsonii*](#) Hutch.
- [*Senecio peguanus*](#) DC.
- [*Senecio pellitus*](#) A.Gray
- [*Senecio pellucidus*](#) DC.
- [*Senecio pelolepis*](#) I.M.Johnst.
- [*Senecio pelquensis*](#) Dusén
- [*Senecio peltophorus*](#) Brenan
- [*Senecio pemehuensis*](#) Soldano
- [*Senecio peninsularis*](#) Vasey & Rose
- [*Senecio penninervius*](#) DC.
- [*Senecio pensilis*](#) Greenm.

- [Senecio pentactinus](#) Klatt
- [Senecio pentaphyllus](#) Phil.
- [Senecio pentapterus](#) Cabrera
- [Senecio pentecostus](#) Hiern
- [Senecio pentlandianus](#) DC.
- [Senecio perezii](#) Cabrera
- [Senecio perralderianus](#) Coss.
- [Senecio perrieri](#) Humbert
- [Senecio perrottetii](#) DC.
- [Senecio persicifolius](#) L.
- [Senecio peruensis](#) Cuatrec.
- [Senecio peteroanus](#) Phil.
- [Senecio petiolaris](#) DC.
- [Senecio petraeus](#) Boiss. & Reut.
- [Senecio phalacrolaenus](#) DC.
- [Senecio phelleus](#) I.Thomps.
- [Senecio philippicus](#) Regel & Körn.
- [Senecio philippii](#) Sch.Bip. ex Wedd.
- [Senecio phlomidifolius](#) H.Beltrán
- [Senecio phylicifolius](#) Poepp. ex DC.
- [Senecio pichineuquensis](#) Tortosa & Adr.Bartoli
- [Senecio pickeringii](#) A.Gray
- [Senecio picridioides](#) (Turcz.) M.E.Lawr.
- [Senecio picridis](#) S.Schauer
- [Senecio pillansii](#) Levyns
- [Senecio pilquensis](#) H.Buek
- [Senecio pinacatensis](#) Felger
- [Senecio pinachensis](#) Cabrera
- [Senecio pinguiculus](#) Pomel
- [Senecio pinnatifidus](#) Less.
- [Senecio pinnatifolius](#) A.Rich.
- [Senecio pinnatilobatus](#) Sch.Bip.
- [Senecio pinnatipartitus](#) Sch.Bip. ex Oliv.
- [Senecio pinnatus](#) Poir.
- [Senecio pinnulatus](#) Thunb.
- [Senecio piptocoma](#) O.Hoffm.
- [Senecio pirottae](#) Chiov.
- [Senecio pissisi](#) Phil.
- [Senecio piurensis](#) Sagást. & Zardini
- [Senecio planiflorus](#) Kunze ex Cabrera
- [Senecio plantagineoides](#) C.Jeffrey
- [Senecio platensis](#) Arechav.

- [Senecio platylepis](#) DC.
- [Senecio platypus](#) Greenm.
- [Senecio pleistophyllus](#) C.Jeffrey
- [Senecio poggeanus](#) Mattf.
- [Senecio pogonias](#) Cabrera
- [Senecio pokohinuensis](#) (de Lange & B.G.Murray) de Lange
- [Senecio polelensis](#) Hilliard
- [Senecio polyadenus](#) Hedberg
- [Senecio polyanthemoides](#) Sch.Bip.
- [Senecio polygaloides](#) Phil.
- [Senecio polyodon](#) DC.
- [Senecio polyphyllus](#) Kunze ex DC.
- [Senecio polypodioides](#) (Greene) T.Durand & B.D.Jacks.
- [Senecio pongoensis](#) Cuatrec.
- [Senecio portalesianus](#) J.Rémy
- [Senecio portulacoides](#) J.Rémy
- [Senecio poseideonis](#) Hilliard & B.L.Burt
- [Senecio potosianus](#) Klatt
- [Senecio powellii](#) B.L.Turner
- [Senecio praeruptorum](#) Sch.Bip.
- [Senecio praeteritus](#) Killick
- [Senecio prenanthifolius](#) Phil.
- [Senecio prenanthoides](#) A.Rich.
- [Senecio prionopterus](#) B.L.Rob. & Greenm.
- [Senecio procumbens](#) Kunth
- [Senecio productus](#) I.Thomps.
- [Senecio promatensis](#) Matzenb.
- [Senecio propinquus](#) Schischk.
- [Senecio propior](#) S.Moore
- [Senecio prostratus](#) Klatt
- [Senecio proteus](#) J.Rémy
- [Senecio provincialis](#) Druce
- [Senecio pseud-otites](#) Griseb.
- [Senecio pseudalmeidae](#) Cabrera
- [Senecio pseudaspericaulis](#) Cabrera
- [Senecio pseuderuoides](#) Cabrera
- [Senecio pseudodensiserratus](#) T.J.Tong, M.Tang, C.Ren & Q.E.Yang
- [Senecio pseudodepressus](#) L.Salomón & S.E.Freire
- [Senecio pseudoformosus](#) Cuatrec.
- [Senecio pseudolongifolius](#) Sch.Bip. ex J.Calvo
- [Senecio pseudomairei](#) H.Lév.
- [Senecio pseudoorientalis](#) Schischk.

- [*Senecio pseudopicridis*](#) T.M.Barkley
- [*Senecio pseudostigophlebius*](#) Cabrera
- [*Senecio pseudosubsessilis*](#) C.Jeffrey
- [*Senecio psilocarpus*](#) Belcher & Albr.
- [*Senecio psilophyllus*](#) I.Thomps.
- [*Senecio ptarmicifolius*](#) Bory
- [*Senecio pteridophyllus*](#) Franch.
- [*Senecio pterophorus*](#) DC.
- [*Senecio puberulus*](#) DC.
- [*Senecio pubescens*](#) Phil.
- [*Senecio pubigerus*](#) L.
- [*Senecio puchei*](#) Phil.
- [*Senecio pudicus*](#) Greene
- [*Senecio pulcher*](#) Hook. & Arn.
- [*Senecio pulicarioides*](#) Baker
- [*Senecio pumilus*](#) Tortosa & Bartoli
- [*Senecio puna-sessilis*](#) Cuatrec.
- [*Senecio punae*](#) Cabrera
- [*Senecio purpureus*](#) L.
- [*Senecio purtschelleri*](#) Engl.
- [*Senecio pycnanthus*](#) Phil.
- [*Senecio pygmaeus*](#) DC.
- [*Senecio pygmophyllus*](#) (S.F.Blake) J.Calvo, A.Granda & V.A.Funk
- [*Senecio pyrenaicus*](#) L.
- [*Senecio pyrenophilus*](#) Cuatrec.
- [*Senecio pyrophilus*](#) Zoll. & Moritzi

Q

- [*Senecio qathlambanus*](#) Hilliard
- [*Senecio quadridentatus*](#) Labill.
- [*Senecio quartziticola*](#) Humbert
- [*Senecio quaylei*](#) T.M.Barkley
- [*Senecio queenslandicus*](#) I.Thomps.
- [*Senecio quinquelepis*](#) Hieron. ex Cabrera
- [*Senecio quinqueligulatus*](#) C.Winkl.
- [*Senecio quinquelobus*](#) (Thunb.) DC.
- [*Senecio quinquenervius*](#) Sond.
- [*Senecio quinquerradiatus*](#) Boiss. ex DC.

R

- [*Senecio radiatus*](#) Cuatrec.

- [Senecio radiolatus](#) F.Muell.
- [Senecio ragazzii](#) Chiov.
- [Senecio ragonesei](#) Cabrera
- [Senecio rahmeri](#) Phil.
- [Senecio ramboanus](#) Cabrera
- [Senecio ramentaceus](#) Baker
- [Senecio ramosissimus](#) DC.
- [Senecio ramosus](#) Wall.
- [Senecio randii](#) S.Moore
- [Senecio rapifolius](#) Nutt.
- [Senecio rauchii](#) Matzenb.
- [Senecio rauhii](#) Cuatrec.
- [Senecio rauranus](#) Cuatrec.
- [Senecio reedii](#) Phil.
- [Senecio regis](#) H.Rob.
- [Senecio rehmannii](#) Bolus
- [Senecio reicheanus](#) Cabrera
- [Senecio reitzianus](#) Cabrera
- [Senecio renjifoanus](#) Phil.
- [Senecio repandus](#) Thunb.
- [Senecio repangae](#) de Lange & B.G.Murray
- [Senecio repollensis](#) Cabrera
- [Senecio reptans](#) Turcz.
- [Senecio resectus](#) Bojer ex DC.
- [Senecio retanensis](#) Cabrera
- [Senecio retortus](#) Benth.
- [Senecio retrorsus](#) DC.
- [Senecio rhammatophyllus](#) Mattf.
- [Senecio rhizocephalus](#) Turcz.
- [Senecio rhizomatus](#) Rusby
- [Senecio rhomboideus](#) Harv.
- [Senecio rhyacophilus](#) Greenm.
- [Senecio rhyncholaenus](#) DC.
- [Senecio ricardii](#) Martic. & Quezada
- [Senecio richardsonii](#) B.L.Turner
- [Senecio richii](#) A.Gray
- [Senecio riddellii](#) Torr. & A.Gray
- [Senecio rigidus](#) L.
- [Senecio riograndensis](#) Matzenb.
- [Senecio riojanus](#) Cabrera
- [Senecio riomayensis](#) B.L.Turner
- [Senecio riskindii](#) B.L.Turner & T.M.Barkley

- [Senecio ritoveganus](#) B.L.Turner
- [Senecio robertiifolius](#) DC.
- [Senecio rodolfoi](#) X.Wu
- [Senecio romeroi](#) Cuatrec.
- [Senecio rorippifolius](#) Cabrera
- [Senecio roseiflorus](#) R.E.Fr.
- [Senecio roseoandinus](#) Montesinos & R.Zárate
- [Senecio roseus](#) Sch.Bip.
- [Senecio rosinae](#) Gamisans
- [Senecio rosmarinifolius](#) L.f.
- [Senecio rosmarinus](#) Phil.
- [Senecio rossianus](#) Mattf.
- [Senecio royleanus](#) DC.
- [Senecio rubrilacunae](#) Cuatrec.
- [Senecio rudbeckiifolius](#) Meyen & Walp.
- [Senecio rufiglandulosus](#) Colenso
- [Senecio rugegensis](#) Muschl.
- [Senecio ruiz-lealii](#) Cabrera
- [Senecio runcinifolius](#) J.H.Willis
- [Senecio ruthenensis](#) Maz. & Timb.-Lagr.
- [Senecio ruwenzoriensis](#) S.Moore

S

- [Senecio sabinjoensis](#) Muschl.
- [Senecio saboureaui](#) Humbert
- [Senecio sacramentanus](#) Wooton & Standl.
- [Senecio sakalavorum](#) Humbert
- [Senecio sakamaliensis](#) (Humbert) Humbert
- [Senecio salsuginea](#) H.Duman & Vural
- [Senecio saltensis](#) Hook. & Arn.
- [Senecio sanagastae](#) Cabrera
- [Senecio sandersianus](#) B.L.Turner
- [Senecio sandersii](#) B.L.Turner
- [Senecio sandersonii](#) Harv.
- [Senecio sandwithii](#) Cabrera
- [Senecio sangayensis](#) D.L.A.Vásquez & J.Calvo
- [Senecio saniensis](#) Hilliard & B.L.Burt
- [Senecio santanderensis](#) Cuatrec.
- [Senecio santelicens](#) Phil.
- [Senecio santiagoensis](#) Kuntze
- [Senecio saposhnikovii](#) Krasch. & N.Schipcz.
- [Senecio sarracenicus](#) L.

- [*Senecio satipoensis*](#) Cuatrec.
- [*Senecio saucensis*](#) Cabrera
- [*Senecio* × *saundersii*](#) W.Sauer & E.Beck
- [*Senecio saussureoides*](#) Hand.-Mazz.
- [*Senecio saxicola*](#) Wedd.
- [*Senecio saxipunae*](#) Cuatrec.
- [*Senecio scaberulus*](#) (Hook.f.) D.G.Drury
- [*Senecio scabrellus*](#) I.Thomps.
- [*Senecio scandens*](#) Buch.-Ham. ex D.Don
- [*Senecio scapiodes*](#) Aguilar-Cano & D.J.N.Hind
- [*Senecio schimperi*](#) Sch.Bip. ex Hochst.
- [*Senecio schonemanni*](#) Phil.
- [*Senecio schultzii*](#) Hochst. ex A.Rich.
- [*Senecio schweinfurthii*](#) O.Hoffm.
- [*Senecio schyzotus*](#) (Cabrera) Iamónico
- [*Senecio scitus*](#) Hutch. & Burtt Davy
- [*Senecio scoparius*](#) Harv.
- [*Senecio scopolii*](#) Hoppe & Hornsch. ex Bluff & Fingerh.
- [*Senecio scopulorum*](#) Poepp.
- [*Senecio scorzonella*](#) Greene
- [*Senecio scorzonerifolius*](#) Meyen & Walp.
- [*Senecio scrobicarioides*](#) DC.
- [*Senecio sectilis*](#) Griseb.
- [*Senecio segethi*](#) Phil.
- [*Senecio selloi*](#) DC.
- [*Senecio semiamplexifolius*](#) De Wild.
- [*Senecio seminiveus*](#) J.M.Wood & M.S.Evans
- [*Senecio sennikovii*](#) Kottaim.
- [*Senecio sepium*](#) Sch.Bip. & Rusby
- [*Senecio sericeonitens*](#) Speg.
- [*Senecio serpentinicola*](#) Jeanm.
- [*Senecio serra*](#) Hook.
- [*Senecio serratiformis*](#) I.Thomps.
- [*Senecio serratuloides*](#) DC.
- [*Senecio serrulatus*](#) DC.
- [*Senecio serrurioides*](#) Turcz.
- [*Senecio shabensis*](#) Lisowski
- [*Senecio shaoakoulatus*](#) S.S.Ying
- [*Senecio sheldonensis*](#) A.E.Porsild
- [*Senecio silphioides*](#) Hieron.
- [*Senecio simplicissimus*](#) Bojer ex DC.
- [*Senecio sinapoides*](#) Rusby

- [Senecio sinuatilobus](#) DC.
- [Senecio sipoccruncus](#) Cabrera
- [Senecio sisymbriifolius](#) DC.
- [Senecio skirrhodon](#) DC.
- [Senecio skottsbergii](#) Cabrera
- [Senecio × slovacus](#) Hodálová
- [Senecio smithianus](#) Cabrera
- [Senecio smithii](#) DC.
- [Senecio smithioides](#) Cabrera
- [Senecio snowdenii](#) Hutch.
- [Senecio sociorum](#) Bolus
- [Senecio socompaе](#) Cabrera
- [Senecio solandri](#) Allan
- [Senecio soldanella](#) A.Gray
- [Senecio sophioides](#) DC.
- [Senecio sorianoі](#) Cabrera
- [Senecio sororius](#) C.Jeffrey
- [Senecio sotikensis](#) S.Moore
- [Senecio soukupii](#) Cuatrec.
- [Senecio spanomerus](#) I.Thomps.
- [Senecio spartareus](#) S.Moore
- [Senecio spartioides](#) Torr. & A.Gray
- [Senecio spathiphyllus](#) Franch.
- [Senecio spathulatus](#) A.Rich.
- [Senecio speciosissimus](#) J.C.Manning & Goldblatt
- [Senecio speciosus](#) Willd.
- [Senecio spegazzinii](#) Cabrera
- [Senecio sphaerocephalus](#) Greene
- [Senecio spinosus](#) DC.
- [Senecio spiraeifolius](#) Thunb.
- [Senecio spribillei](#) W.A.Weber
- [Senecio squalidus](#) L.
- [Senecio squarrosus](#) A.Rich.
- [Senecio stauntonii](#) DC.
- [Senecio stella-purpurea](#) V.R.Clark, J.D.Vidal & N.P.Barker
- [Senecio steparius](#) Cabrera
- [Senecio sterquilinus](#) Ornduff
- [Senecio steudelii](#) Sch.Bip. ex A.Rich.
- [Senecio stigophlebius](#) Baker
- [Senecio stoechadiformis](#) DC.
- [Senecio stokesii](#) F.Br.
- [Senecio striatifolius](#) DC.

- [*Senecio strictifolius*](#) Hiern
- [*Senecio subarnicoides*](#) Cabrera
- [*Senecio subauriculatus*](#) Greenm.
- [*Senecio subauritus*](#) Phil.
- [*Senecio subcanescens*](#) (DC.) Compton
- [*Senecio subcoriaceus*](#) Schltr.
- [*Senecio subculcitoides*](#) Cuatrec.
- [*Senecio subdentatus*](#) Ledeb.
- [*Senecio subdiscoideus*](#) Sch.Bip.
- [*Senecio subfractiflexus*](#) C.Jeffrey
- [*Senecio sublutescens*](#) Cuatrec.
- [*Senecio submontanus*](#) Hilliard & B.L.Burt
- [*Senecio* × *subnebrodensis*](#) Simonk.
- [*Senecio subnivalis*](#) Ajani, Noroozi & B.Nord.
- [*Senecio subpanduratus*](#) O.Hoffm.
- [*Senecio subpubescens*](#) Cabrera
- [*Senecio subrubriflorus*](#) O.Hoffm.
- [*Senecio subbruncinatus*](#) Greenm.
- [*Senecio subsessilis*](#) Oliv. & Hiern
- [*Senecio subsinuatus*](#) DC.
- [*Senecio subulatus*](#) D.Don ex Hook. & Arn.
- [*Senecio subumbellatus*](#) Phil.
- [*Senecio sulnicus*](#) Cabrera
- [*Senecio sumarae*](#) Deflers
- [*Senecio sumatranus*](#) Martelli
- [*Senecio sundti*](#) Phil.
- [*Senecio superparamensis*](#) Sklenář
- [*Senecio supremus*](#) Cuatrec.
- [*Senecio sylvaticus*](#) L.
- [*Senecio syringifolius*](#) O.Hoffm.
- [*Senecio szyszlowiczii*](#) Hieron.

T

- [*Senecio tabulicola*](#) Baker
- [*Senecio tacorensis*](#) Cabrera
- [*Senecio tacuarembensis*](#) Arechav.
- [*Senecio talquinus*](#) Phil.
- [*Senecio tamoides*](#) DC.
- [*Senecio tanacetopsis*](#) Hilliard
- [*Senecio tandilensis*](#) Cabrera
- [*Senecio taraxacoides*](#) Greene
- [*Senecio tarijensis*](#) Cabrera

- [Senecio tasmanicus](#) I.Thomps.
- [Senecio tauricola](#) V.A.Matthews
- [Senecio tehuelches](#) (Speg.) Cabrera
- [Senecio teixeirae](#) Torre
- [Senecio telekii](#) O.Hoffm.
- [Senecio telmateius](#) Hilliard
- [Senecio × telonensis](#) Albert
- [Senecio tenellus](#) DC.
- [Senecio teneriffae](#) Sch.Bip. ex Bolle
- [Senecio tenuicaulis](#) Sch.Bip. ex Klatt
- [Senecio tenuiflorus](#) (DC.) Sch.Bip.
- [Senecio tenuifolius](#) Burm.f.
- [Senecio tenuisagittatus](#) Cuatrec.
- [Senecio tephrosioides](#) Turcz.
- [Senecio tergolanatus](#) Cuatrec.
- [Senecio tergopurpureus](#) Cuatrec.
- [Senecio tetrandrus](#)
- [Senecio thamathuensis](#) Hilliard
- [Senecio thapsoides](#) DC.
- [Senecio theresiae](#) Hoffm.
- [Senecio thianschanicus](#) Regel & Schmalh.
- [Senecio thunbergii](#) Harv.
- [Senecio ticsanicus](#) Montesinos & Trinidad
- [Senecio tilcarensis](#) Cabrera
- [Senecio timidus](#) Cuatrec.
- [Senecio tinctorobus](#) I.M.Johnst.
- [Senecio tocomarensis](#) Cabrera & Zardini
- [Senecio toconaoensis](#) J.Calvo & A.Moreira
- [Senecio toroanus](#) Cabrera
- [Senecio torrehuasensis](#) Cuatrec.
- [Senecio torticaulis](#) Merxm.
- [Senecio tortuosus](#) DC.
- [Senecio townsendii](#) Greenm.
- [Senecio trachylaenus](#) Harv.
- [Senecio trachyphyllus](#) Schltr.
- [Senecio trafulensis](#) Cabrera
- [Senecio transiens](#) (Rouy) Jeanm.
- [Senecio transmarinus](#) S.Moore
- [Senecio triactinus](#) S.Moore
- [Senecio triangularis](#) Hook.
- [Senecio tricephalus](#) Kuntze
- [Senecio trichocaulon](#) Baker

- [Senecio trichocodon](#) Baker
- [Senecio tricuspidatus](#) Hook. & Arn.
- [Senecio tricuspis](#) Franch.
- [Senecio trifidus](#) Hook. & Arn.
- [Senecio trifurcatus](#) (G.Forst.) Less.
- [Senecio trifurcifolius](#) Hieron.
- [Senecio trilobus](#) L.
- [Senecio triodon](#) Phil.
- [Senecio triodontiphyllus](#) C.Jeffrey
- [Senecio tripinnatifidus](#) Reiche
- [Senecio triplinervius](#) DC.
- [Senecio triqueter](#) Less.
- [Senecio tristis](#) Phil.
- [Senecio troncosii](#) Phil.
- [Senecio tsaratananensis](#) Humbert
- [Senecio tschabanicus](#) K.Koch
- [Senecio tuberculatus](#) Ali
- [Senecio tubicapillosus](#) Cuatrec.
- [Senecio tucumanensis](#) Cabrera
- [Senecio tugelensis](#) J.M.Wood & M.S.Evans
- [Senecio tulinensis](#) S.S.Ying
- [Senecio tweediei](#) Hook. & Arn.
- [Senecio tysonii](#) MacOwan

U

- [Senecio ulopterus](#) Thell.
- [Senecio umbellatus](#) L.
- [Senecio umbricola](#) Cron & B.Nord.
- [Senecio umbrosus](#) Waldst. & Kit.
- [Senecio umgeniensis](#) Thell.
- [Senecio unionis](#) Sch.Bip. ex A.Rich.
- [Senecio urophyllus](#) Conrath
- [Senecio urundensis](#) S.Moore
- [Senecio uspallatensis](#) Hook. & Arn.

V

- [Senecio × vaccarii](#) Fiori
- [Senecio vaginatus](#) Hook. & Arn.
- [Senecio vagus](#) F.Muell.
- [Senecio vaingaindrani](#) Scott Elliot
- [Senecio variabilis](#) Sch.Bip.

- [Senecio varicosus](#) L.f.
- [Senecio varvarcensis](#) Cabrera
- [Senecio vegetus](#) (Wedd.) Cabrera
- [Senecio venosus](#) Harv.
- [Senecio ventanensis](#) Cabrera
- [Senecio verbascifolius](#) Burm.f.
- [Senecio vernalis](#) Waldst. & Kit.
- [Senecio vernus](#) Biv.
- [Senecio vervoorstii](#) Cabrera
- [Senecio vestitus](#) P.J.Bergius
- [Senecio vicinus](#) S.Moore
- [Senecio viejoanus](#) B.L.Turner
- [Senecio villifructus](#) Hilliard
- [Senecio vimineus](#) DC.
- [Senecio violifolius](#) Cabrera
- [Senecio vira-vira](#) Hieron.
- [Senecio virens](#) Phil.
- [Senecio viridilacus](#) Cabrera
- [Senecio viridis](#) Phil.
- [Senecio × viscidulus](#) Scheele
- [Senecio viscosissimus](#) Colla
- [Senecio viscosus](#) L.
- [Senecio vitellinoides](#) Merxm.
- [Senecio vittarifolius](#) Bojer ex DC.
- [Senecio voigtii](#) van Jaarsv.
- [Senecio volcanicola](#) C.Jeffrey
- [Senecio volckmannii](#) Phil.
- [Senecio vulcanicus](#) Boiss.
- [Senecio vulgaris](#) L.
- [Senecio vulneraria](#) DC.

W

- [Senecio wairauensis](#) Belcher
- [Senecio warnockii](#) Shinnars
- [Senecio warrenensis](#) I.Thomps.
- [Senecio warszewiczii](#) A.Braun & C.D.Bouché
- [Senecio waterbergensis](#) S.Moore
- [Senecio weberbaueri](#) Cuatrec.
- [Senecio websteri](#) Hook.f.
- [Senecio wedglacialis](#) Cuatrec.
- [Senecio werdermannii](#) Greenm.
- [Senecio westermanii](#) Dusén

- [*Senecio wightii*](#) (DC.) Benth. ex C.B.Clarke
- [*Senecio windhoekensis*](#) Merxm.
- [*Senecio wittebergensis*](#) Compton
- [*Senecio woodii*](#) J.Calvo
- [*Senecio woodsonianus*](#) Cuatrec.
- [*Senecio wootonii*](#) Greene

X

- [*Senecio xenostylus*](#) O.Hoffm.
- [*Senecio xerophilus*](#) Phil.

Y

- [*Senecio yalae*](#) Cabrera
- [*Senecio yauyensis*](#) Cabrera
- [*Senecio yungningensis*](#) Hand.-Mazz.
- [*Senecio yurensis*](#) Rusby

Z

- [*Senecio zapahuirensis*](#) Martic. & Quezada
- [*Senecio zapalae*](#) Cabrera
- [*Senecio zeylanicus*](#) DC.
- [*Senecio zosterifolius*](#) Hook. & Arn.

Some former species

- *Senecio actinella* Greene → [*Packera actinella*](#)
- *Senecio amygdalifolius* F.Muell. → [*Lordhowea amygdalifolia*](#)
- *Senecio kleiniiformis* Suess. → ~~×~~ [*Senecurio kleiniiformis*](#)
- *Senecio nivalis* (Kunth) Cuatrec. → [*Culcitium nivale*](#)
- *Senecio pectinatus* DC. → [*Scapisenecio pectinatus*](#)
- *Senecio peregrinus* Griseb. → [*Dendrophorbium peregrinum*](#)
- *Senecio sarcoides* C.Jeffrey → [*Curio corymbifer*](#)
- [*Senecio tropaeolifolius*](#) MacOwan ex F.Muell. → [*Senecio oxyriifolius*](#) subsp. *tropaeolifolius*
- *Senecio velleioides* A.Cunn. ex DC. → [*Lordhowea velleioides*](#)

From Wikipedia, the free encyclopedia

The following is an alphabetical list of all 723 [species](#) of [*Selaginella*](#) that are accepted by [Plants of the World Online](#) as of 10 January 2023.[\[1\]](#)

A

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Selaginella aboriginalis](#) C.Schulz & Homberg
- [Selaginella acanthonota](#) Underw.
- [Selaginella acanthostachys](#) Baker
- [Selaginella achotalensis](#) Shelton & Caluff
- [Selaginella aculeatifolia](#) Valdespino
- [Selaginella acutifolia](#) (Stolze) Valdespino
- [Selaginella adunca](#) A.Braun ex Hieron.
- [Selaginella aenea](#) Warb.
- [Selaginella agioneuma](#) Valdespino & C.López
- [Selaginella aitchisonii](#) Hieron.
- [Selaginella alampeta](#) M.Kessler & A.R.Sm.
- [Selaginella albociliata](#) P.S.Wang

- [*Selaginella albolineata*](#) A.R.Sm.
- [*Selaginella alligans*](#) Hieron.
- [*Selaginella alopecuroides*](#) Baker
- [*Selaginella alstonii*](#) G.Heringer, Salino & Valdespino
- [*Selaginella altheae*](#) Valdespino
- [*Selaginella alutacea*](#) Spring
- [*Selaginella amazonica*](#) Spring
- [*Selaginella amblyphylla*](#) Alston
- [*Selaginella anaclasta*](#) Alston ex Crabbe & Jermy
- [*Selaginella anceps*](#) (C.Presl) C.Presl
- [*Selaginella andrewsii*](#) Jermy & J.S.Holmes
- [*Selaginella angustifolia*](#) Valdespino
- [*Selaginella angustiramea*](#) F.Muell. & Baker
- [*Selaginella apoda*](#) (L.) Spring
- [*Selaginella apoensis*](#) Hieron.
- [*Selaginella applanata*](#) A.Braun
- [*Selaginella arbuscula*](#) (Kaulf.) Spring
- [*Selaginella arbusculoides*](#) J.W.Moore
- [*Selaginella arenaria*](#) Baker
- [*Selaginella arenicola*](#) Underw.
- [*Selaginella argentea*](#) (Wall. ex Hook. & Grev.) Spring
- [*Selaginella aristata*](#) Spring
- [*Selaginella arizonica*](#) Maxon
- [*Selaginella armata*](#) Baker
- [*Selaginella arrecta*](#) A.R.Sm.
- [*Selaginella arsenei*](#) Weath.
- [*Selaginella arsiclada*](#) Valdespino
- [*Selaginella arthritica*](#) Alston
- [*Selaginella articulata*](#) (Kunze) Spring
- [*Selaginella ascillifolia*](#) Alderw.
- [*Selaginella asperula*](#) Mart. ex Spring
- [*Selaginella asplundii*](#) Crabbe & Jermy
- [*Selaginella asprella*](#) Maxon
- [*Selaginella atimonanensis*](#) B.C.Tan & Jermy
- [*Selaginella atirrensis*](#) Hieron.
- [*Selaginella auquieri*](#) Bizzarri
- [*Selaginella auriculata*](#) Spring
- [*Selaginella australiensis*](#) Baker
- [*Selaginella axillifolia*](#) Alderw.
- [*Selaginella ayitiensis*](#) Valdespino

B

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella bahiensis*](#) Spring
- [*Selaginella balansae*](#) (A.Braun) Hieron.
- [*Selaginella balfourii*](#) Baker
- [*Selaginella bamleri*](#) Hieron.
- [*Selaginella banksii*](#) Alston
- [*Selaginella barnebyana*](#) Valdespino
- [*Selaginella basipilosa*](#) Valdespino
- [*Selaginella beccariana*](#) Baker
- [*Selaginella behrmanniana*](#) Hieron.
- [*Selaginella beitelii*](#) A.R.Sm.

- [Selaginella bemarkensis](#) Stefanović & Rakotondr.
- [Selaginella bernoullii](#) Hieron.
- [Selaginella bifida](#) Delmail
- [Selaginella biformis](#) A.Braun ex Kuhn
- [Selaginella bigelovii](#) Underw.
- [Selaginella birarensis](#) Kuhn
- [Selaginella bisulcata](#) Spring
- [Selaginella blepharodella](#) Valdespino
- [Selaginella blepharophylla](#) Alston
- [Selaginella bluuensis](#) Alderw.
- [Selaginella bodinieri](#) Hieron. ex Christ
- [Selaginella bombycina](#) Spring
- [Selaginella boninensis](#) Baker
- [Selaginella boomii](#) Valdespino
- [Selaginella borealis](#) (Kaulf.) Spring
- [Selaginella boschai](#) Hieron.
- [Selaginella bracei](#) Hieron. ex O.C.Schmidt
- [Selaginella brachyblepharis](#) Alderw.
- [Selaginella braunii](#) Baker
- [Selaginella breedlovei](#) Valdespino
- [Selaginella brevifolia](#) Baker
- [Selaginella brevipes](#) A.Braun
- [Selaginella breweriana](#) A.R.Sm.
- [Selaginella breynii](#) Spring
- [Selaginella breynioides](#) Baker
- [Selaginella brigitteana](#) Valdespino
- [Selaginella brisbanensis](#) F.M.Bailey
- [Selaginella brooksii](#) Hieron.
- [Selaginella bryophila](#) M.Kessler & A.R.Sm.
- [Selaginella bryopteris](#) (L.) Baker
- [Selaginella buchholzii](#) Hieron.
- [Selaginella buergersiana](#) Hieron.
- [Selaginella burbridgei](#) Baker
- [Selaginella burkei](#) Hieron.

C

Contents:

- [Top](#)
- [A](#)
- [B](#)

- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella cabrerensis*](#) Hieron.
- [*Selaginella caffrorum*](#) (Milde) Hieron.
- [*Selaginella calceolata*](#) Jermy
- [*Selaginella calcicola*](#) Hieron.
- [*Selaginella calostachya*](#) (Hook. & Grev.) Alston
- [*Selaginella calosticha*](#) Spring
- [*Selaginella caluffii*](#) Shelton
- [*Selaginella canaliculata*](#) (L.) Spring
- [*Selaginella cardiophylla*](#) Valdespino
- [*Selaginella carinata*](#) R.M.Tryon
- [*Selaginella carioi*](#) Hieron.
- [*Selaginella carnea*](#) Alderw.
- [*Selaginella carnerosana*](#) T.Reeves
- [*Selaginella cataphracta*](#) (Willd.) Spring
- [*Selaginella cataractarum*](#) Alston
- [*Selaginella cathedrifolia*](#) Spring
- [*Selaginella caudata*](#) (Desv. ex Poir.) Spring
- [*Selaginella cavernaria*](#) Caluff & Shelton

- [*Selaginella cavifolia*](#) A.Braun
- [*Selaginella cesatii*](#) Hieron.
- [*Selaginella chaetoloma*](#) Alston
- [*Selaginella chaii*](#) Jermy
- [*Selaginella cheiromorpha*](#) Alston
- [*Selaginella chevalieri*](#) Hieron. ex Bonap.
- [*Selaginella chiapensis*](#) A.R.Sm.
- [*Selaginella chionoloma*](#) Alston ex Crabbe & Jermy
- [*Selaginella christii*](#) Hieron.
- [*Selaginella chrysocaulos*](#) (Hook. & Grev.) Spring
- [*Selaginella chrysoleuca*](#) Spring
- [*Selaginella chrysorrhizos*](#) Spring
- [*Selaginella chuweimingii*](#) X.M.Zhou, Z.R.He, Liang Zhang & Li Bing Zhang
- [*Selaginella ciliaris*](#) (Retz.) Spring
- [*Selaginella cinerascens*](#) A.A.Eaton
- [*Selaginella coarctata*](#) Mart. ex Spring
- [*Selaginella cochleata*](#) (Hook. & Grev.) Spring
- [*Selaginella commutata*](#) Alderw.
- [*Selaginella concinna*](#) (Sw.) Spring
- [*Selaginella conduplicata*](#) Spring
- [*Selaginella conferta*](#) Veitch ex R.Hogg
- [*Selaginella confusa*](#) Spring
- [*Selaginella congoensis*](#) Alston
- [*Selaginella contigua*](#) Baker
- [*Selaginella convoluta*](#) (Arn.) Spring
- [*Selaginella coonooriana*](#) R.D.Dixit
- [*Selaginella copelandii*](#) Hieron.
- [*Selaginella corallina*](#) (Riddell) Wilbur & Whitson
- [*Selaginella cordifolia*](#) (Desv.) Spring
- [*Selaginella coriaceifolia*](#) X.M.Zhou, N.T.Lu & Li Bing Zhang
- [*Selaginella correae*](#) Valdespino
- [*Selaginella corrugis*](#) Mickel & Beitel
- [*Selaginella crassipes*](#) Spring
- [*Selaginella crinita*](#) Valdespino
- [*Selaginella cristalensis*](#) Shelton & Caluff
- [*Selaginella cruciformis*](#) Crabbe & Jermy
- [*Selaginella culverwellii*](#) N.R.Crouch
- [*Selaginella cumingiana*](#) Spring
- [*Selaginella cuneata*](#) Mickel & Beitel
- [*Selaginella cuprea*](#) Ridl.
- [*Selaginella cupressina*](#) (Willd.) Spring
- [*Selaginella curtisii*](#) Ridl.

- [*Selaginella cyclophylla*](#) A.R.Sm.

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella dahlii*](#) Hieron.
- [*Selaginella daozenensis*](#) Li Bing Zhang, Q.W.Sun & Jun H.Zhao
- [*Selaginella darmandvillei*](#) Alderw.
- [*Selaginella dasyloma*](#) Alston
- [*Selaginella davidii*](#) Franch.
- [*Selaginella decipiens*](#) Warb.
- [*Selaginella decomposita*](#) Spring
- [*Selaginella decurrens*](#) Hieron.

- [*Selaginella deflexa*](#) Brack.
- [*Selaginella delicatissima*](#) A.Braun
- [*Selaginella delicatula*](#) (Desv.) Alston
- [*Selaginella dendricola*](#) Jenman
- [*Selaginella densa*](#) Rydb.
- [*Selaginella densifolia*](#) Spruce ex Hook.
- [*Selaginella denticulata*](#) (L.) Spring
- [*Selaginella denudata*](#) (Willd.) Spring
- [*Selaginella devolii*](#) H.M.Chang, P.F.Lu & W.L.Chiou
- [*Selaginella dianzhongensis*](#) X.C.Zhang
- [*Selaginella dielsii*](#) Hieron.
- [*Selaginella diffusa*](#) Spring
- [*Selaginella digitata*](#) Spring
- [*Selaginella distachya*](#) Cordem.
- [*Selaginella distans*](#) Warb.
- [*Selaginella doederleinii*](#) Hieron.
- [*Selaginella dolichoclada*](#) Alston
- [*Selaginella dorsicola*](#) Hosok.
- [*Selaginella dosedlae*](#) Gilli
- [*Selaginella douglasii*](#) (Hook. & Grev.) Spring
- [*Selaginella dregei*](#) (C.Presl) Hieron.
- [*Selaginella drepanophylla*](#) Alston
- [*Selaginella x dualis*](#) Caluff & Shelton

E

- [*Selaginella eatonii*](#) Hieron. ex Small
- [*Selaginella echinata*](#) Baker
- [*Selaginella eclipses*](#) W.R.Buck
- [*Selaginella ecuadoriana*](#) Gilli
- [*Selaginella effusa*](#) Alston
- [*Selaginella elegantissima*](#) Warb.
- [*Selaginella elmeri*](#) Hieron.
- [*Selaginella engleri*](#) Hieron.
- [*Selaginella epipubens*](#) Caluff & Shelton
- [*Selaginella epirrhizos*](#) Spring
- [*Selaginella erectifolia*](#) Spring
- [*Selaginella eremophila*](#) Maxon
- [*Selaginella erythropus*](#) (Mart.) Spring
- [*Selaginella eschscholzii*](#) Hieron.
- [*Selaginella estrellensis*](#) Hieron.
- [*Selaginella eublepharis*](#) A.Braun ex Hieron.
- [*Selaginella euclimax*](#) Crabbe & Jermy

- [Selaginella eurynota](#) A.Braun
- [Selaginella exaltata](#) (Kuntze) Spring
- [Selaginella exasperata](#) Warb.
- [Selaginella exilis](#) J.W.Moore
- [Selaginella expansa](#) Sodiro
- [Selaginella extensa](#) Underw.

F

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Selaginella falcata](#) (P.Beauv.) Spring
- [Selaginella fenixii](#) Hieron.
- [Selaginella filicaulis](#) Sodiro

- [Selaginella finitima](#) Mickel & Beitel
- [Selaginella finium](#) Alderw.
- [Selaginella formula](#) A.Braun
- [Selaginella firmuloides](#) Warb.
- [Selaginella fissidentoides](#) (Hook. & Grev.) Spring
- [Selaginella flabellata](#) (L.) Spring
- [Selaginella flabellum](#) (Desv.) Spring
- [Selaginella flacca](#) Alston
- [Selaginella flagellata](#) Spring
- [Selaginella flexuosa](#) Spring
- [Selaginella fragilis](#) A.Braun
- [Selaginella fragillima](#) Silveira
- [Selaginella frondosa](#) Warb.
- [Selaginella fruticulosa](#) (Bory ex Willd.) Spring
- [Selaginella fuertesii](#) Hieron.
- [Selaginella fulcrata](#) (Buch.-Ham. ex D.Don) Spring
- [Selaginella fulvicaulis](#) Hieron.
- [Selaginella furcillifolia](#) Hieron.

G

- [Selaginella ganguliana](#) R.D.Dixit
- [Selaginella gastrophylla](#) Warb.
- [Selaginella gaudichaudiana](#) Spring
- [Selaginella geniculata](#) (C.Presl) Spring
- [Selaginella germinans](#) Valdespino & C.López
- [Selaginella gigantea](#) Steyerl. & A.R.Sm.
- [Selaginella gioiae](#) Valdespino
- [Selaginella glossophylla](#) Crabbe & Jermy
- [Selaginella goudotiana](#) Spring
- [Selaginella grabowskyi](#) Warb.
- [Selaginella gracilis](#) T.Moore
- [Selaginella gracillima](#) (Kuntze) Spring ex Salomon
- [Selaginella grallipes](#) Alston
- [Selaginella grandis](#) T.Moore
- [Selaginella griffithii](#) Spring
- [Selaginella grisea](#) Alston
- [Selaginella guatemalensis](#) Baker
- [Selaginella guihaia](#) X.C.Zhang
- [Selaginella gynostachya](#) Valdespino
- [Selaginella gypsophila](#) A.R.Sm. & T.Reeves

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella haematodes*](#) (Kunze) Spring
- [*Selaginella haenkeana*](#) Spring
- [*Selaginella hainanensis*](#) X.C.Zhang & Noot.
- [*Selaginella hallieri*](#) Alderw.
- [*Selaginella hansenii*](#) Hieron.
- [*Selaginella harrisii*](#) Underw. & Hieron.
- [*Selaginella hartii*](#) Hieron.
- [*Selaginella hartwegiana*](#) Spring
- [*Selaginella helferi*](#) Warb.
- [*Selaginella helicoclada*](#) Alston

- [*Selaginella hellwigii*](#) Hieron.
- [*Selaginella helvetica*](#) (L.) Spring
- [*Selaginella hemicardia*](#) Valdespino
- [*Selaginella heterodonta*](#) (Desv.) Hieron. ex Urb.
- [*Selaginella heterostachys*](#) Baker
- [*Selaginella hewittii*](#) Hieron.
- [*Selaginella hildebrandtii*](#) A.Braun ex Kuhn
- [*Selaginella hindsii*](#) Hieron.
- [*Selaginella hirsuta*](#) Alston ex Crabbe & Jermy
- [*Selaginella hirtifolia*](#) Valdespino
- [*Selaginella hispida*](#) (Willd.) A.Br. ex Urb.
- [*Selaginella hochreutineri*](#) Hieron.
- [*Selaginella hoffmannii*](#) Hieron.
- [*Selaginella hollrungii*](#) Hieron.
- [*Selaginella homaliae*](#) A.Braun
- [*Selaginella hordeiformis*](#) Baker
- [*Selaginella horizontalis*](#) (C.Presl) Spring
- [*Selaginella hosei*](#) Hieron.
- [*Selaginella huehuetenangensis*](#) Hieron.
- [*Selaginella humboldtiana*](#) A.Braun
- [*Selaginella hyalogramma*](#) Valdespino

I

- [*Selaginella idiospora*](#) Alston
- [*Selaginella illecebrosa*](#) Alston
- [*Selaginella imbricans*](#) A.R.Sm.
- [*Selaginella imbricata*](#) (Forssk.) Spring ex Decne.
- [*Selaginella inaequalifolia*](#) (Hook. & Grev.) Spring
- [*Selaginella indica*](#) Tryon
- [*Selaginella ingens*](#) Alston
- [*Selaginella integrifolia*](#) Alderw.
- [*Selaginella intermedia*](#) (Blume) Spring
- [*Selaginella intertexta*](#) Spring
- [*Selaginella involvens*](#) (Sw.) Spring
- [*Selaginella iridescens*](#) X.C.Zhang & Y.R.Wang
- [*Selaginella ivanii*](#) Shelton & Caluff

J

- [*Selaginella jacquemontii*](#) Spring
- [*Selaginella jagorii*](#) Warb.
- [*Selaginella jiulongensis*](#) (H.S.Kung, Li Bing Zhang & X.S.Guo) M.H.Zhang & X.C.Zhang

- [*Selaginella jungermannioides*](#) (Gaudich.) Spring

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella kaernbachii*](#) Hieron.
- [*Selaginella kalbreyeri*](#) Baker
- [*Selaginella kanehirae*](#) Alston
- [*Selaginella karimatae*](#) Alderw.
- [*Selaginella karowtipuensis*](#) Valdespino
- [*Selaginella keralensis*](#) R.D.Dixit
- [*Selaginella kerstingii*](#) Hieron.
- [*Selaginella ketra-ayam*](#) Alderw.

- [*Selaginella kittyae*](#) Alderw.
- [*Selaginella kivuensis*](#) Bizzarri
- [*Selaginella kochii*](#) Hieron.
- [*Selaginella kouytcheensis*](#) H.Lév.
- [*Selaginella kraussiana*](#) (Kunze) A.Braun
- [*Selaginella kriegeriana*](#) L.A.Góes
- [*Selaginella krugii*](#) Hieron.
- [*Selaginella kunzeana*](#) A.Braun
- [*Selaginella kurzii*](#) Baker
- [*Selaginella kusaiensis*](#) Hosok.

L

- [*Selaginella labordei*](#) Hieron. ex Christ
- [*Selaginella lacerata*](#) Warb.
- [*Selaginella lanceolata*](#) Warb.
- [*Selaginella landii*](#) Greenm. & N.Pfeiff.
- [*Selaginella latifolia*](#) (Hook. & Grev.) Spring
- [*Selaginella latupana*](#) Alderw.
- [*Selaginella lauterbachii*](#) Hieron.
- [*Selaginella laxa*](#) Spring
- [*Selaginella laxifolia*](#) Baker
- [*Selaginella lebongtandaiana*](#) Alderw.
- [*Selaginella lechleri*](#) Hieron.
- [*Selaginella ledermannii*](#) Hieron.
- [*Selaginella leonardii*](#) O.C.Schmidt
- [*Selaginella leoneensis*](#) Hieron.
- [*Selaginella lepida*](#) Hieron.
- [*Selaginella lepidophylla*](#) (Hook. & Grev.) Spring
- [*Selaginella leptophylla*](#) Baker
- [*Selaginella leucobryoides*](#) Maxon
- [*Selaginella leucoloma*](#) Crabbe & Jermy
- [*Selaginella leveriana*](#) Alston
- [*Selaginella lewalleana*](#) Bizzarri
- [*Selaginella limbata*](#) Alston
- [*Selaginella lindenii*](#) Spring
- [*Selaginella lindhardtii*](#) Hieron.
- [*Selaginella lineariformis*](#) Jermy
- [*Selaginella lineolata*](#) Mickel & Beitel
- [*Selaginella lingulata*](#) Spring
- [*Selaginella llanosii*](#) Hieron.
- [*Selaginella lobbii*](#) Veitch ex A.Braun
- [*Selaginella longiaristata*](#) Hieron.

- [Selaginella longiciliata](#) Hieron.
- [Selaginella longipes](#) Alderw.
- [Selaginella longipinna](#) Warb.
- [Selaginella longirostris](#) Alderw.
- [Selaginella longissima](#) Baker
- [Selaginella longistrobilina](#) P.S.Wang, X.Y.Wang & Li Bing Zhang
- [Selaginella lonko-batu](#) Hieron. & Alderw.
- [Selaginella loriai](#) Hieron.
- [Selaginella ludoviciana](#) (A.Braun) A.Braun
- [Selaginella lutchuensis](#) Koidz.
- [Selaginella luzonensis](#) Hieron.
- [Selaginella lyallii](#) (Hook. & Grev.) Spring
- [Selaginella lychnuchus](#) Spring

M

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)

- [*Selaginella macilenta*](#) Baker
- [*Selaginella macrathera*](#) Weath.
- [*Selaginella macroblepharis*](#) Warb.
- [*Selaginella macrostachya*](#) (Spring) Spring
- [*Selaginella magnaforensis*](#) Valdespino & C.López
- [*Selaginella magnifica*](#) Warb.
- [*Selaginella mairei*](#) H.Lév.
- [*Selaginella mannii*](#) Baker
- [*Selaginella marahuacae*](#) A.R.Sm.
- [*Selaginella marginata*](#) (Humb. & Bonpl. ex Willd.) Spring
- [*Selaginella marinii*](#) Stefanović & Rakotondr.
- [*Selaginella marosensis*](#) Alderw.
- [*Selaginella martensii*](#) Spring
- [*Selaginella maxima*](#) Alderw.
- [*Selaginella mayeri*](#) Hieron.
- [*Selaginella mazaruniensis*](#) Jenman
- [*Selaginella megalura*](#) Hieron.
- [*Selaginella megaphylla*](#) Baker
- [*Selaginella megastachya*](#) Baker
- [*Selaginella melanesica*](#) Kuhn
- [*Selaginella mendoncae*](#) Hieron.
- [*Selaginella menziesii*](#) (Hook. & Grev.) Spring
- [*Selaginella meridensis*](#) Alston
- [*Selaginella mickelii*](#) Valdespino
- [*Selaginella microdendron*](#) Baker
- [*Selaginella microdonta*](#) A.C.Sm.
- [*Selaginella microphylla*](#) (Kunth) Spring
- [*Selaginella microtus*](#) A.Braun
- [*Selaginella miniatospora*](#) (Dalzell) Baker
- [*Selaginella minima*](#) Spring
- [*Selaginella minutifolia*](#) Spring
- [*Selaginella mittenii*](#) Baker
- [*Selaginella mixteca*](#) Mickel & Beitel
- [*Selaginella moellendorffii*](#) Hieron.
- [*Selaginella molleri*](#) Hieron.
- [*Selaginella molliceps*](#) Spring
- [*Selaginella mollis*](#) A.Braun
- [*Selaginella monodii*](#) Alston
- [*Selaginella monospora*](#) Spring

- [*Selaginella monticola*](#) Valdespino
- [*Selaginella moraniana*](#) Valdespino & C.López
- [*Selaginella moratii*](#) W.Hagemann & Rauh
- [*Selaginella morgani*](#) Zeiller
- [*Selaginella moritziana*](#) Spring
- [*Selaginella mortoniana*](#) Crabbe & Jermy
- [*Selaginella mosorongensis*](#) Hieron.
- [*Selaginella moszkowskii*](#) Hieron.
- [*Selaginella mucronata*](#) G.Heringer, Salino & Valdespino
- [*Selaginella mucugensis*](#) Valdespino
- [*Selaginella muelleri*](#) Baker
- [*Selaginella muscosa*](#) Spring
- [*Selaginella mutica*](#) D.C.Eaton
- [*Selaginella myosuroides*](#) (Kaulf.) Spring
- [*Selaginella myosurus*](#) (Sw.) Alston
- [*Selaginella myriostachya*](#) Valdespino, C.López & L.A.Góes

N

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Selaginella nana](#) (Desv.) Spring
- [Selaginella nanophylla](#) Valdespino, C.López & L.A.Góes
- [Selaginella nanuzae](#) Valdespino
- [Selaginella neblinae](#) A.R.Sm.
- [Selaginella neei](#) Hieron.
- [Selaginella negrosensis](#) Hieron.
- [Selaginella neocaledonica](#) Baker
- [Selaginella × neomexicana](#) Maxon
- [Selaginella neospringiana](#) Valdespino
- [Selaginella nipponica](#) Franch. & Sav.
- [Selaginella nivea](#) Alston
- [Selaginella njamnjamensis](#) Hieron.
- [Selaginella nothohybrida](#) Valdespino
- [Selaginella novae-guineae](#) Hieron.
- [Selaginella novae-hollandiae](#) (Sw.) Spring
- [Selaginella novoleonensis](#) Hieron.
- [Selaginella nubigena](#) J.P.Roux
- [Selaginella nummularia](#) Warb.
- [Selaginella nummulariifolia](#) Ching

O

- [Selaginella oaxacana](#) Spring
- [Selaginella obtusa](#) (P.Beauv.) Spring
- [Selaginella opaca](#) Warb.
- [Selaginella orbiculifolia](#) Shelton & Caluff
- [Selaginella oregana](#) D.C.Eaton
- [Selaginella orizabensis](#) Hieron.
- [Selaginella ornata](#) (Hook. & Grev.) Spring
- [Selaginella ornithopodioides](#) (L.) Spring
- [Selaginella osaensis](#) A.Rojas
- [Selaginella ostenfeldii](#) Hieron.
- [Selaginella ovifolia](#) Baker
- [Selaginella oviformis](#) Alderw.

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella padangensis*](#) Hieron.
- [*Selaginella palauensis*](#) Hosok.
- [*Selaginella pallescens*](#) (C.Presl) Spring
- [*Selaginella pallida*](#) Spring
- [*Selaginella pallidissima*](#) Spring
- [*Selaginella palmiformis*](#) Alston ex Crabbe & Jermy
- [*Selaginella palu-palu*](#) F.M.Bailey
- [*Selaginella panurensis*](#) Baker
- [*Selaginella papillosa*](#) Valdespino
- [*Selaginella parishii*](#) Underw.

- [Selaginella parkeri](#) (Hook. & Grev.) Spring
- [Selaginella parviarticulata](#) W.R.Buck
- [Selaginella parvifolia](#) Alderw.
- [Selaginella paxii](#) Hieron.
- [Selaginella pedata](#) Klotzsch
- [Selaginella pellucidopunctata](#) Valdespino
- [Selaginella pennata](#) (D.Don) Spring
- [Selaginella pentagona](#) Spring
- [Selaginella permutata](#) Hieron.
- [Selaginella perottetii](#) Spring
- [Selaginella perpusilla](#) Baker
- [Selaginella peruviana](#) (Milde) Hieron.
- [Selaginella pervillei](#) Spring
- [Selaginella petelotii](#) Alston
- [Selaginella phanotricha](#) Baker
- [Selaginella phiara](#) Valdespino, C.López & L.A.Góes
- [Selaginella philippina](#) Spring
- [Selaginella philipsonii](#) (Jermy & J.M.Rankin) Valdespino
- [Selaginella phillipsiana](#) (Hieron.) Alston
- [Selaginella picta](#) A.Braun ex Baker
- [Selaginella pilifera](#) A.Braun
- [Selaginella pilosula](#) Alderw.
- [Selaginella plagiochila](#) Baker
- [Selaginella plana](#) (Desv.) Hieron.
- [Selaginella plumieri](#) Hieron.
- [Selaginella plumosa](#) (L.) C.Presl
- [Selaginella poeppigiana](#) (Spring) Splitg.
- [Selaginella polita](#) Ridl.
- [Selaginella polymorpha](#) Badré
- [Selaginella polyptera](#) Valdespino
- [Selaginella polystachya](#) (Warb.) Hieron.
- [Selaginella popayanensis](#) Hieron.
- [Selaginella poperangensis](#) Hieron. ex Rech.
- [Selaginella porelloides](#) (Lam.) Spring
- [Selaginella porphyrospora](#) A.Braun
- [Selaginella posewitzii](#) Hieron.
- [Selaginella potaroensis](#) Jenman
- [Selaginella praestans](#) Alston
- [Selaginella praetermissa](#) Alston
- [Selaginella prasina](#) Baker
- [Selaginella presliana](#) Spring
- [Selaginella pricei](#) B.C.Tan & Jermy

- [Selaginella procera](#) Alston
- [Selaginella producta](#) Baker
- [Selaginella prolifera](#) Valdespino
- [Selaginella proniflora](#) (Lam.) Baker
- [Selaginella propinqua](#) Alderw.
- [Selaginella prostrata](#) (H.S.Kung) Li Bing Zhang
- [Selaginella protensa](#) Alston
- [Selaginella proxima](#) R.M.Tryon
- [Selaginella pruskiana](#) Valdespino
- [Selaginella pseudopaleifera](#) Hand.-Mazz.
- [Selaginella pseudovolkensii](#) Hosok.
- [Selaginella psittacorrhyncha](#) Valdespino
- [Selaginella pubens](#) A.R.Sm.
- [Selaginella puberulipes](#) Alderw.
- [Selaginella pubescens](#) (Wall. ex Hook. & Grev.) Spring
- [Selaginella pubimarginata](#) Valdespino
- [Selaginella pulcherrima](#) Liebm. ex E.Fourn.
- [Selaginella pulvinata](#) (Hook. & Grev.) Maxim.
- [Selaginella pygmaea](#) (Kaulf.) Alston

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Selaginella qingchengshanensis](#) Li Bing Zhang & X.M.Zhou
- [Selaginella quadrifaria](#) Alston
- [Selaginella quadrivenulosa](#) Alderw.

R

- [Selaginella radiata](#) (Aubl.) Baker
- [Selaginella radicata](#) (Hook. & Grev.) Spring
- [Selaginella raiateensis](#) J.W.Moore
- [Selaginella ramosii](#) Hieron.
- [Selaginella ramosissima](#) Baker
- [Selaginella rasoloheryi](#) Rakotondr.
- [Selaginella raynaliana](#) Tardieu
- [Selaginella rechingeri](#) Hieron.
- [Selaginella reflexa](#) Underw.
- [Selaginella reineckei](#) Hieron.
- [Selaginella remotifolia](#) Spring
- [Selaginella repanda](#) (Desv.) Spring
- [Selaginella reticulata](#) (Hook. & Grev.) Spring
- [Selaginella revoluta](#) Baker
- [Selaginella rhodostachya](#) Baker
- [Selaginella ribae](#) Valdespino
- [Selaginella ridleyi](#) Baker
- [Selaginella rivalis](#) Ridl.
- [Selaginella robinsonii](#) Alderw.
- [Selaginella rodriguesiana](#) Baker
- [Selaginella roesickeana](#) Hieron.
- [Selaginella rolandi-principis](#) Alston
- [Selaginella roraimensis](#) Baker
- [Selaginella rosea](#) Alston
- [Selaginella rossii](#) (Baker) Warb.
- [Selaginella rostrata](#) Valdespino
- [Selaginella rothertii](#) Alderw.

- [Selaginella rotundifolia](#) Spring
- [Selaginella roxburghii](#) (Hook. & Grev.) Spring
- [Selaginella royenii](#) Alston
- [Selaginella rugulosa](#) Ces.
- [Selaginella rupestris](#) (L.) Spring
- [Selaginella rupincola](#) Underw.
- [Selaginella rzedowskii](#) Lorea-Hern.

S

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Selaginella sajanensis](#) Stepanov & Sonnikova
- [Selaginella sakuraii](#) H.Miller

- [*Selaginella salazariae*](#) Valdespino
- [*Selaginella salinoi*](#) L.A.Góes & G.Heringer
- [*Selaginella saltuicola*](#) Valdespino
- [*Selaginella sambasensis*](#) Hieron.
- [*Selaginella sambiranensis*](#) Stefanović & Rakotondr.
- [*Selaginella sandvicensis*](#) Baker
- [*Selaginella sandwithii*](#) Alston
- [*Selaginella sanguinolenta*](#) (L.) Spring
- [*Selaginella sarawakensis*](#) Hieron.
- [*Selaginella sartorii*](#) Hieron.
- [*Selaginella scabrida*](#) Ridl.
- [*Selaginella scabrifolia*](#) Ching & Chu H.Wang
- [*Selaginella scalariformis*](#) A.C.Sm.
- [*Selaginella schaffneri*](#) Hieron.
- [*Selaginella schatteburgiana*](#) Hieron.
- [*Selaginella schefferi*](#) Hieron.
- [*Selaginella schiedeana*](#) A.Braun
- [*Selaginella schizobasis*](#) Baker
- [*Selaginella schlechteri*](#) Hieron.
- [*Selaginella schultesii*](#) Alston ex Crabbe & Jermy
- [*Selaginella schumannii*](#) Hieron.
- [*Selaginella sechellarum*](#) Baker
- [*Selaginella seemannii*](#) Baker
- [*Selaginella selaginoides*](#) (L.) P.Beauv. ex Schrank & Mart.
- [*Selaginella selangorensis*](#) Bedd. ex Ridl.
- [*Selaginella sellowii*](#) Hieron.
- [*Selaginella sematophylla*](#) Valdespino, G.Heringer & Salino
- [*Selaginella semicordata*](#) (Wall. ex Hook. & Grev.) Spring
- [*Selaginella sepikensis*](#) Hieron.
- [*Selaginella sericea*](#) A.Braun
- [*Selaginella serpens*](#) (Desv.) Spring
- [*Selaginella serratosquarrosa*](#) Quansah
- [*Selaginella serrulata*](#) (Desv.) Spring
- [*Selaginella sertata*](#) Spring
- [*Selaginella sespillifolia*](#) Brownlie
- [*Selaginella setchellii*](#) O.C.Schmidt
- [*Selaginella shabaensis*](#) Bizzarri
- [*Selaginella shakotanensis*](#) (Franch. ex Takeda) Miyabe & Kudô
- [*Selaginella siamensis*](#) Hieron.
- [*Selaginella sibirica*](#) (Milde) Hieron.
- [*Selaginella silvestris*](#) Aspl.
- [*Selaginella simplex*](#) Baker

- [*Selaginella simpokakensis*](#) Hieron.
- [*Selaginella sinensis*](#) (Desv.) Spring
- [*Selaginella singalanensis*](#) Hieron.
- [*Selaginella sinuosa*](#) (Desv.) Alston
- [*Selaginella smithiorum*](#) Valdespino
- [*Selaginella sobolifera*](#) A.R.Sm.
- [*Selaginella societatis*](#) J.W.Moore
- [*Selaginella solomonii*](#) Valdespino
- [*Selaginella soneratii*](#) Hieron.
- [*Selaginella soyauxii*](#) Hieron.
- [*Selaginella spanielema*](#) Alston
- [*Selaginella sparsifolia*](#) (Desv.) Badré
- [*Selaginella speciosa*](#) A.Braun
- [*Selaginella squamulosa*](#) Valdespino
- [*Selaginella squarrosa*](#) Baker
- [*Selaginella stauntoniana*](#) Spring
- [*Selaginella stellata*](#) Spring
- [*Selaginella stenophylla*](#) A.Braun
- [*Selaginella steyermarkii*](#) Alston
- [*Selaginella stipulata*](#) (Blume) Spring
- [*Selaginella stolleana*](#) Hieron.
- [*Selaginella stomatoloma*](#) Valdespino
- [*Selaginella striata*](#) Caluff & Shelton
- [*Selaginella strigosa*](#) Bedd.
- [*Selaginella strobiformis*](#) Warb.
- [*Selaginella suavis*](#) (Spring) Spring
- [*Selaginella subalpina*](#) Alderw.
- [*Selaginella subcalcarata*](#) Alderw.
- [*Selaginella subcordata*](#) A.Braun ex Kuhn
- [*Selaginella subdiaphana*](#) (Wall. ex Hook. & Grev.) Spring
- [*Selaginella subisophylla*](#) Jermy
- [*Selaginella subrugosa*](#) Mickel & Beitel
- [*Selaginella subserpentina*](#) Alderw.
- [*Selaginella subspinulosa*](#) Spring
- [*Selaginella subsplendens*](#) C.Presl
- [*Selaginella substipitata*](#) Spring
- [*Selaginella subtrisulcata*](#) Alderw.
- [*Selaginella subvaginata*](#) X.C.Zhang & Shalimov
- [*Selaginella suffruticosa*](#) Alderw.
- [*Selaginella sulcata*](#) (Desv.) Spring ex Mart.
- [*Selaginella sungemagneana*](#) Alderw.
- [*Selaginella surucucusensis*](#) L.A.Góes & E.L.M.Assis

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella tama-montana*](#) Seriz.
- [*Selaginella tamariscina*](#) (P.Beauv.) Spring
- [*Selaginella tanyclada*](#) Alston ex Crabbe & Jermy
- [*Selaginella tarda*](#) Mickel & Beitel
- [*Selaginella taylorii*](#) Valdespino
- [*Selaginella temehaniensis*](#) J.W.Moore
- [*Selaginella tenella*](#) (P.Beauv.) Spring
- [*Selaginella tenera*](#) (Hook. & Grev.) Spring
- [*Selaginella tenerrima*](#) A.Braun ex Kuhn
- [*Selaginella tenuifolia*](#) Spring

- [Selaginella tenuissima](#) Fée
- [Selaginella tereticaulis](#) (Desv.) Spring
- [Selaginella terezoana](#) Bautista
- [Selaginella thomensis](#) Alston
- [Selaginella thurnwaldiana](#) Hieron.
- [Selaginella thysanophylla](#) A.R.Sm.
- [Selaginella tomentosa](#) Spring
- [Selaginella torricelliana](#) Alderw.
- [Selaginella tortipila](#) A.Braun
- [Selaginella trachyphylla](#) (Warb.) A.Braun ex Hieron.
- [Selaginella trichoclada](#) Alston
- [Selaginella trisulcata](#) Aspl.
- [Selaginella truncata](#) A.Braun
- [Selaginella trygonoides](#) Valdespino
- [Selaginella tuberculata](#) Spruce ex Baker
- [Selaginella tuberosa](#) B.McAlpin & Lellinger
- [Selaginella tyleri](#) A.C.Sm.
- [Selaginella tylophora](#) Alderw.

U

- [Selaginella uliginosa](#) (Labill.) Spring
- [Selaginella umbrosa](#) Lem. ex Hieron.
- [Selaginella uncinata](#) (Desv.) Spring
- [Selaginella undata](#) Shelton & Caluff
- [Selaginella underwoodii](#) Hieron.
- [Selaginella unilateralis](#) Spring
- [Selaginella urquiolae](#) Caluff & Shelton
- [Selaginella usterii](#) Hieron.
- [Selaginella utahensis](#) Flowers

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella vaginata*](#) Spring
- [*Selaginella valdepilosa*](#) Baker
- [*Selaginella valida*](#) Alston
- [*Selaginella vanderystii*](#) Bizzarri
- [*Selaginella vardei*](#) H.Lév.
- [*Selaginella velutina*](#) Cesati
- [*Selaginella ventricosa*](#) Valdespino & C.López
- [*Selaginella vernicosa*](#) Baker
- [*Selaginella versatilis*](#) A.R.Sm.
- [*Selaginella versicolor*](#) Spring
- [*Selaginella vestiens*](#) Baker
- [*Selaginella vestita*](#) Alderw.
- [*Selaginella victoriae*](#) W.Bull
- [*Selaginella vieillardii*](#) Warb.
- [*Selaginella viridangula*](#) Spring
- [*Selaginella viridissima*](#) Weath.
- [*Selaginella viridula*](#) (Bory ex Willd.) Spring
- [*Selaginella viticulosa*](#) Klotzsch
- [*Selaginella vogelii*](#) Spring
- [*Selaginella volkensis*](#) Hieron.
- [*Selaginella volubilis*](#) Alston
- [*Selaginella vonroemerii*](#) Alderw.

W

- [*Selaginella wahauensis*](#) Hieron.
- [*Selaginella wallacei*](#) Hieron.
- [*Selaginella wallichii*](#) (Hook. & Grev.) Spring
- [*Selaginella wangpeishanii*](#) Li Bing Zhang, H.He & Q.W.Sun
- [*Selaginella wariensis*](#) Hieron.
- [*Selaginella watsonii*](#) Underw.
- [*Selaginella wattii*](#) Baker
- [*Selaginella weatherbiana*](#) R.M.Tryon
- [*Selaginella weinlandii*](#) Hieron.
- [*Selaginella whitmeei*](#) Baker
- [*Selaginella wightii*](#) Hieron.
- [*Selaginella willdenowii*](#) (Desv.) Baker
- [*Selaginella wilsonii*](#) Hieron.
- [*Selaginella wolfii*](#) Sodiro
- [*Selaginella wrightii*](#) Hieron.
- [*Selaginella wurdackii*](#) Alston

X

- [*Selaginella xanthoneura*](#) Valdespino
- [*Selaginella xipholepis*](#) Baker
- [*Selaginella xiphophylla*](#) Baker

Y

- [*Selaginella yemensis*](#) (Sw.) Spring
- [*Selaginella yunckeri*](#) Alston

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Selaginella zahnii*](#) Hieron.
- [*Selaginella zartmanii*](#) Valdespino, C.López & A.M.Sierra
- [*Selaginella zechii*](#) Hieron.
- [*Selaginella zollingeriana*](#) Spring

From Wikipedia, the free encyclopedia

This **list of *Sedum* species** shows the accepted species names within the [genus *Sedum*](#), of which there are about 460.^[1]

Alphabetical list of species

- [*Sedum abchasicum*](#) Kolak. ex V.V.Byalt
- [*Sedum acre*](#) L. – wall-pepper, goldmoss sedum, goldmoss stonecrop, biting stonecrop
- [*Sedum actinocarpum*](#) Yamam.
- [*Sedum adolphi*](#) Raym.-Hamet – Golden Sedum, Adolph's Sedum, Golden Glow Sedum
- [*Sedum aetnense*](#) Tineo
- [*Sedum alamosanum*](#) S.Watson
- [*Sedum albomarginatum*](#) R.T.Clausen – (Feather River stonecrop)
- [*Sedum album*](#) L. – white stonecrop
- [*Sedum alexanderi*](#) Eggli
- [*Sedum alfredii*](#) Hance

- [*Sedum allantoides*](#) Rose
- [*Sedum alpestre*](#) Vill.
- [*Sedum alsinifolium*](#) All.
- [*Sedum* × *amecamecanum*](#) Praeger
- [*Sedum andegavense*](#) (DC.) Desv.
- [*Sedum andinum*](#) Ball
- [*Sedum anglicum*](#) Huds. – English stonecrop
- [*Sedum annuum*](#) L. – annual stonecrop
- [*Sedum apoleipon*](#) 't Hart
- [*Sedum aquilanum*](#) L.Gallo & F.Conti
- [*Sedum arenarium*](#) Brot.
- [*Sedum argunense*](#) Galushko
- [*Sedum assyriacum*](#) Boiss.
- [*Sedum atratum*](#) L. – dark stonecrop
- [*Sedum australe*](#) Rose
- [*Sedum aytacianum*](#) J.Metzg.
- [*Sedum backebergii*](#) Poelln.
- [*Sedum baileyi*](#) Praeger
- [*Sedum baleensis*](#) M.G.Gilbert
- [*Sedum balfourii*](#) Raym.-Hamet
- [*Sedum barbeyi*](#) Raym.-Hamet
- [*Sedum barcense*](#) Maire & Weiller
- [*Sedum batallae*](#) Barocio
- [*Sedum batesii*](#) Hemsl.
- [*Sedum* × *battandieri*](#) Maire
- [*Sedum beauverdii*](#) Raym.-Hamet
- [*Sedum bellum*](#) Praeger
- [*Sedum bergeri*](#) Raym.-Hamet
- [*Sedum berillonanum*](#) Raym.-Hamet
- [*Sedum berunii*](#) U.P.Pratov
- [*Sedum battacharyyae*](#) R.Manik., N.B.Singh & S.K.Srivast.
- [*Sedum blepharophyllum*](#) Fröd.
- [*Sedum boninense*](#) Yamam. ex Tuyama
- [*Sedum bonnierii*](#) Raym.-Hamet
- [*Sedum booleanum*](#) B.L.Turner
- [*Sedum borissovae*](#) Balk.
- [*Sedum borschii*](#) R.T.Clausen
- [*Sedum botterii*](#) Hemsl.
- [*Sedum bourgaei*](#) Hemsl.
- [*Sedum brachetii*](#) J.Reyes, Islas & O.González
- [*Sedum bracteatum*](#) Viv.
- [*Sedum brevifolium*](#) DC.

- [*Sedum brissemoretii*](#) Raym.-Hamet
- [*Sedum bulbiferum*](#) Makino
- [*Sedum burrito*](#) Moran – baby burro's-tail
- [*Sedum caducum*](#) R.T.Clausen
- [*Sedum caeruleum*](#) L.
- [*Sedum calcaratum*](#) Rose
- [*Sedum calcicola*](#) B.L.Rob. & Greenm.
- [*Sedum callichroum*](#) Boiss.
- [*Sedum candolleanum*](#) G.López
- [*Sedum carinatifolium*](#) (R.T.Clausen) Pérez-Calix
- [*Sedum carnegiei*](#) Raym.-Hamet
- [*Sedum caroli-henrici*](#) Kit Tan
- [*Sedum catorce*](#) G.L.Nesom
- [*Sedum celatum*](#) Fröd.
- [*Sedum celiae*](#) Raym.-Hamet
- [*Sedum cepaea*](#) L. – pink stonecrop
- [*Sedum cespitosum*](#) (Cav.) DC.
- [*Sedum chauveaudii*](#) Raym.-Hamet
- [*Sedum chazaroi*](#) P.Carrillo & J.A.Lomelí
- [*Sedum chihuahuense*](#) S.Watson
- [*Sedum chingtungense*](#) K.T.Fu
- [*Sedum chloropetalum*](#) R.T.Clausen
- [*Sedum chrysicaulum*](#) J.A.McDonald
- [*Sedum chuhsingense*](#) K.T.Fu
- [*Sedum churchillianum*](#) Robyns & Boutique
- [*Sedum citrinum*](#) Zika
- [*Sedum clausenii*](#) Pérez-Calix
- [*Sedum clavatum*](#) R.T.Clausen
- [*Sedum clavifolium*](#) Rose
- [*Sedum cockerellii*](#) Britton – Cockerell's stonecrop
- [*Sedum commixtum*](#) Moran & Hutchison
- [*Sedum compactum*](#) Rose
- [*Sedum concarpum*](#) Fröd.
- [*Sedum confertiflorum*](#) Boiss.
- [*Sedum confusum*](#) Hemsl. – lesser Mexican-stonecrop
- [*Sedum constantini*](#) Raym.-Hamet
- [*Sedum konzattii*](#) Rose
- [*Sedum copalense*](#) Kimnach
- [*Sedum cormiferum*](#) R.T.Clausen
- [*Sedum correptum*](#) Fröd.
- [*Sedum corymbosum*](#) Grossh.
- [*Sedum corynephyllum*](#) Fröd.

- [*Sedum craigii*](#) R.T.Clausen
- [*Sedum crassularia*](#) Raym.-Hamet
- [*Sedum creticum*](#) C.Presl
- [*Sedum cupressoides*](#) Hemsl.
- [*Sedum cuspidatum*](#) Alexander
- [*Sedum cymatopetalum*](#) Fröd.
- [*Sedum cyprium*](#) A.K.Jacks. & Turrill
- [*Sedum daigremontianum*](#) Raym.-Hamet
- [*Sedum danjoense*](#) Takuro Ito, H.Nakan. & Kokub.
- [*Sedum dasyphyllum*](#) L. – thick-leaved stonecrop
- [*Sedum debile*](#) S.Watson – orpine stonecrop, weakstem stonecrop
- [*Sedum decipiens*](#) (Baker) Thiede & 't Hart
- [*Sedum dendroideum*](#) Moc. & Sessé ex DC. – tree stonecrop
- [*Sedum* × *derbezzii*](#) Petitm.
- [*Sedum didymocalyx*](#) Fröd.
- [*Sedum dielsii*](#) Raym.-Hamet
- [*Sedum diffusum*](#) S.Watson
- [*Sedum diminutum*](#) (R.T.Clausen) G.L.Nesom
- [*Sedum dimorphophyllum*](#) K.T.Fu & G.Y.Rao
- [*Sedum dispernum*](#) Fröd.
- [*Sedum divergens*](#) S.Watson – spreading stonecrop
- [*Sedum dongzhiense*](#) D.Q.Wang & Y.L.Shi
- [*Sedum drymarioides*](#) Hance
- [*Sedum dugueyi*](#) Raym.-Hamet
- [*Sedum dulcinomen*](#) G.L.Nesom
- [*Sedum duthiei*](#) Fröd.
- [*Sedum eastwoodiae*](#) (Britton) A.Berger – Red Mountain stonecrop
- [*Sedum ebracteatum*](#) Moc. & Sessé ex DC.
- [*Sedum ecalcaratum*](#) H.J.Wang & P.S.Hsu
- [*Sedum edwardsii*](#) (R.T.Clausen) B.L.Turner
- [*Sedum elatinoides*](#) Franch.
- [*Sedum elburzense*](#) Akhiani & Assadi
- [*Sedum emarginatum*](#) Migo
- [*Sedum* × *engadinense*](#) Brügger
- [*Sedum engleri*](#) Raym.-Hamet
- [*Sedum epidendrum*](#) Hochst. ex A.Rich.
- [*Sedum erici-magnusii*](#) Fröd.
- [*Sedum eriocarpum*](#) Sm.
- [*Sedum erlangerianum*](#) Engl.
- [*Sedum ermenekensis*](#) Yild. & Dinç
- [*Sedum* × *erraticum*](#) Brügger
- [*Sedum erythrospermum*](#) Hayata

- [*Sedum euxinum*](#) 't Hart & Alpinar
- [*Sedum fanjingshanense*](#) C.D.Yang & X.Yu Wang
- [*Sedum farinosum*](#) Lowe
- [*Sedum feddei*](#) Raym.-Hamet
- [*Sedum fedtschenkoi*](#) Raym.-Hamet
- [*Sedum filipes*](#) Hemsl.
- [*Sedum fischeri*](#) Raym.-Hamet
- [*Sedum flaccidum*](#) Rose
- [*Sedum flavidum*](#) (Denton) B.L.Wilson & Zika
- [*Sedum formosanum*](#) N.E.Br.
- [*Sedum forreri*](#) Greene
- [*Sedum forrestii*](#) Raym.-Hamet
- [*Sedum fragrans*](#) 't Hart
- [*Sedum franchetii*](#) Grande
- [*Sedum frutescens*](#) Rose
- [*Sedum* × *fuereri*](#) Wein
- [*Sedum fui*](#) G.D.Rowley
- [*Sedum furfuraceum*](#) Moran
- [*Sedum fuscum*](#) Hemsl.
- [*Sedum fusiforme*](#) Lowe
- [*Sedum gagei*](#) Raym.-Hamet
- [*Sedum gattefossei*](#) Batt. & Jahand.
- [*Sedum gijajae*](#) Raym.-Hamet
- [*Sedum glabrum*](#) (Rose) Praeger
- [*Sedum glaebosum*](#) Fröd.
- [*Sedum glassii*](#) Pérez-Calix
- [*Sedum glaucophyllum*](#) R.T.Clausen – cliff stonecrop
- [*Sedum globuliflorum*](#) R.T.Clausen
- [*Sedum glomerifolium*](#) M.G.Gilbert
- [*Sedum goldmanii*](#) (Rose) Moran
- [*Sedum gracile*](#) C.A.Mey.
- [*Sedum grammophyllum*](#) Fröd.
- [*Sedum grandipetalum*](#) Fröd.
- [*Sedum grandyi*](#) Raym.-Hamet
- [*Sedum greggii*](#) Hemsl.
- [*Sedum grisebachii*](#) Boiss. & Heldr.
- [*Sedum griseum*](#) Praeger
- [*Sedum guadalajaranum*](#) S.Watson
- [*Sedum guatemalense*](#) Hemsl.
- [*Sedum gypsicola*](#) Boiss. & Reut.
- [*Sedum gypsophilum*](#) B.L.Turner
- [*Sedum hakonense*](#) Makino

- [*Sedum hangzhouense*](#) K.T.Fu & G.Y.Rao
- [*Sedum havardii*](#) Rose – Havard's stonecrop
- [*Sedum heckelii*](#) Raym.-Hamet
- [*Sedum hemsleyanum*](#) Rose
- [*Sedum hengduanense*](#) K.T.Fu
- [*Sedum henrici-roberti*](#) Raym.-Hamet
- [*Sedum hernandezii*](#) J.Meyrán
- [*Sedum hintonii*](#) R.T.Clausen
- [*Sedum hintoniorum*](#) B.L.Turner
- [*Sedum hirsutum*](#) All.
- [*Sedum hispanicum*](#) L. – Spanish stonecrop
- [*Sedum hoi*](#) X.F.Jin & B.Y.Ding
- [*Sedum holei*](#) Raym.-Hamet
- [*Sedum holopetalum*](#) Fröd.
- [*Sedum hultenii*](#) Fröd.
- [*Sedum humifusum*](#) Rose
- [*Sedum hypogaeum*](#) J.Reyes, Brachet & O.González
- [*Sedum ichangensis*](#) Y.B.Wang
- [*Sedum ignescens*](#) Pino & Montesinos
- [*Sedum incarum*](#) (Ball) Pino
- [*Sedum ince*](#) 't Hart & Alpinar
- [*Sedum inconspicuum*](#) Hand.-Mazz.
- [*Sedum isidorum*](#) Pino
- [*Sedum jaccardianum*](#) Maire & Wilczek
- [*Sedum jahandiezii*](#) Batt.
- [*Sedum jaliscanum*](#) S.Watson
- [*Sedum japonicum*](#) Siebold ex Miq. – Tokyo sun stonecrop
- [*Sedum jarocho*](#) P.Carrillo & Jimeno-Sevilla
- [*Sedum jerzedowskii*](#) Pérez-Calix
- [*Sedum jiuhuashanense*](#) P.S.Hsu & H.J.Wang
- [*Sedum jiulungshanense*](#) Y.C.Ho
- [*Sedum jordanianum*](#) Dobignard
- [*Sedum jujuyense*](#) Zardini
- [*Sedum jurgensenii*](#) (Hemsl.) Moran
- [*Sedum keniense*](#) Y.D.Zhou, G.W.Hu & Q.F.Wang
- [*Sedum kiangnanense*](#) D.Q.Wang & Z.F.Wu
- [*Sedum kiersteadiae*](#) B.L.Wilson & R.E.Brainerd
- [*Sedum kimnachii*](#) V.V.Byalt
- [*Sedum kingdonii*](#) H.Ohba
- [*Sedum kotschyanum*](#) Boiss.
- [*Sedum koyuncui*](#) Yild.
- [*Sedum kristenii*](#) J.Reyes, O.González & Etter

- [*Sedum kuntsunianum*](#) X.F.Jin, S.H.Jin & B.Y.Ding
- [*Sedum kwanwuense*](#) H.W.Lin, J.C.Wang & C.T.Lu
- [*Sedum laconicum*](#) Boiss. & Heldr.
- [*Sedum lagascae*](#) Pau
- [*Sedum lahovarianum*](#) Raym.-Hamet
- [*Sedum lampusae*](#) (Kotschy) Boiss.
- [*Sedum lanceolatum*](#) Torr. – lance-leaf stonecrop, lanceleaf stonecrop, spearleaf stonecrop
- [*Sedum lancerottense*](#) R.P.Murray
- [*Sedum latentibulbosum*](#) K.T.Fu & G.Y.Rao
- [*Sedum latifilamentum*](#) R.T.Clausen
- [*Sedum laxum*](#) (Britton) A.Berger – roseflower stonecrop
- [*Sedum leblancae*](#) Raym.-Hamet
- [*Sedum leibergii*](#) Britton – Leiberg stonecrop
- [*Sedum lenkoranicum*](#) Grossh.
- [*Sedum leptophyllum*](#) Fröd.
- [*Sedum leucocarpum*](#) Franch.
- [*Sedum liebmannianum*](#) Hemsl.
- [*Sedum lineare*](#) Thunb. – needle stonecrop
- [*Sedum lipingense*](#) R.B.Zhang, D.Tan & R.X.Wei
- [*Sedum litoreum*](#) Guss.
- [*Sedum longifuniculatum*](#) K.T.Fu
- [*Sedum longipes*](#) Rose
- [*Sedum longuetae*](#) Raym.-Hamet
- [*Sedum longyanense*](#) K.T.Fu
- [*Sedum luchuanicum*](#) K.T.Fu
- [*Sedum lucidum*](#) R.T.Clausen
- [*Sedum lumholtzii*](#) B.L.Rob. & Fernald
- [*Sedum lungtsuanense*](#) S.H.Fu
- [*Sedum luteoviride*](#) R.T.Clausen
- [*Sedum lutzii*](#) Raym.-Hamet
- [*Sedum lydium*](#) Boiss. – least stonecrop
- [*Sedum macdonaldii*](#) G.L.Nesom
- [*Sedum macdougallii*](#) Moran
- [*Sedum madrense*](#) S.Watson
- [*Sedum magae*](#) Raym.-Hamet
- [*Sedum magellense*](#) Ten.
- [*Sedum magniflorum*](#) K.T.Fu
- [*Sedum maireanum*](#) Sennen
- [*Sedum makinoi*](#) Maxim. – golden Japanese sedum
- [*Sedum marmoreense*](#) Otting & R.E.Brainerd
- [*Sedum maurum*](#) Humbert & Maire
- [*Sedum melanatherum*](#) DC.

- [*Sedum mellitulum*](#) Rose
- [*Sedum mendozae*](#) (Glass & Cházaro) V.V.Byalt
- [*Sedum mesoamericanum*](#) P.Carrillo & Pérez-Farr.
- [*Sedum mexicanum*](#) Britton – Mexican stonecrop
- [*Sedum meyeri-johannis*](#) Engl.
- [*Sedum meyranianum*](#) J.Metzg.
- [*Sedum microcarpum*](#) (Sm.) Schönland
- [*Sedum microsepalum*](#) Hayata
- [*Sedum microstachyum*](#) (Kotschy) Boiss. – small-spiked stonecrop
- [*Sedum millspaughii*](#) Raym.-Hamet
- [*Sedum minimum*](#) Rose
- [*Sedum mocinoanum*](#) Pérez-Calix
- [*Sedum modestum*](#) Ball
- [*Sedum moniliforme*](#) I.García & Costea
- [*Sedum monregalense*](#) Balb.
- [*Sedum mooneyi*](#) M.G.Gilbert
- [*Sedum moranense*](#) Kunth – red stonecrop
- [*Sedum moranii*](#) R.T.Clausen – Rogue River stonecrop
- [*Sedum morganianum*](#) E.Walther – donkey tail, burro tail
- [*Sedum morrisonense*](#) Hayata
- [*Sedum mucizonia*](#) (Ortega) Raym.-Hamet
- [*Sedum mukojimense*](#) Takuro Ito
- [*Sedum multicaule*](#) Wall. ex Lindl.
- [*Sedum multiceps*](#) Coss. & Durieu – pygmy Joshua tree, dwarf Joshua tree
- [*Sedum muscoideum*](#) Rose
- [*Sedum muaicicum*](#) K.T.Fu
- [*Sedum nagasakianum*](#) (H.Hara) H.Ohba
- [*Sedum nanchuanense*](#) K.T.Fu & G.Y.Rao
- [*Sedum nanifolium*](#) Fröd. – dwarf stonecrop
- [*Sedum nanlingense*](#) Yan Liu & C.Y.Zou
- [*Sedum nanum*](#) Boiss.
- [*Sedum napiferum*](#) Peyr.
- [*Sedum naviculare*](#) Rose
- [*Sedum neovolcanicum*](#) Pérez-Calix & I.García
- [*Sedum nevadense*](#) Coss.
- [*Sedum nevii*](#) A.Gray – Nevius' stonecrop
- [*Sedum niveum*](#) Davidson – Davidson's stonecrop
- [*Sedum nokoense*](#) Yamam.
- [*Sedum nothodugueyi*](#) K.T.Fu
- [*Sedum nudum*](#) Aiton
- [*Sedum nuttallii*](#) Torr. & E.James ex Eaton – yellow stonecrop
- [*Sedum oaxacacum*](#) Rose

- [*Sedum obcordatum*](#) R.T.Clausen
- [*Sedum oblanceolatum*](#) R.T.Clausen – oblongleaf stonecrop
- [*Sedum obtrullatum*](#) K.T.Fu
- [*Sedum obtusatum*](#) A.Gray – sierra stonecrop
- [*Sedum obtusipetalum*](#) Franch.
- [*Sedum oculense*](#) J.Meyrán
- [*Sedum oligocarpum*](#) Fröd.
- [*Sedum oligospermum*](#) Maire
- [*Sedum onychopetalum*](#) Fröd.
- [*Sedum orbatum*](#) Moran & J.Meyrán
- [*Sedum oreades*](#) (Decne.) Raym.-Hamet
- [*Sedum oreganum*](#) Nutt. – Oregon stonecrop
- [*Sedum oregonense*](#) (S.Watson) M.E.Peck – cream stonecrop
- [*Sedum oteroi*](#) Moran
- [*Sedum oxycoccoides*](#) Rose
- [*Sedum oxypetalum*](#) Kunth
- [*Sedum pacense*](#) J.Meyrán
- [*Sedum pachucense*](#) (C.H.Thomps.) Praeger
- [*Sedum pachyphyllum*](#) Rose
- [*Sedum pagetodes*](#) Fröd.
- [*Sedum pallidum*](#) M.Bieb.
- [*Sedum palmeri*](#) S.Watson – Palmer's stonecrop
- [*Sedum pampaninii*](#) Raym.-Hamet
- [*Sedum papillicaulum*](#) G.L.Nesom
- [*Sedum paradisum*](#) (Denton) Denton ex B.L.Wilson – Canyon Creek stonecrop
- [*Sedum parvisepalum*](#) Yamam.
- [*Sedum parvum*](#) Hemsl.
- [*Sedum patens*](#) Zika
- [*Sedum* × *patrickii*](#) 't Hart
- [*Sedum pedicellatum*](#) Boiss. & Reut.
- [*Sedum pentandrum*](#) (Sharsm.) ined.
- [*Sedum pentapetalum*](#) Boriss.
- [*Sedum pentastamineum*](#) R.T.Clausen
- [*Sedum perezdelarosae*](#) Jimeno-Sevilla
- [*Sedum perpusillum*](#) Hook.f. & Thomson
- [*Sedum perrotii*](#) Raym.-Hamet
- [*Sedum peruvianum*](#) A.Gray
- [*Sedum phyllanthum*](#) H.Lév. & Vaniot
- [*Sedum piaxtlaense*](#) J.Reyes, Etter & Kristen
- [*Sedum piloschanense*](#) Fröd.
- [*Sedum planifolium*](#) K.T.Fu
- [*Sedum platysepalum*](#) Franch.

- [*Sedum plumbizincicola*](#) X.H.Guo & S.B.Zhou ex L.H.Wu
- [*Sedum polystriatum*](#) R.T.Clausen
- [*Sedum polytrichoides*](#) Hemsl.
- [*Sedum porphyranthes*](#) J.Reyes, Brachet & O.González
- [*Sedum pososepalum*](#) Fröd.
- [*Sedum potosinum*](#) Rose
- [*Sedum praealtum*](#) A.DC. – greater Mexican stonecrop, green cockscomb
- [*Sedum* × *praegeri*](#) (Fröd.) Afferni
- [*Sedum praesidis*](#) Runemark & Greuter
- [*Sedum prasinopetalum*](#) Fröd.
- [*Sedum pratoalpinum*](#) Fröd.
- [*Sedum pringlei*](#) S.Watson
- [*Sedum przewalskii*](#) Maxim.
- [*Sedum pseudomulticaule*](#) H.Ohba
- [*Sedum pseudosubtile*](#) H.Hara
- [*Sedum pubescens*](#) Vahl
- [*Sedum pulchellum*](#) Michx. – widow's-cross
- [*Sedum pulvinatum*](#) R.T.Clausen
- [*Sedum pumilum*](#) Benth.
- [*Sedum purdomii*](#) W.W.Sm.
- [*Sedum pusillum*](#) Michx. – granite stonecrop
- [*Sedum pyriseminum*](#) Pérez-Calix
- [*Sedum quadripetalum*](#) R.T.Clausen
- [*Sedum quevae*](#) Raym.-Hamet
- [*Sedum radiatum*](#) S.Watson – granite stonecrop
- [*Sedum ramentaceum*](#) K.T.Fu
- [*Sedum raramuri*](#) J.Metzg.
- [*Sedum raymondi*](#) Fröd.
- [*Sedum reniforme*](#) (H.Jacobsen) Thiede & 't Hart
- [*Sedum renzopalmae*](#) Pino
- [*Sedum reptans*](#) R.T.Clausen
- [*Sedum retusum*](#) Hemsl.
- [*Sedum rhodocarpum*](#) Rose
- [*Sedum roberti*](#) Veldkamp
- [*Sedum robertsianum*](#) Alexander
- [*Sedum roborowskii*](#) Maxim.
- [*Sedum rosthornianum*](#) Diels
- [*Sedum rubens*](#) L.
- [*Sedum rubiginosum*](#) Zika & B.L.Wilson
- [*Sedum rupicola*](#) G.N.Jones – curvedleaf stonecrop
- [*Sedum rupifragum*](#) Koidz.
- [*Sedum ruwenzoriense*](#) Baker f.

- [*Sedum sagittipetalum*](#) Fröd.
- [*Sedum salazarii*](#) J.Reyes & O.González
- [*Sedum salvadoreense*](#) Standl.
- [*Sedum samium*](#) Runemark & Greuter
- [*Sedum sanhedrinum*](#) A.Berger
- [*Sedum sarmentosum*](#) Bunge – stringy stonecrop
- [*Sedum sasakii*](#) Hayata
- [*Sedum satumense*](#) Hatus.
- [*Sedum schizolepis*](#) Fröd.
- [*Sedum scopulinum*](#) (Rose) Moran
- [*Sedum sedoides*](#) (Jacquem. ex Decne.) Pau
- [*Sedum seelemannii*](#) Raym.-Hamet
- [*Sedum sekiteiense*](#) Yamam.
- [*Sedum semilunatum*](#) K.T.Fu
- [*Sedum semiteres*](#) Rose
- [*Sedum sexangulare*](#) L. – tasteless stonecrop
- [*Sedum shigatsense*](#) Fröd.
- [*Sedum shitaiense*](#) Y.Zheng & D.C.Zhang
- [*Sedum sinforosanum*](#) J.Reyes, Etter & Kristen
- [*Sedum sinoglaciale*](#) K.T.Fu
- [*Sedum smallii*](#) (Britton) H.E.Ahles
- [*Sedum somenii*](#) Raym.-Hamet ex H.Lév.
- [*Sedum sorgerae*](#) Kit Tan & D.F.Chamb.
- [*Sedum spathulifolium*](#) Hook. – Broadleaf stonecrop, Colorado stonecrop
- [*Sedum spathulisepalum*](#) R.T.Clausen
- [*Sedum spiralifolium*](#) D.Q.Wang, D.M.Xie & Lu Q.Huang
- [*Sedum stahlii*](#) Solms – coral beads
- [*Sedum stefco*](#) Stef.
- [*Sedum stellariifolium*](#) Franch.
- [*Sedum stelliforme*](#) S.Watson – Huachuca Mountain stonecrop
- [*Sedum stenopetalum*](#) Pursh – wormleaf stonecrop, yellow stonecrop
- [*Sedum stimulosum*](#) K.T.Fu
- [*Sedum strobiliforme*](#) Niederle
- [*Sedum suaveolens*](#) Kimnach
- [*Sedum subgaleatum*](#) K.T.Fu
- [*Sedum subtile*](#) Miq.
- [*Sedum susannae*](#) Raym.-Hamet
- [*Sedum taiwanalpinum*](#) H.W.Lin, J.C.Wang & C.T.Lu
- [*Sedum tamaulipense*](#) G.L.Nesom
- [*Sedum tarokoense*](#) H.W.Lin & J.C.Wang
- [*Sedum tehuaztlense*](#) Moran & J.Meyrán
- [*Sedum tenellum*](#) M.Bieb.

- [*Sedum ternatum*](#) Michx. – woodland stonecrop
- [*Sedum tetractinum*](#) Fröd.
- [*Sedum tianmushanense*](#) Y.C.Ho & F.Chai
- [*Sedum tortuosum*](#) Hemsl.
- [*Sedum torulosum*](#) R.T.Clausen
- [*Sedum tosaense*](#) Makino
- [*Sedum treleasei*](#) Rose
- [*Sedum triactina*](#) A.Berger
- [*Sedum tricarpum*](#) Makino
- [*Sedum trichospermum*](#) K.T.Fu
- [*Sedum trichromum*](#) R.T.Clausen
- [*Sedum tristriatum*](#) Boiss. & Heldr.
- [*Sedum triteli*](#) Raym.-Hamet
- [*Sedum trollii*](#) Werderm.
- [*Sedum trullipetalum*](#) Hook.f. & Thomson
- [*Sedum tsiangii*](#) Fröd.
- [*Sedum tsinghaicum*](#) K.T.Fu
- [*Sedum tsonanum*](#) K.T.Fu
- [*Sedum tuberculatum*](#) Rose
- [*Sedum tuberiferum*](#) Stoj. & Stef.
- [*Sedum tuberosum*](#) Coss. & Letourn.
- [*Sedum ulricae*](#) Fröd.
- [*Sedum ursi*](#) 't Hart
- [*Sedum urvillei*](#) DC.
- [*Sedum valens*](#) Björk
- [*Sedum versadense*](#) C.H.Thomps.
- [*Sedum versicolor*](#) (Raym.-Hamet) Coss. ex D.Prain
- [*Sedum victorianum*](#) C.-A.Jansson
- [*Sedum villosum*](#) L. – hairy stonecrop, purple stonecrop
- [*Sedum vinicolor*](#) S.Watson
- [*Sedum wangii*](#) S.H.Fu
- [*Sedum wannanense*](#) X.H.Guo, X.P.Zhang & X.H.Chen
- [*Sedum weberbaueri*](#) (Diels) Thiede & 't Hart
- [*Sedum wenchuanense*](#) S.H.Fu
- [*Sedum wilczekianum*](#) Font Quer
- [*Sedum wilsonii*](#) Fröd.
- [*Sedum woronowii*](#) Raym.-Hamet
- [*Sedum wrightii*](#) A.Gray – Wright's stonecrop
- [*Sedum yildizianum*](#) Sümbül
- [*Sedum yvesii*](#) Raym.-Hamet
- [*Sedum zentaro-tashiroi*](#) Makino

Formerly placed here



[*Hylotelephium telephium*](#) ssp. *maximum*, formerly placed in

Sedum

Now in [*Dudleya*](#):

- [*Dudleya caespitosa*](#) (as *S. cotyledon*)
- [*Dudleya edulis*](#) (as *S. edule*)

Now in [*Hylotelephium*](#):

- [*Hylotelephium spectabile*](#) (as *S. spectabile*)
- [*Hylotelephium telephioides*](#) (as *S. telephioides*)

Now in [*Rhodiola*](#):

- [*Rhodiola rhodantha*](#) (as *S. rhodanthum*)
- [*Rhodiola rosea*](#) (as *S. rhodiola*, *S. roanense*, *S. rosea*)
- [*Rhodiola pachyclados*](#) (*S. pachyclados*)

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Scutellaria*](#), the **skullcaps**, are accepted by [Plants of the World Online](#).^[1] Species are somewhat difficult to delineate by traditional morphological methods.^[2]

- [*Scutellaria adenostegia*](#) Briq.
- [*Scutellaria adenotricha*](#) X.H.Guo & S.B.Zhou
- [*Scutellaria adsurgens*](#) Popov
- [*Scutellaria agrestis*](#) A.St.-Hil. ex Benth.
- [*Scutellaria alabamensis*](#) Alexander
- [*Scutellaria albida*](#) L.
- [*Scutellaria albituba*](#) A.Pool
- [*Scutellaria alborosea*](#) Lem.
- [*Scutellaria alpina*](#) L.
- [*Scutellaria alta*](#) M.E.Jones

- [*Scutellaria altaica*](#) Ledeb. ex Sweet
- [*Scutellaria altamaha*](#) Small
- [*Scutellaria altissima*](#) L.
- [*Scutellaria amabilis*](#) H.Hara
- [*Scutellaria amicum*](#) Rech.f.
- [*Scutellaria amoena*](#) C.H.Wright
- [*Scutellaria amphichlora*](#) Juz.
- [*Scutellaria anatolica*](#) Çiçek & Ketenoglu
- [*Scutellaria andamanica*](#) Prain
- [*Scutellaria andrachnoides*](#) Vved.
- [*Scutellaria androssovii*](#) Juz.
- [*Scutellaria angrenica*](#) Juz. & Vved.
- [*Scutellaria angustifolia*](#) Pursh
- [*Scutellaria anhweiensis*](#) C.Y.Wu
- [*Scutellaria anitae*](#) Juz.
- [*Scutellaria anomala*](#) Epling
- [*Scutellaria antirrhinoides*](#) Benth.
- [*Scutellaria arabica*](#) Jaub. & Spach
- [*Scutellaria arakensis*](#) Jamzad & Safikhani
- [*Scutellaria aramberrana*](#) B.L.Turner
- [*Scutellaria araxensis*](#) Grossh.
- [*Scutellaria arenicola*](#) Small
- [*Scutellaria arguta*](#) Buckley
- [*Scutellaria ariana*](#) Hedge
- [*Scutellaria artvinensis*](#) Grossh.
- [*Scutellaria asperiflora*](#) Nakai
- [*Scutellaria assamica*](#) Mukerjee
- [*Scutellaria atrocyanea*](#) Epling & Játiva
- [*Scutellaria attenuifolia*](#) Suddee & A.J.Paton
- [*Scutellaria aurantiaca*](#) A.Pool
- [*Scutellaria aurata*](#) Lem.
- [*Scutellaria aurea*](#) B.L.Rob. & Greenm.
- [*Scutellaria axilliflora*](#) Hand.-Mazz.
- [*Scutellaria baicalensis*](#) Georgi
- [*Scutellaria baldshuanica*](#) Nevski ex Juz.
- [*Scutellaria balearica*](#) Barceló
- [*Scutellaria bambusetorum*](#) C.Y.Wu
- [*Scutellaria barbata*](#) D.Don
- [*Scutellaria bartlettii*](#) B.L.Turner
- [*Scutellaria benthamiana*](#) (Mansf.) Epling
- [*Scutellaria blepharophylla*](#) Epling
- [*Scutellaria bolanderi*](#) A.Gray

- [*Scutellaria bornmuelleri*](#) Hausskn. ex Bornm.
- [*Scutellaria botbaevae*](#) Lazkov
- [*Scutellaria botschantzevii*](#) M.N.Abdull.
- [*Scutellaria brachyspica*](#) Nakai & H.Hara
- [*Scutellaria brevibracteata*](#) Stapf
- [*Scutellaria brittonii*](#) Porter
- [*Scutellaria bucharica*](#) Juz.
- [*Scutellaria bushii*](#) Britton
- [*Scutellaria calcarata*](#) C.Y.Wu & H.W.Li
- [*Scutellaria californica*](#) A.Gray
- [*Scutellaria cardiophylla*](#) Engelm. & A.Gray
- [*Scutellaria carmenensis*](#) Henrard
- [*Scutellaria caryopteroides*](#) Hand.-Mazz.
- [*Scutellaria catharinae*](#) Juz.
- [*Scutellaria caucasica*](#) A.Ham.
- [*Scutellaria caudifolia*](#) Y.Z.Sun
- [*Scutellaria chaematochlora*](#) Juz.
- [*Scutellaria chalicophila*](#) Loes.
- [*Scutellaria chamaedrifolia*](#) Hedge & A.J.Paton
- [*Scutellaria chekiangensis*](#) C.Y.Wu
- [*Scutellaria chenopodiifolia*](#) Juz.
- [*Scutellaria chevalieri*](#) Briq.
- [*Scutellaria chiangii*](#) B.L.Turner
- [*Scutellaria chihshuiensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria chimenensis*](#) C.Y.Wu
- [*Scutellaria chodshakasiani*](#) Kamelin ex Kochk.
- [*Scutellaria chungtienensis*](#) C.Y.Wu
- [*Scutellaria* × *churchilliana*](#) Fernald
- [*Scutellaria coccinea*](#) Kunth
- [*Scutellaria cochinchinensis*](#) Briq.
- [*Scutellaria colebrookeana*](#) Wall. ex Benth.
- [*Scutellaria colpodea*](#) Nevski
- [*Scutellaria columnae*](#) All.
- [*Scutellaria comosa*](#) Juz.
- [*Scutellaria cordifolia*](#) (Schltdl. & Cham.) Benth.
- [*Scutellaria cordifrons*](#) Juz.
- [*Scutellaria costaricana*](#) H.Wendl.
- [*Scutellaria cristata*](#) Popov
- [*Scutellaria cuatrecasasiana*](#) Fern.Alonso
- [*Scutellaria cuevasiana*](#) J.G.González & A.Vázquez
- [*Scutellaria cyanocheila*](#) Epling
- [*Scutellaria cylindriflora*](#) Epling & Játiva

- [*Scutellaria cypria*](#) Rech.f.
- [*Scutellaria daghestanica*](#) Grossh.
- [*Scutellaria darriensis*](#) Grossh.
- [*Scutellaria darvasica*](#) Juz.
- [*Scutellaria delavayi*](#) H.Lév.
- [*Scutellaria dependens*](#) Maxim.
- [*Scutellaria diffusa*](#) Benth.
- [*Scutellaria discolor*](#) Wall. ex Benth.
- [*Scutellaria dombeyi*](#) ined.
- [*Scutellaria drummondii*](#) Benth.
- [*Scutellaria dumetorum*](#) Schltdl.
- [*Scutellaria durangensis*](#) B.L.Turner
- [*Scutellaria ebracteata*](#) A.Pool
- [*Scutellaria edelbergii*](#) Rech.f.
- [*Scutellaria elliptica*](#) Muhl.
- [*Scutellaria eplingii*](#) Legname
- [*Scutellaria farsistanica*](#) Rech.f.
- [*Scutellaria fauriei*](#) H.Lév. & Vaniot
- [*Scutellaria fedschenkoi*](#) Bornm.
- [*Scutellaria filicaulis*](#) Regel
- [*Scutellaria flabellulata*](#) Juz.
- [*Scutellaria flocculosa*](#) Epling & Mathias
- [*Scutellaria floridana*](#) Chapm.
- [*Scutellaria formosa*](#) Leonard
- [*Scutellaria formosana*](#) N.E.Br.
- [*Scutellaria forrestii*](#) Diels
- [*Scutellaria fragillima*](#) Rech.f.
- [*Scutellaria franchetiana*](#) H.Lév.
- [*Scutellaria fraxinea*](#) Epling
- [*Scutellaria fruticetorum*](#) Epling
- [*Scutellaria galericulata*](#) L.
- [*Scutellaria galerita*](#) Epling
- [*Scutellaria gardoquioides*](#) Benth.
- [*Scutellaria gaumeri*](#) Leonard
- [*Scutellaria ghorana*](#) Hedge
- [*Scutellaria glabra*](#) Leonard
- [*Scutellaria glabrata*](#) Vved.
- [*Scutellaria glabriuscula*](#) Fernald
- [*Scutellaria glandulosa*](#) Hook.f.
- [*Scutellaria glaphymstachys*](#) Rech.f.
- [*Scutellaria glechomoides*](#) Boiss. ex Benth.
- [*Scutellaria glutinosa*](#) Benth.

- [*Scutellaria gontscharovii*](#) Juz.
- [*Scutellaria goulimyi*](#) Rech.f.
- [*Scutellaria grandiflora*](#) Sims
- [*Scutellaria granulosa*](#) Juz.
- [*Scutellaria grossa*](#) Wall.
- [*Scutellaria grossecrenata*](#) Merr. & Chun ex C.Y.Wu
- [*Scutellaria grossheimiana*](#) Juz.
- [*Scutellaria guatemalensis*](#) Leonard
- [*Scutellaria guilielmi*](#) A.Gray
- [*Scutellaria guttata*](#) Nevski ex Juz.
- [*Scutellaria haesitabunda*](#) Juz. ex Kochk.
- [*Scutellaria hainanensis*](#) C.Y.Wu
- [*Scutellaria hastifolia*](#) L.
- [*Scutellaria havanensis*](#) Jacq.
- [*Scutellaria helenae*](#) Albov
- [*Scutellaria heterophylla*](#) Montbret & Aucher ex Benth.
- [*Scutellaria heterotricha*](#) Juz. & Vved.
- [*Scutellaria heydei*](#) Hook.f.
- [*Scutellaria hintoniana*](#) Epling
- [*Scutellaria hintoniorum*](#) Henrard
- [*Scutellaria hirta*](#) Sm.
- [*Scutellaria hispidula*](#) B.L.Rob.
- [*Scutellaria hissarica*](#) B.Fedtsch.
- [*Scutellaria holguinensis*](#) I.E.Méndez
- [*Scutellaria holosericea*](#) Gontsch. ex Juz.
- [*Scutellaria honanensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria hookeri*](#) Epling
- [*Scutellaria hsiehii*](#) T.H.Hsieh
- [*Scutellaria humilis*](#) R.Br.
- [*Scutellaria hunanensis*](#) C.Y.Wu
- [*Scutellaria hypericifolia*](#) H.Lév.
- [*Scutellaria immaculata*](#) Nevski ex Juz.
- [*Scutellaria incana*](#) Biehler
- [*Scutellaria incarnata*](#) Vent.
- [*Scutellaria incisa*](#) Y.Z.Sun ex C.H.Hu
- [*Scutellaria incurva*](#) Wall.
- [*Scutellaria indica*](#) L.
- [*Scutellaria inflata*](#) Epling
- [*Scutellaria inghokensis*](#) Metcalf
- [*Scutellaria insignis*](#) Nakai
- [*Scutellaria integrifolia*](#) L.
- [*Scutellaria intermedia*](#) Popov

- [*Scutellaria irrasa*](#) Epling
- [*Scutellaria iskanderi*](#) Juz.
- [*Scutellaria isocheila*](#) Donn.Sm.
- [*Scutellaria iyoensis*](#) Nakai
- [*Scutellaria jaliscana*](#) Epling
- [*Scutellaria javanica*](#) Jungh.
- [*Scutellaria jodudiana*](#) B.Fedtsch.
- [*Scutellaria juzepczukii*](#) Gontsch.
- [*Scutellaria kamelinii*](#) M.N.Abdull.
- [*Scutellaria karatavica*](#) Juz.
- [*Scutellaria karjaginii*](#) Grossh.
- [*Scutellaria karkaralensis*](#) Juz.
- [*Scutellaria* × *ketenoglui*](#) Çiçek & Yaprak
- [*Scutellaria khaoyaiensis*](#) A.J.Paton
- [*Scutellaria khasiana*](#) C.B.Clarke ex Hook.f.
- [*Scutellaria kikai-insularis*](#) Hatus. ex T.Yamaz.
- [*Scutellaria kingiana*](#) Prain
- [*Scutellaria kiusiana*](#) H.Hara
- [*Scutellaria knorringiae*](#) Juz.
- [*Scutellaria kotkaiensis*](#) Rech.f.
- [*Scutellaria krasevii*](#) Kom. & I.Schischk. ex Juz.
- [*Scutellaria kugarti*](#) Juz.
- [*Scutellaria kujuensis*](#) Kadota & Mas.Saito
- [*Scutellaria kuromidakensis*](#) (Yahara) T.Yamaz.
- [*Scutellaria kurssanovii*](#) Pavlov
- [*Scutellaria lacei*](#) Hedge & A.J.Paton
- [*Scutellaria lactea*](#) A.Pool
- [*Scutellaria laeteviolacea*](#) Koidz.
- [*Scutellaria laevis*](#) Shinnery
- [*Scutellaria langbianensis*](#) Wernham
- [*Scutellaria lanipes*](#) Juz.
- [*Scutellaria lateriflora*](#) L.
- [*Scutellaria laxa*](#) Dunn
- [*Scutellaria leptosiphon*](#) Nevski
- [*Scutellaria leptostegia*](#) Juz.
- [*Scutellaria leucantha*](#) Loes.
- [*Scutellaria likiangensis*](#) Diels
- [*Scutellaria lilungensis*](#) S.S.Ying
- [*Scutellaria linarioides*](#) C.Y.Wu
- [*Scutellaria linczewskii*](#) Juz.
- [*Scutellaria lindbergii*](#) Rech.f.
- [*Scutellaria lindeniana*](#) Benth.

- [*Scutellaria linearis*](#) Benth.
- [*Scutellaria lipskyi*](#) Juz.
- [*Scutellaria litwinowii*](#) Bornm. & Sint.
- [*Scutellaria longifolia*](#) Benth.
- [*Scutellaria longituba*](#) Koidz.
- [*Scutellaria lotienensis*](#) C.Y.Wu & S.Chow
- [*Scutellaria lundellii*](#) Epling
- [*Scutellaria lushuiensis*](#) Qiang Wang
- [*Scutellaria lutea*](#) J.D.Sm.
- [*Scutellaria luteocaerulea*](#) Bornm. & Sint.
- [*Scutellaria lutescens*](#) C.Y.Wu
- [*Scutellaria lutilabia*](#) T.M.Lane & G.L.Nesom
- [*Scutellaria macra*](#) Epling
- [*Scutellaria macrochlamys*](#) Rech.f. & Fitz
- [*Scutellaria macrodonta*](#) Hand.-Mazz.
- [*Scutellaria macrosiphon*](#) C.Y.Wu
- [*Scutellaria mairei*](#) H.Lév.
- [*Scutellaria maxonii*](#) Leonard
- [*Scutellaria meehanioides*](#) C.Y.Wu
- [*Scutellaria megalaspis*](#) Rech.f.
- [*Scutellaria megalodonta*](#) Juz.
- [*Scutellaria megaphylla*](#) C.Y.Wu & H.W.Li
- [*Scutellaria mellichampii*](#) Small
- [*Scutellaria mesostegia*](#) Juz.
- [*Scutellaria mexicana*](#) (Torr.) A.J.Paton
- [*Scutellaria microdasys*](#) Juz.
- [*Scutellaria microphylla*](#) Moc. & Sessé ex Benth.
- [*Scutellaria microphysa*](#) Juz.
- [*Scutellaria microviolacea*](#) C.Y.Wu
- [*Scutellaria* × *minkwitziae*](#) Juz.
- [*Scutellaria minor*](#) Huds.
- [*Scutellaria mocinoana*](#) Benth.
- [*Scutellaria modesta*](#) Játiva & Epling
- [*Scutellaria molanquitensis*](#) Hiriart
- [*Scutellaria molinarum*](#) A.Pool
- [*Scutellaria mollifolia*](#) C.Y.Wu & H.W.Li
- [*Scutellaria mollis*](#) R.Br.
- [*Scutellaria mongolica*](#) Sobolevsk.
- [*Scutellaria moniliorhiza*](#) Kom.
- [*Scutellaria montana*](#) Chapm.
- [*Scutellaria monterreyana*](#) B.L.Turner
- [*Scutellaria mulleri*](#) B.L.Turner

- [*Scutellaria multicaulis*](#) Boiss.
- [*Scutellaria multiflora*](#) Benth.
- [*Scutellaria multiglandulosa*](#) (Kearney) Small ex Harper
- [*Scutellaria multiramosa*](#) A.Pool
- [*Scutellaria muramatsui*](#) H.Hara
- [*Scutellaria muriculata*](#) Epling
- [*Scutellaria muzquiziana*](#) B.L.Turner
- [*Scutellaria nana*](#) A.Gray
- [*Scutellaria navicularis*](#) Juz.
- [*Scutellaria nepetifolia*](#) Benth.
- [*Scutellaria nepetoides*](#) Popov ex Juz.
- [*Scutellaria nervosa*](#) Pursh
- [*Scutellaria neubaueri*](#) Rech.f.
- [*Scutellaria* × *neumannii*](#) H.Melzer & Bregant
- [*Scutellaria nevskii*](#) Juz. & Vved.
- [*Scutellaria* × *nicholsonii*](#) Taub.
- [*Scutellaria nigricans*](#) C.Y.Wu
- [*Scutellaria nigrocardia*](#) C.Y.Wu & H.W.Li
- [*Scutellaria novae-zelandiae*](#) Hook.f.
- [*Scutellaria novorossica*](#) Juz.
- [*Scutellaria nummulariifolia*](#) Hook.f.
- [*Scutellaria oaxacana*](#) Greenm.
- [*Scutellaria oblonga*](#) Benth.
- [*Scutellaria oblongifolia*](#) A.Pool
- [*Scutellaria obtusifolia*](#) Hemsl.
- [*Scutellaria ocellata*](#) Juz.
- [*Scutellaria ochotensis*](#) Prob.
- [*Scutellaria ocmulgee*](#) Small
- [*Scutellaria ocymoides*](#) (Kunth) Epling
- [*Scutellaria oligodonta*](#) Juz.
- [*Scutellaria oligophlebia*](#) Merr. & Chun ex C.Y.Wu & S.Chow
- [*Scutellaria omeiensis*](#) C.Y.Wu
- [*Scutellaria orbicularis*](#) Bunge
- [*Scutellaria oreophila*](#) Grossh.
- [*Scutellaria orichalcea*](#) J.D.Sm.
- [*Scutellaria orientalis*](#) L.
- [*Scutellaria orizabensis*](#) Epling
- [*Scutellaria orthocalyx*](#) Hand.-Mazz.
- [*Scutellaria orthotricha*](#) C.Y.Wu & H.W.Li
- [*Scutellaria oschtenica*](#) Juz.
- [*Scutellaria ossethica*](#) Kharadze
- [*Scutellaria ovata*](#) Hill

- [*Scutellaria oxystegia*](#) Juz.
- [*Scutellaria pacifica*](#) Juz.
- [*Scutellaria pallidiflora*](#) Epling
- [*Scutellaria pamirica*](#) Juz.
- [*Scutellaria paradoxa*](#) Galushko
- [*Scutellaria parrae*](#) Fern.Alonso
- [*Scutellaria parvula*](#) Michx.
- [*Scutellaria patonii*](#) Jamzad & Safikhani
- [*Scutellaria paulsenii*](#) Briq.
- [*Scutellaria pekinensis*](#) Maxim.
- [*Scutellaria persica*](#) Bornm.
- [*Scutellaria petersoniae*](#) B.L.Turner & Reveal
- [*Scutellaria petiolata*](#) Hemsl. ex Lace & Prain
- [*Scutellaria phyllostachya*](#) Juz.
- [*Scutellaria physocalyx*](#) Regel & Schmalh.
- [*Scutellaria picta*](#) Juz.
- [*Scutellaria pingbienensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria pinnatifida*](#) A.Ham.
- [*Scutellaria platensis*](#) Speg.
- [*Scutellaria platystegia*](#) Juz.
- [*Scutellaria platystoma*](#) Epling
- [*Scutellaria playfairii*](#) Kudô
- [*Scutellaria poecilantha*](#) Nevski ex Juz.
- [*Scutellaria poliochlora*](#) Rech.f. & Edelb.
- [*Scutellaria polyadena*](#) Briq.
- [*Scutellaria polyadenia*](#) Rech.f.
- [*Scutellaria polyphylla*](#) Juz.
- [*Scutellaria polytricha*](#) Juz.
- [*Scutellaria pontica*](#) K.Koch
- [*Scutellaria popovii*](#) Vved.
- [*Scutellaria porphyrantha*](#) Rech.f.
- [*Scutellaria potosina*](#) Brandegees
- [*Scutellaria prilipkoana*](#) Grossh.
- [*Scutellaria prostrata*](#) Jacquem. ex Benth.
- [*Scutellaria przewalskii*](#) Juz.
- [*Scutellaria pseudocoerulea*](#) Briq.
- [*Scutellaria pseudocoleus*](#) Fern.Alonso
- [*Scutellaria pseudoserrata*](#) Epling
- [*Scutellaria pseudotenax*](#) C.Y.Wu
- [*Scutellaria purpurascens*](#) Sw.
- [*Scutellaria purpureocardia*](#) C.Y.Wu
- [*Scutellaria pycnoclada*](#) Juz.

- [*Scutellaria quadrilobulata*](#) Y.Z.Sun
- [*Scutellaria racemosa*](#) Pers.
- [*Scutellaria raddeana*](#) Juz.
- [*Scutellaria ramosissima*](#) Popov
- [*Scutellaria ramozanica*](#) Parsa
- [*Scutellaria regeliana*](#) Nakai
- [*Scutellaria rehderiana*](#) Diels
- [*Scutellaria repens*](#) Buch.-Ham. ex D.Don
- [*Scutellaria resinosa*](#) Torr.
- [*Scutellaria reticulata*](#) C.Y.Wu & W.T.Wang
- [*Scutellaria rhomboidalis*](#) Grossh.
- [*Scutellaria robusta*](#) Benth.
- [*Scutellaria rosei*](#) Fernald
- [*Scutellaria roseocyanea*](#) Epling
- [*Scutellaria rubicunda*](#) Hornem.
- [*Scutellaria rubromaculata*](#) Juz. & Vved.
- [*Scutellaria rubropunctata*](#) Hayata
- [*Scutellaria rupestris*](#) Boiss. & Heldr.
- [*Scutellaria russelioides*](#) Epling
- [*Scutellaria salviifolia*](#) Benth.
- [*Scutellaria sapphirina*](#) (Barneby) Olmstead
- [*Scutellaria sarmentosa*](#) Epling
- [*Scutellaria saslayensis*](#) A.Pool
- [*Scutellaria saxatilis*](#) Riddell
- [*Scutellaria scandens*](#) D.Don
- [*Scutellaria schachristanica*](#) Juz.
- [*Scutellaria schugnanica*](#) B.Fedtsch.
- [*Scutellaria schweinfurthii*](#) Briq.
- [*Scutellaria sciaphila*](#) S.Moore
- [*Scutellaria scordiifolia*](#) Fisch. ex Schrank
- [*Scutellaria scutellarioides*](#) (Kunth) Harley
- [*Scutellaria sedelmeyerae*](#) Juz.
- [*Scutellaria seleriana*](#) Loes.
- [*Scutellaria semicircularis*](#) S.Moore
- [*Scutellaria serboana*](#) B.L.Turner
- [*Scutellaria serrata*](#) Andrews
- [*Scutellaria sessilifolia*](#) Hemsl.
- [*Scutellaria sevanensis*](#) Sosn. ex Grossh.
- [*Scutellaria shansiensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria shikokiana*](#) Makino
- [*Scutellaria shweliensis*](#) W.W.Sm.
- [*Scutellaria sibthorpii*](#) (Benth.) Halácsy

- [*Scutellaria sichourensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria sieberi*](#) Benth.
- [*Scutellaria sieversii*](#) Bunge
- [*Scutellaria siphocampyloides*](#) Vatke
- [*Scutellaria sipilensis*](#) Cuevas
- [*Scutellaria slametensis*](#) Sudarmono & B.J.Conn
- [*Scutellaria somalensis*](#) Thulin
- [*Scutellaria sosnowskyi*](#) Takht.
- [*Scutellaria sporadum*](#) Bothmer
- [*Scutellaria squarrosa*](#) Nevski
- [*Scutellaria stachyoides*](#) Epling
- [*Scutellaria stenosiphon*](#) Hemsl.
- [*Scutellaria stewartii*](#) B.L.Turner
- [*Scutellaria stocksii*](#) Boiss.
- [*Scutellaria striatella*](#) Gontsch.
- [*Scutellaria strigillosa*](#) Hemsl.
- [*Scutellaria subcaespitosa*](#) Pavlov
- [*Scutellaria subcordata*](#) Juz.
- [*Scutellaria subintegra*](#) C.Y.Wu & H.W.Li
- [*Scutellaria sublitoralis*](#) J.G.González
- [*Scutellaria suffrutescens*](#) S.Watson
- [*Scutellaria supina*](#) L.
- [*Scutellaria swatensis*](#) Murata
- [*Scutellaria szovitziana*](#) Bunge
- [*Scutellaria tabrisiana*](#) Grossh.
- [*Scutellaria taiwanensis*](#) C.Y.Wu
- [*Scutellaria talamancana*](#) A.Pool
- [*Scutellaria talassica*](#) Juz.
- [*Scutellaria tapintzensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria tarokoensis*](#) T.Yamaz.
- [*Scutellaria tatianae*](#) Juz.
- [*Scutellaria tauricola*](#) Hand.-Mazz.
- [*Scutellaria tayloriana*](#) Dunn
- [*Scutellaria tenasserimensis*](#) A.J.Paton
- [*Scutellaria tenax*](#) W.W.Sm.
- [*Scutellaria tenera*](#) C.Y.Wu & H.W.Li
- [*Scutellaria teniana*](#) Hand.-Mazz.
- [*Scutellaria tenuiflora*](#) C.Y.Wu
- [*Scutellaria tenuipetiolata*](#) A.Pool
- [*Scutellaria ternejica*](#) Prob.
- [*Scutellaria texana*](#) B.L.Turner
- [*Scutellaria theobromina*](#) Rech.f.

- [*Scutellaria tienchuanensis*](#) C.Y.Wu & C.Chen
- [*Scutellaria titovii*](#) Juz.
- [*Scutellaria toguztoravensis*](#) Juz.
- [*Scutellaria tomentosa*](#) Bertol.
- [*Scutellaria tortumensis*](#) (Kit Tan & Sorger) A.P.Khokhr.
- [*Scutellaria tournefortii*](#) Benth.
- [*Scutellaria tsinyunensis*](#) C.Y.Wu & S.Chow
- [*Scutellaria tuberifera*](#) C.Y.Wu & C.Chen
- [*Scutellaria tuberosa*](#) Benth.
- [*Scutellaria tubiflora*](#) Benth.
- [*Scutellaria tucurriquensis*](#) A.Pool
- [*Scutellaria tuminensis*](#) Nakai
- [*Scutellaria turgaica*](#) Juz.
- [*Scutellaria tutensis*](#) A.Pool
- [*Scutellaria tuvensis*](#) Juz.
- [*Scutellaria uliginosa*](#) A.St.-Hil. ex Benth.
- [*Scutellaria umbratilis*](#) Epling
- [*Scutellaria urticifolia*](#) Juz. & Vved.
- [*Scutellaria utriculata*](#) Labill.
- [*Scutellaria valdiviana*](#) (Clos) Epling
- [*Scutellaria velutina*](#) Juz. & Vved.
- [*Scutellaria villosissima*](#) Gontsch. ex Juz.
- [*Scutellaria violacea*](#) B.Heyne ex Benth.
- [*Scutellaria violascens*](#) Gürke
- [*Scutellaria viscidula*](#) Bunge
- [*Scutellaria vitifolia*](#) Brandegees
- [*Scutellaria volubilis*](#) Kunth
- [*Scutellaria weishanensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria wendtii*](#) Henrard
- [*Scutellaria wenshanensis*](#) C.Y.Wu & H.W.Li
- [*Scutellaria wightiana*](#) Benth.
- [*Scutellaria wongkei*](#) Dunn
- [*Scutellaria woodii*](#) J.M.Mercado
- [*Scutellaria wrightii*](#) A.Gray
- [*Scutellaria wuana*](#) C.L.Xiang & F.Zhao
- [*Scutellaria xanthosiphon*](#) Juz.
- [*Scutellaria xylorrhiza*](#) Bornm.
- [*Scutellaria yangbiensis*](#) H.W.Li
- [*Scutellaria yezoensis*](#) Kudô
- [*Scutellaria yildirimlii*](#) Çiçek & Yaprak
- [*Scutellaria yingtakensis*](#) Y.Z.Sun
- [*Scutellaria yunnanensis*](#) H.Lév.

- [*Scutellaria yunyiana*](#) B.Y.Ding, Z.H.Chen & X.F.Jin
- [*Scutellaria zaprjagaevii*](#) Kochk. & Zhogoleva
- [*Scutellaria zivari*](#) Akhmed-zade

From Wikipedia, the free encyclopedia

This is a **list of species in the plant genus *Scrophularia***, commonly known as figworts. There are almost 300 species recognised in the genus [*Scrophularia*](#):

List

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Scrophularia aequilabris*](#) P.C.Tsoong
- [*Scrophularia aestivalis*](#) Griseb.
- [*Scrophularia alaschanica*](#) Batalin
- [*Scrophularia alata*](#) A.Gray
- [*Scrophularia alhagioides*](#) Attar & Joharchi
- [*Scrophularia alpestris*](#) J.Gay ex Benth.
- [*Scrophularia altaica*](#) Murray
- [*Scrophularia amadiyana*](#) Ghaz. & Haloob
- [*Scrophularia amana*](#) S.S.Lall
- [*Scrophularia amgunensis*](#) F.Schmidt
- [*Scrophularia amplexicaulis*](#) Benth.
- [*Scrophularia arguta*](#) Aiton
- [*Scrophularia atrata*](#) Pennell
- [*Scrophularia atroglandulosa*](#) Grau
- [*Scrophularia atropatana*](#) Grossh.
- [*Scrophularia attariae*](#) Ranjbar & Rahch.
- [*Scrophularia auriculata*](#) L.
- [*Scrophularia azerbaijanica*](#) Grau

B

- [*Scrophularia badakhshanica*](#) Grau
- [*Scrophularia badghysi*](#) Botsch.
- [*Scrophularia bahorucana*](#) Zanoni
- [*Scrophularia bheriensis*](#) T.Yamaz.
- [*Scrophularia birmanica*](#) H.L.Li
- [*Scrophularia bitlisica*](#) S.S.Lall
- [*Scrophularia bosniaca*](#) Beck
- [*Scrophularia botryoides*](#) Grau
- [*Scrophularia botschanzevii*](#) Turak.
- [*Scrophularia buergeriana*](#) Miq.
- [*Scrophularia bulgarica*](#) (Stoj.) Peev

C

- [*Scrophularia cabulica*](#) Benth.
- [*Scrophularia californica*](#) Cham. & Schltldl.
- [*Scrophularia calliantha*](#) Webb & Berthel.
- [*Scrophularia calycina*](#) Benth.
- [*Scrophularia canescens*](#) Bong.
- [*Scrophularia canina*](#) L.

- [*Scrophularia capillaris*](#) Boiss. & Balansa
- [*Scrophularia carduchorum*](#) R.R.Mill
- [*Scrophularia catariifolia*](#) Boiss. & Heldr.
- [*Scrophularia charadzae*](#) Kem.-Nath.
- [*Scrophularia chasmophila*](#) W.W.Sm.
- [*Scrophularia chlorantha*](#) Kotschy & Boiss.
- [*Scrophularia chrysantha*](#) Jaub. & Spach
- [*Scrophularia clematidifolia*](#) Eig
- [*Scrophularia cooperi*](#) R.R.Mill
- [*Scrophularia* × *costei*](#) Biau
- [*Scrophularia crassicaulis*](#) Boiss.
- [*Scrophularia crassipedunculata*](#) Attar & Joharchi
- [*Scrophularia crassiuscula*](#) Grau
- [*Scrophularia crenophila*](#) Boiss.
- [*Scrophularia cretacea*](#) Fisch. ex Spreng.
- [*Scrophularia cryptophila*](#) Boiss. & Heldr.
- [*Scrophularia czapandaghi*](#) B.Fedtsch.
- [*Scrophularia czernjakowskiana*](#) B.Fedtsch.

D

- [*Scrophularia decomposita*](#) Royle ex Benth.
- [*Scrophularia delavayi*](#) Franch.
- [*Scrophularia denaensis*](#) Attar
- [*Scrophularia densifolia*](#) Urb. & Ekman
- [*Scrophularia dentata*](#) Royle ex Benth.
- [*Scrophularia depauperata*](#) Boiss.
- [*Scrophularia deserti*](#) Delile
- [*Scrophularia desertorum*](#) (Munz) R.J.Shaw
- [*Scrophularia dianatnejadii*](#) Ranjbar & Rahch.
- [*Scrophularia diffusa*](#) Sommier & Levier
- [*Scrophularia diplodonta*](#) Franch.
- [*Scrophularia divaricata*](#) Ledeb.
- [*Scrophularia domingensis*](#) Urb.
- [*Scrophularia dshungarica*](#) Golosk. & Tzag.
- [*Scrophularia duplicatoserrata*](#) Makino

E

- [*Scrophularia edelbergii*](#) Rech.f.
- [*Scrophularia edgeworthii*](#) Benth.
- [*Scrophularia eggertii*](#) Urb.
- [*Scrophularia elatior*](#) Wall. ex Benn.

- [*Scrophularia elbursensis*](#) Bornm.
- [*Scrophularia elymaitica*](#) Mozaff.
- [*Scrophularia eriocalyx*](#) Emb. & Maire
- [*Scrophularia erzincanica*](#) R.R.Mill
- [*Scrophularia exilis*](#) Popl.

F

- [*Scrophularia fargesii*](#) Franch.
- [*Scrophularia fatmae*](#) Kandemir & Ilhan
- [*Scrophularia fedtschenkoi*](#) Gorschk.
- [*Scrophularia flava*](#) Grau
- [*Scrophularia floribunda*](#) Boiss. & Balansa
- [*Scrophularia fontqueri*](#) Ortega Oliv. & Devesa
- [*Scrophularia formosana*](#) H.L.Li
- [*Scrophularia frigida*](#) Boiss.
- [*Scrophularia frutescens*](#) L.

G

- [*Scrophularia galilaea*](#) Eig
- [*Scrophularia gaubae*](#) Bornm.
- [*Scrophularia ghahremanii*](#) Attar & Hamzehee
- [*Scrophularia glabella*](#) Botsch. & Junussov
- [*Scrophularia glabrata*](#) Aiton
- [*Scrophularia gontscharovii*](#) Gorschk.
- [*Scrophularia gorganica*](#) Rech.f.
- [*Scrophularia gracilis*](#) Blakelock
- [*Scrophularia grandiflora*](#) DC.
- [*Scrophularia granitica*](#) Klokov & Krasnova
- [*Scrophularia grayanoides*](#) M.Kikuchi
- [*Scrophularia gypsicola*](#) Hub.-Mor. & Lall

H

- [*Scrophularia haematantha*](#) Boiss. & Heldr.
- [*Scrophularia henryi*](#) Hemsl.
- [*Scrophularia herminii*](#) Hoffmanns. & Link
- [*Scrophularia heterophylla*](#) Willd.
- [*Scrophularia heucheriiflora*](#) Schrenk ex Fisch. & C.A.Mey.
- [*Scrophularia hierochuntina*](#) Boiss.
- [*Scrophularia hilbigii*](#) Jäger
- [*Scrophularia himalensis*](#) Royle ex Benth.

- [*Scrophularia hirta*](#) Lowe
- [*Scrophularia horizontalis*](#) Rech.f.
- [*Scrophularia hypericifolia*](#) Wydler
- [*Scrophularia hypsophila*](#) Hand.-Mazz.
- [*Scrophularia hyssopifolia*](#) Boiss. & Hausskn.

I

- [*Scrophularia ilwensis*](#) K.Koch
- [*Scrophularia imerethica*](#) Kem.-Nath.
- [*Scrophularia incisa*](#) Weinm.
- [*Scrophularia integrifolia*](#) Pavlov
- [*Scrophularia iranica*](#) Attar
- [*Scrophularia ispahanica*](#) Attar & Nowrouzi

J-K

- [*Scrophularia jafrii*](#) Khatoon & Qaiser
- [*Scrophularia jinii*](#) P.Li
- [*Scrophularia kabadianensis*](#) B.Fedtsch.
- [*Scrophularia kakudensis*](#) Franch.
- [*Scrophularia kamelinii*](#) Botsch. & Kurbanov
- [*Scrophularia kansuensis*](#) Batalin
- [*Scrophularia kermanica*](#) Ghahr. & Mirtadz.
- [*Scrophularia khorassanica*](#) Attar & Joharchi
- [*Scrophularia kiriloviana*](#) Schischk.
- [*Scrophularia kjurendaghi*](#) Botsch. & Kurbanov
- [*Scrophularia koeiei*](#) Rech.f.
- [*Scrophularia koelzii*](#) Pennell
- [*Scrophularia kollakii*](#) S.A.Ahmad
- [*Scrophularia kotschyana*](#) Benth.
- [*Scrophularia kurbanovii*](#) Botsch.
- [*Scrophularia kurdica*](#) Eig

L

- [*Scrophularia laevigata*](#) Vahl
- [*Scrophularia laevis*](#) Wooton & Standl.
- [*Scrophularia lanceolata*](#) Pursh
- [*Scrophularia landroveri*](#) Wendelbo
- [*Scrophularia laportifolia*](#) T.Yamaz.
- [*Scrophularia lateriflora*](#) Trautv.
- [*Scrophularia laxiflora*](#) Lange

- [*Scrophularia lepidota*](#) Boiss.
- [*Scrophularia leucoclada*](#) Bunge
- [*Scrophularia lhasaensis*](#) D.Y.Hong
- [*Scrophularia libanotica*](#) Boiss.
- [*Scrophularia lijangensis*](#) T.Yamaz.
- [*Scrophularia litvinovii*](#) B.Fedtsch.
- [*Scrophularia longiflora*](#) Benth.
- [*Scrophularia lowei*](#) Dalgaard
- [*Scrophularia lucida*](#) L.
- [*Scrophularia lucidaifolia*](#) Uzunh. & E.Doğan
- [*Scrophularia luridiflora*](#) Fisch. & C.A.Mey.

M

- [*Scrophularia macrantha*](#) Greene ex Stiefelh.
- [*Scrophularia macrobotrys*](#) Ledeb.
- [*Scrophularia macrocarpa*](#) P.C.Tsoong
- [*Scrophularia macrophylla*](#) Boiss.
- [*Scrophularia macrorrhyncha*](#) (Humbert, Litard. & Maire) Ibn Tattou
- [*Scrophularia maharluica*](#) Ranjbar & Rahch.
- [*Scrophularia mandarinorum*](#) Franch.
- [*Scrophularia mandshurica*](#) Maxim.
- [*Scrophularia mapienensis*](#) P.C.Tsoong
- [*Scrophularia marginata*](#) Boiss.
- [*Scrophularia marilandica*](#) L.
- [*Scrophularia megalantha*](#) Rech.f.
- [*Scrophularia mersinensis*](#) S.S.Lall
- [*Scrophularia mesopotamica*](#) Boiss.
- [*Scrophularia mexicana*](#) Mayfield & G.L.Nesom
- [*Scrophularia minima*](#) M.Bieb.
- [*Scrophularia minutiflora*](#) Pennell
- [*Scrophularia modesta*](#) Kitag.
- [*Scrophularia moellendorffii*](#) Maxim.
- [*Scrophularia mollis*](#) Sommier & Levier
- [*Scrophularia moniziana*](#) Menezes
- [*Scrophularia montana*](#) Wooton
- [*Scrophularia morisii*](#) Vals.
- [*Scrophularia multicaulis*](#) Turcz.
- [*Scrophularia musashiensis*](#) Bonati
- [*Scrophularia myriophylla*](#) Boiss. & Heldr.

N

- [*Scrophularia nabataeorum*](#) Eig
- [*Scrophularia nachitschevanica*](#) Grossh.
- [*Scrophularia nana*](#) Stiefelh.
- [*Scrophularia nankinensis*](#) P.C.Tsoong
- [*Scrophularia nervosa*](#) Benth.
- [*Scrophularia nikitinii*](#) Gorschk.
- [*Scrophularia ningpoensis*](#) Hemsl.
- [*Scrophularia nodosa*](#) L.
- [*Scrophularia nudata*](#) Pennell
- [*Scrophularia nuraniae*](#) Tzag.

O

- [*Scrophularia oblongifolia*](#) Loisel.
- [*Scrophularia obtusa*](#) Edgew. ex Hook.f.
- [*Scrophularia olgae*](#) Grossh.
- [*Scrophularia olympica*](#) Boiss.
- [*Scrophularia omeri*](#) Khatoon & Qaiser
- [*Scrophularia orientalis*](#) L.
- [*Scrophularia oxyrhyncha*](#) Coincy
- [*Scrophularia oxysepala*](#) Boiss.

P

- [*Scrophularia pallescens*](#) Lowe ex Menezes
- [*Scrophularia pamirica*](#) (O.Fedtsch.) Ivanina
- [*Scrophularia pamirolaica*](#) Gorschk.
- [*Scrophularia paphlagonica*](#) R.R.Mill
- [*Scrophularia papyracea*](#) Attar
- [*Scrophularia parviflora*](#) Wooton & Standl.
- [*Scrophularia pauciflora*](#) Benth.
- [*Scrophularia pegaea*](#) Hand.-Mazz.
- [*Scrophularia peregrina*](#) L.
- [*Scrophularia petraea*](#) Aitch. & Hemsl.
- [*Scrophularia peyronii*](#) Post
- [*Scrophularia pinardii*](#) Boiss.
- [*Scrophularia pindicola*](#) Hausskn.
- [*Scrophularia pluriflora*](#) Urb. & Ekman
- [*Scrophularia polyantha*](#) Royle ex Benth.
- [*Scrophularia potaninii*](#) Ivanina
- [*Scrophularia prasiifolia*](#) Boiss. & Hausskn.

- [*Scrophularia pruinosa*](#) Boiss.
- [*Scrophularia przewalskii*](#) Batalin
- [*Scrophularia puberula*](#) Boiss.
- [*Scrophularia pulverulenta*](#) Boiss. & Noë
- [*Scrophularia pumilio*](#) S.S.Lall
- [*Scrophularia pyrenaica*](#) Benth.

R

- [*Scrophularia racemosa*](#) Lowe
- [*Scrophularia rechingeri*](#) Grau
- [*Scrophularia regelii*](#) Ivanina
- [*Scrophularia rimarum*](#) Bornm.
- [*Scrophularia* × *ritae*](#) Mateo
- [*Scrophularia robusta*](#) Pennell
- [*Scrophularia rodinii*](#) Hamidullah
- [*Scrophularia rostrata*](#) Boiss. & Buhse
- [*Scrophularia rosulata*](#) Stiefelh.
- [*Scrophularia rubricaulis*](#) Boiss.
- [*Scrophularia rudolfii*](#) F.O.Khass., Serekeeva & Kadyrov
- [*Scrophularia rupestris*](#) M.Bieb. ex Willd.
- [*Scrophularia ruprechtii*](#) Boiss.

S

- [*Scrophularia sambucifolia*](#) L.
- [*Scrophularia sangtodensis*](#) B.Fedtsch.
- [*Scrophularia sanguinea*](#) Grau
- [*Scrophularia sardashtensis*](#) Ranjbar & Rahch.
- [*Scrophularia scabiosifolia*](#) Benth.
- [*Scrophularia scariosa*](#) Boiss.
- [*Scrophularia schiraziana*](#) Attar & Hatami
- [*Scrophularia scoparia*](#) Pennell
- [*Scrophularia scopolii*](#) Hoppe ex Pers.
- [*Scrophularia scorodonia*](#) L.
- [*Scrophularia serratifolia*](#) Hub.-Mor. & Lall
- [*Scrophularia shulabadensis*](#) Attar & Hamzehee
- [*Scrophularia singularis*](#) Rech.f.
- [*Scrophularia smithii*](#) Hornem.
- [*Scrophularia sosnowskyi*](#) Kem.-Nath.
- [*Scrophularia souliei*](#) Franch.
- [*Scrophularia spicata*](#) Franch.
- [*Scrophularia spinulescens*](#) Hausskn. & Degen

- [*Scrophularia sprengeriana*](#) Sommier & Levier
- [*Scrophularia stenothyrsa*](#) Pennell
- [*Scrophularia stewartii*](#) Pennell
- [*Scrophularia striata*](#) Boiss.
- [*Scrophularia strizhoviae*](#) Abdusal.
- [*Scrophularia stylosa*](#) P.C.Tsoong
- [*Scrophularia subaequiloba*](#) S.S.Lall
- [*Scrophularia subaphylla*](#) Boiss.
- [*Scrophularia sublyrata*](#) Brot.
- [*Scrophularia subsessilis*](#) R.R.Mill
- [*Scrophularia suffruticosa*](#) Pennell
- [*Scrophularia sulaimanica*](#) S.A.Ahmad

T

- [*Scrophularia tadshikorum*](#) Gontsch.
- [*Scrophularia tagetifolia*](#) Boiss. & Hausskn.
- [*Scrophularia taihangshanensis*](#) C.S.Zhu & H.W.Yang
- [*Scrophularia takhtajanii*](#) Gabrieljan
- [*Scrophularia talassica*](#) Tzag.
- [*Scrophularia tanacetifolia*](#) Willd.
- [*Scrophularia tenuipes*](#) Coss. & Durieu
- [*Scrophularia thesioides*](#) Boiss. & Buhse
- [*Scrophularia tortuosissima*](#) Attar & Joharchi
- [*Scrophularia* × *towndrowii*](#) Druce
- [*Scrophularia trichopoda*](#) Boiss. & Balansa
- [*Scrophularia trifoliata*](#) L.
- [*Scrophularia tuerckheimii*](#) Urb.

U-V

- [*Scrophularia uniflora*](#) Richt. ex Stapf
- [*Scrophularia urticifolia*](#) Wall. ex Benth.
- [*Scrophularia valdesii*](#) Ortega Oliv. & Devesa
- [*Scrophularia valida*](#) Grau
- [*Scrophularia variegata*](#) M.Bieb.
- [*Scrophularia vernalis*](#) L.
- [*Scrophularia versicolor*](#) Boiss.
- [*Scrophularia viciosoi*](#) Ortega Oliv. & Devesa
- [*Scrophularia villosa*](#) Pennell
- [*Scrophularia vvedenskyi*](#) Bondarenko & Filatova

W-Z

- [*Scrophularia wattii*](#) (Hook.f.) P.Li
- [*Scrophularia xanthoglossa*](#) Boiss.
- [*Scrophularia xylobasis*](#) Rech.f.
- [*Scrophularia xylorrhiza*](#) Boiss. & Hausskn.
- [*Scrophularia yoshimurae*](#) T.Yamaz.
- [*Scrophularia yunnanensis*](#) Franch.
- [*Scrophularia zuvandica*](#) Grossh.
- [*Scrophularia zvirtiana*](#) Gabrieljan

References

From Wikipedia, the free encyclopedia

As of June 2014 [The Plant List](#) recognises about 266 accepted [taxa](#) (of species and infraspecific names) in the plant genus [Scleria](#).^[1]


As of December 2023, [Plants of the World Online](#) recognises 255 accepted species in this genus.^[2]

Species

This list is compiled from [The Plant List](#),^[3] [Germplasm Resources Information Network](#),^[4] [Integrated Taxonomic Information System](#)^[5] and [Flora of China](#).^[6]



Scleria levis




Scleria





muehlenbergii

Scleria parvula




Scleria pauciflora





Scleria reticularis

Scleria triglomerata



Scleria verticillata



Scleria testacea

- [*Scleria abortiva*](#) Nees ex Kunth
- [*Scleria acanthocarpa*](#) Boeckeler
- [*Scleria achtenii*](#) De Wild.
- [*Scleria adpressohirta*](#) (Kük.) E.A.Rob.
- [*Scleria afroreflexa*](#) Lye
- [*Scleria alpina*](#) Core
- [*Scleria amazonica*](#) Camelb., M.T.Strong & Goetgh.
- [*Scleria anceps*](#) Liebm.
- [*Scleria andringitensis*](#) Cherm.

- [*Scleria angusta*](#) Nees ex Kunth
- [*Scleria angustifolia*](#) E.A.Rob.
- [*Scleria annularis*](#) Steud.
- [*Scleria anomala*](#) (Steud.) J.Raynal
- [*Scleria arcuata*](#) E.A.Rob.
- [*Scleria arguta*](#) (Nees) Steud.
- [*Scleria aromatica*](#) Core
- [*Scleria assamica*](#) (C.B.Clarke) D.M.Verma
- [*Scleria atrogumis*](#) D.A.Simpson
- [*Scleria balansae*](#) Maury ex Micheli
- [*Scleria baldwinii*](#) (Torr.) Steud. – Baldwin's nutrush
- [*Scleria bambariensis*](#) Cherm.
- [*Scleria bancana*](#) Miq. – winged scleria
- [*Scleria baroni-clarkei*](#) De Wild.
- [*Scleria baronii*](#) C.B.Clarke ex Cherm.
- [*Scleria barteri*](#) Boeckeler
- [*Scleria benthamii*](#) C.B.Clarke
- [*Scleria bequaertii*](#) De Wild.
- [*Scleria bicolor*](#) Nelmes
- [*Scleria biflora*](#) Roxb.
- [*Scleria boivinii*](#) Steud.
- [*Scleria boniana*](#) Boeckeler
- [*Scleria borii*](#) D.M.Verma
- [*Scleria bourgeauii*](#) Boeckeler – Bourgeau's nutrush
- [*Scleria bracteata*](#) Cav. – bracted nutrush
- [*Scleria bradei*](#) Gross
- [*Scleria brownii*](#) Kunth
- [*Scleria buekiana*](#) Schltdl.
- [*Scleria buettneri*](#) Boeckeler
- [*Scleria bulbifera*](#) Hochst. ex A.Rich.
- [*Scleria burchellii*](#) C.B.Clarke
- [*Scleria calcicola*](#) E.A.Rob.
- [*Scleria camaratensis*](#) Core
- [*Scleria canescens*](#) Boeckeler
- [*Scleria carphiformis*](#) Ridl.
- [*Scleria castanea*](#) Core
- [*Scleria catharinensis*](#) Boeckeler
- [*Scleria catophylla*](#) C.B.Clarke
- [*Scleria chevalieri*](#) J.Raynal
- [*Scleria chlorocalyx*](#) E.A.Rob.
- [*Scleria ciliaris*](#) Nees
- [*Scleria ciliata*](#) Michx. – fringed nutrush

- [*var. elliottii*](#) (Chapm.) Fernald
- [*var. glabra*](#) (Chapm.) Fairey
- [*Scleria clarkei*](#) Lindm.
- [*Scleria clathrata*](#) Hochst. ex A.Rich.
- [*Scleria cochinchinensis*](#) (Lour.) Druce[4]
- [*Scleria colorata*](#) Core
- [*Scleria comosa*](#) (Nees) Steud.
- [*Scleria complanata*](#) Boeckeler
- [*Scleria composita*](#) (Nees) Boeckeler
- [*Scleria corymbosa*](#) Roxb.
- [*Scleria cubensis*](#) Boeckeler – Cuban nutrush
- [*Scleria curtissii*](#) Britton – Curtiss' nutrush[5]
- [*Scleria cuyabensis*](#) Pilg.
- [*Scleria cyathophora*](#) Holtum
- [*Scleria cyperina*](#) Kunth
- [*Scleria delicatula*](#) Nelmes
- [*Scleria densispicata*](#) (C.B.Clarke) J.Kern
- [*Scleria depauperata*](#) Boeckeler
- [*Scleria depressa*](#) (C.B.Clarke) Nelmes
- [*Scleria distans*](#) Poir. – riverswamp nutrush
 - [*var. chondrocarpa*](#) (Nelmes) Lye
 - [*var. glomerulata*](#) (Oliv.) Lye
- [*Scleria dregeana*](#) Kunth
- [*Scleria dulungensis*](#) P.C.Li
- [*Scleria eggarsiana*](#) Boeckeler – Eggers' nutrush
- [*Scleria elongatissima*](#) Piérart
- [*Scleria erythrorrhiza*](#) Ridl.
- [*Scleria fauriei*](#) Ohwi
- [*Scleria filiculmis*](#) Boeckeler
- [*Scleria flagellum-nigrorum*](#) P.J.Bergius
- [*Scleria flexuosa*](#) Boeckeler
- [*Scleria foliosa*](#) Hochst. ex A.Rich.
- [*Scleria foveolata*](#) Cav.
- [*Scleria fulvipilosa*](#) E.A.Rob.
- [*Scleria gaertneri*](#) Raddi
- [*Scleria georgiana*](#) Core – slenderfruit nutrush
- [*Scleria glabra*](#) Boeckeler
- [*Scleria globonux*](#) C.B.Clarke
- [*Scleria goosenii*](#) De Wild.
- [*Scleria goossensii*](#) De Wild.
- [*Scleria gracillima*](#) Boeckeler
- [*Scleria greigiifolia*](#) (Ridl.) C.B.Clarke

- [*Scleria guineensis*](#) J.Raynal
- [*Scleria harlandii*](#) Hance
- [*Scleria havanensis*](#) Britton – Havana nutrush
- [*Scleria hildebrandtii*](#) Boeckeler
- [*Scleria hilsenbergii*](#) Ridl.
- [*Scleria hirta*](#) Boeckeler
- [*Scleria hirtella*](#) Sw. – riverswamp nutrush
- [*Scleria hispidior*](#) (C.B.Clarke) Nelmes
- [*Scleria hispidula*](#) Hochst. ex A.Rich.
- [*Scleria hookeriana*](#) Boeckeler[6]
- [*Scleria huberi*](#) C.B.Clarke
- [*Scleria induta*](#) Turrill
- [*Scleria interrupta*](#) Rich.
- [*Scleria iostephana*](#) Nelmes
- [*Scleria jiangchengensis*](#) Y.Y.Qian
- [*Scleria junghuhniana*](#) Boeckeler
- [*Scleria kerrii*](#) Turrill
- [*Scleria khasiana*](#) Boeckeler
- [*Scleria killipiana*](#) Britton
- [*Scleria kindtiana*](#) Graebn.
- [*Scleria lacustris*](#) C.Wright – lakeshore nutrush
- [*Scleria laevis*](#) Willd. – smooth scleria[5]
- [*Scleria lagoensis*](#) Boeckeler
- [*Scleria latifolia*](#) Sw.
- [*Scleria laxa*](#) R.Br.
- [*Scleria laxiflora*](#) Gross
- [*Scleria leptostachya*](#) Kunth
- [*Scleria levis*](#) Retz.
- [*Scleria lingulata*](#) C.B.Clarke
- [*Scleria lithosperma*](#) (L.) Sw. – Florida Keys nutrush
 - [*var. linearis*](#) Benth.
 - [*subsp. linearis*](#) (Benth.) T.Koyama[6]
 - [*subsp. lithosperma*](#)[6]
- [*Scleria longispiculata*](#) Nelmes
- [*Scleria lucentinigricans*](#) E.A.Rob.
- [*Scleria macbrideana*](#) Gross
- [*Scleria mackaviensis*](#) Boeckeler
- [*Scleria macrogyne*](#) C.B.Clarke
- [*Scleria macrolomioides*](#) H.Pfeiff.
- [*Scleria macrophylla*](#) J.Presl & C.Presl
- [*Scleria madagascariensis*](#) Boeckeler
- [*Scleria martii*](#) (Nees) Steud.

- [*Scleria melaleuca*](#) Rchb. ex Schltld. & Cham.[5]
- [*Scleria melanomphala*](#) Kunth
- [*Scleria melanotricha*](#) Hochst. & A.Rich.
- [*Scleria melicoides*](#) Schltld.
- [*Scleria microcarpa*](#) Nees ex Kunth – tropical nutrush
- [*Scleria mikawana*](#) Makino
- [*Scleria millespicula*](#) T.Koyama
- [*Scleria minima*](#) C.B.Clarke
- [*Scleria minor*](#) (Britton) W.Stone – slender nutrush
- [*Scleria mitis*](#) P.J.Bergius – cortadora
- [*Scleria monticola*](#) Nelmes ex Napper
- [*Scleria motemboensis*](#) Britton
- [*Scleria motleyi*](#) C.B.Clarke
 - [*subsp. rostrata*](#) J.Kern
- [*Scleria mucronata*](#) Poir.
- [*Scleria muehlenbergii*](#) Steud. – Muehlenberg's nutrush
- [*Scleria multilacunosa*](#) T.Koyama
- [*Scleria mutoensis*](#) Nakai
- [*Scleria myricocarpa*](#) Kunth
- [*Scleria natalensis*](#) Boeckeler ex C.B.Clarke
- [*Scleria naumanniana*](#) Boeckeler
- [*Scleria neesii*](#) Kunth
- [*Scleria neocaledonica*](#) Rendle
- [*Scleria neogranatensis*](#) C.B.Clarke
- [*Scleria novae-hollandiae*](#) Boeckeler
- [*Scleria nyasensis*](#) C.B.Clarke
- [*Scleria oblata*](#) S.T.Blake ex J.Kern
- [*Scleria obtusa*](#) Core
- [*Scleria oligantha*](#) Michx. – littlehead nutrush
- [*Scleria oligochondra*](#) Nelmes
- [*Scleria orchardii*](#) C.D.Adams
- [*Scleria ovinux*](#) J.Raynal ex Fosberg
- [*Scleria pachyrrhyncha*](#) Nelmes
- [*Scleria panicoides*](#) Kunth
- [*Scleria papuana*](#) J.Kern
- [*Scleria parallella*](#) C.B.Clarke
- [*Scleria parvula*](#) Steud.
- [*Scleria patula*](#) E.A.Rob.
- [*Scleria pauciflora*](#) Muhl. ex Willd. – fewflower nutrush
 - [*var. caroliniana*](#) (Willd.) Alph.Wood
 - [*var. curtissii*](#) (Britton) Fairey
- [*Scleria paupercula*](#) E.A.Rob.

- [*Scleria pergracilis*](#) (Nees) Kunth
- [*Scleria pernambucana*](#) Luceño & M.Alves
- [*Scleria perpusilla*](#) Cherm.
- [*Scleria pilosa*](#) Boeckeler
- [*Scleria pilosissima*](#) Britton
- [*Scleria plusiophylla*](#) Steud.
- [*Scleria poeppigii*](#) (Nees) Steud.
- [*Scleria poiformis*](#) Retz.
- [*Scleria poklei*](#) Wad.Khan
- [*Scleria polycarpa*](#) Boeckeler
- [*Scleria polyrrhiza*](#) E.A.Rob.
- [*Scleria pooides*](#) Ridl.
- [*Scleria porphyrocarpa*](#) E.A.Rob.
- [*Scleria procumbens*](#) E.A.Rob.
- [*Scleria psilorrhiza*](#) C.B.Clarke
- [*Scleria pulchella*](#) Ridl.
- [*Scleria purdiei*](#) C.B.Clarke – Purdie's nutrush
- [*Scleria purpurascens*](#) Steud.
 - [*var. ophirensis*](#) (C.B.Clarke) J.Kern
- [*Scleria pusilla*](#) Pilg.
- [*Scleria racemosa*](#) Poir.
- [*Scleria radula*](#) Hance
- [*Scleria ramosa*](#) C.B.Clarke
- [*Scleria rehmannii*](#) C.B.Clarke
- [*Scleria reticularis*](#) Michx. – reticulated nutrush, netted nutrush
- [*Scleria richardsiae*](#) E.A.Rob.
- [*Scleria robinsoniana*](#) J.Raynal
- [*Scleria robusta*](#) Camelb. & Goetgh.
- [*Scleria rugosa*](#) R.Br.
- [*Scleria rutenbergiana*](#) Boeckeler
- [*Scleria scabra*](#) Willd.
- [*Scleria scabriuscula*](#) Schltdl. – mosquito nutrush
- [*Scleria scandens*](#) Core
- [*Scleria schenckiana*](#) Boeckeler
- [*Scleria schiedeana*](#) Schltdl.
- [*Scleria schimperiana*](#) Boeckeler
- [*Scleria schulzii*](#) Barros
- [*Scleria scindens*](#) Nees ex Kunth – hairy nutrush
- [*Scleria scrobiculata*](#) Nees & Meyen
- [*Scleria secans*](#) (L.) Urb. – razor grass
- [*Scleria sellowiana*](#) Kunth
- [*Scleria setulosociliata*](#) Boeckeler

- [*Scleria sheilae*](#) J.Raynal
- [*Scleria sieberi*](#) Nees
- [*Scleria skutchii*](#) M.T.Strong & J.R.Grant
- [*Scleria sobolifer*](#) E.F.Franklin
- [*Scleria sororia*](#) Kunth
- [*Scleria sphacelata*](#) F.Muell.
- [*Scleria sphaerocarpa*](#) (E.A.Rob.) Napper[4]
- [*Scleria spicata*](#) (Spreng.) J.F.Macbr.
- [*Scleria spiciformis*](#) Benth.
- [*Scleria splitgerberiana*](#) Henrard ex Uittien
- [*Scleria sprucei*](#) C.B.Clarke
- [*Scleria staheliana*](#) Uittien
- [*Scleria stenophylla*](#) Core
- [*Scleria stereorrhiza*](#) C.Wright ex C.B.Clarke
- [*Scleria stipitata*](#) Uittien
- [*Scleria stipularis*](#) Nees
- [*Scleria stocksiana*](#) Boeckeler
- [*Scleria sumatrensis*](#) Retz. – Sumatran scleria
- [*Scleria swamyi*](#) Govind.
- [*Scleria sylvestris*](#) Poepp. & Kunth[4]
- [*Scleria tenacissima*](#) (Nees) Steud.
- [*Scleria tenella*](#) Kunth – fly nutrush
- [*Scleria tepuiensis*](#) Core
- [*Scleria terrestris*](#) (L.) Fassett
 - [*var. hookeriana*](#) (Boeckeler) D.M.Verma
 - [*var. thomsoniana*](#) (Boeckeler) D.M.Verma
- [*Scleria tessellata*](#) Willd.
 - [*var. sphaerocarpa*](#) E.A.Rob.
- [*Scleria testacea*](#) Nees ex Kunth – Hawai'i nutrush
- [*Scleria thwaitesiana*](#) Boeckeler
- [*Scleria tonkinensis*](#) C.B.Clarke
- [*Scleria transvaalensis*](#) E.F.Franklin
- [*Scleria trialata*](#) Poir.
- [*Scleria tricuspidata*](#) S.T.Blake
- [*Scleria triglomerata*](#) Michx. – whip nutrush
- [*Scleria triquetra*](#) M.T.Strong
- [*Scleria tropicalis*](#) M.T.Strong
- [*Scleria tryonii*](#) Domin
- [*Scleria uleana*](#) Boeckeler
- [*Scleria unguiculata*](#) E.A.Rob.
- [*Scleria vaginata*](#) Steud.
- [*Scleria valdemuricata*](#) Kük.

- [*Scleria variegata*](#) (Nees) Steud.
- [*Scleria venezuelensis*](#) Core
- [*Scleria verrucosa*](#) Willd.
- [*Scleria verticillata*](#) Muhl. ex Willd. – low nutrush
- [*Scleria veseyfitzgeraldii*](#) E.A.Rob.
- [*Scleria vichadensis*](#) F.J.Herm.
- [*Scleria violacea*](#) Pilg.
- [*Scleria virgata*](#) (Nees) Steud.
- [*Scleria vogelii*](#) C.B.Clarke
- [*Scleria warmingiana*](#) Boeckeler
- [*Scleria welwitschii*](#) C.B.Clarke
- [*Scleria williamsii*](#) Gross
- [*Scleria woodii*](#) C.B.Clarke
 - [*var. ornata*](#) (Cherm.) J.Schultze-Motel
- [*Scleria wrightiana*](#) Boeckeler
- [*Scleria xerophila*](#) E.A.Rob.
- [*Scleria zambesica*](#) E.A.Rob.

From Wikipedia, the free encyclopedia

List of *Scilla* species



Scilla bifolia

Scientific classification 

Kingdom: [Plantae](#)
Clade: [Tracheophytes](#)
Clade: [Angiosperms](#)
Clade: [Monocots](#)
Order: [Asparagales](#)
Family: [Asparagaceae](#)
Subfamily: [Scilloideae](#)
Genus: [Scilla](#)
L.

Type species

[Scilla bifolia](#) L.

Sections

- [Scilla](#)
- [Chionodoxa](#) Boiss.

Synonyms[1]

This **list of *Scilla* species** shows the accepted [species](#) names within the [genus *Scilla*](#), which are predominantly spring [perennial](#) plants in the order of [Asparagales](#), and the [Asparagaceae](#) (amaryllis) family. The common name is squill, but this has also been applied to a number of taxa not included in *Scilla*.[\[2\]](#)

The number of species varies from 30 to about 80, depending on how narrowly or widely the genus is defined. In the narrow [circumscription](#) (e.g Speta 1998) a number of species are segregated into eight separate smaller genera.[\[3\]](#)[\[4\]](#) Species of [Chionodoxa](#) are often included with *Scilla* and some classifications list those as a separate [section](#) of the genus *Scilla* (section *Chionodoxa*) (sec, all other species being included in section *Scilla*.[\[5\]](#)

List

As of 2022, [Plants of the World Online](#) accepted the following species:[\[6\]](#)

- [Scilla achtenii](#) De Wild.
- [Scilla africana](#) Borzí & Mattei
- [Scilla albanica](#) Turrill
- [Scilla albinerve](#) Yildirim & Gemici
- [Scilla alinihatiana](#) Aslan & Yildirim
- [Scilla amoena](#) L. – star squill, star hyacinth
- [Scilla andria](#) Speta
- [Scilla antunesii](#) Engl.
- [Scilla arenaria](#) Baker
- [Scilla arsusiana](#) Yildirim & Gemici

- [*Scilla begoniifolia*](#) A.Chev.
- [*Scilla benguellensis*](#) Baker
- [*Scilla berthelotii*](#) Webb & Berthel.
- [*Scilla bifolia*](#) L. – alpine squill
- [*Scilla bilgineri*](#) Yildirim
- [*Scilla bithynica*](#) Boiss. – Bithynian squill
- [*Scilla buekkensis*](#) Speta
- [*Scilla bussei*](#) Dammer
- [*Scilla chlorantha*](#) Baker
- [*Scilla ciliata*](#) Baker
- [*Scilla cilicica*](#) Siehe
- [*Scilla congesta*](#) Baker
- [*Scilla cretica*](#) (Boiss. & Heldr.) Speta, syn. *Chionodoxa cretica*
- [*Scilla cydonia*](#) Speta
- [*Scilla dimartinoi*](#) Brullo & Pavone
- [*Scilla dualaensis*](#) Poelln.
- [*Scilla engleri*](#) T.Durand & Schinz
- [*Scilla flaccidula*](#) Baker
- [*Scilla forbesii*](#) (Baker) Speta, syn. *Chionodoxa forbesii*
- [*Scilla gabunensis*](#) Baker
- [*Scilla gracillima*](#) Engl.
- [*Scilla haemorrhoidalis*](#) Webb & Berthel.
- [*Scilla hildebrandtii*](#) Baker
- [*Scilla huanica*](#) Poelln.
- [*Scilla hyacinthoides*](#) L.
- [*Scilla ingridiae*](#) Speta
- [*Scilla jaegeri*](#) K.Krause
- [*Scilla katendensis*](#) De Wild.
- [*Scilla kladnii*](#) Schur
- [*Scilla kurdistanica*](#) Speta
- [*Scilla lakusicii*](#) Šilic
- [*Scilla latifolia*](#) Willd. ex Schult.f.
- [*Scilla laxiflora*](#) Baker
- [*Scilla ledienii*](#) Engl.
- [*Scilla leepii*](#) Speta
- [*Scilla libanotica*](#) Speta
- [*Scilla lilio-hyacinthus*](#) L. – Pyrenean squill
- [*Scilla litardierei*](#) Breistr., syn. *Chouardia litardierei*, *Scilla amethystina*, *Scilla pratensis*, *Scilla albanica*, *Scilla italica* – amethyst meadow squill, Dalmatian scilla
- [*Scilla lochiaie*](#) (Meikle) Speta, syn. *Chionodoxa lochiaie*
- [*Scilla longistylosa*](#) Speta
- [*Scilla luciliae*](#) (Boiss.) Speta, syn. *Chionodoxa luciliae*

- [*Scilla lucis*](#) Speta
- [*Scilla madeirensis*](#) Menezes – Madeiran squill
- [*Scilla melaina*](#) Speta
- [*Scilla merinoi*](#) S.Ortiz, Rodr.Oubiña & Izco
- [*Scilla mesopotamica*](#) Speta
- [*Scilla messeniaca*](#) Boiss.
- [*Scilla mischtschenkoana*](#) Grossh., syn. *Scilla tubergeniana* – Tubergen squill
- [*Scilla monanthos*](#) K.Koch
- [*Scilla monophyllos*](#) Link
- [*Scilla morrisii*](#) Meikle
- [*Scilla nana*](#) (Schult. & Schult.f.) Speta, syn. *Chionodoxa nana*
- [*Scilla nivalis*](#) Boiss.
- [*Scilla oubangluensis*](#) Hua
- [*Scilla paui*](#) Lacaita
- [*Scilla peruviana*](#) L. – Portuguese squill, corymbose squill, Cuban lily
- [*Scilla petersii*](#) Engl.
- [*Scilla platyphylla*](#) Baker
- [*Scilla pleiophylla*](#) Speta
- [*Scilla pneumonanthe*](#) Speta
- [*Scilla reuteri*](#) Speta
- [*Scilla rosenii*](#) K.Koch
- [*Scilla sardensis*](#) (Whittall ex Barr & Sugden) Speta, syn. *Chionodoxa sardensis*
- [*Scilla schweinfurthii*](#) Engl.
- [*Scilla siberica*](#) Andrews
- [*Scilla simiarum*](#) Baker
- [*Scilla sodalicia*](#) N.E.Br.
- [*Scilla subnivalis*](#) (Halácsy) Speta
- [*Scilla tayloriana*](#) Rendle
- [*Scilla textilis*](#) Rendle
- [*Scilla uyuiensis*](#) Rendle.
- [*Scilla vardaria*](#) Yildirim & Gemici
- [*Scilla verdickii*](#) De Wild.
- [*Scilla verna*](#) Huds. – spring squill
- [*Scilla villosa*](#) Desf.
- [*Scilla vindobonensis*](#) Speta
- [*Scilla voethorum*](#) Speta
- [*Scilla welwitschii*](#) Poelln.
- [*Scilla wernerii*](#) De Wild.

Hybrids

A hybrid has been named:

- [*Scilla × allenii*](#) (G.Nicholson) Speta

Renamed within genus *Scilla*

- *Scilla siehei* – glory-of-the-snow: see [*Scilla forbesii*](#)

Formerly included

The common bluebell of British and European bluebell woods, still occasionally referred to by a former name, *Scilla non-scripta*, is now known as [*Hyacinthoides non-scripta*](#). Several [African](#) species previously classified in *Scilla* have been removed to the genus [*Ledebouria*](#). The best known of these is the common houseplant still sometimes known as *Scilla violacea* but now properly [*Ledebouria socialis*](#).^{[[citation needed](#)]}

- *Scilla autumnalis* – autumn squill: see [*Prospero autumnale*](#)
- *Scilla maritima* – sea squill: see [*Drimia maritima*](#)
- *Scilla nutans* – common bluebell: see [*Hyacinthoides non-scripta*](#)

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Saxifraga*](#), the **saxifrages**, are accepted by [Plants of the World Online](#).^[1] Natural hybridization is commonplace within the genus, and more 2000 horticultural hybrids have been created, but lasting [hybrid speciation](#) events appear to be rare.^[2]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [External links](#)

A

- [Saxifraga acerifolia](#) Wakab. & Satomi
- [Saxifraga adscendens](#) L.
- [Saxifraga afghanica](#) Aitch. & Hemsl.
- [Saxifraga aizoides](#) L.
- [Saxifraga × akinfievii](#) Galushko & Kudrjasch.
- [Saxifraga alberti](#) Regel & Schmalh.
- [Saxifraga × alejandrei](#) P.Vargas
- [Saxifraga aleutica](#) Hultén
- [Saxifraga × alloysii-villarii](#) T.E.Díaz, Fern.Areces & Pérez Carro
- [Saxifraga alpigena](#) Harry Sm.
- [Saxifraga anadyrensis](#) Losinsk.
- [Saxifraga andersonii](#) Engl.
- [Saxifraga androsacea](#) L.
- [Saxifraga × angelisii](#) Strobl
- [Saxifraga angustata](#) Harry Sm.
- [Saxifraga anisophylla](#) Harry Sm.
- [Saxifraga aphylla](#) Sternb.
- [Saxifraga aquatica](#) Lapeyr.
- [Saxifraga arachnoidea](#) Sternb.
- [Saxifraga × aragonensis](#) H.J.Coste & Soulié
- [Saxifraga aretioides](#) Lapeyr.
- [Saxifraga × arguellesii](#) Carlón, J.M.González, M.Laínz, Moreno Mor., Rodr.Berd. & Ó.S
- [Saxifraga aristulata](#) Hook.f. & Thomson
- [Saxifraga × arizagae](#) Alejandre, Arizal. & Benito
- [Saxifraga artvinensis](#) V.A.Matthews
- [Saxifraga asarifolia](#) Sternb.
- [Saxifraga aspera](#) L.
- [Saxifraga assamensis](#) Wadhwa

- [*Saxifraga atuntsiensis*](#) W.W.Sm.
- [*Saxifraga aurantiaca*](#) Franch.
- [*Saxifraga auriculata*](#) Engl. & Irmsch.

B

- [*Saxifraga babiana*](#) T.E.Díaz & Fern.Prieto
- [*Saxifraga baimashanensis*](#) C.Y.Wu
- [*Saxifraga balfourii*](#) Engl. & Irmsch.
- [*Saxifraga banmaensis*](#) J.T.Pan
- [*Saxifraga* × *baregensis*](#) Rouy & E.G.Camus
- [*Saxifraga benzilanensis*](#) H.Chuang
- [*Saxifraga bergenioides*](#) C.Marquand
- [*Saxifraga berica*](#) (Bég.) D.A.Webb
- [*Saxifraga* × *bertolonii*](#) Sünd.
- [*Saxifraga bicuspidata*](#) Hook.f.
- [*Saxifraga biflora*](#) All.
- [*Saxifraga bijiangensis*](#) H.Chuang
- [*Saxifraga biternata*](#) Boiss.
- [*Saxifraga* × *blatii*](#) Mateo, Fabado & C.Torres
- [*Saxifraga blavii*](#) (Engl.) Beck
- [*Saxifraga* × *blyttii*](#) Engl. & Irmsch.
- [*Saxifraga* × *borderi*](#) Rouy & E.G.Camus
- [*Saxifraga boreo-olympica*](#) Halda
- [*Saxifraga bourgaeana*](#) Boiss. & Reut.
- [*Saxifraga boussingaultii*](#) Brongn.
- [*Saxifraga brachyphylla*](#) Franch.
- [*Saxifraga brachypoda*](#) D.Don
- [*Saxifraga brachypodoidea*](#) J.T.Pan
- [*Saxifraga bracteata*](#) D.Don
- [*Saxifraga brevicaulis*](#) Harry Sm.
- [*Saxifraga bronchialis*](#) L.
- [*Saxifraga brunneopunctata*](#) Harry Sm.
- [*Saxifraga brunonis*](#) Wall. ex Ser.
- [*Saxifraga bryoides*](#) L.
- [*Saxifraga bulbifera*](#) L.
- [*Saxifraga bulleyana*](#) Engl. & Irmsch.
- [*Saxifraga burmensis*](#) Harry Sm. ex Wadhwa
- [*Saxifraga burseriana*](#) L.

C

- [*Saxifraga cacuminum*](#) Harry Sm.

- [*Saxifraga* × *cadevallii*](#) Luizet & Soulié
- [*Saxifraga caesia*](#) L.
- [*Saxifraga callosa*](#) Sm.
- [*Saxifraga calopetala*](#) Harry Sm.
- [*Saxifraga* × *camboana*](#) Font Quer
- [*Saxifraga camposii*](#) Boiss. & Reut.
- [*Saxifraga canaliculata*](#) Boiss. & Reut. ex Engl.
- [*Saxifraga candelabrum*](#) Franch.
- [*Saxifraga* × *capitata*](#) Lapeyr.
- [*Saxifraga caprariae*](#) Mannocci, Ferretti, Mazzoncini & Viciani
- [*Saxifraga cardiophylla*](#) Franch.
- [*Saxifraga carinata*](#) Oett.
- [*Saxifraga carnosula*](#) Mattf.
- [*Saxifraga carpatica*](#) Sternb.
- [*Saxifraga carpetana*](#) Boiss. & Reut.
- [*Saxifraga caspica*](#) Sliplivinsky
- [*Saxifraga caucasica*](#) Sommier & Levier
- [*Saxifraga caveana*](#) W.W.Sm.
- [*Saxifraga cebennensis*](#) Rouy & E.G.Camus
- [*Saxifraga* × *celtiberica*](#) Fuente, Sánchez Mata & G.Navarro
- [*Saxifraga cernua*](#) L.
- [*Saxifraga cespitosa*](#) L.
- [*Saxifraga chadwellii*](#) Wadhwa
- [*Saxifraga champutungensis*](#) H.Chuang
- [*Saxifraga cherlerioides*](#) D.Don
- [*Saxifraga chionophila*](#) Franch.
- [*Saxifraga chrysantha*](#) A.Gray
- [*Saxifraga chrysanthoides*](#) Engl. & Irmsch.
- [*Saxifraga chumbiensis*](#) Engl. & Irmsch.
- [*Saxifraga* × *churchillii*](#) Huter
- [*Saxifraga ciliatopetala*](#) (Engl. & Irmsch.) J.T.Pan
- [*Saxifraga cinerascens*](#) Engl. & Irmsch.
- [*Saxifraga cinerea*](#) Harry Sm.
- [*Saxifraga cintrana*](#) Kuzinsky ex Willk.
- [*Saxifraga clivorum*](#) Harry Sm.
- [*Saxifraga coarctata*](#) W.W.Sm.
- [*Saxifraga* × *cochleariifolia*](#) Schrad. ex Kunze
- [*Saxifraga cochlearis*](#) Rchb.
- [*Saxifraga columnaris*](#) Schmalh. ex Akinf.
- [*Saxifraga* × *columpoda*](#) Holubec
- [*Saxifraga congestiflora*](#) Engl. & Irmsch.
- [*Saxifraga conifera*](#) Coss. & Durieu

- [*Saxifraga × conradiae*](#) J.Prudhomme
- [*Saxifraga consanguinea*](#) W.W.Sm.
- [*Saxifraga contrarea*](#) Harry Sm.
- [*Saxifraga cordigera*](#) Hook.f. & Thomson
- [*Saxifraga corsica*](#) (Ser.) Gren. & Godr.
- [*Saxifraga cortusifolia*](#) Siebold & Zucc.
- [*Saxifraga × costei*](#) Luizet & Soulié
- [*Saxifraga cotyledon*](#) L.
- [*Saxifraga × crawfordii*](#) E.S.Marshall
- [*Saxifraga crustata*](#) Vest
- [*Saxifraga culcitosa*](#) Mattf.
- [*Saxifraga cuneata*](#) Willd.
- [*Saxifraga cuneifolia*](#) L.
- [*Saxifraga cymbalaria*](#) L.

D

- [*Saxifraga dahaiensis*](#) H.Chuang
- [*Saxifraga damingshanensis*](#) W.B.Liao, W.Y.Zhao & J.H.Jin
- [*Saxifraga daochengensis*](#) J.T.Pan
- [*Saxifraga daqiaoensis*](#) F.G.Wang & F.W.Xing
- [*Saxifraga × darrieuxii*](#) Luizet & Soulié
- [*Saxifraga × davidis-webbii*](#) P.Vargas
- [*Saxifraga debilis*](#) Engelm. ex A.Gray
- [*Saxifraga decora*](#) Harry Sm.
- [*Saxifraga decussata*](#) J.Anthony
- [*Saxifraga × degeniana*](#) Hand.-Mazz. & J.Wagner
- [*Saxifraga demnatensis*](#) Coss. ex Engl. & Irmscher
- [*Saxifraga densifoliata*](#) Engl. & Irmsch.
- [*Saxifraga depressa*](#) Sternb.
- [*Saxifraga deqenensis*](#) C.Y.Wu
- [*Saxifraga × desetangsii*](#) Luizet & Soulié
- [*Saxifraga dhwojii*](#) (Harry Sm.) S.Akiyama & H.Ohba
- [*Saxifraga dianxibeiensis*](#) J.T.Pan
- [*Saxifraga diapensia*](#) Harry Sm.
- [*Saxifraga diapensioides*](#) Bellardi
- [*Saxifraga dichotoma*](#) Willd.
- [*Saxifraga dielsiana*](#) Engl. & Irmsch.
- [*Saxifraga diffusicallosa*](#) C.Y.Wu
- [*Saxifraga dingqingensis*](#) J.T.Pan
- [*Saxifraga dinnikii*](#) Schmalh. ex Akinf.
- [*Saxifraga × dinninaris*](#) Holubec
- [*Saxifraga diversifolia*](#) Wall. ex Ser.

- [*Saxifraga dongchuanensis*](#) H.Chuang
- [*Saxifraga dongwanensis*](#) H.Chuang
- [*Saxifraga doyalana*](#) Harry Sm.
- [*Saxifraga drabiformis*](#) Franch.
- [*Saxifraga draboides*](#) C.Y.Wu
- [*Saxifraga dshagalensis*](#) Engl.

E

- [*Saxifraga eglandulosa*](#) Engl.
- [*Saxifraga egregia*](#) Engl.
- [*Saxifraga egregioides*](#) J.T.Pan
- [*Saxifraga elatinoides*](#) Hand.-Mazz.
- [*Saxifraga elliotii*](#) Harry Sm.
- [*Saxifraga elliptica*](#) Engl. & Irmsch.
- [*Saxifraga embergeri*](#) Maire
- [*Saxifraga engleriana*](#) Harry Sm.
- [*Saxifraga epiphylla*](#) Gornall & H.Ohba
- [*Saxifraga erectisepala*](#) J.T.Pan
- [*Saxifraga erinacea*](#) Harry Sm.
- [*Saxifraga erioblasta*](#) Boiss. & Reut.
- [*Saxifraga eschholzii*](#) Sternb.
- [*Saxifraga exarata*](#) Vill.
- [*Saxifraga excellens*](#) Harry Sm.

F

- [*Saxifraga facchinii*](#) W.D.J.Koch
- [*Saxifraga* × *farreri*](#) Druce ex Farrer
- [*Saxifraga* × *faucicola*](#) T.E.Díaz, Fern.Areces & Pérez Carro
- [*Saxifraga federici-augusti*](#) Biasol.
- [*Saxifraga felineri*](#) P.Vargas
- [*Saxifraga ferdinandi-coburgi*](#) Kellerer & Sünd.
- [*Saxifraga filicaulis*](#) Wall. ex Ser.
- [*Saxifraga filifolia*](#) J.Anthony
- [*Saxifraga finitima*](#) W.W.Sm.
- [*Saxifraga flaccida*](#) J.T.Pan
- [*Saxifraga flagellaris*](#) Willd.
- [*Saxifraga flavida*](#) Harry Sm.
- [*Saxifraga flexilis*](#) W.W.Sm.
- [*Saxifraga florulenta*](#) Moretti
- [*Saxifraga* × *fontqueri*](#) Pau
- [*Saxifraga* × *forojulensis*](#) Sünd.

- [*Saxifraga forrestii*](#) Engl. & Irmsch.
- [*Saxifraga* × *forsteri*](#) Stein
- [*Saxifraga fortunei*](#) Hook.
- [*Saxifraga fragilis*](#) Schrank
- [*Saxifraga fragosoi*](#) Sennen

G

- [*Saxifraga ganeshii*](#) H.Ohba & S.Akiyama
- [*Saxifraga* × *gaudinii*](#) Brügger
- [*Saxifraga gedangensis*](#) J.T.Pan
- [*Saxifraga gemmigera*](#) Engl. ex Diels
- [*Saxifraga gemmipara*](#) Franch.
- [*Saxifraga gemmulosa*](#) Boiss.
- [*Saxifraga genesiana*](#) P.Vargas
- [*Saxifraga* × *gentyana*](#) Bouchard
- [*Saxifraga georgei*](#) J.Anthony
- [*Saxifraga geranioides*](#) L.
- [*Saxifraga* × *geum*](#) L.
- [*Saxifraga giraldiana*](#) Engl.
- [*Saxifraga glabella*](#) Bertol.
- [*Saxifraga glabricaulis*](#) Harry Sm.
- [*Saxifraga glacialis*](#) Harry Sm.
- [*Saxifraga glaucophylla*](#) Franch.
- [*Saxifraga globulifera*](#) Desf.
- [*Saxifraga gonggashanensis*](#) J.T.Pan
- [*Saxifraga gongshanensis*](#) T.C.Ku
- [*Saxifraga granulata*](#) L.
- [*Saxifraga granulifera*](#) Harry Sm.
- [*Saxifraga* × *guadarramica*](#) Fern.Casas
- [*Saxifraga gyalana*](#) C.Marquand & Airy Shaw

H

- [*Saxifraga habaensis*](#) C.Y.Wu ex H.Chuang
- [*Saxifraga haenseleri*](#) Boiss. & Reut.
- [*Saxifraga hakkariensis*](#) Firat
- [*Saxifraga haplophylloides*](#) Franch.
- [*Saxifraga harae*](#) H.Ohba & Wakab.
- [*Saxifraga hariatii*](#) Luizet & Soulié
- [*Saxifraga harry-smithii*](#) Wadhwa
- [*Saxifraga* × *hausmannii*](#) A.Kern.
- [*Saxifraga* × *haussknechtii*](#) Stein

- [*Saxifraga hederacea*](#) L.
- [*Saxifraga hederifolia*](#) Hochst. ex A.Rich.
- [*Saxifraga heleonastes*](#) Harry Sm.
- [*Saxifraga hemisphaerica*](#) Hook.f. & Thomson
- [*Saxifraga hengduanensis*](#) H.Chuang
- [*Saxifraga* × *hetenbeliana*](#) Bürgel
- [*Saxifraga heteroclada*](#) Harry Sm.
- [*Saxifraga heterocladoides*](#) J.T.Pan
- [*Saxifraga heterotricha*](#) C.Marquand & Airy Shaw
- [*Saxifraga hirculoides*](#) Decne.
- [*Saxifraga hirculus*](#) L.
- [*Saxifraga hirsuta*](#) L.
- [*Saxifraga hispidula*](#) D.Don
- [*Saxifraga hohenwartii*](#) Vest ex Sternb.
- [*Saxifraga hookeri*](#) Engl. & Irmsch.
- [*Saxifraga hostii*](#) Tausch
- [*Saxifraga hyperborea*](#) R.Br.
- [*Saxifraga hypericoides*](#) Franch.
- [*Saxifraga hypnoides*](#) L.
- [*Saxifraga hypostoma*](#) Harry Sm.

I

- [*Saxifraga imparilis*](#) Balf.f.
- [*Saxifraga implicans*](#) Harry Sm.
- [*Saxifraga inconspicua*](#) W.W.Sm.
- [*Saxifraga insolens*](#) Irmsch.
- [*Saxifraga intricata*](#) Lapeyr.
- [*Saxifraga iranica*](#) Bornm.
- [*Saxifraga irrigua*](#) M.Bieb.
- [*Saxifraga isophylla*](#) Harry Sm.
- [*Saxifraga italica*](#) D.A.Webb

J

- [*Saxifraga jacquemontiana*](#) Decne.
- [*Saxifraga jainzhuglaensis*](#) J.T.Pan
- [*Saxifraga jaljalensis*](#) H.Ohba & S.Akiyama
- [*Saxifraga jamalensis*](#) Zhmylev & Razzh.
- [*Saxifraga jarmilae*](#) Halda
- [*Saxifraga jingdongensis*](#) H.Chuang
- [*Saxifraga josephi*](#) Engl.
- [*Saxifraga* × *jouffroyi*](#) Rouy

- [*Saxifraga juniperifolia*](#) Adams
- [*Saxifraga jurtzevii*](#) Zhmylev

K

- [*Saxifraga* × *karacardica*](#) Bürgel
- [*Saxifraga karadzicensis*](#) (Degen & Košanin) Bürgel
- [*Saxifraga kashmeriana*](#) U.Dhar & Kachroo
- [*Saxifraga kegangii*](#) D.G.Zhang, Ying Meng & M.H.Zhang
- [*Saxifraga khiakhensis*](#) Holubec & Křivka
- [*Saxifraga kinchingingae*](#) Engl.
- [*Saxifraga kingdonii*](#) C.Marquand
- [*Saxifraga kingiana*](#) Engl. & Irmsch.
- [*Saxifraga* × *kochii*](#) Hornung
- [*Saxifraga koelzii*](#) Schönb.-Tem.
- [*Saxifraga kolenatiana*](#) Regel
- [*Saxifraga kongboensis*](#) Harry Sm.
- [*Saxifraga korshinskyi*](#) Kom.
- [*Saxifraga kotschyi*](#) Boiss.
- [*Saxifraga kumaunensis*](#) Engl.
- [*Saxifraga kwangsiensis*](#) Chun & F.C.How ex C.Z.Gao & G.Z.Li

L

- [*Saxifraga lactea*](#) Turcz.
- [*Saxifraga* × *lainzii*](#) P.Vargas
- [*Saxifraga lamninamensis*](#) H.Ohba
- [*Saxifraga latepetiolata*](#) Willk.
- [*Saxifraga latiflora*](#) Hook.f. & Thomson
- [*Saxifraga* × *lecomtei*](#) Luizet & Soulié
- [*Saxifraga lepida*](#) Harry Sm.
- [*Saxifraga* × *lhommei*](#) H.J.Coste & Soulié
- [*Saxifraga* × *lhostei*](#) Bouchard
- [*Saxifraga likiangensis*](#) Franch.
- [*Saxifraga lilacina*](#) Duthie
- [*Saxifraga linearifolia*](#) Engl. & Irmsch.
- [*Saxifraga litangensis*](#) Engl.
- [*Saxifraga lixianensis*](#) T.C.Ku
- [*Saxifraga llonakhensis*](#) W.W.Sm.
- [*Saxifraga longifolia*](#) Lapeyr.
- [*Saxifraga loripes*](#) J.Anthony
- [*Saxifraga losae*](#) Sennen
- [*Saxifraga lowndesii*](#) Harry Sm.

- [*Saxifraga ludingensis*](#) J.T.Pan
- [*Saxifraga ludlowii*](#) Harry Sm.
- [*Saxifraga luizetiana*](#) Emb. & Maire
- [*Saxifraga* × *luizetii*](#) Sennen
- [*Saxifraga luoxiaoensis*](#) W.B.Liao, L.Wang & X.J.Zhang
- [*Saxifraga lushuiensis*](#) H.Chuang
- [*Saxifraga* × *luteopurpurea*](#) Lapeyr.
- [*Saxifraga luteoviridis*](#) Schott & Kotschy
- [*Saxifraga lychnitis*](#) Hook.f. & Thomson

M

- [*Saxifraga macrocalyx*](#) Tolm.
- [*Saxifraga macrostigmatoides*](#) Engl.
- [*Saxifraga maderensis*](#) D.Don
- [*Saxifraga magellanica*](#) Poir.
- [*Saxifraga maireana*](#) Luizet
- [*Saxifraga mallae*](#) H.Ohba & Wakab.
- [*Saxifraga marginata*](#) Sternb.
- [*Saxifraga* × *martyi*](#) Luizet & Soulié
- [*Saxifraga* × *mattfeldii*](#) Engl.
- [*Saxifraga maweana*](#) Baker
- [*Saxifraga maxionggouensis*](#) J.T.Pan
- [*Saxifraga mazanderanica*](#) Rech.f.
- [*Saxifraga media*](#) Gouan
- [*Saxifraga medogensis*](#) J.T.Pan
- [*Saxifraga meeboldii*](#) Engl. & Irmsch.
- [*Saxifraga megacordia*](#) C.Y.Wu ex H.Chuang
- [*Saxifraga* × *melzeri*](#) Köckinger
- [*Saxifraga mengtzeana*](#) Engl. & Irmsch.
- [*Saxifraga micans*](#) Harry Sm.
- [*Saxifraga microcephala*](#) A.P.Khokhr. & Kuvaev
- [*Saxifraga microgyna*](#) Engl. & Irmsch.
- [*Saxifraga microphylla*](#) Royle ex Hook.f. & Thomson
- [*Saxifraga minutifolia*](#) C.Y.Wu ex H.Chuang
- [*Saxifraga minutissima*](#) D.S.Rawat
- [*Saxifraga mira*](#) Harry Sm.
- [*Saxifraga miralana*](#) Harry Sm.
- [*Saxifraga* × *miscellanea*](#) Luizet & Soulié
- [*Saxifraga monantha*](#) Harry Sm.
- [*Saxifraga moncayensis*](#) D.A.Webb
- [*Saxifraga montanella*](#) Harry Sm.
- [*Saxifraga montis-christi*](#) Mannocci, Ferretti, Mazzoncini & Viciani

- [*Saxifraga × montserratii*](#) T.E.Díaz, Fern.Areces & Pérez Carro
- [*Saxifraga moorcroftiana*](#) (Ser.) Wall. ex Sternb.
- [*Saxifraga moschata*](#) Wulfen
- [*Saxifraga mucronulata*](#) Royle
- [*Saxifraga mucronulatoides*](#) J.T.Pan
- [*Saxifraga × muretii*](#) Rambert
- [*Saxifraga muscoides*](#) All.
- [*Saxifraga mutata*](#) L.

N

- [*Saxifraga nakaoi*](#) Kitam.
- [*Saxifraga nakaoides*](#) J.T.Pan
- [*Saxifraga nambulana*](#) Harry Sm.
- [*Saxifraga namdoensis*](#) Harry Sm.
- [*Saxifraga nana*](#) Engl.
- [*Saxifraga nanella*](#) Engl. & Irmsch.
- [*Saxifraga nanelloides*](#) C.Y.Wu
- [*Saxifraga nangqenica*](#) J.T.Pan
- [*Saxifraga nangxianensis*](#) J.T.Pan
- [*Saxifraga nathorstii*](#) (Dusén) Hayek
- [*Saxifraga neopropagulifera*](#) H.Hara
- [*Saxifraga nevadensis*](#) Boiss.
- [*Saxifraga nigroglandulifera*](#) N.P.Balakr.
- [*Saxifraga nigroglandulosa*](#) Engl. & Irmsch.
- [*Saxifraga nipponica*](#) Makino
- [*Saxifraga nishidae*](#) Miyabe & Kudô
- [*Saxifraga numidica*](#) Maire

O

- [*Saxifraga × obscura*](#) Gren. & Godr.
- [*Saxifraga omolajensis*](#) A.P.Khokhr.
- [*Saxifraga omphalodifolia*](#) Hand.-Mazz.
- [*Saxifraga × opdalensis*](#) Blytt
- [*Saxifraga oppositifolia*](#) L.
- [*Saxifraga oreophila*](#) Franch.
- [*Saxifraga osloensis*](#) Knaben
- [*Saxifraga ovczinnikovii*](#) Kamelin

P

- [*Saxifraga × padellae*](#) Brügger

- [*Saxifraga paiquensis*](#) J.T.Pan
- [*Saxifraga palpebrata*](#) Hook.f. & Thomson
- [*Saxifraga paniculata*](#) Mill.
- [*Saxifraga paradoxa*](#) Sternb.
- [*Saxifraga pardanthina*](#) Hand.-Mazz.
- [*Saxifraga parkaensis*](#) J.T.Pan
- [*Saxifraga parnassifolia*](#) D.Don
- [*Saxifraga parnassiodes*](#) Regel & Schmalh.
- [*Saxifraga parva*](#) Hemsl.
- [*Saxifraga* × *patens*](#) Gaudin
- [*Saxifraga* × *paxii*](#) Engl. & Irmsch.
- [*Saxifraga pedemontana*](#) All.
- [*Saxifraga pellucida*](#) C.Y.Wu
- [*Saxifraga pentadactylis*](#) Lapeyr.
- [*Saxifraga peplidifolia*](#) Franch.
- [*Saxifraga peraristulata*](#) Mattf.
- [*Saxifraga perpusilla*](#) Hook.f. & Thomson
- [*Saxifraga petraea*](#) L.
- [*Saxifraga pilifera*](#) Hook.f. & Thomson
- [*Saxifraga* × *polita*](#) (Haw.) Link
- [*Saxifraga poluniniana*](#) Harry Sm.
- [*Saxifraga porophylla*](#) Bertol.
- [*Saxifraga* × *portae*](#) Stein
- [*Saxifraga portosanctana*](#) Boiss.
- [*Saxifraga praetermissa*](#) D.A.Webb
- [*Saxifraga pratensis*](#) Engl. & Irmsch.
- [*Saxifraga prattii*](#) Engl. & Irmsch.
- [*Saxifraga prenja*](#) Beck
- [*Saxifraga presolanensis*](#) Engl.
- [*Saxifraga* × *prietoii*](#) T.E.Díaz, Fern.Areces & Pérez Carro
- [*Saxifraga* × *prudhommei*](#) Aubin
- [*Saxifraga przewalskii*](#) Engl.
- [*Saxifraga* × *pseudocontinentalis*](#) T.E.Díaz, Fern.Areces & Pérez Carro
- [*Saxifraga pseudohirculus*](#) Engl.
- [*Saxifraga pseudolaevis*](#) Oett.
- [*Saxifraga pseudoparvula*](#) H.Chuang
- [*Saxifraga pubescens*](#) Pourr.
- [*Saxifraga pulchra*](#) Engl. & Irmsch.
- [*Saxifraga pulvinaria*](#) Harry Sm.
- [*Saxifraga punctulata*](#) Engl.
- [*Saxifraga punctulatoides*](#) J.T.Pan

Q

- [*Saxifraga quadrifaria*](#) Engl. & Irmsch.

R

- [*Saxifraga* × *ramondii*](#) Luizet & Neyraut
- [*Saxifraga ramsarica*](#) Jamzad
- [*Saxifraga ramulosa*](#) Wall. ex Ser.
- [*Saxifraga* × *recoderi*](#) Fern.Areces, L.Villar & T.E.Díaz
- [*Saxifraga retusa*](#) Gouan
- [*Saxifraga reuteriana*](#) Boiss.
- [*Saxifraga* × *reyeri*](#) Huter
- [*Saxifraga rhodopetala*](#) Harry Sm.
- [*Saxifraga* × *richteri*](#) Luizet & Soulié
- [*Saxifraga rigoi*](#) Freyn ex Porta
- [*Saxifraga* × *rivas-martinezii*](#) T.E.Díaz, Fern.Areces & Pérez Carro
- [*Saxifraga rivularis*](#) L.
- [*Saxifraga rizhaoshanensis*](#) J.T.Pan
- [*Saxifraga rosacea*](#) Moench
- [*Saxifraga rotundifolia*](#) L.
- [*Saxifraga rotundipetala*](#) J.T.Pan
- [*Saxifraga roylei*](#) Harry Sm.
- [*Saxifraga rufescens*](#) Balf.f.
- [*Saxifraga rupicola*](#) Franch.

S

- [*Saxifraga saginoides*](#) Hook.f. & Thomson
- [*Saxifraga* × *saleixiana*](#) Gaussen & Lebrun
- [*Saxifraga sancta*](#) Griseb.
- [*Saxifraga sanguinea*](#) Franch.
- [*Saxifraga saxatilis*](#) Harry Sm.
- [*Saxifraga saxicola*](#) Harry Sm.
- [*Saxifraga saxorum*](#) Harry Sm.
- [*Saxifraga scardica*](#) Griseb.
- [*Saxifraga* × *schachtii*](#) Kummert
- [*Saxifraga scleropoda*](#) Sommier & Levier
- [*Saxifraga sediformis*](#) Engl. & Irmsch.
- [*Saxifraga sedoides*](#) L.
- [*Saxifraga sequieri*](#) Biehler
- [*Saxifraga selemdzhensis*](#) Gorovoj & Vorosch.
- [*Saxifraga sempervivum*](#) K.Koch

- [*Saxifraga sendaica*](#) Maxim.
- [*Saxifraga serotina*](#) Sipliv.
- [*Saxifraga serpyllifolia*](#) Pursh
- [*Saxifraga serrula*](#) Harry Sm.
- [*Saxifraga sessiliflora*](#) Harry Sm.
- [*Saxifraga shennongii*](#) Lei Wang, W.B.Liao & Ji J.Zhang
- [*Saxifraga shequilaensis*](#) J.T.Pan
- [*Saxifraga sherriffii*](#) Harry Sm.
- [*Saxifraga sibirica*](#) L.
- [*Saxifraga sibthorpii*](#) Boiss.
- [*Saxifraga sieversiana*](#) Sternb.
- [*Saxifraga signata*](#) Engl. & Irmsch.
- [*Saxifraga signatella*](#) C.Marquand
- [*Saxifraga sikkimensis*](#) Engl.
- [*Saxifraga sinomontana*](#) J.T.Pan & Gornall
- [*Saxifraga smithiana*](#) Irmsch.
- [*Saxifraga* × *somedana*](#) Fern.Prieto & T.E.Díaz
- [*Saxifraga* × *soriano*](#) García Maroto & Gómez-Merc.
- [*Saxifraga* × *souliei*](#) H.J.Coste
- [*Saxifraga spathularis*](#) Brot.
- [*Saxifraga sphaeradena*](#) Harry Sm.
- [*Saxifraga spruneri*](#) Boiss.
- [*Saxifraga squarrosa*](#) Sieber
- [*Saxifraga staintonii*](#) Harry Sm.
- [*Saxifraga stella-aurea*](#) Hook.f. & Thomson
- [*Saxifraga stellariifolia*](#) Franch.
- [*Saxifraga stelleriana*](#) Merklein ex Ser.
- [*Saxifraga stenophylla*](#) Royle
- [*Saxifraga stoltizkae*](#) Duthie ex Engl. & Irmsch.
- [*Saxifraga stolonifera*](#) Curtis
- [*Saxifraga stribrnyi*](#) (Velen.) Podp.
- [*Saxifraga strigosa*](#) Wall. ex Ser.
- [*Saxifraga styriaca*](#) Köckinger
- [*Saxifraga subaequifoliata*](#) Irmsch.
- [*Saxifraga subamplexicaulis*](#) Engl. & Irmsch.
- [*Saxifraga sublinearifolia*](#) J.T.Pan
- [*Saxifraga submonantha*](#) A.P.Khokhr. & Kuvaev
- [*Saxifraga subomphalodifolia*](#) J.T.Pan
- [*Saxifraga subsessiliflora*](#) Engl. & Irmsch.
- [*Saxifraga subspathulata*](#) Engl. & Irmsch.
- [*Saxifraga substrigosa*](#) J.T.Pan
- [*Saxifraga subternata*](#) Harry Sm.

- [*Saxifraga subtsangchanensis*](#) J.T.Pan
- [*Saxifraga subverticillata*](#) Boiss.
- [*Saxifraga* × *superba*](#) Rouy & E.G.Camus
- [*Saxifraga svalbardensis*](#) Øvstedal

T

- [*Saxifraga tangutica*](#) Engl.
- [*Saxifraga taraktophylla*](#) C.Marquand & Airy Shaw
- [*Saxifraga tatsienluensis*](#) Engl.
- [*Saxifraga taygetea*](#) Boiss. & Heldr.
- [*Saxifraga taylorii*](#) Calder & Savile
- [*Saxifraga tenella*](#) Wulfen
- [*Saxifraga tentaculata*](#) C.E.C.Fisch.
- [*Saxifraga terekensis*](#) Bunge
- [*Saxifraga thiantha*](#) Harry Sm.
- [*Saxifraga* × *thrinax*](#) Rech.
- [*Saxifraga tibetica*](#) Losinsk.
- [*Saxifraga tigrina*](#) Harry Sm.
- [*Saxifraga* × *tirolensis*](#) A.Kern.
- [*Saxifraga tombeanensis*](#) Boiss. ex Engl.
- [*Saxifraga trabutiana*](#) Engl. & Irmsch.
- [*Saxifraga trautvetteri*](#) Manden.
- [*Saxifraga triaristulata*](#) Hand.-Mazz.
- [*Saxifraga tricrenata*](#) Pau & Font Quer
- [*Saxifraga tricuspidata*](#) Rottb.
- [*Saxifraga tridactylites*](#) L.
- [*Saxifraga trifurcata*](#) Schrad.
- [*Saxifraga tsangchanensis*](#) Franch.
- [*Saxifraga* × *tukuchensis*](#) Bürgel

U

- [*Saxifraga umbellulata*](#) Hook.f. & Thomson
- [*Saxifraga umbrosa*](#) L.
- [*Saxifraga unguiculata*](#) Engl.
- [*Saxifraga unguipetala*](#) Engl. & Irmsch.
- [*Saxifraga uninervia*](#) J.Anthony
- [*Saxifraga* × *urbionica*](#) Losa

V

- [*Saxifraga vacillans*](#) Harry Sm.

- [*Saxifraga valdensis*](#) DC.
- [*Saxifraga valleculosa*](#) H.Chuang
- [*Saxifraga vandellii*](#) Sternb.
- [*Saxifraga vayredana*](#) Luizet
- [*Saxifraga* × *verguinii*](#) Luizet & Soulié
- [*Saxifraga versicallosa*](#) C.Y.Wu ex H.Chuang
- [*Saxifraga vespertina*](#) (Small) Fedde
- [*Saxifraga* × *vetteri*](#) Burnat
- [*Saxifraga* × *vierhapperi*](#) Hand.-Mazz.
- [*Saxifraga virgularis*](#) Harry Sm.
- [*Saxifraga viridipetala*](#) Z.X.Zhang & Gornall
- [*Saxifraga viscidula*](#) Hook.f. & Thomson
- [*Saxifraga voroschilovii*](#) Sipliv.
- [*Saxifraga vulcanica*](#) Sipliv.
- [*Saxifraga vvedenskyi*](#) Abdull.

W

- [*Saxifraga wahlenbergii*](#) Ball
- [*Saxifraga wallichiana*](#) Sternb.
- [*Saxifraga wardii*](#) W.W.Sm.
- [*Saxifraga wenchuanensis*](#) T.C.Ku
- [*Saxifraga wendelboi*](#) Schönb.-Tem.
- [*Saxifraga wernerii*](#) Font Quer & Pau
- [*Saxifraga* × *wettsteinii*](#) Brügger
- [*Saxifraga* × *wilczekii*](#) Verg. & Neyraut ex Luizet
- [*Saxifraga williamsii*](#) Harry Sm.

X

- [*Saxifraga xiaozhongdianensis*](#) J.T.Pan

Y

- [*Saxifraga yarlungzangboensis*](#) J.T.Pan
- [*Saxifraga yezhiensis*](#) C.Y.Wu
- [*Saxifraga yoshimurae*](#) Miyabe & Tatew.
- [*Saxifraga yushuensis*](#) J.T.Pan
- [*Saxifraga* × *yvesii*](#) Neyraut & Verg. ex Luizet

Z

- [*Saxifraga zayuensis*](#) T.C.Ku

- [*Saxifraga zhidoensis*](#) J.T.Pan
- [*Saxifraga zimmermannii*](#) Baehni
- [*Saxifraga* × *zimmereri*](#) A.Kern.

From Wikipedia, the free encyclopedia

This is a **list of species in the plant genus *Saussurea***, many of which are known as saw-worts. There are over 500 species recognised in the genus [*Saussurea*](#):

List

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Saussurea abnormis*](#) Lipsch.
- [*Saussurea acromelaena*](#) Hand.-Mazz.
- [*Saussurea acrophila*](#) Diels
- [*Saussurea acrourea*](#) H.A.Cummins
- [*Saussurea acuminata*](#) Turcz. ex Fisch. & C.A.Mey.
- [*Saussurea acutisquama*](#) Raab-Straube
- [*Saussurea aerjingensis*](#) K.M.Shen
- [*Saussurea afghana*](#) Lipsch.
- [*Saussurea ainorum*](#) Barkalov
- [*Saussurea ajanensis*](#) Lipsch.
- [*Saussurea alaschanica*](#) Maxim.
- [*Saussurea alata*](#) DC.
- [*Saussurea alatipes*](#) Hemsl.
- [*Saussurea alberti*](#) Regel & C.Winkl.
- [*Saussurea albifolia*](#) M.J.Nam & Im
- [*Saussurea alpina*](#) (L.) DC.
- [*Saussurea amabilis*](#) Kitam.
- [*Saussurea amara*](#) (L.) DC.
- [*Saussurea americana*](#) Eaton
- [*Saussurea amurensis*](#) Turcz. ex DC.
- [*Saussurea andersonii*](#) C.B.Clarke
- [*Saussurea andoana*](#) Kadota
- [*Saussurea andryaloides*](#) (DC.) Sch.Bip.
- [*Saussurea angustifolia*](#) (L.) DC.
- [*Saussurea apus*](#) Maxim.
- [*Saussurea arctecapitulata*](#) Lipsch.
- [*Saussurea arenaria*](#) Maxim.
- [*Saussurea aster*](#) Hemsl.
- [*Saussurea atkinsonii*](#) C.B.Clarke
- [*Saussurea atrata*](#) W.E.Evans
- [*Saussurea austrotibetica*](#) Y.S.Chen

B

- [*Saussurea baicalensis*](#) (Adams) B.L.Rob.
- [*Saussurea balangshanensis*](#) Y.Z.Zhang & H.Sun
- [*Saussurea baoxingensis*](#) Y.S.Chen
- [*Saussurea baroniana*](#) Diels
- [*Saussurea bartholomewii*](#) S.W.Liu & T.N.Ho
- [*Saussurea bella*](#) Y.Ling
- [*Saussurea bhutanensis*](#) Y.S.Chen

- [*Saussurea bhutkesh*](#) Fujikawa & H.Ohba
- [*Saussurea bijiangensis*](#) Y.L.Chen ex B.Q.Xu, N.H.Xia & G.Hao
- [*Saussurea blanda*](#) Schrenk
- [*Saussurea bogedaensis*](#) Yu J.Wang & J.Chen
- [*Saussurea brachycephala*](#) Franch.
- [*Saussurea brachylepis*](#) Hand.-Mazz.
- [*Saussurea bracteata*](#) Decne.
- [*Saussurea brunneopilosa*](#) Hand.-Mazz.
- [*Saussurea bullata*](#) W.W.Sm.
- [*Saussurea bullockii*](#) Dunn

C

- [*Saussurea caespitans*](#) Iljin
- [*Saussurea caespitosa*](#) (DC.) Wall. ex Sch.Bip.
- [*Saussurea calcicola*](#) Nakai
- [*Saussurea cana*](#) Ledeb.
- [*Saussurea candolleana*](#) (DC.) Sch.Bip.
- [*Saussurea canescens*](#) C.Winkl.
- [*Saussurea caprifolia*](#) Iljin & Zaprjag.
- [*Saussurea carduiformis*](#) Franch.
- [*Saussurea catharinae*](#) Lipsch.
- [*Saussurea caudata*](#) Franch.
- [*Saussurea cauloptera*](#) Hand.-Mazz.
- [*Saussurea centiloba*](#) Hand.-Mazz.
- [*Saussurea ceterach*](#) Hand.-Mazz.
- [*Saussurea ceterachifolia*](#) Lipsch.
- [*Saussurea chabyoungsanica*](#) Im
- [*Saussurea chamarensis*](#) Peschkova
- [*Saussurea chetchozensis*](#) Franch.
- [*Saussurea chinduensis*](#) Y.S.Chen
- [*Saussurea chinensis*](#) (Maxim.) Lipsch.
- [*Saussurea chingiana*](#) Hand.-Mazz.
- [*Saussurea chinnampoensis*](#) H.Lév. & Vaniot
- [*Saussurea chionophylla*](#) Takeda
- [*Saussurea chondrilloides*](#) C.Winkl.
- [*Saussurea chrysotricha*](#) Ludlow
- [*Saussurea ciliaris*](#) Franch.
- [*Saussurea cinerea*](#) Franch.
- [*Saussurea clarkei*](#) Hook.f.
- [*Saussurea cochlearifolia*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea colpodes*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea columnaris*](#) Hand.-Mazz.

- [*Saussurea compta*](#) Franch.
- [*Saussurea conaensis*](#) (S.W.Liu) Fujikawa & H.Ohba
- [*Saussurea congesta*](#) Turcz. ex DC.
- [*Saussurea controversa*](#) DC.
- [*Saussurea conyzoides*](#) Hemsl.
- [*Saussurea cordifolia*](#) Hemsl.
- [*Saussurea coriacea*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea coriolepis*](#) Hand.-Mazz.
- [*Saussurea coronata*](#) Schrenk.
- [*Saussurea crupinastrum*](#) (Bornm.) Lipsch.
- [*Saussurea czichaczewii*](#) Maneev & Krasnob.

D

- [*Saussurea daurica*](#) Adams
- [*Saussurea delavayi*](#) Franch.
- [*Saussurea denticulata*](#) Ledeb.
- [*Saussurea depressa*](#) Gren.
- [*Saussurea depsangensis*](#) Pamp.
- [*Saussurea deserticola*](#) H.C.Fu
- [*Saussurea devendrae*](#) Pusalkar
- [*Saussurea dhwojii*](#) Kitam.
- [*Saussurea diamantiaca*](#) Nakai
- [*Saussurea dielsiana*](#) Koidz.
- [*Saussurea diffusa*](#) S.Ju.Lipschitz
- [*Saussurea dimorphaea*](#) Franch.
- [*Saussurea discolor*](#) (Willd.) DC.
- [*Saussurea dolichopoda*](#) Diels
- [*Saussurea donkiah*](#) C.B.Clarke ex Spring.
- [*Saussurea dschungdienensis*](#) Hand.-Mazz.
- [*Saussurea dubia*](#) Freyn
- [*Saussurea dulongjiangensis*](#) Y.S.Chen
- [*Saussurea dzeurensis*](#) Franch.

E

- [*Saussurea elata*](#) Ledeb.
- [*Saussurea elegans*](#) Ledeb.
- [*Saussurea elliptica*](#) C.B.Clarke ex Hook.f.
- [*Saussurea elongata*](#) DC.
- [*Saussurea epilobioides*](#) Maxim.
- [*Saussurea eriocephala*](#) Franch.
- [*Saussurea eriophylla*](#) Nakai

- [*Saussurea eriostemon*](#) Wall. ex C.B.Clarke
- [*Saussurea erubescens*](#) Lipsch.
- [*Saussurea esthonica*](#) Baer ex Rupr.
- [*Saussurea euodonta*](#) Diels

F

- [*Saussurea falconeri*](#) Hook.f.
- [*Saussurea famintziniana*](#) Krasn.
- [*Saussurea fargesii*](#) Franch.
- [*Saussurea fauriei*](#) Franch.
- [*Saussurea fibrosa*](#) King ex W.W.Sm.
- [*Saussurea filicifolia*](#) (Hook.f.) Y.S.Chen
- [*Saussurea firma*](#) (Kitag.) Kitam.
- [*Saussurea fistulosa*](#) J.Anthony
- [*Saussurea flaccida*](#) Y.Ling
- [*Saussurea flexuosa*](#) Franch.
- [*Saussurea foliosa*](#) Ledeb.
- [*Saussurea franchetii*](#) Koidz.
- [*Saussurea frondosa*](#) Hand.-Mazz.
- [*Saussurea fuboensis*](#) Kadota
- [*Saussurea fulcrata*](#) Khokhr. & Vorosch.
- [*Saussurea fuscipappa*](#) Y.S.Chen

G

- [*Saussurea georgei*](#) J.Anthony
- [*Saussurea glabrescens*](#) (Hand.-Mazz.) Y.S.Chen
- [*Saussurea glacialis*](#) Herder
- [*Saussurea glandulosa*](#) Kitam.
- [*Saussurea glandulosissima*](#) Raab-Straube
- [*Saussurea globosa*](#) F.H.Chen
- [*Saussurea gnaphalodes*](#) (Royle ex DC.) Sch.Bip.
- [*Saussurea gongriensis*](#) Y.S.Chen
- [*Saussurea gossipiphora*](#) D.Don
- [*Saussurea graciliformis*](#) Lipsch.
- [*Saussurea gracilis*](#) Maxim.
- [*Saussurea graminea*](#) Dunn
- [*Saussurea graminifolia*](#) Wall. ex DC.
- [*Saussurea grandiceps*](#) S.W.Liu
- [*Saussurea grandifolia*](#) Maxim.
- [*Saussurea griffithii*](#) Boiss.
- [*Saussurea grosseserrata*](#) Franch.

- [*Saussurea grubovii*](#) Lipsch.
- [*Saussurea gubanovii*](#) Kamelin
- [*Saussurea gyacaensis*](#) S.W.Liu
- [*Saussurea gymnocephala*](#) (Y.Ling) Raab-Straube

H

- [*Saussurea habashanensis*](#) Y.S.Chen
- [*Saussurea haizishanensis*](#) B.Q.Xu, G.Hao & N.H.Xia
- [*Saussurea hamanakaensis*](#) Kadota
- [*Saussurea hemsleyi*](#) Lipsch.
- [*Saussurea hengduanshanensis*](#) Raab-Straube
- [*Saussurea henryi*](#) Hemsl.
- [*Saussurea hieracioides*](#) Hook.f.
- [*Saussurea hookeri*](#) C.B.Clarke
- [*Saussurea hosoiiana*](#) Kadota
- [*Saussurea huashanensis*](#) (Y.Ling) X.Y.Wu
- [*Saussurea hultenii*](#) Lipsch.
- [*Saussurea hwangshanensis*](#) Y.Ling
- [*Saussurea hybrida*](#) Degen & Gáyér
- [*Saussurea hylophila*](#) Hand.-Mazz.
- [*Saussurea hypargyrea*](#) Lipsch. & Vved.

I

- [*Saussurea igoschinae*](#) Knjaz., A.G.Bystr. & E.V.Bystr.
- [*Saussurea inaensis*](#) Kitam.
- [*Saussurea insularis*](#) Kitam.
- [*Saussurea integrifolia*](#) Hand.-Mazz.
- [*Saussurea inversa*](#) Raab-Straube
- [*Saussurea involucrata*](#) (Kar. & Kir.) Sch.Bip.
- [*Saussurea iodoleuca*](#) Hand.-Mazz.
- [*Saussurea iodostegia*](#) Hance
- [*Saussurea ispajensis*](#) Iljin
- [*Saussurea italica*](#) Pînzaru

J

- [*Saussurea jadrincevii*](#) Krylov
- [*Saussurea japonica*](#) (Thunb.) DC.
- [*Saussurea jindongensis*](#) Y.S.Chen
- [*Saussurea jiulongensis*](#) Y.S.Chen
- [*Saussurea jurineoides*](#) H.C.Fu

K

- [*Saussurea kabadiana*](#) Rassulova & B.A.Sharipova
- [*Saussurea kamtschatica*](#) Barkalov
- [*Saussurea kanaii*](#) Fujikawa & H.Ohba
- [*Saussurea kansuensis*](#) Hand.-Mazz.
- [*Saussurea kanzanensis*](#) Kitam.
- [*Saussurea karaartscha*](#) Saposhn.
- [*Saussurea* × *karuizawensis*](#) H.Hara
- [*Saussurea kaschgarica*](#) Rupr.
- [*Saussurea katoana*](#) Kadota
- [*Saussurea katochaete*](#) Maxim.
- [*Saussurea kawakarpo*](#) Raab-Straube
- [*Saussurea kenji-horieana*](#) Kadota
- [*Saussurea khunjerabensis*](#) Y.S.Chen
- [*Saussurea kingii*](#) J.R.Drumm. ex C.E.C.Fisch.
- [*Saussurea kiraisiensis*](#) Masam.
- [*Saussurea kitamurana*](#) Miyabe & Tatew.
- [*Saussurea klementzii*](#) Lipsch.
- [*Saussurea kolesnikovii*](#) Khokhryakov & Vorosch.
- [*Saussurea komarnitzkii*](#) Lipsch.
- [*Saussurea komaroviana*](#) Lipsch.
- [*Saussurea krasnoborovii*](#) S.V.Smirn.
- [*Saussurea krylovii*](#) Schischk. & Serg.
- [*Saussurea kubotae*](#) Kadota
- [*Saussurea kungii*](#) Y.Ling
- [*Saussurea kurentzoviae*](#) Barkalov
- [*Saussurea kurilensis*](#) Tatew.

L

- [*Saussurea laciniata*](#) Ledeb.
- [*Saussurea lacostei*](#) Danguy
- [*Saussurea ladyginii*](#) Lipsch.
- [*Saussurea laminamaensis*](#) Kitam.
- [*Saussurea lampsanifolia*](#) Franch.
- [*Saussurea laneana*](#) W.W.Sm.
- [*Saussurea langpoensis*](#) Y.S.Chen
- [*Saussurea laniceps*](#) Hand.-Mazz.
- [*Saussurea larionowii*](#) C.Winkl.
- [*Saussurea latifolia*](#) Ledeb.
- [*Saussurea lavrenkoana*](#) Lipsch.
- [*Saussurea leclerei*](#) H.Lév.

- [*Saussurea lehmannii*](#) (Bunge) N.Garcia, Herrando & Susanna
- [*Saussurea leiocarpa*](#) Hand.-Mazz.
- [*Saussurea lenensis*](#) Popov
- [*Saussurea leontodontoides*](#) (DC.) Sch.Bip.
- [*Saussurea leptolepis*](#) Hand.-Mazz.
- [*Saussurea leucoma*](#) Diels
- [*Saussurea leucophylla*](#) Schrenk
- [*Saussurea lhozhaensis*](#) Y.S.Chen
- [*Saussurea lhunzensis*](#) Y.S.Chen
- [*Saussurea lhunzhubensis*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea liangshanensis*](#) Y.S.Chen
- [*Saussurea licentiana*](#) Hand.-Mazz.
- [*Saussurea limprichtii*](#) Diels
- [*Saussurea linearifolia*](#) Ludlow
- [*Saussurea lingulata*](#) Franch.
- [*Saussurea lipschitzii*](#) Filatova
- [*Saussurea lomatolepis*](#) Lipsch.
- [*Saussurea longifolia*](#) Franch.
- [*Saussurea loriformis*](#) W.W.Sm.
- [*Saussurea luae*](#) Raab-Straube
- [*Saussurea lyrata*](#) (Bunge) Franch.

M

- [*Saussurea macrota*](#) Franch.
- [*Saussurea mae*](#) H.C.Fu
- [*Saussurea malitiosa*](#) Maxim.
- [*Saussurea manshurica*](#) Kom.
- [*Saussurea maximowiczii*](#) Herder
- [*Saussurea medusa*](#) Maxim.
- [*Saussurea megacephala*](#) C.C.Chang ex Y.S.Chen
- [*Saussurea megaphylla*](#) (X.Y.Wu) Y.S.Chen
- [*Saussurea melanotricha*](#) Hand.-Mazz.
- [*Saussurea merinoi*](#) H.Lév.
- [*Saussurea micradenia*](#) Hand.-Mazz.
- [*Saussurea mihokokawakamiana*](#) Kadota
- [*Saussurea mikeschinskii*](#) Iljin
- [*Saussurea minuta*](#) C.Winkl.
- [*Saussurea minutiloba*](#) Y.S.Chen
- [*Saussurea* × *mirabilis*](#) Kitam.
- [*Saussurea modesta*](#) Kitam.
- [*Saussurea mongolica*](#) (Franch.) Franch.
- [*Saussurea montana*](#) J.Anthony

- [*Saussurea morifolia*](#) F.H.Chen
- [*Saussurea morozeviczi*](#) B.Fedtsch.
- [*Saussurea mucronulata*](#) Lipsch.
- [*Saussurea muliensis*](#) Hand.-Mazz.
- [*Saussurea multiloba*](#) Y.S.Chen
- [*Saussurea mutabilis*](#) Diels

N

- [*Saussurea nagensis*](#) C.E.C.Fisch.
- [*Saussurea nakagawae*](#) Kadota
- [*Saussurea nakaiana*](#) Kom.
- [*Saussurea namhaedoana*](#) J.M.Chung & Im
- [*Saussurea neichiana*](#) Kadota
- [*Saussurea nematolepis*](#) Y.Ling
- [*Saussurea neofranchetii*](#) Lipsch.
- [*Saussurea neopulchella*](#) Lipsch.
- [*Saussurea neoserrata*](#) Nakai
- [*Saussurea nigrescens*](#) Maxim.
- [*Saussurea nikoensis*](#) Franch. & Sav.
- [*Saussurea nimborum*](#) W.W.Sm.
- [*Saussurea ninae*](#) Iljin
- [*Saussurea nipponica*](#) Miq.
- [*Saussurea nishiokae*](#) Kitam.
- [*Saussurea nivea*](#) Turcz.
- [*Saussurea nuda*](#) Ledeb.
- [*Saussurea nupuripoensis*](#) Miyabe & T.Miyake
- [*Saussurea nyalamensis*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea nyingchiensis*](#) Y.S.Chen

O

- [*Saussurea oblongifolia*](#) F.H.Chen
- [*Saussurea obscura*](#) Lipsch.
- [*Saussurea obvallata*](#) (DC.) Sch.Bip.
- [*Saussurea odontolepis*](#) (Herder) Sch.Bip. ex Maxim.
- [*Saussurea odorata*](#) E.Pjak
- [*Saussurea oligantha*](#) Franch.
- [*Saussurea oligocephala*](#) (Y.Ling) Y.Ling
- [*Saussurea orgadayi*](#) Khanm. & Krasnob.
- [*Saussurea orientalis*](#) (Diels) Raab-Straube
- [*Saussurea ovata*](#) Benth.
- [*Saussurea ovatifolia*](#) Y.L.Chen & S.Yun Liang

P

- [*Saussurea pachyneura*](#) Franch.
- [*Saussurea pagriensis*](#) Y.S.Chen
- [*Saussurea paleacea*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea paleata*](#) Maxim.
- [*Saussurea pantlingiana*](#) W.W.Sm.
- [*Saussurea parviflora*](#) (Poir.) DC.
- [*Saussurea paucijuga*](#) Y.Ling
- [*Saussurea paxiana*](#) Diels
- [*Saussurea pectinata*](#) Bunge ex DC.
- [*Saussurea peduncularis*](#) Franch.
- [*Saussurea pennata*](#) Koidz.
- [*Saussurea petiolata*](#) Kom. ex Lipsch.
- [*Saussurea petrovii*](#) Lipsch.
- [*Saussurea phaeantha*](#) Maxim.
- [*Saussurea picridifolia*](#) (Hand.-Mazz.) Y.S.Chen & Qian Yuan
- [*Saussurea pilinophylla*](#) Diels
- [*Saussurea pinetorum*](#) Hand.-Mazz.
- [*Saussurea pinnatidentata*](#) Lipsch.
- [*Saussurea pinnatiphylla*](#) Grierson & Spring.
- [*Saussurea piptathera*](#) Edgew.
- [*Saussurea platyphyllaria*](#) Ludlow
- [*Saussurea platypoda*](#) Hand.-Mazz.
- [*Saussurea poljakowii*](#) Glehn
- [*Saussurea polycephala*](#) Hand.-Mazz.
- [*Saussurea polycolea*](#) Hand.-Mazz.
- [*Saussurea polygonifolia*](#) F.H.Chen
- [*Saussurea polypodioides*](#) J.Anthony
- [*Saussurea polystichoides*](#) Hook.f.
- [*Saussurea poochlamys*](#) Hand.-Mazz.
- [*Saussurea popovii*](#) Lipsch.
- [*Saussurea populifolia*](#) Hemsl.
- [*Saussurea porcii*](#) Degen
- [*Saussurea porphyroleuca*](#) Hand.-Mazz.
- [*Saussurea pratensis*](#) J.Anthony
- [*Saussurea pricei*](#) N.D.Simpson
- [*Saussurea prostrata*](#) C.Winkl.
- [*Saussurea przewalskii*](#) Maxim.
- [*Saussurea pseudoalpina*](#) N.D.Simpson
- [*Saussurea pseudoangustifolia*](#) Lipsch.
- [*Saussurea pseudoblanda*](#) Lipsch. ex Filat
- [*Saussurea pseudobullockii*](#) Lipsch.

- [*Saussurea pseudochondrilloides*](#) Rassulova & B.A.Sharipova
- [*Saussurea pseudoerlostemon*](#) Y.S.Chen
- [*Saussurea pseudogracilis*](#) Kitam.
- [*Saussurea pseudograminea*](#) Y.F.Wang, G.Z.Du & Y.S.Lian
- [*Saussurea pseudojiulongensis*](#) Y.S.Chen
- [*Saussurea pseudoleucoma*](#) Y.S.Chen
- [*Saussurea pseudolingulata*](#) Y.S.Chen
- [*Saussurea pseudomalitiosa*](#) Lipsch.
- [*Saussurea pseudoplatyphyllaria*](#) Y.S.Chen
- [*Saussurea pseudorockii*](#) Y.S.Chen
- [*Saussurea pseudosalsa*](#) Lipsch.
- [*Saussurea pseudosimpsoniana*](#) Y.S.Chen
- [*Saussurea pseudosquarrosa*](#) Popov & Lipsch.
- [*Saussurea pseudotilesii*](#) Lipsch.
- [*Saussurea pseudotridactyla*](#) Y.S.Chen
- [*Saussurea pseudoyunnanensis*](#) Y.S.Chen
- [*Saussurea pteridophylla*](#) Hand.-Mazz.
- [*Saussurea pubescens*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea pubifolia*](#) S.W.Liu
- [*Saussurea pulchella*](#) (Fisch.) Fisch. ex Colla
- [*Saussurea pulchra*](#) Lipsch.
- [*Saussurea pulvinata*](#) Maxim.
- [*Saussurea pulviniformis*](#) C.Winkl.
- [*Saussurea pumila*](#) C.Winkl.
- [*Saussurea purpurascens*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea pygmaea*](#) Spreng.

Q

- [*Saussurea qamdoensis*](#) Y.S.Chen
- [*Saussurea qinghaiensis*](#) S.W.Liu & T.N.Ho
- [*Saussurea quercifolia*](#) W.W.Sm.

R

- [*Saussurea ramchaudharyi*](#) Ghimire & H.K.Rana
- [*Saussurea ramosa*](#) Lipsch.
- [*Saussurea rara*](#) Kitam.
- [*Saussurea recurvata*](#) (Maxim.) Lipsch.
- [*Saussurea retroserrata*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea revjakinae*](#) S.V.Smirn.
- [*Saussurea riederi*](#) Herder
- [*Saussurea rigida*](#) Ledeb.

- [*Saussurea robusta*](#) Ledeb.
- [*Saussurea rockii*](#) J.Anthony
- [*Saussurea rolwalingensis*](#) Fujikawa & H.Ohba
- [*Saussurea romuleifolia*](#) Franch.
- [*Saussurea rotundifolia*](#) F.H.Chen
- [*Saussurea roylei*](#) (DC.) Sch.Bip.
- [*Saussurea runcinata*](#) DC.

S

- [*Saussurea sagitta*](#) Franch.
- [*Saussurea sagittifolia*](#) Y.S.Chen & S.R. Yi
- [*Saussurea saichanensis*](#) Kom. ex Lipsch.
- [*Saussurea sajanensis*](#) Gudoschn.
- [*Saussurea salemanni*](#) C.Winkl.
- [*Saussurea salicifolia*](#) (L.) DC.
- [*Saussurea saligna*](#) Franch.
- [*Saussurea salsa*](#) (Pall.) Spreng.
- [*Saussurea salwinensis*](#) J.Anthony
- [*Saussurea satowii*](#) Kitam.
- [*Saussurea sawae*](#) Kadota
- [*Saussurea saxosa*](#) Lipsch.
- [*Saussurea scabrida*](#) Franch.
- [*Saussurea scaposa*](#) Franch. & Sav.
- [*Saussurea schachimardanica*](#) Kamelin
- [*Saussurea schanginiana*](#) (Wydler) Fisch. ex Herder
- [*Saussurea schlagintweitii*](#) Klatt
- [*Saussurea schultzii*](#) Hook.f.
- [*Saussurea schweingruberi*](#) Stepanov
- [*Saussurea semiamplexicaulis*](#) Lipsch.
- [*Saussurea semifasciata*](#) Hand.-Mazz.
- [*Saussurea semilyrata*](#) Bureau & Franch.
- [*Saussurea seoulensis*](#) Nakai
- [*Saussurea septentrionalis*](#) Raab-Straube
- [*Saussurea sericea*](#) Y.L.Chen & S.Yun Liang
- [*Saussurea serratuloides*](#) Turcz.
- [*Saussurea sessiliflora*](#) (Koidz.) Kadota
- [*Saussurea shangrilaensis*](#) Y.S.Chen
- [*Saussurea shiretokoensis*](#) Sugaw.
- [*Saussurea shonaiensis*](#) Kadota
- [*Saussurea shuiluoensis*](#) Y.S.Chen
- [*Saussurea sichuanica*](#) Raab-Straube
- [*Saussurea sikkimensis*](#) Raab-Straube

- [*Saussurea simpsoniana*](#) (Fielding & Gardner) Lipsch.
- [*Saussurea sinuata*](#) Kom.
- [*Saussurea sinuatoides*](#) Nakai
- [*Saussurea smithiana*](#) Hand.-Mazz.
- [*Saussurea sobarocephala*](#) Diels
- [*Saussurea sobarocephaloides*](#) Y.S.Chen
- [*Saussurea solaris*](#) Raab-Straube & Lidén
- [*Saussurea sordida*](#) Kar. & Kir.
- [*Saussurea souliei*](#) Franch.
- [*Saussurea sovietica*](#) Kom.
- [*Saussurea spatulifolia*](#) Franch.
- [*Saussurea spicata*](#) Kitam.
- [*Saussurea splendida*](#) Kom.
- [*Saussurea squarrosa*](#) Turcz.
- [*Saussurea stafleuana*](#) Lipsch.
- [*Saussurea stella*](#) Maxim.
- [*Saussurea stolbensis*](#) Stepanov
- [*Saussurea stoliczkae*](#) C.B.Clarke
- [*Saussurea stracheyana*](#) (Kuntze) Lipsch.
- [*Saussurea stricta*](#) Franch.
- [*Saussurea stubendorffii*](#) Herder
- [*Saussurea subacaulis*](#) (Ledeb.) Serg.
- [*Saussurea* × *subgracilis*](#) K.Asano ex T.Shimizu
- [*Saussurea subtriangulata*](#) Kom.
- [*Saussurea subulata*](#) C.B.Clarke
- [*Saussurea subulisquama*](#) Hand.-Mazz.
- [*Saussurea sudhanshui*](#) Hajra
- [*Saussurea sughoo*](#) C.B.Clarke
- [*Saussurea sugimurai*](#) Honda
- [*Saussurea sugongii*](#) S.W.Liu & T.N.Ho
- [*Saussurea sunhangii*](#) Raab-Straube
- [*Saussurea superba*](#) J.Anthony
- [*Saussurea sutchuenensis*](#) Franch.
- [*Saussurea sylvatica*](#) Maxim.

T

- [*Saussurea tadshikorum*](#) Iljin & Gontsch.
- [*Saussurea taipaiensis*](#) Y.Ling
- [*Saussurea tanakae*](#) Franch. & Sav. ex Maxim.
- [*Saussurea tangutica*](#) Maxim.
- [*Saussurea taraxacifolia*](#) (Lindl. ex Royle) Wall. ex DC.
- [*Saussurea tatsienensis*](#) Franch.

- [*Saussurea tenerifolia*](#) Kitag.
- [*Saussurea thomsonii*](#) C.B.Clarke
- [*Saussurea thoroldii*](#) Hemsl.
- [*Saussurea tianshuiensis*](#) X.Y.Wu
- [*Saussurea tibetica*](#) C.Winkl.
- [*Saussurea tilesii*](#) (Ledeb.) Ledeb.
- [*Saussurea tobitae*](#) Kitam.
- [*Saussurea tomentosa*](#) Kom.
- [*Saussurea tomentosella*](#) A.P.Khokhr.
- [*Saussurea topkegolensis*](#) H.Ohba & S.Akiyama
- [*Saussurea triangulata*](#) Trautv. & C.A.Mey.
- [*Saussurea tridactyla*](#) Sch.Bip. ex Hook.f.
- [*Saussurea triptera*](#) Maxim.
- [*Saussurea tsoongii*](#) Y.S.Chen
- [*Saussurea tunglingensis*](#) F.H.Chen
- [*Saussurea turgaiensis*](#) B.Fedtsch.

U

- [*Saussurea ugoensis*](#) Kadota
- [*Saussurea uliginosa*](#) Hand.-Mazz.
- [*Saussurea umbrosa*](#) Kom.
- [*Saussurea undulata*](#) Hand.-Mazz.
- [*Saussurea uniflora*](#) (DC.) Wall. ex Sch.Bip.
- [*Saussurea* × *uralensis*](#) Lipsch.
- [*Saussurea uryuensis*](#) (Kadota) Kadota
- [*Saussurea ussuriensis*](#) Maxim.

V

- [*Saussurea variiloba*](#) Y.Ling
- [*Saussurea veitchiana*](#) J.R.Drumm. & Hutch.
- [*Saussurea velutina*](#) W.W.Sm.
- [*Saussurea vestita*](#) Franch.
- [*Saussurea vestitiformis*](#) Hand.-Mazz.
- [*Saussurea virgata*](#) Franch.
- [*Saussurea vvedenskyi*](#) Lipsch.
- [*Saussurea vyschinii*](#) Barkalov

W

- [*Saussurea wakasugiana*](#) Kadota
- [*Saussurea wardii*](#) J.Anthony

- [*Saussurea weberi*](#) Hultén
- [*Saussurea wellbyi*](#) Hemsl.
- [*Saussurea wenchengiae*](#) B.Q.Xu, G.Hao & N.H.Xia
- [*Saussurea wernerioides*](#) Sch.Bip. ex Hook.f.
- [*Saussurea wettsteiniana*](#) Hand.-Mazz.
- [*Saussurea winkleri*](#) (Iljin) N.Garcia, Herrando & Susanna
- [*Saussurea woodiana*](#) Hemsl.

X

- [*Saussurea xianrendongensis*](#) Y.S.Chen
- [*Saussurea xiaojinensis*](#) Y.S.Chen
- [*Saussurea xinjiangensis*](#) Y.S.Chen

Y

- [*Saussurea yabulaiensis*](#) Y.Y.Yao
- [*Saussurea yamagataensis*](#) Kadota
- [*Saussurea yanagisawae*](#) Takeda
- [*Saussurea yanagitae*](#) Kadota
- [*Saussurea yangii*](#) Y.S.Chen
- [*Saussurea yanyuanensis*](#) Y.S.Chen
- [*Saussurea yilingii*](#) Y.S.Chen
- [*Saussurea yiwuensis*](#) L.Q.Zhao & Xu Ri
- [*Saussurea yubarimontana*](#) Kadota
- [*Saussurea yui*](#) Y.S.Chen
- [*Saussurea yukiuenoana*](#) Kadota
- [*Saussurea yunnanensis*](#) Franch.

Z

- [*Saussurea zayuensis*](#) Y.S.Chen
- [*Saussurea zhuxiensis*](#) Y.S.Chen & Q.L.Gan
- [*Saussurea zogangensis*](#) Y.S.Chen

From Wikipedia, the free encyclopedia

Saurauia is a large genus of [flowering plants](#) in the family [Actinidiaceae](#). As of October 2025, there are around 400 accepted species.^[1]

A-B

- [*Saurauia abbreviata*](#) Mazo
- [*Saurauia actinidiifolia*](#) Stapf
- [*Saurauia aculeata*](#) Lauterb.
- [*Saurauia acuminata*](#) Merr.
- [*Saurauia adenodonta*](#) Sleumer
- [*Saurauia aequatoriensis*](#) Sprague
- [*Saurauia aesculifolia*](#) de Vriese
- [*Saurauia agamae*](#) Merr.
- [*Saurauia aguaricana*](#) Soejarto
- [*Saurauia albiflora*](#) A.C.Sm.
- [*Saurauia alkmaarensis*](#) Lauterb.
- [*Saurauia alloplectifolia*](#) Soejarto
- [*Saurauia alpicola*](#) A.C.Sm.
- [*Saurauia altissima*](#) Zipp. ex Miq.
- [*Saurauia altiterra*](#) P.Royen
- [*Saurauia alvarezii*](#) Merr.
- [*Saurauia amdjahii*](#) K.M.Wong
- [*Saurauia amoena*](#) Stapf
- [*Saurauia ampla*](#) Merr.
- [*Saurauia amplifolia*](#) Diels
- [*Saurauia andreana*](#) Oliv. ex F.Muell.
- [*Saurauia angica*](#) Kaneh. & Hatus.
- [*Saurauia angustifolia*](#) Turcz.
- [*Saurauia angustipetala*](#) K.M.Wong
- [*Saurauia arcana*](#) A.C.Sm.
- [*Saurauia archboldiana*](#) A.C.Sm.
- [*Saurauia armata*](#) Kurz
- [*Saurauia arnoldii*](#) Sleumer
- [*Saurauia aromatica*](#) R.E.Schult.
- [*Saurauia ashtonii*](#) K.M.Wong
- [*Saurauia aspera*](#) Turcz.
- [*Saurauia asperifolia*](#) Stapf ex Baker f.
- [*Saurauia aurea*](#) Kamariah ex K.M.Wong
- [*Saurauia auricoma*](#) Ridl.
- [*Saurauia avellana*](#) Elmer
- [*Saurauia bakaraya*](#) Kamariah ex K.M.Wong
- [*Saurauia bakeri*](#) Merr.
- [*Saurauia barbata*](#) Kamariah ex K.M.Wong
- [*Saurauia belensis*](#) A.C.Sm.
- [*Saurauia beluranensis*](#) K.M.Wong
- [*Saurauia bentuangensis*](#) K.M.Wong

- [*Saurauia bibracteata*](#) Lauterb.
- [*Saurauia bicolor*](#) Merr.
- [*Saurauia bifida*](#) Warb.
- [*Saurauia biserrata*](#) (Ruiz & Pav.) Spreng.
- [*Saurauia blumiana*](#) Benn.
- [*Saurauia bogoriensis*](#) Hoogland
- [*Saurauia bontocensis*](#) Merr.
- [*Saurauia borneensis*](#) Merr.
- [*Saurauia bosuangii*](#) Kamariah ex K.M.Wong
- [*Saurauia brachybotrys*](#) Turcz.
- [*Saurauia bracteolata*](#) DC.
- [*Saurauia bracteosa*](#) DC.
- [*Saurauia brassii*](#) Diels
- [*Saurauia brevicymula*](#) K.M.Wong
- [*Saurauia brevirostris*](#) Zipp. ex Miq.
- [*Saurauia briquetii*](#) Buscal.
- [*Saurauia bruneiensis*](#) Kamariah
- [*Saurauia bullosa*](#) Wawra

C-E

- [*Saurauia calcicola*](#) K.M.Wong
- [*Saurauia callithrix*](#) Miq.
- [*Saurauia calyptrata*](#) Lauterb.
- [*Saurauia capitellata*](#) Kamariah ex K.M.Wong
- [*Saurauia capitulata*](#) A.C.Sm.
- [*Saurauia caquetensis*](#) R.E.Schult.
- [*Saurauia castanifolia*](#) Ridl.
- [*Saurauia cauliflora*](#) DC.
- [*Saurauia ceramica*](#) Miq.
- [*Saurauia chaiana*](#) K.M.Wong
- [*Saurauia chaparensis*](#) Soejarto
- [*Saurauia chewlunii*](#) K.M.Wong
- [*Saurauia chiliantha*](#) R.E.Schult.
- [*Saurauia chocoensis*](#) Soejarto
- [*Saurauia choriophylla*](#) R.E.Schult. & G.Gut.
- [*Saurauia cinnamomea*](#) Merr.
- [*Saurauia clementis*](#) Merr.
- [*Saurauia collina*](#) A.C.Sm.
- [*Saurauia comitis-rossei*](#) R.E.Schult.
- [*Saurauia conferta*](#) Warb.
- [*Saurauia confusa*](#) Merr.
- [*Saurauia congestiflora*](#) A.C.Sm.

- [*Saurauia conniechaniae*](#) K.M.Wong
- [*Saurauia konzattii*](#) Buscal.
- [*Saurauia copelandii*](#) Elmer
- [*Saurauia cordata*](#) Quisumb.
- [*Saurauia corneri*](#) Kamariah ex K.M.Wong
- [*Saurauia costata*](#) Reinw. ex de Vriese
- [*Saurauia crassisepala*](#) Soejarto
- [*Saurauia crenulata*](#) DC.
- [*Saurauia crockerensis*](#) K.M.Wong
- [*Saurauia cuatrecasasiana*](#) R.E.Schult.
- [*Saurauia cuchumatanensis*](#) Standl. & Steyerl.
- [*Saurauia cuspidella*](#) Miq.
- [*Saurauia darikalteng*](#) K.M.Wong
- [*Saurauia dasyantha*](#) de Vriese
- [*Saurauia decolorata*](#) Olimpos & Penneys
- [*Saurauia decurrens*](#) Lauterb.
- [*Saurauia dempoensis*](#) Baker f.
- [*Saurauia denticulata*](#) C.B.Rob.
- [*Saurauia dewildeorum*](#) K.M.Wong
- [*Saurauia dicalyx*](#) Miq.
- [*Saurauia dielsiana*](#) A.C.Sm.
- [*Saurauia distasosa*](#) Korth.
- [*Saurauia diwolii*](#) K.M.Wong
- [*Saurauia dufaurii*](#) (F.Muell.) Diels
- [*Saurauia eburnea*](#) A.C.Sm.
- [*Saurauia elegans*](#) (Choisy) Fern.-Vill.
- [*Saurauia elmeri*](#) Merr.
- [*Saurauia emarginata*](#) C.T.White & W.D.Francis
- [*Saurauia erythrocarpa*](#) C.F.Liang & Y.S.Wang
- [*Saurauia erythrothrica*](#) Elmer
- [*Saurauia euryolepis*](#) de Vriese
- [*Saurauia excavata*](#) Korth.
- [*Saurauia excelsa*](#) Willd.
- [*Saurauia excurrens*](#) A.C.Sm.
- [*Saurauia eximia*](#) Ridl.

F-K

- [*Saurauia fasciculata*](#) Wall.
- [*Saurauia fasciculiflora*](#) Merr.
- [*Saurauia ferox*](#) Korth.
- [*Saurauia fimbriata*](#) A.C.Sm.
- [*Saurauia floccifera*](#) Triana & Planch.

- [*Saurauia forbesii*](#) Baker f.
- [*Saurauia formosa*](#) Sleumer
- [*Saurauia fragrans*](#) Hoogland
- [*Saurauia fraseri*](#) Ridl.
- [*Saurauia geensinkii*](#) K.M.Wong
- [*Saurauia gigantea*](#) DC.
- [*Saurauia gigantifolia*](#) Quisumb.
- [*Saurauia giluensis*](#) P.Royen
- [*Saurauia gjellerupii*](#) Lauterb.
- [*Saurauia glabra*](#) Merr.
- [*Saurauia glabrifolia*](#) Merr.
- [*Saurauia gorokae*](#) Gilli
- [*Saurauia graciliflora*](#) Kamariah ex K.M.Wong
- [*Saurauia gracilipes*](#) Merr.
- [*Saurauia grandifolia*](#) Zoll. & Moritzi
- [*Saurauia griffithii*](#) Dyer
- [*Saurauia hageniana*](#) Gilli
- [*Saurauia harlingii*](#) Soejarto
- [*Saurauia hasskarliana*](#) Miq.
- [*Saurauia herthae*](#) Sleumer
- [*Saurauia hiranohottae*](#) K.M.Wong
- [*Saurauia hirsuta*](#) Blume
- [*Saurauia hispidicalyx*](#) Kamariah ex K.M.Wong
- [*Saurauia hoeveniana*](#) Koord.
- [*Saurauia homotricha*](#) A.Pool
- [*Saurauia horrida*](#) Hook.f.
- [*Saurauia hosei*](#) Merr.
- [*Saurauia hystrix*](#) Ridl.
- [*Saurauia idenburgensis*](#) A.C.Sm.
- [*Saurauia iliasii*](#) K.M.Wong
- [*Saurauia ilicifolia*](#) P.Royen
- [*Saurauia involucrata*](#) Merr.
- [*Saurauia isosepala*](#) Kamariah ex K.M.Wong
- [*Saurauia isoxanthotricha*](#) Buscal.
- [*Saurauia jaswirii*](#) K.M.Wong
- [*Saurauia javanica*](#) (Blume ex Nees) Hoogland
- [*Saurauia jeisinii*](#) K.M.Wong
- [*Saurauia jiewhoei*](#) K.M.Wong
- [*Saurauia joelii*](#) K.M.Wong
- [*Saurauia jugahii*](#) K.M.Wong
- [*Saurauia juliae*](#) K.M.Wong
- [*Saurauia junghuhnii*](#) Choisy

- [*Saurauia kajewskii*](#) A.C.Sm.
- [*Saurauia kegeliana*](#) Schltdl.
- [*Saurauia kessleri*](#) K.M.Wong
- [*Saurauia kinabaluensis*](#) Merr.
- [*Saurauia klemmei*](#) Merr.
- [*Saurauia klinkii*](#) K.Schum. & Lauterb.
- [*Saurauia knemifolia*](#) Quisumb.
- [*Saurauia kuchingensis*](#) K.M.Wong
- [*Saurauia kuswatae*](#) K.M.Wong

L-N

- [*Saurauia lactea*](#) Lauterb.
- [*Saurauia laevigata*](#) Triana & Planch.
- [*Saurauia lanceolata*](#) DC.
- [*Saurauia latibractea*](#) Choisy
- [*Saurauia latifolia*](#) K.M.Wong
- [*Saurauia laxiflora*](#) Soejarto
- [*Saurauia leeana*](#) K.M.Wong
- [*Saurauia lehmannii*](#) Hieron.
- [*Saurauia leopoldii*](#) K.M.Wong
- [*Saurauia lepidicalyx*](#) Miq.
- [*Saurauia lepidota*](#) Kamariah
- [*Saurauia leprosa*](#) Korth.
- [*Saurauia leucocarpa*](#) Schltdl.
- [*Saurauia leytensis*](#) Merr.
- [*Saurauia linusii*](#) K.M.Wong
- [*Saurauia loeseneriana*](#) Buscal.
- [*Saurauia longipetiolata*](#) Merr.
- [*Saurauia longistyla*](#) Merr.
- [*Saurauia lorentzii*](#) Lauterb.
- [*Saurauia luzoniensis*](#) Merr.
- [*Saurauia macgregorii*](#) Merr.
- [*Saurauia macrantha*](#) A.C.Sm.
- [*Saurauia macrophylla*](#) Lem.
- [*Saurauia macrotricha*](#) Kurz
- [*Saurauia madreensis*](#) B.T.Keller & Breedlove
- [*Saurauia magentea*](#) Danet
- [*Saurauia magnifica*](#) Soejarto
- [*Saurauia mahmudii*](#) Hoogland
- [*Saurauia malayana*](#) Hoogland
- [*Saurauia matudae*](#) Lundell
- [*Saurauia meridensis*](#) Steyererm.

- [*Saurauia merrillii*](#) Elmer
- [*Saurauia mexiae*](#) Killip ex Soejarto
- [*Saurauia micayensis*](#) Killip
- [*Saurauia micrantha*](#) Blume
- [*Saurauia microphylla*](#) de Vriese
- [*Saurauia minahassae*](#) Koord.
- [*Saurauia miniata*](#) C.F.Liang & Y.S.Wang
- [*Saurauia minutiflora*](#) K.M.Wong
- [*Saurauia molinae*](#) Soejarto
- [*Saurauia mollis*](#) Hassk.
- [*Saurauia mollissima*](#) Ridl.
- [*Saurauia momiensis*](#) Kaneh. & Hatus.
- [*Saurauia monadelphae*](#) Scheff.
- [*Saurauia montana*](#) Seem.
- [*Saurauia montifragrans*](#) K.M.Wong
- [*Saurauia multinervis*](#) Soejarto
- [*Saurauia muricata*](#) Reinw. ex de Vriese
- [*Saurauia myrmecoidea*](#) Merr.
- [*Saurauia nabirensis*](#) Kaneh. & Hatus.
- [*Saurauia napaulensis*](#) DC.
- [*Saurauia natalicia*](#) Sleumer
- [*Saurauia negrosensis*](#) Elmer
- [*Saurauia nicobarica*](#) T.K.Paul
- [*Saurauia nigrescens*](#) Korth.
- [*Saurauia njapaensis*](#) K.M.Wong
- [*Saurauia nooteboomii*](#) K.M.Wong
- [*Saurauia novoguineensis*](#) Scheff.
- [*Saurauia nudiflora*](#) DC.
- [*Saurauia nutans*](#) Gilli

O-P

- [*Saurauia oblanceolata*](#) Ridl.
- [*Saurauia oblancifolia*](#) Merr.
- [*Saurauia oblancilimba*](#) Quisumb.
- [*Saurauia obvallatoides*](#) Kaneh. & Hatus.
- [*Saurauia occulta*](#) A.C.Sm.
- [*Saurauia oligantha*](#) Merr.
- [*Saurauia oligolepis*](#) Miq.
- [*Saurauia oligophlebia*](#) Merr.
- [*Saurauia omichlophila*](#) R.E.Schult.
- [*Saurauia oreophila*](#) Hemsl.
- [*Saurauia oroquensis*](#) Soejarto

- [*Saurauia othmanii*](#) K.M.Wong
- [*Saurauia pachyphylla*](#) K.M.Wong
- [*Saurauia palawanensis*](#) Merr.
- [*Saurauia panayensis*](#) Merr.
- [*Saurauia panduriformis*](#) Elmer
- [*Saurauia paniculigera*](#) Ridl.
- [*Saurauia papillulosa*](#) Merr.
- [*Saurauia parasnathensis*](#) Ranjan & S.K.Srivast.
- [*Saurauia parviflora*](#) Triana & Planch.
- [*Saurauia pavonii*](#) K.M.Wong
- [*Saurauia peduncularis*](#) Triana & Planch.
- [*Saurauia pedunculata*](#) Hook.
- [*Saurauia pendula*](#) Blume
- [*Saurauia pentapetala*](#) (Jack) Hoogland
- [*Saurauia pereirae*](#) K.M.Wong
- [*Saurauia peruviana*](#) Buscal.
- [*Saurauia petelotii*](#) Merr.
- [*Saurauia philippinensis*](#) Merr.
- [*Saurauia pittieri*](#) Donn.Sm.
- [*Saurauia planchonii*](#) Hook.f.
- [*Saurauia platyphylla*](#) Merr.
- [*Saurauia pleurotricha*](#) Diels
- [*Saurauia plurilocularis*](#) C.T.White & W.D.Francis
- [*Saurauia polyneura*](#) C.F.Liang & Y.S.Wang
- [*Saurauia polyodon*](#) Miq.
- [*Saurauia polysperma*](#) (Blanco) Merr.
- [*Saurauia poolei*](#) C.T.White & W.D.Francis
- [*Saurauia portachuelensis*](#) R.E.Schult.
- [*Saurauia postarii*](#) K.M.Wong
- [*Saurauia prainiana*](#) Buscal.
- [*Saurauia pringlei*](#) Rose
- [*Saurauia pseudoleucocarpa*](#) Buscal.
- [*Saurauia pseudostrigillosa*](#) Buscal.
- [*Saurauia pubescens*](#) K.Koch & Linden
- [*Saurauia pulchra*](#) Sprague
- [*Saurauia punctata*](#) Stapf ex Baker f.
- [*Saurauia punduana*](#) Wall.
- [*Saurauia purgans*](#) B.L.Burt
- [*Saurauia purpurellifolia*](#) Kaneh. & Hatus.
- [*Saurauia pustulata*](#) G.E.Hunter
- [*Saurauia putumayonis*](#) R.E.Schult. & García-Barr.

R-S

- [*Saurauia radlkoferi*](#) Buscal.
- [*Saurauia raimondiana*](#) Sleumer
- [*Saurauia ramiflora*](#) Koord. & Valetton
- [*Saurauia rantaijawae*](#) K.M.Wong
- [*Saurauia reinwardtiana*](#) Blume
- [*Saurauia rhodosma*](#) Sleumer
- [*Saurauia ridleyi*](#) Merr.
- [*Saurauia rodatzii*](#) K.Schum. & Lauterb.
- [*Saurauia roemeri*](#) Lauterb.
- [*Saurauia rosea*](#) Jungh.
- [*Saurauia roxburghii*](#) Wall.
- [*Saurauia rubens*](#) Ridl.
- [*Saurauia rubicunda*](#) (A.Gray) Seem.
- [*Saurauia rubiformis*](#) Vatke
- [*Saurauia rubiginosa*](#) (Jack) Merr.
- [*Saurauia rubricalyx*](#) C.F.Liang & Y.S.Wang
- [*Saurauia rubrisepala*](#) Soejarto
- [*Saurauia rubrisquamata*](#) A.C.Sm.
- [*Saurauia rufa*](#) Burkill
- [*Saurauia rufescens*](#) B.J.Conn & Damas
- [*Saurauia rufinervis*](#) Kaneh. & Hatus.
- [*Saurauia runiae*](#) K.M.Wong
- [*Saurauia rusbyi*](#) Britton
- [*Saurauia sakoembangensis*](#) Korth.
- [*Saurauia samarensis*](#) Merr.
- [*Saurauia sammanniana*](#) K.M.Wong
- [*Saurauia sampad*](#) Elmer
- [*Saurauia sapotoides*](#) Ridl.
- [*Saurauia scaberrima*](#) Lauterb.
- [*Saurauia scabra*](#) (Kunth) D.Dietr.
- [*Saurauia scabrida*](#) Hemsl.
- [*Saurauia schmutzii*](#) Hoogland
- [*Saurauia schultesiana*](#) Soejarto
- [*Saurauia schultzeorum*](#) Sleumer
- [*Saurauia schumanniana*](#) Diels
- [*Saurauia schwazii*](#) Koord.
- [*Saurauia seibertii*](#) Standl.
- [*Saurauia selerorum*](#) Buscal.
- [*Saurauia serpentina*](#) Kamariah ex K.M.Wong
- [*Saurauia serrata*](#) DC.
- [*Saurauia setigera*](#) Korth.

- [*Saurauia sibuyanensis*](#) Elmer
- [*Saurauia sidiyasae*](#) K.M.Wong
- [*Saurauia simplex*](#) Merr.
- [*Saurauia singalangensis*](#) Korth.
- [*Saurauia sinohirsuta*](#) J.Q.Li & Soejarto
- [*Saurauia siporensis*](#) Ridl.
- [*Saurauia solitaria*](#) Sleumer
- [*Saurauia sorsogonensis*](#) Merr.
- [*Saurauia sparsiflora*](#) Elmer
- [*Saurauia speciosa*](#) Kamariah ex K.M.Wong
- [*Saurauia spectabilis*](#) Hook.
- [*Saurauia spinosa*](#) M.Briggs
- [*Saurauia spinuligera*](#) R.E.Schult.
- [*Saurauia squamellicaula*](#) Miq.
- [*Saurauia squamifructa*](#) G.E.Hunter
- [*Saurauia squamulosa*](#) Koord. & Valetton
- [*Saurauia stapfiana*](#) Buscal.
- [*Saurauia striata*](#) Soejarto
- [*Saurauia strigillosa*](#) Triana & Planch.
- [*Saurauia strigosa*](#) Kamariah ex K.M.Wong
- [*Saurauia subcordata*](#) Korth.
- [*Saurauia subnuda*](#) K.M.Wong
- [*Saurauia subsessilifolia*](#) Kamariah ex K.M.Wong
- [*Saurauia subspinoso*](#) J.Anthony
- [*Saurauia sugaui*](#) K.M.Wong
- [*Saurauia sumatrana*](#) Baker f.
- [*Saurauia suzanae*](#) K.M.Wong

T-Z

- [*Saurauia tafana*](#) A.C.Sm.
- [*Saurauia tambensis*](#) Killip
- [*Saurauia tayabensis*](#) Quisumb.
- [*Saurauia taylorii*](#) W.N.Takeuchi
- [*Saurauia temburongensis*](#) K.M.Wong
- [*Saurauia tenuicyma*](#) K.M.Wong
- [*Saurauia tewensis*](#) Korth.
- [*Saurauia thorelii*](#) Finet & Gagnep.
- [*Saurauia thyrsiflora*](#) C.F.Liang & Y.S.Wang
- [*Saurauia tomentocalyx*](#) Kamariah ex K.M.Wong
- [*Saurauia tomentosa*](#) (Kunth) Spreng.
- [*Saurauia trichocalyx*](#) Koord. & Valetton
- [*Saurauia trichophora*](#) Quisumb.

- [*Saurauia trichopoda*](#) Baker f.
- [*Saurauia tristyla*](#) DC.
- [*Saurauia trugul*](#) P.Royen
- [*Saurauia trunciflora*](#) Merr.
- [*Saurauia ubaldusii*](#) Kamariah ex K.M.Wong
- [*Saurauia umbellata*](#) Koord. & Valetton
- [*Saurauia uniflora*](#) Ridl.
- [*Saurauia urdanetensis*](#) Elmer
- [*Saurauia urophylla*](#) K.M.Wong
- [*Saurauia ursina*](#) Triana & Planch.
- [*Saurauia vallium*](#) C.T.White & W.D.Francis
- [*Saurauia vanoverberghii*](#) Merr.
- [*Saurauia verheijenii*](#) Hoogland
- [*Saurauia versteegii*](#) Gilg & Lauterb.
- [*Saurauia villosa*](#) DC.
- [*Saurauia vulcani*](#) Korth.
- [*Saurauia waldheimii*](#) Buscal.
- [*Saurauia warburgii*](#) Koord.
- [*Saurauia warenensis*](#) Kaneh. & Hatus.
- [*Saurauia waworoentii*](#) Koord.
- [*Saurauia wenzelii*](#) Merr.
- [*Saurauia whitfordii*](#) Merr.
- [*Saurauia wigmanii*](#) Koord.
- [*Saurauia winkleri*](#) Merr.
- [*Saurauia xylantha*](#) Stapf ex Baker f.
- [*Saurauia yasicae*](#) Loes.
- [*Saurauia yunnanensis*](#) C.F.Liang & Y.S.Wang
- [*Saurauia zahlbruckneri*](#) Buscal.

From Wikipedia, the free encyclopedia

Salvia is the largest [genus](#) of plants in the family [Lamiaceae](#), with the number of species estimated to range from 700 to nearly 3,000. Members include [shrubs](#), [herbaceous perennials](#), and [annuals](#). There are three main regions of radiation of *Salvia*:

- Central and South America and Middle America and Mesoamerica, Latin America and with Africa-Eurasia and North America, (America), with approximately 600 species;
- North-Northern, Central and West-Western Asia and the Mediterranean with approx. 250 species;
- East-Eastern and South-Southern Asia and Australia and Oceania with approximately 90 species.[\[1\]](#)

The naming of distinct *Salvia* species has undergone regular revision, with many species being renamed, merged, and reclassified over the years. [*Salvia officinalis*](#) (common sage), for example, has been cultivated for thousands of years, yet has been named and described under six different scientific names since 1940 alone. At one time there were over 2,000 named species and subspecies. A revision in 1988 by Gabriel Alziar of the [Jardin botanique de la Ville de Nice](#) consolidated the number of different species to approximately 700. As new discoveries are made, the [taxonomic](#) list of *Salvia* species will continue to change.[\[2\]](#)[\[3\]](#)[\[4\]](#)

The first significant accounting of the genus was done by [George Bentham](#) in 1832–1836, based on a similarity in staminal morphology between *Salvia* members.[\[5\]](#) His work, *Labiatarum Genera et Species* (1836), is still the most comprehensive organization of *Salvia*. Even though there were only 291 species at that time, he still considered the possibility of forming five or six genera, due to differences between certain groups of *Salvia*. Bentham eventually organized the genus into four subgenera and twelve sections, based on differences in the corolla, calyx, and stamens. In the last 100 years, that system of organization is generally not endorsed by botanists.[\[2\]](#)

The classification of *Salvia* has long been based on the genus' unusual pollination and stamen structure, which was presumed to have evolved only once. More recently, a study using DNA sequencing of *Salvia* species has shown that different versions of this lever mechanism have evolved at least three different times within *Salvia*. This clearly makes the genus non-[monophyletic](#), which means that members of the genus have evolved from different ancestors, rather than sharing one common ancestor. The DNA analysis has shown that the genus may consist of as many as three different [clades](#), or branches.[\[1\]](#) The study concluded that *Salvia* is not a natural genus—some of its branches have a closer relationship to other genera in the [tribe](#) Mentheae than to other *Salvia* species.[\[6\]](#)

As of May 2024, [Plants of the World Online](#) accepted 1024 species, listed below.[\[7\]](#)

A

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia africana



Salvia



apiana

Salvia azurea

Salvia austriaca



- [Salvia abrotanoides](#) (Kar.) Sytsma
- [Salvia absconditiflora](#) Greuter & Burdet
- [Salvia acerifolia](#) B.L.Turner
- [Salvia acuminata](#) Ruiz & Pav.

- [*Salvia adenocaulon*](#) P.H.Davis
- [*Salvia adenophora*](#) Fernald
- [*Salvia adenophylla*](#) Hedge & Hub.-Mor.
- [*Salvia adiantifolia*](#) E.Peter
- [*Salvia adiyamanensis*](#) İlçim & Tel
- [*Salvia adoxoides*](#) C.Y.Wu
- [*Salvia aegyptiaca*](#) L.
- [*Salvia aequidens*](#) Botsch.
- [*Salvia aequidistans*](#) Fernald
- [*Salvia aerea*](#) H.Lév.
- [*Salvia aethiopis*](#) L.
- [*Salvia africana*](#) L.
- [*Salvia agnes*](#) Epling
- [*Salvia akiensis*](#) A.Takano, Sera & N.Kurosaki
- [*Salvia alamosana*](#) Rose
- [*Salvia alata*](#) Epling
- [*Salvia albicalyx*](#) J.G.González
- [*Salvia albicaulis*](#) Benth.
- [*Salvia albiflora*](#) M.Martens & Galeotti
- [*Salvia albimaculata*](#) Hedge & Hub.-Mor.
- [*Salvia albiterrarum*](#) J.G.González & Art.Castro
- [*Salvia albocaerulea*](#) Linden
- [*Salvia alborosea*](#) Epling & Játiva
- [*Salvia alexeenkoi*](#) Pobed.
- [*Salvia algeriensis*](#) Desf.
- [*Salvia ali-askaryi*](#) S.A.Ahmad
- [*Salvia aliciae*](#) E.P.Santos
- [*Salvia altimistrata*](#) Epling
- [*Salvia altissima*](#) Pohl
- [*Salvia alvajaca*](#) Oerst.
- [*Salvia amethystina*](#) Sm.
- [*Salvia amissa*](#) Epling
- [*Salvia amplexicaulis*](#) Lam.
- [*Salvia amplicalyx*](#) E.Peter
- [*Salvia amplifrons*](#) Briq.
- [*Salvia anastomosans*](#) Ramamoorthy
- [*Salvia anatolica*](#) Hamzaoglu & A.Duran
- [*Salvia andreji*](#) Pobed.
- [*Salvia anguicoma*](#) Epling
- [*Salvia angulata*](#) Benth.
- [*Salvia angustiarum*](#) Epling
- [*Salvia apiana*](#) Jeps.

- [Salvia apparicii](#) Brade & Barb.Per.
- [Salvia appendiculata](#) E.Peter
- [Salvia arabica](#) Al-Musawi & Weinert
- [Salvia aramiensis](#) Rech.f.
- [Salvia arborescens](#) Urb. & Ekman
- [Salvia arduinervis](#) Urb. & Ekman
- [Salvia arenaria](#) A.St.-Hil. ex Benth.
- [Salvia areolata](#) Epling
- [Salvia areysiana](#) Deflers
- [Salvia argentea](#) L.
- [Salvia ariana](#) Hedge
- [Salvia aridicola](#) Briq.
- [Salvia aristata](#) Aucher ex Benth.
- [Salvia arizonica](#) A.Gray
- [Salvia arthrocoma](#) Fernald
- [Salvia articulata](#) Epling
- [Salvia aspera](#) M.Martens & Galeotti
- [Salvia asperata](#) Falc. ex Benth.
- [Salvia assurgens](#) Kunth
- [Salvia atrocalyx](#) Epling
- [Salvia atrocyanea](#) Epling
- [Salvia atropaenulata](#) Epling
- [Salvia atropatana](#) Bunge
- [Salvia atropurpurea](#) C.Y.Wu
- [Salvia atrorubra](#) C.Y.Wu
- [Salvia aucheri](#) Benth.
- [Salvia aurea](#) L.
- [Salvia aurita](#) L.f.
- [Salvia austriaca](#) Jacq.
- [Salvia austromelissodora](#) Epling & Játiva
- [Salvia axillaris](#) Moc. & Sessé ex Benth.
- [Salvia axilliflora](#) Epling
- [Salvia ayavazensis](#) Kunth
- [Salvia ayecarrenoa](#) Mart.Gord., Fragoso & de Santiago
- [Salvia aytachii](#) Vural & Adigüzel
- [Salvia azurea](#) Michx. ex Vahl

B

Contents:

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia blepharophylla



Salvia brandegeei

Salvia burchanani

- *Salvia bahoruconga* Urb. & Ekman
- *Salvia baimaensis* S.W.Su & Z.A.Shen
- *Salvia balansae* Noë ex Coss.
- *Salvia balaustina* Pohl
- *Salvia baldshuanica* Lipsky
- *Salvia ballotiflora* Benth.
- *Salvia ballsiana* (Rech.f.) Hedge
- *Salvia bariensis* Thulin
- *Salvia barrelieri* Etl.
- *Salvia bazmanica* Rech.f. & Esfand.
- *Salvia beckeri* Trautv.

- [Salvia beltraniorum](#) J.G.González, Pío-León & Art.Castro
- [Salvia benthamiana](#) Gardner ex Fielding
- [Salvia betulifolia](#) Epling
- [Salvia bifidocalyx](#) C.Y.Wu & Y.C.Huang
- [Salvia biserrata](#) M.Martens & Galeotti
- [Salvia blancoana](#) Webb & Heldr.
- [Salvia blepharochlaena](#) Hedge & Hub.-Mor.
- [Salvia blepharophylla](#) Brandegees ex Epling
- [Salvia boegei](#) Ramamoorthy
- [Salvia bogotensis](#) Benth.
- [Salvia booleana](#) B.L.Turner
- [Salvia bowleyana](#) Dunn
- [Salvia brachyantha](#) (Bordz.) Pobed.
- [Salvia brachyloba](#) Urb.
- [Salvia brachyloma](#) E.Peter
- [Salvia brachyodon](#) Vandas
- [Salvia brachyodonta](#) Briq.
- [Salvia brachyphylla](#) Urb.
- [Salvia bracteata](#) Banks & Sol.
- [Salvia brandegeei](#) Munz
- [Salvia brevicconnectivata](#) Y.Z.Sun ex C.Y.Wu
- [Salvia breviflora](#) Moc. & Sessé ex Benth.
- [Salvia brevilabra](#) Franch.
- [Salvia brevipes](#) Benth.
- [Salvia broussonetii](#) Benth.
- [Salvia buechananii](#) Hedge
- [Salvia bucharica](#) Popov
- [Salvia buchii](#) Urb.
- [Salvia bulleyana](#) Diels
- [Salvia bullulata](#) Benth.
- [Salvia bungei](#) J.G.González
- [Salvia bupleuroides](#) C.Presl ex Benth.

C

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia carduacea



Salvia



chiapensis

Salvia clevelandii



Salvia coccinea

- *Salvia caaguazuensis* Briq.
- *Salvia cabonii* Urb.
- *Salvia cabulica* Benth.

- [*Salvia cacaliifolia*](#) Benth.
- [*Salvia cacomensis*](#) J.G.González, J.G.Morales & J.L.Rodr.
- [*Salvia cadmica*](#) Boiss.
- [*Salvia caeruleobracteata*](#) Mart.Gord., D.Sandoval & García-Mend.
- [*Salvia caespitosa*](#) Montbret & Aucher ex Benth.
- [*Salvia cajamarcana*](#) J.G.González, Uria & M.Roncal
- [*Salvia calaminthifolia*](#) Vahl
- [*Salvia calcicola*](#) Harley
- [*Salvia calderoniae*](#) Bedolla & Zamudio
- [*Salvia californica*](#) Brandegees
- [*Salvia calolophos*](#) Epling
- [*Salvia camarifolia*](#) Benth.
- [*Salvia campanulata*](#) Wall. ex Benth.
- [*Salvia campicola*](#) Briq.
- [*Salvia camporum*](#) Epling
- [*Salvia campylodonta*](#) Botsch.
- [*Salvia cana*](#) Wall. ex Benth.
- [*Salvia canariensis*](#) L.
- [*Salvia candelabrum*](#) Boiss.
- [*Salvia candicans*](#) M.Martens & Galeotti
- [*Salvia candidissima*](#) Vahl
- [*Salvia canescens*](#) C.A.Mey.
- [*Salvia carbonoi*](#) Fern.Alonso
- [*Salvia cardenasii*](#) J.R.I.Wood
- [*Salvia cardiophylla*](#) Benth.
- [*Salvia carduacea*](#) Benth.
- [*Salvia carnea*](#) Kunth
- [*Salvia carranzae*](#) Zamudio & Bedolla
- [*Salvia carreyesii*](#) J.G.González
- [*Salvia carrilloi*](#) Véliz & Quedensley
- [*Salvia cassia*](#) Sam. ex Rech.f.
- [*Salvia castanea*](#) Diels
- [*Salvia cataractarum*](#) Briq.
- [*Salvia caudata*](#) Epling
- [*Salvia cavaleriei*](#) H.Lév.
- [*Salvia caymanensis*](#) Millsp. & Uline
- [*Salvia cedronella*](#) Boiss.
- [*Salvia cedrosensis*](#) Greene
- [*Salvia celendina*](#) J.R.I.Wood & Uria
- [*Salvia ceratophylla*](#) L.
- [*Salvia cerinopruinosa*](#) Rech.f.
- [*Salvia cerradicola*](#) E.P.Santos

- [Salvia chalarothyrsa](#) Fernald
- [Salvia chamaedryoides](#) Cav.
- [Salvia chamelaeagnea](#) Berg.
- [Salvia changchuniana](#) B.Y.Ding, Z.H.Chen & X.F.Jin
- [Salvia chanryoenica](#) Nakai
- [Salvia chapadensis](#) E.P.Santos & Harley
- [Salvia chapalensis](#) Briq.
- [Salvia chapmanii](#) A.Gray
- [Salvia chazaroana](#) B.L.Turner
- [Salvia chiapensis](#) Fernald
- [Salvia chicamochae](#) J.R.I.Wood & Harley
- [Salvia chienii](#) E.Peter
- [Salvia chinensis](#) Benth.
- [Salvia chionantha](#) Boiss.
- [Salvia chionoeplica](#) Epling
- [Salvia chionophylla](#) Fernald
- [Salvia chloroleuca](#) Rech.f. & Aellen
- [Salvia chorassanica](#) Bunge
- [Salvia chrysophylla](#) Stapf
- [Salvia chudaei](#) Batt. & Trab.
- [Salvia chunganensis](#) C.Y.Wu & Y.C.Huang
- [Salvia cilicica](#) Boiss.
- [Salvia cinnabarina](#) M.Martens & Galeotti
- [Salvia circinnata](#) Cav.
- [Salvia clarendonensis](#) Britton
- [Salvia clarkcowanii](#) B.L.Turner
- [Salvia clausa](#) Vell.
- [Salvia clementiae](#) Pendry & Y.K.Wei
- [Salvia clevelandii](#) (A.Gray) Greene
- [Salvia clinopodioides](#) Kunth
- [Salvia coahuilensis](#) Fernald
- [Salvia coccinea](#) Buc'hoz ex Etl.
- [Salvia cocuyana](#) Fern.Alonso
- [Salvia codazziana](#) Fern.Alonso
- [Salvia cognata](#) Urb. & Ekman
- [Salvia collinsii](#) Donn.Sm.
- [Salvia colonica](#) Standl. & L.O.Williams ex Klitg.
- [Salvia columbariae](#) Benth.
- [Salvia comayaguana](#) Standl.
- [Salvia compacta](#) Kuntze
- [Salvia compar](#) (Wissjul.) Trautv. ex Sosn.
- [Salvia compressa](#) Vent.

- [Salvia compsostachys](#) Epling
- [Salvia concolor](#) Lamb. ex Benth.
- [Salvia confertiflora](#) Pohl
- [Salvia confertispicata](#) Fragoso & Mart.Gord.
- [Salvia congestiflora](#) Epling
- [Salvia connivens](#) Epling
- [Salvia consobrina](#) Epling
- [Salvia corazonica](#) Gilli
- [Salvia cordata](#) Benth.
- [Salvia coriana](#) Quedensley & Véliz
- [Salvia corrugata](#) Vahl
- [Salvia costaricensis](#) Oerst.
- [Salvia costata](#) Epling
- [Salvia coulteri](#) Fernald
- [Salvia crucis](#) Epling
- [Salvia cruckshanksii](#) Benth.
- [Salvia cryptoclada](#) Baker
- [Salvia cryptodonta](#) Fernald
- [Salvia cualensis](#) J.G.González
- [Salvia cuatrecasasiana](#) Epling
- [Salvia cubensis](#) Britton & P.Wilson
- [Salvia curta](#) Epling
- [Salvia curticalyx](#) Epling
- [Salvia curviflora](#) Benth.
- [Salvia cuspidata](#) Ruiz & Pav.
- [Salvia cyanantha](#) Epling
- [Salvia cyanescens](#) Boiss. & Balansa
- [Salvia cyanicalyx](#) Epling
- [Salvia cyanocephala](#) Epling
- [Salvia cyanotropha](#) Epling
- [Salvia cyclostegia](#) E.Peter
- [Salvia cylindriflora](#) Epling
- [Salvia cynica](#) Dunn

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia desoleana



Salvia



dorisiana

Salvia dorrii

- *Salvia dabieshanensis* J.Q.He
- *Salvia daiguii* Y.K.Wei & Y.B.Huang
- *Salvia darcyi* J.Compton
- *Salvia dasyantha* Lem.
- *Salvia decora* Epling
- *Salvia decumbens* Alain
- *Salvia decurrens* Epling
- *Salvia densiflora* Benth.
- *Salvia dentata* Aiton
- *Salvia deserta* Schangin
- *Salvia deserti* Decne.
- *Salvia desoleana* Atzei & V.Picci
- *Salvia diamantina* E.P.Santos & Harley
- *Salvia dianthera* Roth
- *Salvia dichlamys* Epling
- *Salvia dichroantha* Stapf

- [Salvia digitaloides](#) Diels
- [Salvia discolor](#) Kunth
- [Salvia disermas](#) L.
- [Salvia disjuncta](#) Fernald
- [Salvia divaricata](#) Montbret & Aucher ex Benth.
- [Salvia divinorum](#) Epling & Játiva
- [Salvia dolichantha](#) E.Peter
- [Salvia dolomitica](#) Codd
- [Salvia dombeyi](#) Epling
- [Salvia dominica](#) L.
- [Salvia dorisiana](#) Standl.
- [Salvia dorrii](#) (Kellogg) Abrams
- [Salvia dorystaechas](#) B.T.Drew
- [Salvia drobovii](#) Botsch.
- [Salvia drusica](#) Mouterde
- [Salvia dryophila](#) Epling
- [Salvia dugesiana](#) Epling
- [Salvia dugesii](#) Fernald
- [Salvia dumetorum](#) Andr. ex Besser
- [Salvia durangensis](#) J.G.González
- [Salvia durantiflora](#) Epling
- [Salvia duripes](#) Epling & Mathias

E

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)

- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



[Salvia elegans](#)



[Salvia](#)

[eremostachya](#)

- [Salvia ecbatanensis](#) Stapf
- [Salvia ecuadorensis](#) Briq.
- [Salvia eichleriana](#) Heldr. ex Halácsy
- [Salvia eigii](#) Zohary
- [Salvia eizi-matudae](#) Ramamoorthy
- [Salvia ekimiana](#) Celep & Dogan
- [Salvia elegans](#) Vahl
- [Salvia elenevskyi](#) Pobed.
- [Salvia emaciata](#) Epling
- [Salvia engelmannii](#) A.Gray

- [Salvia eplingiana](#) Alziar
- [Salvia eremophila](#) Boiss.
- [Salvia eremostachya](#) Jeps.
- [Salvia eriocalyx](#) Bertero ex Roem. & Schult.
- [Salvia eriophora](#) Boiss. & Kotschy
- [Salvia ernesti-vargasii](#) C.Nelson
- [Salvia ertekinii](#) Yild.
- [Salvia erythropoda](#) Rusby
- [Salvia erythrostoma](#) Epling
- [Salvia espirito-santensis](#) Brade & Barb.Per.
- [Salvia euphratica](#) Montbret & Aucher ex Benth.
- [Salvia evadens](#) J.G.González & Art.Castro
- [Salvia evansiana](#) Hand.-Mazz.
- [Salvia exilis](#) Epling
- [Salvia expansa](#) Epling
- [Salvia exserta](#) Griseb.

F

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia farinacea



Salvia



forskaehlei

Salvia funerea

- [Salvia fairuziana](#) R.M.Haber & Semaan
- [Salvia falcata](#) J.R.I.Wood & Harley
- [Salvia farinacea](#) Benth.
- [Salvia filicifolia](#) Merr.
- [Salvia filifolia](#) Ramamoorthy
- [Salvia filipes](#) Benth.
- [Salvia fimbriatocalyx](#) Mart.Gord. & Fragoso
- [Salvia firma](#) Fernald
- [Salvia flaccida](#) Fernald
- [Salvia flaccidifolia](#) Fernald
- [Salvia flava](#) Forrest ex Diels
- [Salvia flocculosa](#) Benth.
- [Salvia florida](#) Benth.
- [Salvia fluviatilis](#) Fernald
- [Salvia fominii](#) Grossh.
- [Salvia forskaehlei](#) L.

- [Salvia foveolata](#) Urb. & Ekman
- [Salvia fragarioides](#) C.Y.Wu
- [Salvia freyniana](#) Bornm.
- [Salvia frigida](#) Boiss.
- [Salvia fruticetorum](#) Benth.
- [Salvia fruticosa](#) Mill.
- [Salvia fruticulosa](#) Benth.
- [Salvia fugax](#) Pobed.
- [Salvia fulgens](#) Cav.
- [Salvia funckii](#) Briq.
- [Salvia funerea](#) M.E.Jones
- [Salvia fusca](#) Epling
- [Salvia fuscomanicata](#) Fern.Alonso

G

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



[Salvia gesneriflora](#)



[Salvia glutinosa](#)

[Salvia greggii](#)

- [Salvia galloana](#) B.L.Turner
- [Salvia garedjii](#) Troitsky
- [Salvia garipensis](#) E.Mey.
- [Salvia gattefossei](#) Emb.
- [Salvia gavilanensis](#) Martínez-Ambr., Fragoso & Mart.Gord.
- [Salvia geminata](#) Thulin
- [Salvia gesneriflora](#) Lindl. & Paxton
- [Salvia glabra](#) M.Martens & Galeotti
- [Salvia glabrata](#) Kunth
- [Salvia glabrescens](#) Makino
- [Salvia glabricaulis](#) Pobed.
- [Salvia glandulifera](#) Cav.
- [Salvia glumacea](#) Kunth
- [Salvia glutinosa](#) L.

- [Salvia goldmanii](#) Fernald
- [Salvia golneviana](#) Rzazade
- [Salvia gomezpompae](#) J.G.González & Bedolla
- [Salvia gontscharowii](#) Kudrjasch.
- [Salvia gonzalezii](#) Fernald
- [Salvia gracilipes](#) Epling
- [Salvia graciliramulosa](#) Epling & Játiva
- [Salvia granatensis](#) B.T.Drew
- [Salvia grandifolia](#) W.W.Sm.
- [Salvia grandis](#) Epling
- [Salvia granitica](#) Hochst.
- [Salvia gravigida](#) Epling
- [Salvia greatae](#) Brandegees
- [Salvia greggii](#) A.Gray
- [Salvia grewiaefolia](#) S.Moore
- [Salvia grisea](#) Epling & Mathias
- [Salvia griseifolia](#) Epling
- [Salvia grossheimii](#) Sosn.
- [Salvia guacana](#) Fern.Alonso
- [Salvia guadalajarensis](#) Briq.
- [Salvia guaneorum](#) Fern.Alonso
- [Salvia guaranitica](#) A.St.-Hil. ex Benth.
- [Salvia guevarae](#) Bedolla & Zamudio
- [Salvia gypsophila](#) B.L.Turner

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia hierosolymitana



Salvia hispanica

Salvia holwayi

- *Salvia haenkei* Benth.
- *Salvia haitiensis* Urb.
- *Salvia hajastana* Pobed.
- *Salvia halophila* Hedge
- *Salvia hamulus* Epling
- *Salvia handelii* E.Peter
- *Salvia hapalophylla* Epling
- *Salvia harleyana* E.P.Santos
- *Salvia hasankeyfensis* Dirmenci, Celep & Ö.Güner

- [Salvia hatschbachii](#) E.P.Santos
- [Salvia haussknechtii](#) Boiss.
- [Salvia hayatae](#) Makino ex Hayata
- [Salvia hedgeana](#) Dönmez
- [Salvia heerii](#) Regel
- [Salvia heldreichiana](#) Boiss. ex A.DC.
- [Salvia helianthemifolia](#) Benth.
- [Salvia henryi](#) A.Gray
- [Salvia herbacea](#) Benth.
- [Salvia herbanica](#) A.Santos & M.Fernández
- [Salvia hermesiana](#) Fern.Alonso
- [Salvia herrerae](#) Epling
- [Salvia heterochroa](#) E.Peter
- [Salvia heterofolia](#) Epling & Mathias
- [Salvia heterotricha](#) Fernald
- [Salvia hians](#) Royle ex Benth.
- [Salvia hidalgensis](#) Miranda
- [Salvia hierosolymitana](#) Boiss.
- [Salvia hilarii](#) Benth.
- [Salvia hillcoatiae](#) Hedge
- [Salvia himmelbaurii](#) E.Peter
- [Salvia hintonii](#) Epling
- [Salvia hirsuta](#) Jacq.
- [Salvia hirta](#) Kunth
- [Salvia hirtella](#) Vahl
- [Salvia hispanica](#) L.
- [Salvia holwayi](#) S.F.Blake
- [Salvia honania](#) L.H.Bailey
- [Salvia hotteana](#) Urb. & Ekman
- [Salvia huastecana](#) Bedolla, Zamudio & H.Castillo-Gómez
- [Salvia huberi](#) Hedge
- [Salvia humboldtiana](#) F.Dietr.
- [Salvia hunzikeri](#) A.Granda
- [Salvia hupehensis](#) E.Peter
- [Salvia hydrangea](#) DC. ex Benth.
- [Salvia hylocharis](#) Diels
- [Salvia hypargeia](#) Fisch. & C.A.Mey.
- [Salvia hypochionaea](#) Boiss.
- [Salvia hypoleuca](#) Benth.

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



[*iodantha*](#)



[*Salvia*](#)

- [Salvia ibugana](#) J.G.González
- [Salvia incumbens](#) Urb. & Ekman
- [Salvia incurvata](#) Ruiz & Pav.
- [Salvia indica](#) L.
- [Salvia indigocephala](#) Ramamoorthy
- [Salvia infuscata](#) Epling
- [Salvia innoxia](#) Epling & Mathias
- [Salvia inornata](#) Epling
- [Salvia insignis](#) Kudr.
- [Salvia integrifolia](#) Ruiz & Pav.
- [Salvia interrupta](#) Schousb.
- [Salvia intonsa](#) Epling
- [Salvia involucrata](#) Cav.
- [Salvia iodantha](#) Fernald
- [Salvia iodophylla](#) Epling
- [Salvia ionocalyx](#) Epling
- [Salvia isensis](#) Nakai ex H.Hara
- [Salvia isochroma](#) (Fernald) B.L.Turner
- [Salvia itaguassuensis](#) Brade & Barb.Per.
- [Salvia itatiaiensis](#) Dusén
- [Salvia iuliana](#) Epling

J

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



[Salvia judaica](#)

- [Salvia jacalana](#) B.L.Turner
- [Salvia jacobi](#) Epling
- [Salvia Jaimehintoniana](#) Ramamoorthy ex B.L.Turner
- [Salvia jamaicensis](#) Fawc.
- [Salvia jaminiana](#) de Noé
- [Salvia jamzadii](#) Mozaff.
- [Salvia japonica](#) Thunb.
- [Salvia jaramilloi](#) Fern.Alonso
- [Salvia jessicae](#) B.L.Turner
- [Salvia jordanii](#) J.B.Walker
- [Salvia judaica](#) Boiss.
- [Salvia jurisicii](#) Košanin

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia karwinskii

- [*Salvia kamelinii*](#) Makhm.
- [*Salvia karabachensis*](#) Pobed.
- [*Salvia karelinii*](#) J.B.Walker
- [*Salvia karwinskii*](#) Benth.
- [*Salvia keerlii*](#) Benth.
- [*Salvia kellermanii*](#) Donn.Sm.
- [*Salvia kermanshahensis*](#) Rech.f.
- [*Salvia kiangsiensis*](#) C.Y.Wu
- [*Salvia kiaometiensis*](#) H.Lév.
- [*Salvia klokovii*](#) J.B.Walker
- [*Salvia komarovii*](#) Pobed.
- [*Salvia korolkovii*](#) Regel & Schmalh.
- [*Salvia koyamae*](#) Makino
- [*Salvia kronenburgii*](#) Rech.f.
- [*Salvia kudrjashevii*](#) (Gorsch. & Pjataeva) Sytsma
- [*Salvia kurdica*](#) Boiss. & Hohen. ex Benth.
- [*Salvia kuznetzovii*](#) Sosn.

L

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)

- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia lanceolata



Salvia



leucantha

Salvia lyrata

- *Salvia lachnaioclada* Briq.
- *Salvia lachnocalyx* Hedge
- *Salvia lachnostachys* Benth.
- *Salvia lachnostoma* Epling
- *Salvia laevis* Benth.
- *Salvia lagochila* T.Wang & L.Wang
- *Salvia lamiifolia* Jacq.
- *Salvia lanceolata* Lam.
- *Salvia langlassei* Fernald
- *Salvia languidula* Epling
- *Salvia lanicalyx* Epling
- *Salvia lanicaulis* Epling & Játiva
- *Salvia lanigera* Poir.
- *Salvia lankongensis* C.Y.Wu
- *Salvia lapazana* B.L.Turner

- [Salvia lasiantha](#) Benth.
- [Salvia lasiocephala](#) Hook. & Arn.
- [Salvia lavandula](#) Alain
- [Salvia lavanduloides](#) Kunth
- [Salvia laxispicata](#) Epling
- [Salvia leninae](#) Epling
- [Salvia leonia](#) Benth.
- [Salvia leonuroides](#) Gloxin
- [Salvia leptostachys](#) Benth.
- [Salvia leriifolia](#) Benth.
- [Salvia leucantha](#) Cav.
- [Salvia leucocephala](#) Kunth
- [Salvia leucochlamys](#) Epling
- [Salvia leucodermis](#) Baker
- [Salvia leucophylla](#) Greene
- [Salvia libanensis](#) Rusby
- [Salvia liguliloba](#) Y.Z.Sun
- [Salvia lilacinocoerulea](#) Nevski
- [Salvia limbata](#) C.A.Mey.
- [Salvia lineata](#) Benth.
- [Salvia littae](#) Vis.
- [Salvia lobbii](#) Epling
- [Salvia longibracteolata](#) E.P.Santos
- [Salvia longipedicellata](#) Hedge
- [Salvia longispicata](#) M.Martens & Galeotti
- [Salvia longistyla](#) Benth.
- [Salvia lophanthoides](#) Fernald
- [Salvia loxensis](#) Benth.
- [Salvia lozanoi](#) Fernald
- [Salvia luteistriata](#) G.X.Hu, E.D.Liu & C.L.Xiang
- [Salvia lutescens](#) (Koidz.) Koidz.
- [Salvia lycioides](#) A.Gray
- [Salvia lyrata](#) L.

M

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia macrophylla



Salvia madrensis

Salvia mellifera



Salvia microphylla

Salvia melissodora



- *Salvia macellaria* Epling
- *Salvia macilenta* Boiss.

- [Salvia macrocalyx](#) Gardner
- [Salvia macrochlamys](#) Boiss. & Kotschy
- [Salvia macrophylla](#) Benth.
- [Salvia macrosiphon](#) Boiss.
- [Salvia macrostachya](#) Kunth
- [Salvia madrensis](#) Seem.
- [Salvia madrigalii](#) Zamudio & Bedolla
- [Salvia mairei](#) H.Lév.
- [Salvia majdae](#) (Rech.f. & Wendelbo) Sytsma
- [Salvia malvifolia](#) Epling & Játiva
- [Salvia manantlanensis](#) Ramamoorthy
- [Salvia manasluensis](#) Pendry & Y.K.Wei
- [Salvia manaurica](#) Fern.Alonso
- [Salvia marashica](#) İlçim, Celep & Dogan
- [Salvia marci](#) Epling
- [Salvia margaritae](#) Botsch.
- [Salvia mattogrossensis](#) Pilg.
- [Salvia maximowicziana](#) Hemsl.
- [Salvia maymanica](#) Hedge
- [Salvia mayorii](#) Briq.
- [Salvia mazatlanensis](#) Fernald
- [Salvia mcvaughii](#) Bedolla, Lara Cabrera & Zamudio
- [Salvia medusa](#) Epling & Játiva
- [Salvia meera](#) Ramamoorthy ex J.G.González & Santana Mich.
- [Salvia meiliensis](#) S.W.Su
- [Salvia mekongensis](#) E.Peter
- [Salvia melaleuca](#) Epling
- [Salvia melissiflora](#) Benth.
- [Salvia melissodora](#) Lag.
- [Salvia mellifera](#) Greene
- [Salvia mentiens](#) Pohl
- [Salvia merjamie](#) Forssk.
- [Salvia mexiae](#) Epling
- [Salvia mexicana](#) L.
- [Salvia microdictya](#) Urb. & Ekman
- [Salvia microphylla](#) Kunth
- [Salvia microstegia](#) Boiss. & Balansa
- [Salvia miltiorrhiza](#) Bunge
- [Salvia minarum](#) Briq.
- [Salvia miniata](#) Fernald
- [Salvia mirzayanii](#) Rech.f. & Esfand.
- [Salvia misella](#) Kunth

- [Salvia mocinoi](#) Benth.
- [Salvia modesta](#) Boiss.
- [Salvia modica](#) Epling
- [Salvia mohavensis](#) Greene
- [Salvia monantha](#) Brandegees ex Epling
- [Salvia monclovensis](#) Fernald
- [Salvia moniliformis](#) Fernald
- [Salvia montbretii](#) Benth.
- [Salvia montecristina](#) Urb. & Ekman
- [Salvia moorcroftiana](#) Wall. ex Benth.
- [Salvia moranii](#) B.L.Turner
- [Salvia mornicola](#) Urb. & Ekman
- [Salvia mouretii](#) Batt. & Pit.
- [Salvia muelleri](#) Epling
- [Salvia muirii](#) L.Bolus
- [Salvia multicaulis](#) Vahl
- [Salvia munzii](#) Epling
- [Salvia muratae](#) T.Yamaz.
- [Salvia muscarioides](#) Fernald

N

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia nemorosa



Salvia

nipponica

- [Salvia namaensis](#) Schinz
- [Salvia nana](#) Kunth
- [Salvia nanchuanensis](#) Y.Z.Sun
- [Salvia napifolia](#) Jacq.
- [Salvia nazalena](#) Hedge & Mouterde
- [Salvia nemoralis](#) Dusén ex Epling
- [Salvia nemorosa](#) L.
- [Salvia neovidensis](#) Benth.
- [Salvia nervata](#) M.Martens & Galeotti
- [Salvia nervosa](#) Benth.
- [Salvia nilotica](#) Juss. ex Jacq.
- [Salvia nipponica](#) Miq.
- [Salvia nitida](#) (M.Martens & Galeotti) Benth.
- [Salvia novaeleontis](#) B.L.Turner
- [Salvia nubicola](#) Wall. ex Sweet
- [Salvia nubigena](#) J.R.I.Wood & Harley
- [Salvia nubilorum](#) Játiva & Epling

-
- [*Salvia nutans*](#) L.
- [*Salvia nydeggeri*](#) Hub.-Mor.

O

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia officinalis



Salvia

omeiana

- *Salvia oaxacana* Fernald
- *Salvia oblongifolia* M.Martens & Galeotti
- *Salvia obtorta* Epling
- *Salvia obtusata* Thunb.
- *Salvia obumbrata* Epling
- *Salvia occidentalis* Sw.
- *Salvia occidua* Epling
- *Salvia occultiflora* Epling
- *Salvia ochrantha* Epling
- *Salvia ocimifolia* Epling
- *Salvia odam* J.G.González
- *Salvia odontochlamys* Hedge
- *Salvia officinalis* L.
- *Salvia oligantha* Dusén
- *Salvia oligophylla* Aucher ex Benth.
- *Salvia ombrophila* Dusén
- *Salvia omeiana* E.Peter
- *Salvia omerocalyx* Hayata
- *Salvia omissa* J.G.González
- *Salvia opertiflora* Epling
- *Salvia ophiocephala* J.R.I.Wood
- *Salvia oppositiflora* Ruiz & Pav.
- *Salvia orbignaei* Benth.
- *Salvia oreopola* Fernald
- *Salvia oresbia* Fernald

- [*Salvia orthostachys*](#) Epling
- [*Salvia ovalifolia*](#) A.St.-Hil. ex Benth.
- [*Salvia oxyphora*](#) Briq.
- [*Salvia ozolotepecensis*](#) J.G.González & Fragoso

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia pachyphylla



Salvia patens

Salvia pichinchensis



Salvia pratensis



Salvia

purpurea

- *Salvia pachyphylla* Epling ex Munz
- *Salvia pachypoda* Briq.
- *Salvia pachystachya* Trautv.
- *Salvia palaestina* Benth.
- *Salvia palealis* Epling

- [Salvia palifolia](#) Kunth
- [Salvia pallida](#) Benth.
- [Salvia palmeri](#) A.Gray
- [Salvia palmatorum](#) J.G.González & Carnahan
- [Salvia pamplonitana](#) Fern.Alonso
- [Salvia pannosa](#) Fernald
- [Salvia pansamalensis](#) Donn.Sm.
- [Salvia paohsingensis](#) C.Y.Wu
- [Salvia paposana](#) Phil.
- [Salvia paraguariensis](#) Briq.
- [Salvia paramicola](#) Fern.Alonso
- [Salvia paramiltiorrhiza](#) H.W.Li & X.L.Huang
- [Salvia parciflora](#) Urb.
- [Salvia parryi](#) A.Gray
- [Salvia parvifolia](#) Baker
- [Salvia paryskii](#) Skean & Judd
- [Salvia patens](#) Cav.
- [Salvia patriciae](#) J.G.González & Martínez-Ambr.
- [Salvia pauciserrata](#) Benth.
- [Salvia paulwalleri](#) B.L.Turner
- [Salvia paupercula](#) Epling
- [Salvia pavonii](#) Benth.
- [Salvia penduliflora](#) Epling
- [Salvia peninsularis](#) Brandegees
- [Salvia pennellii](#) Epling
- [Salvia pentstemonoides](#) Kunth & C.D.Bouché
- [Salvia peratica](#) Paine
- [Salvia perblanda](#) Epling
- [Salvia peregrina](#) Epling
- [Salvia pericona](#) B.L.Turner
- [Salvia perlonga](#) Fernald
- [Salvia perlucida](#) Epling
- [Salvia perplicata](#) Epling
- [Salvia perrieri](#) Hedge
- [Salvia persepolitana](#) Boiss.
- [Salvia persicifolia](#) A.St.-Hil. ex Benth.
- [Salvia personata](#) Epling
- [Salvia petrophila](#) G.X.Hu, E.D.Liu & Yan Liu
- [Salvia pexa](#) Epling
- [Salvia peyronii](#) Boiss. ex Post
- [Salvia phaenostemma](#) Donn.Sm.
- [Salvia phlomoides](#) Asso

- [Salvia piasezkii](#) Maxim.
- [Salvia pichinchensis](#) Benth.
- [Salvia pilifera](#) Montbret & Aucher ex Benth.
- [Salvia pineticola](#) Epling
- [Salvia pinguifolia](#) (Fernald) Wooton & Standl.
- [Salvia pinnata](#) L.
- [Salvia pisidica](#) Boiss. & Heldr. ex Benth.
- [Salvia platycheila](#) A.Gray
- [Salvia platyphylla](#) Briq.
- [Salvia plebeia](#) R.Br.
- [Salvia plectranthoides](#) Griff.
- [Salvia plumosa](#) Ruiz & Pav.
- [Salvia plurispicata](#) Epling
- [Salvia pobedimovae](#) J.G.González
- [Salvia poculata](#) Nábelek
- [Salvia podadena](#) Briq.
- [Salvia pogonochila](#) Diels ex Limpr.
- [Salvia polystachia](#) Cav.
- [Salvia pomifera](#) L.
- [Salvia porphyrocalyx](#) Baker
- [Salvia potaninii](#) Krylov
- [Salvia potentillifolia](#) Boiss. & Heldr. ex Benth.
- [Salvia potus](#) Epling
- [Salvia praestans](#) Epling
- [Salvia praeterita](#) Epling
- [Salvia prasiifolia](#) Benth.
- [Salvia pratensis](#) L.
- [Salvia prattii](#) Hemsl.
- [Salvia prilipkoana](#) Grossh. & Sosn.
- [Salvia primuliformis](#) Epling
- [Salvia pringlei](#) B.L.Rob. & Greenm.
- [Salvia prionitis](#) Hance
- [Salvia procurrens](#) Benth.
- [Salvia propinqua](#) Benth.
- [Salvia prostrata](#) Hook.f.
- [Salvia protracta](#) Benth.
- [Salvia pruinosa](#) Fernald
- [Salvia prunelloides](#) Kunth
- [Salvia prunifolia](#) Fernald
- [Salvia przewalskii](#) Maxim.
- [Salvia pseudeuphratica](#) Rech.f.
- [Salvia pseudoincisa](#) Epling

- [Salvia pseudojainiana](#) A.Chev.
- [Salvia pseudomisella](#) Moran & G.A.Levin
- [Salvia pseudopallida](#) Epling
- [Salvia pseudorosmarinus](#) Epling
- [Salvia psilantha](#) Epling
- [Salvia psilostachya](#) Epling
- [Salvia pterocalyx](#) Hedge
- [Salvia pteroura](#) Briq.
- [Salvia puberula](#) Fernald
- [Salvia pubescens](#) Benth.
- [Salvia pugana](#) J.G.González & Art.Castro
- [Salvia pulchella](#) DC.
- [Salvia punctata](#) Ruiz & Pav.
- [Salvia punicans](#) Epling
- [Salvia purepecha](#) Bedolla, Lara Cabrera & Zamudio
- [Salvia purpurea](#) Cav.
- [Salvia purpusii](#) Brandegees
- [Salvia pusilla](#) Fernald
- [Salvia pygmaea](#) Matsum.

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)
- [Salvia qimenensis](#) S.W.Su & J.Q.He
- [Salvia quercetorum](#) Epling
- [Salvia quezelii](#) Hedge & Afzal-Rafii
- [Salvia quitensis](#) Benth.

R

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia regina



Salvia



ringens

Rosemary, *Salvia rosmarinus*



Salvia rubescens

- *Salvia radula* Benth.
- *Salvia ramamoorthyana* Espejo
- *Salvia ramirezii* J.G.González
- *Salvia ramosa* Brandegees
- *Salvia ranzaniana* Makino
- *Salvia raveniana* Ramamoorthy
- *Salvia raymondii* J.R.I.Wood
- *Salvia rechingeri* Hedge
- *Salvia recognita* Fisch. & C.A.Mey.
- *Salvia recurva* Benth.
- *Salvia reeseana* Hedge & Hub.-Mor.
- *Salvia reflexa* Hornem.
- *Salvia reginae* J.G.González & J.H.Vega
- *Salvia regla* Cav.
- *Salvia regnelliana* Briq.
- *Salvia reitzii* Epling
- *Salvia remota* Benth.

- [Salvia repens](#) Burch. ex Benth.
- [Salvia reptans](#) Jacq.
- [Salvia retinervia](#) Briq.
- [Salvia reuteriana](#) Boiss.
- [Salvia revelata](#) Mátis & A.Z.Szabó
- [Salvia revoluta](#) Ruiz & Pav.
- [Salvia rhizomatosa](#) J.G.González, Art.Castro & H.Ávila
- [Salvia rhodostephana](#) Epling
- [Salvia rhombifolia](#) Ruiz & Pav.
- [Salvia rhytidea](#) Benth.
- [Salvia richardsonii](#) B.L.Turner
- [Salvia ringens](#) Sm.
- [Salvia rivularis](#) Gardner
- [Salvia robertoana](#) Mart.Gord. & Fragoso
- [Salvia roborowskii](#) Maxim.
- [Salvia roemeriana](#) Scheele
- [Salvia rogersiana](#) Ramamoorthy ex J.G.González & Cuevas
- [Salvia roscida](#) Fernald
- [Salvia rosei](#) Fernald
- [Salvia rosifolia](#) Sm.
- [Salvia rosmarinoides](#) A.St.-Hil. ex Benth.
- [Salvia rosmarinus](#) Spenn.
- [Salvia rostellata](#) Epling
- [Salvia rubescens](#) Kunth
- [Salvia rubifolia](#) Boiss.
- [Salvia rubrifaux](#) Epling
- [Salvia rubriflora](#) Epling
- [Salvia rubropunctata](#) B.L.Rob. & Fernald
- [Salvia rufula](#) Kunth
- [Salvia runcinata](#) L.f.
- [Salvia rupestris](#) M.Mota & J.F.B.Pastore
- [Salvia rusbyi](#) Britton ex Rusby
- [Salvia russellii](#) Benth.
- [Salvia rypara](#) Briq.
- [Salvia rzedowskii](#) Ramamoorthy

S

Contents:

- [Top](#)
- [A](#)

- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia sagittata



Salvia



sinaloensis

Salvia spathacea



Salvia splendens

- *Salvia saccardiana* (Pamp.) Del Carr. & Garbari
- *Salvia saccifera* Urb. & Ekman
- *Salvia sacculus* Epling
- *Salvia sagittata* Ruiz & Pav.
- *Salvia sahendica* Boiss. & Buhse
- *Salvia salicifolia* Pohl
- *Salvia samuelssonii* Rech.f.
- *Salvia sanctae-luciae* Seem.
- *Salvia santanae* Ramamoorthy ex J.G.González & Guzm.-Hern.
- *Salvia santolinifolia* Boiss.
- *Salvia sarawschanica* Regel & Schmalh.
- *Salvia sarmentosa* Epling
- *Salvia saxicola* Wall. ex Benth.
- *Salvia scabiosifolia* Lam.
- *Salvia scabra* Thunb.
- *Salvia scabrata* Britton & P.Wilson
- *Salvia scabrida* Pohl
- *Salvia scandens* Epling
- *Salvia scapiformis* Hance
- *Salvia scaposa* Epling
- *Salvia schimperi* Benth.
- *Salvia schizocalyx* E.Peter
- *Salvia schizochila* E.Peter
- *Salvia schlechteri* Briq.

- [Salvia schmalhauseni](#) Regel
- [Salvia sciaphila](#) (J.R.I.Wood & Harley) Fern.Alonso
- [Salvia sclarea](#) L.
- [Salvia sclareoides](#) Brot.
- [Salvia sclareopsis](#) Bornm. ex Hedge
- [Salvia scoparia](#) Epling
- [Salvia scrophulariifolia](#) (Bunge) B.T.Drew
- [Salvia scutellarioides](#) Kunth
- [Salvia scytinophylla](#) Briq.
- [Salvia secunda](#) Benth.
- [Salvia seemannii](#) Fernald
- [Salvia selleana](#) Urb.
- [Salvia sellowiana](#) Benth.
- [Salvia semiatrata](#) Zucc.
- [Salvia semiscaposa](#) Epling ex Fragoso & Mart.Gord.
- [Salvia serboana](#) B.L.Turner
- [Salvia sericeotomentosa](#) Rech.f.
- [Salvia serotina](#) L.
- [Salvia serpyllifolia](#) Fernald
- [Salvia serranoae](#) J.R.I.Wood
- [Salvia sessei](#) Benth.
- [Salvia sessilifolia](#) Baker
- [Salvia setulosa](#) Fernald
- [Salvia shahkuhmahalei](#) Akhani
- [Salvia shannonii](#) Donn.Sm.
- [Salvia shaofengkouensis](#) S.S.Ying
- [Salvia sharifii](#) Rech.f. & Esfand.
- [Salvia sharpii](#) Epling & Mathias
- [Salvia sigchosica](#) Fern.Alonso
- [Salvia siirtica](#) Kahraman, Celep & Dogan
- [Salvia sikkimensis](#) E.Peter
- [Salvia silvarum](#) Epling
- [Salvia similis](#) Brandegees
- [Salvia sinaloensis](#) Fernald
- [Salvia sinica](#) Migo
- [Salvia sirenis](#) J.G.González & Gonz.-Adame
- [Salvia siyuanensis](#) S.S.Ying
- [Salvia smithii](#) E.Peter
- [Salvia smyrnaea](#) Boiss.
- [Salvia somalensis](#) Vatke
- [Salvia sonchifolia](#) C.Y.Wu
- [Salvia sonklarii](#) Pant.

- [Salvia sonomensis](#) Greene
- [Salvia sophrona](#) Briq.
- [Salvia sordida](#) Benth.
- [Salvia spathacea](#) Greene
- [Salvia speciosa](#) C.Presl ex Benth.
- [Salvia speirematoides](#) C.Wright
- [Salvia spellenbergii](#) J.G.González
- [Salvia sphacelifolia](#) Epling
- [Salvia sphacelioides](#) Benth.
- [Salvia spinosa](#) L.
- [Salvia splendens](#) Sellow ex Nees
- [Salvia sprucei](#) Briq.
- [Salvia squalens](#) Kunth
- [Salvia stachydifolia](#) Benth.
- [Salvia stachyoides](#) Kunth
- [Salvia staminea](#) Montbret & Aucher ex Benth.
- [Salvia stenophylla](#) Burch. ex Benth.
- [Salvia stibalii](#) Alziar
- [Salvia stolonifera](#) Benth.
- [Salvia striata](#) Benth.
- [Salvia strobilanthoides](#) C.Wright ex Griseb.
- [Salvia strobilifera](#) (Benth.) J.G.González
- [Salvia styphelos](#) Epling
- [Salvia subaequalis](#) Epling
- [Salvia subbipinnata](#) (C.Y.Wu) B.Y.Ding & Z.H.Chen
- [Salvia subglabra](#) (Urb.) Urb.
- [Salvia subhastata](#) Epling
- [Salvia subincisa](#) Benth.
- [Salvia submutica](#) Botsch. & Vved.
- [Salvia subobscura](#) Epling
- [Salvia subpalmatinervis](#) E.Peter
- [Salvia subpatens](#) Epling
- [Salvia subrotunda](#) A.St.-Hil. ex Benth.
- [Salvia subrubens](#) Epling
- [Salvia subscandens](#) Epling & Játiva
- [Salvia substolonifera](#) E.Peter
- [Salvia subviolacea](#) Y.K.Wei & Pendry[8]
- [Salvia sucrensis](#) J.R.I.Wood
- [Salvia suffruticosa](#) Montbret & Aucher ex Benth.
- [Salvia summa](#) A.Nelson
- [Salvia synodonta](#) Epling
- [Salvia syriaca](#) L.

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia tiliifolia



Salvia

transsylvanica

- *Salvia tafallae* Benth.
- *Salvia taraxacifolia* Coss. & Balansa
- *Salvia tchihatcheffii* (Fisch. & C.A.Mey.) Boiss.
- *Salvia tebesana* Bunge
- *Salvia teddii* Turrill
- *Salvia tehuacana* Fernald
- *Salvia tenella* Sw.
- *Salvia tenorioi* Ramamoorthy ex B.L.Turner
- *Salvia tenuiflora* Epling
- *Salvia tepicensis* Fernald
- *Salvia teresae* Fernald
- *Salvia tetramerioides* Mart.Gord., Fragoso & García-Peña
- *Salvia tetrodonta* Hedge
- *Salvia texana* (Scheele) Torr.
- *Salvia textitlana* B.L.Turner
- *Salvia thermarum* van Jaarsv.
- *Salvia thomasiana* Urb.
- *Salvia thormannii* Urb.
- *Salvia thymoides* Benth.
- *Salvia thyrsiflora* Benth.
- *Salvia tianschanica* Machm.
- *Salvia tigrina* Hedge & Hub.-Mor.
- *Salvia tilantongensis* J.G.González & Aguilar-Sant.
- *Salvia tiliifolia* Vahl
- *Salvia tingitana* Etl.
- *Salvia toaensis* Alain
- *Salvia tobeyi* Hedge
- *Salvia tolimensis* Kunth
- *Salvia tomentella* Pohl
- *Salvia tomentosa* Mill.
- *Salvia tonalensis* Brandegees

- [Salvia tonaticensis](#) Ramamoorthy ex Lara Cabrera, Bedolla & Zamudio
- [Salvia topiensis](#) J.G.González
- [Salvia tortuensis](#) Urb.
- [Salvia tortuosa](#) Kunth
- [Salvia townsendii](#) Fernald
- [Salvia trachyphylla](#) Epling
- [Salvia transsylvanica](#) (Schur ex Griseb. & Schenk) Schur
- [Salvia trautvetteri](#) Regel
- [Salvia triangularis](#) Thunb.
- [Salvia trichocalycina](#) Benth.
- [Salvia trichoclada](#) Benth.
- [Salvia trichopes](#) Epling
- [Salvia trichostephana](#) Epling
- [Salvia tricuspidata](#) M.Martens & Galeotti
- [Salvia tricuspis](#) Franch.
- [Salvia trifilis](#) Epling
- [Salvia trijuga](#) Diels
- [Salvia tubifera](#) Cav.
- [Salvia tubiflora](#) Sm.
- [Salvia tubulosa](#) Epling
- [Salvia tuerckheimii](#) Urb.
- [Salvia turcomanica](#) Pobed.
- [Salvia turdi](#) A.Rich.
- [Salvia turneri](#) Ramamoorthy
- [Salvia tuxtlensis](#) Ramamoorthy
- [Salvia tysonii](#) Skan

U

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)

- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



[*Salvia urica*](#)

- [*Salvia uliginosa*](#) Benth.
- [*Salvia umbratica*](#) Hance
- [*Salvia umbraticola*](#) Epling
- [*Salvia umbratilis*](#) Fernald
- [*Salvia uncinata*](#) Urb.
- [*Salvia unguella*](#) Epling
- [*Salvia unicostata*](#) Fernald

- [Salvia univerticillata](#) Ramamoorthy ex Klitg.
- [Salvia uribei](#) J.R.I.Wood & Harley
- [Salvia urica](#) Epling
- [Salvia urmiensis](#) Bunge
- [Salvia urolepis](#) Fernald
- [Salvia urticifolia](#) L.
- [Salvia uruapana](#) Fernald

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)



Salvia verbenaca



Salvia



verticillata

Salvia viscosa

- Salvia valentina Vahl
- Salvia vargas-llosae Sagást. & E.Rodr.
- Salvia vargasii Epling
- Salvia variana Epling
- Salvia vaseyi (Porter) Parish
- Salvia vasta H.W.Li
- Salvia vazquezii Iltis & Ramamoorthy
- Salvia veneris Hedge
- Salvia venturana B.L.Turner
- Salvia venulosa Epling
- Salvia verbascifolia M.Bieb.
- Salvia verbenaca L.
- Salvia verecunda Epling
- Salvia vergeduzica Rzazade
- Salvia vermifolia Hedge & Hub.-Mor.
- Salvia veronicifolia A.Gray
- Salvia verticillata L.

- [Salvia vestita](#) Benth.
- [Salvia villosa](#) Fernald
- [Salvia virgata](#) Jacq.
- [Salvia viridis](#) L.
- [Salvia viscida](#) A.St.-Hil. ex Benth.
- [Salvia viscosa](#) Jacq.
- [Salvia vitifolia](#) Benth.
- [Salvia vvedenskii](#) Nikitina

W

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)

- [Salvia wagneriana](#) Pol.
- [Salvia wardii](#) E.Peter
- [Salvia warszewicziana](#) Regel
- [Salvia weberbaueri](#) Epling
- [Salvia wendelboi](#) Hedge
- [Salvia whitefoordiae](#) Klitg.
- [Salvia whitehousei](#) Alziar
- [Salvia wiedemannii](#) Boiss.
- [Salvia willeana](#) (Holmboe) Hedge
- [Salvia wixarika](#) J.G.González

X

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Interspecific hybrids](#)
- [References](#)
- [Salvia xalapensis](#) Benth.
- [Salvia xanthocheila](#) Boiss. ex Benth.
- [Salvia xanthophylla](#) Epling & Játiva
- [Salvia xanthotricha](#) Harley ex E.P.Santos
- [Salvia xeropapillosa](#) Fern.Alonso
- [Salvia xolocotzii](#) Bedolla & Zamudio

Y

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)

- [References](#)
- [Salvia yangii](#) B.T.Drew
- [Salvia yosgadensis](#) Freyn & Bornm.
- [Salvia yukoyukparum](#) Fern.Alonso
- [Salvia yunnanensis](#) C.H.Wright

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Interspecific hybrids](#)
- [References](#)
- [Salvia zacualpanensis](#) Briq.
- [Salvia zamoranensis](#) Zamudio & Bedolla

- [*Salvia zaragozana*](#) B.L.Turner

Interspecific hybrids



Salvia Mystic Spires Blue 'Balsalmisp'

Hybrids accepted by Plants of the World Online as of May 2024 include:[\[7\]](#)

- [*Salvia × accidentalis*](#) Sánchez-Gómez & R.Morales
- [*Salvia × adulterina*](#) Hausskn.
- [*Salvia × atrovioacea*](#) Fern.Alonso
- [*Salvia × auriculata*](#) Mill.
- [*Salvia × bernardina*](#) Parish ex Greene
- [*Salvia × bichigeanii*](#) Prodan
- [*Salvia × cadevallii*](#) Sennen
- [*Salvia × cernavodae*](#) Nyár.
- [*Salvia × doganii*](#) Celep & B.T.Drew
- [*Salvia × ferganica*](#) Sennikov
- [*Salvia × hegelmaieri*](#) Porta & Rigo
- [*Salvia × hybrida*](#) Schur
- [*Salvia × jamensis*](#) J.Compton
- [*Salvia × karamanensis*](#) Celep & B.T.Drew
- [*Salvia × kernerii*](#) Blocki
- [*Salvia × lavandulacea*](#) (de Noé) Roma-Marzio & Galasso
- [*Salvia × mendizabali*](#) (Sagredo ex Rosua) Roma-Marzio & Galasso
- [*Salvia × nariniensis*](#) Fern.Alonso
- [*Salvia × rociانا*](#) Fern.Alonso
- [*Salvia × rosuae*](#) Figuerola, Stübing & Peris
- [*Salvia × sakuensis*](#) Naruh. & Hihara

- [*Salvia × simonkaiana*](#) Borbás
- [*Salvia × spiraeifolia*](#) Boiss. & Hohen.
- [*Salvia × sylvestris*](#) L.
- [*Salvia × telekiana*](#) Simonk. & Thaisz
- [*Salvia × tunica-mariae*](#) Fern.Alonso
- [*Salvia × westerae*](#) J.R.I.Wood

There are also many [horticultural cultivars and hybrids](#), particularly those involving *Salvia microphylla*, *Salvia greggii* and their hybrid *Salvia × jamensis*.[\[9\]](#)

From Wikipedia, the free encyclopedia

The following species in the genus [*Salix*](#) are recognised by [Plants of the World Online](#):[\[1\]](#)

Extant species

- [*Salix abscondita*](#) Lacksch.
- [*Salix acmophylla*](#) Boiss.
- [*Salix acutifolia*](#) Willd. – violet willow
- [*Salix aegyptiaca*](#) L.
- [*Salix aeruginosa*](#) E.Carranza
- [*Salix alata*](#) Kar. ex Stschegl.
- [*Salix alaxensis*](#) (Andersson) Coville – Alaska willow
- [*Salix alba*](#) L. – white willow
- [*Salix alexii-skvortzovii*](#) A.P.Khokhr.
- [*Salix alpina*](#) Scop. – alpine willow
- [*Salix amplexicaulis*](#) Bory & Chaub.
- [*Salix amygdaloides*](#) Andersson – peachleaf willow
- [*Salix anatolica*](#) Ziel. & D.Tomasz.
- [*Salix annulifera*](#) C.Marquand & Airy Shaw
- [*Salix anticecrenata*](#) [Kimura](#)
- [*Salix apennina*](#) A.K.Skvortsov
- [*Salix apoda*](#) Trautv.
- [*Salix appendiculata*](#) Vill.
- [*Salix arbuscula*](#) L. – mountain willow
- [*Salix arbusculoides*](#) Andersson – littletree willow
- [*Salix arbutifolia*](#) Pall.
- [*Salix arctica*](#) Pall. – Arctic willow
- [*Salix arctophila*](#) Cockerell
- [*Salix argyracea*](#) E.L.Wolf
- [*Salix argyrocarpa*](#) Andersson
- [*Salix arizonica*](#) Dorn
- [*Salix armeno-rossica*](#) A.K.Skvortsov

- [*Salix arrigonii*](#) Brullo
- [*Salix athabascensis*](#) Raup
- [*Salix atopantha*](#) C.K.Schneid.
- [*Salix atrocinerea*](#) Brot. – grey willow
- [*Salix aurita*](#) L. – eared willow
- [*Salix austrotibetica*](#) N.Chao
- [*Salix babylonica*](#) L. – Babylon willow, Peking willow
- [*Salix baileyi*](#) C.K.Schneid.
- [*Salix balansae*](#) Seemen
- [*Salix balfouriana*](#) C.K.Schneid.
- [*Salix ballii*](#) Dorn
- [*Salix bangongensis*](#) Z.Wang & C.F.Fang
- [*Salix barclayi*](#) Andersson – Barclay's willow
- [*Salix barrattiana*](#) Hook. – Barratt's willow
- [*Salix bebbiana*](#) Sarg. – beaked willow
- [*Salix berberifolia*](#) Pall.
- [*Salix bhutanensis*](#)
- [*Salix bicolor*](#) Ehrh. ex Willd.
- [*Salix bikouensis*](#) Y.L.Chou
- [*Salix blakii*](#) Goerz
- [*Salix blinii*](#) H.Lév.
- [*Salix bonplandiana*](#) Kunth – Bonpland willow, ahuejote
- [*Salix boothii*](#) Dorn – Booth's willow
- [*Salix borealis*](#) Fr.
- [*Salix boseensis*](#) N.Chao
- [*Salix brachycarpa*](#) Nutt. – barren-ground willow
- [*Salix brachypoda*](#) (Trautv. & C.A.Mey.) Kom.
- [*Salix breviserrata*](#) Flod.
- [*Salix breweri*](#) Bebb – Brewer's willow
- [*Salix brutia*](#) Brullo & G.Spamp.
- [*Salix cacuminis*](#) A.K.Skvortsov
- [*Salix caesia*](#) Vill.
- [*Salix calcicola*](#) Fernald & Wiegand – limestone willow
- [*Salix calyculata*](#) Hook.f. ex Andersson
- [*Salix cana*](#) M.Martens & Galeotti
- [*Salix candida*](#) Flügge ex Willd. – sage willow
- [*Salix caprea*](#) L. – goat willow
- [*Salix capusii*](#) Franch.
- [*Salix cardiophylla*](#) Trautv. & C.A.Mey.
- [*Salix carmanica*](#) Bornm.
- [*Salix caroliniana*](#) Michx. – coastal plain willow
- [*Salix cascadiensis*](#) Cockerell

- [*Salix caspica*](#) Pall.
- [*Salix cathayana*](#) Diels
- [*Salix caucasica*](#) Andersson
- [*Salix cavaleriei*](#) H.Lév.
- [*Salix chaenomeloides*](#) Kimura
- [*Salix chamissonis*](#) Andersson
- [*Salix characta*](#) C.K.Schneid.
- [*Salix chevalieri*](#) Seemen
- [*Salix cheilophila*](#) C.K.Schneid.
- [*Salix chienii*](#) Cheng
- [*Salix chikungensis*](#) C.K.Schneid.
- [*Salix chilensis*](#) Molina
- [*Salix chlorolepis*](#) Fernald
- [*Salix cinerea*](#) L. – grey sallow
- [*Salix clathrata*](#) Hand.-Mazz.
- [*Salix coggygria*](#) Hand.-Mazz.
- [*Salix columbiana*](#) Argus – Columbia River willow
- [*Salix coluteoides*](#) Mirb.
- [*Salix commutata*](#) Bebb – undergreen willow
- [*Salix contortiapiculata*](#) P.I Mao & W.Z.Li
- [*Salix cordata*](#) Michx. – heartleaf, sand dune willow
- [*Salix crataegifolia*](#) Bertol.
- [*Salix cupularis*](#) Rehder
- [*Salix daguanensis*](#) P.I Mao & P.X. He
- [*Salix daliensis*](#) C.F.Fang & S.D.Zhao
- [*Salix daltoniana*](#) Andersson
- [*Salix dalungensis*](#) Z.Wang & P.Y.Fu
- [*Salix daphnoides*](#) Vill.
- [*Salix delavayana*](#) Hand.-Mazz.
- [*Salix delnortensis*](#) C.K.Schneid. – del Norte willow
- [*Salix denticulata*](#) Andersson
- [*Salix dibapha*](#) C.K.Schneid.
- [*Salix discolor*](#) Muhl. – American willow, pussy willow
- [*Salix disperma*](#) Roxb. ex D.Don
- [*Salix dissa*](#) C.K.Schneid.
- [*Salix divergentistyla*](#) C.F.Fang
- [*Salix divaricata*](#) Pall.
- [*Salix doii*](#) Hayata
- [*Salix dolichostachya*](#) Flod.
- [*Salix donggouxianica*](#) C.F.Fang
- [*Salix driophila*](#) C.K.Schneid.
- [*Salix drummondiana*](#) Barratt ex Hook. – Drummond's willow

- [Salix dshugdshurica](#) A.K.Skvortsov
- [Salix eastwoodiae](#) Cockerell ex A.Heller – Eastwood's willow
- [Salix eleagnos](#) Scop.
- [Salix eriocephala](#) Michx. – heartleaf willow
- [Salix erioclada](#) H. Lév. & Vaniot
- [Salix eriostachya](#) Wall. ex Andersson
- [Salix ernestii](#) C.K.Schneid.
- [Salix erythrocarpa](#) Kom.
- [Salix euxina](#) I.V.Belyaeva
- [Salix excelsa](#) S.G.Gmel.
- [Salix exigua](#) Nutt. – sandbar willow
- [Salix famelica](#) (C.R.Ball) Argus
- [Salix fargesii](#) Burkill
- [Salix farriae](#) C.R.Ball
- [Salix fedtschenkoi](#) Goerz
- [Salix flabellaris](#) Andersson
- [Salix floccosa](#) Burkill
- [Salix floridana](#) Chapm.
- [Salix foetida](#) Schleich. ex DC.
- [Salix fruticulosa](#) Andersson
- [Salix fulvopubescens](#) Hayata
- [Salix fuscescens](#) Andersson – Alaska bog willow
- [Salix futura](#) Seemen
- [Salix geyeriana](#) Andersson
- [Salix gilgiana](#) Seemen
- [Salix glabra](#) Scop.
- [Salix glauca](#) L. – northern willow
- [Salix glaucosericea](#) Flod.
- [Salix gmelinii](#) Pall.
- [Salix gonggashanica](#) C.F.Fang & A.K.Skvortsov
- [Salix gooddingii](#) C.R.Ball – Goodding willow
- [Salix gracilior](#) (Siuzew) Nakai
- [Salix gracilistyla](#) Miq.
- [Salix guinieri](#) Chass. & Goerz
- [Salix gussonei](#) Brullo & G.Spamp.
- [Salix hartwegii](#) Benth.
- [Salix hastata](#) L.
- [Salix hegetschweileri](#) Heer
- [Salix helvetica](#) Vill. – Swiss willow
- [Salix herbacea](#) L. – dwarf willow
- [Salix hookeriana](#) Barratt ex Hook. – Hooker's willow
- [Salix hukaoana](#) Kimura

- [*Salix humboldtiana*](#) – Chile willow
- [*Salix humilis*](#) Marshall – upland willow
- [*Salix iliensis*](#) Regel
- [*Salix interior*](#) Rowlee
- [*Salix ionica*](#) Brullo, F.Scelsi & G.Spamp.
- [*Salix irrorata*](#) Andersson
- [*Salix jaliscana*](#) M.E.Jones
- [*Salix japonica*](#) Thunb.
- [*Salix jejuna*](#) Fernald – barrens willow
- [*Salix jensseensis*](#) (F.Schmidt) Flod.
- [*Salix jepsonii*](#) C.K.Schneid. – Jepson's willow
- [*Salix juparica*](#) Goerz ex Rehder & Kobuski
- [*Salix jurtzevii*](#) A.K.Skvortsov
- [*Salix kalarica*](#) (A.K.Skvortsov) Vorosch.
- [*Salix kangensis*](#) Nakai
- [*Salix karelinii*](#) Turcz. ex Stschegl.
- [*Salix khokhriakovii*](#) A.K.Skvortsov
- [*Salix kirilowiana*](#) Stschegl.
- [*Salix kitaibeliana*](#) Willd.
- [*Salix kochiana*](#) Trautv.
- [*Salix koeieana*](#) A.K.Skvortsov
- [*Salix koriyanagi*](#) Kimura ex Goerz
- [*Salix krylovii*](#) E.L.Wolf
- [*Salix kusanoi*](#) (Hayata) C.K.Schneid.
- [*Salix kuznetzowii*](#) Laksch. ex Goerz
- [*Salix laevigata*](#) Bebb – red willow
- [*Salix laggeri*](#) Wimm.
- [*Salix lanata*](#) L. – woolly willow
- [*Salix lapponum*](#) L. – downy willow
- [*Salix lasiandra*](#) Benth.
- [*Salix lasiolepis*](#) Benth. – arroyo willow
- [*Salix ledebouriana*](#) Trautv.
- [*Salix ledermannii*](#) Seemen
- [*Salix lemmonii*](#) Bebb – Lemmon's willow
- [*Salix ligulifolia*](#) (C.R.Ball) C.R.Ball ex C.K.Schneid. – strapleaf willow
- [*Salix lindleyana*](#) Wall. ex Andersson
- [*Salix longiflora*](#) Wall. ex Andersson
- [*Salix longistamina*](#) Z.Wang & P.Y.Fu
- [*Salix lucida*](#) Muhl. – shining willow
- [*Salix luctuosa*](#) H.Lév.
- [*Salix ludlowiana*](#) A.K.Skvortsov
- [*Salix lutea*](#) Nutt. – yellow willow

- [*Salix maccalliana*](#) Rowlee
- [*Salix magnifica*](#) Hemsl.
- [*Salix martiana*](#) Leyb.
- [*Salix melanopsis*](#) Nutt. – dusky willow
- [*Salix mesnyi*](#) Hance
- [*Salix mexicana*](#) Seemen
- [*Salix michelsonii*](#) Goerz ex Nasarow
- [*Salix microphylla*](#) Schltdl. & Cham.
- [*Salix microstachya*](#) Turcz. ex Trautv.
- [*Salix mielichhoferi*](#) Saut.
- [*Salix miyabeana*](#) Seemen
- [*Salix monochroma*](#) C.R.Ball
- [*Salix monticola*](#) Bebb
- [*Salix moupinensis*](#) Franch.
- [*Salix mucronata*](#) Thunb.
- [*Salix muliensis*](#) Goerz
- [*Salix myricoides*](#) Muhl.
- [*Salix myrsinifolia*](#) Salisb. – dark-leaved willow
- [*Salix myrsinites*](#) L. – whortle-leaved willow
- [*Salix myrtillacea*](#) Andersson
- [*Salix myrtillifolia*](#) Andersson
- [*Salix myrtilloides*](#) L. – swamp willow
- [*Salix nakamuraana*](#) Koidz.
- [*Salix nasarovii*](#) A.K.Skvortsov
- [*Salix niedzwieckii*](#) Goerz
- [*Salix nigra*](#) Marshall – black willow
- [*Salix niphoclada*](#) Rydb.
- [*Salix nipponica*](#) Franch. & Sav.
- [*Salix nivalis*](#) Hook.
- [*Salix nummularia*](#) Andersson
- [*Salix nuristanica*](#) A.K.Skvortsov
- [*Salix obscura*](#) Andersson
- [*Salix olgae*](#) Regel
- [*Salix opsimantha*](#) C.K.Schneid.
- [*Salix oreinoma*](#) C.K.Schneid.
- [*Salix oreophila*](#) Hook.f. ex Andersson
- [*Salix orestera*](#) C.K.Schneid. – Sierra willow
- [*Salix oritrepha*](#) C.K.Schneid.
- [*Salix oropotamica*](#) Brullo, F.Scelsi & G.Spamp.
- [*Salix ovalifolia*](#) Trautv.
- [*Salix pantosericea*](#) Goerz
- [*Salix paradoxa*](#) Kunth

- [Salix paraflabellaris](#) S.D.Zhao
- [Salix paraplesia](#) C.K.Schneid.
- [Salix pedicellaris](#) Pursh – bog willow
- [Salix pedicellata](#) Desf.
- [Salix pellita](#) (Andersson) Bebb
- [Salix pentandra](#) L. – bay willow
- [Salix pentandrifolia](#) Sennikov
- [Salix petiolaris](#) Sm. – slender willow
- [Salix petrophila](#) Rydb.
- [Salix phlebophylla](#) Andersson
- [Salix phylicifolia](#) L. – tea-leaved willow
- [Salix pierotii](#) Miq.
- [Salix planifolia](#) Pursh – planeleaf willow
- [Salix plocotricha](#) C.K.Schneid.
- [Salix polaris](#) Wahlenb. – polar willow
- [Salix prolixa](#) Andersson – MacKenzie's willow
- [Salix pseudocalyculata](#) Kimura
- [Salix pseudodepressa](#) A.K.Skvortsov
- [Salix pseudomedemii](#) E.L.Wolf
- [Salix pseudomonticola](#) C.R.Ball
- [Salix pseudomyrsinites](#) Andersson
- [Salix pseudopentandra](#) (Flod.) Flod.
- [Salix pseudospissa](#) Goerz ex Rehder & Kobuski
- [Salix pseudowallichiana](#) Goerz ex Rehder & Kobuski
- [Salix psilostigma](#) Andersson
- [Salix pulchra](#) Cham.
- [Salix purpurea](#) L. – purple willow
- [Salix pycnostachya](#) Andersson
- [Salix pyrenaica](#) Gouan
- [Salix pyrifolia](#) Andersson – balsam willow
- [Salix pyrolifolia](#) Ledeb.
- [Salix qinghaiensis](#) Y.L.Chou
- [Salix radinostachya](#) C.K.Schneid.
- [Salix raupii](#) Argus
- [Salix rectijulis](#) Ledeb. ex Trautv.
- [Salix recurvigemmata](#) A.K.Skvortsov
- [Salix rehderiana](#) C.K.Schneid.
- [Salix reinii](#) Franch. & Sav. ex Seemen
- [Salix repens](#) L. – creeping willow
- [Salix reptans](#) Rupr.
- [Salix reticulata](#) L. – net-leaved willow
- [Salix retusa](#) L.

- [*Salix rhamnifolia*](#) Pall.
- [*Salix rhododendroides*](#) C.Wang & C.Y.Yu
- [*Salix richardsonii*](#) Hook. – possible synonym of [*Salix lanata*](#)
- [*Salix riskindii*](#) M.C.Johnst.
- [*Salix rockii*](#) Goerz ex Rehder & Kobuski
- [*Salix rorida*](#) Laksch.
- [*Salix rosmarinifolia*](#) L. – rosemary-leaved willow
- [*Salix rotundifolia*](#) Trautv.
- [*Salix rupifraga*](#) Koidz.
- [*Salix sajanensis*](#) Nasarow
- [*Salix salviifolia*](#) Brot.
- [*Salix salwinensis*](#) Hand.-Mazz. ex Enander
- [*Salix saposhnikovii*](#) A.K.Skvortsov
- [*Salix saxatilis*](#) Turcz. ex Ledeb.
- [*Salix schwerinii*](#) E.L.Wolf
- [*Salix sclerophylla*](#) Andersson
- [*Salix scouleriana*](#) Barratt ex Hook. – Scouler's willow
- [*Salix sericea*](#) Marshall – silky willow
- [*Salix sericocarpa*](#) Andersson
- [*Salix serissima*](#) (L.H.Bailey ex Arthur) Fernald – autumn willow
- [*Salix serpillifolia*](#) Scop.
- [*Salix sessilifolia*](#) Nutt.
- [*Salix setchelliana*](#) C.R.Ball
- [*Salix shiraii*](#) Seemen
- [*Salix sieboldiana*](#) Blume
- [*Salix sikkimensis*](#) Andersson
- [*Salix silesiaca*](#) Willd.
- [*Salix silicicola*](#) Raup
- [*Salix sitchensis*](#) Sanson ex Bong. – Sitka willow
- [*Salix songarica*](#) Andersson
- [*Salix spathulifolia*](#) Seemen
- [*Salix sphaeronymphe*](#) Goerz
- [*Salix sphenophylla*](#) A.K.Skvortsov
- [*Salix staintoniana*](#) A.K.Skvortsov
- [*Salix starkeana*](#) Willd.
- [*Salix stolonifera*](#) Coville
- [*Salix stomatophora*](#) Flod.
- [*Salix subopposita*](#) Miq.
- [*Salix suchowensis*](#) W.C.Cheng
- [*Salix sumiyosensis*](#) Kimura
- [*Salix taiwanalpina*](#) Kimura
- [*Salix taraikensis*](#) Kimura

- [*Salix tarraconensis*](#) Pau
- [*Salix taxifolia*](#) Kunth – yewleaf willow
- [*Salix tengchongensis*](#) C.F.Fang
- [*Salix tenuijulis*](#) Ledeb.
- [*Salix tetrasperma*](#) Roxb.
- [*Salix thomsoniana*](#) Andersson
- [*Salix thorelii*](#) Dode
- [*Salix thurberi*](#) Rowlee
- [*Salix tianschanica*](#) Regel
- [*Salix tibetica*](#) Goerz ex Rehder & Kobuski
- [*Salix tonkinensis*](#) Seemen
- [*Salix tracyi*](#) C.R.Ball
- [*Salix triandra*](#) L. – almond willow
- [*Salix triandroides*](#) W.P.Fang
- [*Salix tschujensis*](#) (Bolsch.) Baikov
- [*Salix tschuktschorum*](#) A.K.Skvortsov
- [*Salix turanica*](#) Nasarow
- [*Salix turczaninowii*](#) (Laksch.)
- [*Salix turnorii*](#) Raup
- [*Salix tweedyi*](#) (Bebb) C.R.Ball
- [*Salix tyrrellii*](#) Raup
- [*Salix tyrrhenica*](#) Brullo, F.Scelsi & Spamp.
- [*Salix udensis*](#) (Wimm.) Trautv. & C.A.Mey.
- [*Salix uralicola*](#) I.V.Belyaeva
- [*Salix uva-ursi*](#) Pursh – bearberry willow
- [*Salix variegata*](#) Franch.
- [*Salix vestita*](#) Pursh – silky willow
- [*Salix viminalis*](#) L. – common osier
- [*Salix vinogradovii*](#) A.K.Skvortsov
- [*Salix vulpina*](#) Andersson
- [*Salix waldsteiniana*](#) Willd.
- [*Salix wilhelmsiana*](#) M.Bieb.
- [*Salix wolfii*](#) Bebb
- [*Salix wuxuhaiensis*](#) N.Chao
- [*Salix xanthicola*](#) K.I.Chr.
- [*Salix zangica*](#) N.Chao

Hybrid species

- [*Salix* × *aberrans*](#) A.Camus & E.G.Camus
- [*Salix* × *algista*](#) C.K.Schneid.
- [*Salix* × *altobracensis*](#) H.J.Coste
- [*Salix* × *ambigua*](#) Ehrh.

- [Salix × amoena](#) Fernald
- [Salix × ampherista](#) C.K.Schneid.
- [Salix × angusensis](#) Rech.f.
- [Salix × arakiana](#) Koidz.
- [Salix × argusii](#) B.Boivin
- [Salix × aschersoniana](#) Seemen
- [Salix × austriaca](#) Host
- [Salix × balfourii](#) E.F.Linton
- [Salix × beckiana](#) Beck
- [Salix × boettcheri](#) Seemen
- [Salix × boulayi](#) F.Gérard
- [Salix × brachypurpurea](#) B.Boivin
- [Salix × buseri](#) Favrat
- [Salix × calliantha](#) Jos.Kern.
- [Salix × canescens](#) Willd.
- [Salix × capreola](#) A.Kern. ex Andersson
- [Salix × cernua](#) E.F.Linton
- [Salix × charrieri](#) Chass.
- [Salix × coerulescens](#) Döll
- [Salix × confinis](#) A.Camus & E.G.Camus
- [Salix × conifera](#) Wangenh.
- [Salix × cottetii](#) A.Kern.
- [Salix × cremnophila](#) Kimura
- [Salix × devestita](#) Arv.-Touv.
- [Salix × dichroa](#) Döll
- [Salix × digenea](#) Jos.Kern.
- [Salix × doniana](#) Sm.
- [Salix × dutillyi](#) Lepage
- [Salix × ehrhartiana](#) Sm.
- [Salix × erdingeri](#) A.Kern.
- [Salix × eriocataphylla](#) Kimura
- [Salix × eriocataphylloides](#) Kimura
- [Salix × erythroclados](#) Simonk.
- [Salix × euerata](#) Kimura
- [Salix × euryadenia](#) Ausserd. ex A.Kern.
- [Salix × finnmarkica](#) Willd.
- [Salix × flueggeana](#) Willd.
- [Salix × forbesiana](#) Druce
- [Salix × forbyana](#) Sm.
- [Salix × fragilis](#) L.
- [Salix × friesiana](#) Andersson
- [Salix × fruticosa](#) Döll

- [*Salix* × *gaspensis*](#) C.K.Schneid.
- [*Salix* × *gillottii*](#) A.Camus & E.G.Camus
- [*Salix* × *glatfelterii*](#) C.K.Schneid.
- [*Salix* × *grahamii*](#) Borrer ex Baker
- [*Salix* × *grayi*](#) C.K.Schneid.
- [*Salix* × *hapala*](#) Kimura
- [*Salix* × *hatusimae*](#) Kimura
- [*Salix* × *hayatana*](#) Kimura
- [*Salix* × *hebecarpa*](#) (Fernald) Fernald
- [*Salix* × *hermaphroditica*](#) L.
- [*Salix* × *hiraoana*](#) Kimura
- [*Salix* × *hirsutophylla*](#) A.Camus & E.G.Camus
- [*Salix* × *hirtii*](#) Strähler
- [*Salix* × *hisauchiana*](#) Koidz.
- [*Salix* × *hostii*](#) A.Kern.
- [*Salix* × *hudsonensis*](#) C.K.Schneid.
- [*Salix* × *ikenoana*](#) Kimura
- [*Salix* × *intermedia*](#) Host
- [*Salix* × *inticensis*](#) Huter
- [*Salix* × *iwahisana*](#) Kimura
- [*Salix* × *jamesensis*](#) Lepage
- [*Salix* × *japopina*](#) Kimura
- [*Salix* × *jesupii*](#) Fernald
- [*Salix* × *kamikotica*](#) Kimura
- [*Salix* × *kawamurana*](#) Kimura
- [*Salix* × *koidzumii*](#) Kimura
- [*Salix* × *koiei*](#) Kimura
- [*Salix* × *krausei*](#) Andersson
- [*Salix* × *kudoj*](#) Kimura
- [*Salix* × *lambertiana*](#) Sm.
- [*Salix* × *latifolia*](#) J.Forbes
- [*Salix* × *laurentiana*](#) Fernald
- [*Salix* × *laurina*](#) Sm.
- [*Salix* × *leiophylla*](#) A.Camus & E.G.Camus
- [*Salix* × *leucopithecica*](#) Kimura
- [*Salix* × *lintonii*](#) A.Camus & E.G.Camus
- [*Salix* × *litigiosa*](#) A.Camus & E.G.Camus
- [*Salix* × *lochsiensis*](#) D.J.Tennant
- [*Salix* × *ludibunda*](#) A.Camus & E.G.Camus
- [*Salix* × *ludificans*](#) F.B.White
- [*Salix* × *lyonensis*](#) D.J.Tennant
- [*Salix* × *margaretae*](#) Seemen

- [Salix × margarita](#) F.B.White
- [Salix × mariana](#) Wol.
- [Salix × maritima](#) Hartig
- [Salix × matsumurae](#) Seemen
- [Salix × meikleana](#) D.J.Tennant
- [Salix × meyeriana](#) Rostk. ex Willd.
- [Salix × microstemon](#) Kimura
- [Salix × mollissima](#) Hoffm. ex Elwert
- [Salix × montana](#) Host
- [Salix × multinervis](#) Döll
- [Salix × myrtoides](#) Döll
- [Salix × nasuensis](#) Kimura
- [Salix × neuburgensis](#) Erdner
- [Salix × notha](#) Andersson
- [Salix × obtusifolia](#) Willd.
- [Salix × oleifolia](#) Vill.
- [Salix × onychiophylla](#) Andersson
- [Salix × peasei](#) Fernald
- [Salix × pedionoma](#) Kimura
- [Salix × pedunculata](#) Fernald
- [Salix × peloritana](#) Prestandr. ex Tineo
- [Salix × pendulina](#) Wender.
- [Salix × permixta](#) Jeanne Webb
- [Salix × perthensis](#) Druce
- [Salix × phaeophylla](#) Andersson
- [Salix × pithoensis](#) Rouy
- [Salix × pseudodoniana](#) Rouy
- [Salix × pseudoglauca](#) Andersson
- [Salix × pseudopaludicola](#) Kimura
- [Salix × punctata](#) Wahlenb.
- [Salix × quercifolia](#) Sennen ex Goerz
- [Salix × reichardtii](#) A.Kern.
- [Salix × retusoides](#) Jos.Kern.
- [Salix × rubella](#) Bebb ex Rowlee & Wiegand
- [Salix × rubra](#) Huds.
- [Salix × rubriformis](#) Tourlet
- [Salix × rugulosa](#) Andersson
- [Salix × sadleri](#) Syme
- [Salix × saxetana](#) F.B.White
- [Salix × schaburovii](#) I.V.Belyaeva
- [Salix × schatilowii](#) R.I.Schröd. ex Dippel
- [Salix × schatzii](#) Sagorski

- [*Salix* × *schneideri*](#) B.Boivin
- [*Salix* × *scholzii*](#) Rouy
- [*Salix* × *schumanniana*](#) Seemen
- [*Salix* × *secerneta*](#) F.B.White
- [*Salix* × *semimyrtilloides*](#) A.Camus & E.G.Camus
- [*Salix* × *seminigricans*](#) A.Camus & E.G.Camus
- [*Salix* × *semireticulata*](#) F.B.White
- [*Salix* × *semiviminalis*](#) E.L.Wolf
- [*Salix* × *sendaica*](#) Kimura
- [*Salix* × *sepulcralis* group](#) – hybrid willows
- [*Salix* × *sepulcralis* 'Chrysocoma'](#) – golden weeping willow
- [*Salix* × *seringeana*](#) Gaudin
- [*Salix* × *sesquiteria*](#) F.B.White
- [*Salix* × *sibyllina*](#) F.B.White
- [*Salix* × *sigemitui*](#) Kimura
- [*Salix* × *simulatrix*](#) F.B.White
- [*Salix* × *sirakawensis*](#) Kimura
- [*Salix* × *sobrina*](#) F.B.White
- [*Salix* × *speciosa*](#) Host
- [*Salix* × *straehleri*](#) Seemen
- [*Salix* × *strepida*](#) J.Forbes
- [*Salix* × *subglabra*](#) A.Kern.
- [*Salix* × *subsericea*](#) Döll
- [*Salix* × *sugayana*](#) Kimura
- [*Salix* × *tambaensis*](#) Koidz. & Araki
- [*Salix* × *taoensis*](#) Goerz ex Rehder & Kobuski
- [*Salix* × *taylorii*](#) Rech.f.
- [*Salix* × *teplouchovii*](#) R.I.Schröd. ex Wolkenst.
- [*Salix* × *tetrapla*](#) Walk.
- [*Salix* × *thaymasta*](#) Kimura
- [*Salix* × *tomentella*](#) A.Camus & E.G.Camus
- [*Salix* × *turfosa*](#) A.Camus & E.G.Camus
- [*Salix* × *turumatii*](#) Kimura
- [*Salix* × *viciosorum*](#) Sennen & Pau
- [*Salix* × *waghornei*](#) Rydb.
- [*Salix* × *wiegandii*](#) Fernald
- [*Salix* × *wimmeri*](#) A.Kern.
- [*Salix* × *woloszczakii*](#) Zalewski
- [*Salix* × *wrightii*](#) Andersson
- [*Salix* × *wyomingensis*](#) Rydb.

Fossil species

In addition to the living species and hybrids, a number of fossil species have been ascribed to *Salix*:[\[2\]](#)

- †[*Salix abbreviata*](#) Göppert
- †[*Salix acutissima*](#) Göppert
- †[*Salix akitaensis*](#) Huzioka & Uemura
- †[*Salix alaskana*](#)
- †[*Salix albiformis*](#)
- †[*Salix amygdalifolia*](#)
- †[*Salix andromedae*](#)
- †[*Salix angusta*](#)
- †[*Salix angustifolia*](#)
- †[*Salix angustissima*](#)
- †[*Salix apollinis*](#)
- †[*Salix aquensis*](#)
- †[*Salix aquitanica*](#)
- †[*Salix arcinervea*](#)
- †[*Salix arcuata*](#)
- †[*Salix arguta*](#)
- †[*Salix arnaudii*](#)
- †[*Salix assimilis*](#)
- †[*Salix attenuata*](#)
- †[*Salix axonensis*](#)
- †[*Salix baikovskajae*](#)
- †[*Salix bebbianiformis*](#)
- †[*Salix bienensis*](#)
- †[*Salix bilinica*](#)
- †[*Salix boisiensis*](#)
- †[*Salix brevipes*](#)
- †[*Salix bruckmannii*](#)
- †[*Salix bryanii*](#)
- †[*Salix californica*](#)
- †[*Salix cappensis*](#)
- †[*Salix capreiformis*](#)
- †[*Salix castaneifolia*](#)
- †[*Salix chuitensis*](#)
- †[*Salix cinereiformis*](#)
- †[*Salix coalingensis*](#)
- †[*Salix cockerellii*](#)
- †[*Salix coloradica*](#)
- †[*Salix confirmata*](#)
- †[*Salix cookensis*](#)

- †[Salix cordato-lanceolata](#)
- †[Salix coriacea](#)
- †[Salix cormickii](#)
- †[Salix crebrinervia](#)
- †[Salix crenatoserrulata](#)
- †[Salix cumberlandensis](#)
- †[Salix cuneata](#)
- †[Salix dayana](#)
- †[Salix deleta](#)
- †[Salix delicata](#)
- †[Salix demersa](#)
- †[Salix densinervis](#)
- †[Salix dentata](#)
- †[Salix denticulata](#) Heer
- †[Salix deperdita](#)
- †[Salix diana](#)
- †[Salix discoloripites](#)
- †[Salix dodonaeiformis](#)
- †[Salix dornacensis](#)
- †[Salix elliptica](#)
- †[Salix elongata](#)
- †[Salix enbekshiensis](#)
- †[Salix engelhardtii](#)
- †[Salix etolonensis](#)
- †[Salix eutawensis](#)
- †[Salix evanstoniana](#)
- †[Salix falcifolia](#)
- †[Salix finlayi](#)
- †[Salix flexuosa](#)
- †[Salix foliosa](#)
- †[Salix fragiliformis](#)
- †[Salix frontierensis](#)
- †[Salix gardneri](#)
- †[Salix glaucifolia](#)
- †[Salix goetziana](#)
- †[Salix gracilis](#)
- †[Salix grandifolia](#)
- †[Salix groenlandica](#)
- †[Salix haidingeri](#)
- †[Salix hartigii](#)
- †[Salix hausruckensis](#)
- †[Salix hayei](#)

- †[Salix hilberi](#)
- †[Salix hokiensis](#)
- †[Salix hokkaidoensis](#)
- †[Salix holzeri](#)
- †[Salix holzhausensis](#)
- †[Salix inaequalis](#)
- †[Salix inaequilatera](#)
- †[Salix infracretacica](#)
- †[Salix inouei](#)
- †[Salix inquirenda](#)
- †[Salix integra](#)
- †[Salix ionensis](#)
- †[Salix islandica](#)
- †[Salix itelmenensis](#)
- †[Salix kachemakensis](#)
- †[Salix kamloopsiana](#)
- †[Salix kamtschatica](#)
- †[Salix kattitauca](#)
- †[Salix keijisuzukii](#)
- †[Salix kempffii](#)
- †[Salix kenaiana](#)
- †[Salix kernensis](#)
- †[Salix kicktonii](#)
- †[Salix kitamiensis](#)
- †[Salix knowltonii](#)
- †[Salix lamottei](#)
- †[Salix lamottii](#)
- †[Salix lancifolia](#)
- †[Salix laramiana](#)
- †[Salix laramina](#)
- †[Salix latifolia](#)
- †[Salix lavateri](#)
- †[Salix leopoldae](#)
- †[Salix lesquereuxii](#)
- †[Salix libbeyi](#)
- †[Salix linearifolia](#) Göppert
- †[Salix linearis](#)
- †[Salix lingulata](#)
- †[Salix longa](#)
- †[Salix longinqua](#)
- †[Salix longissima](#)
- †[Salix lowei](#)

- †[Salix macrophylla](#)
- †[Salix malaisei](#)
- †[Salix maritima](#)
- †[Salix masamunei](#)
- †[Salix mattenanensis](#)
- †[Salix media](#)
- †[Salix meekii](#)
- †[Salix membranacea](#)
- †[Salix merriamii](#)
- †[Salix microserrata](#)
- †[Salix minuta](#)
- †[Salix minutissima](#)
- †[Salix miosinica](#)
- †[Salix misaotatwakii](#)
- †[Salix mixta](#) Knowlton
- †[Salix molesta](#)
- †[Salix moravica](#)
- †[Salix muraii](#)
- †[Salix myricoides](#) Braun
- †[Salix myrtifolia](#)
- †[Salix nereifolia](#)
- †[Salix nervillosa](#)
- †[Salix newberryana](#)
- †[Salix ninilchikensis](#)
- †[Salix nymphaeum](#)
- †[Salix ocoteifolia](#)
- †[Salix ovalis](#)
- †[Salix ovatifolia](#)
- †[Salix oregonensis](#)
- †[Salix oregonensis](#)
- †[Salix palaeocaprea](#)
- †[Salix palaeopurpurea](#)
- †[Salix palaeorepens](#)
- †[Salix palibinii](#)
- †[Salix paradisensis](#)
- †[Salix parasachalinensis](#)
- †[Salix paucidentata](#)
- †[Salix paucinervis](#)
- †[Salix pelvica](#)
- †[Salix pentandra-miocenica](#)
- †[Salix perplexa](#)
- †[Salix perucensis](#)

- †[Salix picroides](#)
- †[Salix pilosula](#)
- †[Salix pitulosa](#)
- †[Salix plicata](#)
- †[Salix pliocaenica](#)
- †[Salix pliomaritima](#)
- †[Salix preobrajenskyi](#)
- †[Salix primaeva](#)
- †[Salix protogracilistyla](#)
- †[Salix protopaniculata](#)
- †[Salix protophylla](#)
- †[Salix pseudohaeyi](#)
- †[Salix purpureoides](#)
- †[Salix putivlensis](#)
- †[Salix raeana](#)
- †[Salix ramaleyi](#)
- †[Salix raritanensis](#)
- †[Salix remotidens](#)
- †[Salix retinenda](#)
- †[Salix retinervis](#)
- †[Salix rivularis](#) Becker
- †[Salix rosmariniformis](#)
- †[Salix rottensis](#)
- †[Salix rugosa](#)
- †[Salix samylinae](#)
- †[Salix sanzugawaensis](#)
- †[Salix sapindifolia](#)
- †[Salix schimperi](#)
- †[Salix schoenae](#)
- †[Salix semihausruckensis](#)
- †[Salix siouxiana](#)
- †[Salix socia](#)
- †[Salix spokaneensis](#)
- †[Salix squamiformis](#)
- †[Salix stantonii](#)
- †[Salix stefanescui](#)
- †[Salix stipulata](#)
- †[Salix stupenda](#)
- †[Salix subaurita](#)
- †[Salix subrepens](#)
- †[Salix subtilis](#)
- †[Salix succorensis](#)

- †[Salix tabellaris](#)
- †[Salix takaminensis](#)
- †[Salix taxifolioides](#)
- †[Salix teilhardii](#)
- †[Salix tenera](#)
- †[Salix tongcheonensis](#)
- †[Salix trachytica](#)
- †[Salix triandroides](#)
- †[Salix tyonekana](#)
- †[Salix uglensis](#)
- †[Salix vaccinifolia](#)
- †[Salix varians](#)
- †[Salix vasseurii](#)
- †[Salix venosiuscula](#)
- †[Salix vimenoides](#)
- †[Salix viminalifolia](#)
- †[Salix vivianii](#)
- †[Salix volkana](#)
- †[Salix wahlbergii](#)
- †[Salix wilcatensis](#)
- †[Salix williamsii](#)
- †[Salix wimmeriana](#)
- †[Salix wyomingensis](#)

From Wikipedia, the free encyclopedia

The following is a list of all 1556 species and 69 hybrids in the flowering plant genus [***Rubus***](#) which are accepted by [Plants of the World Online](#) as of August 2025.^[1]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)

- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Rubus abchaziensis*](#) Sudre
- [*Rubus acanthidum*](#) Duboc & D.P.Mercier
- [*Rubus acanthodes*](#) (Her.Hofmann ex Focke) E.Barber
- [*Rubus acanthophyllos*](#) Focke
- [*Rubus acclivatum*](#) W.C.R.Watson
- [*Rubus accrescens*](#) A.Newton
- [*Rubus* × *acer*](#) L.H.Bailey
- [*Rubus aciodontus*](#) Lefèvre & P.J.Müll.
- [*Rubus acridentulus*](#) P.J.Müll. ex Boulay
- [*Rubus acroglotta*](#) W.Jansen
- [*Rubus acuminatissimus*](#) Hassk.
- [*Rubus acuminatus*](#) Sm.
- [*Rubus acutidens*](#) (Boulay) Sudre
- [*Rubus acutifrons*](#) Ley
- [*Rubus acutipetalus*](#) Lefèvre & P.J.Müll.
- [*Rubus adamsii*](#) Sudre
- [*Rubus adenacanthus*](#) Troelstra, Meijer & A.Beek
- [*Rubus adenoleucus*](#) Chaboiss.
- [*Rubus adenomallus*](#) Focke
- [*Rubus adenophorus*](#) Rolfe
- [*Rubus adenothallus*](#) Focke
- [*Rubus adenotrichos*](#) Schltdl.
- [*Rubus adolfi-friederici*](#) Engl.
- [*Rubus adornatoides*](#) H.E.Weber

- [*Rubus adscharicus*](#) Sanadze
- [*Rubus adscitus*](#) Genev.
- [*Rubus adpersus*](#) Weihe ex H.E.Weber
- [*Rubus adulans*](#) A.Beek
- [*Rubus aenigmaticus*](#) Focke
- [*Rubus aequalidens*](#) A.Newton
- [*Rubus aethiopicus*](#) R.A.Graham
- [*Rubus aetnensis*](#) C.Presl
- [*Rubus aetnicus*](#) Weston
- [*Rubus affinis*](#) Weihe & Nees
- [*Rubus aggregatus*](#) Kaltenb.
- [*Rubus aghadergensis*](#) D.E.Allen
- [*Rubus agricastrorum*](#) A.Beek
- [*Rubus alaskensis*](#) L.H.Bailey
- [*Rubus albionis*](#) W.C.R.Watson
- [*Rubus alceifolius*](#) Poir.
- [*Rubus alexeterius*](#) Focke
- [*Rubus allanderi*](#) H.Hyl. ex T.Burén & H.E.Weber
- [*Rubus allegheniensis*](#) Porter
- [*Rubus almorensis*](#) Dunn
- [*Rubus alnifolius*](#) Rydb.
- [*Rubus alpestris*](#) Blume
- [*Rubus alpinus*](#) Macfad.
- [*Rubus alterniflorus*](#) P.J.Müll. & Lefèvre
- [*Rubus altiarcuatus*](#) W.C.Barton & Ridd.
- [*Rubus alumnus*](#) L.H.Bailey
- [*Rubus alutaceus*](#) B.L.Moreno, Casierra & Albesiano
- [*Rubus amabilis*](#) Focke
- [*Rubus amamianus*](#) Hatus. & Ohwi
- [*Rubus ambigens*](#) (Boulay) Boulay
- [*Rubus ambulans*](#) Matzke-Hajek
- [*Rubus amiantinus*](#) (Focke) A.Först.
- [*Rubus amisiensis*](#) H.E.Weber
- [*Rubus ammobius*](#) Buchenau & Focke
- [*Rubus amphichlorus*](#) P.J.Müll.
- [*Rubus amphidasys*](#) Focke
- [*Rubus amphimalacus*](#) H.E.Weber
- [*Rubus amphistrophos*](#) (Focke) Sabr.
- [*Rubus amplificatus*](#) Lees
- [*Rubus anas*](#) A.Beek
- [*Rubus andegavensis*](#) Bouvet
- [*Rubus andicola*](#) Focke

- [*Rubus anglobelgicus*](#) D.E.Allen & Vannerom
- [*Rubus anglofuscus*](#) Edees
- [*Rubus angloserpens*](#) Edees & A.Newton
- [*Rubus angustibracteatus*](#) T.T.Yu & L.T.Lu
- [*Rubus angusticuspis*](#) Sudre
- [*Rubus angustipaniculatus*](#) Holub
- [*Rubus angustisetus*](#) (Sudre) Y.Hesl.-Harr.
- [*Rubus anhaltianus*](#) H.E.Weber
- [*Rubus anisacanthopsis*](#) H.E.Weber
- [*Rubus anisacanthos*](#) G.Braun
- [*Rubus annamensis*](#) Cardot
- [*Rubus antecedens*](#) Ryde
- [*Rubus antonii*](#) (Borbás) Sabr.
- [*Rubus apatelus*](#) R.Keller
- [*Rubus apetalus*](#) Poir.
- [*Rubus aphananthus*](#) Walsemann ex Martensen
- [*Rubus aphidifer*](#) A.Beek & K.Meijer
- [*Rubus appropinquatus*](#) Plien.
- [*Rubus apricus*](#) Wimm.
- [*Rubus arabicus*](#) (Deflers) Schweinf.
- [*Rubus arachnoideus*](#) Y.C.Liu & F.Y.Lu
- [*Rubus archboldianus*](#) Merr. & L.M.Perry
- [*Rubus arcticus*](#) L.
- [*Rubus arduennensis*](#) Lib. ex Lej.
- [*Rubus* × *areschougii*](#) A.Blytt
- [*Rubus argentifrons*](#) L.H.Bailey
- [*Rubus argutus*](#) Link
- [*Rubus ariconiensis*](#) A.Newton & M.Porter
- [*Rubus aristisepalus*](#) (Sudre) W.C.R.Watson
- [*Rubus armeniacus*](#) Focke
- [*Rubus armipotens*](#) W.C.Barton ex A.Newton
- [*Rubus arrhenii*](#) (Lange) Lange
- [*Rubus arrheniiformis*](#) W.C.R.Watson
- [*Rubus arvinus*](#) Lefèvre & P.J.Müll.
- [*Rubus aschoffii*](#) Weihe
- [*Rubus asirensis*](#) D.F.Chamb.
- [*Rubus asperidens*](#) Sudre ex Bouvet
- [*Rubus assamensis*](#) Focke
- [*Rubus* × *astarae*](#) Gilli
- [*Rubus atrebatum*](#) A.Newton
- [*Rubus atrichantherus*](#) E.H.L.Krause
- [*Rubus atroroseus*](#) M.Lepší, P.Lepší & Velebil

- [Rubus atrovinosus](#) H.E.Weber
- [Rubus atrovirens](#) P.J.Müll.
- [Rubus aurantiacus](#) Focke
- [Rubus aureolus](#) Allander
- [Rubus aurora](#) A.Beek, Bijlsma & F.M.Mull.
- [Rubus australis](#) G.Forst.
- [Rubus austromoravicus](#) Holub
- [Rubus austrosinensis](#) Huan C.Wang
- [Rubus austroslovacus](#) Trávn.
- [Rubus austrotibetanus](#) T.T.Yu & L.T.Lu
- [Rubus avaloniensis](#) A.Newton & R.D.Randall
- [Rubus axillaris](#) Weihe ex Lej. & Courtois
- [Rubus azuayensis](#) Romol.

B

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)

- [*Rubus* × *babae*](#) Naruh.
- [*Rubus babingtonianus*](#) W.C.R.Watson
- [*Rubus babingtonii*](#) T.B.Salter
- [*Rubus bagnallianus*](#) Edees
- [*Rubus bakerianus*](#) W.C.Barton & Ridd.
- [*Rubus balticus*](#) (Focke) E.H.L.Krause
- [*Rubus bambusarum*](#) Focke
- [*Rubus banghamii*](#) Merr.
- [*Rubus barberi*](#) H.E.Weber
- [*Rubus* × *barkeri*](#) Cockayne
- [*Rubus baronicus*](#) A.Beek
- [*Rubus barrandienicus*](#) Holub & Palek
- [*Rubus bartonianus*](#) M.Peck
- [*Rubus bartonii*](#) A.Newton
- [*Rubus batos-weberi*](#) G.H.Loos
- [*Rubus bavaricus*](#) (Focke) Utsch
- [*Rubus beccarii*](#) Focke
- [*Rubus benguetensis*](#) Elmer
- [*Rubus bercheriensis*](#) (Druce ex W.M.Rogers) W.M.Rogers
- [*Rubus* × *bergianus*](#) A.Beek
- [*Rubus bertramii*](#) G.Braun
- [*Rubus betckei*](#) T.Marsson
- [*Rubus betonicifolius*](#) Focke
- [*Rubus bicolor*](#) Opiz
- [*Rubus biflorus*](#) Buch.-Ham. ex Sm.
- [*Rubus* × *biformispinus*](#) Blanch.
- [*Rubus bifrons*](#) Vest
- [*Rubus biloensis*](#) A.Newton & M.Porter
- [*Rubus* × *binatus*](#) H.Lindb.
- [*Rubus birmanicus*](#) Hook.f.
- [*Rubus blepharoneurus*](#) Cardot
- [*Rubus bloxamianus*](#) Coleman ex Purchas
- [*Rubus bloxamii*](#) (Bab.) Lees
- [*Rubus bochumensis*](#) G.H.Loos
- [*Rubus bogotensis*](#) Kunth
- [*Rubus bohemiicola*](#) Holub & Palek ex Holub
- [*Rubus bohemosolonius*](#) Trávn. & Ziel.
- [*Rubus boliviensis*](#) Focke
- [*Rubus bollei*](#) Focke

- [Rubus bombycinus](#) Matzke-Hajek
- [Rubus bonatianus](#) Focke
- [Rubus boninensis](#) Koidz.
- [Rubus bonus-henricus](#) Matzke-Hajek
- [Rubus boraeanus](#) Genev.
- [Rubus boreofrisicus](#) Drenckh. & H.E.Weber
- [Rubus botryeros](#) (Focke ex W.M.Rogers) W.M.Rogers
- [Rubus boudiccaae](#) A.L.Bull & Edees
- [Rubus bovinus](#) A.Beek & H.E.Weber
- [Rubus × boyntonii](#) Ashe
- [Rubus bracteatus](#) Boreau
- [Rubus bracteosus](#) Weihe ex Lej. & Courtois
- [Rubus braeuckeri](#) G.Braun
- [Rubus braeuckeriformis](#) H.E.Weber
- [Rubus brasiliensis](#) Mart.
- [Rubus brdensis](#) Holub
- [Rubus breconensis](#) W.C.R.Watson
- [Rubus bregutiensis](#) A.Kern. ex Focke
- [Rubus brevipetiolatus](#) T.T.Yu & L.T.Lu
- [Rubus brevistaminosus](#) Edees & A.Newton
- [Rubus briareus](#) Focke
- [Rubus brigantinus](#) Samp.
- [Rubus briggsianus](#) (W.M.Rogers) W.M.Rogers
- [Rubus britannicus](#) W.M.Rogers
- [Rubus brunneri](#) W.Maurer
- [Rubus buchtienii](#) Focke
- [Rubus bucknallii](#) J.W.White
- [Rubus buergeri](#) Miq.
- [Rubus buescherianus](#) G.H.Loos
- [Rubus buhnensis](#) (G.Braun ex Focke) G.Braun
- [Rubus bullatus](#) Rusby
- [Rubus burkillii](#) Rolfe

C

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus cacoeimon](#) A.Beek
- [Rubus caeresiensis](#) Sudre & Grav.
- [Rubus caesarius](#) D.E.Allen
- [Rubus caesius](#) L.
- [Rubus caflischii](#) Focke
- [Rubus calcareus](#) P.J.Müll.
- [Rubus × calopalmatus](#) Naruh. & H.Masaki
- [Rubus calophyllus](#) C.B.Clarke
- [Rubus calotemnus](#) A.Beek
- [Rubus calvatus](#) Lees ex A.Bloxam
- [Rubus calviformis](#) H.E.Weber
- [Rubus calvus](#) H.E.Weber
- [Rubus calycacanthus](#) H.Lév.
- [Rubus calycinoides](#) Kuntze
- [Rubus calycinus](#) Wall. ex D.Don
- [Rubus calyculatus](#) Kaltenb.
- [Rubus cambrensis](#) W.C.R.Watson
- [Rubus campaniensis](#) Winkel ex A.Beek
- [Rubus camptostachys](#) G.Braun
- [Rubus canadensis](#) L.

- [*Rubus canaliculatus*](#) P.J.Müll.
- [*Rubus canduliger*](#) Bijlsma & Haveman
- [*Rubus canescens*](#) DC.
- [*Rubus caninitergi*](#) H.E.Weber
- [*Rubus cantabrigiensis*](#) A.L.Bull & A.C.Leslie
- [*Rubus canterburiensis*](#) Edees
- [*Rubus cantianus*](#) (W.C.R.Watson) Edees & A.Newton
- [*Rubus capitulatus*](#) Utsch
- [*Rubus capricollensis*](#) (Sprib.) Sprib.
- [*Rubus cardiophyllus*](#) Lefèvre & P.J.Müll.
- [*Rubus carduelis*](#) Matzke-Hajek
- [*Rubus carpetanus*](#) Vicente Orell. & A.Galán
- [*Rubus cartalinicus*](#) Juz.
- [*Rubus castellarnau*](#) Pau
- [*Rubus* × *castoreus*](#) (Laest.) Fr.
- [*Rubus castroviejoi*](#) Mon.-Huelin
- [*Rubus caucasicus*](#) Focke
- [*Rubus caucasigenus*](#) (Sudre) Juz.
- [*Rubus caudatisepalus*](#) Calderón
- [*Rubus caudifolius*](#) Wuzhi
- [*Rubus cavatifolius*](#) P.J.Müll. ex Boulay
- [*Rubus celticus*](#) A.Newton
- [*Rubus centrobohemicus*](#) Holub
- [*Rubus ceratifolius*](#) A.Beek
- [*Rubus cerdicii*](#) D.E.Allen
- [*Rubus ceticus*](#) Halácsy
- [*Rubus chaerophylloides*](#) Sprib.
- [*Rubus chaerophyllus*](#) Sagorski & W.Schultze
- [*Rubus chaetophorus*](#) Cardot
- [*Rubus chamaemorus*](#) L.
- [*Rubus chambicus*](#) Rolfe
- [*Rubus chapmanianus*](#) Kupicha
- [*Rubus charadzeae*](#) Sanadze
- [*Rubus chaumazellensis*](#) Duboc & D.P.Mercier
- [*Rubus chenonii*](#) Sudre
- [*Rubus chevalieri*](#) Cardot
- [*Rubus chiliadenus*](#) Focke
- [*Rubus chingii*](#) Hu
- [*Rubus chloocladus*](#) W.C.R.Watson
- [*Rubus chloophyllus*](#) Sudre
- [*Rubus chloranthus*](#) (Sabr.) Fritsch
- [*Rubus chlorostachys*](#) P.J.Müll.

- [*Rubus chlorothyrsos*](#) Focke
- [*Rubus choachiensis*](#) A.Berger
- [*Rubus christiansenorum*](#) H.E.Weber
- [*Rubus chroosepalus*](#) Focke
- [*Rubus chrysobotrys*](#) Hand.-Mazz.
- [*Rubus chrysocarpus*](#) Mund ex Cham. & Schltdl.
- [*Rubus chrysogaeus*](#) P.Royen
- [*Rubus chrysophyllus*](#) Reinw. ex Miq.
- [*Rubus chrysoxylon*](#) (W.M.Rogers) W.M.Rogers
- [*Rubus cimbricus*](#) Focke
- [*Rubus cinclidodictyus*](#) Cardot
- [*Rubus cinerascens*](#) Weihe ex Lej. & Courtois
- [*Rubus cinerosiformis*](#) Rilstone
- [*Rubus cinerosus*](#) W.M.Rogers
- [*Rubus circipanicus*](#) E.H.L.Krause
- [*Rubus cisburiensis*](#) W.C.Barton & Ridd.
- [*Rubus cissoides*](#) A.Cunn.
- [*Rubus clementis*](#) Merr.
- [*Rubus clinocephalus*](#) Focke
- [*Rubus clusii*](#) Borbás
- [*Rubus coccinatus*](#) K.Meijer
- [*Rubus cochinchinensis*](#) Tratt.
- [*Rubus cochlearis*](#) Matzke-Hajek
- [*Rubus cockburnianus*](#) Hemsl.
- [*Rubus collicola*](#) (Sudre) Bouvet
- [*Rubus* × *collinus*](#) DC.
- [*Rubus columellaris*](#) Tutcher
- [*Rubus compactus*](#) Benth.
- [*Rubus conchyliatus*](#) Focke
- [*Rubus condensatiformis*](#) H.E.Weber
- [*Rubus condensatus*](#) P.J.Müll.
- [*Rubus conduplicatus*](#) Duthie ex J.H.Veitch
- [*Rubus confertiflorus*](#) W.C.R.Watson
- [*Rubus confusidens*](#) H.E.Weber
- [*Rubus conjungens*](#) (Bab.) W.M.Rogers
- [*Rubus conothyrsoides*](#) H.E.Weber
- [*Rubus conspectus*](#) Genev.
- [*Rubus conspersus*](#) W.C.R.Watson
- [*Rubus conspicuus*](#) P.J.Müll. ex Wirtg.
- [*Rubus constrictus*](#) Lefèvre & P.J.Müll.
- [*Rubus contritidens*](#) A.Beek & K.Meijer
- [*Rubus coombensis*](#) Rilstone

- [*Rubus cooperi*](#) D.G.Long
- [*Rubus copelandii*](#) Merr.
- [*Rubus corbierei*](#) Boulay
- [*Rubus corchorifolius*](#) L.f.
- [*Rubus cordatifolius*](#) (W.M.Rogers ex Ridd.) D.E.Allen
- [*Rubus cordatiformis*](#) (Neuman) Ryde
- [*Rubus cordiformis*](#) H.E.Weber & Martensen
- [*Rubus coreanus*](#) Miq.
- [*Rubus coriaceus*](#) Poir.
- [*Rubus coriifolius*](#) Liebm.
- [*Rubus cornubiensis*](#) (W.M.Rogers ex Ridd.) Rilstone
- [*Rubus coronatus*](#) Boulay
- [*Rubus correctispinosus*](#) H.E.Weber
- [*Rubus costaricanus*](#) Liebm.
- [*Rubus costifolius*](#) A.Först.
- [*Rubus cotteswoldensis*](#) W.C.Barton & Ridd.
- [*Rubus couchii*](#) Rilstone ex D.E.Allen
- [*Rubus crassidens*](#) H.E.Weber
- [*Rubus crataegifolius*](#) Bunge
- [*Rubus crepinii*](#) Sudre
- [*Rubus crespignyanus*](#) W.C.R.Watson
- [*Rubus creticus*](#) Tourn. ex L.
- [*Rubus criniger*](#) (E.F.Linton) W.M.Rogers
- [*Rubus crispomarginatus*](#) Holub
- [*Rubus crispus*](#) Lefèvre & P.J.Müll.
- [*Rubus croceacanthus*](#) H.Lév.
- [*Rubus crudelis*](#) W.C.R.Watson
- [*Rubus cryptopetalus*](#) A.Beek
- [*Rubus ctenodon*](#) (Sabr.) Fritsch
- [*Rubus cubirianus*](#) (H.E.Weber) G.H.Loos
- [*Rubus cuifengensis*](#) S.S.Ying
- [*Rubus cumbrensis*](#) A.Newton
- [*Rubus cumingii*](#) Kuntze
- [*Rubus cuneifolius*](#) Pursh
- [*Rubus cupanianus*](#) Guss.
- [*Rubus curvaciculatus*](#) Walsemann ex H.E.Weber
- [*Rubus curvispinosus*](#) Edees & A.Newton
- [*Rubus cuspidatoides*](#) W.Jansen
- [*Rubus cuspidatus*](#) P.J.Müll.
- [*Rubus cuspidiferus*](#) P.J.Müll. & Lefèvre
- [*Rubus cyanophyllus*](#) W.Jansen & H.Grossh.
- [*Rubus* × *cyclomorphus*](#) H.E.Weber

- [*Rubus cyclops*](#) Mon.-Huelin
- [*Rubus cymosus*](#) Rydb.
- [*Rubus cyri*](#) Juz.
- [*Rubus czarnunensis*](#) (Sprib.) Sprib.

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rubus dahmsianus*](#) G.H.Loos
- [*Rubus darssensis*](#) Henker & Kiesew.
- [*Rubus dasycarpus*](#) (Sabr.) Sabr.
- [*Rubus dasyphyllus*](#) (W.M.Rogers) E.S.Marshall
- [*Rubus daveyi*](#) Rilstone

- [*Rubus dechenii*](#) Wirtg.
- [*Rubus decumbens*](#) Thunb.
- [*Rubus decurrentispinus*](#) H.E.Weber
- [*Rubus decussatiformis*](#) P.D.Sell
- [*Rubus dejonghii*](#) A.Beek
- [*Rubus delabathiensis*](#) Gust.
- [*Rubus delavayi*](#) Franch.
- [*Rubus delectus*](#) P.J.Müll. & Wirtg.
- [*Rubus deliciosus*](#) Torr.
- [*Rubus dentatifolius*](#) (Briggs) W.C.R.Watson
- [*Rubus deodatensis*](#) J.-M.Royer & D.P.Mercier
- [*Rubus derasifolius*](#) (Sudre) Malinv.
- [*Rubus deruyveri*](#) Vannerom & E.Jacques
- [*Rubus desarmatus*](#) A.Beek
- [*Rubus dethardingii*](#) E.H.L.Krause
- [*Rubus devitatus*](#) Matzke-Hajek
- [*Rubus deweveri*](#) A.Beek
- [*Rubus dhauladharensis*](#) Chand.Gupta & Vik.Kumar
- [*Rubus dianchuanensis*](#) Huan C.Wang & Q.P.Wang
- [*Rubus diaphanus*](#) Plien.
- [*Rubus diclinis*](#) F.Muell.
- [*Rubus dierschkeanus*](#) H.E.Weber
- [*Rubus × digeneus*](#) H.Lindb.
- [*Rubus digitalis*](#) Plien.
- [*Rubus discernendus*](#) (Sudre) Sudre
- [*Rubus discoideus*](#) P.J.Müll.
- [*Rubus discolor*](#) Weihe & Nees
- [*Rubus dissimulans*](#) Lindeb.
- [*Rubus distortifolius*](#) Matzke-Hajek
- [*Rubus distractiformis*](#) A.Newton
- [*Rubus distractus*](#) P.J.Müll. ex Wirtg.
- [*Rubus divaricatus*](#) P.J.Müll.
- [*Rubus diversus*](#) W.C.R.Watson
- [*Rubus × dobuniensis*](#) Sudre & Ley
- [*Rubus doerrii*](#) H.E.Weber
- [*Rubus dolichocarpus*](#) Juz.
- [*Rubus dolichophyllus*](#) Hand.-Mazz.
- [*Rubus dollnensis*](#) Sprib.
- [*Rubus domingensis*](#) Focke
- [*Rubus dorcheei*](#) Rokaya & S.Subedi
- [*Rubus doyonensis*](#) Hand.-Mazz.
- [*Rubus drejeri*](#) Jensen ex Lange

- [Rubus drenthicus](#) A.Beek & K.Meijer
- [Rubus drymophilus](#) P.J.Müll. & Lefèvre
- [Rubus ducatuscola](#) G.H.Loos
- [Rubus dufftianus](#) W.Jansen
- [Rubus dumetorum](#) Weihe
- [Rubus dumnoniensis](#) Bab.
- [Rubus dunensis](#) W.M.Rogers
- [Rubus dunnii](#) F.P.Metcalf
- [Rubus durospinosus](#) W.Jansen
- [Rubus durotrigum](#) R.P.Murray
- [Rubus durus](#) C.Wright

E

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- Z
- *Rubus eboracensis* W.C.R.Watson
- *Rubus ebudensis* A.Newton
- *Rubus echinatoides* (W.M.Rogers) Dallman
- *Rubus echinatus* Lindl.
- *Rubus echinocalyx* Erichsen
- *Rubus echinosepalus* H.E.Weber
- *Rubus eckhartii* W.Jansen
- *Rubus ecklonii* Focke
- *Rubus edeesii* H.Weber & A.L.Bull
- *Rubus edentulus* A.Beek & Meijer
- *Rubus efferatus* Craib
- *Rubus effertus* L.H.Bailey
- *Rubus effrenatus* A.Newton
- *Rubus eggersii* (Focke) Rydb.
- *Rubus eglandulosus* Lefèvre & P.J.Müll.
- *Rubus egregius* Focke
- *Rubus egregiusculus* (Frid. & Gelert) E.H.L.Krause
- *Rubus ehrnsbergeri* H.E.Weber
- *Rubus eiderianus* (Frid.) H.E.Weber
- *Rubus eifeliensis* Wirtg.
- *Rubus elatior* Focke ex Gremli
- *Rubus elegans* P.J.Müll.
- *Rubus elegantispinosus* (A.Schumach.) H.E.Weber
- *Rubus ellipticus* Sm.
- *Rubus elongatifolius* Boulay & Gillot
- *Rubus elongatus* Sm.
- *Rubus eluxatus* Neuman
- *Rubus emarginatus* P.J.Müll.
- *Rubus enslenii* Tratt.
- *Rubus epipsilos* Focke
- *Rubus erichsenii* H.E.Weber
- *Rubus erinulus* A.Beek
- *Rubus eriocarpus* Liebm.
- *Rubus erlangeri* Engl.
- *Rubus errabundus* W.C.R.Watson
- *Rubus erubescens* Wirtg.
- *Rubus erythradenes* P.J.Müll.
- *Rubus erythrocarpus* T.T.Yu & L.T.Lu
- *Rubus erythroclados* Mart. ex Hook.f.
- *Rubus erythrocomus* G.Braun
- *Rubus erythrops* Edees & A.Newton

- [Rubus erythrostachys](#) (Sabr.) Halácsy
- [Rubus × esfandiarii](#) Gilli
- [Rubus euanthinus](#) W.C.R.Watson
- [Rubus eucalyptus](#) Focke
- [Rubus euchloos](#) Focke
- [Rubus euryanthemus](#) W.C.R.Watson
- [Rubus eustephanos](#) Focke
- [Rubus evadens](#) Focke
- [Rubus evagatus](#) Sudre
- [Rubus evahonae](#) Duboc & D.P.Mercier
- [Rubus exarmatus](#) H.E.Weber & W.Jansen
- [Rubus exstans](#) Walsemann & Stohr
- [Rubus exsuccus](#) Steud. ex A.Rich.

F

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)

- [Rubus faberi](#) Focke
- [Rubus fabrimontanus](#) (Sprib.) Sprib.
- [Rubus fagifolius](#) Cham. & Schltdl.
- [Rubus fairholmianus](#) Gardner
- [Rubus fanjingshanensis](#) L.T.Lu
- [Rubus fasciculatiformis](#) H.E.Weber
- [Rubus fasciculatus](#) P.J.Müll.
- [Rubus favillatus](#) A.Beek
- [Rubus favonii](#) W.C.R.Watson
- [Rubus feddei](#) H.Lév. & Vaniot
- [Rubus fellatae](#) A.Chev.
- [Rubus ferdinandimuelleri](#) Focke
- [Rubus ferox](#) Vest
- [Rubus ferrezii](#) J.-M.Royer
- [Rubus ferrugineus](#) Wikstr.
- [Rubus fertilis](#) A.Beek
- [Rubus ferus](#) (Focke) Focke
- [Rubus festii](#) H.E.Weber
- [Rubus fimbriifolius](#) P.J.Müll. & Wirtg.
- [Rubus finitimus](#) Kupcsok
- [Rubus fioniae](#) Neuman
- [Rubus firmus](#) Frid. & Gelert ex Utsch
- [Rubus fissipetalus](#) P.J.Müll.
- [Rubus fissus](#) Lindl.
- [Rubus flabellatus](#) Plien.
- [Rubus flaccidifolius](#) P.J.Müll.
- [Rubus flaccidus](#) P.J.Müll.
- [Rubus flagellaris](#) Willd.
- [Rubus flagelliflorus](#) Focke
- [Rubus flavescens](#) P.J.Müll. & Lefèvre
- [Rubus × flavinanus](#) Blanch.
- [Rubus flavinervis](#) Plien.
- [Rubus flexisetus](#) (Sudre) Prain
- [Rubus floribundus](#) Kunth
- [Rubus × floricomus](#) Blanch.
- [Rubus florifolius](#) L.H.Bailey
- [Rubus flosculosus](#) Focke
- [Rubus fluvius](#) P.D.Sell
- [Rubus fockeanus](#) Kurz

- [Rubus foersteri](#) Matzke-Hajek
- [Rubus folia-convexus](#) Duboc & D.P.Mercier
- [Rubus foliaceistipulatus](#) T.T.Yu & L.T.Lu
- [Rubus foliosus](#) Weihe
- [Rubus fontium-duraniae](#) Duboc & D.P.Mercier
- [Rubus fontivagus](#) (Sudre) Prain
- [Rubus formidabilis](#) Lefèvre & P.J.Müll.
- [Rubus formosensis](#) Kuntze
- [Rubus forrestianus](#) Hand.-Mazz.
- [Rubus franchetianus](#) H.Lév.
- [Rubus franconicus](#) H.E.Weber
- [Rubus × fraseri](#) Rehder
- [Rubus fraxinifoliolus](#) Hayata
- [Rubus fraxinifolius](#) Poir.
- [Rubus friesianus](#) H.Hyl. ex T.Mattsson & Oredsson
- [Rubus friesiorum](#) Gust.
- [Rubus frieslandicus](#) K.Meijer & A.Beek
- [Rubus friscus](#) (Frid. ex Focke) Focke
- [Rubus fritschii](#) Sabr.
- [Rubus fruticosus](#) L.
- [Rubus fuernrohrrii](#) H.E.Weber
- [Rubus fujianensis](#) T.T.Yu & L.T.Lu
- [Rubus × fultiformis](#) A.Beek
- [Rubus × fultus](#) A.Beek
- [Rubus furnarius](#) W.C.Barton & Ridd.
- [Rubus furvicolor](#) Focke
- [Rubus fuscicaulis](#) Edees
- [Rubus fuscicortex](#) Sudre
- [Rubus fuscorubens](#) Focke
- [Rubus fuscoviridis](#) Rilstone
- [Rubus fuscus](#) Weihe

G

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)

- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rubus gachetensis*](#) A.Berger
- [*Rubus galeatus*](#) H.E.Weber
- [*Rubus galloecicus*](#) Pau
- [*Rubus gallofuscus*](#) A.Newton & M.Porter
- [*Rubus gardnerianus*](#) Kuntze
- [*Rubus gariannensis*](#) A.L.Bull
- [*Rubus gayeri*](#) Király, Trávn. & Žíla
- [*Rubus gelertii*](#) Frid.
- [*Rubus geminatus*](#) H.E.Weber
- [*Rubus geniculatus*](#) Kaltenb.
- [*Rubus geoides*](#) Sm.
- [*Rubus georgicus*](#) Focke
- [*Rubus* × *geraniifolius*](#) Naruh. & Takano
- [*Rubus gerbamontensis*](#) J.-M.Royer & D.P.Mercier
- [*Rubus germanicus*](#) Focke ex Thomé
- [*Rubus geromensis*](#) P.J.Müll.
- [*Rubus ghanakantae*](#) R.S.Rao & J.Joseph
- [*Rubus glabratus*](#) Kunth
- [*Rubus glabricarpus*](#) W.C.Cheng
- [*Rubus glabrior*](#) A.Beek
- [*Rubus glandisepalus*](#) H.E.Weber

- [*Rubus glandithyrsos*](#) G.Braun
- [*Rubus glandulae-rarae*](#) Duboc & D.P.Mercier
- [*Rubus glandulifer*](#) N.P.Balakr.
- [*Rubus glanduliger*](#) W.C.R.Watson
- [*Rubus glandulosocalycinus*](#) Hayata
- [*Rubus glandulosocarpus*](#) M.X.Nie
- [*Rubus glandulosus*](#) Bellardi
- [*Rubus glareosus*](#) W.M.Rogers
- [*Rubus glaucifolius*](#) Kellogg
- [*Rubus glauciformis*](#) Gust. ex H.Hyl.
- [*Rubus glaucovirens*](#) G.Maass
- [*Rubus glaucus*](#) Benth.
- [*Rubus glivicensis*](#) (Sudre) Sprib.
- [*Rubus glomeratus*](#) Blume
- [*Rubus gloriosus*](#) A.Beek
- [*Rubus glossoides*](#) H.E.Weber & Stohr
- [*Rubus gneissogenes*](#) Sudre
- [*Rubus godronii*](#) Lecoq & Lamotte
- [*Rubus gongshanensis*](#) T.T.Yu & L.T.Lu
- [*Rubus goniophorus*](#) H.E.Weber
- [*Rubus goniophyllus*](#) P.J.Müll. & Lefèvre
- [*Rubus gothicus*](#) Frid. & Gelert
- [*Rubus grabowskii*](#) Weihe ex Günther, Grab. & Wimm.
- [*Rubus gracilis*](#) J.Presl & C.Presl
- [*Rubus graecensis*](#) W.Maurer
- [*Rubus grandiflorus*](#) Kaltenb.
- [*Rubus grandipaniculatus*](#) T.T.Yu & L.T.Lu
- [*Rubus grandruptensis*](#) J.-M.Royer & D.P.Mercier
- [*Rubus × grantii*](#) Gilli
- [*Rubus granulatus*](#) Lefèvre & P.J.Müll.
- [*Rubus gratiosus*](#) P.J.Müll. & Lefèvre
- [*Rubus gratus*](#) Focke
- [*Rubus gravetii*](#) (Boulay) W.C.R.Watson
- [*Rubus grayanus*](#) Maxim.
- [*Rubus gregarioides*](#) Plien.
- [*Rubus gregarius*](#) Plien.
- [*Rubus gremlii*](#) Focke
- [*Rubus gressittii*](#) F.P.Metcalf
- [*Rubus griesiae*](#) H.E.Weber
- [*Rubus griffithianus*](#) W.M.Rogers
- [*Rubus griffithii*](#) Hook.f.
- [*Rubus grisebachii*](#) (Focke) Focke

- [*Rubus grypoacanthus*](#) Lefèvre & P.J.Müll.
- [*Rubus guentheri*](#) Weihe
- [*Rubus questphalicoides*](#) H.E.Weber
- [*Rubus questphalicus*](#) (Focke) Utsch
- [*Rubus gunnianus*](#) Hook.
- [*Rubus guttiferus*](#) Trávn. & Holub
- [*Rubus guyanensis*](#) Focke
- [*Rubus gyamdaensis*](#) L.T.Lu & Boufford
- [*Rubus gymnocarpus*](#) Boulay & Pierrat

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rubus hadracanthos*](#) (G.Braun) G.Braun
- [*Rubus hadrocarpus*](#) Standl. & Steyerm.
- [*Rubus haesitans*](#) Mart. & Walsemann
- [*Rubus haeupleri*](#) H.E.Weber
- [*Rubus haitiensis*](#) L.H.Bailey
- [*Rubus hakonensis*](#) Franch. & Sav.
- [*Rubus hallandicus*](#) (Gabr. ex F.Aresch.) Neuman
- [*Rubus halsteadensis*](#) W.C.R.Watson
- [*Rubus hamiltonii*](#) Hook.f.
- [*Rubus hanceanus*](#) Kuntze
- [*Rubus hantonensis*](#) D.E.Allen
- [*Rubus hapoliensis*](#) G.D.Pal
- [*Rubus hartmanii*](#) Gand.
- [*Rubus hasbaniensis*](#) Vannerom
- [*Rubus hassicus*](#) H.E.Weber
- [*Rubus hasskarlii*](#) Miq.
- [*Rubus hastifer*](#) H.E.Weber
- [*Rubus hastifolius*](#) H.Lév. & Vaniot
- [*Rubus hastiformis*](#) W.C.R.Watson
- [*Rubus hatsushimae*](#) Koidz.
- [*Rubus hawaiiensis*](#) A.Gray
- [*Rubus hebecarpus*](#) P.J.Müll.
- [*Rubus hebes*](#) Boulay & Lucand
- [*Rubus hebridensis*](#) Edees
- [*Rubus helgae*](#) G.H.Loos
- [*Rubus hemithyrus*](#) Hand.-Mazz.
- [*Rubus henkeri*](#) H.E.Weber & Kiesew.
- [*Rubus henrici-egonis*](#) Holub
- [*Rubus henrici-weberi*](#) A.Beek
- [*Rubus henriquesii*](#) Samp.
- [*Rubus henryi*](#) Hemsl. & Kuntze
- [*Rubus hercynicus*](#) G.Braun
- [*Rubus herzogii*](#) Focke
- [*Rubus hesperius*](#) W.M.Rogers
- [*Rubus heterobelus*](#) Sudre
- [*Rubus heterophyllus*](#) Willd.
- [*Rubus heterosepalus*](#) Merr.
- [*Rubus hevellicus*](#) (E.H.L.Krause) E.H.L.Krause
- [*Rubus hexagynus*](#) Roxb. ex Wall.
- [*Rubus hibernicus*](#) (W.M.Rogers) W.M.Rogers
- [*Rubus hilsianus*](#) H.E.Weber
- [*Rubus hindii*](#) A.L.Bull

- *Rubus × hiraseanus* Makino
- *Rubus hirsutior* Fitschen ex H.E.Weber
- *Rubus hirsutus* Thunb.
- *Rubus hirtifolius* P.J.Müll. & Wirtg.
- *Rubus hispidus* L.
- *Rubus histriculus* H.E.Weber
- *Rubus histrionicus* Plien.
- *Rubus hobroensis* A.Pedersen & Schou
- *Rubus hochstetterorum* Seub.
- *Rubus hoffmeisterianus* Kunth & C.D.Bouché
- *Rubus hohuanshanensis* S.S.Ying
- *Rubus holandrei* P.J.Müll.
- *Rubus holerythros* Focke
- *Rubus holochlous* (Sudre) Sudre
- *Rubus holosericeus* Vest
- *Rubus holtenii* Kuntze
- *Rubus holzfuszii* Strib.
- *Rubus hoplothea* A.Beek & D.P.Mercier
- *Rubus horrefactus* P.J.Müll. & Lefèvre
- *Rubus horridicaulis* P.J.Müll.
- *Rubus horridifolius* K.Meijer & A.Beek
- *Rubus horridus* Schultz
- *Rubus horripilus* Lefèvre & P.J.Müll.
- *Rubus hostilis* P.J.Müll. & Wirtg.
- *Rubus howii* Merr. & Chun
- *Rubus huagaoxiensis* X.F.Gao, W.B.Ju & X.H.Xiong
- *Rubus huangpingensis* T.T.Yu & L.T.Lu
- *Rubus humistratus* Steud.
- *Rubus humulifolius* C.A.Mey.
- *Rubus hybridus* Vill.
- *Rubus hylanderi* Martensen & A.Pedersen
- *Rubus hylocharis* W.C.R.Watson
- *Rubus hylonomus* Lefèvre & P.J.Müll.
- *Rubus hylophilus* Ripart ex Genev.
- *Rubus hypomalacus* Focke
- *Rubus hypopitys* Focke
- *Rubus hyrcanus* Juz.
- *Rubus hystricopsis* (Frid.) Å.Gust.

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Rubus ibericus](#) Juz.
- [Rubus iceniensis](#) A.Newton & H.E.Weber
- [Rubus ichangensis](#) Hemsl. & Kuntze
- [Rubus idaeifolius](#) Thuan
- [Rubus × idaeoides](#) Ruthe
- [Rubus idaeopsis](#) Focke
- [Rubus idaeus](#) L.
- [Rubus ignoratus](#) H.E.Weber
- [Rubus ikenoensis](#) H.Lév. & Vaniot
- [Rubus illecebrosus](#) Focke
- [Rubus imbellis](#) Matzke-Hajek
- [Rubus imbricatus](#) Hort
- [Rubus imitans](#) H.E.Weber
- [Rubus × immanis](#) Ashe

- [*Rubus immodicus*](#) A.Schumach. ex H.E.Weber
- [*Rubus imperialis*](#) Cham. & Schltdl.
- [*Rubus impressinervus*](#) F.P.Metcalf
- [*Rubus incanescens*](#) (DC.) Bertol.
- [*Rubus incarnatus*](#) P.J.Müll.
- [*Rubus incisior*](#) H.E.Weber
- [*Rubus incurvatiformis*](#) Edees
- [*Rubus incurvatus*](#) Bab.
- [*Rubus indicissus*](#) Focke
- [*Rubus indicus*](#) Thunb.
- [*Rubus indusiatus*](#) Focke
- [*Rubus indutus*](#) Boulay & Vendrely
- [*Rubus inedulis*](#) Rolfe
- [*Rubus infestior*](#) Edees
- [*Rubus infestisepalus*](#) Edees & A.Newton
- [*Rubus infestus*](#) Weihe
- [*Rubus informifolius*](#) Edees
- [*Rubus infrarugosus*](#) (Sudre) Prain
- [*Rubus inhorrens*](#) (Focke) Holzfuss
- [*Rubus innominatus*](#) S.Moore
- [*Rubus inopacatus*](#) P.J.Müll. & Lefèvre
- [*Rubus inopertus*](#) (Focke) Focke
- [*Rubus insectifolius*](#) Lefèvre & P.J.Müll.
- [*Rubus insericatus*](#) P.J.Müll. ex Wirtg.
- [*Rubus insignis*](#) Hook.f.
- [*Rubus insolatus*](#) P.J.Müll.
- [*Rubus insulariopsis*](#) H.E.Weber
- [*Rubus insularis*](#) F.Aesch.
- [*Rubus integribasis*](#) P.J.Müll. ex Boulay
- [*Rubus intensior*](#) Edees
- [*Rubus intercurrents*](#) Gust.
- [*Rubus intermittens*](#) F.Bolle
- [*Rubus intricatus*](#) P.J.Müll.
- [*Rubus irasuensis*](#) Liebm.
- [*Rubus irenaeus*](#) Focke
- [*Rubus iricus*](#) W.M.Rogers
- [*Rubus iringanus*](#) Gust.
- [*Rubus irritans*](#) Focke
- [*Rubus iscanus*](#) A.Newton & M.Porter
- [*Rubus ischyraanthus*](#) Cardot

J

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus jamaicensis](#) L.
- [Rubus jambosoides](#) Hance
- [Rubus jansenii](#) H.E.Weber
- [Rubus jarae-cimrmanii](#) M.Lepší, P.Lepší, Trávn. & Žíla
- [Rubus jianensis](#) L.T.Lu & Boufford
- [Rubus jinfoshanensis](#) T.T.Yu & L.T.Lu
- [Rubus jingningensis](#) Z.H.Chen, Feng Chen & F.G.Zhang
- [Rubus josefianus](#) H.E.Weber
- [Rubus josholubii](#) H.E.Weber
- [Rubus juennensis](#) Leute & W.Maurer

- [Rubus juvenis](#) A.Beek
- [Rubus juzepczukii](#) Sanadze

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Rubus kacheticus](#) Sanadze
- [Rubus × kajikumaichigo](#) Naruh.
- [Rubus × kamiakae](#) Naruh.
- [Rubus × karakalensis](#) Freyn
- [Rubus kawakamii](#) Hayata
- [Rubus kaznowskii](#) Kosiński & Ziel.
- [Rubus keleterios](#) P.Royen

- [Rubus keniensis](#) Standl.
- [Rubus × kenoensis](#) Koidz.
- [Rubus ketzkhovelii](#) Sanadze
- [Rubus khasianus](#) Cardot
- [Rubus kiesewetteri](#) Henker
- [Rubus killipii](#) A.Berger
- [Rubus kingaensis](#) Engl.
- [Rubus kirungensis](#) Engl.
- [Rubus kisoensis](#) Nakai
- [Rubus kletensis](#) M.Lepší & P.Lepší
- [Rubus klimmekianus](#) Matzke-Hajek
- [Rubus × knappianus](#) A.Spiers & J.D.Arm.
- [Rubus koehleri](#) Weihe
- [Rubus kolmariensis](#) (Sprib.) A.Beek
- [Rubus kudagorensis](#) Sanadze
- [Rubus kuleszae](#) Ziel.
- [Rubus kumaonensis](#) N.P.Balacr.
- [Rubus × kupcokianus](#) Borbás ex Kupcsok
- [Rubus kwangsiensis](#) H.L.Li

L

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus laconensis](#) Camarda
- [Rubus lacustris](#) W.M.Rogers
- [Rubus laegaardii](#) Romol.
- [Rubus laetus](#) E.F.Linton
- [Rubus laevicaulis](#) A.Beek
- [Rubus lagerbergii](#) Lindeb.
- [Rubus lahidjanensis](#) Rech.f.
- [Rubus lainzii](#) H.E.Weber
- [Rubus lambertianus](#) Ser.
- [Rubus lamburnensis](#) Rilstone
- [Rubus lamprocaulos](#) G.Braun
- [Rubus lanaticaulis](#) Edees & A.Newton
- [Rubus landoltii](#) H.E.Weber
- [Rubus langankianus](#) G.H.Loos
- [Rubus langei](#) Jensen ex Frid. & Gelert
- [Rubus lanicoccus](#) Plien.
- [Rubus lanuginosus](#) Steven ex Ser.
- [Rubus lanyuensis](#) Hung T.Chang
- [Rubus largificus](#) W.C.R.Watson
- [Rubus lasiandrus](#) H.E.Weber
- [Rubus lasiocladus](#) (Focke) A.Först.
- [Rubus lasiococcus](#) A.Gray
- [Rubus lasiodermis](#) Sudre
- [Rubus lasiostylus](#) Focke
- [Rubus lasiotrichos](#) Focke
- [Rubus latiarcuratus](#) W.C.R.Watson
- [Rubus latifolius](#) Bab.
- [Rubus latior](#) A.Beek
- [Rubus latisedes](#) Meierott
- [Rubus latoauriculatus](#) F.P.Metcalf
- [Rubus laudatus](#) A.Berger
- [Rubus laxiflorus](#) P.J.Müll. & Lefèvre
- [Rubus lechleri](#) Focke

- [*Rubus leightonii*](#) Lees ex Leight.
- [*Rubus leiningeri*](#) W.Lang
- [*Rubus lentianus*](#) Hohla, Király, M.Lepší & P.Lepší
- [*Rubus lentiginosus*](#) Lees
- [*Rubus lepidulus*](#) (Sudre) Juz.
- [*Rubus leptodytus*](#) A.Beek
- [*Rubus leptostelechus*](#) A.Beek
- [*Rubus leptostemon*](#) Juz.
- [*Rubus leptothyrsos*](#) G.Braun
- [*Rubus lesdainii*](#) Sudre ex Gand.
- [*Rubus lettii*](#) W.M.Rogers
- [*Rubus leucacanthus*](#) Posp.
- [*Rubus leucandriformis*](#) Edees & A.Newton
- [*Rubus leucandrus*](#) Focke
- [*Rubus leucanthus*](#) Hance
- [*Rubus leuciscanus*](#) E.H.L.Krause
- [*Rubus leucocarpus*](#) Arn.
- [*Rubus leucodermis*](#) (Douglas ex Hook.) Douglas ex Torr. & A.Gray
- [*Rubus leucophaeus*](#) P.J.Müll.
- [*Rubus leucostachys*](#) Schleich. ex Sm.
- [*Rubus leyanus*](#) W.M.Rogers
- [*Rubus lianos*](#) A.Beek, R.Berkhout, Haveman & De Ronde
- [*Rubus libertianus*](#) Weihe ex Lej. & Courtois
- [*Rubus lichuanensis*](#) T.T.Yu & L.T.Lu
- [*Rubus lictorum*](#) Plien.
- [*Rubus lidforssii*](#) (Gelert) Lange
- [*Rubus liebmännii*](#) Focke
- [*Rubus lignicensis*](#) Figert
- [*Rubus lilacinus*](#) Wirtg.
- [*Rubus limbarae*](#) Camarda
- [*Rubus limitaneus*](#) Maliński & Ziel.
- [*Rubus limitis*](#) Matzke-Hajek & H.Grossh.
- [*Rubus lindebergii*](#) P.J.Müll.
- [*Rubus lindleyanus*](#) Lees
- [*Rubus linearifoliolus*](#) Hayata
- [*Rubus lineatus*](#) Reinw. ex Blume
- [*Rubus lingtianus*](#) X.H.Xiong & X.F.Gao
- [*Rubus lishuiensis*](#) T.T.Yu & L.T.Lu
- [*Rubus liubensis*](#) W.Maurer
- [*Rubus liui*](#) Yuen P.Yang & S.Y.Lu
- [*Rubus lividus*](#) G.Braun
- [*Rubus lobatidens*](#) H.E.Weber & Stohr

- [*Rubus lobaviensis*](#) F.W.Sander
- [*Rubus lobifolius*](#) Trávn. & Király
- [*Rubus lobophyllus*](#) C.T.Shih ex F.P.Metcalf
- [*Rubus loehrii*](#) Wirtg.
- [*Rubus lohfauiensis*](#) F.P.Metcalf
- [*Rubus loirensis*](#) T.Huang
- [*Rubus londinensis*](#) (W.M.Rogers) W.C.R.Watson
- [*Rubus longepedicellatus*](#) (Gust.) C.H.Stirt.
- [*Rubus longicrus*](#) Bijlsma & A.Beek
- [*Rubus longiflorus*](#) D.Welch
- [*Rubus longistipularis*](#) Espinel-Ortiz & Romol.
- [*Rubus longithyrsiger*](#) Lees ex Focke
- [*Rubus longus*](#) (W.M.Rogers & Ley) A.Newton
- [*Rubus loosii*](#) H.E.Weber
- [*Rubus lorentzianus*](#) Pulle
- [*Rubus loretianus*](#) (Sudre) Fedde & C.Schust.
- [*Rubus louettensis*](#) (Sudre & Grav.) Prain
- [*Rubus lowii*](#) Stapf
- [*Rubus loxensis*](#) Benth.
- [*Rubus lucens*](#) Focke
- [*Rubus lucensis*](#) H.E.Weber & Mon.-Huelin
- [*Rubus lucentifolius*](#) Ziel. & Kosiński
- [*Rubus luchunensis*](#) T.T.Yu & L.T.Lu
- [*Rubus lucidicaulis*](#) A.Beek
- [*Rubus lucrosus*](#) W.Jansen
- [*Rubus ludensis*](#) W.C.R.Watson
- [*Rubus ludwigii*](#) Eckl. & Zeyh.
- [*Rubus lugubris*](#) Plien.
- [*Rubus luminosus*](#) Martensen
- [*Rubus lumnitzeri*](#) (Sabr.) Fritsch
- [*Rubus lupiarboris*](#) Duboc & D.P.Mercier
- [*Rubus lusaticus*](#) Rostock
- [*Rubus luticola*](#) A.Beek
- [*Rubus luxurians*](#) Ripart ex Genev.
- [*Rubus luzoniensis*](#) Merr.

M

Contents:

- [Top](#)
- [A](#)

- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rubus maassii*](#) Focke ex Bertram
- [*Rubus macer*](#) H.E.Weber
- [*Rubus macescens*](#) Plien.
- [*Rubus macgregorii*](#) F.Muell.
- [*Rubus macilentus*](#) Cambess.
- [*Rubus macraei*](#) A.Gray
- [*Rubus macranthelos*](#) T.Marsson
- [*Rubus macrodontus*](#) P.J.Müll.
- [*Rubus macrogongylus*](#) Focke
- [*Rubus macropetalus*](#) Douglas ex Hook.
- [*Rubus macrophyllus*](#) Weihe & Nees
- [*Rubus macrostachys*](#) P.J.Müll.
- [*Rubus macrostemonides*](#) Fritsch
- [*Rubus macrothyrsus*](#) Lange
- [*Rubus macvaughianus*](#) Rzed. & Calderón
- [*Rubus madagascariensis*](#) Gust.
- [*Rubus maershanensis*](#) Huan C.Wang & H.Sun

- [*Rubus magnidentatus*](#) F.W.Sander
- [*Rubus magnisepalus*](#) K.Meijer
- [*Rubus majusculus*](#) (Sudre) Sudre
- [*Rubus malagassus*](#) Focke
- [*Rubus malifolius*](#) Focke
- [*Rubus malipoensis*](#) T.T.Yu & L.T.Lu
- [*Rubus malvaceus*](#) Focke
- [*Rubus malvernicus*](#) Edees
- [*Rubus mandonii*](#) Focke
- [*Rubus maquipucunensis*](#) Espinel-Ortiz & Romol.
- [*Rubus marianus*](#) (E.H.L.Krause) H.E.Weber
- [*Rubus marschallianus*](#) Juz.
- [*Rubus marshallii*](#) Focke & W.M.Rogers
- [*Rubus marssonianus*](#) H.E.Weber
- [*Rubus martensenii*](#) H.E.Weber
- [*Rubus* × *masakii*](#) Naruh.
- [*Rubus maureri*](#) Király, Trávn. & Žíla
- [*Rubus maximiformis*](#) H.E.Weber
- [*Rubus* × *maximowiczii*](#) Kuntze
- [*Rubus maximus*](#) T.Marsson
- [*Rubus mearnsii*](#) Elmer
- [*Rubus megacarpus*](#) P.Royen
- [*Rubus megalococcus*](#) Focke
- [*Rubus megistothyrsos*](#) A.Beek
- [*Rubus meierottii*](#) H.E.Weber
- [*Rubus meijerianus*](#) A.Beek
- [*Rubus melanocladus*](#) (Sudre) Ridd.
- [*Rubus melanodermis*](#) Focke ex W.M.Rogers
- [*Rubus melanosus*](#) Plien.
- [*Rubus melanoxydon*](#) P.J.Müll. & Wirtg.
- [*Rubus mellispersus*](#) Plien.
- [*Rubus menglaensis*](#) T.T.Yu & L.T.Lu
- [*Rubus mercicus*](#) Bagn.
- [*Rubus mercieri*](#) Genev.
- [*Rubus merlinii*](#) A.Newton & M.Porter
- [*Rubus mesogaeus*](#) Focke
- [*Rubus metallorum*](#) Margetts
- [*Rubus metoensis*](#) T.T.Yu & L.T.Lu
- [*Rubus micans*](#) Godr.
- [*Rubus* × *ichinokuensis*](#) Fujiw. & Yu.Abe
- [*Rubus microdontus*](#) P.J.Müll. & Lefèvre
- [*Rubus micropetalus*](#) Gardner

- [*Rubus microphyllus*](#) L.f.
- [*Rubus milesianus*](#) D.E.Allen
- [*Rubus milfordensis*](#) Edees
- [*Rubus minusculus*](#) H.Lév. & Vaniot
- [*Rubus minutipetalus*](#) J.-M.Royer & D.P.Mercier
- [*Rubus mirabeau*](#) Duboc & D.P.Mercier
- [*Rubus* × *miscix*](#) L.H.Bailey
- [*Rubus miser*](#) Liebm.
- [*Rubus miszczenkoi*](#) Juz.
- [*Rubus mollifrons*](#) Focke
- [*Rubus mollis*](#) J.Presl & C.Presl
- [*Rubus mollissimus*](#) W.M.Rogers
- [*Rubus moluccanus*](#) L.
- [*Rubus monensis*](#) W.C.Barton & Ridd.
- [*Rubus monneriensis*](#) Duboc & D.P.Mercier
- [*Rubus montanus*](#) Lib. ex Lej.
- [*Rubus montis-wilhelmii*](#) P.Royen
- [*Rubus moorei*](#) F.Muell.
- [*Rubus morganwagensis*](#) W.C.Barton & Ridd.
- [*Rubus morifolius*](#) P.J.Müll.
- [*Rubus mortensenii*](#) (Frid. & Gelert) E.H.L.Krause
- [*Rubus morvennicus*](#) Gillot ex Boulay
- [*Rubus moschus*](#) Juz.
- [*Rubus mougeotii*](#) Billot
- [*Rubus moylei*](#) W.C.Barton & Ridd.
- [*Rubus mucronatiformis*](#) (Sudre) W.C.R.Watson
- [*Rubus mucronatoides*](#) Ley ex W.M.Rogers
- [*Rubus mucronipetalus*](#) P.J.Müll.
- [*Rubus mucronulatus*](#) Boreau
- [*Rubus muenteri*](#) T.Marsson
- [*Rubus muhelicus*](#) Danner
- [*Rubus multifidus*](#) Boulay & Malbr.
- [*Rubus mundii*](#) Cham. & Schltdl.
- [*Rubus muricatus*](#) Boulay & Gillot
- [*Rubus muricola*](#) Sennen
- [*Rubus muridens*](#) A.Beek
- [*Rubus murrayi*](#) Sudre
- [*Rubus mus*](#) A.Beek
- [*Rubus myricae*](#) Focke

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rubus nagasawanus* Koidz.](#)
- [*Rubus* × *nakaii* Tuyama](#)
- [*Rubus nakeralicus* Sanadze](#)
- [*Rubus naldrettii* \(J.W.White\) W.C.R.Watson](#)
- [*Rubus napellus* Plien.](#)
- [*Rubus naumannii* Schön](#)
- [*Rubus neanias* A.Beek](#)
- [*Rubus nebulosus* A.R.Bean](#)
- [*Rubus neerlandicus* A.Beek](#)
- [*Rubus negatus* A.Beek](#)
- [*Rubus* × *neglectus* Peck](#)
- [*Rubus nelliae* A.Beek](#)
- [*Rubus nelsonii* Rydb.](#)
- [*Rubus nemophilus* Ripart ex Genev.](#)

- [*Rubus nemoralis*](#) P.J.Müll.
- [*Rubus nemorensis*](#) Lefèvre & P.J.Müll.
- [*Rubus nemoripetens*](#) Meijer, Troelstra & A.Beek
- [*Rubus nemorosoides*](#) H.E.Weber
- [*Rubus nemorosus*](#) Hayne ex Willd.
- [*Rubus neoebudicus*](#) Guillaumin
- [*Rubus neofuscifolius*](#) Y.F.Deng
- [*Rubus* × *neogardicus*](#) Juz.
- [*Rubus neohunanensis*](#) X.H.Xiong & X.F.Gao
- [*Rubus neomalacus*](#) Sudre
- [*Rubus neomultisetosus*](#) Idrees
- [*Rubus nepalensis*](#) (Hook.f.) Kuntze
- [*Rubus nerisiensis*](#) Duboc & D.P.Mercier
- [*Rubus nesiotes*](#) Focke
- [*Rubus newbouldianus*](#) Rilstone
- [*Rubus newbouldii*](#) Bab.
- [*Rubus newbridgensis*](#) W.C.Barton & Ridd.
- [*Rubus newtonii*](#) Ballantyne
- [*Rubus nguyenii*](#) Huan C.Wang
- [*Rubus* × *nigakuma*](#) Oka & Naruh.
- [*Rubus nigricans*](#) Danthoine
- [*Rubus nigricatus*](#) P.J.Müll. & Lefèvre
- [*Rubus nigricaulis*](#) Prokh.
- [*Rubus* × *nikaii*](#) Ohwi
- [*Rubus ninckii*](#) (Sudre) C.K.Schneid.
- [*Rubus nishimuranus*](#) Koidz.
- [*Rubus nitidiformis*](#) Sudre
- [*Rubus nivalis*](#) Douglas ex Hook.
- [*Rubus niveus*](#) Thunb.
- [*Rubus nobilissimus*](#) (W.C.R.Watson) Pearsall
- [*Rubus noli-tangere*](#) A.Beek
- [*Rubus noltei*](#) H.E.Weber
- [*Rubus nordicus*](#) (H.E.Weber & A.Pedersen) H.E.Weber
- [*Rubus noricus*](#) Hohla, Pagitz & Király
- [*Rubus norvicensis*](#) A.L.Bull & Edees
- [*Rubus* × *novanglicus*](#) L.H.Bailey
- [*Rubus novoguineensis*](#) Merr. & L.M.Perry
- [*Rubus nubigenus*](#) Kunth
- [*Rubus nudiusculus*](#) Plien.
- [*Rubus nuptialis*](#) H.E.Weber
- [*Rubus nyalamensis*](#) T.T.Yu & L.T.Lu

O

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rubus oberdorferi*](#) H.E.Weber
- [*Rubus oblongifolius*](#) P.J.Müll. & Wirtg.
- [*Rubus oblongifrons*](#) (Sudre) E.G.Camus, Gillot & Malinv.
- [*Rubus oblongo-obovatus*](#) Markova
- [*Rubus oblongus*](#) T.T.Yu & L.T.Lu
- [*Rubus oboranus*](#) Sprib.
- [*Rubus obscuriflorus*](#) Edees & A.Newton
- [*Rubus obtrullatus*](#) T.Gregor & W.Jansen
- [*Rubus obtusangulus*](#) Gremlì
- [*Rubus obvallatus*](#) Boulay & Gillot

- [*Rubus occidentalis*](#) L.
- [*Rubus occultiglans*](#) Meierott
- [*Rubus ochraceus*](#) Cardot
- [*Rubus ochtodes*](#) Juz.
- [*Rubus ocnensis*](#) Nyár.
- [*Rubus odoratus*](#) L.
- [*Rubus oenensis*](#) H.E.Weber
- [*Rubus offensus*](#) P.J.Müll.
- [*Rubus* × *ohmineanus*](#) Koidz.
- [*Rubus* × *ohtakiensis*](#) Naruh.
- [*Rubus* × *okae*](#) Momiy.
- [*Rubus okinawensis*](#) Koidz.
- [*Rubus oklejewiczii*](#) Wolanin & M.Nobis
- [*Rubus omalodontus*](#) P.J.Müll. & Wirtg.
- [*Rubus onsalaensis*](#) Ryde
- [*Rubus opacus*](#) Focke ex Bertram
- [*Rubus opulifolius*](#) Bertol.
- [*Rubus orbifolius*](#) Boulay & Letendre ex Lefèvre
- [*Rubus orbifrons*](#) H.E.Weber
- [*Rubus orbus*](#) W.C.R.Watson
- [*Rubus ordovicum*](#) A.Newton
- [*Rubus oreades*](#) P.J.Müll. & Wirtg.
- [*Rubus organorum*](#) Duboc & D.P.Mercier
- [*Rubus originalis*](#) L.H.Bailey
- [*Rubus orthocladoides*](#) Sudre
- [*Rubus orthostachyoides*](#) H.E.Weber
- [*Rubus orthostachys*](#) G.Braun
- [*Rubus ossicus*](#) Juz.
- [*Rubus* × *ostensus*](#) Schmidely
- [*Rubus ostiarius*](#) Plien.
- [*Rubus ostrinus*](#) Focke
- [*Rubus ostroviensis*](#) Sprib.
- [*Rubus ostumensis*](#) A.R.Molina
- [*Rubus ourosepalus*](#) Cardot
- [*Rubus ovatisepalus*](#) Huan C.Wang
- [*Rubus ovatus*](#) Thuan
- [*Rubus oxyanchus*](#) Sudre

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus pacificus](#) Hance
- [Rubus painteri](#) Edees
- [Rubus palaefolius](#) Matzke-Hajek
- [Rubus pallidicaulis](#) Boulay & J.B.Cornet
- [Rubus pallidifolius](#) E.H.L.Krause
- [Rubus pallidisetus](#) Sudre
- [Rubus pallidus](#) Weihe
- [Rubus palmatifolius](#) Thuan
- [Rubus palmatiformis](#) Z.H.Chen, Feng Chen & F.G.Zhang
- [Rubus palmatus](#) Thunb.
- [Rubus palmensis](#) A.Hansen
- [Rubus palmeri](#) Rydb.
- [Rubus paludosus](#) A.Beek
- [Rubus pampinosus](#) Lees
- [Rubus panduratus](#) Hand.-Mazz.

- [*Rubus paniculatus*](#) Sm.
- [*Rubus pannosus*](#) P.J.Müll. & Wirtg.
- [*Rubus pappei*](#) Eckl. & Zeyh.
- [*Rubus papuanus*](#) Schltr. ex Diels
- [*Rubus* × *paracaulis*](#) L.H.Bailey
- [*Rubus paraguariensis*](#) (Chodat & Hassl.) Basualdo & Zardini
- [*Rubus paraplicatus*](#) K.Meijer
- [*Rubus pararosifolius*](#) F.P.Metcalf
- [*Rubus parkeri*](#) Hance
- [*Rubus parthenocissus*](#) Trávn. & Holub
- [*Rubus parviaraliifolius*](#) Hayata
- [*Rubus parviflorus*](#) Nutt.
- [*Rubus parvifolius*](#) L.
- [*Rubus parvus*](#) Buchanan
- [*Rubus pascuorum*](#) W.C.R.Watson
- [*Rubus pascuus*](#) L.H.Bailey
- [*Rubus passaviensis*](#) Žila
- [*Rubus passionis*](#) A.Beek & K.Meijer
- [*Rubus patuliformis*](#) Sudre
- [*Rubus patulus*](#) P.J.Müll. & Lefèvre
- [*Rubus pauanus*](#) Mon.-Huelin
- [*Rubus paucidentatus*](#) T.T.Yu & L.T.Lu
- [*Rubus* × *paxii*](#) Focke
- [*Rubus pectinarioides*](#) H.Hara
- [*Rubus pectinarius*](#) Focke
- [*Rubus pectinellus*](#) Maxim.
- [*Rubus pedatifolius*](#) Genev.
- [*Rubus pedatus*](#) Sm.
- [*Rubus pedersenii*](#) Martensen & H.E.Weber
- [*Rubus pedica*](#) Matzke-Hajek
- [*Rubus pedunculatus*](#) D.Don
- [*Rubus peltatus*](#) Maxim.
- [*Rubus penduliflorus*](#) C.Y.Wu ex T.T.Yu & L.T.Lu
- [*Rubus pendulus*](#) Rusby
- [*Rubus peninsulae*](#) Rilstone
- [*Rubus pensilvanicus*](#) Poir.
- [*Rubus pentagonus*](#) Wall. ex Focke
- [*Rubus peratticus*](#) Samp.
- [*Rubus percrispus*](#) D.E.Allen & R.D.Randall
- [*Rubus perdemissus*](#) H.E.Weber & Martensen
- [*Rubus perdigitatus*](#) A.Newton
- [*Rubus perfulvus*](#) Merr.

- [*Rubus pericrispatus*](#) Holub & Trávn.
- [*Rubus perlongus*](#) H.E.Weber & W.Jansen
- [*Rubus* × *permixtus*](#) Blanch.
- [*Rubus perpedatus*](#) Žila & H.E.Weber
- [*Rubus perperus*](#) H.E.Weber
- [*Rubus perplexus*](#) P.J.Müll. ex Wirtg.
- [*Rubus perpungens*](#) M.Lepší, P.Lepší & Trávn.
- [*Rubus perrobustus*](#) Holub
- [*Rubus persicus*](#) Boiss.
- [*Rubus peruncinatus*](#) (Sudre) Juz.
- [*Rubus peruvianus*](#) Fritsch
- [*Rubus pervagus*](#) Sudre
- [*Rubus pervalidus*](#) Edees & A.Newton
- [*Rubus pervirescens*](#) Sudre
- [*Rubus pfuhlianus*](#) Sprib.
- [*Rubus phaeocarpus*](#) W.C.R.Watson
- [*Rubus phengodes*](#) Focke
- [*Rubus phoenicacanthus*](#) A.Beek
- [*Rubus phoenicolasius*](#) Maxim.
- [*Rubus phylloglotta*](#) (Frid.) Å.Gust.
- [*Rubus phyllophorus*](#) Lefèvre & P.J.Müll.
- [*Rubus phyllostachys*](#) P.J.Müll.
- [*Rubus phyllothyrsos*](#) Frid.
- [*Rubus picearum*](#) (A.Beek) A.Beek
- [*Rubus piceetorum*](#) Juz.
- [*Rubus picticaulis*](#) H.E.Weber
- [*Rubus pictorum*](#) Edees
- [*Rubus pignattii*](#) Camarda
- [*Rubus pileatus*](#) Focke
- [*Rubus pilulifer*](#) Focke
- [*Rubus pinicola*](#) Her.Hofmann
- [*Rubus pinnatisepalus*](#) Hemsl.
- [*Rubus pinnatus*](#) Willd.
- [*Rubus piptopetalus*](#) Hayata ex Koidz.
- [*Rubus pirifolius*](#) Sm.
- [*Rubus placidus*](#) H.E.Weber
- [*Rubus plainfaingensis*](#) J.-M.Royer & D.P.Mercier
- [*Rubus planus*](#) A.Beek
- [*Rubus platyacanthus*](#) P.J.Müll. & Lefèvre
- [*Rubus platybelus*](#) Sudre
- [*Rubus platycephalus*](#) Focke
- [*Rubus platyphylloides*](#) Sanadze

- [*Rubus platyphyllus*](#) K.Koch
- [*Rubus platysepalus*](#) Hand.-Mazz.
- [*Rubus playfairianus*](#) Hemsl. ex Focke
- [*Rubus plymensis*](#) (Focke) Edees & A.Newton
- [*Rubus podophyllos*](#) P.J.Müll.
- [*Rubus poliodes*](#) W.C.R.Watson
- [*Rubus poliophyllus*](#) Kuntze
- [*Rubus poliothyrsus*](#) A.Beek
- [*Rubus polonicus*](#) Weston
- [*Rubus polyadenus*](#) Cardot
- [*Rubus polyanthemus*](#) Lindeb.
- [*Rubus polybracteatus*](#) Ryde
- [*Rubus polyodontus*](#) Hand.-Mazz.
- [*Rubus polyoplus*](#) W.C.R.Watson
- [*Rubus porotoensis*](#) R.A.Graham
- [*Rubus porphyrocaulis*](#) A.Newton
- [*Rubus porphyromallos*](#) Focke
- [*Rubus portae-moravicae*](#) Holub & Trávn.
- [*Rubus posnaniensis*](#) Sprib.
- [*Rubus postumus*](#) A.Beek & D.P.Mercier
- [*Rubus potentilloides*](#) W.E.Evans
- [*Rubus pottianus*](#) H.E.Weber
- [*Rubus praeceptorum*](#) A.Beek
- [*Rubus praecocifrons*](#) Király & Trávn.
- [*Rubus praecox*](#) Bertol.
- [*Rubus praedatus*](#) Schmidely
- [*Rubus praestans*](#) H.E.Weber
- [*Rubus praetextus*](#) Sudre
- [*Rubus praticolor*](#) A.Beek
- [*Rubus prei*](#) (Sudre) Prain
- [*Rubus preptanthus*](#) Focke
- [*Rubus pringlei*](#) Rydb.
- [*Rubus prionatus*](#) (Sudre) Y.Hesl.-Harr.
- [*Rubus prissanicus*](#) Kosiński, Maliński & Ziel.
- [*Rubus probabilis*](#) L.H.Bailey
- [*Rubus probus*](#) L.H.Bailey
- [*Rubus procerus*](#) P.J.Müll. ex Boulay
- [*Rubus profusus*](#) Plien.
- [*Rubus projectus*](#) A.Beek
- [*Rubus prolongatus*](#) Boulay & Letendre
- [*Rubus promachonicus*](#) A.Beek
- [*Rubus* × *propinquus*](#) Richardson

- [*Rubus prosper*](#) L.H.Bailey
- [*Rubus pruinifer*](#) Sudre
- [*Rubus pseudincisor*](#) H.E.Weber
- [*Rubus pseudoacer*](#) Makino
- [*Rubus* × *pseudochingii*](#) Naruh. & H.Masaki
- [*Rubus pseudofagifolius*](#) Huan C.Wang
- [*Rubus pseudoglotta*](#) Drenckh. & W.Jansen
- [*Rubus pseudogravetii*](#) Sudre
- [*Rubus* × *pseudohakonensis*](#) Sugim.
- [*Rubus pseudohostilis*](#) W.Jansen
- [*Rubus pseudojaponicus*](#) Koidz.
- [*Rubus pseudolusaticus*](#) G.H.Loos
- [*Rubus pseudopileatus*](#) Cardot
- [*Rubus pseudopsis*](#) Gremli
- [*Rubus pseudoswinhoei*](#) Huan C.Wang & Z.R.He
- [*Rubus pseudotenellus*](#) Gilli
- [*Rubus pseudothyrsanthus*](#) (Frid. & Gelert) Frid. & Gelert
- [*Rubus pseudovitis*](#) Plien.
- [*Rubus* × *pseudoyoshinoi*](#) Naruh. & H.Masaki
- [*Rubus psilander*](#) A.Beek
- [*Rubus psilops*](#) A.Beek & K.Meijer
- [*Rubus ptilocarpus*](#) T.T.Yu & L.T.Lu
- [*Rubus puberulus*](#) Meierott
- [*Rubus pubescens*](#) Raf.
- [*Rubus pugiunculosus*](#) Matzke-Hajek
- [*Rubus pulcher*](#) P.J.Müll. & Lefèvre
- [*Rubus pulchricaulis*](#) Plien.
- [*Rubus pullifolius*](#) W.C.R.Watson
- [*Rubus pumilus*](#) Focke
- [*Rubus pungens*](#) Cambess.
- [*Rubus purbeckensis*](#) W.C.Barton & Ridd.
- [*Rubus purchasianus*](#) W.M.Rogers
- [*Rubus puyumaensis*](#) Juinn Y.Huang, P.H.Chen & A.C.Chung
- [*Rubus pycnostachys*](#) P.J.Müll.
- [*Rubus pydarensiformis*](#) D.E.Allen
- [*Rubus pydarensis*](#) Rilstone
- [*Rubus pyramidatus*](#) P.J.Müll.

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rubus quartinianus*](#) A.Rich.
- [*Rubus queenslandicus*](#) A.R.Bean
- [*Rubus questieri*](#) Lefèvre & P.J.Müll.
- [*Rubus quinquefoliolatus*](#) T.T.Yu & L.T.Lu

R

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rubus racemosus*](#) Roxb.
- [*Rubus radicans*](#) Cav.
- [*Rubus radula*](#) Weihe
- [*Rubus radulicaulis*](#) Sudre
- [*Rubus raduliformis*](#) Sudre
- [*Rubus raduloides*](#) (F.Aresch.) Neuman
- [*Rubus ramachandrae*](#) S.S.Dash & Chand.Gupta
- [*Rubus ramosus*](#) A.Bloxam ex Briggs
- [*Rubus ranftii*](#) H.E.Weber
- [*Rubus raopingensis*](#) T.T.Yu & L.T.Lu
- [*Rubus raunkiaeri*](#) (Frid.) Gust.
- [*Rubus* × *recurvicaulis*](#) Blanch.
- [*Rubus reflexus*](#) Ker Gawl.
- [*Rubus refractus*](#) H.Lév.
- [*Rubus remotifolius*](#) Plien.
- [*Rubus repens*](#) (L.) Kuntze
- [*Rubus revealii*](#) A.Beek & Widrl.
- [*Rubus rhamnophyllus*](#) A.Beek & D.P.Mercier
- [*Rubus rhombicus*](#) H.E.Weber
- [*Rubus rhombifolius*](#) Weihe

- [*Rubus rhytidophyllus*](#) H.E.Weber
- [*Rubus* × *ribifolius*](#) Siebold & Zucc.
- [*Rubus ribisoideus*](#) Matsum.
- [*Rubus riddelsdellii*](#) Rilstone
- [*Rubus rigidus*](#) Sm.
- [*Rubus rilstonei*](#) W.C.Barton & Ridd.
- [*Rubus ripuaricus*](#) Matzke-Hajek
- [*Rubus rivularis*](#) Wirtg. & P.J.Müll.
- [*Rubus* × *rixosus*](#) L.H.Bailey
- [*Rubus roberti*](#) Matzke-Hajek
- [*Rubus robiae*](#) (W.C.R.Watson) A.Newton
- [*Rubus rolfei*](#) S.Vidal
- [*Rubus rosaceus*](#) Weihe
- [*Rubus rosanthus*](#) Lindeb.
- [*Rubus roseus*](#) Poir.
- [*Rubus rosifolius*](#) Sm.
- [*Rubus rossensis*](#) A.Newton
- [*Rubus rotundatiformis*](#) Sudre
- [*Rubus rotundifolius*](#) Sudre
- [*Rubus royenii*](#) Kalkman
- [*Rubus rubicundus*](#) P.J.Müll. & Wirtg.
- [*Rubus ruboculus*](#) Ryde
- [*Rubus ruborensis*](#) Matzke-Hajek
- [*Rubus rubriflorus*](#) Purchas
- [*Rubus rubrisetulosus*](#) Cardot
- [*Rubus rubristylus*](#) W.C.R.Watson
- [*Rubus rubritinctus*](#) W.C.R.Watson
- [*Rubus rubrumcadaver*](#) A.Beek
- [*Rubus rudis*](#) Weihe
- [*Rubus rufescens*](#) Lefèvre & P.J.Müll.
- [*Rubus rufus*](#) Focke
- [*Rubus rugosifolius*](#) G.H.Loos
- [*Rubus rugosus*](#) Sm.
- [*Rubus rugulosus*](#) Ryde
- [*Rubus runssorensis*](#) Engl.
- [*Rubus rurae*](#) G.H.Loos
- [*Rubus rusbyi*](#) Britton

S

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rubus saladiensis*](#) Király, Trávn. & Žíla
- [*Rubus salisburgensis*](#) Focke ex Caflisch
- [*Rubus saltuum*](#) Focke ex Gremlí
- [*Rubus salwinensis*](#) Hand.-Mazz.
- [*Rubus salzmännii*](#) W.Maurer
- [*Rubus sampaoianus*](#) Sudre ex Samp.
- [*Rubus sanadzeae*](#) Idrees & J.M.H.Shaw
- [*Rubus sanctae-hildegardis*](#) Matzke-Hajek
- [*Rubus sapidus*](#) Schltdl.
- [*Rubus sarissifer*](#) Plien.
- [*Rubus saxatilis*](#) L.
- [*Rubus saxicola*](#) P.J.Müll.
- [*Rubus saxonicus*](#) Her.Hofmann
- [*Rubus scaber*](#) Weihe
- [*Rubus scabripes*](#) Genev.

- [*Rubus scabrosus*](#) P.J.Müll.
- [*Rubus scarbanticus*](#) Király & Trávn.
- [*Rubus schefferi*](#) Focke
- [*Rubus scheffleri*](#) Engl.
- [*Rubus schiedeanus*](#) Steud.
- [*Rubus schipperii*](#) A.Beek
- [*Rubus schlechtendalii*](#) Weihe ex Link
- [*Rubus schlechtendaliiiformis*](#) H.E.Weber
- [*Rubus schleicheri*](#) Weihe ex Tratt.
- [*Rubus schleicheriformis*](#) W.Jansen
- [*Rubus schlickumii*](#) Wirtg.
- [*Rubus schmidelioides*](#) A.Cunn.
- [*Rubus schorleri*](#) (Artzt & Her.Hofmann) H.E.Weber
- [*Rubus schottii*](#) Pohl ex Focke
- [*Rubus schumacheri*](#) (Ade) Matzke-Hajek
- [*Rubus scidularum*](#) A.Beek
- [*Rubus sciocharis*](#) (Sudre) Kinscher
- [*Rubus sciophilus*](#) Lefèvre & P.J.Müll.
- [*Rubus scissoides*](#) H.E.Weber
- [*Rubus scissus*](#) W.C.R.Watson
- [*Rubus scoliacanthus*](#) A.Beek
- [*Rubus scoticus*](#) (W.M.Rogers & Ley) Edees
- [*Rubus sectiramus*](#) W.C.R.Watson
- [*Rubus seebergensis*](#) Pfuhl ex Sprib.
- [*Rubus segontii*](#) A.Newton & M.Porter
- [*Rubus selleanus*](#) Helwig
- [*Rubus sellii*](#) Idrees & J.M.H.Shaw
- [*Rubus sellowii*](#) Cham. & Schltldl.
- [*Rubus semibracteosus*](#) Sudre
- [*Rubus semicarpinifolius*](#) Sudre
- [*Rubus semicaucasicus*](#) Sudre
- [*Rubus semiglaber*](#) (W.M.Rogers) W.C.R.Watson
- [*Rubus* × *seminepalensis*](#) Naruh.
- [*Rubus semirivularis*](#) Sudre
- [*Rubus semitomentosus*](#) Borbás
- [*Rubus sempernitens*](#) D.E.Allen & Margetts
- [*Rubus senchalensis*](#) H.Hara
- [*Rubus sendtneri*](#) Progel
- [*Rubus sengorensis*](#) Grierson & D.G.Long
- [*Rubus senticops*](#) H.E.Weber & W.Jansen
- [*Rubus senticosus*](#) Köhler ex Weihe
- [*Rubus septentrionalis*](#) W.C.R.Watson

- [*Rubus septifolius*](#) H.E.Weber
- [*Rubus serpens*](#) Weihe ex Lej. & Courtois
- [*Rubus serrae*](#) Soldano
- [*Rubus serratus*](#) J.F.Gmel.
- [*Rubus servaticus*](#) G.H.Loos
- [*Rubus setchuenensis*](#) Bureau & Franch.
- [*Rubus setosus*](#) Bigelow
- [*Rubus shihae*](#) F.P.Metcalf
- [*Rubus sieberi*](#) Her.Hofmann
- [*Rubus sieboldii*](#) Blume
- [*Rubus siekensis*](#) Banning ex G.Braun
- [*Rubus siemianicensis*](#) (Sprib.) Sprib.
- [*Rubus sierrae*](#) Laferr.
- [*Rubus sieuwkei*](#) Bijlsma
- [*Rubus sikkimensis*](#) Hook.f.
- [*Rubus silesiacus*](#) Weihe
- [*Rubus silurum*](#) (Ley) Ley
- [*Rubus silvae-bavaricae*](#) Gaggerm.
- [*Rubus silvae-bohemicae*](#) Holub ex Trávn. & Žíla
- [*Rubus silvae-norticae*](#) M.Lepší & P.Lepší
- [*Rubus silvae-thuringiae*](#) W.Jansen
- [*Rubus silvaticus*](#) Weihe & Nees
- [*Rubus simplex*](#) Focke
- [*Rubus sivasicus*](#) Yild. & Kılıç
- [*Rubus siyuanensis*](#) S.S.Ying
- [*Rubus slavonicus*](#) Király, Trávn. & Žíla
- [*Rubus slesvicensis*](#) Lange
- [*Rubus smithii*](#) Backer
- [*Rubus sneydii*](#) Edees
- [*Rubus soendrumensis*](#) Ryde
- [*Rubus solvensis*](#) W.Maurer
- [*Rubus sorbicus*](#) H.E.Weber
- [*Rubus sorsogonensis*](#) Elmer
- [*Rubus spananthus*](#) Ze M.Wu & Z.L.Cheng
- [*Rubus sparsiflorus*](#) J.F.Macbr.
- [*Rubus spectabilis*](#) Pursh
- [*Rubus speculans*](#) K.Meijer
- [*Rubus speculatus*](#) Matzke-Hajek
- [*Rubus spiculus*](#) K.Meijer
- [*Rubus spina-curva*](#) Boulay & Gillot
- [*Rubus spinulatus*](#) Boulay
- [*Rubus spinulosoides*](#) F.P.Metcalf

- [*Rubus splendidissimus*](#) H.Hara
- [*Rubus splendidus*](#) P.J.Müll. & Lefèvre
- [*Rubus sprengelii*](#) Weihe
- [*Rubus sprengeliusculus*](#) (Frid. & Gelert) H.E.Weber
- [*Rubus spribillei*](#) (Pfuhl ex Sprib.) Kulesza
- [*Rubus squarrosus*](#) Fritsch
- [*Rubus stabilis*](#) Plien.
- [*Rubus stanneus*](#) W.C.Barton & Ridd.
- [*Rubus stans*](#) Focke
- [*Rubus steneoacanthus*](#) P.J.Müll. & Lefèvre
- [*Rubus stenopetalus*](#) Lefèvre & P.J.Müll.
- [*Rubus stereacanthos*](#) P.J.Müll. ex Boulay
- [*Rubus steudneri*](#) Schweinf.
- [*Rubus stimulans*](#) Focke
- [*Rubus stimuleus*](#) L.H.Bailey
- [*Rubus stimulifer*](#) Plien.
- [*Rubus stipulosus*](#) T.T.Yu & L.T.Lu
- [*Rubus stohrii*](#) H.E.Weber & Ranft
- [*Rubus stormanicus*](#) H.E.Weber
- [*Rubus striaticaulis*](#) Plien.
- [*Rubus styriacus*](#) Halácsy
- [*Rubus subaculeatus*](#) Gand.
- [*Rubus subadenanthus*](#) P.D.Sell
- [*Rubus subcoreanus*](#) T.T.Yu & L.T.Lu
- [*Rubus subgothicus*](#) Sprib.
- [*Rubus subinermoides*](#) Druce
- [*Rubus subinopertus*](#) T.T.Yu & L.T.Lu
- [*Rubus subintegribasis*](#) Druce
- [*Rubus sublustris*](#) Lees
- [*Rubus subopacus*](#) (Sudre ex Bouvet) D.E.Allen
- [*Rubus subornatus*](#) Focke
- [*Rubus subspicatus*](#) Hauman
- [*Rubus subtercanens*](#) W.C.R.Watson
- [*Rubus subtibetanus*](#) Hand.-Mazz.
- [*Rubus subtiliaceus*](#) (Frid.) H.E.Weber & Martensen
- [*Rubus suecicus*](#) H.E.Weber & Karlsson
- [*Rubus suevicola*](#) H.E.Weber
- [*Rubus sulcatus*](#) Vest
- [*Rubus sumatranus*](#) Miq.
- [*Rubus sundaicus*](#) Blume
- [*Rubus surrectus*](#) K.Meijer
- [*Rubus surrejanus*](#) W.C.Barton & Ridd.

- [*Rubus suspiciosus*](#) Menezes
- [*Rubus swinhoei*](#) Hance
- [*Rubus sylvulicola*](#) Progel ex Utsch

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rubus tabanimontanus*](#) Figert
- [*Rubus taitoensis*](#) Hayata
- [*Rubus taiwanicola*](#) Koidz. & Ohwi
- [*Rubus takhtadjanii*](#) Mulk.
- [*Rubus tamarensis*](#) A.Newton
- [*Rubus tamdaoensis*](#) T.H.Nguyên & Yakovlev

- [*Rubus tardus*](#) W.C.R.Watson
- [*Rubus tarnensis*](#) Sudre
- [*Rubus taronensis*](#) C.Y.Wu ex T.T.Yu & L.T.Lu
- [*Rubus tauni*](#) Schnedler & H.Grossh.
- [*Rubus tauricus*](#) Schltdl. ex Juz.
- [*Rubus* × *tawadanus*](#) Koidz.
- [*Rubus taxandriae*](#) Vannerom ex A.Beek
- [*Rubus tayulinensis*](#) S.S.Ying
- [*Rubus tegulifolius*](#) A.Beek, Bijlsma & Devriese
- [*Rubus tenuiarmatus*](#) Lees
- [*Rubus tenuihabitatus*](#) G.H.Loos
- [*Rubus tenuimollis*](#) Mikoláš
- [*Rubus tephrodes*](#) Hance
- [*Rubus tereticaulis*](#) P.J.Müll.
- [*Rubus teretiusculus*](#) Kaltenb.
- [*Rubus terjatensis*](#) Duboc & D.P.Mercier
- [*Rubus tetsunii*](#) Huan C.Wang & H.Sun
- [*Rubus thaumasius*](#) A.Beek
- [*Rubus thelybatus*](#) Focke ex Caflisch
- [*Rubus thibetanus*](#) Franch.
- [*Rubus thomsonii*](#) Focke
- [*Rubus* × *thuillieri*](#) Poir. ex Steud.
- [*Rubus thuringensis*](#) Metsch
- [*Rubus thurstonii*](#) Rilstone
- [*Rubus thyrsigeriformis*](#) (Sudre) D.E.Allen
- [*Rubus tiliaceus*](#) Sm.
- [*Rubus* × *tiliaster*](#) H.E.Weber
- [*Rubus tiliifrons*](#) W.Jansen & H.E.Weber
- [*Rubus tingzhouensis*](#) C.An & G.C.Lin
- [*Rubus tinifolius*](#) C.Y.Wu ex T.T.Yu & L.T.Lu
- [*Rubus titanus*](#) L.H.Bailey
- [*Rubus tonkinensis*](#) F.Bolle
- [*Rubus* × *toyorensis*](#) Koidz.
- [*Rubus tozawae*](#) Nakai ex J.Y.Yang
- [*Rubus trachycaulon*](#) (Sudre) Malinv.
- [*Rubus transitorius*](#) G.H.Loos
- [*Rubus transvaliensis*](#) Gust.
- [*Rubus transvestitus*](#) Matzke-Hajek
- [*Rubus* × *tranzschelii*](#) Juz.
- [*Rubus treignacensis*](#) Duboc & D.P.Mercier
- [*Rubus trelleckensis*](#) Edees & A.Newton
- [*Rubus treutleri*](#) Hook.f.

- [Rubus trichanthus](#) A.Beek
- [Rubus trichogynus](#) A.Beek
- [Rubus tricolor](#) Focke ex Prain
- [Rubus trifidus](#) Thunb.
- [Rubus × trifrons](#) Blanch.
- [Rubus trigonodontos](#) Boulay
- [Rubus trigonus](#) Kalkman
- [Rubus trijugus](#) Focke
- [Rubus trilobus](#) Ser.
- [Rubus trimmerodontus](#) Bijlsma & A.Beek
- [Rubus trinovantium](#) A.L.Bull
- [Rubus trivialis](#) Michx.
- [Rubus troiensis](#) A.Newton
- [Rubus × trux](#) Ashe
- [Rubus tubanticus](#) A.Beek
- [Rubus tuberculatiformis](#) H.E.Weber
- [Rubus tumidus](#) Greml
- [Rubus tumulorum](#) Rilstone
- [Rubus turkestanicus](#) (Regel) Pavlov
- [Rubus turquinensis](#) Rydb.

U

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)

- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus ubericus](#) Matzke-Hajek
- [Rubus uhdeanus](#) Focke
- [Rubus ulmifolius](#) Schott
- [Rubus umbrosus](#) (Weihe & Nees) Arrh.
- [Rubus uncimontanus](#) A.Beek & Troelstra
- [Rubus uncinatus](#) P.J.Müll.
- [Rubus × uncinellus](#) P.J.Müll. & Lefèvre
- [Rubus undabundus](#) Juz.
- [Rubus urbionicus](#) Mon.-Huelin
- [Rubus urocerus](#) Plien.
- [Rubus ursinus](#) Cham. & Schltdl.
- [Rubus urticifolius](#) Poir.
- [Rubus × utchinensis](#) Koidz.

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus vadalis](#) A.Beek
- [Rubus vagabundus](#) Samp.
- [Rubus vagensis](#) A.Newton & M.Porter
- [Rubus vahlii](#) Frid.
- [Rubus vallis-cembrae](#) Prosser & Király
- [Rubus vandebeekii](#) K.Meijer
- [Rubus vandermeijdenii](#) A.Beek
- [Rubus vaniloquus](#) A.Schumach. ex H.E.Weber
- [Rubus vanwinkelii](#) A.Beek & Vannerom
- [Rubus varvicensis](#) Edees
- [Rubus vassivierensis](#) Duboc & D.P.Mercier
- [Rubus vastus](#) (Sabr.) Hayek
- [Rubus vatavensis](#) Žíla & Trávn.
- [Rubus velox](#) L.H.Bailey
- [Rubus velutinus](#) Vest ex Tratt.
- [Rubus venetorum](#) D.E.Allen
- [Rubus venosus](#) W.Maurer
- [Rubus venustus](#) A.Favrat
- [Rubus verae-crucis](#) Rydb.
- [Rubus vernieri](#) J.-M.Royer & D.P.Mercier
- [Rubus vernus](#) Focke
- [Rubus vespicum](#) P.J.Müll. & Wirtg.
- [Rubus vestitus](#) Weihe
- [Rubus vigoii](#) Roselló, Peris & Stübing
- [Rubus vigursii](#) Rilstone
- [Rubus vikensis](#) A.Pedersen ex G.Wendt
- [Rubus villarsianus](#) Focke ex Gremli
- [Rubus villicauliformis](#) A.Newton

- [*Rubus villosior*](#) A.L.Bull
- [*Rubus vincentiorum*](#) Duboc & D.P.Mercier
- [*Rubus vindomensis*](#) D.E.Allen
- [*Rubus violaceifrons*](#) P.Havlíček, Trávn. & Velebil
- [*Rubus viridescens*](#) (W.M.Rogers) T.A.W.Davis
- [*Rubus viridilucidus*](#) Drenckh.
- [*Rubus viscosus*](#) Weihe ex Lej. & Courtois
- [*Rubus volkensis*](#) Engl.
- [*Rubus vratnensis*](#) Holub
- [*Rubus vulcanicola*](#) (Donn.Sm.) Rydb.

W

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus waddellii](#) D.E.Allen
- [Rubus wahlbergii](#) Arrh.
- [Rubus wahlbergioides](#) Ryde & T.Burén
- [Rubus wallichianus](#) Wight & Arn.
- [Rubus walsemannii](#) H.E.Weber
- [Rubus walteri](#) H.E.Weber & H.Grossh.
- [Rubus wangii](#) F.P.Metcalf
- [Rubus wardii](#) Merr.
- [Rubus warrenii](#) Sudre
- [Rubus watsonii](#) W.H.Mills
- [Rubus wawushanensis](#) T.T.Yu & L.T.Lu
- [Rubus weberbaueri](#) Focke
- [Rubus wedgwoodiae](#) W.C.Barton & Ridd.
- [Rubus weizensis](#) W.Maurer
- [Rubus wendtii](#) Ryde
- [Rubus wessbergii](#) A.Pedersen & Walseman
- [Rubus wilsonii](#) Duthie ex J.H.Veitch
- [Rubus wimmerianus](#) (Sprib. ex Sudre) Sprib.
- [Rubus winteri](#) (P.J.Müll. ex Focke) A.Först.
- [Rubus wirralensis](#) A.Newton
- [Rubus wirtgenii](#) Auersw. ex Wirtg.
- [Rubus × wisconsinensis](#) L.H.Bailey
- [Rubus wittigianus](#) H.E.Weber
- [Rubus woronowii](#) (Sudre) Sudre
- [Rubus wuchuanensis](#) S.Z.He
- [Rubus wushanensis](#) T.T.Yu & L.T.Lu
- [Rubus wuzhianus](#) L.T.Lu & Boufford

X

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)

- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rubus xanthocarpus*](#) Bureau & Franch.
- [*Rubus xanthoneurus*](#) Focke
- [*Rubus xiangyangianus*](#) S.S.Ying
- [*Rubus xichouensis*](#) T.T.Yu & L.T.Lu
- [*Rubus xiphophorus*](#) H.E.Weber

Y

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Rubus yanyunii](#) Y.T.Chang & L.Y.Chen
- [Rubus × yatabei](#) Focke
- [Rubus × yenosimanus](#) Koidz.
- [Rubus yingjiangensis](#) Huan C.Wang
- [Rubus yiwuanus](#) W.P.Fang
- [Rubus yoshinoi](#) Koidz.
- [Rubus yuenfengensis](#) S.S.Ying
- [Rubus yuliensis](#) Y.C.Liu & F.Y.Lu
- [Rubus yunanicus](#) Kuntze

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Rubus zangezurus](#) Mulk.
- [Rubus zhaogoshanensis](#) T.T.Yu & L.T.Lu
- [Rubus zielinskii](#) Wolanin & M.N.Wolanin
- [Rubus zixishanensis](#) Huan C.Wang & Q.P.Wang

This article lists the 30 or so species in the genus [Rosa](#) (roses or briars) that are native to the [Balkans](#).

For the purpose of this list, the northern boundary of the Balkans is taken to be the straight line from [Trieste](#) to the [Danube Delta](#). [European Turkey](#) is included, and so are the islands in the west of the [Aegean Sea](#) (including [Crete](#)), but the eastern Aegean islands fall outside the boundaries of this region.

The list is confined to [native](#) species: indigenous species that grow in the wild. This excludes any that may be used in cultivation, such as the many varieties of ornamental [garden roses](#) or the ones grown commercially for their [rose oil](#) in Bulgaria's [Rose Valley](#).

List of species

This list follows the order used in *Atlas Florae Europaeae*, where closely related species appear closer together. Each entry briefly outlines the parts of the Balkan Peninsula where each species is found, and then briefly gives the general distribution. Some synonyms, if previously commonly treated as distinct species in the literature, are also listed.

- [Rosa sempervirens](#) L. – Much of Greece and the Adriatic coast, Crete, and a small area near Istanbul; the Mediterranean region of Europe and north-western Africa.[\[1\]\[2\]](#)
- [Rosa arvensis](#) Huds. – much of the western half of the peninsula and in northern Greece, also in places in Bulgaria and southern Greece; Southern, Central, and Western Europe.[\[3\]](#)

- [*Rosa spinosissima*](#) L. – mostly in the mountainous areas of the peninsula (except western Albania and central/southern Greece); western and central Europe, the Caucasus and Central Asia.[4][5]
- [*Rosa glauca*](#) Pourret – the mountains in the West of the peninsula and Bulgaria ([Rila](#), [Pirin](#), [Sredna Gora](#) and [Stara Planina](#)); from the [Pyrenees](#), through the mountains of Central Europe and up to Ukraine and southwest Asia.[6]
- [*Rosa pendulina*](#) L. – found in the higher mountains throughout the peninsula (at elevations of 1000–2500 in Bulgaria); central and southern Europe.[7][8]
- [*Rosa gallica*](#) L. – throughout the peninsula (excluding southern Greece); central and southeastern Europe, Anatolia, and the Caucasus. This includes *Rosa pumila* Jacq., which in some previous works was treated as a separate species.[9]
- [*Rosa marginata*](#) Wallr. (= *Rosa jundzillii* Besser) – in a few areas in Bosnia and Herzegovina, northeastern Serbia, southern Romania, northern Greece, parts of Bulgaria (in the [Rhodopes](#) and in the north of the country).[10]
- [*Rosa montana*](#) Chaix - [Pindus](#) mountains; the Pyrenees, the Alps, and the mountains of Italy.[11]
- [*Rosa canina*](#) L. – widespread throughout the peninsula; Europe, north-western Africa, western Asia.[12]
- [*Rosa corymbifera*](#) Borkh. – Bosnia and Herzegovina, Montenegro, North Macedonia, Bulgaria, Romania; scattered areas in Serbia, Croatia, European Turkey, and Greece (including Crete); throughout Europe.[13] *Rosa obtusifolia* Desv. is here assumed to be a synonym, though in the Bulgarian literature this has been listed as a separate species; some instances of *R. obtusifolia* have, however, been referred to *R. balsamica* Besser.[14]
- [*Rosa dumalis*](#) Bechst. – western Balkans, wider Macedonia region, Romania, Bulgaria, small scattered areas of Greece (and possibly Crete); Europe, the Caucasus, western Asia. *Rosa vosagiaca* Des. is a synonym.[15]
- [*Rosa subcanina*](#) (Christ.) Vuk. – Croatia, Romanian [Dobruđa](#), possibly Bulgaria; central and northern Europe.[16] It is tentatively treated as an independent species, though many see it as a hybrid or include it within *R. dumalis*. [17]
- [*Rosa caesia*](#) Sm. – scattered areas in Romania and Bulgaria; central and northern Europe.[18]
- [*Rosa subcollina*](#) (Christ.) Vuk. - scattered areas of the Western Balkans, probably also Bulgaria; northern and central Europe, the mountains of southern Europe. It is here tentatively treated as an independent species; many have seen it as a hybrid or have included it within either *R. caesia*, or *R. dumalis* or *R. corymbifera*. [19]
- [*Rosa balsamica*](#) Besser – Romania, scattered places in the Western Balkans, uncertain in Greece; Europe and the Caucasus.[20]
- [*Rosa abietina*](#) Gren. ex Christ – the [Istria](#) peninsula in Croatia; the Alps.[21]
- [*Rosa tomentosa*](#) Sm. – throughout the Balkans except all but the northernmost parts of Greece; Europe, Anatolia and the Caucasus.[22]
- [*Rosa villosa*](#) L. – western Balkans, southwestern Romania, western Bulgaria, northern Greece; central, southern and eastern Europe.[23]
- [*Rosa mollis*](#) Sm. – a few scattered areas in Croatia, Bosnia and Herzegovina, Serbia, Montenegro,[24] and western Bulgaria[25] The species is otherwise widespread in northern

Europe and it has been hypothesised that the reports of its occurrence in the rest of the continent (including on the Balkans) may in fact stem from confusion with either *R. villosa* or *R. sherardii*.[\[26\]](#)

- *Rosa heckeliana* Tratt. – Greece (including Crete), Albania, Northern Macedonia, Bulgaria (the [Pirin](#) and [Slavyanka](#) mountains in the south-west) and in a single area in Croatia; also present in southern Italy.[\[27\]](#)
- *Rosa rubiginosa* L. – areas in Croatia, Bosnia and Herzegovina, Serbia, Romania and possibly Bulgaria. Europe (except the north/north-east) and the Caucasus.[\[28\]](#)
- *Rosa elliptica* Tausch = *Rosa inodora* Fries s. lato. In the 2004 *Atlas Florae Europaeae*, *R. elliptica* is subsumed under *R. inodora*,[\[29\]](#) although some sources, like *World Flora Online*, take *R. inodora* in a narrower sense, in which case the two are not treated as synonyms.[\[30\]](#) Others have seen *R. inodora* as simply a hybrid between *R. elliptica* and *R. agrestis*.[\[31\]](#) The species is native to Central Europe,[\[32\]](#) and on the Balkans it is found in scattered areas in Croatia, northern Serbia, Romania,[\[33\]](#) and – according to the Bulgarian literature[\[34\]](#) – also in some of the mountains of western and southern Bulgaria.
- *Rosa agrestis* Savi – throughout the peninsula; Europe, north-west Africa and south-west Asia.[\[35\]](#)
- *Rosa micrantha* Borrer ex Sm. – from Croatia to Macedonia, parts of Serbia, Romania, Bulgaria and European Turkey; western, southern and central Europe, Crimea, Turkey, north-western Africa, Caucasus.[\[36\]](#)
- *Rosa caryophyllacea* Besser – Croatia, northern Serbia, southwestern Romania, and Bulgaria (the sea coast and the north-west); central and south-eastern Europe and the Caucasus.[\[37\]](#)
- *Rosa pulverulenta* M. Bieb. (incl. *Rosa glutinosa* Sibth. et Sm. and *Rosa sicula* Tratt.) – the southern half of the Balkan peninsula: from Bosnia and Bulgaria to Crete; the Mediterranean (including northwest Africa and northwest Asia).[\[38\]](#)
- *Rosa iberica* Steven – European Turkey; from Turkey and the Caucasus to Iran and Turkmenistan.[\[39\]](#)
- *Rosa turcica* Rouy – Romanian [Dobrudzha](#), parts of Bulgaria, Macedonia, northern Greece, European Turkey; Ukraine, Anatolia, the Caucasus.[\[40\]](#)[\[41\]](#)

The reports of *Rosa pouzinii* Tratt. for Greece,[\[42\]](#) and of *Rosa oxyodon* Boiss. for Bulgaria are likely erroneous.[\[43\]](#) Six endemic species described by Stojan Dimitrov in the 1960s for Bulgaria have subsequently been rejected as independent species. These are *Rosa parilica*,[\[44\]](#) which was reduced to a synonym of *R. heckeliana* Tratt.;[\[45\]](#) *Rosa pontica*,[\[46\]](#) later shown to represent misidentified individuals of *R. turcica* Rouy;[\[47\]](#) *Rosa orphei*,[\[48\]](#) which was identified as the hybrid *R. pendulina* × *R. dumalis*;[\[45\]](#) *Rosa bulgarica*[\[49\]](#) and *Rosa rhodopaea*,[\[50\]](#) both likely representing varieties of *R. pulverulenta*;[\[47\]](#) and *Rosa balcanica*,[\[51\]](#) whose herbarium specimens are a mixture of the hybrids *R. pendulina* × *R. villosa* L., *R. pendulina* × *R. canina* L. and *R. pendulina* × *R. dumalis* Bechst.[\[52\]](#)

There is significant disagreement over the number of true [rose](#) species. Some species are so similar that they could easily be considered varieties or even forms of a single species. Lists of rose species usually show more than 320.[\[1\]](#) The range of 320 to 350 is accepted by most botanists, but as [Liberty H. Bailey](#)

has pointed out, the extreme [lumpers Bentham and Hooker](#) only allowed for 30 species, while the extreme [splitter Michel Gandoger](#) allowed 4,266 species just in Europe and West Asia.[\[2\]](#)

Subgenera and sections



This section **does not cite any sources**. Please help [improve this section](#) by [adding citations to reliable sources](#). Unsourced material may be challenged and [removed](#).

Find sources: "[List of Rosa species](#)" – [news](#) · [newspapers](#) · [books](#) · [scholar](#) · [JSTOR](#) (October 2020) ([Learn how and when to remove this message](#))



[Rosa banksiae](#)



[Rosa](#)

[persica](#)

There are currently four subgenera in *Rosa*, although there have been some disputes over the years.[\[3\]](#)
The four subgenera are:

- **Hulthemia** (formerly *Simplicifoliae*, meaning "with single leaves") containing one or two species from Southwest Asia, [R. persica](#) and *R. berberifolia* (syn. *R. persica* var. *berberifolia*) which are the only species without [compound leaves](#) or [stipules](#).
- **Hesperrhodos** (from the Greek for "western rose") with two species, both from southwestern North America, *R. minutifolia* and *R. stellata*.
- **Platyrhodon** (from the Greek for "flaky rose", referring to its flaky bark) with one species from East Asia, *R. roxburghii*.
- **Rosa** (the [type](#) subgenus) containing all the other species. This subgenus is subdivided into 11 sections.
 - **Banksianae** – white and yellow species from China
 - **Bracteatae** – three species, two from China and one from India
 - **Caninae** – pink and white species from Europe, Asia and North Africa
 - **Carolinae** – white, pink and bright pink species, all from North America
 - **Chinensis** – white, pink, yellow, red and mixed-color species from China and Burma
 - **Gallicanae** – pink to crimson and striped species from Europe and West Asia
 - **Gymnocarpae** – a small group distinguished by a deciduous receptacle on the hip; one species in western North America (*R. gymnocarpa*), the rest in East Asia
 - **Laevigatae** – a single white species from China
 - **Pimpinellifoliae** – white, pink, bright yellow, mauve and striped species from Europe and Asia

- ***Rosa*** (syn. sect. *Cinnamomeae*) – white, pink, lilac, mulberry and red species from all areas except North Africa
- ***Synstylae*** – white, pink, and crimson species from all areas

Species

The following species are accepted:[1]

- [*Rosa abietina*](#) Gren. ex Christ
- [*Rosa abrica*](#) Khat. & Koobaz
- [*Rosa abutalybovii*](#) Gadzh.
- [*Rosa abyssinica*](#) R.Br. ex Lindl. – Abyssinian rose, Ethiopian rose, wild Ethiopian rose, African rose
- [*Rosa achburensis*](#) Chrshan.
- [*Rosa acicularis*](#) Lindl. – wild rose, prickly rose, prickly wild rose, bristly rose, Arctic rose (*Rosa*)
- [*Rosa adenophylla*](#) Galushko
- [*Rosa agrestis*](#) Savi – small-leaved sweet briar, field briar, fieldbriar (*Caninae*)
- [*Rosa alabukensis*](#) Tkatsch.
- [*Rosa alberti*](#) Regel
- [*Rosa alexeenkoi*](#) Crép. ex Juz.
- [*Rosa* × *alpestris*](#) Rapin
- [*Rosa altidaghestanica*](#) Husseinov
- [*Rosa amblyophylla*](#) Kult.
- [*Rosa* × *andegavensis*](#) Bastard
- [*Rosa arabica*](#) (Crép. ex Boiss.) Déségl.
- [*Rosa* × *andegavensis*](#) Tchubar
- [*Rosa arensii*](#) Juz. & Galushko
- [*Rosa arkansana*](#) Porter – prairie rose, wild prairie rose (*Rosa*)
- [*Rosa arvensis*](#) Huds. – field rose, white-flowered trailing rose, Shakespeare's musk (*Synstylae*)
- [*Rosa* × *atlantica*](#) W.H.Lewis



[*Rosa arvensis*](#)



[*Rosa canina*](#)



[*Rosa gallica*](#)



[*Rosa glauca*](#)



[*Rosa* × *kordesii*](#)



- [*Rosa × avrayensis*](#) Rouy & E.G.Camus
- [*Rosa awarica*](#) Husseinov
- [*Rosa baiyushanensis*](#) Q.L.Wang
- [*Rosa balcarica*](#) Galushko
- [*Rosa balsamica*](#) Willd.
- [*Rosa banksiae*](#) R.Br. – Lady Banks' rose, Banks' rose
- [*Rosa banksiopsis*](#) Baker
- [*Rosa × baxanensis*](#) Galushko
- [*Rosa beauvaisii*](#) Cardot
- [*Rosa beggeriana*](#) Schrenk – (*Gymnocarpae*)
- [*Rosa bella*](#) Rehder & E.H.Wilson
- [*Rosa bellicosa*](#) Nevski
- [*Rosa × belnensis*](#) Ozanon
- [*Rosa × bengyana*](#) Rouy & L.C.Lamb.
- [*Rosa biebersteiniana*](#) Tratt.
- [*Rosa × bigeneris*](#) Duffort ex Rouy
- [*Rosa × binaloudensis*](#) Vaezi, Arjmandi & Sharghi
- [*Rosa × bishopii*](#) Wolley-Dod
- [*Rosa × biturigensis*](#) Boreau
- [*Rosa blanda*](#) Aiton – smooth rose, meadow/wild rose, prairie rose
- [*Rosa boissieri*](#) Crép.
- [*Rosa × bolanderi*](#) Greene
- [*Rosa bracteata*](#) J.C.Wendl. – Macartney rose (*Bracteatae*)
- [*Rosa bridgesii*](#) Crép. ex Rydb. – pygmy rose, Sierran dwarf rose
- [*Rosa brotherorum*](#) Chrshan.
- [*Rosa brunonii*](#) Lindl. – Himalayan musk rose (*Synstylae*)
- [*Rosa bugensis*](#) Chrshan.
- [*Rosa buschiana*](#) Chrshan.
- [*Rosa caesia*](#) Sm.
- [*Rosa calantha*](#) Tkatsch.
- [*Rosa calcarea*](#) Lipsch. & Sumnev.
- [*Rosa californica*](#) Cham. & Schldl. – California rose, California wild rose (*Rosa*)
- [*Rosa calyptopoda*](#) Cardot
- [*Rosa × bolanderi*](#)
- [*Rosa × canadensis*](#) W.H.Lewis
- [*Rosa canina*](#) L. – dog rose (*Caninae*)
- [*Rosa carolina*](#) L. – Carolina rose, pasture rose, prairie rose (*Carolinae*)
- [*Rosa caryophyllacea*](#) Besser
- [*Rosa caudata*](#) Baker
- [*Rosa × caviniacensis*](#) Ozanon
- [*Rosa × centifolia*](#) L. – Provence rose, cabbage rose, Rose de Mai
- [*Rosa chavinii*](#) Rapin ex Reut.

- [*Rosa chengkouensis*](#) T.T.Yu & T.C.Ku
- [*Rosa chinensis*](#) Jacq. – Chinese rose, China rose, Bengal rose
- [*Rosa chionistrae*](#) H.Lindb.
- [*Rosa × churchillii*](#) W.H.Lewis
- [*Rosa cinnamomea*](#) L. - Typ. cons.
- [*Rosa × clinophylla*](#) Thory – (*Bracteatae*)
- [*Rosa × consanguinea*](#) Gren.
- [*Rosa corymbifera*](#) Borkh. – (*Caninae*)
- [*Rosa corymbulosa*](#) Rolfe
- [*Rosa × cottetii*](#) Lagger & Puget ex Cottet
- [*Rosa coziae*](#) Nyár.
- [*Rosa cymosa*](#) Tratt. - elderflower rose
- [*Rosa cziragensis*](#) Husseinov
- [*Rosa daishanensis*](#) T.C.Ku
- [*Rosa × damascena*](#) Mill. – Damask rose, Bulgarian rose, Persian rose, Taif rose, Arab rose, Ispahan rose, Castile rose
- [*Rosa darginica*](#) Husseinov
- [*Rosa davidii*](#) Crép. – Father David's rose (*Rosa*)
- [*Rosa davurica*](#) Pall.
- [*Rosa degenensis*](#) T.C.Ku
- [*Rosa derongensis*](#) T.C.Ku
- [*Rosa deseglisei*](#) Boreau
- [*Rosa diplodonta*](#) Dubovik
- [*Rosa dolichocarpa*](#) Galushko
- [*Rosa doluchanovii*](#) Manden.
- [*Rosa donetzica*](#) Dubovik
- [*Rosa × dryadea*](#) Ripart ex Déségl.
- [*Rosa dsharkenti*](#) Chrshan.
- [*Rosa dubovikiae*](#) Mironova
- [*Rosa × dulcissima*](#) Lunell
- [*Rosa × dumalis*](#) Bechst. – glaucous dog rose
- [*Rosa × dumetorum*](#) Thuill.
- [*Rosa duplicata*](#) T.T.Yu & T.C.Ku
- [*Rosa ecae*](#) Aitch. – (*Pimpinellifoliae*)
- [*Rosa elymaitica*](#) Boiss. & Hausskn.
- [*Rosa × engelmannii*](#) S.Watson
- [*Rosa ermanica*](#) Manden.
- [*Rosa facsarii*](#) Ker.-Nagy
- [*Rosa fargesiana*](#) Boulenger
- [*Rosa farreri*](#) Stapf ex Cox – Farrer's threepenny-bit rose
- [*Rosa × fernaldiorum*](#) W.H.Lewis
- [*Rosa filipes*](#) Rehder & E.H.Wilson

- [*Rosa foetida*](#) Herrm. – Austrian briar, Austrian copper rose, Persian yellow rose (*Pimpinellifoliae*)
- [*Rosa foliolosa*](#) Nutt.
- [*Rosa forrestiana*](#) Boulenger
- [*Rosa freitagii*](#) Ziel.
- [*Rosa fujisanensis*](#) (Makino) Makino
- [*Rosa gadzhievii*](#) Chrshan. & Iskend.
- [*Rosa gallica*](#) L. – Gallic rose, French rose, rose of Provins (*Gallicanae*)
- [*Rosa galushkoi*](#) Demurova
- [*Rosa gigantea*](#) Collett ex Crép.
- [*Rosa × gilmaniana*](#) W.H.Lewis
- [*Rosa giraldii*](#) Crép.
- [*Rosa glabrifolia*](#) C.A.Mey. ex Rupr.
- [*Rosa glandulososetosa*](#) Gadzh.
- [*Rosa glauca*](#) Pourr. – red-leaved rose, redleaf rose
- [*Rosa × glaucoides*](#) Wolley-Dod
- [*Rosa glomerata*](#) Rehder & E.H.Wilson
- [*Rosa gorenkensis*](#) Besser
- [*Rosa graciliflora*](#) Rehder & E.H.Wilson
- [*Rosa gracilipes*](#) Chrshan.
- [*Rosa × grovesii*](#) (Baker) Maskew
- [*Rosa gymnocarpa*](#) Nutt. – dwarf rose, wood rose, bald-hip rose (*Gymnocarpae*)
- [*Rosa × hainesii*](#) W.H.Lewis
- [*Rosa × harmsiana*](#) W.H.Lewis
- [*Rosa heckeliana*](#) Tratt.
- [*Rosa helenae*](#) Rehder & E.H.Wilson – (*Synstylae*)
- [*Rosa hemisphaerica*](#) Herrm. – sulphur rose (*Pimpinellifoliae*)
- [*Rosa × henryana*](#) W.H.Lewis
- [*Rosa henryi*](#) Boulenger
- [*Rosa hezhangensis*](#) T.L.Xu
- [*Rosa × hibernica*](#) Templeton
- [*Rosa hirtissima*](#) Lonacz.
- [*Rosa hirtula*](#) (Regel) Nakai – Hakone rose, sanshou-bara
- [*Rosa × hodgdonii*](#) W.H.Lewis
- [*Rosa × housei*](#) Erlanson
- [*Rosa × hyogoensis*](#) H.Ohba & S.Akiyama
- [*Rosa iberica*](#) Steven ex M.Bieb.
- [*Rosa iliensis*](#) Chrshan.
- [*Rosa iljinii*](#) Chrshan. ex Gadzh.
- [*Rosa inodora*](#) Fr.
- [*Rosa × involuta*](#) Sm.
- [*Rosa irinae*](#) Demurova

- [*Rosa irysthonica*](#) Manden.
- [*Rosa isaevii*](#) Gadzh. & Iskand.
- [*Rosa* × *iwara*](#) Siebold ex Regel
- [*Rosa jaroschenkoi*](#) Gadzh. & Iskand.
- [*Rosa juzepczukiana*](#) Vassilcz.
- [*Rosa kamelinii*](#) Husseinov
- [*Rosa karaalmensis*](#) Tkatsch.
- [*Rosa kazarjanii*](#) Sosn.
- [*Rosa khasautensis*](#) Galushko
- [*Rosa kokanica*](#) (Regel) Regel ex Juz. – (*Pimpinellifoliae*)
- [*Rosa kokijrimensis*](#) Tkatsch.
- [*Rosa koreana*](#) Kom.
- [*Rosa* × *kotschyana*](#) Boiss.
- [*Rosa kuhitangi*](#) Nevski
- [*Rosa kujmanica*](#) Golitsin
- [*Rosa kunmingensis*](#) T.C.Ku
- [*Rosa kwangtungensis*](#) T.T.Yu & H.T.Tsai
- [*Rosa kweichowensis*](#) T.T.Yu & T.C.Ku
- [*Rosa laevigata*](#) Michx. – Cherokee rose (*Laevigatae*)
- [*Rosa langyashanica*](#) D.C.Zhang & J.Z.Shao
- [*Rosa lasiosepala*](#) F.P.Metcalf
- [*Rosa laxa*](#) Retz. – (*Rosa*)
- [*Rosa leschenaultiana*](#) (Thory) Wight & Arn.
- [*Rosa lichiangensis*](#) T.T.Yu & T.C.Ku
- [*Rosa livescens*](#) Besser
- [*Rosa* × *longicolla*](#) Ravaud ex Rouy
- [*Rosa longicuspis*](#) Bertol.
- [*Rosa longshoushanica*](#) L.Q.Zhao & Y.Z.Zhao
- [*Rosa lucidissima*](#) H.Lév.
- [*Rosa lucieae*](#) Franch. & Rochebr. ex Crép. – memorial rose
- [*Rosa ludingensis*](#) T.C.Ku
- [*Rosa macrophylla*](#) Lindl. – big-hip rose (*Rosa*)
- [*Rosa mairei*](#) H.Lév.
- [*Rosa majalis*](#) Herrm. – cinnamon rose, double cinnamon rose (*Rosa*)
- [*Rosa* × *makinoana*](#) H.Ohba
- [*Rosa mandenovae*](#) Gadzh.
- [*Rosa mandonii*](#) Déségl.
- [*Rosa* × *margersonii*](#) F.Lees
- [*Rosa marginata*](#) Wallr.
- [*Rosa* × *massiana*](#) W.H.Lewis
- [*Rosa maximowicziana*](#) Regel
- [*Rosa* × *medioccidentis*](#) W.H.Lewis

- [*Rosa memoryae*](#) W.H.Lewis
- [*Rosa mesatlantica*](#) H.Lindb.
- [*Rosa micrantha*](#) Borrer ex Sm. – small-flowered sweet briar
- [*Rosa × mikawamontana*](#) Mikanagi & H.Ohba
- [*Rosa minutifolia*](#) Engelm. – small-leaved rose, Baja rose, Baja littleleaf rose (*Hesperrhodos*)
- [*Rosa × misimensis*](#) Nakai
- [*Rosa miyiensis*](#) T.C.Ku
- [*Rosa × molletorum*](#) Hestl.-Harr.
- [*Rosa × molliformis*](#) Wolley-Dod
- [*Rosa mollis*](#) Sm. – small downy-rose
- [*Rosa × momiyamae*](#) H.Ohba
- [*Rosa montana*](#) Chaix
- [*Rosa morrisonensis*](#) Hayata
- [*Rosa moschata*](#) Herrm. – musk rose
- [*Rosa moyesii*](#) Hemsl. & E.H.Wilson – (*Rosa*)
- [*Rosa multibracteata*](#) Hemsl. & E.H.Wilson – (*Rosa*)
- [*Rosa multiflora*](#) Thunb. – multiflora rose, many-flowered rose, seven-sisters rose, Japanese rose, Eijitsu rose, baby rose, rambler rose (*Synstylae*)
- [*Rosa murielae*](#) Rehder & E.H.Wilson
- [*Rosa nipponensis*](#) Crép.
- [*Rosa nitida*](#) Willd. – shining rose (*Carolinae*)
- [*Rosa × nitidula*](#) Besser
- [*Rosa × novae-angliae*](#) W.H.Lewis
- [*Rosa nutkana*](#) C.Presl – Nootka rose, bristly rose, wild rose
- [*Rosa obtegens*](#) Galushko
- [*Rosa × odorata*](#) (Andrews) Sweet
- [*Rosa × oldhamii*](#) W.H.Lewis
- [*Rosa × oligocarpa*](#) Rydb.
- [*Rosa omeiensis*](#) Rolfe
- [*Rosa onoei*](#) Makino
- [*Rosa orientalis*](#) A.Dupont ex Ser.
- [*Rosa osmastonii*](#) Rawat & Pangtey
- [*Rosa ossethica*](#) Manden.
- [*Rosa oxyacantha*](#) M.Bieb.
- [*Rosa oxyodon*](#) Boiss.
- [*Rosa × oxyodontoides*](#) Galushko
- [*Rosa × ozcelikii*](#) Korkmaz & Kandemir
- [*Rosa × palustriformis*](#) Rydb.
- [*Rosa palustris*](#) Marshall – swamp rose (*Carolinae*)
- [*Rosa paniculigera*](#) (Makino ex Koidz.) Momiy.
- [*Rosa × paulii*](#) Rehder
- [*Rosa pedunculata*](#) Kult.

- [*Rosa pendulina*](#) L. – Alpine rose, mountain rose
- [*Rosa persetosa*](#) Rolfe
- [*Rosa persica*](#) Michx ex Juss.
- [*Rosa × pervirens*](#) Gren. ex Crép.
- [*Rosa phoenicia*](#) Boiss.
- [*Rosa pimpinellifolia*](#) L. – burnet rose
- [*Rosa pinetorum*](#) A.Heller – pine rose
- [*Rosa pinnatisepala*](#) T.C.Ku
- [*Rosa × piptocalyx*](#) Juz.
- [*Rosa pisocarpa*](#) A.Gray – cluster rose, swamp rose
- [*Rosa platyacantha*](#) Schrenk
- [*Rosa × polliniana*](#) Spreng.
- [*Rosa popovii*](#) Chrshan.
- [*Rosa pouzinii*](#) Tratt.
- [*Rosa × praegeri*](#) Wolley-Dod
- [*Rosa praelucens*](#) Bijh.
- [*Rosa praetermissa*](#) Galushko
- [*Rosa prattii*](#) Hemsl.
- [*Rosa pricei*](#) Hayata
- [*Rosa primula*](#) Boulenger – incense rose (*Pimpinellifoliae*)
- [*Rosa prokhanovii*](#) Galushko
- [*Rosa pseudobanksiae*](#) T.T.Yu & T.C.Ku
- [*Rosa × pseudorusticana*](#) Crép. ex W.M.Rogers
- [*Rosa pseudoscabriuscula*](#) (R.Keller) Henker & G.Schulze
- [*Rosa pubicaulis*](#) Galushko
- [*Rosa × pulcherrima*](#) Koidz.
- [*Rosa pulverulenta*](#) M.Bieb.
- [*Rosa × reversa*](#) Waldst. & Kit.
- [*Rosa rhaetica*](#) Gremli
- [*Rosa roopiae*](#) Lonacz.
- [*Rosa × rothschildii*](#) Druce
- [*Rosa × rouyana*](#) Duffort ex Rouy
- [*Rosa roxburghii*](#) Tratt. – chestnut rose, burr rose (*Platyrrhodon*)
- [*Rosa rubiginosa*](#) L. – sweetbriar rose, sweet briar, sweet brier, eglantine (*Caninae*)
- [*Rosa rubus*](#) H.Lév. & Vaniot
- [*Rosa rugosa*](#) Thunb. – rugosa rose, beach rose, Japanese rose, Ramanas rose, letchberry (*Rosa*)
- [*Rosa rusanovii*](#) Tkatsch.
- [*Rosa × sabinii*](#) J.Woods
- [*Rosa × salaevensis*](#) Rapin
- [*Rosa sambucina*](#) Koidz.
- [*Rosa saturata*](#) Baker
- [*Rosa saundersiae*](#) Rolfe

- [*Rosa* × *scabriuscula*](#) Winch ex Sm.
- [*Rosa schergiana*](#) Boiss.
- [*Rosa schrenkiana*](#) Crép.
- [*Rosa sempervirens*](#) L. – evergreen rose (*Synstylae*)
- [*Rosa serafinii*](#) Viv.
- [*Rosa sericea*](#) Lindl. – silky rose (*Pimpinellifoliae*)
- [*Rosa sertata*](#) Rolfe
- [*Rosa setigera*](#) Michx. – climbing rose, climbing wild rose, prairie rose (*Synstylae*)
- [*Rosa setipoda*](#) Hemsl. & E.H.Wilson
- [*Rosa shangchengensis*](#) T.C.Ku
- [*Rosa sherardii*](#) Davies
- [*Rosa sikangensis*](#) T.T.Yu & T.C.Ku
- [*Rosa sinobiflora*](#) T.C.Ku
- [*Rosa sogdiana*](#) Tkatsch.
- [*Rosa soulieana*](#) Crép. – (*Synstylae*)
- [*Rosa* × *spinulifolia*](#) Dematra
- [*Rosa spithamea*](#) S.Watson
- [*Rosa squarrosa*](#) (A.Rau) Boreau
- [*Rosa stellata*](#) Wooton – star rose, desert rose, gooseberry rose (*Hesperrhodos*)
- [*Rosa stylosa*](#) Desv.
- [*Rosa subbuschiana*](#) Husseinov
- [*Rosa* × *suberecta*](#) (Woods) Ley
- [*Rosa* × *suberectiformis*](#) Wolley-Dod
- [*Rosa* × *subpomifera*](#) Chrshan.
- [*Rosa taiwanensis*](#) Nakai
- [*Rosa taronensis*](#) T.T.Yu & T.C.Ku
- [*Rosa teberdensis*](#) Chrshan.
- [*Rosa terscolensis*](#) Galushko
- [*Rosa tianschanica*](#) Juz.
- [*Rosa tibetica*](#) T.T.Yu & T.C.Ku
- [*Rosa tlaratensis*](#) Husseinov
- [*Rosa* × *toddiae*](#) Wolley-Dod
- [*Rosa tomentosa*](#) Sm. – harsh downy-rose
- [*Rosa transcaucasica*](#) Manden.
- [*Rosa transmorrisonensis*](#) Hayata
- [*Rosa tschimganica*](#) Raikova ex Sumnev.
- [*Rosa tsinlingensis*](#) Pax & K.Hoffm.
- [*Rosa tunquinensis*](#) Crép.
- [*Rosa turcica*](#) Rouy
- [*Rosa turkestanica*](#) Regel
- [*Rosa uniflora*](#) Galushko
- [*Rosa uniflorella*](#) Buzunova

- [*Rosa usischensis*](#) Husseinov
- [*Rosa vassilczenkoi*](#) Tkatsch.
- [*Rosa* × *verticillacantha*](#) Mérat
- [*Rosa* × *victoriana*](#) W.H.Lewis
- [*Rosa villosa*](#) L. – apple rose
- [*Rosa virginiana*](#) Mill. – Virginia rose, common wild rose, prairie rose
- [*Rosa* × *vituperabilis*](#) Duffort ex Rouy
- [*Rosa* × *waitziana*](#) Waitz ex Tratt.
- [*Rosa* × *warleyensis*](#) E.Willm.
- [*Rosa webbiana*](#) Wall. ex Royle – Webb's rose, thorny rose, prairie rose
- [*Rosa weisiensis*](#) T.T.Yu & T.C.Ku
- [*Rosa willmottiae*](#) Hemsl. – Miss Willmott's rose, Willmott's rose (*Gymnocarpae*)
- [*Rosa woodsii*](#) Lindl. – Woods' rose, interior rose, mountain rose, pear-hip rose, common wild rose, prairie rose
- [*Rosa xanthina*](#) Lindl. – yellow rose, Manchu rose
- [*Rosa zalana*](#) Wiesb.
- [*Rosa zaramagensis*](#) Demurova
- [*Rosa zhongdianensis*](#) T.C.Ku
- [*Rosa zuvandica*](#) Gadzh.

See also

This **list of *Ribes* species** includes many of the approximately 200 accepted [species](#) within the plant [genus *Ribes*](#), the sole genus in the family [Grossulariaceae](#), order [Saxifragales](#).^[1] Species in this genus are traditionally grouped into several [subgenera](#), including subgenus *Ribes* (commonly referred to as currants) and subgenus *Grossularia* (commonly known as gooseberries).^[2]

Subgenus *Ribes* L.

Section *Berisia* [Spach](#)

This section comprises Alpine currants, dioecious species distributed through Eurasia

Flowers	Fruit	Scientific name	Distribution
		<i>Ribes achurjani</i> Mulk.	Armenia
		<i>Ribes acuminatum</i> Wall. ex G.Don	India
		<i>Ribes armenum</i> Pojark.	South Caucasus
		<i>Ribes alpinum</i> L. – alpine currant	northern Europe from Finland and Norway south to the Alps and Pyrenees and Caucasus, Georgia



Ribes diacanthum Pall. – (Russia, Mongolia, Korea, northeastern China (Heilongjiang, Jilin, Inner Mongolia)
Siberian currant

Ribes giraldii Jancz. China (E Gansu, Liaoning, Shaanxi, SW Shanxi.)

Ribes glabricalycinum L.T.Lu China (Sichuan)

Ribes glabrifolium L.T.Lu China (W Hubei, S Shaanxi)



Ribes glaciale Wallich – China (SE Gansu, Henan, W Hubei, Shaanxi, Sichuan, SE Xizang, NW Yunnan), Bhutan, N India, Kashmir, N Myanmar, Nepal, Sikkim
glacier currant

Ribes henryi Franch. China (W. Sichuan, Hubei)



Ribes heterotrichum C.A.Mey. Central Asia to Mongolia and N. Pakistan.

Ribes humile Jancz. China (Sichuan)

Ribes hunanense Chang Y.Yang & C.J.Qi China (Guangxi, Hunan)

Ribes kialanum Jancz. China (W. Sichuan, NW. Yunnan)



Ribes komarovii Pojark. Russian Far East, northern and central China, North Korea



Ribes laurifolium Jancz. – China (W. Sichuan, Guizhou, Yunnan) to Myanmar.
evergreen currant



Ribes luridum Hook. & Thoms. – purple currant Nepal to China (W. Sichuan, NW. Yunnan)



Ribes maximowiczii Batal. – common Korean currant[3] China (Heilongjiang, Jilin, E Liaoning), Japan, Korea, Russia



Ribes melananthum Boiss. & Hohen. Iran



Ribes orientale Desf. – Siberian currant China (W Sichuan, Xizang, NW Yunnan), Bhutan, India, Kashmir, Nepal, Russia; SW Asia, SE Europe

Ribes saxatile Pall. China (Xinjiang), Russia

Ribes takare D.Don China, Bhutan, N India, Kashmir, Myanmar, Nepal, Sikkim

Ribes tianquanense S.H.Yu & J.M.Xu China (Sichuan)

Ribes pseudofasciculatum K.S.Hao China (Xizhang, Sichuan, Qinghai)

Ribes pulchellum Turcz. S. Siberia to N. China.

Ribes rubrisepalum L.T.Lu China (Gansu, S Shaanxi, W Sichuan, NW Yunnan.)

Ribes tenue Jancz. China (E Gansu, W Henan, W Hubei, NW Hunan, SW Shaanxi, Sichuan, Yunnan)

Ribes vilmorinii Jancz. China (Hebei, W Sichuan, NW Yunnan.)

Ribes xizangense L.T.Lu China (Xizang)

Section *Calobotrya* (Spach) Jancz.

This section comprises North American species commonly known as ornamental currants

Flowers	Fruit	Scientific name	Distribution
		<u><i>Ribes brandegeei</i></u> Eastw.	Mexico
		<u><i>Ribes canthariforme</i></u> Wiggins – Moreno currant	Endemic to San Diego County, California
		<u><i>Ribes cereum</i></u> Douglas – Squaw currant, wax currant, white field currant, whiskey currant	British Columbia, Alberta, and much of the western United States, from Washington, Oregon, and California east as far as the western Dakotas and the Oklahoma Panhandle
		<u><i>Ribes ceriferum</i></u> Coville & Rose	Mexico (Durango and Chihuahua)
		<u><i>Ribes ciliatum</i></u> Humb. & Bonpl.	Mexico
		<u><i>Ribes dugesii</i></u> Greenm.	Mexico
		<u><i>Ribes grande</i></u> Rose	Mexico (Puebla)
		<u><i>Ribes indecorum</i></u> Eastw. – white-flowered currant	Santa Barbara County in California south into northern Baja California.
		<u><i>Ribes malvaceum</i></u> Sm. – Chaparral currant	California and northern Baja California
		<u><i>Ribes mescalegium</i></u> Coville – Mescalero currant	southeastern New Mexico, western Texas, and the Mexican State of Chihuahua.

	<u><i>Ribes neglectum</i></u> Rose Mexico	
	<u><i>Ribes nelsonii</i></u> Coville & Rose Mexico (Sonora, Chihuahua)	
	<u><i>Ribes nevadense</i></u> Kellogg – Sierra currant, Jaeger's currant, Nevada currant	California, Nevada, Oregon
	<u><i>Ribes orizabae</i></u> Rose Mexico (Veracruz)	
	<u><i>Ribes pringlei</i></u> Rose Central & SW. Mexico.	
	<u><i>Ribes sanguineum</i></u> Pursh – flowering currant, redflower currant, blood currant, sticky blood currant, blackseed blood currant, winter currant	western United States and Canada.
	<u><i>Ribes tortuosum</i></u> Benth. Mexico	
	 <u><i>Ribes viscosissimum</i></u> Pursh – sticky currant United States, Canada	
	 <u><i>Ribes wolfii</i></u> Rothr. – Wolf's currant	northern Idaho, northeastern Oregon, and southeastern Washington. Utah, Colorado, Arizona, and New Mexico, Mexico

Section *Coreosma* (Spach) Jancz.

This section comprises Eurasian and American black currants

Flowers

Fruit

Scientific name

Distribution



Ribes americanum Mill. – American blackcurrant, wild blackcurrant

Canada (from Alberta to Nova Scotia) and the northern United States (from New England to Washington, with additional populations in Colorado and New Mexico)



Ribes bracteosum Douglas ex Hook. – stink currant

southeastern Alaska to Mendocino County in California



Ribes dikuscha Fisch. ex Turcz.

Siberia to Russian Far East.



Ribes hudsonianum Richards – northern blackcurrant, Hudson Bay currant, western blackcurrant

Canada, from Quebec westwards; and parts of the United States (Alaska, the Great Lakes region, the northern Rockies, Cascades, Blue Mountains, and other parts of the Northwest)

Ribes janczewskii Pojark.

Kazakhstan, Kyrgyzstan, Tajikistan



Ribes japonicum Maxim. – Japanese blackcurrant, thornless blackcurrant

Japan (Hokkaido, Honshu, Shikoku)

Ribes malvifolium Pojark.

Tadzhikistan



Ribes nigrum L. – northern Europe and northern Asia
Blackcurrant, European blackcurrant



Ribes procumbens Pall. – Siberia to N. Korea, Japan (C. Honshu)
trailing redcurrant



Ribes ussuriense Jancz. – Siberia to N. Korea, Japan (C. Honshu)
Korean blackcurrant (synonym of *Ribes procumbens*)[4]



Ribes viburnifolium
A.Gray – Island Southern California
gooseberry

Section *Symphocalyx* Berland.

Flowers	Fruit	Scientific name	Distribution
		<u><i>Ribes aureum</i></u> Pursh – buffalo currant, clove currant, golden currant. Includes well-known cultivar 'Gwen.'	Canada, most of the United States (except the southeast) and northern Mexico.

Section *Grossularioides* (Jancz.) Rehd.

This section comprises spiny or Gooseberry-stemmed currants from North America

Flowers	Fruit	Scientific name	Distribution
---------	-------	-----------------	--------------



Ribes lacustre (Pers.) Poir. California to Alaska and across North America east to Pennsylvania and Newfoundland, and south as far as New Mexico.
– black gooseberry, prickly currant, black swamp gooseberry



Ribes montigenum McClat. – gooseberry currant

Washington south to California and east as far as the Rocky Mountains

Section *Heritiera* Jancz.

Flowers

Fruit

Scientific name

Distribution

Ribes erythrocarpum
Coville & Leiberg –
Crater Lake currant

Cascade Mountains in the US State of Oregon



Ribes acerifolium T.J
Howell – maple currant,
mapleleaf currant

Canadian Province of British Columbia as well as to the northwestern United States (Washington, Idaho, Oregon)



Ribes glandulosum
Grauer ex Weber – skunk
currant, fetid currant

United States (Alaska, the Great Lakes region, the Appalachian Mountains, and the Northeast)



Ribes laxiflorum Pursh – trailing blackcurrant from Alaska and Yukon south as far as northern California and New Mexico

Section *Parilla* Jancz.

Flowers

Fruit

Scientific name

Distribution



Ribes andicola Jancz.

Colombia

Ribes albifolium Ruiz & Pav.

Peru

Ribes austroecuadorensis Freire-Fierro

Ecuador

Ribes chachapoyense Weigend & Breitung

Peru

Ribes colandina Weigend

Peru

Ribes contumazensis Weigend

Peru



Ribes costaricense Weigend

Costa Rica



Ribes cucullatum Hook. & Arn.

Argentina and Chile

Ribes dombeyanum (Spach) Jancz.

Peru

Ribes ecuadorensis Jancz.

Colombia, Ecuador



Ribes erectum Freire-Fierro

Colombia, Ecuador

Ribes fasciculatum Siebold & Zucc. –
Japanese currant

China, Japan, and
Korea,

Ribes hirticaule J.F.Macbr.

Peru

Ribes hirtum Willd. ex Roem. &
Schult.

Colombia to Ecuador.

Ribes incarnatum Wedd.

Peru to W. Bolivia.

Ribes incertum J.F.Macbr.

Peru.

Ribes integrifolium Phil.

Chile

Ribes lehmannii Jancz.

Ecuador.

Ribes luteynii Weigend

Ecuador

Ribes macrobotrys Ruiz & Pav.

Peru

Ribes macrostachyum Jancz.

Peru.



Ribes magellanicum Jancz.

Chile and Argentina

Ribes nanophyllum Freire-Fierro &
L.Endara

Ecuador

Ribes nitidissima Neger.

Chile

Ribes ovalifolium Jancz.

Peru

Ribes parvifolium Phil.

Chile.

Ribes pentlandii Britton

Peru to W. Bolivia

Ribes peruvianum Jancz.

Peru.

Ribes polyanthes Phil.

Chile.

Ribes praecox J.F.Macbr.

Peru

Ribes punctatum Ruiz & Pav.

Chile

Ribes ruizii Rehder.

Chile

Ribes sanchezii Weigend

Peru.



Ribes sardoum Martelli – Sardinian
currant Sardegna

Ribes steinbachiorum Weigend &
Binder Bolivia

Ribes sucheziense Jancz. Bolivia

Ribes tolimense Cuatrec. Colombia

Ribes trilobum Meyen. Central & S. Central
Chile.

Ribes valdivianum Phil. Chile

Ribes weberbaueri Jancz. Peru

Section *Ribes* L.

Flowers

Fruit

Scientific name

Distribution



Ribes altissimum Turcz. ex
Pojark. – tall currant Mongolia, Russia (Siberia),
China (Xinjiang)

Ribes griffithii Hook.f. &
Thomson Nepal to China (W. Sichuan,
NW. Yunnan)



Ribes himalense Royle ex
Decne. – smooth rock currant Pakistan to SW China

Ribes latifolium Jancz. –
broadleaf currant China (S. Jilin) to N. Korea,
Sakhalin to N. Japan



Ribes longeracemosum
Franch. – Tibet thornless
blackcurrant China (Sichuan, Yunnan, W.
Hubei).



Ribes mandshuricum
(Maxim.) Kom.

Russian Far East to N. & E.
Central China and Korea.



Ribes meyeri Maxim. –
Meyer's currant

Central Asia to Mongolia and
NE. Afghanistan



Ribes moupinense Franch.

Central & S. China.

Ribes multiflorum Kit. –
manyflower currant

Central Italy, Balkan Peninsula
to W. Central Turkey



Ribes pallidiflorum Pojark.

northeastern China to Russia

Ribes petraeum Wulf. – rock
currant, rock redcurrant,
Bieberstein's rock currant

Europe



Ribes rubrum L. – redcurrant,
white currant

Europe





Ribes sachalinense
(F.Schmidt) Nakai

Sakhalin to Japan (Hokkaido,
Honshu, Shikoku).

Ribes setchuense Jancz.

China (Sichuan, SE. Gansu)

		<u><i>Ribes soulieanum</i></u> Jancz.	Tibet to China (NW. Yunnan).
		<u><i>Ribes spicatum</i></u> Robson – Nordic redcurrant, Nordic currant, downy currant	northern Europe and northern Asia
		<u><i>Ribes triste</i></u> Pall. – northern redcurrant or swamp redcurrant, wild redcurrant	Canada and the northern United States, as well as in eastern Asia (Russia, China, Korea, Japan)
		<u><i>Ribes turbinatum</i></u> Pojark.	Kazakhstan

Subgenus *Grossularia* (Mill.) Pers.

Section *Grossularia*(Mill.) Nutt.

Flowers	Fruit	Scientific name	Distribution
		<u><i>Ribes aciculare</i></u> Sm. – needle-spined gooseberry	northern China, Siberia.
		<u><i>Ribes alpestre</i></u> Wall. ex Decne.	from Afghanistan to SW China
		<u><i>Ribes ambiguum</i></u> Maxim.	China South-Central, Japan
		<u><i>Ribes burejense</i></u> F.Schmidt	China, N Korea, Mongolia, Russia
		<u><i>Ribes curvatum</i></u> Small – Granite gooseberry	United States (Texas, Oklahoma, Louisiana, Arkansas, Tennessee, Georgia, Alabama)



Ribes cynosbati L. – prickly gooseberry, eastern prickly gooseberry, dogberry, dog bramble

eastern and central United States and Canada



Ribes divaricatum Douglas – spreading gooseberry, wild gooseberry, coast gooseberry, coastal black gooseberry, Parish's gooseberry, Worcesterberry[5]

western North America from British Columbia to California



Ribes echinellum (Cov.) Rehder – Miccosukee gooseberry

Florida, South Carolina

Ribes formosanum Hayata

Taiwan.

Ribes grossularioides Maxim. – Japanese gooseberry, catberry

Japan



Ribes hirtellum Michx. – North American gooseberry, hairystem gooseberry, currant gooseberry

Canada and the northern United States

Ribes horridum Rupr. – thorny currant

Russian Far East to N. Korea, Japan



Ribes inerme Rydb. – whitestem gooseberry, Klamath gooseberry

British Columbia to California and westward to the Rocky Mountains



Ribes missouriense Nutt. –
Missouri gooseberry

north-central United States
(Great Lakes, upper
Mississippi and lower
Missouri Valleys)



Ribes niveum Lindl. – snow
gooseberry, slender-branched
gooseberry

western United States
(Washington, Idaho,
Oregon, and Nevada with
isolated populations in
Colorado and New Mexico)



Ribes oxycanthoides L. –
American mountain gooseberry,
Canadian gooseberry, stream
gooseberry, Henderson's
gooseberry, Idaho gooseberry

Alaska through much of
Canada and the western and
north-central United States



Ribes rotundifolium Michx. –
Appalachian gooseberry, round-
leaved gooseberry

Massachusetts and the
Appalachian Mountains
south as far as South
Carolina and Tennessee

Ribes sinanense F.Maek. –
Chinese gooseberry

Japan (C. Honshu)

Ribes stenocarpum Maxim. –
narrow-fruited currant

S. & E. Qinghai to China
Gansu, Shaanxi, NW.
Sichuan



Ribes uva-crispa L. – gooseberry,
wild gooseberry, European
gooseberry, English gooseberry

Europe, the Caucasus and
northern Africa

Subgenus *Hesperia* A.Berger

Flowers

Fruit

Scientific name

Distribution

Ribes amarum McClatchie – California
bitter gooseberry



Ribes californicum Hook. & Arn.
– Hillside gooseberry, California
gooseberry, Monterey gooseberry

Ribes cruentum Greene – California, Oregon
shinyleaf currant, Oregon currant

Ribes leptosma (Coville) Fedde California



Ribes menziesii Pursh – California and Oregon
gooseberry, Menzies' gooseberry



Ribes roezlii Reg. – California, its distribution
gooseberry, Roezl's gooseberry extending east into Nevada
and north into Oregon

Ribes victoris Greene – California
gooseberry Victor's

Subgenus *Lobbia* A. Berger

Section *Lobbia*

Flowers

Fruit

Scientific name

Distribution

Ribes binominatum

A.Heller – ground
gooseberry

northern California and western
Oregon.

Ribes lasianthum

Greene – alpine
gooseberry

California, Nevada



Ribes leptanthum
A.Gray – trumpet
gooseberry

Arizona, Colorado, New Mexico,
Texas, and Utah



Ribes lobbii A.Gray –
gummy gooseberry

United States (Siskiyou Mountains,
eastern Columbia Gorge, Crater Lake
National Park, Mount Rainier National
Park, Olympic National Park) and
British Columbia in Canada

Ribes marshallii
Greene – Hupa
gooseberry

southern Oregon and northern
California

Ribes microphyllum
Kunth

Guatemala, Mexico

Ribes pinetorum
Greene – orange
currant

Arizona and New Mexico.



Ribes quercetorum
Greene – rock
gooseberry

California

Ribes sericeum Eastw.
– Lucia gooseberry

California

Ribes tulareense
(Coville) Fedde. –
Tulare gooseberry

southern California



Ribes velutinum
Greene – desert
gooseberry, Gooding's
gooseberry

Montana, Idaho, Washington, Oregon,
Utah, Nevada, California, and Arizona



Ribes watsonianum

Koehne – spring
gooseberry

Washington and Oregon.

Section *Robsonia* Berland.

Flowers



Fruit



Scientific name

Ribes speciosum Pursh – fuchsia-
flowered gooseberry

Distribution

southern California and
Baja California



Ribes thacherianum (Jeps.) Munz

coast of California

Hybrids

Flowers



Fruit

Scientific name

Ribes x bethmontii Jancz.

Ribes x culverwellii

Ribes x futurum Jancz.

Ribes x gonduini Jancz.

Ribes x gordonianum Lem.

Parents

Ribes malvaceum x *R.*
sanguineum

Ribes nigrum x *Ribes*
uva-crispa

Ribes rubrum x *Ribes*
warszewiczii

Ribes petraeum x *Ribes*
rubrum

Ribes odoratum x *Ribes*
sanguineum



[*Ribes* × *holocericeum*](#) Otto & A.Dietr.

[*Ribes* × *houghtonianum*](#) Jancz.

[*Ribes* × *koehneanum*](#) Jancz.

[*Ribes* × *nidigrolaria*](#) Rud.Bauer & A.Bauer – Jostaberry

[*Ribes* × *van-fleetianum*](#) (A.Berger) Standl.

[*Ribes* x *varoi*](#) Blanca

Ribes petraeum × *Ribes* spicatum

Ribes rubrum × *Ribes* spicatum

Ribes multiflorum × *Ribes* rubrum

Ribes divaricatum x *Ribes* uva-crispa

Ribes missouriense × *Ribes* uva-crispa.

Ribes uva-crispa × *Ribes* petraeum

From Wikipedia, the free encyclopedia

[*Rhynchospora*](#) is a diverse [plant genus](#) of [sedges](#) with approximately 400 currently accepted taxa.[1]

This is an alphabetical **list of the *Rhynchospora* species.**

List of *Rhynchospora* species

- Intro
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [References](#)
- [Notes](#)
- [External links](#)

A

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora aberrans*](#) C.B.Clarke
- [*Rhynchospora acanthoma*](#) A.C.Araújo & Longhi-Wagner
- [*Rhynchospora affinis*](#) W.Fitzg.
- [*Rhynchospora agostiniana*](#) T.Koyama
- [*Rhynchospora alba*](#) (L.) Vahl – **white beaksedge**
- [*Rhynchospora albescens*](#) (Miq.) Kük.
- [*Rhynchospora albiceps*](#) Kunth
- [*Rhynchospora albida*](#) (Nees) Boeckeler
- [*Rhynchospora albobracteata*](#) A.C.Araújo
- [*Rhynchospora albomarginata*](#) Kük.
- [*Rhynchospora albotuberculata*](#) Kük.
- [*Rhynchospora almensis*](#) D.A.Simpson
- [*Rhynchospora amazonica*](#) Poepp. ex Kunth
- [*Rhynchospora andresii*](#) Gómez-Laur.
- [*Rhynchospora angolensis*](#) Turrill
- [*Rhynchospora angosturensis*](#) W.W.Thomas
- [*Rhynchospora angusta*](#) (Gale) Sorrie, LeBlond & Weakley
- [*Rhynchospora angustifolia*](#) Palla
- [*Rhynchospora angustipaniculata*](#) M.T.Strong
- [*Rhynchospora arenicola*](#) Uittien
- [*Rhynchospora argentea*](#) Standl.
- [*Rhynchospora aripoensis*](#) Britton
- [*Rhynchospora aristata*](#) Boeckeler
- [*Rhynchospora armerioides*](#) J.Presl & C.Presl
- [*Rhynchospora asperula*](#) (Nees) Steud.
- [*Rhynchospora atlantica*](#) W.W.Thomas
- [*Rhynchospora austrobahiensis*](#) W.W.Thomas
- [*Rhynchospora ayangannensis*](#) M.T.Strong

B

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora bakhuisensis*](#) M.T.Strong
- [*Rhynchospora baldwinii*](#) A.Gray – **Baldwin's beaksedge**
- [*Rhynchospora barbata*](#) (Vahl) Kunth
- [*Rhynchospora barrosiana*](#) Guagl.
- [*Rhynchospora belizensis*](#) Naczi & Silva Filho
- [*Rhynchospora berteroi*](#) (Spreng.) C.B.Clarke – **little beaksedge**
- [*Rhynchospora biflora*](#) Boeckeler – **twoflower beaksedge**
- [*Rhynchospora blepharophora*](#) (J.Presl & C.Presl) H.Pfeiff.
- [*Rhynchospora boeckeleriana*](#) Silva Filho & Boldrini
- [*Rhynchospora boivinii*](#) Boeckeler
- [*Rhynchospora bolivarana*](#) Steyerm.
- [*Rhynchospora boliviensis*](#) C.B.Clarke
- [*Rhynchospora boninensis*](#) Nakai ex Tuyama
- [*Rhynchospora brachychaeta*](#) C.Wright – **West Indian beaksedge**
- [*Rhynchospora bracteovillosa*](#) A.C.Araújo & W.W.Thomas
- [*Rhynchospora bradei*](#) (R.Gross) W.W.Thomas
- [*Rhynchospora brasiliensis*](#) Boeckeler
- [*Rhynchospora brevifoliata*](#) (Kük.) Greuter & R.Rankin
- [*Rhynchospora brevirostris*](#) Griseb.
- [*Rhynchospora breviuscula*](#) H.Pfeiff.
- [*Rhynchospora brittonii*](#) Gale
- [*Rhynchospora brownii*](#) Roem. & Schult.
- [*Rhynchospora brunnea*](#) Boeckeler
- [*Rhynchospora bucherorum*](#) León

C

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rhynchospora cabecarae*](#) Gómez-Laur.
- [*Rhynchospora cacuminicola*](#) Gale
- [*Rhynchospora caduca*](#) Elliott – **anglestem beaksedge**
- [*Rhynchospora caduciglumis*](#) P.Weber & R.Trevis.
- [*Rhynchospora caesionux*](#) T.Koyama
- [*Rhynchospora cajennensis*](#) Boeckeler
- [*Rhynchospora calderana*](#) D.A.Simpson
- [*Rhynchospora californica*](#) Gale – **California beaksedge**
- [*Rhynchospora candida*](#) (Nees) Boeckeler
- [*Rhynchospora capillacea*](#) Torr. – **needle beaksedge**

- [*Rhynchospora capillifolia*](#) Boeckeler
- [*Rhynchospora capitata*](#) (Kunth) Roem. & Schult.
- [*Rhynchospora capitellata*](#) (Michx.) Vahl – **brownish beaksedge**
- [*Rhynchospora caracasana*](#) (Kunth) Boeckeler
- [*Rhynchospora careyana*](#) Fernald – **broadfruit horned beaksedge**
- [*Rhynchospora cariciformis*](#) Nees
- [*Rhynchospora carrillensis*](#) Gómez-Laur.
- [*Rhynchospora castanea*](#) T.Koyama
- [*Rhynchospora catharinensis*](#) Barros
- [*Rhynchospora caucasica*](#) Palla
- [*Rhynchospora cephalantha*](#) A.Gray – **bunched beaksedge**
- [*Rhynchospora cephalotes*](#) (L.) Vahl
- [*Rhynchospora cephalotoides*](#) Griseb.
- [*Rhynchospora cernua*](#) Griseb.
- [*Rhynchospora chalarocephala*](#) Fernald & Gale – **loose-head beaksedge**
- [*Rhynchospora chapadensis*](#) Silva Filho, W.W.Thomas & Boldrini
- [*Rhynchospora chapmanii*](#) M.A.Curtis – **Chapman's beaksedge**
- [*Rhynchospora chimantensis*](#) W.W.Thomas
- [*Rhynchospora chinensis*](#) Nees & Meyen – **spiked beaksedge**
- [*Rhynchospora ciliaris*](#) (Michx.) C.Mohr – **fringed beaksedge**
- [*Rhynchospora ciliolata*](#) Boeckeler
- [*Rhynchospora colorata*](#) (L.) H.Pfeiff. – **starrush whitetop**
- [*Rhynchospora comata*](#) (Link) Schult.
- [*Rhynchospora compressa*](#) J.Carey ex Chapm. – **flatfruit beaksedge**
- [*Rhynchospora conferta*](#) (Nees) Boeckeler
- [*Rhynchospora confinis*](#) (Nees) C.B.Clarke
- [*Rhynchospora confusa*](#) Ballard
- [*Rhynchospora consanguinea*](#) (Kunth) Boeckeler
- [*Rhynchospora contracta*](#) (Nees) J.Raynal – **tropical beaksedge**
- [*Rhynchospora contraligularis*](#) W.W.Thomas
- [*Rhynchospora cordatachenia*](#) M.T.Strong
- [*Rhynchospora coriifolia*](#) Boeckeler
- [*Rhynchospora corniculata*](#) (Lam.) A.Gray – **short-bristled horned beaksedge**
- [*Rhynchospora corymbosa*](#) (L.) Britton – **golden beaksedge, matamat**
- [*Rhynchospora crinigera*](#) Boeckeler
- [*Rhynchospora crinipes*](#) Gale – **mosquito beaksedge**
- [*Rhynchospora crispa*](#) Gale
- [*Rhynchospora croydonensis*](#) R.Booth
- [*Rhynchospora cubensis*](#) A.Rich.
- [*Rhynchospora curtissii*](#) Britton – **Curtiss' beaksedge**
- [*Rhynchospora curvula*](#) Griseb.

D

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora davidsei*](#) W.W.Thomas
- [*Rhynchospora debilis*](#) Gale – **savannah beaksedge**
- [*Rhynchospora decurrens*](#) Chapm. – **swamp-forest beaksedge**
- [*Rhynchospora dentinux*](#) C.B.Clarke
- [*Rhynchospora depauperata*](#) Palla
- [*Rhynchospora depressa*](#) (Kük.) Gale
- [*Rhynchospora depressirostris*](#) M.T.Strong – **quill beaksedge**
- [*Rhynchospora diodon*](#) (Nees) Griseb.
- [*Rhynchospora dissitiflora*](#) Steud. ex Boeckeler
- [*Rhynchospora dissitispicula*](#) T.Koyama

- [*Rhynchospora distichophylla*](#) Boeckeler
- [*Rhynchospora divaricata*](#) (Ham.) M.T.Strong – **hairy beaksedge**
- [*Rhynchospora divergens*](#) Chapm. ex M.A.Curtis – **spreading beaksedge**
- [*Rhynchospora dives*](#) Standl.
- [*Rhynchospora domingensis*](#) Urb. – **long-leaf beaksedge**
- [*Rhynchospora donselaarii*](#) M.T.Strong
- [*Rhynchospora duckei*](#) Gross
- [*Rhynchospora duida*](#) Steyerl.
- [*Rhynchospora durangensis*](#) Kral & W.W.Thomas

E

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora ebracteata*](#) (Standl.) H.Pfeiff.
- [*Rhynchospora eburnea*](#) Kral & W.W.Thomas
- [*Rhynchospora edwalliana*](#) Boeckeler
- [*Rhynchospora elatior*](#) Kunth
- [*Rhynchospora elegantula*](#) Maury
- [*Rhynchospora elliottii*](#) A.Dietr. – **Elliott's beaksedge**
- [*Rhynchospora emaciata*](#) (Nees) Boeckeler
- [*Rhynchospora enmanuelis*](#) Luceño & Rocha
- [*Rhynchospora eurycarpa*](#) A.C.Araújo & Longhi-Wagner
- [*Rhynchospora exaltata*](#) Kunth
- [*Rhynchospora exilis*](#) Boeckeler
- [*Rhynchospora eximia*](#) (Nees) Boeckeler – **Florida beaksedge**
- [*Rhynchospora exserta*](#) C.B.Clarke

F

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)
- [Rhynchospora faberi](#) C.B.Clarke
- [Rhynchospora fallax](#) Uttien
- [Rhynchospora fascicularis](#) (Michx.) Vahl – **fascicled beaksedge**
- [Rhynchospora fauriei](#) Franch.
- [Rhynchospora fernaldii](#) Gale – **Fernald's beaksedge**
- [Rhynchospora filifolia](#) A.Gray – **threadleaf beaksedge**
- [Rhynchospora filiformis](#) Vahl – **bird beaksedge**
- [Rhynchospora floridensis](#) (Britton ex Small) H.Pfeiff. – **Florida whitetop**
- [Rhynchospora fluminensis](#) L.B.Sm.
- [Rhynchospora foliosa](#) (Kunth) L.B.Sm.
- [Rhynchospora fujiiiana](#) Makino
- [Rhynchospora fusca](#) (L.) W.T.Aiton – **brown beaksedge**

G

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Rhynchospora gageri](#) Britton
- [Rhynchospora galeana](#) Naczi, W.M.Knapp & G.Moor – **shortbristle beaksedge**
- [Rhynchospora gaudichaudii](#) (Brongn.) L.B.Sm.
- [Rhynchospora gigantea](#) Link – **giant beaksedge**
- [Rhynchospora glaziovii](#) Boeckeler
- [Rhynchospora globosa](#) (Kunth) Roem. & Schult. – **savannah starlet**
- [Rhynchospora globularis](#) (Chapm.) Small – **globe beaksedge**
- [Rhynchospora glomerata](#) (L.) Vahl – **clustered beaksedge**
- [Rhynchospora gollmeri](#) Boeckeler
- [Rhynchospora gracilenta](#) A.Gray – **slender beaksedge**
- [Rhynchospora gracillima](#) Thwaites
- [Rhynchospora grandifolia](#) Boeckeler
- [Rhynchospora grayi](#) Kunth – **Gray's beaksedge**
- [Rhynchospora guaramacalensis](#) M.T.Strong

H

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora* × *hakkodensis*](#) Mochizuki
- [*Rhynchospora harleyi*](#) Silva Filho, W.W.Thomas & Boldrini
- [*Rhynchospora harperi*](#) Small – **Harper's beaksedge**
- [*Rhynchospora harveyi*](#) W.Boott – **Harvey's beaksedge**
- [*Rhynchospora hassleri*](#) C.B.Clarke
- [*Rhynchospora hatschbachii*](#) T.Koyama
- [*Rhynchospora heterochaeta*](#) S.T.Blake
- [*Rhynchospora hieronymi*](#) Boeckeler
- [*Rhynchospora hildebrandtii*](#) Boeckeler
- [*Rhynchospora hirsuta*](#) (Vahl) Vahl
- [*Rhynchospora hirta*](#) (Nees) Boeckeler
- [*Rhynchospora hirticeps*](#) (Kük.) T.Koyama
- [*Rhynchospora hispidula*](#) Griseb.
- [*Rhynchospora holoschoenoides*](#) (Rich.) Herter – **fly beaksedge**
- [*Rhynchospora hookeri*](#) Boeckeler

I

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)

- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora iberae*](#) Guagl.
- [*Rhynchospora ierensis*](#) C.D.Adams
- [*Rhynchospora imeriensis*](#) (Kük.) W.W.Thomas
- [*Rhynchospora immensa*](#) Kük.
- [*Rhynchospora inexpansa*](#) (Michx.) Vahl – **nodding beaksedge**
- [*Rhynchospora intermedia*](#) (Chapm.) Britton – **pine barren beaksedge**
- [*Rhynchospora intermixta*](#) C.Wright
- [*Rhynchospora inundata*](#) (Oakes) Fernald – **narrowfruit horned beaksedge**

J

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)

- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora jaliscensis*](#) McVaugh
- [*Rhynchospora jamaicensis*](#) Britton – **Jamaican beaksedge**
- [*Rhynchospora joveroensis*](#) Britton
- [*Rhynchospora jubata*](#) Liebm.
- [*Rhynchospora junciformis*](#) (Kunth) Boeckeler

K

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)

- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Rhynchospira killipii](#) Gross
- [Rhynchospira knieskernii](#) J.Carey – **Knieskern's beaksedge**
- [Rhynchospira kunthii](#) Nees ex Kunth – **Kunth's beaksedge**

L

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora lapensis*](#) C.B.Clarke
- [*Rhynchospora latibracteata*](#) Guagl.
- [*Rhynchospora latifolia*](#) (Baldwin ex Elliott) W.W.Thomas – **sandswamp whitetop**
- [*Rhynchospora leae*](#) C.B.Clarke
- [*Rhynchospora legrandii*](#) Kük. ex Barros
- [*Rhynchospora leptocarpa*](#) (Chapm. ex Britton) Small – **brownish beaksedge, slender-fruit beaksedge**
- [*Rhynchospora leptorhyncha*](#) C.Wright
- [*Rhynchospora leucoloma*](#) A.C.Araújo & Longhi-Wagner
- [*Rhynchospora leucostachys*](#) Boeckeler
- [*Rhynchospora lindeniana*](#) Griseb. – **Bahama beaksedge**
- [*Rhynchospora lindmanii*](#) H.Pfeiff.
- [*Rhynchospora locuples*](#) C.B.Clarke
- [*Rhynchospora loefgrenii*](#) Boeckeler
- [*Rhynchospora longa*](#) (Lindm.) H.Pfeiff.
- [*Rhynchospora longibracteata*](#) Boeckeler
- [*Rhynchospora longiflora*](#) C.Presl
- [*Rhynchospora longisetis*](#) R.Br.
- [*Rhynchospora luetzelburgiana*](#) Kük.

M

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora macra*](#) (C.B.Clarke ex Britton) Small – **large beaksedge**
- [*Rhynchospora macrantha*](#) (Kunth) W.W.Thomas
- [*Rhynchospora macrochaeta*](#) Steud. ex Boeckeler
- [*Rhynchospora macrostachya*](#) Torr. ex A.Gray – **tall horned beaksedge**
- [*Rhynchospora maguireana*](#) T.Koyama
- [*Rhynchospora malasica*](#) C.B.Clarke
- [*Rhynchospora mandonii*](#) C.B.Clarke
- [*Rhynchospora marcelo-guerrae*](#) Luceño & M.Alves
- [*Rhynchospora marisculus*](#) Lindl. & Nees – **Caribbean beaksedge**
- [*Rhynchospora marliniana*](#) Naczi, W.M.Knapp & W.W.Thomas – **Marlin beaksedge**
- [*Rhynchospora marquisensis*](#) F.Br.
- [*Rhynchospora mayarensis*](#) León
- [*Rhynchospora megalocarpa*](#) A.Gray – **sandyfield beaksedge**
- [*Rhynchospora megaplumosa*](#) E.L.Bridges & Orzell – **Manatee beaksedge**
- [*Rhynchospora megapotamica*](#) (A.Spreng.) H.Pfeiff.
- [*Rhynchospora melanocarpa*](#) A.C.Araújo & W.W.Thomas
- [*Rhynchospora mendoncana*](#) Boeckeler
- [*Rhynchospora mesoatlantica*](#) Eberly & Naczi – **Mid-Atlantic beaksedge**
- [*Rhynchospora metralis*](#) C.B.Clarke
- [*Rhynchospora mexicana*](#) (Liebm.) Steud.
- [*Rhynchospora microcarpa*](#) Baldwin ex A.Gray – **southern beaksedge**
- [*Rhynchospora microcephala*](#) (Britton) Britton – **bunched beaksedge, smallhead beaksedge**
- [*Rhynchospora miliacea*](#) (Lam.) A.Gray – **millet beaksedge**
- [*Rhynchospora mixta*](#) Britton – **mingled beaksedge**
- [*Rhynchospora modesti-lucennoi*](#) Castrov.
- [*Rhynchospora mollis*](#) (Wall.) Schult.
- [*Rhynchospora montana*](#) (Uittien) H.Pfeiff.

N

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora nanuzae*](#) Rocha & Luceño
- [*Rhynchospora nardifolia*](#) (Kunth) Boeckeler
- [*Rhynchospora neesii*](#) Steud.
- [*Rhynchospora nervosa*](#) (Vahl) Boeckeler – **yerba de estrella**
- [*Rhynchospora nipensis*](#) Britton
- [*Rhynchospora nitens*](#) (Vahl) A.Gray – **shortbeak beaksedge**
- [*Rhynchospora nivea*](#) Boeckeler – **showy whitetop beaksedge**
- [*Rhynchospora nuda*](#) Gale

O

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora odorata*](#) C.Wright ex Griseb. – **fragrant beaksedge**
- [*Rhynchospora oligantha*](#) A.Gray – **featherbristle beaksedge**
- [*Rhynchospora orbignyana*](#) (Brongn.) L.B.Sm.
- [*Rhynchospora oreoboloidea*](#) Gómez-Laur.
- [*Rhynchospora organensis*](#) C.B.Clarke

P

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora pallida*](#) M.A.Curtis – **pale beaksedge**
- [*Rhynchospora panduranganii*](#) Viji, Shaju & Geetha Kum.
- [*Rhynchospora panicifolia*](#) Maury
- [*Rhynchospora papillosa*](#) W.W.Thomas
- [*Rhynchospora paraensis*](#) Schrad. ex Kunth
- [*Rhynchospora paramora*](#) Steyerm.
- [*Rhynchospora paranaensis*](#) A.C.Araújo & W.W.Thomas
- [*Rhynchospora patuligluma*](#) C.B.Clarke ex Lindm.
- [*Rhynchospora pearcei*](#) (C.B.Clarke) W.W.Thomas
- [*Rhynchospora pedersenii*](#) Guagl.
- [*Rhynchospora perplexa*](#) Britton – **pineland beaksedge**
- [*Rhynchospora perrieri*](#) Cherm.
- [*Rhynchospora peruviana*](#) (C.B.Clarke) W.W.Thomas
- [*Rhynchospora pilosa*](#) Boeckeler
- [*Rhynchospora pilulifera*](#) Bertol.

- [Rhynchospora pirrensis](#) W.W.Thomas
- [Rhynchospora planifolia](#) (T.Koyama) W.W.Thomas
- [Rhynchospora pleiantha](#) (Kük.) Gale – **coastal beaksedge**
- [Rhynchospora plumosa](#) Elliott – **plumed beaksedge**
- [Rhynchospora pluricarpa](#) Pilg.
- [Rhynchospora plusquamrobusta](#) Luceño & M.Martins
- [Rhynchospora polyantha](#) Steud.
- [Rhynchospora polyphylla](#) (Vahl) Vahl
- [Rhynchospora polystachys](#) (Turrill) H.Pfeiff.
- [Rhynchospora praecincta](#) Maury ex Micheli
- [Rhynchospora prenteloupiana](#) Boeckeler
- [Rhynchospora pruinosa](#) Griseb.
- [Rhynchospora pseudomacrostachya](#) Gerry Moore, Guagl. & Zartman
- [Rhynchospora pterochaeta](#) F.Muell.
- [Rhynchospora pubera](#) (Vahl) Boeckeler
- [Rhynchospora pubisquama](#) M.T.Strong
- [Rhynchospora punctata](#) Elliott – **dotted beaksedge**
- [Rhynchospora pura](#) (Nees) Griseb. – **star sedge**
- [Rhynchospora pusilla](#) Chapm. ex M.A.Curtis – **fairy beaksedge**

Q

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

R

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora racemosa*](#) C.Wright – **racemed beaksedge**
- [*Rhynchospora radicans*](#) (Schltdl. & Cham.) H.Pfeiff. – **tropical whitetop**
- [*Rhynchospora rariflora*](#) (Michx.) Elliott – **fewflower beaksedge**
- [*Rhynchospora recognita*](#) (Gale) Kral – **globe beaksedge**
- [*Rhynchospora recurvata*](#) (Nees) Steud.
- [*Rhynchospora reitzii*](#) Silva Filho, W.W.Thomas & Boldrini
- [*Rhynchospora reptans*](#) (Rich.) Kük.
- [*Rhynchospora rheophytica*](#) W.W.Thomas & Silva Filho
- [*Rhynchospora ridleyi*](#) C.B.Clarke
- [*Rhynchospora riedeliana*](#) C.B.Clarke
- [*Rhynchospora rigidifolia*](#) (Gilly) T.Koyama
- [*Rhynchospora rionegrensis*](#) P.Weber & W.W.Thomas
- [*Rhynchospora riparia*](#) (Nees) Boeckeler
- [*Rhynchospora robusta*](#) (Kunth) Boeckeler
- [*Rhynchospora roraimae*](#) Kük.
- [*Rhynchospora rosae*](#) W.W.Thomas
- [*Rhynchospora rosemariana*](#) D.A.Simpson
- [*Rhynchospora rostrata*](#) Lindm.
- [*Rhynchospora rubra*](#) (Lour.) Makino
- [*Rhynchospora rudis*](#) C.B.Clarke
- [*Rhynchospora rugosa*](#) (Vahl) Gale – **claybank beaksedge**
- [*Rhynchospora ruiziana*](#) Boeckeler
- [*Rhynchospora rupestris*](#) A.C.Araújo & W.W.Thomas
- [*Rhynchospora rupicola*](#) M.T.Strong

S

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora sampaoana*](#) Gross
- [*Rhynchospora sanariapensis*](#) Steyererm.
- [*Rhynchospora sartoriana*](#) Boeckeler
- [*Rhynchospora saxisavannicola*](#) M.T.Strong
- [*Rhynchospora scabrata*](#) Griseb.
- [*Rhynchospora schiedeana*](#) Kunth
- [*Rhynchospora schmidtii*](#) Kük.
- [*Rhynchospora schomburgkiana*](#) (Boeckeler) T.Koyama
- [*Rhynchospora scirpoides*](#) (Torr.) Griseb. – **long-beaked beaksedge**
- [*Rhynchospora sclerioides*](#) Hook. & Arn. – **Hawai'i beaksedge**
- [*Rhynchospora scutellata*](#) Griseb. – **Indianola beaksedge**
- [*Rhynchospora seccoii*](#) C.S.Nunes, Silva Filho & A.Gil
- [*Rhynchospora sellowiana*](#) Steud.
- [*Rhynchospora semiinvolucrata*](#) J.Presl & C.Presl
- [*Rhynchospora serrana*](#) Silva Filho, W.W.Thomas & Boldrini
- [*Rhynchospora seslerioides*](#) Griseb.
- [*Rhynchospora setigera*](#) (Kunth) Griseb.
- [*Rhynchospora shaferi*](#) Britton
- [*Rhynchospora siguaneana*](#) Britton
- [*Rhynchospora simplex*](#) (Kük.) Kük.
- [*Rhynchospora smithii*](#) W.W.Thomas
- [*Rhynchospora sola*](#) Gale – **Cuban beaksedge**
- [*Rhynchospora solitaria*](#) R.M.Harper – **onespike beaksedge**
- [*Rhynchospora sparsiflora*](#) (Kunth) L.B.Sm.
- [*Rhynchospora speciosa*](#) (Kunth) Boeckeler
- [*Rhynchospora splendens*](#) Lindm.
- [*Rhynchospora spruceana*](#) C.B.Clark
- [*Rhynchospora squamulosa*](#) Kük.

- [Rhynchospora stenocarpa](#) Kunth
- [Rhynchospora stenophylla](#) Chapm. – **coastal plain beaksedge**
- [Rhynchospora steyermarkii](#) T.Koyama
- [Rhynchospora stolonifera](#) (Nees) Boeckeler
- [Rhynchospora stricta](#) Boeckeler
- [Rhynchospora subdicephala](#) T.Koyama
- [Rhynchospora subimberbis](#) Griseb.
- [Rhynchospora sublanata](#) Lindeman & Donsel.
- [Rhynchospora submarginata](#) Kük.
- [Rhynchospora subplumosa](#) C.B.Clarke
- [Rhynchospora subsetigera](#) H.Pfeiff.
- [Rhynchospora subsetosa](#) C.B.Clarke
- [Rhynchospora subtenuifolia](#) Kük.
- [Rhynchospora subtilis](#) Boeckeler

T

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)

- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Rhynchospora talamancensis*](#) Gómez-Laur. & W.W.Thomas
- [*Rhynchospora tenella*](#) (Nees) Boeckeler
- [*Rhynchospora tenerima*](#) Nees ex Spreng. – **soldier beaksedge**
- [*Rhynchospora tenuiflora*](#) (Brongn.) L.B.Sm.
- [*Rhynchospora tenuifolia*](#) Griseb.
- [*Rhynchospora tenuis*](#) Link – **quill beaksedge**
- [*Rhynchospora tepuiana*](#) Steyerm.
- [*Rhynchospora terminalis*](#) (Nees) Steud.
- [*Rhynchospora testacea*](#) Boeckeler
- [*Rhynchospora thornei*](#) Kral – **Thorne's beaksedge**
- [*Rhynchospora tomentosa*](#) Steyerm.
- [*Rhynchospora torresiana*](#) Britton & Standl.
- [*Rhynchospora torreyana*](#) A.Gray – **Torrey's beaksedge**
- [*Rhynchospora tracyi*](#) Britton – **Tracy's beaksedge**
- [*Rhynchospora trichochaeta*](#) C.B.Clarke
- [*Rhynchospora trichophora*](#) Nees
- [*Rhynchospora triflora*](#) Vahl
- [*Rhynchospora trispicata*](#) (Nees) Schrad. ex Steud.
- [*Rhynchospora tuerckheimii*](#) C.B.Clarke ex Kük.

U

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rhynchospira umbraticola*](#) Poepp. & Kunth
- [*Rhynchospira unguinux*](#) C.S.Nunes & A.Gil
- [*Rhynchospira unisetosa*](#) T.Koyama
- [*Rhynchospira urbanii*](#) Boeckeler

V

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rhynchospora velutina*](#) (Kunth) Boeckeler – **red beaksedge**
- [*Rhynchospora vulcani*](#) Boeckeler

W

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)

- [Y](#)
- [Z](#)
- [*Rhynchospora warmingii*](#) Boeckeler
- [*Rhynchospora waspamensis*](#) Kral & W.W.Thomas
- [*Rhynchospora watsonii*](#) (Britton) Davidse
- [*Rhynchospora widgrenii*](#) Boeckeler
- [*Rhynchospora wightiana*](#) (Nees) Steud.
- [*Rhynchospora wrightiana*](#) Boeckeler – **Wright's beaksedge**

X

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Y

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Z

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Rhynchospora zacualtipanensis*](#) M.T.Strong

From Wikipedia, the free encyclopedia

This **List of *Rhododendron* species** includes species of the genus *[Rhododendron](#)*, which is in the plant family [Ericaceae](#). Depending on the source, there are anywhere from 800 to over 1,100 wild species.^[1]^[2] The vast majority of *Rhododendron* species are native to the eastern Himalaya and southeast Tibet, along with the islands of Java, Sumatra, Borneo, New Guinea, and the Philippines. The rest are broadly spread throughout the northern hemisphere in relatively small isolated populations, including Japan, northwestern North America, the Appalachian, and the Caucasus Mountains.^[3]

Rhododendron has eight traditionally accepted [subgenera](#) based on [morphology](#), still the consensus taxonomy used by most authorities:^[4] *[Azaleastrum](#)*; *[Candidastrum](#)*; *[Hymenanthes](#)*; *[Mumeazalea](#)*; *[Pentanthera](#)*; *[Rhododendron](#)*; *[Therorhodon](#)*; *[Tsutsusi](#)*.^[5] *Hymenanthes*, with approximately 225 species, and subgenus *Rhododendron*, with approx. 400 species, comprise what gardeners typically describe as "Rhododendrons." Two subgenera are generally known to gardeners as "Azaleas", and include many fewer true species: *Pentanthera*, which comprises the deciduous azaleas, and *Tsutsusi*, which includes evergreen azaleas.^[3]

Modern [cladistic](#) analysis, based on nuclear genetics, proposes changes in the classification of species within subgenera. These proposals are based on at least three different studies, with no changes proposed within subgenus *Rhododendron* and its sections. The major proposed changes are: to make section *Choniastrum* (originally in subgenus *Azaleastrum*) a separate *Choniastrum* subgenus; to combine sections *Ponticum*, *Pentanthera*, and the species *Rhododendron canadense* in subgenus *Hymenanthes*; subgenus *Azaleastrum* to include the former subgenera *Tsutsusi*, *Mumeazalea*, *Candidastrum*, and *Menziesia*, along with former sections *Viscidula*, *Azaleastrum*, *Sciadorhodion*, and the species *Rhododendron vaseyi*.[\[4\]](#)

As of 2024 the [Plants of the World Online](#) database lists 1091 accepted species and natural hybrids, all of which are listed here.[\[6\]](#)

A



Rhododendron arboreum



Rhododendron astrophorum



Rhododendron atlanticum



Rhododendron austrinum

- *Rhododendron aberconwayi* Cowan
- *Rhododendron abhayae* L.K.Rai
- *Rhododendron abietifolium* Sleumer
- *Rhododendron acrophilum* Merr. & Quisumb.
- *Rhododendron acuminatum* Hook.f.
- *Rhododendron adamsii* Rehder
- *Rhododendron adenanthum* M.Y.He
- *Rhododendron adenobracteum* X.F.Gao & Y.L.Peng
- *Rhododendron adenogynum* Diels
- *Rhododendron adenopodum* Franch.
- *Rhododendron adenosum* (Cowan & Davidian) Davidian
- *Rhododendron adinophyllum* Merr.
- *Rhododendron aequabile* J.J.Sm.
- *Rhododendron aeruginosum* Hook.f.
- *Rhododendron afghanicum* Aitch. & Hemsl.
- *Rhododendron aganniphum* Balf.f. & Kingdon-Ward
- *Rhododendron* × *agastum* Balf.f. & W.W.Sm.
- *Rhododendron agathodaemonis* J.J.Sm.
- *Rhododendron alabamense* Rehder
- *Rhododendron albertsenianum* Forrest ex Balf.f.
- *Rhododendron albiflorum* Hook.
- *Rhododendron alborugosum* Argent & J.Dransf.
- *Rhododendron albrechtii* Maxim.
- *Rhododendron album* Blume

- [*Rhododendron alternans*](#) Sleumer
- [*Rhododendron alticola*](#) Sleumer
- [*Rhododendron alutaceum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron amagianum*](#) (Makino) Makino ex H.Hara
- [*Rhododendron amakusaense*](#) (K.Takada ex T.Yamaz.) T.Yamaz.
- [*Rhododendron amandum*](#) Cowan
- [*Rhododendron ambiguum*](#) Hemsl.
- [*Rhododendron amesiae*](#) Rehder & E.H.Wilson
- [*Rhododendron* × *amoenum*](#) (Lindl.) Planch.
- [*Rhododendron amundsenianum*](#) Hand.-Mazz.
- [*Rhododendron anagalliflorum*](#) Wernham
- [*Rhododendron andrineae*](#) Danet
- [*Rhododendron angiense*](#) J.J.Sm.
- [*Rhododendron angulatum*](#) J.J.Sm.
- [*Rhododendron annae*](#) Franch.
- [*Rhododendron anthopogon*](#) D.Don
- [*Rhododendron anthopogonoides*](#) Maxim.
- [*Rhododendron anthosphaerum*](#) Diels
- [*Rhododendron anwheense*](#) E.H.Wilson
- [*Rhododendron aperantum*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron apiense*](#) Argent
- [*Rhododendron apoanum*](#) Stein
- [*Rhododendron apradae*](#) U.Rai & Lama
- [*Rhododendron araiophyllum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron arborescens*](#) (Pursh) Torr.
- [*Rhododendron arboreum*](#) Sm.
- [*Rhododendron archboldianum*](#) Sleumer
- [*Rhododendron ardii*](#) Hutabarat, Mambrasar & Mustaqim
- [*Rhododendron arenicola*](#) Sleumer
- [*Rhododendron arfakianum*](#) Becc.
- [*Rhododendron argipeplum*](#) Balf.f. & R.E.Cooper
- [*Rhododendron argyrophyllum*](#) Franch.
- [*Rhododendron arizelum*](#) Balf.f. & Forrest
- [*Rhododendron armitii*](#) F.M.Bailey
- [*Rhododendron arunachalense*](#) D.F.Chamb. & Rae
- [*Rhododendron asperrimum*](#) Sleumer
- [*Rhododendron asperulum*](#) Kingdon-Ward
- [*Rhododendron asperum*](#) J.J.Sm.
- [*Rhododendron assamicum*](#) W.Bull
- [*Rhododendron asterochnoum*](#) Diels
- [*Rhododendron astrophorum*](#) M.N.Tamayo, Y.P.Ang & A.S.Rob.
- [*Rhododendron atjehense*](#) Sleumer

- [*Rhododendron atlanticum*](#) (Ashe) Rehder
- [*Rhododendron atrichum*](#) Argent
- [*Rhododendron atropunicum*](#) H.P.Yang
- [*Rhododendron atropurpureum*](#) Sleumer
- [*Rhododendron atrovirens*](#) Franch.
- [*Rhododendron augustinei*](#) Hemsl.
- [*Rhododendron aureodorsale*](#) (W.P.Fang ex J.Q.Fu) Y.P.Ma & J.Nielsen
- [*Rhododendron aureum*](#) Georgi
- [*Rhododendron auriculatum*](#) Hemsl.
- [*Rhododendron aurigeranum*](#) Sleumer
- [*Rhododendron auritum*](#) Tagg
- [*Rhododendron austrinum*](#) (Small) Rehder
- [*Rhododendron awatosaense*](#) Minamit. & Yonek.

B



[*Rhododendron bureavii*](#)

- [*Rhododendron bachii*](#) H.Lév.
- [*Rhododendron baconii*](#) Argent, A.Lamb & Phillipps
- [*Rhododendron baenitzianum*](#) Lauterb.
- [*Rhododendron bagobonum*](#) H.F.Copel.
- [*Rhododendron baihuaense*](#) Y.P.Ma
- [*Rhododendron baileyi*](#) Balf.f.
- [*Rhododendron bailiense*](#) Y.P.Ma, C.Q.Zhang & D.F.Chamb.
- [*Rhododendron bainaense*](#) Xiang Chen & C.H.Yang
- [*Rhododendron bainbridgeanum*](#) Tagg & Forrest
- [*Rhododendron × bakeri*](#) (W.P.Lemmon & McKay) H.H.Hume
- [*Rhododendron balangense*](#) W.P.Fang
- [*Rhododendron balfourianum*](#) Diels
- [*Rhododendron bamaense*](#) Z.J.Zhao
- [*Rhododendron banghamiorum*](#) (J.J.Sm.) Sleumer
- [*Rhododendron barbatum*](#) Wall. ex G.Don
- [*Rhododendron barkamense*](#) D.F.Chamb.
- [*Rhododendron basilicum*](#) Balf.f. & W.W.Sm.

- [*Rhododendron × bathyphyllum*](#) Balf.f. & Forrest
- [*Rhododendron beanianum*](#) Cowan
- [*Rhododendron beccarii*](#) Sleumer
- [*Rhododendron beesianum*](#) Diels
- [*Rhododendron bellissimum*](#) D.F.Chamb.
- [*Rhododendron benhallii*](#) Craven
- [*Rhododendron benomense*](#) Rafidah & A.C.Elliott
- [*Rhododendron beyerinckianum*](#) Koord.
- [*Rhododendron bhutanense*](#) D.G.Long & Bowes Lyon
- [*Rhododendron biappendiculatum*](#) Craven
- [*Rhododendron bijiangense*](#) T.L.Ming
- [*Rhododendron bivelatum*](#) Balf.f.
- [*Rhododendron blackii*](#) Sleumer
- [*Rhododendron bloembergenii*](#) Sleumer
- [*Rhododendron boninense*](#) Nakai
- [*Rhododendron bonvalotii*](#) Franch.
- [*Rhododendron boothii*](#) Nutt.
- [*Rhododendron borneense*](#) (J.J.Sm.) Argent, A.Lamb & Phillipps
- [*Rhododendron brachyantherum*](#) Warb. ex P.Sarasin & Sarasin
- [*Rhododendron brachyanthum*](#) Franch.
- [*Rhododendron brachycarpum*](#) D.Don ex G.Don
- [*Rhododendron brachygynum*](#) H.F.Copel.
- [*Rhododendron brachypodarium*](#) Sleumer
- [*Rhododendron brachypodum*](#) W.P.Fang & P.S.Liu
- [*Rhododendron bracteatum*](#) Rehder & E.H.Wilson
- [*Rhododendron brassii*](#) Sleumer
- [*Rhododendron brentelii*](#) Argent
- [*Rhododendron brevicaudatum*](#) R.C.Fang & S.S.Chang
- [*Rhododendron brevinerve*](#) Chun & W.P.Fang
- [*Rhododendron breviperulatum*](#) Hayata
- [*Rhododendron brevipes*](#) Sleumer
- [*Rhododendron brevipetiolatum*](#) M.Y.Fang
- [*Rhododendron bryophilum*](#) Sleumer
- [*Rhododendron bullifolium*](#) Sleumer
- [*Rhododendron bulu*](#) Hutch.
- [*Rhododendron × bungonishikii*](#) Komatsu
- [*Rhododendron bureavii*](#) Franch.
- [*Rhododendron bureavioides*](#) Balf.f.
- [*Rhododendron × burjaticum*](#) Malyshev
- [*Rhododendron burmanicum*](#) Hutch.
- [*Rhododendron burtii*](#) P.Woods
- [*Rhododendron buruense*](#) J.J.Sm.

- [*Rhododendron buxifolium*](#) H.Low ex Hook.f.
- [*Rhododendron buxoides*](#) Sleumer

C



[*Rhododendron calendulaceum*](#)



[*Rhododendron canadense*](#)



[*Rhododendron capitatum*](#)

- [*Rhododendron caesium*](#) Hutch.
- [*Rhododendron caespitosum*](#) Sleumer
- [*Rhododendron calendulaceum*](#) (Michx.) Torr.
- [*Rhododendron caliginis*](#) Kores
- [*Rhododendron callimorphum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron calophytum*](#) Franch.
- [*Rhododendron calosanthes*](#) Sleumer
- [*Rhododendron calostrotum*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron calvescens*](#) Balf.f. & Forrest
- [*Rhododendron camelliiflorum*](#) Hook.f.
- [*Rhododendron campanulatum*](#) D.Don

- [*Rhododendron campylocarpum*](#) Hook.f.
- [*Rhododendron campylogynum*](#) Franch.
- [*Rhododendron camtschaticum*](#) Pall.
- [*Rhododendron canadense*](#) (L.) Torr.
- [*Rhododendron × candelabrum*](#) Hook.f.
- [*Rhododendron canescens*](#) (Michx.) Sweet
- [*Rhododendron capellae*](#) Kores
- [*Rhododendron capitatum*](#) Maxim.
- [*Rhododendron carneum*](#) Hutch.
- [*Rhododendron carrii*](#) Sleumer
- [*Rhododendron carringtoniae*](#) F.Muell.
- [*Rhododendron carstensense*](#) Wernham
- [*Rhododendron catacosmum*](#) Balf.f. ex Tagg
- [*Rhododendron catawbiense*](#) Michx.
- [*Rhododendron caucasicum*](#) Pall.
- [*Rhododendron cavaleriei*](#) H.Lév.
- [*Rhododendron celebicum*](#) (Blume) DC.
- [*Rhododendron cephalanthum*](#) Franch.
- [*Rhododendron cerasinum*](#) Tagg
- [*Rhododendron cernuum*](#) Sleumer
- [*Rhododendron chamaethomsonii*](#) (Tagg) Cowan & Davidian
- [*Rhododendron × chamaezelum*](#) Balf.f. & Forrest
- [*Rhododendron chamahense*](#) Rafidah
- [*Rhododendron chamberlainii*](#) Craven
- [*Rhododendron championiae*](#) Hook.
- [*Rhododendron changii*](#) (W.P.Fang) W.P.Fang
- [*Rhododendron chaoanense*](#) T.C.Wu & P.C.Tam
- [*Rhododendron × charadzeae*](#) A.P.Khokhr. & Mazurenko
- [*Rhododendron charitopes*](#) Balf.f. & Farrer
- [*Rhododendron charitostreptum*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron chevalieri*](#) Dop ex A.Chev.
- [*Rhododendron chihsinianum*](#) Chun & W.P.Fang
- [*Rhododendron chilanshanense*](#) Kurash.
- [*Rhododendron chiliangense*](#) S.S.Ying
- [*Rhododendron chionanthum*](#) Tagg & Forrest
- [*Rhododendron christi*](#) F.Först.
- [*Rhododendron christianiae*](#) Sleumer
- [*Rhododendron chrysocalyx*](#) H.Lév. & Vaniot
- [*Rhododendron chrysodoron*](#) Tagg ex Hutch.
- [*Rhododendron chrysolepis*](#) Hutch. & Kingdon-Ward
- [*Rhododendron chunienii*](#) Chun & W.P.Fang
- [*Rhododendron chunii*](#) W.P.Fang

- [*Rhododendron ciliatum*](#) Hook.f.
- [*Rhododendron ciliicalyx*](#) Franch.
- [*Rhododendron ciliilobum*](#) Sleumer
- [*Rhododendron ciliipes*](#) Hutch.
- [*Rhododendron cinchoniflorum*](#) Sleumer
- [*Rhododendron cinerascens*](#) Sleumer
- [*Rhododendron cinnabarinum*](#) Hook.f.
- [*Rhododendron circinnatum*](#) Cowan & Kingdon-Ward
- [*Rhododendron citriniflorum*](#) Balf.f. & Forrest
- [*Rhododendron citrinum*](#) (Hassk.) Hassk.
- [*Rhododendron clementinae*](#) Forrest ex W.W.Sm.
- [*Rhododendron cochlearifolium*](#) Xiang Chen & Jia Y.Huang
- [*Rhododendron cockburnii*](#) (Argent, A.Lamb & Phillipps) Craven
- [*Rhododendron codonanthum*](#) Balf.f. & Forrest
- [*Rhododendron coelicum*](#) Balf.f. & Farrer
- [*Rhododendron coeloneurum*](#) Diels
- [*Rhododendron coelorum*](#) Wernham
- [*Rhododendron colemanii*](#) R.F.Mill.
- [*Rhododendron collettianum*](#) Aitch. & Hemsl.
- [*Rhododendron columbianum*](#) (Piper) Harmaja
- [*Rhododendron comisteum*](#) Balf.f. & Forrest
- [*Rhododendron commonae*](#) F.Först.
- [*Rhododendron commutatum*](#) Sleumer
- [*Rhododendron comparabile*](#) Sleumer
- [*Rhododendron complexum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron comptum*](#) C.H.Wright
- [*Rhododendron concinnoides*](#) Hutch. & Kingdon-Ward
- [*Rhododendron concinnum*](#) Hemsl.
- [*Rhododendron coriaceum*](#) Franch.
- [*Rhododendron* × *coriifolium*](#) Sleumer
- [*Rhododendron cornu-bovis*](#) Sleumer
- [*Rhododendron correoides*](#) J.J.Sm.
- [*Rhododendron coryanum*](#) Tagg & Forrest
- [*Rhododendron cowanianum*](#) Davidian
- [*Rhododendron coxianum*](#) Davidian
- [*Rhododendron crassifolium*](#) Stapf
- [*Rhododendron crassimedium*](#) P.C.Tam
- [*Rhododendron crassistylum*](#) M.Y.He
- [*Rhododendron crassum*](#) Franch.
- [*Rhododendron cravenii*](#) Danet
- [*Rhododendron crenulatum*](#) Hutch. ex Sleumer
- [*Rhododendron cretaceum*](#) P.C.Tam

- [*Rhododendron crinigerum*](#) Franch.
- [*Rhododendron cruttwellii*](#) Sleumer
- [*Rhododendron cuffeanum*](#) Craib ex Hutch.
- [*Rhododendron culminicola*](#) F.Muell.
- [*Rhododendron cumberlandense*](#) E.L.Braun
- [*Rhododendron cuneatum*](#) W.W.Sm.
- [*Rhododendron cuneifolium*](#) Stapf
- [*Rhododendron curviflorum*](#) J.J.Sm.
- [*Rhododendron cuspidellum*](#) Sleumer
- [*Rhododendron cyanocarpum*](#) (Franch.) W.W.Sm.
- [*Rhododendron cyrtophyllum*](#) Wernham

D



[*Rhododendron decorum*](#)



[*Rhododendron degronianum*](#)

- [*Rhododendron dachengense*](#) G.Z.Li
- [*Rhododendron dalhousieae*](#) Hook.f.
- [*Rhododendron danbaense*](#) L.C.Hu
- [*Rhododendron dasycladoides*](#) Hand.-Mazz.
- [*Rhododendron dasypetalum*](#) Balf.f. & Forrest
- [*Rhododendron datiandingense*](#) Z.J.Feng
- [*Rhododendron dauricum*](#) L.
- [*Rhododendron davidii*](#) Franch.
- [*Rhododendron davidsonianum*](#) Rehder & E.H.Wilson
- [*Rhododendron* × *davisianum*](#) R.I.Milne
- [*Rhododendron dawuense*](#) H.P.Yang
- [*Rhododendron dayaoshanense*](#) L.M.Gao & D.Z.Li
- [*Rhododendron dayiense*](#) M.Y.He
- [*Rhododendron decipiens*](#) Lacaita
- [*Rhododendron declivatum*](#) Ching & H.P.Yang
- [*Rhododendron decorum*](#) Franch.
- [*Rhododendron degronianum*](#) Carrière
- [*Rhododendron dekatanum*](#) Cowan

- [*Rhododendron delavayi*](#) Franch.
- [*Rhododendron delicatulum*](#) Sleumer
- [*Rhododendron dendricola*](#) Hutch.
- [*Rhododendron dendrocharis*](#) Franch.
- [*Rhododendron densifolium*](#) K.M.Feng
- [*Rhododendron denudatum*](#) H.Lév.
- [*Rhododendron deterrent*](#) Franch.
- [*Rhododendron × detonsum*](#) Balf.f. & Forrest
- [*Rhododendron detznerianum*](#) Sleumer
- [*Rhododendron dianthosmum*](#) Sleumer
- [*Rhododendron dichroanthum*](#) Diels
- [*Rhododendron dielsianum*](#) Schltr.
- [*Rhododendron dignabile*](#) Cowan
- [*Rhododendron dilatatum*](#) Miq.
- [*Rhododendron dimitrum*](#) Balf.f. & Forrest
- [*Rhododendron × diphrocalyx*](#) Balf.f.
- [*Rhododendron discolor*](#) Franch.
- [*Rhododendron disterigmoides*](#) Sleumer
- [*Rhododendron × diversiflorum*](#) Danet
- [*Rhododendron diversipilosum*](#) (Nakai) Harmaja
- [*Rhododendron × duclouxii*](#) H.Lév.
- [*Rhododendron duminicola*](#) Tagg & Forrest
- [*Rhododendron durionifolium*](#) Becc.
- [*Rhododendron dutartrei*](#) Danet

E

- [*Rhododendron eastmanii*](#) Kron & Creel
- [*Rhododendron ebianense*](#) M.Y.Fang
- [*Rhododendron eclectum*](#) Balf.f. & Forrest
- [*Rhododendron edanoi*](#) Merr. & Quisumb.
- [*Rhododendron × edgarianum*](#) Rehder & E.H.Wilson
- [*Rhododendron edgeworthii*](#) Hook.f.
- [*Rhododendron eheinense*](#) M.Y.He & Z.J.Zhao
- [*Rhododendron elegantulum*](#) Tagg & Forrest
- [*Rhododendron elliottii*](#) Watt ex Brandis
- [*Rhododendron emarginatum*](#) Hemsl. & E.H.Wilson
- [*Rhododendron englerianum*](#) Koord.
- [*Rhododendron × enomotoi*](#) T.Yamaz.
- [*Rhododendron × epilosum*](#) (J.J.Sm.) Argent
- [*Rhododendron erastum*](#) Balf.f. & Forrest
- [*Rhododendron ericoides*](#) H.Low ex Hook.f.
- [*Rhododendron eriobotryoides*](#) Xiang Chen & Jia Y.Huang

- [*Rhododendron eriocarpum*](#) (Hayata) Nakai
- [*Rhododendron erosipetalum*](#) J.J.Sm.
- [*Rhododendron erosum*](#) Cowan
- [*Rhododendron* × *erythrocalyx*](#) Balf.f. & Forrest
- [*Rhododendron esetulosum*](#) Balf.f. & Forrest
- [*Rhododendron euchroum*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron eudoxum*](#) Balf.f. & Forrest
- [*Rhododendron euryisiphon*](#) Tagg & Forrest
- [*Rhododendron evelyneae*](#) Danet
- [*Rhododendron exasperatum*](#) Tagg
- [*Rhododendron excelsum*](#) A.Chev.
- [*Rhododendron extrorsum*](#) J.J.Sm.
- [*Rhododendron exuberans*](#) (Sleumer) Argent
- [*Rhododendron eymae*](#) Sleumer

F



[*Rhododendron ferrugineum*](#)



[*Rhododendron fuyuanense*](#)

- [*Rhododendron faberi*](#) Hemsl.
- [*Rhododendron facetum*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron faithiae*](#) Chun
- [*Rhododendron falconeri*](#) Hook.f.
- [*Rhododendron fallacinum*](#) Sleumer

- [*Rhododendron fangchengense*](#) P.C.Tam
- [*Rhododendron farinosum*](#) H.Lév.
- [*Rhododendron farrerae*](#) Sweet
- [*Rhododendron fastigiatum*](#) Franch.
- [*Rhododendron faucium*](#) D.F.Chamb.
- [*Rhododendron feddei*](#) H.Lév.
- [*Rhododendron ferrugineum*](#) L.
- [*Rhododendron fictolacteam*](#) Balf.f.
- [*Rhododendron* × *filidactylis*](#) R.I.Milne
- [*Rhododendron* × *fittianum*](#) Balf.f.
- [*Rhododendron flammeum*](#) (Michx.) Sarg.
- [*Rhododendron flavantherum*](#) Hutch. & Kingdon-Ward
- [*Rhododendron flavidum*](#) Franch.
- [*Rhododendron flavoflorum*](#) T.L.Ming
- [*Rhododendron flavoviride*](#) J.J.Sm.
- [*Rhododendron fletcherianum*](#) Davidian
- [*Rhododendron fleuryi*](#) Dop ex A.Chev.
- [*Rhododendron floccigerum*](#) Franch.
- [*Rhododendron floribundum*](#) Franch.
- [*Rhododendron flosculum*](#) W.P.Fang & G.Z.Li
- [*Rhododendron flumineum*](#) W.P.Fang & M.Y.He
- [*Rhododendron formosanum*](#) Hemsl.
- [*Rhododendron formosum*](#) Wall.
- [*Rhododendron forrestii*](#) Balf.f. ex Diels
- [*Rhododendron fortunans*](#) J.J.Sm.
- [*Rhododendron fortunei*](#) Lindl.
- [*Rhododendron fragariiflorum*](#) Kingdon-Ward
- [*Rhododendron frey-wysslingii*](#) J.J.Sm.
- [*Rhododendron* × *fuchsii*](#) Sleumer
- [*Rhododendron fuchsiifolium*](#) H.Lév.
- [*Rhododendron fulgens*](#) Hook.f.
- [*Rhododendron fulvum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron fuscipilum*](#) M.Y.He
- [*Rhododendron fuyuanense*](#) Z.H.Yang

G



[*Rhododendron groenlandicum*](#)

- [*Rhododendron galactinum*](#) Balf.f. ex Tagg
- [*Rhododendron gannanense*](#) Z.C.Feng & X.G.Sun
- [*Rhododendron gardenia*](#) Schltr.
- [*Rhododendron gaultheriifolium*](#) J.J.Sm.
- [*Rhododendron genestierianum*](#) Forrest
- [*Rhododendron* × *geraldii*](#) (Hutch.) Ivens
- [*Rhododendron gideonii*](#) Argent
- [*Rhododendron* × *gilliardii*](#) Sleumer
- [*Rhododendron giulianettii*](#) Lauterb.
- [*Rhododendron glabrifilum*](#) J.J.Sm.
- [*Rhododendron glabriflorum*](#) J.J.Sm.
- [*Rhododendron* × *gladwynense*](#) M.G.Henry
- [*Rhododendron glanduliferum*](#) Franch.
- [*Rhododendron glandulosum*](#) (Standl. ex Small) Millais
- [*Rhododendron glaucophyllum*](#) Rehder
- [*Rhododendron glischroides*](#) Tagg & Forrest
- [*Rhododendron glischrum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron gologense*](#) C.J.Xu & Z.J.Zhao
- [*Rhododendron gonggashanense*](#) W.K.Hu
- [*Rhododendron gongshanense*](#) T.L.Ming
- [*Rhododendron goodenoughii*](#) Sleumer
- [*Rhododendron goyozanense*](#) (M.Kikuchi) Craven
- [*Rhododendron gracilentum*](#) F.Muell.
- [*Rhododendron grande*](#) Wight
- [*Rhododendron griersonianum*](#) Balf.f. & Forrest
- [*Rhododendron griffithianum*](#) Wight
- [*Rhododendron groenlandicum*](#) (Oeder) Kron & Judd
- [*Rhododendron guangnanense*](#) R.C.Fang
- [*Rhododendron guihainianum*](#) G.Z.Li
- [*Rhododendron guizhongense*](#) G.Z.Li
- [*Rhododendron guizhouense*](#) M.Y.Fang

- [*Rhododendron gumineense*](#) Craven

H



[*Rhododendron hippophaeoides*](#)



[*Rhododendron hyperythrum*](#)

- [*Rhododendron habbema*](#) Koord.
- [*Rhododendron habrotrichum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron haematodes*](#) Franch.
- [*Rhododendron haematophthalmum*](#) Sleumer
- [*Rhododendron hainanense*](#) Merr.
- [*Rhododendron hameliiflorum*](#) Wernham
- [*Rhododendron hanceanum*](#) Hemsl.
- [*Rhododendron hancockii*](#) Hemsl.
- [*Rhododendron hangzhouense*](#) W.P.Fang & M.Y.He
- [*Rhododendron haofui*](#) Chun & W.P.Fang
- [*Rhododendron hartleyi*](#) Sleumer
- [*Rhododendron* × *hasegawae*](#) S.Watan.
- [*Rhododendron hatamense*](#) Becc.
- [*Rhododendron heatherae*](#) Rushforth
- [*Rhododendron heizhugouense*](#) M.Y.He & L.C.Hu
- [*Rhododendron heliolepis*](#) Franch.
- [*Rhododendron hellwigii*](#) Warb.
- [*Rhododendron helodes*](#) Sleumer
- [*Rhododendron* × *hemigymnum*](#) (Tagg & Forrest) D.F.Chamb.
- [*Rhododendron hemitrichotum*](#) Balf.f. & Forrest
- [*Rhododendron hemsleyanum*](#) E.H.Wilson

- [*Rhododendron henanense*](#) W.P.Fang
- [*Rhododendron henryi*](#) Hance
- [*Rhododendron herzogii*](#) Warb.
- [*Rhododendron heteroclitum*](#) H.P.Yang
- [*Rhododendron heterolepis*](#) Danet
- [*Rhododendron × hidaense*](#) Makino ex H.Hara
- [*Rhododendron hidakanum*](#) H.Hara
- [*Rhododendron himantodes*](#) Sleumer
- [*Rhododendron hippophaeoides*](#) Balf.f. & W.W.Sm.
- [*Rhododendron hirsutipetiolatum*](#) R.C.Fang & A.L.Zhang
- [*Rhododendron hirsutum*](#) L.
- [*Rhododendron hirtipes*](#) Tagg
- [*Rhododendron hirtolepidotum*](#) J.J.Sm.
- [*Rhododendron hodgsonii*](#) Hook.f.
- [*Rhododendron hoi*](#) W.P.Fang
- [*Rhododendron hongkongense*](#) Hutch.
- [*Rhododendron hooglandii*](#) Sleumer
- [*Rhododendron hookeri*](#) Nutt.
- [*Rhododendron horlickianum*](#) Davidian
- [*Rhododendron huadingense*](#) B.Y.Ding & Y.Y.Fang
- [*Rhododendron huangpingense*](#) Xiang Chen & Jia Y.Huang
- [*Rhododendron huanshanense*](#) S.S.Ying
- [*Rhododendron huanum*](#) W.P.Fang
- [*Rhododendron huguangense*](#) P.C.Tam
- [*Rhododendron huidongense*](#) T.L.Ming
- [*Rhododendron hunanense*](#) Chun ex P.C.Tam
- [*Rhododendron hunnewellianum*](#) Rehder & E.H.Wilson
- [*Rhododendron × hunsteinii*](#) Argent
- [*Rhododendron hyacinthosmum*](#) Sleumer
- [*Rhododendron hylaeum*](#) Balf.f. & Farrer
- [*Rhododendron hyperythrum*](#) Hayata
- [*Rhododendron hypoglaucom*](#) Hemsl.
- [*Rhododendron hypoleucophyllum*](#) Makino
- [*Rhododendron hypoleucum*](#) (Kom.) Harmaja
- [*Rhododendron hyugaense*](#) (T.Yamaz.) T.Yamaz.

I



Rhododendron impeditum

- *Rhododendron igneum* Cowan
- *Rhododendron impeditum* Balf.f. & W.W.Sm.
- *Rhododendron impositum* J.J.Sm.
- *Rhododendron impressopunctatum* J.J.Sm.
- *Rhododendron inaequale* (C.B.Clarke) Hutch.
- *Rhododendron incommodum* Sleumer
- *Rhododendron inconspicuum* J.J.Sm.
- *Rhododendron indicum* (L.) Sweet
- *Rhododendron* × *inopinum* Balf.f. ex Tagg
- *Rhododendron insculptum* Kingdon-Ward
- *Rhododendron insigne* Hemsl. & E.H.Wilson
- *Rhododendron* × *intermedium* Tausch
- *Rhododendron intranervatum* Sleumer
- *Rhododendron intricatum* Franch.
- *Rhododendron invictum* Balf.f. & Farrer
- *Rhododendron irroratum* Franch.

J

- *Rhododendron japonicum* (A.Gray) Suringar
- *Rhododendron japonoheptamerum* Kitam.
- *Rhododendron jasminiflorum* Hook.
- *Rhododendron jasminoides* M.Y.He
- *Rhododendron javanicum* (Blume) Benn.
- *Rhododendron jiewhoei* Argent
- *Rhododendron jinboense* Xiang Chen & X.Chen
- *Rhododendron jinchangense* Z.H.Yang
- *Rhododendron jingangshanicum* P.C.Tam
- *Rhododendron jinpingense* W.P.Fang & M.Y.He
- *Rhododendron jinxiuense* W.P.Fang & M.Y.He
- *Rhododendron jiulongshanense* Xiang Chen & Jia Y.Huang

- [*Rhododendron johnstoneanum*](#) (Brandis) Watt ex Hutch.
- [*Rhododendron joniense*](#) Ching & H.P.Yang

K

- [*Rhododendron kaempferi*](#) Planch.
- [*Rhododendron × kamatae*](#) (Mochizuki) Craven
- [*Rhododendron kanehirae*](#) E.H.Wilson
- [*Rhododendron kansuense*](#) Millais
- [*Rhododendron kasoense*](#) Hutch. & Kingdon-Ward
- [*Rhododendron katsumatae*](#) (M.Tash. & H.Hatta) Craven
- [*Rhododendron kawakamii*](#) Hayata
- [*Rhododendron × kawir*](#) Danet
- [*Rhododendron × keditii*](#) Sleumer
- [*Rhododendron keiskei*](#) Miq.
- [*Rhododendron keleticum*](#) Balf.f. & Forrest
- [*Rhododendron kemulense*](#) J.J.Sm.
- [*Rhododendron kendrickii*](#) Nutt.
- [*Rhododendron kerowagiense*](#) Argent
- [*Rhododendron kesangiae*](#) D.G.Long & Rushforth
- [*Rhododendron keysii*](#) Nutt.
- [*Rhododendron kiangsiense*](#) W.P.Fang
- [*Rhododendron kingianum*](#) Watt
- [*Rhododendron × kisoanum*](#) Okuhara ex T.Shimizu
- [*Rhododendron kiusianum*](#) Makino
- [*Rhododendron kiyosumense*](#) (Makino) Makino
- [*Rhododendron klossii*](#) Ridl.
- [*Rhododendron kochii*](#) Stein
- [*Rhododendron kogo*](#) Danet
- [*Rhododendron × komatsui*](#) T.Yamaz.
- [*Rhododendron komiyamae*](#) Makino
- [*Rhododendron kongboense*](#) Kingdon-Ward ex Hutch.
- [*Rhododendron konori*](#) Becc.
- [*Rhododendron korthalsii*](#) Miq.
- [*Rhododendron kotschyi*](#) Simonk.
- [*Rhododendron × koudzumontanum*](#) Hid.Takah. & Katsuy.
- [*Rhododendron kroniae*](#) Craven
- [*Rhododendron kuomeianum*](#) Yu H.Chang, J.Nielsen & Y.P.Ma
- [*Rhododendron × kuratanum*](#) S.Watan.
- [*Rhododendron × kurohimense*](#) Arakawa
- [*Rhododendron kwangsiense*](#) Hu ex P.C.Tam
- [*Rhododendron kwangtungense*](#) Merr. & Chun
- [*Rhododendron kyawii*](#) Lace & W.W.Sm.

- [*Rhododendron kyushuense*](#) Minamit.

L



[*Rhododendron luteum*](#)

- [*Rhododendron labolengense*](#) Ching & H.P.Yang
- [*Rhododendron lacteum*](#) Franch.
- [*Rhododendron laetum*](#) J.J.Sm.
- [*Rhododendron lagopus*](#) Nakai
- [*Rhododendron lagunculicarpum*](#) J.J.Sm.
- [*Rhododendron lambianum*](#) Argent
- [*Rhododendron lamii*](#) J.J.Sm.
- [*Rhododendron lampongum*](#) Miq.
- [*Rhododendron lamrialianum*](#) Argent & T.J.Barkman
- [*Rhododendron lanatoides*](#) D.F.Chamb.
- [*Rhododendron lanatum*](#) Hook.f.
- [*Rhododendron lanceolatum*](#) Ridl.
- [*Rhododendron langbianense*](#) A.Chev. ex Dop
- [*Rhododendron lanigerum*](#) Tagg
- [*Rhododendron laojunense*](#) T.L.Ming
- [*Rhododendron laojunshanense*](#) M.Y.Fang
- [*Rhododendron lapponicum*](#) (L.) Wahlenb.
- [*Rhododendron lasiostylum*](#) Hayata
- [*Rhododendron lateriflorum*](#) R.C.Fang & A.L.Zhang
- [*Rhododendron latoucheae*](#) Franch.
- [*Rhododendron laudandum*](#) Cowan
- [*Rhododendron leigongshanense*](#) C.H.Yang, Z.G.Xie, Y.F.Yu & Z.R.Yang
- [*Rhododendron leishanicum*](#) W.P.Fang & X.S.Zhang
- [*Rhododendron lepidostylum*](#) Balf.f. & Forrest
- [*Rhododendron lepidotum*](#) Wall. ex G.Don
- [*Rhododendron leptanthum*](#) F.Muell.
- [*Rhododendron leptobrachion*](#) Sleumer
- [*Rhododendron leptocarpum*](#) Nutt.
- [*Rhododendron leptomorphum*](#) Sleumer

- [*Rhododendron leptopeplum*](#) Balf.f. & Forrest
- [*Rhododendron leptothrium*](#) Balf.f. & Forrest
- [*Rhododendron leucaspis*](#) Tagg
- [*Rhododendron leucogigas*](#) Sleumer
- [*Rhododendron levinei*](#) Merr.
- [*Rhododendron leyense*](#) Merr.
- [*Rhododendron liangshanicum*](#) Z.J.Zhao
- [*Rhododendron liaoxigense*](#) S.L.Tung & Z.Lu
- [*Rhododendron liboense*](#) Zheng R.Chen & K.M.Lan
- [*Rhododendron × liewianum*](#) Argent, A.Lamb & Philipps
- [*Rhododendron lilacinum*](#) Xiang Chen & X.Chen
- [*Rhododendron liliiflorum*](#) H.Lév.
- [*Rhododendron lindaueanum*](#) Koord.
- [*Rhododendron lindleyi*](#) T.Moore
- [*Rhododendron lineare*](#) Merr.
- [*Rhododendron linearilobum*](#) R.C.Fang & A.L.Chang
- [*Rhododendron linguense*](#) G.Z.Li
- [*Rhododendron litchiifolium*](#) T.C.Wu & P.C.Tam
- [*Rhododendron loboense*](#) H.F.Copel.
- [*Rhododendron lochiaie*](#) F.Muell.
- [*Rhododendron × lochmium*](#) Balf.f.
- [*Rhododendron loerzingii*](#) J.J.Sm.
- [*Rhododendron lohitense*](#) D.Bhattach.
- [*Rhododendron lompohense*](#) J.J.Sm.
- [*Rhododendron longesquamatium*](#) C.K.Schneid.
- [*Rhododendron longicalyx*](#) M.Y.Fang
- [*Rhododendron longifalcatum*](#) P.C.Tam
- [*Rhododendron longiflorum*](#) Lindl.
- [*Rhododendron longilobum*](#) L.M.Gao & D.Z.Li
- [*Rhododendron longipedicellatum*](#) Lei Cai & Y.P.Ma
- [*Rhododendron longiperulatum*](#) Hayata
- [*Rhododendron longipes*](#) Rehder & E.H.Wilson
- [*Rhododendron longistylum*](#) Rehder & E.H.Wilson
- [*Rhododendron loniceriflorum*](#) P.C.Tam
- [*Rhododendron loranthiflorum*](#) Sleumer
- [*Rhododendron lowii*](#) Hook.f.
- [*Rhododendron lowndesii*](#) Davidian
- [*Rhododendron luciferum*](#) (Cowan) Cowan
- [*Rhododendron ludlowii*](#) Cowan
- [*Rhododendron luhuoense*](#) H.P.Yang
- [*Rhododendron lukiangense*](#) Franch.
- [*Rhododendron lulangense*](#) L.C.Hu & Tateishi

- [*Rhododendron lungchiense*](#) W.P.Fang
- [*Rhododendron luraluense*](#) Sleumer
- [*Rhododendron luteiflorum*](#) (Davidian) Cullen
- [*Rhododendron lutescens*](#) Franch.
- [*Rhododendron luteum*](#) Sweet

M



[*Rhododendron maximum*](#)



[*Rhododendron moulmainense*](#)

- [*Rhododendron macabe anum*](#) G.Watt ex Balf.f.
- [*Rhododendron macgregoriae*](#) F.Muell.
- [*Rhododendron mackenzianum*](#) Forrest
- [*Rhododendron macrophyllum*](#) D.Don ex G.Don
- [*Rhododendron macrosiphon*](#) Sleumer
- [*Rhododendron maculiferum*](#) Franch.
- [*Rhododendron maddenii*](#) Hook.f.
- [*Rhododendron madulidii*](#) Argent
- [*Rhododendron magnificum*](#) Kingdon-Ward
- [*Rhododendron magniflorum*](#) W.K.Hu
- [*Rhododendron mainlingense*](#) S.H.Huang & R.C.Fang
- [*Rhododendron majus*](#) (J.J.Sm.) Sleumer
- [*Rhododendron makinoi*](#) Tagg ex Nakai
- [*Rhododendron malayanum*](#) Jack
- [*Rhododendron malipoense*](#) M.Y.He
- [*Rhododendron mallotum*](#) Balf.f. & Kingdon-Ward

- [*Rhododendron maoerense*](#) W.P.Fang & G.Z.Li
- [*Rhododendron maowenense*](#) Ching & H.P.Yang
- [*Rhododendron mariae*](#) Hance
- [*Rhododendron mariesii*](#) Hemsl. & E.H.Wilson
- [*Rhododendron martinianum*](#) Balf.f. & Forrest
- [*Rhododendron maximum*](#) L.
- [*Rhododendron maxiongense*](#) C.Q.Zhang & D.Paterson
- [*Rhododendron maxwellii*](#) Gibbs
- [*Rhododendron mayebarae*](#) Nakai & H.Hara
- [*Rhododendron meagae*](#) Mambrasar & Hutabarat
- [*Rhododendron mechukae*](#) A.A.Mao & A.Paul
- [*Rhododendron meddianum*](#) Forrest
- [*Rhododendron medoense*](#) W.P.Fang & M.Y.He
- [*Rhododendron megacalyx*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron megalanthum*](#) M.Y.Fang
- [*Rhododendron megeratum*](#) Balf.f. & Forrest
- [*Rhododendron mejieri*](#) Argent, A.Lamb & Phillipps
- [*Rhododendron mekongense*](#) Franch.
- [*Rhododendron melantherum*](#) Schltr.
- [*Rhododendron meliphagidum*](#) J.J.Sm.
- [*Rhododendron mendumiae*](#) Argent
- [*Rhododendron mengtszense*](#) Balf.f. & W.W.Sm.
- [*Rhododendron menziesii*](#) Craven
- [*Rhododendron meridionale*](#) P.C.Tam
- [*Rhododendron mianningense*](#) Z.J.Zhao
- [*Rhododendron micranthum*](#) Turcz.
- [*Rhododendron microcarpum*](#) R.L.Liu & L.M.Gao
- [*Rhododendron microgynum*](#) Balf.f. & Forrest
- [*Rhododendron micromalayanum*](#) Sleumer
- [*Rhododendron microphyton*](#) Franch.
- [*Rhododendron milleri*](#) Argent
- [*Rhododendron mimetes*](#) Tagg & Forrest
- [*Rhododendron mindanaense*](#) Merr.
- [*Rhododendron mingii*](#) Y.P.Ma, L.M.Gao & E.D.Liu
- [*Rhododendron miniatum*](#) Cowan
- [*Rhododendron minimifolium*](#) Wernham
- [*Rhododendron minus*](#) Michx.
- [*Rhododendron minutiflorum*](#) Hu
- [*Rhododendron minyaense*](#) M.N.Philipson & Philipson
- [*Rhododendron mitriforme*](#) P.C.Tam
- [*Rhododendron miyiense*](#) W.K.Hu
- [*Rhododendron* × *mizumotoi*](#) S.Watan.

- [*Rhododendron momeanum*](#) Argent
- [*Rhododendron molle*](#) (Blume) G.Don
- [*Rhododendron mollianum*](#) Koord.
- [*Rhododendron mollicomum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron monanthum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron monkoboense*](#) Argent
- [*Rhododendron monodii*](#) (H.J.Lam) Argent
- [*Rhododendron montiganum*](#) T.L.Ming
- [*Rhododendron montroseanum*](#) Davidian
- [*Rhododendron morii*](#) Hayata
- [*Rhododendron moulmainense*](#) Hook.
- [*Rhododendron moupinense*](#) Franch.
- [*Rhododendron mucronatum*](#) (Blume) G.Don
- [*Rhododendron mucronulatum*](#) Turcz.
- [*Rhododendron multicolor*](#) Miq.
- [*Rhododendron multiflorum*](#) (Maxim.) Craven
- [*Rhododendron multinervium*](#) Sleumer
- [*Rhododendron muscicola*](#) J.J.Sm.
- [*Rhododendron muscipulum*](#) Danet
- [*Rhododendron myrsinifolium*](#) Ching ex W.P.Fang & M.Y.He
- [*Rhododendron myrsinites*](#) Sleumer

N

- [*Rhododendron naamkwanense*](#) Merr.
- [*Rhododendron nakaharae*](#) Hayata
- [*Rhododendron nakotiltum*](#) Balf.f. & Forrest
- [*Rhododendron nanjianense*](#) K.M.Feng & Z.H.Yang
- [*Rhododendron nanophyton*](#) Sleumer
- [*Rhododendron nanpingense*](#) P.C.Tam
- [*Rhododendron nantouense*](#) S.S.Ying
- [*Rhododendron natalicum*](#) Sleumer
- [*Rhododendron nayarii*](#) G.D.Pal
- [*Rhododendron × nebulicola*](#) Danet
- [*Rhododendron neobritannicum*](#) Sleumer
- [*Rhododendron neriiflorum*](#) Franch.
- [*Rhododendron neriifolium*](#) Schltr.
- [*Rhododendron nervulosum*](#) Sleumer
- [*Rhododendron ngawchangense*](#) M.N.Philipson & Philipson
- [*Rhododendron nhatrangense*](#) Dop
- [*Rhododendron nieuwenhuisii*](#) J.J.Sm.
- [*Rhododendron nigroglandulosum*](#) Nitz.
- [*Rhododendron × niko-montanum*](#) (Komatsu) Nakai

- [*Rhododendron nipponicum*](#) Matsum.
- [*Rhododendron nitidulum*](#) Rehder & E.H.Wilson
- [*Rhododendron nivale*](#) Hook.f.
- [*Rhododendron niveoflorum*](#) Argent
- [*Rhododendron niveum*](#) Hook.f.
- [*Rhododendron noriakianum*](#) T.Suzuki
- [*Rhododendron nortoniae*](#) Merr.
- [*Rhododendron nubicola*](#) Wernham
- [*Rhododendron nudipes*](#) Nakai
- [*Rhododendron nummatum*](#) J.J.Sm.
- [*Rhododendron nuttallii*](#) T.J.Booth ex Nutt.
- [*Rhododendron nyingchiense*](#) R.C.Fang & S.H.Huang
- [*Rhododendron nymphaeoides*](#) W.K.Hu

O



[*Rhododendron occidentale*](#)

- [*Rhododendron oblancifolium*](#) M.Y.Fang
- [*Rhododendron occidentale*](#) (Torr. & A.Gray) A.Gray
- [*Rhododendron ochraceum*](#) Rehder & E.H.Wilson
- [*Rhododendron octandrum*](#) M.Y.He
- [*Rhododendron oldhamii*](#) Maxim.
- [*Rhododendron oliganthum*](#) Sleumer
- [*Rhododendron oligocarpum*](#) W.P.Fang & X.S.Zhang
- [*Rhododendron* × *ootrichum*](#) (Sleumer) Argent
- [*Rhododendron opulentum*](#) Sleumer
- [*Rhododendron orbiculare*](#) Decne.
- [*Rhododendron orbiculatum*](#) Ridl.
- [*Rhododendron oreadam*](#) Wernham
- [*Rhododendron oreites*](#) Sleumer
- [*Rhododendron oreodoxa*](#) Franch.
- [*Rhododendron oreogenum*](#) L.C.Hu
- [*Rhododendron oreotrephe*](#) W.W.Sm.
- [*Rhododendron orthocladum*](#) Balf.f. & Forrest
- [*Rhododendron osuzuyamense*](#) T.Yamaz.

- [*Rhododendron ovatum*](#) (Lindl.) Planch. ex Maxim.
- [*Rhododendron oxycoccoides*](#) Sleumer

P



[*Rhododendron periclymenoides*](#)



[*Rhododendron prunifolium*](#)

- [*Rhododendron pachycarpon*](#) Sleumer
- [*Rhododendron pachyphyllum*](#) W.P.Fang
- [*Rhododendron pachypodum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron pachysanthum*](#) Hayata
- [*Rhododendron pachystigma*](#) Sleumer
- [*Rhododendron pachytrichum*](#) Franch.
- [*Rhododendron* × *pallesces*](#) Hutch.
- [*Rhododendron papillatum*](#) Balf.f. & R.E.Cooper
- [*Rhododendron papuanum*](#) Becc.
- [*Rhododendron* × *paradoxum*](#) Balf.f. ex Tagg
- [*Rhododendron parishii*](#) C.B.Clarke
- [*Rhododendron parmulatum*](#) Cowan
- [*Rhododendron parryae*](#) Hutch.
- [*Rhododendron parvifolium*](#) Adams
- [*Rhododendron parvulum*](#) Sleumer
- [*Rhododendron pauciflorum*](#) King & Gamble
- [*Rhododendron pemakoense*](#) Kingdon-Ward
- [*Rhododendron pendulum*](#) Hook.f.
- [*Rhododendron pennivenium*](#) Balf.f. & Forrest

- [*Rhododendron × pennsylvanicum*](#) (B.E.Harkn.) Rehder
- [*Rhododendron pentandrum*](#) (Maxim.) Craven
- [*Rhododendron pentaphyllum*](#) Maxim.
- [*Rhododendron perakense*](#) King & Gamble
- [*Rhododendron × peregrinum*](#) Tagg
- [*Rhododendron periclymenoides*](#) (Michx.) Shinners
- [*Rhododendron perplexum*](#) Sleumer
- [*Rhododendron petrocharis*](#) Diels
- [*Rhododendron phaeochiton*](#) F.Muell.
- [*Rhododendron phaeochristum*](#) Sleumer
- [*Rhododendron phaeochrysum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron phaeops*](#) Sleumer
- [*Rhododendron piercei*](#) Davidian
- [*Rhododendron pilostylum*](#) W.K.Hu
- [*Rhododendron pilosum*](#) (Michx. ex Lam.) Craven
- [*Rhododendron pinetorum*](#) P.C.Tam
- [*Rhododendron pingbianense*](#) M.Y.Fang
- [*Rhododendron pingianum*](#) W.P.Fang
- [*Rhododendron × planecostatum*](#) Sleumer
- [*Rhododendron × planetum*](#) Balf.f.
- [*Rhododendron platyphyllum*](#) (Franch. ex Diels) Balf.f. & W.W.Sm.
- [*Rhododendron platypodum*](#) Diels
- [*Rhododendron pleianthum*](#) Sleumer
- [*Rhododendron pleistanthum*](#) E.H.Wilson
- [*Rhododendron pocophorum*](#) Balf.f. ex Tagg
- [*Rhododendron pogonophyllum*](#) Cowan & Davidian
- [*Rhododendron poilanei*](#) Dop
- [*Rhododendron poluninii*](#) Davidian
- [*Rhododendron polyanthemum*](#) Sleumer
- [*Rhododendron polycladum*](#) Franch.
- [*Rhododendron polylepsis*](#) Franch.
- [*Rhododendron polytrichum*](#) W.P.Fang
- [*Rhododendron pomense*](#) Cowan & Davidian
- [*Rhododendron ponticum*](#) L.
- [*Rhododendron populare*](#) Cowan
- [*Rhododendron poremense*](#) J.J.Sm.
- [*Rhododendron porphyranthes*](#) Sleumer
- [*Rhododendron potaninii*](#) Batalin
- [*Rhododendron praestans*](#) Balf.f. & W.W.Sm.
- [*Rhododendron praeteritum*](#) Hutch.
- [*Rhododendron praetervisum*](#) Sleumer
- [*Rhododendron praeevernum*](#) Hutch.

- [*Rhododendron prainianum*](#) Koord.
- [*Rhododendron prattii*](#) Franch.
- [*Rhododendron preptum*](#) Balf.f. & Forrest
- [*Rhododendron primuliflorum*](#) Bureau & Franch.
- [*Rhododendron principis*](#) Bureau & Franch.
- [*Rhododendron prinophyllum*](#) (Small) Millais
- [*Rhododendron proliferum*](#) Sleumer
- [*Rhododendron pronum*](#) Tagg & Forrest
- [*Rhododendron protandrum*](#) Sleumer
- [*Rhododendron proteoides*](#) Balf.f. & W.W.Sm.
- [*Rhododendron protistum*](#) Balf.f. & Forrest
- [*Rhododendron pruniflorum*](#) Hutch. & Kingdon-Ward
- [*Rhododendron prunifolium*](#) (Small) Millais
- [*Rhododendron przewalskii*](#) Maxim.
- [*Rhododendron* × *psammogenes*](#) Sleumer
- [*Rhododendron pseudobuxifolium*](#) Sleumer
- [*Rhododendron pseudochrysanthum*](#) Hayata
- [*Rhododendron pseudociliipes*](#) Cullen
- [*Rhododendron pseudomaddenii*](#) A.A.Mao & Bhaumik
- [*Rhododendron pseudotrichanthum*](#) Sleumer
- [*Rhododendron psilanthum*](#) Sleumer
- [*Rhododendron pubescens*](#) Balf.f. & Forrest
- [*Rhododendron pubicostatum*](#) T.L.Ming
- [*Rhododendron pubigermen*](#) J.J.Sm.
- [*Rhododendron pudiense*](#) Xiang Chen & Jia Y.Huang
- [*Rhododendron pudingense*](#) X.Y.Dai, C.H.Yang & Y.P.Ma
- [*Rhododendron pudorinum*](#) Sleumer
- [*Rhododendron pudorosum*](#) Cowan
- [*Rhododendron pugeense*](#) L.C.Hu
- [*Rhododendron pulchroides*](#) Chun & W.P.Fang
- [*Rhododendron* × *pulchrum*](#) Sweet
- [*Rhododendron pulleanum*](#) Koord.
- [*Rhododendron pumilum*](#) Hook.f.
- [*Rhododendron punctifolium*](#) L.C.Hu
- [*Rhododendron purdomii*](#) Rehder & E.H.Wilson
- [*Rhododendron purpureiflorum*](#) J.J.Sm.
- [*Rhododendron pusillum*](#) J.J.Sm.
- [*Rhododendron* × *pyrrhoanthum*](#) Balf.f.
- [*Rhododendron pyrrhophorum*](#) Sleumer

Q

- [*Rhododendron qianyangense*](#) M.Y.He

- [*Rhododendron qiaojiaense*](#) L.M.Gao & D.Z.Li
- [*Rhododendron qinghaiense*](#) Ching ex W.Y.Wang
- [*Rhododendron quadrasianum*](#) S.Vidal
- [*Rhododendron quinquefolium*](#) Bisset & S.Moore

R

- [*Rhododendron racemosum*](#) Franch.
- [*Rhododendron radendum*](#) W.P.Fang
- [*Rhododendron radians*](#) J.J.Sm.
- [*Rhododendron ramipilosum*](#) T.L.Ming
- [*Rhododendron ramsdenianum*](#) Cowan
- [*Rhododendron rappardii*](#) Sleumer
- [*Rhododendron rarilepidotum*](#) J.J.Sm.
- [*Rhododendron rarum*](#) Schltr.
- [*Rhododendron rawatii*](#) I.D.Rai & B.S.Adhikari
- [*Rhododendron recurvoides*](#) Tagg & Kingdon-Ward
- [*Rhododendron redowskianum*](#) Maxim.
- [*Rhododendron renschianum*](#) Sleumer
- [*Rhododendron reticulatum*](#) D.Don ex G.Don
- [*Rhododendron retivenium*](#) Sleumer
- [*Rhododendron retrorsipilum*](#) Sleumer
- [*Rhododendron retusum*](#) (Blume) Benn.
- [*Rhododendron revolutum*](#) Sleumer
- [*Rhododendron rex*](#) H.Lév.
- [*Rhododendron reynosoi*](#) Argent
- [*Rhododendron rhodanthum*](#) M.Y.He
- [*Rhododendron rhodochroum*](#) Sleumer
- [*Rhododendron rhodoleucum*](#) Sleumer
- [*Rhododendron rhodosalpinx*](#) Sleumer
- [*Rhododendron rhodostomum*](#) Sleumer
- [*Rhododendron rhombifolium*](#) R.C.Fang
- [*Rhododendron rhuyuenense*](#) Chun ex P.C.Tam
- [*Rhododendron rigidum*](#) Franch.
- [*Rhododendron rimicola*](#) X.L.Tian, Y.P.Ma & J.Nielsen
- [*Rhododendron riparioides*](#) (Cullen) Cubey
- [*Rhododendron ripense*](#) Makino
- [*Rhododendron ripleyi*](#) Merr.
- [*Rhododendron ririei*](#) Hemsl. & E.H.Wilson
- [*Rhododendron rivulare*](#) Hand.-Mazz.
- [*Rhododendron robinsonii*](#) Ridl.
- [*Rhododendron roseatum*](#) Hutch.
- [*Rhododendron roseiflorum*](#) P.F.Stevens

- [*Rhododendron rosendahliae*](#) Sleumer
- [*Rhododendron rothschildii*](#) Davidian
- [*Rhododendron rousei*](#) Argent & Madulid
- [*Rhododendron roxieanum*](#) Forrest ex W.W.Sm.
- [*Rhododendron roxieoides*](#) D.F.Chamb.
- [*Rhododendron rubellum*](#) Sleumer
- [*Rhododendron rubiginosum*](#) Franch.
- [*Rhododendron rubineiflorum*](#) Craven
- [*Rhododendron rubrantherum*](#) Kingdon-Ward
- [*Rhododendron rubrobracteatum*](#) Sleumer
- [*Rhododendron rubropilosum*](#) Hayata
- [*Rhododendron rufescens*](#) Franch.
- [*Rhododendron rufohirtum*](#) Hand.-Mazz.
- [*Rhododendron rufum*](#) Batalin
- [*Rhododendron rugosum*](#) H.Low ex Hook.f.
- [*Rhododendron rupicola*](#) W.W.Sm.
- [*Rhododendron rupivalleculatum*](#) P.C.Tam
- [*Rhododendron rushforthii*](#) Argent & D.F.Chamb.
- [*Rhododendron russatum*](#) Balf.f. & Forrest
- [*Rhododendron rutenii*](#) J.J.Sm.

S



[*Rhododendron schlippenbachii*](#)



[*Rhododendron spinuliferum*](#)

- [*Rhododendron sajanense*](#) Stepanov
- [*Rhododendron salicifolium*](#) Becc.
- [*Rhododendron saluenense*](#) Franch.

- [*Rhododendron sanctum*](#) Nakai
- [*Rhododendron sanguineum*](#) Franch.
- [*Rhododendron santapau*](#) Sastry, S.K.Kataki, Peter Cox, Patricia Cox & P.Hutchison
- [*Rhododendron* × *sarcodes*](#) Argent & Madulid
- [*Rhododendron sargentianum*](#) Rehder & E.H.Wilson
- [*Rhododendron* × *satsumense*](#) Hatus.
- [*Rhododendron saxatile*](#) B.Y.Ding & Y.Y.Fang
- [*Rhododendron saxicola*](#) Sleumer
- [*Rhododendron saxifragoides*](#) J.J.Sm.
- [*Rhododendron sayeri*](#) Sleumer
- [*Rhododendron scabridibracteum*](#) Sleumer
- [*Rhododendron scabrifolium*](#) Franch.
- [*Rhododendron scabrum*](#) G.Don
- [*Rhododendron scarlatinum*](#) Sleumer
- [*Rhododendron schistocalyx*](#) Balf.f. & Forrest
- [*Rhododendron schizostigma*](#) Sleumer
- [*Rhododendron schlechteri*](#) Lauterb.
- [*Rhododendron schlippenbachii*](#) Maxim.
- [*Rhododendron* × *schoddei*](#) Sleumer
- [*Rhododendron scopulorum*](#) Hutch.
- [*Rhododendron scopulum*](#) (G.Z.Li) G.Z.Li
- [*Rhododendron scortechinii*](#) King & Gamble
- [*Rhododendron searleanum*](#) Sleumer
- [*Rhododendron searsiae*](#) Rehder & E.H.Wilson
- [*Rhododendron seimundii*](#) J.J.Sm.
- [*Rhododendron seinghkuense*](#) Kingdon-Ward
- [*Rhododendron* × *sekimori*](#) Komatsu
- [*Rhododendron selense*](#) Franch.
- [*Rhododendron semibarbatum*](#) Maxim.
- [*Rhododendron semnoides*](#) Tagg & Forrest
- [*Rhododendron seniavinii*](#) Maxim.
- [*Rhododendron seranicum*](#) J.J.Sm.
- [*Rhododendron serotinum*](#) Hutch.
- [*Rhododendron serpyllifolium*](#) (A.Gray) Miq.
- [*Rhododendron serrulatum*](#) (Small) Millais
- [*Rhododendron sessilifolium*](#) J.J.Sm.
- [*Rhododendron setiferum*](#) Balf.f. & Forrest
- [*Rhododendron setosum*](#) D.Don
- [*Rhododendron shanii*](#) W.P.Fang
- [*Rhododendron shaoakouense*](#) S.S.Ying
- [*Rhododendron* × *sheilae*](#) Sleumer
- [*Rhododendron sherriffii*](#) Cowan

- [*Rhododendron shimenense*](#) Q.X.Liu & C.M.Zhang
- [*Rhododendron shimianense*](#) W.P.Fang & P.S.Liu
- [*Rhododendron shingbae*](#) C.S.Purohit & Ram.Kumar
- [*Rhododendron shweliense*](#) Balf.f. & Forrest
- [*Rhododendron sichotense*](#) Pojark.
- [*Rhododendron sidereum*](#) Balf.f.
- [*Rhododendron siderophyllum*](#) Franch.
- [*Rhododendron sikangense*](#) W.P.Fang
- [*Rhododendron sikayotaizanense*](#) Masam.
- [*Rhododendron × silvicola*](#) (Sleumer) Argent, A.Lamb, Phillipps & Collen.
- [*Rhododendron simiarum*](#) Hance
- [*Rhododendron simsii*](#) Planch.
- [*Rhododendron simulans*](#) J.J.Sm. ex Sleumer
- [*Rhododendron sinofalconeri*](#) Balf.f.
- [*Rhododendron sinogrande*](#) Balf.f. & W.W.Sm.
- [*Rhododendron × sinosimulans*](#) D.F.Chamb.
- [*Rhododendron siobriense*](#) Argent
- [*Rhododendron smirnowii*](#) Trautv. ex Regel
- [*Rhododendron smokianum*](#) Ralf Bauer & Albach
- [*Rhododendron × sochadzeae*](#) Kharadze & Davlian.
- [*Rhododendron sohayakiense*](#) Y.Watan. & T.Yukawa
- [*Rhododendron sojolense*](#) Argent
- [*Rhododendron solitarium*](#) Sleumer
- [*Rhododendron sophistarum*](#) Craven
- [*Rhododendron sororium*](#) Sleumer
- [*Rhododendron souliei*](#) Franch.
- [*Rhododendron spanotrichum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron sparsifolium*](#) W.P.Fang
- [*Rhododendron spathulatum*](#) Ridl.
- [*Rhododendron sperabile*](#) Balf.f. & Farrer
- [*Rhododendron sperabiloides*](#) Tagg & Forrest
- [*Rhododendron sphaeroblastum*](#) Balf.f. & Forrest
- [*Rhododendron spiciferum*](#) Franch.
- [*Rhododendron spilotum*](#) Balf.f. & Farrer
- [*Rhododendron spinuliferum*](#) Franch.
- [*Rhododendron spondylophyllum*](#) F.Muell.
- [*Rhododendron stamineum*](#) Franch.
- [*Rhododendron stanleyi*](#) S.James & Argent
- [*Rhododendron stapfianum*](#) Hemsl. ex Prain
- [*Rhododendron starlingii*](#) Rushforth & N.T.T.Huong
- [*Rhododendron stelligerum*](#) Sleumer
- [*Rhododendron stenopetalum*](#) (R.Hogg) Mabb.

- [*Rhododendron stenophyllum*](#) Hook.f. ex Stapf
- [*Rhododendron stevensianum*](#) Sleumer
- [*Rhododendron stewartianum*](#) Diels
- [*Rhododendron stolleanum*](#) Schltr.
- [*Rhododendron stresemannii*](#) J.J.Sm.
- [*Rhododendron strigillosum*](#) Franch.
- [*Rhododendron strigosum*](#) R.L.Liu
- [*Rhododendron suaveolens*](#) Sleumer
- [*Rhododendron subansiriense*](#) D.F.Chamb. & Cox
- [*Rhododendron subcerinum*](#) P.C.Tam
- [*Rhododendron subcrenulatum*](#) Sleumer
- [*Rhododendron subnerve*](#) P.C.Tam
- [*Rhododendron subestipitatum*](#) P.C.Tam
- [*Rhododendron subflumineum*](#) P.C.Tam
- [*Rhododendron subpacificum*](#) Sleumer
- [*Rhododendron subroseum*](#) Xiang Chen & Jia Y.Huang
- [*Rhododendron subsessile*](#) Rendle
- [*Rhododendron subulatum*](#) (Nakai) Harmaja
- [*Rhododendron subuliferum*](#) Sleumer
- [*Rhododendron subulosum*](#) J.J.Sm. ex Sleumer
- [*Rhododendron succothii*](#) Davidian
- [*Rhododendron sugaui*](#) Argent
- [*Rhododendron sulfureum*](#) Franch.
- [*Rhododendron sumatranum*](#) Merr.
- [*Rhododendron* × *sundarraianum*](#) Sherpa & Gogoi
- [*Rhododendron suoilenhense*](#) D.F.Chamb., N.T.T.Huong & Rushforth
- [*Rhododendron superbum*](#) Sleumer
- [*Rhododendron sutchuenense*](#) Franch.
- [*Rhododendron syringoideum*](#) Sleumer

T



[*Rhododendron tomentosum*](#)

- [*Rhododendron taggianum*](#) Hutch.

- [*Rhododendron taibaiense*](#) Ching & H.P.Yang
- [*Rhododendron taiense*](#) Hutch.
- [*Rhododendron taipaoense*](#) T.C.Wu & P.C.Tam
- [*Rhododendron taishunense*](#) B.Y.Ding & Y.Y.Fang
- [*Rhododendron taiwanalpinum*](#) Ohwi
- [*Rhododendron × takahashianum*](#) Sugim.
- [*Rhododendron takeuchii*](#) Argent
- [*Rhododendron taliense*](#) Franch.
- [*Rhododendron tanastylum*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron tapetiforme*](#) Balf.f. & Kingdon-Ward
- [*Rhododendron taronense*](#) Hutch.
- [*Rhododendron tashiroi*](#) Maxim.
- [*Rhododendron tatsienense*](#) Franch.
- [*Rhododendron × tatuoi*](#) Nakai ex H.Hara
- [*Rhododendron taxifolium*](#) Merr.
- [*Rhododendron taxoides*](#) J.J.Sm.
- [*Rhododendron telmateium*](#) Balf.f. & W.W.Sm.
- [*Rhododendron temenium*](#) Balf.f. & Forrest
- [*Rhododendron tenuifolium*](#) R.C.Fang & S.H.Huang
- [*Rhododendron tenuilaminare*](#) P.C.Tam
- [*Rhododendron tephropeploides*](#) R.A.Baines & D.F.Chamb.
- [*Rhododendron tephropeplum*](#) Balf.f. & Farrer
- [*Rhododendron tetramerum*](#) (Makino) Nakai
- [*Rhododendron thaumasianthum*](#) Sleumer
- [*Rhododendron thayerianum*](#) Rehder & E.H.Wilson
- [*Rhododendron thomsonii*](#) Hook.f.
- [*Rhododendron thymifolium*](#) Maxim.
- [*Rhododendron tianlinense*](#) P.C.Tam
- [*Rhododendron tianmenshanense*](#) C.L.Peng & L.H.Yan
- [*Rhododendron tingwuense*](#) P.C.Tam
- [*Rhododendron tintinnabellum*](#) Danet
- [*Rhododendron titapuriense*](#) A.A.Mao, K.N.E.Cox & D.F.Chamb.
- [*Rhododendron tjiasmantoi*](#) Mustaqim, Mambrasar & Hutabarat
- [*Rhododendron tolmachevii*](#) Harmaja
- [*Rhododendron tomentosum*](#) Harmaja
- [*Rhododendron torajaense*](#) Craven
- [*Rhododendron torquescens*](#) D.F.Chamb.
- [*Rhododendron tosaense*](#) Makino
- [*Rhododendron toxopei*](#) J.J.Sm.
- [*Rhododendron traillianum*](#) Forrest & W.W.Sm.
- [*Rhododendron trancongi*](#) Argent & Rushforth
- [*Rhododendron × transiens*](#) Nakai

- [*Rhododendron trichanthum*](#) Rehder
- [*Rhododendron trichocladum*](#) Franch.
- [*Rhododendron trichogynum*](#) L.C.Hu
- [*Rhododendron* × *trichophorum*](#) Balf.f.
- [*Rhododendron trichostomum*](#) Franch.
- [*Rhododendron triflorum*](#) Hook.f.
- [*Rhododendron trilectorum*](#) Cowan
- [*Rhododendron trinerve*](#) Franch. ex H.Boissieu
- [*Rhododendron triumphans*](#) Yersin & A.Chev.
- [*Rhododendron truncatovarium*](#) L.M.Gao & D.Z.Li
- [*Rhododendron truncicola*](#) Sleumer
- [*Rhododendron tsaii*](#) W.P.Fang
- [*Rhododendron tsariense*](#) Cowan
- [*Rhododendron tschonoskii*](#) Maxim.
- [*Rhododendron tsinlingense*](#) W.P.Fang ex J.Q.Fu
- [*Rhododendron tsoi*](#) Merr.
- [*Rhododendron tsurugisanense*](#) (T.Yamaz.) T.Yamaz.
- [*Rhododendron tsusiophyllum*](#) Sugim.
- [*Rhododendron tuba*](#) Sleumer
- [*Rhododendron tuberculiferum*](#) J.J.Sm.
- [*Rhododendron tubiforme*](#) (Cowan & Davidian) Davidian
- [*Rhododendron tuhanense*](#) Argent & T.J.Barkman
- [*Rhododendron tutcheriae*](#) Hemsl. & E.H.Wilson

U

- [*Rhododendron ultimum*](#) Wernham
- [*Rhododendron unciferum*](#) P.C.Tam
- [*Rhododendron ungeonticum*](#) A.P.Khokhr. & Mazurenko
- [*Rhododendron ungernii*](#) Trautv. ex Regel
- [*Rhododendron uniflorum*](#) Hutch. & Kingdon-Ward
- [*Rhododendron urophyllum*](#) W.P.Fang
- [*Rhododendron uvariifolium*](#) Diels
- [*Rhododendron uwaense*](#) H.Hara & T.Yamanaka

V



Rhododendron vaseyi

- *Rhododendron vaccinioides* Hook.f.
- *Rhododendron valentinianum* Forrest ex Hutch.
- *Rhododendron vanderbiltianum* Merr.
- *Rhododendron* × *vanhoeffenii* Abrom.
- *Rhododendron vaniotii* H.Lév.
- *Rhododendron vanvuurenii* J.J.Sm.
- *Rhododendron* × *variolosum* Becc.
- *Rhododendron vaseyi* A.Gray
- *Rhododendron veitchianum* Hook.
- *Rhododendron vellereum* Hutch. ex Tagg
- *Rhododendron venator* Tagg ex L.Rothsch.
- *Rhododendron vernicosum* Franch.
- *Rhododendron verruciferum* W.K.Hu
- *Rhododendron* × *verruculosum* Rehder & E.H.Wilson
- *Rhododendron versteegii* J.J.Sm.
- *Rhododendron verticillatum* H.Low ex Lindl.
- *Rhododendron vesiculiferum* Tagg
- *Rhododendron vialii* Delavay & Franch.
- *Rhododendron vidalii* Rolfe
- *Rhododendron villosulum* J.J.Sm.
- *Rhododendron vinicolor* Sleumer
- *Rhododendron vinkii* Sleumer
- *Rhododendron virgatum* Hook.f.
- *Rhododendron viridescens* Hutch.
- *Rhododendron viriosum* Craven
- *Rhododendron viscidifolium* Davidian
- *Rhododendron viscidum* C.Z.Guo & Z.H.Liu
- *Rhododendron viscigemmatum* P.C.Tam
- *Rhododendron viscistylum* Nakai
- *Rhododendron viscosum* (L.) Torr.
- *Rhododendron vitis-idaea* Sleumer

W



[Rhododendron wadanum](#)

- [Rhododendron wadanum](#) Makino
- [Rhododendron walongense](#) Kingdon-Ward
- [Rhododendron wardii](#) W.W.Sm.
- [Rhododendron wasonii](#) Hemsl. & E.H.Wilson
- [Rhododendron watsonii](#) Hemsl. & E.H.Wilson
- [Rhododendron wattii](#) Cowan
- [Rhododendron websterianum](#) Rehder & E.H.Wilson
- [Rhododendron × welleslyanum](#) Waterer ex Rehder
- [Rhododendron wentianum](#) Koord.
- [Rhododendron westlandii](#) Hemsl.
- [Rhododendron weyrichii](#) Maxim.
- [Rhododendron whiteheadii](#) Rendle
- [Rhododendron widjajae](#) Argent & Mambrasar
- [Rhododendron wightii](#) Hook.f.
- [Rhododendron × wilhelminae](#) Hochr.
- [Rhododendron wilkiei](#) Argent
- [Rhododendron williamsianum](#) Rehder & E.H.Wilson
- [Rhododendron williamsii](#) Merr. ex H.F.Copel.
- [Rhododendron wiltonii](#) Hemsl. & E.H.Wilson
- [Rhododendron wolongense](#) W.K.Hu
- [Rhododendron womersleyi](#) Sleumer
- [Rhododendron wongii](#) Hemsl. & E.H.Wilson
- [Rhododendron wrayi](#) King & Gamble
- [Rhododendron wrightianum](#) Koord.
- [Rhododendron wumingense](#) W.P.Fang
- [Rhododendron wuyishanicum](#) L.K.Ling

X

- [Rhododendron × xanthanthum](#) (Tagg & Forrest) D.F.Chamb.
- [Rhododendron xanthopetalum](#) Merr.
- [Rhododendron xanthostephanum](#) Merr.

- [*Rhododendron xenium*](#) Gill.K.Br. & Craven
- [*Rhododendron xiangganense*](#) X.F.Jin & B.Y.Ding
- [*Rhododendron xiaoxidongense*](#) W.K.Hu
- [*Rhododendron xiaoxueshanense*](#) R.L.Liao & Y.P.Ma
- [*Rhododendron xichangense*](#) Z.J.Zhao
- [*Rhododendron xiguense*](#) Ching & H.P.Yang
- [*Rhododendron xishuiense*](#) C.H.Yang & C.D.Yang

Y



[*Rhododendron yedoense*](#) var. *poukhanense*

- [*Rhododendron yakuinsulare*](#) Masam.
- [*Rhododendron yakumontanum*](#) (T.Yamaz.) T.Yamaz.
- [*Rhododendron yakushmanum*](#) Nakai
- [*Rhododendron yakushimense*](#) (M.Tash. & H.Hatta) Craven
- [*Rhododendron yangmingshanense*](#) P.C.Tam
- [*Rhododendron yaogangxianense*](#) Q.X.Liu
- [*Rhododendron yaoshanense*](#) L.M.Gao & S.D.Zhang
- [*Rhododendron yaoshanicum*](#) W.P.Fang & M.Y.He
- [*Rhododendron yedoense*](#) Maxim. ex Regel
- [*Rhododendron yelliottii*](#) Warb.
- [*Rhododendron yizhangense*](#) Q.X.Liu
- [*Rhododendron yongii*](#) Argent
- [*Rhododendron yungchangense*](#) Cullen
- [*Rhododendron yungningense*](#) Balf.f. ex Hutch.
- [*Rhododendron yunnanense*](#) Franch.
- [*Rhododendron yunyianum*](#) X.F.Jin & B.Y.Ding
- [*Rhododendron yushuense*](#) Z.J.Zhao

Z

- [*Rhododendron zaleucum*](#) Balf.f. & W.W.Sm.
- [*Rhododendron zekoense*](#) Y.D.Sun & Z.J.Zhao
- [*Rhododendron zhangjiajieense*](#) C.L.Peng & L.H.Yan
- [*Rhododendron zheguense*](#) Ching & H.P.Yang

- [*Rhododendron zhongdianense*](#) L.C.Hu
- [*Rhododendron ziyuanense*](#) P.C.Tam
- [*Rhododendron zoelleri*](#) Warb.
- [*Rhododendron zollingeri*](#) J.J.Sm.

From Wikipedia, the free encyclopedia

The following is a list of all 74 [species](#) in the plant genus [*Rhodiola*](#) which are accepted by [Plants of the World Online](#) as of 19 June 2024.[1]

- [*Rhodiola algida*](#) (Ledeb.) Fisch. & C.A.Mey.
- [*Rhodiola alsia*](#) (Fröd.) S.H.Fu
- [*Rhodiola amabilis*](#) (H.Ohba) H.Ohba
- [*Rhodiola angusta*](#) Nakai
- [*Rhodiola atsaensis*](#) (Fröd.) H.Ohba
- [*Rhodiola atuntsuensis*](#) (Praeger) S.H.Fu
- [*Rhodiola borealis*](#) Boriss.
- [*Rhodiola bouffordii*](#) H.Ohba
- [*Rhodiola bupleuroides*](#) (Wall. ex Hook.f. & Thomson) S.H.Fu
- [*Rhodiola calliantha*](#) (H.Ohba) H.Ohba
- [*Rhodiola chrysanthemifolia*](#) (H.Lév.) S.H.Fu
- [*Rhodiola coccinea*](#) (Royle) Boriss.
- [*Rhodiola crenulata*](#) (Hook.f. & Thomson) H.Ohba
- [*Rhodiola cretinii*](#) (Raym.-Hamet) H.Ohba
- [*Rhodiola daochengensis*](#) J.Q.Zhang & G.Y.Rao
- [*Rhodiola discolor*](#) (Franch.) S.H.Fu
- [*Rhodiola dumulosa*](#) (Franch.) S.H.Fu
- [*Rhodiola fastigiata*](#) (Hook.f. & Thomson) S.H.Fu
- [*Rhodiola feiyongii*](#) H.Ohba, S.Akiyama & S.K.Wu
- [*Rhodiola forrestii*](#) (Raym.-Hamet) S.H.Fu
- [*Rhodiola fushuhsiae*](#) H.Ohba, S.Akiyama & S.K.Wu
- [*Rhodiola gelida*](#) Schrenk ex Fisch. & C.A.Mey.
- [*Rhodiola handelii*](#) H.Ohba
- [*Rhodiola heterodonta*](#) (Hook.f. & Thomson) Boriss.
- [*Rhodiola himalensis*](#) (D.Don) S.H.Fu
- [*Rhodiola hobsonii*](#) (Prain ex Raym.-Hamet) S.H.Fu
- [*Rhodiola hookeri*](#) S.H.Fu
- [*Rhodiola humilis*](#) (Hook.f. & Thomson) S.H.Fu
- [*Rhodiola imbricata*](#) Edgew.
- [*Rhodiola integrifolia*](#) Raf.
- [*Rhodiola ishidae*](#) (Miyabe & Kudô) H.Hara
- [*Rhodiola junggarica*](#) Chang Y.Yang & N.R.Cui

- [*Rhodiola kaschgarica*](#) Boriss.
- [*Rhodiola kirilowii*](#) (Regel) Maxim.
- [*Rhodiola kunlunica*](#) H.Ohba, S.Akiyama & S.K.Wu
- [*Rhodiola liciae*](#) (Raym.-Hamet) S.H.Fu
- [*Rhodiola litvinovii*](#) Boriss.
- [*Rhodiola lobulata*](#) (N.B.Singh & U.C.Bhattach.) H.Ohba
- [*Rhodiola ludlowii*](#) H.Ohba
- [*Rhodiola macrocarpa*](#) (Praeger) S.H.Fu
- [*Rhodiola marginata*](#) Grierson
- [*Rhodiola multibracteata*](#) H.Chuang
- [*Rhodiola namlingensis*](#) S.Y.Meng
- [*Rhodiola nepalica*](#) (H.Ohba) H.Ohba
- [*Rhodiola nobilis*](#) (Franch.) S.H.Fu
- [*Rhodiola pachyclados*](#) (Aitch. ex Hemsl.) H.Ohba
- [*Rhodiola pamiroalaica*](#) Boriss.
- [*Rhodiola pauciflora*](#) (Edgew.) Pusalkar
- [*Rhodiola prainii*](#) (Raym.-Hamet) H.Ohba
- [*Rhodiola primuloides*](#) (Franch.) S.H.Fu
- [*Rhodiola purpureoviridis*](#) (Praeger) S.H.Fu
- [*Rhodiola quadrifida*](#) (Pall.) Fisch. & C.A.Mey.
- [*Rhodiola recticaulis*](#) Boriss.
- [*Rhodiola rhodantha*](#) (A.Gray) H.Jacobsen
- [*Rhodiola rosea*](#) L.
- [*Rhodiola saxicola*](#) H.Ohba, S.Akiyama & S.K.Wu
- [*Rhodiola saxifragoides*](#) (Fröd.) H.Ohba
- [*Rhodiola sedoides*](#) Lidén & Bharali
- [*Rhodiola semenovii*](#) (Regel & Herder) Boriss.
- [*Rhodiola serrata*](#) H.Ohba
- [*Rhodiola sherriffii*](#) H.Ohba
- [*Rhodiola sinuata*](#) (Royle ex Edgew.) S.H.Fu
- [*Rhodiola smithii*](#) (Raym.-Hamet) S.H.Fu
- [*Rhodiola stapfii*](#) (Raym.-Hamet) S.H.Fu
- [*Rhodiola stephani*](#) (Cham.) Trautv. & C.A.Mey.
- [*Rhodiola subopposita*](#) (Maxim.) H.Jacobsen
- [*Rhodiola tangutica*](#) (Maxim.) S.H.Fu
- [*Rhodiola tibetica*](#) (Hook.f. & Thomson) S.H.Fu
- [*Rhodiola tricarpa*](#) S.Y.Meng & G.Y.Rao
- [*Rhodiola wallichiana*](#) (Hook.) S.H.Fu
- [*Rhodiola wangii*](#) S.Y.Meng
- [*Rhodiola wenchuanensis*](#) T.Li & Hao Zhang
- [*Rhodiola yunnanensis*](#) (Franch.) S.H.Fu
- [*Rhodiola yushuensis*](#) S.Y.Meng & Jun Zhang

References

1.

1. ["Rhodiola L. | Plants of the World Online | Kew Science"](#). *Plants of the World Online*. Retrieved 2024-06-20.

Categories:

- [Lists of plant species](#)
- [Rhodiola](#)
-

From Wikipedia, the free encyclopedia

Ranunculus is a [genus](#) of about 1,700 [species](#) of [plants](#) in the [Ranunculaceae](#).^[1] Members of the genus include the **buttercups**, **spearworts** and **water crowfoots**.

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Selected species

A

Species & synonyms	Common names	Native range	Illustration
<i>Ranunculus abaensis</i> W. T. Wang = R. indivisus var. <i>abaensis</i>[2] Ranunculus abchasicus Freyn ex Sommer & Levier[3][4]			
Ranunculus abnormis Cutanda & Willk.		• Iberian Peninsula	
Ranunculus abortivus L. • var. <i>abortivus</i> • var. <i>australis</i> Brandege • ssp. <i>acrolasius</i> (Fernald) Kapoor & Löve = <i>R. abortivus</i> • var. <i>acrolasius</i> Fernald = <i>R. abortivus</i> • var. <i>eucyclus</i> Fernald = <i>R. abortivus</i> • var. <i>indivisus</i> Fernald = <i>R. abortivus</i> • var. <i>harveyi</i> A. Gray = R. harveyi[5]	• Little-leaf buttercup • Small-flower crowfoot • Kidney-leaf buttercup • Small-flowered buttercup	• North America	

[Ranunculus acaulis DC.](#)
[6]

- Dune buttercup
- Sand buttercup
- Shore buttercup

- New Zealand

Ranunculus acer auct. = [Ranunculus acris](#)

[Ranunculus acetosellifolius](#) Boiss.

- Southwestern Europe

[Ranunculus aconitifolius](#)
L.

- Aconite-leaf buttercup

- Europe



[Ranunculus acraeus](#)
Heenan & P.J.Lockh.

- New Zealand

[Ranunculus acriformis](#)
A.Gray[7]

- Sharp-leaf buttercup

- North America

- var. *acriformis*

- Sharp-leaf buttercup

- USA
([Colorado](#),
[Wyoming](#))

- [var. aestivalis](#)
L.D.Benson[8]

- Autumn buttercup[9]
- Autumn sharp buttercup
- Autumn-fir buttercup
- Fall buttercup

- USA ([Utah](#)[10])

- var. *montanensis*
(Rydb.)
L.D.Benson

- Mountain sharp buttercup

- USA ([Idaho](#),
[Montana](#), [Utah](#),
[Washington](#),
[Wyoming](#))

[Ranunculus acris](#) L.

- var. *acris*
- var. *frigidus* Regel

- Common buttercup
- Meadow buttercup
- Tall buttercup

- Temperate Eurasia



- var. *aestivalis* (L. D. Benson) S. L. Welsh = [R. acriformis](#) var. *aestivalis*[8][9]
- ssp. *borealis* (Trautv.) Nyman = [R. borealis](#)
- ssp. *glabriusculus* (Rupr.) Löve = [R. glabriusculus](#)

- ssp. *japonicus* (Thunb.) Hultén = [*R. japonicus*](#)
- var. *japonicus* (Thunb.) Maxim. = [*R. japonicus*](#)
- var. *latisectus* [Beck](#) = *R. acris*
- var. *monticola* (Kitag.) Tamura = [*R. paishanensis*](#)

Ranunculus acutidentatus [Rupr.](#) = [*Ranunculus acutilobus*](#)

[*Ranunculus acutilobus*](#)

[Ledeb.](#)

[*Ranunculus adoneus*](#)

A.Gray

- var. *adoneus*
- var. *alpinus* (S.Watson) L.D.Benson
- ssp. *huetii* P.H.Davis
- Alpine buttercup
- North America (Rocky Mountains)

[*Ranunculus adoxifolius*](#)

Hand.-Mazz.

[*Ranunculus aduncus*](#) Gren.

[*Ranunculus aestivalis*](#) (L.D.Benson) Van Buren & K.T.Harper = *R. acriformis* var. *aestivalis*[\[8\]\[9\]](#)

[*Ranunculus ageri*](#) Bertol.

[*Ranunculus albertii*](#) Regel

& Schmalh.

Ranunculus alismellus (A. Gray) Greene = *R. alismifolius* var. *alismellus*

[*Ranunculus alismifolius*](#)

Geyer ex Benth.

- var. *alismellus* A. Gray
- var. *alismifolius*
- var. *davisii* L. D. Benson
- var. *hartwegii* (Greene) Jeps.
- var. *lemmonii* (A. Gray) L. D. Benson
- var. *montanus* S. Watson
- Plantainleaf buttercup
- Western North America



[Ranunculus allegheniensis](#) Britton

- Allegheny Mountain buttercup

- Eastern North America



[Ranunculus allenii](#)
B.L.Rob.

- Allen's buttercup

- Northern Canada

[Ranunculus alpestris](#) L.

- Alpine buttercup

- Europe



[Ranunculus ambigens](#)
S.Watson

- Waterplantain spearwort

- Eastern North America

[Ranunculus amphitrichus](#)
Colenso

- Small river buttercup

- Southeastern Australia



[Ranunculus amplexicaulis](#)
L.

- Clasping-leaf buttercup

- Iberian Peninsula[\[11\]](#)



[Ranunculus amplus](#)
[N.G.Walsh](#) &
[B.G.Briggs](#)[\[12\]](#)

- Lacey River buttercup

- Victoria, Australia

[Ranunculus andersonii](#) A.
Gray

- Anderson's buttercup

- Western United

- var. *andersonii*
- var. *juniperinus*
(Jones) S.L. Welsh
- var. *tenellus*
S. Watson

States

Ranunculus anemoneus
F. Muell.

- Anemone
buttercup [13]

- Alpine regions
of southeastern
Australia

Ranunculus anemonifolius auct. = *Ranunculus elegans*
Ranunculus aquatilis L.

- var. *aquatilis*
- var. *arcticus*
Durand
- var. *diffusus* With.
- Common water-
crowfoot
- White water-
crowfoot
- Europe
- Africa
- North America



Ranunculus arizonicus
Lemmon ex A. Gray

- var. *arizonicus*
- var. *subsagittatus*
A. Gray
- var. *subaffinis* A.
Gray
= *R. inamoenus*
var. *subaffinis*
- Arizona buttercup
- Southwestern
United States
- Mexico

Ranunculus arvensis L.

- var. *arvensis*
- var. *tuberculatus*
DC.
- var. *echinatissimus*
(Blatt.) Qureshi &
Chaudhri = *R.*
arvensis
- Corn buttercup
- Devil-on-all-sides
- Scratch bur
- Europe



Ranunculus asiaticus L.

- Persian buttercup
- Persian crowfoot
- Asian buttercup
- Eastern
Mediterranean
Basin



[Ranunculus auricomus](#) L.

- Goldilocks buttercup
- Greenland buttercup

- Northern Eurasia
- Greenland



[Ranunculus austro-oreganus](#) L. D. Benson

- Southern Oregon buttercup

- USA (southern [Oregon](#))

B

Species & synonyms

[Ranunculus barceloi](#) Grau (1984)

[Ranunculus baudotii](#)

Common names

Native range

Illustration

[Ranunculus bilobus](#) Bertol.



[Ranunculus biternatus](#) Sm.

- Antarctic buttercup

- Patagonia
- Subantarctic islands



[Ranunculus bonariensis](#) Poir.

- Carter's buttercup

- Chile,
- Argentina
- Central California

[Ranunculus borealis](#) Trautv.

[Ranunculus bulbosus](#) L.

- St Anthony's turnip
- Bulbous buttercup

- Europe



[Ranunculus bullatus](#)

- Autumn buttercup

- Mediterranean region



[Ranunculus bupleuroides](#)

- [Iberian Peninsula](#)



C

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus californicus</u> Benth.	• California buttercup	• California	
<u>Ranunculus canus</u> Benth.	• Sacramento Valley buttercup	• California	
<u>Ranunculus cardiophyllus</u> Hook.	• Heartleaf buttercup	• Western North America	
<u>Ranunculus carinthiacus</u>	• Carinthian buttercup	• Europe	
<u>Ranunculus cassubiciifolius</u>		• Europe	

[Ranunculus cassubicus](#)

- Kashubian buttercup

- Eastern Europe



[Ranunculus caucasicus](#)



[Ranunculus circinatus](#)

- Fan-leaved water-crowfoot

- Europe



[Ranunculus clivicola](#)
[B.G.Briggs](#)

- Alpine regions of southeastern Australia

[Ranunculus coloradensis](#)
(L. Benson) L. Benson

[Ranunculus cordiger](#)
Viviani

[Ranunculus cortusifolius](#)
Willd.

- Azores buttercup

[Ranunculus crassipes](#)

- Subantarctic buttercup

- Subantarctic region

D

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus degenii</u> Kümmerle & Jáv.			
<u>Ranunculus demissus</u> DC.			
<u>Ranunculus densiciliatus</u> W. T. Wang			
<u>Ranunculus dichotomus</u> Moc. & Sessé ex DC.			
<u>Ranunculus dielsianus</u> Ulbr.			
<u>Ranunculus diffusus</u> DC.			
<u>Ranunculus dingjieensis</u> L. Liou			
<u>Ranunculus dissectifolius</u> F.Muell.		• Alpine regions of southeastern Australia	

[Ranunculus dissectus](#) M.Bieb.

[Ranunculus distans](#) Royle

[Ranunculus dongrergensis](#) Hand.-
Mazz.

[Ranunculus donianus](#) Pritz.

E

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus elegans</u> C. Koch <u>Ranunculus eschscholtzii</u> Schltdl. • var. <i>eschscholtzii</i> • var. <i>eximius</i> (Greene) L.D.Benson • var. <i>helleri</i> (Rydb.) L.D. Benson • var. <i>oxynotus</i> (A. Gray) Jeps. • var. <i>suksdorfii</i> (A. Gray) L.D. Benson • var. <i>trisectus</i> (Eastw. ex B.L. Rob.) L.D. • var. <i>adoneus</i> (A.Gray) C.L.Hitchcock = <u>Ranunculus adoneus</u> • var. <i>alpinus</i> (S.Watson) C.L.Hitchcock = <u>Ranunculus adoneus</u>	• Eschscholtz's buttercup	• Western North America	
<u>Ranunculus extensus</u> (Hook. f.) Schilbe. ex Engl.			

F

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus falcatus</u> <u>auct.</u> non <u>L.</u> • <i>Ranunculus</i> <i>testiculatus</i> Crantz • <i>Ceratocephala falcata</i> auct. non (<u>L.</u>) Pers. • <i>Ceratocephala</i> <i>orthoceras</i> DC. • <u>Ceratocephala</u>	• Curveseed butterwort	• <u>Eurasia</u>	

testiculata (Crantz) Roth

Ranunculus fallax

- Europe



Ranunculus fascicularis

- Early buttercup

- Eastern North America



Ranunculus flabellaris

- Yellow water buttercup

- North America



Ranunculus flammula

- Lesser spearwort

- [Boreal Kingdom](#)



Ranunculus fluitans

- River water-crowfoot

- Europe



G

Species & synonyms

Common names

Native range

Illustration

[Ranunculus glaberrimus](#)

- Sagebrush buttercup

- Interior western North America



[Ranunculus glacialis](#)

- Glacier crowfoot
- Glacier buttercup

- Arctic-alpine Europe
- Siberia
- Alaska



[Ranunculus gmelinii](#)

- Gmelin's buttercup

- North America



[Ranunculus gormanii](#)

- Gorman's buttercup

- Oregon
- Northern California



[Ranunculus gramineus](#)

- Grassy-leaved buttercup

- Southern Europe



H

Species & synonyms

[Ranunculus harveyi](#) (A. Gray) Britton[14]

- var. *australis* (Brand) L.D. Benson

Common names

- Harvey's buttercup[15]

Native range

- south-central U.S.

Illustration

[Ranunculus hebecarpus](#)

Delicate buttercup

Western North America



[Ranunculus hederaceus](#)

Ivy-leaved crowfoot

Europe



[Ranunculus hispidus](#)

- Bristly buttercup
- Hispid buttercup
- Swamp buttercup

Eastern North America



[Ranunculus hybridus](#)

Hybrid buttercup

European Alps



[Ranunculus hydrocharoides](#)

- Frogbit buttercup
- Frog's bit buttercup

Western North America



[Ranunculus hyperboreus](#)

Rottb.

High northern
buttercup

Northern North
America



I

Species & synonyms

Common names

Native range

Illustration

[Ranunculus illyricus](#) L.
= *R. alexeenkoi* Grossh.
= *R. meridionalis* Grossh.[\[16\]](#)

Eastern Europe



[Ranunculus indivisus](#) (Maxim.)
Hand.-Mazz.

- var. *abaensis* (W. T. Wang) W.
T. Wang
- var. *indivisus*[\[17\]](#)

[Ranunculus insignis](#) Hook.f.

Korikori

New Zealand



[Ranunculus inundatus](#) R.Br. ex DC. river buttercup

Southeastern
Australia

J

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus japonicus</u> Thunb.	• mao gen	• China	A close-up photograph of a single yellow flower of Ranunculus japonicus.
<u>Ranunculus jovis</u>	• Utah buttercup	• Mountain west United States	A photograph of yellow flowers of Ranunculus jovis growing in a snowy, mountainous area.

K

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus kadzusensis</u>	• <u>Maehwamarum</u> • Korean water crowfoot	• Asia	

Ranunculus kuepferi



L

Species & synonyms	Common names	Native range	Illustration
<u><i>Ranunculus lanuginosus</i></u> L. <i>Ranunculus umbrosus</i> Ten.	- Woolly buttercup - Downy buttercup	Europe	
<u><i>Ranunculus lappaceus</i></u>	Australian buttercup	Eastern Australia	
<u><i>Ranunculus lapponicus</i></u>	Lapland buttercup	Arctic	
<u><i>Ranunculus lingua</i></u>	Greater spearwort	Eurasia	
<u><i>Ranunculus lobbii</i></u>	- Lobb's buttercup - Lobb's aquatic buttercup	Western North America	
<u><i>Ranunculus longirostris</i></u> Godr. =	Longbeak buttercup	North	

R. aquatilis var. *diffusus*
With.[18]

- White water-crowfoot

America

Ranunculus luminarius

- Italy

Ranunculus lyallii

- Mount Cook Lily
- Mount Cook buttercup
- Mountain buttercup

- New Zealand



M

Species & synonyms

Common names

Native range

Illustration

Ranunculus macounii

- Macoun's buttercup

- North America



Ranunculus macranthus

- Large buttercup

- North America



Ranunculus macrophyllus

- Large-leaf buttercup

- Europe



[Ranunculus micranthus](#) Nutt.

- Rock buttercup[\[19\]](#)
- Small-flowered crowfoot[\[20\]](#)

- United States



[Ranunculus millefolius](#)
Banks & Sol.[\[21\]](#)

- Jerusalem buttercup[\[22\]](#)
- Nurit

- Israel,
Lebanon,
Syria

[Ranunculus montanus](#)

- mountain buttercup

- Europe



[Ranunculus monophyllus](#)

- eastern Europe to subarctic Asia and northern China



[Ranunculus moseleyi](#)

- Moseley's buttercup

[Ranunculus muricatus](#)

- Spinyfruit buttercup

- Europe

N

Species & synonyms

Common names

Native range

Illustration

[Ranunculus nivalis](#) L.

- Snow buttercup

[Ranunculus nipponicus](#)

O

Species & synonyms

Common names

Native range

Illustration

[Ranunculus obtusiusculus](#)
Raf.

[Ranunculus occidentalis](#)

- Western buttercup

- Western North America



[Ranunculus ophioglossifolius](#)

- Badgeworth Buttercup

- Europe

[Ranunculus orthorhynchus](#)

- Straightbeak buttercup

- Western North America

[Ranunculus oz](#) Christenh. & Byng

- Australia

P

Species & synonyms

[Ranunculus pachyrrhizus](#)

Hook.f.

Common names

Native range

Illustration

[Ranunculus papulentus](#)

- Large River buttercup

- Southeastern Australia

[Ranunculus parviflorus](#)

- Smallflower buttercup

- Europe



Ranunculus pauperculus

Ovcz.

= [R. eschscholtzii](#)

- Eschscholtz's buttercup

- Western North America

[Ranunculus pedatifidus](#)

- Birdfoot buttercup
- Northern buttercup
- Surefoot buttercup

- Asia
- North America

[Ranunculus peduncularis](#)

- South America

Ranunculus peltatus

- Pond water crowfoot

- Europe
- Southwestern Asia
- Northern Africa



Ranunculus penicillatus

- Europe
- Morocco

Ranunculus penicillatus
ssp. pseudofluitans

- Southern UK (chalk streams)

Ranunculus pensylvanicus


- Pennsylvania buttercup

- North America

Ranunculus
pimpinellifolius Hook.

- Bog buttercup

- Eastern Australia



Ranunculus pinguis

- New Zealand (Auckland and Campbell Islands)

Ranunculus platanifolius

- Large white buttercup



Ranunculus polyanthemus

- Multiflowered buttercup

- Europe
- Central Asia
- Siberia

Ranunculus populago

- Popular buttercup
- Mountain Buttercup

- Pacific Northwest United States

[Ranunculus pusillus](#)

- Low spearwort

- Eastern United States



[Ranunculus pygmaeus](#)

- Pygmy buttercup


- Circumpolar Arctic



[Ranunculus pyrenaeus](#)

- Pyrenean buttercup

- Andorra
- France
- Spain



R

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus radicans</u>		• Siberia to northern China	
<u>Ranunculus recurvatus</u>	• Hooked crowfoot • Hooked buttercup	• Eastern North America	
<u>Ranunculus repens</u>	• Creeping buttercup	• Eurasia • Northwestern Africa	
<u>Ranunculus reptans</u> • <i>R. flammula</i> var. <i>filiformis</i>	• Greater creeping spearwort	• North America	

[Ranunculus rhomboideus](#)

- Prairie Buttercup

- North America



S

Species & synonyms	Common names	Native range	Illustration
<u>Ranunculus sardous</u>	• Hairy buttercup • Sardinian buttercup	• Europe	A close-up photograph of a single yellow flower with five petals, showing some green sepals at the base. The background is out of focus.
<u>Ranunculus sceleratus</u>	• Cursed buttercup • Celery-leaved buttercup	• Eurasia • North America	A photograph of a plant with several yellow flowers and green, deeply lobed leaves. The plant is growing in a natural, slightly rocky area.
<u>Ranunculus sequieri</u>	• Seguiet's buttercup	• Southeastern Europe	A photograph of a cluster of small white flowers with yellow centers, growing on green stems. The background is a blurred natural setting.
<u>Ranunculus septentrionalis</u>	• Swamp buttercup	• Eastern North America	A photograph of a single yellow flower with five petals, growing on a green stem with deeply lobed leaves. The background is dark and blurred.
<u>Ranunculus sericophyllus</u> Hook.f.	• Silky alpine buttercup[23] • Feathery-leaved buttercup[24]	• New Zealand	

Ranunculus siamensis

- Thailand, India, Nepal, Myanmar and Indochina



Ranunculus sieboldii

- Asia



Ranunculus silerifolius

- Eastern Asia

Ranunculus subrigidus

W.B.Drew

= *R. aquatilis* var. *diffusus*

Ranunculus sulphureus Sol.

ex C.J. Phipps

- White water-crowfoot

- var. *altaica* (Laxm.) Trautv.
- var. *sulphureus*
- var. *albertii* (Regel & Schmalh.) Maxim.
= *R. alberti*
- var. *intercedens* Hultén
= *R. sulphureus*

- Sulphur buttercup

- Alaska
- Canada
- Greenland



T

Species & synonyms

Common names

Native range

Illustration

[*Ranunculus thora*](#) L.

- Tora buttercup
- Europe



Ranunculus trichophyllus Chaix ex Vill. = [*R. aquatilis*](#) var. *diffusus* With.

[*Ranunculus trilobus*](#) Desf.

- Threelobe buttercup[25]
- Mediterranean

[*Ranunculus triternatus*](#) A.
Gray

[*Ranunculus trivedii*](#) Aswal
& Mehrotra

- Himalayas

[*Ranunculus turneri*](#) Greene

U

Species & synonyms	Common names	Native range	Illustration
--------------------	--------------	--------------	--------------

[*Ranunculus uncinatus*](#) D.Don

- | | |
|---|---|
| <ul style="list-style-type: none">• Woodland buttercup• Little buttercup | <ul style="list-style-type: none">• Western North America |
|---|---|



V

Species & synonyms	Common names	Native range	Illustration
--------------------	--------------	--------------	--------------

[*Ranunculus velutinus*](#) Ten.

[*Ranunculus venetus*](#) Huter ex
Landolt

[*Ranunculus verticillatus*](#)

- | | |
|---|---|
| <ul style="list-style-type: none">• Lobe-leaf buttercup | <ul style="list-style-type: none">• New Zealand |
|---|---|



[*Ranunculus victoriensis*](#)
B.G.Briggs

- | | |
|---|---|
| <ul style="list-style-type: none">• Victorian | <ul style="list-style-type: none">• Victoria, |
|---|---|

Buttercup

Australia

[*Ranunculus viridis*](#) H. D.
Wilson et Garn.-Jones

- Mt Allen
buttercup

- [Stewart Island](#),
New Zealand



[*Ranunculus vjatkensis*](#) Tzvelev

- European
Russia



W

Species & synonyms	Common names	Native range	Illustration
<i>Ranunculus wangianus</i> Q. E. Yang			
<i>Ranunculus weddellii</i> Lourteig			
<i>Ranunculus wettsteinii</i> Dörf.			
<i>Ranunculus weyleri</i> Marès			

X

Species & synonyms	Common names	Native range	Illustration
<i>Ranunculus xinningensis</i> W. T. Wang			

Y

Species & synonyms	Common names	Native range	Illustration
<i>Ranunculus yanshanensis</i> W.T.Wang			
<i>Ranunculus yaoanus</i> W.T.Wang			
<i>Ranunculus yechengensis</i> W. T. Wang			
<i>Ranunculus yinshanicus</i> (Y. Z. Zhao) Y. Z. Zhao			
<i>Ranunculus yunnanensis</i> Franch.			

Z

Species & synonyms	Common names	Native range	Illustration
<i>Ranunculus zhungdianensis</i> W. T. Wang			

From Wikipedia, the free encyclopedia

As of November 2024, [World Flora Online](#) accepted 236 species in the [liverwort](#) genus [Radula](#).^[1]

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [Radula acuminata](#) Steph.
- [Radula acuta](#) Mitt.
- [Radula acutangula](#) Steph.
- [Radula acutiloba](#) Steph.
- [Radula aguirrei](#) R.M.Schust. ex M.A.M.Renner
- [Radula allisonii](#) Castle

- [Radula amentulosa](#) Mitt.
- [Radula amoena](#) Herzog
- [Radula anceps](#) Sande Lac.
- [Radula aneurysmalis](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees
- [Radula angulata](#) Steph.
- [Radula anisotoma](#) M.A.M.Renner
- [Radula appressa](#) Mitt.
- [Radula aquilegia](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees
- [Radula assamica](#) Steph.
- [Radula australiana](#) K.Yamada
- [Radula australis](#) Austin

B

- [Radula bahiensis](#) F.R.Oliveira-da-Silva, Ilk.-Borg. & Gradst.
- [Radula bischlerae](#) Gradst. & Ilk.-Borg.
- [Radula bolanderi](#) Gottsche ex Steph.
- [Radula boninensis](#) Furuki & K.Yamada
- [Radula borneensis](#) Steph.
- [Radula brasiliica](#) K.Yamada
- [Radula buccinifera](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees

C



Radula complanata

- [Radula caduca](#) K.Yamada
- [Radula camerunensis](#) Pócs & Döbbeler
- [Radula campanulata](#) Lindenb. & Gottsche
- [Radula carringtonii](#) J.B.Jack
- [Radula castlei](#) Grolle

- [Radula cavifolia](#) Hampe
- [Radula ceylanica](#) K.Yamada
- [Radula cochabambaensis](#) K.Yamada
- [Radula complanata](#) (L.) Dumort.
- [Radula conferta](#) Lindenb. & Gottsche
- [Radula constricta](#) Steph.
- [Radula cordata](#) Mitt.
- [Radula costaricensis](#) Gottsche
- [Radula crenulata](#) Schiffn.
- [Radula cubensis](#) K.Yamada
- [Radula curvilobula](#) M.L.So
- [Radula cuspidata](#) Steph.

D

- [Radula decora](#) Gottsche ex Steph.
- [Radula decurrens](#) Mitt.
- [Radula deflexilobula](#) Promma, L.N.Zhang & R.L.Zhu
- [Radula demissa](#) M.A.M.Renner
- [Radula densifolia](#) Castle
- [Radula diaphana](#) K.I.Goebel
- [Radula diversifolia](#) Steph.
- [Radula dolabrata](#) K.Yamada

E

- [Radula eggertii](#) K.Yamada
- [Radula elliottii](#) Castle
- [Radula emarginata](#) K.Yamada & Piippo
- [Radula episcia](#) Spruce
- [Radula evansii](#) Castle
- [Radula evelynae](#) K.Yamada

F

- [Radula falcata](#) Steph.
- [Radula fauriana](#) Steph.
- [Radula fendleri](#) Gottsche ex Steph.
- [Radula fernandezana](#) Steph.
- [Radula fissifolia](#) Steph.
- [Radula flaccida](#) Lindenb. & Gottsche
- [Radula flavifolia](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees
- [Radula floridana](#) Castle

- [*Radula forficata*](#) M.A.M.Renner
- [*Radula formosa*](#) (C.F.W.Meissn. ex Spreng.) Nees
- [*Radula fujitae*](#) Furuki
- [*Radula fulvifolia*](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees

G

- [*Radula galapagona*](#) Steph.
- [*Radula gedena*](#) Steph.
- [*Radula gradsteinii*](#) K.Yamada
- [*Radula grandifolia*](#) Steph.
- [*Radula grandilobula*](#) Promma & Chantanaorr.
- [*Radula grandis*](#) Steph.
- [*Radula grevilleana*](#) Taylor
- [*Radula grollei*](#) K.Yamada & Piippo
- [*Radula guyanensis*](#) K.Yamada

H

- [*Radula hainanensis*](#) L.N.Zhang & R.L.Zhu
- [*Radula hastata*](#) Steph.
- [*Radula hattorii*](#) K.Yamada
- [*Radula hawaiiica*](#) M.L.So
- [*Radula hedingeri*](#) K.I.Goebel
- [*Radula helix*](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees
- [*Radula hicksiae*](#) K.Yamada
- [*Radula holtii*](#) Spruce
- [*Radula husnotii*](#) Castle

I

- [*Radula imposita*](#) M.A.M.Renner
- [*Radula inflexa*](#) Gottsche ex Steph.
- [*Radula inoueii*](#) K.Yamada
- [*Radula involvens*](#) Spruce
- [*Radula iwatsukiana*](#) K.Yamada
- [*Radula iwatsukii*](#) K.Yamada

J

- [*Radula jamaicensis*](#) Pearson
- [*Radula jamesonii*](#) Taylor
- [*Radula japonica*](#) Gottsche ex Steph.

- [*Radula javanica*](#) Gottsche
- [*Radula jonesii*](#) Bouman, Dirkse & K.Yamada
- [*Radula jovetiana*](#) K.Yamada
- [*Radula juddii*](#) K.Yamada

K

- [*Radula kilgourii*](#) M.A.M.Renner
- [*Radula kinabaluensis*](#) K.Yamada
- [*Radula kitagawae*](#) K.Yamada
- [*Radula kojana*](#) Steph.
- [*Radula koponenii*](#) K.Yamada & Piippo
- [*Radula kurzii*](#) Steph.

L

- [*Radula lacerata*](#) Steph.
- [*Radula laxiramea*](#) Steph.
- [*Radula leiboldii*](#) Steph.
- [*Radula lewisii*](#) K.Yamada
- [*Radula ligula*](#) Steph.
- [*Radula lindenbergiana*](#) Gottsche ex C.Hartm.
- [*Radula lingulata*](#) Gottsche
- [*Radula longiloba*](#) K.Yamada
- [*Radula longispica*](#) Steph.
- [*Radula loriana*](#) Castle

M

- [*Radula macrodonta*](#) Stephani
- [*Radula madagascariensis*](#) Gottsche
- [*Radula mammosa*](#) Spruce
- [*Radula marginata*](#) Gottsche, Lindenb. & Nees
- [*Radula marojezica*](#) E.W.Jones
- [*Radula mauiensis*](#) M.L.So
- [*Radula mexicana*](#) Lindenb. & Gottsche
- [*Radula microloba*](#) Gottsche
- [*Radula microlobula*](#) Castle
- [*Radula minutilobula*](#) K.Yamada & Piippo
- [*Radula mittenii*](#) Steph.
- [*Radula mizutanii*](#) K.Yamada
- [*Radula morobeana*](#) K.Yamada & Piippo
- [*Radula multiamentula*](#) E.A.Hodgs.

- [*Radula multiflora*](#) Gottsche ex Schiffn.
- [*Radula myriopoda*](#) M.A.M.Renner

N

- [*Radula neotropica*](#) Castle
- [*Radula nigra*](#) Pearson
- [*Radula nilgiriensis*](#) Udar & D.Kumar
- [*Radula norrisii*](#) K.Yamada & Piippo
- [*Radula notabilis*](#) M.A.M.Renner
- [*Radula novaehollandiae*](#) Hampe ex Lehm.
- [*Radula novivrieseana*](#) K.Yamada
- [*Radula novocaledonica*](#) Hürle & K.Yamada
- [*Radula novocaledoniensis*](#) K.Yamada
- [*Radula novoguineensis*](#) K.Yamada & Piippo
- [*Radula nudicaulis*](#) Steph.
- [*Radula nymanii*](#) Steph.

O

- [*Radula obconica*](#) Sull.
- [*Radula obscura*](#) Mitt.
- [*Radula obtusiloba*](#) Steph.
- [*Radula oceania*](#) Castle
- [*Radula ocellata*](#) K.Yamada
- [*Radula okamurana*](#) Steph.
- [*Radula onraedtii*](#) K.Yamada
- [*Radula opaciuscula*](#) (Spruce) Castle
- [*Radula oreopsis*](#) M.A.M.Renner
- [*Radula ornata*](#) E.A.Br. & Pócs
- [*Radula ovalilobula*](#) K.Yamada
- [*Radula oyamensis*](#) Steph.

P

- [*Radula paganii*](#) Castle
- [*Radula pallens*](#) (Sw.) Nees ex Mont.
- [*Radula pandei*](#) Udar & Dh.Kumar
- [*Radula patens*](#) K.Yamada
- [*Radula peruviana*](#) K.Yamada
- [*Radula philippinensis*](#) K.Yamada
- [*Radula physoloba*](#) Mont.
- [*Radula pinnata*](#) Pócs

- [Radula pinnulata](#) Mitt.
- [Radula plicata](#) Mitt.
- [Radula pocsii](#) K.Yamada
- [Radula portoricensis](#) Steph.
- [Radula prolifera](#) Arnell
- [Radula protensa](#) Lindenb.
- [Radula pseudoflaccida](#) E.W.Jones
- [Radula pseudoscripta](#) M.A.M.Renner
- [Radula pseudostachya](#) Spruce
- [Radula psychosis](#) M.A.M.Renner
- [Radula pugioniformis](#) M.A.M.Renner
- [Radula pulchella](#) Mitt. ex Steph.
- [Radula punctata](#) Steph.
- [Radula pusilla](#) Spruce

Q

- [Radula quadrata](#) Gottsche
- [Radula queenslandica](#) K.Yamada

R

- [Radula ratkowskiana](#) K.Yamada
- [Radula recubans](#) Taylor
- [Radula reflexa](#) Nees & Mont.
- [Radula renneri](#) F.R.Oliveira-da-Silva, Ilk.-Borg. & Gradst.
- [Radula retroflexa](#) Taylor
- [Radula rhombiloba](#) Steph.
- [Radula robinsonii](#) Steph.
- [Radula rupicola](#) K.Yamada

S

- [Radula saccatiloba](#) Steph.
- [Radula santacruziana](#) K.Yamada & Gradst.
- [Radula scariosa](#) Mitt.
- [Radula schofieldiana](#) K.Yamada
- [Radula shaefer-verwimpai](#) K.Yamada
- [Radula sharpii](#) K.Yamada
- [Radula sinskeana](#) K.Yamada
- [Radula sinuata](#) Gottsche ex Steph.
- [Radula smithii](#) F.R.Oliveira-da-Silva, Ilk.-Borg. & Gradst.
- [Radula socorana](#) Gerola

- [*Radula sonsonensis*](#) Steph.
- [*Radula splendida*](#) M.A.M.Renner & Devos
- [*Radula squarrosa*](#) K.Yamada
- [*Radula stellatogemmipara*](#) C.Gao & Y.Huan Wu
- [*Radula stenocalyx*](#) Mont.
- [*Radula strangulata*](#) Hook.f. & Taylor
- [*Radula striata*](#) Mitt. ex Steph.
- [*Radula subacuminata*](#) L.N.Zhang & R.L.Zhu
- [*Radula subinflata*](#) Lindenb. & Gottsche
- [*Radula subsquarrosa*](#) S.W.Arnell
- [*Radula sullivantii*](#) Austin
- [*Radula sumatrana*](#) Steph.

T

- [*Radula tabularis*](#) Steph.
- [*Radula tasmanica*](#) Steph.
- [*Radula taylori*](#) Steph.
- [*Radula tectiloba*](#) Steph.
- [*Radula tenera*](#) Mitt. ex Steph.
- [*Radula tenuis*](#) K.Yamada
- [*Radula thiersiae*](#) K.Yamada
- [*Radula tjibodensis*](#) K.I.Goebel
- [*Radula tokiensis*](#) Steph.
- [*Radula tonitrua*](#) Pócs & M.A.M.Renner

U

- [*Radula underwoodii*](#) Castle
- [*Radula uvifera*](#) (Hook.f. & Taylor) Gottsche, Lindenb. & Nees

V

- [*Radula van-zantenii*](#) K.Yamada
- [*Radula varilobula*](#) Castle
- [*Radula venezuelensis*](#) K.Yamada
- [*Radula ventricosa*](#) Steph.
- [*Radula verrucosa*](#) K.Yamada
- [*Radula vieillardii*](#) Gottsche ex Steph.
- [*Radula visianica*](#) C.Massal.
- [*Radula voluta*](#) Taylor ex Gottsche, Lindenb. & Nees
- [*Radula vrieseana*](#) Sande Lac.

W

- [*Radula weymouthiana*](#) Steph.
- [*Radula wichurae*](#) Steph.
- [*Radula wrightii*](#) Castle

X

- [*Radula xalapensis*](#) Nees & Mont.

Y

- [*Radula yamadae*](#) F.R.Oliveira-da-Silva & Ilk.-Borg.
- [*Radula yangii*](#) K.Yamada
- [*Radula yanoella*](#) R.M.Schust.

References

From Wikipedia, the free encyclopedia

The genus [*Quercus*](#) contains about 500 known species, plus about 180 hybrids between them.^[1] The genus, as is the case with many [large genera](#), is [divided](#) into [subgenera](#) and [sections](#). Traditionally, the genus *Quercus* was divided into the two subgenera *Cyclobalanopsis*, the ring-cupped oaks, and *Quercus*, which included all the other sections. However, a comprehensive revision in 2017 identified different relationships.^[2] Now the genus is commonly divided into a subgenus *Quercus* and a subgenus *Cerris*, with *Cyclobalanopsis* included in the latter. The sections of subgenus *Quercus* are mostly native to the [New World](#), with the notable exception of the white oaks of sect. *Quercus* and the endemic [*Quercus pontica*](#). In contrast, the sections of the subgenus *Cerris* are exclusively native to the [Old World](#).^[2]

Unless otherwise indicated, the lists which follow contain all the species accepted by [Plants of the World Online](#) as of February 2023, plus selected hybrids that are also accepted,^[1] with placement into sections based on a list produced by Denk et al. for their 2017 classification of the genus.^[3]

Legend

Species with [evergreen](#) foliage ("[live oaks](#)") are tagged '#'. Species in the genus have been recategorized between [deciduous](#) and evergreen on numerous occasions, although this does not necessarily mean that species in the two groups are closely related.

Subgenus *Quercus*

Section *Quercus*

See also: [Quercus subg. Quercus § Section Quercus](#)


Section *Mesobalanus* was included in section *Quercus* in the 2017 classification used here. Other synonyms include *Q. sect. Albae* and *Q. sect. Macrocarpae*. The section comprises the white oaks from Europe, Asia, north Africa, Central and North America.^[2] Styles short; acorns mature in 6 months, sweet or slightly bitter, inside of acorn shell hairless.^{[[citation needed](#)]}

- [Quercus aculcingensis](#) Trel. – [Mexico](#)
- [Quercus ajoensis](#) C.H.Mull. – Ajo Mountain shrub oak, Blue shrub oak – [Arizona](#), [New Mexico](#), [Baja California](#)
- [Quercus alba](#) L. – white oak – eastern and central [North America](#)
- [Quercus aliena](#) Blume – Oriental white oak – eastern [Asia](#)
- [Quercus alpestris](#) Trel. – Mexico
- [Quercus ariifolia](#) Trel. – Mexico ([Sierra Madre Oriental](#))
- [Quercus arizonica](#) Sarg. – Arizona white oak – # southwestern [U.S.](#), northwestern Mexico
- [Quercus austrina](#) Small – bluff oak – southeastern North America
- [Quercus × basaseachicensis](#) C.H.Mull. – Mexico ([Chihuahua](#), [Durango](#))
- [Quercus × bebbiana](#) C.K.Schneid. — Bebb's oak — northeastern North America
- [Quercus berberidifolia](#) Liebm. – California scrub oak – # California
- [Quercus bicolor](#) Willd. – swamp white oak – eastern and midwestern North America
- [Quercus × bimundorum](#) E.J.Palmer - two worlds oak - U.S.
- [Quercus boyntonii](#) Beadle – Boynton's post oak – south central North America
- [Quercus canariensis](#) Willd. – Mirbeck's oak or Algerian oak – # North [Africa](#) & [Spain](#)
- [Quercus carmenensis](#) C.H.Mull. – Carmen oak – [Coahuila](#) and [Texas](#)
- [Quercus × cerrioides](#) Willk. & Costa – east Spain
- [Quercus chapmanii](#) Sarg. – Chapman oak – # southeastern U.S.
- [Quercus chartacea](#) Trel. – Southern Mexico
- [Quercus chihuahuensis](#) Trel. – Chihuahua oak – northern Mexico and [Texas](#)
- [Quercus congesta](#) C.Presl – Italy
- [Quercus convallata](#) Trel. – Mexico
- [Quercus copeyensis](#) C.H.Mull. – # [Costa Rica](#), [Panama](#)
- [Quercus cornelius-mulleri](#) Nixon & K.P.Steele – Muller oak – # southwestern North America
- [Quercus corrugata](#) Hook. – Mexico, Central America
- [Quercus dalechampii](#) Ten. – southeastern Europe
- [Quercus deliquescens](#) C.H.Mull. – Mexico
- [Quercus dentata](#) Thunb. – daimyo oak – eastern Asia
- [Quercus depressipes](#) Trel. – Davis Mountain oak – northern Mexico and Texas
- [Quercus deserticola](#) Trel. – # Mexico
- [Quercus diversifolia](#) Née – Mexico
- [Quercus douglasii](#) Hook. & Arn. – blue oak – California

- [*Quercus dumosa*](#) Nutt. – coastal scrub oak – # southern California, Baja California, Arizona
- [*Quercus durata*](#) Jeps. – leather oak – # California
- [*Quercus edwardsiae*](#) C.H.Mull. – Mexico
- [*Quercus engelmannii*](#) Greene – Engelmann oak – # southern California, Baja California
- [*Quercus estremadurensis*](#) O.Schwarz – Portugal, Spain, Morocco
- [*Quercus fabrei*](#) Hance – Faber's oak – central to southern China
- [*Quercus faginea*](#) Lam. – Portuguese oak – # southwestern Europe
- [*Quercus frainetto*](#) Ten. — Hungarian oak — southeastern Europe
- [*Quercus frutex*](#) Trel. – Mexico
- †[*Quercus furuhjelmi*](#) — Eocene to Miocene - Alaska, Kazakhstan
- [*Quercus gambelii*](#) Nutt. – Gambel oak – southwestern North America
- [*Quercus garryana*](#) Douglas ex Hook. – Oregon white oak or Garry oak – western North America
- [*Quercus germana*](#) Schltdl. & Cham. – Mexico
- [*Quercus glabrescens*](#) Benth. – Mexico
- [*Quercus glaucescens*](#) Bonpl. – encino blanco – Mexico
- [*Quercus glaucooides*](#) M.Martens & Galeotti – # Mexico
- [*Quercus greggii*](#) (A.DC.) Trel. – # Mexico
- [*Quercus griffithii*](#) Hook.f. & Thomson ex Miq. – southeast Asia
- [*Quercus grisea*](#) Liebm. – gray oak – # southwestern North America
- [*Quercus hartwissiana*](#) Steven – Strandzha oak – southeastern [Bulgaria](#), northern [Turkey](#), western [Georgia](#), southwestern [Russia](#)
- [*Quercus havardii*](#) Rydb. – Havard oak, shinnery oak, shin oak – south central North America
- †[*Quercus hiholensis*](#) — Miocene — # Washington State[4]
- [*Quercus hinckleyi*](#) C.H.Mull. – Hinckley oak – # Texas, northwestern Mexico
- [*Quercus ichnusae*](#) Mossa, Bacch. & Brullo – Sardinia
- [*Quercus infectoria*](#) G.Olivier – Aleppo oak, Cyprus oak – southern Europe, southwestern Asia
- [*Quercus insignis*](#) M.Martens & Galeotti – Mexico, Belize, Costa Rica, Guatemala, Panama
- [*Quercus intricata*](#) Trel. – Coahuila scrub oak – # two isolated localities in west Texas, northern [Mexico](#)
- [*Quercus invaginata*](#) Trel. – Mexico
- [*Quercus john-tuckeri*](#) Nixon & C.H.Mull. – Tucker's oak – California
- [*Quercus juergensenii*](#) Liebm. – Mexico
- [*Quercus kotschyana*](#) O.Schwarz – Lebanon
- [*Quercus laceyi*](#) Small – lacey oak – Edwards Plateau of Texas, northern Mexico
- [*Quercus laeta*](#) Liebm. – Mexico
- [*Quercus lancifolia*](#) Schltdl. & Cham. – southwestern North America, Mexico, South America
- [*Quercus liebmannii*](#) Oerst. ex Trel. — Mexico
- [*Quercus lobata*](#) Née – valley oak or California white oak – California
- [*Quercus lusitanica*](#) Lam. – gall oak or Lusitanian oak – Iberia, North Africa
- [*Quercus lyrata*](#) Walter – overcup oak – eastern North America
- [*Quercus* × *macdonaldii*](#) Greene & Kellogg – California
- [*Quercus macdougalii*](#) Martínez – Mexico

- [*Quercus macranthera*](#) Fisch. & C.A.Mey. ex Hohen. – Caucasian oak or Persian oak – western Asia
- [*Quercus macrocarpa*](#) Michx. – bur oak – eastern and central North America
- [*Quercus magnoliifolia*](#) Née – Mexico
- [*Quercus manzanillana*](#) Trel. – Mexico
- [*Quercus margarettae*](#) (also *Q. margarettiae* and *Q. margarettiae*) — sand post oak — southeastern North America
- [*Quercus martinezii*](#) C.H.Mull. – # Mexico
- [*Quercus michauxii*](#) Nutt. – swamp chestnut oak – eastern North America
- [*Quercus microphylla*](#) Née – Mexico
- [*Quercus mohriana*](#) Buckley ex Rydb. – Mohr oak – # southwestern North America
- [*Quercus mongolica*](#) Fisch. ex Ledeb. – Mongolian oak – eastern Asia
- [*Quercus monnula*](#) Y.C.Hsu & H.Wei Jen – south-central China
- [*Quercus montana*](#) Willd. – chestnut oak – eastern North America (= *Quercus prinus*)
- [*Quercus muehlenbergii*](#) Engelm. – Chinkapin oak – eastern, central, and southwestern US (West Texas and [New Mexico](#)), northern Mexico
- [*Quercus ningqiangensis*](#) S.Z.Qu & W.H.Zhang – southeastern China
- [*Quercus oblongifolia*](#) Torr. – Arizona blue oak, Southwestern blue oak, or Mexican blue oak – # southwestern U.S., northwestern Mexico
- [*Quercus obtusata*](#) Bonpl. – Mexico
- [*Quercus oglethorpensis*](#) W.H.Duncan – Oglethorpe oak – southeastern North America
- [*Quercus oocarpa*](#) Liebm. – Mexico
- [*Quercus opaca*](#) Trel. – Mexico
- [*Quercus pacifica*](#) Nixon & C.H.Mull. – # Channel Islands, California
- [*Quercus peduncularis*](#) Née – # Central America
- [*Quercus perpallida*](#) Trel. – Mexico
- [*Quercus petraea*](#) (Matt.) Liebl. – sessile oak, durmast oak – Europe, [Anatolia](#)
 - [*Quercus petraea* subsp. *polycarpa*](#) (Schur) Soó - Georgian oak - Austria to Iran and the [Caucasus](#)
 - [*Quercus petraea* subsp. *pinnatiloba*](#) (K.Koch) Menitsky - Lebanon-Syria, Turkey, [South Caucasus](#)
- [*Quercus polymorpha*](#) Schltdl. & Cham. – Monterrey oak, Mexican white oak – # Mexico and extreme S. Texas
- [*Quercus porphyrogenita*](#) Trel. – Mexico
- [*Quercus potosina*](#) Trel. – Mexico
- [*Quercus praeco*](#) Trel. – Mexico
- [*Quercus pringlei*](#) Seemen ex Loes. – Mexico
- [*Quercus prinoides*](#) Willd. – dwarf chinkapin oak – eastern North America
- [*Quercus pubescens*](#) Willd. – downy oak or Italian oak – Europe, Anatolia
- [*Quercus pungens*](#) Liebm. – sandpaper oak or pungens oak – southwestern U.S., Mexico
- [*Quercus purulhana*](#) Trel. – Mexico, Central America
- [*Quercus pyrenaica*](#) Willd. – Pyrenean oak – southwestern Europe
- [*Quercus rekonis*](#) Trel. – Mexico

- [*Quercus repanda*](#) Bonpl. — Mexico
- [*Quercus resinosa*](#) Liebm. — Mexico
- [*Quercus robur*](#) L. — pedunculate oak, English oak or French oak — Europe, West Asia
- [*Quercus rugosa*](#) Née — netleaf oak or Rugosa oak — # southwestern U.S., northwestern Mexico
- [*Quercus* × *schuettei*](#) Trel. — Schuette's oak — US, Canada
- [*Quercus sebifera*](#) Trel. — # Mexico
- [*Quercus segoviensis*](#) Liebm. — Mexico and northern Central America
- [*Quercus serrata*](#) Murray — bao li — # China, Taiwan, Japan, Korea
- [*Quercus shennongii*](#) C.C.Huang & S.H.Fu — southeastern China
- [*Quercus shingjenensis*](#) Y.T.Chang — China (Guizhou)
- [*Quercus similis*](#) Ashe — swamp post oak — southeastern North America
- [*Quercus sinuata*](#) Walter — bastard oak — southern US (formerly identified as *Quercus durandii*)
- [*Quercus sororia*](#) Liebm. — Mexico
- [*Quercus stellata*](#) Wangerh. — post oak — eastern North America
- [*Quercus striatula*](#) Trel. — Mexico ([Sierra Madre Occidental](#) and [Mexican Plateau](#) ranges)
- [*Quercus subspathulata*](#) Trel. — Mexico
- [*Quercus supranitida*](#) C.H.Mull. — Mexico
- [*Quercus tinkhamii*](#) C.H.Mull. — Mexico
- [*Quercus toumeyii*](#) Sarg. — Toumey oak — # southwest New Mexico, southeastern Arizona, northern Mexico
- [*Quercus tuberculata*](#) Liebm. — Mexico
- [*Quercus turbinella*](#) Greene — turbinella oak, Arizona Blue Shrub oak, Shrub live oak or scrub live oak — # southwestern North America
- [*Quercus vaseyana*](#) Buckley — Vasey oak — # southwestern North America
- [*Quercus verde*](#) C.H.Mull. — Mexico
- [*Quercus vicentensis*](#) Trel. — El Salvador, Guatemala, and southern Mexico
- [*Quercus vulcanica*](#) Boiss. & Heldr. ex Kotschy — Kasnak oak — southwestern Asia
- [*Quercus welshii*](#) R.A.Denham — havard oak, Utah sand oak, wavy leaf oak — # southwestern North America
- [*Quercus wutaishanica*](#) Mayr — Liaoning oak — China, Mongolia
- [*Quercus xylinga*](#) Scheidw. — Mexico[5]



[*Quercus hiholensis*](#) acorn in matrix

Section *Ponticae*

See also: [Quercus subg. Quercus § Section Ponticae](#)

Species are native to Western Asia and Western North America. They produce catkins up to 10cm long; the acorns mature annually.[2]

- [*Quercus pontica*](#) — Pontine oak — western Asia
- [*Quercus sadleriana*](#) — deer oak — # southwestern Oregon, northern [California](#)

Section *Protobalanus*

See also: [*Quercus* subg. *Quercus* § Section *Protobalanus*](#)

The **intermediate oaks**. Southwest USA and northwest Mexico. Styles short, acorns mature in 18 months, very bitter, inside of acorn shell woolly.[[citation needed](#)]

- [*Quercus cedrosensis*](#) — Cedros Island oak — # [California](#), [Baja California](#)
- [*Quercus chrysolepis*](#) — canyon live oak — # southwestern North America
- [*Quercus palmeri*](#) — Palmer oak — # California, western [Arizona](#)
- [*Quercus tomentella*](#) — island oak — # [Channel Islands of California](#), Baja California ([Guadalupe Island](#))
- [*Quercus vaccinifolia*](#) — huckleberry oak — # southwestern North America

Section *Lobatae*

See also: [*Quercus* subg. *Quercus* § Section *Lobatae*](#)

The **red oaks** (synonym sect. *Erythrobalanus*), native to North, Central and South America.[2] Styles long, acorns mature in 18 months (in most species),[6] very bitter, inside of acorn shell woolly.[[citation needed](#)]

- [*Quercus acatenangensis*](#) Trel. — Mexico, Guatemala, El Salvador
- [*Quercus acerifolia*](#) (E.J.Palmer) Stoyanoff & W.J.Hess ex R.J.Jensen — maple-leaved oak or mapleleaf oak — Arkansas
- [*Quercus acherdophylla*](#) Trel. — # Mexico
- [*Quercus acutangula*](#) Trel. — Mexico
- [*Quercus acutifolia*](#), syn. *Quercus conspersa* — Mexico
- [*Quercus aerea*](#) Trel. — Mexico
- [*Quercus affinis*](#) Scheidw. — # Mexico
- [*Quercus agrifolia*](#) Née — coast live oak — # California, northern Baja California
- [*Quercus albocincta*](#) Trel. — Mexico ([Sierra Madre Occidental](#))
- [*Quercus aristata*](#) Hook. & Arn. — Mexico
- [*Quercus arkansana*](#) Sarg. — Arkansas oak — southeastern North America
- [*Quercus benthamii*](#) A.DC. — # southern Mexico and Central America
- [*Quercus brenesii*](#) Trel. — Costa Rica, Mexico
- [*Quercus buckleyi*](#) Nixon & Dorr — Texas red oak — south central North America
- [*Quercus calophylla*](#) Schltdl. & Cham. — Mexico
- [*Quercus canbyi*](#) Trel. (syn. *Quercus graciliformis*) — Canby oak or Mexican red oak — # Texas, Mexico
- [*Quercus castanea*](#) Née — # Mexico

- [*Quercus charcasana*](#) Trel. ex A.Camus – Mexico
- [*Quercus chimaltenangana*](#) Trel. – Guatemala
- [*Quercus coahuilensis*](#) Nixon & C.H.Mull. – Mexico
- [*Quercus coccinea*](#) Münchh. – scarlet oak – eastern North America
- [*Quercus coffeicolor*](#) Trel. – Mexico
- [*Quercus confertifolia*](#) Bonpl. (syn. *Quercus gentryi*) — Mexico
- [*Quercus konzattii*](#) Trel. – Mexico
- [*Quercus cortesii*](#) Liebm. – # southern Mexico and Central America
- [*Quercus costaricensis*](#) Liebm. – # Costa Rica, Panama
- [*Quercus crassifolia*](#) Bonpl. – Mexico
- [*Quercus crassipes*](#) Bonpl. – Mexico
- [*Quercus crispifolia*](#) Trel. — Mexico
- [*Quercus crispipilis*](#) Trel. – Mexico, Guatemala
- [*Quercus cualensis*](#) L.M.González – # Mexico ([Sierra Madre del Sur](#))
- [*Quercus delgadoana*](#) S.Valencia, Nixon & L.M.Kelly – Mexico
- [*Quercus depressa*](#) Bonpl. – Mexico
- [*Quercus devia*](#) Goldman – Mexico (Baja California Peninsula)
- [*Quercus durifolia*](#) Seemen ex Loes. – Mexico ([Sierra Madre Occidental](#))
- [*Quercus* × *dysophylla*](#) — Mexico
- [*Quercus eduardi*](#) Trel. — Mexico
- [*Quercus ellipsoidalis*](#) E.J.Hill – northern pin oak – eastern North America
- [*Quercus elliptica*](#) Née – Mexico
- [*Quercus emoryi*](#) Torr. – Emory oak – # southwestern U.S., northern Mexico
- [*Quercus falcata*](#) Michx. – southern red oak or Spanish oak – southeastern North America
- [*Quercus floccosa*](#) Liebm. – Mexico
- [*Quercus flocculenta*](#) C.H.Mull. — Mexico
- [*Quercus fulva*](#) Liebm. – Mexico
- [*Quercus furfuracea*](#) Liebm. – Mexico
- [*Quercus galeanensis*](#) C.H.Mull. – Mexico
- [*Quercus georgiana*](#) M.A.Curtis – Georgia oak – southeastern North America
- [*Quercus gracilior*](#) C.H.Mull. – Honduras
- [*Quercus grahamii*](#) Benth. – Mexico
- [*Quercus gravesii*](#) Sudw. – Chisos red oak or Graves oak – Mexico, southwestern North America (Texas)
- [*Quercus gulielmi-treleasei*](#) C.H.Mull. – Costa Rica to western Panama
- [*Quercus hemisphaerica*](#) W.Bartram ex Willd. – laurel oak or Darlington oak – # southeastern North America
- [*Quercus hintonii*](#) E.F.Warb. – Mexico
- [*Quercus hintoniorum*](#) Nixon & C.H.Mull. – # Mexico
- [*Quercus hirtifolia*](#) M.L.Vázquez, S.Valencia & Nixon – # Mexico
- [*Quercus humboldtii*](#) Bonpl. – Andean oak – # northern South America (Colombia & Panama)
- [*Quercus hypoleucoides*](#) A.Camus – silverleaf oak – # southwestern North America

- [*Quercus hypoxantha*](#) Trel. – # Mexico
- [*Quercus ignaciensis*](#) C.H.Mull. – Sonora
- [*Quercus ilicifolia*](#) Wangerh. – bear oak – eastern North America
- [*Quercus iltisii*](#) L.M.González – western Mexico
- [*Quercus imbricaria*](#) Michx. – shingle oak – eastern North America
- [*Quercus incana*](#) W.Bartram – bluejack oak – southeastern North America
- [*Quercus inopina*](#) Ashe – sandhill oak – Florida
- [*Quercus jonesii*](#) Trel. – northern Mexico
- [*Quercus kelloggii*](#) Newb. – California black oak – California, southwestern Oregon
- [*Quercus laevis*](#) Walter – turkey oak – southeastern North America
- [*Quercus laurifolia*](#) Michx. – laurel oak – # southeastern North America
- [*Quercus laurina*](#) Bonpl. – # Mexico
- [*Quercus marilandica*](#) (L.) Münchh. – blackjack oak – eastern North America
- [*Quercus mcvaughii*](#) Spellm. (orth. var. *Q. macvaughii*) — Mexico (northern and central [Sierra Madre Occidental](#))
- [*Quercus mexicana*](#) Bonpl. – Mexico
- [*Quercus miquihuanensis*](#) Nixon & C.H.Mull. – Mexico ([Sierra Madre Oriental](#))
- [*Quercus mulleri*](#) Martínez – Mexico
- [*Quercus myrtifolia*](#) Willd. – myrtle oak – # southeastern North America
- [*Quercus nigra*](#) L. – water oak – # eastern North America
- [*Quercus nixoniana*](#) S.Valencia & Lozada-Pérez – Mexico
- [*Quercus pagoda*](#) Raf. – cherrybark oak – southeastern North America
- [*Quercus palustris*](#) Münchh. – pin oak – eastern North America
- [*Quercus panamandinaea*](#) C.H.Mull. – Panama
- [*Quercus parvula*](#) Greene – Shreve oak, Santa Cruz Island oak – # coastal California
- [*Quercus paxtalensis*](#) C.H.Mull. – Mexico
- [*Quercus peninsularis*](#) Trel. – Mexico (Baja California)
- [*Quercus pennivenia*](#) Trel. – Mexico
- [*Quercus phellos*](#) L. – willow oak – eastern North America
- [*Quercus pinnativenulosa*](#) C.H.Mull. – Mexico
- [*Quercus planipocula*](#) Trel. – western Mexico
- [*Quercus pumila*](#) Walter – runner oak – # southeastern North America
- [*Quercus radiata*](#) Trel. – Mexico (southern [Sierra Madre Occidental](#))
- [*Quercus robusta*](#) C.H.Mull. – Chisos Mountains of Texas
- [*Quercus rubra*](#) L. – northern red oak – eastern North America
- [*Quercus rubramenta*](#) Trel. – Mexico
- [*Quercus runcinatifolia*](#) Trel. & C.H.Mull. – Mexico
- [*Quercus rysophylla*](#) Weath. – loquat-leaf oak – # Mexico
- [*Quercus salicifolia*](#) Née – # Mexico
- [*Quercus saltillensis*](#) Trel. — Mexico
- [*Quercus sapotifolia*](#) Liebm. – # southern Mexico, Central America
- [*Quercus sartorii*](#) Liebm. – Mexico

- [*Quercus scytophylla*](#) Liebm. — Mexico
- [*Quercus seemannii*](#) Liebm. – southeastern Mexico and Central America
- [*Quercus shumardii*](#) Buckley – Shumard oak – eastern North America
- [*Quercus sideroxyla*](#) Bonpl. – Mexico
- [*Quercus skinneri*](#) Benth. – Mexico (Chiapas, Oaxaca, Tamaulipas, Veracruz) Guatemala, El Salvador, Honduras
- [*Quercus tarahumara*](#) Spellm., J.D.Bacon & Breedlove – Mexico
- [*Quercus tardifolia*](#) C.H.Mull. – lateleaf oak – # two small clumps in Chisos Mountains of Texas
- [*Quercus texana*](#) Buckley – Nuttall's oak – south central North America (Lower [Mississippi River](#) Valley)
- [*Quercus tonduzii*](#) Seemen – Costa Rica
- [*Quercus tuitensis*](#) L.M.González — Mexico
- [*Quercus urbani*](#) Trel. – Mexico
- [*Quercus uxoris*](#) McVaugh – Mexico
- [*Quercus velutina*](#) Lam. – black oak or eastern black oak or dyer's oak – eastern North America
- [*Quercus viminea*](#) Trel. – # Mexico
- [*Quercus wislizeni*](#) A.DC. – interior live oak – # California
- [*Quercus xalapensis*](#) Bonpl. – Mexico, Central America

Section *Virentes*

See also: [Quercus subg. Quercus § Section Virentes](#)

Section *Virentes* has also been treated at lower ranks. Species are native south-eastern Northern America, Mexico, the West Indies (Cuba), and Central America.^[2] A 2017 classification included seven species:^[3]

- [*Quercus brandegeei*](#) Goldman – Brandege oak- Baja California Sur
- [*Quercus fusiformis*](#) Small – Texas live oak or plateau live oak – # south central North America
- [*Quercus geminata*](#) Small – sand live oak – # southeastern United States
- [*Quercus minima*](#) (Sarg.) Small – dwarf live oak – # southeastern North America
- [*Quercus oleoides*](#) Schltdl. & Cham. – # from Costa Rica into Mexico
- [*Quercusagraeana*](#) (also spelt *Q. sagraana*) – Cuban oak – # western [Cuba](#)
- [*Quercus virginiana*](#) Mill. – southern live oak – # southeastern North America

Subgenus *Cerris*

Section *Cerris*

See also: [Quercus subg. Cerris § Section Cerris](#)

Species are native to Europe, north Africa and Asia.^[2] Styles long; acorns mature in 18 months, very bitter, inside of acorn shell hairless or slightly hairy.^[citation needed]

- [*Quercus acutissima*](#) Carruth. – sawtooth oak – # China (including Tibet), Korea, Japan, [Indochina](#), the Himalayas (Nepal, Bhutan, northeastern India).

- [*Quercus afares*](#) Pomel – African oak – North Africa
- [*Quercus brantii*](#) Lindl. – Persian oak – southwestern Asia
- [*Quercus castaneifolia*](#) C.A.Mey. – chestnut-leaved oak – Caucasus, Iran (Persia)
- [*Quercus cerris*](#) L. – Turkey oak – southern Europe, southwestern Asia
- [*Quercus chenii*](#) Nakai – SE China
- [*Quercus* × *crenata*](#) Lam. – Spanish oak – France, mainland Italy, Sicily, former Yugoslavia
- [*Quercus gussonei*](#) (Borzi) Brullo – northern Sicily
- [*Quercus apiculata*](#) Djav.-Khoie – northwestern Iran
- [*Quercus carduchorum*](#) Koch – northwestern Iran
- [*Quercus ithaburensis*](#) Decne. – southeastern Europe, southwestern Asia
 - *Quercus ithaburensis* subsp. *ithaburensis* — Mount Tabor's oak — Levant and southeast Anatolia
 - [*Quercus ithaburensis* subsp. *macrolepis*](#), syn. *Quercus macrolepis* — Vallonea oak — # southeastern Europe, Anatolia
- [*Quercus libani*](#) G.Olivier – Lebanon oak – southwestern Asia
- [*Quercus look*](#) Kotschy – Levant
- [*Quercus magnosquamata*](#) Djav.-Khoie – northwestern Iran
- [*Quercus ophiosquamata*](#) Djav.-Khoie – northwestern Iran
- [*Quercus persica*](#) Jaub. & Spach – western Iran
- [*Quercus suber*](#) L. – cork oak – # southwestern Europe, northwestern Africa
- [*Quercus trojana*](#) Webb – Macedonian oak – # southeastern Europe
- [*Quercus ungeri*](#) Kotschy – northwestern Iran
- [*Quercus variabilis*](#) Blume – Chinese cork oak – eastern Asia

Section *Ilex*

See also: [*Quercus* subg. *Cerris*](#) & [Section *Ilex*](#)

Species in section *Ilex* are native to Eurasia and northern [Africa](#).^[2] Styles medium-long; acorns mature in 12–24 months, appearing hairy on the inside. Evergreen leaves, with bristle-like extensions on the teeth. ([Sister group](#) to sect. *Cerris* and sometimes included in it.)^{[[citation needed](#)]}

- [*Quercus acrodonta*](#) Seemen — # China
- [*Quercus alnifolia*](#) Poech — golden oak — # [Cyprus](#)
- [*Quercus aquifolioides*](#) Rehder & E.H.Wilson — # China (including [Tibet](#))
- [*Quercus aucheri*](#) Jaub. & Spach – eastern [Aegean Islands](#) and southwestern Turkey
- [*Quercus baloot*](#) Griff. – [Afghanistan](#) to western Himalayas
- [*Quercus baronii*](#) Skan – China
- [*Quercus bawanglingensis*](#) C.C.Huang, Ze X.Li & F.W.Xing – # [Hainan](#)
- [*Quercus coccifera*](#) L., syn. *Quercus calliprinos* Webb – kermes oak – # southern Europe
- [*Quercus cocciferoides*](#) Hand.-Mazz. – south-central China
- [*Quercus dolicholepis*](#) A.Camus – China
- [*Quercus engleriana*](#) Seemen – Tibet and southern China
- [*Quercus fimbriata*](#) Y.C.Hsu & H.Wei Jen – south-central China

- [*Quercus floribunda*](#) Lindl. ex A.Camus – Moru oak – # Himalayas
- [*Quercus franchetii*](#) Skan – China, eastern Asia
- [*Quercus gilliana*](#) Rehder & E.H.Wilson – Tibet and China ([Sichuan](#), [Yunnan](#), and [Gansu](#))
- [*Quercus guyavifolia*](#) H.Lév. – China
- [*Quercus handeliana*](#) A.Camus – China (Yunnan)
- [*Quercus ilex*](#) L. – holly oak or holm oak – # southern Europe
- [*Quercus kingiana*](#) Craib – south-Central China, Myanmar, and Thailand
- [*Quercus kongshanensis*](#) Y.C.Hsu & H.Wei Jen – China (Sichuan)
- [*Quercus lanata*](#) Sm. – woolly-leaved oak – # Himalayas, southeast Asia
- [*Quercus leucotrichophora*](#) A.Camus – Banj oak, blackjack oak, grey oak – # Himalayas
- [*Quercus lodicosa*](#) O.E.Warb. & E.F.Warb. – Assam, southeastern Tibet, northern Myanmar
- [*Quercus longispica*](#) (Hand.-Mazz.) A.Camus – China (Yunnan and Sichuan)
- [*Quercus marlipoensis*](#) Hu & W.C.Cheng – China (Yunnan)
- [*Quercus monimotricha*](#) (Hand.-Mazz.) Hand.-Mazz. – south-central China and northern Myanmar
- [*Quercus oxyphylla*](#) (E.H.Wilson) Hand.-Mazz. – China
- [*Quercus pannosa*](#) Hand.-Mazz. # – China
- [*Quercus phillyreoides*](#) A.Gray – Southern China, Ryukyu Islands, Japan
- [*Quercus pseudococcifera*](#) Desf. – Iberia, Morocco, Algeria, Tunisia, Sardinia, Sicily
- [*Quercus rehderiana*](#) Hand.-Mazz. – Tibet to China (Yunnan, Sichuan, Guizhou)
- [*Quercus rotundifolia*](#) Lam. – ballota oak or holm oak – # Iberian peninsula, northwestern Africa
- [*Quercus semecarpifolia*](#) Sm. – brown oak or Kharshu oak – # Himalayas
- [*Quercus senescens*](#) Hand.-Mazz. – Eastern Himalayas, Tibet, south-central China
- [*Quercus setulosa*](#) Hickel & A.Camus – # Laos, Vietnam
- [*Quercus spinosa*](#) David – China, Myanmar
- [*Quercus tarokoensis*](#) Hayata – eastern Taiwan
- [*Quercus tungmaiensis*](#) Y.T.Chang – Arunachal Pradesh and southeastern Tibet
- [*Quercus utilis*](#) Hu & W.C.Cheng – China (Yunnan, Guizhou, and Guangxi)
- [*Quercus yiwuensis*](#) Y.C.Hsu & H.Wei Jen – China (Yunnan)

Section *Cyclobalanopsis*

See also: [*Quercus* subg. *Cerris*](#) § [Section *Cyclobalanopsis*](#)

The **ring-cupped oaks** (synonym genus *Cyclobalanopsis*), native to eastern and southeastern tropical Asia. They have cups with distinctive cups bearing concrescent rings of scales.[2] They commonly also have densely clustered acorns, though this does not apply to all of the species.[[citation needed](#)]
About 90 species.[2]

Species

- [*Quercus acuta*](#) Thunb. – Japanese evergreen oak. # Japan, [Korea](#)
- [*Quercus albicaulis*](#) Chun & W.C.Ko – # China
- [*Quercus annulata*](#) Sm. – # The [Himalayas](#) to Vietnam
- [*Quercus arbutifolia*](#) Hickel & A.Camus – # Vietnam ([endemic](#))
- [*Quercus argentata*](#) Korth. – # [Malaysia](#), [Indonesia](#)

- [*Quercus argyrotricha*](#) A.Camus – # [Guizhou](#) (China)
- [*Quercus asymmetrica*](#) Hickel & A.Camus – # China, northern Vietnam
- [*Quercus augustinei*](#) Skan (spelling corrected from *augustinii*[7]) – # China, [Vietnam](#)
- [*Quercus austrocochinchinensis*](#) Hickel & A.Camus – # [Yunnan](#) (China), [Thailand](#), Vietnam
- [*Quercus baniensis*](#) A.Camus – central Vietnam
- [*Quercus bambusifolia*](#) Hance – China ([Guangdong](#), [Guangxi](#)), northern Vietnam
- [*Quercus bella*](#) Chun & Tsiang – # China
- [*Quercus blakei*](#) Skan (syn. *Q. chrysocalyx*) — # China, [Laos](#), Vietnam
- [*Quercus blaoensis*](#) A.Camus – southeastern Vietnam
- [*Quercus braianensis*](#) A.Camus – # Vietnam ([endemic](#))
- [*Quercus brandisiana*](#) Kurz – upland Indochina, Bangladesh
- [*Quercus brevicalyx*](#) A.Camus — # China, Laos
- [*Quercus breviradiata*](#) (W.C.Cheng) C.C.Huang – central and south-central China
- [*Quercus cambodiensis*](#) Hickel & A.Camus – Cambodia
- [*Quercus championii*](#) Benth. – # China, [Taiwan](#)
- [*Quercus chevalieri*](#) Hickel & A.Camus – # China, Vietnam
- [*Quercus chrysocalyx*](#) Hickel & A.Camus – # Vietnam
- [*Quercus chrysotricha*](#) A.Camus – Borneo (Sarawak)
- [*Quercus chungii*](#) F.P.Metcalf – # China
- [*Quercus ciliaris*](#) C.C.Huang & Y.T.Chang – China (Hubei, Sichuan, Zhejiang, Anhui)
- [*Quercus daimingshanensis*](#) (S.K.Lee) C.C.Huang – # China
- [*Quercus dankiaensis*](#) A.Camus — # Vietnam ([endemic](#))[8]
- [*Quercus delavayi*](#) Franch. – # China
- [*Quercus delicatula*](#) Chun & Tsiang – # China
- [*Quercus dilacerata*](#) Hickel & A.Camus – northern Vietnam
- [*Quercus dinghuensis*](#) C.C.Huang – # China
- [*Quercus disciformis*](#) Chun & Tsiang – # China
- [*Quercus donnaiensis*](#) A.Camus – southeastern Vietnam
- [*Quercus edithiae*](#) Skan – # China, Vietnam
- [*Quercus elevaticostata*](#) (Q.F.Zheng) C.C.Huang – # [Fujian](#) (China)
- [*Quercus elmeri*](#) Merr. – Sumatra, Borneo, Peninsular Malaysia
- [*Quercus eumorpha*](#) Kurz – southern Myanmar
- [*Quercus fuliginosa*](#) Chun & W.C.Ko – Hainan
- [*Quercus gaharuensis*](#) Soepadmo – western Borneo, eastern Sumatra, Peninsular Malaysia
- [*Quercus gambleana*](#) A.Camus – # China, India
- [*Quercus gemelliflora*](#) Blume – # Malaysia, Indonesia, Vietnam
- [*Quercus gilva*](#) Blume – # Japan, Taiwan, China
- [*Quercus glauca*](#) Thunb. – ring-cupped oak – # from [Afghanistan](#) to Japan and Vietnam
- [*Quercus gomeziana*](#) A.Camus – # Vietnam
- [*Quercus gracilentia*](#) Chun – China (Guangdong)
- [*Quercus helferiana*](#) A.DC. – # China, India, [Burma](#)/Myanmar, Thailand, Laos, Vietnam
- [*Quercus hondae*](#) Makino – # [Kyūshū](#) (Japan)

- [*Quercus hui*](#) Chun – China
- [*Quercus hypargyrea*](#) (Seemen ex Diels) C.C.Huang & Y.T.Chang (as *Q. multinervis*) — # China
- [*Quercus hypophaea*](#) Hayata – # Taiwan
- [*Quercus jenseniana*](#) Hand.-Mazz. – # China
- [*Quercus jinpinensis*](#) (Y.C.Hsu & H.Wei Jen) C.C.Huang – # China
- [*Quercus kerangasensis*](#) Soepadmo – Borneo
- [*Quercus kerrii*](#) Craib – Kerr's oak – # Vietnam, Thailand, possibly China
- [*Quercus kinabaluensis*](#) Soepadmo – [Borneo](#)
- [*Quercus kiukiangensis*](#) (Y.T.Chang) Y.T.Chang – # China
- [*Quercus kouangsiensis*](#) A.Camus – # China
- [*Quercus lamellosa*](#) Sm. – # [Himalayas](#)
- [*Quercus langbianensis*](#) Hickel & A.Camus (syn. *Q. camusiae*) – # [Cambodia](#), China, Vietnam
- [*Quercus lenticellata*](#) Barnett – northern Thailand
- [*Quercus liaoi*](#) C.F.Shen – Taiwan
- [*Quercus lineata*](#) Blume – # Assam, Bangladesh, Indochina, Hainan, Malaysia, western Indonesia
- [*Quercus litseoides*](#) Dunn – # China
- [*Quercus lobbii*](#) Hook.f. & Thomson ex Ettingsh. – # China, India
- [*Quercus longinux*](#) Hayata – # Taiwan
- [*Quercus lowii*](#) King – # Borneo
- [*Quercus lungmaiensis*](#) (Hu) C.C.Huang & Y.T.Chang – # [Yunnan](#) (China)
- [*Quercus macrocalyx*](#) Hickel & A.Camus – # Vietnam
- [*Quercus meihuashanensis*](#) (Q.F.Zheng) C.C.Huang – China (Fujian)
- [*Quercus merrillii*](#) Seemen – # [Sabah](#) and [Sarawak](#) (Malaysia), [Palawan](#) ([Philippines](#))
- [*Quercus mespilifolia*](#) Wall. ex A.DC. – # Vietnam
- [*Quercus miyagii*](#) (orth. var. *Q. miyagei*) — Ryukyu Islands
- [*Quercus morii*](#) Hayata – # Taiwan
- [*Quercus motuoensis*](#) C.C.Huang – # China
- [*Quercus myrsinifolia*](#) Blume (syn. *Q. neglecta*) – bamboo-leaf oak – # China, Japan, Korea, Laos, Thailand, Vietnam
- [*Quercus ningangensis*](#) (orth. var. *Q. ninggangensis*) — # China
- [*Quercus nivea*](#) King – Malaysia (Peninsular Malaysia, Sarawak)
- [*Quercus oidocarpa*](#) Korth. – Myanmar, Thailand, Vietnam, Malaysia, Indonesia (Kalimantan, Sumatra, Bangka)
- [*Quercus oxyodon*](#) Miq. (syn. *Q. songtavanensis*) – # [Assam](#), Myanmar, China, [Bhutan](#), [Nepal](#), northern Vietnam
- [*Quercus pachyloma*](#) Seemen – # China, Taiwan
- [*Quercus pentacycla*](#) Y.T.Chang – # China
- [*Quercus percoriacea*](#) Soepadmo – Borneo
- [*Quercus petelotii*](#) A.Camus – # Vietnam ([endemic](#))
- [*Quercus phanera*](#) Chun – # China
- [*Quercus pinbianensis*](#) (Y.C.Hsu & H.Wei Jen) C.C.Huang & Y.T.Chang – China (Yunnan)
- [*Quercus platycalyx*](#) Hickel & A.Camus – Vietnam

- [*Quercus poilanei*](#) (orth. var. *Q. poilanii*) — # China, Thailand, Vietnam
- [*Quercus pseudoverticillata*](#) Soepadmo — Borneo
- [*Quercus quangtrienensis*](#) Hickel & A.Camus — # Vietnam
- [*Quercus ramsbottomii*](#) A.Camus — Myanmar, Thailand
- [*Quercus rex*](#) Hemsl. — # China, India, Laos, Myanmar, Vietnam
- [*Quercus rupestris*](#) Hickel & A.Camus — # Vietnam ([endemic](#))
- [*Quercus salicina*](#) Blume — # Japan, [South Korea](#)
- [*Quercus saravanensis*](#) A.Camus — # China, Laos, Vietnam
- [*Quercus schottkyana*](#) Rehder & E.H.Wilson — # China
- [*Quercus semiserrata*](#) Roxb. — # China, [Bangladesh](#), India, Myanmar, Thailand
- [*Quercus semiserratooides*](#) (Y.C.Hsu & H.Wei Jen) C.C.Huang & Y.T.Chang — China (southeastern Yunnan)
- [*Quercus sessilifolia*](#) Blume — # Japan, Taiwan, China
- [*Quercus sichourensis*](#) (Y.C.Hsu) C.C.Huang & Y.T.Chang — # [Yunnan](#) (China)
- [*Quercus steenisii*](#) Soepadmo — northern Sumatra
- [*Quercus stenophylloides*](#) Hayata — # Taiwan
- [*Quercus stewardiana*](#) A.Camus — # China
- [*Quercus subsericea*](#) A.Camus — # Sumatra, Borneo, western Java, Malay Peninsula, Palawan
- [*Quercus sumatrana*](#) Soepadmo — # Sumatra and Borneo
- [*Quercus thomsoniana*](#) A.DC. — Sikkim, Bhutan, northern Bangladesh
- [*Quercus thorelii*](#) Hickel & A.Camus — # China, Laos, Vietnam
- [*Quercus tiaoloshanica*](#) Chun & W.C.Ko — Hainan
- [*Quercus tomentosinervis*](#) (Y.C.Hsu & H.Wei Jen) C.C.Huang — # China
- [*Quercus treubiana*](#) Seemen — # [Sumatra](#), [Borneo](#)
- [*Quercus valdinervosa*](#) Soepadmo — Borneo
- [*Quercus vestita*](#) Griff. — Assam
- [*Quercus xanthoclada*](#) Drake — Myanmar, Laos, Vietnam
- [*Quercus xanthotricha*](#) A.Camus — # China, Laos, Vietnam
- [*Quercus xuanlienensis*](#) H.T.Binh, Ngoc & T.N.Bo — Vietnam[8]
- [*Quercus yonganensis*](#) L.K.Ling & C.C.Huang — # China

Section uncertain

- [*Quercus changhualingensis*](#) (G.A.Fu & X.J.Hong) N.H.Xia & Y.H.Tong — Hainan
- [*Quercus dongfangensis*](#) C.C.Huang, F.W.Xing & Ze X.Li — Hainan
- [*Quercus yanqianii*](#) (G.A.Fu) N.H.Xia & Y.H.Tong — Hainan

Intersectional hybrids

- [*Quercus* × *turneri*](#) = [*Quercus ilex*](#) × [*Quercus robur*](#) — sect. *Ilex* × sect. *Quercus* – Turner's oak — Spain

From Wikipedia, the free encyclopedia

This is a **list of *Pultenaea* species** accepted by the [Australian Plant Census](#) and [Plants of the World Online](#) as at June 2021:[\[1\]](#)[\[2\]](#)

- [*Pultenaea acerosa*](#) [R.Br.](#) ex [Benth.](#) – bristly bush-pea (S.A., Vic.)
- [*Pultenaea adunca*](#) [Turcz.](#) (W.A.)
- [*Pultenaea alea*](#) [de Kok](#) (N.S.W.)
- [*Pultenaea altissima*](#) [F.Muell.](#) ex [Benth.](#) – tall bush pea (N.S.W., Qld., Vic.)
- [*Pultenaea arida*](#) [E.Pritz.](#) (W.A.)
- [*Pultenaea aristata*](#) [Sieber](#) ex [DC.](#) – bearded bush-pea, prickly bush-pea (N.S.W.)
- [*Pultenaea aspalathoides*](#) [Meisn.](#) (W.A.)
- [*Pultenaea baeuerlenii*](#) [F.Muell.](#) – Budawang's bush-pea (N.S.W.)
- [*Pultenaea barbata*](#) [C.R.P.Andrews](#) (W.A.)
- [*Pultenaea benthamii*](#) [F.Muell.](#) – Bentham's bush-pea (N.S.W., Vic.)
- [*Pultenaea blakelyi*](#) [Joy Thomps.](#) – Blakely's bush-pea (N.S.W., Vic.)
- [*Pultenaea boormanii*](#) [H.B.Will.](#) (N.S.W.)
- [*Pultenaea borea*](#) [de Kok](#) (Qld.)
- [*Pultenaea brachyphylla*](#) [Turcz.](#) (W.A.)
- [*Pultenaea brachytropis*](#) [Benth.](#) (W.A.)
- [*Pultenaea bracteamajor*](#) [de Kok](#) (Qld.)
- [*Pultenaea bracteaminor*](#) [de Kok](#) (Qld.)
- [*Pultenaea calycina*](#) ([Turcz.](#)) [Benth.](#) (W.A.)
 - *Pultenaea calycina* ([Turcz.](#)) [Benth.](#) subsp. *calycina*
 - *Pultenaea calycina* subsp. *proxena* [Orthia](#) & [Chappill](#)
- [*Pultenaea campbellii*](#) [Maiden](#) & [Bethe](#) (N.S.W.)
- [*Pultenaea canaliculata*](#) [F.Muell.](#) – coast bush-pea (S.A., Vic.)
- [*Pultenaea canescens*](#) [A.Cunn.](#) – plumed bush-pea (N.S.W.)
- [*Pultenaea capitellata*](#) [Sieber](#) ex [DC.](#) – hard-head bush-pea (N.S.W., A.C.T., Vic.)
- [*Pultenaea cinerascens*](#) [Maiden](#) & [Bethe](#) (N.S.W.)
- [*Pultenaea costata*](#) [H.B.Will.](#) – ribbed bush-pea (Vic.)
- [*Pultenaea craigiana*](#) [C.F.Wilkins](#), [Orthia](#) & [Crisp](#) (W.A.)
- [*Pultenaea cuneata*](#) [Benth.](#) (Qld., N.S.W.)
- [*Pultenaea daena*](#) [Orthia](#) & [Chappill](#) (W.A.)
- [*Pultenaea daltonii*](#) [H.B.Will.](#) – hoary bush-pea (Vic.)
- [*Pultenaea daphnoides*](#) [J.C.Wendl.](#) — large-leaf bush-pea, large-leaf bitter-pea (Qld., N.S.W., Vic., S.A., Tas.)
- [*Pultenaea dargilensis*](#) [Corrick](#) & [N.G.Walsh](#) (Vic.)
- [*Pultenaea densifolia*](#) [F.Muell.](#) – dense-leaved bush-pea (S.A., Vic.)
- [*Pultenaea dentata*](#) [Labill.](#) – clustered bush-pea (S.A., VIC., N.S.W., QLD., Tas.)
- [*Pultenaea divaricata*](#) [H.B.Will.](#) (N.S.W.)
- [*Pultenaea echinula*](#) [Sieber](#) ex [DC.](#) – curved bush-pea (N.S.W.)
- [*Pultenaea elachista*](#) ([F.Muell.](#)) [Crisp](#) (W.A., S.A.)

- [*Pultenaea elusa*](#) (J.D.Briggs & Crisp) de Kok – elusive bush-pea (N.S.W.)
- [*Pultenaea empetrifolia*](#) Meisn. (W.A.)
- [*Pultenaea ericifolia*](#) Benth. ex Lindl. (W.A.)
- [*Pultenaea euchila*](#) DC. (Qld., N.S.W.)
- [*Pultenaea fasciculata*](#) Benth. – alpine bush-pea, bundled bush-pea (N.S.W., Vic., Tas.)
- [*Pultenaea ferruginea*](#) Rudge – large bronze bush-pea (N.S.W.)
- [*Pultenaea flexilis*](#) Sm. – graceful bush-pea (N.S.W., Qld.)
- [*Pultenaea foliolosa*](#) A.Cunn. ex Benth. – small-leaf bush-pea (Qld., N.S.W., Vic.)
- [*Pultenaea glabra*](#) Benth. – smooth bush-pea (N.S.W.)
- [*Pultenaea graveolens*](#) Tate – scented bush-pea (Vic.)
- [*Pultenaea gunnii*](#) Benth. – golden bush-pea (Tas., Vic., N.S.W.)
 - *Pultenaea gunnii* Benth. subsp. *gunnii*
 - *Pultenaea gunnii* subsp. *tuberculata* Corrick
- [*Pultenaea hartmannii*](#) F.Muell. (N.S.W., Qld.)
- [*Pultenaea heterochila*](#) F.Muell. (W.A.)
- [*Pultenaea hispidula*](#) R.Br. ex Benth. – rusty bush-pea (N.S.W., Vic., S.A.)
- [*Pultenaea humilis*](#) Benth. ex Hook.f. – dwarf bush-pea (N.S.W., Vic., Tas.)
- [*Pultenaea indira*](#) Orthia & Crisp (W.A.)
 - *Pultenaea indira* Orthia & Crisp subsp. *indira*
 - *Pultenaea indira* subsp. *monstrosita* Orthia
 - *Pultenaea indira* subsp. *pudoides* Orthia
- [*Pultenaea insularis*](#) J.Z.Weber (S.A.)
- [*Pultenaea involucrata*](#) Benth. (S.A.)
- [*Pultenaea juniperina*](#) Labill. – prickly bush-pea (N.S.W., A.C.T., Vic., Tas.)
- [*Pultenaea kraehenbuehlii*](#) P.J.Lang (S.A.)
- [*Pultenaea lapidosa*](#) Corrick – stony bush-pea (N.S.W., Vic.)
- [*Pultenaea largiflorens*](#) F.Muell. ex Benth. – twiggy bush-pea (N.S.W., Vic., S.A.)
- [*Pultenaea laxiflora*](#) Benth. – loose-flower bush-pea (S.A., N.S.W. A.C.T., Vic.)
- [*Pultenaea linophylla*](#) Schrad. & Wendl. – halo bush-pea (Qld., N.S.W., Vic.)
- [*Pultenaea luehmannii*](#) Maiden – thready bush-pea (Vic.)
- [*Pultenaea maidenii*](#) Reader – Maiden's bush-pea (Vic.)
- [*Pultenaea maritima*](#) de Kok – coastal bush-pea, coastal headland pea (N.S.W., Qld.)
- [*Pultenaea microphylla*](#) Sieber ex DC. (Qld., N.S.W., A.C.T., Vic.)
- [*Pultenaea millarii*](#) F.M.Bailey (Qld.)
 - *Pultenaea millarii* var. *angustifolia* H.B.Will.
 - *Pultenaea millarii* var. *millarii* F.M.Bailey
- [*Pultenaea mollis*](#) Lindl. – soft bush-pea, guinea flower bush pea (N.S.W., Vic., Tas.)
- [*Pultenaea muelleri*](#) Benth. – Mueller's bush-pea (Vic.)
- [*Pultenaea myrtoides*](#) A.Cunn. ex Benth. (N.S.W., Qld.)
- [*Pultenaea ochreatea*](#) Meisn. (W.A.)
- [*Pultenaea paleacea*](#) Willd. – chaffy bush-pea (N.S.W., Qld.)
- [*Pultenaea parrisiae*](#) J.D.Briggs & Crisp – bantam bush-pea, Parris's bush-pea (N.S.W., Vic.)

- [*Pultenaea parviflora*](#) Sieber ex DC. – Sydney bush-pea (N.S.W.)
- [*Pultenaea patellifolia*](#) H.B.Will. – Mt Byron bush-pea (Vic.)
- [*Pultenaea pauciflora*](#) [M.B.Scott](#) – Narrogin pea (W.A.)
- [*Pultenaea pedunculata*](#) [Hook.](#) – matted bush-pea (S.A., N.S.W., Vic., Tas.)
- [*Pultenaea penna*](#) de Kok – feather bush-pea (Vic., S.A.)
- [*Pultenaea petiolaris*](#) A.Cunn. ex Benth. – woolly bush-pea (Qld., N.S.W.)
- [*Pultenaea pinifolia*](#) Meisn. (W.A.)
- [*Pultenaea platyphylla*](#) [N.A.Wakef.](#) – flat-leaf bush-pea (N.S.W., Vic.)
- [*Pultenaea polifolia*](#) A.Cunn. – dusky bush-pea (N.S.W., A.C.T., Vic.)
- [*Pultenaea procumbens*](#) A.Cunn. – heathy bush-pea (N.S.W., A.C.T., Vic.)
- [*Pultenaea prolifera*](#) H.B.Will. – Otway bush-pea (Vic.)
- [*Pultenaea prostrata*](#) Benth. ex Hook.f. (Vic., S.A., Tas.)
- [*Pultenaea purpurea*](#) (Turcz.) Crisp & Orthia (W.A.)
- [*Pultenaea pycnocephala*](#) F.Muell. ex Benth. (N.S.W., Qld.)
- [*Pultenaea radiata*](#) H.B.Will. (W.A.)
- [*Pultenaea rariflora*](#) de Kok (Qld.)
- [*Pultenaea reflexifolia*](#) (J.H.Willis) de Kok – wombat bush-pea (Vic.)
- [*Pultenaea reticulata*](#) (Sm.) Benth. (W.A.)
- [*Pultenaea retusa*](#) Sm. – notched bush-pea (Qld., N.S.W., Vic.)
- [*Pultenaea rigida*](#) Benth. (S.A.)
- [*Pultenaea robusta*](#) (H.B.Will) de Kok (N.S.W., Qld.)
- [*Pultenaea rodwayi*](#) [Tindale](#) ex de Kok (N.S.W.)
- [*Pultenaea rosmarinifolia*](#) Lindl. – rosemary bush-pea (N.S.W.)
- [*Pultenaea rostrata*](#) de Kok (N.S.W., Qld.)
- [*Pultenaea rotundifolia*](#) (Turcz.) Benth. (W.A.)
- [*Pultenaea scabra*](#) [R.Br.](#) – rough bush-pea (S.A., Qld., N.S.W., Vic.)
- [*Pultenaea sericea*](#) (Benth.) Corrick – chaffy bush-pea (N.S.W., Vic., Tas.)
- [*Pultenaea setulosa*](#) Benth. (Qld.)
- [*Pultenaea skinneri*](#) F.Muell. – Skinner's pea (W.A.)
- [*Pultenaea spinosa*](#) (DC.) H.B.Will. (Qld., N.S.W., A.C.T., Vic.)
- [*Pultenaea spinulosa*](#) (Turcz.) Benth. (W.A.)
- [*Pultenaea stipularis*](#) Sm. – handsome bush-pea (N.S.W.)
- [*Pultenaea stricta*](#) [Sims](#) – rigid bush-pea (Vic., S.A., Tas.)
- [*Pultenaea strobilifera*](#) Meisn. (W.A.)
- [*Pultenaea subalpina*](#) (F.Muell.) [Druce](#) – rosy bush-pea (Vic.)
- [*Pultenaea subspicata*](#) Benth. – low bush-pea (N.S.W., A.C.T., Vic.)
- [*Pultenaea subternata*](#) H.B.Will. (N.S.W.)
- [*Pultenaea tarik*](#) de Kok (N.S.W.)
- [*Pultenaea tenella*](#) Benth. – delicate bush-pea (N.S.W., Vic.)
- [*Pultenaea tenuifolia*](#) R.Br. & Sims – slender bush-pea (W.A., S.A., Vic. Tas.)
- [*Pultenaea trichophylla*](#) H.B.Will. ex [J.M.Black](#) – tufted bush-pea (S.A.)
- [*Pultenaea trifida*](#) J.M.Black – Kangaroo Island bush-pea (S.A.)

- [*Pultenaea trinervis*](#) J.M.Black – three-nerved bush-pea (S.A.)
- [*Pultenaea tuberculata*](#) Pers. – wreath bush-pea (N.S.W.)
- [*Pultenaea verruculosa*](#) Turcz. (W.A.)
- [*Pultenaea vestita*](#) R.Br. (W.A., S.A.)
- [*Pultenaea victoriensis*](#) Corrick (Vic.)
- [*Pultenaea villifera*](#) Sieber ex DC. (N.S.W., S.A.)
 - *Pultenaea villifera* var. *glabrescens* J.M.Black (S.A.) – yellow bush-pea
 - *Pultenaea villifera* Sieber ex DC. var. *villifera* (N.S.W.)
- [*Pultenaea villosa*](#) Willd. (Qld., N.S.W.)
- [*Pultenaea viscidula*](#) Tate (S.A.)
- [*Pultenaea viscosa*](#) R.Br. ex Benth. (N.S.W.)
- [*Pultenaea vrolandii*](#) Maiden (N.S.W., Vic.)
- [*Pultenaea weindorferi*](#) Reader (Vic.) – swamp bush-pea
- [*Pultenaea whiteana*](#) S.T.Blake (Qld.)
- [*Pultenaea williamsoniana*](#) J.H.Willis (Vic.)
- [*Pultenaea wudjariensis*](#) Orthia (W.A.)

From Wikipedia, the free encyclopedia

This is a list of species in the genus [*Ptilotus*](#) accepted by [Plants of the World Online](#) as a December 2024:[1] All species are native to [continental Australia](#), mostly in the arid regions, though one species also occurs in [Tasmania](#) and another in [Malesia](#).

- [*Ptilotus actinocladus*](#) T.Hammer & R.W.Davis (W.A.)
- [*Ptilotus aervoides*](#) (F.Muell.) F.Muell. – mat mulla mulla (W.A., N.T., S.A.)
- [*Ptilotus albidus*](#) (C.A.Gardner) Benl (W.A.)
- [*Ptilotus alexandri*](#) Benl (W.A.)
- [*Ptilotus andersonii*](#) R.W.Davis (W.A.)
- [*Ptilotus angustifolius*](#) (Benl) T.Hammer (S.A.)
- [*Ptilotus aphyllus*](#) Benl (W.A.)
- [*Ptilotus appendiculatus*](#) Benl (W.A.)
- [*Ptilotus aristatus*](#) Benl (N.T., S.A.)
- [*Ptilotus arthrolasius*](#) F.Muell. (W.A., N.T.)
- [*Ptilotus astrolasius*](#) F.Muell. (W.A., N.T.)
- [*Ptilotus auriculifolius*](#) (A.Cunn. ex Moq.) F.Muell. (W.A.)
- [*Ptilotus axillaris*](#) (Benth.) F.Muell. – mat mulla mulla (W.A.)
- [*Ptilotus barkeri*](#) Benl – Barkers mulla mulla (S.A.)
- [*Ptilotus beardii*](#) Benl – low mulla mulla (W.A.)
- [*Ptilotus beckerianus*](#) (F.Muell.) F.Muell. ex J.M.Black – ironstone mulla mulla (S.A.)
- [*Ptilotus benlii*](#) R.W.Davis & T.Hammer (W.A.)
- [*Ptilotus blackii*](#) Benl (W.A.)
- [*Ptilotus brachyanthus*](#) (Benth.) F.Muell. (Qld.)

- [*Ptilotus caespitosus*](#) F.Muell. – salt lake mulla-mulla (W.A.)
- [*Ptilotus calostachyus*](#) F.Muell. – weeping mulla mulla (W.A., N.T., Qld.)
- [*Ptilotus capensis*](#) (Benl) A.R.Bean (Qld.)
- [*Ptilotus capitatus*](#) (F.Muell.) C.A.Gardner (W.A., N.T.)
- [*Ptilotus carinatus*](#) Benl (W.A.)
- [*Ptilotus carlsonii*](#) F.Muell. (W.A.)
- [*Ptilotus chamaecladus*](#) Diels (W.A.)
- [*Ptilotus chippendalei*](#) Benl (W.A., S.A., N.T.)
- [*Ptilotus chortophytus*](#) (Diels) Schinz (W.A.)
- [*Ptilotus chrysocomus*](#) R.W.Davis (W.A.)
- [*Ptilotus clementii*](#) (Farmer) Benl – tassel top (W.A., N.T., Qld.)
- [*Ptilotus clivicola*](#) R.W.Davis & T.Hammer (W.A.)
- [*Ptilotus comatus*](#) Benl (N.T.)
- [*Ptilotus conicus*](#) R.Br. (W.A., N.T., New Guinea, Indonesia)
- [*Ptilotus corymbosus*](#) R.Br. (W.A., N.T., Qld.)
- [*Ptilotus crinitus*](#) R.W.Davis & T.Hammer (N.T.)
- [*Ptilotus crispus*](#) Benl (W.A.)
- [*Ptilotus crosslandii*](#) (F.Muell.) Benl (W.A.)
- [*Ptilotus daphneae*](#) Lally (W.A.)
- [*Ptilotus davisii*](#) T.Hammer – Davis's mulla mulla (W.A.)
- [*Ptilotus decalvatus*](#) Benl (W.A.)
- [*Ptilotus decipiens*](#) (Benth.) C.A.Gardner ex A.W.Hill – false mulla mulla (W.A., N.T., S.A., Qld.)
- [*Ptilotus declinatus*](#) Nees – curved mulla mulla (W.A.)
- [*Ptilotus disparilis*](#) Lally – shrubby fox-tail (S.A.)
- [*Ptilotus dissitiflorus*](#) (F.Muell.) F.Muell. (N.T., Qld.)
- [*Ptilotus distans*](#) (R.Br.) Poir. (N.T., W.A.)
- [*Ptilotus divaricatus*](#) (Gaudich.) F.Muell. – climbing mulla mulla (W.A.)
- [*Ptilotus drummondii*](#) (Moq.) F.Muell. – narrowleaf mulla mulla (W.A.)
- [*Ptilotus eremita*](#) (S.Moore) T.Hammer & R.W.Davis (W.A.)
- [*Ptilotus eriotrichus*](#) (Ewart & J.White) P.S.Short (W.A.)
- [*Ptilotus erubescens*](#) Schltdl. – hairy heads, hairy tails (N.S.W., S.A., Vic.)
- [*Ptilotus esquamatus*](#) (Benth.) F.Muell (W.A.)
- [*Ptilotus exaltatus*](#) Nees – tall mulla mulla, large pink pussy-tails, pink mulla mulla, lambs tail, showy foxtail (N.S.W., S.A., Qld., N.T., W.A., Vic.)
- [*Ptilotus exiliflorus*](#) R.W.Davis (W.A.)
- [*Ptilotus extenuatus*](#) Benl (N.S.W (extinct), Qld.)
- [*Ptilotus falcatus*](#) R.W.Davis & T.Hammer (W.A.)
- [*Ptilotus fasciculatus*](#) W.Fitzg. (W.A.)
- [*Ptilotus fusiformis*](#) (R.Br.) Poir. – skeleton plant, pom-pom bottlebrush (W.A., N.T., Qld.)
- [*Ptilotus gardneri*](#) Benl (W.A., N.T.)
- [*Ptilotus gaudichaudii*](#) (Steud.) J.M.Black – paper foxtail (N.S.W., S.A., Qld., N.T., W.A.)
- [*Ptilotus giganteus*](#) (A.Cunn. ex Moq.) R.W.Davis & R.Butcher (W.A., N.T.)

- [*Ptilotus gomphrenoides*](#) F. Muell. ex Benth. (W.A.)
- [*Ptilotus grandiflorus*](#) F.Muell. (W.A.)
- [*Ptilotus halophilus*](#) R.W.Davis (W.A.)
- [*Ptilotus helichrysoides*](#) (F.Muell.) F.Muell. (W.A.)
- [*Ptilotus helipteroides*](#) (F.Muell.) F.Muell. – hairy mulla mulla, woolly tails (W.A., N.T., S.A., Qld.)
- [*Ptilotus holosericeus*](#) (Moq.) F.Muell. (W.A.)
- [*Ptilotus humilis*](#) (Nees) F.Muell. (W.A.)
- [*Ptilotus incanus*](#) (R.Br.) Poir. –grey fox-tail (W.A., N.T., S.A., Qld.)
- [*Ptilotus indivisus*](#) Benl – tangled silver-tails (N.S.W.)
- [*Ptilotus johnstonianus*](#) W.Fitzg. (W.A.)
- [*Ptilotus kenneallyanus*](#) Benl (W.A.)
- [*Ptilotus lanatus*](#) A.Cunn. ex Moq. (W.A.)
- [*Ptilotus latifolius*](#) R.Br. tangled mulla mulla, white foxtail (W.A., S.A., N.T., N.S.W.)
- [*Ptilotus lazaridis*](#) Benl (W.A.)
- [*Ptilotus leucocoma*](#) (Moq.) F.Muell. – small purple foxtail (N.S.W., Qld.)
- [*Ptilotus lophotrichus*](#) Benl (N.T.)
- [*Ptilotus luteolus*](#) (Benl & H.Eichler) R.W.Davis (W.A.)
- [*Ptilotus maconochiei*](#) Benl (Qld.)
- [*Ptilotus macrocephalus*](#) (R.Br.) Poir. – green pussytails, featherheads (N.S.W., Vic., S.A.)
- [*Ptilotus manglesii*](#) (Lindl.) F.Muell. – pom poms (W.A.)
- [*Ptilotus marduguru*](#) Benl (W.A.)
- [*Ptilotus mitchellii*](#) Benl (W.A.)
- [*Ptilotus modestus*](#) T.Hammer – paper foxtail (N.S.W., N.T., Qld., S.A.)
- [*Ptilotus mollis*](#) Benl (W.A.)
- [*Ptilotus murrayi*](#) F.Muell. – Murray's fox-tail (W.A., S.A., Qld.)
- [*Ptilotus nobilis*](#) (Lindl.) F.Muell. – yellowtails, regal foxtail, tall mulla mulla (W.A., S.A., N.T., Qld., N.S.W., Vic.)
- [*Ptilotus obovatus*](#) (Gaudich.) F.Muell. – smoke bush, silver bush, silver tails, cotton bush (W.A., S.A., N.T., Qld., N.S.W., Vic.)
- [*Ptilotus parviflorus*](#) (Lindl.) F. Muell. (Qld, N.S.W., N.T.)
- [*Ptilotus parvifolius*](#) (F.Muell.) F.Muell. – shrubby fox-tail (S.A.)
- [*Ptilotus pedleyanus*](#) Benl & H.Eichler (Qld.)
- [*Ptilotus polakii*](#) F.Muell. (W.A.)
- [*Ptilotus polystachyus*](#) (Gaudich.) F.Muell. – long tails, Prince of Wales feather, bottle-washers, long pussy-tails (W.A., N.T., S.A., Qld., N.S.W., Vic.)
- [*Ptilotus procumbens*](#) Benl (W.A.)
- [*Ptilotus propinquus*](#) Lally – Gammon Ranges fox-tail (S.A.)
- [*Ptilotus pseudohelipteroides*](#) Benl – woolly mulla mulla, hairy mulla mulla (W.A., N.T., S.A., Qld.)
- [*Ptilotus psilorhachis*](#) T.Hammer & R.W.Davis
- [*Ptilotus pyramidatus*](#) (Moq.) F.Muell. – pyramid mulla mulla (W.A.)
- [*Ptilotus remotiflorus*](#) Benl – Cordillo Downs pussy-tail (Qld., S.A., N.S.W.)

- [*Ptilotus rigidus*](#) Lally (W.A.)
- [*Ptilotus robynsianus*](#) Benl – Robyns pussy-tail (S.A.)
- [*Ptilotus roei*](#) (F.Muell. ex Benth.) F.Muell. (W.A.)
- [*Ptilotus rotundatus*](#) Benl
- [*Ptilotus rotundifolius*](#) (F.Muell.) F.Muell. (royal mulla mulla)
- [*Ptilotus royceanus*](#) Benl
- [*Ptilotus schwartzii*](#) Tate
- [*Ptilotus semilanatus*](#) (Lindl.) J.M.Black
- [*Ptilotus seminudus*](#) (J.M.Black) J.M.Black
- [*Ptilotus senarius*](#) A.R.Bean
- [*Ptilotus sericostachyus*](#) (Nees) F.Muell.
- [*Ptilotus sessilifolius*](#) (Lindl.) Benl
- [*Ptilotus spathulatus*](#) (R.Br.) Poir. (pussy tails)
- [*Ptilotus spicatus*](#) Benth.
- [*Ptilotus stipitatus*](#) Benl
- [*Ptilotus stirlingii*](#) (Lindl.) F.Muell. (Stirling's mulla mulla)
- [*Ptilotus subspinescens*](#) R.W.Davis
- [*Ptilotus symonii*](#) Benl
- [*Ptilotus tetrandrus*](#) Benl
- [*Ptilotus trichocephalus*](#) Benl
- [*Ptilotus uncinellus*](#) (A.R.Bean) T.Hammer
- [*Ptilotus unguiculatus*](#) T.Hammer
- [*Ptilotus villosiflorus*](#) F.Muell.
- [*Ptilotus whitei*](#) (J.M.Black) Lally
- [*Ptilotus wilsonii*](#) Benl
- [*Ptilotus xerophilus*](#) T.Hammer & R.W.Davis
- [*Ptilotus yapukaratja*](#) R.W.Davis & T.Hammer

From Wikipedia, the free encyclopedia

[*Psychotria*](#) is a large genus of flowering plants in the coffee family [Rubiaceae](#), with a pan-tropical distribution.[1] As of May 2025, [Plants of the World Online](#) accepted the following 1641 species of *Psychotria*:[\[2\]](#)

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)

- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Psychotria abdita*](#) Standl.
- [*Psychotria aborensis*](#) Dunn
- [*Psychotria abouabouensis*](#) (Schnell) Verdc.
- [*Psychotria abrahamii*](#) Razafim. & B.Bremer
- [*Psychotria accumulans*](#) O.Lachenaud
- [*Psychotria acreana*](#) K.Krause
- [*Psychotria acuminatissima*](#) Elmer
- [*Psychotria acunae*](#) Borhidi, M.Fernández & Oviedo
- [*Psychotria acutiflora*](#) DC.
- [*Psychotria acutigemma*](#) O.Lachenaud
- [*Psychotria adafloana*](#) K.Schum.
- [*Psychotria adamawae*](#) O.Lachenaud
- [*Psychotria adamsonii*](#) Fosberg
- [*Psychotria adenophylla*](#) Wall.
- [*Psychotria aegialodes*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria aemulans*](#) K.Schum.
- [*Psychotria agamae*](#) Merr.
- [*Psychotria aganosmifolia*](#) Craib
- [*Psychotria aguilarii*](#) Standl. & Steyerl.

- [*Psychotria alabatensis*](#) Sohmer & A.P.Davis
- [*Psychotria alainii*](#) Acuña & Roíg
- [*Psychotria alaotra*](#) Razafim. & B.Bremer
- [*Psychotria alaotrensis*](#) Bremek.
- [*Psychotria alatipes*](#) Wernham
- [*Psychotria alba*](#) Ruiz & Pav.
- [*Psychotria albicaulis*](#) Scott Elliot
- [*Psychotria albomarginata*](#) Hallier f.
- [*Psychotria alemquerensis*](#) Huber
- [*Psychotria alfaroana*](#) Standl.
- [*Psychotria alibertioides*](#) Wernham
- [*Psychotria alluviorum*](#) K.Krause
- [*Psychotria alpestris*](#) Urb. & Ekman
- [*Psychotria alsophila*](#) K.Schum.
- [*Psychotria alticola*](#) Steyerm.
- [*Psychotria altimontana*](#) O.Lachenaud
- [*Psychotria altiplanensis*](#) Standl. ex Steyerm.
- [*Psychotria alto-macahensis*](#) M.Gomes
- [*Psychotria alzapaniensis*](#) Sohmer & A.P.Davis
- [*Psychotria amaracarpoides*](#) (Merr.) Merr.
- [*Psychotria ambatovens*](#) C.M.Taylor
- [*Psychotria ambohitombensis*](#) Bremek.
- [*Psychotria ambongensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria amboniana*](#) K.Schum.
- [*Psychotria amieuensis*](#) Guillaumin
- [*Psychotria ammericola*](#) Guillaumin
- [*Psychotria ampla*](#) Müll.Arg.
- [*Psychotria amplifrons*](#) Standl.
- [*Psychotria amplissima*](#) Merr.
- [*Psychotria amplithyrsa*](#) Valeton
- [*Psychotria ampullacea*](#) A.C.Sm.
- [*Psychotria anamallayana*](#) Bedd.
- [*Psychotria anartiothrix*](#) Steyerm.
- [*Psychotria ancaranensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria anceps*](#) Kunth
- [*Psychotria andaiensis*](#) Valeton
- [*Psychotria andamanica*](#) Kurz
- [*Psychotria andapae*](#) A.P.Davis & Govaerts
- [*Psychotria andasibeensis*](#) Razafim. & B.Bremer
- [*Psychotria andersonii*](#) Fosberg
- [*Psychotria anderssoniana*](#) A.P.Davis & Govaerts
- [*Psychotria andetrensis*](#) (Bremek.) A.P.Davis & Govaerts

- [*Psychotria andevorantensis*](#) Bremek.
- [*Psychotria andramontaensis*](#) A.P.Davis & Govaerts
- [*Psychotria andriantiana*](#) A.P.Davis & Govaerts
- [*Psychotria anemothyrsa*](#) K.Schum. & K.Krause
- [*Psychotria angulata*](#) Korth.
- [*Psychotria angustata*](#) Andersson
- [*Psychotria angustibracteata*](#) (Verdc.) J.E.Burrows
- [*Psychotria anisocephala*](#) Müll.Arg.
- [*Psychotria anisophylla*](#) C.M.Taylor
- [*Psychotria anjanaharibensis*](#) A.P.Davis & Govaerts
- [*Psychotria anjouanensis*](#) A.P.Davis & Govaerts
- [*Psychotria ankafinensis*](#) (K.Schum.) A.P.Davis & Govaerts
- [*Psychotria ankarensis*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria ankasensis*](#) J.B.Hall
- [*Psychotria anosiana*](#) C.M.Taylor
- [*Psychotria antakaranensis*](#) Razafim. & B.Bremer
- [*Psychotria antenniformis*](#) Steyerm.
- [*Psychotria anthocleistifolia*](#) O.Lachenaud
- [*Psychotria antilahimenae*](#) C.M.Taylor
- [*Psychotria antsalovensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria antsirananensis*](#) A.P.Davis & Govaerts
- [*Psychotria apdavisiana*](#) W.N.Takeuchi
- [*Psychotria apocynifolia*](#) A.Gray
- [*Psychotria apodantha*](#) A.Gray
- [*Psychotria apodocephala*](#) Standl.
- [*Psychotria apomurioides*](#) C.M.Taylor
- [*Psychotria appendiculata*](#) Müll.Arg.
- [*Psychotria aquatica*](#) O.Lachenaud
- [*Psychotria aquatilis*](#) Merr. & L.M.Perry
- [*Psychotria araiosantha*](#) A.C.Sm. & S.P.Darwin
- [*Psychotria ararum*](#) C.M.Taylor
- [*Psychotria arborea*](#) Hiern
- [*Psychotria arborescens*](#) Elmer
- [*Psychotria arbuscula*](#) Volkens
- [*Psychotria archboldii*](#) Sohmer
- [*Psychotria ardisioides*](#) Craib
- [*Psychotria arenosa*](#) Müll.Arg.
- [*Psychotria areolata*](#) C.M.Taylor
- [*Psychotria argantha*](#) A.C.Sm.
- [*Psychotria argentata*](#) Korth.
- [*Psychotria arirambana*](#) Standl.
- [*Psychotria aristeguietae*](#) Steyerm.

- [*Psychotria arandii*](#) Razafim. & B.Bremer
- [*Psychotria arnoldiana*](#) De Wild.
- [*Psychotria aroensis*](#) Steyer.
- [*Psychotria artensis*](#) (Montrouz.) Guillaumin
- [*Psychotria articulata*](#) (Hiern) E.M.A.Petit
- [*Psychotria asae*](#) (Kuntze) ined.
- [*Psychotria asekiensis*](#) Sohmer
- [*Psychotria asiatica*](#) L.
- [*Psychotria assimilis*](#) Bremek.
- [*Psychotria asterogramma*](#) O.Lachenaud
- [*Psychotria atricaulis*](#) Fosberg
- [*Psychotria atroviridis*](#) Ridl.
- [*Psychotria atsinanana*](#) Razafim. & B.Bremer
- [*Psychotria augagneurii*](#) Hochr.
- [*Psychotria augustaflussiana*](#) W.N.Takeuchi
- [*Psychotria aurantiiflora*](#) O.Lachenaud
- [*Psychotria aurantiocarpa*](#) Fosberg
- [*Psychotria aurea*](#) Lauterb.
- [*Psychotria auriculata*](#) C.Wright ex Griseb.
- [*Psychotria auxopoda*](#) E.M.A.Petit
- [*Psychotria avenis*](#) Pancher ex Prain
- [*Psychotria avilensis*](#) Steyer.
- [*Psychotria awa*](#) C.M.Taylor
- [*Psychotria axilliflora*](#) Merr. & L.M.Perry

B

- [*Psychotria babatwoensis*](#) Cheek
- [*Psychotria bagshawei*](#) E.M.A.Petit
- [*Psychotria bahiensis*](#) DC.
- [*Psychotria baillonii*](#) Schltr.
- [*Psychotria bakeri*](#) Dwyer
- [*Psychotria bakossiensis*](#) Cheek & Sonké
- [*Psychotria baladensis*](#) (Baill.) Guillaumin
- [*Psychotria balakrishnii*](#) Deb & M.G.Gangop.
- [*Psychotria balancanensis*](#) C.W.Ham.
- [*Psychotria balansae*](#) Pit.
- [*Psychotria balbisiana*](#) DC.
- [*Psychotria baldwinii*](#) O.Lachenaud
- [*Psychotria balfouriana*](#) Verdc.
- [*Psychotria baltenweckii*](#) Urb.
- [*Psychotria bampsiana*](#) O.Lachenaud
- [*Psychotria banahaensis*](#) Elmer

- [*Psychotria banaona*](#) Urb.
- [*Psychotria bangladeshica*](#) M.Gangop. & Chakrab.
- [*Psychotria banguayensis*](#) Merr.
- [*Psychotria bangweana*](#) K.Schum.
- [*Psychotria barbatiloba*](#) Merr. & L.M.Perry
- [*Psychotria barberi*](#) Gamble
- [*Psychotria barensis*](#) K.Krause
- [*Psychotria barkleyi*](#) Sohmer & A.P.Davis
- [*Psychotria baronii*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria basicordata*](#) O.Lachenaud
- [*Psychotria bataanensis*](#) Elmer
- [*Psychotria batangana*](#) K.Schum.
- [*Psychotria bathieana*](#) A.P.Davis & Govaerts
- [*Psychotria batopedina*](#) (Verdc.) Razafim. & B.Bremer
- [*Psychotria baviensis*](#) Pit.
- [*Psychotria bayombongensis*](#) Sohmer & A.P.Davis
- [*Psychotria bealananensis*](#) Razafim. & B.Bremer
- [*Psychotria beaufortiensis*](#) Valeton ex Sohmer
- [*Psychotria beddomei*](#) Deb & M.G.Gangop.
- [*Psychotria beentjei*](#) O.Lachenaud
- [*Psychotria belamboi*](#) Razafim. & B.Bremer
- [*Psychotria bemarkensis*](#) Razafim. & B.Bremer
- [*Psychotria bemarkivensis*](#) A.P.Davis & Govaerts
- [*Psychotria berizokae*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria bermejaleensis*](#) Britton
- [*Psychotria bernardii*](#) Steyererm.
- [*Psychotria bernieri*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria berryi*](#) Wingf.
- [*Psychotria beskeana*](#) Schltdl.
- [*Psychotria betamponensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria betotozafyi*](#) Razafim. & B.Bremer
- [*Psychotria beyrichiana*](#) Müll.Arg.
- [*Psychotria bhargavae*](#) M.Gangop. & Chakrab.
- [*Psychotria bialata*](#) C.Wright ex Griseb.
- [*Psychotria biaristata*](#) Bartl. ex DC.
- [*Psychotria biaurita*](#) (Hutch. & Dalziel) Verdc.
- [*Psychotria bidentata*](#) (Thunb. ex Schult.) Hiern
- [*Psychotria bifaria*](#) Hiern
- [*Psychotria bilabiata*](#) O.Lachenaud
- [*Psychotria bilineata*](#) O.Lachenaud
- [*Psychotria biloba*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria bimbiensis*](#) Bridson & Cheek

- [*Psychotria birchiana*](#) King & Gamble
- [*Psychotria birkinshawiana*](#) C.M.Taylor
- [*Psychotria birotula*](#) L.B.Sm. & Downs
- [*Psychotria bissei*](#) Borhidi & Oviedo
- [*Psychotria bisulcata*](#) Wight & Arn.
- [*Psychotria blepharocalyx*](#) O.Lachenaud
- [*Psychotria blydeniae*](#) O.Lachenaud & Jongkind
- [*Psychotria bodenii*](#) Wernham
- [*Psychotria boenyanana*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria bogotensis*](#) Standl.
- [*Psychotria bohollensis*](#) Merr. ex Sohmer & A.P.Davis
- [*Psychotria boiviniana*](#) (Baill.) Razafim. & B.Bremer
- [*Psychotria boivinii*](#) Bremek.
- [*Psychotria boloboensis*](#) Valetton
- [*Psychotria bonii*](#) Pit.
- [*Psychotria boninensis*](#) Nakai
- [*Psychotria bontocensis*](#) Merr.
- [*Psychotria boquetensis*](#) Dwyer
- [*Psychotria borbonica*](#) (J.F.Gmel.) Razafim. & B.Bremer
- [*Psychotria borjensis*](#) Kunth
- [*Psychotria bourailensis*](#) Guillaumin
- [*Psychotria brachyandra*](#) Müll.Arg.
- [*Psychotria brachyantha*](#) Hiern
- [*Psychotria brachyanthema*](#) Standl.
- [*Psychotria brachyanthoides*](#) De Wild.
- [*Psychotria brachyblastus*](#) A.P.Davis & Govaerts
- [*Psychotria brachyceras*](#) Müll.Arg.
- [*Psychotria brachygyne*](#) Müll.Arg.
- [*Psychotria brachylaena*](#) (Baill.) Guillaumin
- [*Psychotria brachypoda*](#) (Müll.Arg.) Britton
- [*Psychotria brachypus*](#) (K.Schum. & K.Krause) O.Lachenaud
- [*Psychotria brachythrix*](#) A.C.Sm.
- [*Psychotria brackenridgei*](#) A.Gray
- [*Psychotria bradei*](#) Standl.
- [*Psychotria brandneriana*](#) (L.Linden) Robbr.
- [*Psychotria brassii*](#) Hiern
- [*Psychotria breteleri*](#) O.Lachenaud
- [*Psychotria brevicalyx*](#) Fosberg
- [*Psychotria brevicaulis*](#) K.Schum.
- [*Psychotria brevifissa*](#) O.Lachenaud
- [*Psychotria breviflora*](#) (Schltdl.) Müll.Arg.
- [*Psychotria brevinodis*](#) Urb.

- [*Psychotria brevipaniculata*](#) De Wild.
- [*Psychotria brevipedunculata*](#) Müll.Arg.
- [*Psychotria brevipuberula*](#) E.M.A.Petit
- [*Psychotria brevistipula*](#) Urb.
- [*Psychotria bridsoniae*](#) A.P.Davis & Govaerts
- [*Psychotria brieyi*](#) De Wild.
- [*Psychotria bristolii*](#) Whistler
- [*Psychotria brittonii*](#) Oviedo & Borhidi
- [*Psychotria broweri*](#) Seem.
- [*Psychotria brucei*](#) Verdc.
- [*Psychotria brunnea*](#) Schweinf. ex Hiern
- [*Psychotria brunnescens*](#) Craib
- [*Psychotria bryonicola*](#) Proctor
- [*Psychotria buchii*](#) Urb.
- [*Psychotria bugoyensis*](#) K.Krause
- [*Psychotria bukaensis*](#) De Wild.
- [*Psychotria bulilimontis*](#) W.N.Takeuchi
- [*Psychotria bullata*](#) Seem.
- [*Psychotria bullulata*](#) Bremek.
- [*Psychotria buntingii*](#) Steyerl.
- [*Psychotria burkillii*](#) Deb & M.G.Gangop.
- [*Psychotria burmanica*](#) Deb & M.G.Gangop.
- [*Psychotria butibumensis*](#) Sohmer
- [*Psychotria byrsonimifolia*](#) Acuña & Roíg

C

- [*Psychotria cabuyarensis*](#) Wernham
- [*Psychotria cadigensis*](#) Merr.
- [*Psychotria cagayanensis*](#) Merr.
- [*Psychotria cajambrensis*](#) Standl. ex Steyerl.
- [*Psychotria calceata*](#) E.M.A.Petit
- [*Psychotria calciphila*](#) Steyerl.
- [*Psychotria calderi*](#) Deb & M.G.Gangop.
- [*Psychotria callensii*](#) E.M.A.Petit
- [*Psychotria calliantha*](#) (Baill.) Guillaumin
- [*Psychotria calocardia*](#) Standl.
- [*Psychotria calocarpa*](#) Kurz
- [*Psychotria calophylla*](#) Standl.
- [*Psychotria calorhamnus*](#) (Baill.) Guillaumin ex Däniker
- [*Psychotria calothyris*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria calothyrsa*](#) (Baill.) Guillaumin
- [*Psychotria calva*](#) Hiern

- [*Psychotria calycosa*](#) A.Gray
- [*Psychotria calyptrata*](#) C.M.Taylor
- [*Psychotria cambodiana*](#) Pierre ex Pit.
- [*Psychotria camerunensis*](#) E.M.A.Petit
- [*Psychotria campoensis*](#) O.Lachenaud
- [*Psychotria camptodroma*](#) Merr. & L.M.Perry
- [*Psychotria camptopus*](#) Verdc.
- [*Psychotria canalensis*](#) (Baill.) Guillaumin
- [*Psychotria canarensis*](#) Talbot
- [*Psychotria capensis*](#) (Eckl.) Vatke
- [*Psychotria capillacea*](#) (Müll.Arg.) Standl.
- [*Psychotria capitulifera*](#) Merr. & L.M.Perry
- [*Psychotria capizensis*](#) Merr.
- [*Psychotria capuronii*](#) A.P.Davis & Govaerts
- [*Psychotria cardenasii*](#) Standl.
- [*Psychotria cardiochlamys*](#) (Baill.) Schltr.
- [*Psychotria cardiophylla*](#) Merr.
- [*Psychotria carronis*](#) C.Moore & F.Muell.
- [*Psychotria carstensensis*](#) Wernham
- [*Psychotria carthagenensis*](#) Jacq.
- [*Psychotria cascajalensis*](#) C.W.Ham.
- [*Psychotria casiguraensis*](#) Sohmer & A.P.Davis
- [*Psychotria castaneifolia*](#) E.M.A.Petit
- [*Psychotria castaneopila*](#) Merr.
- [*Psychotria castellana*](#) Müll.Arg.
- [*Psychotria castroi*](#) Merr. & Quisumb. ex Sohmer & A.P.Davis
- [*Psychotria catanduaniensis*](#) Sohmer & A.P.Davis
- [*Psychotria catetensis*](#) (Hiern) E.M.A.Petit
- [*Psychotria cathetoneura*](#) Urb.
- [*Psychotria caudata*](#) M.Gomes
- [*Psychotria celebica*](#) Miq.
- [*Psychotria cephalidantha*](#) K.Schum.
- [*Psychotria cephaloides*](#) A.P.Davis & Govaerts
- [*Psychotria cephalophora*](#) Merr.
- [*Psychotria ceratalabastron*](#) K.Schum.
- [*Psychotria ceratoloba*](#) (K.Schum.) O.Lachenaud
- [*Psychotria ceronii*](#) C.M.Taylor
- [*Psychotria cerrocoloradensis*](#) Dwyer ex C.M.Taylor
- [*Psychotria chagrensis*](#) Standl.
- [*Psychotria chalconeura*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria chamelaensis*](#) C.M.Taylor & Dominguez-Lic.
- [*Psychotria champluvierae*](#) O.Lachenaud

- [*Psychotria charlotteana*](#) Razafim. & B.Bremer
- [*Psychotria chartacea*](#) Craib
- [*Psychotria chasaliifolia*](#) Pit.
- [*Psychotria chaunantha*](#) K.Schum. & Lauterb.
- [*Psychotria cheathamiana*](#) Fosberg
- [*Psychotria cheekii*](#) O.Lachenaud
- [*Psychotria chimboracensis*](#) Standl.
- [*Psychotria chiriquina*](#) Standl.
- [*Psychotria chitariana*](#) Dwyer & C.W.Ham.
- [*Psychotria chlorophylla*](#) Müll.Arg.
- [*Psychotria chonantha*](#) (Gilli) Sohmer
- [*Psychotria christarusselliae*](#) Sohmer & A.P.Davis
- [*Psychotria christii*](#) Urb.
- [*Psychotria christophersenii*](#) Whistler
- [*Psychotria chrysantha*](#) Merr. & L.M.Perry
- [*Psychotria chrysanthoides*](#) Sohmer
- [*Psychotria chrysocarpa*](#) Merr. & L.M.Perry
- [*Psychotria ciliolata*](#) Schltdl.
- [*Psychotria cinerea*](#) De Wild.
- [*Psychotria clarendonensis*](#) Urb.
- [*Psychotria clausa*](#) (Hiern) O.Lachenaud
- [*Psychotria clavipes*](#) Müll.Arg.
- [*Psychotria clivorum*](#) Standl. & Steyerl.
- [*Psychotria closterocarpa*](#) A.Gray
- [*Psychotria clusioides*](#) Proctor
- [*Psychotria cochabambana*](#) C.M.Taylor
- [*Psychotria cocosensis*](#) C.W.Ham.
- [*Psychotria coelocalyx*](#) Urb.
- [*Psychotria coeloneura*](#) Urb.
- [*Psychotria coelospermum*](#) F.M.Bailey
- [*Psychotria comorensis*](#) Bremek.
- [*Psychotria comperei*](#) E.M.A.Petit
- [*Psychotria comptonii*](#) S.Moore
- [*Psychotria concolor*](#) Benth. & Oerst.
- [*Psychotria condensa*](#) King & Gamble
- [*Psychotria condensata*](#) Valetton
- [*Psychotria condorensis*](#) Pierre ex Pit.
- [*Psychotria confertifolia*](#) A.C.Sm.
- [*Psychotria congesta*](#) Spreng. ex DC.
- [*Psychotria conglobata*](#) Valetton
- [*Psychotria conglobatioides*](#) Sohmer
- [*Psychotria conglomeratiflora*](#) Sohmer & A.P.Davis

- [*Psychotria conica*](#) O.Lachenaud
- [*Psychotria conjugens*](#) Müll.Arg.
- [*Psychotria connata*](#) Wall.
- [*Psychotria conocarpa*](#) Bremek.
- [*Psychotria consanguinea*](#) Müll.Arg.
- [*Psychotria convergens*](#) C.M.Taylor
- [*Psychotria cookei*](#) J.W.Moore
- [*Psychotria copeensis*](#) De Wild.
- [*Psychotria coptosperma*](#) (Baill.) Guillaumin
- [*Psychotria cordata*](#) A.Gray
- [*Psychotria cordatula*](#) Merr.
- [*Psychotria cornejoii*](#) C.M.Taylor
- [*Psychotria cornifer*](#) Wernham
- [*Psychotria cornuta*](#) Hiern
- [*Psychotria corrugata*](#) S.Venter
- [*Psychotria costata*](#) (Rusby) Standl.
- [*Psychotria costatovenosa*](#) Schltdl.
- [*Psychotria costivenia*](#) Griseb.
- [*Psychotria coursii*](#) Bremek.
- [*Psychotria crassicalyx*](#) K.Krause
- [*Psychotria crassiflora*](#) Fosberg
- [*Psychotria crassifolia*](#) Miq.
- [*Psychotria crassipedunculata*](#) Sohmer
- [*Psychotria crassipetala*](#) E.M.A.Petit
- [*Psychotria crassiramula*](#) Sohmer
- [*Psychotria crebrinervia*](#) Valetton
- [*Psychotria crispipila*](#) Merr.
- [*Psychotria crispulifolia*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria cristalensis*](#) Urb.
- [*Psychotria croftiana*](#) Sohmer
- [*Psychotria cromophila*](#) Oviedo & Borhidi
- [*Psychotria cryptogrammata*](#) E.M.A.Petit
- [*Psychotria crystallina*](#) O.Lachenaud
- [*Psychotria cuernosensis*](#) Elmer
- [*Psychotria cumanensis*](#) Humb. & Bonpl. ex Schult.
- [*Psychotria cuneata*](#) Elmer
- [*Psychotria cuneifolia*](#) DC.
- [*Psychotria cuprea*](#) Ridl.
- [*Psychotria cupularis*](#) (Müll.Arg.) Standl.
- [*Psychotria cupulata*](#) Valetton
- [*Psychotria cuspidella*](#) Miq.
- [*Psychotria cussetii*](#) O.Lachenaud

- [*Psychotria cutucuana*](#) C.M.Taylor
- [*Psychotria cyanopharynx*](#) K.Schum.
- [*Psychotria cyathicalyx*](#) E.M.A.Petit
- [*Psychotria cyclophylla*](#) Urb.
- [*Psychotria cylindrostipula*](#) Merr.

D

- [*Psychotria dallachiana*](#) Benth.
- [*Psychotria dalzellii*](#) Hook.f.
- [*Psychotria daphnoides*](#) A.Cunn. ex Hook.
- [*Psychotria darwiniana*](#) Cheek
- [*Psychotria dasyophthalma*](#) Griseb.
- [*Psychotria davidsmithiana*](#) C.M.Taylor
- [*Psychotria davisiana*](#) C.M.Taylor
- [*Psychotria decaryi*](#) Bremek.
- [*Psychotria declieuxioides*](#) S.Moore
- [*Psychotria decolor*](#) Drake ex Bremek.
- [*Psychotria decorifolia*](#) S.Moore
- [*Psychotria decumbens*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria deflexiflora*](#) C.M.Taylor
- [*Psychotria defretesiana*](#) (W.N.Takeuchi) W.N.Takeuchi
- [*Psychotria degreefii*](#) O.Lachenaud
- [*Psychotria deltata*](#) I.M.Turner
- [*Psychotria densa*](#) W.C.Chen
- [*Psychotria densicostata*](#) Müll.Arg.
- [*Psychotria densifolia*](#) Stapf
- [*Psychotria densinervia*](#) (K.Krause) Verdc.
- [*Psychotria densivenosa*](#) Müll.Arg.
- [*Psychotria denticulata*](#) Wall.
- [*Psychotria dermatophylla*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria descoingsii*](#) O.Lachenaud
- [*Psychotria desirei*](#) Razafim. & B.Bremer
- [*Psychotria desseinii*](#) O.Lachenaud
- [*Psychotria deverdiana*](#) Guillaumin
- [*Psychotria dewildei*](#) O.Lachenaud
- [*Psychotria diegoae*](#) Borhidi
- [*Psychotria dieniensis*](#) Merr. & L.M.Perry
- [*Psychotria diffusa*](#) Merr.
- [*Psychotria diffusiflora*](#) A.C.Sm.
- [*Psychotria diminuta*](#) C.M.Taylor
- [*Psychotria dimorphophylla*](#) K.Schum.
- [*Psychotria dingalanensis*](#) Sohmer & A.P.Davis

- [*Psychotria diospyrifolia*](#) Kaneh.
- [*Psychotria diplococca*](#) Lauterb. & K.Schum.
- [*Psychotria diploneura*](#) (K.Schum.) Bridson & Verdc.
- [*Psychotria dipteropoda*](#) K.Schum. & Lauterb.
- [*Psychotria dipteropodioides*](#) Sohmer
- [*Psychotria direpta*](#) Wernham
- [*Psychotria distichodoma*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria distinctinervia*](#) A.P.Davis & Govaerts
- [*Psychotria divergens*](#) Blume
- [*Psychotria diversinodula*](#) (Verdc.) Verdc.
- [*Psychotria djumaensis*](#) De Wild.
- [*Psychotria dodoensis*](#) K.Krause
- [*Psychotria dolichocalyx*](#) Urb. & Ekman
- [*Psychotria dolichosepala*](#) Merr. & L.M.Perry
- [*Psychotria dolphiniana*](#) Urb.
- [*Psychotria dorotheae*](#) Wernham
- [*Psychotria dressleri*](#) (Dwyer) C.W.Ham.
- [*Psychotria droissartii*](#) O.Lachenaud
- [*Psychotria dubia*](#) (Wight) Alston
- [*Psychotria duckei*](#) Standl.
- [*Psychotria duncanthomasii*](#) O.Lachenaud
- [*Psychotria dura*](#) Griseb.
- [*Psychotria durilancifolia*](#) Dwyer
- [*Psychotria dwyeri*](#) C.W.Ham.

E

- [*Psychotria ealaensis*](#) De Wild.
- [*Psychotria earlei*](#) Urb.
- [*Psychotria ebensis*](#) K.Schum.
- [*Psychotria ebracteata*](#) Urb.
- [*Psychotria ectasiphylla*](#) K.Schum. & Lauterb.
- [*Psychotria edaphothrix*](#) Steyerem.
- [*Psychotria edentata*](#) A.C.Sm.
- [*Psychotria educta*](#) Standl.
- [*Psychotria elachistantha*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria eladii*](#) O.Lachenaud
- [*Psychotria elegans*](#) Ridl.
- [*Psychotria elephantina*](#) Lachenaud & Cheek
- [*Psychotria elliotii*](#) Bremek.
- [*Psychotria ellipsoidea*](#) Craib
- [*Psychotria elliptifolia*](#) Elmer
- [*Psychotria elliptilimba*](#) Merr.

- [*Psychotria elmeri*](#) Merr.
- [*Psychotria elmeriana*](#) Hochr.
- [*Psychotria eminiana*](#) (Kuntze) E.M.A.Petit
- [*Psychotria enanilihensis*](#) Bremek.
- [*Psychotria enneantha*](#) I.M.Turner
- [*Psychotria ermitensis*](#) Borhidi & Oviedo
- [*Psychotria erratica*](#) Hook.f.
- [*Psychotria erythrocarpa*](#) Schltdl.
- [*Psychotria erythropus*](#) K.Schum.
- [*Psychotria esmeraldana*](#) C.M.Taylor
- [*Psychotria euaensis*](#) M.Hotta
- [*Psychotria eumachioides*](#) C.M.Taylor
- [*Psychotria eumorphanthus*](#) Fosberg
- [*Psychotria euneura*](#) Miq.
- [*Psychotria euosma*](#) I.M.Turner
- [*Psychotria evenia*](#) C.Wright ex Griseb.
- [*Psychotria evrardiana*](#) E.M.A.Petit
- [*Psychotria exannulata*](#) Müll.Arg.
- [*Psychotria exellii*](#) R.Alves, Figueiredo & A.P.Davis
- [*Psychotria exigua*](#) (F.M.Bailey) Domin
- [*Psychotria exilis*](#) A.C.Sm.
- [*Psychotria expansissima*](#) K.Schum.
- [*Psychotria exsculpta*](#) S.Moore

F

- [*Psychotria faguettii*](#) (Baill.) Schltr.
- [*Psychotria fambartiae*](#) Barrabé
- [*Psychotria faramalala*](#) Razafim. & B.Bremer
- [*Psychotria faucicola*](#) K.Schum.
- [*Psychotria fauriei*](#) (H.Lév.) Fosberg
- [*Psychotria febrifuga*](#) Poepp.
- [*Psychotria felsspitzensis*](#) Valetton
- [*Psychotria fendleri*](#) Standl.
- [*Psychotria fenicis*](#) Merr.
- [*Psychotria ferdinandi-muelleri*](#) Guillaumin
- [*Psychotria fernandopoensis*](#) E.M.A.Petit
- [*Psychotria ficigemma*](#) DC.
- [*Psychotria filipes*](#) A.Gray
- [*Psychotria fimbriatifolia*](#) R.D.Good
- [*Psychotria fimbricalyx*](#) (Miq.) Boerl.
- [*Psychotria fissicorne*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria fitzalanii*](#) Benth.

- [*Psychotria flagelliflora*](#) O.Lachenaud
- [*Psychotria flava*](#) Oerst. ex Standl.
- [*Psychotria flavens*](#) Standl.
- [*Psychotria flavida*](#) Talbot
- [*Psychotria flaviramula*](#) Sohmer
- [*Psychotria fleuryi*](#) Pit.
- [*Psychotria florencei*](#) Lorence & W.L.Wagner
- [*Psychotria fluminensis*](#) Vell.
- [*Psychotria fluviatilis*](#) Chun ex W.C.Chen
- [*Psychotria foetens*](#) Sw.
- [*Psychotria foetida*](#) Griseb.
- [*Psychotria foliosa*](#) Hiern
- [*Psychotria foremanii*](#) Sohmer
- [*Psychotria formosa*](#) Cham. & Schltdl.
- [*Psychotria fortuita*](#) Standl.
- [*Psychotria fosteri*](#) C.W.Ham.
- [*Psychotria foxworthyi*](#) Sohmer & A.P.Davis
- [*Psychotria fractinervata*](#) E.M.A.Petit
- [*Psychotria fractistipula*](#) L.B.Sm., R.M.Klein & Delprete
- [*Psychotria fragrans*](#) (Gillespie) Fosberg
- [*Psychotria frakei*](#) Sohmer & A.P.Davis
- [*Psychotria franchetiana*](#) (Drake) Drake
- [*Psychotria fraseri*](#) Ridl.
- [*Psychotria fraterna*](#) Müll.Arg.
- [*Psychotria friburgensis*](#) Standl.
- [*Psychotria frodinii*](#) Sohmer
- [*Psychotria frondosa*](#) S.Moore
- [*Psychotria fruticetorum*](#) Standl.
- [*Psychotria fuertesii*](#) Urb.
- [*Psychotria fulvoidea*](#) King & Gamble
- [*Psychotria furcans*](#) Fosberg
- [*Psychotria fuscescens*](#) Craib
- [*Psychotria fuscopilosa*](#) Schltr.

G

- [*Psychotria gabonica*](#) Hiern
- [*Psychotria gaboensis*](#) Ruhsam
- [*Psychotria gabrieliae*](#) (Baill.) Guillaumin
- [*Psychotria gabrielis*](#) Müll.Arg.
- [*Psychotria gagneorum*](#) Lorence & W.L.Wagner
- [*Psychotria galintanensis*](#) Sohmer & A.P.Davis
- [*Psychotria gallerana*](#) Standl.

- [*Psychotria garberiana*](#) Christoph.
- [*Psychotria garciae*](#) Standl.
- [*Psychotria gardneri*](#) Hook.f.
- [*Psychotria gawadacephalis*](#) Wernham
- [*Psychotria geophylax*](#) Cheek & Sonké
- [*Psychotria geoscopa*](#) O.Lachenaud
- [*Psychotria geronensis*](#) Urb.
- [*Psychotria ghanensis*](#) O.Lachenaud
- [*Psychotria gibbsiae*](#) S.Moore
- [*Psychotria gigantifolia*](#) O.Lachenaud
- [*Psychotria gigantopus*](#) K.Schum.
- [*Psychotria gillespieana*](#) A.C.Sm.
- [*Psychotria gillettii*](#) De Wild.
- [*Psychotria giluwensis*](#) Sohmer
- [*Psychotria gitingensis*](#) Elmer
- [*Psychotria gjellerupii*](#) A.P.Davis
- [*Psychotria glabra*](#) (Turrill) Fosberg
- [*Psychotria glabrata*](#) Sw.
- [*Psychotria glandulifera*](#) Thwaites ex Hook.f.
- [*Psychotria glaucifolia*](#) A.P.Davis & Govaerts
- [*Psychotria glaziovii*](#) Müll.Arg.
- [*Psychotria globicephala*](#) Gamble
- [*Psychotria globiceps*](#) K.Schum.
- [*Psychotria globosa*](#) Hiern
- [*Psychotria gneissica*](#) S.Moore
- [*Psychotria goetzei*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria golmanii*](#) W.N.Takeuchi
- [*Psychotria goniocarpa*](#) (Baill.) Guillaumin
- [*Psychotria goodii*](#) Figueiredo
- [*Psychotria gopalanii*](#) S.Samboor.
- [*Psychotria gossweileri*](#) E.M.A.Petit
- [*Psychotria gracilicornis*](#) O.Lachenaud
- [*Psychotria gracilior*](#) A.C.Sm.
- [*Psychotria gracilipes*](#) Merr.
- [*Psychotria grahamii*](#) C.M.Taylor
- [*Psychotria graminifolia*](#) Urb.
- [*Psychotria grandiflora*](#) H.Mann
- [*Psychotria grandis*](#) Sw.
- [*Psychotria grandistipula*](#) Merr.
- [*Psychotria grandistipulata*](#) (Lauterb.) Whistler
- [*Psychotria grantii*](#) Fosberg
- [*Psychotria granulata*](#) Urb. & Ekman

- [*Psychotria greeneana*](#) Urb.
- [*Psychotria greenwelliae*](#) Fosberg
- [*Psychotria griffithii*](#) Hook.f.
- [*Psychotria griseifolia*](#) S.Moore
- [*Psychotria griseola*](#) K.Schum.
- [*Psychotria grumilia*](#) (Kuntze) E.M.A.Petit
- [*Psychotria guanchezii*](#) Steyerm.
- [*Psychotria guerkeana*](#) K.Schum.
- [*Psychotria guerzeensis*](#) (Schnell) O.Lachenaud
- [*Psychotria guianensis*](#) (Aubl.) Clos
- [*Psychotria guillauminiana*](#) Barrabé & Mouly
- [*Psychotria guineensis*](#) E.M.A.Petit
- [*Psychotria gundlachii*](#) Urb.
- [*Psychotria gyrulosa*](#) Stapf

H

- [*Psychotria hainanensis*](#) H.L.Li
- [*Psychotria haitiensis*](#) Urb.
- [*Psychotria halophiloides*](#) Wernham
- [*Psychotria hamifera*](#) C.M.Taylor
- [*Psychotria hamiltoniana*](#) C.M.Taylor
- [*Psychotria hammelii*](#) Dwyer
- [*Psychotria hanoverensis*](#) Proctor
- [*Psychotria hanta*](#) Razafim. & B.Bremer
- [*Psychotria haplantha*](#) Bremek.
- [*Psychotria hardyi*](#) O.Lachenaud
- [*Psychotria harmandiana*](#) (Pierre ex Pit.) I.M.Turner
- [*Psychotria harmandii*](#) Pit.
- [*Psychotria hastisepala*](#) Müll.Arg.
- [*Psychotria hathewayi*](#) Fosberg
- [*Psychotria haumugaensis*](#) Sohmer
- [*Psychotria havilandii*](#) I.M.Turner
- [*Psychotria hawaiiensis*](#) (A.Gray) Fosberg
- [*Psychotria hawthornei*](#) O.Lachenaud
- [*Psychotria hebecarpa*](#) Merr. & L.M.Perry
- [*Psychotria hedraeocephala*](#) (Bremek.) O.Lachenaud
- [*Psychotria hedyotifolia*](#) Merr.
- [*Psychotria helferiana*](#) Kurz
- [*Psychotria hellwigiensis*](#) Valetton ex Sohmer
- [*Psychotria hemsleyi*](#) Verdc.
- [*Psychotria hendersoniana*](#) Craib
- [*Psychotria henryana*](#) Murugan & Gopalan

- [*Psychotria henryi*](#) H.Lév.
- [*Psychotria hentyi*](#) Sohmer
- [*Psychotria herrerana*](#) C.M.Taylor
- [*Psychotria herzogii*](#) S.Moore
- [*Psychotria heterochroa*](#) Urb.
- [*Psychotria heteromorpha*](#) Korth.
- [*Psychotria heterophylla*](#) Merr. & L.M.Perry
- [*Psychotria heterosticta*](#) E.M.A.Petit
- [*Psychotria hexamera*](#) (K.Schum.) O.Lachenaud
- [*Psychotria hexandra*](#) H.Mann
- [*Psychotria hidalgensis*](#) Borhidi
- [*Psychotria hilonghilongensis*](#) Sohmer & A.P.Davis
- [*Psychotria himanthophylla*](#) Bremek.
- [*Psychotria hirsuta*](#) Sw.
- [*Psychotria hirsuticalyx*](#) (R.D.Good) Figueiredo
- [*Psychotria hirsutissima*](#) O.Lachenaud
- [*Psychotria hirtinervia*](#) Wawra
- [*Psychotria hivaoana*](#) Fosberg
- [*Psychotria hobdyi*](#) Sohmer
- [*Psychotria hollandiae*](#) Valetton
- [*Psychotria holoxantha*](#) Urb. & Ekman
- [*Psychotria holstii*](#) ined.
- [*Psychotria holtzii*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria homalosperma*](#) A.Gray
- [*Psychotria hombroniana*](#) (Baill.) Fosberg
- [*Psychotria homolleae*](#) Bremek.
- [*Psychotria hootmawaapensis*](#) Barrabé & J.Florence
- [*Psychotria horizontalis*](#) Sw.
- [*Psychotria hornitensis*](#) Dwyer & C.W.Ham.
- [*Psychotria hosokawae*](#) Fosberg
- [*Psychotria hospitalis*](#) Standl.
- [*Psychotria howcroftii*](#) W.N.Takeuchi
- [*Psychotria humbertii*](#) Bremek.
- [*Psychotria humblotii*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria humifera*](#) O.Lachenaud
- [*Psychotria humilis*](#) Hiern
- [*Psychotria hunteri*](#) (Horne ex Baker) A.C.Sm.
- [*Psychotria hylocharis*](#) Standl.
- [*Psychotria hymenodes*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria hypargyraea*](#) A.Gray
- [*Psychotria hypoleuca*](#) K.Schum.
- [*Psychotria hypsophila*](#) K.Schum. & K.Krause

I

- [*Psychotria ianthina*](#) Guillaumin
- [*Psychotria ibitipocae*](#) Standl.
- [*Psychotria ignea*](#) Müll.Arg.
- [*Psychotria ihuensis*](#) Merr. & L.M.Perry
- [*Psychotria ilendensis*](#) K.Krause
- [*Psychotria ilocana*](#) (Merr.) Merr.
- [*Psychotria imerinensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria impercepta*](#) A.C.Sm. & S.P.Darwin
- [*Psychotria impressinervia*](#) Merr.
- [*Psychotria imthurnii*](#) Turrill
- [*Psychotria inaequalis*](#) King & Gamble
- [*Psychotria inconspicua*](#) Merr. & L.M.Perry
- [*Psychotria induta*](#) Craib
- [*Psychotria inegi*](#) García Gonz. & Borhidi
- [*Psychotria infundibularis*](#) Hiern
- [*Psychotria ingentifolia*](#) E.M.A.Petit
- [*Psychotria insignis*](#) Standl.
- [*Psychotria insolens*](#) Standl.
- [*Psychotria insueta*](#) (Dwyer) C.W.Ham.
- [*Psychotria insularum*](#) A.Gray
- [*Psychotria integristipulata*](#) A.P.Davis & Govaerts
- [*Psychotria interior*](#) ined.
- [*Psychotria intermedia*](#) Gardner
- [*Psychotria interstans*](#) Domin
- [*Psychotria intrudens*](#) Miq.
- [*Psychotria ireneae*](#) Barrabé
- [*Psychotria iridensis*](#) Sohmer & A.P.Davis
- [*Psychotria iringensis*](#) Verdc.
- [*Psychotria irosinensis*](#) Elmer
- [*Psychotria irwinii*](#) Steyerl.
- [*Psychotria isalensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria issembei*](#) O.Lachenaud
- [*Psychotria iteophylla*](#) Stapf
- [*Psychotria ituriensis*](#) De Wild. ex E.Petit
- [*Psychotria ivakoanyensis*](#) Bremek.
- [*Psychotria ivorensis*](#) De Wild.
- [*Psychotria iwahigensis*](#) Elmer
- [*Psychotria ixoroides*](#) Bartl. ex DC.

J

- [*Psychotria jamesoniana*](#) Standl.
- [*Psychotria janssensii*](#) O.Lachenaud
- [*Psychotria jasminoides*](#) Standl.
- [*Psychotria jefensis*](#) Dwyer ex C.M.Taylor
- [*Psychotria jidehensis*](#) O.Lachenaud
- [*Psychotria jimenezii*](#) Standl.
- [*Psychotria jinotegensis*](#) C.Nelson, Ant.Molina & Standl.
- [*Psychotria johnsii*](#) Sohmer
- [*Psychotria johnsonii*](#) Hook.f.
- [*Psychotria josephi*](#) (Kuntze) Kottaim.
- [*Psychotria juddii*](#) Christoph.
- [*Psychotria jugalis*](#) A.C.Sm.
- [*Psychotria juninensis*](#) Standl.

K

- [*Psychotria kaduana*](#) (Cham. & Schltdl.) Fosberg
- [*Psychotria kahuziensis*](#) E.M.A.Petit
- [*Psychotria kairoana*](#) Sohmer
- [*Psychotria kajewskii*](#) Merr. & L.M.Perry
- [*Psychotria kamialii*](#) W.N.Takeuchi
- [*Psychotria kanehirae*](#) Merr.
- [*Psychotria kaniensis*](#) Valetton
- [*Psychotria kaoensis*](#) A.C.Sm.
- [*Psychotria karemaensis*](#) Sohmer
- [*Psychotria katikii*](#) Sohmer
- [*Psychotria kelelensis*](#) Valetton
- [*Psychotria kentii*](#) Razafim. & B.Bremer
- [*Psychotria keralensis*](#) Deb & M.G.Gangop.
- [*Psychotria kerrii*](#) Govaerts
- [*Psychotria keyensis*](#) Warb.
- [*Psychotria kikwitensis*](#) De Wild.
- [*Psychotria kilimandscharica*](#) K.Schum. ex Engl.
- [*Psychotria kimuenzae*](#) De Wild.
- [*Psychotria kitsonii*](#) Hutch. & Dalziel
- [*Psychotria kivuensis*](#) O.Lachenaud
- [*Psychotria klainei*](#) Schnell
- [*Psychotria klossii*](#) Craib
- [*Psychotria kochii*](#) Valetton
- [*Psychotria konguensis*](#) Hiern
- [*Psychotria koroiveibau*](#) A.C.Sm.

- [*Psychotria korthalsiana*](#) Miq.
- [*Psychotria korupensis*](#) O.Lachenaud
- [*Psychotria kosraensis*](#) Lorence & K.R.Wood
- [*Psychotria koumounaboualiensis*](#) O.Lachenaud
- [*Psychotria kratensis*](#) Craib
- [*Psychotria kribiensis*](#) O.Lachenaud
- [*Psychotria krukovii*](#) Standl.
- [*Psychotria kuhliana*](#) C.M.Taylor
- [*Psychotria kuhlmannii*](#) Standl.
- [*Psychotria kumbangii*](#) Ruhsam
- [*Psychotria kupensis*](#) Cheek
- [*Psychotria kuruvolii*](#) A.C.Sm.
- [*Psychotria kurzii*](#) Deb & M.G.Gangop.
- [*Psychotria kwewonii*](#) Jongkind

L

- [*Psychotria labatii*](#) Razafim. & B.Bremer
- [*Psychotria laciniata*](#) Vell.
- [*Psychotria lagunensis*](#) (Merr.) Merr.
- [*Psychotria lallanii*](#) R.Kr.Singh
- [*Psychotria lamarinensis*](#) C.W.Ham.
- [*Psychotria lanaensis*](#) (Merr.) Merr.
- [*Psychotria lanceifolia*](#) K.Schum.
- [*Psychotria lanceolaria*](#) Ridl.
- [*Psychotria lancilimba*](#) Merr.
- [*Psychotria langbianensis*](#) Wernham
- [*Psychotria lantzii*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria laselvensis*](#) C.W.Ham.
- [*Psychotria lasianthifolia*](#) Valetton
- [*Psychotria lasianthoides*](#) Valetton
- [*Psychotria lasiocephala*](#) Ridl.
- [*Psychotria lasiophthalma*](#) Griseb.
- [*Psychotria lasiopus*](#) Müll.Arg.
- [*Psychotria lasiostylis*](#) Müll.Arg.
- [*Psychotria laticalyx*](#) O.Lachenaud
- [*Psychotria latistipula*](#) Benth.
- [*Psychotria laui*](#) Merr. & F.P.Metcalf
- [*Psychotria lauracea*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria laurentii*](#) De Wild.
- [*Psychotria lavanchiei*](#) Bremek.
- [*Psychotria laxiflora*](#) Blume
- [*Psychotria laxithyrsa*](#) O.Lachenaud

- [*Psychotria lebrunii*](#) Cheek
- [*Psychotria lecomtei*](#) Pit.
- [*Psychotria ledermannii*](#) (K.Krause) Figueiredo
- [*Psychotria leeuwenbergiana*](#) O.Lachenaud
- [*Psychotria lehmbachii*](#) (K.Schum.) O.Lachenaud
- [*Psychotria leilae*](#) A.P.Davis & Govaerts
- [*Psychotria leiophloea*](#) Merr. & L.M.Perry
- [*Psychotria leiophylla*](#) Merr. & L.M.Perry
- [*Psychotria leitana*](#) C.M.Taylor
- [*Psychotria leleana*](#) Sohmer
- [*Psychotria leleanoides*](#) Sohmer
- [*Psychotria leonardiana*](#) E.M.A.Petit
- [*Psychotria leonardii*](#) Merr. & L.M.Perry
- [*Psychotria leonis*](#) Britton & P.Wilson
- [*Psychotria lepidocarpa*](#) Korth.
- [*Psychotria leptantha*](#) A.C.Sm.
- [*Psychotria leptophylla*](#) Hiern
- [*Psychotria leratii*](#) Guillaumin
- [*Psychotria letestui*](#) (De Wild.) N.Hallé ex O.Lachenaud
- [*Psychotria letouzeyi*](#) E.M.A.Petit
- [*Psychotria leucocalyx*](#) A.C.Sm.
- [*Psychotria leucocarpa*](#) Blume
- [*Psychotria leucocentron*](#) K.Schum.
- [*Psychotria leucococca*](#) K.Schum. & Lauterb.
- [*Psychotria leucopoda*](#) E.M.A.Petit
- [*Psychotria levuensis*](#) Gillespie
- [*Psychotria lianoides*](#) Elmer
- [*Psychotria liberica*](#) Hepper
- [*Psychotria liesneri*](#) Dwyer
- [*Psychotria ligustrifolia*](#) (Northr.) Millsp.
- [*Psychotria limba*](#) Scott Elliot
- [*Psychotria limitanea*](#) Standl.
- [*Psychotria limonensis*](#) K.Krause
- [*Psychotria lindleyana*](#) Müll.Arg.
- [*Psychotria linearifolia*](#) Bremek.
- [*Psychotria linearis*](#) Bartl. ex DC.
- [*Psychotria linearisepala*](#) E.M.A.Petit
- [*Psychotria lineolata*](#) Craib
- [*Psychotria littoralis*](#) C.M.Taylor
- [*Psychotria loefgrenii*](#) Standl.
- [*Psychotria loheri*](#) Elmer
- [*Psychotria lokohensis*](#) Bremek.

- [*Psychotria lolokiensis*](#) S.Moore
- [*Psychotria longicalyx*](#) O.Lachenaud
- [*Psychotria longicauda*](#) Valeton
- [*Psychotria longicornis*](#) O.Lachenaud
- [*Psychotria longipaniculata*](#) Sohmer
- [*Psychotria longipedicellata*](#) Elmer
- [*Psychotria longipetiolata*](#) Thwaites
- [*Psychotria longirostrata*](#) Valeton
- [*Psychotria longissima*](#) Quisumb. & Merr.
- [*Psychotria longituba*](#) A.Chev. ex De Wild.
- [*Psychotria loniceroides*](#) Sieber ex DC.
- [*Psychotria lopezii*](#) Acuña & Roíg
- [*Psychotria lophocarpa*](#) O.Lachenaud
- [*Psychotria lorenciana*](#) C.M.Taylor
- [*Psychotria lorentzii*](#) Valeton
- [*Psychotria louisii*](#) E.M.A.Petit
- [*Psychotria lovettii*](#) Borhidi & Verdc.
- [*Psychotria lubutuensis*](#) De Wild.
- [*Psychotria lucens*](#) Hiern
- [*Psychotria lucidifolia*](#) Standl.
- [*Psychotria lucidula*](#) Baker
- [*Psychotria lunanii*](#) Urb.
- [*Psychotria lundellii*](#) Standl.
- [*Psychotria luteofructa*](#) C.M.Taylor
- [*Psychotria luteola*](#) Merr. & L.M.Perry
- [*Psychotria lutescens*](#) Craib
- [*Psychotria luzoniensis*](#) (Cham. & Schltdl.) Fern.-Vill.
- [*Psychotria lycioides*](#) (Baill.) Guillaumin

M

- [*Psychotria macbridei*](#) Standl.
- [*Psychotria macgregorii*](#) Merr.
- [*Psychotria macrocalyx*](#) A.Gray
- [*Psychotria macrocarpa*](#) Hook.f.
- [*Psychotria macrochlamys*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria macroglossa*](#) (Baill.) Guillaumin
- [*Psychotria macroserpens*](#) Fosberg
- [*Psychotria madagascariensis*](#) Razafim. & B.Bremer
- [*Psychotria madulidii*](#) Sohmer & A.P.Davis
- [*Psychotria maesenii*](#) O.Lachenaud
- [*Psychotria mafuluensis*](#) S.Moore
- [*Psychotria magnifica*](#) (Gillespie) Fosberg

- [*Psychotria magnifolia*](#) Merr.
- [*Psychotria magnisepala*](#) Bremek.
- [*Psychotria magnistipula*](#) O.Lachenaud
- [*Psychotria mahonii*](#) C.H.Wright
- [*Psychotria maingayi*](#) Hook.f.
- [*Psychotria malacorrhax*](#) (Lauterb. & K.Schum.) Valetton
- [*Psychotria malaloensis*](#) Merr. & L.M.Perry
- [*Psychotria malaspinae*](#) Merr.
- [*Psychotria malayana*](#) Jack
- [*Psychotria malchairii*](#) De Wild.
- [*Psychotria malcomberiana*](#) C.M.Taylor
- [*Psychotria maleolens*](#) Urb.
- [*Psychotria maliensis*](#) Schnell
- [*Psychotria malmei*](#) (Standl.) Zappi
- [*Psychotria manambolensis*](#) A.P.Davis & Govaerts
- [*Psychotria manampanihensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria mandiocana*](#) Müll.Arg.
- [*Psychotria mandrarensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria mangelotii*](#) (Aké Assi) Verdc.
- [*Psychotria mangorensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria manillensis*](#) Bartl. ex DC.
- [*Psychotria maningoryensis*](#) A.P.Davis & Govaerts
- [*Psychotria manna*](#) Urb.
- [*Psychotria mannii*](#) Hiern
- [*Psychotria manongarivensis*](#) A.P.Davis & Govaerts
- [*Psychotria mapiriensis*](#) Standl.
- [*Psychotria marafungaensis*](#) Sohmer
- [*Psychotria maranhana*](#) Müll.Arg.
- [*Psychotria marantifolia*](#) O.Lachenaud
- [*Psychotria marauensis*](#) Fosberg & Florence
- [*Psychotria marcgraviella*](#) Standl.
- [*Psychotria marchionica*](#) Drake
- [*Psychotria marginata*](#) Sw.
- [*Psychotria mariana*](#) Bartl. ex DC.
- [*Psychotria maricaensis*](#) Urb.
- [*Psychotria mariguilonensis*](#) Sohmer & A.P.Davis
- [*Psychotria mariniana*](#) (Cham. & Schltdl.) Fosberg
- [*Psychotria marmeladensis*](#) Urb.
- [*Psychotria maroensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria marojeensis*](#) Bremek.
- [*Psychotria martinetugei*](#) Cheek
- [*Psychotria martiusii*](#) Müll.Arg.

- [*Psychotria matagalpensis*](#) C.M.Taylor
- [*Psychotria matambuui*](#) W.N.Takeuchi
- [*Psychotria mauiensis*](#) Fosberg
- [*Psychotria mayana*](#) W.N.Takeuchi
- [*Psychotria maynasana*](#) C.M.Taylor
- [*Psychotria meeboldii*](#) Deb & M.G.Gangop.
- [*Psychotria megacarpa*](#) Ridl.
- [*Psychotria megacoma*](#) Miq.
- [*Psychotria megalocalyx*](#) Müll.Arg.
- [*Psychotria megalocarpa*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria megalopus*](#) Verdc.
- [*Psychotria megistantha*](#) E.M.A.Petit
- [*Psychotria megistophylla*](#) Standl.
- [*Psychotria mekongensis*](#) Pit.
- [*Psychotria melaneoides*](#) Wernham
- [*Psychotria melanocarpa*](#) Merr. & L.M.Perry
- [*Psychotria melanotricha*](#) Müll.Arg.
- [*Psychotria menalohensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria mendozii*](#) Sohmer & A.P.Davis
- [*Psychotria merrillii*](#) Kaneh.
- [*Psychotria merrittii*](#) Merr.
- [*Psychotria merrittiioides*](#) Sohmer & A.P.Davis
- [*Psychotria mesentericarpa*](#) Baker
- [*Psychotria mexiae*](#) Standl.
- [*Psychotria miae*](#) A.P.Davis & Govaerts
- [*Psychotria micheliae*](#) (J.-G.Adam) Jongkind & W.D.Hawth.
- [*Psychotria micheliana*](#) J.-G.Adam
- [*Psychotria micralabastra*](#) (Lauterb. & K.Schum.) Valetton
- [*Psychotria micrantha*](#) Kunth
- [*Psychotria microcarpa*](#) Müll.Arg.
- [*Psychotria micrococca*](#) (Lauterb. & K.Schum.) Valetton
- [*Psychotria microglossa*](#) (Baill.) Baill. ex Guillaumin
- [*Psychotria microgrammata*](#) Bremek.
- [*Psychotria micromyrtus*](#) (Baill.) Schltr.
- [*Psychotria microthyrsa*](#) E.M.A.Petit
- [*Psychotria mildbraedii*](#) (K.Krause) O.Lachenaud
- [*Psychotria milnei*](#) (A.Gray) K.Schum.
- [*Psychotria mima*](#) Standl.
- [*Psychotria mindanaensis*](#) Merr.
- [*Psychotria mindoroensis*](#) Elmer
- [*Psychotria mineirensis*](#) Wernham
- [*Psychotria miniata*](#) Merr. & L.M.Perry

- [*Psychotria minima*](#) R.D.Good
- [*Psychotria minuta*](#) E.M.A.Petit
- [*Psychotria minutifoveolata*](#) Merr.
- [*Psychotria miombicola*](#) Verdc.
- [*Psychotria mirandae*](#) C.W.Ham.
- [*Psychotria misolensis*](#) Valetton ex Sohmer
- [*Psychotria moensis*](#) Britton & P.Wilson
- [*Psychotria molinae*](#) Standl.
- [*Psychotria molleri*](#) K.Schum.
- [*Psychotria mollipes*](#) K.Krause
- [*Psychotria monanthos*](#) (Baill.) Schltr.
- [*Psychotria monensis*](#) Cheek & Séné
- [*Psychotria moninensis*](#) (Hiern) E.M.A.Petit
- [*Psychotria monocarpa*](#) Fosberg
- [*Psychotria monsalvae*](#) C.M.Taylor
- [*Psychotria montensis*](#) Moore
- [*Psychotria monteverdensis*](#) Dwyer & C.W.Ham.
- [*Psychotria monticola*](#) Kurz
- [*Psychotria montisgiluwensis*](#) A.P.Davis & Ruhsam
- [*Psychotria montisstellaris*](#) (P.Royen) A.P.Davis & Ruhsam
- [*Psychotria montivaga*](#) C.M.Taylor
- [*Psychotria montrouzieri*](#) Barrabé & J.Florence
- [*Psychotria moonii*](#) Hook.f.
- [*Psychotria moramangensis*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria moratii*](#) Razafim. & B.Bremer
- [*Psychotria morindiflora*](#) Wall. ex Hook.f.
- [*Psychotria morindoides*](#) Hutch.
- [*Psychotria morley-smithiae*](#) A.P.Davis & Govaerts
- [*Psychotria mornicola*](#) Urb.
- [*Psychotria morobensis*](#) Sohmer
- [*Psychotria mortehanii*](#) De Wild.
- [*Psychotria muellerdomboisii*](#) W.N.Takeuchi
- [*Psychotria muelleriana*](#) Wawra
- [*Psychotria multicapitata*](#) King & Gamble
- [*Psychotria multicostata*](#) Valetton
- [*Psychotria multinervia*](#) Ridl.
- [*Psychotria multipedunculata*](#) Sohmer
- [*Psychotria multiplex*](#) Müll.Arg.
- [*Psychotria mumfordiana*](#) F.Br.
- [*Psychotria munda*](#) Standl.
- [*Psychotria murmurensis*](#) Sohmer
- [*Psychotria muschleriana*](#) K.Krause

- [*Psychotria muscicola*](#) Valetton
- [*Psychotria mutabilis*](#) C.M.Taylor
- [*Psychotria mwinilungae*](#) Verdc.
- [*Psychotria mycetoides*](#) Valetton
- [*Psychotria myristica*](#) I.M.Turner
- [*Psychotria myrmecophila*](#) K.Schum. & Lauterb.
- [*Psychotria myrsinoides*](#) Merr. & L.M.Perry
- [*Psychotria myrstiphyllum*](#) Sw.

N

- [*Psychotria nacdado*](#) Guillaumin
- [*Psychotria nagapatensis*](#) Merr.
- [*Psychotria naguana*](#) Urb.
- [*Psychotria namwingensis*](#) Govaerts
- [*Psychotria nandarivatensis*](#) A.C.Sm.
- [*Psychotria nanifrutex*](#) Sohmer
- [*Psychotria nathaliae*](#) (Baill.) Guillaumin
- [*Psychotria nebulosa*](#) K.Krause
- [*Psychotria negrosensis*](#) Elmer
- [*Psychotria neillii*](#) C.W.Ham. & Dwyer
- [*Psychotria nekouana*](#) (Baill.) Guillaumin
- [*Psychotria neodouarrei*](#) Barrabé & A.Martini
- [*Psychotria nerej*](#) O.Lachenaud
- [*Psychotria nervosa*](#) Sw.
- [*Psychotria nesophila*](#) F.Muell.
- [*Psychotria neurosticta*](#) O.Lachenaud
- [*Psychotria neurothrix*](#) Müll.Arg.
- [*Psychotria ngotphamii*](#) Bao, Tagane, Yahara & V.S.Dang
- [*Psychotria niauensis*](#) Butaud & J.Florence
- [*Psychotria nicobarica*](#) Kurz
- [*Psychotria nieuwenhuizii*](#) Valetton
- [*Psychotria nigerica*](#) Hepper
- [*Psychotria nigotei*](#) Barrabé
- [*Psychotria nigra*](#) (Gaertn.) Alston
- [*Psychotria nigropunctata*](#) Hiern
- [*Psychotria nilgiriensis*](#) Deb & M.G.Gangop.
- [*Psychotria nimbana*](#) Schnell
- [*Psychotria nitens*](#) (Merr.) Merr.
- [*Psychotria nitidula*](#) Cham. & Schltdl.
- [*Psychotria niveobarbata*](#) (Müll.Arg.) Britton
- [*Psychotria njumei*](#) Cheek
- [*Psychotria nodiflora*](#) O.Lachenaud & D.J.Harris

- [*Psychotria nossibensis*](#) A.P.Davis & Govaerts
- [*Psychotria notopleuroides*](#) C.M.Taylor
- [*Psychotria noxia*](#) A.St.-Hil.
- [*Psychotria nubica*](#) Delile
- [*Psychotria nubicola*](#) G.Taylor
- [*Psychotria nubiphila*](#) Dwyer
- [*Psychotria nubisylvae*](#) O.Lachenaud
- [*Psychotria nuda*](#) (Cham. & Schltdl.) Wawra
- [*Psychotria nudiflora*](#) Wight & Arn.
- [*Psychotria nummularioides*](#) Guillaumin
- [*Psychotria nymannii*](#) ined.
- [*Psychotria nzabii*](#) O.Lachenaud

O

- [*Psychotria oaxacensis*](#) Borhidi & Salas-Mor.
- [*Psychotria oblongicarpa*](#) Borhidi & Oviedo
- [*Psychotria obovalis*](#) A.Rich.
- [*Psychotria obovatifolia*](#) De Wild.
- [*Psychotria obscura*](#) Zoll. & Moritzi
- [*Psychotria obscurinervia*](#) Merr.
- [*Psychotria obtegens*](#) Müll.Arg.
- [*Psychotria obtusifolia*](#) Lam. ex Poir.
- [*Psychotria occidentalis*](#) Steyererm.
- [*Psychotria ochroleuca*](#) Standl.
- [*Psychotria octosulcata*](#) Talbot
- [*Psychotria oinochrophylla*](#) (Standl.) C.M.Taylor
- [*Psychotria oleifolia*](#) (Kunth) Standl.
- [*Psychotria olgae*](#) Dwyer & M.V.Hayden
- [*Psychotria oligocarpa*](#) K.Schum.
- [*Psychotria oligoneura*](#) Pierre ex Pit.
- [*Psychotria olivacea*](#) Valetton
- [*Psychotria oliveri*](#) Lorence & W.L.Wagner
- [*Psychotria olsenii*](#) Sohmer & A.P.Davis
- [*Psychotria ombrophila*](#) (Schnell) Verdc.
- [*Psychotria onanae*](#) O.Lachenaud
- [*Psychotria onivensis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria oocarpa*](#) Bremek.
- [*Psychotria opaca*](#) Müll.Arg.
- [*Psychotria opima*](#) Standl.
- [*Psychotria orbicalyx*](#) O.Lachenaud
- [*Psychotria oreadum*](#) S.Moore
- [*Psychotria oreotrephe*](#) (Bremek.) A.P.Davis & Govaerts

- [*Psychotria orgyalis*](#) Merr. & L.M.Perry
- [*Psychotria orophila*](#) E.M.A.Petit
- [*Psychotria orosiana*](#) Standl.
- [*Psychotria orosioides*](#) C.M.Taylor
- [*Psychotria ortiziana*](#) C.M.Taylor
- [*Psychotria osiana*](#) W.N.Takeuchi & Pipoly
- [*Psychotria ossaeana*](#) Urb.
- [*Psychotria oua-tilouensis*](#) Guillaumin
- [*Psychotria oubatchensis*](#) Schltr.
- [*Psychotria ovatistipula*](#) C.M.Taylor
- [*Psychotria ovoidea*](#) Wall. ex Hook.f.
- [*Psychotria owariensis*](#) (P.Beauv.) Hiern

P

- [*Psychotria pachyantha*](#) A.C.Sm.
- [*Psychotria pachycalyx*](#) O.Lachenaud
- [*Psychotria pachygrammata*](#) Bremek.
- [*Psychotria pachyphylla*](#) (King & Gamble) Ridl.
- [*Psychotria pachythalla*](#) Urb.
- [*Psychotria pacifica*](#) K.Schum.
- [*Psychotria pacorensis*](#) C.W.Ham.
- [*Psychotria paeonia*](#) C.M.Taylor
- [*Psychotria palawanensis*](#) Elmer
- [*Psychotria palifera*](#) C.M.Taylor
- [*Psychotria palimlimensis*](#) Sohmer & A.P.Davis
- [*Psychotria pallens*](#) Gardner
- [*Psychotria pallida*](#) Valetton
- [*Psychotria pallidicalyx*](#) O.Lachenaud
- [*Psychotria pallidifolia*](#) Merr.
- [*Psychotria paloensis*](#) Elmer
- [*Psychotria paludicola*](#) Merr. & L.M.Perry
- [*Psychotria paludosa*](#) Müll.Arg.
- [*Psychotria palustris*](#) E.M.A.Petit
- [*Psychotria panamensis*](#) Standl.
- [*Psychotria panayensis*](#) Merr.
- [*Psychotria pancheri*](#) (Baill.) Schltr.
- [*Psychotria pandoana*](#) C.M.Taylor
- [*Psychotria pandurata*](#) Verdc.
- [*Psychotria papanga*](#) Razafim. & B.Bremer
- [*Psychotria papantlensis*](#) (Oerst.) Hemsl.
- [*Psychotria papillata*](#) (Merr.) Merr.
- [*Psychotria papuana*](#) (Wernham) H.St.John

- [*Psychotria paracalensis*](#) Sohmer & A.P.Davis
- [*Psychotria paradoxalis*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria paravillosa*](#) C.M.Taylor
- [*Psychotria parkeri*](#) Baker
- [*Psychotria parvifolia*](#) Benth.
- [*Psychotria parvihama*](#) C.M.Taylor
- [*Psychotria parvistipulata*](#) E.M.A.Petit
- [*Psychotria parvula*](#) A.Gray
- [*Psychotria patentinervia*](#) Müll.Arg.
- [*Psychotria patentivenia*](#) Miq.
- [*Psychotria patulinervia*](#) Merr. & Quisumb. ex Sohmer & A.P.Davis
- [*Psychotria patuloneura*](#) O.Lachenaud
- [*Psychotria pauciflora*](#) Bartl. ex DC.
- [*Psychotria paucinervia*](#) Merr.
- [*Psychotria paulae*](#) J.-Y.Mey., Lorence & J.Florence
- [*Psychotria pavairiensis*](#) Sohmer
- [*Psychotria pearcei*](#) Standl.
- [*Psychotria pectinata*](#) Steyererm.
- [*Psychotria peduncularis*](#) (Salisb.) Steyererm.
- [*Psychotria pedunculosa*](#) Rich.
- [*Psychotria peekeliana*](#) Valetton
- [*Psychotria penangensis*](#) Hook.f.
- [*Psychotria pendens*](#) M.A.Bautista & R.Bustam.
- [*Psychotria pendula*](#) Hook.f.
- [*Psychotria penduliflora*](#) Ridl.
- [*Psychotria pendulothyrsa*](#) O.Lachenaud
- [*Psychotria pentaphtosa*](#) Müll.Arg.
- [*Psychotria perbrevis*](#) K.Schum.
- [*Psychotria perferruginea*](#) Steyererm.
- [*Psychotria pergamena*](#) Korth.
- [*Psychotria perijaensis*](#) Steyererm.
- [*Psychotria pernitida*](#) Urb.
- [*Psychotria perrieri*](#) Bremek.
- [*Psychotria pervillei*](#) Baker
- [*Psychotria peteri*](#) E.M.A.Petit
- [*Psychotria petiginosa*](#) Brenan
- [*Psychotria petiolosa*](#) Valetton
- [*Psychotria petiti*](#) Verdc.
- [*Psychotria phaeochlamys*](#) (Lauterb. & K.Schum.) Valetton
- [*Psychotria phaeochlamysioides*](#) Sohmer
- [*Psychotria phanerophlebia*](#) Merr.
- [*Psychotria phaneroplexa*](#) Standl.

- [*Psychotria philacra*](#) Dwyer
- [*Psychotria phuquocensis*](#) Bao, Vuong & V.S.Dang
- [*Psychotria phyllocalymma*](#) Müll.Arg.
- [*Psychotria phyllocalymmoides*](#) Müll.Arg.
- [*Psychotria pichisensis*](#) Standl.
- [*Psychotria pickeringii*](#) A.Gray
- [*Psychotria pilifera*](#) Hutch.
- [*Psychotria pilosella*](#) Elmer
- [*Psychotria pilulifera*](#) King & Gamble
- [*Psychotria pinetorum*](#) Urb.
- [*Psychotria pininsularis*](#) Guillaumin
- [*Psychotria pinnatinervia*](#) Elmer
- [*Psychotria piolampra*](#) K.Schum.
- [*Psychotria piperi*](#) Merr.
- [*Psychotria pisonioides*](#) Standl.
- [*Psychotria pittosporifolia*](#) Fosberg
- [*Psychotria plana*](#) Craib
- [*Psychotria plantaginoidea*](#) E.M.A.Petit
- [*Psychotria platycocca*](#) A.Gray
- [*Psychotria platyneura*](#) Kurz
- [*Psychotria pleeana*](#) Urb.
- [*Psychotria pleuropoda*](#) Donn.Sm.
- [*Psychotria plicata*](#) Urb.
- [*Psychotria plumeriifolia*](#) Elmer
- [*Psychotria plumieri*](#) Urb.
- [*Psychotria pluriceps*](#) Standl.
- [*Psychotria plurivenia*](#) Thwaites
- [*Psychotria pocsii*](#) Borhidi & Verdc.
- [*Psychotria podantha*](#) (Fosberg) A.C.Sm.
- [*Psychotria podocarpa*](#) E.M.A.Petit
- [*Psychotria poilanei*](#) Pit.
- [*Psychotria poissoniana*](#) (Baill.) Guillaumin ex S.Moore
- [*Psychotria poliostemma*](#) Benth.
- [*Psychotria polita*](#) Valetton
- [*Psychotria polycarpa*](#) (Miq.) Hook.f.
- [*Psychotria polygrammata*](#) Bremek.
- [*Psychotria polyphylla*](#) Bremek.
- [*Psychotria polytricha*](#) Miq.
- [*Psychotria ponce-leonis*](#) Acuña & Roíg
- [*Psychotria porphyroclada*](#) K.Schum.
- [*Psychotria potamophila*](#) K.Schum.
- [*Psychotria potanthera*](#) Wernham

- [*Psychotria praecox*](#) Valetton ex Sohmer
- [*Psychotria prainii*](#) H.Lév.
- [*Psychotria principensis*](#) G.Taylor
- [*Psychotria prismoclavata*](#) (Fosberg) A.C.Sm.
- [*Psychotria pritchardii*](#) Seem.
- [*Psychotria pseudaxillaris*](#) (Wernham) Delprete
- [*Psychotria pseudoixora*](#) Pit.
- [*Psychotria pseudomaschalodesme*](#) W.N.Takeuchi
- [*Psychotria pseudomicrodaphne*](#) Guillaumin
- [*Psychotria pseudoplatyphylla*](#) E.M.A.Petit
- [*Psychotria psychotriifolia*](#) (Seem.) Standl.
- [*Psychotria psychotrioides*](#) (DC.) Roberty
- [*Psychotria pteropus*](#) O.Lachenaud & D.J.Harris
- [*Psychotria puberulina*](#) (Müll.Arg.) Standl.
- [*Psychotria pubiflora*](#) (A.Gray) Fosberg
- [*Psychotria pubilimba*](#) Quisumb.
- [*Psychotria pubinoda*](#) Standl. ex Steyermer.
- [*Psychotria pubituba*](#) S.Moore
- [*Psychotria puffii*](#) Razafim. & B.Bremer
- [*Psychotria pulchrebracteata*](#) Guillaumin
- [*Psychotria pulchrinervis*](#) Borhidi & Oviedo
- [*Psychotria pulchristipula*](#) (Bremek.) Razafim. & B.Bremer
- [*Psychotria pulgarensis*](#) Sohmer & A.P.Davis
- [*Psychotria pulleniana*](#) Sohmer
- [*Psychotria pumila*](#) Hiern
- [*Psychotria punctata*](#) Vatke
- [*Psychotria purdiaei*](#) Urb.
- [*Psychotria purpurea*](#) Merr. & L.M.Perry
- [*Psychotria puyoana*](#) C.M.Taylor
- [*Psychotria pygmaea*](#) Merr.
- [*Psychotria pygmaeodendron*](#) K.Schum.
- [*Psychotria pyramidata*](#) Elmer
- [*Psychotria pyrrotricha*](#) (Bremek.) A.P.Davis & Govaerts

Q

- [*Psychotria quisumbingiana*](#) Sohmer & A.P.Davis

R

- [*Psychotria rabeniana*](#) Müll.Arg.
- [*Psychotria radicans*](#) (Merr.) Merr.
- [*Psychotria radicifera*](#) O.Lachenaud

- [*Psychotria raiateensis*](#) J.W.Moore
- [*Psychotria raivavaensis*](#) Fosberg
- [*Psychotria rakotonasoloi*](#) A.P.Davis & Govaerts
- [*Psychotria rakotoniaina*](#) A.P.Davis & Govaerts
- [*Psychotria rakotovaoi*](#) C.M.Taylor
- [*Psychotria ramadecumbens*](#) Sohmer
- [*Psychotria rambouensis*](#) De Wild.
- [*Psychotria ramosii*](#) Merr.
- [*Psychotria ramosissima*](#) Elmer
- [*Psychotria ramuensis*](#) Sohmer
- [*Psychotria ramulosa*](#) Merr. & L.M.Perry
- [*Psychotria randiana*](#) Merr. & L.M.Perry
- [*Psychotria ranomafanensis*](#) C.M.Taylor
- [*Psychotria rapensis*](#) F.Br.
- [*Psychotria ratovoarisonii*](#) A.P.Davis & Govaerts
- [*Psychotria rauwolfioides*](#) Standl.
- [*Psychotria raynaliorum*](#) O.Lachenaud
- [*Psychotria razafimandimbisonii*](#) C.M.Taylor
- [*Psychotria razakamalalae*](#) C.M.Taylor
- [*Psychotria rectinervis*](#) Urb.
- [*Psychotria recurva*](#) Hiern
- [*Psychotria reducta*](#) Baker
- [*Psychotria reflexapedunculata*](#) Sohmer
- [*Psychotria reflexiloba*](#) Borhidi & Oviedo
- [*Psychotria reflexipes*](#) Borhidi & Oviedo
- [*Psychotria refracta*](#) Müll.Arg.
- [*Psychotria refractiflora*](#) K.Schum.
- [*Psychotria reineckei*](#) K.Schum.
- [*Psychotria reitsmarum*](#) O.Lachenaud
- [*Psychotria remota*](#) Benth.
- [*Psychotria repanda*](#) Ruiz & Pav.
- [*Psychotria reptans*](#) Benth.
- [*Psychotria resurrecta*](#) Wernham
- [*Psychotria reticulatissima*](#) S.Moore
- [*Psychotria reticulosa*](#) Valetton
- [*Psychotria retiphlebia*](#) Baker
- [*Psychotria retrofracta*](#) O.Lachenaud
- [*Psychotria retrorsipilis*](#) O.Lachenaud
- [*Psychotria retusa*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria revoluta*](#) DC.
- [*Psychotria reynosoi*](#) Sohmer & A.P.Davis
- [*Psychotria rhinocerotis*](#) Reinw. ex Blume

- [*Psychotria rhizomatosa*](#) De Wild.
- [*Psychotria rhodotricha*](#) Pit.
- [*Psychotria rhombibracteata*](#) C.M.Taylor & M.T.Campos
- [*Psychotria rhombocarpa*](#) Kaneh.
- [*Psychotria rhombocarpoides*](#) Hosok.
- [*Psychotria rhonhofiae*](#) K.Krause
- [*Psychotria rhynchodiscus*](#) O.Lachenaud
- [*Psychotria rhytidocarpa*](#) Müll.Arg.
- [*Psychotria ridleyi*](#) King & Gamble
- [*Psychotria rigescens*](#) Standl.
- [*Psychotria rigidifolia*](#) (Elmer) Merr.
- [*Psychotria rimbachii*](#) Standl.
- [*Psychotria rivularis*](#) Urb.
- [*Psychotria robertii*](#) Standl.
- [*Psychotria robusta*](#) Blume
- [*Psychotria romolerouxiana*](#) C.M.Taylor
- [*Psychotria rondonii*](#) Delprete
- [*Psychotria roseata*](#) (Fosberg) A.C.Sm.
- [*Psychotria rosella*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria roseotincta*](#) S.Moore
- [*Psychotria rosmarinifolia*](#) (Baill.) Schltr.
- [*Psychotria rosseliensis*](#) Sohmer
- [*Psychotria rosulata*](#) O.Lachenaud
- [*Psychotria rosulatifolia*](#) Dwyer
- [*Psychotria rotensis*](#) Kaneh.
- [*Psychotria roxburghii*](#) DC.
- [*Psychotria rubefacta*](#) (S.Moore) Guillaumin
- [*Psychotria rubens*](#) Borhidi & Oviedo
- [*Psychotria rubescens*](#) (Hiern) O.Lachenaud
- [*Psychotria rubiginosa*](#) Elmer ex Merr.
- [*Psychotria rubiginosissima*](#) Wernham
- [*Psychotria rubriceps*](#) O.Lachenaud & Jongkind
- [*Psychotria rubriflora*](#) O.Lachenaud
- [*Psychotria rubripilis*](#) K.Schum.
- [*Psychotria rubristipulata*](#) R.D.Good
- [*Psychotria rubropedicellata*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria rubropilosa*](#) De Wild.
- [*Psychotria rudis*](#) Ridl.
- [*Psychotria rufidula*](#) Standl.
- [*Psychotria rufipes*](#) Hook.f.
- [*Psychotria rufiramea*](#) Standl.
- [*Psychotria rufocalyx*](#) Fosberg

- [*Psychotria rufovaginata*](#) Griseb.
- [*Psychotria rufovillosa*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria rugulosa*](#) Kunth
- [*Psychotria ruhsamiana*](#) A.P.Davis & Govaerts
- [*Psychotria ruizii*](#) Standl.
- [*Psychotria rupicola*](#) (Baill.) Schltr.
- [*Psychotria russellii*](#) Deb & M.G.Gangop.
- [*Psychotria rutila*](#) Craib

S

- [*Psychotria saccata*](#) O.Lachenaud
- [*Psychotria sacciformis*](#) C.M.Taylor
- [*Psychotria sadebeckiana*](#) K.Schum.
- [*Psychotria sagittalis*](#) (Baill.) Guillaumin
- [*Psychotria sakaleonensis*](#) Bremek.
- [*Psychotria salentana*](#) Standl.
- [*Psychotria saloiana*](#) Diels
- [*Psychotria saltatrix*](#) C.M.Taylor
- [*Psychotria saltiensis*](#) (S.Moore) Guillaumin
- [*Psychotria salzmänniana*](#) Müll.Arg.
- [*Psychotria samarensis*](#) Merr.
- [*Psychotria sambiranensis*](#) Bremek.
- [*Psychotria samoritourei*](#) Cheek
- [*Psychotria sanluisensis*](#) Steyerem.
- [*Psychotria santaremica*](#) Müll.Arg.
- [*Psychotria sarapiquensis*](#) Standl.
- [*Psychotria sarcocarpa*](#) Merr.
- [*Psychotria sarcodes*](#) Merr. & L.M.Perry
- [*Psychotria sarmentosa*](#) Blume
- [*Psychotria sarmentosoides*](#) Valetton
- [*Psychotria sarmiensis*](#) Sohmer
- [*Psychotria sastrei*](#) Steyerem.
- [*Psychotria satabiei*](#) O.Lachenaud
- [*Psychotria sauvallei*](#) Urb.
- [*Psychotria scaberula*](#) Merr.
- [*Psychotria scabrida*](#) Bremek.
- [*Psychotria schaeferi*](#) Lorence & W.L.Wagner
- [*Psychotria schatzii*](#) Razafim. & B.Bremer
- [*Psychotria scheffleri*](#) K.Schum. & K.Krause
- [*Psychotria schlechteriana*](#) K.Krause
- [*Psychotria schliebenii*](#) E.M.A.Petit
- [*Psychotria schnellii*](#) (Aké Assi) Verdc.

- [*Psychotria schultzei*](#) Valetton
- [*Psychotria schumanniana*](#) Schltr.
- [*Psychotria schweinfurthii*](#) Hiern
- [*Psychotria scitula*](#) A.C.Sm.
- [*Psychotria scortechinii*](#) King & Gamble
- [*Psychotria scytophylla*](#) Bremek.
- [*Psychotria secundiflora*](#) Valetton
- [*Psychotria sellowiana*](#) (DC.) Müll.Arg.
- [*Psychotria semifissa*](#) Müll.Arg.
- [*Psychotria semperflorens*](#) (Beauvis.) Pancher ex Prain
- [*Psychotria sempervirens*](#) E.T.Geddes
- [*Psychotria sentanensis*](#) Valetton
- [*Psychotria senterrei*](#) O.Lachenaud
- [*Psychotria serpens*](#) L.
- [*Psychotria setistipulata*](#) (R.D.Good) E.M.A.Petit
- [*Psychotria setulifera*](#) C.M.Taylor
- [*Psychotria shaferi*](#) Urb.
- [*Psychotria sibuyanensis*](#) Elmer
- [*Psychotria sidamensis*](#) Cufod.
- [*Psychotria silhetensis*](#) Hook.f.
- [*Psychotria silhouettae*](#) F.Friedmann
- [*Psychotria silvicola*](#) Müll.Arg.
- [*Psychotria simianensis*](#) A.P.Davis & Govaerts
- [*Psychotria simmondsiana*](#) F.M.Bailey
- [*Psychotria sinuata*](#) C.M.Taylor
- [*Psychotria siphonophora*](#) Urb.
- [*Psychotria sitae*](#) O.Lachenaud
- [*Psychotria sixaolensis*](#) C.W.Ham.
- [*Psychotria sloanei*](#) Urb.
- [*Psychotria smaragdina*](#) Standl.
- [*Psychotria smithiae*](#) E.T.Geddes
- [*Psychotria sogerensis*](#) Wernham
- [*Psychotria sohmeri*](#) Kiehn
- [*Psychotria sohmeriana*](#) I.M.Turner
- [*Psychotria sohotonensis*](#) Sohmer & A.P.Davis
- [*Psychotria solanoides*](#) Turrill
- [*Psychotria solfiana*](#) K.Krause
- [*Psychotria solomonensis*](#) Merr. & L.M.Perry
- [*Psychotria sonkeana*](#) O.Lachenaud & Séné
- [*Psychotria sonocorova*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria sopkinii*](#) C.M.Taylor
- [*Psychotria sordida*](#) Thwaites

- [*Psychotria sororia*](#) DC.
- [*Psychotria sorsogonensis*](#) Elmer
- [*Psychotria soteropolitana*](#) Müll.Arg.
- [*Psychotria spachiana*](#) (Baill.) Guillaumin ex Barrabé & Mouly
- [*Psychotria sparsipila*](#) Bremek.
- [*Psychotria spathacea*](#) (Hiern) Verdc.
- [*Psychotria spathicalyx*](#) Müll.Arg.
- [*Psychotria spathulifolia*](#) O.Lachenaud
- [*Psychotria speciosa*](#) G.Forst.
- [*Psychotria sphaerocarpa*](#) Wall.
- [*Psychotria sphaeroidea*](#) Urb.
- [*Psychotria sphaerothyrsa*](#) Valetton
- [*Psychotria spicata*](#) Benth.
- [*Psychotria spithamea*](#) S.Moore
- [*Psychotria srilankensis*](#) Ruhsam
- [*Psychotria st-johnii*](#) Fosberg
- [*Psychotria steinii*](#) Steyerl.
- [*Psychotria stenantha*](#) A.C.Sm.
- [*Psychotria stenocalyx*](#) Müll.Arg.
- [*Psychotria stenostegia*](#) O.Lachenaud
- [*Psychotria stevedarwiniana*](#) W.N.Takeuchi
- [*Psychotria stevensiana*](#) Sohmer
- [*Psychotria stigmatophylla*](#) K.Schum.
- [*Psychotria stolonifera*](#) W.N.Takeuchi
- [*Psychotria storckii*](#) Seem.
- [*Psychotria streimannii*](#) Sohmer
- [*Psychotria stricta*](#) K.Schum.
- [*Psychotria strigosa*](#) Müll.Arg.
- [*Psychotria striolata*](#) K.Krause
- [*Psychotria suarezensis*](#) A.P.Davis & Govaerts
- [*Psychotria subacuminalis*](#) Müll.Arg.
- [*Psychotria subalpina*](#) Elmer
- [*Psychotria subcapitata*](#) Bremek.
- [*Psychotria subcaudata*](#) Valetton
- [*Psychotria subcordata*](#) Britton
- [*Psychotria subcucullata*](#) Merr.
- [*Psychotria suber*](#) van Jaarsv. & S.Venter
- [*Psychotria subglabra*](#) De Wild.
- [*Psychotria subintegra*](#) (Wight & Arn.) Hook.f.
- [*Psychotria sublyrata*](#) O.Lachenaud
- [*Psychotria submontana*](#) Domin
- [*Psychotria subnubila*](#) Bremek.

- [*Psychotria subobliqua*](#) Hiern
- [*Psychotria subobovata*](#) Miq.
- [*Psychotria subpunctata*](#) Hiern
- [*Psychotria subremota*](#) Müll.Arg.
- [*Psychotria subscandens*](#) Müll.Arg.
- [*Psychotria subsessiliflora*](#) Elmer
- [*Psychotria subsessilis*](#) Benth.
- [*Psychotria subsimplex*](#) Merr.
- [*Psychotria subspathacea*](#) Müll.Arg.
- [*Psychotria subspathulata*](#) (Müll.Arg.) C.M.Taylor
- [*Psychotria subvelutina*](#) Ekman & Urb.
- [*Psychotria succulenta*](#) (Hiern) E.M.A.Petit
- [*Psychotria suffruticosa*](#) Müll.Arg.
- [*Psychotria sulcata*](#) Wall. ex Hook.f.
- [*Psychotria sulitii*](#) Merr. & Quisumb. ex Sohmer & A.P.Davis
- [*Psychotria sumatrensis*](#) Ridl.
- [*Psychotria sumbavana*](#) Miq.
- [*Psychotria surianii*](#) Urb.
- [*Psychotria surigaoensis*](#) Sohmer & A.P.Davis
- [*Psychotria suterella*](#) Müll.Arg.
- [*Psychotria sutericalyx*](#) Wernham
- [*Psychotria sycophylla*](#) (K.Schum.) E.M.A.Petit
- [*Psychotria sylvatica*](#) Blume
- [*Psychotria sylvieana*](#) Razafim. & B.Bremer
- [*Psychotria sylvivaga*](#) Standl.
- [*Psychotria symplocifolia*](#) Kurz
- [*Psychotria synactica*](#) O.Lachenaud

T

- [*Psychotria taedoumgii*](#) O.Lachenaud
- [*Psychotria tahanensis*](#) Ruhsam
- [*Psychotria tahitensis*](#) (Drake) Drake
- [*Psychotria taitensis*](#) Verdc.
- [*Psychotria talasensis*](#) Sohmer
- [*Psychotria tanganyicensis*](#) Verdc.
- [*Psychotria tatamana*](#) Standl.
- [*Psychotria taupotinii*](#) F.Br.
- [*Psychotria taviunensis*](#) Gillespie
- [*Psychotria tawaensis*](#) Merr.
- [*Psychotria taxifolia*](#) Bremek.
- [*Psychotria tayabensis*](#) Elmer
- [*Psychotria tchoutoi*](#) O.Lachenaud

- [*Psychotria temehaniensis*](#) J.W.Moore
- [*Psychotria temetiuensis*](#) Lorence & W.L.Wagner
- [*Psychotria tenuicaulis*](#) K.Krause
- [*Psychotria tenuifolia*](#) Sw.
- [*Psychotria tenuinervis*](#) Müll.Arg.
- [*Psychotria tenuipes*](#) Merr. & L.M.Perry
- [*Psychotria tenuipetiolata*](#) Verdc.
- [*Psychotria tenuirachis*](#) Valetton
- [*Psychotria tenuis*](#) Merr. & L.M.Perry
- [*Psychotria tenuissima*](#) E.M.A.Petit
- [*Psychotria tephrosantha*](#) A.Gray
- [*Psychotria ternata*](#) Bremek.
- [*Psychotria ternatifolia*](#) W.N.Takeuchi
- [*Psychotria terniflora*](#) (A.Rich. ex DC.) Razafim. & B.Bremer
- [*Psychotria testacea*](#) Sohmer
- [*Psychotria tetragonoides*](#) Fosberg
- [*Psychotria tetragonopus*](#) O.Lachenaud & Jongkind
- [*Psychotria teysmanniana*](#) (Miq.) Boerl.
- [*Psychotria thailandensis*](#) Ruhsam
- [*Psychotria thelophora*](#) Urb.
- [*Psychotria thomensis*](#) G.Taylor
- [*Psychotria thomsonii*](#) Hook.f.
- [*Psychotria thonneri*](#) (De Wild. & T.Durand) O.Lachenaud
- [*Psychotria thorelii*](#) Pit.
- [*Psychotria timonioides*](#) Fosberg
- [*Psychotria titanophylla*](#) O.Lachenaud
- [*Psychotria tolongoinensis*](#) A.P.Davis & Govaerts
- [*Psychotria tomaniviensis*](#) A.C.Sm.
- [*Psychotria tomentella*](#) (S.Moore) Zappi
- [*Psychotria toninensis*](#) S.Moore
- [*Psychotria tonkinensis*](#) Pit.
- [*Psychotria torrei*](#) Acuña & Roíg
- [*Psychotria torrenticola*](#) O.Lachenaud & Séné
- [*Psychotria tovana*](#) F.Br.
- [*Psychotria trichantha*](#) Baker
- [*Psychotria trichanthera*](#) K.Schum.
- [*Psychotria trichocalyx*](#) (Drake) Fosberg ex J.-Y.Mey., Lorence & J.Florence
- [*Psychotria trichocarpa*](#) Valetton
- [*Psychotria trichotoma*](#) M.Martens & Galeotti
- [*Psychotria triclada*](#) E.M.A.Petit
- [*Psychotria tripedunculata*](#) Sohmer
- [*Psychotria trisulcata*](#) (Baill.) Guillaumin

- [*Psychotria trivialis*](#) Rusby
- [*Psychotria trujilloi*](#) Steyerm.
- [*Psychotria truncata*](#) Wall.
- [*Psychotria tsaratananensis*](#) A.P.Davis & Govaerts
- [*Psychotria tsiandrensis*](#) Bremek.
- [*Psychotria tsiandroi*](#) Razafim. & B.Bremer
- [*Psychotria tsimihetensis*](#) Razafim. & B.Bremer
- [*Psychotria tubuaiensis*](#) Fosberg
- [*Psychotria tubulocubensis*](#) Govaerts
- [*Psychotria turbinata*](#) A.Gray
- [*Psychotria turrubarensis*](#) W.C.Burger & Q.Jiménez
- [*Psychotria tutcheri*](#) Dunn
- [*Psychotria tylophora*](#) Kurz

U

- [*Psychotria uahukensis*](#) Lorence & W.L.Wagner
- [*Psychotria uapacifolia*](#) O.Lachenaud
- [*Psychotria uapoensis*](#) Lorence & W.L.Wagner
- [*Psychotria uberabana*](#) Müll.Arg.
- [*Psychotria ulei*](#) Standl.
- [*Psychotria umbellifera*](#) E.M.A.Petit
- [*Psychotria uncumariana*](#) C.M.Taylor
- [*Psychotria unicarinata*](#) (Fosberg) A.C.Sm. & S.P.Darwin
- [*Psychotria urbaniana*](#) Steyerm.
- [*Psychotria urdanetensis*](#) Elmer
- [*Psychotria usambarensis*](#) Verdc.
- [*Psychotria utakwensis*](#) Wernham

V

- [*Psychotria vaccinioides*](#) Valetton
- [*Psychotria vaccinioidifolia*](#) Sohmer
- [*Psychotria valettoniana*](#) Sohmer
- [*Psychotria valleculata*](#) A.C.Sm.
- [*Psychotria vanhermanii*](#) Acuña & Roíg
- [*Psychotria vanimoensis*](#) Sohmer
- [*Psychotria vanoverberghii*](#) Merr.
- [*Psychotria varians*](#) O.Lachenaud
- [*Psychotria vasudevae*](#) Murugan & Arisdason
- [*Psychotria veillonii*](#) Barrabé
- [*Psychotria velutina*](#) Elmer
- [*Psychotria venosa*](#) (Hiern) E.M.A.Petit

- [*Psychotria verdcourtii*](#) Borhidi
- [*Psychotria verschuerenii*](#) De Wild.
- [*Psychotria versteegii*](#) Deb & M.G.Gangop.
- [*Psychotria verticissaxi*](#) Valetton
- [*Psychotria vescula*](#) A.C.Sm.
- [*Psychotria vestita*](#) C.Presl
- [*Psychotria vieillardii*](#) (Baill.) Guillaumin
- [*Psychotria viguieri*](#) (Bremek.) A.P.Davis & Govaerts
- [*Psychotria villicarpa*](#) O.Lachenaud
- [*Psychotria villosa*](#) Ruiz & Pav.
- [*Psychotria vinkii*](#) Sohmer
- [*Psychotria viridialba*](#) Urb.
- [*Psychotria viridiflora*](#) Reinw. ex Blume
- [*Psychotria viridis*](#) Ruiz & Pav.
- [*Psychotria vishwanathii*](#) R.Kr.Singh
- [*Psychotria viticoides*](#) Wernham
- [*Psychotria vitiensis*](#) Fosberg
- [*Psychotria vogeliana*](#) Benth.
- [*Psychotria volii*](#) R.O.Gardner
- [*Psychotria vololoniaina*](#) Razafim. & B.Bremer
- [*Psychotria voluta*](#) Elmer
- [*Psychotria vomensis*](#) Gillespie
- [*Psychotria voorhoevei*](#) O.Lachenaud
- [*Psychotria vulpina*](#) Ridl.

W

- [*Psychotria wagapensis*](#) Guillaumin
- [*Psychotria waimamurensis*](#) Merr. & L.M.Perry
- [*Psychotria waiuensis*](#) Sohmer
- [*Psychotria walikalensis*](#) E.M.A.Petit
- [*Psychotria warburgiana*](#) A.P.Davis
- [*Psychotria warmingii*](#) Müll.Arg.
- [*Psychotria warongloensis*](#) Hochr.
- [*Psychotria wawrae*](#) Sohmer
- [*Psychotria wawrana*](#) Müll.Arg.
- [*Psychotria weberbaueri*](#) Standl.
- [*Psychotria weberi*](#) Merr.
- [*Psychotria welwitschii*](#) (Hiern) Bremek.
- [*Psychotria wenzelii*](#) (Merr.) Merr.
- [*Psychotria wernhamiana*](#) S.Moore
- [*Psychotria wesselsboeri*](#) Steyerm.
- [*Psychotria whistleri*](#) Fosberg

- [*Psychotria wiakabui*](#) W.N.Takeuchi
- [*Psychotria wichmannii*](#) Valetton
- [*Psychotria wieringae*](#) O.Lachenaud
- [*Psychotria wilkesiana*](#) Standl.
- [*Psychotria williamsii*](#) Standl.
- [*Psychotria winitii*](#) Craib
- [*Psychotria winkleri*](#) Merr.
- [*Psychotria wollastonii*](#) Wernham
- [*Psychotria womersleyi*](#) Sohmer
- [*Psychotria wonotobensis*](#) (Bremek.) Steyerm.
- [*Psychotria woodii*](#) Merr.
- [*Psychotria woronovii*](#) Standl.
- [*Psychotria woytkowskii*](#) Dwyer & M.V.Hayden
- [*Psychotria wrayi*](#) King & Gamble
- [*Psychotria wulschlaegelii*](#) Urb.

X

- [*Psychotria xanthochlora*](#) K.Schum.
- [*Psychotria xantholoba*](#) Müll.Arg.
- [*Psychotria xiriricana*](#) Standl. ex Hoehne

Y

- [*Psychotria yagawensis*](#) Sohmer & A.P.Davis
- [*Psychotria yaoundensis*](#) O.Lachenaud
- [*Psychotria yapaensis*](#) Sohmer
- [*Psychotria yapasensis*](#) Standl.
- [*Psychotria yapoensis*](#) (Schnell) Verdc.
- [*Psychotria yaracuyensis*](#) Steyerm.
- [*Psychotria yatesii*](#) (Merr.) Merr.
- [*Psychotria yavitensis*](#) Steyerm.
- [*Psychotria yenii*](#) Sohmer & A.P.Davis
- [*Psychotria yunnanensis*](#) Hutch.

Z

- [*Psychotria zapotecana*](#) Borhidi & Salas-Mor.
- [*Psychotria zepelaciana*](#) Standl.
- [*Psychotria zeylanica*](#) Sohmer
- [*Psychotria zombamontana*](#) (Kuntze) E.M.A.Petit

References

From Wikipedia, the free encyclopedia

Plants of the World Online list

The following species in the genus [Prunus](#) were recognised by [Plants of the World Online](#) as of March 2024:[\[1\]](#)

POWO A-C

- [P. africana](#) (Hook.f.) Kalkman
- [P. aitchisonii](#) (Korsh.) Kitam.
- [P. alaica](#) (Pojark.) Gilli
- [P. albicaulis](#) Koehne ex Bornm.
- [P. americana](#) Marshall
- [P. amplifolia](#) Pilg.
- [P. amygdalus](#) Batsch
- [P. andersonii](#) A.Gray
- [P. angustifolia](#) Marshall
- [P. annularis](#) Koehne
- [P. antioquiensis](#) Pérez-Zab.
- [P. apetala](#) (Siebold & Zucc.) Franch. & Sav.
- [P. aquifolioides](#) (Chun ex T.T.Yu & L.T.Lu) W.C.Chen
- [P. arabica](#) (Olivier) Meikle
- [P. arborea](#) (Blume) Kalkman
- [P. argentea](#) (Lam.) Rehder
- [P. armeniaca](#) L.
- [P. austrosinensis](#) Huan C.Wang
- [P. avium](#) (L.) L.
- [P. axitliana](#) Standl.
- [P. balansae](#) (Boiss.) Fritsch
- [P. barbata](#) Koehne
- [P. beccarii](#) (Ridl.) Kalkman
- [P. bifrons](#) Fritsch
- [P. brachybotrya](#) Zucc.
- [P. brachypetala](#) (Boiss.) Walp.
- [P. brachypoda](#) Batalin
- [P. brachystachya](#) Kalkman
- [P. bracteopadus](#) Koehne
- [P. brahuica](#) (Boiss.) Aitch. & Hemsl.
- [P. brasiliensis](#) (Cham. & Schltdl.) D.Dietr.

- [*P. brassii*](#) Kalkman
- [*P. brigantina*](#) Vill.
- [*P. brittoniana*](#) Rusby
- [*P. browiczii*](#) (Freitag) Eisenman
- [*P. brunnescens*](#) (T.T.Yu & T.C.Ku) J.R.He
- [*P. bucharica*](#) (Korsh.) Hand.-Mazz.
- [*P. buergeriana*](#) Miq.
- [*P. buxifolia*](#) Koehne
- [*P. campanulata*](#) Maxim.
- [*P. canescens*](#) Bois
- [*P. carduchorum*](#) (Bornm.) Meikle
- [*P. caroliniana*](#) (Mill.) Aiton
- [*P. cathayana*](#) (D.L.Fu, B.R.Li & J.Hong Li) Y.H.Tong & N.H.Xia
- [*P. caudata*](#) Franch.
- [*P. ceraseidos*](#) Maxim.
- [*P. cerasia*](#) Blanche ex Post
- [*P. cerasifera*](#) Ehrh.
- [*P. cerasoides*](#) Buch.-Ham. ex D.Don
- [*P. cerasus*](#) L.
- [*P. cercocarpifolia*](#) Villarreal
- [*P. ceylanica*](#) (Wight) Miq.
- [*P. chamissoana*](#) Koehne
- [*P. changyangensis*](#) (Ingram) Ingram
- [*P. chiapensis*](#) Standl. & L.O.Williams ex Ant.Molina
- [*P. chilianensis*](#) S.S.Ying
- [*P. choreiana*](#) Nakai ex T.Kawamoto
- [*P. chorossanica*](#) (Pojark.) Rech.f.
- [*P. clarofolia*](#) C.K.Schneid.
- [*P. clementis*](#) (Merr.) Kalkman
- [*P. cocomilia*](#) Ten.
- [*P. compacta*](#) L.O.Williams
- [*P. conadenia*](#) Koehne
- [*P. conradinae*](#) Koehne
- [*P. consociiflora*](#) C.K.Schneid.
- [*P. cornuta*](#) (Wall. ex Royle) Steud.
- [*P. cortapico*](#) Kerber ex Koehne
- [*P. costata*](#) (Hemsl.) Kalkman
- [*P. crassifolia*](#) (Hauman) Kalkman
- [*P. crataegifolia*](#) Hand.-Mazz.
- [*P. cyclamina*](#) Koehne

POWO D-F

- [*P. darvasica*](#) Temb.
- [*P. davidiana*](#) (Carrière) Franch.
- [*P. dawyckensis*](#) Sealy
- [*P. debilis*](#) Koehne
- [*P. detrita*](#) J.F.Macbr.
- [*P. dictyoneura*](#) Diels
- [*P. dinabandhuana*](#) Mekrini & Biseshwori
- [*P. discadenia*](#) Koehne
- [*P. discoidea*](#) (T.T.Yu & C.L.Li) Z.Wei & Y.B.Chang
- [*P. discolor*](#) (Spach) C.K.Schneid.
- [*P. dolichadenia*](#) Cardot
- [*P. dolichobotrys*](#) (Lauterb. & K.Schum.) Kalkman
- [*P. dolichophylla*](#) (T.T.Yu & L.T.Lu) Y.H.Tong & N.H.Xia
- [*P. domestica*](#) L.
- [*P. douglasii*](#) Basualdo & Zardini
- [*P. eburnea*](#) (Spach) Aitch.
- [*P. elaeagrifolia*](#) (Spach) Fritsch ([orth. var.](#) *P. elaeagnifolia*)
- [*P. emarginata*](#) (Douglas ex Hook.) Eaton
- [*P. eremophila*](#) Prigge
- [*P. erythrocarpa*](#) (Nevski) Gilli
- [*P. erythroxyton*](#) Koehne
- [*P. falcata*](#) Cuatrec.
- [*P. fasciculata*](#) (Torr.) A.Gray
- [*P. fenzliana*](#) Fritsch
- [*P. ferruginea*](#) (DC. ex Ser.) Steud.
- [*P. fordiana*](#) Dunn
- [*P. fragrans*](#) (Elmer) Kalkman
- [*P. fremontii*](#) S.Watson
- [*P. fruticosa*](#) Pall.
- [*P. fujianensis*](#) (Y.T.Chang) J.Wen

POWO G-I

- [*P. gazelle-peninsulae*](#) (Kaneh. & Hatus.) Kalkman
- [*P. geniculata*](#) R.M.Harper
- [*P. gentryi*](#) Standl.
- [*P. georgica*](#) (Desf.) Eisenman
- [*P. ghahremanii*](#) (Maroofi, Attar & Vafadar) Falat.
- [*P. glabrifolia*](#) Kalkman
- [*P. glandulosa*](#) Thunb.
- [*P. glauca*](#) (Browicz) A.E.Murray
- [*P. gongshanensis*](#) J.Wen

- [*P. gracilis*](#) Engelm. & A.Gray
- [*P. grayana*](#) Maxim.
- [*P. griffithii*](#) (Boiss.) C.K.Schneid.
- [*P. grisea*](#) (Blume ex Müll.Berol.) Kalkman
- [*P. guanaiensis*](#) Rusby
- [*P. guatemalensis*](#) I.M.Johnst.
- [*P. gyirongensis*](#) Y.H.Tong & N.H.Xia
- [*P. hainanensis*](#) (G.A.Fu & Y.S.Lin) W.C.Chen
- [*P. harae*](#) H.Ohba & S.Akiyama
- [*P. hargraonensis*](#) (Vassilcz.) Ghora & Panigrahi
- [*P. haussknechtii*](#) C.K.Schneid.
- [*P. havardii*](#) (W.Wight) S.C.Mason
- [*P. hefengensis*](#) (X.R.Wang & C.B.Shang) Y.H.Tong & N.H.Xia
- [*P. henryi*](#) (C.K.Schneid.) Koehne
- [*P. herthae*](#) Diels
- [*P. himalaica*](#) Kitam.
- [*P. himalayana*](#) J.Wen
- [*P. hippophaeoides*](#) (Bornm.) Bornm.
- [*P. hirtipes*](#) Hemsl.
- [*P. hongiaoensis*](#) Tagane & Yahara
- [*P. hongpingensis*](#) (C.L.Li) Y.H.Tong & N.H.Xia
- [*P. hortulana*](#) L.H. Bailey
- [*P. huantensis*](#) Pilg.
- [*P. humilis*](#) Bunge
- [*P. hypoleuca*](#) (Koehne) J.Wen
- [*P. hypotricha*](#) Rehder
- [*P. hypotrichodes*](#) Cardot
- [*P. hypoxantha*](#) (Koehne) J.Wen
- [*P. ilicifolia*](#) (Nutt. ex Hook. & Arn.) D.Dietr.
- [*P. incana*](#) (Pall.) Batsch
- [*P. incisa*](#) Thunb.
- [*P. incisoserrata*](#) (T.T.Yu & T.C.Ku) J.Wen
- [*P. insititia*](#) L.
- [*P. integrifolia*](#) (C.Presl) Walp.
- [*P. itosakura*](#) Siebold

POWO J-L

- [*P. jacquemontii*](#) Hook.f.
- [*P. jajarkotensis*](#) H.Hara
- [*P. jamasakura*](#) (Makino) Siebold ex Koidz.
- [*P. japonica*](#) Thunb.
- [*P. javanica*](#) (Teijsm. & Binn.) Miq.

- [*P. jenkinsii*](#) Hook.f. & Thomson
- [*P. jugata*](#) (Browicz) A.E.Murray
- [*P. kaengkrachanensis*](#) Nagam., Tagane & Suddee
- [*P. kansuensis*](#) Rehder
- [*P.*](#) Kalkman
- [*P. koelzii*](#) (Browicz) A.E.Murray
- [*P. korshinskyi*](#) Hand.-Mazz.
- [*P. kotschyi*](#) (Boiss. & Hohen. ex Spach) Meikle
- [*P. kuramica*](#) (Korsh.) Kitam.
- [*P. kurdistanica*](#) (Attar, Maroofi & Vafadar) Eisenman
- [*P. lamponga*](#) (Miq.) Kalkman
- [*P. lancilimba*](#) (Merr.) Kalkman
- [*P. laurocerasus*](#) L.
- [*P. laxinervis*](#) Kalkman
- [*P. ledebouriana*](#) (Schltdl.) Y.Y.Yao
- [*P. leiocarpa*](#) (Boiss.) Fritsch]
- [*P. leucophylla*](#) Blatt.
- [*P. leveilleana*](#) Koehne
- [*P. ligustrina*](#) Koehne
- [*P. limeixing*](#) (J.Y.Zhang & Z.M.Wang) Y.H.Tong & N.H.Xia
- [*P. littlei*](#) Pérez-Zab.
- [*P. longispinosa*](#) PShahbaz & Abdulr.
- [*P. lundelliana*](#) Standl.
- [*P. lusitanica*](#) L.
- [*P. lycioides*](#) (Spach) C.K.Schneid.

POWO M-O

- [*P. maackii*](#) Rupr.
- [*P. mahaleb*](#) L.
- [*P. malayana*](#) Kalkman
- [*P. mandshurica*](#) (Maxim.) Koehne
- [*P. maritima*](#) Marshall
- [*P. marsupialis*](#) Kalkman
- [*P. matudae*](#) Lundell
- [*P. maximowiczii*](#) Rupr.
- [*P. mazandaranica*](#) Habibi, H.Maleki & Attar
- [*P. megacarpa*](#) Pérez-Zab.
- [*P. menghaiensis*](#) (T.T.Yu & L.T.Lu) Huan C.Wang
- [*P. mexicana*](#) S.Watson
- [*P. microcarpa*](#) C.A.Mey.
- [*P. microphylla*](#) (Kunth) Hemsl.
- [*P. minutiflora*](#) Engelm. ex A.Gray

- [*P. mira*](#) Koehne
- [*P. moldavica*](#) Kotov
- [*P. mongolica*](#) Maxim.
- [*P. moritziana*](#) Koehne
- [*P. mugus*](#) Hand.-Mazz.
- [*P. mume*](#) (Siebold) Siebold & Zucc.
- [*P. munsoniana*](#) W.Wight & Hedrick
- [*P. muris*](#) Cuatrec.
- [*P. murrayana*](#) E.J.Palmer
- [*P. myrtifolia*](#) (L.) Urb.
- [*P. nairica*](#) (Fed. & Takht.) Eisenman
- [*P. napaulensis*](#) (Ser.) Steud.
- [*P. nigra*](#) Aiton
- [*P. nipponica*](#) Matsum.
- [*P. nutantiflora*](#) D.G.Zhang & Z.H.Xiang
- [*P. oblonga*](#) J.F.Macbr.
- [*P. obtusata*](#) Koehne
- [*P. occidentalis*](#) Sw.
- [*P. ocellata*](#) Koehne
- [*P. ochoterenae*](#) D.Ramírez
- [*P. oleifolia*](#) Koehne
- [*P. oligantha*](#) Kalkman
- [*P. omissa*](#) Koehne
- [*P. oocarpa*](#) (Stapf) Kalkman
- [*P. opaca*](#) (Benth.) Walp.
- [*P. orazii*](#) (Attar, Maroofi & Vafadar) Eisenman
- [*P. ovalis*](#) Ruiz ex Koehne

POWO P-R

- [*P. pabotii*](#) (Browicz) Eisenman
- [*P. padus*](#) L.
- [*P. pananensis*](#) Z.L.Chen, W.J.Chen & X.F.Jin
- [*P. paradoxa*](#) (Dehshiri & Mozaff.) Falat.
- [*P. patentipila*](#) Hand.-Mazz.
- [*P. pearcei*](#) Rusby
- [*P. pedunculata*](#) (Pall.) Maxim.
- [*P. pensylvanica*](#) L.f.
- [*P. persica*](#) (L.) Batsch
- [*P. perulata*](#) Koehne
- [*P. petunnikowii*](#) (Litv.) Rehder
- [*P. phaeosticta*](#) (Hance) Maxim.
- [*P. pleiantha*](#) Pilg.

- [*P. pleiocerasus*](#) Koehne
- [*P. podperae*](#) Nábelek
- [*P. pogonostyla*](#) Maxim.
- [*P. polystachya*](#) (Hook.f.) Kalkman
- [*P. polytricha*](#) Koehne
- [*P. prostrata*](#) Labill.
- [*P. pseudocerasus*](#) Lindl.
- [*P. pseudoprostrata*](#) (Pojark.) Rech.f.
- [*P. pulgarensis*](#) (Elmer) Kalkman
- [*P. pullei*](#) (Koehne) Kalkman
- [*P. pumila*](#) L.
- [*P. pusilliflora*](#) Cardot
- [*P. pygeoides*](#) Koehne
- [*P. ramburii*](#) Boiss.
- [*P. ramonensis*](#) (Danin) Eisenman
- [*P. ravenii*](#) Zardini & Basualdo
- [*P. rechingeri*](#) (Browicz) A.E.Murray
- [*P. reflexa*](#) (Gardner) Walp.
- [*P. reverchonii*](#) Sarg.
- [*P. rhamnoides*](#) Koehne
- [*P. rigida*](#) Koehne
- [*P. rivularis*](#) Scheele
- [*P. rotunda*](#) J.F.Macbr.
- [*P. rubiginosa*](#) (Elmer) Kalkman
- [*P. rufa*](#) Wall. ex Hook.f.
- [*P. rufoides*](#) C.K.Schneid.
- [*P. ruiziana*](#) Koehne
- [*P. runemarkii*](#) Eisenman

POWO S-U

- [*P. salasii*](#) Standl.
- [*P. salicina*](#) Lindl.
- [*P. samydoides*](#) Schltdl.
- [*P. sargentii*](#) Rehder
- [*P. schlechteri*](#) (Koehne) Kalkman
- [*P. schneideriana*](#) Koehne
- [*P. sclerophylla*](#) Kalkman
- [*P. scoparia*](#) (Spach) C.K.Schneid.
- [*P. serotina*](#) Ehrh.
- [*P. serrula*](#) Franch.
- [*P. serrulata*](#) Lindl.
- [*P. setulosa*](#) Batalin

- [*P. shikokuensis*](#) (Moriya) H.Kubota
- [*P. sibirica*](#) L.
- [*P. simonii*](#) (Decne.) Carrière
- [*P. singalilaensis*](#) H.Ohba & S.Akiyama
- [*P. spartioides*](#) (Spach) C.K.Schneid.
- [*P. speciosa*](#) (Koidz.) Nakai
- [*P. spicata*](#) Kalkman
- [*P. spinosa*](#) L.
- [*P. spinosissima*](#) (Bunge) Franch.
- [*P. spinulosa*](#) Siebold & Zucc.
- [*P. ssiori*](#) F.Schmidt
- [*P. stellipila*](#) Koehne
- [*P. stipulacea*](#) Maxim.
- [*P. stipulata*](#) J.F.Macbr.
- [*P. strobilifera*](#) Cuatrec.
- [*P. subcordata*](#) Benth.
- [*P. subcoriacea*](#) (Chodat & Hassl.) Koehne
- [*P. subcorymbosa*](#) Ruiz ex Koehne
- [*P. subglabra*](#) (Merr.) Kalkman
- [*P. sunhangii*](#) D.G.Zhang & T.Deng
- [*P. susakensis*](#) (Vassilcz.) Eisenman
- [*P. susquehanae*](#) Willd.
- [*P. szechuanica*](#) Batalin
- [*P. tadzhikistanica*](#) Zaprjagaeva
- [*P. takesimensis*](#) Nakai
- [*P. tangutica*](#) (Batalin) Koehne
- [*P. taplejungnica*](#) H.Ohba & S.Akiyama
- [*P. tartarea*](#) Lundell
- [*P. tatsienensis*](#) Batalin
- [*P. tenella*](#) Batsch
- [*P. tetradenia*](#) Koehne
- [*P. texana*](#) D.Dietr.
- [*P. tomentosa*](#) Thunb.
- [*P. topkegolensis*](#) H.Ohba & S.Akiyama
- [*P. transarisanensis*](#) Hayata
- [*P. trichamygdalus*](#) Hand.-Mazz.
- [*P. trichantha*](#) Koehne
- [*P. trichostoma*](#) Koehne
- [*P. triloba*](#) Lindl.
- [*P. tuberculata*](#) Koehne
- [*P. tucumanensis*](#) Lillo
- [*P. turcomanica*](#) (Lincz.) Kitam.

- [*P. turfosa*](#) Kalkman
- [*P. turneriana*](#) (F.M.Bailey) Kalkman
- [*P. ulei*](#) Koehne
- [*P. ulmifolia*](#) Franch.
- [*P. umbellata*](#) Elliott
- [*P. undulata*](#) Buch.-Ham. ex D.Don
- [*P. urartu*](#) (Tamamsch.) Eisenman
- [*P. urotaenia*](#) Koehne
- [*P. urumiensis*](#) (Bornm.) A.E.Murray

POWO V-Z

- [*P. vachuschtii*](#) Bregadze
- [*P. veitchii*](#) Koehne
- [*P. velutina*](#) Batalin
- [*P. verrucosa*](#) Franch.
- [*P. versteeghii*](#) Kalkman
- [*P. virginiana*](#) L.
- [*P. walkeri*](#) (Wight) Kalkman
- [*P. wallaceana*](#) Kalkman
- [*P. wangii*](#) Q.L.Gan, Z.Y.Li & S.Z.Xu
- [*P. webbii*](#) (Spach) Fritsch
- [*P. wendelboi*](#) (Freitag) Eisenman
- [*P. wilsonii*](#) (C.K.Schneid.) Koehne
- [*P. xianjuxing*](#) (J.Y.Zhang & X.Z.Wu) Y.H.Tong & N.H.Xia
- [*P. xingshanensis*](#) Huan C.Wang
- [*P. yaoiana*](#) (W.L.Cheng) Y.H.Tong & N.H.Xia
- [*P. yazdiana*](#) (Mozaff.) Falat.
- [*P. yunkaishanensis*](#) B.H.Wu, W.Y.Zhao & W.B.Liao
- [*P. yunnanensis*](#) Franch.
- [*P. zabulica*](#) (Seraf.) Eisenman
- [*P. zhengheensis*](#) (J.Y.Zhang & M.N.Lu) Y.H.Tong & N.H.Xia
- [*P. zinggii*](#) Standl.
- [*P. zippeliana*](#) Miq.

POWO hybrids

- [*Prunus* × *chichibuensis*](#) H.Kubota & Moriya
- [*Prunus* × *compta*](#) (Koidz.) Tatew.
- [*Prunus* × *dasycarpa*](#) Ehrh.
- [*Prunus* × *eminens*](#) Beck
- [*Prunus* × *ferganica*](#) O.A.Lincz.
- [*Prunus* × *furuseana*](#) Ohwi
- [*Prunus* × *fruticans*](#) Weihe

- [*Prunus × gondouinii*](#) (Poit. & Turpin) Rehder
- [*Prunus × hisauchiana*](#) Koidz. ex Hisauti
- [*Prunus × insueta*](#) (S.Serafimov) S.Serafimov
- [*Prunus × iranshahrii*](#) (Khat.) Eisenman
- [*Prunus × javorkae*](#) Kárpáti
- [*Prunus × kamiaranensis*](#) (Khat. & Assadi) Eisenman
- [*Prunus × keredjensis*](#) (Browicz) A.E.Murray
- [*Prunus × kubotana*](#) Kawas.
- [*Prunus × lannesiana*](#) (Carrière) E.H.Wilson
- [*Prunus × mitsuminensis*](#) Moriya
- [*Prunus × miyasakana*](#) H.Kubota
- [*Prunus × mohacsyana*](#) Kárpáti
- [*Prunus × mozaffarianii*](#) (Khat.) Eisenman
- [*Prunus × nudiflora*](#) (Koehne) Koidz.
- [*Prunus × oneyamensis*](#) Hayashi
- [*Prunus × orthosepala*](#) Koehne
- [*Prunus × palmeri*](#) Sarg.
- [*Prunus × parvifolia*](#) (Matsum.) Koehne
- [*Prunus × sacra*](#) Miyoshi
- [*Prunus × saviczii*](#) (Pachom.) Eisenman
- [*Prunus × sefinensis*](#) (Bornm.) A.E.Murray
- [*Prunus × sieboldii*](#) (Carrière) Wittm.
- [*Prunus × simmleri*](#) Palez.
- [*Prunus × slavinii*](#) E.J.Palmer ex Rehder
- [*Prunus × stacei*](#) Wójcicki
- [*Prunus × subhirtella*](#) Miq.
- [*Prunus × syodoi*](#) Nakai
- [*Prunus × syriaca*](#) Borkh.
- [*Prunus × tschonoskii*](#) Koehne
- [*Prunus × uzbekistanica*](#) (Sabirov) Eisenman
- [*Prunus × vavilovii*](#) (Popov) A.E.Murray
- [*Prunus × yasujensis*](#) (Khat.) Eisenman
- [*Prunus × yedoensis*](#) Matsum.
- [*Prunus × yuyamae*](#) Sugim.

The Plant List

The following additional species in the genus *Prunus* were recognised by [The Plant List:\[2\]](#)

The Plant List species

- [*P. adenopoda*](#) → [*Prunus zippeliana*](#) Miq.
- [*P. alabamensis*](#) → [*Prunus serotina*](#) var. *alabamensis* (C.Mohr)

- [*P. alleghaniensis*](#) → [*Prunus umbellata*](#) Elliott
- [*P. mirabilis*](#) Kalkman, nom. illeg. → [*Prunus kalkmanii*](#) Idrees & J.M.H.Shaw

The Plant List hybrids

- [*Prunus* × *cistena*](#)
- [*Prunus* × *juddii*](#)
- [*Prunus* × *shikokuensis*](#)

ITIS list

The following additional species are accepted by the [Integrated Taxonomic Information System](#) (ITIS), although they might be considered synonyms by other sources:[3]

- [*Prunus pleuradenia*](#)
- [*Prunus* × *pugetensis*](#) Madrono, 2007
- [*Prunus* × *utahensis*](#)

GRIN list

The following additional species are accepted by the [Germplasm Resources Information Network](#) (GRIN), although they might be considered synonyms by other sources, or be erroneous accessions:[4]

GRIN species

- [*Prunus erioclada*](#)
- [*Prunus ferganica*](#)
- [*Prunus glandulifolia*](#)
- [*Prunus graeca*](#)
- [*Prunus meyeri*](#)
- [*Prunus pojarkovii*](#)
- [*Prunus takasagomontana*](#)
- [*Prunus ursina*](#)
- [*Prunus verecunda*](#)

GRIN hybrids

- [*Prunus* × *arnoldiana*](#)
- [*Prunus* × *balansae*](#)
- [*Prunus* × *blireiana*](#)
- [*Prunus* × *dawyckensis*](#)
- [*Prunus* × *fontanesiana*](#)
- [*Prunus* × *incam*](#)
- [*Prunus* × *kanzakura*](#)
- [*Prunus* × *knudsonii*](#)
- [*Prunus* × *persicoides*](#)

- [*Prunus × rossica*](#)
- [*Prunus × schmittii*](#)

Tropicos list

The following additional species are listed by [Tropicos](#); many are synonyms of the species above:[\[5\]](#)

Tropicos A-C

- [*P. accumulans*](#)
- *P. acuminata* Hook.f. - synonym of [*P. maritima*](#)
- [*P. acutissima*](#)
- [*P. adenodonta*](#)
- [*P. ampla*](#)
- [*P. anomala*](#)
- [*P. ansu*](#)
- [*P. apodantha*](#)
- [*P. aridus*](#)
- [*P. arkansana*](#)
- [*P. aspera*](#)
- [*P. australis*](#)
- [*P. balfourii*](#)
- [*P. batalinii*](#)
- [*P. betancurii*](#)
- [*P. bicolor*](#)
- [*P. biloba*](#)
- [*P. bonatii*](#)
- [*P. botan*](#)
- [*P. brevistylinia*](#)
- [*P. brigantiaca*](#)
- [*P. bruijnii*](#)
- [*P. canadensis*](#)
- [*P. capellin*](#)
- [*P. capollin*](#)
- [*P. capuli*](#)
- [*P. carcharias*](#)
- *P. carolinae* – synonym of [*P. subcorymbosa*](#)
- [*P. caspica*](#)
- [*P. cellonvii*](#)
- [*P. chamaecerasus*](#)
- [*P. chिकास*](#)
- [*P. chikusiensis*](#)
- [*P. cinerascens*](#)

- [*P. communis*](#)
- [*P. cornifolia*](#)
- [*P. corymbulosa*](#)
- [*P. crataegifolius*](#)
- [*P. crenulata*](#)
- [*P. cuneata*](#)
- [*P. cuthbertii*](#)

Tropicos D-F

- [*P. dasycarpa*](#)
- [*P. dehiscens*](#)
- [*P. demissa*](#)
- [*P. depressa*](#)
- [*P. divaricata*](#)
- [*P. donarium*](#)
- [*P. droseracea*](#)
- [*P. duclouxii*](#)
- [*P. dunniana*](#)
- [*P. dussii*](#)
- [*P. edentata*](#)
- [*P. eriogyna*](#)
- [*P. ernestii*](#)
- [*P. espinozana*](#)
- [*P. eximia*](#)
- [*P. floribunda*](#)
- [*P. formosana*](#)
- [*P. fortunensis*](#)
- [*P. fukudana*](#)
- [*P. fultonensis*](#)
- [*P. furuseana*](#)

Tropicos G-I

- [*P. ganman-zakura*](#)
- [*P. giraldiana*](#)
- [*P. glabra*](#)
- [*P. glyptocarya*](#)
- [*P. gongshanensis*](#)
- [*P. gracilifolia*](#)
- *P. gravesii* Small - synonym of [*P. maritima*](#)
- [*P. gymnodonta*](#)
- [*P. helenae*](#)
- [*P. herincquiana*](#)

- [*P. hiemalis*](#)
- [*P. hintonii*](#)
- [*P. hirsuta*](#)
- [*P. hirtifolia*](#)
- [*P. hisauchiana*](#)
- [*P. hosseusii*](#)
- [*P. icaco*](#)
- [*P. ichangana*](#)
- [*P. ignotus*](#)
- [*P. imanishii*](#)
- [*P. injucunda*](#)
- [*P. introrsa*](#)
- [*P. involucrata*](#)

Tropicos J-L

- [*P. kanehirai*](#)
- [*P. kanzakura*](#)
- [*P. kawakamii*](#)
- [*P. kerii*](#)
- [*P. kinkiensis*](#)
- [*P. kobuku-zakura*](#)
- [*P. kolomikta*](#)
- [*P. koshiensis*](#)
- [*P. lanata*](#)
- [*P. lannesiana*](#)
- [*P. latidentata*](#)
- [*P. laurifolia*](#)
- [*P. lichiana*](#)
- [*P. limbata*](#)
- [*P. lobulata*](#)

Tropicos M-O

- [*P. macgregoriana*](#)
- [*P. macrophylla*](#)
- [*P. mairei*](#)
- [*P. majestica*](#)
- [*P. malifolia*](#)
- [*P. marginata*](#)
- [*P. martabanica*](#)
- [*P. matuurae*](#)
- [*P. melanocarpa*](#)
- [*P. microbotrys*](#)

- *P. microlepis*, synonym of [*P. itosakura*](#)
- [*P. micromeloides*](#)
- [*P. mitis*](#)
- [*P. mochidzukiana*](#)
- [*P. mohacsyana*](#)
- [*P. mollis*](#)
- [*P. moniwana*](#)
- [*P. multipunctata*](#)
- [*P. mutabilis*](#)
- [*P. nakaii*](#)
- [*P. nana*](#)
- [*P. neglecta*](#)
- [*P. nepalensis*](#)
- [*P. nitens*](#)
- [*P. nitida*](#)
- [*P. novaeleontis*](#)
- [*P. nubium*](#)
- [*P. odontocalyx*](#)
- [*P. oeconomica*](#)
- [*P. ohwii*](#)
- [*P. oregana*](#)
- [*P. oxycarpa*](#)
- [*P. oxyodonta*](#)
- [*P. oxyphylla*](#)

Tropicos P-R

- [*P. padifolia*](#)
- [*P. palmeri*](#)
- [*P. paniculata*](#)
- [*P. paniculatus*](#)
- [*P. paracerasus*](#)
- [*P. parksii*](#)
- [*P. pauciflora*](#)
- [*P. pendula*](#)
- [*P. petzoldii*](#)
- [*P. phyllopoda*](#)
- [*P. pilosa*](#)
- [*P. pinetorum*](#)
- [*P. pissardii*](#)
- [*P. platysepala*](#)
- [*P. pleifolia*](#)
- [*P. pleuroptera*](#)

- [*P. plurinervis*](#)
- [*P. podadenia*](#)
- [*P. polyandra*](#)
- [*P. potosina*](#)
- [*P. prionophylla*](#)
- [*P. prunella*](#)
- [*P. prunifolia*](#)
- [*P. pseudo-prostrata*](#)
- [*P. psilliflora*](#)
- *P. pubescens* Pursh - synonym of [*P. maritima*](#)
- [*P. pubigera*](#)
- [*P. puddum*](#)
- [*P. pulchella*](#)
- [*P. pumilus*](#)
- [*P. punctata*](#)
- [*P. pyramidalis*](#)
- [*P. quelpaertensis*](#)
- [*P. racemosa*](#)
- [*P. recurviflora*](#)
- [*P. rehderiana*](#)
- [*P. reticulata*](#)
- [*P. robustus*](#)
- [*P. rossiana*](#)
- [*P. rufomicans*](#)
- [*P. rufula*](#)
- [*P. rugosa*](#)
- [*P. rupestris*](#)

Tropicos S-U

- [*P. sacra*](#)
- [*P. sakabai*](#)
- [*P. saltuum*](#)
- [*P. sana*](#)
- [*P. sapidus*](#)
- [*P. sativa*](#)
- [*P. schiedeana*](#)
- [*P. schultzeae*](#)
- [*P. scopulorum*](#)
- [*P. sellowii*](#)
- [*P. semiarmillata*](#)
- [*P. semperflorens*](#)
- [*P. shirataki*](#)

- [*P. siltepecana*](#)
- [*P. sinensis*](#)
- [*P. skutchii*](#)
- [*P. sphaerocarpa*](#)
- [*P. sprengeri*](#)
- [*P. staminata*](#)
- [*P. steyermarkii*](#)
- [*P. stocksiana*](#)
- [*P. subcoriacea*](#)
- [*P. sundaica*](#)
- [*P. syodoi*](#)
- *P. taiwaniana*, synonym of [*P. itosakura*](#)
- [*P. tajimensis*](#)
- [*P. takasawana*](#)
- [*P. takenakae*](#)
- [*P. tama-clivorum*](#)
- [*P. tarda*](#)
- [*P. tenuiflora*](#)
- [*P. tenuifolia*](#)
- [*P. texensis*](#)
- [*P. thibetica*](#)
- [*P. tikalana*](#)
- [*P. tiliifolia*](#)
- [*P. tobagenzoana*](#)
- [*P. totan*](#)
- [*P. transarisanensis*](#)
- [*P. trichocarpa*](#)
- [*P. trichopetala*](#)
- [*P. triflora*](#)
- [*P. trilobus*](#)
- [*P. tschonoskii*](#)
- [*P. twymaniana*](#)
- [*P. urticaefolius*](#)
- [*P. utahensis*](#)

Tropicos V-Z

- [*P. valida*](#)
- [*P. vana*](#)
- [*P. venulosa*](#)
- [*P. venusta*](#)
- [*P. vulgaris*](#)
- [*P. watsonii*](#)

- [*P. wildeniana*](#)
- [*P. williamsii*](#)
- [*P. wurdackii*](#)
- [*P. xerocarpa*](#)
- [*P. yedoensis*](#)
- [*P. zappeyana*](#)

Tropicos hybrids

- [*Prunus* × *bukosanensis*](#)
- [*Prunus* × *domestica*](#)
- [*Prunus* × *takasawana*](#)

GBIF list

The following additional species are accepted by the Global Biodiversity Information Facility ([GBIF](#)):
[6]

GBIF A-C

- [*P. acutangulata*](#)
- [*P. acutantulata*](#)
- [*P. andarobi*](#)
- [*P. azorica*](#)
- [*P. baccarii*](#)
- [*P. badilloi*](#)
- [*P. boissieri*](#)
- [*P. bullata*](#)
- [*P. caloneura*](#)
- [*P. chichibuensis*](#)
- [*P. cochinchinensis*](#)
- [*P. compta*](#)

GBIF D-F

- [*P. diamentina*](#)
- [*P. dolichophylla*](#)
- [*P. eminens*](#)
- [*P. erzincanica*](#)
- [*P. foveata*](#)
- [*P. fruticans*](#)
- [*P. fruticosa*](#)

GBIF G-I

- [*P. gideonii*](#)

- [*P. gondouinii*](#)
- [*P. guianensis*](#)
- [*P. harae*](#)
- [*P. hendersonii*](#)
- [*P. hixa*](#)
- [*P. insueta*](#)
- [*P. irvingi*](#)

GBIF J-L

- [*P. jalcata*](#)
- [*P. javorkae*](#)
- [*P. juddii*](#)
- [*P. kalkmanii*](#)
- [*P. kalmykovii*](#)
- [*P. kamiaranensis*](#)
- [*P. keredjensis*](#)
- [*P. kingdonwardii*](#)
- [*P. korschinskii*](#)
- [*P. kubotana*](#)
- [*P. kurdistanica*](#)
- [*P. lindleyi*](#)

GBIF M-O

- [*P. media*](#)
- [*P. mitsuminensis*](#)
- [*P. miyasakana*](#)
- [*P. miyoshii*](#)
- [*P. mochizukiana*](#)
- [*P. mozaaffarianii*](#)
- [*P. myriocephala*](#)
- [*P. nikaii*](#)
- [*P. nota*](#)
- [*P. odorata*](#)
- [*P. oneyamensis*](#)
- [*P. orazii*](#)

GBIF P-R

- [*P. peritula*](#)
- [*P. pilioscula*](#)
- [*P. pittieri*](#)
- [*P. pseudoaffinis*](#)
- *P. pugetensis* Madrono, 2007 -synonym of [*Prunus*](#) × [*pugetensis*](#)

GBIF S-U

- [*P. saviczii*](#)
- [*P. schlechteri*](#)
- [*P. sefinensis*](#)
- [*P. singalilaensis*](#)
- [*P. slavinii*](#)
- [*P. solisii*](#)
- [*P. stacei*](#)
- [*P. tatsiensis*](#)
- [*P. uzbekistanica*](#)

GBIF V-Z

- [*P. vavilovii*](#)
- [*P. xingshanensis*](#)
- [*P. yaoiana*](#)
- [*P. yasujensis*](#)
- [*P. yuyamae*](#)
- [*P. zingii*](#)

GBIF hybrids

- [*Prunus* × *rhodia*](#)

Others

Species

- [*P. apiculatus*](#)
- [*P. arbascensis*](#)
- [*P. arduennensis*](#)
- [*P. boldus*](#)
- [*P. claviculata*](#)
- [*P. delipavlovii*](#)
- [*P. dementis*](#)
- [*P. erectus*](#)
- [*P. flavescens*](#)
- [*P. ghahremanii*](#)
- [*P. hallasanensis*](#)
- [*P. hefengensis*](#)
- [*P. laoshanensis*](#)
- [*P. longispinosa*](#)
- [*P. jingningensis*](#)
- [*P. junghuhnianus*](#)

- [*P. kumanoensis*](#)
- [*P. maingayi*](#)
- [*P. matuurai*](#)
- [*P. mespilifolia*](#)
- [*P. morioka-pendula*](#)
- [*P. nutantiflora*](#)
- [*P. pananensis*](#)
- [*P. paradoxa*](#)
- [*P. reuteri*](#)
- [*P. rubicundus*](#)
- [*P. sunhangii*](#)
- [*P. tianshanica*](#)
- [*P. wangii*](#)
- [*P. xueluoensis*](#)
- [*P. yazdiana*](#)
- [*P. zhengheensis*](#)

Hybrids

- [*Prunus* × *armestica*](#)
- [*Prunus* × *cerea*](#)
- [*Prunus* × *limeixing*](#)
- [*Prunus persica* × *Prunus americana*](#)
- [*Prunus* 'Starlight'\[7\]](#)

Fossil species

Species described from isolated fossil foliage, fruits, or wood. Some may have been synonymized with other fossil *Prunus* species, other fossil genera, or even living species at some point after their description.[\[citation needed\]](#)

Fossil A-C

- [*P.?* *acutifolia*](#) Newberry, 1896 (Turonian, [Raritan Formation](#), USA)[8]
- [*P. aegaea*](#) Unger, 1867 (Early Miocene, Europe-Greenland)[8]
- [*P. allenbyensis*](#) Cevallos-Ferriz & Stockey, 1990 (Ypresian, [Allenby Formation](#), Canada)[9]
- [*P. angustiserrata*](#) Ludwig, 1860 (Middle Pliocene, Europe)[8]
- [*P.?* *antecedens*](#) Lesquereux, 1892 (Cretaceous?, Kansas, USA)[8]
- [*P. antiqua*](#) Principi, 1914 (Oligocene, Piedmont Basin, Italy)[8]
- [*P. ascendentioporulosa*](#) Suzuki, 1984 (Late Oligocene, Tsuyazaki, Japan)[10]
- *P. atlantica* Unger - Synonym of [*P. nanodes*](#)[11]
- [*P. attenuatifolia*](#) Palamarev & Petkova, 1987 (Volhynian, [Krivodol Formation](#), Bulgaria)[12]
- [*P. aucubaefolia*](#) Massalongo, 1858 (Oligocene-Miocene, Europe)[8]
- [*P. aviiformis*](#) Mädler, 1939 (Piacenzian, Klärbecken Flora, Germany)[8]

- [*P. axelrodi*](#) Wolfe, 1977 (Eocene, [Kushtaka Formation](#), Alaska)[13]
- [*P. barneti*](#) Wheeler & Dillhoff, 2009 (Middle Miocene, [Columbia River Basalts](#), USA)[14]
- [*P. calophylla*](#)
- [*P. calvertensis*](#)
- [*P. careyhurstia*](#)
- [*P. cathybrownae*](#) Benedict *et al*, 2011 (Ypresian, [Klondike Mountain Formation](#), USA)[15]
- [*P. cerasiformis*](#)
- [*P. chaneyi*](#) Condit, 1938 (Oligocene, [Creede Formation](#), USA)[16]
- [*P. coloradensis*](#)
- [*P. corrugis*](#)
- [*P. coveus*](#)
- [*P. crassa*](#) (Ludwig) Schimper, 1857 (Middle Pliocene, Saugbagger-Flora, Germany)[8][11]
- [*P. creedensis*](#) Axelrod, 1987 (Oligocene, [Creede Formation](#), USA)[16]
- [*P. cretacea*](#)
- [*P. cylindrica*](#) Ludwig, 1857 (Middle Pliocene, Saugbagger-Flora, Germany)[11]

Fossil D-F

- [*P. dakotensis*](#) Lesquereux (Eocene, [Fort Union Formation](#), USA)[17]
- *P. daphnes* Unger - synonym of [*P. daphnogene*](#)
- [*P. daphnogene*](#) Unger (Miocene, Radoboj, Croatia)
- [*P. denverensis*](#) Knowlton, 1930 (Cretaceous, [Dawson formation](#), Colorado)
- [*P. deperdita*](#) Heer, 1859 (Late Paleocene, [Menat Formation](#), France)
- *P. druidum* Ettingshausen & J.S.Gardner -syn [*P. eocenica*](#)[18]
- [*P. dura*](#)
- [*P. echinata*](#) Ludwig, 1857 (Middle Pliocene, Saugbagger-Flora, Germany)[8]
- [*P. eleanorae*](#)
- [*P. endoana*](#)
- *P. ettingshausenii* Ludwig, 1857 - synonym of [*P. crassa*](#)[8]
- [*P. florinii*](#)
- [*P. fragilis*](#)
- [*P. franklinensis*](#)

Fossil G-I

- [*P. girardii*](#) Kirchheimer, 1949 (Middle Pliocene, Saugbagger-Flora, France)
- [*P. grandifolia*](#)
- [*P. gummosa*](#) (Platan.) Wheeler *et al*, 1978 (Eocene, [Yellowstone Formation](#), USA)[19]
- [*P. hanhardtii*](#) Heer, 1859 (Miocene?, [Öhningen](#), Switzerland)[17]
- [*P. harneyensis*](#)
- [*P. hartungi*](#) Heer, 1869 (Eocene, Svetlogorsk, Kaliningrad Oblast)[11]
- [*P. herbstii*](#) (Ludwig) Schimper, 1857 (Middle Pliocene, Saugbagger-Flora, Germany)
- [*P. hirsutipetala*](#)
- [*P. ishidae*](#)

- [*P. ishidai*](#)
- [*P. iwatense*](#) (Watari) Takahashi & Suzuki, 1988 (Middle Miocene, Japan)[20]

Fossil J-L

- [*P. juglandiformis*](#)
- [*P. kenaica*](#)
- [*P. kryshtofovichii*](#)
- [*P. kunmingensis*](#)
- [*P. laeta*](#)
- [*P. langsdorfii*](#) Kirchheimer, 1935 (Early Oligocene-Middle Miocene, Europe)[21]
- [*P. leporimontana*](#)
- [*P. lyoniifolia*](#)

Fossil M-O

- [*P. maclearnii*](#)
- [*P. marchica*](#)
- [*P. masoni*](#)
- [*P. masonii*](#)
- [*P. matsumaensis*](#)
- [*P. maxima*](#)
- [*P. mclearni*](#)
- [*P. merriami*](#)
- [*P. microdonta*](#)
- [*P. micropyrenula*](#) Heer, 1869 (mid-late Oligocene, [Rixhöft](#), Poland)[11]
- [*P. microserrata*](#)
- [*P. miobrachypoda*](#)
- [*P. miodavidiana*](#)
- [*P. mohikana*](#)
- [*P. moragensis*](#)
- [*P. moselensis*](#)
- [*P. nabortensis*](#) Berry (late Eocene, [Wilcox Group](#), USA)[15]
- [*P. nanodes*](#) Unger, 1854 (Miocene-Pliocene, Europe)[11]
- [*P. nathorstii*](#)
- [*P. nerchauensis*](#)
- [*P. nevadensis*](#)
- *P. obtusa* Ludwig, 1857 - synonym of [*P. crassa*](#)[8]
- [*P. odessana*](#)
- [*P. okutsui*](#)
- [*P. olsonii*](#) Manchester (Middle Eocene, [Clarno Formation](#), USA)[15]
- [*P. olympica*](#) Ettingshausen (Miocene?, "Bohemia")[17]
- *P. ornata* Ludwig, 1857 - synonym of [*P. crassa*](#)[8]

Fossil P-R

- [*P. palaeocerasus*](#) Ettingshausen, 1888 (Middle Miocene, Steiermark, Austria)[11]
- [*P. palaeozippeliana*](#) Suzuki, 1984 (Late Oligocene, Tsuyazaki, Japan)[10]
- [*P. paradisiaca*](#)
- [*P. parlatorei*](#)
- [*P. parvicarpa*](#)
- [*P. parvula*](#) Ludwig, 1857 (Middle Pliocene, Saugbagger-Flora, Germany)[11]
- [*P. pereger*](#)
- [*P. perita*](#)
- [*P. petrosperma*](#)
- [*P. pliovenosa*](#)
- [*P. polyporulosa*](#) Suzuki, 1984 (Late Oligocene, Tsuyazaki, Japan)[10]
- [*P. praecommunis*](#)
- [*P. preandersonii*](#)
- [*P. prefasciculata*](#)
- [*P. prefremontii*](#)
- [*P. prinoides*](#)
- *P. prisca* Ettingshausen & J.S.Gardner -syn [*P. eocenica*](#)[18]
- [*P. pristina*](#)
- [*P. protossiori*](#)
- [*P. pyrifolia*](#)
- [*P. rodgersae*](#) Wheeler & Dillhoff, 2009 (Middle Miocene, [Columbia River Basalts](#), USA)[14]
- [*P. rubeshibensis*](#)
- [*P. rugosa*](#)
- [*P. russana*](#) Ludwig, 1857 (Pliocene?, Hannau, Germany)[11]
- [*P. rustii*](#)

Fossil S-U

- [*P. sambucifolia*](#)
- [*P. scharfii*](#)
- [*P. schlechtendalii*](#)
- [*P. scottii*](#) Heer (Eocene, Greenland)[17]
- [*P. ? staratschini*](#) Heer, 1870 (Eocene?, Spitzbergen)[22]
- [*P. stewarti*](#) (Lesquereux) MacGinitie (Ypresian, [Green River Formation](#), USA)[23]
- [*P. stipitata*](#) Reid & E. Reid, 1915 (Pliocene, Limburg, Netherlands)[11]
- [*P. subserotina*](#)
- [*P. tanaii*](#)
- [*P. tenerirugosa*](#)
- [*P. tenuiputamenta*](#) Reid & Reid, 1915 (Pliocene, Limburg, Netherlands)[11]
- *P. tenuis* Ludwig, 1857 - synonym of [*P. crassa*](#)[8]
- [*P. terrae-albae*](#)
- [*P. tertiaria*](#)

- [*P. treasheri*](#)
- [*P. tufacea*](#)
- [*P. turlockensis*](#)
- [*P. uviporulosa*](#) Suzuki, 1984 (Late Oligocene, Tsuyazaki, Japan)[10]

Fossil V-Z

- [*P. variabilis*](#) Newberry (Eocene, Cook Inlet, USA)[17]
- [*P. weinsteinii*](#) Manchester (Middle Eocene, [Clarno Formation](#), USA)[15]
- [*P. wadii*](#) Guleria, *et al*, 1983 (Middle Miocene, [Kargil Formation](#), India)[24]
- [*P. wutuensis*](#) Li *et al* (Early Eocene, [Wutu Formation](#), China)[25]
- [*P. zeuschneri*](#)

Reclassified Fossil species

- *P. askenasyi* Kinkel (Piacenzian, Klärbecken Flora, Germany) -Synonym of [*Carya moenana*](#) Kirchner[11]
- *P. aspensis* Brown, 1933 (Albian, [Aspen Shale](#), USA) - Considered an *incertae sedis* angiosperm[26]
- *P. bilinica* Ettingshausen, 1869 (Eocene -Early Oligocene, Europe) -Synonym of [*Iodes bilinica*](#) (Ettingshausen) Stull, Adams, Manchester & Collinson, 2016[27] (including [*Palaeohosiea suleticensis*](#) Kvaček & Bůžek, 1995)[21]
- *P. denticulata* Velenovsky, 1882 (Middle Miocene, [Vrsovice](#), Czech Republic) -Synonym in part of [*Alnus gaudinii*](#) (foliage), and fruits considered [*Carpolithes sp.*](#)[28]
- *P. eocenica* considered likely an Icacinaceae fruit[18]
- *P. euri* Unger (Miocene, [Parschlug coal basin](#), Austria) -Synonym of [*Cedrelospermum ulmifolium*](#) (Unger) Kovar-Eder & Kvaček[29]
- *P. theodisca* Unger (Miocene, Parschlug coal basin, Austria) -Synonym of [*Quercus mediterranea*](#) Unger[29]

From Wikipedia, the free encyclopedia

The following is a **list of [Protea](#) species**.

Table of *Protea* species


Section	Common name of section	Species name	Common name	Image	Distribution
Craterifolia	penduline protea	<i>Protea effusa</i>[1]	Scarlet sugarbush		South Africa (Western Cape province)
		<i>Protea namaquana</i>[2]	Kamiesberg sugarbush		South Africa (Kamiesberg mountains of Namaqualand in Northern Cape province)
		<i>Protea pendula</i>	Nodding sugarbush		South Africa (Western Cape province)
		<i>Protea recondita</i>	Hidden sugarbush		South Africa (Western Cape province)
		<i>Protea sulphurea</i>	Sulphur sugarbush		South Africa (Western Cape province)
Crinitae	eastern ground protea	<i>Protea foliosa</i>	Leafy sugarbush		South Africa (Eastern Cape province)

Section	Common name of section	Species name	Common name	Image	Distribution
		<i>Protea intonsa</i>	Tufted sugarbush		South Africa (Swartberg and Kammanassie Mountains to the Baviaanskloof Mountains.)
		<i>Protea montana</i>	Swartberg sugarbush		South Africa (Swartberg and Kammanassie Mountains.)
		<i>Protea tenax</i>	Tenacious sugarbush		South Africa (Outeniqua, Tsitsikamma, K and Winterhoek Mountains)
		<i>Protea vogtsiae</i>	Kouga sugarbush		South Africa (Western and Eastern Cape)
		<i>Protea asymmetrica</i>	Inyanga sugarbush		Zimbabwe
Cristatae	Moorland protea	<i>Protea wentzeliana</i>	Wentzel's sugarbush		Zimbabwe, Mozambique , Malawi , southern Tanzania and central Angola .
Exsertae	White protea	<i>Protea aurea aurea</i>	Common shuttlecock protea		South Africa (Western Cape province)

Section	Common name of section	Species name	Common name	Image	Distribution
		<i>Protea aurea potbergensis</i>	Potberg sugarbush		South Africa (Potberg near C Infanta.)
		<i>Protea laticolor</i>	Hottentot sugarbush		South Africa (th Slanghoek to th Hottentots Holl. Mountains and the Groenlandb
		<i>Protea mundii</i>	Forest sugarbush		South Africa (Western Cape province)
		<i>Protea punctata</i>	Water sugarbush		South Africa (Eastern and Western Cape province)
		<i>Protea subvestita</i>	Waterlily sugarbush		South Africa (Eastern Cape province)
		<i>Protea venusta</i>	Cascade sugarbush		South Africa (Clanwilliam to Grahamstown)
Hypocephalae	Rodent protea	<i>Protea amplexicaulis</i>	Claspingleaf sugarbush		South Africa (Western Cape province)

Section	Common name of section	Species name	Common name	Image	Distribution
		<i>Protea cordata</i>	Heartleaf sugarbush		South Africa (Western Cape province)
		<i>Protea decurrens</i>	Linearleaf sugarbush		South Africa (Western Cape province)
		<i>Protea humiflora</i>	Patentleaf sugarbush		South Africa (Western Cape province)
		<i>Protea subulifolia</i>	Awl-leaf sugarbush		South Africa (Western Cape province)
Lasiocephalae	savanna protea	<i>Protea gaguedi</i>	African sugarbush		Sudan (including South Sudan), Eritrea, Ethiopia, Burundi, Rwanda, Uganda, Kenya, Tanzania, the Democratic Republic of Congo, Zambia, Angola, Botswana, Zimbabwe, Malawi, Mozambique, Namibia, Eswatini, and South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
Leiocephalea	grassveld protea	<i>Protea welwitschii</i>	Dwarf savanna sugarbush		Rwanda, Burundi, Uganda, Tanzania, the Democratic Republic of Congo, Zambia, Angola, Zimbabwe, Malawi, Mozambique, Lesotho, and South Africa.
		<i>Protea afra</i> subsp. <i>afra</i>	Highveld sugarbush		South Africa (Gauteng, KwaZulu-Natal, Northern Cape, Mpumalanga, the Eastern Cape as far south as the Karoo mountains) and Lesotho
		<i>Protea afra</i> subsp. <i>gazensis</i>	Manica sugarbush		Mozambique and Zimbabwe, including the Nyanga Mountains and Chimanimani Mountains, and Mount Gorongosa, Mozambique.
		<i>Protea afra</i> subsp. <i>kilimandscharica</i>	Kilimanjaro sugarbush		Mt Kenya
		<i>Protea afra</i> subsp. <i>nyasea</i>	Malawi sugarbush		Malawi
		<i>Protea dracomontana</i>	Drakensberg sugarbush		South Africa (Eastern Cape, Lesotho, KwaZulu-Natal and Free State)
		<i>Protea nubigena</i>	Cloud sugarbush		South Africa (KwaZulu-Natal)

Section	Common name of section	Species name	Common name	Image	Distribution
shaving-brush protea		<i>Protea parvula</i>	Dainty sugarbush		Mpumalanga
		<i>Protea petiolaris elegans</i>	Sickle-leaf sugarbush		Angola, Democratic Republic of the Congo, Zambia, Zimbabwe.
		<i>Protea petiolaris petiolaris</i>	Sickle-leaf sugarbush		Malawi, Zambia, Zimbabwe.
		<i>Protea simplex</i>	Dwarf grassveld sugarbush		South Africa (Eswatini and Mpumalanga)
		<i>Protea caffra kilimandscharica</i>	Kilimanjaro sugarbush		DRC, Kenya, Tanzania, Uganda
		<i>Protea caffra mafingensis</i>	Mafingo sugarbush		Malawi and Zambia
		<i>Protea rupicola</i>	Krantz sugarbush		South Africa (Western and Eastern Cape)

Section	Common name of section	Species name	Common name	Image	Distribution
Ligulatae	spoon-bract protea	<u><i>Protea glabra</i></u>	Clanwilliam sugarbush		South Africa (Western cape)
		<u><i>Protea inopina</i></u>	Largenut sugarbush		Paleisheuwel
		<u><i>Protea nitida</i></u>	Wagon tree		South Africa (Eastern Cape)
		<u><i>Protea burchellii</i></u>	Burchell's sugarbush		South Africa (Southwestern Cape)
		<u><i>Protea compacta</i></u>	Bot river sugarbush		Kleinmond to Bredasdorp Mountains South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
		<u><i>Protea eximia</i></u>	Broadleaf sugarbush		South Africa (Western Cape)
		<u><i>Protea longifolia</i></u>	Longleaf sugarbush		South Africa (Western Cape)
		<u><i>Protea obtusifolia</i></u>	Limestone sugarbush		South Africa (Western Cape)
		<u><i>Protea pudens</i></u>	Bashful sugarbush		South Africa (Western Cape)
		<u><i>Protea roupelliae hamiltonii</i></u>	Dwarf silver sugarbush		South Africa (Western Cape) Zimbabwe
		<u><i>Protea roupelliae roupelliae</i></u>	Silver sugarbush		Clanwilliam to Grahamstown, South Africa.

Section	Common name of section	Species name	Common name	Image	Distribution
Melliferae	sugarbushes	<u>Protea susannae</u>	Stinkleaf sugarbush		South Africa (Western Cape)
		<u>Protea aristata</u>	Ladismith sugarbush		South Africa (Western Cape)
		<u>Protea lanceolata</u>	Lanceleaf sugarbush		South Africa
		<u>Protea repens</u>	Common sugarbush		South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
Microgeantae	western ground protea	<i>Protea acaulos</i>	Common ground sugarbush		South Africa (Western Cape)
		<i>Protea convexa</i>	Largeleaf sugarbush		South Africa (Western Cape)
		<i>Protea laevis</i>	Smoothleaf sugarbush		South Africa (Western Cape)
		<i>Protea revoluta</i>	Rolledleaf sugarbush		South Africa (Western Cape)
		<i>Protea angustata</i>	Wide laef sugarbush		South Africa (Western Cape)
Obvallatae	bishop protea	<i>Protea caespitosa</i>	Bishop sugarbush		South Africa (Western Cape province)

Section	Common name of section	Species name	Common name	Image	Distribution
Paludosae	rooi protea	<i>Protea enervis</i>	Chimanimani sugarbush		Zimbabwe and Mozambique
		<i>Protea cryophila</i>	Snowball protea		South Africa (Cederberg)
		<i>Protea pruinosa</i>	Frosted sugarbush		South Africa (Western Cape province)
Paracynaroides	snee u protea	<i>Protea scabriuscula</i>	Hoary sugarbush		South Africa (Western Cape province)
		<i>Protea scolopendriifolia</i>	Hart's tongue fern sugarbush		South Africa (Western and Eastern Cape province)
Parviflorae	shale protea	<i>Protea mucronifolia</i>	Daggerleaf sugarbush		South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
Patentiflorae	mountain protea	<u><i>Protea odorata</i></u>	Swartland sugarbush		South Africa
		<u><i>Protea angolensis angolensis</i></u>	Dwarf northernwoodland sugarbush		northern, central and eastern Zimbabwe
		<u><i>Protea angolensis divaricata</i></u>	Northern woodland sugarbush		Zambia, western Angola, southern Democratic Republic of the Congo, Burundi, southern and western Tanzania, northern Malawi and to a limited extent in Mozambique (T
		<u><i>Protea comptonii</i></u>	Saddleback sugarbush		South Africa (Mpumalanga and KwaZulu-Natal)
		<u><i>Protea curvata</i></u>	Barberton sugarbush		South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
		<u><i>Protea laetans</i></u>	Blyde sugarbush		South Africa (Mpumalanga)
		<u><i>Protea madiensis</i></u>	Tall woodland sugarbush		Senegal to Ethiopia in the north, to Angola, Malawi, Mozambique and Zambia, Guinea, Mali in the north south to Sierra Leone, Benin and Cameroon.
		<u><i>Protea rubropilosa</i></u>	Transvaal sugarbush		South Africa (Mpumalanga and Limpopo)
		<u><i>Protea rupestris</i></u>	Rocket sugarbush		Malawi, Mozambique, Angola and Tanzania
Pinifolia	rose protea	<u><i>Protea acuminata</i></u>	Blackrim sugarbush		South Africa
		<u><i>Protea canaliculata</i></u>	Grooveleaf sugarbush		South Africa (Western Cape province)

Section	Common name of section	Species name	Common name	Image	Distribution
		<u>Protea nana</u>	Mountainrose sugarbush		South Africa (Western Cape province)
		<u>Protea pityphylla</u>	Ceres sugarbush		South Africa (Western Cape province)
		<u>Protea scolymocephala</u>	Thistle sugarbush		South Africa (Western Cape province)
		<u>Protea witzenbergiana</u>	Swan sugarbush		South Africa (Western Cape province)
					
Protea	king protea	<u>Protea cynaroides</u>	King protea		South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
Speciosae	bearded sugerbush	<u><i>Protea coronata</i></u>	Green sugarbush		South Africa (Western and Eastern Cape)
		<u><i>Protea grandiceps</i></u>	Red sugarbush		South Africa (Cape Peninsula, Hottentots-Holland Mountains, Riviersonderend Mountains, Langeberg, Outeniqua Mountains, Winterhoek Mountains and Kamanassie Mountains)
		<u><i>Protea holosericea</i></u>	Sawedge sugarbush		South Africa (Western Cape)

Section	Common name of section	Species name	Common name	Image	Distribution
		<i>Protea laurifolia</i>	Greyleaf sugarbush		South Africa (Northern and Western Cape)
		<i>Protea lepidocarpodendron</i>	Blackbeard sugarbush		South Africa (Western Cape)
		<i>Protea lorifolia</i>	Strapleaf sugarbush		South Africa (Swartberg, Riviersonderend, Langeberg Mountains, to the Baviaanskloof and Kouga Mountains.)
		<i>Protea magnifica</i> [3]	Queen protea		South Africa (Western Cape)
		<i>Protea neriifolia</i>	Narrowleaf sugarbush		South Africa (Eastern and Western Cape)

Section	Common name of section	Species name	Common name	Image	Distribution
		<u><i>Protea speciosa</i></u>	Brownbeard sugarbush		South Africa (Western Cape)
		<u><i>Protea stokoei</i></u>	Pink sugarbush		South Africa (Kogelberg and Greenland Mountains)
Subacaules	dwarf-tufted protea	<u><i>Protea aspera</i></u>	Roughleaf sugarbush		South Africa (Kleinrivier Mountains, Bredasdorpberg Garcia's Pass.)
		<u><i>Protea denticulata</i></u>	Toothleaf sugarbush		South Africa

Section	Common name of section	Species name	Common name	Image	Distribution
		<i>Protea lorea</i>	Thongleaf sugarbush		South Africa (Western Cape)
		<i>Protea piscina</i>	Visgat sugarbush		South Africa
		<i>Protea restionifolia</i> [4]	Reedleaf sugarbush		South Africa (Western Cape province)
		<i>Protea scabra</i> [5]	Sandpaperleaf sugarbush		South Africa (Hottentots Holland Mountains across the Riviersonde Mountains, the Kleinrivier Mountains and around the town of Caledon to the Swartberg Mountains)
		<i>Protea scorzonerifolia</i> [6]	Channelleaf sugarbush		South Africa (Western Cape)

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Primula*](#), often called **primroses** and **cowslips**, are accepted by [Plants of the World Online](#).^{[1][2]} Over 25 books have been written on the genus.^[3]

- [*Primula* × *admontensis*](#) Gusmus ex G.C.Churchill
- [*Primula advena*](#) W.W.Sm.
- [*Primula aemula*](#) Balf.f. & Forrest
- [*Primula aerinantha*](#) Balf.f. & Purdom
- [*Primula afghanica*](#) Wendelbo
- [*Primula agleniana*](#) Balf.f. & Forrest
- [*Primula albenensis*](#) Banfi & Ferl.
- [*Primula alcalina*](#) Cholewa & D.M.Hend.
- [*Primula algida*](#) Adams
- [*Primula aliciae*](#) G.Taylor ex W.W.Sm.
- [*Primula allionii*](#) Loisel.
- [*Primula alpicola*](#) (W.W.Sm.) Stapf
- [*Primula alsophila*](#) Balf.f. & Farrer
- [*Primula ambita*](#) Balf.f.
- [*Primula amethystina*](#) Franch.
- [*Primula amoena*](#) M.Bieb.
- [*Primula angustifolia*](#) Torr.
- [*Primula anisodora*](#) Balf.f. & Forrest
- [*Primula annulata*](#) Balf.f. & Kingdon-Ward
- [*Primula anthemifolia*](#) G.Hao, C.M.Hu & Yuan Xu
- [*Primula anvilensis*](#) S.Kelso
- [*Primula apennina*](#) Widmer
- [*Primula apicicallosa*](#) D.Fang
- [*Primula aromatica*](#) W.W.Sm. & Forrest
- [*Primula arunachalensis*](#) S.K.Basak & Maiti
- [*Primula asarifolia*](#) H.R.Fletcher
- [*Primula assamica*](#) H.R.Fletcher
- [*Primula atrodentata*](#) W.W.Sm.
- [*Primula aurantiaca*](#) W.W.Sm. & Forrest
- [*Primula aureata*](#) H.R.Fletcher
- [*Primula auricula*](#) L.
- [*Primula auriculata*](#) Lam.
- [*Primula austrofrigida*](#) (K.L.Chambers) A.R.Mast & Reveal
- [*Primula baileyana*](#) Kingdon-Ward
- [*Primula baldshuanica*](#) B.Fedtsch.
- [*Primula barbatula*](#) W.W.Sm.
- [*Primula barbicalyx*](#) C.H.Wright
- [*Primula bathangensis*](#) Petitm.
- [*Primula bella*](#) Franch.
- [*Primula bellidifolia*](#) King ex Hook.f.

- [*Primula bergenioides*](#) C.M.Hu & Y.Y.Geng
- [*Primula* × *berninae*](#) A.Kern.
- [*Primula bhutanica*](#) H.R.Fletcher
- [*Primula biserrata*](#) Forrest
- [*Primula blandula*](#) W.W.Sm.
- [*Primula blattariformis*](#) Franch.
- [*Primula blinii*](#) H.Lév.
- [*Primula bomiensis*](#) F.H.Chen & C.M.Hu
- [*Primula* × *boni-auxilii*](#) Kress
- [*Primula boothii*](#) Craib
- [*Primula borealis*](#) Duby
- [*Primula boreiocaliantha*](#) Balf.f. & Forrest
- [*Primula botschantzevii*](#) Czukav. & Kovalevsk.
- [*Primula* × *bowlesii*](#) Farrer
- [*Primula brachystoma*](#) W.W.Sm.
- [*Primula bracteosa*](#) Craib
- [*Primula bukukunica*](#) Kovt.
- [*Primula bullata*](#) Franch.
- [*Primula bulleyana*](#) Forrest
- [*Primula buryana*](#) Balf.f.
- [*Primula caldaria*](#) W.W.Sm. & Forrest
- [*Primula calderiana*](#) Balf.f. & R.E.Cooper
- [*Primula calliantha*](#) Franch.
- [*Primula calthifolia*](#) W.W.Sm.
- [*Primula calyptrata*](#) X.Gong & R.C.Fang
- [*Primula candicans*](#) W.W.Sm.
- [*Primula capillaris*](#) N.H.Holmgren & A.H.Holmgren
- [*Primula capitata*](#) Hook.
- [*Primula capitellata*](#) Boiss.
- [*Primula cardioeides*](#) W.W.Sm. & H.R.Fletcher
- [*Primula carniolica*](#) Jacq.
- [*Primula carolinehenryae*](#) S.O'Brien
- [*Primula* × *caruelii*](#) Porta
- [*Primula caulifera*](#) C.M.Hu
- [*Primula cavaleriei*](#) Petitm.
- [*Primula caveana*](#) W.W.Sm.
- [*Primula cawdoriana*](#) Kingdon-Ward
- [*Primula celsiiformis*](#) Balf.f.
- [*Primula centellifolia*](#) G.Hao, C.M.Hu & Y.Xu
- [*Primula cerina*](#) H.R.Fletcher
- [*Primula cernua*](#) Franch.
- [*Primula chamaedoron*](#) W.W.Sm.

- [*Primula chamaethauma*](#) W.W.Sm.
- [*Primula chapaensis*](#) Gagnep.
- [*Primula chartacea*](#) Franch.
- [*Primula chasmophila*](#) (Balf.f. ex Hutch.) Balf.f. ex Hutch.
- [*Primula chienii*](#) W.P.Fang
- [*Primula chimingiana*](#) G.Hao, S.Yuan & D.X.Zhang
- [*Primula chionantha*](#) Balf.f. & Forrest
- [*Primula chionata*](#) W.W.Sm.
- [*Primula chionogenes*](#) H.R.Fletcher
- [*Primula chrysochlora*](#) Balf.f. & Kingdon-Ward
- [*Primula chrysostoma*](#) O.Schwarz
- [*Primula chumbiensis*](#) W.W.Sm.
- [*Primula chungensis*](#) Balf.f. & Kingdon-Ward
- [*Primula cicutariifolia*](#) Pax
- [*Primula cinerascens*](#) Franch.
- [*Primula clarkei*](#) G.Watt
- [*Primula clevelandii*](#) (Greene) A.R.Mast & Reveal
- [*Primula clusiana*](#) Tausch
- [*Primula clutterbuckii*](#) Kingdon-Ward
- [*Primula cockburniana*](#) Hemsl.
- [*Primula coelata*](#) Stapf
- [*Primula coerulea*](#) Forrest
- [*Primula comata*](#) H.R.Fletcher
- [*Primula comberi*](#) W.W.Sm.
- [*Primula concholoba*](#) Stapf & Sealy
- [*Primula concinna*](#) G.Watt
- [*Primula conjugens*](#) (Greene) A.R.Mast & Reveal
- [*Primula conspersa*](#) Balf.f. & Purdom
- [*Primula cooperi*](#) Balf.f.
- [*Primula cordifolia*](#) Rupr.
- [*Primula* × *coronata*](#) Porta
- [*Primula cortusoides*](#) L.
- [*Primula coryphaea*](#) Balf.f. & Kingdon-Ward
- [*Primula cottia*](#) Widmer
- [*Primula crassa*](#) Hand.-Mazz.
- [*Primula crassifolia*](#) Lehm.
- [*Primula crispata*](#) Balf.f. & W.W.Sm.
- [*Primula crocifolia*](#) Pax & K.Hoffm.
- [*Primula cuneifolia*](#) Ledeb.
- [*Primula cunninghamii*](#) King ex Craib
- [*Primula cusickiana*](#) (A.Gray) A.Gray
- [*Primula daonensis*](#) (Leyb.) Leyb.

- [*Primula darialica*](#) Rupr.
- [*Primula davidii*](#) Franch.
- [*Primula davisii*](#) W.W.Sm.
- [*Primula deflexa*](#) Duthie
- [*Primula dejuniana*](#) G.Hao, C.M.Hu & Yuan Xu
- [*Primula densa*](#) Balf.f.
- [*Primula denticulata*](#) Sm.
- [*Primula denticuloides*](#) Y.J.Nasir
- [*Primula deorum*](#) Velen.
- [*Primula* × *deschmannii*](#) Ingw.
- [*Primula deuteronana*](#) Craib
- [*Primula diantha*](#) Bureau & Franch.
- [*Primula dickieana*](#) G.Watt
- [*Primula dictyophylla*](#) W.W.Sm.
- [*Primula* × *digenea*](#) A.Kern.
- [*Primula* × *discolor*](#) Leyb.
- [*Primula divaricata*](#) F.H.Chen & C.M.Hu
- [*Primula dongchuanensis*](#) Z.K.Wu & Yuan Huang
- [*Primula drummondiana*](#) Craib
- [*Primula dryadifolia*](#) Franch.
- [*Primula* × *dschungdienensis*](#) Hand.-Mazz.
- [*Primula duclouxii*](#) Petitm.
- [*Primula dueckelmannii*](#) Gilli
- [*Primula dumicola*](#) W.W.Sm. & Forrest
- [*Primula* × *dumoulinii*](#) Stein
- [*Primula duthieana*](#) Balf.f. & W.W.Sm.
- [*Primula eburnea*](#) Balf.f. & R.E.Cooper
- [*Primula edelbergii*](#) O.Schwarz
- [*Primula efarinosa*](#) Pax
- [*Primula effusa*](#) W.W.Sm. & Forrest
- [*Primula egaliksensis*](#) Wormsk.
- [*Primula elatior*](#) (L.) Hill
- [*Primula* × *elisabethae*](#) Sünd.
- [*Primula elizabethiae*](#) Ludlow ex W.W.Sm.
- [*Primula elliptica*](#) Royle
- [*Primula elongata*](#) G.Watt
- [*Primula epilithica*](#) F.H.Chen & C.M.Hu
- [*Primula epilosa*](#) Craib
- [*Primula erosa*](#) (Wall. ex Duby) Regel
- [*Primula erratica*](#) W.W.Sm.
- [*Primula erythrocarpa*](#) Craib
- [*Primula* × *escheri*](#) Brügger

- [*Primula esquirolii*](#) Petitm.
- [*Primula euchaites*](#) W.W.Sm.
- [*Primula eugeniae*](#) Fed.
- [*Primula euosma*](#) Craib
- [*Primula euprepes*](#) (W.W.Sm.) A.J.Richards
- [*Primula eximia*](#) Greene
- [*Primula faberi*](#) Oliv.
- [*Primula* × *facchinii*](#) Schott
- [*Primula fagosa*](#) Balf.f. & Craib
- [*Primula falcifolia*](#) Kingdon-Ward
- [*Primula fangii*](#) F.H.Chen & C.M.Hu
- [*Primula fangingensis*](#) F.H.Chen & C.M.Hu
- [*Primula farinifolia*](#) Rupr.
- [*Primula farinosa*](#) L.
- [*Primula farreriana*](#) Balf.f.
- [*Primula fasciculata*](#) Balf.f. & Kingdon-Ward
- [*Primula fassettii*](#) A.R.Mast & Reveal
- [*Primula fea*](#) Kingdon-Ward
- [*Primula fedtschenkoi*](#) Regel
- [*Primula fenghwaiana*](#) C.M.Hu & G.Hao
- [*Primula fernaldiana*](#) W.W.Sm.
- [*Primula filchnerae*](#) R.Knuth
- [*Primula filipes*](#) G.Watt
- [*Primula fimbriata*](#) Wall. ex Duby
- [*Primula firmipes*](#) Balf.f. & Forrest
- [*Primula fistulosa*](#) Turkev.
- [*Primula flabellifera*](#) W.W.Sm.
- [*Primula flaccida*](#) N.P.Balakr.
- [*Primula flagellaris*](#) W.W.Sm.
- [*Primula flava*](#) Maxim.
- [*Primula flexuosa*](#) Turkev.
- [*Primula* × *floerkeana*](#) Schrad.
- [*Primula floribunda*](#) Wall.
- [*Primula florindae*](#) Kingdon-Ward
- [*Primula fragrans*](#) A.R.Mast & Reveal
- [*Primula frenchii*](#) (Vasey) A.R.Mast & Reveal
- [*Primula frigida*](#) (Cham. & Schltdl.) A.R.Mast & Reveal
- [*Primula frondosa*](#) Janka
- [*Primula gambeliana*](#) G.Watt
- [*Primula garhwalica*](#) (Balodi & S.Singh) K.K.Khanna & An.Kumar
- [*Primula gaubaeana*](#) Bornm.
- [*Primula gemmifera*](#) Batalin

- [*Primula geraniifolia*](#) Hook.f.
- [*Primula geranophylla*](#) Kovalevsk.
- [*Primula giraldiana*](#) Pax
- [*Primula glabra*](#) Klatt
- [*Primula glandulifera*](#) Balf.f. & W.W.Sm.
- [*Primula glaucescens*](#) Moretti
- [*Primula glomerata*](#) Pax
- [*Primula glutinosa*](#) Wulfen
- [*Primula* × *goebelii*](#) A.Kern.
- [*Primula gracilenta*](#) Dunn
- [*Primula gracilipes*](#) Craib
- [*Primula graminifolia*](#) Pax & K.Hoffm.
- [*Primula grandis*](#) Trautv.
- [*Primula griffithii*](#) (Watt) Pax
- [*Primula halleri*](#) J.F.Gmel.
- [*Primula handeliana*](#) W.W.Sm. & Forrest
- [*Primula hazarica*](#) Duthie
- [*Primula* × *heeri*](#) Brügger
- [*Primula helodoxa*](#) Balf.f.
- [*Primula hendersonii*](#) (A.Gray) A.R.Mast & Reveal
- [*Primula henrici*](#) Bureau & Franch.
- [*Primula heterochroma*](#) Stapf
- [*Primula heucherifolia*](#) Franch.
- [*Primula hidakana*](#) Miyabe & Kudô
- [*Primula hilaris*](#) W.W.Sm.
- [*Primula hirsuta*](#) All.
- [*Primula hoffmanniana*](#) W.W.Sm.
- [*Primula hoi*](#) W.P.Fang
- [*Primula homogama*](#) F.H.Chen & C.M.Hu
- [*Primula hongshanensis*](#) D.W.H.Rankin, Z.D.Fang & H.Sun
- [*Primula hookeri*](#) G.Watt
- [*Primula huashanensis*](#) F.H.Chen & C.M.Hu
- [*Primula hubeiensis*](#) Xin W.Li
- [*Primula* × *hugueninii*](#) Brügger
- [*Primula hunanensis*](#) G.Hao, C.M.Hu & X.L.Yu
- [*Primula hydrocotylifolia*](#) G.Hao, C.M.Hu & Yuan Xu
- [*Primula hylobia*](#) W.W.Sm.
- [*Primula hypoleuca*](#) Hand.-Mazz.
- [*Primula ianthina*](#) Balf.f. & Cave
- [*Primula iljinskii*](#) Fed.
- [*Primula inayatii*](#) Duthie
- [*Primula incana*](#) M.E.Jones

- [Primula inopinata](#) H.R.Fletcher
- [Primula intanoensis](#) T.Yamaz.
- [Primula integrifolia](#) L.
- [Primula interjacens](#) F.H.Chen
- [Primula intricata](#) Gren. & Godr.
- [Primula involucrata](#) (Raf.) Link & Otto ex Sweet
- [Primula ioessa](#) W.W.Sm.
- [Primula irregularis](#) Craib
- [Primula jaffreyana](#) King
- [Primula japonica](#) A.Gray
- [Primula jeffreyi](#) (Van Houtte) A.R.Mast & Reveal
- [Primula jesoana](#) Miq.
- [Primula jigmediana](#) W.W.Sm.
- [Primula jiugongshanensis](#) J.W.Shao
- [Primula jucunda](#) W.W.Sm.
- [Primula × judicariensis](#) Beyer
- [Primula juliae](#) Kusn.
- [Primula × juribella](#) Sünd.
- [Primula kaufmanniana](#) Regel
- [Primula kawasimae](#) H.Hara
- [Primula khasiana](#) Balf.f. & W.W.Sm.
- [Primula kialensis](#) Franch.
- [Primula kingii](#) G.Watt
- [Primula kisoana](#) Miq.
- [Primula kitaibeliana](#) Schott
- [Primula klattii](#) N.P.Balakr.
- [Primula klaveriana](#) Forrest
- [Primula knorringiana](#) Fed.
- [Primula knuthiana](#) Pax
- [Primula × kolbeana](#) Stein
- [Primula × kraettliana](#) Brügger
- [Primula kwangtungensis](#) W.W.Sm.
- [Primula kweichouensis](#) W.W.Sm.
- [Primula lacerata](#) W.W.Sm.
- [Primula laciniata](#) Pax & K.Hoffm.
- [Primula lactucoides](#) F.H.Chen & C.M.Hu
- [Primula latifolia](#) Lapeyr.
- [Primula latiloba](#) (A.Gray) A.R.Mast & Reveal
- [Primula latisecta](#) W.W.Sm.
- [Primula laurentiana](#) Fernald
- [Primula laxiuscula](#) W.W.Sm.
- [Primula × lebliana](#) Gusmus ex Kolb

- [*Primula leptophylla*](#) Craib
- [*Primula levicalyx*](#) C.M.Hu & Z.R.Xu
- [*Primula lihengiana*](#) C.M.Hu & R.Li
- [*Primula lilacina*](#) A.J.Richards
- [*Primula limbata*](#) Balf.f. & Forrest
- [*Primula listeri*](#) King ex Hook.f.
- [*Primula lithophila*](#) F.H.Chen & C.M.Hu
- [*Primula littledalei*](#) Balf.f. & G.Watt
- [*Primula* × *loiseleurii*](#) Sünd.
- [*Primula longipes*](#) Freyn & Sint.
- [*Primula longiscapa*](#) Ledeb.
- [*Primula lungchiensis*](#) W.P.Fang
- [*Primula lutea*](#) Vill.
- [*Primula luteoflora*](#) X.F.Gao & W.B.Ju
- [*Primula luteola*](#) Rupr.
- [*Primula macrocarpa*](#) Maxim.
- [*Primula macrophylla*](#) D.Don
- [*Primula magellanica*](#) Lehm.
- [*Primula malacoides*](#) Franch.
- [*Primula mallophylla*](#) Balf.f.
- [*Primula malvacea*](#) Franch.
- [*Primula marginata*](#) Curtis
- [*Primula matthioli*](#) (L.) V.A.Richt.
- [*Primula maximowiczii*](#) Regel
- [*Primula mazurenkoae*](#) A.P.Khokhr.
- [*Primula meadia*](#) (L.) A.R.Mast & Reveal
- [*Primula* × *media*](#) Peterm.
- [*Primula megalocarpa*](#) H.Hara
- [*Primula megaseifolia*](#) Boiss. & Balansa
- [*Primula meiantha*](#) Balf.f. & W.W.Sm.
- [*Primula meiotera*](#) (W.W.Sm. & H.R.Fletcher) C.M.Hu
- [*Primula melanantha*](#) (Franch.) C.M.Hu
- [*Primula melanodonta*](#) W.W.Sm.
- [*Primula merrilliana*](#) Schltr.
- [*Primula meyeri*](#) Rupr.
- [*Primula mianyangensis*](#) G.Hao & C.M.Hu
- [*Primula minima*](#) L.
- [*Primula minkwitziae*](#) W.W.Sm.
- [*Primula minor*](#) Balf.f. & Kingdon-Ward
- [*Primula minutissima*](#) Jacquem. ex Duby
- [*Primula mishmiensis*](#) Kingdon-Ward
- [*Primula mistassinica*](#) Michx.

- [*Primula miyabeana*](#) T.Itô & Kawak.
- [*Primula modesta*](#) Bisset & S.Moore
- [*Primula mollis*](#) Nutt. ex Hook.
- [*Primula monticola*](#) (Hand.-Mazz.) F.H.Chen & C.M.Hu
- [*Primula* × *morissetii*](#) Lepage
- [*Primula morsheadiana*](#) Kingdon-Ward
- [*Primula moupinensis*](#) Franch.
- [*Primula munroi*](#) Lindl.
- [*Primula* × *murbeckii*](#) Lindq.
- [*Primula* × *muretiana*](#) Moritzi
- [*Primula muscarioides*](#) Hemsl.
- [*Primula muscoides*](#) Hook.f. ex G.Watt
- [*Primula nana*](#) Wall.
- [*Primula nanocapitata*](#) Balf.f. & W.W.Sm. ex S.K.Basak & Maiti
- [*Primula neurocalyx*](#) Franch.
- [*Primula nghialoensis*](#) D.W.H.Rankin
- [*Primula ninguida*](#) W.W.Sm.
- [*Primula nipponica*](#) Yatabe
- [*Primula nivalis*](#) Pall.
- [*Primula normaniana*](#) Kingdon-Ward
- [*Primula nutans*](#) Georgi
- [*Primula nutantiflora*](#) Hemsl.
- [*Primula obconica*](#) Hance
- [*Primula obliqua*](#) W.W.Sm.
- [*Primula* × *obovata*](#) Huter
- [*Primula obtusifolia*](#) Royle
- [*Primula occlusa*](#) W.W.Sm.
- [*Primula odontica*](#) W.W.Sm.
- [*Primula odontocalyx*](#) (Franch.) Pax
- [*Primula olgae*](#) Regel
- [*Primula optata*](#) Farrer ex Balf.f.
- [*Primula orbicularis*](#) Hemsl.
- [*Primula oreodoxa*](#) Franch.
- [*Primula ovalifolia*](#) Franch.
- [*Primula oxygraphidifolia*](#) W.W.Sm. & Kingdon-Ward
- [*Primula palinuri*](#) Petagna
- [*Primula palmata*](#) Hand.-Mazz.
- [*Primula pamirica*](#) Fed.
- [*Primula parryi*](#) A.Gray
- [*Primula partschiana*](#) Pax
- [*Primula pauciflora*](#) (Durand) A.R.Mast & Reveal
- [*Primula pauliana*](#) W.W.Sm. & Forrest

- [*Primula pedemontana*](#) E.Thomas ex Gaudin
- [*Primula pelargoniifolia*](#) G.Hao, C.M.Hu & Z.Y.Liu
- [*Primula pellucida*](#) Franch.
- [*Primula pengzhouensis*](#) C.M.Hu, G.Hao & Y.Xu
- [*Primula persimilis*](#) G.Hao, C.M.Hu & Y.Xu
- [*Primula petelotii*](#) W.W.Sm.
- [*Primula petiolaris*](#) Wall.
- [*Primula petrocallis*](#) F.H.Chen & C.M.Hu
- [*Primula pinnata*](#) Popov & Fed.
- [*Primula pinnatifida*](#) Franch.
- [*Primula poetica*](#) (L.F.Hend.) A.R.Mast & Reveal
- [*Primula poissonii*](#) Franch.
- [*Primula polonensis*](#) Kingdon-Ward
- [*Primula poluninii*](#) H.R.Fletcher
- [*Primula* × *polyantha*](#) Mill.
- [*Primula polyneura*](#) Franch.
- [*Primula praeflorens*](#) F.H.Chen & C.M.Hu
- [*Primula praenitens*](#) Ker Gawl.
- [*Primula praetermissa*](#) W.W.Sm.
- [*Primula prenantha*](#) Balf.f. & W.W.Sm.
- [*Primula prevernalis*](#) F.H.Chen & C.M.Hu
- [*Primula primulina*](#) (Spreng.) H.Hara
- [*Primula prolifera*](#) Wall.
- [*Primula pseudodenticulata*](#) Pax
- [*Primula pseudoelator*](#) Kusn.
- [*Primula pskemensis*](#) Lazkov
- [*Primula* × *pubescens*](#) Jacq.
- [*Primula pulchella*](#) Franch.
- [*Primula pulchra*](#) G.Watt
- [*Primula pullulatrix*](#) O.Schwarz
- [*Primula pulverulenta*](#) Duthie
- [*Primula pumilio*](#) Maxim.
- [*Primula purdomii*](#) Craib
- [*Primula pycnoloba*](#) Bureau & Franch.
- [*Primula qiupuensis*](#) J.W.Shao
- [*Primula ramzanae*](#) W.W.Sm. & H.R.Fletcher
- [*Primula ranunculoides*](#) F.H.Chen
- [*Primula rebecca*](#) A.J.Richards
- [*Primula recubariensis*](#) Prosser & Scorteg.
- [*Primula reflexa*](#) Petitm.
- [*Primula reidii*](#) Duthie
- [*Primula reinii*](#) Franch. & Sav.

- [*Primula renifolia*](#) Volgunov
- [*Primula repentina*](#) O.Schwarz
- [*Primula reptans*](#) Hook.f. ex G.Watt
- [*Primula reticulata*](#) Wall.
- [*Primula rhodochroa*](#) W.W.Sm.
- [*Primula rimicola*](#) W.W.Sm.
- [*Primula rockii*](#) W.W.Sm.
- [*Primula rosea*](#) Royle
- [*Primula rotundifolia*](#) Wall.
- [*Primula rubicunda*](#) H.R.Fletcher
- [*Primula rubifolia*](#) C.M.Hu
- [*Primula rugosa*](#) N.P.Balakr.
- [*Primula runcinata*](#) W.W.Sm. & H.R.Fletcher ex C.M.Hu
- [*Primula rupestris*](#) Balf.f. & Farrer
- [*Primula rupicola*](#) Balf.f. & Forrest
- [*Primula ruprechtii*](#) Kusn.
- [*Primula rusbyi*](#) Greene
- [*Primula russeola*](#) Balf.f. & Forrest
- [*Primula* × *salomonii*](#) Sünd.
- [*Primula sandemaniana*](#) W.W.Sm.
- [*Primula* × *santii*](#) Gola
- [*Primula sapphirina*](#) Hook.f. & Thomson ex G.Watt
- [*Primula saturata*](#) W.W.Sm. & H.R.Fletcher
- [*Primula saxatilis*](#) Kom.
- [*Primula scandinavica*](#) Bruun
- [*Primula scapigera*](#) (Hook.f.) Craib
- [*Primula schlagintweitiana*](#) Pax
- [*Primula* × *schottii*](#) Sünd.
- [*Primula sciophila*](#) Balf.f. & Kingdon-Ward
- [*Primula scopulicola*](#) G.Hao, C.M.Hu & Y.Xu
- [*Primula scotica*](#) Hook.
- [*Primula secundiflora*](#) Franch.
- [*Primula septemloba*](#) Franch.
- [*Primula serrata*](#) Georgi
- [*Primula sertulum*](#) Franch.
- [*Primula sessilis*](#) Royle ex Craib
- [*Primula sharmae*](#) H.R.Fletcher
- [*Primula sherriffiae*](#) W.W.Sm.
- [*Primula siamensis*](#) Craib
- [*Primula sieboldii*](#) É.Morren
- [*Primula sikkimensis*](#) Hook.
- [*Primula silaensis*](#) Petitm.

- [*Primula sinoexscapa*](#) C.M.Hu
- [*Primula sinolisteri*](#) Balf.f.
- [*Primula sinomollis*](#) Balf.f.
- [*Primula sinoplantaginea*](#) Balf.f.
- [*Primula sinuata*](#) Franch.
- [*Primula siphonantha*](#) W.W.Sm.
- [*Primula smithiana*](#) Craib
- [*Primula soldanelloides*](#) G.Watt
- [*Primula sonchifolia*](#) Franch.
- [*Primula soongii*](#) F.H.Chen & C.M.Hu
- [*Primula sorachiana*](#) Miyabe & Tatew.
- [*Primula souliei*](#) Franch.
- [*Primula spathulifolia*](#) Craib
- [*Primula spectabilis*](#) Tratt.
- [*Primula specuicola*](#) Rydb.
- [*Primula spicata*](#) Franch.
- [*Primula standleyana*](#) A.R.Mast & Reveal
- [*Primula* × *steinii*](#) Obrist ex Stein
- [*Primula stenocalyx*](#) Maxim.
- [*Primula stenodonta*](#) Balf.f. ex W.W.Sm. & H.R.Fletcher
- [*Primula stirtoniana*](#) G.Watt
- [*Primula stricta*](#) Hornem.
- [*Primula strumosa*](#) Balf.f. & R.E.Cooper
- [*Primula stuartii*](#) Wall.
- [*Primula* × *sturii*](#) Schott ex Kolb
- [*Primula subalpina*](#) (Eastw.) A.R.Mast & Reveal
- [*Primula subpyrenaica*](#) Aymerich, L.Sáez & López-Alvarado
- [*Primula subularia*](#) W.W.Sm.
- [*Primula suffrutescens*](#) A.Gray
- [*Primula sunhangii*](#) T.Deng, D.G.Zhang & Jiao Sun
- [*Primula szechuanica*](#) Pax
- [*Primula takedana*](#) Tatew.
- [*Primula taliensis*](#) Forrest
- [*Primula tangutica*](#) Duthie
- [*Primula tanneri*](#) King
- [*Primula tanupoda*](#) Balf.f. & W.W.Sm.
- [*Primula tardiflora*](#) (C.M.Hu) C.M.Hu
- [*Primula tayloriana*](#) H.R.Fletcher
- [*Primula tenella*](#) King ex G.Watt
- [*Primula tenuiloba*](#) (G.Watt) Pax
- [*Primula tenuipes*](#) F.H.Chen & C.M.Hu
- [*Primula tenuituba*](#) C.M.Hu & Y.Y.Geng

- [*Primula tetrandra*](#) (Suksd.) A.R.Mast & Reveal
- [*Primula thearosa*](#) Kingdon-Ward
- [*Primula tibetica*](#) G.Watt
- [*Primula tongolensis*](#) Franch.
- [*Primula tosaensis*](#) Yatabe
- [*Primula tournefortii*](#) Rupr.
- [*Primula tridentifera*](#) F.H.Chen & C.M.Hu
- [*Primula triloba*](#) Balf.f. & Forrest
- [*Primula tsariensis*](#) W.W.Sm.
- [*Primula tschuktschorum*](#) Kjellm.
- [*Primula tsiangii*](#) W.W.Sm.
- [*Primula tsongpenii*](#) H.R.Fletcher
- [*Primula turkeviczii*](#) V.V.Byalt
- [*Primula tyrolensis*](#) Schott
- [*Primula tzetsouensis*](#) Petitm.
- [*Primula umbratilis*](#) Balf.f. & R.E.Cooper
- [*Primula undulifolia*](#) G.Hao, C.M.Hu & Y.Xu
- [*Primula urticifolia*](#) Maxim.
- [*Primula utahensis*](#) (N.H.Holmgren) A.R.Mast & Reveal
- [*Primula vaginata*](#) G.Watt
- [*Primula valentinae*](#) Fed.
- [*Primula valentiniana*](#) Hand.-Mazz.
- [*Primula* × *vallarsae*](#) Prosser & Scorteg.
- [*Primula vallicola*](#) Y.Xu, G.Hao & C.M.Hu
- [*Primula* × *varians*](#) Sünd.
- [*Primula veitchiana*](#) Petitm.
- [*Primula* × *venusta*](#) Host
- [*Primula* × *venzoides*](#) Huter ex Venzo
- [*Primula veris*](#) L.
- [*Primula verticillata*](#) Forssk.
- [*Primula vialii*](#) Delavay ex Franch.
- [*Primula villosa*](#) Wulfen
- [*Primula vilmoriniana*](#) Petitm.
- [*Primula violacea*](#) W.W.Sm. & Kingdon-Ward
- [*Primula violaris*](#) W.W.Sm. & H.R.Fletcher
- [*Primula virginis*](#) H.Lév.
- [*Primula vulgaris*](#) Huds.
- [*Primula waddellii*](#) Balf.f. & W.W.Sm.
- [*Primula walshii*](#) Craib
- [*Primula waltonii*](#) G.Watt ex Balf.f.
- [*Primula wangii*](#) F.H.Chen & C.M.Hu
- [*Primula warshenewskiana*](#) B.Fedtsch.

- [*Primula watsonii*](#) Dunn
- [*Primula wattii*](#) King ex G.Watt
- [*Primula wawushanica*](#) G.Hao, C.M.Hu & Yuan Xu
- [*Primula* × *weldeniana*](#) (A.Kern.) Dalla Torre & Sarnth.
- [*Primula wenshanensis*](#) F.H.Chen & C.M.Hu
- [*Primula* × *wettsteinii*](#) Wiedem.
- [*Primula whitei*](#) W.W.Sm.
- [*Primula wigramiana*](#) W.W.Sm.
- [*Primula wilsonii*](#) Dunn
- [*Primula wollastonii*](#) Balf.f.
- [*Primula woodwardii*](#) Balf.f.
- [*Primula woonyoungiana*](#) W.P.Fang
- [*Primula wulfeniana*](#) Schott
- [*Primula xanthopa*](#) Balf.f. & R.E.Cooper
- [*Primula youngeriana*](#) W.W.Sm.
- [*Primula yunnanensis*](#) Franch.
- [*Primula yuparensis*](#) Takeda
- [*Primula zhui*](#) Y.H.Tan & B.Yang

From Wikipedia, the free encyclopedia

The following is a list of species of [*Prasophyllum*](#) recognised by the [Plants of the World Online](#) as at May 2025, and a few additional species recognised by the [Australian Plant Census](#)**. The common names in the list below are generally those used by [David Jones](#).^{[1][2]} Australian authorities recognise some of the names below as [synonyms](#).*

- [*Prasophyllum abblittiorum*](#) P.A.Collier (Tas.)
- [*Prasophyllum affine*](#) Lindl.1840 – Jervis Bay leek orchid, heathland leek orchid (N.S.W)
- [*Prasophyllum albovirens*](#) [D.L.Jones](#) & [L.M.Copel.](#) (N.S.W.)
- [*Prasophyllum album*](#) R.S.Rogers (S.A.)
- [*Prasophyllum alpestre*](#) D.L.Jones** – mauve leek orchid (N.S.W., Vic., Tas.)
- [*Prasophyllum alpinum*](#) [R.Br.](#) – alpine leek orchid (Tas.)
- [*Prasophyllum amoenum*](#) D.L.Jones – dainty leek orchid, Snug leek orchid (Tas.)
- [*Prasophyllum anticum*](#) D.L.Jones & D.T.Rouse – Pretty Hill leek orchid (Vic.)
- [*Prasophyllum apoxychilum*](#) D.L.Jones – tapered leek orchid (Tas.)
- [*Prasophyllum argillaceum*](#) D.L.Jones & D.T.Rouse (Vic.)
- [*Prasophyllum asinantum*](#) R.J.Bates (S.A.)
- [*Prasophyllum atratum*](#) D.L.Jones – Three Hummock leek orchid (Tas.)
- [*Prasophyllum australe*](#) [R.Br.](#) – southern leek orchid, austral leek orchid (Qld., N.S.W., Vic., Tas., S.A.)
- [*Prasophyllum bagoense*](#) D.L.Jones – Bago leek orchid (N.S.W.)
- [*Prasophyllum barnettii*](#) D.L.Jones & D.T.Rouse – Anglesea leek orchid (Vic.)

- [*Prasophyllum basalticum*](#) D.L.Jones & L.M.Copel. (N.S.W.)
- [*Prasophyllum beatrix*](#) D.L.Jones & D.T.Rouse – Marung leek orchid (N.S.W., Vic.)
- [*Prasophyllum brevilabre*](#) (Lindl.) Hook.f. – short-lip leek orchid (Qld., N.S.W., Vic., Tas.)
- [*Prasophyllum brevisepalum*](#) D.L.Jones & L.M.Copel. (N.S.W.)
- [*Prasophyllum brownii*](#) Rchb.f. – Christmas leek orchid (W.A.)
- [*Prasophyllum calcicola*](#) R.J.Bates – limestone leek orchid (W.A., S.A.)
- [*Prasophyllum campestre*](#) R.J.Bates & D.L.Jones – sandplain leek orchid (N.S.W., Qld.)
- [*Prasophyllum canaliculatum*](#) D.L.Jones – channelled leek orchid, summer leek orchid (N.S.W.)
- [*Prasophyllum candidum*](#) R.J.Bates & D.L.Jones – Kiandra leek orchid (N.S.W., Vic.)
- [*Prasophyllum caricetum*](#) D.L.Jones – Cathcart leek orchid (N.S.W.)
- [*Prasophyllum castaneum*](#) D.L.Jones – chestnut leek orchid (Tas.)
- [*Prasophyllum catenemum*](#) D.L.Jones (S.A.)
- [*Prasophyllum caudiculum*](#) D.L.Jones – Guyra leek orchid (N.S.W.)
- [*Prasophyllum colemaniarum*](#) [R.S.Rogers](#) (Vic., extinct)
- [*Prasophyllum colensoi*](#) Hook.f. [N.Z.](#)
- [*Prasophyllum collinum*](#) D.L.Jones (S.A.)
- [*Prasophyllum concinnum*](#) Nicholls – trim leek orchid (Tas.)
- [*Prasophyllum constrictum*](#) R.S.Rogers (1909) – tawny leek orchid (S.A., Tas., Vic.)
- [*Prasophyllum copelandii*](#) D.L.Jones (N.S.W.)
- [*Prasophyllum correctum*](#) D.L.Jones – gaping leek orchid, Bairnsdale leek orchid (Vic.)
- [*Prasophyllum crassum*](#) D.L.Jones & R.J.Bates (S.A.)
- [*Prasophyllum crebriflorum*](#) D.L.Jones – crowded leek orchid (Tas.)
- [*Prasophyllum cucullatum*](#) Rchb.f. – hooded leek orchid (W.A.)
- [*Prasophyllum cuneatum*](#) D.L.Jones & G.Brockman (W.A.)
- [*Prasophyllum cyphochilum*](#) Benth. – pouched leek orchid (W.A.)
- [*Prasophyllum diversiflorum*](#) Nicholls – Gorae leek orchid (Vic.)
- [*Prasophyllum dossenum*](#) R.J.Bates & D.L.Jones (N.S.W.)
- [*Prasophyllum drummondii*](#) Rchb.f. – swamp leek orchid (W.A.)
- [*Prasophyllum elatum*](#) R.Br. – tall leek orchid, snake orchid, piano orchid (all Australian states)
- [*Prasophyllum elegantissimum*](#) Lehnbeach 2025 – elegant leek orchid (N.Z.)
- [*Prasophyllum erythrocommum*](#) D.L.Jones & D.T.Rouse – tan leek orchid (Vic.)
- [*Prasophyllum exile*](#) D.L.Jones & R.J.Bates (Qld., N.S.W.)
- [*Prasophyllum favonium*](#) D.L.Jones – western leek orchid (Tas.)
- [*Prasophyllum fecundum*](#) R.J.Bates – self-pollinating leek orchid (S.A.)
- [*Prasophyllum fimbria*](#) Rchb.f. – fringed leek orchid (W.A.)
- [*Prasophyllum fitzgeraldii*](#) R.S.Rogers & Maiden – Fitzgerald's leek orchid (S.A.)
- [*Prasophyllum flavum*](#) R.Br. – yellow leek orchid (N.S.W., Qld., Vic., Tas.)
- [*Prasophyllum fosteri*](#) D.L.Jones – Shelford leek orchid (Vic.)
- [*Prasophyllum frenchii*](#) F.Muell. – maroon leek orchid, swamp leek orchid (Vic., S.A.)
- [*Prasophyllum fuscum*](#) R.Br. – slaty leek orchid, tawny leek orchid (N.S.W.)
- [*Prasophyllum gibbosum*](#) R.Br. – humped leek orchid (W.A.)
- [*Prasophyllum giganteum*](#) Lindl. – bronze leek orchid (W.A.)

- [*Prasophyllum gilgai*](#) D.L.Jones & D.T. Rouse – gilgai leek orchid (Vic.)
- [*Prasophyllum goldsackii*](#) J.Z.Weber & R.J.Bates – Goldsack's leek orchid (S.A.)
- [*Prasophyllum gracile*](#) Lindl. – little laughing leek orchid (W.A.)
- [*Prasophyllum gracillimum*](#) Nicholls – slender leek orchid (W.A.)
- [*Prasophyllum graniticola*](#) D.L.Jones & L.M.Copel. (N.S.W.)
- [*Prasophyllum gravesii*](#) R.J.Bates (S.A.)
- [*Prasophyllum hectorii*](#) (Buchanan) Molloy, D.L.Jones & M.A.Clem – swamp leek orchid (N.Z.)
- [*Prasophyllum helophilum*](#) D.L.Jones & D.T.Rouse (N.S.W.)
- [*Prasophyllum hians*](#) Rchb.f. – yawning leek orchid (W.A.)
- [*Prasophyllum holzingeri*](#) D.L.Jones & L.M.Copel. (N.S.W.)
- [*Prasophyllum hygrophilum*](#) D.L.Jones & D.T.Rouse – swamp leek orchid (Vic.)
- [*Prasophyllum incompositum*](#) D.L.Jones (Qld.)
- [*Prasophyllum incorrectum*](#) D.L.Jones – golfer's leek orchid (Tas.)
- [*Prasophyllum incurvum*](#) D.L.Jones (Tas.)
- [*Prasophyllum innubum*](#) D.L.Jones – Brandy Mary's leek orchid (N.S.W.)
- [*Prasophyllum jeaneganiae*](#) D.L.Jones (N.S.W., A.C.T.)
- [*Prasophyllum keltonii*](#) D.L.Jones – Kelton's leek orchid (N.S.W.)
- *Prasophyllum lanceolatum** R.S.Rogers = [*Prasophyllum triangulare*](#)[3] – dark leek orchid (W.A.)
- [*Prasophyllum laxum*](#) R.J.Bates – lax leek orchid (S.A.)
- [*Prasophyllum limnetes*](#) D.L.Jones – marsh leek orchid (Tas.)
- [*Prasophyllum lindleyanum*](#) Rchb.f. – green leek orchid (N.S.W., Vic., Tas.)
- [*Prasophyllum litorale*](#) R.J.Bates – coastal leek orchid (S.A., Vic.)
- [*Prasophyllum maccannii*](#) D.L.Jones & D.T.Rouse – inland leek orchid (Vic.)
- [*Prasophyllum macrostachyum*](#) R.Br. – laughing leek orchid (W.A.)
- [*Prasophyllum macrotys*](#) Lindl. – inland leek orchid (W.A.)
- [*Prasophyllum milfordense*](#) D.L.Jones (Tas.)
- [*Prasophyllum mimulum*](#) D.L.Jones – highland leek orchid (Tas.)
- *Prasophyllum mollissimum** Rupp = [*Genoplesium woollsii*](#) (F.Muell.) D.L.Jones & M.A.Clem. – dark midge orchid (N.S.W.)
- [*Prasophyllum montanum*](#) R.J.Bates & D.L.Jones – mountain leek orchid (N.S.W., A.C.T., Vic.)
- [*Prasophyllum morganii*](#) Nicholls – Cobungra leek orchid (Vic.)
- [*Prasophyllum murfetii*](#) D.L.Jones – Fleurieu leek orchid (S.A.)
- *Prasophyllum nichollsianum** Rupp = [*Genoplesium nudiscapum*](#) (Hook.f.) D.L.Jones & M.A.Clem. – bare midge orchid (Tas.)
- [*Prasophyllum niphopedium*](#) D.L.Jones – marsh leek orchid (Vic.)
- [*Prasophyllum nitidum*](#) D.L.Jones & R.J.Bates – shining leek orchid (Vic., S.A.)
- *Prasophyllum nublingii* R.S.Rogers* = [*Genoplesium filiforme*](#) (Fitzg.) D.L.Jones & M.A.Clem. – glandular midge orchid (Qld., N.S.W.)
- [*Prasophyllum obovatum*](#) Rupp* = [*Genoplesium rufum*](#) (R.Br.) D.L.Jones & M.A.Clem. – rufous midge orchid (N.S.W.)
- [*Prasophyllum occidentale*](#) R.S.Rogers – plains leek orchid (S.A., Vic.)
- [*Prasophyllum occultans*](#) R.J.Bates – hidden leek orchid (S.A.)

- [*Prasophyllum odoratissimum*](#) D.L.Jones – scented leek orchid, fragrant leek orchid (W.A.)
- [*Prasophyllum odoratum*](#) R.S.Rogers – fragrant leek orchid, Rogers scented leek orchid, sweet leek orchid (N.S.W., Vic.)
- [*Prasophyllum olidum*](#) D.L.Jones – pungent leek orchid (Tas.)
- [*Prasophyllum ovale*](#) Lindl. – little leek orchid (W.A.)
- [*Prasophyllum pallens*](#) D.L.Jones – musty leek orchid (N.S.W.)
- [*Prasophyllum pallidum*](#) Nicholls – pale leek orchid (S.A.)
- [*Prasophyllum parviflorum*](#) (R.S.Rogers) Nicholls – slender leek orchid (Vic.)
- [*Prasophyllum parvifolium*](#) Lindl. – autumn leek orchid (W.A.)
- [*Prasophyllum patens*](#) R.Br. – sandstone leek orchid, broad-lipped leek orchid (N.S.W.)
- [*Prasophyllum paulinae*](#) D.L.Jones & M.A.Clem. – Pauline's leek orchid (W.A.)
- [*Prasophyllum perangustum*](#) D.L.Jones – Knocklofty leek orchid (Tas.)
- [*Prasophyllum petilum*](#) D.L.Jones & R.J.Bates – Tarengo leek orchid (N.S.W., A.C.T.)
- [*Prasophyllum pictum*](#) D.L.Jones & L.M.Copel. (N.S.W.)
- [*Prasophyllum pilligaense*](#) D.L.Jones & L.M.Copel. (N.S.W.)
- [*Prasophyllum plumiforme*](#) Fitzg. – dainty leek orchid (W.A.)
- [*Prasophyllum praecox*](#) D.L.Jones – early leek orchid (S.A.)
- [*Prasophyllum pruinatum*](#) R.S.Rogers – plum leek orchid (S.A.)
- [*Prasophyllum pulchellum*](#) D.L.Jones – pretty leek orchid (Tas.)
- [*Prasophyllum pyriforme*](#) E.Coleman – graceful leek orchid (Vic., N.S.W.)
- [*Prasophyllum readii*](#) D.L.Jones & D.T.Rouse – Streatham leek orchid (Vic.)
- *Prasophyllum reflexum** Fitzg. = [*Genoplesium woollsii*](#) (F.Muell.) D.L.Jones & M.A.Clem. – dark midge orchid (N.S.W.)
- [*Prasophyllum regium*](#) R.S.Rogers – king leek orchid (W.A.)
- [*Prasophyllum retroflexum*](#) D.L.Jones (N.S.W., Vic.) - congested leek orchid[4]
- [*Prasophyllum ringens*](#) (Rchb.F.) R.J.Bates (W.A., S.A.)
- [*Prasophyllum robustum*](#) (Nicholls) M.A.Clem. & D.L.Jones – robust leek orchid (Tas.)
- [*Prasophyllum rogersii*](#) Rupp – Barrington Tops leek orchid (N.S.W.)
- [*Prasophyllum roseum*](#) D.L.Jones & R.J.Bates – pink lip leek orchid (Vic., S.A.)
- [*Prasophyllum rostratum*](#) Lindl. – slaty leek orchid (Tas.)
- [*Prasophyllum rousei*](#) D.L.Jones & R.J.Bates (Vic.)
- [*Prasophyllum sandrae*](#) D.L.Jones (N.S.W.)
- [*Prasophyllum sargentii*](#) (Nicholls) A.S.George – frilled leek orchid (W.A.)
- [*Prasophyllum secutum*](#) D.L.Jones – northern leek orchid (Tas.)
- [*Prasophyllum solstitium*](#) D.L.Jones (N.S.W.)
- [*Prasophyllum spadiceum*](#) D.L.Jones & R.J.Bates - brown lip leek orchid (S.A., Vic.)
- [*Prasophyllum sphacelatum*](#) D.L.Jones – subalpine leek orchid (N.S.W., Vic., Tas.)
- [*Prasophyllum spicatum*](#) R.J.Bates & D.L.Jones – dense leek orchid (S.A., Vic.)
- [*Prasophyllum stellatum*](#) D.L.Jones – Ben Lomond leek orchid (Tas.)
- [*Prasophyllum striatum*](#) R.Br. – streaked leek orchid (N.S.W.)
- [*Prasophyllum stygium*](#) D.L.Jones & D.T.Rouse – elfin leek orchid (Vic.)
- [*Prasophyllum suaveolens*](#) D.L.Jones & R.J.Bates – fragrant leek orchid (Vic.)

- [*Prasophyllum subbisectum*](#) Nicholls – Pomonal leek orchid (Vic.)
- [*Prasophyllum suttonii*](#) R.S.Rogers & B.Rees – Mount Buffalo leek orchid, mauve leek orchid (N.S.W., Vic.)
- [*Prasophyllum sylvestre*](#) R.J.Bates & D.L.Jones – forest leek orchid (Vic., N.S.W.)
- [*Prasophyllum sylvicola*](#) D.L.Jones (Vic.)
- [*Prasophyllum tadgellianum*](#) R.S.Rogers** – Tadgell's leek orchid, alpine leek orchid (N.S.W., A.C.T., Vic., Tas.)^[5]
- [*Prasophyllum taphanyx*](#) D.L.Jones - graveside leek orchid (Tas.)
- [*Prasophyllum tortilis*](#) D.L.Jones & R.J.Bates (S.A.)
- *Prasophyllum transversum** Fitzg. = [*Genoplesium nudum*](#) (Hook.f.) D.L.Jones & M.A.Clem. – tiny midge orchid, red midge orchid (N.S.W., Vic., Tas., N.Z.)
- [*Prasophyllum triangulare*](#) Fitzg. – dark leek orchid (W.A.)
- [*Prasophyllum truncatum*](#) Lindl. – truncate leek orchid (Tas.)
- [*Prasophyllum tunbridgense*](#) D.L.Jones – Tunbridge leek orchid (Tas.)
- [*Prasophyllum unicum*](#)* Rupp = [*Genoplesium rufum*](#) (R.Br.) D.L.Jones & M.A.Clem. – red midge orchid (N.S.W.)
- [*Prasophyllum uvidulum*](#) D.L.Jones & D.T.Rouse – summer leek orchid (Vic.)
- [*Prasophyllum validum*](#) R.S.Rogers – Mount Remarkable leek orchid (S.A.)
- [*Prasophyllum venustum*](#) D.L.Jones & D.T.Rouse (N.S.W.)
- [*Prasophyllum viretrum*](#) D.L.Jones & D.T.Rouse (Vic.)
- [*Prasophyllum viriosum*](#) D.L.Jones & D.T.Rouse (N.S.W.)
- [*Prasophyllum wallum*](#) R.J.Bates & D.L.Jones – wallum leek orchid (Qld.)
- [*Prasophyllum wilkinsoniorum*](#) D.L.Jones (N.S.W.)

From Wikipedia, the free encyclopedia

The following 505 species in the genus [*Potentilla*](#) are recognised by [Plants of the World Online](#):^[1]

- [*Potentilla acaulis*](#) L.
- [*Potentilla adenotricha*](#) Vodop.
- [*Potentilla adriatica*](#) Murb.
- [*Potentilla agrimonioides*](#) M.Bieb.
- [*Potentilla* × *ala-arczae*](#) Soják
- [*Potentilla alba*](#) L.
- [*Potentilla albiflora*](#) L.O.Williams
- [*Potentilla alborzensis*](#) Faghir & Attar
- [*Potentilla alchimilloides*](#) Lapeyr.
- [*Potentilla algida*](#) Soják
- [*Potentilla alpicola*](#) De la Soie
- [*Potentilla alsatica*](#) T.Gregor
- [*Potentilla altaica*](#) Bunge
- [*Potentilla ambigens*](#) Greene

- [Potentilla amicarum](#) Ertter
- [Potentilla anachoretica](#) Soják
- [Potentilla anadryensis](#) Juz.
- [Potentilla anatolica](#) Peşmen
- [Potentilla ancistrifolia](#) Bunge
- [Potentilla anemonifolia](#) Lehm.
- [Potentilla angelliae](#) N.H.Holmgren
- [Potentilla anglica](#) Laichard.
- [Potentilla angustiloba](#) T.T.Yu & C.L.Li
- [Potentilla apennina](#) Ten.
- [Potentilla aperta](#) J.T.Howell
- [Potentilla approximata](#) Bunge
- [Potentilla arcadiensis](#) Iatroú
- [Potentilla arctica](#) Lehm.
- [Potentilla arenosa](#) (Turcz.) Juz.
- [Potentilla argaea](#) Boiss. & Balansa
- [Potentilla argentea](#) L.
- [Potentilla argenteiformis](#) Kauffm.
- [Potentilla argyrocoma](#) (Rydb.) Jeps.
- [Potentilla argyroloma](#) Boiss. & Hohen.
- [Potentilla argyrophylla](#) Wall. ex Lehm.
- [Potentilla arizonica](#) Greene
- [Potentilla articulata](#) Franch.
- [Potentilla asiae-mediae](#) Ovcz. & Kochk.
- [Potentilla asiatica](#) (Th.Wolf) Juz.
- [Potentilla asinaria](#) Maire
- [Potentilla aspegrenii](#) Kurtto
- [Potentilla asperrima](#) Turcz.
- [Potentilla assalemica](#) Soják
- [Potentilla asterotricha](#) Soják
- [Potentilla astracanica](#) Jacq.
- [Potentilla astragalifolia](#) Bunge
- [Potentilla asturica](#) Rothm.
- [Potentilla atosanguinea](#) G.Lodd.
- [Potentilla aucheriana](#) Th.Wolf ex Bornm.
- [Potentilla × aurantiaca](#) Soják
- [Potentilla aurea](#) L.
- [Potentilla bactriana](#) Soják
- [Potentilla baekdusanensis](#) M.Kim
- [Potentilla baileyi](#) (S.Watson) Greene
- [Potentilla balansae](#) Peşmen
- [Potentilla bannehalensis](#) Cambess.

- [Potentilla basaltica](#) Tiehm & Ertter
- [Potentilla × beckii](#) Murr
- [Potentilla beringensis](#) Jurtzev
- [Potentilla beringii](#) Jurtzev
- [Potentilla betonicifolia](#) Poir.
- [Potentilla bhutanica](#) Ludlow
- [Potentilla bicrenata](#) Rydb.
- [Potentilla biennis](#) Greene
- [Potentilla biflora](#) D.F.K.Schltdl.
- [Potentilla bimundorum](#) Soják
- [Potentilla bipinnatifida](#) Douglas ex Hook.
- [Potentilla × bishkekensis](#) Soják
- [Potentilla × blanda](#) Soják
- [Potentilla bolanderi](#) (A.Gray) Greene
- [Potentilla × boreocaucasica](#) Kechaykin
- [Potentilla bornmuelleri](#) Borbás
- [Potentilla botschantzeviana](#) Adylov
- [Potentilla brachypetala](#) Fisch. & C.A.Mey. ex Lehm.
- [Potentilla brauneana](#) (DC.) Hoppe ex Nestl.
- [Potentilla brevifolia](#) Nutt.
- [Potentilla brevifoliolata](#) P.D.Sell
- [Potentilla breweri](#) S.Watson
- [Potentilla bruceae](#) Rydb.
- [Potentilla bryoides](#) Soják
- [Potentilla buccoana](#) Clementi
- [Potentilla bungei](#) Boiss.
- [Potentilla × burjatica](#) Soják
- [Potentilla butkovii](#) Botsch.
- [Potentilla calabra](#) Ten.
- [Potentilla californica](#) (Cham. & Schltdl.) Greene
- [Potentilla caliginosa](#) Soják
- [Potentilla callida](#) H.M.Hall
- [Potentilla camillae](#) Kolak.
- [Potentilla campestris](#) (M.E.Jones) Jeps.
- [Potentilla canadensis](#) L.
- [Potentilla candicans](#) Humb. & Bonpl. ex Nestl.
- [Potentilla cappadocica](#) Boiss.
- [Potentilla carniolica](#) A.Kern.
- [Potentilla cathaclines](#) Lehm.
- [Potentilla caulescens](#) L.
- [Potentilla centigrana](#) Maxim.
- [Potentilla chalchorum](#) Soják

- [*Potentilla chamaeleo*](#) Soják
- [*Potentilla chamissonis*](#) Hultén
- [*Potentilla* × *chemalensis*](#) Kechaykin
- [*Potentilla chinensis*](#) Ser.
- [*Potentilla chionea*](#) Soják
- [*Potentilla chrysantha*](#) Trevir.
- [*Potentilla cinerea*](#) Chaix ex Vill.
- [*Potentilla clandestina*](#) Soják
- [*Potentilla clarkei*](#) Hook.f.
- [*Potentilla clevelandii*](#) Greene
- [*Potentilla clusiana*](#) Jacq.
- [*Potentilla coelestis*](#) Gilli
- [*Potentilla collettiana*](#) Aitch. & Hemsl.
- [*Potentilla* × *collina*](#) Wibel
- [*Potentilla concinna*](#) Richardson
- [*Potentilla* × *concinniformis*](#) Rydb.
- [*Potentilla conferta*](#) Bunge
- [*Potentilla congdonis*](#) (Rydb.) Mosyakin & Shiyan
- [*Potentilla congesta*](#) (Douglas ex Hook.) Baill.
- [*Potentilla coreana*](#) Soják
- [*Potentilla coriandrifolia*](#) G.Don
- [*Potentilla cottamii*](#) N.H.Holmgren
- [*Potentilla crantzii*](#) (Crantz) Beck ex Fritsch
- [*Potentilla crassinervia*](#) Viv.
- [*Potentilla crebridens*](#) Juz.
- [*Potentilla crenulata*](#) T.T.Yu & C.L.Li
- [*Potentilla crinita*](#) A.Gray
- [*Potentilla cristae*](#) Ferlatte & Strother
- [*Potentilla cryptocaulis*](#) Clokey
- [*Potentilla cryptophila*](#) Bornm.
- [*Potentilla cryptotaeniae*](#) Maxim.
- [*Potentilla curviseta*](#) Hook.f.
- [*Potentilla czerepninii*](#) Krasnob.
- [*Potentilla darvazica*](#) Juz.
- [*Potentilla daucifolia*](#) Greene
- [*Potentilla* × *decipiens*](#) Jord. ex Verl.
- [*Potentilla delavayi*](#) Franch.
- [*Potentilla delphinensis*](#) Gren. & Godr.
- [*Potentilla demotica*](#) Ertter
- [*Potentilla dentata*](#) Forssk.
- [*Potentilla deorum*](#) Boiss. & Heldr.
- [*Potentilla desertorum*](#) Bunge

- [*Potentilla detommasii*](#) Ten.
- [*Potentilla dickinsii*](#) Franch. & Sav.
- [*Potentilla discipulorum*](#) P.H.Davis
- [*Potentilla discolor*](#) Bunge
- [*Potentilla* × *diskleii*](#) Naruh.
- [*Potentilla divaricata*](#) DC.
- [*Potentilla diversidentata*](#) Faghir & Naqinezhad
- [*Potentilla* × *diversifolia*](#) Lehm.
- [*Potentilla divina*](#) Albov
- [*Potentilla doddsii*](#) P.H.Davis
- [*Potentilla doerfleri*](#) Wettst.
- [*Potentilla dombeyi*](#) Nestl.
- [*Potentilla doubjonneana*](#) Cambess.
- [*Potentilla douglasii*](#) Greene
- [*Potentilla drummondii*](#) Lehm.
- [*Potentilla durangensis*](#) Rydb.
- [*Potentilla effusa*](#) Douglas ex Lehm.
- [*Potentilla ehrenbergiana*](#) Schltdl.
- [*Potentilla ekaterinae*](#) Kamelin ex Kechaykin
- [*Potentilla elatior*](#) Willd. ex D.F.K.Schltdl.
- [*Potentilla elegans*](#) Cham. & Schltdl.
- [*Potentilla elegantissima*](#) Polozhij
- [*Potentilla elvendensis*](#) Boiss.
- [*Potentilla emilii-popii*](#) Nyár.
- [*Potentilla erecta*](#) (L.) Raeusch.
- [*Potentilla eriocarpa*](#) Wall. ex Lehm.
- [*Potentilla eversmanniana*](#) Fisch. ex Ledeb.
- [*Potentilla evestita*](#) Th.Wolf
- [*Potentilla exigua*](#) Soják
- [*Potentilla exuta*](#) Soják
- [*Potentilla fedtschenkoana*](#) Siegfr. ex Th.Wolf
- [*Potentilla ferganensis*](#) Soják
- [*Potentilla flabellata*](#) Regel & Schmalh.
- [*Potentilla flabellifolia*](#) Hook. ex Torr. & A.Gray
- [*Potentilla flaccida*](#) Th.Wolf ex Bornm.
- [*Potentilla flagellaris*](#) D.F.K.Schltdl.
- [*Potentilla foersteriana*](#) Lauterb.
- [*Potentilla fragarioides*](#) L.
- [*Potentilla fragiformis*](#) Willd. ex D.F.K.Schltdl.
- [*Potentilla freyniana*](#) Bornm.
- [*Potentilla friesenii*](#) Kechaykin & Shmakov
- [*Potentilla frigida*](#) Vill.

- [*Potentilla fulgens*](#) Wall. ex Sims
- [*Potentilla furcata*](#) A.E.Porsild
- [*Potentilla* × *gabarae*](#) Kołodziejek
- [*Potentilla gageodoensis*](#) M.Kim
- [*Potentilla gaubaeana*](#) Bornm.
- [*Potentilla geranioides*](#) Willd.
- [*Potentilla gerardiana*](#) Lindl. ex Lehm.
- [*Potentilla* × *gilgitica*](#) Shah & Wilcock
- [*Potentilla glaucescens*](#) Willd. ex D.F.K.Schltl.
- [*Potentilla glaucophylla*](#) Lehm.
- [*Potentilla gobica*](#) Soják
- [*Potentilla goldmanii*](#) J.H.Painter
- [*Potentilla gordonii*](#) (Hook.) Greene
- [*Potentilla* × *gorodkovii*](#) Jurtzev
- [*Potentilla gracilis*](#) Douglas ex Hook.
- [*Potentilla gracillima*](#) Kamelin
- [*Potentilla grammopetala*](#) Moretti
- [*Potentilla grandiflora*](#) L.
- [*Potentilla* × *grandiloba*](#) Shah & Wilcock
- [*Potentilla granulosa*](#) T.T.Yu & C.L.Li
- [*Potentilla grayi*](#) S.Watson
- [*Potentilla greuteriana*](#) Kyriak., Kamari, Kofinas & Phitos
- [*Potentilla griffithii*](#) Hook.f.
- [*Potentilla grisea*](#) Juz.
- [*Potentilla guilliermondii*](#) Emb. & Maire
- [*Potentilla* × *habievii*](#) Kechaykin
- [*Potentilla haematochrus*](#) Lehm.
- [*Potentilla* × *hara-kurosawae*](#) (Naruh. & M.Sugim.) H.Ohashi
- [*Potentilla haynaldiana*](#) Janka
- [*Potentilla hebiichigo*](#) Yonek. & H.Ohashi
- [*Potentilla hendersonii*](#) (Howell) J.T.Howell
- [*Potentilla heptaphylla*](#) L.
- [*Potentilla heterosepala*](#) Fritsch
- [*Potentilla heynei*](#) Roth
- [*Potentilla hickmanii*](#) Eastw.
- [*Potentilla hippiana*](#) Lehm.
- [*Potentilla hirta*](#) L.
- [*Potentilla hispanica*](#) Zimmeter
- [*Potentilla hispidula*](#) (Rydb.) Jeps.
- [*Potentilla holmgrenii*](#) D.F.Murray & Elven
- [*Potentilla hololeuca*](#) Boiss.
- [*Potentilla hookeriana*](#) Lehm.

- [Potentilla horrida](#) Rydb.
- [Potentilla howellii](#) Greene
- [Potentilla hubsugulica](#) Soják
- [Potentilla hudsonii](#) Ertter
- [Potentilla humifusa](#) Willd. ex D.F.K.Schltl.
- [Potentilla humilis](#) Mozaff.
- [Potentilla hyparctica](#) Malte
- [Potentilla hypargyrea](#) Hand.-Mazz.
- [Potentilla × ibrahimiana](#) Maire
- [Potentilla ikonnikovii](#) Juz.
- [Potentilla imerethica](#) Gagnidze & Sokhadze
- [Potentilla incana](#) P.Gaertn., B.Mey. & Scherb.
- [Potentilla inclinata](#) Vill.
- [Potentilla indica](#) (Andrews) Th.Wolf
- [Potentilla × insularis](#) Soják
- [Potentilla intermedia](#) L.
- [Potentilla iranica](#) (Rech.f.) Schiman-Czeika
- [Potentilla isaurica](#) (P.H.Davis) Pawł.
- [Potentilla × italica](#) Lehm.
- [Potentilla jaegeri](#) (Munz & I.M.Johnst.) L.C.Wheeler
- [Potentilla × jakovlevii](#) Kechaykin & Shmakov
- [Potentilla jennisiejensis](#) Polozhij & W.A.Smirnova
- [Potentilla jepsonii](#) Ertter
- [Potentilla jiaozishanensis](#) Huan C.Wang & Z.R.He
- [Potentilla johanniniana](#) Goiran
- [Potentilla johnstonii](#) Soják
- [Potentilla junatovii](#) Rudaya & A.L.Ebel
- [Potentilla kamelinii](#) Lazkov
- [Potentilla karakoramica](#) Soják
- [Potentilla karatavica](#) Juz.
- [Potentilla kashmirica](#) Hook.f.
- [Potentilla × kernerii](#) Borbás
- [Potentilla khanminczunii](#) Keczaykin & Shmakov
- [Potentilla kingii](#) (S.Watson) Greene
- [Potentilla kionaea](#) Halácsy
- [Potentilla komaroviana](#) Th.Wolf
- [Potentilla kotschyana](#) Fenzl
- [Potentilla kryloviana](#) Th.Wolf
- [Potentilla kulabensis](#) Th.Wolf
- [Potentilla kuramensis](#) Th.Wolf
- [Potentilla kurdica](#) Boiss. & Hohen.
- [Potentilla kuznetzowii](#) (Govor.) Juz.

- [Potentilla lancinata](#) Cardot
- [Potentilla lasiodonta](#) Rydb.
- [Potentilla lazica](#) Boiss. & Balansa
- [Potentilla × lenae](#) Soják
- [Potentilla leonina](#) Standl.
- [Potentilla leptopetala](#) Lehm.
- [Potentilla leschenaultiana](#) Ser.
- [Potentilla leucopolitana](#) P.J.Müll.
- [Potentilla libanotica](#) Boiss.
- [Potentilla lignipes](#) Rusby
- [Potentilla limprichtii](#) J.Krause
- [Potentilla lindackeri](#) Tausch
- [Potentilla lindleyi](#) Greene
- [Potentilla lipskyana](#) Th.Wolf
- [Potentilla litoralis](#) Rydb.
- [Potentilla lomakinii](#) Grossh.
- [Potentilla longibracteata](#) (Ertter) Mosyakin & Shiyam
- [Potentilla longifolia](#) Willd. ex D.F.K.Schltld.
- [Potentilla longipes](#) Ledeb.
- [Potentilla luteosericea](#) Rydb.
- [Potentilla lycopodioides](#) (A.Gray) Baill. ex J.T.Howell
- [Potentilla macdonaldii](#) B.L.Turner
- [Potentilla macounii](#) Rydb.
- [Potentilla × macropoda](#) Soják
- [Potentilla macrosepala](#) Cardot
- [Potentilla makaluensis](#) H.Ikeda & H.Ohba
- [Potentilla mallota](#) Boiss.
- [Potentilla marinensis](#) (Elmer) J.T.Howell
- [Potentilla martjanowii](#) Polozhij
- [Potentilla maryae](#) Ertter & Mansfield
- [Potentilla × masakii](#) Naruh.
- [Potentilla matsumurae](#) Th.Wolf
- [Potentilla maura](#) Th.Wolf
- [Potentilla megalantha](#) Takeda
- [Potentilla mexiae](#) Standl.
- [Potentilla meyeri](#) Boiss.
- [Potentilla micheneri](#) Greene
- [Potentilla micrantha](#) Ramond ex DC.
- [Potentilla microdons](#) Schur
- [Potentilla millefolia](#) Rydb.
- [Potentilla × mixta](#) Nolte ex Rchb.
- [Potentilla mollissima](#) Lehm.

- [*Potentilla monanthes*](#) Lindl. ex Lehm.
- [*Potentilla mongolica*](#) Krasch.
- [*Potentilla montana*](#) Brot.
- [*Potentilla montenegrina*](#) Pant.
- [*Potentilla morefieldii*](#) Ertter
- [*Potentilla morrisonensis*](#) Hayata
- [*Potentilla muirii*](#) (A.Gray) Greene
- [*Potentilla mujensis*](#) Kurbatski
- [*Potentilla multicaulis*](#) Bunge
- [*Potentilla multiceps*](#) T.T.Yu & C.L.Li
- [*Potentilla multifida*](#) L.
- [*Potentilla multifoliolata*](#) (Torr.) Kearney & Peebles
- [*Potentilla multijuga*](#) Lehm.
- [*Potentilla multisecta*](#) (S.Watson) Rydb.
- [*Potentilla* × *musashinoana*](#) Makino
- [*Potentilla* × *mutabilis*](#) Soják
- [*Potentilla nana*](#) Kunth ex Nestl.
- [*Potentilla nanopetala*](#) A.R.Bean
- [*Potentilla* × *nebulosa*](#) Danihelka & Soják
- [*Potentilla neglecta*](#) Baumg.
- [*Potentilla nepalensis*](#) Hook.
- [*Potentilla nervosa*](#) Juz.
- [*Potentilla nevadensis*](#) Boiss.
- [*Potentilla newberryi*](#) A.Gray
- [*Potentilla nicicij*](#) Adamović
- [*Potentilla niponica*](#) Th.Wolf
- [*Potentilla nitida*](#) L.
- [*Potentilla nivalis*](#) Lapeyr.
- [*Potentilla nivea*](#) L.
- [*Potentilla nordmanniana*](#) Ledeb.
- [*Potentilla norvegica*](#) L.
- [*Potentilla nubigena*](#) Greene
- [*Potentilla nuda*](#) Boiss.
- [*Potentilla nurensis*](#) Boiss. & Hausskn.
- [*Potentilla oaxacana*](#) Rydb.
- [*Potentilla* × *okensis*](#) Petunn.
- [*Potentilla olchonensis*](#) Peschkova
- [*Potentilla omeiensis*](#) (T.T.Yu & C.L.Li) Soják
- [*Potentilla omissa*](#) Soják
- [*Potentilla ornithopoda*](#) Tausch
- [*Potentilla osterhoutii*](#) (A.Nelson) J.T.Howell
- [*Potentilla ovina*](#) Macoun

- [*Potentilla oweriniana*](#) Rupr. ex Boiss.
- [*Potentilla ozjorensis*](#) Peschkova
- [*Potentilla pamirica*](#) Th.Wolf
- [*Potentilla pamiroalaica*](#) Juz.
- [*Potentilla paniculata*](#) (T.W.Nelson & J.P.Nelson) Mosyakin & Shiyan
- [*Potentilla panigrahiana*](#) Dikshit
- [*Potentilla pannosa*](#) Boiss. & Hausskn.
- [*Potentilla parryi*](#) (Greene) Greene
- [*Potentilla patellifera*](#) J.T.Howell
- [*Potentilla patula*](#) Waldst. & Kit.
- [*Potentilla paucidentata*](#) P.D.Sell
- [*Potentilla paucidentacula*](#) Charit.
- [*Potentilla pedata*](#) Willd. ex Hornem.
- [*Potentilla pedersenii*](#) (Rydb.) Rydb.
- [*Potentilla pendula*](#) T.T.Yu & C.L.Li
- [*Potentilla penniphylla*](#) Soják
- [*Potentilla pennsylvanica*](#) L.
- [*Potentilla persica*](#) Boiss. & Hausskn.
- [*Potentilla petraea*](#) Willd. ex D.F.K.Schltldl.
- [*Potentilla* × *petrovskyi*](#) Soják
- [*Potentilla pickeringii*](#) (Torr. ex A.Gray) Greene
- [*Potentilla pimpinelloides*](#) L.
- [*Potentilla pindicola*](#) Hausskn.
- [*Potentilla pityocharis*](#) (Ertter) Mosyakin & Shiyan
- [*Potentilla plattensis*](#) Nutt.
- [*Potentilla plumosa*](#) T.T.Yu & C.L.Li
- [*Potentilla plurijuga*](#) Hand.-Mazz.
- [*Potentilla porphyrantha*](#) Juz.
- [*Potentilla potaninii*](#) Th.Wolf
- [*Potentilla poteriifolia*](#) Boiss.
- [*Potentilla praecox*](#) F.W.Schultz
- [*Potentilla* × *prostrata*](#) Rottb.
- [*Potentilla pseudosericea*](#) Rydb.
- [*Potentilla pseudosimulatrix*](#) W.B.Liao, Si Feng Li & Z.Y.Yu
- [*Potentilla pteropoda*](#) Royle
- [*Potentilla pulchella*](#) R.Br.
- [*Potentilla pulcherrima*](#) Lehm.
- [*Potentilla pulvinaris*](#) Fenzl
- [*Potentilla pulviniformis*](#) A.P.Khokhr.
- [*Potentilla purpurascens*](#) (S.Watson) Greene
- [*Potentilla purpurea*](#) (Royle) Hook.f.
- [*Potentilla pusilla*](#) Host

- [*Potentilla pyrenaica*](#) Ramond ex DC.
- [*Potentilla queretarensis*](#) Rzed. & Calderón
- [*Potentilla radiata*](#) Lehm.
- [*Potentilla ranunculoides*](#) Humb. & Bonpl. ex Nestl.
- [*Potentilla recta*](#) L.
- [*Potentilla regeliana*](#) Th.Wolf
- [*Potentilla reptans*](#) L.
- [*Potentilla reuteri*](#) Boiss.
- [*Potentilla rhenana*](#) P.J.Müll. ex Zimmeter
- [*Potentilla rhyolitica*](#) Ertter
- [*Potentilla rhypara*](#) (Ertter & Reveal) Mosyakin & Shiyan
- [*Potentilla richardii*](#) Lehm.
- [*Potentilla rigidula*](#) Th.Wolf
- [*Potentilla rigoana*](#) Th.Wolf
- [*Potentilla rimicola*](#) (Munz & I.M.Johnst.) Ertter
- [*Potentilla riparia*](#) Murata
- [*Potentilla rivalis*](#) Nutt.
- [*Potentilla robbinsiana*](#) Oakes ex Torr. & A.Gray
- [*Potentilla rosulifera*](#) H.Lév.
- [*Potentilla rubella*](#) T.J.Sørensen
- [*Potentilla rubra*](#) Willd. ex D.F.K.Schltdl.
- [*Potentilla rubricaulis*](#) Lehm.
- [*Potentilla rudolfii*](#) Keczaykin & Shmakov
- [*Potentilla rupifraga*](#) A.P.Khokhr.
- [*Potentilla rupincola*](#) Osterh.
- [*Potentilla ruprechtii*](#) Boiss.
- [*Potentilla rydbergii*](#) (Elmer) Mosyakin & Shiyan
- [*Potentilla saalae*](#) T.Gregor & Korsch
- [*Potentilla sabulosa*](#) M.E.Jones
- [*Potentilla* × *safronoviae*](#) Jurtzev & Soják
- [*Potentilla sajanensis*](#) Polozhij
- [*Potentilla salsa*](#) Yu.A.Kotukhov
- [*Potentilla sanczirii*](#) Vanjil *et al.*
- [*Potentilla sangedehensis*](#) Faghir & Naqinezhad
- [*Potentilla sanguinea*](#) Rydb.
- [*Potentilla sanguisorba*](#) Willd. ex D.F.K.Schltdl.
- [*Potentilla santolinoides*](#) (A.Gray) Greene
- [*Potentilla saposhnikovii*](#) Kurbatski
- [*Potentilla saundersiana*](#) Royle
- [*Potentilla savvalensis*](#) Pawł.
- [*Potentilla saxifraga*](#) Ardoino ex De Not.
- [*Potentilla saxosa*](#) Lemmon & S.A.Lemmon ex Greene

- [Potentilla schmakovii](#) Kechaykin
- [Potentilla × scholziana](#) Callier
- [Potentilla schrenkiana](#) Regel
- [Potentilla scotica](#) P.D.Sell
- [Potentilla seidlitziana](#) Bien.
- [Potentilla × semiargentea](#) Borbás ex Zimmerman
- [Potentilla sergievskajae](#) Peschkova
- [Potentilla sericata](#) (S.Watson) Greene
- [Potentilla sericea](#) L.
- [Potentilla sericoleuca](#) (Rydb.) J.T.Howell
- [Potentilla serrata](#) Soják
- [Potentilla setosa](#) (S.Watson) Mosyakin & Shiyan
- [Potentilla shockleyi](#) (S.Watson) Jeps.
- [Potentilla sierrae-blancae](#) Wootton & Rydb.
- [Potentilla sikkimensis](#) Prain
- [Potentilla silesiaca](#) R.Uechtr.
- [Potentilla simplex](#) Michx.
- [Potentilla simulatrix](#) Th.Wolf
- [Potentilla sinonivea](#) Hultén
- [Potentilla sischanensis](#) Bunge ex Lehm.
- [Potentilla smirnovii](#) Kechaykin
- [Potentilla sommerfeltii](#) Lehm.
- [Potentilla soongorica](#) Bunge
- [Potentilla speciosa](#) Willd.
- [Potentilla sphenophylla](#) Th.Wolf
- [Potentilla spodioclora](#) Soják
- [Potentilla squamosa](#) Soják
- [Potentilla staminea](#) Rydb.
- [Potentilla stanjukoviczii](#) Ovcz. & Kochk.
- [Potentilla stepposa](#) Soják
- [Potentilla sterilis](#) (L.) Garcke
- [Potentilla stewartiana](#) Shah & Wilcock
- [Potentilla stipularis](#) L.
- [Potentilla stolonifera](#) Lehm. ex Ledeb.
- [Potentilla straussii](#) (Bornm.) Bornm.
- [Potentilla suavis](#) Soják
- [Potentilla subarenaria](#) Borbás ex Zimmerman
- [Potentilla × subdigitata](#) T.T.Yu & C.L.Li
- [Potentilla × suberecta](#) Jord. ex Schur
- [Potentilla subgorodkovii](#) Jurtzev
- [Potentilla subjuga](#) Rydb.
- [Potentilla sublaevis](#) O.Schwarz

- [*Potentilla subpalmata*](#) Ledeb.
- [*Potentilla subvahliana*](#) Jurtzev
- [*Potentilla subviscosa*](#) Greene
- [*Potentilla sundaica*](#) (Blume) W.Theob.
- [*Potentilla sunhangii*](#) D.G.Zhang, Heng C.Wang & T.Deng
- [*Potentilla supina*](#) L.
- [*Potentilla szovitsii*](#) Th.Wolf
- [*Potentilla tanacetifolia*](#) Willd. ex D.F.K.Schltdl.
- [*Potentilla taronensis*](#) C.Y.Wu ex T.T.Yu & C.L.Li
- [*Potentilla taurica*](#) Willd. ex D.F.K.Schltdl.
- [*Potentilla tenuis*](#) (Hand.-Mazz.) Soják
- [*Potentilla tephroleuca*](#) Th.Wolf
- [*Potentilla tephroserica*](#) Juz.
- [*Potentilla tergemina*](#) Soják
- [*Potentilla tericholica*](#) Sobolevsk.
- [*Potentilla tetrandra*](#) (Bunge) Hook.f.
- [*Potentilla thurberi*](#) A.Gray
- [*Potentilla thuringiaca*](#) Bernh. ex Link
- [*Potentilla thyrsiflora*](#) Hülsen ex Zimmer
- [*Potentilla tianschanica*](#) Th.Wolf
- [*Potentilla* × *tikhomirovii*](#) Jurtzev
- [*Potentilla tilingii*](#) (Regel) Greene
- [*Potentilla tobolensis*](#) Th.Wolf ex Pavlov
- [*Potentilla togasii*](#) Ohwi
- [*Potentilla tollii*](#) Trautv.
- [*Potentilla* × *tolmatchevii*](#) Jurtzev & Soják
- [*Potentilla tommasiniana*](#) F.W.Schultz
- [*Potentilla tornezyana*](#) Maire
- [*Potentilla townsendii*](#) Rydb.
- [*Potentilla toyamensis*](#) Naruh. & Tak.Sato
- [*Potentilla tridentula*](#) Velen.
- [*Potentilla truncata*](#) (Rydb.) Jeps.
- [*Potentilla* × *tschaunensis*](#) Juz. ex Jurtzev
- [*Potentilla tschimganica*](#) Soják
- [*Potentilla tschukotica*](#) Jurtzev ex V.V.Petrovsky
- [*Potentilla tuberculifera*](#) J.Z.Dong
- [*Potentilla tucumanensis*](#) A.Castagnaro & M.Arias bis
- [*Potentilla tularensis*](#) J.T.Howell
- [*Potentilla turczaninowiana*](#) Stschegl.
- [*Potentilla turfoides*](#) H.Ikeda & H.Ohba
- [*Potentilla turgaica*](#) Soják
- [*Potentilla tweedyi*](#) (Rydb.) J.T.Howell

- [*Potentilla tyttantha*](#) (Soják) Kechaykin
- [*Potentilla uliginosa*](#) B.C.Johnst. & Ertter
- [*Potentilla umbrosa*](#) Steven ex M.Bieb.
- [*Potentilla unguiculata*](#) (A.Gray) Hook.f.
- [*Potentilla uniflora*](#) Ledeb.
- [*Potentilla* × *uschakovii*](#) Jurtzev
- [*Potentilla utahensis*](#) (S.Watson) Greene
- [*Potentilla vahliana*](#) Lehm.
- [*Potentilla valderia*](#) L.
- [*Potentilla* × *vanzhili*](#) Gundegmaa & Kechaykin
- [*Potentilla varzobica*](#) Kamelin
- [*Potentilla velutina*](#) Lehm.
- [*Potentilla verna*](#) L.
- [*Potentilla versicolor*](#) Rydb.
- [*Potentilla verticillaris*](#) Stephan ex Willd.
- [*Potentilla villosa*](#) Pall. ex Pursh
- [*Potentilla* × *villosula*](#) Jurtzev
- [*Potentilla virgata*](#) Lehm.
- [*Potentilla visianii*](#) Pančić
- [*Potentilla vulgarica*](#) Juz.
- [*Potentilla vorobievii*](#) Nechaeva & Soják
- [*Potentilla vulcanicola*](#) Juz.
- [*Potentilla vvedenskyi*](#) Botsch.
- [*Potentilla webberi*](#) (A.Gray) Greene
- [*Potentilla weddellii*](#) J.F.Macbr.
- [*Potentilla wheeleri*](#) S.Watson
- [*Potentilla wilderae*](#) (Parish) Munz & I.M.Johnst.[2]
- [*Potentilla wimanniana*](#) Günther & Schummel
- [*Potentilla wismariensis*](#) T.Gregor & Henker
- [*Potentilla wrangelii*](#) V.V.Petrovsky
- [*Potentilla xizangensis*](#) T.T.Yu & C.L.Li
- [*Potentilla yadonii*](#) (Ertter) Mosyakin & Shiyan
- [*Potentilla* × *yamanakae*](#) (Naruh.) Naruh.
- [*Potentilla zhangbeiensis*](#) Y.T.Chang & Z.T.Yin

ITIS list

The following additional species are accepted by [ITIS](#), although they might be considered synonyms by other sources:[3]

- [*Potentilla albiflora*](#) L.O. Williams – white-flower cinquefoil, Pinaleno cinquefoil, whiteflower cinquefoil
- [*Potentilla ambigens*](#) Greene – silkyleaf cinquefoil

- [*Potentilla angelliae*](#) N.H. Holmgren – Boulder Mountain cinquefoil, Angell cinquefoil
- [*Potentilla arizonica*](#) Greene – Garland Prairie cinquefoil
- [*Potentilla basaltica*](#) Tiehm & Ertter – Soldier Meadow cinquefoil
- [*Potentilla bicrenata*](#) Rydb.
- [*Potentilla bimundorum*](#) Soják – staghorn cinquefoil
- [*Potentilla breweri*](#) S. Watson
- [*Potentilla bruceae*](#) Rydb. – Bruce's cinquefoil
- [*Potentilla buccoana*](#) Clementi
- [*Potentilla cottamii*](#) N.H. Holmgren – Pilot Range cinquefoil, Cottam's cinquefoil
- [*Potentilla crebridens*](#) Juz.
- [*Potentilla cristae*](#) Ferlatte & Strother – crested cinquefoil
- [*Potentilla demotica*](#) Ertter – Hualapai cinquefoil
- [*Potentilla diversifolia*](#) Lehm. (pro sp.) – varileaf cinquefoil
- [*Potentilla effusa*](#) Douglas ex Lehm. – branched cinquefoil
- [*Potentilla furcata*](#) A.E. Porsild – forked cinquefoil
- [*Potentilla glaucophylla*](#) Lehm.
- [*Potentilla grayi*](#) S. Watson – Gray's cinquefoil
- [*Potentilla hickmanii*](#) Eastw. – Hickman's cinquefoil, Hickman's potentilla
- [*Potentilla holmgrenii*](#) D.F. Murray & Elven – Holmgren's cinquefoil
- [*Potentilla jepsonii*](#) Ertter
- [*Potentilla johnstonii*](#) Soják – sagebrush cinquefoil
- [*Potentilla lasiodonta*](#) Rydb. – Sandhills cinquefoil
- [*Potentilla litoralis*](#) Rydb. – Pennsylvania cinquefoil
- [*Potentilla macounii*](#) Rydb. – Macoun's cinquefoil
- [*Potentilla modesta*](#) Rydb. – Uintah cinquefoil
- [*Potentilla multijuga*](#) Lehm. – Ballona cinquefoil
- [*Potentilla nana*](#) Willd. ex Schltdl. – arctic cinquefoil
- [*Potentilla* × *nubilans*](#) Soják
- [*Potentilla paucijuga*](#) Rydb. – La Sal cinquefoil
- [*Potentilla pedersenii*](#) (Rydb.) Rydb.
- [*Potentilla puberula*](#) Krasan
- [*Potentilla rhyolitica*](#) Ertter
- [*Potentilla rupestris*](#) L.
- [*Potentilla sanguinea*](#) Rydb. – scarlet cinquefoil
- [*Potentilla saximontana*](#) Rydb.
- [*Potentilla sierrae-blancae*](#) Wootton & Rydb. – Sierra Blanca cinquefoil
- [*Potentilla subgorodkovii*](#) Jurtzev
- [*Potentilla townsendii*](#) Rydb. – Townsend's cinquefoil
- [*Potentilla* × *tundricola*](#) Soják
- [*Potentilla uschakovii*](#) Jurtzev
- [*Potentilla verna*](#) L. – spring cinquefoil
- [*Potentilla versicolor*](#) Rydb. – Steens Mountain cinquefoil

- [*Potentilla wheeleri*](#) S. Watson – Kern cinquefoil

GRIN list

The following additional species are accepted by the [Germplasm Resources Information Network](#) (GRIN), although they might be considered synonyms by other sources, or be erroneous accessions:[4]

- [*Potentilla curviseta*](#)
- [*Potentilla dickinsii*](#)
- [*Potentilla dombeyi*](#)
- [*Potentilla gelida*](#)
- [*Potentilla hebiichigo*](#)
- [*Potentilla hemsleyana*](#)
- [*Potentilla ledebouriana*](#)
- [*Potentilla nudicaulis*](#)
- [*Potentilla paradoxa*](#)
- [*Potentilla ranunculus*](#)
- [*Potentilla rubicaulis*](#)
- [*Potentilla siemersiana*](#)
- [*Potentilla sundaica*](#)
- [*Potentilla togasii*](#)
- [*Potentilla tridentata*](#)

Others

- [*Potentilla sternerii*](#) is newly described

From Wikipedia, the free encyclopedia

[*Polyscias*](#) is a genus of plants in the family [Araliaceae](#). As of November 2025, [Plants of the World Online](#) accepted 181 species.[1]

A-B

- [*Polyscias aculeata*](#) (Decne. & Planch.) Harms
- [*Polyscias acuminata*](#) (Wight) Seem.
- [*Polyscias aemiliguineae*](#) Bernardi
- [*Polyscias aequatoguineensis*](#) Lejoly & Lisowski
- [*Polyscias aherniana*](#) (Merr.) Lowry & G.M.Plunkett
- [*Polyscias albersiana*](#) Harms
- [*Polyscias alternifolia*](#) (Maingay ex Ridl.) Lowry & G.M.Plunkett
- [*Polyscias amplifolia*](#) (Baker) Harms
- [*Polyscias anacardium*](#) Bernardi

- [*Polyscias andraerum*](#) Bernardi
- [*Polyscias angustifolia*](#) (Ridl.) Lowry & G.M.Plunkett
- [*Polyscias ariadnes*](#) Bernardi
- [*Polyscias ashtonii*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias aubrevillei*](#) (Bernardi) Bernardi
- [*Polyscias australiana*](#) (F.Muell.) Philipson
- [*Polyscias baehniana*](#) (Bernardi) Bernardi
- [*Polyscias balansae*](#) (Baill.) Harms
- [*Polyscias balfouriana*](#) (André) L.H.Bailey
- [*Polyscias baretiana*](#) Bernardi
- [*Polyscias belensis*](#) Philipson
- [*Polyscias bellendenkeriensis*](#) (F.M.Bailey) Philipson
- [*Polyscias bernardiana*](#) Lowry & Callm.
- [*Polyscias bernieri*](#) (Baill. ex Drake) R.Vig.
- [*Polyscias biformis*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias bipinnata*](#) (Gibbs) Philipson
- [*Polyscias bisattenuata*](#) (Sherff) Lowry & G.M.Plunkett
- [*Polyscias boivinii*](#) (Seem.) Bernardi
- [*Polyscias borbonica*](#) Marais
- [*Polyscias borneensis*](#) Philipson
- [*Polyscias botryophora*](#) Harms
- [*Polyscias bracteata*](#) (R.Vig.) Lowry
- [*Polyscias briquetiana*](#) (Bernardi) Lowry & G.M.Plunkett

C-H

- [*Polyscias carolorum*](#) Bernardi
- [*Polyscias cenabrei*](#) (Merr.) Lowry & G.M.Plunkett
- [*Polyscias chapelierii*](#) (Drake) Harms ex R.Vig.
- [*Polyscias cissiflora*](#) (Baker) Harms
- [*Polyscias cissodendron*](#) (C.Moore & F.Muell.) Harms
- [*Polyscias collina*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias compacta*](#) Lowry & G.M.Plunkett
- [*Polyscias confertifolia*](#) (Baker) Harms
- [*Polyscias coriacea*](#) Marais
- [*Polyscias corticata*](#) Gibbs
- [*Polyscias crassa*](#) (Hemsl.) Lowry & G.M.Plunkett
- [*Polyscias crenata*](#) (Pancher & Sebert) Frodin
- [*Polyscias culminicola*](#) A.C.Sm.
- [*Polyscias cumingiana*](#) (C.Presl) Fern.-Vill.
- [*Polyscias cussonioides*](#) (Drake) Bernardi
- [*Polyscias cutispongia*](#) (Lam.) Baker
- [*Polyscias dichrostachya*](#) Baker

- [*Polyscias dioica*](#) (Vieill. ex Pancher & Sebert) Harms
- [*Polyscias diversifolia*](#) (Blume) Lowry & G.M.Plunkett
- [*Polyscias duplicata*](#) (Thouars ex Baill.) Lowry & G.M.Plunkett
- [*Polyscias elegans*](#) (C.Moore & F.Muell.) Harms
- [*Polyscias elliptica*](#) (Blume) Lowry & G.M.Plunkett
- [*Polyscias engganoense*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias eupteronoides*](#) (Teijsm. & Binn.) Frodin
- [*Polyscias farinosa*](#) (Delile) Harms
- [*Polyscias felicis*](#) Bernardi
- [*Polyscias filicifolia*](#) (C.Moore ex E.Fourn.) L.H.Bailey
- [*Polyscias floccosa*](#) (Drake) Bernardi
- [*Polyscias florosa*](#) Philipson
- [*Polyscias flynnii*](#) (Lowry & K.R.Wood) Lowry & G.M.Plunkett
- [*Polyscias fraxinifolia*](#) (Baker) R.Vig.
- [*Polyscias fruticosa*](#) (L.) Harms
- [*Polyscias fulva*](#) (Hiern) Harms
- [*Polyscias gracilis*](#) Marais
- [*Polyscias gruschvitzkii*](#) Bernardi
- [*Polyscias guilfoylei*](#) (W.Bull) L.H.Bailey
- [*Polyscias gymnocarpa*](#) (Hillebr.) Lowry & G.M.Plunkett
- [*Polyscias havilandii*](#) (Ridl.) Lowry & G.M.Plunkett
- [*Polyscias hawaiiensis*](#) (A.Gray) Lowry & G.M.Plunkett
- [*Polyscias heineana*](#) Bernardi
- [*Polyscias humbertiana*](#) (Bernardi) Lowry & G.M.Plunkett

J-M

- [*Polyscias jackiana*](#) (G.Don) Lowry & G.M.Plunkett
- [*Polyscias jacobsii*](#) Philipson
- [*Polyscias javanica*](#) Koord. & Valetton
- [*Polyscias joskei*](#) Gibbs
- [*Polyscias kalabenonensis*](#) Lowry & Callm.
- [*Polyscias kavaensis*](#) (H.Mann) Lowry & G.M.Plunkett
- [*Polyscias kikuyuensis*](#) Summerh.
- [*Polyscias kivuensis*](#) Bamps
- [*Polyscias kjellbergii*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias koordersii*](#) (Harms) Frodin
- [*Polyscias lallanii*](#) R.Kr.Singh & Sanjeet Kumar
- [*Polyscias lancifolia*](#) (Drake) R.Vig.
- [*Polyscias lantzii*](#) (Drake) R.Vig.
- [*Polyscias lanutoensis*](#) (Hochr.) Lowry & G.M.Plunkett
- [*Polyscias leandriana*](#) (Bernardi) Lowry & G.M.Plunkett
- [*Polyscias lecardii*](#) (R.Vig.) Lowry

- [*Polyscias ledermannii*](#) Harms
- [*Polyscias letestui*](#) C.Norman
- [*Polyscias lionnetii*](#) (F.Friedmann) Lowry & G.M.Plunkett
- [*Polyscias lydgatei*](#) (Hillebr.) Lowry & G.M.Plunkett
- [*Polyscias macgillivrayi*](#) (Benth.) Harms
- [*Polyscias mackeei*](#) Lowry & G.M.Plunkett
- [*Polyscias macrantha*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias macrocarpa*](#) (Philipson & Bui) Lowry & G.M.Plunkett
- [*Polyscias madagascariensis*](#) (Seem.) Harms
- [*Polyscias maraisiana*](#) Lowry & G.M.Plunkett
- [*Polyscias maralia*](#) (Schult.) Bernardi
- [*Polyscias marchionensis*](#) (F.Br.) Lowry & G.M.Plunkett
- [*Polyscias mauritiana*](#) Marais
- [*Polyscias mayottensis*](#) Lowry, O.Pascal & Labat
- [*Polyscias meliifolia*](#) (Craib) Lowry & G.M.Plunkett
- [*Polyscias microbotrys*](#) (Baill.) Harms
- [*Polyscias mollis*](#) (Benth.) Harms
- [*Polyscias montana*](#) (Ridl.) Lowry & G.M.Plunkett
- [*Polyscias multibracteata*](#) (Baker) Harms
- [*Polyscias multijuga*](#) (A.Gray) Harms
- [*Polyscias muraltana*](#) Bernardi
- [*Polyscias murrayi*](#) (F.Muell.) Harms
- [*Polyscias myrsine*](#) Bernardi

N-R

- [*Polyscias neraudiana*](#) (Drake) Harms ex R.Vig.
- [*Polyscias nodosa*](#) (Blume) Seem.
- [*Polyscias nossibiensis*](#) (Drake) Harms
- [*Polyscias oahuensis*](#) (A.Gray) Lowry & G.M.Plunkett
- [*Polyscias obtusifolia*](#) Frodin
- [*Polyscias ornifolia*](#) (Baker) Harms
- [*Polyscias otopyrena*](#) (Baill.) Lowry & G.M.Plunkett
- [*Polyscias pachypedicellata*](#) Lowry & Callm.
- [*Polyscias pacifica*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias palmervandenbroekii*](#) Bernardi
- [*Polyscias pancheri*](#) (Baill.) Harms
- [*Polyscias paniculata*](#) (DC.) Baker
- [*Polyscias papuana*](#) (Miq.) Seem.
- [*Polyscias papyracea*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias paucidens*](#) (Miq.) Frodin
- [*Polyscias pentamera*](#) (Baker) Harms
- [*Polyscias philippinensis*](#) (Merr.) Frodin

- [*Polyscias philipsonii*](#) Bernardi
- [*Polyscias pinnata*](#) J.R.Forst. & G.Forst.
- [*Polyscias pleiosperma*](#) (A.Gray) Lowry & G.M.Plunkett
- [*Polyscias prolifera*](#) (Philipson) Lowry & G.M.Plunkett
- [*Polyscias pulgarensis*](#) (Elmer) Lowry & G.M.Plunkett
- [*Polyscias purpurea*](#) C.T.White
- [*Polyscias quintasii*](#) Exell
- [*Polyscias rainaliorum*](#) Bernardi
- [*Polyscias reineckeii*](#) Harms
- [*Polyscias repanda*](#) (DC.) Baker
- [*Polyscias revoluta*](#) Lowry & G.M.Plunkett
- [*Polyscias richardsiae*](#) Bamps
- [*Polyscias rivalsii*](#) Bernardi
- [*Polyscias rodriguesiana*](#) (Marais) Lowry & G.M.Plunkett
- [*Polyscias roemeriana*](#) Harms
- [*Polyscias royenii*](#) Philipson
- [*Polyscias rubiginosa*](#) (Ridl.) Lowry & G.M.Plunkett
- [*Polyscias rufosepala*](#) (Ridl.) Lowry & G.M.Plunkett

S-Z

- [*Polyscias sambucifolia*](#) (Sieber ex DC.) Harms
- [*Polyscias samoensis*](#) (A.Gray) Harms
- [*Polyscias sandwicensis*](#) (A.Gray) Lowry & G.M.Plunkett
- [*Polyscias schmidii*](#) Lowry
- [*Polyscias schultzei*](#) Harms
- [*Polyscias scopoliae*](#) (Baill.) Lowry
- [*Polyscias scutellaria*](#) (Burm.f.) Fosberg
- [*Polyscias sechellarum*](#) Baker
- [*Polyscias serratifolia*](#) (Miq.) Lowry & G.M.Plunkett
- [*Polyscias sessiliflora*](#) Marais
- [*Polyscias sleumeri*](#) Philipson
- [*Polyscias solomonensis*](#) (Philipson) Frodin
- [*Polyscias sorongensis*](#) Gibbs
- [*Polyscias spectabilis*](#) (Harms) Lowry & G.M.Plunkett
- [*Polyscias stonei*](#) (A.-L.Lim) Lowry & G.M.Plunkett
- [*Polyscias stuhlmannii*](#) Harms
- [*Polyscias subcapitata*](#) Kaneh.
- [*Polyscias tafondroensis*](#) (Drake) R.Vig.
- [*Polyscias tahitensis*](#) (Nadeaud) Harms
- [*Polyscias terminalia*](#) Bernardi
- [*Polyscias thailandica*](#) Lowry & G.M.Plunkett
- [*Polyscias tripinnata*](#) Harms

- [*Polyscias verrucosa*](#) (Seem.) Lowry & G.M.Plunkett
- [*Polyscias verticillata*](#) B.C.Stone
- [*Polyscias vieillardii*](#) (Baill.) Lowry & G.M.Plunkett
- [*Polyscias vogelkopensis*](#) Philipson
- [*Polyscias waialealae*](#) (Rock) Lowry & G.M.Plunkett
- [*Polyscias waimeae*](#) (Wawra) Lowry & G.M.Plunkett
- [*Polyscias weinmanniae*](#) (Baill.) Harms
- [*Polyscias willmottii*](#) (F.Muell.) Philipson
- [*Polyscias winkleri*](#) (Harms) Frodin
- [*Polyscias wohlhauseri*](#) Lowry & Callm.
- [*Polyscias zanthoxyloides*](#) (Baker) Harms
- [*Polyscias zippeliana*](#) (Miq.) Valetton

In addition to the above, [World Flora Online](#) accepts the following:[2]

- [*Polyscias racemosa*](#) (C.N.Forbes) Sherff

References

From Wikipedia, the free encyclopedia

As of July 2024, [Plants of the World Online](#) accepted about 420 species in the genus [Polygala](#).^[1]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J–K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P–Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U–V](#)
- [W–Z](#)

A

- [Polygala abyssinica](#) R.Br. ex Fresen.
- [Polygala acarnanica](#) (Chodat) Kožuharov & A.V.Petrova
- [Polygala acicularis](#) Oliv.
- [Polygala adamsonii](#) Exell
- [Polygala affinis](#) DC.
- [Polygala albida](#) Schinz
- [Polygala albowii](#) Kem.-Nath.
- [Polygala alpestris](#) Rchb.
- [Polygala alpicola](#) Rupr.
- [Polygala alpina](#) (DC.) Steud.
- [Polygala amara](#) L.
- [Polygala amarella](#) Crantz
- [Polygala amatymbica](#) Eckl. & Zeyh.
- [Polygala amboniensis](#) Gürke
- [Polygala amphothrix](#) S.F.Blake
- [Polygala anatolica](#) Boiss. & Heldr.
- [Polygala andringitrensis](#) Paiva
- [Polygala angolensis](#) Chodat
- [Polygala ankaratrensis](#) H.Perrier
- [Polygala annectens](#) S.F.Blake
- [Polygala antunesii](#) Gürke
- [Polygala apiculata](#) Huter, Porta & Rigo
- [Polygala appressipilis](#) S.F.Blake
- [Polygala arcuata](#) Hayata
- [Polygala arenaria](#) Willd.
- [Polygala arenicola](#) Gürke
- [Polygala argentea](#) Thulin
- [Polygala arillata](#) Buch.-Ham. ex D.Don
- [Polygala arvensis](#) Willd.
- [Polygala arvicola](#) Bojer
- [Polygala asbestina](#) Burch.
- [Polygala aschersoniana](#) Chodat
- [Polygala atacorensis](#) Jacq.-Fél.
- [Polygala azizsancarii](#) Dönmez

B

- [*Polygala baetica*](#) Willk.
- [*Polygala baikiei*](#) Chodat
- [*Polygala bakeriana*](#) Chodat
- [*Polygala barbata*](#) R.A.Kerrigan
- [*Polygala barbellata*](#) S.K.Chen
- [*Polygala bariensis*](#) Thulin
- [*Polygala barklyensis*](#) R.A.Kerrigan
- [*Polygala baumii*](#) Gürke
- [*Polygala bawanglingensis*](#) F.W.Xing & Z.X.Li
- [*Polygala bifoliata*](#) R.A.Kerrigan
- [*Polygala biformipilis*](#) S.F.Blake
- [*Polygala birmanica*](#) Chodat
- [*Polygala boissieri*](#) Coss.
- [*Polygala bolbothrix*](#) Dunn
- [*Polygala bomiensis*](#) S.K.Chen & J.Parn.
- [*Polygala bowkeriae*](#) Harv.
- [*Polygala brachyanthema*](#) S.F.Blake
- [*Polygala brachyphylla*](#) Chodat
- [*Polygala brachysepala*](#) S.F.Blake
- [*Polygala brachytropis*](#) S.F.Blake
- [*Polygala bracteolata*](#) L.
- [*Polygala brandegeana*](#) Chodat
- [*Polygala britteniana*](#) Chodat
- [*Polygala butyracea*](#) Heckel
- [*Polygala buxiformis*](#) Hassk.

C

- [*Polygala calcarea*](#) F.W.Schultz
- [*Polygala callispora*](#) Chodat
- [*Polygala canaliculata*](#) R.A.Kerrigan
- [*Polygala cardiocarpa*](#) Kurz
- [*Polygala carnosa*](#) Mukerjee
- [*Polygala carnosicaulis*](#) W.H.Chen & Y.M.Shui
- [*Polygala carueliana*](#) (Burnat ex A.W.Benn.) Caruel
- [*Polygala caucasica*](#) Rupr.
- [*Polygala caudata*](#) Rehder & E.H.Wilson
- [*Polygala chiapensis*](#) S.F.Blake
- [*Polygala chinensis*](#) L.
- [*Polygala citrina*](#) Thulin
- [*Polygala claessensii*](#) Chodat

- [*Polygala clavistyla*](#) R.A.Kerrigan
- [*Polygala comosa*](#) Schkuhr
- [*Polygala compacta*](#) Rose
- [*Polygala compressa*](#) H.Perrier
- [*Polygala conosperma*](#) Bojer
- [*Polygala konzattii*](#) Rose
- [*Polygala coralliformis*](#) R.A.Kerrigan
- [*Polygala crassitesta*](#) R.A.Kerrigan
- [*Polygala cretacea*](#) Kotov
- [*Polygala crista-galli*](#) Chodat
- [*Polygala cristata*](#) P.Taylor
- [*Polygala crotalarioides*](#) Buch.-Ham. ex DC.
- [*Polygala cuspidulata*](#) S.F.Blake

D

- [*Polygala dasanensis*](#) Thulin
- [*Polygala dasyphylla*](#) Levyns
- [*Polygala declinata*](#) (Harv.) Paiva
- [*Polygala dependens*](#) R.A.Kerrigan
- [*Polygala dewevrei*](#) Exell
- [*Polygala dhofarica*](#) Baker
- [*Polygala didyma*](#) C.Y.Wu
- [*Polygala difficilis*](#) R.A.Kerrigan
- [*Polygala dimorphotricha*](#) R.A.Kerrigan
- [*Polygala dispar*](#) Ghaz.
- [*Polygala doerfleri*](#) Hayek
- [*Polygala dunniana*](#) H.Lév.

E

- [*Polygala edmundii*](#) Chodat
- [*Polygala effusa*](#) Paiva & Thulin
- [*Polygala ehlersii*](#) Gürke
- [*Polygala elegans*](#) Royle
- [*Polygala eminensis*](#) Baker
- [*Polygala engleri*](#) Chodat
- [*Polygala engleriana*](#) Buscal. & Muschl.
- [*Polygala ephedroides*](#) Burch.
- [*Polygala ericifolia*](#) DC.
- [*Polygala eriocephala*](#) F.Muell. ex Benth.
- [*Polygala erioptera*](#) DC.
- [*Polygala erlangeri*](#) Gürke ex Chodat

- [*Polygala erubescens*](#) E.Mey. ex Chodat
- [*Polygala evolvulacea*](#) Barneby
- [*Polygala exelliana*](#) Troupin
- [*Polygala exilis*](#) DC.
- [*Polygala exsuarrosa*](#) Adema

F

- [*Polygala fadimeana*](#) Dönmez & Çeçen
- [*Polygala fallax*](#) Hemsl.
- [*Polygala flavescens*](#) DC.
- [*Polygala forojulensis*](#) A.Kern.
- [*Polygala fragilis*](#) Paiva
- [*Polygala francisci*](#) Exell
- [*Polygala fruticosa*](#) P.J.Bergius
- [*Polygala furcata*](#) Royle

G

- [*Polygala gabrielae*](#) Domin
- [*Polygala galeocephala*](#) R.A.Kerrigan
- [*Polygala galeottii*](#) Chodat
- [*Polygala ganguelensis*](#) Exell & Mendonça
- [*Polygala garcini*](#) DC.
- [*Polygala gawenensis*](#) Thulin
- [*Polygala gazensis*](#) Baker f.
- [*Polygala geniculata*](#) R.A.Kerrigan
- [*Polygala gerrardii*](#) Chodat
- [*Polygala gillettiana*](#) E.Petit
- [*Polygala gillettii*](#) Paiva
- [*Polygala glaucifolia*](#) R.A.Kerrigan
- [*Polygala glaucoides*](#) L.
- [*Polygala globulifera*](#) Dunn
- [*Polygala goetzei*](#) Gürke
- [*Polygala gomesiana*](#) Welw. ex Oliv.
- [*Polygala gondarensis*](#) Chiov.
- [*Polygala gossweileri*](#) Exell & Mendonça
- [*Polygala goudahensis*](#) Paiva
- [*Polygala gracilenta*](#) Burt Davy
- [*Polygala gracilipes*](#) Harv.
- [*Polygala grandidieri*](#) Baill.
- [*Polygala greveana*](#) Baill.
- [*Polygala grossheimii*](#) Kem.-Nath.

- [*Polygala guerichiana*](#) Engl.
- [*Polygala guilanica*](#) Sarvi & Faghir
- [*Polygala guineensis*](#) Willd.
- [*Polygala guneri*](#) Yild.
- [*Polygala gymnoclada*](#) MacOwan
- [*Polygala gypsophila*](#) Thulin

H

- [*Polygala hainanensis*](#) Chun & F.C.How
- [*Polygala hamarensis*](#) Thulin & Raimondo
- [*Polygala helenae*](#) Greuter
- [*Polygala heterantha*](#) H.Perrier
- [*Polygala hildebrandtii*](#) Baill.
- [*Polygala hirsutula*](#) Arn.
- [*Polygala hispida*](#) Burch. ex DC.
- [*Polygala hohenackeriana*](#) Fisch. & C.A.Mey.
- [*Polygala homblei*](#) Exell
- [*Polygala hongkongensis*](#) Hemsl.
- [*Polygala hottentotta*](#) C.Presl
- [*Polygala houtboshiana*](#) Chodat
- [*Polygala huillensis*](#) Welw. ex Oliv.
- [*Polygala humbertii*](#) H.Perrier
- [*Polygala humifusa*](#) Paiva

I

- [*Polygala idukkiana*](#) M.Vishnu & Nampy
- [*Polygala illepida*](#) E.Mey. ex Harv.
- [*Polygala × ilseana*](#) Graebn.
- [*Polygala inaequiloba*](#) Turcz.
- [*Polygala inexpectata*](#) Peşmen & Erik
- [*Polygala integra*](#) R.A.Kerrigan
- [*Polygala irregularis*](#) Boiss.
- [*Polygala isaloensis*](#) H.Perrier
- [*Polygala isingii*](#) Pedley
- [*Polygala isocarpa*](#) Chodat

J–K

- [*Polygala jacobii*](#) Chandrab.
- [*Polygala japonica*](#) Houtt.
- [*Polygala javana*](#) DC.

- [*Polygala kajii*](#) Paiva
- [*Polygala kalaboensis*](#) Paiva
- [*Polygala kalaxariensis*](#) Schinz
- [*Polygala karensium*](#) Kurz
- [*Polygala kasikensis*](#) Exell
- [*Polygala kilimandjarica*](#) Chodat
- [*Polygala kimberleyensis*](#) R.A.Kerrigan
- [*Polygala koi*](#) Merr.
- [*Polygala* × *kotovii*](#) Val.N.Tikhom.
- [*Polygala kradungensis*](#) H.Koyama
- [*Polygala krumanina*](#) Burch. ex Ficalho & Hiern
- [*Polygala kurdica*](#) C.C.Towns.
- [*Polygala kuriensis*](#) A.G.Mill.
- [*Polygala kyoukmyoungensis*](#) Mukerjee

L

- [*Polygala labatii*](#) Wahlert, G.E.Schatz & Phillipson
- [*Polygala lactiflora*](#) Paiva & Brummitt
- [*Polygala langebergensis*](#) Levyns
- [*Polygala lasiosepala*](#) Levyns
- [*Polygala latistyla*](#) Pendry
- [*Polygala latouchei*](#) Franch.
- [*Polygala laxifolia*](#) Exell
- [*Polygala leendertziae*](#) Burt Davy
- [*Polygala lehmanniana*](#) Eckl. & Zeyh.
- [*Polygala leptophylla*](#) Burch.
- [*Polygala leptosperma*](#) Chodat
- [*Polygala leucothyrsa*](#) Woronow
- [*Polygala levynsiana*](#) Paiva
- [*Polygala lhunzeensis*](#) C.Y.Wu & S.K.Chen
- [*Polygala lijiangensis*](#) C.Y.Wu & S.K.Chen
- [*Polygala limae*](#) Exell
- [*Polygala linariifolia*](#) Willdenow
- [*Polygala loanzensis*](#) Exell
- [*Polygala longeracemosa*](#) H.Perrier
- [*Polygala longifolia*](#) Poir.
- [*Polygala longipes*](#) S.F.Blake
- [*Polygala lozanii*](#) Rose
- [*Polygala ludwigiana*](#) Eckl. & Zeyh.
- [*Polygala luenensis*](#) Paiva
- [*Polygala lusitanica*](#) Welw. ex Chodat
- [*Polygala luteoviridis*](#) Chodat

- [*Polygala lysimachiifolia*](#) Chodat

M

- [*Polygala macowaniana*](#) Paiva
- [*Polygala macrobotrya*](#) Domin
- [*Polygala macrolophos*](#) Hassk.
- [*Polygala macroptera*](#) DC.
- [*Polygala macrostigma*](#) Chodat
- [*Polygala magdalenae*](#) Brandegees
- [*Polygala major*](#) Jacq.
- [*Polygala makaschwilii*](#) Kem.-Nath.
- [*Polygala malesiana*](#) Adema
- [*Polygala mandrarensis*](#) Phillipson & G.E.Schatz
- [*Polygala marensis*](#) Burt Davy
- [*Polygala mariamae*](#) Tamamsch.
- [*Polygala mascatensis*](#) Boiss.
- [*Polygala mazandaranica*](#) Sarvi & Faghir
- [*Polygala melilotoides*](#) Chodat
- [*Polygala mendoncae*](#) E.Petit
- [*Polygala meonantha*](#) Chodat
- [*Polygala meridionalis*](#) Levyns
- [*Polygala messambuziensis*](#) Paiva
- [*Polygala microlopha*](#) Burch. ex DC.
- [*Polygala microphylla*](#) L.
- [*Polygala microtricha*](#) S.F.Blake
- [*Polygala moggii*](#) Raffaelli, Mosti & Tardelli
- [*Polygala monspeliaca*](#) L.
- [*Polygala mooneyi*](#) M.G.Gilbert
- [*Polygala mossamedensis*](#) Paiva
- [*Polygala mossii*](#) Exell
- [*Polygala multicaulis*](#) Tausch
- [*Polygala multiflora*](#) Poir.
- [*Polygala multifurcata*](#) Mildbr.
- [*Polygala muratii*](#) Jacq.-Fél.
- [*Polygala myriantha*](#) Chodat
- [*Polygala myrtifolia*](#) L.
- [*Polygala myrtillopsis*](#) Welw. ex Oliv.

N

- [*Polygala nambalensis*](#) Gürke
- [*Polygala nathadzeae*](#) A.I.Kuth.

- [*Polygala nematocaulis*](#) Levyns
- [*Polygala nematophylla*](#) Exell
- [*Polygala neurocarpa*](#) Brandege
- [*Polygala nicaeensis*](#) Risso ex W.D.J.Koch
- [*Polygala nodiflora*](#) Chodat
- [*Polygala nyikensis*](#) Exell

O

- [*Polygala oaxacana*](#) Chodat
- [*Polygala obliqua*](#) Pendry
- [*Polygala obtusissima*](#) Hochst. ex Chodat
- [*Polygala obversa*](#) R.A.Kerrigan
- [*Polygala ohlendorffiana*](#) Eckl. & Zeyh.
- [*Polygala oligosperma*](#) C.Y.Wu
- [*Polygala oliveriana*](#) Exell & Mendonça
- [*Polygala oophylla*](#) S.F.Blake
- [*Polygala ophiura*](#) Chodat
- [*Polygala orbicularis*](#) Benth.
- [*Polygala oreotrephes*](#) B.L.Burt

P–Q

- [*Polygala padulae*](#) Arrigoni
- [*Polygala pallida*](#) E.Mey. ex Harv.
- [*Polygala paludicola*](#) Gürke
- [*Polygala papilionacea*](#) Boiss.
- [*Polygala pappeana*](#) Eckl. & Zeyh.
- [*Polygala papuana*](#) (Steenis) Meijden
- [*Polygala parkeri*](#) Levyns
- [*Polygala parrasana*](#) Brandege
- [*Polygala parviloba*](#) R.A.Kerrigan
- [*Polygala* × *pawlowskii*](#) Rothm.
- [*Polygala pedemontana*](#) E.P.Perrier & B.Verl.
- [*Polygala pedicellata*](#) S.F.Blake
- [*Polygala peduncularis*](#) Burch. ex DC.
- [*Polygala pellucida*](#) Lace
- [*Polygala pendulina*](#) R.A.Kerrigan
- [*Polygala peplis*](#) Baill.
- [*Polygala perdurans*](#) Pendry
- [*Polygala perrieri*](#) Paiva
- [*Polygala persicariifolia*](#) DC.
- [*Polygala peshmenii*](#) Eren, Parolly, Raus & Kürschner

- [*Polygala petitiiana*](#) A.Rich.
- [*Polygala petrophila*](#) R.A.Kerrigan
- [*Polygala phoenicistes*](#) S.F.Blake
- [*Polygala picta*](#) Charit.
- [*Polygala platyptera*](#) Bornm. & Gauba
- [*Polygala poggei*](#) Gürke
- [*Polygala polifolia*](#) C.Presl
- [*Polygala polyedra*](#) Brandegees
- [*Polygala pottebergensis*](#) Levyns
- [*Polygala praecox*](#) R.A.Kerrigan
- [*Polygala praetermissa*](#) Thulin
- [*Polygala praticola*](#) Chodat
- [*Polygala preslii*](#) Spreng.
- [*Polygala producta*](#) N.E.Br.
- [*Polygala pruinosa*](#) Boiss.
- [*Polygala pseudoalpestris*](#) (Gren.) Dalla Torre & Sarnth.
- [*Polygala pseudogarcini*](#) Chodat
- [*Polygala pseudohospita*](#) (Tamamsch.) Tamamsch.
- [*Polygala pterocarpa*](#) R.A.Kerrigan
- [*Polygala pteropoda*](#) H.Perrier
- [*Polygala pubiflora*](#) Burch. ex DC.
- [*Polygala pungens*](#) Burch.
- [*Polygala pycnantha*](#) R.A.Kerrigan
- [*Polygala pyrolloides*](#) Gagnep.

R

- [*Polygala rarifolia*](#) DC.
- [*Polygala rausiana*](#) U.Raabe, Kit Tan, Iatrou, Vold & Parolly
- [*Polygala recognita*](#) Chodat
- [*Polygala refracta*](#) Burch. ex DC.
- [*Polygala rehmannii*](#) Chodat
- [*Polygala reinii*](#) Franch. & Sav.
- [*Polygala resendeana*](#) Paiva
- [*Polygala resinosa*](#) S.K.Chen
- [*Polygala retamoides*](#) (H.Perrier) Wahlert, Phillipson & G.E.Schatz
- [*Polygala retiefiana*](#) Paiva & Figueiredo
- [*Polygala retifolia*](#) S.F.Blake
- [*Polygala rhinanthoides*](#) Sol. ex Benth.
- [*Polygala rhinostigma*](#) Chodat
- [*Polygala rhynchocarpa*](#) R.A.Kerrigan
- [*Polygala rigens*](#) Burch.
- [*Polygala rivularis*](#) Gürke

- [*Polygala robsonii*](#) Exell
- [*Polygala robusta*](#) Gürke
- [*Polygala rodrigueana*](#) Paiva
- [*Polygala rosea*](#) Desf.
- [*Polygala rosmarinifolia*](#) Wight & Arn.
- [*Polygala rossica*](#) Kem.-Nath.
- [*Polygala rupestris*](#) Pourr.
- [*Polygala rupicola*](#) Hochst. & Steud. ex A.Rich.
- [*Polygala russelliana*](#) S.F.Blake
- [*Polygala ruwenzoriensis*](#) Chodat

S

- [*Polygala saccopectala*](#) R.A.Kerrigan
- [*Polygala sadebeckiana*](#) Gürke
- [*Polygala sandiaochiaoensis*](#) S.S.Ying
- [*Polygala sardoa*](#) Chodat
- [*Polygala saxicola*](#) Dunn
- [*Polygala schinziana*](#) Chodat
- [*Polygala schirvanica*](#) Grossh.
- [*Polygala schoenlankii*](#) O.Hoffm. & Hildebr.
- [*Polygala schweinfurthii*](#) Chodat
- [*Polygala scorpioides*](#) R.A.Kerrigan
- [*Polygala sekhukhuniensis*](#) Retief, S.J.Siebert & A.E.van Wyk
- [*Polygala seminuda*](#) Harv.
- [*Polygala senensis*](#) Klotzsch
- [*Polygala septentrionalis*](#) Troupin
- [*Polygala serpentaria*](#) Eckl. & Zeyh.
- [*Polygala serpyllifolia*](#) Hosé
- [*Polygala sfikasiana*](#) Kit Tan
- [*Polygala sibirica*](#) L.
- [*Polygala sinaica*](#) Botsch.
- [*Polygala sinisica*](#) Arrigoni
- [*Polygala* × *skrivanekii*](#) Podp.
- [*Polygala somaliensis*](#) Baker
- [*Polygala sophiae*](#) Kem.-Nath.
- [*Polygala sosnowskyi*](#) Kem.-Nath.
- [*Polygala sparsiflora*](#) Oliv.
- [*Polygala sphenoptera*](#) Fresen.
- [*Polygala stenoclada*](#) Benth.
- [*Polygala stenopetala*](#) Klotzsch
- [*Polygala stenosepala*](#) (Benth.) R.A.Kerrigan
- [*Polygala steudneri*](#) Chodat

- [*Polygala stocksiana*](#) Boiss.
- [*Polygala suanica*](#) Tamamsch.
- [*Polygala subdioica*](#) H.Perrier
- [*Polygala subopposita*](#) S.K.Chen
- [*Polygala subuniflora*](#) Boiss. & Heldr.
- [*Polygala succulenta*](#) R.A.Kerrigan
- [*Polygala sumatrana*](#) Miq.
- [*Polygala supina*](#) Schreb.

T

- [*Polygala taiwanensis*](#) S.S.Ying
- [*Polygala tamamschaniae*](#) V.I.Dorof.
- [*Polygala tatarinowii*](#) Regel
- [*Polygala tenuicaulis*](#) Hook.f.
- [*Polygala tenuifolia*](#) Willd.
- [*Polygala tepperi*](#) F.Muell.
- [*Polygala teretifolia*](#) L.f.
- [*Polygala thunbergii*](#) DC.
- [*Polygala tinctoria*](#) Vahl
- [*Polygala tisserantii*](#) Jacq.-Fél.
- [*Polygala tonkinensis*](#) Chodat
- [*Polygala torrei*](#) Exell
- [*Polygala transcaucasica*](#) Tamamsch.
- [*Polygala transvaalensis*](#) Chodat
- [*Polygala tricholopha*](#) Chodat
- [*Polygala triflora*](#) L.
- [*Polygala triquetra*](#) C.Presl
- [*Polygala turcica*](#) Dönmez & Uğurlu

U–V

- [*Polygala umbellata*](#) L.
- [*Polygala umbonata*](#) Craib
- [*Polygala uncinata*](#) E.Mey. ex Meisn.
- [*Polygala urartu*](#) Tamamsch.
- [*Polygala usafuensis*](#) Gürke
- [*Polygala validiflora*](#) R.A.Kerrigan
- [*Polygala velata*](#) S.F.Blake
- [*Polygala venenosa*](#) Juss. ex Poir.
- [*Polygala venulosa*](#) Sm.
- [*Polygala virgata*](#) Thunb.
- [*Polygala vittata*](#) Paiva

- [*Polygala vulgaris*](#) L.

W–Z

- [*Polygala wattersii*](#) Hance
- [*Polygala welwitschii*](#) Chodat
- [*Polygala wenxianensis*](#) Y.S.Zhou & Z.X.Peng
- [*Polygala westii*](#) Exell
- [*Polygala wightiana*](#) Wall. ex Wight & Arn.
- [*Polygala wilmsii*](#) Chodat
- [*Polygala wittebergensis*](#) Compton
- [*Polygala wittei*](#) Exell
- [*Polygala woodii*](#) Chodat
- [*Polygala wuzhishanensis*](#) S.K.Chen & J.Parn.
- [*Polygala xanthina*](#) Chodat
- [*Polygala xanti*](#) A.Gray
- [*Polygala yemenica*](#) Chodat
- [*Polygala youngii*](#) Exell
- [*Polygala zambesiaca*](#) Paiva

From Wikipedia, the free encyclopedia

The following species in the grass genus [*Poa*](#) are accepted by [Plants of the World Online](#).^[1] Speciation in this genus is marked by interspecific and even intergeneric hybridization events.^[2]

- [*Poa abbreviata*](#) R.Br.
- [*Poa acicularifolia*](#) Buchanan
- [*Poa acinaciphylla*](#) É.Desv.
- [*Poa acroleuca*](#) Steud.
- [*Poa adusta*](#) J.Presl
- [*Poa aequalis*](#) (Swallen & Tovar) Refulio
- [*Poa aequatoriensis*](#) Hack.
- [*Poa aequigluma*](#) Tovar
- [*Poa affinis*](#) R.Br.
- [*Poa afghanica*](#) Bor
- [*Poa aitchisonii*](#) Boiss.
- [*Poa ajanensis*](#) Prob.
- [*Poa akmanii*](#) Soreng, P.Hein & H.Scholz
- [*Poa alberti*](#) Regel
- [*Poa albescens*](#) Hitchc.
- [*Poa* × *alexandrae*](#) Prob.

- [*Poa almasovii*](#) Golub
- [*Poa alopecurus*](#) (Gaudich. ex Mirb.) Kunth
- [*Poa alpigena*](#) Lindm.
- [*Poa alpina*](#) L.
- [*Poa alsodes*](#) A.Gray
- [*Poa alta*](#) Hitchc.
- [*Poa amplexicaulis*](#) C.M.Weiller & Stajsic
- [*Poa amplivaginata*](#) (Tovar) Refulio
- [*Poa amurica*](#) Prob.
- [*Poa anae*](#) Tovar
- [*Poa anceps*](#) G.Forst.
- [*Poa androgyna*](#) Hack.
- [*Poa angustifolia*](#) L.
- [*Poa ankaratrensis*](#) A.Camus & H.Perrier
- [*Poa annua*](#) L.
- [*Poa antipoda*](#) Petrie
- [*Poa apiculata*](#) Refulio
- [*Poa arachnifera*](#) Torr.
- [*Poa araratica*](#) Trautv.
- [*Poa archarensis*](#) Prob.
- [*Poa arctica*](#) R.Br.
- [*Poa arechavaletae*](#) Parodi
- [*Poa arida*](#) Vasey
- [*Poa arnowiae*](#) Soreng
- [*Poa arzhanensis*](#) Nosov
- [*Poa asirensis*](#) Cope
- [*Poa asperifolia*](#) Bor
- [*Poa astonii*](#) Petrie
- [*Poa atropidiformis*](#) Hack.
- [*Poa atropurpurea*](#) Scribn.
- [*Poa attalica*](#) (H.Scholz) Soreng, Cabi & L.J.Gillespie
- [*Poa attenuata*](#) Trin.
- [*Poa aucklandica*](#) Petrie
- [*Poa auriculata*](#) Soreng & P.M.Peterson
- [*Poa aurigae*](#) Veldkamp
- [*Poa* × *austrohercynica*](#) Wein
- [*Poa austrokurilensis*](#) Prob. & Barkalov
- [*Poa austrouralensis*](#) Tzvelev
- [*Poa autumnalis*](#) Muhl. ex Elliott
- [*Poa ayacuchensis*](#) Tovar
- [*Poa ayseniensis*](#) Hack.
- [*Poa babiogorensis*](#) Bernátová & Májovský & Obuch

- [*Poa bactriana*](#) Roshev.
- [*Poa badensis*](#) Haenke ex Willd.
- [*Poa bajaensis*](#) Soreng
- [*Poa balbisii*](#) Parl.
- [*Poa banffiana*](#) (Soreng) Soreng & L.J.Gillespie
- [*Poa bergii*](#) Hieron.
- [*Poa beringiana*](#) Prob.
- [*Poa bigelovii*](#) Vasey ex Scribn.
- [*Poa binata*](#) Nees
- [*Poa binodis*](#) Keng f. ex L.Liu
- [*Poa bolanderi*](#) Vasey
- [*Poa boliviana*](#) Refulio
- [*Poa bomiensis*](#) C.Ling
- [*Poa bonariensis*](#) (Lam.) Kunth
- [*Poa borbonica*](#) Poir.
- [*Poa boreorossica*](#) Tzvelev
- [*Poa borneensis*](#) Jansen
- [*Poa bradei*](#) Pilg.
- [*Poa breviglumis*](#) Hook.f.
- [*Poa brevis*](#) Hitchc.
- [*Poa bromoides*](#) Vahl
- [*Poa buchananii*](#) Zotov
- [*Poa bucharica*](#) Roshev.
- [*Poa bulbosa*](#) L.
- [*Poa burmanica*](#) Bor
- [*Poa bussmannii*](#) H.Scholz
- [*Poa cabreriana*](#) Anton & Ariza
- [*Poa calchaquiensis*](#) Hack.
- [*Poa calliopsis*](#) Litv. ex Ovcz.
- [*Poa callosa*](#) Stapf
- [*Poa calycina*](#) (J.Presl) Kunth
- [*Poa carazensis*](#) Pilg.
- [*Poa carpatica*](#) (V.Jirásek) Chopik
- [*Poa caucasica*](#) Trin.
- [*Poa celebica*](#) Veldkamp
- [*Poa celsa*](#) Edgar
- [*Poa cenisia*](#) All.
- [*Poa chaixii*](#) Vill.
- [*Poa chamaeclinos*](#) Pilg.
- [*Poa chambersii*](#) Soreng
- [*Poa chapmaniana*](#) Scribn.
- [*Poa chathamica*](#) Petrie

- [*Poa cheelii*](#) Vickery
- [*Poa chirripoensis*](#) R.W.Pohl
- [*Poa chokensis*](#) S.M.Phillips
- [*Poa cita*](#) Edgar
- [*Poa clavigera*](#) Veldkamp
- [*Poa clelandii*](#) Vickery
- [*Poa clivicola*](#) Vickery
- [*Poa* × *coarctata*](#) Haller f. ex Gaudin
- [*Poa cockayneana*](#) Petrie
- [*Poa colensoi*](#) Hook.f.
- [*Poa colombiana*](#) Soreng & Sylvester
- [*Poa* × *complanata*](#) Schur
- [*Poa compressa*](#) L.
- [*Poa confinis*](#) Vasey
- [*Poa congesta*](#) Refulio
- [*Poa cookii*](#) (Hook.f.) Hook.f.
- [*Poa cooperi*](#) Noltie
- [*Poa cordemoyi*](#) Renvoize
- [*Poa costiniana*](#) Vickery
- [*Poa crassicaudex*](#) Vickery
- [*Poa crassicaulis*](#) Pilg.
- [*Poa crassinervis*](#) Honda
- [*Poa cucullata*](#) Hack.
- [*Poa cumingii*](#) Trin.
- [*Poa curtifolia*](#) Scribn.
- [*Poa cusickii*](#) Vasey
- [*Poa cuspidata*](#) Nutt.
- [*Poa cyrenaica*](#) E.A.Durand & Barratte
- [*Poa czazhmensis*](#) Prob.
- [*Poa damavandica*](#) Assadi & Kavousi
- [*Poa darwiniana*](#) Parodi
- [*Poa davisii*](#) Bor
- [*Poa deminuta*](#) Refulio
- [*Poa densa*](#) Troitsky
- [*Poa denticulata*](#) Hack.
- [*Poa dentigluma*](#) Tovar
- [*Poa denudata*](#) Steud.
- [*Poa diaboli*](#) Soreng & Keil
- [*Poa diaphora*](#) Trin.
- [*Poa* × *digena*](#) Melderis
- [*Poa dimorphantha*](#) Murb.
- [*Poa dipsacea*](#) Petrie

- [*Poa disjecta*](#) Ovcz.
- [*Poa dissanthelioides*](#) Tovar
- [*Poa diversifolia*](#) (Boiss. & Balansa) Hack. ex Boiss.
- [*Poa dolichophylla*](#) Hack.
- [*Poa dolosa*](#) Boiss. & Heldr.
- [*Poa douglasii*](#) Nees
- [*Poa dozyi*](#) Veldkamp
- [*Poa drummondiana*](#) Nees
- [*Poa dudkinii*](#) Prob.
- [*Poa durifolia*](#) Giussani, Nicora & Roig
- [*Poa dzongicola*](#) Noltie
- [*Poa egorovae*](#) Tzvelev
- [*Poa eleanorae*](#) Bor
- [*Poa ensiformis*](#) Vickery
- [*Poa epileuca*](#) (Stapf) Stapf
- [*Poa erectifolia*](#) Hitchc.
- [*Poa exigua*](#) Hook.f.
- [*Poa faberi*](#) Rendle
- [*Poa falconeri*](#) Hook.f.
- [*Poa fauriei*](#) Hack.
- [*Poa fawcettiae*](#) Vickery
- [*Poa fax*](#) J.H.Willis & Court
- [*Poa fendleriana*](#) (Steud.) Vasey
- [*Poa ferreyrae*](#) Tovar
- [*Poa fibrifera*](#) Pilg.
- [*Poa* × *figertii*](#) Gerhardt
- [*Poa filiculmis*](#) Roshev.
- [*Poa fischeri*](#) Prob.
- [*Poa flabellata*](#) (Lam.) Raspail
- [*Poa flaccidula*](#) Boiss. & Reut.
- [*Poa flexuosa*](#) Sm.
- [*Poa foliosa*](#) (Hook.f.) Hook.f.
- [*Poa fordeana*](#) F.Muell.
- [*Poa* × *fossae-rusticorum*](#) Wein
- [*Poa fragilis*](#) Ovcz.
- [*Poa gamblei*](#) Bor
- [*Poa gammieana*](#) Hook.f.
- [*Poa* × *gandogeri*](#) Fedde
- [*Poa garhwalensis*](#) D.C.Nautiyal & R.D.Gaur
- [*Poa* × *gaspensis*](#) Fernald
- [*Poa gayana*](#) É.Desv.
- [*Poa gigantea*](#) (Tovar) Refulio

- [*Poa gilgiana*](#) Pilg.
- [*Poa glaberrima*](#) Tovar
- [*Poa glauca*](#) Vahl
- [*Poa gnutikovii*](#) Prob.
- [*Poa golestanensis*](#) H.Scholz & Akhani
- [*Poa grandis*](#) Hand.-Mazz.
- [*Poa granitica*](#) Braun-Blanq.
- [*Poa greuteri*](#) Gabrieljan
- [*Poa grisebachii*](#) R.E.Fr.
- [*Poa guadianensis*](#) (F.M.Vázquez) F.M.Vázquez
- [*Poa gunnii*](#) Vickery
- [*Poa gymnantha*](#) Pilg.
- [*Poa hachadoensis*](#) Nicora
- [*Poa hackelii*](#) Post
- [*Poa hakusanensis*](#) Hack.
- [*Poa halmaturina*](#) J.M.Black
- [*Poa hartzii*](#) Gand.
- [*Poa harveyi*](#) Chrtek
- [*Poa hedbergii*](#) S.M.Phillips
- [*Poa helenae*](#) Veldkamp
- [*Poa helmsii*](#) Vickery
- [*Poa hentyi*](#) Veldkamp
- [*Poa × herjedalica*](#) Harry Sm.
- [*Poa hesperia*](#) Edgar
- [*Poa hideaki-ohbae*](#) Rajbh.
- [*Poa hiemata*](#) Vickery
- [*Poa hieronymi*](#) Hack.
- [*Poa himalayana*](#) Nees ex Steud.
- [*Poa hirtiglumis*](#) Hook.f.
- [*Poa hisauchii*](#) Honda
- [*Poa hissarica*](#) Roshev.
- [*Poa hitchcockiana*](#) Soreng & P.M.Peterson
- [*Poa holciformis*](#) J.Presl
- [*Poa homomalla*](#) Nees
- [*Poa hookeri*](#) Vickery
- [*Poa horridula*](#) Pilg.
- [*Poa hothamensis*](#) Vickery
- [*Poa howellii*](#) Vasey & Scribn.
- [*Poa huancavelicae*](#) Tovar
- [*Poa hubbardiana*](#) Parodi
- [*Poa huecu*](#) Parodi
- [*Poa humilis*](#) Ehrh. ex Hoffm.

- [*Poa humillima*](#) Pilg.
- [*Poa hybrida*](#) Gaudin
- [*Poa hylobates*](#) Bor
- [*Poa hypsinephes*](#) Veldkamp
- [*Poa ibarii*](#) Phil.
- [*Poa iberica*](#) Fisch., C.A.Mey. & Avé-Lall.
- [*Poa iconia*](#) Azn.
- [*Poa igoshinae*](#) Tzvelev
- [*Poa imbecilla*](#) Biehler
- [*Poa imperialis*](#) Bor
- [*Poa inconspicua*](#) Veldkamp
- [*Poa induta*](#) Vickery
- [*Poa infirma*](#) Kunth
- [*Poa interior*](#) Rydb.
- [*Poa* × *intricata*](#) Wein
- [*Poa intrusa*](#) Edgar
- [*Poa iridifolia*](#) Hauman
- [*Poa irkutica*](#) Roshev.
- [*Poa janaensis*](#) Prob.
- [*Poa jansenii*](#) Veldkamp
- [*Poa jaunsarensis*](#) Bor
- [*Poa* × *jemtlandica*](#) (Almq.) K.Richt.
- [*Poa jeremiadis*](#) Veldkamp
- [*Poa jubata*](#) A.Kern.
- [*Poa jugicola*](#) D.I.Morris
- [*Poa* × *jurassica*](#) Chrtek & V.Jirásek
- [*Poa kabalatica*](#) Prob.
- [*Poa kamczatensis*](#) Prob.
- [*Poa keckii*](#) Soreng
- [*Poa kelloggii*](#) Vasey
- [*Poa kenteica*](#) N.R.Ivanov
- [*Poa kerguelensis*](#) (Hook.f.) Steud.
- [*Poa keysseri*](#) Pilg.
- [*Poa khasiana*](#) Stapf
- [*Poa khokhrjakovii*](#) Prob.
- [*Poa kilimanjarica*](#) (Hedberg) Markgr.-Dann.
- [*Poa kirkii*](#) Buchanan
- [*Poa klokovii*](#) Tzvelev
- [*Poa koelzii*](#) Bor
- [*Poa kokuensis*](#) Golosk.
- [*Poa kolymensis*](#) Tzvelev
- [*Poa korshinskyi*](#) Tzvelev

- [*Poa krasnoborovii*](#) Stepanov
- [*Poa kronokensis*](#) Prob.
- [*Poa krylovii*](#) Reverd.
- [*Poa kuborensis*](#) Veldkamp
- [*Poa kulikovii*](#) Tzvelev
- [*Poa kurdistanica*](#) Chrtek & Hadac
- [*Poa kurtzii*](#) R.E.Fr.
- [*Poa kurnyica*](#) Prob.
- [*Poa labillardierei*](#) Steud.
- [*Poa lachenensis*](#) Noltie
- [*Poa laegaardiana*](#) Soreng & P.M.Peterson
- [*Poa laetevirens*](#) R.E.Fr.
- [*Poa lamii*](#) Jansen
- [*Poa lanata*](#) Scribn. & Merr.
- [*Poa langtangensis*](#) Melderis
- [*Poa languidior*](#) Hitchc.
- [*Poa lanigera*](#) Nees
- [*Poa lanuginosa*](#) Poir.
- [*Poa lavrenkoi*](#) Kuczerov
- [*Poa laxa*](#) Haenke
- [*Poa laxiflora*](#) Buckley
- [*Poa lebedevae*](#) Usupbaev
- [*Poa legionensis*](#) (Láinz) Fern.Casas & M.Láinz
- [*Poa lehoueroui*](#) Dobignard & Portal
- [*Poa leibergii*](#) Scribn.
- [*Poa lepidula*](#) (Nees & Meyen) Soreng & L.J.Gillespie
- [*Poa leptalea*](#) Veldkamp
- [*Poa leptoclada*](#) Hochst. ex A.Rich.
- [*Poa leptocoma*](#) Trin.
- [*Poa lettermanii*](#) Vasey
- [*Poa levitskyi*](#) Nosov
- [*Poa lhasaensis*](#) Bor
- [*Poa ligularis*](#) Nees ex Steud.
- [*Poa ligulata*](#) Boiss.
- [*Poa lilloi*](#) Hack.
- [*Poa* × *limosa*](#) Scribn. & T.A.Williams
- [*Poa lindebergii*](#) Tzvelev
- [*Poa lindsayi*](#) Hook.f.
- [*Poa linearifolia*](#) Refulio
- [*Poa lipskyi*](#) Roshev.
- [*Poa litorosa*](#) Cheeseman
- [*Poa longifolia*](#) Trin.

- [*Poa longii*](#) Noltie
- [*Poa longiramea*](#) Hitchc.
- [*Poa × longriensis*](#) Prob. & Barkalov
- [*Poa lowanensis*](#) N.G.Walsh
- [*Poa lunata*](#) Chase
- [*Poa macrantha*](#) Vasey
- [*Poa macroanthera*](#) D.F.Cui
- [*Poa macrocalyx*](#) Trautv. & C.A.Mey.
- [*Poa macusaniensis*](#) (E.H.L.Krause) Refulio
- [*Poa madecassa*](#) A.Camus
- [*Poa × magadanensis*](#) Prob.
- [*Poa magadanica*](#) Kuvaev
- [*Poa magellensis*](#) F.Conti & Bartolucci
- [*Poa maia*](#) Edgar
- [*Poa mairei*](#) Hack.
- [*Poa maniototo*](#) Petrie
- [*Poa mannii*](#) Munro ex Hillebr.
- [*Poa mansfieldii*](#) Otting & B.L.Wilson
- [*Poa marcida*](#) Hitchc.
- [*Poa margilicola*](#) Bernátová & Májovský
- [*Poa markgrafii*](#) H.Hartmann
- [*Poa maroccana*](#) Nannf.
- [*Poa marshallii*](#) Tovar
- [*Poa masenderana*](#) Freyn & Sint.
- [*Poa matris-occidentalis*](#) P.M.Peterson & Soreng
- [*Poa matsumurae*](#) Hack.
- [*Poa matthewsii*](#) Petrie
- [*Poa megalantha*](#) (Parodi) Herter
- [*Poa meionectes*](#) Vickery
- [*Poa menachensis*](#) Schweinf.
- [*Poa mendocina*](#) Nicora & F.A.Roig
- [*Poa millii*](#) Soreng, Cabi & L.J.Gillespie
- [*Poa minimiflora*](#) Stapf
- [*Poa minor*](#) Gaudin
- [*Poa mireniana*](#) N.G.Walsh & K.L.McDougall
- [*Poa moabitica*](#) Bor
- [*Poa molinerii*](#) Balb.
- [*Poa mollis*](#) Vickery
- [*Poa morrisii*](#) Vickery
- [*Poa mucuchachensis*](#) Luces
- [*Poa muktinathensis*](#) Rajbh.
- [*Poa mulalensis*](#) Kunth

- [*Poa mulleri*](#) Swallen
- [*Poa multinodis*](#) Chase
- [*Poa* × *multnomae*](#) Piper
- [*Poa muricata*](#) Veldkamp
- [*Poa mustangensis*](#) Rajbh.
- [*Poa myriantha*](#) Hack.
- [*Poa nankoensis*](#) Ohwi
- [*Poa* × *nannfeldtii*](#) (H.Scholz ex Val.N.Tikhom.) Nosov
- [*Poa napensis*](#) Beetle
- [*Poa navashinii*](#) Nosov
- [*Poa* × *nematophylla*](#) Rydb.
- [*Poa nemoraliformis*](#) Roshev.
- [*Poa nemoralis*](#) L.
- [*Poa neosachalinensis*](#) Prob.
- [*Poa nepalensis*](#) (Wall. ex Griseb.) Duthie
- [*Poa nephelochloides*](#) (Roshev.) Soreng, Cabi & L.J.Gillespie
- [*Poa nervosa*](#) (Hook.) Vasey
- [*Poa nitidespiculata*](#) Bor
- [*Poa nivicola*](#) Ridl.
- [*Poa* × *nobilis*](#) Skalinska
- [*Poa novae-zelandiae*](#) Hack.
- [*Poa novarae*](#) Reichardt
- [*Poa nubensis*](#) Giussani, Fern.Pepi & Morrone
- [*Poa nubigena*](#) Keng f. ex L.Liu
- [*Poa nyaradyana*](#) Nannf.
- [*Poa obvallata*](#) Steud.
- [*Poa occidentalis*](#) (Vasey) Vasey
- [*Poa olajensis*](#) Prob.
- [*Poa olonovae*](#) Tzvelev
- [*Poa opinata*](#) Veldkamp
- [*Poa orba*](#) N.G.Walsh
- [*Poa orientisibirica*](#) Olonova
- [*Poa orizabensis*](#) Hitchc.
- [*Poa orthoclada*](#) N.G.Walsh
- [*Poa orthophylla*](#) Pilg.
- [*Poa paczoskii*](#) Tzvelev
- [*Poa pagophila*](#) Bor
- [*Poa palmeri*](#) Soreng & P.M.Peterson
- [*Poa paludigena*](#) Fernald & Wiegand
- [*Poa palustris*](#) L.
- [*Poa pannonica*](#) A.Kern.
- [*Poa paposana*](#) Phil.

- [*Poa papuana*](#) Stapf
- [*Poa parva*](#) Veldkamp
- [*Poa parvifolia*](#) Reulio
- [*Poa pattersonii*](#) Vasey
- [*Poa pauciflora*](#) Roem. & Schult.
- [*Poa paucispicula*](#) Scribn. & Merr.
- [*Poa* × *pawlowskii*](#) V.Jirásek
- [*Poa pearsonii*](#) Reeder
- [*Poa pedersenii*](#) Nicora
- [*Poa pentapolitana*](#) H.Scholz
- [*Poa perconcinna*](#) J.R.Edm.
- [*Poa perennis*](#) Keng ex Keng f.
- [*Poa perligulata*](#) Pilg.
- [*Poa perrieri*](#) A.Camus
- [*Poa persica*](#) Trin.
- [*Poa petrophila*](#) Vickery
- [*Poa petrosa*](#) Swallen
- [*Poa pfisteri*](#) Soreng
- [*Poa phillipsiana*](#) Vickery
- [*Poa physocline*](#) N.G.Walsh
- [*Poa pilata*](#) Chase
- [*Poa pilcomayensis*](#) Hack.
- [*Poa pitardiana*](#) H.Scholz
- [*Poa planifolia*](#) Kuntze
- [*Poa platyantha*](#) Kom.
- [*Poa plicata*](#) Hack.
- [*Poa poiformis*](#) (Labill.) Druce
- [*Poa polycolea*](#) Stapf
- [*Poa polyneura*](#) Bor
- [*Poa* × *poppelwellii*](#) Petrie
- [*Poa populetorum*](#) Prob.
- [*Poa porphyroclados*](#) Nees
- [*Poa pratensis*](#) L.
- [*Poa prichardii*](#) Rendle
- [*Poa primae*](#) Tzvelev
- [*Poa pringlei*](#) Scribn.
- [*Poa pseudamoena*](#) Bor
- [*Poa pseudoabbreviata*](#) Roshev.
- [*Poa pseudoattenuata*](#) Prob.
- [*Poa pseudobulbosa*](#) Bor
- [*Poa pseudoradula*](#) Prob.
- [*Poa pseudoschimperiana*](#) Chiov.

- [*Poa pulviniformis*](#) (Veldkamp) Veldkamp
- [*Poa pumila*](#) Host
- [*Poa pumilio*](#) Hochst.
- [*Poa pusilla*](#) Berggr.
- [*Poa pygmaea*](#) Buchanan
- [*Poa qinghaiensis*](#) Soreng & G.H.Zhu
- [*Poa quadrata*](#) Veldkamp
- [*Poa radula*](#) Franch. & Sav.
- [*Poa raduliformis*](#) Prob.
- [*Poa ragonesei*](#) Nicora
- [*Poa rajbhandarii*](#) Noltie
- [*Poa ramifera*](#) Soreng & P.M.Peterson
- [*Poa ramoniana*](#) Soreng & Sylvester
- [*Poa ramosissima*](#) Hook.f.
- [*Poa rauhii*](#) (Swallen & Tovar) Refulio
- [*Poa reclinata*](#) (Swallen) Soreng & P.M.Peterson
- [*Poa reflexa*](#) Vasey & Scribn.
- [*Poa rehmannii*](#) (Asch. & Graebn.) K.Richt.
- [*Poa reitzii*](#) Swallen
- [*Poa remota*](#) Forselles
- [*Poa resinulosa*](#) Nees ex Steud.
- [*Poa rhadina*](#) Bor
- [*Poa rhizomata*](#) Hitchc.
- [*Poa rigidula*](#) Veldkamp
- [*Poa riphaea*](#) (Asch. & Graebn.) Fritsch
- [*Poa rodwayi*](#) Vickery
- [*Poa royleana*](#) Nees ex Steud.
- [*Poa ruprechtii*](#) Peyr.
- [*Poa ruwenzoriensis*](#) Robyns & Tournay
- [*Poa* × *sachalinensis*](#) (Koidz.) Honda
- [*Poa saksonovii*](#) Tzvelev
- [*Poa salinostepposa*](#) Prob.
- [*Poa sallacustris*](#) N.G.Walsh
- [*Poa saltuensis*](#) Fernald & Wiegand
- [*Poa sanchez-vegae*](#) Soreng & P.M.Peterson
- [*Poa sandvicensis*](#) (Reichardt) Hitchc.
- [*Poa* × *sanionis*](#) Asch. & Graebn.
- [*Poa scaberula*](#) Hook.f.
- [*Poa scabrivaginata*](#) Tovar
- [*Poa schimperiana*](#) Hochst. ex A.Rich.
- [*Poa schistacea*](#) Edgar & Connor
- [*Poa schizantha*](#) Parodi

- [*Poa schmidtiana*](#) Prob. & Barkalov
- [*Poa schoenoides*](#) Phil.
- [*Poa* × *sclerocalamos*](#) Facchini ex Ambrosi
- [*Poa secunda*](#) J.Presl
- [*Poa sejuncta*](#) Bernátová & Májovský & Obuch
- [*Poa seleri*](#) Pilg.
- [*Poa sellovii*](#) Nees
- [*Poa senex*](#) Edgar
- [*Poa serpana*](#) Refulio
- [*Poa setulosa*](#) Bor
- [*Poa shumushuensis*](#) Ohwi
- [*Poa sibirica*](#) Roshev.
- [*Poa sichotensis*](#) Prob.
- [*Poa sieberiana*](#) Spreng.
- [*Poa sierrae*](#) J.T.Howell
- [*Poa sikkimensis*](#) (Stapf) Bor
- [*Poa simensis*](#) Hochst. ex A.Rich.
- [*Poa sinaica*](#) Steud.
- [*Poa sintenisii*](#) H.Lindb.
- [*Poa siphonoglossa*](#) Hack.
- [*Poa skvortzovii*](#) Prob.
- [*Poa smirnowii*](#) Roshev.
- [*Poa spania*](#) Edgar & Molloy
- [*Poa speluncarum*](#) J.R.Edm.
- [*Poa sphondylodes*](#) Trin.
- [*Poa spiciformis*](#) (Steud.) Hauman & Parodi
- [*Poa spicigera*](#) Tovar
- [*Poa stapfiana*](#) Bor
- [*Poa stebbinsii*](#) Soreng
- [*Poa stellaris*](#) Veldkamp
- [*Poa stenantha*](#) Trin.
- [*Poa sterilis*](#) M.Bieb.
- [*Poa stewartiana*](#) Bor
- [*Poa stiriaca*](#) Fritsch & Hayek
- [*Poa strictiramea*](#) Hitchc.
- [*Poa stuckertii*](#) (Hack.) Parodi
- [*Poa suavis*](#) Veldkamp
- [*Poa subinsignis*](#) Prob.
- [*Poa sublanata*](#) Reverd.
- [*Poa sublimis*](#) Edgar
- [*Poa subspicata*](#) (J.Presl) Kunth
- [*Poa subvestita*](#) (Hack.) Edgar

- [*Poa sudicola*](#) Edgar
- [*Poa sugawarae*](#) Ohwi
- [*Poa suksdorfii*](#) (Beal) Piper
- [*Poa sunbisinii*](#) Soreng & G.H.Zhu
- [*Poa superlanata*](#) Prob.
- [*Poa supina*](#) Schrad.
- [*Poa swollenii*](#) Reulio
- [*Poa sylvestris*](#) A.Gray
- [*Poa szechuensis*](#) Rendle
- [*Poa takasagomontana*](#) Ohwi
- [*Poa talamancae*](#) R.W.Pohl
- [*Poa talikensis*](#) Prob. & Barkalov
- [*Poa tanfiljewii*](#) Roshev.
- [*Poa tangii*](#) Hitchc.
- [*Poa* × *taurica*](#) H.N.Pojark.
- [*Poa* × *tayacajaensis*](#) Soreng & Sylvester
- [*Poa telata*](#) Veldkamp
- [*Poa tenera*](#) F.Muell. ex Hook.f.
- [*Poa tenerrima*](#) Scribn.
- [*Poa tenkensis*](#) Prob.
- [*Poa tennantiana*](#) Petrie
- [*Poa tenuicula*](#) Ohwi
- [*Poa teretifolia*](#) Renvoize
- [*Poa thessala*](#) Boiss. & Orph.
- [*Poa thomasii*](#) Reulio
- [*Poa tianschanica*](#) (Regel) Hack. ex O.Fedtsch.
- [*Poa timoleontis*](#) Heldr. ex Boiss.
- [*Poa tolmatchewii*](#) Roshev.
- [*Poa tonsa*](#) Edgar
- [*Poa tovarii*](#) Soreng
- [*Poa trachyantha*](#) Hack.
- [*Poa trachyphylla*](#) Pilg.
- [*Poa tracyi*](#) Vasey
- [*Poa trichophylla*](#) Boiss.
- [*Poa tricolor*](#) Nees ex Steud.
- [*Poa trinervis*](#) (Hack.) C.Monod ex P.Royen
- [*Poa triodioides*](#) (Trin.) Zotov
- [*Poa trivialiformis*](#) Kom.
- [*Poa trivialis*](#) L.
- [*Poa trollii*](#) (Pilg.) Reulio
- [*Poa tuberifera*](#) Faurie ex Hack.
- [*Poa tucumana*](#) Parodi

- [*Poa tuonnachensis*](#) Prob. & Barkalov
- [*Poa turgensis*](#) Prob.
- [*Poa tuvinensis*](#) Prob.
- [*Poa tzvelevii*](#) Prob.
- [*Poa* × *tzyrenovae*](#) Prob.
- [*Poa ullungdoensis*](#) I.C.Chung
- [*Poa umbricola*](#) Vickery
- [*Poa umbrosa*](#) Trin.
- [*Poa unilateralis*](#) Scribn. ex Vasey
- [*Poa unispiculata*](#) Davidse, Soreng & P.M.Peterson
- [*Poa ursina*](#) Velen.
- [*Poa urssulensis*](#) Trin.
- [*Poa urubambensis*](#) Sylvester & Soreng
- [*Poa uruguayensis*](#) Parodi
- [*Poa ussuriensis*](#) Roshev.
- [*Poa uzonica*](#) Prob.
- [*Poa vaginata*](#) Pamp.
- [*Poa verae*](#) Prob.
- [*Poa veresczaginii*](#) Tzvelev
- [*Poa versicolor*](#) Besser
- [*Poa vorobievii*](#) Prob.
- [*Poa vvedenskyi*](#) Drobow
- [*Poa wallowensis*](#) Soreng
- [*Poa wardiana*](#) Bor
- [*Poa wendtii*](#) Soreng & P.M.Peterson
- [*Poa wheeleri*](#) Vasey
- [*Poa wilhelminae*](#) Veldkamp
- [*Poa* × *wippraensis*](#) Wein
- [*Poa wisselii*](#) Jansen
- [*Poa wolfii*](#) Scribn.
- [*Poa xenica*](#) Edgar & Connor
- [*Poa xingkaiensis*](#) Y.X.Ma
- [*Poa yaganica*](#) Speg.
- [*Poa yatsugatakensis*](#) Honda
- [*Poa zhirmunskii*](#) Prob.
- [*Poa zhongdianensis*](#) L.Liu

From Wikipedia, the free encyclopedia

Pleurothallis is a large [genus](#) that previously contained about 1240 orchids from the orchid family ([Orchidaceae](#)). As of 2020, [Kew's Plants of the World Online](#) listed around 540 species in the genus.^{[\[1\]](#)}

Many species formerly classified in the genus *Pleurothallis* have been transferred to other genera.[\[1\]](#)[\[2\]](#)

Species

- [*Pleurothallis abortiva*](#) Luer
- [*Pleurothallis acesrophylla*](#) Luer
- [*Pleurothallis acutidentata*](#) Cogn.
- [*Pleurothallis acutilabia*](#) Luer
- [*Pleurothallis adeleae*](#) Luer
- [*Pleurothallis adelphe*](#) Luer & Hirtz
- [*Pleurothallis adonis*](#) Luer
- [*Pleurothallis adventurae*](#) Karremans & Bogarín
- [*Pleurothallis aggeris*](#) Luer
- [*Pleurothallis aguirrei*](#) Luer & R.Escobar
- [*Pleurothallis alborosea*](#) (Kraenzl.) Porto & Brade
- [*Pleurothallis allenii*](#) L.O.Williams
- [*Pleurothallis alopex*](#) Luer
- [*Pleurothallis altimonile*](#) Luer & R.Escobar
- [*Pleurothallis alvaroi*](#) Luer & R.Escobar
- [*Pleurothallis alveolata*](#) Luer
- [*Pleurothallis ambyx*](#) Luer & R.Escobar
- [*Pleurothallis amentacea*](#) Luer & Toscano
- [*Pleurothallis amphigya*](#) Luer & R.Escobar
- [*Pleurothallis amplexans*](#) Luer
- [*Pleurothallis anceps*](#) Luer
- [*Pleurothallis andina*](#) (Schltr.) Luer
- [*Pleurothallis andreae*](#) Mark Wilson, B.T.Larsen & J.Portilla
- [*Pleurothallis andreetae*](#) (Luer) J.M.H.Shaw
- [*Pleurothallis angustissima*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis ankyloglossa*](#) Luer & Hirtz
- [*Pleurothallis annectens*](#) Luer
- [*Pleurothallis antennifera*](#) Lindl.
- [*Pleurothallis anthrax*](#) Luer & R.Escobar
- [*Pleurothallis anthurioides*](#) A.Doucette
- [*Pleurothallis apopsis*](#) Luer
- [*Pleurothallis aporosis*](#) Luer
- [*Pleurothallis applanata*](#) Luer & Dalström
- [*Pleurothallis arachnopsis*](#) H.G.Jones
- [*Pleurothallis archicolonae*](#) Luer
- [*Pleurothallis archidonae*](#) Lindl.
- [*Pleurothallis archidonopsis*](#) Luer & Hirtz
- [*Pleurothallis archilarum*](#) Chiron
- [*Pleurothallis arctata*](#) Luer

- [*Pleurothallis arietina*](#) Ames
- [*Pleurothallis ascera*](#) Luer & R.Escobar
- [*Pleurothallis aspergillum*](#) Luer & Hirtz
- [*Pleurothallis asplundii*](#) Luer
- [*Pleurothallis atrohiata*](#) Dod
- [*Pleurothallis aurita*](#) C.Schweinf.
- [*Pleurothallis baccata*](#) (Luer) J.M.H.Shaw
- [*Pleurothallis baezensis*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis bangii*](#) Rolfe ex Britton
- [*Pleurothallis barbata*](#) Westc.
- [*Pleurothallis barrowii*](#) Schuit.
- [*Pleurothallis batrachus*](#) Luer & Hirtz
- [*Pleurothallis baudoensis*](#) Luer & R.Escobar
- [*Pleurothallis belocardia*](#) Schltr.
- [*Pleurothallis bicallosa*](#) Luer & Hirtz
- [*Pleurothallis bicochlearis*](#) Luer
- [*Pleurothallis bicornis*](#) Lindl.
- [*Pleurothallis bicruris*](#) Lindl.
- [*Pleurothallis biserrula*](#) Rchb.f.
- [*Pleurothallis bitumida*](#) Luer
- [*Pleurothallis bivalvis*](#) Lindl.
- [*Pleurothallis blepharopetala*](#) Schltr.
- [*Pleurothallis bogarinii*](#) Pupulin & J.D.Zuñiga
- [*Pleurothallis bothros*](#) Luer
- [*Pleurothallis bovilingua*](#) Luer & R.Escobar
- [*Pleurothallis bowmanni*](#) Rchb.f.
- [*Pleurothallis brachiata*](#) Luer
- [*Pleurothallis braidiana*](#) (Luer) Karremans
- [*Pleurothallis brittoniana*](#) Rolfe ex Britton
- [*Pleurothallis bucculenta*](#) Luer
- [*Pleurothallis bucranon*](#) Luer & Hirtz
- [*Pleurothallis bulbosa*](#) (Luer & R.Escobar) Pfahl
- [*Pleurothallis cachabensis*](#) Luer & Hirtz
- [*Pleurothallis cajamarcae*](#) Schltr.
- [*Pleurothallis calamifolia*](#) Luer & R.Escobar
- [*Pleurothallis calceolaris*](#) Rchb.f.
- [*Pleurothallis callifera*](#) C.Schweinf.
- [*Pleurothallis calogramma*](#) Luer
- [*Pleurothallis calolalax*](#) Luer & R.Escobar
- [*Pleurothallis calvariola*](#) Luer & R.Escobar
- [*Pleurothallis canaligera*](#) Rchb.f.
- [*Pleurothallis candida*](#) Luer & Hirtz

- [*Pleurothallis caniceps*](#) Luer
- [*Pleurothallis canidentis*](#) Luer & R.Escobar
- [*Pleurothallis capitonis*](#) Luer & R.Escobar
- [*Pleurothallis caprina*](#) Luer & R.Escobar
- [*Pleurothallis cardiochila*](#) L.O.Williams
- [*Pleurothallis cardiocrepis*](#) Rchb.f.
- [*Pleurothallis cardiophylax*](#) Rchb.f.
- [*Pleurothallis cardiostola*](#) Rchb.f.
- [*Pleurothallis cardiothallis*](#) Rchb.f.
- [*Pleurothallis carduela*](#) (Luer) J.M.H.Shaw
- [*Pleurothallis carnosq*](#) Braid
- [*Pleurothallis carrenoi*](#) Carnevali & I.Ramírez
- [*Pleurothallis cassidata*](#) Luer & R.Escobar
- [*Pleurothallis castanea*](#) Mark Wilson, G.Merino & J.D.Werner
- [*Pleurothallis catharinensis*](#) Cogn.
- [*Pleurothallis caucensis*](#) Mark Wilson
- [*Pleurothallis cauda-hirundinis*](#) Luer & J.Portilla
- [*Pleurothallis cauda-phocae*](#) Luer & Hirtz
- [*Pleurothallis cedrinorum*](#) Luer & Dalström
- [*Pleurothallis centranthera*](#) Lindl.
- [*Pleurothallis cernua*](#) Luer
- [*Pleurothallis chama*](#) Luer
- [*Pleurothallis chaparensis*](#) (Luer & R.Vásquez) J.M.H.Shaw
- [*Pleurothallis chavezii*](#) Luer
- [*Pleurothallis chicalensis*](#) M.M.Jiménez & Baquero
- [*Pleurothallis chloroleuca*](#) Lindl.
- [*Pleurothallis chuscalica*](#) Luer
- [*Pleurothallis circinata*](#) Luer
- [*Pleurothallis claudii*](#) Rchb.f. ex Dod
- [*Pleurothallis cleistogama*](#) Luer
- [*Pleurothallis cobriformis*](#) L.O.Williams
- [*Pleurothallis colossus*](#) Kraenzl. ex Kerch.
- [*Pleurothallis complanata*](#) Luer & Hirtz
- [*Pleurothallis compressa*](#) Luer
- [*Pleurothallis condorensis*](#) Luer & Hirtz
- [*Pleurothallis conformalis*](#) Luer & Dalström
- [*Pleurothallis conicostigma*](#) Luer
- [*Pleurothallis constricta*](#) Luer & R.Escobar
- [*Pleurothallis convexa*](#) Luer & Hirtz
- [*Pleurothallis cordata*](#) (Ruiz & Pav.) Lindl.
- [*Pleurothallis cordifolia*](#) Rchb.f. & H.Wagener
- [*Pleurothallis coriacardia*](#) Rchb.f.

- [*Pleurothallis cornualis*](#) Luer
- [*Pleurothallis correllii*](#) Luer
- [*Pleurothallis corysta*](#) Luer
- [*Pleurothallis cosmetron*](#) Luer
- [*Pleurothallis cotyligera*](#) Luer & R.Escobar
- [*Pleurothallis crateriformis*](#) C.Schweinf.
- [*Pleurothallis crescentilabia*](#) Ames
- [*Pleurothallis cristata*](#) (Barb.Rodr.) Cogn.
- [*Pleurothallis crocodiliceps*](#) Rchb.f.
- [*Pleurothallis crossota*](#) Luer & Dalström
- [*Pleurothallis crucifera*](#) Luer & Hirtz
- [*Pleurothallis cubitoria*](#) Luer
- [*Pleurothallis culpameae*](#) (Luer) J.M.H.Shaw
- [*Pleurothallis cultellifolis*](#) Barb.Rodr.
- [*Pleurothallis cunabularis*](#) Luer
- [*Pleurothallis curvifructa*](#) H.G.Jones
- [*Pleurothallis cutucuensis*](#) Luer
- [*Pleurothallis cuzcoensis*](#) (Luer) Karremans
- [*Pleurothallis cyanea*](#) Luer & R.Escobar
- [*Pleurothallis cymbiformis*](#) Dod
- [*Pleurothallis cymbisepala*](#) Schltr.
- [*Pleurothallis cypelligera*](#) Luer & Hirtz
- [*Pleurothallis dariensis*](#) (Kolan. & Szlach.) Bogarín
- [*Pleurothallis dasypetala*](#) Luer & Hirtz
- [*Pleurothallis davisii*](#) Luer & Endara
- [*Pleurothallis deflexa*](#) Luer
- [*Pleurothallis dejavu*](#) Luer & Hirtz
- [*Pleurothallis delascioi*](#) Carnevali & I.Ramírez
- [*Pleurothallis demissa*](#) Luer & R.Vásquez
- [*Pleurothallis dentipetala*](#) Rolfe ex Ames
- [*Pleurothallis depressa*](#) Luer & R.Escobar
- [*Pleurothallis deuterowerneri*](#) J.M.H.Shaw
- [*Pleurothallis deutrodriessenii*](#) J.M.H.Shaw
- [*Pleurothallis dewildei*](#) Luer & R.Escobar
- [*Pleurothallis diabolica*](#) Luer & R.Escobar
- [*Pleurothallis diazii*](#) (Luer & Endara) J.M.H.Shaw
- [*Pleurothallis dibolia*](#) Luer
- [*Pleurothallis dichotoma*](#) (Poepp. & Endl.) Schltr.
- [*Pleurothallis dilemma*](#) Luer
- [*Pleurothallis discoidea*](#) Lindl.
- [*Pleurothallis divaricans*](#) Schltr.
- [*Pleurothallis dorotheae*](#) Luer

- [Pleurothallis dorrii](#) Luer
- [Pleurothallis doucetteana](#) L.E.Matthews
- [Pleurothallis dracuncula](#) (Luer & Hirtz) J.M.H.Shaw
- [Pleurothallis dressleriana](#) Bogarín
- [Pleurothallis drewii](#) Luer
- [Pleurothallis driessenii](#) Luer
- [Pleurothallis dubbeldamii](#) Luer
- [Pleurothallis dukei](#) Luer
- [Pleurothallis dunstervillei](#) Foldats
- [Pleurothallis duplex](#) Luer & R.Escobar
- [Pleurothallis eccentrica](#) Luer & Hirtz
- [Pleurothallis ecomingae](#) M.M.Jiménez, Baquero & Mark Wilson
- [Pleurothallis eduardoi](#) Mark Wilson
- [Pleurothallis eidos](#) Luer
- [Pleurothallis ekmanii](#) Schltr.
- [Pleurothallis elvirana](#) Carnevali & I.Ramírez
- [Pleurothallis ensata](#) Luer
- [Pleurothallis epiglottis](#) Luer
- [Pleurothallis erythrium](#) Luer
- [Pleurothallis escobarii](#) (Luer) J.M.H.Shaw
- [Pleurothallis eumecocaulon](#) Schltr.
- [Pleurothallis excavata](#) Schltr.
- [Pleurothallis excentrica](#) (Luer) Luer
- [Pleurothallis fantastica](#) Ames
- [Pleurothallis fastidiosa](#) Luer
- [Pleurothallis flaveola](#) Luer & Hirtz
- [Pleurothallis flavomarginata](#) A.Doucette, H.Medina & J.Portilla
- [Pleurothallis folsomii](#) (Luer & Endara) J.M.H.Shaw
- [Pleurothallis fonnegrae](#) (Luer & Endara) J.M.H.Shaw
- [Pleurothallis forceps-cancri](#) Luer & R.Escobar
- [Pleurothallis fossulata](#) Luer & R.Escobar
- [Pleurothallis fugax](#) Luer & R.Escobar
- [Pleurothallis furcifera](#) Luer
- [Pleurothallis fustifera](#) Luer
- [Pleurothallis galerita](#) Luer
- [Pleurothallis ganymedes](#) Luer & R.Escobar
- [Pleurothallis garayana](#) (Ospina) Luer
- [Pleurothallis gargantua](#) Luer
- [Pleurothallis genychila](#) Schltr.
- [Pleurothallis geographica](#) Luer
- [Pleurothallis gigiportillae](#) A.Doucette & J.Portilla
- [Pleurothallis giraffa](#) Luer

- [*Pleurothallis giraldoi*](#) Luer
- [*Pleurothallis glabra*](#) Luer & R.Escobar
- [*Pleurothallis globosa*](#) Luer & R.Escobar
- [*Pleurothallis glochis*](#) Luer & R.Escobar
- [*Pleurothallis glossopogon*](#) Rchb.f.
- [*Pleurothallis gomezii*](#) Luer & R.Escobar
- [*Pleurothallis gracilicolumna*](#) Mark Wilson
- [*Pleurothallis gracilipedunculata*](#) Foldats
- [*Pleurothallis grandiflora*](#) Lindl.
- [*Pleurothallis gratiosa*](#) Rchb.f.
- [*Pleurothallis grobleri*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis gustavoi*](#) Mark Wilson
- [*Pleurothallis gutierrezii*](#) Luer
- [*Pleurothallis habenula*](#) Luer & R.Escobar
- [*Pleurothallis hammelii*](#) Luer
- [*Pleurothallis harpago*](#) Luer
- [*Pleurothallis hartwegii*](#) Lindl.
- [*Pleurothallis hawkingii*](#) Karremans & J.E.Jiménez
- [*Pleurothallis hawkinsii*](#) (Luer & Endara) J.M.H.Shaw
- [*Pleurothallis helleri*](#) A.D.Hawkes
- [*Pleurothallis hemileuca*](#) Luer
- [*Pleurothallis hemisphaerica*](#) Luer & R.Escobar
- [*Pleurothallis henniae*](#) Luer & Dalström
- [*Pleurothallis hippocrepica*](#) Luer & R.Escobar
- [*Pleurothallis hirtziana*](#) J.M.H.Shaw
- [*Pleurothallis hispidula*](#) (Luer & R.Escobar) J.M.H.Shaw
- [*Pleurothallis hitchcockii*](#) Ames
- [*Pleurothallis hjertingii*](#) Luer
- [*Pleurothallis hoeijeri*](#) Luer & Hirtz
- [*Pleurothallis holtonii*](#) Luer
- [*Pleurothallis homalantha*](#) Schltr.
- [*Pleurothallis homeroi*](#) (Luer & Endara) J.M.H.Shaw
- [*Pleurothallis imbaburae*](#) Luer & Hirtz
- [*Pleurothallis imber-florum*](#) Luer & R.Escobar
- [*Pleurothallis imitor*](#) Luer
- [*Pleurothallis imperialis*](#) Luer
- [*Pleurothallis incongrua*](#) Luer
- [*Pleurothallis indecora*](#) Rodr.-Mart. & Karremans
- [*Pleurothallis index*](#) Luer
- [*Pleurothallis inflata*](#) Rolfe
- [*Pleurothallis inornata*](#) Luer & Hirtz
- [*Pleurothallis instar*](#) Luer

- [*Pleurothallis ipyrangana*](#) Schltr.
- [*Pleurothallis iris*](#) (Luer & Endara) J.M.H.Shaw
- [*Pleurothallis isthmica*](#) Luer
- [*Pleurothallis jacarepaguaensis*](#) Barb.Rodr.
- [*Pleurothallis jaculifera*](#) Luer & R.Escobar
- [*Pleurothallis jaramilloi*](#) Luer
- [*Pleurothallis jostii*](#) Mark Wilson & J.Portilla
- [*Pleurothallis jupiter*](#) Luer
- [*Pleurothallis juvenilis*](#) Rodr.-Mart. & Karremans
- [*Pleurothallis karlii*](#) Pabst
- [*Pleurothallis kaynagata*](#) A.Doucette, Mark Wilson & J.Portilla
- [*Pleurothallis kelloggii*](#) Archila
- [*Pleurothallis kellogiae*](#) Archila
- [*Pleurothallis kelsoae*](#) Mark Wilson, B.T.Larsen & J.Portilla
- [*Pleurothallis kerrii*](#) Braga
- [*Pleurothallis killipii*](#) Garay
- [*Pleurothallis knappiae*](#) Luer
- [*Pleurothallis lacera*](#) Luer
- [*Pleurothallis lamellaris*](#) Lindl.
- [*Pleurothallis languida*](#) Luer & R.Escobar
- [*Pleurothallis latipetala*](#) Garay
- [*Pleurothallis lemniscifolia*](#) Luer
- [*Pleurothallis lenae*](#) Luer & Dalström
- [*Pleurothallis leopardina*](#) Luer
- [*Pleurothallis leucantha*](#) Schltr.
- [*Pleurothallis lilijae*](#) Foldats
- [*Pleurothallis lindenii*](#) Lindl.
- [*Pleurothallis linearis*](#) (Lindl.) Lindl.
- [*Pleurothallis linguifera*](#) Lindl.
- [*Pleurothallis litotes*](#) Luer
- [*Pleurothallis llanganatensis*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis lobata*](#) Luer
- [*Pleurothallis loejtnantii*](#) Luer
- [*Pleurothallis londonoi*](#) Luer
- [*Pleurothallis longipedicellata*](#) Ames & C.Schweinf.
- [*Pleurothallis lopezii*](#) Luer & R.Escobar
- [*Pleurothallis loranthophylla*](#) Rchb.f.
- [*Pleurothallis loreae*](#) Carnevali & I.Ramírez
- [*Pleurothallis luctuosa*](#) Rchb.f.
- [*Pleurothallis lueriana*](#) Karremans & Rodr.-Mart.
- [*Pleurothallis luna-crescens*](#) Pupulin, J.Aguilar & Mel.Fernández
- [*Pleurothallis lunaris*](#) Luer & R.Escobar

- [*Pleurothallis lutheri*](#) (Luer & Endara) J.M.H.Shaw
- [*Pleurothallis lynniana*](#) (Luer) Pfahl
- [*Pleurothallis macra*](#) Lindl.
- [*Pleurothallis macrocardia*](#) Rchb.f.
- [*Pleurothallis madsenii*](#) Luer
- [*Pleurothallis maduroi*](#) Luer
- [*Pleurothallis magnifica*](#) Luer & R.Escobar
- [*Pleurothallis magnipetala*](#) C.Schweinf.
- [*Pleurothallis mammillata*](#) Luer
- [*Pleurothallis manicosa*](#) Luer & R.Escobar
- [*Pleurothallis manningiana*](#) Mark Wilson, Salas Guerr. & B.T.Larsen
- [*Pleurothallis mantiquyrana*](#) Barb.Rodr.
- [*Pleurothallis marioi*](#) Zambrano & Solano
- [*Pleurothallis marthae*](#) Luer & R.Escobar
- [*Pleurothallis mastodon*](#) Luer & Hirtz
- [*Pleurothallis matudana*](#) C.Schweinf.
- [*Pleurothallis medinae*](#) Luer & J.Portilla
- [*Pleurothallis medusa*](#) Luer
- [*Pleurothallis megaglossa*](#) Luer & Dalström
- [*Pleurothallis megalorhina*](#) Luer & R.Escobar
- [*Pleurothallis megalotis*](#) Luer & Hirtz
- [*Pleurothallis melanosticta*](#) Luer
- [*Pleurothallis membracidoides*](#) Luer
- [*Pleurothallis micklowii*](#) Luer & R.Vásquez
- [*Pleurothallis microcardia*](#) Rchb.f.
- [*Pleurothallis microchila*](#) L.O.Williams
- [*Pleurothallis millei*](#) Schltr.
- [*Pleurothallis miniatura*](#) (Luer, Thoerle & F.Werner) J.M.H.Shaw
- [*Pleurothallis minutilabia*](#) Mark Wilson, Tobar & Á.J.Pérez
- [*Pleurothallis miranda*](#) Luer
- [*Pleurothallis mocoana*](#) Schltr.
- [*Pleurothallis mundula*](#) Luer & R.Escobar
- [*Pleurothallis muriculata*](#) Luer & Hirtz
- [*Pleurothallis nanella*](#) Luer & Hirtz
- [*Pleurothallis nangaritzae*](#) M.M.Jiménez, Tobar & Mark Wilson
- [*Pleurothallis narinoensis*](#) Rykacz. & Kolan.
- [*Pleurothallis nasiterna*](#) Luer
- [*Pleurothallis navilinguis*](#) Rchb.f.
- [*Pleurothallis navisepala*](#) Pupulin, J.Aguilar & M.Díaz
- [*Pleurothallis neglecta*](#) Pupulin, Bogarín & Mel.Fernández
- [*Pleurothallis nelsonii*](#) Ames
- [*Pleurothallis neobarbosae*](#) J.M.H.Shaw

- [*Pleurothallis neodubeldamii*](#) J.M.H.Shaw
- [*Pleurothallis neorinkei*](#) A.Doucette
- [*Pleurothallis neossa*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis nephroglossa*](#) Schltr.
- [*Pleurothallis nipterophylla*](#) Luer
- [*Pleurothallis nitida*](#) Luer
- [*Pleurothallis niveoglobula*](#) Luer
- [*Pleurothallis nossax*](#) Luer & R.Escobar
- [*Pleurothallis notabilis*](#) Luer & R.Escobar
- [*Pleurothallis nox-media*](#) Luer & R.Escobar
- [*Pleurothallis nuda*](#) (Klotzsch) Rchb.f.
- [*Pleurothallis nutans*](#) Schltr.
- [*Pleurothallis obpyriformis*](#) Luer
- [*Pleurothallis ocellus*](#) (Luer) Luer
- [*Pleurothallis octavioi*](#) Luer & R.Escobar
- [*Pleurothallis odobeniceps*](#) Luer
- [*Pleurothallis omoglossa*](#) Luer
- [*Pleurothallis onagriceps*](#) Luer & Hirtz
- [*Pleurothallis oncoglossa*](#) Luer
- [*Pleurothallis orecta*](#) Luer & R.Escobar
- [*Pleurothallis ortegae*](#) Luer & Hirtz
- [*Pleurothallis orthostachys*](#) Luer & R.Escobar
- [*Pleurothallis orygmoglossa*](#) (Luer & Dressler) J.M.H.Shaw
- [*Pleurothallis oscarrii*](#) Archila & Chiron
- [*Pleurothallis ottocarii*](#) Rodr.-Mart., Rinc.-Useche & Karremans
- [*Pleurothallis oxapampae*](#) Luer
- [*Pleurothallis pallida*](#) Luer
- [*Pleurothallis palliolata*](#) Ames
- [*Pleurothallis pandurata*](#) Luer & Hirtz
- [*Pleurothallis pansamalae*](#) Schltr.
- [*Pleurothallis papilingua*](#) A.Doucette & J.Portilla
- [*Pleurothallis paquishae*](#) Luer
- [*Pleurothallis paraniesseniae*](#) J.M.H.Shaw
- [*Pleurothallis parviflora*](#) Luer
- [*Pleurothallis peculiaris*](#) Luer
- [*Pleurothallis pedunculata*](#) (Klotzsch) Rchb.f.
- [*Pleurothallis pelex*](#) Luer
- [*Pleurothallis pelicophora*](#) Luer
- [*Pleurothallis penduliflora*](#) Kraenzl.
- [*Pleurothallis penelops*](#) Luer
- [*Pleurothallis penicillata*](#) Luer
- [*Pleurothallis pennelliae*](#) Luer

- [Pleurothallis perijaensis](#) Dunst.
- [Pleurothallis peroniocephala](#) Luer
- [Pleurothallis perryi](#) Luer
- [Pleurothallis persimilis](#) Luer & Hirtz
- [Pleurothallis phalangifera](#) (C.Presl) Rchb.f.
- [Pleurothallis phoxophylla](#) Luer
- [Pleurothallis phratria](#) Luer & Hirtz
- [Pleurothallis phyllocardia](#) Rchb.f.
- [Pleurothallis phyllocardioides](#) Schltr.
- [Pleurothallis phymatodea](#) Luer
- [Pleurothallis pileata](#) Luer & R.Escobar
- [Pleurothallis platypetala](#) Luer & R.Escobar
- [Pleurothallis platysepala](#) Schltr.
- [Pleurothallis poculifera](#) Luer & R.Escobar
- [Pleurothallis polysticta](#) Luer
- [Pleurothallis portillae](#) Luer
- [Pleurothallis praecipua](#) Luer
- [Pleurothallis prolaticollaris](#) Luer
- [Pleurothallis pruinosa](#) Lindl.
- [Pleurothallis pseudopogon](#) Luer & Hirtz
- [Pleurothallis ptychophora](#) Luer & Hirtz
- [Pleurothallis pudica](#) Pupulin, J.Aguilar & M.Díaz
- [Pleurothallis pulcherrima](#) Luer
- [Pleurothallis pulvinaris](#) Luer & R.Escobar
- [Pleurothallis punctulata](#) Rolfe
- [Pleurothallis pyelophora](#) (Luer) Pfahl
- [Pleurothallis quadricaudata](#) Schltr.
- [Pleurothallis quaternaria](#) Luer
- [Pleurothallis queremalensis](#) Rinc.-Useche, Rodr.-Mart. & Karremans
- [Pleurothallis questionis](#) Luer & R.Escobar
- [Pleurothallis quitu-cara](#) Carrera & Baquero
- [Pleurothallis radula](#) Luer
- [Pleurothallis ramificans](#) Luer
- [Pleurothallis ramiromedinae](#) Thoele & Hirtz
- [Pleurothallis ramosii](#) Luer
- [Pleurothallis rectipetala](#) Ames & C.Schweinf.
- [Pleurothallis recurvata](#) Luer & Hirtz
- [Pleurothallis reginae](#) Garay
- [Pleurothallis renieana](#) (Luer & Sijm) J.M.H.Shaw
- [Pleurothallis reptans](#) Luer
- [Pleurothallis revoluta](#) (Ruiz & Pav.) Garay
- [Pleurothallis rhinocera](#) (Luer & Sijm) J.M.H.Shaw

- [*Pleurothallis rhodoglossa*](#) Schltr.
- [*Pleurothallis ringens*](#) C.Schweinf.
- [*Pleurothallis riplei*](#) Luer
- [*Pleurothallis robusta*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis roseola*](#) Luer & Hirtz
- [*Pleurothallis rowleei*](#) Ames
- [*Pleurothallis ruberrima*](#) Lindl.
- [*Pleurothallis rubrifolia*](#) Mark Wilson, Tobar & Salas Guerr.
- [*Pleurothallis rubroinversa*](#) Luer
- [*Pleurothallis rugosa*](#) Luer & R.Escobar
- [*Pleurothallis rusbyi*](#) Rolfe
- [*Pleurothallis ruscaria*](#) Luer
- [*Pleurothallis ruscifolia*](#) (Jacq.) R.Br.
- [*Pleurothallis rutrifolia*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis saccatilabia*](#) C.Schweinf.
- [*Pleurothallis sagittilabia*](#) Luer
- [*Pleurothallis saltatoria*](#) Lindl.
- [*Pleurothallis sanchoi*](#) Ames
- [*Pleurothallis sandemanii*](#) Luer
- [*Pleurothallis sanjanae*](#) Schltr.
- [*Pleurothallis sanluisii*](#) Foldats
- [*Pleurothallis sannio*](#) Luer & R.Escobar
- [*Pleurothallis sarcochila*](#) Garay
- [*Pleurothallis saueri*](#) (Luer) J.M.H.Shaw
- [*Pleurothallis scabrilinguis*](#) Lindl.
- [*Pleurothallis scaphipetala*](#) Luer
- [*Pleurothallis schweinfurthii*](#) Garay
- [*Pleurothallis scintillata*](#) Luer
- [*Pleurothallis scoparum*](#) Rchb.f.
- [*Pleurothallis scotinantha*](#) Pupulin, M.Díaz & J.Aguilar
- [*Pleurothallis scurrula*](#) Luer
- [*Pleurothallis secunda*](#) Poepp. & Endl.
- [*Pleurothallis semiscabra*](#) Lindl.
- [*Pleurothallis sergioi*](#) Luer & R.Escobar
- [*Pleurothallis serpens*](#) Luer & R.Escobar
- [*Pleurothallis serricardia*](#) Schltr.
- [*Pleurothallis serrisepala*](#) Kraenzl.
- [*Pleurothallis sextonii*](#) Luer
- [*Pleurothallis sigynes*](#) Luer
- [*Pleurothallis sijmii*](#) Luer
- [*Pleurothallis silvae-pacis*](#) Karremans
- [*Pleurothallis silverstonei*](#) Luer

- [*Pleurothallis simacoana*](#) Schltr.
- [*Pleurothallis simulans*](#) L.O.Williams
- [*Pleurothallis siphoglossa*](#) Luer & R.Escobar
- [*Pleurothallis sirene*](#) Rchb.f.
- [*Pleurothallis sobrina*](#) Luer & Hirtz
- [*Pleurothallis solium*](#) Luer
- [*Pleurothallis solomonii*](#) (Luer) J.M.H.Shaw
- [*Pleurothallis somnolenta*](#) Luer
- [*Pleurothallis sotarae*](#) Schltr.
- [*Pleurothallis spathulifolia*](#) C.Schweinf.
- [*Pleurothallis spathulipetala*](#) Luer
- [*Pleurothallis sphaerantha*](#) Luer
- [*Pleurothallis stelidilabia*](#) Luer
- [*Pleurothallis stellata*](#) I.Ramírez & Carnevali
- [*Pleurothallis stenota*](#) Luer
- [*Pleurothallis stevensonii*](#) Luer
- [*Pleurothallis steyermarkii*](#) C.Schweinf.
- [*Pleurothallis stricta*](#) Luer
- [*Pleurothallis strobilifera*](#) F.Lehm. & Kraenzl.
- [*Pleurothallis subreniformis*](#) Schltr.
- [*Pleurothallis subsinuata*](#) Lindl.
- [*Pleurothallis subtilis*](#) C.Schweinf.
- [*Pleurothallis suiniana*](#) D.Aguilar & Karremans
- [*Pleurothallis superbiens*](#) Luer
- [*Pleurothallis supervacanea*](#) Rchb.f.
- [*Pleurothallis suspensa*](#) Luer
- [*Pleurothallis talpinaria*](#) Rchb.f.
- [*Pleurothallis talpinarioides*](#) Garay & Dunst.
- [*Pleurothallis tamaensis*](#) Foldats
- [*Pleurothallis tandapiensis*](#) (Luer & Hirtz) J.M.H.Shaw
- [*Pleurothallis tanyrhina*](#) Luer & R.Escobar
- [*Pleurothallis taurus*](#) Luer
- [*Pleurothallis teaguei*](#) Luer
- [*Pleurothallis tectosa*](#) Luer & Hirtz
- [*Pleurothallis telamon*](#) Luer
- [*Pleurothallis tenebrosa*](#) Luer
- [*Pleurothallis tentaculata*](#) (Poepp. & Endl.) Lindl.
- [*Pleurothallis tenuisepala*](#) Mark Wilson
- [*Pleurothallis tetrachaeta*](#) Luer & Hirtz
- [*Pleurothallis tetragona*](#) Luer & R.Escobar
- [*Pleurothallis tetroxys*](#) Luer
- [*Pleurothallis thoerleae*](#) (Luer) J.M.H.Shaw

- [*Pleurothallis tiarata*](#) Luer & Hirtz
- [*Pleurothallis tipuloides*](#) Luer
- [*Pleurothallis titan*](#) Luer
- [*Pleurothallis tobarii*](#) (Luer & Hirtz) Pfahl
- [*Pleurothallis tonduzii*](#) Schltr.
- [*Pleurothallis torrana*](#) Luer
- [*Pleurothallis trachysepala*](#) Kraenzl.
- [*Pleurothallis tragulosa*](#) Luer & Hirtz
- [*Pleurothallis transversilabia*](#) Carnevali & I.Ramírez
- [*Pleurothallis tridentata*](#) Klotzsch
- [*Pleurothallis trifurcata*](#) Luer & Hirtz
- [*Pleurothallis trimeroglossa*](#) Schltr.
- [*Pleurothallis tripterocarpa*](#) Schltr.
- [*Pleurothallis troglodytes*](#) Luer
- [*Pleurothallis truncata*](#) Lindl.
- [*Pleurothallis tryssa*](#) Luer
- [*Pleurothallis tuberculosa*](#) Luer & Hirtz
- [*Pleurothallis tuzae*](#) Luer
- [*Pleurothallis tyria*](#) Luer & Hirtz
- [*Pleurothallis undulata*](#) Poepp. & Endl.
- [*Pleurothallis uninervia*](#) Luer & Dodson
- [*Pleurothallis upanoensis*](#) Luer & Hirtz
- [*Pleurothallis urceolata*](#) Luer
- [*Pleurothallis uvifera*](#) Luer & R.Escobar
- [*Pleurothallis valladolidensis*](#) Luer
- [*Pleurothallis valvola*](#) Luer & Hirtz
- [*Pleurothallis variabilis*](#) Luer
- [*Pleurothallis veliformis*](#) Luer & Dalström
- [*Pleurothallis verruculosa*](#) Kraenzl.
- [*Pleurothallis vide-vallis*](#) Karremans & J.E.Jiménez
- [*Pleurothallis viduata*](#) Luer
- [*Pleurothallis vieirae*](#) Luer & R.Escobar
- [*Pleurothallis vinealis*](#) Luer & R.Escobar
- [*Pleurothallis volans*](#) Luer & Hirtz
- [*Pleurothallis volcanica*](#) Luer
- [*Pleurothallis vorator*](#) Luer & R.Vásquez
- [*Pleurothallis wielii*](#) Mark Wilson, B.T.Larsen & J.Portilla
- [*Pleurothallis wigginsii*](#) C.Schweinf.
- [*Pleurothallis xanthochlora*](#) Rchb.f.
- [*Pleurothallis zarumae*](#) Luer & Hirtz

References

1.

- [*"Pleurothallis R.Br"*. Plants of the World Online. *Royal Botanic Gardens, Kew*. Retrieved 30 December 2020.](#)

•

2. (*Monogr. Syst. Bot. Missouri Bot. Gard.* 95: 255. February 2004)

- [Orchid Research Newsletter issue 46 07/05 \(Kew\)](#)
- [Reclassification of the Pleurothallidinae](#)
- [The Cutting Edge Volume IX, Number 1, January 2002](#)
- [Phylogenetic relationships in Pleurothallidinae \(Orchidaceae\): combined evidence from nuclear and plastid DNA sequences - *American Journal of Botany*. 2001;88:2286-2308](#)

Categories:

- [Lists of plant species](#)
- [Pleurothallis](#)
-

From Wikipedia, the free encyclopedia

This is a list of species in the plant genus [Planchonella](#).^[1]

- [Planchonella amieuana](#) (Guillaumin) Aubrév. – New Caledonia (Col d'Amieu)
- [Planchonella aneityensis](#) (Guillaumin) H.J.Lam ex Royen – Vanuatu
- [Planchonella annamensis](#) Pierre ex Dubard – China (Guangxi and Hainan), Vietnam, and Cambodia
- [Planchonella anteridifera](#) (C.T.White & W.D.Francis ex Lane-Poole) H.J.Lam – eastern and southeastern New Guinea
- [Planchonella arnhemica](#) (F.Muell. ex Benth.) P.Royen – northern Western Australia and northern Northern Territory
- [Planchonella asterocarpon](#) (P.Royen) Swenson, Bartish & Munzinger – northeastern Queensland
- [Planchonella australis](#) (R.Br.) Pierre – eastern Queensland and New South Wales
- [Planchonella baillonii](#) (Zahlbr.) Dubard – east-central and southeastern New Caledonia
- [Planchonella boninensis](#) (Nakai) Masam. & Yanagih. – Ogasawara Islands
- [Planchonella brevipes](#) A.C.Sm. – Fiji (Vanua Levu: Mount Mbatini)
- [Planchonella calcarea](#) (Hosok.) P.Royen – Palau
- [Planchonella cauliflora](#) Munzinger & Swenson – New Caledonia (Mt. Do)
- [Planchonella chartacea](#) (F.Muell. ex Benth.) H.J.Lam – Malesia, Papuaia, eastern Australia, and southwestern Pacific

- [*Planchonella chrysophylloides*](#) (H.J.Lam – eastern New Guinea
- [*Planchonella cinerea*](#) (Pancher ex Baill.) P.Royen – northwestern and southeastern New Caledonia
- [*Planchonella clemensii*](#) (Lecomte) P.Royen – Vietnam and Hainan
- [*Planchonella contermina*](#) Pierre ex Dubard – northwestern New Caledonia
- [*Planchonella costata*](#) (Endl.) Pierre – New Zealand's North Island and Norfolk Island
- [*Planchonella cotinifolia*](#) (A.DC.) Dubard – northern and eastern Queensland and northeastern New South Wales
- [*Planchonella crassinervia*](#) Dubard – New Caledonia
- [*Planchonella crenata*](#) Munzinger & Swenson – west-central New Caledonia
- [*Planchonella cyclopensis*](#) P.Royen – western New Guinea ([Cyclops Mountains](#))
- [*Planchonella dothioensis*](#) (Aubrév.) Swenson, Bartish & Munzinger – New Caledonia
- [*Planchonella duclitan*](#) (Blanco) Bakh.f. – Taiwan (Lan Yü), Malesia, and New Guinea
- [*Planchonella eerwah*](#) (F.M.Bailey) P.Royen – southeastern Queensland
- [*Planchonella endlicheri*](#) (Montrouz.) Guillaumin – east-central and southeastern New Caledonia
- [*Planchonella ericiflora*](#) Munzinger & Swenson – southern New Caledonia
- [*Planchonella erringtonii*](#) Dubard – Peninsular Malaysia
- [*Planchonella euphlebia*](#) (F.Muell.) Francis – northeastern Queensland
- [*Planchonella forbesii*](#) (S.Moore) H.J.Lam – eastern New Guinea
- [*Planchonella garberi*](#) Christoph. – southwestern Pacific
- [*Planchonella garcinioides*](#) (K.Krause) Swenson – eastern New Guinea
- [*Planchonella glauca*](#) Swenson & Munzinger – northern New Caledonia
- [*Planchonella grandifolia*](#) (Wall.) Pierre – Bangladesh and Assam, eastern Indochina, and southern China (Yunnan)
- [*Planchonella guillauminii*](#) H.J.Lam – Solomon Islands and Vanuatu
- [*Planchonella kaalaensis*](#) Aubrév. – northwestern New Caledonia
- [*Planchonella kaernbachiana*](#) (Engl.) H.J.Lam – eastern New Guinea
- [*Planchonella kaniensis*](#) (K.Krause) H.J.Lam – eastern New Guinea
- [*Planchonella keyensis*](#) H.J.Lam – southeastern Maluku, New Guinea, and Solomon Islands
- [*Planchonella koumaciensis*](#) Aubrév. – northwestern New Caledonia
- [*Planchonella kuebiniensis*](#) Aubrév. – central and southeastern New Caledonia
- [*Planchonella laetevirens*](#) (Baill.) Pierre ex Dubard – southeastern New Caledonia
- [*Planchonella lamii*](#) P.Royen Timor, Maluku, and New Guinea
- [*Planchonella latihila*](#) Munzinger & Swenson – southeastern New Caledonia
- [*Planchonella lauracea*](#) (Baill.) Dubard – New Caledonia
- [*Planchonella leptostylidifolia*](#) Guillaumin – northwestern New Caledonia
- [*Planchonella lifuana*](#) (Baill.) Pierre ex Dubard – central New Caledonia
- [*Planchonella longipetiolata*](#) (King & Prain) H.J.Lam – Bangladesh, Andaman Islands, and Myanmar
- [*Planchonella luteocostata*](#) Munzinger & Swenson – western New Caledonia
- [*Planchonella maclayana*](#) (F.Muell.) Swenson – Borneo, Sulawesi, Maluku, New Guinea, and Solomon Islands
- [*Planchonella macrantha*](#) (Merr.) Swenson – Philippines, Maluku, and Sulawesi

- [*Planchonella maingayi*](#) (C.B.Clarke) P.Royen – Borneo, Sumatra, and Peninsular Malaysia
- [*Planchonella malaccensis*](#) (C.B.Clarke) Swenson – southern Thailand, Sumatra, Peninsular Malaysia, Sulawesi, and New Guinea
- [*Planchonella mandjelia*](#) Munzinger & Swenson – northern New Caledonia
- [*Planchonella membranacea*](#) H.J.Lam – Fiji, Tonga, and Niue
- [*Planchonella menait*](#) (Vink) Swenson – northern New Guinea
- [*Planchonella micronesica*](#) (Kaneh.) Kaneh. ex H.J.Lam – Caroline Islands (Kosrae)
- [*Planchonella microphylla*](#) Pierre ex Dubard – southeastern New Caledonia
- [*Planchonella mindanaensis*](#) H.J.Lam – Borneo and Philippines
- [*Planchonella minutiflora*](#) Munzinger & Swenson – northwestern New Caledonia
- [*Planchonella myrsinifolia*](#) (F.Muell.) Swenson, Bartish & Munzinger – Queensland, New South Wales, and Lord Howe Island
 - [*Planchonella myrsinifolia* subsp. *howeana*](#) (F.Muell.) Jessup – Lord Howe Island
- [*Planchonella myrsinodendron*](#) (F.Muell.) Swenson, Bartish & Munzinger – Java to the Solomon Islands and northeastern Queensland
- [*Planchonella myrsinoides*](#) (A.Cunn. ex Benth.) S.T.Blake ex Francis – Queensland
- [*Planchonella nebulicola*](#) H.J.Lam – eastern New Guinea
- [*Planchonella obovata*](#) (R.Br.) Pierre – Seychelles through Malesia and New Guinea to the western Pacific
- [*Planchonella orkor*](#) (Vink) Swenson – northeastern New Guinea
- [*Planchonella papuanica*](#) Pierre ex Dubard – eastern New Guinea
- [*Planchonella paucinervia*](#) (Erlee) Swenson – Peninsular Malaysia and Sumatra
- [*Planchonella peekelii*](#) (K.Krause) H.J.Lam – Bismarck Archipelago
- [*Planchonella petaloides*](#) H.J.Lam – Maluku
- [*Planchonella pinifolia*](#) (Baill.) Dubard – New Caledonia
- [*Planchonella pohlmaniana*](#) (F.Muell.) Pierre ex Dubard – northern and eastern Queensland and northeastern New South Wales
- [*Planchonella polyneura*](#) (K.Krause) Swenson – eastern New Guinea
- [*Planchonella pomifera*](#) (Pierre ex Baill.) Dubard – western New Guinea
- [*Planchonella povilana*](#) Swenson & Munzinger – northeastern New Caledonia
- [*Planchonella pronyensis*](#) Guillaumin – southeastern New Caledonia
- [*Planchonella pullenii*](#) (Vink) Swenson – northeastern New Guinea
- [*Planchonella pyrulifera*](#) (A.Gray) H.J.Lam ex Royen – Fiji
- [*Planchonella reticulata*](#) (Baill.) Pierre ex Dubard – east-central New Caledonia
- [*Planchonella rheophytopsis*](#) P.Royen – central New Caledonia
- [*Planchonella ridsdalei*](#) (Vink) Swenson – Philippines (Mindoro)
- [*Planchonella roseoloba*](#) Munzinger & Swenson – north-central and central New Caledonia
- [*Planchonella rufocostata*](#) Munzinger & Swenson – northeastern New Caledonia
- [*Planchonella saligna*](#) S.Moore – west-central and northwestern New Caledonia
- [*Planchonella sandwicensis*](#) (A.Gray) Pierre – Hawaiian Islands
- [*Planchonella schlechteri*](#) (K.Krause) H.J.Lam – eastern New Guinea
- [*Planchonella serpentinicola*](#) Swenson & Munzinger – New Caledonia

- [*Planchonella sessilis*](#) A.C.Sm. & S.P.Darwin – Fiji (Viti Levu)
- [*Planchonella skottsbergii*](#) Guillaumin – southeastern New Caledonia
- [*Planchonella smithii*](#) (P.Royen) A.C.Sm. – Fiji
- [*Planchonella spathulata*](#) Pierre – Hawaiian Islands
- [*Planchonella spectabilis*](#) (Miq.) Dubard – Sumatra
- [*Planchonella sphaerocarpa*](#) (Baill.) Dubard – central and west-central New Caledonia
- [*Planchonella stellibacca*](#) (J.F.Maxwell) Swenson – Thailand and Borneo
- [*Planchonella sussu*](#) (Engl.) H.J.Lam – New Guinea
- [*Planchonella tahitensis*](#) (Nadeaud) Pierre ex Dubard – South Pacific (Vanuatu to Tuamotus)
- [*Planchonella tenuipes*](#) (K.Krause) H.J.Lam – eastern New Guinea
- [*Planchonella thiensis*](#) Aubrév. – New Caledonia
- [*Planchonella thyrsoides*](#) C.T.White – northern New Guinea ([Padaido Islands](#)), Bismarck Archipelago, Solomon Islands
- [*Planchonella torricellensis*](#) (K.Schum.) H.J.Lam – Lesser Sunda Islands to Tuamotus
- [*Planchonella ulfii*](#) Munzinger – New Caledonia
- [*Planchonella umbonata*](#) (P.Royen) A.C.Sm. – Fiji
- [*Planchonella velutina*](#) (Elmer) H.J.Lam – Philippines
- [*Planchonella villamilii*](#) (Merr.) Swenson – Philippines (Luzon)
- [*Planchonella vitiensis*](#) Gillespie – Fiji
- [*Planchonella vriesiana*](#) (Pierre ex Burck) Dubard – Maluku
- [*Planchonella wakere*](#) (Pancher & Sebert) Pierre – southeastern New Caledonia
- [*Planchonella whitmorei*](#) (Vink) Swenson – Solomon Islands
- [*Planchonella xylocarpa*](#) (C.T.White) Swenson, Bartish & Munzinger – Papuaia and northern Queensland
- [*Planchonella yunnanensis*](#) C.Y.Wu – China (southeastern Yunnan)

From Wikipedia, the free encyclopedia

[*Pittosporum*](#) is a genus of plants in the family [Pittosporaceae](#). As of September 2024, [Plants of the World Online](#) accepted 253 species.^[1]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A



Pittosporum anomalum

- [*Pittosporum abyssinicum*](#) Delile
- [*Pittosporum acuminatissimum*](#) Merr.
- [*Pittosporum aliferum*](#) Trel & Veillon
- [*Pittosporum ambrense*](#) Cufod.
- [*Pittosporum anamallayense*](#) M.P.Nayar & G.S.Giri
- [*Pittosporum aneityense*](#) Guillaumin
- [*Pittosporum anggiense*](#) D.M.Hicks & Utteridge
- [*Pittosporum angustifolium*](#) G.Lodd.
- [*Pittosporum angustilimum*](#) C.Y.Wu
- [*Pittosporum anomalum*](#) Laing & Gurlay
- [*Pittosporum arborescens*](#) Rich. ex A.Gray
- [*Pittosporum argentifolium*](#) Sherff
- [*Pittosporum artense*](#) Guillaumin

B



Pittosporum brevicalyx

- [*Pittosporum balansae*](#) Aug.DC.
- [*Pittosporum balfourii*](#) Cufod.
- [*Pittosporum baudouinii*](#) Brongn. & Gris
- [*Pittosporum berberidoides*](#) Burkill
- [*Pittosporum bernardii*](#) Tirel & Veillon
- [*Pittosporum bicolor*](#) Hook.
- [*Pittosporum boninense*](#) Koidz.
- [*Pittosporum bouletii*](#) Veillon & Tirel
- [*Pittosporum brackenridgei*](#) A.Gray
- [*Pittosporum bracteolatum*](#) Endl.
- [*Pittosporum brevicalyx*](#) (Oliv.) Gagnep.
- [*Pittosporum brevispinum*](#) Veillon & Tirel
- [*Pittosporum buchananii*](#) Hook.f.
- [*Pittosporum bullatoferrugineum*](#) Cufod.

C



Pittosporum confertiflorum

- [*Pittosporum cacondense*](#) Exell & Mendonça
- [*Pittosporum campbellii*](#) F.Muell.
- [*Pittosporum ceylanicum*](#) Wight
- [*Pittosporum chelidospermum*](#) Blume
- [*Pittosporum cherrieri*](#) Tirel & Veillon

- [*Pittosporum clementis*](#) Merr.
- [*Pittosporum coccineum*](#) (Montrouz.) Beauvis.
- [*Pittosporum colensoi*](#) Hook.f.
- [*Pittosporum collinum*](#) Guillaumin
- [*Pittosporum comptum*](#) K.Schum. & Lauterb.
- [*Pittosporum confertiflorum*](#) A.Gray
- [*Pittosporum coriaceum*](#) Aiton
- [*Pittosporum cornifolium*](#) A.Cunn. ex Hook.
- [*Pittosporum crassicaule*](#) Laing & Gourlay
- [*Pittosporum crassifolium*](#) Banks & Sol.
- [*Pittosporum cravenianum*](#) Schodde
- [*Pittosporum crispulum*](#) Gagnep.
- [*Pittosporum croceum*](#) Guillaumin

D

- [*Pittosporum dallii*](#) Cheeseman
- [*Pittosporum daphniphylloides*](#) Hayata
- [*Pittosporum dasycaulon*](#) Miq.
- [*Pittosporum densiflorum*](#) Putt.
- [*Pittosporum deplanchei*](#) Brongn. & Gris
- [*Pittosporum divaricatum*](#) Cockayne
- [*Pittosporum dzumacense*](#) Guillaumin

E

- [*Pittosporum echinatum*](#) Brongn. & Gris
- [*Pittosporum elevaticostatum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum ellipticum*](#) Kirk
- [*Pittosporum epiphyticum*](#) Merr.
- [*Pittosporum eriocarpum*](#) Royle
- [*Pittosporum erioloma*](#) C.Moore & F.Muell.
- [*Pittosporum eugenioides*](#) A.Cunn.
- [*Pittosporum euphlebiu*](#) Merr.

F



Pittosporum ferrugineum

- [*Pittosporum fairchildii*](#) Cheeseman
- [*Pittosporum ferrugineum*](#) W.T.Aiton
- [*Pittosporum fissicalyx*](#) Miq.
- [*Pittosporum flocculosum*](#) (Hillebr.) Sherff
- [*Pittosporum fulvipilosum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum fulvotomentosum*](#) Engl.

G

- [*Pittosporum gagnepainianum*](#) Gowda
- [*Pittosporum gagnepainii*](#) Doweld
- [*Pittosporum gatopense*](#) Guillaumin
- [*Pittosporum gayanum*](#) Rock
- [*Pittosporum glaberrimum*](#) Merr.
- [*Pittosporum glabratum*](#) Lindl.
- [*Pittosporum glabrum*](#) Hook. & Arn.
- [*Pittosporum goetzei*](#) Engl.
- [*Pittosporum gracile*](#) Pancher ex Brongn. & Gris

H



Pittosporum hosmeri

- [*Pittosporum halophilum*](#) Rock
- [*Pittosporum hawaiiense*](#) Hillebr.
- [*Pittosporum heckelii*](#) Dubard
- [*Pittosporum hematomallum*](#) Guillaumin
- [*Pittosporum henryi*](#) Gowda
- [*Pittosporum heterophyllum*](#) Franch.
- [*Pittosporum hosmeri*](#) Rock
- [*Pittosporum humbertii*](#) Cufod.
- [*Pittosporum humile*](#) Hook.f. & Thomson
- [*Pittosporum huttonianum*](#) Kirk

I

- [*Pittosporum illicioides*](#) Makino
- [*Pittosporum impressum*](#) (Ridl.) L.W.Cayzer & Utteridge
- [*Pittosporum inopinatum*](#) K.Bakker
- [*Pittosporum* × *intermedium*](#) Kirk
- [*Pittosporum isolatum*](#) L.W.Cayzer & Utteridge

J

- [*Pittosporum javanicum*](#) (Blume) Blume
- [*Pittosporum johnstonianum*](#) Gowda

K

- [*Pittosporum kaalense*](#) Guillaumin
- [*Pittosporum karnatakense*](#) Saldanha & S.R.Ramesh
- [*Pittosporum kauaiense*](#) Hillebr.
- [*Pittosporum kerrii*](#) Craib
- [*Pittosporum kirkii*](#) Hook.f. ex Kirk
- [*Pittosporum koghiense*](#) Guillaumin
- [*Pittosporum kororoense*](#) Benwell
- [*Pittosporum kunmingense*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum kwangsiense*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum kweichowense*](#) Gowda

L

- [*Pittosporum lacrymasepalum*](#) Utteridge
- [*Pittosporum lancifolium*](#) (F.M.Bailey) L.W.Cayzer, Crisp & I.Telford
- [*Pittosporum lanipetalum*](#) Tirel & Veillon
- [*Pittosporum ledermannii*](#) E.Pritz.

- [*Pittosporum lenticellatum*](#) Chun ex H.Peng & Y.F.Deng
- [*Pittosporum leptosepalum*](#) Gowda
- [*Pittosporum leratii*](#) Guillaumin
- [*Pittosporum leroyanum*](#) Tirel & Veillon
- [*Pittosporum letocartiorum*](#) Veillon & Tirel
- [*Pittosporum ligustrifolium*](#) A.Cunn.
- [*Pittosporum lineare*](#) Laing & Gurlay
- [*Pittosporum linearifolium*](#) Sugau
- [*Pittosporum longisepalum*](#) K.Bakker
- [*Pittosporum loniceroides*](#) Brongn. & Gris
- [*Pittosporum luteum*](#) H.St.John

M



Pittosporum moluccanum

- [*Pittosporum mackeei*](#) Tirel & Veillon
- [*Pittosporum macrosepalum*](#) Cufod.
- [*Pittosporum maireaui*](#) H.St.John
- [*Pittosporum malaxanii*](#) Veillon & Tirel
- [*Pittosporum maoshanense*](#) Z.H.Chen, G.Y.Li & X.F.Jin
- [*Pittosporum maxwellii*](#) Utteridge
- [*Pittosporum megacarpum*](#) Merr.
- [*Pittosporum merrillianum*](#) Gowda
- [*Pittosporum michiei*](#) Allan
- [*Pittosporum mildbraedii*](#) Engl.
- [*Pittosporum moluccanum*](#) (Lam.) Miq.
- [*Pittosporum* × *monae*](#) Rock ex H.St.John

- [*Pittosporum monticola*](#) Miq.
- [*Pittosporum morierei*](#) Vieill. ex Guillaumin
- [*Pittosporum multiflorum*](#) (A.Cunn. ex Benth.) L.W.Cayzer, Crisp & I.Telford
- [*Pittosporum muricatum*](#) Tirel & Veillon

N



Pittosporum napaliense

- [*Pittosporum napaliense*](#) Sherff
- [*Pittosporum napaulense*](#) (DC.) Rehder & E.H.Wilson
- [*Pittosporum nativitatis*](#) Baker f.
- [*Pittosporum neelgherrense*](#) Wight & Arn.
- [*Pittosporum nubicola*](#) Schodde
- [*Pittosporum nubigenum*](#) Ridl.

O

- [*Pittosporum* × *obcordatum*](#) Raoul
- [*Pittosporum oblongilimbium*](#) Merr.
- [*Pittosporum obovatum*](#) Guillaumin
- [*Pittosporum obscurinerve*](#) Merr.
- [*Pittosporum ochrosiifolium*](#) Bojer
- [*Pittosporum odoratum*](#) Merr.
- [*Pittosporum oligodontum*](#) Gillespie
- [*Pittosporum oligophlebium*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum omeiense*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum oreillyanum*](#) C.T.White
- [*Pittosporum oreophilum*](#) Guillaumin
- [*Pittosporum ornatum*](#) Tirel & Veillon
- [*Pittosporum orohenense*](#) J.W.Moore
- [*Pittosporum oubatchense*](#) Schltr.
- [*Pittosporum owenstanleyense*](#) L.W.Cayzer & Utteridge

P



Pittosporum pimeleoides

- [*Pittosporum pachyphyllum*](#) Baker
- [*Pittosporum pancheri*](#) Brongn. & Gris
- [*Pittosporum pangalanense*](#) Cufod.
- [*Pittosporum paniculatum*](#) Brongn. & Gris
- [*Pittosporum paniculiferum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum paniense*](#) Guillaumin
- [*Pittosporum parvicapsulare*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum parvifolium*](#) Hayata
- [*Pittosporum parvilimbium*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum patelliplacenta*](#) (Schodde) L.W.Cayzer & Utteridge
- [*Pittosporum patulum*](#) Hook.f.
- [*Pittosporum pauciflorum*](#) Hook. & Arn.
- [*Pittosporum pentandrum*](#) (Blanco) Merr.
- [*Pittosporum perahuense*](#) H.St.John
- [*Pittosporum perglabratum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum peridoticola*](#) Sugau & Ent
- [*Pittosporum perryanum*](#) Gowda
- [*Pittosporum pervillei*](#) Blume
- [*Pittosporum phillyreoides*](#) DC.
- [*Pittosporum pickeringii*](#) A.Gray
- [*Pittosporum pimeleoides*](#) A.Cunn. ex Putt.
- [*Pittosporum planilobum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum podocarpum*](#) Gagnep.
- [*Pittosporum polyspermum*](#) Tul.
- [*Pittosporum poueboense*](#) Guillaumin
- [*Pittosporum poumense*](#) Guillaumin
- [*Pittosporum praedictum*](#) Schodde
- [*Pittosporum pronyense*](#) Guillaumin
- [*Pittosporum pseudostipitatum*](#) Merr.
- [*Pittosporum pulgarensense*](#) Elmer

- [*Pittosporum pullifolium*](#) Burkill
- [*Pittosporum pumilum*](#) Schodde
- [*Pittosporum purpurascens*](#) (Schodde) L.W.Cayzer & Utteridge
- [*Pittosporum purpureum*](#) H.St.John

Q

- [*Pittosporum qinlingense*](#) Y.Ren & X.Liu

R



Pittosporum rubiginosum

- [*Pittosporum raivavaeense*](#) H.St.John
- [*Pittosporum ralphii*](#) Kirk
- [*Pittosporum ramiflorum*](#) (Zoll. & Moritzi) Zoll. ex Miq.
- [*Pittosporum ramosii*](#) Merr.
- [*Pittosporum rangitahua*](#) E.K.Cameron & Sykes
- [*Pittosporum rapense*](#) F.Br.
- [*Pittosporum rarotongense*](#) Hemsl.
- [*Pittosporum reflexisepalum*](#) C.Y.Wu
- [*Pittosporum rehderianum*](#) Gowda
- [*Pittosporum resiniferum*](#) Hemsl.

- [*Pittosporum reticosum*](#) Ridl.
- [*Pittosporum revolutum*](#) W.T.Aiton
- [*Pittosporum rhytidocarpum*](#) A.Gray
- [*Pittosporum ridleyi*](#) L.W.Cayzer & G.Chandler
- [*Pittosporum rigidum*](#) Hook.f.
- [*Pittosporum roimata*](#) Gemmill & S.N.Carter
- [*Pittosporum rubiginosum*](#) A.Cunn.

S

- [*Pittosporum salicifolium*](#) Danguy
- [*Pittosporum samoense*](#) Christoph.
- [*Pittosporum saxicola*](#) Rehder & E.H.Wilson
- [*Pittosporum schoddei*](#) L.W.Cayzer & Utteridge
- [*Pittosporum scythophyllum*](#) Schltr.
- [*Pittosporum senacia*](#) Putt.
- [*Pittosporum serpentinum*](#) (de Lange) de Lange
- [*Pittosporum sessilifolium*](#) Tirel & Veillon
- [*Pittosporum silamense*](#) Sugau
- [*Pittosporum simsonii*](#) Montrouz.
- [*Pittosporum sinuatum*](#) Blume
- [*Pittosporum sogeriense*](#) L.W.Cayzer & Utteridge
- [*Pittosporum spinescens*](#) (F.Muell.) L.W.Cayzer, Crisp & I.Telford
- [*Pittosporum spissescens*](#) Utteridge
- [*Pittosporum stenopetalum*](#) Baker
- [*Pittosporum suatinum*](#) Schodde
- [*Pittosporum subulisepalum*](#) Hu & F.T.Wang
- [*Pittosporum sulawesiense*](#) L.W.Cayzer & G.Chandler
- [*Pittosporum sylvaticum*](#) Guillaumin

T



Pittosporum tobira

- [*Pittosporum taitense*](#) Putt.
- [*Pittosporum takaeue*](#) H.St.John

- [*Pittosporum tanianum*](#) Veillon & Tirel
- [*Pittosporum tenuifolium*](#) Gaertn.
- [*Pittosporum tenuivalvatum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum terminalioides*](#) Planch. ex A.Gray
- [*Pittosporum tetraspermum*](#) Wight & Arn.
- [*Pittosporum timorense*](#) Blume
- [*Pittosporum tinifolium*](#) A.Cunn.
- [*Pittosporum tobira*](#) (Thunb.) W.T.Aiton
- [*Pittosporum tonkinense*](#) Gagnep.
- [*Pittosporum trigonocarpum*](#) H.Lév.
- [*Pittosporum trilobum*](#) L.W.Cayzer, Crisp & I.Telford
- [*Pittosporum truncatum*](#) E.Pritz.
- [*Pittosporum tubiflorum*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum turneri*](#) Petrie

U

- [*Pittosporum umbellatum*](#) Gaertn.
- [*Pittosporum undulatifolium*](#) H.T.Chang & S.Z.Yan
- [*Pittosporum undulatum*](#) Vent.

V



Pittosporum viridiflorum

- [*Pittosporum venulosum*](#) F.Muell.
- [*Pittosporum verrucosum*](#) Veillon & Tirel
- [*Pittosporum viburnifolium*](#) Hayata
- [*Pittosporum virgatum*](#) Kirk
- [*Pittosporum viridiflorum*](#) Sims
- [*Pittosporum viridulum*](#) M.P.Nayar, G.S.Giri & V.Chandras.
- [*Pittosporum viscidum*](#) L.W.Cayzer, Crisp & I.Telford

W

- [*Pittosporum wingii*](#) F.Muell.

X

- [*Pittosporum xanthanthum*](#) Schltr.
- [*Pittosporum xenicum*](#) Schodde
- [*Pittosporum xylocarpum*](#) Hu & F.T.Wang

Y

- [*Pittosporum yunckeri*](#) A.C.Sm.

From Wikipedia, the free encyclopedia

[*Piper*](#) is a genus of plants in the family [Piperaceae](#).^[1] The following is a list of all 2432 species in the genus which are recognised by [Plants of the World Online](#) as of 19 April 2026.^[2]

A

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper abajoense](#) Bornst.
- [Piper abalienatum](#) Trel.
- [Piper abbadianum](#) Yunck.
- [Piper abbreviatum](#) Opiz
- [Piper abellinum](#) Trel. & Yunck.
- [Piper aberrans](#) C.DC.
- [Piper abutiloides](#) (Kunth) Kunth ex Steud.
- [Piper achoteanum](#) Trel.
- [Piper achotense](#) Trel. & Yunck.
- [Piper achromatolepis](#) Trel.
- [Piper achupallasense](#) Yunck.
- [Piper acre](#) Blume
- [Piper actae](#) Trel.
- [Piper acutamentum](#) C.DC.
- [Piper acutibracteum](#) C.DC.
- [Piper acutifolium](#) Ruiz & Pav.
- [Piper acutilimbium](#) C.DC.
- [Piper acutissimum](#) Trel.
- [Piper acutistigmum](#) C.DC.
- [Piper acutistipulum](#) C.DC.
- [Piper acutiusculum](#) C.DC.
- [Piper acutulium](#) Trel.
- [Piper adamatum](#) Trel. & Standl.
- [Piper addisonii](#) Yunck.
- [Piper adenandrum](#) (Miq.) C.DC.
- [Piper adenophlebium](#) Trel.
- [Piper admirabile](#) Yunck.
- [Piper adreptum](#) Trel.
- [Piper aduncum](#) L.
- [Piper aequale](#) Vahl
- [Piper aereum](#) Trel.
- [Piper aeruginosibaccum](#) Trel.
- [Piper affectans](#) Trel.
- [Piper affictum](#) Trel.
- [Piper afflictum](#) Trel.

- [*Piper agellifolium*](#) Trel. & Yunck.
- [*Piper aghaense*](#) E.F.Guim. & Carv.-Silva
- [*Piper agostiniorum*](#) Steyererm.
- [*Piper aguacalientis*](#) Trel.
- [*Piper aguadulcense*](#) Yunck.
- [*Piper agusanense*](#) C.DC.
- [*Piper ailigandiense*](#) Callejas
- [*Piper alajuelanum*](#) Trel.
- [*Piper alatabaccum*](#) Trel. & Yunck.
- [*Piper alatipetiolatum*](#) Yunck.
- [*Piper albamentum*](#) C.DC.
- [*Piper albanense*](#) Yunck.
- [*Piper albiciliatum*](#) Yunck.
- [*Piper albidiflorum*](#) C.DC.
- [*Piper albidistigmatum*](#) C.DC.
- [*Piper albidum*](#) Kunth
- [*Piper albogranulatum*](#) Trel.
- [*Piper albomaculatum*](#) D.Dietr.
- [*Piper albopapillatum*](#) Trel.
- [*Piper albopilosum*](#) Yunck.
- [*Piper albopunctatum*](#) C.DC.
- [*Piper albopunctulatisimum*](#) Trel.
- [*Piper albozonatum*](#) C.DC.
- [*Piper albuginiferum*](#) Trel.
- [*Piper alexii*](#) Callejas
- [*Piper aleyreanum*](#) C.DC.
- [*Piper allardii*](#) Yunck.
- [*Piper allatum*](#) Trel.
- [*Piper allisum*](#) Trel.
- [*Piper alnoides*](#) (Kunth) Kunth ex Steud.
- [*Piper altevaginans*](#) Trel.
- [*Piper alushii*](#) Callejas
- [*Piper alveolatum*](#) Opiz
- [*Piper alwynii*](#) M.A.Jaram.
- [*Piper amalago*](#) L.
- [*Piper amoenum*](#) Yunck.
- [*Piper amparoense*](#) Yunck.
- [*Piper amphibium*](#) Trel.
- [*Piper amphioxys*](#) Trel.
- [*Piper amphitrichum*](#) Trel.
- [*Piper amphoricarpum*](#) Trel.
- [*Piper amplexenticaule*](#) Trel. & Yunck.

- [*Piper anastylum*](#) Trel.
- [*Piper andakiensis*](#) W.Trujillo-C. & Callejas
- [*Piper andersii*](#) M.A.Jaram.
- [*Piper andreanum*](#) C.DC.
- [*Piper andresense*](#) Trel.
- [*Piper androgynum*](#) C.DC.
- [*Piper angamarcanum*](#) Sodiro ex C.DC.
- [*Piper angsiense*](#) I.M.Turner
- [*Piper angustifolium*](#) Lam.
- [*Piper angustipeltatum*](#) Merr.
- [*Piper anisophyllum*](#) Trel.
- [*Piper anisopleurum*](#) C.DC.
- [*Piper anisotis*](#) Hook.f.
- [*Piper anisotrichum*](#) C.DC.
- [*Piper anisum*](#) (Spreng.) Angely
- [*Piper annulatispicum*](#) Trel. & Yunck.
- [*Piper anonifolium*](#) (Kunth) Steud.
- [*Piper anonymum*](#) Trel.
- [*Piper anostachyum*](#) Yunck.
- [*Piper antherisobovatum*](#) Callejas
- [*Piper antioquiense*](#) C.DC.
- [*Piper antonense*](#) Callejas
- [*Piper apertum*](#) Trel.
- [*Piper apodum*](#) Trel.
- [*Piper appendiculatum*](#) (Benth.) C.DC.
- [*Piper apurimacatum*](#) Trel.
- [*Piper apus*](#) Trel.
- [*Piper aramanum*](#) C.DC.
- [*Piper araneatum*](#) Trel.
- [*Piper araquei*](#) Yunck.
- [*Piper arbelaezii*](#) Trel. & Yunck.
- [*Piper arboreum*](#) Aubl.
- [*Piper arborigaudens*](#) C.DC.
- [*Piper arborioccupans*](#) Trel. ex Callejas
- [*Piper arcessitum*](#) Trel.
- [*Piper archeri*](#) Trel. & Yunck.
- [*Piper arcteacuminatum*](#) Trel.
- [*Piper arcuatum*](#) Blume
- [*Piper arduum*](#) Trel.
- [*Piper arenicola*](#) Trel.
- [*Piper areolatum*](#) (Miq.) C.DC.
- [*Piper arfakianum*](#) C.DC.

- [*Piper argentamentum*](#) Trel. & Yunck.
- [*Piper argyrites*](#) Ridl. ex C.DC.
- [*Piper argyroneurum*](#) Hallier f.
- [*Piper argyrophyllum*](#) Miq.
- [*Piper arianeae*](#) G.A.Queiroz, Sarnaglia & E.F.Guim.
- [*Piper arieianum*](#) C.DC.
- [*Piper aristolochiphyllum*](#) Quisumb.
- [*Piper armatum*](#) Trel. & Yunck.
- [*Piper aromaticaule*](#) Callejas
- [*Piper arrectispicum*](#) Trel.
- [*Piper arreptum*](#) Trel.
- [*Piper artanthe*](#) C.DC.
- [*Piper artanthopse*](#) C.DC.
- [*Piper articulatum*](#) A.Rich.
- [*Piper arunachalense*](#) Gajurel, Rethy & Y.Kumar
- [*Piper arundinetorum*](#) Trel.
- [*Piper ascendentispicum*](#) Trel.
- [*Piper asclepiadifolium*](#) Trel.
- [*Piper aserrianum*](#) Trel.
- [*Piper aspericaule*](#) Trel.
- [*Piper asperilimbium*](#) C.DC.
- [*Piper asperiusculum*](#) Kunth
- [*Piper asperulibaccum*](#) C.DC.
- [*Piper asplundii*](#) Yunck.
- [*Piper asterocarpum*](#) Trel.
- [*Piper asterostigmum*](#) Quisumb.
- [*Piper asterotrichum*](#) C.DC.
- [*Piper asymmetricum*](#) C.DC.
- [*Piper atlantidanum*](#) Trel.
- [*Piper atrichopus*](#) Trel.
- [*Piper atrobaccum*](#) Trel. & Yunck.
- [*Piper atroglandulosum*](#) Tebbs
- [*Piper atropremnon*](#) Trel.
- [*Piper attenuatamentum*](#) Trel.
- [*Piper attenuatum*](#) Buch.-Ham. ex Miq.
- [*Piper augustum*](#) Rudge
- [*Piper aulacospermum*](#) Callejas
- [*Piper auriculiferum*](#) Trel.
- [*Piper auriculilaminum*](#) Yunck.
- [*Piper aurilimbium*](#) C.DC.
- [*Piper auritifolium*](#) Trel.
- [*Piper auritum*](#) Kunth

- [Piper aurorubrum](#) C.DC.
- [Piper austini](#) Trel.
- [Piper austrocaledonicum](#) C.DC.
- [Piper austromexicanum](#) Trel.
- [Piper austrosinense](#) Y.C.Tseng
- [Piper avanum](#) Wall.
- [Piper avellanum](#) (Miq.) C.DC.
- [Piper azuaiense](#) Yunck.
- [Piper azupizuanum](#) Trel.

B

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper baccans*](#) (Miq.) C.DC.
- [*Piper baccatum*](#) Blume
- [*Piper baculiferum*](#) Trel.
- [*Piper baezanum*](#) Sodiro ex C.DC.
- [*Piper baezense*](#) Trel.
- [*Piper baguionum*](#) C.DC.
- [*Piper bahianum*](#) Yunck.
- [*Piper bajanum*](#) Trel. & Yunck.
- [*Piper bakeri*](#) C.DC. ex Callejas
- [*Piper bakerianum*](#) C.DC.
- [*Piper balansae*](#) C.DC.
- [*Piper balsapuertanum*](#) Trel.
- [*Piper bambusifolium*](#) Y.C.Tseng
- [*Piper bangii*](#) C.DC.
- [*Piper bangkanum*](#) C.DC.
- [*Piper bantamense*](#) Blume
- [*Piper baracoanum*](#) León
- [*Piper baramense*](#) C.DC.
- [*Piper barbatum*](#) Kunth
- [*Piper barberi*](#) Gamble
- [*Piper barbicuspe*](#) Trel.
- [*Piper barbinerve*](#) Trel.
- [*Piper barbirostre*](#) Trel.
- [*Piper barbispicum*](#) C.DC.
- [*Piper barbosanum*](#) Trel. & Yunck.
- [*Piper barbulantherum*](#) Trel.
- [*Piper barbulatum*](#) C.DC.
- [*Piper barcoense*](#) Yunck.
- [*Piper barkleyi*](#) Yunck.
- [*Piper barretoii*](#) Yunck.
- [*Piper barriosense*](#) Trel. & Standl.
- [*Piper bartlingianum*](#) (Miq.) C.DC.
- [*Piper basegibbosum*](#) Callejas
- [*Piper basilobatum*](#) Trel. & Yunck.
- [*Piper batuanum*](#) C.DC.
- [*Piper beccarii*](#) C.DC.
- [*Piper begoniicolor*](#) Trel. & Yunck.
- [*Piper begoniifolium*](#) Hook. & Arn.
- [*Piper begoniiforme*](#) Yunck.
- [*Piper belicense*](#) Callejas
- [*Piper bellidifolium*](#) Yunck.
- [*Piper belloii*](#) Yunck.

- [Piper bellum](#) Yunck.
- [Piper belterraense](#) Yunck.
- [Piper bengalense](#) C.DC.
- [Piper bennettianum](#) C.DC.
- [Piper berembunense](#) Chaveer. & Sudmoon
- [Piper berlandieri](#) C.DC.
- [Piper bermejanum](#) Trel. & Yunck.
- [Piper bernoullii](#) C.DC. ex Callejas
- [Piper berryi](#) Steyererm.
- [Piper betle](#) L.
- [Piper betleoides](#) C.DC.
- [Piper betloides](#) Chaveer. & Tanomtong
- [Piper biauratum](#) C.DC.
- [Piper bicornis](#) Carv.-Silva, E.F.Guim. & L.A.Pereira
- [Piper bikanum](#) O.Schwartz
- [Piper bilobulatum](#) C.DC.
- [Piper bipedale](#) C.DC.
- [Piper bipunctatum](#) C.DC.
- [Piper biritak](#) Trel. & Standl.
- [Piper bisasperatum](#) Trel.
- [Piper biseriatum](#) C.DC.
- [Piper bistigmatum](#) C.DC.
- [Piper blattarum](#) Spreng.
- [Piper blepharilepidum](#) Trel.
- [Piper boehmeriifolium](#) (Miq.) Wall. ex C.DC.
- [Piper boissierianum](#) C.DC.
- [Piper boivinii](#) C.DC.
- [Piper bojonyum](#) C.DC.
- [Piper bolanicum](#) Schltr. ex R.O.Gardner
- [Piper bolivaranum](#) Yunck.
- [Piper bolivianum](#) C.DC.
- [Piper bonii](#) C.DC.
- [Piper boorsroae](#) C.DC.
- [Piper boqueronense](#) Callejas
- [Piper boquetense](#) Yunck.
- [Piper boquianum](#) Trel. & Yunck.
- [Piper borbonense](#) (Miq.) C.DC.
- [Piper borneense](#) N.E.Br.
- [Piper bosnicum](#) C.DC.
- [Piper botrytes](#) Vahl
- [Piper bourgeaui](#) C.DC.
- [Piper bowiei](#) Yunck.

- [*Piper brachipilum*](#) Yunck.
- [*Piper brachistopodum*](#) C.DC.
- [*Piper brachypetiolatum*](#) Yunck.
- [*Piper brachypodon*](#) (Benth.) C.DC.
- [*Piper brachypus*](#) Trel.
- [*Piper brachystylum*](#) Trel.
- [*Piper brachytrichum*](#) Trel.
- [*Piper bradei*](#) Yunck.
- [*Piper brassii*](#) Trel.
- [*Piper bredemeyeri*](#) J.Jacq.
- [*Piper breedlovei*](#) Callejas
- [*Piper brenesii*](#) C.DC.
- [*Piper breve*](#) C.DC.
- [*Piper brevesanum*](#) Yunck.
- [*Piper breviamentum*](#) C.DC.
- [*Piper brevicuspe*](#) (Miq.) Merr.
- [*Piper brevifolium*](#) C.DC.
- [*Piper brevilimbium*](#) C.DC.
- [*Piper brevipedicellatum*](#) Bornst.
- [*Piper brevipedunculatum*](#) C.DC.
- [*Piper brevipes*](#) C.DC.
- [*Piper brevispicum*](#) C.DC.
- [*Piper brevistigmum*](#) C.DC.
- [*Piper brevistrigillosum*](#) Trel.
- [*Piper brevistylum*](#) C.DC.
- [*Piper brewsteri*](#) Callejas
- [*Piper brisasense*](#) Yunck.
- [*Piper brongniartii*](#) (Miq.) C.DC.
- [*Piper brownsbergense*](#) Yunck.
- [*Piper brumadinense*](#) Carv.-Silva & E.F.Guim.
- [*Piper bryoetum*](#) C.DC.
- [*Piper buchii*](#) Urb.
- [*Piper buchingeri*](#) C.DC. ex Callejas
- [*Piper bullatifolium*](#) Sodiro
- [*Piper bullatilimbium*](#) Pilg.
- [*Piper bullosum*](#) C.DC.
- [*Piper bullulatum*](#) M.A.Jaram.
- [*Piper bullulifolium*](#) Trel.
- [*Piper burenii*](#) C.DC.
- [*Piper burgeri*](#) Callejas
- [*Piper buruanum*](#) Miq.

C

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Piper cabagranum](#) C.DC.
- [Piper caballetense](#) R.Bernal
- [Piper caballo-cochanum](#) Trel.
- [Piper cabralanum](#) C.DC.
- [Piper cachimboense](#) Yunck.
- [Piper cacuminum](#) C.DC.
- [Piper cadenaense](#) Tebbs
- [Piper caducibracteum](#) C.DC.
- [Piper caguanense](#) W.Trujillo-C. & M.A.Jaram.
- [Piper cajamarcanum](#) Yunck.

- [*Piper cajambrense*](#) Trel. & Yunck.
- [*Piper caladiifolium*](#) (Miq.) C.DC.
- [*Piper calamistratum*](#) Trel.
- [*Piper calanyanum*](#) Trel. & Yunck.
- [*Piper calcaratum*](#) C.DC.
- [*Piper calcariforme*](#) Tebbs
- [*Piper calceolarium*](#) C.DC.
- [*Piper caldasianum*](#) (Miq.) Yunck.
- [*Piper caldense*](#) C.DC.
- [*Piper calderonii*](#) Trel. ex Callejas
- [*Piper caliendriferum*](#) Trel.
- [*Piper callcanense*](#) Trel.
- [*Piper callejasii*](#) W.Trujillo-C. & M.A.Jaram.
- [*Piper callibracteum*](#) C.DC.
- [*Piper callosum*](#) Ruiz & Pav.
- [*Piper calocoma*](#) (Miq.) C.DC.
- [*Piper calophyllum*](#) C.DC.
- [*Piper calvarii*](#) S.M.Niño & Dorr
- [*Piper calvescens*](#) Trel.
- [*Piper calvescentinerve*](#) Trel.
- [*Piper calvibaccum*](#) Trel.
- [*Piper calvilimum*](#) C.DC.
- [*Piper calvirameum*](#) C.DC.
- [*Piper cambessedesii*](#) (Miq.) C.DC.
- [*Piper cambodianum*](#) C.DC.
- [*Piper camiloi*](#) Yunck.
- [*Piper campanum*](#) Yunck.
- [*Piper camphoriferum*](#) C.DC.
- [*Piper campii*](#) Yunck.
- [*Piper camptostachys*](#) Urb.
- [*Piper canaense*](#) Standl.
- [*Piper canaliculum*](#) Tebbs
- [*Piper canastrense*](#) E.F.Guim. & Carv.-Silva
- [*Piper canavillosum*](#) Steyerm.
- [*Piper candelarianum*](#) C.DC.
- [*Piper candollei*](#) Sodiro
- [*Piper canescens*](#) J.Mathew
- [*Piper canovillosum*](#) Steyerm.
- [*Piper capacibracteum*](#) Trel.
- [*Piper capense*](#) L.f.
- [*Piper capillipes*](#) Trel. & Yunck.
- [*Piper capillistipes*](#) Trel.

- [*Piper capitarianum*](#) Yunck.
- [*Piper capitellatum*](#) C.DC.
- [*Piper captum*](#) Trel.
- [*Piper caquetanum*](#) Yunck.
- [*Piper caracolanum*](#) C.DC.
- [*Piper caranoense*](#) W.Trujillo-C.
- [*Piper cararenses*](#) Trel. & Yunck.
- [*Piper carautensei*](#) E.F.Guim. & Carv.-Silva
- [*Piper cariacicaense*](#) Carv.-Silva & E.F.Guim.
- [*Piper carizalanum*](#) C.DC.
- [*Piper carlosii*](#) Trel. & Yunck.
- [*Piper carminis*](#) Trel.
- [*Piper carnibracteum*](#) C.DC.
- [*Piper carniconnectivum*](#) C.DC.
- [*Piper carnistigmum*](#) C.DC.
- [*Piper carpinteranum*](#) C.DC.
- [*Piper carpunya*](#) Ruiz & Pav.
- [*Piper carrapanum*](#) Trel.
- [*Piper carrilloanum*](#) C.DC.
- [*Piper cartagoanum*](#) C.DC.
- [*Piper casapiense*](#) (Miq.) C.DC.
- [*Piper casimirianum*](#) Hemsl.
- [*Piper cassinoides*](#) Opiz
- [*Piper casteloense*](#) Yunck.
- [*Piper castroanum*](#) Trel. & Yunck.
- [*Piper cataractarum*](#) Trel.
- [*Piper cathayanum*](#) M.G.Gilbert & N.H.Xia
- [*Piper cativalense*](#) Trel.
- [*Piper catripense*](#) Yunck.
- [*Piper caucaense*](#) Yunck.
- [*Piper caudatifolium*](#) Trel.
- [*Piper cavalcantii*](#) Yunck.
- [*Piper cavendishioides*](#) Trel. & Yunck.
- [*Piper cayoense*](#) Trel.
- [*Piper ceanothifolium*](#) Kunth
- [*Piper ceibense*](#) C.DC.
- [*Piper cejanum*](#) Trel. & Yunck.
- [*Piper celebicum*](#) Blume
- [*Piper celer*](#) Trel.
- [*Piper celsum*](#) Trel.
- [*Piper celtidiforme*](#) Opiz
- [*Piper cenocladum*](#) C.DC.

- [*Piper centroense*](#) Trel. & Yunck.
- [*Piper ceramicum*](#) (Miq.) C.DC.
- [*Piper cercidiphyllum*](#) Trel.
- [*Piper cernuum*](#) Vell.
- [*Piper cerrocampanum*](#) Callejas
- [*Piper cerronianum*](#) Steyererm.
- [*Piper certeguiense*](#) Trel. & Yunck.
- [*Piper chacaritaense*](#) Callejas
- [*Piper chagresianum*](#) Trel.
- [*Piper chalhupaquianum*](#) Trel.
- [*Piper chamissonis*](#) Steud.
- [*Piper chanchamayanum*](#) Trel.
- [*Piper chanekii*](#) Trel.
- [*Piper changuinolanum*](#) Trel.
- [*Piper chantaranothaii*](#) Suwanph. & D.A.Simpson
- [*Piper chaveerachiae*](#) Idrees & Z.Yong Zhang
- [*Piper chavicoides*](#) (Miq.) C.DC.
- [*Piper cheyennense*](#) Trel. & Standl.
- [*Piper chiadoense*](#) Yunck.
- [*Piper Chiangdaoense*](#) Suwanph. & Chantar.
- [*Piper chiapasense*](#) Callejas
- [*Piper chimborazoense*](#) Yunck.
- [*Piper chimonanthifolium*](#) (Kunth) Kunth ex Steud.
- [*Piper chinantlense*](#) M.Martens & Galeotti
- [*Piper chinense*](#) Miq.
- [*Piper chiquihuitense*](#) Trel. & Standl.
- [*Piper chiriquinum*](#) C.DC.
- [*Piper chirriapoense*](#) C.DC.
- [*Piper chlorostachyum*](#) C.DC.
- [*Piper choapamense*](#) Trel. ex Callejas
- [*Piper christyi*](#) C.DC.
- [*Piper chromatolepis*](#) Trel.
- [*Piper chrysoneurum*](#) Trel.
- [*Piper chrysostachyum*](#) C.DC.
- [*Piper chuareense*](#) M.A.Jaram. & Callejas
- [*Piper chumboense*](#) Yunck.
- [*Piper churruyacoanum*](#) Trel. & Yunck.
- [*Piper churumayu*](#) Ruiz & Pav.
- [*Piper cicatriculosum*](#) Trel. & Yunck.
- [*Piper cihuatlanense*](#) Bornst.
- [*Piper ciliatifolium*](#) Trel.
- [*Piper cilibracteum*](#) C.DC.

- [*Piper cililimum*](#) Yunck.
- [*Piper ciliomarginatum*](#) Görts & Christenh.
- [*Piper cincinnatum*](#) Trel.
- [*Piper cinereocaulis*](#) C.DC.
- [*Piper cinereum*](#) C.DC.
- [*Piper cingens*](#) C.DC.
- [*Piper ciniflonis*](#) Trel.
- [*Piper circumspectantis*](#) Trel.
- [*Piper cirratum*](#) Trel.
- [*Piper cisnerosense*](#) Trel. & Yunck.
- [*Piper cispontinum*](#) Trel.
- [*Piper claseanum*](#) Bornst.
- [*Piper clathratum*](#) Sodiro ex C.DC.
- [*Piper claudii*](#) C.DC.
- [*Piper claussenianum*](#) (Miq.) C.DC.
- [*Piper clavibracteum*](#) C.DC.
- [*Piper clavuligerum*](#) Trel.
- [*Piper clivicola*](#) Standl. & L.O.Williams
- [*Piper coactile*](#) Ridl.
- [*Piper coactipilum*](#) Trel.
- [*Piper coactoris*](#) Trel.
- [*Piper coariense*](#) Yunck.
- [*Piper cobanense*](#) Trel.
- [*Piper cobarianum*](#) Trel. & Yunck.
- [*Piper coccoloboides*](#) (Kunth) Kunth ex Steud.
- [*Piper cochleatum*](#) Sodiro
- [*Piper coclense*](#) Callejas
- [*Piper cocornanum*](#) Trel. & Yunck.
- [*Piper cocquericotense*](#) Trel.
- [*Piper coeloneurum*](#) Diels
- [*Piper coilostachyum*](#) C.DC.
- [*Piper colaphitolerans*](#) Trel.
- [*Piper colipantum*](#) C.DC.
- [*Piper colligatispicum*](#) Trel. & Yunck.
- [*Piper collinum*](#) C.DC.
- [*Piper colonense*](#) C.DC.
- [*Piper colotlipanense*](#) Bornst.
- [*Piper colubrinum*](#) Link
- [*Piper comasense*](#) Trel.
- [*Piper comatum*](#) Trel.
- [*Piper comayaguanum*](#) Trel.
- [*Piper come*](#) Trel. & Standl.

- [*Piper commutatum*](#) Steud.
- [*Piper compactum*](#) Trel.
- [*Piper conceptionis*](#) Trel.
- [*Piper concinnifolium*](#) Trel.
- [*Piper concretiflorum*](#) C.DC.
- [*Piper conditum*](#) Trel.
- [*Piper condotoense*](#) Trel. & Yunck.
- [*Piper conejoense*](#) Trel. & Yunck.
- [*Piper confertinodum*](#) (Trel. & Yunck.) M.A.Jaram. & Callejas
- [*Piper confusionis*](#) Trel.
- [*Piper confusum*](#) C.DC.
- [*Piper conibaccum*](#) C.DC.
- [*Piper conispicum*](#) Trel.
- [*Piper coniunctonis*](#) Callejas
- [*Piper conquistanum*](#) Yunck.
- [*Piper consanguineum*](#) (Kunth) Steud.
- [*Piper constanzanum*](#) (C.DC.) Urb.
- [*Piper contraverrugosum*](#) (Cuatrec.) R.Bernal
- [*Piper controversum*](#) Steud.
- [*Piper conversum*](#) Trel.
- [*Piper cooperi*](#) Yunck.
- [*Piper copacabanense*](#) Trel.
- [*Piper copeyanum*](#) (C.DC.) Trel.
- [*Piper coralfalgense*](#) C.DC.
- [*Piper corcovadense*](#) (Miq.) C.DC.
- [*Piper cordatilimum*](#) Quisumb.
- [*Piper cordatum*](#) C.DC.
- [*Piper cordiforme*](#) Steyerf.
- [*Piper cordilimum*](#) C.DC.
- [*Piper cordillerianum*](#) C.DC.
- [*Piper cordoncillo*](#) Trel.
- [*Piper cordovanum*](#) C.DC.
- [*Piper corei*](#) (Yunck.) R.Bernal
- [*Piper coriaceilimum*](#) C.DC.
- [*Piper corintoananum*](#) Yunck.
- [*Piper cornifolium*](#) Kunth
- [*Piper cornilimum*](#) C.DC.
- [*Piper coronanum*](#) Trel. & Standl.
- [*Piper coronatibracteum*](#) Trel.
- [*Piper corozalanum*](#) Trel.
- [*Piper corpulentispicum*](#) Trel. & Yunck.
- [*Piper corrugatum*](#) Kuntze

- [*Piper coruscans*](#) Kunth
- [*Piper corylistachyopsis*](#) Trel.
- [*Piper costaricense*](#) C.DC.
- [*Piper costatum*](#) C.DC.
- [*Piper costulatum*](#) C.DC.
- [*Piper courtallense*](#) P.K.Mukh.
- [*Piper cowanii*](#) (Yunck.) Yunck.
- [*Piper coyolesense*](#) Trel.
- [*Piper crassicaule*](#) Trel.
- [*Piper crassinervium*](#) Kunth
- [*Piper crassipedunculum*](#) Yunck.
- [*Piper crassipes*](#) Korth. ex Miq.
- [*Piper crassistilum*](#) Yunck.
- [*Piper crassum*](#) Blume
- [*Piper crebrinodum*](#) C.DC.
- [*Piper crenatifolium*](#) Trel. & Yunck.
- [*Piper crenulatibracteum*](#) C.DC.
- [*Piper crenulatum*](#) Steyerm.
- [*Piper cricamolense*](#) Trel.
- [*Piper criniovarium*](#) Yunck.
- [*Piper crispatum*](#) A.C.Sm.
- [*Piper cristalinanum*](#) Trel. & Yunck.
- [*Piper cristicola*](#) Trel.
- [*Piper cristinanum*](#) Trel. & Standl.
- [*Piper crocatum*](#) Ruiz & Pav.
- [*Piper cuasianum*](#) Standl.
- [*Piper cuatrecasasii*](#) (Trel. & Yunck.) R.Bernal
- [*Piper cubataonum*](#) C.DC.
- [*Piper cubeba*](#) L.f.
- [*Piper cubilquitzianum*](#) C.DC.
- [*Piper cucullatum*](#) Callejas
- [*Piper cufodontii*](#) Trel.
- [*Piper culebranum*](#) C.DC.
- [*Piper cumanense*](#) Kunth
- [*Piper cumaralense*](#) C.DC.
- [*Piper cumbasonum*](#) C.DC.
- [*Piper cumbotianum*](#) C.DC.
- [*Piper cuniculorum*](#) Trel. & Yunck.
- [*Piper cunninghamii*](#) Yunck.
- [*Piper cupreatum*](#) Trel.
- [*Piper curridabatanum*](#) Trel.
- [*Piper curtifolium*](#) C.DC.

- [Piper curtilimbium](#) C.DC.
- [Piper curtipetiolum](#) C.DC.
- [Piper curtirachis](#) W.C.Burger
- [Piper curtisii](#) C.DC.
- [Piper curtispicum](#) C.DC.
- [Piper curtistilum](#) C.DC.
- [Piper curtistipes](#) C.DC.
- [Piper curvatipes](#) Trel.
- [Piper curvatum](#) Ruiz & Pav.
- [Piper curvinervium](#) Callejas & Betancur
- [Piper curvipilum](#) Trel.
- [Piper cuspidatum](#) Desv.
- [Piper cuspidibracteatum](#) Yunck.
- [Piper cuspidiflorum](#) Callejas
- [Piper cuspidilimbium](#) C.DC.
- [Piper cuspidispicum](#) Trel.
- [Piper cutucuense](#) Yunck.
- [Piper cuyabanum](#) C.DC.
- [Piper cuyunianum](#) Steyerm.
- [Piper cyanophyllum](#) Trel.
- [Piper cyphophyllopse](#) Trel. & Yunck.
- [Piper cyphophyllum](#) C.DC.
- [Piper cyprium](#) Trel. & Yunck.
- [Piper cyrtopodium](#) (Miq.) C.DC.
- [Piper cyrtostachys](#) Ridl.

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper dactylostigmum*](#) Yunck.
- [*Piper daedalum*](#) Trel.
- [*Piper daguanum*](#) C.DC.
- [*Piper damiaoshanense*](#) Y.C.Tseng
- [*Piper daniel-gonzalezii*](#) Trel.
- [*Piper darienense*](#) C.DC.
- [*Piper dasyoura*](#) (Miq.) C.DC.
- [*Piper dasypodum*](#) (Miq.) C.DC.
- [*Piper dasypogon*](#) C.DC.
- [*Piper davaoense*](#) C.DC.
- [*Piper davidianum*](#) C.DC.
- [*Piper davidsoniae*](#) Yunck.
- [*Piper dawsonii*](#) Trel.
- [*Piper deamii*](#) Trel.
- [*Piper decipiens*](#) (Miq.) C.DC.
- [*Piper decrescens*](#) (Miq.) C.DC.
- [*Piper decumanum*](#) L.
- [*Piper decurrens*](#) C.DC.
- [*Piper decurtispicum*](#) (Trel. & Yunck.) Callejas
- [*Piper dedititium*](#) Trel.
- [*Piper deductum*](#) Trel.
- [*Piper deflexispicum*](#) Trel.
- [*Piper degeneri*](#) A.C.Sm.
- [*Piper delectans*](#) Trel.
- [*Piper delicatum*](#) C.DC.
- [*Piper deliciasanum*](#) Steyererm.
- [*Piper delirioi*](#) Sarnaglia & E.F.Guim.

- [*Piper deltoideocarpum*](#) Trel.
- [*Piper demeraranum*](#) (Miq.) C.DC.
- [*Piper demoratum*](#) Trel.
- [*Piper dempoanum*](#) C.DC.
- [*Piper dendroamans*](#) Trel. ex Callejas
- [*Piper dennisii*](#) Trel.
- [*Piper densiciliatum*](#) Yunck.
- [*Piper denudatissimum*](#) Callejas
- [*Piper depressibaccum*](#) Trel.
- [*Piper descourtilsianum*](#) C.DC.
- [*Piper desultorium*](#) Trel.
- [*Piper detonsum*](#) Trel.
- [*Piper diazanum*](#) Trel.
- [*Piper dichotomum*](#) Ruiz & Pav.
- [*Piper dichroostachyum*](#) Trel. & Yunck.
- [*Piper diffamatum*](#) Trel. & Yunck.
- [*Piper diffundum*](#) Yunck.
- [*Piper diffusum*](#) Vahl
- [*Piper diguaense*](#) Yunck.
- [*Piper dilatatum*](#) Rich.
- [*Piper dimetrale*](#) C.DC.
- [*Piper dimorphophyllum*](#) Trel.
- [*Piper dimorphotrichum*](#) Yunck.
- [*Piper dimorphum*](#) Callejas
- [*Piper dindingsianum*](#) C.DC.
- [*Piper diospyrifolium*](#) (Kunth) Kunth ex Steud.
- [*Piper dipterocarpinum*](#) C.DC.
- [*Piper diquisanum*](#) C.DC.
- [*Piper discriminatum*](#) Trel. & Yunck.
- [*Piper disparifolium*](#) Trel.
- [*Piper disparinervium*](#) Callejas
- [*Piper disparipes*](#) Trel.
- [*Piper disparipilum*](#) C.DC.
- [*Piper dissimulans*](#) Trel.
- [*Piper distichum*](#) Trel. & Yunck.
- [*Piper distigmatum*](#) Yunck.
- [*Piper divaricatum*](#) G.Mey.
- [*Piper diversipilum*](#) Trel.
- [*Piper divortans*](#) Trel. & Yunck.
- [*Piper divulgatum*](#) Trel. & Yunck.
- [*Piper djabia*](#) C.DC.
- [*Piper dodsonii*](#) Yunck.

- [*Piper doiphukhaense*](#) Suwanph. & Chantar.
- [*Piper dolichostachyum*](#) M.G.Gilbert & N.H.Xia
- [*Piper dolichostylum*](#) Callejas & Betancur
- [*Piper dolichotrichum*](#) Yunck.
- [*Piper domingense*](#) C.DC.
- [*Piper donnell-smithii*](#) C.DC.
- [*Piper dotanum*](#) Trel.
- [*Piper douglasii*](#) Callejas
- [*Piper dravidii*](#) Lekhak, Kambale & S.R.Yadav
- [*Piper dryadum*](#) C.DC.
- [*Piper duartei*](#) E.F.Guim. & Carv.-Silva
- [*Piper duckei*](#) C.DC.
- [*Piper dukei*](#) Yunck.
- [*Piper dulce*](#) Trel.
- [*Piper dumeticola*](#) C.DC.
- [*Piper dumiformans*](#) C.DC.
- [*Piper dumosum*](#) Rudge
- [*Piper dunlapii*](#) Trel.
- [*Piper dunstervilleorum*](#) Steyererm.
- [*Piper durilignum*](#) C.DC.
- [*Piper durilimum*](#) C.DC.
- [*Piper durionoides*](#) Suwanph. & Chantar.
- [*Piper durvilleanum*](#) (Miq.) Trel.
- [*Piper dussii*](#) C.DC.

E

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Piper ecallosum*](#) Trel.
- [*Piper echeverrianum*](#) Trel.
- [*Piper echinocaule*](#) Yunck.
- [*Piper echinovarum*](#) Yunck.
- [*Piper ecuadorensense*](#) Sodiro
- [*Piper edurum*](#) Trel.
- [*Piper edwallii*](#) Yunck.
- [*Piper ejuncidum*](#) Trel.
- [*Piper elasmophyllum*](#) Trel.
- [*Piper elatostema*](#) Hallier f.
- [*Piper elbancoanum*](#) Trel. & Yunck.
- [*Piper elbertii*](#) C.DC.
- [*Piper elcaranyanum*](#) Trel. & Yunck.
- [*Piper eldoradense*](#) Trel. ex Callejas
- [*Piper ellipticifolium*](#) Yunck.
- [*Piper ellipticolanceolatum*](#) (C.DC.) Trel.
- [*Piper ellsworthii*](#) (Trel. & Yunck.) R.Bernal
- [*Piper elmeri*](#) Merr.
- [*Piper elongatum*](#) Vahl
- [*Piper elparamoense*](#) Yunck.
- [*Piper emancipationis*](#) Trel.
- [*Piper emmerichianum*](#) Yunck.
- [*Piper emollitum*](#) Trel.
- [*Piper emygdioi*](#) Yunck.
- [*Piper enckeaspicum*](#) (Trel. & Yunck.) Callejas
- [*Piper endlicherianum*](#) (Miq.) Trel.
- [*Piper enenyasense*](#) Trel.
- [*Piper enganyanum*](#) Trel. & Yunck.

- [*Piper ensifolium*](#) Quisumb.
- [*Piper entradense*](#) Trel. & Yunck.
- [*Piper epigynium*](#) C.DC.
- [*Piper epilosipes*](#) Trel.
- [*Piper epunctatum*](#) Trel.
- [*Piper erectamentum*](#) C.DC.
- [*Piper erecticaule*](#) C.DC.
- [*Piper erectipilum*](#) Yunck.
- [*Piper erectum*](#) C.DC.
- [*Piper eriocladum*](#) Sodiro
- [*Piper eriopodon*](#) (Miq.) C.DC.
- [*Piper erubescentspica*](#) Trel.
- [*Piper erythrostachyum*](#) C.DC.
- [*Piper erythroxyloides*](#) R.E.Schult. & García-Barr.
- [*Piper escaleranum*](#) C.DC.
- [*Piper escuadratum*](#) Trel.
- [*Piper esperancanum*](#) Yunck.
- [*Piper eucalyptifolium*](#) Rudge
- [*Piper eucalyptiphyllum*](#) C.DC.
- [*Piper eucalyptolimbium*](#) C.DC.
- [*Piper eupodum*](#) C.DC.
- [*Piper euryphyllum*](#) C.DC.
- [*Piper eustylum*](#) Diels
- [*Piper evasum*](#) Trel.
- [*Piper evingeri*](#) Yunck.
- [*Piper evulsipilosum*](#) Trel.
- [*Piper ewanii*](#) Yunck.
- [*Piper exactum*](#) Trel. & Standl.
- [*Piper exasperatum*](#) Vahl
- [*Piper excavatum*](#) Ruiz & Pav.
- [*Piper excelsum*](#) G.Forst.
- [*Piper excessum*](#) Trel.
- [*Piper exiguicaule*](#) Yunck.
- [*Piper exiguispicum*](#) Trel.
- [*Piper expolitum*](#) Trel.
- [*Piper externum*](#) Trel.

F

Contents:

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper factum*](#) Trel.
- [*Piper fadyenii*](#) C.DC.
- [*Piper faecatium*](#) Trel.
- [*Piper fagifolium*](#) Trel.
- [*Piper falanense*](#) Trel. & Yunck.
- [*Piper falcifolium*](#) Trel.
- [*Piper falcigerum*](#) Trel.
- [*Piper falcispicum*](#) Yunck.
- [*Piper falconeri*](#) C.DC.
- [*Piper falculispicum*](#) Trel. & Yunck.
- [*Piper fallax*](#) Vahl
- [*Piper fallenii*](#) A.H.Gentry
- [*Piper fallens*](#) Trel.
- [*Piper fanshawei*](#) Yunck.
- [*Piper faroense*](#) Yunck.
- [*Piper fastiditum*](#) Trel. & Yunck.

- [*Piper faviculiferum*](#) Trel.
- [*Piper ferreyrae*](#) Yunck.
- [*Piper ferriei*](#) C.DC.
- [*Piper figlinum*](#) Trel.
- [*Piper filiferum*](#) Aver.
- [*Piper filipedunculum*](#) C.DC.
- [*Piper filipes*](#) C.DC.
- [*Piper filiramosum*](#) Callejas
- [*Piper filistilum*](#) C.DC.
- [*Piper fimbrirachium*](#) Callejas
- [*Piper fimbriulatum*](#) C.DC.
- [*Piper firmifolium*](#) Trel.
- [*Piper firmolimbum*](#) C.DC.
- [*Piper fischerianum*](#) C.DC.
- [*Piper flagellicuspe*](#) Trel. & Yunck.
- [*Piper flavescens*](#) (C.DC.) Trel.
- [*Piper flavibaccum*](#) C.DC.
- [*Piper flavicans*](#) C.DC.
- [*Piper flavidum*](#) C.DC.
- [*Piper flavifructum*](#) Trel.
- [*Piper flaviramum*](#) C.DC.
- [*Piper flavispicum*](#) C.DC.
- [*Piper flavoviride*](#) C.DC.
- [*Piper flexuosum*](#) Rudge
- [*Piper fluminense*](#) Raddi
- [*Piper fonteboanum*](#) Yunck.
- [*Piper foreroi*](#) A.H.Gentry
- [*Piper formici-tolerans*](#) Trel.
- [*Piper formosum*](#) (Miq.) C.DC.
- [*Piper forstenii*](#) C.DC.
- [*Piper fortalezanum*](#) Trel.
- [*Piper fortunaense*](#) Tebbs
- [*Piper fortunyoanum*](#) Trel.
- [*Piper forzzae*](#) G.A.Queiroz & E.F.Guim.
- [*Piper fragile*](#) Benth.
- [*Piper fragiliforme*](#) C.DC.
- [*Piper fragrans*](#) Trel.
- [*Piper fraguanum*](#) Trel.
- [*Piper francovilleanum*](#) C.DC.
- [*Piper fresnoense*](#) Trel. & Yunck.
- [*Piper friedrichsthali*](#) C.DC.
- [*Piper frioense*](#) Standl. & Steyerl.

- [Piper froesii](#) Yunck.
- [Piper frostii](#) Trel. ex Callejas
- [Piper frustratum](#) (Miq.) Boerl.
- [Piper fuertesii](#) C.DC.
- [Piper fulgentifolium](#) Yunck.
- [Piper fulgidum](#) Yunck.
- [Piper fuligineum](#) (Kunth) Steud.
- [Piper fuliginosum](#) Sodiro
- [Piper fulvescenticaule](#) Trel.
- [Piper funckii](#) C.DC.
- [Piper fundacionense](#) Steyerm.
- [Piper fungiforme](#) Spokes
- [Piper fusagasuganum](#) Trel. & Yunck.
- [Piper fuscescentispicum](#) C.DC.
- [Piper fuscinervium](#) Quisumb.
- [Piper fuscispicum](#) Trel.
- [Piper fuscobracteatum](#) Trel.
- [Piper futuri](#) Trel. & Yunck.

G

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper galeatum](#) (Miq.) C.DC.
- [Piper galicianum](#) Steyererm.
- [Piper gallatlyi](#) C.DC.
- [Piper gamboanum](#) (C.DC.) C.DC.
- [Piper garagaranum](#) C.DC.
- [Piper gatunense](#) Trel.
- [Piper gaudichaudianum](#) (Kunth) Kunth ex Steud.
- [Piper gaumeri](#) Trel.
- [Piper generalense](#) Trel.
- [Piper geniculatum](#) Sw.
- [Piper gentlei](#) Trel.
- [Piper gentryi](#) Steyererm.
- [Piper genuflexum](#) Trel.
- [Piper georginum](#) Trel. & Standl.
- [Piper gerardoii](#) Callejas
- [Piper gerritii](#) Callejas
- [Piper gibbiflorum](#) C.DC.
- [Piper gibbilimum](#) C.DC.
- [Piper gibbosum](#) C.DC.
- [Piper gigas](#) Trel.
- [Piper gilvescens](#) Trel.
- [Piper gilvibaccum](#) Trel.
- [Piper giordanoi](#) E.F.Guim. & D.Monteiro
- [Piper glaberrimum](#) C.DC.
- [Piper glabratum](#) (Kunth) Steud.
- [Piper glabrescens](#) (Miq.) C.DC.
- [Piper glabribaccum](#) Trel.
- [Piper glabribacteum](#) Yunck.
- [Piper glabrifolium](#) C.DC.
- [Piper glabrius](#) Trel.
- [Piper glanduligerum](#) C.DC.
- [Piper glandulosissimum](#) Yunck.
- [Piper globirhachis](#) M.A.Jaram.
- [Piper globulantherum](#) C.DC.

- [*Piper globulistigum*](#) C.DC.
- [*Piper goeldii*](#) C.DC.
- [*Piper goesii*](#) Yunck.
- [*Piper golfitoense*](#) Callejas
- [*Piper gonagricum*](#) Trel.
- [*Piper gonocarpum*](#) Trel.
- [*Piper gorgonillense*](#) Trel. & Yunck.
- [*Piper gracile*](#) Ruiz & Pav.
- [*Piper gracilipes*](#) C.DC.
- [*Piper graciliramosum*](#) Yunck.
- [*Piper grande*](#) Vahl
- [*Piper grandilimbum*](#) C.DC.
- [*Piper grandispicum*](#) C.DC.
- [*Piper grantii*](#) Yunck.
- [*Piper granulatum*](#) Trel.
- [*Piper granuligerum*](#) Trel.
- [*Piper gratum*](#) Trel.
- [*Piper graveolens*](#) C.DC.
- [*Piper grayumii*](#) Callejas
- [*Piper griffithii*](#) C.DC.
- [*Piper griseocaulis*](#) Trel.
- [*Piper griseolimbum*](#) Trel. & Yunck.
- [*Piper griseopubens*](#) Trel.
- [*Piper griseum*](#) C.DC.
- [*Piper guacimonum*](#) (C.DC.) Trel.
- [*Piper guahamense*](#) C.DC.
- [*Piper gualeanum*](#) Sodiro ex C.DC.
- [*Piper guanacostense*](#) C.DC.
- [*Piper guanahacabibense*](#) Borhidi
- [*Piper guapense*](#) Yunck.
- [*Piper guatemalense*](#) Callejas
- [*Piper guatopoense*](#) Yunck.
- [*Piper guazacapanense*](#) Trel. & Standl.
- [*Piper guedesii*](#) C.DC.
- [*Piper guianense*](#) (Klotzsch) C.DC.
- [*Piper guineense*](#) Schumach. & Thonn.
- [*Piper gurupanum*](#) Yunck.
- [*Piper gutierrezii*](#) Yunck.
- [*Piper gymnocladum*](#) C.DC.
- [*Piper gymnophyllum*](#) C.DC.

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Piper hainanense*](#) Hemsl.
- [*Piper halconense*](#) C.DC.
- [*Piper halesiifolium*](#) (Kunth) Kunth ex Steud.
- [*Piper hamiltonii*](#) C.DC.
- [*Piper hammelii*](#) Callejas
- [*Piper hancei*](#) Maxim.
- [*Piper harlingii*](#) Yunck.
- [*Piper harmandii*](#) C.DC.
- [*Piper hartii*](#) C.DC.
- [*Piper hartwegianum*](#) (Benth.) C.DC.

- [*Piper hassleri*](#) C.DC.
- [*Piper hatschbachii*](#) Yunck.
- [*Piper haughtii*](#) Trel. & Yunck.
- [*Piper havilandii*](#) C.DC.
- [*Piper hayneanum*](#) C.DC.
- [*Piper hebetifolium*](#) W.C.Burger
- [*Piper hederaceum*](#) (Miq.) C.DC.
- [*Piper heimii*](#) C.DC.
- [*Piper hemmendorffii*](#) C.DC.
- [*Piper heptandrum*](#) (Miq.) C.DC.
- [*Piper hermannii*](#) Trel. & Yunck.
- [*Piper hermes*](#) Trel. & Standl.
- [*Piper hermosanum*](#) Yunck.
- [*Piper herrerae*](#) Trel.
- [*Piper heterobracteum*](#) Steyerm.
- [*Piper heterocarpum*](#) Trel.
- [*Piper heterophyllum*](#) Ruiz & Pav.
- [*Piper heterotrichum*](#) C.DC.
- [*Piper heydei*](#) C.DC.
- [*Piper hians*](#) Trel.
- [*Piper hieronymi*](#) C.DC.
- [*Piper hillianum*](#) C.DC.
- [*Piper hippocrepiforme*](#) Steyerm.
- [*Piper hirtellipetiolum*](#) C.DC.
- [*Piper hirtellum*](#) Raddi
- [*Piper hirtilimum*](#) Trel. & Yunck.
- [*Piper hirtovarium*](#) C.DC.
- [*Piper hispidiramum*](#) C.DC.
- [*Piper hispidiseptum*](#) Trel.
- [*Piper hispidum*](#) Sw.
- [*Piper hochiense*](#) Y.C.Tseng
- [*Piper hodgei*](#) Yunck.
- [*Piper hoehnei*](#) Yunck.
- [*Piper hoffmannseggianum*](#) Schult.
- [*Piper holdridgeanum*](#) W.C.Burger
- [*Piper holguinianum*](#) Trel.
- [*Piper hollrungii*](#) K.Schum. & Lauterb.
- [*Piper holstii*](#) Callejas
- [*Piper holtii*](#) Trel. & Yunck.
- [*Piper holtonii*](#) C.DC.
- [*Piper hondonadense*](#) Trel. & Yunck.
- [*Piper hongkongense*](#) C.DC.

- [Piper hooglandii](#) (I.Hutton & P.S.Green) M.A.Jaram.
- [Piper hookeri](#) Miq.
- [Piper hookerianum](#) (Miq.) C.DC.
- [Piper hosei](#) C.DC.
- [Piper hosokawae](#) Fosberg
- [Piper hostmannianum](#) (Miq.) C.DC.
- [Piper hoyoscardozii](#) W.Trujillo-C. & M.A.Jaram.
- [Piper huacachianum](#) Trel.
- [Piper huacapistanum](#) Trel.
- [Piper huallaganum](#) Trel.
- [Piper huantanum](#) Trel.
- [Piper huigranum](#) Trel. & Yunck.
- [Piper huilanum](#) C.DC.
- [Piper humaytanum](#) Yunck.
- [Piper humillimum](#) C.DC.
- [Piper humistratum](#) Görts & K.U.Kramer
- [Piper humoense](#) Trel.
- [Piper humorigaudens](#) Trel.
- [Piper hydrolapathum](#) C.DC.
- [Piper hylebates](#) C.DC.
- [Piper hylophilum](#) C.DC.
- [Piper hymenophyllum](#) Miq.
- [Piper hymenopodium](#) Sodiro
- [Piper hypoglaucum](#) Miq.
- [Piper hypoleucum](#) Sodiro

I

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper ilheusense*](#) Yunck.
- [*Piper illautum*](#) Trel.
- [*Piper imberbe*](#) Trel. & Standl.
- [*Piper immite*](#) Trel.
- [*Piper immutatum*](#) Trel.
- [*Piper imparipes*](#) Trel.
- [*Piper imperiale*](#) (Miq.) C.DC.
- [*Piper imperspicuibracteum*](#) Trel.
- [*Piper impube*](#) Trel.
- [*Piper inaequale*](#) C.DC.
- [*Piper inauspicatum*](#) Trel.
- [*Piper inclemens*](#) Trel. & Yunck.
- [*Piper incomptum*](#) Trel.
- [*Piper indecorum*](#) (Kunth) Kunth ex Steud.
- [*Piper indianonum*](#) Trel.
- [*Piper indiciflexum*](#) Trel.
- [*Piper indicum*](#) C.DC.
- [*Piper indignum*](#) Trel.
- [*Piper indiwassii*](#) W.Trujillo-C. & M.A.Jaram.
- [*Piper infossibaccatum*](#) A.Huang
- [*Piper infossum*](#) Y.C.Tseng
- [*Piper infraluteum*](#) Trel.
- [*Piper inhorrescens*](#) Trel.
- [*Piper injucundum*](#) Trel.
- [*Piper insectifugum*](#) C.DC. ex Seem.
- [*Piper insignilaminum*](#) Trel. & Yunck.
- [*Piper insignilimum*](#) C.DC.

- [*Piper insipiens*](#) Trel. & Yunck.
- [*Piper insolens*](#) Trel.
- [*Piper instabilipes*](#) Trel.
- [*Piper insulicola*](#) Trel.
- [*Piper interitum*](#) Trel.
- [*Piper internibaccum*](#) C.DC.
- [*Piper internovarium*](#) C.DC.
- [*Piper interruptum*](#) Opiz
- [*Piper intonsum*](#) Trel.
- [*Piper intramarginatum*](#) Callejas
- [*Piper iquitosense*](#) Trel.
- [*Piper irazuatum*](#) C.DC.
- [*Piper irrasum*](#) Trel.
- [*Piper itatiaianum*](#) C.DC.
- [*Piper itayanum*](#) Trel.
- [*Piper ivonense*](#) Yunck.
- [*Piper ixocubvainense*](#) Standl. & Steyerl.
- [*Piper ixtlanense*](#) Callejas

J

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Piper jaboncillanum*](#) Trel. & Yunck.
- [*Piper jacaleapaense*](#) Callejas
- [*Piper Jacquemontianum*](#) (Kunth) Kunth ex Steud.
- [*Piper jactatum*](#) Trel. & Standl.
- [*Piper jalapense*](#) M.Martens & Galeotti
- [*Piper jaliscanum*](#) S.Watson
- [*Piper japureense*](#) (Miq.) C.DC.
- [*Piper japvonum*](#) C.DC.
- [*Piper jaramilloae*](#) G.A.Queiroz & E.F.Guim.
- [*Piper jauaense*](#) Steyerm.
- [*Piper javariense*](#) Yunck.
- [*Piper javitense*](#) Kunth
- [*Piper jenkinsii*](#) C.DC.
- [*Piper jericoense*](#) Trel. & Yunck.
- [*Piper jianfenglingense*](#) C.Y.Hao & Y.H.Tan
- [*Piper josephii*](#) R.Bernal
- [*Piper jubatum*](#) Trel.
- [*Piper jubimarginatum*](#) Yunck.
- [*Piper julianii*](#) Callejas
- [*Piper juliflorum*](#) Nees & Mart.
- [*Piper jumayense*](#) Trel. & Standl.

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Piper kadsura*](#) (Choisy) Ohwi
- [*Piper kandavuense*](#) A.C.Sm.
- [*Piper kanehiranum*](#) Trel.
- [*Piper kantetulense*](#) Trel.
- [*Piper kapruanum*](#) C.DC.
- [*Piper karpuragandhum*](#) J.Mathew & Yohannan
- [*Piper karwinskianum*](#) (Kunth) Kunth ex Steud.
- [*Piper kawakamii*](#) Hayata
- [*Piper kelleyi*](#) Tepe
- [*Piper kerberi*](#) C.DC.
- [*Piper kerrii*](#) Suwanph. & Banchong
- [*Piper keyanum*](#) C.DC.
- [*Piper khaoyaiense*](#) Suwanph. & D.A.Simpson
- [*Piper khasianum*](#) C.DC.
- [*Piper killipii*](#) Trel.
- [*Piper kimpitirikianum*](#) Trel.
- [*Piper kleinii*](#) Yunck.
- [*Piper klossii*](#) Ridl.
- [*Piper klotzschianum*](#) (Kunth) C.DC.
- [*Piper klugianum*](#) Trel.
- [*Piper klugii*](#) Yunck.
- [*Piper kongkandanum*](#) Suwanph. & Chantar.

- [Piper konkintoense](#) Trel.
- [Piper koordersii](#) C.DC.
- [Piper kotanum](#) C.DC.
- [Piper kreangense](#) C.DC.
- [Piper krintjingense](#) C.DC.
- [Piper krukoffii](#) Yunck.
- [Piper kuhlmannii](#) Yunck.
- [Piper kunstleri](#) C.DC.
- [Piper kunthii](#) (Miq.) C.DC.
- [Piper kurgianum](#) P.K.Mukh.
- [Piper kurichyarmalanum](#) J.Mathew & P.M.Salim
- [Piper kurzii](#) Ridl.
- [Piper kwashoense](#) Hayata

L

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)
- [*Piper labillardierei*](#) C.DC.
- [*Piper lacandonense*](#) Callejas
- [*Piper laceratibracteum*](#) Trel.
- [*Piper lacunosum*](#) Kunth
- [*Piper ladoradense*](#) Trel. & Yunck.
- [*Piper ladrillense*](#) Trel.
- [*Piper laedans*](#) Trel.
- [*Piper laetispicum*](#) C.DC.
- [*Piper laeve*](#) Vahl
- [*Piper laevibracteum*](#) Trel.
- [*Piper laevicarpum*](#) Yunck.
- [*Piper laevigatum*](#) Kunth
- [*Piper lagenibaccum*](#) Trel.
- [*Piper lagoaense*](#) C.DC.
- [*Piper laguna-cochanum*](#) Trel. & Yunck.
- [*Piper lagunaense*](#) Trel. & Yunck.
- [*Piper lainatakanum*](#) C.DC.
- [*Piper lamasense*](#) Trel.
- [*Piper lanatibracteum*](#) Trel.
- [*Piper lanatum*](#) Roxb.
- [*Piper lanceifolium*](#) Kunth
- [*Piper lanceolatum*](#) Ruiz & Pav.
- [*Piper lancetillanum*](#) Trel.
- [*Piper lanciferum*](#) Standl. & Steyerl.
- [*Piper lancilimum*](#) Yunck.
- [*Piper landakanum*](#) C.DC.
- [*Piper langlassei*](#) C.DC.
- [*Piper lanosibracteum*](#) Trel.
- [*Piper lanosicaule*](#) Trel.
- [*Piper lanyuense*](#) K.N.Kung & Kun C.Chang
- [*Piper laosanum*](#) C.DC.
- [*Piper lapathifolium*](#) (Kunth) Steud.
- [*Piper laperdizense*](#) W.Trujillo-C. & M.A.Jaram.
- [*Piper larutanum*](#) C.DC.
- [*Piper lateoblongum*](#) S.Moore
- [*Piper lateovatum*](#) Trel.
- [*Piper laterifissum*](#) Trel.
- [*Piper lateripilosum*](#) Yunck.
- [*Piper latibracteum*](#) C.DC.

- [*Piper latifolium*](#) L.f.
- [*Piper laurifolium*](#) Mill.
- [*Piper laurinum*](#) Roem. & Schult.
- [*Piper lauterbachii*](#) C.DC.
- [*Piper lawrancei*](#) Trel. & Yunck.
- [*Piper laxivenum*](#) C.DC.
- [*Piper lechlerianum*](#) C.DC.
- [*Piper ledermannii*](#) C.DC.
- [*Piper lehmannianum*](#) C.DC.
- [*Piper lemaense*](#) Yunck.
- [*Piper lempireense*](#) Callejas
- [*Piper lenticellosum*](#) C.DC.
- [*Piper lepidotum*](#) D.Parodi
- [*Piper leptocladum*](#) C.DC.
- [*Piper leptoneuron*](#) C.DC.
- [*Piper leptostilum*](#) C.DC.
- [*Piper lepturum*](#) (Kunth) Kunth ex Steud.
- [*Piper lessertianum*](#) (Miq.) C.DC.
- [*Piper leticianum*](#) C.DC.
- [*Piper leucophaeocaule*](#) Trel.
- [*Piper leucophaeum*](#) Trel.
- [*Piper leucophlebium*](#) Trel.
- [*Piper leucophyllum*](#) (Miq.) C.DC.
- [*Piper leucostachyum*](#) Trel. & Yunck.
- [*Piper levilimbium*](#) Trel.
- [*Piper lhotzkyanum*](#) (Kunth) Kunth ex Steud.
- [*Piper liebmannii*](#) C.DC.
- [*Piper limae*](#) Yunck.
- [*Piper limosum*](#) Yunck.
- [*Piper lincolnense*](#) Trel.
- [*Piper lindbergii*](#) C.DC.
- [*Piper lindenianum*](#) C.DC.
- [*Piper lindenii*](#) (Miq.) C.DC.
- [*Piper linearifolium*](#) C.DC.
- [*Piper lineativillosum*](#) Trel. & Yunck.
- [*Piper lineatum*](#) Ruiz & Pav.
- [*Piper lineolatifolium*](#) Trel. & Yunck.
- [*Piper lingshuiense*](#) Y.C.Tseng
- [*Piper linguliforme*](#) Steyererm.
- [*Piper lippoldii*](#) Saralegui
- [*Piper littlei*](#) Yunck.
- [*Piper littorale*](#) C.DC.

- [*Piper llatanum*](#) Trel.
- [*Piper loefgrenii*](#) Yunck.
- [*Piper longamentum*](#) C.DC.
- [*Piper longeacuminatum*](#) Trel.
- [*Piper longepetiolatum*](#) (C.DC.) Trel.
- [*Piper longestamineum*](#) Trel.
- [*Piper longestylosum*](#) C.DC.
- [*Piper longiappendiculatum*](#) Steyerm.
- [*Piper longiauriculatum*](#) Yunck.
- [*Piper longicaudatum*](#) Trel. & Yunck.
- [*Piper longicaule*](#) C.DC.
- [*Piper longichaetum*](#) Yunck.
- [*Piper longifilamentum*](#) C.DC.
- [*Piper longifolium*](#) Ruiz & Pav.
- [*Piper longimucronatum*](#) Yunck.
- [*Piper longipedicellatum*](#) Quisumb.
- [*Piper longipes*](#) C.DC.
- [*Piper longipilosum*](#) C.DC.
- [*Piper longipilum*](#) C.DC.
- [*Piper longispicum*](#) C.DC.
- [*Piper longistigmum*](#) C.DC.
- [*Piper longistipulum*](#) C.DC.
- [*Piper longivaginans*](#) C.DC.
- [*Piper longum*](#) L.
- [*Piper loretoanum*](#) Trel.
- [*Piper losoense*](#) Trel. & Yunck.
- [*Piper lucigaudens*](#) C.DC.
- [*Piper lundellianum*](#) Trel.
- [*Piper lundellii*](#) Trel.
- [*Piper lundii*](#) C.DC.
- [*Piper lunulibracteatum*](#) C.DC.
- [*Piper lutescens*](#) C.DC.
- [*Piper luxii*](#) C.DC.

M

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper macapaense*](#) Yunck.
- [*Piper macbrideanum*](#) Trel.
- [*Piper macedoi*](#) Yunck.
- [*Piper macerispicum*](#) Trel. & Yunck.
- [*Piper machadoanum*](#) C.DC.
- [*Piper machoense*](#) Callejas
- [*Piper machucanum*](#) Trel.
- [*Piper machupicchuense*](#) Trel.
- [*Piper macrocarpum*](#) C.DC.
- [*Piper macropiper*](#) Pennant
- [*Piper macropodium*](#) C.DC.
- [*Piper macropunctatum*](#) Yunck.
- [*Piper macrorhynchon*](#) (Miq.) C.DC.
- [*Piper macrostylum*](#) C.DC.
- [*Piper macrotrichum*](#) C.DC.
- [*Piper macrourum*](#) Kunth
- [*Piper maculatum*](#) Blume
- [*Piper madagascariense*](#) (Miq.) C.DC.
- [*Piper madeiranum*](#) Yunck.

- [*Piper magen*](#) B.Q.Cheng ex C.L.Long & Jun Yang bis
- [*Piper magnantherum*](#) C.DC.
- [*Piper magnificum*](#) L.Gentil ex Trel.
- [*Piper magnifolium*](#) (C.DC.) Trel.
- [*Piper magnilimbum*](#) C.DC.
- [*Piper maingayi*](#) Hook.f.
- [*Piper majense*](#) Callejas
- [*Piper majusculum*](#) Blume
- [*Piper makruense*](#) C.DC.
- [*Piper malacocarpum*](#) K.Schum. & Lauterb.
- [*Piper malacophyllum*](#) (C.Presl) C.DC.
- [*Piper malgassicum*](#) Papini, Palchetti, M.Gori & Rota Nodari
- [*Piper malifolium*](#) Trel.
- [*Piper mamorense*](#) Yunck.
- [*Piper manabinum*](#) C.DC.
- [*Piper mananthum*](#) C.Wright
- [*Piper manausense*](#) Yunck.
- [*Piper mansericheanum*](#) Trel.
- [*Piper manzanillanum*](#) C.DC.
- [*Piper mapirensense*](#) C.DC.
- [*Piper maraccasense*](#) Trel.
- [*Piper maranyonense*](#) Trel.
- [*Piper marequitense*](#) C.DC.
- [*Piper margaretae*](#) Trel.
- [*Piper margaritatum*](#) Trel.
- [*Piper marginatum*](#) Jacq.
- [*Piper marginecontinuum*](#) Callejas
- [*Piper marquetei*](#) G.A.Queiroz, E.F.Guim. & Sarnaglia
- [*Piper marsupiiiferum*](#) Trel.
- [*Piper martensianum*](#) C.DC.
- [*Piper martinellii*](#) G.A.Queiroz & E.F.Guim.
- [*Piper martinense*](#) Trel.
- [*Piper marturetense*](#) Trel. & Yunck.
- [*Piper massiei*](#) C.DC.
- [*Piper mastersianum*](#) C.DC.
- [*Piper matanganum*](#) C.DC.
- [*Piper matinanum*](#) C.DC.
- [*Piper matthewsii*](#) C.DC.
- [*Piper matudae*](#) Lundell
- [*Piper maxonii*](#) C.DC.
- [*Piper maxwellianum*](#) C.DC.
- [*Piper mayanum*](#) Lundell

- [*Piper mazamariense*](#) Yunck.
- [*Piper mcphersonii*](#) Callejas
- [*Piper mcvaughii*](#) Bornst.
- [*Piper medinaense*](#) Yunck.
- [*Piper medinillifolium*](#) Quisumb.
- [*Piper mediocre*](#) C.DC.
- [*Piper meeboldii*](#) C.DC.
- [*Piper melanocaulon*](#) Quisumb.
- [*Piper melanocladum*](#) C.DC.
- [*Piper melanopremnum*](#) Trel. & Ekman
- [*Piper melanostachyum*](#) C.DC.
- [*Piper melanostictum*](#) (Miq.) C.DC.
- [*Piper melastomoides*](#) Schltdl. & Cham.
- [*Piper melchior*](#) (Sykes) M.A.Jaram.
- [*Piper mellibracteum*](#) Trel.
- [*Piper membranaceum*](#) C.DC.
- [*Piper mendezensense*](#) Yunck.
- [*Piper mercedense*](#) Trel.
- [*Piper mercens*](#) Yunck.
- [*Piper meritum*](#) Trel.
- [*Piper merrillii*](#) C.DC.
- [*Piper mestonii*](#) F.M.Bailey
- [*Piper metallicum*](#) Hallier f.
- [*Piper metanum*](#) Trel. & Yunck.
- [*Piper methysticum*](#) G.Forst.
- [*Piper mexiae*](#) Trel. & Yunck.
- [*Piper mexicanum*](#) (Miq.) C.DC.
- [*Piper michelianum*](#) C.DC.
- [*Piper michelineae*](#) G.A.Queiroz & E.F.Guim.
- [*Piper micoense*](#) Trel.
- [*Piper micranthera*](#) C.DC.
- [*Piper microstigma*](#) (Miq.) C.DC.
- [*Piper microtrichum*](#) C.DC.
- [*Piper middlesexense*](#) Trel. ex Callejas
- [*Piper miersinum*](#) (Miq.) C.DC.
- [*Piper miguel-conejoanum*](#) Trel. & Yunck.
- [*Piper mikanianum*](#) (Kunth) Steud.
- [*Piper mikaniifolium*](#) Trel.
- [*Piper mikii*](#) M.Hiroe
- [*Piper milciadesii*](#) Trel. & Yunck.
- [*Piper millegranum*](#) Yunck.
- [*Piper millepunctulatum*](#) Trel. & Yunck.

- [*Piper minasarum*](#) Steyerf.
- [*Piper minutantherum*](#) C.DC.
- [*Piper minuteauriculatum*](#) Callejas
- [*Piper minutescabiosum*](#) Trel.
- [*Piper minutiflorum*](#) Callejas
- [*Piper minutistigmum*](#) C.DC.
- [*Piper miquelianum*](#) C.DC.
- [*Piper mischocarpum*](#) Y.C.Tseng
- [*Piper mishuyacuense*](#) Trel.
- [*Piper mite*](#) Ruiz & Pav.
- [*Piper mitifolium*](#) Trel.
- [*Piper mituense*](#) Trel. & Yunck.
- [*Piper mocco-mocco*](#) Trel.
- [*Piper mocoanum*](#) Trel. & Yunck.
- [*Piper moense*](#) C.DC.
- [*Piper mohomoho*](#) C.DC.
- [*Piper mollicomum*](#) Kunth ex Steud.
- [*Piper mollipilosum*](#) C.DC.
- [*Piper mollissimum*](#) Blume
- [*Piper molliusculum*](#) Sodiro
- [*Piper monagasense*](#) Yunck.
- [*Piper monostigmum*](#) C.DC.
- [*Piper montanum*](#) C.DC.
- [*Piper montealegreanum*](#) Yunck.
- [*Piper monteluctans*](#) Trel.
- [*Piper monteverdeanum*](#) C.DC.
- [*Piper monteverdense*](#) Callejas
- [*Piper montium*](#) C.DC.
- [*Piper montivagum*](#) Ridl.
- [*Piper monurum*](#) Trel. & Yunck.
- [*Piper monzonense*](#) C.DC.
- [*Piper moreiranum*](#) G.A.Queiroz & E.F.Guim.
- [*Piper moreletii*](#) C.DC.
- [*Piper morelianum*](#) Yunck.
- [*Piper morianum*](#) Trel.
- [*Piper morilloi*](#) Steyerf.
- [*Piper moringanum*](#) E.F.Guim. & Carv.-Silva
- [*Piper morisonianum*](#) C.DC.
- [*Piper mornicola*](#) C.DC.
- [*Piper mosaicum*](#) Steyerf.
- [*Piper moscopanense*](#) Yunck.
- [*Piper motuoense*](#) X.W.Qin, F.Su & C.Y.Hao

- [Piper mourae](#) Yunck.
- [Piper moyobambanum](#) Trel.
- [Piper mucronatum](#) C.DC.
- [Piper mucronulatum](#) Blume
- [Piper muelleri](#) C.DC.
- [Piper multiforme](#) Trel. & Yunck.
- [Piper multimammosum](#) Trel.
- [Piper multinodum](#) C.DC.
- [Piper multiplinervium](#) C.DC.
- [Piper multistigum](#) C.DC.
- [Piper multitudinis](#) Trel.
- [Piper muluense](#) O.Schwartz
- [Piper munchanum](#) C.DC.
- [Piper mundum](#) Trel.
- [Piper muneyporeense](#) C.DC.
- [Piper munyanum](#) Trel.
- [Piper muricatum](#) Blume
- [Piper murrayanum](#) C.DC.
- [Piper musteum](#) Trel.
- [Piper mutabile](#) C.DC.
- [Piper mutisii](#) Trel. & Yunck.
- [Piper myrmecophilum](#) C.DC.

N

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)

- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper nagaense*](#) C.DC.
- [*Piper nagelii*](#) C.DC.
- [*Piper nanayanum*](#) Trel.
- [*Piper napo-pastazanum*](#) Trel. & Yunck.
- [*Piper narinoense*](#) Yunck.
- [*Piper nasutum*](#) Trel.
- [*Piper neblinanum*](#) Yunck.
- [*Piper nebuligaudens*](#) Yunck.
- [*Piper neesianum*](#) C.DC.
- [*Piper neglectum*](#) Trel.
- [*Piper negritosense*](#) Trel.
- [*Piper negroense*](#) C.DC.
- [*Piper nematanthera*](#) C.DC.
- [*Piper neovenezuelense*](#) (Steyerm.) M.A.Jaram.
- [*Piper nervulosum*](#) C.DC.
- [*Piper neurostachyum*](#) C.DC.
- [*Piper nicaraguense*](#) Callejas
- [*Piper nicoyanum*](#) C.DC.
- [*Piper nigribaccum*](#) C.DC.
- [*Piper nigricaule*](#) Trel.
- [*Piper nigriconnectivum*](#) C.DC.
- [*Piper nigrispicum*](#) C.DC.
- [*Piper nigropunctatum*](#) C.DC.
- [*Piper nigroramum*](#) C.DC.
- [*Piper nigrovirens*](#) C.DC.
- [*Piper nigrum*](#) L.
- [*Piper niteroiense*](#) Yunck.
- [*Piper nitidifolium*](#) C.DC.
- [*Piper nitidulifolium*](#) Trel.
- [*Piper nobile*](#) C.DC.

- [Piper nodosum](#) C.DC.
- [Piper nokaidoyitau](#) W.Trujillo-C. & M.A.Jaram.
- [Piper non-retrorsum](#) Trel.
- [Piper noveninervium](#) C.DC.
- [Piper novogalicianum](#) Bornst.
- [Piper novogranatense](#) C.DC.
- [Piper nubigenum](#) (Kunth) Kunth ex Steud.
- [Piper nudibaccatum](#) Y.C.Tseng
- [Piper nudifolium](#) C.DC.
- [Piper nudilimbium](#) C.DC.
- [Piper nudipedunculum](#) C.DC.
- [Piper nudiramum](#) C.DC.
- [Piper nudispicuum](#) C.DC.
- [Piper nudum](#) C.DC.
- [Piper numinica](#) Callejas
- [Piper nuncupatum](#) Trel.

O

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper oaxacanum](#) C.DC.
- [Piper obaldianum](#) C.DC.
- [Piper obatense](#) O.Schwartz
- [Piper obesispicum](#) S.Moore
- [Piper obiter-sericeum](#) Trel.
- [Piper oblanceolatum](#) Trel.
- [Piper oblancifolium](#) Yunck.
- [Piper obliqueovatum](#) Trel.
- [Piper obliquum](#) Ruiz & Pav.
- [Piper oblongatifolium](#) Trel.
- [Piper oblongatilimum](#) Trel.
- [Piper oblongatum](#) Opiz
- [Piper oblongifructum](#) Callejas
- [Piper oblongum](#) Kunth
- [Piper obovantherum](#) C.DC.
- [Piper obovatifolium](#) Trel.
- [Piper obrutum](#) Trel. & Yunck.
- [Piper obscurifolium](#) Callejas
- [Piper obsessum](#) Trel.
- [Piper obtusilimum](#) C.DC.
- [Piper obtusissimum](#) Miq.
- [Piper obtusistigmum](#) C.DC.
- [Piper obtusum](#) C.DC.
- [Piper obumbratifolium](#) Trel.
- [Piper obumbratum](#) (Miq.) C.DC.
- [Piper occultum](#) Trel.
- [Piper ocosingosense](#) Callejas
- [Piper oculatispicum](#) Trel.
- [Piper odoratum](#) C.DC.
- [Piper offensum](#) Trel.
- [Piper okamotoi](#) M.Hiroe
- [Piper oldhamii](#) C.DC.
- [Piper ollantaitambanum](#) Trel.
- [Piper omega](#) Trel.
- [Piper onus](#) Trel.
- [Piper opacibracteum](#) Trel.

- [Piper operosum](#) Trel.
- [Piper opizianum](#) Fürnr.
- [Piper oradendron](#) Trel. & Standl.
- [Piper oreophilum](#) Ridl.
- [Piper orizabanum](#) C.DC.
- [Piper ornatispicum](#) Trel.
- [Piper ornatum](#) N.E.Br.
- [Piper ornithorhynchum](#) Trel.
- [Piper oroense](#) Yunck.
- [Piper orosianum](#) Trel.
- [Piper orthostachyum](#) (Kunth) Kunth ex Steud.
- [Piper ospinense](#) Trel. & Yunck.
- [Piper ostii](#) Trel.
- [Piper oteguanum](#) W.Trujillo-C. & M.A.Jaram.
- [Piper otophorum](#) C.DC.
- [Piper otto-huberi](#) Steyerm.
- [Piper ottoniifolium](#) C.DC.
- [Piper ottonoides](#) Yunck.
- [Piper ovalifructum](#) J.Mathew & P.M.Salim
- [Piper ovantherum](#) C.DC.
- [Piper ovatibaccum](#) C.DC.
- [Piper ovatilimum](#) C.DC.
- [Piper ovatistigmum](#) C.DC.
- [Piper ovatum](#) Vahl
- [Piper oviedoii](#) Urb.
- [Piper oxycarpum](#) C.DC.
- [Piper oxyphyllum](#) C.DC.
- [Piper oxystachyum](#) C.DC.

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper pacacatum](#) Trel.
- [Piper pachocatum](#) C.DC.
- [Piper pachyarthrum](#) K.Schum.
- [Piper pachyphloium](#) C.DC.
- [Piper pachyphyllum](#) Baker
- [Piper padangense](#) C.DC.
- [Piper paganicum](#) Trel.
- [Piper palenquense](#) Callejas
- [Piper palestinanum](#) Trel. & Yunck.
- [Piper pallidibracteum](#) C.DC.
- [Piper pallididorsum](#) Trel.
- [Piper pallidifolium](#) C.DC.
- [Piper pallidilimbium](#) C.DC.
- [Piper pallidirubrum](#) C.DC.
- [Piper palmanum](#) Trel.
- [Piper palmasanum](#) C.DC.
- [Piper palmeri](#) C.DC.
- [Piper paludis](#) Callejas
- [Piper paludosum](#) C.DC.
- [Piper pamploanum](#) Trel. & Yunck.
- [Piper panamense](#) C.DC.
- [Piper pandoense](#) Yunck.
- [Piper pansamalanum](#) C.DC.
- [Piper pantjareense](#) C.DC.

- [*Piper papillicarpum*](#) Trel.
- [*Piper papilliferum*](#) Steyererm.
- [*Piper papulaeacaule*](#) Trel.
- [*Piper papulatum*](#) Trel.
- [*Piper paraense*](#) (Miq.) C.DC.
- [*Piper paraguassuanum*](#) C.DC.
- [*Piper paraisense*](#) Trel.
- [*Piper paralaevigatum*](#) Trel.
- [*Piper paramaribense*](#) C.DC.
- [*Piper paranum*](#) Yunck.
- [*Piper parapeltobryon*](#) Trel.
- [*Piper parcirameum*](#) C.DC.
- [*Piper parcum*](#) Trel. & Yunck.
- [*Piper parianum*](#) Yunck.
- [*Piper parmatum*](#) Dressler
- [*Piper parong*](#) Quisumb.
- [*Piper partiticuspe*](#) Trel.
- [*Piper parvantherum*](#) C.DC.
- [*Piper parvicordulatum*](#) Trel.
- [*Piper parvipedunculum*](#) C.DC.
- [*Piper parviramosum*](#) Callejas
- [*Piper pastasanum*](#) Diels
- [*Piper patens*](#) Opiz
- [*Piper patentifolium*](#) Trel.
- [*Piper patulum*](#) Bertol.
- [*Piper patzulinum*](#) Trel. & Standl.
- [*Piper paucartamboanum*](#) Trel.
- [*Piper paucinerve*](#) C.DC.
- [*Piper paucipilosum*](#) Yunck.
- [*Piper pauciramosum*](#) Yunck.
- [*Piper paucistigmum*](#) C.DC.
- [*Piper paulianifolium*](#) Trel.
- [*Piper pavasense*](#) Trel.
- [*Piper pavimentifolium*](#) Trel.
- [*Piper pavonii*](#) (Miq.) C.DC.
- [*Piper payanum*](#) Yunck.
- [*Piper pearcei*](#) Yunck.
- [*Piper pebasense*](#) Trel.
- [*Piper peculiare*](#) Trel. & Yunck.
- [*Piper pedicellare*](#) C.DC.
- [*Piper pedicellatum*](#) C.DC.
- [*Piper pedunculatum*](#) C.DC.

- [*Piper peepuloides*](#) Roxb.
- [*Piper pellitum*](#) C.DC.
- [*Piper peltatifolium*](#) C.Y.Hao, H.S.Wu & Y.H.Tan
- [*Piper peltatum*](#) L.
- [*Piper peltifolium*](#) Callejas
- [*Piper peltilimbium*](#) Yunck.
- [*Piper penangense*](#) (Miq.) C.DC.
- [*Piper pendens*](#) Trel.
- [*Piper pendentispicum*](#) Trel. & Yunck.
- [*Piper pendulirameum*](#) Trel. & Yunck.
- [*Piper pendulispicum*](#) C.DC.
- [*Piper pentagonum*](#) Trel.
- [*Piper pentandrum*](#) C.DC.
- [*Piper penyasense*](#) Trel. & Yunck.
- [*Piper peracuminatum*](#) C.DC.
- [*Piper perareolatum*](#) C.DC.
- [*Piper perbarbatum*](#) C.DC.
- [*Piper perbrevecaule*](#) Yunck.
- [*Piper perbrevispicum*](#) Yunck.
- [*Piper perciliatum*](#) Trel. & Yunck.
- [*Piper percostatum*](#) Yunck.
- [*Piper perditum*](#) Trel.
- [*Piper perenense*](#) Trel.
- [*Piper perfugii*](#) Trel.
- [*Piper pergamentifolium*](#) Trel. & Standl.
- [*Piper pergeniculatum*](#) Trel.
- [*Piper perhispidum*](#) C.DC.
- [*Piper perijaense*](#) Steyererm.
- [*Piper perinaequilongum*](#) Trel.
- [*Piper perlasense*](#) Yunck.
- [*Piper perlongipedunculum*](#) Trel. & Standl.
- [*Piper permolle*](#) Trel. & Yunck.
- [*Piper permucronatum*](#) Yunck.
- [*Piper perpallidum*](#) Ekman, Urb. & Trel.
- [*Piper perpilosum*](#) C.DC.
- [*Piper perpurgatum*](#) Trel.
- [*Piper perpusillum*](#) Callejas
- [*Piper perscabrifolium*](#) Yunck.
- [*Piper perstipulare*](#) Steyererm.
- [*Piper perstrigosum*](#) Yunck.
- [*Piper persubulatum*](#) C.DC.
- [*Piper pertinax*](#) Trel. & Yunck.

- [*Piper pertomentellum*](#) Trel. & Yunck.
- [*Piper pertractatum*](#) Trel.
- [*Piper peruligerum*](#) Trel.
- [*Piper pervelutinum*](#) Trel.
- [*Piper pervenosum*](#) C.DC.
- [*Piper pervenulosum*](#) Yunck.
- [*Piper perverrucosum*](#) Trel. & Yunck.
- [*Piper pervicax*](#) Trel.
- [*Piper pervillosum*](#) Trel.
- [*Piper pervulgatum*](#) Trel.
- [*Piper pervulsum*](#) Trel. & Yunck.
- [*Piper petens*](#) Trel.
- [*Piper petiolare*](#) C.DC.
- [*Piper petiolatum*](#) C.DC.
- [*Piper pexum*](#) Trel.
- [*Piper phaeophyllum*](#) Trel. & Standl.
- [*Piper phalangense*](#) C.DC.
- [*Piper phanerolepidum*](#) Trel.
- [*Piper phaneropus*](#) Trel.
- [*Piper phangngaense*](#) Suwanph. & Hodk.
- [*Piper philippinum*](#) Miq.
- [*Piper philodendron*](#) Ridl.
- [*Piper philodendroides*](#) Standl. & Steyerf.
- [*Piper phuwaense*](#) Chaveer. & Tanee
- [*Piper phyllostictum*](#) (Miq.) C.DC.
- [*Piper phytolaccifolium*](#) Opiz
- [*Piper picardae*](#) C.DC.
- [*Piper picobonitoense*](#) F.G.Coe & Bornst.
- [*Piper piedadesense*](#) Trel.
- [*Piper piedecuestanum*](#) Trel. & Yunck.
- [*Piper pileatum*](#) Trel.
- [*Piper pilgeri*](#) C.DC.
- [*Piper pilibracteum*](#) Trel. & Yunck.
- [*Piper piliovarium*](#) Yunck.
- [*Piper pilirameum*](#) C.DC.
- [*Piper pilosissimum*](#) Yunck.
- [*Piper pilosiusculum*](#) Opiz
- [*Piper pilovarium*](#) Yunck.
- [*Piper piluliferifolium*](#) Trel. & Yunck.
- [*Piper piluliferum*](#) Kunth
- [*Piper pinaresanum*](#) Trel. & Yunck.
- [*Piper pinedoana*](#) Trel.

- [*Piper pinetorum*](#) Standl. & Steyerl.
- [*Piper pingbienense*](#) Y.C.Tseng
- [*Piper pinguifolium*](#) C.DC.
- [*Piper pinoganense*](#) Trel.
- [*Piper pinuna-negroense*](#) Trel. & Yunck.
- [*Piper piojoanum*](#) Trel. & Yunck.
- [*Piper piresii*](#) Yunck.
- [*Piper piscatorum*](#) Trel. & Yunck.
- [*Piper pitalitoense*](#) Yunck.
- [*Piper pittieri*](#) C.DC.
- [*Piper plagiophyllum*](#) K.Schum. & Lauterb.
- [*Piper planadosense*](#) Trel. & Standl.
- [*Piper planipes*](#) Trel.
- [*Piper planitieii*](#) Trel. & Yunck.
- [*Piper platylobum*](#) Sodiro
- [*Piper playa-blancanum*](#) Trel.
- [*Piper plumanum*](#) C.DC.
- [*Piper plumbeicolor*](#) Trel.
- [*Piper plurinervosum*](#) Yunck.
- [*Piper poasanum*](#) C.DC.
- [*Piper poeppigii*](#) (Kunth) Steud.
- [*Piper pogonioneuron*](#) Trel. & Standl.
- [*Piper poiteanum*](#) Steud.
- [*Piper politaereum*](#) Trel.
- [*Piper politifolium*](#) C.DC.
- [*Piper politii*](#) Yunck.
- [*Piper politum*](#) C.DC.
- [*Piper polyneurum*](#) C.DC.
- [*Piper polysyphonum*](#) C.DC.
- [*Piper polytrichum*](#) C.DC.
- [*Piper ponapense*](#) C.DC.
- [*Piper ponendum*](#) Trel.
- [*Piper ponesheense*](#) C.DC.
- [*Piper ponganum*](#) Trel.
- [*Piper pontis*](#) Trel.
- [*Piper popayanense*](#) C.DC.
- [*Piper poporeense*](#) Trel. & Yunck.
- [*Piper populifolium*](#) Opiz
- [*Piper porphyrophyllum*](#) (Lindl. ex Blandy) N.E.Br.
- [*Piper porrectum*](#) C.DC.
- [*Piper portobellense*](#) C.DC.
- [*Piper porveniricola*](#) Trel.

- [*Piper poscitum*](#) Trel. & Yunck.
- [*Piper positum*](#) Trel.
- [*Piper postelsianum*](#) Maxim.
- [*Piper posusanum*](#) Trel.
- [*Piper potamophilum*](#) Trel. & Yunck.
- [*Piper pothoides*](#) (Miq.) Wall. ex C.DC.
- [*Piper pothophyllum*](#) Trel.
- [*Piper praeacutilimum*](#) C.DC.
- [*Piper praemollitum*](#) Trel.
- [*Piper praesagium*](#) Trel. & Yunck.
- [*Piper premnospicum*](#) Tebbs
- [*Piper prianamense*](#) C.DC.
- [*Piper prietoi*](#) Yunck.
- [*Piper prismaticum*](#) C.DC.
- [*Piper procerifolium*](#) C.DC.
- [*Piper procerum*](#) Trel.
- [*Piper prodigum*](#) Trel.
- [*Piper protractuspidatum*](#) Trel. & Yunck.
- [*Piper protractispicum*](#) C.DC.
- [*Piper protractum*](#) C.DC.
- [*Piper provulgatum*](#) Trel. & Yunck.
- [*Piper prunifolium*](#) J.Jacq.
- [*Piper pseudamboinense*](#) C.DC.
- [*Piper pseudoacreanum*](#) Steyererm.
- [*Piper pseudoaduncum*](#) C.DC.
- [*Piper pseudoaequale*](#) Steyererm.
- [*Piper pseudoalbuginiferum*](#) Trel.
- [*Piper pseudoarboreum*](#) Yunck.
- [*Piper pseudoasperifolium*](#) C.DC.
- [*Piper pseudobarbatum*](#) C.DC.
- [*Piper pseudobredemeyeri*](#) Steyererm.
- [*Piper pseudobumbratum*](#) C.DC.
- [*Piper pseudocallosum*](#) Trel.
- [*Piper pseudocativalense*](#) Trel.
- [*Piper pseudodelectans*](#) Callejas
- [*Piper pseudodilatatum*](#) C.DC.
- [*Piper pseudodivulgatum*](#) Steyererm.
- [*Piper pseudoeucalyptifolium*](#) Trel. & Yunck.
- [*Piper pseudofallens*](#) Callejas
- [*Piper pseudofimbriulatum*](#) Trel.
- [*Piper pseudoflexuosum*](#) Trel.
- [*Piper pseudofulgineum*](#) C.DC.

- [*Piper pseudogaragaranum*](#) Trel.
- [*Piper pseudoglabrifolium*](#) Trel.
- [*Piper pseudogrande*](#) Yunck.
- [*Piper pseudohastulatum*](#) Steyererm.
- [*Piper pseudolanceifolium*](#) Trel.
- [*Piper pseudolindenii*](#) C.DC.
- [*Piper pseudomatico*](#) Trel.
- [*Piper pseudomunchanum*](#) Trel.
- [*Piper pseudonigrum*](#) C.DC.
- [*Piper pseudopeculiare*](#) W.Trujillo-C.
- [*Piper pseudopedicellatum*](#) P.K.Mukh.
- [*Piper pseudoperbrevicaule*](#) Callejas
- [*Piper pseudoperfugii*](#) Callejas
- [*Piper pseudoperuvianum*](#) C.DC.
- [*Piper pseudopopayanense*](#) Trel. & Yunck.
- [*Piper pseudopothifolium*](#) C.DC.
- [*Piper pseudoschippianum*](#) Callejas
- [*Piper pseudovariabile*](#) Trel.
- [*Piper pseudoviridicaule*](#) Trel.
- [*Piper pseudovulgatum*](#) Steyererm.
- [*Piper psilophyllum*](#) C.DC.
- [*Piper psilorhachis*](#) C.DC.
- [*Piper psilostachyum*](#) Kunth
- [*Piper psittacorum*](#) Endl.
- [*Piper pterocladum*](#) C.DC.
- [*Piper pubarulipes*](#) C.DC.
- [*Piper pubens*](#) Trel.
- [*Piper puberulescens*](#) Trel.
- [*Piper puberuliciliatum*](#) Yunck.
- [*Piper puberulidrupum*](#) Yunck.
- [*Piper puberulilimbum*](#) C.DC.
- [*Piper puberulinerva*](#) C.DC.
- [*Piper puberulirameum*](#) C.DC.
- [*Piper puberulispicum*](#) C.DC.
- [*Piper puberulum*](#) (Benth.) Seem.
- [*Piper pubibaccum*](#) C.DC.
- [*Piper pubicatulum*](#) C.DC.
- [*Piper pubinerve*](#) C.DC.
- [*Piper pubinervulum*](#) C.DC.
- [*Piper pubiovarium*](#) Yunck.
- [*Piper pubipedunculum*](#) C.DC.
- [*Piper pubipes*](#) C.DC.

- [*Piper pubirhache*](#) C.DC.
- [*Piper pubistipulum*](#) C.DC.
- [*Piper pubisubmarginalum*](#) Yunck.
- [*Piper pubivaginatulum*](#) Steyerf.
- [*Piper puente-altoanum*](#) Trel.
- [*Piper puerense*](#) C.Y.Hao & F.Su
- [*Piper pulchrum*](#) C.DC.
- [*Piper pulleanum*](#) Yunck.
- [*Piper pullibaccum*](#) Trel.
- [*Piper pullibracteatum*](#) Trel.
- [*Piper pullispicum*](#) Trel.
- [*Piper puncticulatum*](#) Ridl.
- [*Piper punctiunculatum*](#) Trel.
- [*Piper punctulantherum*](#) C.DC.
- [*Piper punctulatum*](#) Standl. & Steyerf.
- [*Piper puniceum*](#) Trel.
- [*Piper puntarenasense*](#) Callejas
- [*Piper puraceanum*](#) Trel. & Yunck.
- [*Piper purdiei*](#) C.DC.
- [*Piper purpusianum*](#) Trel.
- [*Piper purulentum*](#) Trel. & Yunck.
- [*Piper purulhanum*](#) C.DC.
- [*Piper purusanum*](#) Yunck.
- [*Piper pustulatum*](#) Yunck.
- [*Piper pustulicaule*](#) Trel.
- [*Piper putumayoense*](#) Trel. & Yunck.
- [*Piper puyoense*](#) Yunck.
- [*Piper pygmaeum*](#) Yunck.
- [*Piper pykarakense*](#) C.DC.

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper quadratilimum](#) Trel.
- [Piper quicheanum](#) Callejas
- [Piper quimirianum](#) Trel.
- [Piper quinchasense](#) M.A.Jaram.
- [Piper quinqueangulatum](#) Miq.
- [Piper quinquenervium](#) Warb.
- [Piper quitense](#) C.DC.

R

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)

- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Piper raapii*](#) C.DC.
- [*Piper raddianum*](#) E.F.Guim., G.A.Queiroz & Delprete
- [*Piper rafflesii*](#) (Miq.) C.DC.
- [*Piper raizudoanum*](#) Trel. & Yunck.
- [*Piper ramirezii*](#) Callejas
- [*Piper ramosense*](#) Yunck.
- [*Piper ramosii*](#) C.DC.
- [*Piper rarispicum*](#) C.DC.
- [*Piper rarum*](#) C.DC.
- [*Piper rasile*](#) Trel.
- [*Piper recensitum*](#) Trel.
- [*Piper recessum*](#) R.O.Gardner
- [*Piper rechingeri*](#) C.DC.
- [*Piper recreoense*](#) Trel.
- [*Piper rectamentum*](#) Trel.
- [*Piper recuperatum*](#) Trel.
- [*Piper redactum*](#) Trel.
- [*Piper reductipes*](#) Trel.
- [*Piper regale*](#) C.DC.
- [*Piper regnellii*](#) (Miq.) C.DC.
- [*Piper reinwardtianum*](#) (Miq.) C.DC.
- [*Piper reitzii*](#) Yunck.
- [*Piper relaxatum*](#) Trel.
- [*Piper relictum*](#) Lekhak, Kambale & S.R.Yadav
- [*Piper rematense*](#) Trel.

- [Piper remotinervium](#) Görts
- [Piper renitens](#) (Miq.) Yunck.
- [Piper reptabundum](#) C.DC.
- [Piper resalutatum](#) Trel.
- [Piper resinaense](#) W.Trujillo-C.
- [Piper restio](#) Trel.
- [Piper restrictum](#) Trel.
- [Piper retalhuleuense](#) Trel. & Standl.
- [Piper reticulatum](#) L.
- [Piper reticulosum](#) Opiz
- [Piper retrofractum](#) Vahl
- [Piper retropilosum](#) C.DC.
- [Piper reventazonis](#) Trel.
- [Piper rhinostachyum](#) Trel.
- [Piper rhizocaulum](#) Trel.
- [Piper rhodocarpum](#) Trel.
- [Piper rhododendrifolium](#) (Kunth) Kunth ex Steud.
- [Piper ribesioides](#) Wall.
- [Piper richardiifolium](#) (Kunth) Kunth ex Steud.
- [Piper ridleyi](#) C.DC.
- [Piper rigidomucronatum](#) Callejas
- [Piper riitosense](#) Trel. & Yunck.
- [Piper rinconense](#) Trel.
- [Piper rindjanense](#) C.DC.
- [Piper rindu](#) C.DC.
- [Piper riocajambrense](#) Trel. & Yunck.
- [Piper riocauchosanum](#) Yunck.
- [Piper riochiadoense](#) Trel. & Yunck.
- [Piper riodocense](#) E.F.Guim. & Carv.-Silva
- [Piper rioense](#) Yunck.
- [Piper riojanum](#) Trel.
- [Piper riomarguanum](#) Trel. & Yunck.
- [Piper rionechianum](#) Yunck.
- [Piper riozulianum](#) Trel. & Yunck.
- [Piper riparense](#) C.DC.
- [Piper ripicola](#) C.DC.
- [Piper rivi-vetusti](#) Trel.
- [Piper rivinoides](#) (Kunth) Kunth ex Steud.
- [Piper rizzinii](#) G.A.Queiroz & E.F.Guim.
- [Piper roblalense](#) Yunck.
- [Piper robleanum](#) Trel. & Yunck.
- [Piper robustipedunculum](#) Yunck.

- [*Piper roemerii*](#) C.DC.
- [*Piper rogaguanum*](#) Trel.
- [*Piper ronaldii*](#) Steyerf.
- [*Piper roqueanum*](#) Trel.
- [*Piper rosei*](#) C.DC.
- [*Piper roseiflorum*](#) Callejas
- [*Piper roseovenulosum*](#) Trel.
- [*Piper rostratum*](#) Roxb.
- [*Piper rothschuhii*](#) C.DC.
- [*Piper rotundibaccum*](#) Trel.
- [*Piper rovirosae*](#) C.DC.
- [*Piper rubiginosum*](#) Trel.
- [*Piper rubraumentum*](#) C.DC.
- [*Piper rubribaccum*](#) Trel.
- [*Piper rubrifolium*](#) W.Trujillo-C. & M.A.Jaram.
- [*Piper rubripes*](#) Trel.
- [*Piper rubrospadix*](#) Trel.
- [*Piper rubrovenosum*](#) Rodigas
- [*Piper rubrum*](#) C.DC.
- [*Piper rude*](#) Kunth
- [*Piper rudgeanum*](#) (Miq.) C.DC.
- [*Piper rueckeri*](#) K.Schum.
- [*Piper rufescentibaccum*](#) C.DC.
- [*Piper rufibracteum*](#) C.DC.
- [*Piper rufinerve*](#) Opiz
- [*Piper rufipilum*](#) Yunck.
- [*Piper rufispicum*](#) C.DC.
- [*Piper rufum*](#) C.DC.
- [*Piper rugocarpum*](#) Banchong & Suwanph.
- [*Piper rugosibaccum*](#) Trel.
- [*Piper rugosifolium*](#) Trel.
- [*Piper rugosilimum*](#) Trel.
- [*Piper rugosum*](#) Lam.
- [*Piper rukshagandhum*](#) J.Mathew
- [*Piper rumicifolium*](#) (Miq.) C.DC.
- [*Piper rumphii*](#) (Miq.) C.DC.
- [*Piper rupicola*](#) C.DC.
- [*Piper rupununianum*](#) Trel. & Yunck.
- [*Piper rusbyi*](#) C.DC.
- [*Piper rusticum*](#) Trel. & Yunck.

S

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Piper sabaletasanum*](#) Trel. & Yunck.
- [*Piper sabanaense*](#) Yunck.
- [*Piper sacchamatesense*](#) Yunck.
- [*Piper sagittifer*](#) Trel.
- [*Piper sagittifolium*](#) C.DC.
- [*Piper saldanhae*](#) Yunck.
- [*Piper salento*](#) Trel. & Yunck.
- [*Piper salgaranum*](#) Trel. & Yunck.
- [*Piper salicariifolium*](#) (Kunth) Kunth ex Steud.
- [*Piper salicifolium*](#) Vahl

- [Piper salicinum](#) Opiz
- [Piper salicoides](#) Yunck.
- [Piper saloyanum](#) Trel. & Yunck.
- [Piper samainianum](#) Mabb.
- [Piper samanense](#) Urb.
- [Piper sambuanum](#) C.DC.
- [Piper sampaioi](#) Yunck.
- [Piper san-andresense](#) Trel. & Yunck.
- [Piper san-juanum](#) Trel.
- [Piper san-marcosanum](#) C.DC.
- [Piper san-martinense](#) Trel. & Yunck.
- [Piper san-miguelense](#) Trel. & Yunck.
- [Piper san-nicolasense](#) Trel.
- [Piper san-ramonense](#) Trel.
- [Piper san-roqueanum](#) Trel.
- [Piper san-vicentense](#) Trel. & Yunck.
- [Piper sancti-felicis](#) Trel.
- [Piper sandemanii](#) Yunck.
- [Piper sandianum](#) C.DC.
- [Piper sangorianum](#) C.DC.
- [Piper sanjuanilloense](#) Callejas
- [Piper santa-ritanum](#) Trel.
- [Piper santa-rosanum](#) C.DC.
- [Piper santae-clarae](#) Standl. & Steyerm.
- [Piper sapitense](#) C.DC.
- [Piper sapotoanum](#) Trel.
- [Piper sapotoyacuense](#) Trel.
- [Piper sarareense](#) Trel. & Yunck.
- [Piper sarasinorum](#) C.DC.
- [Piper sarawakanum](#) C.DC.
- [Piper sarculatum](#) (Trel.) Callejas
- [Piper sarmentosum](#) Roxb.
- [Piper satisfactum](#) Trel.
- [Piper saurodermum](#) Ortíz-Rodr. & J.R.Carral
- [Piper savagii](#) C.DC.
- [Piper savanense](#) C.DC.
- [Piper scabiosifolium](#) Trel.
- [Piper scabrellum](#) Yunck.
- [Piper scabridulicaule](#) Trel.
- [Piper scabridulilimum](#) Trel. & Yunck.
- [Piper scabrifolium](#) Hook. & Arn.
- [Piper scabrilimum](#) C.DC. ex A.Schroed.

- [*Piper scabrisepalum*](#) Trel.
- [*Piper scabriusculum*](#) A.Dietr.
- [*Piper scalariforme*](#) Trel.
- [*Piper scalarispicum*](#) Trel.
- [*Piper scalpens*](#) Trel.
- [*Piper scandenticaule*](#) Yunck.
- [*Piper scansum*](#) Trel. & Yunck.
- [*Piper schenckii*](#) C.DC.
- [*Piper schiedeanum*](#) Steud.
- [*Piper schippianum*](#) Trel. & Standl.
- [*Piper schizonephros*](#) C.DC.
- [*Piper schlechtendalianum*](#) C.DC.
- [*Piper schlechtendalii*](#) Steud.
- [*Piper schlechteri*](#) C.DC.
- [*Piper schlimii*](#) C.DC.
- [*Piper schmidtii*](#) Hook.f.
- [*Piper schottii*](#) (Miq.) C.DC.
- [*Piper schumannii*](#) C.DC.
- [*Piper schunkeanum*](#) Trel.
- [*Piper schuppai*](#) A.H.Gentry
- [*Piper schwackei*](#) C.DC.
- [*Piper sciaphilum*](#) C.DC.
- [*Piper scintillans*](#) Trel.
- [*Piper scleromyelum*](#) C.DC.
- [*Piper sclerophloeum*](#) C.DC.
- [*Piper scobinifolium*](#) Yunck.
- [*Piper scolopendrifolium*](#) Raddi
- [*Piper scortechinii*](#) C.DC.
- [*Piper scutatum*](#) Raddi
- [*Piper scutilimbium*](#) C.DC.
- [*Piper scutispicum*](#) Trel.
- [*Piper sebastianum*](#) Yunck.
- [*Piper secundum*](#) Ruiz & Pav.
- [*Piper seducentifolium*](#) Trel.
- [*Piper selangorense*](#) C.DC.
- [*Piper semangkoanum*](#) C.DC.
- [*Piper semicordulatum*](#) Trel.
- [*Piper semicrudum*](#) Trel.
- [*Piper semiimmersum*](#) C.DC.
- [*Piper semimetrale*](#) C.DC.
- [*Piper seminervosum*](#) Trel. & Yunck.
- [*Piper seminitidulum*](#) Trel.

- [*Piper semiplenum*](#) Trel.
- [*Piper semitarium*](#) Trel. & Yunck.
- [*Piper semitransparens*](#) C.Y.Hao & Y.H.Tan
- [*Piper semivolubile*](#) C.DC.
- [*Piper semperflorens*](#) C.DC.
- [*Piper senporeiense*](#) Yamam.
- [*Piper sepicola*](#) C.DC.
- [*Piper sepium*](#) C.DC.
- [*Piper septuplinervium*](#) (Miq.) C.DC.
- [*Piper sericeonervosum*](#) Trel.
- [*Piper serotinum*](#) Trel.
- [*Piper serpavillanum*](#) Trel.
- [*Piper serrulatum*](#) Yunck.
- [*Piper setebarraense*](#) E.F.Guim. & L.H.P.Costa
- [*Piper setigerum*](#) Trel.
- [*Piper setosum*](#) Trel. & Yunck.
- [*Piper setulosum*](#) Trel.
- [*Piper sibulanum*](#) C.DC.
- [*Piper sibunense*](#) Trel.
- [*Piper sierra-aroense*](#) Steyererm.
- [*Piper signatum*](#) Trel.
- [*Piper siguatepequense*](#) Trel.
- [*Piper silentvalleyense*](#) Ravindran, M.K.Nair & Asokan Nair
- [*Piper silvaense*](#) Yunck.
- [*Piper silvanorum*](#) Trel.
- [*Piper silvarum*](#) C.DC.
- [*Piper silvicola*](#) C.DC.
- [*Piper silvigaudens*](#) Yunck.
- [*Piper silvimontanum*](#) C.DC.
- [*Piper silvivagum*](#) C.DC.
- [*Piper simile*](#) Quisumb.
- [*Piper simulans*](#) Trel.
- [*Piper simularoideum*](#) Callejas
- [*Piper simulhabitans*](#) Trel.
- [*Piper sintenense*](#) Hatus.
- [*Piper sinuatifolium*](#) Trel.
- [*Piper sinuatispicum*](#) Trel.
- [*Piper sinuclausum*](#) Trel.
- [*Piper sinugaudens*](#) C.DC.
- [*Piper siquirresense*](#) Trel.
- [*Piper sirenasense*](#) Callejas
- [*Piper skutchii*](#) Trel. & Yunck.

- [*Piper smitinandianum*](#) Suwanph. & Chantar.
- [*Piper sneidernii*](#) Yunck.
- [*Piper snethlagei*](#) Yunck.
- [*Piper sociorum*](#) Trel. & Yunck.
- [*Piper sodiroi*](#) C.DC.
- [*Piper sogerense*](#) S.Moore
- [*Piper sogerianum*](#) C.DC.
- [*Piper soledadense*](#) Trel.
- [*Piper solmsianum*](#) C.DC.
- [*Piper solutidrupum*](#) Yunck.
- [*Piper sonadense*](#) C.DC.
- [*Piper sonsonatense*](#) Standl. & S.Calderon
- [*Piper sororium*](#) (Miq.) C.DC.
- [*Piper sorsogonum*](#) C.DC.
- [*Piper sotae*](#) Yunck.
- [*Piper sotobosquense*](#) S.M.Niño & Dorr
- [*Piper spathelliferum*](#) Quisumb.
- [*Piper speratum*](#) Trel.
- [*Piper sperdinum*](#) C.DC.
- [*Piper sphaerocarpum*](#) (Griseb.) C.DC. ex C.Wright
- [*Piper sphaeroides*](#) C.DC.
- [*Piper spicilongum*](#) Trel.
- [*Piper spinacifolium*](#) Callejas
- [*Piper sprengelianum*](#) C.DC.
- [*Piper spruceanum*](#) C.DC.
- [*Piper squalipelliculum*](#) Trel.
- [*Piper squamuliferum*](#) C.DC.
- [*Piper squamulosum*](#) C.DC.
- [*Piper staminodiferum*](#) C.DC.
- [*Piper standleyi*](#) Trel.
- [*Piper statarium*](#) Trel. & Yunck.
- [*Piper steinbachii*](#) Yunck.
- [*Piper stellipilum*](#) (Miq.) C.DC.
- [*Piper stenocarpum*](#) C.DC.
- [*Piper stenocladophorum*](#) Trel.
- [*Piper stenocladum*](#) C.DC.
- [*Piper stenopodum*](#) C.DC.
- [*Piper stenostachys*](#) C.DC.
- [*Piper sternii*](#) Yunck.
- [*Piper stevensii*](#) Trel.
- [*Piper steyermarkii*](#) Yunck.
- [*Piper stileferum*](#) Yunck.

- [*Piper stillans*](#) Trel. & Standl.
- [*Piper stipitiforme*](#) C.C.Chang ex Y.C.Tseng
- [*Piper stipulaceum*](#) Opiz
- [*Piper stipulare*](#) A.C.Sm.
- [*Piper stipulosum*](#) Sodiro
- [*Piper stomachicum*](#) C.DC.
- [*Piper storkii*](#) Trel.
- [*Piper striaticaula*](#) Yunck.
- [*Piper striatifolium*](#) Yunck.
- [*Piper striatipetiolum*](#) Yunck.
- [*Piper strictifolium*](#) D.Monteiro & E.F.Guim.
- [*Piper strigillosicaule*](#) Trel.
- [*Piper strigillosum*](#) Trel.
- [*Piper strigosum*](#) Trel.
- [*Piper stuebelii*](#) Trel.
- [*Piper subaduncum*](#) Yunck.
- [*Piper subaequilaterum*](#) Trel.
- [*Piper subalbicans*](#) C.DC.
- [*Piper subalpinum*](#) Yunck.
- [*Piper subampollosum*](#) Callejas
- [*Piper subandinum*](#) C.DC.
- [*Piper subasperatum*](#) Trel.
- [*Piper subaspericaule*](#) C.DC.
- [*Piper subasperifolium*](#) Yunck.
- [*Piper subbullatum*](#) K.Schum. & Lauterb.
- [*Piper subcaniramum*](#) C.DC.
- [*Piper subcaudatum*](#) Trel.
- [*Piper subcinereum*](#) C.DC.
- [*Piper subconcinnum*](#) C.DC.
- [*Piper subcordatum*](#) (Miq.) C.DC.
- [*Piper subcordulatum*](#) Trel.
- [*Piper subcrenulatatum*](#) C.DC.
- [*Piper subdilatatatum*](#) Trel.
- [*Piper subdivaricatum*](#) Trel.
- [*Piper subduidaense*](#) Yunck.
- [*Piper subeburneum*](#) Trel. & Standl.
- [*Piper subepunctatum*](#) C.DC.
- [*Piper suberythrocarpum*](#) C.DC.
- [*Piper subexiguicaule*](#) Callejas
- [*Piper subfalcatum*](#) Yunck.
- [*Piper subflavicans*](#) Trel.
- [*Piper subflavispicum*](#) C.DC.

- [*Piper subflavum*](#) C.DC.
- [*Piper subfragile*](#) C.DC.
- [*Piper subfrutescens*](#) Trel. & Yunck.
- [*Piper subfuscum*](#) C.DC.
- [*Piper subgibbosum*](#) Callejas
- [*Piper subglabribracteatum*](#) C.DC.
- [*Piper subglabrifolium*](#) C.DC.
- [*Piper subglabrilimbium*](#) (Yunck.) Callejas
- [*Piper subglabrum*](#) C.DC.
- [*Piper subhirsutum*](#) Trel.
- [*Piper sublaevifolium*](#) Trel.
- [*Piper sublepidotum*](#) Yunck.
- [*Piper sublignosum*](#) Yunck.
- [*Piper sublineatum*](#) Kuntze
- [*Piper submolle*](#) Trel.
- [*Piper submultinerve*](#) C.DC.
- [*Piper subnitidifolium*](#) Yunck.
- [*Piper subnitidum*](#) C.DC.
- [*Piper subnudibracteum*](#) C.DC.
- [*Piper subnudispicum*](#) Trel.
- [*Piper subpatens*](#) Trel.
- [*Piper subpedale*](#) Trel. & Yunck.
- [*Piper subpenninerve*](#) Ridl.
- [*Piper subprostratum*](#) C.DC.
- [*Piper subpubibracteum*](#) C.DC.
- [*Piper subquadratum*](#) Trel.
- [*Piper subquinquenerve*](#) Trel.
- [*Piper subrepens*](#) Trel.
- [*Piper subrubrispicum*](#) C.DC.
- [*Piper subrugosum*](#) Yunck.
- [*Piper subscutatum*](#) C.DC.
- [*Piper subseptemnervium*](#) (Miq.) C.DC.
- [*Piper subsericeum*](#) Trel.
- [*Piper subsessilifolium*](#) C.DC.
- [*Piper subsessililimbium*](#) C.DC.
- [*Piper subsilvestre*](#) C.DC.
- [*Piper subsilvulanum*](#) C.DC.
- [*Piper substenocarpum*](#) C.DC.
- [*Piper substilosum*](#) Yunck.
- [*Piper subtomentosum*](#) Trel. & Yunck.
- [*Piper subtrinerve*](#) Trel.
- [*Piper subulatum*](#) C.DC.

- [*Piper subvariabile*](#) Trel.
- [*Piper subzhorquinense*](#) C.DC. ex Trel.
- [*Piper sucreanum*](#) G.A.Queiroz & E.F.Guim.
- [*Piper sucreense*](#) Trel. & Yunk.
- [*Piper suffrutescens*](#) C.DC.
- [*Piper suffruticosum*](#) Trel.
- [*Piper sugandhi*](#) Ravindran, K.N.Babu & V.G.Naik
- [*Piper suipigua*](#) Buch.-Ham. ex D.Don
- [*Piper sulcatum*](#) Blume
- [*Piper sulcinervosum*](#) Trel.
- [*Piper sumpi*](#) Trel.
- [*Piper sundaicum*](#) Blume
- [*Piper supernum*](#) Trel. & Yunk.
- [*Piper suratanum*](#) Trel. & Yunk.
- [*Piper surubresanum*](#) Trel.
- [*Piper svenningii*](#) W.Trujillo-C.
- [*Piper swartzianum*](#) (Miq.) C.DC.
- [*Piper sylvaticum*](#) Roxb.
- [*Piper sylvestre*](#) Lour.
- [*Piper syringifolium*](#) Vahl

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)

- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper tabanicidum](#) Trel.
- [Piper tabernillanum](#) Trel.
- [Piper tabinense](#) Trel.
- [Piper taboganum](#) C.DC.
- [Piper tacanaense](#) Callejas
- [Piper tacananum](#) Trel. & Standl.
- [Piper tacarcunense](#) Callejas
- [Piper tacariguense](#) Steyerm.
- [Piper tachiranum](#) Yunck.
- [Piper tacticanum](#) Trel. & Standl.
- [Piper taiwanense](#) T.T.Lin & S.Y.Lu
- [Piper tajumulcoanum](#) Trel. & Standl.
- [Piper talbotii](#) C.DC.
- [Piper tamayoanum](#) Steyerm.
- [Piper tapantiense](#) Trel.
- [Piper taperanum](#) Yunck.
- [Piper taperinhanum](#) Yunck.
- [Piper tapianum](#) Trel.
- [Piper tarcolense](#) Callejas
- [Piper tardans](#) Trel.
- [Piper tarquiense](#) W.Trujillo-C.
- [Piper tectoniifolium](#) (Kunth) Kunth ex Steud.
- [Piper tecumense](#) Trel.
- [Piper tecutlanum](#) Trel. & Standl.
- [Piper telanum](#) Trel.
- [Piper telembi](#) E.García
- [Piper temiscoense](#) Trel. ex Callejas
- [Piper temptum](#) Trel.
- [Piper tenebricosum](#) Trel.
- [Piper tentatum](#) Trel.
- [Piper tenue](#) Kunth
- [Piper tenuibracteum](#) C.DC.

- [*Piper tenuiculispicum*](#) Trel.
- [*Piper tenuicuspe*](#) (Miq.) C.DC.
- [*Piper tenuifolium*](#) C.DC.
- [*Piper tenuilimbum*](#) C.DC.
- [*Piper tenuimucronatum*](#) C.DC.
- [*Piper tenuinerve*](#) C.DC.
- [*Piper tenuipes*](#) C.DC.
- [*Piper tenuispicum*](#) C.DC.
- [*Piper tepicanum*](#) C.DC.
- [*Piper tepuiense*](#) Steyerm.
- [*Piper tequendanense*](#) C.DC.
- [*Piper terrabanum*](#) C.DC.
- [*Piper terryae*](#) Standl.
- [*Piper tesserispicum*](#) Trel.
- [*Piper tessmannii*](#) Trel.
- [*Piper teysmannii*](#) (Miq.) C.DC.
- [*Piper theobromifolium*](#) O.Schwartz
- [*Piper thermale*](#) Vahl
- [*Piper thomsonii*](#) (C.DC.) Hook.f.
- [*Piper thorelii*](#) C.DC.
- [*Piper tigranum*](#) C.DC.
- [*Piper tilaranum*](#) Trel.
- [*Piper timbiquinum*](#) C.DC.
- [*Piper timbuchianum*](#) Trel.
- [*Piper tinctum*](#) Trel.
- [*Piper tjambae*](#) C.DC.
- [*Piper tocacheanum*](#) C.DC.
- [*Piper tomas-albertoi*](#) Trel. & Yunk.
- [*Piper tomentosum*](#) Mill.
- [*Piper tomohonum*](#) C.DC.
- [*Piper tonduzii*](#) C.DC.
- [*Piper toppingii*](#) C.DC.
- [*Piper toronotepuiense*](#) Steyerm.
- [*Piper torresanum*](#) Trel.
- [*Piper torricellense*](#) Lauterb.
- [*Piper tortivenulosum*](#) Yunk.
- [*Piper tortuosipilum*](#) Trel.
- [*Piper tortuosivenosum*](#) Trel.
- [*Piper towareense*](#) Trel. & Yunk.
- [*Piper townsendii*](#) C.DC.
- [*Piper trachydermum*](#) Trel.
- [*Piper trachyphyllum*](#) C.DC.

- [*Piper translucens*](#) Yunck.
- [*Piper transpontinum*](#) Trel.
- [*Piper travancorianum*](#) P.K.Mukh.
- [*Piper trianae*](#) C.DC.
- [*Piper triangulare*](#) Chew ex P.Royen
- [*Piper trichocarpon*](#) C.DC.
- [*Piper trichogynum*](#) C.DC.
- [*Piper trichoneuron*](#) (Miq.) C.DC.
- [*Piper trichophlebium*](#) Trel.
- [*Piper trichophyllum*](#) C.DC.
- [*Piper trichopus*](#) Trel.
- [*Piper trichorhachis*](#) C.DC.
- [*Piper trichostachyon*](#) (Miq.) C.DC.
- [*Piper trichostylopse*](#) Trel.
- [*Piper trichostylum*](#) C.DC.
- [*Piper tricolor*](#) Y.C.Tseng
- [*Piper tricuspe*](#) (Miq.) C.DC.
- [*Piper tridentipilum*](#) C.DC.
- [*Piper trigoniastrifolium*](#) C.DC.
- [*Piper trigonocarpum*](#) Trel.
- [*Piper trigonodrupum*](#) Yunck.
- [*Piper trigonum*](#) C.DC.
- [*Piper trinervium*](#) (Miq.) C.DC.
- [*Piper trineuron*](#) Miq.
- [*Piper triquetrofructum*](#) Trel.
- [*Piper tristemon*](#) C.DC.
- [*Piper tristigium*](#) Trel.
- [*Piper truman-yunckeri*](#) Callejas
- [*Piper truncatibaccum*](#) C.DC.
- [*Piper tsakianum*](#) C.DC.
- [*Piper tsangyuanense*](#) P.S.Chen & P.C.Zhu
- [*Piper tsarasotrae*](#) Papini, Palchetti, M.Gori & Rota Nodari
- [*Piper tsengianum*](#) M.G.Gilbert & N.H.Xia
- [*Piper tsurikubense*](#) Trel.
- [*Piper tuberculatum*](#) Jacq.
- [*Piper tucumanum*](#) C.DC.
- [*Piper tuerckheimii*](#) C.DC.
- [*Piper tuisanum*](#) C.DC.
- [*Piper tumidinodum*](#) Yunck.
- [*Piper tumidipedunculum*](#) Trel.
- [*Piper tumidonodosum*](#) P.K.Mukh.
- [*Piper tumidum*](#) Kunth

- [*Piper tumupasense*](#) Yunck.
- [*Piper tungurahuae*](#) Sodiro
- [*Piper tuquesanum*](#) Callejas
- [*Piper turbense*](#) Trel.
- [*Piper turrialvanum*](#) C.DC.
- [*Piper tuxtepecense*](#) Trel. ex Callejas
- [*Piper tuxtense*](#) Callejas

U

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper uaupesense*](#) Yunck.
- [*Piper ubiquesasperum*](#) Trel.

- [*Piper ubiquesabridum*](#) Trel.
- [*Piper ucayalianum*](#) Trel.
- [*Piper udicola*](#) C.DC.
- [*Piper udimontanum*](#) C.DC.
- [*Piper uhdei*](#) C.DC.
- [*Piper ulceratum*](#) Trel.
- [*Piper uleanum*](#) Trel.
- [*Piper ulei*](#) C.DC.
- [*Piper ulvifolium*](#) K.Schum. & Lauterb.
- [*Piper umbellatum*](#) L.
- [*Piper umbricola*](#) C.DC.
- [*Piper umbriculum*](#) (Cuatrec.) M.A.Jaram. & Callejas
- [*Piper umbriense*](#) Trel. & Yunck.
- [*Piper umbrosum*](#) Kunth
- [*Piper uncinulatum*](#) Ridl.
- [*Piper ungaramense*](#) C.DC.
- [*Piper unguiculatum*](#) Ruiz & Pav.
- [*Piper unguiculiferum*](#) Trel.
- [*Piper unillanum*](#) Trel. & Yunck.
- [*Piper upalaense*](#) Callejas
- [*Piper urdanetanum*](#) C.DC.
- [*Piper ureense*](#) Callejas
- [*Piper urophyllum*](#) C.DC.
- [*Piper urostachyum*](#) Hemsl.
- [*Piper urubambanum*](#) Trel.
- [*Piper uspantanense*](#) C.DC.
- [*Piper usumacintense*](#) Lundell
- [*Piper utinganum*](#) Yunck.
- [*Piper uvitanum*](#) C.DC.

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Piper vaccinum*](#) Standl. & Steyerf.
- [*Piper vaginans*](#) C.DC.
- [*Piper valdivianum*](#) Callejas
- [*Piper valetudinarii*](#) Trel.
- [*Piper valladolidense*](#) Yunck.
- [*Piper vallicola*](#) C.DC.
- [*Piper vanderveldeanum*](#) Trel.
- [*Piper varablancanum*](#) Trel.
- [*Piper varibracteum*](#) C.DC.
- [*Piper variifolium*](#) (Miq.) C.DC.
- [*Piper variipilum*](#) C.DC.
- [*Piper variitrichum*](#) Yunck.
- [*Piper velae*](#) W.Trujillo-C. & M.A.Jaram.
- [*Piper velayudhanii*](#) E.S.S.Kumar & S.P.Mathew
- [*Piper vellosoi*](#) Yunck.
- [*Piper velutinervium*](#) C.DC.
- [*Piper velutinibaccum*](#) C.DC.
- [*Piper velutininervosum*](#) Trel.
- [*Piper velutinobracteosum*](#) Callejas
- [*Piper velutinovarium*](#) C.DC.
- [*Piper velutinum*](#) Kunth
- [*Piper venamoense*](#) Steyerf.
- [*Piper veneralense*](#) Trel. & Yunck.

- [Piper venosum](#) (Miq.) C.DC.
- [Piper ventoleranum](#) Trel.
- [Piper venulosissimum](#) Yunck.
- [Piper veraguanum](#) Callejas
- [Piper veraguense](#) C.DC.
- [Piper verbascifolium](#) (Miq.) C.DC.
- [Piper verbenanum](#) C.DC.
- [Piper veredianum](#) Trel.
- [Piper vergelense](#) Trel. & Standl.
- [Piper vermiculatum](#) C.DC.
- [Piper verruculicaule](#) Trel.
- [Piper verruculifolium](#) Trel.
- [Piper verruculigerum](#) Trel.
- [Piper verruculipetiolum](#) Trel.
- [Piper verruculosum](#) C.DC.
- [Piper versteegii](#) C.DC.
- [Piper vestitifolium](#) C.DC.
- [Piper vestitum](#) C.DC.
- [Piper vexans](#) Trel.
- [Piper via-chicoense](#) Yunck.
- [Piper viae-marginis](#) Trel.
- [Piper vicinum](#) Trel.
- [Piper vicosanum](#) Yunck.
- [Piper victorianum](#) C.DC.
- [Piper villalobosense](#) Yunck.
- [Piper villarrealii](#) Yunck.
- [Piper villipedunculum](#) C.DC.
- [Piper villirameum](#) C.DC.
- [Piper villiramulum](#) C.DC.
- [Piper villistipulum](#) Trel.
- [Piper villosispicum](#) Trel.
- [Piper villosissimum](#) Yunck.
- [Piper villosum](#) C.DC.
- [Piper viminifolium](#) Trel.
- [Piper virgatum](#) Yunck.
- [Piper virgenense](#) Trel. & Yunck.
- [Piper virginicum](#) Trel. & Standl.
- [Piper virgultorum](#) C.DC.
- [Piper viridescens](#) Suwanph. & Chantar.
- [Piper viridicaule](#) Trel.
- [Piper viridifolium](#) Trel.
- [Piper viridilimbum](#) Trel.

- [Piper viridistachyum](#) Yunck.
- [Piper virillanum](#) C.DC.
- [Piper viscaianum](#) Trel. & Yunck.
- [Piper vitabile](#) Trel.
- [Piper vitaceum](#) Yunck.
- [Piper viticaule](#) Yunck.
- [Piper vitiense](#) A.C.Sm.
- [Piper voigtii](#) C.DC.
- [Piper volubile](#) C.DC.

W

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Piper wabagense](#) W.L.Chew
- [Piper wachenheimii](#) Trel.
- [Piper wagneri](#) C.DC.
- [Piper walkeri](#) Miq.
- [Piper wallichii](#) (Miq.) Hand.-Mazz.
- [Piper wangii](#) M.G.Gilbert & N.H.Xia
- [Piper weddellii](#) C.DC.
- [Piper wedelii](#) Yunck.
- [Piper wibomii](#) Yunck.
- [Piper wichmannii](#) C.DC.
- [Piper wightii](#) Miq.
- [Piper wilhelmense](#) Chew ex P.Royen
- [Piper wilsonii](#) Trel.
- [Piper wingfieldii](#) Steyererm.
- [Piper winkleri](#) C.DC.
- [Piper woytkowskii](#) Yunck.
- [Piper wrightii](#) C.DC.

X

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Piper xanthocarpum](#) C.DC.
- [Piper xanthoneurum](#) Trel.
- [Piper xanthostachyum](#) C.DC.
- [Piper xiroresanum](#) C.DC.
- [Piper xylosteoides](#) (Kunth) Steud.

Y

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)
- [*Piper yamaranguilaense*](#) Callejas
- [*Piper yanaconasense*](#) Trel. & Yunck.
- [*Piper yananoanum*](#) Trel.
- [*Piper yaracuyense*](#) Yunck.
- [*Piper yaxhanum*](#) Trel.
- [*Piper yessupianum*](#) Trel.
- [*Piper yinkiangense*](#) Y.C.Tseng
- [*Piper yoroanum*](#) Trel.
- [*Piper yousei*](#) Trel.
- [*Piper yucatanense*](#) C.DC.
- [*Piper yui*](#) M.G.Gilbert & N.H.Xia
- [*Piper yungasanum*](#) Yunck.
- [*Piper yunnanense*](#) Y.C.Tseng
- [*Piper yzabalanum*](#) C.DC.

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Piper zacapanum](#) Trel. & Standl.
- [Piper zacatense](#) C.DC.
- [Piper zarceroense](#) Trel.
- [Piper zarumanum](#) Trel.
- [Piper zentatum](#) C.DC.
- [Piper zeylanicum](#) Miq.
- [Piper zhorquinense](#) C.DC.
- [Piper zollingeri](#) C.DC.
- [Piper zonulatispicum](#) Trel.

From Wikipedia, the free encyclopedia

Pinus, the **pin**es, is a genus of approximately 110–120 [extant](#) tree and shrub species. The genus is currently split into two [subgenera](#), subgenus ***Pinus*** (**hard pines**), and subgenus ***Strobus*** (**soft pines**). Each of the subgenera have been further divided into [sections and subsections](#) based in the past on morphology, ecology and biogeography, and more recently increasingly from [chloroplast](#) DNA sequencing[1] and whole [plastid](#) genomic analysis.[2] While the genetic analysis has given robust results at the higher levels, they often give conflicting results lower in the phylogenetic trees, with species allocated to different subsections (and sometimes different sections) by different studies or even within a study.[3] Within subsections, the genetic relationships between species can be even more complex and conflicting; in one study, three samples of the very distinctive and morphologically constant *Pinus lambertiana* were placed in three different [clades](#) of the subsection *Strobus*, and similar problems with many other species with widespread nonmonophyly.[4]

<i>Pinus</i>	Subgenus <i>Pinus</i>	Section <i>Trifoliae</i>	Subsection <i>Ponderosae</i>
			Subsection <i>Contortae</i>
			Subsection <i>Australes</i>
	Section <i>Pinus</i>		Subsection <i>Pinus</i>
			Subsection <i>Pinaster</i>

Subgenus *Strobus* Section *Quinquefoliae* Subsection *Gerardianae*

Subsection *Krempfianae*

Subsection *Strobus*

Several features are used to distinguish the subgenera, sections, and subsections of pines; the number of leaves (needles) per [fascicle](#), whether the [fascicle sheaths](#) are [deciduous](#) or [persistent](#), the number of [fibrovascular bundles](#) per needle (two in *Pinus*, one in *Strobus*), the position of the [resin ducts](#) in the needles (internal or external), the presence or shape of the seed wings (rudimentary or effective, articulate or adnate), and the position of the [umbo](#) (dorsal or terminal) and presence of a prickle on the scales of the [seed cones](#).[\[5\]](#)

The two subgenera are thought to have ancient divergence from each other, having diverged at some point between the late [Jurassic](#) (around 160 million years ago),[\[6\]](#) the mid [Cretaceous](#) (around 125 million years ago),[\[7\]](#) to the late Cretaceous (around 100 million years ago).[\[8\]](#)

Subgenus *Pinus*

Subgenus [Pinus](#) includes the yellow and hard pines. Pines in this subgenus have two to five needles per fascicle (rarely as many as eight, in [P. durangensis](#)).[\[9\]](#) They have two [fibrovascular bundles](#) per needle, and the fascicle sheaths are [persistent](#), except in [P. leiophylla](#) and [P. lumholtzii](#). The cone scales are thicker and more rigid than those of subgenus *Strobus*, and have a resin sealing band before opening (resulting in the cones opening with an audible crack); the [cones](#) either open soon after they mature or are [serotinous](#).[\[10\]](#)

Section *Pinus*

Section [Pinus](#) has two or three needles per fascicle. The cones have moderately thin to thick scales; in most they open at maturity, but are weakly serotinous in some species in subsection *Pinaster*. Species in this section are native to [Europe](#), [Asia](#), and the [Mediterranean](#), except for *P. resinosa* in northeastern [North America](#) and *P. tropicalis* in western [Cuba](#).[\[10\]](#)

Subsection [Incertae sedis](#)

- †[P. driftwoodensis](#) – Early [Eocene](#), [British Columbia](#), [Canada](#)[\[11\]](#)

Subsection *Pinus*



Pinus sylvestris



Pinus

heldreichii

All but two species (*P. resinosa* and *P. tropicalis*) in Subsection *Pinus* are native to Eurasia.^[10] The cones have moderate thickness scales, and are characterised by a slightly off-centre prickly ('excentromucronate') on the umbo.^[12]

- [*P. densata*](#) – Sikang pine
- [*P. densiflora*](#) – Japanese red pine or Korean red pine
- [*P. henryi*](#) – Henry's pine
- [*P. hwangshanensis*](#) – Huangshan pine
- [*P. kesiya*](#) – Khasi pine
- [*P. luchuensis*](#) – Luchu pine
- [*P. massoniana*](#) – Masson's pine
- [*P. mugo*](#) – mountain pine
 - *P. m.* subsp. *mugo*
 - *P. m.* subsp. *uncinata* (treated as a separate species *P. uncinata* by POWO,^[13] but with minimal genetic distinction from *P. mugo*^[14])
- [*P. nigra*](#) – Austrian pine
- [*P. resinosa*](#) – red pine
- [*P. sylvestris*](#) – Scots pine
- [*P. tabuliformis*](#) – Chinese red pine
- [*P. taiwanensis*](#) – Taiwan red pine
- [*P. thunbergii*](#) – Japanese black pine
- [*P. tropicalis*](#) – tropical pine
- [*P. yunnanensis*](#) – Yunnan pine
- †[*P. prehwangshanensis*](#)

- †[*P. yorkshirensis*](#)

Subsection *Incertae sedis*

This pine is commonly resolved into subsection *Pinaster* by genetic studies, but this is in strong conflict with its morphology and ecology, which is much closer to subsection *Pinus*, or alternatively placed in its own subsection *Leucodermes* close to subsection *Pinus*.[\[15\]](#)

- [*P. heldreichii*](#) – Bosnian pine

Subsection *Incertae sedis*

These pines are placed in subsection *Pinus* by some genetic studies,[\[8\]](#) but in subsection *Pinaster* by others.[\[2\]](#) In morphology and ecology, they belong in the latter group.[\[16\]](#) The subsection *Merkusia* has also been proposed for them.[\[15\]](#)

- [*P. latteri*](#) – Tenasserim pine
- [*P. merkusii*](#) – Sumatran pine
- [*P. ustulata*](#) – Philippine pine (recently split from *P. merkusii*)[\[17\]](#)

Subsection *Pinaster*



Pinus roxburghii

Subsection *Pinaster* contains species native to warm climates in the Mediterranean region at low altitudes, as well as [*P. roxburghii*](#) from the [Himalayas](#). The cones are thick-scaled and orange-brown to red-brown, and the cone scales are glossy and lack umbo spines.[\[5\]](#) It is named after *P. pinaster*.

- [*P. brutia*](#) – Turkish pine
- [*P. canariensis*](#) – Canary Islands pine
- [*P. halepensis*](#) – Aleppo pine
- [*P. pinaster*](#) – maritime pine
- [*P. pinea*](#) – stone pine
- [*P. roxburghii*](#) – chir pine

Section *Trifoliae*

Section *Trifoliae* (American hard pines), despite its name (which means "three-leaved"), has two to five needles per fascicle, or rarely eight. The cones of most species open at maturity, but a few are [serotinous](#). All but two American hard pines belong to this section.[\[10\]](#)

The timing of divergences within this section is disputed, with subsections *Australes* and *Ponderosae* having diverged during the mid [Cretaceous](#) (about 110 million years ago) according to one study,[\[6\]](#) but not until the mid [Oligocene](#) (about 30–35 million years ago) in others.[\[7\]\[8\]](#)

Subsection *Attenuatae*



Pinus attenuata

The three closed-cone (serotinous) and fire adapted species of California and Baja California form a small subsection;[\[18\]](#) closely related to, and often included within subsection *Australes*. Some studies suggest *Pinus glabra* may also belong here (despite its morphological dissimilarity)[\[2\]](#) though others include it in subsection *Australes*.[\[8\]](#)

- [P. attenuata](#) – knobcone pine
- [P. muricata](#) – Bishop pine
- [P. radiata](#) – Monterey pine

Subsection *Australes*



Pinus elliottii

This subsection is native to [North](#) and [Central America](#) and islands in the [Caribbean](#).[\[5\]\[19\]\[20\]](#) It has 26 living species.[\[18\]](#)

- [*P. caribaea*](#) – Caribbean pine
- [*P. cubensis*](#) – Cuban pine
- [*P. echinata*](#) – shortleaf pine
- [*P. elliottii*](#) – slash pine
- [*P. glabra*](#) – spruce pine
- [*P. georginae*](#)
- [*P. greggii*](#) – Gregg's pine
- [*P. herrerae*](#) – Herrera's pine
- [*P. hondurensis*](#) – Honduras pine (treated as a variety of *P. caribaea* by POWO,[21] but considered distinct by Businský[15])
- [*P. jaliscana*](#) – Jalisco pine
- [*P. lawsonii*](#) – Lawson's pine
- [*P. leiophylla*](#) – Chihuahua pine
- [*P. lumholtzii*](#) – Lumholtz's pine
- [*P. luzmariae*](#)[22]
- [*P. occidentalis*](#) – Hispaniolan pine
- [*P. oocarpa*](#) – egg-cone pine
- [*P. palustris*](#) – longleaf pine
- [*P. patula*](#) – patula pine
- [*P. praetermissa*](#) – McVaugh's pine
- [*P. pringlei*](#) – Pringle's pine
- [*P. pungens*](#) – table mountain pine
- [*P. rigida*](#) – pitch pine
- [*P. serotina*](#) – pond pine
- [*P. taeda*](#) – loblolly pine
- [*P. tecunumanii*](#) – Tecun Uman's pine
- [*P. teocote*](#) – ocote pine
- [*P. vallartensis*](#)
- †[*P. foisyi*](#) – extinct

Subsection *Contortae*

The *Contortae* are native to North America and Mexico.[5] It contains four accepted species.[18]

- [*P. banksiana*](#) – jack pine
- [*P. clausa*](#) – sand pine
- [*P. contorta*](#) (infraspecific taxa traditionally cited at varietal rank,[23] but with marked divergence in morphology and ecology, better treated at subspecific rank[24])
 - *P. c.* subsp. *contorta* – shore pine
 - *P. c.* subsp. *latifolia* – lodgepole pine
 - *P. c.* subsp. *murrayana* – tamarack pine
- [*P. virginiana*](#) – Virginia pine
- †[*P. matthewsii*](#) – extinct [Pliocene](#) species from [Yukon Territory](#), Canada[25]

Subsection *Ponderosae*



Pinus gordoniana



Pinus

jeffreyi

This subsection is native to [Central America](#), [Mexico](#), the western [United States](#), and southwestern [Canada](#),[\[5\]](#)[\[26\]](#) although its former range was possibly much wider as evidenced by upper Miocene fossils belonging to this subsection found in Japan [\[27\]](#) It contains at least 13 living species and may contain five more if the disputed species become widely accepted.[\[18\]](#)

- *P. apulcensis* (syn. *P. oaxacana*; currently treated as a variety of *P. pseudostrobus* by POWO[\[28\]](#))
- [P. arizonica](#) – Arizona pine
- [P. cooperi](#) – Cooper's pine
- [P. devoniana](#) – Michoacan pine
- [P. durangensis](#) – Durango pine
- [P. engelmannii](#) – Apache pine
- *P. estevezii* – (not currently accepted by POWO)[\[29\]](#)
- [P. gordoniana](#) – Gordon's pine
- [P. hartwegii](#) – Hartweg's pine
- *P. martinezii* – (not accepted)[\[30\]](#)
- [P. maximinoi](#) – thinleaf pine
- [P. montezumae](#) – Montezuma pine
- [P. ponderosa](#) – ponderosa pine
 - *P. p.* subsp. *benthamiana* – Pacific ponderosa[\[31\]](#)
 - [P. p. subsp. brachyptera](#) – Southwestern ponderosa (disputed, *P. brachyptera* in [POWO](#) and a subspecies in [GRIN](#))[\[32\]](#)
 - *P. p.* subsp. *ponderosa* – Columbia Basin ponderosa
 - *P. p.* subsp. *readiana* – central high plains ponderosa
 - [P. p. subsp. scopulorum](#) – Rocky Mountain ponderosa (disputed, *P. scopulorum* in POWO and a subspecies in GRIN)[\[33\]](#)
- [P. pseudostrobus](#) – smooth-bark Mexican pine
- [P. stormiae](#) – Storm's pine
- [P. yecorensis](#) – Yecora pine

- †[P. fujii](#)[27]
- †[P. johndayensis](#) – [Oligocene](#)

Subsection *Sabinianae*

These are pines of the western United States and Mexico with four existing species. Within the subsection the Coulter pine is closely related with the Jeffrey pine and the gray pine is likewise paired with the Torrey pine.[18]

- [P. coulteri](#) – Coulter pine
- [P. jeffreyi](#) – Jeffrey pine
- [P. sabiniana](#) – gray pine
- [P. torreyana](#) – Torrey pine

Subgenus *Strobus*

Subgenus *Strobus* includes the white and soft pines. Pines in this subgenus have one to five needles per fascicle and one [fibrovascular bundle](#) per needle, and the fascicle sheaths are [deciduous](#), except in [P. nelsonii](#), where they are persistent. Cone scales are thinner and more flexible than those of subgenus *Pinus*, except in some species like [P. maximartinezii](#), and [cones](#) usually open soon after they mature. [10]

Section *Nelsonia*



Pinus nelsonii

This unique pine is remarkable in differing from all other pines in multiple cone and foliage characters. Genetically, its position has varied between and within studies; three nuclear genes and chloroplast DNA placed it as [sister taxon](#) to the rest of Section *Parrya*, while a late embryogenesis abundant (LEA)-like gene (IFG8612) resolved it as sister to Section *Quinquefoliae*;[\[4\]](#) another study resolved it as sister to Subsection *Balfourianae*.[\[8\]](#) It has probably evolved separately from the rest of the genus since the late [Eocene](#), with its [most recent common ancestor](#) around 37 million years ago.[\[8\]](#) These unique characters warrant recognition as a monotypic section.[\[15\]](#)

Subsection *Nelsonianae*

Subsection *Nelsonianae* is native to northeastern Mexico. It consists of the single species with persistent fascicle sheaths.

- [*P. nelsonii*](#) – Nelson's pinyon

Section *Parrya*

Section *Parrya* has one to five needles per fascicle. The seeds have [articulate](#) (jointed) wings; in most, the wing is vestigial, and remains attached to the cone scale when the seed is released apparently wingless. In all species, the fascicle sheaths curl back to form a [rosette](#) before falling away. The cones have thick scales (thin in subsection *Balfourianae*) and release the seeds at maturity. This section is native to the southwestern United States and Mexico.[\[10\]](#)

Subsection *Balfourianae*

Subsection *Balfourianae* (bristlecone and foxtail pines) is native to southwest [United States](#).

- [*P. aristata*](#) – Rocky Mountains bristlecone pine
- [*P. balfouriana*](#) – foxtail pine
- †[*P. crossii*](#)[\[34\]](#)[\[35\]](#) - ([Chattian](#); [Creede Formation](#), Colorado)
- [*P. longaeva*](#) – Great Basin bristlecone pine

Subsection *Rzedowskiae*

The 'big-cone' pinyons, with larger cones than subsection *Cembroides*.[\[18\]](#)

- [*P. maximartinezii*](#) – big-cone pinyon
- [*P. pinceana*](#) – weeping pinyon
- [*P. rzedowskii*](#) – Rzedowski's pinyon

Subsection *Cembroides*



Pinus cembroides

Subsection *Cembroides* (pinyons or piñons) is native to [Mexico](#) and the southwestern [United States](#).

- [*P. cembroides*](#) – Mexican pinyon
- [*P. culminicola*](#) – Potosi pinyon
- [*P. discolor*](#) – border pinyon
- [*P. edulis*](#) – Colorado pinyon
- [*P. johannis*](#) – Johann's pinyon
- [*P. monophylla*](#) – single-leaf pinyon

- [*P. orizabensis*](#) – Orizaba pinyon
- [*P. quadrifolia*](#) – Parry pinyon
- [*P. remota*](#) – Texas pinyon or papershell pinyon

Section *Quinquefoliae*

Section *Quinquefoliae* (white pines), as its name (which means "five-leaved") suggests, has five needles per fascicle except for [*P. krempfii*](#), which has two, and [*P. gerardiana*](#) and [*P. bungeana*](#), which have three. All species have cones with thin or thick scales that open at maturity or do not open at all; none are serotinous. Species in this section are found in Eurasia and North America, and one species, [*P. chiapensis*](#) reaches Guatemala.[36][37]

Subsection *Gerardianae*

Subsection *Gerardianae* is native to East Asia. It has three or five needles per fascicle.

- [*P. bungeana*](#) – lacebark pine
- [*P. gerardiana*](#) – chilgoza pine
- [*P. squamata*](#) – Qiaojia pine

Subsection *Krempfianae*

Subsection *Krempfianae* is currently native to Vietnam, with a fossil record extending into the Oligocene. It has two needles per fascicle, and they are atypically flattened. The cone scales are thick and have no prickles. Until 2021, the subsection was considered monotypic, when an Oligocene fossil species was described from Yunnan Province, China.

- [*P. krempfii*](#) – [Krempf's pine](#)
- †[*P. leptokrempfii*](#) – Oligocene[38]

Subsection *Strobus*



Pinus cembra



Pinus

strobus

Subsection *Strobus* has five needles per fascicle and thin cone scales with no prickles. Needles tend to be flexible and soft with slightly lighter side underneath.[39] It is native to North and Central America, Europe, and Asia.[5]

- [*P. albicaulis*](#) – whitebark pine
- [*P. amamiana*](#) – Yakushima white pine
- [*P. armandii*](#) – Chinese white pine
- [*P. arunachalensis*](#)
- [*P. ayacahuite*](#) – Mexican white pine
- [*P. bhutanica*](#) – Bhutan white pine
- [*P. cembra*](#) – Swiss pine
- [*P. chiapensis*](#) – Chiapas pine
- [*P. dabeshanensis*](#) – Dabieshan pine
- [*P. dalatensis*](#) – Vietnamese white pine
- [*P. fenzeliana*](#) – Hainan white pine
- [*P. flexilis*](#) – limber pine
- [*P. koraiensis*](#) – Korean pine
- [*P. lambertiana*](#) – sugar pine
- [*P. monticola*](#) – western white pine

- [*P. morrisonicola*](#) – Taiwan white pine
- [*P. parviflora*](#) – Japanese white pine
- [*P. peuce*](#) – Macedonian pine
- [*P. pumila*](#) – Siberian dwarf pine
- [*P. ravii*](#)
- [*P. reflexa*](#) – Southwestern white pine
- [*P. sibirica*](#) – Siberian pine
- [*P. strobus*](#) – eastern white pine
- [*P. strobiformis*](#) – Chihuahuan white pine
- [*P. stylesii*](#) – Styles's white pine
- [*P. veitchii*](#) – Veitch's pine
- [*P. wallichiana*](#) – blue pine
- [*P. wangii*](#) – Guangdong white pine
- †[*P. longlingensis*](#) – [Late Pliocene](#), [Mangbang Formation](#) – Yunnan, China

Incertae sedis



[*Pinus latahensis*](#)

Species which are not placed in a subgenus at this time.

- †[*Pinus latahensis*](#) – Early Eocene, [Klondike Mountain Formation](#), [Allenby Formation](#) – [Okanagan Highlands Floras](#)
- †[*Pinus macrophylla*](#) – Early Eocene, [Klondike Mountain Formation](#), [Allenby Formation](#) – [Okanagan Highlands Floras](#)
- †[*Pinus peregrinus*](#) – Middle [Eocene](#), [Golden Valley Formation](#), [North Dakota](#), US
- †[*Pinus tetrafolia*](#) – Early Eocene, [Klondike Mountain Formation](#) – [Okanagan Highlands Floras](#)

See also

- [Hybridization in pines](#) (list of pine hybrids)

The genus *Pinguicula* contains the 126 species of butterworts, belonging to the bladderwort family (*Lentibulariaceae*). Species are distributed across the subarctic and temperate Northern Hemisphere, in the tropical Americas from Mexico to Bolivia, and to southern Argentina and central and southern Chile.[1] Over half of the species are concentrated in Mexico and Central America.[2]

Accepted species

126 species are currently accepted by [Plants of the World Online](#). [1]

- *Pinguicula acuminata* Benth.
- *Pinguicula agnata* Casper
- *Pinguicula albida* C.Wright ex Griseb.
- *Pinguicula algida* Malyshev
- *Pinguicula alpina* L.
- *Pinguicula antarctica* Vahl
- *Pinguicula apuana* Casper & Ansaldi
- *Pinguicula arvetii* P.A.Genty
- *Pinguicula australandina* Gluch
- *Pinguicula baezensis* Casper
- *Pinguicula balcanica* Casper
- *Pinguicula benedicta* Barnhart
- *Pinguicula bissei* Casper
- *Pinguicula bustamanta* Zamudio & Nevárez
- *Pinguicula caerulea* Walter
- *Pinguicula calderoniae* Zamudio
- *Pinguicula calyptrata* Kunth
- *Pinguicula caryophyllacea* Casper
- *Pinguicula casabitoana* J.Jiménez Alm.
- *Pinguicula casperi* H.D.Juárez & Zamudio
- *Pinguicula casperiana* M.B.Crespo, Mart.-Azorín, M.Á.Alonso & L.Sáez
- *Pinguicula caussensis* (Casper) Roccia
- *Pinguicula chilensis* Clos
- *Pinguicula christinae* Peruzzi & Gestri
- *Pinguicula colimensis* McVaugh & Mickel
- *Pinguicula konzattii* Zamudio & van Marm
- *Pinguicula corsica* Bernard & Gren.
- *Pinguicula crassifolia* Zamudio
- *Pinguicula crenatiloba* A.DC.
- *Pinguicula crystallina* Sm.
- *Pinguicula cubensis* Urquiola & Casper
- *Pinguicula cyclosecta* Casper
- *Pinguicula debbertiana* Speta & F.Fuchs
- *Pinguicula dertosensis* (Cañig.) Mateo & M.B.Crespo

- [*Pinguicula ehlersiae*](#) Speta & F.Fuchs
- [*Pinguicula elizabethiae*](#) Zamudio
- [*Pinguicula elongata*](#) Benj.
- [*Pinguicula emarginata*](#) S.Z.Ruiz & Rzed.
- [*Pinguicula esseriana*](#) B.Kirchn.
- [*Pinguicula filifolia*](#) C.Wright ex Griseb.
- [*Pinguicula fiorii*](#) Tammaro & Pace
- [*Pinguicula fontiqueriana*](#) Romo, Peris & Stübing
- [*Pinguicula gigantea*](#) Luhrs
- [*Pinguicula gongshanensis*](#) J.Sun ter, Y.L.Wen & R.Li
- [*Pinguicula gracilis*](#) Zamudio
- [*Pinguicula grandiflora*](#) Lam.
- [*Pinguicula greenwoodii*](#) Cheek
- [*Pinguicula gypsicola*](#) Brandegees
- [*Pinguicula habilii*](#) Yıldırım, Senol & Pirhan
- [*Pinguicula hemiepiphytica*](#) Zamudio & Rzed.
- [*Pinguicula heterophylla*](#) Benth.
- [*Pinguicula hirtiflora*](#) Ten.
- [*Pinguicula hondurensis*](#) Zamudio & H.Vega
- [*Pinguicula* × *hybrida*](#) Wettst.
- [*Pinguicula ibarrae*](#) Zamudio
- [*Pinguicula imitatrix*](#) Casper
- [*Pinguicula immaculata*](#) Zamudio & Lux
- [*Pinguicula infundibuliformis*](#) Casper
- [*Pinguicula involuta*](#) Ruiz & Pav.
- [*Pinguicula ionantha*](#) R.K.Godfrey
- [*Pinguicula jackii*](#) Barnhart
- [*Pinguicula jaraguana*](#) Casper
- [*Pinguicula jarmilae*](#) Halda & Malina
- [*Pinguicula jaumavensis*](#) Debbert
- [*Pinguicula jimburensis*](#) Á.J.Pérez, Tobar & T.Henning
- [*Pinguicula kondoi*](#) Casper
- [*Pinguicula lattanziae*](#) Peruzzi & Gestri
- [*Pinguicula laeana*](#) Speta & F.Fuchs
- [*Pinguicula lavalvae*](#) Innangi & Izzo
- [*Pinguicula laxifolia*](#) Luhrs
- [*Pinguicula leptoceras*](#) Rchb.
- [*Pinguicula lignicola*](#) Barnhart
- [*Pinguicula lilacina*](#) Schltdl. & Cham.
- [*Pinguicula lippoldii*](#) Casper
- [*Pinguicula lithophytica*](#) Panfret & P.Temple
- [*Pinguicula longifolia*](#) Ramond ex DC.

- [*Pinguicula lusitanica*](#) L.
- [*Pinguicula lutea*](#) Walter
- [*Pinguicula macroceras*](#) Pall. ex Link
- [*Pinguicula macrophylla*](#) Kunth
- [*Pinguicula mariae*](#) Casper
- [*Pinguicula martinezii*](#) Zamudio
- [*Pinguicula medusina*](#) Zamudio & Studnicka
- [*Pinguicula mesophytica*](#) Zamudio
- [*Pinguicula michoacana*](#) Zamudio & H.D.Juárez
- [*Pinguicula mirandae*](#) Zamudio & Salinas
- [*Pinguicula moaensis*](#) Casper
- [*Pinguicula moctezumae*](#) Zamudio & R.Z.Ortega
- [*Pinguicula moranensis*](#) Kunth
- [*Pinguicula mundi*](#) Blanca, Jamilena, Ruíz Rejón & Reg.Zamora
- [*Pinguicula nahuelbutensis*](#) Gluch
- [*Pinguicula nevadensis*](#) (H.Lindb.) Casper
- [*Pinguicula nivalis*](#) Luhrs & Lampard
- [*Pinguicula oblongiloba*](#) A.DC.
- [*Pinguicula olmeca*](#) Zamudio, Burelo & Gonz.-Aguilar
- [*Pinguicula ombrophila*](#) Á.J.Pérez, Tobar & T.Henning
- [*Pinguicula orchidioides*](#) A.DC.
- [*Pinguicula orthoceras*](#) Casper
- [*Pinguicula parvifolia*](#) B.L.Rob.
- [*Pinguicula pilosa*](#) Luhrs, Studnicka & Gluch
- [*Pinguicula planifolia*](#) Chapm.
- [*Pinguicula poldinii*](#) J.Steiger & Casper
- [*Pinguicula primuliflora*](#) C.E.Wood & R.K.Godfrey
- [*Pinguicula pumila*](#) Michx.
- [*Pinguicula pygmaea*](#) Rivadavia, E.L.Read & A.Fleischm.
- [*Pinguicula ramosa*](#) Miyoshi ex Yatabe
- [*Pinguicula reichenbachiana*](#) J.Schindl.
- [*Pinguicula reticulata*](#) Schlauer
- [*Pinguicula robertiana*](#) Zamudio & Hern.Rend.
- [*Pinguicula rosmariae*](#) Casper, Bussmann & T.Henning
- [*Pinguicula rotundiflora*](#) Studnicka
- [*Pinguicula rzedowskiana*](#) Zamudio & H.D.Juárez
- [*Pinguicula saetabensis*](#) M.B.Crespo, Mart.-Azorín & M.Á.Alonso
- [*Pinguicula* × *scullyi*](#) Druce
- [*Pinguicula sehuensis*](#) Bacch., Cannas & Peruzzi
- [*Pinguicula sharpii*](#) Casper & K.Kondo
- [*Pinguicula simulans*](#) Zamudio, M.M.Salinas, Hern.Rend. & Quirino
- [*Pinguicula spathulata*](#) Ledeb.

- [*Pinguicula takakii*](#) S.Z.Ruiz & Rzed.
- [*Pinguicula tejedensis*](#) M.B.Crespo, Mart.-Azorín, M.Á.Alonso & L.Sáez
- [*Pinguicula utricularioides*](#) Zamudio & Rzed.
- [*Pinguicula vallis-regiae*](#) F.Conti & Peruzzi
- [*Pinguicula vallisneriifolia*](#) Webb
- [*Pinguicula villosa*](#) L.
- [*Pinguicula vulgaris*](#) L.
- [*Pinguicula warijia*](#) Zamudio, Hern.Rend., Mata-Rosas & M.M.Salinas
- [*Pinguicula zamudioana*](#) H.D.Juárez & Muñiz-Castro
- [*Pinguicula zecheri*](#) Speta & F.Fuchs

Casper's subgeneric classification

[Siegfried Jost Casper](#) systematically divided them into three [subgenera](#) with 15 [sections](#). Subsequent [phylogenetic](#) research showed that many of these groupings are [polyphyletic](#),[\[3\]](#) but they are used below.

Subgenus *Isoloba*



[*Pinguicula gigantea*](#) with prey. The insect was too large and was able to escape.

Section *Agnata*

- [*Pinguicula agnata*](#)
- [*Pinguicula albida*](#)
- [*Pinguicula benedicta*](#)
- [*Pinguicula cubensis*](#)
- [*Pinguicula filifolia*](#)
- [*Pinguicula gigantea*](#)
- [*Pinguicula infundibuliformis*](#)
- [*Pinguicula lithophytica*](#)
- [*Pinguicula pilosa*](#)

Section *Cardiophyllum*

- [*Pinguicula crystallina*](#)
- [*Pinguicula hirtiflora*](#)[4]
- [*Pinguicula habilii*](#)[5]

Section *Discoradix*

- [*Pinguicula casabitoana*](#)
- [*Pinguicula lignicola*](#)

Section *Heterophyllum*



[*Pinguicula heterophylla*](#)

- [*Pinguicula acuminata*](#)
- [*Pinguicula konzattii*](#)
- [*Pinguicula heterophylla*](#)
- [*Pinguicula imitatrix*](#)
- [*Pinguicula kondoi*](#)
- [*Pinguicula mirandae*](#)
- [*Pinguicula parvifolia*](#)
- [*Pinguicula rotundiflora*](#)

Section *Isoloba*

- [*Pinguicula caerulea*](#) – blue-flower butterwort
- [*Pinguicula ionantha*](#) – Godfrey's butterwort, violet butterwort
- [*Pinguicula lilacina*](#)
- [*Pinguicula lusitanica*](#) – pale butterwort
- [*Pinguicula lutea*](#) – yellow butterwort
- [*Pinguicula planifolia*](#) – Chapman's butterwort
- [*Pinguicula primuliflora*](#) – southern butterwort
- [*Pinguicula pumila*](#) – small butterwort
- [*Pinguicula sharpii*](#)

- [*Pinguicula takakii*](#)

Subgenus *Pinguicula*

Section *Crassifolia*



[*Pinguicula esseriana*](#)

- [*Pinguicula ehlersiae*](#)
- [*Pinguicula esseriana*](#)
- [*Pinguicula debbertiana*](#)
- [*Pinguicula jaumavensis*](#)

Section *Homophyllum*

- [*Pinguicula greenwoodii*](#)
- [*Pinguicula jackii*](#)
- [*Pinguicula lippoldii*](#)
- [*Pinguicula caryophyllacea*](#)

Section *Longitubus*

- [*Pinguicula calderoniae*](#)
- [*Pinguicula crassifolia*](#)
- [*Pinguicula hemiepiphytica*](#)
- [*Pinguicula laeana*](#)
- [*Pinguicula utricularioides*](#)

Section *Nana*

- [*Pinguicula villosa*](#) – hairy butterwort



Pinguicula moranensis

Section *Orcheosanthus*

- [*Pinguicula colimensis*](#)
- [*Pinguicula cyclosecta*](#)
- [*Pinguicula elizabethiae*](#)
- [*Pinguicula gypsicola*](#)
- [*Pinguicula macrophylla*](#)
- [*Pinguicula mesophytica*](#)
- [*Pinguicula moctezumae*](#)
- [*Pinguicula moranensis*](#)
- [*Pinguicula oblongiloba*](#)
- [*Pinguicula orchidioides*](#) (synonym *P. stolonifera*)
- [*Pinguicula zecheri*](#)

Section *Orchidioides*

- [*Pinguicula laxifolia*](#)

Section *Pinguicula*

- [*Pinguicula balcanica*](#) – Balkanian butterwort
 - *Pinguicula balcanica* var. *tenuilaciniata*
- [*Pinguicula corsica*](#)
- [*Pinguicula grandiflora*](#) – large-flowered butterwort
 - *Pinguicula grandiflora* subsp. *rosea*
- [*Pinguicula leptoceras*](#)
- [*Pinguicula longifolia*](#) – long-leaved butterwort
 - *Pinguicula longifolia* *causensis*
 - *Pinguicula longifolia* *dertosensis*
 - *Pinguicula longifolia* *reichenbachiana*
- [*Pinguicula macroceras*](#) – California butterwort
 - *Pinguicula macroceras* var. *macroceras*
 - *Pinguicula macroceras* *nortensis*
- [*Pinguicula mundi*](#)
- [*Pinguicula nevadensis*](#)

- [*Pinguicula poldinii*](#)
- [*Pinguicula vallisneriifolia*](#)
- [*Pinguicula vulgaris*](#) – common butterwort

Subgenus *Temnoceras*

Section *Ampullipalatum*



Pinguicula calyptrata from Ecuador, Cayambe Coca National

Park, 3800 m

- [*Pinguicula antarctica*](#)
- [*Pinguicula calyptrata*](#)
- [*Pinguicula chilensis*](#)
- [*Pinguicula involuta*](#)
- [*Pinguicula jimburensis*](#)
- [*Pinguicula elongata*](#)
- [*Pinguicula ombrophilia*](#)

Section *Micranthus*

- [*Pinguicula algida*](#)
- [*Pinguicula alpina*](#) – Alpine butterwort
- [*Pinguicula ramosa*](#)
- [*Pinguicula variegata*](#)

Section *Temnoceras*

- [*Pinguicula clivorum*](#)
- [*Pinguicula crenatiloba*](#)
- [*Pinguicula emarginata*](#)
- [*Pinguicula gracilis*](#)
- [*Pinguicula immaculata*](#)

Incertae sedis

- [*Pinguicula chuquisacensis*](#)

From Wikipedia, the free encyclopedia

Pilea is a genus of flowering plants in the nettle family [Urticaceae](#) with a worldwide distribution.^[1] As of May 2025, [Plants of the World Online](#) accepts the following 614 species:^[2]

A-B

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [Pilea abbreviata](#) Urb. & Ekman
- [Pilea acanthoides](#) F.S.Cabral & Gaglioti
- [Pilea acanthospermoides](#) Urb. & Ekman
- [Pilea acuminata](#) Liebm.
- [Pilea acunae](#) Grudz.
- [Pilea adamsiana](#) A.K.Monro
- [Pilea aenea](#) Killip
- [Pilea affinis](#) C.V.Morton
- [Pilea alaotrae](#) Leandri
- [Pilea alfaroana](#) Al.Rodr. & A.K.Monro
- [Pilea alongensis](#) Gagnep.
- [Pilea alpestris](#) (Urb.) Fawc. & Rendle
- [Pilea alpina](#) Urb.
- [Pilea alsinifolia](#) Wedd.
- [Pilea alta](#) Gilli
- [Pilea alternifolia](#) Urb. & Ekman
- [Pilea ambecarpa](#) Urb.
- [Pilea amplistipulata](#) C.J.Chen
- [Pilea andersonii](#) C.D.Adams

- [*Pilea andringitrensis*](#) Leandri
- [*Pilea angolensis*](#) (Hiern) Rendle
- [*Pilea angulata*](#) (Blume) Blume
- [*Pilea angustata*](#) Killip
- [*Pilea angustifolia*](#) Killip
- [*Pilea anisophylla*](#) Wedd.
- [*Pilea ansincola*](#) Urb. & Ekman
- [*Pilea anthotricha*](#) Urb.
- [*Pilea antioquensis*](#) Killip
- [*Pilea aparadensis*](#) P.Brack
- [*Pilea apiculata*](#) Killip
- [*Pilea apoensis*](#) Elmer
- [*Pilea appendiculata*](#) Fawc. & Rendle
- [*Pilea approximata*](#) C.B.Clarke
- [*Pilea aquarum*](#) Dunn
- [*Pilea arbuscula*](#) Ridl.
- [*Pilea argentea*](#) Killip
- [*Pilea arguta*](#) (Kunth) Wedd.
- [*Pilea articulata*](#) Wedd.
- [*Pilea astrogramma*](#) Miq.
- [*Pilea atroviridis*](#) Baker
- [*Pilea attenuata*](#) Killip
- [*Pilea auricularis*](#) C.J.Chen
- [*Pilea auriculata*](#) Liebm.
- [*Pilea australis*](#) L.F.Fu & A.K.Monro
- [*Pilea bakeriana*](#) R.Kr.Singh, Deroliya & Sanjeet Kumar
- [*Pilea balansae*](#) Gagnep.
- [*Pilea balfourii*](#) Baker
- [*Pilea baltenweckii*](#) Urb.
- [*Pilea bambuseti*](#) Engl.
- [*Pilea bambusifolia*](#) C.J.Chen
- [*Pilea barahonensis*](#) Urb.
- [*Pilea barbiflora*](#) Urb. & Ekman
- [*Pilea basicordata*](#) W.T.Wang
- [*Pilea bassleriana*](#) Killip
- [*Pilea baurii*](#) B.L.Rob.
- [*Pilea beguinotii*](#) Cufod.
- [*Pilea bemarivensis*](#) Leandri
- [*Pilea benquetensis*](#) C.B.Rob.
- [*Pilea betulifolia*](#) (Sw.) Wedd.
- [*Pilea bicolor*](#) Urb.
- [*Pilea bisepala*](#) H.St.John

- [*Pilea bissei*](#) Grudz.
- [*Pilea boehmerioides*](#) Wedd.
- [*Pilea boiviniana*](#) Wedd.
- [*Pilea borbonica*](#) Marais
- [*Pilea botterii*](#) Killip
- [*Pilea brachypila*](#) Urb.
- [*Pilea bracteosa*](#) Wedd.
- [*Pilea bradei*](#) J.F.Souares
- [*Pilea brasiliensis*](#) Gaglioti, Romaniuc & A.K.Monro
- [*Pilea brassii*](#) Chew ex P.Royen
- [*Pilea brevicornuta*](#) Hayata
- [*Pilea brevipetiolata*](#) Urb. & Ekman
- [*Pilea brevistipula*](#) Urb.
- [*Pilea brittoniae*](#) Urb.
- [*Pilea buchenavii*](#) Urb.
- [*Pilea buchtienii*](#) Killip
- [*Pilea bullata*](#) Britton
- [*Pilea butaudiana*](#) Lorence & W.L.Wagner

C

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [*Pilea cacuminum*](#) Urb. & Ekman
- [*Pilea cadetii*](#) Marais
- [*Pilea cadierei*](#) Gagnep. & Guillaumin
- [*Pilea caespitosa*](#) Urb.
- [*Pilea calcicola*](#) C.B.Rob.
- [*Pilea callicometes*](#) Leandri
- [*Pilea cangyuanensis*](#) H.W.Li
- [*Pilea capitata*](#) Baker
- [*Pilea capitellata*](#) Wedd.

- [*Pilea carautae*](#) M.D.M.Vianna & R.J.V.Alves
- [*Pilea cardiophylla*](#) Urb.
- [*Pilea caribaea*](#) Urb.
- [*Pilea carnosae*](#) Britton
- [*Pilea carnosula*](#) Wedd.
- [*Pilea castronis*](#) Killip
- [*Pilea cataractae*](#) Marais
- [*Pilea caudata*](#) H.J.P.Winkl.
- [*Pilea caulescens*](#) (L.) Urb.
- [*Pilea cavaleriei*](#) H.Lév.
- [*Pilea cavernicola*](#) A.K.Monro, C.J.Chen & Y.G.Wei
- [*Pilea celebica*](#) Miq.
- [*Pilea cellulosa*](#) (Spreng.) Urb.
- [*Pilea centradenioides*](#) Seem.
- [*Pilea cephalantha*](#) Wedd.
- [*Pilea cephalophora*](#) Urb.
- [*Pilea ceratocalyx*](#) Wedd.
- [*Pilea chamaesyce*](#) Urb. & Ekman
- [*Pilea chartacea*](#) C.J.Chen
- [*Pilea chiapensis*](#) Killip
- [*Pilea chotardiana*](#) Urb. & Ekman
- [*Pilea christii*](#) Urb.
- [*Pilea ciliata*](#) (Sw.) Blume
- [*Pilea citriodora*](#) Wedd.
- [*Pilea clandestina*](#) Wedd.
- [*Pilea clarana*](#) Urb.
- [*Pilea clarkei*](#) Hook.f.
- [*Pilea clementis*](#) Britton
- [*Pilea cocottei*](#) Marais
- [*Pilea confusa*](#) C.V.Morton
- [*Pilea conjugalis*](#) A.K.Monro
- [*Pilea consanguinea*](#) Wedd.
- [*Pilea cordifolia*](#) Hook.f.
- [*Pilea cordistipulata*](#) C.J.Chen
- [*Pilea cornutocucullata*](#) Cufod.
- [*Pilea corona*](#) A.K.Monro
- [*Pilea coronopifolia*](#) Urb. & Ekman
- [*Pilea corymbosa*](#) (Savigny) Blume
- [*Pilea costaricensis*](#) Donn.Sm.
- [*Pilea costata*](#) Killip
- [*Pilea cowellii*](#) Britton
- [*Pilea craspedodroma*](#) A.K.Monro

- [*Pilea crassifolia*](#) (Willd.) Blume
- [*Pilea crenata*](#) Britton & P.Wilson
- [*Pilea crenulata*](#) (Sw.) Urb.
- [*Pilea cruegeriana*](#) Wedd.
- [*Pilea cubensis*](#) Wedd.
- [*Pilea cuneata*](#) H.J.P.Winkl.
- [*Pilea cuneiformis*](#) (Savigny) Wedd.
- [*Pilea cuprea*](#) K.Krause
- [*Pilea cushiensis*](#) Killip
- [*Pilea cyclophylla*](#) Urb. & Ekman
- [*Pilea cymbifolia*](#) Rusby

D-G

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [*Pilea daguensis*](#) Killip
- [*Pilea danxiaensis*](#) L.F.Fu, A.K.Monro & Y.G.Wei
- [*Pilea dataensis*](#) C.B.Rob.
- [*Pilea dauciodora*](#) Pav. ex Wedd.
- [*Pilea delicatula*](#) Killip
- [*Pilea densiflora*](#) Kunth
- [*Pilea depressa*](#) (Sw.) Blume
- [*Pilea diandra*](#) Urb.
- [*Pilea dictyocarpa*](#) Urb.
- [*Pilea diffusa*](#) (Sw.) Wedd.
- [*Pilea digitata*](#) A.K.Monro
- [*Pilea discolor*](#) Killip
- [*Pilea dispar*](#) Urb.
- [*Pilea distantifolia*](#) Urb.
- [*Pilea diversifolia*](#) Wedd.
- [*Pilea dolichocarpa*](#) C.J.Chen

- [*Pilea dombeyana*](#) Wedd.
- [*Pilea domingensis*](#) Urb.
- [*Pilea ecboliophylla*](#) Donn.Sm.
- [*Pilea effusa*](#) H.J.P.Winkl.
- [*Pilea ekmanii*](#) Urb.
- [*Pilea elegans*](#) Gay
- [*Pilea elegantissima*](#) C.J.Chen
- [*Pilea elizabethae*](#) Fawc. & Rendle
- [*Pilea elliptica*](#) Hook.f.
- [*Pilea elliptilimba*](#) C.J.Chen
- [*Pilea entradana*](#) Philipson
- [*Pilea ermitensis*](#) Britton
- [*Pilea erosa*](#) Urb.
- [*Pilea fairchildiana*](#) Jestrow & Jiménez Rodr.
- [*Pilea falcata*](#) Liebm.
- [*Pilea fallax*](#) Wedd.
- [*Pilea fasciata*](#) Wedd.
- [*Pilea fendleri*](#) Killip
- [*Pilea filicina*](#) Killip
- [*Pilea filipes*](#) Rusby
- [*Pilea flammula*](#) P.Brack
- [*Pilea flavicaulis*](#) Urb. & Britton
- [*Pilea flexuosa*](#) Wedd.
- [*Pilea floridana*](#) Urb.
- [*Pilea foetida*](#) Urb. & Ekman
- [*Pilea foliosa*](#) Killip
- [*Pilea fontana*](#) (Lunell) Rydb.
- [*Pilea foreroi*](#) A.H.Gentry
- [*Pilea forgetii*](#) N.E.Br.
- [*Pilea formonensis*](#) Urb. & Ekman
- [*Pilea formosa*](#) Urb.
- [*Pilea forsythiana*](#) Wedd.
- [*Pilea frutescens*](#) Urb.
- [*Pilea fruticosa*](#) Hook.f.
- [*Pilea fruticulosa*](#) C.V.Morton
- [*Pilea funkikensis*](#) Hayata
- [*Pilea gallowayana*](#) Killip
- [*Pilea gamboana*](#) Al.Rodr. & A.K.Monro
- [*Pilea gansuensis*](#) C.J.Chen & Z.X.Peng
- [*Pilea geminata*](#) Urb.
- [*Pilea gesnerioides*](#) Grudz.
- [*Pilea glaberrima*](#) (Blume) Blume

- [*Pilea glabra*](#) S.Watson
- [*Pilea glomerata*](#) Griseb.
- [*Pilea gnidioides*](#) Griseb.
- [*Pilea godetiana*](#) Urb. & Ekman
- [*Pilea goetzei*](#) Engl.
- [*Pilea gomeziana*](#) W.C.Burger
- [*Pilea gongjueensis*](#) W.T.Wang
- [*Pilea goudotiana*](#) Wedd.
- [*Pilea gracilior*](#) Urb. & Ekman
- [*Pilea gracilis*](#) Hand.-Mazz.
- [*Pilea grandifolia*](#) (L.) Blume
- [*Pilea granmae*](#) Grudz.
- [*Pilea granulata*](#) Urb. & Ekman
- [*Pilea griffithii*](#) Blume
- [*Pilea guanwuensis*](#) S.S.Ying
- [*Pilea guirana*](#) Urb.
- [*Pilea guizhouensis*](#) A.K.Monro, C.J.Chen & Y.G.Wei
- [*Pilea gyrophylla*](#) Urb.

H-L

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [*Pilea haenkei*](#) Killip
- [*Pilea hamaoi*](#) Makino
- [*Pilea harrisii*](#) Urb.
- [*Pilea hedemarkii*](#) W.N.Takeuchi
- [*Pilea helwigii*](#) Urb. & Ekman
- [*Pilea helxinoides*](#) Ridl.
- [*Pilea hemisphaerica*](#) Urb. & Ekman
- [*Pilea hepatica*](#) Urb. & Ekman
- [*Pilea herniarioides*](#) (Sw.) Lindl.

- [*Pilea herrerae*](#) Al.Rodr. & A.K.Monro
- [*Pilea heteroneura*](#) Griseb.
- [*Pilea hexagona*](#) C.J.Chen
- [*Pilea hilariana*](#) Wedd.
- [*Pilea hirsuta*](#) Wedd.
- [*Pilea hirtella*](#) Miq.
- [*Pilea hispaniolana*](#) Acev.-Rodr.
- [*Pilea hitchcockii*](#) Killip
- [*Pilea holstii*](#) Engl.
- [*Pilea hookeriana*](#) Wedd.
- [*Pilea howardiana*](#) Skean & Judd
- [*Pilea howelliana*](#) Hand.-Mazz.
- [*Pilea humbertii*](#) Leandri
- [*Pilea humilis*](#) C.B.Rob.
- [*Pilea hyalina*](#) Fenzl
- [*Pilea hydra*](#) P.Brack
- [*Pilea hydrocotyliflora*](#) Killip
- [*Pilea hygrophila*](#) (Miq.) Blume
- [*Pilea imitans*](#) Beutelsp. & R.García Mart.
- [*Pilea imparifolia*](#) Wedd.
- [*Pilea impressa*](#) Urb.
- [*Pilea inaequalis*](#) (Juss. ex Poir.) Wedd.
- [*Pilea insolens*](#) Wedd.
- [*Pilea intermedia*](#) (Wedd.) Urb.
- [*Pilea intumescens*](#) C.B.Rob.
- [*Pilea involucrata*](#) (Sims) C.H.Wright & Dewar
- [*Pilea irrorata*](#) Donn.Sm.
- [*Pilea iteophylla*](#) Urb. & Ekman
- [*Pilea ivohibeensis*](#) Leandri
- [*Pilea jamesoniana*](#) Wedd.
- [*Pilea jayaensis*](#) A.K.Monro
- [*Pilea jeremiensis*](#) Urb. & Ekman
- [*Pilea johniana*](#) Stapf
- [*Pilea johnsii*](#) A.K.Monro
- [*Pilea johnstonii*](#) Oliv.
- [*Pilea jujuyensis*](#) Sorarú
- [*Pilea kakurang*](#) Blume
- [*Pilea kanaii*](#) H.Hara
- [*Pilea killipiana*](#) Standl. & Steyererm.
- [*Pilea kingii*](#) C.E.C.Fisch.
- [*Pilea kiotensis*](#) Ohwi
- [*Pilea klossii*](#) A.K.Monro

- [*Pilea krugii*](#) Urb.
- [*Pilea laciniata*](#) Urb.
- [*Pilea lacorum*](#) P.Royen
- [*Pilea laevicaulis*](#) Wedd.
- [*Pilea lageensis*](#) W.T.Wang
- [*Pilea lamii*](#) H.J.P.Winkl.
- [*Pilea lamiifolia*](#) Fawc. & Rendle
- [*Pilea lamioides*](#) Wedd.
- [*Pilea lanceolata*](#) (Savigny) Wedd.
- [*Pilea lancifolia*](#) Hook.f.
- [*Pilea lapestris*](#) Chew ex A.K.Monro
- [*Pilea latifolia*](#) Wedd.
- [*Pilea laurea*](#) C.D.Adams
- [*Pilea laxa*](#) (Sw.) Wedd.
- [*Pilea ledermannii*](#) H.J.P.Winkl.
- [*Pilea leptocardia*](#) Urb.
- [*Pilea leptogramma*](#) Urb.
- [*Pilea leptophylla*](#) Urb.
- [*Pilea leucophaea*](#) (Blume) Blume
- [*Pilea libanensis*](#) Urb.
- [*Pilea lidaoensis*](#) S.S.Ying
- [*Pilea lindeniana*](#) Wedd.
- [*Pilea linearifolia*](#) C.J.Chen
- [*Pilea lippoides*](#) Killip
- [*Pilea lobulata*](#) Urb.
- [*Pilea loeseneri*](#) Urb. & Ekman
- [*Pilea loheri*](#) Merr.
- [*Pilea lokohensis*](#) Leandri
- [*Pilea lomatogramma*](#) Hand.-Mazz.
- [*Pilea longibracteolata*](#) Al.Rodr., A.K.Monro & L.Acosta
- [*Pilea longicaulis*](#) Hand.-Mazz.
- [*Pilea longifolia*](#) Baker
- [*Pilea longipedunculata*](#) S.S.Chien & C.J.Chen
- [*Pilea longruiensis*](#) W.T.Wang
- [*Pilea longzhouensis*](#) W.T.Wang
- [*Pilea losensis*](#) Killip
- [*Pilea loshanensis*](#) S.S.Ying
- [*Pilea lucens*](#) (Savigny) Wedd.
- [*Pilea lucida*](#) (Sw.) Blume
- [*Pilea luisiana*](#) Urb. & Ekman
- [*Pilea luochengensis*](#) W.T.Wang
- [*Pilea lurida*](#) C.Wright

- [*Pilea lushuiensis*](#) W.T.Wang
- [*Pilea luzonensis*](#) Merr.

M-O

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [*Pilea macbridei*](#) Killip
- [*Pilea macrantha*](#) Killip
- [*Pilea macrocarpa*](#) C.J.Chen
- [*Pilea macrocystolithica*](#) Killip
- [*Pilea maculata*](#) Urb. & Ekman
- [*Pilea magnicarpa*](#) A.K.Monro
- [*Pilea manniana*](#) Wedd.
- [*Pilea margarettae*](#) Britton
- [*Pilea marginata*](#) Wedd.
- [*Pilea martini*](#) (H.Lév.) Hand.-Mazz.
- [*Pilea matama*](#) A.K.Monro
- [*Pilea matheuxiana*](#) Urb. & Ekman
- [*Pilea matsudae*](#) Yamam.
- [*Pilea matthewii*](#) Dorr & Stergios
- [*Pilea maxonii*](#) Britton
- [*Pilea mayarensis*](#) C.V.Morton
- [*Pilea media*](#) C.J.Chen
- [*Pilea mediophylla*](#) Gilli
- [*Pilea medongensis*](#) C.J.Chen
- [*Pilea melastomoides*](#) (Poir.) Wedd.
- [*Pilea menghaiensis*](#) C.J.Chen
- [*Pilea mexicana*](#) Wedd.
- [*Pilea michaelensis*](#) P.Royen
- [*Pilea microcardia*](#) Hand.-Mazz.
- [*Pilea micromeriifolia*](#) Britton & P.Wilson

- [*Pilea microphylla*](#) (L.) Liebm.
- [*Pilea microrhombea*](#) Urb.
- [*Pilea miguelii*](#) Dorr & Stergios
- [*Pilea mimema*](#) Standl. & Steyerl.
- [*Pilea minguetii*](#) Urb.
- [*Pilea minima*](#) W.T.Wang
- [*Pilea minuta*](#) C.B.Clarke
- [*Pilea minutiflora*](#) K.Krause
- [*Pilea minutissima*](#) H.J.P.Winkl.
- [*Pilea mollis*](#) Wedd.
- [*Pilea mongolica*](#) Wedd.
- [*Pilea monilifera*](#) Hand.-Mazz.
- [*Pilea monticola*](#) C.B.Rob.
- [*Pilea montis-wilhelmi*](#) P.Royen
- [*Pilea moragana*](#) Al.Rodr. & A.K.Monro
- [*Pilea moroniana*](#) Urb.
- [*Pilea multicaulis*](#) Urb.
- [*Pilea multicellularis*](#) C.J.Chen
- [*Pilea multiflora*](#) (Poir.) Wedd.
- [*Pilea mutisiana*](#) (Spreng.) Wedd.
- [*Pilea myriantha*](#) Killip
- [*Pilea myriophylla*](#) Killip
- [*Pilea nana*](#) Liebm.
- [*Pilea napoana*](#) Gilli
- [*Pilea neglecta*](#) Britton
- [*Pilea nerteroides*](#) Killip
- [*Pilea nguruensis*](#) Friis & I.Darbysh.
- [*Pilea nicholasii*](#) Dorr & Stergios
- [*Pilea nidiae*](#) Dorr & Stergios
- [*Pilea nigrescens*](#) Urb.
- [*Pilea nipensis*](#) Urb.
- [*Pilea nitida*](#) Wedd.
- [*Pilea nonggangensis*](#) Y.G.Wei, L.F.Fu & A.K.Monro
- [*Pilea notata*](#) C.H.Wright
- [*Pilea nudicaulis*](#) (Sw.) Wedd.
- [*Pilea nummulariifolia*](#) (Sw.) Wedd.
- [*Pilea nutans*](#) Wedd.
- [*Pilea obetiifolia*](#) Killip
- [*Pilea oblanceolata*](#) Fawc. & Rendle
- [*Pilea obscura*](#) C.V.Morton
- [*Pilea obtusangula*](#) Urb.
- [*Pilea occulta*](#) J.Florence

- [*Pilea ophioderma*](#) Killip
- [*Pilea ophiticola*](#) Borhidi
- [*Pilea ordinata*](#) C.D.Adams
- [*Pilea orientalis*](#) C.V.Morton
- [*Pilea ornatifolia*](#) Killip
- [*Pilea ovalifolia*](#) Britton & P.Wilson
- [*Pilea ovalis*](#) Griseb.
- [*Pilea oxyodon*](#) Wedd.

P-R

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [*Pilea pachycarpa*](#) Wedd.
- [*Pilea pachycephala*](#) Urb.
- [*Pilea pallida*](#) Killip
- [*Pilea palustris*](#) Urb.
- [*Pilea pandurata*](#) P.Royen
- [*Pilea paniculigera*](#) C.J.Chen
- [*Pilea pansamalana*](#) Donn.Sm.
- [*Pilea panzhihuaensis*](#) C.J.Chen, A.K.Monro & L.Chen
- [*Pilea papuana*](#) H.J.P.Winkl.
- [*Pilea parciflora*](#) Urb.
- [*Pilea parietaria*](#) (L.) Blume
- [*Pilea pauciflora*](#) C.J.Chen
- [*Pilea pauciserrata*](#) Killip
- [*Pilea pavonii*](#) Wedd.
- [*Pilea pedroi*](#) Grudz.
- [*Pilea peladerosii*](#) Grudz.
- [*Pilea pellionioides*](#) C.J.Chen
- [*Pilea peltata*](#) Hance
- [*Pilea pennellii*](#) Killip

- [*Pilea penninervis*](#) C.J.Chen
- [*Pilea peperomioides*](#) Diels
- [*Pilea peploides*](#) (Gaudich.) Hook. & Arn.
- [*Pilea perfragilis*](#) Ekman
- [*Pilea perrieri*](#) Leandri
- [*Pilea phaeocarpa*](#) Urb.
- [*Pilea pichisana*](#) Killip
- [*Pilea picta*](#) Herzog
- [*Pilea pitresia*](#) Urb. & Ekman
- [*Pilea pittieri*](#) Killip
- [*Pilea plataniflora*](#) C.H.Wright
- [*Pilea pleuroneura*](#) Donn.Sm.
- [*Pilea plicatidentata*](#) H.J.P.Winkl.
- [*Pilea plumieri*](#) Urb.
- [*Pilea plumulosa*](#) A.K.Monro
- [*Pilea poeppigiana*](#) Wedd.
- [*Pilea pollicaris*](#) Marais
- [*Pilea polyclada*](#) Urb.
- [*Pilea portlandiana*](#) C.D.Adams
- [*Pilea proctorii*](#) C.D.Adams
- [*Pilea propinqua*](#) Wedd.
- [*Pilea pseudonotata*](#) C.J.Chen
- [*Pilea psilogyne*](#) Urb.
- [*Pilea pteridophylla*](#) A.K.Monro
- [*Pilea pterocaulis*](#) Stapf
- [*Pilea pteropodon*](#) Wedd.
- [*Pilea pubescens*](#) Liebm.
- [*Pilea pulchra*](#) C.V.Morton
- [*Pilea pulegifolia*](#) (Poir.) Wedd.
- [*Pilea pumila*](#) A.Gray
- [*Pilea pumileoides*](#) Urb.
- [*Pilea punctata*](#) (Kunth) Wedd.
- [*Pilea puracensis*](#) Killip
- [*Pilea purpurea*](#) Killip
- [*Pilea purulensis*](#) Donn.Sm.
- [*Pilea pusilla*](#) K.Krause
- [*Pilea putridicola*](#) Urb. & Ekman
- [*Pilea pyrrhotricha*](#) Miq.
- [*Pilea quadrata*](#) A.K.Monro
- [*Pilea quercifolia*](#) Killip
- [*Pilea racemiformis*](#) C.J.Chen
- [*Pilea racemosa*](#) (Royle) Tuyama

- [*Pilea radicans*](#) (Sw.) Wedd.
- [*Pilea radiculosa*](#) Urb.
- [*Pilea ramosissima*](#) Killip
- [*Pilea receptacularis*](#) C.J.Chen
- [*Pilea refracta*](#) Urb.
- [*Pilea repanda*](#) Wedd.
- [*Pilea reticulata*](#) (Sw.) Wedd.
- [*Pilea rhexioides*](#) Liebm.
- [*Pilea rhizobola*](#) Miq.
- [*Pilea rhombea*](#) (L.f.) Liebm.
- [*Pilea rhombifolia*](#) Killip
- [*Pilea richardii*](#) Urb.
- [*Pilea riedlei*](#) (Decne.) Blume
- [*Pilea rigida*](#) C.B.Rob.
- [*Pilea rigidiuscula*](#) C.B.Rob.
- [*Pilea riopalenquensis*](#) A.H.Gentry & Dodson
- [*Pilea riparia*](#) Donn.Sm.
- [*Pilea rivorae*](#) Wedd.
- [*Pilea rivularis*](#) Wedd.
- [*Pilea robinsonii*](#) Elmer
- [*Pilea robusta*](#) Liebm.
- [*Pilea roemerii*](#) H.J.P.Winkl.
- [*Pilea rojasiana*](#) Killip
- [*Pilea rostellata*](#) C.J.Chen
- [*Pilea rostulata*](#) A.K.Monro
- [*Pilea rotundata*](#) Griseb.
- [*Pilea rotundinucula*](#) Hayata
- [*Pilea royenii*](#) R.Kr.Singh, Deroliya & Sanjeet Kumar
- [*Pilea rubiacea*](#) Ridl.
- [*Pilea rubriflora*](#) C.H.Wright
- [*Pilea rufa*](#) (Sw.) Wedd.
- [*Pilea rufescens*](#) Fawc. & Rendle
- [*Pilea rugosa*](#) (Sw.) Wedd.
- [*Pilea rugosissima*](#) Killip
- [*Pilea rusbyi*](#) (Britton) Killip

S

Contents:

- [Top](#)
- [A-B](#)

- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)
- [S](#)
- [T-Z](#)
- [Pilea salentana](#) Killip
- [Pilea salwinensis](#) (Hand.-Mazz.) C.J.Chen
- [Pilea samanensis](#) Urb.
- [Pilea sanctae-crucis](#) Liebm.
- [Pilea sancti-johannis](#) J.Florence
- [Pilea saxicola](#) Urb.
- [Pilea scandens](#) Killip
- [Pilea schimpffii](#) Diels
- [Pilea schlechteri](#) H.J.P.Winkl.
- [Pilea scripta](#) (Buch.-Ham. ex D.Don) Wedd.
- [Pilea selbyanorum](#) Dodson & A.H.Gentry
- [Pilea selleana](#) Urb.
- [Pilea semidentata](#) (Juss. ex Poir.) Wedd.
- [Pilea semisessilis](#) Hand.-Mazz.
- [Pilea senarifolia](#) Donn.Sm.
- [Pilea serpyllacea](#) (Kunth) Liebm.
- [Pilea serpyllifolia](#) (Poir.) Wedd.
- [Pilea serratifolia](#) Wedd.
- [Pilea serrulata](#) (Sw.) Wedd.
- [Pilea sessiliflora](#) (Sw.) Wedd.
- [Pilea sessilifolia](#) (Savigny) Wedd.
- [Pilea setigera](#) Urb.
- [Pilea sevilensis](#) Britton
- [Pilea shaferi](#) Britton & P.Wilson ex León & Alain
- [Pilea shizongensis](#) A.K.Monro, C.J.Chen & Y.G.Wei
- [Pilea siguaneana](#) Britton
- [Pilea silvicola](#) Fawc. & Rendle
- [Pilea simplex](#) Urb.
- [Pilea sinocrassifolia](#) C.J.Chen
- [Pilea sinofasciata](#) C.J.Chen
- [Pilea skutchii](#) Killip
- [Pilea solandri](#) (Seem.) J.Florence
- [Pilea somae](#) Hayata
- [Pilea spathulata](#) Griseb.
- [Pilea spathulifolia](#) Groult

- [*Pilea sphenophylla*](#) Urb.
- [*Pilea spinulosa*](#) C.J.Chen
- [*Pilea spruceana*](#) Wedd.
- [*Pilea squamosa*](#) C.J.Chen
- [*Pilea squamulata*](#) Urb. & Ekman
- [*Pilea stapfiana*](#) Gibbs
- [*Pilea stellarioides*](#) H.J.P.Winkl.
- [*Pilea stelluligera*](#) Wedd.
- [*Pilea stenoneura*](#) H.J.P.Winkl.
- [*Pilea stenophylla*](#) Urb.
- [*Pilea stolonifera*](#) (Sw.) Wedd.
- [*Pilea striata*](#) Urb.
- [*Pilea strigillosa*](#) Urb. & Ekman
- [*Pilea strigosa*](#) Wedd.
- [*Pilea subamplexicaulis*](#) Killip
- [*Pilea subcoriacea*](#) (Hand.-Mazz.) C.J.Chen
- [*Pilea subedentata*](#) C.J.Chen
- [*Pilea subintegerrima*](#) (Griseb.) Greuter & R.Rankin
- [*Pilea sublobata*](#) Rusby
- [*Pilea sublucens*](#) Wedd.
- [*Pilea submissa*](#) Wedd.
- [*Pilea succulenta*](#) Wedd.
- [*Pilea suffruticosa*](#) K.Krause
- [*Pilea sumideroensis*](#) Britton
- [*Pilea supersedens*](#) (Leandri) Leandri
- [*Pilea suta*](#) C.D.Adams
- [*Pilea swinglei*](#) Merr.
- [*Pilea sykesii*](#) (J.Florence) L.F.Fu & A.K.Monro
- [*Pilea sylvatica*](#) Elmer
- [*Pilea symmeria*](#) Wedd.

T-Z

Contents:

- [Top](#)
- [A-B](#)
- [C](#)
- [D-G](#)
- [H-L](#)
- [M-O](#)
- [P-R](#)

- [S](#)
- [T-Z](#)
- [*Pilea tabularis*](#) C.C.Berg
- [*Pilea taiwanensis*](#) S.S.Ying
- [*Pilea tatamensis*](#) Killip
- [*Pilea tatei*](#) Killip
- [*Pilea tenebrosa*](#) F.S.Cabral & Gaglioti
- [*Pilea tenerrima*](#) Miq.
- [*Pilea ternifolia*](#) Wedd.
- [*Pilea tetraphylla*](#) (Steud.) Blume
- [*Pilea tetrapoda*](#) Killip
- [*Pilea thouarsiana*](#) Wedd.
- [*Pilea thymoidea*](#) H.J.P.Winkl.
- [*Pilea tilarana*](#) W.C.Burger
- [*Pilea tippenhaueri*](#) Urb.
- [*Pilea tobagensis*](#) Urb.
- [*Pilea topensis*](#) Diels
- [*Pilea torbeciana*](#) Urb. & Ekman
- [*Pilea trianthemoides*](#) (Sw.) Lindl.
- [*Pilea trichomanophylla*](#) A.K.Monro
- [*Pilea trichosanthes*](#) Wedd.
- [*Pilea trichotoma*](#) Liebm.
- [*Pilea tridentata*](#) Killip
- [*Pilea trilobata*](#) (Savigny) Wedd.
- [*Pilea tripartita*](#) A.K.Monro
- [*Pilea triradiata*](#) Killip
- [*Pilea troyensis*](#) Fawc. & Rendle
- [*Pilea truncata*](#) Urb.
- [*Pilea tsaratananensis*](#) Leandri
- [*Pilea tsiangiana*](#) F.P.Metcalf
- [*Pilea tungurahuae*](#) Killip
- [*Pilea tutensis*](#) A.K.Monro
- [*Pilea ulei*](#) Killip
- [*Pilea umbellata*](#) (Bory) Wedd.
- [*Pilea umbriana*](#) Killip
- [*Pilea umbrosa*](#) Wedd. ex Blume
- [*Pilea unciformis*](#) C.J.Chen
- [*Pilea uninervis*](#) Griseb.
- [*Pilea urticella*](#) Wedd.
- [*Pilea urticifolia*](#) (L.f.) Blume
- [*Pilea usambarensis*](#) Engl.
- [*Pilea valenzuelae*](#) Urb.

- [*Pilea variegata*](#) Seem.
- [*Pilea vegasana*](#) Killip
- [*Pilea venulosa*](#) Blume
- [*Pilea verbascifolia*](#) (Savigny) Wedd.
- [*Pilea vermicularis*](#) Majure, Skean & Judd
- [*Pilea verrucosa*](#) Killip
- [*Pilea versteegii*](#) H.J.P.Winkl.
- [*Pilea victoriae*](#) V.Suresh & Sojan
- [*Pilea victoriensis*](#) P.Royen
- [*Pilea villicaulis*](#) Hand.-Mazz.
- [*Pilea virgata*](#) Wedd.
- [*Pilea vulcanica*](#) Liebm.
- [*Pilea weberbaueri*](#) Killip
- [*Pilea weddellii*](#) Fawc. & Rendle
- [*Pilea weimingii*](#) Huan C.Wang
- [*Pilea wightii*](#) Wedd.
- [*Pilea wilsonii*](#) Urb.
- [*Pilea wollastonii*](#) A.K.Monro
- [*Pilea wrightiana*](#) Wedd.
- [*Pilea wulfschlaegelii*](#) Urb.
- [*Pilea yarensis*](#) Britton & P.Wilson
- [*Pilea yingshaoyaoana*](#) S.S.Ying
- [*Pilea yuanbaoshanica*](#) W.T.Wang
- [*Pilea yunckeri*](#) C.D.Adams
- [*Pilea yunquensis*](#) (Urb.) Britton & P.Wilson
- [*Pilea zaranensis*](#) P.Royen

As of April 2026 [Plants of the World Online](#) accepts 1,064 species in genus [Phyllanthus](#).^[1] Names accepted by the [World Checklist of Selected Plant Families](#) as of January 2018 are listed below – about 1000 species, with a further 1200-odd synonyms.^[2]

A-E

A

- [*Phyllanthus abditus*](#) G.L.Webster – S.W. Haiti (Massif de la Hotte)
- [*Phyllanthus abnormis*](#) Baill. – Florida, S. Central U.S. to N.E. Mexico — Drummond's leafflower
- [*Phyllanthus acacioides*](#) Urb. – Tobago
- [*Phyllanthus acidus*](#) (L.) Skeels – Brazil (Pará) – country gooseberry, gooseberry tree, Malay gooseberry, Otaheite gooseberry or Tahitian gooseberry tree
- [*Phyllanthus acinacifolius*](#) Airy Shaw & G.L.Webster – N.E. Papua New Guinea
- [*Phyllanthus actephilifolius*](#) J.J.Sm. – W. New Guinea

- [*Phyllanthus acuminatus*](#) Vahl – Caribbean, Mexico to N.W. Argentina – Jamaican gooseberry tree
- [*Phyllanthus acutifolius*](#) Poir. ex Spreng. – S.E. Brazil
- [*Phyllanthus acutissimus*](#) Miq. – S. Myanmar to W. Malesia
- [*Phyllanthus adenodiscus*](#) Müll.Arg. – Mexico
- [*Phyllanthus adianthoides*](#) Klotzsch – Guyana to Suriname
- [*Phyllanthus aeneus*](#) Baill. – New Caledonia
- [*Phyllanthus affinis*](#) Müll.Arg. – Sri Lanka
- [*Phyllanthus ajmerianus*](#) L.B.Chaudhary & R.R.Rao – India (Rajasthan)
- [*Phyllanthus albidiscus*](#) (Ridl.) Airy Shaw – Peninsula Thailand to Pen. Malaysia, Jawa
- [*Phyllanthus albizzioides*](#) (Kurz) Hook.f. – Myanmar
- [*Phyllanthus albus*](#) (Blanco) Müll.Arg. – Philippines, Sulawesi
- [*Phyllanthus allemii*](#) G.L.Webster – Brazil (Goiás)
- [*Phyllanthus almadensis*](#) Müll.Arg. – Brazil (S.E. Bahia)
- [*Phyllanthus alpestris*](#) Beille – W. Tropical Africa
- [*Phyllanthus amarus*](#) Schumach. & Thonn. – Tropical & Subtrop. America
- [*Phyllanthus ambatovolanus*](#) Leandri – CE. Madagascar
- [*Phyllanthus amentuliger*](#) Müll.Arg. – Fiji (E. Viti Levu, Vanua Levu)
- [*Phyllanthus amicorum*](#) G.L.Webster – Tonga
- [*Phyllanthus amieuensis*](#) Guillaumin – New Caledonia (Col d'Amieu)
- [*Phyllanthus amnicola*](#) G.L.Webster – Dominican Rep
- [*Phyllanthus ampandrandavae*](#) Leandri – S. Madagascar
- [*Phyllanthus anabaptizatus*](#) Müll.Arg. – Sri Lanka
- [*Phyllanthus analamerae*](#) Leandri – W. Madagascar (Diego-Suarez)
- [*Phyllanthus anamalayanus*](#) (Gamble) G.L.Webster – S. India (Anamalai Hills)
- [*Phyllanthus andamanicobaricus*](#) Chakrab. & N.P.Balakr. – Andaman & Nicobar Islands, Myanmar
- [*Phyllanthus andamanicus*](#) N.P.Balakr. & N.G.Nair – N. Andaman Islands
- [*Phyllanthus anderssonii*](#) Müll.Arg. – Windward Islands
- [*Phyllanthus andranovatensis*](#) Jean F.Brunel & J.P.Roux – S.E. Madagascar
- [*Phyllanthus anfractuosus*](#) (Gibbs) W.L.Wagner & Lorence – Fiji (Viti Levu, Ovalau)
- [*Phyllanthus angkorensis*](#) Beille – E. Thailand to Cambodia
- [*Phyllanthus angolensis*](#) Müll.Arg. – Malawi, Zambia, Angola
- [*Phyllanthus angustatus*](#) Hutch. – Zambia
- [*Phyllanthus angustifolius*](#) (Sw.) Sw. – Caribbean
- [*Phyllanthus angustissimus*](#) Müll.Arg. – Brazil (Bahia to Rio Grande do Sul)
- [*Phyllanthus anisolobus*](#) Müll.Arg. – Nicaragua to W. Ecuador
- [*Phyllanthus anisophyllioides*](#) Merr. – Philippines
- [*Phyllanthus ankarana*](#) Leandri – N. & W. Madagascar
- [*Phyllanthus ankaratrae*](#) (Leandri) Petra Hoffm. & McPherson – Central Madagascar (Ambositra)
- [*Phyllanthus ankazobensis*](#) Ralim. & Petra Hoffm. – Madagascar
- [*Phyllanthus anthopotamicus*](#) Hand.-Mazz. – S. China
- [*Phyllanthus aoraiensis*](#) Nadeaud – Society Islands

- [*Phyllanthus aoupinieensis*](#) M.Schmid – New Caledonia (Massif de l'Aoupinié)
- [*Phyllanthus aphanostylus*](#) Airy Shaw & G.L.Webster – New Guinea (incl. D'Entrecasteaux Islands)
- [*Phyllanthus apiculatus*](#) Merr. – Philippines
- [*Phyllanthus apodogynus*](#) (Airy Shaw) Govaerts Australia, New Guinea
- [*Phyllanthus aracaensis*](#) G.L.Webster ex Secco & A.Rosário – Brazil (Amazonas, Roraima)
- [*Phyllanthus arachnodes*](#) Govaerts & Radcl.-Sm. – Cambodia
- [*Phyllanthus arbuscula*](#) (Sw.) J.F.Gmel. – Jamaica
- [*Phyllanthus archboldianus*](#) Airy Shaw & G.L.Webster – New Guinea
- [*Phyllanthus ardisianthus*](#) Airy Shaw & G.L.Webster – W. New Guinea
- [*Phyllanthus arenarius*](#) Beille – Vietnam, S. China
- [*Phyllanthus arenicola*](#) Casar. – S.E. Brazil
- [*Phyllanthus argyi*](#) H.Lév. – S. China
- [*Phyllanthus aridus*](#) Benth. – N. Western Australia, Northern Territory
- [*Phyllanthus armstrongii*](#) Benth. – Northern Territory
- [*Phyllanthus artensis*](#) M.Schmid – New Caledonia (N. Ile Art)
- [*Phyllanthus arvensis*](#) Müll.Arg. – DR Congo to S. Africa
- [*Phyllanthus aspersus*](#) Jean F.Brunel & J.P.Roux – Cameroon
- [*Phyllanthus asperulatus*](#) Hutch. – Northern Province, Botswana, Mozambique, Zimbabwe
- [*Phyllanthus assamicus*](#) Müll.Arg. – India to Taiwan
- [*Phyllanthus atabapoensis*](#) Jabl. – Colombia to N. Brazil
- [*Phyllanthus atalaiensis*](#) G.L.Webster – Brazil (Goiás)
- [*Phyllanthus atalotrichus*](#) (A.C.Sm.) W.L.Wagner & Lorence – Fiji (Viti Levu)
- [*Phyllanthus atrovirens*](#) (A.C.Sm.) W.L.Wagner & Lorence – Fiji (S. Viti Levu)
- [*Phyllanthus attenuatus*](#) Miq. – S. Tropical America
- [*Phyllanthus augustini*](#) Baill. – Brazil (Espírito Santo, Rio de Janeiro)
- [*Phyllanthus australis*](#) Hook.f. – S. & E. Australia, Tasmania
- [*Phyllanthus austroparensis*](#) Radcl.-Sm. – Tanzania
- [*Phyllanthus avanguiensis*](#) M.Schmid – New Caledonia (Mt. Boulinda)
- [*Phyllanthus avicularis*](#) Müll.Arg. – Brazil (Minas Gerais, São Paulo)
- [*Phyllanthus awaensis*](#) G.L.Webster – Ecuador (Carchi)
- [*Phyllanthus axillaris*](#) (Sw.) Müll.Arg. – W. Jamaica

B

- [*Phyllanthus baeckeoides*](#) J.T.Hunter & J.J.Bruhl – Western Australia (near Laverton)
- [*Phyllanthus baeobotryoides*](#) Wall. ex Müll.Arg. – Assam to Myanmar
- [*Phyllanthus bahiensis*](#) Müll.Arg. – N.E. Brazil
- [*Phyllanthus baillonianus*](#) Müll.Arg. – S.W. India, Sri Lanka
- [*Phyllanthus baladensis*](#) Baill. – N.W. & Central New Caledonia
- [*Phyllanthus balakrishnanii*](#) Sunil, K.M.P.Kumar & Naveen Kum. – India (Kerala)
- [*Phyllanthus balansae*](#) Beille – Vietnam
- [*Phyllanthus balansanus*](#) Guillaumin – S.W. New Caledonia
- [*Phyllanthus balgooyi*](#) Petra Hoffm. & A.J.M.Baker – Borneo (Sabah) to Philippines

- [*Phyllanthus bancilhonae*](#) Jean F.Brunel & J.P.Roux – W. Tropical Africa
- [*Phyllanthus baraouaensis*](#) M.Schmid – New Caledonia (W. Mé Maoya)
- [*Phyllanthus barbarae*](#) M.C.Johnst. – N.E. Mexico
- [*Phyllanthus bathianus*](#) Leandri – Central Madagascar
- [*Phyllanthus beddomei*](#) (Gamble) M.Mohanan – S.W. India
- [*Phyllanthus bemangidiensis*](#) Ralim. – Madagascar
- [*Phyllanthus benguelensis*](#) Müll.Arg. – Angola
- [*Phyllanthus benquetensis*](#) C.B.Rob. – Philippines
- [*Phyllanthus bequaertii*](#) Robyns & Lawalrée – W. Central & E. Tropical Africa
- [*Phyllanthus bernardii*](#) Jabl. – Venezuela (Mérida)
- [*Phyllanthus bernierianus*](#) Baill. ex Müll.Arg. – Mozambique, Madagascar
- [*Phyllanthus berterioanus*](#) Müll.Arg. – N. Hispaniola
- [*Phyllanthus betsileanus*](#) Leandri – Madagascar
- [*Phyllanthus biantherifer*](#) Croizat – Brazil (Amazonas: Humayta)
- [*Phyllanthus bicolor*](#) Vis. – Venezuela
- [*Phyllanthus billardiarei*](#) (Baill.) Müll.Arg. – New Caledonia (incl. îs. Loyauté)
- [*Phyllanthus binhii*](#) Thin – Vietnam
- [*Phyllanthus birmanicus*](#) Müll.Arg. – Myanmar
- [*Phyllanthus blanchetianus*](#) Müll.Arg. – Brazil (Bahia)
- [*Phyllanthus blancoanus*](#) Müll.Arg. – Philippines
- [*Phyllanthus bodinieri*](#) (H.Lév.) Rehder – China (S.E. Guangxi, SE. Guizhou)
- [*Phyllanthus boehmii*](#) Pax – Ethiopia to S. Tropical Africa
- [*Phyllanthus boquenensis*](#) M.Schmid – Central New Caledonia
- [*Phyllanthus bojerianus*](#) (Baill.) Müll.Arg. – Madagascar
- [*Phyllanthus bokorensis*](#) Tagane – S. Cambodia
- [*Phyllanthus bolivarensis*](#) Steyerm. – Venezuela (Bolívar)
- [*Phyllanthus bolivianus*](#) Pax & K.Hoffm. – Bolivia
- [*Phyllanthus bonnardii*](#) Jean F.Brunel – Ivory Coast
- [*Phyllanthus borenensis*](#) M.G.Gilbert – Ethiopia (Sidamo)
- [*Phyllanthus borjaensis*](#) Jabl. – Colombia to S. Venezuela
- [*Phyllanthus borneensis*](#) Müll.Arg. – W. Malesia
- [*Phyllanthus botryanthus*](#) Müll.Arg. – S.W. Mexico, Colombia, Venezuela, Aruba, Curaçao, Bonaire
- [*Phyllanthus bourdillonii*](#) (Gamble) Chakrab. & N.P.Balakr. – Bhutan, S. India
- [*Phyllanthus bourgeoisii*](#) Baill. – New Guinea to N.W. & S. Central New Caledonia
- [*Phyllanthus brachyphyllus*](#) Urb. – Haiti
- [*Phyllanthus bracteatus*](#) (Gillespie) W.L.Wagner & Lorence – Fiji (Viti Levu)
- [*Phyllanthus brandegeei*](#) Millsp. – Mexico (Baja California Sur)
- [*Phyllanthus brasiliensis*](#) (Aubl.) Poir. – Lesser Antilles to S. Tropical America
- [*Phyllanthus brassii*](#) C.T.White – Queensland (Thornton Peak)
- [*Phyllanthus brevipes*](#) Hook.f. – Arunachal Pradesh (Mishmi Hills)
- [*Phyllanthus breynioides*](#) (P.T.Li) Govaerts & Radcl.-Sm. – China (Guangxi)

- [*Phyllanthus brothersonii*](#) (J.Florence) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus brunnescens*](#) (A.C.Sm.) W.L.Wagner & Lorence – Fiji
- [*Phyllanthus brynaertii*](#) Jean F.Brunel – DR Congo
- [*Phyllanthus buchii*](#) Urb. – Hispaniola
- [*Phyllanthus bupleuroides*](#) Baill. – New Caledonia
- [*Phyllanthus burundensis*](#) Jean F.Brunel – Burundi
- [*Phyllanthus buxifolius*](#) (Blume) Müll.Arg. – Jawa to Lesser Sunda Islands
- [*Phyllanthus buxoides*](#) Guillaumin – N.W. New Caledonia

C



P. cocumbiensis, [Jean F. Brunel](#). [Holotype](#) at [Herbarium Berolinense](#). Collected by [John Gossweiler](#), 6 December 1946 at Cocumbi, Luanda, Angola. Leg.: J. Gossweiler 13937 (BD)

- [*Phyllanthus cacuminum*](#) Müll.Arg. – Jawa
- [*Phyllanthus caesiifolius*](#) Petra Hoffm. & Cheek – Cameroon
- [*Phyllanthus caesius*](#) Airy Shaw & G.L.Webster – New Guinea

- [*Phyllanthus caespitosus*](#) Brenan – Malawi, Zambia
- [*Phyllanthus calcicola*](#) M.Schmid – N.W. New Caledonia
- [*Phyllanthus calciphilus*](#) (Croizat) W.L.Wagner & Lorence – Fiji (Fulanga, Kambara)
- [*Phyllanthus caledonicus*](#) (Müll.Arg.) Müll.Arg. – New Caledonia (incl. î. des Pins, îs. Loyauté)
- [*Phyllanthus caligatus*](#) Jean F.Brunel & J.P.Roux – Cameroon
- [*Phyllanthus callejasii*](#) G.L.Webster – Colombia
- [*Phyllanthus calocarpus*](#) (Kurz) Chakrab. & N.P.Balakr. – Andaman and Nicobar Islands
- [*Phyllanthus calycinus*](#) Labill. – S.E. Sulawesi, Western Australia, South Australia
- [*Phyllanthus camerunensis*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus candolleanus*](#) (Wight & Arn.) Chakrab. & N.P.Balakr. – S.W. India, Sri Lanka
- [*Phyllanthus caparaoensis*](#) G.L.Webster – S.E. Brazil
- [*Phyllanthus caraculiensis*](#) Jean F.Brunel – Angola
- [*Phyllanthus caribaeus*](#) Urb. – S. Mexico to S. Tropical America and Windward Islands
- [*Phyllanthus carinatus*](#) Beille – Vietnam
- [*Phyllanthus carlottae*](#) M.Schmid – S.E. New Caledonia
- [*Phyllanthus carnosulus*](#) Müll.Arg. – S.E. Cuba
- [*Phyllanthus caroliniensis*](#) Walter – Central & E. U.S. to N.E. Argentina – Carolina leafflower
- [*Phyllanthus carpentariae*](#) Müll.Arg. – Northern Territory, Queensland, New South Wales
- [*Phyllanthus carrenoi*](#) Steyerl. – Venezuela (Bolívar: Cerro Jaua)
- [*Phyllanthus carunculatus*](#) Jean F.Brunel – DR Congo
- [*Phyllanthus carvalhoi*](#) G.L.Webster – Brazil (S.E. Bahia)
- [*Phyllanthus casearioides*](#) S.Moore – New Caledonia (Touho Reg.)
- [*Phyllanthus cassioides*](#) Rusby – Bolivia
- [*Phyllanthus casticum*](#) P.Willemet – W. Indian Ocean
- [*Phyllanthus castus*](#) S.Moore – S.E. New Caledonia
- [*Phyllanthus caudatifolius*](#) Merr. – Philippines
- [*Phyllanthus caudatus*](#) Müll.Arg. – S.E. New Caledonia
- [*Phyllanthus cauliflorus*](#) (Sw.) Griseb. – W. Jamaica
- [*Phyllanthus cauticola*](#) J.T.Hunter & J.J.Bruhl – Northern Territory
- [*Phyllanthus caymanensis*](#) G.L.Webster & Proctor – Cayman Islands
- [*Phyllanthus cedrelifolius*](#) Verdc. – KwaZulu-Natal, Cape Province
- [*Phyllanthus celastroides*](#) Müll.Arg. – Borneo (S.E. Kalimantan), Sumatera (Bangka, Billiton)
- [*Phyllanthus celebicus*](#) Koord. – Sulawesi
- [*Phyllanthus ceratostemon*](#) Brenan – W. Central Tropical Africa to Chad, Zambia
- [*Phyllanthus chacoensis*](#) Morong – Brazil to Bolivia and N.E. Argentina
- [*Phyllanthus chamaecerasus*](#) Baill. – New Caledonia
- [*Phyllanthus chamaecristoides*](#) Urb. – Cuba
- [*Phyllanthus chamaepeuce*](#) Ridl. – S. Indo-China to Philippines
- [*Phyllanthus chandrasei*](#) Govaerts & Radcl.-Sm. – India (Tamil Nadu)
- [*Phyllanthus chantrieri*](#) André – Vietnam
- [*Phyllanthus chayamaritiae*](#) Chantar. & Kantachot – Thailand
- [*Phyllanthus chekiangensis*](#) Croizat & Metcalf – S.E. China

- [*Phyllanthus cherrieri*](#) M.Schmid – New Caledonia (Mt. Arago)
- [*Phyllanthus chevalieri*](#) Beille – Chad to W. Ethiopia and Tanzania
- [*Phyllanthus chiapensis*](#) Sprague – Mexico (Chiapas: Cacote)
- [*Phyllanthus chimantae*](#) Jabl. – Venezuela (Bolívar: Macizo del Chimantá)
- [*Phyllanthus choretroides*](#) Müll.Arg. – Brazil (Bahia, Minas Gerais)
- [*Phyllanthus christophersenii*](#) (Croizat) W.L.Wagner & Lorence – Samoa
- [*Phyllanthus chrysanthus*](#) Baill. – New Caledonia
- [*Phyllanthus chryseus*](#) Howard – E. Cuba (Sierra de Moa)
- [*Phyllanthus ciccoides*](#) Müll.Arg. – Papua New Guinea to Vanuatu
- [*Phyllanthus ciliaris*](#) Baill. – New Caledonia (near Balade)
- [*Phyllanthus cinctus*](#) Urb. – E. Cuba
- [*Phyllanthus cinereus*](#) Müll.Arg. – Sri Lanka
- [*Phyllanthus cladanthus*](#) Müll.Arg. – Central & E. Jamaica
- [*Phyllanthus cladotrichus*](#) Müll.Arg. – S.E. Brazil (to Bahia)
- [*Phyllanthus clamboides*](#) (F.Muell.) Diels – Papuaasia to Queensland
- [*Phyllanthus clarkei*](#) Hook.f. – Bhutan to S. China
- [*Phyllanthus clausenii*](#) Müll.Arg. – Brazil
- [*Phyllanthus cleistanthoides*](#) (Fosberg) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus coalcomanensis*](#) Croizat – W. Mexico, Nicaragua
- [*Phyllanthus coccineus*](#) (Banks) Müll.Arg. – Assam to S. China and Indo-China
- [*Phyllanthus cochinchinensis*](#) Spreng. – Assam to Nansei-shoto and Indo-China
- [*Phyllanthus cocumbiensis*](#) Jean F.Brunel – Angola
- [*Phyllanthus collinsiae*](#) Craib – Indo-China, Lesser Sunda Islands
- [*Phyllanthus collinus*](#) Domin – Queensland
- [*Phyllanthus columnaris*](#) Müll.Arg. – Andaman Islands, Myanmar to N. Peninsula Malaysia
- [*Phyllanthus coluteoides*](#) Baill. ex Müll.Arg. – W. Madagascar, Mozambique Channel Islands
- [*Phyllanthus comitus*](#) (J.Florence) W.L.Wagner & Lorence – Pitcairn Islands
- [*Phyllanthus comorensis*](#) Leandri – Comoros
- [*Phyllanthus comosus*](#) Urb. – N.E. Cuba
- [*Phyllanthus compressus*](#) Kunth – Mexico to Peru
- [*Phyllanthus comptonii*](#) S.Moore – New Caledonia (Ngoye Valley)
- [*Phyllanthus comptus*](#) G.L.Webster – Cuba (Cajalbana Reg.)
- [*Phyllanthus concolor*](#) (Müll.Arg.) Müll.Arg. – Wallis-Futuna Is, Fiji, Tonga, Cook Islands
- [*Phyllanthus confusus*](#) Brenan – Malawi (Mt. Mulanje)
- [*Phyllanthus conjugatus*](#) M.Schmid – New Caledonia
- [*Phyllanthus consanguineus*](#) Müll.Arg. – Réunion
- [*Phyllanthus coodei*](#) Ralim. & Petra Hoffm. – Madagascar
- [*Phyllanthus cordatulus*](#) C.B.Rob. – Philippines
- [*Phyllanthus cordatus*](#) (Seem. ex Müll.Arg.) Müll.Arg. – Fiji
- [*Phyllanthus coriaceus*](#) (Thwaites) Müll.Arg. – Sri Lanka
- [*Phyllanthus cornutus*](#) Baill. – New Caledonia (incl. î. des Pins)
- [*Phyllanthus coursii*](#) Leandri – E. Central Madagascar (near Lac Alaotra)

- [*Phyllanthus craibii*](#) Chakrab. & N.P.Balakr. – E. Myanmar to Cambodia
- [*Phyllanthus crassinervius*](#) Radcl.-Sm. – DR Congo, Tanzania (Mbeya), Malawi, Zambia
- [*Phyllanthus cristalensis*](#) Urb. – E. Cuba (Sierra del Cristal)
- [*Phyllanthus cryptophilus*](#) (Comm. ex A.Juss.) Müll.Arg. – S.E. & ESE. Madagascar
- [*Phyllanthus cuatrecasanus*](#) G.L.Webster – Colombia
- [*Phyllanthus cuneifolius*](#) (Britton) Croizat – Puerto Rico
- [*Phyllanthus cunenensis*](#) Jean F.Brunel – Angola
- [*Phyllanthus curranii*](#) C.B.Rob. – Philippines
- [*Phyllanthus cuscutiflorus*](#) S.Moore – Papua New Guinea to Queensland
- [*Phyllanthus cuspidatus*](#) Müll.Arg. – Samoa
- [*Phyllanthus cyrtophylloides*](#) Müll.Arg. – Jawa
- [*Phyllanthus cyrtophyllus*](#) (Miq.) Müll.Arg. – Sumatera
- [*Phyllanthus cyrtostylus*](#) (Miq.) Müll.Arg. – Jawa to Lesser Sunda Islands

D

- [*Phyllanthus daclacensis*](#) Thin – Vietnam
- [*Phyllanthus dallachyanus*](#) Benth. – N. Australia
- [*Phyllanthus daltonii*](#) Müll.Arg. – Sikkim to S. China and Peninsula Malaysia
- [*Phyllanthus dasystylus*](#) (Kurz) Chakrab. & N.P.Balakr. – China (Yunnan) to Myanmar
- [*Phyllanthus dawsonii*](#) Steyerl. – Brazil (Goiás)
- [*Phyllanthus dealbatus*](#) Alston – Sri Lanka
- [*Phyllanthus debilis*](#) J.G.Klein ex Willd. – Maldives to W. Malesia – lagoon spurge, niruri
- [*Phyllanthus deciduiflorus*](#) Däniker – New Caledonia (Mt. Kaala)
- [*Phyllanthus dekindtianus*](#) Jean F.Brunel – Angola
- [*Phyllanthus delagoensis*](#) Hutch. – Gabon to S. Africa
- [*Phyllanthus denticulatus*](#) Jean F.Brunel – Uganda
- [*Phyllanthus deplanchei*](#) Müll.Arg. – New Caledonia (incl. î. des Pins)
- [*Phyllanthus dewildeanus*](#) Jean F.Brunel – Ethiopia
- [*Phyllanthus dewildeorum*](#) M.G.Gilbert – W. Ethiopia
- [*Phyllanthus dictyophlebsis*](#) Radcl.-Sm. – Tanzania
- [*Phyllanthus dictyospermus*](#) Müll.Arg. – Brazil (Minas Gerais, São Paulo)
- [*Phyllanthus dimorphus*](#) Britton & P.Wilson – Cuba (Sierra de Trinidad)
- [*Phyllanthus dinklagei*](#) Pax – W. Central Tropical Africa
- [*Phyllanthus dinteri*](#) Pax – Namibia
- [*Phyllanthus discolaciniatus*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus discolor*](#) Poepp. ex Spreng. – Central & W. Cuba
- [*Phyllanthus distichus*](#) Hook. & Arn. – Hawaiian Islands
- [*Phyllanthus dongmoensis*](#) Thin – Vietnam
- [*Phyllanthus dorotheae*](#) M.Schmid – Central & E. Central New Caledonia
- [*Phyllanthus dracunculoideus*](#) Baill. – New Caledonia
- [*Phyllanthus duidae*](#) Gleason – Venezuela (Amazonas: Cerro Duida)
- [*Phyllanthus dumbaensis*](#) M.Schmid – New Caledonia (Dumbéa-Couvelée)

- [*Phyllanthus dumetosus*](#) Poir. – Rodrigues
- [*Phyllanthus dumosus*](#) C.B.Rob. – Philippines
- [*Phyllanthus dunnianus*](#) (H.Lév.) Hand.-Mazz. ex Rehder – China (Guizhou, Yunnan, Guangxi), Vietnam
- [*Phyllanthus dusenii*](#) Hutch. – Nigeria to Cameroon
- [*Phyllanthus dzumacensis*](#) M.Schmid – New Caledonia (Dzumac Mts.)

E

- [*Phyllanthus echinospermus*](#) C.Wright – W. Cuba
- [*Phyllanthus edmundoi*](#) L.J.M.Santiago – Brazil (Bahia)
- [*Phyllanthus effusus*](#) S.Moore – Papua New Guinea
- [*Phyllanthus ekmanii*](#) G.L.Webster – Cuba (Sierra de Nipe)
- [*Phyllanthus elegans*](#) Wall. ex Müll.Arg. – Indo-China to N. Peninsula Malaysia
- [*Phyllanthus eliae*](#) (Jean F.Brunel & J.P.Roux) Jean F.Brunel – Togo
- [*Phyllanthus elsiae*](#) Urb. – Trinidad-Tobago, Mexico to N. South America
- [*Phyllanthus emarginatus*](#) (J.W.Moore) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus embergeri*](#) Haicour & Rossignol – Assam to S. China, Taiwan
- [*Phyllanthus emblica*](#) L. – Tropical & Subtrop. Asia – emblic, emblic myrobalan, Indian gooseberry or myrobalan
- [*Phyllanthus engleri*](#) Pax – Tanzania to S. Tropical Africa
- [*Phyllanthus epiphyllanthus*](#) L. – Caribbean
- [*Phyllanthus epiphylliferens*](#) Jean F.Brunel – DR Congo
- [*Phyllanthus eremicus*](#) R.L.Barrett & I.Telford – N. Western Australia
- [*Phyllanthus ericoides*](#) Torr. – Texas (Terrell Co.) to Mexico (Chihuahua)
- [*Phyllanthus eriocarpus*](#) (Champ. ex Benth.) Müll.Arg. – S. China, Taiwan, Indo-China to Malesia
- [*Phyllanthus erwinii*](#) J.T.Hunter & J.J.Bruhl – W. & Central Australia
- [*Phyllanthus erythrotrichus*](#) C.B.Rob. – Philippines
- [*Phyllanthus eurisladro*](#) Mart. ex Colla – Brazil (?)
- [*Phyllanthus euryoides*](#) (A.C.Sm.) W.L.Wagner & Lorence – Fiji (Viti Levu: Mt. Koromba)
- [*Phyllanthus eutaxioides*](#) S.Moore – Queensland (Darwin), Northern Territory (Gove Peninsula)
- [*Phyllanthus evanescens*](#) Brandegee – S. Central Louisiana to Nicaragua
- [*Phyllanthus everettii*](#) C.B.Rob. – Philippines
- [*Phyllanthus evrardii*](#) Beille – Vietnam
- [*Phyllanthus excisus*](#) Urb. – Cuba (Sierra Sagua Baracoa)
- [*Phyllanthus exilis*](#) S.Moore – N. Australia
- [*Phyllanthus eximius*](#) G.L.Webster & Proctor – Jamaica

F-J

F

- [*Phyllanthus fadyenii*](#) Urb. – Jamaica
- [*Phyllanthus faguettii*](#) Baill. – New Caledonia

- [*Phyllanthus fallax*](#) Müll.Arg. – Brazil (Minas Gerais)
- [*Phyllanthus fangchengensis*](#) P.T.Li – China (S.E. Guangxi)
- [*Phyllanthus fastigiatus*](#) Mart. ex Müll.Arg. – Brazil (Minas Gerais, Mato Grosso)
- [*Phyllanthus favieri*](#) M.Schmid – New Caledonia
- [*Phyllanthus felicis*](#) Jean F.Brunel – Guinea
- [*Phyllanthus ferdinandi*](#) Müll.Arg. – Northern Territory, Queensland, New South Wales
- [*Phyllanthus filicifolius*](#) Gage – Peninsula Malaysia (Kedah)
- [*Phyllanthus fimbriatitepalus*](#) Guillaumin – Vanuatu
- [*Phyllanthus fimbriatus*](#) (Wight) Müll.Arg. – S.W. India
- [*Phyllanthus fimbricalyx*](#) P.T.Li – China (S.W. Yunnan)
- [*Phyllanthus finschii*](#) K.Schum. – New Guinea, Bismarck Arch., Tenimbar I
- [*Phyllanthus fischeri*](#) Pax – Eritrea to Tanzania
- [*Phyllanthus flagellaris*](#) Benth. – Northern Territory (Darwin)
- [*Phyllanthus flagelliformis*](#) Müll.Arg. – N.E. Brazil
- [*Phyllanthus flavidus*](#) (Kurz ex Teijsm. & Binn.) Müll.Arg. – Jawa
- [*Phyllanthus flaviflorus*](#) (K.Schum. & Lauterb.) Airy Shaw – Papua New Guinea
- [*Phyllanthus flexuosus*](#) (Siebold & Zucc.) Müll.Arg. – S. China, S. Central & S. Japan
- [*Phyllanthus florencei*](#) W.L.Wagner & Lorence – Society Islands, Tubuai Is
- [*Phyllanthus fluitans*](#) Benth. ex Müll.Arg. – Mexico (Tabasco), S. Tropical America
- [*Phyllanthus fluminis-athi*](#) Radcl.-Sm. – S. Central Kenya
- [*Phyllanthus fluminis-zambesi*](#) Radcl.-Sm. – Zambia
- [*Phyllanthus formosus*](#) Urb. – E. Cuba
- [*Phyllanthus forrestii*](#) W.W.Sm. – S. Central China
- [*Phyllanthus fotii*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus fractiflexus*](#) M.Schmid – New Caledonia (Mt. Koniambo)
- [*Phyllanthus fraguensis*](#) M.C.Johnst. – Mexico
- [*Phyllanthus franchetianus*](#) H.Lév. – China (Guizhou, Sichuan, Yunnan)
- [*Phyllanthus francii*](#) Guillaumin – S. New Caledonia
- [*Phyllanthus fraternus*](#) G.L.Webster – Pakistan to N.W. India – Gulf leafflower
- [*Phyllanthus frazieri*](#) Radcl.-Sm. – Tanzania
- [*Phyllanthus friesii*](#) Hutch. – Tanzania (Iringa), Zambia
- [*Phyllanthus frodinii*](#) Airy Shaw – N.E. Papua New Guinea
- [*Phyllanthus fuernrohrrii*](#) F.Muell. – Australia
- [*Phyllanthus fuertesii*](#) Urb. – Hispaniola
- [*Phyllanthus fulvirameus*](#) (Miq.) Müll.Arg. – Jawa, New Guinea (incl. Kep. Aru), Solomon Islands
- [*Phyllanthus fuscouluridus*](#) Müll.Arg. – Madagascar

G

- [*Phyllanthus gabonensis*](#) Jean F.Brunel – Equatorial Guinea to Gabon
- [*Phyllanthus gageanus*](#) (Gamble) M.Mohanan – S.W. India
- [*Phyllanthus gagnioevae*](#) Jean F.Brunel & J.P.Roux – W. & W. Central Tropical Africa
- [*Phyllanthus galeottianus*](#) Baill. – Mexico

- [*Phyllanthus gaudichaudii*](#) Müll.Arg. – Maluku to New Guinea
- [*Phyllanthus geniculatostemon*](#) Jean F.Brunel – Uganda
- [*Phyllanthus gentryi*](#) G.L.Webster – Panama
- [*Phyllanthus geoffrayi*](#) Beille – E. Thailand to Laos
- [*Phyllanthus gigantifolius*](#) Vidal – Philippines
- [*Phyllanthus gillespiei*](#) (Croizat) W.L.Wagner & Lorence – Fiji (Viti Levu)
- [*Phyllanthus gillettianus*](#) Jean F.Brunel – Kenya to Botswana
- [*Phyllanthus gjellerupi*](#) J.J.Sm. – W. New Guinea
- [*Phyllanthus glabrescens*](#) (Miq.) Müll.Arg. – Lesser Sunda Islands
- [*Phyllanthus gladiatus*](#) Müll.Arg. – Brazil (S.E. Bahia to Espírito Santo)
- [*Phyllanthus glaucinus*](#) (Miq.) Müll.Arg. – Sumatera
- [*Phyllanthus glaucophyllus*](#) Sond. – Tropical & S. Africa
- [*Phyllanthus glaziovii*](#) Müll.Arg. – S.E. Brazil (to Paraná)
- [*Phyllanthus glochidioides*](#) Elmer – Philippines
- [*Phyllanthus glomerulatus*](#) (Miq.) Müll.Arg. – India to W. & S. Malesia
- [*Phyllanthus gneissicus*](#) S.Moore – New Caledonia
- [*Phyllanthus goianensis*](#) L.J.M.Santiago – Brazil (Tocantins)
- [*Phyllanthus golonensis*](#) M.Schmid – New Caledonia (Golone)
- [*Phyllanthus gomphocarpus*](#) Hook.f. – Andaman and Nicobar Islands, Myanmar to Jawa
- [*Phyllanthus gongyloides*](#) Cordeiro & Carn.-Torres – Brazil (Bahia)
- [*Phyllanthus goniostemon*](#) Radcl.-Sm. – Uganda
- [*Phyllanthus gordonii*](#) Ralim. & Petra Hoffm. – Madagascar
- [*Phyllanthus gossweileri*](#) Hutch. – Gabon to Zambia
- [*Phyllanthus goudotianus*](#) (Baill.) Müll.Arg. – S.E. Madagascar
- [*Phyllanthus gracilentus*](#) Müll.Arg. – Jawa
- [*Phyllanthus gracilipes*](#) (Miq.) Müll.Arg. – China (W. Guangxi) to W. Malesia
- [*Phyllanthus gradyi*](#) M.J.Silva & M.F.Sales – N.E. Brazil
- [*Phyllanthus graminicola*](#) Hutch. – Zimbabwe to Northern Province
- [*Phyllanthus grandifolius*](#) L. – Mexico to Honduras
- [*Phyllanthus grantii*](#) (J.Florence) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus graveolens*](#) Kunth – S.W. Mexico, Costa Rica to N. Peru
- [*Phyllanthus grayanus*](#) Müll.Arg. – Society Islands
- [*Phyllanthus greenei*](#) Elmer – Philippines
- [*Phyllanthus quangdongensis*](#) P.T.Li – China (W.S.W. Guangdong)
- [*Phyllanthus guanxiensis*](#) Govaerts & Radcl.-Sm. – China (S.W. Guangxi)
- [*Phyllanthus quillauminii*](#) Däniker – New Caledonia (Tiébaghi Mts.)
- [*Phyllanthus gunnii*](#) Hook.f. – E. & S.E. Australia
- [*Phyllanthus gypsicola*](#) McVaugh – Mexico (Baja California Sur, Colima, Jalisco)

H

- [*Phyllanthus hainanensis*](#) Merr. – Hainan
- [*Phyllanthus hakgalensis*](#) Thwaites ex Trimen – Sri Lanka

- [*Phyllanthus hamelinii*](#) I.Telford & R.L.Barrett – N.W. Western Australia
- [*Phyllanthus harmandii*](#) Beille – E. Thailand to Cambodia
- [*Phyllanthus harrimanii*](#) G.L.Webster – Mexico (Tamaulipas)
- [*Phyllanthus harrisii*](#) Radcl.-Sm. – Kenya, Tanzania (incl. Zanzibar)
- [*Phyllanthus hasskarlianus*](#) Müll.Arg. – Jawa
- [*Phyllanthus helenae*](#) M.Schmid – Central New Caledonia
- [*Phyllanthus helferi*](#) Müll.Arg. – S. Myanmar
- [*Phyllanthus heliotropus*](#) C.Wright ex Griseb. – W. Cuba (incl. I. de la Juventud)
- [*Phyllanthus heteradenius*](#) Müll.Arg. – N.E. Brazil (to Minas Gerais)
- [*Phyllanthus heterodoxus*](#) Müll.Arg. – Fiji (Vanua Levu, Fulanga)
- [*Phyllanthus heterophyllus*](#) E.Mey. ex Müll.Arg. – KwaZulu-Natal to Cape Province
- [*Phyllanthus heterotrichus*](#) Lundell – Mexico (San Luis Potosí)
- [*Phyllanthus hexadactylus*](#) McVaugh – W. Mexico
- [*Phyllanthus heyneanus*](#) Müll.Arg. – S.W. India
- [*Phyllanthus hildebrandtii*](#) Pax – Ethiopia, N. Somalia
- [*Phyllanthus hirtellus*](#) F.Muell. ex Müll.Arg. – S.E. Australia
- [*Phyllanthus hivaaoensis*](#) (J.Florence) W.L.Wagner & Lorence – Marquesas (Hiva Oa)
- [*Phyllanthus hodjelensis*](#) Schweinf. – Yemen
- [*Phyllanthus hohenackeri*](#) Müll.Arg. – S. India
- [*Phyllanthus holostylus*](#) Milne-Redh. – DR Congo, Angola, Zambia
- [*Phyllanthus hortensis*](#) Govaerts & Radcl.-Sm. – ?
- [*Phyllanthus hosokawae*](#) (Fosberg) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus houailouensis*](#) M.Schmid – Central New Caledonia (Houaïlou)
- [*Phyllanthus huahineensis*](#) (J.Florence) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus huallagensis*](#) Standl. ex Croizat – Ecuador to Peru
- [*Phyllanthus huberi*](#) Riina & P.E.Berry – Venezuela
- [*Phyllanthus humbertianus*](#) Leandri – S. Madagascar
- [*Phyllanthus humbertii*](#) (Leandri) Petra Hoffm. & McPherson – E. Central Madagascar
- [*Phyllanthus humpatanus*](#) Jean F.Brunel – Angola
- [*Phyllanthus hutchinsonianus*](#) S.Moore – Tanzania to Mozambique
- [*Phyllanthus hypoleucus*](#) Müll.Arg. – Brazil (Pernambuco to Espírito Santo)
- [*Phyllanthus hypospodius*](#) F.Muell. – Queensland (South Kennedy)
- [*Phyllanthus hyssopifolioides*](#) Kunth – Dominican Rep., Trinidad, Nicaragua to S. Tropical America

I

- [*Phyllanthus imbricatus*](#) G.L.Webster – Cuba (S.W. I. de la Juventud)
- [*Phyllanthus incrustatus*](#) Urb. – N.E. Cuba
- [*Phyllanthus incurvus*](#) Thunb. – S. Tropical & S. Africa
- [*Phyllanthus indigoferoides*](#) Benth. – N. Western Australia, Northern Territory
- [*Phyllanthus indofischeri*](#) Bennet – India (Tamil Nadu)
- [*Phyllanthus inflatus*](#) Hutch. – South Sudan to Mozambique

- [*Phyllanthus insignis*](#) Müll.Arg. – Sumatera, Jawa, Sulawesi
- [*Phyllanthus insulae-japen*](#) Airy Shaw – W. New Guinea
- [*Phyllanthus insulanus*](#) (Müll.Arg.) Müll.Arg. – Maluku
- [*Phyllanthus insulensis*](#) Beille – Vietnam
- [*Phyllanthus inusitatus*](#) (A.C.Sm.) W.L.Wagner & Lorence – Fiji (Vanua Levu: Mt. Ndelanathau)
- [*Phyllanthus involutus*](#) J.T.Hunter & J.J.Bruhl – S. Queensland, New South Wales
- [*Phyllanthus iratsiensis*](#) Leandri – S. Central Madagascar
- [*Phyllanthus irriguus*](#) Radcl.-Sm. – Tanzania (Songea)
- [*Phyllanthus isomonensis*](#) Leandri – S.E. Madagascar
- [*Phyllanthus itatiaiensis*](#) Brade – Brazil (Rio de Janeiro: Serra do Mantiqueira)
- [*Phyllanthus ivohibeus*](#) Leandri – Central & E.S.E. Madagascar

J

- [*Phyllanthus jablonskianus*](#) Steyerl. & Luteyn – Venezuela (Sierra de la Neblina) to Brazil (Serra da Neblina)
- [*Phyllanthus jaegeri*](#) Jean F.Brunel & J.P.Roux – Sierra Leone
- [*Phyllanthus jaffrei*](#) M.Schmid – Central New Caledonia
- [*Phyllanthus jarawae*](#) (Chakrab. & N.P.Balakr.) Chakrab. & N.P.Balakr. – S. Andaman Islands
- [*Phyllanthus jauaensis*](#) Jabl. – Venezuela (Bolívar: Cerro Jaua)
- [*Phyllanthus jaubertii*](#) Vieill. ex Guillaumin – New Caledonia
- [*Phyllanthus juglandifolius*](#) Willd. Walnutleaf leafflower, Bigleaf leafflower – Tropical America
- [*Phyllanthus junceus*](#) Müll.Arg. – W. Cuba (incl. I. de la Juventud)

K-O

K

- [*Phyllanthus kaessneri*](#) Hutch. – Kenya to Zambia
- [*Phyllanthus kampotensis*](#) Beille – Indo-China
- [*Phyllanthus kanalensis*](#) Baill. – New Caledonia
- [*Phyllanthus kanehirae*](#) (Hosok.) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus karibibensis*](#) Jean F.Brunel – Namibia
- [*Phyllanthus karnaticus*](#) (Chakrab. & M.Gangop.) Chakrab. & N.P.Balakr. – India (Karnataka)
- [*Phyllanthus kaweesakii*](#) Pornp., Chantar. & J.Parn – N.E. Thailand, one of the only four caudiciforms/succulents in this genus.
- [*Phyllanthus kelleanus*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus kerrii*](#) Airy Shaw – N. & N.E. Thailand
- [*Phyllanthus kerstingii*](#) Jean F.Brunel – W. Tropical Africa
- [*Phyllanthus keyensis*](#) Warb. – New Guinea (Kei I.)
- [*Phyllanthus khasicus*](#) Müll.Arg. – E. Himalaya to Thailand, Andaman Islands
- [*Phyllanthus kidna*](#) Challen & Petra Hoffm. – Cameroon
- [*Phyllanthus kinabaluicus*](#) Airy Shaw – Borneo (Sabah)
- [*Phyllanthus kivuensis*](#) Jean F.Brunel – E. DR Congo

- [*Phyllanthus klotzschianus*](#) Müll.Arg. – Guyana, E. Brazil
- [*Phyllanthus koghiensis*](#) Guillaumin – S.E. New Caledonia (Massif des Koghis)
- [*Phyllanthus koniamboensis*](#) M.Schmid – New Caledonia
- [*Phyllanthus korthalsii*](#) Müll.Arg. – Borneo (S.E. Kalimantan)
- [*Phyllanthus kostermansii*](#) Airy Shaw – W. New Guinea
- [*Phyllanthus kouaouaensis*](#) M.Schmid – Central New Caledonia
- [*Phyllanthus koumacensis*](#) Guillaumin – N.W. New Caledonia
- [*Phyllanthus kozhikodianus*](#) Sivar. & Manilal – Indian Subcontinent to N. Thailand

L

- [*Phyllanthus lacerosus*](#) Airy Shaw – N. & E. Australia
- [*Phyllanthus laciniatus*](#) C.B.Rob. – Philippines
- [*Phyllanthus lacunarius*](#) F.Muell. – Australia
- [*Phyllanthus lacunellus*](#) Airy Shaw – Australia
- [*Phyllanthus lamprophyllus*](#) Müll.Arg. – Jawa (Madura I.) to Queensland
- [*Phyllanthus lanceifolius*](#) Merr. – Philippines
- [*Phyllanthus lanceilimbus*](#) (Merr.) Merr. – S. Philippines to Queensland
- [*Phyllanthus lanceolarius*](#) (Roxb.) Müll.Arg. – Indian Subcontinent to S. China
- [*Phyllanthus lanceolatus*](#) Poir. – Mauritius
- [*Phyllanthus lancisepalus*](#) (Merr.) Chakrab. & N.P.Balakr. – Myanmar, Borneo
- [*Phyllanthus lasiogynus*](#) Müll.Arg. – Paraguay (Ypanema)
- [*Phyllanthus latifolius*](#) (L.) Sw. – S. Jamaica
- [*Phyllanthus lativenius*](#) (Croizat) Govaerts & Radcl.-Sm. – China (Guizhou)
- [*Phyllanthus lawii*](#) J.Graham – India
- [*Phyllanthus laxiflorus*](#) Benth. – Mexico (Chiapas) to El Salvador
- [*Phyllanthus lebrunii*](#) Robyns & Lawalrée – Rwanda, DR Congo
- [*Phyllanthus lediformis*](#) Jabl. – Venezuela (Amazonas: Cerro Yutajé)
- [*Phyllanthus leonardianus*](#) Lisowski, Malaisse & Symoens – DR Congo
- [*Phyllanthus leptocaulos*](#) Müll.Arg. – Brazil (Minas Gerais)
- [*Phyllanthus leptoclados*](#) Benth. – S. China
- [*Phyllanthus leptoneurus*](#) Urb. – Hispaniola
- [*Phyllanthus leptophyllus*](#) Müll.Arg. – Brazil (Minas Gerais)
- [*Phyllanthus leschenaultii*](#) Müll.Arg. – India to Assam
- [*Phyllanthus letestui*](#) Jean F.Brunel – Central African Rep
- [*Phyllanthus letouzeyanus*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus leucanthus*](#) Pax – Gabon to Djibouti and S. Tropical Africa
- [*Phyllanthus leucocalyx*](#) Hutch. – Kenya to Mozambique
- [*Phyllanthus leucochlamys*](#) Radcl.-Sm. – Tanzania
- [*Phyllanthus leucogynus*](#) Müll.Arg. – Jawa
- [*Phyllanthus leucosepalus*](#) Jean F.Brunel – Kenya
- [*Phyllanthus leytenis*](#) Elmer – Philippines (Leyte)

- [*Phyllanthus lichenisilvae*](#) (Leandri ex Humbert) Petra Hoffm. & McPherson – Central Madagascar (Tsaratanana)
- [*Phyllanthus liebmannianus*](#) Müll.Arg. – Florida, Mexico to Central America
- [*Phyllanthus liesneri*](#) G.L.Webster – N.W. Venezuela
- [*Phyllanthus ligustrifolius*](#) S.Moore – New Caledonia
- [*Phyllanthus lii*](#) Govaerts & Radcl.-Sm. – China (Guangxi)
- [*Phyllanthus limmuensis*](#) Cufod. – South Sudan to S.W. Ethiopia
- [*Phyllanthus lindbergii*](#) Müll.Arg. – S. Tropical America
- [*Phyllanthus lindenianus*](#) Baill. – Cuba to Hispaniola
- [*Phyllanthus lingulatus*](#) Beille – Indo-China
- [*Phyllanthus littoralis*](#) (Blume) Müll.Arg. – S.W. India to Malesia
- [*Phyllanthus liukuensis*](#) Matsum. ex Hayata – Nansei-shoto (Manzamo-jima, Okinawa-jima)
- [*Phyllanthus loandensis*](#) Welw. ex Müll.Arg. – Central & E. Tropical & S. Africa
- [*Phyllanthus lobocarpus*](#) Benth. – Papua New Guinea to CE. Queensland
- [*Phyllanthus lokohensis*](#) Leandri – N.E. & ENE. Madagascar
- [*Phyllanthus longfieldiae*](#) Ridl. – Tubuai Islands
- [*Phyllanthus longipedicellatus*](#) M.J.Silva – Brazil (Bahia)
- [*Phyllanthus longiramosus*](#) Guillaumin – New Caledonia (Dumbéa-Païta Reg.)
- [*Phyllanthus longistylus*](#) Jabl. – S. Venezuela
- [*Phyllanthus loranthoides*](#) Baill. – New Caledonia
- [*Phyllanthus lucidus*](#) (Blume) Müll.Arg. – Malesia to W. New Guinea
- [*Phyllanthus luciliae*](#) M.Schmid – New Caledonia (Cap Bocage)
- [*Phyllanthus lunifolius*](#) Gilbert & Thulin – Central Somalia
- [*Phyllanthus lutescens*](#) (Blume) Müll.Arg. – S. China to Malesia

M

- [*Phyllanthus macgregorii*](#) C.B.Rob. – Philippines
- [*Phyllanthus macphersonii*](#) M.Schmid – New Caledonia (Ouaco)
- [*Phyllanthus macraei*](#) Müll.Arg. – S.W. India
- [*Phyllanthus macranthus*](#) Pax – Tanzania to Angola
- [*Phyllanthus macrocalyx*](#) Müll.Arg. – S.W. India
- [*Phyllanthus macrochorion*](#) Baill. – N.W. New Caledonia
- [*Phyllanthus macrophyllus*](#) (Labill.) Müll.Arg. – New Caledonia
- [*Phyllanthus macrosepalus*](#) (Hosok.) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus madagascariensis*](#) Müll.Arg. – S. Central & E. Madagascar
- [*Phyllanthus madeirensis*](#) Croizat – N. Brazil, W. Bolivia
- [*Phyllanthus maderaspatensis*](#) L. – Africa, W. Indian Ocean, Arabian Peninsula, Pakistan to Australia – canoe weed
- [*Phyllanthus maestrensis*](#) Urb. – Cuba (Sierra Maestra)
- [*Phyllanthus mafingensis*](#) Radcl.-Sm. – Malawi (Mafinga Mts.)
- [*Phyllanthus magdemeanus*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus magnificens*](#) Jean F.Brunel & J.P.Roux – Ghana, Togo

- [*Phyllanthus maguirei*](#) Jabl. – Venezuela (Amazonas: Cerro Duida, Cerro de la Neblina)
- [*Phyllanthus mahengeaensis*](#) Jean F.Brunel – Tanzania
- [*Phyllanthus major*](#) Steyerl. – S. Venezuela to Guyana and Brazil (Roraima)
- [*Phyllanthus makitae*](#) Jean F.Brunel – Congo
- [*Phyllanthus maleolens*](#) Urb. & Ekman – Hispaniola
- [*Phyllanthus mananarensis*](#) Leandri – S. Madagascar
- [*Phyllanthus manausensis*](#) W.A.Rodrigues – N. Brazil
- [*Phyllanthus mandjeliaensis*](#) M.Schmid – N.W. New Caledonia
- [*Phyllanthus mangelotii*](#) M.Schmid – Central New Caledonia (Monéa reg.)
- [*Phyllanthus manicaensis*](#) Jean F.Brunel ex Radcl.-Sm. – Mozambique
- [*Phyllanthus mannianus*](#) Müll.Arg. – W. Tropical Africa to Cameroon
- [*Phyllanthus manono*](#) (Baill. ex Müll.Arg.) Müll.Arg. – Society Islands
- [*Phyllanthus mantadiensis*](#) Ralim. & Petra Hoffm. – Madagascar
- [*Phyllanthus marchionicus*](#) (F.Br.) W.L.Wagner & Lorence – Marquesas
- [*Phyllanthus margaretae*](#) M.Schmid – Central New Caledonia (Mt. Aoupinié)
- [*Phyllanthus mariannensis*](#) W.L.Wagner & Lorence – Marianas
- [*Phyllanthus marianus*](#) Müll.Arg. – Marianas
- [*Phyllanthus maritimus*](#) J.J.Sm. – W. New Guinea
- [*Phyllanthus marojejiensis*](#) (Leandri) Petra Hoffm. & McPherson – Central Madagascar (Marojejy Mts.)
- [*Phyllanthus martii*](#) Müll.Arg. – Brazil (Amazonas)
- [*Phyllanthus martini*](#) Radcl.-Sm. – Zambia
- [*Phyllanthus matitanensis*](#) Leandri – N. & E. Madagascar
- [*Phyllanthus mckenziei*](#) Fosberg – Aldabra
- [*Phyllanthus mcvaughii*](#) G.L.Webster – Mexico (Chiapas) to El Salvador
- [*Phyllanthus megacarpus*](#) (Gamble) Kumari & Chandrab. – S.W. India
- [*Phyllanthus megalanthus*](#) C.B.Rob. – Philippines
- [*Phyllanthus megapodus*](#) G.L.Webster – Dominica, Martinique
- [*Phyllanthus meghalayensis*](#) Chakrab. & N.P.Balakr. – Nepal to Thailand and Nansei-shoto
- [*Phyllanthus melleri*](#) Müll.Arg. – Central Madagascar
- [*Phyllanthus melvilleorum*](#) (Airy Shaw) W.L.Wagner & Lorence – Fiji (Viti Levu)
- [*Phyllanthus memaoyaensis*](#) M.Schmid – Central New Caledonia
- [*Phyllanthus mendesii*](#) Jean F.Brunel – Namibia to Zimbabwe
- [*Phyllanthus mendoncae*](#) Jean F.Brunel – Ethiopia to Mozambique
- [*Phyllanthus meridensis*](#) G.L.Webster – Venezuela (Mérida)
- [*Phyllanthus merinthopodus*](#) Diels – New Guinea
- [*Phyllanthus meuieensis*](#) M.Schmid – New Caledonia (Mé Ouié)
- [*Phyllanthus meyerianus*](#) Müll.Arg. – S. Africa
- [*Phyllanthus mickelii*](#) McVaugh – Mexico (Jalisco, Colima)
- [*Phyllanthus micranthus*](#) A.Rich. – S.E. Cuba
- [*Phyllanthus microcarpus*](#) (Benth.) Müll.Arg. – S.E. China to W. Malesia
- [*Phyllanthus microcladus*](#) Müll.Arg. – E. Queensland to E. New South Wales

- [*Phyllanthus microdendron*](#) Müll.Arg. – Angola, Zambia
- [*Phyllanthus microdictyus*](#) Urb. – N.E. Cuba
- [*Phyllanthus micromeris*](#) Radcl.-Sm. – Tanzania to Malawi
- [*Phyllanthus microphyllinus*](#) Müll.Arg. – Angola
- [*Phyllanthus microphyllus*](#) Kunth – Venezuela to Brazil and E. Bolivia
- [*Phyllanthus mieschii*](#) Jean F.Brunel & J.P.Roux – Congo, DR Congo
- [*Phyllanthus millei*](#) Standl. – Ecuador
- [*Phyllanthus mimicus*](#) G.L.Webster – Trinidad-Tobago
- [*Phyllanthus mimosoides*](#) Sw. – Lesser Antilles to Trinidad
- [*Phyllanthus minahassae*](#) Koord. – Sulawesi
- [*Phyllanthus minarum*](#) Standl. & Steyerl. – Guatemala
- [*Phyllanthus mindorensis*](#) C.B.Rob. – Philippines (Mindoro), Sulawesi
- [*Phyllanthus mindouliensis*](#) Jean F.Brunel – Congo
- [*Phyllanthus minutifolius*](#) Jabl. – Venezuela (Amazonas: [Cerro Sipapo](#))
- [*Phyllanthus minutulus*](#) Müll.Arg. – Colombia to Guyana and Brazil
- [*Phyllanthus mirabilis*](#) Müll.Arg. – Indo-China – one of the four succulents, and one of the only two described.
- [*Phyllanthus mirificus*](#) G.L.Webster – N.E. Cuba
- [*Phyllanthus mitchellii*](#) Benth. – Queensland (Leichhardt)
- [*Phyllanthus mittenianus*](#) Hutch. – Kenya (Teita), Tanzania (Uluguru Mts.)
- [*Phyllanthus mkurirae*](#) Jean F.Brunel – Tanzania
- [*Phyllanthus mocinoanus*](#) Baill. – Mexico to W. El Salvador
- [*Phyllanthus mocotensis*](#) G.L.Webster – Brazil (Rio de Janeiro)
- [*Phyllanthus moeroensis*](#) De Wild. – DR Congo
- [*Phyllanthus moi*](#) P.T.Li – China (W. Guangxi)
- [*Phyllanthus mollis*](#) (Blume) Müll.Arg. – Borneo (Sabah), Philippines, Sulawesi, Maluku, Tenimber Islands, Jawa to Lesser Sunda Is
- [*Phyllanthus monroviae*](#) Jean F.Brunel – Liberia
- [*Phyllanthus montanus*](#) (Sw.) Sw. – Jamaica
- [*Phyllanthus montis-fontium*](#) M.Schmid – S.E. New Caledonia
- [*Phyllanthus montrouzieri*](#) Guillaumin – N.W. & W. Central New Caledonia
- [*Phyllanthus mooneyi*](#) M.G.Gilbert – Ethiopia
- [*Phyllanthus moonii*](#) (Thwaites) Müll.Arg. – Sri Lanka
- [*Phyllanthus moorei*](#) M.Schmid – New Caledonia
- [*Phyllanthus moramangicus*](#) (Leandri) Leandri – E. Central Madagascar
- [*Phyllanthus moratii*](#) M.Schmid – N.W. New Caledonia (Tiwaka-Amoa Reg.)
- [*Phyllanthus mouensis*](#) M.Schmid – S.E. New Caledonia
- [*Phyllanthus mozambicensis*](#) Gand. – Mozambique (Delagoa Bay)
- [*Phyllanthus muellerianus*](#) (Kuntze) Exell – Tropical Africa
- [*Phyllanthus mukerjeeanus*](#) D.Mitra & Bennet – India
- [*Phyllanthus multiflorus*](#) Poir. – N. & W. Madagascar
- [*Phyllanthus multilobus*](#) (A.C.Sm.) W.L.Wagner & Lorence – Fiji (Vanua Levu)

- [*Phyllanthus multilocularis*](#) (Roxb. ex Willd.) Müll.Arg. – India to N. Myanmar, Nepal to China (Yunnan)
- [*Phyllanthus muriculatus*](#) J.J.Sm. – Jawa
- [*Phyllanthus muscosus*](#) Ridl. – Peninsula Malaysia
- [*Phyllanthus mutisianus*](#) G.L.Webster – Colombia
- [*Phyllanthus myrianthus*](#) Müll.Arg. – Vanuatu
- [*Phyllanthus myriophyllus*](#) Urb. – S. Haiti
- [*Phyllanthus myrsinites*](#) Kunth – S. Tropical America
- [*Phyllanthus myrtaceus*](#) Sond. – Zimbabwe to S. Africa
- [*Phyllanthus myrtifolius*](#) (Wight) Müll.Arg. – S.W. India, Sri Lanka – mousetail plant
- [*Phyllanthus myrtilloides*](#) Griseb. – E. Cuba

N

- [*Phyllanthus nadeaudii*](#) (J.Florence) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus nanellus*](#) P.T.Li – Hainan
- [*Phyllanthus narayanswamii*](#) Gamble – S. India
- [*Phyllanthus natoensis*](#) M.Schmid – New Caledonia (Ponérihouen Reg.)
- [*Phyllanthus ndikinimekianus*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus neblinae*](#) Jabl. – S. Venezuela (Sierra de la Neblina) to Brazil (Serra da Neblina)[3]
- [*Phyllanthus nemoralis*](#) (Thwaites) Müll.Arg. – Sri Lanka
- [*Phyllanthus neoleonensis*](#) Croizat – Mexico (Coahuila, Nuevo León)
- [*Phyllanthus nhatrangensis*](#) Beille – S. Vietnam
- [*Phyllanthus nigericus*](#) Brenan – Nigeria, Bioko
- [*Phyllanthus nigrescens*](#) (Blanco) Müll.Arg. – Philippines
- [*Phyllanthus niinamii*](#) Hayata – Taiwan
- [*Phyllanthus ningaensis*](#) M.Schmid – New Caledonia (Mt. Ninga)
- [*Phyllanthus niruri*](#) L. – Tropical & Subtrop. America – gale of the wind, guinine weed, seed underleaf, stone-breaker
- [*Phyllanthus niruroides*](#) Müll.Arg. – W. Tropical Africa to W. Ethiopia and Angola
- [*Phyllanthus nitens*](#) M.Schmid – New Caledonia (Massif du Boulinda)
- [*Phyllanthus nitidulus*](#) Müll.Arg. – Jawa
- [*Phyllanthus nothisii*](#) M.Schmid – W. Central New Caledonia
- [*Phyllanthus novae-hollandiae*](#) Müll.Arg. – Papua New Guinea to Queensland
- [*Phyllanthus nozeranianus*](#) Jean F.Brunel & J.P.Roux – Ivory Coast
- [*Phyllanthus nubigenus*](#) (Hook.f.) Chakrab. & N.P.Balakr. – Nepal to N. Thailand
- [*Phyllanthus nummulariifolius*](#) Poir. – Africa
- [*Phyllanthus nummularioides*](#) Müll.Arg. – W. Dominican Rep
- [*Phyllanthus nutans*](#) Sw. – Caribbean
- [*Phyllanthus nyale*](#) Petra Hoffm. & Cheek – Cameroon
- [*Phyllanthus nyikae*](#) Radcl.-Sm. – Malawi

O

- [*Phyllanthus oaxacanus*](#) Brandegee – Mexico (Puebla, Oaxaca)
- [*Phyllanthus obdeltophyllus*](#) Leandri – S.E. Madagascar
- [*Phyllanthus obfalcatus*](#) Lasser & Maguire – S. Venezuela
- [*Phyllanthus oblanceolatus*](#) J.T.Hunter & J.J.Bruhl – Central & E. Central Australia
- [*Phyllanthus oblatus*](#) (Hook.f.) Chakrab. & N.P.Balakr. – Sikkim to China (Yunnan)
- [*Phyllanthus oblongiglans*](#) M.G.Gilbert – Ethiopia
- [*Phyllanthus obscurus*](#) Roxb. ex Willd. – Indo-China to W. & Central Malesia
- [*Phyllanthus obtusatus*](#) (Thunb.) Müll.Arg. – Brazil (Minas Gerais)
- [*Phyllanthus occidentalis*](#) J.T.Hunter & J.J.Bruhl – S.E. Queensland, E. New South Wales
- [*Phyllanthus octomerus*](#) Müll.Arg. – Brazil (Bahia)
- [*Phyllanthus odontadenioides*](#) Jean F.Brunel – Tanzania
- [*Phyllanthus odontadenius*](#) Müll.Arg. – Tropical Africa
- [*Phyllanthus oligospermus*](#) Hayata – S. Nansei-shoto to Taiwan
- [*Phyllanthus oligotrichus*](#) Müll.Arg. – Jawa
- [*Phyllanthus omahakensis*](#) Dinter & Pax – S. Tropical Africa to Namibia
- [*Phyllanthus oppositifolius*](#) Baill. ex Müll.Arg. – Mauritius
- [*Phyllanthus orbicularifolius*](#) (P.T.Li) Govaerts & Radcl.-Sm. – China (Guangxi)
- [*Phyllanthus orbicularis*](#) Kunth – Cuba to Puerto Rico
- [*Phyllanthus orbiculatus*](#) Rich. – Trinidad to S. Tropical America
- [*Phyllanthus oreichtitus*](#) Leandri – Central Madagascar
- [*Phyllanthus oreophilus*](#) Müll.Arg. – Sri Lanka
- [*Phyllanthus orientalis*](#) (Craib) Airy Shaw – N.W. Thailand
- [*Phyllanthus orinocensis*](#) Steyererm. – Venezuela (Amazonas: Cerro Duida)
- [*Phyllanthus ornatus*](#) (Kurz ex Teijsm. & Binn.) Müll.Arg. – Sumatera
- [*Phyllanthus orohenensis*](#) (J.W.Moore) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus otobedii*](#) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus ouveanus*](#) Däniker – New Caledonia (îs. Loyauté)
- [*Phyllanthus ovalifolius*](#) Forssk. – Tropical Africa, S.W. Arabian Peninsula
- [*Phyllanthus ovatifolius*](#) J.J.Sm. – Maluku (Kep. Kei)
- [*Phyllanthus ovatus*](#) Poir. – Guadeloupe, Martinique, St. Lucia
- [*Phyllanthus oxycarpus*](#) Müll.Arg. – Sumatera
- [*Phyllanthus oxycoccifolius*](#) Hutch. – Tanzania, Angola
- [*Phyllanthus oxyphyllus*](#) Miq. – Myanmar to Sumatera

P-U

P

- [*Phyllanthus pachyphyllus*](#) Müll.Arg. – Hainan, Indo-China to Singapore, Borneo
- [*Phyllanthus pachystylus*](#) Urb. – E. Cuba to N.W. Haiti
- [*Phyllanthus pacificus*](#) Müll.Arg. – Marquesas

- [*Phyllanthus pacoensis*](#) Thin – Vietnam
- [*Phyllanthus paezensis*](#) Jabl. – Colombia (Vichada), Venezuela (Bolívar)
- [*Phyllanthus palauensis*](#) Hosok. – Caroline Islands
- [*Phyllanthus panayensis*](#) Merr. – Philippines
- [*Phyllanthus pancherianus*](#) Baill. – New Caledonia
- [*Phyllanthus papenooensis*](#) (J.Florence) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus papuanus*](#) Gage – New Guinea
- [*Phyllanthus paraguayensis*](#) Parodi – Paraguay
- [*Phyllanthus parainduratus*](#) M.Schmid – E. Central & W. Central New Caledonia
- [*Phyllanthus parangoyensis*](#) M.Schmid – New Caledonia (Canala)
- [*Phyllanthus paraqueensis*](#) Jabl. – Venezuela (Amazonas: [Cerro Sipapo](#))
- [*Phyllanthus parvifolius*](#) Buch.-Ham. ex D.Don – N. Pakistan to S. China
- [*Phyllanthus parvulus*](#) Sond. – DR Congo to S. Africa
- [*Phyllanthus parvus*](#) Hutch. – W. & S. Tanzania to S. Tropical Africa
- [*Phyllanthus paucitepalus*](#) M.Schmid – New Caledonia (Col de Mô)
- [*Phyllanthus pavonianus*](#) Baill. – S. Ecuador to N.W. Peru
- [*Phyllanthus paxianus*](#) Dinter – DR Congo, Angola, Namibia
- [*Phyllanthus paxii*](#) Hutch. – DR Congo, Burundi, Tanzania, Mozambique, Malawi, Zambia, Angola
- [*Phyllanthus pectinatus*](#) Hook.f. – Peninsula Malaysia
- [*Phyllanthus peltatus*](#) Guillaumin – N.W. New Caledonia
- [*Phyllanthus pendulus*](#) Roxb. – Bangladesh
- [*Phyllanthus peninsularis*](#) Brandegees – W. Mexico
- [*Phyllanthus pentandrus*](#) Schumach. & Thonn. – Tropical & S. Africa
- [*Phyllanthus pentaphyllus*](#) C.Wright ex Griseb. – S. Florida, Caribbean to Venezuela
- [*Phyllanthus pergracilis*](#) Gillespie – Fiji (Viti Levu)
- [*Phyllanthus perpusillus*](#) Baill. – Brazil (Minas Gerais, Santa Catarina)
- [*Phyllanthus perrieri*](#) (Leandri) Petra Hoffm. & McPherson – Central Madagascar
- [*Phyllanthus pervilleanus*](#) (Baill.) Müll.Arg. – Seychelles, Comoros, N. Madagascar
- [*Phyllanthus petaloideus*](#) Paul G.Wilson – Mexico (México State)
- [*Phyllanthus petchikaraensis*](#) M.Schmid – New Caledonia (Col de Petchikara)
- [*Phyllanthus petelotii*](#) Croizat – Vietnam
- [*Phyllanthus petenensis*](#) Lundell – Guatemala
- [*Phyllanthus petraeus*](#) A.Chev. & Beille – W. Tropical Africa to Chad
- [*Phyllanthus philippioides*](#) Leandri – Central Madagascar
- [*Phyllanthus phillyreifolius*](#) Poir. – Mascarenes
- [*Phyllanthus phlebocarpus*](#) Urb. – N.E. Cuba
- [*Phyllanthus phuquocensis*](#) Beille – Cambodia to Vietnam
- [*Phyllanthus physocarpus*](#) Müll.Arg. – W. Central Tropical Africa to Kenya and KwaZulu-Natal
- [*Phyllanthus pierlotii*](#) Jean F.Brunel – Togo
- [*Phyllanthus pileostigma*](#) Coode – Mauritius
- [*Phyllanthus pilifer*](#) M.Schmid – New Caledonia

- [*Phyllanthus pilosus*](#) (Lour.) Müll.Arg. – Vietnam
- [*Phyllanthus pindaiensis*](#) M.Schmid – W. Central New Caledonia (Népoui Peninsula)
- [*Phyllanthus pinifolius*](#) Baill. – S.E. Brazil (to Paraná)
- [*Phyllanthus pinjenensis*](#) M.Schmid – N.W. New Caledonia (near Koné)
- [*Phyllanthus pinnatus*](#) (Wight) G.L.Webster – Kenya to Northern Province
- [*Phyllanthus piranii*](#) G.L.Webster – Brazil (Espírito Santo)
- [*Phyllanthus pireyi*](#) Beille – Vietnam
- [*Phyllanthus pitcairnsensis*](#) (F.Br.) W.L.Wagner & Lorence – Pitcairn Islands
- [*Phyllanthus platycalyx*](#) Müll.Arg. – New Caledonia
- [*Phyllanthus podocarpus*](#) Müll.Arg. – Fiji (?)
- [*Phyllanthus poeppigianus*](#) (Müll.Arg.) Müll.Arg. – Brazil (Amazonas), Peru (Loreto), N.E. Bolivia
- [*Phyllanthus pohlianus*](#) Müll.Arg. – Brazil (Minas Gerais)
- [*Phyllanthus poilanei*](#) Beille – S. Vietnam
- [*Phyllanthus poliborealis*](#) Airy Shaw – W. New Guinea
- [*Phyllanthus polygonoides*](#) Nutt. ex Spreng. – S.W. Missouri to S.E. New Mexico & N. Mexico – smartweed leafflower
- [*Phyllanthus polygynus*](#) M.Schmid – N.W. New Caledonia
- [*Phyllanthus polyphyllus*](#) Willd. – S. India, Sri Lanka
- [*Phyllanthus polyspermus*](#) Schumach. – Tropical & S. Africa
- [*Phyllanthus pomiferus*](#) Hook.f. – S. Myanmar
- [*Phyllanthus ponapensis*](#) (Hosok.) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus popayanensis*](#) Pax – Colombia
- [*Phyllanthus poueboensis*](#) M.Schmid – N.W. New Caledonia (Pouébo Reg.)
- [*Phyllanthus poumensis*](#) Guillaumin – N.W. New Caledonia
- [*Phyllanthus praelongipes*](#) Airy Shaw & G.L.Webster – Papua New Guinea to Queensland
- [*Phyllanthus praetervisus*](#) Müll.Arg. – E. Himalaya to Myanmar
- [*Phyllanthus prainianus*](#) Collett & Hemsl. – Myanmar
- [*Phyllanthus procerus*](#) C.Wright – Cuba (incl. I. de la Juventud)
- [*Phyllanthus proctoris*](#) G.L.Webster – W. Jamaica
- [*Phyllanthus profusus*](#) N.E.Br. – Guinea to Congo
- [*Phyllanthus prominulatus*](#) J.T.Hunter & J.J.Bruhl – Northern Territory
- [*Phyllanthus pronyensis*](#) Guillaumin – S.E. New Caledonia
- [*Phyllanthus prostratus*](#) Müll.Arg. – Angola, Zimbabwe
- [*Phyllanthus pseudocarunculatus*](#) Radcl.-Sm. – S. DR Congo, Zambia
- [*Phyllanthus pseudocicca*](#) Griseb. – E. Cuba
- [*Phyllanthus pseudoguyanensis*](#) Herter & Mansf. – Uruguay
- [*Phyllanthus pseudoniruri*](#) Müll.Arg. – Cameroon to Somalia and Botswana
- [*Phyllanthus pseudoparvifolius*](#) R.L.Mitra & Sanjappa – Bhutan to Assam (Meghalaya)
- [*Phyllanthus pseudotrichopodus*](#) M.Schmid – E. Central New Caledonia (Houailou to Touho)
- [*Phyllanthus pterocladus*](#) S.Moore – N.W. New Caledonia
- [*Phyllanthus puberulus*](#) (L.) Müll.Arg. – China, Taiwan, Japan (Kyushu)

- [*Phyllanthus pulcher*](#) Wall. ex Müll.Arg. – China (Yunnan, Guangxi) to W. Malesia – tropical leafflower
- [*Phyllanthus pulcherrimus*](#) Herter ex Arechav. – Uruguay
- [*Phyllanthus pulchroides*](#) Beille – Indo-China
- [*Phyllanthus pullenii*](#) Airy Shaw & G.L.Webster – New Guinea
- [*Phyllanthus pulverulentus*](#) Urb. – S.E. Cuba
- [*Phyllanthus pumilus*](#) (Blanco) Müll.Arg. – Philippines
- [*Phyllanthus puncticulatus*](#) Jean F.Brunel – Ethiopia
- [*Phyllanthus puntii*](#) G.L.Webster – Brazil (Acre), W. Bolivia
- [*Phyllanthus purpureus*](#) Müll.Arg. – Angola, Namibia
- [*Phyllanthus purpusii*](#) Brandegees – Mexico (Oaxaca, Chiapas)
- [*Phyllanthus pycnophyllus*](#) Müll.Arg. – S. Venezuela to Guyana

Q–R

- [*Phyllanthus quintuplinervis*](#) M.Schmid – S. Central New Caledonia
- [*Phyllanthus racemigerus*](#) Müll.Arg. – Venezuela
- [*Phyllanthus raiateaensis*](#) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus raivavensis*](#) (F.Br.) W.L.Wagner & Lorence – Tubuai Islands
- [*Phyllanthus ramillosus*](#) Müll.Arg. – S. Brazil to N. Argentina
- [*Phyllanthus ramosii*](#) Quisumb. & Merr. – Philippines
- [*Phyllanthus ramosus*](#) Vell. – S.E. Brazil
- [*Phyllanthus rangachariarii*](#) Murugan, Kabeer & G.V.S.Murthy – India (Tamil Nadu)
- [*Phyllanthus rangoloakensis*](#) Leandri – E. Central & S.E. Madagascar
- [*Phyllanthus rapaensis*](#) (J.Florence) W.L.Wagner & Lorence – Tubuai Islands
- [*Phyllanthus raynalii*](#) Jean F.Brunel & J.P.Roux – Cameroon
- [*Phyllanthus reinwardtii*](#) Müll.Arg. – Jawa
- [*Phyllanthus reticulatus*](#) Poir. – Tropical & Subtrop. Asia to N. Australia – kajibajiba[[what language is this?](#)], potatobush
- [*Phyllanthus retinervis*](#) Hutch. – Tanzania to Zambia
- [*Phyllanthus retroflexus*](#) Brade – Brazil (Bahia, Espírito Santo)
- [*Phyllanthus revaughanii*](#) Coode – Mozambique Channel Islands
- [*Phyllanthus rhabdocarpus*](#) Müll.Arg. – Jawa
- [*Phyllanthus rheedei*](#) Wight – E. Himalaya to Sri Lanka
- [*Phyllanthus rheophilus*](#) Airy Shaw – Papua New Guinea
- [*Phyllanthus rheophyticus*](#) M.G.Gilbert & P.T.Li – Hainan
- [*Phyllanthus rhizomatosus*](#) Radcl.-Sm. – Tanzania (Morogoro)
- [*Phyllanthus rhodocladus*](#) S.Moore – New Caledonia (E. Ignambi)
- [*Phyllanthus ridleyanus*](#) Airy Shaw – S. Thailand to Peninsula Malaysia
- [*Phyllanthus riedelianus*](#) Müll.Arg. – S.E. & S. Brazil
- [*Phyllanthus rivae*](#) Pax – DR Congo, Ethiopia
- [*Phyllanthus robinsonii*](#) Merr. – Philippines
- [*Phyllanthus robustus*](#) Mart. ex Colla – Brazil (Rio de Janeiro)

- [*Phyllanthus roseus*](#) (Craib & Hutch.) Beille – China (Yunnan) to Peninsula Malaysia
- [*Phyllanthus rosmarinifolius*](#) Müll.Arg. – Brazil (Rio de Janeiro: Serra dos Órgãos)
- [*Phyllanthus rosselensis*](#) Airy Shaw & G.L.Webster – New Guinea (Lousiade Arch.)
- [*Phyllanthus rotundifolius*](#) J.G.Klein ex Willd. – Cape Verde, Tropical Africa, Arabian Peninsula, Pakistan to Sri Lanka
- [*Phyllanthus rouxii*](#) Jean F.Brunel – Ghana, Togo
- [*Phyllanthus rozennae*](#) M.Schmid – New Caledonia (S. I. Art)
- [*Phyllanthus ruber*](#) (Lour.) Spreng. – Hainan, Vietnam
- [*Phyllanthus ruber*](#) (Blume) T.Kuros. – Tropical & Subtrop. Asia
- [*Phyllanthus rubescens*](#) Beille – Indo-China
- [*Phyllanthus rubicundus*](#) Beille – Vietnam
- [*Phyllanthus rubriflorus*](#) J.J.Sm. – New Guinea
- [*Phyllanthus rubristipulus*](#) Govaerts & Radcl.-Sm. – Vietnam
- [*Phyllanthus rufuschaneyi*](#) Welzen, R.W.Bouman & Ent - Sabah
- [*Phyllanthus rufoglaucus*](#) Müll.Arg. – Jawa
- [*Phyllanthus rupestris*](#) Kunth – Colombia to N. Brazil
- [*Phyllanthus rupicola*](#) Elmer – Philippines
- [*Phyllanthus rupiinsularis*](#) Hosok. – Caroline Islands
- [*Phyllanthus ruscifolius*](#) Müll.Arg. – Colombia (Valle del Cauca)

S

- [*Phyllanthus saffordii*](#) Merr. – Marianas
- [*Phyllanthus salesiae*](#) M.J.Silva – Brazil (Minas Gerais)
- [*Phyllanthus salicifolius*](#) Baill. – N.W. New Caledonia
- [*Phyllanthus salomonis*](#) Airy Shaw – New Guinea (Lousiade Arch.) to Santa Cruz Islands
- [*Phyllanthus salviifolius*](#) Kunth – Costa Rica to N.W. Venezuela and Peru
- [*Phyllanthus samarensis*](#) Müll.Arg. – Philippines (Samar), Sulawesi
- [*Phyllanthus sambiranensis*](#) Leandri – Madagascar
- [*Phyllanthus samoanus*](#) (Müll.Arg.) W.L.Wagner & Lorence – Samoa, Niue
- [*Phyllanthus sanjappae*](#) Chakrab. & M.Gangop. – Andaman Islands
- [*Phyllanthus sarasinii*](#) Guillaumin – Central New Caledonia
- [*Phyllanthus sarothamnoides*](#) Govaerts & Radcl.-Sm. – Brazil (Bahia: Serra da Lapa)
- [*Phyllanthus sauropodoides*](#) Airy Shaw – Queensland
- [*Phyllanthus savannicola*](#) Domin – Queensland
- [*Phyllanthus saxosus*](#) F.Muell. – Western Australia, South Australia
- [*Phyllanthus scaber*](#) Klotzsch – W. & S. Western Australia
- [*Phyllanthus scabrifolius*](#) Hook.f. – W. & S. India
- [*Phyllanthus schaulsij*](#) Jean F.Brunel – Cameroon
- [*Phyllanthus schliebenii*](#) Mansf. ex Radcl.-Sm. – Tanzania (Lindi)
- [*Phyllanthus scopulorum*](#) (Britton) Urb. – N.E. Cuba
- [*Phyllanthus securinegoides*](#) Merr. – Philippines
- [*Phyllanthus seemannii*](#) (Müll.Arg.) Müll.Arg. – Fiji

- [*Phyllanthus selbyi*](#) Britton & P.Wilson – Cuba (incl. I. de la Juventud)
- [*Phyllanthus sellowianus*](#) (Klotzsch) Müll.Arg. – S. Brazil to Paraguay
- [*Phyllanthus semicordatus*](#) Müll.Arg. – Jawa
- [*Phyllanthus senyavinianus*](#) (Glassman) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus sepialis*](#) Müll.Arg. – South Sudan to Tanzania
- [*Phyllanthus serandii*](#) Jean F.Brunel – Guinea
- [*Phyllanthus sericeus*](#) (Blume) Müll.Arg. – S. Indo-China to W. Malesia and Philippines (Palawan)
- [*Phyllanthus serpentinicola*](#) Radcl.-Sm. – Zimbabwe
- [*Phyllanthus serpentinus*](#) S.Moore – N.W. New Caledonia
- [*Phyllanthus sessilis*](#) Warb. – New Guinea
- [*Phyllanthus shabaensis*](#) Jean F.Brunel – S. DR Congo
- [*Phyllanthus sibuyanensis*](#) Elmer – Philippines
- [*Phyllanthus sieboldianus*](#) T.Kuros. – Japan (S. Honshu, Shikoku, Kyushu) to Nansei-shoto
- [*Phyllanthus sikkimensis*](#) Müll.Arg. – Nepal to N. Peninsula Malaysia
- [*Phyllanthus similis*](#) Müll.Arg. – Queensland, New South Wales
- [*Phyllanthus simplicicaulis*](#) Müll.Arg. – Brazil (Minas Gerais)
- [*Phyllanthus sincorensis*](#) G.L.Webster – Brazil (Bahia)
- [*Phyllanthus singalensis*](#) (Miq.) Müll.Arg. – Sumatera
- [*Phyllanthus singampattianus*](#) (Sebast. & A.N.Henry) Kumari & Chandrab. – S. India (Tirunelveli Distr.)
- [*Phyllanthus skutchii*](#) Standl. – S. Costa Rica
- [*Phyllanthus smithianus*](#) G.L.Webster – Fiji
- [*Phyllanthus societatis*](#) Müll.Arg. – S. Pacific
- [*Phyllanthus somalensis*](#) Hutch. – S. Somalia, N.E. Kenya
- [*Phyllanthus songboiensis*](#) Thin – Vietnam
- [*Phyllanthus sootepensis*](#) Craib – China (S. Yunnan) to N. Thailand
- [*Phyllanthus spartioides*](#) Pax & K.Hoffm. – Brazil (Bahia, Minas Gerais, Goiás)
- [*Phyllanthus sphaerogynus*](#) Müll.Arg. – E. Himalaya to S. China
- [*Phyllanthus spinosus*](#) Chiov. – Somalia
- [*Phyllanthus spirei*](#) Beille – Laos
- [*Phyllanthus sponiifolius*](#) Müll.Arg. – Colombia to Ecuador
- [*Phyllanthus spruceanus*](#) Müll.Arg. – Brazil (Amazonas)
- [*Phyllanthus squamifolius*](#) (Lour.) Stokes – Vietnam
- [*Phyllanthus st-johnii*](#) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus standleyi*](#) McVaugh – Mexico (Sinaloa to Michoacán)
- [*Phyllanthus stellatus*](#) Retz. – Sri Lanka
- [*Phyllanthus stenophyllus*](#) Guillaumin – New Caledonia (Poindimié-Touho)
- [*Phyllanthus stipitatus*](#) M.Schmid – N. Central New Caledonia (Massif du Boulinda)
- [*Phyllanthus stipularis*](#) Merr. – Philippines
- [*Phyllanthus stipulatus*](#) (Raf.) G.L.Webster – Mexico to Tropical America
- [*Phyllanthus striaticaulis*](#) J.T.Hunter & J.J.Brühl – South Australia
- [*Phyllanthus strobilaceus*](#) Jabl. – S. Venezuela

- [*Phyllanthus stultitiae*](#) Airy Shaw – W. New Guinea
- [*Phyllanthus stylosus*](#) Griff. – Nepal to Assam
- [*Phyllanthus subapicalis*](#) Jabl. – S. Venezuela to Brazil (Roraima)
- [*Phyllanthus subcarnosus*](#) C.Wright ex Griseb. – Cuba, Haiti
- [*Phyllanthus subcrenulatus*](#) F.Muell. – Queensland, New South Wales
- [*Phyllanthus subcuneatus*](#) Greenm. – Mexico
- [*Phyllanthus subemarginatus*](#) Müll.Arg. – E. & S. Brazil
- [*Phyllanthus sublanatus*](#) Schumach. & Thonn. – W. Tropical Africa to Chad
- [*Phyllanthus submarginalis*](#) Airy Shaw – Lesser Sunda Islands
- [*Phyllanthus submollis*](#) K.Schum. & Lauterb. – New Guinea
- [*Phyllanthus subobscurus*](#) Müll.Arg. – Jawa
- [*Phyllanthus subsessilis*](#) (N.P.Balakr. & Chakr.) Chakrab. & N.P.Balakr. – Andaman Islands
- [*Phyllanthus suffrutescens*](#) Pax – S. Ethiopia, Somalia, Kenya, Uganda, Tanzania
- [*Phyllanthus sulcatus*](#) J.T.Hunter & J.J.Bruhl – Northern Territory, Queensland
- [*Phyllanthus superbus*](#) (Baill. ex Müll.Arg.) Müll.Arg. – Peninsula Thailand to W. Malesia
- [*Phyllanthus sylvicola*](#) S.Moore – S.E. New Caledonia
- [*Phyllanthus symphoricarpoides*](#) Kunth – Colombia to Peru

T

- [*Phyllanthus tabularis*](#) Airy Shaw – Papua New Guinea
- [*Phyllanthus tagulae*](#) Airy Shaw & G.L.Webster – New Guinea (Louisiade Arch.)
- [*Phyllanthus taitensis*](#) (Baill. ex Müll.Arg.) Müll.Arg. – Cook Islands, Society Is., Marquesas
- [*Phyllanthus talbotii*](#) Sedgw. – S.W. India (Goa, Karnataka)
- [*Phyllanthus tanaensis*](#) Jean F.Brunel – Kenya
- [*Phyllanthus tangoensis*](#) M.Schmid – New Caledonia (Plateau de Tango)
- [*Phyllanthus tanzanianus*](#) Jean F.Brunel – Tanzania
- [*Phyllanthus tanzaniensis*](#) Jean F.Brunel – Tanzania
- [*Phyllanthus taxodiifolius*](#) Beille – China (S. Yunnan, S.W. Guangxi) to Indo-China
- [*Phyllanthus taylorianus*](#) Jean F.Brunel – Cameroon to Ethiopia and Zimbabwe
- [*Phyllanthus temehaniensis*](#) (J.W.Moore) W.L.Wagner & Lorence – Society Islands
- [*Phyllanthus tenellus*](#) Roxb. – Tanzania to Mozambique, S.W. Arabian Peninsula, W. Indian Ocean – Mascarene island leafflower
- [*Phyllanthus tener*](#) Radcl.-Sm. – Zambia
- [*Phyllanthus tenuicaulis*](#) Müll.Arg. – E. Cuba, Haiti
- [*Phyllanthus tenuipedicellatus*](#) M.Schmid – New Caledonia
- [*Phyllanthus tenuipes*](#) C.B.Rob. – Philippines
- [*Phyllanthus tenuirhachis*](#) J.J.Sm. – Sulawesi to W. New Guinea
- [*Phyllanthus tenuis*](#) Radcl.-Sm. – Zambia
- [*Phyllanthus tepuicola*](#) Steyerl. – Venezuela (Amazonas: Cerro Duida)
- [*Phyllanthus tequilensis*](#) B.L.Rob. & Greenm. – Mexico
- [*Phyllanthus tessmannii*](#) Hutch. – São Tomé, Equatorial Guinea
- [*Phyllanthus tetrandrus*](#) Roxb. – Assam to Bangladesh

- [*Phyllanthus thaili*](#) Thin – Vietnam
- [*Phyllanthus thomsonii*](#) Müll.Arg. – S.E. Tibet to Bangladesh
- [*Phyllanthus thulinii*](#) Radcl.-Sm. – Tanzania (Morogoro)
- [*Phyllanthus tiebaghiensis*](#) M.Schmid – N.W. New Caledonia (Massif de la Tiébaghi)
- [*Phyllanthus tireliae*](#) M.Schmid – New Caledonia (Massif du Boulinda)
- [*Phyllanthus tixieri*](#) M.Schmid – New Caledonia (Kouaoua Reg.)
- [*Phyllanthus torrentium*](#) Müll.Arg. – New Caledonia
- [*Phyllanthus touranensis*](#) Beille – Vietnam
- [*Phyllanthus triandrus*](#) (Blanco) Müll.Arg. – N. & Central Philippines
- [*Phyllanthus trichogynus*](#) (Müll.Arg.) Müll.Arg. – Philippines
- [*Phyllanthus trichopodus*](#) Guillaumin – New Caledonia (Touho Reg.)
- [*Phyllanthus trichosporus*](#) Adelb. – Jawa, Sulawesi
- [*Phyllanthus trichotepalus*](#) Brenan – South Sudan to Burundi
- [*Phyllanthus triphlebius*](#) C.B.Rob. – Philippines
- [*Phyllanthus tritepalus*](#) M.Schmid – E. Central New Caledonia (Canala)
- [*Phyllanthus trungii*](#) Thin – Vietnam
- [*Phyllanthus tsarongensis*](#) W.W.Sm. – Tibet, China (Sichuan, Yunnan)
- [*Phyllanthus tsetserrae*](#) Jean F.Brunel – Mozambique
- [*Phyllanthus tuamotuensis*](#) (J.Florence) W.L.Wagner & Lorence – Tuamotu (Niau, Taravai)
- [*Phyllanthus tuerckheimii*](#) G.L.Webster – Mexico (Oaxaca, Chiapas) to Guatemala
- [*Phyllanthus tukuyuanus*](#) Jean F.Brunel – Tanzania

U

- [*Phyllanthus udoricola*](#) Radcl.-Sm. – Malawi, Zambia, Zimbabwe
- [*Phyllanthus ukagurensis*](#) Radcl.-Sm. – N.E. Tanzania
- [*Phyllanthus umbratus*](#) Müll.Arg. – S.E. Brazil
- [*Phyllanthus umbricola*](#) Guillaumin – S.E. New Caledonia
- [*Phyllanthus unifoliatus*](#) M.Schmid – W. Central New Caledonia (Pindai Peninsula)
- [*Phyllanthus unioensis*](#) M.Schmid – S. Central New Caledonia (Table Unio)
- [*Phyllanthus upembaensis*](#) Jean F.Brunel – DR Congo
- [*Phyllanthus urbanianus*](#) Mansf. – Haiti (Massif de la Hotte)
- [*Phyllanthus urceolatus*](#) Baill. – Society Islands
- [*Phyllanthus urinaria*](#) L. – Tropical & Subtrop. Asia to N. Australia – chamberbitter, longstalked phyllanthus
- [*Phyllanthus ussuriensis*](#) Rupr. & Maxim. – Mongolia, Russian Far East to Japan and Taiwan
- [*Phyllanthus utricularis*](#) Airy Shaw & G.L.Webster – W. New Guinea

V-Z

V

- [*Phyllanthus vacciniifolius*](#) (Müll.Arg.) Müll.Arg. – S. Venezuela to Guyana and N. Brazil
- [*Phyllanthus vakinankaratrae*](#) Leandri – Central Madagascar

- [*Phyllanthus valerioi*](#) Standl. – Costa Rica
- [*Phyllanthus valleanus*](#) Croizat – Colombia
- [*Phyllanthus vanderystii*](#) Hutch. & De Wild. – DR Congo
- [*Phyllanthus varians*](#) (Miq.) Müll.Arg. – Sumatera
- [*Phyllanthus vatovaviensis*](#) Leandri ex Ralim. & Petra Hoffm. – E. Madagascar
- [*Phyllanthus veillonii*](#) M.Schmid – New Caledonia (S. I. Art)
- [*Phyllanthus velutinus*](#) (Wight) Müll.Arg. – Pakistan to China (Yunnan)
- [*Phyllanthus ventricosus*](#) G.L.Webster – Peru (Loreto)
- [*Phyllanthus ventuarii*](#) Jabl. – Venezuela (Amazonas: Cerro Parú)
- [*Phyllanthus venustulus*](#) Leandri – Central Madagascar
- [*Phyllanthus vergens*](#) Baill. – N. Madagascar
- [*Phyllanthus verrucicaulis*](#) Airy Shaw – New Guinea to Bismarck Arch
- [*Phyllanthus vesperilio*](#) Baill. – New Caledonia (Canala, Col d'Amos)
- [*Phyllanthus vichadensis*](#) Croizat – Colombia
- [*Phyllanthus villosus*](#) Poir. – S. China
- [*Phyllanthus vincentae*](#) J.F.Macbr. – Peru (Loreto)
- [*Phyllanthus virgatus*](#) G.Forst. – Tropical & Subtrop. Asia to S.W. Pacific
- [*Phyllanthus virgulatus*](#) Müll.Arg. – DR Congo, Angola, Zambia, Malawi
- [*Phyllanthus virgultiramus*](#) Däniker – N.W. New Caledonia (Massif du Koniambo)
- [*Phyllanthus viridis*](#) M.E.Jones – Mexico (Baja California)
- [*Phyllanthus vitiensis*](#) Müll.Arg. – Fiji
- [*Phyllanthus vitilevuensis*](#) W.L.Wagner & Lorence – Fiji (Viti Levu)
- [*Phyllanthus volkensii*](#) Engl. – Kenya to Tanzania
- [*Phyllanthus vulcani*](#) Guillaumin – E. Central & S.E. New Caledonia

W

- [*Phyllanthus wallichianus*](#) (Müll.Arg.) Müll.Arg. – Peninsula Thailand to W. Malesia
- [*Phyllanthus warburgii*](#) K.Schum. – New Guinea
- [*Phyllanthus warnockii*](#) G.L.Webster – S.W. & Central U.S. to N.E. Mexico – sand reverchonina
- [*Phyllanthus watsonii*](#) Airy Shaw – Peninsula Malaysia
- [*Phyllanthus websteri*](#) (Fosberg) W.L.Wagner & Lorence – Caroline Islands
- [*Phyllanthus websterianus*](#) Steyerl. – Brazil (Goiás)
- [*Phyllanthus welwitschianus*](#) Müll.Arg. – Tropical Africa, Indo-China
- [*Phyllanthus wheeleri*](#) G.L.Webster – Sri Lanka
- [*Phyllanthus wightianus*](#) Müll.Arg. – S.W. India
- [*Phyllanthus wilderi*](#) (J.Florence) W.L.Wagner & Lorence – Tuamotu (Mangareva, Makatea)
- [*Phyllanthus wilkesianus*](#) Müll.Arg. – Fiji (Viti Levu, Vanua Levu)
- [*Phyllanthus williamoides*](#) Griseb. – E. Cuba (Sierra Sagua Baracoa)
- [*Phyllanthus wingfieldii*](#) Radcl.-Sm. – E. Tanzania
- [*Phyllanthus wittei*](#) Robyns & Lawalrée – DR Congo to Burundi
- [*Phyllanthus womersleyi*](#) Airy Shaw & G.L.Webster – Papua New Guinea
- [*Phyllanthus wrightii*](#) (Benth.) Müll.Arg. – S. China to Hainan

X–Z

- [*Phyllanthus xerocarpus*](#) O.Schwarz – N. Borneo to Northern Territory
- [*Phyllanthus xiphophorus*](#) Jean F.Brunel – N. Zambia
- [*Phyllanthus xylorrhizus*](#) Thulin – N.E. Somalia
- [*Phyllanthus yangambiensis*](#) Jean F.Brunel – DR Congo
- [*Phyllanthus yaouhensis*](#) Schltr. – New Caledonia (Nouméa)
- [*Phyllanthus youngii*](#) Jean F.Brunel – Angola
- [*Phyllanthus yunnanensis*](#) (Croizat) Govaerts & Radcl.-Sm. – China (Guizhou, Yunnan)
- [*Phyllanthus yvetteae*](#) M.Schmid – E. Central & S.E. New Caledonia
- [*Phyllanthus zambicus*](#) Radcl.-Sm. – Zambia
- [*Phyllanthus zanthoxyloides*](#) Steyerm. – Venezuela (Monagas)
- [*Phyllanthus zippelianus*](#) Müll.Arg. – Lesser Sunda Islands
- [*Phyllanthus zorniioides*](#) Radcl.-Sm. – Malawi, Zambia, Zimbabwe

References

From Wikipedia, the free encyclopedia



This article needs to be **updated**. Please help update this article to reflect recent events or newly available information. (*June 2024*)

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)

- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

As of October 2025, [Plants of the World Online](#) accepted 627 species of [Philodendron](#).^[1] It regards the genus *Thaumatococcus* as a synonym of *Philodendron*, so placing species that some sources place in *Thaumatococcus* in *Philodendron*.^[2]

A



[*Philodendron anisotomum*](#)



[*Philodendron appendiculatum*](#)

- [*Philodendron acreanum*](#) K.Krause – Brazil (Acre), Ecuador to Bolivia
- [*Philodendron acuminatissimum*](#) Engl. – Ecuador to Bolivia
- [*Philodendron acutifolium*](#) K.Krause – Ecuador to Peru
- [*Philodendron adamantinum*](#) Mart. ex Schott – Brazil (Minas Gerais)
- [*Philodendron adhatodifolium*](#) Schott – Venezuela
- [*Philodendron advena*](#) Schott – Mexico to Honduras
- [*Philodendron aemulum*](#) Schott – Brazil (E. Bahia: I. de Itaparica)
- [*Philodendron agudeloi*](#) Croat, Edwin Trujillo & Mines
- [*Philodendron alanbrantii*](#) Croat
- [*Philodendron alatisulcatum*](#) Croat
- [*Philodendron alatiundulatum*](#) Croat
- [*Philodendron alatum*](#) Poepp. – Peru
- [*Philodendron albisuccus*](#) Croat – Panama
- [*Philodendron alliodorum*](#) Croat & Grayum – Nicaragua to Ecuador
- [*Philodendron alonsoae*](#) Croat
- [*Philodendron alternans*](#) Schott – Brazil (Rio de Janeiro)
- [*Philodendron alticola*](#) Croat & Grayum – E. Costa Rica to W. Panama
- [*Philodendron altomacaense*](#) Nadruz & Mayo – Brazil (Rio de Janeiro)
- [*Philodendron amargalense*](#) Croat & M.M.Mora – Colombia (Chocó)
- [*Philodendron ampamii*](#) Croat – N. Peru
- [*Philodendron amplisinum*](#) G.S.Bunting – Venezuela (Zulia)
- [*Philodendron ampullaceum*](#) G.S.Bunting – N.W. Venezuela
- [*Philodendron anaadu*](#) G.S.Bunting – S. Venezuela
- [*Philodendron ancushii*](#) Croat – N. Peru
- [*Philodendron angosturense*](#) Croat
- [*Philodendron angustialatum*](#) Engl. – Peru to Brazil (Acre)
- [*Philodendron angustilobum*](#) Croat & Grayum – Central America
- [*Philodendron angustisectum*](#) Engl. – Colombia to Bolivia
- [*Philodendron anisotomum*](#) Schott – Mexico to Central America
- [*Philodendron annulatum*](#) Croat – Panama
- [*Philodendron anthracyne*](#) Croat
- [*Philodendron antonioanum*](#) Croat – Central Panama
- [*Philodendron apiculatum*](#) Croat & M.M.Mora
- [*Philodendron appendiculatum*](#) Nadruz & Mayo – S.E. & S. Brazil
- [*Philodendron applanatum*](#) G.M.Barroso – Peru to N. Brazil
- [*Philodendron appunii*](#) G.S.Bunting – N. Venezuela
- [*Philodendron arbelaezii*](#) Croat & F.Cardona
- [*Philodendron arevaloi*](#) Croat
- [*Philodendron aristeguietae*](#) G.S.Bunting – N. Venezuela
- [*Philodendron aromaticum*](#) Croat & Grayum – Costa Rica
- [*Philodendron asplundii*](#) Croat & M.L.Souares – S. Tropical America
- [*Philodendron atabapoense*](#) G.S.Bunting – Venezuela (Amazonas)

- [*Philodendron atratum*](#) Croat
- [*Philodendron attenuatum*](#) Croat
- [*Philodendron aurantiifolium*](#) Schott – S.E. Mexico to Central America
- [*Philodendron aurantiispadix*](#) Croat – Colombia
- [*Philodendron aureimarginatum*](#) Croat – Peru (Loreto)
- [*Philodendron auriculatum*](#) Standl. & L.O.Williams – Costa Rica
- [*Philodendron auritum*](#) Lindl. – Guatemala
- [*Philodendron auyantepuiense*](#) G.S.Bunting – S. Venezuela to Guyana
- [*Philodendron avenium*](#) Grayum & Croat – N. Peru
- [*Philodendron ayalae*](#) Croat
- [*Philodendron ayangannense*](#) Croat
- [*Philodendron azulitense*](#) Croat – N.W. Venezuela

B



[*Philodendron bernardopazii*](#) (top left), [*Philodendron billietiae*](#) (top right), [*Philodendron brandtianum*](#) (bottom left), and [*Philodendron burle-marxii*](#) (bottom right).

- [*Philodendron bahiense*](#) Engl. – N.E. Brazil
- [*Philodendron bakeri*](#) Croat & Grayum – Nicaragua to Panama
- [*Philodendron balaoanum*](#) Engl. – Ecuador
- [*Philodendron barbourii*](#) Croat – N. Peru
- [*Philodendron barrosoanum*](#) G.S.Bunting – Venezuela to Peru
- [*Philodendron basivaginatum*](#) K.Krause – Peru
- [*Philodendron baudoense*](#) Croat & D.C.Bay – Colombia
- [*Philodendron bayae*](#) Croat
- [*Philodendron bazii*](#) Matuda – Mexico (Guerrero, Jalisco)
- [*Philodendron beniteziae*](#) Croat – N.W. Venezuela to Ecuador
- [*Philodendron bernardoi*](#) Croat
- [*Philodendron bernardopazii*](#) E.G.Gonç. – Brazil (Espírito Santo)
- [*Philodendron bethoweniae*](#) Croat
- [*Philodendron bicolor*](#) Croat, Scherber., M.M.Mora & G.Ferry
- [*Philodendron billietiae*](#) Croat – Guianas, Brazil (Pará)
- [*Philodendron bipennifolium*](#) Schott – S. Venezuela to N. & E. Brazil
- [*Philodendron bipinnatifidum*](#) Schott ex Endl. – S.E. & S. Brazil to N.E. Argentina
- [*Philodendron biribiriense*](#) Sakuragui & Mayo – Brazil (Minas Gerais: Serra de Espinhaço)
- [*Philodendron blanchetianum*](#) Schott – E. Brazil
- [*Philodendron bogotense*](#) Engl. – Colombia
- [*Philodendron bomboizense*](#) Croat & Cerón
- [*Philodendron bonifaziae*](#) Croat
- [*Philodendron borgesii*](#) G.S.Bunting – Venezuela (Táchira)
- [*Philodendron brandii*](#) Grayum – Colombia (Antioquia)
- [*Philodendron brandtianum*](#) K.Krause – N. Brazil, Bolivia
- [*Philodendron brantii*](#) Croat
- [*Philodendron brasiliense*](#) Engl. – S.E. Brazil
- [*Philodendron breedlovei*](#) Croat – Mexico (Chiapas)
- [*Philodendron brenesii*](#) Standl. – Costa Rica to Central Panama
- [*Philodendron brent-berlinii*](#) Croat – N. Peru
- [*Philodendron brevispathum*](#) Schott – Central & S. Tropical America
- [*Philodendron brewsterense*](#) Croat – Panama
- [*Philodendron brunneicaule*](#) Croat & Grayum – Costa Rica to Ecuador
- [*Philodendron bucayense*](#) Croat
- [*Philodendron buntingianum*](#) Croat – N.W. Venezuela
- [*Philodendron burgeri*](#) Grayum – Costa Rica to W. Panama
- [*Philodendron burle-marxii*](#) G.M.Barroso – Colombia to Ecuador and N. Brazil

C



Philodendron crassinervium

- *Philodendron calatheaefolium* G.S.Bunting – Venezuela (Táchira)
- *Philodendron callosum* K.Krause – N. South America to N. Brazil
- *Philodendron camarae* Croat
- *Philodendron camiloanum* (Croat) Croat
- *Philodendron campii* Croat – Colombia to Peru and N. Brazil
- *Philodendron camposportoanum* G.M.Barroso – S. Tropical America
- *Philodendron canaimae* G.S.Bunting – Venezuela (Bolívar)
- *Philodendron candamoense* Croat
- *Philodendron canicaule* Croat & D.C.Bay
- *Philodendron caracaraiense* Croat
- *Philodendron carajasense* E.G.Gonç. & A.J.Arruda
- *Philodendron caranoense* Croat, Edwin Trujillo & Marco Correa
- *Philodendron cardonii* Croat – Colombia
- *Philodendron cardosoii* E.G.Gonç. – Brazil (Pará)
- *Philodendron carinatum* E.G.Gonç. – Brazil (Amapá)
- *Philodendron cataniapoense* G.S.Bunting – S. Venezuela to Bolivia
- *Philodendron caudatum* K.Krause – Bolivia
- *Philodendron cerrojefense* M.M.Mora & Croat
- *Philodendron chanchamayense* Engl.
- *Philodendron chepiganense* O.Ortiz, Croat & Rodr.-Reyes
- *Philodendron chimantae* G.S.Bunting – Colombia to S. Venezuela
- *Philodendron chimboanum* Engl. – Ecuador
- *Philodendron chiriquense* Croat – Panama
- *Philodendron chirriipoense* Croat & Grayum – S. Costa Rica
- *Philodendron chrysocarpum* Croat & D.C.Bay – Colombia
- *Philodendron cipoense* Sakuragui & Mayo – Brazil (Minas Gerais: Serra de Espinhaço)
- *Philodendron clarkei* Croat – Ecuador (Esmeraldas)
- *Philodendron clewellii* Croat – Panama (Sierranía de Pirre)
- *Philodendron coibense* Croat & O.Ortiz
- *Philodendron colombianum* R.E.Schult. – Colombia to N. Peru
- *Philodendron coloradense* Croat – Panama (Chiriquí)

- [*Philodendron condorcanquense*](#) Croat – N. Peru
- [*Philodendron conforme*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron consanguineum*](#) Schott – Caribbean
- [*Philodendron consobrinum*](#) G.S.Bunting – Venezuela (Táchira)
- [*Philodendron copense*](#) Croat – Panama
- [*Philodendron corcovadense*](#) Kunth – E. & S. Brazil
- [*Philodendron cordatum*](#) Kunth ex Schott – S.E. Brazil (Rio de Janeiro to São Paulo)
- [*Philodendron coriaceum*](#) Croat & D.C.Bay – Colombia to Ecuador
- [*Philodendron correae*](#) Croat – W. Panama
- [*Philodendron cotapatense*](#) Croat & Acebey – Bolivia
- [*Philodendron cotobrusense*](#) Croat & Grayum – E. Costa Rica
- [*Philodendron cotonense*](#) Croat & Grayum – E. Costa Rica to W. Panama
- [*Philodendron craspedodromum*](#) R.E.Schult. – Colombia
- [*Philodendron crassinervium*](#) Lindl. – S.E. Brazil (to Paraná)
- [*Philodendron crassispalum*](#) Croat & Grayum – Central Costa Rica to W. Panama
- [*Philodendron crassum*](#) Rendle – Brazil (Rio de Janeiro)
- [*Philodendron cremersii*](#) Croat & Grayum – French Guiana
- [*Philodendron cretosum*](#) Croat & Grayum – Costa Rica to Panama
- [*Philodendron croatii*](#) Grayum – Panama
- [*Philodendron cruentospathum*](#) Madison – Ecuador
- [*Philodendron cruentum*](#) Poepp. – Peru
- [*Philodendron crystallum*](#) Croat & Edwin Trujillo
- [*Philodendron cuangosense*](#) Croat
- [*Philodendron cuneatum*](#) Engl. – Colombia to N. Peru
- [*Philodendron curvilobum*](#) Schott – S.E. Brazil
- [*Philodendron curvipetiolatum*](#) Croat

D

- [*Philodendron dalyi*](#) Croat
- [*Philodendron danielii*](#) Croat & Oberle – Colombia (Antioquia)
- [*Philodendron danteanum*](#) G.S.Bunting – N. Venezuela
- [*Philodendron dardanianum*](#) Mayo – Brazil (Bahia, Goiás)
- [*Philodendron darienense*](#) O.Ortiz, Croat & Rodr.-Reyes
- [*Philodendron davidneillii*](#) Croat
- [*Philodendron davidsei*](#) G.S.Bunting – Venezuela (Zulia)
- [*Philodendron davidsonii*](#) Croat – Costa Rica to W. Panama
- [*Philodendron deflexum*](#) Poepp. ex Schott – Peru
- [*Philodendron delannayi*](#) Croat
- [*Philodendron delascioi*](#) G.S.Bunting – E. Venezuela
- [*Philodendron delgadoe*](#) Croat & Delannay
- [*Philodendron delinksii*](#) Croat & Köster – Ecuador
- [*Philodendron deltoideum*](#) Poepp. – Peru

- [*Philodendron densivenium*](#) Engl. – Peru
- [*Philodendron devansayeanum*](#) André – Peru
- [*Philodendron devianum*](#) Croat – Colombia
- [*Philodendron dioscoreoides*](#) Gleason – Guianas
- [*Philodendron discretivenium*](#) Croat & D.C.Bay – Colombia
- [*Philodendron distantilobum*](#) K.Krause – Peru to N. Brazil
- [*Philodendron divaricatum*](#) K.Krause – Peru to Bolivia
- [*Philodendron dodsonii*](#) Croat & Grayum – Costa Rica to Ecuador
- [*Philodendron dolichophyllum*](#) Croat – Panama
- [*Philodendron dominicalense*](#) Croat & Grayum – S.W. Costa Rica
- [*Philodendron dressleri*](#) G.S.Bunting – Mexico (Marias Islands, Sinaloa, Nayarit)
- [*Philodendron dryanderæ*](#) Croat & D.C.Bay – Colombia
- [*Philodendron duckei*](#) Croat & Grayum – Guianas, N. Brazil
- [*Philodendron dunstervilleorum*](#) G.S.Bunting – S. Venezuela to N. Brazil
- [*Philodendron dussii*](#) Engl. – Dominica, Martinique
- [*Philodendron dwyeri*](#) Croat – Belize
- [*Philodendron dyscarpium*](#) R.E.Schult. – Colombia to S. Venezuela

E



[Philodendron erubescens](#)

- [Philodendron eburneum](#) K.Krause – Ecuador
- [Philodendron ecordatum](#) Schott – Guianas, N. Brazil
- [Philodendron edenudatum](#) Croat – Panama
- [Philodendron edmundoi](#) G.M.Barroso – Brazil (Espírito Santo, Rio de Janeiro)
- [Philodendron edwinii](#) Croat & Marco Correa
- [Philodendron effusilobum](#) Croat – Venezuela
- [Philodendron elaphoglossoides](#) Schott – N. Brazil to Peru
- [Philodendron elegans](#) K.Krause – Colombia
- [Philodendron elegantulum](#) Croat & Grayum – Panama
- [Philodendron englerianum](#) Steyerm. – S. Venezuela to Guyana
- [Philodendron ensifolium](#) Croat & Grayum – Costa Rica to Colombia
- [Philodendron ernestii](#) Engl. – N. Brazil, Ecuador to Bolivia
- [Philodendron erubescens](#) K.Koch & Augustin – Colombia
- [Philodendron escuintlense](#) Matuda – Mexico
- [Philodendron esmeraldense](#) Croat
- [Philodendron exile](#) G.S.Bunting – S. Tropical America

- [*Philodendron eximium*](#) Schott – E. Brazil

F

- [*Philodendron fasciculatum*](#) Croat
- [*Philodendron fendleri*](#) K.Krause – Trinidad to Venezuela
- [*Philodendron ferrugineum*](#) Croat – Panama
- [*Philodendron fibraecataphyllum*](#) M.M.Mora & Croat
- [*Philodendron fibrillosum*](#) Poepp. – Peru
- [*Philodendron fibrosum*](#) Sodiro ex Croat – Colombia to Ecuador
- [*Philodendron findens*](#) Croat & Grayum – Costa Rica to Panama
- [*Philodendron florianetlii*](#) Croat & Grayum
- [*Philodendron flumineum*](#) E.G.Gonç. – Brazil (Goiás, Brasília D.F.)
- [*Philodendron follii*](#) Nadruz – Brazil (Espírito Santo)
- [*Philodendron folsomii*](#) Croat – Panama
- [*Philodendron fortunense*](#) Croat – Panama (Chiriquí)
- [*Philodendron fosteri*](#) Croat
- [*Philodendron fragile*](#) Nadruz & Mayo – Brazil (Rio de Janeiro)
- [*Philodendron fragrantissimum*](#) (Hook.) G.Don – Tropical America
- [*Philodendron fraternum*](#) Schott – Venezuela
- [*Philodendron furcatum*](#) Croat & D.C.Bay – Colombia

G



[*Philodendron giganteum*](#)

- [*Philodendron galotipazii*](#) Croat
- [*Philodendron gardenioidorum*](#) Croat, D.P.Hannon & Delannay
- [*Philodendron genevieveanum*](#) Croat
- [*Philodendron geniculatum*](#) Bogner & Croat
- [*Philodendron gentryi*](#) Croat
- [*Philodendron giganteum*](#) Schott – Caribbean to Brazil (Pará)
- [*Philodendron gigas*](#) Croat – Panama
- [*Philodendron glanduliferum*](#) Matuda – Mexico (Oaxaca), Guatemala, Venezuela

- [*Philodendron glaziovii*](#) Hook.f. – Brazil (Rio de Janeiro)
- [*Philodendron gloriosum*](#) André – Colombia
- [*Philodendron goeldii*](#) G.M.Barroso – S. Tropical America
- [*Philodendron gonzalezii*](#) Grayum – W. Venezuela
- [*Philodendron grahamii*](#) Croat
- [*Philodendron grandifolium*](#) (Jacq.) Schott – N. South America
- [*Philodendron grandipes*](#) K.Krause – S.E. Nicaragua to Ecuador
- [*Philodendron granulare*](#) Croat – Panama (Darién)
- [*Philodendron graveolens*](#) Engl. – Colombia
- [*Philodendron grayumii*](#) Croat – Costa Rica to Central Panama
- [*Philodendron grazielae*](#) G.S.Bunting – Peru to N. Brazil
- [*Philodendron grenandii*](#) Croat – French Guiana
- [*Philodendron gribianum*](#) Croat
- [*Philodendron guadalupense*](#) Croat
- [*Philodendron guadarramanum*](#) Diaz Jim., Croat & Aguilar-Rodr.
- [*Philodendron guaiquinimae*](#) G.S.Bunting – Venezuela (Bolívar)
- [*Philodendron gualeanum*](#) Engl. – Ecuador
- [*Philodendron guasagandense*](#) Croat
- [*Philodendron guianense*](#) Croat & Grayum – Guianas, N. Brazil
- [*Philodendron guizaense*](#) Croat
- [*Philodendron guttiferum*](#) Kunth – S. Tropical America

H



[*Philodendron hastatum*](#)

- [*Philodendron hammelii*](#) Croat – Panama (Coclé)
- [*Philodendron hannoniae*](#) Croat
- [*Philodendron hastatum*](#) K.Koch & Sello – S.E. Brazil
- [*Philodendron hatschbachii*](#) Nadruz & Mayo – Brazil (Espírito Santo, Rio de Janeiro)
- [*Philodendron hebetatum*](#) Croat – Panama to Ecuador
- [*Philodendron hederaceum*](#) (Jacq.) Schott – Mexico to Tropical America
- [*Philodendron heleniae*](#) Croat – Panama to W. South America
- [*Philodendron henry-pittieri*](#) G.S.Bunting – N.W. & N. Venezuela
- [*Philodendron herbaceum*](#) Croat & Grayum – Costa Rica to Ecuador
- [*Philodendron herthae*](#) K.Krause – Ecuador to Peru
- [*Philodendron heterocraspedon*](#) Croat & D.C.Bay – Colombia
- [*Philodendron heterophyllum*](#) Poepp. – W. South America
- [*Philodendron heteropleurum*](#) K.Krause – Ecuador to Peru
- [*Philodendron holstii*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron holtonianum*](#) Schott
- [*Philodendron hooveri*](#) Croat & Grayum – Ecuador
- [*Philodendron hopkinsianum*](#) M.L.Souares & Mayo – N. Brazil
- [*Philodendron houlettianum*](#) Engl. – French Guiana
- [*Philodendron huanucense*](#) Engl. – Peru
- [*Philodendron huashikatii*](#) Croat – N. Peru
- [*Philodendron huaynacapacense*](#) Croat – Peru to Bolivia
- [*Philodendron hughclarkei*](#) Croat
- [*Philodendron humile*](#) E.G.Gonç. – W. Brazil
- [*Philodendron hyalinum*](#) Croat
- [*Philodendron hylaeae*](#) G.S.Bunting – S. Tropical America

I–J

- [*Philodendron ichthyoderma*](#) Croat & Grayum – Panama to Colombia
- [*Philodendron imbe*](#) Schott ex Kunth
- [*Philodendron immixtum*](#) Croat – Panama to Colombia
- [*Philodendron inaequilaterum*](#) Liebm. – Mexico to Bolivia
- [*Philodendron inconcinnum*](#) Schott – Venezuela
- [*Philodendron inops*](#) Schott – Brazil (Rio de Janeiro to São Paulo)
- [*Philodendron insigne*](#) Schott – S. Tropical America
- [*Philodendron ishichiense*](#) Croat
- [*Philodendron jacquinii*](#) Schott – Mexico to N. South America, W. Cuba, Cayman Islands
- [*Philodendron jefense*](#) Croat – Panama (Panamá)
- [*Philodendron jimenae*](#) Croat
- [*Philodendron joaosilvae*](#) Croat, A.Cardoso & Moonen
- [*Philodendron jodavisanum*](#) G.S.Bunting – S.E. Mexico to N.W. Venezuela
- [*Philodendron × joepii*](#) Croat – French Guiana
- [*Philodendron jonkerorum*](#) Croat – Suriname

- [*Philodendron josefinense*](#) Croat
- [*Philodendron josephii*](#) C.A.S.Bat. & M.L.Soares
- [*Philodendron juninense*](#) Engl. – Peru

K–L

- [*Philodendron kaieteurense*](#) Croat
- [*Philodendron kautskyi*](#) G.S.Bunting – Brazil (Espírito Santo)
- [*Philodendron killipii*](#) K.Krause – Peru
- [*Philodendron knappiae*](#) Croat – Costa Rica to W. Panama
- [*Philodendron krauseanum*](#) Steyerl. – N. South America
- [*Philodendron kressii*](#) Croat
- [*Philodendron kroemeri*](#) Croat – Bolivia
- [*Philodendron krugii*](#) Engl. – Tobago to Venezuela
- [*Philodendron lacerum*](#) (Jacq.) Schott – Greater Antilles
- [*Philodendron laticiferum*](#) Croat & M.M.Mora – Colombia (Chocó)
- [*Philodendron latifolium*](#) K.Koch – Venezuela
- [*Philodendron lazorii*](#) Croat – Panama
- [*Philodendron leal-costae*](#) Mayo & G.M.Barroso – N.E. Brazil
- [*Philodendron lechlerianum*](#) Schott – Peru to Bolivia
- [*Philodendron lehmannii*](#) Engl. – Colombia
- [*Philodendron lemae*](#) G.S.Bunting – Venezuela (Bolívar)
- [*Philodendron lemoraе*](#) Croat
- [*Philodendron lentii*](#) Croat & Grayum – S.E. Nicaragua to N.W. Ecuador
- [*Philodendron leucanthum*](#) K.Krause – Peru to N. Brazil
- [*Philodendron leyvae*](#) García-Barr. – Colombia
- [*Philodendron liesneri*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron ligulatum*](#) Schott – Nicaragua to Colombia
- [*Philodendron lindenianum*](#) Wallis – Ecuador
- [*Philodendron lindenii*](#) Schott – Colombia to Venezuela
- [*Philodendron linganii*](#) Croat
- [*Philodendron linguifolium*](#) Schott – N. Brazil
- [*Philodendron lingulatum*](#) (L.) K.Koch – Caribbean
- [*Philodendron linnaei*](#) Kunth – S. Tropical America
- [*Philodendron llanense*](#) Croat – Panama
- [*Philodendron loefgrenii*](#) Engl. – Brazil (São Paulo to Santa Catarina)
- [*Philodendron longilaminatum*](#) Schott – Brazil (Pernambuco, Bahia)
- [*Philodendron longilobatum*](#) Sakur. – Brazil (Espírito Santo)
- [*Philodendron longilobum*](#) M.M.Mora & Croat
- [*Philodendron longipedunculatum*](#) Croat & M.M.Mora – Colombia (Chocó)
- [*Philodendron longipes*](#) Engl. – Colombia
- [*Philodendron longirrhizum*](#) M.M.Mora & Croat – Colombia to Venezuela
- [*Philodendron longistilum*](#) K.Krause – Peru to N. Brazil

- *Philodendron × lucasiorum* Croat & Moonen
- *Philodendron luisae* Calazans
- *Philodendron lundii* Warm. – Brazil (Goiás to Bahia)
- *Philodendron lupinum* E.G.Gonç. & J.B.Carvalho – Brazil (Acre)
- *Philodendron luteonervium* Croat
- *Philodendron luxurians* Croat, D.P.Hannon & R.Kaufmann
- *Philodendron lynnhanoniae* Croat

M



Philodendron mamei



Philodendron mayoi

Philodendron melanochrysum

- [*Philodendron macarenense*](#) Croat
- [*Philodendron macroglossum*](#) Schott – Venezuela
- [*Philodendron macropodum*](#) K.Krause – Brazil (Roraima)
- [*Philodendron maculatum*](#) K.Krause – Peru to N. Brazil
- [*Philodendron madalenense*](#) J.Mattos, Nadruz & Baumgratz
- [*Philodendron madronense*](#) Croat
- [*Philodendron magnum*](#) Croat* [*Philodendron maguirei*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron malesevichiae*](#) Croat – Panama to Colombia
- [*Philodendron mamei*](#) André – S. Ecuador
- [*Philodendron mansellii*](#) Croat
- [*Philodendron manuelii*](#) Croat
- [*Philodendron marahuacae*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron marcarlsoniae*](#) Croat
- [*Philodendron marcocorreaum*](#) Croat, M.M.Mora & Edwin Trujillo
- [*Philodendron maroae*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron martianum*](#) Engl. – E. & S. Brazil
- [*Philodendron martinezii*](#) Croat & O.Ortiz
- [*Philodendron martini*](#) Schott – French Guiana
- [*Philodendron mashpiense*](#) Croat
- [*Philodendron mathewsii*](#) Schott – Peru
- [*Philodendron mawarinumae*](#) G.S.Bunting – S. Venezuela to French Guiana
- [*Philodendron maximum*](#) K.Krause – Brazil (Acre, Mato Grosso), Ecuador to Bolivia
- [*Philodendron mayoi*](#) E.G.Gonç. – Brazil (Brasília D.F., Goiás)
- [*Philodendron mazorcalense*](#) Croat
- [*Philodendron mcphersonii*](#) Croat – Colombia
- [*Philodendron megalophyllum*](#) Schott – Trinidad to S. Tropical America
- [*Philodendron meieri*](#) Croat
- [*Philodendron melanochrysum*](#) Linden & André – Colombia
- [*Philodendron melanoneuron*](#) Croat
- [*Philodendron melanum*](#) Croat
- [*Philodendron melinonii*](#) Brongn. ex Regel – N. South America to N. Brazil
- [*Philodendron mello-barretoanum*](#) Burle-Marx ex G.M.Barroso – Central Brazil to Bolivia
- [*Philodendron melloi*](#) Irueme & M.L.Souares
- [*Philodendron membranaceum*](#) Poepp. – Peru
- [*Philodendron mendozae*](#) Croat
- [*Philodendron mentiense*](#) Croat & Delannay
- [*Philodendron meraense*](#) Croat
- [*Philodendron merenbergense*](#) Croat – Colombia
- [*Philodendron meridense*](#) G.S.Bunting – N.W. Venezuela
- [*Philodendron meridionale*](#) Buturi & Sakur.
- [*Philodendron merizaldense*](#) Croat
- [*Philodendron mesae*](#) G.S.Bunting – Venezuela (Mérida)

- [*Philodendron mesayense*](#) Croat
- [*Philodendron mexicanum*](#) Engl. – Mexico to Central America
- [*Philodendron micranthum*](#) Poepp. ex Schott – N. Brazil, Ecuador, Peru
- [*Philodendron microstictum*](#) Standl. & L.O.Williams – Costa Rica
- [*Philodendron millerianum*](#) Nadrusz & Sakur. – Brazil (Rio de Janeiro)
- [*Philodendron minarum*](#) Engl. – Brazil (Minas Gerais, São Paulo)
- [*Philodendron minesianum*](#) Croat
- [*Philodendron misahualliense*](#) Croat & Cerón – Ecuador
- [*Philodendron missionum*](#) (Hauman) Hauman – S. Brazil to N.E. Argentina
- [*Philodendron modestum*](#) Schott – Venezuela
- [*Philodendron monroi*](#) Croat & O.Ortiz
- [*Philodendron monsalvae*](#) Croat & D.C.Bay – Colombia
- [*Philodendron montanum*](#) Engl. – Colombia
- [*Philodendron monteagudoii*](#) Croat
- [*Philodendron montemariense*](#) Croat, J.J.Percy & Carrascal
- [*Philodendron moonenii*](#) Croat – French Guiana
- [*Philodendron morii*](#) Croat – Panama
- [*Philodendron multinervum*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron multispadiceum*](#) Engl. – Colombia
- [*Philodendron muricatum*](#) Schott – N. South America to Brazil
- [*Philodendron musifolium*](#) Engl. – Ecuador
- [*Philodendron myrmecophilum*](#) Engl. – N. & W. Central Brazil

N–O



[*Philodendron oblongum*](#)

- [*Philodendron nadruzianum*](#) Sakur. – Brazil (Rio de Janeiro)

- [*Philodendron nanegalense*](#) Engl. – Ecuador
- [*Philodendron nangaritense*](#) Croat
- [*Philodendron narinoense*](#) Croat – Colombia to Ecuador
- [*Philodendron narvaezii*](#) Croat
- [*Philodendron nebulense*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron neglectum*](#)[3]
- [*Philodendron nelsonzamorae*](#) Croat & Grayum
- [*Philodendron nievenense*](#) Croat
- [*Philodendron nigrifactum*](#) Croat
- [*Philodendron ninoanum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron niqueanum*](#) Croat – Panama (Darién)
- [*Philodendron noelii*](#) Grayum
- [*Philodendron nullinervium*](#) E.G.Gonç. – Brazil (Acre, Amazonas)
- [*Philodendron oblanceolatum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron obliquifolium*](#) Engl. – Brazil (Rio de Janeiro to N.E. Santa Catarina)
- [*Philodendron oblongum*](#) (Vell.) Kunth – E. Brazil
- [*Philodendron obtusilobum*](#) Miq. – Venezuela
- [*Philodendron ochrostemon*](#) Schott – Brazil
- [*Philodendron oligospermum*](#) Engl. – S. Colombia to Ecuador
- [*Philodendron opacum*](#) Croat & Grayum – S.E. Nicaragua to Ecuador
- [*Philodendron orionis*](#) G.S.Bunting – N.W. Venezuela
- [*Philodendron ornatum*](#) Schott – Trinidad-Tobago to S. Tropical America
- [*Philodendron ovatoluteum*](#) Croat
- [*Philodendron oxycataphyllum*](#) Croat

P



Philodendron pastazanum



Philodendron pedatum



Philodendron pinnatifidum

- *Philodendron pachycaule* K.Krause – Ecuador
- *Philodendron pachyphyllum* K.Krause – Brazil (Central Bahia)
- *Philodendron palaciosii* Croat & Grayum – Ecuador (Napo)
- *Philodendron palmicola* Croat
- *Philodendron paloraense* Croat
- *Philodendron paludicola* E.G.Gonç. & Salviani – Brazil (Espírito Santo)
- *Philodendron pambilarense* Croat

- [*Philodendron panamense*](#) K.Krause – Panama to N. Peru
- [*Philodendron panduriforme*](#) (Kunth) Kunth – S. Tropical America
- [*Philodendron parvidactylum*](#) Croat
- [*Philodendron parvilobum*](#) Croat – Ecuador (Morona-Santiago)
- [*Philodendron pastazanum*](#) K.Krause – Ecuador to Peru
- [*Philodendron patriciae*](#) Croat – Colombia
- [*Philodendron paucinervium*](#) Croat – Peru (Loreto)
- [*Philodendron paxianum*](#) K.Krause – Peru to Bolivia
- [*Philodendron pedatum*](#) (Hook.) Kunth – S. Tropical America
- [*Philodendron pedunculum*](#) Croat & Grayum – Ecuador (Morona-Santiago)
- [*Philodendron peperomioides*](#) G.S.Bunting – Venezuela (Bolívar)
- [*Philodendron peraiense*](#) G.S.Bunting – Venezuela (Bolívar)
- [*Philodendron perplexum*](#) G.S.Bunting – N.W. Venezuela
- [*Philodendron petraeum*](#) Chodat & Vischer
- [*Philodendron phlebodes*](#) G.S.Bunting – S. Tropical America
- [*Philodendron picoranense*](#) Croat
- [*Philodendron pierrelianum*](#) Scherber., Croat, M.M.Mora & G.Ferry
- [*Philodendron pimichinese*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron pinnatifidum*](#) (Jacq.) Schott – Venezuela to N. Brazil
- [*Philodendron pinnatilobum*](#) Engl. – N. Brazil to Bolivia
- [*Philodendron pipolyi*](#) Croat – Colombia
- [*Philodendron pirrense*](#) Croat – Panama (Darién)
- [*Philodendron placidum*](#) Schott – French Guiana
- [*Philodendron planadense*](#) Croat – Colombia to Ecuador
- [*Philodendron platypetiolatum*](#) Madison – Nicaragua to Ecuador
- [*Philodendron platypodum*](#) Gleason – Guianas, N. Brazil
- [*Philodendron pogonocaule*](#) Madison – S. Colombia to Ecuador
- [*Philodendron pokigronense*](#) Croat
- [*Philodendron polliciforme*](#) Croat & D.C.Bay – Colombia
- [*Philodendron popenoei*](#) Standl. & Steyerl. – Central America
- [*Philodendron populneum*](#) K.Koch ex Schott – Tropical America (?)
- [*Philodendron prancei*](#) Croat
- [*Philodendron profundisulcatum*](#) Croat
- [*Philodendron prominulinervium*](#) Croat – Colombia
- [*Philodendron propinquum*](#) Schott – Brazil (Pernambuco to Paraná)
- [*Philodendron pseudauriculatum*](#) Croat – Panama to N.W. Colombia
- [*Philodendron pseudoundulatum*](#) Grau – Bolivia (Santa Cruz)
- [*Philodendron pseudoverrucosum*](#) Croat
- [*Philodendron pteropus*](#) Mart. ex Engl. – N. Brazil, Ecuador, Peru
- [*Philodendron pterotum*](#) K.Koch & Augustin – Central America
- [*Philodendron puhuangii*](#) Croat – Colombia
- [*Philodendron pulchellum*](#) Engl. – N. Brazil (Acre) to Central Peru

- [*Philodendron pulchrum*](#) G.M.Barroso – S. Venezuela to Peru
- [*Philodendron purpureoviride*](#) Engl. – Costa Rica to Ecuador
- [*Philodendron purulhense*](#) Croat – Mexico (Chiapas) to Honduras
- [*Philodendron pusillum*](#) E.G.Gonç. & Bogner – Colombia

Q–R



[*Philodendron ricardoii*](#)



[*Philodendron rugosum*](#)

- [*Philodendron quelalii*](#) Croat & Mines
- [*Philodendron quinquelobum*](#) K.Krause – Brazil (Acre), Peru to Bolivia
- [*Philodendron quinquenervium*](#) Miq. – Trinidad to S. Tropical America
- [*Philodendron quitense*](#) Engl. – Ecuador
- [*Philodendron radiatum*](#) Schott – Mexico to N. Colombia
- [*Philodendron rayanum*](#) Croat & Grayum – Costa Rica to N.W. Colombia
- [*Philodendron recurvifolium*](#) Schott – Brazil (Bahia)
- [*Philodendron remifolium*](#) R.E.Schult. – S.E. Colombia to S. Venezuela
- [*Philodendron renateae*](#) Grayum
- [*Philodendron renauxii*](#) Reitz – Brazil (Santa Catarina)
- [*Philodendron reticulatum*](#) Grayum – N. Peru
- [*Philodendron rex*](#) A.Hay
- [*Philodendron rheophyticum*](#) Buturi & Temponi
- [*Philodendron rhizomatosum*](#) Sakuragui & Mayo – Brazil (Minas Gerais: Serra do Cipó)
- [*Philodendron rhodoaxis*](#) G.S.Bunting – Central & S. Tropical America
- [*Philodendron rhodospathiphyllum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron rhodospermum*](#) Calazans & Sakur.
- [*Philodendron ricardoii*](#) E.G.Gonç. – Brazil (Espírito Santo)

- [*Philodendron ricaurtense*](#) Croat
- [*Philodendron rigidifolium*](#) K.Krause – S.E. Nicaragua to Panama
- [*Philodendron rimachii*](#) Croat – Peru
- [*Philodendron rio-pretense*](#) C.A.S.Bat. & M.L.Soaes
- [*Philodendron riparium*](#) Engl. – Ecuador
- [*Philodendron robustum*](#) Schott – Tropical America (?)
- [*Philodendron rocioae*](#) Grayum
- [*Philodendron rodrigueziae*](#) Croat & Grayum – Ecuador
- [*Philodendron roezlii*](#) W.Bull – Colombia
- [*Philodendron rojasianum*](#) Standl. & Steyerl. – Mexico (Chiapas) to Costa Rica
- [*Philodendron romeroi*](#) Grayum – Colombia
- [*Philodendron roraimae*](#) K.Krause – N. South America to N. Brazil
- [*Philodendron roseocataphyllum*](#) Croat & M.M.Mora – Colombia to Ecuador
- [*Philodendron roseopetiolatum*](#) Nadruz & Mayo – Brazil (Rio de Janeiro)
- [*Philodendron roseospathum*](#) Croat – Panama to Colombia
- [*Philodendron rubioi*](#) Croat
- [*Philodendron rubrijuvenile*](#) Croat & R.Kaufmann
- [*Philodendron rubrocinctum*](#) Engl. – Colombia
- [*Philodendron rubromaculatum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron rudgeanum*](#) Schott – Trinidad to N. & E. Brazil
- [*Philodendron rugapetiolatum*](#) Croat & M.M.Mora
- [*Philodendron rugosum*](#) Bogner & G.S.Bunting – Ecuador
- [*Philodendron ruizii*](#) Schott – Ecuador to Bolivia
- [*Philodendron ruthianum*](#) Nadruz – Brazil (Espírito Santo)

S



Philodendron sodiroi



Philodendron spiritus-sancti

Philodendron squamiferum

- *Philodendron sabaletense* Croat
- *Philodendron sagittifolium* Liebm. – Mexico to Venezuela
- *Philodendron samayense* G.S.Bunting – Venezuela (Bolívar)
- *Philodendron samudioense* Croat & O.Ortiz
- *Philodendron sanmarcoense* Croat
- *Philodendron santodominguense* G.S.Bunting – N.W. Venezuela
- *Philodendron saxicola* K.Krause – Brazil (Bahia)
- *Philodendron scalarinerve* Croat & Grayum – Costa Rica to Ecuador

- [*Philodendron scherberichii*](#) Croat & M.M.Mora – Colombia
- [*Philodendron schmidtiae*](#) Croat & Cerón
- [*Philodendron schottianum*](#) H.Wendl. ex Schott – Costa Rica to Panama
- [*Philodendron schottii*](#) K.Koch – Jamaica, Mexico to Ecuador
- [*Philodendron scitulum*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron scottmorianum*](#) Croat & Moonen – French Guiana
- [*Philodendron sequine*](#) Schott – Mexico to Guatemala
- [*Philodendron senatocarpium*](#) Madison – Colombia to Ecuador
- [*Philodendron serpens*](#) Hook.f. – Colombia to Ecuador
- [*Philodendron sharoniae*](#) Croat
- [*Philodendron silverstonei*](#) Croat – Colombia
- [*Philodendron simmondsii*](#) Mayo – Trinidad
- [*Philodendron simonianum*](#) Sakur. – Brazil (São Paulo: Pouso Alto)
- [*Philodendron simsii*](#) (Hook.) Sweet ex Kunth – Guyana, French Guiana, N. Brazil
- [*Philodendron simulans*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron smithii*](#) Engl. – S. Mexico to Central America
- [*Philodendron sodiroi*](#) N.E.Br. – Colombia
- [*Philodendron solimoesense*](#) A.C.Sm. – S. Tropical America
- [*Philodendron sonderianum*](#) Schott – Brazil (S. Minas Gerais)
- [*Philodendron sousae*](#) Croat – Mexico (Chiapas)
- [*Philodendron sparreorum*](#) Croat – Colombia to Ecuador
- [*Philodendron speciosum*](#) Schott ex Endl. – Bolivia to Brazil
- [*Philodendron sphalerum*](#) Schott – Guianas to N. Brazil
- [*Philodendron spiritus-sancti*](#) G.S.Bunting – Brazil (Espírito Santo)
- [*Philodendron splitgerberi*](#) Schott – Guianas, N. Brazil
- [*Philodendron spruceanum*](#) G.S.Bunting – S. Venezuela
- [*Philodendron squamicaule*](#) Croat & Grayum – S.E. Nicaragua to Ecuador
- [*Philodendron squamiferum*](#) Poepp. – Guianas, N. Brazil
- [*Philodendron squamipetiolatum*](#) Croat – Panama to Ecuador
- [*Philodendron standleyi*](#) Grayum – Mexico to Central America
- [*Philodendron stenolobum*](#) E.G.Gonç. – Brazil (Espírito Santo)
- [*Philodendron stenophyllum*](#) K.Krause – Peru
- [*Philodendron steyermarkii*](#) G.S.Bunting – S. Tropical America
- [*Philodendron straminicaule*](#) Croat – Costa Rica to Colombia
- [*Philodendron striatum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron strictum*](#) G.S.Bunting – Costa Rica to N.W. Venezuela and Ecuador
- [*Philodendron suberosum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron subhastatum*](#) K.Krause – Colombia to Ecuador
- [*Philodendron subincisum*](#) Schott – Mexico (N. Veracruz)
- [*Philodendron sucrense*](#) G.S.Bunting – Venezuela (Sucre)
- [*Philodendron sulcatum*](#) K.Krause – Nicaragua to Ecuador
- [*Philodendron sulcicaule*](#) Croat – S.E. Costa Rica to Panama

- [*Philodendron surinamense*](#) (Miq.) Engl. – S. Tropical America
- [*Philodendron swartiae*](#) Croat – N. Peru

T

- [*Philodendron tachirense*](#) G.S.Bunting – Venezuela (Táchira)
- [*Philodendron tarmense*](#) Engl. – Peru
- [*Philodendron tatei*](#) K.Krause – N. South America to N. Brazil
- [*Philodendron tenue*](#) K.Koch & Augustin – Central America to Venezuela and Ecuador
- [*Philodendron tenuipes*](#) Engl. – Ecuador
- [*Philodendron tenuispadix*](#) E.G.Gonç. – Brazil (Espírito Santo)
- [*Philodendron teretipes*](#) Sprague – Colombia
- [*Philodendron thalassicum*](#) Croat & Grayum – Central Costa Rica to W. Panama
- [*Philodendron thaliifolium*](#) Schott – Venezuela
- [*Philodendron theofiloanum*](#) Calazans
- [*Philodendron tortum*](#) M.L.Soares & Mayo – Brazil (Amazonas)
- [*Philodendron toshibae*](#) M.L.Soares & Mayo – Brazil (Amazonas)
- [*Philodendron traunii*](#) Engl. – N. Brazil
- [*Philodendron triangulare*](#) G.S.Bunting – Venezuela (Trujillo)
- [*Philodendron tricastatum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron tripartitum*](#) (Jacq.) Schott – Mexico to Tropical America
- [*Philodendron triplum*](#) G.S.Bunting – Venezuela (Bolívar)
- [*Philodendron trisectifolium*](#) Croat
- [*Philodendron trojitense*](#) Croat & D.C.Bay – Colombia
- [*Philodendron trujilloi*](#) G.S.Bunting – Venezuela
- [*Philodendron tuerckheimii*](#) Grayum – S. Mexico to Venezuela and Ecuador
- [*Philodendron tweedieanum*](#) Schott – Brazil (Mato Grosso do Sul), Paraguay, N.E. Argentina
- [*Philodendron tysonii*](#) Croat – Panama

U–V



[*Philodendron verrucosum*](#)

- [*Philodendron ubigantupense*](#) Croat – Panama (San Blas)
- [*Philodendron uleanum*](#) Engl. – S. Tropical America

- [*Philodendron uliginosum*](#) Mayo – Brazil
- [*Philodendron undulatum*](#) Engl. – Brazil to Argentina (Entre Ríos)
- [*Philodendron urraoense*](#) Croat – Colombia
- [*Philodendron ushanum*](#) Croat & Moonen – French Guiana
- [*Philodendron utleyanum*](#) Croat – Panama (Colón)
- [*Philodendron validinervium*](#) Engl. – Ecuador
- [*Philodendron vargealtense*](#) Sakuragui – Brazil (Espírito Santo)
- [*Philodendron variifolium*](#) Schott – Peru
- [*Philodendron venezuelense*](#) G.S.Bunting – S. Venezuela to N. Brazil
- [*Philodendron venosum*](#) (Willd. ex Schult. & Schult.f.) Croat – Trinidad-Tobago to Venezuela
- [*Philodendron ventricosum*](#) Madison – Ecuador
- [*Philodendron venulosum*](#) Croat & D.C.Bay – Colombia
- [*Philodendron venustifoliatum*](#) E.G.Gonç. & Mayo – W. Central Brazil
- [*Philodendron venustum*](#) G.S.Bunting – S. Venezuela to Peru
- [*Philodendron verapazense*](#) Croat – Mexico (Chiapas), Guatemala
- [*Philodendron verrucapetiolum*](#) Croat – Colombia to Ecuador
- [*Philodendron verrucosum*](#) L.Mathieu ex Schott – Costa Rica to Peru
- [*Philodendron victoriae*](#) G.S.Bunting – Venezuela
- [*Philodendron vinaceum*](#) G.S.Bunting – Venezuela (Bolívar)
- [*Philodendron viride*](#) Engl. – Colombia

W–Z

- [*Philodendron wadedavisii*](#) Croat – Colombia to Brazil (Amazonas)
- [*Philodendron wallisii*](#) Regel ex Engl. – Colombia
- [*Philodendron warszewiczii*](#) K.Koch & C.D.Bouché – S. Mexico to Central America
- [*Philodendron weberbaueri*](#) Engl. – Peru
- [*Philodendron wendlandii*](#) Schott – S.E. Nicaragua to Panama
- [*Philodendron werkhoveniae*](#) Croat – Suriname
- [*Philodendron wernerii*](#) Croat
- [*Philodendron wilburii*](#) Croat & Grayum – Costa Rica to Panama
- [*Philodendron williamsii*](#) Hook.f. – Brazil (Bahia)
- [*Philodendron wittianum*](#) Engl. – S. Tropical America
- [*Philodendron woronowii*](#) K.Krause – Colombia (Antioquia)
- [*Philodendron wulschlaegelii*](#) Schott – W. Central Brazil (to Tocantins)
- [*Philodendron wurdackii*](#) G.S.Bunting – S. Tropical America
- [*Philodendron xanadu*](#) Croat, Mayo & J.Boos – S. Brazil to Paraguay
- [*Philodendron yavitense*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron yutajense*](#) G.S.Bunting – Venezuela (Amazonas)
- [*Philodendron zhuanum*](#) Croat – Panama (Coclé)

From Wikipedia, the free encyclopedia

The following is a list of *Phalaenopsis* species accepted by [Plants of the World Online](#) at February 2022:[\[1\]](#)

Image	Name	Distribution	Elevation in metres (m)
	<i>Phalaenopsis amabilis</i> (L.) Blume	East Malaysia to Papuasias	0– 600 m
	<i>Phalaenopsis amboinensis</i> J.J.Smith	Ambon Island, Sulawesi, Papua and New Guinea and Indonesia	
	<i>Phalaenopsis aphrodite</i> Rchb.f	Philippine Islands, Sulu Archipelago, and Taiwan	
	<i>Phalaenopsis appendiculata</i> Carr	Pahang, Malaysia to northeastern Borneo	
	<i>Phalaenopsis bastianii</i> O.Gruss & L.Röllke	the Philippines - Luzon, in the Sulu Archipelago	
	<i>Phalaenopsis bellina</i> Christenson	Borneo	200 m and below
	<i>Phalaenopsis boulbetii</i> (Telepova) J.M.H.Shaw	Cambodia	



Phalaenopsis buyssoniana
Rchb. f.

Indochina, Thailand, and Vietnam

Phalaenopsis cacharensis

(Barbhuiya, B.K.Dutta & Schuit.) India (Cachar, Assam)
Kocyan & Schuit.



Phalaenopsis celebensis
Sweet

Sulawesi



Phalaenopsis chibae
T.Yukawa

Vietnam

400 – 600 m



Phalaenopsis cochlearis
Holtum

Malaysia and Sarawak, Borneo

450 – 700 m



Phalaenopsis corningiana
Rchb. f.

Borneo

450 – 610 m



Phalaenopsis cornu-cervi
(Breda) Blume & Rchb.f.

India, Myanmar, Thailand, Laos,
Vietnam, Nicobar Islands, Malaysia,
Java, Borneo, Sumatra, and the
Philippines

1000 m and
below



Phalaenopsis deliciosa
Rchb. f.

India to SE Asia, Java, Sumatra,
Borneo and the Philippines

600 m and
below



Phalaenopsis difformis
(Wall. ex Lindl.) Kocyan &
Schuit.

Assam India, eastern Himalayas,
Nepal, western Himalayas, Myanmar,
Thailand, Malayasia, Laos, central and
southern China, Vietnam, Borneo and
Sumatra

300 – 1600
m



Phalaenopsis doweryensis
Garay & Christenson

Sabah

150 m



Phalaenopsis equestris
(Schauer) Rchb.f

Taiwan - Hsiao Lan Yü to the
Philippines

0 – 300 m.



Phalaenopsis fasciata Rchb.f the Philippines



Phalaenopsis fimbriata
J.J.Sm.

Java, Sumatra and Sarawak

790 – 1300
m.



Phalaenopsis finleyi
Christenson

Thailand, Myanmar and Vietnam



Phalaenopsis floresensis
Fowlie

island of Flores in Indonesia

150 – 500 m



Phalaenopsis fuscata Rchb.
f.

Sumatra, Peninsular Malaysia, Borneo,
to Philippines - Palawan island

0 – 1000 m



Phalaenopsis gibbosa
H.R.Sweet

Laos, northern Vietnam, South-Central
China

0 – 1000 m



Phalaenopsis gigantea
J.J.Smith

Sabah, Borneo, Java and Sarawak

0 – 400 m



Phalaenopsis hieroglyphica
(Rchb.f) Sweet 1969

the Philippines - Luzon, Leyte, Samar,
Palawan, and Mindanao islands



Phalaenopsis honghenensis
F.Y. Liu

Yunnan, China and Vietnam

2000 m



Phalaenopsis hygrophila
J.M.H.Shaw

Assam, China South-Central, East
Himalaya, Laos, Myanmar, Thailand,
Vietnam

700–1300 m



Phalaenopsis inscriptiosinensis Fowlie

Central Sumatra

914 m and below



Phalaenopsis japonica (Rchb.f.) Kocyan & Schuit.

W Yunnan, Zhejiang, Japan (Southern areas to Ryukyu Islands), Korea (Jeollanam-do).

600 – 1400 m



Phalaenopsis javanica J.J.Sm.

Western Java

Phalaenopsis kapuasensis Metusala & P.O'Byrne

Kapuas Hulu, West Kalimantan Province, Indonesia

50 – 200 m



Phalaenopsis kunstleri Hook.f.

Myanmar to Malaysia



Phalaenopsis lindenii Loher the Philippines - Luzon island

1000 – 1500 m



Phalaenopsis lobbii (Rchb.f.) H.R.Sweet

Himalayas, NE India, Bhutan, Sikkim, Myanmar and Vietnam

366 – 1200 m



Phalaenopsis lowii Rchb.f

Myanmar, Thailand and Borneo

800 m.



Phalaenopsis lueddemanniana Rchb.f

the Philippines

below 100 m.

Phalaenopsis luteola (Burb. ex Garay) Christenson & O.Gruss

Northwestern Borneo



Phalaenopsis maculata Rchb.f

Malaya to Borneo and Sulawesi

0 – 1000 m



Phalaenopsis malipoensis Z.J.Liu & S.C.Chen

China - Yunnan and Vietnam



Phalaenopsis mannii Rchb.f

Indian Himalayas, Assam, Nepal, Bhutan, Sikkim, Myanmar, southern China and Vietnam

500 – 1500 m



Phalaenopsis mariae Burbidge ex Warner & Williams

Northeastern Borneo to the Philippines - Mindanao

600 m



Phalaenopsis marriottiana (Rchb.f.) Kocyan & Schuit.

Guangxi China and Myanmar

1300 m



Phalaenopsis mentawaiensis O.Gruss

Mentawai Islands of Sumatra



Phalaenopsis micholitzii
Rchb.f.

the Philippines - Mindanao island

400 m



Phalaenopsis mirabilis
(Seidenf.) Schuit.

Thailand and Vietnam

680–1300 m



Phalaenopsis modesta
J.J.Sm.

Borneo

50 – 900 m



Phalaenopsis mysorensis
C.J.Saldanha

Mysore, India and Sri Lanka

Phalaenopsis
natmataungensis (T.Yukawa,
Nob.Tanaka & J.Murata)
Dalström & Ormerod

Myanmar

1700 – 1950
m



Phalaenopsis pallens
(Lindley) Rchb.f

the Philippines - Luzon and Mindanao
islands

500 m



Phalaenopsis pantherina
Rchb.f.

Borneo

0 – 800 m.



Phalaenopsis parishii
Rchb.f.

eastern Himalayas, Assam India,
Myanmar, Thailand and Vietnam

below 500 m



Phalaenopsis philippinensis
Golamco ex Fowlie & C.Z.Tang

the Philippines - Luzon island

up to 1200 m



Phalaenopsis pulcherrima
(Lindl.) J.J.Sm.

Assam India, Myanmar, Thailand,
Malaysia, Laos, Cambodia, Yunnan and
Xizang China, Vietnam, Borneo and
Sumatra



Phalaenopsis pulchra
(Rchb.f.) H.R.Sweet

the Philippines - Luzon island

100 – 650 m



Phalaenopsis
reichenbachiana Rchb.f. &
Sander

the Philippines - Mindanao island



Phalaenopsis robinsonii
J.J.Sm.

Ambon, Maluku. the Moluccas

Phalaenopsis rundumensis
P.J.Cribb & A.L.Lamb

Sabah



Phalaenopsis sanderiana
Rchb.f.

the Philippines - Mindanao island



Phalaenopsis schilleriana
Rchb.f.

the Philippines - Luzon, Mindoro, and
Biliran islands 0 – 450 m



Phalaenopsis stobartiana
Rchb.f.

China - southeastern Tibet to Guangxi



Phalaenopsis stuartiana
Rchb.f.

the Philippines - Mindanao island below 300 m



Phalaenopsis subparishii
(Z.H.Tsi) Kocyan & Schuit..

N Fujian, N Guangdong, NE Guizhou,
SW Hubei, Hunan, NE Sichuan,
Zhejiang. 300 – 1100
m



Phalaenopsis sumatrana
Korth. & Rchb.f.

Indochina, Borneo to Philippines -
Palawan island 700 m



Phalaenopsis taenialis
(Lindl.) Christenson & Pradhan
1986

Himalayas, Assam India, Nepal,
Bhutan, Sikkim, Myanmar, to China -
Yunnan 1000 – 2500
m



Phalaenopsis tetraspis
Rchb.f.

Andaman and Nicobar Islands to
northwestern Sumatra 0 m.



Phalaenopsis thailandica

O.Gruss & Roeth

Thailand

Phalaenopsis tsii (M.H.Li,
Z.J.Liu & S.R.Lan) Hua Deng,
Z.J.Liu & Yan Wang

China (Hunan)

1200 – 1850
m

Phalaenopsis ubonensis
(O.Gruss) J.M.H.Shaw

Thailand and Laos

150–400 m



Phalaenopsis venosa Shim &
Fowlie

Celebes Islands, Sulawesi

450–1000 m.



Phalaenopsis violacea Witte

Malaya to Sumatra

150 m.



Phalaenopsis viridis J.J.Sm

Sumatra

700 – 1000
m



Phalaenopsis wilsonii Rolfe

Sichuan, Eastern Tibet, Yunnan, and
Guangxi, China, Vietnam, Tibet,
Myanmar, India

800 – 2200
m

Phalaenopsis

Yunnan China, Thailand and India

1584 m

yingjiangensis (Z.H.Tsi)

Kocyan & Schuit.

Phalaenopsis zhejiangensis

(Z.H.Tsi) Schuit.

Zhejiang China

300 – 900 m

Phalaenopsis × *amphitrite*

Kraenzl.

Mindanao, Philippines



Phalaenopsis × *gersenii*

(Teijsm. & Binn.) Rolfe

Borneo and Sumatra



Phalaenopsis × *intermedia*

Lindl.

Philippines



Phalaenopsis ×

leucorrhoda Rchb.f.

Philippines

Phalaenopsis × *lotubela*

O.Gruss, Cavestro & G.Benk

Sumatra



Phalaenopsis × *rolfeana*

H.R.Sweet

Philippines

Phalaenopsis × *singuliflora*

J.J.Sm.

Borneo

Phalaenopsis × *valentinii*

Rchb.f.

Malaya



Phalaenopsis × *veitchiana*

Rchb.f.

Philippines

Newly described species

Several new species have been described recently and are listed as accepted species in the database of Kew, Plants of the World Online.

- *Phalaenopsis arunachalensis* K.Gogoi & Rinya (2020)[2]
- *Phalaenopsis putaoensis* X.H.Jin & H.A.Mung (2021)[3]
- *Phalaenopsis yarlungzangboensis* (2022) (first suggested name for *Phalaenopsis medogensis*) [4]
- *Phalaenopsis medogensis* X.H. Jin & C.B. Ma (2022)[5]

Intergeneric hybrids

The following is a list of [intergeneric hybrids](#) recognised by the [Royal Horticultural Society](#) that includes species of *Phalaenopsis* as ancestors, as at February 2022:[6]

- × [Aeridopsis](#) (*Aerides* × *Phalaenopsis*)
- × [Arachnopsis](#) (*Arachnis* × *Phalaenopsis*)
- × [Cleisonopsis](#) (*Cleisocentron* × *Phalaenopsis*)
- × [Diplonopsis](#) (*Diploprora* × *Phalaenopsis*)
- × [Edeara](#) (*Arachnis* × *Phalaenopsis* × [Renanthera](#) × [Vandopsis](#))
- × [Ernestara](#) (*Phalaenopsis* × *Renanthera* × *Vandopsis*)
- × [Eurynopsis](#) (*Eurychone* × *Phalaenopsis*)
- × [Laycockara](#) (*Arachnis* × *Phalaenopsis* × *Vandopsis*)
- × [Luinopsis](#) (*Luisia* × *Phalaenopsis*)
- × [Lutherara](#) (*Phalaenopsis* × *Renanthera* × [Rhynchostylis](#))
- × [Macekara](#) (*Arachnis* × *Phalaenopsis* × *Renanthera* × [Vanda](#) × *Vandopsis*)
- × [Moirara](#) (*Phalaenopsis* × *Renanthera* × *Vanda*)
- × [Parnataara](#) (*Aerides* × *Arachnis* × *Phalaenopsis*)
- × [Phalaerianda](#) (*Aerides* × *Phalaenopsis* × *Vanda*)
- × [Phalandopsis](#) (*Phalaenopsis* × *Vandopsis*)
- × [Phalphalaenopsis](#) (*Phalaenopsis* × [Paraphalaenopsis](#))
- × [Renanthopsis](#) (*Phalaenopsis* × *Renanthera*)
- × [Rhynchonopsis](#) (*Phalaenopsis* × *Rhynchostylis*)
- × [Sappanara](#) (*Arachnis* × *Phalaenopsis* × *Renanthera*)
- × [Sarconopsis](#) (*Phalaenopsis* × [Sarcochilus](#))
- × [Trevorara](#) (*Arachnis* × *Phalaenopsis* × *Vanda*)
- × [Trichonopsis](#) (*Phalaenopsis* × [Trichoglottis](#))
- × [Uptonara](#) (*Phalaenopsis* × *Rhynchostylis* × *Sarcochilus*)
- × [Vandaenopsis](#) (*Phalaenopsis* × *Vanda*)
- × [Yapara](#) (*Phalaenopsis* × *Rhynchostylis* × *Vanda*)
- × [Yeepengara](#) (*Aerides* × *Phalaenopsis* × *Rhynchostylis* × *Vanda*)

The following artificial hybrids are listed at [Plants of the World Online](#), although many of the parent genera are now synonyms of other genera, including [Vanda](#), [Renanthera](#) and *Phalaenopsis*:

- × [Asconopsis](#) ([Ascocentrum](#) × [Phalaenopsis](#))[7]
- × [Beardara](#) ([Ascocentrum](#) × [Doritis](#) × [Phalaenopsis](#))[8]
- × [Bogardara](#) ([Ascocentrum](#) × [Phalaenopsis](#) × [Vanda](#) × [Vandopsis](#))[9]
- × [Bokchoonara](#) ([Arachnis](#) × [Ascocentrum](#) × [Phalaenopsis](#) × [Vanda](#))[10]
- × [Devereuxara](#) ([Ascocentrum](#) × [Phalaenopsis](#) × [Vanda](#))[11]
- × [Doriellaopsis](#) ([Doritis](#) × [Kingiella](#) × [Phalaenopsis](#))[12]
- × [Doritaenopsis](#) ([Doritis](#) × [Phalaenopsis](#))[13]
- × [Dresslerara](#) ([Ascoglossum](#) × [Phalaenopsis](#) × [Renanthera](#)) [14]
- × [Hagerara](#) ([Doritis](#) × [Phalaenopsis](#) × [Vanda](#))[15]
- × [Hausermannara](#) ([Doritis](#) × [Phalaenopsis](#) × [Vandopsis](#))[16]
- × [Himoriara](#) ([Ascocentrum](#) × [Phalaenopsis](#) × [Rhynchostylis](#) × [Vanda](#))[17]
- × [Isaoara](#) ([Aerangis](#) × [Ascocentrum](#) × [Phalaenopsis](#) × [Vanda](#))[18]
- × [Lichtara](#) ([Doritis](#) × [Gastrochilus](#) × [Phalaenopsis](#))[19]
- × [Meechaiara](#) ([Ascocentrum](#) × [Doritis](#) × [Phalaenopsis](#) × [Rhynchostylis](#) × [Vanda](#))[20]
- × [Nakagawaara](#) ([Aerides](#) × [Doritis](#) × [Phalaenopsis](#))[21]
- × [Owensara](#) ([Doritis](#) × [Phalaenopsis](#) × [Renanthera](#))[22]
- × [Paulara](#) ([Ascocentrum](#) × [Doritis](#) × [Phalaenopsis](#) × [Renanthera](#) × [Vanda](#))[23]
- × [Pepearara](#) ([Ascocentrum](#) × [Doritis](#) × [Phalaenopsis](#) × [Renanthera](#))[24]
- × [Phaliella](#) ([Kingiella](#) × [Phalaenopsis](#))[25]
- × [Pooleara](#) ([Ascocentrum](#) × [Ascoglossum](#) × [Phalaenopsis](#) × [Renanthera](#))[26]
- × [Richardmizutaara](#) ([Ascocentrum](#) × [Phalaenopsis](#) × [Vandopsis](#))[27]
- × [Rhyndoropsis](#) ([Doritis](#) × [Phalaenopsis](#) × [Rhynchostylis](#))[28]
- × [Roseara](#) ([Doritis](#) × [Kingiella](#) × [Phalaenopsis](#) × [Renanthera](#))[29]
- × [Sidranara](#) ([Ascocentrum](#) × [Phalaenopsis](#) × [Renanthera](#))[30]
- × [Sladeara](#) ([Doritis](#) × [Phalaenopsis](#) × [Sarcochilus](#))[31]
- × [Stamariaara](#) ([Ascocentrum](#) × [Phalaenopsis](#) × [Renanthera](#) × [Vanda](#))[32]
- × [Sutingara](#) ([Arachnis](#) × [Ascocentrum](#) × [Phalaenopsis](#) × [Vanda](#) × [Vandopsis](#))[33]
- × [Trautara](#) ([Doritis](#) × [Luisia](#) × [Phalaenopsis](#))[34]
- × [Vandewegheara](#) ([Ascocentrum](#) × [Doritis](#) × [Phalaenopsis](#) × [Vanda](#))[35]

From Wikipedia, the free encyclopedia

List of *Phacelia* species. This [plant genus](#) is in the [family Hydrophyllaceae](#), basal in one of the two main [euasterid](#) lineages.

This is a list of [binomial names](#), including both accepted species and synonyms.


Source: [Index Kewensis](#) (at [IPNI](#)) and ITIS.

A

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia acanthominthoides](#) Elmer
- [Phacelia acaulis](#) Brand
- [Phacelia adenophora](#) Howell
- [Phacelia adspersa](#) Brand
- [Phacelia affinis](#) A.Gray
- [Phacelia alba](#) Rydb.
- [Phacelia aldea](#) R.Br. ex Sweet
- [Phacelia alpina](#) Rydb.
- [Phacelia altotonga](#) B.L.Turner
- [Phacelia alvordensis](#) M.E.Jones
- [Phacelia amabilis](#) Constance
- [Phacelia ambigua](#) M.E.Jones
- [Phacelia anelsonii](#) Macbride

- [*Phacelia arenicola*](#) Brandegee



[*Phacelia argentea*](#)

- [*Phacelia argentea*](#) A.Nelson & Macbride
- [*Phacelia argillacea*](#) Atwood
- [*Phacelia arizonica*](#) A.Gray
- [*Phacelia artemisioides*](#) Griseb.
- [*Phacelia arthuri*](#) Greene
- [*Phacelia austromontana*](#) Howell

B

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Phacelia bakeri](#) Macbride
- [Phacelia barnebyana](#) Howell
- [Phacelia beatleyae](#) Reveal & Constance
- [Phacelia bicknellii](#) Small
- [Phacelia bicolor](#) Torr. ex S.Wats.
- [Phacelia biennis](#) A.Nelson
- [Phacelia bipinnatifida](#) Michx.
- [Phacelia bolanderi](#) - Bolander's phacelia, Bolander's scorpionweed, Blue-flowered grape-leaf, caterpillar flower
- [Phacelia boliviana](#) Brand



[Phacelia californica](#)

- [Phacelia bombycina](#) Wooton & Standl.
- [Phacelia boykinii](#) Small
- [Phacelia brachyantha](#) Benth.
- [Phacelia brachyloba](#) A.Gray
- [Phacelia brachystemon](#) Kunze ex Brand
- [Phacelia brannani](#) Kellogg
- [Phacelia brevistylis](#) Buckl.
- [Phacelia breweri](#) A.Gray - Brewer's phacelia
- [Phacelia burkei](#) Rydb.

C



[Caltha-leaved Phacelia](#)

Phacelia calthifolia

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Phacelia caerulea](#) Greene
- [Phacelia californica](#) Cham.
- [Phacelia calthifolia](#) - Caltha-leaved phacelia
- [Phacelia campanularia](#) - California bluebell
- [Phacelia campestris](#) A.Nelson
- [Phacelia canescens](#) Nutt.
- [Phacelia capitata](#) Kruckeb.
- [Phacelia carmenensis](#) B.L.Turner



[California Bluebell](#)

Phacelia campanularia

- [Phacelia cedrosensis](#) J.N.Rose
- [Phacelia cephalotes](#) A.Gray
- [Phacelia cicutaria](#) - caterpillar phacelia, caterpillar scorpionweed; includes *P. hispida* A.Gray
- [Phacelia ciliata](#) Benth.
- [Phacelia ciliosa](#) Rydb.
- [Phacelia cinerea](#) Eastwood ex Macbride
- [Phacelia circinata](#) Jacq.f.
- [Phacelia circinatifomis](#) A.Gray
- [Phacelia clinopodioides](#) Bert.
- [Phacelia conferta](#) G.Don
- [Phacelia congdonii](#) Greene



[Caterpillar Phacelia](#)

Phacelia cicutaria

- [*Phacelia congesta*](#) Hook.
- [*Phacelia constancei*](#) Atwood
- [*Phacelia cookei*](#) Constance & Heckard
- [*Phacelia cooperae*](#) A.Gray
- [*Phacelia cordifolia*](#) S.Wats. ex Brand
- [*Phacelia corrugata*](#) A.Nelson
- [*Phacelia corymbosa*](#) Jepson
- [*Phacelia coulteri*](#) Greenm.
- [*Phacelia covillei*](#) S.Watson



[*Phacelia covillei*](#)

"Coville's Phacelia"

- [*Phacelia crassifolia*](#) Parry or Torr. ex S.Wats.



[*Phacelia congesta*](#)



[Notch-leaved Phacelia](#)

Phacelia crenulata

- [*Phacelia crenulata*](#) - notch-leaved phacelia
- [*Phacelia cronquistiana*](#) S.L.Welsh
- [*Phacelia cryptantha*](#) Greene
- [*Phacelia cumingii*](#) A.Gray
- [*Phacelia curvipes*](#) Torr. ex S.Wats.

D

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia dalesiana](#) Howell
- [Phacelia davidsonii](#) A.Gray
- [Phacelia demissa](#) A.Gray
- [Phacelia denticulata](#) Osterh.
- [Phacelia dissecta](#) Small
- [Phacelia distans](#) Benth. - blue phacelia
- [Phacelia divaricata](#) (Benth.) A.Gray
- [Phacelia dociana](#) Jepson & Hoover
- [Phacelia douglasii](#) Torr.
- [Phacelia dubia](#) Trel. ex Trel., Branner & Coville

E

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Phacelia egena*](#) (Greene ex Brand) Greene ex J.T. Howell
- [*Phacelia eisenii*](#) Brandegees
- [*Phacelia endiplus*](#) Steud.
- [*Phacelia eremica*](#) Jepson
- [*Phacelia exilis*](#) (Gray) G.J.Lee
- [*Phacelia eximia*](#) Eastw.

F



[Fringed Phacelia](#)

Phacelia fimbriata

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Phacelia fallax*](#) Fernald
- [*Phacelia filiae*](#) N.D.Atwood, F.J.Sm. & T.A.Knight
- [*Phacelia filiformis*](#) Brand
- [*Phacelia fimbriata*](#) - fringed phacelia
- [*Phacelia firmomarginata*](#) A.Nelson
- [*Phacelia flaccida*](#) Elmer
- [*Phacelia floribunda*](#) Greene



[Notch-leaved Phacelia](#)

Phacelia fremontii

- [*Phacelia foliosa*](#) Phil.
- [*Phacelia foliosepala*](#) A.Nelson & Macbride
- [*Phacelia formosula*](#) Osterh.
- [*Phacelia franklinii*](#) A.Gray - Franklin's phacelia
- [*Phacelia fremontii*](#) - Fremont phacelia

- [*Phacelia furcata*](#) Dougl. ex Hook.

G

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Phacelia gentryi*](#) Constance
- [*Phacelia geraniifolia*](#) Brand
- [*Phacelia gilioides*](#) Brand
- [*Phacelia glaberrima*](#) (Torr.ex S.Wats.)Howell
- [*Phacelia glabra*](#) Nutt.
- [*Phacelia glandulifera*](#) Piper
- [*Phacelia glandulosa*](#) Nutt.

- [*Phacelia glechomaefolia*](#) A.Gray
- [*Phacelia grandiflora*](#) A.Gray
- [*Phacelia greenei*](#) Howell
- [*Phacelia grisea*](#) A.Gray
- [*Phacelia gymnoclada*](#) Torr. ex S.Wats.
- [*Phacelia gypsogenia*](#) I.M.Johnst.

H

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Phacelia hardhamae*](#) Munz
- [*Phacelia hastata*](#) Dougl. ex Lehm. - silverleaf scorpionweed

- [Phacelia heterophylla](#) Pursh
- [Phacelia hintoniorum](#) B.L.Turner
- [Phacelia hirsuta](#) Nutt.
- [Phacelia hirtuosa](#) A.Gray
- [Phacelia hossei](#) Brand
- [Phacelia howelliana](#) Atwood
- [Phacelia howellii](#) Macbride
- [Phacelia hubbyi](#) L.M. Garrison
- [Phacelia humilis](#) Torr ex Gray - low scorpionweed
- [Phacelia hydrophylloides](#) Torr. ex A.Gray

I

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- [Z](#)
- [Phacelia idahoensis](#) L.F.Hend.
- [Phacelia imbricata](#) Greene
- [Phacelia incana](#) Brand.
- [Phacelia inconspicua](#) Greene.
- [Phacelia indecora](#) Howell
- [Phacelia infundibuliformis](#) Torr.
- [Phacelia insularis](#) Munz
- [Phacelia integrifolia](#) Torr.
- [Phacelia inundata](#) Howell
- [Phacelia invenusta](#) A.Gray
- [Phacelia inyoensis](#) (Macbride) Howell
- [Phacelia irritans](#) Brand
- [Phacelia ivesiana](#) Torr.
- [Phacelia ixodes](#) Kellogg

K

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Phacelia knighti*](#) A.Nelson

L

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Phacelia laxa](#) Small
- [Phacelia laxiflora](#) Howell
- [Phacelia leibergii](#) Brand
- [Phacelia lemmonii](#) A.Gray
- [Phacelia lenta](#) Piper
- [Phacelia leonis](#) Howell
- [Phacelia leptosepala](#) Rydb. - narrowsepal scorpionweed
- [Phacelia leptostachya](#) Greene
- [Phacelia leucantha](#) Lemmon ex Greene
- [Phacelia linearis](#) Holzinger - linearleaf scorpionweed
- [Phacelia longipes](#) Torr. ex A.Gray
- [Phacelia lutea](#) (Hook. & Arn.)Howell
- [Phacelia luteopurpurea](#) A.Nelson
- [Phacelia lyallii](#) Rydb. - Lyall's phacelia
- [Phacelia lyonii](#) (A.Gray) Rydb.

M

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia maculata](#) Wood
- [Phacelia malvifolia](#) Cham. & Schlecht.
- [Phacelia mammillarensis](#) Atwood
- [Phacelia marcescens](#) Eastwood ex Macbride
- [Phacelia marshall-johnstonii](#) N.D.Atwood & [D.J.Pinkava](#)
- [Phacelia minor](#) - Whitlavia
- [Phacelia minutissima](#) Hend.
- [Phacelia mohavensis](#) A.Gray
- [Phacelia mollis](#) Macbride - Coffee Creek scorpionweed
- [Phacelia monoensis](#) R.R.Halse
- [Phacelia monosperma](#) A.Nelson
- [Phacelia mustelina](#) Coville
- [Phacelia mutabilis](#) Greene

N

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia namatoides](#) A.Gray
- [Phacelia nana](#) Wedd.
- [Phacelia nashiana](#) Jepson
- [Phacelia neffii](#) B.L.Turner
- [Phacelia neglecta](#) M.E.Jones
- [Phacelia nemoralis](#) Greene.
- [Phacelia neomexicana](#) Thurb. ex Torr.
- [Phacelia novemmillensis](#) Munz
- [Phacelia nudicaulis](#) Eastwood

O

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)

- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Phacelia orbiculatis*](#) Rydb.
- [*Phacelia orcuttiana*](#) A.Gray
- [*Phacelia orogenes*](#) Brand

P

Contents:

- [Top](#)
- [0–9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)



[Phacelia parryi](#)

- [Phacelia pachyphylla](#) A.Gray
- [Phacelia pallida](#) I.M.Johnst.
- [Phacelia palmeri](#) Torr. ex S.Wats.
- [Phacelia parishii](#) A.Gray
- [Phacelia parryi](#) Torr.
- [Phacelia parviflora](#) Phil. or Pursh
- [Phacelia patuliflora](#) A.Gray
- [Phacelia pauciflora](#) S.Watson
- [Phacelia peckii](#) Howell
- [Phacelia pedicellata](#) A.Gray
- [Phacelia peirsoniana](#) Howell
- [Phacelia perityloides](#) Coville
- [Phacelia peruviana](#) Spreng.
- [Phacelia petiolata](#) I.M.Johnst.
- [Phacelia petrosa](#) N.D.Atwood, F.J.Sm. & T.A.Knight
- [Phacelia phacelioides](#) Brand - Mt. Diablo phacelia
- [Phacelia phyllomanica](#) A.Gray
- [Phacelia piersoniae](#) L.Williams
- [Phacelia pinnata](#) Macbride
- [Phacelia pinnatifida](#) Griseb. ex Wedd.
- [Phacelia platycarpa](#) Spreng.

- [Phacelia platyloba](#) A.Gray
- [Phacelia polysperma](#) Brand
- [Phacelia popei](#) Torr. & Gray
- [Phacelia potosina](#) B.L.Turner
- [Phacelia pringlei](#) A.Gray
- [Phacelia procera](#) A.Gray



[Miami Mist](#)

Phacelia purshii

- [Phacelia prunellaefolia](#) Bertero ex Brand
- [Phacelia pulchella](#) [A.Gray](#)
- [Phacelia pulcherrima](#) Constance
- [Phacelia purpusii](#) Brandegees
- [Phacelia purshii](#) - Miami mist

Q

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Phacelia quickii*](#) Howell

R

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)



[*Phacelia rotundifolia*](#)

- [*Phacelia racemosa*](#) A.Heller
- [*Phacelia rafaensis*](#) Atwood
- [*Phacelia ramosissima*](#) Dougl. ex Lehm. - branching scorpionweed
- [*Phacelia ranunculacea*](#) (Nutt.)Constance
- [*Phacelia rattanii*](#) A.Gray
- [*Phacelia robusta*](#) (Macbride) I.M.Johnst.
- [*Phacelia rotundifolia*](#) Torr. ex S.Wats.
- [*Phacelia rudis*](#) Dougl. ex A.DC.
- [*Phacelia rugulosa*](#) Lemmon. ex Greene
- [*Phacelia rupestris*](#) Greene

S

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Phacelia salina](#) (A.Nelson) Howell
- [Phacelia sanzini](#) Hicken
- [Phacelia saxicola](#) A.Gray



[Phacelia secunda](#)

- [Phacelia scariosa](#) Brandegees
- [Phacelia scopulina](#) (A.Nelson)Howell
- [Phacelia secunda](#) J.F.Gmel.
- [Phacelia sericea](#) A.Gray - silky scorpionweed
- [Phacelia serrata](#) J.W.Voss
- [Phacelia setigera](#) Phil.
- [Phacelia sinuata](#) Phil.
- [Phacelia splendens](#) Eastwood
- [Phacelia stebbinsii](#) Constance & Heckard
- [Phacelia stellaris](#) Brand

- [*Phacelia stimulans*](#) Eastw.
- [*Phacelia strictiflora*](#) A.Gray
- [*Phacelia suaveolens*](#) Greene
- [*Phacelia submutica*](#) Howell

T

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)



[*Phacelia tanacetifolia*](#)

- [*Phacelia tanacetifolia*](#) Benth.
- [*Phacelia tenuifolia*](#) Harv. ex Torr.
- [*Phacelia tetramera*](#) Howell
- [*Phacelia thermalis*](#) Greene
- [*Phacelia trichostemoides*](#) Greene ex Brand
- [*Phacelia trifoliata*](#) Gand.
- [*Phacelia tripinnata*](#) Hort. ex Fisch. Mey. & Ave-Lall.

U

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)

- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Phacelia umbrosa*](#) Greene
- [*Phacelia utahensis*](#) J.W.Voss

V

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)

- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia vallicola](#) Congdon ex Brand
- [Phacelia vallis-mortae](#) J.Voss
- [Phacelia verna](#) Howell
- [Phacelia villosa](#) Phil.
- [Phacelia vinifolia](#) Paxt.
- [Phacelia violacea](#) Brand
- [Phacelia viscida](#) Torr.
- [Phacelia vitifolia](#) Steud.
- [Phacelia vossii](#) Atwood

W

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)

- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia welshii](#) Atwood
- [Phacelia whitlavia](#) A.Gray

Z

Contents:

- [Top](#)
- [0-9](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Phacelia zaragozana](#) B.L.Turner

From Wikipedia, the free encyclopedia

Persea is a [genus](#) of [evergreen trees](#) belonging to the laurel family, [Lauraceae](#),^[1] which includes 111 species.^[2] The best-known member of the genus is the [avocado](#), *P. americana*, widely cultivated in subtropical regions for its large, edible [fruit](#). There are more than 200 synonyms in the genus.

Accepted species

- [Persea alba](#) Nees & Mart.
- [Persea albida](#) Kosterm.
- [Persea albiramea](#) van der Werff
- [Persea alpigena](#) (Sw.) Spreng.
- [Persea americana](#) Mill.
- [Persea areolatocostae](#) (C.K.Allen) van der Werff
- [Persea aurata](#) Miq.
- [Persea barbujana](#) (Cav.) Mabb. & Nieto Fel.
- [Persea basiobtus](#) Rohwer
- [Persea benthamiana](#) Meisn.
- [Persea bernardii](#) L.E.Kopp
- [Persea bilocularis](#) L.E.Kopp
- [Persea bolduifolia](#) Mez
- [Persea brenesii](#) Standl.
- [Persea brevipes](#) Meisn.
- [Persea brevipetiolata](#) van der Werff
- [Persea buchtienii](#) O.C.Schmidt
- [Persea bullata](#) L.E.Kopp
- [Persea caerulea](#) (Ruiz & Pav.) Mez
- [Persea caesia](#) Meisn.
- [Persea calva](#) Rohwer & van der Werff
- [Persea campii](#) L.E.Kopp
- [Persea chamissonis](#) Mez
- [Persea chrysantha](#) Lorea-Hern.
- [Persea chrysophylla](#) L.E.Kopp
- [Persea cinerascens](#) Blake
- [Persea conferta](#) L.E.Kopp
- [Persea cordata](#) Meisn.
- [Persea corymbosa](#) Mez
- [Persea costata](#) Meisn.
- [Persea croatii](#) van der Werff
- [Persea croizatii](#) van der Werff

- [Persea cuatrecasasii](#) Kosterm.
- [Persea cuneata](#) Meisn.
- [Persea donnell-smithii](#) Mez
- [Persea dryadum](#) Rohwer
- [Persea fastigiata](#) L.E.Kopp
- [Persea fendleri](#) van der Werff
- [Persea ferruginea](#) Kunth
- [Persea filipes](#) Rusby
- [Persea fuliginosa](#) Nees & Mart.
- [Persea fulva](#) L.E.Kopp
- [Persea fusca](#) Mez
- [Persea glabra](#) van der Werff
- [Persea grandiflora](#) L.E.Kopp
- [Persea haenkeana](#) Mez
- [Persea hexanthera](#) L.E. Kopp
- [Persea hintonii](#) C.K. Allen
- [Persea hirta](#) Nees
- [Persea hypoleuca](#) (A.Rich.) Mez
- [Persea indica](#) (L.) Spreng.
- [Persea jariensis](#) Vattimo-Gil
- [Persea jenmanii](#) Mez
- [Persea julianae](#) van der Werff
- [Persea kostermansii](#) I.M.Turner
- [Persea krugii](#) Mez
- [Persea laevifolia](#) van der Werff
- [Persea lemensis](#) H.Ferrer & Sanoja
- [Persea liebmannii](#) Mez
- [Persea lingue](#) (Miers ex Bertero) Nees
- [Persea longipes](#) (Schltdl.) Meisn.
- [Persea maguirei](#) L.E.Kopp
- [Persea major](#) (Meisn.) L.E.Kopp
- [Persea meridensis](#) L.E.Kopp
- [Persea meziana](#) Rasingam & Karthig.
- [Persea microneura](#) Meisn.
- [Persea mutisii](#) Kunth
- [Persea negracotensis](#) O.C.Schmidt
- [Persea nivea](#) Mez
- [Persea nudigemma](#) van der Werff
- [Persea oblongifolia](#) L.E.Kopp
- [Persea obovata](#) Nees & Mart.
- [Persea obscura](#) Lorea-Hern.
- [Persea obtusifolia](#) L.E.Kopp

- [*Persea pajonalis*](#) van der Werff
- [*Persea pallescens*](#) (Mez) Lorea-Hern.
- [*Persea pedunculosa*](#) Meisn.
- [*Persea perglauc*](#) Lundell
- [*Persea perseiphylla*](#) (C.K.Allen) van der Werff
- [*Persea peruviana*](#) Nees
- [*Persea povedae*](#) W.C.Burger
- [*Persea psammophila*](#) P.L.R.Moraes
- [*Persea pseudofasciculata*](#) L.E.Kopp
- [*Persea pumila*](#) P.L.R.Moraes & R.S.Pacheco
- [*Persea punctata*](#) Meisn.
- [*Persea purpusii*](#) L.E.Kopp
- [*Persea quarciticola*](#) P.L.R.Moraes & Brotto
- [*Persea raimondii*](#) O.Schmidt
- [*Persea rigens*](#) C.K.Allen
- [*Persea rigida*](#) Nees & Mart.
- [*Persea rufescens*](#) Lundell
- [*Persea rufotomentosa*](#) Nees & Mart.
- [*Persea ruizii*](#) J.F.Macbr.
- [*Persea schiedeana*](#) Nees
- [*Persea sericea*](#) Kunth
- [*Persea silvatica*](#) van der Werff
- [*Persea sphaerocarpa*](#) (H.J.P.Winkl.) Kosterm.
- [*Persea splendens*](#) Meisn.
- [*Persea sprucei*](#) Kosterm.
- [*Persea standleyi*](#) C.K.Allen
- [*Persea stricta*](#) Mez
- [*Persea subcordata*](#) (Ruiz & Pav.) Nees
- [*Persea trollii*](#) O.C.Schmidt
- [*Persea urbaniana*](#) Mez
- [*Persea vanderwerffii*](#) Doweld
- [*Persea venosa*](#) Nees & Mart.
- [*Persea veraguasensis*](#) Seem.
- [*Persea vesticula*](#) Standl. & Steyerl.
- [*Persea wangchiana*](#) (Chun) Kosterm.
- [*Persea weberbaueri*](#) Mez
- [*Persea willdenovii*](#) Kosterm.

Formerly placed here

- [*Machilus macranthus*](#) Nees (as *Persea macrantha* (Nees) Kosterm.)
- [*Tamala borbonia*](#) (L.) Raf. (as [*Persea borbonia*](#) (L.) Spreng.)
- [*Tamala palustris*](#) Raf. (as [*Persea palustris*](#) (Raf.) Sarg.)

From Wikipedia, the free encyclopedia

The following is a list of all 1411 [species](#) in the genus *[Peperomia](#)* which are accepted by [Plants of the World Online](#) as of 10 June 2022.^[1]

A

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Peperomia abbreviatipes](#) Trel. & Yunck.
- [Peperomia abdita](#) Proctor
- [Peperomia abnormis](#) Trel.
- [Peperomia abrupteacutata](#) Trel. & Yunck.

- [*Peperomia* × *abscondita*](#) J.W.Moore
- [*Peperomia abyssinica*](#) Miq.
- [*Peperomia acaulis*](#) Alain
- [*Peperomia aceramarcana*](#) Trel.
- [*Peperomia aceroana*](#) C.DC.
- [*Peperomia acreana*](#) C.DC.
- [*Peperomia acuminata*](#) Ruiz & Pav.
- [*Peperomia acuminatissima*](#) Miq.
- [*Peperomia adamsonia*](#) (F.Br.) Yunck.
- [*Peperomia adenocarpa*](#) C.DC.
- [*Peperomia adscendens*](#) C.DC.
- [*Peperomia adsurgens*](#) Yunck.
- [*Peperomia aerea*](#) Trel.
- [*Peperomia aggregata*](#) E.F.Guim. & Carv.-Silva
- [*Peperomia aguabonitensis*](#) Yunck.
- [*Peperomia aguaditana*](#) Trel. & Yunck.
- [*Peperomia aquilae*](#) Trel. & Yunck.
- [*Peperomia agusanensis*](#) C.DC.
- [*Peperomia ainana*](#) Trel.
- [*Peperomia alata*](#) Ruiz & Pav.
- [*Peperomia alatiscapa*](#) Trel.
- [*Peperomia albert-smithii*](#) Trel. & Yunck.
- [*Peperomia albertiana*](#) Yunck.
- [*Peperomia albidiflora*](#) C.DC.
- [*Peperomia albolineata*](#) Trel.
- [*Peperomia albonervosa*](#) G.Mathieu
- [*Peperomia albopilosa*](#) D.Monteiro
- [*Peperomia albovittata*](#) C.DC.
- [*Peperomia aldrinii*](#) Villa
- [*Peperomia alegrensis*](#) Yunck.
- [*Peperomia alibacophylla*](#) Trel. & Yunck.
- [*Peperomia alismifolia*](#) C.Presl
- [*Peperomia alpina*](#) (Sw.) A.Dietr.
- [*Peperomia alternifolia*](#) Yunck.
- [*Peperomia alwynii*](#) Callejas & Betancur
- [*Peperomia ambiguifolia*](#) Trel. & Yunck.
- [*Peperomia amphitricha*](#) Trel.
- [*Peperomia ampla*](#) (Trel.) G.Mathieu
- [*Peperomia amplexicaulis*](#) (Sw.) A.Dietr.
- [*Peperomia amplexifolia*](#) (Link) A.Dietr.
- [*Peperomia andicola*](#) Dahlst.
- [*Peperomia andina*](#) Pino

- [*Peperomia andrei*](#) C.DC.
- [*Peperomia angularis*](#) C.DC.
- [*Peperomia angustata*](#) Kunth
- [*Peperomia ankaranensis*](#) G.Mathieu
- [*Peperomia anomala*](#) Sodiro
- [*Peperomia antioquiensis*](#) Callejas
- [*Peperomia antoniana*](#) Trel.
- [*Peperomia apiahyensis*](#) Yunck.
- [*Peperomia apodophylla*](#) Trel. & Yunck.
- [*Peperomia apurimacana*](#) Trel.
- [*Peperomia arboricola*](#) C.DC.
- [*Peperomia arborigaudens*](#) Trel.
- [*Peperomia arboriseda*](#) C.DC.
- [*Peperomia arbuscula*](#) Yunck.
- [*Peperomia arctebaccata*](#) Trel.
- [*Peperomia arcuatispica*](#) Trel.
- [*Peperomia arenillasensis*](#) Yunck.
- [*Peperomia areolata*](#) Trel.
- [*Peperomia argenteobracteata*](#) Trel. & Yunck.
- [*Peperomia argyreia*](#) (Hook.f.) É.Morren
- [*Peperomia argyroneura*](#) Lauterb.
- [*Peperomia arifolia*](#) Miq.
- [*Peperomia aristeguietae*](#) Steyerl.
- [*Peperomia armadana*](#) C.DC.
- [*Peperomia armondii*](#) Yunck.
- [*Peperomia armstrongii*](#) Villa
- [*Peperomia aroensis*](#) Steyerl.
- [*Peperomia arthurii*](#) Trel. & Yunck.
- [*Peperomia asarifolia*](#) Schltdl. & Cham.
- [*Peperomia asarifolioides*](#) R.García Mart. & Beutelsp.
- [*Peperomia asperula*](#) Hutchison & Rauh
- [*Peperomia asplundii*](#) Yunck.
- [*Peperomia asterophylla*](#) Trel.
- [*Peperomia astyla*](#) Trel.
- [*Peperomia attenuata*](#) Yunck.
- [*Peperomia augescens*](#) Miq.
- [*Peperomia aurorana*](#) Trel. & Standl.
- [*Peperomia austin-smithii*](#) W.C.Burger
- [*Peperomia australana*](#) Yunck.
- [*Peperomia ayacuchoana*](#) Pino & Samain

B

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Peperomia bajana*](#) Trel. & Yunck.
- [*Peperomia balansana*](#) C.DC.
- [*Peperomia balfourii*](#) C.DC.
- [*Peperomia bamleri*](#) C.DC.
- [*Peperomia bangii*](#) C.DC.
- [*Peperomia bangroana*](#) C.DC.
- [*Peperomia barahonana*](#) C.DC.
- [*Peperomia barbarana*](#) C.DC.
- [*Peperomia barbaranoides*](#) Yunck.
- [*Peperomia barbata*](#) C.DC.

- [*Peperomia barbulata*](#) (C.DC.) Callejas
- [*Peperomia barbulipetiola*](#) C.DC.
- [*Peperomia baronii*](#) Baker
- [*Peperomia barryana*](#) Callejas
- [*Peperomia basiradicans*](#) G.Mathieu
- [*Peperomia bavina*](#) C.DC.
- [*Peperomia beccarii*](#) C.DC.
- [*Peperomia beckeri*](#) E.F.Guim. & R.J.V.Alves
- [*Peperomia bella*](#) Yunck.
- [*Peperomia bellatula*](#) Yunck.
- [*Peperomia bellendenkerensis*](#) Domin
- [*Peperomia berlandieri*](#) Miq.
- [*Peperomia bermudezana*](#) Trel.
- [*Peperomia bernhardiana*](#) C.DC.
- [*Peperomia bernieriana*](#) Miq.
- [*Peperomia bernouillii*](#) C.DC.
- [*Peperomia berryi*](#) Steyererm.
- [*Peperomia berteriana*](#) Miq.
- [*Peperomia bethaniana*](#) Trel. & Yunck.
- [*Peperomia biamenta*](#) Trel. & Yunck.
- [*Peperomia bicolor*](#) Sodiro
- [*Peperomia biformis*](#) C.DC.
- [*Peperomia bilobulata*](#) C.DC.
- [*Peperomia bismarckiana*](#) C.DC.
- [*Peperomia biuncialis*](#) Kunth
- [*Peperomia blackii*](#) Yunck.
- [*Peperomia blanda*](#) (Jacq.) Kunth
- [*Peperomia blephariphylla*](#) Trel. & Yunck.
- [*Peperomia blepharipus*](#) Trel.
- [*Peperomia boekei*](#) Callejas
- [*Peperomia boivinii*](#) C.DC.
- [*Peperomia boliviensis*](#) C.DC.
- [*Peperomia boninsimensis*](#) Makino
- [*Peperomia bopiana*](#) Trel.
- [*Peperomia borbonensis*](#) Miq.
- [*Peperomia borburatensis*](#) Steyererm.
- [*Peperomia botterii*](#) C.DC.
- [*Peperomia bourneae*](#) C.DC.
- [*Peperomia brachyphylla*](#) (Willd. ex Roem. & Schult.) Sweet
- [*Peperomia brachypoda*](#) Urb.
- [*Peperomia brachytricha*](#) Baker
- [*Peperomia bracteata*](#) A.W.Hill

- [Peperomia bracteispica](#) Trel.
- [Peperomia bradei](#) Yunck.
- [Peperomia brasiliensis](#) (Miq.) Miq.
- [Peperomia breedlovei](#) Callejas
- [Peperomia brevihirtella](#) Yunck.
- [Peperomia breviramula](#) C.DC.
- [Peperomia brevispica](#) C.DC.
- [Peperomia brittonii](#) C.DC.
- [Peperomia brouetiana](#) Trel.
- [Peperomia bryophila](#) C.DC.
- [Peperomia buchtienii](#) Yunck.
- [Peperomia buxifolia](#) Sodiro

C

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)

- [Y](#)
- [Z](#)
- [Peperomia cacaophila](#) Trel. & Yunck.
- [Peperomia cachabiana](#) C.DC.
- [Peperomia caducifolia](#) Trel.
- [Peperomia caespitosa](#) C.DC.
- [Peperomia cainarachiana](#) Yunck.
- [Peperomia calcicola](#) Marcusso
- [Peperomia caledonica](#) C.DC.
- [Peperomia caliginigaudens](#) Trel. & Yunck.
- [Peperomia callana](#) Hutchison ex Pino
- [Peperomia callophylla](#) Yunck.
- [Peperomia calvescens](#) Trel.
- [Peperomia calvicaulis](#) C.DC.
- [Peperomia calvifolia](#) C.DC.
- [Peperomia campana](#) Callejas
- [Peperomia campinasana](#) C.DC.
- [Peperomia camposii](#) Sodiro
- [Peperomia camptotricha](#) Miq.
- [Peperomia canalensis](#) C.DC.
- [Peperomia canaminana](#) Trel.
- [Peperomia candelaber](#) Trel.
- [Peperomia candida](#) (Blume) Miq.
- [Peperomia caniana](#) Trel.
- [Peperomia canlaonensis](#) C.DC.
- [Peperomia caperata](#) Yunck.
- [Peperomia capitis-bovis](#) Trel.
- [Peperomia caraboboensis](#) Steyerm. & Bunting
- [Peperomia cardenasii](#) Trel.
- [Peperomia carnevalii](#) Steyerm.
- [Peperomia carnicaulis](#) C.DC.
- [Peperomia carnifolia](#) Yunck.
- [Peperomia carpapatana](#) Trel.
- [Peperomia carpinterana](#) C.DC.
- [Peperomia casapiana](#) C.DC.
- [Peperomia casarettoi](#) C.DC.
- [Peperomia castelosensis](#) Yunck.
- [Peperomia castilloi](#) Verg.-Rodr. & Jimeno-Sevilla
- [Peperomia catharinae](#) Miq.
- [Peperomia caucana](#) C.DC.
- [Peperomia cavaleriei](#) C.DC.
- [Peperomia cavispicata](#) G.Mathieu

- [*Peperomia celiae*](#) Yunck.
- [*Peperomia cerea*](#) Trel.
- [*Peperomia cereoides*](#) Pino & Cieza
- [*Peperomia ceroderma*](#) Yunck.
- [*Peperomia cerrateae*](#) Pino & G.Mathieu
- [*Peperomia chahuapichana*](#) Trel.
- [*Peperomia chanchamayana*](#) Trel.
- [*Peperomia chapensis*](#) Steyererm.
- [*Peperomia chazaroi*](#) G.Mathieu & T.Krömer
- [*Peperomia chicamochana*](#) Trel. & Yunck.
- [*Peperomia chigorodoana*](#) Yunck.
- [*Peperomia chimboana*](#) C.DC.
- [*Peperomia chlorodisca*](#) Diels
- [*Peperomia choritana*](#) Trel.
- [*Peperomia choroniana*](#) C.DC.
- [*Peperomia christophersenii*](#) Yunck.
- [*Peperomia chutanka*](#) Pino
- [*Peperomia ciezae*](#) Pino
- [*Peperomia ciliaris*](#) C.DC.
- [*Peperomia ciliata*](#) Kunth
- [*Peperomia ciliatifolia*](#) Trel.
- [*Peperomia ciliatocaespitosa*](#) Carv.-Silva
- [*Peperomia cilifolia*](#) C.DC.
- [*Peperomia ciliifolia*](#) Yunck.
- [*Peperomia ciliolata*](#) Miq.
- [*Peperomia ciliolibracteae*](#) C.DC.
- [*Peperomia ciliosa*](#) C.DC.
- [*Peperomia circinnata*](#) Link
- [*Peperomia cladara*](#) Yunck.
- [*Peperomia claudii*](#) C.DC.
- [*Peperomia claussenii*](#) Yunck.
- [*Peperomia clavatispica*](#) Trel. & Yunck.
- [*Peperomia clavigera*](#) Standl. & Steyererm.
- [*Peperomia claytonioides*](#) Kunth
- [*Peperomia clivicola*](#) Yunck.
- [*Peperomia clivigaudens*](#) Yunck.
- [*Peperomia clusiifolia*](#) (Jacq.) Hook.
- [*Peperomia coatzacalcosensis*](#) Trel.
- [*Peperomia cobana*](#) C.DC.
- [*Peperomia cochinensis*](#) C.DC.
- [*Peperomia cocleana*](#) Trel.
- [*Peperomia cogniauxii*](#) Urb.

- [Peperomia collinsii](#) Villa
- [Peperomia coloniae](#) Trel.
- [Peperomia colorata](#) Kunth
- [Peperomia colossina](#) C.DC.
- [Peperomia columella](#) Rauh & Hutchison
- [Peperomia columnaris](#) Hutchison ex Pino & Klopff.
- [Peperomia comaltitlanensis](#) Callejas
- [Peperomia comarapana](#) C.DC.
- [Peperomia commersonii](#) Baill.
- [Peperomia concava](#) Ruiz & Pav.
- [Peperomia confertispica](#) Trel.
- [Peperomia congerro](#) Trel. & Yunck.
- [Peperomia congesta](#) Kunth
- [Peperomia congestispica](#) Trel.
- [Peperomia congona](#) Sodiro
- [Peperomia conjugata](#) Kunth
- [Peperomia connixa](#) Trel. & Yunck.
- [Peperomia conocarpa](#) Trel.
- [Peperomia consoquitlana](#) C.DC.
- [Peperomia conturbans](#) Trel. & Yunck.
- [Peperomia convexa](#) (Blume) Miq.
- [Peperomia cookiana](#) C.DC.
- [Peperomia copelandii](#) Quisumb.
- [Peperomia coquimbensis](#) Skottsb.
- [Peperomia corcovadensis](#) Gardner
- [Peperomia cordata](#) Trel. & Yunck.
- [Peperomia cordigera](#) Dahlst.
- [Peperomia cordovana](#) C.DC.
- [Peperomia cordulata](#) C.DC.
- [Peperomia cordulatiformis](#) Trel.
- [Peperomia cordulilimba](#) C.DC.
- [Peperomia coroicoensis](#) Yunck.
- [Peperomia costata](#) G.Mathieu
- [Peperomia cotoneasterifolia](#) Trel.
- [Peperomia cotyledon](#) Benth.
- [Peperomia coulteri](#) C.DC.
- [Peperomia cowanii](#) Yunck.
- [Peperomia crassicaulis](#) Fawc. & Rendle
- [Peperomia crassispica](#) Trel.
- [Peperomia crassulicaulis](#) Trel.
- [Peperomia crinicaulis](#) C.DC.
- [Peperomia crinigera](#) Trel.

- [*Peperomia crispa*](#) Sodiro
- [*Peperomia crispipetiola*](#) Trel.
- [*Peperomia croizatiana*](#) Steyererm.
- [*Peperomia crotalophora*](#) Trel.
- [*Peperomia cruentata*](#) Trel.
- [*Peperomia crusulibacca*](#) Trel.
- [*Peperomia cruzeirensis*](#) Carv.-Silva, E.F.Guim. & P.E.A.S.Câmara
- [*Peperomia crypticola*](#) C.DC.
- [*Peperomia cryptostachya*](#) Trel. & Yunck.
- [*Peperomia crystallina*](#) Ruiz & Pav.
- [*Peperomia cubensis*](#) C.DC.
- [*Peperomia cubugonana*](#) Trel. & Yunck.
- [*Peperomia cuchumatana*](#) Véliz
- [*Peperomia cumbreana*](#) Trel. & Yunck.
- [*Peperomia cundinamarcana*](#) Trel. & Yunck.
- [*Peperomia cuprea*](#) Trel.
- [*Peperomia cupularis*](#) Urb.
- [*Peperomia curruciformis*](#) Trel.
- [*Peperomia curticaulis*](#) Trel.
- [*Peperomia curtipes*](#) Trel.
- [*Peperomia curtispica*](#) C.DC.
- [*Peperomia cushmana*](#) Trel.
- [*Peperomia cusilluyocana*](#) Trel.
- [*Peperomia cuspidata*](#) Dahlst.
- [*Peperomia cuspidilimba*](#) C.DC.
- [*Peperomia cyclaminoides*](#) A.W.Hill
- [*Peperomia cyclophylla*](#) Miq.
- [*Peperomia cymbifolia*](#) Pino

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)

- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia daguana](#) Trel. & Yunck.
- [Peperomia dahlstedtii](#) C.DC.
- [Peperomia damazioi](#) C.DC.
- [Peperomia darienensis](#) Callejas
- [Peperomia dasystachya](#) Miq.
- [Peperomia dauleana](#) C.DC.
- [Peperomia davidsoniae](#) Yunck.
- [Peperomia debilipes](#) Trel.
- [Peperomia decepatrix](#) Trel.
- [Peperomia decora](#) Dahlst.
- [Peperomia decumbens](#) C.DC.
- [Peperomia deficiens](#) Trel.
- [Peperomia defoliata](#) C.DC.
- [Peperomia degeneri](#) Yunck.
- [Peperomia delascioi](#) Steyerm.
- [Peperomia delicatula](#) Henschen
- [Peperomia dendrophila](#) Schltdl.
- [Peperomia densifolia](#) C.DC.
- [Peperomia dependens](#) Ruiz & Pav.
- [Peperomia deppeana](#) Schltdl. & Cham.
- [Peperomia diamantinensis](#) Carv.-Silva, E.F.Guim. & P.E.A.S.Câmara
- [Peperomia diaphanoides](#) Dahlst.
- [Peperomia dichotoma](#) Regel
- [Peperomia dimota](#) Trel. & Yunck.

- [Peperomia discifolia](#) Sodiro
- [Peperomia discilimba](#) Trel. & Yunck.
- [Peperomia discolor](#) (Sw.) G.Don
- [Peperomia disjunctiflora](#) Yunck.
- [Peperomia dissimilis](#) Kunth
- [Peperomia distachyos](#) (L.) A.Dietr.
- [Peperomia disticha](#) Yunck.
- [Peperomia divaricata](#) Yunck.
- [Peperomia diversifolia](#) Kunth
- [Peperomia doellii](#) Phil.
- [Peperomia dolabella](#) Rauh & Kimmnach
- [Peperomia dolabriformis](#) Kunth
- [Peperomia dominicana](#) C.DC.
- [Peperomia donaguiana](#) C.DC.
- [Peperomia dondonensis](#) Trel.
- [Peperomia dorstenioides](#) Standl. & Steyerm.
- [Peperomia dotana](#) Trel.
- [Peperomia drapeta](#) Trel.
- [Peperomia drusophila](#) C.DC.
- [Peperomia dryadum](#) C.DC.
- [Peperomia duartei](#) Yunck.
- [Peperomia dubia](#) Balle
- [Peperomia duendensis](#) Yunck.
- [Peperomia duricaulis](#) Trel.
- [Peperomia dusenii](#) C.DC.
- [Peperomia dyscrita](#) Trel.

E

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)

- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia ebingeri](#) Yunck.
- [Peperomia eburnea](#) Linden
- [Peperomia ecuadorensis](#) C.DC.
- [Peperomia edulis](#) Miq.
- [Peperomia eekana](#) C.DC.
- [Peperomia effusa](#) Yunck.
- [Peperomia efimbriata](#) Trel.
- [Peperomia eggersii](#) C.DC.
- [Peperomia egleri](#) Yunck.
- [Peperomia ekakesara](#) Syam Radh & Nampy
- [Peperomia elata](#) C.DC.
- [Peperomia elatior](#) G.Mathieu
- [Peperomia elegantifolia](#) Trel.
- [Peperomia elliptica](#) (Lam.) A.Dietr.
- [Peperomia ellipticibacca](#) C.DC.
- [Peperomia ellipticorhombea](#) C.DC.
- [Peperomia ellsworthii](#) Trel. & Yunck.
- [Peperomia elmeri](#) C.DC.
- [Peperomia elsana](#) Trel. & Yunck.
- [Peperomia emarginata](#) Ruiz & Pav.
- [Peperomia emarginatifolia](#) J.Mathew
- [Peperomia emarginella](#) (Sw. ex Wikstr.) C.DC.
- [Peperomia emarginulata](#) C.DC.
- [Peperomia emiliana](#) C.DC.
- [Peperomia enckeifolia](#) Trel.
- [Peperomia endlichii](#) C.DC.

- [*Peperomia enenyasensis*](#) Trel.
- [*Peperomia enervis*](#) F.Muell.
- [*Peperomia epidendron*](#) C.DC.
- [*Peperomia epilobioides*](#) Trel. & Yunck.
- [*Peperomia epipetrica*](#) Callejas
- [*Peperomia epipremnifolia*](#) D.Monteiro & Leitman
- [*Peperomia erosa*](#) Hutchison ex Pino
- [*Peperomia erythrocaulis*](#) G.Mathieu
- [*Peperomia erythropremna*](#) Trel.
- [*Peperomia erythrospicata*](#) Callejas
- [*Peperomia erythrostachya*](#) Trel.
- [*Peperomia esmeraldana*](#) C.DC.
- [*Peperomia esperanzana*](#) Trel.
- [*Peperomia espinosae*](#) Yunck.
- [*Peperomia estaminea*](#) C.DC.
- [*Peperomia estrellana*](#) Trel.
- [*Peperomia ewanii*](#) Trel. & Yunck.
- [*Peperomia exclamationis*](#) G.Mathieu
- [*Peperomia exigua*](#) (Blume) Miq.
- [*Peperomia exiguispica*](#) Trel.
- [*Peperomia exilamenta*](#) Trel.
- [*Peperomia exiliramea*](#) Trel.
- [*Peperomia expallescens*](#) C.DC.

F

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Peperomia fagerlundii*](#) Yunck.
- [*Peperomia falanana*](#) Trel. & Yunck.
- [*Peperomia falcata*](#) Yunck.
- [*Peperomia falconensis*](#) Steyererm.
- [*Peperomia falsa*](#) A.W.Hill
- [*Peperomia famelica*](#) Trel.
- [*Peperomia farctifolia*](#) Trel. & Yunck.
- [*Peperomia fawcettii*](#) C.DC.
- [*Peperomia fendleriana*](#) C.DC.
- [*Peperomia fernandeziana*](#) Miq.
- [*Peperomia fernandopoiana*](#) C.DC.
- [*Peperomia ferreyrae*](#) Yunck.
- [*Peperomia ficta*](#) Trel.
- [*Peperomia filicaulis*](#) C.DC.
- [*Peperomia filiiformis*](#) Ruiz & Pav.
- [*Peperomia fissicola*](#) Trel.
- [*Peperomia fissispica*](#) Trel.
- [*Peperomia flabilis*](#) Trel.
- [*Peperomia flavamenta*](#) Trel.
- [*Peperomia flavescens*](#) C.DC.
- [*Peperomia flavescentifolia*](#) Trel.
- [*Peperomia flavida*](#) C.DC.
- [*Peperomia flexicaulis*](#) Wawra
- [*Peperomia flexinervia*](#) Yunck.
- [*Peperomia fluviatilis*](#) Yunck.
- [*Peperomia foliata*](#) Trel.
- [*Peperomia foliiflora*](#) Ruiz & Pav.
- [*Peperomia foliosa*](#) Kunth
- [*Peperomia folsomii*](#) Callejas

- [Peperomia fosbergii](#) Yunck.
- [Peperomia fournieri](#) C.DC.
- [Peperomia foveolata](#) Steyerm.
- [Peperomia fragilis](#) Yunck.
- [Peperomia fragilissima](#) Trel.
- [Peperomia fragrans](#) C.DC.
- [Peperomia fragrantissima](#) Trel. & Yunck.
- [Peperomia franciscoi](#) Callejas
- [Peperomia fraseri](#) C.DC.
- [Peperomia fruticetorum](#) C.DC.
- [Peperomia fuertesii](#) C.DC.
- [Peperomia fugax](#) C.DC.
- [Peperomia fulvescens](#) Yunck.
- [Peperomia fundacionensis](#) Steyerm.
- [Peperomia furcata](#) Opiz
- [Peperomia fuscipunctata](#) Yunck.
- [Peperomia fuscispica](#) C.DC.
- [Peperomia futunaensis](#) H.St.John

G

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia gabinetensis](#) Trel. & Yunck.
- [Peperomia galapagensis](#) Hook.f. ex Miq.
- [Peperomia galioides](#) Kunth
- [Peperomia garcia-barrigana](#) Trel. & Yunck.
- [Peperomia gardneriana](#) Miq.
- [Peperomia gaultheriifolia](#) Sodiro
- [Peperomia gayi](#) C.DC.
- [Peperomia gedehana](#) C.DC.
- [Peperomia gehrigeri](#) Trel. & Yunck.
- [Peperomia gemella](#) Miq.
- [Peperomia geminispica](#) Trel. & Yunck.
- [Peperomia gentryi](#) Steyerm.
- [Peperomia gerardoii](#) Callejas
- [Peperomia gibba](#) C.DC.
- [Peperomia gigantea](#) G.Mathieu
- [Peperomia giralana](#) Cuatrec.
- [Peperomia glabella](#) (Sw.) A.Dietr.
- [Peperomia glabrilimba](#) C.DC.
- [Peperomia glabrirhachis](#) Trel.
- [Peperomia glandulosa](#) C.DC.
- [Peperomia glareosa](#) Trel.
- [Peperomia glassmanii](#) Yunck.
- [Peperomia glauca](#) (Pino) Pino
- [Peperomia glaziovii](#) C.DC.
- [Peperomia gleicheniiformis](#) Trel.
- [Peperomia globosibacca](#) C.DC.
- [Peperomia globulanthera](#) C.DC.
- [Peperomia gorgonillana](#) Trel. & Yunck.
- [Peperomia goudotii](#) Miq.
- [Peperomia gracieana](#) Görts
- [Peperomia gracilicaulis](#) Yunck.
- [Peperomia gracilis](#) Dahlst.
- [Peperomia gracilispica](#) G.Mathieu
- [Peperomia gracillima](#) S.Watson

- [Peperomia grantii](#) Yunck.
- [Peperomia granulata](#) Trel. & Yunck.
- [Peperomia granulatifolia](#) Trel.
- [Peperomia granulatilimba](#) Trel.
- [Peperomia granulosa](#) Trel.
- [Peperomia graveolens](#) Rauh & Barthlott
- [Peperomia grayumii](#) Callejas
- [Peperomia griggsii](#) C.DC.
- [Peperomia grisarii](#) C.DC.
- [Peperomia grisebachii](#) C.DC.
- [Peperomia griseoargentea](#) Yunck.
- [Peperomia gruendleri](#) C.DC.
- [Peperomia guadaloupensis](#) C.DC.
- [Peperomia guadalupana](#) Trel. & Yunck.
- [Peperomia guaiquinimana](#) Trel. & Yunck.
- [Peperomia guanensis](#) Trel.
- [Peperomia guapilesiana](#) Trel.
- [Peperomia guarujana](#) C.DC.
- [Peperomia guatemalensis](#) C.DC.
- [Peperomia guayrapurana](#) Trel.
- [Peperomia gucayana](#) Trel.
- [Peperomia gutierrezana](#) Yunck.
- [Peperomia guttulata](#) Sodiro
- [Peperomia gymnophylla](#) C.DC.

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia hadrostachya](#) Yunck.
- [Peperomia haematolepis](#) Trel.
- [Peperomia haenkeana](#) Opiz
- [Peperomia hallieri](#) C.DC.
- [Peperomia hamiltonianifolia](#) Trel.
- [Peperomia hammelii](#) Grayum
- [Peperomia harlingii](#) Yunck.
- [Peperomia harmandii](#) C.DC.
- [Peperomia harrisii](#) C.DC.
- [Peperomia hartmannii](#) C.DC.
- [Peperomia hartwegiana](#) Miq.
- [Peperomia haughtii](#) Trel. & Yunck.
- [Peperomia hebetata](#) Trel. & Yunck.
- [Peperomia hedyotideia](#) Ridl.
- [Peperomia hemmendorffii](#) Yunck.
- [Peperomia hendersonensis](#) Yunck.
- [Peperomia heptaphylla](#) Suwanph. & Hodk.
- [Peperomia hernandiifolia](#) (Vahl) A.Dietr.
- [Peperomia herrerae](#) Trel.
- [Peperomia herzogii](#) C.DC.
- [Peperomia hesperomannii](#) Wawra
- [Peperomia heterodoxa](#) Standl. & Steyererm.
- [Peperomia heterophylla](#) Miq.
- [Peperomia heterostachya](#) A.Dietr.
- [Peperomia heyneana](#) Miq.
- [Peperomia hilariana](#) Miq.
- [Peperomia hildebrandtii](#) Vatke ex C.DC.
- [Peperomia hintonii](#) Yunck.

- [*Peperomia hirta*](#) C.DC.
- [*Peperomia hirtella*](#) Miq.
- [*Peperomia hirtellicaulis*](#) Yunck.
- [*Peperomia hirticaulis*](#) C.DC.
- [*Peperomia hirtipeduncula*](#) C.DC.
- [*Peperomia hirtipetiola*](#) C.DC.
- [*Peperomia hispidosa*](#) Dahlst.
- [*Peperomia hispidula*](#) (Sw.) A.Dietr.
- [*Peperomia hispiduliformis*](#) Trel.
- [*Peperomia hobbitoides*](#) T.Wendt
- [*Peperomia hodgei*](#) Yunck.
- [*Peperomia hoelscheri*](#) H.J.P.Winkl.
- [*Peperomia hoffmannii*](#) C.DC.
- [*Peperomia hombronii*](#) C.DC.
- [*Peperomia honigii*](#) Steyerm.
- [*Peperomia huacapistanana*](#) Trel.
- [*Peperomia huallagana*](#) Trel.
- [*Peperomia huantana*](#) Trel.
- [*Peperomia huanucoana*](#) Trel.
- [*Peperomia huatuscoana*](#) C.DC.
- [*Peperomia huberi*](#) C.DC.
- [*Peperomia humbertii*](#) G.Mathieu
- [*Peperomia humifusa*](#) Yunck.
- [*Peperomia humilis*](#) A.Dietr.
- [*Peperomia hunteriana*](#) P.I.Forst.
- [*Peperomia hutchisonii*](#) Yunck.
- [*Peperomia hydnostachya*](#) (Trel.) Callejas
- [*Peperomia hydrocotyloides*](#) Miq.
- [*Peperomia hygrophiloides*](#) C.DC.
- [*Peperomia hylophila*](#) C.DC.
- [*Peperomia hypoleuca*](#) Miq.
- [*Peperomia hyporhoda*](#) Trel.

I

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Peperomia ibiramana*](#) Yunck.
- [*Peperomia ilaloensis*](#) Sodiro
- [*Peperomia imerinae*](#) C.DC.
- [*Peperomia immolata*](#) Trel. & Yunck.
- [*Peperomia inaequalifolia*](#) Ruiz & Pav.
- [*Peperomia inaequalilimba*](#) C.DC.
- [*Peperomia inaequilatera*](#) Trel.
- [*Peperomia incana*](#) (Haw.) Hook.
- [*Peperomia incisa*](#) Trel.
- [*Peperomia incognita*](#) Callejas
- [*Peperomia inconspicua*](#) C.DC.
- [*Peperomia increscens*](#) Miq.
- [*Peperomia induratifolia*](#) Trel.
- [*Peperomia infralutea*](#) Trel. & Yunck.
- [*Peperomia infravillosa*](#) Trel.
- [*Peperomia inquilina*](#) Hemsl.
- [*Peperomia insueta*](#) Trel.
- [*Peperomia involucrata*](#) Sodiro
- [*Peperomia irrasa*](#) G.Mathieu
- [*Peperomia itatiaiana*](#) Yunck.

- [*Peperomia itayana*](#) Trel.

J

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Peperomia jalcaensis*](#) Pino
- [*Peperomia jamaicana*](#) Yunck.
- [*Peperomia jamesoniana*](#) C.DC.
- [*Peperomia japonica*](#) Makino
- [*Peperomia josei*](#) Yunck.
- [*Peperomia junghuhniana*](#) Miq.
- [*Peperomia juniniana*](#) Trel.
- [*Peperomia juruana*](#) C.DC.

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Peperomia kalimatina* C.DC.](#)
- [*Peperomia kamerunana* C.DC.](#)
- [*Peperomia kerinciensis* I.M.Turner](#)
- [*Peperomia kinnachii* Rauh](#)
- [*Peperomia kipahuluensis* H.H.St.John & Lamoureux](#)
- [*Peperomia kjellii* G.Mathieu](#)
- [*Peperomia klopfensteinii* Pino & Cieza](#)
- [*Peperomia klotzschiana* Miq.](#)
- [*Peperomia klugiana* Trel. & Yunck.](#)
- [*Peperomia kokeana* Yunck.](#)

- [*Peperomia kotana*](#) C.DC.
- [*Peperomia kraemeri*](#) C.DC.
- [*Peperomia kravangensis*](#) Miq.
- [*Peperomia kuhliana*](#) Miq.
- [*Peperomia kuntzei*](#) C.DC.
- [*Peperomia kusaiensis*](#) Hosok.

L

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Peperomia laeteviridis*](#) Engl.
- [*Peperomia laevifolia*](#) (Blume) Miq.
- [*Peperomia laevilimba*](#) Yunck.

- [*Peperomia lagunaensis*](#) C.DC.
- [*Peperomia lanaoensis*](#) C.DC.
- [*Peperomia lanceolata*](#) C.DC.
- [*Peperomia lanceolatopeltata*](#) C.DC.
- [*Peperomia lancifolia*](#) Hook.
- [*Peperomia lanosa*](#) Trel.
- [*Peperomia lanuginosa*](#) Pino
- [*Peperomia lasierrana*](#) Trel. & Yunck.
- [*Peperomia lasiophylla*](#) C.DC.
- [*Peperomia lasiorhachis*](#) C.DC.
- [*Peperomia lasiostigma*](#) C.DC.
- [*Peperomia latibracteata*](#) Quisumb.
- [*Peperomia latifolia*](#) Miq.
- [*Peperomia latilimba*](#) Yunck.
- [*Peperomia latimerana*](#) C.DC.
- [*Peperomia lauterbachii*](#) K.Schum.
- [*Peperomia lawrancei*](#) Trel. & Yunck.
- [*Peperomia laxiflora*](#) Kunth
- [*Peperomia ledermannii*](#) C.DC.
- [*Peperomia lehmannii*](#) C.DC.
- [*Peperomia leptophylla*](#) Miq.
- [*Peperomia leptostachya*](#) Hook. & Arn.
- [*Peperomia leptostachyoides*](#) C.DC.
- [*Peperomia leucanthera*](#) C.DC.
- [*Peperomia leucorrhachis*](#) Sodiro ex C.DC.
- [*Peperomia leucostachya*](#) C.DC.
- [*Peperomia lewisii*](#) Proctor
- [*Peperomia liclicensis*](#) Pino & Klopf.
- [*Peperomia liebmannii*](#) C.DC.
- [*Peperomia liesneri*](#) Steyerm.
- [*Peperomia lifuana*](#) C.DC.
- [*Peperomia lignescens*](#) C.DC.
- [*Peperomia ligustrina*](#) Hillebr.
- [*Peperomia lilliputiana*](#) (Pino & Cieza) Pino
- [*Peperomia limana*](#) Trel. & Standl.
- [*Peperomia linaresii*](#) Véliz
- [*Peperomia lindeniana*](#) Miq.
- [*Peperomia lineatipila*](#) A.Rich.
- [*Peperomia litana*](#) Trel. & Yunck.
- [*Peperomia loefgrenii*](#) Yunck.
- [*Peperomia lonchophylloides*](#) C.DC.
- [*Peperomia longepedunculata*](#) Opiz

- [Peperomia longipetiolata](#) Trel. & Yunck.
- [Peperomia longipila](#) C.DC.
- [Peperomia longisetosa](#) Callejas
- [Peperomia lorentzii](#) C.DC.
- [Peperomia loucoubeana](#) C.DC.
- [Peperomia loxensis](#) Kunth
- [Peperomia lyallii](#) C.DC.
- [Peperomia lyman-smithii](#) Yunck.

M

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia macbrideana](#) Trel.

- [*Peperomia macedoana*](#) Yunck.
- [*Peperomia macraeana*](#) C.DC.
- [*Peperomia macrandra*](#) C.DC.
- [*Peperomia macrorhiza*](#) Kunth
- [*Peperomia macrorostrum*](#) Callejas
- [*Peperomia macrostachyos*](#) (Vahl) A.Dietr.
- [*Peperomia macrothyrsa*](#) Miq.
- [*Peperomia macrotricha*](#) C.DC.
- [*Peperomia maculosa*](#) (L.) Hook.
- [*Peperomia madagascariensis*](#) C.DC.
- [*Peperomia maestrana*](#) Trel.
- [*Peperomia magnifoliiflora*](#) G.Mathieu
- [*Peperomia magnoliifolia*](#) (Jacq.) A.Dietr.
- [*Peperomia maguirei*](#) Yunck.
- [*Peperomia maijeri*](#) Pino & Samain
- [*Peperomia majalis*](#) Trel.
- [*Peperomia mameiana*](#) C.DC.
- [*Peperomia manabina*](#) C.DC.
- [*Peperomia manarae*](#) Steyerf.
- [*Peperomia mandioccana*](#) Miq.
- [*Peperomia mantadiana*](#) G.Mathieu
- [*Peperomia mantaroana*](#) Pino
- [*Peperomia marahuacensis*](#) Steyerf.
- [*Peperomia maransara*](#) Trel.
- [*Peperomia marcapatana*](#) Trel.
- [*Peperomia marchionensis*](#) F.Br.
- [*Peperomia marcoana*](#) C.DC.
- [*Peperomia margaritifera*](#) Bertero ex Hook.
- [*Peperomia mariannensis*](#) C.DC.
- [*Peperomia marivelesana*](#) C.DC.
- [*Peperomia marmorata*](#) Hook.f.
- [*Peperomia marshalliana*](#) Trel.
- [*Peperomia martiana*](#) Miq.
- [*Peperomia masuthoniana*](#) Suwanph. & Chantar.
- [*Peperomia mathewsiana*](#) Miq.
- [*Peperomia mathieu*](#) Pino & Samain
- [*Peperomia matlalucaensis*](#) C.DC.
- [*Peperomia mauiensis*](#) Wawra
- [*Peperomia maxonii*](#) C.DC.
- [*Peperomia maxwellana*](#) C.DC.
- [*Peperomia maypurensis*](#) Kunth
- [*Peperomia meeboldii*](#) C.DC.

- [*Peperomia megalepis*](#) Trel.
- [*Peperomia megalopoda*](#) Trel.
- [*Peperomia megapotamica*](#) Dahlst.
- [*Peperomia melanokirrocarpa*](#) Gilli
- [*Peperomia melanosticta*](#) Sodiro
- [*Peperomia melinii*](#) Yunck.
- [*Peperomia membranacea*](#) Hook. & Arn.
- [*Peperomia mercedana*](#) C.DC.
- [*Peperomia meridana*](#) Yunck.
- [*Peperomia merrillii*](#) C.DC.
- [*Peperomia mesitasana*](#) Trel. & Yunck.
- [*Peperomia metallica*](#) L.Linden & Rodigas
- [*Peperomia metcalfii*](#) Trel. & Yunck.
- [*Peperomia mexicana*](#) (Miq.) Miq.
- [*Peperomia microlepis*](#) Trel.
- [*Peperomia micromamillata*](#) Trel.
- [*Peperomia micromerioides*](#) Sodiro
- [*Peperomia microphylla*](#) Kunth
- [*Peperomia microphyllophora*](#) Trel. & Yunck.
- [*Peperomia microstachya*](#) C.DC.
- [*Peperomia millei*](#) Sodiro
- [*Peperomia mindoroensis*](#) C.DC.
- [*Peperomia minensis*](#) Henschen
- [*Peperomia minuta*](#) A.W.Hill
- [*Peperomia miqueliana*](#) C.DC.
- [*Peperomia mishuyacana*](#) Trel.
- [*Peperomia mitchelioides*](#) Sodiro
- [*Peperomia mitoensis*](#) Pino & Samain
- [*Peperomia mixtifolia*](#) Trel. ex Callejas
- [*Peperomia mocoana*](#) Yunck.
- [*Peperomia mocquersii*](#) C.DC.
- [*Peperomia modicilimba*](#) C.DC.
- [*Peperomia molleri*](#) C.DC.
- [*Peperomia mollicaulis*](#) C.DC.
- [*Peperomia mollis*](#) Kunth
- [*Peperomia mollisoides*](#) Yunck.
- [*Peperomia monostachya*](#) Ruiz & Pav.
- [*Peperomia montana*](#) C.DC.
- [*Peperomia montecristana*](#) Trel.
- [*Peperomia monticola*](#) Miq.
- [*Peperomia moralesii*](#) Véliz
- [*Peperomia moreliana*](#) Yunck.

- [*Peperomia morungavana*](#) Yunck.
- [*Peperomia mosenii*](#) Dahlst.
- [*Peperomia moulmeiniana*](#) C.DC.
- [*Peperomia moyobambana*](#) (C.DC.) C.DC.
- [*Peperomia multifolia*](#) Yunck.
- [*Peperomia multiformis*](#) Trel.
- [*Peperomia multispica*](#) C.DC.
- [*Peperomia multisurcula*](#) Suwanph. & Hodk.
- [*Peperomia muscicola*](#) Ridl.
- [*Peperomia muscigaudens*](#) C.DC.
- [*Peperomia muscipara*](#) Trel. & Yunck.
- [*Peperomia muscophila*](#) C.DC.
- [*Peperomia mutilata*](#) Trel.
- [*Peperomia myrtifolia*](#) (Vahl) A.Dietr.

N

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)

- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia naevifolia](#) Trel.
- [Peperomia naitasiriensis](#) Yunck.
- [Peperomia nakaharae](#) Hayata
- [Peperomia namosiana](#) Yunck.
- [Peperomia nandalana](#) Yunck.
- [Peperomia nandarivatensis](#) Yunck.
- [Peperomia naranjoana](#) C.DC.
- [Peperomia naviculifolia](#) Trel.
- [Peperomia neblinana](#) Yunck.
- [Peperomia negrosensis](#) C.DC.
- [Peperomia nequejahirana](#) Trel.
- [Peperomia nervosovenosa](#) (Blume) Miq.
- [Peperomia nicolliae](#) G.Mathieu
- [Peperomia nigricans](#) Trel.
- [Peperomia nigro-oculata](#) Trel.
- [Peperomia nigroungulata](#) Trel. & Yunck.
- [Peperomia nitida](#) Dahlst.
- [Peperomia nivalis](#) Miq.
- [Peperomia nizaitoensis](#) C.DC.
- [Peperomia nodosa](#) Yunck.
- [Peperomia non-alata](#) Trel.
- [Peperomia nopalana](#) G.Mathieu
- [Peperomia nossibean](#) C.DC.
- [Peperomia novemnervia](#) C.DC.
- [Peperomia nudicaulis](#) C.DC.
- [Peperomia nudifolia](#) C.DC.
- [Peperomia nummularioides](#) Griseb.

O

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia oahuensis](#) C.DC.
- [Peperomia obcordata](#) C.Presl
- [Peperomia obcordatifolia](#) Trel.
- [Peperomia obex](#) Trel.
- [Peperomia oblancifolia](#) Yunck.
- [Peperomia obliqua](#) Ruiz & Pav.
- [Peperomia obovalifolia](#) Callejas
- [Peperomia obovalis](#) Trel. & Yunck.
- [Peperomia obovatilimba](#) C.DC.
- [Peperomia obruenda](#) Trel.
- [Peperomia obscurifolia](#) C.DC.
- [Peperomia obtusifolia](#) (L.) A.Dietr.
- [Peperomia occulta](#) G.Mathieu
- [Peperomia ocoana](#) Ekman ex Trel.
- [Peperomia ocrosensis](#) G.Mathieu & Pino
- [Peperomia ocumarana](#) Trel. & Yunck.
- [Peperomia oerstedii](#) C.DC.
- [Peperomia olafiana](#) Trel.
- [Peperomia olivacea](#) C.DC.
- [Peperomia oliveri](#) J.Florence & W.L.Wagner

- [Peperomia ollantaitambona](#) Trel.
- [Peperomia ophistachyera](#) Gilli
- [Peperomia orbiculimba](#) Yunck.
- [Peperomia oreophila](#) Henschen
- [Peperomia oscarii](#) Trel. & Yunck.
- [Peperomia ottoniana](#) Kunth ex Miq.
- [Peperomia ouabianae](#) C.DC.
- [Peperomia ovatolanceolata](#) Trel. & Yunck.
- [Peperomia ovatopeltata](#) C.DC.
- [Peperomia oxycarpa](#) C.DC.
- [Peperomia oxyphylla](#) C.DC.

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- Z

- [*Peperomia pachiteana*](#) Trel.
- [*Peperomia pachydermis*](#) C.DC.
- [*Peperomia pachystachya*](#) C.DC.
- [*Peperomia painteri*](#) Trel.
- [*Peperomia pakipski*](#) C.DC.
- [*Peperomia palcana*](#) C.DC.
- [*Peperomia pallens*](#) Kunth
- [*Peperomia pallescens*](#) Miq.
- [*Peperomia pallida*](#) (G.Forst.) A.Dietr.
- [*Peperomia pallidibacca*](#) C.DC.
- [*Peperomia pallidinervis*](#) C.DC.
- [*Peperomia palmana*](#) C.DC.
- [*Peperomia palmiformis*](#) Pino & Samain
- [*Peperomia palmirensis*](#) C.DC.
- [*Peperomia pampalcana*](#) Trel.
- [*Peperomia pandiana*](#) C.DC.
- [*Peperomia pangerangoana*](#) C.DC.
- [*Peperomia papillispica*](#) C.DC.
- [*Peperomia papillosa*](#) Dahlst.
- [*Peperomia paradoxa*](#) Diels
- [*Peperomia paramuna*](#) Callejas
- [*Peperomia parasitica*](#) C.DC.
- [*Peperomia parastrata*](#) G.Mathieu
- [*Peperomia parcicilia*](#) C.DC.
- [*Peperomia parcifolia*](#) C.DC.
- [*Peperomia parcipeltata*](#) G.Mathieu
- [*Peperomia parhamii*](#) Yunck.
- [*Peperomia pariensis*](#) Steyerl.
- [*Peperomia parnassiiifolia*](#) Miq.
- [*Peperomia parva*](#) Trel.
- [*Peperomia parvibacca*](#) C.DC.
- [*Peperomia parvibractea*](#) C.DC.
- [*Peperomia parvicaulis*](#) C.DC.
- [*Peperomia parvifolia*](#) C.DC.
- [*Peperomia parvilimba*](#) C.DC.
- [*Peperomia parvipunctulata*](#) Trel.
- [*Peperomia parvisagittata*](#) G.Mathieu & Pino
- [*Peperomia parvulifolia*](#) Trel.
- [*Peperomia pasionana*](#) Trel. ex G.Mathieu
- [*Peperomia patula*](#) C.DC.
- [*Peperomia pavoniana*](#) C.DC.

- [*Peperomia pearcei*](#) Trel.
- [*Peperomia peckelii*](#) C.DC.
- [*Peperomia pecuniifolia*](#) Trel. & Standl.
- [*Peperomia pedicellata*](#) Dahlst.
- [*Peperomia pedunculata*](#) C.DC.
- [*Peperomia pellucida*](#) (L.) Kunth
- [*Peperomia pellucidoides*](#) Yunck.
- [*Peperomia pellucidopunctulata*](#) C.DC.
- [*Peperomia peltaphylla*](#) Trel. & Yunck.
- [*Peperomia peltifolia*](#) C.DC.
- [*Peperomia peltigera*](#) C.DC.
- [*Peperomia peltilimba*](#) C.DC. ex Trel.
- [*Peperomia peltoidea*](#) Kunth
- [*Peperomia pendulicaulis*](#) C.DC.
- [*Peperomia penduliramea*](#) Yunck.
- [*Peperomia penicillata*](#) C.DC.
- [*Peperomia pentadactyla*](#) Yunck.
- [*Peperomia peploides*](#) Kunth
- [*Peperomia percalvescens*](#) Trel.
- [*Peperomia perciliata*](#) Yunck.
- [*Peperomia pereirae*](#) Yunck.
- [*Peperomia pereneana*](#) Trel.
- [*Peperomia pereskiiifolia*](#) (Jacq.) Kunth
- [*Peperomia perforata*](#) Opiz
- [*Peperomia perglandulosa*](#) Yunck.
- [*Peperomia perherbacea*](#) Trel.
- [*Peperomia perlongicaulis*](#) Yunck.
- [*Peperomia perlongipedunculata*](#) Trel. & Yunck.
- [*Peperomia perlongipes*](#) C.DC.
- [*Peperomia perlongispica*](#) Yunck.
- [*Peperomia pernambucensis*](#) Miq.
- [*Peperomia perodiniana*](#) Trel.
- [*Peperomia persuculenta*](#) Yunck.
- [*Peperomia persulcata*](#) Yunck.
- [*Peperomia pertomentella*](#) Trel.
- [*Peperomia peruviana*](#) Dahlst.
- [*Peperomia petiolaris*](#) C.DC.
- [*Peperomia petiolata*](#) Hook.f.
- [*Peperomia petraea*](#) C.DC.
- [*Peperomia petrophila*](#) C.DC.
- [*Peperomia philipsonii*](#) Yunck.
- [*Peperomia phyllanthopsis*](#) Trel. & Yunck.

- [*Peperomia physostachya*](#) G.Mathieu
- [*Peperomia pichinchae*](#) C.DC.
- [*Peperomia pichisensis*](#) Trel.
- [*Peperomia pilicaulis*](#) C.DC.
- [*Peperomia pilifera*](#) Trel.
- [*Peperomia pilipetiolata*](#) Callejas
- [*Peperomia pillahuatana*](#) Trel.
- [*Peperomia pilosa*](#) Ruiz & Pav.
- [*Peperomia pilostigma*](#) Yunck.
- [*Peperomia pinedoana*](#) Trel.
- [*Peperomia pinoi*](#) G.Mathieu
- [*Peperomia piresii*](#) Yunck.
- [*Peperomia pitcairnsensis*](#) C.DC.
- [*Peperomia pitiguayana*](#) Trel.
- [*Peperomia pittieri*](#) C.DC.
- [*Peperomia playapampana*](#) Trel.
- [*Peperomia pleiomorpha*](#) Trel.
- [*Peperomia plicata*](#) Opiz
- [*Peperomia plicatifolia*](#) Trel.
- [*Peperomia plurispica*](#) Trel.
- [*Peperomia pluvisilvatica*](#) G.Mathieu
- [*Peperomia poasana*](#) C.DC.
- [*Peperomia poeppigii*](#) Miq.
- [*Peperomia polybotrya*](#) Kunth
- [*Peperomia polycephala*](#) Trel.
- [*Peperomia polymorpha*](#) Trel.
- [*Peperomia polystachya*](#) (Aiton) Hook.
- [*Peperomia polystachyoides*](#) Dahlst.
- [*Peperomia polzii*](#) Rauh ex Bogner
- [*Peperomia ponapensis*](#) C.DC.
- [*Peperomia pongoana*](#) Trel.
- [*Peperomia pontina*](#) Trel.
- [*Peperomia popayanensis*](#) Trel. & Yunck.
- [*Peperomia porphyridea*](#) Diels
- [*Peperomia porriginifera*](#) Trel. & Yunck.
- [*Peperomia portobellensis*](#) Beurl.
- [*Peperomia portoricensis*](#) Urb.
- [*Peperomia portuguesensis*](#) Steyerm.
- [*Peperomia portulacoides*](#) (Lam.) A.Dietr.
- [*Peperomia potamophila*](#) Callejas
- [*Peperomia ppucu-ppucu*](#) Trel.
- [*Peperomia praematura*](#) Trel. & Yunck.

- [Peperomia praeruptorum](#) Trel.
- [Peperomia pringlei](#) C.DC.
- [Peperomia proctorii](#) Yunck.
- [Peperomia procumbens](#) C.DC.
- [Peperomia productamenta](#) Trel.
- [Peperomia profissa](#) Trel.
- [Peperomia prolifera](#) Yunck.
- [Peperomia propugnaculi](#) Trel.
- [Peperomia prostrata](#) B.S.Williams ex Mast. & T.Moore
- [Peperomia pseudoalpina](#) Trel.
- [Peperomia pseudoalternifolia](#) Trel. & Yunck.
- [Peperomia pseudoasarifolia](#) Callejas & G.Mathieu
- [Peperomia pseudobcordata](#) Yunck.
- [Peperomia pseudocasaretti](#) C.DC.
- [Peperomia pseudocobana](#) Yunck.
- [Peperomia pseudoelata](#) Callejas
- [Peperomia pseudoestrellensis](#) C.DC.
- [Peperomia pseudofurcata](#) C.DC.
- [Peperomia pseudoglabella](#) Steyerm.
- [Peperomia pseudohirta](#) Callejas
- [Peperomia pseudohodgei](#) Callejas
- [Peperomia pseudomaculosa](#) Callejas
- [Peperomia pseudopereskiiifolia](#) C.DC.
- [Peperomia pseudoperuviana](#) (Pino) Pino
- [Peperomia pseudophyllantha](#) Samain
- [Peperomia pseudorhombea](#) C.DC.
- [Peperomia pseudorhynchophoros](#) C.DC.
- [Peperomia pseudorufescens](#) C.DC.
- [Peperomia pseudosalicifolia](#) Trel.
- [Peperomia pseudoserratirhachis](#) D.Monteiro
- [Peperomia pseudoumbilicata](#) Yunck.
- [Peperomia pseudovariegata](#) C.DC.
- [Peperomia pseudoverruculosa](#) G.Mathieu
- [Peperomia psilophylla](#) C.DC.
- [Peperomia psilostachya](#) C.DC.
- [Peperomia pteroneura](#) C.DC.
- [Peperomia puberulescens](#) Callejas
- [Peperomia puberulibacca](#) C.DC.
- [Peperomia puberulicaulis](#) Trel. & Yunck.
- [Peperomia puberuliformis](#) Trel.
- [Peperomia puberulilimba](#) C.DC.
- [Peperomia puberulipes](#) Trel.

- [*Peperomia puberulirhachis*](#) C.DC.
- [*Peperomia puberulispica*](#) C.DC.
- [*Peperomia pubescens*](#) Ruiz & Pav.
- [*Peperomia pubescentinervis*](#) Trel.
- [*Peperomia pubicaulis*](#) C.DC.
- [*Peperomia pubilimba*](#) C.DC.
- [*Peperomia pubinervosa*](#) Trel.
- [*Peperomia pubipeduncula*](#) Yunck.
- [*Peperomia pubipetiola*](#) C.DC.
- [*Peperomia pubiramea*](#) Trel.
- [*Peperomia pubirhachis*](#) Yunck.
- [*Peperomia puerto-ospinana*](#) Trel. & Yunck.
- [*Peperomia pugnicaudex*](#) Pino
- [*Peperomia pulchella*](#) (Aiton) A.Dietr.
- [*Peperomia pullispica*](#) Trel.
- [*Peperomia pululaguana*](#) C.DC.
- [*Peperomia pumila*](#) Opiz
- [*Peperomia punctatilamina*](#) Trel. & Yunck.
- [*Peperomia punctulatissima*](#) Trel.
- [*Peperomia punicea*](#) Dahlst.
- [*Peperomia purpurea*](#) Ruiz & Pav.
- [*Peperomia purpureonervosa*](#) G.Mathieu
- [*Peperomia purpurinervis*](#) C.DC.
- [*Peperomia purpurinodis*](#) Yunck.
- [*Peperomia purpurispicata*](#) Callejas
- [*Peperomia pusilla*](#) Callejas
- [*Peperomia putlaensis*](#) G.Mathieu
- [*Peperomia putumayoensis*](#) Trel. & Yunck.
- [*Peperomia pyramidata*](#) Sodiro
- [*Peperomia pyrifolia*](#) Bonpl.

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Peperomia quadrangularis*](#) (J.V.Thomps.) A.Dietr.
- [*Peperomia quadratifolia*](#) Trel.
- [*Peperomia quadricoma*](#) Trel.
- [*Peperomia quadrifolia*](#) (L.) Kunth
- [*Peperomia quaerata*](#) Trel.
- [*Peperomia quaesita*](#) Trel.
- [*Peperomia quaifei*](#) C.DC.
- [*Peperomia querocochana*](#) G.Mathieu & Pino
- [*Peperomia questionis*](#) G.Mathieu
- [*Peperomia quimiriana*](#) Trel.
- [*Peperomia quispicanchiana*](#) Trel.

R

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia racemifolia](#) Trel.
- [Peperomia radiatinervosa](#) G.Mathieu
- [Peperomia radicata](#) Yunck.
- [Peperomia ramboi](#) Yunck.
- [Peperomia rapensis](#) F.Br.
- [Peperomia ratticaudata](#) G.Mathieu
- [Peperomia rauniensis](#) O.Schwartz
- [Peperomia rechingeriae](#) C.DC.
- [Peperomia recurvata](#) (Blume) Miq.
- [Peperomia reflexa](#) Kunth
- [Peperomia regelii](#) C.DC.
- [Peperomia reineckeae](#) C.DC.
- [Peperomia remyi](#) C.DC.
- [Peperomia renifolia](#) Dahlst.
- [Peperomia reptans](#) C.DC.
- [Peperomia reptilis](#) C.DC.
- [Peperomia reticulata](#) Balf.f.
- [Peperomia retivenulosa](#) Yunck.
- [Peperomia retropuberula](#) Yunck.
- [Peperomia retusa](#) (L.f.) A.Dietr.

- [*Peperomia rhexiifolia*](#) Moritzi ex C.DC.
- [*Peperomia rhodophylla*](#) Trel.
- [*Peperomia rhombea*](#) Ruiz & Pav.
- [*Peperomia rhombeifolia*](#) Trel.
- [*Peperomia rhombeoelliptica*](#) Trel.
- [*Peperomia rhombifolia*](#) Trel.
- [*Peperomia rhombiformis*](#) Trel.
- [*Peperomia rhombilimba*](#) Trel.
- [*Peperomia rhomboidea*](#) Hook. & Arn.
- [*Peperomia ricautensis*](#) Yunck.
- [*Peperomia richardsonii*](#) G.Mathieu
- [*Peperomia ridleyi*](#) C.DC.
- [*Peperomia riedeliana*](#) Regel
- [*Peperomia rigidicaulis*](#) C.DC.
- [*Peperomia rioblancoana*](#) Trel. & Yunck.
- [*Peperomia riocaliensis*](#) Trel. & Yunck.
- [*Peperomia riparia*](#) Yunck.
- [*Peperomia ripicola*](#) C.DC.
- [*Peperomia rivulamans*](#) Silverst.
- [*Peperomia rivulorum*](#) C.DC.
- [*Peperomia rizzinii*](#) Yunck.
- [*Peperomia robleana*](#) Trel. & Yunck.
- [*Peperomia robusta*](#) G.Mathieu
- [*Peperomia robustior*](#) (Dahlst.) Urb.
- [*Peperomia rockii*](#) C.DC.
- [*Peperomia rodriguesiana*](#) Balf.f.
- [*Peperomia rosea*](#) Trel.
- [*Peperomia roseopetiolata*](#) Callejas
- [*Peperomia rossii*](#) Rendle ex Baker f.
- [*Peperomia rosulatiformis*](#) Yunck.
- [*Peperomia rotumaensis*](#) H.St.John
- [*Peperomia rotundata*](#) Kunth
- [*Peperomia rotundifolia*](#) (L.) Kunth
- [*Peperomia rotundilimba*](#) C.DC.
- [*Peperomia roxburghiana*](#) (Schult.) A.Dietr.
- [*Peperomia rubea*](#) Trel.
- [*Peperomia rubens*](#) Trel.
- [*Peperomia rubescens*](#) C.DC.
- [*Peperomia rubramenta*](#) Trel. & Yunck.
- [*Peperomia rubricaulis*](#) (Nees) A.Dietr.
- [*Peperomia rubrifolia*](#) Trel.
- [*Peperomia rubrimaculata*](#) C.DC.

- [Peperomia rubrinodis](#) Kunth & C.D.Bouché
- [Peperomia rubripetiola](#) Trel.
- [Peperomia rubrivenosa](#) C.DC.
- [Peperomia rubropunctulata](#) C.DC.
- [Peperomia rufescens](#) C.DC.
- [Peperomia rufescentifolia](#) Trel.
- [Peperomia rufispica](#) Yunck.
- [Peperomia rugata](#) Trel.
- [Peperomia rugatifolia](#) Trel.
- [Peperomia rugosa](#) C.C.Berg, E.A.Mennega & Tolsma
- [Peperomia rupiceda](#) C.DC.
- [Peperomia rupicola](#) C.DC.
- [Peperomia rupigaudens](#) C.DC.
- [Peperomia rurrenabaqueana](#) Trel.
- [Peperomia rusbyi](#) C.DC.
- [Peperomia ruscifolia](#) Kunth

S

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)

- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Peperomia sabaletasana](#) Yunck.
- [Peperomia sachatzinzumba](#) Trel. & Yunck.
- [Peperomia sagittata](#) G.Mathieu
- [Peperomia saintpauliella](#) Grayum
- [Peperomia salaminana](#) Trel. & Yunck.
- [Peperomia salangonis](#) Trel. & Yunck.
- [Peperomia salicifolia](#) C.DC.
- [Peperomia saligna](#) Kunth
- [Peperomia salmonicolor](#) Trel.
- [Peperomia samainiae](#) Pino
- [Peperomia samoensis](#) Warb.
- [Peperomia san-carlosiana](#) C.DC.
- [Peperomia san-felipensis](#) C.DC.
- [Peperomia san-joseana](#) C.DC.
- [Peperomia san-roqueana](#) Trel.
- [Peperomia sanblasensis](#) Callejas
- [Peperomia sandemanii](#) Yunck.
- [Peperomia sandwicensis](#) Miq.
- [Peperomia sangabanensis](#) Trel.
- [Peperomia sanquiniana](#) Trel. & Yunck.
- [Peperomia sansalvadorana](#) C.DC.
- [Peperomia santa-elisae](#) C.DC.
- [Peperomia santa-helenae](#) Trel.
- [Peperomia santanderiana](#) Trel. & Yunck.
- [Peperomia santiagoana](#) Trel.
- [Peperomia sarasinii](#) C.DC.
- [Peperomia saxicola](#) C.DC.
- [Peperomia scabiosa](#) Trel.
- [Peperomia schenckiana](#) Dahlst.
- [Peperomia schizandra](#) Trel.
- [Peperomia schlechteri](#) Lauterb.
- [Peperomia schmidtii](#) C.DC.
- [Peperomia schneepeana](#) D.Parodi
- [Peperomia schultzei](#) Trel. & Yunck.
- [Peperomia schunkeana](#) Trel.
- [Peperomia schwackei](#) C.DC.

- [*Peperomia sclerophylla*](#) Trel.
- [*Peperomia scopulorum*](#) Trel.
- [*Peperomia scutaleifolia*](#) Trel.
- [*Peperomia scutellariifolia*](#) Sodiro
- [*Peperomia scutellifolia*](#) Ruiz & Pav.
- [*Peperomia scutifolia*](#) C.DC.
- [*Peperomia scutilimba*](#) Yunck.
- [*Peperomia secunda*](#) Ruiz & Pav.
- [*Peperomia seemanniana*](#) Miq.
- [*Peperomia segregata*](#) T.S.Dantas, Carv.-Silva & P.E.A.S.Câmara
- [*Peperomia seibertii*](#) Trel.
- [*Peperomia selenophylla*](#) Pino & Cieza
- [*Peperomia seleri*](#) C.DC.
- [*Peperomia semimetralis*](#) C.DC.
- [*Peperomia semipuberula*](#) Trel. & Yunck.
- [*Peperomia seposita*](#) Trel.
- [*Peperomia septemnervis*](#) Ruiz & Pav.
- [*Peperomia septentrionalis*](#) S.Br.
- [*Peperomia serpens*](#) (Sw.) G.Don
- [*Peperomia serratirhachis*](#) Yunck.
- [*Peperomia sierpeana*](#) Callejas
- [*Peperomia silvarum*](#) C.DC.
- [*Peperomia silvicola*](#) C.DC.
- [*Peperomia silvivaga*](#) C.DC.
- [*Peperomia similis*](#) Britton
- [*Peperomia simplex*](#) Desv.
- [*Peperomia simulans*](#) C.DC.
- [*Peperomia simuliformis*](#) Callejas
- [*Peperomia sincorana*](#) C.DC.
- [*Peperomia sirindhorniana*](#) Suwanph. & Chantar.
- [*Peperomia sirupayana*](#) C.DC.
- [*Peperomia skottsbergii*](#) C.DC.
- [*Peperomia smithiana*](#) C.DC.
- [*Peperomia smithii*](#) Trel.
- [*Peperomia sneidernii*](#) Yunck.
- [*Peperomia societatis*](#) J.W.Moore
- [*Peperomia socorronis*](#) Trel.
- [*Peperomia sodiroi*](#) C.DC.
- [*Peperomia soratana*](#) C.DC.
- [*Peperomia soukupii*](#) Trel.
- [*Peperomia spathophylla*](#) Dahlst.
- [*Peperomia spathulata*](#) Ham.

- [*Peperomia spathulifolia*](#) Small
- [*Peperomia sphaerostachya*](#) G.Mathieu
- [*Peperomia spiculata*](#) Trel.
- [*Peperomia spiritus-sancti*](#) E.F.Guim. & Carv.-Silva
- [*Peperomia spruceana*](#) Benth. ex C.DC.
- [*Peperomia sprucei*](#) C.DC.
- [*Peperomia steinbachii*](#) Yunck.
- [*Peperomia stelechophila*](#) C.DC.
- [*Peperomia stellata*](#) (Sw.) A.Dietr.
- [*Peperomia stenocarpa*](#) Regel
- [*Peperomia stenostachya*](#) C.DC.
- [*Peperomia stevensii*](#) Trel.
- [*Peperomia steyermarkii*](#) Yunck.
- [*Peperomia stilifera*](#) Yunck.
- [*Peperomia stipitifolia*](#) Trel.
- [*Peperomia stolonifera*](#) Kunth
- [*Peperomia strawii*](#) Hutchison ex Pino & Klopff.
- [*Peperomia striata*](#) Ruiz & Pav.
- [*Peperomia stroemfeltii*](#) Dahlst.
- [*Peperomia stuebelii*](#) C.DC.
- [*Peperomia suaveolens*](#) Ham.
- [*Peperomia subalata*](#) C.DC.
- [*Peperomia subandina*](#) Trel.
- [*Peperomia subblanda*](#) C.DC.
- [*Peperomia subcalvescens*](#) Trel.
- [*Peperomia subelongata*](#) C.DC.
- [*Peperomia submarginata*](#) Yunck.
- [*Peperomia subflaccida*](#) Yunck.
- [*Peperomia subclaxiflora*](#) C.DC.
- [*Peperomia subpallescens*](#) C.DC.
- [*Peperomia subpetiolata*](#) Yunck.
- [*Peperomia subpilosa*](#) Yunck.
- [*Peperomia subretusa*](#) Yunck.
- [*Peperomia subroseispica*](#) C.DC.
- [*Peperomia subrotunda*](#) (Haw.) A.Dietr.
- [*Peperomia subrotundifolia*](#) C.DC.
- [*Peperomia subrubescens*](#) Yunck.
- [*Peperomia subrubicaulis*](#) C.DC.
- [*Peperomia subrubispica*](#) C.DC.
- [*Peperomia subsericata*](#) Trel.
- [*Peperomia subsetifolia*](#) Yunck.
- [*Peperomia subspathulata*](#) Yunck.

- [Peperomia subternifolia](#) Yunck.
- [Peperomia subvillicaulis](#) Trel.
- [Peperomia succulenta](#) C.DC.
- [Peperomia suchitanensis](#) Trel. & Standl.
- [Peperomia sucumbiosensis](#) Yunck.
- [Peperomia sulbahiensis](#) D.Monteiro & M.Coelho
- [Peperomia sulcata](#) C.DC.
- [Peperomia sumidoriana](#) C.DC.
- [Peperomia suratana](#) Trel. & Yunck.
- [Peperomia suspensa](#) C.DC.
- [Peperomia swartziana](#) Miq.
- [Peperomia sylvatica](#) C.DC.
- [Peperomia sylvestris](#) C.DC.
- [Peperomia sympodialis](#) Trel. & Yunck.
- [Peperomia syringifolia](#) C.DC.

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)

- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Peperomia tablahuasiana](#) C.DC.
- [Peperomia talinifolia](#) Kunth
- [Peperomia tamayoi](#) Trel. & Yunck.
- [Peperomia tambitoensis](#) Trel. & Yunck.
- [Peperomia tamboana](#) Yunck.
- [Peperomia tanalensis](#) Baker
- [Peperomia tancitaroana](#) Trel. ex Viccon & G.Mathieu
- [Peperomia tarapotana](#) C.DC.
- [Peperomia tatei](#) Yunck.
- [Peperomia tejana](#) Trel. & Yunck.
- [Peperomia tenae](#) Trel. & Yunck.
- [Peperomia tenella](#) (Sw.) A.Dietr.
- [Peperomia tenelliformis](#) Trel.
- [Peperomia tenerrima](#) Schltdl. & Cham.
- [Peperomia tenuicaulis](#) C.DC.
- [Peperomia tenuiflora](#) Opiz
- [Peperomia tenuifolia](#) C.DC.
- [Peperomia tenuilimba](#) C.DC.
- [Peperomia tenuimarginata](#) Trel. & Yunck.
- [Peperomia tenuipeduncula](#) C.DC.
- [Peperomia tenuipes](#) Trel.
- [Peperomia tenuipila](#) C.DC.
- [Peperomia tenuiramea](#) C.DC.
- [Peperomia tenuissima](#) C.DC.
- [Peperomia tepoztecoana](#) G.Mathieu
- [Peperomia tequendamana](#) Trel.
- [Peperomia terebinthina](#) G.Mathieu
- [Peperomia teresitensis](#) Trel.
- [Peperomia ternata](#) C.DC.
- [Peperomia terraegaudens](#) Trel. & Yunck.
- [Peperomia tetragona](#) Ruiz & Pav.
- [Peperomia tetraphylla](#) (G.Forst.) Hook. & Arn.
- [Peperomia tetraquetra](#) Sodiro
- [Peperomia teysmannii](#) C.DC.
- [Peperomia theodori](#) Trel.
- [Peperomia thienii](#) Yunck.
- [Peperomia thollonii](#) C.DC.

- [*Peperomia thomeana*](#) C.DC.
- [*Peperomia thorelii*](#) C.DC.
- [*Peperomia ticunhuayana*](#) Trel.
- [*Peperomia tillettii*](#) Steyererm.
- [*Peperomia timbuchiana*](#) Trel.
- [*Peperomia tjibodasana*](#) C.DC.
- [*Peperomia tlapacoyoensis*](#) C.DC.
- [*Peperomia toledoana*](#) Callejas
- [*Peperomia tolimensis*](#) Trel. & Yunck.
- [*Peperomia tomentella*](#) Trel. & Yunck.
- [*Peperomia tomentosa*](#) A.Dietr.
- [*Peperomia tominana*](#) C.DC.
- [*Peperomia tonduzii*](#) C.DC.
- [*Peperomia tooviiiana*](#) J.Florence
- [*Peperomia topoensis*](#) Yunck.
- [*Peperomia toroi*](#) Trel. & Yunck.
- [*Peperomia tovariana*](#) C.DC.
- [*Peperomia tradescantiifolia*](#) O.Schwartz
- [*Peperomia transparens*](#) Miq.
- [*Peperomia trianae*](#) C.DC.
- [*Peperomia trichobracteata*](#) G.Mathieu & T.Krömer
- [*Peperomia trichocarpa*](#) Miq.
- [*Peperomia trichomanoides*](#) Grayum
- [*Peperomia trichophylla*](#) Baker
- [*Peperomia trichopus*](#) Trel.
- [*Peperomia tricolor*](#) Trel.
- [*Peperomia trifolia*](#) (L.) A.Dietr.
- [*Peperomia trinervis*](#) Ruiz & Pav.
- [*Peperomia trinervula*](#) C.DC.
- [*Peperomia trineura*](#) Miq.
- [*Peperomia trineuroides*](#) Dahlst.
- [*Peperomia triplinervis*](#) Sodiro
- [*Peperomia tristachya*](#) Kunth
- [*Peperomia trollii*](#) Hutchison & Rauh
- [*Peperomia tropaeoloides*](#) Sodiro
- [*Peperomia trujilloi*](#) Steyererm.
- [*Peperomia truncicola*](#) C.DC.
- [*Peperomia truncigaudens*](#) C.DC.
- [*Peperomia trunciseda*](#) C.DC.
- [*Peperomia truncivaga*](#) C.DC.
- [*Peperomia tsakiana*](#) C.DC.
- [*Peperomia tuberculata*](#) Yunck.

- [Peperomia tubericordata](#) G.Mathieu
- [Peperomia tuberosa](#) Opiz
- [Peperomia tuerckheimii](#) C.DC.
- [Peperomia tuisana](#) C.DC.
- [Peperomia tumida](#) Sodiro
- [Peperomia tungurahuae](#) Sodiro
- [Peperomia turbinata](#) Dahlst.
- [Peperomia turboensis](#) Yunck.
- [Peperomia turialvensis](#) C.DC.
- [Peperomia tutensis](#) Callejas
- [Peperomia tutunendoana](#) Trel. & Yunck.

U

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- [Z](#)
- [Peperomia uaupesensis](#) Yunck.
- [Peperomia ubate-susanensis](#) Yunck.
- [Peperomia udimontana](#) Trel. & Yunck.
- [Peperomia udisilvestris](#) C.DC.
- [Peperomia umbilicata](#) Ruiz & Pav.
- [Peperomia umbrigaudent](#) Yunck.
- [Peperomia umbrosa](#) G.Mathieu
- [Peperomia uncatispica](#) Trel.
- [Peperomia undeninervia](#) C.DC.
- [Peperomia unduavina](#) C.DC.
- [Peperomia unifoliata](#) Callejas
- [Peperomia unispicata](#) Callejas
- [Peperomia urbani](#) Trel.
- [Peperomia urocarpa](#) Fisch. & C.A.Mey.
- [Peperomia ursina](#) Grayum
- [Peperomia urvilleana](#) A.Rich.

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Peperomia valladolidana](#) Yunck.
- [Peperomia vallensis](#) Trel. & Yunck.
- [Peperomia valliculae](#) Trel.
- [Peperomia vana](#) Trel.
- [Peperomia vareschii](#) Yunck.
- [Peperomia variculata](#) Trel.
- [Peperomia variifolia](#) C.DC.
- [Peperomia variilimba](#) G.Mathieu
- [Peperomia vazquezii](#) G.Mathieu & Verg.-Rodr.
- [Peperomia vellarimalica](#) J.Mathew & P.M.Salim
- [Peperomia velloziana](#) Miq.
- [Peperomia velutina](#) Linden & André
- [Peperomia venabulifolia](#) Trel.
- [Peperomia veneciana](#) Trel. & Yunck.
- [Peperomia venezueliana](#) C.DC.
- [Peperomia venosa](#) Yunck.
- [Peperomia ventenatii](#) Miq.
- [Peperomia ventricosicarpa](#) Trel.
- [Peperomia venulosa](#) Yunck.
- [Peperomia venusta](#) Yunck.
- [Peperomia veraguana](#) Callejas
- [Peperomia verediana](#) Trel.
- [Peperomia verruculosa](#) Dahlst. ex A.W.Hill
- [Peperomia verschaffeltii](#) Linden
- [Peperomia versicolor](#) Trel.
- [Peperomia versteegii](#) C.DC.
- [Peperomia verticillata](#) (L.) A.Dietr.
- [Peperomia verticillatispica](#) Trel. & Yunck.
- [Peperomia vestita](#) C.DC.
- [Peperomia vidaliana](#) Trel.
- [Peperomia villarrealii](#) Yunck.
- [Peperomia villicaulis](#) C.DC.
- [Peperomia villipetiola](#) C.DC.
- [Peperomia villosa](#) C.DC.

- [*Peperomia vinasiana*](#) C.DC.
- [*Peperomia vincentiana*](#) Miq.
- [*Peperomia violacea*](#) C.DC.
- [*Peperomia viracochana*](#) Trel.
- [*Peperomia vitiana*](#) C.DC.
- [*Peperomia vitilevuensis*](#) Yunck.
- [*Peperomia vueltasana*](#) Trel.
- [*Peperomia vulcanica*](#) Baker & C.H.Wright
- [*Peperomia vulcanicola*](#) C.DC.

W

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Peperomia warmingii*](#) C.DC.
- [*Peperomia weberbaueri*](#) C.DC.
- [*Peperomia wernerrauhii*](#) Pino & Samain
- [*Peperomia wheeleri*](#) Britton
- [*Peperomia wibonii*](#) Yunck.
- [*Peperomia williamsii*](#) C.DC.
- [*Peperomia wolfgang-krahnii*](#) Rauh
- [*Peperomia woytkowskii*](#) Yunck.
- [*Peperomia wrayi*](#) C.DC.

X

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Peperomia xalana*](#) G.Mathieu

Y

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Peperomia yabucoana*](#) Urb. & C.DC.
- [*Peperomia yanacachiana*](#) Yunck.
- [*Peperomia yananoensis*](#) Trel.
- [*Peperomia yapasana*](#) Trel.
- [*Peperomia yatuensis*](#) Steyerm.
- [*Peperomia yeracuiana*](#) Trel. & Yunck.
- [*Peperomia yungasana*](#) C.DC.
- [*Peperomia yutajensis*](#) Steyerm.

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Peperomia zarzalana*](#) Trel. & Yunck.
- [*Peperomia zipaquirana*](#) Trel. & Yunck.
- [*Peperomia zongolicana*](#) Jimeno-Sevilla & Verg.-Rodr.

From Wikipedia, the free encyclopedia

[The Plant List](#) has 250 accepted species names (including two primary hybrids) and 9 subspecies or varieties for the [genus](#) [*Pelargonium*](#) as of 2012.^[1]

Contents

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Pelargonium abrotanifolium*](#) Jacq.
- [*Pelargonium acetosum*](#) (L.) L'Hér.
- [*Pelargonium aciculatum*](#) E.M.Marais
- [*Pelargonium acraeum*](#) R.A.Dyer
- [*Pelargonium aestivale*](#) E.M.Marais
- [*Pelargonium afrum*](#) (Eckl. & Zeyh.) Steud.
- [*Pelargonium album*](#) J.J.A.van der Walt
- [*Pelargonium alchemilloides*](#) (L.) Aiton
- [*Pelargonium alpinum*](#) Eckl. & Zeyh.
- [*Pelargonium alternans*](#) J.C.Wendl.
- [*Pelargonium althaeoides*](#) (L.) L'Hér.

- [*Pelargonium anethifolium*](#) Harv.
- [*Pelargonium angustifolium*](#) DC.
- [*Pelargonium antidysentericum*](#) (Eckl. & Zeyh.) Kostel.
- [*Pelargonium apetalum*](#) P.Taylor
- [*Pelargonium appendiculatum*](#) (L.f.) Willd.
- [*Pelargonium aridum*](#) R.A.Dyer
- [*Pelargonium aristatum*](#) (Sweet) G.Don
- [*Pelargonium artemisiifolium*](#) DC.
- [*Pelargonium articulatum*](#) Willd.
- [*Pelargonium asarifolium*](#) (Sweet) D.Don
- [*Pelargonium astragalifolium*](#) Jacq.
- [*Pelargonium attenuatum*](#) Harv.
- [*Pelargonium auritum*](#) (L.) Willd.
 - *Pelargonium auritum* subsp. *carneum* (Harv.) J.J.A.van der Walt
- [*Pelargonium australe*](#) Willd.

B

- [*Pelargonium barbatum*](#) Jacq.
- [*Pelargonium barklyi*](#) Scott-Elliot
- [*Pelargonium betulinum*](#) (L.) L'Hér. ex Aiton
- [*Pelargonium bicolor*](#) Aiton
- [*Pelargonium bifolium*](#) Willd.
- [*Pelargonium bijugum*](#) Steud.
- [*Pelargonium boranense*](#) Friis & Gilbert
- [*Pelargonium bowkeri*](#) Harv.
- [*Pelargonium brevipetalum*](#) N.E.Br.
- [*Pelargonium brevirostre*](#) E.Mey. ex Knuth
- [*Pelargonium bubonifolium*](#) Pers.
- [*Pelargonium burtoniae*](#) L.Bolus

C

- [*Pelargonium caespitosum*](#) Turcz.
- [*Pelargonium caledonicum*](#) L.Bolus
- [*Pelargonium calviniae*](#) Knuth.
- [*Pelargonium campestre*](#) Harv.
- [*Pelargonium candicans*](#) Spreng.
- [*Pelargonium capillare*](#) Willd.
- [*Pelargonium capitatum*](#) (L.) L'Hér.
- [*Pelargonium capituliforme*](#) R.Knuth
- [*Pelargonium carneum*](#) Jacq.
- [*Pelargonium carnosum*](#) (L.) L'Hér.

- [*Pelargonium caroli-henrici*](#) B.Nord.
- [*Pelargonium caucalifolium*](#) Jacq.
 - *Pelargonium caucalifolium* subsp. *convolvulifolium* J.J.A.van der Walt
- [*Pelargonium cavanillesii*](#) R.Knuth
- [*Pelargonium caylae*](#) Humbert
- [*Pelargonium ceratophyllum*](#) L'Hér.
- [*Pelargonium chamaedryfolium*](#) Jacq.
- [*Pelargonium chelidonium*](#) DC.
- [*Pelargonium citronellum*](#) J.J.A.van der Walt
- [*Pelargonium columbinum*](#) Jacq.
- [*Pelargonium confertum*](#) E.M.Marais
- [*Pelargonium cordifolium*](#) Curtis
- [*Pelargonium coronopifolium*](#) Jacq.
- [*Pelargonium cortusaefolium*](#) L'Hér.
- [*Pelargonium cradockense*](#) R.Knuth
- [*Pelargonium crassicaule*](#) L'Hér.
- [*Pelargonium crassipes*](#) Harv.
- [*Pelargonium crinitum*](#) Harv.
- [*Pelargonium crispum*](#) (P.J.Bergius) L'Hér.
- [*Pelargonium crithmifolium*](#) Sm.
- [*Pelargonium cucullatum*](#) (L.) L'Hér.
 - *Pelargonium cucullatum* subsp. *strigifolium* Volschenk
- [*Pelargonium curviandrum*](#) E.M.Marais

D

- [*Pelargonium dasyphyllum*](#) E.Mey. ex Knuth
- [*Pelargonium denticulatum*](#) Jacq.
- [*Pelargonium desertorum*](#) Vorster
- [*Pelargonium dichondrifolium*](#) DC.
- [*Pelargonium dipetalum*](#) L'Hér.
- [*Pelargonium dispar*](#) N.E.Br.
- [*Pelargonium divisifolium*](#) Vorster
- [*Pelargonium dodonaei*](#) Hoffmanns.
- [*Pelargonium dolomiticum*](#) R.Knuth

E

- [*Pelargonium echinatum*](#) Curtis
- [*Pelargonium elegans*](#) Willd.
- [*Pelargonium ellaphieae*](#) E.M.Marais
- [*Pelargonium elongatum*](#) Salisb.
- [*Pelargonium englerianum*](#) R.Knuth

- [*Pelargonium ensatum*](#) DC.
- [*Pelargonium erlangerianum*](#) Kunth
- [*Pelargonium exhibens*](#) Vorster
- [*Pelargonium exstipulatum*](#) L'Hér.

F

- [*Pelargonium fasciculaceum*](#) E.M.Marais
- [*Pelargonium fergusoniae*](#) L.Bolus
- [*Pelargonium fissifolium*](#) Pers.
- [*Pelargonium frutetorum*](#) R.A.Dyer
- [*Pelargonium fruticosum*](#) Willd.
- [*Pelargonium fulgidum*](#) L'Hér.
- [*Pelargonium fumariifolium*](#) R.Knuth
- [*Pelargonium fumarioides*](#) L'Hér. ex Harv.

G

- [*Pelargonium gibbosum*](#) (L.) L'Hér. ex Aiton
- [*Pelargonium gilgianum*](#) Schltr. ex Knuth
- [*Pelargonium glechomoides*](#) A.Rich.
- [*Pelargonium glutinosum*](#) (Jacq.) L'Hér.
- [*Pelargonium gracilipes*](#) R.Knuth
- [*Pelargonium gracillimum*](#) Fourc.
- [*Pelargonium grandicalcaratum*](#) R.Knuth
- [*Pelargonium grandiflorum*](#) Willd.
- [*Pelargonium graveolens*](#) L'Hér.
- [*Pelargonium grenvilleae*](#) Harv.
- [*Pelargonium greytonense*](#) J.J.A.van der Walt
- [*Pelargonium griseum*](#) R.Knuth
- [*Pelargonium grossularioides*](#) (L.) L'Hér.

H

- [*Pelargonium hantamianum*](#) R.Knuth
- [*Pelargonium harveyanum*](#) Schltr. ex Knuth
- [*Pelargonium hemicyclicum*](#) Hutch. & C.A.Sm.
- [*Pelargonium heracleifolium*](#) Lodd.
- [*Pelargonium hermanniifolium*](#) Jacq.
- [*Pelargonium heterophyllum*](#) Jacq.
- [*Pelargonium hirtum*](#) Jacq.
- [*Pelargonium hispidum*](#) Willd.
- [*Pelargonium hypoleucum*](#) Turcz.

- [*Pelargonium hystrix*](#) Harv.

I

- [*Pelargonium incarnatum*](#) (L.) Moench
- [*Pelargonium incrassatum*](#) Sims
- [*Pelargonium inodorum*](#) Willd.
- [*Pelargonium inquinans*](#) (L.) L'Hér.
- [*Pelargonium iocastum*](#) Steud.
- [*Pelargonium ionidiflorum*](#) Steud.

K

- [*Pelargonium karooicum*](#) Compton & Barnes
- [*Pelargonium klinghardtense*](#) R.Knuth

L

- [*Pelargonium laciniatum*](#) R.Knuth
- [*Pelargonium ladysmithianum*](#) R.Knuth
- [*Pelargonium laevigatum*](#) Willd.
- [*Pelargonium lanceolatum*](#) J.Kern
- [*Pelargonium leipoldtii*](#) R.Knuth
- [*Pelargonium leptum*](#) L.Bolus
- [*Pelargonium leucophyllum*](#) Turcz.
- [*Pelargonium lobatum*](#) (Burm.f.) L'Hér.
- [*Pelargonium longicaule*](#) Jacq.
- [*Pelargonium longiflorum*](#) Hedw.
- [*Pelargonium longifolium*](#) Jacq.
- [*Pelargonium luridum*](#) (Andrews) Sweet
- [*Pelargonium luteolum*](#) N.E.Br.
- [*Pelargonium luteum*](#) G.Don

M

- [*Pelargonium madagascariense*](#) Baker
- [*Pelargonium magenteum*](#) J.J.A.van der Walt
- [*Pelargonium malacoides*](#) R.Knuth
- [*Pelargonium marginatum*](#) Knuth
- [*Pelargonium moniliforme*](#) Harv.
- [*Pelargonium mossambicense*](#) Engl.
- [*Pelargonium multibracteatum*](#) Hochst. ex A.Rich.
- [*Pelargonium multicaule*](#) Jacq.

- *Pelargonium multicaule* subsp. *subherbaceum* (R.Knuth) J.J.A.van der Walt
- [*Pelargonium multiradiatum*](#) J.C.Wendl.
- [*Pelargonium myrrhifolium*](#) (L.) L'Hér.

N

- [*Pelargonium namaquense*](#) R.Knuth
- [*Pelargonium nelsonii*](#) Burtt Davy
- [*Pelargonium nephrophyllum*](#) E.M.Marais
- [*Pelargonium nervifolium*](#) Jacq.
- [*Pelargonium nivenii*](#) Harv.

O

- [*Pelargonium oblongatum*](#) E.Mey. ex Harv.
- [*Pelargonium ocellatum*](#) J.J.A.van der Walt
- [*Pelargonium ochroleucum*](#) Harv.
- [*Pelargonium odoratissimum*](#) (L.) L'Hér.
- [*Pelargonium oenothera*](#) Jacq.
- [*Pelargonium oppositifolium*](#) Schltr.
- [*Pelargonium oreophilum*](#) Schltr.
- [*Pelargonium otaviense*](#) R.Knuth
- [*Pelargonium ovale*](#) L'Hér.
 - *Pelargonium ovale* subsp. *veronicifolium* (Eckl. & Zeyh.) Hugo
 - *Pelargonium ovale* var. *blattarium* (Sweet) Harv.
- [*Pelargonium ovalifolium*](#) DC.
- [*Pelargonium oxalidifolium*](#) Harv.
- [*Pelargonium oxaloides*](#) Willd.

P

- [*Pelargonium panduriforme*](#) Eckl. & Zeyh.
- [*Pelargonium paniculatum*](#) Jacq.
- [*Pelargonium papilionaceum*](#) (L.) L'Hér. ex Aiton
- [*Pelargonium parvipetalum*](#) E.M.Marais
- [*Pelargonium parvirostre*](#) R.A.Dyer
- [*Pelargonium parvulum*](#) DC.
- [*Pelargonium patulum*](#) Jacq.
 - *Pelargonium patulum* var. *tennuilobum* (Eckl. & Zeyh.) Harv.
- [*Pelargonium peltatum*](#) (L.) L'Hér.
- [*Pelargonium petroselinifolium*](#) G.Don
- [*Pelargonium pillansii*](#) Salter
- [*Pelargonium pilosum*](#) Pers.

- [*Pelargonium pinnatum*](#) (L.) L'Hér.
- [*Pelargonium plurisectum*](#) Salter
- [*Pelargonium polycephalum*](#) E.Mey.
- [*Pelargonium praemorsum*](#) F.Dietr.
- [*Pelargonium procumbens*](#) Pers.
- [*Pelargonium proliferum*](#) Steud.
- [*Pelargonium pseudofumarioides*](#) R.Knuth
- [*Pelargonium pseudoglutinosum*](#) R.Knuth
- [*Pelargonium pulchellum*](#) Sims
- [*Pelargonium pulcherrimum*](#) Leight.
- [*Pelargonium pulverulentum*](#) Colv. ex Sweet
- [*Pelargonium punctatum*](#) Willd.

Q

- [*Pelargonium quercifolium*](#) (L.f.) L'Hér.
- [*Pelargonium quinquelobatum*](#) Hochst. ex Rich.

R

- [*Pelargonium radens*](#) H.E.Moore
- [*Pelargonium radiatum*](#) Pers.
- [*Pelargonium radicatum*](#) Vent.
- [*Pelargonium radula*](#) (Cav.) L'Hér.
- [*Pelargonium radulifolium*](#) Harv.
- [*Pelargonium ramosissimum*](#) Willd.
- [*Pelargonium ranunculophyllum*](#) Baker
- [*Pelargonium rapaceum*](#) (L.) L'Hér.
- [*Pelargonium reflexum*](#) Pers.
- [*Pelargonium reniforme*](#) Curtis
- [*Pelargonium reticulatum*](#) DC.
- [*Pelargonium revolutum*](#) Pers.
- [*Pelargonium ribifolium*](#) Jacq.
- [*Pelargonium rustii*](#) R.Knuth

S

- [*Pelargonium salmoneum*](#) R.A.Dyer
- [*Pelargonium scabroide*](#) R.Knuth
- [*Pelargonium scabrum*](#) (L.) L'Hér.
- [*Pelargonium schizopetalum*](#) Sweet
- [*Pelargonium semitrilobum*](#) Jacq.
- [*Pelargonium senecioides*](#) L'Hér.

- [*Pelargonium sericifolium*](#) J.J.A.van der Walt
- [*Pelargonium setosiusculum*](#) R.Knuth
- [*Pelargonium setulosum*](#) Turcz.
- [*Pelargonium sibthorpiiifolium*](#) Harv.
- [*Pelargonium sidifolium*](#) R.Knuth
- [*Pelargonium sidoides*](#) DC.
- [*Pelargonium spathulatum*](#) DC.
- [*Pelargonium spinosum*](#) Willd.
- [*Pelargonium squamulosum*](#) R.Knuth
- [*Pelargonium stipulaceum*](#) Willd.
 - *Pelargonium stipulaceum* subsp. *ovato-stipulatum* (Knuth) Vorster
- [*Pelargonium sublignosum*](#) R.Knuth
- [*Pelargonium suburbanum*](#) Clifford ex Boucher
 - *Pelargonium suburbanum* subsp. *bipinnatifidum* (Harv.) Boucher
- [*Pelargonium sulphureum*](#) R.Knuth

T

- [*Pelargonium tabulare*](#) L'Hér.
- [*Pelargonium tenellum*](#) G.Don
- [*Pelargonium tenuicaule*](#) R.Knuth
- [*Pelargonium ternatum*](#) Jacq.
- [*Pelargonium ternifolium*](#) Vorster
- [*Pelargonium tetragonum*](#) L'Hér.
- [*Pelargonium tomentosum*](#) Jacq.
- [*Pelargonium tongaense*](#) Vorster
- [*Pelargonium torulosum*](#) E.M.Marais
- [*Pelargonium transvaalense*](#) R.Knuth
- [*Pelargonium triandrum*](#) E.M.Marais
- [*Pelargonium tricolor*](#) Curt.
- [*Pelargonium trifidum*](#) Jacq.
- [*Pelargonium trifoliolatum*](#) E.M.Marais
- [*Pelargonium triphyllum*](#) Jacq.
- [*Pelargonium triste*](#) (L.) L'Hér.
- [*Pelargonium tysonii*](#) Szyszyl.

U

- [*Pelargonium undulatum*](#) Pers.

V

- [*Pelargonium viciifolium*](#) DC.

- [*Pelargonium vinaceum*](#) E.M.Marais
- [*Pelargonium violiflorum*](#) DC.
- [*Pelargonium vitifolium*](#) (L.) L'Hér.

W

- [*Pelargonium whytei*](#) Baker
- [*Pelargonium woodii*](#) R.Knuth

X

- [*Pelargonium xerophyton*](#) Schltr. ex Knuth

Z

- [*Pelargonium zonale*](#) (L.) L'Hér. ex Aiton

Primary hybrids

- [*Pelargonium* × *domesticum*](#) L.H.Bailey[\[a\]](#)
- [*Pelargonium* × *fragens*](#) Willd.
- [*Pelargonium* × *hortorum*](#) L.H.Bailey[\[5\]](#)

Unresolved names

- [*Pelargonium australe*](#)
- [*Pelargonium cotyledonis*](#)
- [*Pelargonium drummondii*](#)
- [*Pelargonium insularis*](#)
- [*Pelargonium laxum*](#)
- [*Pelargonium littorale*](#)
- [*Pelargonium rodneyanum*](#)
- [*Pelargonium* sp. *Striatellum*](#) ([undescribed](#))

From Wikipedia, the free encyclopedia

The following is a list of all 679 [species](#) in the plant genus [*Pedicularis*](#) which are accepted by [Plants of the World Online](#) as of 17 June 2024.[\[1\]](#)

A

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Pedicularis abrotanifolia](#) M.Bieb. ex Steven
- [Pedicularis acaulis](#) Scop.
- [Pedicularis achilleifolia](#) Stephan ex Willd.
- [Pedicularis acmodonta](#) Boiss.
- [Pedicularis adunca](#) M.Bieb. ex Steven
- [Pedicularis × affinis](#) Steininger
- [Pedicularis afghanica](#) Wendelbo
- [Pedicularis alaica](#) A.D.Li
- [Pedicularis alaschanica](#) Maxim.
- [Pedicularis alatavica](#) Stadlm. ex Vved.
- [Pedicularis alberti](#) Regel
- [Pedicularis albida](#) Pennell
- [Pedicularis albiflora](#) (Hook.f.) Prain
- [Pedicularis allorrhampha](#) Vved.
- [Pedicularis aloensis](#) Hand.-Mazz.

- [*Pedicularis alopecuroides*](#) Steven ex Spreng.
- [*Pedicularis alopecuros*](#) Franch. ex Maxim.
- [*Pedicularis* × *alpicola*](#) Rouy & Faure
- [*Pedicularis altaica*](#) Stephan ex Steven
- [*Pedicularis altifrontalis*](#) P.C.Tsoong
- [*Pedicularis amoena*](#) Adams ex Steven
- [*Pedicularis amoeniflora*](#) Vved.
- [*Pedicularis amplicollis*](#) T.Yamaz.
- [*Pedicularis amplituba*](#) H.L.Li
- [*Pedicularis anas*](#) Maxim.
- [*Pedicularis angularis*](#) P.C.Tsoong
- [*Pedicularis angustifolia*](#) Benth.
- [*Pedicularis angustilabris*](#) H.L.Li
- [*Pedicularis angustiloba*](#) P.C.Tsoong
- [*Pedicularis annapurnensis*](#) T.Yamaz.
- [*Pedicularis anomala*](#) P.C.Tsoong & H.P.Yang
- [*Pedicularis anserantha*](#) T.Yamaz.
- [*Pedicularis anthemifolia*](#) Fisch. ex Colla
- [*Pedicularis apodochila*](#) Maxim.
- [*Pedicularis aquilina*](#) Bonati
- [*Pedicularis* × *aranensis*](#) I.Soriano
- [*Pedicularis arctoeuropaea*](#) (Hultén) Molau & D.F.Murray
- [*Pedicularis armata*](#) Maxim.
- [*Pedicularis artiae*](#) R.Kr.Singh, Kholia & Sudhakar
- [*Pedicularis artselaeri*](#) Maxim.
- [*Pedicularis ascendens*](#) Schleich. ex Gaudin
- [*Pedicularis aschistorrhyncha*](#) C.Marquand & Airy Shaw
- [*Pedicularis asparagoides*](#) Lapeyr.
- [*Pedicularis asplenifolia*](#) Flörke ex Willd.
- [*Pedicularis atra*](#) Bonati
- [*Pedicularis atropurpurea*](#) Nordm.
- [*Pedicularis* × *atrorubens*](#) Schleich. ex Gaudin
- [*Pedicularis atroviridis*](#) P.C.Tsoong
- [*Pedicularis attollens*](#) A.Gray
- [*Pedicularis atuntsiensis*](#) Bonati
- [*Pedicularis aurantiaca*](#) (E.F.Sprague) Monfils & Prather
- [*Pedicularis aurata*](#) (Bonati) H.L.Li
- [*Pedicularis axillaris*](#) Franch. ex Maxim.

B

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Pedicularis balkharica*](#) E.A.Busch
- [*Pedicularis bambusetorum*](#) Hand.-Mazz.
- [*Pedicularis batangensis*](#) Bureau & Franch.
- [*Pedicularis baumgartenii*](#) Simonk.
- [*Pedicularis bella*](#) Hook.f.
- [*Pedicularis* × *bernardinensis*](#) Braun-Blanq.
- [*Pedicularis bhutanomuscoides*](#) T.Yamaz.
- [*Pedicularis* × *bicknellii*](#) Sommier
- [*Pedicularis bicolor*](#) Diels
- [*Pedicularis bicornuta*](#) Klotzsch
- [*Pedicularis bidentata*](#) Maxim.
- [*Pedicularis bietii*](#) Franch.
- [*Pedicularis bifida*](#) (Buch.-Ham. ex D.Don) Pennell
- [*Pedicularis binaria*](#) Maxim.

- [*Pedicularis bipinnatifida*](#) (Pennell) R.R.Mill
- [*Pedicularis birmanica*](#) Bonati
- [*Pedicularis bomiensis*](#) H.P.Yang
- [*Pedicularis* × *bonatii*](#) Faure
- [*Pedicularis brachychila*](#) H.L.Li
- [*Pedicularis brachycrania*](#) H.L.Li
- [*Pedicularis brachyodonta*](#) Schloss. & Vuk.
- [*Pedicularis brachystachys*](#) Bunge
- [*Pedicularis bracteosa*](#) Benth.
- [*Pedicularis breviflora*](#) Regel
- [*Pedicularis brevifolia*](#) D.Don
- [*Pedicularis brevilabris*](#) Franch.
- [*Pedicularis brevirostris*](#) Pennell
- [*Pedicularis breviscaposa*](#) T.Yamaz.

C

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)

- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis cabulica*](#) Benth.
- [*Pedicularis cacuminidenta*](#) T.Yamaz.
- [*Pedicularis cadmea*](#) Boiss.
- [*Pedicularis caeruleoalbescens*](#) Wendelbo
- [*Pedicularis canadensis*](#) L.
- [*Pedicularis canescens*](#) P.C.Tsoong
- [*Pedicularis capitata*](#) Adams
- [*Pedicularis caucasica*](#) M.Bieb.
- [*Pedicularis cenisia*](#) Gaudin
- [*Pedicularis centranthera*](#) A.Gray
- [*Pedicularis cephalantha*](#) Franch. ex Maxim.
- [*Pedicularis cephalanthoides*](#) P.C.Tsoong
- [*Pedicularis cernua*](#) Bonati
- [*Pedicularis chamissonis*](#) Steven
- [*Pedicularis chamissonoides*](#) T.Yamaz.
- [*Pedicularis cheilanthifolia*](#) Schrenk
- [*Pedicularis chengxianensis*](#) Z.G.Ma & Z.Z.Ma
- [*Pedicularis chenocephala*](#) Diels
- [*Pedicularis chihuahuensis*](#) G.L.Nesom
- [*Pedicularis chinensis*](#) Maxim.
- [*Pedicularis chingii*](#) Bonati
- [*Pedicularis cholashanensis*](#) T.Yamaz.
- [*Pedicularis chorgonica*](#) Regel & C.Winkl.
- [*Pedicularis chroorrhyncha*](#) Vved.
- [*Pedicularis chumbica*](#) Prain
- [*Pedicularis cinerascens*](#) Franch.
- [*Pedicularis clarkei*](#) Hook.f.
- [*Pedicularis collata*](#) Prain
- [*Pedicularis collettii*](#) Prain
- [*Pedicularis columigera*](#) T.Yamaz.
- [*Pedicularis comosa*](#) L.
- [*Pedicularis compacta*](#) Stephan ex Willd.
- [*Pedicularis comptoniifolia*](#) Franch. ex Maxim.
- [*Pedicularis condensata*](#) M.Bieb.
- [*Pedicularis confertiflora*](#) Prain
- [*Pedicularis confluens*](#) P.C.Tsoong
- [*Pedicularis conifera*](#) Maxim. ex Hemsl.
- [*Pedicularis connata*](#) H.L.Li

- [*Pedicularis contorta*](#) Benth.
- [*Pedicularis cooperi*](#) P.C.Tsoong
- [*Pedicularis cornigera*](#) T.Yamaz.
- [*Pedicularis corydaloides*](#) Handl.-Mazz.
- [*Pedicularis corymbifera*](#) H.P.Yang
- [*Pedicularis cranolopha*](#) Maxim.
- [*Pedicularis craspedotricha*](#) Maxim.
- [*Pedicularis crassirostris*](#) Bunge
- [*Pedicularis crenata*](#) Maxim.
- [*Pedicularis crenularis*](#) H.L.Li
- [*Pedicularis crenulata*](#) Benth.
- [*Pedicularis cristatella*](#) Pennell & H.L.Li
- [*Pedicularis croizatiana*](#) H.L.Li
- [*Pedicularis cryptantha*](#) C.Marquand & Airy Shaw
- [*Pedicularis curvipes*](#) Hook.f.
- [*Pedicularis curvituba*](#) Maxim.
- [*Pedicularis cyathophylla*](#) Franch.
- [*Pedicularis cyathophylloides*](#) H.Limpr.
- [*Pedicularis cyclorhyncha*](#) H.L.Li
- [*Pedicularis cymbalaria*](#) Bonati
- [*Pedicularis cyrtorhyncha*](#) Pennell
- [*Pedicularis cystopteridifolia*](#) Rydb.
- [*Pedicularis czuiliensis*](#) Semiotr.

D

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis daghestanica*](#) Bonati
- [*Pedicularis daltonii*](#) Prain
- [*Pedicularis daochengensis*](#) H.P.Yang
- [*Pedicularis dasyantha*](#) Hadač
- [*Pedicularis dasystachys*](#) Schrenk
- [*Pedicularis daucifolia*](#) Bonati
- [*Pedicularis davidii*](#) Franch.
- [*Pedicularis debilis*](#) Franch. ex Maxim.
- [*Pedicularis decora*](#) Franch.
- [*Pedicularis decorissima*](#) Diels
- [*Pedicularis delavayi*](#) Franch. ex Maxim.
- [*Pedicularis* × *delphinata*](#) Steininger
- [*Pedicularis deltoidea*](#) Franch. ex Maxim.
- [*Pedicularis densiflora*](#) Benth.
- [*Pedicularis densispica*](#) Franch. ex Maxim.
- [*Pedicularis denudata*](#) Hook.f.
- [*Pedicularis deqinensis*](#) H.P.Yang
- [*Pedicularis dhurensis*](#) R.R.Mill
- [*Pedicularis dichotoma*](#) Bonati
- [*Pedicularis dichrocephala*](#) Hand.-Mazz.
- [*Pedicularis dielsiana*](#) Bonati
- [*Pedicularis diffusa*](#) Prain
- [*Pedicularis dissecta*](#) (Bonati) Pennell & H.L.Li
- [*Pedicularis dissectifolia*](#) H.L.Li
- [*Pedicularis dolichantha*](#) Bonati
- [*Pedicularis dolichocymba*](#) Hand.-Mazz.
- [*Pedicularis dolichoglossa*](#) H.L.Li
- [*Pedicularis dolichorrhiza*](#) Schrenk
- [*Pedicularis dolichostachya*](#) H.L.Li

- [*Pedicularis domzeyensis*](#) P.C.Tsoong
- [*Pedicularis dubia*](#) B.Fedtsch.
- [*Pedicularis duclouxii*](#) Bonati
- [*Pedicularis dudleyi*](#) Elmer
- [*Pedicularis dulongensis*](#) H.P.Yang
- [*Pedicularis dunniana*](#) Bonati

E

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Pedicularis eburnata*](#) B.L.Rob. & Seaton
- [*Pedicularis elata*](#) Willd.
- [*Pedicularis elegans*](#) Ten.

- [*Pedicularis elephantiflora*](#) T.Yamaz.
- [*Pedicularis elephantoides*](#) Benth.
- [*Pedicularis elephas*](#) Boiss.
- [*Pedicularis elisabethae*](#) T.N.Popova
- [*Pedicularis elliotii*](#) P.C.Tsoong
- [*Pedicularis elongata*](#) A.Kern.
- [*Pedicularis elsholtzioides*](#) T.Yamaz.
- [*Pedicularis elwesii*](#) Hook.f.
- [*Pedicularis eriantha*](#) (Boiss. & Buhse) T.N.Popova
- [*Pedicularis eriophora*](#) Turcz.
- [*Pedicularis ernesti-mayeri*](#) Stevan., Niketić & D.Lakušić
- [*Pedicularis evrardii*](#) Bonati
- [*Pedicularis excelsa*](#) Hook.f.
- [*Pedicularis exigua*](#) H.L.Li

F

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)

- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Pedicularis fargesii](#) Franch.
- [Pedicularis fastigiata](#) Franch.
- [Pedicularis × faurei](#) Rouy
- [Pedicularis fengii](#) H.L.Li
- [Pedicularis ferdinandi](#) Bornm.
- [Pedicularis fetisowii](#) Regel
- [Pedicularis filicifolia](#) Hemsl.
- [Pedicularis filicula](#) Franch.
- [Pedicularis filiculiformis](#) P.C.Tsoong
- [Pedicularis fissa](#) Turcz.
- [Pedicularis flaccida](#) Prain
- [Pedicularis flagellaris](#) Benth.
- [Pedicularis flammea](#) L.
- [Pedicularis flava](#) Pall.
- [Pedicularis fletcheri](#) P.C.Tsoong
- [Pedicularis flexosoides](#) T.Yamaz.
- [Pedicularis flexuosa](#) Hook.f.
- [Pedicularis floribunda](#) Franch.
- [Pedicularis foliosa](#) L.
- [Pedicularis forrestiana](#) Bonati
- [Pedicularis fragarioides](#) P.C.Tsoong
- [Pedicularis fragilis](#) Prain ex Maxim.
- [Pedicularis franchetiana](#) Maxim.
- [Pedicularis friderici-augusti](#) Tomm.
- [Pedicularis furbishiae](#) S.Watson
- [Pedicularis furfuracea](#) Wall. ex Benth.

G

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)

- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis gagnepainiana*](#) Bonati
- [*Pedicularis galeata*](#) Bonati
- [*Pedicularis gammieana*](#) Prain
- [*Pedicularis ganpinensis*](#) Vaniot ex Bonati
- [*Pedicularis garckeana*](#) Prain ex Maxim.
- [*Pedicularis geniculata*](#) T.Yamaz.
- [*Pedicularis geosiphon*](#) Harry Sm. & C.H.Tsoong
- [*Pedicularis gibbera*](#) Prain
- [*Pedicularis* × *gillotana*](#) Rouy & Faure
- [*Pedicularis giraldiana*](#) Bonati
- [*Pedicularis glabra*](#) McVaugh & Mellich.
- [*Pedicularis glabrescens*](#) H.L.Li
- [*Pedicularis* × *glantschnigiana*](#) Ronniger
- [*Pedicularis globifera*](#) Hook.f.
- [*Pedicularis gloriosa*](#) Bisset & S.Moore
- [*Pedicularis gongshanensis*](#) H.P.Yang
- [*Pedicularis gordonii*](#) McVaugh & Koptur
- [*Pedicularis gracilicaulis*](#) H.L.Li
- [*Pedicularis gracilis*](#) Wall. ex Benth.
- [*Pedicularis gracilituba*](#) H.L.Li
- [*Pedicularis graeca*](#) Bunge

- [*Pedicularis grigorjevii*](#) Ivanina
- [*Pedicularis griniformis*](#) T.Yamaz.
- [*Pedicularis groenlandica*](#) Retz.
- [*Pedicularis gruiflora*](#) T.Yamaz.
- [*Pedicularis gruina*](#) Franch. ex Maxim.
- [*Pedicularis gyirongensis*](#) H.P.Yang
- [*Pedicularis gymnostachya*](#) (Trautv.) Khokhr.
- [*Pedicularis gypsicola*](#) Vved.
- [*Pedicularis gyroflexa*](#) Vill.
- [*Pedicularis gyrorhyncha*](#) Franch. ex Maxim.

H

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis habachanensis*](#) Bonati
- [*Pedicularis hacquetii*](#) Graf
- [*Pedicularis hemsleyana*](#) Prain
- [*Pedicularis henryi*](#) Maxim.
- [*Pedicularis heterodonta*](#) Pančić
- [*Pedicularis heydei*](#) Prain
- [*Pedicularis hicksii*](#) P.C.Tsoong
- [*Pedicularis hintonii*](#) McVaugh & Mellich.
- [*Pedicularis hirsuta*](#) L.
- [*Pedicularis hirtella*](#) Franch.
- [*Pedicularis hoermanniana*](#) K.Malý
- [*Pedicularis hoffmeisteri*](#) Klotzsch
- [*Pedicularis holocalyx*](#) Hand.-Mazz.
- [*Pedicularis honanensis*](#) P.C.Tsoong
- [*Pedicularis hongii*](#) Kottaim.
- [*Pedicularis hookeriana*](#) Wall. ex Benn.
- [*Pedicularis howellii*](#) A.Gray
- [*Pedicularis humilis*](#) Bonati
- [*Pedicularis husainiana*](#) P.Agnihotri, D.Husain, D.Sahoo & S.K.Barik
- [*Pedicularis* × *huteri*](#) A.Kern.
- [*Pedicularis hyperborea*](#) Vved.
- [*Pedicularis hypophylla*](#) T.Yamaz.

I

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)

- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Pedicularis ikomae](#) Sasaki
- [Pedicularis imbricata](#) P.C.Tsoong
- [Pedicularis inaequilobata](#) P.C.Tsoong
- [Pedicularis incarnata](#) L.
- [Pedicularis × incarnatoides](#) Steininger
- [Pedicularis incisopetala](#) E.Menzel, H.Menzel & Zoller
- [Pedicularis inconspicua](#) P.C.Tsoong
- [Pedicularis incurva](#) Benth.
- [Pedicularis infirma](#) H.L.Li
- [Pedicularis inflexirostris](#) F.S.Yang, D.Y.Hong & Xiao Q.Wang
- [Pedicularis ingens](#) Maxim.
- [Pedicularis insignis](#) Bonati
- [Pedicularis instar](#) Prain ex Maxim.
- [Pedicularis integrifolia](#) Hook.f.
- [Pedicularis interrupta](#) Stephan ex Willd.
- [Pedicularis ishidoyana](#) Koidz. & Ohwi
- [Pedicularis iwatensis](#) Ohwi

J

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)

- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Pedicularis julica*](#) E.Mayer
- [*Pedicularis junatovii*](#) Ivanina

K

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)

- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis kangtingensis*](#) P.C.Tsoong
- [*Pedicularis kansuensis*](#) Maxim.
- [*Pedicularis karakorumiana*](#) T.Yamaz.
- [*Pedicularis karatavica*](#) Pavlov
- [*Pedicularis kariensis*](#) Bonati
- [*Pedicularis karoï*](#) Freyn
- [*Pedicularis kashmiriana*](#) Pennell
- [*Pedicularis kaufmannii*](#) Pinzger
- [*Pedicularis kawaguchii*](#) T.Yamaz.
- [*Pedicularis keiskei*](#) Franch. & Sav.
- [*Pedicularis kernerii*](#) Dalla Torre
- [*Pedicularis khasiana*](#) (Hook.f.) Pennell
- [*Pedicularis kialensis*](#) Franch.
- [*Pedicularis kiangsiensis*](#) P.C.Tsoong & S.H.Cheng
- [*Pedicularis kingii*](#) Prain
- [*Pedicularis klotzschii*](#) Hurus.
- [*Pedicularis koidzumiana*](#) Tatew. & Ohwi
- [*Pedicularis kokpakensis*](#) Semiotr.
- [*Pedicularis kolymensis*](#) A.P.Khokhr.
- [*Pedicularis kongboensis*](#) P.C.Tsoong
- [*Pedicularis korolkowii*](#) Regel
- [*Pedicularis koshiensis*](#) T.Yamaz.
- [*Pedicularis koueytchensis*](#) Bonati
- [*Pedicularis krylowii*](#) Bonati
- [*Pedicularis kuljabensis*](#) Ivanina
- [*Pedicularis kungeica*](#) Bajtenov
- [*Pedicularis kuruchuensis*](#) T.Yamaz.
- [*Pedicularis kusnetzovii*](#) Kom.

L

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Pedicularis labordei*](#) Vaniot ex Bonati
- [*Pedicularis labradorica*](#) Wirsing
- [*Pedicularis lachnoglossa*](#) Hook.f.
- [*Pedicularis laktangensis*](#) Bonati
- [*Pedicularis lamioides*](#) Hand.-Mazz.
- [*Pedicularis lanata*](#) Cham. & Schltdl.
- [*Pedicularis lanceifolia*](#) P.C.Tsoong
- [*Pedicularis lanceolata*](#) Michx.
- [*Pedicularis langsдорffii*](#) Fisch. ex Steven
- [*Pedicularis lanpingensis*](#) H.P.Yang

- [*Pedicularis lapponica*](#) L.
- [*Pedicularis lasiophrys*](#) Maxim.
- [*Pedicularis lasiostachys*](#) Bunge
- [*Pedicularis latibracteata*](#) T.Yamaz.
- [*Pedicularis latirostris*](#) P.C.Tsoong
- [*Pedicularis latituba*](#) Bonati
- [*Pedicularis laxiflora*](#) Franch.
- [*Pedicularis laxispica*](#) H.L.Li
- [*Pedicularis lecomtei*](#) Bonati
- [*Pedicularis legendrei*](#) Bonati
- [*Pedicularis leptosiphon*](#) H.L.Li
- [*Pedicularis leucodon*](#) Griseb.
- [*Pedicularis lhasana*](#) T.Yamaz.
- [*Pedicularis liguliflora*](#) T.Yamaz.
- [*Pedicularis likiangensis*](#) Franch. ex Maxim.
- [*Pedicularis limithangensis*](#) T.Yamaz.
- [*Pedicularis limnogenae*](#) A.Kern.
- [*Pedicularis limprichtiana*](#) Hand.-Mazz.
- [*Pedicularis lineata*](#) Franch.
- [*Pedicularis lingelsheimiana*](#) H.Limpr.
- [*Pedicularis lobatorostrata*](#) T.Yamaz.
- [*Pedicularis longicalyx*](#) H.P.Yang
- [*Pedicularis longicaulis*](#) Franch.
- [*Pedicularis longiflora*](#) Rudolph
- [*Pedicularis longipedicellata*](#) P.C.Tsoong
- [*Pedicularis longipes*](#) Maxim.
- [*Pedicularis longipetiolata*](#) Franch.
- [*Pedicularis longistipitata*](#) P.C.Tsoong
- [*Pedicularis lophotricha*](#) H.L.Li
- [*Pedicularis ludlowiana*](#) P.C.Tsoong
- [*Pedicularis ludwigii*](#) Regel
- [*Pedicularis lunglingensis*](#) Bonati
- [*Pedicularis lutescens*](#) Franch.
- [*Pedicularis lyrata*](#) Prain ex Maxim.

M

Contents:

- [Top](#)
- [A](#)
- [B](#)

- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis macilenta*](#) Franch.
- [*Pedicularis macrochila*](#) Vved.
- [*Pedicularis macrorhyncha*](#) H.L.Li
- [*Pedicularis macrosiphon*](#) Franch.
- [*Pedicularis mairei*](#) Bonati
- [*Pedicularis mandshurica*](#) Maxim.
- [*Pedicularis mariae*](#) Regel
- [*Pedicularis* × *martellii*](#) Bonati
- [*Pedicularis masalskyi*](#) Semiotr.
- [*Pedicularis* × *mathoneti*](#) Bonati ex Rouy
- [*Pedicularis maximowiczii*](#) Krasn.
- [*Pedicularis maxonii*](#) Bonati
- [*Pedicularis mayana*](#) Hand.-Mazz.
- [*Pedicularis* × *mayeri*](#) Daks. & Vreš
- [*Pedicularis megalantha*](#) D.Don
- [*Pedicularis megalochila*](#) H.L.Li
- [*Pedicularis melalimne*](#) R.R.Mill
- [*Pedicularis melampyriflora*](#) Franch.

- [*Pedicularis membranacea*](#) H.L.Li
- [*Pedicularis merrilliana*](#) H.L.Li
- [*Pedicularis metaszetschuanica*](#) P.C.Tsoong
- [*Pedicularis meteororhyncha*](#) H.L.Li
- [*Pedicularis mexicana*](#) Zucc. ex Benth.
- [*Pedicularis micrantha*](#) H.L.Li
- [*Pedicularis microcalyx*](#) Hook.f.
- [*Pedicularis microchila*](#) Franch.
- [*Pedicularis microloba*](#) R.R.Mill
- [*Pedicularis milliana*](#) W.B.Yu, D.Z.Li & H.Wang
- [*Pedicularis milosevicij*](#) Křivka & Holubec
- [*Pedicularis minima*](#) P.C.Tsoong & S.H.Cheng
- [*Pedicularis minutilabris*](#) P.C.Tsoong
- [*Pedicularis mixta*](#) Gren.
- [*Pedicularis mollis*](#) Wall. ex Benth.
- [*Pedicularis monbeigiana*](#) Bonati
- [*Pedicularis* × *monnieri*](#) Rouy
- [*Pedicularis moschata*](#) Maxim.
- [*Pedicularis moupinensis*](#) Franch.
- [*Pedicularis mucronulata*](#) P.C.Tsoong
- [*Pedicularis muquensis*](#) T.Yamaz.
- [*Pedicularis multicaulis*](#) Bonati
- [*Pedicularis multicolor*](#) W.Jun Li, K.Y.Guan, Abduraimov & Y.Feng
- [*Pedicularis multiflora*](#) Pennell
- [*Pedicularis munzurdaghensis*](#) Armağan
- [*Pedicularis murreeana*](#) R.R.Mill
- [*Pedicularis muscicola*](#) Maxim.
- [*Pedicularis muscoides*](#) H.L.Li
- [*Pedicularis mussotii*](#) Franch.
- [*Pedicularis mustanghatana*](#) T.Yamaz.
- [*Pedicularis mychophila*](#) C.Marquand & Airy Shaw
- [*Pedicularis myriantha*](#) H.L.Li
- [*Pedicularis myriophylla*](#) Pall.

N

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis nana*](#) C.E.C.Fisch.
- [*Pedicularis nanchuanensis*](#) P.C.Tsoong
- [*Pedicularis nanfutashanensis*](#) T.Yamaz.
- [*Pedicularis nasturtiifolia*](#) Franch.
- [*Pedicularis nasuta*](#) M.Bieb. ex Steven
- [*Pedicularis neofischeri*](#) P.C.Tsoong
- [*Pedicularis nepalensis*](#) Prain
- [*Pedicularis nigra*](#) (Bonati) Vaniot ex Bonati
- [*Pedicularis ningjuingensis*](#) T.Yamaz.
- [*Pedicularis nipponica*](#) Makino
- [*Pedicularis nobilis*](#) Bonati
- [*Pedicularis nodosa*](#) Pennell
- [*Pedicularis nordmanniana*](#) Bunge
- [*Pedicularis novaiae-zemliae*](#) (Hultén) Kozhevnik.
- [*Pedicularis numeniicephala*](#) T.Yamaz.
- [*Pedicularis numidica*](#) Pomel
- [*Pedicularis nyalamensis*](#) H.P.Yang
- [*Pedicularis nyingchiensis*](#) H.P.Yang & Tateishi

O

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Pedicularis obliquigaleata*](#) W.B.Yu & H.Wang
- [*Pedicularis obscura*](#) Bonati
- [*Pedicularis ochiaiana*](#) Makino
- [*Pedicularis ochotensis*](#) A.P.Khokhr.
- [*Pedicularis ochrorrhyncha*](#) Galushko & T.N.Popova
- [*Pedicularis odontochila*](#) Diels
- [*Pedicularis odontocorys*](#) T.Yamaz.
- [*Pedicularis odontoloma*](#) T.Yamaz.
- [*Pedicularis odontophora*](#) Prain
- [*Pedicularis oederi*](#) Vahl

- [*Pedicularis olgae*](#) Regel
- [*Pedicularis oligantha*](#) Franch. ex Maxim.
- [*Pedicularis oliveriana*](#) Prain
- [*Pedicularis olympica*](#) Boiss.
- [*Pedicularis omiiiana*](#) Bonati
- [*Pedicularis ophiocephala*](#) Maxim.
- [*Pedicularis orizabae*](#) Schltdl. & Cham.
- [*Pedicularis ornithorhynchos*](#) Benth.
- [*Pedicularis orthantha*](#) Griseb.
- [*Pedicularis orthocoryne*](#) H.L.Li
- [*Pedicularis oxycarpa*](#) Franch. ex Maxim.
- [*Pedicularis oxyrhyncha*](#) T.Yamaz.

P

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)

- [Y](#)
- [Z](#)

- [*Pedicularis pacifica*](#) (Hultén) Kozhev.
- [*Pedicularis paiana*](#) H.L.Li
- [*Pedicularis pallasii*](#) Vved.
- [*Pedicularis* × *pallidiflora*](#) I.Soriano
- [*Pedicularis palustris*](#) L.
- [*Pedicularis pandania*](#) W.B.Yu, H.Q.Lin & Yue H.Cheng
- [*Pedicularis panjutinii*](#) E.A.Busch
- [*Pedicularis pantlingii*](#) Prain
- [*Pedicularis paradoxa*](#) (Prain) T.Yamaz.
- [*Pedicularis parryi*](#) A.Gray
- [*Pedicularis parviflora*](#) Sm.
- [*Pedicularis pauciflora*](#) (Prain ex Maxim.) Pennell
- [*Pedicularis paxiana*](#) H.Limpr.
- [*Pedicularis pectinata*](#) Wall. ex Benth.
- [*Pedicularis pectinatiformis*](#) Bonati
- [*Pedicularis pennellii*](#) Hultén
- [*Pedicularis pentagona*](#) H.L.Li
- [*Pedicularis perpusilla*](#) P.C.Tsoong
- [*Pedicularis perrottetii*](#) Benth.
- [*Pedicularis petelotii*](#) P.C.Tsoong
- [*Pedicularis petiolaris*](#) Ten.
- [*Pedicularis petitmenginii*](#) Bonati
- [*Pedicularis petrophila*](#) H.L.Li
- [*Pedicularis phaceliifolia*](#) Franch.
- [*Pedicularis pheulpinii*](#) Bonati
- [*Pedicularis physocalyx*](#) Bunge
- [*Pedicularis pilosocalycina*](#) Charit.
- [*Pedicularis pilostachya*](#) Maxim.
- [*Pedicularis pinetorum*](#) Hand.-Mazz.
- [*Pedicularis platychila*](#) P.C.Tsoong
- [*Pedicularis platyrhyncha*](#) Schrenk
- [*Pedicularis plicata*](#) Maxim.
- [*Pedicularis poluninii*](#) P.C.Tsoong
- [*Pedicularis polygaloides*](#) Hook.f.
- [*Pedicularis polyodonta*](#) H.L.Li
- [*Pedicularis pontica*](#) Boiss.
- [*Pedicularis popovii*](#) Vved.
- [*Pedicularis porrecta*](#) Wall. ex Benth.
- [*Pedicularis porriginosa*](#) P.C.Tsoong
- [*Pedicularis portenschlagii*](#) Saut. ex Rchb.

- [*Pedicularis potaninii*](#) Maxim.
- [*Pedicularis praeruptorum*](#) Bonati
- [*Pedicularis praetermissa*](#) (I.Soriano, M.Bernal & Sánchez-Cux.) Aymerich & L.Sáez
- [*Pedicularis prainiana*](#) Maxim.
- [*Pedicularis princeps*](#) Franch.
- [*Pedicularis proboscidea*](#) Steven
- [*Pedicularis procera*](#) A.Gray
- [*Pedicularis przewalskii*](#) Maxim.
- [*Pedicularis* × *pseudoasplenifolia*](#) Steininger
- [*Pedicularis pseudoatra*](#) Bonati
- [*Pedicularis pseudocephalantha*](#) Bonati
- [*Pedicularis pseudocurvituba*](#) P.C.Tsoong
- [*Pedicularis pseudoheydei*](#) P.C.Tsoong
- [*Pedicularis pseudohookeriana*](#) T.Yamaz.
- [*Pedicularis pseudoingens*](#) Bonati
- [*Pedicularis pseudomelampyriflora*](#) Bonati
- [*Pedicularis pseudomuscicola*](#) Bonati
- [*Pedicularis pseudoregeliana*](#) P.C.Tsoong
- [*Pedicularis pseudosteiningeri*](#) Bonati
- [*Pedicularis pseudoversicolor*](#) Hand.-Mazz.
- [*Pedicularis pteridifolia*](#) Bonati
- [*Pedicularis pubiflora*](#) Vved.
- [*Pedicularis pulchella*](#) Pennell
- [*Pedicularis pulchra*](#) Paulsen
- [*Pedicularis punctata*](#) Decne.
- [*Pedicularis purpurea*](#) Pennell
- [*Pedicularis pushpangadanii*](#) T.Husain & Arti Garg
- [*Pedicularis pycnantha*](#) Boiss.
- [*Pedicularis pygmaea*](#) Maxim.
- [*Pedicularis pyramidata*](#) Royle ex Benth.
- [*Pedicularis pyrenaica*](#) J.Gay
- [*Pedicularis qinghaiensis*](#) T.Yamaz.

Q

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)

- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Pedicularis quxiangensis](#) H.P.Yang

R

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis racemosa*](#) Douglas ex Benth.
- [*Pedicularis raghvendrae*](#) Arti Garg & R.Kr.Singh
- [*Pedicularis rainierensis*](#) Pennell & F.A.Warren
- [*Pedicularis ramosissima*](#) Bonati
- [*Pedicularis rechingeri*](#) Wendelbo
- [*Pedicularis recurva*](#) Maxim.
- [*Pedicularis recutita*](#) L.
- [*Pedicularis refracta*](#) (Maxim.) Maxim.
- [*Pedicularis regeliana*](#) Prain
- [*Pedicularis remotiloba*](#) Hand.-Mazz.
- [*Pedicularis reptans*](#) P.C.Tsoong
- [*Pedicularis resupinata*](#) L.
- [*Pedicularis retingensis*](#) P.C.Tsoong
- [*Pedicularis revealiana*](#) Arti Garg
- [*Pedicularis rex*](#) C.B.Clarke ex Maxim.
- [*Pedicularis reynieri*](#) Bonati
- [*Pedicularis rhinanthoides*](#) Schrenk ex Fisch. & C.A.Mey.
- [*Pedicularis rhizomatosa*](#) P.C.Tsoong
- [*Pedicularis rhodotricha*](#) Maxim.
- [*Pedicularis rhynchodonta*](#) Bureau & Franch.
- [*Pedicularis rhynchostricha*](#) P.C.Tsoong
- [*Pedicularis rigginsiae*](#) D.J.Keil
- [*Pedicularis rigida*](#) Franch. ex Maxim.
- [*Pedicularis rigidescens*](#) T.Yamaz.
- [*Pedicularis rigidiformis*](#) Bonati
- [*Pedicularis rizhaoensis*](#) H.P.Yang
- [*Pedicularis roborowskii*](#) Maxim.
- [*Pedicularis robusta*](#) Hook.f.

- [*Pedicularis rohtangensis*](#) Aswal, Goel & Mehrotra
- [*Pedicularis rosea*](#) Wulfen
- [*Pedicularis roseialba*](#) T.Yamaz.
- [*Pedicularis rostratocapitata*](#) Crantz
- [*Pedicularis rostratospicata*](#) Crantz
- [*Pedicularis rotundifolia*](#) C.E.C.Fisch.
- [*Pedicularis* × *rouyana*](#) F.O.Wolf ex Rouy
- [*Pedicularis roylei*](#) Maxim.
- [*Pedicularis rubens*](#) Stephan ex Willd.
- [*Pedicularis rudis*](#) Maxim.
- [*Pedicularis ruoergaiensis*](#) H.P.Yang
- [*Pedicularis rupicola*](#) Franch.

S

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)

- [Y](#)
- [Z](#)
- [*Pedicularis* × *sagalaevii* V.V.Byalt & Firsov](#)
- [*Pedicularis salicifolia* Bonati](#)
- [*Pedicularis salviiflora* Franch.](#)
- [*Pedicularis sanguilimbata* R.R.Mill](#)
- [*Pedicularis sarawschanica* Regel](#)
- [*Pedicularis sceptrum-carolinum* L.](#)
- [*Pedicularis schistostegia* Vved.](#)
- [*Pedicularis schizocalyx* \(Lange\) Steininger](#)
- [*Pedicularis schizorrhyncha* Prain](#)
- [*Pedicularis schugnana* B.Fedtsch.](#)
- [*Pedicularis scolopax* Maxim.](#)
- [*Pedicularis scopulorum* A.Gray](#)
- [*Pedicularis scullyana* Prain ex Maxim.](#)
- [*Pedicularis semenowii* Regel](#)
- [*Pedicularis semibarbata* A.Gray](#)
- [*Pedicularis semitorta* Maxim.](#)
- [*Pedicularis shansiensis* P.C.Tsoong](#)
- [*Pedicularis sherriffii* P.C.Tsoong](#)
- [*Pedicularis siamensis* P.C.Tsoong](#)
- [*Pedicularis sibirica* Vved.](#)
- [*Pedicularis sibthorpii* Boiss.](#)
- [*Pedicularis sigmoidea* Franch.](#)
- [*Pedicularis sikkimensis* Bonati](#)
- [*Pedicularis sima* Maxim.](#)
- [*Pedicularis siphonantha* D.Don](#)
- [*Pedicularis smithiana* Bonati](#)
- [*Pedicularis songarica* Schrenk ex Fisch. & C.A.Mey.](#)
- [*Pedicularis sorbifolia* P.C.Tsoong](#)
- [*Pedicularis souliei* Franch.](#)
- [*Pedicularis sphaerantha* P.C.Tsoong](#)
- [*Pedicularis spicata* Pall.](#)
- [*Pedicularis stadlmanniana* Bonati](#)
- [*Pedicularis staintonii* R.R.Mill](#)
- [*Pedicularis steiningeri* Bonati](#)
- [*Pedicularis stenantha* Franch.](#)
- [*Pedicularis stenophylla* H.L.Li](#)
- [*Pedicularis stenothecca* P.C.Tsoong](#)
- [*Pedicularis stewartii* Pennell](#)
- [*Pedicularis straussii* Hausskn.](#)
- [*Pedicularis streptorrhyncha* P.C.Tsoong](#)

- [Pedicularis striata](#) Pall.
- [Pedicularis strobilacea](#) Franch.
- [Pedicularis stylosa](#) H.P.Yang
- [Pedicularis subrostrata](#) C.A.Mey.
- [Pedicularis subulatidens](#) P.C.Tsoong
- [Pedicularis sudetica](#) Willd.
- [Pedicularis sunkosiana](#) T.Yamaz.
- [Pedicularis superba](#) Franch. ex Maxim.
- [Pedicularis svenhedinii](#) Paulsen
- [Pedicularis sylvatica](#) L.
- [Pedicularis szetschuanica](#) Maxim.

T

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- Z
- *Pedicularis tachanensis* Bonati
- *Pedicularis tahaiensis* Bonati
- *Pedicularis takpoensis* P.C.Tsoong
- *Pedicularis talassica* Vved.
- *Pedicularis taliensis* Bonati
- *Pedicularis tamurensis* T.Yamaz.
- *Pedicularis tantalorhyncha* Franch. ex Bonati
- *Pedicularis tantalorhynchoides* P.C.Tsoong
- *Pedicularis tapaoensis* P.C.Tsoong
- *Pedicularis tatarinowii* Maxim.
- *Pedicularis tatianae* Bordz.
- *Pedicularis tatsienensis* Bureau & Franch.
- *Pedicularis tayloriana* P.C.Tsoong
- *Pedicularis tenacifolia* P.C.Tsoong
- *Pedicularis tenera* H.L.Li
- *Pedicularis tenuicaulis* Prain
- *Pedicularis tenuirostris* Benth.
- *Pedicularis tenuisecta* Franch. ex Maxim.
- *Pedicularis tenuituba* Pennell & H.L.Li
- *Pedicularis ternata* Maxim.
- *Pedicularis terrenoflora* T.Yamaz.
- *Pedicularis thailandica* T.Yamaz.
- *Pedicularis thamnophila* (Hand.-Mazz.) H.L.Li
- *Pedicularis tianschanica* Rupr.
- *Pedicularis tibetica* Franch.
- *Pedicularis tomentosa* H.L.Li
- *Pedicularis tongolensis* Franch.
- *Pedicularis torta* Maxim.
- *Pedicularis transversa* Baimukhambetova
- *Pedicularis triangularidens* P.C.Tsoong
- *Pedicularis trichocymba* H.L.Li
- *Pedicularis trichodonta* T.Yamaz.
- *Pedicularis trichoglossa* Hook.f.
- *Pedicularis trichomata* H.L.Li
- *Pedicularis tricolor* Hand.-Mazz.
- *Pedicularis tripinnata* M.Martens & Galeotti
- *Pedicularis tristis* L.
- *Pedicularis tsaii* H.L.Li
- *Pedicularis tsangchanensis* Franch. ex Maxim.
- *Pedicularis tsarungensis* H.L.Li
- *Pedicularis tsekouensis* Bonati

- [*Pedicularis tsiangii*](#) H.L.Li
- [*Pedicularis tuberosa*](#) L.

U

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis uliginosa*](#) Bunge
- [*Pedicularis umbelliformis*](#) H.L.Li
- [*Pedicularis uralensis*](#) Vved.
- [*Pedicularis urceolata*](#) P.C.Tsoong

V

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis vagans*](#) Hemsl.
- [*Pedicularis variegata*](#) H.L.Li
- [*Pedicularis venusta*](#) Schangin ex Bunge
- [*Pedicularis verae*](#) Vved.
- [*Pedicularis verbenifolia*](#) Franch. ex Maxim.
- [*Pedicularis* × *verlotii*](#) Arv.-Touv.
- [*Pedicularis veronicifolia*](#) Franch.
- [*Pedicularis verticillata*](#) L.
- [*Pedicularis vialii*](#) Franch.
- [*Pedicularis villosa*](#) Ledeb. ex Spreng.
- [*Pedicularis violascens*](#) Schrenk
- [*Pedicularis* × *vulpji*](#) Solms

W

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [Pedicularis waldheimii](#) Bonati
- [Pedicularis wallichii](#) Bunge
- [Pedicularis wanghongiae](#) M.L.Liu & W.B.Yu
- [Pedicularis wardii](#) Bonati
- [Pedicularis weixiensis](#) H.P.Yang
- [Pedicularis × wettsteiniana](#) Bonati
- [Pedicularis wilhelmsiana](#) Fisch. ex M.Bieb.
- [Pedicularis wilsonii](#) Bonati
- [Pedicularis wlassowiana](#) Steven
- [Pedicularis woodii](#) R.R.Mill

X

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [*Pedicularis xiangchengensis*](#) H.P.Yang
- [*Pedicularis xiqingshanensis*](#) H.Y.Feng & J.Z.Sun
- [*Pedicularis xylopoda*](#) P.C.Tsoong
- [*Pedicularis yalungensis*](#) T.Yamaz.

Y

Contents:

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [Pedicularis yamazakiana](#) R.R.Mill
- [Pedicularis yanyuanensis](#) H.P.Yang
- [Pedicularis yaoshanensis](#) H.Wang
- [Pedicularis yarilaica](#) R.R.Mill
- [Pedicularis yezoensis](#) Maxim.
- [Pedicularis yinshanensis](#) (Z.Y.Chu & Y.Z.Zhao) Y.Zhao
- [Pedicularis yui](#) H.L.Li

Z

Contents:

- [Top](#)
- [A](#)
- [B](#)

- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

- [*Pedicularis yunnanensis*](#) Franch. ex Maxim.
- [*Pedicularis zayuensis*](#) H.P.Yang
- [*Pedicularis zeylanica*](#) Benth.
- [*Pedicularis zhongdianensis*](#) H.P.Yang

From Wikipedia, the free encyclopedia

[*Plants of the World Online*](#) recognises about 300 accepted [taxa](#) (of species and infraspecific names) in the plant genus [*Pavonia*](#) of the mallow family [Malvaceae](#).^[1]

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)

- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [*Pavonia achanoides*](#) Griseb.
- [*Pavonia alba*](#) Seem.
- [*Pavonia alia*](#) Fryxell
- [*Pavonia almasana*](#) Ulbr.
- [*Pavonia alnifolia*](#) A.St.-Hil.
- [*Pavonia angustifolia*](#) Benth.
- [*Pavonia angustipetala*](#) Krapov. & Cristóbal
- [*Pavonia anisaster*](#) (Standl.) Fryxell
- [*Pavonia apiculata*](#) R.E.Fr.
- [*Pavonia arabica*](#) Hochst. & Steud. ex Boiss.
- [*Pavonia arachnoides*](#) C.Presl
- [*Pavonia arenaria*](#) (Murray) Roth
- [*Pavonia argentina*](#) Gürke
- [*Pavonia aschersoniana*](#) Gürke
- [*Pavonia aschersonioides*](#) Fryxell
- [*Pavonia aspera*](#) Hassl.
- [*Pavonia atlantica*](#) Fryxell
- [*Pavonia aurantia*](#) Alain
- [*Pavonia aurelii*](#) Fryxell

- [*Pavonia aurigloba*](#) Krapov. & Cristóbal

B



Pavonia bahamensis

- [*Pavonia bahamensis*](#) Hitchc.
- [*Pavonia baillonii*](#) Hochr.
- [*Pavonia balansae*](#) Gürke
- [*Pavonia baumliana*](#) Fryxell
- [*Pavonia belophylla*](#) Hochr.
- [*Pavonia betonicifolia*](#) C.Presl
- [*Pavonia biflora*](#) Fryxell
- [*Pavonia blanchetiana*](#) Miq.
- [*Pavonia blepharicarpa*](#) N.A.Brummitt & Vollesen
- [*Pavonia brevibracteolata*](#) Hauman
- [*Pavonia bullulata*](#) Hochr.
- [*Pavonia burchellii*](#) (DC.) R.A.Dyer

C



Pavonia cancellata

- [*Pavonia cabraliana*](#) Krapov.
- [*Pavonia calcicola*](#) (Britton) Ekman
- [*Pavonia calycina*](#) (Cav.) Ulbr.
- [*Pavonia calyculosa*](#) A.St.-Hil. & Naudin

- [*Pavonia cancellata*](#) (L.) Cav.
- [*Pavonia candida*](#) (DC.) Fryxell
- [*Pavonia capivarensis*](#) Krapov.
- [*Pavonia castaneifolia*](#) A.St.-Hil. & Naudin
- [*Pavonia cauliflora*](#) (Nees) Fryxell ex G.L.Esteves
- [*Pavonia chiquitensis*](#) J.R.I.Wood
- [*Pavonia chlorantha*](#) (Kunth) Fryxell
- [*Pavonia ciliata*](#) G.L.Esteves & Krapov.
- [*Pavonia clarkii*](#) Fryxell
- [*Pavonia clathrata*](#) Mast.
- [*Pavonia coccinea*](#) Cav.
- [*Pavonia cochensis*](#) J.R.Johnst.
- [*Pavonia columella*](#) Cav.
- [*Pavonia communis*](#) A.St.-Hil.
- [*Pavonia commutata*](#) Garcke
- [*Pavonia conferta*](#) A.St.-Hil.
- [*Pavonia corymbosa*](#) (Sw.) Willd.
- [*Pavonia cracens*](#) Fryxell & G.L.Esteves
- [*Pavonia crassipedicellata*](#) Krapov.
- [*Pavonia crispa*](#) Krapov.
- [*Pavonia cristaliana*](#) Krapov.
- [*Pavonia cristata*](#) Schinz ex Gürke
- [*Pavonia cristobaliae*](#) Fryxell
- [*Pavonia cryptica*](#) Krapov. & Cristóbal
- [*Pavonia cryptocalyx*](#) Urb.
- [*Pavonia cymbalaria*](#) A.St.-Hil. & Naudin

D



Pavonia dregei

- [*Pavonia dasypetala*](#) Turcz.
- [*Pavonia decora*](#) Fryxell
- [*Pavonia dentata*](#) Burt Davy
- [*Pavonia dimorphostemon*](#) Verdc.
- [*Pavonia distinguenda*](#) A.St.-Hil. & Naudin

- [*Pavonia domatiiifera*](#) J.Florence
- [*Pavonia dregei*](#) Garcke
- [*Pavonia ducke-limae*](#) Monteiro
- [*Pavonia durangensis*](#) Fryxell
- [*Pavonia dusenii*](#) Krapov.

E

- [*Pavonia ecostata*](#) Fryxell & S.D.Koch
- [*Pavonia ekmanii*](#) Helwig
- [*Pavonia elegans*](#) Garcke
- [*Pavonia ellenbeckii*](#) Gürke
- [*Pavonia eremogeiton*](#) Ulbr.
- [*Pavonia erythrolema*](#) Gürke
- [*Pavonia eurychlamys*](#) Ulbr.
- [*Pavonia exasperata*](#) Grings & Boldrini

F

- [*Pavonia falconensis*](#) Fryxell
- [*Pavonia filiformis*](#) J.R.I.Wood
- [*Pavonia firmiflora*](#) Schery
- [*Pavonia flavispina*](#) Miq.
- [*Pavonia flavoferruginea*](#) (Forssk.) Hepper & J.R.I.Wood
- [*Pavonia fonsecana*](#) (Standl.) Fryxell
- [*Pavonia formosa*](#) Fryxell
- [*Pavonia friesii*](#) Krapov.
- [*Pavonia friisii*](#) Thulin & Vollesen
- [*Pavonia froesii*](#) Fryxell
- [*Pavonia fruticosa*](#) (Mill.) Fawc. & Rendle
- [*Pavonia fryxelliana*](#) Fosberg & Sachet
- [*Pavonia fryxellii*](#) Krapov.

G



Pavonia glechomoides

- [*Pavonia gallaensis*](#) Ulbr.
- [*Pavonia garckeana*](#) Gürke
- [*Pavonia geminiflora*](#) Moric.
- [*Pavonia gentryi*](#) Fryxell
- [*Pavonia glazioviana*](#) Gürke
- [*Pavonia glaziovii*](#) (Ulbr.) Fryxell
- [*Pavonia glechomoides*](#) A.St.-Hil.
- [*Pavonia glutinosa*](#) Krapov. & Cristóbal
- [*Pavonia goetheoides*](#) (Hassl.) Fryxell ex G.L.Esteves
- [*Pavonia gossweileri*](#) Exell
- [*Pavonia gracilis*](#) R.E.Fr.
- [*Pavonia grandiflora*](#) A.St.-Hil.
- [*Pavonia graomogoliana*](#) Krapov.
- [*Pavonia grazielae*](#) Krapov.
- [*Pavonia guerkeana*](#) R.E.Fr.

H



Pavonia hastata

- [*Pavonia harleyi*](#) Krapov.
- [*Pavonia hassleriana*](#) Chodat
- [*Pavonia hastata*](#) Cav. – spearleaf swampmallow
- [*Pavonia hatschbachii*](#) Krapov.
- [*Pavonia heterostemon*](#) Urb.
- [*Pavonia heterotricha*](#) Fryxell
- [*Pavonia hexaphylla*](#) (S.Moore) Krapov.
- [*Pavonia hieronymi*](#) Gürke
- [*Pavonia hirticalyx*](#) Fryxell
- [*Pavonia hirtiflora*](#) Benth.
- [*Pavonia horrida*](#) Krapov.
- [*Pavonia hotteana*](#) Helwig
- [*Pavonia humifusa*](#) A.St.-Hil.

I

- [*Pavonia imatacensis*](#) Steyerm.
- [*Pavonia immaculata*](#) R.E.Fr.
- [*Pavonia immitis*](#) Fryxell
- [*Pavonia insperabilis*](#) Fryxell
- [*Pavonia integrifolia*](#) Standl.
- [*Pavonia intermedia*](#) A.St.-Hil.
- [*Pavonia intermixta*](#) A.Rich.
- [*Pavonia ionthacarpa*](#) Krapov.

K

- [*Pavonia kearneyi*](#) D.M.Bates
- [*Pavonia kilimandscharica*](#) Gürke
- [*Pavonia kleinii*](#) Krapov. & Cristóbal
- [*Pavonia kotschyi*](#) Hochst. ex Webb
- [*Pavonia krapovickasii*](#) Fryxell

L



Pavonia lasiopetala

- [*Pavonia laetevirens*](#) R.E.Fr.
- [*Pavonia lanata*](#) R.E.Fr.
- [*Pavonia lasiopetala*](#) Scheele – Texas swampmallow
- [*Pavonia latibracteolata*](#) Krapov.
- [*Pavonia latifolia*](#) (Nees & Mart.) Spreng.
- [*Pavonia laxifolia*](#) A.St.-Hil.

- [*Pavonia leiocarpa*](#) Urb.
- [*Pavonia leptocalyx*](#) (Sond.) Ulbr.
- [*Pavonia leucantha*](#) Garcke
- [*Pavonia longifolia*](#) A.St.-Hil.
- [*Pavonia longipedunculata*](#) Gürke
- [*Pavonia longipilosa*](#) Thulin
- [*Pavonia longitricha*](#) Fryxell
- [*Pavonia longitudinalis*](#) Fryxell
- [*Pavonia luetzelburgii*](#) Ulbr.

M



Pavonia malacophylla

- [*Pavonia macdougallii*](#) Fryxell
- [*Pavonia macrostyla*](#) Gürke
- [*Pavonia makoyana*](#) É.Morren
- [*Pavonia malacophylla*](#) (Link & Otto) Garcke
- [*Pavonia malvaviscoides*](#) A.St.-Hil.
- [*Pavonia marginata*](#) Thulin
- [*Pavonia martii*](#) Colla
- [*Pavonia matteiana*](#) Thulin
- [*Pavonia mattogrossensis*](#) R.E.Fr.
- [*Pavonia meeboldii*](#) Ulbr.
- [*Pavonia melhanioides*](#) Thulin
- [*Pavonia missionum*](#) Ekman
- [*Pavonia mollis*](#) Kunth
- [*Pavonia montana*](#) Garcke ex Gürke
- [*Pavonia monticola*](#) Fryxell
- [*Pavonia morii*](#) Krapov.
- [*Pavonia multiflora*](#) A.St.-Hil.
- [*Pavonia mutisii*](#) Kunth

N

- [*Pavonia nana*](#) R.E.Fr.
- [*Pavonia narcissi*](#) Krapov.

- [*Pavonia nayarensis*](#) Fryxell
- [*Pavonia neei*](#) Fryxell
- [*Pavonia nemoralis*](#) A.St.-Hil. & Naudin
- [*Pavonia nepetifolia*](#) (Standl.) Standl.
- [*Pavonia nigrescens*](#) Thulin

O

- [*Pavonia occhionii*](#) Krapov.
- [*Pavonia opulifolia*](#) S.Moore
- [*Pavonia orientalis*](#) Krapov.
- [*Pavonia ovaliphylla*](#) G.L.Esteves & Krapov.
- [*Pavonia oxyphylla*](#) (Moc. & Sessé ex DC.) Fryxell
- [*Pavonia oxyphyllaria*](#) Donn.Sm.

P



Pavonia praemorsa

- [*Pavonia pabstii*](#) Krapov. & Cristóbal
- [*Pavonia palmeirensis*](#) Krapov.
- [*Pavonia paludicola*](#) Nicolson ex Fryxell
- [*Pavonia paneroi*](#) Fryxell
- [*Pavonia paniculata*](#) Cav.
- [*Pavonia papilionacea*](#) Cav.
- [*Pavonia paraensis*](#) Fryxell
- [*Pavonia patuliloba*](#) Hochr.
- [*Pavonia paucibracteata*](#) Thulin
- [*Pavonia paucidentata*](#) Fryxell
- [*Pavonia penduliflora*](#) (Standl.) Standl.
- [*Pavonia peruviana*](#) Gürke
- [*Pavonia piauhensis*](#) Ulbr.
- [*Pavonia pilifera*](#) Krapov.
- [*Pavonia piptocalyx*](#) Krapov.
- [*Pavonia pirottae*](#) (A.Terracc.) Chiov.
- [*Pavonia platyloba*](#) R.E.Fr.

- [*Pavonia pleuranthera*](#) (DC.) Fryxell
- [*Pavonia pohlii*](#) Gürke
- [*Pavonia praemorsa*](#) (L.f.) Cav.
- [*Pavonia prionophylla*](#) R.E.Fr.
- [*Pavonia procumbens*](#) (Wight & Arn.) Walp.
- [*Pavonia propinqua*](#) Garcke
- [*Pavonia pseudolaxifolia*](#) Fryxell
- [*Pavonia pseudotyphalaea*](#) Planch. & Linden
- [*Pavonia psilophylla*](#) Ekman
- [*Pavonia pterocarpa*](#) R.E.Fr.
- [*Pavonia pulchra*](#) Hochr.
- [*Pavonia pulidoae*](#) Fryxell
- [*Pavonia punctata*](#) Urb.
- [*Pavonia purpusii*](#) Brandegees

Q

- [*Pavonia quadrifida*](#) Fryxell

R



Pavonia rose-campestris

- [*Pavonia ramboi*](#) Krapov. & Cristóbal
- [*Pavonia rehmannii*](#) Szyszyl.
- [*Pavonia reitzii*](#) Krapov. & Cristóbal
- [*Pavonia renifolia*](#) Krapov.
- [*Pavonia repens*](#) Fryxell
- [*Pavonia restiaria*](#) Bertoni
- [*Pavonia reticulata*](#) Garcke
- [*Pavonia revoluta*](#) Krapov. & Cristóbal
- [*Pavonia rhizophorae*](#) Killip
- [*Pavonia rhodantha*](#) Hochr.
- [*Pavonia rogersii*](#) N.E.Br.

- [*Pavonia rojasii*](#) Hassl.
- [*Pavonia rosa-campestris*](#) A.St.-Hil.
- [*Pavonia rosengurtii*](#) Krapov. & Cristóbal
- [*Pavonia rotundifolia*](#) Thulin & Vollesen
- [*Pavonia rubra*](#) Krapov. & Cristóbal
- [*Pavonia rudis*](#) Fryxell
- [*Pavonia rupestris*](#) (Hassl.) Krapov. & Cristóbal

S



Pavonia strictiflora

- [*Pavonia sagittata*](#) A.St.-Hil.
- [*Pavonia salmonea*](#) Grings & Boldrini
- [*Pavonia sancti*](#) Krapov.
- [*Pavonia sapucayensis*](#) Hassl.
- [*Pavonia schiedeana*](#) Steud.
- [*Pavonia schimperiana*](#) Hochst. ex A.Rich.
- [*Pavonia schininii*](#) Krapov. & Cristóbal
- [*Pavonia schrankii*](#) Spreng.
- [*Pavonia schwackei*](#) Gürke
- [*Pavonia schweinfurthii*](#) Ulbr.
- [*Pavonia secreta*](#) Grings & Krapov.
- [*Pavonia semiserrata*](#) (Schrud.) Steud.
- [*Pavonia senegalensis*](#) (Cav.) Leistner
- [*Pavonia sepioides*](#) Fryxell & Krapov.
- [*Pavonia sepium*](#) A.St.-Hil.
- [*Pavonia serrana*](#) G.L.Esteves

- [*Pavonia serrata*](#) Franch.
- [*Pavonia setifer*](#) (C.Presl) Fryxell
- [*Pavonia sidifolia*](#) Kunth
- [*Pavonia somalensis*](#) Franch.
- [*Pavonia spectabilis*](#) Krapov.
- [*Pavonia spiciformis*](#) Krapov.
- [*Pavonia spinifex*](#) (L.) Cav.
- [*Pavonia spinistipula*](#) Gürke
- [*Pavonia spuria*](#) Fryxell
- [*Pavonia stenopetala*](#) Krapov.
- [*Pavonia steudneri*](#) Ulbr.
- [*Pavonia stipularis*](#) Krapov.
- [*Pavonia stolzii*](#) Ulbr.
- [*Pavonia striata*](#) Krapov.
- [*Pavonia strictiflora*](#) (Hook.) G.L.Esteves
- [*Pavonia subhastata*](#) Triana & Planch.
- [*Pavonia submutica*](#) Fryxell
- [*Pavonia subrotunda*](#) A.St.-Hil. & Naudin

T

- [*Pavonia tiliifolia*](#) (Ulbr.) Fryxell
- [*Pavonia transvaalensis*](#) (Ulbr.) A.Meeuse
- [*Pavonia tricalycaris*](#) A.St.-Hil.
- [*Pavonia triloba*](#) Guill. & Perr.
- [*Pavonia troyana*](#) (Urb.) Urb.

U



Pavonia urens

- [*Pavonia undulata*](#) Krapov.
- [*Pavonia uniflora*](#) (Sessé & Moc.) Fryxell
- [*Pavonia urens*](#) Cav.

V

- [*Pavonia vannii*](#) Fryxell
- [*Pavonia varians*](#) Moric.
- [*Pavonia velvetiana*](#) Krapov.
- [*Pavonia venusta*](#) Fryxell
- [*Pavonia vinosa*](#) G.L.Esteves
- [*Pavonia viscidula*](#) A.St.-Hil. & Naudin
- [*Pavonia viscosa*](#) A.St.-Hil.
- [*Pavonia vitifolia*](#) Hochr.

W

- [*Pavonia windischii*](#) Krapov.

X

- [*Pavonia xanthogloea*](#) Ekman

Y

- [*Pavonia yatarendana*](#) Krapov. & Cristóbal

Z

- [*Pavonia zehntneri*](#) Ulbr.
- [*Pavonia zeylonica*](#) (L.) Cav.

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [***Pavetta***](#) are accepted by [Plants of the World Online](#).
[1] An important distinguishing trait for the genus is the dark nodules on their leaves, which house bacterial endosymbionts.[2]

- [*Pavetta abujuamii*](#) W.D.Hawth.
- [*Pavetta abyssinica*](#) Fresen.
- [*Pavetta aethiopica*](#) Bremek.
- [*Pavetta agrostiphylla*](#) Bremek.
- [*Pavetta akeassii*](#) J.B.Hall
- [*Pavetta amaniensis*](#) Bremek.
- [*Pavetta andongensis*](#) Hiern
- [*Pavetta angolensis*](#) Hiern

- [*Pavetta angustifolia*](#) (Lam.) Roem. & Schult.
- [*Pavetta ankasensis*](#) W.D.Hawth.
- [*Pavetta ankolensis*](#) Bridson
- [*Pavetta antennifera*](#) Wernham
- [*Pavetta arenicola*](#) K.Schum.
- [*Pavetta arenosa*](#) Lour.
- [*Pavetta aspera*](#) Craib
- [*Pavetta australiensis*](#) Bremek.
- [*Pavetta axillaris*](#) Bremek.
- [*Pavetta axillipara*](#) Bremek.
- [*Pavetta backeri*](#) Bremek.
- [*Pavetta baconiella*](#) Bremek.
- [*Pavetta bagshawei*](#) S.Moore
- [*Pavetta balinensis*](#) Bremek.
- [*Pavetta bangweensis*](#) Bremek.
- [*Pavetta barbata*](#) Sm.
- [*Pavetta barbertonensis*](#) Bremek.
- [*Pavetta barnesii*](#) Elmer ex Merr.
- [*Pavetta basilanensis*](#) Bremek.
- [*Pavetta batanensis*](#) Bremek.
- [*Pavetta batesiana*](#) Bremek.
- [*Pavetta bauchei*](#) Bremek.
- [*Pavetta bequaertii*](#) De Wild.
- [*Pavetta bidentata*](#) Hiern
- [*Pavetta bidgoodiae*](#) Bridson
- [*Pavetta bilineata*](#) Bremek.
- [*Pavetta blanda*](#) Bremek.
- [*Pavetta bomiensis*](#) W.D.Hawth.
- [*Pavetta bourdillonii*](#) Sivad. & N.Mohanan
- [*Pavetta bowkeri*](#) Harv.
- [*Pavetta brachyantha*](#) Merr.
- [*Pavetta brachycalyx*](#) Hiern
- [*Pavetta brachysiphon*](#) Bremek.
- [*Pavetta breviflora*](#) DC.
- [*Pavetta brevituba*](#) Craib
- [*Pavetta bridsoniae*](#) P.I.Forst.
- [*Pavetta brownii*](#) Bremek.
- [*Pavetta bruceana*](#) Bremek.
- [*Pavetta bruneelii*](#) De Wild.
- [*Pavetta brunonis*](#) Wall. ex G.Don
- [*Pavetta buchneri*](#) K.Schum.
- [*Pavetta burtii*](#) Bremek.

- [*Pavetta buruensis*](#) Bremek.
- [*Pavetta calothyrsa*](#) Bremek.
- [*Pavetta cambodiensis*](#) Bremek.
- [*Pavetta camerounensis*](#) S.D.Manning
- [*Pavetta candelabra*](#) Bremek.
- [*Pavetta canescens*](#) DC.
- [*Pavetta capensis*](#) (Houtt.) Bremek.
- [*Pavetta cataractarum*](#) S.Moore
- [*Pavetta catophylla*](#) K.Schum.
- [*Pavetta caudata*](#) Bremek.
- [*Pavetta celebica*](#) Bremek.
- [*Pavetta cellulosa*](#) Bremek.
- [*Pavetta chapmanii*](#) Bridson
- [*Pavetta chevalieri*](#) Bremek.
- [*Pavetta cinerascens*](#) (A.Rich.) Chiov.
- [*Pavetta cinereifolia*](#) Berhaut
- [*Pavetta claessensii*](#) De Wild.
- [*Pavetta coelophlebia*](#) Bremek.
- [*Pavetta comostyla*](#) S.Moore
- [*Pavetta condorensis*](#) Bremek.
- [*Pavetta conferta*](#) S.T.Reynolds
- [*Pavetta constipulata*](#) Bremek.
- [*Pavetta cooperi*](#) Harv. & Sond.
- [*Pavetta coronifera*](#) Bremek.
- [*Pavetta corymbosa*](#) (DC.) F.N.Williams
- [*Pavetta crassicaulis*](#) Bremek.
- [*Pavetta crassipes*](#) K.Schum.
- [*Pavetta crebrifolia*](#) Hiern
- [*Pavetta crystalensis*](#) S.E.Dawson
- [*Pavetta cumingii*](#) Bremek.
- [*Pavetta curalicola*](#) J.E.Burrows
- [*Pavetta decumbens*](#) K.Schum. & K.Krause
- [*Pavetta delicatifolia*](#) Bridson
- [*Pavetta dianeae*](#) J.E.Burrows & S.M.Burrows
- [*Pavetta diversicalyx*](#) Bridson
- [*Pavetta diversipunctata*](#) Bridson
- [*Pavetta dolichantha*](#) Bremek.
- [*Pavetta dolichosepala*](#) Hiern
- [*Pavetta dolichostyla*](#) Merr.
- [*Pavetta edentula*](#) Sond.
- [*Pavetta elliottii*](#) K.Schum. & K.Krause
- [*Pavetta elmeri*](#) Merr.

- [*Pavetta erlangeri*](#) Bremek.
- [*Pavetta eylesii*](#) S.Moore
- [*Pavetta fascifolia*](#) Bremek.
- [*Pavetta filistipulata*](#) Bremek.
- [*Pavetta fruticosa*](#) Craib
- [*Pavetta gabonica*](#) Bremek.
- [*Pavetta galpinii*](#) Bremek.
- [*Pavetta gardeniifolia*](#) Hochst. ex A.Rich.
- [*Pavetta gardneri*](#) Bremek.
- [*Pavetta genipifolia*](#) Schumach.
- [*Pavetta geoffrayi*](#) Bremek.
- [*Pavetta gerstneri*](#) Bremek.
- [*Pavetta glaucophylla*](#) Retief, S.J.Siebert & A.E.van Wyk
- [*Pavetta gleniei*](#) Thwaites ex Hook.f.
- [*Pavetta globularis*](#) Bremek.
- [*Pavetta glomerata*](#) Bremek.
- [*Pavetta gorontalensis*](#) Bremek.
- [*Pavetta gossweileri*](#) Bremek.
- [*Pavetta graciliflora*](#) Wall. ex Ridl.
- [*Pavetta gracilifolia*](#) Bremek.
- [*Pavetta gracilipes*](#) Hiern
- [*Pavetta gracillima*](#) S.Moore
- [*Pavetta granitica*](#) F.Muell. ex Bremek.
- [*Pavetta greenwayi*](#) Bremek.
- [*Pavetta grossissima*](#) S.D.Manning
- [*Pavetta grumosa*](#) S.Moore
- [*Pavetta gurueensis*](#) Bridson
- [*Pavetta haareri*](#) Bremek.
- [*Pavetta harborii*](#) S.Moore
- [*Pavetta herbacea*](#) Bremek.
- [*Pavetta hispida*](#) Hiern
- [*Pavetta hispidula*](#) Wight & Arn.
- [*Pavetta hohenackeri*](#) Bremek.
- [*Pavetta holstii*](#) K.Schum.
- [*Pavetta hongkongensis*](#) Bremek.
- [*Pavetta hookeriana*](#) Hiern
- [*Pavetta humilis*](#) Hook.f.
- [*Pavetta hymenophylla*](#) Bremek.
- [*Pavetta inandensis*](#) Bremek.
- [*Pavetta incana*](#) Klotzsch
- [*Pavetta indica*](#) L.
- [*Pavetta indigotica*](#) Bridson

- [*Pavetta intermedia*](#) Bremek.
- [*Pavetta involucrata*](#) Thwaites
- [*Pavetta ixorifolia*](#) Bremek.
- [*Pavetta johnstonii*](#) Bremek.
- [*Pavetta kasaica*](#) Bremek.
- [*Pavetta kedahica*](#) Bremek.
- [*Pavetta kimberleyana*](#) S.T.Reynolds
- [*Pavetta klotzschiana*](#) K.Schum.
- [*Pavetta kotzei*](#) Bremek.
- [*Pavetta kribiensis*](#) S.D.Manning
- [*Pavetta kupensis*](#) S.D.Manning
- [*Pavetta kyimbilensis*](#) Bremek.
- [*Pavetta laevifolia*](#) Valetton
- [*Pavetta lampongensis*](#) Bremek.
- [*Pavetta lanceolata*](#) Eckl.
- [*Pavetta lasiobractea*](#) K.Schum.
- [*Pavetta lasiocalyx*](#) Bremek.
- [*Pavetta lasioclada*](#) (K.Krause) Mildbr. ex Bremek.
- [*Pavetta lasiopeplus*](#) K.Schum.
- [*Pavetta laurentii*](#) De Wild.
- [*Pavetta laxa*](#) S.D.Manning
- [*Pavetta leonensis*](#) Keay
- [*Pavetta lescrauwaetii*](#) De Wild.
- [*Pavetta leytensis*](#) Bremek.
- [*Pavetta lindina*](#) Bremek.
- [*Pavetta linearifolia*](#) Bremek.
- [*Pavetta loandensis*](#) (S.Moore) Bremek.
- [*Pavetta lomamiensis*](#) Bremek.
- [*Pavetta longibrachiata*](#) Bremek.
- [*Pavetta longiflora*](#) Vahl
- [*Pavetta longistyla*](#) S.D.Manning
- [*Pavetta lulandoensis*](#) Bridson
- [*Pavetta lutambensis*](#) Mildbr. ex Bremek.
- [*Pavetta luzonica*](#) Bremek.
- [*Pavetta lynesii*](#) Bridson
- [*Pavetta macraei*](#) Bremek.
- [*Pavetta macropoda*](#) Bremek.
- [*Pavetta macrosepala*](#) Hiern
- [*Pavetta madrassica*](#) Bremek.
- [*Pavetta makassarica*](#) Bremek.
- [*Pavetta malchairii*](#) De Wild.
- [*Pavetta manyanguensis*](#) Bridson

- [*Pavetta matumbiensis*](#) Bridson
- [*Pavetta mayumbensis*](#) R.D.Good
- [*Pavetta mazumbaiensis*](#) Bridson
- [*Pavetta melanochoa*](#) Bremek.
- [*Pavetta membranacea*](#) Blanco
- [*Pavetta membranifolia*](#) K.Krause
- [*Pavetta micheliana*](#) J.-G.Adam
- [*Pavetta micrantha*](#) Bremek.
- [*Pavetta microphylla*](#) Chiov.
- [*Pavetta micropunctata*](#) Bridson
- [*Pavetta microthamnus*](#) K.Schum.
- [*Pavetta mildbraedii*](#) K.Krause
- [*Pavetta mindanaensis*](#) Bremek.
- [*Pavetta minor*](#) (Hook.f.) Deb & Rout
- [*Pavetta mirabilis*](#) Bremek.
- [*Pavetta mocambicensis*](#) Bremek.
- [*Pavetta mollis*](#) Afzel. ex Hiern
- [*Pavetta mollissima*](#) Hutch. & Dalziel
- [*Pavetta moluccana*](#) Bremek.
- [*Pavetta molundensis*](#) K.Krause
- [*Pavetta montana*](#) Reinw. ex Blume
- [*Pavetta monticola*](#) Hiern
- [*Pavetta mpomii*](#) S.D.Manning
- [*Pavetta mshigeniana*](#) Bridson
- [*Pavetta muelleri*](#) Bremek.
- [*Pavetta mufindiensis*](#) Bridson
- [*Pavetta muiriana*](#) S.D.Manning
- [*Pavetta multiflora*](#) (Koord. & Valetton) Bremek.
- [*Pavetta murleensis*](#) Cufod.
- [*Pavetta mzeleziensis*](#) Bridson
- [*Pavetta namatae*](#) S.D.Manning
- [*Pavetta nana*](#) K.Schum.
- [*Pavetta napieri*](#) (Ridl.) Bremek.
- [*Pavetta natalensis*](#) Sond.
- [*Pavetta naucleiflora*](#) R.Br. ex G.Don
- [*Pavetta nemoralis*](#) Bremek.
- [*Pavetta neurocarpa*](#) Benth.
- [*Pavetta nitidissima*](#) Bridson
- [*Pavetta nitidula*](#) Welw. ex Hiern
- [*Pavetta nova-guineensis*](#) Bremek.
- [*Pavetta obanica*](#) Bremek.
- [*Pavetta oblanceolata*](#) Bremek.

- [*Pavetta oblongifolia*](#) (Hiern) Bremek.
- [*Pavetta obovalis*](#) Bremek.
- [*Pavetta oligantha*](#) Valetton
- [*Pavetta olivaceonigra*](#) K.Schum.
- [*Pavetta oliveriana*](#) Hiern
- [*Pavetta ombrophila*](#) Bremek.
- [*Pavetta opulina*](#) (G.Forst.) DC.
- [*Pavetta oresitropha*](#) Bremek.
- [*Pavetta orthanthera*](#) Bremek.
- [*Pavetta owariensis*](#) P.Beauv.
- [*Pavetta palembangensis*](#) Bremek.
- [*Pavetta pammalaka*](#) Bremek.
- [*Pavetta parasitica*](#) Lour.
- [*Pavetta parvifolia*](#) S.Vidal
- [*Pavetta paupercula*](#) K.Schum.
- [*Pavetta petiolaris*](#) Wall. ex Craib
- [*Pavetta phanerophlebia*](#) Merr.
- [*Pavetta pierlotii*](#) Bridson
- [*Pavetta pierrei*](#) Bremek.
- [*Pavetta platycalyx*](#) Bremek.
- [*Pavetta platyclada*](#) K.Schum. & Lauterb.
- [*Pavetta plumosa*](#) Hutch. & Dalziel
- [*Pavetta pocsii*](#) Bridson
- [*Pavetta praeterita*](#) Bremek.
- [*Pavetta pseudoalbicaulis*](#) Bridson
- [*Pavetta puberula*](#) Hiern
- [*Pavetta puffii*](#) Barbhuiya, J.Sarma & S.Dey
- [*Pavetta pumila*](#) N.E.Br.
- [*Pavetta pygmaea*](#) Bremek.
- [*Pavetta quasidigita*](#) W.D.Hawth.
- [*Pavetta radicans*](#) Hiern
- [*Pavetta redheadii*](#) Bremek.
- [*Pavetta refractifolia*](#) K.Schum.
- [*Pavetta reinwardtii*](#) Bremek.
- [*Pavetta renidens*](#) (K.Krause) Bremek.
- [*Pavetta revoluta*](#) Hochst.
- [*Pavetta richardsiae*](#) Bridson
- [*Pavetta rigida*](#) Hiern
- [*Pavetta robusta*](#) Bremek.
- [*Pavetta roseostellata*](#) Bridson
- [*Pavetta ruahaensis*](#) Bridson
- [*Pavetta rubentifolia*](#) S.D.Manning

- [*Pavetta rupicola*](#) S.T.Reynolds
- [*Pavetta ruttanii*](#) Bremek.
- [*Pavetta ruwenzoriensis*](#) S.Moore
- [*Pavetta rwandensis*](#) Bridson
- [*Pavetta salicina*](#) (Ridl.) Bremek.
- [*Pavetta sansibarica*](#) K.Schum.
- [*Pavetta sapoensis*](#) W.D.Hawth.
- [*Pavetta sarasinorum*](#) Bremek.
- [*Pavetta scabrifolia*](#) Bremek.
- [*Pavetta schliebenii*](#) Mildbr. ex Bremek.
- [*Pavetta schumanniana*](#) F.Hoffm. ex K.Schum.
- [*Pavetta schweinfurthii*](#) Bremek.
- [*Pavetta sennii*](#) Chiov.
- [*Pavetta sepium*](#) K.Schum.
- [*Pavetta seretii*](#) De Wild.
- [*Pavetta siamica*](#) Bremek.
- [*Pavetta siphonantha*](#) Dalzell
- [*Pavetta sonjae*](#) W.D.Hawth.
- [*Pavetta sparsipila*](#) Bremek.
- [*Pavetta spathulata*](#) Bremek.
- [*Pavetta speciosa*](#) S.T.Reynolds
- [*Pavetta sphaerobotrys*](#) K.Schum.
- [*Pavetta staudtii*](#) Hutch. & Dalziel
- [*Pavetta stemonogyne*](#) Mildbr. ex Bremek.
- [*Pavetta stenosepala*](#) K.Schum.
- [*Pavetta stipulopallium*](#) K.Schum.
- [*Pavetta subcana*](#) Hiern
- [*Pavetta subcapitata*](#) Hook.f.
- [*Pavetta subferruginea*](#) Merr.
- [*Pavetta subglabra*](#) Schumach.
- [*Pavetta subumbellata*](#) Bremek.
- [*Pavetta subvelutina*](#) Miq.
- [*Pavetta suffruticosa*](#) K.Schum.
- [*Pavetta sumbawensis*](#) Bremek.
- [*Pavetta swatowica*](#) Bremek.
- [*Pavetta sylvatica*](#) Blume
- [*Pavetta talbotii*](#) Wernham
- [*Pavetta tarennoides*](#) S.Moore
- [*Pavetta teitana*](#) K.Schum.
- [*Pavetta tendagurensis*](#) Bremek.
- [*Pavetta tenella*](#) S.T.Reynolds
- [*Pavetta tenuissima*](#) S.D.Manning

- [*Pavetta ternifolia*](#) Hiern
- [*Pavetta testui*](#) Bremek.
- [*Pavetta tetramera*](#) (Hiern) Bremek.
- [*Pavetta thwaitesii*](#) Bremek.
- [*Pavetta tomentosa*](#) Roxb. ex Sm.
- [*Pavetta tonkinensis*](#) Bremek.
- [*Pavetta trachyphylla*](#) Bremek.
- [*Pavetta transjubensis*](#) Chiov.
- [*Pavetta translucens*](#) Bremek.
- [*Pavetta travancorica*](#) Bremek.
- [*Pavetta trichardtensis*](#) Bremek.
- [*Pavetta troupinii*](#) Bridson
- [*Pavetta tschikonderi*](#) N.Hahn
- [*Pavetta umtalensis*](#) Bremek.
- [*Pavetta uniflora*](#) Bremek.
- [*Pavetta urophylla*](#) Bremek.
- [*Pavetta urundensis*](#) Bremek.
- [*Pavetta vaga*](#) S.T.Reynolds
- [*Pavetta valetonii*](#) Bremek.
- [*Pavetta vanderijstii*](#) Bremek.
- [*Pavetta vanwykiana*](#) Bridson
- [*Pavetta venenata*](#) Hutch. & E.A.Bruce
- [*Pavetta villosa*](#) Vahl
- [*Pavetta viridiloba*](#) K.Krause
- [*Pavetta wallichiana*](#) Steud. ex Craib
- [*Pavetta whiteana*](#) Bridson
- [*Pavetta wightii*](#) Hook.f.
- [*Pavetta wildemannii*](#) Bremek.
- [*Pavetta williamsii*](#) Merr.
- [*Pavetta yambatensis*](#) Bremek.
- [*Pavetta zeyheri*](#) Sond.
- [*Pavetta zeylanica*](#) (Hook.f.) Gamble
- [*Pavetta zimmermanniana*](#) Valeton

From Wikipedia, the free encyclopedia

Contents

- [Top](#)
- [A](#)
- [B](#)

- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [See also](#)
- [External links](#)

This is a list of species in the botanical genus *[Passiflora](#)*. There are in excess of 550 species mostly occurring in the [Neotropics](#), but with a few species in the [Nearctic](#) and some others in Asia and Australasia. The list is incomplete.

A



Passiflora actinia



Passiflora alata

Passiflora ambigua



Passiflora amoena



Passiflora aurantia

- *Passiflora acreana* Mezzonato & Silveira
- ‡ *Passiflora actinia* Hook.[1] – sea anemone passion flower
- *Passiflora acuminata* DC.
- *Passiflora adenophylla* Mast.
- ‡ *Passiflora adenopoda* DC.
- *Passiflora adulterina* L.fil.
- *Passiflora affinis* Engelm.
- *Passiflora aimae* Annonay & Feuillet

- ‡ [*Passiflora alata*](#) Curtis – winged-stem passion flower, *ouvaca*
- [*Passiflora alliacea*](#) Barb. Rodr.
- [*Passiflora allantophylla*](#) Mast. ex Donn.Sm.
- [*Passiflora allardii*](#) Lynch
- [*Passiflora alnifolia*](#) Kunth
- ☐ [*Passiflora altebilobata*](#) Hemsl.
- [*Passiflora amabilis*](#) Hook.
- [*Passiflora amalocarpa*](#) Barb.Rodr.
- [*Passiflora amazonica*](#) L.K.Escobar
- ‡ [*Passiflora ambigua*](#) Hemsl. ex Hook.f.
- [*Passiflora amethystina*](#) J.C.Mikan
- [*Passiflora amicornum*](#) Wurdack
- [*Passiflora amoena*](#) L.K.Escobar
- ‡ [*Passiflora ampullacea*](#) Harms
- [*Passiflora anadenia*](#) Urb.
- [*Passiflora anastomosans*](#) (Lamb. ex DC.) Kilip
- [*Passiflora andersonii*](#) DC.
- [*Passiflora andina*](#) (H.Karst.) Killip
- [*Passiflora andreana*](#) Mast.
- [*Passiflora anfracta*](#) Mast. & André
- [*Passiflora angusta*](#) Feuillet & J.M.MacDougal
- ‡ [*Passiflora antioquiensis*](#) H.Karst
- [*Passiflora apetala*](#) Killip
- [*Passiflora apoda*](#) Harms
- [*Passiflora araguensis*](#) L.K.Escobar
- [*Passiflora araujoii*](#) Sacco
- [*Passiflora arbelaezii*](#) L.Uribe
- [*Passiflora arborea*](#) Spreng.
- ‡ [*Passiflora arida*](#) (Mast. & Rose) Killip
- [*Passiflora aristulata*](#) Mast.
- [*Passiflora arizonica*](#) (Killip) D.H.Goldman
- [*Passiflora ascidia*](#) Feuillet
- ☐ [*Passiflora aurantia*](#) G.Forst.
- [*Passiflora aurantioides*](#) (K.Schum.) Krosnick
- [*Passiflora auriculata*](#) Kunth

B



- [*Passiflora biflora*](#)) [*Passiflora bacabensis*](#) Mezzonato, Silva & Oliveira
- [*Passiflora bahamensis*](#) Britton
- [*Passiflora bahiensis*](#) Klotzsch
- [*Passiflora balbis*](#) Feuillet
- [*Passiflora barclayi*](#) (Seem.) Mast.
- [*Passiflora baueri*](#) (Lindl.) Mast
- [*Passiflora bauhiniifolia*](#) Kunth
- [*Passiflora bernaccii*](#) Mezzonato
- [*Passiflora berteriana*](#) Balb. ex DC.
- [*Passiflora bicornis*](#) Mill.
- [*Passiflora bicrura*](#) Urb.



- [*Passiflora bicuspidata*](#) (H.Karst.) Mast. [*Passiflora bogotensis*](#)

- *Passiflora biflora* Lam. – two-flowered passion flower
- *Passiflora bilobata* Juss.
- *Passiflora boenderi* J.M.MacDougal
- *Passiflora bogotensis* Benth
- *Passiflora boticarioana* Cervi
- *Passiflora brachyantha* L.K.Escobar
- *Passiflora bracteosa* Planch. and Linden ex Triana and Planch
- *Passiflora brevifila* Killip
- *Passiflora bryonioides* Kunth – cupped passion flower
- *Passiflora bucaramangensis* Killip
- *Passiflora buchtienii* Killip

C



- *Passiflora cacao* *Passiflora cacao* Bernacci & M.M. Souza



- *Passiflora caerulea*† *Passiflora caerulea* L. – blue passion flower, common passion flower

- [*Passiflora campanulata*](#) Mast.
- [*Passiflora candida*](#) (Poepp. & Endl.) Mast.
- [*Passiflora candollei*](#) Triana and Planch.
- [*Passiflora canescens*](#) Killip
- [*Passiflora capparidifolia*](#) Killip
- [*Passiflora capsularis*](#) L. – red granadilla
- [*Passiflora cardonae*](#) Killip
- [*Passiflora castellanosi*](#) Sacco
- [*Passiflora catharinensis*](#) Sacco
- [*Passiflora cauliflora*](#) Harms
- [*Passiflora cerasina*](#) Annonay & Feuillet



- [*Passiflora cinnabarina*](#)



- [*Passiflora citrina*](#)
- [*Passiflora ceratocarpa*](#) F. Silveira
- [*Passiflora cervii*](#) M.L. Milward de Azevedo
- [*Passiflora chaparensis*](#) R. Vásquez
- [*Passiflora chelidonea*](#) Mast.
- [*Passiflora chlorina*](#) L.K. Escobar
- [*Passiflora chocoensis*](#) G. Gerlach & Ulmer
- [*Passiflora choconiana*](#) S. Watson
- [*Passiflora chrysophylla*](#) Chodat
- [*Passiflora chrysosepala*](#) Schwerdtf.
- [*Passiflora ciliata*](#) Aiton – fringed passionflower
- [*Passiflora cincinnata*](#) Mast.
- [*Passiflora cinnabarina*](#) Lindl.
- [*Passiflora cirrhiflora*](#) A. Juss.
- [*Passiflora cirrhipes*](#) Killip
- [*Passiflora cissampeloides*](#) J.M. MacDougal

- [*Passiflora citrifolia*](#) Salisb.
- [*Passiflora citrina*](#) J.M.MacDougal – lemon-yellow passion flower
- [*Passiflora clathrata*](#) Mast.
- [*Passiflora clypeophylla*](#) Mast.
- [*Passiflora coactilis*](#) Killip
- [*Passiflora cobanensis*](#) Killip



- [*Passiflora coccinea*](#)† [*Passiflora coccinea*](#) Aubl. – Red granadilla
- □ [*Passiflora cochinchinensis*](#) Spreng.
- [*Passiflora cocuyensis*](#) M. Molinari
- [*Passiflora colimensis*](#) Mast. & Rose ex Rose
- [*Passiflora colinvauxii*](#) Wiggins
- [*Passiflora colombiana*](#) L.K. Escobar
- [*Passiflora compar*](#) Feuillet
- [*Passiflora complanata*](#) J.M.MacDougal in edit
- [*Passiflora contracta*](#) Vitta
- [*Passiflora konzattiana*](#) Killip
- [*Passiflora cookii*](#) Killip
- [*Passiflora cordistipula*](#) Cervi
- [*Passiflora coriacea*](#) Juss.
- [*Passiflora cornuta*](#) Mast.
- [*Passiflora costaricensis*](#) Killip
- [*Passiflora costata*](#) Mast.
- [*Passiflora crassifolia*](#) Killip
- [*Passiflora cremastantha*](#) Harms
- [*Passiflora crenata*](#) Feuillet & Cremera
- [*Passiflora crispolanata*](#) L. Uribe
- [*Passiflora cryptopetala*](#) Hoehne
- [*Passiflora cuatrecasasii*](#) Killip
- [*Passiflora cubensis*](#) Urb.
- ‡ [*Passiflora cumbalensis*](#) (H.Karst.) Harms
- [*Passiflora cuneata*](#) Willd.
- □ [*Passiflora cupiformis*](#) Mast.
- [*Passiflora cupraea*](#) L.
- [*Passiflora cuspidifolia*](#) Harms

- [*Passiflora cuzcoensis*](#) Killip
- [*Passiflora cyanea*](#) Mast.


D

- [*Passiflora dalechampioides*](#) Killip
- [*Passiflora dasyadenia*](#) Urb.
- [*Passiflora dawei*](#) Killip
- [*Passiflora deficiens*](#) Mast.
- [*Passiflora deidamioides*](#) Harms
- [*Passiflora deltoifolia*](#) Holm-Niels. & J.E.Lawesson
- [*Passiflora dictamo*](#) DC.
- [*Passiflora dioscoreifolia*](#) Killip
- [*Passiflora discophora*](#) P.Jørg. & J.E.Lawesson
- [*Passiflora dispar*](#) Killip
- [*Passiflora dolichocarpa*](#) Killip

E



- [*Passiflora edulis*](#))[□] [*Passiflora eberhardtii*](#) Gagnep.



- [*Passiflora edmundoi*](#)[*Passiflora edmundoi*](#) Sacco
- † [*Passiflora edulis*](#) Sims – passion fruit, *maracujá*, *parcha* (Puerto Rico), *wal dodam* (Sinhalese), yellow granadilla, likkoi, marucuyá
- [*Passiflora eggersii*](#) Harms
- [*Passiflora eglandulosa*](#) J.M.MacDougal
- [*Passiflora eichleriana*](#) Mast.

- [*Passiflora ekmanii*](#) Killip & Urb.
- [*Passiflora elegans*](#) Mast.
- [*Passiflora elliptica*](#) Gardner
- [*Passiflora emarginata*](#) Bonpl.
- [*Passiflora engleriana*](#) Harms
- [*Passiflora ernestii*](#) Harms
- [*Passiflora erythrophylla*](#) Mast.
- [*Passiflora escobariana*](#) J.M.MacDougal
- [*Passiflora eueidipabulum*](#) S. Knapp & Mallet
- [*Passiflora exoperculata*](#) Mast.
- [*Passiflora exsudans*](#) Zucc.
- [*Passiflora exura*](#) Feuillet

F



- [*Passiflora foetida*](#)[*Passiflora fanchonae*](#) Feuillet
- [*Passiflora farneyi*](#) Pessoa & Cervi
- [*Passiflora faroana*](#) Harms
- [*Passiflora fernandezii*](#) L.K. Escobar
- [*Passiflora ferruginea*](#) Mast.
- [*Passiflora filamentosa*](#) Cav.
- [*Passiflora filipes*](#) Benth
- [*Passiflora fimbriatistipula*](#) Harma
- [*Passiflora flexipes*](#) Triana and Planch.
- ‡ [*Passiflora foetida*](#) L. – stinking passion flower, foetid passion flower, wild *maracujá*, running pop
- [*Passiflora frutescens*](#) Ruiz & Pav. ex Killip
- [*Passiflora fruticosa*](#) Killip
- [*Passiflora fuchsiiflora*](#) Hemsl.

G



Passiflora glandulosa

- *Passiflora galbana* Masters
- *Passiflora gardneri* Masters
- *Passiflora gibertii* N. E. Br.
- *Passiflora glandulosa* Cav.
- *Passiflora goniosperma* Killip
- *Passiflora gracillima* Killip
- *Passiflora guatemalensis* S. Wats.


H



*Passiflora huamachucoensis**Passiflora haematostigma*

- Mast.
- *Passiflora hahnii* Mast.
- *Passiflora harlingii* Holm-Niels.
- □ *Passiflora henryii* Hemsl.
- ‡□ *Passiflora herbertiana* Ker Gawl. — native passionfruit
- *Passiflora hirtiflora* P.Jørg. & Holm-Niels.
- □ *Passiflora hollrungii* K.Schum.
- *Passiflora holosericea* L.
- *Passiflora hyacinthiflora* Planch. & Linden

I



Passiflora incarnata

- ‡ *Passiflora incarnata* L. – maypop, purple passion flower, ocoee ([Cherokee](#))
- *Passiflora indecora* Kunth
- *Passiflora insignis* Hook.
- *Passiflora ita* Mezzonato, R. S. Ribeiro & Gonella
- *Passiflora involucrata* (Mast.) A.H.Gentry

J



- *Passiflora jorullensis**Passiflora jamesonii* L.H.Bailey
- *Passiflora jatunsachensis* M.Schwerdtfeger
- ☐ *Passiflora jiangfengensis* S.M.Hwang and Q.Huang
- *Passiflora jorgeana* Mezzonato
- *Passiflora jorullensis* Kunth.
- ☐ *Passiflora jugorum* W.W.Sm.
- *Passiflora juliana*

K



Passiflora kermesina

- *Passiflora kermesina* Link & Otto
- ☐ *Passiflora kuranda* Krosnick
- ☐ *Passiflora kwangtungensis* Merr.

L



Passiflora ligularis)*Passiflora lanata* Poir.

- *Passiflora lancifolia*
- *Passiflora lauana* J.M.MacDougal
- † *Passiflora laurifolia* L. – water lemon, Jamaican honeysuckle
- ☐ *Passiflora leschenaultii* DC.
- † *Passiflora ligularis* A.Juss. – sweet granadilla
- *Passiflora linda* Panero
- *Passiflora lindeniana* Planch. ex Triana & Planch.
- *Passiflora loefgrenii* Vitta
- *Passiflora lorenziana* Mezzonato & Bernacci
- *Passiflora loxensis* Killip & Cuatrec.
- *Passiflora lutea* L. – yellow passion flower
- *Passiflora luzmarina* P.Jørg.
- *Passiflora lyra* Planch. & Linden ex Killip

M



Passiflora macrophylla



Passiflora membranacea



Passiflora mixta *Passiflora macdougaliana* S.Knapp &

J.Mallet

- *Passiflora macfadyenii*
- *Passiflora macrophylla* Spruce ex Mast. — tree passion flower
- *Passiflora macvaughiana*
- † *Passiflora maliformis* L. — sweet calabash
- *Passiflora manicata* (Juss.) Pers.
- *Passiflora membranacea* Benth.
- *Passiflora menispermifolia* Kunth
- *Passiflora microstipula* L.E.Gilbert & J.M.MacDougal
- *Passiflora miersii* Mast.
- *Passiflora miniata* Vanderpl.

- [Passiflora misera](#) Kunth
- ‡ [Passiflora mixta](#) L.f.
- □ [Passiflora moluccana](#) Reinw. ex Blume
- [Passiflora monadelpha](#) P.Jørg. & Holm-Niels.
- [Passiflora montana](#)
- [Passiflora morifolia](#) Mast. – blue sweet calabash, woodland passion flower
- [Passiflora mucronata](#) Lam.
- [Passiflora multiflora](#) L.– whiteflower passionflower
- [Passiflora murucuja](#) L.

N

- □ [Passiflora napalensis](#) Wall.
- ‡ [Passiflora nitida](#) Kunth.– bell apple

O

- [Passiflora obtusifolia](#)
- [Passiflora odontophylla](#) Harms ex Glaz.
- [Passiflora oerstedii](#) Mast.
- [Passiflora organensis](#) Gardner
- [Passiflora ovalis](#) Vell.

P



[Passiflora pittieri](#)



[Passiflora picturata](#)

- [Passiflora pala](#) Planch. & Linden

- [*Passiflora palenquensis*](#) Holm-Nielsen & Lawesson
- [*Passiflora pallens*](#) Poepp. ex Masters— pineland passionflower
- [*Passiflora pallida*](#)
- [*Passiflora pamplonensis*](#) Planch. & Linden
- ☐ [*Passiflora papilio*](#) H.L.Li
- [*Passiflora pardifolia*](#) Vanderpl.



- [*Passiflora pectinata*](#)[*Passiflora pectinata*](#) Griseb.
- [*Passiflora penduliflora*](#) Bert. ex DC.
- [*Passiflora pentagona*](#) Mast.
- ☐ [*Passiflora perakensis*](#) Hallier f.
- ‡ [*Passiflora pergrandis*](#) Holm-Nielsen & Lawesson
- [*Passiflora picturata*](#) Ker Gawl.
- [*Passiflora pilosa*](#) Ruiz & Pavon ex DC.
- [*Passiflora pinnatistipula*](#) Cav.
- [*Passiflora pittieri*](#) Mast.
- [*Passiflora platyloba*](#) Killip
- [*Passiflora poeppigii*](#) Mast.
- [*Passiflora pohlii*](#) Mast.
- [*Passiflora popenovii*](#) Killip
- [*Passiflora porphyretica*](#) Mast.
- [*Passiflora prolata*](#) Mast.
- [*Passiflora punctata*](#) L.
- [*Passiflora purii*](#) Mezzonato, Lima & A.P.Gelli
- [*Passiflora pusilla*](#) J.M.MacDougal
- [*Passiflora pyrrhantha*](#) Harms

Q

- [*Passiflora quadrangularis*](#) L. – giant granadilla, giant tumbo, *badea*
- [*Passiflora quetzal*](#) J.M.MacDougal

R



Passiflora racemosa

- *Passiflora racemosa* Brot.
- *Passiflora recurva* Mast.
- *Passiflora reflexiflora* Cav.
- *Passiflora resticulata* Mast. & André
- *Passiflora retipetala* Mast.
- *Passiflora rhamnifolia* Mast.
- *Passiflora riparia* Mart. ex Mast.
- *Passiflora roseorum* Killip
- *Passiflora rubra* L.
- *Passiflora rugosa* (Mast.) Planch. & Triana
- *Passiflora rupestris* Bernacci, Mezzonato & Salimena
- *Passiflora rusbyi* Mast.

S



*Passiflora suberosa**Passiflora sanctae-barbarae* Holm-

- Nielsen & Jørgensen
- *Passiflora sanguinolenta* Mast. & Linden
- ‡ *Passiflora schlimiana* Triana & Planch.
- *Passiflora securiclata* Mast.

- ‡ *Passiflora seemannii* Griseb.
- [*Passiflora sexocellata*](#)
- [*Passiflora sexflora*](#) Juss. – goatsfoot
- [*Passiflora serratifolia*](#) L.
- ‡ [*Passiflora serratodigitata*](#) L.
- [*Passiflora setacea*](#) DC.
- ☐ [*Passiflora siamica*](#) Craib
- [*Passiflora sicyoides*](#) Schlecht. & Cham.
- [*Passiflora smilacifolia*](#) J.M.MacDougal
- [*Passiflora sodiroi*](#) Harms
- [*Passiflora speciosa*](#) Gardner
- [*Passiflora spicata*](#) Mast.
- [*Passiflora spinosa*](#) (Poepp. & Endl.) Mast.



- [*Passiflora tripartita*](#) [*Passiflora sprucei*](#) Mast.
- [*Passiflora suberosa*](#) L. – corky-stemmed passion flower
- [*Passiflora subanceolata*](#) (Killip) J.M.MacDougal
- [*Passiflora subpeltata*](#) Ortega – white passion flower
- [*Passiflora subpurpurea*](#) Jørgensen & Holm-Nielsen
- [*Passiflora subrotunda*](#) Mast.
- [*Passiflora subulata*](#) Mast.
- ☐ [*Passiflora sumatrana*](#) Blume

T

- † [*Passiflora tarminiana*](#) Coppens & V.Barney – banana passion flower, *curuba India*, *curuba ecuatoriana*, *banana pōka* (Hawai‘i), *curuba quiteña* (Colombia), *tacso amarillo* (Ecuador)

- [Passiflora telesiphe](#) Knapp & Mallet
- □ [Passiflora tetrandra](#) Banks & Sol. ex DC



- [Passiflora tenuifila](#) Killip
- [Passiflora tenuiloba](#)
- [Passiflora tica](#) Gómez-Laurito & L.D.Gómez
- □ [Passiflora tonkinensis](#) W.J.de Wilde
- [Passiflora transversa](#) Mast.
- [Passiflora trialata](#) Feuillet & J.M.MacDougal
- [Passiflora tricuspis](#) Mast.



- [Passiflora tridactylites](#)
- [Passiflora trifasciata](#) Lem.
- [Passiflora trinervia](#) (Juss.) Poir
- [Passiflora trinifolia](#) Mast.
- [Passiflora tripartita](#) (Juss.) Poir
 - † *Passiflora tripartita* var. *mollissima*
- [Passiflora trisecta](#) Mast.
- [Passiflora trisulca](#) Mast.
- [Passiflora trochlearis](#) Jørgensen
- [Passiflora tulae](#) Urb.

U

- [Passiflora ulmeri](#) Schwerdtfeger
- [Passiflora umbilicata](#) (Griseb.) Harms

- [*Passiflora urbaniana*](#) Killip

V



[*Passiflora vitifolia*](#)

- [*Passiflora vellozii*](#) Gardner
- [*Passiflora vesicaria*](#) L.
- [*Passiflora viridescens*](#) L.K. Escobar
- [*Passiflora viridiflora*](#)
- † [*Passiflora vitifolia*](#) Kunth

W

- [*Passiflora watsoniana*](#) Mast.
- [*Passiflora weberbaueri*](#) Harms
- [*Passiflora weigendii*](#) Ulmer & Schwerdtf.
- [*Passiflora wilsonii*](#) Hemsl.

X

- [*Passiflora xiikzodz*](#)
- ☐ [*Passiflora xishuangbannaensis*](#) Krosnick

Y

- [*Passiflora yucatanensis*](#) Killip

Z

- [*Passiflora zamorana*](#) Killip

Horticultural hybrids



Passiflora × *decaisneana*

- *Passiflora* × *allardii* Lynch (*P. caerulea* × *quadrangularis*)
- *Passiflora* × *belotii* Pépin (*P. alata* × *caerulea*)
- *Passiflora* × *colvillii* Sweet (*P. incarnata* × *caerulea*)
- *Passiflora* × *decaisneana* G.Nicholson (*P. alata* × *quadrangularis*)
- *Passiflora* × *exoniensis* Mast. (*P. antioquiensis* × *tripartita* var. *mollissima*)
- *Passiflora* × *kewensis* Nicholson (*P. caerulea* × *kermesina*)
- *Passiflora* × *lawsoniana* Mast. (*P. alata* × *racemosa*)
- *Passiflora* × *loudonii* Loudon (*P. racemosa* × *kermesina*)
- *Passiflora* × *smythiana* Mast. (*P. manicata* × *tripartita* var. *mollissima*)
- *Passiflora* × *violacea* Loisel. (*P. racemosa* × *caerulea*)

Footnotes

The following species in the grass genus *Paspalum* are accepted by Plants of the World Online.^[1]
Species are somewhat difficult to delineate by traditional morphological methods.^{[2][3]}

List

- *Paspalum aberrans* (Döll) Morrone & Zuloaga
- *Paspalum achlysophilum* (Soderstr.) S.Denham
- *Paspalum acuminatum* Raddi
- *Paspalum acutifolium* León
- *Paspalum acutum* Chase
- *Paspalum adoperiens* (E.Fourn.) Chase
- *Paspalum affine* Steud.
- *Paspalum albidulum* Henrard
- *Paspalum alcalinum* Mez
- *Paspalum almum* Chase
- *Paspalum alterniflorum* A.Rich.
- *Paspalum altsonii* Chase
- *Paspalum ammodes* Trin.

- [*Paspalum amhicarpum*](#) Ekman
- [*Paspalum anderssonii*](#) Mez
- [*Paspalum apiculatum*](#) Döll
- [*Paspalum approximatum*](#) Döll
- [*Paspalum arenarium*](#) Schrad.
- [*Paspalum arsenei*](#) Chase
- [*Paspalum arundinaceum*](#) Poir.
- [*Paspalum arundinellum*](#) Mez
- [*Paspalum aspidiotes*](#) Trin.
- [*Paspalum atabapense*](#) Davidse & Zuloaga
- [*Paspalum atratum*](#) Swallen
- [*Paspalum auricomum*](#) (A.G.Burm.) S.Denham
- [*Paspalum axillare*](#) Swallen
- [*Paspalum azuayense*](#) Sohns
- [*Paspalum bakeri*](#) Hack.
- [*Paspalum barbinode*](#) Hack.
- [*Paspalum barclayi*](#) Chase
- [*Paspalum batianoffii*](#) B.K.Simon
- [*Paspalum bertonii*](#) Hack.
- [*Paspalum biaristatum*](#) Filg. & Davidse
- [*Paspalum bifidifolium*](#) Soderstr.
- [*Paspalum bifidum*](#) (Bertol.) Nash
- [*Paspalum blodgettii*](#) Chapm.
- [*Paspalum bonairense*](#) Henrard
- [*Paspalum bonplandianum*](#) Flügge
- [*Paspalum botterii*](#) (E.Fourn.) Chase
- [*Paspalum brachytrichum*](#) Hack.
- [*Paspalum breve*](#) Chase
- [*Paspalum buchtienii*](#) Hack.
- [*Paspalum burchellii*](#) Munro ex Oliv.
- [*Paspalum burmanii*](#) Filg., Morrone & Zuloaga
- [*Paspalum cachimboense*](#) Davidse, Morrone, Zuloaga
- [*Paspalum caespitosum*](#) Flügge
- [*Paspalum campinarum*](#) Filg. & Davidse
- [*Paspalum campylostachyum*](#) (Hack.) S.Denham
- [*Paspalum canarae*](#) (Steud.) Veldkamp
- [*Paspalum candidum*](#) (Humb. & Bonpl. ex Flügge) Kunth
- [*Paspalum cangarum*](#) C.O.Moura, P.L.Viana & R.C.Oliveira
- [*Paspalum capillifolium*](#) Nash
- [*Paspalum carajasense*](#) S.Denham
- [*Paspalum carinatum*](#) Flügge
- [*Paspalum centrale*](#) Chase

- [*Paspalum ceresia*](#) (Kuntze) Chase
- [*Paspalum cerradoense*](#) R.C.Oliveira & Valls
- [*Paspalum chacoense*](#) Parodi
- [*Paspalum chaffanjonii*](#) Maury
- [*Paspalum chaseanum*](#) Parodi
- [*Paspalum chiapense*](#) Sánchez-Ken
- [*Paspalum chilense*](#) Catanzaro & G.H.Rua
- [*Paspalum cinerascens*](#) (Döll) A.G.Burm. & M.Bastos
- [*Paspalum clandestinum*](#) Swallen
- [*Paspalum clavuliferum*](#) C.Wright
- [*Paspalum clipeum*](#) G.H.Rua, Valls, Graciano-Ribeiro & R.C.Oliveira
- [*Paspalum comasii*](#) Catasús
- [*Paspalum commune*](#) Lillo
- [*Paspalum compressifolium*](#) Swallen
- [*Paspalum conduplicatum*](#) Canto-Dorow, Valls & Longhi-Wagner
- [*Paspalum conjugatum*](#) P.J.Bergius
- [*Paspalum conspersum*](#) Schrad.
- [*Paspalum convexum*](#) Flüggé
- [*Paspalum corcovadense*](#) Raddi
- [*Paspalum cordaense*](#) Swallen
- [*Paspalum cordatum*](#) Hack.
- [*Paspalum coryphaeum*](#) Trin.
- [*Paspalum costaricense*](#) Mez
- [*Paspalum costellatum*](#) Swallen
- [*Paspalum crassum*](#) Chase ex Hitchc.
- [*Paspalum crinitum*](#) Chase ex Hitchc.
- [*Paspalum crispatum*](#) Hack.
- [*Paspalum crispulum*](#) Swallen
- [*Paspalum cromyrorhizon*](#) Trin. ex Döll
- [*Paspalum crucense*](#) (Killeen) S.Denham
- [*Paspalum crustarium*](#) Swallen
- [*Paspalum culiacanum*](#) Vasey
- [*Paspalum cultratum*](#) (Trin.) S.Denham
- [*Paspalum curassavicum*](#) Chase
- [*Paspalum cymbiforme*](#) E.Fourn.
- [*Paspalum dasypleurum*](#) Kunze ex É.Desv.
- [*Paspalum dasytrichum*](#) Dusén ex Swallen
- [*Paspalum decumbens*](#) Sw.
- [*Paspalum dedeccae*](#) Quarín
- [*Paspalum delavayi*](#) Henrard
- [*Paspalum delicatum*](#) Swallen
- [*Paspalum densum*](#) Poir.

- [*Paspalum denticulatum*](#) Trin.
- [*Paspalum dilatatum*](#) Poir.
- [*Paspalum dispar*](#) Chase
- [*Paspalum dissectum*](#) (L.) L.
- [*Paspalum distachyon*](#) Poir. ex Trin.
- [*Paspalum distichum*](#) L.
- [*Paspalum distortum*](#) Chase
- [*Paspalum divergens*](#) Döll
- [*Paspalum durifolium*](#) Mez
- [*Paspalum edmondii*](#) León
- [*Paspalum eglume*](#) Morrone & Zuloaga
- [*Paspalum ekmanianum*](#) Henrard
- [*Paspalum ellipticum*](#) Döll
- [*Paspalum equitans*](#) Mez
- [*Paspalum erectum*](#) Chase
- [*Paspalum erianthoides*](#) Lindm.
- [*Paspalum erianthum*](#) Nees ex Trin.
- [*Paspalum eucomum*](#) Nees ex Trin.
- [*Paspalum exaltatum*](#) J.Presl
- [*Paspalum expansum*](#) Döll
- [*Paspalum falcatum*](#) Nees ex Steud.
- [*Paspalum fasciculatum*](#) Willd. ex Flügge
- [*Paspalum filgueirasii*](#) Morrone & Zuloaga
- [*Paspalum filifolium*](#) Nees ex Steud.
- [*Paspalum filiforme*](#) Sw.
- [*Paspalum fimbriatum*](#) Kunth
- [*Paspalum flaccidum*](#) Nees
- [*Paspalum flavescens*](#) (Roseng., B.R.Arrill. & Izag.) P.R.Speranza & G.H.Rua
- [*Paspalum flavum*](#) J.Presl
- [*Paspalum floridanum*](#) Michx.
- [*Paspalum foliiforme*](#) S.Denham
- [*Paspalum forsterianum*](#) Flügge
- [*Paspalum galapageium*](#) Chase
- [*Paspalum gardnerianum*](#) Nees
- [*Paspalum geminiflorum*](#) Steud.
- [*Paspalum giuliettiae*](#) Pimenta, G.H.Rua & R.C.Oliveira
- [*Paspalum glabrinode*](#) (Hack.) Morrone & Zuloaga
- [*Paspalum glaucescens*](#) Hack.
- [*Paspalum glaziovii*](#) (A.G.Burm.) S.Denham
- [*Paspalum glumaceum*](#) Clayton
- [*Paspalum goyanum*](#) Swallen
- [*Paspalum goyasense*](#) Davidse, Morrone, Zuloaga

- [*Paspalum graciellae*](#) Sulekic
- [*Paspalum graniticum*](#) (A.G.Burm.) S.Denham
- [*Paspalum guaricense*](#) Swallen
- [*Paspalum guayanerum*](#) Beetle
- [*Paspalum guenoarum*](#) Arechav.
- [*Paspalum guttatum*](#) Trin.
- [*Paspalum haenkeanum*](#) J.Presl
- [*Paspalum hallasanense*](#) Y.N.Lee
- [*Paspalum hartwegianum*](#) E.Fourn.
- [*Paspalum hatschbachii*](#) Zuloaga & Morrone
- [*Paspalum haumanii*](#) Parodi
- [*Paspalum heterotrichon*](#) Trin.
- [*Paspalum hintonii*](#) Chase
- [*Paspalum hirsutum*](#) Retz.
- [*Paspalum hirtum*](#) Kunth
- [*Paspalum hispidum*](#) Swallen
- [*Paspalum hitchcockii*](#) Chase
- [*Paspalum huberi*](#) S.Denham
- [*Paspalum humboldtianum*](#) Flügge
- [*Paspalum hyalinum*](#) Nees ex Trin.
- [*Paspalum imbricatum*](#) Filg.
- [*Paspalum inaequivalve*](#) Raddi
- [*Paspalum inconstans*](#) Chase
- [*Paspalum indecorum*](#) Mez
- [*Paspalum insulare*](#) Ekman
- [*Paspalum intermedium*](#) Munro ex Morong
- [*Paspalum ionanthum*](#) Chase
- [*Paspalum itaboense*](#) Catasús
- [*Paspalum jaliscanum*](#) Chase ex Hitchc.
- [*Paspalum jesuiticum*](#) Parodi
- [*Paspalum jimenezii*](#) Chase
- [*Paspalum juergensii*](#) Hack.
- [*Paspalum killipii*](#) (Hitchc.) Zuloaga & Soderstr.
- [*Paspalum lachneum*](#) Nees ex Steud.
- [*Paspalum lacustre*](#) Chase ex Swallen
- [*Paspalum laeve*](#) Michx.
- [*Paspalum lamprocaryon*](#) K.Schum.
- [*Paspalum lanciflorum*](#) Trin.
- [*Paspalum langei*](#) (E.Fourn.) Nash
- [*Paspalum latipes*](#) Swallen
- [*Paspalum laurentii*](#) R.C.Oliveira & Valls
- [*Paspalum laxum*](#) Lam.

- [*Paspalum lentiginosum*](#) J.Presl
- [*Paspalum leptachne*](#) Chase
- [*Paspalum leptan*](#) Schult.
- [*Paspalum ligulare*](#) Nees
- [*Paspalum lilloi*](#) Hack.
- [*Paspalum limbatum*](#) Henrard
- [*Paspalum lindenianum*](#) A.Rich.
- [*Paspalum lineare*](#) Trin.
- [*Paspalum loefgrenii*](#) Ekman
- [*Paspalum longiaristatum*](#) Davidse & Filg.
- [*Paspalum longicuspe*](#) Nash
- [*Paspalum longipedicellatum*](#) R.C.Oliveira & Valls
- [*Paspalum longum*](#) Chase
- [*Paspalum luxurians*](#) R.Guzmán & L.Rico
- [*Paspalum macranthecium*](#) Parodi
- [*Paspalum macrophyllum*](#) Kunth
- [*Paspalum maculosum*](#) Trin.
- [*Paspalum madorense*](#) Renvoize
- [*Paspalum malacophyllum*](#) Trin.
- [*Paspalum malmeanum*](#) Ekman
- [*Paspalum mandiocanum*](#) Trin.
- [*Paspalum maritimum*](#) Trin.
- [*Paspalum marmoratum*](#) Kuhlman.
- [*Paspalum mayanum*](#) Chase
- [*Paspalum melanospermum*](#) Desv. ex Poir.
- [*Paspalum microstachyum*](#) J.Presl
- [*Paspalum millegranum*](#) Schrad.
- [*Paspalum minarum*](#) Hack.
- [*Paspalum minus*](#) E.Fourn.
- [*Paspalum minutispiculatum*](#) P.A.Reis, R.C.Oliveira & Valls
- [*Paspalum modestum*](#) Mez
- [*Paspalum molle*](#) Poir.
- [*Paspalum monostachyum*](#) Vasey ex Chapm.
- [*Paspalum morichalense*](#) Davidse, Zuloaga & Filg.
- [*Paspalum mosquitiense*](#) (Davidse & A.G.Burm.) S.Denham
- [*Paspalum motembense*](#) León
- [*Paspalum multicaule*](#) Poir.
- [*Paspalum multinodum*](#) B.K.Simon
- [*Paspalum mutabile*](#) Chase
- [*Paspalum nanum*](#) C.Wright ex Griseb.
- [*Paspalum nelsonii*](#) Chase
- [*Paspalum nesiotes*](#) Chase

- [*Paspalum niquelandiae*](#) Filg.
- [*Paspalum notatum*](#) Flügge
- [*Paspalum nudatum*](#) Luces
- [*Paspalum nummularium*](#) Chase ex Send.& A.G.Burm.
- [*Paspalum nutans*](#) Lam.
- [*Paspalum oligostachyum*](#) Salzmann ex Steud.
- [*Paspalum orbiculare*](#) G.Forst.
- [*Paspalum orbiculatum*](#) Poir.
- [*Paspalum oreophilum*](#) (A.G.Burm.) S.Denham
- [*Paspalum oteroi*](#) Swallen
- [*Paspalum ovale*](#) Nees ex Steud.
- [*Paspalum pallens*](#) Swallen
- [*Paspalum pallidum*](#) Kunth
- [*Paspalum palmeri*](#) Chase
- [*Paspalum palustre*](#) Mez
- [*Paspalum paniculatum*](#) L.
- [*Paspalum parviflorum*](#) Rhode ex Flügge
- [*Paspalum parvulum*](#) (A.G.Burm.) S.Denham
- [*Paspalum pauciciliatum*](#) (Parodi) Herter
- [*Paspalum paucifolium*](#) Swallen
- [*Paspalum peckii*](#) F.T.Hubb.
- [*Paspalum pectinatum*](#) Nees
- [*Paspalum penicillatum*](#) Hook.f.
- [*Paspalum petilum*](#) Chase
- [*Paspalum petrense*](#) A.G.Burm.
- [*Paspalum petrosum*](#) Swallen
- [*Paspalum phaeotrichum*](#) Valls, G.H.Rua, Graciano-Ribeiro & R.C.Oliveira
- [*Paspalum phyllorhachis*](#) Hack.
- [*Paspalum pictum*](#) Ekman
- [*Paspalum pilgerianum*](#) Chase
- [*Paspalum pilosum*](#) Lam.
- [*Paspalum pisinum*](#) Swallen
- [*Paspalum planum*](#) Hack.
- [*Paspalum plenum*](#) Chase
- [*Paspalum plicatulum*](#) Michx.
- [*Paspalum plowmanii*](#) Morrone & Zuloaga
- [*Paspalum plurinerve*](#) Quarín, Valls & V.C.Rosso
- [*Paspalum polyphyllum*](#) Nees ex Trin.
- [*Paspalum praecox*](#) Walter
- [*Paspalum procerum*](#) S.Denham
- [*Paspalum procurrens*](#) Quarín
- [*Paspalum prodigiosum*](#) Sánchez-Ken

- [*Paspalum prostratum*](#) Scribn. & Merr.
- [*Paspalum pubiflorum*](#) Rupr. ex E.Fourn.
- [*Paspalum pulchellum*](#) Kunth
- [*Paspalum pumilum*](#) Nees
- [*Paspalum pygmaeum*](#) Hack.
- [*Paspalum quadrifarium*](#) Lam.
- [*Paspalum quarinii*](#) Morrone & Zuloaga
- [*Paspalum racemosum*](#) Lam.
- [*Paspalum ramboi*](#) I.L.Barreto
- [*Paspalum rawitscheri*](#) (Parodi) Chase ex G.H.Rua & Valls
- [*Paspalum reclinatum*](#) Chase
- [*Paspalum rectum*](#) Nees
- [*Paspalum redondense*](#) Swallen
- [*Paspalum reduncum*](#) Nees ex Steud.
- [*Paspalum regnellii*](#) Mez
- [*Paspalum remotum*](#) Remy
- [*Paspalum repandum*](#) (Nees) G.H.Rua & Valls
- [*Paspalum repens*](#) P.J.Bergius
- [*Paspalum reptatum*](#) Hitchc. & Chase
- [*Paspalum restingense*](#) Renvoize
- [*Paspalum reticulinerve*](#) Renvoize
- [*Paspalum riedelii*](#) Mez
- [*Paspalum riparium*](#) Nees
- [*Paspalum robustum*](#) (Hitchc. & Chase) S.Denham
- [*Paspalum rocanum*](#) León
- [*Paspalum rostratum*](#) D.M.Ramos, Valls & R.C.Oliveira
- [*Paspalum rottboellioides*](#) C.Wright
- [*Paspalum rufum*](#) Nees ex Steud.
- [*Paspalum rugulosum*](#) Morrone & Zuloaga
- [*Paspalum rupestre*](#) Trin.
- [*Paspalum rupium*](#) Renvoize
- [*Paspalum saccharoides*](#) Nees ex Trin.
- [*Paspalum saugetii*](#) Chase
- [*Paspalum sauræ*](#) (Parodi) Parodi
- [*Paspalum scalare*](#) Trin.
- [*Paspalum scandens*](#) Tutin
- [*Paspalum schesslii*](#) Bonasora & G.H.Rua
- [*Paspalum schultesii*](#) Swallen
- [*Paspalum schumannii*](#) (Pilg.) S.Denham
- [*Paspalum scrobiculatum*](#) L.
- [*Paspalum scutatum*](#) Nees ex Trin.
- [*Paspalum seminudum*](#) (A.G.Burm.) S.Denham

- [*Paspalum serpentinum*](#) Hochst. ex Steud.
- [*Paspalum setaceum*](#) Michx.
- [*Paspalum setosum*](#) (Swallen) S.Denham
- [*Paspalum simplex*](#) Morong
- [*Paspalum sodiroanum*](#) Hack.
- [*Paspalum soukupii*](#) E.Carbono
- [*Paspalum sparsum*](#) Chase
- [*Paspalum squamulatum*](#) E.Fourn.
- [*Paspalum stagnophilum*](#) Morrone & Zuloaga
- [*Paspalum standleyi*](#) Chase
- [*Paspalum stellatum*](#) Flüggé
- [*Paspalum strigosum*](#) Döll ex Chase
- [*Paspalum subciliatum*](#) Chase
- [*Paspalum subfalcatum*](#) (Döll) Tutin
- [*Paspalum subsesquiglume*](#) Döll
- [*Paspalum sumatrense*](#) Roth
- [*Paspalum telmatum*](#) Swallen
- [*Paspalum tenellum*](#) Willd.
- [*Paspalum thrasyoides*](#) (Trin.) S.Denham
- [*Paspalum thunbergii*](#) Kunth
- [*Paspalum tillettii*](#) Davidse & Zuloaga
- [*Paspalum tinctum*](#) Chase
- [*Paspalum tolucense*](#) R.Guzmán
- [*Paspalum torrense*](#) I.L.Barreto ex Valls & V.C.Rosso
- [*Paspalum trachycoleon*](#) Steud.
- [*Paspalum trianae*](#) Pilg.
- [*Paspalum trichophyllum*](#) Henrard
- [*Paspalum trichostomum*](#) Hack.
- [*Paspalum trinii*](#) Swallen
- [*Paspalum trinitense*](#) (Mez) S.Denham
- [*Paspalum tuberosum*](#) Mez
- [*Paspalum turriforme*](#) R.W.Pohl
- [*Paspalum umbrosum*](#) Trin.
- [*Paspalum unispicatum*](#) (Scribn. & Merr.) Nash
- [*Paspalum urbanianum*](#) Ekman
- [*Paspalum urvillei*](#) Steud.
- [*Paspalum usterii*](#) Hack.
- [*Paspalum uyucense*](#) R.W.Pohl
- [*Paspalum vacarianum*](#) Valls & V.C.Rosso
- [*Paspalum vaginatum*](#) Sw.
- [*Paspalum variabile*](#) (E.Fourn.) Nash
- [*Paspalum veredense*](#) G.H.Rua, R.C.Oliveira, Valls & Graciano-Ribeiro

- [*Paspalum vexillarium*](#) G.H.Rua, Valls, Graciano-Ribeiro & R.C.Oliveira
- [*Paspalum virgatum*](#) L.
- [*Paspalum virletii*](#) E.Fourn.
- [*Paspalum volcanense*](#) Zuloaga, Morrone & S.Denham
- [*Paspalum wrightii*](#) Hitchc. & Chase
- [*Paspalum yecorae*](#) Sánchez-Ken
- [*Paspalum zuloagae*](#) Davidse & Filg.

From Wikipedia, the free encyclopedia

As of July 2025, [Plants of the World Online](#) recognises 251 accepted [taxa](#) (of species and infraspecific names) in the plant genus [Panicum](#).^[1]

A



Panicum amarum

- [*Panicum afzelii*](#) Sw.
- [*Panicum alatum*](#) Zuloaga & Morrone
- [*Panicum aldabrense*](#) Renvoize
- [*Panicum altum*](#) Hitchc. & Chase
- [*Panicum amarum*](#) Elliott – bitter panicum
- [*Panicum ambositrense*](#) A.Camus
- [*Panicum amoenum*](#) Balansa
- [*Panicum anabaptistum*](#) Steud.
- [*Panicum andringitrense*](#) A.Camus
- [*Panicum ankarense*](#) A.Camus
- [*Panicum aquarum*](#) Zuloaga & Morrone
- [*Panicum aquaticum*](#) Poir.
- [*Panicum arbusculum*](#) Mez
- [*Panicum arcurameum*](#) Stapf
- [*Panicum aristispiculum*](#) (B.K.Simon) Zuloaga
- [*Panicum assumptionis*](#) Stapf

- [*Panicum atrosanguineum*](#) Hochst. ex A.Rich.
- [*Panicum australiense*](#) Domin
- [*Panicum aztecanum*](#) Zuloaga & Morrone

B

- [*Panicum bambusiusculum*](#) Stapf
- [*Panicum bartlettii*](#) Swallen
- [*Panicum bechuanense*](#) Bremek. & Oberm.
- [*Panicum beecheyi*](#) Hook. & Arn.
- [*Panicum bergii*](#) Arechav.
- [*Panicum bisulcatum*](#) Thunb.
- [*Panicum boivinianum*](#) (Steud.) T.Durand & Schinz
- [*Panicum bombycinum*](#) B.K.Simon
- [*Panicum brassianum*](#) (B.K.Simon) Zuloaga
- [*Panicum brevifolium*](#) L.
- [*Panicum buncei*](#) F.Muell. ex Benth.

C



Panicum capillare



Panicum coloratum

- [*Panicum × calliphyllum*](#) Ashe
- [*Panicum callosum*](#) Hochst. ex A.Rich.
- [*Panicum calocarpum*](#) Berhaut
- [*Panicum calvum*](#) Stapf
- [*Panicum campestre*](#) Nees ex Trin.

- [*Panicum capillare*](#) L. – witchgrass, [tumbleweed](#)
- [*Panicum capillarioides*](#) Vasey
- [*Panicum capuronii*](#) A.Camus
- [*Panicum carneovaginatam*](#) Renvoize
- [*Panicum catasusii*](#) D.Morejón
- [*Panicum caudiglume*](#) Hack.
- [*Panicum cayennense*](#) Lam.
- [*Panicum cervicatum*](#) Chase
- [*Panicum chambeshii*](#) Renvoize
- [*Panicum chaseae*](#) Roseng., B.R.Arrill. & Izag.
- [*Panicum chillagoanum*](#) B.K.Simon
- [*Panicum chloroleucum*](#) Griseb.
- [*Panicum cinctum*](#) Hack.
- [*Panicum clarksonianum*](#) (B.K.Simon) Zuloaga
- [*Panicum coloratum*](#) L. – kleingrass, coolah grass, Bambatsi panic
- [*Panicum complanatum*](#) Guglieri, Longhi-Wagner & Zuloaga
- [*Panicum congoense*](#) Franch.
- [*Panicum cristatellum*](#) Keng
- [*Panicum crystallinum*](#) Judz. & Voronts.
- [*Panicum cupressifolium*](#) A.Camus
- [*Panicum curviflorum*](#) Hornem.

D



Panicum decompositum

- [*Panicum danguyi*](#) A.Camus
- [*Panicum deciduum*](#) Swallen
- [*Panicum decolorans*](#) Kunth
- [*Panicum decompositum*](#) R.Br. – Australian millet
- [*Panicum deschampsiioides*](#) Domin
- [*Panicum dewinteri*](#) J.G.Anderson

- [*Panicum dichotomiflorum*](#) Michx. – fall panicgrass
- [*Panicum diffusum*](#) Sw.
- [*Panicum dolichoadenotrichum*](#) A.Camus
- [*Panicum dorsense*](#) S.M.Phillips
- [*Panicum dregeanum*](#) Nees

E



Panicum effusum

- [*Panicum effusum*](#) R.Br. – hairy panic
- [*Panicum elegantissimum*](#) Hook.f.
- [*Panicum ephemeroides*](#) Zuloaga & Morrone
- [*Panicum ephemerum*](#) Renvoize
- [*Panicum exiguum*](#) Mez

F



Panicum fauriei



Panicum flexile

- [*Panicum fasciculiforme*](#) Mez
- [*Panicum fauriei*](#) Hitchc. – Faurie's panicgrass
- [*Panicum fischeri*](#) Bor
- [*Panicum flacourtii*](#) A.Camus
- [*Panicum flexile*](#) (Gatt.) Scribn. – wiry panicgrass
- [*Panicum fluviicola*](#) Steud.
- [*Panicum foliolosum*](#) (Munro ex Hook.f.) Stieber
- [*Panicum fontanale*](#) Swallen
- [*Panicum furvum*](#) Swallen

G

- [*Panicum gardneri*](#) Thwaites
- [*Panicum gattingeri*](#) Nash
- [*Panicum genuflexum*](#) Stapf
- [*Panicum ghiesbreghtii*](#) E.Fourn.
- [*Panicum gilvum*](#) Launert
- [*Panicum glabripes*](#) Döll
- [*Panicum glandulopaniculatum*](#) Renvoize
- [*Panicum gouinii*](#) E.Fourn.
- [*Panicum graciliflorum*](#) Rendle
- [*Panicum graniflorum*](#) Stapf
- [*Panicum griffonii*](#) Franch.

- [*Panicum gymnocarpon*](#) Elliott

H



Panicum hemitomon

- [*Panicum haenkeanum*](#) J.Presl
- [*Panicum hallii*](#) Vasey
- [*Panicum hanningtonii*](#) Stapf
- [*Panicum haplocaulos*](#) Pilg.
- [*Panicum havardii*](#) Vasey – Havard's panicgrass
- [*Panicum hayatae*](#) A.Camus
- [*Panicum hemitomon*](#) Schult. – maidencane
- [*Panicum hillmanii*](#) Chase – Hillmann's panicgrass
- [*Panicum hippothrix*](#) K.Schum. ex Engl.
- [*Panicum hirsutum*](#) Sw.
- [*Panicum hirticaule*](#) J.Presl – Mexican panicgrass
- [*Panicum hirtum*](#) Lam.
- [*Panicum hispidifolium*](#) Swallen
- [*Panicum hochstetteri*](#) Steud.
- [*Panicum homblei*](#) Robyns
- [*Panicum humbertii*](#) A.Camus
- [*Panicum humidorum*](#) Buch.-Ham. ex Hook.f.
- [*Panicum humile*](#) Steud.
- [*Panicum hygrocharis*](#) Steud.

I

- [*Panicum ibitense*](#) A.Camus
- [*Panicum impeditum*](#) Launert
- [*Panicum incisum*](#) Munro ex C.B.Clarke
- [*Panicum incomtum*](#) Trin.
- [*Panicum inconspicuum*](#) Voronts.
- [*Panicum issongense*](#) Pilg.

J

- [*Panicum johnii*](#) S.M.Almeida
- [*Panicum joshuae*](#) Lambdon

K



Panicum konaense

- [*Panicum kalahareense*](#) Mez
- [*Panicum kasumense*](#) Renvoize
- [*Panicum khasianum*](#) Munro ex Hook.f.
- [*Panicum konaense*](#) Whitney & Hosaka

L



Panicum lycopodioides

- [*Panicum lacustre*](#) Hitchc. & Ekman
- [*Panicum laetum*](#) Kunth
- [*Panicum laevinode*](#) Lindl.
- [*Panicum lanipes*](#) Mez
- [*Panicum larcomianum*](#) Hughes
- [*Panicum laticomum*](#) Nees

- [*Panicum latzii*](#) R.D.Webster
- [*Panicum lepidulum*](#) Hitchc. & Chase
- [*Panicum leprosulum*](#) Mez
- [*Panicum ligulare*](#) Nees ex Trin.
- [*Panicum lineale*](#) H.St.John
- [*Panicum linoidem*](#) Steud.
- [*Panicum longiloreum*](#) M.M.Rahman
- [*Panicum longissimum*](#) (Mez) Henrard
- [*Panicum longivaginatam*](#) H.St.John
- [*Panicum luridum*](#) Hack.
- [*Panicum luzonense*](#) J.Presl
- [*Panicum lycopodioides*](#) Bory ex Nees

M

- [*Panicum madipirensense*](#) Mez
- [*Panicum magnispicula*](#) Zuloaga, Morrone & Valls
- [*Panicum majusculum*](#) F.Muell. ex Benth.
- [*Panicum malacotrichum*](#) Steud.
- [*Panicum manongarivense*](#) A.Camus
- [*Panicum mapalense*](#) Pilg.
- [*Panicum massaiense*](#) Stapf
- [*Panicum merkeri*](#) Mez
- [*Panicum miliaceum*](#) L. – proso millet, common millet
- [*Panicum millegrana*](#) Poir.
- [*Panicum mindanaense*](#) Merr.
- [*Panicum mitchellii*](#) Benth.
- [*Panicum mitopus*](#) K.Schum.
- [*Panicum mlahiense*](#) Renvoize
- [*Panicum mohavense*](#) Reeder
- [*Panicum monticola*](#) Hook.f.
- [*Panicum mucronulatum*](#) Mez
- [*Panicum muelleri*](#) (Hughes)
- [*Panicum mystasipum*](#) Zuloaga & Morrone

N



Panicum niihauense

- [*Panicum neobathiei*](#) A.Camus
- [*Panicum nephelophilum*](#) Gaudich.
- [*Panicum nigerense*](#) Hitchc.
- [*Panicum niihauense*](#) H.St.John – *lau 'ehu*
- [*Panicum notatum*](#) Retz.
- [*Panicum novemnerve*](#) Stapf
- [*Panicum nudiflorum*](#) Renvoize
- [*Panicum nullum*](#) (Lazarides & R.D.Webster) Zuloaga
- [*Panicum nymphoides*](#) Renvoize

O

- [*Panicum obseptum*](#) Trin.
- [*Panicum oligoadenotrichum*](#) A.Camus
- [*Panicum olyroides*](#) Kunth

P



Panicum phragmitoides

- [*Panicum paianum*](#) Naik & Patunkar
- [*Panicum palackyanum*](#) A.Camus
- [*Panicum palauense*](#) Ohwi
- [*Panicum pampinosum*](#) Hitchc. & Chase
- [*Panicum pansum*](#) Rendle
- [*Panicum parapaurochaetium*](#) A.Camus
- [*Panicum parcum*](#) Hitchc. & Chase
- [*Panicum pauciflorum*](#) R.Br.
- [*Panicum paucinode*](#) Stapf
- [*Panicum pearsonii*](#) F.Bolus
- [*Panicum pedersenii*](#) Zuloaga
- [*Panicum peladoense*](#) Henrard
- [*Panicum pellitum*](#) Trin.
- [*Panicum perangustatum*](#) Renvoize
- [*Panicum philadelphicum*](#) Bernh. ex Nees
- [*Panicum phippsii*](#) Renvoize
- [*Panicum phoinicladus*](#) Naik & Patunkar
- [*Panicum phragmitoides*](#) Stapf
- [*Panicum pilgeri*](#) Mez
- [*Panicum pilgerianum*](#) (Schweick.) Clayton
- [*Panicum pinifolium*](#) Chiov.
- [*Panicum piptopilum*](#) Steud.

- [*Panicum pleianthum*](#) Peter
- [*Panicum pooides*](#) Stapf
- [*Panicum porphyrrhizos*](#) Steud.
- [*Panicum pseudoracemosum*](#) Renvoize

Q

- [*Panicum quadriglume*](#) (Döll) Hitchc.
- [*Panicum queenslandicum*](#) Domin

R



Panicum repens

- [*Panicum racemosum*](#) (P.Beauv.) Spreng.
- [*Panicum ramosius*](#) Hitchc.
- [*Panicum repens*](#) L. – torpedo grass
- [*Panicum rigidum*](#) Balf.f.
- [*Panicum robynsii*](#) A.Camus
- [*Panicum rudgei*](#) Roem. & Schult.
- [*Panicum rupestre*](#) Trin.
- [*Panicum ruspolii*](#) Chiov.

S



Panicum sumatrense



Panicum simile

- [*Panicum sancta-luciense*](#) Fish
- [*Panicum sarmentosum*](#) Roxb.
- [*Panicum schinzii*](#) Hack.
- [*Panicum sellowii*](#) Nees
- [*Panicum seminudum*](#) Domin
- [*Panicum shinyangense*](#) Renvoize
- [*Panicum silvestre*](#) Fish
- [*Panicum simile*](#) Domin – two colour panic
- [*Panicum simulans*](#) Smook
- [*Panicum smithii*](#) M.M.Rahman
- [*Panicum socotranum*](#) Cope
- [*Panicum sparsicomum*](#) Nees ex Steud.
- [*Panicum spargulifolium*](#) A.Camus
- [*Panicum spongiosum*](#) Stapf
- [*Panicum stapfianum*](#) Fourc.
- [*Panicum stevensianum*](#) Hitchc. & Chase
- [*Panicum stramineum*](#) Hitchc. & Chase
- [*Panicum subalbidum*](#) Kunth
- [*Panicum subflabellatum*](#) Stapf
- [*Panicum subhystrix*](#) A.Camus
- [*Panicum sublaetum*](#) Stapf
- [*Panicum sublaeve*](#) Swallen
- [*Panicum subtilissimum*](#) Renvoize
- [*Panicum sumatrense*](#) Roth – little millet

T



Panicum torridum

- [*Panicum taiwanense*](#) S.S.Ying
- [*Panicum tamaulipense*](#) F.R.Waller & Morden
- [*Panicum tenuifolium*](#) Hook. & Arn.
- [*Panicum torridum*](#) Gaudich.
- [*Panicum trachyrhachis*](#) Benth.
- [*Panicum trichanthum*](#) Nees
- [*Panicum trichoides*](#) Sw.
- [*Panicum tricholaenoides*](#) Steud.
- [*Panicum trichonode*](#) Launert & Renvoize
- [*Panicum turgidum*](#) Forssk. – *afezu*

U

- [*Panicum urvilleanum*](#) Kunth

V



Panicum virgatum

- [*Panicum vaseyanum*](#) Scribn. ex Beal
- [*Panicum vatovae*](#) Chiov.
- [*Panicum venosum*](#) Swallen
- [*Panicum virgatum*](#) L. – switchgrass
- [*Panicum voeltzkowii*](#) Mez
- [*Panicum vohitrense*](#) A.Camus
- [*Panicum volutans*](#) J.G.Anderson

W

- [*Panicum websteri*](#) (B.K.Simon) Zuloaga

X



Panicum xerophilum

- [*Panicum xerophilum*](#) (Hillebr.) Hitchc.

Z

- [*Panicum zambesiense*](#) Renvoize

Synonyms

- *Panicum tuerckheimii* Hack. = [*Aakia tuerckheimii*](#) (Hack.) J.R. Grande, 2014 [2][3]

- *Panicum venezuelae* Hack. = [*Drakkaria venezuelae*](#) (Hack.) C.Silva & Zuloaga[4]

From Wikipedia, the free encyclopedia

The following list includes all 565 species in this genus that are accepted by [Plants of the World Online](#) as of 18 May 2026[1]

A



Pandanus aquaticus

- [*Pandanus abbiwii*](#) Huynh
- [*Pandanus acanthostylus*](#) Martelli
- [*Pandanus acaulescens*](#) H.St.John
- [*Pandanus acladus*](#) Merr.
- [*Pandanus adpressus*](#) H.St.John
- [*Pandanus aecuatus*](#) H.St.John
- [*Pandanus aggregatus*](#) Merr. & L.M.Perry
- [*Pandanus akeassii*](#) Huynh
- [*Pandanus alatus*](#) H.St.John
- [*Pandanus albifrons*](#) B.C.Stone
- [*Pandanus aldabraensis*](#) H.St.John
- [*Pandanus alifer*](#) H.St.John
- [*Pandanus alkemadei*](#) Martelli
- [*Pandanus alpestris*](#) Martelli
- [*Pandanus alticonvexus*](#) H.St.John
- [*Pandanus altissimus*](#) (Brongn.) Solms
- [*Pandanus alveatus*](#) H.St.John
- [*Pandanus alveolatus*](#) Huynh
- [*Pandanus amaryllifolius*](#) Roxb.
- [*Pandanus ambalavaoensis*](#) Huynh
- [*Pandanus ambohitantelensis*](#) Huynh
- [*Pandanus ambongensis*](#) Martelli
- [*Pandanus amicalis*](#) H.St.John

- [*Pandanus amissus*](#) Huynh
- [*Pandanus amnicola*](#) H.St.John
- [*Pandanus analamazaotrensis*](#) Martelli
- [*Pandanus analamerensis*](#) Huynh
- [*Pandanus ananas*](#) Martelli
- [*Pandanus andringitrensis*](#) Huynh
- [*Pandanus angolensis*](#) Huynh
- [*Pandanus ankaranensis*](#) Callm. & Laivao
- [*Pandanus anomesos*](#) H.St.John
- [*Pandanus antaresensis*](#) H.St.John
- [*Pandanus apiculatus*](#) Merr.
- [*Pandanus apoensis*](#) Martelli
- [*Pandanus aprilensis*](#) H.St.John
- [*Pandanus aquaticus*](#) F.Muell.
- [*Pandanus aragoensis*](#) (Brongn.) Solms
- [*Pandanus arapepe*](#) H.St.John
- [*Pandanus archboldianus*](#) Merr. & L.M.Perry
- [*Pandanus arenicola*](#) Huynh
- [*Pandanus aridus*](#) H.St.John
- [*Pandanus aristatus*](#) Martelli
- [*Pandanus arrectialatus*](#) H.St.John
- [*Pandanus associatus*](#) Huynh
- [*Pandanus atropurpureus*](#) Merr. & L.M.Perry
- [*Pandanus augustianus*](#) L.Linden & Rodigas
- [*Pandanus austrosinensis*](#) T.L.Wu

B

- [*Pandanus bakeri*](#) Warb.
- [*Pandanus balansae*](#) (Brongn.) Solms
- [*Pandanus balenii*](#) Martelli
- [*Pandanus balfourii*](#) Martelli
- [*Pandanus bantamensis*](#) Koord.
- [*Pandanus barai*](#) Martelli
- [*Pandanus barbellatus*](#) Huynh
- [*Pandanus barkleyi*](#) Balf.f.
- [*Pandanus basalticola*](#) H.St.John
- [*Pandanus basedowii*](#) C.H.Wright
- [*Pandanus basilocularis*](#) Martelli
- [*Pandanus bathiei*](#) Martelli
- [*Pandanus beccarii*](#) Solms
- [*Pandanus beguinii*](#) Callm. & A.P.Keim
- [*Pandanus belepensis*](#) Callm. & Munzinger

- [*Pandanus bemarkensis*](#) Huynh
- [*Pandanus benstoneoides*](#) Callm., Buerki & Phillipson
- [*Pandanus bernardii*](#) H.St.John ex Callm.
- [*Pandanus biceps*](#) B.C.Stone & Guillaumet
- [*Pandanus bilinearis*](#) H.St.John
- [*Pandanus biliranensis*](#) Merr.
- [*Pandanus bilobatus*](#) H.St.John ex Huynh
- [*Pandanus bipollicaris*](#) H.St.John
- [*Pandanus bipyramidatus*](#) Martelli
- [*Pandanus bismarckensis*](#) H.St.John
- [*Pandanus boemiensis*](#) Kaneh.
- [*Pandanus boivinii*](#) Solms
- [*Pandanus boninensis*](#) Warb.
- [*Pandanus borneensis*](#) Warb.
- [*Pandanus botryoides*](#) Martelli
- [*Pandanus bowersiae*](#) H.St.John
- [*Pandanus brachus*](#) H.St.John
- [*Pandanus brachycarpus*](#) Martelli
- [*Pandanus brachyphyllus*](#) Merr. & L.M.Perry
- [*Pandanus brachyspathus*](#) Martelli
- [*Pandanus bracteosus*](#) H.St.John
- [*Pandanus brassii*](#) Martelli
- [*Pandanus breviendocarpicus*](#) H.St.John
- [*Pandanus brevifrugalis*](#) Huynh
- [*Pandanus brevistipes*](#) Martelli
- [*Pandanus brongniartii*](#) H.St.John
- [*Pandanus brookei*](#) Martelli
- [*Pandanus brosimos*](#) Merr. & L.M.Perry
- [*Pandanus bryanii*](#) H.St.John
- [*Pandanus buinensis*](#) Merr. & L.M.Perry
- [*Pandanus burkillianus*](#) Ridl.
- [*Pandanus burmanicus*](#) B.C.Stone
- [*Pandanus busuangaensis*](#) Merr.
- [*Pandanus butayei*](#) De Wild.

C



Pandanus cookii

- [*Pandanus calamianensis*](#) Merr.
- [*Pandanus calathiphorus*](#) (Gaudich. ex Decne.) Balf.f.
- [*Pandanus calceiformis*](#) Martelli
- [*Pandanus calcis*](#) H.St.John
- [*Pandanus callmanderiana*](#) Laivao & Buerki
- [*Pandanus calostigma*](#) Martelli
- [*Pandanus calvus*](#) B.C.Stone
- [*Pandanus camarinensis*](#) Merr.
- [*Pandanus candelabrum*](#) P.Beauv.
- [*Pandanus capitellatus*](#) Merr. & L.M.Perry
- [*Pandanus capusii*](#) Martelli
- [*Pandanus caricosus*](#) Spreng.
- [*Pandanus carmichaelii*](#) R.E.Vaughan & Wiehe
- [*Pandanus carrii*](#) H.St.John
- [*Pandanus castaneus*](#) H.St.John & B.C.Stone
- [*Pandanus caudatus*](#) Merr.
- [*Pandanus cavatus*](#) H.St.John
- [*Pandanus cephalotus*](#) B.C.Stone
- [*Pandanus ceratostigma*](#) Martelli
- [*Pandanus ceylanicus*](#) Solms
- [*Pandanus cheilostigma*](#) B.C.Stone
- [*Pandanus chiliocarpus*](#) Stapf
- [*Pandanus christmatensis*](#) Martelli
- [*Pandanus cissei*](#) Huynh
- [*Pandanus clandestinus*](#) B.C.Stone
- [*Pandanus clarkei*](#) B.C.Stone
- [*Pandanus clausus*](#) H.St.John
- [*Pandanus clementis*](#) Merr.

- [*Pandanus columellatus*](#) Huynh
- [*Pandanus columnaris*](#) H.St.John
- [*Pandanus comatus*](#) Martelli
- [*Pandanus concavus*](#) H.St.John
- [*Pandanus concinnus*](#) Merr. & L.M.Perry
- [*Pandanus concretus*](#) Baker
- [*Pandanus conglomeratus*](#) Balf.f.
- [*Pandanus conicus*](#) H.St.John
- [*Pandanus connatus*](#) H.St.John
- [*Pandanus conoideus*](#) Lam.
- [*Pandanus cookii*](#) Martelli
- [*Pandanus coriaceus*](#) Huynh
- [*Pandanus cornifer*](#) H.St.John
- [*Pandanus crassicollis*](#) Huynh
- [*Pandanus crassilix*](#) Huynh
- [*Pandanus crenifer*](#) H.St.John
- [*Pandanus crinifolius*](#) Martelli
- [*Pandanus cubicus*](#) H.St.John
- [*Pandanus cumingianus*](#) Martelli
- [*Pandanus cuneatus*](#) Huynh
- [*Pandanus cuneiformis*](#) H.St.John
- [*Pandanus cupribasalis*](#) H.St.John

D-E



Pandanus dubius

- [*Pandanus daenikeri*](#) H.St.John
- [*Pandanus daitoensis*](#) Susanti & J.Miyam.
- [*Pandanus darwinensis*](#) H.St.John
- [*Pandanus dasodes*](#) H.St.John
- [*Pandanus daymanensis*](#) H.St.John
- [*Pandanus decastigma*](#) B.C.Stone
- [*Pandanus decipiens*](#) Martelli
- [*Pandanus decumbens*](#) (Brongn.) Solms
- [*Pandanus decus-montium*](#) B.C.Stone
- [*Pandanus denudatus*](#) Huynh
- [*Pandanus depauperatus*](#) Merr.

- [*Pandanus dictyotus*](#) H.St.John ex B.C.Stone
- [*Pandanus diffusus*](#) Martelli
- [*Pandanus dinagatensis*](#) Merr.
- [*Pandanus discostigma*](#) Martelli
- [*Pandanus diversus*](#) H.St.John
- [*Pandanus dolichopodus*](#) Merr. & L.M.Perry
- [*Pandanus dorystigma*](#) Martelli
- [*Pandanus drupaceus*](#) Thouars
- [*Pandanus dubius*](#) Spreng.
- [*Pandanus dyckiioides*](#) Baker
- [*Pandanus dyeri*](#) Sander
- [*Pandanus echinops*](#) Huynh
- [*Pandanus edulis*](#) Thouars
- [*Pandanus efateensis*](#) H.St.John
- [*Pandanus elatus*](#) Ridl.
- [*Pandanus emarginatus*](#) H.St.John
- [*Pandanus ensifolius*](#) Thouars
- [*Pandanus esculentus*](#) Martelli
- [*Pandanus exaltatus*](#) Blanco
- [*Pandanus exiguus*](#) Merr. & L.M.Perry
- [*Pandanus eydouxia*](#) Balf.f.

F



Pandanus furcatus fruit

- [*Pandanus fanningensis*](#) H.St.John
- [*Pandanus farakoensis*](#) Huynh
- [*Pandanus faviger*](#) Backer
- [*Pandanus fibrosus*](#) Gagnep.
- [*Pandanus fidelis*](#) H.St.John
- [*Pandanus flagellaris*](#) B.C.Stone
- [*Pandanus flagellibracteatus*](#) Huynh

- [*Pandanus floribundus*](#) Merr. & L.M.Perry
- [*Pandanus forbesii*](#) Warb.
- [*Pandanus forsteri*](#) C.Moore & F.Muell.
- [*Pandanus foveolatus*](#) Kaneh.
- [*Pandanus frettownensis*](#) Huynh
- [*Pandanus fruticosus*](#) H.St.John
- [*Pandanus furcatus*](#) Roxb.
- [*Pandanus fusinus*](#) Martelli
- [*Pandanus gabonensis*](#) Huynh
- [*Pandanus galeatus*](#) H.St.John
- [*Pandanus galorei*](#) B.C.Stone
- [*Pandanus gazelleensis*](#) H.St.John
- [*Pandanus gemmifer*](#) H.St.John
- [*Pandanus gibberosus*](#) H.St.John
- [*Pandanus gilbertanus*](#) Martelli
- [*Pandanus gillespiei*](#) H.St.John
- [*Pandanus gladiifolius*](#) Martelli
- [*Pandanus glaphyros*](#) H.St.John
- [*Pandanus glaucifer*](#) H.St.John
- [*Pandanus glaucocephalus*](#) R.E.Vaughan & Wiehe
- [*Pandanus globatus*](#) H.St.John
- [*Pandanus gossweileri*](#) H.St.John ex Huynh
- [*Pandanus gracilialatus*](#) H.St.John
- [*Pandanus gracilis*](#) Blanco
- [*Pandanus grallatus*](#) B.C.Stone
- [*Pandanus graminifolius*](#) Kurz
- [*Pandanus granulatus*](#) H.St.John
- [*Pandanus grayorum*](#) Callm., Buerki & Gallaher
- [*Pandanus grusonianus*](#) L.Linden & Rodigas
- [*Pandanus guillaumetii*](#) B.C.Stone
- [*Pandanus guineabissauensis*](#) Huynh

H-K

- [*Pandanus halleorum*](#) B.C.Stone
- [*Pandanus halmaherensis*](#) Callm. & A.P.Keim
- [*Pandanus hata*](#) H.St.John
- [*Pandanus helicopus*](#) Kurz
- [*Pandanus hemisphaericus*](#) H.St.John
- [*Pandanus hermaphroditus*](#) Martelli
- [*Pandanus hermesii*](#) B.C.Stone
- [*Pandanus hermsianus*](#) Martelli
- [*Pandanus heterocarpus*](#) Balf.f.

- [*Pandanus hooglandii*](#) H.St.John
- [*Pandanus horizontalis*](#) H.St.John
- [*Pandanus houlletii*](#) Carrière
- [*Pandanus humbertii*](#) Laivao, Callm. & Buerki
- [*Pandanus humilior*](#) H.St.John
- [*Pandanus huynhii*](#) B.C.Stone
- [*Pandanus hystrix*](#) Martelli
- [*Pandanus iceryi*](#) Horne ex Balf.f.
- [*Pandanus ijzermannii*](#) Boerl. & Koord.
- [*Pandanus imerinensis*](#) Martelli
- [*Pandanus immersus*](#) Ridl.
- [*Pandanus incertus*](#) R.E.Vaughan & Wiehe
- [*Pandanus induratus*](#) H.St.John
- [*Pandanus insolitus*](#) Huynh
- [*Pandanus insuetus*](#) Huynh
- [*Pandanus intricatus*](#) Martelli & Pic.Serm.
- [*Pandanus involutus*](#) H.St.John
- [*Pandanus irregularis*](#) Ridl.
- [*Pandanus isalicus*](#) Huynh
- [*Pandanus isis*](#) H.St.John
- [*Pandanus iwen*](#) B.C.Stone
- [*Pandanus jaffrei*](#) H.St.John
- [*Pandanus joskei*](#) Horne ex Balf.f.
- [*Pandanus julianettii*](#) Martelli
- [*Pandanus julifer*](#) Martelli
- [*Pandanus kabaenaensis*](#) A.P.Keim
- [*Pandanus kaernbachii*](#) Warb.
- [*Pandanus kaida*](#) Kurz
- [*Pandanus kajewskii*](#) Merr. & L.M.Perry
- [*Pandanus kajui*](#) Beentje
- [*Pandanus kalobinonensis*](#) Callm., Razakamal. & Luino
- [*Pandanus kamiae*](#) B.C.Stone
- [*Pandanus kanehirae*](#) Martelli
- [*Pandanus katatonos*](#) H.St.John
- [*Pandanus kaviengensis*](#) H.St.John
- [*Pandanus kedahensis*](#) H.St.John
- [*Pandanus kerchovei*](#) L.Linden & Rodigas
- [*Pandanus kimlangii*](#) Callm. & Laivao
- [*Pandanus kinabaluensis*](#) H.St.John ex B.C.Stone
- [*Pandanus kirkii*](#) Rendle
- [*Pandanus klossii*](#) Ridl.
- [*Pandanus koordersii*](#) Martelli

- [*Pandanus korwae*](#) A.P.Keim
- [*Pandanus krauelianus*](#) K.Schum.
- [*Pandanus kuepferi*](#) Callm., Wohlh. & Laivao
- [*Pandanus kusaicola*](#) Kaneh.

L



Pandanus livingstonianus fruit

- [*Pandanus labyrinthicus*](#) Kurz
- [*Pandanus lachaisei*](#) Huynh
- [*Pandanus lacuum*](#) H.St.John
- [*Pandanus laferrerei*](#) Huynh
- [*Pandanus lais*](#) Kurz
- [*Pandanus lamekotensis*](#) Markgr.
- [*Pandanus lamprocephalus*](#) Merr. & L.M.Perry
- [*Pandanus lateralis*](#) Martelli
- [*Pandanus laticonvexus*](#) H.St.John
- [*Pandanus latiloculatus*](#) Huynh
- [*Pandanus latistigmaticus*](#) Huynh
- [*Pandanus laxespicatus*](#) Martelli
- [*Pandanus leiophyllus*](#) Martelli
- [*Pandanus leonardocoi*](#) P.M.Zamora & Gruezo
- [*Pandanus leptocarpus*](#) Martelli
- [*Pandanus leptocaulis*](#) Merr. & L.M.Perry
- [*Pandanus leptopodus*](#) Martelli
- [*Pandanus leram*](#) Jones ex R.Millar
- [*Pandanus letocartiorum*](#) Callm. & Buerki
- [*Pandanus leuconotus*](#) B.C.Stone
- [*Pandanus levuensis*](#) Martelli
- [*Pandanus liberiensis*](#) Huynh
- [*Pandanus lifouensis*](#) H.St.John
- [*Pandanus ligulatus*](#) H.St.John
- [*Pandanus limbatus*](#) Merr. & L.M.Perry
- [*Pandanus linguiformis*](#) B.C.Stone
- [*Pandanus livingstonianus*](#) Rendle
- [*Pandanus loherianus*](#) Martelli
- [*Pandanus longicaudatus*](#) Holtum & H.St.John

- [*Pandanus longicuspidatus*](#) Pic.Serm.
- [*Pandanus longipedunculatus*](#) Fagerl.
- [*Pandanus longipes*](#) H.Perrier ex Martelli
- [*Pandanus longissimipedunculatus*](#) Martelli
- [*Pandanus longissimus*](#) H.St.John
- [*Pandanus longistylus*](#) Martelli & Pic.Serm.
- [*Pandanus lorencei*](#) Huynh
- [*Pandanus luzonensis*](#) Merr.

M



Pandanus montanus

- [*Pandanus macrocarpus*](#) Vieill.
- [*Pandanus macrophyllus*](#) Martelli
- [*Pandanus macrostigma*](#) Martelli
- [*Pandanus maevaranensis*](#) Martelli
- [*Pandanus magnicavernosus*](#) H.St.John
- [*Pandanus majungensis*](#) Huynh
- [*Pandanus malgassicus*](#) Pic.Serm.
- [*Pandanus malgrasii*](#) Huynh
- [*Pandanus mammillaris*](#) Martelli & Pic.Serm.
- [*Pandanus manamboloensis*](#) Huynh
- [*Pandanus manensis*](#) Martelli
- [*Pandanus mangalorensis*](#) Nadaf & Zanan
- [*Pandanus mangokensis*](#) Martelli
- [*Pandanus mapola*](#) Martelli
- [*Pandanus marensis*](#) H.St.John
- [*Pandanus marginatus*](#) H.St.John
- [*Pandanus marinus*](#) H.St.John
- [*Pandanus marojejicus*](#) Callm. & Laivao
- [*Pandanus maromokotrensis*](#) Callm. & Wohlh.
- [*Pandanus martellii*](#) Elmer

- [*Pandanus martinianus*](#) Nadaf & Zanan
- [*Pandanus mauricei*](#) H.St.John
- [*Pandanus maximus*](#) Martelli
- [*Pandanus mayotteensis*](#) H.St.John
- [*Pandanus mc-keei*](#) H.St.John
- [*Pandanus medialis*](#) H.St.John
- [*Pandanus megacarpus*](#) Martelli
- [*Pandanus membranaceus*](#) Huynh
- [*Pandanus menicostigma*](#) Merr. & L.M.Perry
- [*Pandanus mesos*](#) H.St.John
- [*Pandanus metaceus*](#) H.St.John
- [*Pandanus microcarpus*](#) Balf.f.
- [*Pandanus microcephalus*](#) Baker
- [*Pandanus mindanaensis*](#) Martelli
- [*Pandanus minimus*](#) H.St.John
- [*Pandanus moalaensis*](#) H.St.John
- [*Pandanus monophalanx*](#) Fagerl.
- [*Pandanus montanus*](#) Bory
- [*Pandanus multibracteatus*](#) Merr.
- [*Pandanus multidentatus*](#) H.St.John
- [*Pandanus multidrupaceus*](#) H.St.John
- [*Pandanus multifurcatus*](#) Fagerl.
- [*Pandanus multispicatus*](#) Balf.f.
- [*Pandanus muralis*](#) Huynh
- [*Pandanus muricatus*](#) Thouars
- [*Pandanus mussauensis*](#) H.St.John
- [*Pandanus myriocarpus*](#) Baker

N-O

- [*Pandanus namakiensis*](#) Martelli
- [*Pandanus nanofrutex*](#) B.C.Stone
- [*Pandanus navicularis*](#) B.C.Stone
- [*Pandanus nemoralis*](#) Merr. & L.M.Perry
- [*Pandanus neoleptopodus*](#) Pic.Serm.
- [*Pandanus neomecklenburgensis*](#) H.St.John
- [*Pandanus nepalensis*](#) H.St.John
- [*Pandanus nervosus*](#) B.C.Stone
- [*Pandanus ngunaensis*](#) H.St.John
- [*Pandanus nitidus*](#) (Miq.) Kurz
- [*Pandanus nobilis*](#) Quisumb. & Merr.
- [*Pandanus nogarete*](#) H.St.John
- [*Pandanus noumeaensis*](#) H.St.John

- [*Pandanus novibritannicus*](#) H.St.John
- [*Pandanus novohibernicus*](#) (Martelli) Martelli
- [*Pandanus nusbaumeri*](#) Callm. & L.Gaut.
- [*Pandanus obconicus*](#) H.St.John
- [*Pandanus obeliscus*](#) Thouars
- [*Pandanus oblatus*](#) H.St.John
- [*Pandanus oblongus*](#) (Brongn.) Balf.f.
- [*Pandanus obovatus*](#) H.St.John
- [*Pandanus obsoletus*](#) R.E.Vaughan & Wiehe
- [*Pandanus occultus*](#) Merr.
- [*Pandanus odorifer*](#) (Forssk.) Kuntze
- [*Pandanus oligocarpus*](#) Martelli
- [*Pandanus oligocephalus*](#) Baker
- [*Pandanus onesuaensis*](#) H.St.John
- [*Pandanus orculiformis*](#) Kaneh.
- [*Pandanus ouveaensis*](#) H.St.John
- [*Pandanus oviger*](#) Martelli ex Koord.

P



Pandanus palustris

- [*Pandanus palakkadensis*](#) Nadaf, Zanan & Wakte
- [*Pandanus palawensis*](#) Martelli
- [*Pandanus pallidus*](#) Merr.
- [*Pandanus paloensis*](#) Elmer
- [*Pandanus paludosus*](#) Merr. & L.M.Perry
- [*Pandanus palustris*](#) Thouars
- [*Pandanus panayensis*](#) Merr.
- [*Pandanus pancheri*](#) (Brongn.) Balf.f.
- [*Pandanus papateaensis*](#) Butaud, F.Jacq & Callm.
- [*Pandanus papenooensis*](#) H.St.John
- [*Pandanus papuanus*](#) Solms
- [*Pandanus paracalensis*](#) Merr.
- [*Pandanus parou*](#) H.St.John
- [*Pandanus parvicentralis*](#) Huynh
- [*Pandanus patelliformis*](#) Merr.
- [*Pandanus patina*](#) Martelli

- [*Pandanus peekelii*](#) H.St.John
- [*Pandanus penangensis*](#) Ridl.
- [*Pandanus pendulinus*](#) Martelli
- [*Pandanus penetrans*](#) H.St.John
- [*Pandanus penicillus*](#) Martelli
- [*Pandanus pentodon*](#) Ridl.
- [*Pandanus perrieri*](#) Martelli
- [*Pandanus pervilleanus*](#) (Gaudich.) Kurz
- [*Pandanus petrosus*](#) Martelli
- [*Pandanus peyrierasii*](#) B.C.Stone & Guillaumet
- [*Pandanus philippinensis*](#) Merr.
- [*Pandanus pinensis*](#) H.St.John
- [*Pandanus piniformis*](#) Holttum & H.St.John
- [*Pandanus piricus*](#) H.St.John
- [*Pandanus pistikos*](#) H.St.John
- [*Pandanus pistos*](#) H.St.John
- [*Pandanus pitcairnensis*](#) H.St.John
- [*Pandanus planatus*](#) H.St.John
- [*Pandanus platyphyllus*](#) Martelli
- [*Pandanus pleiocephalus*](#) Martelli ex Fagerl.
- [*Pandanus pluriaculeatus*](#) Huynh
- [*Pandanus pluriloculatus*](#) H.St.John
- [*Pandanus polyacris*](#) Martelli
- [*Pandanus polycephalus*](#) Lam.
- [*Pandanus polyglossus*](#) Martelli
- [*Pandanus pricei*](#) P.M.Zamora & Gruezo
- [*Pandanus princeps*](#) B.C.Stone
- [*Pandanus pristis*](#) B.C.Stone
- [*Pandanus prostratus*](#) Balf.f.
- [*Pandanus pseudobathiei*](#) Pic.Serm.
- [*Pandanus pseudocollinus*](#) Pic.Serm.
- [*Pandanus pseudolais*](#) Warb.
- [*Pandanus pseudomontanus*](#) Bosser & J.Guého
- [*Pandanus pugnax*](#) B.C.Stone
- [*Pandanus pukapukaensis*](#) H.St.John
- [*Pandanus pulcher*](#) Martelli
- [*Pandanus punctulatus*](#) Martelli
- [*Pandanus purpurascens*](#) Thouars
- [*Pandanus pweleensis*](#) H.St.John
- [*Pandanus pygmaeus*](#) Thouars
- [*Pandanus pyramidalis*](#) Balf.f.
- [*Pandanus pyramidos*](#) H.St.John

Q-R

- [*Pandanus quadrifidus*](#) B.C.Stone
- [*Pandanus quinarius*](#) H.St.John
- [*Pandanus rabaiensis*](#) Rendle.
- [*Pandanus rabaulensis*](#) H.St.John
- [*Pandanus radicans*](#) Blanco
- [*Pandanus radifer*](#) H.St.John
- [*Pandanus ramosii*](#) Merr.
- [*Pandanus ramromensis*](#) Callm., Y.W.Low & Buerki
- [*Pandanus rapensis*](#) F.Br.
- [*Pandanus raynalii*](#) Huynh
- [*Pandanus recavilapideus*](#) H.St.John
- [*Pandanus recavisaxosus*](#) H.St.John
- [*Pandanus rechingeri*](#) Martelli
- [*Pandanus reclinatus*](#) Martelli
- [*Pandanus rectus*](#) H.St.John
- [*Pandanus regalis*](#) B.C.Stone
- [*Pandanus reineckeii*](#) Warb.
- [*Pandanus reticulatus*](#) Vieill.
- [*Pandanus reticulosus*](#) H.St.John
- [*Pandanus retusus*](#) H.St.John
- [*Pandanus rex*](#) B.C.Stone
- [*Pandanus rheophilus*](#) B.C.Stone
- [*Pandanus rigidifolius*](#) R.E.Vaughan & Wiehe
- [*Pandanus robinsonii*](#) Merr.
- [*Pandanus rollotii*](#) Martelli
- [*Pandanus rostratus*](#) Martelli
- [*Pandanus rotumaensis*](#) H.St.John
- [*Pandanus rubricinctus*](#) H.St.John

S



Pandanus spiralis

- [*Pandanus sambiranensis*](#) Martelli
- [*Pandanus sandakanensis*](#) Merr.
- [*Pandanus sarasinorum*](#) Warb.

- [*Pandanus satabiei*](#) Huynh
- [*Pandanus saxatilis*](#) Martelli
- [*Pandanus scabrifolius*](#) Martelli ex Koord.
- [*Pandanus schoddei*](#) H.St.John
- [*Pandanus scopula*](#) Warb.
- [*Pandanus scortechinii*](#) Martelli
- [*Pandanus sechellarum*](#) Balf.f.
- [*Pandanus semiarmatus*](#) H.St.John
- [*Pandanus semipilaris*](#) H.St.John
- [*Pandanus senegalensis*](#) H.St.John ex Huynh
- [*Pandanus sermollianus*](#) Callm. & Buerki
- [*Pandanus serpentinus*](#) H.St.John
- [*Pandanus sibuyanensis*](#) Martelli
- [*Pandanus sierraleonensis*](#) Huynh
- [*Pandanus sikassoensis*](#) Huynh
- [*Pandanus silvanus*](#) Huynh
- [*Pandanus simplex*](#) Merr.
- [*Pandanus sinicola*](#) A.C.Sm.
- [*Pandanus solms-laubachii*](#) F.Muell.
- [*Pandanus solomonensis*](#) B.C.Stone
- [*Pandanus sparganioides*](#) Baker
- [*Pandanus spathulatus*](#) Martelli
- [*Pandanus sphaerocephalus*](#) Pancher ex Brongn.
- [*Pandanus sphaeroideus*](#) Thouars
- [*Pandanus spheniskos*](#) H.St.John
- [*Pandanus spicatus*](#) H.St.John
- [*Pandanus spinifer*](#) Warb.
- [*Pandanus spiralis*](#) R.Br.
- [*Pandanus spissus*](#) H.St.John
- [*Pandanus spondiophyllus*](#) B.C.Stone
- [*Pandanus stellatus*](#) Martelli
- [*Pandanus stipiformis*](#) H.St.John
- [*Pandanus subacaulis*](#) Merr.
- [*Pandanus subcylindricus*](#) H.St.John
- [*Pandanus subglobosus*](#) H.St.John
- [*Pandanus sulawesicus*](#) B.C.Stone
- [*Pandanus sulcatus*](#) H.St.John
- [*Pandanus sumatranus*](#) Martelli
- [*Pandanus sylvestris*](#) Bory
- [*Pandanus sylvicola*](#) Huynh

T

- [*Pandanus tabellarius*](#) Huynh
- [*Pandanus taluucensis*](#) Callm.
- [*Pandanus tamaruensis*](#) J.W.Moore
- [*Pandanus taveuniensis*](#) H.St.John
- [*Pandanus tazoanii*](#) Callm. & Wohlh.
- [*Pandanus tectorius*](#) Parkinson
- [*Pandanus temehaniensis*](#) J.W.Moore
- [*Pandanus tenuiflagellatus*](#) Huynh
- [*Pandanus tenuifolius*](#) Balf.f.
- [*Pandanus tenuimarginatus*](#) Huynh
- [*Pandanus tenuipedunculatus*](#) Merr.
- [*Pandanus thomensis*](#) Henriq.
- [*Pandanus tiassaleensis*](#) Huynh
- [*Pandanus tolanarensis*](#) Huynh
- [*Pandanus toliarensis*](#) Huynh
- [*Pandanus tongatapuensis*](#) H.St.John
- [*Pandanus tonkinensis*](#) Martelli ex B.C.Stone
- [*Pandanus triangularis*](#) H.St.John ex Huynh
- [*Pandanus tsaratananensis*](#) Martelli
- [*Pandanus tsingycola*](#) Callm. & Nusb.
- [*Pandanus tubulatus*](#) Huynh
- [*Pandanus turritus*](#) Martelli

U-Z



Pandanus utilis

- [*Pandanus umbonatus*](#) Quisumb. & Merr.
- [*Pandanus unguifer*](#) Hook.f.
- [*Pandanus unipapillatus*](#) Dennst.
- [*Pandanus urophyllus*](#) Hance
- [*Pandanus utilis*](#) Bory

- [*Pandanus validus*](#) Huynh & Callm.
- [*Pandanus vandamii*](#) Martelli & Pic.Serm.
- [*Pandanus vandermeeschii*](#) Balf.f.
- [*Pandanus variabilis*](#) Martelli
- [*Pandanus vavauensis*](#) H.St.John
- [*Pandanus veillonii*](#) H.St.John
- [*Pandanus verecundus*](#) B.C.Stone
- [*Pandanus verticalis*](#) H.St.John
- [*Pandanus vinaceus*](#) B.C.Stone
- [*Pandanus viscidus*](#) Pancher ex Brongn.
- [*Pandanus vitiensis*](#) Martelli
- [*Pandanus vogelensis*](#) H.St.John
- [*Pandanus voradolii*](#) Callm. & Buerki
- [*Pandanus welwitschii*](#) Rendle
- [*Pandanus whitmeeanus*](#) Martelli
- [*Pandanus wiehei*](#) Bosser & J.Guého
- [*Pandanus yandeensis*](#) H.St.John
- [*Pandanus yasawaensis*](#) H.St.John
- [*Pandanus yirrkalaensis*](#) H.St.John
- [*Pandanus yoshioi*](#) H.St.John
- [*Pandanus yuleensis*](#) H.St.John
- [*Pandanus yvanii*](#) Solms
- [*Pandanus zamboangensis*](#) Martelli

From Wikipedia, the free encyclopedia

The **taxonomy of the *Pachypodium* genus** is the study of the species and subspecies in the genus [*Pachypodium*](#). There are currently 25 recognized species in the genus, of which 17 are [shrubs](#) and eight are [trees](#).

Species

Species included in the genus *Pachypodium* are as follows:[\[1\]](#)

- [*Pachypodium ambongense*](#): [Madagascar, shrub]
- [*Pachypodium baronii*](#): [Madagascar, shrub]
- [*Pachypodium bicolor*](#): [Madagascar, shrub]
- [*Pachypodium bispinosum*](#): [Southern Continental Africa, shrub]
- [*Pachypodium brevicaule*](#): [Madagascar, shrub]
- [*Pachypodium cactipes*](#): [Madagascar, shrub]
- [*Pachypodium decaryi*](#): [Madagascar, shrub]
- [*Pachypodium densiflorum*](#); Baker [Madagascar, shrub]

- [*Pachypodium brevicalyx*](#) or *P. densiflorum* var. *brevicalyx*
- [*Pachypodium eburneum*](#): [Madagascar, shrub]
- [*Pachypodium geayi*](#): [Madagascar, tree]
- [*Pachypodium gracilius*](#): [Madagascar, shrub]
- [*Pachypodium horombense*](#): [Madagascar, shrub]
- [*Pachypodium inopinatum*](#): [Madagascar, shrub]
- [*Pachypodium lamerei*](#) (Madagascar palm): [Madagascar, tree]
- [*Pachypodium ramosum*](#): A synonym for *P. lamere*
- [*Pachypodium lealii*](#) (Bottle tree): [Southern Continental Africa, tree]
- [*Pachypodium makayense*](#): [Madagascar, shrub][2]
- [*Pachypodium menabeum*](#): [Madagascar, tree][3]
- [*Pachypodium meridionale*](#): [Madagascar, tree]
- [*Pachypodium namaquanum*](#) (Coba's tree): [Southern Continental Africa, tree]
- [*Pachypodium rosulatum*](#): [Madagascar, shrub]
- [*Pachypodium rutenbergianum*](#): [Madagascar, tree]
- [*Pachypodium saundersii*](#): [Southern Continental Africa, shrub]
- [*Pachypodium sofiense*](#): [Madagascar, tree]
- [*Pachypodium succulentum*](#): [Southern Continental Africa, Shrub]
- [*Pachypodium windsorii*](#): [Madagascar, Shrub]

From Wikipedia, the free encyclopedia

The following is a list of [*Pabstiella*](#) species accepted by the [Plants of the World Online](#) as of August 2023.[1]

- [*Pabstiella acrogenia*](#) Luer & Toscano
- [*Pabstiella alligatorifera*](#) (Rchb.f.) Luer
- [*Pabstiella analoga*](#) Luer & Toscano
- [*Pabstiella aperta*](#) (Kraenzl.) Pupulin
- [*Pabstiella arcuata*](#) (Lindl.) Luer
- [*Pabstiella armeniaca*](#) (Barb.Rodr.) L.Kollmann
- [*Pabstiella aryter*](#) (Luer) F.Barros
- [*Pabstiella atrata*](#) (Chiron & Xim.Bols.) Karremans
- [*Pabstiella aurantiaca*](#) (Barb.Rodr.) Chiron
- [*Pabstiella aveniformis*](#) (Hoehne) Luer
- [*Pabstiella bacillaris*](#) (Pabst) Luer
- [*Pabstiella biriricensis*](#) Chiron & Xim.Bols.
- [*Pabstiella bofiaae*](#) Chiron & Tesch
- [*Pabstiella brachystele*](#) Chiron & N.Sanson
- [*Pabstiella bradei*](#) (Schltr.) Luer
- [*Pabstiella brasiliica*](#) Luer & Toscano (Synonym of [*Madisonia brasiliica*](#))

- [*Pabstiella calcarata*](#) (Cogn.) Luer
- [*Pabstiella calimanii*](#) Toscano & Luer
- [*Pabstiella campestris*](#) (Barb.Rodr.) Luer
- [*Pabstiella capijumensis*](#) Luer & Toscano
- [*Pabstiella caragatatubensis*](#) M.R.Miranda, F.J.de Jesus & Chiron
- [*Pabstiella carinifera*](#) (Barb.Rodr.) Luer
- [*Pabstiella carrisii*](#) (Brade) Luer (Synonym of [*Madisonia carrisii*](#))
- [*Pabstiella castellensis*](#) (Brade) Luer
- [*Pabstiella catafestae*](#) Chiron & Xim.Bols.
- [*Pabstiella colorata*](#) (Pabst) Luer & Toscano
- [*Pabstiella concepcionensis*](#) Chiron & N.Sanson
- [*Pabstiella conspersa*](#) (Hoehne) Luer
- [*Pabstiella cordilabia*](#) (Pabst) Luer
- [*Pabstiella crassicaulis*](#) (Barb.Rodr.) Luer
- [*Pabstiella curti-bradei*](#) (Pabst) Luer
- [*Pabstiella dasilvae*](#) Chiron & Xim.Bols.
- [*Pabstiella decurva*](#) Luer & Toscano
- [*Pabstiella deltoglossa*](#) (Cogn.) Toscano & Luer
- [*Pabstiella determannii*](#) (Luer) F.Barros
- [*Pabstiella discors*](#) Luer & Toscano
- [*Pabstiella dracula*](#) (Seehawer) Luer & Toscano
- [*Pabstiella elegans*](#) J.Ponert, M.Portilla & Karremans
- [*Pabstiella elegantula*](#) (Cogn.) Luer
- [*Pabstiella ephemera*](#) (Lindl.) Luer
- [*Pabstiella eunapolitana*](#) C.R.M.Silva & S.L.X.Tobias
- [*Pabstiella fasciata*](#) (Seehawer) Luer
- [*Pabstiella fluminensis*](#) (Pabst) Luer
- [*Pabstiella fragae*](#) (L.Kollmann & A.P.Fontana) L.Kollmann
- [*Pabstiella freyi*](#) Luer & Toscano
- [*Pabstiella fusca*](#) (Lindl.) Chiron & Xim.Bols.
- [*Pabstiella garayi*](#) (Pabst) Luer
- [*Pabstiella ghillanyi*](#) (Pabst) Luer
- [*Pabstiella glandulipetala*](#) (Luer & R.Vásquez) Karremans
- [*Pabstiella gossameri*](#) Luer & Toscano
- [*Pabstiella gracilicaulis*](#) (Seehawer) Luer
- [*Pabstiella granulosa*](#) (Barb.Rodr.) Chiron & Xim.Bols.
- [*Pabstiella henrique-aragonii*](#) (Pabst) Chiron & Xim.Bols.
- [*Pabstiella hileiaensis*](#) N.Gut., E.C.Smidt & Toscano
- [*Pabstiella ibiunensis*](#) C.R.M.Silva & Campacci
- [*Pabstiella ignota*](#) (Luer) Karremans
- [*Pabstiella imbeana*](#) (Brade) F.Barros & C.F.Hall
- [*Pabstiella integripetala*](#) (E.M.Pessoa & F.Barros) Karremans

- [*Pabstiella intraptila*](#) Chiron & Xim.Bols.
- [*Pabstiella isabelae*](#) Chiron & Xim.Bols.
- [*Pabstiella itaguacuensis*](#) F.J.de Jesus & Campacci
- [*Pabstiella juquitibensis*](#) Campacci & S.L.X.Tobias
- [*Pabstiella lacerticeps*](#) Luer & Toscano
- [*Pabstiella laxiflora*](#) (Porsch) Chiron
- [*Pabstiella leucopyramis*](#) (Rchb.f.) Luer
- [*Pabstiella lineolata*](#) (Barb.Rodr.) Luer
- [*Pabstiella lingua*](#) (Lindl.) Luer
- [*Pabstiella lobiglossa*](#) Chiron & N.Sanson
- [*Pabstiella lueriana*](#) Fraga & L.Kollmann
- [*Pabstiella marinsiensis*](#) Campacci & C.R.M.Silva
- [*Pabstiella matinhensis*](#) (Hoehne) Luer
- [*Pabstiella melior*](#) Luer & Toscano
- [*Pabstiella menegattii*](#) Chiron & Tesch
- [*Pabstiella miniatolineolata*](#) (Hoehne) Luer
- [*Pabstiella mirabilis*](#) (Schltr.) Brieger & Senghas
- [*Pabstiella miragliae*](#) (Leite) Luer
- [*Pabstiella muricatifolia*](#) Fraga & L.Kollmann
- [*Pabstiella naimekei*](#) Chiron & Xim.Bols.
- [*Pabstiella novabelenensis*](#) Campacci
- [*Pabstiella nymphalis*](#) Luer & Toscano
- [*Pabstiella osculator*](#) Luer & Toscano
- [*Pabstiella pandurifera*](#) (Lindl.) F.Barros & C.F.Hall
- [*Pabstiella pantherina*](#) (Seehawer) Luer & Toscano
- [*Pabstiella parvifolia*](#) (Lindl.) Luer
- [*Pabstiella pelfeloidis*](#) (Barb.Rodr.) Luer
- [*Pabstiella piraquarensis*](#) (Hoehne) Luer
- [*Pabstiella pleurothalloides*](#) (Cogn.) Luer
- [*Pabstiella pomerana*](#) Chiron & Xim.Bols.
- [*Pabstiella pristeoglossa*](#) (Rchb.f. & Warm.) Luer
- [*Pabstiella pseudotrifida*](#) L.Kollmann & D.R.Couto
- [*Pabstiella punctatifolia*](#) (Barb.Rodr.) Chiron
- [*Pabstiella purpurea*](#) (Seehawer) Luer & Toscano
- [*Pabstiella quadridentata*](#) (Barb.Rodr.) Luer
- [*Pabstiella quasi*](#) Luer & Toscano
- [*Pabstiella ramphastorhyncha*](#) (Barb.Rodr.) L.Kollmann
- [*Pabstiella recurviloba*](#) Toscano & Luer
- [*Pabstiella rhombilabia*](#) Chiron & N.Sanson
- [*Pabstiella ribeironensis*](#) Chiron & Xim.Bols.
- [*Pabstiella robertoi*](#) (Luer & Toscano) Luer
- [*Pabstiella rubrolineata*](#) (Hoehne) Luer

- [*Pabstiella rupicola*](#) L.Kollmann
- [*Pabstiella ruschii*](#) (Hoehne) Luer
- [*Pabstiella sansonii*](#) Luer & Toscano
- [*Pabstiella sarcopetala*](#) (Barb.Rodr.) Luer
- [*Pabstiella savioi*](#) Luer & Toscano
- [*Pabstiella seriata*](#) (Lindl.) Luer & Toscano
- [*Pabstiella setibensis*](#) Chiron & Xim.Bols.
- [*Pabstiella silvanae*](#) Chiron & Xim.Bols.
- [*Pabstiella sordida*](#) (Kraenzl.) Luer
- [*Pabstiella sousae*](#) C.R.M.Silva & Campacci
- [*Pabstiella sparsiflora*](#) (Schltr.) Luer
- [*Pabstiella spathuliglossa*](#) (Hoehne) Luer
- [*Pabstiella stictophylla*](#) (Schltr.) J.O.Caetano & L.R.S.Guim.
- [*Pabstiella syringodes*](#) (Luer) F.Barros
- [*Pabstiella tabacina*](#) (Barb.Rodr.) Luer
- [*Pabstiella tenera*](#) (Barb.Rodr.) Luer
- [*Pabstiella teschiana*](#) Chiron & Xim.Bols.
- [*Pabstiella transparens*](#) (Schltr.) Luer
- [*Pabstiella tricolor*](#) (Barb.Rodr.) Luer
- [*Pabstiella trifida*](#) (Lindl.) Luer
- [*Pabstiella trimeropetala*](#) (Pabst) Luer
- [*Pabstiella tripterantha*](#) (Rchb.f.) F.Barros
- [*Pabstiella truncatilabia*](#) Chiron & Tesch
- [*Pabstiella truncicola*](#) (Rchb.f.) Luer
- [*Pabstiella uniflora*](#) (Lindl.) Luer
- [*Pabstiella varellae*](#) Toscano, Luer & Jacques Klein
- [*Pabstiella vellozoana*](#) (Schltr.) Luer
- [*Pabstiella verboonenii*](#) (Luer & Toscano) Luer
- [*Pabstiella versicolor*](#) (Porsch) Luer
- [*Pabstiella villosisepala*](#) L.Kollmann & Fraga
- [*Pabstiella viridula*](#) (Barb.Rodr.) Luer & Toscano
- [*Pabstiella wacketii*](#) (Handro & Pabst) Luer
- [*Pabstiella wanderbildtiana*](#) (Pabst) F.Barros & C.F.Hall
- [*Pabstiella wawraeana*](#) (Barb.Rodr.) Chiron & Xim.Bols.
- [*Pabstiella yauaperyensis*](#) (Barb.Rodr.) F.Barros

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Oxytropis*](#), one of the genera called the **locoweeds**, are accepted by [Plants of the World Online](#).^[1] Although [monophyletic](#), this genus has undergone such rapid, "explosive" [evolutionary radiation](#) that conventional molecular methods will not be able to elucidate its infrageneric relationships.^[2]

- [Oxytropis acanthacea](#) Jurtzev
- [Oxytropis aciphylla](#) Ledeb.
- [Oxytropis adamsiana](#) (Trautv.) Jurtzev
- [Oxytropis adenophylla](#) Popov
- [Oxytropis admiranda](#) Vassilcz.
- [Oxytropis adscendens](#) Gontsch.
- [Oxytropis aellenii](#) Vassilcz.
- [Oxytropis afghanica](#) Rech.f. & Köie
- [Oxytropis ajanensis](#) (Regel & Tiling) Bunge
- [Oxytropis albana](#) Steven
- [Oxytropis alberti-regelii](#) Vassilcz.
- [Oxytropis albiflora](#) Bunge
- [Oxytropis albovilloso](#) B.Fedtsch.
- [Oxytropis alii](#) Vassilcz.
- [Oxytropis almaatensis](#) Bajtenov
- [Oxytropis alpestris](#) Schischk.
- [Oxytropis alpicola](#) Turcz.
- [Oxytropis alpina](#) Bunge
- [Oxytropis altaica](#) (Pall.) Pers.
- [Oxytropis ambigua](#) (Pall.) DC.
- [Oxytropis amethystea](#) Arv.-Touv.
- [Oxytropis ammophila](#) Turcz.
- [Oxytropis ampullata](#) (Pall.) Pers.
- [Oxytropis anaulgensis](#) Pavlov
- [Oxytropis andersii](#) Vassilcz.
- [Oxytropis anertii](#) Nakai
- [Oxytropis anyemaqensis](#) Y.H.Wu
- [Oxytropis approximata](#) Less.
- [Oxytropis arassanica](#) Gontsch.
- [Oxytropis arbaevae](#) Vassilcz.
- [Oxytropis arctica](#) R.Br.
- [Oxytropis arenae-ripariae](#) Vassilcz.
- [Oxytropis argentata](#) (Pall.) Pers.
- [Oxytropis argyroleuca](#) Bornm.
- [Oxytropis armeniaca](#) Sosn. ex Mulk.
- [Oxytropis arystangalievii](#) Bajtenov
- [Oxytropis aspera](#) Gontsch.
- [Oxytropis assiensis](#) Vassilcz.
- [Oxytropis asterocarpa](#) Vassilcz.
- [Oxytropis astragaloides](#) Boriss.
- [Oxytropis atbaschi](#) Saposhn.
- [Oxytropis aucheri](#) Boiss.

- [*Oxytropis aulieatensis*](#) Vved.
- [*Oxytropis aurea*](#) Vassilcz.
- [*Oxytropis auriculata*](#) C.W.Chang
- [*Oxytropis austrosachalinensis*](#) Vassilcz. ex N.S.Pavlova
- [*Oxytropis avis*](#) Saposhn.
- [*Oxytropis azerbaijanica*](#) Podlech
- [*Oxytropis babatagi*](#) Abdusal.
- [*Oxytropis baburi*](#) Vassilcz.
- [*Oxytropis baicalia*](#) (Pall.) Pers.
- [*Oxytropis baissunensis*](#) Vassilcz.
- [*Oxytropis bajtulinii*](#) Kotukhov
- [*Oxytropis bakhtiarica*](#) Maassoumi
- [*Oxytropis baldshuanica*](#) B.Fedtsch.
- [*Oxytropis bargusinensis*](#) Peschkova
- [*Oxytropis barkolensis*](#) X.Y.Zhu, H.Ohashi & Y.B.Deng
- [*Oxytropis barkultagi*](#) Grubov & Vassilcz.
- [*Oxytropis barunensis*](#) Y.H.Wu
- [*Oxytropis baschkiriensis*](#) Knjaz.
- [*Oxytropis baxoiensis*](#) P.C.Li
- [*Oxytropis bella*](#) B.Fedtsch. ex O.Fedtsch.
- [*Oxytropis bellii*](#) (Britton ex Macoun) Palib.
- [*Oxytropis beringensis*](#) Jurtzev
- [*Oxytropis besseyi*](#) (Rydb.) Blank.
- [*Oxytropis bicolor*](#) Bunge
- [*Oxytropis bicornis*](#) Vassilcz.
- [*Oxytropis biflora*](#) P.C.Li
- [*Oxytropis biloba*](#) Saposhn.
- [*Oxytropis binaludensis*](#) Vassilcz.
- [*Oxytropis birirensis*](#) Ali
- [*Oxytropis bobrovii*](#) B.Fedtsch.
- [*Oxytropis bogdoschanica*](#) Jurtzev
- [*Oxytropis boguschi*](#) B.Fedtsch.
- [*Oxytropis borealis*](#) DC.
- [*Oxytropis bosculensis*](#) Golosk.
- [*Oxytropis brachycarpa*](#) Vassilcz.
- [*Oxytropis bracteata*](#) Basil.
- [*Oxytropis bracteolata*](#) Vassilcz.
- [*Oxytropis brevicaulis*](#) Ledeb.
- [*Oxytropis brevipedunculata*](#) P.C.Li
- [*Oxytropis bryophila*](#) (Greene) Jurtzev
- [*Oxytropis bungei*](#) Kom.
- [*Oxytropis burchan-buddae*](#) Grubov & Vassilcz.

- [*Oxytropis burhanbudaica*](#) Y.H.Wu
- [*Oxytropis cabulica*](#) (Boiss.) Boiss.
- [*Oxytropis cachemiriana*](#) Cambess.
- [*Oxytropis caespitosa*](#) (Pall.) Pers.
- [*Oxytropis caespitosula*](#) Gontsch.
- [*Oxytropis calcareorum*](#) N.S.Pavlova
- [*Oxytropis callophylla*](#) Vassilcz.
- [*Oxytropis calva*](#) Malyshev
- [*Oxytropis campanulata*](#) Vassilcz.
- [*Oxytropis campestris*](#) (L.) DC.
- [*Oxytropis cana*](#) Bunge
- [*Oxytropis candicans*](#) (Pall.) DC.
- [*Oxytropis candolleorum*](#) Vassilcz.
- [*Oxytropis canopatula*](#) Vassilcz.
- [*Oxytropis capusii*](#) Franch.
- [*Oxytropis carpatica*](#) R.Uechtr.
- [*Oxytropis caudiciramosa*](#) Vassilcz.
- [*Oxytropis chakassiensis*](#) Polozhij
- [*Oxytropis chantengriensis*](#) Vassilcz.
- [*Oxytropis charkeviczii*](#) Vyschin
- [*Oxytropis chesneyoides*](#) Gontsch.
- [*Oxytropis chiliophylla*](#) Benth.
- [*Oxytropis chinglingensis*](#) C.W.Chang
- [*Oxytropis chionobia*](#) Bunge
- [*Oxytropis chionophylla*](#) Schrenk ex Fisch. & C.A.Mey.
- [*Oxytropis chitralensis*](#) Ali
- [*Oxytropis chorgossica*](#) Vassilcz.
- [*Oxytropis chrysocarpa*](#) Boiss.
- [*Oxytropis ciliata*](#) Turcz.
- [*Oxytropis cinerascens*](#) Bunge
- [*Oxytropis cinerea*](#) Vassilcz.
- [*Oxytropis coelestis*](#) Abdusal.
- [*Oxytropis coerulea*](#) (Pall.) DC.
- [*Oxytropis columbina*](#) Vassilcz.
- [*Oxytropis compacta*](#) Maassoumi & Joharchi
- [*Oxytropis confusa*](#) Bunge
- [*Oxytropis crassiuscula*](#) Boriss.
- [*Oxytropis cretacea*](#) Basil.
- [*Oxytropis cuspidata*](#) Bunge
- [*Oxytropis czapan-daghi*](#) B.Fedtsch.
- [*Oxytropis czekanowskii*](#) Jurtzev
- [*Oxytropis czerskii*](#) Jurtzev

- [*Oxytropis czukotica*](#) Jurtzev
- [*Oxytropis danorum*](#) Rech.f.
- [*Oxytropis darpirensis*](#) Jurtzev & A.P.Khokhr.
- [*Oxytropis dashtikavarensis*](#) Vassilcz.
- [*Oxytropis dasypoda*](#) Rupr. ex Boiss.
- [*Oxytropis datongensis*](#) Y.H.Wu
- [*Oxytropis deflexa*](#) (Pall.) DC.
- [*Oxytropis dehra-duni*](#) Vassilcz.
- [*Oxytropis densa*](#) Benth. ex Bunge
- [*Oxytropis densiflora*](#) P.C.Li
- [*Oxytropis diantha*](#) Bunge ex Maxim.
- [*Oxytropis dichroantha*](#) Schrenk ex Fisch. & C.A.Mey.
- [*Oxytropis didymophysa*](#) Bunge
- [*Oxytropis dinarica*](#) (Murb.) Wettst.
- [*Oxytropis diversifolia*](#) E.Peter
- [*Oxytropis dorogostajskyi*](#) Kuzen.
- [*Oxytropis dschagastaica*](#) Grubov & Vassilcz.
- [*Oxytropis dubia*](#) Turcz.
- [*Oxytropis dumbedanica*](#) Grubov & Vassilcz.
- [*Oxytropis duthieana*](#) Ali
- [*Oxytropis echidna*](#) Vved.
- [*Oxytropis eriocarpa*](#) Bunge
- [*Oxytropis ervicarpa*](#) Vved. ex Z.N.Filimonova
- [*Oxytropis evenorum*](#) Jurtzev & A.P.Khokhr.
- [*Oxytropis exserta*](#) Jurtzev
- [*Oxytropis falcata*](#) Bunge
- [*Oxytropis farsi*](#) Vassilcz.
- [*Oxytropis fasciculiflorum*](#) Vassilcz.
- [*Oxytropis fedtschenkoana*](#) Vassilcz.
- [*Oxytropis fedtschenkoi*](#) Vassilcz.
- [*Oxytropis ferganensis*](#) Vassilcz.
- [*Oxytropis fetida*](#) (Vill.) DC.
- [*Oxytropis fetisowii*](#) Bunge
- [*Oxytropis floribunda*](#) (Pall.) DC.
- [*Oxytropis fohlenensis*](#) Vassilcz.
- [*Oxytropis foucaudii*](#) Gillot
- [*Oxytropis fragilifolia*](#) N.Ulziykh.
- [*Oxytropis fragiliphylla*](#) Q.Wang, Chang Y.Yang, X.Y.Zhu & H.Ohashi
- [*Oxytropis frigida*](#) Kar. & Kir.
- [*Oxytropis fruticulosa*](#) Bunge
- [*Oxytropis fuscescens*](#) Vassilcz.
- [*Oxytropis gandeensis*](#) Y.H.Wu

- [Oxytropis ganningensis](#) C.W.Chang
- [Oxytropis gebleri](#) Fisch. ex Bunge
- [Oxytropis gebleriana](#) Schrenk
- [Oxytropis gerzeensis](#) P.C.Li
- [Oxytropis gilgitensis](#) Vassilcz.
- [Oxytropis giraldii](#) Ulbr.
- [Oxytropis glabra](#) DC.
- [Oxytropis glandulosa](#) Turcz.
- [Oxytropis glareosa](#) Vassilcz.
- [Oxytropis globiflora](#) Bunge
- [Oxytropis gloriosa](#) Ali
- [Oxytropis gmelinii](#) Fisch. ex Boriss.
- [Oxytropis golengolensis](#) Vassilcz.
- [Oxytropis gorbunovii](#) Boriss.
- [Oxytropis gorodkovii](#) Jurtzev
- [Oxytropis graminetorum](#) Vassilcz.
- [Oxytropis grandiflora](#) DC.
- [Oxytropis griffithii](#) Bunge ex Boiss.
- [Oxytropis gubanovii](#) Vassilcz.
- [Oxytropis gueldenstaedtioides](#) Ulbr.
- [Oxytropis guilanica](#) Maassoumi & Moradi
- [Oxytropis guinanensis](#) Y.H.Wu
- [Oxytropis guntensis](#) B.Fedtsch.
- [Oxytropis gymnogyne](#) Bunge
- [Oxytropis hailarensis](#) Kitag.
- [Oxytropis halleri](#) Bunge ex W.D.J.Koch
- [Oxytropis hedgei](#) Vassilcz.
- [Oxytropis helenae](#) N.S.Pavlova
- [Oxytropis helvetica](#) Scheele
- [Oxytropis heratensis](#) Bunge ex Boiss.
- [Oxytropis heterophylla](#) Bunge ex Maxim.
- [Oxytropis heteropoda](#) Bunge
- [Oxytropis heterotricha](#) Turcz.
- [Oxytropis hindukuschensis](#) Vassilcz.
- [Oxytropis hippolyti](#) Boriss.
- [Oxytropis hirsuta](#) Bunge
- [Oxytropis hirsutiuscula](#) Freyn
- [Oxytropis hirta](#) Bunge
- [Oxytropis holanshanensis](#) H.C.Fu
- [Oxytropis huashixiaensis](#) Y.H.Wu
- [Oxytropis huddelsonii](#) A.E.Porsild
- [Oxytropis hudsonica](#) (Greene) Fernald

- [*Oxytropis humifusa*](#) Kar. & Kir.
- [*Oxytropis* × *hybrida*](#) Brügger
- [*Oxytropis hypoglottoides*](#) (Baker) Ali
- [*Oxytropis hypsophila*](#) Bunge ex Boiss.
- [*Oxytropis hystrix*](#) Schrenk
- [*Oxytropis imbricata*](#) Kom.
- [*Oxytropis immersa*](#) (Baker) Bunge ex Lipsky
- [*Oxytropis inaria*](#) (Pall.) DC.
- [*Oxytropis incana*](#) Jurtzev
- [*Oxytropis incanescens*](#) Freyn
- [*Oxytropis includens*](#) Basil.
- [*Oxytropis indensis*](#) Vassilcz.
- [*Oxytropis indurata*](#) Maassoumi
- [*Oxytropis inopinata*](#) Jurtzev
- [*Oxytropis inschanica*](#) H.C.Fu & S.S.Cheng
- [*Oxytropis integripetala*](#) Bunge
- [*Oxytropis intermedia*](#) Bunge
- [*Oxytropis interposita*](#) Sipliv.
- [*Oxytropis iranica*](#) Vassilcz.
- [*Oxytropis irbis*](#) Saposhn.
- [*Oxytropis ishkashimorum*](#) Vassilcz.
- [*Oxytropis iskanderica*](#) B.Fedtsch.
- [*Oxytropis itoana*](#) Tatew.
- [*Oxytropis jabalambrensis*](#) (Pau) Podlech
- [*Oxytropis japonica*](#) Maxim.
- [*Oxytropis javaherdehi*](#) Maassoumi
- [*Oxytropis jordalii*](#) A.E.Porsild
- [*Oxytropis jucunda*](#) Vved.
- [*Oxytropis junatovii*](#) Sanchir
- [*Oxytropis jurtzevii*](#) Malyshev
- [*Oxytropis kalamii*](#) Vassilcz.
- [*Oxytropis kamelinii*](#) Vassilcz.
- [*Oxytropis kamtschatica*](#) Hultén
- [*Oxytropis kansuensis*](#) Bunge
- [*Oxytropis karataviensis*](#) Pavlov
- [*Oxytropis karavaevii*](#) Jurtzev
- [*Oxytropis karjaginii*](#) Grossh.
- [*Oxytropis kasakorum*](#) Knjaz.
- [*Oxytropis kaspensis*](#) Krasnob. & Pshenich.
- [*Oxytropis katangensis*](#) Basil.
- [*Oxytropis kateninii*](#) Jurtzev
- [*Oxytropis kazidanica*](#) Vassilcz.

- [*Oxytropis ketmenica*](#) Saposhn.
- [*Oxytropis khinjahi*](#) Vassilcz.
- [*Oxytropis klementzii*](#) N.Ulziykh.
- [*Oxytropis knjazezii*](#) Vasjukov
- [*Oxytropis kobukensis*](#) S.L.Welsh
- [*Oxytropis kodarensis*](#) Jurtzev & Malyshev
- [*Oxytropis kokrinensis*](#) A.E.Porsild
- [*Oxytropis komei*](#) Saposhn.
- [*Oxytropis kopetdagensis*](#) Gontsch.
- [*Oxytropis korabensis*](#) (Kümmerle & Jáv.) A.W.Hill
- [*Oxytropis kordkoyensis*](#) Maassoumi
- [*Oxytropis kossinskyi*](#) B.Fedtsch. & Basil.
- [*Oxytropis kotschyana*](#) Boiss. & Hohen.
- [*Oxytropis kozhuharovii*](#) D.K.Pavlova, D.Dimitrov & M.Nikolova
- [*Oxytropis krylovii*](#) Schipcz.
- [*Oxytropis kubanensis*](#) Leskov
- [*Oxytropis kuchanensis*](#) Vassilcz.
- [*Oxytropis kuhistanica*](#) Abdusal.
- [*Oxytropis kukkonenii*](#) Vassilcz.
- [*Oxytropis kumaonensis*](#) Vassilcz.
- [*Oxytropis kumbelica*](#) Grubov & Vassilcz.
- [*Oxytropis kunarensis*](#) Vassilcz.
- [*Oxytropis kunashiriensis*](#) Kitam.
- [*Oxytropis kungurensis*](#) Knjaz.
- [*Oxytropis kuramensis*](#) Abdusal.
- [*Oxytropis kusnetzovii*](#) Krylov & Steinb.
- [*Oxytropis kyziltalensis*](#) Vassilcz.
- [*Oxytropis ladyginii*](#) Krylov
- [*Oxytropis lagopus*](#) Nutt.
- [*Oxytropis lambertii*](#) Pursh
- [*Oxytropis lanata*](#) (Pall.) DC.
- [*Oxytropis lanceatifoliola*](#) H.Ohba, S.Akiyama & S.K.Wu
- [*Oxytropis langshanica*](#) H.C.Fu
- [*Oxytropis lanuginosa*](#) Kom.
- [*Oxytropis lapponica*](#) (Wahlenb.) J.Gay
- [*Oxytropis larionovii*](#) Grubov & Vassilcz.
- [*Oxytropis lasiocarpa*](#) Gontsch.
- [*Oxytropis lasiopoda*](#) Bunge
- [*Oxytropis latialata*](#) P.C.Li
- [*Oxytropis latibracteata*](#) Jurtzev
- [*Oxytropis lavrenkoi*](#) N.Ulziykh.
- [*Oxytropis laxiracemosa*](#) Vassilcz.

- [Oxytropis lazica](#) Boiss.
- [Oxytropis lehmannii](#) Bunge
- [Oxytropis leptophylla](#) (Pall.) DC.
- [Oxytropis leptophysa](#) Bunge
- [Oxytropis × lessingiana](#) Knjaz.
- [Oxytropis leucantha](#) (Pall.) Pers.
- [Oxytropis leucocyanea](#) Bunge
- [Oxytropis leucotricha](#) Turcz.
- [Oxytropis lhasaensis](#) X.Y.Zhu
- [Oxytropis liliputa](#) Vassilcz.
- [Oxytropis linczevskii](#) Gontsch.
- [Oxytropis linearibracteata](#) P.C.Li
- [Oxytropis lipskyi](#) Gontsch.
- [Oxytropis lithophila](#) Vassilcz.
- [Oxytropis litoralis](#) Kom.
- [Oxytropis litwinowii](#) B.Fedtsch.
- [Oxytropis longialata](#) P.C.Li
- [Oxytropis longibracteata](#) Kar. & Kir.
- [Oxytropis longirostra](#) DC.
- [Oxytropis lupinoides](#) Grossh.
- [Oxytropis lutchensis](#) Franch.
- [Oxytropis luteocaerulea](#) (Baker) Ali
- [Oxytropis lydiae](#) Vassilcz.
- [Oxytropis macrobotrys](#) Bunge
- [Oxytropis macrocarpa](#) Kar. & Kir.
- [Oxytropis macrodonta](#) Gontsch.
- [Oxytropis macrosema](#) Bunge
- [Oxytropis × madiotii](#) Rouy
- [Oxytropis maduoensis](#) Y.H.Wu
- [Oxytropis mahneshanensis](#) Maassoumi
- [Oxytropis maidantalensis](#) B.Fedtsch.
- [Oxytropis malacophylla](#) Bunge
- [Oxytropis malloryana](#) Dunn
- [Oxytropis maqinensis](#) Y.H.Wu
- [Oxytropis marco-polo](#) Vassilcz.
- [Oxytropis margacea](#) Vassilcz.
- [Oxytropis martjanovii](#) Krylov
- [Oxytropis masarensis](#) Vassilcz.
- [Oxytropis maydelliana](#) Trautv.
- [Oxytropis megalantha](#) H.Boissieu
- [Oxytropis megalorrhyncha](#) Nevski
- [Oxytropis meinshausenii](#) Schrenk

- [Oxytropis melaleuca](#) Bunge
- [Oxytropis melanocalyx](#) Bunge
- [Oxytropis melanotricha](#) Bunge
- [Oxytropis merkensis](#) Bunge
- [Oxytropis mertensiana](#) Turcz.
- [Oxytropis michelsonii](#) B.Fedtsch.
- [Oxytropis micrantha](#) Bunge ex Maxim.
- [Oxytropis microcarpa](#) Gontsch.
- [Oxytropis microphylla](#) (Pall.) DC.
- [Oxytropis microsphaera](#) Bunge
- [Oxytropis middendorffii](#) Trautv.
- [Oxytropis minjanensis](#) Rech.f.
- [Oxytropis mixotriche](#) Bunge
- [Oxytropis moellendorffii](#) Bunge ex Maxim.
- [Oxytropis mollis](#) Royle ex Benth.
- [Oxytropis mongolica](#) Kom.
- [Oxytropis monophylla](#) Grubov
- [Oxytropis montana](#) (L.) DC.
- [Oxytropis monticola](#) A.Gray
- [Oxytropis morenarum](#) Vassilcz.
- [Oxytropis multiceps](#) Nutt.
- [Oxytropis mumynabadensis](#) B.Fedtsch.
- [Oxytropis muricata](#) (Pall.) DC.
- [Oxytropis myriophylla](#) (Pall.) DC.
- [Oxytropis nana](#) Nutt.
- [Oxytropis nanda-devi](#) Vassilcz.
- [Oxytropis neglecta](#) J.Gay ex Ten.
- [Oxytropis neimonggolica](#) C.W.Chang & Y.Z.Zhao
- [Oxytropis neorechingeriana](#) Vassilcz.
- [Oxytropis nepalensis](#) Vassilcz.
- [Oxytropis niedzweckiana](#) Popov
- [Oxytropis nigrescens](#) (Pall.) Fisch. ex DC.
- [Oxytropis nikolai](#) Filim. & Abduss.
- [Oxytropis nitens](#) Turcz.
- [Oxytropis nivea](#) Bunge
- [Oxytropis nuda](#) Basil.
- [Oxytropis nuristanica](#) Vassilcz.
- [Oxytropis nutans](#) Bunge
- [Oxytropis ochotensis](#) Bunge
- [Oxytropis ochrantha](#) Turcz.
- [Oxytropis ochrocephala](#) Bunge
- [Oxytropis ochroleuca](#) Bunge

- [*Oxytropis ochrolongibracteata*](#) X.Y.Zhu & H.Ohashi
- [*Oxytropis ocrensis*](#) F.Conti & Bartolucci
- [*Oxytropis oligantha*](#) Bunge
- [*Oxytropis oreophila*](#) A.Gray
- [*Oxytropis ornata*](#) Vassilcz.
- [*Oxytropis oroboides*](#) Vassilcz.
- [*Oxytropis ovczinnikovii*](#) Abdusal.
- [*Oxytropis owerinii*](#) Bunge
- [*Oxytropis oxyphylla*](#) (Pall.) DC.
- [*Oxytropis oxyphylloides*](#) Popov
- [*Oxytropis pakistanica*](#) Vassilcz.
- [*Oxytropis pallasii*](#) Pers.
- [*Oxytropis pamiroalajca*](#) Abdusal.
- [*Oxytropis panjshirica*](#) Podlech & Deml
- [*Oxytropis parasericeopetala*](#) P.C.Li
- [*Oxytropis parryi*](#) A.Gray
- [*Oxytropis parvanensis*](#) Vassilcz.
- [*Oxytropis pauciflora*](#) Bunge
- [*Oxytropis pavlovii*](#) B.Fedtsch. & Basil.
- [*Oxytropis pellita*](#) Bunge
- [*Oxytropis penduliflora*](#) Gontsch.
- [*Oxytropis persica*](#) Boiss.
- [*Oxytropis peschkovae*](#) Popov
- [*Oxytropis physocarpa*](#) Ledeb.
- [*Oxytropis piceetorum*](#) Vassilcz.
- [*Oxytropis pilosa*](#) (L.) DC.
- [*Oxytropis pilosissima*](#) Vved.
- [*Oxytropis platonychia*](#) Bunge
- [*Oxytropis platysema*](#) Schrenk
- [*Oxytropis podlechii*](#) Vassilcz.
- [*Oxytropis podocarpa*](#) A.Gray
- [*Oxytropis podoloba*](#) Kar. & Kir.
- [*Oxytropis polyphylla*](#) Ledeb.
- [*Oxytropis poncinsii*](#) Franch.
- [*Oxytropis ponomarjevii*](#) Knjaz.
- [*Oxytropis popoviana*](#) Peschkova
- [*Oxytropis potaninii*](#) Bunge ex Palib.
- [*Oxytropis prenja*](#) (Beck) Beck
- [*Oxytropis proboscidea*](#) Bunge
- [*Oxytropis prostrata*](#) (Pall.) DC.
- [*Oxytropis protopopovii*](#) Kom.
- [*Oxytropis proxima*](#) Boriss.

- [*Oxytropis przewalskii*](#) Kom.
- [*Oxytropis pseudocoerulea*](#) P.C.Li
- [*Oxytropis pseudofrigida*](#) Saposhn.
- [*Oxytropis pseudoglandulosa*](#) Gontsch. ex Grubov
- [*Oxytropis pseudohirsuta*](#) Q.Wang & Chang Y.Yang
- [*Oxytropis pseudohirsutiuscula*](#) Vassilcz.
- [*Oxytropis pseudoleptophysa*](#) Boriss.
- [*Oxytropis pseudomyriophylla*](#) S.S.Cheng ex X.Y.Zhu, H.Ohashi & Y.B.Deng
- [*Oxytropis pseudorosea*](#) Filim.
- [*Oxytropis pseudosuavis*](#) Maassoumi
- [*Oxytropis puberula*](#) Boriss.
- [*Oxytropis pulvinoides*](#) Vassilcz.
- [*Oxytropis pumila*](#) Fisch. ex DC.
- [*Oxytropis pumilio*](#) (Pall.) Ledeb.
- [*Oxytropis purpurea*](#) (Bald.) Markgr.
- [*Oxytropis pusilla*](#) Bunge
- [*Oxytropis putoranica*](#) M.M.Ivanova
- [*Oxytropis qaidamensis*](#) Y.H.Wu
- [*Oxytropis qamdoensis*](#) X.Y.Zhu, Y.F.Du & H.Ohashi
- [*Oxytropis qilianshanica*](#) C.W.Chang & C.L.Zhang ex X.Y.Zhu & H.Ohashi
- [*Oxytropis qinghaiensis*](#) Y.H.Wu
- [*Oxytropis qingnanensis*](#) Y.H.Wu
- [*Oxytropis qitaiensis*](#) X.Y.Zhu, H.Ohashi & Y.B.Deng
- [*Oxytropis racemosa*](#) Turcz.
- [*Oxytropis ramosissima*](#) Kom.
- [*Oxytropis rarytkinensis*](#) N.S.Pavlova
- [*Oxytropis rautii*](#) L.R.Dangwal & R.D.Gaur
- [*Oxytropis rechingeri*](#) Vassilcz.
- [*Oxytropis recognita*](#) Bunge
- [*Oxytropis regelii*](#) Vassilcz.
- [*Oxytropis reniformis*](#) P.C.Li
- [*Oxytropis retusa*](#) Matsum.
- [*Oxytropis reverdattoi*](#) Jurtzev
- [*Oxytropis revoluta*](#) Ledeb.
- [*Oxytropis* × *rhaetica*](#) Brügger
- [*Oxytropis rhizantha*](#) Palib.
- [*Oxytropis rhodantha*](#) Vassilcz.
- [*Oxytropis rhynchophysa*](#) Schrenk
- [*Oxytropis ribumoo*](#) Vassilcz.
- [*Oxytropis rosea*](#) Bunge
- [*Oxytropis roseiformis*](#) B.Fedtsch.
- [*Oxytropis rostrata*](#) Vassilcz.

- [*Oxytropis rubriargillosa*](#) Vassilcz.
- [*Oxytropis rubricaudex*](#) Hultén
- [*Oxytropis rudbariensis*](#) Vassilcz.
- [*Oxytropis ruebsaamenii*](#) B.Fedtsch.
- [*Oxytropis rupifraga*](#) Bunge
- [*Oxytropis ruthenica*](#) Vassilcz.
- [*Oxytropis sabzavarensis*](#) Maassoumi
- [*Oxytropis sacciformis*](#) H.C.Fu
- [*Oxytropis sachalinensis*](#) Miyabe & Tatew.
- [*Oxytropis sajanensis*](#) Jurtzev
- [*Oxytropis salangensis*](#) Podlech & Deml
- [*Oxytropis salicetorum*](#) Vassilcz.
- [*Oxytropis salukensis*](#) Maassoumi
- [*Oxytropis sanjappae*](#) Chaudhary
- [*Oxytropis saperlebulensis*](#) Vassilcz.
- [*Oxytropis saposhnikovii*](#) Krylov
- [*Oxytropis sarkandensis*](#) Vassilcz.
- [*Oxytropis sata-kandaonensis*](#) Vassilcz.
- [*Oxytropis satpaevii*](#) Bajtenov
- [*Oxytropis saurica*](#) Saposhn.
- [*Oxytropis savellanica*](#) Bunge ex Boiss.
- [*Oxytropis scabrida*](#) Gontsch.
- [*Oxytropis scammaniana*](#) Hultén
- [*Oxytropis schachimardanica*](#) Filim.
- [*Oxytropis scheludjakovae*](#) Karav. & Jurtzev
- [*Oxytropis schmorgunoviae*](#) Jurtzev
- [*Oxytropis schrenkii*](#) Trautv.
- [*Oxytropis selengensis*](#) Bunge
- [*Oxytropis semenowii*](#) Bunge
- [*Oxytropis seravschanica*](#) Gontsch.
- [*Oxytropis sericea*](#) Nutt.
- [*Oxytropis sericopetala*](#) Prain ex C.E.C.Fisch.
- [*Oxytropis setifera*](#) Kom.
- [*Oxytropis setosa*](#) (Pall.) DC.
- [*Oxytropis sewerzowii*](#) Bunge
- [*Oxytropis shahvarica*](#) Maassoumi
- [*Oxytropis shanxiensis*](#) X.Y.Zhu
- [*Oxytropis shennongjiaensis*](#) D.G.Zhang, J.T.Chen, T.Deng & H.Sun
- [*Oxytropis shivae*](#) Aswal, Goel & Mehrotra
- [*Oxytropis siah-sangi*](#) Vassilcz.
- [*Oxytropis sibajensis*](#) Knjaz.
- [*Oxytropis sichuanica*](#) C.W.Chang

- [*Oxytropis siegismundii*](#) N.S.Pavlova
- [*Oxytropis sinkiangensis*](#) S.S.Cheng ex C.W.Chang
- [*Oxytropis siomensis*](#) Abdusal.
- [*Oxytropis sitaipaiensis*](#) T.P.Wang ex C.W.Chang
- [*Oxytropis sivehensis*](#) Maassoumi & Amini Rad
- [*Oxytropis siziwangensis*](#) Y.Z.Zhao & Zhong Y.Zhu
- [*Oxytropis sobolevskajae*](#) Pjak
- [*Oxytropis sojakii*](#) Vassilcz.
- [*Oxytropis songorica*](#) (Pall.) DC.
- [*Oxytropis sordida*](#) (Willd.) Pers.
- [*Oxytropis spicata*](#) (Pall.) O.Fedtsch. & B.Fedtsch.
- [*Oxytropis spinifer*](#) Vassilcz.
- [*Oxytropis splendens*](#) Douglas
- [*Oxytropis squammulosa*](#) DC.
- [*Oxytropis staintoniana*](#) Ali
- [*Oxytropis staintonii*](#) Vassilcz.
- [*Oxytropis stenofoliola*](#) Polozhij
- [*Oxytropis stenophylla*](#) Bunge
- [*Oxytropis stracheyana*](#) Bunge
- [*Oxytropis strobilacea*](#) Bunge
- [*Oxytropis stukovii*](#) Palib.
- [*Oxytropis suavis*](#) Boriss.
- [*Oxytropis subcapitata*](#) Gontsch.
- [*Oxytropis submutica*](#) Bunge
- [*Oxytropis subnutans*](#) (Jurtzev) Jurtzev
- [*Oxytropis subpodoloba*](#) P.C.Li
- [*Oxytropis subverticillaris*](#) C.A.Mey.
- [*Oxytropis sulphurea*](#) (Fisch. ex DC.) Ledeb.
- [*Oxytropis sumneviczii*](#) Krylov
- [*Oxytropis suprajenissejensis*](#) Kuvaev & Sonnikova
- [*Oxytropis surculosa*](#) Rech.f.
- [*Oxytropis susamyrensis*](#) B.Fedtsch.
- [*Oxytropis susumanica*](#) Jurtzev
- [*Oxytropis sutaica*](#) N.Ulziykh.
- [*Oxytropis sutakensis*](#) Maassoumi
- [*Oxytropis sverdrupii*](#) Lynge
- [*Oxytropis sylvatica*](#) (Pall.) DC.
- [*Oxytropis szovitsii*](#) Boiss. & Buhse
- [*Oxytropis tachtensis*](#) Franch.
- [*Oxytropis talassica*](#) Gontsch.
- [*Oxytropis taldycola*](#) Grubov & Vassilcz.
- [*Oxytropis talgarica*](#) Popov

- [*Oxytropis taochensis*](#) Kom.
- [*Oxytropis tashkurensis*](#) S.H.Cheng ex X.Y.Zhu, Y.F.Du & H.Ohashi
- [*Oxytropis tatarica*](#) Hook.f. & Thomson ex Bunge
- [*Oxytropis tenuirostris*](#) Boriss.
- [*Oxytropis tenuis*](#) Palib.
- [*Oxytropis tenuissima*](#) Vassilcz.
- [*Oxytropis terekensis*](#) B.Fedtsch.
- [*Oxytropis teres*](#) DC.
- [*Oxytropis tianschanica*](#) Bunge
- [*Oxytropis tichomirovii*](#) Jurtzev
- [*Oxytropis tilingii*](#) Bunge
- [*Oxytropis todomoshiriensis*](#) Miyabe & T.Miyake
- [*Oxytropis tomentosa*](#) Gontsch.
- [*Oxytropis tomoriensis*](#) Kit Tan, Shuka & Vold
- [*Oxytropis tompudae*](#) Popov
- [*Oxytropis torrentium*](#) Vassilcz.
- [*Oxytropis tragacanthoides*](#) Fisch. ex DC.
- [*Oxytropis trajectory*](#) B.Fedtsch.
- [*Oxytropis transalaica*](#) Vassilcz.
- [*Oxytropis trichocalycina*](#) Bunge ex Boiss.
- [*Oxytropis trichophora*](#) Franch.
- [*Oxytropis trichophysa*](#) Bunge
- [*Oxytropis trichosphaera*](#) Freyn
- [*Oxytropis triflora*](#) Hoppe
- [*Oxytropis triphylla*](#) (Pall.) DC.
- [*Oxytropis tschatkalensis*](#) Lar.N.Vassiljeva
- [*Oxytropis tschimganica*](#) Gontsch.
- [*Oxytropis tschujae*](#) Bunge
- [*Oxytropis tudanensis*](#) X.Y.Zhu, H.Ohashi & Si Feng Li
- [*Oxytropis tukemansuensis*](#) X.Y.Zhu, H.Ohashi & Y.B.Deng
- [*Oxytropis tunnelli*](#) Vassilcz.
- [*Oxytropis turczaninovii*](#) Jurtzev
- [*Oxytropis tyttantha*](#) Gontsch.
- [*Oxytropis ugamensis*](#) Vassilcz.
- [*Oxytropis ugamica*](#) Gontsch.
- [*Oxytropis ulzichutagii*](#) Sanchir
- [*Oxytropis uniflora*](#) Jurtzev
- [*Oxytropis uralensis*](#) (L.) DC.
- [*Oxytropis urumovii*](#) Jáv.
- [*Oxytropis uschakovii*](#) Jurtzev
- [*Oxytropis vadimii*](#) Vassilcz.
- [*Oxytropis vakhdzhirii*](#) Vassilcz.

- [*Oxytropis valerii*](#) Vassilcz.
- [*Oxytropis varlakovii*](#) Serg.
- [*Oxytropis vassilczenkoi*](#) Jurtzev
- [*Oxytropis vassilievii*](#) Jurtzev
- [*Oxytropis vasskovskyi*](#) Jurtzev
- [*Oxytropis vavilovii*](#) Vassilcz.
- [*Oxytropis vermicularis*](#) Freyn
- [*Oxytropis viae-amicitiae*](#) Vassilcz.
- [*Oxytropis viridiflava*](#) Kom.
- [*Oxytropis volkii*](#) Rech.f.
- [*Oxytropis vositensis*](#) Vassilcz.
- [*Oxytropis vvedenskyi*](#) Filim.
- [*Oxytropis williamsii*](#) Vassilcz.
- [*Oxytropis wologdensis*](#) Knjaz.
- [*Oxytropis wrangelii*](#) Jurtzev
- [*Oxytropis wutaiensis*](#) Tatew. & Hurus.
- [*Oxytropis xidatanensis*](#) Y.H.Wu
- [*Oxytropis xinghaiensis*](#) Y.H.Wu
- [*Oxytropis xinglongshanica*](#) C.W.Chang
- [*Oxytropis yanchiensis*](#) X.Y.Zhu, H.Ohashi & L.R.Xu
- [*Oxytropis yekenensis*](#) X.Y.Zhu, H.Ohashi & Y.B.Deng
- [*Oxytropis yunnanensis*](#) Franch.
- [*Oxytropis zadoiensis*](#) Y.H.Wu
- [*Oxytropis zaprjagaevae*](#) Abdusal.
- [*Oxytropis zaquensis*](#) Y.H.Wu
- [*Oxytropis zekogensis*](#) Y.H.Wu
- [*Oxytropis zemuensis*](#) (W.W.Sm.) L.B.Chaudhary

From Wikipedia, the free encyclopedia

The following 583 species in the flowering plant genus [*Oxalis*](#), many of which are called wood sorrels, wood-sorrels or woodsorrels, false shamrocks, and sourgrasses, are recognised by [Plants of the World Online](#):^[1]

A

- [*Oxalis abercornensis*](#) R.Knuth
- [*Oxalis acetosella*](#) L.
- [*Oxalis acromelaena*](#) Diels
- [*Oxalis acuminata*](#) Schltldl.
- [*Oxalis adenodes*](#) Sond.
- [*Oxalis adenophylla*](#) Gillies ex Hook. & Arn.

- [*Oxalis adpressipila*](#) (Lourteig) Fiaschi & Bilk
- [*Oxalis adpersa*](#) Eckl. & Zeyh.
- [*Oxalis alata*](#) Zucc.
- [*Oxalis albicans*](#) Kunth
- [*Oxalis albiuscula*](#) T.M.Salter
- [*Oxalis algoensis*](#) Eckl. & Zeyh.
- [*Oxalis alpina*](#) (Rose) Rose ex R.Knuth
- [*Oxalis alstonii*](#) Lourteig
- [*Oxalis alvimii*](#) Lourteig
- [*Oxalis amamiana*](#) Hatus.
- [*Oxalis ambigua*](#) Jacq.
- [*Oxalis amblyodonta*](#) T.M.Salter
- [*Oxalis amblyosepala*](#) Schltr.
- [*Oxalis amicorum*](#) Canelón, Dorr & S.M.Niño
- [*Oxalis andina*](#) Britton
- [*Oxalis androsacea*](#) R.Knuth
- [*Oxalis annae*](#) F.Bolus
- [*Oxalis anomala*](#) T.M.Salter
- [*Oxalis anthelmintica*](#) A.Rich.
- [*Oxalis aptera*](#) Zucc. ex Progel
- [*Oxalis apurimacensis*](#) Lourteig
- [*Oxalis arachnoidea*](#) Progel
- [*Oxalis arbuscula*](#) Barnéoud
- [*Oxalis arenaria*](#) Bertero
- [*Oxalis areolata*](#) Taub.
- [*Oxalis argentina*](#) R.Knuth
- [*Oxalis argillacea*](#) F.Bolus
- [*Oxalis argyrophylla*](#) T.M.Salter
- [*Oxalis aridicola*](#) T.M.Salter
- [*Oxalis artemioides*](#) Fiaschi
- [*Oxalis articulata*](#) Savigny
- [*Oxalis atacamensis*](#) Reiche
- [*Oxalis ataquana*](#) T.M.Salter
- [*Oxalis aurea*](#) Schltr.
- [*Oxalis aureoflava*](#) Steud.
- [*Oxalis ausensis*](#) R.Knuth

B

- [*Oxalis bakeriana*](#) Exell
- [*Oxalis balansae*](#) Guillaumin
- [*Oxalis barrelieri*](#) L.
- [*Oxalis bartolomensis*](#) R.Knuth

- [*Oxalis bela-vitoriae*](#) Lourteig
- [*Oxalis benjaminii*](#) Lourteig
- [*Oxalis bermejensis*](#) R.Knuth
- [*Oxalis bifida*](#) Thunb.
- [*Oxalis bifrons*](#) Progel
- [*Oxalis bifurca*](#) G.Lodd.
- [*Oxalis bipartita*](#) A.St.-Hil.
- [*Oxalis bisecta*](#) Norlind
- [*Oxalis bisfracta*](#) Turcz.
- [*Oxalis blackii*](#) Lourteig
- [*Oxalis blanchetii*](#) R.Knuth
- [*Oxalis blastorhiza*](#) T.M.Salter
- [*Oxalis bojeriana*](#) Baill.
- [*Oxalis boliviana*](#) Britton
- [*Oxalis bowiei*](#) W.T.Aiton ex G.Don
- [*Oxalis brasiliensis*](#) G.Lodd. ex Drapiez
- [*Oxalis brevis*](#) Phil.
- [*Oxalis bulbigera*](#) R.Knuth
- [*Oxalis bulbillifera*](#) X.S.Shen & Hao Sun
- [*Oxalis bulbocastanum*](#) Phil.
- [*Oxalis bullulata*](#) T.M.Salter
- [*Oxalis burkei*](#) Sond.
- [*Oxalis burtoniae*](#) T.M.Salter

C

- [*Oxalis caerulea*](#) (Small) R.Knuth
- [*Oxalis caesariata*](#) Lourteig
- [*Oxalis caesia*](#) Phil.
- [*Oxalis cajalbanensis*](#) Urb.
- [*Oxalis calachaccensis*](#) R.Knuth
- [*Oxalis californica*](#) (Abrams) R.Knuth
- [*Oxalis callosa*](#) R.Knuth
- [*Oxalis calva*](#) Progel
- [*Oxalis calviniensis*](#) R.Knuth
- [*Oxalis camelopardalis*](#) T.M.Salter
- [*Oxalis campicola*](#) T.M.Salter
- [*Oxalis campylorhiza*](#) T.M.Salter
- [*Oxalis canaliculata*](#) Dreyer, Roets & Oberl.
- [*Oxalis capillacea*](#) E.Mey. ex Sond.
- [*Oxalis capixaba*](#) Fiaschi & Bilk
- [*Oxalis caprina*](#) Thunb.
- [*Oxalis cardenasiana*](#) Lourteig

- [*Oxalis carminea*](#) R.Knuth
- [*Oxalis carolina*](#) J.Suda & Sudová
- [*Oxalis cathara*](#) T.M.Salter
- [*Oxalis caucensis*](#) R.Knuth
- [*Oxalis cerradoana*](#) Lourteig
- [*Oxalis chachahuensis*](#) Alfonso, Prina & Muiño
- [*Oxalis chamaecrista*](#) Baill.
- [*Oxalis chapmaniae*](#) Exell
- [*Oxalis chartacea*](#) Norlind
- [*Oxalis chasquiensis*](#) R.Knuth
- [*Oxalis chnoodes*](#) Lourteig
- [*Oxalis ciliaris*](#) Jacq.
- [*Oxalis ciliata*](#) Spreng.
- [*Oxalis cinerea*](#) Zucc.
- [*Oxalis cipoensis*](#) T.Costa, Sakur. & Fiaschi
- [*Oxalis clandestina*](#) Phil.
- [*Oxalis clausenii*](#) Lourteig
- [*Oxalis clavifolia*](#) Sond.
- [*Oxalis clematodes*](#) Donn.Sm.
- [*Oxalis colatinensis*](#) Fiaschi
- [*Oxalis colchaguensis*](#) Lourteig
- [*Oxalis coloreae*](#) (Small) R.Knuth
- [*Oxalis commutata*](#) Sond.
- [*Oxalis comosa*](#) E.Mey. ex Sond.
- [*Oxalis compacta*](#) Gillies ex Hook. & Arn.
- [*Oxalis compressa*](#) Thunb.
- [*Oxalis comptonii*](#) T.M.Salter
- [*Oxalis confertifolia*](#) (Kuntze) R.Knuth
- [*Oxalis confertissima*](#) A.St.-Hil.
- [*Oxalis conorrhiza*](#) Jacq.
- [*Oxalis conventionensis*](#) Lourteig
- [*Oxalis convexula*](#) Jacq.
- [*Oxalis copiosa*](#) F.Bolus
- [*Oxalis coralleoides*](#) R.Knuth
- [*Oxalis cordata*](#) A.St.-Hil., A.Juss. & Cambess.
- [*Oxalis cornicarpa*](#) Fiaschi
- [*Oxalis corniculata*](#) L.
- [*Oxalis cotagaitensis*](#) R.Knuth
- [*Oxalis cratensis*](#) Hook.
- [*Oxalis creaseyi*](#) T.M.Salter
- [*Oxalis crispula*](#) Sond.
- [*Oxalis crocea*](#) T.M.Salter

- [*Oxalis cuatrecasasii*](#) Lourteig
- [*Oxalis cuneata*](#) Jacq.
- [*Oxalis cuzcensis*](#) R.Knuth
- [*Oxalis cytisoides*](#) Zucc.

D

- [*Oxalis daitunensis*](#) S.S.Ying
- [*Oxalis davyana*](#) R.Knuth
- [*Oxalis debilis*](#) Kunth
- [*Oxalis decaphylla*](#) Kunth
- [*Oxalis decipiens*](#) Progel
- [*Oxalis dehradunensis*](#) Raizada
- [*Oxalis densa*](#) N.E.Br.
- [*Oxalis densifolia*](#) Zucc.
- [*Oxalis depressa*](#) Eckl. & Zeyh.
- [*Oxalis deserticola*](#) T.M.Salter
- [*Oxalis diamantinae*](#) R.Knuth
- [*Oxalis dichondrifolia*](#) A.Gray
- [*Oxalis dichotoma*](#) T.M.Salter
- [*Oxalis dilatata*](#) L.Bolus
- [*Oxalis dillenii*](#) Jacq.
- [*Oxalis dimidiata*](#) Donn.Sm.
- [*Oxalis dines*](#) Ornduff
- [*Oxalis discolor*](#) Klotzsch
- [*Oxalis disticha*](#) Jacq.
- [*Oxalis distincta*](#) R.Knuth
- [*Oxalis divaricata*](#) Zucc.
- [*Oxalis divergens*](#) Benth. ex Lindl.
- [*Oxalis doceana*](#) Lourteig
- [*Oxalis dolichopoda*](#) Diels
- [*Oxalis dombeyi*](#) A.St.-Hil.
- [*Oxalis dregei*](#) Sond.
- [*Oxalis dreyeræ*](#) Oberl. & Roets
- [*Oxalis droseroides*](#) E.Mey. ex Sond.
- [*Oxalis drummondii*](#) A.Gray
- [*Oxalis dudleyi*](#) Lourteig
- [*Oxalis dumetorum*](#) Barnéoud
- [*Oxalis duriuscula*](#) Schltr.

E

- [*Oxalis ebracteata*](#) Savigny

- [*Oxalis eckloniana*](#) C.Presl
- [*Oxalis ecuadorensis*](#) R.Knuth
- [*Oxalis elegans*](#) Kunth
- [*Oxalis elsae*](#) R.Knuth
- [*Oxalis engleriana*](#) Schltr.
- [*Oxalis enneaphylla*](#) Cav.
- [*Oxalis eremobia*](#) Phil.
- [*Oxalis ericifolia*](#) Oberl. & Dreyer
- [*Oxalis ericoides*](#) R.Knuth
- [*Oxalis eriocarpa*](#) DC.
- [*Oxalis eriolepis*](#) Wedd.
- [*Oxalis erosa*](#) R.Knuth
- [*Oxalis erythrorhiza*](#) Gillies ex Hook. & Arn.
- [*Oxalis exilis*](#) A.Cunn.
- [*Oxalis exserta*](#) T.M.Salter
- [*Oxalis extensa*](#) T.M.Salter

F

- [*Oxalis falcatula*](#) T.M.Salter
- [*Oxalis famatinae*](#) R.Knuth
- [*Oxalis fendleri*](#) Lourteig
- [*Oxalis fenestrata*](#) Dreyer, Roets & Oberl.
- [*Oxalis fergusoniae*](#) T.M.Salter
- [*Oxalis fibrosa*](#) F.Bolus
- [*Oxalis filifoliolata*](#) J.Suda & Krejčíková
- [*Oxalis filiformis*](#) Kunth
- [*Oxalis flagellata*](#) (Rusby) Lourteig
- [*Oxalis flava*](#) L.
- [*Oxalis flaviuscula*](#) T.M.Salter
- [*Oxalis florida*](#) Salisb.
- [*Oxalis fourcadei*](#) T.M.Salter
- [*Oxalis foveolata*](#) Turcz.
- [*Oxalis fragilis*](#) T.M.Salter
- [*Oxalis frutescens*](#) L.
- [*Oxalis fruticosa*](#) Raddi
- [*Oxalis furcillata*](#) T.M.Salter

G

- [*Oxalis gagneorum*](#) Fosberg & Sachet
- [*Oxalis gardneriana*](#) Progel
- [*Oxalis geralensis*](#) R.Knuth

- [*Oxalis giftbergensis*](#) T.M.Salter
- [*Oxalis glabra*](#) Thunb.
- [*Oxalis glauca*](#) Kunth
- [*Oxalis glaucescens*](#) Norlind
- [*Oxalis goetzei*](#) Engl.
- [*Oxalis goniorhiza*](#) Eckl. & Zeyh.
- [*Oxalis goyazensis*](#) Turcz.
- [*Oxalis gracilipes*](#) Schltr.
- [*Oxalis gracilis*](#) Jacq.
- [*Oxalis grammopetala*](#) Sond.
- [*Oxalis grammophylla*](#) T.M.Salter
- [*Oxalis grandis*](#) Small
- [*Oxalis gregaria*](#) R.Knuth
- [*Oxalis griffithii*](#) Edgew. & Hook.f.
- [*Oxalis grisea*](#) A.St.-Hil. & Naudin
- [*Oxalis gyrorhiza*](#) Bertero ex Colla

H

- [*Oxalis haedulipes*](#) T.M.Salter
- [*Oxalis hedysarifolia*](#) Raddi
- [*Oxalis hedysaroides*](#) Kunth
- [*Oxalis heidelbergensis*](#) T.M.Salter
- [*Oxalis helicoides*](#) T.M.Salter
- [*Oxalis hepatica*](#) Norlind
- [*Oxalis hernandesii*](#) DC.
- [*Oxalis herrerae*](#) R.Knuth
- [*Oxalis heterophylla*](#) DC.
- [*Oxalis hirsuta*](#) Sond.
- [*Oxalis hirsutibulba*](#) Dreyer, Roets & Oberl.
- [*Oxalis hirsutissima*](#) Zucc.
- [*Oxalis hirta*](#) L.
- [*Oxalis hispidula*](#) Zucc.
- [*Oxalis hochreutineri*](#) J.F.Macbr.
- [*Oxalis holosericea*](#) Phil.
- [*Oxalis huantensis*](#) R.Knuth
- [*Oxalis humbertii*](#) Lourteig
- [*Oxalis humblotii*](#) R.Knuth
- [*Oxalis hyalotricha*](#) Lourteig
- [*Oxalis hygrophila*](#) Dreyer
- [*Oxalis hypopilina*](#) Diels
- [*Oxalis hypsophila*](#) Phil.

I

- [*Oxalis illinoensis*](#) Schwegman
- [*Oxalis imbricata*](#) Eckl. & Zeyh.
- [*Oxalis impatiens*](#) Vell.
- [*Oxalis inaequalis*](#) Weintraub
- [*Oxalis incarnata*](#) L.
- [*Oxalis inconspicua*](#) T.M.Salter
- [*Oxalis inopinata*](#) Fiaschi & Bilk
- [*Oxalis integra*](#) R.Knuth
- [*Oxalis involuta*](#) T.M.Salter
- [*Oxalis ioeides*](#) T.M.Salter & Exell
- [*Oxalis itamarajuensis*](#) Fiaschi & Bilk

J

- [*Oxalis jacobinensis*](#) Fiaschi & F.S.Cabral
- [*Oxalis jacquiniana*](#) Kunth
- [*Oxalis jamesonii*](#) Lourteig
- [*Oxalis jasminifolia*](#) Norlind
- [*Oxalis johnstonii*](#) R.Knuth
- [*Oxalis juruensis*](#) Diels

K

- [*Oxalis kalbreyeri*](#) Lourteig
- [*Oxalis kamiesbergensis*](#) T.M.Salter
- [*Oxalis killipii*](#) Lourteig
- [*Oxalis knuthiana*](#) T.M.Salter
- [*Oxalis kollmannii*](#) Fiaschi
- [*Oxalis kuhlmannii*](#) Lourteig

L

- [*Oxalis laciniata*](#) Cav.
- [*Oxalis lanata*](#) Thunb.
- [*Oxalis lasiandra*](#) Zucc.
- [*Oxalis lasiopetala*](#) Zucc.
- [*Oxalis lasiorhiza*](#) T.M.Salter
- [*Oxalis latemucronata*](#) Lourteig
- [*Oxalis latifolia*](#) Kunth
- [*Oxalis lawsonii*](#) F.Bolus
- [*Oxalis laxa*](#) Hook. & Arn.

- [*Oxalis laxicaulis*](#) R.Knuth
- [*Oxalis leipoldtii*](#) Schltr.
- [*Oxalis leonii*](#) Fiaschi & Bilk
- [*Oxalis leptocalyx*](#) Sond.
- [*Oxalis leptogramma*](#) T.M.Salter
- [*Oxalis leptopodes*](#) G.Don
- [*Oxalis lespedezioides*](#) G.Don
- [*Oxalis leucolepis*](#) Diels
- [*Oxalis leucophylla*](#) Phil.
- [*Oxalis levis*](#) T.M.Salter
- [*Oxalis libertatis*](#) Lourteig
- [*Oxalis lichenoides*](#) T.M.Salter
- [*Oxalis linarantha*](#) Lourteig
- [*Oxalis lindaviana*](#) Schltr.
- [*Oxalis lindneri*](#) R.Knuth
- [*Oxalis linearis*](#) Jacq.
- [*Oxalis lineolata*](#) T.M.Salter
- [*Oxalis linoides*](#) R.Knuth
- [*Oxalis livida*](#) Jacq.
- [*Oxalis lomana*](#) Diels
- [*Oxalis longissima*](#) (Kuntze) K.Schum.
- [*Oxalis loricata*](#) Dusén
- [*Oxalis lotoides*](#) Kunth
- [*Oxalis louisae*](#) T.M.Salter
- [*Oxalis lourteigiana*](#) Nuernberg-Silva & Fiaschi
- [*Oxalis lucumayensis*](#) R.Knuth
- [*Oxalis luederitzii*](#) Schinz
- [*Oxalis lunulata*](#) Zucc.
- [*Oxalis luteola*](#) Jacq.

M

- [*Oxalis macbridei*](#) R.Knuth
- [*Oxalis macra*](#) Schltr.
- [*Oxalis macrantha*](#) (Trel.) Small
- [*Oxalis macrocarpa*](#) (Small) R.Knuth
- [*Oxalis macropoda*](#) Baker
- [*Oxalis madrensis*](#) S.Watson
- [*Oxalis magellanica*](#) G.Forst.
- [*Oxalis magnifica*](#) (Rose) R.Knuth
- [*Oxalis magnifolia*](#) Dreyer, Roets & Oberl.
- [*Oxalis mandioccana*](#) Raddi
- [*Oxalis marcapatensis*](#) R.Knuth

- [*Oxalis marlothii*](#) Schltr. ex R.Knuth
- [*Oxalis massoniana*](#) T.M.Salter
- [*Oxalis matancillae*](#) Lourteig
- [*Oxalis mathewsii*](#) R.Knuth
- [*Oxalis medicaginea*](#) Kunth
- [*Oxalis megalorrhiza*](#) Jacq.
- [*Oxalis meisneri*](#) Sond.
- [*Oxalis melanograptia*](#) T.M.Salter
- [*Oxalis melanosticta*](#) Sond.
- [*Oxalis melilotoides*](#) Zucc.
- [*Oxalis melindae*](#) Lourteig
- [*Oxalis metcalfei*](#) (Small) R.Knuth
- [*Oxalis microcarpa*](#) Benth.
- [*Oxalis microdonta*](#) T.M.Salter
- [*Oxalis minima*](#) Ruiz & Pav. ex G.Don
- [*Oxalis minuta*](#) Thunb.
- [*Oxalis mira*](#) Lourteig
- [*Oxalis mirbelii*](#) Dehnh.
- [*Oxalis modestior*](#) R.Knuth
- [*Oxalis mollendoensis*](#) J.M.H.Shaw
- [*Oxalis mollis*](#) Kunth
- [*Oxalis mollissima*](#) (Rusby) R.Knuth
- [*Oxalis monochasiata*](#) Fiaschi
- [*Oxalis monophylla*](#) L.
- [*Oxalis montana*](#) Raf.
- [*Oxalis monticola*](#) Arechav.
- [*Oxalis moqueguensis*](#) R.Knuth
- [*Oxalis morelosii*](#) Pérez-Calix
- [*Oxalis morenoensis*](#) Lourteig
- [*Oxalis morronei*](#) Alicia López & Múlgura
- [*Oxalis mucronulata*](#) Norlind
- [*Oxalis multicaulis*](#) Eckl. & Zeyh.
- [*Oxalis muscoides*](#) Phil.
- [*Oxalis myriophylla*](#) A.St.-Hil.

N

- [*Oxalis nahuelhuapiensis*](#) Speg.
- [*Oxalis namaquana*](#) Sond.
- [*Oxalis natans*](#) Thunb.
- [*Oxalis nelsonii*](#) (Small) R.Knuth
- [*Oxalis neuwiedii*](#) Zucc.
- [*Oxalis nidulans*](#) Eckl. & Zeyh.

- [*Oxalis niederleiniana*](#) Hieron. ex R.Knuth
- [*Oxalis niederleinii*](#) R.Knuth
- [*Oxalis nigrescens*](#) A.St.-Hil.
- [*Oxalis nipponica*](#) S.Aoki & J.Murata
- [*Oxalis nivea*](#) Roets, Dreyer & Oberl.
- [*Oxalis noctiflora*](#) R.M.MacFarl., Dreyer, Roets & Oberl.
- [*Oxalis nortieri*](#) T.M.Salter
- [*Oxalis novae-caledoniae*](#) R.Knuth & Schltr.
- [*Oxalis novae-guineensis*](#) Lourteig
- [*Oxalis novemfoliolata*](#) Heibl & Martic.
- [*Oxalis nubigena*](#) Walp.
- [*Oxalis nudiflora*](#) DC.

O

- [*Oxalis obliquifolia*](#) Steud. ex A.Rich.
- [*Oxalis obtriangulata*](#) Maxim.
- [*Oxalis obtusa*](#) Jacq.
- [*Oxalis occulta*](#) Fiaschi & Bilk
- [*Oxalis oculifera*](#) E.G.H.Oliv.
- [*Oxalis odonellii*](#) Lourteig
- [*Oxalis odorata*](#) J.C.Manning & Goldblatt
- [*Oxalis oligophylla*](#) T.M.Salter
- [*Oxalis oligotricha*](#) Baker
- [*Oxalis orbicularis*](#) Sialter
- [*Oxalis oregana*](#) Nutt.
- [*Oxalis oreithala*](#) T.M.Salter
- [*Oxalis ornithopus*](#) Phil.
- [*Oxalis ortgiesii*](#) Regel
- [*Oxalis orthopoda*](#) T.M.Salter
- [*Oxalis ostenii*](#) Arechav.
- [*Oxalis oulophora*](#) Lourteig
- [*Oxalis ovalleana*](#) Phil.

P

- [*Oxalis pachyrrhiza*](#) Wedd.
- [*Oxalis pallens*](#) Eckl. & Zeyh.
- [*Oxalis palmifrons*](#) T.M.Salter
- [*Oxalis paludosa*](#) A.St.-Hil.
- [*Oxalis pampeana*](#) Nuernberg-Silva & Fiaschi
- [*Oxalis papuana*](#) F.Muell.
- [*Oxalis paramoensis*](#) Canelón, Dorr & S.M.Niño

- [*Oxalis paranaensis*](#) Lourteig
- [*Oxalis pardalis*](#) Sond.
- [*Oxalis pardoensis*](#) (Lourteig) T.Costa & Fiaschi
- [*Oxalis paucartambensis*](#) R.Knuth
- [*Oxalis pavonii*](#) G.Don
- [*Oxalis peduncularis*](#) Kunth
- [*Oxalis pendulifolia*](#) T.M.Salter
- [*Oxalis penicillata*](#) Phil.
- [*Oxalis pennelliana*](#) R.Knuth
- [*Oxalis perdicaria*](#) (Molina) Bertero
- [*Oxalis perennans*](#) Haw.
- [*Oxalis perineson*](#) T.M.Salter & Exell
- [*Oxalis peruviana*](#) Norlind
- [*Oxalis pes-caprae*](#) L.
- [*Oxalis petiolulata*](#) F.Bolus
- [*Oxalis petraea*](#) T.M.Salter
- [*Oxalis petricola*](#) Dreyer, Roets & Oberl.
- [*Oxalis petrophila*](#) R.Knuth
- [*Oxalis phaeotricha*](#) Diels
- [*Oxalis phaseolifolia*](#) (Rusby) R.Knuth
- [*Oxalis phloxidiflora*](#) Schltr.
- [*Oxalis physocalyx*](#) Zucc. ex Progel
- [*Oxalis picchensis*](#) R.Knuth
- [*Oxalis pickeringii*](#) A.Gray
- [*Oxalis pillansiana*](#) T.M.Salter & Exell
- [*Oxalis pilosa*](#) Nutt.
- [*Oxalis pilulifera*](#) Progel
- [*Oxalis pinetorum*](#) (Small) Urb.
- [*Oxalis pinguiculacea*](#) R.Knuth
- [*Oxalis platylepis*](#) Wedd.
- [*Oxalis pocockiae*](#) L.Bolus
- [*Oxalis polymorpha*](#) Zucc.
- [*Oxalis polyphylla*](#) Jacq.
- [*Oxalis polyrhiza*](#) R.Knuth
- [*Oxalis porphyriosiphon*](#) T.M.Salter
- [*Oxalis potamophila*](#) Lourteig
- [*Oxalis praetexta*](#) Progel
- [*Oxalis pretoensis*](#) Lourteig
- [*Oxalis primavera*](#) (Rose) R.Knuth
- [*Oxalis primuloides*](#) R.Knuth
- [*Oxalis procumbens*](#) Steud. ex A.Rich.
- [*Oxalis psammophila*](#) G.Will.

- [*Oxalis pseudocernua*](#) R.Knuth
- [*Oxalis pseudohirta*](#) T.M.Salter
- [*Oxalis pseudolobata*](#) R.Knuth
- [*Oxalis pseudoviolacea*](#) R.Knuth
- [*Oxalis psilopoda*](#) Turcz.
- [*Oxalis psoraleoides*](#) Kunth
- [*Oxalis ptychoclada*](#) Diels
- [*Oxalis puberula*](#) Nees & Mart.
- [*Oxalis pulchella*](#) Jacq.
- [*Oxalis pulvinata*](#) T.M.Salter
- [*Oxalis punctata*](#) Thunb.
- [*Oxalis punensis*](#) R.Knuth
- [*Oxalis purpurascens*](#) T.M.Salter
- [*Oxalis purpurata*](#) Jacq.
- [*Oxalis purpurea*](#) L.
- [*Oxalis pusilla*](#) Jacq.
- [*Oxalis pycnophylla*](#) Wedd.
- [*Oxalis pyrenea*](#) Taub.

R

- [*Oxalis ranchillos*](#) J.M.Watson & A.R.Flores
- [*Oxalis reclinata*](#) Jacq.
- [*Oxalis recticaulis*](#) Sond.
- [*Oxalis reflexa*](#) T.M.Salter
- [*Oxalis refracta*](#) A.St.-Hil.
- [*Oxalis renifolia*](#) R.Knuth
- [*Oxalis retrorsa*](#) Fiaschi & Bilk
- [*Oxalis rhombeo-ovata*](#) A.St.-Hil.
- [*Oxalis rhombifolia*](#) Jacq.
- [*Oxalis rhomboidea*](#) T.M.Salter
- [*Oxalis ricardii*](#) Lourteig
- [*Oxalis rigidicaulis*](#) R.Knuth
- [*Oxalis riparia*](#) Norlind
- [*Oxalis robinsonii*](#) T.M.Salter & Exell
- [*Oxalis robusta*](#) (Rose) R.Knuth
- [*Oxalis rosea*](#) Jacq.
- [*Oxalis roselata*](#) A.St.-Hil.
- [*Oxalis rosettifolia*](#) Roets, Dreyer & Oberl.
- [*Oxalis rubens*](#) Haw.
- [*Oxalis rubricallosa*](#) Oberl., Dreyer & Roets
- [*Oxalis rubropunctata*](#) T.M.Salter
- [*Oxalis rugeliana*](#) Urb.

- [*Oxalis rupestris*](#) A.St.-Hil.
- [*Oxalis rusbyi*](#) Lourteig
- [*Oxalis rutenbergii*](#) O.Hoffm.

S

- [*Oxalis salteri*](#) L.Bolus
- [*Oxalis salteriana*](#) V.V.Byalt
- [*Oxalis salticola*](#) Lourteig
- [*Oxalis saltusbelli*](#) Dreyer & Roets
- [*Oxalis salvadorensis*](#) Sidwell
- [*Oxalis san-miguelii*](#) R.Knuth
- [*Oxalis sandemanii*](#) Lourteig
- [*Oxalis sarmentosa*](#) Zucc.
- [*Oxalis scandens*](#) Kunth
- [*Oxalis schaeferi*](#) R.Knuth
- [*Oxalis sciophila*](#) Fiaschi & Bilk
- [*Oxalis scoparia*](#) Norlind ex Urb.
- [*Oxalis sellowiana*](#) Zucc.
- [*Oxalis sellowii*](#) Spreng.
- [*Oxalis semiloba*](#) Sond.
- [*Oxalis semitruncata*](#) Lourteig
- [*Oxalis senecta*](#) T.M.Salter
- [*Oxalis sepalosa*](#) Diels
- [*Oxalis sepium*](#) A.St.-Hil.
- [*Oxalis septentrionalis*](#) Fiaschi & Bilk
- [*Oxalis serpens*](#) A.St.-Hil.
- [*Oxalis setosa*](#) E.Mey. ex Sond.
- [*Oxalis shibeishanensis*](#) Huan C.Wang & Ye Tian
- [*Oxalis simplex*](#) T.M.Salter
- [*Oxalis simplicifolia*](#) Lorence & W.L.Wagner
- [*Oxalis sleumeri*](#) Lourteig
- [*Oxalis smalliana*](#) R.Knuth
- [*Oxalis smithiana*](#) Eckl. & Zeyh.
- [*Oxalis solomonii*](#) Lourteig
- [*Oxalis sonderiana*](#) (Kuntze) J.F.Macbr.
- [*Oxalis spiralis*](#) Ruiz & Pav. ex G.Don
- [*Oxalis spruceana*](#) Progel
- [*Oxalis squamata*](#) Zucc.
- [*Oxalis squarrosa*](#) Barnéoud
- [*Oxalis staffordiana*](#) R.Knuth
- [*Oxalis stellata*](#) Eckl. & Zeyh.
- [*Oxalis stenopetala*](#) T.M.Salter

- [*Oxalis stenoptera*](#) Turcz.
- [*Oxalis stenorhyncha*](#) T.M.Salter
- [*Oxalis stictocheila*](#) T.M.Salter
- [*Oxalis stokoei*](#) Weintroub
- [*Oxalis stricta*](#) L.
- [*Oxalis strictula*](#) Steud.
- [*Oxalis strigosa*](#) T.M.Salter
- [*Oxalis suavis*](#) R.Knuth
- [*Oxalis subacaulis*](#) Gillies ex Hook. & Arn.
- [*Oxalis suborbiculata*](#) Lourteig
- [*Oxalis subsessilis*](#) L.Bolus
- [*Oxalis subvillosa*](#) Norlind
- [*Oxalis suksdorfii*](#) Trel.
- [*Oxalis suteroides*](#) T.M.Salter

T

- [*Oxalis tabaconasensis*](#) R.Knuth
- [*Oxalis tacorensis*](#) B.L.Burt
- [*Oxalis taitastricta*](#) S.S.Ying
- [*Oxalis telmatica*](#) Lourteig
- [*Oxalis tenella*](#) Jacq.
- [*Oxalis teneriensis*](#) R.Knuth
- [*Oxalis tenerrima*](#) R.Knuth
- [*Oxalis tenuifolia*](#) Jacq.
- [*Oxalis tenuipes*](#) T.M.Salter
- [*Oxalis tenuis*](#) T.M.Salter
- [*Oxalis tessmannii*](#) R.Knuth
- [*Oxalis tetraphylla*](#) Cav.
- [*Oxalis texana*](#) (Small) R.Knuth
- [*Oxalis thelyoxys*](#) Focke
- [*Oxalis thompsoniae*](#) B.J.Conn & P.G.Richards
- [*Oxalis timida*](#) J.Vasques
- [*Oxalis tomentosa*](#) Thunb.
- [*Oxalis tortuosa*](#) Lindl.
- [*Oxalis tragopoda*](#) T.M.Salter
- [*Oxalis trianae*](#) R.Knuth
- [*Oxalis triangularis*](#) A.St.-Hil.
- [*Oxalis trichophylla*](#) Baker
- [*Oxalis trilliifolia*](#) Hook.
- [*Oxalis trollii*](#) R.Knuth
- [*Oxalis truncatula*](#) Jacq.
- [*Oxalis tuberosa*](#) Molina

- [*Oxalis tysonii*](#) E.Phillips

U

- [*Oxalis uliginosa*](#) Schltr.
- [*Oxalis umbraticola*](#) A.St.-Hil.

V

- [*Oxalis valdiviensis*](#) Barnéoud
- [*Oxalis* × *vanaelstii*](#) Hoste, Meeus & Groom
- [*Oxalis varadimalayana*](#) Anilkumar & Udayan
- [*Oxalis vargasii*](#) Lourteig
- [*Oxalis variifolia*](#) Steud.
- [*Oxalis veadeirosensis*](#) Lourteig
- [*Oxalis velutina*](#) Diels
- [*Oxalis versicolor*](#) L.
- [*Oxalis villosula*](#) R.Knuth
- [*Oxalis violacea*](#) L.
- [*Oxalis violacella*](#) A.P.Khokhr.
- [*Oxalis virgata*](#) Rusby
- [*Oxalis virginea*](#) Jacq.
- [*Oxalis virgosa*](#) Molina
- [*Oxalis viscosa*](#) E.Mey. ex Sond.
- [*Oxalis vulcanicola*](#) Donn.Sm.

W, X, Z

- [*Oxalis weberbaueri*](#) Diels
- [*Oxalis westii*](#) Lourteig
- [*Oxalis williamsii*](#) R.Knuth
- [*Oxalis wurdackii*](#) Lourteig
- [*Oxalis xantha*](#) T.M.Salter
- [*Oxalis xerophyton*](#) R.Knuth
- [*Oxalis xiphophylla*](#) Baker
- [*Oxalis xishuiensis*](#) Y.B.Yang, M.T.An & He Li
- [*Oxalis yacutulensis*](#) R.Knuth
- [*Oxalis yungasensis*](#) Rusby
- [*Oxalis zamorana*](#) Lourteig
- [*Oxalis zeekoevleyensis*](#) R.Knuth
- [*Oxalis zeyheri*](#) Sond.

From Wikipedia, the free encyclopedia

As of April 2023, [Plants of the World Online](#) accepted about 290 species in the genus [Ouratea](#):^[1]

- [Ouratea acicularis](#) R.G.Chacon & K.Yamam.
- [Ouratea acuminata](#) (DC.) Engl.
- [Ouratea × acunae](#) Borhidi
- [Ouratea acuta](#) (Tiegh.) Sastre
- [Ouratea agrophylla](#) (Tiegh.) Urb.
- [Ouratea amplifolia](#) Sleumer
- [Ouratea angustissima](#) Sastre & Offroy
- [Ouratea apurensis](#) Sastre
- [Ouratea aquatica](#) (Kunth) Engl.
- [Ouratea arborevicalyx](#) Sastre
- [Ouratea aromatica](#) J.F.Macbr.
- [Ouratea articulata](#) Sastre
- [Ouratea asisae](#) Maguire & Steyerf.
- [Ouratea attenuata](#) Tiegh.
- [Ouratea australis](#) Ule
- [Ouratea bahiensis](#) Sastre
- [Ouratea barrae](#) (Tiegh.) Lasser
- [Ouratea batesii](#) De Wild.
- [Ouratea bipartita](#) Sastre
- [Ouratea blanchetiana](#) (Planch.) Engl.
- [Ouratea boliviana](#) Tiegh.
- [Ouratea brevicalyx](#) Maguire & Steyerf.
- [Ouratea brevipedicellata](#) Maguire & Steyerf.
- [Ouratea brevipes](#) (Tiegh.) Sastre
- [Ouratea campos-portoi](#) Sleumer
- [Ouratea candelabra](#) Sastre
- [Ouratea candollei](#) (Planch.) Tiegh.
- [Ouratea caracasana](#) (Planch.) Engl.
- [Ouratea cardiosperma](#) (Lam.) Engl.
- [Ouratea cassinifolia](#) (DC.) Engl.
- [Ouratea castaneifolia](#) (DC.) Engl.
- [Ouratea cataniapoensis](#) Aymard
- [Ouratea cataractarum](#) Sandwith
- [Ouratea caudata](#) Engl.
- [Ouratea cauliflora](#) Fraga & Saavedra
- [Ouratea cearensis](#) (Tiegh.) Sastre & Offroy
- [Ouratea cerebroidea](#) Sastre
- [Ouratea cernuiflora](#) Sandwith

- [*Ouratea chaffanjonii*](#) (Tiegh.) Sastre
- [*Ouratea chiribiquetensis*](#) Sastre
- [*Ouratea chocoensis*](#) Sastre
- [*Ouratea chrysopetala*](#) Ule
- [*Ouratea cidiana*](#) Sastre
- [*Ouratea cinerea*](#) (Tiegh.) Urb.
- [*Ouratea cinnamomea*](#) Wawra
- [*Ouratea clarkii*](#) Sastre
- [*Ouratea claudaei*](#) Salvador, E.P.Santos & Cervi
- [*Ouratea coccinea*](#) Engl.
- [*Ouratea conduplicata*](#) Engl.
- [*Ouratea confertiflora*](#) (Pohl) Engl.
- [*Ouratea crassa*](#) Tiegh.
- [*Ouratea crassifolia*](#) (Pohl) Engl.
- [*Ouratea crassinervia*](#) Engl.
- [*Ouratea croizatii*](#) Maguire & Steyer.
- [*Ouratea culminicola*](#) Maguire & Steyer.
- [*Ouratea curvata*](#) (A.St.-Hil.) Engl. ex Dwyer
- [*Ouratea cuspidata*](#) (A.St.-Hil.) Engl.
- [*Ouratea darienensis*](#) Whitef.
- [*Ouratea davidsei*](#) Sastre
- [*Ouratea decagyna*](#) Maguire
- [*Ouratea deminuta*](#) Maguire & Steyer.
- [*Ouratea discophora*](#) Ducke
- [*Ouratea disticha*](#) Tiegh.
- [*Ouratea dorata*](#) L.Marinho & Amorim
- [*Ouratea duckei*](#) Huber
- [*Ouratea duida*](#) Steyer.
- [*Ouratea elegans*](#) Urb.
- [*Ouratea elliptica*](#) (A.Rich.) M.Gómez
- [*Ouratea engleri*](#) Tiegh.
- [*Ouratea erecta*](#) Sastre
- [*Ouratea evoluta*](#) Maguire & Steyer.
- [*Ouratea fasciculata*](#) Maguire & Steyer.
- [*Ouratea ferruginea*](#) Engl.
- [*Ouratea fieldingiana*](#) (Gardner) Engl.
- [*Ouratea flexipedicellata*](#) Dwyer
- [*Ouratea flexuosa*](#) Rusby
- [*Ouratea floribunda*](#) (A.St.-Hil.) Engl.
- [*Ouratea francineae*](#) Sastre
- [*Ouratea fusiformis*](#) Sastre
- [*Ouratea garcinioides*](#) Ule

- [*Ouratea gardneri*](#) (Tiegh.) Sastre & Offroy
- [*Ouratea gigantophylla*](#) (Erhard) Engl.
- [*Ouratea gillyana*](#) (Dwyer) Sandwith & Maguire
- [*Ouratea glaucescens*](#) (A.St.-Hil.) Engl.
- [*Ouratea glazioviana*](#) (Tiegh.) Sastre & Offroy
- [*Ouratea globosa*](#) Engl.
- [*Ouratea glomerata*](#) (Pohl) Sastre & Offroy
- [*Ouratea gonzalezii*](#) Sastre
- [*Ouratea gracilis*](#) D.B.O.S.Cardoso & L.Marinho
- [*Ouratea grandiflora*](#) (DC.) Engl.
- [*Ouratea grandifolia*](#) (Planch.) Engl.
- [*Ouratea grosourdyi*](#) (Tiegh.) Steyerl.
- [*Ouratea guaiquinimensis*](#) Sastre
- [*Ouratea guianensis*](#) Aubl.
- [*Ouratea guildingii*](#) (Planch.) Urb.
- [*Ouratea guriensis*](#) Sastre
- [*Ouratea hassleriana*](#) Chodat
- [*Ouratea hatschbachii*](#) K.Yamam.
- [*Ouratea hemiodonta*](#) (Tiegh.) Sastre & Offroy
- [*Ouratea heterobracteata*](#) Sastre
- [*Ouratea hexasperma*](#) (A.St.-Hil.) Baill.
- [*Ouratea hilaireana*](#) Tiegh.
- [*Ouratea hoehnei*](#) Sleumer
- [*Ouratea huberi*](#) Maguire & Steyerl.
- [*Ouratea humilis*](#) (A.St.-Hil.) Engl.
- [*Ouratea ilicifolia*](#) (DC.) Baill.
- [*Ouratea impressa*](#) (Tiegh.) Lemée
- [*Ouratea insulae*](#) L.Riley
- [*Ouratea inundata*](#) Engl.
- [*Ouratea iquitosensis*](#) J.F.Macbr.
- [*Ouratea jaliscensis*](#) McVaugh
- [*Ouratea jamaicensis*](#) (Planch.) Urb.
- [*Ouratea jansen-jacobsiae*](#) Sastre
- [*Ouratea javariensis*](#) Sastre
- [*Ouratea jefensis*](#) Whitef.
- [*Ouratea jurgensenii*](#) (Planch.) Engl.
- [*Ouratea kananariensis*](#) Sastre
- [*Ouratea kanukuensis*](#) Sastre
- [*Ouratea knappiae*](#) Whitef.
- [*Ouratea lajaensis*](#) Sastre
- [*Ouratea lanceolata*](#) (Pohl) Engl.
- [*Ouratea lancifolia*](#) R.G.Chacon & K.Yamam.

- [*Ouratea larae*](#) Sastre
- [*Ouratea latifolia*](#) (Erhard) Tiegh.
- [*Ouratea laurifolia*](#) (Sw.) Engl.
- [*Ouratea leblondii*](#) (Tiegh.) Lemée
- [*Ouratea leprieuri*](#) Tiegh.
- [*Ouratea lessonii*](#) Tiegh.
- [*Ouratea liesneri*](#) Sastre
- [*Ouratea linearis*](#) (A.Gray) Sastre & Offroy
- [*Ouratea litoralis*](#) Urb.
- [*Ouratea longifolia*](#) (Lam.) Engl.
- [*Ouratea longistyla*](#) Maguire & Steyererm.
- [*Ouratea lucens*](#) (Kunth) Engl.
- [*Ouratea luschnathiana*](#) (Tiegh.) K.Yamam. ex Sastre & Offroy
- [*Ouratea maasiorum*](#) Sastre
- [*Ouratea macrocarpa*](#) Sastre
- [*Ouratea madrensis*](#) L.Riley
- [*Ouratea magdalenae*](#) (Triana & Planch.) Engl.
- [*Ouratea maguirei*](#) Sastre
- [*Ouratea maigualidae*](#) Sastre
- [*Ouratea marahuacensis*](#) Maguire & Steyererm.
- [*Ouratea margaretae*](#) Sastre
- [*Ouratea mazaruniensis*](#) A.C.Sm. & Dwyer
- [*Ouratea medinae*](#) Maguire & Steyererm.
- [*Ouratea megaphylla*](#) Sastre
- [*Ouratea melinonii*](#) (Tiegh.) Lemée
- [*Ouratea membranacea*](#) (Triana & Planch.) Engl.
- [*Ouratea mexicana*](#) (Bonpl.) Engl.
- [*Ouratea microdonta*](#) (Benth.) Engl.
- [*Ouratea miersii*](#) (Planch.) Engl.
- [*Ouratea miniguianensis*](#) Sastre
- [*Ouratea multibracteata*](#) Steyererm. ex Sastre
- [*Ouratea multiflora*](#) (Pohl) Engl.
- [*Ouratea nana*](#) (A.St.-Hil.) Engl.
- [*Ouratea neoweddelliana*](#) Sastre & Offroy
- [*Ouratea nervosa*](#) (A.St.-Hil.) Engl.
- [*Ouratea nervulina*](#) Cuatrec.
- [*Ouratea neuridesii*](#) I.Castañeda
- [*Ouratea nitida*](#) (Sw.) Engl.
- [*Ouratea oblita*](#) L.Riley
- [*Ouratea oblongifolia*](#) Rusby
- [*Ouratea obovata*](#) Sastre
- [*Ouratea occultinervis*](#) Sastre

- [*Ouratea oleifolia*](#) (A.St.-Hil.) Engl.
- [*Ouratea oleosa*](#) J.F.Macbr.
- [*Ouratea oligantha*](#) Steyererm. ex Sastre
- [*Ouratea oliviformis*](#) Engl.
- [*Ouratea opaca*](#) Engl.
- [*Ouratea orbignyana*](#) (Tiegh.) Liesner
- [*Ouratea orgyalis*](#) S.Moore
- [*Ouratea orisina*](#) Sastre
- [*Ouratea ornata*](#) Maguire & Steyererm.
- [*Ouratea osaensis*](#) Whitef.
- [*Ouratea ovalis*](#) (Pohl) Engl.
- [*Ouratea palatinatensis*](#) Sastre & Offroy
- [*Ouratea papillata*](#) Maguire & Steyererm.
- [*Ouratea papulosa*](#) Sastre
- [*Ouratea paraguayensis*](#) Hassl. ex Sastre & Offroy
- [*Ouratea paratatei*](#) Sastre
- [*Ouratea paruensis*](#) Maguire & Steyererm.
- [*Ouratea parviflora*](#) (DC.) Baill.
- [*Ouratea parvifolia*](#) (A.St.-Hil.) Engl.
- [*Ouratea pastazana*](#) Sastre & Offroy
- [*Ouratea patelliformis*](#) Dwyer
- [*Ouratea patens*](#) Engl.
- [*Ouratea pendula*](#) Poepp. ex Engl.
- [*Ouratea pendulosepala*](#) Sastre
- [*Ouratea phaeophylla*](#) Sleumer
- [*Ouratea pilgeri*](#) Tiegh.
- [*Ouratea pilinervosa*](#) Sastre & Offroy
- [*Ouratea pintoii*](#) Sastre
- [*Ouratea pisiformis*](#) Engl.
- [*Ouratea plana*](#) Tiegh.
- [*Ouratea platicaulis*](#) Sastre
- [*Ouratea poeppigii*](#) Tiegh.
- [*Ouratea polita*](#) (C.Presl) Engl.
- [*Ouratea polyantha*](#) (Triana & Planch.) Engl.
- [*Ouratea polygyna*](#) Engl.
- [*Ouratea prominens*](#) Dwyer
- [*Ouratea pseudogigantophylla*](#) Sastre
- [*Ouratea pseudoguildingii*](#) Sastre
- [*Ouratea pseudomarahuacensis*](#) Sastre
- [*Ouratea pseudotatei*](#) Maguire & Steyererm.
- [*Ouratea ptaritepuiensis*](#) Steyererm.
- [*Ouratea pulchella*](#) (Planch.) Engl.

- [*Ouratea pulchrifolia*](#) Ducke
- [*Ouratea pulverulenta*](#) Sastre
- [*Ouratea purdieana*](#) Tiegh.
- [*Ouratea purpuripes*](#) S.Moore
- [*Ouratea pycnanthos*](#) Sastre & Offroy
- [*Ouratea pycnostachys*](#) (Mart. ex Erhard) Engl.
- [*Ouratea pygmaea*](#) (Tiegh.) Sastre & Offroy
- [*Ouratea pyrifera*](#) Cuatrec.
- [*Ouratea racemiformis*](#) Ule
- [*Ouratea ramifera*](#) Tiegh.
- [*Ouratea ramiflora*](#) Sastre
- [*Ouratea ramosissima*](#) Maguire & Steyerf.
- [*Ouratea repens*](#) (Tiegh.) Sastre & Offroy
- [*Ouratea retrorsa*](#) Sastre
- [*Ouratea revoluta*](#) (C.Wright ex Griseb.) Engl.
- [*Ouratea riedeliana*](#) Engl.
- [*Ouratea rigida*](#) Engl.
- [*Ouratea rinconensis*](#) Whitef.
- [*Ouratea riparia*](#) Sleumer
- [*Ouratea robusta*](#) F.O.Silva & M.R.V.Barbosa
- [*Ouratea roraimae*](#) Engl.
- [*Ouratea rorida*](#) Sastre
- [*Ouratea rosipes*](#) S.Moore
- [*Ouratea rotundifolia*](#) (Fielding & Gardner) Engl.
- [*Ouratea rotundipetala*](#) Maguire & Steyerf.
- [*Ouratea rubescens*](#) Tiegh.
- [*Ouratea rubricyanea*](#) Cuatrec.
- [*Ouratea rupununiensis*](#) Engl.
- [*Ouratea saldariagae*](#) Sastre
- [*Ouratea salicifolia*](#) (A.St.-Hil. & Tul.) Engl.
- [*Ouratea saulensis*](#) Sastre
- [*Ouratea savannarum*](#) Britton & P.Wilson
- [*Ouratea scandens*](#) Ule
- [*Ouratea schizostyla*](#) Berazaín
- [*Ouratea schomburgkii*](#) (Planch.) Engl.
- [*Ouratea scottii*](#) Sastre
- [*Ouratea sculpta*](#) (Tiegh.) Sastre
- [*Ouratea sellowii*](#) (Planch.) Engl.
- [*Ouratea semiserrata*](#) (Mart. & Nees) Engl.
- [*Ouratea septentrionalis*](#) Sleumer
- [*Ouratea simulans*](#) S.Moore
- [*Ouratea sipaliwiniensis*](#) Sastre

- [*Ouratea sipapoensis*](#) Maguire & Steyerf.
- [*Ouratea soderstromii*](#) Sastre
- [*Ouratea spectabilis*](#) Engl.
- [*Ouratea spruceana*](#) Engl.
- [*Ouratea squamata*](#) Sastre
- [*Ouratea stenobasis*](#) Whitef.
- [*Ouratea stenophylla*](#) Gilg
- [*Ouratea steyermarkii*](#) Sastre
- [*Ouratea stipulata*](#) (Vell.) Tiegh.
- [*Ouratea striata*](#) (Tiegh.) Urb.
- [*Ouratea suaveolens*](#) (A.St.-Hil.) Engl.
- [*Ouratea subamplexicaulis*](#) Maguire & Steyerf.
- [*Ouratea subcaudata*](#) Sleumer
- [*Ouratea subscandens*](#) (Planch.) Engl.
- [*Ouratea subvelutina*](#) (Planch.) Sastre & Offroy
- [*Ouratea sulcatinervia*](#) Whitef.
- [*Ouratea superba*](#) Engl.
- [*Ouratea superimpressa*](#) Sastre
- [*Ouratea takutuensis*](#) Sastre
- [*Ouratea tarapotensis*](#) J.F.Macbr.
- [*Ouratea tatei*](#) Gleason
- [*Ouratea tenuifolia*](#) Engl.
- [*Ouratea terminalis*](#) (Vell.) Tiegh.
- [*Ouratea theophrasta*](#) (Planch.) Baill.
- [*Ouratea thyrsoides*](#) Engl.
- [*Ouratea timehriensis*](#) Sastre
- [*Ouratea tristis*](#) Whitef.
- [*Ouratea trollii*](#) Sleumer
- [*Ouratea tumacoensis*](#) Sastre
- [*Ouratea vaccinioides*](#) (A.St.-Hil. & Tul.) Engl.
- [*Ouratea valerii*](#) Standl.
- [*Ouratea vellozoi*](#) (Tiegh.) Sastre & Offroy
- [*Ouratea venulata*](#) (Tiegh.) Sastre
- [*Ouratea verruculosa*](#) Engl.
- [*Ouratea verticillata*](#) (Vell.) Engl.
- [*Ouratea vieirae*](#) Sastre
- [*Ouratea vulgaris*](#) (Vell.) Tiegh.
- [*Ouratea wallnoeferiana*](#) Sastre
- [*Ouratea weberbaueri*](#) Sleumer
- [*Ouratea werdermannii*](#) Sleumer
- [*Ouratea williamsii*](#) J.F.Macbr.
- [*Ouratea xerophila*](#) Rizzini

- [*Ouratea xolismifolia*](#) Britton & P.Wilson
- [*Ouratea yamamotoana*](#) Fraga, G.H.Shimizu & D.B.O.S.Cardoso[2]
- [*Ouratea yapacana*](#) Sastre

From Wikipedia, the free encyclopedia

The [genus *Ornithogalum*](#) contains about 180 species as of May 2012.[1]

The genus *Ornithogalum* is within the tribe [Ornithogaleae](#) of the subfamily [Scilloideae](#), in the family [Asparagaceae](#) of the order [Asparagales](#).

Species

- [*Ornithogalum abyssinicum*](#) Fresen.
- [*Ornithogalum adseptentrionesvergentulum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum aetfatense*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum alatum*](#) Turrill
- [*Ornithogalum alpigenum*](#) Stapf
- [*Ornithogalum amblyocarpum*](#) Zahar.
- [*Ornithogalum amphibolum*](#) Zahar.
- [*Ornithogalum anamurense*](#) Speta
- [*Ornithogalum anatolicum*](#) Zahar.
- [*Ornithogalum anguinum*](#) F.M.Leight. ex Oberm.
- [*Ornithogalum annae-ameliae*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum apiculatum*](#) Zahar.
- [*Ornithogalum arabicum*](#) L. – Star-of-Bethlehem
- [*Ornithogalum arcuatum*](#) Steven
- [*Ornithogalum arianum*](#) Lipsky in B.A.Fedtschenko & al.
- [*Ornithogalum armeniacum*](#) Baker
- [*Ornithogalum atticum*](#) Boiss. & Heldr.
- [*Ornithogalum baeticum*](#) Boiss.
- [*Ornithogalum balansae*](#) Boiss.
- [*Ornithogalum baurii*](#) Baker in W.H.Harvey & auct. suc. (eds.)
- [*Ornithogalum benguellense*](#) Baker
- [*Ornithogalum bicornutum*](#) F.M.Leight.
- [*Ornithogalum boucheanum*](#) (Kunth) Asch.
- [*Ornithogalum bourgaeum*](#) Jord. & Fourr.
- [*Ornithogalum britteniae*](#) F.M.Leight. ex Oberm.[2]
- [*Ornithogalum broteroi*](#) M.Laínz
- [*Ornithogalum bungei*](#) Boiss.
- [*Ornithogalum campanulatum*](#) U.Müll.-Doblies & D.Müll.-Doblies

- [*Ornithogalum candicans*](#) (Baker) J.C.Manning & Goldblatt (syn. *Galtonia candicans*) – Summer Hyacinth, Cape Hyacinth
- [*Ornithogalum capillaris*](#) J.M.Wood & M.S.Evans
- [*Ornithogalum cernuum*](#) Baker in D.Oliver & auct. suc. (eds.)
- [*Ornithogalum chetikianum*](#) Uysal
- [*Ornithogalum chionophilum*](#) Holmboe
- [*Ornithogalum ciliiferum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum collinum*](#) Guss.
- [*Ornithogalum comosum*](#) L.
- [*Ornithogalum concinnum*](#) Salisb.
- [*Ornithogalum conicum*](#) Jacq.
- [*Ornithogalum constrictum*](#) F.M.Leight.
- [*Ornithogalum convallarioides*](#) H.Perrier
- [*Ornithogalum corsicum*](#) Jord. & Fourr.
- [*Ornithogalum corticatum*](#) Mart.-Azorín
- [*Ornithogalum creticum*](#) Zahar.
- [*Ornithogalum cuspidatum*](#) Bertol.
- [*Ornithogalum decus-montium*](#) G.Will.
- [*Ornithogalum deltoideum*](#) Baker
- [*Ornithogalum demirizianum*](#) H.Malyer & Koyuncu
- [*Ornithogalum diphyllum*](#) Baker
- [*Ornithogalum divergens*](#) Boreau
- [*Ornithogalum dolichopharynx*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum dregeanum*](#) Kunth
- [*Ornithogalum dubium*](#) Houtt. – Sun Star
- [*Ornithogalum esterhuyseniae*](#) Oberm.
- [*Ornithogalum euxinum*](#) Speta
- [*Ornithogalum exaratum*](#) Zahar.
- [*Ornithogalum exscapum*](#) Ten.
- [*Ornithogalum falcatum*](#) (G.J.Lewis) J.C.Manning & Goldblatt
- [*Ornithogalum filicaule*](#) J.C.Manning & Goldblatt
- [*Ornithogalum fimbriatum*](#) Willd.
- [*Ornithogalum fimbrimarginatum*](#) F.M.Leight.
- [*Ornithogalum fischerianum*](#) Krasch. in V.L.Komarov (ed.)
- [*Ornithogalum fissurisedulum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum flexuosum*](#) (Thunb.) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum fuscescens*](#) Boiss. & Gaill. in P.E.Boissier
- [*Ornithogalum gabrielianiae*](#) Agapova
- [*Ornithogalum gambosanum*](#) Baker in D.Oliver & auct. suc. (eds.)
- [*Ornithogalum geniculatum*](#) Oberm.
- [*Ornithogalum gorenflotii*](#) (Moret) Speta
- [*Ornithogalum graciliflorum*](#) K.Koch

- [*Ornithogalum gracillimum*](#) R.E.Fr.
- [*Ornithogalum graecum*](#) Zahar.
- [*Ornithogalum graminifolium*](#) Thunb.
- [*Ornithogalum gregorianum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum gussonei*](#) Ten.
- [*Ornithogalum haalenbergense*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum hajastanum*](#) Agapova
- [*Ornithogalum hallii*](#) Oberm.
- [*Ornithogalum hispidulum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum hispidum*](#) Hornem.
- [*Ornithogalum hyrcanum*](#) Grossh.
- [*Ornithogalum imereticum*](#) Sosn.
- [*Ornithogalum immaculatum*](#) Speta
- [*Ornithogalum improbum*](#) Speta
- [*Ornithogalum inclusum*](#) F.M.Leight.
- [*Ornithogalum iranicum*](#) Zahar.
- [*Ornithogalum iraqense*](#) Feinbrun
- [*Ornithogalum isauricum*](#) O.D.Düsen & Sömbül
- [*Ornithogalum joschtiae*](#) Speta
- [*Ornithogalum juncifolium*](#) Jacq.
- [*Ornithogalum kuereanum*](#) Speta
- [*Ornithogalum kurdicum*](#) Bornm.
- [*Ornithogalum lanceolatum*](#) Labill.
- [*Ornithogalum lebaense*](#) van Jaarsv.
- [*Ornithogalum leeupoortense*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum libanoticum*](#) Boiss.
- [*Ornithogalum lithopsoides*](#) van Jaarsv.
- [*Ornithogalum longicollum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum luschanii*](#) Stapf
- [*Ornithogalum lychnite*](#) Speta
- [*Ornithogalum macrum*](#) Speta
- [*Ornithogalum maculatum*](#) Jacq. – Snake Flower
- [*Ornithogalum magnum*](#) Krasch. & Schischk. in V.L.Komarov (ed.)
- [*Ornithogalum mater-familias*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum mekselinae*](#) Varol
- [*Ornithogalum monophyllum*](#) Baker in W.H.Harvey & auct. suc. (eds.)
- [*Ornithogalum montanum*](#) Cirillo in M.Tenore
- [*Ornithogalum multifolium*](#) Baker
- [*Ornithogalum munzureuse*](#) Speta
- [*Ornithogalum mysum*](#) Speta
- [*Ornithogalum nallihanense*](#) Y?ld. & Do?ru-Koca
- [*Ornithogalum namaquanulum*](#) U.Müll.-Doblies & D.Müll.-Doblies

- [*Ornithogalum nanodes*](#) F.M.Leight.
- [*Ornithogalum narbonense*](#) L. – Pyramidal Star-of-Bethlehem
- [*Ornithogalum navaschinii*](#) Agapova
- [*Ornithogalum naviculum*](#) W.F.Barker ex Oberm.
- [*Ornithogalum neopatersonia*](#) J.C.Manning & Goldblatt
- [*Ornithogalum neurostegium*](#) Boiss. & Blanche in P.E.Boissier
- [*Ornithogalum nivale*](#) Boiss.
- [*Ornithogalum niveum*](#) Aiton
- [*Ornithogalum nurdaniae*](#) Bagci & Savran
- [*Ornithogalum nutans*](#) L. – Drooping Star-of-Bethlehem
- [*Ornithogalum ocellatum*](#) Speta
- [*Ornithogalum oligophyllum*](#) E.D.Clarke
- [*Ornithogalum oreoides*](#) Zahar.
- [*Ornithogalum orthophyllum*](#) Ten.
- [*Ornithogalum ostrovicense*](#) F.K.Mey.
- [*Ornithogalum paludosum*](#) Baker
- [*Ornithogalum pamphylicum*](#) O.D.Düsen & Sümbül
- [*Ornithogalum pascheanum*](#) Speta
- [*Ornithogalum pedicellare*](#) Boiss. & Kotschy in F.J.A.Unger & C.G.T.Kotschy
- [*Ornithogalum perdurans*](#) A.P.Dold & S.A.Hammer
- [*Ornithogalum persicum*](#) Hausskn. ex Bornm.
- [*Ornithogalum pilosum*](#) L.f.
- [*Ornithogalum polyphyllum*](#) Jacq.
- [*Ornithogalum ponticum*](#) Zahar.
- [*Ornithogalum princeps*](#) (Baker) J.C.Manning & Goldblatt (syn. *Galtonia princeps*)
- [*Ornithogalum pruinatum*](#) F.M.Leight.
- [*Ornithogalum puberulum*](#) Oberm.
- [*Ornithogalum pullatum*](#) F.M.Leight.
- [*Ornithogalum pumilum*](#) Zahar.
- [*Ornithogalum pycnanthum*](#) Wendelbo
- [*Ornithogalum pyramidale*](#) L.
- [*Ornithogalum pyrenaicum*](#) L. – Bath Asparagus, Prussian Asparagus, Spiked Star-of-Bethlehem
- [*Ornithogalum refractum*](#) Kit. ex Schltdl. in C.L.von Willdenow
- [*Ornithogalum regale*](#) (Hilliard & B.L.Burt) J.C.Manning & Goldblatt (syn. *Galtonia regalis*)
- [*Ornithogalum reverchonii*](#) Lange in H.M.Willkomm
- [*Ornithogalum rogersii*](#) Baker in W.H.Harvey & auct. suc. (eds.)
- [*Ornithogalum rossouwii*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum rotatum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum rupestre*](#) L.f.
- [*Ornithogalum samariae*](#) Zahar.
- [*Ornithogalum sanandajense*](#) Maroofi
- [*Ornithogalum sandasicum*](#) Y?ld.

- [*Ornithogalum sardienii*](#) van Jaarsv.
- [*Ornithogalum saundersiae*](#) Baker – Giant Chinchinchee
- [*Ornithogalum sephtonii*](#) Hilliard & B.L.Burt
- [*Ornithogalum sessiliflorum*](#) Desf.
- [*Ornithogalum sigmoideum*](#) Freyn & Sint.
- [*Ornithogalum sintenisii*](#) Freyn
- [*Ornithogalum sorgerae*](#) Wittmann
- [*Ornithogalum spetae*](#) Wittmann
- [*Ornithogalum sphaerocarpum*](#) A.Kern.
- [*Ornithogalum sphaerolobum*](#) Zahar.
- [*Ornithogalum subcoriaceum*](#) L.Bolus
- [*Ornithogalum sumbulianum*](#) O.D.Düsen & Deniz
- [*Ornithogalum synadelphicum*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum thermophilum*](#) F.M.Leight.
- [*Ornithogalum thunbergii*](#) Kunth
- [*Ornithogalum thyrsoides*](#) Jacq. – Chinchinchee
- [*Ornithogalum transcaucasicum*](#) Misch. ex Grossh.
- [*Ornithogalum trichophyllum*](#) Boiss.
- [*Ornithogalum tropicale*](#) Baker
- [*Ornithogalum uluense*](#) Speta
- [*Ornithogalum umbellatum*](#) L. – Common Star-of-Bethlehem
- [*Ornithogalum umbratile*](#) Tornad. & Garbari
- [*Ornithogalum vasakii*](#) Speta
- [*Ornithogalum verae*](#) U.Müll.-Doblies & D.Müll.-Doblies
- [*Ornithogalum viridiflorum*](#) (I.Verd.) J.C.Manning & Goldblatt (syn. *Galtonia viridiflora*)
- [*Ornithogalum visianicum*](#) Tomm.
- [*Ornithogalum wiedemannii*](#) Boiss.
- [*Ornithogalum woronowii*](#) Krasch. in V.L.Komarov (ed.)
- [*Ornithogalum xanthochlorum*](#) Baker in W.H.Harvey & auct. suc. (eds.)
- [*Ornithogalum zebrinellum*](#) U.Müll.-Doblies & D.Müll.-Doblies

Organisation

These species have at various times been organised into sections or subgenera or the entire genus split into separate genera, depending on the [classification system](#) used. For instance the three species *O. broteroii* Lainz, *O. concinnum* Salisb. and *O. reverchonii* Lange may be considered as a subgenus of *Ornithogalum* (subg. *Cathissa* (Salisb.) [Baker](#) or as a separate genus, *Cathissa* [Salisb.](#).^[3]

From Wikipedia, the free encyclopedia

List of [Opuntia species](#).

The genus *Opuntia* is within the tribe Opuntieae of the subfamily Opuntioideae, in the family Cactaceae.

List

Species of *Opuntia* currently accepted, with approximate native ranges, include:[\[1\]](#)

Image	Flower	Scientific name	Common name	Distribution	Cytology [2]
		<i>Opuntia abjecta</i> Small ex Britton & Rose		Florida (Keys)	$2n = 22$, $2n = 44$
		<i>Opuntia aciculata</i> Griffiths	Chenille prickly pear, old man's whiskers, cowboy's red whiskers	Texas to Mexico (Nuevo León)	$2n = 44$
		<i>Opuntia altomagdalenensis</i> Xhonneux		Colombia	
		<i>Opuntia amarilla</i> Griffiths		Mexico (Guanajuato to Hidalgo)	$2n = 88$
		<i>Opuntia anahuacensis</i> Griffiths		Texas	
		<i>Opuntia arechavaletae</i> Speg.		S. Brazil to NE. Argentina	
		<i>Opuntia arenaria</i> Engelm.		W. Texas	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia atrispina</i></u> Griffiths		SW. Texas to Mexico (Chihuahua, Coahuila)	$2n = 22$, $2n = 44$
		<u><i>Opuntia auberi</i></u> Pfeiff.		Mexico to Central America, Cuba.	
		<u><i>Opuntia aurantiaca</i></u> Lindl.		NE. Argentina to Uruguay	$2n = 44$
		<u><i>Opuntia aurea</i></u> E.M.Baxter		S. Utah to N. Arizona	$2n=66$
		<u><i>Opuntia aureispina</i></u> (S.Brack & K.D.Heil) Pinkava & B.D.Parfitt		SW. Texas to Mexico (Coahuila)	$2n = 22$
		<u><i>Opuntia austrina</i></u> Small		Central Florida	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia azurea</i></u> Rose		NE. Mexico (to Veracruz and Jalisco)	2n = 22
		<u><i>Opuntia basilaris</i></u> Engelm. & J.M.Bigelow	beavertail cactus	SW. U.S.A. to Mexico (Baja California Norte, Sonora)	2n=22
		<u><i>Opuntia bonaerensis</i></u> Speg.		Brazil (Rio Grande do Sul) to NE. Argentina	
		<u><i>Opuntia bonplandii</i></u> (Kunth) F.A.C.Weber		Ecuador.	2n = 88
		<u><i>Opuntia bravoana</i></u> E.M.Baxter		Mexico (Baja California Sur)	2n = 66
		<u><i>Opuntia caboensis</i></u> F.Mercado & León de la Luz		Mexico (Baja California Sur).	
		<u><i>Opuntia camanchica</i></u> Engelm. & J.M.Bigelow		SE. California to W. Oklahoma and W. & S. Texas	2n = 66
		<u><i>Opuntia canterae</i></u> Arechav.		SW. & S. Uruguay	
		<u><i>Opuntia caracassana</i></u> Salm-Dyck		S. Caribbean to Colombia	2n = 22

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia cespitosa</i></u> Raf.		SE. Canada to E. Central & E. U.S.A.	
		<u><i>Opuntia chaffeyi</i></u> Britton & Rose		NE. Mexico	2n = 44
		<u><i>Opuntia chiangiana</i></u> Scheinvar & Manzanero		Mexico (Oaxaca)	
		<u><i>Opuntia chisosensis</i></u> (M.S.Anthony) D.J.Ferguson		Texas to Mexico (Coahuila)	2n = 22
		<u><i>Opuntia chlorotica</i></u> Engelm. & J.M.Bigelow	pancake prickly pear	native to southwest USA and the Sonoran and Mojave deserts	2n=22
		<u><i>Opuntia clarkiorum</i></u> Rebman		Mexico (Baja California Norte)	
		<u><i>Opuntia cochenillifera</i></u> (L.) Mill.		Mexico.	
		<u><i>Opuntia colubrina</i></u> A. Cast		Argentina	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia crassa</i></u> Haw.		Mexico (México State to Guanajuato).	2n = 88
		<u><i>Opuntia crystalenia</i></u> Griffiths		Mexico (Tabasco)	
		<u><i>Opuntia cubensis</i></u> Britton & Rose		Cuba	2n = 44
		<u><i>Opuntia curassavica</i></u> (L.) Mill.		Caribbean to N. Venezuela	
		<u><i>Opuntia curvispina</i></u> Griffiths		S. Nevada to SE. California and W. & N. Arizona.	2n = 44
		<u><i>Opuntia deamii</i></u> Rose		Mexico (Chiapas) to Honduras El Salvador, Guatemala, Honduras, Mexico Central, Mexico, Nicaragua, Panamá	
		<u><i>Opuntia decumbens</i></u> Salm-Dyck			
		<u><i>Opuntia dejecta</i></u> Salm-Dyck		Mexico to Nicaragua, Cuba	
		<u><i>Opuntia delafuentiana</i></u> Martínez-Gonz., Luna-Vega, Gallegos & García-Sand.		Mexico (Hidalgo)	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia depressa</i></u> Rose		SW. & Central Mexico (to Veracruz)	
		<u><i>Opuntia diploursina</i></u> Stock, N.Hussey & Beckstrom		Grand Canyon and Lake Mead National Recreation Area	2n=22
		<u><i>Opuntia discolor</i></u> Britton & Rose		Bolivia to N. Argentina	
		<u><i>Opuntia drummondii</i></u> Graham		Alabama, Florida, Georgia, Mississippi, North Carolina, South Carolina, Texas	
		<u><i>Opuntia dulcis</i></u> Engelm.		New Mexico to W. Texas.	2n = 66
		<u><i>Opuntia eichlamii</i></u> Rose		Mexico (Chiapas) to Guatemala	2n = 66
		<u><i>Opuntia elata</i></u> Link & Otto ex Salm-Dyck		S. Bolivia to Brazil (Rio Grande do Sul) and N. to Argentina	2n = 22, 2n = 44
		<u><i>Opuntia elatior</i></u> Mill.		S. Caribbean, Costa Rica to Venezuela	2n = 22, 2n = 66
		<u><i>Opuntia elizondoana</i></u> E.Sánchez & Villaseñor		Mexico (Guanajuato to San Luis Potosí).	2n = 44

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<i>Opuntia engelmannii</i> Salm-Dyck ex Engelm.	Engelmann's prickly pear, cow's-tongue prickly pear, desert prickly pear, discus prickly pear, Texas prickly pear, calico cactu	Arizona, California, Louisiana, Nevada, New Mexico, Texas, Utah, Mexico	2n=66
		<i>Opuntia erinacea</i> Engelm. & J.M.Bigelow		California, Nevada, Arizona, Utah and N. Mexico	
		<i>Opuntia esculentensis</i> (Matuda) Lodé		Mexico (Chiapas)	
		<i>Opuntia excelsa</i> Sánchez-Mej.		Mexico (to Sinaloa)	2n = 22
		<i>Opuntia feroacantha</i> Britton & Rose		Mexico (Sinaloa to Michoacán)	
		<i>Opuntia ficus-indica</i> (L.) Mill.	Indian fig opuntia	Mexico (Oaxaca)	2n = 22
		<i>Opuntia fragilis</i> (Nutt.) Haw.	little prickly pear, brittle cactus	the Great Plains, parts of the Midwest and in several Canadian provinces, up to 56°N	2n = 66
		<i>Opuntia fuliginosa</i> Griffiths		Mexico	2n = 88

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<i>Opuntia galapageia</i> Hensl.	Galápagos prickly pear	Galápagos Islands	2n = 66
		<i>Opuntia gallegiana</i> Scheinvar & Olalde		Mexico (Zacatecas).	
		<i>Opuntia gosseliniana</i> F.A.C.Weber	violet prickly pear	Arizona to Mexico (Sonora)	2n = 22
		<i>Opuntia guatemalensis</i> Britton & Rose		Costa Rica, El Salvador, Guatemala, Honduras, Mexico (Veracruz, Oaxaca), Nicaragua	
		<i>Opuntia guilanchi</i> Griffiths		Mexico	
		<i>Opuntia hitchcockii</i> J.G.Ortega		Mexico (Sinaloa, Nayarit)	
		<i>Opuntia hondurensis</i> Standl.		Honduras	
		<i>Opuntia howeyi</i> J.A.Purpus		Mexico (Zacatecas)	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia huaquapensis</i></u> Bravo		Mexico (Veracruz, Puebla, Oaxaca)	
		<u><i>Opuntia humifusa</i></u> (Raf.) Raf.	eastern prickly pear	humid regions of Eastern United States and northerly regions into Canada, Mexico (Tamaulipas, San Luis Potosí)	n = 22, 2n=44
		<u><i>Opuntia hyptiacantha</i></u> F.A.C.Weber		Mexico.	2n = 66
		<u><i>Opuntia inaequilateralis</i></u> A.Berger		Peru.	2n = 66
		<u><i>Opuntia inaperta</i></u> (Schott ex Griffiths) D.R.Hunt		SE. Mexico (to Veracruz)	
		<u><i>Opuntia jaliscana</i></u> Bravo		Mexico	
		<u><i>Opuntia jamaicensis</i></u> Britton & Harris		Jamaica	2n = 22
		<u><i>Opuntia kingstoniana</i></u> Guiggi		Jamaica.	
		<u><i>Opuntia lagunae</i></u>		Mexico (Baja	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		E.M.Baxter <u><i>Opuntia lasiacantha</i></u> Pfeiff.		California Sur) Mexico	2n = 88
		<u><i>Opuntia leucotricha</i></u> DC.	arborescent prickly pear, Aaron's beard cactus, semaphore cactus, Duraznillo blanco, nopal blanco	N. & W. Mexico	2n = 44
		<u><i>Opuntia littoralis</i></u> (Engelm.) Cockerell	coastal prickly pear, sprawling prickly pear	California to Mexico (Baja California Norte)	2n = 66
		<u><i>Opuntia lutea</i></u> (Rose) D.R.Hunt		Mexico (Oaxaca, Chiapas), Costa Rica, Guatemala, Honduras, Nicaragua	
		<u><i>Opuntia mackensenii</i></u> Rose		Texas	2n = 44
		<u><i>Opuntia macrocentra</i></u> Engelm.	black-spined prickly pear, purple prickly pear	southwest USA and northern Mexico	2n = 22
		<u><i>Opuntia macrorhiza</i></u> Engelm.	Plains prickly pear	Great Plains except for the northernmost areas (not found in North Dakota), and extending sporadically eastward as far	2n = 22, 2n=44

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia mantaroensis</i></u> Guiggi		as Kentucky	
		<u><i>Opuntia martiniana</i></u> (L.D.Benson) B.D.Parfitt		Peru Arizona	
		<u><i>Opuntia matudae</i></u> Scheinvar	xoconostle	Mexico	2n = 66
		<u><i>Opuntia maxima</i></u> Mill.		Central & SW. Mexico	
		<u><i>Opuntia megacantha</i></u> Salm-Dyck		Mexico (to Jalisco)	2n = 66
		<u><i>Opuntia megapotamica</i></u> Arechav.		Argentina, Brazil, Uruguay	
		<u><i>Opuntia megarrhiza</i></u> Rose		Mexico (Tamaulipas, San Luis Potosí)	2n = 66
		<u><i>Opuntia mesacantha</i></u> Raf.		United States (Alabama, Florida, Georgia, Louisiana, Maryland, Mississippi, New Jersey, North Carolina, South Carolina, Tennessee, Virginia)	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia microdasys</i></u> (Lehm.) Pfeiff.	bunny ears cactus, polka-dot cactus	Mexico	2n = 22
		<u><i>Opuntia militaris</i></u> Britton & Rose		Cuba	
		<u><i>Opuntia monacanthos</i></u> (Willd.) Haw.	common prickly pear	Brazil, Paraguay, Uruguay	
		<u><i>Opuntia nemoralis</i></u> Griffiths		United States (Arkansas, Louisiana, Missouri, Texas)	
		<u><i>Opuntia nicholii</i></u> L.D.Benson		United States (Arizona, Nevada, Utah)	
		<u><i>Opuntia ochrocentra</i></u> Small ex Britton & Rose		Florida (Big Pine Key)	2n = 55
		<u><i>Opuntia orbiculata</i></u> Salm-Dyck ex Pfeiff.		United States (Arizona, Nevada, New Mexico, Oklahoma, Texas), Mexico	2n = 22, 2n = 44

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia oricola</i></u> Philbrick		California to Mexico (Baja California Norte)	$2n = 33$, $2n = 66$
		<u><i>Opuntia pachyrrhiza</i></u> H.M.Hern., Gómez-Hin. & Bárcenas		Mexico (Nuevo León, Querétaro, San Luis Potosí)	$2n = 22$
		<u><i>Opuntia parviclada</i></u> S.Arias & Gama		Mexico (Puebla, Oaxaca)	
		<u><i>Opuntia peckii</i></u> J.A.Purpus		Mexico	
		<u><i>Opuntia perotensis</i></u> Scheinvar, Olalde & Gallegos		Mexico (Veracruz)	
		<u><i>Opuntia phaeacantha</i></u> Engelm.	tulip prickly pear, includes plateau prickly pear, brown-spined prickly pear, Mojave prickly pear, Kingman prickly pear	United States (Arizona, California, Colorado, Kansas, Nevada, New Mexico, Oklahoma, Texas, Utah), Mexico	$2n=66$
		<u><i>Opuntia pilifera</i></u> F.A.C.Weber		Central Mexico (to Oaxaca)	$2n = 88$
		<u><i>Opuntia pinkavae</i></u> B.D.Parfitt	Pinkava prickly pear	SW. Utah to NW. Arizona	$2n=88$
		<u><i>Opuntia pittieri</i></u> Britton & Rose		Colombia	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia polyacantha</i></u> Haw.	Plains prickly pear, Starvation Prickly pear, Panhandle prickly pear	the Great Plains, Great Basin, Mojave Desert, Colorado Plateau, and the Rocky Mountains	2n=22, 2n=44
		<u><i>Opuntia pottsii</i></u> Salm-Dyck		SE. Arizona to W. Texas and NE. Mexico	2n = 44, 2n = 66
		<u><i>Opuntiapreciadoae</i></u> Scheinvar, Olalde, Gallegos & J.Morales S.		N. Mexico	
		<u><i>Opuntia puberula</i></u> Pfeiff.		Mexico to Guatemala	2n = 66
		<u><i>Opuntia pubescens</i></u> H.L.Wendl. ex Pfeiff.		Mexico to Venezuela and Paraguay	2n = 44
		<u><i>Opuntia pycnantha</i></u> Engelm.		Mexico (Baja California Sur)	
		<u><i>Opuntia quimilo</i></u> K.Schum.		Argentina, Bolivia, Paraguay	2n = 22

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<i>Opuntia quitensis</i> F.A.C.Weber	Red Buttons opuntia	Colombia, Ecuador, Peru	2n=22, 2n =44
		<i>Opuntia rastrera</i> F.A.C.Weber		Mexico (to Veracruz and Jalisco)	2n = 66
		<i>Opuntia repens</i> Bello		Hispaniola to Virgin Islands	2n = 22, 2n = 44
		<i>Opuntia retrorsa</i> Speg.		Argentina, Bolivia, Brazil, Paraguay, Uruguay	
		<i>Opuntia ritteri</i> A.Berger		Mexico (Zacatecas)	
		<i>Opuntia robinsonii</i> J.G.Ortega		N. & W. Mexico	
		<i>Opuntia robusta</i> H.L.Wendl. ex Pfeiff.		Mexico	2n = 22, 2n = 44

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia rufida</i></u> Engelm.		SW. Texas to NE. Mexico	2n = 22
		<u><i>Opuntia rzedowskii</i></u> Scheinvar		Mexico (México D.F.)	2n = 88
		<u><i>Opuntia sanguinea</i></u> Proctor		Jamaica	2n = 22
		<u><i>Opuntia scheeri</i></u> F.A.C.Weber		NE. Mexico (to Jalisco)	2n = 22
		<u><i>Opuntia schumannii</i></u> F.A.C.Weber ex A.Berger		Colombia, Venezuela	
		<u><i>Opuntia setocarpa</i></u> Arreola-Nava, Guzm.-Hern. & Cuevas		Mexico (Jalisco)	
		<u><i>Opuntia sierralagunensis</i></u> León de la Luz & F.Mercado		Mexico (Baja California Sur).	
		<u><i>Opuntia soederstromiana</i></u> Britton & Rose		Colombia, Ecuador	2n = 88
		<u><i>Opuntia spinosibacca</i></u> M.S.Anthony		SW. Texas to Mexico (Coahuila)	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		<u><i>Opuntia spinulifera</i></u> Salm-Dyck		E. & Central Mexico	
		<u><i>Opuntia stenarthra</i></u> K.Schum.		E. Bolivia to Central Paraguay and NE. Argentina	
		<u><i>Opuntia stenopetala</i></u> Engelm.		NE. Mexico (to Veracruz)	
		<u><i>Opuntia streptacantha</i></u> Lem.		Mexico to Guatemala	
		<u><i>Opuntia stricta</i></u> (Haw.) Haw.	erect prickly pear, spineless prickly pear	SE. U.S.A. to E. & S. Mexico	2n = 66
		<u><i>Opuntia strigil</i></u> Engelm.		W. Texas to NE. Mexico	2n = 22, 2n = 44
		<u><i>Opuntia sulphurea</i></u> G.Don ex Salm-Dyck		Bolivia to Uruguay.	2n = 22
		<u><i>Opuntia taponia</i></u> Engelm. ex J.M.Coult.		Mexico (Baja California Sur)	
		<u><i>Opuntia tehuacana</i></u> S.Arias & U.Guzmán		Mexico (Puebla, Oaxaca)	
		<u><i>Opuntia tehuantepecana</i></u>		Mexico (Oaxaca,	

Image	Flower	Scientific name	Common name	Distribution	Cytology[2]
		(Bravo) Bravo <u>Opuntia tezontepecana</u> Gallegos & Scheinvar		Chiapas). Mexico (Hidalgo)	
		<u>Opuntia tomentosa</u> Salm-Dyck		Mexico to Honduras	
		<u>Opuntia tortispina</u> Engelm. & J.M.Bigelow		United States (Colorado, Kansas, Nebraska, New Mexico, Oklahoma, Texas, Wyoming) Puerto Rico to Lesser Antilles.	2n = 44
		<u>Opuntia triacanthos</u> (Willd.) Sweet			2n = 44
		<u>Opuntia tuna</u> (L.) Mill.		Mexico, S. Jamaica	
		<u>Opuntia tunoidea</u> Gibbes		Coastal South Carolina Mexico.	
		<u>Opuntia velutina</u> F.A.C.Weber			
		<u>Opuntia wilcoxii</u> Britton & Rose		Mexico	
		<u>Opuntia zacuapanensis</u> A.Berger		Mexico (Veracruz)	
		<u>Opuntia zamudioi</u> Scheinvar		Mexico (Querétaro,	2n = 88

Image

Flower

Scientific name

Common
name

Distribution

San Luis
Potosí)

Natural Hybrids

Image

Flower

Scientific name

Parentage

Distributio
n

Cytology



Opuntia ×
aequatorialis
Britton & Rose

O. pubescens ×
O.
soederstromiana

Ecuador



Opuntia × *alta*
Griffiths

O. engelmannii ×
var. *lindheimeri* ×
O. stricta

SE. Texas to
SW.
Louisiana

Opuntia ×
andersonii
H.M.Hern.,
Gómez-Hin. &
Bárcenas

O. engelmannii ×
O. microdasys

NE. Mexico

Opuntia ×
carstenii R.Puente
& C.Hamann

O. microdasys ×
O. stenopetala

Mexico
(Coahuila)

Opuntia ×
charlestonensis
Clokey

O. phaeacantha ×
O. polyacantha
var *erinacea*.

Nevada

Opuntia ×
cochinera Griffiths

O. microdasys ×
O. stenopetala

Mexico
(Coahuila)

Opuntia ×
coloradensis
D.J.Barnett &
Donnie Barnett

O. fragilis × *O.*
polyacantha var.
hystericina.

Colorado



Opuntia ×
columbiana
Griffiths

O. fragilis × *O.*
polyacantha

W. Canada
to NW.
U.S.A

Image	Flower	Scientific name	Parentage	Distribution	Cytology
		<u>Opuntia × cristalensis</u> Oakley, Font & M.Köhler	O. elata var. obovata × O. ficus-indica.	Argentina	
		<u>Opuntia × debreczyi</u> Szutorisz	O. fragilis × O. polyacantha.	SW. Wyoming to NW. New Mexico	
		<u>Opuntia × demissa</u> Griffiths	O. littoralis × O. oricola	California	
		<u>Opuntia × occidentalis</u> Engelm. & J.M.Bigelow	O. engelmannii × O. littoralis × O. phaeacantha.	SW. California to Mexico (Baja California)	
		<u>Opuntia × rooneyi</u> M.P.Griff.	O. aureispina × O. macrocentra.	SW. Texas	
		<u>Opuntia × vaseyi</u> (J.M.Coult.) Britton & Rose	O. aurea × O. pinkavae	SW. Utah	
		<u>Opuntia × woodburyi</u> (W.H.Earle ex S.L.Welsh) Stock	O. littoralis × O. phaeacantha	SW. California	

From Wikipedia, the free encyclopedia

Contents:

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)

- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [References](#)

As of October 2025, [Plants of the World Online](#) accepted over 350 species and hybrids of the genus [Oncidium](#).^[1]

A

- [Oncidium abortivoides](#) M.W.Chase & N.H.Williams
- [Oncidium abortivum](#) Rchb.f.
- [Oncidium abruptum](#) Linden & Rchb.f. ex Kraenzl.
- [Oncidium acinaceum](#) Lindl.
- [Oncidium × acuminatissimum](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [Oncidium adamsii](#) (Dodson) M.W.Chase & N.H.Williams
- [Oncidium adelaidae](#) Königer
- [Oncidium × adrianae](#) (L.Linden) M.W.Chase & N.H.Williams
- [Oncidium alberti](#) (P.Ortiz) M.W.Chase & N.H.Williams
- [Oncidium albicans](#) Königer
- [Oncidium alexandrae](#) (Bateman) M.W.Chase & N.H.Williams
- [Oncidium allenii](#) Dressler
- [Oncidium altissimum](#) (Jacq.) Sw.
- [Oncidium alvarezii](#) (P.Ortiz) M.W.Chase & N.H.Williams
- [Oncidium amabile](#) Rchb.f.
- [Oncidium amazonicum](#) (Schltr.) M.W.Chase & N.H.Williams
- [Oncidium amoenum](#) A.Rich. & Galeotti
- [Oncidium × andersonianum](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [Oncidium andradeanum](#) Dodson & D.E.Benn.

- [*Oncidium* × *andreetteanum*](#) (Dalström & G.Merino) J.M.H.Shaw
- [*Oncidium anguloi*](#) P.Ortiz
- [*Oncidium angustisegmentum*](#) D.E.Benn. & Christenson
- [*Oncidium ansiferum*](#) Rchb.f.
- [*Oncidium anthocrene*](#) Rchb.f.
- [*Oncidium antioquiense*](#) Kraenzl.
- [*Oncidium arangoi*](#) (Königer) M.W.Chase & N.H.Williams
- [*Oncidium ariasii*](#) Königer
- [*Oncidium aristuliferum*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium armatum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium aspidorhinum*](#) (F.Lehm.) M.W.Chase & N.H.Williams
- [*Oncidium astranthum*](#) (Linden & Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium aurarium*](#) Rchb.f.
- [*Oncidium auriculatoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium auriculatum*](#) (Rolfe) M.W.Chase & N.H.Williams
- [*Oncidium auroincarum*](#) (Dalström & Ruíz Pérez) J.M.H.Shaw
- [*Oncidium ayabacanum*](#) D.E.Benn. & Christenson

B

- [*Oncidium baccatum*](#) Garay & Dunst.
- [*Oncidium* × *baronii*](#) J.M.H.Shaw
- [*Oncidium baueri*](#) Lindl.
- [*Oncidium befortianum*](#) Königer
- [*Oncidium bennettii*](#) Christenson
- [*Oncidium bicallosoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium blandum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium* × *bockemuhliae*](#) J.M.H.Shaw
- [*Oncidium boothianum*](#) Rchb.f.
- [*Oncidium brachyandrum*](#) Lindl.
- [*Oncidium bracteatum*](#) Warsz. & Rchb.f.
- [*Oncidium* × *brandtii*](#) (Kraenzl. & Wittm.) M.W.Chase & N.H.Williams
- [*Oncidium braunii*](#) Regel
- [*Oncidium brevicorne*](#) (Königer & J.Portilla) M.W.Chase & N.H.Williams
- [*Oncidium brevilabrum*](#) Rolfe
- [*Oncidium brownii*](#) (Garay) M.W.Chase & N.H.Williams
- [*Oncidium bryocladium*](#) Schltr.
- [*Oncidium bryolophotum*](#) Rchb.f.
- [*Oncidium buchtienoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium bustosii*](#) Königer

C

- [*Oncidium cajamarcae*](#) Schltr.
- [*Oncidium calanthum*](#) Rchb.f.
- [*Oncidium callacallaense*](#) (D.E.Benn. & Christenson) M.W.Chase & N.H.Williams
- [*Oncidium caminiophorum*](#) Rchb.f.
- [*Oncidium caquetanum*](#) (Schltr.) M.W.Chase & N.H.Williams
- [*Oncidium cardioglossum*](#) (Pupulin) M.W.Chase & N.H.Williams
- [*Oncidium cardiostigma*](#) Rchb.f.
- [*Oncidium cariniferum*](#) (Rchb.f.) Beer
- [*Oncidium caucanum*](#) Schltr.
- [*Oncidium* × *charlesworthii*](#) H.J.Veitch
- [*Oncidium chasei*](#) (D.E.Benn. & Christenson) M.W.Chase & N.H.Williams
- [*Oncidium cheiroporum*](#) Rchb.f.
- [*Oncidium chrysomorphum*](#) Lindl.
- [*Oncidium ciliicolumna*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium cinnamomeum*](#) (R.Warner & B.S.Williams) M.W.Chase & N.H.Williams
- [*Oncidium cirrhosum*](#) (Lindl.) Beer
- [*Oncidium citrinum*](#) Lindl.
- [*Oncidium clovesianum*](#) (V.P.Castro & M.M.L.L.Cardoso) J.M.H.Shaw
- [*Oncidium colombianum*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium constrictum*](#) (Lindl.) Beer
- [*Oncidium contaypacchaense*](#) (D.E.Benn. & Christenson) M.W.Chase & N.H.Williams
- [*Oncidium* × *cookianum*](#) (Rolfe) M.W.Chase & N.H.Williams
- [*Oncidium coquianum*](#) Pupulin & Dalström
- [*Oncidium* × *coradinei*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium crassidactylum*](#) (Dalström & Ruíz Pérez) J.M.H.Shaw
- [*Oncidium crasopteron*](#) Chiron
- [*Oncidium crescentilabium*](#) (C.Schweinf.) M.W.Chase & N.H.Williams
- [*Oncidium crinitum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium cristatellum*](#) Garay
- [*Oncidium cristatum*](#) (Lindl.) Beer
- [*Oncidium croatii*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium crocidipterum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium cruciferum*](#) Rchb.f. & Warsz.
- [*Oncidium cruentoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium cuculligerum*](#) (Schltr.) M.W.Chase & N.H.Williams
- [*Oncidium cultratum*](#) Lindl.
- [*Oncidium curvipetalum*](#) (D.E.Benn. & Christenson) M.W.Chase & N.H.Williams

D

- [*Oncidium dactyliferum*](#) Garay & Dunst.

- [*Oncidium dactylopterum*](#) Rchb.f.
- [*Oncidium deburghgraeveanum*](#) (Dalström & G.Merino) J.M.H.Shaw
- [*Oncidium decorum*](#) König
- [*Oncidium deltoideum*](#) Lindl.
- [*Oncidium* × *denisoniae*](#) (Anon.) J.M.H.Shaw
- [*Oncidium dichromaticum*](#) Rchb.f.
- [*Oncidium* × *dicranophorum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium digitoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium dilatatum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium discobulbon*](#) Kraenzl.
- [*Oncidium dracoceps*](#) (Dalström) M.W.Chase & N.H.Williams
- [*Oncidium dulcineae*](#) (Pupulin & G.A.Rojas) M.W.Chase & N.H.Williams

E

- [*Oncidium echinops*](#) König
- [*Oncidium eliae*](#) (Rolfe) M.W.Chase & N.H.Williams
- [*Oncidium emaculatum*](#) Ravenna
- [*Oncidium endocharis*](#) Rchb.f.
- [*Oncidium ensatum*](#) Lindl.
- [*Oncidium epidendroides*](#) (Kunth) Beer
- [*Oncidium estradae*](#) Dodson
- [*Oncidium exalatum*](#) Hágsater
- [*Oncidium* × *excellens*](#) (Rchb.f.) M.W.Chase & N.H.Williams

F

- [*Oncidium fasciferum*](#) Rchb.f. & Warsz.
- [*Oncidium filamentosum*](#) (Dalström & Ruíz Pérez) J.M.H.Shaw
- [*Oncidium flavobrunneum*](#) (Senghas) M.W.Chase & N.H.Williams
- [*Oncidium fleckiorum*](#) König
- [*Oncidium fuchsii*](#) König
- [*Oncidium furcatum*](#) (Dalström) J.M.H.Shaw
- [*Oncidium fuscatum*](#) Rchb.f.

G

- [*Oncidium galianoii*](#) (Dalström & P.Núñez) M.W.Chase & N.H.Williams
- [*Oncidium garcia-barrigae*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium* × *gardstyle*](#) Braem & Campacci
- [*Oncidium gaviotaense*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium gayi*](#) J.M.H.Shaw
- [*Oncidium geertianum*](#) C.Morren

- [*Oncidium geiseliae*](#) Ruschi, A.Albuq., Zippinotti & A.Ruschi
- [*Oncidium gentryi*](#) (Dodson) M.W.Chase & N.H.Williams
- [*Oncidium ghiesbreghtianum*](#) A.Rich. & Galeotti
- [*Oncidium gloriosum*](#) (Linden & Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium gramazuense*](#) (D.E.Benn. & Christenson) M.W.Chase & N.H.Williams
- [*Oncidium gramineum*](#) (Poepp. & Endl.) M.W.Chase & N.H.Williams
- [*Oncidium graminifolium*](#) (Lindl.) Lindl.

H

- [*Oncidium hallii*](#) (Lindl.) Beer
- [*Oncidium hapalotyle*](#) Schltr.
- [*Oncidium harryanum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium hastatum*](#) (Bateman) Lindl.
- [*Oncidium hastilabium*](#) (Lindl.) Beer
- [*Oncidium hauensteinii*](#) (Königer) M.W.Chase & N.H.Williams
- [*Oncidium heinzelii*](#) Königer
- [*Oncidium henning-jensenii*](#) Pupulin & Bogarín
- [*Oncidium hennisii*](#) (Rolfe) M.W.Chase & N.H.Williams
- [*Oncidium hermansianum*](#) (Königer) M.W.Chase & N.H.Williams
- [*Oncidium herrenhusanum*](#) Königer & Schlumpb.
- [*Oncidium heteranthum*](#) Poepp. & Endl.
- [*Oncidium heterodactylum*](#) Kraenzl.
- [*Oncidium heterosepalum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium hieroglyphicum*](#) Rchb.f. & Warsz.
- [*Oncidium* × *hinnus*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium hintonii*](#) L.O.Williams
- [*Oncidium hirtziana*](#) J.M.H.Shaw
- [*Oncidium hirtzoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium huebneri*](#) (Mansf.) M.W.Chase & N.H.Williams
- [*Oncidium hymenanthum*](#) (Schltr.) M.W.Chase & N.H.Williams
- [*Oncidium hyphaematicum*](#) Rchb.f.

I

- [*Oncidium ibis*](#) (Schltr.) M.W.Chase & N.H.Williams
- [*Oncidium imitans*](#) Dressler
- [*Oncidium incurvum*](#) Barker ex Lindl.
- [*Oncidium* × *inopinatum*](#) Christenson
- [*Oncidium inouei*](#) T.Hashim.
- [*Oncidium integrilabre*](#) (Pupulin) M.W.Chase & N.H.Williams
- [*Oncidium ionopterum*](#) Rchb.f.
- [*Oncidium iricolor*](#) Rchb.f.

- [*Oncidium isthmi*](#) Schltr.
- [*Oncidium ivoneae*](#) Königer

J

- [*Oncidium jarmilae*](#) Königer
- [*Oncidium* × *jereziorum*](#) (Dalström & Deburghgr.) J.M.H.Shaw
- [*Oncidium juninense*](#) (Schltr.) M.W.Chase & N.H.Williams

K

- [*Oncidium karwinskii*](#) (Lindl.) Lindl.
- [*Oncidium kegeljanii*](#) (É.Morren) M.W.Chase & N.H.Williams
- [*Oncidium khoochongyeei*](#) J.M.H.Shaw
- [*Oncidium koechlinianum*](#) Collantes & G.Gerlach
- [*Oncidium koenigeri*](#) M.W.Chase & N.H.Williams
- [*Oncidium* × *kraenzlinii*](#) (O'Brien) M.W.Chase & N.H.Williams

L

- [*Oncidium laeve*](#) (Lindl.) Beer
- [*Oncidium lancifolium*](#) Lindl.
- [*Oncidium* × *lee anum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium lehmannianum*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium lehmannii*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium leleui*](#) R.Jiménez & Soto Arenas
- [*Oncidium lentiginosum*](#) Rchb.f.
- [*Oncidium leopardinum*](#) Lindl.
- [*Oncidium lepidum*](#) Linden & Rchb.f.
- [*Oncidium lepturum*](#) Rchb.f.
- [*Oncidium leucochilum*](#) Bateman ex Lindl.
- [*Oncidium leucomelas*](#) (Rchb.f.) Dressler & N.H.Williams
- [*Oncidium ligiae*](#) Königer
- [*Oncidium* × *limbatum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium lindleyoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium lineoligerum*](#) Rchb.f. & Warsz.
- [*Oncidium lisae*](#) Königer
- [*Oncidium llanachagaense*](#) (D.E.Benn. & Christenson) M.W.Chase & N.H.Williams
- [*Oncidium lucianianum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium* × *ludwigianum*](#) (Roeth) J.M.H.Shaw
- [*Oncidium* × *lueroroides*](#) M.W.Chase & N.H.Williams
- [*Oncidium luteopurpureum*](#) (Lindl.) Beer
- [*Oncidium luteum*](#) Rolfe

- [*Oncidium lutzii*](#) (Königer) M.W.Chase & N.H.Williams
- [*Oncidium lykaiosii*](#) R.Vásquez & Dodson

M

- [*Oncidium macrobulbon*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium maculatum*](#) (Lindl.) Lindl.
- [*Oncidium* × *maderoanum*](#) J.M.H.Shaw
- [*Oncidium maduroi*](#) Dressler
- [*Oncidium magdalenae*](#) Rchb.f.
- [*Oncidium magnificum*](#) Senghas
- [*Oncidium maizifolium*](#) Lindl.
- [*Oncidium malleiferum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium mandritum*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium manningianum*](#) Königer
- [*Oncidium mantense*](#) Dodson & R.Estrada
- [*Oncidium manuelariasii*](#) M.W.Chase & N.H.Williams
- [*Oncidium marinii*](#) (Königer) M.W.Chase & N.H.Williams
- [*Oncidium* × *marriottianum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium martinezii*](#) Königer
- [*Oncidium massangei*](#) É.Morren
- [*Oncidium mathieuanum*](#) Rchb.f. & Warsz.
- [*Oncidium medinense*](#) (Campacci) J.M.H.Shaw
- [*Oncidium mexicanum*](#) (L.O.Williams) M.W.Chase & N.H.Williams
- [*Oncidium micklowii*](#) (Dalström) M.W.Chase & N.H.Williams
- [*Oncidium microstigma*](#) Rchb.f.
- [*Oncidium millianum*](#) Rchb.f.
- [*Oncidium minaxoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium mirandoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium mirandum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium mixturum*](#) (Dalström & Sönnemark) M.W.Chase & N.H.Williams
- [*Oncidium morganii*](#) (Dodson) M.W.Chase & N.H.Williams
- [*Oncidium multistellare*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium* × *mulus*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium* × *murrellianum*](#) (Rchb.f.) M.W.Chase & N.H.Williams

N

- [*Oncidium naevium*](#) (Lindl.) Beer
- [*Oncidium nebulosum*](#) Lindl.
- [*Oncidium neovierlingii*](#) J.M.H.Shaw
- [*Oncidium nevadense*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium niesseniae*](#) Königer

- [*Oncidium nigratum*](#) Lindl. & Paxton
- [*Oncidium nobile*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium noezlii*](#) (Mast.) M.W.Chase & N.H.Williams

O

- [*Oncidium oblongatum*](#) Lindl.
- [*Oncidium obryzatoides*](#) Kraenzl.
- [*Oncidium obryzatum*](#) Rchb.f. & Warsz.
- [*Oncidium obstipum*](#) Königer & Posada
- [*Oncidium odoratum*](#) (Lindl.) Beer
- [*Oncidium oliganthum*](#) (Rchb.f.) L.O.Williams ex Correll
- [*Oncidium orbatum*](#) Kraenzl.
- [*Oncidium ornithocephalum*](#) Lindl.
- [*Oncidium ornithopodium*](#) Rchb.f.
- [*Oncidium ornithorhynchum*](#) Kunth
- [*Oncidium orthostatoides*](#) D.E.Benn. & Christenson
- [*Oncidium orthotis*](#) Rchb.f.
- [*Oncidium oviedomotae*](#) Hágsater
- [*Oncidium oxyceras*](#) (Königer & J.G.Weinm.) M.W.Chase & N.H.Williams

P

- [*Oncidium panamense*](#) Schltr.
- [*Oncidium panchrysum*](#) Lindl.
- [*Oncidium panduratoide*](#) M.W.Chase & N.H.Williams
- [*Oncidium panduratum*](#) Rolfe
- [*Oncidium papilioide*](#) M.W.Chase & N.H.Williams
- [*Oncidium parviflorum*](#) L.O.Williams
- [*Oncidium × pauwelsii*](#) (Rolfe) J.M.H.Shaw
- [*Oncidium peltiforme*](#) Königer
- [*Oncidium pentadactylon*](#) Lindl.
- [*Oncidium pergameneum*](#) Lindl.
- [*Oncidium perpusillum*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium pichinchense*](#) (Dodson) M.W.Chase & N.H.Williams
- [*Oncidium pictum*](#) Kunth
- [*Oncidium picturatisimum*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium picturatum*](#) Rchb.f.
- [*Oncidium planilabre*](#) Lindl.
- [*Oncidium platyichilum*](#) Schltr.
- [*Oncidium platynaris*](#) (Dalström) M.W.Chase & N.H.Williams
- [*Oncidium poikilostalix*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium polyadenium*](#) Lindl.

- [*Oncidium polycladium*](#) Rchb.f. ex Lindl.
- [*Oncidium pongratzianum*](#) König & J.Portilla
- [*Oncidium portillae*](#) König
- [*Oncidium portillaellum*](#) M.W.Chase & N.H.Williams
- [*Oncidium portilloides*](#) M.W.Chase & N.H.Williams
- [*Oncidium portmannii*](#) (Bockemühl) M.W.Chase & N.H.Williams
- [*Oncidium posadaroides*](#) M.W.Chase & N.H.Williams
- [*Oncidium posadarum*](#) König
- [*Oncidium povedanum*](#) (P.Ortiz) M.W.Chase & N.H.Williams
- [*Oncidium praenitens*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium praestanoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium* × *praevisum*](#) (Rolfe) J.M.H.Shaw
- [*Oncidium pseudounguiculatum*](#) (Pupulin & Dressler) M.W.Chase & N.H.Williams
- [*Oncidium punctulatum*](#) Dressler
- [*Oncidium putumayense*](#) (P.Ortiz) M.W.Chase & N.H.Williams

R

- [*Oncidium reflexum*](#) Lindl.
- [*Oncidium regentianum*](#) J.M.H.Shaw
- [*Oncidium reichenheimii*](#) (Linden & Rchb.f.) Garay & Stacy
- [*Oncidium renatoi*](#) (König) M.W.Chase & N.H.Williams
- [*Oncidium retusum*](#) Lindl.
- [*Oncidium reversoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium reversum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium rhynchanthum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium rionegrense*](#) Archila & Chiron
- [*Oncidium rodrigoii*](#) König
- [*Oncidium* × *rolfei*](#) J.M.H.Shaw
- [*Oncidium romanii*](#) König
- [*Oncidium roseoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium rutkisii*](#) Foldats

S

- [*Oncidium sarahforsythiae*](#) J.M.H.Shaw
- [*Oncidium sathishkumarii*](#) J.M.H.Shaw
- [*Oncidium savegrensis*](#) (Pupulin) M.W.Chase & N.H.Williams
- [*Oncidium saxicola*](#) Schltr.
- [*Oncidium schildhaueri*](#) König
- [*Oncidium schillerianum*](#) Rchb.f.
- [*Oncidium schroederianum*](#) (O'Brien) Garay & Stacy
- [*Oncidium sengerorum*](#) (König) J.M.H.Shaw

- [*Oncidium sergii*](#) (P.Ortiz) M.W.Chase & N.H.Williams
- [*Oncidium sessile*](#) Lindl. & Paxton
- [*Oncidium silvanoi*](#) König
- [*Oncidium sipaliwinense*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium sotoanum*](#) R.Jiménez & Hágsater
- [*Oncidium spectatissimum*](#) (Lindl.) M.W.Chase & N.H.Williams
- [*Oncidium sphacelatum*](#) Lindl.
- [*Oncidium stelligerum*](#) Rchb.f.
- [*Oncidium* × *stellimicans*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium stenobulbon*](#) Kraenzl.
- [*Oncidium stenoglossum*](#) (Schltr.) Dressler & N.H.Williams
- [*Oncidium storkii*](#) Ames & C.Schweinf.
- [*Oncidium strictum*](#) (Cogn.) M.W.Chase & N.H.Williams
- [*Oncidium subnivalis*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium subuligerum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium surinamense*](#) (Szlach. & Kolan.) J.M.H.Shaw

T

- [*Oncidium tectum*](#) Rchb.f.
- [*Oncidium tenellum*](#) F.Gérard
- [*Oncidium tenuifolium*](#) (Dalström) M.W.Chase & N.H.Williams
- [*Oncidium tenuipes*](#) Kraenzl.
- [*Oncidium tenuirostre*](#) (Kraenzl.) M.W.Chase & N.H.Williams
- [*Oncidium tenuoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium tetrotis*](#) Rchb.f. & Warsz.
- [*Oncidium tigratum*](#) Rchb.f. & Warsz.
- [*Oncidium tigrinum*](#) Lex.
- [*Oncidium tigroides*](#) (C.Schweinf.) M.W.Chase & N.H.Williams
- [*Oncidium tipuloides*](#) Rchb.f.
- [*Oncidium toachicum*](#) Dodson
- [*Oncidium tolimense*](#) Sierra-Ariza & Albino-Bohórq.
- [*Oncidium trachycaulon*](#) Schltr.
- [*Oncidium trimorion*](#) (König) M.W.Chase & N.H.Williams
- [*Oncidium trinasutum*](#) Kraenzl.
- [*Oncidium tripudians*](#) (Rchb.f. & Warsz.) M.W.Chase & N.H.Williams
- [*Oncidium tsubotae*](#) König

U

- [*Oncidium uncinatum*](#) (Pupulin, G.Merino & J.Valle) J.M.H.Shaw
- [*Oncidium undatiflorum*](#) (Ruiz & Pav.) Pupulin
- [*Oncidium unguiculatum*](#) Lindl.

- [*Oncidium unguiculoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium universitas-cuencae*](#) Königer & D.Vázquez
- [*Oncidium uribei*](#) (Szlach. & Kolan.) J.M.H.Shaw

V

- [*Oncidium vallecaucanum*](#) (Szlach. & Kolan.) J.M.H.Shaw
- [*Oncidium velleum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium vernixium*](#) Linden & Rchb.f.
- [*Oncidium vierlingii*](#) (Senghas) M.W.Chase & N.H.Williams
- [*Oncidium vulcanicum*](#) (Rchb.f.) M.W.Chase & N.H.Williams

W

- [*Oncidium wallisii*](#) (Linden & Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium wallisoides*](#) M.W.Chase & N.H.Williams
- [*Oncidium warszewiczii*](#) Rchb.f.
- [*Oncidium* × *wattianum*](#) (Rolfe) J.M.H.Shaw
- [*Oncidium weddellii*](#) Lindl.
- [*Oncidium weinmannianum*](#) (Königer) M.W.Chase & N.H.Williams
- [*Oncidium wentworthianum*](#) Bateman ex Lindl.
- [*Oncidium* × *wilckeanum*](#) (Rchb.f.) M.W.Chase & N.H.Williams
- [*Oncidium wyattianum*](#) (A.G.Wilson) M.W.Chase & N.H.Williams

X

- [*Oncidium xanthornis*](#) Rchb.f. ex Kraenzl.

Z

- [*Oncidium zelenkoanum*](#) Dressler & Pupulin
- [*Oncidium zimmermanniana*](#) (Königer) J.M.H.Shaw

References

From Wikipedia, the free encyclopedia

Subdivisions of the genus [*Oenothera*](#) in the [*Onagraceae*](#) (evening primrose) family:[\[1\]](#)[\[2\]](#)[\[3\]](#)

Section *Anogra*

Oenothera sect. *Angora* (Spach) W.L.Wagner & Hoch – western [North America](#) in dry, sandy soils in deserts, grasslands, and forest openings, up to 2000 m. elevation.[2]

- [Oenothera arizonica](#) (Munz) W.L.Wagner – California evening primrose (Arizona & Mexico) [4]
- [Oenothera avita](#) (W.M.Klein) W.E.Klein[5] – California evening primrose
 - *O. avita* ssp. *avita*
 - *O. avita* ssp. *californica* (S.Watson) W.L.Wagner & Gandhi
 - *O. avita* ssp. *eurekaensis* (Munz & J.C.Roos) W.E.Klein – Eureka Dunes evening primrose
- [Oenothera deltoides](#) Torr. & Frém. – birdcage evening primrose
 - *O. deltoides* ssp. *ambigua* (Munz) W.M.Klein
 - *O. deltoides* ssp. *cognata* (Jeps.) W.M.Klein
 - *O. deltoides* ssp. *deltoides*
 - [O. deltoides](#) ssp. [howellii](#) (Munz) W.M.Klein - Antioch Dunes evening primrose
 - *O. deltoides* ssp. *piperi* (Munz) W.M.Klein
- [Oenothera engelmannii](#) (Small) Munz – Engelmann's evening primrose (south-central U.S.)[6]
- [Oenothera neomexicana](#) (Small) Munz – New Mexico evening primrose (Arizona, New Mexico)[7]
- [Oenothera nuttallii](#) Sweet – Nuttall's evening primrose (central North America)[8]
- [Oenothera pallida](#) Lindl. – pale evening primrose, white buttercup (western North America)[9]
 - *O. pallida* ssp. *gypsophila* (Eastw.) Munz & W.M.Klein – whitepole evening primrose[10]
 - *O. pallida* ssp. *pallida*
 - *O. pallida* ssp. *runcinata* (Engelm.) Munz & W.M.Klein
 - *O. pallida* ssp. *trichocalyx* (Nutt.) Munz & W.M.Klein
- [Oenothera wigginsii](#) W.M.Klein – (Baja California in Mexico)[11]

Section *Calylophus*

Oenothera sect. *Calylophus* (Spach) W. L. Wagner & Hoch – in North American [Great Plains](#) and south to central [Mexico](#).

subsect. *Calylophus*

- [Oenothera berlandieri](#) (Spach) Steud. – Mexican evening primrose[12]
 - *O. berlandieri* ssp. *berlandieri*
 - *O. berlandieri* ssp. *pinifolia* (Engelm.) W. L. Wagner & Hoch
- [Oenothera serrulata](#) Nutt. – yellow sundrops[13]

subsect. *Salpingia*

- [Oenothera hartwegii](#) Benth. – Hartweg's sundrops[14]

- *O. hartwegii* ssp. *fendleri* (A.Gray) W.L.Wagner & Hoch
- *O. hartwegii* ssp. *filifolia* (Eastw.) W.L.Wagner & Hoch
- *O. hartwegii* ssp. *hartwegii*
- *O. hartwegii* ssp. *maccartii* (Shinners) W.L.Wagner & Hoch
- *O. hartwegii* ssp. *pubescens* (A.Gray) W.L.Wagner & Hoch
- [Oenothera lavandulifolia](#) Torr. & A.Gray – lavenderleaf sundrops[15]
- [Oenothera toumeyi](#) (A.Gray) Tidestr. – Toumey's sundrops[16]
- [Oenothera tubicula](#) A.Gray – Texas sundrops[17]
 - *O. tubicula* ssp. *strigulosa* (Towner) W.L.Wagner & Hoch
 - *O. tubicula* ssp. *tubicula*

Section *Contortae*

Oenothera sect. *Contortae* W.L.Wagner – [Sierra Nevadas](#) of [California](#), extending just into western [Nevada](#). [18]

- [Oenothera xylocarpa](#) Coville – woodyfruit evening primrose[2]

Section *Eremia*

Oenothera sect. *Eremia* W.L.Wagner – western North America, with a distribution in the Chihuahuan, Mojave, and Sonoran deserts. [19]

- [Oenothera primiveris](#) A.Gray – desert evening primrose
 - *O. primiveris* ssp. *bufonis* (M.E. Jones) Munz – large yellow desert primrose[20]
 - *O. primiveris* ssp. *primiveris*

Section *Gaura*

Oenothera sect. *Gaura* (L.) W.L.Wagner & Hoch – beeblossom (includes most of the taxa formerly placed in genus [Gaura](#)) [21][22]

subsect. *Campogaura*

- [Oenothera boquillensis](#) (P.H.Raven & D.P.Greg.) W.L.Wagner & Hoch – Rio Grande beeblossom (Texas & Mexico)
- [Oenothera suffrutescens](#) (Ser.) W.L.Wagner & Hoch – scarlet beeblossom (western North America)

subsect. *Gaura*

- [Oenothera coloradensis](#) (Rydb.) W.L.Wagner & Hoch (Nebraska, Wyoming, Colorado, New Mexico)
 - *O. coloradensis* ssp. *coloradensis* – Colorado beeblossom or butterfly plant
 - *O. coloradensis* ssp. *neomexicana* (Wooton) W.L.Wagner & Hoch – New Mexico beeblossom

- [*Oenothera demareei*](#) (P.H.Raven & D.P.Greg.) W.L.Wagner & Hoch – Demaree's beeblossom
- [*Oenothera filiformis*](#) (Small) W.L.Wagner & Hoch – biennial gaura[23]
- [*Oenothera gaura*](#) W.L.Wagner & Hoch – (eastern North America, from [Ontario](#) to [South Carolina](#) and [Minnesota](#) to [Missouri](#))
- [*Oenothera hexandra*](#) (Ortega) W.L.Wagner & Hoch
 - *O. hexandra* ssp. *gracilis* (Wooton & Standl.) W.L.Wagner & Hoch
 - *O. hexandra* ssp. *hexandra*
- [*Oenothera lindheimeri*](#) (Engelm. & A.Gray) W.L.Wagner & Hoch
- [*Oenothera patriciae*](#) W.L.Wagner & Hoch[3]
- [*Oenothera simulans*](#) (Small) W.L.Wagner & Hoch[3]
- [*Oenothera suffulta*](#) (Engelmann) W.L.Wagner & Hoch[3]
 - *O. suffulta* ssp. *suffulta*
 - *O. suffulta* ssp. *nealleyi* (J. M. Coulter) W.L.Wagner & Hoch
- [*Oenothera triangulata*](#) (Buckley) W.L.Wagner & Hoch[3]

subsect. *Gauridium*

- [*Oenothera anomala*](#) Curtis – anomalous *Oenothera* (Mexico)[2][3]

subsect. *Schizocarya*

- [*Oenothera curtiflora*](#) W.L.Wagner & Hoch – lizard tail (North America)[24]

subsect. *Stenosiphon*

- [*Oenothera glaucifolia*](#) W.L.Wagner & Hoch – false gaura (southern Great Plains of central North America)[3]

subsect. *Stipogaura*

- [*Oenothera calicicola*](#) (P.H.Raven & D.P.Gregory) W.L.Wagner & Hoch
- [*Oenothera cinerea*](#) (Wooton & Standl.) W.L.Wagner & Hoch – gaura-pilosa[25]
 - *O. cinerea* ssp. *cinerea*
 - *O. cinerea* ssp. *parksii* (Munz) W.L.Wagner & Hoch
- [*Oenothera filipes*](#) (Spach) W.L.Wagner & Hoch
- [*Oenothera mckelveyae*](#) (Munz) W.L.Wagner & Hoch
- [*Oenothera sinuosa*](#) W.L.Wagner & Hoch – wavy-leaf gaura[26]

subsect. *Xenogaura*

- [*Oenothera xenogaura*](#) W.L.Wagner & Hoch – (southern North America)[2]

subsect. *Xerogaura*

- [*Oenothera arida*](#) W.L.Wagner & Hoch – (Texas, Mexico)[2]

Section *Gauropsis*

Oenothera sect. *Gauropsis* (Torrey & Frémont) W.L.Wagner – Wyoming, western Nebraska, eastern Colorado, New Mexico, Kansas and the [Texas Panhandle](#) in the [U.S. High Plains](#).[\[27\]](#)

- [Oenothera canescens](#) Torr. & Frém. – spotted evening primrose[\[28\]](#)

Section *Hartmannia*

Oenothera sect. *Hartmannia* (Spach) W. L. Wagner & Hoch – Generally in [Mexico](#), [Arizona](#), and [Texas](#). But *O. speciosa* extends into the U.S. [Central Plains](#), and *O. rosea* extends to the [Caribbean](#), and northern [South America](#).[\[29\]](#)

- [Oenothera deserticola](#) (Loes.) Munz – (Mexico)[\[30\]](#)
- [Oenothera platanorum](#) P.H.Raven & D.R.Parn. – Fort Huachuca evening primrose[\[31\]](#)
- [Oenothera rosea](#) L'Hér. ex Aiton – pink evening primrose, Rose of Mexico
- [Oenothera speciosa](#) Nutt. – showy evening primrose, Mexican primrose, amapola
- [Oenothera texensis](#) P.H.Raven & D.R.Parn. – Texas evening primrose[\[32\]](#)

Section *Kleinia*

Oenothera sect. *Kleinia* Munz – distributed over the Chihuahuan, Sonoran, and southern portions of the [Great Basin](#) deserts to the [Great Plains](#), from southern Utah to southeastern Montana and western North Dakota, and northern Mexico.[\[33\]](#)

- [Oenothera albicaulis](#) Pursh – prairie evening-primrose[\[34\]](#)
- [Oenothera coronopifolia](#) Torr. & A.Gray[\[35\]](#)

Section *Kneiffia*

Oenothera sect. *Kneiffia* (Spach) Straley – eastern North America, at elevations up to 1900 m.[\[36\]](#)

- [Oenothera fruticosa](#) L. – narrow-leaved or southern sundrops (eastern North America)[\[37\]](#)
 - *O. fruticosa* ssp. *fruticosa* – (more southern distribution)
 - *O. fruticosa* ssp. *glauca* (Michx.) Straley – (more northern distribution)
- [Oenothera perennis](#) L. – little evening primrose, perennial sundrops (North America)[\[38\]](#)[\[39\]](#)
- [Oenothera pilosella](#) Raf. – prairie sundrops, meadow evening primrose[\[40\]](#)[\[41\]](#)
 - *O. pilosella* ssp. *pilosella* – (eastern North America)
 - *O. pilosella* ssp. *sessilis* (Pennell) Straley – ([AR](#), [LA](#), [TX](#))
- [Oenothera riparia](#) Nutt. – riverbank sundrops[\[3\]](#)[\[42\]](#)[\[43\]](#)
- [Oenothera spachiana](#) Torr. & A.Gray – Spach's evening-primrose ([Alabama](#), [Arkansas](#), [Louisiana](#), [Mississippi](#), [Oklahoma](#), [Texas](#))[\[44\]](#)

Section *Lavauxia*

Oenothera sect. *Lavauxia* (Spach) W. L. Wagner & Hoch – North and South America.

subsect. *Australis*

- [Oenothera acaulis](#) Cav. – (Chile)[45]
- [Oenothera centaurifolia](#) (Spach) Steud. – (Uruguay, Brazil, Argentina)[46][47]

subsect. *Lavauxia*

- [Oenothera acutissima](#) W.L.Wagner – Flaming Gorge evening primrose (Utah, Colorado)[48]
- [Oenothera flava](#) (A. Nelson) Garrett – yellow evening primrose (west & central North America) [49]
 - *O. flava* ssp. *flava*
 - *O. flava* ssp. *taraxacoides* (Woot. & Standl.) W.L.Wagner
- [Oenothera triloba](#) Nutt. – stemless evening primrose (North America)[50]

Section *Leucocoryne*

Oenothera sect. *Leucocoryne* W.L.Wagner & Hoch – from southern Texas, through northern Mexico to the Trans-Volcanic Belt of central Mexico, southward to Guatemala, Nicaragua, and Costa Rica.[2]

- [Oenothera dissecta](#) A. Gray ex S. Wats. - (Chihuahuan Desert)[51]
- [Oenothera kunthiana](#) Munz - (southern Texas to Costa Rica)[52]
- [Oenothera luciae-julianiae](#) W.L.Wagner - (Mexico)
- [Oenothera orizabae](#) W.L.Wagner - (Mexico)
- [Oenothera tetraptera](#) Cav. - (Mexico, southern Texas)[53]

Section *Megapterium*

Oenothera sect. *Megapterium* (Spach) W.L.Wagner & Hoch – distributed in south-central North America.

- [Oenothera brachycarpa](#) A.Gray – short-fruit evening primrose ([Arizona](#), [Kansas](#), [New Mexico](#), [Nevada](#), [Texas](#))[54]
- [Oenothera howardii](#) (A. Nelson) W.L.Wagner – Howard's evening primrose ([Colorado](#), [Kansas](#), [Nevada](#), [Utah](#), [Wyoming](#))[55]
- [Oenothera macrocarpa](#) Nutt. – Missouri or big-fruit evening primrose[56][57]
 - *O. macrocarpa* ssp. *fremontii* (S.Watson) W.L.Wagner – Fremont's evening primrose ([Kansas](#), [Nebraska](#))
 - *O. macrocarpa* ssp. *incana* (A.Gray) W.L.Wagner – big-fruit evening primrose ([Kansas](#), [Oklahoma](#), [Texas](#))
 - *O. macrocarpa* ssp. *macrocarpa* – big-fruit evening primrose ([Arkansas](#), [Illinois](#), [Kansas](#), [Missouri](#), [Oklahoma](#), [Colorado](#), [Tennessee](#), [Texas](#))
 - *O. macrocarpa* ssp. *mexicana* W.L.Wagner – (Mexico)
 - *O. macrocarpa* ssp. *oklahomensis* (J.B.S.Norton) W.L.Wagner – Oklahoma evening primrose ([Kansas](#), [Oklahoma](#), [Texas](#))

Section *Oenothera*

Oenothera sect. *Oenothera* – distributed from Canada to Panama.[58]

subsect. *Candela*

- [*Oenothera clelandii*](#) W.Dietr. P.H. Raven & W.L.Wagner – Cleland's evening primrose[59]
- [*Oenothera curtissii*](#) Small – Curtiss' evening primrose ([Alabama](#), [Florida](#), [Georgia](#), [Mississippi](#), [South Carolina](#))
- [*Oenothera heterophylla*](#) Spach – variable-leaf evening primrose[60]
 - *O. heterophylla* ssp. *heterophylla* – ([Arkansas](#), [Louisiana](#), [Missouri](#), [Texas](#))
 - *O. heterophylla* ssp. *orientalis* W.Dietr., P.H.Raven & W.L.Wagner – ([AL](#), [Arkansas](#))
- [*Oenothera rhombipetala*](#) Nutt. ex Torr. & A.Gray

subsect. *Emersonia*

- [*Oenothera macrosceles*](#) A.Gray – ([Chihuahuan Desert](#))[2]
- [*Oenothera maysillesii*](#) Munz – (Durango)
- [*Oenothera organensis*](#) Munz – (New Mexico)
- [*Oenothera stubbei*](#) W.Dietr., P.H.Raven & W.L.Wagner – ([Nuevo León](#))

subsect. *Munzia*

series *Allochroa*

- [*Oenothera affinis*](#) Cambess. – (Bolivia, Brazil, Chile)
- [*Oenothera arequipensis*](#) Munz & I M.Johnst. – (Chile)
- [*Oenothera bahia-blancae*](#) W.Dietr. – (Argentina)
- [*Oenothera catharinensis*](#) Cambess. – (Brazil)
- [*Oenothera coquimbensis*](#) Gay – (Chile)
- [*Oenothera featherstonei*](#) Munz & I.M.Johnst. – (Peru)
- [*Oenothera indecora*](#) Cambess.
 - *O. indecora* ssp. *boliviensis* W.Dietr.
 - *O. indecora* ssp. *bonariensis* W.Dietr.
 - *O. indecora* ssp. *indecora*
- [*Oenothera mendocinensis*](#) Gillies ex Hook. & Arn. – (Argentina)
- [*Oenothera mollissima*](#) L. – (Brazil)
- [*Oenothera montevidensis*](#) W.Dietr. – (Uruguay)
- [*Oenothera odorata*](#) Jacq. – (Argentina, Chile)
- [*Oenothera parodiana*](#) Munz[61]
 - *O. parodiana* ssp. *brasiliensis* W.Dietr. – (Argentina, Brazil, Uruguay)
 - *O. parodiana* ssp. *parodiana* – (Argentina)
 - *O. parodiana* ssp. *strigulosa* W.Dietr. – (Argentina)
- [*Oenothera picensis*](#) Phil.[62]
 - *O. picensis* ssp. *bonariensis* W.Dietr. – (Argentina)

- *O. picensis* ssp. *cordobensis* W.Dietr. – (Argentina)
- *O. picensis* ssp. *picensis* – (Chile)
- [Oenothera ravenii](#) W.Dietr. – (Argentina, Brazil, Chile, Uruguay)[63]
 - *O. ravenii* ssp. *argentinae* W.Dietr. – (Argentina, Brazil)
 - *O. ravenii* ssp. *chilensis* W.Dietr. – (Chile)
 - *O. ravenii* ssp. *ravenii* – (Brazil)
- [Oenothera stricta](#) Ledeb. ex Link[64]
 - *O. stricta* ssp. *altissima* W.Dietr. – (Argentina)
 - *O. stricta* ssp. *argentinae* W.Dietr. – (Argentina)
 - *O. stricta* ssp. *stricta* – (Chile)

series *Clelandia*

- [Oenothera elongata](#) Rusby – (Bolivia, Peru)
- [Oenothera punae](#) Kuntze – (Bolivia)
- [Oenothera siambonensis](#) W.Dietr. – (Argentina)
- [Oenothera villaricae](#) W.Dietr. – (Argentina, Chile)

series *Renneria*

- [Oenothera longituba](#) W.Dietr. – (Argentina)
- [Oenothera nana](#) Griseb. – (Argentina, Bolivia, Chile, Peru)
- [Oenothera pedunculifolia](#) W.Dietr. – (Argentina)
- [Oenothera peruana](#) W.Dietr. – (Chile, Peru)
- [Oenothera sandiana](#) Hassk. – (Chile, Ecuador)
- [Oenothera santarii](#) W.Dietr. – (Argentina)
- [Oenothera scabra](#) K.Krause[65]
 - *O. scabra* ssp. *scabra* – (Bolivia, Peru)
 - *O. scabra* ssp. *ucrosensis* W.Dietr. – (Peru)
- [Oenothera tafiensis](#) W.Dietr.[66]
 - *O. tafiensis* ssp. *parviflora* W.Dietr. – (Argentina)
 - *O. tafiensis* ssp. *tafiensis* – (Argentina)
- [Oenothera tarijensis](#) W.Dietr. – (Bolivia)
- [Oenothera versicolor](#) Lehm. – (Bolivia, Ecuador, Peru)

subsect. *Nutantigemma*

- [Oenothera breedlovei](#) W.Dietr. & W.L.Wagner - (Mexico)
- [Oenothera pennellii](#) Munz - (Mexico)
- [Oenothera pubescens](#) Willd. ex Spreng. – South American evening primrose (southwestern U.S to western South America)
- [Oenothera tamrae](#) W.Dietr. & W.L.Wagner - (Mexico)

subsect. *Oenothera*

- [Oenothera argillicola](#) Mack. – shale-barren evening primrose ([MD](#), [PA](#), [VA](#), [WV](#))[67]

- [*Oenothera biennis*](#) L. – common evening primrose (North America)
- [*Oenothera elata*](#) Kunth – Hooker's evening primrose (western North America)
 - *O. elata* ssp. *elata* – (Mexico, Central America)
 - *O. elata* ssp. *hirsutissima* (A.Gray ex S.Watson) W.Dietr. – (western U.S.)
 - *O. elata* ssp. *hookeri* (Torr. & A.Gray) W.Dietr. & W.L.Wagner
 - *O. elata* ssp. *texensis* W.Dietr. & W.L.Wagner – (Texas)
- [*Oenothera glazioviana*](#) Micheli – red-sepal evening primrose (North America)[68]
- [*Oenothera grandiflora*](#) L'Hér. – large-flower evening primrose (eastern North America)
- [*Oenothera jamesii*](#) Torr. & A.Gray – trumpet evening primrose (Mexico, [KS](#), [OK](#), [TX](#))[69]
- [*Oenothera longissima*](#) Rydb. – long-stem evening primrose (southwestern North America)
- [*Oenothera nutans*](#) G.F.Atk. & Bartlett – nodding evening primrose (eastern North America)[70]
- [*Oenothera oakesiana*](#) (A.Gray) J.W.Robbins ex S.Watson – Oakes' evening primrose (eastern North America)[71]
- [*Oenothera parviflora*](#) L. – northern evening primrose (North America)
- [*Oenothera villosa*](#) Thunb. – hairy evening primrose (North America)
 - *O. villosa* ssp. *strigosa* (Rydb.) W. Dietr. & P.H. Raven
 - *O. villosa* ssp. *villosa*
- [*Oenothera wolfii*](#) (Munz) P.H.Raven W.Dietr. & Stubbe – Wolf's evening primrose (California)

subsect. *Raimannia*

- [*Oenothera drummondii*](#) Hook. – beach evening primrose[72]
 - *O. drummondii* ssp. *drummondii* – (Atlantic coast, [North Carolina](#) to Mexico)
 - *O. drummondii* ssp. *thalassaphila* (Brandegge) W.Dietr. & W.L.Wagner – (southern [Baja California](#) coast)
- [*Oenothera falfurriae*](#) W.Dietr. & W.L.Wagner – royal evening primrose (southeastern Texas)[73]
- [*Oenothera grandis*](#) (Britton) Smyth – showy evening primrose (U.S. & Mexico)
- [*Oenothera humifusa*](#) Nutt. – sea-beach evening primrose (southeast U.S.)
- [*Oenothera laciniata*](#) Hill – cutleaf evening primrose (North & South America)
 - *O. laciniata* ssp. *laciniata*
 - *O. laciniata* ssp. *pubescens* (Willd. ex Spreng.) Munz – (Ecuador)[74]
- [*Oenothera mexicana*](#) Spach – Mexican evening primrose (southeastern Texas)[75]
- [*Oenothera resicum*](#) E.Benavides, JR.Kueth, A.Ortiz-Alcaraz, JLL DE LA LUZ –(Mexico)[76]

Section *Pachylophus*

Oenothera sect. *Pachylophus* (Spach) W.L.Wagner – western North America.

- [*Oenothera brandegeei*](#) (Munz) P.H.Raven – (near [Bahia de los Angeles](#))[77]
- [*Oenothera cavernae*](#) Munz – cave-dwelling evening primrose ([AZ](#), [NV](#), [UT](#))
- [*Oenothera cespitosa*](#) Nutt.1813
 - *O. cespitosa* ssp. *cespitosa* – tufted evening primrose (western North America)

- *O. cespitosa* ssp. *crinita* (Rydb.) Munz – tufted evening primrose (southwest North America)
- *O. cespitosa* ssp. *macroglottis* (Rydb.) W.L.Wagner, Stockh. & W.M.Klein – tufted evening primrose ([CO](#), [NM](#), [UT](#), [WY](#))
- *O. cespitosa* ssp. *marginata* (Nutt. ex Hook. & Arn.) Munz – tufted evening primrose
- *O. cespitosa* ssp. *navajoensis* W.L.Wagner, Stockh. & W.M.Klein – Navajo evening primrose ([AZ](#), [NM](#), [NV](#), [UT](#))
- *Oenothera harringtonii* W.L.Wagner, Stockh. & W.M.Klein – Colorado Springs evening primrose ([Colorado](#))
- *Oenothera psammophila* (A.Nels. & J.F.Macbr.) W.L.Wagner, Stockh. & W.M.Klein – St. Anthony Dunes evening primrose ([Idaho](#))

Section *Paradoxus*

Oenothera sect. *Paradoxus* W. L. Wagner – distribution within the [Chihuahuan Desert](#).^[78]

- *Oenothera havardii* S.Watson – Havard's evening primrose (Arizona, Texas)

Section *Peniophyllum*

Oenothera sect. *Peniophyllum* (Pennell) Munz – The single species is found in the southeastern U.S.

- *Oenothera linifolia* Nutt. – thread-leaf evening primrose^[79]

Section *Ravenia*

Oenothera sect. *Ravenia* W.L.Wagner – within Mexico.^[80]

- *Oenothera muelleri* Munz – (northeast Mexico)
- *Oenothera riskindii* W.L.Wagner – ([Coahuila](#))
- *Oenothera tubifera* Ser.^[81]
 - *O. tubifera* ssp. *macrocarpa* W.L.Wagner – ([Durango](#))
 - *O. tubifera* ssp. *tubifera*

Section *Xanthocoryne*

Oenothera sect. *Xanthocoryne* W.L.Wagner & Hoch – from central Mexico to northern South America.^[82]

- *Oenothera epilobiifolia* Kunth – ([Colombia](#), [Mexico](#))
 - *O. epilobiifolia* ssp. *cuprea* (Schlecht.) P.H.Raven & D.R.Parn.
 - *O. epilobiifolia* ssp. *epilobiifolia* – ([Venezuela](#))
- *Oenothera multicaulis* Ruíz & Pav. – (South America)
- *Oenothera seifrizii* Munz – ([Colombia](#), [Venezuela](#))

From Wikipedia, the free encyclopedia

The following species in the flowering plant genus [*Ocotea*](#) are currently accepted by [Plants of the World Online](#).^[1] The genus is probably [paraphyletic](#).^[2]

- [*Ocotea abbreviata*](#) Schwacke & Mez
- [*Ocotea acarina*](#) C.K.Allen
- [*Ocotea aciphylla*](#) (Nees & Mart.) Mez
- [*Ocotea acuminatissima*](#) (Lundell) Rohwer
- [*Ocotea acunana*](#) Bisse
- [*Ocotea acutangula*](#) (Miq.) Mez
- [*Ocotea acutifolia*](#) (Nees) Mez
- [*Ocotea adamantina*](#) P.L.R.Moraes & van der Werff
- [*Ocotea adela*](#) van der Werff
- [*Ocotea adenotrachelium*](#) (Nees) Mez
- [*Ocotea adusta*](#) van der Werff
- [*Ocotea alaris*](#) Doweld
- [*Ocotea albescens*](#) Vattimo-Gil
- [*Ocotea albida*](#) Mez & Rusby
- [*Ocotea albigemma*](#) C.K.Allen
- [*Ocotea albopunctulata*](#) Mez
- [*Ocotea aligra*](#) van der Werff
- [*Ocotea alnifolia*](#) (Meisn.) Mez
- [*Ocotea alpina*](#) R.A.Howard
- [*Ocotea alveata*](#) van der Werff
- [*Ocotea amazonica*](#) (Meisn.) Mez
- [*Ocotea ambrensis*](#) van der Werff
- [*Ocotea amplifolia*](#) (Mez & Donn.Sm.) van der Werff
- [*Ocotea amplissima*](#) Mez
- [*Ocotea andina*](#) van der Werff
- [*Ocotea aniboides*](#) Mez
- [*Ocotea antioquiensis*](#) van der Werff
- [*Ocotea aquila*](#) van der Werff
- [*Ocotea arcuata*](#) Rohwer
- [*Ocotea arenaria*](#) van der Werff
- [*Ocotea arenicola*](#) L.C.S.Assis & Mello-Silva
- [*Ocotea argentea*](#) Mez
- [*Ocotea argyrea*](#) van der Werff
- [*Ocotea argyrophylla*](#) Ducke
- [*Ocotea arnottiana*](#) (Nees) van der Werff
- [*Ocotea atacta*](#) Lorea-Hern.
- [*Ocotea athroanthes*](#) C.K.Allen

- [*Ocotea atirrensis*](#) Mez & Donn.Sm.
- [*Ocotea atlantica*](#) van der Werff
- [*Ocotea atrata*](#) C.K.Allen
- [*Ocotea aurantiodora*](#) (Ruiz & Pav.) Mez
- [*Ocotea aureotomentosa*](#) L.C.S.Assis
- [*Ocotea auriculata*](#) Lasser
- [*Ocotea auriculiformis*](#) Kosterm.
- [*Ocotea austinii*](#) C.K.Allen
- [*Ocotea badia*](#) van der Werff
- [*Ocotea bajapazensis*](#) Lundell
- [*Ocotea balanocarpa*](#) (Ruiz & Pav.) Mez
- [*Ocotea bangii*](#) Mez & Rusby
- [*Ocotea baracoensis*](#) Borhidi & Imkhan.
- [*Ocotea barbatula*](#) Lundell
- [*Ocotea barbellata*](#) Vattimo-Gil
- [*Ocotea basicordatifolia*](#) Vattimo-Gil
- [*Ocotea basirecurva*](#) C.K.Allen
- [*Ocotea batata*](#) P.L.R.Moraes & M.C.Vergne
- [*Ocotea beekmanii*](#) van der Werff
- [*Ocotea benthamiana*](#) Mez
- [*Ocotea bernoulliana*](#) Mez
- [*Ocotea betazensis*](#) (Mez) van der Werff
- [*Ocotea beulahiae*](#) Baitello
- [*Ocotea beyrichii*](#) (Nees) Mez
- [*Ocotea bicolor*](#) Vattimo-Gil
- [*Ocotea bijuga*](#) (Rottb.) Bernardi
- [*Ocotea bilocellata*](#) Baitello, D.B.O.S.Cardoso & P.L.R.Moraes[3]
- [*Ocotea bissei*](#) Imkhan.
- [*Ocotea bofo*](#) Kunth
- [*Ocotea boissieriana*](#) (Meisn.) Mez
- [*Ocotea botrantha*](#) Rohwer
- [*Ocotea bourgeauviana*](#) (Mez) van der Werff
- [*Ocotea brachybotrya*](#) (Meisn.) Mez
- [*Ocotea bracteosa*](#) (Meisn.) Mez
- [*Ocotea bragae*](#) Coe-Teix.
- [*Ocotea brenesii*](#) Standl.
- [*Ocotea brevipes*](#) Kosterm.
- [*Ocotea brevipetiolata*](#) van der Werff
- [*Ocotea bucheri*](#) Roíg & Acuña
- [*Ocotea bullata*](#) (Burch.) Baill.
- [*Ocotea caesariata*](#) van der Werff
- [*Ocotea caesia*](#) Mez

- [*Ocotea caesifolia*](#) van der Werff
- [*Ocotea calliscypha*](#) L.C.S.Assis & Mello-Silva
- [*Ocotea camphoromoea*](#) Rohwer
- [*Ocotea canaliculata*](#) (Rich.) Mez
- [*Ocotea candidovillosa*](#) Lorea-Hern.
- [*Ocotea cantareirae*](#) Vattimo-Gil
- [*Ocotea carabobensis*](#) Lasser
- [*Ocotea caracasana*](#) (Nees) Mez
- [*Ocotea carchiensis*](#) van der Werff
- [*Ocotea cardinalis*](#) Mez
- [*Ocotea catharinensis*](#) Mez
- [*Ocotea caudatifolia*](#) Kosterm.
- [*Ocotea ceanothifolia*](#) (Nees) Mez
- [*Ocotea celastroides*](#) (Meisn.) Mez
- [*Ocotea chiapensis*](#) (Lundell) Standl. & Steyerf.
- [*Ocotea choquetangensis*](#) van der Werff
- [*Ocotea chrysobalanoides*](#) (Lundell) Lundell
- [*Ocotea cicatricosa*](#) C.K.Allen
- [*Ocotea ciliata*](#) L.C.S.Assis & Mello-Silva
- [*Ocotea cinerea*](#) van der Werff
- [*Ocotea cissiflora*](#) Mez
- [*Ocotea citrosmoides*](#) (Nees) Mez
- [*Ocotea clavigera*](#) Mez
- [*Ocotea colophanthera*](#) L.C.S.Assis & Mello-Silva
- [*Ocotea comata*](#) van der Werff
- [*Ocotea commutata*](#) (Nees) Mez
- [*Ocotea comoriensis*](#) Kosterm.
- [*Ocotea complicata*](#) (Meisn.) Mez
- [*Ocotea condorensis*](#) van der Werff
- [*Ocotea confertiflora*](#) (Meisn.) Mez
- [*Ocotea congestifolia*](#) Lasser
- [*Ocotea congregata*](#) van der Werff
- [*Ocotea contrerasii*](#) Lundell
- [*Ocotea corethroides*](#) Kosterm.
- [*Ocotea corrugata*](#) van der Werff
- [*Ocotea corymbosa*](#) (Meisn.) Mez
- [*Ocotea cowaniana*](#) C.K.Allen
- [*Ocotea crassifolia*](#) (Nees) Mez
- [*Ocotea crassipedalis*](#) van der Werff
- [*Ocotea crassiramula*](#) C.K.Allen
- [*Ocotea crinita*](#) van der Werff
- [*Ocotea cristalensis*](#) Bisse

- [*Ocotea cryptocarpa*](#) Baitello
- [*Ocotea cryptocaryoides*](#) Kosterm.
- [*Ocotea cuatrecasasii*](#) van der Werff
- [*Ocotea cujumary*](#) Mart.
- [*Ocotea cuneata*](#) (Griseb.) M.Gómez
- [*Ocotea cuneifolia*](#) (Ruiz & Pav.) Mez
- [*Ocotea curucutuensis*](#) Baitello
- [*Ocotea cuscoensis*](#) van der Werff
- [*Ocotea cuspidata*](#) van der Werff
- [*Ocotea cymosa*](#) (Nees) Palacký
- [*Ocotea daphnifolia*](#) (Meisn.) Mez
- [*Ocotea darcyi*](#) van der Werff
- [*Ocotea debilis*](#) Mez
- [*Ocotea deflexa*](#) Rohwer
- [*Ocotea delicata*](#) Vicent.
- [*Ocotea densiflora*](#) (Meisn.) Mez
- [*Ocotea dentata*](#) van der Werff
- [*Ocotea depauperata*](#) C.K.Allen
- [*Ocotea dielsiana*](#) O.C.Schmidt
- [*Ocotea diffusa*](#) van der Werff
- [*Ocotea diospyrifolia*](#) (Meisn.) Mez
- [*Ocotea discrepens*](#) C.K.Allen
- [*Ocotea disjuncta*](#) Lorea-Hern.
- [*Ocotea dispersa*](#) (Nees & Mart.) Mez
- [*Ocotea divaricata*](#) (Nees) Mez
- [*Ocotea domatiata*](#) Mez ex Taub.
- [*Ocotea dominicana*](#) (Meisn.) R.A.Howard
- [*Ocotea douradensis*](#) Vattimo-Gil
- [*Ocotea duidensis*](#) Moldenke
- [*Ocotea duplocolorata*](#) Vattimo-Gil
- [*Ocotea dussii*](#) Mez
- [*Ocotea effusa*](#) (Meisn.) Hemsl.
- [*Ocotea eggersiana*](#) Mez
- [*Ocotea ekmanii*](#) O.C.Schmidt
- [*Ocotea elegans*](#) Mez
- [*Ocotea elliptica*](#) Kosterm.
- [*Ocotea endresiana*](#) Mez
- [*Ocotea erectifolia*](#) (C.K.Allen) van der Werff
- [*Ocotea eriothyrsa*](#) Kosterm.
- [*Ocotea esmeraldana*](#) Moldenke
- [*Ocotea estrellensis*](#) (Meisn.) P.L.R.Moraes
- [*Ocotea eucuneata*](#) Lundell

- [*Ocotea euryphylla*](#) van der Werff
- [*Ocotea euvenosa*](#) Lundell
- [*Ocotea falcata*](#) Mez
- [*Ocotea fasciculata*](#) (Nees) Mez
- [*Ocotea faucherei*](#) (Danguy) Danguy
- [*Ocotea felix*](#) Coe-Teix.
- [*Ocotea fendleri*](#) (Meisn.) Rohwer
- [*Ocotea fistulosa*](#) van der Werff
- [*Ocotea flavantha*](#) van der Werff
- [*Ocotea floribunda*](#) (Sw.) Mez
- [*Ocotea foeniculacea*](#) Mez
- [*Ocotea foetens*](#) (Aiton) Baill.
- [*Ocotea foveolata*](#) Kosterm.
- [*Ocotea froesii*](#) A.C.Sm.
- [*Ocotea frondosa*](#) (Meisn.) Mez
- [*Ocotea fulvescens*](#) Standl. & L.O.Williams
- [*Ocotea fusagasugensis*](#) van der Werff
- [*Ocotea gabonensis*](#) Fouilloy
- [*Ocotea gardneri*](#) (Meisn.) Mez
- [*Ocotea gentryi*](#) van der Werff
- [*Ocotea glaberrima*](#) van der Werff
- [*Ocotea glabra*](#) van der Werff
- [*Ocotea glabriflora*](#) van der Werff
- [*Ocotea glauca*](#) (Nees & Mart.) Mez
- [*Ocotea glaucophylla*](#) Moldenke
- [*Ocotea glaucosericea*](#) Rohwer
- [*Ocotea glaziovii*](#) Mez
- [*Ocotea glomerata*](#) (Nees) Mez
- [*Ocotea gomezii*](#) W.C.Burger
- [*Ocotea gordonii*](#) van der Werff
- [*Ocotea gracilipes*](#) Mez
- [*Ocotea gracilis*](#) (Meisn.) Mez
- [*Ocotea grandifructa*](#) L.C.S.Assis & M.F.Santos
- [*Ocotea granulosa*](#) W.Palacios
- [*Ocotea grayi*](#) van der Werff
- [*Ocotea guaramacalensis*](#) van der Werff
- [*Ocotea guatemalensis*](#) Lundell
- [*Ocotea guianensis*](#) Aubl.
- [*Ocotea gymnoblata*](#) van der Werff
- [*Ocotea haberi*](#) van der Werff
- [*Ocotea hammeliana*](#) van der Werff
- [*Ocotea harrisii*](#) Proctor

- [Ocotea hartshorniana](#) Hammel
- [Ocotea hemsleyana](#) Mez
- [Ocotea heribertoj](#) T.Wendt
- [Ocotea heterochroma](#) Mez & Sodiro
- [Ocotea heydeana](#) (Mez & Donn.Sm.) Bernardi
- [Ocotea hilariana](#) Mez
- [Ocotea hirtandra](#) van der Werff
- [Ocotea hirtistyla](#) van der Werff
- [Ocotea hoehnei](#) Vattimo-Gil
- [Ocotea holdridgeana](#) W.C.Burger
- [Ocotea huberi](#) van der Werff
- [Ocotea hueckii](#) Bernardi
- [Ocotea humbertii](#) Kosterm.
- [Ocotea humblotii](#) Baill.
- [Ocotea hypoglauca](#) (Nees & Mart.) Mez
- [Ocotea illustris](#) Rusby
- [Ocotea imazensis](#) van der Werff
- [Ocotea immersa](#) van der Werff
- [Ocotea imrayana](#) Mez
- [Ocotea indecora](#) (Schott) Mez
- [Ocotea indirectinervia](#) C.K.Allen
- [Ocotea infrafoveolata](#) van der Werff
- [Ocotea inhauba](#) Coe-Teix.
- [Ocotea insignis](#) Mez
- [Ocotea insularis](#) (Meisn.) Mez
- [Ocotea involuta](#) Kosterm.
- [Ocotea iridescens](#) Lorea-Hern. & van der Werff
- [Ocotea itatiaiae](#) Vattimo-Gil
- [Ocotea ivohibensis](#) van der Werff
- [Ocotea jacquinii](#) (Meisn.) Mez
- [Ocotea jefensis](#) van der Werff
- [Ocotea jelskii](#) Mez
- [Ocotea jorge-escobarii](#) C.Nelson
- [Ocotea julianii](#) van der Werff
- [Ocotea karsteniana](#) Mez
- [Ocotea kenyensis](#) (Chiov.) Robyns & R.Wilczek
- [Ocotea keriana](#) A.C.Sm.
- [Ocotea killipii](#) A.C.Sm.
- [Ocotea klotzschiana](#) (Nees) Hemsl.
- [Ocotea kolera](#) van der Werff
- [Ocotea kostermansiana](#) Vattimo-Gil
- [Ocotea laetevirens](#) Standl. & Steyerm.

- [*Ocotea laevifolia*](#) van der Werff
- [*Ocotea laevigata*](#) (Meisn.) Marais
- [*Ocotea lanata*](#) (Nees & Mart.) Mez
- [*Ocotea lancifolia*](#) (Schott) Mez
- [*Ocotea lancilimba*](#) Kosterm.
- [*Ocotea langsdorffii*](#) (Meisn.) Mez
- [*Ocotea laticostata*](#) C.K.Allen
- [*Ocotea latipetiolata*](#) van der Werff
- [*Ocotea laxa*](#) (Nees) Mez
- [*Ocotea lenitae*](#) van der Werff
- [*Ocotea lentii*](#) W.C.Burger
- [*Ocotea leptobotra*](#) (Ruiz & Pav.) Mez
- [*Ocotea leptophylla*](#) van der Werff
- [*Ocotea leucophloea*](#) (Nees & Mart.) L.C.S.Assis & Mello-Silva
- [*Ocotea leucoxylon*](#) (Sw.) Laness.
- [*Ocotea lherminieri*](#) Mez
- [*Ocotea libanensis*](#) Bisse
- [*Ocotea liesneri*](#) van der Werff
- [*Ocotea ligulata*](#) van der Werff
- [*Ocotea limae*](#) Vattimo-Gil
- [*Ocotea limiticola*](#) van der Werff
- [*Ocotea lindbergii*](#) Mez
- [*Ocotea lobbii*](#) (Meisn.) Rohwer
- [*Ocotea loefgrenii*](#) Vattimo-Gil
- [*Ocotea longipedicellata*](#) van der Werff
- [*Ocotea longipes*](#) Kosterm.
- [*Ocotea longipetiolata*](#) van der Werff
- [*Ocotea loxensis*](#) van der Werff
- [*Ocotea macrantha*](#) van der Werff
- [*Ocotea macrocarpa*](#) Kosterm.
- [*Ocotea macrophylla*](#) Kunth
- [*Ocotea macropoda*](#) (Kunth) Mez
- [*Ocotea madagascariensis*](#) (Meisn.) Palacký
- [*Ocotea magnifolia*](#) (Lundell) Lundell
- [*Ocotea magnifrons*](#) van der Werff
- [*Ocotea magnilimba*](#) Kosterm.
- [*Ocotea malcomberi*](#) van der Werff
- [*Ocotea mandonii*](#) Mez
- [*Ocotea mantiqueirae*](#) Baitello, Arzolla & F.E.Vilela
- [*Ocotea maranguapensis*](#) Vattimo-Gil
- [*Ocotea marcescens*](#) L.C.S.Assis & Mello-Silva
- [*Ocotea marmellensis*](#) Mez

- [*Ocotea martinicensis*](#) Mez
- [*Ocotea marumbiensis*](#) Brotto & Baitello
- [*Ocotea mascarena*](#) (Buc'hoz) Kosterm.
- [*Ocotea matogrossensis*](#) Vattimo-Gil
- [*Ocotea matudae*](#) Lundell
- [*Ocotea maximiliana*](#) (Nees & Mart.) P.L.R.Moraes
- [*Ocotea megacarpa*](#) van der Werff
- [*Ocotea megaphylla*](#) (Meisn.) Mez
- [*Ocotea megistophylla*](#) van der Werff
- [*Ocotea meyendorffiana*](#) (Meisn.) Mez
- [*Ocotea meziana*](#) C.K.Allen
- [*Ocotea micans*](#) Mez
- [*Ocotea micrantha*](#) van der Werff
- [*Ocotea microbotrys*](#) (Meisn.) Mez
- [*Ocotea microneura*](#) (Meisn.) Rohwer
- [*Ocotea minarum*](#) (Nees & Mart.) Mez
- [*Ocotea minor*](#) Vicent.
- [*Ocotea minutiflora*](#) O.C.Schmidt
- [*Ocotea moaensis*](#) Bisse
- [*Ocotea mollicella*](#) (S.F.Blake) van der Werff
- [*Ocotea mollifolia*](#) Mez & Pittier
- [*Ocotea mollivillosa*](#) van der Werff
- [*Ocotea montana*](#) Mez
- [*Ocotea monteverdensis*](#) W.C.Burger
- [*Ocotea montis-insulae*](#) van der Werff
- [*Ocotea monzonensis*](#) Mez
- [*Ocotea moschata*](#) (Meisn.) Mez
- [*Ocotea mosenii*](#) Mez
- [*Ocotea mucronata*](#) (Poir.) Kosterm.
- [*Ocotea multiflora*](#) van der Werff
- [*Ocotea multinervis*](#) van der Werff
- [*Ocotea munacensis*](#) O.C.Schmidt
- [*Ocotea myriantha*](#) (Meisn.) Mez
- [*Ocotea neblinae*](#) C.K.Allen
- [*Ocotea nectandrifolia*](#) Mez
- [*Ocotea neesiana*](#) (Miq.) Kosterm.
- [*Ocotea nervosa*](#) Kosterm.
- [*Ocotea nigra*](#) Benoist
- [*Ocotea nigrescens*](#) Vicent.
- [*Ocotea nigrata*](#) (Lundell) Lundell
- [*Ocotea nilssonii*](#) C.K.Allen
- [*Ocotea nitida*](#) (Meisn.) Rohwer

- [Ocotea nobilis](#) (A.C.Sm.) Kosterm.
- [Ocotea notata](#) (Nees & Mart.) Mez
- [Ocotea nunesiana](#) (Vattimo-Gil) Baitello
- [Ocotea nutans](#) (Nees) Mez
- [Ocotea obliqua](#) Vicent.
- [Ocotea oblonga](#) (Meisn.) Mez
- [Ocotea oblongifolia](#) van der Werff
- [Ocotea obovata](#) (Ruiz & Pav.) Mez
- [Ocotea obovatifolia](#) van der Werff
- [Ocotea obtusata](#) (Nees) Kosterm.
- [Ocotea obtusifolia](#) Kunth
- [Ocotea odorata](#) (Meisn.) Mez
- [Ocotea odorifera](#) (Vell.) Rohwer
- [Ocotea olivacea](#) A.C.Sm.
- [Ocotea oppositifolia](#) S.Yasuda
- [Ocotea oreophila](#) van der Werff
- [Ocotea orientalis](#) van der Werff
- [Ocotea otara](#) van der Werff
- [Ocotea ottoschmidtii](#) J.F.Macbr.
- [Ocotea ovalifolia](#) Mez
- [Ocotea pachypoda](#) Mez & Sodiro
- [Ocotea pacifica](#) van der Werff
- [Ocotea pajonalis](#) van der Werff
- [Ocotea palaciosii](#) van der Werff
- [Ocotea palcazuensis](#) van der Werff
- [Ocotea papyracea](#) van der Werff
- [Ocotea paranaensis](#) Brotto, Baitello, Cervi & E.P.Santos
- [Ocotea parvula](#) (Lundell) van der Werff
- [Ocotea pastazensis](#) van der Werff
- [Ocotea patula](#) van der Werff
- [Ocotea pauciflora](#) (Nees) Mez
- [Ocotea pausiaca](#) Rohwer
- [Ocotea pautensis](#) van der Werff
- [Ocotea pedanomischa](#) van der Werff
- [Ocotea pedicellata](#) van der Werff
- [Ocotea pentagona](#) Mez
- [Ocotea percoriacea](#) Kosterm.
- [Ocotea percurrens](#) Vicent.
- [Ocotea perforata](#) Kosterm.
- [Ocotea perrobusta](#) (C.K.Allen) Rohwer
- [Ocotea persicifolia](#) Mez & Donn.Sm.
- [Ocotea petalanthera](#) (Meisn.) Mez

- [Ocotea pharomachrosorum](#) Gómez-Laur.
- [Ocotea pichinchensis](#) van der Werff
- [Ocotea pittieri](#) (Mez) van der Werff
- [Ocotea piurensis](#) Mez
- [Ocotea platyphylla](#) (Lundell) Rohwer
- [Ocotea pluridomatiata](#) A.Quinet
- [Ocotea polyantha](#) (Nees & Mart.) Mez
- [Ocotea pomaderrrioides](#) (Meisn.) Mez
- [Ocotea porosa](#) (Nees & Mart.) Barroso
- [Ocotea porphyria](#) (Griseb.) van der Werff
- [Ocotea portoricensis](#) Mez
- [Ocotea praetermissa](#) van der Werff
- [Ocotea producta](#) (C.K.Allen) Rohwer
- [Ocotea prolifera](#) (Nees & Mart.) Mez
- [Ocotea prunifolia](#) Rusby
- [Ocotea pseudopalmana](#) W.C.Burger
- [Ocotea psychotrioides](#) Kunth
- [Ocotea puberula](#) (Rich.) Nees
- [Ocotea pulchella](#) (Nees & Mart.) Mez
- [Ocotea pullifolia](#) van der Werff
- [Ocotea pumila](#) L.C.S.Assis & Mello-Silva
- [Ocotea purpurea](#) (Mez) van der Werff
- [Ocotea quadriporata](#) (W.C.Burger) Kosterm.
- [Ocotea racemiflora](#) Lundell
- [Ocotea racemosa](#) (Danguy) Kosterm.
- [Ocotea ramosissima](#) L.C.S.Assis & Mello-Silva
- [Ocotea raymondiana](#) van der Werff
- [Ocotea recurvata](#) van der Werff
- [Ocotea reticularis](#) (Britton & P.Wilson) Alain
- [Ocotea revoluta](#) Moldenke
- [Ocotea revolutifolia](#) A.Quinet
- [Ocotea rhodophylla](#) Vicent.
- [Ocotea rhytidotricha](#) Rohwer
- [Ocotea rigens](#) (Nees & Mart.) Rohwer
- [Ocotea rigidifolia](#) Kosterm.
- [Ocotea rivularis](#) Standl. & L.O.Williams
- [Ocotea robertsoniae](#) Proctor
- [Ocotea rohweri](#) P.L.R.Moraes & van der Werff
- [Ocotea roseopedunculata](#) van der Werff
- [Ocotea rotundata](#) van der Werff
- [Ocotea rovirosae](#) Lorea-Hern. & van der Werff
- [Ocotea rubrinervis](#) Mez

- [Ocotea rufa](#) Mez
- [Ocotea rufescens](#) van der Werff
- [Ocotea rufotomentella](#) van der Werff
- [Ocotea rufovestita](#) Ducke
- [Ocotea rugosa](#) van der Werff
- [Ocotea rupestris](#) L.C.S.Assis & Mello-Silva
- [Ocotea salvadorensis](#) (Lundell) van der Werff
- [Ocotea salvinii](#) Mez
- [Ocotea sambiranensis](#) van der Werff
- [Ocotea sanariapensis](#) Lasser
- [Ocotea sandwithii](#) Kosterm.
- [Ocotea santamartae](#) van der Werff
- [Ocotea sarcodes](#) Lorea-Hern.
- [Ocotea sassafras](#) (Meisn.) Mez
- [Ocotea satipensis](#) van der Werff
- [Ocotea sauroderma](#) Lorea-Hern.
- [Ocotea scabrella](#) van der Werff
- [Ocotea scalariformis](#) van der Werff
- [Ocotea scandens](#) Kosterm.
- [Ocotea schomburgkiana](#) (Nees) Mez
- [Ocotea schwackeana](#) Mez
- [Ocotea semicompleta](#) (Nees & Mart.) Mez
- [Ocotea sericea](#) Kunth
- [Ocotea serrana](#) Coe-Teix.
- [Ocotea sessiliflora](#) Kosterm.
- [Ocotea silvae](#) Vattimo-Gil
- [Ocotea silvestris](#) Vattimo-Gil
- [Ocotea sinaiana](#) Vattimo-Gil
- [Ocotea sinuata](#) (Mez) Rohwer
- [Ocotea smithiana](#) O.C.Schmidt
- [Ocotea smithii](#) van der Werff
- [Ocotea sodiroana](#) Mez
- [Ocotea solomonii](#) van der Werff
- [Ocotea spanantha](#) van der Werff
- [Ocotea spathulata](#) Mez
- [Ocotea spectabilis](#) (Meisn.) Mez
- [Ocotea sperata](#) P.L.R.Moraes & van der Werff
- [Ocotea spixiana](#) (Nees) Mez
- [Ocotea splendens](#) (Meisn.) Baill.
- [Ocotea sprucei](#) (Meisn.) Mez
- [Ocotea squarrosa](#) (Nees) Mez
- [Ocotea staminoides](#) Proctor

- [*Ocotea standleyi*](#) C.K.Allen
- [*Ocotea stenoneura*](#) Mez & Pittier
- [*Ocotea stenophylla*](#) van der Werff
- [*Ocotea strigosa*](#) van der Werff
- [*Ocotea stuebelii*](#) Mez
- [*Ocotea suaveolens*](#) (Meisn.) Benth. & Hook.f. ex Hieron.
- [*Ocotea subalata*](#) Lundell
- [*Ocotea subparamicola*](#) van der Werff
- [*Ocotea subrutilans*](#) Mez
- [*Ocotea subterminalis*](#) van der Werff
- [*Ocotea subtriplinervia*](#) (Meisn.) Hemsl.
- [*Ocotea sulcata*](#) Vattimo-Gil
- [*Ocotea tabacifolia*](#) (Meisn.) Rohwer
- [*Ocotea tampicensis*](#) (Meisn.) Hemsl.
- [*Ocotea tarapotana*](#) (Meisn.) Mez
- [*Ocotea tarmensis*](#) van der Werff
- [*Ocotea teleiandra*](#) (Meisn.) Mez
- [*Ocotea tenella*](#) A.C.Sm.
- [*Ocotea tenera*](#) Mez & Donn.Sm.
- [*Ocotea tenuiflora*](#) (Nees) Mez
- [*Ocotea terciopelo*](#) C.K.Allen
- [*Ocotea teresae*](#) P.L.R.Moraes & T.D.M.Barbosa
- [*Ocotea tessmannii*](#) O.C.Schmidt
- [*Ocotea thinicola*](#) van der Werff & P.L.R.Moraes
- [*Ocotea thouvenotii*](#) (Danguy) Kosterm.
- [*Ocotea tillettsiana*](#) C.K.Allen
- [*Ocotea tomentella*](#) Sandwith
- [*Ocotea tomentosa*](#) van der Werff
- [*Ocotea tonduzii*](#) Standl.
- [*Ocotea tonii*](#) (Lundell) van der Werff
- [*Ocotea towarensis*](#) (Klotzsch & H.Karst. ex Nees) Mez
- [*Ocotea trematifera*](#) van der Werff
- [*Ocotea trichantha*](#) Baker
- [*Ocotea trichophlebia*](#) Baker
- [*Ocotea trinidadensis*](#) Kosterm.
- [*Ocotea tristis*](#) (Nees & Mart.) Mez
- [*Ocotea truncata*](#) Lundell
- [*Ocotea tsaratananensis*](#) van der Werff
- [*Ocotea tubulosa*](#) Lasser
- [*Ocotea ucayalensis*](#) O.C.Schmidt
- [*Ocotea umbrina*](#) van der Werff
- [*Ocotea urbaniana*](#) Mez

- [*Ocotea uxpanapana*](#) T.Wendt & van der Werff
- [*Ocotea vaccinioides*](#) (Meisn.) Mez
- [*Ocotea vaginans*](#) (Meisn.) Mez
- [*Ocotea valeriana*](#) (Standl.) W.C.Burger
- [*Ocotea valeroides*](#) W.C.Burger
- [*Ocotea vanderwerffii*](#) (Kosterm.) van der Werff
- [*Ocotea varabilis*](#)[4]
- [*Ocotea vasquezii*](#) van der Werff
- [*Ocotea vegrandis*](#) P.L.R.Moraes & van der Werff
- [*Ocotea velloziana*](#) (Meisn.) Mez
- [*Ocotea velutina*](#) (Nees) Mart. ex B.D.Jacks.
- [*Ocotea venosa*](#) Gleason
- [*Ocotea venulosa*](#) (Nees) Baitello
- [*Ocotea verapazensis*](#) Standl. & Steyerf.
- [*Ocotea vergelensis*](#) van der Werff
- [*Ocotea verticillata*](#) Rohwer
- [*Ocotea viburnoides*](#) (Meisn.) Mez
- [*Ocotea villosa*](#) Kosterm.
- [*Ocotea virgultosa*](#) Mart. ex Mez
- [*Ocotea viridiflora*](#) Lundell
- [*Ocotea weberbaueri*](#) Mez
- [*Ocotea whitei*](#) Woodson
- [*Ocotea wilhelminae*](#) Vattimo-Gil
- [*Ocotea wrightii*](#) (Meisn.) Mez
- [*Ocotea wurdackiana*](#) C.K.Allen
- [*Ocotea xanthocalyx*](#) (Nees) Mez
- [*Ocotea yutajensis*](#) C.K.Allen
- [*Ocotea zahamenensis*](#) van der Werff
- [*Ocotea zoque*](#) Lorea-Hern.

From Wikipedia, the free encyclopedia

Oberonia is a genus of about 266 species of [flowering plants](#) in the orchid family, [Orchidaceae](#). The following is a list of [Oberonia](#) species accepted by [Plants of the World Online](#) as at October 2025.[1]

- [*Oberonia acarus*](#) Evrard ex Gagnep.
- [*Oberonia acaulis*](#) Griff.
 - *Oberonia acaulis* var. *acaulis*
 - *Oberonia acaulis* var. *luchunensis* S.C.Chen
- [*Oberonia agamensis*](#) J.J.Sm.
- [*Oberonia agastyamalayana*](#) C.S.Kumar
- [*Oberonia alopecurus*](#) Schltr.

- [*Oberonia anamalayana*](#) J.Joseph
- [*Oberonia anguina*](#) Schltr.
- [*Oberonia angustifolia*](#) Lindl.
- [*Oberonia anthropophora*](#) Lindl.
- [*Oberonia aporophylla*](#) Rchb.f.
- [*Oberonia arcuata*](#) Schltr.
- [*Oberonia arisanensis*](#) Hayata
- [*Oberonia arunachalensis*](#) A.N.Rao
- [*Oberonia attenuata*](#) Dockrill – Mossman fairy orchid (Australia)
- [*Oberonia aureolabris*](#) D.L.Geiger
- [*Oberonia balakrishnanii*](#) R.Ansari
- [*Oberonia bantaengensis*](#) J.J.Sm.
- [*Oberonia batuensis*](#) J.J.Sm.
- [*Oberonia beccarii*](#) Finet
- [*Oberonia bellii*](#) Blatt. & McCann
- [*Oberonia benguetensis*](#) Ames
- [*Oberonia bertoldii*](#) King & Pantl.
- [*Oberonia betongensis*](#) Kerr
- [*Oberonia bicornis*](#) Lindl.
- [*Oberonia bifida*](#) Schltr.
 - *Oberonia bifida* var. *bifida*
 - *Oberonia bifida* var. *brachyloba* Schltr.
- [*Oberonia bilobata*](#) Schltr.
- [*Oberonia boerlageana*](#) J.J.Sm.
- [*Oberonia bopannae*](#) Chowlu & Kumar
- [*Oberonia borneensis*](#) Schltr.
- [*Oberonia bougainvilleana*](#) Ormerod
- [*Oberonia brachystachys*](#) Lindl.
- [*Oberonia brevispica*](#) Schltr.
- [*Oberonia brunnea*](#) Schltr.
- [*Oberonia brunoniana*](#) Wight
- [*Oberonia calcarea*](#) P.O'Byrne
- [*Oberonia cardiochila*](#) Schltr
- [*Oberonia carnosa*](#) Lavarack – rockpile fairy orchid (Australia)
- [*Oberonia cathayana*](#) Chun & Tang
- [*Oberonia caulescens*](#) Lindl.
- [*Oberonia cavaleriei*](#) Finet
- [*Oberonia chandrasekharanii*](#) V.J.Nair, V.S.Ramach. & R.Ansari
- [*Oberonia celebica*](#) Schltr.
- [*Oberonia chandrasekharanii*](#) V.J.Nair, V.S.Ramach. & R.Ansari
- [*Oberonia cirrhifera*](#) J.J.Sm.
- [*Oberonia claviloba*](#) Jayaw.

- [*Oberonia cleistogama*](#) Schltr.
- [*Oberonia complanata*](#) (A.Cunn.) M.A.Clem. & D.L.Jones – southern green fairy orchid (Australia)
- [*Oberonia cordata*](#) Schltr.
- [*Oberonia costeriana*](#) J.J.Sm.
- [*Oberonia cryptantha*](#) Schltr.
- [*Oberonia cuneata*](#) J.J.Sm.
- [*Oberonia cylindrica*](#) Lindl.
- [*Oberonia delacourii*](#) Gagnep.
- [*Oberonia dimorphophylla*](#) J.J.Sm.
- [*Oberonia dissitiflora*](#) Ridl.
- [*Oberonia disticha*](#) (Lam.) Schltr.
- [*Oberonia diura*](#) Schltr.
- [*Oberonia djamuensis*](#) Schltr.
- [*Oberonia djongkongensis*](#) J.J.Sm.
- [*Oberonia dolabrata*](#) Jayaw.
- [*Oberonia drepanophylla*](#) Schltr.
- [*Oberonia dubia*](#) J.J.Sm.
- [*Oberonia elegans*](#) Schltr.
- [*Oberonia elongata*](#) Ridl.
- [*Oberonia emarginata*](#) King & Pantl.
- [*Oberonia ensifolia*](#) J.B.Comber
- [*Oberonia ensiformis*](#) (Sm.) Lindl.
- [*Oberonia equitans*](#) (G.Forst.) Mutel
- [*Oberonia exaltata*](#) Schltr.
- [*Oberonia falcifolia*](#) Schltr.
- [*Oberonia falconeri*](#) Hook.f.
- [*Oberonia fallax*](#) J.J.Sm.
- [*Oberonia ferruginea*](#) C.S.P.Parish ex Hook.f.
- [*Oberonia filaris*](#) Ridl.
- [*Oberonia finisterrae*](#) Schltr.
- [*Oberonia fissipetala*](#) Mansf.
- [*Oberonia flavescens*](#) D.L.Jones & M.A.Clem. – northern green fairy orchid (Australia)
- [*Oberonia forcipata*](#) Lindl.
- [*Oberonia formosana*](#) Hayata
- [*Oberonia fornicata*](#) Jayaw.
- [*Oberonia fungumolens*](#) Burkill
- [*Oberonia gammiei*](#) King & Pantl.
- [*Oberonia glandulifera*](#) Ridl.
- [*Oberonia gongshanensis*](#) Ormerod
- [*Oberonia govidjoae*](#) Schltr.
- [*Oberonia gracilipes*](#) Schltr.
- [*Oberonia gracilis*](#) Hook.f.

- [*Oberonia grandis*](#) Ridl.
- [*Oberonia griffithiana*](#) Lindl.
- [*Oberonia hamadryas*](#) Ridl.
- [*Oberonia hastata*](#) Schltr.
- [*Oberonia helferi*](#) Hook.f.
- [*Oberonia heliophila*](#) Rchb.f.
- [*Oberonia hexaptera*](#) F.Muell.
- [*Oberonia hosei*](#) Rendle
- [*Oberonia hosseusii*](#) Schltr.
- [*Oberonia huensis*](#) Aver.
- [*Oberonia* × *hybrida*](#) Schltr.
- [*Oberonia imbricata*](#) (Blume) Lindl.
- [*Oberonia insectifera*](#) Hook.f.
- [*Oberonia insularis*](#) Hayata
- [*Oberonia integrilabris*](#) Yu L.Li & F.W.Xing
- [*Oberonia intermedia*](#) King & Pantl.
- [*Oberonia irrorata*](#) Schltr.
- [*Oberonia japonica*](#) (Maxim.) Makino
- [*Oberonia jenkinsiana*](#) Griff. ex Lindl.
- [*Oberonia jhae*](#) Chowlu & K.S.Rab
- [*Oberonia josephi*](#) C.J.Saldanha
- [*Oberonia kaernbachiana*](#) Kraenzl.
- [*Oberonia kaniensis*](#) Schltr.
- [*Oberonia kempfii*](#) Schltr.
- [*Oberonia kempteri*](#) Schltr.
- [*Oberonia kingii*](#) Lucksom
- [*Oberonia klossii*](#) Ridl.
- [*Oberonia kwangsiensis*](#) Seidenf.
- [*Oberonia labidoglossa*](#) Schltr.
- [*Oberonia lancipetala*](#) Schltr.
- [*Oberonia langbianensis*](#) Gagnep.
- [*Oberonia latifii*](#) J.J.Sm.
- [*Oberonia latilabris*](#) Schltr.
- [*Oberonia latipetala*](#) L.O.Williams
- [*Oberonia laxa*](#) Schltr.
- [*Oberonia ledermannii*](#) Schltr.
- [*Oberonia leytenis*](#) Ames
- [*Oberonia linearifolia*](#) Ames
- [*Oberonia linearis*](#) Schltr.
 - *Oberonia linearis* var. *brevipetala* J.J.Sm.
 - *Oberonia linearis* var. *linearis*
- [*Oberonia linguae*](#) T.P.Lin & Y.N.Chang

- [*Oberonia lipensis*](#) Ames
- [*Oberonia lobbiana*](#) Lindl.
- [*Oberonia lobulata*](#) King & Pantl.
- [*Oberonia longhutensis*](#) J.J.Sm.
- [*Oberonia longibracteata*](#) Lindl.
- [*Oberonia longicaulis*](#) Schltr.
- [*Oberonia longilabris*](#) King & Pantl.
- [*Oberonia longispica*](#) Schltr.
- [*Oberonia longitepala*](#) J.J.Wood
- [*Oberonia lotsyana*](#) J.J.Sm.
- [*Oberonia lucida*](#) J.J.Sm.
- [*Oberonia lunata*](#) (Blume) Lindl.
- [*Oberonia luzonensis*](#) Ames
- [*Oberonia lycopodioides*](#) (J.Koenig) Ormerod
- [*Oberonia maboroensis*](#) Schltr.
- [*Oberonia macrostachys*](#) Ridl.
- [*Oberonia mahaelyensis*](#) C.Bandara, Lakkana & Edir.
- [*Oberonia mahawoensis*](#) Schltr.
- [*Oberonia mannii*](#) Hook.f.
- [*Oberonia marginata*](#) Ridl.
- [*Oberonia marina*](#) J.B.Comber
- [*Oberonia marnkuliensis*](#) Shreyas & Kotresha
- [*Oberonia masarangica*](#) Schltr.
- [*Oberonia maxima*](#) C.S.P.Parish ex Hook.f.
- [*Oberonia meegaskumburae*](#) Priyad., Wijew. & Kumar
- [*Oberonia melinantha*](#) Schltr.
- [*Oberonia menglaensis*](#) S.C.Chen & Z.H.Tsi
- [*Oberonia merapiensis*](#) Schltr.
- [*Oberonia merrillii*](#) Ames
- [*Oberonia microphylla*](#) (Blume) Lindl.
- [*Oberonia microtatantha*](#) Schltr.
- [*Oberonia mindorensis*](#) Ames
- [*Oberonia miniata*](#) Lindl.
- [*Oberonia minima*](#) Ames
- [*Oberonia minutissima*](#) Ames
- [*Oberonia monstrosa*](#) (Blume) Lindl.
 - *Oberonia monstrosa* var. *monstrosa*
 - *Oberonia monstrosa* var. *seramica* J.J.Sm.
- [*Oberonia mucronata*](#) (D.Don) Ormerod
- [*Oberonia multiflora*](#) Ridl.
- [*Oberonia muriculata*](#) Schltr.
- [*Oberonia muthikulamensis*](#) K.Prasad, K.M.P.Kumar & P.Sudheshna

- [*Oberonia nayarii*](#) R.Ansari & N.P.Balacr.
- [*Oberonia neglecta*](#) Schltr.
- [*Oberonia nephroglossa*](#) Schltr.
- [*Oberonia ngoclinhensis*](#) Aver.
- [*Oberonia obcordata*](#) Lindl.
- [*Oberonia oblonga*](#) R.S.Rogers
- [*Oberonia odoardi*](#) Schltr.
- [*Oberonia oligotricha*](#) Schltr.
- [*Oberonia orbicularis*](#) Hook.f.
- [*Oberonia ovalis*](#) Schltr.
- [*Oberonia pachyambon*](#) Schltr.
- [*Oberonia pachyphylla*](#) King & Pantl.
- [*Oberonia pachyrachis*](#) Rchb.f. ex Hook.f.
- [*Oberonia pachystachya*](#) Lindl.
- [*Oberonia padangensis*](#) Schltr.
- [*Oberonia pallideflava*](#) Schltr.
- [*Oberonia papillosa*](#) Schltr.
- [*Oberonia pauzii*](#) P.T.Ong & P.O'Byrne
- [*Oberonia pedicellata*](#) J.J.Sm.
- [*Oberonia phleoides*](#) Schltr.
- [*Oberonia platycaulon*](#) Wight
- [*Oberonia platychila*](#) Schltr.
- [*Oberonia pleistophylla*](#) Schltr.
- [*Oberonia plumea*](#) J.J.Sm.
- [*Oberonia podostachys*](#) Schltr.
- [*Oberonia potamophila*](#) Schltr.
- [*Oberonia prainiana*](#) King & Pantl.
- [*Oberonia proudlockii*](#) King & Pantl.
- [*Oberonia pumilio*](#) Rchb.f.
- [*Oberonia punamensis*](#) Schltr.
- [*Oberonia punctata*](#) J.J.Sm.
- [*Oberonia pygmaea*](#) Bunpha, H.A.Pedersen & Sridith
- [*Oberonia pyrulifera*](#) Lindl.
- [*Oberonia quadrata*](#) Schltr.
- [*Oberonia quadrilatera*](#) Jayaw.
- [*Oberonia radicans*](#) Schltr.
- [*Oberonia reilloi*](#) Ames
- [*Oberonia repens*](#) Schltr.
- [*Oberonia reversidens*](#) J.J.Sm.
- [*Oberonia rhizoides*](#) Aver.
- [*Oberonia rhizomatosa*](#) J.J.Sm.
- [*Oberonia rhodostachys*](#) Schltr.

- [*Oberonia ritaii*](#) King & Pantl.
- [*Oberonia rotunda*](#) Hosok.
- [*Oberonia ruberrima*](#) Schltr.
- [*Oberonia rubra*](#) Ridl.
- [*Oberonia rufilabris*](#) Lindl.
- [*Oberonia sarawakensis*](#) Schltr.
- [*Oberonia sarcophylla*](#) Schltr.
- [*Oberonia scapigera*](#) Schltr.
- [*Oberonia scyllae*](#) Lindl.
- [*Oberonia scytophylla*](#) Schltr.
- [*Oberonia sebastiana*](#) B.V.Shetty & Vivek.
- [*Oberonia segawae*](#) T.C.Hsu & S.W.Chung
- [*Oberonia seidenfadeniana*](#) J.Joseph & Vajr.
- [*Oberonia seidenfadenii*](#) (H.J.Su) Ormerod
- [*Oberonia semifimbriata*](#) J.J.Sm.
- [*Oberonia seranica*](#) J.J.Sm.
- [*Oberonia serpentinae*](#) J.J.Sm.
- [*Oberonia serrulata*](#) Schltr.
- [*Oberonia setigera*](#) Ames
- [*Oberonia similipalensis*](#) S.Misra
- [*Oberonia similis*](#) (Blume) Lindl.
- [*Oberonia simplex*](#) Aver.
- [*Oberonia singalangensis*](#) Schltr.
- [*Oberonia sinuata*](#) Aver.
- [*Oberonia sinuosa*](#) Ridl.
- [*Oberonia sonlaensis*](#) Aver.
- [*Oberonia spathipetala*](#) J.J.Sm.
- [*Oberonia subligaculifera*](#) J.J.Sm.
- [*Oberonia suborbicularis*](#) Carr
- [*Oberonia sumatrensis*](#) Ridl.
- [*Oberonia surigaensis*](#) Ames
- [*Oberonia swaminathanii*](#) Ratheesh, Manudev & Sujanapal
- [*Oberonia tahitensis*](#) Lindl.
- [*Oberonia tatianae*](#) Aver.
- [*Oberonia teres*](#) Kerr
- [*Oberonia thomsenii*](#) J.J.Sm.
- [*Oberonia thwaitesii*](#) Hook.f.
- [*Oberonia titania*](#) Lindl.
- [*Oberonia tixieri*](#) Guillaumin
- [*Oberonia tjisokanensis*](#) J.J.Sm.
- [*Oberonia tomohonensis*](#) Schltr.
- [*Oberonia torricellensis*](#) Schltr.

- [*Oberonia transversiloba*](#) Holtum
- [*Oberonia triangularis*](#) Ames & C.Schweinf.
- [*Oberonia trichophora*](#) Aver.
- [*Oberonia truncata*](#) Lindl.
- [*Oberonia truncatiglossa*](#) P.Royen
- [*Oberonia urostachya*](#) Schltr.
- [*Oberonia vaeletoniana*](#) J.J.Sm.
- [*Oberonia variabilis*](#) Kerr
- [*Oberonia verticillata*](#) Wight
- [*Oberonia vieillardii*](#) (Rchb.f.) M.A.Clem. & D.L.Jones
- [*Oberonia volucris*](#) Schltr.
- [*Oberonia wallie-silvae*](#) Jayaw.
- [*Oberonia wappeana*](#) J.J.Sm.
- [*Oberonia watuwilensis*](#) J.J.Sm.
- [*Oberonia weragamaensis*](#) Jayaw.
- [*Oberonia wernerii*](#) Schltr.
- [*Oberonia wightiana*](#) Lindl.
- [*Oberonia wynadensis*](#) Sivad. & R.T.Balakr.
- [*Oberonia zeylanica*](#) Hook.f.
- [*Oberonia zimmermanniana*](#) J.J.Sm.

From Wikipedia, the free encyclopedia

The 79 accepted and known species of [*Nicotiana*](#) include:[1]

- [*Nicotiana acaulis*](#) Speg.[2]
- [*Nicotiana acuminata*](#) (Graham) Hook. – manyflower tobacco, many-flowered tobacco[2]
- [*Nicotiana africana*](#) Merxm.[2]
- [*Nicotiana alata*](#) Link & Otto – jasmine tobacco, sweet tobacco, winged tobacco, Persian tobacco, *tanbaku* (Persian)[2]
- [*Nicotiana ameghinoi*](#) Speg.[2]
- [*Nicotiana amplexicaulis*](#) N. T. Burb.[2]
- [*Nicotiana arentsii*](#) Goodsp.[2]
- [*Nicotiana attenuata*](#) Torrey ex S. Watson – coyote tobacco[2]
- [*Nicotiana azambujae*](#) L. B. Smith & Downs[2]
- [*Nicotiana benavidesii*](#) Goodsp.[2]
- [*Nicotiana benthamiana*](#) Domin[2] – benth, benthii
- [*Nicotiana bonariensis*](#) Lehm.[2]
- [*Nicotiana burbridgeae*](#) Symon[2]
- [*Nicotiana cavicola*](#) N. T. Burb.[2]
- [*Nicotiana clevelandii*](#) A. Gray[2] – Cleveland's tobacco
- [*Nicotiana cordifolia*](#) Phil.[2]
- [*Nicotiana corymbosa*](#) J. Rémy[2]

- [*Nicotiana cutleri*](#) D'Arcy[2]
- [*Nicotiana excelsior*](#) (J. M. Black) J. M. Black[2]
- [*Nicotiana forgetiana*](#) Hemsl.[2]
- [*Nicotiana forsteri*](#) Roem. & Schult. (previously designated *N. debneyi*)[2]
- [*Nicotiana fragrans*](#) Hooker[2]
- [*Nicotiana glauca*](#) Graham – tree tobacco, Brazilian tree tobacco, shrub tobacco, wild tobacco, tobacco plant, tobacco bush, tobacco tree, mustard tree[2]
- [*Nicotiana glutinosa*](#) L.[2]
- [*Nicotiana goodspeedii*](#) H.-M. Wheeler[2]
- [*Nicotiana gossei*](#) Domin[2]
- [*Nicotiana hesperis*](#) N. T. Burb.[2]
- [*Nicotiana heterantha*](#) Kenneally & Symon[2]
- [*Nicotiana ingulba*](#) J. M. Black[2]
- [*Nicotiana kawakamii*](#) Y. Ohashi[2]
- [*Nicotiana knightiana*](#) Goodsp.[2]
- [*Nicotiana langsdorffii*](#) Weinm.[2] – Langsdorff's tobacco
- [*Nicotiana linearis*](#) Phil.[2]
- [*Nicotiana longibracteata*](#) Phil.[2]
- [*Nicotiana longiflora*](#) Cav.[2] – longflower tobacco, long-flowered tobacco
- [*Nicotiana maritima*](#) H.-M. Wheeler[2]
- [*Nicotiana megalosiphon*](#) Van Huerck & Müll. Arg.[2]
- [*Nicotiana miersii*](#) J. Rémy[2]
- [*Nicotiana mutabilis*](#) Stehmann & Samir[2]– color-changing tobacco, flowering tobacco
- [*Nicotiana nesophila*](#) I. M. Johnston[2]
- [*Nicotiana noctiflora*](#) Hook.[2]
- [*Nicotiana nudicaulis*](#) S. Watson[2]
- [*Nicotiana occidentalis*](#) H.-M. Wheeler[2] – native tobacco
- [*Nicotiana obtusifolia*](#) M. Martens & Galeotti (previously designated *N. trigonophylla*) – desert tobacco, punche, "tabaquillo"[2]
- [*Nicotiana otophora*](#) Griseb.[2]
- [*Nicotiana paa*](#) Mart. Crov.[2]
- [*Nicotiana palmeri*](#) A. Gray[2]
- [*Nicotiana paniculata*](#) L.[2] – smallflower tobacco, small-flowered tobacco
- [*Nicotiana pauciflora*](#) J. Rémy[2]
- [*Nicotiana petuniodes*](#) (Griseb.) Millán.[2]
- [*Nicotiana plumbaginifolia*](#) Viv.[2] – Tex-Mex tobacco
- [*Nicotiana quadrivalvis*](#) Pursh (replaces the following older classifications: *N. multivalvis* Lindl., *N. plumbaginifolia* Viv. var. *bigelovii* Torrey, *N. bigelovii* (Torrey) S. Watson)[2] – Indian tobacco
- [*Nicotiana raimondii*](#) J. F. Macbr.[2]
- [*Nicotiana repanda*](#) Willd. – fiddleleaf tobacco, fiddle-leafed tobacco[2]
- [*Nicotiana rotundifolia*](#) Lindl.[2]

- [*Nicotiana rustica*](#) L. – Aztec tobacco, strong tobacco, *mapacho*[2]
- [*Nicotiana setchellii*](#) Goodsp.[2]
- [*Nicotiana simulans*](#) N. T. Burb.[2]
- [*Nicotiana solanifolia*](#) Walp.[2]
- [*Nicotiana spegazzinii*](#) Millán[2]
- [*Nicotiana stenocarpa*](#) H.-M. Wheeler[2]
- [*Nicotiana stocktonii*](#) Brandege[2]
- [*Nicotiana suaveolens*](#) Lehm. – Australian tobacco[2]
- [*Nicotiana sylvestris*](#) Sp. & Comes – woodland tobacco, flowering tobacco, South American tobacco[2]
- [*Nicotiana tabacum*](#) L. – common tobacco, domesticated tobacco, cultivated tobacco, commercial tobacco (grown for the production of [cigars](#), [cigarillos](#), [cigarettes](#), [chewing tobacco](#), [dipping tobacco](#), [snuff](#), [snus](#), etc.)[2]
- [*Nicotiana thrysiflora*](#) Bitter ex Goodsp.[2]
- [*Nicotiana tomentosa*](#) Ruiz & Pav.[2]
- [*Nicotiana tomentosiformis*](#) Goodsp.[2]
- [*Nicotiana truncata*](#) D. E. Symon[2]
- [*Nicotiana umbratica*](#) N. T. Burb.[2]
- [*Nicotiana undulata*](#) Ruiz & Pav.[2]
- [*Nicotiana velutina*](#) H.-M. Wheeler[2]
- [*Nicotiana wigandioides*](#) Koch & Fintelm.[2]
- [*Nicotiana wuttkei*](#) Clarkson & Symon[2]

Five additional species that are listed by APNI are:

- [*Nicotiana gascoynica*](#) M.W. Chase & Christenh.
- [*Nicotiana hoskingii*](#) M.W. Chase, Palsson & Christenh.
- [*Nicotiana insecticida*](#) M.W. Chase & Christenh.
- [*Nicotiana karijini*](#) M.W. Chase & Christenh.
- [*Nicotiana yandinga*](#) M.W. Chase & christenh.

From Wikipedia, the free encyclopedia



Nepenthes

This **list of *Nepenthes* species** is a comprehensive listing of all known species of the [carnivorous plant genus *Nepenthes*](#) arranged according to their distribution. It is based on the 2009 monograph [Pitcher Plants of the Old World\[1\]](#) and, unless otherwise stated, all information is taken from this source.

Several species with an expansive geographical range are mentioned more than once. Species that are not [endemic](#) to a given region are marked with an asterisk (*).

Philippines



Nepenthes mantalingajanensis

Nepenthes species recorded from the [Philippines](#).

- [N. abalata\[2\]](#)
- [N. abgracilis\[3\]](#)
- [N. aenigma\[4\]](#)
- [N. alata](#)
- [N. alfredei\[5\]\[6\]](#)
- [N. alzapan\[7\]](#)
- [N. argentii](#)
- [N. armin\[8\]](#)
- [N. attenboroughii](#)
- [N. barcelonae\[9\]](#)
- [N. bellii](#)
- [N. burkei](#)
- [N. cabanae\[10\]](#)

1. ?[N. campanulata](#)[11] *

- [N. candalaga](#)[12]
- [N. ceciliae](#)[13]
- [N. cid](#)[3]
- [N. copelandii](#)
- [N. cornuta](#)[14]
- [N. deaniana](#)
- [N. eruroides](#)[15]
- [N. extincta](#)[16]
- [N. gantungensis](#)[17]
- [N. graciliflora](#)[18]
- [N. hamiguitanensis](#)[19]
- [N. higaonon](#)[20][21][22]
- [N. justinae](#)[4]
- [N. kampalili](#)[23]
- [N. kitanglad](#)[16]
- [N. leonardoi](#)[24]
- [N. leyte](#)[16]
- [N. maagnawensis](#)[25][26][27]
- [N. malimumuensis](#)[28]
- [N. manobo](#)[28]
- [N. mantalingajanensis](#)
- [N. maximoides](#)
- [N. merrilliana](#)
- [N. micramphora](#)
- [N. mindanaoensis](#)
- [N. mira](#)
- [N. mirabilis](#) *
- [N. nebularum](#)[29]
- [N. negros](#)[18]
- [N. palawanensis](#)[30]
- [N. pantaronensis](#)[14]
- [N. peltata](#)
- [N. petiolata](#)
- [N. philippinensis](#)
- [N. pulchra](#)[13]
- [N. ramos](#)[31]
- [N. robcantleyi](#)[32]
- [N. samar](#)[33]
- [N. saranganiensis](#)
- [N. sibuyanensis](#)
- [N. sumagaya](#)[34]

- [*N. surigaoensis*](#)
 - [*N. talaandig*](#)[14]
 - [*N. tboli*](#)[8]
 - [*N. truncata*](#)
 - [*N. ultra*](#)[35]
 - [*N. ventricosa*](#)
 - [*N. viridis*](#)[36]
 - [*N. zygon*](#)[8]
1. [*N. sp. Anipahan*](#)[37]

Borneo



Nepenthes villosa



Nepenthes rajah

Nepenthes species recorded from [Borneo](#).

- [*N. albomarginata*](#) *
- [*N. ampullaria*](#) *
- [*N. appendiculata*](#)[38]
- [*N. bicalcarata*](#)
- [*N. boschiana*](#)
- [*N. burbridgeae*](#)
- [*N. campanulata*](#)[11] *
- [*N. chaniana*](#)
- [*N. clipeata*](#)

- [N. edwardsiana](#)
- [N. ehippiata](#)
- [N. epiphytica](#)[39]
- [N. faizaliana](#)
- [N. fractiflexa](#)[40]
- [N. fusca](#)
- [N. glandulifera](#)
- [N. gracilis](#) *
- [N. hemsleyana](#)[41]
- [N. hirsuta](#)
- [N. hispida](#)
- [N. hurrelliana](#)
- [N. lowii](#)
- [N. macrophylla](#)
- [N. macrovulgaris](#)
- [N. mapuluensis](#)
- [N. mirabilis](#) *
- [N. mollis](#)
- [N. muluensis](#)
- [N. murudensis](#)
- [N. northiana](#)
- [N. pilosa](#)
- [N. platychila](#)
- [N. pongoides](#)[42]
- [N. pudica](#)
- [N. rafflesiana](#) *
- [N. rajah](#)
- [N. reinwardtiana](#) *
- [N. stenophylla](#)
- [N. tentaculata](#) *
- [N. veitchii](#)
- [N. villosa](#)
- [N. vogelii](#)

Sumatra



Nepenthes aristolochioides



Nepenthes sumatrana

Nepenthes species recorded from [Sumatra](#).

- [N. adnata](#)
- [N. albomarginata](#) *
- [N. ampullaria](#) *
- [N. angasanensis](#)
- [N. aristolochioides](#)
- [N. beccariana](#)
- [N. bongso](#)
- [N. densiflora](#)

- [N. diatas](#)
- [N. dubia](#)
- [N. eustachya](#)
- [N. flava](#)
- [N. gracilis](#) *
- [N. gymnamphora](#) *
- [N. harauensis](#)[43]
- [N. inermis](#)
- [N. izumiae](#)
- [N. jacquelineae](#)
- [N. jamban](#)
- [N. junghuhnii](#)
- [N. lavicola](#)
- [N. lingulata](#)
- [N. longifolia](#)
- [N. longiptera](#)[44]
- [N. miki](#)
- [N. mirabilis](#) *
- [N. naga](#)
- [N. ovata](#)
- [N. putaiguneung](#)[45]
- [N. rafflesiana](#) *
- [N. reinwardtiana](#) *
- [N. rhombicaulis](#)
- [N. rigidifolia](#)
- [N. samudera](#)[46]
- [N. singalana](#)
- [N. spathulata](#) *
- [N. spectabilis](#)
- [N. sumatrana](#)
- [N. talangensis](#)
- [N. taminii](#)[47]
- [N. tenuis](#)
- [N. tobaica](#)

Peninsular Malaysia



Nepenthes malayensis

Nepenthes species recorded from [Peninsular Malaysia](#).

- [N. alba](#)
- [N. albomarginata](#) *
- [N. ampullaria](#) *
- [N. benstonei](#)
- [N. berbulu](#)[48]
- [N. domei](#)[49]
- [N. gracilis](#) *
- [N. gracillima](#)
- [N. kerrii](#)
- [N. latiffiana](#)[49]
- [N. limiana](#)[50]
- [N. macfarlanei](#)
- [N. malayensis](#)[51]
- [N. mirabilis](#) *
- [N. rafflesiana](#) *
- [N. ramispina](#)
- [N. sanguinea](#) *
- [N. sericea](#)[48][52]
- [N. ulukaliana](#)[48][52]
- *N. sp.* Titiwangsa (pesonawangsa223)[53]

Sulawesi



Nepenthes pitopangii

Nepenthes species recorded from [Sulawesi](#)

- [N. diabolica](#)[54]
- [N. eymae](#)
- [N. glabrata](#)
- [N. gracilis](#) *
- [N. hamata](#)
- [N. maryae](#)[55]
- [N. maxima](#) *
- [N. minima](#)[56]
- [N. mirabilis](#) *
- [N. nigra](#)[57]
- [N. pitopangii](#)
- [N. tentaculata](#) *
- [N. tomoriana](#)
- [N. undulatifolia](#)[58]

Thailand



Nepenthes thai

Nepenthes species recorded from [Thailand](#).

- [*N. ampullaria*](#) *
- [*N. andamana*](#)[59]
- [*N. bracteosa*](#)
- [*N. chang*](#)[60]
- [*N. gracilis*](#) *
- [*N. hirtella*](#)
- [*N. kampotiana*](#) *
- [*N. kerrii*](#)[61]
- [*N. kongkandana*](#)
- 1. [*N. krabiensis*](#)[62]
- [*N. mirabilis*](#) *
- [*N. orbiculata*](#)[63]
- [*N. rosea*](#)[64]
- [*N. sanguinea*](#) *
- [*N. smilesii*](#) *
- [*N. suratensis*](#)[65]
- [*N. thai*](#)[66]

New Guinea



Nepenthes neoguineensis

Nepenthes species recorded from [New Guinea](#).

- [N. ampullaria](#) *
- [N. calcicola](#)[67][68]*
- [N. insignis](#)
- [N. klossii](#)
- [N. lamii](#)
- [N. maxima](#) *
- [N. mirabilis](#) *
- [N. monticola](#)[69]
- [N. neoguineensis](#) *
- [N. paniculata](#)
- [N. papuana](#)
- [N. treubiana](#) *

Cambodia

Nepenthes species recorded from [Cambodia](#).

- [N. bokorensis](#)
- [N. gracilis](#)[70] *
- [N. holdenii](#)[71]
- [N. kampotiana](#) *
- [N. mirabilis](#) *
- [N. smilesii](#)[72] *

Maluku Islands

Nepenthes species recorded from the [Maluku Islands](#).

- [N. ampullaria](#) *
- [N. halmahera](#)[73]
- [N. maxima](#) *
- [N. mirabilis](#) *
- [N. weda](#)[73]

Australia

Nepenthes species recorded from [Australia](#).

- [N. mirabilis](#) *
- [N. parvula](#)[74]
- [N. rowaniae](#)
- [N. tenax](#)

Vietnam

Nepenthes species recorded from [Vietnam](#).

- [N. kampotiana](#)[75] *
- [N. mirabilis](#) *
- [N. smilesii](#)[76] *
- [N. thorelii](#)

Raja Ampat Islands

Nepenthes species recorded from the [Raja Ampat Islands](#).

- [N. danseri](#)
1. ?[N. neoguineensis](#) *
 2. ?[N. treubiana](#) *
 3. [N. sp. Misool](#)

D'Entrecasteaux Islands

Nepenthes species recorded from the [D'Entrecasteaux Islands](#).

- [N. maxima](#) *
- [N. mirabilis](#) *
- [N. neoguineensis](#) *

Java

Nepenthes species recorded from [Java](#).

- [N. gymnamphora](#) *
- [N. mirabilis](#) *
- [N. spathulata](#) *

Singapore

Nepenthes species recorded from [Singapore](#).

- [N. ampullaria](#) *
- [N. gracilis](#) *
- [N. rafflesiana](#) *

Madagascar

Nepenthes species recorded from [Madagascar](#).

- [N. madagascariensis](#)
- [N. masoalensis](#)

Laos

Nepenthes species recorded from [Laos](#).

- [N. mirabilis](#) *
- [N. smilesii](#) *

India

Nepenthes species recorded from [India](#).

- [N. khasiana](#)

New Caledonia

Nepenthes species recorded from [New Caledonia](#).

- [N. vieillardii](#)

Schouten Islands

Nepenthes species recorded from [Schouten Islands](#).

- [N. biak\[77\]](#)

Seychelles

Nepenthes species recorded from the [Seychelles](#).

- [N. pervillei](#)

Sri Lanka

Nepenthes species recorded from [Sri Lanka](#).

- [N. distillatoria](#)

Caroline Islands

Nepenthes species recorded from the [Caroline Islands](#)

- [N. mirabilis](#) *

China

Nepenthes species recorded from [China](#) (including [Hong Kong](#) and [Macau](#)).

- [N. mirabilis](#) *

Louisiade Archipelago

Nepenthes species recorded from the [Louisiade Archipelago](#).

- [N. mirabilis](#) *

Myanmar

Nepenthes species recorded from [Myanmar](#).

- [N. mirabilis](#) *

Next up Whatever's after N *Nepenthes* to A