

This is a list of 576 species in [*Acalles*](#), a genus of hidden snout weevils in the family [Curculionidae](#).^[1]
^[2]^[3]^[4]

***Acalles* species**

- [*Acalles abstersus*](#) Boheman, 1837 ^C
- [*Acalles acerosus*](#) Erichson, 1842 ^C
- [*Acalles achadagrandensis*](#) Stüben, 2002 ^C
- [*Acalles acutus*](#) Wollaston, 1864 ^C
- [*Acalles adamsi*](#) Broun, 1893 ^C
- [*Acalles aeonii*](#) Wollaston, 1864 ^C
- [*Acalles aeonisimilis*](#) Stüben, 2000 ^C
- [*Acalles affinis*](#) Meyer, 1896 ^C
- [*Acalles africanus*](#) Solari & Solari, 1907 ^C
- [*Acalles albistrigalis*](#) Broun, 1909 ^C
- [*Acalles albivertex*](#) Chevrolat, 1879 ^C
- [*Acalles albocinctus*](#) Fiedler, 1940 ^C
- [*Acalles albolineatus*](#) Wollaston, 1854 ^C
- [*Acalles albopictus*](#) Jacquet, 1887 ^C
- [*Acalles albovittatus*](#) Fiedler, 1940 ^C
- [*Acalles alcarazensis*](#) Stüben, 2009 ^C
- [*Acalles algiricus*](#) Pic, 1905 ^C
- [*Acalles allostethus*](#) Broun, 1893 ^C
- [*Acalles alluaudi*](#) Uyttenboogaart, 1940 ^C
- [*Acalles almeriaensis*](#) Stüben, 2001 ^C
- [*Acalles alpestris*](#) Broun, 1893 ^C
- [*Acalles altus*](#) Broun, 1909 ^C
- [*Acalles amplicollis*](#) Fairmaire, 1849 ^C
- [*Acalles anagaensis*](#) Stüben, 2000 ^C
- [*Acalles analcisoides*](#) Kirsch, 1888-89 ^C
- [*Acalles anceps*](#) Broun, 1921 ^C
- [*Acalles anchonoides*](#) Champion, 1910 ^C
- [*Acalles angulicollis*](#) Rosenschold, 1837 ^C
- [*Acalles angulipennis*](#) Hustache, 1936 ^C
- [*Acalles angusticollis*](#) Sharp, 1885 ^{i C}
- [*Acalles apicalis*](#) Boheman, 1837 ^C
- [*Acalles apogaeus*](#) Peyerimhoff, 1925 ^C

- [*Acalles apogeus*](#) Peyerimhoff, 1925 ^C
- [*Acalles aptus*](#) Meyer, 1896 ^C
- [*Acalles arctus*](#) Broun, 1881 ^C
- [*Acalles argillosus*](#) Boheman, 1837 ^C
- [*Acalles asniensis*](#) Stüben, 2003 ^C
- [*Acalles aspersus*](#) Hustache, 1936 ^C
- [*Acalles aterrimus*](#) Broun, 1909 ^C
- [*Acalles atropagiatus*](#) Fiedler, 1940 ^C
- [*Acalles attenuatus*](#) Blanchard, 1851 ^C
- [*Acalles aubei*](#) Boheman, 1837 ^C
- [*Acalles aulacus*](#) Broun, 1893 ^C
- [*Acalles australis*](#) Broun, 1893 ^C
- [*Acalles balcanicus*](#) Meyer, 1908 ^C
- [*Acalles basalis*](#) Leconte, 1876 ^C
- [*Acalles batorligetiensis*](#) Kaszab & Székessy, 1953 ^C
- [*Acalles bazaensis*](#) Stüben, 2001 ^C
- [*Acalles bellieri*](#) Reiche, 1860 ^C
- [*Acalles berberi*](#) Stüben in Stüben, Bahr, Germann, Behne & Bayer, 2005 ^C
- [*Acalles bicarinatus*](#) Fiedler, 1940 ^C
- [*Acalles bicinctus*](#) Broun, 1914 ^C
- [*Acalles bicostatus*](#) Broun, 1921 ^C
- [*Acalles bicristiceps*](#) Broun, 1914 ^C
- [*Acalles bifasciata*](#) Gerst., 1860 ^C
- [*Acalles bifasciatus*](#) Gerstäcker, 1860 ^C
- [*Acalles bilineatus*](#) Fiedler, 1940 ^C
- [*Acalles binodes*](#) Broun, 1921 ^C
- [*Acalles binodulus*](#) Champion, 1910 ^C
- [*Acalles biokovoensis*](#) Stüben, 2008 ^C
- [*Acalles bisignatus*](#) Pascoe, 1874 ^C
- [*Acalles bistrigosus*](#) Fiedler, 1940 ^C
- [*Acalles bodegensis*](#) Stüben, 2000 ^C
- [*Acalles breiti*](#) Solari & Solari, 1908 ^C
- [*Acalles brevipennis*](#) Broun, 1921 ^C
- [*Acalles brevis*](#) Tournier, 1873 ^C
- [*Acalles brevitarsis*](#) Wollaston, 1864 ^C
- [*Acalles brisouti*](#) Reitter, 1885 ^C

- [*Acalles brookesi*](#) Broun, 1921 ^c
- [*Acalles brunneus*](#) Suffrian, 1872 ^c
- [*Acalles bullatus*](#) Boheman, 1837 ^c
- [*Acalles callichroma*](#) Perkins, 1900 ^{i c}
- [*Acalles camelus*](#) (Fabricius, J.C., 1792) ^{c g}
- [*Acalles campbellicus*](#) Brookes, 1951 ^c
- [*Acalles canescens*](#) Broun, 1881 ^c
- [*Acalles capiomonti*](#) H. Brisout, 1864 ^c
- [*Acalles carinatus*](#) LeConte, 1876 ^{i c b}
- [*Acalles carinicornis*](#) Tournier, 1873 ^c
- [*Acalles caucasicus*](#) Reitter, 1891 ^c
- [*Acalles cavitellus*](#) Champion, 1905 ^c
- [*Acalles cayennensis*](#) Rheinheimer, 2007 ^c
- [*Acalles cazorlaensis*](#) Stüben, 2004 ^c
- [*Acalles cedroensis*](#) Kulbe in Stüben, 2000 ^c
- [*Acalles certus*](#) Broun, 1880 ^c
- [*Acalles chaudoiri*](#) Hochh., 1847 ^c
- [*Acalles chaudoirii*](#) Hochhuth, 1847 ^c
- [*Acalles chlorolepis*](#) Perkins, 1900 ^{i c}
- [*Acalles cicatricosus*](#) Boheman, 1844 ^c
- [*Acalles cilicollis*](#) Broun, 1921 ^c
- [*Acalles cilicollis*](#) Broun, 1921 ^c
- [*Acalles cinerascens*](#) Blanchard, 1851 ^c
- [*Acalles cinereus*](#) Wollaston, 1860 ^c
- [*Acalles cinericius*](#) Champion, 1905 ^c
- [*Acalles cingulatus*](#) Broun, 1886 ^c
- [*Acalles cisalpinus*](#) Stüben, 2003 ^c
- [*Acalles clathrata*](#) J. Lec., 1876 ^c
- [*Acalles clathratus*](#) Leconte, 1876 ^c
- [*Acalles clavatus*](#) (Say, 1831) ^{i c b}
- [*Acalles clermonti*](#) Solari & Solari, 1905 ^c
- [*Acalles clunaris*](#) Chevrolat, 1879 ^c
- [*Acalles coarctatus*](#) Wollaston, 1857 ^c
- [*Acalles commutatus*](#) Dieckmann, 1982 ^c
- [*Acalles compactus*](#) Hustache, 1936 ^c
- [*Acalles compressus*](#) Fiedler, 1940 ^c

- [*Acalles comptus*](#) Broun, 1893 ^C
- [*Acalles concinnus*](#) Broun, 1893 ^C
- [*Acalles confusus*](#) Broun, 1914 ^C
- [*Acalles conicollis*](#) Broun, 1913 ^C
- [*Acalles conifer*](#) Erichson, 1842 ^C
- [*Acalles consors*](#) Broun, 1913 ^C
- [*Acalles contractus*](#) Broun, 1913 ^C
- [*Acalles cordaticollis*](#) Fiedler, 1940 ^C
- [*Acalles cordipennis*](#) Broun, 1881 ^C
- [*Acalles costatus*](#) Chevrolat, 1861 ^C
- [*Acalles costifer*](#) LeConte, 1884 ^{i c b}
- [*Acalles costipennis*](#) Fiedler, 1940 ^C
- [*Acalles costulatus*](#) Chevrolat, 1879 ^C
- [*Acalles crassisetis*](#) Champion, 1905 ^C
- [*Acalles crassulus*](#) LeConte, 1876 ^{i c}
- [*Acalles crenatus*](#) Hustache, 1936 ^C
- [*Acalles creticus*](#) Reitter, 1916 ^C
- [*Acalles cribricollis*](#) Pascoe, 1874 ^C
- [*Acalles crisioides*](#) Broun, 1881 ^C
- [*Acalles cristatiger*](#) Blanchard, 1851 ^C
- [*Acalles cristatus*](#) Broun, 1880 ^C
- [*Acalles croaticus*](#) H. Brisout, 1867 ^C
- [*Acalles cryptobius*](#) Broun, 1893 ^C
- [*Acalles cunctans*](#) Boheman, 1844 ^C
- [*Acalles curtus*](#) Hamilton, 1893 ^C
- [*Acalles cylindricollis*](#) Wollaston, 1854 ^C
- [*Acalles cynerae*](#) Vitale, 1903 ^C
- [*Acalles cytisi*](#) Stüben, 2004 ^C
- [*Acalles decemcristatus*](#) Broun, 1886 ^C
- [*Acalles decoratus*](#) Blackburn, 1885 ^{i c}
- [*Acalles delirus*](#) Pascoe, 1874 ^C
- [*Acalles delumbatus*](#) Chevrolat, ^C
- [*Acalles denominandus*](#) Solari & Solari, 1907 ^C
- [*Acalles denticollis*](#) Schoenherr, 1837 ^C
- [*Acalles dentigerus*](#) Broun, 1917 ^C
- [*Acalles dieckmanni*](#) Tempère & Péricart, 1989 ^C

- [*Acalles dilatata*](#) Cas., 1895 ^C
- [*Acalles dilatatus*](#) Casey, 1895 ^C
- [*Acalles diocletianus*](#) Bohem. in Schoenh., 1844 ^C
- [*Acalles discors*](#) Hoffmann, 1958 ^C
- [*Acalles dispar*](#) Wollaston, 1854 ^C
- [*Acalles distans*](#) Pascoe, 1874 ^C
- [*Acalles diversus*](#) Broun, 1886 ^C
- [*Acalles dolosus*](#) Broun, 1893 ^C
- [*Acalles doriae*](#) Pascoe, 1885 ^C
- [*Acalles dorsalis*](#) Broun, 1881 ^C
- [*Acalles dromedarius*](#) Boheman, 1844 ^C
- [*Acalles droueti*](#) Crotch, 1867 ^C
- [*Acalles dubius*](#) Solari & Solari, 1907 ^C
- [*Acalles dufau*](#) Hustache, 1930 ^C
- [*Acalles duplex*](#) Sharp, 1885 ^{i C}
- [*Acalles echinatus*](#) Schoenherr, 1844 ^C
- [*Acalles editorum*](#) Peyerimhoff, 1913 ^C
- [*Acalles edoughensis*](#) Desbrochers, 1892 ^C
- [*Acalles episternalis*](#) Heller, 1935 ^C
- [*Acalles erinaceus*](#) Fiedler, 1940 ^C
- [*Acalles ernensis*](#) Broun, 1913 ^C
- [*Acalles errans*](#) Boheman, 1844 ^C
- [*Acalles erroneus*](#) Pascoe, 1876 ^C
- [*Acalles eruensis*](#) Broun, 1913 ^C
- [*Acalles eugeniae*](#) Perkins, 1916 ^{i C}
- [*Acalles euphorbiacus*](#) Stüben, 2000 ^C
- [*Acalles exaratus*](#) Champion, 1905 ^C
- [*Acalles exhumatus*](#) Wickham, H.F., 1913 ^{C g}
- [*Acalles expletus*](#) Pascoe, 1874 ^C
- [*Acalles extensithorax*](#) Rosenschold, 1837 ^C
- [*Acalles facilis*](#) Broun, 1893 ^C
- [*Acalles fallax*](#) Boheman, 1844 ^C
- [*Acalles farinosus*](#) Broun, 1898 ^C
- [*Acalles fasciculatus*](#) Boheman, 1844 ^C
- [*Acalles fausti*](#) Meyer, 1896 ^C
- [*Acalles favicollis*](#) Fiedler, 1940 ^C

- [*Acalles fernandezi*](#) Roudier, 1954 ^C
- [*Acalles ferrugineus*](#) Blanchard, 1851 ^C
- [*Acalles festivus*](#) Wollaston, 1857 ^C
- [*Acalles ficvorator*](#) Stüben, 2007 ^C
- [*Acalles figulinus*](#) Germ. in Dej., 1821 ^C
- [*Acalles fissicollis*](#) Penecke, 1926 ^C
- [*Acalles flavicaudis*](#) Colonnelli, 1994 ^C
- [*Acalles flavisetosus*](#) Broun, 1909 ^C
- [*Acalles flavomaculatus*](#) Voss, 1960 ^C
- [*Acalles floricola*](#) Broun, 1886 ^C
- [*Acalles flynni*](#) Broun, 1914 ^C
- [*Acalles flynsi*](#) Broun, 1914 ^C
- [*Acalles foraminosus*](#) Pascoe, 1874 ^C
- [*Acalles formosus*](#) Broun, 1898 ^C
- [*Acalles fortunatus*](#) Wollaston, 1864 ^C
- [*Acalles fossulatus*](#) Fiedler, 1940 ^C
- [*Acalles fougeri*](#) Hutton, 1898 ^C
- [*Acalles foveolatus*](#) Champion, 1905 ^C
- [*Acalles foveopunctatus*](#) Fiedler, 1942 ^C
- [*Acalles frater*](#) Perkins, 1900 ^{i C}
- [*Acalles frivolus*](#) Boheman, 1837 ^C
- [*Acalles frontalis*](#) Suffrian, 1872 ^C
- [*Acalles fuliginosus*](#) Fiedler, 1940 ^C
- [*Acalles fulvosparsus*](#) Fiedler, 1940 ^C
- [*Acalles fulvovittatus*](#) Champion, 1905 ^C
- [*Acalles furvus*](#) Broun, 1914 ^C
- [*Acalles fuscatus*](#) Broun, 1907 ^C
- [*Acalles fuscescens*](#) Blanchard, 1851 ^C
- [*Acalles fuscidorsis*](#) Broun, 1909 ^C
- [*Acalles fuscus*](#) Meyer, 1908 ^C
- [*Acalles gadorensis*](#) Stüben, 2001 ^C
- [*Acalles ganglbaueri*](#) Solari & Solari, 1908 ^C
- [*Acalles ganglionicus*](#) Boheman, 1837 ^C
- [*Acalles geophilus*](#) Lucas, 1860 ^C
- [*Acalles germanicus*](#) Letzner, 1882 ^C
- [*Acalles giraudi*](#) Mulsant, 1875? ^C

- [*Acalles globulipennis*](#) Wollaston, 1854 ^C
- [*Acalles globulus*](#) Meyer, 1896 ^C
- [*Acalles gonoderus*](#) Chevrolat, 1879 ^C
- [*Acalles gracilipes*](#) Solari, 1938 ^C
- [*Acalles gracilis*](#) Broun, 1913 ^C
- [*Acalles graëllsi*](#) Martínez, 1873 ^C
- [*Acalles grancanariensis*](#) Stüben, 2000 ^C
- [*Acalles grandicollis*](#) Boheman, 1837 ^C
- [*Acalles granellus*](#) Boheman, 1844 ^C
- [*Acalles granosus*](#) LeConte, 1876 ^{i C}
- [*Acalles granulicollis*](#) Tournier, 1875 ^C
- [*Acalles granulifer*](#) Boheman, 1837 ^C
- [*Acalles granulimaculosus*](#) Stuben ^g
- [*Acalles griseocaudatus*](#) Fairmaire, 1849 ^C
- [*Acalles grisescens*](#) Fiedler, 1940 ^C
- [*Acalles griseus*](#) Broun, 1886 ^C
- [*Acalles grossus*](#) Frieser, 1955 ^C
- [*Acalles guadarramaensis*](#) Stüben, 2004 ^C
- [*Acalles hakani*](#) Roudier, 1954 ^C
- [*Acalles haraforus*](#) Faust, 1887 ^C
- [*Acalles haraiorus*](#) Faust, 1887 ^C
- [*Acalles haraldi*](#) Roudier, 1954 ^C
- [*Acalles henoni*](#) Bedel, 1888 ^C
- [*Acalles hirsutus*](#) Hustache, 1936 ^C
- [*Acalles histrionicus*](#) Hustache, 1936 ^{C g}
- [*Acalles hopensis*](#) Broun, 1921 ^C
- [*Acalles horrens*](#) Champion, 1905 ^C
- [*Acalles horridulus*](#) Reitter, 1888 ^C
- [*Acalles horridus*](#) Broun, 1881 ^C
- [*Acalles hubbardi*](#) LeConte, 1880 ^C
- [*Acalles humeralis*](#) Perkins, 1900 ^{i C}
- [*Acalles humerosus*](#) Fairmaire, 1862 ^C
- [*Acalles humilis*](#) Blanchard, 1851 ^C
- [*Acalles hungaricus*](#) Hajóss, 1938 ^C
- [*Acalles hustachei*](#) O'Brien & Wibmer, 1982 ^C
- [*Acalles hypocrita*](#) Boheman, 1837 ^C

- [*Acalles hystriculus*](#) Pascoe, 1876 ^c
- [*Acalles hystrix*](#) Hustache, 1936 ^c
- [*Acalles iblanensis*](#) Stuben ^g
- [*Acalles icarus*](#) Heyden, C. von & Heyden, L. von., 1866 ^{c g}
- [*Acalles igneus*](#) Broun, 1909 ^c
- [*Acalles ignotus*](#) Blackburn, 1885 ^{i c}
- [*Acalles immansuetus*](#) Boheman, 1837 ^c
- [*Acalles impexus*](#) Pascoe, 1877 ^c
- [*Acalles impressicollis*](#) Hustache, 1936 ^c
- [*Acalles incanus*](#) Fiedler, 1940 ^c
- [*Acalles incognitus*](#) Hoffmann, 1956 ^c
- [*Acalles incultus*](#) Broun, 1893 ^c
- [*Acalles indigens*](#) Fall, 1907 ^{i c b}
- [*Acalles indutus*](#) Champion, 1905 ^c
- [*Acalles inflatus*](#) Blatchley & Leng, 1916 ^c
- [*Acalles ingens*](#) Broun, 1893 ^c
- [*Acalles innotabilis*](#) Perkins, 1900 ^{i c}
- [*Acalles instabilis*](#) Hustache, 1936 ^{c g}
- [*Acalles integer*](#) Broun, 1898 ^c
- [*Acalles interpositus*](#) Frieser, 1955 ^c
- [*Acalles interruptus*](#) Suffrian, 1872 ^c
- [*Acalles intutus*](#) Pascoe, 1876 ^c
- [*Acalles italicus*](#) Solari & Solari, 1905 ^c
- [*Acalles kabylianus*](#) Desbrochers, 1898 ^c
- [*Acalles kippenbergi*](#) Dieckmann, 1982 ^c
- [*Acalles koae*](#) Perkins, 1900 ^{i c}
- [*Acalles korbi*](#) Stierlin, 1890 ^c
- [*Acalles kroni*](#) Hustache, 1936 ^c
- [*Acalles kronii*](#) Kirsch, 1877 ^c
- [*Acalles krueperi*](#) Faust, 1890 ^c
- [*Acalles laevirostris*](#) Chevrolat, 1879 ^c
- [*Acalles lanaiensis*](#) Perkins, 1900 ^{i c}
- [*Acalles lanzarotensis*](#) Stüben, 2000 ^c
- [*Acalles lateralis*](#) Sharp, 1885 ^{i c}
- [*Acalles lateritius*](#) Suffrian, 1872 ^c
- [*Acalles latescens*](#) Champion, 1905 ^c

- [*Acalles laticollis*](#) Boheman, 1837 ^C
- [*Acalles latirostris*](#) Broun, 1886 ^C
- [*Acalles lecorrei*](#) Rheinheimer, 2008 ^C
- [*Acalles lederi*](#) Meyer, 1896 ^C
- [*Acalles lemur*](#) Schoenherr, 1837 ^C
- [*Acalles lentisci*](#) Chevrolat, 1861 ^C
- [*Acalles lepidus*](#) Kulbe in Stüben, 2000 ^C
- [*Acalles lepirhinus*](#) Broun, 1893 ^C
- [*Acalles leporinus*](#) Chevrolat, 1879 ^C
- [*Acalles leptothorax*](#) Perkins, 1900 ^{i C}
- [*Acalles leviculus*](#) Broun, 1881 ^C
- [*Acalles lifuanus*](#) Hustache, 1936 ^C
- [*Acalles lineirostris*](#) Broun, 1911 ^C
- [*Acalles lineolatus*](#) Blanchard, 1851 ^C
- [*Acalles lituratus*](#) Blanchard, 1851 ^C
- [*Acalles longipilis*](#) Voss, 1960 ^C
- [*Acalles longiusculus*](#) Fiedler, 1942 ^C
- [*Acalles longulus*](#) Leconte, 1876 ^C
- [*Acalles longus*](#) Desbrochers, 1892 ^C
- [*Acalles lugionii*](#) A. & F. Solari, 1907 ^C
- [*Acalles luigionii*](#) Solari & Solari, 1907 ^C
- [*Acalles lunulatus*](#) Wollaston, 1854 ^C
- [*Acalles lusitanicus*](#) Solari & Solari, 1905 ^C
- [*Acalles lutosus*](#) Fiedler, 1940 ^C
- [*Acalles machadoi*](#) Stüben, 2006 ^C
- [*Acalles maculatus*](#) O'Brien & Wibmer, 1982 ^C
- [*Acalles maculipennis*](#) Fiedler, 1942 ^C
- [*Acalles magnicollis*](#) Boheman, 1837 ^C
- [*Acalles major*](#) Meyer, 1908 ^C
- [*Acalles maniensis*](#) Blackburn, 1885 ^C
- [*Acalles maraoensis*](#) Stüben, 2001 ^C
- [*Acalles maritimus*](#) Broun, 1893 ^C
- [*Acalles maroccensis*](#) Stüben, 2001 ^C
- [*Acalles mauiensis*](#) Blackburn, 1885 ^{i g}
- [*Acalles mauritanicus*](#) Solari & Solari, 1907 ^C
- [*Acalles melanolepis*](#) Perkins, 1900 ^{i C}

- [*Acalles memnonius*](#) Pascoe, 1874 ^c
- [*Acalles menetriesi*](#) Bohem., 1844 ^c
- [*Acalles menetriesii*](#) Boheman, 1844 ^c
- [*Acalles merkli*](#) Meyer, 1896 ^c
- [*Acalles meteoricus*](#) Meyer, 1909 ^c
- [*Acalles metrosiderae*](#) Broun, 1910 ^c
- [*Acalles micros*](#) Dieckmann, 1982 ^c
- [*Acalles milleri*](#) Reitt., 1883 ^c
- [*Acalles minimus*](#) Blatchley, 1916 ^{i c}
- [*Acalles minus*](#) Broun, 1893 ^c
- [*Acalles minutesquamosus*](#) Reiche, 1860 ^c
- [*Acalles minutissimus*](#) Alonso-Zarazaga & Lyal, 1999 ^{c b}
- [*Acalles minutus*](#) Fiedler, 1940 ^c
- [*Acalles misellus*](#) Boheman, 1844 ^c
- [*Acalles miserabilis*](#) Suffrian, 1872 ^c
- [*Acalles moerens*](#) Fiedler, 1940 ^c
- [*Acalles moestus*](#) Blanchard, 1851 ^c
- [*Acalles monasterialis*](#) Stüben, 2004 ^c
- [*Acalles monstrosus*](#) Frieser, 1955 ^c
- [*Acalles monticola*](#) Perkins, 1900 ^{i c}
- [*Acalles moraguezi*](#) Desbrochers, 1898 ^c
- [*Acalles muelleri*](#) Stüben, 2000 ^c
- [*Acalles mulleri*](#) Reitter, 1883 ^c
- [*Acalles multisetosus*](#) Broun, 1907 ^c
- [*Acalles mundus*](#) Broun, 1881 ^{c g}
- [*Acalles mutillaria*](#) Gerst., 1860 ^c
- [*Acalles mutillarius*](#) Gerstäcker, 1860 ^c
- [*Acalles navieresi*](#) Boheman, 1837 ^c
- [*Acalles neptunus*](#) Hustache, 1936 ^{c g}
- [*Acalles niger*](#) Hustache, 1936 ^c
- [*Acalles nigripennis*](#) Perkins, 1900 ^{i c}
- [*Acalles nobilis*](#) Leconte, 1876 ^c
- [*Acalles nocturnus*](#) Boheman, 1837 ^c
- [*Acalles nodifer*](#) Wollaston, 1854 ^c
- [*Acalles nodiferus*](#) Wollaston, 1854 ^g
- [*Acalles nodigerus*](#) Broun, 1917 ^c

- [*Acalles nodipennis*](#) Pic, 1906 ^C
- [*Acalles nodulosus*](#) Boheman, 1837 ^C
- [*Acalles normandi*](#) Solari & Solari, 1907 ^C
- [*Acalles notoporphinus*](#) Broun, 1914 ^C
- [*Acalles nubilosus*](#) Wollaston, 1864 ^C
- [*Acalles nuchalis*](#) Leconte, 1876 ^C
- [*Acalles nucleatus*](#) Pascoe, 1874 ^C
- [*Acalles nudiusculus*](#) Foerster, 1849 ^C
- [*Acalles oahuensis*](#) Perkins, 1900 ^{i C}
- [*Acalles obesus*](#) Schoenherr, 1837 ^C
- [*Acalles obliquefasciatus*](#) Fiedler, 1940 ^C
- [*Acalles oblitus*](#) Wollaston, 1854 ^C
- [*Acalles oceanicus*](#) Stüben, 2002 ^C
- [*Acalles ochsi*](#) Solari, 1952 ^C
- [*Acalles ohioensis*](#) Sleeper, 1953 ^C
- [*Acalles olcese*](#) Tournier, 1873 ^C
- [*Acalles opilio*](#) Klug, 1850 ^C
- [*Acalles orbiculatus*](#) Hustache, 1936 ^C
- [*Acalles orientalis*](#) Hustache, 1936 ^C
- [*Acalles ornatus*](#) Wollaston, 1854 ^C
- [*Acalles ovalipennis*](#) Petri, 1912 ^C
- [*Acalles ovalis*](#) Fiedler, 1940 ^C
- [*Acalles ovatellus*](#) Broun, 1881 ^C
- [*Acalles ovipennis*](#) Fiedler, 1940 ^C
- [*Acalles ovulum*](#) Fiedler, 1940 ^C
- [*Acalles paganettii*](#) Solari, 1952 ^C
- [*Acalles pallens*](#) Blanchard, 1853 ^C
- [*Acalles pallidicollis*](#) Perkins, 1900 ^{i C}
- [*Acalles palmensis*](#) Roudier, 1954 ^C
- [*Acalles papei*](#) Meyer, 1908 ^C
- [*Acalles parasierae*](#) Stüben, 2002 ^C
- [*Acalles parvulus*](#) Boheman, 1837 ^C
- [*Acalles pascoei*](#) Broun, 1880 ^C
- [*Acalles paulmeyer*](#) Reitter, 1901 ^C
- [*Acalles pectoralis*](#) Leconte, 1876 ^C
- [*Acalles pedestris*](#) Stüben, 2000 ^C

- [*Acalles peelensis*](#) Broun, 1913 ^c
- [*Acalles pelionis*](#) Frieser, 1955 ^c
- [*Acalles peninsularis*](#) Hustache, 1931 ^c
- [*Acalles peragalloi*](#) Meyer, 1896 ^c
- [*Acalles perditus*](#) Pascoe, 1874 ^c
- [*Acalles perjurus*](#) Fairmaire, 1849 ^c
- [*Acalles perpusillus*](#) Pascoe, 1877 ^c
- [*Acalles pertusus*](#) Boheman, 1837 ^c
- [*Acalles petryszaki*](#) Dieckmann, 1982 ^c
- [*Acalles picatus*](#) Broun, 1893 ^c
- [*Acalles pici*](#) Solari & Solari, 1907 ^c
- [*Acalles piciventris*](#) Broun, 1909 ^c
- [*Acalles pictus*](#) Wollaston, 1864 ^c
- [*Acalles pilicornis*](#) Dejean, 1836 ^c
- [*Acalles pilula*](#) Hustache, 1936 ^{c g}
- [*Acalles pilularius*](#) Fiedler, 1940 ^c
- [*Acalles plagiatofasciatus*](#) Costa, 1847 ^c
- [*Acalles planidorsis*](#) Blanchard, 1851 ^c
- [*Acalles planipennis*](#) Hustache, 1930 ^c
- [*Acalles plebejus*](#) Suffrian, 1872 ^c
- [*Acalles plicatus*](#) Broun, 1893 ^c
- [*Acalles poneli*](#) Stüben, 2000 ^c
- [*Acalles porcatus*](#) Broun, 1898 ^c
- [*Acalles porcheti*](#) Hustache, 1936 ^c
- [*Acalles porosa*](#) J. Lec., 1876 ^c
- [*Acalles porosipennis*](#) Fiedler, 1940 ^c
- [*Acalles porosus*](#) Blatchley, 1916 ^{i c b}
- [*Acalles portosantoensis*](#) Stüben, 2002 ^c
- [*Acalles portusveneris*](#) Mayet, 1903 ^c
- [*Acalles portus-veneris*](#) Mayet, 1903 ^c
- [*Acalles posticalis*](#) Broun, 1886 ^c
- [*Acalles posticatus*](#) Fiedler, 1940 ^c
- [*Acalles poverus*](#) Blanchard, 1851 ^c
- [*Acalles praesetosus*](#) Broun, 1909 ^c
- [*Acalles profusa*](#) Cas., 1829 ^c
- [*Acalles profusus*](#) Casey, 1892 ^c

- [*Acalles provincialis*](#) Hoffmann, 1960 ^C
- [*Acalles ptinoides*](#) Stephens, 1831 ^C
- [*Acalles ptochoides*](#) Suffrian, 1872 ^C
- [*Acalles pulchellus*](#) H. Brisout, 1864 ^C
- [*Acalles pulverosus*](#) Gemminger, 1871 ^C
- [*Acalles pulverulentus*](#) Wollaston, 1854 ^C
- [*Acalles pumilus*](#) Hustache, 1936 ^C
- [*Acalles punctaticollis*](#) Solari & Solari, 1907 ^C
- [*Acalles puncticollis*](#) Broun, 1898 ^C
- [*Acalles pusillimus*](#) Perkins, 1903 ^C
- [*Acalles pusillissimus*](#) Perkins, 1910 ^{i C}
- [*Acalles pyrenaeus*](#) Boheman, 1844 ^C
- [*Acalles quadrinodosus*](#) Fiedler, 1940 ^C
- [*Acalles quadrituberculatus*](#) Champion, 1905 ^C
- [*Acalles quercus*](#) Boheman, 1844 ^C
- [*Acalles querilhaci*](#) H. Brisout, 1864 ^C
- [*Acalles quietus*](#) Broun, 1893 ^C
- [*Acalles raffrayi*](#) Desbrochers, 1871 ^C
- [*Acalles reitteri*](#) Meyer, 1896 ^C
- [*Acalles reynosae*](#) H. Brisout, 1867 ^C
- [*Acalles roboris*](#) Meyer, 1908 ^C
- [*Acalles robustus*](#) Broun, 1909 ^C
- [*Acalles rolleti*](#) Germ., 1824 ^C
- [*Acalles rolletii*](#) Germar, 1839 ^C
- [*Acalles rotundatus*](#) Blanchard, 1851 ^C
- [*Acalles rubeter*](#) Er., 1842 ^C
- [*Acalles rubetra*](#) Erichson, 1842 ^C
- [*Acalles rubricus*](#) Broun, 1884 ^C
- [*Acalles rudipennis*](#) Fiedler, 1940 ^C
- [*Acalles rudis*](#) Broun, 1881 ^C
- [*Acalles ruficollis*](#) Broun, 1898 ^C
- [*Acalles rufipes*](#) Chevrolat, 1879 ^C
- [*Acalles rufirostris*](#) Boheman, 1844 ^C
- [*Acalles rufotuberculatus*](#) Champion, 1905 ^C
- [*Acalles rugirostris*](#) Champion, 1905 ^C
- [*Acalles rugosus*](#) Pascoe, 1885 ^C

- [*Acalles rugulosus*](#) Champion, 1905 ^C
- [*Acalles rusticanus*](#) Rosenschold, 1837 ^C
- [*Acalles ruteri*](#) Roudier, 1954 ^g
- [*Acalles sablensis*](#) Blatchley, 1920 ^{i c}
- [*Acalles samoanus*](#) Marshall, 1931 ^C
- [*Acalles sardiniaensis*](#) Stüben, 2001 ^C
- [*Acalles sarothamni*](#) Stüben, 2003 ^C
- [*Acalles saxicola*](#) Hustache, 1936 ^C
- [*Acalles scabricollis*](#) Fiedler, 1940 ^C
- [*Acalles scabrosus*](#) Leconte, 1876 ^C
- [*Acalles scapularis*](#) Chevrolat, 1880 ^C
- [*Acalles scitus*](#) Broun, 1880 ^C
- [*Acalles senilis*](#) Wollaston, 1864 ^C
- [*Acalles sentus*](#) Broun, 1886 ^C
- [*Acalles septemcostatus*](#) Desbrochers, 1892 ^C
- [*Acalles setaceus*](#) Fiedler, 1952 ^C
- [*Acalles seticollis*](#) Hustache, 1936 ^C
- [*Acalles setifer*](#) Broun, 1886 ^C
- [*Acalles setosus*](#) Fiedler, 1940 ^C
- [*Acalles setulipennis*](#) Desbrochers, 1871 ^C
- [*Acalles seychellensis*](#) Champion, 1914 ^C
- [*Acalles sierrae*](#) H. Brisout, 1865 ^C
- [*Acalles sigma*](#) Hustache, 1936 ^{C g}
- [*Acalles signatus*](#) Blanchard, 1851 ^C
- [*Acalles silosensis*](#) Stüben, 2000 ^C
- [*Acalles simulator*](#) Roelofs, 1875 ^C
- [*Acalles sintraniensis*](#) Stüben, 1999 ^C
- [*Acalles solarii*](#) Hoffmann, 1958 ^C
- [*Acalles sonchi*](#) Stüben, 2000 ^C
- [*Acalles sophiae*](#) Tschapek, 1873 ^C
- [*Acalles sordidus*](#) Leconte, 1876 ^C
- [*Acalles spureus*](#) Broun, 1881 ^C
- [*Acalles squalidus*](#) Boheman, 1837 ^C
- [*Acalles squamiger*](#) Suffrian, 1872 ^C
- [*Acalles squamosus*](#) Solari & Solari, 1907 ^C
- [*Acalles sternalis*](#) Broun, 1917 ^C

- [*Acalles sticticus*](#) Broun, 1921 ^C
- [*Acalles stipulosus*](#) Suffrian, 1872 ^C
- [*Acalles stöckleini*](#) Frieser, 1959 ^C
- [*Acalles subcarinatus*](#) Broun, 1910 ^C
- [*Acalles subcostatus*](#) Fiedler, 1940 ^C
- [*Acalles subfasciatus*](#) Rosenschoeld, 1837 ^C
- [*Acalles subglaber*](#) Rosenhauer, 1856 ^C
- [*Acalles subglobatus*](#) Desbrochers, 1892 ^C
- [*Acalles subhispidus*](#) LeConte, 1878 ^{i C}
- [*Acalles sublineatus*](#) Fiedler, 1940 ^C
- [*Acalles sulcatipennis*](#) Fiedler, 1940 ^C
- [*Acalles sulcatus*](#) Boheman, 1844 ^C
- [*Acalles sulcicollis*](#) LeConte, 1884 ^{i C}
- [*Acalles sulcifrons*](#) Suffrian, 1872 ^C
- [*Acalles suturatus*](#) Dieckmann, 1983 ^C
- [*Acalles sycophanta*](#) Fairmaire, 1849 ^C
- [*Acalles sylvosus*](#) Blatchley, 1916 ^{i C}
- [*Acalles sympedioides*](#) Broun, 1893 ^C
- [*Acalles syriacus*](#) Pic, 1900 ^C
- [*Acalles tagasaste*](#) Stüben, 2000 ^C
- [*Acalles tantillus*](#) Champion, 1905 ^C
- [*Acalles temperei*](#) Péricart, 1987 ^C
- [*Acalles tenellus*](#) Fiedler, 1940 ^C
- [*Acalles tenuistriatus*](#) Fiedler, 1942 ^C
- [*Acalles terminalis*](#) Hustache, 1936 ^C
- [*Acalles terminatus*](#) Klug in Dej., 1821 ^C
- [*Acalles terricola*](#) Broun, 1886 ^C
- [*Acalles terrosus*](#) Suffrian, 1872 ^C
- [*Acalles testensis*](#) Stüben, 2003 ^C
- [*Acalles teter*](#) Boheman, 1844 ^C
- [*Acalles theryi*](#) Hustache, 1936 ^C
- [*Acalles tibialis*](#) Hustache, 1936 ^C
- [*Acalles tigreanus*](#) Hustache, 1940 ^C
- [*Acalles tolpis*](#) Stüben, 2002 ^C
- [*Acalles tolpivorus*](#) Germann & Stüben, 2006 ^C
- [*Acalles tortipes*](#) Broun, 1880 ^C

- [*Acalles triangulatus*](#) Broun, 1886 ^C
- [*Acalles tricinctus*](#) Champion, 1905 ^C
- [*Acalles trinotatus*](#) Broun, 1880 ^C
- [*Acalles triseriatus*](#) Champion, 1910 ^C
- [*Acalles tristaensis*](#) Stüben, 2002 ^C
- [*Acalles tristis*](#) Blanchard, 1851 ^C
- [*Acalles truquii*](#) Champion, 1910 ^C
- [*Acalles tuberculatus*](#) Perkins, 1900 ^{i C}
- [*Acalles tuberculosus*](#) Blanchard, 1851 ^C
- [*Acalles turbatus*](#) Boheman, 1844 ^C
- [*Acalles turbida*](#) J. Lec., 1876 ^C
- [*Acalles turbidus*](#) Leconte, 1876 ^C
- [*Acalles uncatus*](#) Desbrochers, 1895 ^C
- [*Acalles unicolor*](#) Montrouzier, 1860 ^C
- [*Acalles uraeus*](#) Boheman, 1837 ^C
- [*Acalles vadosopunctatus*](#) Fiedler, 1940 ^C
- [*Acalles vafrum*](#) Broun, 1881 ^C
- [*Acalles vairum*](#) Broun, 1881 ^C
- [*Acalles validus*](#) Hampe, 1864 ^C
- [*Acalles variegatus*](#) Stephens, 1831 ^C
- [*Acalles variolosus*](#) Stierlin, 1887 ^C
- [*Acalles varius*](#) Gemminger, 1871 ^C
- [*Acalles vau*](#) Wollaston, 1854 ^C
- [*Acalles ventrosus*](#) LeConte, 1878 ^C
- [*Acalles veratrus*](#) Broun, 1883 ^C
- [*Acalles verrucifer*](#) Fiedler, 1942 ^C
- [*Acalles verrucosus*](#) Wollaston, 1863 ^C
- [*Acalles versicolor*](#) Fiedler, 1940 ^C
- [*Acalles vicarius*](#) Dan., 1906 ^C
- [*Acalles vividus*](#) Broun, 1880 ^C
- [*Acalles volens*](#) Broun, 1881 ^C
- [*Acalles vorsti*](#) Stüben ^g
- [*Acalles wilkesi*](#) Perkins in Bryan, 1925 ^C
- [*Acalles wilkesii*](#) Bryan (Perkins in), 1926 ^C
- [*Acalles wollastoni*](#) Chevrolat, 1852 ^C
- [*Acalles xanthostictus*](#) Broun, 1893 ^C

- [*Acalles xenorhinus*](#) Broun, 1898 ^c
- [*Acalles xerampelinus*](#) Wollaston, 1864 ^g
- [*Acalles zenomorphus*](#) Broun, 1917 ^c
- [*Acalles zumpti*](#) Uyttenboogaart, 1939 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Acalles Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-26.
 - ["Browse Acalles"](#). Catalogue of Life. Retrieved 2018-04-26.
 - ["Acalles"](#). GBIF. Retrieved 2018-04-26.
 - ["Acalles Genus Information"](#). BugGuide.net. Retrieved 2018-04-26.

This is a list of 119 species in the genus [Acritus](#).^{[1][2]}

Acritus species

- [Acritus abundans](#) Cooman, 1932
- [Acritus acaroides](#) Marseul, 1856
- [Acritus acinus](#) Marseul, 1862
- [Acritus alienus](#) Thérond, 1960
- [Acritus alluaudi](#) Schmidt, 1895
- [Acritus alticola](#) Gomy, 1978
- [Acritus alutaceus](#) Thérond, 1961
- [Acritus analis](#) J. L. LeConte, 1853
- [Acritus angoramensis](#) Gomy, 1977
- [Acritus arizonae](#) Horn, 1873
- [Acritus atai](#) Gomy, 1984
- [Acritus atomus](#) J. L. LeConte, 1853
- [Acritus attaphilus](#) Wenzel, 1939
- [Acritus australasiae](#) Gomy, 1984
- [Acritus bikoi](#) Gomy, 2001
- [Acritus bipartitus](#) Lewis, 1888
- [Acritus bisulcithorax](#) Cooman, 1936
- [Acritus blackburni](#) Gomy, 1984
- [Acritus blighi](#) Gomy, 1984
- [Acritus caldwelli](#) Gomy, 1984
- [Acritus caledoniae](#) Wenzel, 1955
- [Acritus caledonicus](#) Gomy, 1981

- [*Acritus castaneus*](#) Lea, 1925
- [*Acritus cingulidens*](#) Marseul, 1879
- [*Acritus colettae*](#) Gomy, 1978
- [*Acritus cooteri*](#) Gomy, 1999
- [*Acritus copricola*](#) Cooman, 1932
- [*Acritus courtoisi*](#) Gomy, 1978
- [*Acritus deharvengi*](#) Gomy, 1981
- [*Acritus depressus*](#) Bousquet and Laplante, 2006
- [*Acritus discriminatus*](#) Thérond, 1973
- [*Acritus discus*](#) J. L. LeConte, 1853
- [*Acritus dogueti*](#) Gomy, 1984
- [*Acritus dugdalei*](#) Gomy, 1983
- [*Acritus egregius*](#) Cooman, 1932
- [*Acritus eichelbaumi*](#) Bickhardt, 1911
- [*Acritus elgonensis*](#) Jeannel and Paulian, 1945
- [*Acritus erimae*](#) Gomy, 1981
- [*Acritus exiguus*](#) (Erichson, 1834)
- [*Acritus exquisitus*](#) Cooman, 1932
- [*Acritus fidjensis*](#) Gomy, 1983
- [*Acritus fidjicus*](#) Gomy, 1983
- [*Acritus fimetarius*](#) (J. E. LeConte, 1844)
- [*Acritus fuligineus*](#) Lewis, 1888
- [*Acritus gibbipectus*](#) Cooman, 1932
- [*Acritus griffithi*](#) Gomy, 1984
- [*Acritus haedillus*](#) Marseul, 1870
- [*Acritus halmaturinus*](#) Lea, 1925
- [*Acritus hammondi*](#) Gomy, 1980
- [*Acritus helferi*](#) Reichardt, 1932
- [*Acritus helmsi*](#) Gomy, 1984
- [*Acritus herbertfranzi*](#) Gomy, 1981
- [*Acritus hilum*](#) Lewis, 1888
- [*Acritus homoeopathicus*](#) Wollaston, 1857
- [*Acritus hopffgarteni*](#) Reitter, 1878
- [*Acritus ignobilis*](#) (Lewis, 1888)
- [*Acritus indignus*](#) Schmidt, 1893
- [*Acritus inquilinus*](#) Lea, 1925
- [*Acritus insipiens*](#) Marseul, 1879
- [*Acritus italicus*](#) Reitter, 1904
- [*Acritus komai*](#) Lewis, 1879
- [*Acritus kuscheli*](#) Gomy, 1984
- [*Acritus lamberti*](#) Gomy, 1994
- [*Acritus leai*](#) Gomy, 1984

- [*Acritus liliputianus*](#) Lewis, 1888
- [*Acritus loriai*](#) Gomy, 1980
- [*Acritus madagascariensis*](#) Schmidt, 1895
- [*Acritus magnus*](#) Cooman, 1935
- [*Acritus mahnerti*](#) Gomy, 1981
- [*Acritus mandelai*](#) Gomy, 2001
- [*Acritus mateui*](#) Gomy, 1988
- [*Acritus matthewsi*](#) Gomy, 1984
- [*Acritus megaponerae*](#) Bickhardt in Brauns, 1914
- [*Acritus methneri*](#) Bickhardt, 1921
- [*Acritus mexicanus*](#) (Lewis, 1888)
- [*Acritus microsomus*](#) Cooman, 1932
- [*Acritus microtatus*](#) Cooman, 1934
- [*Acritus minutus*](#) (Herbst, 1791)
- [*Acritus muhleii*](#) Gomy, 2001
- [*Acritus mulleri*](#) Gomy, 2007
- [*Acritus multipunctus*](#) Bickhardt, 1911
- [*Acritus nepalensis*](#) Gomy, 1976
- [*Acritus nigricornis*](#) (Hoffmann, 1803)
- [*Acritus novaeguineae*](#) Gomy, 1977
- [*Acritus occidentalis*](#) Lea, 1925
- [*Acritus opimus*](#) Cooman, 1947
- [*Acritus pascuarum*](#) Cooman, 1947
- [*Acritus paulae*](#) Gomy, 1980
- [*Acritus pectinatus*](#) Cooman, 1932
- [*Acritus peculiaris*](#) Lewis, 1888
- [*Acritus pirata*](#) Gomy, 1978
- [*Acritus poggi*](#) Gomy, 1980
- [*Acritus prosternalis*](#) (Deane, 1932)
- [*Acritus punctisternus*](#) Wenzel and Dybas, 1941
- [*Acritus quadristriatus*](#) Lewis, 1888
- [*Acritus quilleroui*](#) Gomy, 1984
- [*Acritus rugosus*](#) Bickhardt, 1911
- [*Acritus schmidtii*](#) Wenzel, 1955
- [*Acritus serratus*](#) Burgeon, 1939
- [*Acritus shirozui*](#) Hisamatsu, 1965
- [*Acritus strigipennis*](#) Bickhardt, 1912
- [*Acritus strigosus*](#) J. L. LeConte, 1853
- [*Acritus substriatus*](#) Marseul, 1856
- [*Acritus subtilissimus*](#) Schmidt, 1893
- [*Acritus sulcatellus*](#) Cooman, 1935
- [*Acritus tasmaniae*](#) Lewis, 1892

- [*Acritus tataricus*](#) Reitter, 1878
- [*Acritus tazekae*](#) Gomy, 1980
- [*Acritus teaboomae*](#) Gomy, 1976
- [*Acritus tenuis*](#) Marseul, 1856
- [*Acritus tropicus*](#) Lea, 1925
- [*Acritus tuberculatus*](#) Wenzel and Dybas, 1941
- [*Acritus tuberisternus*](#) Cooman, 1932
- [*Acritus udege*](#) Gomy and Tishechkin, 1993
- [*Acritus vacheri*](#) Cooman, 1932
- [*Acritus vaulogeri*](#) Cooman, 1935
- [*Acritus wenzeli*](#) Gomy, 1981
- [*Acritus werneri*](#) Gomy, 1981
- [*Acritus wokanensis*](#) Marseul, 1879

References

1.
 - ["Acritus Genus Information"](#). BugGuide.net. Retrieved 2018-01-27.
 - ["Acritus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-01-27.

These 15 species belong to [*Aeolus*](#), a genus of click beetles in the family [*Elateridae*](#).^[1]

Aeolus species

- [*Aeolus amabilis*](#) (LeConte, 1853)
- [*Aeolus dorsalis*](#) (Say, 1823)
- [*Aeolus facetus*](#) Candèze, 1859
- [*Aeolus leprieuri*](#) Candèze, 1859
- [*Aeolus mannerheimi*](#) Candèze, 1859
- [*Aeolus melliculus*](#) Candèze, 1859
- [*Aeolus nigromaculatus*](#) Drapiez, 1819
- [*Aeolus parvulus*](#) Schwarz, 1903
- [*Aeolus retrofasciatus*](#) Candèze, 1859
- [*Aeolus rubricatus*](#) Candèze, 1859
- [*Aeolus signatipennis*](#) Candèze, 1859
- [*Aeolus signatus*](#) Schwarz, 1902
- [*Aeolus signifer*](#) Candèze, 1859
- [*Aeolus unifasciatus*](#) (Fabricius, 1801)
- [*Aeolus variolatus*](#) Candèze, 1878

References

1.

1. "[*Aeolus Eschscholtz, 1829*](#)". [Catalogue of Life](#). [Species 2000](#): Leiden, the Netherlands. Retrieved 4 March 2026.

Categories:

- [Elateridae](#)
- [Lists of insect species](#)
-

This is a list of 218 species in [Agapetus](#), a genus of little black caddisflies in the family [Glossosomatidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Agapetus species

- [Agapetus abbreviatus](#) Ulmer, 1913 ^{i c g}
- [Agapetus ablusus](#) Neboiss, 1986 ^{i c g}
- [Agapetus acuductus](#) (Harris, 1828) ^{i c g}
- [Agapetus adejensis](#) Enderlein, 1929 ^{i c g}
- [Agapetus agilis](#) (Barnard, 1934) ^{i c g}
- [Agapetus agtuuganonis](#) Mey, 1997 ^{i c g}
- [Agapetus aineias](#) Malicky, 1997 ^{i c g}
- [Agapetus ajpetriensis](#) Martynov, 1916 ^{i c g}
- [Agapetus alabamensis](#) Harris, 1986 ^{i c g}
- [Agapetus alarum](#) Gibon, 2017 ^g
- [Agapetus albomaculatus](#) (Kimmins, 1953) ^{i c g}
- [Agapetus alicae](#) Neboiss & Botosaneanu, 1988 ^{i c g}
- [Agapetus altineri](#) Sipahiler, 1989 ^{i c g}
- [Agapetus anakdacing](#) Malicky, 1995 ^{i c g}
- [Agapetus anaksatu](#) Malicky, 1995 ^{i c g}
- [Agapetus anatolicus](#) (Cakin, 1983) ^{i c g}
- [Agapetus annulicornis](#) Matsumura, 1931 ^{i c g}
- [Agapetus antikena](#) Schmid, 1959 ^{i c g}
- [Agapetus antilochos](#) Malicky, 1998 ^{i c g}

- [Agapetus antiyaka](#) Schmid, 1959^{i c g}
- [Agapetus anuragoda](#) Schmid, 1958^{i c g}
- [Agapetus apalapsili](#) (Malicky, 1978)^{i c g}
- [Agapetus arcita](#) Denning, 1951^{i c g}
- [Agapetus armatus](#) (McLachlan, 1879)^{i c g}
- [Agapetus artesus](#) Ross, 1938^{i c g}
- [Agapetus arvernensis](#) (Malicky, 1980)^{i c g}
- [Agapetus atuus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus avitus](#) Edwards, 1956^{i c g}
- [Agapetus ayodhia](#) Schmid, 1958^{i c g}
- [Agapetus azureus](#) (Stephens, 1829)^{i c g}
- [Agapetus bapto](#)s Mey, 1998^{i c g}
- [Agapetus barang](#) Olah, 1988^{i c g}
- [Agapetus basagureni](#) Gonzalez & Botosaneanu, 1995^{i c g}
- [Agapetus belarecus](#) Botosaneanu, 1957^{i c g}
- [Agapetus beredensis](#) Dakki & Malicky, 1980^{i c g}
- [Agapetus bidens](#) McLachlan, 1875^{i c g}
- [Agapetus bifidus](#) Denning, 1949^{i c g}
- [Agapetus birgi](#) (Sipahiler, 1989)^{i c g}
- [Agapetus boulderensis](#) Milne, 1936^{i c g}
- [Agapetus budoensis](#) Kobayashi, 1982^{i c g}
- [Agapetus caimoc](#) Olah, 1988^{i c g}
- [Agapetus cannensis](#)^g
- [Agapetus cataractae](#) Ulmer, 1951^{i c g}
- [Agapetus caucasicus](#) Martynov, 1913^{i c g}
- [Agapetus celatus](#) McLachlan, 1871^{i c g}
- [Agapetus cenumarus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus chiangi](#)^g
- [Agapetus chinensis](#) (Mosely, 1942)^{i c g}
- [Agapetus chitraliorum](#) Schmid, 1959^{i c g}
- [Agapetus christineae](#)^g
- [Agapetus clio](#) (Malicky, 1976)^{i c g}
- [Agapetus cocandicus](#) McLachlan, 1875^{i c g}
- [Agapetus cornutus](#) Denning, 1958^{i c g}
- [Agapetus cralus](#) (Mosely in Mosely & Kimmins, 1953)^{i c g}
- [Agapetus crasmus](#) Ross, 1939^{i c g}

- [Agapetus cravensis](#) Giudicelli, 1973^{i c g}
- [Agapetus curvidens](#) Ulmer, 1930^{i c g}
- [Agapetus cyrenensis](#) Mosely, 1930^{i c g}
- [Agapetus cynensis](#) Mosely, 1930^g
- [Agapetus dagunagari](#) Malicky, 1995^{i c g}
- [Agapetus dakkii](#) Malicky & Lounaci, 1987^{i c g}
- [Agapetus danbang](#) Olah, 1988^{i c g}
- [Agapetus dangorum](#) Olah, 1988^{i c g}
- [Agapetus dayi](#) Ross, 1956^{i c g}
- [Agapetus degrangei](#) (Vaillant, 1967)^{i c g}
- [Agapetus delicatulus](#) McLachlan, 1884^{i c g}
- [Agapetus denningi](#) Ross, 1951^{i c g}
- [Agapetus dentatus](#) (Kimmins, 1953)^{i c g}
- [Agapetus desom](#) Olah, 1988^{i c g}
- [Agapetus diacanthus](#) Edwards, 1956^{i c g}
- [Agapetus diversus](#) (McLachlan, 1884)^{i c g}
- [Agapetus dolichopterus](#) Giudicelli & Dakki, 1980^{i c g}
- [Agapetus dubitans](#) (McLachlan, 1879)^{i c g}
- [Agapetus dundungra](#)^g
- [Agapetus episkopi](#) Malicky, 1972^{i c g}
- [Agapetus eriopus](#) Mey, 1996^{i c g}
- [Agapetus esinertus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus evansi](#) Ross, 1956^{i c g}
- [Agapetus excisus](#) Kimmins, 1953^{i c g}
- [Agapetus foliatus](#) (Kimmins, 1953)^{i c g}
- [Agapetus formosanus](#)^g
- [Agapetus fuscipes](#) Curtis, 1834^{i c g}
- [Agapetus fuscus](#) Vaillant, 1954^{i c g}
- [Agapetus gelbae](#) Ross, 1947^{i c g}
- [Agapetus gonophorus](#) Mey, 1996^{i c g}
- [Agapetus gorgitensis](#) Sipahiler, 1996^{i c g}
- [Agapetus gotgian](#) Olah, 1988^{i c g}
- [Agapetus grahami](#) Ross, 1956^{i c g}
- [Agapetus gunungus](#) Neboiss & Botosaneanu, 1988^{i c g}
- [Agapetus hadimensis](#) Sipahiler, 1996^{i c g}
- [Agapetus halong](#) Olah, 1988^{i c g}

- [Agapetus hamatus](#) Ross, 1956^{i c g}
- [Agapetus hanumata](#) Schmid, 1958^{i c g}
- [Agapetus hellenorum](#) (Malicky, 1984)^{i c g}
- [Agapetus hessi](#) Leonard & Leonard, 1949^{i c g}
- [Agapetus hieianus](#) (Tsuda, 1942)^{i c g}
- [Agapetus himalayanus](#) (Martynov, 1935)^{i c}
- [Agapetus illini](#) Ross, 1938^{i c g}
- [Agapetus inaequispinosus](#) Schmid, 1970^{i c g}
- [Agapetus incertulus](#) McLachlan, 1884^{i c g}
- [Agapetus incurvatus](#) (Kimmins, 1953)^{i c g}
- [Agapetus insons](#) (McLachlan, 1879)^{i c g}
- [Agapetus iridipennis](#) (McLachlan, 1879)^{i c g}
- [Agapetus iridis](#) Ross, 1944^{i c g}
- [Agapetus jafiwi](#) Ross, 1951^{i c g}
- [Agapetus jakutorum](#) Martynov, 1934^{i c g}
- [Agapetus japonicus](#) (Tsuda, 1942)^{i c g}
- [Agapetus jiriensis](#) Malicky, 1995^{i c g}
- [Agapetus joannia](#) Denning, 1965^{i c g}
- [Agapetus jocassee](#) Morse in Morse, Hamilton & Hoffman, 1989^{i c g}
- [Agapetus karabagi](#) Cakin, 1983^{i c g}
- [Agapetus kashmirensis](#) Kimmins, 1953^{i c g}
- [Agapetus kimminsi](#) Ross, 1956^{i c g}
- [Agapetus kirgisorum](#) Martynov, 1927^{i c g}
- [Agapetus kithmalie](#) (Chantaramongkol & Malicky, 1986)^{i c g}
- [Agapetus komanus](#) (Tsuda, 1942)^{i c g}
- [Agapetus kongcanxing](#) Olah, 1988^{i c g}
- [Agapetus krawanyi](#) (Ulmer, 1938)^{i c g}
- [Agapetus kumudumalie](#) (Chantaramongkol & Malicky, 1986)^{i c g}
- [Agapetus lalus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus laniger](#) Pictet, 1834^{i c g}
- [Agapetus laparus](#) Neboiss, 1977^{i c g}
- [Agapetus latosus](#) Ross, 1951^{i c g}
- [Agapetus lepetimnos](#) Malicky, 1976^{i c g}
- [Agapetus limsusan](#) Olah, 1993^{i c g}
- [Agapetus lindus](#) Neboiss & Botosaneanu, 1988^{i c g}
- [Agapetus longipennis](#)^g

- [Agapetus loxozona](#) Mey, 1997^{i c g}
- [Agapetus lundbladi](#) (Mosely, 1938)^{i c g}
- [Agapetus lusitanicus](#) (Malicky, 1980)^{i c g}
- [Agapetus mahadhyandika](#) (Schmid, 1959)^{i c g}
- [Agapetus maharikhita](#) (Schmid, 1959)^{i c g}
- [Agapetus malleatus](#) Banks, 1914^{i c g}
- [Agapetus marlierorum](#) (Botosaneanu, 1980)^{i c g}
- [Agapetus marlo](#) Milne, 1936^{i c g}
- [Agapetus medicus](#) Ross, 1938^{i c g}
- [Agapetus membrosus](#) Ross, 1951^{i c g}
- [Agapetus minutus](#) Sibley, 1926^{i c g}
- [Agapetus mitis](#) (Kimmins, 1953)^{i c g}
- [Agapetus mittamitta](#)^g
- [Agapetus montanus](#) Denning, 1949^{i c g}
- [Agapetus monticolus](#) Banks, 1939^{i c g}
- [Agapetus moselyi](#) (Ulmer, 1938)^{i c g}
- [Agapetus mossmanensis](#)^g
- [Agapetus muelleri](#)^g
- [Agapetus murinus](#) (Barnard, 1934)^{i c g}
- [Agapetus neboissi](#)^g
- [Agapetus nimbulus](#) McLachlan, 1879^{i c g}
- [Agapetus nivodacus](#) Ivanov, 1992^{i c g}
- [Agapetus nokowoula](#) Neboiss, 1986^{i c g}
- [Agapetus numidicus](#) Vaillant, 1954^{i c g}
- [Agapetus oblongatus](#) Martynov, 1913^{i c g}
- [Agapetus obscurus](#) Walker, 1852^{i c g}
- [Agapetus occidentalis](#) Denning, 1949^{i c g}
- [Agapetus occidentis](#) Denning, 1949^{i c g}
- [Agapetus ochripes](#) Curtis, 1834^{i c g}
- [Agapetus ohiya](#) Kimmins, 1953^{i c g}
- [Agapetus oramatama](#) (Malicky, 1978)^{i c g}
- [Agapetus orontes](#) Malicky, 1980^{i c g}
- [Agapetus orosus](#) Denning, 1950^{i c g}
- [Agapetus paluma](#)^g
- [Agapetus paracralus](#)^g
- [Agapetus pedarius](#) Mey, 1997^{i c g}

- [Agapetus pinatus](#) Ross, 1938^{i c g}
- [Agapetus placidus](#) (Navas, 1918)^{i c g}
- [Agapetus pontona](#) (Mosely in Mosely & Kimmins, 1953)^{i c g}
- [Agapetus productus](#) (Kimmins, 1962)^{i c g}
- [Agapetus punctatus](#) Hagen, 1859^{i c g}
- [Agapetus punjabicus](#) (Martynov, 1936)^{i c g}
- [Agapetus quadratus](#) Mosely, 1930^{i c g}
- [Agapetus quordus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus rama](#) Schmid, 1958^{i c g}
- [Agapetus ranohelae](#) Gibon, 2017^g
- [Agapetus rawana](#) Schmid, 1958^{i c g}
- [Agapetus rectigonopoda](#) Botosaneanu, 1957^{i c g}
- [Agapetus rossi](#) Denning, 1941^{i c g b}
- [Agapetus rudis](#) Hagen, 1859^{i c g}
- [Agapetus rupestris](#) Mey, 1996^{i c g}
- [Agapetus salomonis](#) (Kimmins, 1957)^{i c g}
- [Agapetus sarayensis](#) Sipahiler, 1996^{i c g}
- [Agapetus segovicus](#) Schmid, 1952^{i c g}
- [Agapetus serotinus](#) (Navas, 1919)^{i c g}
- [Agapetus setiferus](#) Stephens, 1836^{i c g}
- [Agapetus sexipalpus](#) Jacquemart & Statzner, 1981^{i c g}
- [Agapetus sheldoni](#)^g
- [Agapetus sibiricus](#) Martynov, 1918^{i c g}
- [Agapetus sindis](#) Kimmins, 1953^{i c g}
- [Agapetus sita](#) Schmid, 1958^{i c g}
- [Agapetus slavorum](#) Botosaneanu, 1960^{i c g}
- [Agapetus spinosus](#) Etnier & Way, 1973^{i c g}
- [Agapetus stclairae](#)^g
- [Agapetus tadzhikorum](#) Ivanov, 1992^{i c g}
- [Agapetus taho](#) Ross, 1947^{i c g}
- [Agapetus tamrangensis](#) (Kimmins, 1964)^{i c g}
- [Agapetus tapaiacus](#) Schmid, 1965^{i c g}
- [Agapetus tasmanicus](#) (Mosely in Mosely & Kimmins, 1953)^{i c g}
- [Agapetus tenuis](#)^g
- [Agapetus theischingeri](#) Malicky, 1980^{i c g}
- [Agapetus tomus](#) Ross, 1941^{i c g}

- [Agapetus torautus](#) Neboiss & Botosaneanu, 1988^{i c g}
- [Agapetus triangularis](#) Martynov, 1935^{i c g}
- [Agapetus tridens](#) McLachlan, 1875^{i c g}
- [Agapetus truncatus](#) Martynov, 1913^{i c g}
- [Agapetus tubrabucca](#)^g
- [Agapetus turcomanorum](#) Schmid, 1959^{i c g}
- [Agapetus uiguricus](#) Mey, 1993^{i c g}
- [Agapetus ulmeri](#) Ross, 1951^{i c g}
- [Agapetus unguatus](#) (Mosely, 1939)^{i c g}
- [Agapetus unicuspidalis](#) (Mey, 1990)^{i c g}
- [Agapetus vercondarius](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus vicanthicus](#) Neboiss, 1988^{i c g}
- [Agapetus vireo](#) Ross, 1941^{i c g}
- [Agapetus viricatus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus voccus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus walkeri](#) (Betten & Mosely, 1940)^{i c g}
- [Agapetus yasensis](#) (Tsuda, 1942)^{i c g}
- [Agapetus zniachtl](#) Malicky, 1995^{i c g}
- [Agapetus zwicki](#)^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Agapetus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-23.
 - ["Browse Agapetus"](#). Catalogue of Life. Archived from [the original](#) on 2018-04-24. Retrieved 2018-04-23.
 - ["Agapetus"](#). GBIF. Retrieved 2018-04-23.
 -
4. ["Agapetus Genus Information"](#). BugGuide.net. Retrieved 2018-04-23.

Categories:

- [Glossosomatidae](#)
- [Lists of insect species](#)
-

From Wikipedia, the free encyclopedia

Zoraida is a large genus of [planthoppers](#) in the tribe [Zoraidini](#) of the family [Derbidae](#). As of 2024, it comprises three subgenera and around 120 species. The species are found in tropical and some subtropical parts of Asia, Africa and parts of Australia and the western Pacific.^{[1][2][3]} This page provides for each subgenus an overview of the species, their distribution records and other details. "Wing length" means the length of the forewing which have been converted in some cases from measurements of expanded forewings (wingspan) according to the formula <half of wingspan minus 10%>, derived from published illustrations.^[4]

Subgenus *[Neozoraida](#)*

Key

- § [Type species](#)
- ‡ Renamed

Species in subgenus <i>Neozoraida</i>					
Species	Authority	Basionym	Range	Wing length [a]	References
Zoraida carpenteri	Muir, 1928	n/a	Uganda , Nigeria	13.4 mm (0.53 in)	[5]
‡ Zoraida fletcheri	Distant, 1916	<i>Zoraida variipennis</i> Distant 1911	Sri Lanka	10 mm (0.39 in)	[6][7][8]
Zoraida gilva	Distant, 1906	n/a	Sri Lanka	11 mm (0.43 in)	[4][8]
Zoraida insignata	Yang & Wu, 1993	n/a	Taiwan	11.0 mm (0.43 in)	[9]
Zoraida maculicostata	Muir, 1928	n/a	Sierra Leone	11.5 mm (0.45 in)	[5]
Zoraida motschoulskyi	Distant, 1906	n/a	Sri Lanka	11 mm (0.43 in)	[4][8]
‡ Zoraida obsoleta	(Kirby, 1891)	<i>Thracia obsoleta</i> Kirby, 1891	Sri Lanka	12.6 mm (0.50 in)	[10][8]
§ Zoraida ugandensis	Distant, 1914	n/a	Uganda , Senegal , Sierra Leone , Nigeria , Republic of the Congo , Democratic Republic of the Congo	11 mm (0.43 in)	[11][8]
‡ Zoraida vanstallei	Dmitriev, 2020	<i>Zoraida silvicola</i> van	Ivory Coast		[12][13]

Stalle, 1988

1.

1. Some wing length measurements converted from wingspan (half of wingspan minus 10%)

Subgenus *Peggiopsis*

Species in subgenus *Peggiopsis*

Species	Authority	Basionym	Range	Wing length[a]	References
<i>Zoraida aenea</i>	van Stalle, 1983	n/a	Nigeria		[14]
<i>Zoraida distanti</i>	Muir, 1918	n/a	Sierra Leone, Democratic Republic of the Congo, Mozambique , South Africa (KwaZulu-Natal)	13 mm (0.51 in)	[15][5]
‡ <i>Zoraida javana</i>	(Melichar, 1914)	<i>Peggiopsis javana</i> Melichar, 1914	Indonesia (Java)		[16][17]
<i>Zoraida kempii</i>	Muir, 1922	n/a	India	8 mm (0.31 in)	[18]
<i>Zoraida longa</i>	Yang & Wu, 1993	n/a	Taiwan	♂ 11.4 mm (0.45 in) ♀ 12.3 mm (0.48 in)	[9]
‡ <i>Zoraida nivifera</i>	(Walker, 1870)	<i>Thracia nivifera</i> Walker, 1870	Indonesia (Bacan Isl.)	10 mm (0.39 in)	[19][8]
‡ <i>Zoraida punctipennis</i>	(Walker, 1870)	<i>Thracia punctipennis</i> Walker, 1870	Indonesia (Misool Isl.), New Guinea	10 mm (0.39 in)	[19][8]
‡ <i>Zoraida rufifinis</i>	(Walker, 1870)	<i>Thracia punctipennis</i> Walker, 1870	Indonesia (Morotai Isl.)	10 mm (0.39 in)	[19][8]
<i>Zoraida smedleyi</i>	Muir, 1926	n/a	Indonesia (Mentawai Islands)	10.3 mm (0.41 in)	[20]
<i>Zoraida spectra</i>	Distant, 1911	n/a	India	8 mm (0.31 in)	[6][8]
<i>Zoraida wallacei</i>	Muir, 1918	n/a	Singapore	12 mm (0.47 in)	[15][21]

1.

1. Some wing length measurements converted from wingspan (half of wingspan minus 10%)

Subgenus *Zoraida*

Type species: *Derbe sinuosa* Boheman, 1838[22]

- [*Zoraida aburiensis*](#) Muir, 1918 - Ghana, Democratic Republic of Congo, Sierra Leone, Central African Republic[8][15]
- [*Zoraida albida*](#) (Walker, 1870) - "Sula" (Indonesia?)[19][8]
- [*Zoraida angolensis*](#) Synave, 1973 - Angola[2]
- [*Zoraida bohemani*](#) (Westwood, 1841) - new name for *Derbe nervosa* Boheman 1838) - Sierra Leone, Democratic Republic of Congo, Angola, Madagascar, Zimbabwe, South Africa (KwaZulu-Natal, Transvaal)[23][24][8]
- [*Zoraida borneensis*](#) Distant, 1907 - Borneo[25][8]
- [*Zoraida boulardi*](#) Synave, 1973 - Central African Republic, Togo[2]
- [*Zoraida ceylonica*](#) (Kirby, 1891) - Sri Lanka[10][8]
- [*Zoraida confusa*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida consanguinea*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida costalis*](#) (Walker, 1870) - Indonesia (Bacan Isl., Misool Isl.), New Guinea[19][8]
- [*Zoraida cumulata*](#) (Walker, 1870) - Indonesia (Ambon Isl., Buru Isl., Sumatra), New Guinea, Philippines, Sri Lanka[19][8]
- [*Zoraida curta*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida cycnoptera*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida dubia*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida ephemeralis*](#) (Walker, 1870) - Indonesia (Aru Isl., Misool Isl.), New Guinea[19][8]
- [*Zoraida erythractis*](#) Distant, 1907 - Borneo[25][8]
- [*Zoraida essingtonii*](#) (Westwood, 1851) - Australia (Northern Territory)[26][8]
 - [*Zoraida essingtonii porphyron*](#) Fennah, 1969 - New Caledonia, Australia (QLD)[27]
- [*Zoraida eupoecila*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida evansi*](#) Distant, 1914 - Ghana, Nigeria[11][8]
- [*Zoraida flava*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida flavocostata*](#) Distant, 1914 - Mozambique, Sierra Leone, South Africa, Democratic Republic of Congo, Nigeria[11][8]
- [*Zoraida freta*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida fulgans*](#) Muir, 1923 - Madagascar[28][5]
- [*Zoraida fuligipennis*](#) Muir, 1928 - Sierra Leone, Burkina Faso, Nigeria[5]
- [*Zoraida furcata*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida fuscipennis*](#) (Walker, 1870) - Indonesia (Aru Isl.)[19][8]
- [*Zoraida gravis*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida histrionica*](#) Distant, 1914 - India[11][8]
- [*Zoraida horishana*](#) Matsumura, 1914 - Japan, Taiwan, South Korea, far-eastern Russia[29][9]
- [*Zoraida insolita*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida kirkaldyi*](#) Muir, 1918 - Sri Lanka[8][15]
- [*Zoraida koannania*](#) Matsumura, 1914 - Taiwan, South Korea[29][9]
- [*Zoraida kotoshoensis*](#) Matsumura, 1938 - Taiwan[30][9]
- [*Zoraida lankana*](#) (Kirby, 1891) - Sri Lanka[10][8]
- [*Zoraida limnobialis*](#) (Walker, 1870) - Philippines (Sulu Isl.)[19][8]
- [*Zoraida lusca*](#) Yang & Wu, 1993 - Taiwan[9]

- [*Zoraida nitobii*](#) Muir, 1914 - Taiwan[31][9]
- [*Zoraida njalensis*](#) Muir, 1928 - Sierra Leone, Democratic Republic of Congo, Central African Republic[5]
- [*Zoraida nyasensis*](#) Distant, 1914 - Malawi, Democratic Republic of Congo[11][8]
- [*Zoraida pattersoni*](#) Distant, 1914 - Ghana, Democratic Republic of Congo, Central African Republic[11][8]
- [*Zoraida picta*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida picturata*](#) Distant, 1914 - Malawi[11][8]
- [*Zoraida propria*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida pseudosylvicola*](#) Muir, 1913 - Borneo, Indonesia (Krakatau)[32][17]
- [*Zoraida pterophoroides*](#) (Westwood, 1851) - Taiwan, China, Japan, Malaysia, Burma, Sri Lanka[26][8]
 - [*Zoraida pterophoroides fistulator*](#) Fennah, 1956 - Palau[33]
- [*Zoraida ridleyi*](#) Muir, 1918 - Singapore[8][15]
- [*Zoraida rufivena*](#) Distant, 1906 - Sri Lanka[4][8]
- [*Zoraida scutellaris*](#) (Walker, 1870) - Indonesia (Aru Isl., Misool Isl., Morotai Isl., Buru Isl.), New Guinea, Solomon Islands[19][8]
- [*Zoraida separata*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida sexnotata*](#) (Walker, 1870) - Indonesia (Aru Isl., Java), Australia (Queensland)[19][8]
- [*Zoraida sinuosa*](#) (Boheman, 1838) - Sierra Leone, Guinea, Cameroon, Togo, Nigeria, Democratic Republic of Congo, Central African Republic[23][2]
- [*Zoraida sudanica*](#) Synave, 1973 - South Sudan, Democratic Republic of Congo, Central African Republic[2]
- [*Zoraida venusta*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida zairensis*](#) van Stalle, 1983 - Democratic Republic of Congo[12]

Unassigned to a subgenus

- [*Peggiopsis dorsimaculata*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis dorsopunctata*](#) (Melichar, 1915) - Philippines[35][34]
- [*Peggiopsis flavicornis*](#) (Melichar, 1915) - Philippines[35][34]
- [*Peggiopsis irrorata*](#) (Muir, 1917) - Philippines[34][36]
- [*Peggiopsis nigrovenosa*](#) Muir, 1915 - Indonesia (Java)[37]
- [*Peggiopsis pallida*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis pseudoflavicornis*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis pseudojavana*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis pseudopuncticosta*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis puncticosta*](#) (Melichar, 1915) - Philippines [35][34]
- [*Peggiopsis rufa*](#) Muir, 1913 - Indonesia (Ambon)[32]
- [*Peggiopsis stali*](#) Muir, 1917 - Philippines[34]
- [*Zoraida albicans*](#) Anufriev, 1968 - far-eastern Russia, Japan, South Korea[38]
- [*Zoraida bakeri*](#) Muir, 1922 - Borneo[39]
- [*Zoraida bouchneri*](#) Synave, 1982 - Central African Republic, Liberia[40]

- [*Zoraida brunnipennis*](#) Muir, 1922 - India (Assam)[18]
- [*Zoraida egregia*](#) (Melichar, 1903) - Sri Lanka[41][4]
- [*Zoraida falsa*](#) Muir, 1924 - Philippines[36]
- [*Zoraida ficta*](#) Distant, 1906 - Sri Lanka[4]
- [*Zoraida flaviventris*](#) Muir, 1917 - Philippines[34]
- [*Zoraida fuliginosa*](#) Muir, 1913 - Papua New Guinea[28]
- [*Zoraida howei*](#) Schmidt, 1926 - Indonesia (Buru Isl.)[42]
- [*Zoraida hubeiensis*](#) Chou, Lu, Huang & Wang, 1985 - China, South Korea[43]
- [*Zoraida hyalina*](#) Melichar, 1914 - Indonesia (Java), Philippines[16]
- [*Zoraida javanica*](#) (Westwood, 1840) - Indonesia (Java), Philippines[44][45]
- [*Zoraida kalshoveni*](#) Muir, 1922 - Singapore, Indonesia (Java)[39]
- [*Zoraida karnyi*](#) Muir, 1926 - Indonesia (Mentawai Islands)[20]
- [*Zoraida kuwayamae*](#) (Matsumura, 1913) - Japan, South Korea[46][29]
- [*Zoraida lalokensis*](#) Muir, 1913 - Papua New Guinea[32]
- [*Zoraida laratae*](#) Muir, 1913 - Indonesia (Larat Isl., Ambon)[32]
- [*Zoraida lutescens*](#) Muir, 1917 - Philippines[34]
- [*Zoraida maculata*](#) Muir, 1917 - Philippines[34]
- [*Zoraida maculicosta*](#) Schmidt, 1926 - Indonesia (Buru Isl.)[42]
- [*Zoraida mcgregori*](#) Muir, 1922 - Philippines[39]
- [*Zoraida melichari*](#) Muir, 1917 - Philippines[34]
- [*Zoraida obscura*](#) Melichar, 1914 - Indonesia (Java)[16]
- [*Zoraida padangensis*](#) Muir, 1926 - Indonesia (Sumatra)[20]
- [*Zoraida parvalata*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida procterythra*](#) Jacobi, 1941 - Indonesia (Lombok Isl.)[47]
- [*Zoraida rectifrons*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida rubrolineata*](#) Schmidt, 1926 - Indonesia (Buru Isl.)[42]
- [*Zoraida sexpunctata*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida superba*](#) Muir, 1913 - Papua New Guinea[32]
- [*Zoraida sylvicola*](#) Muir, 1913 - Borneo, Indonesia (Mentawai Islands)[32]
- [*Zoraida taiensis*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida westwoodi*](#) (Stål, 1870) - Philippines[48][34]
- [*Zoraida zeijsti*](#) Van Stalle, 1988 - Ivory Coast[12]

This is a list of species of fruit flies (*Tephritidae*) in the genus [*Zeugodacus*](#), as of 2019.[1]

- [*Zeugodacus abdoangustus*](#) (Drew 1972)
- [*Zeugodacus abdoaurantiacus*](#) (Drew 1989)
- [*Zeugodacus abdopallescens*](#) (Drew 1971)
- [*Zeugodacus ablepharus*](#) (Bezzi 1919)
- [*Zeugodacus abnormis*](#) (Hardy 1982)
- [*Zeugodacus absolutus*](#) (Walker 1861)
- [*Zeugodacus aithonota*](#) (Drew & Romig 2013)

- [*Zeugodacus alampetus*](#) (Drew 1989)
- [*Zeugodacus ambiguus*](#) (Shiraki 1933)
- [*Zeugodacus amoenus*](#) (Drew 1972)
- [*Zeugodacus analus*](#) (Chen & Zhou 2013)
- [*Zeugodacus anchitrichotus*](#) (Drew 1989)
- [*Zeugodacus angusticostatus*](#) (Drew 1989)
- [*Zeugodacus angustifinis*](#) (Hardy 1982)
- [*Zeugodacus apicalis*](#) (de Meijere 1911)
- [*Zeugodacus apiciflavus*](#) (Yu He & Chen 2011)
- [*Zeugodacus apicofemoralis*](#) (Drew & Romig 2013)
- [*Zeugodacus areolatus*](#) (Walker 1861)
- [*Zeugodacus arisanicus*](#) (Shiraki 1933)
- [*Zeugodacus armillatus*](#) (Hering 1938)
- [*Zeugodacus assamensis*](#) White 1999
- [*Zeugodacus atrichus*](#) (Bezzi 1919)
- [*Zeugodacus atrifacies*](#) (Perkins 1938)
- [*Zeugodacus atrisetosus*](#) (Perkins 1939)
- [*Zeugodacus atypicus*](#) (White & Evenhuis 1999)
- [*Zeugodacus aurantiventer*](#) (Drew 1989)
- [*Zeugodacus bakeri*](#) (Bezzi 1919)
- [*Zeugodacus baliensis*](#) (Drew & Romig 2013)
- [*Zeugodacus baoshanensis*](#) (Zhang, Ji & Chen 2011)
- [*Zeugodacus biguttatus*](#) (Bezzi 1916)
- [*Zeugodacus binoyi*](#) (Drew 2002)
- [*Zeugodacus bogorensis*](#) (Hardy 1983)
- [*Zeugodacus borongensis*](#) (Drew & Romig 2013)
- [*Zeugodacus brachus*](#) (Drew 1972)
- [*Zeugodacus brevipunctatus*](#) (David & Hancock 2017)
- [*Zeugodacus brevivitta*](#) (Drew & Romig 2013)
- [*Zeugodacus buruensis*](#) (White 1999)
- [*Zeugodacus buvittatus*](#) (Drew 1989)
- [*Zeugodacus calumniatus*](#) (Hardy 1970)
- [*Zeugodacus careomacula*](#) (Drew & Romig 2013)
- [*Zeugodacus caudatus*](#) (Fabricius 1805)
- [*Zeugodacus choristus*](#) (May 1962)
- [*Zeugodacus cilifer*](#) (Hendel 1912)
- [*Zeugodacus citrifuscus*](#) (Drew & Romig 2013)
- [*Zeugodacus citroides*](#) (Drew 1989)
- [*Zeugodacus complicatus*](#) (White 1999)
- [*Zeugodacus connexus*](#) (Hardy 1982)
- [*Zeugodacus cucumis*](#) (French 1907)
- [*Zeugodacus cucurbitae*](#) (Coquillett 1899)

- [Zeugodacus curtus](#) (Drew 1972)
- [Zeugodacus daclaciae](#) (Drew & Romig 2013)
- [Zeugodacus daulus](#) (Drew 1989)
- [Zeugodacus decipiens](#) (Drew 1972)
- [Zeugodacus depressus](#) (Shiraki 1933)
- [Zeugodacus diaphoropsis](#) (Hering 1952)
- [Zeugodacus diaphorus](#) (Hendel 1915)
- [Zeugodacus dissidens](#) (Drew 1989)
- [Zeugodacus disturgidus](#) (Yu, Deng & Chen 2012)
- [Zeugodacus diversus](#) (Coquillett 1904)
- [Zeugodacus dorsirufus](#) (Drew & Romig 2013)
- [Zeugodacus dubiosus](#) (Hardy 1982)
- [Zeugodacus duplicatus](#) (Bezzi 1916)
- [Zeugodacus elegantulus](#) (Hardy 1974)
- [Zeugodacus emarginatus](#) (Perkins 1939)
- [Zeugodacus emittens](#) (Walker 1860)
- [Zeugodacus eurylomatus](#) (Hardy 1982)
- [Zeugodacus exornatus](#) (Hering 1941)
- [Zeugodacus fallacis](#) (Drew 1972)
- [Zeugodacus fereuncinatus](#) (Drew & Romig 2013)
- [Zeugodacus flavipilosus](#) (Hardy 1982)
- [Zeugodacus flavolateralis](#) (Drew & Romig 2013)
- [Zeugodacus flavopectoralis](#) (Hering 1953)
- [Zeugodacus flavoverticalis](#) (Drew & Romig 2013)
- [Zeugodacus freidbergi](#) (White 1999)
- [Zeugodacus fulvipes](#) (Perkins 1938)
- [Zeugodacus fulvoabdominalis](#) (White & Evenhuis 1999)
- [Zeugodacus fuscans](#) (Wang 1998)
- [Zeugodacus fuscipennulus](#) (Drew & Romig 2001)
- [Zeugodacus fuscoalatus](#) (Drew & Romig 2013)
- [Zeugodacus gavisus](#) (Munro 1935)
- [Zeugodacus gracilis](#) (Drew 1972)
- [Zeugodacus hamaceki](#) (Drew & Romig 2001)
- [Zeugodacus hancocki](#) (Drew & Romig 2013)
- [Zeugodacus hatyaiensis](#) (Drew & Romig 2013)
- [Zeugodacus havelockiae](#) (Drew & Romig 2013)
- [Zeugodacus heinrichi](#) (Hering 1941)
- [Zeugodacus hekouanus](#) (Yu He & Yang 2011)
- [Zeugodacus hengsawadae](#) (Drew & Romig 2013)
- [Zeugodacus hoabinhiae](#) (Drew & Romig 2013)
- [Zeugodacus hochii](#) (Zia 1936)
- [Zeugodacus hodgsoniae](#) (Drew & Romig 2013)

- [*Zeugodacus hoedi*](#) (White 1999)
- [*Zeugodacus hululangatiae*](#) (Drew & Romig 2013)
- [*Zeugodacus incisus*](#) (Walker 1861)
- [*Zeugodacus indentus*](#) (Hardy 1974)
- [*Zeugodacus infestus*](#) (Enderlein 1920)
- [*Zeugodacus iriomotiae*](#) (Drew & Romig 2013)
- [*Zeugodacus ishigakiensis*](#) (Shiraki 1933)
- [*Zeugodacus isolatus*](#) (Hardy 1973)
- [*Zeugodacus javadicus*](#) (Mahmood 1999)
- [*Zeugodacus javanensis*](#) (Perkins 1938)
- [*Zeugodacus juxtuncinatus*](#) (Drew & Romig 2013)
- [*Zeugodacus kaghanae*](#) (Mahmood 1999)
- [*Zeugodacus khaoyaiae*](#) (Drew & Romig 2013)
- [*Zeugodacus laguniensis*](#) (Drew & Romig 2013)
- [*Zeugodacus lipsanus*](#) (Hendel 1915)
- [*Zeugodacus liquidus*](#) (Drew & Romig 2013)
- [*Zeugodacus longicaudatus*](#) (Perkins 1938)
- [*Zeugodacus longivittatus*](#) (Chua & Ooi 1998)
- [*Zeugodacus luteicinctus*](#) (Ito 2011)
- [*Zeugodacus macrophyllae*](#) (Drew & Romig 2013)
- [*Zeugodacus macrovittatus*](#) (Drew 1989)
- [*Zeugodacus maculatus*](#) (Perkins 1938)
- [*Zeugodacus maculifacies*](#) (Hardy 1973)
- [*Zeugodacus maculifemur*](#) (Hering 1938)
- [*Zeugodacus madhupuri*](#) (Leblanc, Luc & Hossain, Md & Doorenweerd, Camiel & Khan, Shakil & Momen, Mahfuza & San Jose, Michael & Rubinoff, Daniel. 2019)
- [*Zeugodacus magnicauda*](#) (White & Evenhuis 1999)
- [*Zeugodacus melanofacies*](#) (Drew & Romig 2013)
- [*Zeugodacus melanopsis*](#) (Hardy 1982)
- [*Zeugodacus menglanus*](#) (Yu Liu & Yang 2011)
- [*Zeugodacus mesonotaitha*](#) (Drew 1989)
- [*Zeugodacus minimus*](#) (Hering 1952)
- [*Zeugodacus montanus*](#) (Hardy 1983)
- [*Zeugodacus mukiae*](#) (Drew & Romig 2013)
- [*Zeugodacus mundus*](#) (Bezzi 1919)
- [*Zeugodacus nakhonnayokiae*](#) (Drew & Romig 2013)
- [*Zeugodacus namlingiae*](#) (Drew & Romig 2013)
- [*Zeugodacus neoelegantulus*](#) (White 1999)
- [*Zeugodacus neoemittens*](#) (Drew & Romig 2013)
- [*Zeugodacus neoflavipilosus*](#) (Drew & Romig 2013)
- [*Zeugodacus neolipsanus*](#) (Drew & Romig 2013)
- [*Zeugodacus neopallescentis*](#) (Drew 1989)

- [*Zeugodacus nigrifacies*](#) (Shiraki 1933)
- [*Zeugodacus ochrosterna*](#) (Drew & Romig 2013)
- [*Zeugodacus okunii*](#) (Shiraki 1933)
- [*Zeugodacus pahangiae*](#) (Drew & Romig 2013)
- [*Zeugodacus pantabanganiae*](#) (Drew & Romig 2013)
- [*Zeugodacus papuaensis*](#) (Malloch 1939)
- [*Zeugodacus paululus*](#) (Drew 1989)
- [*Zeugodacus pemalangiae*](#) (Drew & Romig 2013)
- [*Zeugodacus perplexus*](#) (Walker 1862)
- [*Zeugodacus perpusillus*](#) (Drew 1971)
- [*Zeugodacus persignatus*](#) (Hering 1941)
- [*Zeugodacus platamus*](#) (Hardy 1973)
- [*Zeugodacus proprescutellatus*](#) (Zhang Che & Gao 2011)
- [*Zeugodacus pubescens*](#) (Bezzi 1919)
- [*Zeugodacus purus*](#) (White 1999)
- [*Zeugodacus quasiinfestus*](#) (Drew & Romig 2013)
- [*Zeugodacus reflexus*](#) (Drew 1971)
- [*Zeugodacus rubellus*](#) (Hardy 1973)
- [*Zeugodacus sabahensis*](#) (Drew & Romig 2013)
- [*Zeugodacus sandaracinus*](#) (Drew 1989)
- [*Zeugodacus sasaotiae*](#) (Drew & Romig 2013)
- [*Zeugodacus scutellaris*](#) (Bezzi 1913)
- [*Zeugodacus scutellarius*](#) (Bezzi 1916)
- [*Zeugodacus scutellatus*](#) (Hendel 1912)
- [*Zeugodacus scutellinus*](#) (Bezzi 1916)
- [*Zeugodacus semisurstyli*](#) (Drew & Romig 2013)
- [*Zeugodacus semongokensis*](#) (Drew & Romig 2013)
- [*Zeugodacus sepikae*](#) (Drew 1989)
- [*Zeugodacus signatifer*](#) (Tryon 1927)
- [*Zeugodacus signatus*](#) (Hering 1941)
- [*Zeugodacus sinensis*](#) (Yu Bai & Chen 2011)
- [*Zeugodacus singularis*](#) (Drew 1989)
- [*Zeugodacus sonlaiae*](#) (Drew & Romig 2013)
- [*Zeugodacus speciosus*](#) (Drew & Romig 2013)
- [*Zeugodacus spectabilis*](#) (Drew & Romig 2013)
- [*Zeugodacus strigifinis*](#) (Walker 1861)
- [*Zeugodacus sumbensis*](#) (Hering 1953)
- [*Zeugodacus surrufulus*](#) (Drew 1989)
- [*Zeugodacus synnephes*](#) (Hendel 1913)
- [*Zeugodacus tapervitta*](#) (Mahmood 1999)
- [*Zeugodacus tappanus*](#) (Shiraki 1933)
- [*Zeugodacus tau*](#) (Walker 1849)

- [*Zeugodacus tebeduiae*](#) (Drew & Romig 2013)
- [*Zeugodacus timorensis*](#) (Perkins 1939)
- [*Zeugodacus transversus*](#) (Hardy 1982)
- [*Zeugodacus triangularis*](#) (Drew 1968)
- [*Zeugodacus trichosanthus*](#) (Drew & Romig 2013)
- [*Zeugodacus trichotus*](#) (May 1962)
- [*Zeugodacus tricuspidatae*](#) (Drew & Romig 2013)
- [*Zeugodacus trilineatus*](#) (Hardy 1955)
- [*Zeugodacus trimaculatus*](#) (Hardy & Adachi 1954)
- [*Zeugodacus trivandrumensis*](#) (Drew & Romig 2013)
- [*Zeugodacus ujungpandangiae*](#) (Drew & Romig 2013)
- [*Zeugodacus uncinatus*](#) (Drew & Romig 2013)
- [*Zeugodacus unilateralis*](#) (Drew 1989)
- [*Zeugodacus univittatus*](#) (Drew 1972)
- [*Zeugodacus urens*](#) (White 1999)
- [*Zeugodacus vargus*](#) (Hardy 1982)
- [*Zeugodacus vinnulus*](#) (Hardy 1973)
- [*Zeugodacus vultus*](#) (Hardy 1973)
- [*Zeugodacus waimitaliae*](#) (Drew & Romig 2013)
- [*Zeugodacus watersi*](#) (Hardy 1954)
- [*Zeugodacus whitei*](#) (Drew & Romig 2013)
- [*Zeugodacus yalaensis*](#) (Drew & Romig 2013)
- [*Zeugodacus yoshimotoi*](#) (Hardy 1973)
- [*Zeugodacus zahadi*](#) (Mahmood 1999)

References

- 1.
1. Dooreenweerd C, Leblanc L, Norrbom AS, San Jose M, Rubino D (2018) A global checklist for the 932 fruit fly species in the tribe Dacini (Diptera: Tephritidae). [ZooKeys](#) 730: 19–56. [doi: 10.3897/zookeys.730.21786](#)

Categories:

- [Dacinae](#)
- [Lists of insect species](#)
- [Lists of flies](#)
-

This is a list of 127 species in [*Yelicones*](#), a genus of wasp in the family [Braconidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

***Yelicones* species**

- [*Yelicones affinis*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones africanus*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones anchanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones anitae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones arizonus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones artitus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones ateronotus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones barroci*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones bello*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones belokobylskiji*](#) Quicke, Chishti & Chen, 1997 ^{c g}
- [*Yelicones belshawii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones bentoni*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones bicoloripes*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones boliviensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones braziliensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones buloloensis*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones butcheri*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones cameroni*](#) Szepligeti, 1902 ^{c g}
- [*Yelicones canalensis*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones cardaleae*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones colombiensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones concavus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones confusus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones contractus*](#) Papp, 1991 ^{c g}
- [*Yelicones cooki*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones crassicornis*](#) Cameron, 1887 ^{c g}
- [*Yelicones crassipes*](#) Szepligeti, 1904 ^{c g}
- [*Yelicones crassitarsis*](#) (Cameron, 1911) ^{c g}
- [*Yelicones crica*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones crurobicolor*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones delicatus*](#) (Cresson, 1872) ^{c g b}
- [*Yelicones desertus*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones diasus*](#) Areekul & Quicke, 2006 ^{c g}

- [*Yelicones divaricatus*](#) Papp, 1992 ^{c g}
- [*Yelicones doyenii*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones elegans*](#) Papp, 1992 ^{c g}
- [*Yelicones fijiensis*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones fisheri*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones fittoni*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones flavus*](#) Chen & Quicke, 1997 ^{c g}
- [*Yelicones gavinbroadi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones geminus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones gessi*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones girardozae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones glabromaculatus*](#) Belokobylskij, 1993 ^{c g}
- [*Yelicones gracilus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones hansonii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones howdeni*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones huggerti*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones infuriatus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones iranensis*](#) (Fischer, 1963) ^{c g}
- [*Yelicones joaquimi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones kibaleiensis*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones koreanus*](#) Papp, 1985 ^{c g}
- [*Yelicones kraaijeveldi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones levelus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones longiantennatus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones longigena*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones longivena*](#) Quicke, Chishti & Chen, 1997 ^{c g}
- [*Yelicones longulus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones luridus*](#) Papp, 1991 ^{c g}
- [*Yelicones luteus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones maculatus*](#) Papp, 1985 ^{c g}
- [*Yelicones magnus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones manzarii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones marutus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones mayi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones medius*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones melanocephalus*](#) Cameron, 1887 ^{c g}

- [*Yelicones minutus*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones napo*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones natsanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones naumanni*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones nigradorsum*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones nigrigaster*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones nigroantennatus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones nigrocaputus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones nigromaculatus*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones nigromarginatus*](#) Quicke & Kruft, 1995 ^{c g b}
- [*Yelicones nipponensis*](#) Togashi, 1980 ^{c g}
- [*Yelicones ormei*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones panameus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones pappi*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones paradoxus*](#) (Fischer, 1961) ^{c g}
- [*Yelicones paso*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennapallidus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennapunctum*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennatrum*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennoexemplarus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones peruensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pilops*](#) Quicke & Kruft, 1995 ^{c g}
- [*Yelicones plaumanni*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones plenus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones poci*](#) Papp, 1991 ^{c g}
- [*Yelicones polaszeki*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones publicus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pulawskii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pulcherus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones quarterus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones ramosi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones samaesanensis*](#) ^g
- [*Yelicones sangvornae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones satoishi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones scutellaris*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones setosus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}

- [*Yelicones shawi*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones siamensis*](#) Areekul & Quicke, 2002 ^{c g}
- [*Yelicones spectabilis*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones spursus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones sumatranus*](#) (Fischer, 1962) ^c
- [*Yelicones surinamensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones tavaresi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones theinsrii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones tricolor*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones usae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones usanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones variegatus*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones vespapulcher*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones vestigium*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones vilawanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones violaceipennis*](#) Cameron, 1887 ^{c g}
- [*Yelicones vojnitsi*](#) Papp, 1992 ^{c g}
- [*Yelicones vulgaris*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones woldai*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones wui*](#) Chen & He, 1995 ^{c g}
- [*Yelicones zaldivari*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones zitanae*](#) Areekul & Quicke, 2006 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Browse Yelicones"](#). Catalogue of Life. Retrieved 2018-04-11.
 - ["Yelicones"](#). GBIF. Retrieved 2018-04-11.
 - ["Yelicones Genus Information"](#). BugGuide.net. Retrieved 2018-04-11.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-11.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)

- [Lists of Hymenoptera](#)
-

This is a list of 1496 species in [Xyleborus](#), a genus of typical bark beetles in the family [Curculionidae](#).
[\[1\]\[2\]\[3\]\[4\]](#)

***Xyleborus* species**

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E-F](#)
- [G-H](#)
- [I](#)
- [J-K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-Z](#)
- [References](#)

A

- [Xyleborus abberrans](#) Schedl, 1959a ^C
- [Xyleborus abbreviata](#) Schedl, 1942a ^C
- [Xyleborus abbreviatipennis](#) Schedl, 1973e ^C
- [Xyleborus abnormis](#) Eichhoff, 1869b ^C
- [Xyleborus abruptoides](#) Schedl, 1955b ^C
- [Xyleborus abruptulus](#) Schedl, 1953f ^C
- [Xyleborus abruptus](#) Eggers, 1923a ^C
- [Xyleborus abscissus](#) Browne, 1974b ^C

- [*Xyleborus acanthodes*](#) Schedl, 1954e ^C
- [*Xyleborus acanthurus*](#) Wood & Bright, 1992 ^C
- [*Xyleborus acanthus*](#) Schedl, 1952i ^C
- [*Xyleborus accomodatus*](#) Schedl, 1966f ^C
- [*Xyleborus aceris*](#) Kurenzov, 1941a ^C
- [*Xyleborus aclinis*](#) Wood, 1974a ^C
- [*Xyleborus acuminatus*](#) Schedl, 1970e ^C
- [*Xyleborus acuticornis*](#) Schedl, 1957d ^C
- [*Xyleborus acutus*](#) Schedl, 1975f ^C
- [*Xyleborus adamsoni*](#) Beeson, 1935a ^C
- [*Xyleborus addendus*](#) Schedl, 1964e ^C
- [*Xyleborus adelographus*](#) Eichhoff, 1868a ^C
- [*Xyleborus adjunctus*](#) Eggers, 1924 ^C
- [*Xyleborus adossuarius*](#) Schedl, 1952b ^C
- [*Xyleborus adspersus*](#) Schedl, 1958k ^C
- [*Xyleborus adumbratus*](#) Blandford, 1894d ^C
- [*Xyleborus adunculus*](#) Schedl, 1961e ^C
- [*Xyleborus aduncus*](#) Schedl, 1961e ^C
- [*Xyleborus adusticollis*](#) Wood & Bright, 1992 ^C
- [*Xyleborus adustus*](#) Eggers, 1923a ^C
- [*Xyleborus aegir*](#) Eggers, 1922b ^C
- [*Xyleborus aequalis*](#) Wood & Bright, 1992 ^C
- [*Xyleborus aequatorensis*](#) Eggers, 1940b ^C
- [*Xyleborus aesculi*](#) Ferrari, 1867a ^C
- [*Xyleborus affinis*](#) Eichhoff, 1868 ^{i c b} (sugarcane shot-hole borer)
- [*Xyleborus africanus*](#) Eggers, 1927a ^C
- [*Xyleborus agamus*](#) Perkins, 1900 ^{i c}
- [*Xyleborus agathis*](#) Browne, 1984b ^C
- [*Xyleborus aglaiae*](#) Browne, 1984a ^C
- [*Xyleborus agnaticeps*](#) Schedl, 1957d ^C
- [*Xyleborus agnatus*](#) Eggers, 1923a ^C
- [*Xyleborus agraphus*](#) Schedl, 1977f ^C
- [*Xyleborus albizzianus*](#) Schedl, 1950d ^C
- [*Xyleborus algidus*](#) Schedl, 1979b ^C
- [*Xyleborus alienus*](#) Schedl, 1977c ^C
- [*Xyleborus allecta*](#) Schedl, 1942d ^C

- [*Xyleborus alluaudi*](#) Schaufuss, C.F.C., 1897a ^C
- [*Xyleborus alni*](#) Niisima, 1909 ^C
- [*Xyleborus alpha*](#) Beeson, 1929 ^C
- [*Xyleborus alpinus*](#) Schedl, 1957d ^C
- [*Xyleborus alsapanicus*](#) Schedl, 1951i ^C
- [*Xyleborus alter*](#) Eggers, 1931a ^C
- [*Xyleborus alternans*](#) Eichhoff, 1869a ^C
- [*Xyleborus atilis*](#) Schedl, 1966f ^C
- [*Xyleborus amanicus*](#) Hagedorn, 1910b ^C
- [*Xyleborus amarantum*](#) Schedl, 1942a ^C
- [*Xyleborus ambasinotatus*](#) Schedl, 1978c ^C
- [*Xyleborus ambasipennis*](#) Schedl, 1957d ^C
- [*Xyleborus ambasius*](#) Hagedorn, 1912a ^C
- [*Xyleborus ambasiusculus*](#) Eggers, 1920 ^C
- [*Xyleborus amoenus*](#) Schedl, 1948f ^C
- [*Xyleborus amorphus*](#) Eggers, 1926b ^C
- [*Xyleborus amphicauda*](#) Browne, 1986c ^C
- [*Xyleborus amphicranoides*](#) Hagedorn, 1908 ^C
- [*Xyleborus amphicranulus*](#) Eggers, 1923a ^C
- [*Xyleborus amplexicauda*](#) Hagedorn, 1910b ^C
- [*Xyleborus amplicollis*](#) Eichhoff, 1869a ^C
- [*Xyleborus amputatus*](#) Blandford, 1894c ^C
- [*Xyleborus analis*](#) Schedl, 1973e ^C
- [*Xyleborus analogus*](#) Schedl, 1948f ^C
- [*Xyleborus andamanensis*](#) Blandford, 1896b ^C
- [*Xyleborus andrewesi*](#) Blandford, 1896b ^C
- [*Xyleborus andriani*](#) Schedl, 1965c ^C
- [*Xyleborus anepotulus*](#) Eggers, 1940d ^C
- [*Xyleborus angolensis*](#) Schedl, 1959p ^C
- [*Xyleborus angustatulus*](#) Schedl, 1942d ^C
- [*Xyleborus angustatus*](#) Eichhoff, 1866 ^C
- [*Xyleborus angustior*](#) Eggers, 1925 ^C
- [*Xyleborus anisandrus*](#) Schedl, 1954b ^C
- [*Xyleborus anisopterae*](#) Browne, 1983a ^C
- [*Xyleborus ankius*](#) Schedl, 1975f ^C
- [*Xyleborus annectens*](#) Schedl, 1957d ^C

- [*Xyleborus annexus*](#) Schedl, 1973e ^C
- [*Xyleborus anomalus*](#) Schedl, 1955b ^C
- [*Xyleborus anoplum*](#) Schedl, 1975f ^C
- [*Xyleborus antaisaka*](#) Schedl, 1953d ^C
- [*Xyleborus antanala*](#) Schedl, 1953d ^C
- [*Xyleborus apertus*](#) Schedl, 1939e ^C
- [*Xyleborus apicalis*](#) Blandford, 1894d ^C
- [*Xyleborus apicenotatus*](#) Schedl, 1971c ^C
- [*Xyleborus apicipenne*](#) Schedl, 1974d ^C
- [*Xyleborus apiculatus*](#) Schedl, 1942a ^C
- [*Xyleborus aplanatideclivis*](#) Schedl, 1942c ^C
- [*Xyleborus aplanatus*](#) Wichmann, H.E., 1914a ^C
- [*Xyleborus approximatus*](#) Schedl, 1951i ^C
- [*Xyleborus aquilus*](#) Blandford, 1894d ^C
- [*Xyleborus araguensis*](#) Wood, 2007 ^C
- [*Xyleborus araujiae*](#) Brèthes, 1921b ^C
- [*Xyleborus arbuti*](#) Hopkins, 1915b ^C
- [*Xyleborus arcticollis*](#) Blandford, 1896b ^C
- [*Xyleborus arcturus*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus arduus*](#) Schedl, 1942a ^C
- [*Xyleborus argentinensis*](#) Schedl, 1931c ^C
- [*Xyleborus aries*](#) Schedl, 1969b ^C
- [*Xyleborus armaticeps*](#) Schedl, 1942a ^C
- [*Xyleborus armatus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus armifer*](#) Schedl, 1942c ^C
- [*Xyleborus armiger*](#) Schedl, 1953e ^C
- [*Xyleborus armillatus*](#) Schedl, 1933d ^C
- [*Xyleborus arquatus*](#) Sampson, 1912 ^C
- [*Xyleborus artecomans*](#) Schedl, 1953e ^C
- [*Xyleborus artecuneolus*](#) Schedl, 1939n ^C
- [*Xyleborus artecylindrus*](#) Schedl, 1942a ^C
- [*Xyleborus artegranulatus*](#) Schedl, 1937b ^C
- [*Xyleborus artegrapha*](#) Schedl, 1942d ^C
- [*Xyleborus artehybridus*](#) Schedl, 1951i ^C
- [*Xyleborus artelaevis*](#) Schedl, 1942a ^C
- [*Xyleborus artelineatus*](#) Beeson, 1929 ^C

- [*Xyleborus artelongus*](#) Schedl, 1957d ^C
- [*Xyleborus artemarginatus*](#) Schedl, 1975a ^C
- [*Xyleborus artespinosus*](#) Schedl, 1935d ^C
- [*Xyleborus artestriatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus artetenuis*](#) Schedl, 1973a ^C
- [*Xyleborus artifex*](#) Schedl, 1942d ^C
- [*Xyleborus ashuensis*](#) Murayama, 1954b ^C
- [*Xyleborus asper*](#) Eggers, 1933b ^C
- [*Xyleborus asperatus*](#) Blandford, 1895a ^C
- [*Xyleborus aspericauda*](#) Eggers, 1941a ^C
- [*Xyleborus asperipennis*](#) Eggers, 1934b ^C
- [*Xyleborus asperipunctatus*](#) Eggers, 1933b ^C
- [*Xyleborus asperrimus*](#) Schedl, 1975a ^C
- [*Xyleborus aspersus*](#) Sampson, 1921 ^C
- [*Xyleborus asperulus*](#) Eggers, 1931a ^C
- [*Xyleborus assamensis*](#) Eggers, 1930d ^C
- [*Xyleborus assiduus*](#) Schedl, 1961i ^C
- [*Xyleborus assimilis*](#) Eggers, 1927b ^C
- [*Xyleborus associatus*](#) Schedl, 1976a ^C
- [*Xyleborus astutus*](#) Schedl, 1954a ^C
- [*Xyleborus atava*](#) Schedl, 1979g ^C
- [*Xyleborus ater*](#) Eggers, 1923a ^C
- [*Xyleborus aterrimus*](#) Eggers, 1927b ^C
- [*Xyleborus atlanticus*](#) Bright & Torres, 2006 ^C
- [*Xyleborus atratus*](#) Eichhoff, 1875 ^C
- [*Xyleborus attenuatus*](#) Blandford, 1894d ^C
- [*Xyleborus auratus*](#) Eggers, 1923a ^C
- [*Xyleborus aurilegulus*](#) Schaufuss, C.F.C., 1897b ^C
- [*Xyleborus australis*](#) Schedl, 1980b ^C

B

- [*Xyleborus baculum*](#) Beeson, 1929 ^C
- [*Xyleborus badius*](#) Eichhoff, 1869a ^C
- [*Xyleborus balanocarp*](#)i Nunberg, 1961b ^C
- [*Xyleborus balbalanus*](#) Eggers, 1927c ^C
- [*Xyleborus bambesanus*](#) Eggers, 1940c ^C

- [*Xyleborus banjoewangi*](#) Schedl, 1939f ^C
- [*Xyleborus banksiae*](#) Schedl, 1964d ^C
- [*Xyleborus barbatogranosus*](#) Schedl, 1942d ^C
- [*Xyleborus barbatoides*](#) Schedl, 1971c ^C
- [*Xyleborus barbatulus*](#) Schedl, 1934d ^C
- [*Xyleborus barbatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus barumbuensis*](#) Eggers, 1924 ^C
- [*Xyleborus basalis*](#) Schedl, 1972e ^C
- [*Xyleborus batoensis*](#) Eggers, 1923a ^C
- [*Xyleborus beckeri*](#) Bright, 1972d ^C
- [*Xyleborus bella*](#) Sampson, 1921 ^C
- [*Xyleborus benguetensis*](#) Schedl, 1951i ^C
- [*Xyleborus betsileo*](#) Schedl, 1965c ^C
- [*Xyleborus bezanozano*](#) Schedl, 1961e ^C
- [*Xyleborus bicinctulus*](#) Schedl, 1974f ^C
- [*Xyleborus bicinctum*](#) Schedl, 1965c ^C
- [*Xyleborus bicinctus*](#) Schedl, 1972g ^C
- [*Xyleborus bicolor*](#) Blandford, 1894d ^C
- [*Xyleborus biconicus*](#) Eggers, 1928c ^C
- [*Xyleborus bicornatulus*](#) Wood, 1967c ^C
- [*Xyleborus bicornioides*](#) Schedl, 1952b ^C
- [*Xyleborus bicornis*](#) Eggers, 1923a ^C
- [*Xyleborus bicornutus*](#) Wood, 1974a ^C
- [*Xyleborus bicostatus*](#) Sampson, 1921 ^C
- [*Xyleborus bicuspis*](#) Eggers, 1940d ^C
- [*Xyleborus bidentatus*](#) Wood & Bright, 1992 ^C
- [*Xyleborus bimaculatus*](#) Eggers, 1927c ^C
- [*Xyleborus biographus*](#) LeConte, 1868 ^C
- [*Xyleborus birmanus*](#) Eggers, 1930d ^C
- [*Xyleborus biseriatus*](#) Schedl, 1963d ^C
- [*Xyleborus bismarcensis*](#) Browne, 1966 ^C
- [*Xyleborus bispinatus*](#) Eichhoff, 1868c ^{C b}
- [*Xyleborus bispinosulus*](#) Schedl, 1961c ^C
- [*Xyleborus bispinus*](#) Nobuchi, 1981d ^C
- [*Xyleborus bituberculatum*](#) Eggers, 1923a ^C
- [*Xyleborus biuncus*](#) Browne, 1984d ^C

- [*Xyleborus blandus*](#) Schedl, 1954c ^C
- [*Xyleborus bobiriae*](#) Schedl, 1957e ^C
- [*Xyleborus bodoanus*](#) Reitter, 1913a ^C
- [*Xyleborus boeni*](#) Schedl, 1953d ^C
- [*Xyleborus bolivianus*](#) Eggers, 1943a ^C
- [*Xyleborus borneensis*](#) Eggers, 1927c ^C
- [*Xyleborus bostrichoides*](#) Schedl, 1956a ^C
- [*Xyleborus brasiliensis*](#) Eggers, 1928c ^C
- [*Xyleborus brevicollis*](#) Browne, 1984d ^C
- [*Xyleborus brevidentatus*](#) Eggers, 1930d ^C
- [*Xyleborus brevipennis*](#) Schedl, 1971c ^C
- [*Xyleborus brevipilosus*](#) Eggers, 1940d ^C
- [*Xyleborus brevis*](#) Eichhoff, 1877a ^C
- [*Xyleborus brevius*](#) Eggers, 1923a ^C
- [*Xyleborus breviusculus*](#) Schedl, 1942a ^C
- [*Xyleborus brighti*](#) Schedl, 1974f ^C
- [*Xyleborus brownei*](#) Schedl, 1964k ^C
- [*Xyleborus brunneipes*](#) Eggers, 1940d ^C
- [*Xyleborus brunneus*](#) Browne, 1981b ^C
- [*Xyleborus bryanti*](#) Sampson, 1919 ^C
- [*Xyleborus bucco*](#) Schaufuss, C.F.C., 1897a ^C
- [*Xyleborus burgdorfi*](#) Hopkins, 1915b ^C
- [*Xyleborus burmanicus*](#) Beeson, 1930 ^C
- [*Xyleborus buscki*](#) Hopkins, 1915b ^C
- [*Xyleborus butamali*](#) Beeson, 1930 ^C
- [*Xyleborus buxtoni*](#) Beeson, 1929 ^C

C

- [*Xyleborus cachani*](#) Schedl, 1958j ^C
- [*Xyleborus cachoeirinhae*](#) Schedl, 1951m ^C
- [*Xyleborus cacuminatus*](#) Eggers, 1928c ^C
- [*Xyleborus caelator*](#) Browne, 1955 ^C
- [*Xyleborus caelebs*](#) Blandford, 1898b ^C
- [*Xyleborus calamoides*](#) Murayama, 1934c ^C
- [*Xyleborus caldensis*](#) Wood, 2007 ^C
- [*Xyleborus californicus*](#) Wood, 1975 ^{i C}

- [*Xyleborus calvus*](#) Schedl, 1942a ^C
- [*Xyleborus camela*](#) Eggers, 1940d ^C
- [*Xyleborus camerunus*](#) Hagedorn, 1910b ^C
- [*Xyleborus camopinus*](#) Hagedorn, 1903b ^C
- [*Xyleborus camphorae*](#) Hagedorn, 1908 ^C
- [*Xyleborus canadensis*](#) Swaine, J.M., 1917 ^C
- [*Xyleborus canarii*](#) Browne, 1984a ^C
- [*Xyleborus canarivorus*](#) Browne, 1986a ^C
- [*Xyleborus cancellatus*](#) Eggers, 1936e ^C
- [*Xyleborus canus*](#) Niisima, 1909 ^C
- [*Xyleborus capensis*](#) Eggers, 1944b ^C
- [*Xyleborus capito*](#) Schaufuss, C.F.C., 1897a ^C
- [*Xyleborus capucinoides*](#) Eggers, 1941a ^C
- [*Xyleborus capucinus*](#) Eichhoff, 1869b ^C
- [*Xyleborus caraibicus*](#) Eggers, 1941a ^C
- [*Xyleborus carbonarius*](#) Eggers, 1927a ^C
- [*Xyleborus carinensis*](#) Eggers, 1923a ^C
- [*Xyleborus carinipennis*](#) Eichhoff, 1868c ^C
- [*Xyleborus carinulatus*](#) Eggers, 1920 ^C
- [*Xyleborus catharinensis*](#) Eggers, 1928c ^C
- [*Xyleborus catulus*](#) Blandford, 1898b ^C
- [*Xyleborus caudatus*](#) Schedl, 1957d ^C
- [*Xyleborus cavatus*](#) Browne, 1980c ^C
- [*Xyleborus cavuloides*](#) Browne, 1984c ^C
- [*Xyleborus cavulus*](#) Browne, 1974b ^C
- [*Xyleborus celsoides*](#) Hagedorn, 1908 ^C
- [*Xyleborus celsus*](#) Eichhoff, 1868 ^{i c b}
- [*Xyleborus ceramensis*](#) Schedl, 1937e ^C
- [*Xyleborus cerasi*](#) Eggers, 1937b ^C
- [*Xyleborus chimbui*](#) Schedl, 1973f ^C
- [*Xyleborus chrysophylli*](#) Eggers, 1930d ^C
- [*Xyleborus chujoi*](#) Schedl, 1951i ^C
- [*Xyleborus ciliatoformis*](#) Schedl, 1953f ^C
- [*Xyleborus ciliatus*](#) Eggers, 1940d ^C
- [*Xyleborus cinchonae*](#) Veen, H., 1897 ^C
- [*Xyleborus cinctipennis*](#) Schedl, 1980b ^C

- [*Xyleborus cinctipes*](#) Schedl, 1979g ^C
- [*Xyleborus circulicauda*](#) Browne, 1974a ^C
- [*Xyleborus circumcisulus*](#) Schedl, 1954a ^C
- [*Xyleborus circumcisum*](#) Sampson, 1921 ^C
- [*Xyleborus circumdentatus*](#) Schedl, 1938h ^C
- [*Xyleborus circumspinosus*](#) Schedl, 1972i ^C
- [*Xyleborus citri*](#) Beeson, 1930 ^C
- [*Xyleborus clerodendronae*](#) Schedl, 1952i ^C
- [*Xyleborus coartatus*](#) Sampson, 1921 ^C
- [*Xyleborus coccotrypoides*](#) Eggers, 1943a ^C
- [*Xyleborus coffeicola*](#) Campos Novaes, 1922 ^C
- [*Xyleborus coffeae*](#) Wurth, T., 1908 ^C
- [*Xyleborus coffeiceus*](#) Schedl, 1951b ^C
- [*Xyleborus coffeivorus*](#) Weele, H.W. van der, 1910 ^C
- [*Xyleborus cognatus*](#) Blandford, 1896a ^C
- [*Xyleborus collaris*](#) Eggers, 1923a ^C
- [*Xyleborus collarti*](#) Eggers, 1932d ^C
- [*Xyleborus collis*](#) Niisima, 1910a ^C
- [*Xyleborus colossus*](#) Blandford, 1896b ^C
- [*Xyleborus comans*](#) Sampson, 1919 ^C
- [*Xyleborus commixtus*](#) Blandford, 1898b ^C
- [*Xyleborus compactus*](#) Eichhoff, 1875 ^C
- [*Xyleborus comparabilis*](#) Schedl, 1957d ^C
- [*Xyleborus comptus*](#) Sampson, 1919 ^C
- [*Xyleborus concentus*](#) Wood, 1974a ^C
- [*Xyleborus concinnus*](#) Beeson, 1930 ^C
- [*Xyleborus concisus*](#) Blandford, 1894d ^C
- [*Xyleborus concitatus*](#) Schedl, 1969a ^C
- [*Xyleborus conditus*](#) Schedl, 1971c ^C
- [*Xyleborus confinis*](#) Eggers, 1923a ^C
- [*Xyleborus confluens*](#) Schedl, 1966f ^C
- [*Xyleborus conformis*](#) Schedl (Kollar in), 1962j ^C
- [*Xyleborus confusus*](#) Eichhoff, 1868a ^C
- [*Xyleborus congonus*](#) Hagedorn, 1908 ^C
- [*Xyleborus congruens*](#) Schedl, 1966f ^C
- [*Xyleborus conidens*](#) Eggers, 1936d ^C

- [*Xyleborus conifer*](#) Hagedorn, 1905 ^C
- [*Xyleborus conradti*](#) Hagedorn, 1910b ^C
- [*Xyleborus consimilis*](#) Eggers, 1923a ^C
- [*Xyleborus consobrinus*](#) Eggers, 1932d ^C
- [*Xyleborus conspeciens*](#) Schedl, 1936i ^C
- [*Xyleborus conspectus*](#) Schedl, 1964g ^C
- [*Xyleborus consularis*](#) Schedl, 1955b ^C
- [*Xyleborus continentalis*](#) Eggers, 1920 ^C
- [*Xyleborus convexicauda*](#) Eggers, 1932d ^C
- [*Xyleborus cordatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus corniculatulus*](#) Schedl, 1948f ^C
- [*Xyleborus corniculatus*](#) Schedl, 1948f ^C
- [*Xyleborus cornivorus*](#) Murayama, 1950c ^C
- [*Xyleborus cornutus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus coronatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus corporaali*](#) Eggers, 1923a ^C
- [*Xyleborus corpulentus*](#) Eggers, 1930d ^C
- [*Xyleborus corrugatum*](#) Schedl, 1951i ^C
- [*Xyleborus corruptus*](#) Schedl, 1962j ^C
- [*Xyleborus corthyloides*](#) Schedl, 1934d ^C
- [*Xyleborus costaricensis*](#) Blandford, 1898b ^C
- [*Xyleborus costatomorphus*](#) Schedl, 1950g ^C
- [*Xyleborus costipennis*](#) Schedl, 1959a ^C
- [*Xyleborus costulatus*](#) Eggers, 1940d ^C
- [*Xyleborus covinus*](#) Reitter, 1913a ^C
- [*Xyleborus crassitarsus*](#) Schedl, 1936j ^C
- [*Xyleborus crassus*](#) Hagedorn, 1910b ^C
- [*Xyleborus crenatus*](#) Eggers, 1920 ^C
- [*Xyleborus crenulatus*](#) Eggers, 1920 ^C
- [*Xyleborus cribratus*](#) Eggers, 1940d ^C
- [*Xyleborus cribripennis*](#) Eggers, 1927a ^C
- [*Xyleborus crinitulus*](#) Wood, 1974a ^C
- [*Xyleborus crinitus*](#) Schedl, 1962j ^C
- [*Xyleborus cristatuloides*](#) Schedl, 1971a ^C
- [*Xyleborus cristatus*](#) Hagedorn, 1908 ^C
- [*Xyleborus criticus*](#) Schedl, 1950g ^C

- [*Xyleborus cruciatus*](#) Schedl, 1973e ^C
- [*Xyleborus crucifer*](#) Hagedorn, 1908 ^C
- [*Xyleborus cruciferinum*](#) Schedl, 1957d ^C
- [*Xyleborus cruciforme*](#) Schedl, 1957d ^C
- [*Xyleborus crucipenne*](#) Schedl, 1962j ^C
- [*Xyleborus cruralis*](#) Schedl, 1975e ^C
- [*Xyleborus cryphaloides*](#) Schedl, 1942a ^C
- [*Xyleborus cryptographus*](#) Wood & Bright, 1992 ^C
- [*Xyleborus cucullatus*](#) Blandford, 1894d ^C
- [*Xyleborus cuneatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus cuneidentis*](#) Schedl, 1961e ^C
- [*Xyleborus cuneiformis*](#) Schedl, 1958b ^C
- [*Xyleborus cuneipennis*](#) Schedl, 1950d ^C
- [*Xyleborus cuneolosus*](#) Schedl, 1959a ^C
- [*Xyleborus cuneolus*](#) Eggers, 1927c ^C
- [*Xyleborus cupulatus*](#) Schedl, 1961e ^C
- [*Xyleborus curtidentis*](#) Schedl, 1961e ^C
- [*Xyleborus curtuloides*](#) Eggers, 1941a ^C
- [*Xyleborus curtulus*](#) Eichhoff, 1869a ^C
- [*Xyleborus curtus*](#) Eggers, 1928c ^C
- [*Xyleborus curvatus*](#) Browne, 1986a ^C
- [*Xyleborus curvidentis*](#) Schedl, 1958b ^C
- [*Xyleborus curvipenne*](#) Schedl, 1951i ^C
- [*Xyleborus cuspidus*](#) Schedl, 1975f ^C
- [*Xyleborus cyclopus*](#) Schedl, 1940b ^C
- [*Xyleborus cylindrica*](#) Eggers, 1927c ^C
- [*Xyleborus cylindriformis*](#) Schedl, 1942c ^C
- [*Xyleborus cylindripennis*](#) Schedl, 1954a ^C
- [*Xyleborus cylindromorphus*](#) Eggers, 1927c ^C
- [*Xyleborus cylindrus*](#) Schedl, 1951i ^C

D

- [*Xyleborus dalbergiae*](#) Eggers, 1930d ^C
- [*Xyleborus daosi*](#) Schedl, 1958j ^C
- [*Xyleborus darwini*](#) Schedl, 1972a ^C
- [*Xyleborus dasyurus*](#) Browne, 1950b ^C

- [*Xyleborus dearmatus*](#) Eggers, 1923a ^C
- [*Xyleborus decipiens*](#) Eggers, 1923a ^C
- [*Xyleborus declivigranulatus*](#) Schedl, 1936j ^C
- [*Xyleborus declivis*](#) Eichhoff, 1869a ^C
- [*Xyleborus declivispinatus*](#) Schedl, 1969b ^C
- [*Xyleborus decorus*](#) Schedl, 1960i ^C
- [*Xyleborus decumans*](#) Schedl, 1953c ^C
- [*Xyleborus defensus*](#) Blandford, 1894d ^C
- [*Xyleborus deformatus*](#) Browne, 1974a ^C
- [*Xyleborus delicatum*](#) Schedl, 1955b ^C
- [*Xyleborus demissus*](#) Wood, 1974a ^C
- [*Xyleborus densatus*](#) Schedl, 1979g ^C
- [*Xyleborus denseseriatulus*](#) Eggers, 1941b ^C
- [*Xyleborus densicornis*](#) Schedl, 1957d ^C
- [*Xyleborus dentatulus*](#) Browne, 1981a ^C
- [*Xyleborus dentatus*](#) Blandford, 1895a ^C
- [*Xyleborus dentellus*](#) Schedl, 1953d ^C
- [*Xyleborus dentibaris*](#) Schedl, 1961e ^C
- [*Xyleborus denticulus*](#) Mandelshtam & Nikitsky, 2010 ^C
- [*Xyleborus dentipennis*](#) Browne, 1983a ^C
- [*Xyleborus deplanatulus*](#) Schedl, 1950f ^C
- [*Xyleborus deplanatus*](#) Eggers, 1933b ^C
- [*Xyleborus depressurus*](#) Browne, 1985a ^C
- [*Xyleborus derelictus*](#) Hagedorn, 1910b ^C
- [*Xyleborus derupteterminatus*](#) Schedl, 1951i ^C
- [*Xyleborus deruptulus*](#) Schedl, 1942d ^C
- [*Xyleborus desertus*](#) Schedl, 1971c ^C
- [*Xyleborus despectus*](#) Schedl, 1975j ^C
- [*Xyleborus dstrictum*](#) Schedl, 1939e ^C
- [*Xyleborus destruens*](#) Blandford, 1896b ^C
- [*Xyleborus detectus*](#) Schedl, 1975a ^C
- [*Xyleborus detritus*](#) Eggers, 1927b ^C
- [*Xyleborus devexulus*](#) Wood, 1978b ^C
- [*Xyleborus devexus*](#) Wood, 1977b ^C
- [*Xyleborus devius*](#) Schedl, 1979g ^C
- [*Xyleborus diapiformis*](#) Schedl, 1961e ^C

- [*Xyleborus dichrous*](#) Eichhoff, 1868c ^C
- [*Xyleborus difficilis*](#) Eggers, 1923a ^C
- [*Xyleborus diglyptus*](#) Schedl, 1956a ^C
- [*Xyleborus dihingensis*](#) Schedl, 1951i ^C
- [*Xyleborus dilatatifomis*](#) Schedl, 1971a ^C
- [*Xyleborus dilatatus*](#) Schedl, 1953b ^C
- [*Xyleborus dilatatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus diligens*](#) Schedl, 1957d ^C
- [*Xyleborus dimidiatus*](#) Eggers, 1927b ^C
- [*Xyleborus discolor*](#) Blandford, 1898a ^C
- [*Xyleborus discrepans*](#) Schedl, 1950d ^C
- [*Xyleborus discretus*](#) Eggers, 1933b ^C
- [*Xyleborus dispar*](#) (Fabricius, 1792) ^C
- [*Xyleborus dissidens*](#) Wood, 1974a ^C
- [*Xyleborus dissimulatus*](#) Wood, 1974a ^C
- [*Xyleborus distinguendus*](#) Eggers, 1930d ^C
- [*Xyleborus diversepilosus*](#) Eggers, 1941b ^C
- [*Xyleborus diversicolor*](#) Eggers, 1923a ^C
- [*Xyleborus diversipennis*](#) Schedl, 1951j ^C
- [*Xyleborus diversus*](#) Schedl, 1954e ^C
- [*Xyleborus docta*](#) Schedl, 1975f ^C
- [*Xyleborus doliaris*](#) Schedl, 1959a ^C
- [*Xyleborus dolosus*](#) Blandford, 1896b ^C
- [*Xyleborus donisthorpi*](#) Schedl, 1951i ^C
- [*Xyleborus dorsalis*](#) Schedl, 1965g ^C
- [*Xyleborus dorsosulcatus*](#) Beeson, 1930 ^C
- [*Xyleborus dossuarius*](#) Eggers, 1923a ^C
- [*Xyleborus dryographus*](#) Wood & Bright, 1992 ^{C g}
- [*Xyleborus dubiosus*](#) Perkins, 1900 ^{i C}
- [*Xyleborus dubius*](#) Eggers, 1923a ^C
- [*Xyleborus duodecimspinus*](#) Schedl, 1936g ^C
- [*Xyleborus duplex*](#) Browne, 1974a ^C
- [*Xyleborus duplicatus*](#) Eggers, 1923a ^C
- [*Xyleborus duploarmatus*](#) Browne, 1962c ^C
- [*Xyleborus duponti*](#) Montrouzier, 1861 ^C
- [*Xyleborus duprezi*](#) Hoffmann, A., 1936 ^C

E-F

- [*Xyleborus ebenus*](#) Wood, 1971 ^C
- [*Xyleborus ebriosus*](#) Niisima, 1909 ^C
- [*Xyleborus eccoptopterus*](#) Schedl, 1951k ^C
- [*Xyleborus eggersi*](#) Beeson, 1930 ^C
- [*Xyleborus eggersianus*](#) Schedl, 1960i ^C
- [*Xyleborus eichhoffi*](#) Schreiner, 1882 ^C
- [*Xyleborus eichhoffianus*](#) Schedl, 1950h ^C
- [*Xyleborus elegans*](#) Sampson, 1923b ^C
- [*Xyleborus elevatus*](#) Eggers, 1931a ^C
- [*Xyleborus elongatus*](#) Eggers, 1920 ^C
- [*Xyleborus emarginatus*](#) Schedl, 1952k ^C
- [*Xyleborus erinacea*](#) Eggers, 1927c ^C
- [*Xyleborus erygraphus*](#) (Ratzeburg, 1837) ^g
- [*Xyleborus eucalyptica*](#) Schedl, 1938f ^C
- [*Xyleborus eugeniae*](#) Eggers, 1930d ^C
- [*Xyleborus eupatorii*](#) Eggers, 1940d ^C
- [*Xyleborus eurygraphus*](#) Wood & Bright, 1992 ^{C g}
- [*Xyleborus exactus*](#) Schedl, 1964i ^C
- [*Xyleborus exaratus*](#) Blandford, 1898b ^C
- [*Xyleborus excavatus*](#) Hagedorn, 1907b ^C
- [*Xyleborus excavus*](#) Schedl, 1964g ^C
- [*Xyleborus exesus*](#) Blandford, 1894d ^C
- [*Xyleborus exilis*](#) Schedl, 1934e ^C
- [*Xyleborus eximius*](#) Schedl, 1970b ^C
- [*Xyleborus exsculpta*](#) Eggers, 1927c ^C
- [*Xyleborus exsectus*](#) Perkins, 1900 ^{i C}
- [*Xyleborus extensa*](#) Schedl, 1955b ^C
- [*Xyleborus exutus*](#) Wood, 1974a ^C
- [*Xyleborus fabricii*](#) Schedl, 1964k ^C
- [*Xyleborus facetus*](#) Schedl, 1965f ^C
- [*Xyleborus falcarius*](#) Schedl, 1942c ^C
- [*Xyleborus fallaciosus*](#) Schedl, 1957d ^C
- [*Xyleborus fallax*](#) Eichhoff, 1878b ^C
- [*Xyleborus fallaxoides*](#) Schedl, 1955b ^C
- [*Xyleborus falsus*](#) Schedl, 1966f ^C

- [*Xyleborus familiaris*](#) Schedl, 1965c ^C
- [*Xyleborus fastigatus*](#) Schedl, 1935b ^C
- [*Xyleborus felix*](#) Schedl, 1971g ^C
- [*Xyleborus femoratus*](#) Eggers, 1928c ^C
- [*Xyleborus ferinus*](#) Schedl, 1936j ^C
- [*Xyleborus ferox*](#) Blandford, 1898b ^C
- [*Xyleborus ferrugineus*](#) (Fabricius, 1801) ^{i c b}
- [*Xyleborus festivus*](#) Eichhoff, 1875 ^C
- [*Xyleborus ficus*](#) Eggers, 1927a ^C
- [*Xyleborus figuratus*](#) Schedl, 1959a ^C
- [*Xyleborus fijianus*](#) Schedl, 1938f ^C
- [*Xyleborus filiformis*](#) Schedl, 1975f ^C
- [*Xyleborus fischeri*](#) Hagedorn, 1908 ^C
- [*Xyleborus fitchi*](#) Hopkins, 1915b ^C
- [*Xyleborus flavipennis*](#) Schedl, 1979g ^C
- [*Xyleborus flavopilosus*](#) Schedl, 1936g ^C
- [*Xyleborus flexiocostatus*](#) Schedl, 1942d ^C
- [*Xyleborus flohri*](#) Schedl, 1972g ^C
- [*Xyleborus floridensis*](#) Hopkins, 1915b ^C
- [*Xyleborus foederatus*](#) Schedl, 1963f ^C
- [*Xyleborus foersteri*](#) Hagedorn, 1910b ^C
- [*Xyleborus forcipatus*](#) Schedl, 1957d ^C
- [*Xyleborus forficatus*](#) Schedl, 1957d ^C
- [*Xyleborus forficuloides*](#) Schedl, 1951j ^C
- [*Xyleborus forficulus*](#) Eggers, 1922b ^C
- [*Xyleborus formosae*](#) Wood, 1992a ^C
- [*Xyleborus formosanus*](#) Eggers, 1930d ^C
- [*Xyleborus fornication*](#) Eggers, 1923a ^C
- [*Xyleborus fornicatus*](#) Eichhoff, 1868c ^C
- [*Xyleborus fouqueti*](#) Schedl, 1937f ^C
- [*Xyleborus foveicollis*](#) Browne, 1950b ^C
- [*Xyleborus fragosus*](#) Schedl, 1942d ^C
- [*Xyleborus fraterculus*](#) Schaufuss, C.F.C., 1905 ^C
- [*Xyleborus fraternus*](#) Blandford, 1896b ^C
- [*Xyleborus frigidus*](#) Blackburn, 1885 ^C
- [*Xyleborus fukiensis*](#) Eggers, 1941b ^C

- [*Xyleborus fulgens*](#) Schedl, 1975f ^C
- [*Xyleborus fuliginosus*](#) Eggers, 1923a ^C
- [*Xyleborus fulvulus*](#) Schedl, 1942d ^C
- [*Xyleborus fulvus*](#) Murayama, 1936a ^C
- [*Xyleborus funebris*](#) Schedl, 1976a ^C
- [*Xyleborus funereus*](#) Lea, 1910 ^C
- [*Xyleborus funestus*](#) Schedl, 1979g ^C
- [*Xyleborus fuscatus*](#) Eichhoff, 1868a ^C
- [*Xyleborus fuscipilosus*](#) Eggers, 1940d ^C
- [*Xyleborus fusciseriatus*](#) Eggers, 1934a ^C
- [*Xyleborus fuscobrunneus*](#) Eichhoff, 1878b ^C
- [*Xyleborus fuscus*](#) Eggers, 1923a ^C
- [*Xyleborus fuyugei*](#) Schedl, 1973f ^C

G-H

- [*Xyleborus galeatus*](#) Blandford, 1894d ^C
- [*Xyleborus ganshoensis*](#) Murayama, 1952a ^C
- [*Xyleborus geayi*](#) Hagedorn, 1905a ^C
- [*Xyleborus geminatus*](#) Hagedorn, 1904d ^C
- [*Xyleborus gentilis*](#) Schedl, 1972g ^C
- [*Xyleborus germanus*](#) Blandford, 1894d ^C
- [*Xyleborus gezei*](#) Lepesme, 1942c ^C
- [*Xyleborus gibber*](#) Schedl, 1961e ^C
- [*Xyleborus gilvipes*](#) Blandford, 1898b ^C
- [*Xyleborus glaber*](#) Eggers, 1930d ^C
- [*Xyleborus glaberrimus*](#) Schedl, 1942c ^C
- [*Xyleborus glabratulus*](#) Browne, 1983a ^C
- [*Xyleborus glabratus*](#) Eichhoff, 1877a ^{C b} (redbay ambrosia beetle)
- [*Xyleborus glabripennis*](#) Schedl, 1942a ^C
- [*Xyleborus glaucus*](#) Sampson, 1921 ^C
- [*Xyleborus globus*](#) Blandford, 1896b ^C
- [*Xyleborus godmani*](#) Blandford, 1898b ^C
- [*Xyleborus goloanus*](#) Browne, 1974a ^C
- [*Xyleborus gorggae*](#) Schedl, 1973e ^C
- [*Xyleborus gorontalosa*](#) Schedl, 1939f ^C
- [*Xyleborus gracilicornis*](#) Schedl, 1977e ^C

- [*Xyleborus gracilipennis*](#) Schedl, 1957d ^C
- [*Xyleborus gracilis*](#) Eichhoff, 1868c ^C
- [*Xyleborus granatus*](#) Schedl, 1979a ^C
- [*Xyleborus grandis*](#) Eichhoff, 1869a ^C
- [*Xyleborus granicollis*](#) LeConte, 1868 ^C
- [*Xyleborus granifer*](#) Eichhoff, 1878b ^C
- [*Xyleborus graniger*](#) Schedl, 1955b ^C
- [*Xyleborus granistriatus*](#) Eggers, 1940d ^C
- [*Xyleborus granosus*](#) Schedl, 1957d ^C
- [*Xyleborus granularis*](#) Schedl, 1950g ^C
- [*Xyleborus granulicauda*](#) Eggers, 1931a ^C
- [*Xyleborus granulifer*](#) Eggers, 1923a ^C
- [*Xyleborus granulipennis*](#) Eggers, 1930d ^C
- [*Xyleborus granulipes*](#) Schedl, 1973e ^C
- [*Xyleborus granulosus*](#) Schedl, 1975f ^C
- [*Xyleborus granurus*](#) Browne, 1980a ^C
- [*Xyleborus gratiosus*](#) Schedl, 1975f ^C
- [*Xyleborus gratus*](#) Schedl, 1964g ^C
- [*Xyleborus gravelyi*](#) Wichmann, H.E., 1914a ^C
- [*Xyleborus gravidus*](#) Blandford, 1898a ^C
- [*Xyleborus grenadensis*](#) Hopkins, 1915b ^C
- [*Xyleborus grossmanni*](#) Schedl, 1952d ^C
- [*Xyleborus grossopunctatus*](#) Schedl, 1942d ^C
- [*Xyleborus guanajuatensis*](#) Dugès, 1887 ^C
- [*Xyleborus guayanensis*](#) Eggers, 1933b ^C
- [*Xyleborus guineense*](#) Eggers, 1941d ^C
- [*Xyleborus gundlachi*](#) Eggers, 1931a ^C
- [*Xyleborus haberkorni*](#) Eggers, 1920 ^C
- [*Xyleborus haddeni*](#) Schedl, 1933e ^C
- [*Xyleborus haesitus*](#) Schedl, 1976a ^C
- [*Xyleborus hagedorni*](#) Iglesias, 1914b ^C
- [*Xyleborus hagedornianus*](#) Schedl, 1952k ^C
- [*Xyleborus halli*](#) Schedl, 1954c ^C
- [*Xyleborus hamatus*](#) LeConte, 1874a ^C
- [*Xyleborus hashimotoi*](#) Browne, 1986a ^C
- [*Xyleborus hastatum*](#) Schedl, 1942d ^C

- [*Xyleborus hatanakai*](#) Browne, 1983a ^C
- [*Xyleborus hawaiiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus hembibitalei*](#) Schedl, 1962j ^C
- [*Xyleborus heveae*](#) Schedl, 1957d ^C
- [*Xyleborus hiiaka*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus hirsutipennis*](#) Schedl, 1961e ^C
- [*Xyleborus hirtellus*](#) Schedl, 1948f ^C
- [*Xyleborus hirtipennis*](#) Eggers, 1940d ^C
- [*Xyleborus hirtipes*](#) Schedl, 1969c ^C
- [*Xyleborus hirtum*](#) Hagedorn, 1904d ^C
- [*Xyleborus hirtuosus*](#) Beeson, 1930 ^C
- [*Xyleborus holtzi*](#) Eggers, 1922b ^C
- [*Xyleborus hopeae*](#) Browne, 1986a ^C
- [*Xyleborus hopkinsi*](#) Beeson, 1929 ^C
- [*Xyleborus horridatus*](#) Wood, 1967c ^C
- [*Xyleborus horridicus*](#) Wood, 1967c ^C
- [*Xyleborus horridulus*](#) Browne, 1961a ^C
- [*Xyleborus horridus*](#) Eichhoff, 1869 ^{i C b}
- [*Xyleborus hova*](#) Schedl, 1953d ^C
- [*Xyleborus howardi*](#) Hopkins, 1915b ^C
- [*Xyleborus howdenae*](#) Bright, 1973 ^C
- [*Xyleborus huangi*](#) Browne, 1983d ^C
- [*Xyleborus hubbardi*](#) Hopkins, 1915b ^C
- [*Xyleborus hunanensis*](#) Browne, 1983d ^C
- [*Xyleborus hybridus*](#) Eggers, 1927c ^C
- [*Xyleborus hystericoides*](#) Browne, 1973a ^C
- [*Xyleborus hystrix*](#) Schedl, 1957d ^C

I

- [*Xyleborus ignobilis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus iheringi*](#) Iglesias, 1914b ^C
- [*Xyleborus illepidus*](#) Schedl, 1941d ^C
- [*Xyleborus illustrius*](#) Schedl, 1939f ^C
- [*Xyleborus imbellis*](#) Blandford, 1898b ^C
- [*Xyleborus imitator*](#) Schedl, 1976a ^C
- [*Xyleborus immaturus*](#) Blackburn, 1885 ^C

- [*Xyleborus immersus*](#) Schedl, 1972i ^C
- [*Xyleborus immitatrix*](#) Schedl, 1975f ^C
- [*Xyleborus impar*](#) Eggers, 1927c ^C
- [*Xyleborus impexus*](#) Schedl, 1942c ^C
- [*Xyleborus impressus*](#) Eichhoff, 1868a ^{C b}
- [*Xyleborus improbus*](#) Sampson, 1913 ^C
- [*Xyleborus improcerus*](#) Sampson, 1921 ^C
- [*Xyleborus improvidus*](#) Schedl, 1935d ^C
- [*Xyleborus inaequalis*](#) Schedl, 1934d ^C
- [*Xyleborus inaffectatus*](#) Schedl, 1972g ^C
- [*Xyleborus incertus*](#) Wood, 2007 ^C
- [*Xyleborus inconstans*](#) Schedl, 1962j ^C
- [*Xyleborus inconveniens*](#) Schedl, 1948h ^C
- [*Xyleborus incultus*](#) Wood, 1975b ^C
- [*Xyleborus incurvus*](#) Eggers, 1930d ^C
- [*Xyleborus indicus*](#) Eichhoff, 1878b ^C
- [*Xyleborus indigenus*](#) Schedl, 1955b ^C
- [*Xyleborus indocorus*](#) Schedl, 1979a ^C
- [*Xyleborus indonesianus*](#) Browne, 1984b ^C
- [*Xyleborus industrius*](#) Sampson, 1912 ^C
- [*Xyleborus inermis*](#) Eichhoff, 1868a ^C
- [*Xyleborus infans*](#) Hagedorn, 1910b ^C
- [*Xyleborus inferior*](#) Schedl, 1976a ^C
- [*Xyleborus innominatus*](#) Schedl, 1970d ^C
- [*Xyleborus inoblitus*](#) Schedl, 1939g ^C
- [*Xyleborus inopinatus*](#) Schedl, 1970e ^C
- [*Xyleborus insignis*](#) Browne, 1984c ^C
- [*Xyleborus insitivus*](#) Schedl, 1959a ^C
- [*Xyleborus insolitus*](#) Bright, 1972d ^C
- [*Xyleborus insularis*](#) Sharp, D., 1885 ^C
- [*Xyleborus insulindicus*](#) Eggers, 1923a ^C
- [*Xyleborus integer*](#) Schedl, 1957d ^C
- [*Xyleborus interjectus*](#) Blandford, 1894 ^{i C}
- [*Xyleborus intermedius*](#) Eggers, 1923a ^C
- [*Xyleborus interponens*](#) Schedl, 1954c ^C
- [*Xyleborus interpunctatus*](#) Blandford, 1898b ^C

- [*Xyleborus interruptus*](#) Eggers, 1940d ^C
- [*Xyleborus intersetosus*](#) Blandford, 1898b ^C
- [*Xyleborus interstitialis*](#) Eichhoff, 1878b ^C
- [*Xyleborus intextus*](#) Beeson, 1930 ^C
- [*Xyleborus intricatus*](#) Schedl, 1948f ^C
- [*Xyleborus intrusus*](#) Blandford, 1898 ^{i c b}
- [*Xyleborus inurbanus*](#) Bright & Skidmore, 2002 ^C
- [*Xyleborus ipidia*](#) Schedl, 1972h ^C
- [*Xyleborus irregularis*](#) Eggers, 1923a ^C
- [*Xyleborus ishidai*](#) Niisima, 1909 ^C
- [*Xyleborus itatiyaensis*](#) Schedl, 1936i ^C
- [*Xyleborus izuensis*](#) Murayama, 1952a ^C

J-K

- [*Xyleborus jaintianus*](#) Schedl, 1967f ^C
- [*Xyleborus jamaicensis*](#) Bright, 1972d ^C
- [*Xyleborus jambolanaensis*](#) Schedl, 1951j ^C
- [*Xyleborus japonicus*](#) Nobuchi, 1981d ^C
- [*Xyleborus javanus*](#) Eggers, 1923a ^C
- [*Xyleborus jongaensis*](#) Schedl, 1941d ^C
- [*Xyleborus joveri*](#) Schedl, 1951f ^C
- [*Xyleborus jucundus*](#) Schedl, 1954a ^C
- [*Xyleborus judenkoi*](#) Schedl, 1959a ^C
- [*Xyleborus justus*](#) Schedl, 1931c ^C
- [*Xyleborus kadoyamaensis*](#) Murayama, 1934c ^C
- [*Xyleborus kaimochii*](#) Nobuchi, 1981d ^C
- [*Xyleborus kajangensis*](#) Schedl, 1942a ^C
- [*Xyleborus kalopanacis*](#) Kurenzov, 1941a ^C
- [*Xyleborus katangensis*](#) Eggers, 1932d ^C
- [*Xyleborus katoi*](#) Browne, 1986c ^C
- [*Xyleborus kauaiensis*](#) Perkins, 1900 ^{i c}
- [*Xyleborus kelantanum*](#) Schedl, 1953c ^C
- [*Xyleborus kersianus*](#) Browne, 1981a ^C
- [*Xyleborus khayae*](#) Schedl, 1957e ^C
- [*Xyleborus khinganensis*](#) Murayama, 1943b ^C
- [*Xyleborus kirishimanus*](#) Murayama, 1955 ^C

- [*Xyleborus kivuensis*](#) Eggers, 1935c ^C
- [*Xyleborus klapperichi*](#) Schedl, 1955h ^C
- [*Xyleborus kojimai*](#) Murayama, 1936a ^C
- [*Xyleborus kororensis*](#) Wood, 1960a ^C
- [*Xyleborus kraatzi*](#) Eichhoff, 1868c ^C
- [*Xyleborus kraunhiae*](#) Niisima, 1910a ^C
- [*Xyleborus kuchingensis*](#) Browne, 1955 ^C
- [*Xyleborus kumamotoensis*](#) Murayama, 1934c ^C

L

- [*Xyleborus laciniatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus lacunatus*](#) Wood, 1974a ^C
- [*Xyleborus laetus*](#) Niisima, 1909 ^C
- [*Xyleborus laevipennis*](#) Schedl, 1961e ^C
- [*Xyleborus laevis*](#) Eggers, 1923a ^C
- [*Xyleborus laeviusculus*](#) Blandford, 1896a ^C
- [*Xyleborus lanaiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus latecarinatus*](#) Schedl, 1936d ^C
- [*Xyleborus latecavatus*](#) Eggers, 1927c ^C
- [*Xyleborus latecompressus*](#) Schedl, 1936g ^C
- [*Xyleborus latecornis*](#) Schedl, 1969a ^C
- [*Xyleborus latetruncatus*](#) Schedl, 1942a ^C
- [*Xyleborus laticaudatus*](#) Eggers, 1923a ^C
- [*Xyleborus laticeps*](#) Wood, 1977b ^C
- [*Xyleborus laticollis*](#) Blandford, 1896b ^C
- [*Xyleborus latipennis*](#) Schedl, 1976a ^C
- [*Xyleborus lativentris*](#) Schedl, 1942a ^C
- [*Xyleborus latus*](#) Eggers, 1923a ^C
- [*Xyleborus lenis*](#) Wood, 1974a ^C
- [*Xyleborus lepidus*](#) Bright, 1972d ^C
- [*Xyleborus leprosulus*](#) Schedl, 1936j ^C
- [*Xyleborus leverensis*](#) Browne, 1986c ^C
- [*Xyleborus lewekianus*](#) Eggers, 1923a ^C
- [*Xyleborus lewisi*](#) Blandford, 1894d ^C
- [*Xyleborus libra*](#) Eggers, 1923a ^C
- [*Xyleborus lignographus*](#) Schedl, 1953e ^C

- [*Xyleborus limatus*](#) Schedl, 1936h ^C
- [*Xyleborus linearicollis*](#) Schedl, 1937h ^C
- [*Xyleborus linearis*](#) Schedl, 1948f ^C
- [*Xyleborus lineatopunctatus*](#) Eggers, 1927b ^C
- [*Xyleborus lineatus*](#) Eggers, 1930d ^C
- [*Xyleborus littoralis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus loebli*](#) Schedl, 1979b ^C
- [*Xyleborus longehirtus*](#) Nunberg, 1956d ^C
- [*Xyleborus longicollis*](#) Browne, 1977c ^C
- [*Xyleborus longideclivis*](#) Wood, 1968b ^C
- [*Xyleborus longidens*](#) Eggers, 1930d ^C
- [*Xyleborus longipennis*](#) Eggers, 1933b ^C
- [*Xyleborus longipilus*](#) Eggers, 1926b ^C
- [*Xyleborus longius*](#) Eggers, 1923a ^C
- [*Xyleborus longulus*](#) Schedl, 1966f ^C
- [*Xyleborus longus*](#) Eggers, 1927b ^C
- [*Xyleborus loricatus*](#) Schedl, 1933d ^C
- [*Xyleborus lubricus*](#) Schedl, 1941d ^C
- [*Xyleborus luctuosus*](#) Eggers, 1939b ^C
- [*Xyleborus lugubris*](#) Eggers, 1927c ^C
- [*Xyleborus luteus*](#) Schedl, 1937b ^C
- [*Xyleborus luzonicus*](#) Eggers, 1923a ^C

M

- [*Xyleborus macer*](#) Blandford, 1898b ^C
- [*Xyleborus machili*](#) Niisima, 1910a ^C
- [*Xyleborus madagascariensis*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus magnificus*](#) Wood, 1992a ^C
- [*Xyleborus magnispinatus*](#) Beaver & Loyttyneimi (Beaver in), 1985a ^C
- [*Xyleborus magnus*](#) Niisima, 1910a ^C
- [*Xyleborus mahafali*](#) Schedl, 1953d ^C
- [*Xyleborus maiche*](#) Eggers, 1942c ^C
- [*Xyleborus major*](#) Wood & Bright, 1992 ^C
- [*Xyleborus majusculus*](#) Schedl, 1951m ^C
- [*Xyleborus malayensis*](#) Browne, 1981a ^C
- [*Xyleborus malgasicus*](#) Schedl, 1961e ^C

- [*Xyleborus malloti*](#) Eggers, 1930d ^C
- [*Xyleborus mamibillae*](#) Browne, 1970 ^C
- [*Xyleborus mancus*](#) Blandford, 1898a ^C
- [*Xyleborus mangoense*](#) Schedl, 1942a ^C
- [*Xyleborus maniensis*](#) Browne, 1981a ^C
- [*Xyleborus marcidus*](#) Schedl, 1965c ^C
- [*Xyleborus marginatulus*](#) Schedl, 1957d ^C
- [*Xyleborus marginatus*](#) Eggers, 1927c ^C
- [*Xyleborus marginicollis*](#) Schedl, 1936h ^C
- [*Xyleborus maronicus*](#) Eggers, 1933b ^C
- [*Xyleborus mascareniformis*](#) Eggers, 1927b ^C
- [*Xyleborus mascarensis*](#) Eichhoff, 1878b ^C
- [*Xyleborus mascarenius*](#) Hagedorn, 1908 ^C
- [*Xyleborus mauiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus mediocris*](#) Schedl, 1942a ^C
- [*Xyleborus melanarius*](#) Schedl, 1978c ^C
- [*Xyleborus melancranis*](#) Beeson, 1930 ^C
- [*Xyleborus melas*](#) Eggers, 1927c ^C
- [*Xyleborus melli*](#) Schedl, 1938h ^C
- [*Xyleborus mendosus*](#) Schedl, 1965c ^C
- [*Xyleborus meridensis*](#) Wood, 1974a ^C
- [*Xyleborus meritus*](#) Wood, 1974a ^C
- [*Xyleborus mesoleiulus*](#) Schedl, 1979g ^C
- [*Xyleborus mesuae*](#) Eggers, 1930d ^C
- [*Xyleborus metacomans*](#) Eggers, 1930d ^C
- [*Xyleborus metacrucifer*](#) Browne, 1965a ^C
- [*Xyleborus metacuneolus*](#) Eggers, 1940d ^C
- [*Xyleborus metagermanus*](#) Schedl, 1951i ^C
- [*Xyleborus metanepotulus*](#) Eggers, 1939c ^C
- [*Xyleborus meuseli*](#) Reitter, 1905 ^C
- [*Xyleborus mexicanus*](#) Eggers, 1931a ^C
- [*Xyleborus micarius*](#) Wood, 1974a ^C
- [*Xyleborus micrographus*](#) Schedl, 1958b ^C
- [*Xyleborus mimicus*](#) Wood, 2007 ^C
- [*Xyleborus mimosae*](#) Schedl, 1957d ^C
- [*Xyleborus mimus*](#) Schedl, 1971e ^C

- [*Xyleborus mindanaensis*](#) Eggers, 1927c ^C
- [*Xyleborus minimus*](#) Schedl, 1955b ^C
- [*Xyleborus minor*](#) Swaine, J.M., 1910b ^C
- [*Xyleborus minusculus*](#) Eggers, 1923a ^C
- [*Xyleborus minutissimus*](#) Eggers, 1930d ^C
- [*Xyleborus misatoensis*](#) Nobuchi, 1981d ^C
- [*Xyleborus mitosomiformis*](#) Schedl, 1953d ^C
- [*Xyleborus mitosomipennis*](#) Schedl, 1953d ^C
- [*Xyleborus mitosomus*](#) Schedl, 1965c ^C
- [*Xyleborus mixtus*](#) Schedl, 1979g ^C
- [*Xyleborus miyazakiensis*](#) Murayama, 1936a ^C
- [*Xyleborus mkulumusius*](#) Schedl (Hagedorn in), 1962j ^C
- [*Xyleborus moestus*](#) Eggers, 1930d ^C
- [*Xyleborus molestulus*](#) Wood, 1975b ^C
- [*Xyleborus molokaiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus moluccanus*](#) Browne, 1985b ^C
- [*Xyleborus monachus*](#) Blandford, 1898b ^C
- [*Xyleborus monographus*](#) (Fabricius, J.C., 1792) ^{C g}
- [*Xyleborus montanus*](#) Niisima, 1910a ^C
- [*Xyleborus monticolus*](#) Schedl, 1957d ^C
- [*Xyleborus morigerus*](#) Blandford, 1894b ^C
- [*Xyleborus morio*](#) Eggers, 1923a ^C
- [*Xyleborus morosus*](#) Schedl, 1962j ^C
- [*Xyleborus morstatti*](#) Hagedorn, 1912b ^C
- [*Xyleborus morulus*](#) Blandford, 1898b ^C
- [*Xyleborus mpangae*](#) Browne, 1965a ^C
- [*Xyleborus muasi*](#) Browne, 1961a ^C
- [*Xyleborus mucronatoides*](#) Schedl, 1975f ^C
- [*Xyleborus mucronatulus*](#) Eggers, 1930d ^C
- [*Xyleborus mucronatus*](#) Eggers, 1923a ^C
- [*Xyleborus mukunyeae*](#) Schedl, 1957d ^C
- [*Xyleborus multigranosum*](#) Schedl, 1964f ^C
- [*Xyleborus multipunctatus*](#) Browne, 1980b ^C
- [*Xyleborus multipunctulus*](#) Browne, 1984d ^C
- [*Xyleborus multispinatus*](#) Eggers, 1920 ^C
- [*Xyleborus mumfordi*](#) Beeson, 1935b ^C

- [*Xyleborus muriceus*](#) Eichhoff, 1878b ^C
- [*Xyleborus murudensis*](#) Browne, 1965a ^C
- [*Xyleborus mus*](#) Eggers, 1930d ^C
- [*Xyleborus mussooriensis*](#) Eggers, 1930d ^C
- [*Xyleborus mustus*](#) Schedl, 1972b ^C
- [*Xyleborus mutabilis*](#) Schedl, 1935d ^C
- [*Xyleborus muticus*](#) Blandford, 1894d ^C
- [*Xyleborus mutilatus*](#) Blandford, 1894d ^C
- [*Xyleborus myllus*](#) Browne, 1986a ^C
- [*Xyleborus myristicae*](#) Schedl, 1939f ^C

N

- [*Xyleborus nagaoensis*](#) Murayama, 1934c ^C
- [*Xyleborus nakazawai*](#) Browne, 1984a ^C
- [*Xyleborus nameranus*](#) Murayama, 1954b ^C
- [*Xyleborus namibiae*](#) Schedl, 1982 ^C
- [*Xyleborus nandarivatus*](#) Schedl, 1950f ^C
- [*Xyleborus nanus*](#) Blandford, 1896f ^C
- [*Xyleborus natalensis*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus nearodus*](#) Schedl, 1950g ^C
- [*Xyleborus neglectus*](#) Schedl, 1957d ^C
- [*Xyleborus neivai*](#) Eggers, 1928c ^C
- [*Xyleborus neoadjunctus*](#) Schedl, 1967d ^C
- [*Xyleborus neocavipenne*](#) Schedl, 1977f ^C
- [*Xyleborus neocrucifer*](#) Schedl, 1955i ^C
- [*Xyleborus neocylindricus*](#) Schedl, 1942a ^C
- [*Xyleborus neogracilis*](#) Schedl, 1954b ^C
- [*Xyleborus neohybridus*](#) Schedl, 1942a ^C
- [*Xyleborus neoscabridus*](#) Schedl, 1972b ^C
- [*Xyleborus neosphenos*](#) Schedl, 1976a ^C
- [*Xyleborus neotruncatus*](#) Schedl, 1978c ^C
- [*Xyleborus nepocranus*](#) Schedl, 1939f ^C
- [*Xyleborus nepos*](#) Eggers, 1923a ^C
- [*Xyleborus nepotulomorphus*](#) Eggers, 1936e ^C
- [*Xyleborus nepotulus*](#) Eggers, 1923a ^C
- [*Xyleborus neptunus*](#) Schaufuss, C.F.C., 1891 ^C

- [*Xyleborus nesianus*](#) Beeson, 1940 ^C
- [*Xyleborus nevermanni*](#) Schedl, 1935d ^C
- [*Xyleborus niger*](#) Sampson, 1912 ^C
- [*Xyleborus nigericus*](#) Browne, 1970 ^C
- [*Xyleborus nigrescens*](#) Browne, 1980b ^C
- [*Xyleborus nigricollis*](#) Hagedorn, 1905b ^C
- [*Xyleborus nigripennis*](#) Schedl, 1951i ^C
- [*Xyleborus nigroaffinis*](#) Beeson, 1940 ^C
- [*Xyleborus nigropilosus*](#) Eggers, 1943c ^C
- [*Xyleborus nigrosetosus*](#) Schedl, 1939f ^C
- [*Xyleborus nitellus*](#) Browne, 1984d ^C
- [*Xyleborus nitens*](#) Browne, 1984d ^C
- [*Xyleborus nitidiloides*](#) Schedl, 1951i ^C
- [*Xyleborus nitidior*](#) Eggers, 1940d ^C
- [*Xyleborus nitidipennis*](#) Roubal, 1937 ^C
- [*Xyleborus nitidulus*](#) Eggers, 1927a ^C
- [*Xyleborus nitidus*](#) Schedl, 1951i ^C
- [*Xyleborus nodulosus*](#) Eggers, 1941b ^C
- [*Xyleborus norfolkensis*](#) Schedl, 1972b ^C
- [*Xyleborus nossi*](#) Schedl, 1961e ^C
- [*Xyleborus notatus*](#) Eggers, 1941a ^C
- [*Xyleborus novagranadensis*](#) Eggers, 1941a ^C
- [*Xyleborus novaguineanus*](#) Schedl, 1936g ^C
- [*Xyleborus novateutonicus*](#) Schedl, 1954b ^C
- [*Xyleborus novus*](#) Eggers, 1923a ^C
- [*Xyleborus noxius*](#) Sampson, 1913 ^C
- [*Xyleborus nsafukalae*](#) Schedl, 1957d ^C
- [*Xyleborus nubilus*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus nudipennis*](#) Schedl, 1951i ^C
- [*Xyleborus nudus*](#) Nunberg, 1956d ^C
- [*Xyleborus nugax*](#) Schedl, 1939e ^C
- [*Xyleborus nuperus*](#) Bright, 1972d ^C
- [*Xyleborus nutans*](#) Schedl, 1942a ^C
- [*Xyleborus nuuanus*](#) Schedl, 1941f ^C
- [*Xyleborus nyssae*](#) Hopkins, 1915b ^C

O

- [*Xyleborus oahuensis*](#) Perkins, 1900 ⁱ ^c
- [*Xyleborus obesus*](#) LeConte, 1868 ⁱ ^c
- [*Xyleborus obiensis*](#) Browne, 1980a ^c
- [*Xyleborus oblicatus*](#) Schedl, 1980d ^c
- [*Xyleborus obliquesectum*](#) Eggers, 1927c ^c
- [*Xyleborus obliquus*](#) Bright, 1968b ^c
- [*Xyleborus oblongus*](#) Schedl, 1950d ^c
- [*Xyleborus obscurus*](#) Schedl, 1972q ^c
- [*Xyleborus obstipus*](#) Schedl, 1935f ^c
- [*Xyleborus obtrusus*](#) Schedl (Sampson in), 1960i ^c
- [*Xyleborus obtusatus*](#) Schedl, 1972m ^c
- [*Xyleborus obtusicollis*](#) Schedl, 1938g ^c
- [*Xyleborus obtusipennis*](#) Schedl (Eggers in), 1962j ^c
- [*Xyleborus obtusitruncatus*](#) Schedl, 1948f ^c
- [*Xyleborus obtusus*](#) Eggers, 1923a ^c
- [*Xyleborus ocellatus*](#) Wood, 1974a ^c
- [*Xyleborus octiesdentatus*](#) Murayama, 1931a ^c
- [*Xyleborus octospinosus*](#) Eggers, 1920 ^c
- [*Xyleborus ohausi*](#) Hagedorn, 1912a ^c
- [*Xyleborus ohnoi*](#) Browne, 1980a ^c
- [*Xyleborus ohtoensis*](#) Nobuchi, 1981d ^c
- [*Xyleborus okinosenensis*](#) Murayama, 1961b ^c
- [*Xyleborus okoumeensis*](#) Schedl, 1935f ^c
- [*Xyleborus ominosus*](#) Schedl, 1962j ^c
- [*Xyleborus omissus*](#) Schedl, 1961e ^c
- [*Xyleborus oneratus*](#) Schedl, 1976a ^c
- [*Xyleborus onerosus*](#) Schedl, 1942a ^c
- [*Xyleborus onoharaensis*](#) Murayama, 1934c ^c
- [*Xyleborus opacicauda*](#) Eggers, 1940d ^c
- [*Xyleborus opacithorax*](#) Schedl, 1937b ^c
- [*Xyleborus opalescens*](#) Schedl, 1937e ^c
- [*Xyleborus oparunus*](#) Beeson, 1940 ^c
- [*Xyleborus operosus*](#) Schedl, 1973e ^c
- [*Xyleborus opimatum*](#) Schedl, 1975a ^c
- [*Xyleborus opimulus*](#) Schedl, 1976a ^c

- [*Xyleborus opimus*](#) Wood, 1974a ^C
- [*Xyleborus optatus*](#) Schedl, 1973e ^C
- [*Xyleborus opulentus*](#) Schedl, 1975f ^C
- [*Xyleborus oralis*](#) Schedl, 1961e ^C
- [*Xyleborus orbatus*](#) Blandford, 1894d ^C
- [*Xyleborus orbicaudatus*](#) Eggers, 1940d ^C
- [*Xyleborus orbiculatus*](#) Schedl, 1942a ^C
- [*Xyleborus orbis*](#) Browne, 1966 ^C
- [*Xyleborus orientalis*](#) Eggers, 1933f ^C
- [*Xyleborus osumiensis*](#) Murayama, 1934c ^C
- [*Xyleborus ovalicollis*](#) Eggers, 1930d ^C
- [*Xyleborus ovatus*](#) Eggers, 1932d ^C

P

- [*Xyleborus pacificus*](#) Nunberg, 1959a ^C
- [*Xyleborus palatus*](#) Wood, 1974a ^C
- [*Xyleborus palembangensis*](#) Schedl, 1939f ^C
- [*Xyleborus pallidipennis*](#) Eggers, 1940d ^C
- [*Xyleborus pandae*](#) Schedl, 1957d ^C
- [*Xyleborus pandulus*](#) Wood, 1974a ^C
- [*Xyleborus papatrae*](#) Schedl, 1972i ^C
- [*Xyleborus papuanus*](#) Blandford, 1896b ^C
- [*Xyleborus paradoxus*](#) Schedl, 1972g ^C
- [*Xyleborus paraguayensis*](#) Schedl, 1948f ^C
- [*Xyleborus parallelcollis*](#) Eggers, 1933b ^C
- [*Xyleborus parallelus*](#) Eggers, 1936c ^C
- [*Xyleborus parcellus*](#) Wood, 1968b ^C
- [*Xyleborus pardous*](#) Eggers, 1943d ^C
- [*Xyleborus parinarie*](#) Schedl, 1962j ^C
- [*Xyleborus partitus*](#) Browne, 1974a ^C
- [*Xyleborus parvior*](#) Browne, 1981b ^C
- [*Xyleborus parvipunctatus*](#) Eggers, 1943a ^C
- [*Xyleborus parvispinosus*](#) Schedl, 1951i ^C
- [*Xyleborus parvulus*](#) Eichhoff, 1868c ^C
- [*Xyleborus parvus*](#) Eichhoff, 1878b ^C
- [*Xyleborus pecanus*](#) Hopkins, 1915b ^C

- [*Xyleborus pedella*](#) Schedl, 1969a ^C
- [*Xyleborus peguensis*](#) Eggers, 1930d ^C
- [*Xyleborus pele*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus peliciformis*](#) Schedl, 1936j ^C
- [*Xyleborus pelliculosus*](#) Eichhoff, 1878b ^C
- [*Xyleborus penicillatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus pentaclethrae*](#) Schedl, 1957d ^C
- [*Xyleborus perakensis*](#) Schedl, 1942a ^C
- [*Xyleborus peramploides*](#) Schedl, 1957d ^C
- [*Xyleborus peramplus*](#) Schedl, 1950d ^C
- [*Xyleborus perbrevis*](#) Schedl, 1951i ^C
- [*Xyleborus percorthyloides*](#) Schedl, 1957d ^C
- [*Xyleborus percorthylus*](#) Schedl, 1935f ^C
- [*Xyleborus percristatus*](#) Eggers, 1939a ^C
- [*Xyleborus percuneolus*](#) Schedl, 1951i ^C
- [*Xyleborus perdeclivis*](#) Schedl, 1957d ^C
- [*Xyleborus perdiligens*](#) Schedl, 1937b ^C
- [*Xyleborus perdix*](#) Schedl, 1939e ^C
- [*Xyleborus perebeae*](#) Blandford, 1898b ^C
- [*Xyleborus peregrinus*](#) Eggers, 1944c ^C
- [*Xyleborus perexiguus*](#) Schedl, 1971c ^C
- [*Xyleborus perforans*](#) (Wollaston, 1857) ^{i C}
- [*Xyleborus perlaetus*](#) Schedl, 1960h ^C
- [*Xyleborus perlongus*](#) Eggers, 1943a ^C
- [*Xyleborus permarginatus*](#) Schedl, 1933d ^C
- [*Xyleborus perminor*](#) Schedl, 1957d ^C
- [*Xyleborus perminutissimus*](#) Schedl, 1934d ^C
- [*Xyleborus pernitidus*](#) Schedl, 1954a ^C
- [*Xyleborus pernotus*](#) Schedl, 1934d ^C
- [*Xyleborus perorientalis*](#) Schedl, 1957d ^C
- [*Xyleborus perparva*](#) Sampson, 1922b ^C
- [*Xyleborus perpilosellum*](#) Schedl, 1935b ^C
- [*Xyleborus perplexus*](#) Schedl, 1969b ^C
- [*Xyleborus perpunctatus*](#) Schedl, 1971c ^C
- [*Xyleborus perpusillus*](#) Eggers, 1927b ^C
- [*Xyleborus perquadrispinosus*](#) Schedl, 1957d ^C

- [*Xyleborus persimilis*](#) Eggers, 1927c ^C
- [*Xyleborus persphenos*](#) Schedl, 1970a ^C
- [*Xyleborus perspinidens*](#) Schedl, 1957d ^C
- [*Xyleborus perspinifer*](#) Schedl, 1957d ^C
- [*Xyleborus pertortuosus*](#) Schedl, 1942a ^C
- [*Xyleborus pertuberculatus*](#) Eggers, 1940d ^C
- [*Xyleborus peruvianus*](#) Schedl, 1951m ^C
- [*Xyleborus perversus*](#) Hagedorn, 1905a ^C
- [*Xyleborus pfeili*](#) Wood & Bright, 1992 ^{C b}
- [*Xyleborus philippinensis*](#) Eichhoff, 1878b ^C
- [*Xyleborus picinus*](#) Schedl, 1957d ^C
- [*Xyleborus pileatulus*](#) Schedl, 1975f ^C
- [*Xyleborus pilifer*](#) Eggers, 1923a ^C
- [*Xyleborus pilipenne*](#) Eggers, 1940d ^C
- [*Xyleborus pilipunctatus*](#) Browne, 1966 ^C
- [*Xyleborus pilosellus*](#) Schedl, 1957d ^C
- [*Xyleborus pilosulum*](#) Eggers, 1927c ^C
- [*Xyleborus pilosus*](#) Eggers, 1923a ^C
- [*Xyleborus pinguis*](#) Schedl, 1961e ^C
- [*Xyleborus pini*](#) Eichhoff, 1868a ^C
- [*Xyleborus pinicola*](#) Eggers, 1930d ^C
- [*Xyleborus pinivorus*](#) Browne, 1980a ^C
- [*Xyleborus pithecolobius*](#) Schedl, 1937c ^C
- [*Xyleborus pityogenes*](#) Schedl, 1936g ^C
- [*Xyleborus plagiatus*](#) LeConte, 1868 ^C
- [*Xyleborus planicollis*](#) Zimmermann, 1868 ^{i C}
- [*Xyleborus planipennis*](#) Schedl, 1955b ^C
- [*Xyleborus planodeclivis*](#) Browne, 1974a ^C
- [*Xyleborus planotruncatum*](#) Schedl, 1942a ^C
- [*Xyleborus platyurus*](#) Browne, 1984f ^C
- [*Xyleborus pleiades*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus politus*](#) Hagedorn, 1905a ^C
- [*Xyleborus polyalthiae*](#) Schedl, 1952i ^C
- [*Xyleborus polyodon*](#) Eggers, 1923a ^C
- [*Xyleborus pometianus*](#) Schedl, 1939e ^C
- [*Xyleborus popondettae*](#) Browne, 1970 ^C

- [*Xyleborus populi*](#) Swaine, J.M., 1917 ^C
- [*Xyleborus posticegranulatus*](#) Schedl, 1938h ^C
- [*Xyleborus posticepilosus*](#) Schedl, 1951i ^C
- [*Xyleborus posticespinatum*](#) Eggers, 1940c ^C
- [*Xyleborus posticestriatus*](#) Eggers, 1939c ^C
- [*Xyleborus posticoides*](#) Schedl, 1948f ^C
- [*Xyleborus posticus*](#) Eichhoff, 1869b ^C
- [*Xyleborus potens*](#) Schedl, 1964c ^C
- [*Xyleborus pourriensis*](#) Schedl, 1950h ^C
- [*Xyleborus praecursor*](#) Schedl, 1962j ^C
- [*Xyleborus praestans*](#) Wood, 1980b ^C
- [*Xyleborus praeusta*](#) Eggers, 1923a ^C
- [*Xyleborus praeivius*](#) Blandford, 1894d ^C
- [*Xyleborus princeps*](#) Blandford, 1898b ^C
- [*Xyleborus principalis*](#) Eichhoff, 1878b ^C
- [*Xyleborus priscus*](#) Eggers, 1920 ^C
- [*Xyleborus pristis*](#) Wood, 1974a ^C
- [*Xyleborus privatus*](#) Beeson, 1930 ^C
- [*Xyleborus procer*](#) Eichhoff, 1878b ^C
- [*Xyleborus procerior*](#) Schedl, 1942c ^C
- [*Xyleborus procerrimus*](#) Schedl, 1969a ^C
- [*Xyleborus procerrissimus*](#) Schedl, 1942a ^C
- [*Xyleborus productus*](#) Hagedorn, 1905a ^C
- [*Xyleborus profundus*](#) Schedl, 1961e ^C
- [*Xyleborus prolatus*](#) Wood, 1974a ^C
- [*Xyleborus prolixus*](#) Schedl, 1962j ^C
- [*Xyleborus pronuntiatus*](#) Eggers, 1936e ^C
- [*Xyleborus propinquus*](#) Eichhoff, 1869b ^C
- [*Xyleborus protensus*](#) Eggers, 1930d ^C
- [*Xyleborus protii*](#) Browne, 1984d ^C
- [*Xyleborus protinus*](#) Wood, 1974a ^C
- [*Xyleborus proximus*](#) Eggers, 1943c ^C
- [*Xyleborus pruinosulus*](#) Beaver & Browne (Browne in), 1978 ^C
- [*Xyleborus pruinosum*](#) Blandford, 1896b ^C
- [*Xyleborus psaltes*](#) Schedl, 1954e ^C
- [*Xyleborus pseudoacuminatus*](#) Wood, 2007 ^C

- [*Xyleborus pseudoambasius*](#) Schedl, 1954e ^C
- [*Xyleborus pseudoangustatus*](#) Schedl, 1948g ^C
- [*Xyleborus pseudobarbatus*](#) Schedl, 1942a ^C
- [*Xyleborus pseudobrasiliensis*](#) Eggers, 1941a ^C
- [*Xyleborus pseudocitri*](#) Schedl, 1959a ^C
- [*Xyleborus pseudococcotrypes*](#) Eggers, 1941a ^C
- [*Xyleborus pseudocolossus*](#) Schedl, 1942d ^C
- [*Xyleborus pseudocomans*](#) Eggers, 1930d ^C
- [*Xyleborus pseudocrucifer*](#) Schedl, 1939a ^C
- [*Xyleborus pseudocylindricus*](#) Eggers, 1927b ^C
- [*Xyleborus pseudoferox*](#) Wood, 2007 ^C
- [*Xyleborus pseudofersteri*](#) Schedl, 1942a ^C
- [*Xyleborus pseudogracilis*](#) Schedl, 1937h ^C
- [*Xyleborus pseudohystrix*](#) Schedl, 1959p ^C
- [*Xyleborus pseudomajor*](#) Schedl, 1951i ^C
- [*Xyleborus pseudopilifer*](#) Schedl, 1936d ^C
- [*Xyleborus pseudopityogenes*](#) Eggers, 1943e ^C
- [*Xyleborus pseudoprocer*](#) Schedl, 1948f ^C
- [*Xyleborus pseudopunctulus*](#) Schedl, 1942a ^C
- [*Xyleborus pseudorudis*](#) Schedl, 1951i ^C
- [*Xyleborus pseudosolidus*](#) Schedl, 1936g ^C
- [*Xyleborus pseudosolitarius*](#) Eggers, 1933b ^C
- [*Xyleborus pseudotenuis*](#) Schedl, 1936i ^C
- [*Xyleborus pseudovalidus*](#) Eggers, 1925 ^C
- [*Xyleborus puberulus*](#) Blandford, 1896b ^C
- [*Xyleborus pubescens*](#) Zimmermann, 1868 ^{i c b}
- [*Xyleborus pubifer*](#) Schedl, 1972m ^C
- [*Xyleborus pubipennis*](#) Schedl, 1974c ^C
- [*Xyleborus puer*](#) Eggers, 1923a ^C
- [*Xyleborus pulchripes*](#) Schedl, 1958f ^C
- [*Xyleborus pulcnerrimus*](#) Schedl, 1948d ^C
- [*Xyleborus pulla*](#) Schedl, 1952b ^C
- [*Xyleborus pumilus*](#) Eggers, 1923a ^C
- [*Xyleborus punctatopilosum*](#) Schedl, 1936g ^C
- [*Xyleborus punctatum*](#) Eggers, 1923a ^C
- [*Xyleborus punctilicolle*](#) Schedl, 1942a ^C

- [*Xyleborus punctipennis*](#) LeConte, 1878b ^C
- [*Xyleborus punctulatus*](#) Kurenzov, 1948a ^C
- [*Xyleborus pusillus*](#) Schedl, 1961f ^C
- [*Xyleborus pusio*](#) Eggers, 1941a ^C
- [*Xyleborus putputensis*](#) Browne, 1986a ^C
- [*Xyleborus pygmaeus*](#) Eggers, 1940d ^C

Q-R

- [*Xyleborus quadraticollis*](#) Eggers, 1923a ^C
- [*Xyleborus quadratus*](#) Blandford, 1898b ^C
- [*Xyleborus quadricostata*](#) Schedl, 1942d ^C
- [*Xyleborus quadricuspis*](#) Schedl, 1942d ^C
- [*Xyleborus quadridens*](#) Eggers, 1930d ^C
- [*Xyleborus quadridentatus*](#) Schedl, 1957d ^C
- [*Xyleborus quadrisignatus*](#) Schedl, 1972m ^C
- [*Xyleborus quadrispinis*](#) Schedl, 1953d ^C
- [*Xyleborus quadrispinosulus*](#) Eggers, 1923a ^C
- [*Xyleborus quadrispinosus*](#) Eichhoff, 1878b ^C
- [*Xyleborus quasimodo*](#) Browne, 1980e ^C
- [*Xyleborus quercicola*](#) Eggers, 1926b ^C
- [*Xyleborus quercus*](#) Kurenzov, 1948a ^C
- [*Xyleborus rameus*](#) Schedl, 1940b ^C
- [*Xyleborus ramulorum*](#) Schedl, 1957d ^C
- [*Xyleborus rapandus*](#) Schedl, 1942c ^C
- [*Xyleborus rapanus*](#) Beeson, 1940 ^C
- [*Xyleborus raucus*](#) Schedl, 1950c ^C
- [*Xyleborus recidens*](#) Sampson, 1923b ^C
- [*Xyleborus reconditus*](#) Schedl, 1963f ^C
- [*Xyleborus repositus*](#) Schedl, 1942a ^C
- [*Xyleborus resecaus*](#) Eggers, 1930d ^C
- [*Xyleborus resectus*](#) Eggers, 1927b ^C
- [*Xyleborus resinosus*](#) Schedl, 1939a ^C
- [*Xyleborus restrictus*](#) Schedl, 1939f ^C
- [*Xyleborus retrusus*](#) Schedl, 1940c ^C
- [*Xyleborus retusicollis*](#) Zimmermann, 1868 ^C
- [*Xyleborus retusiformis*](#) Schedl, 1936j ^C

- [*Xyleborus retusus*](#) Eichhoff, 1868c ^C
- [*Xyleborus reunionis*](#) Schedl, 1961e ^C
- [*Xyleborus revocabile*](#) Schedl, 1942c ^C
- [*Xyleborus rhodesianus*](#) Eggers, 1936c ^C
- [*Xyleborus ricini*](#) Eggers, 1932d ^C
- [*Xyleborus riehli*](#) Eichhoff, 1878b ^C
- [*Xyleborus rileyi*](#) Hopkins, 1915b ^C
- [*Xyleborus rimulosus*](#) Schedl, 1959a ^C
- [*Xyleborus robertsi*](#) Browne, 1963b ^C
- [*Xyleborus robustipennis*](#) Schedl, 1954c ^C
- [*Xyleborus robustulus*](#) Schedl, 1957d ^C
- [*Xyleborus robustus*](#) Schedl, 1933e ^C
- [*Xyleborus rodgeri*](#) Beeson, 1930 ^C
- [*Xyleborus rosseli*](#) Schedl, 1975m ^C
- [*Xyleborus rothkirchi*](#) Eggers, 1920 ^C
- [*Xyleborus rotundicollis*](#) Browne, 1984f ^C
- [*Xyleborus ruandae*](#) Schedl, 1957d ^C
- [*Xyleborus ruber*](#) Eichhoff, 1868c ^C
- [*Xyleborus rubricollis*](#) Eichhoff, 1875 ^C
- [*Xyleborus rudis*](#) Eggers, 1930d ^C
- [*Xyleborus rufipes*](#) Eggers, 1933b ^C
- [*Xyleborus rufithorax*](#) Eichhoff, 1869b ^C
- [*Xyleborus rufobrunneus*](#) Eggers, 1929e ^C
- [*Xyleborus rufoniger*](#) Schedl, 1934d ^C
- [*Xyleborus rufonitidum*](#) Schedl, 1951i ^C
- [*Xyleborus rufopiceus*](#) Eggers, 1932d ^C
- [*Xyleborus rufus*](#) Schedl, 1951i ^C
- [*Xyleborus rugatus*](#) Blackburn, 1885 ^{i C}
- [*Xyleborus rugicollis*](#) Blandford, 1898b ^C
- [*Xyleborus rugipennis*](#) Schedl, 1953c ^C
- [*Xyleborus rugosipennis*](#) Schedl, 1963f ^C
- [*Xyleborus rugosus*](#) Eggers, 1920 ^C
- [*Xyleborus rugulosipes*](#) Wood, 2007 ^C
- [*Xyleborus rugulosus*](#) Eggers, 1922c ^C
- [*Xyleborus russulus*](#) Schedl, 1942c ^C
- [*Xyleborus rusticus*](#) Wood, 1974a ^C

S

- [*Xyleborus sacchari*](#) Hopkins, 1915b ^C
- [*Xyleborus sakalava*](#) Schedl, 1953d ^C
- [*Xyleborus sakoae*](#) Schedl, 1961e ^C
- [*Xyleborus salvini*](#) Blandford, 1898b ^C
- [*Xyleborus sampsoni*](#) Donisthorpe, 1940 ^C
- [*Xyleborus sandragotoensis*](#) Schedl, 1961e ^C
- [*Xyleborus sanguinicollis*](#) Blandford, 1898b ^C
- [*Xyleborus sarawakensis*](#) Eggers, 1923a ^C
- [*Xyleborus sartor*](#) Schedl, 1961e ^C
- [*Xyleborus satoi*](#) Schedl, 1961e ^C
- [*Xyleborus sauropteroides*](#) Schedl, 1970d ^C
- [*Xyleborus sauropterus*](#) Schedl, 1953d ^C
- [*Xyleborus sayi*](#) (Hopkins, 1915) ^{i C}
- [*Xyleborus scaber*](#) Schedl, 1948f ^C
- [*Xyleborus scabratus*](#) Schedl, 1941 ^{i C}
- [*Xyleborus scabricollis*](#) Wood & Bright, 1992 ^C
- [*Xyleborus scabridus*](#) Schedl, 1952i ^C
- [*Xyleborus scabrrior*](#) Schedl, 1954e ^C
- [*Xyleborus scabripennis*](#) Blandford, 1896b ^C
- [*Xyleborus scalaris*](#) Schedl, 1935d ^C
- [*Xyleborus scalptor*](#) Schedl, 1961e ^C
- [*Xyleborus scapulare*](#) Schedl, 1942a ^C
- [*Xyleborus schaufussi*](#) Blandford, 1894d ^C
- [*Xyleborus schedli*](#) Eggers, 1934a ^C
- [*Xyleborus schildi*](#) Schedl, 1935d ^C
- [*Xyleborus schizolobius*](#) Schedl, 1950i ^C
- [*Xyleborus schlichii*](#) Stebbing, E.P., 1914 ^C
- [*Xyleborus schoenherrii*](#) Schedl, 1981a ^C
- [*Xyleborus schoutedeni*](#) Eggers, 1927a ^C
- [*Xyleborus schreineri*](#) Eggers, 1920 ^C
- [*Xyleborus schultzei*](#) Schedl, 1951i ^C
- [*Xyleborus schwarzi*](#) Hopkins, 1915b ^C
- [*Xyleborus sclerocaryae*](#) Schedl, 1962h ^C
- [*Xyleborus scobinatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus scopulorum*](#) Hopkins, 1915b ^C

- [*Xyleborus scorpius*](#) Schedl, 1942a ^C
- [*Xyleborus sculptilis*](#) Schedl, 1964g ^C
- [*Xyleborus seiryorensis*](#) Murayama, 1930b ^C
- [*Xyleborus sejugatus*](#) Schedl, 1942a ^C
- [*Xyleborus semicarinatus*](#) Schedl, 1942c ^C
- [*Xyleborus semicircularis*](#) Schedl, 1973e ^C
- [*Xyleborus semicostatus*](#) Schedl, 1948f ^C
- [*Xyleborus semigranosus*](#) Blandford, 1896b ^C
- [*Xyleborus semigranulatus*](#) Schedl, 1931c ^C
- [*Xyleborus seminitens*](#) Blandford, 1895a ^C
- [*Xyleborus semiopacus*](#) Eichhoff, 1878b ^C
- [*Xyleborus semipilosus*](#) Eggers, 1932d ^C
- [*Xyleborus semipolitus*](#) Schedl, 1951i ^C
- [*Xyleborus semipunctatus*](#) Eggers, 1933b ^C
- [*Xyleborus semirufus*](#) Schedl, 1959a ^C
- [*Xyleborus semistriatus*](#) Schedl, 1971c ^C
- [*Xyleborus semitruncatus*](#) Schedl, 1942d ^C
- [*Xyleborus senchalensis*](#) Beeson, 1930 ^C
- [*Xyleborus sentosus*](#) Eichhoff, 1868c ^C
- [*Xyleborus separandus*](#) Schedl, 1971c ^C
- [*Xyleborus septentrionalis*](#) Niisima, 1909 ^C
- [*Xyleborus sereinuus*](#) Eggers, 1923a ^C
- [*Xyleborus seriatus*](#) Blandford, 1894d ^{C b}
- [*Xyleborus serratus*](#) Swaine, J.M., 1910b ^C
- [*Xyleborus setosus*](#) Eichhoff, 1868c ^C
- [*Xyleborus setulosus*](#) Eggers, 1940d ^C
- [*Xyleborus sexdentatus*](#) Eggers, 1940d ^C
- [*Xyleborus sexnotatus*](#) Schedl, 1970e ^C
- [*Xyleborus sexspinum*](#) Schedl, 1935f ^C
- [*Xyleborus sextuberculatus*](#) Schedl, 1952a ^C
- [*Xyleborus sharpae*](#) Hopkins, 1915b ^C
- [*Xyleborus sharpi*](#) Blandford, 1898b ^C
- [*Xyleborus shionomisakiensis*](#) Murayama, 1951a ^C
- [*Xyleborus shiva*](#) Maiti & Saha, 1986 ^C
- [*Xyleborus shoreae*](#) (Stebbing, E.P., 1909b) ^C
- [*Xyleborus sibsagaricus*](#) Eggers, 1930d ^C

- [*Xyleborus siclus*](#) Schedl, 1936j ^C
- [*Xyleborus signinis*](#) Eggers (Hagedorn in), 1920 ^C
- [*Xyleborus signatipennis*](#) Schedl, 1961e ^C
- [*Xyleborus signatus*](#) Schedl, 1948f ^C
- [*Xyleborus signiceps*](#) Schedl, 1962j ^C
- [*Xyleborus signifer*](#) Schedl, 1968b ^C
- [*Xyleborus silvestris*](#) Beeson, 1929 ^C
- [*Xyleborus similans*](#) Eggers, 1940c ^C
- [*Xyleborus similaris*](#) Schedl, 1965c ^C
- [*Xyleborus similis*](#) Eggers, 1927c ^C
- [*Xyleborus simillimus*](#) Perkins, 1900 ^{i C}
- [*Xyleborus simulatus*](#) Bright, 1972d ^C
- [*Xyleborus sinensis*](#) Eggers, 1941b ^C
- [*Xyleborus siobanus*](#) Eggers, 1923a ^C
- [*Xyleborus siporanus*](#) Hagedorn, 1910b ^C
- [*Xyleborus sirambeanus*](#) Eggers, 1923a ^C
- [*Xyleborus sisyrnophorum*](#) Hagedorn, 1910b ^C
- [*Xyleborus sobrinus*](#) Eichhoff, 1875 ^C
- [*Xyleborus societatis*](#) Beeson, 1935a ^C
- [*Xyleborus solidus*](#) Eichhoff, 1868c ^C
- [*Xyleborus solitariceps*](#) Schedl, 1954b ^C
- [*Xyleborus solitariformis*](#) Schedl, 1976a ^C
- [*Xyleborus solitarinus*](#) Schedl, 1950i ^C
- [*Xyleborus solitaripennis*](#) Schedl, 1976a ^C
- [*Xyleborus solitarius*](#) Hagedorn, 1905a ^C
- [*Xyleborus solomonicus*](#) Schedl, 1970b ^C
- [*Xyleborus soltaui*](#) Hopkins, 1915b ^C
- [*Xyleborus solutus*](#) Schedl, 1962j ^C
- [*Xyleborus sordicaudulus*](#) Eggers, 1927c ^C
- [*Xyleborus sparsegranulosus*](#) Kirkendall & Jordal, 2006 ^C
- [*Xyleborus sparsipilosus*](#) Eggers, 1933b ^C
- [*Xyleborus sparsus*](#) LeConte, 1868 ^C
- [*Xyleborus spathipennis*](#) Eichhoff, 1868c ^C
- [*Xyleborus spatulatus*](#) Blandford, 1896b ^C
- [*Xyleborus speciosus*](#) Schedl, 1975e ^C
- [*Xyleborus sphenos*](#) Sampson, 1912 ^C

- [*Xyleborus spicatululus*](#) Browne, 1986c ^C
- [*Xyleborus spicatus*](#) Browne, 1986a ^C
- [*Xyleborus spiculatululus*](#) Schedl, 1965c ^C
- [*Xyleborus spiculatus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus spinachius*](#) Schedl, 1955b ^C
- [*Xyleborus spinatus*](#) Eggers, 1923a ^C
- [*Xyleborus spinibarbe*](#) Schedl, 1955i ^C
- [*Xyleborus spinicornis*](#) Schedl, 1975f ^C
- [*Xyleborus spinidens*](#) Eggers, 1920 ^C
- [*Xyleborus spinifer*](#) Eggers, 1920 ^C
- [*Xyleborus spiniger*](#) Schedl, 1954b ^C
- [*Xyleborus spinipennis*](#) Eggers, 1930d ^C
- [*Xyleborus spinipes*](#) Schedl, 1957d ^C
- [*Xyleborus spinosulus*](#) Schedl, 1934g ^C
- [*Xyleborus spinosus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus spinulosus*](#) Blandford, 1898 ^{i c b}
- [*Xyleborus splendidus*](#) Schaufuss, C.F.C., 1897b ^C
- [*Xyleborus squamatilis*](#) Schedl, 1955b ^C
- [*Xyleborus squamulatus*](#) Eichhoff, 1869b ^C
- [*Xyleborus squamulosus*](#) Eggers, 1923a ^C
- [*Xyleborus starki*](#) Nunberg, 1956d ^C
- [*Xyleborus stenographus*](#) Schedl, 1971c ^C
- [*Xyleborus striatotruncatus*](#) Schedl, 1936j ^C
- [*Xyleborus striatululus*](#) Browne, 1980c ^C
- [*Xyleborus strohmeyeri*](#) Schedl, 1975e ^C
- [*Xyleborus strombiformis*](#) Schedl, 1971c ^C
- [*Xyleborus strombosiopsis*](#) Schedl, 1957d ^C
- [*Xyleborus suaui*](#) Schedl, 1973f ^C
- [*Xyleborus subadjunctus*](#) Schedl, 1950d ^C
- [*Xyleborus subaffinis*](#) Eggers, 1933b ^C
- [*Xyleborus subagnatus*](#) Schedl (Eggers in), 1979c ^C
- [*Xyleborus subasperulus*](#) Eggers, 1935c ^C
- [*Xyleborus subcarinulatus*](#) Eggers, 1932d ^C
- [*Xyleborus subcostatus*](#) Eichhoff, 1869a ^C
- [*Xyleborus subcrenulatus*](#) Eggers, 1932d ^C
- [*Xyleborus subcribrosus*](#) Blandford, 1896b ^C

- [*Xyleborus subdentatulus*](#) Browne, 1986a ^C
- [*Xyleborus subdentatus*](#) Browne, 1974b ^C
- [*Xyleborus subdepressus*](#) Rey, 1885 ^C
- [*Xyleborus subdolosus*](#) Schedl, 1942d ^C
- [*Xyleborus subductus*](#) Schedl, 1976a ^C
- [*Xyleborus subemarginatus*](#) Eggers, 1940d ^C
- [*Xyleborus subgranosus*](#) Schedl, 1962j ^C
- [*Xyleborus subgranulatus*](#) Eggers, 1930d ^C
- [*Xyleborus subitus*](#) Schedl, 1948f ^C
- [*Xyleborus sublinearis*](#) Eggers, 1940d ^C
- [*Xyleborus sublongus*](#) Eggers, 1927c ^C
- [*Xyleborus submarginatus*](#) Blandford, 1896b ^C
- [*Xyleborus submolestus*](#) Schedl, 1941d ^C
- [*Xyleborus submontanus*](#) Schedl, 1960i ^C
- [*Xyleborus subnepotulus*](#) Eggers, 1930d ^C
- [*Xyleborus subobtusum*](#) Schedl, 1942a ^C
- [*Xyleborus subparallelus*](#) Eggers, 1940d ^C
- [*Xyleborus subplanatus*](#) Eggers, 1943a ^C
- [*Xyleborus subpruinosis*](#) Browne, 1986a ^C
- [*Xyleborus subsimiliformis*](#) Eggers, 1939b ^C
- [*Xyleborus subsimilis*](#) Eggers, 1930d ^C
- [*Xyleborus subspinosus*](#) Eggers, 1930d ^C
- [*Xyleborus subsulcatus*](#) Eggers, 1927a ^C
- [*Xyleborus subtilis*](#) Schedl, 1970e ^C
- [*Xyleborus subtruncatus*](#) Schedl, 1972m ^C
- [*Xyleborus subtuberculatus*](#) Eggers, 1927a ^C
- [*Xyleborus sulcaticeps*](#) Schedl, 1962j ^C
- [*Xyleborus sulcatulus*](#) Eggers, 1939b ^C
- [*Xyleborus sulcatus*](#) Eggers, 1930d ^C
- [*Xyleborus sulcicauda*](#) Schedl, 1972b ^C
- [*Xyleborus sulcinoides*](#) Schedl, 1974d ^C
- [*Xyleborus sulcipenne*](#) Eggers, 1932d ^C
- [*Xyleborus sumatranus*](#) Hagedorn, 1908 ^C
- [*Xyleborus sundaensis*](#) Eggers, 1923a ^C
- [*Xyleborus superbulus*](#) Schedl, 1958k ^C
- [*Xyleborus superbus*](#) Schedl, 1942c ^C

- [*Xyleborus sus*](#) Schedl, 1973e ^C
- [*Xyleborus suturalis*](#) Eggers, 1930d ^C
- [*Xyleborus swezeyi*](#) Beeson, 1929 ^C
- [*Xyleborus syzygii*](#) Nunberg, 1959c ^C
- [*Xyleborus szentivanyi*](#) Schedl, 1968e ^C

T

- [*Xyleborus taboensis*](#) Schedl, 1952c ^C
- [*Xyleborus tachygraphus*](#) Zimmermann, 1868 ^C
- [*Xyleborus taichuensis*](#) Schedl, 1952c ^C
- [*Xyleborus taitonus*](#) Eggers, 1939c ^C
- [*Xyleborus taiwanensis*](#) Browne, 1980b ^C
- [*Xyleborus takeharai*](#) Browne, 1983a ^C
- [*Xyleborus takinoyensis*](#) Murayama, 1953b ^C
- [*Xyleborus talumalai*](#) Browne, 1966 ^C
- [*Xyleborus tanganjikaensis*](#) Schedl, 1937b ^C
- [*Xyleborus tanganus*](#) Hagedorn, 1910b ^C
- [*Xyleborus tanibe*](#) Schedl, 1965c ^C
- [*Xyleborus tantalus*](#) Schedl, 1941 ^{i C}
- [*Xyleborus tapatapaoensis*](#) Schedl, 1951k ^C
- [*Xyleborus taxicornis*](#) Schedl, 1971c ^C
- [*Xyleborus tecleae*](#) Schedl, 1957e ^C
- [*Xyleborus tectonae*](#) Nunberg, 1956d ^C
- [*Xyleborus tectus*](#) Schedl, 1972h ^C
- [*Xyleborus tegalensis*](#) Eggers, 1923a ^C
- [*Xyleborus temetiuiicus*](#) Beeson, 1935b ^C
- [*Xyleborus tenebrosus*](#) Schedl, 1937b ^C
- [*Xyleborus tenella*](#) Schedl, 1959a ^C
- [*Xyleborus tenellus*](#) Schedl, 1957d ^C
- [*Xyleborus teninabani*](#) Browne, 1986c ^C
- [*Xyleborus tenuigraphum*](#) Schedl, 1953e ^C
- [*Xyleborus tenuipennis*](#) Browne, 1974a ^C
- [*Xyleborus tenuis*](#) Schedl, 1948f ^C
- [*Xyleborus tereticollis*](#) Schedl, 1951i ^C
- [*Xyleborus terminatus*](#) Eggers, 1930d ^C
- [*Xyleborus testudo*](#) Eggers, 1939c ^C

- [*Xyleborus tetracanthus*](#) Beeson, 1941 ^C
- [*Xyleborus theae*](#) Eggers, 1940d ^C
- [*Xyleborus timidus*](#) Schedl, 1973f ^C
- [*Xyleborus tinnitus*](#) Schedl, 1941d ^C
- [*Xyleborus titubanter*](#) Schedl, 1948h ^C
- [*Xyleborus todo*](#) Kono, 1938b ^C
- [*Xyleborus tolimanus*](#) Eggers, 1928c ^C
- [*Xyleborus tomentosus*](#) Eggers, 1939b ^C
- [*Xyleborus tomicoides*](#) Eggers, 1923a ^C
- [*Xyleborus tonkinensis*](#) Schedl, 1934c ^C
- [*Xyleborus tonsus*](#) Wood, 1977b ^C
- [*Xyleborus torquatus*](#) Eichhoff, 1868c ^C
- [*Xyleborus tortuosus*](#) Schedl, 1942a ^C
- [*Xyleborus transitus*](#) Schedl, 1962j ^C
- [*Xyleborus trapezicollis*](#) Schedl, 1971c ^C
- [*Xyleborus trepanicauda*](#) Eggers, 1923a ^C
- [*Xyleborus triangi*](#) Schedl, 1958b ^C
- [*Xyleborus triangularis*](#) Schedl, 1975f ^C
- [*Xyleborus tribulatus*](#) Wood, 1974a ^C
- [*Xyleborus trinidadensis*](#) Schedl, 1961a ^C
- [*Xyleborus trispinatus*](#) Browne, 1981a ^C
- [*Xyleborus tristiculus*](#) Wood, 1975b ^C
- [*Xyleborus tristis*](#) Eggers, 1930d ^C
- [*Xyleborus triton*](#) Schaufuss, C.F.C., 1905 ^C
- [*Xyleborus trolaki*](#) Schedl, 1939e ^C
- [*Xyleborus tropicus*](#) Hagedorn, 1910b ^C
- [*Xyleborus truncatellus*](#) Schedl, 1951i ^C
- [*Xyleborus truncaticauda*](#) Browne, 1984d ^C
- [*Xyleborus truncatiferus*](#) Schedl, 1955b ^C
- [*Xyleborus truncatiformis*](#) Eggers, 1923a ^C
- [*Xyleborus truncatipennis*](#) Schedl, 1961f ^C
- [*Xyleborus truncatulus*](#) Schedl, 1957d ^C
- [*Xyleborus truncatus*](#) Sharp, D., 1885 ^C
- [*Xyleborus trux*](#) Schedl, 1937b ^C
- [*Xyleborus tsukubanus*](#) Murayama, 1954b ^C
- [*Xyleborus tuberculifer*](#) Eggers, 1923a ^C

- [*Xyleborus tuberculosissimum*](#) Eggers, 1940d ^C
- [*Xyleborus tuberculosus*](#) Browne, 1981b ^C
- [*Xyleborus tumidus*](#) Schedl, 1975f ^C
- [*Xyleborus tumucensis*](#) Hagedorn, 1905a ^C
- [*Xyleborus tunggali*](#) Schedl, 1936j ^C
- [*Xyleborus turbineus*](#) Sampson, 1923b ^C
- [*Xyleborus turgidus*](#) Schedl, 1962j ^C
- [*Xyleborus turraeanthus*](#) Schedl, 1957d ^C

U-Z

- [*Xyleborus ugandaensis*](#) Schedl, 1957e ^C
- [*Xyleborus umbratulus*](#) Schedl, 1975g ^C
- [*Xyleborus umbratum*](#) Eggers, 1941b ^C
- [*Xyleborus uncatus*](#) Schedl, 1970e ^C
- [*Xyleborus undatus*](#) Schedl, 1974c ^C
- [*Xyleborus undulata*](#) Sampson, 1919 ^C
- [*Xyleborus unimodus*](#) Beeson, 1929 ^C
- [*Xyleborus uniseriatus*](#) Eggers, 1936e ^C
- [*Xyleborus upoluensis*](#) Schedl, 1951k ^C
- [*Xyleborus urichi*](#) Sampson, 1912 ^C
- [*Xyleborus ursa*](#) Eggers, 1923a ^C
- [*Xyleborus ursinus*](#) Hagedorn, 1908 ^C
- [*Xyleborus ursulus*](#) Eggers, 1923a ^C
- [*Xyleborus ursus*](#) Eggers, 1923a ^C
- [*Xyleborus usagaricus*](#) Eggers, 1922b ^C
- [*Xyleborus usitata*](#) Schedl, 1942c ^C
- [*Xyleborus usticus*](#) Wood, 1968b ^C
- [*Xyleborus ustulatus*](#) Eggers (Hagedorn in), 1920 ^C
- [*Xyleborus ustus*](#) Schedl, 1957d ^C
- [*Xyleborus vafra*](#) Schedl, 1957e ^C
- [*Xyleborus vagabundus*](#) Schedl, 1948f ^C
- [*Xyleborus vagans*](#) Schedl, 1977f ^C
- [*Xyleborus validicornis*](#) Schedl, 1950f ^C
- [*Xyleborus validus*](#) Eichhoff, 1875 ^{i C}
- [*Xyleborus vanrynae*](#) Browne, 1973a ^C
- [*Xyleborus variabilis*](#) Schedl, 1948f ^C

- [*Xyleborus varians*](#) Fabricius, 1801 ^g
- [*Xyleborus variipennis*](#) Schedl, 1971c ^c
- [*Xyleborus varulus*](#) Wood, 1974a ^c
- [*Xyleborus velatus*](#) Sampson, 1913 ^c
- [*Xyleborus venustulus*](#) Schedl, 1969b ^c
- [*Xyleborus verax*](#) Schedl, 1939f ^c
- [*Xyleborus vernaculus*](#) Schedl, 1975f ^c
- [*Xyleborus versicolor*](#) Sampson, 1921 ^c
- [*Xyleborus vespatorius*](#) Schedl, 1931c ^c
- [*Xyleborus vestigator*](#) Schedl, 1973e ^c
- [*Xyleborus vexans*](#) Schedl, 1972g ^c
- [*Xyleborus viaticus*](#) Schedl, 1974d ^c
- [*Xyleborus vicarius*](#) Eichhoff, 1875 ^c
- [*Xyleborus vicinus*](#) LeConte, 1874a ^c
- [*Xyleborus viduus*](#) Eichhoff, 1878 ^{i c b}
- [*Xyleborus vigilans*](#) Schedl, 1939f ^c
- [*Xyleborus villosulus*](#) Blandford, 1898b ^c
- [*Xyleborus villosus*](#) Schedl, 1948f ^c
- [*Xyleborus viruensis*](#) Browne, 1984a ^c
- [*Xyleborus vismiae*](#) Wood, 1974a ^c
- [*Xyleborus vitiosus*](#) Schedl, 1940a ^c
- [*Xyleborus voarotrae*](#) Schedl, 1961e ^c
- [*Xyleborus vochysiae*](#) Kirkendall, 2006 ^c
- [*Xyleborus volutus*](#) Wood, 2007 ^c
- [*Xyleborus volvulus*](#) (Fabricius, 1775) ^{i c g b}
- [*Xyleborus vulcanus*](#) Perkins, 1900 ^{i c}
- [*Xyleborus vulpina*](#) Schedl, 1942a ^c
- [*Xyleborus wakayamensis*](#) Nobuchi, 1981d ^c
- [*Xyleborus wallacei*](#) Blandford, 1896b ^c
- [*Xyleborus webbi*](#) Hopkins, 1915b ^c
- [*Xyleborus whitfordiodendrus*](#) Schedl, 1942a ^c
- [*Xyleborus whitteni*](#) Beeson, 1935b ^c
- [*Xyleborus wilderi*](#) Beeson, 1929 ^c
- [*Xyleborus woodi*](#) Schedl, 1979j ^c
- [*Xyleborus xanthophyllus*](#) Schedl, 1942a ^c
- [*Xyleborus xanthopus*](#) Eichhoff, 1868c ^c

- [*Xyleborus xylocranellus*](#) Schedl, 1931^c
- [*Xyleborus xylographus*](#) (Say, 1826)^{i c g b}
- [*Xyleborus xyloteroides*](#) Eggers, 1939^c
- [*Xyleborus xylotrupes*](#) Schedl, 1962^{j c}
- [*Xyleborus yakushmanus*](#) Murayama, 1955^c
- [*Xyleborus zicsii*](#) Schedl, 1967^{e c}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 154 species in [*Xorides*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^[1]
^[2]^[3]

***Xorides* species**

- [*Xorides abaddon*](#) (Morley, 1913)^{c g}
- [*Xorides aciculatus*](#) (Benoit, 1952)^{c g}
- [*Xorides aculeatus*](#) Liu & Sheng, 1998^{c g}
- [*Xorides albimaculatus*](#) Sheng, 2000^{c g}
- [*Xorides albopictus*](#) (Cresson, 1870)^{c g b}
- [*Xorides alpestris*](#) (Habermehl, 1903)^{c g}
- [*Xorides amissiantennes*](#) Wang, 1997^{c g}
- [*Xorides annulator*](#) (Fabricius, 1804)^{c g}
- [*Xorides annulatus*](#) (Gravenhorst, 1829)^{c g}
- [*Xorides antennalis*](#) (Szepligeti, 1914)^c
- [*Xorides anthracinus*](#) Gupta & Chandra, 1974^{c g}
- [*Xorides armidae*](#) Gauld, 1997^{c g}
- [*Xorides asperus*](#) Wang & Gupta, 1995^{c g}
- [*Xorides ater*](#) (Gravenhorst, 1829)^{c g}
- [*Xorides atrox*](#) Townes, 1960^{c g}
- [*Xorides australiensis*](#) (Szepligeti, 1914)^c
- [*Xorides austriacus*](#) (Clement, 1938)^{c g}
- [*Xorides berlandi*](#) Clement, 1938^{c g}
- [*Xorides boharti*](#) Townes, 1960^{c g}
- [*Xorides brachylabis*](#) (Kriechbaumer, 1889)^{c g}
- [*Xorides brookei*](#) (Cameron, 1903)^{c g}
- [*Xorides caeruleus*](#) (Morley, 1913)^{c g}
- [*Xorides caeruleus*](#) (Cameron, 1905)^{c g}

- [*Xorides calidus*](#) (Provancher, 1886) ^{c g b}
- [*Xorides californicus*](#) (Cresson, 1879) ^{c g}
- [*Xorides carinifrons*](#) Baltazar, 1961 ^{c g}
- [*Xorides centromaculatus*](#) Cushman, 1933 ^{c g}
- [*Xorides cerbonei*](#) Porter, 1978 ^{c g}
- [*Xorides chalybeator*](#) (Smith, 1862) ^{c g}
- [*Xorides cincticornis*](#) (Cresson, 1865) ^{c g b}
- [*Xorides citrimaculatus*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides confusus*](#) Baltazar, 1961 ^{c g}
- [*Xorides corcyrensis*](#) (Kriechbaumer, 1894) ^{c g}
- [*Xorides crassitibialis*](#) (Uchida, 1932) ^c
- [*Xorides crudelis*](#) (Turner, 1919) ^{c g}
- [*Xorides csikii*](#) Clement, 1938 ^{c g}
- [*Xorides deplanatus*](#) Sheng, 2006 ^{c g}
- [*Xorides depressus*](#) (Holmgren, 1860) ^{c g}
- [*Xorides eastoni*](#) (Rohwer, 1913) ^{c g}
- [*Xorides elizabethae*](#) (Bingham, 1898) ^{c g}
- [*Xorides ephialtoides*](#) (Kriechbaumer, 1882) ^{c g}
- [*Xorides erigentis*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides erythrothorax*](#) (Turner, 1919) ^{c g}
- [*Xorides euthrix*](#) Porter, 1975 ^{c g}
- [*Xorides exmacularis*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides exquisitus*](#) (Tosquinet, 1903) ^{c g}
- [*Xorides filiformis*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides flavopictus*](#) Baltazar, 1961 ^{c g}
- [*Xorides flavotibialis*](#) Hilszczanski, 2000 ^{c g}
- [*Xorides formosanus*](#) (Sonan, 1936) ^c
- [*Xorides formosulus*](#) (Kokujev, 1912) ^{c g}
- [*Xorides fracticornis*](#) (Smith, 1860) ^{c g}
- [*Xorides frigidus*](#) (Cresson, 1870) ^{c g}
- [*Xorides fulgidipennis*](#) (Smith, 1858) ^{c g}
- [*Xorides fuligator*](#) (Thunberg, 1822) ^{c g}
- [*Xorides funiuensis*](#) Sheng, 2000 ^{c g}
- [*Xorides furcatus*](#) Liu & Sheng, 1998 ^{c g}
- [*Xorides giganticus*](#) Baltazar, 1961 ^{c g}
- [*Xorides gloriosus*](#) (Szepligeti, 1914) ^{c g}

- [*Xorides gracilicornis*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides gravenhorstii*](#) (Curtis, 1831) ^{c g}
- [*Xorides harringtoni*](#) Rohwer, 1920 ^{c g}
- [*Xorides hedwigi*](#) Clement, 1938 ^{c g}
- [*Xorides hiatus*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides hingganensis*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides hirtus*](#) Liu & Sheng, 1998 ^{c g}
- [*Xorides hulstaerti*](#) (Benoit, 1952) ^{c g}
- [*Xorides humeralis*](#) (Say, 1829) ^{c g b}
- [*Xorides humos*](#) Gauld, 1997 ^{c g}
- [*Xorides idunae*](#) Gauld, 1997 ^{c g}
- [*Xorides ilignus*](#) Hilszczanski, 2000 ^{c g}
- [*Xorides immaculatus*](#) Cushman, 1933 ^{c g}
- [*Xorides indicatorius*](#) (Latreille, 1806) ^{c g}
- [*Xorides indicus*](#) Gupta & Chandra, 1972 ^{c g}
- [*Xorides insularis*](#) (Cresson, 1879) ^c
- [*Xorides investigator*](#) (Smith, 1874) ^{c g}
- [*Xorides iodes*](#) Baltazar, 1961 ^{c g}
- [*Xorides irrigator*](#) (Fabricius, 1793) ^{c g}
- [*Xorides iwatensis*](#) (Uchida, 1928) ^{c g}
- [*Xorides jakovlevi*](#) (Kokujev, 1903) ^{c g}
- [*Xorides jezoensis*](#) (Matsumura, 1912) ^c
- [*Xorides jiyanensis*](#) Sheng, 2004 ^{c g}
- [*Xorides karnaticus*](#) Gupta & Chandra, 1977 ^{c g}
- [*Xorides konduensis*](#) (Benoit, 1952) ^{c g}
- [*Xorides konumensis*](#) (Uchida, 1928) ^{c g}
- [*Xorides lambei*](#) (Handlirsch, 1911) ^{c g}
- [*Xorides lissopunctus*](#) Gupta & Chandra, 1972 ^{c g}
- [*Xorides longicaudus*](#) Sheng & Wen, 2008 ^{c g}
- [*Xorides maculatus*](#) (Benoit, 1952) ^{c g}
- [*Xorides maculiceps*](#) (Cameron, 1906) ^{c g}
- [*Xorides maculipennis*](#) (Smith, 1859) ^c
- [*Xorides madronensis*](#) Ruiz-Cancino & Kasparyan, 2000 ^{c g}
- [*Xorides magnificus*](#) (Mocsary, 1905) ^{c g}
- [*Xorides madae*](#) (Davis, 1895) ^{c g}
- [*Xorides mayumbensis*](#) (Benoit, 1952) ^{c g}

- [*Xorides medius*](#) Townes, 1960 ^{c g}
- [*Xorides mindanensis*](#) Baltazar, 1961 ^{c g}
- [*Xorides minimus*](#) Gupta & Chandra, 1974 ^{c g}
- [*Xorides minutus*](#) Clement, 1938 ^{c g}
- [*Xorides mirabilis*](#) (Seyrig, 1932) ^{c g}
- [*Xorides nasensis*](#) Uchida, 1956 ^{c g}
- [*Xorides neoclyti*](#) (Rohwer, 1915) ^{c g}
- [*Xorides niger*](#) (Pfeffer, 1913) ^{c g}
- [*Xorides nigricaeruleus*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides nigristomus*](#) Gupta & Chandra, 1974 ^{c g}
- [*Xorides ornatus*](#) (Tosquinet, 1903) ^c
- [*Xorides peniculus*](#) Townes, 1960 ^{c g}
- [*Xorides philippinensis*](#) Baltazar, 1961 ^{c g}
- [*Xorides pictus*](#) Townes, 1960 ^{c g}
- [*Xorides pissodius*](#) Sheng & Wen, 2008 ^{c g}
- [*Xorides planus*](#) Townes, 1960 ^{c g}
- [*Xorides plumicornis*](#) (Smith, 1877) ^{c g}
- [*Xorides praecatorius*](#) (Fabricius, 1793) ^{c g}
- [*Xorides praestans*](#) (Tosquinet, 1896) ^{c g}
- [*Xorides propinquus*](#) (Tschek, 1869) ^{c g}
- [*Xorides propodeum*](#) (Cushman, 1933) ^{c g}
- [*Xorides rileyi*](#) (Ashmead, 1890) ^{c g}
- [*Xorides rubrator*](#) Khalaim & Ruiz-Cancino, 2007 ^{c g}
- [*Xorides rudis*](#) Townes, 1960 ^{c g}
- [*Xorides ruficeps*](#) (Cameron, 1903) ^{c g}
- [*Xorides rufipes*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides rufipleuralis*](#) (Cushman, 1933) ^{c g}
- [*Xorides rufomaculatus*](#) (Cameron, 1905) ^c
- [*Xorides rusticus*](#) (Desvignes, 1856) ^{c g}
- [*Xorides sapporensis*](#) (Uchida, 1928) ^{c g}
- [*Xorides scaber*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides secos*](#) Gauld, 1997 ^{c g}
- [*Xorides sejugatus*](#) (Brues, 1910) ^{c g}
- [*Xorides semirufus*](#) Townes, 1960 ^{c g}
- [*Xorides sepulchralis*](#) (Holmgren, 1860) ^{c g}
- [*Xorides serratitibia*](#) (Enderlein, 1914) ^{c g}

- [*Xorides shevyrevi*](#) (Meyer, 1926) ^{c g}
- [*Xorides similis*](#) (Benoit, 1952) ^{c g}
- [*Xorides sinoxyli*](#) Sedivy, 1996 ^{c g}
- [*Xorides smithi*](#) (Schmiedeknecht, 1907) ^{c g}
- [*Xorides spectabilis*](#) (Tosquinet, 1903) ^{c g}
- [*Xorides splendens*](#) (Brues, 1918) ^{c g}
- [*Xorides stepposus*](#) Kasparyan, 1981 ^{c g}
- [*Xorides stigmapterus*](#) (Say, 1824) ^{c g b}
- [*Xorides strandi*](#) (Clement, 1938) ^{c g}
- [*Xorides syrinx*](#) Gauld, 1997 ^{c g}
- [*Xorides tamora*](#) Gauld, 1997 ^{c g}
- [*Xorides tarsalis*](#) (Szepligeti, 1914) ^c
- [*Xorides thanatos*](#) Gauld, 1997 ^{c g}
- [*Xorides tornatus*](#) (Schiodte, 1839) ^{c g}
- [*Xorides townesi*](#) Baltazar, 1961 ^{c g}
- [*Xorides tumidus*](#) Sheng & Wen, 2008 ^{c g}
- [*Xorides tuqiangensis*](#) Sheng, 1998 ^{c g}
- [*Xorides vitalisi*](#) (Turner, 1919) ^c
- [*Xorides vitiosus*](#) (Turner, 1919) ^{c g}
- [*Xorides weii*](#) Sheng, 2002 ^{c g}
- [*Xorides wenzeli*](#) Gauld, 1997 ^{c g}
- [*Xorides xanthisma*](#) Porter, 1975 ^{c g}
- [*Xorides yamai*](#) Gauld, 1997 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 129 species in [*Xestocephalus*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3]}

***Xestocephalus* species**

- [*Xestocephalus abyssinicus*](#) Heller & Linnavuori 1968 ^{c g}
- [*Xestocephalus adiopodoumus*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus aethiopicus*](#) Melichar 1914 ^{c g}
- [*Xestocephalus agassizi*](#) Van Duzee 1912 ^{c g}
- [*Xestocephalus albidus*](#) Evans 1954 ^{c g}
- [*Xestocephalus albopunctatus*](#) Linnavuori 1959 ^{c g}

- [Xestocephalus amenus](#) DeLong, [Wolda](#) & Estribi 1980 ^{c g}
- [Xestocephalus ancorifer](#) Linnavuori 1959 ^{c g}
- [Xestocephalus antimachus](#) Linnavuori 1979 ^{c g}
- [Xestocephalus antlerus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus apicalis](#) Melichar 1903 ^{c g}
- [Xestocephalus aquilus](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [Xestocephalus artarus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus asper](#) Linnavuori 1969 ^{c g}
- [Xestocephalus australensis](#) Kirkaldy 1907 ^{c g}
- [Xestocephalus badius](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus balli](#) Van Duzee 1907 ^{c g}
- [Xestocephalus bicolor](#) Matsumura 1914 ^{c g}
- [Xestocephalus bicoloratus](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [Xestocephalus bicornis](#) Linnavuori 1969 ^{c g}
- [Xestocephalus bifasciatus](#) Cwikla & Wolda 1986 ^{c g}
- [Xestocephalus bifidus](#) DeLong & Linnavuori 1978 ^{c g}
- [Xestocephalus binatus](#) Cai & He ^{c g}
- [Xestocephalus bipunctatus](#) Van Duzee 1907 ^{c g}
- [Xestocephalus botelensis](#) Matsumura 1940 ^{c g}
- [Xestocephalus brunneus](#) Van Duzee, 1907 ^b (brown xestocephalus)
- [Xestocephalus bulbus](#) Cwikla, 1985 ^{c g b}
- [Xestocephalus canidia](#) Linnavuori 1979 ^{c g}
- [Xestocephalus cervinus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus chibianus](#) Matsumura 1940 ^{c g}
- [Xestocephalus cinctus](#) DeLong 1980 ^{c g}
- [Xestocephalus cirus](#) Evans 1955 ^{c g}
- [Xestocephalus cognatus](#) Choe 1981 ^{c g}
- [Xestocephalus consentaneus](#) Linnavuori 1979 ^{c g}
- [Xestocephalus contortuplicatus](#) Kirkaldy 1907 ^{c g}
- [Xestocephalus coronatus](#) Osborn & Ball 1897 ^{c g}
- [Xestocephalus cristifer](#) Logvinenko 1981 ^{c g}
- [Xestocephalus culmus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus curtus](#) DeLong & Linnavuori 1978 ^{c g}
- [Xestocephalus dedecus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus delongi](#) Cwikla 1985 ^{c g}
- [Xestocephalus desertorum](#) (Berg, 1879) ^{c g b}

- [*Xestocephalus dimonika*](#) Linnavuori 1969 ^{c g}
- [*Xestocephalus dissimilis*](#) Distant 1918 ^{c g}
- [*Xestocephalus dubius*](#) DeLong 1982 ^{c g}
- [*Xestocephalus eumaios*](#) Linnavuori 1973 ^{c g}
- [*Xestocephalus fasciatus*](#) Evans 1954 ^{c g}
- [*Xestocephalus feowerpacchus*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus fistutlus*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus fucatus*](#) Evans 1954 ^{c g}
- [*Xestocephalus fulvocapitatus*](#) ^b
- [*Xestocephalus fulvus*](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [*Xestocephalus fuscarius*](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [*Xestocephalus fuscomaculatus*](#) Kamitani 2005 ^{c g}
- [*Xestocephalus fuscus*](#) Evans 1954 ^{c g}
- [*Xestocephalus guttulatus*](#) Motschulsky 1859 ^{c g}
- [*Xestocephalus igerna*](#) Linnavuori 1969 ^{c g}
- [*Xestocephalus iguchii*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus immaculatus*](#) Linnavuori 1959 ^{c g}
- [*Xestocephalus irroratus*](#) Osborn 1924 ^{c g}
- [*Xestocephalus ishidae*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus izzardii*](#) Metcalf 1955 ^{c g}
- [*Xestocephalus japonicus*](#) Ishihara 1961 ^{c g}
- [*Xestocephalus javanus*](#) Melichar 1914 ^{c g}
- [*Xestocephalus jucundus*](#) Linnavuori 1954 ^{c g}
- [*Xestocephalus koreanus*](#) Kwon 1981 ^{c g}
- [*Xestocephalus koshunensis*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus kuyanianus*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus longus*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus lunatus*](#) Peters, 1933 ^{c g b}
- [*Xestocephalus luridus*](#) Linnavuori 1959 ^{c g}
- [*Xestocephalus maculatus*](#) Osborn 1929 ^{c g}
- [*Xestocephalus magnificus*](#) Evans 1966 ^{c g}
- [*Xestocephalus maquilingensis*](#) Merino 1936 ^{c g}
- [*Xestocephalus medius*](#) Linnavuori 1969 ^{c g}
- [*Xestocephalus mexicanus*](#) DeLong & Linnavuori 1978 ^{c g}
- [*Xestocephalus minimus*](#) China 1935 ^{c g}
- [*Xestocephalus miramari*](#) DeLong, Wolda & Estribi 1980 ^{c g}

- [*Xestocephalus montanus*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus nigrifrons*](#) ^b
- [*Xestocephalus nikkoensis*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus nilgiriensis*](#) Distant 1918 ^{c g}
- [*Xestocephalus ornatus*](#) Van Duzee 1907 ^{c g}
- [*Xestocephalus osborni*](#) Merino 1936 ^{c g}
- [*Xestocephalus ovalis*](#) Evans 1966 ^{c g}
- [*Xestocephalus paganurus*](#) Melichar 1903 ^{c g}
- [*Xestocephalus pallescens*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus pallidiceps*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus panamanus*](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [*Xestocephalus piceatus*](#) Osborn 1934 ^{c g}
- [*Xestocephalus piceus*](#) ^b
- [*Xestocephalus polleti*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus provancheri*](#) ^b
- [*Xestocephalus pulicarius*](#) Van Duzee, 1894 ^g
- [*Xestocephalus pullus*](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [*Xestocephalus punctatus*](#) Caldwell 1952 ^{c g}
- [*Xestocephalus purpurascens*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus quadripunctatus*](#) Linnavuori 1955 ^{c g}
- [*Xestocephalus ramulus*](#) DeLong & Linnavuori 1978 ^{c g}
- [*Xestocephalus reflexus*](#) Osborn 1934 ^{c g}
- [*Xestocephalus relatus*](#) Distant 1918 ^{c g}
- [*Xestocephalus ryukyuensis*](#) Kamitani 2005 ^{c g}
- [*Xestocephalus shikokuanus*](#) Ishihara 1961 ^{c g}
- [*Xestocephalus sidnicus*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus similis*](#) ^b
- [*Xestocephalus sinchonus*](#) DeLong 1982 ^{c g}
- [*Xestocephalus spicatus*](#) DeLong & Linnavuori 1978 ^{c g}
- [*Xestocephalus spinestyleus*](#) Li & Dai 2003 ^{c g}
- [*Xestocephalus spinifer*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus spinosus*](#) Linnavuori 1957 ^{c g}
- [*Xestocephalus suakoko*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus subfuscus*](#) Melichar 1905 ^{c g}
- [*Xestocephalus subtessellatus*](#) Linnavuori 1959 ^{c g}
- [*Xestocephalus superbus*](#) (Provancher, 1890) ^b

- [*Xestocephalus sycophantus*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus tangaensis*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus tasmaniensis*](#) Evans 1938 ^{c g}
- [*Xestocephalus tessellatus*](#) ^b
- [*Xestocephalus tessellatus*](#) Van Duzee 1894 ^{c g}
- [*Xestocephalus toroensis*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus transversus*](#) Distant 1918 ^{c g}
- [*Xestocephalus triatus*](#) Caldwell 1952 ^{c g}
- [*Xestocephalus tucsoni*](#) Knull, 1944 ^{c g b}
- [*Xestocephalus tutuilanus*](#) Osborn 1934 ^{c g}
- [*Xestocephalus variarius*](#) DeLong 1982 ^{c g}
- [*Xestocephalus vitiensis*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus vittanotus*](#) Cwikla & Wolda 1986 ^{c g}
- [*Xestocephalus youngi*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus zambicus*](#) Linnavuori 1979 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

These 149 species belong to [*Wyeomyia*](#), a genus of [mosquitoes](#) in the family [Culicidae](#).^{[1][2][3][4]}

Wyeomyia species

- [*Wyeomyia abebela*](#) Dyar and Knab, 1908 ^{i c g}
- [*Wyeomyia ablechra*](#) Dyar & Knab, 1908 ^{c g}
- [*Wyeomyia adelpha*](#) Dyar & Knab, 1906 ^{c g}
- [*Wyeomyia aequatoriana*](#) Levi-castillo, 1954 ⁱ
- [*Wyeomyia aequatorianna*](#) Levi-Castillo, 1954 ^{c g}
- [*Wyeomyia airosai*](#) Lane & Cerqueria, 1942 ^{c g}
- [*Wyeomyia alani*](#) Lane and Cerqueira, 1957 ^{i c g}
- [*Wyeomyia albosquamata*](#) Bonne-Wepster & Bonne, 1919 ^{c g}
- [*Wyeomyia amazonica*](#) Levi-castillo, 1954 ^{i c g}
- [*Wyeomyia aningae*](#) Motta & Lourenco-de-Oliveira, 2005 ^{c g}
- [*Wyeomyia antillarum*](#) Floch and Abonnenc, 1945 ⁱ
- [*Wyeomyia antunesi*](#) Lane & Guimaraes, 1937 ^{c g}
- [*Wyeomyia aphobema*](#) Dyar, 1918 ^{i c g}

- [Wyeomyia aporonoma](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia arborea](#) Galindo, 1951 ^{i c g}
- [Wyeomyia argenteostris](#) (Bonne-Wepster & Bonne, 1920) ^{c g}
- [Wyeomyia arthrostroma](#) (Lutz, 1905) ^{i c g}
- [Wyeomyia atrata](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia autocratica](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia bahama](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia bicornis](#) (Root, 1928) ^{i c g}
- [Wyeomyia bonnei](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia bourrouli](#) (Lutz, 1905) ^{c g}
- [Wyeomyia caracula](#) Dyarand Nunez Tovar, 1927 ^{i c g}
- [Wyeomyia carrilloi](#) (Sutil & Pulido, 1978) ^{c g}
- [Wyeomyia celaenocephala](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia cesari](#) Ponte & Cerqueira, 1938 ^{c g}
- [Wyeomyia chalcoccephala](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia charmion](#) Dyar, 1928 ^{i c g}
- [Wyeomyia chocoensis](#) Porter & Wolff, 2004 ^{c g}
- [Wyeomyia circumcincta](#) Dyar & Knab, 1907 ^{c g}
- [Wyeomyia clasoleuca](#) Dyar & Knab, 1908 ^{c g}
- [Wyeomyia codiocampa](#) Dyar and Knab, 1907 ^{i c g}
- [Wyeomyia coenonous](#) Howard, Dyar & Knab, 1913 ^{c g}
- [Wyeomyia colombiana](#) Lane, 1945 ^{i c g}
- [Wyeomyia complosa](#) (Dyar, 1928) ^{c g}
- [Wyeomyia compta](#) Senevet & Abonnenc, 1939 ^{c g}
- [Wyeomyia confusa](#) (Lutz, 1905) ^{c g}
- [Wyeomyia corona](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia covagarciai](#) Sutil Oramas & Pulido F., 1974 ^{c g}
- [Wyeomyia davisii](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia deaneii](#) Oliveira, 1983 ^{c g}
- [Wyeomyia diabolica](#) Lane & Forattini, 1952 ^{c g}
- [Wyeomyia downsi](#) Lane, 1945 ^{i c g}
- [Wyeomyia dyari](#) Lane and Cerqueira, 1942 ^{i c g}
- [Wyeomyia edwardsii](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia esmeraldasii](#) Levi-Castillo, 1955 ^{c g}
- [Wyeomyia felicia](#) (Dyar & Nunez Tovar, 1927) ^{c g}
- [Wyeomyia fernandezyepezi](#) Cova Garcia, Sutil Oramas, & Pulido F., 1974 ^{c g}

- [Wyeomyia finlayi](#) Lane & Cerqueria, 1942 ^{c g}
- [Wyeomyia fishi](#) Zavortink, 1986 ^{c g}
- [Wyeomyia flabellata](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia flavifacies](#) Edwards, 1922 ^{i c g}
- [Wyeomyia florestan](#) Dyar, 1925 ^{i c g}
- [Wyeomyia flui](#) (Bonne-Wepster & Bonne, 1919) ^{c g}
- [Wyeomyia forattinii](#) Clastrier, 1974 ^{c g}
- [Wyeomyia forcipenis](#) Lourenco-de-Oliveira & Silva, 1985 ^{c g}
- [Wyeomyia fuscipes](#) Edwards, 1922 ^{c g}
- [Wyeomyia galvaoi](#) Correa & Ramalho, 1956 ^{c g}
- [Wyeomyia gaudians](#) Dyar & Nunez Tovar, 1927 ^{c g}
- [Wyeomyia gausapata](#) Dyar and Nunez Tovar, 1927 ^{i c g}
- [Wyeomyia grayii](#) Theobald, 1901 ^{c g}
- [Wyeomyia guadians](#) Dyar and Nunez Tovar, 1927 ^{i g}
- [Wyeomyia guatemala](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia gutierrezi](#) Duret, 1971 ^{c g}
- [Wyeomyia haynei](#) Dodge, 1947 ^{i c g}
- [Wyeomyia hemisagnosta](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia hirsuta](#) (Hill and Hill, 1946) ^{i c g}
- [Wyeomyia hosautos](#) Dyar and Knab, 1907 ^{i c g}
- [Wyeomyia howardi](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia incaudata](#) Root, 1928 ^{c g}
- [Wyeomyia ininicola](#) Fauran, 1974 ^{c g}
- [Wyeomyia intonca](#) Dyar & Knab, 1909 ^{c g}
- [Wyeomyia juxtahirsuta](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia knabi](#) Lane & Cerqueria, 1942 ^{c g}
- [Wyeomyia kummi](#) Lane and Cerqueira, 1942 ^{i c g}
- [Wyeomyia labesba](#) Howard, Dyar & Knab, 1913 ^{c g}
- [Wyeomyia lamellata](#) (Bonne-Wepster & Bonne, 1919) ^{c g}
- [Wyeomyia lassalli](#) (Bonne-Wepster & Bonne, 1921) ^{c g}
- [Wyeomyia lateralis](#) Petrocchi, 1927 ^{i c g}
- [Wyeomyia leucostigma](#) Lutz, 1904 ^{i c g}
- [Wyeomyia leucotarsis](#) Lane, 1936 ^{c g}
- [Wyeomyia limai](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia longirostris](#) Theobald, 1901 ^{c g}
- [Wyeomyia lopesi](#) Correa & Ramalho, 1956 ^{c g}

- [Wyeomyia lopezii](#) Cova Garcia, Sutil Oramas, & Pulido F., 1974 ^{c g}
- [Wyeomyia luna](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia luteoventralis](#) Theobald, 1901 ^{i c g}
- [Wyeomyia lutzi](#) (Lima, 1904) ^{i c g}
- [Wyeomyia malonopus](#) Dyar, 1919 ^{i g}
- [Wyeomyia mattinglyi](#) Lane, 1953 ^{i c g}
- [Wyeomyia medioalbipes](#) Lutz, 1904 ^{i c g}
- [Wyeomyia melanocephala](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia melanopus](#) Dyar, 1919 ^{c g}
- [Wyeomyia mitchellii](#) (Theobald, 1905) ^{i c g b} (bromeliad mosquito)
- [Wyeomyia moerbista](#) (Dyar and Knab, 1919) ^{i c g}
- [Wyeomyia muehlensi](#) Petrocchi, 1927 ^{c g}
- [Wyeomyia mystes](#) Dyar, 1924 ^{i c g}
- [Wyeomyia negrensis](#) Gordon and Evans, 1922 ^{i c g}
- [Wyeomyia nigricephala](#) Clastrier & Claustre, 1978 ^{c g}
- [Wyeomyia nigratubus](#) Galindo, Carpenter, Trapido, 1951 ^{i c g}
- [Wyeomyia nunezia](#) Dyar, 1928 ^{i g}
- [Wyeomyia oblita](#) (Lutz, 1904) ^{i c g}
- [Wyeomyia occulta](#) Bonne-wepster and Bonne, 1919 ^{i c g}
- [Wyeomyia pallidoventer](#) Theobald, 1907 ^{c g}
- [Wyeomyia palmata](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia pampithes](#) (Dyar and Nunez Tovar, 1928) ^{i c g}
- [Wyeomyia personata](#) (Lutz, 1904) ⁱ
- [Wyeomyia pertinans](#) (Williston, 1896) ^{i c g}
- [Wyeomyia petrocchiae](#) (Shannon and Del Ponte, 1927) ⁱ
- [Wyeomyia phroso](#) Howard, Dyar, Knab, 1915 ^{i c g}
- [Wyeomyia pilicauda](#) Root, 1928 ^{c g}
- [Wyeomyia pseudopecten](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia pseudorobusta](#) Pajot & Fauran, 1975 ^{c g}
- [Wyeomyia quasilongirostris](#) Theobald, 1907 ^{c g}
- [Wyeomyia quasiluteoventralis](#) (Theobald, 1903) ⁱ
- [Wyeomyia robusta](#) Senevet and Abonnenc, 1939 ^{i c g}
- [Wyeomyia rooti](#) (Del Ponte, 1939) ^{i c g}
- [Wyeomyia rorotai](#) Senevet & Chabelard, 1942 ^{c g}
- [Wyeomyia roucouyana](#) (Bonne-wepster and Bonne, 1927) ^{i c g}
- [Wyeomyia sabethea](#) Lane and Cerqueira, 1842 ^{i c g}

- [*Wyeomyia schnusei*](#) (Martini, 1931)ⁱ
- [*Wyeomyia scotinomus*](#) (Dyar and Knab, 1907)^{i c g}
- [*Wyeomyia serrata*](#) (Lutz, 1905)^{i c g}
- [*Wyeomyia serratoria*](#) (Dyar and Nunez Tovar, 1927)^{i c g}
- [*Wyeomyia shannoni*](#) Lane and Cerqueira, 1942^{i c g}
- [*Wyeomyia simmsi*](#) Dyar and Knab, 1908)^{i c g}
- [*Wyeomyia smithii*](#) (Coquillett, 1901)^{i c g b} (pitcherplant mosquito)
- [*Wyeomyia sororcula*](#) Dyar & Knab, 1906^{c g}
- [*Wyeomyia splendida*](#) Bonne-Wepster & Bonne, 1919^{c g}
- [*Wyeomyia staminifera*](#) Lourenco-de-Oliveira, Motta & de Castro, 1992^{c g}
- [*Wyeomyia stellata*](#) Belkin & Heinemann, 1970^{c g}
- [*Wyeomyia stonei*](#) Vargas, Martinez, Palacios, 1953^{i c g}
- [*Wyeomyia subcomplosa*](#) (Del Ponte, 1939)^{i c g}
- [*Wyeomyia surinamensis*](#) Bruijning, 1959^{c g}
- [*Wyeomyia tarsata*](#) Lane and Cerqueira, 1942^{i c g}
- [*Wyeomyia taurepana*](#) Anduze, 1941^{i c g}
- [*Wyeomyia telestica*](#) Dyar and Knab, 1906ⁱ
- [*Wyeomyia testei*](#) Senevet and Abonnenc, 1939^{i c g}
- [*Wyeomyia theobaldi*](#) Lane & Cerqueira, 1942^{c g}
- [*Wyeomyia trifurcata*](#) Clastrier, 1973^{c g}
- [*Wyeomyia trinidadensis*](#) Theobald, 1901^{c g}
- [*Wyeomyia tripartita*](#) (Bonne-Wepster & Bonne, 1921)^{c g}
- [*Wyeomyia trujilloi*](#) Pulido F. & Sutil O., 1981^{c g}
- [*Wyeomyia ulocoma*](#) (Theobald, 1903)^{i c g}
- [*Wyeomyia undulata*](#) Del Ponte and Cerqueira, 1938^{i c g}
- [*Wyeomyia vanduzeei*](#) Dyar & Knab, 1906^{i c g b}
- [*Wyeomyia ypsipola*](#) Dyar, 1922^{i c g}
- [*Wyeomyia zinzala*](#) Zavortink, 1986^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 100 species in [*Wormaldia*](#), a genus of fingernet caddisflies in the family [*Philopotamidae*](#).^{[1][2][3][4]}

Wormaldia species

- [Wormaldia algerica](#) Lestage, 1925 ^{i c g}
- [Wormaldia ambigua](#) Navas, 1916 ^{i c g}
- [Wormaldia amyda](#) Ross, 1956 ^g
- [Wormaldia anilla](#) (Ross, 1941) ^{i c g}
- [Wormaldia arcopa](#) Denning in Denning & Sykora, 1966 ^{i c g}
- [Wormaldia arizonensis](#) (Ling, 1938) ^{i c g}
- [Wormaldia arriba](#) Sipahiler, 1999 ^{i c g}
- [Wormaldia artillac](#) Sipahiler, 1999 ^{i c g}
- [Wormaldia asterusia](#) Malicky, 1972 ^g
- [Wormaldia balcanica](#) Kumanski, 1979 ^{i c g}
- [Wormaldia beaumonti](#) Schmid, 1952 ^g
- [Wormaldia bilamellata](#) Sun, 1997 ^{i c g}
- [Wormaldia bulgarica](#) Novak, 1971 ^{i c g}
- [Wormaldia cantabrica](#) Gonzalez & Botosaneanu, 1983 ^{i c g}
- [Wormaldia charalambi](#) Malicky, 1980 ^{i c g}
- [Wormaldia chinensis](#) (Ulmer, 1932) ^{i c g}
- [Wormaldia clavella](#) Mey, 1995 ^{i c g}
- [Wormaldia congina](#) Malicky & Chantaramongkol, 1993 ^{i c g}
- [Wormaldia copiosa](#) (McLachlan, 1868) ^{i c g}
- [Wormaldia coreana](#) Kumanski, 1992 ^{i c g}
- [Wormaldia cornuta](#) Bueno-Soria & Holzenthal, 1986 ^{i c g}
- [Wormaldia corvina](#) (McLachlan, 1884) ^{i c g}
- [Wormaldia dampfi](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia dissita](#) Gibbs, 1973 ^{i c g}
- [Wormaldia dorsata](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia echinata](#) Tobias, 1995 ^{i c g}
- [Wormaldia endonima](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia ephestion](#) Schmid, 1991 ^{i c g}
- [Wormaldia esperonis](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia extensa](#) Kimmins, 1955 ^{i c g}
- [Wormaldia fletcheri](#) Kimmins, 1959 ^{i c g}
- [Wormaldia fujinoensis](#) Kobayashi, 1980 ^{i c g}
- [Wormaldia gabriella](#) (Banks, 1930) ^{i c g}
- [Wormaldia gardensis](#) Sipahiler, 1999 ^{i c g}
- [Wormaldia gesugta](#) Schmid, 1968 ^{i c g}

- [Wormaldia hamata](#) Denning, 1951 ^{i c g}
- [Wormaldia hemsinensis](#) Sipahiler, 1987 ^{i c g}
- [Wormaldia ikizdere](#) Sipahiler, 2000 ^{i c g}
- [Wormaldia insignis](#) (Martynov, 1912) ^{i c g}
- [Wormaldia inthanonensis](#) Malicky & Chantaramongkol, 1993 ^{i c g}
- [Wormaldia joosti](#) Kumanski, 1980 ^{i c g}
- [Wormaldia juliani](#) Kumanski, 1979 ^{i c g}
- [Wormaldia kadowakii](#) Kobayashi, 1980 ^{i c g}
- [Wormaldia kakopetros](#) Malicky, 1972 ^g
- [Wormaldia kakopteros](#) Malicky, 1972 ^{i c g}
- [Wormaldia khourmai](#) Schmid, 1959 ^{i c g}
- [Wormaldia kimminsi](#) Botosaneanu, 1960 ^{i c g}
- [Wormaldia kyana](#) (Mosely, 1939) ^{i c g}
- [Wormaldia lacerna](#) Denning, 1958 ^{i c g}
- [Wormaldia langohri](#) Botosaneanu & Giudicelli, 2001 ^g
- [Wormaldia laona](#) Denning, 1989 ^{i c g}
- [Wormaldia longicerca](#) Kumanski, 1992 ^{i c g}
- [Wormaldia longicornuta](#) Mey, 1996 ^{i c g}
- [Wormaldia longispina](#) Tian & Li in Chen, 1993 ^{i c g}
- [Wormaldia luma](#) Bueno-Soria & Holzenthal, 1986 ^{i c g}
- [Wormaldia lusitanica](#) Gonzalez & Botosaneanu, 1983 ^{i c g}
- [Wormaldia matagalpa](#) Flint, 1995 ^{i c g}
- [Wormaldia mediana](#) McLachlan, 1878 ^{i c g}
- [Wormaldia melanion](#) Schmid, 1991 ^{i c g}
- [Wormaldia moesta](#) (Banks, 1914) ^{i c b}
- [Wormaldia moselyi](#) Kimmins, 1953 ^g
- [Wormaldia muoihai](#) Malicky, 1995 ^{i c g}
- [Wormaldia muoimot](#) Malicky, 1995 ^{i c g}
- [Wormaldia nigrorosea](#) Schmid, 1991 ^{i c g}
- [Wormaldia niiensis](#) Kobayashi, 1985 ^{i c g}
- [Wormaldia occidea](#) (Ross, 1938) ^{i c g}
- [Wormaldia occipitalis](#) (Pictet, 1834) ^{i c g}
- [Wormaldia oconee](#) Morse in Morse, Hamilton & Hoffman, 1989 ^{i c g}
- [Wormaldia pachita](#) Denning, 1956 ^{i c g}
- [Wormaldia palma](#) Flint, 1991 ^{i c g}
- [Wormaldia pauliani](#) Ross, 1956 ^{i c g}

- [*Wormaldia planae*](#) Ross & King in Ross, 1956^{i c g}
- [*Wormaldia prolixa*](#) Flint, 1991^{i c g}
- [*Wormaldia pulla*](#) (McLachlan, 1878)^{i c g}
- [*Wormaldia quadriphylla*](#) Sun in Yang, Sun & Wang, 1997^{i c g}
- [*Wormaldia recta*](#) (Ulmer, 1930)^{i c}
- [*Wormaldia relict*](#) (Martynov, 1935)^{i c g}
- [*Wormaldia rufiventris*](#) Ulmer, 1908^{i c g}
- [*Wormaldia saekiensis*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia saldetica*](#) Botosaneanu & Gonzalez, 1984^{i c g}
- [*Wormaldia serratosioi*](#) Vaillant, 1974^{i c g}
- [*Wormaldia shawnee*](#) (Ross, 1938)^{i c g}
- [*Wormaldia simulans*](#) Kimmins, 1955^{i c g}
- [*Wormaldia sinocornuta*](#) Mey, 1996^{i c g}
- [*Wormaldia spinifera*](#) Hwang, 1957^{i c g}
- [*Wormaldia spinosa*](#) Ross, 1956^g
- [*Wormaldia strota*](#) (Ross, 1938)^{i c g}
- [*Wormaldia subnigra*](#) McLachlan, 1865^{i c g}
- [*Wormaldia sumuharana*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia tarasca*](#) Bueno-Soria & Holzenthal, 1986^{i c g}
- [*Wormaldia therapion*](#) Schmid, 1991^{i c g}
- [*Wormaldia thyria*](#) Denning, 1950^{i c g}
- [*Wormaldia triangulifera*](#) McLachlan, 1878^{i c g}
- [*Wormaldia uonumana*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia vargai*](#) Malicky, 1981^{i c g}
- [*Wormaldia variegata*](#) Mosely, 1930^{i c g}
- [*Wormaldia viganoi*](#) Moretti & Taticchi, 1992^g
- [*Wormaldia yakuensis*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia yavuzi*](#) Sipahiler, 1996^{i c g}
- [*Wormaldia yunotakiensis*](#) Kobayashi, 1980^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

Aleyrodidae is a large [hemipteran family](#) called the [whiteflies](#). It contains the following [species](#): [1]

Aleyrodinae Westwood, 1840

- [*Acanthaleyrodes*](#) Takahashi, 1931
 - [*Acanthaleyrodes callicarpae*](#) Takahashi, 1931
 - [*Acanthaleyrodes styraci*](#) Takahashi, 1942
- [*Acanthobemisia*](#) Takahashi, 1935
 - [*Acanthobemisia distyliae*](#) Takahashi, 1935
 - [*Acanthobemisia indicus*](#) Meganathan & David, 1994
- [*Acaudaleyrodes*](#) Takahashi, 1951
 - [*Acaudaleyrodes africanus*](#) Dozier, 1934
 - [*Acaudaleyrodes ebeni*](#) Manzari & Alemansoor, 2005
 - [*Acaudaleyrodes pauliani*](#) Takahashi, 1951
 - [*Acaudaleyrodes rachipora*](#) Singh, 1931
 - [*Acaudaleyrodes tuberculata*](#) Bink-Moenen, 1983
- [*Acutaleyrodes*](#) Takahashi, 1960
 - [*Acutaleyrodes palmae*](#) Takahashi, 1960
- [*Africaleurodes*](#) Dozier, 1934
 - [*Africaleurodes adami*](#) Cohic, 1968
 - [*Africaleurodes ananthakrishnani*](#) Dubey & Sundararaj, 2006
 - [*Africaleurodes balachowskyi*](#) Cohic, 1968
 - [*Africaleurodes capgrasi*](#) Cohic, 1968
 - [*Africaleurodes citri*](#) Takahashi, 1932
 - [*Africaleurodes coffeacola*](#) Dozier, 1934
 - [*Africaleurodes fulakariensis*](#) Cohic, 1966
 - [*Africaleurodes hexalobi*](#) Bink-Moenen, 1983
 - [*Africaleurodes indicus*](#) Regu & David, 1993
 - [*Africaleurodes karwarensis*](#) Dubey & Sundararaj, 2006
 - [*Africaleurodes loganiaceae*](#) Dozier, 1934
 - [*Africaleurodes martini*](#) Cohic, 1968
 - [*Africaleurodes ochraceae*](#) Dozier, 1934
 - [*Africaleurodes pauliani*](#) Cohic, 1968
 - [*Africaleurodes simula*](#) Peal, 1903
 - [*Africaleurodes souliei*](#) Ardaillon & Cohic, 1970
 - [*Africaleurodes tetracerae*](#) Cohic, 1966
 - [*Africaleurodes uvariae*](#) Cohic, 1968
 - [*Africaleurodes vrijdaghii*](#) Ghesquière in Mayné & Ghesquière, 1934
- [*Agrostaleyrodes*](#) Ko, 2001
 - [*Agrostaleyrodes arcanus*](#) Ko in Ko, Chou & Wu, 2001
- [*Aleurocanthus*](#) Quaintance & Baker, 1914

- [*Aleurocanthus arecae*](#) David & Manjunatha, 2003
- [*Aleurocanthus ayyari*](#) Regu & David, 1993
- [*Aleurocanthus bambusae*](#) Peal, 1903
- [*Aleurocanthus bangalorensis*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus banksiae*](#) Maskell, 1896
- [*Aleurocanthus brevispinosus*](#) Dumbleton, 1961
- [*Aleurocanthus calophylli*](#) Kotinsky, 1907
- [*Aleurocanthus ceracroceus*](#) Martin, 1999
- [*Aleurocanthus cheni*](#) Young, 1942
- [*Aleurocanthus chiengmaiensis*](#) Takahashi, 1942
- [*Aleurocanthus cinnamomi*](#) Takahashi, 1931
- [*Aleurocanthus citriperdus*](#) Quaintance & Baker, 1916
- [*Aleurocanthus clitoriae*](#) Jesudasan & David, 1991
- [*Aleurocanthus cocois*](#) Corbett, 1927
- [*Aleurocanthus corbetti*](#) Takahashi, 1951
- [*Aleurocanthus davidi*](#) David & Subramaniam, 1976
- [*Aleurocanthus delottoi*](#) Cohic, 1969
- [*Aleurocanthus dissimilis*](#) Quaintance & Baker, 1917
- [*Aleurocanthus esakii*](#) Takahashi, 1936
- [*Aleurocanthus eugeniae*](#) Takahashi, 1933
- [*Aleurocanthus euphorbiae*](#) Jesudasan & David, 1991
- [*Aleurocanthus ficicola*](#) David, 1993
- [*Aleurocanthus firmianae*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus froggatti*](#) Martin, 1999
- [*Aleurocanthus gateri*](#) Corbett, 1927
- [*Aleurocanthus goaensis*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus gordoniae*](#) Takahashi, 1941
- [*Aleurocanthus gymnosporiae*](#) Jesudasan & David, 1991
- [*Aleurocanthus hibisci*](#) Corbett, 1935
- [*Aleurocanthus hirsutus*](#) Maskell, 1896
- [*Aleurocanthus husaini*](#) Corbett, 1939
- [*Aleurocanthus imperialis*](#) Cohic, 1968
- [*Aleurocanthus inceratus*](#) Silvestri, 1927
- [*Aleurocanthus indicus*](#) David & Regu, 1989
- [*Aleurocanthus ixorae*](#) Jesudasan & David, 1991
- [*Aleurocanthus leptadeniae*](#) Cohic, 1968
- [*Aleurocanthus lobulatus*](#) Jesudasan & David, 1991
- [*Aleurocanthus longispinus*](#) Quaintance & Baker, 1917
- [*Aleurocanthus loyolae*](#) David & Subramaniam, 1976
- [*Aleurocanthus luteus*](#) Martin, 1985
- [*Aleurocanthus mackenziei*](#) Cohic, 1969
- [*Aleurocanthus mangiferae*](#) Quaintance & Baker, 1917
- [*Aleurocanthus martini*](#) David, 1993
- [*Aleurocanthus marudamalaiensis*](#) David & Subramaniam, 1976
- [*Aleurocanthus mayumbensis*](#) Cohic, 1966
- [*Aleurocanthus multispinosus*](#) Dumbleton, 1961
- [*Aleurocanthus musae*](#) David & Jesudasan, 2002
- [*Aleurocanthus mvoutiensis*](#) Cohic, 1966
- [*Aleurocanthus niger*](#) Corbett, 1926

- [*Aleurocanthus nigricans*](#) Corbett, 1926
 - [*Aleurocanthus nudus*](#) Dumbleton, 1961
 - [*Aleurocanthus palauensis*](#) Kuwana in Kuwana & Muramatsu, 1931
 - [*Aleurocanthus papuanus*](#) Martin, 1985
 - [*Aleurocanthus pendleburyi*](#) Corbett, 1935
 - [*Aleurocanthus piperis*](#) Maskell, 1896
 - [*Aleurocanthus regis*](#) Mound, 1965
 - [*Aleurocanthus rugosa*](#) Singh, 1931
 - [*Aleurocanthus russellae*](#) Jesudasan & David, 1991
 - [*Aleurocanthus satyanarayani*](#) Dubey & Sundararaj, 2004
 - [*Aleurocanthus serratus*](#) Quaintance & Baker, 1917
 - [*Aleurocanthus seshadrui*](#) David & Subramaniam, 1976
 - [*Aleurocanthus shillongensis*](#) Jesudasan & David, 1991
 - [*Aleurocanthus siamensis*](#) Takahashi, 1942
 - [*Aleurocanthus singhi*](#) Jesudasan & David, 1991
 - [*Aleurocanthus spiniferus*](#) Quaintance, 1903
 - [*Aleurocanthus spinithorax*](#) Dumbleton, 1961
 - [*Aleurocanthus spinosus*](#) Kuwana, 1911
 - [*Aleurocanthus splendens*](#) David & Subramaniam, 1976
 - [*Aleurocanthus strychnosicola*](#) Cohic, 1966
 - [*Aleurocanthus terminaliae*](#) Dubey & Sundararaj, 2004
 - [*Aleurocanthus trispina*](#) Mound, 1965
 - [*Aleurocanthus t-signatus*](#) Maskell, 1896
 - [*Aleurocanthus valenciae*](#) Martin & Carver in Martin, 1999
 - [*Aleurocanthus valparaiensis*](#) David & Subramaniam, 1976
 - [*Aleurocanthus vindhyachali*](#) Dubey & Sundararaj, 2004
 - [*Aleurocanthus voeltzkowi*](#) Newstead, 1908
 - [*Aleurocanthus woglumi*](#) Ashby, 1915
 - [*Aleurocanthus zizyphi*](#) Priesner & Hosny, 1934
- [*Aleurocerus*](#) Bondar, 1923
 - [*Aleurocerus ceriferus*](#) Sampson & Drews, 1941
 - [*Aleurocerus chicleensis*](#) Russell, 1986
 - [*Aleurocerus coccolobae*](#) Russell, 1986
 - [*Aleurocerus colombiae*](#) Russell, 1986
 - [*Aleurocerus flavomarginatus*](#) Bondar, 1923
 - [*Aleurocerus luxuriosus*](#) Bondar, 1923
 - [*Aleurocerus musae*](#) Russell, 1986
 - [*Aleurocerus palmae*](#) Russell, 1986
 - [*Aleurocerus petiolicola*](#) Russell, 1986
 - [*Aleurocerus tumidosus*](#) Bondar, 1923
- [*Aleurochiton*](#) Tullgren, 1907
 - [*Aleurochiton acerinus*](#) Haupt, 1934
 - [*Aleurochiton aceris*](#) Modeer, 1778
 - [*Aleurochiton forbesii*](#) Ashmead, 1893
 - [*Aleurochiton orientalis*](#) Danzig, 1966

- [*Aleurochiton pseudoplatani*](#) Visnya, 1936
- [*Aleuroclava*](#) Singh, 1931
 - [*Aleuroclava afriae*](#) Sundararaj & David, 1995
 - [*Aleuroclava angkorensis*](#) Takahashi, 1942
 - [*Aleuroclava artocarp*](#) Corbett, 1935
 - [*Aleuroclava aucubae*](#) Kuwana, 1911
 - [*Aleuroclava ayyari*](#) Sundararaj & David, 1993
 - [*Aleuroclava baccaureae*](#) Corbett, 1935
 - [*Aleuroclava bauhiniae*](#) Corbett, 1935
 - [*Aleuroclava bifurcata*](#) Corbett, 1933
 - [*Aleuroclava bilineata*](#) Sundararaj & David, 1993
 - [*Aleuroclava bulbiformi*](#) Qureshi, 1982
 - [*Aleuroclava burmanicus*](#) Singh, 1938
 - [*Aleuroclava calicutensis*](#) Dubey & Sundararaj, 2005
 - [*Aleuroclava calycopteriseae*](#) Dubey & Sundararaj, 2005
 - [*Aleuroclava canangae*](#) Corbett, 1935
 - [*Aleuroclava cardamomi*](#) David & Subramaniam, 1976
 - [*Aleuroclava carpini*](#) Takahashi, 1939
 - [*Aleuroclava cinnamomi*](#) Jesudasan & David, 1991
 - [*Aleuroclava citri*](#) Jesudasan & David, 1991
 - [*Aleuroclava citrifolii*](#) Corbett, 1935
 - [*Aleuroclava complex*](#) Singh, 1931
 - [*Aleuroclava cordii*](#) Qureshi, 1982
 - [*Aleuroclava davidi*](#) Qureshi, 1982
 - [*Aleuroclava dehradunensis*](#) Jesudasan & David, 1991
 - [*Aleuroclava doddabettaensis*](#) Dubey & Sundararaj, 2005
 - [*Aleuroclava doveri*](#) Corbett, 1935
 - [*Aleuroclava dubius*](#) Bink-Moenen, 1983
 - [*Aleuroclava ehretiae*](#) Jesudasan & David, 1991
 - [*Aleuroclava elatostemae*](#) Takahashi, 1932
 - [*Aleuroclava erythrinae*](#) Corbett, 1935
 - [*Aleuroclava eugeniae*](#) Corbett, 1935
 - [*Aleuroclava euphoriae*](#) Takahashi, 1942
 - [*Aleuroclava euryae*](#) Kuwana, 1911
 - [*Aleuroclava evanantiae*](#) Jesudasan & David, 1991
 - [*Aleuroclava fici*](#) Corbett, 1935
 - [*Aleuroclava ficicola*](#) Takahashi, 1932
 - [*Aleuroclava filamentosa*](#) Corbett, 1933
 - [*Aleuroclava flabellus*](#) Takahashi, 1949
 - [*Aleuroclava fletcheri*](#) Sundararaj & David, 1992
 - [*Aleuroclava goaensis*](#) Jesudasan & David, 1991
 - [*Aleuroclava gordoniae*](#) Takahashi, 1932
 - [*Aleuroclava grewiae*](#) Sundararaj & David, 1993
 - [*Aleuroclava guyavae*](#) Takahashi, 1932
 - [*Aleuroclava hexcantha*](#) Singh, 1940
 - [*Aleuroclava hikosanensis*](#) Takahashi, 1938
 - [*Aleuroclava hindustanicus*](#) Meganathan & David, 1994

- [*Aleuroclava indicus*](#) Singh, 1931
- [*Aleuroclava jasmini*](#) Takahashi, 1932
- [*Aleuroclava kanyakumariensis*](#) Sundararaj & David, 1993
- [*Aleuroclava kavalurensis*](#) Jesudasan & David, 1991
- [*Aleuroclava kerala*](#) Martin & Mound, 2007
- [*Aleuroclava kudremukhensis*](#) Dubey & Sundararaj, 2005
- [*Aleuroclava kuwanai*](#) Takahashi, 1934
- [*Aleuroclava lagerstroemiae*](#) Takahashi, 1934
- [*Aleuroclava lanceolata*](#) Takahashi, 1949
- [*Aleuroclava latus*](#) Takahashi, 1934
- [*Aleuroclava lefroyi*](#) Sundararaj & David, 1993
- [*Aleuroclava lithocarp*](#) Takahashi, 1934
- [*Aleuroclava longisetosus*](#) Jesudasan & David, 1991
- [*Aleuroclava longispinus*](#) Takahashi, 1934
- [*Aleuroclava louiseae*](#) Sundararaj & David, 1993
- [*Aleuroclava macarangae*](#) Corbett, 1935
- [*Aleuroclava madhucae*](#) Jesudasan & David, 1991
- [*Aleuroclava magnoliae*](#) Takahashi, 1952
- [*Aleuroclava malloti*](#) Takahashi, 1932
- [*Aleuroclava manii*](#) David, 1978
- [*Aleuroclava martini*](#) Dubey & Sundararaj, 2005
- [*Aleuroclava maximus*](#) Qureshi, 1982
- [*Aleuroclava melastomae*](#) Takahashi, 1934
- [*Aleuroclava meliosmae*](#) Takahashi, 1932
- [*Aleuroclava montanus*](#) Takahashi, 1939
- [*Aleuroclava multipori*](#) Takahashi, 1935
- [*Aleuroclava multituberculata*](#) Sundararaj & David, 1993
- [*Aleuroclava murrayae*](#) Singh, 1931
- [*Aleuroclava mysorensis*](#) Jesudasan & David, 1991
- [*Aleuroclava nachiensis*](#) Takahashi, 1963
- [*Aleuroclava nagercoilensis*](#) Sundararaj & David, 1993
- [*Aleuroclava nanjangudensis*](#) Jesudasan & David, 1991
- [*Aleuroclava neolitseae*](#) Takahashi, 1934
- [*Aleuroclava nephelii*](#) Corbett, 1935
- [*Aleuroclava nigeriae*](#) Mound, 1965
- [*Aleuroclava nitidus*](#) Singh, 1932
- [*Aleuroclava orientalis*](#) David & Jesudasan, 1988
- [*Aleuroclava papillata*](#) Sundararaj & Dubey, 2004
- [*Aleuroclava parvus*](#) Singh, 1938
- [*Aleuroclava pentatuberculata*](#) Sundararaj & David, 1993
- [*Aleuroclava philomenae*](#) Jesudasan & David, 1991
- [*Aleuroclava phyllanthi*](#) Corbett, 1935
- [*Aleuroclava piperis*](#) Takahashi, 1935
- [*Aleuroclava pongamiae*](#) Jesudasan & David, 1991
- [*Aleuroclava porosus*](#) Priesner & Hosny, 1937
- [*Aleuroclava psidii*](#) Singh, 1931
- [*Aleuroclava pulcherrimus*](#) Corbett, 1935
- [*Aleuroclava pyracanthae*](#) Takahashi, 1933
- [*Aleuroclava ramachandrani*](#) Dubey & Sundararaj, 2005

- [*Aleuroclava regui*](#) Sundararaj & David, 1993
- [*Aleuroclava rhododendri*](#) Takahashi, 1935
- [*Aleuroclava saputarensis*](#) Sundararaj & David, 1993
- [*Aleuroclava selvakumarani*](#) Sundararaj & David, 1993
- [*Aleuroclava sepangensis*](#) Martin & Mound, 2007
- [*Aleuroclava siamensis*](#) Takahashi, 1942
- [*Aleuroclava similis*](#) Takahashi, 1938
- [*Aleuroclava simplex*](#) Takahashi, 1949
- [*Aleuroclava singhi*](#) Jesudasan & David, 1991
- [*Aleuroclava sivakasiensis*](#) Sundararaj & David, 1993
- [*Aleuroclava srilankaensis*](#) David, 1993
- [*Aleuroclava stereospermi*](#) Corbett, 1935
- [*Aleuroclava subindica*](#) Martin & Mound, 2007
- [*Aleuroclava submarginatus*](#) Qureshi, 1982
- [*Aleuroclava takahashii*](#) David & Subramaniam, 1976
- [*Aleuroclava tarennae*](#) Martin & Mound, 2007
- [*Aleuroclava tentaculiformis*](#) Corbett, 1935
- [*Aleuroclava terminaliae*](#) Sundararaj & David, 1993
- [*Aleuroclava thysanospermi*](#) Takahashi, 1934
- [*Aleuroclava trachelospermi*](#) Takahashi, 1938
- [*Aleuroclava trilineata*](#) Sundararaj & David, 1993
- [*Aleuroclava tripori*](#) Dubey & Sundararaj, 2006
- [*Aleuroclava trochodendri*](#) Takahashi, 1957
- [*Aleuroclava ubonensis*](#) Takahashi, 1942
- [*Aleuroclava uraianus*](#) Takahashi, 1932
- [*Aleuroclava vernoniae*](#) Meganathan & David, 1994
- [*Aleuroclava vitexae*](#) Sundararaj & David, 1993
- [*Aleuroclava wrightiae*](#) Jesudasan & David, 1991

- [*Aleurocybotus*](#) Quaintance & Baker, 1914
 - [*Aleurocybotus cereus*](#) Martin, 2005
 - [*Aleurocybotus graminicolus*](#) Quaintance, 1899
 - [*Aleurocybotus occiduus*](#) Russell, 1964

- [*Aleurocyperus*](#) Ko & Dubey, 2007
 - [*Aleurocyperus humus*](#) Ko & Dubey, 2007

- [*Aleuroduplidens*](#) Martin, 1999
 - [*Aleuroduplidens carverae*](#) Martin, 1999
 - [*Aleuroduplidens croceata*](#) Maskell, 1896
 - [*Aleuroduplidens eucalyptifolia*](#) Martin, 1999
 - [*Aleuroduplidens santali*](#) Martin, 1999
 - [*Aleuroduplidens triangularis*](#) Martin, 1999
 - [*Aleuroduplidens wellsae*](#) Martin, 1999

- [*Aleuroglandulus*](#) Bondar, 1923

- [*Aleuroglandulus inanis*](#) Martin, 2005
- [*Aleuroglandulus magnus*](#) Russell, 1944
- [*Aleuroglandulus striatus*](#) Sampson & Drews, 1941
- [*Aleuroglandulus subtilis*](#) Bondar, 1923
- [*Aleuroinanis*](#) Martin, 1999
 - [*Aleuroinanis myrtacei*](#) Martin, 1999
- [*Aleurolobus*](#) Quaintance & Baker, 1914
 - [*Aleurolobus acanthi*](#) Takahashi, 1936
 - [*Aleurolobus antennata*](#) Regu & David, 1993
 - [*Aleurolobus azadirachtae*](#) Regu & David, 1993
 - [*Aleurolobus azimae*](#) Jesudasan & David, 1991
 - [*Aleurolobus barleriae*](#) Jesudasan & David, 1991
 - [*Aleurolobus barodensis*](#) Maskell, 1896
 - [*Aleurolobus bidentatus*](#) Singh, 1940
 - [*Aleurolobus burliarensis*](#) Jesudasan & David, 1991
 - [*Aleurolobus cassiae*](#) Jesudasan & David, 1991
 - [*Aleurolobus cephalidistinctus*](#) Regu & David, 1993
 - [*Aleurolobus cissampelosae*](#) Regu & David, 1993
 - [*Aleurolobus cohici*](#) Regu & David, 1993
 - [*Aleurolobus confusus*](#) David & Subramaniam, 1976
 - [*Aleurolobus dalbergiae*](#) Dubey & Sundararaj, 2006
 - [*Aleurolobus delamarei*](#) Cohic, 1969
 - [*Aleurolobus delhiensis*](#) Regu & David, 1993
 - [*Aleurolobus diacritica*](#) Regu & David, 1993
 - [*Aleurolobus diastematus*](#) Bink-Moenen, 1983
 - [*Aleurolobus distinctus*](#) Regu & David, 1993
 - [*Aleurolobus exceptionalis*](#) Regu & David, 1993
 - [*Aleurolobus flavus*](#) Quaintance & Baker, 1917
 - [*Aleurolobus fouabii*](#) Cohic, 1969
 - [*Aleurolobus graminicola*](#) Bink-Moenen, 1983
 - [*Aleurolobus greeni*](#) Corbett, 1926
 - [*Aleurolobus gruveli*](#) Cohic, 1968
 - [*Aleurolobus hargreavesi*](#) Dozier, 1934
 - [*Aleurolobus hederiae*](#) Takahashi, 1935
 - [*Aleurolobus hosurensis*](#) Regu & David, 1993
 - [*Aleurolobus indigoferae*](#) Regu & David, 1993
 - [*Aleurolobus iteae*](#) Takahashi, 1957
 - [*Aleurolobus japonicus*](#) Takahashi, 1954
 - [*Aleurolobus jullieni*](#) Cohic, 1968
 - [*Aleurolobus karunkuliensis*](#) Jesudasan & David, 1991
 - [*Aleurolobus lagerstroemiae*](#) Regu & David, 1993
 - [*Aleurolobus longisetosus*](#) Dubey & Sundararaj, 2006
 - [*Aleurolobus luci*](#) Cohic, 1969
 - [*Aleurolobus macarangae*](#) Regu & David, 1993
 - [*Aleurolobus madrasensis*](#) Regu & David, 1993

- [*Aleurolobus marlatti*](#) Quaintance, 1903
- [*Aleurolobus mauritanicus*](#) Cohic, 1969
- [*Aleurolobus moundi*](#) David & Subramaniam, 1976
- [*Aleurolobus musae*](#) Corbett, 1935
- [*Aleurolobus nagercoilensis*](#) Regu & David, 1993
- [*Aleurolobus olivinus*](#) Silvestri, 1911
- [*Aleurolobus onitshae*](#) Mound, 1965
- [*Aleurolobus oplismeni*](#) Takahashi, 1931
- [*Aleurolobus orientalis*](#) David & Jesudasan, 1988
- [*Aleurolobus osmanthi*](#) Young, 1944
- [*Aleurolobus ovalis*](#) Regu & David, 1993
- [*Aleurolobus padappaiensis*](#) Regu & David, 1993
- [*Aleurolobus panvelensis*](#) Regu & David, 1993
- [*Aleurolobus patchlily*](#) Regu & David, 1993
- [*Aleurolobus pauliani*](#) Cohic, 1969
- [*Aleurolobus philippinensis*](#) Quaintance & Baker, 1917
- [*Aleurolobus piliostigmatos*](#) Bink-Moenen, 1983
- [*Aleurolobus psidii*](#) Jesudasan & David, 1991
- [*Aleurolobus rhachisphora*](#) Regu & David, 1993
- [*Aleurolobus rhododendri*](#) Takahashi, 1934
- [*Aleurolobus riveae*](#) Regu & David, 1993
- [*Aleurolobus russellae*](#) Regu & David, 1993
- [*Aleurolobus sairandhryensis*](#) Meganathan & David, 1994
- [*Aleurolobus saklespurensis*](#) Regu & David, 1993
- [*Aleurolobus saputarensis*](#) Regu & David, 1993
- [*Aleurolobus scolopiae*](#) Takahashi, 1933
- [*Aleurolobus selangorensis*](#) Corbett, 1935
- [*Aleurolobus setigerus*](#) Quaintance & Baker, 1917
- [*Aleurolobus shiiae*](#) Takahashi, 1957
- [*Aleurolobus singhi*](#) Regu & David, 1993
- [*Aleurolobus solitarius*](#) Quaintance & Baker, 1917
- [*Aleurolobus spinosus*](#) Jesudasan & David, 1991
- [*Aleurolobus sterculiae*](#) Jesudasan & David, 1991
- [*Aleurolobus styraci*](#) Takahashi, 1954
- [*Aleurolobus subrotundus*](#) Silvestri, 1927
- [*Aleurolobus sundararaji*](#) Regu & David, 1993
- [*Aleurolobus szechwanensis*](#) Young, 1942
- [*Aleurolobus taonabae*](#) Kuwana, 1911
- [*Aleurolobus tassellatus*](#) Regu & David, 1993
- [*Aleurolobus tchadiensis*](#) Bink-Moenen, 1983
- [*Aleurolobus teucriti*](#) Mifsud & Palmeri, 1996
- [*Aleurolobus tuberculatus*](#) Regu & David, 1993
- [*Aleurolobus valparaiensis*](#) Jesudasan & David, 1991
- [*Aleurolobus vitis*](#) Danzig, 1966
- [*Aleurolobus walayarensis*](#) Jesudasan & David, 1991
- [*Aleurolobus wunni*](#) Ryberg, 1938
- [*Aleuroloba*](#) Mound, 1965

- [*Aleurolonga cassiae*](#) Mound, 1965
- [*Aleuromarginatus*](#) Corbett, 1935
 - [*Aleuromarginatus bauhiniae*](#) Corbett, 1935
 - [*Aleuromarginatus corbettiaformis*](#) Martin, 1985
 - [*Aleuromarginatus dalbergiae*](#) Cohic, 1969
 - [*Aleuromarginatus kallarensis*](#) David & Subramaniam, 1976
 - [*Aleuromarginatus littoralis*](#) Martin, 1985
 - [*Aleuromarginatus marginiquus*](#) Martin, 1999
 - [*Aleuromarginatus millettiae*](#) Cohic, 1968
 - [*Aleuromarginatus moundi*](#) Martin, 1999
 - [*Aleuromarginatus nemciae*](#) Martin, 1999
 - [*Aleuromarginatus nigrus*](#) Martin, 1999
 - [*Aleuromarginatus serdangensis*](#) Takahashi, 1955
 - [*Aleuromarginatus shihmenensis*](#) Ko in Ko, Hsu & Wu, 1995
 - [*Aleuromarginatus tephrosiae*](#) Corbett, 1935
 - [*Aleuromarginatus thirumurthiensis*](#) David, 1988
- [*Aleuropapillatus*](#) Regu & David, 1993
 - [*Aleuropapillatus gmelinae*](#) David, Jesudasan & Mathew, 1988
 - [*Aleuropapillatus kumariensis*](#) Regu & David, 1993
- [*Aleuoparadoxus*](#) Quaintance & Baker, 1914
 - [*Aleuoparadoxus arctostaphyli*](#) Russell, 1947
 - [*Aleuoparadoxus chomeliae*](#) Russell, 1947
 - [*Aleuoparadoxus gardeniae*](#) Russell, 1947
 - [*Aleuoparadoxus ilicicola*](#) Russell, 1947
 - [*Aleuoparadoxus iridescens*](#) Bemis, 1904
 - [*Aleuoparadoxus punctatus*](#) Quaintance & Baker, 1917
 - [*Aleuoparadoxus rhodae*](#) Russell, 1947
 - [*Aleuoparadoxus sapotae*](#) Russell, 1947
 - [*Aleuoparadoxus trinidadensis*](#) Russell, 1947
 - [*Aleuoparadoxus truncatus*](#) Russell, 1947
- [*Aleuoplatus*](#) Quaintance & Baker, 1914
 - [*Aleuoplatus acaciae*](#) Bink-Moenen, 1983
 - [*Aleuoplatus affinis*](#) Takahashi, 1961
 - [*Aleuoplatus agauriae*](#) Takahashi, 1955
 - [*Aleuoplatus akeassii*](#) Cohic, 1969
 - [*Aleuoplatus alcocki*](#) Peal, 1903
 - [*Aleuoplatus alpinus*](#) Takahashi, 1955
 - [*Aleuoplatus anapatsae*](#) Takahashi, 1951
 - [*Aleuoplatus berbericolus*](#) Quaintance & Baker, 1917
 - [*Aleuoplatus bignoniae*](#) Russell, 1944
 - [*Aleuoplatus biluminiporus*](#) Martin & Malumphy, 2002
 - [*Aleuoplatus bossi*](#) Takahashi, 1936

- [*Aleuroplatus cadabae*](#) Priesner & Hosny, 1934
- [*Aleuroplatus claricephalus*](#) Takahashi, 1940
- [*Aleuroplatus cockerelli*](#) von Ihering, 1897
- [*Aleuroplatus cococolus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus coronata*](#) Quaintance, 1900
- [*Aleuroplatus daitoensis*](#) Takahashi, 1940
- [*Aleuroplatus dentatus*](#) Sampson & Drews, 1941
- [*Aleuroplatus dorsipallidus*](#) Martin, 1988
- [*Aleuroplatus dubius*](#) Takahashi, 1955
- [*Aleuroplatus elmarae*](#) Mound & Halsey, 1978
- [*Aleuroplatus epigaeae*](#) Russell, 1944
- [*Aleuroplatus evodiae*](#) Takahashi, 1960
- [*Aleuroplatus fici*](#) Takahashi, 1932
- [*Aleuroplatus ficifolii*](#) Takahashi, 1942
- [*Aleuroplatus ficusrugosae*](#) Quaintance & Baker, 1917
- [*Aleuroplatus gelatinosus*](#) Cockerell, 1898
- [*Aleuroplatus graphicus*](#) Bondar, 1923
- [*Aleuroplatus hiezi*](#) Cohic, 1968
- [*Aleuroplatus hoyae*](#) Peal, 1903
- [*Aleuroplatus ilicis*](#) Russell, 1944
- [*Aleuroplatus incisus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus incurvatus*](#) Takahashi, 1961
- [*Aleuroplatus insularis*](#) Takahashi, 1941
- [*Aleuroplatus joholensis*](#) Corbett, 1935
- [*Aleuroplatus lateralis*](#) Bondar, 1923
- [*Aleuroplatus latus*](#) Takahashi, 1939
- [*Aleuroplatus liquidambaris*](#) Takahashi, 1941
- [*Aleuroplatus magnoliae*](#) Russell, 1944
- [*Aleuroplatus malayanus*](#) Takahashi, 1955
- [*Aleuroplatus mameti*](#) Takahashi, 1937
- [*Aleuroplatus manjakaensis*](#) Takahashi, 1955
- [*Aleuroplatus multipori*](#) Takahashi, 1940
- [*Aleuroplatus myricae*](#) Quaintance & Baker, 1917
- [*Aleuroplatus mysorensis*](#) David & Subramaniam, 1976
- [*Aleuroplatus neovatus*](#) Takahashi, 1961
- [*Aleuroplatus oculiminutus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus oculireniformis*](#) Quaintance & Baker, 1917
- [*Aleuroplatus ovatus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus panamensis*](#) Sampson & Drews, 1941
- [*Aleuroplatus pauliani*](#) Takahashi, 1955
- [*Aleuroplatus pectiniferus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus periplocae*](#) Dozier, 1934
- [*Aleuroplatus perseaphagus*](#) Martin, Aguiar & Pita, 1996
- [*Aleuroplatus pileae*](#) Takahashi, 1939
- [*Aleuroplatus plumosus*](#) Quaintance, 1900
- [*Aleuroplatus polystachyae*](#) Takahashi, 1955
- [*Aleuroplatus premnae*](#) Corbett, 1926
- [*Aleuroplatus quaintancei*](#) Peal, 1903
- [*Aleuroplatus quercusaquaticae*](#) Quaintance, 1900

- [*Aleuroplatus robinsoni*](#) Takahashi, 1955
- [*Aleuroplatus sculpturatus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus semiplumosus*](#) Russell, 1944
- [*Aleuroplatus serratus*](#) Takahashi, 1955
- [*Aleuroplatus sinepecten*](#) Singh, 1945
- [*Aleuroplatus spina*](#) Singh, 1931
- [*Aleuroplatus stellatus*](#) Hempel, 1922
- [*Aleuroplatus subrotundus*](#) Takahashi, 1938
- [*Aleuroplatus translucidus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus tsibabena*](#) Takahashi, 1955
- [*Aleuroplatus tsimananensis*](#) Takahashi, 1955
- [*Aleuroplatus tuberculatus*](#) Takahashi, 1951
- [*Aleuroplatus vaccinii*](#) Russell, 1944
- [*Aleuroplatus validus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus variegatus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus vinsoniodes*](#) Cockerell, 1898
- [*Aleuroplatus weinmanniae*](#) Takahashi, 1951
- [*Aleuropleurocelus*](#) Drews & Sampson, 1956
 - [*Aleuropleurocelus abnormis*](#) Quaintance, 1900
 - [*Aleuropleurocelus acaudatus*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus ceanothi*](#) Sampson, 1945
 - [*Aleuropleurocelus cecropiae*](#) Bondar, 1923
 - [*Aleuropleurocelus coachellensis*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus granulata*](#) Sampson & Drews, 1941
 - [*Aleuropleurocelus laingi*](#) Drews & Sampson, 1956
 - [*Aleuropleurocelus nigrans*](#) Bemis, 1904
 - [*Aleuropleurocelus oblanceolatus*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus ornatus*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus rotunda*](#) J. M. Baker, 1937
 - [*Aleuropleurocelus sierrae*](#) Sampson, 1945
- [*Aleuroporosus*](#) Corbett, 1935
 - [*Aleuroporosus lumpurensis*](#) Corbett, 1935
- [*Aleuropteridis*](#) Mound, 1961
 - [*Aleuropteridis eastopi*](#) Mound, 1961
 - [*Aleuropteridis filicicola*](#) Newstead, 1911
 - [*Aleuropteridis hargreavesi*](#) Mound, 1961
 - [*Aleuropteridis jamesi*](#) Mound, 1961
- [*Aleuroputeus*](#) Corbett, 1935
 - [*Aleuroputeus baccaureae*](#) Corbett, 1935
 - [*Aleuroputeus perseae*](#) Corbett, 1935
- [*Aleurothrixus*](#) Quaintance & Baker, 1914

- [*Aleurothrixus aepim*](#) Goeldi, 1886
- [*Aleurothrixus aguiari*](#) Costa Lima, 1942
- [*Aleurothrixus antidesmae*](#) Takahashi, 1933
- [*Aleurothrixus bondari*](#) Costa Lima, 1942
- [*Aleurothrixus chivelensis*](#) Sampson & Drews, 1941
- [*Aleurothrixus floccosus*](#) Maskell, 1896
- [*Aleurothrixus guareae*](#) Costa Lima, 1942
- [*Aleurothrixus guimaraesi*](#) Costa Lima, 1942
- [*Aleurothrixus interrogationis*](#) Bemis, 1904
- [*Aleurothrixus lucumai*](#) Costa Lima, 1942
- [*Aleurothrixus miconiae*](#) Hempel, 1922
- [*Aleurothrixus myrtacei*](#) Bondar, 1923
- [*Aleurothrixus myrtifolii*](#) Bondar, 1923
- [*Aleurothrixus ondinae*](#) Bondar, 1923
- [*Aleurothrixus porteri*](#) Quaintance & Baker, 1916
- [*Aleurothrixus proximans*](#) Bondar, 1923
- [*Aleurothrixus silvestris*](#) Corbett, 1935
- [*Aleurothrixus similis*](#) Sampson & Drews, 1941
- [*Aleurothrixus smilaceti*](#) Takahashi, 1934
- [*Aleurothrixus solani*](#) Bondar, 1923

- [*Aleurotithius*](#) Quaintance & Baker, 1914
 - [*Aleurotithius mexicanus*](#) Russell, 1947
 - [*Aleurotithius timberlakei*](#) Quaintance & Baker, 1914

- [*Aleurotrachelus*](#) Quaintance & Baker, 1914
 - [*Aleurotrachelus alpinus*](#) Takahashi, 1940
 - [*Aleurotrachelus ambrensis*](#) Takahashi & Mamet, 1952
 - [*Aleurotrachelus ampullatus*](#) Bink-Moenen, 1983
 - [*Aleurotrachelus anonae*](#) Corbett, 1935
 - [*Aleurotrachelus asparagi*](#) Lewis, 1893
 - [*Aleurotrachelus atratus*](#) Hempel, 1922
 - [*Aleurotrachelus brazzavillense*](#) Cohic, 1968
 - [*Aleurotrachelus camamuensis*](#) Bondar, 1923
 - [*Aleurotrachelus camelliae*](#) Kuwana, 1911
 - [*Aleurotrachelus chikungensis*](#) Mound & Halsey, 1978
 - [*Aleurotrachelus corbetti*](#) Takahashi, 1941
 - [*Aleurotrachelus debregeasiae*](#) Young, 1944
 - [*Aleurotrachelus distinctus*](#) Hempel, 1922
 - [*Aleurotrachelus dryandrae*](#) Solomon, 1935
 - [*Aleurotrachelus duplicatus*](#) Bink-Moenen, 1983
 - [*Aleurotrachelus elatostemae*](#) Takahashi, 1932
 - [*Aleurotrachelus eriosemae*](#) Hempel, 1922
 - [*Aleurotrachelus erythrinae*](#) Corbett, 1935
 - [*Aleurotrachelus euphorifoliae*](#) Young, 1944
 - [*Aleurotrachelus fenestellae*](#) Hempel, 1922
 - [*Aleurotrachelus filamentosus*](#) Takahashi, 1938

- [*Aleurotrachelus fissistigmae*](#) Takahashi, 1931
- [*Aleurotrachelus globulariae*](#) Goux, 1942
- [*Aleurotrachelus granosus*](#) Bondar, 1923
- [*Aleurotrachelus gratiosus*](#) Bondar, 1923
- [*Aleurotrachelus grewiae*](#) Takahashi, 1952
- [*Aleurotrachelus hazomiavonae*](#) Takahashi, 1955
- [*Aleurotrachelus ingafolii*](#) Bondar, 1923
- [*Aleurotrachelus ishigakiensis*](#) Takahashi, 1933
- [*Aleurotrachelus joholensis*](#) Corbett, 1935
- [*Aleurotrachelus juiyunensis*](#) Young, 1944
- [*Aleurotrachelus limbatus*](#) Maskell, 1896
- [*Aleurotrachelus longispinus*](#) Corbett, 1926
- [*Aleurotrachelus lumpurensis*](#) Corbett, 1935
- [*Aleurotrachelus machili*](#) Takahashi, 1942
- [*Aleurotrachelus madagascariensis*](#) Takahashi, 1955
- [*Aleurotrachelus maesae*](#) Takahashi, 1935
- [*Aleurotrachelus marginata*](#) Newstead, 1911
- [*Aleurotrachelus mauritiensis*](#) Takahashi, 1940
- [*Aleurotrachelus mesuae*](#) Corbett, 1935
- [*Aleurotrachelus minimus*](#) Young, 1944
- [*Aleurotrachelus minutus*](#) Takahashi, 1952
- [*Aleurotrachelus multipapillus*](#) Singh, 1932
- [*Aleurotrachelus nivetae*](#) Cohic, 1969
- [*Aleurotrachelus obscurus*](#) Bink-Moenen, 1983
- [*Aleurotrachelus orchidicola*](#) Takahashi, 1939
- [*Aleurotrachelus oriani*](#) Martin & Mound, 2007
- [*Aleurotrachelus pandani*](#) Takahashi, 1951
- [*Aleurotrachelus papilliferus*](#) Sampson & Drews, 1941
- [*Aleurotrachelus parvus*](#) Hempel, 1899
- [*Aleurotrachelus pauliani*](#) Takahashi, 1960
- [*Aleurotrachelus plectroniae*](#) Takahashi, 1955
- [*Aleurotrachelus primitus*](#) Young, 1944
- [*Aleurotrachelus pyracanthae*](#) Takahashi, 1935
- [*Aleurotrachelus reunionensis*](#) Takahashi, 1960
- [*Aleurotrachelus rhamnicola*](#) Goux, 1940
- [*Aleurotrachelus rosarius*](#) Bondar, 1923
- [*Aleurotrachelus rotundus*](#) Corbett, 1935
- [*Aleurotrachelus rubi*](#) Takahashi, 1933
- [*Aleurotrachelus rubromaculatus*](#) Bondar, 1923
- [*Aleurotrachelus selangorensis*](#) Corbett, 1935
- [*Aleurotrachelus serratus*](#) Takahashi, 1949
- [*Aleurotrachelus socialis*](#) Bondar, 1923
- [*Aleurotrachelus souliei*](#) Cohic, 1969
- [*Aleurotrachelus stypheliae*](#) Maskell, 1896
- [*Aleurotrachelus taiwanus*](#) Takahashi, 1932
- [*Aleurotrachelus tarennae*](#) Bink-Moenen, 1983
- [*Aleurotrachelus theobromae*](#) Bondar, 1923
- [*Aleurotrachelus tracheifer*](#) Quaintance, 1900
- [*Aleurotrachelus trachoides*](#) Back, 1912

- [*Aleurotrachelus tuberculatus*](#) Singh, 1933
- [*Aleurotrachelus urticicola*](#) Young, 1944
- [*Aleurotrachelus vitis*](#) Corbett, 1935
- [*Aleurotrachelus zonatus*](#) Takahashi, 1952
- [*Aleurotuba*](#) Tremblay & Iaccarino, 1978
 - [*Aleurotuba replaced*](#) by *Aleurotuba* Tremblay & Iaccarino, 1978.
 - [*Aleurotuba jelinekii*](#) Frauenfeld, 1867
- [*Aleurotulus*](#) Quaintance & Baker, 1914
 - [*Aleurotulus anthuricola*](#) Nakahara, 1989
 - [*Aleurotulus arundinacea*](#) Singh, 1931
 - [*Aleurotulus laneus*](#) Martin, 2005
 - [*Aleurotulus mundururu*](#) Bondar, 1923
 - [*Aleurotulus nephrolepidis*](#) Quaintance, 1900
 - [*Aleurotulus pteridophytae*](#) Martin in Mound, Martin & Polaszek, 1994
- [*Aleuroviggianus*](#) Iaccarino, 1982
 - [*Aleuroviggianus adanaensis*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus adrianae*](#) Iaccarino, 1982
 - [*Aleuroviggianus graecus*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus halperini*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus polymorphus*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus zonalus*](#) Bink-Moenen, 1992
- [*Aleurovitreus*](#) Martin, 2005
 - [*Aleurovitreus insignis*](#) Bondar, 1923
 - [*Aleurovitreus risor*](#) Martin, 2005
- [*Aleyrodes*](#) Latreille, 1796
 - [*Aleyrodes albescens*](#) Hempel, 1922
 - [*Aleyrodes amnicola*](#) Bemis, 1904
 - [*Aleyrodes asari*](#) Schrank, 1801
 - [*Aleyrodes asarumis*](#) Shimer, 1867
 - [*Aleyrodes aureocincta*](#) Cockerell, 1897
 - [*Aleyrodes baja*](#) Sampson, 1943
 - [*Aleyrodes ciliatus*](#) Takahashi, 1955
 - [*Aleyrodes crataegi*](#) Kiriukhin, 1947
 - [*Aleyrodes diasemus*](#) Bemis, 1904
 - [*Aleyrodes elevatus*](#) Silvestri, 1934
 - [*Aleyrodes essigi*](#) Penny, 1922
 - [*Aleyrodes fodiens*](#) Maskell, 1896
 - [*Aleyrodes gossypii*](#) Fitch, 1857
 - [*Aleyrodes hyperici*](#) Corbett, 1926
 - [*Aleyrodes japonicus*](#) Takahashi, 1963

- [*Aleyrodes lacteus*](#) Zehntner, 1897
- [*Aleyrodes latus*](#) Hempel, 1922
- [*Aleyrodes loniceræ*](#) Walker, 1852
- [*Aleyrodes millettiae*](#) Cohic, 1968
- [*Aleyrodes osmaroniae*](#) Sampson, 1945
- [*Aleyrodes philadelphi*](#) Danzig, 1966
- [*Aleyrodes prolella*](#) Linnaeus, 1758
- [*Aleyrodes pruinosis*](#) Bemis, 1904
- [*Aleyrodes pyrolæ*](#) Gillette & Baker, 1895
- [*Aleyrodes shizuokensis*](#) Kuwana, 1911
- [*Aleyrodes singularis*](#) Danzig, 1966
- [*Aleyrodes sorini*](#) Takahashi, 1958
- [*Aleyrodes spiraeoides*](#) Quaintance, 1900
- [*Aleyrodes taiheisanus*](#) Takahashi, 1939
- [*Aleyrodes takahashii*](#) Ossiannilsson, 1966
- [*Aleyrodes tinaeoides*](#) Blanchard, 1852
- [*Aleyrodes winteræ*](#) Takahashi, 1937
- [*Aleyrodes zygia*](#) Danzig, 1966

- [*Aleyrodiella*](#) Danzig, 1966
 - [*Aleyrodiella lamellifera*](#) Danzig, 1966

- [*Anomaleyrodes*](#) Takahashi & Mamet, 1952
 - [*Anomaleyrodes palmarum*](#) Takahashi & Mamet, 1952

- [*Apobemisia*](#) Takahashi, 1954
 - [*Apobemisia celti*](#) Takahashi, 1932
 - [*Apobemisia kuwanai*](#) Takahashi, 1934

- [*Arachnaleyrodes*](#) Bink-Moenen, 1983
 - [*Arachnaleyrodes insignis*](#) Bink-Moenen, 1983

- [*Asialeyrodes*](#) Corbett, 1935
 - [*Asialeyrodes corbeti*](#) Takahashi, 1949
 - [*Asialeyrodes dorsidemarcata*](#) Singh, 1932
 - [*Asialeyrodes dubius*](#) Martin & Mound, 2007
 - [*Asialeyrodes elegans*](#) Meganathan & David, 1994
 - [*Asialeyrodes euphoriae*](#) Takahashi, 1942
 - [*Asialeyrodes indica*](#) Sundararaj & David, 1992
 - [*Asialeyrodes lumpurensis*](#) Corbett, 1935
 - [*Asialeyrodes lushanensis*](#) Ko in Ko, Hsu & Wu, 1993
 - [*Asialeyrodes maesae*](#) Takahashi, 1934
 - [*Asialeyrodes meghalayensis*](#) Regu & David, 1992
 - [*Asialeyrodes menoni*](#) Meganathan & David, 1994
 - [*Asialeyrodes multipori*](#) Takahashi, 1942

- [*Asialeyrodes papillatus*](#) Regu & David, 1992
- [*Asialeyrodes saklespurensis*](#) Regu & David, 1993
- [*Asialeyrodes selangorensis*](#) Corbett, 1935
- [*Asialeyrodes sphaerica*](#) Sundararaj & Dubey, 2006
- [*Asialeyrodes splendens*](#) Meganathan & David, 1994
- [*Asterobemisia*](#) Trehan, 1940
 - [*Asterobemisia atraphaxius*](#) Danzig, 1969
 - [*Asterobemisia carpini*](#) Koch, 1857
 - [*Asterobemisia curvata*](#) Qureshi, 1981
 - [*Asterobemisia dentata*](#) Danzig, 1969
 - [*Asterobemisia lata*](#) Danzig, 1966
 - [*Asterobemisia obenbergeri*](#) Zahradnik, 1961
 - [*Asterobemisia paveli*](#) Zahradnik, 1961
 - [*Asterobemisia salicaria*](#) Danzig, 1969
 - [*Asterobemisia silvatica*](#) Danzig, 1964
 - [*Asterobemisia takahashii*](#) Danzig, 1966
 - [*Asterobemisia trifolii*](#) Danzig, 1966
 - [*Asterobemisia yanagicola*](#) Takahashi, 1934
- [*Asterochiton*](#) Maskell, 1879
 - [*Asterochiton aureus*](#) Maskell, 1879
 - [*Asterochiton auricolor*](#) Bondar, 1923
 - [*Asterochiton cerata*](#) Maskell, 1896
 - [*Asterochiton cordiae*](#) David & Subramaniam, 1976
 - [*Asterochiton fagi*](#) Maskell, 1890
 - [*Asterochiton pittospori*](#) Dumbleton, 1957
 - [*Asterochiton simplex*](#) Maskell, 1890
- [*Axacalia*](#) Danzig, 1969
 - [*Axacalia spiraeanthi*](#) Danzig, 1969
- [*Bellitudo*](#) Russell, 1943
 - [*Bellitudo campae*](#) Russell, 1943
 - [*Bellitudo cubae*](#) Russell, 1943
 - [*Bellitudo hispaniolae*](#) Russell, 1943
 - [*Bellitudo jamaicae*](#) Russell, 1943
- [*Bemisaleyrodes*](#) Cohic, 1969
 - [*Bemisaleyrodes balachowskyi*](#) Cohic, 1969
 - [*Bemisaleyrodes brideliae*](#) Bink-Moenen, 1983
 - [*Bemisaleyrodes grjebinei*](#) Cohic, 1968
 - [*Bemisaleyrodes pauliani*](#) Cohic, 1969
- [*Bemisia*](#) Quaintance & Baker, 1914

- [*Bemisia afer*](#) Priesner & Hosny, 1934
 - [*Bemisia alni*](#) Takahashi, 1957
 - [*Bemisia antennata*](#) Gameel, 1968
 - [*Bemisia bambusae*](#) Takahashi, 1942
 - [*Bemisia berbericola*](#) Cockerell, 1896
 - [*Bemisia capitata*](#) Regu & David, 1991
 - [*Bemisia caudasculptura*](#) Quaintance & Baker, 1937
 - [*Bemisia centroamericana*](#) Martin, 2005
 - [*Bemisia combreticula*](#) Bink-Moenen, 1983
 - [*Bemisia confusa*](#) Danzig, 1964
 - [*Bemisia cordylinidis*](#) Dumbleton, 1961
 - [*Bemisia decipiens*](#) Maskell, 1896
 - [*Bemisia elliptica*](#) Takahashi, 1960
 - [*Bemisia flocculosa*](#) Gill & Holder, 2011[2]
 - [*Bemisia formosana*](#) Takahashi, 1933
 - [*Bemisia giffardi*](#) Kotinsky, 1907
 - [*Bemisia gigantea*](#) Martin, 1999
 - [*Bemisia grossa*](#) Singh, 1931
 - [*Bemisia quierae*](#) Bink-Moenen, 1983
 - [*Bemisia hirta*](#) Bink-Moenen, 1983
 - [*Bemisia lampangensis*](#) Takahashi, 1942
 - [*Bemisia lauracea*](#) Martin, Aguiar & Pita, 1996
 - [*Bemisia leakii*](#) Peal, 1903
 - [*Bemisia medinae*](#) Gomez-Menor, 1954
 - [*Bemisia mesasiatica*](#) Danzig, 1969
 - [*Bemisia moringae*](#) David & Subramaniam, 1976
 - [*Bemisia multituberculata*](#) Sundararaj & David, 1990
 - [*Bemisia ovata*](#) Goux, 1940
 - [*Bemisia poinsettiae*](#) Hempel, 1922
 - [*Bemisia pongamiae*](#) Takahashi, 1931
 - [*Bemisia porteri*](#) Corbett, 1935
 - [*Bemisia psiadiae*](#) Takahashi, 1955
 - [*Bemisia puerariae*](#) Takahashi, 1955
 - [*Bemisia religiosa*](#) Peal, 1903
 - [*Bemisia shinanoensis*](#) Kuwana, 1922
 - [*Bemisia spiraeae*](#) Young, 1944
 - [*Bemisia spiraeoides*](#) Mound & Halsey, 1978
 - [*Bemisia subdecipiens*](#) Martin, 1999
 - [*Bemisia sugonjaevi*](#) Danzig, 1969
 - [*Bemisia tabaci*](#) Gennadius, 1889
 - [*Bemisia tuberculata*](#) Bondar, 1923
-
- [*Bemisiella*](#) Danzig, 1966
 - [*Bemisiella artemisiae*](#) Danzig, 1966
 - [*Bemisiella lespedezae*](#) Danzig, 1966
-
- [*Brazzaleyrodes*](#) Cohic, 1966

- [*Brazzaleyrodes eriococciformis*](#) Cohic, 1966
- [*Bulgarialeurodes*](#) Corbett, 1936
 - [*Bulgarialeurodes cotesii*](#) Maskell, 1896
- [*Calluneyrodes*](#) Zahradnik, 1961
 - [*Calluneyrodes callunae*](#) Ossiannilsson, 1947
- [*Chitonaleyrodes*](#) Martin, 1999
 - [*Chitonaleyrodes canberrensis*](#) Martin, 1999
- [*Cockerelliella*](#) Sundararaj & David, 1992
 - [*Cockerelliella adinandrae*](#) Corbett, 1935
 - [*Cockerelliella bladhaie*](#) Takahashi, 1931
 - [*Cockerelliella curcumae*](#) Corbett, 1935
 - [*Cockerelliella dehradunensis*](#) Jesudasan & David, 1991
 - [*Cockerelliella dioscoreae*](#) Sundararaj & David, 1992
 - [*Cockerelliella indica*](#) Sundararaj & David, 1992
 - [*Cockerelliella karmardini*](#) Corbett, 1935
 - [*Cockerelliella lumpurensis*](#) Corbett, 1935
 - [*Cockerelliella meghalayensis*](#) Sundararaj & David, 1992
 - [*Cockerelliella psidii*](#) Corbett, 1935
 - [*Cockerelliella quaintancei*](#) Sundararaj & David, 1992
 - [*Cockerelliella rhodamniae*](#) Corbett, 1935
 - [*Cockerelliella rotunda*](#) Regu & David, 1993
 - [*Cockerelliella sembilanensis*](#) Corbett, 1935
 - [*Cockerelliella somnathensis*](#) Sundararaj, 2000
 - [*Cockerelliella splendens*](#) Meganathan & David, 1994
 - [*Cockerelliella zingiberiae*](#) Sundararaj & David, 1992
- [*Cohicaleyrodes*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes alternans*](#) Cohic, 1966
 - [*Cohicaleyrodes blanzyi*](#) Cohic, 1968
 - [*Cohicaleyrodes crossopterygis*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes descarpentriesi*](#) Cohic, 1968
 - [*Cohicaleyrodes elongatus*](#) Meganathan & David, 1994
 - [*Cohicaleyrodes indicus*](#) David & Selvakumaran, 1987
 - [*Cohicaleyrodes jesudasani*](#) David, 2005
 - [*Cohicaleyrodes mappiae*](#) Selvakumaran & David, 1996
 - [*Cohicaleyrodes obscura*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes padminiae*](#) Phillips & Jesudasan in David, Jesudasan & Phillips, 2006
 - [*Cohicaleyrodes pauliani*](#) Cohic, 1968
 - [*Cohicaleyrodes platysepali*](#) Cohic, 1966
 - [*Cohicaleyrodes quadrilongispinae*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes recurvispinus*](#) Cohic, 1966

- [*Cohicaleyrodes saklespurensis*](#) Regu & David, 1992
- [*Cohicaleyrodes uvariae*](#) Cohic, 1968
- [*Combesaleyrodes*](#) Cohic, 1966
 - [*Combesaleyrodes bouqueti*](#) Cohic, 1966
 - [*Combesaleyrodes tauffliebi*](#) Cohic, 1966
- [*Corbettia*](#) Dozier, 1934
 - [*Corbettia bauhinae*](#) Cohic, 1968
 - [*Corbettia graminis*](#) Mound, 1965
 - [*Corbettia grandis*](#) Russell, 1960
 - [*Corbettia isoberliniae*](#) Bink-Moenen, 1983
 - [*Corbettia lamottei*](#) Cohic, 1969
 - [*Corbettia lonchocarp*](#) Bink-Moenen, 1983
 - [*Corbettia milletticola*](#) Dozier, 1934
 - [*Corbettia pauliani*](#) Cohic, 1966
 - [*Corbettia tamarindi*](#) Takahashi, 1951
- [*Crenidorsum*](#) Russell, 1945
 - [*Crenidorsum discussion*](#) of *C. rubiae*, below. Syn. nov.
 - [*Crenidorsum armatae*](#) Russell, 1945
 - [*Crenidorsum aroidephagus*](#) Martin & Aguiar in Martin, Aguiar & Baufeld, 2001
 - [*Crenidorsum binkae*](#) Jesudasan & David, 1991
 - [*Crenidorsum caeruleascens*](#) Singh, 1931
 - [*Crenidorsum celebes*](#) Martin, 1988
 - [*Crenidorsum cinnamomi*](#) Jesudasan & David, 1991
 - [*Crenidorsum coimbatorensis*](#) David & Subramaniam, 1976
 - [*Crenidorsum commune*](#) Russell, 1945
 - [*Crenidorsum debordae*](#) Russell, 1945
 - [*Crenidorsum diaphanum*](#) Russell, 1945
 - [*Crenidorsum differens*](#) Russell, 1945
 - [*Crenidorsum goaensis*](#) Jesudasan & David, 1991
 - [*Crenidorsum lasangensis*](#) Martin, 1985
 - [*Crenidorsum leve*](#) Russell, 1945
 - [*Crenidorsum magnisetae*](#) Russell, 1945
 - [*Crenidorsum malpighiae*](#) Russell, 1945
 - [*Crenidorsum marginale*](#) Russell, 1945
 - [*Crenidorsum micheliae*](#) Takahashi, 1932
 - [*Crenidorsum millennium*](#) Martin, 1999
 - [*Crenidorsum morobensis*](#) Martin, 1985
 - [*Crenidorsum ornatum*](#) Russell, 1945
 - [*Crenidorsum pykarae*](#) Jesudasan & David, 1991
 - [*Crenidorsum rubiae*](#) P. M. M. David, 2000
 - [*Crenidorsum russellae*](#) P. M. M. David & B. V. David, 2000
 - [*Crenidorsum stigmaphylli*](#) Russell, 1945
 - [*Crenidorsum tuberculatum*](#) Russell, 1945
 - [*Crenidorsum turpiniae*](#) Takahashi, 1932

- [*Crenidorsum wendlandiae*](#) Jesudasan & David, 1991
- [*Crescentaleyrodes*](#) David & Jesudasan, 1987
 - [*Crescentaleyrodes fumipennis*](#) Hempel, 1899
 - [*Crescentaleyrodes monodi*](#) Cohic, 1969
 - [*Crescentaleyrodes paulianae*](#) Cohic, 1969
 - [*Crescentaleyrodes semilunaris*](#) Corbett, 1926
 - [*Crescentaleyrodes vetiveriae*](#) Dubey & Ko, 2006
- [*Cryptolingula*](#) Martin & Carver, 1999
 - [*Cryptolingula perplexa*](#) Martin & Carver in Martin, 1999
- [*Davidiella*](#) Dubey & Sundararaj, 2005
 - [*Davidiella cinnamomi*](#) Dubey & Sundararaj, 2005
- [*Dialeurodes*](#) Cockerell, 1902
 - [*Dialeurodes abbotabadiensis*](#) Qureshi, 1980
 - [*Dialeurodes adinobotris*](#) Corbett, 1935
 - [*Dialeurodes agalmae*](#) Takahashi, 1935
 - [*Dialeurodes angulata*](#) Corbett, 1935
 - [*Dialeurodes anjumi*](#) Qureshi, 1980
 - [*Dialeurodes ara*](#) Corbett, 1935
 - [*Dialeurodes armatus*](#) David & Subramaniam, 1976
 - [*Dialeurodes ayyanarensis*](#) Sundararaj & David, 1991
 - [*Dialeurodes bancoensis*](#) Ardaillon & Cohic, 1970
 - [*Dialeurodes bangkokana*](#) Takahashi, 1942
 - [*Dialeurodes bicornicauda*](#) Martin, 1999
 - [*Dialeurodes binkae*](#) Sundararaj & David, 1991
 - [*Dialeurodes biventralis*](#) Sundararaj & David, 1991
 - [*Dialeurodes buscki*](#) Quaintance & Baker, 1917
 - [*Dialeurodes canthiae*](#) Sundararaj & David, 1991
 - [*Dialeurodes celti*](#) Takahashi, 1942
 - [*Dialeurodes cephalidistinctus*](#) Singh, 1932
 - [*Dialeurodes cerifera*](#) Quaintance & Baker, 1917
 - [*Dialeurodes chiengsenana*](#) Takahashi, 1942
 - [*Dialeurodes cinnamomi*](#) Takahashi, 1932
 - [*Dialeurodes cinnamomicola*](#) Takahashi, 1937
 - [*Dialeurodes citri*](#) Ashmead, 1885
 - [*Dialeurodes citricola*](#) Young, 1942
 - [*Dialeurodes conocephali*](#) Corbett, 1935
 - [*Dialeurodes crescentata*](#) Corbett, 1935
 - [*Dialeurodes cyathispinifera*](#) Corbett, 1933
 - [*Dialeurodes daphniphylli*](#) Takahashi, 1932
 - [*Dialeurodes davidi*](#) Mound & Halsey, 1978
 - [*Dialeurodes decaspermi*](#) Martin, 1985
 - [*Dialeurodes delhiensis*](#) David & Sundararaj, 1992

- [*Dialeurodes denticulatus*](#) Bondar, 1923
- [*Dialeurodes dicksoni*](#) Corbett, 1935
- [*Dialeurodes didymocarpi*](#) Corbett, 1935
- [*Dialeurodes dissimilis*](#) Quaintance & Baker, 1917
- [*Dialeurodes distincta*](#) Corbett, 1933
- [*Dialeurodes drypetesi*](#) nomen novum.
- [*Dialeurodes dubia*](#) Corbett, 1935
- [*Dialeurodes dumbeaensis*](#) Dumbleton, 1961
- [*Dialeurodes egregissima*](#) Sampson & Drews, 1941
- [*Dialeurodes emarginata*](#) Mound, 1965
- [*Dialeurodes endospermae*](#) Corbett, 1935
- [*Dialeurodes evodiae*](#) Corbett, 1935
- [*Dialeurodes ficicola*](#) Takahashi, 1935
- [*Dialeurodes gardeniae*](#) Corbett, 1935
- [*Dialeurodes gemurohensis*](#) Corbett, 1935
- [*Dialeurodes gigantica*](#) Sundararaj & David, 1991
- [*Dialeurodes glutae*](#) Corbett, 1935
- [*Dialeurodes granulata*](#) Sundararaj & David, 1991
- [*Dialeurodes greenwoodi*](#) Corbett, 1936
- [*Dialeurodes heterocera*](#) Bondar, 1923
- [*Dialeurodes hexpuncta*](#) Singh, 1932
- [*Dialeurodes hongkongensis*](#) Takahashi, 1941
- [*Dialeurodes icfreae*](#) Sundararaj & Dubey, 2003
- [*Dialeurodes imperialis*](#) Bondar, 1923
- [*Dialeurodes indicus*](#) David & Subramaniam, 1976
- [*Dialeurodes ixorae*](#) Singh, 1931
- [*Dialeurodes joholensis*](#) Corbett, 1935
- [*Dialeurodes kepongensis*](#) Corbett, 1935
- [*Dialeurodes keralaensis*](#) Meganathan & David, 1994
- [*Dialeurodes kirkaldyi*](#) Kotinsky, 1907
- [*Dialeurodes kumargiriensis*](#) Sundararaj & Dubey, 2006
- [*Dialeurodes lithocarpus*](#) Takahashi, 1931
- [*Dialeurodes loranthe*](#) Corbett, 1926
- [*Dialeurodes machilicola*](#) Takahashi, 1942
- [*Dialeurodes maculatus*](#) Bondar, 1928
- [*Dialeurodes maculipennis*](#) Bondar, 1923
- [*Dialeurodes mahableshwarensis*](#) Sundararaj & David, 1998
- [*Dialeurodes martini*](#) Sundararaj & David, 1991
- [*Dialeurodes maxima*](#) Quaintance & Baker, 1917
- [*Dialeurodes minahassai*](#) Martin, 1988
- [*Dialeurodes mirabilis*](#) Takahashi, 1942
- [*Dialeurodes musae*](#) Corbett, 1935
- [*Dialeurodes nagpurensis*](#) Sundararaj & David, 1991
- [*Dialeurodes natickis*](#) Baker & Moles, 1921
- [*Dialeurodes navarroii*](#) Bondar, 1928
- [*Dialeurodes nigeriae*](#) Cohic, 1966
- [*Dialeurodes octoplicata*](#) Corbett, 1935
- [*Dialeurodes ouchii*](#) Takahashi, 1937
- [*Dialeurodes oweni*](#) Singh, 1932

- [*Dialeurodes palmata*](#) Sundararaj & David, 1991
- [*Dialeurodes panacis*](#) Corbett, 1935
- [*Dialeurodes papulae*](#) Singh, 1932
- [*Dialeurodes pauliani*](#) Cohic, 1966
- [*Dialeurodes philippinensis*](#) Takahashi, 1936
- [*Dialeurodes pilahensis*](#) Corbett, 1935
- [*Dialeurodes platicus*](#) Bondar, 1923
- [*Dialeurodes polymorpha*](#) Bink-Moenen, 1983
- [*Dialeurodes pseudocitri*](#) Takahashi, 1942
- [*Dialeurodes psychotriae*](#) Dumbleton, 1961
- [*Dialeurodes punctata*](#) Corbett, 1933
- [*Dialeurodes radiilinealis*](#) Quaintance & Baker, 1917
- [*Dialeurodes radiipuncta*](#) Quaintance & Baker, 1917
- [*Dialeurodes ramadeviae*](#) Dubey & Sundararaj, 2004
- [*Dialeurodes rangooni*](#) Singh, 1932
- [*Dialeurodes razalyi*](#) Corbett, 1935
- [*Dialeurodes rempangensis*](#) Takahashi, 1949
- [*Dialeurodes rengas*](#) Corbett, 1935
- [*Dialeurodes reticulosa*](#) Corbett, 1935
- [*Dialeurodes rotunda*](#) Singh, 1931
- [*Dialeurodes rubiphaga*](#) Dubey & Sundararaj, 2004
- [*Dialeurodes russellae*](#) Sundararaj & David, 1991
- [*Dialeurodes saklaspurensis*](#) David, 1976
- [*Dialeurodes saklespurensis*](#) Regu & David, 1993
- [*Dialeurodes sandorici*](#) Corbett, 1935
- [*Dialeurodes sepangensis*](#) Corbett, 1935
- [*Dialeurodes sheryli*](#) P. M. M. David, 2000
- [*Dialeurodes shintenensis*](#) Takahashi, 1933
- [*Dialeurodes shoreae*](#) Corbett, 1933
- [*Dialeurodes siemriepensis*](#) Takahashi, 1942
- [*Dialeurodes simmondsi*](#) Corbett, 1927
- [*Dialeurodes striata*](#) Corbett, 1935
- [*Dialeurodes struthanthi*](#) Hempel, 1901
- [*Dialeurodes sundararajani*](#) Sundararaj & Dubey, 2006
- [*Dialeurodes tanakai*](#) Takahashi, 1942
- [*Dialeurodes townsendi*](#) Quaintance & Baker, 1917
- [*Dialeurodes tricolor*](#) Quaintance & Baker, 1917
- [*Dialeurodes tuberculosa*](#) Corbett, 1935
- [*Dialeurodes turpiniae*](#) Meganathan & David, 1994
- [*Dialeurodes vitis*](#) Corbett, 1935
- [*Dialeurodes vulgaris*](#) Singh, 1931
- [*Dialeurodes wendlandiae*](#) Meganathan & David, 1994
- [*Dialeurodes yercaudensis*](#) Jesudasan & David, 1991
- [*Dialeurolobus*](#) Danzig, 1964
 - [*Dialeurolobus erythrinae*](#) Corbett, 1935
 - [*Dialeurolobus pulcher*](#) Danzig, 1964
 - [*Dialeurolobus rhamni*](#) Bink-Moenen in Bink-Moenen & Gerling, 1992

- *Dialeurolonga* Dozier, 1928
 - *Dialeurolonga elevated* to generic rank by Takahashi, 1951
 - *Dialeurolonga africana* Newstead, 1921
 - *Dialeurolonga agauriae* Takahashi, 1951
 - *Dialeurolonga ambilaensis* Takahashi, 1955
 - *Dialeurolonga angustata* Takahashi, 1961
 - *Dialeurolonga aphloiae* Takahashi, 1955
 - *Dialeurolonga bambusae* Takahashi, 1961
 - *Dialeurolonga bambusicola* Takahashi, 1951
 - *Dialeurolonga brevispina* Takahashi, 1951
 - *Dialeurolonga communis* Bink-Moenen, 1983
 - *Dialeurolonga davidi* Dubey & Sundararaj, 2006
 - *Dialeurolonga elliptica* Takahashi, 1955
 - *Dialeurolonga elongata* Dozier, 1928
 - *Dialeurolonga erythroxytonis* Takahashi, 1955
 - *Dialeurolonga eugeniae* Takahashi, 1951
 - *Dialeurolonga graminis* Takahashi, 1951
 - *Dialeurolonga guettardae* Martin, 2005
 - *Dialeurolonga hoyti* Mound, 1965
 - *Dialeurolonga kumargiriensis* Dubey & Sundararaj, 2006
 - *Dialeurolonga lagerstroemiae* Jesudasan & David, 1991
 - *Dialeurolonga lamtoensis* Cohic, 1969
 - *Dialeurolonga lata* Takahashi, 1955
 - *Dialeurolonga maculata* Singh, 1931
 - *Dialeurolonga malleshwaramensis* Sundararaj, 2001
 - *Dialeurolonga mameti* Takahashi, 1955
 - *Dialeurolonga mauritiensis* Takahashi, 1938
 - *Dialeurolonga milloti* Takahashi, 1951
 - *Dialeurolonga multipapilla* Takahashi, 1955
 - *Dialeurolonga multipori* Dubey & Sundararaj, 2006
 - *Dialeurolonga multituberculata* Dubey & Sundararaj, 2006
 - *Dialeurolonga nemoralis* Bink-Moenen, 1983
 - *Dialeurolonga nigra* Takahashi & Mamet, 1952
 - *Dialeurolonga operculobata* Martin & Carver in Martin, 1999
 - *Dialeurolonga paradoxa* Takahashi, 1955
 - *Dialeurolonga paucipapillata* Cohic, 1969
 - *Dialeurolonga pauliani* Takahashi, 1951
 - *Dialeurolonga perinetensis* Takahashi & Mamet, 1952
 - *Dialeurolonga phyllarthronis* Takahashi, 1955
 - *Dialeurolonga pseudocephalidistincta* Dubey & Sundararaj, 2006
 - *Dialeurolonga ravensarae* Takahashi & Mamet, 1952
 - *Dialeurolonga rhamni* Takahashi, 1961
 - *Dialeurolonga robinsoni* Takahashi & Mamet, 1952
 - *Dialeurolonga rotunda* Takahashi, 1961
 - *Dialeurolonga rusostigmoides* Martin, 1999
 - *Dialeurolonga similis* Takahashi, 1955
 - *Dialeurolonga simplex* Takahashi, 1955
 - *Dialeurolonga strychnosicola* Cohic, 1966

- [*Dialeurolonga subrotunda*](#) Takahashi, 1955
- [*Dialeurolonga swainei*](#) Martin, 1999
- [*Dialeurolonga takahashii*](#) David & Jesudasan 1989
- [*Dialeurolonga tambourissae*](#) Takahashi, 1955
- [*Dialeurolonga tenella*](#) Takahashi, 1961
- [*Dialeurolonga trialeuroides*](#) Takahashi & Mamet, 1952
- [*Dialeurolonga vendranæ*](#) Takahashi, 1961
- [*Dialeuropora*](#) Quaintance & Baker, 1917
 - [*Dialeuropora bipunctata*](#) Corbett, 1933
 - [*Dialeuropora brideliae*](#) Takahashi, 1932
 - [*Dialeuropora centrosemæ*](#) Corbett, 1935
 - [*Dialeuropora congoensis*](#) Cohic, 1966
 - [*Dialeuropora decempuncta*](#) Quaintance & Baker, 1917
 - [*Dialeuropora hassensanensis*](#) Takahashi, 1934
 - [*Dialeuropora heptapora*](#) Regu & David, 1992
 - [*Dialeuropora holboelliae*](#) Young, 1944
 - [*Dialeuropora indochinensis*](#) Takahashi, 1942
 - [*Dialeuropora jendera*](#) Corbett, 1935
 - [*Dialeuropora langsung*](#) Corbett, 1935
 - [*Dialeuropora malayensis*](#) Corbett, 1935
 - [*Dialeuropora mangiferae*](#) Corbett, 1935
 - [*Dialeuropora murrayae*](#) Takahashi, 1931
 - [*Dialeuropora papillata*](#) Cohic, 1966
 - [*Dialeuropora photiniana*](#) Chen, 1997
 - [*Dialeuropora portugaliae*](#) Cohic, 1966
 - [*Dialeuropora pterolobiae*](#) David & Subramaniam, 1976
 - [*Dialeuropora silvarum*](#) Corbett, 1935
 - [*Dialeuropora urticata*](#) Young, 1944
 - [*Dialeuropora viburni*](#) Takahashi, 1933
- [*Dialeurotrachelus*](#) Takahashi, 1942
 - [*Dialeurotrachelus cambodiensis*](#) Takahashi, 1942
- [*Disiphon*](#) Russell, 1993
 - [*Disiphon dubienus*](#) Bondar, 1923
 - [*Disiphon russellae*](#) Martin, 2005
- [*Distinctaleyrodes*](#) Dubey & Sundararaj, 2006
 - [*Distinctaleyrodes setosus*](#) Dubey & Sundararaj, 2006
- [*Dothioia*](#) Dumbleton, 1961
 - [*Dothioia bidentatus*](#) Dumbleton, 1961
- [*Dumbletoniella*](#) Jesudasan & David, 1990

- [*Dumbletoniella callistemoni*](#) Martin, 1999
- [*Dumbletoniella ellipticae*](#) Dumbleton, 1956
- [*Dumbletoniella eucalypti*](#) Dumbleton, 1957
- [*Dumbletoniella pittospori*](#) Martin & Carver in Martin, 1999
- [*Dumbletoniella rotunda*](#) Martin & Carver in Martin, 1999
- [*Dumbletoniella xanthorrhoeae*](#) Martin, 1999

- [*Editaaleyrodes*](#) David, 2005
 - [*Editaaleyrodes indicus*](#) David, 2005

- [*Extensaaleyrodes*](#) Bink-Moenen, 1983
 - [*Extensaaleyrodes akurensis*](#) Mound, 1965
 - [*Extensaaleyrodes falcata*](#) Bink-Moenen, 1983

- [*Fascaleyrodes*](#) Bink-Moenen, 1983
 - [*Fascaleyrodes palmae*](#) Gameel, 1968
 - [*Fascaleyrodes rara*](#) Bink-Moenen, 1983

- [*Filicaleyrodes*](#) Takahashi, 1962
 - [*Filicaleyrodes bosseri*](#) Takahashi, 1962
 - [*Filicaleyrodes williamsi*](#) Trehan, 1938

- [*Fippataleyrodes*](#) Sundararaj & David, 1992
 - [*Fippataleyrodes cinnamomi*](#) Dubey & Sundararaj, 2005
 - [*Fippataleyrodes indica*](#) Sundararaj & David, 1992
 - [*Fippataleyrodes litseae*](#) Sundararaj & David, 1992
 - [*Fippataleyrodes multipori*](#) Dubey & Sundararaj, 2005
 - [*Fippataleyrodes yellapurensis*](#) Dubey & Sundararaj, 2005

- [*Gagudjuia*](#) Martin, 1999
 - [*Gagudjuia allosyncarpiae*](#) Martin, 1999

- [*Gomenella*](#) Dumbleton, 1961
 - [*Gomenella dryandrae*](#) Takahashi, 1950
 - [*Gomenella multipora*](#) Dumbleton, 1961
 - [*Gomenella reflexa*](#) Dumbleton, 1961

- [*Harpaleyrodes*](#) Bink-Moenen, 1983
 - [*Harpaleyrodes, tuberculata*](#) Bink-Moenen, 1983

- [*Hesperaleyrodes*](#) Sampson, 1943
 - [*Hesperaleyrodes michoacanensis*](#) Sampson, 1943

- [Heteraleyrodes](#) Takahashi, 1942
 - [Heteraleyrodes bambusae](#) Takahashi, 1942
 - [Heteraleyrodes bambusicola](#) Takahashi, 1951
- [Heterobemisia](#) Takahashi, 1957
 - [Heterobemisia alba](#) Takahashi, 1957
- [Indoaleyrodes](#) David & Subramaniam, 1976
 - [Indoaleyrodes glochidioni](#) Martin & Carver *in* Martin, 1999
 - [Indoaleyrodes laos](#) Takahashi, 1942
 - [Indoaleyrodes pseudoculatus](#) Martin, 1985
 - [Indoaleyrodes reticulata](#) Dumbleton, 1961
- [Juglasaleyrodes](#) Cohic, 1966
 - [Juglasaleyrodes orstomensis](#) Cohic, 1966
- [Keralaleyrodes](#) Meganathan & David, 1994
 - [Keralaleyrodes indicus](#) Meganathan & David, 1994
- [Laingiella](#) Corbett, 1926
 - [Laingiella bambusae](#) Corbett, 1926
- [Leucopogonella](#) Dumbleton, 1961
 - [Leucopogonella apectenata](#) Dumbleton, 1961
 - [Leucopogonella pallida](#) Dumbleton, 1961
 - [Leucopogonella simila](#) Dumbleton, 1961
 - [Leucopogonella sinuata](#) Dumbleton, 1961
- [Lipaleyrodes](#) Takahashi, 1962
 - [Lipaleyrodes atriplex](#) Froggatt, 1911
 - [Lipaleyrodes breyniae](#) Singh, 1931
 - [Lipaleyrodes crossandrae](#) David & Subramaniam, 1976
 - [Lipaleyrodes emiliae](#) Chen & Ko, 2006
 - [Lipaleyrodes euphorbiae](#) David & Subramaniam, 1976
 - [Lipaleyrodes hargreavesi](#) Corbett, 1935
 - [Lipaleyrodes leguminicola](#) Takahashi, 1942
 - [Lipaleyrodes phyllanthi](#) Takahashi, 1962
 - [Lipaleyrodes vernoniae](#) David & Thenmozhi, 1995
- [Malayaleyrodes](#) Corbett, 1935
 - [Malayaleyrodes lumpurensis](#) Corbett, 1935
- [Marginaleyrodes](#) Takahashi, 1961

- [*Marginaleyrodes fanalae*](#) Takahashi, 1951
- [*Marginaleyrodes fenestrata*](#) Takahashi, 1955
- [*Marginaleyrodes ixorae*](#) Takahashi, 1961
- [*Marginaleyrodes madagascariensis*](#) Takahashi, 1951
- [*Marginaleyrodes tsinjoarivona*](#) Takahashi, 1955
- [*Massilieuroides*](#) Goux, 1939
 - [*Massilieuroides elevated*](#) to generic rank by Jensen, 2001
 - [*Massilieuroides alabamensis*](#) Jensen, 2001
 - [*Massilieuroides americanus*](#) Jensen, 2001
 - [*Massilieuroides chittendeni*](#) Laing, 1928
 - [*Massilieuroides curiosa*](#) Jensen, 2001
 - [*Massilieuroides euryae*](#) Takahashi, 1940
 - [*Massilieuroides fici*](#) Takahashi, 1932
 - [*Massilieuroides formosensis*](#) Takahashi, 1933
 - [*Massilieuroides homonoiae*](#) Jesudasan & David, 1991
 - [*Massilieuroides kirishimensis*](#) Takahashi, 1963
 - [*Massilieuroides monticola*](#) Takahashi, 1932
 - [*Massilieuroides multipori*](#) Takahashi, 1932
 - [*Massilieuroides myricae*](#) Jensen, 2001
 - [*Massilieuroides rarasana*](#) Takahashi, 1934
 - [*Massilieuroides sakaki*](#) Takahashi, 1958
 - [*Massilieuroides setiger*](#) Goux, 1939
- [*Metabemisia*](#) Takahashi, 1963
 - [*Metabemisia distylii*](#) Takahashi, 1963
 - [*Metabemisia filicis*](#) Mound, 1967
 - [*Metabemisia palawana*](#) Martin in Martin & Camus, 2001
- [*Metaleyrodes*](#) Sampson, 1943
 - [*Metaleyrodes oceanica*](#) Takahashi, 1939
- [*Minutaleyrodes*](#) Jesudasan & David, 1990
 - [*Minutaleyrodes cherasensis*](#) Corbett, 1935
 - [*Minutaleyrodes indicus*](#) Meganathan & David, 1994
 - [*Minutaleyrodes kolliensis*](#) David, 1977
 - [*Minutaleyrodes minuta*](#) Singh, 1931
 - [*Minutaleyrodes suishanus*](#) Takahashi, 1934
- [*Mixaleyrodes*](#) Takahashi, 1936
 - [*Mixaleyrodes polypodicola*](#) Takahashi, 1963
 - [*Mixaleyrodes polystichi*](#) Takahashi, 1936
- [*Nealeyrodes*](#) Hempel, 1922
 - [*Nealeyrodes bonariensis*](#) Hempel, 1922

- [Neoaleurodes](#) Bondar, 1923
 - [Neoaleurodes clandestinus](#) Bondar, 1923
- [Neoaleurotrachelus](#) Takahashi & Mamet, 1952
 - [Neoaleurotrachelus aphloiae](#) Takahashi & Mamet, 1952
 - [Neoaleurotrachelus bertilloni](#) Cohic, 1966
 - [Neoaleurotrachelus graberi](#) Cohic, 1968
 - [Neoaleurotrachelus sudaniensis](#) Gameel, 1968
- [Neomaskellia](#) Quaintance & Baker, 1913
 - [Neomaskellia andropogonis](#) Corbett, 1926
 - [Neomaskellia bergii](#) Signoret, 1868
- [Neopealius](#) Takahashi, 1954
 - [Neopealius rubi](#) Takahashi, 1954
- [Nigrasialeyrodes](#) Martin & Carver, 1999
 - [Nigrasialeyrodes convexus](#) Martin & Carver in Martin, 1999
- [Orchamoplatus](#) Russell, 1958
 - [Orchamoplatus caledonicus](#) Dumbleton, 1956
 - [Orchamoplatus calophylli](#) Russell, 1958
 - [Orchamoplatus citri](#) Takahashi, 1940
 - [Orchamoplatus dentatus](#) Dumbleton, 1956
 - [Orchamoplatus dumbletoni](#) Cohic, 1959
 - [Orchamoplatus incognitus](#) Dumbleton, 1956
 - [Orchamoplatus louiserussellae](#) Martin, 1999
 - [Orchamoplatus mammaeferus](#) Quaintance & Baker, 1917
 - [Orchamoplatus montanus](#) Dumbleton, 1956
 - [Orchamoplatus niuginii](#) Martin, 1985
 - [Orchamoplatus noumeae](#) Russell, 1958
 - [Orchamoplatus perdentatus](#) Dumbleton, 1961
 - [Orchamoplatus plumensis](#) Dumbleton, 1956
 - [Orchamoplatus porosus](#) Dumbleton, 1956
- [Orientaleyrodes](#) David, 1993
 - [Orientaleyrodes indicus](#) Regu & David, 1993
 - [Orientaleyrodes zeylanicus](#) Corbett, 1926
- [Orstomaleyrodes](#) Cohic, 1966
 - [Orstomaleyrodes fimbriata](#) Mound, 1965
- [Papillipes](#) Bink-Moenen, 1983

- [*Papillipes spinifer*](#) Bink-Moenen, 1983
- [*Parabemisia*](#) Takahashi, 1952
 - [*Parabemisia aceris*](#) Takahashi, 1931
 - [*Parabemisia indica*](#) Meganathan & David, 1994
 - [*Parabemisia jawani*](#) Martin, 1985
 - [*Parabemisia lushanensis*](#) Ko & Luo, 1999
 - [*Parabemisia maculata*](#) Takahashi, 1952
 - [*Parabemisia myricae*](#) Kuwana, 1927
 - [*Parabemisia myrmecophila*](#) Martin, 1985
- [*Paraleurolobus*](#) Sampson & Drews, 1941
 - [*Paraleurolobus chamaedoreae*](#) Russell, 1994
 - [*Paraleurolobus imbricatus*](#) Sampson & Drews, 1941
- [*Paulianaleyrodes*](#) Cohic, 1966
 - [*Paulianaleyrodes pauliani*](#) Cohic, 1966
 - [*Paulianaleyrodes splendens*](#) Cohic, 1966
 - [*Paulianaleyrodes tetracerae*](#) Cohic, 1966
- [*Pealius*](#) Quaintance & Baker, 1914
 - [*Pealius akebiae*](#) Kuwana, 1911
 - [*Pealius amamianus*](#) Takahashi, 1963
 - [*Pealius artocarp*](#) Corbett, 1935
 - [*Pealius azaleae*](#) Baker & Moles, 1920
 - [*Pealius bangkokensis*](#) Takahashi, 1942
 - [*Pealius bengalensis*](#) Peal, 1903
 - [*Pealius cambodiensis*](#) Takahashi, 1942
 - [*Pealius chinensis*](#) Takahashi, 1941
 - [*Pealius cinnamomi*](#) David & Sundararaj, 1991
 - [*Pealius cryptus*](#) Martin, 1999
 - [*Pealius damnacanthi*](#) Takahashi, 1935
 - [*Pealius elatostemae*](#) Takahashi, 1932
 - [*Pealius elongatus*](#) David, Sudararaj & Regu, 1991
 - [*Pealius euryae*](#) Takahashi, 1955
 - [*Pealius ezeigwi*](#) Mound, 1965
 - [*Pealius fici*](#) Mound, 1965
 - [*Pealius indicus*](#) David, 1972
 - [*Pealius kalawi*](#) Singh, 1933
 - [*Pealius kankoensis*](#) Takahashi, 1933
 - [*Pealius kelloggi*](#) Bemis, 1904
 - [*Pealius kongosana*](#) Takahashi, 1955
 - [*Pealius liquidambari*](#) Takahashi, 1932
 - [*Pealius longispinus*](#) Takahashi, 1932
 - [*Pealius machili*](#) Takahashi, 1935
 - [*Pealius maculatus*](#) Takahashi, 1942

- [*Pealius madeirensis*](#) Martin, Aguiar & Pita, 1996
- [*Pealius maskelli*](#) Bemis, 1904
- [*Pealius misrae*](#) Singh, 1931
- [*Pealius mitakensis*](#) Takahashi, 1955
- [*Pealius mori*](#) Takahashi, 1932
- [*Pealius nagerkoilensis*](#) Jesudasan & David, 1991
- [*Pealius nilgiriensis*](#) David, 1972
- [*Pealius polygoni*](#) Takahashi, 1934
- [*Pealius psychotriae*](#) Takahashi, 1935
- [*Pealius quercus*](#) Signoret, 1868
- [*Pealius rhododendri*](#) Takahashi, 1935
- [*Pealius rubi*](#) Takahashi, 1936
- [*Pealius sairandhryensis*](#) Meganathan & David, 1994
- [*Pealius schimae*](#) Takahashi, 1950
- [*Pealius setosus*](#) Danzig, 1964
- [*Pealius spinosus*](#) Jesudasan & David, 1991
- [*Pealius splendens*](#) David, Sudararaj & Regu, 1991
- [*Pealius sutepensis*](#) Takahashi, 1942
- [*Pealius tuberculatus*](#) Takahashi, 1942
- [*Pealius walayarensis*](#) Jesudasan & David, 1991

- [*Pectinaleyrodes*](#) Bink-Moenen, 1983
 - [*Pectinaleyrodes culcasiae*](#) Cohic, 1969
 - [*Pectinaleyrodes silvaticus*](#) Cohic, 1969
 - [*Pectinaleyrodes triclisiae*](#) Cohic, 1966

- [*Pentaleyrodes*](#) Takahashi, 1937
 - [*Pentaleyrodes cinnamomi*](#) Takahashi, 1932
 - [*Pentaleyrodes hongkongensis*](#) Takahashi, 1941
 - [*Pentaleyrodes linderae*](#) Chou & Yan, 1988
 - [*Pentaleyrodes yasumatsui*](#) Takahashi, 1939

- [*Peracchius*](#) Lima & Racca-Filho, 2005
 - [*Peracchius durantae*](#) Lima & Racca-Filho, 2005

- [*Plataleyrodes*](#) Takahashi & Mamet, 1952
 - [*Plataleyrodes anthocleista*](#) Takahashi & Mamet, 1952

- [*Pogonaleyrodes*](#) Takahashi, 1955
 - [*Pogonaleyrodes fastuosa*](#) Takahashi, 1955
 - [*Pogonaleyrodes zimmermanni*](#) Newstead, 1911

- [*Pseudaleurolobus*](#) Hempel, 1922
 - [*Pseudaleurolobus jaboticabae*](#) Hempel, 1922

- [*Pseudaleurolatus*](#) Martin, 1999
 - [*Pseudaleurolatus kiensis*](#) Martin, 1999
 - [*Pseudaleurolatus litseae*](#) Dumbleton, 1956
- [*Pseudaleyrodes*](#) Hempel, 1922
 - [*Pseudaleyrodes depressus*](#) Hempel, 1922
- [*Pseudozaphanera*](#) Manzari, 2006
 - [*Pseudozaphanera narendramodii*](#) Ragupathy & Radhakrishnan 2019
 - [*Pseudozaphanera niger*](#) Maskell, 1896
 - [*Pseudozaphanera papyrocarpae*](#) Martin in Bailey, Martin, Noyes & Austin, 2001
 - [*Pseudozaphanera rhachisreticulata*](#) Martin, 1999
 - [*Pseudozaphanera splendida*](#) Martin, 1999
 - [*Pseudozaphanera wariensis*](#) Martin, 1999
- [*Ramsesseus*](#) Zahradnik, 1970
 - [*Ramsesseus follioti*](#) Zahradnik, 1970
- [*Rhachisphora*](#) Quaintance & Baker, 1917
 - [*Rhachisphora alishanensis*](#) Ko in Ko, Hsu & Wu, 1992
 - [*Rhachisphora ardisiae*](#) Takahashi, 1935
 - [*Rhachisphora capitatis*](#) Corbett, 1926
 - [*Rhachisphora elongatus*](#) Regu & David, 1990
 - [*Rhachisphora fijiensis*](#) Kotinsky, 1907
 - [*Rhachisphora franksae*](#) Martin, 1999
 - [*Rhachisphora indica*](#) Sundararaj & David, 1991
 - [*Rhachisphora ixorae*](#) Sundararaj & David, 1991
 - [*Rhachisphora kallarensis*](#) Jesudasan & David, 1991
 - [*Rhachisphora koshunensis*](#) Takahashi, 1933
 - [*Rhachisphora machili*](#) Takahashi, 1932
 - [*Rhachisphora madhucae*](#) Jesudasan & David, 1991
 - [*Rhachisphora maesae*](#) Takahashi, 1932
 - [*Rhachisphora malayensis*](#) Takahashi, 1952
 - [*Rhachisphora oblongata*](#) Ko, Wu & Chou, 1998
 - [*Rhachisphora queenslandica*](#) Martin, 1999
 - [*Rhachisphora reticulata*](#) Takahashi, 1933
 - [*Rhachisphora rutherfordi*](#) Quaintance & Baker, 1917
 - [*Rhachisphora sanhsianensis*](#) Ko in Ko, Hsu & Wu, 1992
 - [*Rhachisphora selangorensis*](#) Corbett, 1933
 - [*Rhachisphora setulosa*](#) Corbett, 1926
 - [*Rhachisphora styraci*](#) Takahashi, 1934
 - [*Rhachisphora taiwana*](#) Ko in Ko, Hsu & Wu, 1992
 - [*Rhachisphora trilobitoides*](#) Quaintance & Baker, 1917
- [*Rosanovia*](#) Danzig, 1969

- [*Rosanovia hulthemiae*](#) Danzig, 1969
- [*Rugaleyrodes*](#) Bink-Moenen, 1983
 - [*Rugaleyrodes angolensis*](#) Cohic, 1966
 - [*Rugaleyrodes bidentata*](#) Bink-Moenen, 1983
 - [*Rugaleyrodes tetracerae*](#) Cohic, 1966
 - [*Rugaleyrodes villiersi*](#) Cohic, 1968
 - [*Rugaleyrodes vuattouxi*](#) Cohic, 1969
- [*Rusostigma*](#) Quaintance & Baker, 1917
 - [*Rusostigma eugeniae*](#) Maskell, 1896
 - [*Rusostigma radiirugosa*](#) Quaintance & Baker, 1917
 - [*Rusostigma tokyonis*](#) Kuwana, 1911
 - [*Rusostigma tristylis*](#) Takahashi, 1935
- [*Russellaleyrodes*](#) David, 1973
 - [*Russellaleyrodes cumiugum*](#) Singh, 1932
- [*Septaleurodicus*](#) Sampson, 1943
 - [*Septaleurodicus mexicanus*](#) Sampson, 1943
- [*Setaleyrodes*](#) Takahashi, 1931
 - [*Setaleyrodes litseae*](#) David & Sundararaj, 1991
 - [*Setaleyrodes mirabilis*](#) Takahashi, 1931
 - [*Setaleyrodes quercicola*](#) Takahashi, 1934
 - [*Setaleyrodes takahashii*](#) Singh, 1933
 - [*Setaleyrodes thretonai*](#) David, 1981
 - [*Setaleyrodes vigintiseta*](#) Martin, 1999
- [*Simplaleurodes*](#) Goux, 1945
 - [*Simplaleurodes hemisphaerica*](#) Goux, 1945
- [*Singhiella*](#) Sampson, 1943
 - [*Singhiella bassiae*](#) David & Subramaniam, 1976
 - [*Singhiella bicolor*](#) Singh, 1931
 - [*Singhiella brideliae*](#) Jesudasan & David, 1991
 - [*Singhiella cambodiensis*](#) Takahashi, 1942
 - [*Singhiella cardamomi*](#) David & Subramaniam, 1976
 - [*Singhiella chinensis*](#) Takahashi, 1941
 - [*Singhiella chitinsa*](#) Takahashi, 1937
 - [*Singhiella citrifolii*](#) Morgan, 1893
 - [*Singhiella crenulata*](#) Qureshi & Qayyam, 1969
 - [*Singhiella delamarei*](#) Cohic, 1968
 - [*Singhiella dioscoreae*](#) Takahashi, 1934

- [*Singhiella dipterocarpi*](#) Takahashi, 1942
- [*Singhiella elaeagni*](#) Takahashi, 1935
- [*Singhiella elbaensis*](#) Priesner & Hosny, 1934
- [*Singhiella ficifolii*](#) Takahashi, 1942
- [*Singhiella kuraruensis*](#) Takahashi, 1933
- [*Singhiella longisetae*](#) Chou & Yan, 1988
- [*Singhiella malabaricus*](#) Jesudasan & David, 1991
- [*Singhiella mekonensis*](#) Takahashi, 1942
- [*Singhiella melanolepis*](#) Chen & Ko, 2007
- [*Singhiella pallida*](#) Singh, 1931
- [*Singhiella piperis*](#) Takahashi, 1934
- [*Singhiella premnae*](#) Martin, 1999
- [*Singhiella serdangensis*](#) Corbett, 1935
- [*Singhiella simplex*](#) Singh, 1931
- [*Singhiella subrotunda*](#) Takahashi, 1935
- [*Singhiella sutepensis*](#) Takahashi, 1942
- [*Singhiella tetrastigmae*](#) Takahashi, 1934
- [*Singhiella vanieriae*](#) Takahashi, 1935

- [*Singhius*](#) Takahashi, 1932
 - [*Singhius ehretiae*](#) Jesudasan & David, 1991
 - [*Singhius hibisci*](#) Kotinsky, 1907
 - [*Singhius morindae*](#) Sundararaj & David, 1992
 - [*Singhius russellae*](#) David & Subramaniam, 1976

- [*Siphoninus*](#) Silvestri, 1915
 - [*Siphoninus gruveli*](#) Cohic, 1968
 - [*Siphoninus immaculatus*](#) Heeger, 1856
 - [*Siphoninus phillyreae*](#) Haliday, 1835

- [*Sphericaleyrodes*](#) Selvakumaran & David, 1996
 - [*Sphericaleyrodes bambusae*](#) Selvakumaran & David, 1996
 - [*Sphericaleyrodes regui*](#) Dubey & Sundararaj, 2006

- [*Tegmaleurodes*](#) Martin, 2005
 - [*Tegmaleurodes crustatus*](#) Bondar, 1928
 - [*Tegmaleurodes integellus*](#) Bondar, 1923
 - [*Tegmaleurodes lentus*](#) Martin, 2005

- [*Tetraleurodes*](#) Cockerell, 1902
 - [*Tetraleurodes acaciae*](#) Quaintance, 1900
 - [*Tetraleurodes adabicola*](#) Takahashi, 1955
 - [*Tetraleurodes andropogoni*](#) Dozier, 1934
 - [*Tetraleurodes bambusae*](#) Jesudasan & David, 1991
 - [*Tetraleurodes banksiae*](#) Martin, 1999

- [*Tetraleurodes bararakae*](#) Takahashi, 1955
- [*Tetraleurodes bicolor*](#) Bink-Moenen in Bink-Moenen & Gerling, 1992
- [*Tetraleurodes bidentatus*](#) Sampson & Drews, 1941
- [*Tetraleurodes bireflexa*](#) Nakahara, 1995
- [*Tetraleurodes burliarensis*](#) Jesudasan & David, 1991
- [*Tetraleurodes cacaorum*](#) Bondar, 1923
- [*Tetraleurodes caulicola*](#) Nakahara, 1995
- [*Tetraleurodes chivela*](#) Nakahara, 1995
- [*Tetraleurodes confusa*](#) Nakahara, 1995
- [*Tetraleurodes contigua*](#) Sampson & Drews, 1941
- [*Tetraleurodes corni*](#) Haldeman, 1850
- [*Tetraleurodes cruzi*](#) Cassino, 1991
- [*Tetraleurodes dendrocalami*](#) Dubey & Sundararaj, 2005
- [*Tetraleurodes dorseyi*](#) Kirkaldy, 1907
- [*Tetraleurodes dorsirugosa*](#) Nakahara, 1995
- [*Tetraleurodes elaeocarpi*](#) Takahashi, 1950
- [*Tetraleurodes errans*](#) Bemis, 1904
- [*Tetraleurodes fici*](#) Quaintance & Baker, 1937
- [*Tetraleurodes ghesquierei*](#) Dozier, 1934
- [*Tetraleurodes graminis*](#) Takahashi, 1934
- [*Tetraleurodes granulata*](#) Bink-Moenen, 1983
- [*Tetraleurodes hederæ*](#) Goux, 1939
- [*Tetraleurodes hirsuta*](#) Takahashi, 1955
- [*Tetraleurodes kunnathoorensis*](#) Regu & David, 1993
- [*Tetraleurodes leguminicola*](#) Bink-Moenen, 1983
- [*Tetraleurodes madagascariensis*](#) Takahashi, 1951
- [*Tetraleurodes malayensis*](#) Mound & Halsey, 1978
- [*Tetraleurodes mameti*](#) Takahashi, 1938
- [*Tetraleurodes marshalli*](#) Bondar, 1928
- [*Tetraleurodes melanops*](#) Cockerell, 1903
- [*Tetraleurodes mexicana*](#) Nakahara, 1995
- [*Tetraleurodes mirabilis*](#) Takahashi, 1961
- [*Tetraleurodes monnioti*](#) Cohic, 1968
- [*Tetraleurodes mori*](#) Quaintance, 1899
- [*Tetraleurodes moundi*](#) Cohic, 1968
- [*Tetraleurodes neemani*](#) Bink-Moenen in Bink-Moenen & Gerling, 1992
- [*Tetraleurodes oplismeni*](#) Takahashi, 1934
- [*Tetraleurodes pauliani*](#) Takahashi, 1955
- [*Tetraleurodes perileuca*](#) Cockerell, 1902
- [*Tetraleurodes perseae*](#) Nakahara, 1995
- [*Tetraleurodes pluto*](#) Dumbleton, 1956
- [*Tetraleurodes pringlei*](#) Quaintance & Baker, 1937
- [*Tetraleurodes pseudacaciae*](#) Nakahara, 1995
- [*Tetraleurodes psidii*](#) David, 1993
- [*Tetraleurodes pusana*](#) Takahashi, 1950
- [*Tetraleurodes quadratus*](#) Sampson & Drews, 1941
- [*Tetraleurodes quercicola*](#) Nakahara, 1995
- [*Tetraleurodes rugosus*](#) Corbett, 1926
- [*Tetraleurodes russellae*](#) Cohic, 1968

- [*Tetraleurodes selachidentata*](#) Bink-Moenen, 1983
 - [*Tetraleurodes semibarbata*](#) Takahashi, 1955
 - [*Tetraleurodes simplicior*](#) Bink-Moenen, 1983
 - [*Tetraleurodes splendens*](#) Bemis, 1904
 - [*Tetraleurodes stellata*](#) Maskell, 1896
 - [*Tetraleurodes stirlingiae*](#) Martin, 1999
 - [*Tetraleurodes submarginata*](#) Dumbleton, 1961
 - [*Tetraleurodes subrotunda*](#) Takahashi, 1937
 - [*Tetraleurodes sulcistriatus*](#) Martin, 1999
 - [*Tetraleurodes supraxialis*](#) Martin, 1999
 - [*Tetraleurodes thenmozhaie*](#) Jesudasan & David, 1991
 - [*Tetraleurodes truncatus*](#) Sampson & Drews, 1941
 - [*Tetraleurodes tuberculata*](#) Bink-Moenen, 1983
 - [*Tetraleurodes tuberculosa*](#) Nakahara, 1995
 - [*Tetraleurodes ursorum*](#) Cockerell, 1910
-
- [*Tetralicia*](#) Harrison, 1917
 - [*Tetralicia debarroi*](#) Martin & Carver *in* Martin, 1999
 - [*Tetralicia erianthi*](#) Danzig, 1969
 - [*Tetralicia ericae*](#) Harrison, 1917
 - [*Tetralicia graminicola*](#) Bink-Moenen, 1983
 - [*Tetralicia iberiaca*](#) Bink-Moenen, 1989
 - [*Tetralicia tuberculata*](#) Bink-Moenen, 1983
-
- [*Trialeurodes*](#) Cockerell, 1902
 - [*Trialeurodes abdita*](#) Martin, 2005
 - [*Trialeurodes abutiloneus*](#) Haldeman, 1850
 - [*Trialeurodes amealcensis*](#) Carapia-Ruiz *in* Carapia-Ruiz, Gonzalez-Hernandez, Romero-Napoles, Ortega-Arenas & Koch, 2003
 - [*Trialeurodes asplenii*](#) Maskell, 1890
 - [*Trialeurodes bambusae*](#) Takahashi, 1943
 - [*Trialeurodes bellissima*](#) Sampson & Drews, 1940
 - [*Trialeurodes bemisae*](#) Russell, 1948
 - [*Trialeurodes bruneiensis*](#) Martin *in* Martin & Camus, 2001
 - [*Trialeurodes celti*](#) Takahashi, 1943
 - [*Trialeurodes chinensis*](#) Takahashi, 1955
 - [*Trialeurodes coccolobae*](#) Russell, 1948
 - [*Trialeurodes colcordae*](#) Russell, 1948
 - [*Trialeurodes corollis*](#) Penny, 1922
 - [*Trialeurodes cryptus*](#) Martin, 2005
 - [*Trialeurodes darwiniensis*](#) Martin, 1999
 - [*Trialeurodes dicksoniae*](#) Martin, 1999
 - [*Trialeurodes diminutis*](#) Penny, 1922
 - [*Trialeurodes drewsi*](#) Sampson, 1945
 - [*Trialeurodes elaphoglossi*](#) Takahashi, 1960
 - [*Trialeurodes ericae*](#) Bink-Moenen, 1976
 - [*Trialeurodes eriodictyonis*](#) Russell, 1948

- [*Trialeurodes euphorbiae*](#) Russell, 1948
 - [*Trialeurodes fernaldi*](#) Morrill, 1903
 - [*Trialeurodes floridensis*](#) Quaintance, 1900
 - [*Trialeurodes glacialis*](#) Bemis, 1904
 - [*Trialeurodes heucherae*](#) Russell, 1948
 - [*Trialeurodes hutchingsi*](#) Bemis, 1904
 - [*Trialeurodes intermedia*](#) Russell, 1948
 - [*Trialeurodes ipomoeae*](#) Carapia-Ruiz in Carapia-Ruiz, Gonzalez-Hernandez, Romero-Napoles, Ortega-Arenas & Koch, 2003
 - [*Trialeurodes lauri*](#) Signoret, 1882
 - [*Trialeurodes longispina*](#) Takahashi, 1943
 - [*Trialeurodes madroni*](#) Bemis, 1904
 - [*Trialeurodes magnoliae*](#) Russell, 1948
 - [*Trialeurodes mameti*](#) Takahashi, 1951
 - [*Trialeurodes manihoti*](#) Bondar, 1923
 - [*Trialeurodes meggitti*](#) Singh, 1933
 - [*Trialeurodes merlini*](#) Bemis, 1904
 - [*Trialeurodes mirissimus*](#) Sampson & Drews, 1941
 - [*Trialeurodes multipori*](#) Russell, 1948
 - [*Trialeurodes notata*](#) Russell, 1948
 - [*Trialeurodes oblongifoliae*](#) Russell, 1948
 - [*Trialeurodes packardi*](#) Morrill, 1903
 - [*Trialeurodes palaquifolia*](#) Corbett, 1935
 - [*Trialeurodes paucipapilla*](#) Martin, 2005
 - [*Trialeurodes perakensis*](#) Corbett, 1935
 - [*Trialeurodes pergandei*](#) Quaintance, 1900
 - [*Trialeurodes phlogis*](#) Russell, 1993
 - [*Trialeurodes rex*](#) Martin in Martin & Camus, 2001
 - [*Trialeurodes ricini*](#) Misra, 1924
 - [*Trialeurodes ruborum*](#) Cockerell, 1897
 - [*Trialeurodes sardiniae*](#) Rapisarda, 1986
 - [*Trialeurodes shawundus*](#) Baker & Moles, 1921
 - [*Trialeurodes similis*](#) Russell, 1948
 - [*Trialeurodes tabaci*](#) Bondar, 1928
 - [*Trialeurodes tentaculatus*](#) Bemis, 1904
 - [*Trialeurodes tephrosiae*](#) Russell, 1948
 - [*Trialeurodes thaiensis*](#) Takahashi, 1943
 - [*Trialeurodes unadutus*](#) Baker & Moles, 1921
 - [*Trialeurodes vaporariorum*](#) Westwood, 1856
 - [*Trialeurodes varia*](#) Quaintance & Baker, 1937
 - [*Trialeurodes variabilis*](#) Quaintance, 1900
 - [*Trialeurodes vitrinellus*](#) Cockerell, 1903
 - [*Trialeurodes vittatus*](#) Quaintance, 1900
- [*Trialeurolonga*](#) Martin, 2005
 - [*Trialeurolonga trifida*](#) Martin, 2005
- [*Trichoaleyrodes*](#) Takahashi & Mamet, 1952

- [*Trichoaleyrodes carinata*](#) Takahashi & Mamet, 1952
- [*Tuberaleyrodes*](#) Takahashi, 1932
 - [*Tuberaleyrodes bobuag*](#) Takahashi, 1934
 - [*Tuberaleyrodes machili*](#) Takahashi, 1932
 - [*Tuberaleyrodes neolitseae*](#) Young, 1944
 - [*Tuberaleyrodes rambutana*](#) Takahashi, 1955
 - [*Tuberaleyrodes spinifera*](#) Corbett, 1933
- [*Vasantharajiella*](#) P. M. M. David, 2000
 - [*Vasantharajiella kalakadensis*](#) P. M. M. David, 2000
- [*Vasdavidius*](#) Russell, 2000
 - [*Vasdavidius cobarensis*](#) Martin, 1999
 - [*Vasdavidius concursus*](#) Ko in Ko, Wu & Chou, 1998
 - [*Vasdavidius indicus*](#) David & Subramaniam, 1976
 - [*Vasdavidius miscanthus*](#) Ko in Ko, Wu & Chou, 1998
 - [*Vasdavidius setiferus*](#) Quaintance & Baker, 1917
- [*Venezaleurodes*](#) Russell, 1967
 - [*Venezaleurodes pisoniae*](#) Russell, 1967
- [*Viennotaleyrodes*](#) Cohic, 1968
 - [*Viennotaleyrodes bergerardi*](#) Cohic, 1966
 - [*Viennotaleyrodes bicolorata*](#) Martin, 1999
 - [*Viennotaleyrodes bosciae*](#) Bink-Moenen, 1983
 - [*Viennotaleyrodes curvisetosus*](#) Martin, 1999
 - [*Viennotaleyrodes dichrostachi*](#) Bink-Moenen, 1983
 - [*Viennotaleyrodes fallax*](#) Bink-Moenen, 1983
 - [*Viennotaleyrodes incomptus*](#) Martin, 1999
 - [*Viennotaleyrodes lacunae*](#) Martin, 1999
 - [*Viennotaleyrodes megapapillae*](#) Singh, 1932
 - [*Viennotaleyrodes nilagiriensis*](#) David, Krishnan & Thenmozhi, 1994
 - [*Viennotaleyrodes platysepalis*](#) Cohic, 1966
- [*Xenaleyrodes*](#) Takahashi, 1936
 - [*Xenaleyrodes artocarpis*](#) Takahashi, 1936
 - [*Xenaleyrodes broughae*](#) Martin, 1985
 - [*Xenaleyrodes eucalypti*](#) Dumbleton, 1956
 - [*Xenaleyrodes fauceregus*](#) Martin, 1999
 - [*Xenaleyrodes irianicus*](#) Martin, 1985
 - [*Xenaleyrodes timonii*](#) Martin, 1985
- [*Xenobemisia*](#) Takahashi, 1951

- [*Xenobemisia coleae*](#) Takahashi, 1951
- [*Yleyrodes*](#) Bink-Moenen, 1983
 - [*Yleyrodes isoberlinae*](#) Bink-Moenen, 1983
- [*Zaphanera*](#) Corbett, 1926
 - [*Zaphanera capparis*](#) Bink-Moenen, 1983
 - [*Zaphanera cyanotis*](#) Corbett, 1926
 - [*Zaphanera indicus*](#) Jesudasan & David, 1991
 - [*Zaphanera publicus*](#) Singh, 1938

Aleurodicinae Quaintance & Baker, 1913

- [*Aleurodicus*](#) Douglas, 1892
 - [*Aleurodicus antidesmae*](#) Corbett, 1926
 - [*Aleurodicus antillensis*](#) Dozier, 1936
 - [*Aleurodicus araujo*](#) Sampson & Drews, 1941
 - [*Aleurodicus capianga*](#) Bondar, 1923
 - [*Aleurodicus cinnamomi*](#) Takahashi, 1951
 - [*Aleurodicus coccolobae*](#) Quaintance & Baker, 1913
 - [*Aleurodicus cocois*](#) Curtis, 1846
 - [*Aleurodicus destructor*](#) Mackie, 1912
 - [*Aleurodicus dispersus*](#) Russell, 1965
 - [*Aleurodicus dugesii*](#) Cockerell, 1896
 - [*Aleurodicus essigi*](#) Sampson & Drews, 1941
 - [*Aleurodicus flavus*](#) Hempel, 1922
 - [*Aleurodicus fucatus*](#) Bondar, 1923
 - [*Aleurodicus guppyi*](#) Quaintance & Baker, 1913
 - [*Aleurodicus holmesii*](#) Maskell, 1896
 - [*Aleurodicus indicus*](#) Regu & David, 1992
 - [*Aleurodicus inversus*](#) Martin, 2004
 - [*Aleurodicus jamaicensis*](#) Cockerell, 1902
 - [*Aleurodicus juleikae*](#) Bondar, 1923
 - [*Aleurodicus machili*](#) Takahashi, 1931
 - [*Aleurodicus magnificus*](#) Costa Lima, 1928
 - [*Aleurodicus maritimus*](#) Hempel, 1922
 - [*Aleurodicus marmoratus*](#) Hempel, 1922
 - [*Aleurodicus neglectus*](#) Quaintance & Baker, 1913
 - [*Aleurodicus niveus*](#) Martin, 2004
 - [*Aleurodicus ornatus*](#) Cockerell, 1893
 - [*Aleurodicus pauciporus*](#) Martin, 2004
 - [*Aleurodicus pulvinatus*](#) Maskell, 1896
 - [*Aleurodicus rugioperculatus*](#) Martin, 2004
 - [*Aleurodicus talamancensis*](#) Martin, 2005
 - [*Aleurodicus trinidadensis*](#) Quaintance & Baker, 1913
 - [*Aleurodicus vinculus*](#) Martin, 2004

- [*Aleurodicus wallaceus*](#) Martin, 1988
- [*Aleuronudus*](#) Hempel, 1922
 - [*Aleuronudus acapulcensis*](#) Sampson & Drews, 1941
 - [*Aleuronudus bondari*](#) Costa Lima, 1928
 - [*Aleuronudus induratus*](#) Hempel, 1922
 - [*Aleuronudus jaciae*](#) Bondar, 1923
 - [*Aleuronudus jequiensis*](#) Bondar, 1928
 - [*Aleuronudus manni*](#) Baker, 1923
 - [*Aleuronudus melzeri*](#) Bondar, 1928
- [*Austroaleurodicus*](#) Tapia, 1970
 - [*Austroaleurodicus lomatiae*](#) Tapia, 1970
 - [*Austroaleurodicus pigeanus*](#) Baker & Moles, 1921
- [*Azuraleurodicus*](#) Martin, 1999
 - [*Azuraleurodicus pentarthrus*](#) Martin in Martin & Polaszek, 1999
- [*Bakerius*](#) Bondar, 1923
 - [*Bakerius amazonicus*](#) Penny & Arias, 1980
 - [*Bakerius attenuatus*](#) Bondar, 1923
 - [*Bakerius calmoni*](#) Bondar, 1928
 - [*Bakerius conspurcatus*](#) Enderlein, 1909
 - [*Bakerius glandulosus*](#) Hempel, 1938
 - [*Bakerius maculatus*](#) Penny & Arias, 1980
 - [*Bakerius phrygilanthi*](#) Bondar, 1923
 - [*Bakerius sanguineus*](#) Bondar, 1928
 - [*Bakerius sublatas*](#) Bondar, 1928
- [*Costalimada*](#) Martin, 2011[3]
 - [*Costalimada brasiliensis*](#) Martin, 2011
- [*Ceraleurodicus*](#) Hempel, 1922
 - [*Ceraleurodicus assymetrus*](#) Bondar, 1922
 - [*Ceraleurodicus duckei*](#) Penny & Arias, 1980
 - [*Ceraleurodicus hempeli*](#) Costa Lima, 1928
 - [*Ceraleurodicus keris*](#) Martin, 2004
 - [*Ceraleurodicus neivai*](#) Bondar, 1928
 - [*Ceraleurodicus splendidus*](#) Hempel, 1922
 - [*Ceraleurodicus varus*](#) Bondar, 1928
- [*Dialeurodicus*](#) Cockerell, 1902
 - [*Dialeurodicus bondariae*](#) Martin, 2004
 - [*Dialeurodicus caballeroi*](#) Martin, 2004

- [*Dialeurodicus cockerellii*](#) Quaintance, 1900
- [*Dialeurodicus coelhi*](#) Bondar, 1928
- [*Dialeurodicus cornutus*](#) Bondar, 1923
- [*Dialeurodicus frontalis*](#) Bondar, 1923
- [*Dialeurodicus maculatus*](#) Bondar, 1928
- [*Dialeurodicus niger*](#) Bondar, 1923
- [*Dialeurodicus radifera*](#) Sampson & Drews, 1941
- [*Dialeurodicus silvestrii*](#) Leonardi, 1910
- [*Dialeurodicus similis*](#) Bondar, 1923
- [*Dialeurodicus tessellatus*](#) Quaintance & Baker, 1913

- [*Eudialeurodicus*](#) Quaintance & Baker, 1915
 - [*Eudialeurodicus bodkini*](#) Quaintance & Baker, 1915

- [*Lecanoideus*](#) Quaintance & Baker, 1913
 - [*Lecanoideus floccissimus*](#) Martin, Hernández-Suarez & Carnero, 1997
 - [*Lecanoideus mirabilis*](#) Cockerell, 1898

- [*Leonardius*](#) Quaintance & Baker, 1913
 - [*Leonardius kellyae*](#) Martin, 2004
 - [*Leonardius lahillei*](#) Leonardi, 1910

- [*Metaleurodicus*](#) Quaintance & Baker, 1913
 - [*Metaleurodicus arcanus*](#) Martin, 2004
 - [*Metaleurodicus bahiensis*](#) Hempel, 1922
 - [*Metaleurodicus cardini*](#) Back, 1912
 - [*Metaleurodicus griseus*](#) Dozier, 1936
 - [*Metaleurodicus lacerdae*](#) Signoret, 1883
 - [*Metaleurodicus minimus*](#) Quaintance, 1900
 - [*Metaleurodicus phalaenoides*](#) Blanchard, 1852
 - [*Metaleurodicus stelliferus*](#) Bondar, 1923
 - [*Metaleurodicus tenuis*](#) Martin, 2004
 - [*Metaleurodicus variporus*](#) Martin, 2004

- [*Nealeurodicus*](#) Hempel, 1922
 - [*Nealeurodicus altissimus*](#) Quaintance, 1900
 - [*Nealeurodicus bakeri*](#) Bondar, 1923
 - [*Nealeurodicus fallax*](#) Martin, 2004
 - [*Nealeurodicus ingae*](#) J. M. Baker, 1937
 - [*Nealeurodicus moreirai*](#) Costa Lima, 1928
 - [*Nealeurodicus octifer*](#) Bondar, 1923
 - [*Nealeurodicus paulistus*](#) Hempel, 1922
 - [*Nealeurodicus petiolaris*](#) Martin, 2004

- [*Nipaleyrodes*](#) Takahashi, 1951

- [*Nipaleyrodes elongata*](#) Takahashi, 1951
- [*Octaleurodicus*](#) Hempel, 1922
 - [*Octaleurodicus nitidus*](#) Hempel, 1922
 - [*Octaleurodicus pulcherrimus*](#) Quaintance & Baker, 1913
- [*Paraleyrodes*](#) Quaintance, 1909
 - [*Paraleyrodes ancora*](#) Martin, 2004
 - [*Paraleyrodes bondari*](#) Peracchi, 1971
 - [*Paraleyrodes cervus*](#) Martin, 2004
 - [*Paraleyrodes citri*](#) Bondar, 1931
 - [*Paraleyrodes citricolus*](#) Costa Lima, 1928
 - [*Paraleyrodes crateraformans*](#) Bondar, 1922
 - [*Paraleyrodes goyabae*](#) Goeldi, 1886
 - [*Paraleyrodes minei*](#) Iaccarino, 1990
 - [*Paraleyrodes naranjae*](#) Dozier, 1927
 - [*Paraleyrodes perplexus*](#) Martin, 2004
 - [*Paraleyrodes perseae*](#) Quaintance, 1900
 - [*Paraleyrodes proximus*](#) Terán, 1979
 - [*Paraleyrodes pseudonaranjae*](#) Martin, 2001
 - [*Paraleyrodes pulverans*](#) Bondar, 1923
 - [*Paraleyrodes singularis*](#) Bondar, 1923
 - [*Paraleyrodes triungulae*](#) Martin, 2004
 - [*Paraleyrodes urichii*](#) Quaintance & Baker, 1913
- [*Pseudosynaleurodicus*](#) Gillespie, 2006
 - [*Pseudosynaleurodicus mayoi*](#) Gillespie, 2006
 - [*Pseudosynaleurodicus nigrimarginatus*](#) Gillespie, 2006
- [*Stenaleyrodes*](#) Takahashi, 1938
 - [*Stenaleyrodes papillote*](#) Martin & Streito, 2003
 - [*Stenaleyrodes vinsoni*](#) Takahashi, 1938
- [*Synaleurodicus*](#) Solomon, 1935
 - [*Synaleurodicus hakeae*](#) Solomon, 1935
 - [*Synaleurodicus serratus*](#) Martin, 1999

Udamoselinae Enderlein, 1909

- [*Udamoselis*](#) Enderlein, 1909
 - [*Udamoselis estrellamarinae*](#) Martin, 2007
 - [*Udamoselis pigmentaria*](#) Enderlein, 1909

References

1.
 - Jon A. Martin & Laurence A. Mound (2007). "[*An annotated check list of the world's whiteflies \(Insecta: Hemiptera: Aleyrodidae\)*](#)" (PDF). *Zootaxa*. **1492**: 1–84. [ISBN](#) .
 - Gill, R. & Holder, P. (2011). "A new species of *Bemisia* (Hemiptera, Aleyrodidae) from New Zealand." *Zootaxa* 2794: 63-68.
3. Martin, J.H. (2011). "Description of a new genus and species of whitefly from *Lafoensia pacari* in Brazil (Hemiptera, Aleyrodidae, Aleurodicinae)." *Zootaxa* 2790: 54-60.

External links

-  Media related to [Aleyrodidae](#) at Wikimedia Commons

Categories:

- [Whiteflies](#)
- [Lists of insect species](#)
-

This is a list of 308 species in [Valenzuela](#), a genus of lizard barklice in the family [Caeciliusidae](#).^{[1][2][3][4]}

Valenzuela species

- [Valenzuela abiectus](#) (Costa, 1885) ^c ^g
- [Valenzuela adrianae](#) (Mockford, 1991) ^c ^g
- [Valenzuela albiceps](#) (Pearman, J. V., 1934) ^c ^g
- [Valenzuela albimaculatus](#) (Badonnel, 1967) ^c ^g
- [Valenzuela albipes](#) (Thornton, 1984) ^c ^g
- [Valenzuela albofasciatus](#) (Mockford, 1991) ^c ^g
- [Valenzuela albomarginatus](#) (Enderlein, 1910) ^c ^g
- [Valenzuela albus](#) (Badonnel, 1987) ^c ^g
- [Valenzuela alcinus](#) (Banks, N., 1941) ^c ^g
- [Valenzuela alticola](#) (Vaughan, Thornton & New, 1991) ^c ^g
- [Valenzuela ambiguus](#) (Pearman, J. V., 1932) ^c ^g
- [Valenzuela amicus](#) (Kolbe, 1885) ^c ^g

- [Valenzuela andeanus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela andinus](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela angustiplumalus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela ankaratrensis](#) (Badonnel, 1967) ^{c g}
- [Valenzuela annulicornis](#) (Enderlein, 1903) ^{c g}
- [Valenzuela anomalus](#) (Badonnel, 1959) ^{c g}
- [Valenzuela apicatus](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela aridus](#) (Hagen, 1858) ^{c g}
- [Valenzuela astovenssis](#) (New, 1977) ^{c g}
- [Valenzuela atricornis](#) (McLachlan, 1869) ^{i c g}
- [Valenzuela badiostigma](#) (Okamoto, 1910) ^{c g}
- [Valenzuela baishanzuicus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela baliensis](#) (Thornton, 1984) ^{c g}
- [Valenzuela bambusae](#) (Soehardjan & Hamann, 1959) ^{c g}
- [Valenzuela bataviensis](#) (Enderlein, 1926) ^{c g}
- [Valenzuela bengalensis](#) (Badonnel, 1981) ^{c g}
- [Valenzuela bermudensis](#) (Mockford, 1989) ^{c g}
- [Valenzuela bicolorinervus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela bicoloripes](#) (Badonnel, 1969) ^{c g}
- [Valenzuela bicolorus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela bifoliolatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela biminiensis](#) (Mockford, 1969) ^{c g}
- [Valenzuela boggianii](#) (Ribaga, 1908) ^{c g}
- [Valenzuela bombensis](#) (Baz, 1990) ^{c g}
- [Valenzuela boreus](#) (Mockford, 1965) ^{i c g b}
- [Valenzuela borneensis](#) (Karny, H. H., 1925) ^{c g}
- [Valenzuela brunneimaculatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela brunneoflavus](#) (Badonnel, 1935) ^{c g}
- [Valenzuela brunneonitens](#) (Pearman, J. V., 1932) ^{c g}
- [Valenzuela burmeisteri](#) (Brauer, 1876) ^{i c g}
- [Valenzuela cabrerai](#) (Navas, 1920) ^{c g}
- [Valenzuela caligonoides](#) (Mockford, 1969) ^{c g}
- [Valenzuela caligonus](#) (Banks, N., 1941) ^{c g}
- [Valenzuela caloclypeus](#) (Mockford and Gurney, 1956) ^{i c g}
- [Valenzuela canei](#) (Williner, 1944) ^{c g}
- [Valenzuela capelli](#) (Navás, 1914) ^{c g}

- [Valenzuela caribensis](#) (Mockford, 1969) ^{c g}
- [Valenzuela carneangularis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela carrilloi](#) (New & Thornton, 1981) ^{c g}
- [Valenzuela castellus](#) (Banks, N., 1916) ^{c g}
- [Valenzuela chilozoneus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela chrysopterus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela cinalus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela cincticornis](#) (Banks, N., 1920) ^{c g}
- [Valenzuela citrinus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela claripennis](#) (Mockford, 1991) ^{c g}
- [Valenzuela claristigma](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela clarivenus](#) (Vaughan, Thornton & New, 1991) ^{c g}
- [Valenzuela clayae](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela coei](#) (New, 1973) ^{c g}
- [Valenzuela collarti](#) (Badonnel, 1946) ^{c g}
- [Valenzuela columbianus](#) (Badonnel, 1986) ^{c g}
- [Valenzuela complexus](#) (Turner, B. D., 1975) ^{c g}
- [Valenzuela confluens](#) (Walsh, 1863) ^{i c g b}
- [Valenzuela conspicuus](#) (Banks, N., 1937) ^{c g}
- [Valenzuela cornutus](#) (Navás, 1915) ^{c g}
- [Valenzuela corsicus](#) (Kolbe, 1882) ^{c g}
- [Valenzuela croesus](#) (Chapman, 1930) ^{i c g b}
- [Valenzuela cuboideus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela cuspidatus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela cyrtospilus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela dayongicus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela debilis](#) (Pictet-Baraban & Hagen, 1856) ^{c g}
- [Valenzuela deceptor](#) (Banks, N., 1920) ^{c g}
- [Valenzuela delamarei](#) (Badonnel, 1949) ^{c g}
- [Valenzuela delicatulus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela descolei](#) (Williner, 1944) ^{c g}
- [Valenzuela despaxi](#) (Badonnel, 1936) ^{c g}
- [Valenzuela dicornis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela difficilis](#) (Mockford, 1969) ^{c g}
- [Valenzuela dinghuensis](#) (New, 1991) ^{c g}
- [Valenzuela diploideus](#) (Li, Fasheng, 1999) ^{c g}

- [Valenzuela distinctus](#) (Mockford, 1966) ^{i c g}
- [Valenzuela dives](#) (Navas, 1927) ^{c g}
- [Valenzuela dolichostigmus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela dubius](#) (Badonnel, 1946) ^{c g}
- [Valenzuela eastopi](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela elegans](#) (Mockford, 1969) ^{c g}
- [Valenzuela elegantoides](#) (Mockford, 1969) ^{c g}
- [Valenzuela equivocatus](#) (Mockford, 1969) ^{c g}
- [Valenzuela erythrostigma](#) (Li, Fasheng, 1993) ^c
- [Valenzuela erythrostigmus](#) Li, Fasheng, 2002 ^{c g}
- [Valenzuela erythrozonalis](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela estriatus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela excavatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela farrelli](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela fasciatus](#) (Enderlein, 1906) ^{c g}
- [Valenzuela fasciipennis](#) (Mockford, 1969) ^{c g}
- [Valenzuela flavibrunneus](#) (Mockford, 1969) ^{c g}
- [Valenzuela flavidorsalis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela flavidus](#) (Stephens, 1836) ^{i c g b}
- [Valenzuela flavipennis](#) (Costa, 1885) ^{c g}
- [Valenzuela flavistigma](#) (Tillyard, 1923) ^{c g}
- [Valenzuela flavus](#) (Smithers, Courtenay, 1969) ^{c g}
- [Valenzuela florinaevus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela foramilulosus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela fortis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela fortunatus](#) (Enderlein, 1929) ^{c g}
- [Valenzuela fraternus](#) (Banks, N., 1937) ^{c g}
- [Valenzuela fuligineneurus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela furculatus](#) (Navás, 1934) ^{c g}
- [Valenzuela fuscipennis](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela fuscolineus](#) (Turner, B. D. & Cheke, 1983) ^{c g}
- [Valenzuela fusicangularis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela gelaberti](#) (Navás, 1914) ^{c g}
- [Valenzuela gemmatus](#) (Mockford, 1991) ^{c g}
- [Valenzuela ghesquierei](#) (Badonnel, 1946) ^{c g}
- [Valenzuela gonostigma](#) (Enderlein, 1906) ^{i c g b}

- [Valenzuela gracilentus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela gracilis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela graminis](#) (Mockford, 1966) ^{i c g}
- [Valenzuela grandivalvus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela granulosus](#) (Badonnel, 1967) ^{c g}
- [Valenzuela gutianshanicus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela gynapterus](#) (Tetens, 1891) ^{c g}
- [Valenzuela hainanensis](#) (New, 1991) ^{c g}
- [Valenzuela hemipsocoides](#) (Badonnel, 1935) ^{c g}
- [Valenzuela heptimacularus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela himalayanus](#) (Enderlein, 1903) ^{c g}
- [Valenzuela hivesi](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela huangqi](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela hubeiensis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela hyperboreus](#) (Mockford, 1965) ^{i c g b}
- [Valenzuela ilamensis](#) (New, 1983) ^{c g}
- [Valenzuela imbecillus](#) (McLachlan, 1866) ^{c g}
- [Valenzuela imitator](#) (Badonnel, 1969) ^{c g}
- [Valenzuela impressus](#) (Hagen, 1859) ^{c g}
- [Valenzuela incoloratus](#) (Mockford, 1969) ^{i c g}
- [Valenzuela incurviusculus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela indicator](#) (Mockford, 1969) ^{i c g b}
- [Valenzuela indicus](#) (Navás, 1934) ^{c g}
- [Valenzuela inornatus](#) (Mockford, 1996) ^{c g}
- [Valenzuela inquinatus](#) (Enderlein, 1902) ^{c g}
- [Valenzuela insidiosus](#) (Badonnel, 1967) ^{c g}
- [Valenzuela isochasialis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela itremoensis](#) (Badonnel, 1976) ^{c g}
- [Valenzuela jamaicensis](#) (Banks, N., 1938) ^{c g}
- [Valenzuela javanus](#) (Enderlein, 1907) ^{c g}
- [Valenzuela juniperorum](#) (Mockford, 1969) ^{i c g}
- [Valenzuela kamakurensis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela kamatembanus](#) (Badonnel, 1959) ^{c g}
- [Valenzuela kansuensis](#) (Enderlein, 1934) ^{c g}
- [Valenzuela klebsi](#) (Enderlein, 1911) ^{c g}
- [Valenzuela kraussi](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}

- [Valenzuela kunashirensis](#) Mockford, 2003 ^{c g}
- [Valenzuela labinae](#) Lienhard, 2006 ^{c g}
- [Valenzuela labratus](#) (Navás, 1934) ^{c g}
- [Valenzuela labrostylus](#) Lienhard, 2002 ^{c g}
- [Valenzuela lachloosae](#) ^b
- [Valenzuela lemniscellus](#) (Enderlein, 1907) ^{c g}
- [Valenzuela leuroceps](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela lochloosae](#) (Mockford, 1965) ^{i c g}
- [Valenzuela longistylus](#) (Badonnel, 1935) ^{c g}
- [Valenzuela longulus](#) (Navás, 1932) ^{c g}
- [Valenzuela luachimensis](#) (Badonnel, 1955) ^{c g}
- [Valenzuela luridus](#) (Enderlein, 1903) ^{c g}
- [Valenzuela luteovenosus](#) (Okamoto, 1910) ^{c g}
- [Valenzuela machadoi](#) (Badonnel, 1955) ^{c g}
- [Valenzuela macromelaus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela maculistigma](#) (Enderlein, 1903) ^{c g}
- [Valenzuela magniocularis](#) (Li, Fasheng, 1991) ^{c g}
- [Valenzuela manteri](#) (Sommerman, 1943) ^{i c g b}
- [Valenzuela manteri](#) (Sommerman, 1943) ^{i c g b}
- [Valenzuela marginalis](#) (Badonnel, 1955) ^{c g}
- [Valenzuela marginatus](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela marginilacutus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela maritimus](#) (Mockford, 1965) ^{i c g}
- [Valenzuela mclareni](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela medialunatus](#) (Vaughan, Thornton & New, 1991) ^{c g}
- [Valenzuela medimacularis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela megalocystis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela megalodichotomus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela melanocnemis](#) (Enderlein, 1907) ^{c g}
- [Valenzuela metasequoiae](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela mexcalensis](#) (Mockford, 1965) ^{c g}
- [Valenzuela mexicanus](#) (Enderlein, 1909) ^{c g}
- [Valenzuela micanopi](#) (Mockford, 1965) ^{i c g b}
- [Valenzuela micans](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela microcystus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela milloti](#) (Badonnel, 1967) ^{c g}

- [Valenzuela minutoculus](#) (Li, Fasheng, 1991) ^{c g}
- [Valenzuela miocensis](#) (Baz, 1990) ^{c g}
- [Valenzuela mjoebergi](#) (Karny, H. H., 1925) ^{c g}
- [Valenzuela mockfordi](#) (Turner, B. D., 1975) ^{c g}
- [Valenzuela mueggenbergi](#) (Enderlein, 1903) ^g
- [Valenzuela mueggenburgi](#) (Enderlein, 1903) ^{c g}
- [Valenzuela multimaculatus](#) (Li, Fasheng, 1991) ^{c g}
- [Valenzuela myrmicaformis](#) (Turner, B. D., 1975) ^{c g}
- [Valenzuela nadleri](#) (Mockford, 1966) ^{i c g b}
- [Valenzuela nebuloides](#) Mockford, 2000 ^{c g}
- [Valenzuela nebulomaculatus](#) Mockford, 2000 ^{c g}
- [Valenzuela nebulosoides](#) Mockford, 2000 ^{c g}
- [Valenzuela nebulosus](#) (Navás, 1909) ^{c g}
- [Valenzuela nigricornis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela nigritibia](#) (Yoshizawa, 1997) ^{c g}
- [Valenzuela nigroticta](#) (Williner, 1945) ^{c g}
- [Valenzuela obliquus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela obscuripennis](#) (Mockford, 1991) ^{c g}
- [Valenzuela obscurus](#) (Pearman, J. V., 1932) ^{c g}
- [Valenzuela ochroleucus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela oculatus](#) (Kolbe, 1884) ^{c g}
- [Valenzuela okamotoi](#) (Banks, N., 1937) ^{c g}
- [Valenzuela olitorius](#) (Banks, N., 1941) ^{c g}
- [Valenzuela oyamai](#) (Enderlein, 1906) ^{c g}
- [Valenzuela pakistanensis](#) (Badonnel, 1981) ^{c g}
- [Valenzuela pallidobrunneus](#) (Mockford, 1969) ^{c g}
- [Valenzuela paradistinctus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela paraguayensis](#) (Enderlein, 1910) ^{c g}
- [Valenzuela paramonus](#) (Badonnel, 1986) ^{c g}
- [Valenzuela parbatensis](#) (New, 1983) ^{c g}
- [Valenzuela patellaris](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela pauliani](#) (Badonnel, 1967) ^{c g}
- [Valenzuela pectinatus](#) (Badonnel, 1955) ^{c g}
- [Valenzuela pelmus](#) (New & Thornton, 1976) ^{c g}
- [Valenzuela perplexus](#) (Chapman, 1930) ^{i c g b}
- [Valenzuela peyrrierasi](#) (Badonnel, 1976) ^{c g}

- [Valenzuela phaeocephalus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela phaeopterellus](#) Mockford, 2003 ^{c g}
- [Valenzuela phaeopterus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela phaeozanalis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela piceus](#) (Kolbe, 1882) ^{c g}
- [Valenzuela pinicola](#) (Banks, 1903) ^{i c g b}
- [Valenzuela plagioerythrinus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela platytaenius](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela podacromelas](#) (Enderlein, 1908) ^{c g}
- [Valenzuela podacrophaeus](#) (Enderlein, 1909) ^{c g}
- [Valenzuela posticoides](#) (Mockford, 1991) ^{c g}
- [Valenzuela posticus](#) (Banks, 1914) ^{i c g b}
- [Valenzuela proavus](#) (Pictet-Baraban & Hagen, 1856) ^{c g}
- [Valenzuela prometheus](#) (Enderlein, 1911) ^{c g}
- [Valenzuela protritrus](#) (Enderlein, 1931) ^{c g}
- [Valenzuela pseudanalis](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela pteridii](#) (Smithers, Courtenay, 1977) ^{c g}
- [Valenzuela pubes](#) (Enderlein, 1903) ^{c g}
- [Valenzuela pugioniformis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela pulchellus](#) (Mockford, 1974) ^{c g}
- [Valenzuela purpureus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela pycnacanthus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela quadrimaculatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela quaternatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela quinarius](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela rodriguezi](#) (Williner, 1944) ^{c g}
- [Valenzuela roseus](#) (New, 1971) ^{c g}
- [Valenzuela rosor](#) (Navás, 1930) ^{c g}
- [Valenzuela rubinii](#) (Vaughan, Thornton & New, 1991) ^{c g}
- [Valenzuela rubiventer](#) (Thornton, 1984) ^{c g}
- [Valenzuela sanchezlabradori](#) (Williner, 1949) ^{c g}
- [Valenzuela scenepipedus](#) (Enderlein, 1911) ^{c g}
- [Valenzuela scriptus](#) (Enderlein, 1906) ^{c g}
- [Valenzuela serpentinus](#) (Enderlein, 1926) ^{c g}
- [Valenzuela shixingensis](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela signatipennis](#) (Enderlein, 1907) ^{c g}

- [Valenzuela similipennis](#) (Badonnel, 1967) ^{c g}
- [Valenzuela similis](#) (Badonnel, 1949) ^{c g}
- [Valenzuela simplex](#) (Navás, 1930) ^{c g}
- [Valenzuela singularis](#) (Smithers, Courtenay, 1995) ^{c g}
- [Valenzuela sinuofasciatus](#) (Badonnel, 1935) ^{c g}
- [Valenzuela soleili](#) (Badonnel, 1946) ^{c g}
- [Valenzuela spiloerythrinus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela spissicornis](#) (Badonnel, 1943) ^{c g}
- [Valenzuela stenopterus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela stigmatus](#) (Okamoto, 1910) ^{c g}
- [Valenzuela striolatus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela stuckenbergi](#) (Badonnel, 1967) ^{c g}
- [Valenzuela subelegans](#) (Mockford, 1969) ^{c g}
- [Valenzuela subflavus](#) (Aaron, 1886) ^{i c g b}
- [Valenzuela sublineatus](#) Mockford, 2000 ^{c g}
- [Valenzuela subnebulosus](#) Mockford, 2000 ^{c g}
- [Valenzuela subundulatus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela sucinicaptus](#) (Enderlein, 1911) ^{c g}
- [Valenzuela suffusus](#) (Navás, 1931) ^{c g}
- [Valenzuela sulciformis](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela tamiami](#) (Mockford, 1965) ^{i c g}
- [Valenzuela thiemei](#) (Enderlein, 1903) ^{c g}
- [Valenzuela totonacus](#) (Mockford, 1966) ^{i c g}
- [Valenzuela traceus](#) (Thornton, 1984) ^{c g}
- [Valenzuela trifolius](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela trigonostigma](#) (Enderlein, 1907) ^{c g}
- [Valenzuela trigonus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela trimaculatus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela trukensis](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela tuberculatus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela umbratus](#) (Navas, 1922) ^{c g}
- [Valenzuela umbripennis](#) (Navás, 1932) ^{c g}
- [Valenzuela vau](#) (Enderlein, 1931) ^{c g}
- [Valenzuela velectus](#) (Thornton, 1984) ^{c g}
- [Valenzuela veracruzensis](#) (Mockford, 1969) ^{c g}
- [Valenzuela villiersi](#) (Badonnel, 1943) ^{c g}

- [*Valenzuela virgatus*](#) (Broadhead & Alison Richards, 1982) ^{c g}
- [*Valenzuela vitellinus*](#) (Li, Fasheng, 1993) ^{c g}
- [*Valenzuela vittidorsum*](#) (Enderlein, 1907) ^{c g}
- [*Valenzuela wolffhuegelianus*](#) (Enderlein, 1906) ^{c g}
- [*Valenzuela wui*](#) (Li, Fasheng, 1995) ^{c g}
- [*Valenzuela wuxiaensis*](#) (Li, Fasheng, 1997) ^{c g}
- [*Valenzuela wuyishanicus*](#) (Li, Fasheng, 1999) ^{c g}
- [*Valenzuela zhejiangicus*](#) (Li, Fasheng, 1995) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Of the *Valenzuela* species currently listed, only those authored by Longinos Navás were subject to critical revision by Meinander (1979) and subsequently treated as synonyms or misidentifications in the world catalogue of Lienhard & Smithers (2002). The majority of *Valenzuela* species, described by later authors using modern diagnostic characters, remain valid.

This is a list of 636 species in the genus [*Trypoxylon*](#).^{[1][2][3][4]}

***Trypoxylon* species**

- [*Trypoxylon abditum*](#) Arnold, 1924
- [*Trypoxylon accumulator*](#) F. Smith, 1875
- [*Trypoxylon acutangulum*](#) Arnold, 1951
- [*Trypoxylon aegyptium*](#) Kohl, 1906
- [*Trypoxylon aeneipenne*](#) Arnold, 1944
- [*Trypoxylon aestivale*](#) Richards, 1934
- [*Trypoxylon agamemnon*](#) Richards, 1934
- [*Trypoxylon albipes*](#) F. Smith, 1856
- [*Trypoxylon albispinosum*](#) Tsuneki, 1979
- [*Trypoxylon albitarsatum*](#) Tsuneki, 1977
- [*Trypoxylon albitarse*](#) Fabricius, 1804
- [*Trypoxylon albonigrum*](#) Richards, 1934
- [*Trypoxylon algoense*](#) Arnold, 1924
- [*Trypoxylon algoensis*](#) Arnold, 1924
- [*Trypoxylon alleni*](#) Richards, 1934
- [*Trypoxylon amankutanum*](#) Antropov, 1986
- [*Trypoxylon amatorium*](#) Tsuneki, 1980
- [*Trypoxylon ambiguum*](#) Tsuneki, 1956
- [*Trypoxylon anamalaiense*](#) Tsuneki, 1979
- [*Trypoxylon anapaike*](#) Amarante, 1991

- [*Trypoxylon angoramum* Tsuneki, 1981](#)
- [*Trypoxylon angustum* Tsuneki, 1979](#)
- [*Trypoxylon annulatum* Brèthes, 1913](#)
- [*Trypoxylon antennatum* Tsuneki, 1979](#)
- [*Trypoxylon antropovi* Coville, 1985](#)
- [*Trypoxylon aphelothoracicus* Fu & Li, 2024\[5\]](#)
- [*Trypoxylon apicatum* Tsuneki, 1979](#)
- [*Trypoxylon apicipenne* Cameron, 1889](#)
- [*Trypoxylon apicum* Tsuneki, 1980](#)
- [*Trypoxylon appendiculatum* Tsuneki, 1974](#)
- [*Trypoxylon arabicum* Gussakovskij, 1936](#)
- [*Trypoxylon armatum* Taschenberg, 1875](#)
- [*Trypoxylon arnoldi* Menke in Bohart and Menke, 1976](#)
- [*Trypoxylon arroyense* Richards, 1934](#)
- [*Trypoxylon arudum* Leclercq, 1965](#)
- [*Trypoxylon ashmeadi* Baltazar, 1966](#)
- [*Trypoxylon asinum* Leclercq, 1965](#)
- [*Trypoxylon asuncicola* Strand, 1910](#)
- [*Trypoxylon atkinsoni* Richards, 1934](#)
- [*Trypoxylon atricorne* Tsuneki, 1979](#)
- [*Trypoxylon atrum* Tsuneki, 1979](#)
- [*Trypoxylon attenuatum* F. Smith, 1851](#)
- [*Trypoxylon aureovestitum* Taschenberg, 1875](#)
- [*Trypoxylon aurifrons* Shuckard, 1837](#)
- [*Trypoxylon auropilosum* Tsuneki, 1976](#)
- [*Trypoxylon bakeri* Tsuneki, 1978](#)
- [*Trypoxylon balabacense* Tsuneki, 1976](#)
- [*Trypoxylon balteatum* Cameron, 1889](#)
- [*Trypoxylon banahao* Tsuneki, 1980](#)
- [*Trypoxylon banoense* Tsuneki, 1980](#)
- [*Trypoxylon banvaneum* Tsuneki, 1979](#)
- [*Trypoxylon barberi* Richards, 1934](#)
- [*Trypoxylon barticense* Richards, 1934](#)
- [*Trypoxylon basilanense* Tsuneki, 1980](#)
- [*Trypoxylon basilanum* Tsuneki, 1980](#)
- [*Trypoxylon beaumonti* Antropov, 1991](#)
- [*Trypoxylon bellardi* Richards, 1934](#)
- [*Trypoxylon bellum* Tsuneki, 1979](#)
- [*Trypoxylon bensoni* Richards, 1934](#)
- [*Trypoxylon benten* Tsuneki, 1979](#)
- [*Trypoxylon betremi* Tsuneki, 1979](#)
- [*Trypoxylon bettotan* Tsuneki, 1980](#)

- [*Trypoxylon biarti* Richards, 1934](#)
- [*Trypoxylon bibou* Tsuneki, 1981](#)
- [*Trypoxylon bicolor* F. Smith, 1856](#)
- [*Trypoxylon bidentatum* W. Fox, 1891](#)
- [*Trypoxylon bidenticulatum* Tsuneki, 1979](#)
- [*Trypoxylon bifoveatum* Tsuneki, 1979](#)
- [*Trypoxylon bilobatum* Tsuneki, 1961](#)
- [*Trypoxylon biputeolum* Tsuneki, 1979](#)
- [*Trypoxylon bishopi* Tsuneki, 1979](#)
- [*Trypoxylon bismarckianum* Tsuneki, 1977](#)
- [*Trypoxylon bituberculatum* Tsuneki, 1977](#)
- [*Trypoxylon bogotense* Richards, 1934](#)
- [*Trypoxylon borneanum* Tsuneki, 1980](#)
- [*Trypoxylon bourgeoisii* Strand, 1911](#)
- [*Trypoxylon brasilianum* de Saussure, 1867](#)
- [*Trypoxylon braunsi* Arnold, 1924](#)
- [*Trypoxylon brethesii* Gemignani, 1941](#)
- [*Trypoxylon breviclypeatum* Tsuneki, 1979](#)
- [*Trypoxylon brevipenne* de Saussure, 1867](#)
- [*Trypoxylon breviventre* Arnold, 1959](#)
- [*Trypoxylon bridwelli* Sandhouse, 1940](#)
- [*Trypoxylon brunneimaculatum* T. Li and Q. Li, 2007](#)
- [*Trypoxylon bryanti* Richards, 1934](#)
- [*Trypoxylon buchwaldi* Richards, 1934](#)
- [*Trypoxylon buddha* Cameron, 1889](#)
- [*Trypoxylon buehleri* Tsuneki, 1979](#)
- [*Trypoxylon bukidnon* Tsuneki, 1980](#)
- [*Trypoxylon bum* Tsuneki, 1981](#)
- [*Trypoxylon burmaense* Tsuneki, 1981](#)
- [*Trypoxylon busckii* Richards, 1934](#)
- [*Trypoxylon cagrum* Tsuneki, 1979](#)
- [*Trypoxylon caldesianum* Richards, 1934](#)
- [*Trypoxylon californicum* de Saussure, 1867](#)
- [*Trypoxylon cameroni* Tsuneki, 1980](#)
- [*Trypoxylon cameronii* Dalla Torre, 1897](#)
- [*Trypoxylon canlaon* Tsuneki, 1980](#)
- [*Trypoxylon capense* Cameron, 1905](#)
- [*Trypoxylon capillatum* Tsuneki, 1979](#)
- [*Trypoxylon capitale* Richards, 1934](#)
- [*Trypoxylon carcinum* Leclercq, 1965](#)
- [*Trypoxylon carinatum* Say, 1837](#)
- [*Trypoxylon cariniceps* Richards, 1934](#)

- [*Trypoxylon carinifrons* Cameron, 1889](#)
- [*Trypoxylon cariosum* Arnold, 1959](#)
- [*Trypoxylon carpenteri* Richards, 1933](#)
- [*Trypoxylon castoris* Leclercq, 1965](#)
- [*Trypoxylon cataractae* Arnold, 1924](#)
- [*Trypoxylon catinum* Leclercq, 1965](#)
- [*Trypoxylon cavallum* Leclercq, 1965](#)
- [*Trypoxylon cavum* Tsuneki, 1980](#)
- [*Trypoxylon centrale* W. Fox, 1895](#)
- [*Trypoxylon cheesmanae* Tsuneki, 1979](#)
- [*Trypoxylon chichenitzae* Coville, 1982](#)
- [*Trypoxylon chichidzimaense* Tsuneki, 1973](#)
- [*Trypoxylon chichimecum* de Saussure, 1867](#)
- [*Trypoxylon chibum* Tsuneki, 1981](#)
- [*Trypoxylon chingi* Tsuneki, 1971](#)
- [*Trypoxylon chirindense* Arnold, 1936](#)
- [*Trypoxylon choiseulense* Tsuneki, 1981](#)
- [*Trypoxylon chosenense* Tsuneki, 1956](#)
- [*Trypoxylon cidicum* Tsuneki, 1980](#)
- [*Trypoxylon cimmolum* Tsuneki, 1980](#)
- [*Trypoxylon cinctellum* Richards, 1934](#)
- [*Trypoxylon cindjun* Tsuneki, 1980](#)
- [*Trypoxylon clarkei* Krombein, 1962](#)
- [*Trypoxylon clavatum* Say, 1837](#)
- [*Trypoxylon clavicerum* Lepeletier de Saint Fargeau and Audinet-Serville, 1828](#)
- [*Trypoxylon clypeatum* Tsuneki, 1979](#)
- [*Trypoxylon clypeisinuatum* T. Li and Q. Li, 2010](#)
- [*Trypoxylon cocorite* Richards, 1934](#)
- [*Trypoxylon cognatum* Cameron, 1897](#)
- [*Trypoxylon collinsi* Tsuneki, 1980](#)
- [*Trypoxylon collinum* F. Smith, 1856](#)
- [*Trypoxylon coloratum* F. Smith, 1858](#)
- [*Trypoxylon compluvium* Tsuneki, 1980](#)
- [*Trypoxylon concinnum* Tsuneki, 1979](#)
- [*Trypoxylon confrater* Kohl, 1894](#)
- [*Trypoxylon cornigerum* Cameron, 1889](#)
- [*Trypoxylon correntium* Brèthes, 1909](#)
- [*Trypoxylon crassifrons* Tsuneki, 1963](#)
- [*Trypoxylon crassipes* Tsuneki, 1981](#)
- [*Trypoxylon crassipunctatum* Arnold, 1946](#)
- [*Trypoxylon crassiventre* Tsuneki, 1979](#)
- [*Trypoxylon cricetum* Leclercq, 1965](#)

- [*Trypoxylon crudele* Richards, 1934](#)
- [*Trypoxylon cubense* Richards, 1934](#)
- [*Trypoxylon cucurbitinum* Tsuneki, 1978](#)
- [*Trypoxylon culionum* Tsuneki, 1980](#)
- [*Trypoxylon curvicorne* Tsuneki, 1979](#)
- [*Trypoxylon curvum* Tsuneki, 1980](#)
- [*Trypoxylon daicoccum* Tsuneki, 1979](#)
- [*Trypoxylon darium* Leclercq, 1965](#)
- [*Trypoxylon darjeeling* Tsuneki, 1980](#)
- [*Trypoxylon deceptorium* Antropov, 1991](#)
- [*Trypoxylon dendrophilum* Arnold, 1959](#)
- [*Trypoxylon dentatum* Tsuneki, 1981](#)
- [*Trypoxylon deuterium* Leclercq, 1965](#)
- [*Trypoxylon djampangense* Tsuneki, 1979](#)
- [*Trypoxylon djun* Tsuneki, 1980](#)
- [*Trypoxylon dubium* Coville, 1982](#)
- [*Trypoxylon duckei* Richards, 1934](#)
- [*Trypoxylon dyeri* Richards, 1934](#)
- [*Trypoxylon ebneri* Maidl, 1924](#)
- [*Trypoxylon eburneipes* Tsuneki, 1977](#)
- [*Trypoxylon ecuadorium* Richards, 1934](#)
- [*Trypoxylon egregium* Arnold, 1959](#)
- [*Trypoxylon elegantulum* F. Smith, 1860](#)
- [*Trypoxylon elgonense* Arnold, 1956](#)
- [*Trypoxylon elongatum* F. Smith, 1856](#)
- [*Trypoxylon emdeni* Richards, 1934](#)
- [*Trypoxylon emeritum* Leclercq, 1965](#)
- [*Trypoxylon errans* de Saussure, 1867](#)
- [*Trypoxylon erythrozonatum* Cameron, 1901](#)
- [*Trypoxylon eugeniae* Gussakovskij, 1936](#)
- [*Trypoxylon evansi* Coville, 1982](#)
- [*Trypoxylon excavatum* F. Smith, 1856](#)
- [*Trypoxylon excellens* Strand, 1910](#)
- [*Trypoxylon exiguum* Tsuneki, 1956](#)
- [*Trypoxylon eximium* F. Smith, 1859](#)
- [*Trypoxylon eveni* Leclercq, 1965](#)
- [*Trypoxylon fabricator* F. Smith, 1873](#)
- [*Trypoxylon fastigium* W. Fox, 1894](#)
- [*Trypoxylon fenchihuense* Tsuneki, 1967](#)
- [*Trypoxylon ferox* F. Smith, 1860](#)
- [*Trypoxylon ferrugatum* Tsuneki, 1979](#)
- [*Trypoxylon ferrugiabdominale* T. Li and Q. Li, 2007](#)

- [*Trypoxylon ferrugineipes*](#) Fu & Li, 2024[5]
- [*Trypoxylon ferrugineum*](#) Tsuneki, 1979
- [*Trypoxylon fiebrigi*](#) Richards, 1934
- [*Trypoxylon figulus*](#) (Linnaeus, 1758)
- [*Trypoxylon fitzgeraldi*](#) Richards, 1934
- [*Trypoxylon flagellatum*](#) Tsuneki, 1980
- [*Trypoxylon flavimanum*](#) Arnold, 1946
- [*Trypoxylon flavipes*](#) Tsuneki, 1979
- [*Trypoxylon flavofasciatum*](#) Tsuneki, 1980
- [*Trypoxylon fletcheri*](#) R. Turner, 1918
- [*Trypoxylon florale*](#) Richards, 1934
- [*Trypoxylon formosicola*](#) Strand, 1922
- [*Trypoxylon fortius*](#) Tsuneki, 1979
- [*Trypoxylon foveatum*](#) Cameron, 1904
- [*Trypoxylon fractum*](#) Richards, 1934
- [*Trypoxylon freidbergi*](#) Antropov, 1989
- [*Trypoxylon frigidum*](#) F. Smith, 1856
- [*Trypoxylon frioense*](#) Richards, 1934
- [*Trypoxylon frontale*](#) F. Smith, 1856
- [*Trypoxylon fronticorne*](#) Gussakovskij, 1936
- [*Trypoxylon fruticicola*](#) Tsuneki, 1981
- [*Trypoxylon fugax*](#) Fabricius, 1804
- [*Trypoxylon fulviventre*](#) Tsuneki, 1979
- [*Trypoxylon fulvocollare*](#) Cameron, 1904
- [*Trypoxylon fumi*](#) Tsuneki, 1979
- [*Trypoxylon funatui*](#) Tsuneki, 1963
- [*Trypoxylon fuscipenne*](#) Fabricius, 1804
- [*Trypoxylon gallopavo*](#) Antropov, 1994
- [*Trypoxylon gampahae*](#) Tsuneki, 1981
- [*Trypoxylon gentingense*](#) Tsuneki, 1981
- [*Trypoxylon giganteum*](#) Tsuneki, 1980
- [*Trypoxylon gounellei*](#) Richards, 1934
- [*Trypoxylon gracilescens*](#) F. Smith, 1860
- [*Trypoxylon gracilicorne*](#) Arnold, 1946
- [*Trypoxylon grenadense*](#) Richards, 1934
- [*Trypoxylon gressitti*](#) Tsuneki, 1979
- [*Trypoxylon guadalense*](#) Tsuneki, 1981
- [*Trypoxylon guassu*](#) Amarante, 2002
- [*Trypoxylon guichardi*](#) Antropov, 1994
- [*Trypoxylon gussachaos*](#) Menke in Bohart and Menke, 1976
- [*Trypoxylon gustatum*](#) Leclercq, 1965
- [*Trypoxylon halcon*](#) Tsuneki, 1980

- [*Trypoxylon himachalense* Tsuneki, 1979](#)
- [*Trypoxylon hollandiae* Tsuneki, 1981](#)
- [*Trypoxylon hollisi* Tsuneki, 1980](#)
- [*Trypoxylon hova* de Saussure, 1892](#)
- [*Trypoxylon hyperorientale* Strand, 1922](#)
- [*Trypoxylon imayoshii* Yasumatsu, 1938](#)
- [*Trypoxylon inconstans* Arnold, 1946](#)
- [*Trypoxylon indianum* Tsuneki, 1979](#)
- [*Trypoxylon infimum* Arnold, 1940](#)
- [*Trypoxylon infoveatum* T. Li and Q. Li, 2007](#)
- [*Trypoxylon inopinatum* Antropov, 1986](#)
- [*Trypoxylon insolitum* W. Fox, 1897](#)
- [*Trypoxylon insulare* Tsuneki, 1976](#)
- [*Trypoxylon insulsum* Arnold, 1959](#)
- [*Trypoxylon interruptum* Tsuneki, 1978](#)
- [*Trypoxylon iriomotense* Tsuneki, 1981](#)
- [*Trypoxylon jacobsoni* Tsuneki, 1979](#)
- [*Trypoxylon javanense* Tsuneki, 1979](#)
- [*Trypoxylon javanicum* Tsuneki, 1979](#)
- [*Trypoxylon joergenseni* Brèthes, 1910](#)
- [*Trypoxylon johnsoni* W. Fox, 1891](#)
- [*Trypoxylon judicum* Leclercq, 1965](#)
- [*Trypoxylon kabeyae* Leclercq, 1965](#)
- [*Trypoxylon kachin* Tsuneki, 1981](#)
- [*Trypoxylon kaitum* Tsuneki, 1981](#)
- [*Trypoxylon kalabakan* Tsuneki, 1980](#)
- [*Trypoxylon kalilicum* Tsuneki, 1981](#)
- [*Trypoxylon kalimantan* Menke in Bohart and Menke, 1976](#)
- [*Trypoxylon kambaitium* Tsuneki, 1981](#)
- [*Trypoxylon kandyianum* Tsuneki, 1979](#)
- [*Trypoxylon kansitakum* Tsuneki, 1971](#)
- [*Trypoxylon kapiricum* Leclercq, 1965](#)
- [*Trypoxylon karimui* Tsuneki, 1981](#)
- [*Trypoxylon kashmirensense* Tsuneki, 1979](#)
- [*Trypoxylon katangae* Leclercq, 1965](#)
- [*Trypoxylon katsuuense* Tsuneki, 1984](#)
- [*Trypoxylon kedah* Tsuneki, 1979](#)
- [*Trypoxylon kepongianum* Tsuneki, 1979](#)
- [*Trypoxylon khasiae* Cameron, 1904](#)
- [*Trypoxylon kinabalum* Tsuneki, 1980](#)
- [*Trypoxylon kitulgalaense* Tsuneki, 1981](#)
- [*Trypoxylon klapperichi* Balthasar, 1957](#)

- [*Trypoxylon kodamanum* Tsuneki, 1972](#)
- [*Trypoxylon kohli* Arnold, 1924](#)
- [*Trypoxylon koikense* Tsuneki, 1956](#)
- [*Trypoxylon kokodaense* Tsuneki, 1981](#)
- [*Trypoxylon kolambuganum* Tsuneki, 1980](#)
- [*Trypoxylon kolazyi* Kohl, 1893](#)
- [*Trypoxylon kolthoffi* Gussakovskij, 1938](#)
- [*Trypoxylon koma* Tsuneki, 1956](#)
- [*Trypoxylon konosuense* Tsuneki, 1968](#)
- [*Trypoxylon koreanum* Tsuneki, 1956](#)
- [*Trypoxylon koshunicon* Strand, 1922](#)
- [*Trypoxylon kostylevi* Antropov, 1985](#)
- [*Trypoxylon krombeini* Tsuneki, 1979](#)
- [*Trypoxylon kuchingense* Tsuneki, 1980](#)
- [*Trypoxylon kuncheriai* Tsuneki, 1980](#)
- [*Trypoxylon kunzui* Tsuneki, 1981](#)
- [*Trypoxylon kutuense* Tsuneki, 1979](#)
- [*Trypoxylon kyotoense* Tsuneki, 1966](#)
- [*Trypoxylon lactitarse* de Saussure, 1867](#)
- [*Trypoxylon lacustre* Arnold, 1956](#)
- [*Trypoxylon lae* Tsuneki, 1981](#)
- [*Trypoxylon laeve* W. Fox, 1897](#)
- [*Trypoxylon laeviceps* Tsuneki, 1976](#)
- [*Trypoxylon laevidorsum* Tsuneki, 1979](#)
- [*Trypoxylon laevifrons* F. Smith, 1873](#)
- [*Trypoxylon lagunaense* Tsuneki, 1980](#)
- [*Trypoxylon lamellatum* Tsuneki, 1979](#)
- [*Trypoxylon langkawiense* Tsuneki, 1979](#)
- [*Trypoxylon laosense* Tsuneki, 1979](#)
- [*Trypoxylon laosianum* Tsuneki, 1979](#)
- [*Trypoxylon latilobatum* Antropov, 1991](#)
- [*Trypoxylon latiscutatum* Arnold, 1946](#)
- [*Trypoxylon latro* Menke and \[Richards\]\(#\) in Matthews, 1983](#)
- [*Trypoxylon layouanum* Evans, 1972](#)
- [*Trypoxylon lenkoi* Amarante, 1991](#)
- [*Trypoxylon leptogaster* Kohl, 1894](#)
- [*Trypoxylon letiferum* Arnold, 1946](#)
- [*Trypoxylon leucarthurum* \[Richards\]\(#\), 1934](#)
- [*Trypoxylon licimum* Tsuneki, 1980](#)
- [*Trypoxylon lieftincki* Tsuneki, 1981](#)
- [*Trypoxylon lissonotum* \[Cameron\]\(#\), 1910](#)
- [*Trypoxylon lobatifrons* Tsuneki, 1979](#)

- [*Trypoxylon longicorne* Tsuneki, 1977](#)
- [*Trypoxylon longipes* Tsuneki, 1979](#)
- [*Trypoxylon longipilosum* Tsuneki, 1979](#)
- [*Trypoxylon longiscute* Tsuneki, 1978](#)
- [*Trypoxylon lucidipes* Tsuneki, 1980](#)
- [*Trypoxylon lucidum* Arnold, 1959](#)
- [*Trypoxylon lumpurens* Tsuneki, 1979](#)
- [*Trypoxylon lusingum* Leclercq, 1965](#)
- [*Trypoxylon luteitarse* de Saussure, 1867](#)
- [*Trypoxylon luteocollare* Tsuneki, 1980](#)
- [*Trypoxylon luteosignatum* Arnold, 1945](#)
- [*Trypoxylon luzonense* Tsuneki, 1980](#)
- [*Trypoxylon lynchi* Brèthes, 1913](#)
- [*Trypoxylon maai* Tsuneki, 1979](#)
- [*Trypoxylon mabwense* Leclercq, 1965](#)
- [*Trypoxylon maculipes* Tsuneki, 1979](#)
- [*Trypoxylon maculiventre* Tsuneki, 1979](#)
- [*Trypoxylon mafuluense* Tsuneki, 1981](#)
- [*Trypoxylon magrettii* Gribodo, 1884](#)
- [*Trypoxylon maidli* Richards, 1934](#)
- [*Trypoxylon makassarens* Tsuneki, 1980](#)
- [*Trypoxylon makiling* Tsuneki, 1980](#)
- [*Trypoxylon malaisei* Gussakovskij, 1932](#)
- [*Trypoxylon malaiseiellum* Tsuneki, 1981](#)
- [*Trypoxylon malitae* Tsuneki, 1981](#)
- [*Trypoxylon malayanum* Tsuneki, 1979](#)
- [*Trypoxylon mandibulatum* Richards, 1933](#)
- [*Trypoxylon manni* Richards, 1934](#)
- [*Trypoxylon marginatum* Cameron, 1912](#)
- [*Trypoxylon marginifrons* Cameron, 1912](#)
- [*Trypoxylon martium* Tsuneki, 1979](#)
- [*Trypoxylon massaicum* Cameron, 1908](#)
- [*Trypoxylon matheranicum* Tsuneki, 1979](#)
- [*Trypoxylon mayri* Richards, 1934](#)
- [*Trypoxylon mazaruni* Richards, 1934](#)
- [*Trypoxylon medipolitum* Tsuneki, 1979](#)
- [*Trypoxylon medium* de Beaumont, 1945](#)
- [*Trypoxylon megriense* Antropov, 1985](#)
- [*Trypoxylon melanocorne* Strand, 1922](#)
- [*Trypoxylon melanoleucum* Richards, 1934](#)
- [*Trypoxylon melanurum* Cameron, 1901](#)
- [*Trypoxylon membranaceum* Tsuneki, 1979](#)

- [*Trypoxylon menkeanum* Coville, 1982](#)
- [*Trypoxylon menkei* Tsuneki, 1979](#)
- [*Trypoxylon mexicanum* de Saussure, 1867](#)
- [*Trypoxylon mico* Tsuneki, 1979](#)
- [*Trypoxylon mindanaonis* Tsuneki, 1976](#)
- [*Trypoxylon miniovatum* Tsuneki, 1980](#)
- [*Trypoxylon minus* de Beaumont, 1945](#)
- [*Trypoxylon minutum* Tsuneki, 1979](#)
- [*Trypoxylon mishimaense* Tsuneki, 1986](#)
- [*Trypoxylon mojuba* Amarante, 1995](#)
- [*Trypoxylon moluccanum* Tsuneki, 1980](#)
- [*Trypoxylon monstificum* Kohl, 1905](#)
- [*Trypoxylon monteverdeae* Coville, 1982](#)
- [*Trypoxylon montivagum* Arnold, 1940](#)
- [*Trypoxylon moraballi* Richards, 1934](#)
- [*Trypoxylon morobense* Tsuneki, 1981](#)
- [*Trypoxylon mulusanum* Tsuneki, 1980](#)
- [*Trypoxylon mutatum* Kohl, 1885](#)
- [*Trypoxylon mutilatum* Richards, 1934](#)
- [*Trypoxylon myitkyinae* Tsuneki, 1981](#)
- [*Trypoxylon nambui* Tsuneki, 1966](#)
- [*Trypoxylon nasale* Tsuneki, 1980](#)
- [*Trypoxylon nathani* Tsuneki, 1979](#)
- [*Trypoxylon nattereri* Richards, 1934](#)
- [*Trypoxylon naviforme* Tsuneki, 1979](#)
- [*Trypoxylon nesianum* Tsuneki, 1979](#)
- [*Trypoxylon ngum* Tsuneki, 1979](#)
- [*Trypoxylon nigricorne* Tsuneki, 1979](#)
- [*Trypoxylon nigrifemur* Tsuneki, 1979](#)
- [*Trypoxylon nigripes* Tsuneki, 1979](#)
- [*Trypoxylon nigrispine* Cameron, 1905](#)
- [*Trypoxylon nilgiriense* Tsuneki, 1979](#)
- [*Trypoxylon nipponicum* Tsuneki, 1956](#)
- [*Trypoxylon nishidai* Tsuneki, 1979](#)
- [*Trypoxylon nitidissimum* Richards, 1934](#)
- [*Trypoxylon nitidum* F. Smith, 1856](#)
- [*Trypoxylon niveitarse* de Saussure, 1867](#)
- [*Trypoxylon nodosicorne* R. Turner, 1917](#)
- [*Trypoxylon nodosum* Arnold, 1944](#)
- [*Trypoxylon novaguineae* Tsuneki, 1981](#)
- [*Trypoxylon oaxacae* Coville, 1982](#)
- [*Trypoxylon obidense* Richards, 1934](#)

- [*Trypoxylon obiense* Tsuneki, 1980](#)
- [*Trypoxylon occidentale* Coville, 1982](#)
- [*Trypoxylon oculare* Menke, 1968](#)
- [*Trypoxylon okinawanum* Tsuneki, 1966](#)
- [*Trypoxylon olfersi* Richards, 1934](#)
- [*Trypoxylon olthofi* Tsuneki, 1981](#)
- [*Trypoxylon opacum* Brèthes, 1913](#)
- [*Trypoxylon operculum* Tsuneki, 1979](#)
- [*Trypoxylon optimum* Richards, 1934](#)
- [*Trypoxylon ordinarium* Richards, 1934](#)
- [*Trypoxylon orientale* Cameron, 1904](#)
- [*Trypoxylon orientinum* Richards, 1969](#)
- [*Trypoxylon oriomonis* Tsuneki, 1981](#)
- [*Trypoxylon orizabense* Richards, 1934](#)
- [*Trypoxylon ornatigaster* Tsuneki, 1979](#)
- [*Trypoxylon outang* Tsuneki, 1980](#)
- [*Trypoxylon owrichardsi* Tsuneki, 1981](#)
- [*Trypoxylon pachygaster* Richards, 1934](#)
- [*Trypoxylon pacificum* Gussakovskij, 1932](#)
- [*Trypoxylon paeninsulicola* Tsuneki, 1979](#)
- [*Trypoxylon pagdeni* Tsuneki, 1979](#)
- [*Trypoxylon paglianoi* Antropov, 1991](#)
- [*Trypoxylon pahangense* Tsuneki, 1979](#)
- [*Trypoxylon palawanum* Tsuneki, 1976](#)
- [*Trypoxylon pan* Arnold, 1956](#)
- [*Trypoxylon panitianum* Tsuneki, 1980](#)
- [*Trypoxylon papa* Antropov, 1994](#)
- [*Trypoxylon papuanum* Tsuneki, 1977](#)
- [*Trypoxylon parvulum* Tsuneki, 1979](#)
- [*Trypoxylon parvum* Schrottky, 1902](#)
- [*Trypoxylon patrule* Arnold, 1924](#)
- [*Trypoxylon paulisum* Leclercq, 1965](#)
- [*Trypoxylon paulum* Tsuneki, 1980](#)
- [*Trypoxylon pectorale* Richards, 1934](#)
- [*Trypoxylon peltopse* Kohl, 1906](#)
- [*Trypoxylon pendleburyi* Tsuneki, 1979](#)
- [*Trypoxylon pennsylvanicum* de Saussure, 1867](#)
- [*Trypoxylon pentheri* Richards, 1934](#)
- [*Trypoxylon personatum* Amarante, 1991](#)
- [*Trypoxylon petiolatum* F. Smith, 1858](#)
- [*Trypoxylon petioloides* Strand, 1922](#)
- [*Trypoxylon pileatum* F. Smith, 1856](#)

- [*Trypoxylon pilosum* Tsuneki, 1979](#)
- [*Trypoxylon pinguiceps* Tsuneki, 1977](#)
- [*Trypoxylon placidum* F. Smith, 1863](#)
- [*Trypoxylon planifrons* Tsuneki, 1977](#)
- [*Trypoxylon platense* Brèthes, 1913](#)
- [*Trypoxylon politum* Say, 1837 \(pipe organ mud dauber\)](#)
- [*Trypoxylon popondettae* Tsuneki, 1981](#)
- [*Trypoxylon posterorubrum* Richards, 1934](#)
- [*Trypoxylon poultoni* Richards, 1934](#)
- [*Trypoxylon prominens* Tsuneki, 1979](#)
- [*Trypoxylon propinquum* Tsuneki, 1980](#)
- [*Trypoxylon providum* F. Smith, 1860](#)
- [*Trypoxylon pseudoclavicerum* Antropov, 1994](#)
- [*Trypoxylon pulchellum* Tsuneki, 1979](#)
- [*Trypoxylon pullatum* Tsuneki, 1979](#)
- [*Trypoxylon pumilio* Arnold, 1959](#)
- [*Trypoxylon punctatissimum* Arnold, 1924](#)
- [*Trypoxylon punctivertex* Richards, 1934](#)
- [*Trypoxylon punctulatum* Taschenberg, 1875](#)
- [*Trypoxylon punjabense* Tsuneki, 1979](#)
- [*Trypoxylon pusillum* Tsuneki, 1979](#)
- [*Trypoxylon puttalamum* Strand, 1922](#)
- [*Trypoxylon pygmaeum* Cameron, 1900](#)
- [*Trypoxylon quadriceps* Tsuneki, 1971](#)
- [*Trypoxylon rajang* Tsuneki, 1980](#)
- [*Trypoxylon regium* Gussakovskij, 1932](#)
- [*Trypoxylon regulare* Viereck, 1906](#)
- [*Trypoxylon rekabum* Tsuneki, 1980](#)
- [*Trypoxylon richardsi* Sandhouse, 1940](#)
- [*Trypoxylon ridleii* Tsuneki, 1979](#)
- [*Trypoxylon rogenhoferi* Kohl, 1884](#)
- [*Trypoxylon rohweri* Richards, 1934](#)
- [*Trypoxylon rohweriellum* Tsuneki, 1980](#)
- [*Trypoxylon rubiginosum* Gussakovskij, 1936](#)
- [*Trypoxylon rubrifemoratum* Richards, 1934](#)
- [*Trypoxylon rubrocaudatum* Tsuneki, 1979](#)
- [*Trypoxylon rufidens* Cameron, 1905](#)
- [*Trypoxylon rufigaster* Tsuneki, 1979](#)
- [*Trypoxylon rufimaculatum* Antropov, 1987](#)
- [*Trypoxylon rufimanum* Spinola, 1851](#)
- [*Trypoxylon rufiventre* Tsuneki, 1976](#)
- [*Trypoxylon rugiceps* Dalla Torre, 1897](#)

- [*Trypoxylon rugifrons* F. Smith, 1873](#)
- [*Trypoxylon rutilans* Tsuneki, 1980](#)
- [*Trypoxylon ryukyuense* Tsuneki, 1966](#)
- [*Trypoxylon sacinasium* Tsuneki, 1981](#)
- [*Trypoxylon salti* Richards, 1934](#)
- [*Trypoxylon salween* Tsuneki, 1981](#)
- [*Trypoxylon samarense* Tsuneki, 1980](#)
- [*Trypoxylon sanctum* Richards, 1934](#)
- [*Trypoxylon sandakanum* Tsuneki, 1980](#)
- [*Trypoxylon sapporoense* Tsuneki, 1960](#)
- [*Trypoxylon sarum* Tsuneki, 1980](#)
- [*Trypoxylon saundersi* Richards, 1934](#)
- [*Trypoxylon saussurei* Rohwer, 1912](#)
- [*Trypoxylon sauteri* Tsuneki, 1981](#)
- [\[\[*Trypoxylon Sayabouryense*\]\] Tsuneki, 1979](#)
- [*Trypoxylon scaposum* Tsuneki, 1980](#)
- [*Trypoxylon schmidtii* Richards, 1936](#)
- [*Trypoxylon schmiedeknechtii* Kohl, 1906](#)
- [*Trypoxylon schnusei* Richards, 1934](#)
- [*Trypoxylon scitulum* Tsuneki, 1980](#)
- [*Trypoxylon scrobiferum* Richards, 1934](#)
- [*Trypoxylon sculleni* Sandhouse, 1940](#)
- [*Trypoxylon scutatum* Chevrier, 1867](#)
- [*Trypoxylon scutiferum* Taschenberg, 1875](#)
- [*Trypoxylon scutifrons* de Saussure, 1892](#)
- [*Trypoxylon sectum* Tsuneki, 1980](#)
- [*Trypoxylon sedlaceki* Tsuneki, 1981](#)
- [*Trypoxylon sedonense* Tsuneki, 1979](#)
- [*Trypoxylon segregatum* Richards, 1934](#)
- [*Trypoxylon selangor* Tsuneki, 1979](#)
- [*Trypoxylon semicompluvium* Tsuneki, 1980](#)
- [*Trypoxylon semiflavum* Richards, 1934](#)
- [*Trypoxylon semongoh* Tsuneki, 1980](#)
- [*Trypoxylon semperi* Tsuneki, 1980](#)
- [*Trypoxylon senegambicum* Kohl, 1906](#)
- [*Trypoxylon sextum* Tsuneki, 1979](#)
- [*Trypoxylon seyrigi* Arnold, 1945](#)
- [*Trypoxylon shakha* Tsuneki, 1979](#)
- [*Trypoxylon shannoni* Richards, 1934](#)
- [*Trypoxylon shanshan* Tsuneki, 1981](#)
- [*Trypoxylon shimoyamai* Tsuneki, 1958](#)
- [*Trypoxylon sibolangitum* Tsuneki, 1979](#)

- [*Trypoxylon sibuyanense* Tsuneki, 1980](#)
- [*Trypoxylon silvestre* Richards, 1934](#)
- [*Trypoxylon silvicola* Tsuneki, 1980](#)
- [*Trypoxylon simile* Tsuneki, 1979](#)
- [*Trypoxylon similichingi* T. Li and Q. Li, 2010](#)
- [*Trypoxylon simpliceincrassatum* T. Li and Q. Li, 2007](#)
- [*Trypoxylon sinaloense* Coville, 1982](#)
- [*Trypoxylon singaporense* Tsuneki, 1979](#)
- [*Trypoxylon singator* Tsuneki, 1981](#)
- [*Trypoxylon sinuosiscute* Arnold, 1945](#)
- [*Trypoxylon sinuosiscutis* Arnold, 1945](#)
- [*Trypoxylon smithi* Tsuneki, 1979](#)
- [*Trypoxylon sogdianum* Gussakovskij, 1952](#)
- [*Trypoxylon solivagum* Arnold, 1946](#)
- [*Trypoxylon solomonense* Tsuneki, 1981](#)
- [*Trypoxylon sonani* Tsuneki, 1990](#)
- [*Trypoxylon spangleri* Tsuneki, 1979](#)
- [*Trypoxylon speciosum* Tsuneki, 1979](#)
- [*Trypoxylon spinosum* Cameron, 1889](#)
- [*Trypoxylon splendidum* Antropov, 2011](#)
- [*Trypoxylon srilankum* Tsuneki, 1979](#)
- [*Trypoxylon staudingeri* Richards, 1934](#)
- [*Trypoxylon stevensoni* Arnold, 1924](#)
- [*Trypoxylon stieglmayri* Richards, 1934](#)
- [*Trypoxylon straatmani* Tsuneki, 1981](#)
- [*Trypoxylon striolatum* Tsuneki, 1979](#)
- [*Trypoxylon stroudi* Gribodo, 1884](#)
- [*Trypoxylon subimpressum* F. Smith, 1856](#)
- [*Trypoxylon succinctum* Cresson, 1865](#)
- [*Trypoxylon sulcatoides* Richards, 1934](#)
- [*Trypoxylon sumatraense* Tsuneki, 1979](#)
- [*Trypoxylon sumbanicola* Tsuneki, 1979](#)
- [*Trypoxylon sumbanum* Tsuneki, 1979](#)
- [*Trypoxylon superbum* F. Smith, 1873](#)
- [*Trypoxylon surinamense* Richards, 1934](#)
- [*Trypoxylon suumi* Tsuneki, 1979](#)
- [*Trypoxylon syriacum* Mercet, 1906](#)
- [*Trypoxylon szechuen* Tsuneki, 1981](#)
- [*Trypoxylon tadaonis* Tsuneki, 1980](#)
- [*Trypoxylon tainanense* Strand, 1923](#)
- [*Trypoxylon taiwanum* Tsuneki, 1967](#)
- [*Trypoxylon takasago* Tsuneki, 1966](#)

- [Trypoxylon taros](#) Tsuneki, 1980
- [Trypoxylon tawitawiense](#) Tsuneki, 1976
- [Trypoxylon tekuense](#) Tsuneki, 1979
- [Trypoxylon tengmen](#) Tsuneki, 1981
- [Trypoxylon tengu](#) Tsuneki, 1981
- [Trypoxylon tenocticlan](#) Richards, 1934
- [Trypoxylon terbakarinum](#) Tsuneki, 1979
- [Trypoxylon testaceicorne](#) Cameron, 1907
- [Trypoxylon testaceipes](#) Arnold, 1924
- [Trypoxylon texense](#) de Saussure, 1867
- [Trypoxylon thaianum](#) Tsuneki, 1961
- [Trypoxylon timberlakei](#) Sandhouse, 1940
- [Trypoxylon tirimen](#) Tsuneki, 1980
- [Trypoxylon tjangkoedang](#) Tsuneki, 1979
- [Trypoxylon tjiangsanum](#) Tsuneki, 1979
- [Trypoxylon tobiasi](#) Antropov, 1989
- [Trypoxylon toltecum](#) de Saussure, 1867
- [Trypoxylon tomi](#) Tsuneki, 1979
- [Trypoxylon townesi](#) Tsuneki, 1981
- [Trypoxylon townesorum](#) Tsuneki, 1980
- [Trypoxylon transversistriatum](#) Strand, 1910
- [Trypoxylon tremulum](#) Arnold, 1946
- [Trypoxylon triangulum](#) Tsuneki, 1981
- [Trypoxylon tridentatum](#) Packard, 1867
- [Trypoxylon trigeminum](#) Richards, 1934
- [Trypoxylon trinidadense](#) Richards, 1934
- [Trypoxylon triodon](#) Richards, 1934
- [Trypoxylon triste](#) Arnold, 1924
- [Trypoxylon trituberculatum](#) Tsuneki, 1980
- [Trypoxylon trochanteratum](#) Cameron, 1902
- [Trypoxylon truncatum](#) Tsuneki, 1979
- [Trypoxylon tuberculifrons](#) Arnold, 1945
- [Trypoxylon turbulentum](#) Arnold, 1946
- [Trypoxylon turkestanicum](#) Gussakovskij, 1936
- [Trypoxylon undatum](#) Tsuneki, 1979
- [Trypoxylon unguicorne](#) Richards, 1934
- [Trypoxylon urbanii](#) Tsuneki, 1979
- [Trypoxylon urichi](#) Richards, 1934
- [Trypoxylon ussuriense](#) Kazenas, 1980
- [Trypoxylon vagulum](#) Richards, 1934
- [Trypoxylon vagum](#) F. Smith, 1873
- [Trypoxylon vardyi](#) Tsuneki, 1979

- [*Trypoxylon varicolor* Tsuneki, 1980](#)
- [*Trypoxylon varipes* Pérez, 1905](#)
- [*Trypoxylon varipiloides* Tsuneki, 1980](#)
- [*Trypoxylon varipilosum* Cameron, 1901](#)
- [*Trypoxylon varipunctatum* Tsuneki, 1980](#)
- [*Trypoxylon vechti* Tsuneki, 1979](#)
- [*Trypoxylon venaticum* Tsuneki, 1980](#)
- [*Trypoxylon vicinum* Tsuneki, 1979](#)
- [*Trypoxylon viduum* Arnold, 1951](#)
- [*Trypoxylon vientianense* Tsuneki, 1979](#)
- [*Trypoxylon viridaricola* Tsuneki, 1979](#)
- [*Trypoxylon volitans* Arnold, 1956](#)
- [*Trypoxylon wallacei* Tsuneki, 1980](#)
- [*Trypoxylon walshae* Tsuneki, 1979](#)
- [*Trypoxylon warisum* Tsuneki, 1981](#)
- [*Trypoxylon wauense* Tsuneki, 1981](#)
- [*Trypoxylon wegneri* Tsuneki, 1980](#)
- [*Trypoxylon wheeleri* Richards, 1936](#)
- [*Trypoxylon williamsi* Tsuneki, 1980](#)
- [*Trypoxylon winthemi* Richards, 1934](#)
- [*Trypoxylon xanthandrum* Richards, 1934](#)
- [*Trypoxylon xantianum* de Saussure, 1867](#)
- [*Trypoxylon xenophon* Richards, 1934](#)
- [*Trypoxylon yanoi* Tsuneki, 1980](#)
- [*Trypoxylon yebissum* Tsuneki, 1979](#)
- [*Trypoxylon yogator* Tsuneki, 1979](#)
- [*Trypoxylon yoshimotoi* Tsuneki, 1981](#)
- [*Trypoxylon yumi* Tsuneki, 1979](#)
- [*Trypoxylon zikae* Arnold, 1956](#)
- [*Trypoxylon zurki* Leclercq, 1965](#)

References

1.
 - ["Trypoxylon Genus Information"](#). BugGuide.net. Retrieved 2018-03-08.
 - ["Trypoxylon Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-08.
 - ["Trypoxylon Overview"](#). Encyclopedia of Life. Retrieved 2018-03-08.
 - ["Browse Trypoxylon"](#). Catalogue of Life. Retrieved 2018-03-08.
 -
5. Fu, Yan; Bashir, Nawaz Haider; Li, Qiang; Ma, Li (2024-04-29). ["A review of Trypoxylon Latreille, 1796 \(Hymenoptera, Crabronidae\) of Southwest China with descriptions of two new](#)

species". *Journal of Hymenoptera Research*. **97**. Pensoft Publishers: 307–347.
[doi:10.3897/jhr.97.121279](https://doi.org/10.3897/jhr.97.121279). ISSN 1314-2607.



Wikispecies has information related to *[Trypoxylon species](#)*.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
-

This is a list of species in the *kleptoparasitic* bee genus *[Triepeolus](#)*.^{[1][2]}

Species

- *[Triepeolus aguilari](#)* Moure, 1955
- *[Triepeolus alvarengai](#)* Moure, 1955
- *[Triepeolus ancoratus](#)* Cockerell, 1916
- *[Triepeolus antiquensis](#)* Cockerell, 1949
- *[Triepeolus antiochensis](#)* Rightmyer, 2008
- *[Triepeolus argentimus](#)* Rightmyer, 2008
- *[Triepeolus argus](#)* Rightmyer, 2008
- *[Triepeolus argyreus](#)* (Cockerell, 1907)
- *[Triepeolus atoconganus](#)* Moure, 1955
- *[Triepeolus atripes](#)* Mitchell, 1962
- *[Triepeolus aztecus](#)* (Cresson, 1878)
- *[Triepeolus balteatus](#)* Cockerell, 1921
- *[Triepeolus bihamatus](#)* (Cockerell, 1907)
- *[Triepeolus bilineatus](#)* Cockerell, 1949
- *[Triepeolus bilunatus](#)* Cockerell, 1949
- *[Triepeolus bimorulus](#)* Rightmyer, 2008
- *[Triepeolus blaisdelli](#)* Cockerell & Sandhouse, 1924
- *[Triepeolus brittaini](#)* Cockerell, 1931
- *[Triepeolus brunnescens](#)* Cockerell & Sandhouse, 1924
- *[Triepeolus buchwaldi](#)* (Friese, 1908)
- *[Triepeolus californicus](#)* (Cresson, 1878)
- *[Triepeolus callopus](#)* Cockerell, 1905
- *[Triepeolus cameroni](#)* (Meade-Waldo, 1913)

- [*Triepeolus charlesi*](#) Rightmyer, 2008
- [*Triepeolus circumculus*](#) Rightmyer, 2008
- [*Triepeolus claytoni*](#) Rightmyer, 2008
- [*Triepeolus concavus*](#) (Cresson, 1878)
- [*Triepeolus cressonii*](#) (Robertson, 1897)
- [*Triepeolus cruciformis*](#) Rightmyer, 2008
- [*Triepeolus cuabitisensis*](#) Genaro, 1999
- [*Triepeolus cuneatus*](#) Cockerell, 1917
- [*Triepeolus custeri*](#) Cockerell, 1926
- [*Triepeolus cyclurus*](#) Cockerell, 1923
- [*Triepeolus dacotensis*](#) (Stevens, 1919)
- [*Triepeolus denverensis*](#) Cockerell, 1910
- [*Triepeolus diffusus*](#) Rightmyer, 2008
- [*Triepeolus dilutus*](#) Rightmyer, 2008
- [*Triepeolus distinctus*](#) (Cresson, 1878)
- [*Triepeolus diversipes*](#) Cockerell, 1924
- [*Triepeolus donatus*](#) (Smith, 1854)
- [*Triepeolus edwardi*](#) Rightmyer, 2008
- [*Triepeolus eldoradensis*](#) (Cockerell, 1910)
- [*Triepeolus eliseae*](#)
- [*Triepeolus engeli*](#) Rightmyer, 2008
- [*Triepeolus epeolurus*](#) Rightmyer, 2004
- [*Triepeolus exilicurvus*](#) Rightmyer, 2008
- [*Triepeolus flavigradus*](#) Rightmyer, 2008
- [*Triepeolus flavipennis*](#) (Friese, 1917)
- [*Triepeolus fraseriae*](#) Cockerell, 1904
- [*Triepeolus fulgidus*](#) Rightmyer, 2008
- [*Triepeolus georgicus*](#) Mitchell, 1962
- [*Triepeolus grandis*](#) (Friese, 1917)
- [*Triepeolus grindeliae*](#) Cockerell, 1907
- [*Triepeolus griswoldi*](#) Rightmyer, 2008
- [*Triepeolus haematurus*](#) Cockerell & Sandhouse, 1924
- [*Triepeolus helianthi*](#) (Robertson, 1897)
- [*Triepeolus hopkinsi*](#) Cockerell, 1905
- [*Triepeolus interruptus*](#) Rightmyer, 2008
- [*Triepeolus intrepidus*](#) (Smith, 1879)
- [*Triepeolus inyoensis*](#) Cockerell & Sandhouse, 1924
- [*Triepeolus isocomae*](#) Cockerell, 1904
- [*Triepeolus isohedrus*](#) Rightmyer, 2008
- [*Triepeolus jennieae*](#) Rightmyer, 2008
- [*Triepeolus joliae*](#) Rightmyer, 2008
- [*Triepeolus junctus*](#) Mitchell, 1962

- [*Triepeolus kathrynae*](#) Rozen, 1989
- [*Triepeolus lateralis*](#) Rightmyer, 2008
- [*Triepeolus laticaudus*](#) Cockerell, 1921
- [*Triepeolus laticeps*](#) (Friese, 1917)
- [*Triepeolus lectiformis*](#) (Cockerell, 1925)
- [*Triepeolus loomisorum*](#) Rozen, 1989
- [*Triepeolus lunatus*](#) (Say, 1824)
- [*Triepeolus lusor*](#) Cockerell, 1925
- [*Triepeolus margaretae*](#) Rightmyer, 2008
- [*Triepeolus martini*](#) (Cockerell, 1900)
- [*Triepeolus mauropygus*](#) Rightmyer, 2008
- [*Triepeolus medusa*](#) Cockerell, 1917
- [*Triepeolus melanarius*](#) Rightmyer, 2008
- [*Triepeolus mensae*](#) Cockerell, 1924
- [*Triepeolus metatarsalis*](#) (Friese, 1921)
- [*Triepeolus mexicanus*](#) (Cresson, 1878)
- [*Triepeolus micheneri*](#) Rightmyer, 2008
- [*Triepeolus michiganensis*](#) Mitchell, 1962
- [*Triepeolus micropygius*](#) Robertson, 1903
- [*Triepeolus mitchelli*](#) Hurd, 1979
- [*Triepeolus mojavensis*](#) Linsley, 1939
- [*Triepeolus monardae*](#) Mitchell, 1962
- [*Triepeolus nayaritensis*](#) Rightmyer, 2008
- [*Triepeolus nemoralis*](#) (Holmberg, 1886)
- [*Triepeolus nevadensis*](#) (Cresson, 1878)
- [*Triepeolus nigrihirtus*](#) Mitchell, 1962
- [*Triepeolus nisibonensis*](#) Genaro, 2001
- [*Triepeolus norae*](#) Cockerell, 1907
- [*Triepeolus obliteratus*](#) Graenicher, 1911
- [*Triepeolus occidentalis*](#) (Cresson, 1878)
- [*Triepeolus osiriformis*](#) (Schrottky, 1910)
- [*Triepeolus pacis*](#) Cockerell, 1925
- [*Triepeolus paenepectoralis*](#) Viereck, 1905
- [*Triepeolus parkeri*](#) Rightmyer, 2008
- [*Triepeolus partitus*](#) Rightmyer, 2008
- [*Triepeolus parvidiversipes*](#) Rightmyer, 2008
- [*Triepeolus parvus*](#) Rightmyer, 2008
- [*Triepeolus pectoralis*](#) (Robertson, 1897)
- [*Triepeolus penicilliferus*](#) (Brues, 1903)
- [*Triepeolus permixtus*](#) (Cockerell, 1923)
- [*Triepeolus perpictus*](#) Rightmyer, 2008
- [*Triepeolus phaeopygus*](#) Rightmyer, 2008

- [*Triepeolus pomonalis*](#) Cockerell, 1916
- [*Triepeolus punctoclypeus*](#) Rightmyer, 2008
- [*Triepeolus quadratus*](#) Rightmyer, 2008
- [*Triepeolus quadrifasciatus*](#) (Say, 1823)
- [*Triepeolus remigatus*](#) (Fabricius, 1804)
- [*Triepeolus rhododontus*](#) Cockerell, 1921
- [*Triepeolus robustus*](#) (Cresson, 1878)
- [*Triepeolus rohweri*](#) Cockerell, 1911
- [*Triepeolus roni*](#) Genaro, 1999
- [*Triepeolus rufithorax*](#) Graenicher, 1928
- [*Triepeolus rufoclypeus*](#) (Fox, 1891)
- [*Triepeolus rufotegularis*](#) (Ashmead, 1900)
- [*Triepeolus rugosus*](#) Mitchell, 1962
- [*Triepeolus rugulosus*](#) (Cockerell, 1917)
- [*Triepeolus sarothrinus*](#) (Cockerell, 1929)
- [*Triepeolus saturninus*](#) Cockerell & Sandhouse, 1924
- [*Triepeolus scelestus*](#) (Cresson, 1878)
- [*Triepeolus schwarzi*](#) Cockerell, 1921
- [*Triepeolus segregatus*](#) (Cockerell, 1900)
- [*Triepeolus sequior*](#) Cockerell, 1921
- [*Triepeolus simplex*](#) Robertson, 1903
- [*Triepeolus simulatus*](#) Rightmyer, 2008
- [*Triepeolus subalpinus*](#) Cockerell, 1910
- [*Triepeolus sublunatus*](#) Cockerell, 1907
- [*Triepeolus subnitens*](#) Cockerell & Timberlake, 1929
- [*Triepeolus tanneri*](#) Cockerell, 1928
- [*Triepeolus tepanecus*](#) (Cresson, 1878)
- [*Triepeolus texanus*](#) (Cresson, 1878)
- [*Triepeolus timberlakei*](#) Cockerell, 1929
- [*Triepeolus totonacus*](#) (Cresson, 1878)
- [*Triepeolus townsendi*](#) Cockerell, 1907
- [*Triepeolus tristis*](#) (Smith, 1854)
- [*Triepeolus utahensis*](#) (Cockerell, 1921)
- [*Triepeolus ventralis*](#) (Meade-Waldo, 1913)
- [*Triepeolus verbesinae*](#) (Cockerell, 1897)
- [*Triepeolus vernus*](#) Rightmyer, 2008
- [*Triepeolus vicinus*](#) (Cresson, 1865)
- [*Triepeolus victori*](#) Genaro, 1998
- [*Triepeolus warriti*](#) Rightmyer, 2008
- [*Triepeolus wilsoni*](#) (Cresson, 1865)
- [*Triepeolus zacatecus*](#) (Cresson, 1878)

References

1.
 - ["Catalogue of Life, Triepeolus Robertson, 1901"](#). Retrieved 2025-10-26.
 -
2. ["GBIF, Triepeolus"](#). Retrieved 2025-10-26.

Categories:

- [Nomadinae](#)
- [Lists of insect species](#)
- [Lists of bees](#)
-

This is a list of species within the [chalcid](#) genus [Trichogramma](#) [1]

Trichogramma species

- [Trichogramma acacioi](#) Brun, Gomez de Moraes and Soares, 1984
- [Trichogramma acantholydae](#) Pintureau and Kenis, 2000
- [Trichogramma achaeae](#) Nagaraja and Nagarkatti, 1970
- [Trichogramma acuminatum](#) Querino and Zucchi, 2003
- [Trichogramma acutovirilia](#) Pinto, 1999
- [Trichogramma adashkevitschi](#) Sorokina, 1984
- [Trichogramma agriae](#) Nagaraja, 1973
- [Trichogramma agrotidis](#) Voegelé and Pintureau, 1982
- [Trichogramma aldanense](#) Sorokina, 1989
- [Trichogramma alloeovirilia](#) Querino and Zucchi, 2003
- [Trichogramma alpha](#) Pinto, 1999
- [Trichogramma aomoriense](#) Honda, 2006
- [Trichogramma arcanum](#) Pinto, 1999
- [Trichogramma arttonae](#) Chen and Pang, 1986
- [Trichogramma atopovirilia](#) Oatman and Platner, 1983
- [Trichogramma atropos](#) Pinto, 1992
- [Trichogramma aurosum](#) Sugonjaev and Sorokina, 1976
- [Trichogramma australicum](#) Girault, 1912
- [Trichogramma bactrianum](#) Sugonjaev and Sorokina, 1976
- [Trichogramma ballmeri](#) Pinto, 1999
- [Trichogramma bellaunionense](#) Basso and Pintureau, 2001

- [Trichogramma bennetti](#) Nagaraja and Nagarkatti, 1973
- [Trichogramma bertii](#) Zucchi and Querino, 2003
- [Trichogramma bezdencovii](#) Bezdenko, 1968
- [Trichogramma bilingense](#) He and Pang, 2000
- [Trichogramma bispinosum](#) Pinto, 1999
- [Trichogramma bistræ](#) (Kostadinov, 1988)
- [Trichogramma bourarachae](#) Pintureau and Babault, 1988
- [Trichogramma bournieri](#) Pintureau and Babault, 1988
- [Trichogramma brassicae](#) Bezdenko, 1968
- [Trichogramma brevicapillum](#) Pinto and Platner, 1978
- [Trichogramma breviciliata](#) Yousuf and Hassan, 2007
- [Trichogramma breviflagellata](#) Yousuf (unavailable name in current taxon)
- [Trichogramma brevifringiata](#) Yousuf and Shafee, 1988
- [Trichogramma browningi](#) Pinto and Oatman, 1985
- [Trichogramma bruni](#) Nagaraja, 1983
- [Trichogramma buesi](#) Voegelé, 1985
- [Trichogramma buluti](#) Bulut and Kilincer, 1991
- [Trichogramma cacaeciae](#) Marchal, 1927
- [Trichogramma cacaeciae](#) Marchal, 1927 (unavailable name in current taxon)
- [Trichogramma californicum](#) Nagaraja and Nagarkatti, 1973
- [Trichogramma canadense](#) Pinto, 1999
- [Trichogramma canariense](#) del Pino and Polaszek, 2013
- [Trichogramma carina](#) Walker, 1843
- [Trichogramma carverae](#) Oatman and Pinto, 1987
- [Trichogramma castrense](#) Velásquez de Ríos and Terán, 1995
- [Trichogramma cephalciae](#) Hochmut and Martinek, 1963
- [Trichogramma chilonis](#) Ishii, 1941
- [Trichogramma chilotraeae](#) Nagaraja and Nagarkatti, 1970
- [Trichogramma choui](#) Chan and Chou, 2000
- [Trichogramma chusniddini](#) Sorokina and Atamirzaeva, 1993
- [Trichogramma closterae](#) Pang and Chen, 1974
- [Trichogramma clotho](#) Pinto, 1992
- [Trichogramma colombiense](#) Velásquez de Ríos and Terán, 1995
- [Trichogramma convolvuli](#) Nagaraja, 2008
- [Trichogramma cordubense](#) Vargas and Cabello, 1985
- [Trichogramma cultellus](#) Jose, Hirose and Honda, 2005
- [Trichogramma cuttackense](#) Nagaraja, 2008
- [Trichogramma danaidiphagum](#) Nagaraja and Prasanth, 2010
- [Trichogramma danausicida](#) Nagaraja, 2008
- [Trichogramma danubiense](#) Birova and Kazimirova, 1997
- [Trichogramma daumalae](#) Dugast and Voegelé, 1984
- [Trichogramma deion](#) Pinto and Oatman, 1986

- [*Trichogramma demoraesi*](#) Nagaraja, 1983
- [*Trichogramma dendrolimi*](#) Matsumura, 1926
- [*Trichogramma diana*](#) Pinto, 1999
- [*Trichogramma diazi*](#) Velasquez de Rios and Teran, 2003
- [*Trichogramma dissimile*](#) Zucchi, 1988
- [*Trichogramma distinctum*](#) Zucchi, 1988
- [*Trichogramma drepanophorum*](#) Pinto and Oatman, 1985
- [*Trichogramma elegantum*](#) Sorokina, 1984
- [*Trichogramma embryophagum*](#) (Hartig, 1838)
- [*Trichogramma erebus*](#) Pinto, 1999
- [*Trichogramma erosicorne*](#) Westwood, 1879
- [*Trichogramma esalqueanum*](#) Querino and Zucchi, 2003
- [*Trichogramma ethiopicum*](#) (Risbec, 1956)
- [*Trichogramma euproctidis*](#) (Girault, 1911)
- [*Trichogramma evanescens*](#) Westwood, 1833
- [*Trichogramma exiguum*](#) Pinto and Platner, 1978
- [*Trichogramma falx*](#) Pinto and Oatman, 1996
- [*Trichogramma fasciatum*](#) (Perkins, 1912)
- [*Trichogramma flandersi*](#) Nagaraja and Nagarkatti, 1970
- [*Trichogramma flavum*](#) Ashmead, 1880
- [*Trichogramma forcipiforme*](#) Zhang and Wang, 1982
- [*Trichogramma fuentesi*](#) Torre, 1980
- [*Trichogramma funestum*](#) Pinto and Oatman, 1989
- [*Trichogramma funiculatum*](#) Carver, 1978
- [*Trichogramma fuzhouense*](#) Lin, 1994
- [*Trichogramma gabrielino*](#) Pinto, 1999
- [*Trichogramma galloi*](#) Zucchi, 1988
- [*Trichogramma georgia*](#) (unavailable name in current taxon)
- [*Trichogramma gicai*](#) Pintureau and Stefanescu, 2000
- [*Trichogramma gordhi*](#) Pinto, 1999
- [*Trichogramma guariquense*](#) Velasquez de Rios and Teran, 1995
- [*Trichogramma guineense*](#) (unavailable name in current taxon)
- [*Trichogramma hebbalensis*](#) Nagaraja, 2008
- [*Trichogramma hesperidis*](#) Nagaraja, 1973
- [*Trichogramma higai*](#) Oatman and Platner, 1982
- [*Trichogramma huberi*](#) Pinto, 1999
- [*Trichogramma infelix*](#) Pinto, 1999
- [*Trichogramma ingricum*](#) Sorokina, 1984
- [*Trichogramma interius*](#) Pinto, 1999
- [*Trichogramma inyoense*](#) Pinto and Oatman, 1985
- [*Trichogramma iracildae*](#) Querino and Zucchi, 2003
- [*Trichogramma itsybitsi*](#) Pinto and Stouthamer, 2002

- [*Trichogramma ivelae*](#) Pang and Chen, 1974
- [*Trichogramma jalmirezi*](#) Zucchi, 1988
- [*Trichogramma japonicum*](#) Ashmead, 1904
- [*Trichogramma jaxarticum*](#) Sorokina, 1984
- [*Trichogramma jezoense*](#) Ishii, 1941
- [*Trichogramma juliano*](#) Platner and Oatman, 1981
- [*Trichogramma kalkae*](#) Schulten and Feijen, 1978
- [*Trichogramma kankerense*](#) Yousuf and Hassan, 2008
- [*Trichogramma kashmiricum*](#) Nagaraja, Ahmad and Gupta, 2007
- [*Trichogramma kaykai*](#) Pinto and Stouthamer, 1997
- [*Trichogramma kilinceri*](#) Bulut and Kilincer, 1991
- [*Trichogramma koehleri*](#) Blanchard, 1927
- [*Trichogramma kurosuae*](#) Taylor, Yashiro, Hirose and Honda, 2005
- [*Trichogramma lachesis*](#) Pinto, 1992
- [*Trichogramma lacustre*](#) Sorokina, 1978
- [*Trichogramma lasallei*](#) Pinto, 1999
- [*Trichogramma latipenne*](#) Yousuf and Hasan, 2008
- [*Trichogramma lenae*](#) Sorokina, 1991
- [*Trichogramma leptoparameron*](#) Dyurich, 1987
- [*Trichogramma leucaniae*](#) Pang and Chen, 1974
- [*Trichogramma leviculum*](#) Pinto, 1999
- [*Trichogramma lingulatum*](#) Pang and Chen, 1974
- [*Trichogramma longxishanense*](#) Lin, 1994
- [*Trichogramma lopezandinense*](#) Sarmiento, 1993
- [*Trichogramma maltbyi*](#) Nagaraja and Nagarkatti, 1973
- [*Trichogramma mandelai*](#) Pintureau and Babault, 1988
- [*Trichogramma manicobai*](#) Brun, Gomez de Moraes and Soares, 1984
- [*Trichogramma manii*](#) Nagaraja and Gupta, 2007
- [*Trichogramma maori*](#) Pinto and Oatman, 1996
- [*Trichogramma marandobai*](#) Brun, Gomez de Moraes and Soares, 1986
- [*Trichogramma margianum*](#) Sorokina, 1984
- [*Trichogramma marthae*](#) Goodpasture, 1986
- [*Trichogramma marylandense*](#) Thorpe, 1982
- [*Trichogramma maxacalii*](#) Voegelé and Pointel, 1980
- [*Trichogramma meteorum*](#) Vincent, 1986
- [*Trichogramma minutum*](#) Riley, 1871
- [*Trichogramma mirabile*](#) Dyurich, 1987
- [*Trichogramma mirum*](#) Girault, 1922
- [*Trichogramma misiae*](#) Kostadinov, 1987
- [*Trichogramma mullensi*](#) Pinto, 1999
- [*Trichogramma mwanzai*](#) Schulten and Feijen, 1982
- [*Trichogramma nemesis*](#) Pinto, 1999

- [Trichogramma nerudai](#) Pintureau and Gerding, 1999
- [Trichogramma nestoris](#) (Kostadinov, 1991)
- [Trichogramma neuropterae](#) Chan and Chou, 1996
- [Trichogramma niveiscapus](#) (Morley, 1950)
- [Trichogramma nomlaki](#) Pinto and Oatman, 1985
- [Trichogramma nubilale](#) Ertle and Davis, 1975
- [Trichogramma oatmani](#) Torre, 1980
- [Trichogramma obscurum](#) Pinto, 1999
- [Trichogramma offella](#) Pinto and Oatman, 1985
- [Trichogramma okinawae](#) Honda, 2006
- [Trichogramma oleae](#) Voegelé and Pointel, 1979
- [Trichogramma ostriniae](#) Pang and Chen, 1974
- [Trichogramma pallidiventrís](#) Nagaraja, 1973
- [Trichogramma panamense](#) Pinto, 1999
- [Trichogramma pangi](#) Lin, 1987
- [Trichogramma papilionidis](#) Viggiani, 1972
- [Trichogramma papilionis](#) Nagarkatti, 1974
- [Trichogramma paraplasseyensis](#) Yousuf (unavailable name in current taxon)
- [Trichogramma parkeri](#) Nagarkatti, 1975
- [Trichogramma parnarae](#) Huo, 1986
- [Trichogramma parrai](#) Querino and Zucchi, 2003
- [Trichogramma parvum](#) Pinto, 1999
- [Trichogramma pelovi](#) Kostadinov, 1986
- [Trichogramma perkinsi](#) Girault, 1912
- [Trichogramma piceum](#) Dyurich, 1987
- [Trichogramma pinneyi](#) Schulten and Feijen, 1978
- [Trichogramma pintoí](#) Voegelé, 1982
- [Trichogramma pintureaui](#) Rodríguez and Galán, 1993
- [Trichogramma piracicabense](#) Querino and Zucchi, 2017
- [Trichogramma pkcal](#) (unavailable name in current taxon)
- [Trichogramma plasseyense](#) Nagaraja, 1973
- [Trichogramma platneri](#) Nagarkatti, 1975
- [Trichogramma pluto](#) Pinto, 1999
- [Trichogramma poliae](#) Nagaraja, 1973
- [Trichogramma polychrosis](#) Chen and Pang, 1981
- [Trichogramma pratissolii](#) Querino and Zucchi, 2003
- [Trichogramma pratti](#) Pinto, 1999
- [Trichogramma pretiosum](#) Riley, 1879
- [Trichogramma primaevum](#) Pinto, 1992
- [Trichogramma principium](#) Sugonjaev and Sorokina, 1976
- [Trichogramma psocopterae](#) Chan and Chou, 1996
- [Trichogramma pusillum](#) Querino and Zucchi, 2003

- [*Trichogramma raoi*](#) Nagaraja, 1973
- [*Trichogramma retorridum*](#) (Girault, 1911)
- [*Trichogramma rojasi*](#) Nagaraja and Nagarkatti, 1973
- [*Trichogramma rossicum*](#) Sorokina, 1984
- [*Trichogramma sankarani*](#) Nagaraja, 2008
- [*Trichogramma santarosae*](#) Pinto, 1999
- [*Trichogramma sathon*](#) Pinto, 1999
- [*Trichogramma savalense*](#) Sorokina, 1991
- [*Trichogramma schaposchnikovi*](#) Meyer (unavailable name in current taxon)
- [*Trichogramma sembeli*](#) Oatman and Platner, 1982
- [*Trichogramma semblidis*](#) (Aurivillius, 1898)
- [*Trichogramma semifumatum*](#) (Perkins, 1910)
- [*Trichogramma semifusca*](#) Blanchard (unavailable name in current taxon)
- [*Trichogramma sericini*](#) Pang and Chen, 1974
- [*Trichogramma shaanxiense*](#) Huo, 1991
- [*Trichogramma shchepetilnikovae*](#) Sorokina, 1984
- [*Trichogramma sibiricum*](#) Sorokina, 1980
- [*Trichogramma siddiqi*](#) Nasir and Schoeller, 2011
- [*Trichogramma silvestre*](#) Sorokina, 1984
- [*Trichogramma singularis*](#) Girault, 1932
- [*Trichogramma sinuosum*](#) Pinto, 1999
- [*Trichogramma sogdianum*](#) Sorokina, 1984
- [*Trichogramma sorokinae*](#) Kostadinov, 1986
- [*Trichogramma stampae*](#) Vincent, 1986
- [*Trichogramma sugonjaevi*](#) Sorokina, 1984
- [*Trichogramma suorangelica*](#) Pinto, 1999
- [*Trichogramma taiwanense*](#) Chan and Chou, 2000
- [*Trichogramma tajimaense*](#) Yashiro, Hirose and Honda, 2012
- [*Trichogramma talitzkii*](#) Dyurich, 1987
- [*Trichogramma tenebrosum*](#) Oatman and Pinto, 1987
- [*Trichogramma terani*](#) Velasquez de Rios and Teran, 2003
- [*Trichogramma thalense*](#) Pinto and Oatman, 1985
- [*Trichogramma tielingense*](#) Zhang and Wang, 1982
- [*Trichogramma trjapitzini*](#) Sorokina, 1984
- [*Trichogramma tshumakovae*](#) Sorokina, 1984
- [*Trichogramma tupiense*](#) Querino and Zucchi, 2003
- [*Trichogramma turkeiense*](#) Bulut and Kilincer, 1991
- [*Trichogramma turkestanicum*](#) Meyer, 1940
- [*Trichogramma umerus*](#) Jose, Hirose and Honda, 2005
- [*Trichogramma urquijoi*](#) Cabello Garcia, 1986
- [*Trichogramma ussuricum*](#) Sorokina, 1984
- [*Trichogramma valentinei*](#) Pinto and Oatman, 1996

- [*Trichogramma valmiri*](#) Querino and Zucchi, 2017
- [*Trichogramma vargasi*](#) Oatman and Platner, 1982
- [*Trichogramma viggianii*](#) Pinto, 1999
- [*Trichogramma yabui*](#) Honda and Taylor, 2006
- [*Trichogramma yawarae*](#) Hirai and Fursov, 1998
- [*Trichogramma zahiri*](#) Polaszek, 2002
- [*Trichogramma zeirapherae*](#) Walter, 1985
- [*Trichogramma zeta*](#) Pinto, 1999
- [*Trichogramma zucchi*](#) Querino, 2003

This is a list of 119 species in [*Trichocera*](#), a genus of winter crane flies in the family [*Trichoceridae*](#).[\[1\]](#)
[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Trichocera* species**

- [*Trichocera abieticola*](#) Alexander, 1935 ^{c g}
- [*Trichocera alpina*](#) Stary, 2000 ^{c g}
- [*Trichocera alticola*](#) Alexander, 1935 ^{c g}
- [*Trichocera altipons*](#) Starý, 1998 ^{c g}
- [*Trichocera andorrensis*](#) Krzeminska, 2000 ^{c g}
- [*Trichocera annulata*](#) Meigen, 1818 ^{i c g b}
- [*Trichocera antennata*](#) Stary, 1999 ^{c g}
- [*Trichocera arctica*](#) Lundstrom, 1915 ^{i c g}
- [*Trichocera arisanensis*](#) Alexander, 1935 ^{c g}
- [*Trichocera arnaudi*](#) Pratt, 2003 ^{c g}
- [*Trichocera auripennis*](#) Alexander, 1960 ^{c g}
- [*Trichocera banffi*](#) Pratt, 2003 ^{c g}
- [*Trichocera barraudi*](#) Krzeminska, 2002 ^{c g}
- [*Trichocera basidens*](#) Starý, 1998 ^{c g}
- [*Trichocera bellula*](#) Alexander, 1961 ^{c g}
- [*Trichocera bifurcata*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera bilobata*](#) Stary, 1999 ^{c g}
- [*Trichocera bimacula*](#) Walker, 1848 ^{i c g b}
- [*Trichocera bisignata*](#) Alexander, 1959 ^{c g}
- [*Trichocera bituberculata*](#) Alexander, 1924 ^{i c g}
- [*Trichocera borealis*](#) Lackschewitz, 1934 ^{i c g}
- [*Trichocera brevicornis*](#) Alexander, 1952 ^{i c g}

- [*Trichocera brumalis*](#) Fitch, 1847 ^{i c g}
- [*Trichocera calva*](#) Stary, 1999 ^{c g}
- [*Trichocera candida*](#) Dahl, 1976 ^{c g}
- [*Trichocera carpathica*](#) Stary & Martinovsky, 1996 ^{c g}
- [*Trichocera chaetopyga*](#) Nakamura & Saigusa, 1996 ^{c g}
- [*Trichocera colei*](#) Alexander, 1919 ^{i c g}
- [*Trichocera columbiana*](#) Alexander, 1927 ^{i c g}
- [*Trichocera corallifera*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera cordata*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera crassicauda*](#) Nakamura & Saigusa, 1996 ^{c g}
- [*Trichocera dahlae*](#) Mendl, 1971 ^g
- [*Trichocera excilis*](#) Dahl, 1967 ^{i c g}
- [*Trichocera fattigiana*](#) Alexander, 1952 ^{i c g}
- [*Trichocera fernaldi*](#) Alexander, 1927 ⁱ
- [*Trichocera forcipula*](#) Nielsen, 1920 ^{c g}
- [*Trichocera garretti*](#) Alexander, 1927 ^{i c g b}
- [*Trichocera geigeri*](#) Stary & Krzeminska, 2000 ^{c g}
- [*Trichocera gigantea*](#) (Dahl, 1967) ^{c g}
- [*Trichocera glacialis*](#) Alexander, 1936 ^{c g}
- [*Trichocera hiemalis*](#) (De Geer, 1776) ^{i c g}
- [*Trichocera hirta*](#) Stary & Martinovsky, 1996 ^{c g}
- [*Trichocera hyaloptera*](#) Alexander, 1949 ⁱ
- [*Trichocera hypandrialis*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera idahoensis*](#) Pratt, 2003 ^{c g}
- [*Trichocera imanishii*](#) (Tokunaga, 1935) ^c
- [*Trichocera implicata*](#) Dahl, 1976 ^{c g}
- [*Trichocera inexplorata*](#) (Dahl, 1967) ^{c g}
- [*Trichocera irina*](#) Krzeminska, 1996 ^{c g}
- [*Trichocera japonica*](#) Matsumura, 1915 ^{c g}
- [*Trichocera kotejai*](#) Krzeminska, 1992 ^{c g}
- [*Trichocera lackschewitzi*](#) Lantsov, 1987 ^{c g}
- [*Trichocera lantsovi*](#) Krzeminska, 1996 ^{c g}
- [*Trichocera latilobata*](#) Alexander, 1938 ^{c g}
- [*Trichocera latipons*](#) Podenas, 2017 ^g
- [*Trichocera limpidipennis*](#) Loew, 1873 ^{c g}
- [*Trichocera longisetosa*](#) Alexander, 1927 ⁱ

- [*Trichocera lutea*](#) Becher, 1886^{i c g}
- [*Trichocera mackenziei*](#) (Dahl, 1967)^{c g}
- [*Trichocera maculipennis*](#) Meigen, 1818^{i c g}
- [*Trichocera major*](#) Edwards, 1921^{c g}
- [*Trichocera marocana*](#)^g
- [*Trichocera mendli*](#) Dahl, 1976^{c g}
- [*Trichocera mexicana*](#) Alexander, 1946^{c g}
- [*Trichocera michali*](#) Krzeminska, 1999^{c g}
- [*Trichocera minuta*](#) Tokunaga, 1938^{c g}
- [*Trichocera mirabilis*](#) Alexander, 1934^{c g}
- [*Trichocera mishmi*](#) Krzeminska, 2002^{c g}
- [*Trichocera monochroma*](#) (Harris, 1835)ⁱ
- [*Trichocera monstrosa*](#) Nakamura & Saigusa, 1997^{c g}
- [*Trichocera montium*](#) Sary, 2002^{c g}
- [*Trichocera mutica*](#) Dahl, 1966^{c g}
- [*Trichocera nipponensis*](#) Tokunaga, 1938^{c g}
- [*Trichocera obtusa*](#) Sary & Martinovsky, 1996^{c g}
- [*Trichocera ocellata*](#) Walker, 1856^{c g}
- [*Trichocera oregelationis*](#) (Linnaeus, 1758)^{i g}
- [*Trichocera pallens*](#) Alexander, 1954^{i c g}
- [*Trichocera pappi*](#) Krzeminska, 2003^{c g}
- [*Trichocera parva*](#) Meigen, 1804^{c g}
- [*Trichocera percincta*](#) Alexander, 1961^{c g}
- [*Trichocera pictipennis*](#) Alexander, 1930^{c g}
- [*Trichocera polanensis*](#) Sary, 2002^{c g}
- [*Trichocera pubescens*](#) Sary & Martinovsky, 1996^{c g}
- [*Trichocera recondita*](#) Sary, 2000^{c g}
- [*Trichocera rectistylus*](#) Starý, 1998^{c g}
- [*Trichocera regelationis*](#) (Linnaeus, 1758)^{c g}
- [*Trichocera reticulata*](#) Alexander, 1933^{c g}
- [*Trichocera rufescens*](#) Edwards, 1921^{c g}
- [*Trichocera rufulenta*](#) Edwards, 1938^g
- [*Trichocera salmani*](#) Alexander, 1927^{i c g}
- [*Trichocera saltator*](#) (Harris, 1776)^{c g}
- [*Trichocera sapporensis*](#) Alexander, 1935^{c g}
- [*Trichocera sardiniensis*](#) Petasiunas, 2009^{c g}

- [*Trichocera schmidi*](#) Alexander, 1959 ^{c g}
- [*Trichocera scutellata*](#) Say, 1824 ^{i c g}
- [*Trichocera setosivena*](#) Alexander, 1927 ^{i c g}
- [*Trichocera sibirica*](#) Edwards, 1920 ^{c g}
- [*Trichocera simonyi*](#) Mik, 1886 ^{c g}
- [*Trichocera skrobli*](#) Podenas, 1991 ^{c g}
- [*Trichocera sparsa*](#) Stary & Martinovsky, 1996 ^{c g}
- [*Trichocera superna*](#) Alexander, 1961 ^{c g}
- [*Trichocera szechwanensis*](#) Alexander, 1935 ^{c g}
- [*Trichocera tenuicercus*](#) Alexander, 1959 ^{c g}
- [*Trichocera tenuistylus*](#) Stary & Geiger, 1995 ^{c g}
- [*Trichocera tetonensis*](#) Alexander, 1945 ^{i c g}
- [*Trichocera thaleri*](#) Stary, 2000 ^{c g}
- [*Trichocera thaumastopyga*](#) Alexander, 1960 ^{c g}
- [*Trichocera ticina*](#) Stary & Podenas, 1995 ^{c g}
- [*Trichocera transversa*](#) Starý, 1998 ^{c g}
- [*Trichocera triangularis*](#) Alexander, 1968 ^{c g}
- [*Trichocera truncata*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera tsutsui*](#) Tokunaga, 1938 ^{c g}
- [*Trichocera tuberculifera*](#) Alexander, 1938 ^{c g}
- [*Trichocera unimaculata*](#) Yang & Yang, 1995 ^{c g}
- [*Trichocera ursamajor*](#) Alexander, 1959 ^{i c g}
- [*Trichocera variata*](#) Alexander, 1961 ^{c g}
- [*Trichocera venosa*](#) Dietz, 1921 ⁱ
- [*Trichocera villosa*](#) Stary, 2009 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 217 species in [*Trichadenotecnum*](#), a genus of common barklice in the family [*Psocidae*](#).
[\[1\]\[2\]\[3\]\[4\]](#)

***Trichadenotecnum* species**

- [*Trichadenotecnum aconcinnum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum acutolingum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum acutum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}

- [Trichadenotecnum adika](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum aduncatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum aggrogatum](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum album](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum alexanderae](#) Sommerman, 1948 ^{i c g b}
- [Trichadenotecnum alinguum](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum alobum](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum alternatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum amamiense](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum ampullaceum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum angolense](#) Badonnel, 1955 ^{c g}
- [Trichadenotecnum anomalum](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [Trichadenotecnum apertum](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum arciforme](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum auritum](#) Yoshizawa & Lienhard, 2004 ^{c g}
- [Trichadenotecnum baishanzuicum](#) Li, Fasheng, 1995 ^{c g}
- [Trichadenotecnum bannaense](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum barrerae](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum bicolor](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum bidens](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum bidentatum](#) Thornton, 1984 ^{c g}
- [Trichadenotecnum bigyrans](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum bitenatum](#) (Li, Fasheng, 1995) ^c
- [Trichadenotecnum bos](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum brevicornum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum bromoense](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum bucciniforme](#) Li, Fasheng, 1993 ^{c g}
- [Trichadenotecnum calycoideum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum carinatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum castum](#) Betz, 1983 ^{i c g b} [5]
- [Trichadenotecnum cerrosillae](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum cheahae](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum chiapense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum chinense](#) Li, Fasheng, 1997 ^{c g}
- [Trichadenotecnum cinnamonum](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum cintalapense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}

- [Trichadenotecnum circulare](#) (Hagen, 1859) ^{c g}
- [Trichadenotecnum circularoides](#) Badonnel, 1955 ^{i c g b}
- [Trichadenotecnum colesae](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Trichadenotecnum concinnum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum corniculum](#) Yoshizawa, 2003 ^{c g}
- [Trichadenotecnum cornutum](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum corollatum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum cynostigmus](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum dactylinum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum danieli](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum decui](#) Badonnel, 1987 ^{c g}
- [Trichadenotecnum denticulatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum depitarensae](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum desolatum](#) (Chapman, 1930) ^{i c g}
- [Trichadenotecnum digitatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum diplodurum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum distinctum](#) Datta, 1969 ^{c g}
- [Trichadenotecnum dobhanense](#) New, 1973 ^{c g}
- [Trichadenotecnum dolabratum](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [Trichadenotecnum emeishanense](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum endangae](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [Trichadenotecnum enneagonum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum ericium](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum erwini](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum falx](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum felix](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum furcilingum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum fuscipenne](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum galihi](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum gallicum](#) Lienhard, 1986 ^{c g}
- [Trichadenotecnum germanicum](#) Roesler, 1939 ^{c g}
- [Trichadenotecnum germinatum](#) Yoshizawa, 2003 ^{c g}
- [Trichadenotecnum godavarensae](#) New, 1971 ^{c g}
- [Trichadenotecnum gombakense](#) New & S. S. Lee, 1992 ^{c g}
- [Trichadenotecnum gonzalezi](#) (Williner, 1945) ^{c g}
- [Trichadenotecnum guandongicum](#) Li, Fasheng, 1993 ^{c g}

- [Trichadenotecnum quangxiicum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum gutianum](#) Li, Fasheng, 1995 ^{c g}
- [Trichadenotecnum guttatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum hammani](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum hengshanicum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum himalayense](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [Trichadenotecnum iani](#) Yoshizawa & Lienhard, 2004 ^{c g}
- [Trichadenotecnum ianobidens](#) Yoshizawa & Lienhard, 2004 ^{c g}
- [Trichadenotecnum imperatorium](#) Li, Fasheng, 1989 ^{c g}
- [Trichadenotecnum imrum](#) New & Thornton, 1976 ^{c g}
- [Trichadenotecnum incognitum](#) Roesler, 1939 ^{c g}
- [Trichadenotecnum innuptum](#) Betz, 1983 ^{i c g} [5]
- [Trichadenotecnum isocaulum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum isseii](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum jaculatorum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum jambiense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum jinxiuense](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum kalibiruense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum kerinciense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum kojimai](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [Trichadenotecnum krucilense](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum kumejimense](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum kunmingicum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum latebrachium](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum laticornutum](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum latipenne](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum longilingum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum longimucronatum](#) (Li, Fasheng, 1997) ^{c g}
- [Trichadenotecnum longivalvum](#) Li, Fasheng, 2005 ^{c g}
- [Trichadenotecnum maculatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum magnolingum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum magnomixtum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum majus](#) (Kolbe, 1880) ^{i c g b}
- [Trichadenotecnum malayense](#) New, 1975 ^{c g}
- [Trichadenotecnum malickyi](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum mamillatum](#) Li, Fasheng, 2002 ^{c g}

- [Trichadenotecnum marginatum](#) New & Thornton, 1976 ^{c g}
- [Trichadenotecnum maroccanum](#) Baz, 1989 ^{c g}
- [Trichadenotecnum masoni](#) New, 1971 ^{c g}
- [Trichadenotecnum mclachlani](#) New, 1973 ^{c g}
- [Trichadenotecnum medium](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum merum](#) Betz, 1983 ^{i c g b} [5]
- [Trichadenotecnum miffy](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum minisexmaculatum](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [Trichadenotecnum minutum](#) Enderlein, 1926 ^{c g}
- [Trichadenotecnum mixtum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum monodactylum](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum muaraense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum multangulare](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum multicuspidatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum nebulosum](#) Vaughan, Thornton & New, 1991 ^{c g}
- [Trichadenotecnum neoleonense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum nepalense](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum nicaraguense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum nothoapertum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum oaxacense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum obliquidens](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum obrienorum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum obsitum](#) (Enderlein, 1908) ^{c g}
- [Trichadenotecnum obsubulatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum octogonum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum okinawense](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum opiparipardale](#) (Li, Fasheng, 1995) ^{c g}
- [Trichadenotecnum paradika](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum pardidum](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum pardoides](#) Badonnel, 1955 ^{c g}
- [Trichadenotecnum pardus](#) Badonnel, 1955 ^{i c g}
- [Trichadenotecnum paululum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum perbellum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum percussum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum pergracilum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum periphericum](#) Li, Fasheng, 2001 ^{c g}

- [Trichadenotecnum peruense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum pichincha](#) New & Thornton, 1975 ^{c g}
- [Trichadenotecnum pictipenne](#) Badonnel, 1973 ^{c g}
- [Trichadenotecnum pokhariense](#) New, 1983 ^{c g}
- [Trichadenotecnum proctum](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum pseudomedium](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum punctipenne](#) New, 1972 ^{c g}
- [Trichadenotecnum pycnacanthum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum qingshuicum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum quadrispinosum](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum quadruplex](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum quaesitellum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum quaesitum](#) (Chapman, 1930) ^{i c g b}
- [Trichadenotecnum quinarium](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum rachimi](#) Endang & Thornton, 1992 ^{c g}
- [Trichadenotecnum rectangulum](#) Li, Fasheng, 1992 ^{c g}
- [Trichadenotecnum resupinum](#) (Li, Fasheng, 1997) ^c
- [Trichadenotecnum rhomboides](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum roesleri](#) New, 1972 ^{c g}
- [Trichadenotecnum sabahense](#) Yoshizawa & Lienhard, 2015 ^{c g}
- [Trichadenotecnum santosai](#) Endang & Thornton, 1992 ^{c g}
- [Trichadenotecnum sclerotum](#) New, 1978 ^{c g}
- [Trichadenotecnum scoparium](#) (Li, Fasheng, 1995) ^c
- [Trichadenotecnum scrobiculare](#) Li, Fasheng, 1992 ^{c g}
- [Trichadenotecnum sexpunctatum](#) (Linnaeus, 1758) ^{c g}
- [Trichadenotecnum sexpunctellum](#) (Enderlein, 1907) ^{c g}
- [Trichadenotecnum sharkeyi](#) Yoshizawa & Lienhard, 2015 ^{c g}
- [Trichadenotecnum shawi](#) Yoshizawa & Garcia Aldrete, 2010 ^{c g}
- [Trichadenotecnum shilinicum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum sibolangitense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum simile](#) Mockford, 1996 ^{c g}
- [Trichadenotecnum sinuatum](#) New, 1972 ^{c g}
- [Trichadenotecnum slossonae](#) (Banks, 1903) ^{i c g b}
- [Trichadenotecnum soekarmanni](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum soenarti](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum sparsum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}

- [*Trichadenotecnum spiniserrulum*](#) Datta, 1969 ^{c g}
- [*Trichadenotecnum spuristipiatum*](#) Li, Fasheng, 1997 ^{c g}
- [*Trichadenotecnum stipiatum*](#) Li, Fasheng, 1992 ^{c g}
- [*Trichadenotecnum stipulatum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum subrotundum*](#) Li, Fasheng, 2001 ^{c g}
- [*Trichadenotecnum subscalare*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum sufflatum*](#) Li, Fasheng, 1993 ^{c g}
- [*Trichadenotecnum sumatrense*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum suwai*](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [*Trichadenotecnum sylvaticum*](#) Turner, B. D., 1975 ^{c g}
- [*Trichadenotecnum takahashii*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum tambopatense*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum tenuispinum*](#) Li, Fasheng, 1995 ^{c g}
- [*Trichadenotecnum thallodialum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum thorntoni*](#) New, 1975 ^{c g}
- [*Trichadenotecnum tigrinum*](#) Yoshizawa & Lienhard, 2015 ^{c g}
- [*Trichadenotecnum trichotomum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum trigonophyllum*](#) Li, Fasheng, 1993 ^{c g}
- [*Trichadenotecnum trigonosceneum*](#) (Enderlein, 1911) ^{c g}
- [*Trichadenotecnum tuitense*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum turriforme*](#) (Li, Fasheng, 1995) ^{c g}
- [*Trichadenotecnum unciforme*](#) (Li, Fasheng, 2002) ^{c g}
- [*Trichadenotecnum uncorne*](#) (Li, Fasheng, 1995) ^{c g}
- [*Trichadenotecnum uniforme*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum univittatum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum vughani*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Trichadenotecnum waykambasense*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum waykananense*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum wuxiacum*](#) Li, Fasheng, 1997 ^{c g}
- [*Trichadenotecnum xizangicum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum yaeyamense*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum yamatomajus*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum yatai*](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [*Trichadenotecnum yonaguniense*](#) Yoshizawa, 2001 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 117 species in [Triaspis](#), a genus of wasp in the family [Braconidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

Triaspis species

- [Triaspis abditiva](#) Martin, 1956 ^{c g}
- [Triaspis aequoris](#) Martin, 1956 ^{c g}
- [Triaspis affinis](#) (Herrich-Schäffer, 1838) ^c
- [Triaspis algerica](#) Snoflak, 1953 ^{c g}
- [Triaspis angustiventris](#) de Saeger, 1948 ^{c g}
- [Triaspis anomala](#) Brues, 1939 ^{c g}
- [Triaspis apionis](#) (Rondani, 1872) ^{c g}
- [Triaspis aquila](#) Martin, 1956 ^{c g}
- [Triaspis armeniaca](#) Tobias, 1976 ^{c g}
- [Triaspis azteca](#) Martin, 1952 ^{c g}
- [Triaspis bambusae](#) de Saeger, 1948 ^{c g}
- [Triaspis bangela](#) Papp, 1984 ^{c g}
- [Triaspis bictica](#) (Papp, 1993) ^{c g}
- [Triaspis breviventris](#) (Thomson, 1892) ^{c g}
- [Triaspis brucivora](#) (Rondani, 1877) ^{c g}
- [Triaspis buccula](#) (Papp, 1984) ^{c g}
- [Triaspis caledonica](#) (Marshall, 1888) ^{c g}
- [Triaspis carentica](#) Lopez, 2004 ^{c g}
- [Triaspis caucasica](#) Abdinbekova, 1969 ^{c g}
- [Triaspis caudata](#) (Nees, 1816) ^{c g}
- [Triaspis cervicalis](#) (Cockerell, 1921) ^{c g}
- [Triaspis claripennis](#) Tobias, 1967 ^{c g}
- [Triaspis collaris](#) (Thomson, 1874) ^{c g}
- [Triaspis complanellae](#) (Hartig, 1847) ^{c g}
- [Triaspis concava](#) Chou & Hsu, 1996 ^{c g}
- [Triaspis concisa](#) (Fullaway, 1919) ^{c g}
- [Triaspis conico](#) Lopez, 2004 ^{c g}
- [Triaspis convexa](#) Belokobylskij, 1998 ^{c g}
- [Triaspis corusca](#) Papp, 1984 ^{c g}
- [Triaspis curculiovorus](#) Papp & Maeto, 1992 ^{c g}
- [Triaspis daci](#) (Szepligeti, 1911) ^{c g}
- [Triaspis deversa](#) (Papp, 1993) ^{c g}

- [Triaspis devinensis](#) Snoflak, 1953 ^{c g}
- [Triaspis eflucta](#) Papp, 1998 ^{c g}
- [Triaspis elaeagni](#) Tobias, 1986 ^{c g}
- [Triaspis emarginata](#) (Szepligeti, 1914) ^c
- [Triaspis eugenii](#) Wharton & Lopez-Martinez, 2000 ^{c g}
- [Triaspis facialis](#) (Ratzeburg, 1852) ^{c g}
- [Triaspis fijica](#) (Papp, 1993) ^{c g}
- [Triaspis flavipalpis](#) (Wesmael, 1835) ^{c g}
- [Triaspis flavofacies](#) Papp, 1999 ^{c g}
- [Triaspis floricola](#) (Wesmael, 1835) ^{c g}
- [Triaspis fulgens](#) Papp, 1971 ^{c g}
- [Triaspis fumosa](#) Papp, 1984 ^{c g}
- [Triaspis glaberrima](#) Snoflak, 1953 ^{c g}
- [Triaspis graeca](#) Papp, 2003 ^{c g}
- [Triaspis halidayi](#) Martin, 1956 ^{c g}
- [Triaspis hansonii](#) Lopez, 2004 ^{c g}
- [Triaspis hispanica](#) Papp, 1999 ^{c g}
- [Triaspis imitatus](#) Papp, 1993 ^g
- [Triaspis krivolutskayae](#) Belokobylskij, 1994 ^{c g}
- [Triaspis kurtogaster](#) Martin, 1956 ^{c g}
- [Triaspis laticarinata](#) Martin, 1956 ^{c g}
- [Triaspis lugubris](#) Snoflak, 1953 ^{c g}
- [Triaspis luteipes](#) (Thomson, 1874) ^c
- [Triaspis magnafoveae](#) Martin, 1956 ^{c g}
- [Triaspis masoni](#) Lopez, 2004 ^{c g}
- [Triaspis matercula](#) Martin, 1956 ^{c g}
- [Triaspis mervarki](#) Papp, 1999 ^{c g}
- [Triaspis metacarpalis](#) Tobias, 1986 ^{c g}
- [Triaspis minuta](#) Papp, 1971 ^c
- [Triaspis nanchaensis](#) Ma, Yang & Yao, 2002 ^{c g}
- [Triaspis nishidai](#) Papp, 1984 ^{c g}
- [Triaspis nobilis](#) de Saeger, 1948 ^{c g}
- [Triaspis obscurella](#) (Nees, 1816) ^{c g}
- [Triaspis ocellulata](#) Martin, 1956 ^{c g}
- [Triaspis odontochila](#) Martin, 1956 ^{c g}
- [Triaspis odrina](#) (Papp, 1993) ^{c g}

- [Triaspis oranga](#) (Papp, 1993) ^{c g}
- [Triaspis pallipes](#) (Nees, 1816) ^{c g}
- [Triaspis pernegrus](#) (Papp, 1993) ^{c g}
- [Triaspis pinsapo](#) (Papp, 1993) ^{c g}
- [Triaspis pissodis](#) Viereck, 1912 ^{c g}
- [Triaspis podlussanyi](#) Papp, 1998 ^{c g}
- [Triaspis prima](#) (Brethes, 1925) ^{c g}
- [Triaspis prinops](#) Papp, 1984 ^{c g}
- [Triaspis pumila](#) Papp, 1984 ^{c g}
- [Triaspis pygmaea](#) (Szepligeti, 1913) ^c
- [Triaspis rectangulata](#) Martin, 1956 ^{c g}
- [Triaspis rimulosa](#) (Thomson, 1892) ^c
- [Triaspis ruficollis](#) (Cameron, 1905) ^c
- [Triaspis schrottkyi](#) (Szépligeti, 1908) ^{c g}
- [Triaspis scotospila](#) Papp, 1984 ^{c g}
- [Triaspis sculpturata](#) (Szepligeti, 1898) ^g
- [Triaspis sekera](#) Snoflak, 1953 ^{c g}
- [Triaspis semiareola](#) Papp, 1999 ^{c g}
- [Triaspis semiglabra](#) (Szepligeti, 1902) ^{c g}
- [Triaspis semilissa](#) Snoflak, 1953 ^{c g}
- [Triaspis shangchia](#) Chou & Hsu, 1996 ^{c g}
- [Triaspis shawi](#) Lopez, 2004 ^{c g}
- [Triaspis similator](#) (Szepligeti, 1901) ^g
- [Triaspis simplicifrons](#) (Brues, 1924) ^{c g}
- [Triaspis stenochila](#) Martin, 1956 ^{c g}
- [Triaspis stenogaster](#) Martin, 1956 ^{c g}
- [Triaspis stictostiba](#) Martin, 1956 ^{c g}
- [Triaspis stilpnogaster](#) Martin, 1956 ^{c g}
- [Triaspis striatula](#) (Nees, 1816) ^{c g}
- [Triaspis striola](#) (Thomson, 1874) ^{c g}
- [Triaspis sulcata](#) (Szépligeti, 1901) ^{c g}
- [Triaspis tadorna](#) Papp, 1984 ^{c g}
- [Triaspis terebra](#) (de Saeger, 1948) ^{c g}
- [Triaspis testacea](#) (Szepligeti, 1914) ^{c g}
- [Triaspis thomsoni](#) Fahringer, 1934 ^{c g}
- [Triaspis thoracica](#) (Curtis, 1860) ^c

- [*Triaspis transita*](#) Papp, 1984 ^{c g}
- [*Triaspis tricolorata*](#) Tobias & Saidov, 1997 ^{c g}
- [*Triaspis tripartita*](#) (Szepligeti, 1905) ^c
- [*Triaspis umbofer*](#) (Papp, 1993) ^{c g}
- [*Triaspis vernalis*](#) Belokobylskij, 1998 ^{c g}
- [*Triaspis versata*](#) Papp, 1984 ^{c g}
- [*Triaspis vestitica*](#) Viereck, 1912 ^{c g}
- [*Triaspis virginensis*](#) (Ashmead, 1889) ^{c g}
- [*Triaspis warncke*](#) Papp, 1999 ^{c g}
- [*Triaspis whartoni*](#) Lopez, 2004 ^{c g}
- [*Triaspis witte*](#) de Saeger, 1948 ^{c g}
- [*Triaspis xanthochila*](#) Martin, 1958 ^{c g}
- [*Triaspis xylophagi*](#) Fischer, 1966 ^{c g}

This is a list of 117 species in [*Triaspis*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]} Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

References

1.
 - ["Browse Triaspis"](#). *Catalogue of Life*. Retrieved 2018-04-05.
 - ["Triaspis"](#). *GBIF*. Retrieved 2018-04-05.
 - ["Triaspis Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-05.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-05.

[Categories:](#)

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 177 species in [*Trienodes*](#), a genus of long-horned caddisflies in the family [Leptoceridae](#).^{[1][2][3][4]}

***Triaenodes* species**

- [*Triaenodes aba*](#) Milne, 1935 ^b
- [*Triaenodes aberrans*](#) (Marlier, 1965) ^{i c g}
- [*Triaenodes abruptus*](#) Flint, 1991 ^{i c g}
- [*Triaenodes abus*](#) Milne, 1935 ^{i c g}
- [*Triaenodes africanus*](#) Ulmer, 1907 ^{i c g}
- [*Triaenodes allax*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes anomalus*](#) Flint, 1967 ^{i c g}
- [*Triaenodes apicatus*](#) Navás, 1934 ^{i c g}
- [*Triaenodes apicomaculatus*](#) Mey, 1990 ^{i c g}
- [*Triaenodes assimilis*](#) (Banks, 1937) ^{i c g}
- [*Triaenodes atalomus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes aureus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes barbarae*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes baris*](#) Ross, 1938 ^{i c g b}
- [*Triaenodes bernardi*](#) Vaillant, 1953 ^{i c g}
- [*Triaenodes bernaysae*](#) Korboot, 1964 ^{i c g}
- [*Triaenodes bicolor*](#) (Curtis, 1834) ^{i c g}
- [*Triaenodes bifasciatus*](#) Navás, 1934 ^{i c g}
- [*Triaenodes bifidus*](#) Jacquemart, 1966 ^{i c g}
- [*Triaenodes bilobatus*](#) Yang & Morse, 2000 ^{i c g}
- [*Triaenodes boettcheri*](#) Ulmer, 1930 ^{i c g}
- [*Triaenodes borealis*](#) Banks, 1900 ^{i c g}
- [*Triaenodes botosaneanui*](#) Marlier, 1978 ^{i c g}
- [*Triaenodes bulupendek*](#) Andersen & Holzenthal, 1999 ^{i c g}
- [*Triaenodes calamintella*](#) Mey, 1995 ^{i c g}
- [*Triaenodes camurus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes celatus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes cheliferus*](#) (Mosely, 1932) ^{i c g}
- [*Triaenodes clarus*](#) Jacquemart, 1961 ^{i c g}
- [*Triaenodes clavatus*](#) (Mosely, 1932) ^{i c g}
- [*Triaenodes cloe*](#) (Hagen, 1859) ^{i c g}
- [*Triaenodes columbicus*](#) Ulmer, 1909 ^{i c g}
- [*Triaenodes conjugatus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes connatus*](#) Ross, 1959 ^{i c g}
- [*Triaenodes conspersus*](#) (Rambur, 1842) ^g

- [*Triaenodes contartus*](#) Jacquemart & Statzner, 1981^{i c g}
- [*Triaenodes copelatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes corallinus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes corynotrus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes costalis*](#) Kimmins, 1962^{i c g}
- [*Triaenodes cumberlandensis*](#) Etnier & Way, 1973^{i c g}
- [*Triaenodes cuspiousus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes cymulosus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes darfuricus*](#) Mosely, 1936^{i c g}
- [*Triaenodes delicatus*](#) Navas, 1924^{i c g}
- [*Triaenodes demoulini*](#) Jacquemart, 1967^{i c g}
- [*Triaenodes dentatus*](#) Banks, 1914^{i c g}
- [*Triaenodes dibolia*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes difformis*](#) Mosely, 1932^{i c g}
- [*Triaenodes dipsia*](#)^b
- [*Triaenodes dipsius*](#) Ross, 1938^{i c g}
- [*Triaenodes dolabratus*](#) Gibbs, 1973^{i c g}
- [*Triaenodes doryphorus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes drepana*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes dubius*](#) Mosely, 1934^{i c g}
- [*Triaenodes dusrus*](#) Schmid, 1965^{i c g}
- [*Triaenodes dysmica*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes elegantulus*](#) Ulmer, 1908^{i c g}
- [*Triaenodes empheirus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes esakii*](#) Tsuda, 1941^{i c g}
- [*Triaenodes etheira*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes excisus*](#) Kimmins, 1957^{i c g}
- [*Triaenodes eximius*](#) Schmid, 1994^{i c g}
- [*Triaenodes falculatus*](#) Kimmins, 1956^{i c g}
- [*Triaenodes fantasio*](#) Schmid, 1994^{i c g}
- [*Triaenodes fijianus*](#) Mosely, 1941^{i c g}
- [*Triaenodes flavescens*](#) Banks, 1900^{i c g b}
- [*Triaenodes florida*](#) Ross, 1941^{i c g}
- [*Triaenodes foliformis*](#) Yang & Morse, 2000^{i c g}
- [*Triaenodes forficatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes fortunio*](#) Schmid, 1994^{i c g}

- [*Triaenodes fulvus*](#) Navás, 1931^{i c g}
- [*Triaenodes furcellus*](#) Ross, 1959^{i c g}
- [*Triaenodes fuscinulus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes gazella*](#) (Hagen, 1859)^{i c g}
- [*Triaenodes ghana*](#) Kimmins, 1957^{i c g}
- [*Triaenodes gibberosus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes hastatus*](#) Ulmer, 1908^{i c g}
- [*Triaenodes hauseri*](#) Mey, 1998^{i c g}
- [*Triaenodes helo*](#) Milne, 1934^{i c g}
- [*Triaenodes hickini*](#) Kimmins, 1957^{i c g}
- [*Triaenodes hirsutus*](#) Jacquemart, 1966^{i c g}
- [*Triaenodes hoenei*](#) Schmid, 1959^{i c g}
- [*Triaenodes hybos*](#) Mey, 1998^{i c g}
- [*Triaenodes ignitus*](#) (Walker, 1852)^{i c g}
- [*Triaenodes imakus*](#) Gibbs, 1973^{i c g}
- [*Triaenodes implexus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes indicus*](#) Martynov, 1936^{i c g}
- [*Triaenodes inflexus*](#) Morse, 1971^{i c g}
- [*Triaenodes injusta*](#) Hagen, 1861^b
- [*Triaenodes injustus*](#) (Hagen, 1861)^{i c g}
- [*Triaenodes insulanus*](#) Ulmer, 1951^{i c g}
- [*Triaenodes insularis*](#) Navás, 1936^{i c g}
- [*Triaenodes intricata*](#) Neboiss, 1977^{i c g}
- [*Triaenodes jubatus*](#) Neboiss, 1982^{i c g}
- [*Triaenodes kimilus*](#) Mosely, 1939^{i c g}
- [*Triaenodes laamii*](#) Dakki, 1980^{i c g}
- [*Triaenodes laciniatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes lanceolatus*](#) Kimmins, 1957^{i c g}
- [*Triaenodes lankarama*](#) Schmid, 1958^{i c g}
- [*Triaenodes legonus*](#) Mosely, 1939^{i c g}
- [*Triaenodes longispinus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes lorai*](#) Navás, 1932^{i c g}
- [*Triaenodes lurideolus*](#) Mey, 1990^{i c g}
- [*Triaenodes manni*](#) Banks, 1936^{i c g}
- [*Triaenodes marginata*](#) Milne, 1934^b
- [*Triaenodes marginatus*](#) Sibley, 1926^{i c g}

- [*Triaenodes mataranka*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes melacus*](#) Ross, 1947^{i c g}
- [*Triaenodes melanopeza*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes mondoanus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes moselyi*](#) Kimmins, 1962^{i c g}
- [*Triaenodes mouldsi*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes nesiotinus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes nigrolineatus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes niwai*](#) Iwata, 1927^{i c g}
- [*Triaenodes notalius*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes nox*](#) Ross, 1941^{i c g}
- [*Triaenodes nymphaea*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes ochraceus*](#) (Betten & Mosely, 1940)^{i c g}
- [*Triaenodes ochreellus*](#) McLachlan, 1877^{i c g}
- [*Triaenodes ornatus*](#) Ulmer, 1915^{i c g}
- [*Triaenodes palpalis*](#) Banks, 1920^{i c g}
- [*Triaenodes pellectus*](#) Ulmer, 1908^{i c g}
- [*Triaenodes perissotes*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes perna*](#) Ross, 1938^{i c g}
- [*Triaenodes peruanus*](#) Flint & Reyes-Arrunategui, 1991^{i c g}
- [*Triaenodes phalacris*](#) Ross, 1938^{i c g}
- [*Triaenodes piceus*](#) Kimmins, 1957^{i c g}
- [*Triaenodes plutonis*](#) (Banks, 1931)^{i c g}
- [*Triaenodes polystachius*](#) (Marlier, 1957)^{i c g}
- [*Triaenodes probolius*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes prosynskii*](#) (Marlier & Botosaneanu, 1968)^{i c g}
- [*Triaenodes qinglingensis*](#) Yang & Morse, 2000^{i c g}
- [*Triaenodes reclusus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes resimus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes reuteri*](#) (McLachlan, 1880)^b
- [*Triaenodes rufescens*](#) Martynov, 1935^{i c g}
- [*Triaenodes rutellus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes scottae*](#) Gibon, 1982^{i c g}
- [*Triaenodes semigraphatus*](#) Mey, 1990^{i c g}
- [*Triaenodes sericeus*](#) Navás, 1935^{i c g}
- [*Triaenodes serratus*](#) Ulmer, 1912^{i c g}

- [*Triaenodes siculus*](#) (Barnard, 1934) ^{i c g}
- [*Triaenodes sinicus*](#) Ulmer, 1932 ^{i c g}
- [*Triaenodes smithi*](#) Ross, 1959 ^{i c g}
- [*Triaenodes spoliatus*](#) Mey, 1998 ^{i c g}
- [*Triaenodes stipulosus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes taenius*](#) Ross, 1938 ^{i c g}
- [*Triaenodes tafanus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes tanzanicus*](#) Olah, 1986 ^{i c g}
- [*Triaenodes tardus*](#) Milne, 1934 ^{i c g b}
- [*Triaenodes telefominicus*](#) Kumanski, 1979 ^{i c g}
- [*Triaenodes teneratus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes teresis*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes theiophorus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes tofanus*](#) Gibbs, 1973 ^{i c g}
- [*Triaenodes torresianus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes toxeres*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes transversarius*](#) Mey, 1990 ^{i c g}
- [*Triaenodes triaenodiformis*](#) (Ulmer, 1930) ^{i c g}
- [*Triaenodes tridentatus*](#) Ross, 1938 ^{i c g}
- [*Triaenodes trifidus*](#) Kimmins, 1957 ^{i c g}
- [*Triaenodes triquetrus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes trivulcio*](#) Schmid, 1994 ^{i c g}
- [*Triaenodes troubati*](#) Gibon, 1982 ^{i c g}
- [*Triaenodes unanimis*](#) McLachlan, 1877 ^{i c g}
- [*Triaenodes uncatus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes ustulatus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes uvidus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes verberatus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes vespertinus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes virgulus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes voldus*](#) Mosely in Mosely & Kimmins, 1953 ^{i c g}
- [*Triaenodes vorhiesi*](#) Betten, 1934 ^{i c g}
- [*Triaenodes wambanus*](#) Mosely, 1939 ^{i c g}
- [*Triaenodes wannonensis*](#) Neboiss & Wells, 1998 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of species in [Trechus](#), a genus of beetles in the family [Carabidae](#).

The genus *Trechus* contains the following species:[\[1\]](#)[\[2\]](#)[\[3\]](#)

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [Trechus abakumovi](#) Belousov & Kabak, 1996
- [Trechus abalkhasimi](#) J.Schmidt & Faille, 2018
- [Trechus abdurakhmanovi](#) Belousov, 1990
- [Trechus abeillei](#) Pandellé, 1872
- [Trechus academiae](#) Deuve, 1992
- [Trechus achillecasalei](#) Deuve, 1998
- [Trechus acuticollis](#) Sciaky & Pavesi, 1994
- [Trechus adaba](#) J.Schmidt & Faille, 2018

- [Trechus additus](#) J.Schmidt, 2016
- [Trechus aduncus](#) Barr, 1962
- [Trechus adustus](#) Jeannel, 1962
- [Trechus aedeagalis](#) J.Schmidt, 2009
- [Trechus aethiopicus](#) Alluaud, 1918
- [Trechus aghiazicus](#) Belousov & Kabak, 2019
- [Trechus agni](#) Deuve & Queinnec, 1985
- [Trechus agouzicus](#) Deuve & Queinnec, 1992
- [Trechus akibensis](#) Belousov, 1990
- [Trechus akkusianus](#) Donabauer, 2006
- [Trechus aksuensis](#) Belousov & Kabak, 1996
- [Trechus alajensis](#) Belousov & Kabak, 1994
- [Trechus alanicus](#) Belousov, 1990
- [Trechus albanicus](#) Apfelbeck, 1905
- [Trechus algericus](#) Jeannel, 1922
- [Trechus alicantinus](#) Español, 1971
- [Trechus alinae](#) Dajoz, 1990
- [Trechus almonius](#) Reitter, 1903
- [Trechus alpicola](#) Sturm, 1825
- [Trechus alpigradus](#) Reitter, 1888
- [Trechus alticola](#) Wollaston, 1854
- [Trechus altitudinum](#) Deuve, 2004
- [Trechus amasraensis](#) Donabauer, 2004
- [Trechus ambarasensis](#) Jeannel, 1954
- [Trechus amblus](#) Jeannel, 1935
- [Trechus amblygonellus](#) Jeannel, 1964
- [Trechus amblygonus](#) Jeannel, 1935
- [Trechus ambrolauricus](#) Belousov, 1989
- [Trechus amharicus](#) Ortuño & Novoa, 2011
- [Trechus amicornum](#) P.Moravec & Wrase, 1998
- [Trechus amplicollis](#) Fairmaire, 1859
- [Trechus anae](#) Morvan, 1982
- [Trechus andreinii](#) Jeannel, 1921
- [Trechus angavoensis](#) J.Schmidt & Faille, 2018
- [Trechus angelae](#) Magrini, 1984
- [Trechus angelicae](#) Reitter, 1892
- [Trechus angulifer](#) Belousov & Kabak, 1992
- [Trechus angusticeps](#) Apfelbeck, 1904
- [Trechus angusticollis](#) Kiesenwetter, 1850
- [Trechus anichtchenkoi](#) Toribio, 2012
- [Trechus animosus](#) Jeannel, 1962
- [Trechus anjuensis](#) Deuve, 1998

- [Trechus antonii](#) Jeannel, 1936
- [Trechus antonini](#) Deuve, 1998
- [Trechus apache](#) Dajoz, 1990
- [Trechus apicalis](#) Motschulsky, 1845
- [Trechus apoduvalipenis](#) Salgado & Ortuño, 1998
- [Trechus apusenicus](#) P.Moravec, 1986
- [Trechus aquilus](#) Jeannel, 1962
- [Trechus arambourgi](#) Jeannel, 1935
- [Trechus arizonae](#) Casey, 1918
- [Trechus armenus](#) Iablokoff-Khnzorian, 1963
- [Trechus arnoldii](#) Belousov, 1987
- [Trechus arrechaei](#) Ortuño; Gilgado & Cuesta, 2014
- [Trechus arribasi](#) Jeanne, 1988
- [Trechus arshanicus](#) Belousov & Kabak, 2001
- [Trechus artemisiae](#) Putzeys, 1872
- [Trechus arthuri](#) P.Moravec & Lompe in Löbl & Smetana, 2003
- [Trechus asiaticus](#) Jeannel, 1927
- [Trechus assingi](#) Lompe, 1999
- [Trechus astrophilus](#) J.Schmidt, 2009
- [Trechus atomus](#) P.Moravec & Wrase, 1998
- [Trechus aubei](#) Pandellé, 1867
- [Trechus aubryi](#) Coiffait, 1953
- [Trechus aurouxi](#) (Mateu & Comas, 2006)
- [Trechus austriacus](#) Dejean, 1831
- [Trechus avgolensis](#) Belousov & Kabak, 1998
- [Trechus aztec](#) Jeannel, 1920

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

B

- [*Trechus babaensis*](#) Lompe, 2015
- [*Trechus babaulti*](#) Jeannel, 1935
- [*Trechus babinjensis*](#) Jeannel, 1927
- [*Trechus badius*](#) Jeannel, 1960
- [*Trechus badzhalicus*](#) Plutenko, 2004
- [*Trechus bajankoli*](#) Belousov & Kabak, 1992
- [*Trechus bakeri*](#) Jeannel, 1923
- [*Trechus bakurovi*](#) Shilenkov, 1984
- [*Trechus baleensis*](#) (Basilewsky, 1974)
- [*Trechus balesilvestris*](#) J.Schmidt & Faille, 2018
- [*Trechus balfourbrownei*](#) Ueno, 1965
- [*Trechus balkaricus*](#) Belousov, 1990
- [*Trechus balsamensis*](#) Barr, 1962
- [*Trechus bannaticus*](#) Dejean, 1831
- [*Trechus barahbisensis*](#) Deuve, 1988
- [*Trechus barbaritae*](#) Donabauer, 2004
- [*Trechus barberi*](#) (Jeannel, 1931)
- [*Trechus barii*](#) Focarile, 1949
- [*Trechus barnevillei*](#) Pandellé, 1867
- [*Trechus barratxinai*](#) Español, 1971
- [*Trechus basarukini*](#) P.Moravec & Wrase, 1997
- [*Trechus basilewskianus*](#) Geginat, 2008
- [*Trechus basilewskyi*](#) Jeannel, 1960
- [*Trechus baskonicus*](#) Belousov & Kabak, 1996
- [*Trechus bastianinii*](#) Magrini & Sciaky, 2006
- [*Trechus bastropi*](#) J.Schmidt, 2009
- [*Trechus batuensis*](#) Magrini & Sciaky, 2006
- [*Trechus batyr*](#) Belousov & Kabak, 1992
- [*Trechus bayanbulak*](#) Deuve, 1993

- [Trechus baztanensis](#) Dupré, 1991
- [Trechus beatus](#) Reitter, 1903
- [Trechus bedeli](#) Jeannel, 1922
- [Trechus beelsoni](#) Jeannel, 1930
- [Trechus beghinorum](#) Belousov & Kabak, 1992
- [Trechus beieri](#) Winkler, 1936
- [Trechus belovi](#) Belousov & Kabak, 1996
- [Trechus beltrani](#) Toribio, 1990
- [Trechus benahoaritus](#) Machado, 1989
- [Trechus benesi](#) Deuve, 1993
- [Trechus bensai](#) Jeannel, 1927
- [Trechus besucheti](#) Pawlowski, 1977
- [Trechus besuchetianus](#) Deuve, 1987
- [Trechus beusti](#) (L.Schaufuss, 1863)
- [Trechus bhadarwahensis](#) Deuve, 1982
- [Trechus bhutanicus](#) Ueno, 1977
- [Trechus bianericus](#) Belousov & Kabak, 2020
- [Trechus bibulus](#) Lompe, 1999
- [Trechus biharicus](#) Meixner, 1912
- [Trechus binotatus](#) Putzeys, 1870
- [Trechus bipartitus](#) Raffray, 1886
- [Trechus bodemeyeri](#) Reitter, 1913
- [Trechus bogatshevi](#) Belousov, 1987
- [Trechus bogdani](#) Belousov & Kabak, 2000
- [Trechus bogdoensis](#) Belousov & Kabak, 2001
- [Trechus boghinorum](#) Belousov & Kabak, 1992
- [Trechus bohaci](#) P.Moravec, 1987
- [Trechus bohemorum](#) Pawlowski, 1973
- [Trechus boleslavi](#) Belousov & Kabak, 2000
- [Trechus boludagensis](#) Donabauer, 2006
- [Trechus bombi](#) J.Schmidt & Faille, 2018
- [Trechus bonvouloiri](#) Pandellé, 1867
- [Trechus bordei](#) Peyerimhoff, 1909
- [Trechus bosnicus](#) Ganglbauer, 1891
- [Trechus boudikae](#) Morvan, 1982
- [Trechus bouilloni](#) Faille; Bourdeau & Fresneda, 2012
- [Trechus boulbeni](#) Deuve, 1998
- [Trechus bourdeau](#) Fresneda; Valenzuela & Faille, 2015
- [Trechus bowlingi](#) Barr, 1962
- [Trechus bradycelliformis](#) Csiki, 1906
- [Trechus brancuccii](#) Deuve, 2006
- [Trechus brendelli](#) Deuve, 2005

- [Trechus breuili](#) Jeannel, 1913
- [Trechus breuningi](#) Morvan, 1972
- [Trechus brevicaudis](#) Belousov & Kabak, 1993
- [Trechus brevicorpus](#) Belousov & Kabak, 1993
- [Trechus brezinai](#) Deuve & Queinnec, 1992
- [Trechus bruckii](#) Fairmaire, 1862
- [Trechus bruckoides](#) Faille; Bourdeau & Fresneda, 2012
- [Trechus buahitensis](#) Jeannel, 1954
- [Trechus budhaensis](#) J.Schmidt, 2009
- [Trechus byzantinus](#) Apfelbeck, 1901

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

C

- [Trechus cabrerai](#) (Jeannel, 1936)
- [Trechus calashensis](#) Deuve, 1982

- [Trechus caliginis](#) Barr, 1985
- [Trechus cameroni](#) Jeannel, 1923
- [Trechus cantalicus](#) Fauvel, 1888
- [Trechus cappadocicus](#) Pawlowski, 1976
- [Trechus caprai](#) Jeannel, 1927
- [Trechus cardioderus](#) Putzeys, 1870
- [Trechus carilloi](#) Toribio & Rodriguez, 1997
- [Trechus carnioliae](#) G.Müller, 1921
- [Trechus carolinae](#) Schaeffer, 1901
- [Trechus carpaticus](#) Rybinski, 1902
- [Trechus caspircus](#) Deuve, 1982
- [Trechus catensis](#) Donabauer, 2013
- [Trechus cathaicus](#) Sciaky & Pavesi, 1995
- [Trechus caucasicus](#) Chaudoir, 1846
- [Trechus cautus](#) Wollaston, 1854
- [Trechus cavernicola](#) J.Frivaldszky, 1881
- [Trechus ceballosi](#) Mateu, 1953
- [Trechus centralis](#) Nonveiller; Pavicevic & Popovic, 1994
- [Trechus cephalonicus](#) Winkler, 1914
- [Trechus cephalotellus](#) Belousov in Kryzhanovskij et al., 1995
- [Trechus ceresai](#) Binaghi, 1938
- [Trechus chalybeus](#) Dejean, 1831
- [Trechus championi](#) Jeannel, 1920
- [Trechus changbaicola](#) Deuve, 2017
- [Trechus chappuisi](#) Jeannel, 1935
- [Trechus cheoahensis](#) Donabauer, 2005
- [Trechus chiguguanensis](#) Belousov & Kabak, 2020
- [Trechus chillalicus](#) Jeannel, 1936
- [Trechus chodjajii](#) Morvan, 1974
- [Trechus chokensis](#) Pawlowski, 2002
- [Trechus cholaensis](#) Deuve, 1996
- [Trechus chormaensis](#) Deuve, 1993
- [Trechus christinae](#) J.Schmidt, 2016
- [Trechus cifrianae](#) Ortuño & Jimenez-Valverde, 2011
- [Trechus clarkeianus](#) (Basilewsky, 1974)
- [Trechus claudiae](#) Deuve, 1996
- [Trechus clingmanensis](#) Donabauer, 2005
- [Trechus coelestis](#) Sciaky & Pavesi, 1994
- [Trechus colobus](#) J.Schmidt & Faille, 2018
- [Trechus coloradensis](#) Schaeffer, 1915
- [Trechus comasi](#) Hernando, 2002
- [Trechus compactulus](#) Belousov & Kabak, 1996

- [Trechus compsus](#) Jeannel, 1935
- [Trechus concinnus](#) Tschitscherine, 1904
- [Trechus concoloratus](#) Lorenz, 1998
- [Trechus conformis](#) Jeannel, 1927
- [Trechus confusatorius](#) Deuve & Kaiser, 2009
- [Trechus consobrinus](#) K. & J.Daniel, 1898
- [Trechus constrictus](#) Schaum, 1860
- [Trechus controversus](#) Binaghi, 1959
- [Trechus coweensis](#) Barr, 1979
- [Trechus crassiscapus](#) Lindroth, 1955
- [Trechus cratocephalus](#) Belousov & Kabak, 2019
- [Trechus croaticus](#) Dejean, 1831
- [Trechus croceus](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus crucifer](#) Piochard de la Brûlerie, 1876
- [Trechus cryobius](#) Jeannel, 1935
- [Trechus cryptophilus](#) Belousov & Kabak, 1992
- [Trechus culminicola](#) Jeannel, 1936
- [Trechus cumberlandus](#) Barr, 1962
- [Trechus cuniculorum](#) Mequignon, 1921
- [Trechus curticolis](#) Fairmaire, 1866
- [Trechus curvatis](#) Belousov & Kabak, 1998
- [Trechus cuspis](#) Belousov & Kabak, 2020
- [Trechus custos](#) Wollaston, 1854
- [Trechus cyclomus](#) Jeannel, 1954
- [Trechus cyprinus](#) Franz, 1987

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)

- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

D

- [Trechus dabanensis](#) Sciaky & Pavesi, 1994
- [Trechus dabanshanicola](#) Deuve, 2011
- [Trechus dacatraianus](#) Deuve, 1996
- [Trechus dakushitaicus](#) Deuve, 2004
- [Trechus damchungensis](#) Deuve, 1998
- [Trechus danieli](#) Holdhaus, 1902
- [Trechus daoensis](#) Belousov & Kabak, 2001
- [Trechus davanensis](#) Sciaky & Pavesi, 1994
- [Trechus davidiani](#) Belousov, 1990
- [Trechus davidwrasei](#) Donabauer, 2007
- [Trechus dayanae](#) Assmann & Wrase, 2012
- [Trechus debilis](#) Wollaston, 1871
- [Trechus decolor](#) Jeannel, 1938
- [Trechus degienensis](#) Jeannel, 1954
- [Trechus delarouzei](#) Pandellé, 1867
- [Trechus delhermi](#) Saulcy, 1880
- [Trechus deliae](#) Morvan, 1971
- [Trechus demircapicus](#) P.Moravec, 1986
- [Trechus demissus](#) Jeannel, 1962
- [Trechus densicornis](#) (Fischhuber, 1977)
- [Trechus depressipenis](#) Sciaky & Pavesi, 1995
- [Trechus depressipennis](#) J.Schmidt & Faille, 2018
- [Trechus degenensis](#) Deuve, 2017
- [Trechus detersus](#) Wollaston, 1864
- [Trechus dichrous](#) Reitter, 1911
- [Trechus diecki](#) Putzeys, 1870
- [Trechus dilizhanicus](#) Belousov, 1989
- [Trechus dilutus](#) Wollaston, 1854
- [Trechus dimorphicus](#) Pawlowski, 2002
- [Trechus diogenes](#) Pawlowski, 1979

- [Trechus dioscuricus](#) Belousov, 1990
- [Trechus distigma](#) Kiesenwetter, 1851
- [Trechus distinctus](#) Fairmaire & Laboulbène, 1854
- [Trechus djebalicus](#) (Comas & Mateu, 2008)
- [Trechus djebelgloubensis](#) Quéinnec & Ollivier, 2013
- [Trechus doderoi](#) Jeannel, 1927
- [Trechus dodola](#) J.Schmidt & Faille, 2018
- [Trechus dolomitanus](#) Jeannel, 1931
- [Trechus donabaueri](#) Lebenbauer, 2004
- [Trechus dongola](#) J.Schmidt, 2016
- [Trechus dongulaensis](#) J.Schmidt, 2009
- [Trechus dostali](#) Donabauer, 2007
- [Trechus dromai](#) J.Schmidt, 2016
- [Trechus dubitans](#) Reitter, 1903
- [Trechus dudkorum](#) Belousov & Kabak, 1996
- [Trechus dulat](#) Belousov & Kabak, 1992
- [Trechus dunitrescui](#) Decou, 1959
- [Trechus duvalioides](#) Deuve, 2004
- [Trechus dzermukensis](#) Iablokoff-Khnzorian, 1963
- [Trechus dzhalair](#) Belousov & Kabak, 1994
- [Trechus dzhungaricus](#) Belousov & Kabak, 1992
- [Trechus dzykhvensis](#) Belousov, 1990

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

E

- [Trechus echarouxi](#) Ollivier & Queinnec, 2011
- [Trechus egorovi](#) Belousov & Kabak, 1996
- [Trechus egregius](#) Jeannel, 1927
- [Trechus elburzensis](#) Morvan, 1974
- [Trechus elegans](#) Putzeys, 1847
- [Trechus elgonicus](#) Jeannel, 1930
- [Trechus elongatulus](#) Putzeys, 1870
- [Trechus enedaphos](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus enigmaticus](#) Coiffait, 1971
- [Trechus enoploides](#) Jeannel, 1954
- [Trechus enoplus](#) Jeannel, 1935
- [Trechus epirotes](#) Colas, 1957
- [Trechus eremita](#) J.Schmidt, 2009
- [Trechus ericalis](#) Magrini; Queinnec & Vigna Taglianti, 2013
- [Trechus erythrostomus](#) Deuve, 1987
- [Trechus escalerae](#) Abeille de Perrin, 1903
- [Trechus espanyoli](#) (Mateu & Escola, 2006)
- [Trechus eutrechoides](#) Deuve, 1992
- [Trechus exilipenis](#) Belousov & Kabak, 1994

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

F

- [*Trechus fadriquei*](#) (Mateu & Escola, 2006)
- [*Trechus fairmairei*](#) Pandellé, 1867
- [*Trechus felix*](#) Wollaston, 1864
- [*Trechus ferghanicus*](#) Belousov & Kabak, 1992
- [*Trechus fischensis*](#) Reitter, 1888
- [*Trechus fisehai*](#) J.Schmidt & Faille, 2018
- [*Trechus flavocinctus*](#) Jeannel, 1922
- [*Trechus flavocircumdatus*](#) Jeannel, 1922
- [*Trechus flavolimbatus*](#) Wollaston, 1863
- [*Trechus flavomarginatus*](#) Wollaston, 1854
- [*Trechus focarilei*](#) Monguzzi, 1998
- [*Trechus folwarcznyi*](#) Deuve, 1998
- [*Trechus fongondi*](#) Deuve & Queinnec, 1983
- [*Trechus fontinalis*](#) Rybinski, 1901
- [*Trechus fortimanus*](#) Reitter, 1903
- [*Trechus fortunatus*](#) Jeannel, 1927
- [*Trechus franzianus*](#) Mateu & Deuve, 1979
- [*Trechus franzschuberti*](#) Donabauer, 2006
- [*Trechus frater*](#) J.Schmidt, 2016
- [*Trechus frigophilus*](#) J.Schmidt, 2016
- [*Trechus fritzbeneschi*](#) Donabauer, 2006
- [*Trechus fubianensis*](#) Deuve, 2009
- [*Trechus fulvatis*](#) Belousov & Kabak, 1998
- [*Trechus fulvus*](#) Dejean, 1831
- [*Trechus fuscus*](#) Motschulsky, 1850

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

G

- [*Trechus gagrensis*](#) Jeannel, 1927
- [*Trechus galianus*](#) Belousov, 1989
- [*Trechus galicicaensis*](#) B.V.Gueorguiev & Hristovski, 2010
- [*Trechus gallaecus*](#) Jeannel, 1921
- [*Trechus gallorites*](#) Jeannel, 1936
- [*Trechus gamae*](#) Reboleira & Serrano, 2009
- [*Trechus gansuensis*](#) Deuve & Queinnec, 1993
- [*Trechus gemaensis*](#) Belousov & Kabak, 2020
- [*Trechus genevanorum*](#) Pawlowski, 1977
- [*Trechus gigas*](#) Pawlowski, 2002
- [*Trechus gigoni*](#) (Casale, 1982)
- [*Trechus gitzeni*](#) Belousov & Kabak, 2001
- [*Trechus glabratus*](#) J.Schmidt, 2009

- [Trechus glacialis](#) Heer, 1837
- [Trechus glebi](#) Belousov & Kabak, 2019
- [Trechus gloriensis](#) Jeanne, 1971
- [Trechus goebli](#) Breit, 1914
- [Trechus goelkoeyensis](#) Donabauer, 2013
- [Trechus goidanichi](#) Focarile & Casale, 1978
- [Trechus goliath](#) Belousov & Kabak, 1992
- [Trechus golovatchi](#) Casale, 1983
- [Trechus gomerensis](#) Franz, 1986
- [Trechus gongshanensis](#) Deuve & Kavanaugh, 2016
- [Trechus gorkhai](#) J.Schmidt, 1998
- [Trechus gracilitarsis](#) K. & J.Daniel, 1898
- [Trechus gradloni](#) Morvan, 1982
- [Trechus grandiceps](#) Reitter, 1885
- [Trechus grandipennis](#) J.Schmidt & Faille, 2018
- [Trechus grandis](#) Ganglbauer, 1891
- [Trechus gravidus](#) Putzeys, 1870
- [Trechus grenieri](#) Pandellé, 1867
- [Trechus groubei](#) (Antoine, 1936)
- [Trechus guangaishanus](#) Belousov & Kabak, 2001
- [Trechus gugheensis](#) Jeannel, 1950
- [Trechus gulickai](#) Löbl, 1967
- [Trechus gurungi](#) J.Schmidt, 1998
- [Trechus gusevi](#) Belousov, 1990
- [Trechus gushensis](#) Belousov & Kabak, 1998
- [Trechus gwiomarchi](#) Morvan, 1982
- [Trechus gyalmo](#) J.Schmidt, 2016
- [Trechus gyalpo](#) J.Schmidt, 2016
- [Trechus gyatsola](#) J.Schmidt, 2016
- [Trechus gypaeti](#) Vigna Taglianti & Magrini, 2009

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

H

- [Trechus habaicus](#) Deuve, 2011
- [Trechus habashanensis](#) Deuve, 2017
- [Trechus hagenia](#) J.Schmidt & Faille, 2018
- [Trechus haggei](#) J.Schmidt & Faille, 2018
- [Trechus hajeki](#) Reitter, 1913
- [Trechus hampei](#) Ganglbauer, 1891
- [Trechus hangaicus](#) Shilenkov, 1982
- [Trechus haoe](#) Barr, 1979
- [Trechus haoeleadensis](#) Donabauer, 2005
- [Trechus harena](#) J.Schmidt & Faille, 2018
- [Trechus harryi](#) J.Schmidt & Faille, 2018
- [Trechus hauseri](#) Jeannel, 1962
- [Trechus heinzianus](#) Pawlowski, 1979
- [Trechus hemsinensis](#) Donabauer, 2013
- [Trechus hendrichsi](#) Mateu, 1974
- [Trechus heniochicus](#) Ljovuschkin, 1970
- [Trechus hiekei](#) J.Schmidt, 2016
- [Trechus himalensis](#) Deuve & Queinnec, 1985
- [Trechus hingstoni](#) Jeannel, 1928
- [Trechus hodeberti](#) Deuve, 1998
- [Trechus holzun](#) Shilenkov & Sokolov, 1987
- [Trechus hoppi](#) Jeannel, 1927
- [Trechus houzhenziensis](#) Deuve, 2001
- [Trechus howellae](#) Barr, 1979
- [Trechus humboldti](#) Van Dyke, 1945

- [Trechus hummleri](#) Jeannel, 1927
- [Trechus hurrita](#) Pavesi & Sciaky, 1990
- [Trechus huzhubeiensis](#) Deuve, 2011
- [Trechus hydropicus](#) G.Horn, 1883
- [Trechus hylonomellus](#) Lorenz, 1998
- [Trechus hyperythros](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

I

- [Trechus iblanensis](#) (Mateu & Escola, 2006)
- [Trechus idriss](#) Peyerimhoff, 1924
- [Trechus ilgazensis](#) Donabauer, 2004
- [Trechus ilgazicus](#) Pawlowski, 1976
- [Trechus illyricus](#) Jeannel, 1921
- [Trechus imaicus](#) Jeannel, 1923

- [Trechus imereticus](#) Belousov, 1990
- [Trechus impunctus](#) Casale, 1979
- [Trechus imurai](#) Ueno, 1999
- [Trechus incisipenis](#) Belousov & Kabak, 1999
- [Trechus incola](#) Peyerimhoff, 1909
- [Trechus indicus](#) Putzeys, 1870
- [Trechus indicusoides](#) Deuve, 2005
- [Trechus inexpectatus](#) Barr, 1985
- [Trechus inexpectatus](#) Belousov & Kabak, 2001
- [Trechus infuscatus](#) Chaudoir, 1850
- [Trechus insolitus](#) K.Daniel in K. & J.Daniel, 1906
- [Trechus insubricus](#) K. & J.Daniel, 1898
- [Trechus iranicus](#) Morvan & Pawlowski, 1977
- [Trechus irenis](#) Csiki, 1912
- [Trechus iricolor](#) Sciaky & Pavesi, 1995
- [Trechus iridescens](#) J.Schmidt & Faille, 2018
- [Trechus irkeshtamicus](#) Belousov & Kabak, 1998
- [Trechus irritus](#) Jeannel, 1960
- [Trechus isabelae](#) Borges & Serrano, 2007 (Cave ground-beetle)
- [Trechus isfanensis](#) Belousov & Kabak, 1998
- [Trechus ispulensis](#) Belousov & Kabak, 1992
- [Trechus italicus](#) K. & J.Daniel, 1898
- [Trechus ithae](#) Reitter, 1888

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

J

- [Trechus jadodraconis](#) Deuve, 1995
- [Trechus jaechi](#) Donabauer, 2006
- [Trechus janaki](#) P.Moravec, 1993
- [Trechus janatai](#) Belousov & Kabak, 2000
- [Trechus jarrigei](#) Morvan, 1972
- [Trechus jeannei](#) Sciaky, 1998
- [Trechus jezerensis](#) Apfelbeck, 1908
- [Trechus jiuuhensis](#) Deuve & Liang, 2015
- [Trechus jiuzhaiensis](#) Deuve, 1998
- [Trechus jorgensis](#) Oromi & Borges, 1991 (Cave ground-beetle)
- [Trechus jugivagus](#) Lutshnik, 1930

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

K

- [Trechus kabakovi](#) Pawlowski, 1978
- [Trechus kabylicus](#) Casale, 1983
- [Trechus kackardagi](#) Pawlowski, 1978
- [Trechus kaikanicus](#) Belousov & Kabak, 1994
- [Trechus kalabi](#) Deuve & Queinnec, 1993
- [Trechus kalabianus](#) Deuve, 1993
- [Trechus kangchenjunga](#) J.Schmidt, 2016
- [Trechus kantegiricus](#) Belousov & Kabak, 1994
- [Trechus karadenizus](#) Pawlowski, 1976
- [Trechus karasibensis](#) Belousov & Kabak, 1994
- [Trechus karlykensis](#) Belousov & Kabak, 2001
- [Trechus kashensis](#) Belousov & Kabak, 2001
- [Trechus kashgarensis](#) Deuve, 1992
- [Trechus kataevi](#) Belousov, 1987
- [Trechus katranicus](#) Belousov & Kabak, 1996
- [Trechus kaznakovi](#) Jeannel, 1935
- [Trechus keithi](#) Ollivier; Pavicevic & Queinnec, 2008
- [Trechus ketmenicus](#) Belousov & Kabak, 1993
- [Trechus kezadonicus](#) Belousov, 1989
- [Trechus khalabicus](#) Belousov, 1990
- [Trechus khaledicus](#) Belousov, 1990
- [Trechus khnzoriani](#) Pawlowski, 1976
- [Trechus khorgosicus](#) Belousov & Kabak, 1994
- [Trechus kiapazicus](#) Belousov, 1990
- [Trechus kimak](#) Belousov & Kabak, 1996
- [Trechus kobingeri](#) Apfelbeck, 1902
- [Trechus kocheri](#) Paulian & Villiers, 1939
- [Trechus kodoricus](#) Belousov, 1989
- [Trechus kokzhotensis](#) Belousov & Kabak, 1996
- [Trechus komarovi](#) Belousov, 1990
- [Trechus korae](#) J.Schmidt, 2009
- [Trechus korbi](#) Reitter, 1903
- [Trechus korotyaevi](#) Shilenkov, 1982

- [Trechus korrigani](#) Morvan, 1982
- [Trechus korzhun](#) Belousov & Kabak, 1994
- [Trechus kovali](#) Belousov, 1989
- [Trechus kozlovi](#) Jeannel, 1935
- [Trechus krasnovi](#) Belousov & Kabak, 1992
- [Trechus krejcii](#) Deuve & Queinnec, 1985
- [Trechus kricheldorffi](#) Wagner, 1913
- [Trechus kuceraei](#) Deuve, 2011
- [Trechus kukunoricus](#) Belousov & Kabak, 2000
- [Trechus kulpensis](#) Belousov & Kabak, 1998
- [Trechus kuraicus](#) Shilenkov, 1995
- [Trechus kurbatovi](#) Belousov & Kabak, 2000
- [Trechus kurentzovi](#) Lafer, 1989
- [Trechus kurnakovi](#) Jeannel, 1960
- [Trechus kushtaicus](#) Belousov & Kabak, 2001

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

L

- [*Trechus labrangensis*](#) Belousov & Kabak, 2000
- [*Trechus labruleriei*](#) Jeannel, 1921
- [*Trechus laevipes*](#) Jeannel, 1927
- [*Trechus lailensis*](#) Belousov, 1989
- [*Trechus lallemantii*](#) Fairmaire, 1859
- [*Trechus lama*](#) J.Schmidt, 2009
- [*Trechus lamjunensis*](#) J.Schmidt, 1994
- [*Trechus lampros*](#) Jeannel, 1935
- [*Trechus laranoensis*](#) Lompe, 1999
- [*Trechus larisae*](#) Belousov & Kabak, 1996
- [*Trechus lassallei*](#) Deuve, 1981
- [*Trechus latebricola*](#) Kiesenwetter, 1850
- [*Trechus latibuli*](#) Jeannel, 1948
- [*Trechus latior*](#) Darlington, 1959
- [*Trechus latiplatus*](#) Belousov & Kabak, 1998
- [*Trechus latus*](#) Putzeys, 1847
- [*Trechus laureticola*](#) Jeannel, 1936
- [*Trechus lazicus*](#) Pawlowski, 1976
- [*Trechus lebenbaueri*](#) Donabauer, 2004
- [*Trechus lebreatae*](#) Jeannel, 1960
- [*Trechus lederi*](#) Putzeys, 1878
- [*Trechus ledouxianus*](#) Mateu & Deuve, 1979
- [*Trechus legorskyi*](#) Donabauer, 2013
- [*Trechus leleupi*](#) Jeannel, 1954
- [*Trechus lencinai*](#) (Mateu & Ortuño, 2006)
- [*Trechus lepineyi*](#) Paulian & Villiers, 1939
- [*Trechus lepontinus*](#) Ganglbauer, 1891
- [*Trechus letshkhumicus*](#) Belousov, 1989
- [*Trechus levillaini*](#) Morvan, 1982
- [*Trechus lgockii*](#) Pawlowski, 1978
- [*Trechus lhasaensis*](#) J.Schmidt, 2016
- [*Trechus libanensis*](#) Piochard de la Brûlerie, 1876
- [*Trechus liguricus*](#) Jeannel, 1921
- [*Trechus lijiangensis*](#) Belousov & Kabak, 2001
- [*Trechus limacodes*](#) Dejean, 1831
- [*Trechus lindbergi*](#) Coiffait, 1962
- [*Trechus linxiaicus*](#) Deuve, 2005
- [*Trechus liochrous*](#) Jeannel, 1935
- [*Trechus liopleurus*](#) Chaudoir, 1850
- [*Trechus litangensis*](#) Deuve, 1995
- [*Trechus loebli*](#) Pawlowski, 1977

- [Trechus loeblianus](#) Deuve, 1988
- [Trechus loeffleri](#) Magrini & Sciaky, 2006
- [Trechus lomakini](#) Belousov & Kabak, 1994
- [Trechus longicollis](#) Meixner, 1912
- [Trechus longulus](#) K. & J.Daniel, 1898
- [Trechus lucidus](#) Jeannel, 1960
- [Trechus luculentus](#) Barr, 1962
- [Trechus lunai](#) Reboleira & Serrano, 2009
- [Trechus lundbladi](#) Jeannel, 1938
- [Trechus luquensis](#) Belousov & Kabak, 2000
- [Trechus lusitanicus](#) Jeannel, 1921
- [Trechus luteolus](#) Jeannel, 1960
- [Trechus lutshniki](#) Belousov, 1987
- [Trechus luzhangensis](#) Deuve & Liang, 2016

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

M

- [*Trechus maceki*](#) Deuve, 1992
- [*Trechus machadoensis*](#) Franz, 1984
- [*Trechus machadoi*](#) Jeannel, 1941
- [*Trechus machardi*](#) Jeanne, 1976
- [*Trechus maculicornis*](#) Chaudoir, 1846
- [*Trechus maderensis*](#) Csiki, 1928
- [*Trechus magistretti*](#) Focarile, 1949
- [*Trechus magniceps*](#) Reitter, 1898
- [*Trechus maisaicus*](#) Belousov & Kabak, 1994
- [*Trechus majusculus*](#) K.Daniel, 1902
- [*Trechus mallaszianus*](#) P.Moravec & Lompe in Löbl & Smetana, 2003
- [*Trechus mandarinus*](#) Sciaky & Pavesi, 1995
- [*Trechus manensis*](#) Belousov & Kabak, 1994
- [*Trechus manzhangicus*](#) Deuve, 2004
- [*Trechus maomao*](#) Deuve, 2005
- [*Trechus maoniu*](#) Belousov & Kabak, 2020
- [*Trechus maowenensis*](#) Deuve, 1995
- [*Trechus maqenicus*](#) Deuve, 2004
- [*Trechus maquensis*](#) Deuve, 2004
- [*Trechus marcilhaci*](#) Pham, 1987
- [*Trechus marcilhacianus*](#) Deuve, 2004
- [*Trechus margelanicus*](#) Belousov & Kabak, 1998
- [*Trechus marginalis*](#) Schaum in Kraatz, 1862
- [*Trechus maritimus*](#) Sainte-Claire Deville, 1907
- [*Trechus markakolensis*](#) Belousov & Kabak, 1999
- [*Trechus martelluccii*](#) Magrini & Sciaky, 2006
- [*Trechus martensi*](#) Deuve & Hodebert, 1991
- [*Trechus martinae*](#) J.Schmidt, 2009
- [*Trechus martinezi*](#) Jeannel, 1927
- [*Trechus matejkai*](#) Vsetecka, 1938
- [*Trechus mateui*](#) Deuve & Queinnec, 1985
- [*Trechus matrismeae*](#) Pawlowski, 1972
- [*Trechus mattisi*](#) J.Schmidt & Faille, 2018
- [*Trechus mauritanicus*](#) Jeannel, 1909
- [*Trechus meissonnieri*](#) Belousov & Kabak, 2000
- [*Trechus meixnerianus*](#) P.Moravec & Lompe in Löbl & Smetana, 2003
- [*Trechus mekbibi*](#) J.Schmidt & Faille, 2018
- [*Trechus melanocephalus*](#) Kolenati, 1845
- [*Trechus mengensis*](#) Belousov & Kabak, 2020
- [*Trechus menpa*](#) J.Schmidt, 2016
- [*Trechus merditanus*](#) Apfelbeck, 1906

- [*Trechus meregallii*](#) Casale, 1983
- [*Trechus merenicus*](#) Belousov & Kabak, 1994
- [*Trechus merkli*](#) Pawlowski, 1973
- [*Trechus meschniggi*](#) Jeannel, 1930
- [*Trechus messoulii*](#) Casale, 2011
- [*Trechus metrius*](#) Jeannel, 1935
- [*Trechus meurguesianus*](#) Deuve, 1980
- [*Trechus michaeli*](#) Pawlowski, 1978
- [*Trechus micrangulus*](#) Reitter, 1913
- [*Trechus midas*](#) Jeannel, 1927
- [*Trechus mieheorum*](#) J.Schmidt, 2009
- [*Trechus mila*](#) J.Schmidt, 2016
- [*Trechus minaicus*](#) Belousov & Kabak, 1994
- [*Trechus mingguangensis*](#) Deuve & Liang, 2016
- [*Trechus minioculatus*](#) Machado, 1987
- [*Trechus minitrechus*](#) J.Schmidt & Faille, 2018
- [*Trechus minshanicola*](#) Deuve, 2004
- [*Trechus minyops*](#) Wollaston, 1862
- [*Trechus mirzayani*](#) Morvan, 1974
- [*Trechus mitchellensis*](#) Barr, 1962
- [*Trechus mitjaevi*](#) Belousov & Kabak, 1996
- [*Trechus moctezuma*](#) Mateu, 1974
- [*Trechus modestus*](#) Putzeys, 1874
- [*Trechus mogul*](#) Belousov & Kabak, 2001
- [*Trechus mongolicus*](#) P.Moravec, 1992
- [*Trechus mongolorum*](#) Belousov & Kabak, 1994
- [*Trechus montanellus*](#) Gemminger & Harold, 1868
- [*Trechus montanheirorum*](#) Oromi & Borges, 1991 (Cave ground-beetle)
- [*Trechus montanus*](#) Motschulsky, 1844
- [*Trechus montisarerae*](#) Focarile, 1950
- [*Trechus montismaielletae*](#) Ghidini, 1932
- [*Trechus montisrosae*](#) Jeannel, 1921
- [*Trechus montreuili*](#) Deuve, 2004
- [*Trechus morandinii*](#) Lebenbauer, 2002
- [*Trechus mordkovitschi*](#) Shilenkov, 1982
- [*Trechus morvanellus*](#) Deuve, 1996
- [*Trechus morvanianus*](#) Deuve & Queinnec, 1985
- [*Trechus mourzinellus*](#) Deuve, 1998
- [*Trechus mouzaiensis*](#) Jeannel, 1922
- [*Trechus muguensis*](#) J.Schmidt, 2009
- [*Trechus murzorum*](#) Belousov & Kabak, 1994
- [*Trechus muscorum*](#) P.Moravec & Wrase, 1998

- [Trechus myanmarensis](#) Deuve, 2004

- [Top](#)

- [A](#)

- [B](#)

- [C](#)

- [D](#)

- [E](#)

- [F](#)

- [G](#)

- [H](#)

- [I](#)

- [J](#)

- [K](#)

- [L](#)

- [M](#)

- [N](#)

- [O](#)

- [P](#)

- [Q](#)

- [R](#)

- [S](#)

- [T](#)

- [U](#)

- [V](#)

- [W](#)

- [X](#)

- [Y](#)

- [Z](#)

N

- [Trechus nairicus](#) Pavesi & Sciaky, 1992
- [Trechus nakaguroi](#) Ueno, 1960
- [Trechus naldii](#) Ghidini, 1932
- [Trechus nami](#) J.Schmidt, 2016
- [Trechus namtsoensis](#) J.Schmidt, 2009
- [Trechus nannus](#) Jeannel, 1935
- [Trechus nantahalae](#) Barr, 1979
- [Trechus nanulus](#) J.Schmidt & Faille, 2018
- [Trechus naratensis](#) Deuve, 1993
- [Trechus narynensis](#) Belousov & Kabak, 1992
- [Trechus natmataungensis](#) Donabauer, 2010

- [Trechus navaricus](#) (Vuillefroy, 1869)
- [Trechus nebulosus](#) Barr, 1962
- [Trechus newar](#) Deuve, 1988
- [Trechus neyamensis](#) J.Schmidt, 2016
- [Trechus nezlobinskyi](#) Hristovskiy, 2014
- [Trechus nicoleae](#) Moncoutier, 1986
- [Trechus nigrans](#) J.Schmidt, 2016
- [Trechus nigrifemoralis](#) J.Schmidt & Faille, 2018
- [Trechus nigrinus](#) Putzeys, 1847
- [Trechus nigrocruciatus](#) Wollaston, 1854
- [Trechus nikolajevi](#) Belousov & Kabak, 1992
- [Trechus nivicola](#) Chaudoir, 1846
- [Trechus nomurai](#) Ueno, 1998
- [Trechus nonveilleri](#) G.Müller, 1930
- [Trechus noricus](#) Meixner, 1911
- [Trechus nothus](#) Jeannel, 1960
- [Trechus novaculosus](#) Barr, 1962
- [Trechus nugax](#) Lompe, 1997
- [Trechus numatai](#) Ueno, 1967
- [Trechus nyalamensis](#) J.Schmidt, 2016

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)

- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

O

- [Trechus obliquebasalis](#) Breit, 1914
- [Trechus obtusiusculus](#) Ganglbauer, 1889
- [Trechus obtusus](#) Erichson, 1837
- [Trechus ochreatus](#) Dejean, 1831
- [Trechus odontopeos](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus ofensis](#) Donabauer, 2013
- [Trechus ogouzicus](#) Deuve & Queinnec, 1992
- [Trechus oligophthalmus](#) Jeannel, 1935
- [Trechus oligops](#) Bedel, 1896
- [Trechus olympicus](#) Piochard de la Brûlerie, 1876
- [Trechus ongudaicus](#) Belousov & Kabak, 1996
- [Trechus onicus](#) Belousov & Kabak, 1994
- [Trechus oodes](#) Jeannel, 1935
- [Trechus opgenoorthi](#) J.Schmidt, 2016
- [Trechus oppositus](#) J.Schmidt & Faille, 2018
- [Trechus ordinarior](#) Deuve & Queinnec, 1993
- [Trechus orduensis](#) Donabauer, 2007
- [Trechus oregonensis](#) Hatch, 1951
- [Trechus ormayi](#) Ganglbauer, 1891
- [Trechus oromiensis](#) Magrini; Queinnec & Vigna Taglianti, 2012
- [Trechus oromii](#) Borges; Serrano & Amorim, 2004 (Cave ground-beetle)
- [Trechus orousseti](#) (Perrault, 1982)
- [Trechus orphaeus](#) Pawlowski, 1973
- [Trechus orthapicalis](#) Belousov & Kabak, 1998
- [Trechus ortizi](#) Español, 1970
- [Trechus osellai](#) F.Battoni & Vigna Taglianti, 1994
- [Trechus osmanilis](#) K. & J.Daniel, 1902
- [Trechus ossae](#) B.V.Gueorguiev, 2010
- [Trechus ovatus](#) Putzeys, 1845
- [Trechus ovipennis](#) Motschulsky, 1845
- [Trechus ovtshinnikovi](#) Belousov & Kabak, 1992
- [Top](#)
- [A](#)
- [B](#)

- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

P

- [Trechus pachycerus](#) Apfelbeck, 1918
- [Trechus pallens](#) Belousov & Kabak, 1994
- [Trechus pallidulus](#) Ganglbauer, 1891
- [Trechus pamirensis](#) Belousov & Kabak, 1996
- [Trechus pamphylicus](#) Jeanne, 1996
- [Trechus paphlagonicus](#) Maran, 1940
- [Trechus parapandus](#) Ortuño, 2015
- [Trechus parvifrater](#) J.Schmidt, 2016
- [Trechus patrizii](#) Jeannel, 1960
- [Trechus pavlovskii](#) Jeannel, 1962
- [Trechus pecignai](#) Toribio, 1992
- [Trechus pennisii](#) Magrini, 1984
- [Trechus pereirai](#) Borges; Serrano & Amorim, 2004 (Cave ground-beetle)
- [Trechus perissus](#) Andrewes, 1936
- [Trechus perpusillus](#) Mateu & Deuve, 1979
- [Trechus perreaui](#) Deuve & Queinnec, 1985

- [Trechus pertyi](#) Heer, 1837
- [Trechus peynei](#) Magrini & Sciaky, 2006
- [Trechus phaeocerus](#) Jeannel, 1935
- [Trechus phagunensis](#) J.Schmidt, 2016
- [Trechus phami](#) Deuve, 1981
- [Trechus phanageriacus](#) Belousov, 1990
- [Trechus piazzolii](#) Focarile, 1950
- [Trechus picoensis](#) Machado, 1988 (Cave ground-beetle)
- [Trechus pieltaini](#) Jeannel, 1920
- [Trechus pilisensis](#) Csiki, 1918
- [Trechus pilonensis](#) Toribio, 2014
- [Trechus pilosicornis](#) Deuve & Queinnec, 1993
- [Trechus pilosipennis](#) Jeannel, 1954
- [Trechus pinkeri](#) Ganglbauer, 1891
- [Trechus pirinicus](#) Pawlowski, 1972
- [Trechus pispahensis](#) Barr, 1979
- [Trechus pisuenensis](#) Ortuño & Toribio, 2005
- [Trechus placidus](#) Jeannel, 1962
- [Trechus planioculus](#) Belousov & Kabak, 1993
- [Trechus planipennis](#) Rosenhauer, 1856
- [Trechus planiusculus](#) A.Costa, 1858
- [Trechus platyptereillus](#) Belousov in Kryzhanovskij et al., 1995
- [Trechus plicatulus](#) L.Miller, 1868
- [Trechus plottbalsamensis](#) Donabauer, 2005
- [Trechus pochoni](#) Jeannel, 1939
- [Trechus pohorjeensis](#) Donabauer, 2006
- [Trechus polonorum](#) Pawlowski, 1979
- [Trechus pomonae](#) Fall, 1901
- [Trechus pongensis](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus priapus](#) K.Daniel, 1902
- [Trechus processifer](#) Belousov & Kabak, 1992
- [Trechus promeces](#) Jeannel, 1935
- [Trechus przewalskyi](#) Belousov & Kabak, 1993
- [Trechus pseudoalmonius](#) Deuve, 1993
- [Trechus pseudoalyschensis](#) Deuve & Queinnec, 1992
- [Trechus pseudobarberi](#) Donabauer, 2009
- [Trechus pseudocholaensis](#) Deuve, 1998
- [Trechus pseudogansuensis](#) Belousov & Kabak, 2000
- [Trechus pseudokozlovi](#) Deuve, 2011
- [Trechus pseudolatus](#) Lompe, 2011
- [Trechus pseudomontanellus](#) Rizun, 1994
- [Trechus pseudonovaculosus](#) Donabauer, 2005

- [Trechus pseudopiceus](#) K. & J.Daniel, 1898
- [Trechus pseudoqiqiensis](#) Deuve & Liang, 2016
- [Trechus pseudosubtilis](#) Donabauer, 2009
- [Trechus puetzi](#) P.Moravec & Wrase, 1998
- [Trechus pulchellus](#) Putzeys, 1845
- [Trechus pulpani](#) Reska, 1965
- [Trechus pulvinipenis](#) Belousov & Kabak, 1999
- [Trechus pumilio](#) Jeannel, 1923
- [Trechus pumilus](#) Jeannel, 1927
- [Trechus pumoensis](#) Deuve, 1998
- [Trechus putchkovi](#) Belousov & Kabak, 1996
- [Trechus putzeysi](#) Pandellé, 1867
- [Trechus pyrenaesus](#) Dejean, 1831

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Q

- [*Trechus qagcaensis*](#) Deuve, 1996
- [*Trechus qinghaicus*](#) Deuve & Queinnec, 1993
- [*Trechus qingmaiensis*](#) Deuve, 2011
- [*Trechus qiqiensis*](#) Deuve & Kavanaugh, 2016
- [*Trechus quadrimaculatus*](#) Motschulsky, 1850
- [*Trechus quadristriatus*](#) (Schrank, 1781)
- [*Trechus quarelicus*](#) Belousov, 1987
- [*Trechus qunlaishanicus*](#) Belousov & Kabak, 2020

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

R

- [*Trechus raffrayanus*](#) Jeannel, 1954
- [*Trechus rambouseki*](#) Breit, 1909
- [*Trechus ramseyensis*](#) Donabauer, 2005

- [Trechus rarus](#) J.Schmidt, 2009
- [Trechus ravasinianus](#) Lorenz, 1998
- [Trechus regularis](#) Putzeys, 1870
- [Trechus relictus](#) Magrini; Queinnec & Vigna Taglianti, 2012
- [Trechus religiosus](#) J.Schmidt, 2009
- [Trechus renei](#) Belousov, 1990
- [Trechus rhilensis](#) Kaufmann, 1884
- [Trechus rhodopeius](#) Jeannel, 1921
- [Trechus rhombus](#) Belousov & Kabak, 2019
- [Trechus riberae](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus rira](#) J.Schmidt & Faille, 2018
- [Trechus rivulis](#) Dajoz, 2005
- [Trechus roanicus](#) Barr, 1962
- [Trechus robustapicalis](#) Belousov & Kabak, 1998
- [Trechus rolwalingensis](#) J.Schmidt, 2009
- [Trechus ronchetti](#) Reitter, 1911
- [Trechus roparzhemoni](#) Morvan, 1982
- [Trechus rosenbergi](#) Barr, 1962
- [Trechus rotroui](#) Antoine, 1934
- [Trechus rotundatus](#) Dejean, 1831
- [Trechus rotundicollis](#) (Basilewsky, 1974)
- [Trechus rotundipennis](#) (Duftschmid, 1812)
- [Trechus rougemonti](#) (Basilewsky, 1975)
- [Trechus rougemontiellus](#) Belousov, 2017
- [Trechus rouxi](#) Deuve, 1995
- [Trechus rouxioides](#) Deuve, 2005
- [Trechus rubens](#) (Fabricius, 1792)
- [Trechus rudolphi](#) Ganglbauer, 1891
- [Trechus rufulus](#) Dejean, 1831
- [Trechus ruthi](#) Jeannel, 1929

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

S

- [*Trechus sachalinensis*](#) Lafer, 1989
- [*Trechus safranboluensis*](#) Donabauer, 2004
- [*Trechus sagax*](#) Jeannel, 1960
- [*Trechus saglensis*](#) Shilenkov, 1998
- [*Trechus sajanensis*](#) P.Moravec, 1993
- [*Trechus sajuncaicus*](#) Monguzzi, 2002
- [*Trechus salassus*](#) Jeannel, 1927
- [*Trechus saluki*](#) Belousov & Kabak, 2019
- [*Trechus sambylensis*](#) Belousov & Kabak, 1994
- [*Trechus sanettii*](#) J.Schmidt & Faille, 2018
- [*Trechus santaluciaensis*](#) Donabauer, 2014
- [*Trechus satanicus*](#) Barr, 1962
- [*Trechus saulcyanus*](#) Csiki, 1928
- [*Trechus sauricus*](#) Belousov & Kabak, 1992
- [*Trechus saxicola*](#) Putzeys, 1870
- [*Trechus sbordonii*](#) Vigna Taglianti, 1967
- [*Trechus scapulatus*](#) Belousov & Kabak, 1993
- [*Trechus schaufussi*](#) Putzeys, 1870
- [*Trechus schaumii*](#) Pandellé, 1867
- [*Trechus schillhammeri*](#) Donabauer, 2006
- [*Trechus schimperanus*](#) Jeannel, 1954
- [*Trechus schmalfussi*](#) Baehr, 1983
- [*Trechus schoenmanni*](#) Donabauer & Lebenbauer, 2005
- [*Trechus schuelkei*](#) P.Moravec & Wrase, 1998
- [*Trechus schuhi*](#) Donabauer, 2007

- [*Trechus schwarzi*](#) Jeannel, 1931
- [*Trechus schwienbacheri*](#) Donabauer & Lebenbauer, 2003
- [*Trechus schyberosiae*](#) Szallies & Schüle, 2011
- [*Trechus sciakyellus*](#) Deuve, 2001
- [*Trechus scitus*](#) Jeannel, 1960
- [*Trechus scotti*](#) Jeannel, 1936
- [*Trechus sculptipennis*](#) J.Schmidt, 2009
- [*Trechus selaensis*](#) Deuve, 2006
- [*Trechus semenovi*](#) Belousov & Kabak, 1992
- [*Trechus sendrai*](#) (Comas & Mateu, 2008)
- [*Trechus seserligensis*](#) Shilenkov, 1998
- [*Trechus sessitanus*](#) Monguzzi, 1985
- [*Trechus setitemporalis*](#) Deuve, 2005
- [*Trechus shaanxiensis*](#) P.Moravec & Wrase, 1998
- [*Trechus shaid*](#) Belousov & Kabak, 1998
- [*Trechus shakhensis*](#) Belousov, 1987
- [*Trechus shangensis*](#) Belousov & Kabak, 2020
- [*Trechus sharpi*](#) Jeannel, 1921
- [*Trechus shatrovskyi*](#) Belousov & Kabak, 1994
- [*Trechus shchurovi*](#) Belousov & Kabak, 1996
- [*Trechus shibalicus*](#) Deuve & Kavanaugh, 2016
- [*Trechus shilenkovi*](#) Belousov & Kabak, 1992
- [*Trechus shinganensis*](#) Shilenkov, 1998
- [*Trechus shivalensis*](#) Belousov & Kabak, 1998
- [*Trechus shiyueliang*](#) Deuve & Liang, 2016
- [*Trechus sichuanus*](#) Deuve, 1988
- [*Trechus signatus*](#) Wollaston, 1857
- [*Trechus sikhotealinus*](#) Ueno & Lafer, 1994
- [*Trechus silveiranus*](#) Lompe, 1997
- [*Trechus simienensis*](#) Jeannel, 1954
- [*Trechus simplicens*](#) Belousov & Kabak, 1993
- [*Trechus singularis*](#) J.Schmidt, 2009
- [*Trechus sinuatus*](#) Schaum, 1860
- [*Trechus sinus*](#) Belousov & Kabak, 2001
- [*Trechus sivellae*](#) Monguzzi, 2002
- [*Trechus sjostedti*](#) Alluaud, 1927
- [*Trechus skoupyi*](#) P.Moravec & Zieris, 1998
- [*Trechus smetanai*](#) Deuve, 2017
- [*Trechus snowbirdensis*](#) Donabauer, 2005
- [*Trechus sodalis*](#) Jeannel, 1960
- [*Trechus sogdianus*](#) Belousov & Kabak, 1998
- [*Trechus sokolovi*](#) Belousov, 1990

- [Trechus solarii](#) Jeannel, 1921
- [Trechus solhoeyi](#) J.Schmidt, 2009
- [Trechus soma](#) Mateu & Deuve, 1979
- [Trechus songoricus](#) Belousov & Kabak, 1992
- [Trechus sotshiensis](#) Belousov, 1987
- [Trechus splendens](#) Gemminger & Harold, 1868
- [Trechus stanovskyi](#) P.Moravec, 1993
- [Trechus stefanschoedli](#) Donabauer, 2005
- [Trechus stenoderus](#) Jeannel, 1935
- [Trechus stictulus](#) Belousov & Kabak, 1998
- [Trechus stipraisi](#) Belousov & Kabak, 1992
- [Trechus straneo](#) Jeannel, 1931
- [Trechus strasseri](#) Ganglbauer, 1891
- [Trechus stratiotes](#) J.Schmidt, 2009
- [Trechus striatulus](#) Putzeys, 1847
- [Trechus stricticollis](#) Jeannel, 1927
- [Trechus strigipennis](#) Kiesenwetter, 1861
- [Trechus strongylus](#) Jeannel, 1935
- [Trechus stupkai](#) Barr, 1979
- [Trechus suan](#) Belousov & Kabak, 1994
- [Trechus subacuminatus](#) A.Fleischer, 1898
- [Trechus subcordatus](#) Chaudoir, 1846
- [Trechus sublaevis](#) Raffray, 1886
- [Trechus subnotatus](#) Dejean, 1831
- [Trechus subtilis](#) Barr, 1962
- [Trechus subzoigeicola](#) Deuve, 2009
- [Trechus suensoni](#) Jeannel, 1957
- [Trechus suluk](#) Belousov & Kabak, 1996
- [Trechus sundukovi](#) P.Moravec & Wrase, 1997
- [Trechus suopoensis](#) Belousov & Kabak, 2020
- [Trechus surkiensis](#) Deuve, 2004
- [Trechus susamyrensis](#) Belousov & Kabak, 1992
- [Trechus suturalis](#) Putzeys, 1870
- [Trechus svanicus](#) Belousov, 1989
- [Trechus sylviae](#) Lompe, 2000
- [Trechus sylviahofmannae](#) J.Schmidt, 2017
- [Trechus sylvicola](#) K. & J.Daniel, 1898
- [Trechus szujeckii](#) Pawlowski, 1972
- [Top](#)
- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

T

- [*Trechus taghizadehi*](#) Morvan, 1974
- [*Trechus talassicus*](#) Belousov & Kabak, 1992
- [*Trechus talequah*](#) Barr, 1962
- [*Trechus talgarensis*](#) Jeannel, 1927
- [*Trechus tamangi*](#) J.Schmidt, 1998
- [*Trechus tarbagataicus*](#) Belousov & Kabak, 1992
- [*Trechus tardokijanensis*](#) Lafer, 1989
- [*Trechus tatai*](#) Reboleira; Ortuño; Goncalves & Oromi, 2010
- [*Trechus tchibiloevi*](#) Anichtchenko, 2009
- [*Trechus teberdanus*](#) Jeannel, 1960
- [*Trechus teletskianus*](#) Belousov & Kabak, 1994
- [*Trechus tennesseensis*](#) Barr, 1962
- [*Trechus tenoensis*](#) Israelson & Palm, 1979
- [*Trechus tentek*](#) Belousov & Kabak, 1996
- [*Trechus tenuilimbatus*](#) K. & J.Daniel, 1898
- [*Trechus tenuiscapus*](#) Lindroth, 1961
- [*Trechus terceiranus*](#) Machado, 1988 (Cave ground-beetle)

- [*Trechus terrabravensis*](#) Borges; Serrano & Amorim, 2004 (Ground-beetle)
- [*Trechus terskeiensis*](#) Belousov & Kabak, 1992
- [*Trechus tesnensis*](#) Belousov & Kabak, 1999
- [*Trechus tetracoderus*](#) Gemminger & Harold, 1868
- [*Trechus teverganus*](#) Toribio, 2015
- [*Trechus tewoicus*](#) Deuve, 2009
- [*Trechus thai*](#) Deuve, 1995
- [*Trechus thaleri*](#) Franz, 1991
- [*Trechus thessalicus*](#) Meixner, 1928
- [*Trechus thessalonicus*](#) Jeannel, 1930
- [*Trechus thibetanus*](#) Jeannel, 1928
- [*Trechus thomasbarri*](#) Donabauer, 2005
- [*Trechus thorungiensis*](#) J.Schmidt, 1994
- [*Trechus thunderheadensis*](#) Donabauer, 2005
- [*Trechus tianchi*](#) Perreau, 1992
- [*Trechus tianshanivagus*](#) Deuve, 1993
- [*Trechus tilitshoensis*](#) J.Schmidt, 1994
- [*Trechus tingitanus*](#) Putzeys, 1870
- [*Trechus tishetshkini*](#) Belousov & Kabak, 1994
- [*Trechus tobiasi*](#) Donabauer, 2005
- [*Trechus toksanbaicus*](#) Belousov & Kabak, 1993
- [*Trechus tolucensis*](#) Bolivar y Pieltain, 1941
- [*Trechus tonitru*](#) Barr, 1962
- [*Trechus topaz*](#) Belousov & Kabak, 1998
- [*Trechus torgaut*](#) Belousov & Kabak, 2019
- [*Trechus toroticus*](#) Belousov & Kabak, 1996
- [*Trechus torrentialis*](#) Apfelbeck, 1908
- [*Trechus torressalai*](#) Ortuño & Arillo, 2005
- [*Trechus torretassoi*](#) Jeannel, 1937 (Ground-beetle)
- [*Trechus toxawayi*](#) Barr, 1979
- [*Trechus trachypachys*](#) Sciaky & Pavesi, 1995
- [*Trechus tragelaphus*](#) J.Schmidt & Faille, 2018
- [*Trechus transversicollis*](#) J.Schmidt & Faille, 2018
- [*Trechus triamicorum*](#) Ortuño & Jimenez-Valverde, 2011
- [*Trechus tristiculus*](#) K. & J.Daniel, 1898
- [*Trechus tsampa*](#) J.Schmidt, 2009
- [*Trechus tsanmensis*](#) Belousov & Kabak, 2019
- [*Trechus tseringi*](#) J.Schmidt, 2009
- [*Trechus tshildebaevi*](#) Belousov & Kabak, 1992
- [*Trechus tshitsherini*](#) Belousov, 1987
- [*Trechus tuckaleechee*](#) Barr, 1962
- [*Trechus tumidus*](#) Jeannel, 1921

- [Trechus turgenicus](#) Belousov & Kabak, 1994
- [Trechus turkestanicus](#) Belousov & Kabak, 1992
- [Trechus turnai](#) Deuve & Queinnec, 1993
- [Trechus turnaianus](#) Deuve, 1993
- [Trechus turnaioides](#) Deuve, 1998
- [Trechus turukensis](#) Belousov & Kabak, 1992
- [Trechus tusquitee](#) Barr, 1979
- [Trechus tusquitensis](#) Donabauer, 2005
- [Trechus tuxeni](#) Jeannel, 1957
- [Trechus tychus](#) Jeannel, 1960
- [Trechus tyrrhenicus](#) Jeannel, 1927
- [Trechus tyshkanensis](#) Deuve & Queinnec, 1992

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

U

- [Trechus udiensis](#) Ortuño, 2017
- [Trechus uenyeensis](#) Donabauer, 2006
- [Trechus ulrichi](#) Pawlowski, 1976
- [Trechus umbricola](#) Wollaston, 1854
- [Trechus uncifer](#) Barr, 1962
- [Trechus unicoi](#) Barr, 1979
- [Trechus urartaeus](#) Pavesi & Sciaky, 1994
- [Trechus usgentensis](#) Belousov & Kabak, 1998
- [Trechus utschderensis](#) Reitter, 1890
- [Trechus utsi](#) J.Schmidt, 2016
- [Trechus uygur](#) Deuve, 1993
- [Trechus uygurorum](#) Belousov & Kabak, 1994
- [Trechus uytttenboogaarti](#) Jeannel, 1936

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

V

- [Trechus valbonensis](#) Jeannel, 1927
- [Trechus valentinei](#) Barr, 1979
- [Trechus valenzuelai](#) Fresneda; Bourdeau & Faille, 2015
- [Trechus validicollis](#) Sciaky & Pavesi, 1995
- [Trechus validipes](#) K.Daniel, 1902
- [Trechus valikhanovi](#) Belousov & Kabak, 1993
- [Trechus vallestris](#) K. & J.Daniel, 1898
- [Trechus vandykei](#) (Jeannel, 1927)
- [Trechus varendorffi](#) Sainte-Claire Deville, 1903
- [Trechus verus](#) Barr, 1962
- [Trechus vietnamicus](#) Ueno, 1995
- [Trechus vignai](#) Casale, 1979
- [Trechus viti](#) Pawlowski, 1977

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

W

- [Trechus wagneri](#) Ganglbauer, 1906
- [Trechus walteri](#) Pawlowski, 1978
- [Trechus wayahbaldensis](#) Donabauer, 2005
- [Trechus weiratheri](#) Jeannel, 1929
- [Trechus weiserti](#) Donabauer, 2007
- [Trechus weixiensis](#) Belousov & Kabak, 2000
- [Trechus wiersbowskyi](#) J.Schmidt & Faille, 2018
- [Trechus winkleri](#) Jeannel, 1927
- [Trechus witkowskii](#) Pawlowski, 1978
- [Trechus wittmeri](#) Ueno, 1977
- [Trechus wrzecionkoellus](#) Deuve, 2011
- [Trechus wrzecionkoi](#) Deuve, 1996
- [Trechus wrzecionkoianus](#) Deuve, 2005
- [Trechus wutaicola](#) (Deuve, 1988)

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- [Z](#)

X Y Z

- [Trechus xiei](#) Deuve, 1992
- [Trechus xinjiangensis](#) Deuve, 1992
- [Trechus xiwuensis](#) Deuve, 1996
- [Trechus yak](#) J.Schmidt, 2009
- [Trechus yanoi](#) Jeannel, 1937
- [Trechus yaralensis](#) Belousov & Kabak, 2000
- [Trechus yasudai](#) Ueno, 1973
- [Trechus yengensis](#) Morvan, 1982
- [Trechus yeti](#) J.Schmidt, 2009
- [Trechus yvesbousqueti](#) Donabauer, 2010
- [Trechus zaerensis](#) Antoine, 1928
- [Trechus zamotajlovi](#) Belousov, 1990
- [Trechus zangherii](#) Jeannel, 1927
- [Trechus zarandicus](#) P.Moravec, 1986
- [Trechus zaslavskii](#) Jeannel, 1962
- [Trechus zetteli](#) Donabauer, 2007
- [Trechus zhabyk](#) Belousov & Kabak, 1994
- [Trechus zhangii](#) Deuve, 1989
- [Trechus zhaosuensis](#) Deuve, 2004
- [Trechus zhdankoi](#) Belousov & Kabak, 1992
- [Trechus zhugquicus](#) Deuve, 2009
- [Trechus ziganensis](#) Jeanne, 1976
- [Trechus zinovievi](#) Belousov & Kabak, 1996
- [Trechus zintshenkoi](#) Belousov & Kabak, 1999
- [Trechus zoigeicola](#) Belousov & Kabak, 2000
- [Trechus zoigensis](#) Deuve, 1989
- [Trechus zolotikhini](#) Belousov, 1990
- [Trechus zonguldakensis](#) Donabauer, 2004
- [Trechus zorgatii](#) Quéinnec & Ollivier, 2013
- [Trechus zvarici](#) Belousov & Kabak, 2000
- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Extinct

- † [Trechus balticus](#) J.Schmidt & Faille, 2015
- † [Trechus capito](#) Forster, 1891
- † [Trechus eoanophthalmus](#) J.Schmidt; Hoffmann & Michalik, 2016
- † [Trechus exhibitorius](#) J.Schmidt; Belousov & Michalik, 2016
- † [Trechus fractus](#) Wickham, 1912

The following is an incomplete list of [hoverfly](#) species within the genus [Toxomerus](#):

- [T. aeolus](#) (Hull, 1942)[1][2]
- [T. alphabeticus](#) (Hull,1942) [3]
- [T. anthrax](#) [4][5]
- [T. antiopa](#) [6]
- [T. apeiensis](#) (Harbach, 1974)[1]
- [T. aquilinus](#) (Sack, 1941)[7]
- [T. arcifer](#) (Loew, 1866)
- [T. aurulentus](#)[8]
- [T. basalis](#)[5]

- [*T. Bidentatus*](#) (Giglio-Tos,1893)[9]
- [*T. bistrigus*](#)[10]
- [*T. boscii*](#) (Macquart, 1842) [11]
- [*T. brevifacies*](#)[5][11]
- [*T. buscki*](#) [4]
- [*T. calceolatus*](#)[4]
- [*T. centaureus*](#)[6]
- [*T. ciliatus*](#) (Giglio-Tos,1892) [9]
- [*T. circumcinctus*](#) [4]
- [*T.circumdatu*](#)s (Bigot, 1884) [10]
- [*T. claracuneus*](#) (Hull, 1940)[12]
- [*T. clarus*](#) (Curran 1930)[13]
- [*T. corbis*](#) (Walker, 1852)
- [*T. costalis*](#) (Wiedemann, 1830)[4]
- [*T. crockeri*](#) (Curran, 1934) [11]
- [*T. croesus*](#) (Hull, 1940) [12]
- [*T. difficilis*](#) (Curran, 1930)[14]
- [*T. dispar*](#) (Fabricius, 1794) [15]
- [*T. duplicatus*](#) [5]
- [*T. ectypus*](#) (Say, 1829) [16]
- [*T. ecuadoreus*](#) [11]
- [*T. elinorae*](#) [4]
- [*T. elisa*](#) (Hull, 1951) [6]
- [*T. eurydice*](#) (Hull 1951) [6]
- [*T.extrapolatus*](#) (Hull, 1943) [11]
- [*T. ferroxida*](#) (Hull, 1941)[11]
- [*T. flaviplurus*](#) [17][5]
- [*T. flamminea*](#) (Hull 1941) [11]
- [*T. floralis*](#) (Fabricius, 1798) [5]
- [*T. funestus*](#) [15]
- [*T. geminatus*](#) (Say, 1823)[18]
- [*T. guttifer*](#) (Hull, 1943) [11]
- [*T. hauseri*](#)[15]
- [*T.heraldicus*](#) (Bigot, 1884) [10]
- [*T. hieroglyphicus*](#) (Schiner, 1868) [5]
- [*T. hulli*](#) (Sedman) [4]
- [*T. idalius*](#) (Hull, 1951) [6]
- [*T.imperialis*](#) (Curran, 1926) [11]
- [*T. incaicus*](#) (Sack,1941) [15]
- [*T. insignis*](#) (Schiner, 1868)[2]
- [*T. intermedius*](#) (Hull, 1949) [2]
- [*T. jussiaeae*](#) (Vige, 1939)

- [*T. laciniosus*](#) (Loew 1866) [\[19\]](#)[\[13\]](#)
- [*T. lacrymosus*](#) (Bigot, 1884)[\[10\]](#)[\[5\]](#)
- [*T. laenas*](#) (Walker, 1852)[\[4\]](#)
- [*T. linearis*](#) (Wulp 1883) [\[4\]](#)
- [*T. luna*](#) (Hull, 1943) [\[11\]](#)
- [*T. marginatus*](#) (Say, 1823)
- [*T. minutus*](#) [\[4\]](#)
- [*T. multipunctatus*](#) [\[4\]](#)
- [*T. musicus*](#) [\[4\]](#)
- [*T. mutuus*](#) [\[4\]](#)
- [*T. nasutus*](#) [\[4\]](#)
- [*T. nigripunctus*](#) [\[4\]](#)
- [*T. nitidus*](#) [\[4\]](#)
- [*T. norma*](#) [\[4\]](#)
- [*T. nymphalius*](#) [\[4\]](#)
- [*T. occidentalis*](#) (Curran, 1922)
- [*T. ochraceus*](#) [\[4\]](#)
- [*T. ophiolinea*](#) [\[4\]](#)
- [*T. ornithoglyphus*](#) [\[4\]](#)
- [*T. ovatus*](#) [\[4\]](#)
- [*T. pallipes*](#) [\[4\]](#)
- [*T. papaveroi*](#) (Borges & Couri, 2009)[\[14\]](#)
- [*T. paragrammus*](#) [\[4\]](#)
- [*T. parvulus*](#) (Loew, 1866)
- [*T. pichinchae*](#) [\[4\]](#)
- [*T. pictus*](#) (Macquart, 1842)[\[7\]](#)
- [*T. picudus*](#)[\[15\]](#)
- [*T. politus*](#) (Say, 1823)
- [*T. polygraphicus*](#) [\[4\]](#)
- [*T. porticola*](#) [\[4\]](#)
- [*T. procrasinatus*](#) (Metz, 2001)[\[7\]](#)
- [*T. productus*](#) [\[4\]](#)
- [*T. puellus*](#) [\[4\]](#)
- [*T. pulchellus*](#) [\[4\]](#)
- [*T. purus*](#) [\[4\]](#)
- [*T. quinquecinctus*](#) [\[4\]](#)
- [*T. quinquemaculatus*](#) [\[4\]](#)
- [*T. rohri*](#) [\[4\]](#)
- [*T. rombicus*](#) [\[4\]](#)
- [*T. saphiridiceps*](#) [\[4\]](#)
- [*T. schlingeri*](#) [\[4\]](#)
- [*T. sedmani*](#) (Harbach, 1984)[\[14\]](#)

- [T. serpentinus](#) [4]
- [T. steatogaster](#) (Hull, 1941)[14]
- [T. sylvaticus](#) [4]
- [T. taenius](#) [4]
- [T. teligera](#) (Fluke, 1953)
- [T. tibicen](#) (Wiedemann, 1830)[7]
- [T. tubularius](#) [4]
- [T. una](#) [4]
- [T. undecimpunctatus](#) [4]
- [T. uranius](#) [4]
- [T. valdesi](#) [4]
- [T. vertebratus](#) [4]
- [T. verticalis](#) (Curran, 1927)
- [T. veve](#) [4]
- [T. vierecki](#) [4]
- [T. violaceus](#) [4]
- [T. virgulatus](#) (Macquart, 1850)[1]
- [T. watsoni](#) (Curran, 1930)[1]
- [T. willistonii](#) [4]

References

1.
 - Mengual, Ximo; Gunilla Stahls; Santos Rojo (2008). ["First phylogeny of predatory flower flies \(Diptera, Syrphidae, Syrphinae\) using mitochondrial COI and nuclear 28S rRNA genes: conflict and congruence with the current tribal classification"](#) (PDF). *Cladistics*. **24** (4). Wiley-Blackwell: 543–562. doi:10.1111/j.1096-0031.2008.00200.x. hdl:10045/12249. PMID 34879632. Archived from [the original](#) (PDF) on 2009-04-09. Retrieved 2009-06-18.
 - Metz, Mark (2001). ["A revision of the larger species of Toxomerus \(Diptera: Syrphidae\) with description of a new species"](#) (PDF). *Studia dipterologica*. **8**: 225–256.
 - Hull, Frank (1942). ["New Species Of Syrphid^ From The Neotropical Region"](#). *Psyche: A Journal of Entomology*. **84**.
 - ["ADW: Toxomerus: CLASSIFICATION"](#). animaldiversity.org.
 - Gerdes, Charles Frederick (1974). [Toxomerus \(Diptera:Syrphidae\) Of Ecuadora](#) (Thesis). Retrieved 2025-03-27.
 - Hull, Frank M (1951). ["New Species of Mesogramma \(Diptera, Syrphidae\)"](#). *American Museum Novitates* (1480): 22.
 - Marinoni, Luciane; Thompson, F. Christian (2003). "Flower flies of southeastern Brazil (Diptera: Syrphidae) Part I. Introduction and new species". *Studia Dipterologica*. **10** (2): 565–578. ISSN 0945-3954.

- Williston, S.W. (1887). [*"Synopsis of the North American Syrphidae"*](#). *Bulletin of the United States National Museum*. **31**: 1–335.🔒 This article incorporates text from this source, which is in the [public domain](#).
- Giglio-Tos, E (1892). [*Ditteri del Messico*](#). Torino, C. Clausen.
- Bigot, Jacques Marie François (1884). [*"Diptères nouveaux ou peu connus. 22e partie, XXXII: Syrphidi \(2e partie\). espèces nouvelles, No 1er"*](#). *Annales de la Société Entomologique de France*. **3** (6): 74. Retrieved 11 January 2024.🔒 This article incorporates text from this source, which is in the [public domain](#).
- Hull, Frank (1943). [*"The Genus Mesogramma"*](#). *Entomologica Americana*. **23**: 1–40.
- Hull, Frank (1940). [*"New Species of Syrphidae From the Neotropical Region"*](#). *Psyche: A Journal of Entomology*. **49** (3–4): 84–107. doi:[10.1155/1942/62725](#).
- Curran, C. H. (1930). [*"New Diptera Belonging to the Genus Mesogramma Loew \(Syrphidae\)"*](#). *American Museum Novitates* (405): 1–14.
- Reemer, Menno; Rotheray, Graham E. (16 April 2009). [*"Pollen feeding larvae in the presumed predatory syrphine genus Toxomerus Macquart \(Diptera, Syrphidae\)"*](#). *Journal of Natural History*. **43** (15). UK: Taylor and Francis: 939–949. Bibcode:[2009JNatH..43..939R](#). doi:[10.1080/00222930802610576](#). ISSN [1464-5262](#).
- Mengual, Ximo (2011-10-26). [*"Black-tie dress code: two new species of the genus Toxomerus \(Diptera, Syrphidae\)"*](#). *ZooKeys* (140): 1–26. Bibcode:[2011ZooK..140....1M](#). doi:[10.3897/zookeys.140.1930](#). ISSN [1313-2970](#). PMC [3208516](#). PMID [22144857](#).
- Say, T (1829). [*"Descriptions of North American dipterous insects"*](#). *J. Acad. Nat. Sci. Phila.* **6**: 149–178.
- Hall, D.G. (1927). "A new syrphid (Diptera) from Guatemala". *Entomol. News*. **38**: 239–240.
- Vockeroth, J. R. (1992). [*The Flower Flies of the Subfamily Syrphinae of Canada, Alaska, and Greenland \(Diptera: Syrphidae\). Part 18. The Insects and Arachnids of Canada*](#) (PDF). Ottawa, Ontario: Canadian Government Pub Centre. pp. 1–456.
-
- 19.Loew, H (1866). [*"Diptera Americae septentrionalis indigena. Centuria sexta"*](#). *Berliner Entomologische Zeitschrift*. **9**: 127–186. doi:[10.1002/mmnd.18650090303](#).

Categories:

- [Lists of insect species](#)
- [Syrphini](#)
-

These 363 species belong to [Torymus](#), a genus of chalcid wasps in the family [Torymidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Torymus species

- [Torymus absonus](#) Narendran & Kumar, 2005 ^{c g}
- [Torymus aceris](#) Boucek, 1994 ^{c g}
- [Torymus acrophilae](#) Ruschka, 1921 ^{c g}
- [Torymus advenus](#) (Osten-Sacken, 1870) ^{c g b}
- [Torymus aea](#) (Walker, 1843) ^{c g}
- [Torymus aeneoscapus](#) (Huber, 1927) ^{c g}
- [Torymus aereus](#) (Huber, 1927) ^{c g}
- [Torymus affinis](#) (Fonscolombe, 1832) ^{c g}
- [Torymus aiolomorphi](#) (Kamijo, 1964) ^g
- [Torymus alaskensis](#) (Huber, 1927) ^{c g}
- [Torymus ambositrae](#) (Risbec, 1955) (Madagascar)
- [Torymus amurensis](#) (Walker, 1874) ^{c g}
- [Torymus anastativorus](#) Fahringer, 1944 ^{c g}
- [Torymus angelicae](#) (Walker, 1836) ^{c g}
- [Torymus anthobiae](#) Ruschka, 1921 ^{c g}
- [Torymus anthomyiae](#) Ashmead, 1887 ^{c g}
- [Torymus antiquus](#) (Geoffroy, 1785) ^g
- [Torymus apiomyiae](#) Boucek & Mihajlovic, 1986 ^{c g}
- [Torymus approximatus](#) Forster, 1841 ^g
- [Torymus arcadius](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus arcella](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus arcticus](#) (Thomson, 1876) ^{c g}
- [Torymus argei](#) Boucek, 1994 ^{c g}
- [Torymus armatus](#) Boheman, 1834 ^{c g}
- [Torymus arrogans](#) Schrottky, 1907 ^{c g}
- [Torymus artemisiae](#) Mayr, 1874 ^{c g}
- [Torymus arundinis](#) (Walker, 1833) ^{c g}
- [Torymus asphondyliae](#) Kieffer, 1910 ^{c g}
- [Torymus associatus](#) Forster, 1841 ^g
- [Torymus asteridis](#) (Huber, 1927) ^{c g}
- [Torymus atheatus](#) Grissell, 1976 ^{c g}
- [Torymus atriplicis](#) (Huber, 1927) ^{c g b}
- [Torymus aucupariae](#) (Rodzianko, 1908) ^{c g}
- [Torymus auratus](#) (Muller, 1764) ^g
- [Torymus austriacus](#) Graham, 1994 ^{c g}

- [*Torymus aztecus*](#) Cameron, 1905 ^{c g}
- [*Torymus azureus*](#) Boheman, 1834 ^{c g}
- [*Torymus baccharidis*](#) (Huber, 1927) ^{c g}
- [*Torymus basalis*](#) (Walker, 1833) ^{c g}
- [*Torymus baudysi*](#) Boucek, 1954 ^{c g}
- [*Torymus bedeguaris*](#) (Linnaeus, 1758) ^{c g b}
- [*Torymus beneficus*](#) Yasumatsu & Kamijo, 1979 ^{c g}
- [*Torymus biarticulatus*](#) (Mayr, 1885) ^{c g}
- [*Torymus bicoloratus*](#) (Huber, 1927) ^{c g}
- [*Torymus bicolorus*](#) Xu & He, 2003 ^{c g}
- [*Torymus bifasciipennis*](#) (Gahan, 1936) ^{c g}
- [*Torymus biorhizae*](#) (Ashmead, 1887) ^{c g}
- [*Torymus boharti*](#) Grissell, 1976 ^{c g}
- [*Torymus boops*](#) Graham, 1994 ^{c g}
- [*Torymus borealis*](#) Thomson, 1876 ^{c g}
- [*Torymus bouceki*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus brachyurus*](#) Boheman, 1834 ^{c g}
- [*Torymus brevicoxa*](#) Zavada, 2001 ^{c g}
- [*Torymus breviscapus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus brodiei*](#) (Ashmead, 1887) ^{c g}
- [*Torymus calcaratus*](#) Nees, 1834 ^{c g}
- [*Torymus caledonicus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus californicus*](#) (Ashmead, 1886) ^{c g b} (oak gall chalcid)
- [*Torymus canariensis*](#) Hedqvist, 1977 ^{c g}
- [*Torymus capillaceus*](#) (Huber, 1927) ^{c g}
- [*Torymus capitis*](#) (Huber, 1927) ^{c g}
- [*Torymus capitonis*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus caudatulus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus caudatus*](#) Boheman, 1834 ^{c g}
- [*Torymus cecidomyae*](#) (Walker, 1844) ^{c g}
- [*Torymus centor*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cerri*](#) (Mayr, 1874) ^{c g}
- [*Torymus chapadae*](#) Ashmead, 1904 ^{c g}
- [*Torymus chaubattiensis*](#) Bhatnagar, 1952 ^{c g}
- [*Torymus chlorocopes*](#) Boheman, 1834 ^{c g}
- [*Torymus chloromerus*](#) (Walker, 1833) ^{c g}

- [*Torymus chrysocephalus*](#) Boheman, 1834 ^{c g}
- [*Torymus chrysochlorus*](#) (Osten-Sacken, 1870) ^{c g}
- [*Torymus cingulatus*](#) Nees, 1834 ^{c g}
- [*Torymus citripes*](#) (Huber, 1927) ^{c g}
- [*Torymus coccineus*](#) (Huber, 1927) ^{c g}
- [*Torymus coeruleus*](#) (Ashmead, 1881) ^{c g}
- [*Torymus coloradensis*](#) (Huber, 1927) ^{c g}
- [*Torymus condaliae*](#) Kieffer, 1910 ^{c g}
- [*Torymus confinis*](#) (Walker, 1833) ^{c g}
- [*Torymus confluens*](#) Ratzeburg, 1852 ^{c g}
- [*Torymus contractus*](#) Dalman, 1820 ^{c g}
- [*Torymus contubernalis*](#) Boheman, 1834 ^{c g}
- [*Torymus corni*](#) Mayr, 1874 ^{c g}
- [*Torymus crassiceps*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus crassus*](#) (Breland, 1939) ^{c g}
- [*Torymus cretaceus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cribratus*](#) Kieffer, 1910 ^{c g}
- [*Torymus cruentatus*](#) (Huber, 1927) ^{c g}
- [*Torymus cultratus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cultriventris*](#) Ratzeburg, 1844 ^{c g}
- [*Torymus cupratus*](#) Boheman, 1834 ^{c g}
- [*Torymus cupreus*](#) (Spinola, 1808) ^{c g}
- [*Torymus curticauda*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus curtisi*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus curvatulus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cyaneus*](#) Walker, 1847 ^{c g}
- [*Torymus cyniphidis*](#) (Linnaeus, 1758) ^g
- [*Torymus cyprianus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus dasyneurae*](#) (Huber, 1927) ^{c g}
- [*Torymus dennoi*](#) Grissell, 1976 ^{c g}
- [*Torymus denticulatus*](#) (Breland, 1939) ^{c g}
- [*Torymus diabolus*](#) Moser, 1965 ^{c g}
- [*Torymus difficilis*](#) Nees, 1834 ^{c g}
- [*Torymus dorycnicola*](#) (Müller, 1870) ^g
- [*Torymus druparum*](#) Boheman, 1834 ^{c g}
- [*Torymus dryophantae*](#) (Ashmead, 1887) ^{c g}

- [*Torymus dubiosus*](#) (Huber, 1927) ^{c g}
- [*Torymus duplicatus*](#) (Huber, 1927) ^{c g}
- [*Torymus durus*](#) (Osten-Sacken, 1870) ^{c g}
- [*Torymus eadyi*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus ebrius*](#) (Osten-Sacken, 1870) ^{c g}
- [*Torymus eglanteriae*](#) Mayr, 1874 ^{c g}
- [*Torymus elegantissimus*](#) (Ashmead, 1881) ^{c g}
- [*Torymus epilobii*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus ermolenkoi*](#) Zerova & Seryogina, 2002 ^{c g}
- [*Torymus erucarum*](#) (Schrank, 1781) ^{c g}
- [*Torymus eumelis*](#) (Walker, 1842) ^{c g}
- [*Torymus eurytomae*](#) (Puzanova-Malysheva, 1936) ^{c g}
- [*Torymus evansi*](#) Grissell, 2004 ^{c g}
- [*Torymus ezomatsuanus*](#) Kamijo, 2004 ^{c g}
- [*Torymus fagi*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus fagineus*](#) Graham, 1994 ^{c g}
- [*Torymus fagopirum*](#) (Provancher, 1881) ^{c g b}
- [*Torymus fastuosus*](#) Boheman, 1834 ^{c g}
- [*Torymus favardi*](#) Steffan, 1962 ^{c g}
- [*Torymus femoralis*](#) (Perez, 1895) ^g
- [*Torymus ferrugineipes*](#) (Huber, 1927) ^{c g}
- [*Torymus festivus*](#) Hobbs, 1950 ^{c g}
- [*Torymus filipendulae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus fischeri*](#) Ruschka, 1921 ^{c g}
- [*Torymus flavicoxa*](#) (Osten-Sacken, 1870) ^{c g b}
- [*Torymus flavigastris*](#) Matsuo, 2012 ^g
- [*Torymus flavipes*](#) (Walker, 1833) ^{c g}
- [*Torymus flaviventris*](#) Ashmead, 1888 ^{c g}
- [*Torymus flavocinctus*](#) Kieffer, 1910 ^{c g}
- [*Torymus flavovariegatus*](#) Gijswijt, 1990 ^{c g}
- [*Torymus flavus*](#) (Goureau, 1851) ^g
- [*Torymus floridensis*](#) Peck, 1951 ^{c g}
- [*Torymus formosus*](#) (Walker, 1833) ^{c g}
- [*Torymus fractiosus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus frankiei*](#) Grissell, 1973 ^{c g}
- [*Torymus frater*](#) Thomson, 1876 ^{c g}

- [*Torymus frumenti*](#) (Dumont-Courset, 1799) ^g
- [*Torymus fujianensis*](#) Xu & He, 2003 ^{c g}
- [*Torymus fullawayi*](#) (Huber, 1927) ^{c g b}
- [*Torymus fulvus*](#) (Huber, 1927) ^{c g}
- [*Torymus fuscicornis*](#) (Walker, 1833) ^{c g}
- [*Torymus fuscipes*](#) Boheman, 1834 ^{c g}
- [*Torymus gahani*](#) (Huber, 1927) ^{c g}
- [*Torymus galeobdolonis*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus galii*](#) Boheman, 1834 ^{c g}
- [*Torymus gansuensis*](#) Lin & Xu, 2005 ^{c g}
- [*Torymus genisticola*](#) Ruschka, 1921 ^{c g}
- [*Torymus geranii*](#) (Walker, 1833) ^{c g}
- [*Torymus giraudianus*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus globiceps*](#) (Retzius, 1783) ^{c g}
- [*Torymus gloriosus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus gracilior*](#) Graham, 1994 ^{c g}
- [*Torymus grahami*](#) Boucek, 1994 ^{c g}
- [*Torymus guyanaus*](#) Cameron, 1913 ^{c g}
- [*Torymus hainesi*](#) Ashmead, 1893 ^{c g}
- [*Torymus halimi*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus hederæ*](#) (Walker, 1833) ^{c g}
- [*Torymus helianthi*](#) Brodie, 1894 ^{c g}
- [*Torymus helveticus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus heterobiae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus heyeri*](#) Wachtl, 1883 ^{c g}
- [*Torymus himachalicus*](#) Narendran & Sureshan, 2005 ^{c g}
- [*Torymus hircinus*](#) Ashmead, 1894 ^{c g}
- [*Torymus hirsutus*](#) (Huber, 1927) ^{c g}
- [*Torymus hobbsi*](#) Grissell, 2004 ^{c g}
- [*Torymus holcaspoideus*](#) (Ashmead, 1904) ^{c g}
- [*Torymus hornigi*](#) Ruschka, 1921 ^{c g}
- [*Torymus huberi*](#) (Hoffmeyer, 1929) ^{c g}
- [*Torymus hylesini*](#) Graham, 1994 ^{c g}
- [*Torymus iacchos*](#) Zavada, 2001 ^{c g}
- [*Torymus igniceps*](#) Mayr, 1874 ^{c g}
- [*Torymus impar*](#) Rondani, 1877 ^{c g}

- [*Torymus imperatrix*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus indicus*](#) (Ahmad, 1946) ^{c g}
- [*Torymus interruptus*](#) Gijswijt, 2000 ^{c g}
- [*Torymus inulae*](#) Wachtl, 1884 ^{c g}
- [*Torymus iraklii*](#) Zerova & Seryogina, 2002 ^{c g}
- [*Torymus isajevi*](#) Zerova & Dolgin, 1986 ^{c g}
- [*Torymus itoi*](#) Matsuo ^g
- [*Torymus janetiellae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus josefi*](#) Boucek, 1996 ^{c g}
- [*Torymus josephinae*](#) Boucek, 1988 ^{c g}
- [*Torymus juniperi*](#) (Linnaeus, 1758) ^{c g}
- [*Torymus kaltenbachii*](#) Forster, 1840 ^g
- [*Torymus kiefferi*](#) (Hoffmeyer, 1929) ^{c g}
- [*Torymus kinseyi*](#) (Huber, 1927) ^{c g}
- [*Torymus koebeleii*](#) (Huber, 1927) ^{c g b}
- [*Torymus kononovae*](#) (Zerova & Seregina, 1991) ^{c g}
- [*Torymus koreanus*](#) Kamijo, 1982 ^{c g}
- [*Torymus kovaci*](#) Narendran & Girish Kumar, 2005 ^{c g}
- [*Torymus laetus*](#) (Walker, 1833) ^{c g}
- [*Torymus lampros*](#) Graham, 1994 ^{c g}
- [*Torymus lapsanae*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus laricis*](#) Boucek, 1994 ^{c g}
- [*Torymus larreae*](#) Grissell, 1976 ^{c g}
- [*Torymus lathyri*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus latialatus*](#) Lin & Xu, 2005 ^{c g}
- [*Torymus lini*](#) Mayr, 1874 ^{c g}
- [*Torymus lissus*](#) (Walker, 1843) ^{c g}
- [*Torymus lividus*](#) (Ashmead, 1885) ^{c g}
- [*Torymus longicalcar*](#) Graham, 1994 ^{c g}
- [*Torymus longicauda*](#) (Provancher, 1883) ^{c g}
- [*Torymus longior*](#) Brodie, 1894 ^{c g b}
- [*Torymus longiscapus*](#) Grissell, 1976 ^{c g}
- [*Torymus longistigmus*](#) (Huber, 1927) ^{c g}
- [*Torymus lorantheri*](#) (Cameron, 1913) ^{c g}
- [*Torymus luridus*](#) Zavada, 2001 ^{c g}
- [*Torymus lycicola*](#) Kieffer, 1910 ^{c g}

- [Torymus lythri](#) Boucek, 1994 ^{c g}
- [Torymus macrurus](#) (Forster, 1859) ^g
- [Torymus maculatus](#) Lin & Xu, 2005 ^{c g}
- [Torymus maculipennis](#) (Cameron, 1884) ^{c g}
- [Torymus magnificus](#) (Osten-Sacken, 1870) ^{c g}
- [Torymus mandrakensis](#) (Risbec, 1956) ^{c g}
- [Torymus mediocris](#) (Walker, 1874) ^{c g}
- [Torymus mellipes](#) (Huber, 1927) ^{c g}
- [Torymus memnonius](#) Grissell, 1973 ^{c g}
- [Torymus mendocinus](#) Kieffer, 1910 ^{c g}
- [Torymus mexicanus](#) Ashmead, 1899 ^{c g}
- [Torymus microcerus](#) (Walker, 1833) ^{c g}
- [Torymus microstigma](#) (Walker, 1833) ^{c g}
- [Torymus micrurus](#) Boucek, 1994 ^{c g}
- [Torymus millefolii](#) Ruschka, 1921 ^{c g}
- [Torymus minutus](#) Forster, 1840 ^g
- [Torymus missouriensis](#) (Huber, 1927) ^{c g}
- [Torymus monticola](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus montserrati](#) Crawford, 1911 ^{c g}
- [Torymus multicolor](#) (Huber, 1927) ^{c g}
- [Torymus myrtacearum](#) (Costa Lima, 1916) ^{c g}
- [Torymus narvikensis](#) Graham, 1994 ^{c g}
- [Torymus nebulosus](#) Askew, 2001 ^{c g}
- [Torymus neepalensis](#) Narendran, 1994 ^{c g}
- [Torymus nemorum](#) Boucek, 1994 ^{c g}
- [Torymus neuroterus](#) Ashmead, 1887 ^{c g}
- [Torymus nigritarsus](#) (Walker, 1833) ^{c g}
- [Torymus nitidulus](#) (Walker, 1833) ^{c g}
- [Torymus nobilis](#) Boheman, 1834 ^{c g}
- [Torymus nonacris](#) (Walker, 1842) ^{c g}
- [Torymus notatus](#) (Walker, 1833) ^{c g}
- [Torymus novitzkyi](#) Graham, 1994 ^{c g}
- [Torymus nubilus](#) (Breland, 1939) ^{c g}
- [Torymus nudus](#) (Breland, 1939) ^{c g}
- [Torymus obscurus](#) (Breland, 1939) ^{c g}
- [Torymus occidentalis](#) (Huber, 1927) ^{c g}

- [*Torymus ochreateus*](#) Say, 1836 ^{c g}
- [*Torymus oreiplanus*](#) Kieffer, 1910 ^{c g}
- [*Torymus orientalis*](#) (Masi, 1926) ^g
- [*Torymus orissaensis*](#) (Mani, 1936) ^{c g}
- [*Torymus orobi*](#) Mayr, 1874 ^{c g}
- [*Torymus osborni*](#) (Huber, 1927) ^{c g}
- [*Torymus oviperditor*](#) (Gahan, 1927) ^{c g}
- [*Torymus pachypsyllae*](#) (Ashmead, 1888) ^{c g}
- [*Torymus pallidipes*](#) Ashmead, 1894 ^{c g}
- [*Torymus paludum*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus paraguayensis*](#) (Girault, 1913) ^{c g}
- [*Torymus partitus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus pascuorum*](#) Boucek, 1994 ^{c g}
- [*Torymus pastinacae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus pavidus*](#) Say, 1836 ^{c g}
- [*Torymus perplexus*](#) (Huber, 1927) ^{c g}
- [*Torymus persicariae*](#) Mayr, 1874 ^{c g}
- [*Torymus persimilis*](#) Ashmead, 1894 ^{c g}
- [*Torymus philippii*](#) (Hoffmeyer, 1929) ^{c g}
- [*Torymus phillyreae*](#) Ruschka, 1921 ^{c g}
- [*Torymus poae*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus potamius*](#) Grissell, 1976 ^{c g}
- [*Torymus pretiosus*](#) (Walker, 1833) ^{c g}
- [*Torymus problematicus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus prosopidis*](#) Kieffer, 1910 ^{c g}
- [*Torymus prunicola*](#) (Huber, 1927) ^{c g}
- [*Torymus pseudotsugae*](#) Hobbs, 2004 ^{c g}
- [*Torymus pulchellus*](#) Thomson, 1876 ^{c g}
- [*Torymus punctifrons*](#) (Ashmead, 1894) ^{c g}
- [*Torymus purpurascens*](#) (Fabricius, 1798) ^{c g}
- [*Torymus purpureae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus purpureomaculata*](#) (Cameron, 1904) ^{c g}
- [*Torymus putoniellae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus pygmaeus*](#) Mayr, 1874 ^{c g}
- [*Torymus quadriceps*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus quercinus*](#) Boheman, 1834 ^{c g}

- [Torymus racemariae](#)^b
- [Torymus ramicola](#) Ruschka, 1921^{c g}
- [Torymus ranomafanensis](#) (Risbec, 1956) (Madagascar)
- [Torymus regalis](#) (Walker, 1833)^{c g}
- [Torymus resinanae](#) Ratzeburg, 1852^{c g}
- [Torymus rhamni](#) Boucek, 1994^{c g}
- [Torymus rhoditidis](#) (Huber, 1927)^{c g}
- [Torymus ringofuschi](#) Kamijo, 1979^{c g}
- [Torymus roboris](#) (Walker, 1833)^{c g}
- [Torymus rosariae](#) Graham & Gijswijt, 1998^{c g}
- [Torymus rubi](#) (Schrank, 1781)^{c g}
- [Torymus rubigasterus](#) Xu & He, 2003^{c g}
- [Torymus rudbeckiae](#) Ashmead, 1890^{c g}
- [Torymus rufipes](#) (Walker, 1834)^{c g}
- [Torymus rugglesi](#) Milliron, 1959^{c g b}
- [Torymus rugosipunctatus](#) Ashmead, 1894^{c g}
- [Torymus ruschkai](#) (Hoffmeyer, 1929)^{c g}
- [Torymus salicis](#) Graham, 1994^{c g}
- [Torymus sapporoensis](#) Ashmead, 1904^{c g}
- [Torymus sarothamni](#) Kieffer, 1899^{c g}
- [Torymus scalaris](#) (Huber, 1927)^{c g}
- [Torymus scandicus](#) Graham & Gijswijt, 1998^{c g}
- [Torymus scaposus](#) (Thomson, 1876)^{c g}
- [Torymus schizothecae](#) Ruschka, 1921^{c g}
- [Torymus scutellaris](#) (Walker, 1833)^{c g}
- [Torymus seminum](#) (Hoffmeyer, 1929)^{c g}
- [Torymus sharmai](#) Sureshan & Narendran, 2002^{c g}
- [Torymus silenus](#) Zavada, 2001^{c g}
- [Torymus sinensis](#) Kamijo, 1982^{c g}
- [Torymus smithi](#) Ashmead, 1904^{c g}
- [Torymus socius](#) Mayr, 1874^{c g}
- [Torymus solidaginis](#) (Huber, 1927)^{c g}
- [Torymus solitarius](#) (Osten-Sacken, 1870)^{c g b}
- [Torymus spaici](#) Boucek, 1994^{c g}
- [Torymus speciosus](#) Boheman, 1834^{c g}
- [Torymus sphaerocephalus](#) Graham & Gijswijt, 1998^g

- [*Torymus spherocephalus*](#) de Vere Graham & Gijswijt, 1998 ^g
- [*Torymus spiloaterus*](#) Boheman, 1834 ^{c g}
- [*Torymus splendidulus*](#) Dalla Torre, 1898 ^{c g}
- [*Torymus stenus*](#) Graham, 1994 ^{c g}
- [*Torymus stom*](#) Narendran & Sudheer, 2005 ^{c g}
- [*Torymus strenuus*](#) (Walker, 1871) ^{c g}
- [*Torymus subcalifornicus*](#) Grissell, 1976 ^{c g}
- [*Torymus subnudus*](#) Boucek, 1978 ^{c g}
- [*Torymus sulcatus*](#) (Huber, 1927) ^{c g}
- [*Torymus superbus*](#) Kieffer, 1910 ^{c g}
- [*Torymus sylvicola*](#) Ashmead, 1904 ^{c g}
- [*Torymus tanaceticola*](#) Ruschka, 1921 ^{c g}
- [*Torymus tatianae*](#) Zavada, 2001 ^{c g}
- [*Torymus terentianus*](#) Zavada, 2001 ^{c g}
- [*Torymus texanus*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus thalassinus*](#) (Crosby, 1908) ^{c g}
- [*Torymus theon*](#) (Walker, 1843) ^{c g}
- [*Torymus thompsoni*](#) Fyles, 1904 ^{c g}
- [*Torymus thoracicus*](#) (Ashmead, 1904) ^{c g}
- [*Torymus thymi*](#) Ruschka, 1921 ^{c g}
- [*Torymus tipulariarum*](#) Zetterstedt, 1838 ^{c g}
- [*Torymus triangularis*](#) Thomson, 1876 ^{c g}
- [*Torymus tsugae*](#) (Yano, 1918) ^{c g}
- [*Torymus tubicola*](#) (Osten-Sacken, 1870) ^{c g b}
- [*Torymus ulmariae*](#) Ruschka, 1921 ^{c g}
- [*Torymus umbilicatus*](#) (Gahan, 1919) ^{c g b}
- [*Torymus valerii*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus vallisnieri*](#) Cameron, 1901 ^{c g}
- [*Torymus varians*](#) (Walker) ^{i c g}
- [*Torymus ventralis*](#) (Fonscolombe, 1832) ^{c g}
- [*Torymus verbasci*](#) Ruschka, 1921 ^{c g}
- [*Torymus veronicae*](#) Ruschka, 1921 ^{c g}
- [*Torymus vesiculi*](#) Moser, 1956 ^{c g}
- [*Torymus violae*](#) (Hoffmeyer, 1944) ^{c g}
- [*Torymus virescens*](#) (De Stefani, 1908) ^g
- [*Torymus wachtliellae*](#) Graham & Gijswijt, 1998 ^{c g}

- [*Torymus warreni*](#) (Cockerell, 1911) ^{c g}
- [*Torymus xanthopus*](#) (Schulz, 1906) ^{c g}
- [*Torymus zabriskii*](#) ^b
- [*Torymus zhejiangensis*](#) Lin & Xu, 2005 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 282 species in [*Tomosvaryella*](#), a genus of big-headed flies in the family [*Pipunculidae*](#).

***Tomosvaryella* species**

- [*Tomosvaryella aegyptia*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella aeneiventris*](#) (Kertész, 1903)
- [*Tomosvaryella africana*](#) Hardy, 1949
- [*Tomosvaryella agnesea*](#) Hardy, 1940
- [*Tomosvaryella albiseta*](#) Cresson, 1911
- [*Tomosvaryella aliena*](#) Hardy, 1947
- [*Tomosvaryella amazonensis*](#) De Meyer & Skevington, 2000[2]
- [*Tomosvaryella ancylostyla*](#) Hardy, 1961
- [*Tomosvaryella angolensis*](#) De Meyer, 1993
- [*Tomosvaryella angulata*](#) Kehlmaier & Majnon-Jahromi, 2017[3]
- [*Tomosvaryella anomala*](#) Hardy, 1949
- [*Tomosvaryella apicalis*](#) Hardy, 1949
- [*Tomosvaryella appendipes*](#) (Cresson, 1911)
- [*Tomosvaryella argentea*](#) (Sack, 1935)
- [*Tomosvaryella argenteiventris*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella argentifrons*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella argentosa*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella arguta*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella argyrata*](#) De Meyer, 1995
- [*Tomosvaryella argyratoides*](#) De Meyer, 1995
- [*Tomosvaryella armata*](#) Hardy, 1940
- [*Tomosvaryella aurata*](#) Ale-Rocha, 1996
- [*Tomosvaryella baderiensis*](#) Kapoor, Grewal & Sharma, 1987[4]
- [*Tomosvaryella basalis*](#) Hardy, 1950
- [*Tomosvaryella beameri*](#) Hardy, 1940
- [*Tomosvaryella bidens*](#) (Cresson, 1911)
- [*Tomosvaryella bissulca*](#) Ale-Rocha, 1996
- [*Tomosvaryella botswanae*](#) De Meyer, 1993
- [*Tomosvaryella brachybasis*](#) De Meyer, 1993

- [Tomosvaryella brachyscolops](#) Hardy, 1961
- [Tomosvaryella brevidens](#) Kuznetsov, 1994[1]
- [Tomosvaryella brevijuncta](#) Hardy, 1943
- [Tomosvaryella bugalensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella bulganensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella caerulescens](#) De Meyer, 1993
- [Tomosvaryella cagiae](#) Skevington & Foldvari, 2007
- [Tomosvaryella calcarata](#) Hardy, 1968
- [Tomosvaryella caligata](#) Hardy, 1968
- [Tomosvaryella chilensis](#) Ale-Rocha, 1996
- [Tomosvaryella cilifemorata](#) (Becker, 1907)
- [Tomosvaryella cilifera](#) Kuznetsov, 1994[1]
- [Tomosvaryella cilitarsis](#) (Strobl, 1910)[5]
- [Tomosvaryella claripennis](#) (Loew, 1858)
- [Tomosvaryella columbiana](#) (Kertész, 1915)
- [Tomosvaryella comaousa](#) De Meyer, 1990
- [Tomosvaryella concavifronta](#) Yang & Xu, 1998
- [Tomosvaryella congoana](#) Hardy, 1950
- [Tomosvaryella contorta](#) (Hardy, 1939)
- [Tomosvaryella coquilletti](#) (Kertész, 1907)
- [Tomosvaryella coquilletticoquilletti](#) (Kertész, 1907)
- [Tomosvaryella cornuta](#) Kuznetsov, 1994[1]
- [Tomosvaryella corusca](#) Skevington & Foldvari, 2007
- [Tomosvaryella crassa](#) Ale-Rocha, 2004
- [Tomosvaryella crassifemorata](#) De Meyer, 1993
- [Tomosvaryella crinita](#) Ale-Rocha, 1996
- [Tomosvaryella curta](#) Ale-Rocha, 1996
- [Tomosvaryella curtissima](#) Kuznetsov, 1993
- [Tomosvaryella curvipatis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella debruyni](#) De Meyer, 1995
- [Tomosvaryella deformis](#) Hardy, 1947
- [Tomosvaryella dehraduniensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella denticulatus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella dentiterebra](#) Collin, 1949
- [Tomosvaryella deserticola](#) Kuznetsov, 1993
- [Tomosvaryella diffusa](#) Ale-Rocha, 1996
- [Tomosvaryella disjuncta](#) (Becker, 1900)
- [Tomosvaryella dissimilis](#) Hardy, 1943
- [Tomosvaryella dividua](#) Kuznetsov, 1994[1]
- [Tomosvaryella docta](#) De Meyer, 1995
- [Tomosvaryella dongyue](#) Yang & Xu, 1998
- [Tomosvaryella ekyphysis](#) Ale-Rocha, 1996

- [Tomosvaryella epichalca](#) (Perkins, 1905)
- [Tomosvaryella equistylis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella eusylvatica](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella exilidens](#) Hardy, 1943
- [Tomosvaryella falkovitshi](#) Kuznetsov, 1993
- [Tomosvaryella femella](#) Kuznetsov, 1993
- [Tomosvaryella flaviantenna](#) (Hardy and Knowlton, 1939)
- [Tomosvaryella flavicrus](#) Hardy, 1968
- [Tomosvaryella flavipes](#) De Meyer, 1993
- [Tomosvaryella flexa](#) Kuznetsov, 1994[1]
- [Tomosvaryella floridensis](#) Hardy, 1940
- [Tomosvaryella forchhammeri](#) De Meyer, 1993
- [Tomosvaryella forter](#) Yang & Xu, 1998
- [Tomosvaryella freidbergi](#) De Meyer, 1995
- [Tomosvaryella frontata](#) (Becker, 1898)[6]
- [Tomosvaryella galapagensis](#) (Curran, 1934)
- [Tomosvaryella gazliensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella geniculata](#) (Meigen, 1824)[7]
- [Tomosvaryella genitalis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella gibbosa](#) Hardy, 1949
- [Tomosvaryella gobiensis](#) De Meyer & Skevington, 2000[2]
- [Tomosvaryella gussakovskyi](#) Kuznetsov, 1994[1]
- [Tomosvaryella guwahatiensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella hactena](#) Hardy, 1972
- [Tomosvaryella helwanensis](#) Collin, 1949
- [Tomosvaryella hildeae](#) De Meyer, 1997
- [Tomosvaryella hirticollis](#) (Becker, 1910)
- [Tomosvaryella hispanica](#) De Meyer, 1997
- [Tomosvaryella hissarica](#) Kuznetsov, 1993
- [Tomosvaryella hongorica](#) Kuznetsov, 1994[1]
- [Tomosvaryella hortobagyiensis](#) Foldvari & De Meyer, 2000[2]
- [Tomosvaryella hozretishiensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella immutata](#) (Becker, 1913)
- [Tomosvaryella inazumae](#) (Koizumi, 1960)
- [Tomosvaryella incompta](#) Ale-Rocha, 1996
- [Tomosvaryella incondita](#) Hardy, 1961
- [Tomosvaryella inconspicua](#) (Malloch, 1912)
- [Tomosvaryella indica](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella inermis](#) De Meyer, 1995
- [Tomosvaryella inopinata](#) De Meyer, 1995
- [Tomosvaryella insulicola](#) De Meyer, 1993
- [Tomosvaryella israelensis](#) De Meyer, 1995

- [Tomosvaryella itoi](#) (Koizumi, 1960)
- [Tomosvaryella jubata](#) De Meyer, 1995
- [Tomosvaryella kalevala](#) Kehlmaier, 2008
- [Tomosvaryella karakalaensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella kashipurensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella kirghizorum](#) Kuznetsov, 1993
- [Tomosvaryella kondarensis](#) Kuznetsov, 1993
- [Tomosvaryella kuthyi](#) Aczél, 1944[8]
- [Tomosvaryella lata](#) Kuznetsov, 1994[1]
- [Tomosvaryella laticlavata](#) Kuznetsov, 1994[1]
- [Tomosvaryella latitarsis](#) Hardy, 1950
- [Tomosvaryella leimonias](#) (Perkins, 1905)
- [Tomosvaryella lepidipes](#) Hardy, 1943
- [Tomosvaryella leri](#) Kuznetsov, 1994[1]
- [Tomosvaryella limpidipennis](#) (Brunetti, 1912)
- [Tomosvaryella littoralis](#) (Becker, 1898)[6]
- [Tomosvaryella longipygianus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella longiseta](#) Ale-Rocha, 1996
- [Tomosvaryella longistylus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella longula](#) Kuznetsov, 1994[1]
- [Tomosvaryella luppovae](#) Kuznetsov, 1994[1]
- [Tomosvaryella lynchi](#) (Shannon, 1927)
- [Tomosvaryella lyneborgi](#) (Coe, 1969)
- [Tomosvaryella manauensis](#) Ale-Rocha, 1996
- [Tomosvaryella mbuyensis](#) Hardy, 1952
- [Tomosvaryella mediocris](#) (Collin, 1931)
- [Tomosvaryella membranacea](#) Ale-Rocha & Rafael, 1995
- [Tomosvaryella membranosa](#) Kuznetsov, 1994[1]
- [Tomosvaryella mesasiatica](#) Kuznetsov, 1994[1]
- [Tomosvaryella mesostena](#) Hardy, 1961
- [Tomosvaryella mexicanensis](#) Ale-Rocha & Rafael, 1995
- [Tomosvaryella micronesiae](#) Hardy, 1956
- [Tomosvaryella mimica](#) Kuznetsov, 1994[1]
- [Tomosvaryella minacis](#) Hardy, 1940
- [Tomosvaryella minima](#) (Becker, 1898)[6]
- [Tomosvaryella minuscula](#) (Collin, 1956)
- [Tomosvaryella minutus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella moala](#) Skevington & Foldvari, 2007
- [Tomosvaryella mongolica](#) Kozanek, 1992
- [Tomosvaryella montana](#) De Meyer, 1993
- [Tomosvaryella montina](#) Kuznetsov, 1994[1]
- [Tomosvaryella multisetae](#) Kapoor, Grewal & Sharma, 1987[4]

- [Tomosvaryella mutata](#) (Becker, 1898)[6]
- [Tomosvaryella nalaihiiana](#) Kuznetzov, 1994[1]
- [Tomosvaryella nartshukae](#) Kuznetzov, 1994[1]
- [Tomosvaryella nigra](#) Kuznetzov, 1994[1]
- [Tomosvaryella nigritula](#) Zetterstedt, 1844
- [Tomosvaryella nigronitida](#) (Collin, 1958)
- [Tomosvaryella nitens](#) Brunetti, 1912
- [Tomosvaryella nodosa](#) De Meyer, 1995
- [Tomosvaryella novaezealandiae](#) Tonnoir, 1925
- [Tomosvaryella nyctias](#) (Perkins, 1905)
- [Tomosvaryella oligoseta](#) De Meyer, 1993
- [Tomosvaryella olmii](#) De Meyer & Foldvari, 2008
- [Tomosvaryella olympicola](#) (Janssens, 1955)
- [Tomosvaryella ornatitarsalis](#) Hardy, 1954
- [Tomosvaryella orthocladia](#) Kuznetzov, 1994[1]
- [Tomosvaryella oryzaetora](#) Koizumi, 1959
- [Tomosvaryella palliditarsis](#) (Collin, 1931)
- [Tomosvaryella parakuthyi](#) De Meyer, 1995
- [Tomosvaryella parvicuspidis](#) Hardy, 1961
- [Tomosvaryella pauca](#) Hardy, 1943
- [Tomosvaryella pectinalis](#) Ale-Rocha, 1996
- [Tomosvaryella pennatula](#) Kuznetzov, 1994[1]
- [Tomosvaryella perissosceles](#) Hardy, 1965
- [Tomosvaryella pernitida](#) (Becker, 1924)
- [Tomosvaryella perpusilla](#) (Collin, 1941)
- [Tomosvaryella pilosiventris](#) Becker, 1900
- [Tomosvaryella pistacia](#) Majnon-Jahromi & Kehlmaier, 2017[3]
- [Tomosvaryella platensis](#) Ale-Rocha, 1996
- [Tomosvaryella polita](#) (Williston, 1896)[9]
- [Tomosvaryella propinqua](#) (Becker, 1913)
- [Tomosvaryella propria](#) Hardy, 1949
- [Tomosvaryella prostata](#) Hardy, 1962
- [Tomosvaryella pruinosa](#) Kozanek, 1992
- [Tomosvaryella pseudophanes](#) (Perkins, 1905)
- [Tomosvaryella pterae](#) Kapoor & Grewal, 1985
- [Tomosvaryella pulchra](#) Kozanek, 1992
- [Tomosvaryella pusilla](#) De Meyer, 1995
- [Tomosvaryella quadradentis](#) Hardy, 1943
- [Tomosvaryella ramnagariensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella relictia](#) Kuznetzov, 1994[1]
- [Tomosvaryella resurgens](#) De Meyer, 1997
- [Tomosvaryella robusta](#) Hardy, 1968

- [Tomosvaryella rossica](#) Kuznetsov, 1993
- [Tomosvaryella ruwenzoriensis](#) De Meyer, 1993
- [Tomosvaryella sachtlebeni](#) (Aczél, 1940)
- [Tomosvaryella santaroi](#) Ouchi, 1943
- [Tomosvaryella santiagoensis](#) De Meyer & Skevington, 2000[2]
- [Tomosvaryella scalprata](#) Yang & Xu, 1987
- [Tomosvaryella scopulata](#) Hardy, 1962
- [Tomosvaryella sedomensis](#) De Meyer, 1995
- [Tomosvaryella sentis](#) Hardy, 1968
- [Tomosvaryella sepulta](#) De Meyer, 1997
- [Tomosvaryella setositora](#) Hardy, 1961
- [Tomosvaryella shaoshanensis](#) Yang & Xu, 1998
- [Tomosvaryella sigillata](#) Kuznetsov, 1994[1]
- [Tomosvaryella similis](#) (Hough, 1899)
- [Tomosvaryella singalensis](#) (Kertész, 1903)
- [Tomosvaryella singula](#) Hardy, 1950
- [Tomosvaryella singularis](#) De Meyer, 1993
- [Tomosvaryella singuloides](#) De Meyer, 1993
- [Tomosvaryella songinoensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella sonorensis](#) (Cole, 1923)
- [Tomosvaryella spangleri](#) Scarbrough & Knutson, 1989
- [Tomosvaryella speciosa](#) Hardy, 1949
- [Tomosvaryella spectata](#) Kuznetsov, 1994[1]
- [Tomosvaryella spicata](#) Kuznetsov, 1994[1]
- [Tomosvaryella spiculata](#) Hardy, 1972
- [Tomosvaryella spinea](#) Kuznetsov, 1994[1]
- [Tomosvaryella spinigera](#) De Meyer, 1993
- [Tomosvaryella spinosa](#) Ale-Rocha, 1996
- [Tomosvaryella spinulenta](#) Kuznetsov, 1994[1]
- [Tomosvaryella spinulifera](#) Kuznetsov, 1994[1]
- [Tomosvaryella stackelbergi](#) Kuznetsov, 1994[1]
- [Tomosvaryella subafricana](#) De Meyer, 1993
- [Tomosvaryella subhectena](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella subnitens](#) (Cresson, 1911)
- [Tomosvaryella subrobusta](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella subvirescens](#) (Loew, 1872)[10]
- [Tomosvaryella sugonjaevi](#) Kuznetsov, 1994[1]
- [Tomosvaryella sumbarensis](#) Kuznetsov, 1993
- [Tomosvaryella surstylae](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella sylvatica](#) (Meigen, 1824)[7]
- [Tomosvaryella sylvaticoides](#) (Lamb, 1922)
- [Tomosvaryella sylvicola](#) Kuznetsov, 1994[1]

- [Tomosvaryella synadelpha](#) (Perkins, 1905)
- [Tomosvaryella synadelphoides](#) (Meijere, 1914)
- [Tomosvaryella tadzhikorum](#) Kuznetsov, 1994[1]
- [Tomosvaryella talyshensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella tanaitidis](#) Kuznetsov, 1994[1]
- [Tomosvaryella tanasijtshuki](#) Kuznetsov, 1994[1]
- [Tomosvaryella tattapaniensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella taurica](#) Kuznetsov, 1994[1]
- [Tomosvaryella tecta](#) De Meyer, 1993
- [Tomosvaryella teligera](#) Kuznetsov, 1994[1]
- [Tomosvaryella tenebricosa](#) Kuznetsov, 1994[1]
- [Tomosvaryella tenera](#) Kuznetsov, 1994[1]
- [Tomosvaryella teneroidea](#) Kuznetsov, 1994[1]
- [Tomosvaryella tenuata](#) Kuznetsov, 1994[1]
- [Tomosvaryella torosa](#) Hardy, 1961
- [Tomosvaryella toxodentis](#) (Hardy and Knowlton, 1939)
- [Tomosvaryella translata](#) (Walker, 1857)
- [Tomosvaryella transvaalensis](#) De Meyer, 1993
- [Tomosvaryella trichotibialis](#) De Meyer, 1995
- [Tomosvaryella tridens](#) Hardy, 1950
- [Tomosvaryella trigona](#) Kuznetsov, 1994[1]
- [Tomosvaryella trjapitzini](#) Kuznetsov, 1994[1]
- [Tomosvaryella troangulatus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella trochanterata](#) Kuznetsov, 1994[1]
- [Tomosvaryella trochantericola](#) Kuznetsov, 1994[1]
- [Tomosvaryella tuberculatus](#) Hardy, 1948
- [Tomosvaryella tumida](#) Hardy, 1940
- [Tomosvaryella turgayica](#) Kuznetsov, 1994[1]
- [Tomosvaryella turgida](#) Hardy, 1940
- [Tomosvaryella ubsunurensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella unguiculatus](#) (Cresson, 1911)
- [Tomosvaryella urdaensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella urgamalensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella utahensis](#) (Hardy and Knowlton, 1939)
- [Tomosvaryella vagabunda](#) (Knab, 1915)
- [Tomosvaryella venezuelana](#) Ale-Rocha, 1993
- [Tomosvaryella verrucula](#) Kuznetsov, 1993
- [Tomosvaryella vicina](#) (Becker, 1900)
- [Tomosvaryella virlai](#) Ale-Rocha, 1996
- [Tomosvaryella vittigera](#) Kuznetsov, 1994[1]
- [Tomosvaryella wilburi](#) (Hardy, 1939)
- [Tomosvaryella xerophila](#) Hardy, 1943

- [Tomosvaryella zimini](#) Kuznetsov, 1993

References

1.

- Kuznetsov, S.Y. . (1994). "New Palaearctic species of *Tomosvaryella* Aczél (Diptera, Pipunculidae) with redescription of *T. rondanii* (Collin)". *Dipterological Research*. 5: 107–207.
- De Meyer, Marc; Skevington, Jeffrey H. (2000). "[The first addition to the world catalogue of Pipunculidae \(Diptera\)](#)" (PDF). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Entomologie*. **70** (5–11). Retrieved 27 July 2022.
- Majnon-Jahromi, B.; Gheibi, M.; Fallahzadeh, M.; Kehlmaier, C.; Hesami, S. (2017). "Pipunculidae (Diptera) from southern Iran, including two new species of the genus *Tomosvaryella* Aczél". *Zootaxa*. **4273** (4): 488–500.
- Kapoor, V.C.; Grewal, J.S.; Sharma, S.K. (1987). *Indian pipunculids (Diptera: Pipunculidae)*. New Delhi: Atlantic Publ. p. 201.
- Strobl, Pater Gabriel (1910). "[Die Dipteren von Steiermark. II. Nachtrag](#)". *Mitteilungen des Naturwissenschaftlichen Vereines für Steiermark*. (1909)46: 45–292. Retrieved 25 May 2019.
- Becker, T. (1897). "Dipterologische Studien. V. Pipunculidae". *Berliner Entomologische Zeitschrift*. **42** (25–100).
- Meigen, J. W. (1824). "Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten". *Vierter Theil*. Schulz-Wundermann, Hamm.: xii + 428 pp.
- Aczél, M.L. (1944). "[Die Gattung Tomosvaryella Acz. \(Dipt.\) \(Dorylaiden-Studien 8\)](#)" (PDF). *Annales Historica-Naturales Musei Nationalis Hungarici (Zoology)*. **37**: 75–130. Retrieved 16 August 2022.
- Williston, Samuel Wendell (1896). "[On the Diptera of St. Vincent \(West Indies\)](#)". *Transactions of the Entomological Society of London*. **1896**: 253–446, pls. 8–14. Retrieved 3 June 2018.
-
- 10.Loew, Hermann (1872). "[Diptera Americae septentrionalis indigena. Centuria decima](#)". *Berliner Entomologische Zeitschrift*. **16**: 49–124. Retrieved 25 July 2021.

Categories:

- [Pipunculidae](#)
- [Lists of insect species](#)
-

This is a list of members of the [crane fly genus Tipula](#).

***Tipula* subg. *Acutipula* [Alexander](#), 1924**

- [T. acanthophora Alexander](#), 1934
- [T. aktashi](#) Koc, Hasbenli & de Jong, 1998
- [T. alboplagiata Alexander](#), 1935
- [T. alphaspis Speiser](#), 1909
- [T. amissa Alexander](#), 1960
- [T. amymona Alexander](#), 1951
- [T. amytis Alexander](#), 1933
- [T. angolana Alexander](#), 1963
- [T. anormalipennis](#) Pierre, 1924
- [T. apicidenticulata](#) Yang & Yang, 1995
- [T. atuntzuensis Edwards](#), 1928
- [T. aureola](#) Mannheims, 1952
- [T. auspici Alexander](#), 1950
- [T. bakundu](#) de Jong, 1984
- [T. balcanica](#) Vermoolen, 1983
- [T. bamileke](#) de Jong, 1984
- [T. bantu Alexander](#), 1956
- [T. barbigera](#) Young and Li, 2013
- [T. bartletti Alexander](#), 1920
- [T. basispinosa Alexander](#), 1970
- [T. bicompressa Alexander](#), 1950
- [T. bihastata Alexander](#), 1941
- [T. bioculata Alexander](#), 1960
- [T. bipenicillata Alexander](#), 1924
- [T. biramosa Alexander](#), 1933
- [T. bistrispunctata](#) (Speiser, 1909)
- [T. bistyligera Alexander](#), 1935
- [T. bosnica Strobl](#), 1898
- [T. brunnirostris Edwards](#), 1928
- [T. bubiana](#) de Jong, 1984
- [T. bubo Alexander](#), 1918
- [T. buboda](#) Yang & Yang, 1992
- [T. bulbifera Alexander](#), 1953
- [T. calcar](#) (Alexander, 1958)
- [T. camerounensis Alexander](#), 1921
- [T. captiosa Alexander](#), 1936
- [T. centroproducta Alexander](#), 1972
- [T. chaniae Alexander](#), 1956
- [T. cinnamomea Riedel](#), 1914
- [T. citae](#) Oosterbroek & Vermoolen, 1990
- [T. cockerelliana Alexander](#), 1925

- [*T. coeana* Alexander](#), 1966
- [*T. corsica* Pierre](#), 1921
- [*T. cranicornuta* Yang & Yang](#), 1992
- [*T. cretensis* Vermoolen](#), 1983
- [*T. cypriensis* Vermoolen](#), 1983
- [*T. dahomiensis* Alexander](#), 1920
- [*T. desidiosa* Alexander](#), 1933
- [*T. deva* Alexander](#), 1952
- [*T. dichroa* Bezzi](#), 1906
- [*T. dicladura* Alexander](#), 1934
- [*T. diclava* Alexander](#), 1922
- [*T. doriae* Pierre](#), 1926
- [*T. echo* Alexander](#), 1961
- [*T. ellenbergeri* Alexander](#), 1920
- [*T. ellioti* Alexander](#), 1920
- [*T. epicaste* Alexander](#), 1952
- [*T. epularis* Alexander](#), 1953
- [*T. forticauda* Alexander](#), 1936
- [*T. fulani* Alexander](#), 1975
- [*T. fulvipennis* De Geer](#), 1776
- [*T. fumicosta* Brunetti](#), 1918
- [*T. fumivena* \(Alexander\)](#), 1958
- [*T. furcifera* Young and Li](#), 2013
- [*T. furvimarginata* Yang & Yang](#), 1992
- [*T. gaboonensis* Alexander](#), 1920
- [*T. gansuensis* Yang & Yang](#), 1995
- [*T. gemma* Alexander](#), 1953
- [*T. globicauda* Alexander](#), 1960
- [*T. gola* Alexander](#), 1958
- [*T. grahamiana* Alexander](#), 1964
- [*T. graphiptera* Alexander](#), 1933
- [*T. guizhouensis* Yang, Gao & Young](#), 2006
- [*T. hardeana* Alexander](#), 1978
- [*T. hemmingseniana* Alexander](#), 1961
- [*T. henanensis* Li and Yang](#), 2010
- [*T. hokusaii* de Jong](#), 1984
- [*T. hova* Alexander](#), 1920
- [*T. hubeiana* Yang & Yang](#), 1992
- [*T. incorrupta* Alexander](#), 1933
- [*T. indra* Alexander](#), 1961
- [*T. intacta* Alexander](#), 1933
- [*T. interrupta* Brunetti](#), 1911

- [*T. irrequieta* Alexander](#), 1936
- [*T. ismene* Mannheims](#), 1969
- [*T. isparta* Vermoolen](#), 1983
- [*T. iyala* Alexander](#), 1974
- [*T. jacobsoni* Edwards](#), 1919
- [*T. jocosa* Alexander](#), 1917
- [*T. kenia* Alexander](#), 1920
- [*T. kinangopensis* \(Riedel\)](#), 1914
- [*T. kumpa* Alexander](#), 1961
- [*T. kuzuensis* Alexander](#), 1918
- [*T. lambertoniana* Alexander](#), 1955
- [*T. langi* Alexander](#), 1920
- [*T. latifasciata* Alexander](#), 1933
- [*T. latifurca* Vermoolen](#), 1983
- [*T. leonensis* Alexander](#), 1920
- [*T. leptoneura* Alexander](#), 1922
- [*T. levicula* Alexander](#), 1972
- [*T. lhabu* Alexander](#), 1970
- [*T. libanica* Vermoolen](#), 1983
- [*T. lieftinckiana* Alexander](#), 1944
- [*T. linneana* Alexander](#), 1966
- [*T. longispina* Yang, Gao & Young](#), 2006
- [*T. loveridgei* Alexander](#), 1972
- [*T. luctuosa* Mannheims](#), 1964
- [*T. luna* Westhoff](#), 1879
- [*T. luteinotalis* Alexander](#), 1941
- [*T. macra* Savchenko](#), 1961
- [*T. mannheimsiana* Alexander](#), 1953
- [*T. masai* Alexander](#), 1920
- [*T. maxima* Poda](#), 1761
- [*T. medivittata* Yang & Yang](#), 1995
- [*T. megaleuca* Alexander](#), 1933
- [*T. melampodia* Alexander](#), 1935
- [*T. meliuscula* Alexander](#), 1920
- [*T. milanjensis* Alexander](#), 1920
- [*T. milanjii* Alexander](#), 1920
- [*T. mogul* Alexander](#), 1970
- [*T. mungo* de Jong](#), 1984
- [*T. natalia* Alexander](#), 1956
- [*T. neavei* Alexander](#), 1920
- [*T. nevada* Dufour](#), 1990
- [*T. niethammeri* Mannheims](#), 1969

- [*T. nigroantennata*](#) Savchenko, 1961
- [*T. nyasae*](#) Alexander, 1920
- [*T. obex*](#) Alexander, 1960
- [*T. obtusiloba*](#) Alexander, 1934
- [*T. octoplagiata*](#) Alexander, 1951
- [*T. omeiensis*](#) Alexander, 1934
- [*T. oncerodes*](#) Alexander, 1933
- [*T. oryx*](#) Alexander, 1921
- [*T. paria*](#) Speiser, 1909
- [*T. persegneis*](#) Alexander, 1945
- [*T. pertinax*](#) Alexander, 1936
- [*T. phaeocera*](#) Alexander, 1958
- [*T. phaeoleuca*](#) Alexander, 1940
- [*T. platycantha*](#) Alexander, 1934
- [*T. pomposa*](#) Bergroth, 1888
- [*T. princeps*](#) Brunetti, 1912
- [*T. pseudacanthophora*](#) Yang & Yang, 1993
- [*T. pseudocockerelliana*](#) Yang & Yang, 1995
- [*T. pseudofulvipennis*](#) de Meijere, 1919
- [*T. punctoargentea*](#) Alexander, 1960
- [*T. quadrifulva*](#) Edwards, 1921
- [*T. quadrinotata*](#) Brunetti, 1912
- [*T. radha*](#) Alexander, 1952
- [*T. receptor*](#) Alexander, 1941
- [*T. repanda*](#) Loew, 1864
- [*T. repentina*](#) Mannheims, 1952
- [*T. rifensis*](#) Theowald & Oosterbroek, 1980
- [*T. robusta*](#) Brunetti, 1911
- [*T. ruwenzori*](#) Alexander, 1920
- [*T. saitamae*](#) Alexander, 1920
- [*T. schizostyla*](#) Alexander, 1956
- [*T. schmidt*](#) Mannheims, 1952
- [*T. schulteni*](#) Theowald, 1983
- [*T. sichuanensis*](#) Yang & Yang, 1991
- [*T. sicala*](#) Alexander, 1961
- [*T. silinda*](#) Alexander, 1920
- [*T. sinarctica*](#) Yang & Yang, 1993
- [*T. sircari*](#) Alexander, 1953
- [*T. sjostedti*](#) Alexander, 1924
- [*T. sogana*](#) Alexander, 1965
- [*T. stenacantha*](#) Alexander, 1937
- [*T. stenoterga*](#) Alexander, 1941

- [*T. subintacta* Alexander](#), 1936
- [*T. subturbida* Alexander](#), 1933
- [*T. subvernalis* Alexander](#), 1927
- [*T. takahashii* Alexander](#), 1971
- [*T. tananarivia* Alexander](#), 1960
- [*T. tenuicornis* Schummel](#), 1833
- [*T. tigon* Alexander](#), 1976
- [*T. tokionis* Alexander](#), 1920
- [*T. transcaucasica* Savchenko](#), 1961
- [*T. triangulifera* Loew](#), 1864
- [*T. triplaca* Alexander](#), 1961
- [*T. triscopula* Alexander](#), 1970
- [*T. turbida* Alexander](#), 1924
- [*T. uluguruensis* Alexander](#), 1962
- [*T. umbrinoides* Alexander](#), 1915
- [*T. urundiana* Alexander](#), 1955
- [*T. vadoni* Alexander](#), 1955
- [*T. vana* Alexander](#), 1934
- [*T. vanewrighti* Oosterbroek](#), 1986
- [*T. vanstraeleni* Alexander](#), 1956
- [*T. velutina* Walker](#), 1848
- [*T. victoria* Alexander](#), 1920
- [*T. vittata* Meigen](#), 1804
- [*T. yoruba* Alexander](#), 1976
- [*T. yunnanica* Edwards](#), 1928
- [*T. zambeziensis* Alexander](#), 1917
- [*T. zhaojuensis* Yang & Yang](#), 1991
- [*T. zuluensis* Alexander](#), 1956

***Tipula* subg. *Afrotipula* [Alexander](#), 1955**

- [*T. aethiopica* Alexander](#), 1972
- [*T. brachycera* Riedel](#), 1914
- [*T. infracta* Alexander](#), 1955

***Tipula* subg. *Arctotipula* [Alexander](#), 1934**

- [*T. aleutica* Alexander](#), 1923
- [*T. bakeriana* Alexander](#), 1954
- [*T. besselsi* Osten Sacken](#), 1877
- [*T. besseloides* Alexander](#), 1919
- [*T. caliginosa* Savchenko](#), 1961
- [*T. centrodentata* Alexander](#), 1953

- [*T. conjuncta* Alexander](#), 1925
- [*T. crassispina* Savchenko](#), 1978
- [*T. denali* Alexander](#), 1969
- [*T. dickinsoni* Alexander](#), 1932
- [*T. excelsa* Savchenko](#), 1961
- [*T. gavronskii* Alexander](#), 1934
- [*T. hirticula* Alexander](#), 1953
- [*T. hirtitergata* Alexander](#), 1934
- [*T. hovsgolensis* Gelhaus, Podenas & Brodo](#), 2000
- [*T. kincaidi* Alexander](#), 1949
- [*T. laterodentata* Alexander](#), 1950
- [*T. loganensis* Alexander](#), 1946
- [*T. mckinleyana* Alexander](#), 1969
- [*T. miyadaii* Alexander](#), 1935
- [*T. namhaidorji* Gelhaus, Podenas & Brodo](#), 2000
- [*T. oklandi* Alexander](#), 1922
- [*T. piliceps* Alexander](#), 1915
- [*T. plutonis* Alexander](#), 1919
- [*T. pudibunda* Savchenko](#), 1961
- [*T. quadriloba* Savchenko](#), 1967
- [*T. rubicunda* Savchenko](#), 1961
- [*T. sacra* Alexander](#), 1946
- [*T. salicetorum* Siebke](#), 1870
- [*T. semidea* Alexander](#), 1944
- [*T. smithae* Alexander](#), 1968
- [*T. suttoni* Alexander](#), 1934
- [*T. tribulator* Alexander](#), 1956
- [*T. twogwoteeana* Alexander](#), 1945
- [*T. williamsiana* Alexander](#), 1940

***Tipula* subg. *Bellardina* [Edwards](#), 1931**

- [*T. albimacula* Doane](#), 1912
- [*T. craverii* Bellardi](#), 1859
- [*T. cydippe* Alexander](#), 1947
- [*T. edwardsi* Bellardi](#), 1859
- [*T. flinti* Alexander](#), 1970
- [*T. fuscolimbata* Alexander](#), 1981
- [*T. larga* Alexander](#), 1946
- [*T. obliquefasciata* Macquart](#), 1846
- [*T. parrai* Alexander](#), 1940
- [*T. praelauta* Alexander](#), 1949
- [*T. pura* Alexander](#), 1941

- [*T. rupicola*](#) Doane, 1912
- [*T. schizomera*](#) [Alexander](#), 1940
- [*T. theobromina*](#) [Edwards](#), 1920
- [*T. wetmoreana*](#) [Alexander](#), 1947

***Tipula* subg. *Beringotipula* Savchenko, 1961**

- [*T. afflicta*](#) Dietz, 1915
- [*T. appendiculata*](#) [Loew](#), 1863
- [*T. athabasca*](#) [Alexander](#), 1927
- [*T. borealis*](#) [Walker](#), 1848
- [*T. charpalex*](#) Byers & Arnaud, 2001
- [*T. clathrata*](#) Dietz, 1914
- [*T. coloradensis*](#) Doane, 1911
- [*T. comstockiana*](#) [Alexander](#), 1947
- [*T. donaldi*](#) [Alexander](#), 1965
- [*T. dorothea*](#) [Alexander](#), 1954
- [*T. fallax*](#) [Loew](#), 1863
- [*T. helderbergensis*](#) [Alexander](#), 1918
- [*T. inclusa*](#) Dietz, 1921
- [*T. ingrata*](#) Dietz, 1914
- [*T. inyoensis*](#) [Alexander](#), 1946
- [*T. latipennis*](#) [Loew](#), 1864
- [*T. madera*](#) Doane, 1911
- [*T. monoana*](#) [Alexander](#), 1965
- [*T. newcomeri*](#) Doane, 1911
- [*T. paiuta*](#) [Alexander](#), 1948
- [*T. resurgens*](#) [Walker](#), 1848
- [*T. rohweri*](#) Doane, 1911
- [*T. subunca*](#) Pilipenko, 1998
- [*T. unca*](#) [Wiedemann](#), 1817
- [*T. yellowstonensis*](#) [Alexander](#), 1946

***Tipula* subg. *Dendrotipula* Savchenko, 1964**

- [*T. curvicauda*](#) [Alexander](#), 1923
- [*T. dichroistigma*](#) [Alexander](#), 1920
- [*T. flavolineata*](#) [Meigen](#), 1804
- [*T. fortistyla*](#) [Alexander](#), 1934
- [*T. hoi*](#) [Alexander](#), 1936
- [*T. isshikii*](#) [Alexander](#), 1921
- [*T. nigrosignata*](#) [Alexander](#), 1924
- [*T. westwoodiana*](#) [Alexander](#), 1924

***Tipula* subg. *Emodotipula* [Alexander](#), 1966**

- [*T. breviscapa*](#) [Alexander](#), 1953

- [*T. fabriciana* Alexander](#), 1966
- [*T. goetghebuerana* Alexander](#), 1970
- [*T. gomina* Dufour](#), 2003
- [*T. hemmingseni* Alexander](#), 1968
- [*T. hintoniana* Alexander](#), 1968
- [*T. holoteles* Alexander](#), 1924
- [*T. leo* Dufour](#), 1991
- [*T. lishanensis* Young](#), 2014
- [*T. marmoratipennis* Brunetti](#), 1912
- [*T. multibarbata* Alexander](#), 1935
- [*T. multisetosa* Alexander](#), 1935
- [*T. naviculifer* Alexander](#), 1920
- [*T. obscuriventris* Strobl](#), 1900
- [*T. saginata* Bergroth](#), 1891
- [*T. shogun* Alexander](#), 1921
- [*T. stylostena* Alexander](#), 1961
- [*T. submarmoratipennis* Alexander](#), 1936
- [*T. tenuiloba* Alexander](#), 1971
- [*T. thailandica* Young](#), 2014
- [*T. vaillantiana* Alexander](#), 1964
- [*T. yangi* Men](#), 2019
- [*T. yaoluopingensis* Men](#), 2015

***Tipula* subg. *Eremotipula* [Alexander](#), 1965**

- [*T. anasazi* Gelhaus](#), 2005
- [*T. artemisiae* Gelhaus](#), 2005
- [*T. baumanni* Gelhaus](#), 2005
- [*T. biproducta* Alexander](#), 1947
- [*T. byersi* Gelhaus](#), 2005
- [*T. dimidiata* Dietz](#), 1921
- [*T. disspina* Gelhaus](#), 2005
- [*T. diversa* Dietz](#), 1921
- [*T. elverae* Gelhaus](#), 2005
- [*T. eurystyla* Alexander](#), 1969
- [*T. evalynae* Gelhaus](#), 2005
- [*T. helferi* Alexander](#), 1965
- [*T. impudica* Doane](#), 1901
- [*T. incisa* Doane](#), 1901
- [*T. jicarilla* Gelhaus](#), 2005
- [*T. jongelhausi* Oosterbroek](#), 2009
- [*T. kaibabensis* Alexander](#), 1946
- [*T. kirkwoodi* Alexander](#), 1961
- [*T. larreae* Gelhaus](#), 2005
- [*T. leiocantha* Alexander](#), 1959
- [*T. lyrifera* Dietz](#), 1921
- [*T. macracantha* Alexander](#), 1946
- [*T. maderensis* Gelhaus](#), 2005

- [*T. madina*](#) Dietz, 1921
- [*T. melanderiana*](#) [Alexander](#), 1965
- [*T. middlekauffi*](#) [Alexander](#), 1965
- [*T. mitrata*](#) Dietz, 1921
- [*T. pellucida*](#) Doane, 1912
- [*T. rogersi*](#) Gelhaus, 2005
- [*T. sackeni*](#) Gelhaus, 2005
- [*T. schusteri*](#) [Alexander](#), 1965
- [*T. sinistra*](#) Dietz, 1921
- [*T. spaldingi*](#) Dietz, 1921
- [*T. spinerecta*](#) [Alexander](#), 1947
- [*T. spinosa*](#) Gelhaus, 2005
- [*T. utahicola*](#) [Alexander](#), 1948
- [*T. woodi*](#) [Alexander](#), 1948

***Tipula* subg. *Eumicrotipula* [Alexander](#), 1923**

- [*T. abortiva*](#) [Alexander](#), 1914
- [*T. absona*](#) [Alexander](#), 1937
- [*T. accipitrina*](#) [Alexander](#), 1946
- [*T. accumulatrix*](#) [Alexander](#), 1951
- [*T. acroleuca*](#) [Alexander](#), 1978
- [*T. aedon*](#) [Alexander](#), 1947
- [*T. aglossa*](#) [Alexander](#), 1962
- [*T. agrippina*](#) [Alexander](#), 1946
- [*T. albifasciata*](#) [Macquart](#), 1838
- [*T. amblythrix*](#) [Alexander](#), 1967
- [*T. amphion*](#) [Alexander](#), 1952
- [*T. andalgala*](#) [Alexander](#), 1919
- [*T. andina*](#) [Brethes](#), 1909
- [*T. andromache*](#) [Alexander](#), 1950
- [*T. angolensis*](#) [Alexander](#), 1944
- [*T. antarctica*](#) [Alexander](#), 1920
- [*T. anthonympha*](#) [Alexander](#), 1928
- [*T. apterogyne*](#) [Philippi](#), 1866
- [*T. araguensis*](#) [Alexander](#), 1950
- [*T. araucania*](#) [Alexander](#), 1929
- [*T. arecuna*](#) [Alexander](#), 1931
- [*T. arenae*](#) [Alexander](#), 1981
- [*T. armillata*](#) [Alexander](#), 1916
- [*T. asaroton*](#) [Alexander](#), 1962
- [*T. asteria*](#) [Alexander](#), 1951
- [*T. atacama*](#) [Alexander](#), 1912
- [*T. atameles*](#) [Alexander](#), 1966
- [*T. atroscapa*](#) [Alexander](#), 1949
- [*T. atrovelutina*](#) ([Alexander](#), 1928)
- [*T. auricomata*](#) [Alexander](#), 1942
- [*T. austroandina*](#) [Alexander](#), 1929

- [*T. azteca* Alexander](#), 1925
- [*T. backstromi* Alexander](#), 1920
- [*T. balloui* Alexander](#), 1938
- [*T. barreto* Alexander](#), 1923
- [*T. bathromeces* Alexander](#), 1962
- [*T. belemensis* Alexander](#), 1971
- [*T. biacerva* Alexander](#), 1971
- [*T. bigotiana* Alexander](#), 1920
- [*T. bogotana* Alexander](#), 1938
- [*T. brethesiana* Alexander](#), 1929
- [*T. brevicoma* Alexander](#), 1944
- [*T. browniana* Alexander](#), 1940
- [*T. bruchi* Alexander](#), 1920
- [*T. callisto* Alexander](#), 1944
- [*T. callithrix* Alexander](#), 1944
- [*T. camp* Alexander](#), 1914
- [*T. capucina* Alexander](#), 1947
- [*T. carizona* Alexander](#), 1913
- [*T. chacopata* Alexander](#), 1944
- [*T. chanchanensis* Alexander](#), 1969
- [*T. charmosyne* Alexander](#), 1967
- [*T. chicana* Alexander](#), 1945
- [*T. chilensis* Alexander](#), 1920
- [*T. chillanica* Alexander](#), 1945
- [*T. chilota* Alexander](#), 1929
- [*T. chiricahuensis* Alexander](#), 1946
- [*T. clarkiana* Alexander](#), 1929
- [*T. clavaria* Alexander](#), 1946
- [*T. coloptera* Alexander](#), 1981
- [*T. consonata* Alexander](#), 1940
- [*T. conspicillata* Alexander](#), 1945
- [*T. coronaria* Alexander](#), 1940
- [*T. crepera* Alexander](#), 1952
- [*T. cristata* Alexander](#), 1945
- [*T. crossospila* Alexander](#), 1929
- [*T. curinao* Alexander](#), 1914
- [*T. cyclomera* Alexander](#), 1951
- [*T. darlingtoniana* Alexander](#), 1939
- [*T. delectata* Alexander](#), 1940
- [*T. diardis* Alexander](#), 1969
- [*T. dictyophora* Alexander](#), 1962
- [*T. dimorpha* Alexander](#), 1929
- [*T. diodonta* Alexander](#), 1969
- [*T. duidae* Alexander](#), 1931
- [*T. duseni* Alexander](#), 1920
- [*T. efficax* Alexander](#), 1945
- [*T. emerita* Alexander](#), 1944
- [*T. enderleinana* Alexander](#), 1929
- [*T. estella* Alexander](#), 1970

- [*T. euprepia* Alexander](#), 1979
- [*T. exilis* Alexander](#), 1916
- [*T. expleta* Alexander](#), 1962
- [*T. fatidica* Alexander](#), 1940
- [*T. fazi* Alexander](#), 1928
- [*T. flavidula* Alexander](#), 1940
- [*T. flavoannulata* Jacobs](#), 1900
- [*T. flavopedicellaris* Alexander](#), 1979
- [*T. foersteriana* Alexander](#), 1967
- [*T. forsteri* Alexander](#), 1962
- [*T. fortior* Alexander](#), 1951
- [*T. fraudulenta* Alexander](#), 1928
- [*T. fuegiensis* Alexander](#), 1920
- [*T. glaphyroptera* Philippi](#), 1866
- [*T. glossophora* Alexander](#), 1962
- [*T. graphica* Schiner](#), 1868
- [*T. guarani* Alexander](#), 1914
- [*T. hadrotrichia* Alexander](#), 1979
- [*T. hedymopa* Alexander](#), 1944
- [*T. hostifica* Alexander](#), 1937
- [*T. huanca* Alexander](#), 1945
- [*T. hylonympha* Alexander](#), 1929
- [*T. iguazuensis* \(Alexander\)](#), 1928)
- [*T. immerens* Alexander](#), 1944
- [*T. immorsa* Alexander](#), 1945
- [*T. inaequiarmata* Alexander](#), 1962
- [*T. inaequidens* Alexander](#), 1946
- [*T. inca* Alexander](#), 1912
- [*T. incondita* Alexander](#), 1951
- [*T. infidelis* Alexander](#), 1951
- [*T. infinita* Alexander](#), 1945
- [*T. innubens* Alexander](#), 1942
- [*T. invigilans* Alexander](#), 1951
- [*T. itatiayensis* Alexander](#), 1944
- [*T. jacobsiana* Alexander](#), 1929
- [*T. jaennickeana* Alexander](#), 1929
- [*T. jivaro* Alexander](#), 1916
- [*T. jubilans* Alexander](#), 1940
- [*T. juvena* Alexander](#), 1937
- [*T. kathema* Alexander](#), 1966
- [*T. kuehlhorni* Alexander](#), 1962
- [*T. kuscheli* Alexander](#), 1967
- [*T. lanigera* Alexander](#), 1928
- [*T. laterosetosa* Alexander](#), 1931
- [*T. latifolia* Alexander](#), 1944
- [*T. legitima* \(Alexander\)](#), 1928)
- [*T. lethe* Alexander](#), 1971
- [*T. ligulata* Alexander](#), 1929
- [*T. ligulipenicillata* Alexander](#), 1946

- [*T. longibasis* Alexander, 1946](#)
- [*T. longurioides* Alexander, 1955](#)
- [*T. macintyreana* Alexander, 1941](#)
- [*T. macrotrichiata* \(Alexander, 1923\)](#)
- [*T. magellanica* Alexander, 1920](#)
- [*T. marmoripennis* Rondani, 1850](#)
- [*T. martinbrowni* Alexander, 1946](#)
- [*T. mecoglossa* Alexander, 1967](#)
- [*T. mediodentata* Alexander, 1944](#)
- [*T. meridiana* Edwards, 1920](#)
- [*T. microspilota* Alexander, 1928](#)
- [*T. miranha* Alexander, 1913](#)
- [*T. mithradates* Alexander, 1951](#)
- [*T. mitua* Alexander, 1916](#)
- [*T. mocoa* Alexander, 1913](#)
- [*T. moctezumae* Alexander, 1925](#)
- [*T. monilifera* Loew, 1851](#)
- [*T. moniliferoides* Alexander, 1920](#)
- [*T. moniliformis* von Roder, 1886](#)
- [*T. mordax* Alexander, 1945](#)
- [*T. morphea* Alexander, 1946](#)
- [*T. navarinoensis* Alexander, 1962](#)
- [*T. neivai* Alexander, 1940](#)
- [*T. nethis* Alexander, 1966](#)
- [*T. nigriscapa* Alexander, 1946](#)
- [*T. nimbinervis* Alexander, 1946](#)
- [*T. nolens* Alexander, 1966](#)
- [*T. nordenskjoldi* Alexander, 1920](#)
- [*T. nothofagetorum* Alexander, 1929](#)
- [*T. notoria* Alexander, 1942](#)
- [*T. novaleonensis* Alexander, 1940](#)
- [*T. novatrix* Alexander, 1942](#)
- [*T. nubifera* van der Wulp, 1881](#)
- [*T. nubleana* Alexander, 1969](#)
- [*T. obirata* Alexander, 1940](#)
- [*T. obscuricincta* Alexander, 1940](#)
- [*T. odontomera* Alexander, 1967](#)
- [*T. olssoniana* Alexander, 1943](#)
- [*T. omnilutea* Alexander, 1967](#)
- [*T. ona* Alexander, 1920](#)
- [*T. oreonympha* Alexander, 1929](#)
- [*T. orizabensis* Alexander, 1941](#)
- [*T. ornaticornis* van der Wulp, 1891](#)
- [*T. osculata* Alexander, 1944](#)
- [*T. palenca* Alexander, 1944](#)
- [*T. palitans* Alexander, 1966](#)
- [*T. pallidineuris* Macquart, 1846](#)
- [*T. pallidesignata* Alexander, 1929](#)
- [*T. pantherina* Alexander, 1941](#)

- [*T. paranensis* Alexander](#), 1945
- [*T. parviloba* Alexander](#), 1929
- [*T. patagonica* Alexander](#), 1920
- [*T. pediformis* Alexander](#), 1962
- [*T. perflavidula* Alexander](#), 1979
- [*T. perjovialis* Alexander](#), 1944
- [*T. perstudiosa* Alexander](#), 1937
- [*T. petalura* Alexander](#), 1953
- [*T. petaluroides* Alexander](#), 1969
- [*T. petiolaris* Alexander](#), 1940
- [*T. phalangioides* Alexander](#), 1945
- [*T. philippiana* Alexander](#), 1920
- [*T. pictipennis* Walker](#), 1837
- [*T. pilulifera* Edwards](#), 1920
- [*T. pirioni* Alexander](#), 1929
- [*T. piro* Alexander](#), 1914
- [*T. platytergata* Alexander](#), 1962
- [*T. procericornis* Edwards](#), 1920
- [*T. profuga* Alexander](#), 1938
- [*T. protrudens* Alexander](#), 1952
- [*T. psittacina* Alexander](#), 1962
- [*T. pulchriflava* Alexander](#), 1979
- [*T. quadrisetosa* Alexander](#), 1951
- [*T. quichua* Alexander](#), 1916
- [*T. reciproca* Alexander](#), 1946
- [*T. redunca* Alexander](#), 1967
- [*T. reedi* Alexander](#), 1934
- [*T. resplendens* Alexander](#), 1946
- [*T. riveti* Edwards](#), 1920
- [*T. rucana* Alexander](#), 1946
- [*T. rufirostris* Bigot](#), 1888
- [*T. runtunensis* Alexander](#), 1940
- [*T. sariapampae* Alexander](#), 1967
- [*T. satrapa* Alexander](#), 1952
- [*T. schachovskoyi* Alexander](#), 1952
- [*T. scriptella* Alexander](#), 1940
- [*T. semivulpina* Alexander](#), 1944
- [*T. serrilobata* Alexander](#), 1941
- [*T. serval* Alexander](#), 1937
- [*T. songoana* Alexander](#), 1962
- [*T. spatulifera* Alexander](#), 1928
- [*T. spilota* Wiedemann](#), 1828
- [*T. steinbachi* Alexander](#), 1946
- [*T. stenoglossa* Alexander](#), 1942
- [*T. suavissima* Alexander](#), 1951
- [*T. subandina* Philippi](#), 1866
- [*T. subcana* Edwards](#), 1920
- [*T. subglabrata* Alexander](#), 1951
- [*T. subjubilans* Alexander](#), 1979

- *T. subligulata* [Alexander](#), 1941
- *T. tabida* [Enderlein](#), 1912
- *T. tainoleuca* [Alexander](#), 1981
- *T. tanymetra* [Alexander](#), 1962
- *T. tehuelche* [Alexander](#), 1920
- *T. tephronota* [Alexander](#), 1942
- *T. tersa* [Alexander](#), 1928
- *T. tersoides* [Alexander](#), 1945
- *T. thalia* [Alexander](#), 1946
- *T. tiolomana* [Oosterbroek](#), 2009
- *T. towarensis* [Alexander](#), 1947
- *T. triemarginata* [Alexander](#), 1936
- *T. trispilota* [Alexander](#), 1942
- *T. tristillata* [Alexander](#), 1929
- *T. tunguraguana* [Alexander](#), 1940
- *T. tyranna* [Alexander](#), 1946
- *T. unistriata* [Alexander](#), 1941
- *T. ursula* [Alexander](#), 1951
- *T. valdiviana* [Philippi](#), 1866
- *T. varineura* ([Bigot](#), 1888)
- *T. virgulata* [Williston](#), 1900
- *T. votiva* [Alexander](#), 1944
- *T. wernerii* [Alexander](#), 1950
- *T. willinki* [Alexander](#), 1962
- *T. wittei* [Alexander](#), 1920
- *T. woytkowskiana* [Alexander](#), 1942
- *T. yanamontana* [Alexander](#), 1945
- *T. yungasensis* [Alexander](#), 1962
- *T. zeltale* [Alexander](#), 1928
- *T. zeugmata* [Alexander](#), 1951
- *T. zotzil* [Alexander](#), 1928

***Tipula* subg. *Formotipula* [Matsumura](#), 1916**

- *T. cinereifrons* [de Meijere](#), 1911
- *T. decurvans* [Alexander](#), 1950
- *T. dikchuensis* [Edwards](#), 1932
- *T. dusun* [Edwards](#), 1933
- *T. exusta* [Alexander](#), 1931
- *T. friedrichi* [Alexander](#), 1935
- *T. gongshanensis* [Men](#), 2020
- *T. holoserica* ([Matsumura](#), 1916)
- *T. hypopygialis* [Alexander](#), 1924
- *T. ishana* [Alexander](#), 1953
- *T. kiangsuensis* [Alexander](#), 1938
- *T. laosica* [Edwards](#), 1926
- *T. leopoldi* [Alexander](#), 1937
- *T. lipophleps* [Edwards](#), 1926

- [*T. ludingana*](#) Li, Ding and Naizhong, 2013
- [*T. luteicorporis*](#) Alexander, 1933
- [*T. maolana*](#) Li, Ding and Naizhong, 2013
- [*T. medogensis*](#) Men, 2020
- [*T. melanomera*](#) Walker, 1848
- [*T. melanopyga*](#) Edwards, 1926
- [*T. oblitterata*](#) Alexander, 1924
- [*T. omeicola*](#) Alexander, 1935
- [*T. rufizona*](#) Edwards, 1916
- [*T. rufoabdominalis*](#) Alexander, 1927
- [*T. sciariformis*](#) Brunetti, 1911
- [*T. spoliatrix*](#) Alexander, 1941
- [*T. stoneana*](#) Alexander, 1943
- [*T. tjederana*](#) Alexander, 1966
- [*T. unirubra*](#) Alexander, 1935
- [*T. vindex*](#) Alexander, 1940

***Tipula* subg. [*Hesperotipula*](#) Alexander, 1947**

- [*T. aitkeniana*](#) Alexander, 1944
- [*T. arnaudi*](#) Alexander, 1965
- [*T. californica*](#) (Doane, 1908)
- [*T. chlorion*](#) Alexander, 1965
- [*T. chumash*](#) Alexander, 1961
- [*T. circularis*](#) Alexander, 1947
- [*T. contortrix*](#) Alexander, 1944
- [*T. coronado*](#) Alexander, 1946
- [*T. derbyi*](#) Doane, 1912
- [*T. fragmentata*](#) Dietz, 1919
- [*T. linsdalei*](#) Alexander, 1951
- [*T. micheneri*](#) Alexander, 1944
- [*T. millardi*](#) Alexander, 1965
- [*T. mutica*](#) Dietz, 1919
- [*T. opisthocera*](#) Dietz, 1919
- [*T. ovalis*](#) Alexander, 1951
- [*T. sanctaeluciae*](#) Alexander, 1951
- [*T. streptocera*](#) Doane, 1901
- [*T. supplicata*](#) Alexander, 1944
- [*T. sweetae*](#) Alexander, 1931
- [*T. trypetophora*](#) Dietz, 1919

***Tipula* subg. [*Indratipula*](#) Alexander, 1970**

- [*T. comstockana*](#) Alexander, 1970
- [*T. needhamana*](#) Alexander, 1968

***Tipula* subg. *Kalatipula* [Alexander](#), 1971**

- [T. skuseana Alexander](#), 1971

***Tipula* subg. *Labiotipula* [Alexander](#), 1965**

- [T. leechi Alexander](#), 1938
- [T. macrolabis Loew](#), 1864
- [T. macrolaboides Alexander](#), 1918
- [T. youngi Alexander](#), 1927

***Tipula* subg. *Lindnerina* Mannheims, 1965**

- [T. bistilata](#) Lundstrom, 1907
- [T. dershavini Alexander](#), 1934
- [T. illinoiensis Alexander](#), 1915
- [T. neptun](#) Dietz, 1921
- [T. senega Alexander](#), 1915
- [T.serta Loew](#), 1863
- [T. shieldsi Alexander](#), 1965
- [T. subexcisa](#) Lundstrom, 1907
- [T. subserta Alexander](#), 1928

***Tipula* subg. *Lunatipula* [Edwards](#), 1931**

- [T. abscissa Alexander](#), 1946
- [T. absconsa Alexander](#), 1936
- [T. accurata Alexander](#), 1927
- [T. acudens](#) Theischinger, 1977
- [T. acuminata Strobl](#), 1900
- [T. acutipleura](#) Doane, 1912
- [T. adapazariensis](#) Theischinger, 1987
- [T. adusta](#) Savchenko, 1954
- [T. adzharolivida](#) Savchenko, 1968
- [T. affinis Schummel](#), 1833
- [T. alaska Alexander](#), 1918
- [T. albofascia](#) Doane, 1901
- [T. albostriata Strobl](#), 1909
- [T. alpina Loew](#), 1873
- [T. ampliata Alexander](#), 1925
- [T. ampullifera](#) Mannheims, 1965
- [T. angela](#) Mannheims, 1963
- [T. angelica](#) Theowald, 1957
- [T. anicilla](#) Mannheims, 1967
- [T. animula](#) Mannheims, 1967
- [T. annulicornuta Alexander](#), 1922
- [T. anthe](#) Mannheims, 1968

- [*T. antichasia*](#) Theischinger, 1979
- [*T. antilope*](#) Theischinger, 1977
- [*T. aperta*](#) Alexander, 1918
- [*T. aphrodite*](#) Mannheims, 1963
- [*T. apicalis*](#) Loew, 1863
- [*T. ariadne*](#) Mannheims, 1954
- [*T. armata*](#) Doane, 1901
- [*T. arnoldii*](#) Savchenko, 1957
- [*T. artemis*](#) Theischinger, 1977
- [*T. astigma*](#) Savchenko, 1968
- [*T. atreia*](#) Petersen & Gelhaus, 2004
- [*T. atrisumma*](#) Doane, 1912
- [*T. auriculata*](#) Mannheims, 1963
- [*T. aurita*](#) Riedel, 1920
- [*T. australis*](#) Doane, 1901
- [*T. bactridica*](#) Savchenko, 1954
- [*T. balearica*](#) Mannheims, 1968
- [*T. barbata*](#) Doane, 1901
- [*T. beieri*](#) Mannheims, 1954
- [*T. bernardinensis*](#) Alexander, 1946
- [*T. bernhardi*](#) Theischinger, 2009
- [*T. berytia*](#) Mannheims, 1963
- [*T. bezzii*](#) Mannheims & Theowald, 1959
- [*T. biaculeata*](#) Alexander, 1949
- [*T. biavicularia*](#) Alexander, 1965
- [*T. bicornis*](#) Forbes, 1890
- [*T. bifalcata*](#) Doane, 1912
- [*T. bifasciculata*](#) Loew, 1873
- [*T. bigeminata*](#) Alexander, 1915
- [*T. bimacula*](#) Theowald, 1980
- [*T. bisetosa*](#) Doane, 1901
- [*T. bispina*](#) Loew, 1873
- [*T. biuncus*](#) Doane, 1912
- [*T. bivittata*](#) Pierre, 1922
- [*T. boregoensis*](#) Alexander, 1946
- [*T. borysthenica*](#) Savchenko, 1954
- [*T. brinki*](#) Theischinger, 1987
- [*T. bucera*](#) Alexander, 1927
- [*T. buchholzi*](#) Mannheims & Theowald, 1959
- [*T. bulbosa*](#) Mannheims, 1954
- [*T. bullata*](#) Loew, 1873
- [*T. calcarata*](#) Doane, 1901
- [*T. canakkalensis*](#) Theischinger, 1987
- [*T. canariensis*](#) Theischinger, 1979
- [*T. capra*](#) Theischinger, 1980
- [*T. capreola*](#) Mannheims, 1966
- [*T. carens*](#) Theischinger, 1987
- [*T. cassiope*](#) Mannheims, 1966
- [*T. catawba*](#) Alexander, 1915

- [*T. caucasica* Riedel](#), 1920
- [*T. caudatula* Loew](#), 1862
- [*T. caudispina* Pierre](#), 1921
- [*T. cava* Riedel](#), 1913
- [*T. cedrophila* Mannheims](#), 1963
- [*T. cerva* Mannheims & Theowald](#), 1959
- [*T. cervula* Mannheims & Theowald](#), 1959
- [*T. charybdis* Theischinger](#), 1979
- [*T. chelifera* Savchenko](#), 1964
- [*T. chernavini* Alexander](#), 1934
- [*T. chloris* Savchenko](#), 1972
- [*T. christophi* Theischinger](#), 1982
- [*T. cillibema* Koc](#), 2004
- [*T. cinerascens* Loew](#), 1873
- [*T. cinereicolor* Pierre](#), 1924
- [*T. cinerella* Pierre](#), 1919
- [*T. circe* Mannheims](#), 1954
- [*T. circumdata* Siebke](#), 1863
- [*T. cirrata* de Jong](#), 1995
- [*T. cirratula* Oosterbroek](#), 1997
- [*T. cladacantha* Alexander](#), 1945
- [*T. cladacanthodes* Alexander](#), 1964
- [*T. clio* Mannheims](#), 1954
- [*T. cornicula* Pierre](#), 1922
- [*T. corollata* Yang & Yang](#), 1995
- [*T. costaloides* Alexander](#), 1915
- [*T. cressa* Mannheims](#), 1965
- [*T. cretis* Mannheims](#), 1965
- [*T. ctenura* Savchenko](#), 1952
- [*T. curvata* Theischinger](#), 1977
- [*T. curvispina* Savchenko](#), 1954
- [*T. cypris* Mannheims](#), 1963
- [*T. cypropeliostigma* Vogtenhuber](#), 2002
- [*T. dampfiana* Alexander](#), 1946
- [*T. danieli* Simova-Tosic](#), 1972
- [*T. decolor* Mannheims](#), 1963
- [*T. dedecor* Loew](#), 1873
- [*T. degeneri* Alexander](#), 1944
- [*T. densursi* Alexander](#), 1943
- [*T. deserticola* Savchenko](#), 1968
- [*T. detruncata* Oosterbroek](#), 1997
- [*T. diabolica* Alexander](#), 1954
- [*T. diacanthophora* Alexander](#), 1945
- [*T. diarizos* Vogtenhuber](#), 2002
- [*T. dido* Alexander](#), 1947
- [*T. didymotes* Theischinger](#), 1977
- [*T. dietziana* Alexander](#), 1915
- [*T. disjuncta* Walker](#), 1856
- [*T. dolores* Mannheims](#), 1967

- [*T. dolosa* Alexander](#), 1936
- [*T. dorica* Mannheims](#), 1965
- [*T. dorsimacula* Walker](#), 1848
- [*T. downesi* Alexander](#), 1944
- [*T. dracula* Theischinger](#), 1977
- [*T. dumetorum* Savchenko](#), 1964
- [*T. duplex* Walker](#), 1848
- [*T. dupliciformis* Alexander](#), 1940
- [*T. eleniya* Lantsov and Pilipenko](#), 2021
- [*T. emmahelene* Theischinger](#), 1980
- [*T. engeli* Theowald](#), 1957
- [*T. erato* Mannheims](#), 1954
- [*T. erectispina* Savchenko](#), 1954
- [*T. eugeniana* Simova-Tosic](#), 1972
- [*T. euterpe* Theischinger](#), 1979
- [*T. eyndhoveni* Theowald](#), 1972
- [*T. fabiola* Mannheims](#), 1968
- [*T. falcata* Riedel](#), 1913
- [*T. fascicula* Mannheims](#), 1966
- [*T. fascingulata* Mannheims](#), 1966
- [*T. fascipennis* Meigen](#), 1818
- [*T. fattigiana* Alexander](#), 1944
- [*T. fenderi* Alexander](#), 1954
- [*T. filamentosa* Alexander](#), 1959
- [*T. fini* Oosterbroek](#), 1997
- [*T. finitima* Alexander](#), 1936
- [*T. flabellifera* Savchenko](#), 1954
- [*T. flaccida* Alexander](#), 1934
- [*T. flavibasis* Alexander](#), 1918
- [*T. flavocauda* Doane](#), 1912
- [*T. flavomarginata* Doane](#), 1912
- [*T. forcipula* Mannheims](#), 1966
- [*T. franzressli* Theischinger](#), 1982
- [*T. freidbergi* Theowald & Oosterbroek](#), 1987
- [*T. fuliginosa* \(Say, 1823\)](#)
- [*T. fulminis* Alexander](#), 1945
- [*T. fulvinodus* Doane](#), 1912
- [*T. furcula* Mannheims](#), 1954
- [*T. furiosa* Alexander](#), 1941
- [*T. fuscicosta* Mannheims](#), 1954
- [*T. gallaeca* Eiroa](#), 1989
- [*T. gebze* Koc, Hasbenli & Vogtenhuber](#), 2007
- [*T. geja* Savchenko](#), 1968
- [*T. gelensis* Loi](#), 1971
- [*T. georgiana* Alexander](#), 1915
- [*T. gibbifera* Strobl](#), 1906
- [*T. gondattii* Alexander](#), 1934
- [*T. graeca* Oosterbroek & Vukovic](#), 1989
- [*T. graecolivida* Mannheims](#), 1954

- [*T. grahamina* Alexander](#), 1963
- [*T. griesheimae* Mannheims & Theowald](#), 1959
- [*T. handschini* Mannheims](#), 1967
- [*T. harmonia* Mannheims](#), 1966
- [*T. hastingssae* Alexander](#), 1951
- [*T. helvola* Loew](#), 1873
- [*T. hera* Theischinger](#), 1979
- [*T. hermes* Theischinger](#), 1977
- [*T. heros* Egger](#), 1863
- [*T. hirsuta* Doane](#), 1901
- [*T. hirsuticauda* Pierre](#), 1925
- [*T. hispanolivida* Mannheims](#), 1968
- [*T. holzschuhi* Theischinger](#), 1977
- [*T. horsti* Theischinger](#), 1982
- [*T. huberti* Theischinger](#), 1982
- [*T. humilis* Staeger](#), 1840
- [*T. hybrida* Savchenko](#), 1952
- [*T. hypovalvata* Alexander](#), 1936
- [*T. hyrcana* Savchenko](#), 1973
- [*T. iberica* Mannheims](#), 1963
- [*T. iliensis* Mannheims](#), 1965
- [*T. imbecilla* Loew](#), 1869
- [*T. inadusta* Alexander](#), 1946
- [*T. interrta* Alexander](#), 1938
- [*T. inusitata* Alexander](#), 1949
- [*T. istriana* Erhan & Theowald](#), 1961
- [*T. jaroslavi* Koc](#), 2007
- [*T. jativensis* Strobl](#), 1909
- [*T. johnsoniana* Alexander](#), 1915
- [*T. kephalos* Theischinger](#), 1979
- [*T. kerkis* Theischinger](#), 1977
- [*T. kinzelbachi* Theischinger](#), 1982
- [*T. kirkwoodiana* Alexander](#), 1965
- [*T. klytaimnestra* Theischinger](#), 1979
- [*T. korovini* Savchenko](#), 1970
- [*T. kreissli* Theischinger](#), 1987
- [*T. kumerloevei* Mannheims](#), 1968
- [*T. kybele* Mannheims](#), 1968
- [*T. kykladon* Theischinger](#), 1987
- [*T. laetabilis* Zetterstedt](#), 1838
- [*T. lagunicola* Alexander](#), 1969
- [*T. lamellata* Doane](#), 1901
- [*T. lamentaria* Alexander](#), 1934
- [*T. lanispina* Mannheims](#), 1966
- [*T. lassenensis* Alexander](#), 1965
- [*T. latistyla* Savchenko](#), 1954
- [*T. leda* Mannheims](#), 1965
- [*T. leeuweni* Theischinger](#), 1982
- [*T. lehriana* Savchenko](#), 1964

- [*T. leto*](#) Mannheims, 1966
- [*T. limitata*](#) Schummel, 1833
- [*T. lithophila*](#) Savchenko, 1968
- [*T. livida*](#) van der Wulp, 1859
- [*T. loewiana*](#) Alexander, 1915
- [*T. longidens*](#) Strobl, 1909
- [*T. lucasi*](#) Theischinger, 1987
- [*T. lucida*](#) Doane, 1901
- [*T. luebenauorum*](#) Theischinger, 1977
- [*T. lunata*](#) Linnaeus, 1758
- [*T. lyrion*](#) Theischinger, 1987
- [*T. macciana*](#) Edwards, 1928
- [*T. macnabi*](#) Alexander, 1939
- [*T. macquarti*](#) Becker, 1908
- [*T. macropeliostigma*](#) Mannheims, 1954
- [*T. macropyga*](#) Savchenko, 1952
- [*T. macroselene*](#) Strobl, 1893
- [*T. macswaini*](#) Alexander, 1965
- [*T. magnicauda*](#) Strobl, 1895
- [*T. maija*](#) Savchenko, 1973
- [*T. mainensis*](#) Alexander, 1915
- [*T. mallochi*](#) Alexander, 1920
- [*T. mallorca*](#) Theischinger, 1982
- [*T. manca*](#) Alexander, 1924
- [*T. mariannae*](#) Alexander, 1940
- [*T. mariposa*](#) Alexander, 1946
- [*T. martini*](#) Alexander, 1965
- [*T. mecotrichia*](#) Alexander, 1966
- [*T. megalabiata*](#) Alexander, 1915
- [*T. megaura*](#) Doane, 1901
- [*T. melanothrix*](#) Savchenko & Theischinger, 1978
- [*T. mellea*](#) Schummel, 1833
- [*T. melpomene*](#) Mannheims, 1954
- [*T. mendli*](#) Martinovsky, 1976
- [*T. mercedensis*](#) Alexander, 1965
- [*T. meronensis*](#) Oosterbroek, 1997
- [*T. mesotergata*](#) Alexander, 1931
- [*T. michoacana*](#) Alexander, 1946
- [*T. micropeliostigma*](#) Mannheims, 1965
- [*T. milkoi*](#) Pilipenko, 2005
- [*T. minos*](#) Theischinger, 1982
- [*T. miwok*](#) Alexander, 1945
- [*T. modesta*](#) Macquart, 1846
- [*T. modoc*](#) Alexander, 1945
- [*T. mohavensis*](#) Alexander, 1946
- [*T. monstrabilis*](#) Theischinger, 1980
- [*T. monticola*](#) Alexander, 1915
- [*T. montifer*](#) Theischinger, 1977
- [*T. morenae*](#) Strobl, 1900

- [*T. mormon* Alexander](#), 1948
- [*T. morrisoni* Alexander](#), 1915
- [*T. murati* Koc](#), 2004
- [*T. musensis* Theischinger](#), 1987
- [*T. naumanni* Theischinger](#), 1979
- [*T. nausicaa* Mannheims](#), 1966
- [*T. neutra* Theischinger](#), 1982
- [*T. nigdeensis* Bischof](#), 1905
- [*T. nigrobasalis* Alexander](#), 1933
- [*T. nocturna* Savchenko](#), 1964
- [*T. olympia* Doane](#), 1912
- [*T. onusta* Riedel](#), 1913
- [*T. oorschotorum* Theischinger](#), 1987
- [*T. oosterbroeki* Koc](#), 2007
- [*T. oreada* Alexander](#), 1933
- [*T. ornithogona* Theischinger](#), 1982
- [*T. osmana* Mannheims](#), 1963
- [*T. oxytona* Alexander](#), 1927
- [*T. pachyprocta* Loew](#), 1873
- [*T. palifera* Mannheims](#), 1965
- [*T. pallidicornis* Savchenko](#), 1954
- [*T. pallidithorax* Savchenko](#), 1954
- [*T. palmarum* Alexander](#), 1947
- [*T. pandora* Mannheims](#), 1968
- [*T. pannonia* Loew](#), 1873
- [*T. parallela* Theischinger](#), 1977
- [*T. parapeliostigma* Mannheims & Theowald](#), 1959
- [*T. pararecticornis* Savchenko & Theischinger](#), 1978
- [*T. parasimurg* Savchenko](#), 1968
- [*T. paravelox* Theischinger](#), 1987
- [*T. parshleyi* Alexander](#), 1915
- [*T. pelidne* Mannheims](#), 1965
- [*T. peliostigma* Schummel](#), 1833
- [*T. pelma* Mannheims](#), 1965
- [*T. pendula* Alexander](#), 1924
- [*T. penelope* Mannheims](#), 1954
- [*T. penicillata* Alexander](#), 1915
- [*T. perfidiosa* Alexander](#), 1945
- [*T. peteri* Theischinger](#), 1979
- [*T. phaidra* Mannheims](#), 1965
- [*T. pilicauda* Pierre](#), 1922
- [*T. pinnifer* Theischinger](#), 1977
- [*T. pjotri* de Jong and Adgir](#), 2018
- [*T. pleuracacula* Alexander](#), 1915
- [*T. poelli* Vogtenhuber](#), 2012
- [*T. pokorny* Mannheims](#), 1968
- [*T. polingi* Alexander](#), 1950
- [*T. polycantha* Alexander](#), 1942
- [*T. polydeukes* Theischinger](#), 1977

- [*T. powersi* Alexander](#), 1965
- [*T. praecox* Loew](#), 1873
- [*T. productisterna* Alexander](#), 1963
- [*T. profdrassi* Theischinger](#), 1980
- [*T. pseudocinerascens* Strobl](#), 1906
- [*T. pseudolunata* Theischinger](#), 1980
- [*T. pseudopeliostigma* Mannheims](#), 1965
- [*T. pseudowolfi* Theischinger](#), 1979
- [*T. pustulata* Pierre](#), 1920
- [*T. pythia* Theischinger](#), 1979
- [*T. quadriatrata* Alexander](#), 1956
- [*T. quadridentata* Savchenko](#), 1964
- [*T. quinquespinis* Theischinger](#), 1980
- [*T. rabiosa* Alexander](#), 1943
- [*T. rainiericola* Alexander](#), 1946
- [*T. ramona* Alexander](#), 1941
- [*T. rauschorum* Theischinger](#), 1977
- [*T. raysmithi* Alexander](#), 1965
- [*T. recticornis* Schummel](#), 1833
- [*T. renate* Theischinger](#), 1982
- [*T. retusa* Doane](#), 1901
- [*T. rhodolivida* Theowald](#), 1972
- [*T. rhynchos* Theischinger](#), 1977
- [*T. rocina* Theischinger](#), 1979
- [*T. rossmani* Byers](#), 2003
- [*T. rotundiloba* Alexander](#), 1915
- [*T. rudis* Alexander](#), 1935
- [*T. rufula* Mannheims & Theowald](#), 1959
- [*T. rugulosa* Mannheims & Theowald](#), 1959
- [*T. ruidoso* Alexander](#), 1946
- [*T. russula* Theischinger](#), 1977
- [*T. rutila* Savchenko](#), 1952
- [*T. sacerdotula* Riedel](#), 1918
- [*T. sagittifera* Alexander](#), 1948
- [*T. saltatrix* Savchenko](#), 1964
- [*T. satyr* Alexander](#), 1915
- [*T. savtschenkoi* Simova](#), 1960
- [*T. saxemontana* Alexander](#), 1946
- [*T. saylori* Alexander](#), 1961
- [*T. schlingeri* Alexander](#), 1965
- [*T. sciurus* Theischinger](#), 1977
- [*T. seguyi* Mannheims](#), 1954
- [*T. selenaria* Mannheims](#), 1967
- [*T. selene* Meigen](#), 1830
- [*T. selenis* Loew](#), 1873
- [*T. selenitica* Meigen](#), 1818
- [*T. seminole* Alexander](#), 1915
- [*T. semipeliostigma* Mannheims](#), 1965
- [*T. sepiaformis* Vogtenhuber](#), 2002

- [*T. sequoiarum* Alexander](#), 1945
- [*T. sigma* Theischinger](#), 1979
- [*T. simova* Theischinger](#), 1982
- [*T. simurg* Dzhafarov & Savchenko](#), 1964
- [*T. siskiyuensis* Alexander](#), 1949
- [*T. skylla* Theischinger](#), 1979
- [*T. snoqualmiensis* Alexander](#), 1946
- [*T. soosi* Mannheims](#), 1954
- [*T. spatha* Doane](#), 1912
- [*T. sperryana* Alexander](#), 1942
- [*T. spetai* Vogtenhuber](#), 2012
- [*T. splendens* Doane](#), 1901
- [*T. stalagmites* Alexander](#), 1915
- [*T. sternalis* Theischinger](#), 1977
- [*T. sternata* Doane](#), 1912
- [*T. stimulosa* Mannheims](#), 1973
- [*T. strigosa* Savchenko](#), 1952
- [*T. stubbsi* Theischinger](#), 1979
- [*T. subacuminata* Mannheims](#), 1963
- [*T. subaurita* Savchenko](#), 1964
- [*T. subbarbata* Alexander](#), 1927
- [*T. subbispina* Savchenko](#), 1952
- [*T. subcava* Mannheims](#), 1963
- [*T. subfalcata* Mannheims](#), 1967
- [*T. subhelvola* Mannheims & Theowald](#), 1959
- [*T. sublimitata* Alexander](#), 1927
- [*T. sublunata* Savchenko](#), 1952
- [*T. submaculata* Loew](#), 1863
- [*T. submanca* Savchenko](#), 1964
- [*T. subonusta* Mannheims & Theowald](#), 1959
- [*T. subpustulata* Mannheims](#), 1963
- [*T. subrecticornis* Savchenko](#), 1964
- [*T. subselenitica* Theowald](#), 1957
- [*T. substernalis* Oosterbroek](#), 1997
- [*T. subtrunca* Mannheims](#), 1966
- [*T. subtruncata* Mannheims](#), 1954
- [*T. subvelox* Savchenko](#), 1968
- [*T. suleika* Mannheims](#), 1963
- [*T. sushkini* Savchenko](#), 1964
- [*T. talyshensis* Savchenko](#), 1964
- [*T. tanap* Koc and Can](#), 2020
- [*T. tanneri* Alexander](#), 1948
- [*T. tateyamae* Alexander](#), 1918
- [*T. tazzekai* Theowald](#), 1973
- [*T. tenaya* Alexander](#), 1946
- [*T. tergata* Doane](#), 1912
- [*T. tergestina* Loew](#), 1873
- [*T. teunissenii* Theischinger](#), 1979
- [*T. texensis* Alexander](#), 1916

- [*T. thais*](#) Mannheims, 1963
- [*T. theia*](#) Mannheims, 1963
- [*T. theowaldi*](#) Savchenko, 1964
- [*T. tibonella*](#) Theischinger, 1977
- [*T. timberlakei*](#) Alexander, 1947
- [*T. titania*](#) Mannheims, 1966
- [*T. transcaspica*](#) Savchenko, 1954
- [*T. transfixa*](#) Alexander, 1933
- [*T. translucida*](#) Doane, 1901
- [*T. transmarmarensis*](#) Koc, Aktas & Oosterbroek, 1996
- [*T. trapeza*](#) Theischinger, 1982
- [*T. trialbosignata*](#) Alexander, 1935
- [*T. trifasciculata*](#) Strobl, 1900
- [*T. trigona*](#) Mannheims, 1966
- [*T. trispinosa*](#) Lundstrom, 1907
- [*T. triton*](#) Alexander, 1915
- [*T. truculenta*](#) Alexander, 1943
- [*T. trunca*](#) Mannheims, 1954
- [*T. truncata*](#) Loew, 1873
- [*T. turanensis*](#) Alexander, 1934
- [*T. turca*](#) Mannheims, 1963
- [*T. turcolivida*](#) Mannheims, 1968
- [*T. turgida*](#) Oosterbroek, 1997
- [*T. tuscarora*](#) Alexander, 1915
- [*T. twilightae*](#) Alexander, 1959
- [*T. tyche*](#) Mannheims, 1966
- [*T. ulrike*](#) Theischinger, 1982
- [*T. uncinata*](#) Doane, 1901
- [*T. unicornis*](#) Theischinger, 1977
- [*T. urania*](#) Mannheims, 1954
- [*T. ursulae*](#) Mannheims, 1965
- [*T. usitata*](#) Doane, 1901
- [*T. valerii*](#) Savchenko, 1968
- [*T. valida*](#) Loew, 1863
- [*T. validicornis*](#) Alexander, 1934
- [*T. vermooleni*](#) Theischinger, 1987
- [*T. vernalis*](#) Meigen, 1804
- [*T. verrucosa*](#) Pierre, 1919
- [*T. vesubiana*](#) Dufour, 2003
- [*T. vitabilis*](#) Alexander, 1947
- [*T. vittatipennis*](#) Doane, 1912
- [*T. vogtenhuberi*](#) Theischinger, 1979
- [*T. vulpecula*](#) Theischinger, 1979
- [*T. wewalkai*](#) Theischinger, 1979
- [*T. willismithi*](#) Alexander, 1945
- [*T. wolfi*](#) Mannheims, 1954
- [*T. xyrophora*](#) Theischinger, 1977
- [*T. yana*](#) Alexander, 1965
- [*T. yosemite*](#) Alexander, 1946

- [*T. zaitzevi*](#) Savchenko, 1952
- [*T. zangherii*](#) Lackschewitz, 1932
- [*T. zarcoi*](#) Mannheims, 1967
- [*T. zarnigor*](#) Savchenko, 1954
- [*T. zelotypa*](#) [Alexander](#), 1946
- [*T. zimini*](#) Savchenko, 1954

***Tipula* subg. *Mediotipula* [Pierre](#), 1924**

- [*T. anatoliensis*](#) Theowald, 1978
- [*T. brolemanni*](#) [Pierre](#), 1922
- [*T. cataloniensis*](#) Theowald, 1978
- [*T. caucasiensis*](#) Theowald, 1978
- [*T. fulvogrisea*](#) ([Pierre](#), 1924)
- [*T. galiciensis*](#) Theowald, 1978
- [*T. gjipeensis*](#) Keresztes and Kolcsar, 2018
- [*T. mikiana*](#) Bergroth, 1888
- [*T. nitidicollis*](#) [Strobl](#), 1909
- [*T. sarajevensis*](#) [Strobl](#), 1898
- [*T. siebkei*](#) [Zetterstedt](#), 1852
- [*T. stigmatella*](#) [Schummel](#), 1833

***Tipula* subg. *Microtipula* [Alexander](#), 1912**

- [*T. aequitorialis*](#) [Alexander](#), 1940
- [*T. affabilis*](#) [Alexander](#), 1945
- [*T. akestra*](#) [Alexander](#), 1966
- [*T. alecto*](#) [Alexander](#), 1945
- [*T. amara*](#) [Alexander](#), 1951
- [*T. amazonica*](#) ([Alexander](#), 1912)
- [*T. amoenicornis*](#) [Alexander](#), 1922
- [*T. anomalina*](#) [Alexander](#), 1979
- [*T. apollyon*](#) [Alexander](#), 1951
- [*T. appendens*](#) ([Enderlein](#), 1912)
- [*T. ariranhæ*](#) [Alexander](#), 1945
- [*T. armatipennis*](#) [Alexander](#), 1912
- [*T. auricularis*](#) [Alexander](#), 1942
- [*T. austrovolens*](#) [Alexander](#), 1951
- [*T. aymara*](#) [Alexander](#), 1912
- [*T. baeostyla*](#) [Alexander](#), 1979
- [*T. bigracilis*](#) [Alexander](#), 1979
- [*T. bilimeki*](#) [Alexander](#), 1941
- [*T. biprolata*](#) [Alexander](#), 1967
- [*T. bitribula*](#) [Alexander](#), 1967
- [*T. blaseri*](#) [Alexander](#), 1942
- [*T. brasiliensis*](#) ([Wiedemann](#), 1828)
- [*T. bruesi*](#) [Alexander](#), 1945

- [*T. camura* Alexander, 1979](#)
- [*T. carib* Alexander, 1970](#)
- [*T. cerogama* Alexander, 1944](#)
- [*T. cithariformis* Alexander, 1967](#)
- [*T. colombicola* Alexander, 1929](#)
- [*T. contemplata* Alexander, 1951](#)
- [*T. costaricensis* \(Alexander, 1922\)](#)
- [*T. crassistyla* Alexander, 1966](#)
- [*T. ctenopyga* Alexander, 1940](#)
- [*T. decens* Alexander, 1942](#)
- [*T. decolorata* \(Alexander, 1935\)](#)
- [*T. detecta* Alexander, 1927](#)
- [*T. diacanthos* Alexander, 1921](#)
- [*T. diadexia* Alexander, 1967](#)
- [*T. didactyla* Alexander, 1942](#)
- [*T. didolos* Alexander, 1962](#)
- [*T. dirhabdophora* Alexander, 1951](#)
- [*T. discophora* Alexander, 1951](#)
- [*T. efferox* Alexander, 1945](#)
- [*T. effeta* Alexander, 1921](#)
- [*T. effulta* Alexander, 1941](#)
- [*T. epione* Alexander, 1944](#)
- [*T. erebus* Alexander, 1979](#)
- [*T. erostrata* Alexander, 1945](#)
- [*T. eurymera* Alexander, 1945](#)
- [*T. extensistyla* Alexander, 1979](#)
- [*T. falcifer* Alexander, 1944](#)
- [*T. feliciana* Alexander, 1945](#)
- [*T. ferocia* Alexander, 1937](#)
- [*T. fiebrigi* Alexander, 1941](#)
- [*T. flavopolita* Alexander, 1942](#)
- [*T. gladiator* Alexander, 1914](#)
- [*T. guato* Alexander, 1912](#)
- [*T. guerreroensis* Alexander, 1940](#)
- [*T. gutticellula* Alexander, 1936](#)
- [*T. heterodactyla* Alexander, 1944](#)
- [*T. hexamelania* Alexander, 1951](#)
- [*T. histrionica* Alexander, 1945](#)
- [*T. horribilis* Alexander, 1945](#)
- [*T. icasta* Alexander, 1941](#)
- [*T. impatiens* Alexander, 1951](#)
- [*T. inaequilobata* Alexander, 1938](#)
- [*T. inarmata* Alexander, 1928](#)
- [*T. infida* Alexander, 1941](#)
- [*T. intemperata* Alexander, 1943](#)
- [*T. jivaronis* Alexander, 1943](#)
- [*T. jordanensis* Alexander, 1949](#)
- [*T. juquiella* Alexander, 1945](#)
- [*T. klagesi* Alexander, 1945](#)

- [*T. lagotis* Alexander, 1942](#)
- [*T. languidula* Alexander, 1942](#)
- [*T. laticostata* Alexander, 1937](#)
- [*T. letalis* Alexander, 1937](#)
- [*T. lichyana* Alexander, 1945](#)
- [*T. luctifica* Alexander, 1940](#)
- [*T. luteidorsata* Alexander, 1971](#)
- [*T. luteilimbata* Alexander, 1944](#)
- [*T. lyriformis* Alexander, 1942](#)
- [*T. macrosterna* \(Alexander, 1912\)](#)
- [*T. mandator* Alexander, 1945](#)
- [*T. manniana* Alexander, 1945](#)
- [*T. mediocompressa* Alexander, 1944](#)
- [*T. megalyra* Alexander, 1945](#)
- [*T. monocera* Alexander, 1967](#)
- [*T. mulfordi* Alexander, 1945](#)
- [*T. multimoda* Alexander, 1938](#)
- [*T. myriatricha* Alexander, 1942](#)
- [*T. neolenta* Alexander, 1945](#)
- [*T. nicoya* Alexander, 1944](#)
- [*T. nigroabdominalis* \(Alexander, 1936\)](#)
- [*T. nigrovariegata* Alexander, 1928](#)
- [*T. niobe* Alexander, 1947](#)
- [*T. obstinata* Alexander, 1971](#)
- [*T. opipara* Alexander, 1951](#)
- [*T. ortonii* Alexander, 1945](#)
- [*T. pala* Alexander, 1939](#)
- [*T. palaeogama* Alexander, 1944](#)
- [*T. paloides* Alexander, 1940](#)
- [*T. paralenta* Alexander, 1950](#)
- [*T. pararia* Alexander, 1966](#)
- [*T. parishii* Alexander, 1912](#)
- [*T. penana* Alexander, 1951](#)
- [*T. perangustula* Alexander, 1938](#)
- [*T. percompressa* Alexander, 1944](#)
- [*T. percomptaria* Alexander, 1945](#)
- [*T. perdelecta* Alexander, 1942](#)
- [*T. perissopyga* Alexander, 1979](#)
- [*T. perlaticosta* Alexander, 1941](#)
- [*T. plaumannina* Alexander, 1945](#)
- [*T. plumbeithorax* Alexander, 1921](#)
- [*T. pontifex* Alexander, 1967](#)
- [*T. porrecta* Alexander, 1951](#)
- [*T. pretiosa* Alexander, 1945](#)
- [*T. pritchardi* Alexander, 1940](#)
- [*T. proctotricha* Alexander, 1945](#)
- [*T. prolixisterna* Alexander, 1941](#)
- [*T. quadricollis* Alexander, 1945](#)
- [*T. rectangulus* Alexander, 1951](#)

- [*T. regressa* Alexander](#), 1950
- [*T. retrorsa* Alexander](#), 1962
- [*T. scaphula* Alexander](#), 1945
- [*T. scelestia* Alexander](#), 1945
- [*T. schildeana* Alexander](#), 1945
- [*T. schunkei* Alexander](#), 1971
- [*T. schwarzmaieri* Alexander](#), 1940
- [*T. septemhastata* Alexander](#), 1962
- [*T. sexcincta* Alexander](#), 1942
- [*T. smilodon* Alexander](#), 1940
- [*T. smithi* Alexander](#), 1912
- [*T. sparsipila* Alexander](#), 1962
- [*T. spinicauda* Alexander](#), 1919
- [*T. sternohirsuta* Alexander](#), 1941
- [*T. subarmata* Alexander](#), 1941
- [*T. subaymara* Alexander](#), 1962
- [*T. subeffeta* Alexander](#), 1951
- [*T. subeffulta* Alexander](#), 1969
- [*T. subinfusata* Williston](#), 1896[1]
- [*T. tancitaro* Alexander](#), 1946
- [*T. temperata* Alexander](#), 1940
- [*T. tenuicula* Enderlein](#), 1912
- [*T. tenuilobata* Alexander](#), 1940
- [*T. tergoarmata* Alexander](#), 1971
- [*T. terpsichore* Alexander](#), 1951
- [*T. terribilis* Alexander](#), 1944
- [*T. tijucensis* Alexander](#), 1943
- [*T. topoensis* Alexander](#), 1951
- [*T. trichoprocta* Alexander](#), 1945
- [*T. trihastata* Alexander](#), 1945
- [*T. trinidadensis* \(Alexander, 1912\)](#)
- [*T. trinitatis* Alexander](#), 1941
- [*T. tucumanensis* Alexander](#), 1945
- [*T. urophora* Alexander](#), 1938
- [*T. virgilia* Alexander](#), 1951
- [*T. volens* Alexander](#), 1944
- [*T. zeteki* Alexander](#), 1945
- [*T. zonalis* Alexander](#), 1927

***Tipula* subg. *Nesotipula* [Alexander](#), 1921**

- [*T. pribilovia* Alexander](#), 1921

***Tipula* subg. *Nippotipula* [Matsumura](#), 1916**

- [*T. abdominalis* \(Say, 1823\)](#)
- [*T. anastomosa* Edwards](#), 1928

- [*T. brevifusa* Alexander](#), 1940
- [*T. champasakensis* Zhang, Ren, Li and Yang](#), 2020
- [*T. coquilletti* Enderlein](#), 1912
- [*T. edwardsomyia* Alexander](#), 1964
- [*T. fanjingshana* Yang & Yang](#), 1988
- [*T. flavostigmalis* Alexander](#), 1953
- [*T. kertesiana* Alexander](#), 1964
- [*T. klapperichi* Alexander](#), 1941
- [*T. masakiana* Alexander](#), 1968
- [*T. metacomet* Alexander](#), 1965
- [*T. phaedina* \(Alexander\)](#), 1927
- [*T. pseudophaedina* Yang & Yang](#), 1992
- [*T. pulcherrima* Brunetti](#), 1912
- [*T. sinica* Alexander](#), 1935
- [*T. susurrans* Edwards](#), 1932

***Tipula* subg. *Nobilotipula* [**Alexander**](#), 1943**

- [*T. brolemanniana* Alexander](#), 1968
- [*T. collaris* Say](#), 1823
- [*T. fuiana* Alexander](#), 1949
- [*T. nobilis* \(Loew\)](#), 1864
- [*T. specularis* Alexander](#), 1961
- [*T. wardleana* Alexander](#), 1968

***Tipula* subg. *Odonatisca* Savchenko, 1956**

- [*T. breviligula* Alexander](#), 1956
- [*T. gouldeni* Podenas & Gelhaus](#), 2000
- [*T. kamchatkensis* Alexander](#), 1918
- [*T. nodicornis* Meigen](#), 1818
- [*T. optiva* Alexander](#), 1921
- [*T. pribilofensis* Alexander](#), 1923
- [*T. subarctica* Alexander](#), 1919
- [*T. timptonensis* Savchenko](#), 1956

***Tipula* subg. *Papuatipula* [**Alexander**](#), 1935**

- [*T. artifex* Alexander](#), 1948
- [*T. consiliosa* Alexander](#), 1971
- [*T. cyclopica* Alexander](#), 1948
- [*T. divergens* de Meijere](#), 1913
- [*T. gressittiana* Alexander](#), 1971
- [*T. insperata* Young](#), 1987
- [*T. koiari* Young](#), 1987
- [*T. leucosticta* Alexander](#), 1934
- [*T. lieftincki* Alexander](#), 1971

- *T. meijereana* [Alexander](#), 1935
- *T. melanotis* [Alexander](#), 1948
- *T. nigrilus* Young, 1987
- *T. nokicola* [Alexander](#), 1953
- *T. novaebrittaniae* [Alexander](#), 1935
- *T. obediens* [Alexander](#), 1947
- *T. omissinervis* (de Meijere, 1906)
- *T. oneili* Young, 1987
- *T. pedicioides* [Alexander](#), 1948
- *T. pensilis* [Alexander](#), 1971
- *T. satirica* [Alexander](#), 1971
- *T. staryi* [Alexander](#), 1971
- *T. strictistyla* [Alexander](#), 1971
- *T. surcularia* [Alexander](#), 1947
- *T. toxopeina* [Alexander](#), 1971
- *T. wibleae* Young, 1987

***Tipula* subg. *Pectinotipula* [Alexander](#), 1920**

- *T. argentina* (van der Wulp, 1881)
- *T. boliviensis* ([Alexander](#), 1946)
- *T. titicacae* ([Alexander](#), 1944)
- *T. tucumana* ([Alexander](#), 1946)

***Tipula* subg. *Platytipula* [Matsumura](#), 1916**

- *T. acifera* [Alexander](#), 1926
- *T. acirostris* [Alexander](#), 1954
- *T. alexanderi* Joseph, 1974
- *T. angustiligula* [Alexander](#), 1931
- *T. appendifera* [Alexander](#), 1956
- *T. autumnalis* Loew, 1864
- *T. bidenticulata* [Alexander](#), 1933
- *T. carinata* Doane, 1901
- *T. chumbiensis* [Edwards](#), 1928
- *T. continuata* [Brunetti](#), 1912
- *T. cumulata* [Alexander](#), 1938
- *T. cunctans* [Say](#), 1823
- *T. cylindrostylata* [Alexander](#), 1926
- *T. dinarzadae* Theowald, 1978
- *T. dissociata* [Alexander](#), 1936
- *T. ecaudata* [Alexander](#), 1924
- *T. esakiana* [Alexander](#), 1933
- *T. hamptoni* [Edwards](#), 1927
- *T. haplostyla* Oosterbroek & Theowald, 1992
- *T. hebeiensis* Yang & Yang, 1995
- *T. honorifica* [Alexander](#), 1933

- [*T. hugginsi*](#) Gelhaus, 1986
- [*T. imanishii*](#) Alexander, 1933
- [*T. indifferens*](#) Alexander, 1935
- [*T. insulicola*](#) Alexander, 1914
- [*T. jocosipennis*](#) Alexander, 1933
- [*T. knowltoniana*](#) Alexander, 1969
- [*T. luteipennis*](#) Meigen, 1830
- [*T. maritima*](#) Alexander, 1930
- [*T. melanoceros*](#) Schummel, 1833
- [*T. membranifera*](#) Alexander, 1936
- [*T. moiwana*](#) (Matsumura, 1916)
- [*T. nebulinervis*](#) Alexander, 1940
- [*T. nicothoe*](#) Alexander, 1953
- [*T. nigrocellula*](#) Alexander, 1935
- [*T. nikkoensis*](#) Alexander, 1921
- [*T. nipponensis*](#) Alexander, 1914
- [*T. omogicola*](#) Alexander, 1954
- [*T. paterifera*](#) Alexander, 1962
- [*T. pendulifera*](#) Alexander, 1919
- [*T. perhirtipes*](#) Alexander, 1963
- [*T. pterotricha*](#) Alexander, 1953
- [*T. querula*](#) Alexander, 1924
- [*T. quiris*](#) Alexander, 1940
- [*T. saragaminensis*](#) Alexander, 1954
- [*T. scheherezadae*](#) Theowald, 1978
- [*T. sessilis*](#) Edwards, 1921
- [*T. sparsiseta*](#) Alexander, 1924
- [*T. spenceriana*](#) Alexander, 1943
- [*T. stipata*](#) Alexander, 1935
- [*T. tennesa*](#) Alexander, 1920
- [*T. ultima*](#) Alexander, 1915
- [*T. violovitshiana*](#) Savchenko, 1961
- [*T. xanthodes*](#) Yang & Yang, 1991

***Tipula* subg. *Pterelachisus* [Rondani](#), 1842**

- [*T. aka*](#) Alexander, 1971
- [*T. albertensis*](#) Alexander, 1927
- [*T. alcestis*](#) Alexander, 1946
- [*T. alta*](#) Doane, 1912
- [*T. aluco*](#) Alexander, 1918
- [*T. angulata*](#) Loew, 1864
- [*T. apicispina*](#) Alexander, 1934
- [*T. aspoecki*](#) Vogtenhuber, 2004
- [*T. austriaca*](#) (Pokorný, 1887)
- [*T. autumnna*](#) Alexander, 1921
- [*T. badakhensis*](#) Alexander, 1956
- [*T. bakeri*](#) Alexander, 1954

- [*T. banffiana* Alexander](#), 1946
- [*T. bellardiana* Alexander](#), 1926
- [*T. berteii* \(Rondani, 1842\)](#)
- [*T. biaciculifera* Alexander](#), 1937
- [*T. bilobata* Pokorny](#), 1887
- [*T. brindleana* Alexander](#), 1964
- [*T. brunnica* Brunetti](#), 1912
- [*T. camillerii* Alexander](#), 1959
- [*T. carinifrons* Holmgren](#), 1883
- [*T. cavagnaroi* Alexander](#), 1965
- [*T. cayollensis* Dufour](#), 2003
- [*T. cineracea* Coquillett](#), 1900
- [*T. cinereocincta* Lundstrom](#), 1907
- [*T. clinata* Alexander](#), 1938
- [*T. coleana* Alexander](#), 1940
- [*T. crassicornis* Zetterstedt](#), 1838
- [*T. crassiventris* Riedel](#), 1913
- [*T. crawfordi* Alexander](#), 1927
- [*T. cruciata* Edwards](#), 1928
- [*T. curvistylus* Eiroa](#), 1990
- [*T. daitenjoensis* Alexander](#), 1955
- [*T. derbecki* Alexander](#), 1934
- [*T. difflava* Alexander](#), 1919
- [*T. digesta* Alexander](#), 1953
- [*T. dolomitensis* Theowald](#), 1980
- [*T. edwardsella* Alexander](#), 1923
- [*T. entomophthorae* Alexander](#), 1918
- [*T. excetra* Alexander](#), 1935
- [*T. famula* Alexander](#), 1935
- [*T. faultrix* Alexander](#), 1961
- [*T. flavocostalis* Alexander](#), 1921
- [*T. futilis* Alexander](#), 1924
- [*T. garuda* Alexander](#), 1953
- [*T. geisha* Alexander](#), 1958
- [*T. gelida* Coquillett](#), 1900
- [*T. gemula* Alexander](#), 1945
- [*T. glacialis* \(Pokorny, 1887\)](#)
- [*T. gredosi* Theowald](#), 1980
- [*T. haplorhabda* Alexander](#), 1935
- [*T. harutai* Alexander](#), 1955
- [*T. helvocincta* Doane](#), 1901
- [*T. hewitti* Alexander](#), 1919
- [*T. hibii* Alexander](#), 1933
- [*T. hirsutipes* Lackschewitz](#), 1934
- [*T. hispida* Savchenko](#), 1964
- [*T. hollandi* Alexander](#), 1934
- [*T. hoogerwerfi* Alexander](#), 1944
- [*T. horningi* Alexander](#), 1966
- [*T. huntsmaniana* Dietz](#), 1920

- [*T. huron* Alexander](#), 1918
- [*T. hylaea* Alexander](#), 1924
- [*T. icarus* Alexander](#), 1936
- [*T. idahoensis* Alexander](#), 1955
- [*T. ignoscens* Alexander](#), 1935
- [*T. illegitima* Alexander](#), 1933
- [*T. imbellis* Alexander](#), 1927
- [*T. imitator* Alexander](#), 1953
- [*T. incurva* Doane](#), 1912
- [*T. ingenua* Alexander](#), 1945
- [*T. interposita* Savchenko](#), 1966
- [*T. irregularis* \(Pokorny, 1887\)](#)
- [*T. irrorata* Macquart](#), 1826
- [*T. ishiharana* Alexander](#), 1953
- [*T. jechoensis* Alexander](#), 1933
- [*T. jenseni* Alexander](#), 1965
- [*T. jutlandica* Nielsen](#), 1947
- [*T. kaisilai* Mannheims](#), 1954
- [*T. katmaiensis* Alexander](#), 1920
- [*T. kaulbackiana* Alexander](#), 1953
- [*T. kirbyana* Alexander](#), 1918
- [*T. kuatunensis* Alexander](#), 1941
- [*T. kurilensis* Savchenko](#), 1970
- [*T. lacunosa* Alexander](#), 1941
- [*T. laetabunda* Alexander](#), 1961
- [*T. laetibasis* Alexander](#), 1934
- [*T. laetissima* Alexander](#), 1938
- [*T. latiflava* Alexander](#), 1931
- [*T. legalis* Alexander](#), 1933
- [*T. leucopalassa* Alexander](#), 1964
- [*T. leucosema* Edwards](#), 1928
- [*T. limbinervis* Alexander](#), 1953
- [*T. luridorostris* Schummel](#), 1833
- [*T. luteobasalis* Savchenko](#), 1964
- [*T. maaiana* Alexander](#), 1949
- [*T. macarta* Alexander](#), 1936
- [*T. macrostyla* Savchenko](#), 1964
- [*T. malaisei* Alexander](#), 1927
- [*T. mandan* Alexander](#), 1915
- [*T. margarita* Alexander](#), 1918
- [*T. matsumuriana* Alexander](#), 1924
- [*T. mayerduerii* Egger](#), 1863
- [*T. mcdonaldi* Alexander](#), 1975
- [*T. meijerella* Alexander](#), 1966
- [*T. middendorffi* Lackschewitz](#), 1936
- [*T. mitophora* Alexander](#), 1934
- [*T. mono* Alexander](#), 1945
- [*T. mupinensis* Alexander](#), 1934
- [*T. mutila* Wahlgren](#), 1905

- [*T. mutiloides* Alexander](#), 1932
- [*T. mystax* Alexander](#), 1961
- [*T. neurotica* Mannheims](#), 1966
- [*T. niitakensis* Alexander](#), 1938
- [*T. nudicellula* Savchenko](#), 1966
- [*T. obnata* Alexander](#), 1934
- [*T. ochotana* Savchenko](#), 1970
- [*T. octomaculata* Savchenko](#), 1964
- [*T. osellai* Theowald](#), 1980
- [*T. pabulina* Meigen](#), 1818
- [*T. padana* Dufour](#), 1981
- [*T. pauli* Mannheims](#), 1964
- [*T. pedicellaris* Alexander](#), 1933
- [*T. penobscot* Alexander](#), 1915
- [*T. percara* Alexander](#), 1922
- [*T. pertenuis* Alexander](#), 1938
- [*T. phaeopasta* Alexander](#), 1924
- [*T. phryne* Alexander](#), 1945
- [*T. pieli* Alexander](#), 1937
- [*T. pingi* Alexander](#), 1936
- [*T. plitviciensis* Simova](#), 1962
- [*T. polaruralensis* Theowald](#), 1980
- [*T. pollex* Alexander](#), 1933
- [*T. pontica* Savchenko](#), 1964
- [*T. procliva* Alexander](#), 1938
- [*T. pseudobiaciculifera* Men, Xue and Wang](#), 2016
- [*T. pseudocrassiventris* Theowald](#), 1980
- [*T. pseudoirrorata* Goetghebuer](#), 1921
- [*T. pseudopruinosa* Strobl](#), 1895
- [*T. pseudotruncorum* Alexander](#), 1920
- [*T. pseudovariipennis* Czizek](#), 1912
- [*T. ranee* Alexander](#), 1961
- [*T. recondita* Pilipenko and Salmela](#), 2012
- [*T. resupina* Alexander](#), 1935
- [*T. sauteri* Dufour](#), 1982
- [*T. savionis* Alexander](#), 1937
- [*T. sequoicola* Alexander](#), 1947
- [*T. seticellula* Alexander](#), 1932
- [*T. sharva* Alexander](#), 1953
- [*T. shomio* Alexander](#), 1921
- [*T. shoshone* Alexander](#), 1946
- [*T. sibiriensis* Alexander](#), 1925
- [*T. simondsi* Alexander](#), 1965
- [*T. spathifera* Mannheims](#), 1953
- [*T. stenostyla* Savchenko](#), 1964
- [*T. striatipennis* Brunetti](#), 1912
- [*T. strictura* Alexander](#), 1937
- [*T. subfasciata* Loew](#), 1863
- [*T. subfutilis* Alexander](#), 1929

- *T. subglacialis* Mannheims & Theowald, 1959
- *T. sublimata* [Alexander](#), 1953
- *T. submarmorata* [Schummel](#), 1833
- *T. submutila* [Alexander](#), 1933
- *T. sunda* [Alexander](#), 1915
- *T. taikun* [Alexander](#), 1921
- *T. teleutica* Pilipenko, 1999
- *T. ternaria* [Loew](#), 1864
- *T. tetramelania* [Alexander](#), 1935
- *T. trichopleura* Savchenko, 1964
- *T. tridentata* [Alexander](#), 1920
- *T. trifascingulata* Theowald, 1980
- *T. tristriata* Lundstrom, 1915
- *T. trivittata* [Say](#), 1823
- *T. truncorum* [Meigen](#), 1830
- *T. trupheoneura* [Alexander](#), 1920
- *T. tshernovskii* Savchenko, 1954
- *T. tundrensis* [Alexander](#), 1934
- *T. uenoi* [Alexander](#), 1930
- *T. variata* [Alexander](#), 1927
- *T. varipennis* [Meigen](#), 1818
- *T. vayu* [Alexander](#), 1964
- *T. vermiculata* Savchenko, 1964
- *T. vitiosa* [Alexander](#), 1933
- *T. vivax* [Alexander](#), 1933
- *T. wahlgreni* Lackschewitz, 1925
- *T. wardiana* [Alexander](#), 1951
- *T. wiedemanniana* [Alexander](#), 1971
- *T. winthemi* Lackschewitz, 1932
- *T. wuana* [Alexander](#), 1966
- *T. yasumatsuana* [Alexander](#), 1954

***Tipula* subg. *Ramatipula* [Alexander](#), 1971**

- *T. bagchiana* [Alexander](#), 1971
- *T. bangerterana* [Alexander](#), 1964
- *T. bilobula* [Alexander](#), 1938
- *T. flavithorax* [Brunetti](#), 1918
- *T. kuntzeana* [Alexander](#), 1971
- *T. octacantha* [Alexander](#), 1961
- *T. phallacaena* [Alexander](#), 1964
- *T. pierreana* [Alexander](#), 1964
- *T. podana* [Alexander](#), 1971
- *T. shawiana* [Alexander](#), 1953

Tipula subg. *Savtshenkia* [Alexander](#), 1965

- [T. aberdareica Alexander](#), 1956
- [T. akeleyi Alexander](#), 1956
- [T. alpha](#) de Jong, 1994
- [T. alpium](#) Bergroth, 1888
- [T. anadyrensis](#) Pilipenko, 2011
- [T. antricola Riedel](#), 1918
- [T. asbolodes Speiser](#), 1909
- [T. aspromontensis](#) Theowald, 1973
- [T. aster](#) Theischinger, 1983
- [T. atlas](#) Pierre, 1924
- [T. baltistanica Alexander](#), 1936
- [T. benesignata](#) Mannheims, 1954
- [T. boreosignata](#) Tjeder, 1969
- [T. brevantennata](#) Lackschewitz, 1933
- [T. caligo Alexander](#), 1956
- [T. cheethami Edwards](#), 1924
- [T. chrysocephala](#) Mannheims, 1958
- [T. confusa](#) van der Wulp, 1883
- [T. convexifrons Holmgren](#), 1883
- [T. corsosignata](#) Theowald, Dufour & Oosterbroek, 1982
- [T. cyrnosardensis](#) Theowald, Dufour & Oosterbroek, 1982
- [T. draconis Alexander](#), 1964
- [T. eleonora](#) Theischinger, 1978
- [T. elgonensis Alexander](#), 1956
- [T. eugeni](#) Theowald, 1973
- [T. fragilina Alexander](#), 1919
- [T. fragilis Loew](#), 1863
- [T. gimmerthali](#) Lackschewitz, 1925
- [T. glaucocinerea](#) Lundstrom, 1915
- [T. goriziensis Strobl](#), 1893
- [T. graciae Alexander](#), 1947
- [T. griseascens Zetterstedt](#), 1851
- [T. haennii](#) Dufour, 1991
- [T. hancocki Alexander](#), 1956
- [T. hartigiana](#) Theowald, Dufour & Oosterbroek, 1982
- [T. holoptera Edwards](#), 1939
- [T. ignobilis Loew](#), 1863
- [T. interserta Riedel](#), 1913
- [T. invenusta Riedel](#), 1919
- [T. jeekeli](#) Mannheims & Theowald, 1959
- [T. kiushiuensis Alexander](#), 1925
- [T. koreana Alexander](#), 1934
- [T. letifera Alexander](#), 1951
- [T. limbata Zetterstedt](#), 1838
- [T. lundbladi](#) Mannheims, 1962
- [T. macaronesica](#) Savchenko, 1961
- [T. mannheimsi](#) Theowald, 1973

- [*T. minuscula*](#) Savchenko, 1971
- [*T. mohriana*](#) Alexander, 1954
- [*T. multipicta*](#) Becker, 1908
- [*T. nephrotomoides*](#) Alexander, 1924
- [*T. nielsenii*](#) Mannheims & Theowald, 1959
- [*T. nivalis*](#) Savchenko, 1961
- [*T. obsoleta*](#) Meigen, 1818
- [*T. odontostyla*](#) Savchenko, 1961
- [*T. omega*](#) de Jong, 1994
- [*T. ornata*](#) Theowald & Oosterbroek, 1987
- [*T. pagana*](#) Meigen, 1818
- [*T. pechlaneri*](#) Mannheims & Theowald, 1959
- [*T. persignata*](#) Alexander, 1945
- [*T. phoroctenia*](#) Alexander, 1919
- [*T. postposita*](#) Riedel, 1919
- [*T. productella*](#) Alexander, 1928
- [*T. rothschildi*](#) Alexander, 1920
- [*T. rufina*](#) Meigen, 1818
- [*T. sardosignata*](#) Mannheims & Theowald, 1959
- [*T. sciadoptera*](#) Alexander, 1964
- [*T. serrulifera*](#) Alexander, 1942
- [*T. signata*](#) Staeger, 1840
- [*T. simulans*](#) Savchenko, 1966
- [*T. sordidipes*](#) Alexander, 1961
- [*T. staegeri*](#) Nielsen, 1922
- [*T. subalpium*](#) Savchenko, 1961
- [*T. subnodicornis*](#) Zetterstedt, 1838
- [*T. subsignata*](#) Lackschewitz, 1933
- [*T. subvafra*](#) Lackschewitz, 1936
- [*T. tetragramma*](#) Edwards, 1928
- [*T. trinacria*](#) de Jong, 1994
- [*T. tulipa*](#) Dufour, 1983
- [*T. venerabilis*](#) Alexander, 1936
- [*T. villeneuvii*](#) Strobl, 1909
- [*T. wulingshana*](#) Yang & Yang, 1995

***Tipula* subg. *Schummelia* [Edwards](#), 1931**

- [*T. ahrensi*](#) Savchenko, 1957
- [*T. annulicornis*](#) Say, 1829
- [*T. argentacea*](#) Alexander, 1961
- [*T. argentosigna*](#) Alexander, 1961
- [*T. atrosetosa*](#) Alexander, 1961
- [*T. bicolorata*](#) Alexander, 1938
- [*T. butzi*](#) Edwards, 1928
- [*T. costolutea*](#) Alexander, 1964
- [*T. coulsoni*](#) Alexander, 1966
- [*T. cramptoniana*](#) Alexander, 1966

- [*T. crastina* Alexander](#), 1941
- [*T. decembris* Alexander](#), 1949
- [*T. dharma* Alexander](#), 1956
- [*T. dolichopezoides* Alexander](#), 1920
- [*T. dravidiana* Alexander](#), 1961
- [*T. durga* Alexander](#), 1964
- [*T. eggeriana* Alexander](#), 1971
- [*T. friendi* Alexander](#), 1940
- [*T. fuscocellula* Alexander](#), 1961
- [*T. halidayana* Alexander](#), 1970
- [*T. hennigiana* Alexander](#), 1971
- [*T. hermannia* Alexander](#), 1915
- [*T. hinayana* Alexander](#), 1956
- [*T. inconspicua* de Meijere](#), 1911
- [*T. indiscreta* Alexander](#), 1935
- [*T. ishidana* Alexander](#), 1964
- [*T. ishizuchiana* Alexander](#), 1954
- [*T. jacksoniana* Alexander](#), 1956
- [*T. kariyana* Alexander](#), 1966
- [*T. kiddana* Alexander](#), 1966
- [*T. klossi* Edwards](#), 1916
- [*T. lama* Alexander](#), 1954
- [*T. lindneriana* Alexander](#), 1964
- [*T. lioterga* Alexander](#), 1961
- [*T. magnifolia* Alexander](#), 1948
- [*T. medica* Alexander](#), 1936
- [*T. nannaris* Alexander](#), 1961
- [*T. nobilior* Alexander](#), 1961
- [*T. notomelania* Alexander](#), 1958
- [*T. oldhamana* Alexander](#), 1966
- [*T. pagastiana* Alexander](#), 1966
- [*T. pendleburyi* Edwards](#), 1933
- [*T. penicillaris* Alexander](#), 1961
- [*T. pokornyana* Alexander](#), 1966
- [*T. pumila* de Meijere](#), 1914
- [*T. rantaicola* Alexander](#), 1929
- [*T. rhombica* Edwards](#), 1932
- [*T. salakensis* Alexander](#), 1915
- [*T. schrankiana* Alexander](#), 1971
- [*T. scylla* Alexander](#), 1964
- [*T. sophista* Alexander](#), 1949
- [*T. sparsissima* Alexander](#), 1928
- [*T. sphaerostyla* Alexander](#), 1966
- [*T. stenorhabda* Alexander](#), 1941
- [*T. strictiva* Alexander](#), 1935
- [*T. subtenuicornis* Doane](#), 1901
- [*T. synchroa* Alexander](#), 1927
- [*T. tanyrhina* Alexander](#), 1961
- [*T. tonnoirana* Alexander](#), 1968

- [*T. turea* Alexander](#), 1956
- [*T. variicornis* Schummel](#), 1833
- [*T. venusticornis* Alexander](#), 1964
- [*T. verrallana* Alexander](#), 1966
- [*T. vitalisi* Edwards](#), 1926
- [*T. vocator* Alexander](#), 1956
- [*T. yerburyi* Edwards](#), 1924
- [*T. zernyi* Mannheims](#), 1952
- [*T. zonaria* Goetghebuer](#), 1921

***Tipula* subg. *Serratipula* [*Alexander*](#), 1965**

- [*T. cylindrata* Doane](#), 1912
- [*T. graminivora* Alexander](#), 1921
- [*T. marina* Doane](#), 1912
- [*T. tristis* Doane](#), 1901

***Tipula* subg. *Setitipula* [*Alexander*](#), 1965**

- [*T. esselen* Alexander](#), 1965
- [*T. rusticola* Doane](#), 1912
- [*T. trichophora* Alexander](#), 1920

***Tipula* subg. *Sinotipula* [*Alexander*](#), 1935**

- [*T. abluta* Doane](#), 1901
- [*T. arjuna* Alexander](#), 1962
- [*T. arjunoides* Alexander](#), 1961
- [*T. aspersa* Doane](#), 1912
- [*T. assamensis* Oosterbroek](#), 2009
- [*T. babai* Alexander](#), 1971
- [*T. bodpa* Edwards](#), 1928
- [*T. brunettiana* Alexander](#), 1920
- [*T. calaveras* Alexander](#), 1944
- [*T. callicoma* Alexander](#), 1966
- [*T. catalinensis* Alexander](#), 1950
- [*T. chimaera* Savchenko](#), 1969
- [*T. coleomyia* Alexander](#), 1965
- [*T. commiscibilis* Doane](#), 1912
- [*T. cranbrookii* Alexander](#), 1951
- [*T. curtisiana* Alexander](#), 1971
- [*T. delfinadoae* Alexander](#), 1973
- [*T. denningi* Alexander](#), 1969
- [*T. differta* Alexander](#), 1956
- [*T. dyrope* Alexander](#), 1961
- [*T. emiliae* Savchenko](#), 1964
- [*T. exquisita* Alexander](#), 1935

- [*T. faustina* Alexander](#), 1941
- [*T. gloriosa* Alexander](#), 1935
- [*T. gothicana* Alexander](#), 1943
- [*T. gracilirostris* Alexander](#), 1938
- [*T. gregoryi* Edwards](#), 1928
- [*T. griseipennis* Brunetti](#), 1912
- [*T. hingstoni* Edwards](#), 1928
- [*T. hobsoni* Edwards](#), 1928
- [*T. hutchinsonae* Alexander](#), 1936
- [*T. hypsistos* Alexander](#), 1962
- [*T. janetscheki* Alexander](#), 1968
- [*T. jepsoni* Alexander](#), 1945
- [*T. josephus* Alexander](#), 1954
- [*T. krishna* Alexander](#), 1962
- [*T. lithostrota* Alexander](#), 1961
- [*T. macquartina* Alexander](#), 1966
- [*T. meigeniana* Alexander](#), 1966
- [*T. oenone* Alexander](#), 1961
- [*T. pacifica* Doane](#), 1912
- [*T. persplendens* Alexander](#), 1935
- [*T. powelli* Alexander](#), 1965
- [*T. rastristyla* Alexander](#), 1945
- [*T. rondaniana* Alexander](#), 1970
- [*T. sacajawea* Alexander](#), 1945
- [*T. savtshenkoana* Alexander](#), 1964
- [*T. schizorhyncha* Savchenko](#), 1966
- [*T. schmidiana* Alexander](#), 1961
- [*T. seguyana* Alexander](#), 1964
- [*T. shastensis* Alexander](#), 1944
- [*T. shennongana* Yang & Yang](#), 1992
- [*T. sindensis* Alexander](#), 1935
- [*T. staegeriana* Alexander](#), 1971
- [*T. strobliana* Alexander](#), 1971
- [*T. subcinerea* Doane](#), 1901
- [*T. tessellatipennis* Brunetti](#), 1912
- [*T. tesuque* Teale](#), 1985
- [*T. thibetana* de Meijere](#), 1904
- [*T. trilobata* Edwards](#), 1928
- [*T. tsiosenica* Alexander](#), 1945
- [*T. umbra* Alexander](#), 1959
- [*T. waltoni* Edwards](#), 1928
- [*T. wardi* Edwards](#), 1928
- [*T. warneri* Alexander](#), 1944

***Tipula* subg. *Sivatipula* [**Alexander**](#), 1964**

- [*T. alhena* Alexander](#), 1953
- [*T. bhishma* Alexander](#), 1964

- [*T. biprocessa*](#) Xue and Men, 2016
- [*T. filicornis*](#) Brunetti, 1918
- [*T. lackschewitziana*](#) Alexander, 1928
- [*T. mitocera*](#) Alexander, 1927
- [*T. multidentata*](#) Men, 2018
- [*T. parvaureola*](#) Alexander, 1941
- [*T. pianmaensis*](#) Men, 2020
- [*T. podenasi*](#) Men, 2020
- [*T. pseudofilicornis*](#) Men, 2020
- [*T. pullimargo*](#) Alexander, 1951
- [*T. similis*](#) Men, 2016
- [*T. suensoniana*](#) Alexander, 1940
- [*T. tergatruncata*](#) Men, 2018
- [*T. tongbiguanensis*](#) Men, 2016
- [*T. yigongensis*](#) Yang, Pan and Yang, 2019

***Tipula* subg. *Spinipitula* [Alexander](#), 1963**

- [*T. citricornis*](#) Alexander, 1955
- [*T. lactineipes*](#) Alexander, 1961
- [*T. spinimarginata*](#) Alexander, 1951

***Tipula* subg. *Tipula* [Linnaeus](#), 1758**

- [*T. atlantica*](#) Mannheims, 1962
- [*T. bicolor*](#) Loew, 1866
- [*T. capnionura*](#) Speiser, 1909
- [*T. chubbi*](#) Alexander, 1956
- [*T. consobrina*](#) Theowald, 1984
- [*T. eumecacera*](#) Speiser, 1909
- [*T. flagellicurta*](#) Mannheims, 1958
- [*T. frater*](#) Alexander, 1921
- [*T. hollanderi*](#) Theowald, 1977
- [*T. hungarica*](#) Lackschewitz, 1930
- [*T. italica*](#) Lackschewitz, 1930
- [*T. kleinschmidtii*](#) Mannheims, 1950
- [*T. lobeliae*](#) Alexander, 1956
- [*T. loeffleri*](#) Theowald, 1984
- [*T. lourensi*](#) den Hollander, 1975
- [*T. mediterranea*](#) Lackschewitz, 1930
- [*T. oleracea*](#) [Linnaeus](#), 1758
- [*T. orientalis*](#) Lackschewitz, 1930
- [*T. paludosa*](#) Meigen, 1830
- [*T. plumbea*](#) Fabricius, 1781
- [*T. soror*](#) Wiedemann, 1820
- [*T. speiseriana*](#) Alexander, 1930
- [*T. strigata*](#) Loew, 1866

- [*T. subaptera*](#) Freeman, 1950
- [*T. subcunctans*](#) [Alexander](#), 1921
- [*T. zimbabwensis*](#) Theowald, 1984

***Tipula* subg. *Tipulodinodes* [Alexander](#), 1965**

- [*T. lacteipes*](#) [Alexander](#), 1943

***Tipula* subg. *Trichotipula* [Alexander](#), 1915**

- [*T. algonquin*](#) [Alexander](#), 1915
- [*T. apache*](#) [Alexander](#), 1916
- [*T. aplecta*](#) [Alexander](#), 1946
- [*T. beatula*](#) [Osten Sacken](#), 1877
- [*T. bituberculata*](#) [Doane](#), 1901
- [*T. breedlovei*](#) [Alexander](#), 1969
- [*T. cahuilla*](#) [Alexander](#), 1920
- [*T. capistrano*](#) [Alexander](#), 1946
- [*T. cazieri*](#) [Alexander](#), 1942
- [*T. cimarronensis*](#) [Rogers](#), 1931
- [*T. desertorum*](#) [Alexander](#), 1946
- [*T. dis*](#) [Alexander](#), 1962
- [*T. dorsolineata*](#) [Doane](#), 1901
- [*T. frommeri*](#) [Alexander](#), 1973
- [*T. furialis*](#) [Alexander](#), 1946
- [*T. geronimo*](#) [Alexander](#), 1946
- [*T. gertschi*](#) [Alexander](#), 1963
- [*T. guasa*](#) [Alexander](#), 1916
- [*T. haplotricha*](#) [Alexander](#), 1934
- [*T. hedgesi*](#) [Alexander](#), 1961
- [*T. kennedyana*](#) [Alexander](#), 1965
- [*T. kraussi*](#) [Alexander](#), 1946
- [*T. longifimbriata*](#) [Alexander](#), 1936
- [*T. macrophallus*](#) ([Dietz](#), 1918)
- [*T. malkini*](#) [Alexander](#), 1955
- [*T. mallophora*](#) [Alexander](#), 1936
- [*T. mayedai*](#) [Alexander](#), 1946
- [*T. megalodonta*](#) [Alexander](#), 1946
- [*T. mulaiki*](#) [Alexander](#), 1948
- [*T. oropezoides*](#) [Johnson](#), 1909
- [*T. pachyrhinoides*](#) [Alexander](#), 1915
- [*T. politonigra*](#) [Alexander](#), 1953
- [*T. polytricha*](#) [Alexander](#), 1932
- [*T. proluxa*](#) [Alexander](#), 1947
- [*T. puncticollis*](#) ([Dietz](#), 1918)
- [*T. religiosa*](#) [Alexander](#), 1946
- [*T. repulsa*](#) [Alexander](#), 1943

- [*T. retinens* Alexander](#), 1946
- [*T. sanctaecruzae* Alexander](#), 1973
- [*T. sayloriana* Alexander](#), 1946
- [*T. selanderi* Alexander](#), 1956
- [*T. stonei* Alexander](#), 1965
- [*T. subapache* Alexander](#), 1947
- [*T. unimaculata* \(Loew\)](#), 1864)
- [*T. uxor* Alexander](#), 1946
- [*T. vultuosa* Alexander](#), 1946

***Tipula* subg. [*Triplicitipula* Alexander](#), 1965**

- [*T. acuta* Doane](#), 1901
- [*T. aequalis* Doane](#), 1901
- [*T. barnesiana* Alexander](#), 1963
- [*T. bellamyi* Alexander](#), 1965
- [*T. colei* Alexander](#), 1942
- [*T. doaneiana* Alexander](#), 1919
- [*T. flavoumbrosa* Alexander](#), 1918
- [*T. hoogstraali* Alexander](#), 1940
- [*T. idiotricha* Alexander](#), 1965
- [*T. integra* Alexander](#), 1962
- [*T. justa* Alexander](#), 1935
- [*T. lygropis* Alexander](#), 1920
- [*T. minensis* Alexander](#), 1936
- [*T. nastjasta* Yang & Yang](#), 1991
- [*T. perlongipes* Johnson](#), 1909
- [*T. planicornis* Doane](#), 1912
- [*T. praecisa* Loew](#), 1872
- [*T. pubera* Loew](#), 1864
- [*T. quaylii* Doane](#), 1909
- [*T. sanctaeritae* Alexander](#), 1946
- [*T. silvestra* Doane](#), 1909
- [*T. simplex* Doane](#), 1901
- [*T. subtilis* Doane](#), 1901
- [*T. sylvicola* Doane](#), 1912
- [*T. triplex* Walker](#), 1848
- [*T. umbrosa* Loew](#), 1863
- [*T. variipetiolaris* Alexander](#), 1933
- [*T. vestigipennis* Doane](#), 1908
- [*T. williamsii* Doane](#), 1909

***Tipula* subg. *Vestiplex* [*Bezzi*](#), 1924**

- [*T. acudorsata* Alexander](#), 1970
- [*T. adungensis* Alexander](#), 1963
- [*T. aestiva* Savchenko](#), 1960

- [*T. aldrichiana* Alexander](#), 1929
- [*T. alyxis* Alexander](#), 1963
- [*T. ambigua* Savchenko](#), 1964
- [*T. apicifurcata* Yang & Yang](#), 1992
- [*T. aptera* Savchenko](#), 1955
- [*T. arctica* Curtis](#), 1835
- [*T. arisanensis* Edwards](#), 1921
- [*T. auriculatalobata* Starkevich, Men and Saldaitis](#), 2019
- [*T. avicularia* Edwards](#), 1928
- [*T. avicularoides* Alexander](#), 1936
- [*T. balioptera* Loew](#), 1863
- [*T. baliopteroides* Alexander](#), 1945
- [*T. bergrothiana* Alexander](#), 1918
- [*T. bhutia* Alexander](#), 1959
- [*T. bicalcarata* Savchenko](#), 1965
- [*T. bicornigera* Alexander](#), 1938
- [*T. bicornuta* Alexander](#), 1920
- [*T. bisentis* Alexander](#), 1951
- [*T. biserra* Edwards](#), 1921
- [*T. borthi* Starkevich, Men and Saldaitis](#), 2019
- [*T. breviloba* Men and Starkevich](#), 2021
- [*T. bryceana* Alexander](#), 1964
- [*T. butvilai* Starkevich, Saldaitis and Men](#), 2019
- [*T. canadensis* Loew](#), 1864
- [*T. caroliniana* Alexander](#), 1916
- [*T. centralis* Loew](#), 1864
- [*T. chiswellana* Alexander](#), 1964
- [*T. churchillensis* Alexander](#), 1940
- [*T. cisalpina* Riedel](#), 1913
- [*T. coquilletiana* Alexander](#), 1924
- [*T. coronifera* Savchenko](#), 1960
- [*T. cremeri* Alexander](#), 1941
- [*T. crolina* Dufour](#), 1992
- [*T. czizekiana* Alexander](#), 1970
- [*T. dechangensis* Men, Starkevich and Saldaitis](#), 2021
- [*T. deserrata* Alexander](#), 1934
- [*T. dhalma* Starkevich and Podenas](#), 2011
- [*T. distifurca* Alexander](#), 1942
- [*T. divisotergata* Alexander](#), 1932
- [*T. dobrotworskyana* Alexander](#), 1968
- [*T. doron* Alexander](#), 1961
- [*T. erectiloba* Alexander](#), 1940
- [*T. eurydice* Alexander](#), 1961
- [*T. excisa* Schummel](#), 1833
- [*T. exechostyla* Alexander](#), 1964
- [*T. factiosa* Alexander](#), 1940
- [*T. fernandezi* Theowald](#), 1972
- [*T. foliacea* Alexander](#), 1924
- [*T. fragilicornis* Riedel](#), 1913

- [*T. franzi* Mannheims, 1950](#)
- [*T. freemanana* Alexander, 1963](#)
- [*T. fultonensis* Alexander, 1918](#)
- [*T. gandharva* Alexander, 1951](#)
- [*T. gedehana* de Meijere, 1911](#)
- [*T. gongdangensis* Men, Starkevich and Saldaitis, 2021](#)
- [*T. grahami* Alexander, 1933](#)
- [*T. guibifida* Yang & Yang, 1992](#)
- [*T. hadrostyla* Alexander, 1970](#)
- [*T. halteroptera* Alexander, 1951](#)
- [*T. hasiya* Pilipenko and Starkevich, 2020](#)
- [*T. hemapterandra* Bezzi, 1924](#)
- [*T. hemiptera* Mannheims, 1953](#)
- [*T. himalayensis* Brunetti, 1911](#)
- [*T. hirticeps* Savchenko, 1960](#)
- [*T. hortorum* Linnaeus, 1758](#)
- [*T. hugueniniana* Alexander, 1971](#)
- [*T. immota* Alexander, 1935](#)
- [*T. immsiana* Alexander, 1970](#)
- [*T. inaequidentata* Alexander, 1927](#)
- [*T. inaequifurca* Alexander, 1949](#)
- [*T. inquinata* Alexander, 1938](#)
- [*T. jakut* Alexander, 1934](#)
- [*T. jiangi* Yang & Yang, 1991](#)
- [*T. kamchatkana* Alexander, 1934](#)
- [*T. kashkarovi* Stackelberg, 1944](#)
- [*T. kiritshenkoi* Savchenko, 1960](#)
- [*T. kosswigi* Mannheims, 1953](#)
- [*T. kozlovi* Savchenko, 1960](#)
- [*T. kumaonensis* Alexander, 1961](#)
- [*T. kuwayamai* Alexander, 1921](#)
- [*T. kwanhsienana* Alexander, 1934](#)
- [*T. laccata* Lundstrom & Frey, 1916](#)
- [*T. laocai* Pilipenko, Starkevich and Gavryushin, 2019](#)
- [*T. leigongshanensis* Men and Young, 2017](#)
- [*T. leucophaea* Doane, 1901](#)
- [*T. leucoprocta* Mik, 1889](#)
- [*T. longarmata* Yang & Yang, 1999](#)
- [*T. longitudinalis* Nielsen, 1929](#)
- [*T. longiventris* Loew, 1863](#)
- [*T. malla* Alexander, 1959](#)
- [*T. maoershanensis* Men and Young, 2017](#)
- [*T. maoxianensis* Starkevich, Men and Saldaitis, 2019](#)
- [*T. medioflava* Yang & Yang, 1999](#)
- [*T. mediovittata* Mik, 1889](#)
- [*T. mitchelli* Edwards, 1927](#)
- [*T. montana* Curtis, 1834](#)
- [*T. nestor* Alexander, 1934](#)
- [*T. nigroapicalis* Brunetti, 1911](#)

- [*T. nigrocostata* Alexander](#), 1925
- [*T. nokonis* Alexander](#), 1928
- [*T. nubeculosa* Meigen](#), 1804
- [*T. nubila* Savchenko](#), 1960
- [*T. opilionimorpha* Savchenko](#), 1955
- [*T. optanda* Alexander](#), 1935
- [*T. pallidicosta* Pierre](#), 1924
- [*T. pallitergata* Alexander](#), 1934
- [*T. papandajanica* Edwards](#), 1932
- [*T. parvapiculata* Alexander](#), 1934
- [*T. pauxilla* Savchenko](#), 1960
- [*T. perretti* Alexander](#), 1928
- [*T. platymera* Walker](#), 1856
- [*T. pleuracantha* Edwards](#), 1928
- [*T. proboscelongata* Yang & Yang](#), 1991
- [*T. quadricorna* Ren, Li and Yang](#), 2021
- [*T. quasimarmoratipennis* Brunetti](#), 1912
- [*T. rana* Alexander](#), 1959
- [*T. ravana* Alexander](#), 1953
- [*T. relict*a Dia & Theowald](#), 1982
- [*T. reposita* Walker](#), 1848
- [*T. rhimma* Alexander](#), 1961
- [*T. riedeliana* Mannheims](#), 1953
- [*T. rongtoensis* Alexander](#), 1963
- [*T. saccai* Mannheims](#), 1950
- [*T. scandens* Edwards](#), 1928
- [*T. schizophallus* Alexander](#), 1973
- [*T. schummelana* Alexander](#), 1968
- [*T. scripta* Meigen](#), 1830
- [*T. semivittata* Savchenko](#), 1960
- [*T. serricauda* Alexander](#), 1914
- [*T. serridens* Alexander](#), 1920
- [*T. serrulata* Loew](#), 1864
- [*T. setigera* Savchenko](#), 1960
- [*T. sexspinosa* Strobl](#), 1898
- [*T. siddartha* Alexander](#), 1961
- [*T. siebkeana* Alexander](#), 1970
- [*T. sintenisi* Lackschewitz](#), 1933
- [*T. spathacea* Alexander](#), 1963
- [*T. styligera* Alexander](#), 1927
- [*T. subapterogyne* Alexander](#), 1920
- [*T. subbifida* Alexander](#), 1953
- [*T. subcentralis* Alexander](#), 1918
- [*T. subscripta* Edwards](#), 1928
- [*T. subtestata* Alexander](#), 1938
- [*T. subtincta* Brunetti](#), 1912
- [*T. tacomicola* Alexander](#), 1949
- [*T. takahashiana* Alexander](#), 1938
- [*T. tanycera* Alexander](#), 1961

- [*T. tardigrada* Edwards](#), 1928
- [*T. tchukchi* Alexander](#), 1934
- [*T. teshionis* Alexander](#), 1921
- [*T. testata* Alexander](#), 1935
- [*T. theowaldana* Alexander](#), 1964
- [*T. tillyardana* Alexander](#), 1970
- [*T. tumididens* Savchenko](#), 1988
- [*T. tumulta* Alexander](#), 1934
- [*T. tuta* Alexander](#), 1936
- [*T. vaillanti* Theowald](#), 1977
- [*T. verecunda* Alexander](#), 1924
- [*T. virgatula* Riedel](#), 1913
- [*T. wahlgrenana* Alexander](#), 1968
- [*T. walkeriana* Alexander](#), 1971
- [*T. wrangeliana* Stackelberg](#), 1944
- [*T. xanthocephala* Yang & Yang](#), 1991
- [*T. xinduqiaoensis* Starkevich, Men and Saldaitis](#), 2019
- [*T. xingshana* Yang & Yang](#), 1997
- [*T. yunnanensis* Alexander](#), 1942
- [*T. zayulensis* Alexander](#), 1963
- [*T. zhengkuni* Men and Starkevich](#), 2021

***Tipula* subg. *Yamatotipula* [**Matsumura**](#), 1916**

- [*T. afriberia* Theowald & Oosterbroek](#), 1980
- [*T. aino* Alexander](#), 1914
- [*T. albifrons* Savchenko](#), 1967
- [*T. albocaudata* Doane](#), 1901
- [*T. amblyostyla* Savchenko](#), 1968
- [*T. anceps* Savchenko](#), 1965
- [*T. aprilina* Alexander](#), 1918
- [*T. aspidoptera* Alexander](#), 1916
- [*T. aviceniana* Savchenko](#), 1954
- [*T. barbarensis* Theowald & Oosterbroek](#), 1980
- [*T. bhoteana* Alexander](#), 1961
- [*T. bitumidosa* Alexander](#), 1971
- [*T. brevifurcata* Alexander](#), 1926
- [*T. caesia* Schummel](#), 1833
- [*T. caloptera* Loew](#), 1863
- [*T. calopteroides* Alexander](#), 1919
- [*T. carsoni* Alexander](#), 1963
- [*T. catawbiana* Alexander](#), 1940
- [*T. caucasimontana* Savchenko](#), 1955
- [*T. cayuga* Alexander](#), 1915
- [*T. cervicula* Doane](#), 1901
- [*T. chonsaniana* Alexander](#), 1945
- [*T. cimmericia* Speiser](#), 1909
- [*T. coerulescens* Lackschewitz](#), 1923

- [*T. cognata* Doane, 1901](#)
- [*T. colteri* Alexander, 1943](#)
- [*T. comanche* Alexander, 1916](#)
- [*T. concava* Alexander, 1926](#)
- [*T. conspicua* Dietz, 1917](#)
- [*T. continentalis* Alexander, 1941](#)
- [*T. couckeii* Tonnoir, 1921](#)
- [*T. dejecta* Walker, 1856](#)
- [*T. eluta* Loew, 1863](#)
- [*T. fendleri* Mannheims, 1963](#)
- [*T. fenestrella* Theowald, 1980](#)
- [*T. floridensis* Alexander, 1926](#)
- [*T. footeana* Alexander, 1961](#)
- [*T. fraterna* Loew, 1864](#)
- [*T. freyana* Lackschewitz, 1936](#)
- [*T. fulvilineata* Doane, 1912](#)
- [*T. furca* Walker, 1848](#)
- [*T. glendenningi* Alexander, 1943](#)
- [*T. grenfelli* Alexander, 1928](#)
- [*T. guentheri* Oosterbroek, 1994](#)
- [*T. hamata* Savchenko, 1953](#)
- [*T. hexacantha* Alexander, 1961](#)
- [*T. incana* Savchenko, 1955](#)
- [*T. iranensis* Theowald, 1978](#)
- [*T. iroquois* Alexander, 1915](#)
- [*T. jacintoensis* Alexander, 1946](#)
- [*T. jacobus* Alexander, 1931](#)
- [*T. jamaicensis* Alexander, 1928](#)
- [*T. jucunda* Savchenko, 1961](#)
- [*T. kamikochiensis* Alexander, 1941](#)
- [*T. kennicotti* Alexander, 1915](#)
- [*T. koikei* Alexander, 1971](#)
- [*T. lanei* Alexander, 1940](#)
- [*T. latemarginata* Alexander, 1921](#)
- [*T. lateralis* Meigen, 1804](#)
- [*T. lionota* Holmgren, 1883](#)
- [*T. lucifera* Savchenko, 1954](#)
- [*T. ludoviciana* Alexander, 1919](#)
- [*T. machidai* Alexander, 1933](#)
- [*T. maculipleura* Alexander, 1927](#)
- [*T. manahatta* Alexander, 1919](#)
- [*T. marginella* Theowald, 1980](#)
- [*T. meridiana* Doane, 1912](#)
- [*T. misakana* Alexander, 1953](#)
- [*T. moesta* Riedel, 1919](#)
- [*T. montium* Egger, 1863](#)
- [*T. nephophila* Alexander, 1940](#)
- [*T. nigrolamina* Alexander, 1950](#)
- [*T. nocticostata* Alexander, 1971](#)

- [*T. nova* Walker](#), 1848
- [*T. noveboracensis* Alexander](#), 1919
- [*T. nuntia* Alexander](#), 1946
- [*T. ompoensis* Alexander](#), 1945
- [*T. osceola* Alexander](#), 1927
- [*T. patagiata* Alexander](#), 1924
- [*T. pierrei* Tonnoir](#), 1921
- [*T. poliocephala* Alexander](#), 1922
- [*T. protrusa* Alexander](#), 1934
- [*T. pruinosa* Wiedemann](#), 1817
- [*T. quadrivittata* Staeger](#), 1840
- [*T. recticauda* Savchenko](#), 1953
- [*T. reversa* Alexander](#), 1956
- [*T. riedeli* Mannheims](#), 1952
- [*T. roya* Dufour](#), 2003
- [*T. sackeniana* Alexander](#), 1918
- [*T. sayi* Alexander](#), 1911
- [*T. sempiterna* Alexander](#), 1933
- [*T. setosipennis* Alexander](#), 1920
- [*T. shevtshenkoi* Savchenko](#), 1954
- [*T. solitaria* Savchenko](#), 1953
- [*T. spernax* Osten Sacken](#), 1877
- [*T. strepens* Loew](#), 1863
- [*T. subeluta* Johnson](#), 1913
- [*T. subincana* Savchenko](#), 1961
- [*T. submontium* Theowald & Oosterbroek](#), 1981
- [*T. subnova* Alexander](#), 1937
- [*T. subprotrusa* Savchenko](#), 1955
- [*T. subreversa* Alexander](#), 1956
- [*T. subvirgo* Alexander](#), 1951
- [*T. succincta* Alexander](#), 1940
- [*T. sulphurea* Doane](#), 1901
- [*T. tenebrosa* Coquillett](#), 1900
- [*T. tenuilinea* Alexander](#), 1959
- [*T. tephrocephala* Loew](#), 1864
- [*T. tricolor* Fabricius](#), 1775
- [*T. tsurugiana* Alexander](#), 1953
- [*T. vicina* Dietz](#), 1917
- [*T. virgo* Osten Sacken](#), 1886
- [*T. xanthostigma* Dietz](#), 1917
- [*T. yamamuriana* Alexander](#), 1926

Unplaced

- [*T. baileyi* Alexander](#), 1953
- [*T. bipendula* Alexander](#), 1934
- [*T. bispathifera* Savchenko](#), 1960
- [*T. cladomera* Alexander](#), 1936

- [*T. compressiloba* Alexander](#), 1938
- [*T. coxitalis* Alexander](#), 1935
- [*T. demeijerei* Edwards](#), 1915
- [*T. depressiloba* Oosterbroek & Theowald](#), 1992
- [*T. flavicosta* Alexander](#), 1915
- [*T. formosicola* Alexander](#), 1920
- [*T. frigida* Walker](#), 1848
- [*T. gressitti* Alexander](#), 1935
- [*T. idiopyga* Alexander](#), 1949
- [*T. imanoensis* Alexander](#), 1954
- [*T. incisurata* Alexander](#), 1940
- [*T. inordinans* Walker](#), 1859
- [*T. johanseni* Alexander](#), 1919
- [*T. kusunokiana* Alexander](#), 1955
- [*T. lanio* Alexander](#), 1945
- [*T. liui* Alexander](#), 1941
- [*T. maculatipennis* Say](#), 1824
- [*T. melanonotalis* Alexander](#), 1954
- [*T. microcellula* Alexander](#), 1923
- [*T. nippoalpina* Alexander](#), 1931
- [*T. opinata* Alexander](#), 1940
- [*T. otiosa* Alexander](#), 1924
- [*T. palesoides* Alexander](#), 1942
- [*T. percommoda* Alexander](#), 1938
- [*T. perelegans* Alexander](#), 1921
- [*T. perlata* Alexander](#), 1938
- [*T. pluriguttata* Alexander](#), 1920
- [*T. praeses* Alexander](#), 1942
- [*T. prolongata* Alexander](#), 1936
- [*T. puncticornis* Macquart](#), 1850
- [*T. repugnans* Alexander](#), 1940
- [*T. reservata* Alexander](#), 1941
- [*T. sexlobata* Alexander](#), 1938
- [*T. spectata* Alexander](#), 1940
- [*T. sternosetosa* Alexander](#), 1940
- [*T. sternotuberculata* Alexander](#), 1935
- [*T. strix* Alexander](#), 1918
- [*T. subdepressa* Alexander](#), 1941
- [*T. subnata* Alexander](#), 1949
- [*T. subpolaris* Alexander](#), 1919
- [*T. subyusou* Alexander](#), 1929
- [*T. superciliosa* Alexander](#), 1924

- [*T. tantula* Alexander](#), 1924
- [*T. terebrata* Edwards](#), 1921
- [*T. trimaculata*](#) (Emmons, 1854)
- [*T. tropica*](#) de Meijere, 1913
- [*T. varaha* Alexander](#), 1953
- [*T. xanthomelaena* Edwards](#), 1926
- [*T. yanoana* Alexander](#), 1953
- [*T. yusou* Alexander](#), 1914
- [*T. yusouoides* Alexander](#), 1929

References

1.

1. Williston, Samuel Wendell (1896). "[On the Diptera of St. Vincent \(West Indies\)](#)". *Transactions of the Entomological Society of London*. **1896**: 253–446, pls. 8–14. Retrieved 3 June 2018.

[Categories:](#)

- [Tipulidae](#)
- [Lists of insect species](#)
-

This is a list of 92 species in [Thrypticus](#), a genus of long-legged flies in the family [Dolichopodidae](#).^[1]
^[2]^[3]^[4]

Thrypticus species

- [Thrypticus abditus](#) Becker, 1922 ^c ^g
- [Thrypticus abdominalis](#) (Say, 1829) ⁱ ^c ^g
- [Thrypticus acuticauda](#) Van Duzee, 1929 ^c ^g
- [Thrypticus adauctus](#) Parent, 1933 ^c ^g
- [Thrypticus aequalis](#) Robinson, 1975 ^c ^g
- [Thrypticus afer](#) Vanschuytbroeck, 1951 ^c ^g
- [Thrypticus altaicus](#) Negrobov in Negrobov & Stackelberg, 1971 ^c ^g
- [Thrypticus amoenus](#) Becker, 1922 ^c ^g
- [Thrypticus analis](#) Becker, 1922 ^c ^g
- [Thrypticus aphroditus](#) Negrobov & Tsurikov, 1986 ^c ^g
- [Thrypticus arahakiensis](#) Bickel, 1992 ^c ^g ^[5]

- [*Thrypticus armatus* Robinson](#), 1975 ^{c g}
- [*Thrypticus atomus* Frey](#), 1915 ^{c g}
- [*Thrypticus aurinotatus*](#) Van Duzee, 1915 ^{i c g}
- [*Thrypticus australis*](#) Bickel, 1986 ^{c g}[6]
- [*Thrypticus azuricola*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus basalis*](#) Van Duzee, 1930 ^{c g}
- [*Thrypticus bellus* Loew](#), 1869 ^{c g}
- [*Thrypticus bolevensis*](#) Kejval & Pollet, 2024[7]
- [*Thrypticus brevicauda*](#) Van Duzee, 1930 ^{c g}
- [*Thrypticus caeruleus*](#) Naglis & [Negrobov](#), 2020[8]
- [*Thrypticus caudatus* Parent](#), 1939 ^{c g}
- [*Thrypticus chanophallus*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus circularis*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus comosus*](#) Van Duzee, 1915 ^{i c g}
- [*Thrypticus crinipes* Robinson](#), 1975 ^{c g}
- [*Thrypticus cuneatus*](#) (Becker, 1917) ^{c g}[9]
- [*Thrypticus cynicus*](#) Drake & Godfrey in Drake, Godfrey & Gibbs, 2023[10]
- [*Thrypticus deficiens* Robinson](#), 1980 ^{i c g}
- [*Thrypticus delicatus* Robinson](#), 1975 ^{c g}
- [*Thrypticus dissectus* Robinson](#), 1964 ^{i c g}
- [*Thrypticus divisus*](#) (Strobl, 1880) ^{c g}
- [*Thrypticus edwardsi*](#) Van Duzee, 1931 ^{c g}
- [*Thrypticus emiliae* Negrobov](#) in Negrobov & [Stackelberg](#), 1971 ^{c g}
- [*Thrypticus flavicornis*](#) Van Duzee, 1933 ^{c g}
- [*Thrypticus formosensis*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus fortescuensis*](#) Bickel, 1986 ^{c g}[6]
- [*Thrypticus fosteri* Robinson](#), 1980 ^{i c g}
- [*Thrypticus fraterculus*](#) (Wheeler, 1890) ^{i c g}
- [*Thrypticus grogani* Robinson](#), 1980 ^{i c g}
- [*Thrypticus incanus* Negrobov](#), 1967 ^{c g}
- [*Thrypticus intercedens* Negrobov](#), 1967 ^{c g}
- [*Thrypticus kataevi* Grichanov](#), 1998 ^{c g}
- [*Thrypticus laetus* Verrall](#), 1912 ^{c g}
- [*Thrypticus lichanus*](#) Drake in Drake, Godfrey & Gibbs, 2023[10]
- [*Thrypticus longicauda*](#) Van Duzee, 1921 ^{i c g}
- [*Thrypticus mediofuscus*](#) Runyon, 2020[11]
- [*Thrypticus minor*](#) (Aldrich, 1896) ^{c g}

- [*Thrypticus minutus* Parent, 1929](#)^{i c}
- [*Thrypticus mironovi* Grichanov, 1998](#)^{c g}
- [*Thrypticus mongoliensis* Negrobov, Selivanova & Maslova, 2019](#)[12]
- [*Thrypticus muhlenbergiae* Johannsen & Crosby, 1913](#)^{i c g}[13]
- [*Thrypticus nigricauda* Wood, 1913](#)^{c g}
- [*Thrypticus nigripes* Van Duzee, 1921](#)^{i c g}
- [*Thrypticus nigriseta* Van Duzee, 1931](#)^{c g}
- [*Thrypticus pallidicoxa* Parent, 1928](#)^{c g}
- [*Thrypticus paludicola* Negrobov in Negrobov & Stackelberg, 1971](#)^{c g}[8]
- [*Thrypticus parabellus* Grichanov, 2000](#)^{c g}
- [*Thrypticus parvulus* Van Duzee, 1930](#)^{c g}
- [*Thrypticus penicillatus* Van Duzee, 1931](#)^{c g}
- [*Thrypticus politus* Negrobov, 1967](#)^{c g}
- [*Thrypticus pollinosus* Verrall, 1912](#)^{c g}
- [*Thrypticus pruinosis* Parent, 1932](#)^{c g}
- [*Thrypticus pusillus* Aldrich, 1901](#)^{c g}
- [*Thrypticus riparius* Negrobov in Negrobov & Stackelberg, 1971](#)^{c g}
- [*Thrypticus romus* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus sagittatus* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus schmidtii* Parent, 1928](#)^{c g}
- [*Thrypticus scutellatus* Van Duzee, 1931](#)^{c g}
- [*Thrypticus senilis* Robinson, 1975](#)^{c g}
- [*Thrypticus sinevi* Grichanov, 1998](#)^{c g}
- [*Thrypticus singularis* \(Aldrich, 1896\)](#)^{c g}
- [*Thrypticus smaragdinus* Gerstäcker, 1864](#)^g
- [*Thrypticus spretus* Parent, 1934](#)^{c g}
- [*Thrypticus squamiciliatus* Harmston & Rapp, 1968](#)^{i c g}
- [*Thrypticus subdissectus* Robinson, 1975](#)^{c g}
- [*Thrypticus subtilis* Negrobov in Negrobov & Stackelberg, 1971](#)
- [*Thrypticus sumatranus* Hollis, 1964](#)^{c g}
- [*Thrypticus taragui* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus tarsalis* Parent, 1932](#)^{c g}[14]
- [*Thrypticus tectus* Van Duzee, 1915](#)^{i c g}
- [*Thrypticus tropicus* Bickel, 1986](#)^{c g}[6]
- [*Thrypticus truncatus* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus tsacasi* Negrobov in Negrobov & Stackelberg, 1971](#)^{c g}
- [*Thrypticus varipes* Robinson, 1975](#)^{c g}

- *Thrypticus vestitus* [Negrobov](#) in [Negrobov & Stackelberg](#), 1971 ^{c g}
- *Thrypticus vietus* [Van Duzee](#), 1915 ^{i c g}
- *Thrypticus violaceus* [Van Duzee](#), 1927 ^{i c g b}
- *Thrypticus virescens* [Negrobov](#), 1967 ^{c g}
- *Thrypticus willistoni* ([Wheeler](#), 1890) ^{i c g b}
- *Thrypticus yanayacu* [Bickel & Hernández](#), 2004 ^{c g}
- *Thrypticus zagulyaevi* [Grichanov](#), 1998 ^{c g}

Unrecognised species:

- *Thrypticus aeneus* ([Meigen](#), 1838) ^{c g}
- *Thrypticus alpinus* ([Meigen](#), 1824) ^{c g}
- *Thrypticus bicolor* ([Macquart](#), 1827) ^{c g}
- *Thrypticus coeruleocephalus* ([Meigen](#), 1824) ^c
- *Thrypticus cupreus* ([Macquart](#), 1838) ^{c g}
- *Thrypticus cylindricum* ([Zetterstedt](#), 1838) ^{c g}
- *Thrypticus decoratus* ([Haliday](#), 1832) ^{c g}
- *Thrypticus exiguus* ([Zetterstedt](#), 1843) ^{c g}
- *Thrypticus festiva* ([Meigen](#), 1838) ^{c g}
- *Thrypticus fasciatus* ([Macquart](#), 1834) ^{c g}
- *Thrypticus fulgidus* ([Fallen](#), 1823) ^{c g}
- *Thrypticus inconspicuus* ([Zetterstedt](#), 1843) ^{c g}
- *Thrypticus longicollis* ([Meigen](#), 1824) ^{c g}
- *Thrypticus maculipes* ([Meigen](#), 1824) ^{c g}
- *Thrypticus magnicornis* ([Zetterstedt](#), 1843) ^{c g}
- *Thrypticus minuta* ([Fabricius](#), 1805) ^{c g}
- *Thrypticus misellus* ([Boheman](#), 1852) ^{c g}
- *Thrypticus obscuratus* ([Meigen](#), 1824) ^{c g}
- *Thrypticus parvus* ([Macquart](#), 1834) ^{c g}
- *Thrypticus rufipes* ([Meigen](#), 1838) ^{c g}
- *Thrypticus sublamellatus* ([Macquart](#), 1827) ^{c g}
- *Thrypticus suturalis* ([Meigen](#), 1830) ^{c g}
- *Thrypticus thoracicus* ([Meigen](#), 1824) ^{c g}

Synonyms:

- *Thrypticus cupulifer* ([Aldrich](#), 1896): ^{c g} synonym of *Thrypticus abdominalis* ([Say](#), 1829)
- *Thrypticus fennicus* [Becker](#), 1917: ^{c g} synonym of *Thrypticus divisus* ([Strobl](#), 1880)
- *Thrypticus insulanus* [Van Duzee](#), 1933: ^{c g} synonym of *Thrypticus minutus* [Parent](#), 1929

- *Thrypticus kechevi* Naglis & [Negrobov](#), 2020:[8] transferred to [Corindia](#), synonym of [Corindia viridis](#) (Parent, 1932)[10]
- *Thrypticus tonsus* [Negrobov](#) in Negrobov & [Stackelberg](#), 1972: ^{c g} synonym of [Thrypticus subtilis](#) [Negrobov](#) in Negrobov & [Stackelberg](#), 1971[8]
- *Thrypticus viridis* [Parent](#), 1932: ^{c g} transferred to [Corindia](#)[10]
- †*Thrypticus gestuosus* Meunier, 1907: transferred to [Medeterites](#)[15]
- †*Thrypticus gulosus* Meunier, 1907: transferred to [Medeterites](#)[15]

The following species are unplaced in the family:[16]

- †*Thrypticus sobrius* Meunier, 1907

The following are listed for the genus by online databases, but are actually placed in other genera:

- *Thrypticus dissimilipes* ([Zetterstedt](#), 1843): ^{c g} Actually in [Dolichopus](#), synonym of [Dolichopus lepidus](#) [Staeger](#), 1842
- *Thrypticus flavicoxa* ([Meigen](#), 1824): ^{c g} Actually in [Anepsiomyia](#), synonym of [Anepsiomyia flaviventris](#) ([Meigen](#), 1824)
- *Thrypticus flaviventris* ([Macquart](#), 1827): ^{c g} Actually in [Argyra](#), synonym of [Argyra ilonae](#) [Gosseries](#), 1989
- *Thrypticus fulviventris* ([Macquart](#), 1827): ^{c g} Actually in [Argyra](#), synonym of [Argyra leucocephala](#) ([Meigen](#), 1824)
- *Thrypticus pygmaeus* ([Macquart](#), 1828): ^{c g} Actually in [Sympycnus](#), synonym of [Sympycnus pulicarius](#) ([Fallen](#), 1823)
- *Thrypticus ruficauda* ([Zetterstedt](#), 1859): ^{c g} Actually in [Hercostomus](#)
- *Thrypticus taeniomereus* ([Zetterstedt](#), 1843): ^{c g} Actually in [Chrysotus](#), possible synonym of [Chrysotus pulchellus](#) [Kowarz](#), 1874
- *Thrypticus thalassinus* ([Haliday](#), 1832): ^{c g} Actually in [Dolichopus](#), possible synonym of [Dolichopus simplex](#) [Meigen](#), 1824
- *Thrypticus tibialis* ([von Roser](#), 1840): ^{c g} Actually in [Rhaphium](#)
- *Thrypticus zonatulus* ([Zetterstedt](#), 1843): ^{c g} Actually in [Sciapus](#)

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These roughly 140 species belong to [Tetrix](#), a genus of ground hoppers or pygmy grasshoppers in the family [Tetrigidae](#). [1][2][3][4]

***Tetrix* species**

- [Tetrix aelytra](#) Deng, Zheng & Wei, 2009 ^{c g}
- [Tetrix akagiensis](#) Uchida & Ichikawa, 1999 ^{c g}

- [*Tetrix arcunota*](#) Ingrisch, 2001 (pending) (or as malformed "*arcunotus*")^{c g}
- [*Tetrix arenosa*](#) Burmeister, 1838^{i c g b} (obscure pygmy grasshopper)
- [*Tetrix areolata*](#) Westwood, 1841^{c g}
- [*Tetrix barbifemura*](#) Zheng, 1998^{c g}
- [*Tetrix barbipes*](#) Zheng, 2004^{c g}
- [*Tetrix beibuwanensis*](#) Zheng & Jiang, 1994^{c g}
- [*Tetrix beihaiensis*](#) Deng & Zheng, 2007^{c g}
- [*Tetrix bipunctata*](#) (Linnaeus, 1758)^{c g} (or as malformed "*bipunctatus*")ⁱ
- [*Tetrix bolivari*](#) Saulcy, 1901^{c g}
- [*Tetrix brachynota*](#) Zheng & Deng, 2004^{c g}
- [*Tetrix brevicornis*](#) Zheng Lin & Shi, 2012^{c g}
- [*Tetrix brevipennis*](#) Zheng & Ou, 2010^{c g}
- [*Tetrix brunnerii*](#) (Bolívar, 1887)^{b c g} (or as malformed "*brunneri*")ⁱ (Brunner's pygmy grasshopper)
- [*Tetrix cangshanensis*](#) Deng, Wang & Mao, 2021^{c g}
- [*Tetrix cavifrontalis*](#) Liang, 1998^{c g}
- [*Tetrix ceperoi*](#) (Bolívar, 1887)^{c g} (Cepero's groundhopper)
- [*Tetrix ceperoides*](#) Zheng & Jiang, 1997^{c g}
- [*Tetrix changbaishanensis*](#) Ren, Wang & Sun, 2003^{c g}
- [*Tetrix changchunensis*](#) Wang, Wang & Ren, 2005^{c g}
- [*Tetrix chichibuensis*](#) Uchida & Ichikawa, 1999^{c g}
- [*Tetrix chongqingensis*](#) Zheng & Shi, 2002^{c g}
- [*Tetrix collina*](#) Rehn, 1952^{c g}
- [*Tetrix condylops*](#) Gerstaecker, 1869^{c g}
- [*Tetrix coronata*](#) Fischer von Waldheim, 1833 (pending)
- [*Tetrix curvimarginus*](#) Zheng & Deng, 2004^{c g}
- [*Tetrix dentifemura*](#) Zheng, Shi & Luo, 2003^{c g}
- [*Tetrix depressa*](#) Brisout de Barneville, 1848^{c g}
- [*Tetrix dimidiata*](#) Westwood, 1841^{c g}
- [*Tetrix dongningensis*](#) Wang, 2007^{c g}
- [*Tetrix dorrigensis*](#) Rehn, 1952^{c g}
- [*Tetrix ensifera*](#) Westwood, 1841 (pending) (or as malformed "*enisfer*")^{c g}
- [*Tetrix erhaiensis*](#) Zheng & Mao, 1997^{c g}
- [*Tetrix ewenkensis*](#) Zheng, Shi & Mao, 2010^{c g}
- [*Tetrix eyouqiensis*](#) Liang, 1996^{c g} (g pending from "equoqiensis")
- [*Tetrix fengmanensis*](#) Ren, Meng & Sun, 2003^{c g}

- [*Tetrix fuchuanensis*](#) Zheng, 1998 ^{c g}
- [*Tetrix fuliginosa*](#) (Zetterstedt, 1828) ^{c g}
- [*Tetrix fuliginosoides*](#) Deng, 2016 ^{c g}
- [*Tetrix gavoyi*](#) Saulcy, 1901 ^{c g}
- [*Tetrix gibberosa*](#) (Wang & Zheng, 1993) ^{c g}
- [*Tetrix gifuensis*](#) Storozhenko, Ichikawa & Uchida, 1994 ^{c g}
- [*Tetrix grossifemura*](#) Zheng & Jiang, 1997 ^{c g}
- [*Tetrix quangxiensis*](#) Zheng & Jiang, 1996 ^{c g}
- [*Tetrix quibeiensis*](#) Zheng, Lu & Li, 2000 ^{c g}
- [*Tetrix quibeioides*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix quilinica*](#) Li & Huang, 2000 ^{c g}
- [*Tetrix quinanensis*](#) Zheng & Jiang, 2002 ^{c g}
- [*Tetrix huanjiangensis*](#) Zheng, Shi & Mao, 2010 ^{c g}
- [*Tetrix hururana*](#) Ingrisch, 2001 ^(pending) (or as malformed "*arcunotus*") ^{c g}
- [*Tetrix interrupta*](#) Zheng, 2004 ^{c g}
- [*Tetrix irrupta*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix japonica*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix jigongshanensis*](#) Zhao, Niu & Zheng, 2010 ^{c g}
- [*Tetrix jilinensis*](#) Ren, Wang & Meng, 2004 ^{c g}
- [*Tetrix jinshajiangensis*](#) Zheng & Shi, 2001 ^{c g}
- [*Tetrix kantoensis*](#) Uchida & Ichikawa, 1999 ^{c g}
- [*Tetrix kraussi*](#) Saulcy, 1888 ^{c g}
- [*Tetrix kunmingensis*](#) Zheng & Ou, 1993 ^{c g}
- [*Tetrix kunmingoides*](#) Zheng, 2005 ^{c g}
- [*Tetrix laticeps*](#) Westwood, 1841 ^{c g}
- [*Tetrix latifemuroides*](#) Zheng & Xie, 2004 ^{c g}
- [*Tetrix latifemurus*](#) Zheng & Xie, 2004 ^{c g}
- [*Tetrix lativertex*](#) Zheng, Li & Wei, 2002 ^{c g}
- [*Tetrix longipennis*](#) Zheng, 2006 ^{c g} (homonym of *Tetrix longipennis* Hancock, 1909 = *Paratettix argillaceus* (Erichson, 1842))
- [*Tetrix longipennioides*](#) Zheng & Ou, 2010 ^{c g}
- [*Tetrix longzhouensis*](#) Zheng & Jiang, 2000 ^{c g}
- [*Tetrix macilenta*](#) Ichikawa, 1993 ^{c g}
- [*Tetrix maguanensis*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix mandanensis*](#) Zheng & Ou, 2010 ^{c g}
- [*Tetrix minor*](#) Ichikawa, 1993 ^{c g}

- [*Tetrix montivaga*](#) Rehn, 1952 ^{c g}
- [*Tetrix morbillosa*](#) (Fabricius, 1787) ^{c g} (or as malformed "*morbillosus*") ^{wikis}
- [*Tetrix munda*](#) (Walker, 1871) ^{c g}
- [*Tetrix nanpanjiangensis*](#) Deng, Zheng & Wei, 2008 ^{c g}
- [*Tetrix nanshanensis*](#) (Liang & Jiang, 2014) ^{c g}
- [*Tetrix neozhengi*](#) Huang, 2014 ^{c g}
- [*Tetrix nigricollis*](#) Walker, 1871 ^{c g} (or as malformed "*nigricolle*") ^{wikis}
- [*Tetrix nigrimaculata*](#) Zheng & Shi, 2002 ^c (or as malformed and misspelt "*nigromaculatus*") ^g,
wikis
- [*Tetrix nigrimarginis*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix nigristriata*](#) Zheng & Nie, 2005 (pending) (or as malformed "*nigristriatus*") ^{c g}
- [*Tetrix nigrotibialis*](#) Chen, Zheng & Zeng, 2010 ^{c g}
- [*Tetrix nikkoensis*](#) Uchida & Ichikawa, 1999 ^{c g}
- [*Tetrix nodulosa*](#) (Fieber, 1853) ^{c g}
- [*Tetrix nonmaculata*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix ochronotata*](#) Zheng, 1998 ^{c g}
- [*Tetrix ornata*](#) (Say, 1824) ^{i c g b} (ornate pygmy grasshopper)
- [*Tetrix parabarbifemura*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix parabipunctata*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix parabrachynota*](#) Zheng, Wang & Shi, 2007 ^{c g}
- [*Tetrix phrynus*](#) Rehn, 1952 ^{c g}
- [*Tetrix priscus*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix pseudodepressa*](#) (Ingrisch, 2006) (pending) (or as malformed "*pseudodepressus*") ^{c g}
- [*Tetrix pseudosimulans*](#) Zheng & Shi, 2010 ^{c g}
- [*Tetrix puerensis*](#) Zheng, 2007 ^{c g}
- [*Tetrix qilianshanensis*](#) Zheng & Chen, 2000 ^{c g}
- [*Tetrix reducta*](#) (Walker, 1871) ^{c g}
- [*Tetrix sadoensis*](#) Storozhenko, Ichikawa & Uchida, 1994 ^{c g}
- [*Tetrix serrifemoralis*](#) Zheng, 1998 ^{c g} (or as malformed ("*serrifemora*") ^{wikis}
- [*Tetrix serrifemoroides*](#) Zheng & Jiang, 2002 ^{c g}
- [*Tetrix shaanxiensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix shennongjiaensis*](#) Zheng, Li & Wei, 2002 ^{c g}
- [*Tetrix sierrana*](#) Rehn & Grant, 1956 ^{i c g b} (sierra pygmy grasshopper)
- [*Tetrix silvicultrix*](#) Ichikawa, 1993 ^{c g}
- [*Tetrix simingshanensis*](#) Chen, Zhang, Li & Yin, 2022 ^{c g}
- [*Tetrix simulanooides*](#) Zheng & Jiang, 1996 ^{c g}

- [*Tetrix simulans*](#) (Bey-Bienko, 1929) ^{c g}
- [*Tetrix sinufemoralis*](#) Liang, 1998 ^{c g}
- [*Tetrix sipingensis*](#) Hao, Wang & Ren, 2006 ^{c g}
- [*Tetrix subulata*](#) (Linnaeus, 1761) ^{i c g b} (slender groundhopper or awl-shaped pygmy grasshopper)
- [*Tetrix tartara*](#) (Saussure, 1887) ^{c g}
- [*Tetrix tenuicornis*](#) (Sahlberg, 1891) ^{c g}
- [*Tetrix tenuicornoides*](#) Wang, Yuan & Ren, 2006 ^{c g}
- [*Tetrix tereeshumerus*](#) Zheng & Wang, 2005 ^{c g}
- [*Tetrix tianensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix tinkhami*](#) Zheng & Liang, 1998 ^{c g}
- [*Tetrix torulosinota*](#) Zheng, 1998 ^{c g}
- [*Tetrix torulosinotoides*](#) Zheng & Jiang, 2004 ^{c g}
- [*Tetrix totulihumerus*](#) Zheng & Nie, 2005 ^{c g}
- [*Tetrix transimacula*](#) Zheng, 1998 ^{c g}
- [*Tetrix transsylvanica*](#) (Bazyluk & Kis, 1960) ^{c g}
- [*Tetrix tubercarina*](#) Zheng & Jiang, 1994 ^{c g}
- [*Tetrix tuerki*](#) (Krauss, 1876) ^{c g}
- [*Tetrix undatifemura*](#) Zheng, Huo & Zhang, 2000 ^{c g}
- [*Tetrix undulata*](#) (Sowerby, 1806) ^{c g} (common groundhopper)
- [*Tetrix wadai*](#) Uchida & Ichikawa, 1999 ^{c g}
- [*Tetrix weishanensis*](#) Zheng & Mao, 2002 ^{c g}
- [*Tetrix xiangzhouensis*](#) Deng, Zheng & Wei, 2008 ^{c g}
- [*Tetrix xiaowutaishanensis*](#) Zheng & Shi, 2010 ^{c g}
- [*Tetrix xinganensis*](#) Zheng & Zhou, 1997 ^{c g}
- [*Tetrix yangshuoensis*](#) Li & Huang, 2000 ^{c g}
- [*Tetrix yaoshanensis*](#) Liang, 1998 ^{c g}
- [*Tetrix yizhouensis*](#) Zheng & Deng, 2004 ^{c g}
- [*Tetrix yunnanensis*](#) Zheng, 1992 ^{c g}
- [*Tetrix zayuensis*](#) Zheng & Shi, 2009 ^{c g}
- [*Tetrix zhengi*](#) Jiang, 1994 ^{c g}
- [*Tetrix zhengioides*](#) Zheng, 2004 ^{c g}
- [*Tetrix zhongshanensis*](#) Deng, Zheng & Wei, 2007 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

--- Others (as of 2024), since transferred or synonymised:

- [*Tetrix albistriatus*](#) Yao, Yanping & Zheng, 2006 ^{c g}

- [*Tetrix albomaculatus*](#) Zheng & Jiang, 2006 ^{c g}
- [*Tetrix albomarginis*](#) Zheng & Nie, 2005 ^{c g}
- [*Tetrix albomarginisoides*](#) Deng, 2016 ^{c g}
- [*Tetrix albonota*](#) Zheng, 2005 ^{c g}
- [*Tetrix americana*](#) Hancock, 1909 ^{i c g}
- [*Tetrix andeanum*](#) (Hebard, 1923) ^{c g}
- [*Tetrix baditibialis*](#) Deng, 2016 ^{c g}
- [*Tetrix baoshanensis*](#) Zheng, Wei & Liu, 1999
- [*Tetrix cenwanglaoshana*](#) Zheng, Jiang & Liu, 2005 ^{c g}
- [*Tetrix cliva*](#) Zheng & Deng, 2004
- [*Tetrix crassivulva*](#) Denis, 1954
- [*Tetrix cuspidata*](#) Hancock, 1907 ^{c g}
- [*Tetrix cyaneum*](#) (Stoll, C.) ^{c g}
- [*Tetrix dubiosus*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix duolunensis*](#) Zheng, 1996 ^{c g}
- [*Tetrix dushanensis*](#) Deng, 2016 ^{c g}
- [*Tetrix fuhaiensis*](#) Zheng, Zhang, Yang & Wang, 2006 ^{c g}
- [*Tetrix glochinota*](#) Zhao, Niu & Zheng, 2010 ^{c g}
- [*Tetrix gracilis*](#) Bruner, 1906 ^{c g}
- [*Tetrix granulata*](#) (Kirby, 1837) ⁱ
- [*Tetrix grossovalva*](#) Zheng, 1994 ^{c g}
- [*Tetrix jingheensis*](#) Liang, Zheng, 1998 ^{c g}
- [*Tetrix jiuwanshanensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix langshanensis*](#) Deng, W.-A., 2016 ^{c g}
- [*Tetrix latipalpa*](#) Cao & Zheng, 2011 ^{c g}
- [*Tetrix lativertexoides*](#) Deng, 2016 ^{c g}
- [*Tetrix liuwanshanensis*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix lochengensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix longipennis*](#) Zheng, 2006
- [*Tetrix mandanensis*](#) Zheng & Ou, 2010 ^{c g}
- [*Tetrix misera*](#) (Walker, 1871) ^{c g}
- [*Tetrix nanus*](#) Bruner, 1910 ^{c g}
- [*Tetrix qinlingensis*](#) Zheng, Huo & Zhang, 2000 ^{c g}
- [*Tetrix rectimargina*](#) Zheng & Jiang, 2004 ^{c g}
- [*Tetrix rongshuiensis*](#) Deng, 2016 ^{c g}
- [*Tetrix ruyuanensis*](#) Liang, 1998 ^{c g}
- [*Tetrix sigillatum*](#) Bolívar, 1908 ^{c g}

- [*Tetrix signatus*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix slivae*](#) (Kostia, 1993)
- [*Tetrix subulatoides*](#) Zheng, Zhang, Yang & Wang, 2006 ^{c g}
- [*Tetrix torulosifemura*](#) Deng, 2016 ^{c g}
- [*Tetrix tuberculata*](#) (Zheng & Jiang, 1997) ^{c g}
- [*Tetrix wagai*](#) Bazyluk, 1962 ^{c g}
- [*Tetrix xianensis*](#) Zheng, 1996 ^{c g}
- [*Tetrix xinchengensis*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix xinjiangensis*](#) Zheng, 1996 ^{c g}
- [*Tetrix yunlongensis*](#) Zheng & Mao, 2002 ^{c g}

This is a list of 105 species in [*Tetraloniella*](#), a genus of long-horned bees in the family [Apidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Tetraloniella* species**

- [*Tetraloniella abessinica*](#) (Friese, 1915) ^{i c g}
- [*Tetraloniella abrochia*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella albata*](#) (Cresson, 1872) ^{i c g b}
- [*Tetraloniella alboscopacea*](#) (Friese, 1909) ^{i c g}
- [*Tetraloniella alticincta*](#) (Lepeletier, 1841) ^{i c g}
- [*Tetraloniella apicalis*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella arizonica*](#) (Cockerell, 1937) ^{i c}
- [*Tetraloniella ataxia*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella aurantiflava*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella auricauda*](#) (LaBerge, 1970) ^{i c g}
- [*Tetraloniella ayala*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella balluca*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella bottandieri*](#) (Alfken, 1914) ^{i c g}
- [*Tetraloniella braunsiana*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella brevifellator*](#) (LaBerge, 1957) ^{i c g}
- [*Tetraloniella brevikeraia*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella brevipennis*](#) (Cameron, 1898) ^{i c g}
- [*Tetraloniella brooksi*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella cacuminis*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella capensis*](#) (Lepeletier, 1841) ^{i c g}

- [*Tetraloniella cinctella*](#) (Saunders, 1908) ^{i c g}
- [*Tetraloniella crenulaticornis*](#) (Cockerell, 1898) ^{i c g}
- [*Tetraloniella cressoniana*](#) (Cockerell, 1905) ^{i c g}
- [*Tetraloniella davidsoni*](#) (Cockerell, 1905) ^{i c}
- [*Tetraloniella dentata*](#) (Germar, 1839) ^{i c g}
- [*Tetraloniella distata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella donata*](#) (Cresson, 1878) ^{i c g}
- [*Tetraloniella elsei*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella eriocarp*](#) (Cockerell, 1898) ^{i c g b}
- [*Tetraloniella fasciata*](#) (LaBerge, 1970) ^{i c g}
- [*Tetraloniella fasciatella*](#) (LaBerge, 1970) ^{i c}
- [*Tetraloniella fastigiata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella flagellicornis*](#) (Smith, 1879) ^{i c g}
- [*Tetraloniella flavifasciata*](#) (Cockerell, 1949) ^{i c g}
- [*Tetraloniella flaviscopa*](#) (Hedicke, 1933) ^{i c g}
- [*Tetraloniella friesei*](#) (Meade-Waldo, 1914) ^{i c g}
- [*Tetraloniella fulvescens*](#) (Giraud, 1863) ^{i c g}
- [*Tetraloniella fulvicornis*](#) Morawitz ^g
- [*Tetraloniella fulvotecta*](#) (Cockerell, 1949) ^{i c g}
- [*Tetraloniella glabricornis*](#) (Cameron, 1908) ^{i c g}
- [*Tetraloniella graja*](#) (Eversmann, 1852) ^{i c g}
- [*Tetraloniella helianthorum*](#) (Cockerell, 1914) ^{i c g}
- [*Tetraloniella hohmanni*](#) (Tkalcu, 1993) ^{i c g}
- [*Tetraloniella holli*](#) (Alfken, 1914) ^{i c g}
- [*Tetraloniella iberica*](#) Dusmet y Alonso, 1926 ^g
- [*Tetraloniella imitatrix*](#) (Cockerell & Porter, 1899) ^{i c g}
- [*Tetraloniella incana*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella inermis*](#) (Friese, 1911) ^{i c g}
- [*Tetraloniella inulae*](#) (Tkalcu, 1979) ^{i c g}
- [*Tetraloniella jaliscoensis*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella julliani*](#) (Pérez, 1879) ^{i c g}
- [*Tetraloniella junodi*](#) (Friese, 1909) ^{i c g}
- [*Tetraloniella karooensis*](#) (Brauns, 1926) ^{i c g}
- [*Tetraloniella katangensis*](#) (Cockerell, 1930) ^{i c g}
- [*Tetraloniella keiseri*](#) (Benoist, 1962) ^{i c g}
- [*Tetraloniella lanzarotensis*](#) (Tkalcu, 1993) ^{i c g}

- [*Tetraloniella lippiae*](#) (Cockerell, 1904) ^{i c b}
- [*Tetraloniella longifellator*](#) (LaBerge, 1957) ^{i c g}
- [*Tetraloniella lyncea*](#) (Mocsáry, 1879) ^{i c g}
- [*Tetraloniella madecassa*](#) (Benoist, 1962) ^{i c g}
- [*Tetraloniella michaelsoni*](#) (Friese, 1916) ^{i c g}
- [*Tetraloniella michoacanensis*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella minuta*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella minuticornis*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella minutilla*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella nana*](#) (Morawitz, 1874) ^{i c g}
- [*Tetraloniella nanula*](#) (Cockerell, 1932) ^{i c g}
- [*Tetraloniella nigricans*](#) (Cockerell, 1932) ^{i c g}
- [*Tetraloniella nigriceps*](#) (Morawitz, 1895) ^{i c}
- [*Tetraloniella noguera*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella nostra*](#) (Cockerell, 1933) ^{i c g}
- [*Tetraloniella nursei*](#) Cockerell, 1922 ^{i c g}
- [*Tetraloniella nyassana*](#) (Strand, 1911) ^{i c g}
- [*Tetraloniella ochraea*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella ogilviae*](#) (Cockerell, 1935) ^{i c g}
- [*Tetraloniella ottiliensis*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella pachysoma*](#) (Cockerell, 1920) ^{i c g}
- [*Tetraloniella paenalbata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella paulyi*](#) Eardley, 2001 ^{i c g}
- [*Tetraloniella pennata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella perconcinna*](#) (Cockerell, 1949) ^{i c g}
- [*Tetraloniella pomonae*](#) (Cockerell, 1915) ^{i c g b}
- [*Tetraloniella ruficornis*](#) (Fabricius, 1804) ^{i c g}
- [*Tetraloniella salicariae*](#) (Lepeletier, 1841) ^{i c g}
- [*Tetraloniella salviae*](#) (LaBerge, 1989) ^{i c g}
- [*Tetraloniella scabiosae*](#) (Mocsáry, 1881) ^{i c g}
- [*Tetraloniella sierranila*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella silacea*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella simpsoni*](#) (Meade-Waldo, 1914) ^{i c g}
- [*Tetraloniella sjoestedti*](#) (Friese, 1909) ^{i c g}
- [*Tetraloniella snizeki*](#) (Tkalcu, 2003) ^{i c g}
- [*Tetraloniella sphaeralceae*](#) LaBerge, 2001 ^{i c g}

- [*Tetraloniella spissa*](#) (Cresson, 1872) ^{i c g}
- [*Tetraloniella strigata*](#) (Lepeletier, 1841) ^{i c g}
- [*Tetraloniella tenuifasciata*](#) (Friesse, 1911) ^{i c}
- [*Tetraloniella tethepa*](#) Eardley, 2001 ^{i c g}
- [*Tetraloniella trabeata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella trimera*](#) (Risch, 2001) ^{i c g}
- [*Tetraloniella vandykei*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella vansoni*](#) (Cockerell, 1935) ^{i c g}
- [*Tetraloniella viator*](#) (Cockerell, 1911) ^{i c g}
- [*Tetraloniella watmoughi*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella whiteheadi*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella wilmattae*](#) (Cockerell, 1917) ^{i c g}
- [*Tetraloniella yanega*](#) LaBerge, 2001 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 58 species belong to [*Terellia*](#), a genus of fruit flies in the family [*Tephritidae*](#).^{[1][2][3][4]}

***Terellia* species**

- [*Terellia amberboae*](#) Korneyev & Merz, 1996 ^{i c g}
- [*Terellia apicalis*](#) (Chen, 1938) ^{i c g}
- [*Terellia armeniaca*](#) (Korneyev, 1985) ^{i c g}
- [*Terellia blanda*](#) (Richter, 1975) ^{i c g}
- [*Terellia bushi*](#) Korneyez, 2006 ^{c g}
- [*Terellia caerulea*](#) (Hering, 1939) ^{i c g}
- [*Terellia ceratocera*](#) (Hendel, 1913) ^{i c g}
- [*Terellia clarissima*](#) Korneyev, 1987 ^{i c g}
- [*Terellia colon*](#) (Meigen, 1826) ^{i c g}
- [*Terellia cyanoides*](#) Korneyev, 2003 ^{c g}
- [*Terellia cynarae*](#) (Rondani, 1870) ^{i c g}
- [*Terellia deserta*](#) Korneyev, 1985 ^{i c g}
- [*Terellia dubia*](#) Korneyev, 1985 ^{i c g}
- [*Terellia ermolenkoi*](#) Korneyev, 1985 ^{i c g}
- [*Terellia euura*](#) (Hering, 1942) ^{i c g}
- [*Terellia fuscicornis*](#) (Loew, 1844) ^{i c g b}

- [Terellia gynaecochroma](#) (Hering, 1937) ^{i c g}
- [Terellia korneyevorum](#) Mohamadzade Namin & Nozari, 2011 ^g
- [Terellia latigenalis](#) Hering, 1942 ^{i c g}
- [Terellia longicauda](#) (Meigen, 1838) ^{i c g}
- [Terellia luteola](#) (Wiedemann, 1830) ^{i c g}
- [Terellia maculicauda](#) (Chen, 1938) ^{i c g}
- [Terellia matrix](#) Korneyev, 1988 ^{i c g}
- [Terellia megalopyge](#) (Hering, 1936) ^{i c g}
- [Terellia montana](#) Korneyez, 2006 ^{c g}
- [Terellia nigripalpis](#) Hendel, 1927 ^{i c g}
- [Terellia nigronota](#) (Korneyev, 1985) ^{i c g}
- [Terellia oasis](#) (Hering, 1938) ^{i c g}
- [Terellia occidentalis](#) (Snow, 1894) ^{i c g b}
- [Terellia odontolophi](#) Korneyev, 1993 ^{i c g}
- [Terellia orheana](#) Korneyev, 1990 ^{i c g}
- [Terellia oriunda](#) (Hering, 1941) ^{i c g}
- [Terellia palposa](#) (Loew, 1862) ^{i c g b}
- [Terellia plagiata](#) (Dahlbom, 1850) ^{i c g}
- [Terellia popovi](#) Korneyev, 1985 ^{i c g}
- [Terellia pseudovirens](#) (Hering, 1940) ^{i c g}
- [Terellia quadratula](#) (Loew, 1869) ^{i c g}
- [Terellia rhapontici](#) Merz, 1990 ^{i c g}
- [Terellia ruficauda](#) (Fabricius, 1794) ^{i c g b}
- [Terellia sabroskyi](#) Freidberg, 1982 ^{i c g}
- [Terellia sarolensis](#) (Agarwal & Kapoor, 1985) ^{i c g}
- [Terellia serratulae](#) (Linnaeus, 1758) ^{i c g}
- [Terellia setifera](#) Hendel, 1927 ^{i c g}
- [Terellia tarbinskiorum](#) Korneyez, 2006 ^{c g}
- [Terellia tribulicola](#) (Senior-White, 1922) ^{i c g}
- [Terellia tristicta](#) (Hering, 1956) ^{i c g}
- [Terellia tussilaginis](#) (Fabricius, 1775) ^{i c g}
- [Terellia uncinata](#) White, 1989 ^{i c g}
- [Terellia vectensis](#) (Collin, 1937) ^{i c g}
- [Terellia vicina](#) (Chen, 1938) ^{i c g}
- [Terellia vilis](#) (Hering, 1961) ^{i c g}
- [Terellia virens](#) (Loew, 1846) ^{i c g}

- [Terellia virpana](#) Dirlbek, 1980 ^{i c g}
- [Terellia volgensis](#) Bassov & Tolstoguzova, 1995 ^{i c g}
- [Terellia whitei](#) V.Korneyev & Mohamadzade Namin, 2013 ^g
- [Terellia winthemi](#) (Meigen, 1826) ^{i c g}
- [Terellia zerovae](#) Korneyev, 1985 ^{i c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

References

1.
 - ["Terellia Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-06.
 - ["Browse Terellia"](#). Catalogue of Life. Retrieved 2018-05-06.
 - ["Terellia"](#). GBIF. Retrieved 2018-05-06.
 -
4. ["Terellia Genus Information"](#). BugGuide.net. Retrieved 2018-05-06.

Categories:

- [Tephritinae](#)
- [Lists of insect species](#)
-

This is a list of 108 species in [Tanypus](#), a genus of midges in the family [Chironomidae](#).^{[1][2][3][4]}

Tanypus species

- [Tanypus albolineatus](#) (Kieffer, 1910) ^{c g}
- [Tanypus albus](#) (Kieffer, 1924) ^{c g}
- [Tanypus beringensis](#) (Müller, 1924) ^{c g}
- [Tanypus bicoloripennis](#) Kieffer, 1917 ^{c g}
- [Tanypus bilineata](#) (Meigen, 1838) ^{c g}
- [Tanypus bilobatus](#) (Kieffer, 1910) ^{c g}
- [Tanypus birmanensis](#) (Kieffer, 1913) ^{c g}

- [Tanypus brevipalpis](#) (Kieffer, 1923) ^c
- [Tanypus brooksi](#) Gerry, 1933 ^{c g}
- [Tanypus bruchi](#) Kieffer, 1925 ^{c g}
- [Tanypus castellanus](#) (Strobl, 1900) ^{c g}
- [Tanypus catemaco](#) (Roback, 1964) ^{c g}
- [Tanypus chinensis](#) Wang, 1994 ^{c g}
- [Tanypus ciliatus](#) (Meigen, 1838) ^{c g}
- [Tanypus cirratus](#) Kieffer, 1925 ^{c g}
- [Tanypus clavatus](#) Beck, 1962 ^{i c g}
- [Tanypus complanatus](#) Saether, 2004 ^{c g}
- [Tanypus concavus](#) Roback, 1971 ^{i c g}
- [Tanypus crassistylus](#) Kieffer, 1925 ^{c g}
- [Tanypus cvaneomaculatus](#) (Doleschall, 1856) ^{c g}
- [Tanypus debilis](#) (Hutton, 1902) ^{c g}
- [Tanypus distans](#) (Kieffer, 1909) ^c
- [Tanypus elegantulus](#) (Wulp, 1874) ^{c g}
- [Tanypus elongatus](#) Kieffer, 1925 ^{c g}
- [Tanypus excavatus](#) Kieffer, 1925 ^{c g}
- [Tanypus faeroensis](#) (Kieffer, 1915) ^c
- [Tanypus fasciatus](#) (Meigen, 1804) ^c
- [Tanypus fiebrigi](#) Kieffer, 1917 ^{c g}
- [Tanypus flaveolus](#) (Williston, 1896) ^{c g}
- [Tanypus flavidella](#) (Vimmer, 1927) ^{c g}
- [Tanypus formosanus](#) (Kieffer, 1912) ^c
- [Tanypus fraterculus](#) (Lynch Arribalzaga, 1893) ^{c g}
- [Tanypus fulvomaculipennis](#) (Vimmer, 1927) ^{c g}
- [Tanypus fulvonotata](#) (Vimmer, 1927) ^{c g}
- [Tanypus fusciclava](#) (Kieffer, 1922) ^c
- [Tanypus fuscofemoratus](#) (Roser, 1840) ^{c g}
- [Tanypus fuscus](#) Freeman, 1955 ^{c g}
- [Tanypus gracilis](#) (Kieffer, 1918) ^c
- [Tanypus gracillima](#) (Kieffer, 1916) ^{c g}
- [Tanypus grandis](#) Chaudhuri, Das & Debnath, 1985 ^{c g}
- [Tanypus gratus](#) (Meigen, 1838) ^{c g}
- [Tanypus grodhausi](#) Coquillett, 1905 ^b
- [Tanypus guttatipennis](#) Goetghebuer, 1935 ^{c g}

- [Tanypus himalayae](#) (Kieffer, 1911) ^{c g}
- [Tanypus hirsutus](#) (Macquart, 1826) ^{c g}
- [Tanypus imperialis](#) Sublette, 1964 ^{i c g}
- [Tanypus incarnatus](#) (Meigen, 1830) ^{c g}
- [Tanypus kraatzi](#) (Kieffer, 1912) ^{c g}
- [Tanypus lacustris](#) (Kieffer, 1913) ^{c g}
- [Tanypus languidus](#) (Hutton, 1902) ^{c g}
- [Tanypus laticalcar](#) (Kieffer, 1918) ^{c g}
- [Tanypus lauroi](#) Serpa-Filho & Oliveira, 1922 ^{c g}
- [Tanypus lenzi](#) Spies & Reiss, 1966 ^{c g}
- [Tanypus longiseta](#) (Kieffer, 1924) ^c
- [Tanypus lucidus](#) Chaudhuri, Das & Debnath, 1985 ^{c g}
- [Tanypus luteus](#) (Gimmerthal, 1836) ^{c g}
- [Tanypus macrochaeta](#) (Kieffer, 1913) ^{c g}
- [Tanypus maculatus](#) (Macquart, 1826) ^{c g}
- [Tanypus manilensis](#) (Schiner, 1868) ^{c g}
- [Tanypus masteri](#) (Skuse, 1889) ^{c g}
- [Tanypus melanurus](#) (Doleschall, 1856) ^{c g}
- [Tanypus memorosus](#) (Meigen, 1804) ^{c g}
- [Tanypus microcercus](#) (Kieffer, 1910) ^{c g}
- [Tanypus monotomus](#) (Kieffer, 1924) ^c
- [Tanypus murimus](#) (Goetghebuer, 1923) ^{c g}
- [Tanypus myrmedon](#) Kieffer, 1917 ^{c g}
- [Tanypus nakazatoi](#) ^g
- [Tanypus neopunctipennis](#) Sublette, 1964 ^{i c g b}
- [Tanypus neotropicus](#) Kieffer, 1917 ^{c g}
- [Tanypus nigristilus](#) (Kieffer, 1915) ^{c g}
- [Tanypus nigrocinctus](#) (Doleschall, 1856) ^{c g}
- [Tanypus nubifer](#) Coquillett, 1905 ^{i c g}
- [Tanypus obscurus](#) (Macquart, 1826) ^{c g}
- [Tanypus pallidicornis](#) (Zetterstedt, 1850) ^{c g}
- [Tanypus pallidipes](#) (Kieffer, 1912) ^c
- [Tanypus parastellatus](#) Sublette, 1964 ^{i c g}
- [Tanypus pelargus](#) Kieffer, 1917 ^{c g}
- [Tanypus photophilus](#) (Kieffer, 1910) ^{c g}
- [Tanypus pictipennis](#) (Vimmer, 1927) ^{c g}

- [Tanypus prionotus](#) (Kieffer, 1924) ^{c g}
- [Tanypus pubitarsis](#) (Zetterstedt, 1850) ^c
- [Tanypus punctipennis](#) Meigen, 1818 ^{i c g b}
- [Tanypus quadripunctata](#) (Vimmer, 1917) ^{c g}
- [Tanypus riparius](#) (Kieffer, 1911) ^{c g}
- [Tanypus rufus](#) (Meigen, 1830) ^{c g}
- [Tanypus saltatrix](#) (Kieffer, 1911) ^{c g}
- [Tanypus schineri](#) (Strobl, 1880) ^{c g}
- [Tanypus scripta](#) (Vimmer, 1917) ^{c g}
- [Tanypus sexmaculata](#) (Vimmer, 1927) ^{c g}
- [Tanypus similima](#) (Vimmer, 1927) ^{c g}
- [Tanypus stellatus](#) Coquillett, 1902 ^{i c g}
- [Tanypus stictolabis](#) (Kieffer, 1923) ^{c g}
- [Tanypus sylvaticus](#) (Meigen, 1804) ^{c g}
- [Tanypus tanypodipennis](#) (Zetterstedt, 1838) ^{c g}
- [Tanypus telus](#) Roback, 1971 ^{i c g}
- [Tanypus tenebrosus](#) Chaudhuri, Das & Debnath, 1985 ^{c g}
- [Tanypus tenuis](#) (Meigen, 1838) ^{c g}
- [Tanypus tenuistylus](#) Kieffer, 1925 ^{c g}
- [Tanypus transversalis](#) Kieffer, 1925 ^{c g}
- [Tanypus tripunctata](#) (Vimmer, 1927) ^{c g}
- [Tanypus trisema](#) (Kieffer, 1915) ^{c g}
- [Tanypus unifascipennis](#) (Zetterstedt, 1838) ^{c g}
- [Tanypus unimaculata](#) (Macquart, 1826) ^{c g}
- [Tanypus vilipennis](#) (Kieffer, 1918) ^{i c}
- [Tanypus villipennis](#) (Kieffer, 1918) ^{c g}
- [Tanypus violaceipennis](#) (Kieffer, 1910) ^{c g}
- [Tanypus virdellus](#) (Kieffer, 1924) ^{c g}
- [Tanypus viridis](#) (Meigen, 1804) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Tanypus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-21.
 - ["Browse Tanypus"](#). Catalogue of Life. Retrieved 2018-04-21.
 - ["Tanypus"](#). GBIF. Retrieved 2018-04-21.

-

4. ["Tanypus Genus Information"](#). BugGuide.net. Retrieved 2018-04-21.

Categories:

- [Tanypodinae](#)
- [Lists of insect species](#)
- [Lists of flies](#)
-

This is a list of 103 species in [Tanymecus](#), a genus of broad-nosed weevils in the family [Curculionidae](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Tanymecus species

- [Tanymecus abyssinicus](#) Hustache, 1920 ^c ^g
- [Tanymecus agricola](#) Marshall, 1920 ^c ^g
- [Tanymecus albicans](#) Rosenhauer, 1856 ^c ^g
- [Tanymecus alboscuteallatus](#) Chevrolat, 1869 ^c ^g
- [Tanymecus albus](#) Gebler, 1830 ^c ^g
- [Tanymecus alienus](#) Faust, 1895 ^c ^g
- [Tanymecus arenaceus](#) Marshall, 1916 ^c ^g
- [Tanymecus ariasi](#) Escalera, 1914 ^c ^g
- [Tanymecus arushanus](#) Marshall, 1929 ^c ^g
- [Tanymecus aureosauamosus](#) Linell, 1896 ^c ^g
- [Tanymecus bayeri](#) Hustache, 1924 ^c ^g
- [Tanymecus benguelensis](#) Hustache, 1923 ^c ^g
- [Tanymecus bidentatus](#) Gebler, 1830 ^c ^g
- [Tanymecus biplagiatus](#) Marshall, 1935 ^c ^g
- [Tanymecus boettcheri](#) Voss, 1922 ^c ^g
- [Tanymecus brachyderoides](#) Faust, 1895 ^c ^g
- [Tanymecus brevipennis](#) Reitter, 1903 ^c ^g
- [Tanymecus brevirostris](#) Aurivillius, 1910 ^c ^g
- [Tanymecus brevis](#) Chevrolat, 1860 ^c ^g
- [Tanymecus bulgaricus](#) Angelov, 1990 ^c ^g
- [Tanymecus burmanus](#) Marshall, 1916 ^c ^g

- [Tanymecus cervinus](#) Fahraeus, 1840 ^{c g}
- [Tanymecus confusus](#) Say, 1831 ^{i c g b}
- [Tanymecus confususconfertus](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus costulicollis](#) Fairmaire, 1901 ^{c g}
- [Tanymecus crassicornis](#) Solari, 1904 ^{c g}
- [Tanymecus curviscapus](#) Marshall, 1916 ^{c g}
- [Tanymecus deceptor](#) Marshall, 1916 ^{c g}
- [Tanymecus destructor](#) Marshall, 1920 ^{c g}
- [Tanymecus dilaticollis](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus discolor](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus excursor](#) Faust, 1890 ^{c g}
- [Tanymecus fausti](#) Desbrochers des Loges, 1884 ^{c g}
- [Tanymecus fimbriatus](#) Faust, 1899 ^{c g}
- [Tanymecus fruhstorferi](#) Faust, 1896 ^{c g}
- [Tanymecus furcatus](#) Marshall, 1952 ^{c g}
- [Tanymecus hirsutus](#) Champion, 1911 ^{c g}
- [Tanymecus hirticeps](#) Marshall, 1916 ^{c g}
- [Tanymecus hispidus](#) Marshall, 1916 ^{c g}
- [Tanymecus humilis](#) Erichson, 1843 ^{c g}
- [Tanymecus inaffectatus](#) Fåhraeus, 1871 ^{c g}
- [Tanymecus indicus](#) Faust, 1895 ^{c g}
- [Tanymecus infimus](#) Thomson J., 1858 ^{c g}
- [Tanymecus insipidus](#) Chevrolat, 1878 ^{c g}
- [Tanymecus kolenatii](#) Reitter, 1903 ^{c g}
- [Tanymecus konbiranus](#) Marshall, 1916 ^{c g}
- [Tanymecus kricheldorffi](#) Reitter, 1915 ^{c g}
- [Tanymecus lacaena](#) (Herbst, 1797) ^{i c g b}
- [Tanymecus laminipes](#) Marshall, 1951 ^{c g}
- [Tanymecus latifrons](#) Faust, 1899 ^{c g}
- [Tanymecus lautus](#) Le Conte, 1854 ^{c g}
- [Tanymecus lectus](#) Marshall, 1916 ^{c g}
- [Tanymecus lineatus](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus lomii](#) Hustache, 1938 ^{c g}
- [Tanymecus luridus](#) Gestro, 1895 ^{c g}
- [Tanymecus makkaliensis](#) Fåhraeus, 1871 ^{c g}
- [Tanymecus masaicus](#) Voss, 1962 ^{c g}

- [Tanymecus merus](#) Marshall, 1954 ^{c g}
- [Tanymecus metallinus](#) Fairmaire, 1866 ^{c g}
- [Tanymecus micans](#) Hustache, 1920 ^{c g}
- [Tanymecus migrans](#) Fahraeus, 1840 ^{c g}
- [Tanymecus mixtus](#) Hustache, 1921 ^{c g}
- [Tanymecus modicus](#) Marshall, 1916 ^{c g}
- [Tanymecus morosus](#) Fairmaire, 1901 ^{c g}
- [Tanymecus mozambicus](#) Hustache, 1920 ^{c g}
- [Tanymecus musculus](#) Fahraeus, 1840 ^{c g}
- [Tanymecus nevadensis](#) Desbrochers des Loges, 1872 ^{c g}
- [Tanymecus obconicicollis](#) Voss, 1937 ^{c g}
- [Tanymecus obscuriusculus](#) Voss, 1962 ^{c g}
- [Tanymecus obscurus](#) Marshall, 1916 ^{c g}
- [Tanymecus obsoletus](#) Reitter, 1890 ^{c g}
- [Tanymecus oculatus](#) Chevrolat, 1880 ^{c g}
- [Tanymecus orientalis](#) Hustache, 1921 ^{c g}
- [Tanymecus ovalipennis](#) Hustache, 1935 ^{c g}
- [Tanymecus palliatus](#) (Fabricius, 1787) ^{c g}
- [Tanymecus parkiensis](#) Ahmed, Rizvi, Akhter et Yasir, 2006 ^{c g}
- [Tanymecus parvus](#) Desbrochers des Loges, 1891 ^{c g}
- [Tanymecus perrieri](#) (Fairmaire, 1900) ^{c g}
- [Tanymecus piger](#) Marshall, 1916 ^{c g}
- [Tanymecus pisciformis](#) (Fairmaire, 1899) ^{c g}
- [Tanymecus ponticus](#) Arnoldi & Blinsein, 1971 ^{c g}
- [Tanymecus potteri](#) Hustache, 1920 ^{c g}
- [Tanymecus princeps](#) (Faust, 1891) ^{c g}
- [Tanymecus pseudohispidus](#) Rizvi, Ahmed et Naz, 2003 ^{c g}
- [Tanymecus pubirostris](#) Reitter, 1903 ^{c g}
- [Tanymecus rapax](#) Marshall, 1939 ^{c g}
- [Tanymecus revelierei](#) Tournier, 1875 ^{c g}
- [Tanymecus rhodopus](#) Fahraeus, 1871 ^{c g}
- [Tanymecus seclusus](#) Faust, 1895 ^{c g}
- [Tanymecus sitonoides](#) A. Solari & F. Solari, 1909 ^{c g}
- [Tanymecus sparsus](#) Fahraeus, 1840 ^{c g}
- [Tanymecus submaculatus](#) Chevrolat, 1860 ^{c g}
- [Tanymecus telephus](#) Reitter, 1903 ^{c g}

- [*Tanymecus tenuis*](#) Reitter, 1903 ^{c g}
- [*Tanymecus tessellatus*](#) Marshall, 1935 ^{c g}
- [*Tanymecus tetricus*](#) Faust, 1897 ^{c g}
- [*Tanymecus texanus*](#) Van Dyke, 1935 ^{i g b}
- [*Tanymecus tonsus*](#) Marshall, 1935 ^{c g}
- [*Tanymecus trivialis*](#) Fahraeus, 1840 ^{c g}
- [*Tanymecus vagabundus*](#) Chevrolat, 1880 ^{c g}
- [*Tanymecus variabilis*](#) Fahraeus, 1840 ^{c g}
- [*Tanymecus versutus*](#) Faust, 1895 ^{c g}
- [*Tanymecus villicus*](#) Fahraeus, 1840 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 300 species in [*Tachytes*](#), a genus of square-headed wasps in the family [Crabronidae](#). [1] [2] [3] [4]

***Tachytes* species**

- [*Tachytes abdominalis*](#) (Say, 1823) ^{i c g b}
- [*Tachytes abercornensis*](#) Arnold, 1959 ^{i c g}
- [*Tachytes absidatus*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes admirabilis*](#) R. Turner, 1916 ^{i c g}
- [*Tachytes aeneus*](#) E. Saunders, 1910 ^{i c g}
- [*Tachytes aestuans*](#) R. Turner, 1916 ^{i c g}
- [*Tachytes agadiriensis*](#) Nadig, 1933 ^{i c g}
- [*Tachytes alacer*](#) Arnold, 1960 ^{i c g}
- [*Tachytes albonotatus*](#) Walker, 1871 ^{i c g}
- [*Tachytes alfieri*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes alvarengai*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes amazonus*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes ambidens*](#) Kohl, 1884 ^{i c}
- [*Tachytes andesae*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes andreniformis*](#) Cameron, 1889 ^{i c g}
- [*Tachytes angustiverticis*](#) Wu and Li, 2006 ^{i c g}
- [*Tachytes approximatus*](#) R. Turner, 1908 ^{i c g}

- [*Tachytes arabicus*](#) Guichard, 1994 ^{i c g}
- [*Tachytes archaeophilus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes argentea*](#) Gussakovskij, 1933 ^{c g}
- [*Tachytes argenteovestitus*](#) Cameron, 1910 ^{i c g}
- [*Tachytes argenteus*](#) Gussakovskij, 1933 ⁱ
- [*Tachytes argyreus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachytes argyropis*](#) de Saussure, 1887 ^{i c g}
- [*Tachytes asiagenes*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes assamensis*](#) Cameron, 1904 ^{i c g}
- [*Tachytes associatus*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes astutus*](#) Nurse, 1909 ^{i c g}
- [*Tachytes aureocinctus*](#) Cameron, 1905 ^{i c g}
- [*Tachytes aurichalceus*](#) Kohl in Schletterer, 1891 ^{i c g}
- [*Tachytes auricomans*](#) Bradley, 1919 ^{i c g}
- [*Tachytes aurifex*](#) F. Smith, 1858 ^{i c g}
- [*Tachytes auripes*](#) Berland, 1942 ^{i c g}
- [*Tachytes aurovestitus*](#) F. Smith, 1873 ^{i c g}
- [*Tachytes aurulentus*](#) (Fabricius, 1804) ^{i c g b}
- [*Tachytes badius*](#) Banks, 1942 ^{i c g}
- [*Tachytes bakeri*](#) Williams, 1928 ^{i c g}
- [*Tachytes basilicus*](#) (Guérin-Méneville, 1844) ^{i c g}
- [*Tachytes beludzhistanicus*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachytes bidens*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachytes bilunaris*](#) Tsuneki, 1982 ^{i c g}
- [*Tachytes bimetallicus*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes birkmanni*](#) Rohwer, 1909 ^{i c g}
- [*Tachytes biskrensis*](#) E. Saunders, 1910 ^{i c g}
- [*Tachytes braunsi*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes bredoi*](#) Arnold, 1947 ^{i c g}
- [*Tachytes brevicornis*](#) Tsuneki, 1976 ^{i c g}
- [*Tachytes brevipennis*](#) Cameron, 1900 ^{i c g}
- [*Tachytes brevis*](#) Walker, 1871 ^{i c g}
- [*Tachytes brunneomarginatus*](#) Arnold, 1947 ^{i c g}
- [*Tachytes brunneus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes bulawayoensis*](#) Bischoff, 1913 ^{i c g}
- [*Tachytes californicus*](#) R. Bohart, 1962 ^{i c g}

- [*Tachytes cameronianus*](#) Morice, 1897^{i c g}
- [*Tachytes carinatus*](#) Berland, 1942^{i c g}
- [*Tachytes catamarcae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes cataractae*](#) Arnold, 1923^{i c g}
- [*Tachytes catarinae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes celsissimus*](#) R. Turner, 1917^{i c g}
- [*Tachytes cephalotes*](#) Walker, 1871^{i c g}
- [*Tachytes ceratophorus*](#) Pulawski, 1962^{i c g}
- [*Tachytes chelatus*](#) R. Bohart, 1962^{i c g}
- [*Tachytes chilensis*](#) (Spinola, 1851)^{i c g}
- [*Tachytes chivensis*](#) Pulawski, 1962^{i c g}
- [*Tachytes chrysocercus*](#) Rohwer, 1911^{i c g}
- [*Tachytes chrysopyga*](#) (Spinola, 1842)^{i c g}
- [*Tachytes chudeaui*](#) Berland, 1942^{i c g}
- [*Tachytes cinerascens*](#) Arnold, 1935^{i c g}
- [*Tachytes codonocarpi*](#) Pulawski, 1975^{i c g}
- [*Tachytes coloratus*](#) R. Bohart, 1979^{i c g}
- [*Tachytes columbiae*](#) W. Fox, 1892^{i c g}
- [*Tachytes comberi*](#) R. Turner, 1917^{i c g}
- [*Tachytes compactus*](#) Arnold, 1951^{i c g}
- [*Tachytes concinnus*](#) F. Smith, 1856^{i c g}
- [*Tachytes confusus*](#) Arnold, 1923^{i c g}
- [*Tachytes contractus*](#) Walker, 1871^{i c g}
- [*Tachytes copiosus*](#) Arnold, 1945^{i c g}
- [*Tachytes corniger*](#) Gussakovskij, 1952^{i c g}
- [*Tachytes costalis*](#) Taschenberg, 1870^{i c g}
- [*Tachytes crassus*](#) Patton, 1880^{i c g b}
- [*Tachytes cressoni*](#) Banks, 1942^{i c g}
- [*Tachytes danae*](#) Arnold, 1923^{i c g}
- [*Tachytes decoratus*](#) Walker, 1871^{i c g}
- [*Tachytes desertus*](#) R. Bohart, 1994^{i c g b}
- [*Tachytes dichrous*](#) F. Smith, 1856^{i c g}
- [*Tachytes dilaticornis*](#) R. Turner, 1916^{i c g}
- [*Tachytes dilwara*](#) Nurse, 1903^{i c g}
- [*Tachytes diodontus*](#) Pulawski, 1962^{i c g}
- [*Tachytes discrepans*](#) Arnold, 1951^{i c g}

- [*Tachytes dispersus*](#) R. Turner, 1916^{i c g}
- [*Tachytes disputabilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes distant*](#) R. Turner, 1917^{i c g}
- [*Tachytes distinctus*](#) F. Smith, 1856^{i c g b}
- [*Tachytes dogon*](#) Pulawski, 2006^{i c g}
- [*Tachytes dubiosus*](#) Tsuneki, 1974^{i c g}
- [*Tachytes ermineus*](#) Banks, 1942^{i c g}
- [*Tachytes erynnis*](#) R. Turner, 1917^{i c g}
- [*Tachytes etruscus*](#) (Rossi, 1790)^{i c g}
- [*Tachytes excellens*](#) Cameron, 1912^{i c g}
- [*Tachytes exclusus*](#) R. Turner, 1917^{i c g}
- [*Tachytes exornatus*](#) W. Fox, 1894^{i c g}
- [*Tachytes famelicus*](#) Pulawski, 1962^{i c g}
- [*Tachytes fatalis*](#) R. Turner, 1916^{i c g}
- [*Tachytes fervidus*](#) F. Smith, 1856^{i c g}
- [*Tachytes fidelis*](#) Pulawski, 1962^{i c g}
- [*Tachytes flagellarius*](#) R. Bohart, 1979^{i c g}
- [*Tachytes flagellatus*](#) Nurse, 1903^{i c g}
- [*Tachytes flavocinereus*](#) Arnold, 1945^{i c g}
- [*Tachytes floridanus*](#) Rohwer, 1920^{i c g}
- [*Tachytes formosissimus*](#) R. Turner, 1908^{i c g}
- [*Tachytes fraternoides*](#) R. Bohart, 1979^{i c g}
- [*Tachytes fraternus*](#) Taschenberg, 1870^{i c g}
- [*Tachytes freygessneri*](#) Kohl, 1881^{i c g}
- [*Tachytes fritzi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes frontalis*](#) F. Smith, 1873^{i c g}
- [*Tachytes fruticis*](#) Tsuneki, 1964^{i c g}
- [*Tachytes fucatus*](#) Arnold, 1951^{i c g}
- [*Tachytes fulviventris*](#) Cresson, 1865^{i c g}
- [*Tachytes fulvovestitus*](#) Cameron, 1904^{i c g}
- [*Tachytes gondarabai*](#) (Guiglia, 1943)^{i c g}
- [*Tachytes gracilicornis*](#) Arnold, 1944^{i c g}
- [*Tachytes grisselli*](#) R. Bohart, 1994^{i c g b}
- [*Tachytes guatemalensis*](#) Cameron, 1889^{i c g b}
- [*Tachytes gyusanus*](#) Back and Kim, 2014^{i g}
- [*Tachytes habilis*](#) R. Turner, 1917^{i c g}

- [*Tachytes hades*](#) Schrottky, 1903 ^{i c g}
- [*Tachytes hainanensis*](#) Wu and Q. Li, 2006 ^{i c g}
- [*Tachytes hamiltoni*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes harpax*](#) Patton, 1880 ^{i c g}
- [*Tachytes hirsutus*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes illabefactus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes imperialis*](#) de Saussure, 1867 ^{i c g}
- [*Tachytes indicus*](#) Dalla Torre, 1897 ^{i c g}
- [*Tachytes indifferens*](#) Arnold, 1945 ^{i c g}
- [*Tachytes indulgens*](#) Cheesman, 1937 ^{i c g}
- [*Tachytes inexorabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes instabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes integer*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachytes intermedius*](#) (Viereck, 1906) ^{i c g b}
- [*Tachytes interstitialis*](#) Cameron, 1900 ^{i c g}
- [*Tachytes irreverens*](#) Cheesman, 1937 ^{i c g}
- [*Tachytes irritabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes jucundus*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes kristenseni*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes labilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes lachesis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes lamborni*](#) Arnold, 1934 ^{i c g}
- [*Tachytes lamentabilis*](#) Arnold, 1951 ^{i c g}
- [*Tachytes lanuginosus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes latifrons*](#) Tsuneki, 1964 ^{i c g}
- [*Tachytes lepidus*](#) Arnold, 1929 ^{i c g}
- [*Tachytes leprieuri*](#) (Spinola, 1842) ^{c g}
- [*Tachytes leprieurii*](#) (Spinola, 1842) ⁱ
- [*Tachytes levantinus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes lingnau*](#) Arnold, 1933 ^{i c g}
- [*Tachytes lissinus*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes longirostris*](#) Arnold, 1947 ^{i c g}
- [*Tachytes lugubris*](#) Walker, 1871 ^{i c g}
- [*Tachytes maculicornis*](#) E. Saunders, 1910 ^{i c g}
- [*Tachytes maerens*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes magellanicus*](#) Williams, 1928 ^{i c g}

- [*Tachytes maindroni*](#) Berland, 1942^{i c g}
- [*Tachytes manjikuli*](#) Tsuneki, 1963^{i c g}
- [*Tachytes maroccanus*](#) Pulawski, 1962^{i c g}
- [*Tachytes marshalli*](#) R. Turner, 1912^{i c g}
- [*Tachytes matronalis*](#) Dahlbom, 1845^{i c g}
- [*Tachytes megaera*](#) R. Turner, 1917^{i c g}
- [*Tachytes melancholicus*](#) Arnold, 1923^{i c g}
- [*Tachytes memnon*](#) R. Turner, 1916^{i c g}
- [*Tachytes menkei*](#) R. Bohart, 1979^{i c g}
- [*Tachytes meraukensis*](#) Cameron, 1911^{i c g}
- [*Tachytes mergus*](#) W. Fox, 1892^{i c g}
- [*Tachytes micantipygus*](#) Strand, 1910^{i c g}
- [*Tachytes midas*](#) Arnold, 1929^{i c g}
- [*Tachytes minutior*](#) R. Bohart, 1979^{i c g}
- [*Tachytes mirus*](#) Kohl, 1894^{i c g}
- [*Tachytes mitis*](#) R. Turner, 1916^{i c g}
- [*Tachytes modestus*](#) F. Smith, 1856^{i c g}
- [*Tachytes monetarius*](#) F. Smith, 1856^{i c g}
- [*Tachytes mongolicus*](#) Tsuneki, 1972^{i c g}
- [*Tachytes mutilloides*](#) Walker, 1871^{i c g}
- [*Tachytes nasicornis*](#) Gussakovskij, 1952^{i c g}
- [*Tachytes natalensis*](#) de Saussure, 1854^{i c g}
- [*Tachytes nevadensis*](#) R. Bohart, 1962^{i c g}
- [*Tachytes nigrescens*](#) Berland, 1942^{i c g}
- [*Tachytes nigroannulatus*](#) Bischoff, 1913^{i c g}
- [*Tachytes nigropilosellus*](#) (Cameron, 1910)^{i c g}
- [*Tachytes niloticus*](#) R. Turner, 1918^{i c g}
- [*Tachytes nitidiusculus*](#) (F. Smith, 1856)^{i c g}
- [*Tachytes nitidulus*](#) (Fabricius, 1793)^{i c g}
- [*Tachytes nomarches*](#) Pulawski, 1962^{i c g}
- [*Tachytes notabilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes nudiventris*](#) R. Turner, 1917^{i c g}
- [*Tachytes obductus*](#) W. Fox, 1892^{i c g}
- [*Tachytes observabilis*](#) Kohl, 1894^{i c g}
- [*Tachytes obsoletus*](#) (Rossi, 1792)^{i c g}
- [*Tachytes oppositus*](#) R. Turner, 1917^{i c g}

- [Tachytes opulentus](#) Nurse, 1909^{i c g}
- [Tachytes ornatipes](#) Cameron, 1889^{i c g}
- [Tachytes oviventris](#) de Saussure, 1891^{i c g}
- [Tachytes palatus](#) R. Bohart, 1979^{i c g}
- [Tachytes pallidiventr](#) Arnold, 1947^{i c g}
- [Tachytes panzeri](#) (Dufour, 1841)^{i c g}
- [Tachytes papuanus](#) Tsuneki, 1983^{i c g}
- [Tachytes parvus](#) W. Fox, 1892^{i c g}
- [Tachytes pennsylvanica](#) Banks, 1921^{c g}
- [Tachytes pennsylvanicus](#) Banks, 1921^{i b}
- [Tachytes pepticus](#) (Say, 1837)^{i c g}
- [Tachytes perornatus](#) R. Turner, 1917^{i c g}
- [Tachytes picticornis](#) Arnold, 1945^{i c g}
- [Tachytes plagiatus](#) Walker, 1871^{i c g}
- [Tachytes plutocraticus](#) R. Turner, 1910^{i c g}
- [Tachytes politus](#) R. Bohart, 1979^{i c g}
- [Tachytes popovi](#) Pulawski, 1962^{i c g}
- [Tachytes praedator](#) W. Fox, 1892^{i c g}
- [Tachytes praestabilis](#) R. Turner, 1917^{i c g}
- [Tachytes pretiosus](#) Cameron, 1912^{i c g}
- [Tachytes priesneri](#) Pulawski, 1962^{i c g}
- [Tachytes procerus](#) A. Costa, 1882^{i c g}
- [Tachytes pubescens](#) R. Bohart, 1979^{i c g}
- [Tachytes pulchricornis](#) R. Turner, 1917^{i c g}
- [Tachytes punctuosus](#) Arnold, 1923^{i c g}
- [Tachytes pygmaeus](#) Kohl, 1888^{i c g}
- [Tachytes quinquedens](#) R. Bohart, 1979^{i c g}
- [Tachytes rarus](#) Arnold, 1960^{i c g}
- [Tachytes relucens](#) R. Turner, 1916^{i c g}
- [Tachytes repandus](#) (Fabricius, 1787)^{i c g}
- [Tachytes rhodesianus](#) Bischoff, 1913^{i c g}
- [Tachytes rhododactylus](#) Taschenberg, 1870^{i c g}
- [Tachytes rhodogaster](#) R. Bohart, 1979^{i c g}
- [Tachytes richardsi](#) R. Bohart, 1979^{i c g}
- [Tachytes roraimae](#) R. Bohart, 1979^{i c g}
- [Tachytes rubellus](#) R. Turner, 1908^{i c g}

- [*Tachytes rubioi*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes rufalaris*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes rufipalpis*](#) Cameron, 1904 ^{i c g}
- [*Tachytes rufiscutis*](#) R. Turner, 1918 ^{i c g}
- [*Tachytes rufomarginatus*](#) Arnold, 1945 ^{i c g}
- [*Tachytes rugulosus*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sacricola*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes sagani*](#) Guiglia, 1943 ^{i c g}
- [*Tachytes saharicus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes salvus*](#) Kohl, 1906 ^{i c g}
- [*Tachytes saundersii*](#) Bingham, 1897 ^{i c g}
- [*Tachytes sayi*](#) Banks, 1942 ^{i c g}
- [*Tachytes schlingeri*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sculleni*](#) R. Bohart, 1962 ^{i c g}
- [*Tachytes sedulus*](#) F. Smith, 1860 ^{i c g}
- [*Tachytes seminole*](#) Banks, 1942 ^{i c g}
- [*Tachytes separabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes setiger*](#) Kohl, 1898 ^{i c g}
- [*Tachytes setosus*](#) Taschenberg, 1870 ^{i c g}
- [*Tachytes sexdens*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sheppardi*](#) Arnold, 1940 ^{i c g}
- [*Tachytes silverlocki*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes silvicola*](#) Williams, 1928 ^{i c g}
- [*Tachytes silvicoloides*](#) Williams, 1928 ^{i c g}
- [*Tachytes simillimus*](#) von Schulthess, 1926 ^{i c g}
- [*Tachytes simulans*](#) F. Smith, 1873 ^{i c g}
- [*Tachytes simulatrix*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes sinensis*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes sinuatus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes sjoestedti*](#) Cameron, 1908 ^{i c}
- [*Tachytes spatiosus*](#) T. Li, Cai and Q. Li, 2008 ^{i c g}
- [*Tachytes spatulatus*](#) W. Fox, 1892 ^{i c g}
- [*Tachytes stangei*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sulcatus*](#) R. Turner, 1916 ^{i c g}
- [*Tachytes surigensis*](#) Williams, 1928 ^{i c g}
- [*Tachytes tabrobae*](#) Cameron, 1900 ^{i c g}

- [*Tachytes tachyrrhostus*](#) de Saussure, 1854^{i c g}
- [*Tachytes tarsalis*](#) (Spinola, 1839)^{i c g}
- [*Tachytes testaceinervus*](#) Cameron, 1908^{i c g}
- [*Tachytes tomentosus*](#) Kohl in Schletterer, 1891^{i c g}
- [*Tachytes toyensis*](#) Tsuneki, 1971^{i c g}
- [*Tachytes transvaalensis*](#) Cameron, 1905^{i c g}
- [*Tachytes trichopygus*](#) Pulawski, 1962^{i c g}
- [*Tachytes tricinctus*](#) (Fabricius, 1804)^{i c g}
- [*Tachytes trigonalis*](#) de Saussure, 1867^{i c g}
- [*Tachytes turneri*](#) Arnold, 1923^{i c g}
- [*Tachytes ugandensis*](#) R. Turner, 1917^{i c g}
- [*Tachytes ustulatus*](#) R. Bohart, 1979^{i c g}
- [*Tachytes vagus*](#) Radoszkowski, 1877^{i c g}
- [*Tachytes validus*](#) Cresson, 1873^{i c g b}
- [*Tachytes vardyi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes varians*](#) (Fabricius, 1804)^{i c g}
- [*Tachytes vechti*](#) Tsuneki, 1976^{i c g}
- [*Tachytes velox*](#) F. Smith, 1856^{i c g}
- [*Tachytes venezuelae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes versatilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes vestitus*](#) (F. Smith, 1873)^{i c g}
- [*Tachytes vicinus*](#) Cameron, 1889^{i c g}
- [*Tachytes villegasi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes vischnu*](#) Cameron, 1889^{i c g}
- [*Tachytes volubilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes werneri*](#) R. Bohart, 1994^{i c g}
- [*Tachytes willinki*](#) R. Bohart, 1979^{i c g}
- [*Tachytes xenoferus*](#) Rohwer, 1911^{i c g}
- [*Tachytes yerburyi*](#) Bingham, 1897^{i c g}
- [*Tachytes yunnanensis*](#) T. Li, Cai and Q. Li, 2008^{i c g}
- [*Tachytes zuliae*](#) R. Bohart, 1979^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Tachytes Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-23.

- ["Browse Tachytes"](#). *Catalogue of Life*. Retrieved 2018-04-23.
- ["Tachytes"](#). *GBIF*. Retrieved 2018-04-23.
-
- 4. ["Tachytes Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-23.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of species in [Tachysphex](#), a genus of square-headed wasps in the family [Crabronidae](#).^[1]
^[2]^[3]^[4]

Tachysphex species

- [Tachysphex aboriginus](#) Pulawski, 1977 ^{i c g}
- [Tachysphex aburi](#) Pulawski, 2007 ^{i c g}
- [Tachysphex acanthophorus](#) Pulawski, 1982 ^{i c g}
- [Tachysphex actites](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [Tachysphex acutemarginatus](#) Strand, 1910 ^{i c g}
- [Tachysphex acutus](#) (Patton, 1880) ^{i c g}
- [Tachysphex adjunctus](#) Kohl, 1885 ^{i c g}
- [Tachysphex advenus](#) Pulawski, 1974 ^{i c g}
- [Tachysphex aemulus](#) Kohl, 1906 ^{i c g}
- [Tachysphex aequalis](#) W. Fox, 1894 ^{i c g}
- [Tachysphex aethiopicus](#) Arnold, 1923 ^{i c g}
- [Tachysphex aethiops](#) (Cresson, 1865) ^{i c g}
- [Tachysphex agilis](#) (F. Smith, 1856) ^{i c g}
- [Tachysphex agnus](#) Pulawski, 1971 ^{i c g}
- [Tachysphex alayoi](#) Pulawski, 1974 ^{i c g}
- [Tachysphex albocinctus](#) (Lucas, 1849) ^{i c g}
- [Tachysphex alpestris](#) Rohwer, 1908 ^{i c g}
- [Tachysphex ambiguus](#) Arnold, 1923 ^{i c g}

- [*Tachysphex ambositrae*](#) Leclercq, 1967 ^{i c g}
- [*Tachysphex ampijoroa*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex amplus*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex anceps*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex angelicus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex angustatus*](#) Pulawski, 1967 ^{i c g}
- [*Tachysphex angustus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex antennatus*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex anthracinus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex antillarum*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex anubis*](#) Pulawski, 1964 ^{i c g}
- [*Tachysphex apakensis*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex apicalis*](#) W. Fox, 1893 ^{i c g}
- [*Tachysphex apoctenus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex apricus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex araucanus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex argentatus*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachysphex argenticeps*](#) Arnold, 1959 ^{i c g}
- [*Tachysphex argentifrons*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex arizonae*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex armatus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex ashmeadii*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex asinus*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex asmara*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex aterrimus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex atlanteus*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex atratus*](#) (Lepeletier de Saint Fargeau, 1845) ^{i c g}
- [*Tachysphex aureopilosus*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex aureorufoniger*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex auriceps*](#) Cameron, 1889 ^{i c g}
- [*Tachysphex auropilosus*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex austriacus*](#) Kohl, 1892 ^{i c g}
- [*Tachysphex bara*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex barkeri*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex beaumonti*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex beidzimiao*](#) Tsuneki, 1971 ^{i c g}

- [*Tachysphex belfragei*](#) (Cresson, 1873) ^{i c g}
- [*Tachysphex bemba*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex bengalensis*](#) Cameron, 1889 ^{i c}
- [*Tachysphex bipustulosus*](#) Arnold, 1949 ^{i c g}
- [*Tachysphex bituberculatus*](#) Cameron, 1905 ^{i c g}
- [*Tachysphex blattivorus*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachysphex bohartorum*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex bohemicus*](#) Straka, 2016 ^g
- [*Tachysphex bostryx*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex bouceki*](#) Straka, 2005 ^{i c g}
- [*Tachysphex brachypus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex brasilianus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex braunsi*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex breviceps*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex brevicornis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex brevipecten*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex brevipennis*](#) Mercet, 1909 ^{i c g}
- [*Tachysphex brevipes*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex brinckerae*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex brullii*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex bruneiceps*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex buccalis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex buyssoni*](#) Morice, 1897 ^{i c g}
- [*Tachysphex caliban*](#) Arnold, 1923 ^{i c}
- [*Tachysphex calidus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex camptopygus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex capensis*](#) (de Saussure, 1867) ^{i c g}
- [*Tachysphex carinatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex carli*](#) de Beaumont, 1947 ^{i c g}
- [*Tachysphex cavatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex changi*](#) Tsuneki, 1967 ^{i c g}
- [*Tachysphex cheops*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex chephren*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex chiastotrichus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex circulans*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex clarconis*](#) Viereck, 1906 ^{i c g}

- [*Tachysphex claripes*](#) Arnold, 1924^{i c g}
- [*Tachysphex clypeatus*](#) Arnold, 1947^{i c g}
- [*Tachysphex clypedentalis*](#) T. Li, Cai and Q. Li, 2008^{i c g}
- [*Tachysphex cockerellae*](#) Rohwer, 1914^{i c g}
- [*Tachysphex cocopa*](#) Pulawski, 1988^{i c g}
- [*Tachysphex conceptus*](#) Pulawski, 1974^{i c g}
- [*Tachysphex conclusus*](#) Nurse, 1903^{i c g}
- [*Tachysphex confrater*](#) Pulawski, 1971^{i c g}
- [*Tachysphex congoensis*](#) Arnold, 1924^{i c g}
- [*Tachysphex consocius*](#) Kohl, 1892^{i c g}
- [*Tachysphex contrarius*](#) Pulawski, 1977^{i c g}
- [*Tachysphex coquilletti*](#) Rohwer, 1911^{i c g}
- [*Tachysphex coriaceus*](#) (A. Costa, 1867)^{i c g}
- [*Tachysphex costae*](#) (De Stefani Perez, 1882)^{i c g}
- [*Tachysphex coxalis*](#) Pulawski, 2007^{i c g}
- [*Tachysphex crassiformis*](#) Viereck, 1906^{i c g}
- [*Tachysphex crassipes*](#) Arnold, 1923^{i c g}
- [*Tachysphex crenulatus*](#) W. Fox, 1894^{i c g}
- [*Tachysphex cretensis*](#) Straka, 2016^g
- [*Tachysphex crinitus*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex crocodilus*](#) Pulawski, 1971^{i c g}
- [*Tachysphex ctenophorus*](#) Pulawski, 1971^{i c g}
- [*Tachysphex cubanus*](#) Pulawski, 1974^{i c g}
- [*Tachysphex curvipes*](#) Pulawski, 2007^{i c g}
- [*Tachysphex denisi*](#) de Beaumont, 1936^{i c g}
- [*Tachysphex depressiventris*](#) R. Turner, 1916^{i c g}
- [*Tachysphex descendensis*](#) Mercet, 1909^{i c g}
- [*Tachysphex deserticola*](#) de Beaumont, 1940^{i c g}
- [*Tachysphex desertorum*](#) F. Morawitz, 1894^{i c g}
- [*Tachysphex detritus*](#) Arnold, 1924^{i c g}
- [*Tachysphex diabolicus*](#) Arnold, 1923^{i c g}
- [*Tachysphex diadelus*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex dignus*](#) Kohl in Kohl and Handlirsch, 1889^{i c g}
- [*Tachysphex dimidiatus*](#) Panzer, 1809^g
- [*Tachysphex discrepans*](#) R. Turner, 1915^{i c g}
- [*Tachysphex dissimulatus*](#) Pulawski, 2007^{i c g}

- [*Tachysphex diversilabris*](#) Arnold, 1960 ^{i c g}
- [*Tachysphex dolosus*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex dominicanus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex drymobius*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex dzinghis*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex ebeninus*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex eldoradensis*](#) Rohwer, 1917 ^{i c g}
- [*Tachysphex erectus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex erythrophorus*](#) Dalla Torre, 1897 ^{i c g}
- [*Tachysphex erythropus*](#) (Spinola, 1839) ^{i c g}
- [*Tachysphex erythrurus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex eucalypticus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex eucharistus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex eurystoma*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex euxinus*](#) Pulawski, 1958 ^{i c g}
- [*Tachysphex excavatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex excelsus*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex excisus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex eximius*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex fanuiensis*](#) Cheesman, 1928 ^{i c g}
- [*Tachysphex fasciatus*](#) Morice, 1897 ^{i c}
- [*Tachysphex ferrugineus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex flavofimbriatus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex foliaceus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex formosanus*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex fortior*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex frigidus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex fugax*](#) (Radoszkowski, 1877) ^{i c g}
- [*Tachysphex fulgidus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex fulviantennatus*](#) Tsuneki, 1976 ^{i c g}
- [*Tachysphex fulvitaris*](#) (A. Costa, 1867) ^{i c g}
- [*Tachysphex fuscispina*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex gagates*](#) Arnold, 1940 ^{i c g}
- [*Tachysphex galapagensis*](#) Rohwer, 1924 ^{i c g}
- [*Tachysphex galeatus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex gastrotrichus*](#) Pulawski, 2007 ^{i c g}

- [Tachysphex gegen](#) Tsuneki, 1971 ^{i c g}
- [Tachysphex geniculatus](#) (Spinola, 1839) ^{i c g}
- [Tachysphex georgii](#) Arnold, 1940 ^{i c g}
- [Tachysphex gessianus](#) Pulawski, 2007 ^{i c g}
- [Tachysphex glaber](#) Kohl, 1906 ^{i c g}
- [Tachysphex glabrior](#) F. Williams, 1914 ^{i c g}
- [Tachysphex gracilicornis](#) Mercet, 1909 ^{i c g}
- [Tachysphex gracilitarsis](#) Morice in E. Saunders, 1910 ^{i c g}
- [Tachysphex graecus](#) Kohl, 1883 ^{i c g}
- [Tachysphex grandissimus](#) Gussakovskij, 1933 ^{i c g}
- [Tachysphex gryllivorus](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [Tachysphex gujaraticus](#) Nurse, 1909 ^{i c g}
- [Tachysphex gussakovskii](#) Pulawski, 1971 ^{i c g}
- [Tachysphex hadronyx](#) Pulawski, 2007 ^{i c g}
- [Tachysphex haematopus](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [Tachysphex harpax](#) Arnold, 1923 ^{i c g}
- [Tachysphex helveticus](#) Kohl, 1885 ^{i c g}
- [Tachysphex hermia](#) Arnold, 1924 ^{i c g}
- [Tachysphex hippolyta](#) Arnold, 1924 ^{i c g}
- [Tachysphex hopi](#) Pulawski, 1988 ^{i c g}
- [Tachysphex horus](#) de Beaumont, 1940 ^{i c g}
- [Tachysphex hostilis](#) Kohl, 1901 ^{i c g}
- [Tachysphex huchiti](#) Pulawski, 1988 ^{i c g}
- [Tachysphex humilis](#) Straka, 2005 ^{i c g}
- [Tachysphex hungaricus](#) Straka, 2016 ^g
- [Tachysphex hurdi](#) R. Bohart, 1962 ^{i c g}
- [Tachysphex hypoleius](#) (F. Smith, 1856) ^{i c g}
- [Tachysphex iaphetes](#) Pulawski, 2007 ^{i c g}
- [Tachysphex ibi](#) Pulawski, 2007 ^{i c g}
- [Tachysphex idiotrichus](#) Pulawski, 1982 ^{i c g}
- [Tachysphex idzekii](#) Tsuneki, 1971 ^{i c g}
- [Tachysphex imbellis](#) R. Turner, 1908 ^{i c g}
- [Tachysphex incanus](#) de Beaumont, 1940 ^{i c g}
- [Tachysphex incertus](#) (Radoszkowski, 1877) ^{i c g}
- [Tachysphex inconspicuus](#) (W.F. Kirby, 1890) ^{i c g}
- [Tachysphex indicus](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}

- [*Tachysphex inextricabilis*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex instructus*](#) Nurse, 1909 ^{i c g}
- [*Tachysphex insulsus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex iridipennis*](#) (F. Smith, 1873) ^{i c g}
- [*Tachysphex irregularis*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex isis*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex jokischianus*](#) (Panzer, 1809) ^g
- [*Tachysphex jujuyensis*](#) Brèthes, 1913 ^{i c g}
- [*Tachysphex julliani*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex kalaharicus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex karasi*](#) Straka, 2005 ^{i c g}
- [*Tachysphex karoo*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex kaszabi*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex khoikhoi*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex kodairai*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex krombeini*](#) Kurczewski, 1971 ^{i c g}
- [*Tachysphex krombeiniellus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex lacertosus*](#) Arnold, 1944 ^{i c g}
- [*Tachysphex laevifrons*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex lagunaensis*](#) Tsuneki, 1983 ^{i c g}
- [*Tachysphex lamellatus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex laticauda*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachysphex latifrons*](#) Kohl, 1884 ^{i c g}
- [*Tachysphex limatus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex lindbergi*](#) de Beaumont, 1956 ^{i c g}
- [*Tachysphex linsleyi*](#) R. Bohart, 1962 ^{i c g}
- [*Tachysphex liriformis*](#) Pulawski, 1967 ^{i c g}
- [*Tachysphex longipalpis*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex longipes*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex lucillus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex luctuosus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex luxuriosus*](#) Morice, 1897 ^{i c g}
- [*Tachysphex mackayensis*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex maculipennis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex magnaemontis*](#) Hensen in Hensen and Ooijen, 1987 ^{i c g}
- [*Tachysphex malkovskii*](#) Pulawski, 1971 ^{i c g}

- [*Tachysphex marshalli*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex mashona*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex mauretanus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex maurus*](#) Rohwer, 1911 ^{i c g}
- [*Tachysphex maximus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex maya*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex mediterraneus*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex melanius*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex melas*](#) Kohl, 1898 ^{i c g}
- [*Tachysphex mendozanus*](#) Brèthes, 1913 ^{i c g}
- [*Tachysphex menkei*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex merina*](#) Pulawski, 2007 ^{i g}
- [*Tachysphex mesembrius*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex micans*](#) (Radoszkowski, 1877) ^{i c g}
- [*Tachysphex miniatulus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex mirandus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex miwok*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex mkomazi*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex mocsaryi*](#) Kohl, 1884 ^{i c g}
- [*Tachysphex moczari*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex modestus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex montanus*](#) (Cresson, 1865) ^{i c g}
- [*Tachysphex montivagus*](#) Arnold, 1944 ^{i c g}
- [*Tachysphex morawitzi*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex morosus*](#) (F. Smith, 1858) ^{i c g}
- [*Tachysphex multifasciatus*](#) Pulawski in Evans, Matthews and Pulawski, 1976 ^{i c g}
- [*Tachysphex mundus*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex musciventriss*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex mycerinus*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex mzingeli*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex namaqua*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex naranhun*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex nasalis*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex nefarius*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex nigerrimus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex nigricolor*](#) (Dalla Torre, 1897) ^{i c g}

- [*Tachysphex nigripennis*](#) (Spinola, 1808)^g
- [*Tachysphex niloticus*](#) Pulawski, 1964^{i c g}
- [*Tachysphex nitidior*](#) de Beaumont, 1940^{i c g}
- [*Tachysphex nitidissimus*](#) de Beaumont, 1952^{i c g}
- [*Tachysphex nitidus*](#) (Spinola, 1805)^{i c g}
- [*Tachysphex noar*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex nobilis*](#) Straka, 2016^g
- [*Tachysphex nonakai*](#) Tsuneki, 1971^{i c g}
- [*Tachysphex notogoniaeformis*](#) Nadig, 1933^{i c g}
- [*Tachysphex novarae*](#) (de Saussure, 1867)^{i c g}
- [*Tachysphex oasicola*](#) Pulawski, 1988^{i c g}
- [*Tachysphex oberon*](#) Arnold, 1923^{i c g}
- [*Tachysphex obscuripennis*](#) (Schenck, 1857)^{i c g}
- [*Tachysphex obscurus*](#) Pulawski, 1971^{i c g}
- [*Tachysphex occidentalis*](#) Pulawski, 1982^{i c g}
- [*Tachysphex octodentatus*](#) Arnold, 1924^{i c g}
- [*Tachysphex omoi*](#) Guiglia, 1943^{i c g}
- [*Tachysphex onager*](#) Pulawski, 2007^{i c g}
- [*Tachysphex opacus*](#) F. Morawitz, 1893^{i c g}
- [*Tachysphex opata*](#) Pulawski, 1988^{i c g}
- [*Tachysphex orestes*](#) Pulawski, 1988^{i c g}
- [*Tachysphex osiris*](#) de Beaumont, 1940^{i c g}
- [*Tachysphex ovambo*](#) Pulawski, 2007^{i c g}
- [*Tachysphex oxychelus*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex pacificus*](#) R. Turner, 1908^{i c g}
- [*Tachysphex paiute*](#) Pulawski, 1988^{i c g}
- [*Tachysphex palopterus*](#) (Dahlbom, 1845)^{i c g}
- [*Tachysphex panzeri*](#) (Vander Linden, 1829)^{i c}
- [*Tachysphex papago*](#) Pulawski, 1982^{i c g}
- [*Tachysphex paucispina*](#) Pulawski, 1977^{i c g}
- [*Tachysphex paulus*](#) Pulawski, 2007^{i c g}
- [*Tachysphex pauxillus*](#) W. Fox, 1894^{i c g}
- [*Tachysphex pechumani*](#) Krombein, 1938^{i c g}
- [*Tachysphex pectinatus*](#) Pulawski, 1974^{i c g}
- [*Tachysphex pekingensis*](#) Tsuneki, 1971^{i c g}
- [*Tachysphex pentheri*](#) Cameron, 1905^{i c g}

- [*Tachysphex perniger*](#) Arnold, 1947 ^{i c g}
- [*Tachysphex persa*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachysphex persistans*](#) R. Turner, 1916 ^{i c g}
- [*Tachysphex peruanus*](#) Pulawski, 1986 ^{i c g}
- [*Tachysphex picnic*](#) van Ooijen in Hensen and van Ooijen, 1987 ^{i c g}
- [*Tachysphex pilosellus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex pilosulus*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex pinal*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex pisonoides*](#) (Reed, 1894) ^{i c g}
- [*Tachysphex pisonopsis*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex platypus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex platystethus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex pleuralis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex plicosus*](#) (A. Costa, 1867) ^{i c g}
- [*Tachysphex politus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex pompiliformis*](#) (Panzer, 1804) ^{i c g b}
- [*Tachysphex powelli*](#) R. Bohart, 1962 ^{i c g}
- [*Tachysphex priesneri*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex prismaticus*](#) Straka, 2005 ^{i c g}
- [*Tachysphex prosopigastroides*](#) Bischoff, 1913 ^{i c g}
- [*Tachysphex proteus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex psammobius*](#) (Kohl, 1880) ^{i c g}
- [*Tachysphex pseudofasciatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex pseudopanzeri*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex psilocerus*](#) Kohl, 1884 ^{i c g}
- [*Tachysphex psilonotus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ptah*](#) Pulawski, 1964 ^{i c g}
- [*Tachysphex pubescens*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex pugnator*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex pulcher*](#) Pulawski, 1967 ^{i c g}
- [*Tachysphex punctatiformis*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex punctatus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex puncticeps*](#) Cameron, 1903 ^{i c g}
- [*Tachysphex punctifrons*](#) (W. Fox, 1891) ^{i c g}
- [*Tachysphex punctiger*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex punctipes*](#) Pulawski, 1967 ^{i c g}

- [*Tachysphex punctipleuris*](#) Straka, 2016 ^g
- [*Tachysphex pusulosus*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex quadricolor*](#) (Gerstaecker in Peters, 1858) ^{i c g}
- [*Tachysphex quisqueyus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex radiatus*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachysphex radoszkowskyi*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex ramses*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex rapax*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex reedi*](#) Menke in Pulawski, 1974 ^{i c g}
- [*Tachysphex remotus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex rhacodes*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex rhodesianus*](#) Bischoff, 1913 ^{i c g}
- [*Tachysphex rhynchocephalus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex robustior*](#) F. Williams, 1914 ^{i c g}
- [*Tachysphex rotundus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ruber*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex rubicundus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex ruficaudis*](#) (Taschenberg, 1870) ^{i c g}
- [*Tachysphex rufitarsis*](#) (Spinola, 1851) ^{i c g}
- [*Tachysphex rufopictus*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex rugicauda*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex rugosipleuris*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex sabulosus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex saevus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex sahelensis*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex samburu*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex saturnus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex saundersi*](#) Mercet, 1909 ^{i c g}
- [*Tachysphex scaber*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex scaurus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex schmiedeknechti*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex schoenlandi*](#) Cameron, 1905 ^{i c g}
- [*Tachysphex scopa*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex scopaeus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex semirufus*](#) (Cresson, 1865) ^{i c g}
- [*Tachysphex sericans*](#) Gussakovskij, 1952 ^{i c g}

- [*Tachysphex sericeus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex sexinus*](#) Leclercq, 1961 ^{i c g}
- [*Tachysphex seyrigi*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex siitanus*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex silvestris*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex similis*](#) Rohwer, 1910 ^{i c g b}
- [*Tachysphex smissenae*](#) Straka, 2016 ^g
- [*Tachysphex socotrae*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex solaris*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex sonorensis*](#) (Cameron, 1889) ^{i c g}
- [*Tachysphex sordidus*](#) (Dahlbom, 1845) ^{i c g}
- [*Tachysphex spatulifer*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex speciosissimus*](#) Morice, 1897 ^{i c g}
- [*Tachysphex spectrum*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex spinulosus*](#) Pulawski, 1975 ^{i c g}
- [*Tachysphex splendidulus*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex spretus*](#) Kohl, 1901 ^{i c g}
- [*Tachysphex sri*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex stachi*](#) de Beaumont, 1936 ^{i c g}
- [*Tachysphex stevensoni*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex stimulator*](#) R. Turner, 1916 ^{i c g}
- [*Tachysphex stysi*](#) Straka, 2008 ^{i c g}
- [*Tachysphex suavis*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex subandinus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex subcoriaceus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex subdentatus*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex subfimbriatus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex subopacus*](#) R. Turner, 1910 ^{i c g}
- [*Tachysphex sulcatus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex sulcidorsum*](#) de Beaumont, 1950 ^{i c g}
- [*Tachysphex svetlanae*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex sycorax*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex sympleuron*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex tahoe*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex taita*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex tanqua*](#) Pulawski, 2007 ^{i c g}

- [*Tachysphex tarsatus*](#) (Say, 1823) ^{i c g}
- [*Tachysphex tarsinus*](#) (Lepeletier de Saint Fargeau, 1845) ^{i c g}
- [*Tachysphex tembe*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex tenuicornis*](#) Bischoff, 1913 ^{i c g}
- [*Tachysphex tenuis*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex tenuisculptus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex terminatus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex tessellatus*](#) (Dahlbom, 1845) ^{i c g}
- [*Tachysphex testaceipes*](#) Bingham, 1897 ^{i c g}
- [*Tachysphex texanus*](#) (Cresson, 1873) ^{i c g}
- [*Tachysphex theseus*](#) Arnold, 1951 ^{i c g}
- [*Tachysphex thysanomerus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex tipai*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex titania*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex toltec*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex truncatifrons*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex tryssus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex tsil*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex ulonyovu*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ulothrix*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex undatus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex unicolor*](#) (Panzer, 1807) ^{i c g}
- [*Tachysphex usakos*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex utina*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex vanrhynsi*](#) Arnold, 1940 ^{i c g}
- [*Tachysphex vardyi*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex venator*](#) Arnold, 1960 ^{i c g}
- [*Tachysphex verticalis*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex vestitus*](#) Kohl, 1892 ^{i c g}
- [*Tachysphex vitiensis*](#) F. Williams, 1928 ^{i c g}
- [*Tachysphex vividus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex vulneratus*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex walkeri*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex waltoni*](#) Arnold, 1940 ^{i c g}
- [*Tachysphex williamsi*](#) R. Bohart, 1962 ^{i c g}
- [*Tachysphex xanthoptesimus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}

- [*Tachysphex yarrowi*](#) de Beaumont, 1960 ^{i c g}
- [*Tachysphex yolo*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex yuma*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex zambius*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ziziphi*](#) Pulawski, 2007 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Tachysphex Report"*](#). Integrated Taxonomic Information System. Retrieved 2018-04-27.
 - [*"Browse Tachysphex"*](#). Catalogue of Life. Retrieved 2018-04-27.
 - [*"Tachysphex"*](#). GBIF. Retrieved 2018-04-27.
 -
4. [*"Tachysphex Genus Information"*](#). BugGuide.net. Retrieved 2018-04-27.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
-

These 273 species belong to [*Tachys*](#), a genus of ground beetles in the family [Carabidae](#).^[1]

Tachys species

- [*Tachys aaa*](#) (Liebherr, 2021)
- [*Tachys abruptus*](#) Darlington, 1934
- [*Tachys aeneipennis*](#) Motschulsky, 1862
- [*Tachys aequinoctialis*](#) (Motschulsky, 1855)
- [*Tachys albipes*](#) LeConte, 1863
- [*Tachys algericus*](#) (Lucas, 1846)
- [*Tachys ambulatus*](#) Darlington, 1962
- [*Tachys androyanus*](#) (Jeannel, 1946)
- [*Tachys angustulus*](#) Reitter, 1899
- [*Tachys apex*](#) Darlington, 1962

- [*Tachys arcanicola*](#) Blackburn, 1878
- [*Tachys arculus*](#) Fauvel, 1882
- [*Tachys argentinus*](#) Csiki, 1928
- [*Tachys artensis*](#) (Montrouzier, 1860)
- [*Tachys asemus*](#) (Basilewsky, 1968)
- [*Tachys assamicus*](#) (Jedlicka, 1964)
- [*Tachys atamuradovi*](#) Kryzhanovskij & Mikhailov, 1987
- [*Tachys atomarius*](#) Wollaston, 1867
- [*Tachys atomus*](#) Blackburn, 1878
- [*Tachys atridermis*](#) Sloane, 1921
- [*Tachys austinicus*](#) (Casey, 1918)
- [*Tachys australicus*](#) Sloane, 1896
- [*Tachys avius*](#) Darlington, 1962
- [*Tachys baldiensis*](#) Blackburn, 1891
- [*Tachys barbieri*](#) Straneo, 1953
- [*Tachys bathyglyptus*](#) Andrewes, 1925
- [*Tachys beatus*](#) Darlington, 1962
- [*Tachys beaumonti*](#) Casey, 1918
- [*Tachys bicoloratus*](#) Burgeon, 1935
- [*Tachys bistriatus*](#) (Duftschmid, 1812)
- [*Tachys blackburni*](#) Sloane, 1921
- [*Tachys blemoides*](#) (Jeannel, 1946)
- [*Tachys bloetei*](#) Andrewes, 1930
- [*Tachys bolellus*](#) Darlington, 1962
- [*Tachys bolus*](#) Darlington, 1962
- [*Tachys bonariensis*](#) Steinheil, 1869
- [*Tachys borkuensis*](#) (Bruneau de Miré, 1952)
- [*Tachys bouchardi*](#) Andrewes, 1931
- [*Tachys brachys*](#) Andrewes, 1925
- [*Tachys bradycellinus*](#) Hayward, 1900
- [*Tachys bredoi*](#) (Basilewsky, 1953)
- [*Tachys brevicornis*](#) (Chaudoir, 1846)
- [*Tachys brunneus*](#) Andrewes, 1925
- [*Tachys brunniceps*](#) Andrewes, 1930
- [*Tachys bryanti*](#) Lindroth, 1966
- [*Tachys bunyaensis*](#) Baehr, 2017
- [*Tachys caffer*](#) Péringuey, 1896
- [*Tachys caheni*](#) (Basilewsky, 1972)
- [*Tachys caledonicus*](#) Csiki, 1928
- [*Tachys callipygus*](#) (Boheman, 1858)
- [*Tachys cameroni*](#) Andrewes, 1925
- [*Tachys captus*](#) Blackburn, 1888

- [*Tachys cardoni*](#) Andrewes, 1925
- [*Tachys carib*](#) Darlington, 1936
- [*Tachys carinulatus*](#) Sloane, 1921
- [*Tachys castaneicolor*](#) Bates, 1882
- [*Tachys centralis*](#) J.Sahlberg, 1900
- [*Tachys centriustatus*](#) Reitter in F.Hauser, 1894
- [*Tachys centromaculatus*](#) Wollaston, 1864
- [*Tachys chiriquinus*](#) Bates, 1882
- [*Tachys cinctus*](#) Putzeys, 1875
- [*Tachys collardi*](#) (Basilewsky, 1955)
- [*Tachys colonicus*](#) Casey, 1918
- [*Tachys columbiensis*](#) Hayward, 1900
- [*Tachys corax*](#) LeConte, 1852
- [*Tachys coriaceus*](#) Broun, 1908
- [*Tachys crypticola*](#) (Britton, 1960)
- [*Tachys cubax*](#) Darlington, 1934
- [*Tachys curtulus*](#) (Basilewsky, 1953)
- [*Tachys cycloderus*](#) Bates, 1871
- [*Tachys cyprius*](#) Coulon, 2004
- [*Tachys delamarei*](#) (Jeannel, 1962)
- [*Tachys delicatus*](#) Andrewes, 1925
- [*Tachys dentatus*](#) Andrewes, 1925
- [*Tachys descarpentriesi*](#) (Bruneau de Miré, 1965)
- [*Tachys devroeyi*](#) Burgeon, 1935
- [*Tachys dimedius*](#) Motschulsky, 1849
- [*Tachys diminutus*](#) Bates, 1871
- [*Tachys diploharpinus*](#) Bates, 1878
- [*Tachys discipennis*](#) Fauvel, 1882
- [*Tachys dominicanus*](#) Darlington, 1934
- [*Tachys dorsalis*](#) Motschulsky, 1851
- [*Tachys dostali*](#) Baehr, 2014
- [*Tachys dromioides*](#) Bates, 1871
- [*Tachys dzosonicus*](#) Pawlowski, 1974
- [*Tachys ectromioides*](#) Sloane, 1896
- [*Tachys edax*](#) LeConte, 1852
- [*Tachys ellenbergeri*](#) (Bruneau de Miré, 1964)
- [*Tachys elongatulus*](#) (Dejean, 1831)
- [*Tachys endroedyi*](#) Baehr, 2017
- [*Tachys enormis*](#) (Dostal, 2015)
- [*Tachys erwini*](#) Reichardt, 1976
- [*Tachys euryodes*](#) Bates, 1892
- [*Tachys excisicollis*](#) Baehr, 2012

- [*Tachys exochrias*](#) Darlington, 1962
- [*Tachys fasciatus*](#) (Motschulsky, 1851)
- [*Tachys federicae*](#) Baehr, 2016
- [*Tachys filax*](#) Darlington, 1934
- [*Tachys flavax*](#) Darlington, 1962
- [*Tachys flavicollis*](#) Motschulsky, 1862
- [*Tachys fortetriatus*](#) Baehr, 2003
- [*Tachys fortunatus*](#) Machado, 1989
- [*Tachys fulvicollis*](#) (Dejean, 1831)
- [*Tachys fumax*](#) Darlington, 1962
- [*Tachys gilvus*](#) Schaum, 1863
- [*Tachys gracchus*](#) Andrewes, 1935
- [*Tachys quangxicus*](#) (Deuve & Tian, 2011)
- [*Tachys gyotokuensis*](#) Tanaka, 1956
- [*Tachys haleakalae*](#) (Liebherr, 2021)
- [*Tachys halophilus*](#) Lindroth, 1966
- [*Tachys holmi*](#) (Basilewsky, 1963)
- [*Tachys hyalinus*](#) Casey, 1918
- [*Tachys hydrophilus*](#) (Germain, 1906)
- [*Tachys impictus*](#) Andrewes, 1925
- [*Tachys impressipennis*](#) Motschulsky, 1860
- [*Tachys impressus*](#) Motschulsky, 1851
- [*Tachys incertus*](#) Andrewes, 1925
- [*Tachys infuscatus*](#) Blackburn, 1888
- [*Tachys intermedius*](#) Baehr, 2012
- [*Tachys iridipennis*](#) Chaudoir, 1876
- [*Tachys jeannei*](#) Coulon, 2004
- [*Tachys joannae*](#) (Basilewsky, 1962)
- [*Tachys jucundulus*](#) Péringuey, 1908
- [*Tachys kabylianus*](#) Puel, 1935
- [*Tachys kahuzianus*](#) (Basilewsky, 1953)
- [*Tachys kaorutanakai*](#) Habu, 1977
- [*Tachys koizumii*](#) Habu, 1961
- [*Tachys koreanorum*](#) Pawlowski, 1974
- [*Tachys laevigatus*](#) (Boheman, 1858)
- [*Tachys laevus*](#) (Say, 1823)
- [*Tachys lamottei*](#) (Bruneau de Miré, 1964)
- [*Tachys languidus*](#) Andrewes, 1925
- [*Tachys latalatus*](#) Csiki, 1928
- [*Tachys leleupi*](#) (Basilewsky, 1953)
- [*Tachys lenkoreanus*](#) Csiki, 1928
- [*Tachys leptocerus*](#) Chaudoir, 1876

- [*Tachys leytensis*](#) (Baehr, 2016)
- [*Tachys limbatellus*](#) Bates, 1884
- [*Tachys lindi*](#) Blackburn, 1888
- [*Tachys lissonotus*](#) Andrewes, 1925
- [*Tachys litoralis*](#) Casey, 1884
- [*Tachys lividus*](#) (Bates, 1871)
- [*Tachys longulus*](#) Andrewes, 1925
- [*Tachys lugubris*](#) Motschulsky, 1862
- [*Tachys lusciosus*](#) (Antoine, 1945)
- [*Tachys luscus*](#) Darlington, 1962
- [*Tachys macleayi*](#) Sloane, 1896
- [*Tachys macrops*](#) Baehr, 2012
- [*Tachys mameti*](#) Alluaud, 1933
- [*Tachys marri*](#) Baehr, 1987
- [*Tachys masculus*](#) Darlington, 1962
- [*Tachys massaui*](#) (Basilewsky, 1955)
- [*Tachys mastersi*](#) Sloane, 1921
- [*Tachys micros*](#) (Fischer von Waldheim, 1828)
- [*Tachys microscopicus*](#) (Bates, 1873)
- [*Tachys minutissimus*](#) (R.F.Sahlberg, 1847)
- [*Tachys mirandus*](#) (Coulon & Wrase, 2008)
- [*Tachys mirei*](#) (Basilewsky, 1968)
- [*Tachys misellus*](#) LaFerté-Sénectère, 1841
- [*Tachys mitchelli*](#) Sloane, 1895
- [*Tachys monostictus*](#) Bates, 1871
- [*Tachys mordax*](#) LeConte, 1852
- [*Tachys mulwalensis*](#) Sloane, 1900
- [*Tachys mus*](#) Andrewes, 1925
- [*Tachys myrmecophilus*](#) (Jeannel, 1946)
- [*Tachys nanniscus*](#) Péringuey, 1896
- [*Tachys naraensis*](#) Ueno, 1953
- [*Tachys nephelodes*](#) Andrewes, 1930
- [*Tachys niger*](#) (Jeannel, 1953)
- [*Tachys nitmiluki*](#) (Giachino, 2003)
- [*Tachys oahuensis*](#) Blackburn, 1878
- [*Tachys oblitus*](#) Casey, 1918
- [*Tachys obtusiusculus*](#) (Jeannel, 1941)
- [*Tachys ochrias*](#) Andrewes, 1925
- [*Tachys ochrioides*](#) Darlington, 1962
- [*Tachys olemartini*](#) Kirschenhofer, 1986
- [*Tachys opalescens*](#) Andrewes, 1925
- [*Tachys orphninus*](#) Andrewes, 1925

- [*Tachys pallescens*](#) Bates, 1873
- [*Tachys pallidus*](#) Chaudoir, 1868
- [*Tachys pallorus*](#) Kopecky in Löbl & Smetana, 2003
- [*Tachys palustris*](#) Reitter in F.Hauser, 1894
- [*Tachys panamensis*](#) Casey, 1918
- [*Tachys paraserra*](#) Baehr, 2017
- [*Tachys particula*](#) Andrewes, 1936
- [*Tachys paulax*](#) Darlington, 1934
- [*Tachys perkinsi*](#) (Liebherr, 2021)
- [*Tachys pharao*](#) Schatzmayr & Koch, 1934
- [*Tachys piceolus*](#) LaFerté-Sénéctère, 1841
- [*Tachys plagiatu*](#) Putzeys, 1875
- [*Tachys pliginskii*](#) Solodovnikov, 2001
- [*Tachys politissimus*](#) Baehr, 2014
- [*Tachys potomaca*](#) (Erwin, 1981)
- [*Tachys prionotus*](#) Andrewes, 1936
- [*Tachys privus*](#) Darlington, 1962
- [*Tachys prolixus*](#) Bates, 1892
- [*Tachys proximus*](#) (Say, 1823)
- [*Tachys pseudolusciosus*](#) Coulon, 2004
- [*Tachys pseudosericeus*](#) Kirschenhofer, 1986
- [*Tachys pujoli*](#) (Bruneau de Miré, 1964)
- [*Tachys pulchellus*](#) LaFerté-Sénéctère, 1841
- [*Tachys pumilus*](#) (Dejean, 1831)
- [*Tachys pusillimus*](#) Péringuey, 1896
- [*Tachys queenslandicus*](#) Sloane, 1903
- [*Tachys rambai*](#) Jedlicka, 1966
- [*Tachys rectangulus*](#) Notman, 1919
- [*Tachys rhodeanus*](#) Casey, 1918
- [*Tachys riedeli*](#) Baehr, 2014
- [*Tachys sagax*](#) Casey, 1918
- [*Tachys scitulus*](#) LeConte, 1848
- [*Tachys scutellaris*](#) Stephens, 1828
- [*Tachys sellatus*](#) Fairmaire, 1892
- [*Tachys sequax*](#) LeConte, 1848
- [*Tachys sericans*](#) Bates, 1873
- [*Tachys sericeus*](#) Motschulsky, 1851
- [*Tachys serra*](#) Darlington, 1962
- [*Tachys serratus*](#) Andrewes, 1925
- [*Tachys serrula*](#) Darlington, 1962
- [*Tachys sexguttatus*](#) (Fairmaire, 1849)
- [*Tachys sibling*](#) Darlington, 1962

- [*Tachys similis*](#) Blackburn, 1888
- [*Tachys simulator*](#) Coulon, 2004
- [*Tachys spadix*](#) Casey, 1918
- [*Tachys striax*](#) Darlington, 1934
- [*Tachys subangulatus*](#) Bates, 1871
- [*Tachys subbrunneus*](#) Darlington, 1962
- [*Tachys sublobatus*](#) Darlington, 1962
- [*Tachys suboculatus*](#) (Basilewsky, 1958)
- [*Tachys sundaicus*](#) Andrewes, 1925
- [*Tachys suturifer*](#) Reitter, 1884
- [*Tachys sydneyensis*](#) Sloane, 1923
- [*Tachys szekessyi*](#) Jedlicka, 1968
- [*Tachys tenuiserra*](#) Darlington, 1962
- [*Tachys terryli*](#) (Liebherr, 2021)
- [*Tachys testaceus*](#) (Basilewsky, 1953)
- [*Tachys tetraphacus*](#) Bedel, 1896
- [*Tachys tienmushaniensis*](#) Kirschenhofer, 1986
- [*Tachys torretassoi*](#) Schatzmayr & Koch, 1934
- [*Tachys transcaucasicus*](#) Coulon, 2004
- [*Tachys translucens*](#) Darlington, 1937
- [*Tachys transumbratus*](#) Bates, 1892
- [*Tachys transversicollis*](#) (W.J.MacLeay, 1871)
- [*Tachys trechoderus*](#) Coulon, 2004
- [*Tachys trechulus*](#) Darlington, 1936
- [*Tachys troglocola*](#) (Deuve & Tian, 2011)
- [*Tachys troglophilus*](#) Ueno, 1953
- [*Tachys tropicalis*](#) Baehr, 2012
- [*Tachys tropicus*](#) (Nietner, 1858)
- [*Tachys truncatus*](#) (Nietner, 1858)
- [*Tachys turkestanicus*](#) Csiki, 1928
- [*Tachys uelensis*](#) Burgeon, 1935
- [*Tachys uenoianus*](#) Habu, 1974
- [*Tachys umbripennis*](#) Chaudoir, 1868
- [*Tachys uniformis*](#) Blackburn, 1888
- [*Tachys vandeli*](#) (Mateu & Colas, 1954)
- [*Tachys vandepolli*](#) (Bruneau de Miré, 1964)
- [*Tachys varsavianorum*](#) Pawlowski, 1974
- [*Tachys ventricosus*](#) LeConte, 1863
- [*Tachys venustus*](#) Andrewes, 1936
- [*Tachys vernilis*](#) Casey, 1918
- [*Tachys vibex*](#) Kopecky in Löbl & Smetana, 2003
- [*Tachys vietnami*](#) Jedlicka, 1968

- [*Tachys virgo*](#) LeConte, 1852
- [*Tachys vittiger*](#) LeConte, 1852
- [*Tachys vorax*](#) LeConte, 1852
- [*Tachys windsorensis*](#) Baehr, 1991
- [*Tachys xanthochrous*](#) Chaudoir, 1876
- [*Tachys yeboensis*](#) Burgeon, 1935
- [*Tachys yodai*](#) Jedlicka, 1964
- [*Tachys yorkensis*](#) Baehr, 2012
- [*Tachys yunchengensis*](#) Kirschenhofer, 1986
- [*Tachys zonatus*](#) Andrewes, 1925
- † [*Tachys haywardi*](#) Wickham, 1913

This is a list of 124 species in [*Tachinus*](#), a genus of crab-like rove beetles in the family [*Staphylinidae*](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)

***Tachinus* species**

- [*Tachinus addendus*](#) Horn, 1877 ^{g b}
- [*Tachinus alishanensis*](#) Hayashi, 1990 ^{c g}
- [*Tachinus andoi*](#) Tang et al., 2003 ^{c g}
- [*Tachinus angustatus*](#) Horn, 1877 ^g
- [*Tachinus apicalis*](#) Erichson, 1839 ^g
- [*Tachinus apterus*](#) [*Méklin*](#), 1853 ^g
- [*Tachinus atripes*](#) J.Sahlberg, 1876 ^g
- [*Tachinus axillaris*](#) Erichson, 1839 ^{g b}
- [*Tachinus basalis*](#) Erichson, 1839 ^{c g b}
- [*Tachinus beckeri*](#) Ullrich, 1975 ^{c g}
- [*Tachinus becquarti*](#) Bernhauer, 1938 ^{c g}
- [*Tachinus bernhaueri*](#) Luze, 1901 ^{c g}
- [*Tachinus bicuspidatus*](#) Sahlberg, J., 1880 ^{c g}
- [*Tachinus binotatus*](#) Li et al., 2000 ^{c g}
- [*Tachinus bipustulatus*](#) Fabricius, 1793 ^{c g}
- [*Tachinus bonvouloiri*](#) Pandellé, 1869 ^g
- [*Tachinus brevicuspis*](#) Schülke, 2003 ^{c g}
- [*Tachinus brevipennis*](#) J.R.Sahlberg, 1880 ^g
- [*Tachinus brunneus*](#) Ullrich, 1975 ^g

- [*Tachinus caelatus*](#) Ullrich, 1975 ^{c g}
- [*Tachinus canadensis*](#) Horn, 1877 ^g
- [*Tachinus chinensis*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus contortus*](#) Hatch, 1957 ^g
- [*Tachinus corticinus*](#) Gravenhorst, 1802 ^{g b}
- [*Tachinus crotchi*](#) ^b
- [*Tachinus crotchii*](#) Horn, 1877 ^g
- [*Tachinus debilis*](#) Horn, 1877 ^g
- [*Tachinus dilatatus*](#) Hatch, 1957 ^g
- [*Tachinus discoideus*](#) Erichson, 1839 ^g
- [*Tachinus edentulus*](#) Ullrich, 1975 ^{c g}
- [*Tachinus edwardi*](#) Herman, 2001 ^g
- [*Tachinus elegans*](#) Eppelsheim, 1893 ^{c g}
- [*Tachinus elongatus*](#) Gyllenhal, 1810 ^{c g}
- [*Tachinus emeiensis*](#) Zhang et al., 2003 ^{c g}
- [*Tachinus fanjingensis*](#) Li et al., 2004 ^{c g}
- [*Tachinus fauveli*](#) Pandelle, 1869 ^g
- [*Tachinus fimbriatus*](#) Gravenhorst, 1802 ^{g b}
- [*Tachinus fimetarius*](#) Gravenhorst, 1802 ^g
- [*Tachinus flavolimbatus*](#) Pandellé, 1869 ^g
- [*Tachinus fortepunctatus*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus frigidus*](#) Erichson, 1839 ^{g b}
- [*Tachinus fulvipes*](#) Erichson, 1840 ^g
- [*Tachinus fumipennis*](#) (Say, 1834) ^{g b}
- [*Tachinus gelidus*](#) Eppelsheim, 1893 ^{c g}
- [*Tachinus gigantulus*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus grandicollis*](#) Bernhauer, 1917 ^{c g}
- [*Tachinus hedini*](#) Ullrich, 1975 ^{c g}
- [*Tachinus humeralis*](#) Gravenhorst, 1802 ^g
- [*Tachinus humeronotatus*](#) Zhao & Li, 2002 ^{c g}
- [*Tachinus instabilis*](#) Mäklin, 1853 ^{c g}
- [*Tachinus insularis*](#) Hayashi, 1987 ^{c g}
- [*Tachinus jacuticus*](#) ^g
- [*Tachinus japonicus*](#) Sharp, 1888 ^{c g}
- [*Tachinus javanus*](#) Cameron, 1937 ^{c g}
- [*Tachinus kabakovi*](#) Veselova, 1993 ^{c g}

- [*Tachinus kaiseri*](#) Bernhauer, 1934 ^{c g}
- [*Tachinus kaszabi*](#) Ullrich, 1975 ^{c g}
- [*Tachinus laticollis*](#) Gravenhorst, 1802 ^{c g}
- [*Tachinus latissimus*](#) Tikhomirova, 1973 ^g
- [*Tachinus latiusculus*](#) Markel & Kiesenwetter, 1848 ^g
- [*Tachinus licenti*](#) Bernhauer, 1938 ^{c g}
- [*Tachinus lignorum*](#) (Linnaeus, 1758) ^g
- [*Tachinus lij*](#) Schülke, 2005 ^{c g}
- [*Tachinus limbatus*](#) Melsheimer, 1844 ^{g b}
- [*Tachinus lohsei*](#) Ullrich, 1975 ^{c g}
- [*Tachinus longelytratus*](#) Ullrich, 1975 ^{c g}
- [*Tachinus ludwigbenicki*](#) Ullrich, 1975 ^{c g}
- [*Tachinus luridus*](#) Erichson, 1840 ^{g b}
- [*Tachinus maculicollis*](#) Mäklin, 1852 ^{g b}
- [*Tachinus maculipennis*](#) Cameron, 1928 ^{c g}
- [*Tachinus maderi*](#) Bernhauer, 1939 ^{c g}
- [*Tachinus manueli*](#) Sharp, 1874 ^g
- [*Tachinus marginatus*](#) Fabricius, 1793 ^{c g}
- [*Tachinus marginellus*](#) (Fabricius, 1781) ^g
- [*Tachinus masahiroi*](#) Li & Zhao, 2003 ^{c g}
- [*Tachinus masaohayashii*](#) Hayashi, 1990 ^{c g}
- [*Tachinus memnonius*](#) Gravenhorst, 1802 ^{g b}
- [*Tachinus mercatii*](#) Jarrige, 1966 ^g
- [*Tachinus miltoni*](#) Schülke, 2003 ^{c g}
- [*Tachinus minimus*](#) Campbell, 1973 ^g
- [*Tachinus montanellus*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus nigriceps*](#) Sharp, 1888 ^{c g}
- [*Tachinus nigricornis*](#) Mannerheim, 1843 ^g
- [*Tachinus nitouensis*](#) Ullrich, 1975 ^{c g}
- [*Tachinus ohbayashii*](#) Li et al., 2001 ^{c g}
- [*Tachinus pallipes*](#) Gravenhorst, 1806 ^{c g}
- [*Tachinus parasibiricus*](#) Zhang et al., 2003 ^{c g}
- [*Tachinus piceus*](#) Cameron, 1932 ^g
- [*Tachinus picipes*](#) Erichson, 1839 ^{g b}
- [*Tachinus potanini*](#) Veselova, 1981 ^{c g}
- [*Tachinus punctipennis*](#) Sahlberg, J., 1876 ^{c g}

- [*Tachinus punctus*](#) Gravenhorst, 1806 ^g
- [*Tachinus quebecensis*](#) Robert, 1946 ^g
- [*Tachinus rainieri*](#) Hatch, 1957 ^g
- [*Tachinus roborowskyi*](#) Reitter, 1887 ^{c g}
- [*Tachinus robustus*](#) Zhao et al., 2003 ^{c g}
- [*Tachinus rufipennis*](#) Gyllenhal, 1810 ^{c g}
- [*Tachinus rufipes*](#) Linnaeus, 1758 ^{c g}
- [*Tachinus sahlbergi*](#) Fauvel, 1900 ^{c g}
- [*Tachinus satoi*](#) Li & Zhao, 2003 ^{c g}
- [*Tachinus scapularis*](#) Stephens, 1832 ^g
- [*Tachinus schilowi*](#) Ullrich, 1975 ^{c g}
- [*Tachinus schneideri*](#) Luze, 1900 ^g
- [*Tachinus schwarzi*](#) Horn, 1877 ^g
- [*Tachinus semirufus*](#) Horn, 1877 ^{g b}
- [*Tachinus sibiricus*](#) Sharp, 1888 ^{c g}
- [*Tachinus signatus*](#) Gravenhorst, 1802 ^g
- [*Tachinus silphoides*](#) Schülke, 2005 ^{c g}
- [*Tachinus sinensis*](#) Li & Zhao, 2002 ^{c g}
- [*Tachinus smetanai*](#) Campbell, 1973 ^g
- [*Tachinus splendidus*](#) Gravenhorst, 1806 ^g
- [*Tachinus stacesmithi*](#) Campbell, 1973 ^g
- [*Tachinus striatipennis*](#) Schülke, 2005 ^{c g}
- [*Tachinus subterraneus*](#) (Linnaeus, 1758) ^g
- [*Tachinus sugayai*](#) Schülke, 2003 ^{c g}
- [*Tachinus taichungensis*](#) Campbell, 1993 ^{c g}
- [*Tachinus taiwanensis*](#) Shibata, 1979 ^g
- [*Tachinus thruppi*](#) Hatch, 1957 ^g
- [*Tachinus tianmuensis*](#) Li et al., 2000 ^{c g}
- [*Tachinus vergatus*](#) Campbell, 1973 ^g
- [*Tachinus watanabei*](#) Shibata, 1979 ^{c g}
- [*Tachinus yasukii*](#) Li et al., 2002 ^{c g}
- [*Tachinus yasutoshii*](#) Ito, 1993 ^{c g}
- [*Tachinus yushanensis*](#) Campbell, 1993 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 1358 species in [Tabanus](#), a genus of horseflies in the family [Tabanidae](#).

Tabanus species

Contents

- [A](#)
- [B](#)
- [C](#)
- [D-E](#)
- [F-G](#)
- [H-J](#)
- [K-L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [References](#)

A

- [Tabanus aaptus](#) Fairchild, 1985[1]
- [Tabanus aar](#) Philip, 1941[2]
- [Tabanus abactor](#) Philip, 1936[3]
- [Tabanus abaculus](#) Philip, 1960[4]
- [Tabanus abauristriatus](#) Philip, 1960[4]
- [Tabanus abbasalis](#) Philip, 1960[4]
- [Tabanus abbreviatus](#) (Bigot, 1892)[5]
- [Tabanus abditus](#) Philip, 1941[2]
- [Tabanus abdominalis](#) Fabricius, 1805[6]
- [Tabanus abjanensis](#) Ježek, Tkoc & Harten, 2017[7]
- [Tabanus abscondens](#) Walker, 1860[8]
- [Tabanus acallosus](#) Philip, 1961[9]
- [Tabanus acallus](#) Szilády, 1926[10]

- [*Tabanus accensus* Austen, 1920\[11\]](#)
- [*Tabanus accipiter* Szilády, 1923\[12\]](#)
- [*Tabanus acer* Brèthes, 1910\[13\]](#)
- [*Tabanus acuminaris* Philip, 1960\[4\]](#)
- [*Tabanus acutus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus adhabarensis* Matsumura & Takahasi, 1976\[14\]](#)
- [*Tabanus adistolus* Fairchild, 1986\[15\]](#)
- [*Tabanus admelanopygus* Philip, 1974\[16\]](#)
- [*Tabanus administrans* Schiner, 1868\[17\]](#)
- [*Tabanus aegrotus* Osten Sacken, 1877\[18\]](#)
- [*Tabanus aeneus* Surcouf, 1907\[19\]](#)
- [*Tabanus agnoscibilis* Austen, 1922\[20\]](#)
- [*Tabanus aidini* Kröber, 1928\[21\]](#)
- [*Tabanus alatocinereus* Dias, 1974](#)
- [*Tabanus albicinctus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus albicuspis* Wang, 1985\[23\]](#)
- [*Tabanus albifacies* Loew, 1856\[24\]](#)
- [*Tabanus albifrons* Szilády, 1914\[25\]](#)
- [*Tabanus albilinea* Walker, 1848\[26\]](#)
- [*Tabanus albitibialis* Macquart, 1838\[27\]](#)
- [*Tabanus albitriangularis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus albocirculus* Hine, 1907\[28\]](#)
- [*Tabanus albocostatus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus albocreus* Philip, 1974\[16\]](#)
- [*Tabanus albofasciatus* Ricardo, 1911\[29\]](#)
- [*Tabanus albopunctatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus albosetosus* Coher, 1985\[30\]](#)
- [*Tabanus algeriensis* Peus, 1980\[31\]](#)
- [*Tabanus altermaculatus* Ricardo, 1913](#)
- [*Tabanus alticola* Philip, 1959\[32\]](#)
- [*Tabanus alumnus* Burton, 1978\[33\]](#)
- [*Tabanus alvarengai* Schacht, 1987](#)
- [*Tabanus amaenus* Walker, 1848\[26\]](#)
- [*Tabanus amamiensis* Hayakawa, Suzuki & Nagashima, 1981](#)
- [*Tabanus amapaensis* Fairchild, 1961\[34\]](#)
- [*Tabanus americanus* Forster, 1771\[35\]](#)
- [*Tabanus amoenatus* Séguy, 1934](#)
- [*Tabanus anabates* Philip, 1960\[4\]](#)
- [*Tabanus anatolicus* Olsufiev, Moucha & Chvála, 1967\[36\]](#)
- [*Tabanus andamanensis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus andamanicus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus anderssoni* Philip, 1972\[37\]](#)

- [*Tabanus angustilimbatus* Senior-White, 1924](#)
- [*Tabanus angustipalpis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustistriatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustitriangularis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustiventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustofrons* Wang, 1985\[23\]](#)
- [*Tabanus angustus* Macquart, 1838\[27\]](#)
- [*Tabanus aniptus* Fairchild, 1976\[38\]](#)
- [*Tabanus annamensis* Philip, 1960\[4\]](#)
- [*Tabanus annamiticus* Surcouf, 1911](#)
- [*Tabanus annamitus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus anomalus* Philip, 1959\[32\]](#)
- [*Tabanus ansarii* Abbassian-Lintzen, 1960\[39\]](#)
- [*Tabanus antarcticus* Linnaeus, 1758\[40\]](#)
- [*Tabanus antennarum* \(Kröber, 1936\)\[41\]](#)
- [*Tabanus anthrax* Olsufiev, 1937](#)
- [*Tabanus antunesi* Fairchild, 1985\[1\]](#)
- [*Tabanus apicalis* Wiedemann, 1828\[42\]](#)
- [*Tabanus approximatus* Oldroyd, 1949\[43\]](#)
- [*Tabanus aquilus* Surcouf, 1907\[44\]](#)
- [*Tabanus arabicus* Macquart, 1839\[45\]](#)
- [*Tabanus aranti* Hays, 1961](#)
- [*Tabanus arctus* Wang, 1982\[46\]](#)
- [*Tabanus ardalus* Philip, 1960\[4\]](#)
- [*Tabanus ardens* Wiedemann, 1821\[47\]](#)
- [*Tabanus arenicolor* Peus, 1980\[31\]](#)
- [*Tabanus arenivagus* Austen, 1920\[11\]](#)
- [*Tabanus arfaai* Abbassian-Lintzen, 1966\[48\]](#)
- [*Tabanus argentatus* \(Szilády, 1926\)\[10\]](#)
- [*Tabanus argenteomaculatus* \(Kröber, 1928\)\[21\]](#)
- [*Tabanus argenteus* Surcouf, 1907\[19\]](#)
- [*Tabanus argentifrons* Walker, 1848\[26\]](#)
- [*Tabanus argentsignatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus argentivittatus* Fairchild, 1976\[38\]](#)
- [*Tabanus arisanus* Shiraki, 1918\[49\]](#)
- [*Tabanus armeniacus* \(Kröber, 1928\)\[21\]](#)
- [*Tabanus armenicus* Szilády, 1926\[50\]](#)
- [*Tabanus arnaudi* Philip, 1978\[51\]](#)
- [*Tabanus atamuradovi* Dolin & Andreeva, 1986](#)
- [*Tabanus atratoides* Burger, 1988\[52\]](#)
- [*Tabanus atratus* Fabricius, 1775\[53\]](#)
- [*Tabanus atrimaculatus* Schuurmans Stekhoven, 1932\[54\]](#)

- [*Tabanus atrimanus* Loew, 1858\[55\]](#)
- [*Tabanus atripilosus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atripunctatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atrisignatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atristylatus* Burger, 1988\[52\]](#)
- [*Tabanus atriventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atrohirtus* Ricardo, 1911\[29\]](#)
- [*Tabanus atropathenicus* Olsufiev, 1937](#)
- [*Tabanus atropilosus* Burger, 1988\[52\]](#)
- [*Tabanus attenuatus* Walker, 1848\[26\]](#)
- [*Tabanus attenuis* Philip, 1959\[32\]](#)
- [*Tabanus aublanti* Toumanoff, 1953](#)
- [*Tabanus audyi* Philip, 1960\[4\]](#)
- [*Tabanus aurantium* Philip, 1957\[56\]](#)
- [*Tabanus aurepiloides* Xu & Deng, 1990\[57\]](#)
- [*Tabanus auribundus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auricauda* Philip, 1956\[58\]](#)
- [*Tabanus auricingulatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auricircus* Philip, 1979\[59\]](#)
- [*Tabanus aurifer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auriflamma* Walker, 1848\[26\]](#)
- [*Tabanus aurilineatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auripilosus* Philip, 1959\[32\]](#)
- [*Tabanus auripunctatus* Macquart, 1839\[45\]](#)
- [*Tabanus aurisegmentatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus aurisetosus* Toumanoff, 1950](#)
- [*Tabanus aurisparsus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auristriatus* Ricardo, 1911\[29\]](#)
- [*Tabanus auriventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus aurivittatus* Ricardo, 1913\[60\]](#)
- [*Tabanus aurora* Macquart, 1838\[27\]](#)
- [*Tabanus aurotestaceus* Walker, 1854\[61\]](#)
- [*Tabanus australicus* Taylor, 1919\[62\]](#)
- [*Tabanus autumnalis* Linnaeus, 1761\[63\]](#)
- [*Tabanus avittatus* Schuurmans Stekhoven, 1926\[22\]](#)

B

- [*Tabanus bactrianus* Olsufiev, 1937](#)
- [*Tabanus baquiensis* Philip, 1959\[32\]](#)
- [*Tabanus bakeri* Philip, 1959\[32\]](#)
- [*Tabanus balabacensis* Chvála & Lyneborg, 1970\[64\]](#)
- [*Tabanus ballmeri* Burton, 1978\[33\]](#)

- [*Tabanus baohaii*](#) Xu & Liu, 1980
- [*Tabanus baohaii*](#) Xu & Sun, 2008[65]
- [*Tabanus baojiensis*](#) Xu & Liu, 1980[66]
- [*Tabanus barbarus*](#) Coquebert, 1804[67]
- [*Tabanus barbatus*](#) Thunberg, 1789[68]
- [*Tabanus barclayi*](#) Austen, 1912[69]
- [*Tabanus barnesi*](#) Austen, 1922[20]
- [*Tabanus basalis*](#) Macquart, 1838[27]
- [*Tabanus bashiri*](#) Abro, 1994
- [*Tabanus basilaris*](#) Kröber, 1931[70]
- [*Tabanus beneficus*](#) Wang, 1982[46]
- [*Tabanus bequaertianus*](#) Fain, 1949[71]
- [*Tabanus beshkentica*](#) Baratov, 1980[72]
- [*Tabanus besti*](#) Surcouf, 1907[73]
- [*Tabanus besti*](#) var. *arbucklei* Austen, 1912[74]
- [*Tabanus bewanensis*](#) Oldroyd, 1964[75]
- [*Tabanus biannularis*](#) Philip, 1960[76]
- [*Tabanus biatripunctatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus bicoloratus*](#) Philip, 1962[77]
- [*Tabanus bifarius*](#) Loew, 1858[78]
- [*Tabanus bifloccus*](#) Hine, 1925[79]
- [*Tabanus bigoti*](#) Bellardi, 1859[80]
- [*Tabanus biguttatus*](#) Wiedemann, 1830[81]
- [*Tabanus bilateralis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus billingtoni*](#) Newstead, Dutton & Todd, 1907
- [*Tabanus bilorus*](#) Oldroyd, 1963[82]
- [*Tabanus bimini*](#) Philip, 1957[56]
- [*Tabanus birdiei*](#) Whitney, 1914[83]
- [*Tabanus birmanicus*](#) (Bigot, 1892)[5]
- [*Tabanus bishoppi*](#) Stone, 1933[84]
- [*Tabanus bivari*](#) Dias, 1985
- [*Tabanus boharti*](#) Philip, 1950[85]
- [*Tabanus bombyaensis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus borealoriens*](#) Burton, 1978[33]
- [*Tabanus boueti*](#) Surcouf, 1907[86]
- [*Tabanus bovinus*](#) Linnaeus, 1758[40]
- [*Tabanus brancoi*](#) Dias, 1989
- [*Tabanus brassofortei*](#) Dias, 1980
- [*Tabanus brevicallus*](#) Philip, 1959[32]
- [*Tabanus brevifrons*](#) Kröber, 1931[70]
- [*Tabanus brevitrianguliferus*](#) Kröber, 1931[70]
- [*Tabanus briani*](#) Leclercq, 1962

- [*Tabanus brincki* Philip, 1973\[87\]](#)
- [*Tabanus brochei* Cruz & García, 1974\[88\]](#)
- [*Tabanus brodeni* Bequaert, 1913\[89\]](#)
- [*Tabanus bromiolus* Szilády, 1923\[12\]](#)
- [*Tabanus bromius* Linnaeus, 1758\[40\]](#)
- [*Tabanus bromius* var. *flavofemoratus* Strobl, 1909\[90\]](#)
- [*Tabanus brumpti* Surcouf, 1907\[91\]](#)
- [*Tabanus brunneicollis* Hine & Bequaert, 1932](#)
- [*Tabanus brunneocallosus* Olsufiev, 1936](#)
- [*Tabanus brunneothorax* Schuurmans Stekhoven, 1924\[92\]](#)
- [*Tabanus brunneus* Thunberg, 1827\[93\]](#)
- [*Tabanus brunnipennis* Ricardo, 1911\[29\]](#)
- [*Tabanus brunnipes* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus brunniventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus bubali* Doleschall, 1856\[94\]](#)
- [*Tabanus bubalophilus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus bubbermani* Nieschulz, 1927](#)
- [*Tabanus bucolicus* Schiner, 1868\[17\]](#)
- [*Tabanus budda* Portschiński, 1887\[95\]](#)
- [*Tabanus budongoensis* Crosskey, 1965\[96\]](#)
- [*Tabanus burgeri* \(Philip, 1978\)\[51\]](#)
- [*Tabanus burmanensis* Schuurmans Stekhoven, 1926\[22\]](#)

C

- [*Tabanus caduceus* Burton, 1978\[33\]](#)
- [*Tabanus caenosus* Burger, 1974\[97\]](#)
- [*Tabanus caeruleus* Macquart, 1838\[27\]](#)
- [*Tabanus calabyi* Mackerras, 1971\[98\]](#)
- [*Tabanus calcarius* Xu & Liao, 1984](#)
- [*Tabanus calens* Linnaeus, 1758\[40\]](#)
- [*Tabanus calidus* Walker, 1850\[99\]](#)
- [*Tabanus caligneus* Philip, 1974\[16\]](#)
- [*Tabanus callogaster* Wang, 1988\[100\]](#)
- [*Tabanus cambodianus* Philip, 1960\[4\]](#)
- [*Tabanus cambodiensis* Toumanoff, 1953](#)
- [*Tabanus camelarius* Austen, 1911\[101\]](#)
- [*Tabanus campechianus* Townsend, 1897\[102\]](#)
- [*Tabanus campestris* Brèthes, 1910\[13\]](#)
- [*Tabanus candidus* Ricardo, 1913\[103\]](#)
- [*Tabanus canipalpis* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus canipus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus canus* Karsch, 1879\[104\]](#)

- [*Tabanus capelai*](#) Dias, 1992
- [*Tabanus catenatus*](#) Walker, 1848[26]
- [*Tabanus caucasi*](#) Kröber, 1925[105]
- [*Tabanus cayensis*](#) Fairchild, 1935[106]
- [*Tabanus cazieri*](#) Philip, 1954[107]
- [*Tabanus cementus*](#) Xu & Liao, 1984
- [*Tabanus centroafricanus*](#) Dias, 1996
- [*Tabanus cepuricus*](#) Surcouf, 1922
- [*Tabanus cervinus*](#) Kröber, 1929[108]
- [*Tabanus ceylonicus*](#) Schiner, 1868[17]
- [*Tabanus chalcothrix*](#) Fairchild, 1961[109]
- [*Tabanus charrua*](#) Coscarón, 1980[110]
- [*Tabanus chekiangensis*](#) Ôuchi, 1943[111]
- [*Tabanus cheliopertus*](#) Rondani, 1850[112]
- [*Tabanus chenfu*](#) Xu & Sun, 2013
- [*Tabanus chentangensis*](#) Zhu & Xu, 1995
- [*Tabanus chicoi*](#) Tendeiro, 1965[113]
- [*Tabanus chinensis*](#) Ôuchi, 1943[111]
- [*Tabanus chloropsis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus choiseulensis*](#) Mackerras, 1972[114]
- [*Tabanus chosenensis*](#) Murdoch & Takahasi, 1969
- [*Tabanus choumarae*](#) Leclercq, 1967
- [*Tabanus christophi*](#) Kröber, 1928[21]
- [*Tabanus chrysogaster*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus chrysoleucus*](#) Walker, 1854[61]
- [*Tabanus chrysurinus*](#) (Enderlein, 1925)[115]
- [*Tabanus chrysurus*](#) Loew, 1858[116]
- [*Tabanus cincta*](#) Fabricius, 1794[117]
- [*Tabanus cinerescens*](#) Macleay, 1826[118]
- [*Tabanus cingulatus*](#) Thunberg, 1827[93]
- [*Tabanus cinnamomeus*](#) Doleschall, 1858[119]
- [*Tabanus circumalbatus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus citripilosus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus claripennis*](#) (Bigot, 1892)[5]
- [*Tabanus claritibialis*](#) Ricardo, 1908[120]
- [*Tabanus clenchi*](#) Bequaert, 1940[121]
- [*Tabanus cnemidotus*](#) Philip, 1959[32]
- [*Tabanus cneus*](#) Philip, 1974[16]
- [*Tabanus coarctatus*](#) Stone, 1935[122]
- [*Tabanus cohaerens*](#) Walker, 1865[123]
- [*Tabanus colombensis*](#) Macquart, 1846[124]
- [*Tabanus columbus*](#) Fairchild, 1942[125]

- [*Tabanus combustus* \(Bigot, 1891\)\[126\]](#)
- [*Tabanus comitans* Wiedemann, 1828\[42\]](#)
- [*Tabanus commixtus* Walker, 1860\[8\]](#)
- [*Tabanus comosus* Stone, 1944\[127\]](#)
- [*Tabanus concolor* Walker, 1848\[26\]](#)
- [*Tabanus concurrens* Walker, 1858\[128\]](#)
- [*Tabanus conformis* Walker, 1848\[26\]](#)
- [*Tabanus confusiens* Philip, 1959\[32\]](#)
- [*Tabanus congoicola* Bequaert, 1930\[129\]](#)
- [*Tabanus congoiensis* Ricardo, 1908\[120\]](#)
- [*Tabanus conicus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus coniformis* Ricardo, 1908\[120\]](#)
- [*Tabanus coninckae* Dias, 1993](#)
- [*Tabanus conius* Philip, 1959\[32\]](#)
- [*Tabanus consanguineus* Macquart, 1838\[27\]](#)
- [*Tabanus conspicuus* Ricardo, 1908\[120\]](#)
- [*Tabanus conterminus* Walker, 1850\[99\]](#)
- [*Tabanus copemani* Austen, 1912\[130\]](#)
- [*Tabanus corax* Loew, 1863\[131\]](#)
- [*Tabanus cordiger* Meigen & Wiedemann, 1820\[132\]](#)
- [*Tabanus cordigeroides* Surcouf, 1923\[133\]](#)
- [*Tabanus coreanus* Shiraki, 1932\[134\]](#)
- [*Tabanus corone* Osten Sacken, 1886\[135\]](#)
- [*Tabanus corpulentus* Brèthes, 1910\[13\]](#)
- [*Tabanus craverii* Bellardi, 1859\[80\]](#)
- [*Tabanus crocitinctipennis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus crocodilinus* Austen, 1912\[130\]](#)
- [*Tabanus crosskeyi* Tendeiro, 1965\[113\]](#)
- [*Tabanus cruzesilvai* Dias, 1980](#)
- [*Tabanus cubensis* Cruz & García, 1974\[88\]](#)
- [*Tabanus cuculus* Szilády, 1923\[12\]](#)
- [*Tabanus cuisancei* Dias, 1996](#)
- [*Tabanus curticornis* Kröber, 1931\[70\]](#)
- [*Tabanus curtus* Hine, 1920\[136\]](#)
- [*Tabanus cyclops* Szilády, 1926\[10\]](#)
- [*Tabanus cyclopus* Philip, 1961\[137\]](#)
- [*Tabanus cylindricallus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus cylindrocallus* Wang, 1988\[138\]](#)
- [*Tabanus cymatophorus* Osten Sacken, 1876\[139\]](#)

D-E

- [*Tabanus daedalus* \(Stone, 1938\)\[140\]](#)

- [*Tabanus daishojii*](#) Murdoch & Takahasi, 1969
- [*Tabanus daohaoi*](#) Xu, 2005[141]
- [*Tabanus darimonti*](#) Leclercq, 1964
- [*Tabanus darlingtoni*](#) Bequaert, 1940[121]
- [*Tabanus davidsoni*](#) Taylor, 1919[62]
- [*Tabanus decipiens*](#) (Kröber, 1928)[21]
- [*Tabanus decoratus*](#) Szilády, 1926[10]
- [*Tabanus defilippii*](#) Bellardi, 1859[80]
- [*Tabanus demellonis*](#) Senior-White, 1924
- [*Tabanus denshamii*](#) Austen, 1908[142]
- [*Tabanus denticulatus*](#) Ricardo, 1913[60]
- [*Tabanus destructus*](#) Szilády, 1926[10]
- [*Tabanus dietrichi*](#) Pechuman, 1956
- [*Tabanus discifer*](#) Walker, 1850[99]
- [*Tabanus discors*](#) Burton, 1978[33]
- [*Tabanus discrepans*](#) Ricardo, 1911[29]
- [*Tabanus discus*](#) Wiedemann, 1828[42]
- [*Tabanus dissimilis*](#) Ricardo, 1911[29]
- [*Tabanus distinctus*](#) Ricardo, 1908[120]
- [*Tabanus diversifrons*](#) Ricardo, 1911[29]
- [*Tabanus diversus*](#) Ricardo, 1908[120]
- [*Tabanus divulsus*](#) Suh, Choi & Kwon, 2003[143]
- [*Tabanus dolini*](#) Ivanishchuk, 1986
- [*Tabanus dominicanus*](#) Kröber, 1931[70]
- [*Tabanus dominus*](#) Datta & Das, 1978
- [*Tabanus donaldsoni*](#) Carter, 1912[144]
- [*Tabanus doreicus*](#) Walker, 1861[145]
- [*Tabanus dorsifer*](#) Walker, 1860[8]
- [*Tabanus dorsifloccus*](#) Szilády, 1926[10]
- [*Tabanus dorsiger*](#) Wiedemann, 1821[47]
- [*Tabanus dorsivitta*](#) Walker, 1850[99]
- [*Tabanus dorsobimaculatus*](#) Macquart, 1850[146]
- [*Tabanus dorsomaculatus*](#) Macquart, 1847[147]
- [*Tabanus dorsonotatus*](#) Macquart, 1847[147]
- [*Tabanus duckei*](#) Fairchild, 1985[1]
- [*Tabanus dunni*](#) Fairchild, 1942[125]
- [*Tabanus dzhafarovi*](#) Khudaverdiev & Dzhafarov, 1974
- [*Tabanus eadsi*](#) Philip, 1962[148]
- [*Tabanus effilatanus*](#) Philip, 1959[32]
- [*Tabanus effilatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus eggeri*](#) var. *prometheus* Szilády, 1923[12]
- [*Tabanus ekor*](#) Al-Talafha, Yaakop & Idris, 2017[149]

- [*Tabanus eldridgei* Fairchild, 1973\[150\]](#)
- [*Tabanus elongatus* Wiedemann, 1828\[42\]](#)
- [*Tabanus enanus* Fairchild, 1942\[125\]](#)
- [*Tabanus endymion* Osten Sacken, 1878\[151\]](#)
- [*Tabanus equicinctus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus erebus* Osten Sacken, 1886\[135\]](#)
- [*Tabanus erythraeus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus euphanes* Surcouf, 1922](#)
- [*Tabanus eurycerus* Philip, 1937\[152\]](#)
- [*Tabanus eurytopus* Burton, 1978\[33\]](#)
- [*Tabanus exagens* Walker, 1864\[153\]](#)
- [*Tabanus excelsus* Ricardo, 1913](#)
- [*Tabanus exclusus* Pandellé, 1883\[154\]](#)
- [*Tabanus exilipalpis* Stone, 1938\[140\]](#)
- [*Tabanus exoticus* Ricardo, 1913\[103\]](#)
- [*Tabanus explicatus* Walker, 1854\[61\]](#)
- [*Tabanus expulsus* Walker, 1854\[61\]](#)
- [*Tabanus extricans* Walker, 1861\[155\]](#)

F-G

- [*Tabanus factiosus* Walker, 1859\[156\]](#)
- [*Tabanus faini* Oldroyd, 1954\[157\]](#)
- [*Tabanus fairchildi* Stone, 1938\[140\]](#)
- [*Tabanus falviscutellus* Philip, 1962\[77\]](#)
- [*Tabanus fascius* Philip, 1960\[4\]](#)
- [*Tabanus felderi* Wulp, 1885\[158\]](#)
- [*Tabanus femoralis* Kröber, 1931\[70\]](#)
- [*Tabanus fijianus* Ricardo, 1914\[159\]](#)
- [*Tabanus filipjevi* Olsufiev, 1936](#)
- [*Tabanus firmus* Burton, 1978\[33\]](#)
- [*Tabanus flammeus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flaviannulatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus flavicapitis* Wang & Liu, 1977\[160\]](#)
- [*Tabanus flavicornis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavicoxa* Oldroyd, 1954\[157\]](#)
- [*Tabanus flavimarginatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavimediis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavioculatus* Toumanoff, 1950](#)
- [*Tabanus flavipennis* Ricardo, 1913\[161\]](#)
- [*Tabanus flavipilosus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavipus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flaviscutellatus* Schuurmans Stekhoven, 1926\[22\]](#)

- [*Tabanus flaviscutellus* Philip, 1962\[77\]](#)
- [*Tabanus flavissimus* Ricardo, 1911\[29\]](#)
- [*Tabanus flavistriatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavitibiatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavitriangularis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavivittatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavohirtus* Philip, 1960\[4\]](#)
- [*Tabanus flavothorax* Ricardo, 1911\[29\]](#)
- [*Tabanus flexilis* Walker, 1859\[156\]](#)
- [*Tabanus flocculus* Bequaert, 1940\[121\]](#)
- [*Tabanus fontinalis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus formosiensis* Ricardo, 1911\[29\]](#)
- [*Tabanus fortis* Fairchild, 1961\[34\]](#)
- [*Tabanus fossilis* Grabenhorst, 1985\[162\]](#)
- [*Tabanus fragai* Dias, 1955](#)
- [*Tabanus fraseri* Austen, 1925\[163\]](#)
- [*Tabanus fratellus* Williston, 1887\[164\]](#)
- [*Tabanus fraternus* Macquart, 1846\[124\]](#)
- [*Tabanus fronto* Osten Sacken, 1876\[139\]](#)
- [*Tabanus fujianensis* Xu & Xu, 1993\[165\]](#)
- [*Tabanus fullo* Walker, 1850\[166\]](#)
- [*Tabanus fulvicallus* Philip, 1931\[167\]](#)
- [*Tabanus fulvicapillus* Carter, 1912\[144\]](#)
- [*Tabanus fulvicinctus* Ricardo, 1914](#)
- [*Tabanus fulvilinearis* Philip, 1960\[4\]](#)
- [*Tabanus fulvilineis* Philip, 1957\[56\]](#)
- [*Tabanus fulvilineus* Hayakawa & Takahasi, 1983](#)
- [*Tabanus fulvimedioides* Shiraki, 1918\[49\]](#)
- [*Tabanus fulvissimus* Rondani, 1875\[168\]](#)
- [*Tabanus fulvulus* Wiedemann, 1828\[42\]](#)
- [*Tabanus fulvulus var. pallidescens* Philip, 1936\[169\]](#)
- [*Tabanus fumidus* Austen, 1923\[170\]](#)
- [*Tabanus fumifer* Walker, 1856\[171\]](#)
- [*Tabanus fumipennis* Wiedemann, 1828\[42\]](#)
- [*Tabanus fumomarginatus* Hine, 1920\[136\]](#)
- [*Tabanus funebris* Macquart, 1846\[124\]](#)
- [*Tabanus furunculigenus* Doleschall, 1858\[119\]](#)
- [*Tabanus furunculus* Williston, 1901\[172\]](#)
- [*Tabanus furvicaudus* Xu, 1981\[173\]](#)
- [*Tabanus fuscibarbus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus fuscicauda* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus fuscicornis* Ricardo, 1911\[29\]](#)

- [*Tabanus fuscicostatus*](#) Hine, 1906[174]
- [*Tabanus fuscifrons*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus fuscipleuris*](#) Oldroyd, 1954[157]
- [*Tabanus fuscithorax*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus fusciventer*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus fuscofasciatus*](#) Macquart, 1838[27]
- [*Tabanus fuscomaculatus*](#) Ricardo, 1911[29]
- [*Tabanus fuscomaculatus*](#) var. *unisignatus* Szilády, 1926[10]
- [*Tabanus fuscomarginatus*](#) Ricardo, 1908[120]
- [*Tabanus fusconervosus*](#) Macquart, 1838[27]
- [*Tabanus fuscopunctatus*](#) Macquart, 1850[146]
- [*Tabanus fuscotibialis*](#) Elsen, 1989
- [*Tabanus fuscoventris*](#) Xu, 1981[173]
- [*Tabanus fuscus*](#) Wiedemann, 1819[175]
- [*Tabanus fuzhouensis*](#) Xu & Xu, 1995[176]
- [*Tabanus fuzouensis*](#) Xu & Xu, 1995
- [*Tabanus galloisi*](#) Kono & Takahasi, 1939
- [*Tabanus geminus*](#) Szilády, 1923[12]
- [*Tabanus geniculatus*](#) Wulp, 1881[177]
- [*Tabanus geographicus*](#) Burton, 1978[33]
- [*Tabanus gibensis*](#) Turnbull, Taylor & Smith, 1992[178]
- [*Tabanus gilanus*](#) Townsend, 1897[179]
- [*Tabanus gilingilensis*](#) Mackerras, 1962[180]
- [*Tabanus gilvellus*](#) Philip, 1960[4]
- [*Tabanus gilvilineis*](#) Philip, 1960[4]
- [*Tabanus gilvus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus gladiator*](#) Stone, 1935[122]
- [*Tabanus glaucomaculis*](#) Philip, 1978[51]
- [*Tabanus glauconotatus*](#) Philip, 1954[107]
- [*Tabanus glaucus*](#) Wiedemann, 1819[175]
- [*Tabanus golovi*](#) Olsufiev, 1936
- [*Tabanus gonghaiensis*](#) Xu, 1979[181]
- [*Tabanus gracilicornis*](#) Hine, 1925[79]
- [*Tabanus gracilis*](#) Wiedemann, 1828[42]
- [*Tabanus grandicauda*](#) Xu, 1979[181]
- [*Tabanus grandis*](#) Szilády, 1923[12]
- [*Tabanus granti*](#) Toumanoff, 1950
- [*Tabanus gratus*](#) Loew, 1858[55]
- [*Tabanus gressitti*](#) Mackerras, 1972[114]
- [*Tabanus griseifacies*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus griseilineis*](#) Philip, 1960[4]
- [*Tabanus griseipalpis*](#) Schuurmans Stekhoven, 1926[22]

- [*Tabanus griseithorax*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus griseoscutellatus*](#) Kröber, 1924[182]
- [*Tabanus grunini*](#) Olsufiev, 1967
- [*Tabanus guapiensis*](#) Wilkerson, 1979[183]
- [*Tabanus guatemalanus*](#) Hine, 1906[174]
- [*Tabanus guineensis*](#) Wiedemann, 1824[184]
- [*Tabanus guizhouensis*](#) Chen & Xu, 1992[185]
- [*Tabanus guyanensis*](#) Macquart, 1846[124]
- [*Tabanus guyonae*](#) (Surcouf, 1922)
- [*Tabanus gymnorhynchus*](#) Fairchild, 1980[186]
- [*Tabanus gyruchus*](#) Burton, 1978[33]

H-J

- [*Tabanus haemagogus*](#) Williston, 1901[172]
- [*Tabanus haimovitchae*](#) Surcouf, 1909[187]
- [*Tabanus hainanensis*](#) Stone, 1972[188]
- [*Tabanus haitiensis*](#) Kröber, 1931[70]
- [*Tabanus hakkariensis*](#) (Schacht, 1983)
- [*Tabanus hamoni*](#) Ovazza & Valade, 1958
- [*Tabanus hashemii*](#) Ježek, 1981[189]
- [*Tabanus hauseri*](#) Olsufiev, 1967
- [*Tabanus haysi*](#) Philip, 1956[58]
- [*Tabanus hedlundii*](#) Kapoor, Grewal & Sharma, 1991
- [*Tabanus hellenicus*](#) Peus, 1980[31]
- [*Tabanus helvinus*](#) Burton, 1978[33]
- [*Tabanus herbertensis*](#) Mackerras, 1964[75]
- [*Tabanus herculeanus*](#) (Enderlein, 1925)[115]
- [*Tabanus hipparionis*](#) Cockerell, 1909[190]
- [*Tabanus hirsutus*](#) (Thunberg, 1827)[191]
- [*Tabanus hirsutus*](#) Villers, 1789[192]
- [*Tabanus hirtipalpis*](#) Ricardo, 1911[29]
- [*Tabanus hirtistriatus*](#) Ricardo, 1911[29]
- [*Tabanus hirtitibia*](#) Walker, 1850[99]
- [*Tabanus hisarensis*](#) Veer, Parashar & Rao, 1999
- [*Tabanus hispanicus*](#) Peus, 1980[31]
- [*Tabanus hispanus*](#) Peus, 1980[31]
- [*Tabanus hissaricus*](#) Baratov, 1962[193]
- [*Tabanus holtzianus*](#) (Enderlein, 1927)[194]
- [*Tabanus honestus*](#) Walker, 1850[99]
- [*Tabanus hongchowensis*](#) Liu, 1962
- [*Tabanus hongkongiensis*](#) Ricardo, 1916
- [*Tabanus hoogstraali*](#) Philip, 1959[32]

- [*Tabanus howdeni* \(Philip, 1978\)\[51\]](#)
- [*Tabanus huallagensis* Fairchild, 1976\[38\]](#)
- [*Tabanus huangshanensis* Xu & Wu, 1985](#)
- [*Tabanus humboldti* Fairchild, 1985\[1\]](#)
- [*Tabanus humilis* Coquillett, 1898\[195\]](#)
- [*Tabanus humillimus* Walker, 1857\[196\]](#)
- [*Tabanus humiloides* Xu, 1980\[197\]](#)
- [*Tabanus hybridus* Wiedemann, 1828\[42\]](#)
- [*Tabanus hypomacros* Surcouf, 1922](#)
- [*Tabanus hyugaensis* Hayakawa, 1977](#)
- [*Tabanus ianthinus* Surcouf, 1907\[198\]](#)
- [*Tabanus iber* Peus, 1980\[31\]](#)
- [*Tabanus ichiokai* Ôuchi, 1943\[111\]](#)
- [*Tabanus ictericus* Surcouf, 1922](#)
- [*Tabanus idulis* Burton, 1978\[33\]](#)
- [*Tabanus ignobilis* Rondani, 1875\[168\]](#)
- [*Tabanus ilchanii* Ježek, 1981\[189\]](#)
- [*Tabanus ilharcoi* Dias, 1991](#)
- [*Tabanus illustris* Ricardo, 1913\[60\]](#)
- [*Tabanus imitans* Walker, 1848\[26\]](#)
- [*Tabanus imitator* Lutz, 1909\[199\]](#)
- [*Tabanus immanis* Wiedemann, 1828\[42\]](#)
- [*Tabanus immixtus* Walker, 1859\[156\]](#)
- [*Tabanus imparicallosus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus impertinens* Oldroyd, 1954\[157\]](#)
- [*Tabanus importunus* Wiedemann, 1828\[42\]](#)
- [*Tabanus impurus* Karsch, 1888\[200\]](#)
- [*Tabanus inaensis* Asakawa & Takahasi, 1975](#)
- [*Tabanus inaequannulatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus incohaerens* Mackerras, 1972\[114\]](#)
- [*Tabanus inconspicuus* \(Walker, 1848\)\[26\]](#)
- [*Tabanus incultus* Wulp, 1881\[177\]](#)
- [*Tabanus indecisis* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus indianus* Ricardo, 1911\[29\]](#)
- [*Tabanus indicus* Fabricius, 1805\[6\]](#)
- [*Tabanus indifferens* Szilády, 1926\[10\]](#)
- [*Tabanus indiscriminatus* Ricardo, 1915\[201\]](#)
- [*Tabanus indistinctus* Bigot, 1892\[5\]](#)
- [*Tabanus indosinensis* Toumanoff, 1950](#)
- [*Tabanus indrae* Hauser, 1939](#)
- [*Tabanus infans* Walker, 1850\[99\]](#)
- [*Tabanus infestus* Bogatchev & Samedov, 1949](#)

- [*Tabanus inflatipalpis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus ingens*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus inifromis*](#) Ricardo, 1911[29]
- [*Tabanus innotabilis*](#) Walker, 1848[26]
- [*Tabanus inobservatus*](#) Ricardo, 1911[29]
- [*Tabanus insidiator*](#) Austen, 1922[20]
- [*Tabanus insignis*](#) Loew, 1858[55]
- [*Tabanus invalidus*](#) Szilády, 1926[10]
- [*Tabanus isis*](#) Fairchild, 1976[38]
- [*Tabanus itaituba*](#) Fairchild, 1985[1]
- [*Tabanus ixion*](#) Osten Sacken, 1882[202]
- [*Tabanus iyoensis*](#) Shiraki, 1918[49]
- [*Tabanus jacobi*](#) Coher, 1963[203]
- [*Tabanus jadini*](#) Fain, 1949[71]
- [*Tabanus javanus*](#) Fabricius, 1805[6]
- [*Tabanus jeanae*](#) Burton, 1978[33]
- [*Tabanus jigongshanensis*](#) Xu, 1983[204]
- [*Tabanus jigongshanoides*](#) Xu & Huang, 1990[205]
- [*Tabanus jigongshanensis*](#) Xu, 1982
- [*Tabanus jilamensis*](#) Hine, 1925[79]
- [*Tabanus jinghongensis*](#) Yang, Xu & Chen, 1999
- [*Tabanus jinhuai*](#) Xu & Sun, 2007[206]
- [*Tabanus johannesi*](#) Fairchild, 1942[125]
- [*Tabanus johnburgeri*](#) Xu & Xu, 1993[165]
- [*Tabanus johnsoni*](#) Hine, 1907[28]
- [*Tabanus joidus*](#) (Bigot, 1892)[5]
- [*Tabanus joshii*](#) Coher, 1985[30]
- [*Tabanus jucundus*](#) Walker, 1848[26]
- [*Tabanus justorius*](#) Rondani, 1875[168]

K-L

- [*Tabanus kabuensis*](#) Yao, 1984
- [*Tabanus kaburagii*](#) Murdoch & Takahasi, 1969
- [*Tabanus kakhyenensis*](#) Senior-White, 1922
- [*Tabanus kamengensis*](#) Datta & Das, 1978
- [*Tabanus karaosus*](#) Timmer, 1984
- [*Tabanus karenkoensis*](#) Shiraki, 1932[134]
- [*Tabanus katoi*](#) Kono & Takahasi, 1940
- [*Tabanus kermani*](#) Abbassian-Lintzen, 1961[207]
- [*Tabanus kesseli*](#) Philip, 1950[85]
- [*Tabanus khalafi*](#) Leclercq, 1986
- [*Tabanus khasiensis*](#) Ricardo, 1909

- [*Tabanus kiangsuensis* Kröber, 1933\[208\]](#)
- [*Tabanus kingi* Austen, 1911\[209\]](#)
- [*Tabanus kinoshitai* Kono & Takahasi, 1939](#)
- [*Tabanus kisliuki* Stone, 1940\[210\]](#)
- [*Tabanus konis* Philip, 1960\[4\]](#)
- [*Tabanus kotoshoensis* Shiraki, 1918\[49\]](#)
- [*Tabanus krombeini* Burger, 1982\[211\]](#)
- [*Tabanus kumaonensis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus kumatai* Matsumura & Takahasi, 1976\[14\]](#)
- [*Tabanus kumrakomensis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus kunmingensis* Wang, 1985\[23\]](#)
- [*Tabanus kwangsinensis* Wang & Liu, 1977\[160\]](#)
- [*Tabanus kwatta* Fairchild, 1983\[212\]](#)
- [*Tabanus kwiluensis* Oldroyd, 1954\[157\]](#)
- [*Tabanus lacajaensis* Kröber, 1931\[70\]](#)
- [*Tabanus lacustris* Stone, 1935\[122\]](#)
- [*Tabanus laetetinctus* Becker, 1913\[213\]](#)
- [*Tabanus laevigatus* Szilády, 1926\[50\]](#)
- [*Tabanus lamiensis* Burger, 1991](#)
- [*Tabanus laotianus* \(Bigot, 1890\)\[214\]](#)
- [*Tabanus larvatus* Burton, 1978\[33\]](#)
- [*Tabanus lateralbus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus laticornis* \(Schuurmans Stekhoven, 1926\)\[22\]](#)
- [*Tabanus laticornis* Hine, 1904\[215\]](#)
- [*Tabanus latifascies* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus lavandoni* Kröber, 1939\[216\]](#)
- [*Tabanus laverani* Surcouf, 1907\[86\]](#)
- [*Tabanus leclercqi* Abbassian-Lintzen, 1961\[207\]](#)
- [*Tabanus leleani* Austen, 1920\[11\]](#)
- [*Tabanus lenticulatus* Oldroyd, 1949\[43\]](#)
- [*Tabanus lenticuloides* Mackerras, 1972\[114\]](#)
- [*Tabanus lentis* Stone, 1972\[188\]](#)
- [*Tabanus lentisignatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus leucocnematus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus leucohirtus* Ricardo, 1909](#)
- [*Tabanus leucomelas* Walker, 1848\[26\]](#)
- [*Tabanus leucopogon* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus leucostomus* Loew, 1858\[217\]](#)
- [*Tabanus levantinus* Peus, 1980\[31\]](#)
- [*Tabanus leveri* Mackerras & Rageau, 1958](#)
- [*Tabanus lewisi* Philip, 1957\[56\]](#)
- [*Tabanus liangshanensis* Xu, 1979\[181\]](#)

- [*Tabanus lijiangensis*](#) Yang & Xu, 1993[218]
- [*Tabanus limbatinevris*](#) Macquart, 1847[147]
- [*Tabanus limbithorax*](#) (Macquart, 1855)[219]
- [*Tabanus limushanensis*](#) Xu, 1979[181]
- [*Tabanus lineataenia*](#) Xu, 1979[181]
- [*Tabanus lineifrons*](#) Lutz, 1912[220]
- [*Tabanus lineola*](#) var. *hinellus* Philip, 1960[221]
- [*Tabanus lingfengi*](#) Xu, Zhan & Sun, 2006[222]
- [*Tabanus lintzeni*](#) Zeegers & Müller, 2014[223]
- [*Tabanus liventipes*](#) Surcouf, 1907[44]
- [*Tabanus loczyi*](#) Szilády, 1926[10]
- [*Tabanus longibasalis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus longinquus*](#) Oldroyd, 1954[157]
- [*Tabanus longistylus*](#) Xu, Ni & Xu, 1984
- [*Tabanus longiusculus*](#) Hine, 1907[28]
- [*Tabanus longus*](#) Osten Sacken, 1876[139]
- [*Tabanus loukashkini*](#) Philip, 1956[58]
- [*Tabanus lubutuensis*](#) Bequaert, 1930[129]
- [*Tabanus lucidulus*](#) Walker, 1848[26]
- [*Tabanus lucifer*](#) Szilády, 1926[10]
- [*Tabanus lufirensis*](#) Bequaert, 1913[89]
- [*Tabanus luizae*](#) Dias, 1979
- [*Tabanus lunatus*](#) Fabricius, 1794[117]
- [*Tabanus lushanensis*](#) Liu, 1962
- [*Tabanus lutzi*](#) Kröber, 1934[224]
- [*Tabanus luzonensis*](#) Philip, 1959[32]
- [*Tabanus lyneborgi*](#) Mackerras, 1972[114]

M

- [*Tabanus macdonaldi*](#) Philip, 1960[4]
- [*Tabanus macer*](#) (Bigot, 1892)[5]
- [*Tabanus macfarlanei*](#) Ricardo, 1916
- [*Tabanus machadoi*](#) Dias, 1964
- [*Tabanus macilentus*](#) Coher, 1985[30]
- [*Tabanus macquarti*](#) Schiner, 1868[17]
- [*Tabanus maculicornis*](#) Zetterstedt, 1842[225]
- [*Tabanus maculinevris*](#) Macquart, 1855[219]
- [*Tabanus maculipennis*](#) Wiedemann, 1828[42]
- [*Tabanus maculosus*](#) Coquillett, 1902[226]
- [*Tabanus madoerensis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus maedai*](#) Hayakawa, 1976
- [*Tabanus maini*](#) Mackerras, 1971[98]

- [*Tabanus maiombensis*](#) Dias, 1973
- [*Tabanus makimurae*](#) Ôuchi, 1943[111]
- [*Tabanus malayensis*](#) Ricardo, 1911[29]
- [*Tabanus maliensis*](#) Goodwin, 1982
- [*Tabanus mandarinus*](#) Schiner, 1868[17]
- [*Tabanus manipurensis*](#) Ricardo, 1913
- [*Tabanus marginalis*](#) Fabricius, 1805[6]
- [*Tabanus marginatus*](#) Macquart, 1848[227]
- [*Tabanus marginenevris*](#) Macquart, 1855[219]
- [*Tabanus marianii*](#) (Leclercq, 1956)
- [*Tabanus marmorosus*](#) Surcouf, 1909[228]
- [*Tabanus martini*](#) Surcouf, 1907[86]
- [*Tabanus martinii*](#) Kröber, 1928[21]
- [*Tabanus masamitsui*](#) Hayakawa, 1976
- [*Tabanus mateusi*](#) Dias, 1979
- [*Tabanus matosi*](#) Dias, 1966
- [*Tabanus matsumotoensis*](#) Murdoch & Takahasi, 1961
- [*Tabanus matsuzawai*](#) Hayakawa & Takahasi, 1983
- [*Tabanus matutinimordicus*](#) Xu, 1989
- [*Tabanus maurus*](#) Philip, 1974[16]
- [*Tabanus mazzottii*](#) Philip, 1954[107]
- [*Tabanus mediatrimaculatus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus medionotatus*](#) Austen, 1912[229]
- [*Tabanus meghalayensis*](#) Datta & Biswas, 1977[230]
- [*Tabanus meihuashanensis*](#) Xu & Xu, 1992[231]
- [*Tabanus melanocerus*](#) Wiedemann, 1828[42]
- [*Tabanus melanogaster*](#) Brèthes, 1910[13]
- [*Tabanus melanognathus*](#) (Bigot, 1890)[214]
- [*Tabanus mendossai*](#) Dias, 1992
- [*Tabanus mengdingensis*](#) Xu, Xu & Sun, 2008[232]
- [*Tabanus mengdingensis*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus menoensis*](#) Taylor & Chainey, 1994
- [*Tabanus mentitus*](#) Walker, 1848[26]
- [*Tabanus meraukensis*](#) Mackerras, 1964[75]
- [*Tabanus meridionalis*](#) Thunberg, 1827[93]
- [*Tabanus merychippi*](#) Cockerell, 1916[234]
- [*Tabanus mesnili*](#) Surcouf, 1909
- [*Tabanus mesogaeus*](#) Burton, 1978[33]
- [*Tabanus mesquitelai*](#) Dias, 1991
- [*Tabanus mianjangalensis*](#) Ježek, 1981[189]
- [*Tabanus miki*](#) Brauer, 1880[235]
- [*Tabanus miles*](#) Wiedemann, 1828[42]

- [*Tabanus mindanensis* Philip, 1959\[32\]](#)
- [*Tabanus miniatus* Datta & Biswas, 1977\[230\]](#)
- [*Tabanus minimus* Wulp, 1881\[177\]](#)
- [*Tabanus minuscularius* Austen, 1912\[236\]](#)
- [*Tabanus minusculus* Datta & Das, 1978](#)
- [*Tabanus mishanensis* Xu & Liu, 1982](#)
- [*Tabanus mistshenkoi* Olsufiev, 1937](#)
- [*Tabanus mitidjensis* Macquart, 1839\[45\]](#)
- [*Tabanus miyajima* Ricardo, 1911\[29\]](#)
- [*Tabanus miyakei* Shiraki, 1918\[49\]](#)
- [*Tabanus moderator* Stone, 1938\[140\]](#)
- [*Tabanus modestus* \(Kröber, 1931\)\[237\]](#)
- [*Tabanus moerens* Fabricius, 1787\[238\]](#)
- [*Tabanus mofidii* Leclercq, 1960](#)
- [*Tabanus mogollon* Burger, 1974\[97\]](#)
- [*Tabanus molestus* Say, 1823\[239\]](#)
- [*Tabanus monchai* Leclercq, 1962](#)
- [*Tabanus mongolensis* Kröber, 1933\[208\]](#)
- [*Tabanus monocallosus* Dias, 1955](#)
- [*Tabanus monoculus* Doleschall, 1858\[119\]](#)
- [*Tabanus monoensis* Hine, 1924](#)
- [*Tabanus monokini* Philip, 1966\[240\]](#)
- [*Tabanus monomiensis* Takahasi, 1950](#)
- [*Tabanus monops* Bequaert, 1940\[121\]](#)
- [*Tabanus monotaeniatus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus monotaxis* Philip, 1967\[241\]](#)
- [*Tabanus montiasiatricus* Olsufiev, 1977](#)
- [*Tabanus morbosus* Stone, 1938\[140\]](#)
- [*Tabanus mordax* Austen, 1911\[101\]](#)
- [*Tabanus moreli* Ovazza, 1962](#)
- [*Tabanus morio* Linnaeus, 1767\[242\]](#)
- [*Tabanus morsitans* Ricardo, 1908\[120\]](#)
- [*Tabanus mossambicensis* Dias, 1985\[243\]](#)
- [*Tabanus motuoensis* Yao & Liu, 1983](#)
- [*Tabanus mucronatus* Fairchild, 1961\[109\]](#)
- [*Tabanus mularis* Stone, 1935\[122\]](#)
- [*Tabanus multicinctus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus murdochi* Philip, 1961\[9\]](#)
- [*Tabanus muruensis* Mackerras, 1964\[75\]](#)
- [*Tabanus muscoides* Toumanoff, 1950](#)
- [*Tabanus mutatus* Wang & Liu, 1990](#)

N

- [*Tabanus namdaphaicus*](#) Datta & Chakraborti, 1985
- [*Tabanus namibiensis*](#) Dias, 1989
- [*Tabanus nanpingensis*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus nantae*](#) Toumanoff, 1950
- [*Tabanus napaensis*](#) Nieschulz, 1927
- [*Tabanus nartshukae*](#) Olsufiev, 1972
- [*Tabanus neavei*](#) Austen, 1912[229]
- [*Tabanus nebulosus*](#) De Geer, 1776[244]
- [*Tabanus nefarius*](#) Hine, 1907[28]
- [*Tabanus nefas*](#) Usher, 1971[245]
- [*Tabanus neglectus*](#) Kröber, 1931[70]
- [*Tabanus negritos*](#) Philip, 1959[32]
- [*Tabanus nematocallus*](#) Fairchild, 1985[1]
- [*Tabanus nemocallosus*](#) Ricardo, 1909
- [*Tabanus nemoralis*](#) Meigen, 1820[132]
- [*Tabanus neoindianus*](#) Philip, 1959[32]
- [*Tabanus neovestitus*](#) Kröber, 1931[70]
- [*Tabanus nepalensis*](#) Coher, 1971[246]
- [*Tabanus nephodes*](#) (Bigot, 1892)[5]
- [*Tabanus nereus*](#) Fairchild, 1943[247]
- [*Tabanus nexus*](#) Walker, 1856[171]
- [*Tabanus nicobarensis*](#) Schiner, 1868[17]
- [*Tabanus nigeriensis*](#) Crosskey, 1959[248]
- [*Tabanus nigrabdominis*](#) Wang, 1982[46]
- [*Tabanus nigrefronti*](#) Liu, 1981[249]
- [*Tabanus nigrescens*](#) Palisot de Beauvois, 1809[250]
- [*Tabanus nigrhinus*](#) Philip, 1962[77]
- [*Tabanus nigricaudus*](#) Xu, 1981[173]
- [*Tabanus nigrifascies*](#) (Bigot, 1892)[5]
- [*Tabanus nigrifeminibus*](#) Austen, 1912[236]
- [*Tabanus nigrifer*](#) Walker, 1871[251]
- [*Tabanus nigrihinus*](#) Philip, 1962[77]
- [*Tabanus nigrimaculatus*](#) Xu, 1981[173]
- [*Tabanus nigrimanus*](#) Walker, 1848[26]
- [*Tabanus nigrimordicus*](#) Xu, 1979[181]
- [*Tabanus nigripes*](#) Wiedemann, 1821[47]
- [*Tabanus nigriventris*](#) Macquart, 1846[124]
- [*Tabanus nigrofemoratus*](#) Kröber, 1929[252]
- [*Tabanus nigrostriatus*](#) Ricardo, 1908[120]
- [*Tabanus nigrotectus*](#) (Bigot, 1890)[214]
- [*Tabanus nigrovittatus*](#) Macquart, 1847[147]

- [*Tabanus nilakinus* Philip, 1960\[4\]](#)
- [*Tabanus nipponicus* Murdoch & Takahasi, 1969](#)
- [*Tabanus niveinotatus* Bequaert, 1930\[129\]](#)
- [*Tabanus noctuinus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus nondescriptus* Fairchild, 1973\[150\]](#)
- [*Tabanus notatus* Ricardo, 1915\[253\]](#)
- [*Tabanus novaescotiae* Macquart, 1847\[147\]](#)
- [*Tabanus nyasae* Ricardo, 1900\[254\]](#)
- [*Tabanus nyctops* Burton, 1978\[33\]](#)

O

- [*Tabanus obconicus* Walker, 1850\[99\]](#)
- [*Tabanus obesus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus obliquemaculatus* Macquart, 1838\[27\]](#)
- [*Tabanus obscuratus* Walker, 1864\[153\]](#)
- [*Tabanus obscurefumatus* Surcouf, 1906](#)
- [*Tabanus obscurehirtus* Ricardo, 1908\[120\]](#)
- [*Tabanus obscurestigmatus* Bigot, 1859\[255\]](#)
- [*Tabanus obscurestriatus* Ricardo, 1908\[120\]](#)
- [*Tabanus obscurilineatus* Taylor, 1919\[62\]](#)
- [*Tabanus obscurior* Ricardo, 1908\[120\]](#)
- [*Tabanus obscurus* Xu, 1983\[204\]](#)
- [*Tabanus obsolescens* Pandellé, 1883\[154\]](#)
- [*Tabanus obsoletimaculus* Xu, 1983\[204\]](#)
- [*Tabanus obsoletus* Wiedemann, 1821\[47\]](#)
- [*Tabanus obtusipalpis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus obumbratus* Bequaert, 1940\[121\]](#)
- [*Tabanus occidentalis* Linnaeus, 1758\[40\]](#)
- [*Tabanus occidentalis* Oldroyd, 1954\[157\]](#)
- [*Tabanus ochroater* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus ochroceras* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus ochrogaster* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus ochros* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus octulus* Walker, 1848\[26\]](#)
- [*Tabanus okinawanoides* Xu, 1989](#)
- [*Tabanus okinawanus* Shiraki, 1918\[49\]](#)
- [*Tabanus oknos* Surcouf, 1922](#)
- [*Tabanus oldroydi* Philip, 1941\[2\]](#)
- [*Tabanus olivaceiventris* Macquart, 1847\[147\]](#)
- [*Tabanus oliviventris* Xu, 1979\[181\]](#)
- [*Tabanus oliviventroides* Xu, 1984](#)
- [*Tabanus olsufjevi* Hauser, 1960](#)

- [*Tabanus olympius*](#) Peus, 1980[31]
- [*Tabanus omeishanensis*](#) Xu, 1979[181]
- [*Tabanus omnirobustus*](#) Wang, 1988[138]
- [*Tabanus onoi*](#) Murdoch & Takahasi, 1969
- [*Tabanus opalescens*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus oppugnator*](#) Austen, 1925[163]
- [*Tabanus optatus*](#) Walker, 1856[171]
- [*Tabanus orbicallus*](#) Philip, 1936[3]
- [*Tabanus orbis*](#) Burton, 1978[33]
- [*Tabanus oreophilus*](#) Xu & Liao, 1985
- [*Tabanus orientalis*](#) Wiedemann, 1824[184]
- [*Tabanus orientis*](#) Walker, 1848[26]
- [*Tabanus orphnos*](#) Wang, 1982[46]
- [*Tabanus otsurui*](#) Ogawa, 1960
- [*Tabanus ovazzai*](#) Crosskey, 1959[248]
- [*Tabanus oviventris*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus oxybeles*](#) Burton, 1978[33]
- [*Tabanus oxyceratus*](#) (Bigot, 1892)[5]

P

- [*Tabanus pachypalpus*](#) (Bigot, 1892)[5]
- [*Tabanus paganus*](#) Chen, 1984[256]
- [*Tabanus palauensis*](#) Takahashi, 1944[257]
- [*Tabanus palawanensis*](#) Philip, 1959[32]
- [*Tabanus pallidepectoratus*](#) (Bigot, 1892)[5]
- [*Tabanus pallidifacies*](#) Surcouf, 1906
- [*Tabanus pallidipes*](#) Austen, 1920[11]
- [*Tabanus pallidiscutum*](#) Philip, 1959[32]
- [*Tabanus pallidiventer*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus pallipennis*](#) Macquart, 1846[124]
- [*Tabanus palpalis*](#) Brèthes, 1910[13]
- [*Tabanus palpinus*](#) Palisot de Beauvois, 1819[250]
- [*Tabanus papuensis*](#) Oldroyd, 1964[75]
- [*Tabanus par*](#) Walker, 1854[61]
- [*Tabanus parabactrianus*](#) Liu, 1960[258]
- [*Tabanus parabruneus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus parabuddha*](#) Xu, 1983[259]
- [*Tabanus parachinensis*](#) Xu, Zhan & Sun, 2006[222]
- [*Tabanus parachrysater*](#) Yao, 1984
- [*Tabanus paradiversifrons*](#) Xu & Guo, 2005[232]
- [*Tabanus paradiversifrons*](#) Xu, 2005[232]
- [*Tabanus paradoxus*](#) Jaennicke, 1866[260]

- [*Tabanus parafuscomaculatus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus parahippi*](#) Cockerell, 1909[190]
- [*Tabanus parahybridus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus paraichiokai*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus parallelifrons*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus paralleliventer*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus pararubidus*](#) Yao & Liu, 2008
- [*Tabanus pararufiventris*](#) Nieschulz, 1927
- [*Tabanus parasexcinctus*](#) Xu & Sun, 2008[261]
- [*Tabanus parawuyishanensis*](#) Xu & Sun, 2007[262]
- [*Tabanus parimmixtus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus particaecus*](#) Hardy, 1948[263]
- [*Tabanus particolor*](#) Szilády, 1926[10]
- [*Tabanus parvicallus*](#) Ricardo, 1914[264]
- [*Tabanus parvidentatus*](#) Macquart, 1838[27]
- [*Tabanus parviformus*](#) Wang, 1985[23]
- [*Tabanus passosi*](#) Dias, 1974
- [*Tabanus patriarchus*](#) Oldroyd, 1949[43]
- [*Tabanus pauper*](#) Rondani, 1875[168]
- [*Tabanus paviei*](#) Burton, 1978[33]
- [*Tabanus pazukii*](#) Ježek, 1990[265]
- [*Tabanus pellucidus*](#) Fabricius, 1805[6]
- [*Tabanus pellus*](#) Philip, 1959[32]
- [*Tabanus penai*](#) Philip, 1967[241]
- [*Tabanus pendleburyi*](#) Philip, 1960[4]
- [*Tabanus pengquensis*](#) Zhu & Xu, 1995
- [*Tabanus perakiensis*](#) Ricardo, 1911[29]
- [*Tabanus perelegans*](#) Olsufiev, 1972
- [*Tabanus perileucus*](#) Philip, 1974[16]
- [*Tabanus persimilis*](#) Dolin & Andreeva, 1986
- [*Tabanus pertinens*](#) Austen, 1912[130]
- [*Tabanus peruvianus*](#) Macquart, 1848[227]
- [*Tabanus petiolatus*](#) Hine, 1917[266]
- [*Tabanus petiscai*](#) Dias, 1974
- [*Tabanus philippinensis*](#) Kröber, 1924[182]
- [*Tabanus piceiventris*](#) Rondani, 1848[267]
- [*Tabanus picicalosus*](#) Fairchild, 1951[268]
- [*Tabanus pictiventris*](#) Szilády, 1926[10]
- [*Tabanus pingxiangensis*](#) Xu & Liao, 1985
- [*Tabanus platensis*](#) Brèthes, 1910[13]
- [*Tabanus platycerus*](#) Fairchild, 1976[38]
- [*Tabanus pleskei*](#) Kröber, 1925[105]

- [*Tabanus pluto* Walker, 1848\[26\]](#)
- [*Tabanus pollinosus* Ricardo, 1913\[60\]](#)
- [*Tabanus polygonus* Walker, 1854\[61\]](#)
- [*Tabanus polyphemus* Fairchild, 1958\[269\]](#)
- [*Tabanus portschinskii* Olsufiev, 1937](#)
- [*Tabanus postactus* Oldroyd, 1947\[270\]](#)
- [*Tabanus praematurus* Austen, 1922\[20\]](#)
- [*Tabanus praepilatus* Fairchild, 1943\[247\]](#)
- [*Tabanus praepositus* Walker, 1848\[26\]](#)
- [*Tabanus praeteritus* Fairchild, 1947\[271\]](#)
- [*Tabanus pratti* Ricardo, 1911\[29\]](#)
- [*Tabanus prefulventer* Wang, 1985\[23\]](#)
- [*Tabanus primitivus* Walker, 1848\[26\]](#)
- [*Tabanus principis* Bequaert, 1930\[129\]](#)
- [*Tabanus priscoides* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus pristinus* Burton, 1978\[33\]](#)
- [*Tabanus procallosus* Lutz, 1912\[220\]](#)
- [*Tabanus provincialis* Ricardo, 1913](#)
- [*Tabanus proximus* Walker, 1848\[26\]](#)
- [*Tabanus pruinosis* Bigot, 1892\[5\]](#)
- [*Tabanus prunicolor* Lutz, 1912\[220\]](#)
- [*Tabanus pseudoculus* Fairchild, 1942](#)
- [*Tabanus pseudogratus* Goodwin, 1982](#)
- [*Tabanus pseudoliviventrus* Chen & Xu, 1992\[185\]](#)
- [*Tabanus pseudolunatus* Dias, 1979](#)
- [*Tabanus pseudolunatus* Dias, 1980](#)
- [*Tabanus pseudonebulosus* Gorayeb, 2006\[272\]](#)
- [*Tabanus pseudothoracinus* Dias, 1996](#)
- [*Tabanus ptolemaeanus* Szilády, 1923\[12\]](#)
- [*Tabanus pullulus* Austen, 1912\[130\]](#)
- [*Tabanus pullus* Philippi, 1865\[273\]](#)
- [*Tabanus pulvifer* Walker, 1854\[61\]](#)
- [*Tabanus pumilus* Macquart, 1838\[27\]](#)
- [*Tabanus punctifer* Osten Sacken, 1876\[139\]](#)
- [*Tabanus punctipleura* Hine, 1920\[136\]](#)
- [*Tabanus puncturius* Xu & Liao, 1985](#)
- [*Tabanus pungens* Wiedemann, 1828\[42\]](#)
- [*Tabanus pusillus* Macquart, 1838\[27\]](#)
- [*Tabanus puteus* Ricardo, 1911\[29\]](#)

Q-R

- [*Tabanus qinlingensis* Wang, 1985](#)

- [*Tabanus quadrifocus*](#) Burton, 1978[33]
- [*Tabanus quadriguttatus*](#) Ricardo, 1908[120]
- [*Tabanus quadrisignatus*](#) Ricardo, 1908[120]
- [*Tabanus quadritriangularis*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus quaesitus*](#) Stone, 1938[140]
- [*Tabanus quatei*](#) Philip, 1962[77]
- [*Tabanus quatuornotatus*](#) Meigen, 1820[132]
- [*Tabanus queenslandii*](#) Ricardo, 1914[264]
- [*Tabanus quinarius*](#) Wang & Liu, 1990
- [*Tabanus quinquecinctus*](#) Ricardo, 1914
- [*Tabanus quinquepunctatus*](#) Hine, 1925[79]
- [*Tabanus quinquetriangularis*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus quinquevittatus*](#) Wiedemann, 1821[47]
- [*Tabanus rageaui*](#) Oldroyd, 1954[157]
- [*Tabanus rallus*](#) Philip, 1978[51]
- [*Tabanus rectilineatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus rectus*](#) Loew, 1858[78]
- [*Tabanus recusans*](#) Walker, 1858[274]
- [*Tabanus reducens*](#) Walker, 1859[156]
- [*Tabanus regularis*](#) Jaennicke, 1866[260]
- [*Tabanus reinwardtii*](#) Wiedemann, 1828[42]
- [*Tabanus remotus*](#) Walker, 1848[26]
- [*Tabanus restrepoensis*](#) Fairchild, 1942[125]
- [*Tabanus rhinargus*](#) Philip, 1962[77]
- [*Tabanus rhizonshine*](#) Philip, 1954[107]
- [*Tabanus rhizophorae*](#) Fairchild, 1943[247]
- [*Tabanus ricardae*](#) Surcouf, 1906
- [*Tabanus rixator*](#) Fairchild, 1943[247]
- [*Tabanus riyadhae*](#) Amoudi & Leclercq, 1988[275]
- [*Tabanus rockefelleri*](#) Philip, 1954[107]
- [*Tabanus rondoniensis*](#) Henriques, Krolow, Zamarchi & Camargo, 2022[276]
- [*Tabanus rosarioi*](#) Dias, 1994
- [*Tabanus rosselensis*](#) Mackerras, 1964[75]
- [*Tabanus rossi*](#) Philip, 1959[32]
- [*Tabanus rothschildi*](#) Surcouf, 1906
- [*Tabanus roubaudi*](#) Toumanoff, 1950
- [*Tabanus roussellii*](#) Macquart, 1839[45]
- [*Tabanus rubicundulus*](#) Austen, 1922[20]
- [*Tabanus rubicundus*](#) Macquart, 1846[124]
- [*Tabanus rubidaceus*](#) Dias, 1975
- [*Tabanus rubidoides*](#) Szilády, 1926[10]
- [*Tabanus rubidus*](#) Wiedemann, 1821[47]

- [*Tabanus rubiginosus* Walker, 1850\[99\]](#)
- [*Tabanus rubioi* Dias, 1987](#)
- [*Tabanus rubricauda* Philip, 1958\[277\]](#)
- [*Tabanus rubripes* Macquart, 1838\[27\]](#)
- [*Tabanus rubriscutatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus rubriventris* Macquart, 1838\[27\]](#)
- [*Tabanus ruficoloratus* Philip, 1960\[4\]](#)
- [*Tabanus rufidens* Bigot, 1887\[278\]](#)
- [*Tabanus rufimedijs* Szilády, 1926\[10\]](#)
- [*Tabanus rufioloratus* Philip, 1960\[4\]](#)
- [*Tabanus rufipes* Palisot de Beauvois, 1806\[250\]](#)
- [*Tabanus rufiscutellatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus rufiventris* Fabricius, 1805\[6\]](#)
- [*Tabanus rufofrater* Walker, 1850\[99\]](#)
- [*Tabanus ruoqiangensis* Xiang & Xu, 1986](#)
- [*Tabanus rupinae* Austen, 1920\[11\]](#)
- [*Tabanus rupium* \(Brauer, 1880\)\[235\]](#)
- [*Tabanus russatoides* Xu & Deng, 1990\[57\]](#)
- [*Tabanus russatus* Wang, 1982](#)
- [*Tabanus rusticatus* Burton, 1978\[33\]](#)
- [*Tabanus ryukyuensis* Murdoch & Takahasi, 1961](#)

S

- [*Tabanus sabuletoroides* Xu, 1979\[181\]](#)
- [*Tabanus sabuletorum* Loew, 1874\[279\]](#)
- [*Tabanus sackeni* Fairchild, 1934\[280\]](#)
- [*Tabanus safavii* Ježek, 1981\[281\]](#)
- [*Tabanus sagax* Osten Sacken, 1876\[139\]](#)
- [*Tabanus sagittipalpis* Szilády, 1926\[10\]](#)
- [*Tabanus samarensis* Philip, 1959\[32\]](#)
- [*Tabanus samawangensis* Burger, 1988\[52\]](#)
- [*Tabanus samoensis* Ferguson, 1927\[282\]](#)
- [*Tabanus sandersoni* Austen, 1912\[74\]](#)
- [*Tabanus sannio* Fairchild, 1956\[283\]](#)
- [*Tabanus sanyaensis* Xu, Xu & Sun, 2008](#)
- [*Tabanus sapporoensis* Shiraki, 1918\[49\]](#)
- [*Tabanus sapporoenus* Shiraki, 1918\[49\]](#)
- [*Tabanus sarbazensis* Ježek, 1990\[265\]](#)
- [*Tabanus sarmentoi* Dias, 1959](#)
- [*Tabanus sasai* Watanabe & Takahasi, 1971](#)
- [*Tabanus sauteri* Ricardo, 1913\[103\]](#)
- [*Tabanus saxicolus* Usher, 1965\[284\]](#)

- [*Tabanus sayensis*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus schadei*](#) Fairchild, 1976[38]
- [*Tabanus schiva*](#) Moucha & Chvála, 1959[285]
- [*Tabanus scholae*](#) Oldroyd, 1954[157]
- [*Tabanus scutellus*](#) Philip, 1970[286]
- [*Tabanus searsi*](#) Philip, 1978[51]
- [*Tabanus secedens*](#) Walker, 1854[61]
- [*Tabanus secundus*](#) Walker, 1848[26]
- [*Tabanus selene*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus selousi*](#) Austen, 1912[236]
- [*Tabanus selvaticus*](#) Burger, Bermúdez & Bermúdez, 1987[287]
- [*Tabanus semenovi*](#) Olsufiev, 1937
- [*Tabanus semiargenteus*](#) Olsufiev, 1937
- [*Tabanus semicircularis*](#) Ricardo, 1913[60]
- [*Tabanus semirufus*](#) Szilády, 1926[10]
- [*Tabanus separatus*](#) Efflatoun, 1930[288]
- [*Tabanus sepiensis*](#) Philip, 1954[107]
- [*Tabanus sepikensis*](#) Oldroyd, 1964[75]
- [*Tabanus sequens*](#) Walker, 1848[26]
- [*Tabanus sequens*](#) Walker, 1850[99]
- [*Tabanus sericiventrís*](#) Loew, 1858[55]
- [*Tabanus serpentina*](#) Wiedemann, 1828[42]
- [*Tabanus serus*](#) Walker, 1861[289]
- [*Tabanus servillei*](#) Macquart, 1838[27]
- [*Tabanus sexcinctus*](#) Ricardo, 1911[29]
- [*Tabanus sextriangulus*](#) Gorayeb & Rafael, 1984
- [*Tabanus shaanxiensis*](#) Xu, Lu & Wu, 1990[290]
- [*Tabanus shannonellus*](#) Kröber, 1936[291]
- [*Tabanus shantungensis*](#) Ôuchi, 1943[111]
- [*Tabanus shelkovnikovi*](#) Paramonov, 1934[292]
- [*Tabanus shennongjianensis*](#) Xu, Ni & Xu, 1984
- [*Tabanus shikokuensis*](#) Murdoch & Takahasi, 1961
- [*Tabanus shyamarupi*](#) Datta & Chakraborti, 1985
- [*Tabanus siamensis*](#) Ricardo, 1911[29]
- [*Tabanus siassensis*](#) Mackerras, 1964[75]
- [*Tabanus siccus*](#) Walker, 1850[99]
- [*Tabanus sidneyensis*](#) Macquart, 1846[124]
- [*Tabanus siebersi*](#) Schuurmans Stekhoven, 1928
- [*Tabanus sierensis*](#) Burger, Bermúdez & Bermúdez, 1987[287]
- [*Tabanus sierrensis*](#) Burger, Bermúdez & Bermúdez, 1987[287]
- [*Tabanus signatipennis*](#) Portschinsky, 1887[95]
- [*Tabanus signifer*](#) Walker, 1856[293]

- [*Tabanus significans* Ricardo, 1911\[29\]](#)
- [*Tabanus significans* var. *inaequisignatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus silvanus* Ricardo, 1908\[120\]](#)
- [*Tabanus similis* Macquart, 1850\[146\]](#)
- [*Tabanus simplicissimus* Walker, 1856\[171\]](#)
- [*Tabanus simpsoni* Austen, 1912\[74\]](#)
- [*Tabanus sinewitensis* Mackerras, 1972\[114\]](#)
- [*Tabanus sinicus* Walker, 1848\[26\]](#)
- [*Tabanus skarduensis* Abro, 1992](#)
- [*Tabanus soembawensis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus sorbillans* Wiedemann, 1828\[42\]](#)
- [*Tabanus soubiroui* Surcouf, 1922](#)
- [*Tabanus sowi* Goodwin, 1982](#)
- [*Tabanus sparus* Whitney, 1879\[294\]](#)
- [*Tabanus speciosus* Ricardo, 1911\[29\]](#)
- [*Tabanus spectabilis* Loew, 1858\[78\]](#)
- [*Tabanus speculum* Walker, 1861\[295\]](#)
- [*Tabanus sphinx* Philip, 1960\[4\]](#)
- [*Tabanus spodopteroides* Olsufiev, Moucha & Chvála, 1969\[296\]](#)
- [*Tabanus spodopterus* Wiedemann, 1820\[132\]](#)
- [*Tabanus stabilis* Wang, 1982\[46\]](#)
- [*Tabanus stackelbergiellus* Olsufiev, 1967](#)
- [*Tabanus sticticolis* Surcouf, 1906](#)
- [*Tabanus stonei* Philip, 1941\[2\]](#)
- [*Tabanus strangmannii* Ricardo, 1914\[264\]](#)
- [*Tabanus striatus* Fabricius, 1787\[238\]](#)
- [*Tabanus strigimaculus* Fairchild, 1942\[297\]](#)
- [*Tabanus strix* Szilády, 1923\[12\]](#)
- [*Tabanus stueberi* Oldroyd, 1949\[43\]](#)
- [*Tabanus stygius* Say, 1823\[239\]](#)
- [*Tabanus subbasalis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus subcaeruleus* Peus, 1980\[31\]](#)
- [*Tabanus subcamipus* Philip, 1960\[4\]](#)
- [*Tabanus subcanipus* Philip, 1960\[4\]](#)
- [*Tabanus subcinerascens* Ricardo, 1911\[29\]](#)
- [*Tabanus subcinerescens* Mackerras, 1971\[98\]](#)
- [*Tabanus subcinnamoneus* Mackerras, 1972\[114\]](#)
- [*Tabanus subcohaerens* Mackerras, 1964\[75\]](#)
- [*Tabanus subcordiger* Liu, 1960](#)
- [*Tabanus subcrassus* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus subfemoralis* Philip, 1978\[51\]](#)
- [*Tabanus subflavicornis* Philip, 1970\[286\]](#)

- [*Tabanus subfurvicaudus*](#) Wu & Xu, 1992
- [*Tabanus subhybridus*](#) Philip, 1960[4]
- [*Tabanus subimmanis*](#) Philip, 1959[32]
- [*Tabanus subjoidus*](#) Philip, 1959[32]
- [*Tabanus sublongus*](#) Stone, 1938[140]
- [*Tabanus submacilentus*](#) Coher, 1985[30]
- [*Tabanus submalayensis*](#) Wang & Liu, 1977[160]
- [*Tabanus subniger*](#) Coquillett, 1906[298]
- [*Tabanus suboliviventris*](#) Xu, 1984
- [*Tabanus subpulliomaculatus*](#) Xu & Zhang, 1990[299]
- [*Tabanus subpullomaculatus*](#) Xu & Zhang, 1990[300]
- [*Tabanus subrecusans*](#) Mackerras, 1964[75]
- [*Tabanus subruber*](#) Bellardi, 1859[80]
- [*Tabanus subrubidus*](#) Chvála & Lyneborg, 1970[64]
- [*Tabanus subrussatus*](#) Wang, 1982
- [*Tabanus subsabuletorum*](#) Olsufiev, 1936
- [*Tabanus subsimilis*](#) Bellardi, 1859[80]
- [*Tabanus subsinerascens*](#) Ricardo, 1911[29]
- [*Tabanus subviolaceus*](#) Fairchild, 1961[109]
- [*Tabanus succurvus*](#) Walker, 1859[156]
- [*Tabanus sudeticus*](#) Zeller, 1842[301]
- [*Tabanus sufis*](#) Jaennicke, 1867[302]
- [*Tabanus sugens*](#) Wiedemann, 1828[42]
- [*Tabanus sulfurescens*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus sumatrensis*](#) Macquart, 1834[303]
- [*Tabanus superjumentarius*](#) Whitney, 1879[294]
- [*Tabanus surifer*](#) Fairchild, 1964[304]
- [*Tabanus swiridowi*](#) Portsichinsky, 1881[305]
- [*Tabanus symmetrus*](#) Burton, 1978[33]
- [*Tabanus syriacus*](#) Kröber, 1925[105]
- [*Tabanus systemus*](#) Burton, 1978[33]
- [*Tabanus szechenyianus*](#) Szilády, 1926[10]
- [*Tabanus sziladyi*](#) Schuurmans Stekhoven, 1932[54]

T

- [*Tabanus taeniatus*](#) Macquart, 1834[303]
- [*Tabanus taeniellus*](#) Philip, 1960[4]
- [*Tabanus taeniola*](#) Palisot de Beauvois, 1806[250]
- [*Tabanus taiensis*](#) Taylor & Chainey, 1994
- [*Tabanus taipingensis*](#) Xu & Wu, 1985
- [*Tabanus taiwanus*](#) Hayakawa & Takahasi, 1983
- [*Tabanus talyshi*](#) Olsufiev, 1972

- [*Tabanus tambaensis*](#) Murdoch & Takahasi, 1969
- [*Tabanus tamthaiorum*](#) Burton, 1978[33]
- [*Tabanus tangi*](#) Xu & Xu, 1992
- [*Tabanus tardinotus*](#) Bequaert, 1940[121]
- [*Tabanus taygetus*](#) Peus, 1980[31]
- [*Tabanus teishengi*](#) Xu & Sun, 2007
- [*Tabanus tenasserimi*](#) Szilády, 1926[10]
- [*Tabanus tendeiroi*](#) Dias, 1980
- [*Tabanus tenebrosus*](#) Walker, 1854[61]
- [*Tabanus tenens*](#) Walker, 1850[99]
- [*Tabanus tenuifrons*](#) Datta & Chakraborti, 1985
- [*Tabanus tenuipalpis*](#) Austen, 1912[69]
- [*Tabanus tenuis*](#) Schuurmans Stekhoven, 1932[306]
- [*Tabanus tenuistria*](#) Kröber, 1931[70]
- [*Tabanus tephrodes*](#) Philippi, 1865[273]
- [*Tabanus teraiensis*](#) Coher, 1971[307]
- [*Tabanus tergestinus*](#) Egger, 1859[308]
- [*Tabanus terterjani*](#) Andreeva & Dolin, 1982[309]
- [*Tabanus testaceiventris*](#) Macquart, 1847[147]
- [*Tabanus tetropsis*](#) Bigot, 1892[5]
- [*Tabanus texanus*](#) Hine, 1907[28]
- [*Tabanus thellus*](#) Burger, 1982[211]
- [*Tabanus thermarum*](#) Burton, 1978[33]
- [*Tabanus thiemeana*](#) (Enderlein, 1925)[115]
- [*Tabanus thoracinus*](#) Palisot de Beauvois, 1806[250]
- [*Tabanus thurmani*](#) Philip, 1960[4]
- [*Tabanus tianyui*](#) Xu & Sun, 2008[261]
- [*Tabanus tienmuensis*](#) Liu, 1962
- [*Tabanus tiluensis*](#) Nieschulz, 1927
- [*Tabanus tinctorothorax*](#) Ricardo, 1911[29]
- [*Tabanus tinctus*](#) Walker, 1850[99]
- [*Tabanus titoi*](#) Dias, 1962
- [*Tabanus tokaraensis*](#) Hayakawa & Suzuki, 1984
- [*Tabanus tokunoshimaensis*](#) Hayakawa & Suzuki, 1984
- [*Tabanus tonglai*](#) Surcouf, 1922
- [*Tabanus toshiokai*](#) Murdoch & Takahasi, 1969
- [*Tabanus toumanoffi*](#) Philip, 1960[4]
- [*Tabanus townsendi*](#) Johnson, 1919[310]
- [*Tabanus townsvilli*](#) Ricardo, 1915[253]
- [*Tabanus traubi*](#) Philip, 1960[4]
- [*Tabanus trianguliger*](#) Austen, 1912[311]
- [*Tabanus triangulum*](#) Wiedemann, 1828[42]

- [*Tabanus tricoloratus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus tricolorus*](#) Xu, 1981[173]
- [*Tabanus trigonus*](#) Coquillett, 1898[195]
- [*Tabanus trijunctus*](#) Walker, 1854[61]
- [*Tabanus trilineatus*](#) Latreille, 1817[312]
- [*Tabanus tripurensis*](#) Datta, 1986
- [*Tabanus triquetronatus*](#) Carter, 1915[313]
- [*Tabanus tristichus*](#) Fairchild, 1976[38]
- [*Tabanus tristis*](#) Wulp, 1881[177]
- [*Tabanus trivittatus*](#) Fabricius, 1805[6]
- [*Tabanus tuberculatus*](#) Ricardo, 1911[29]
- [*Tabanus tumidicallus*](#) Burger, 1982[211]
- [*Tabanus tumiscapens*](#) Philip, 1954[107]
- [*Tabanus turbidus*](#) Wiedemann, 1828[42]

U-V

- [*Tabanus umbripennis*](#) Ricardo, 1915[253]
- [*Tabanus undulans*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus unicinctus*](#) Loew, 1856[24]
- [*Tabanus unicus*](#) Burton, 1978[33]
- [*Tabanus unifasciatus*](#) Loew, 1858[78]
- [*Tabanus unifasciens*](#) Philip, 1959[32]
- [*Tabanus uniformis*](#) Ricardo, 1911[29]
- [*Tabanus unilineatus*](#) Loew, 1852[314]
- [*Tabanus unipunctatus*](#) (Bigot, 1892)[5]
- [*Tabanus unistriatus*](#) Hine, 1906[174]
- [*Tabanus univentrtris*](#) Walker, 1848[26]
- [*Tabanus ustus*](#) Walker, 1850[315]
- [*Tabanus vanleeuweni*](#) Oldroyd, 1949[43]
- [*Tabanus varelai*](#) Dias, 1980
- [*Tabanus variabilis*](#) Loew, 1858[55]
- [*Tabanus varipes*](#) Walker, 1836[316]
- [*Tabanus variventris*](#) Macquart, 1847[147]
- [*Tabanus vaseyi*](#) Sherman, 1991[317]
- [*Tabanus vectensis*](#) (Cockerell, 1921)[318]
- [*Tabanus velutinus*](#) Surcouf, 1906
- [*Tabanus ventriflavimarginatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus venustus*](#) Osten Sacken, 1876[139]
- [*Tabanus vernus*](#) Burton, 1978[33]
- [*Tabanus vestitus*](#) Wiedemann, 1819[175]
- [*Tabanus veterinarius*](#) Dias, 1964
- [*Tabanus vibex*](#) Suh, Choi & Kwon, 2002

- [*Tabanus violaceus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus virgulatus*](#) Austen, 1922[20]
- [*Tabanus vittiger*](#) Thomson, 1869
- [*Tabanus vivax*](#) Osten Sacken, 1876[139]
- [*Tabanus vix*](#) Philip, 1960[4]

W-Z

- [*Tabanus wallacei*](#) Szilády, 1926[10]
- [*Tabanus weiheensis*](#) Xu & Liu, 1980[66]
- [*Tabanus weiningensis*](#) Xu, Xu & Sun, 2008
- [*Tabanus wellmanii*](#) Austen, 1908[142]
- [*Tabanus wenzeli*](#) Philip, 1959[32]
- [*Tabanus weyrauchi*](#) Barretto, 1949
- [*Tabanus wiedemanni*](#) Osten Sacken, 1876[139]
- [*Tabanus williamsii*](#) Austen, 1908[319]
- [*Tabanus wilpattuensis*](#) Burger, 1982[211]
- [*Tabanus wilsoni*](#) Pechuman, 1962
- [*Tabanus wokei*](#) Fairchild, 1983[212]
- [*Tabanus woollastoni*](#) Ricardo, 1913[60]
- [*Tabanus wuyishanensis*](#) Xu & Xu, 1995
- [*Tabanus wuzhishanensis*](#) Xu, 1979[181]
- [*Tabanus wyndhamensis*](#) Mackerras, 1971[98]
- [*Tabanus xanthocorus*](#) Burton, 1978[33]
- [*Tabanus xanthogaster*](#) Philippi, 1865[273]
- [*Tabanus xanthoimus*](#) Philip, 1960[4]
- [*Tabanus xanthomelas*](#) Austen, 1912[236]
- [*Tabanus xanthos*](#) Wang, 1982[46]
- [*Tabanus xanti*](#) Szilády, 1926[10]
- [*Tabanus xenorhynchus*](#) Fairchild, 1947[271]
- [*Tabanus xerodes*](#) Philip, 1967[241]
- [*Tabanus xuezhongi*](#) Xu & Guo, 2005[232]
- [*Tabanus xuthopogon*](#) Fairchild, 1985[1]
- [*Tabanus xuthus*](#) Philip, 1960[4]
- [*Tabanus yablonicus*](#) Takagi, 1941
- [*Tabanus yadongensis*](#) Xu & Sun, 2007[262]
- [*Tabanus yaeyamaensis*](#) Hayakawa & Hasegawa, 1981
- [*Tabanus yakuensis*](#) Ôuchi, 1943[320]
- [*Tabanus yanbaruensis*](#) Hayakawa & Yoneyama, 1983
- [*Tabanus yao*](#) Macquart, 1855[219]
- [*Tabanus yasujensis*](#) Ježek, 1981[189]
- [*Tabanus yishanensis*](#) Xu, 1979[181]
- [*Tabanus yoneyamai*](#) Hayakawa, 1984

- [*Tabanus yoshimotoi*](#) Burger, 1991
- [*Tabanus yucatanus*](#) Townsend, 1897[102]
- [*Tabanus yulensis*](#) Röder, 1892[321]
- [*Tabanus yunnanensis*](#) Liu & Wang, 1977[160]
- [*Tabanus zancala*](#) (Philip, 1954)[107]
- [*Tabanus zayaensis*](#) Xu & Sun, 2007[262]
- [*Tabanus zayasi*](#) Cruz & García, 1974[88]
- [*Tabanus zayuensis*](#) Wang, 1982
- [*Tabanus zebrinus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus zeirii*](#) Ježek, 1981[189]
- [*Tabanus zhongpingi*](#) Xu & Guo, 2005[232]
- [*Tabanus zimini*](#) Olsufiev, 1937
- [*Tabanus zodiacus*](#) Burton, 1978[33]
- [*Tabanus zoster*](#) Philip, 1960[4]
- [*Tabanus zoulouensis*](#) (Bigot, 1892)[5]
- [*Tabanus zuhairi*](#) Al-Talafha, Yaakop, Nurul Fatimah & Idris, 2018[322]
- [*Tabanus zummingi*](#) Xu & Sun, 2007[262]
- [*Tabanus zythicolor*](#) Philip, 1936[169]

This is a list of 121 species in [*Systoechus*](#), a genus of bee flies in the family [*Bombyliidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Systoechus* species**

- [*Systoechus aberrans*](#) Hesse, 1938 ^{c g}
- [*Systoechus acridophagus*](#) Hesse, 1938 ^{c g}
- [*Systoechus affinis*](#) Hesse, 1938 ^{c g}
- [*Systoechus albicans*](#) (Macquart, 1846) ^{c g}
- [*Systoechus albidus*](#) Loew, 1860 ^{c g}
- [*Systoechus albipectus*](#) Hesse, 1938 ^{c g}
- [*Systoechus altivolans*](#) Hesse, 1938 ^{c g}
- [*Systoechus anthophilus*](#) Hesse, 1938 ^{c g}
- [*Systoechus arabicus*](#) Greathead, 1980 ^{c g}
- [*Systoechus argyroleucus*](#) Hesse, 1938 ^{c g}
- [*Systoechus argyropogonus*](#) Hesse, 1938 ^{c g}
- [*Systoechus atriceps*](#) Bowden, 1964 ^{c g}
- [*Systoechus audax*](#) Greathead, 1967 ^{c g}
- [*Systoechus aureus*](#) Hesse, 1938 ^{c g}
- [*Systoechus auricomatus*](#) Bowden, 1959 ^{c g}

- [Systoechus aurifacies](#) Greathead, 1958 ^{c g}
- [Systoechus auripilus](#) Hesse, 1938 ^{c g}
- [Systoechus aurulentus](#) (Wiedemann, 1820) ^{c g}
- [Systoechus austeni](#) Bezzi, 1924 ^{c g}
- [Systoechus autumnalis](#) (Pallas & Wiedemann, 1818) ^{c g}
- [Systoechus autumnalis](#) Becker, 1910 ^{c g}
- [Systoechus badipennis](#) Hesse, 1938 ^{c g}
- [Systoechus badius](#) Hesse, 1938 ^{c g}
- [Systoechus bombycinus](#) Hesse, 1938 ^{c g}
- [Systoechus brunnibasis](#) Hesse, 1938 ^{c g}
- [Systoechus brunnipennis](#) (Loew, 1852) ^{c g}
- [Systoechus candidulus](#) Loew, 1863 ^{i c g b}
- [Systoechus candidus](#) Hesse, 1938 ^{c g}
- [Systoechus canescens](#) Hesse, 1938 ^{c g}
- [Systoechus canicapilis](#) Bowden, 1959 ^{c g}
- [Systoechus canipectus](#) Hesse, 1938 ^{c g}
- [Systoechus canus](#) (Macquart, 1840) ^{c g}
- [Systoechus castanealis](#) Greathead, 1996 ^{c g}
- [Systoechus cellularis](#) Bowden, 1959 ^{c g}
- [Systoechus chlamydicterus](#) Hesse, 1938 ^{c g}
- [Systoechus chrystallinus](#) Bezzi, 1924 ^{c g}
- [Systoechus claripennis](#) (Macquart, 1840) ^c
- [Systoechus croceipilus](#) Greathead, 1980 ^{c g}
- [Systoechus ctenopterus](#) (Mikan, 1976) ^{c g}
- [Systoechus damarensis](#) Hesse, 1938 ^{c g}
- [Systoechus deceptus](#) Hesse, 1938 ^{c g}
- [Systoechus eremophilus](#) Hesse, 1936 ^{c g}
- [Systoechus eupogonatus](#) Bigot, 1892 ^{c g}
- [Systoechus exiguus](#) Hesse, 1938 ^{c g}
- [Systoechus exilipes](#) Bezzi, 1923 ^{c g}
- [Systoechus faustus](#) Hesse, 1938 ^{c g}
- [Systoechus flavicapillis](#) Bowden, 1959 ^{c g}
- [Systoechus flavospinosus](#) Brunetti, 1920 ^{c g}
- [Systoechus fuligineus](#) Loew, 1863 ^{c g}
- [Systoechus fumipennis](#) Painter, 1962 ^{i c g}
- [Systoechus fumitinctus](#) Hesse, 1938 ^{c g}

- [Systoechus fusciventris](#) Hesse, 1938 ^{c g}
- [Systoechus goliath](#) Bezzi, 1922 ^{c g}
- [Systoechus gomezmenori](#) Andreu Rubio, 1959 ^{c g}
- [Systoechus gradatus](#) (Wiedemann, 1820) ^{c g}
- [Systoechus grandis](#) Paramonov, 1940 ^{c g}
- [Systoechus heteropogon](#) Bowden, 1959 ^{c g}
- [Systoechus horridus](#) Greathead, 1980 ^{c g}
- [Systoechus inordinatus](#) Hesse, 1938 ^{c g}
- [Systoechus kalaharicus](#) Hesse, 1936 ^{c g}
- [Systoechus lacus](#) Bowden, 1964 ^{c g}
- [Systoechus laevifrons](#) (Loew, 1855) ^{c g}
- [Systoechus leoninus](#) Bowden, 1964 ^{c g}
- [Systoechus leucostictus](#) Hesse, 1938 ^{c g}
- [Systoechus lightfooti](#) Hesse, 1938 ^{c g}
- [Systoechus litoralis](#) Bowden, 1964 ^{c g}
- [Systoechus longirostris](#) Becker, 1916 ^{c g}
- [Systoechus lucidus](#) (Loew, 1855) ^{c g}
- [Systoechus marshalli](#) Paramonov, 1931 ^{c g}
- [Systoechus melanpogon](#) Bezzi, 1912 ^{c g}
- [Systoechus mentiens](#) Bezzi, 1924 ^{c g}
- [Systoechus microcephalus](#) (Loew, 1855) ^{c g}
- [Systoechus mixtus](#) (Wiedemann, 1821) ^{c g}
- [Systoechus montanus](#) Hesse, 1938 ^{c g}
- [Systoechus monticolanus](#) Hesse, 1938 ^{c g}
- [Systoechus montuosus](#) Greathead, 1967 ^{c g}
- [Systoechus namaquensis](#) Hesse, 1938 ^{c g}
- [Systoechus neglectus](#) Hesse, 1938 ^{c g}
- [Systoechus nigribarbus](#) (Loew, 1852) ^{c g}
- [Systoechus nigripes](#) Loew, 1863 ^{c g}
- [Systoechus nivalis](#) Brunetti, 1912 ^{c g}
- [Systoechus niveicomatus](#) Bowden, 1959 ^{c g}
- [Systoechus oreas](#) Osten Sacken, 1877 ^{i c g b}
- [Systoechus pallidipilosus](#) Austen, 1937 ^{c g}
- [Systoechus pallidulus](#) (Walker, 1849) ^{c g}
- [Systoechus phaeopterus](#) Bezzi, 1924 ^{c g}
- [Systoechus polioleucus](#) Hesse, 1938 ^{c g}

- [*Systoechus poweri*](#) Hesse, 1938 ^{c g}
- [*Systoechus pumilio*](#) Becker, 1915 ^{c g}
- [*Systoechus pumilo*](#) Becker, 1915 ^g
- [*Systoechus quasiminimus*](#) Evenhuis & Greathead, 1999 ^{c g}
- [*Systoechus rhodesianus*](#) Hesse, 1938 ^{c g}
- [*Systoechus robustus*](#) Bezzi, 1921 ^{c g}
- [*Systoechus rudebecki*](#) Hesse, 1955 ^{c g}
- [*Systoechus salticola*](#) Hesse, 1938 ^{c g}
- [*Systoechus scabrrostris*](#) Bezzi, 1921 ^{c g}
- [*Systoechus scutellaris*](#) (Wiedemann, 1828) ^c
- [*Systoechus scutellatus*](#) (Macquart, 1840) ^{c g}
- [*Systoechus segetus*](#) Bowden, 1964 ^{c g}
- [*Systoechus silvaticus*](#) Hesse, 1938 ^{c g}
- [*Systoechus simplex*](#) Loew, 1860 ^{c g}
- [*Systoechus sinaiticus*](#) Efflatoun, 1945 ^{c g}
- [*Systoechus socius*](#) (Walker, 1852) ^{c g}
- [*Systoechus solitus*](#) (Walker, 1849) ^{i c b}
- [*Systoechus somali*](#) Oldroyd, 1947 ^{c g}
- [*Systoechus spinithorax*](#) Bezzi, 1921 ^{c g}
- [*Systoechus srilankae*](#) Zaitzev, 1988 ^{c g}
- [*Systoechus stenssoni*](#) Hesse, 1938 ^{c g}
- [*Systoechus subcontiguus*](#) Hesse, 1938 ^{c g}
- [*Systoechus submicans*](#) Greathead, 1980 ^{c g}
- [*Systoechus subulinus*](#) Bowden, 1964 ^{c g}
- [*Systoechus tesquorum*](#) Becker, 1916 ^{c g}
- [*Systoechus titan*](#) Greathead, 1996 ^{c g}
- [*Systoechus transvaalensis*](#) Hesse, 1938 ^{c g}
- [*Systoechus tumidifrons*](#) Bezzi, 1921 ^{c g}
- [*Systoechus ventricosus*](#) Bezzi, 1921 ^{c g}
- [*Systoechus vulgaris*](#) Loew, 1863 ^{i c g b} (grasshopper bee fly)
- [*Systoechus vulpinus*](#) Becker, 1910 ^{c g}
- [*Systoechus waltoni*](#) Hesse, 1938 ^{c g}
- [*Systoechus xanthoplocamus*](#) Francois, 1964 ^{c g}
- [*Systoechus xerophilus*](#) Hesse, 1938 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species belong to [*Synopeas*](#), a genus of parasitoid wasps in the family [*Platygastridae*](#).[\[1\]\[2\]\[3\]](#)
[\[4\]](#)

Synopeas species

- [*Synopeas abaris*](#) (Walker, 1836)
- [*Synopeas abominator*](#) (Fouts, 1925)
- [*Synopeas aciculatum*](#) (Fouts, 1924)
- [*Synopeas acuminatum*](#) Kieffer, 1916
- [*Synopeas acuticornis*](#) Buhl, 2003
- [*Synopeas acutispinus*](#) Buhl, 1998
- [*Synopeas acutiventris*](#) Buhl, 1997
- [*Synopeas affine*](#) (Nees von Esenbeck, 1834)
- [*Synopeas affinis*](#) (Nees, 1834)
- [*Synopeas africanus*](#) Buhl, 2004
- [*Synopeas alatus*](#) Buhl, 2004
- [*Synopeas amandae*](#) Awad, 2021
- [*Synopeas anderssoni*](#) Buhl, 2013
- [*Synopeas angustulum*](#) (Fouts, 1925)
- [*Synopeas anomaliventre*](#) (Ashmead, 1887)
- [*Synopeas anunu*](#) Awad, 2021
- [*Synopeas argentinensis*](#) Buhl, 2004
- [*Synopeas ashmeadii*](#) Dalla Torre, 1898
- [*Synopeas athenaeum*](#) (Walker, 1839)
- [*Synopeas atturens*](#) Mukerjee, 1981
- [*Synopeas auripes*](#) (Ashmead, 1893)
- [*Synopeas autumnalis*](#) Buhl, 1998
- [*Synopeas balabacensis*](#) Buhl, 1997
- [*Synopeas bengalense*](#) Mukerjee, 1978
- [*Synopeas bialowiezaensis*](#) Buhl, 2005
- [*Synopeas bicolor*](#) Sundholm, 1970
- [*Synopeas bifoveatum*](#) (Kieffer, 1912)
- [*Synopeas bifurcatus*](#) Buhl, 2001
- [*Synopeas blascoi*](#) Buhl, 1998
- [*Synopeas bohemani*](#) Buhl, 1998
- [*Synopeas bradleyi*](#) (Fouts, 1924)
- [*Synopeas breve*](#) Buhl, 1998
- [*Synopeas brevis*](#) Buhl, 1998
- [*Synopeas breviventre*](#) (Ashmead, 1893)
- [*Synopeas butterilli*](#) Buhl, 2013
- [*Synopeas calecai*](#) Buhl & Asadi, 2021 [\[5\]](#)
- [*Synopeas carinator*](#) (Fouts, 1925)
- [*Synopeas carinifrons*](#) Buhl, 2001

- [*Synopeas carpentieri*](#) Kieffer, 1916
- [*Synopeas chica*](#) Buhl, 2004
- [*Synopeas chinensis*](#) Buhl, 2007
- [*Synopeas ciliatum*](#) Thomson, 1859
- [*Synopeas codex*](#) Awad, 2021
- [*Synopeas collinus*](#) Choi & Buhl, 2006
- [*Synopeas compressiventris*](#) (Szabó, 1981)
- [*Synopeas congoanum*](#) (Risbec, 1958)
- [*Synopeas convexum*](#) Thomson, 1859
- [*Synopeas crassiceps*](#) Buhl, 1997
- [*Synopeas craterum*](#) (Walker, 1836)
- [*Synopeas cryptus*](#) Buhl, 2004
- [*Synopeas csoszi*](#) Buhl, 2004
- [*Synopeas curvicauda*](#) (Förster, 1856)
- [*Synopeas cynipsiphilum*](#) (Ashmead, 1887)
- [*Synopeas cynipsoides*](#) Buhl, 2004
- [*Synopeas daucicola*](#) Kieffer, 1916
- [*Synopeas decumbens*](#) Buhl, 1997
- [*Synopeas decurvatum*](#) (Nees von Esenbeck, 1834)
- [*Synopeas dentiscutellaris*](#) (Szabó, 1979)
- [*Synopeas dentiscutum*](#) (Szabó, 1981)
- [*Synopeas discoideus*](#) Buhl, 2005
- [*Synopeas doczkali*](#) Buhl, 2010
- [*Synopeas donizettii*](#) Vlug, 1995
- [*Synopeas dravedensis*](#) Buhl, 2004
- [*Synopeas dubiosum*](#) (Fouts, 1925)
- [*Synopeas epigeios*](#) Buhl, 2006
- [*Synopeas esenbecki*](#) Buhl, 1999
- [*Synopeas eugeniae*](#) Kieffer & Herbst, 1911
- [*Synopeas euryale*](#) (Walker, 1836)
- [*Synopeas figitiformis*](#) Thomson, 1859
- [*Synopeas flavicorne*](#) (Ashmead, 1893)
- [*Synopeas flavipes*](#) Ashmead, 1896
- [*Synopeas floridanum*](#) (Ashmead, 1893)
- [*Synopeas fluminale*](#) Yamagishi, 1980
- [*Synopeas fontali*](#) Buhl, 2002
- [*Synopeas forshagei*](#) Buhl, 2006
- [*Synopeas foutsii*](#) Masner, 1967
- [*Synopeas frontale*](#) Buhl, 2010
- [*Synopeas frontalis*](#) Buhl, 1998
- [*Synopeas fulvimanus*](#) Buhl, 2004
- [*Synopeas fungorum*](#) Buhl, 2000

- [*Synopeas fuscicola*](#) Box, 1921
- [*Synopeas fuscus*](#) Buhl, 1998
- [*Synopeas gallicola*](#) Kieffer, 1916
- [*Synopeas gastralis*](#) Buhl, 2001
- [*Synopeas gibberosus*](#) Buhl, 1997
- [*Synopeas globatum*](#) (Fouts, 1924)
- [*Synopeas goengeti*](#) Buhl, 1997
- [*Synopeas gracilicorne*](#) Kieffer, 1916
- [*Synopeas gracilicornis*](#) Kieffer, 1916
- [*Synopeas grenadense*](#) (Ashmead, 1896)
- [*Synopeas guatemalae*](#) Buhl, 2003
- [*Synopeas hakonense*](#) (Ashmead, 1904)
- [*Synopeas haladai*](#) Buhl, 2007
- [*Synopeas hansseni*](#) Buhl, 1998
- [*Synopeas hastatus*](#) Buhl, 2002
- [*Synopeas hopkinsi*](#) (Crawford & Bradley, 1911)
- [*Synopeas howardii*](#) (Ashmead, 1888)
- [*Synopeas hyllus*](#) (Walker, 1836)
- [*Synopeas ibadanensis*](#) Buhl, 2004
- [*Synopeas idarniforme*](#) (Dodd, 1916)
- [*Synopeas ilsei*](#) Vlug, 1995
- [*Synopeas incertum*](#) (Ashmead, 1887)
- [*Synopeas indicum*](#) Mani, 1975
- [*Synopeas indopeninsulare*](#) Mani, 1975
- [*Synopeas inerme*](#) Thomson, 1859
- [*Synopeas inermis*](#) Thomson, 1859
- [*Synopeas inquilinum*](#) Kieffer, 1904
- [*Synopeas insulare*](#) (Ashmead, 1894)
- [*Synopeas intermedius*](#) Buhl, 2003
- [*Synopeas involutum*](#) Kieffer, 1916
- [*Synopeas isus*](#) (Walker, 1839)
- [*Synopeas iteobia*](#) Kieffer, 1916
- [*Synopeas japonicum*](#) (Ashmead, 1904)
- [*Synopeas jasium*](#) (Walker, 1836)
- [*Synopeas johansonii*](#) Buhl, 2015
- [*Synopeas kalubia*](#) Awad, 2021
- [*Synopeas kanwonensis*](#) Buhl, 2006
- [*Synopeas kaszabi*](#) Buhl, 2004
- [*Synopeas kiki*](#) Awad, 2021
- [*Synopeas kimi*](#) Choi & Buhl, 2006
- [*Synopeas kira*](#) Awad, 2021
- [*Synopeas klingunculum*](#) Awad, 2021

- [*Synopeas koponeni*](#) Buhl, 2003
- [*Synopeas koreana*](#) Buhl, 2006
- [*Synopeas kovacsi*](#) Buhl, 2004
- [*Synopeas larides*](#) (Walker, 1836)
- [*Synopeas leda*](#) (Walker, 1839)
- [*Synopeas lemkaensis*](#) Buhl, 1997
- [*Synopeas leroyi*](#) (Risbec, 1958)
- [*Synopeas leve*](#) Fouts, 1935
- [*Synopeas levis*](#) Fouts, 1934
- [*Synopeas longifuniculus*](#) Buhl, 2002
- [*Synopeas longiventre*](#) (Ashmead, 1893)
- [*Synopeas lugubre*](#) Thomson, 1859
- [*Synopeas lugubris*](#) Thomson, 1859
- [*Synopeas luli*](#) Awad, 2021
- [*Synopeas luteolipes*](#) Buhl, 1997
- [*Synopeas luzonicum*](#) (Ashmead, 1905)
- [*Synopeas macrurus*](#) (Ashmead, 1896)
- [*Synopeas maculipes*](#) (Ashmead, 1887)
- [*Synopeas madagascariense*](#) (Risbec, 1953)
- [*Synopeas madridiana*](#) Buhl, 2001
- [*Synopeas magnussoni*](#) Buhl, 2010
- [*Synopeas mahunkai*](#) Buhl, 2006
- [*Synopeas mangiferae*](#) Austin, 1984
- [*Synopeas marttii*](#) Buhl, 2004
- [*Synopeas maximum*](#) Awad & Talamas, 2023 [6]
- [*Synopeas mazumbaiense*](#) Buhl & MS, 2008
- [*Synopeas melampus*](#) Förster, 1861
- [*Synopeas meridionalis*](#) Brues, 1922
- [*Synopeas millefolii*](#) (Kieffer, 1913)
- [*Synopeas minor*](#) (Brues, 1922)
- [*Synopeas mongolicus*](#) Buhl, 2004
- [*Synopeas montanus*](#) Buhl, 1997
- [*Synopeas monticola*](#) (Kieffer, 1910)
- [*Synopeas mucronatum*](#) (Ratzeburg, 1852)
- [*Synopeas mukerjeei*](#) Buhl, 1997
- [*Synopeas muticum*](#) (Nees von Esenbeck, 1834)
- [*Synopeas myles*](#) (Walker, 1836)
- [*Synopeas neglectus*](#) Buhl, 2004
- [*Synopeas nepalense*](#) Mukerjee, 1981
- [*Synopeas nervicola*](#) Kieffer, 1916
- [*Synopeas nervorum*](#) Kieffer, 1916
- [*Synopeas neurolasiopterae*](#) Brèthes, 1922

- [*Synopeas neuroteri*](#) Kieffer, 1916
- [*Synopeas nievesaldreyi*](#) Buhl, 2002
- [*Synopeas nigeriana*](#) Buhl, 2004
- [*Synopeas nigerrimum*](#) Sundholm, 1970
- [*Synopeas nigripes*](#) Ashmead, 1893
- [*Synopeas nigriscapis*](#) Förster, 1861
- [*Synopeas nigroides*](#) Buhl, 2001
- [*Synopeas nottoni*](#) Buhl, 2009
- [*Synopeas noyesi*](#) Buhl, 2009
- [*Synopeas obesus*](#) Buhl, 2001
- [*Synopeas occultum*](#) Awad, 2021
- [*Synopeas opacum*](#) Thomson, 1859
- [*Synopeas osaces*](#) (Walker, 1836)
- [*Synopeas osgoodi*](#) MacGown, 1974
- [*Synopeas otiosum*](#) Kieffer, 1924
- [*Synopeas palawanensis*](#) Buhl, 1997
- [*Synopeas pallescens*](#) Buhl, 1997
- [*Synopeas pallidicornis*](#) Buhl, 2006
- [*Synopeas panamaensis*](#) Buhl, 2002
- [*Synopeas paolii*](#) Fouts, 1934
- [*Synopeas pattiae*](#) Awad, 2021
- [*Synopeas pauliani*](#) (Risbec, 1957)
- [*Synopeas pennsylvanicum*](#) (Fouts, 1924)
- [*Synopeas pinnei*](#) Buhl, 2009
- [*Synopeas pisi*](#) (Förster, 1856)
- [*Synopeas planiscutellum*](#) Buhl, 1997
- [*Synopeas pleuralis*](#) Buhl, 2004
- [*Synopeas polaszeki*](#) Buhl, 2004
- [*Synopeas procerus*](#) Buhl, 2005
- [*Synopeas procon*](#) Austin, 1984
- [*Synopeas prospectum*](#) Förster, 1861
- [*Synopeas psychotriae*](#) Buhl, 2013
- [*Synopeas pterocarpi*](#) Buhl, 2013
- [*Synopeas pubescens*](#) (Ashmead, 1893)
- [*Synopeas pulupulu*](#) Awad, 2021
- [*Synopeas pumilus*](#) Buhl & Choi, 2006
- [*Synopeas punctatum*](#) (Ashmead, 1893)
- [*Synopeas punctigaster*](#) (Szabó, 1981)
- [*Synopeas queenslandicus*](#) Buhl, 2004
- [*Synopeas raphanistri*](#) Kieffer, 1916
- [*Synopeas rectum*](#) (Ratzeburg, 1852)
- [*Synopeas recurvatus*](#) Buhl, 2003

- [*Synopeas reticulatifrons*](#) Buhl, 2002
- [*Synopeas reticulatum*](#) (Szabó, 1966)
- [*Synopeas rhane*](#) (Walker, 1836)
- [*Synopeas rhanis*](#) (Walker, 1836)
- [*Synopeas rigidicornis*](#) Förster, 1861
- [*Synopeas rionegroensis*](#) Buhl, 2004
- [*Synopeas robustus*](#) Buhl, 2004
- [*Synopeas romsoeense*](#) Buhl, 1999
- [*Synopeas romsoeensis*](#) Buhl, 1999
- [*Synopeas roncavei*](#) Awad, 2021
- [*Synopeas ronquisti*](#) Buhl, 2010
- [*Synopeas royi*](#) Buhl, 2001
- [*Synopeas ruficoxa*](#) Buhl, 2006
- [*Synopeas rufipes*](#) (Ashmead, 1894)
- [*Synopeas rufiscapus*](#) Ashmead, 1893
- [*Synopeas rugiceps*](#) Ashmead
- [*Synopeas rugosiceps*](#) (Kieffer, 1926)
- [*Synopeas russelli*](#) MacGown, 2003
- [*Synopeas saccharale*](#) (Dodd, 1916)
- [*Synopeas saintexuperyi*](#) Buhl, 1997
- [*Synopeas salice*](#) Szelényi, 1940
- [*Synopeas salicicola*](#) (Kieffer, 1916)
- [*Synopeas salicis*](#) Szelenyi, 1940
- [*Synopeas sanga*](#) Awad, 2021
- [*Synopeas saopaulensis*](#) Buhl, 2004
- [*Synopeas sculpturatum*](#) Buhl, 1997
- [*Synopeas seychellense*](#) (Kieffer, 1912)
- [*Synopeas soederlundi*](#) Buhl, 2005
- [*Synopeas solidus*](#) Buhl, 2001
- [*Synopeas solomonensis*](#) Buhl, 1997
- [*Synopeas sose*](#) (Walker, 1836)
- [*Synopeas sosis*](#) (Walker, 1836)
- [*Synopeas spinifer*](#) Kozlov, 1978
- [*Synopeas spiniferum*](#) Kozlov, 1978
- [*Synopeas spinulus*](#) Buhl, 2004
- [*Synopeas srilankensis*](#) Buhl, 2003
- [*Synopeas stigenbergae*](#) Buhl, 2013
- [*Synopeas striatifrons*](#) (Ashmead, 1893)
- [*Synopeas striatitergitis*](#) Buhl, 2004
- [*Synopeas striatum*](#) (Risbec, 1958)
- [*Synopeas subaequale*](#) (Förster, 1856)
- [*Synopeas subaequalis*](#) (Foerster, 1856)

- [Synopeas substrigosus](#) Buhl, 2006
- [Synopeas subtilis](#) Buhl, 2004
- [Synopeas sundholmi](#) Buhl, 2005
- [Synopeas suomiana](#) Buhl, 2003
- [Synopeas talhouki](#) Vlug, 1976
- [Synopeas tarsa](#) (Walker, 1836)
- [Synopeas temporale](#) Austin, 1984
- [Synopeas texanum](#) (Fouts, 1925)
- [Synopeas thersippus](#) (Walker, 1839)
- [Synopeas thorkildi](#) Buhl, 2004
- [Synopeas thysanus](#) Kozlov, 1978
- [Synopeas tosticola](#) Kozlov
- [Synopeas toto](#) Awad, 2021
- [Synopeas trebium](#) (Walker, 1836)
- [Synopeas tripartitum](#) (Kieffer, 1917)
- [Synopeas tropicus](#) Buhl, 1997
- [Synopeas tuberosum](#) Sundholm, 1970
- [Synopeas valavala](#) Awad, 2021
- [Synopeas varipes](#) (Harrington, 1900)
- [Synopeas velutinum](#) (Walker, 1836)
- [Synopeas ventrale](#) (Westwood, 1833)
- [Synopeas ventricosus](#) Buhl, 1997
- [Synopeas vulgaris](#) Buhl, 2004
- [Synopeas wangsjoii](#) Buhl, 2009
- [Synopeas wasmanni](#) Kieffer, 1916
- [Synopeas weaveri](#) Buhl, 2001
- [Synopeas xanthopus](#) Kieffer, 1913
- [Synopeas xenarchus](#) (Walker, 1839)
- [Synopeas yanagi](#) Yamagishi, 1980
- [Synopeas zaitama](#) Yoshida & Hirashima, 1979
- [Synopeas zhangii](#) Awad, 2021
- [Synopeas zomborii](#) Buhl, 2004

This is a list of 165 species in [Syneches](#), a genus of hybotid dance flies in the family [Hybotidae](#).^[1]

Syneches species

- [Syneches acutatus](#) Saigusa & Yang, 2003^[2]
- [Syneches albonotatus](#) Loew, 1862^[3]
- [Syneches amamiensis](#) Saigusa, 1964

- [*Syneches amazonicus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches amorimi*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches ancistroides*](#) Li, Zhang & Yang, 2007[6]
- [*Syneches angulatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches annulipes*](#) Bezzi, 1909[7]
- [*Syneches apiciflavus*](#) Yang, Yang & Hu, 2002[8]
- [*Syneches applanatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches armatus*](#) Melander, 1928[9]
- [*Syneches astigma*](#) Wang, Wang & Yang, 2014[10]
- [*Syneches ater*](#) Melander, 1928[9]
- [*Syneches atratus*](#) Soares & Ale-Rocha, 2018[11]
- [*Syneches bakeri*](#) Melander, 1928[9]
- [*Syneches baotianmana*](#) Yang, Wang, Zhu & Zhang, 2010[12]
- [*Syneches barrettoii*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches barypterus*](#) Melander, 1928[9]
- [*Syneches basiniger*](#) Yang & Wang, 1998[13]
- [*Syneches bicolor*](#) (Walker, 1859)[14]
- [*Syneches bicornutus*](#) Yang & Yang, 2004[15]
- [*Syneches bigoti*](#) Bezzi, 1904[16]
- [*Syneches bilobatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches boettcheri*](#) Frey, 1938
- [*Syneches brevispinus*](#) Collin, 1929
- [*Syneches brunettii*](#) Smith, 1975[17]
- [*Syneches calodromius*](#) Frey, 1938
- [*Syneches capensis*](#) Smith, 1969[18]
- [*Syneches catarinae*](#) Smith, 1962[19]
- [*Syneches claripilosus*](#) Saigusa, 1964
- [*Syneches curvineura*](#) Melander, 1928[9]
- [*Syneches curvipes*](#) (Fabricius, 1805)[20]
- [*Syneches debilis*](#) Coquillett, 1895[21]
- [*Syneches deficiens*](#) (Walker, 1859)[22]
- [*Syneches deformitarsis*](#) Saigusa, 1964
- [*Syneches devius*](#) Collin, 1929
- [*Syneches dictyophorus*](#) Bezzi, 1904[16]
- [*Syneches dichogenus*](#) Melander, 1928[9]
- [*Syneches dichrous*](#) Bezzi, 1909[7]
- [*Syneches digitatus*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches dinoscelis*](#) Bezzi, 1904[16]
- [*Syneches distinctus*](#) Wang, Wang & Yang, 2014[10]
- [*Syneches dominicanus*](#) Ale-Rocha & Rafael, 2004[23]
- [*Syneches duplex*](#) Melander, 1928[9]
- [*Syneches elegans*](#) Frey, 1938

- [*Syneches elevatus* Bezzi, 1908\[24\]](#)
- [*Syneches equatoriensis* Menzes & Ale-Rocha, 2016\[4\]](#)
- [*Syneches eustylatus* \(Bigot, 1889\)\[25\]](#)
- [*Syneches exilis* Menzes & Ale-Rocha, 2016\[4\]](#)
- [*Syneches fasciatus* Soares, Freitas-Silva & Ale-Rocha, 2021\[5\]](#)
- [*Syneches ferrugineus* \(Walker, 1860\)\[26\]](#)
- [*Syneches fijiensis* Yang & Yao, 2007\[27\]](#)
- [*Syneches flavicoxa* Wang, Wang & Yang, 2014\[10\]](#)
- [*Syneches flavipalpis* Saigusa, 1964](#)
- [*Syneches flavipes* \(Brunetti, 1913\)\[28\]](#)
- [*Syneches flaviscutellatus* Soares, Freitas-Silva & Ale-Rocha, 2021\[5\]](#)
- [*Syneches flavithorax* Ale-Rocha, 2016\[29\]](#)
- [*Syneches flavitibia* Wang, Wang & Yang, 2014\[10\]](#)
- [*Syneches fratellus* Brunetti, 1913\[28\]](#)
- [*Syneches frosti* Wilder, 1974](#)
- [*Syneches fujianensis* Yang & Yang, 2003\[30\]](#)
- [*Syneches fuliginosus* Meijere, 1916\[31\]](#)
- [*Syneches furcatus* Saigusa & Yang, 2003\[2\]](#)
- [*Syneches fuscescens* Bezzi, 1909\[7\]](#)
- [*Syneches fuscipennis* \(Brunetti, 1913\)\[28\]](#)
- [*Syneches fuscus* Soares, Freitas-Silva & Ale-Rocha, 2021\[5\]](#)
- [*Syneches graminis* Smith, 1969\[18\]](#)
- [*Syneches grandis* Frey, 1953\[32\]](#)
- [*Syneches quangdongensis* Yang & Grootaert, 2004\[33\]](#)
- [*Syneches quangxiensis* Yang, 2007\[34\]](#)
- [*Syneches quizhouensis* Yang & Yang, 1988\[35\]](#)
- [*Syneches handschini* Frey, 1938](#)
- [*Syneches helvolus* Frey, 1917](#)
- [*Syneches henanensis* \(Saigusa & Yang, 2003\)\[2\]](#)
- [*Syneches hirashimai* Saigusa, 1990](#)
- [*Syneches hispidus* Ale-Rocha & Vieira, 2008\[36\]](#)
- [*Syneches hyalinus* Coquillett, 1895\[21\]](#)
- [*Syneches hyalopterus* Bezzi, 1904\[16\]](#)
- [*Syneches immaculatus* Brunetti, 1913\[28\]](#)
- [*Syneches indistinctus* Wang, Wang & Yang, 2014\[10\]](#)
- [*Syneches inversus* Curran, 1928](#)
- [*Syneches jamaicensis* Wilder, 1974\[37\]](#)
- [*Syneches jardinei* Senior-White, 1924](#)
- [*Syneches jauensis* Ale-Rocha & Vieira, 2008\[36\]](#)
- [*Syneches lachaisei* Charbonnel, 1998](#)
- [*Syneches latus* Yang & Grootaert, 2004\[33\]](#)
- [*Syneches leonensis* Raffone, 1994](#)

- [*Syneches lii*](#) Yang, Wang, Zhu & Zhang, 2010[12]
- [*Syneches limaeirai*](#) Soares & Ale-Rocha, 2018[11]
- [*Syneches lividus*](#) Melander, 1928[9]
- [*Syneches loici*](#) Charbonnel & Daugeron, 2000
- [*Syneches longiflagellatus*](#) Ale-Rocha & Vieira, 2008[36]
- [*Syneches longipennis*](#) Melander, 1902[38]
- [*Syneches longistigma*](#) Frey, 1938
- [*Syneches longiventris*](#) Melander, 1928[9]
- [*Syneches luanchuanensis*](#) Yang & Wang, 1998[13]
- [*Syneches luctifer*](#) Bezzi, 1912[39]
- [*Syneches luzonicus*](#) Frey, 1938
- [*Syneches macrochaetosus*](#) Wilder, 1974[37]
- [*Syneches macrothele*](#) Smith, 1969[18]
- [*Syneches maculatus*](#) (Matsumura, 1916)[40]
- [*Syneches maculithorax*](#) Senior-White, 1924
- [*Syneches maculosum*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches mamillosus*](#) Smith, 1969[18]
- [*Syneches manaos*](#) Smith, 1962[19]
- [*Syneches maoershanensis*](#) Yang, 2007[34]
- [*Syneches mars*](#) Garrett Jones, 1940[41]
- [*Syneches matemus*](#) Curran, 1936[42]
- [*Syneches matilei*](#) Charbonnel, 1998
- [*Syneches medinai*](#) Wilder, 1974[37]
- [*Syneches medoganus*](#) Zhao, Ding, Lin & Yang, 2020[43]
- [*Syneches minor*](#) Bezzi, 1904[16]
- [*Syneches minutus*](#) Brunetti, 1913[28]
- [*Syneches miyamotoi*](#) Saigusa, 1964
- [*Syneches moraballi*](#) Smith, 1963[44]
- [*Syneches muscarius*](#) (Fabricius, 1794)[45]
- [*Syneches nankunshanensis*](#) Li, Zhang & Yang, 2007[6]
- [*Syneches nanlingensis*](#) Yang & Grootaert, 2007[46]
- [*Syneches natalensis*](#) (Bigot, 1889)[47]
- [*Syneches nebulosus*](#) Loew, 1858[48]
- [*Syneches neptunus*](#) Garrett Jones, 1940[41]
- [*Syneches nigrescens*](#) Shi, Yao & Yang, 2014[49]
- [*Syneches nigrinus*](#) Collin, 1941[50]
- [*Syneches nigriritibia*](#) Zhao, Ding, Lin & Yang, 2020[43]
- [*Syneches nordestino*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches obeliscus*](#) Bezzi, 1909[7]
- [*Syneches oedicornis*](#) Bezzi, 1928[51]
- [*Syneches pallidicornis*](#) Frey, 1938
- [*Syneches palliditarsis*](#) Brunetti, 1913[28]

- [*Syneches pallidus*](#) Wilder, 1974[37]
- [*Syneches peradeniyae*](#) Senior-White, 1924
- [*Syneches periscelis*](#) Melander, 1928[9]
- [*Syneches phaeopterus*](#) Bezzi, 1905[52]
- [*Syneches planiceps*](#) Melander, 1928[9]
- [*Syneches platybregmus*](#) Quate, 1960[53]
- [*Syneches plaumanni*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches polleti*](#) Ale-Rocha, 2016[29]
- [*Syneches praestans*](#) Bezzi, 1912[39]
- [*Syneches prmissimus*](#) Garrett Jones, 1940[41]
- [*Syneches pulliginis*](#) Collin, 1941[50]
- [*Syneches pullus*](#) Bezzi, 1912[39]
- [*Syneches pusillus*](#) Loew, 1861[54]
- [*Syneches pyramidatus*](#) Bezzi, 1905[52]
- [*Syneches quadraginta*](#) Garrett Jones, 1940[41]
- [*Syneches quadrangularis*](#) Wheeler & Melander, 1901[55]
- [*Syneches rafaeli*](#) Ale-Rocha & Vieira, 2008[36]
- [*Syneches repletus*](#) Bezzi, 1909[7]
- [*Syneches ruficollis*](#) (Walker, 1852)[56]
- [*Syneches rufitibia*](#) Frey, 1953[32]
- [*Syneches rufus*](#) Loew, 1861[54]
- [*Syneches rusticus*](#) Brunetti, 1913[28]
- [*Syneches semibrunnea*](#) Mejjere, 1911[57]
- [*Syneches semihelvolus*](#) Frey, 1938
- [*Syneches serratus*](#) Yang, An & Gao, 2002[58]
- [*Syneches shirozui*](#) Saigusa, 1963
- [*Syneches shumuyuanensis*](#) Li, Zhang & Yang, 2007[6]
- [*Syneches signatus*](#) (Bigot, 1859)[59]
- [*Syneches simplex*](#) Walker, 1852[56]
- [*Syneches sinclairi*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches singularis*](#) Yang & Yang, 2004[15]
- [*Syneches smithi*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches spinidorsum*](#) Bezzi, 1928[51]
- [*Syneches stigma*](#) (Walker, 1865)[60]
- [*Syneches stigmatalis*](#) Bezzi, 1909[7]
- [*Syneches striatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches subdeficiens*](#) Frey, 1938
- [*Syneches sublatus*](#) Yang & Grootaert, 2007[46]
- [*Syneches subvittatus*](#) Yang & Yao, 2007[27]
- [*Syneches tenebricus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches thoracicus*](#) (Say, 1823)[61]
- [*Syneches tibetanus*](#) Yang & Yang, 1988[62]

- [*Syneches tomentosus*](#) Smith, 1962[19]
- [*Syneches tuberculitibia*](#) Smith, 1969[18]
- [*Syneches usherae*](#) Smith, 1969[18]
- [*Syneches varipes*](#) (Senior-White, 1924)
- [*Syneches varus*](#) Melander, 1928[9]
- [*Syneches velutinus*](#) Meijere, 1906
- [*Syneches vidali*](#) Ale-Rocha & Vieira, 2008[36]
- [*Syneches vineus*](#) Wilder, 1974[37]
- [*Syneches visinonii*](#) Raffone, 2005[63]
- [*Syneches vittatus*](#) (Walker, 1860)[64]
- [*Syneches vittipleura*](#) Frey, 1938
- [*Syneches walkeri*](#) Smith, 1962[19]
- [*Syneches wangae*](#) Wang, Wang & Yang, 2014[10]
- [*Syneches xanthochromus*](#) Yang & Yang, 1988[62]
- [*Syneches xiaohuangshanensis*](#) Yang & Grootaert, 2007[46]
- [*Syneches xui*](#) Yang & Grootaert, 2004[33]
- [*Syneches zhejiangensis*](#) Yang & Wang, 1998[65]

These 309 species are among more than 700 that belong to the genus [*Strongylium*](#), darkling beetles. [1]
[2]

***Strongylium* species**

- [*Strongylium acraeum*](#) Garrido & Armas, 2012
- [*Strongylium akitai*](#) Masumoto, 1998
- [*Strongylium akiyamai*](#) Masumoto, 2003
- [*Strongylium albopilosum*](#) Gebien, 1913
- [*Strongylium algoense*](#)
- [*Strongylium alishanum*](#) Masumoto, 1981
- [*Strongylium amethystinum*](#)
- [*Strongylium andoi*](#) Masumoto, 1996
- [*Strongylium angustissimum*](#) Pic, 1922
- [*Strongylium anmashanum*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium anthrax*](#) Schwarz
- [*Strongylium apache*](#) Triplehorn & Spilman, 1973
- [*Strongylium atrum*](#) Champion, 1887
- [*Strongylium attapuense*](#) Masumoto & Akita, 2013
- [*Strongylium aulicum*](#)
- [*Strongylium auratopubens*](#) Pic, 1922

- [*Strongylium auratum*](#) (Laporte, 1840)
- [*Strongylium auspicatum*](#)
- [*Strongylium azureum*](#) (Germar, 1823)
- [*Strongylium baetianum*](#) Garrido & Armas, 2012
- [*Strongylium basiclavis*](#) Zayas, 1988
- [*Strongylium becvari*](#) Masumoto, 1998
- [*Strongylium belti*](#) Champion, 1888
- [*Strongylium bicarinatoides*](#) Kaszab
- [*Strongylium bifasciatum*](#) Maklin, 1864
- [*Strongylium bilineatocolle*](#) Pic, 1918
- [*Strongylium bilyi*](#) Masumoto, 1998
- [*Strongylium birmanicum*](#) Masumoto, 1998
- [*Strongylium bivittatum*](#) Champion, 1888
- [*Strongylium blairi*](#) Gebien, 1920
- [*Strongylium bolikhamsaiense*](#) Masumoto & Akita, 2012
- [*Strongylium bremeri*](#) Masumoto, 1998
- [*Strongylium brevipes*](#) Champion, 1888
- [*Strongylium burckhardti*](#) Masumoto, 2003
- [*Strongylium caelatum*](#)
- [*Strongylium canaliculatum*](#) Champion, 1887
- [*Strongylium carbonarium*](#) Gebien, 1913
- [*Strongylium carinipenne*](#) Champion, 1888
- [*Strongylium carinulatum*](#) Mäklin, 1864
- [*Strongylium cayennense*](#) Mäklin, 1864
- [*Strongylium chalcopterum*](#) Mäklin, 1864
- [*Strongylium champasakense*](#) Masumoto & Akita, 2013
- [*Strongylium championi*](#) Gebien, 1948
- [*Strongylium Chiangdaoense*](#) Masumoto, 1996
- [*Strongylium chihpenense*](#) Masumoto, 2005c
- [*Strongylium chiriquense*](#) Champion, 1887
- [*Strongylium chontalense*](#) Champion, 1887
- [*Strongylium chutungense*](#) Masumoto, 2005c
- [*Strongylium cicindeliforme*](#) Masumoto, 1998
- [*Strongylium clauda*](#) (Gebien, 1913)
- [*Strongylium clavicorne*](#) Champion, 1893
- [*Strongylium cochinchinense*](#) Masumoto, 1997
- [*Strongylium coeruleipes*](#) Pic, 1940
- [*Strongylium colombianum*](#) Champion, 1888
- [*Strongylium compactum*](#)
- [*Strongylium conradti*](#) Champion, 1893
- [*Strongylium costaricense*](#) Champion, 1888
- [*Strongylium costipenne*](#) Mäklin, 1864

- [*Strongylium crassicorne*](#) Champion, 1887
- [*Strongylium crenatum*](#) Maklin
- [*Strongylium crockerense*](#) Masumoto, 1997
- [*Strongylium crurale*](#) Fairmaire, 1893
- [*Strongylium cultellatum*](#)
- [*Strongylium cupeyal*](#) Zayas, 1988
- [*Strongylium cupricolle*](#) Mäklin, 1864
- [*Strongylium cuproso*](#) Garrido, 2004
- [*Strongylium curticorne*](#) Champion, 1888
- [*Strongylium cyaneomaculatum*](#) Pic, 1918
- [*Strongylium cyaneum*](#)
- [*Strongylium delauneyi*](#) Fleutiaux
- [*Strongylium dembickyi*](#) Masumoto, 1998
- [*Strongylium dentatum*](#) Champion, 1887
- [*Strongylium dilutipes*](#) Masumoto & Akita, 2011
- [*Strongylium discrepans*](#)
- [*Strongylium doipuiense*](#) Masumoto, 1996
- [*Strongylium doisuthepense*](#) Masumoto, 1996
- [*Strongylium elongatum*](#) Garrido & Armas, 2012
- [*Strongylium emasense*](#) Masumoto & Akita, 2011
- [*Strongylium endoi*](#) Masumoto, 1982
- [*Strongylium erraticum*](#) Champion, 1888
- [*Strongylium erythrocephalum*](#) (Fabricius, 1801)
- [*Strongylium erythropterum*](#) Mäklin, 1864
- [*Strongylium exaratum*](#) Champion, 1887
- [*Strongylium excavatipenne*](#) Pic, 1918
- [*Strongylium fangense*](#) Masumoto, 1996
- [*Strongylium fasciolatum*](#) Mäklin, 1864
- [*Strongylium formosanum*](#) Gebien, 1913
- [*Strongylium fossulatum*](#)
- [*Strongylium fragile*](#) Champion, 1888
- [*Strongylium frontale*](#) Champion, 1888
- [*Strongylium fujitai*](#) Masumoto, 1981
- [*Strongylium gibbum*](#) Mäklin, 1867
- [*Strongylium girardianum*](#) Masumoto, 1996
- [*Strongylium grande*](#) Pic, 1935
- [*Strongylium gravidum*](#) Mäklin, 1864
- [*Strongylium gregarium*](#) Champion, 1888
- [*Strongylium guadeloupense*](#) Gebien, 1911
- [*Strongylium haucki*](#) Masumoto & Akita, 2013
- [*Strongylium hemistriatum*](#) Triplehorn & Spilman, 1973
- [*Strongylium hideoi*](#) Masumoto, 1996

- [*Strongylium hirasawai*](#) Masumoto, 1996
- [*Strongylium hmongense*](#) Masumoto, 1998
- [*Strongylium hoepfneri*](#)
- [*Strongylium holzschuhi*](#) Masumoto & Akita, 2012
- [*Strongylium horaki*](#) Masumoto, 1998
- [*Strongylium horni*](#) Oertzen, 1903
- [*Strongylium hsiao*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium huaianaense*](#) Masumoto & Akita, 2011
- [*Strongylium huaipoense*](#) Masumoto, 1998
- [*Strongylium ignitum*](#) Champion, 1887
- [*Strongylium imitator*](#)
- [*Strongylium indigeus*](#)
- [*Strongylium indignum*](#) Gebien, 1920
- [*Strongylium insulare*](#)
- [*Strongylium iricolor*](#) Ardoin, 1973
- [*Strongylium ishizakii*](#) Masumoto, 2003
- [*Strongylium itoi*](#) Masumoto, 1998
- [*Strongylium jae*](#) Masumoto, 1996
- [*Strongylium kalimantanense*](#) Masumoto, 1997
- [*Strongylium kambaitiense*](#) Masumoto, 1998
- [*Strongylium kanchanaburiense*](#) Masumoto, 1998
- [*Strongylium kariangense*](#) Masumoto, 1998
- [*Strongylium katsumii*](#) Masumoto, 1999
- [*Strongylium keningauense*](#) Masumoto, 1997
- [*Strongylium kenokokense*](#) Masumoto, 1998
- [*Strongylium kentingense*](#) Masumoto, 1981
- [*Strongylium kerlevi*](#) Masumoto, 1996
- [*Strongylium khamense*](#) Masumoto & Akita, 2014
- [*Strongylium khammouanense*](#) Masumoto & Akita, 2012
- [*Strongylium khaolakense*](#) Masumoto & Akita, 2011
- [*Strongylium khaosoidaoense*](#) Masumoto, 2003
- [*Strongylium khasinamtanoon*](#) Masumoto & Akita, 2012
- [*Strongylium kimanisense*](#) Masumoto, 1997
- [*Strongylium kingdonwardi*](#) Masumoto, 1998
- [*Strongylium klapperichi*](#)
- [*Strongylium kohanemum*](#) Masumoto, 1998
- [*Strongylium kokoae*](#) Masumoto & Akita, 2013
- [*Strongylium kondoi*](#) Masumoto & Akita, 2011
- [*Strongylium krali*](#) Masumoto, 2003
- [*Strongylium kuantouense*](#) Masumoto, 2005c
- [*Strongylium laetum*](#)
- [*Strongylium lanathai*](#) Masumoto, 1996

- [*Strongylium langurioides*](#) Champion, 1888
- [*Strongylium lanhai*](#) Masumoto, Akita & Lee, 2013
- [*Strongylium laocrurale*](#) Masumoto & Akita, 2012
- [*Strongylium laonouaum*](#) Masumoto & Akita, 2014
- [*Strongylium laotaicrurale*](#) Masumoto & Akita, 2013
- [*Strongylium laszlorum*](#) Masumoto, 2005c
- [*Strongylium lautum*](#)
- [*Strongylium liangi*](#) Yuan & Ren, 2014
- [*Strongylium lini*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium lishanum*](#) Gebien, 1981
- [*Strongylium lisuense*](#) Masumoto, 1998
- [*Strongylium longissimum*](#) Gebien, 1913
- [*Strongylium lumulumuense*](#) Masumoto, 1998
- [*Strongylium lutaoense*](#) Masumoto, 1992
- [*Strongylium maculicolle*](#) Champion, 1887
- [*Strongylium maehongsonense*](#) Masumoto, 1998
- [*Strongylium maisi*](#) Garrido, 2004
- [*Strongylium majeri*](#) Masumoto, 2003
- [*Strongylium malengthai*](#) Masumoto, 1996
- [*Strongylium masatakai*](#) Masumoto Lee & Akita, 2007
- [*Strongylium meengsiikiaum*](#) Masumoto & Akita, 2014
- [*Strongylium meengsiitongum*](#) Masumoto & Akita, 2014
- [*Strongylium meengyoaum*](#) Masumoto & Akita, 2014
- [*Strongylium merkli*](#) Masumoto, 1998
- [*Strongylium miikhonum*](#) Masumoto, 1996
- [*Strongylium mindanaoense*](#) Masumoto, 1997
- [*Strongylium mirabile*](#) Linell
- [*Strongylium misantlae*](#) Champion, 1888
- [*Strongylium miwai*](#) Masumoto, 1996
- [*Strongylium miyakei*](#) Masumoto, 1997
- [*Strongylium montebarreto*](#) Garrido, 2004
- [*Strongylium moritai*](#) Masumoto, 1998
- [*Strongylium moroninum*](#) Pic, 1918
- [*Strongylium mucronatum*](#) Mäklin, 1864
- [*Strongylium naamum*](#) Masumoto & Akita, 2011
- [*Strongylium nakaiense*](#) Masumoto & Akita, 2012
- [*Strongylium nakanei*](#) Masumoto, 1981
- [*Strongylium nakpraati*](#) Masumoto, 1996
- [*Strongylium namnaonis*](#) Masumoto, 2003
- [*Strongylium namthaense*](#) Masumoto & Akita, 2012
- [*Strongylium nanfangum*](#) Masumoto, 1982
- [*Strongylium nangbangense*](#) Masumoto, 1998

- [*Strongylium nanrenense*](#) Masumoto, Akita & Lee, 2012
- [*Strongylium nayoense*](#) Masumoto & Akita, 2011
- [*Strongylium ngaiense*](#) Masumoto & Akita, 2011
- [*Strongylium nigrum*](#) Zayas, 1988
- [*Strongylium nitidiceps*](#) Champion, 1888
- [*Strongylium nobile*](#) Maklin, 1864
- [*Strongylium noi*](#) Masumoto, 1998
- [*Strongylium norikoe*](#) Masumoto & Akita, 2012
- [*Strongylium ochii*](#) Masumoto, 1992
- [*Strongylium oculatum*](#) Champion, 1888
- [*Strongylium ohbayashianum*](#) Masumoto & Akita, 2014
- [*Strongylium ohmomo*](#) Masumoto, Akita & Lee, 2013
- [*Strongylium okajimai*](#) Masumoto, 2003
- [*Strongylium okumurai*](#) Masumoto, 1981
- [*Strongylium opacipenne*](#) Champion, 1888
- [*Strongylium osawai*](#) Masumoto, 2005c
- [*Strongylium ovampoense*](#)
- [*Strongylium pacholatko*](#) Masumoto, 1998
- [*Strongylium paddai*](#) Ivie & Triplehorn, 1986
- [*Strongylium pai*](#) Masumoto, 1998
- [*Strongylium pakanense*](#) Masumoto & Akita, 2014
- [*Strongylium pakchongense*](#) Masumoto & Akita, 2011
- [*Strongylium pakseum*](#) Masumoto & Akita, 2013
- [*Strongylium palawanense*](#) Masumoto, 1997
- [*Strongylium palingense*](#) Masumoto, 2005c
- [*Strongylium palopoense*](#) Masumoto & Akita, 2011
- [*Strongylium panamense*](#) Champion, 1888
- [*Strongylium pangkoreense*](#) Masumoto & Akita, 2011
- [*Strongylium papuense*](#)
- [*Strongylium perakense*](#) Masumoto & Akita, 2011
- [*Strongylium perturbator*](#)
- [*Strongylium phaknabense*](#) Masumoto & Akita, 2011
- [*Strongylium phedongense*](#) Masumoto, 1998
- [*Strongylium phomae*](#) Masumoto, 1996
- [*Strongylium phonsavanense*](#) Masumoto & Akita, 2012
- [*Strongylium phousamsounense*](#) Masumoto & Akita, 2012
- [*Strongylium phoutonmonense*](#) Masumoto & Akita, 2012
- [*Strongylium phraense*](#) Masumoto, 1996
- [*Strongylium phuchongense*](#) Masumoto & Akita, 2011
- [*Strongylium pici*](#) Masumoto, 1998
- [*Strongylium pilifasciatum*](#) Masumoto, 1998
- [*Strongylium plausible*](#)

- [*Strongylium preciosus*](#) Zayas, 1988
- [*Strongylium pseudogibbosipenne*](#) Masumoto, 1981
- [*Strongylium pumilum*](#) Garrido & Armas, 2012
- [*Strongylium punctipes*](#) Champion, 1888
- [*Strongylium purpureopunctum*](#) Pic, 1918
- [*Strongylium purpuripenne*](#) Mäklin, 1864
- [*Strongylium putaoense*](#) Masumoto & Akita, 2011
- [*Strongylium quisqueyanum*](#) Garrido & Armas, 2012
- [*Strongylium ratchashimaense*](#) Masumoto & Akita, 2011
- [*Strongylium rhodesianum*](#)
- [*Strongylium roifeedaatum*](#) Masumoto, 1996
- [*Strongylium roiyonum*](#) Masumoto, 1996
- [*Strongylium rufabdominale*](#) Masumoto, 1998
- [*Strongylium rufifemoratum*](#) Masumoto, 1997
- [*Strongylium rufovittatum*](#) Pic, 1932
- [*Strongylium sabahense*](#) Masumoto, 1997
- [*Strongylium sabahinsigne*](#) Masumoto, 1997
- [*Strongylium sakaii*](#) Masumoto, 1998
- [*Strongylium salueiense*](#) Masumoto & Akita, 2013
- [*Strongylium salvazai*](#) Masumoto & Akita, 2011
- [*Strongylium saracenum*](#) (Reiche & Saulcy, 1857)
- [*Strongylium sawaiae*](#) Masumoto, 1996
- [*Strongylium schawalleri*](#) Masumoto, 2003
- [*Strongylium scheknlingi*](#) Gebien, 1913
- [*Strongylium schneideri*](#) Masumoto, 1998
- [*Strongylium semiopacum*](#) Pic, 1918
- [*Strongylium shigeoi*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium shimomurai*](#) Masumoto, 1998
- [*Strongylium siichaum*](#) Masumoto & Akita, 2014
- [*Strongylium siidemum*](#) Masumoto, 1996
- [*Strongylium siidum*](#) Masumoto, 1998
- [*Strongylium siisuai*](#) Masumoto, 1996
- [*Strongylium simplicicolle*](#) LeConte, 1878
- [*Strongylium simplicipes*](#) Pic, 1918
- [*Strongylium sinuatipenne*](#) Miwa, 1939
- [*Strongylium siphangngense*](#) Masumoto, 2003
- [*Strongylium snizeki*](#) Masumoto & Akita, 2011
- [*Strongylium sodongense*](#) Masumoto & Akita, 2011
- [*Strongylium soncai*](#) Masumoto, 1996
- [*Strongylium soppongense*](#) Masumoto, 1998
- [*Strongylium sparseimpressum*](#) Pic, 1922
- [*Strongylium spec*](#) Masumoto & Akita, 2011

- [*Strongylium strbahergovisorum*](#) Masumoto & Akita, 2012
- [*Strongylium subalternatum*](#) Pic, 1918
- [*Strongylium sulawesiense*](#) Masumoto, 1997
- [*Strongylium sumikoe*](#) Masumoto, Akita & Lee, 2014
- [*Strongylium suspicax*](#)
- [*Strongylium szentivanyi*](#) Kaszab, 1941
- [*Strongylium tabanai*](#) Masumoto, 1998
- [*Strongylium takeshianum*](#) Masumoto & Akita, 2011
- [*Strongylium tanikadoi*](#) Masumoto, 1998
- [*Strongylium taoi*](#) Masumoto, 1996
- [*Strongylium tehuashense*](#) Masumoto, 2005c
- [*Strongylium tenuicolle*](#) (Say)
- [*Strongylium terminatum*](#) (Say)
- [*Strongylium thangonense*](#) Masumoto & Akita, 2014
- [*Strongylium tinctipes*](#) Champion, 1887
- [*Strongylium trifasciatum*](#) Masumoto, 1998
- [*Strongylium tsurui*](#) Masumoto, 2003
- [*Strongylium tsuyukii*](#) Masumoto, 1996
- [*Strongylium turquinense*](#) Zayas, 1988
- [*Strongylium umphangense*](#) Masumoto, 2003
- [*Strongylium variicorne*](#) Champion, 1887
- [*Strongylium ventrale*](#) Champion, 1888
- [*Strongylium venustum*](#) Zayas, 1988
- [*Strongylium verde*](#) Garrido & Armas, 2012
- [*Strongylium vikenae*](#) Ferrer
- [*Strongylium virescens*](#) Zayas, 1988
- [*Strongylium viride*](#) Fabricius, 1801
- [*Strongylium viridimembris*](#) Pic, 1922
- [*Strongylium viriditinctum*](#) Champion, 1888
- [*Strongylium wadai*](#) Masumoto, 2005c
- [*Strongylium wallacei*](#) Masumoto, 1997
- [*Strongylium wiseetingum*](#) Masumoto, 1997
- [*Strongylium woodruffi*](#) Garrido & Armas, 2012
- [*Strongylium xiengkouangense*](#) Masumoto & Akita, 2013
- [*Strongylium yai*](#) Masumoto, 1998
- [*Strongylium yalaense*](#) Masumoto & Akita, 2011
- [*Strongylium yamasakoi*](#) Masumoto & Akita, 2013
- [*Strongylium yasuhikoi*](#) Masumoto, 1996
- [*Strongylium yokoyamai*](#) Masumoto, 1981
- [*Strongylium yuka*](#) Masumoto, 1996
- [*Strongylium zoltani*](#) Masumoto, 1981

This is a list of 109 species in the genus [Stizus](#), sand wasps in the family [Bembicidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Stizus species

- [Stizus adelphus](#) W.F. Kirby, 1900 ^{i c g}
- [Stizus aegyptius](#) Lepeletier, 1845 ^{i c g}
- [Stizus aestivalis](#) Mercet, 1906 ^{i c g}
- [Stizus anchoratus](#) Mantero, 1917 ^{i c g}
- [Stizus annulatus](#) (Klug, 1845) ^{i c g}
- [Stizus apicalis](#) Guérin-Méneville, 1844 ^{i c g}
- [Stizus arabicus](#) Guichard, 1989 ^{i c g}
- [Stizus arnoldi](#) Mochi, 1939 ^{i c g}
- [Stizus atrox](#) (F. Smith, 1856) ^{i c g}
- [Stizus aurifluus](#) R. Turner, 1916 ^{i c g}
- [Stizus aztecus](#) Stubblefield, 1984 ^{i c g}
- [Stizus basalis](#) Guérin-Méneville, 1844 ^{i c g}
- [Stizus baumanni](#) Handlirsch, 1901 ^{i c g}
- [Stizus beccarii](#) Mantero, 1917 ^{i c g}
- [Stizus bensoni](#) Arnold, 1951 ^{i c g}
- [Stizus berlandi](#) Arnold, 1945 ^{i c g}
- [Stizus biclipeatus](#) (Christ, 1791) ^{i c g}
- [Stizus bipunctatus](#) (F. Smith, 1856) ^{i c g}
- [Stizus bizonatus](#) Spinola, 1839 ^{i c g}
- [Stizus brevipennis](#) Walsh, 1869 ^{i c g b}
- [Stizus breyeri](#) Arnold, 1936 ^{i c g}
- [Stizus chrysorrhoeus](#) Handlirsch, 1892 ^{i c g}
- [Stizus cinctus](#) (Fabricius, 1793) ^{i c g}
- [Stizus coloratus](#) Nurse, 1903 ^{i c g}
- [Stizus combustus](#) (F. Smith, 1856) ^{i c g}
- [Stizus continuus](#) (Klug, 1835) ^{i c g}
- [Stizus delessertii](#) Guérin-Méneville, 1844 ^{i c g}
- [Stizus deserticus](#) Giner Marí, 1945 ^{i c g}
- [Stizus dewitzii](#) Handlirsch, 1892 ^{i c g}
- [Stizus dispar](#) F. Morawitz, 1888 ^{i c g}
- [Stizus elegans](#) Dahlbom, 1845 ^{i c g}
- [Stizus ellenbergeri](#) Arnold, 1929 ^{i c g}

- [Stizus emir](#) Handlirsch, 1901 ^{i c g}
- [Stizus erythraeensis](#) Mantero, 1917 ^{i c g}
- [Stizus erythrocephalus](#) (Fabricius, 1793) ^{i c g}
- [Stizus euchromus](#) Handlirsch, 1892 ^{i c g}
- [Stizus excellens](#) Lohrmann, 1943 ^{i c g}
- [Stizus eximius](#) F. Morawitz, 1894 ^{i c g}
- [Stizus fasciatus](#) (Fabricius, 1781) ^{i c g}
- [Stizus fedtschenkoi](#) Radoszkowski, 1877 ^{i c g}
- [Stizus ferrandii](#) Magretti, 1899 ^{i c g}
- [Stizus franzi](#) R. Turner, 1916 ^{i c g}
- [Stizus fulvicornis](#) Dahlbom, 1845 ^{i c g}
- [Stizus fuscatus](#) Morice, 1897 ^{i c g}
- [Stizus fuscipennis](#) (F. Smith, 1856) ^{i c g}
- [Stizus hamatus](#) Arnold, 1929 ^{i c g}
- [Stizus handlirschi](#) Radoszkowski, 1893 ^{i c g}
- [Stizus hispanicus](#) Mocsáry, 1883 ^{i c g}
- [Stizus histrio](#) F. Morawitz, 1888 ^{i c g}
- [Stizus huegelii](#) Handlirsch, 1892 ^{i c g}
- [Stizus hyalipennis](#) Handlirsch, 1892 ^{i c g}
- [Stizus imperator](#) Nurse, 1903 ^{i c g}
- [Stizus imperialis](#) Handlirsch, 1892 ^{i c g}
- [Stizus iridis](#) Dow, 1941 ^{i c g}
- [Stizus jordanicus](#) Lohrmann, 1942 ^{i c g}
- [Stizus koenigi](#) F. Morawitz, 1888 ^{i c g}
- [Stizus kohlii](#) Mocsáry, 1883 ^{i c g}
- [Stizus lacteipennis](#) Mocsáry, 1883 ^{i c g}
- [Stizus lepidus](#) (Klug, 1845) ^{i c g}
- [Stizus lineatus](#) (Fabricius, 1793) ^{i c}
- [Stizus lohrmanni](#) R. Bohart, 1976 ^{i c g}
- [Stizus lughensis](#) Magretti, 1899 ^{i c g}
- [Stizus luteotaeniatus](#) Gussakovskij, 1933 ^{i c g}
- [Stizus marnonis](#) Handlirsch, 1892 ^{i c g}
- [Stizus marshallii](#) R. Turner, 1912 ^{i c g}
- [Stizus marthae](#) Handlirsch, 1892 ^{i c g}
- [Stizus melanurus](#) Handlirsch, 1892 ^{i c g}
- [Stizus mocsaryi](#) Handlirsch, 1895 ^{i c g}

- [Stizus multicolor](#) R. Turner, 1916^{i c g}
- [Stizus nadigi](#) Roth, 1933^{i c g}
- [Stizus neavei](#) R. Turner, 1912^{i c g}
- [Stizus nigriventris](#) Arnold, 1951^{i c g}
- [Stizus niloticus](#) Handlirsch, 1892^{i c g}
- [Stizus occidentalis](#) J. Parker, 1929^{i c g b}
- [Stizus ocellatus](#) Gistel, 1857^{i c g}
- [Stizus orientalis](#) Cameron, 1890^{i c g}
- [Stizus ornatus](#) Dahlbom, 1845^{i c g}
- [Stizus pauli](#) Mantero, 1917^{i c g}
- [Stizus perrisi](#) Dufour, 1838^{i c g}
- [Stizus pictus](#) Dahlbom, 1845^{i c g}
- [Stizus praestans](#) F. Morawitz, 1893^{i c g}
- [Stizus pubescens](#) (Klug, 1835)^{i c g}
- [Stizus quartinae](#) Gribodo, 1884^{i c g}
- [Stizus raddei](#) Handlirsch in Kohl and Handlirsch, 1889^{c g}
- [Stizus rapax](#) Handlirsch, 1892^{i c g}
- [Stizus richardsi](#) Arnold, 1959^{i c g}
- [Stizus rubellus](#) R. Turner, 1912^{i c g}
- [Stizus rubroflavus](#) R. Turner, 1916^{i c g}
- [Stizus rufescens](#) (F. Smith, 1856)^{i c g}
- [Stizus ruficornis](#) (J. Forster, 1771)^{i c g}
- [Stizus rufipes](#) (Fabricius, 1804)^{i c g}
- [Stizus rufiventris](#) Radoszkowski, 1877^{i c g}
- [Stizus rufocinctus](#) Dahlbom, 1845^{i c g}
- [Stizus rufoniger](#) Mochi, 1939^{i c g}
- [Stizus saussurei](#) Handlirsch, 1895^{i c g}
- [Stizus savignyi](#) Spinola, 1839^{i c g}
- [Stizus schmiedeknehti](#) Handlirsch, 1898^{i c g}
- [Stizus sexfasciatus](#) (Fabricius, 1793)^{i c g}
- [Stizus spectrum](#) Handlirsch, 1901^{i c g}
- [Stizus spinulosus](#) Radoszkowski, 1876^{i c g}
- [Stizus tenuicornis](#) (F. Smith, 1856)^{i c g}
- [Stizus texanus](#) Cresson, 1873^{i c g}
- [Stizus tricolor](#) Handlirsch, 1892^{i c g}
- [Stizus tunetanus](#) A. Costa, 1893^{i c g}

- [*Stizus vespiformis*](#) (Fabricius, 1775) ^{i c g}
- [*Stizus vespoides*](#) (Walker, 1871) ^{i c g}
- [*Stizus wheeleri*](#) Arnold, 1959 ^{i c g}
- [*Stizus zonatus*](#) (Klug, 1845) ^{i c g}
- [*Stizus zonosoma*](#) Handlirsch, 1895 ^{i c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 324 species in [*Stilobezzia*](#), a genus of predaceous midges in the family [*Ceratopogonidae*](#).^{[1][2][3][4]}

***Stilobezzia* species**

- "[*Stilobezzia acanthohelea*](#)" Da Silva, Ferreira-Keppler & Cazorla, 2023 ^{c g}
- [*Stilobezzia acrotrichis*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia addita*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia afra*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia africana*](#) (Ingram & Macfie, 1921) ^c
- [*Stilobezzia afrotropica*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia alba*](#) Tokunaga, 1940 ^{c g}
- [*Stilobezzia albiabdominalis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia albicoxa*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia albocincta*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia amaniensis*](#) Meillon, 1980 ^{c g}
- [*Stilobezzia amazonica*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia americana*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia amnigena*](#) (Macfie, 1935) ^{c g}
- [*Stilobezzia amplistyla*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia angustipennis*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia antennalis*](#) (Coquillett, 1901) ^{i c g b}
- [*Stilobezzia antipodalis*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia areolaris*](#) (Kieffer, 1911) ^{c g}
- [*Stilobezzia armatibiae*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia artistyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia atrichopogon*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia atronitens*](#) Goetghebuer, 1933 ^{c g}

- [*Stilobezzia aureola*](#) Clastrier, 1963 ^{c g}
- [*Stilobezzia badia*](#) Macfie, 1932 ^{c g}
- [*Stilobezzia baojia*](#) Liu & Shi, 2002 ^{c g}
- [*Stilobezzia basizonata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia bata*](#) Meillon & Hardy, 1954 ^{c g}
- [*Stilobezzia beckae*](#) Wirth, 1953 ^{i c g b}
- [*Stilobezzia biangulata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia bicinctipes*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia bicolor*](#) Lane, 1947 ^{i c g}
- [*Stilobezzia bifurcata*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia bimacula*](#) (Kieffer, 1910) ^{c g}
- [*Stilobezzia bimaculata*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia bispinosa*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia bizonata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia blantoni*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia brandti*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia brevicornis*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia brevicostalis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia brevistyla*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia browni*](#) Wirth & Giles, 1990 ^{c g}
- [*Stilobezzia bulla*](#) Thomsen, 1935 ^{i c g}
- [*Stilobezzia calcaris*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia carayoni*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia caribe*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia castanea*](#) Macfie, 1934 ^{c g}
- [*Stilobezzia centripictura*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia cereola*](#) Clastrier, 1963 ^{c g}
- [*Stilobezzia chaconi*](#) Macfie, 1938 ^{c g}
- [*Stilobezzia challieri*](#) Vattier & Adam, 1966 ^{c g}
- [*Stilobezzia chasteli*](#) Clastrier, 1967 ^{c g}
- [*Stilobezzia chlorosa*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia clarifemorata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia claripennis*](#) Clastrier & Wirth, 1958 ^{c g}
- [*Stilobezzia claripes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia clavicula*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia collessi*](#) Wirth & Grogan, 1988 ^{c g}

- [*Stilobezzia congestiterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia contans*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia coquilletti*](#) Kieffer, 1917 ^{i c g b}
- [*Stilobezzia coracina*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia corneti*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia crassiforceps*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia crassipes*](#) Kieffer, 1918 ^{c g}
- [*Stilobezzia crassistyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia crassivenosa*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia crossi*](#) Meillon & Wirth, 1981 ^{c g}
- [*Stilobezzia curvistyla*](#) Cazorla & Spinelli, 2006 ^{c g}
- [*Stilobezzia debilipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia decora*](#) Kieffer, 1916 ^{c g}
- [*Stilobezzia differens*](#) Meillon, 1960 ^{c g}
- [*Stilobezzia diminuta*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia distinctifasciata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia diversa*](#) (Coquillett, 1901) ^{i c g}
- [*Stilobezzia djalonensis*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia donscoffi*](#) Clastrier, 1988 ^{c g}
- [*Stilobezzia dorsofasciata*](#) (Lutz, 1914) ^{c g}
- [*Stilobezzia dorsosignata*](#) Sinha, Dasgupta & Chaudhuri, 2003 ^{c g}
- [*Stilobezzia douryi*](#) Clastrier, 1963 ^{c g}
- [*Stilobezzia dryadum*](#) Macfie, 1940 ^{c g}
- [*Stilobezzia dubitans*](#) Lane, Forattini & Rabello, 1955 ^{c g}
- [*Stilobezzia dureti*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia dycei*](#) Wirth & Grogan, 1988 ^{c g}
- [*Stilobezzia edwardsi*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia elegantula*](#) (Johannsen, 1907) ^{i c g}
- [*Stilobezzia eliptaminensis*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia ensistyla*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Stilobezzia erectiseta*](#) Liu, Ge & Liu, 1996 ^{c g}
- [*Stilobezzia esmeralda*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia eximitarsis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fasciscutata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia femoralis*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia festiva*](#) Kieffer, 1911 ^{c g}

- [*Stilobezzia fiebrigi*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia fitzroyensis*](#) Lee, 1948 ^{c g}
- [*Stilobezzia flavida*](#) Meillon & Wirth, 1987 ^{c g}
- [*Stilobezzia flavipectoralis*](#) Remm, 1993 ^{c g}
- [*Stilobezzia flavirostris*](#) Winnertz, 1852 ^{c g}
- [*Stilobezzia flavizonata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia fortipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fortistyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia foyi*](#) (Ingram & Macfie, 1921) ^{c g}
- [*Stilobezzia fulva*](#) Meillon & Downes, 1986 ^{c g}
- [*Stilobezzia fulvacea*](#) Remm, 1980 ^{c g}
- [*Stilobezzia fulviscuta*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia furcellata*](#) Remm, 1980 ^{c g}
- [*Stilobezzia furcipes*](#) Meillon, 1960 ^{c g}
- [*Stilobezzia furva*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia fuscidorsum*](#) Kieffer, 1921 ^{c g}
- [*Stilobezzia fuscigenua*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia fuscipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fusciscutellata*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia fusciterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fuscula*](#) Wirth, 1952 ^{i c g}
- [*Stilobezzia fusistylata*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia gallica*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia gambiae*](#) Clastrier & Wirth, 1961 ^{c g}
- [*Stilobezzia genitalis*](#) Lee, 1948 ^{c g}
- [*Stilobezzia gigantiforceps*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia glauca*](#) Macfie, 1939 ^{i c g}
- [*Stilobezzia gracilis*](#) (Haliday, 1833) ^{c g}
- [*Stilobezzia grandis*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia gressitti*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia guarani*](#) ^g
- [*Stilobezzia guianae*](#) (Macfie, 1940) ^c
- [*Stilobezzia harurii*](#) Boorman & Harten, 2002 ^{c g}
- [*Stilobezzia hirsuta*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia hirta*](#) Borkent, 1997 ^{c g}
- [*Stilobezzia hirtaterga*](#) Yu, 1989 ^{c g}

- [*Stilobezzia hollandia*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia huberti*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia immodentis*](#) Liu, Ge & Liu, 1996 ^{c g}
- [*Stilobezzia imparungulae*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia inermipes*](#) Kieffer, 1912 ^{c g}
- [*Stilobezzia inkisiensis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia insigniforceps*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia insolita*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia intermedia*](#) Meillon, 1939 ^{c g}
- [*Stilobezzia isthmostheca*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia kiefferi*](#) Lane, 1947 ^{i c g}
- [*Stilobezzia kindiae*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia kisanuensis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia kunashiri*](#) Remm, 1993 ^{c g}
- [*Stilobezzia kurthi*](#) Borkent, 2000 ^{c g}
- [*Stilobezzia lanceleti*](#) Macfie, 1937 ^{c g}
- [*Stilobezzia lasioterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia lateralis*](#) (Meigen, 1838) ^c
- [*Stilobezzia latiforceps*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia latistyla*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia latiunguis*](#) Clastrier, 1985 ^{c g}
- [*Stilobezzia leucopeza*](#) Clastrier, 1958 ^{c g}
- [*Stilobezzia limai*](#) Wirth & Derron, 1976 ^{c g}
- [*Stilobezzia limnophila*](#) Ingram & Macfie, 1922 ^{c g}
- [*Stilobezzia longicornis*](#) Goetghebuer, 1934 ^{c g}
- [*Stilobezzia longiforceps*](#) Clastrier, 1960 ^{c g}
- [*Stilobezzia longihamata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia longiradix*](#) ^g
- [*Stilobezzia longistyla*](#) Tokunaga, 1941 ^{c g}
- [*Stilobezzia lutacea*](#) Edwards, 1926 ^{c g}
- [*Stilobezzia lutea*](#) (Malloch, 1918) ^{i c g}
- [*Stilobezzia luteola*](#) Meillon, 1940 ^{c g}
- [*Stilobezzia maai*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia macclurei*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia macfie*](#) Lane, 1947 ^{c g}
- [*Stilobezzia maculata*](#) Lane, 1947 ^{c g}

- [Stilobezzia maculipes](#) Macfie, 1933 ^{c g}
- [Stilobezzia maculitibia](#) Lane & Forattini, 1956 ^{c g}
- [Stilobezzia magnithecra](#) Gupta & Wirth, 1968 ^{c g}
- [Stilobezzia mahensis](#) Clastrier, 1983 ^{c g}
- [Stilobezzia maia](#) Lane & Forattini, 1958 ^{c g}
- [Stilobezzia mannosensis](#) Lane & Forattini, 1958 ^{c g}
- [Stilobezzia merceri](#) Cazorla, 2005 ^{c g}
- [Stilobezzia minima](#) Kieffer, 1918 ^{c g}
- [Stilobezzia minuta](#) Gupta & Wirth, 1968 ^{c g}
- [Stilobezzia miripes](#) Gupta & Wirth, 1968 ^{c g}
- [Stilobezzia modesta](#) Lane, 1947 ^{c g}
- [Stilobezzia monopicta](#) ^g
- [Stilobezzia monticola](#) Tokunaga, 1940 ^{c g}
- [Stilobezzia mutabilis](#) Clastrier, 1986 ^{c g}
- [Stilobezzia nasticra](#) Meillon, 1959 ^{c g}
- [Stilobezzia natalensis](#) Meillon, 1939 ^{c g}
- [Stilobezzia navaia](#) Wirth and Grogan, 1981 ^{i c g}
- [Stilobezzia nebulosa](#) Tokunaga, 1963 ^{c g}
- [Stilobezzia nigerrima](#) Ingram & Macfie, 1931 ^{c g}
- [Stilobezzia nigriapicalis](#) Tokunaga, 1963 ^{c g}
- [Stilobezzia nigroflava](#) Lane & Forattini, 1958 ^{c g}
- [Stilobezzia nitela](#) Yu, 2005 ^{c g}
- [Stilobezzia niveus](#) Liu, Ge & Liu, 1996 ^{c g}
- [Stilobezzia notata](#) (de Meijere, 1907) ^{c g}
- [Stilobezzia nudisthmose](#) Gupta & Wirth, 1968 ^{c g}
- [Stilobezzia nyei](#) Clastrier, 1983 ^{c g}
- [Stilobezzia obesa](#) Gupta & Wirth, 1968 ^{c g}
- [Stilobezzia obesigenitalis](#) Gupta & Wirth, 1968 ^{c g}
- [Stilobezzia obscura](#) Lane & Forattini, 1958 ^{c g}
- [Stilobezzia ochracea](#) (Winnertz, 1852) ^c
- [Stilobezzia ohakunei](#) Ingram & Macfie, 1931 ^{c g}
- [Stilobezzia orientis](#) Meillon & Wirth, 1981 ^{c g}
- [Stilobezzia ornata](#) Lane & Forattini, 1958 ^{c g}
- [Stilobezzia ornatiscrus](#) Ingram & Macfie, 1931 ^{c g}
- [Stilobezzia ornatithorax](#) Clastrier, 1991 ^{c g}
- [Stilobezzia oxiana](#) Remm, 1980 ^{c g}

- [*Stilobezzia pallescens*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia pallidicornis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia pallidipes*](#) Clastrier, 1983 ^{c g}
- [*Stilobezzia pallidiventris*](#) (Malloch, 1915) ^{i c g}
- [*Stilobezzia palpalis*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia panamensis*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia papillata*](#) Remm, 1980 ^{c g}
- [*Stilobezzia papuae*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia paranaense*](#) ^g
- [*Stilobezzia parvaeungulae*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia parvitheca*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia parvula*](#) Goetghebuer, 1933 ^{c g}
- [*Stilobezzia pastoriana*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia patagonica*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia paucimaculata*](#) Clastrier, 1984 ^{c g}
- [*Stilobezzia paucipictipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia pauliani*](#) Meillon, 1961 ^{c g}
- [*Stilobezzia paulistensis*](#) Lane, 1947 ^{c g}
- [*Stilobezzia perspicua*](#) Johannsen, 1931 ^{c g}
- [*Stilobezzia pessonii*](#) (Neveu, 1977) ^{c g}
- [*Stilobezzia photophila*](#) Clastrier, 1984 ^{c g}
- [*Stilobezzia pictipes*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia poikiloptera*](#) (Ingram & Macfie, 1922) ^{c g}
- [*Stilobezzia postcervix*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia propriostyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia proxima*](#) Cazorla & Felipe-Bauer, 2017 ^g
- [*Stilobezzia pruinosa*](#) Wirth, 1952 ^{i c}
- [*Stilobezzia pseudofestiva*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia pseudonotata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia punctifemorata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia punctulata*](#) Lane, 1947 ^{c g}
- [*Stilobezzia quadrisetosa*](#) (Goetghebuer, 1933) ^{c g}
- [*Stilobezzia quasielegantula*](#) Cazorla & Felipe-Bauer, 2017 ^g
- [*Stilobezzia quatei*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia rabelloi*](#) Lane, 1947 ^{i c g}
- [*Stilobezzia rava*](#) Ingram & Macfie, 1931 ^{c g}

- [*Stilobezzia reflexa*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia robusta*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia rotunditheca*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia rufa*](#) Kieffer, 1921 ^{c g}
- [*Stilobezzia rutshuruensis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia sahariensis*](#) Kieffer, 1923 ^{c g}
- [*Stilobezzia samoana*](#) Edwards, 1928 ^{c g}
- [*Stilobezzia sanctibernardini*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia scutata*](#) Lane & Forattini, 1961 ^{c g}
- [*Stilobezzia seguyi*](#) Clastrier, 1990 ^{c g}
- [*Stilobezzia semiartistyla*](#) Sinha, Dasgupta & Chaudhuri, 2003 ^{c g}
- [*Stilobezzia setigera*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia setigeripes*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia setigeriscutellata*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia seychelleana*](#) Clastrier, 1983 ^{c g}
- [*Stilobezzia silvicola*](#) Macfie, 1940 ^{c g}
- [*Stilobezzia similans*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia similisegmenta*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia simplex*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia simulator*](#) Meillon, 1960 ^{c g}
- [*Stilobezzia singularis*](#) Clastrier, 1985 ^{c g}
- [*Stilobezzia soror*](#) Johannsen, 1931 ^{c g}
- [*Stilobezzia spadicoxalis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia spadicitibialis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia speculae*](#) Macfie, 1934 ^{c g}
- [*Stilobezzia spinellii*](#) Huerta & Grogan, 2017 ^g
- [*Stilobezzia spinifemorata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia spinipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia spinitarsis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia spiniterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia spirogyrae*](#) Carter, Ingram & Macfie, 1921 ^{c g}
- [*"Stilobezzia stilobezzia"*](#) Da Silva, Ferreira-Keppler & Cazorla, 2023 ^{c g}
- [*Stilobezzia stonei*](#) Wirth, 1953 ^{i c g}
- [*Stilobezzia subalba*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia subfestiva*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia subflava*](#) Gupta & Wirth, 1968 ^{c g}

- [*Stilobezzia subnebulosa*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia subsessilis*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia subsoror*](#) Tokunaga, 1941 ^{c g}
- [*Stilobezzia subviridis*](#) Macfie, 1934 ^{c g}
- [*Stilobezzia succinea*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia supernotata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia sybleae*](#) Wirth, 1953 ^{i c g b}
- [*Stilobezzia szadziewskii*](#) Chaudhuri, 1991 ^{c g}
- [*Stilobezzia tarsispinosa*](#) ^g
- [*Stilobezzia tasmaniensis*](#) Lee, 1948 ^{c g}
- [*Stilobezzia tauffliebi*](#) Meillon, 1959 ^{c g}
- [*Stilobezzia tenebrosa*](#) Macfie, 1933 ^{c g}
- [*Stilobezzia tenuicolorata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia tenuiforceps*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia tetragona*](#) Goetghebuer, 1934 ^{c g}
- [*Stilobezzia thibaulti*](#) (Neveu, 1977) ^{c g}
- [*Stilobezzia thomasi*](#) Grogan, Spinelli, Ronderos & Cazorla, 2013 ^g
- [*Stilobezzia thomsenae*](#) Wirth, 1953 ^{i c g}
- [*Stilobezzia thyridofera*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia tibialis*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia tomensis*](#) Wirth & Derron, 1976 ^{c g}
- [*Stilobezzia tonnoiri*](#) Macfie, 1932 ^{c g}
- [*Stilobezzia transversa*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia traubi*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia travassosi*](#) Lane, 1947 ^{c g}
- [*Stilobezzia trilineata*](#) Meillon & Wirth, 1983 ^{c g}
- [*Stilobezzia trimaculata*](#) Meillon & Wirth, 1987 ^{c g}
- [*Stilobezzia tropica*](#) Clastrier, 1958 ^{c g}
- [*Stilobezzia truncata*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia ugandae*](#) Ingram & Macfie, 1923 ^{c g}
- [*Stilobezzia unicellula*](#) Clastrier, 1985 ^{c g}
- [*Stilobezzia unifasciata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia unifascidorsalis*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia vandeli*](#) Vattier & Adam, 1966 ^{c g}
- [*Stilobezzia varia*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia venefica*](#) Gupta & Wirth, 1968 ^{c g}

- [*Stilobezzia venezuelensis*](#) Ortiz, 1950 ^{c g}
- [*Stilobezzia versicolor*](#) (Ingram & Macfie, 1921) ^c
- [*Stilobezzia virescens*](#) Kieffer, 1919 ^{c g}
- [*Stilobezzia viridis*](#) (Coquillett, 1901) ^{i c g b}
- [*Stilobezzia viridiventris*](#) (Kieffer, 1910) ^{c g}
- [*Stilobezzia vittata*](#) Clastrier, 1960 ^{c g}
- [*Stilobezzia vittula*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia vulgaris*](#) Yu, 1989 ^{c g}
- [*Stilobezzia williamsi*](#) Cazorla, 2005 ^{c g}
- [*Stilobezzia wirthi*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia wygodzinskyi*](#) Lane, 1947 ^{c g}
- [*Stilobezzia xanthogaster*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia xerophila*](#) ^g
- [*Stilobezzia zonata*](#) Tokunaga, 1963 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Stilobezzia Report"*](#). Integrated Taxonomic Information System. Retrieved 2018-05-03.
 - [*"Browse Stilobezzia"*](#). Catalogue of Life. Retrieved 2018-05-03.
 - [*"Stilobezzia"*](#). GBIF. Retrieved 2018-05-03.
 -
4. [*"Stilobezzia Genus Information"*](#). BugGuide.net. Retrieved 2018-05-03.

Categories:

- [Ceratopogonidae](#)
- [Lists of insect species](#)
-

This is a list of 105 species in [*Stichopogon*](#), a genus of robber flies in the family [Asilidae](#).^{[1][2][3][4]}

Stichopogon species

- [*Stichopogon abdominalis*](#) Back, 1909 ^{i c g b}

- [*Stichopogon aedon*](#) (Walker, 1849) ^{c g}
- [*Stichopogon aequetinctus*](#) Becker, 1910 ^{c g}
- [*Stichopogon agustifrons*](#) Theodor, 1980 ^{c g}
- [*Stichopogon albellus*](#) Loew, 1856 ^{c g}
- [*Stichopogon albimystax*](#) Joseph & Parui, 1988 ^{c g}
- [*Stichopogon albofasciatus*](#) (Meigen, 1820) ^{c g}
- [*Stichopogon ammophilus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon angustifrons*](#) Theodor, 1980 ^{c g}
- [*Stichopogon araxicola*](#) Richter, 1979 ^{c g}
- [*Stichopogon arenicolus*](#) Wilcox, 1936 ^{i c g}
- [*Stichopogon argenteus*](#) (Say, 1823) ^{i c g b}
- [*Stichopogon auctus*](#) Bezzi, 1912 ^{c g}
- [*Stichopogon aurigerum*](#) Lehr, 1984 ^{c g}
- [*Stichopogon auritinctus*](#) Abbassian-Lintzen, 1964 ^{c g}
- [*Stichopogon bancrofti*](#) Hardy, 1934 ^{c g}
- [*Stichopogon barbiellinii*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon barbistrellus*](#) Loew, 1854 ^{c g}
- [*Stichopogon basiti*](#) Joseph & Parui, 1993 ^{c g}
- [*Stichopogon beckeri*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon bedae*](#) Hradsky & Geller-Grimm, 1996 ^{c g}
- [*Stichopogon biharilali*](#) Joseph & Parui, 1993 ^{c g}
- [*Stichopogon caffer*](#) Hermann, 1907 ^{c g}
- [*Stichopogon californica*](#) Barnes, 2013[5]
- [*Stichopogon callidus*](#) Richter, 1966 ^{c g}
- [*Stichopogon canariensis*](#) Becker, 1908 ^{c g}
- [*Stichopogon candidus*](#) Becker, 1902 ^{c g}
- [*Stichopogon canus*](#) Seguy, 1932 ^{c g}
- [*Stichopogon catulus*](#) Osten Sacken, 1887 ^{i c g b}
- [*Stichopogon caucasicus*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon chrysostoma*](#) Schiner, 1867 ^{c g}
- [*Stichopogon colei*](#) Bromley, 1934 ^{i c g b}
- [*Stichopogon conjungens*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon coquillettii*](#) (Bezzi, 1910) ^{i c g}
- [*Stichopogon deserti*](#) Theodor, 1980 ^{c g}
- [*Stichopogon dorsatus*](#) Becker, 1915 ^{c g}
- [*Stichopogon dubiosus*](#) Villeneuve, 1920 ^{c g}

- [*Stichopogon elegantulus*](#) (Wiedemann, 1820) ^{c g}
- [*Stichopogon engeli*](#) Lindner, 1973 ^{c g}
- [*Stichopogon flaviventris*](#) Efflatoun, 1937 ^{c g}
- [*Stichopogon fragilis*](#) Back, 1909 ^{i c g b}
- [*Stichopogon gracilifemur*](#) Nagatomi, 1983 ^{c g}
- [*Stichopogon gussakovskii*](#) Lehr, 1975 ^{c g}
- [*Stichopogon gymnurus*](#) Oldroyd, 1948 ^{c g}
- [*Stichopogon hermanni*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon inaequalis*](#) (Loew, 1847) ^{c g}
- [*Stichopogon inconstana*](#) (Wiedemann, 1828) ^{c g}
- [*Stichopogon indicus*](#) Joseph & Parui, 1984 ^{c g}
- [*Stichopogon infuscatus*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon irwini*](#) Londt, 1979 ^{c g}
- [*Stichopogon kerteszi*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon kerzhmeri*](#) Lehr, 1975 ^{c g}
- [*Stichopogon krueperi*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon maculipennis*](#) Engel & Cuthbertson, 1939 ^{c g}
- [*Stichopogon mahatoi*](#) Joseph & Parui, 1999 ^{c g}
- [*Stichopogon malkovskii*](#) (Lehr, 1964) ^c
- [*Stichopogon marinus*](#) Efflatoun, 1937 ^{c g}
- [*Stichopogon maritima*](#) (Hardy, 1934) ^{c g}
- [*Stichopogon maroccanus*](#) (Becker, 1913) ^{c g}
- [*Stichopogon meridionalis*](#) Oldroyd, 1948 ^{c g}
- [*Stichopogon minor*](#) Hardy, 1934 ^{c g}
- [*Stichopogon mitjaevi*](#) Lehr, 1975 ^{c g}
- [*Stichopogon modestus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon moremiensis*](#) Londt, 1979 ^{c g}
- [*Stichopogon mukherjeei*](#) Joseph & Parui, 1999 ^{c g}
- [*Stichopogon muticus*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon nartshuakae*](#) Lehr, 1975 ^{c g}
- [*Stichopogon nartshukae*](#) Lehr ^g
- [*Stichopogon nigrinus*](#) (Paramonov, 1930) ^{c g}
- [*Stichopogon obscurellus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon obscurus*](#) (Hardy, 1928) ^{c g}
- [*Stichopogon ocrealis*](#) (Rondani, 1863) ^{c g}
- [*Stichopogon oldroydi*](#) Joseph & Parui, 1993 ^{c g}

- [*Stichopogon orientalis*](#) Lehr, 1975 ^{c g}
- [*Stichopogon parvipulvillatus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon parvulus*](#) (Bigot, 1859) ^c
- [*Stichopogon peregrinus*](#) Osten Sacken, 1882 ^{c g}
- [*Stichopogon pholipteron*](#) Richter, 1973 ^{c g}
- [*Stichopogon pritchardi*](#) Bromley, 1951 ^{i c g}
- [*Stichopogon punctiferus*](#) Bigot, 1878 ^{c g}
- [*Stichopogon punctus*](#) Loew, 1851 ^{c g}
- [*Stichopogon pusio*](#) (Macquart, 1849) ^{c g}
- [*Stichopogon pygmaeus*](#) (Macquart, 1849) ^{c g}
- [*Stichopogon ramakrishnai*](#) Joseph & Parui, 1988 ^{c g}
- [*Stichopogon rivulorum*](#) Lehr, 1975 ^{c g}
- [*Stichopogon rubzovi*](#) Lehr, 1975 ^{c g}
- [*Stichopogon salinus*](#) (Melander, 1924) ^{i c g}
- [*Stichopogon scaliger*](#) Loew, 1847 ^{c g}
- [*Stichopogon schineri*](#) Koch, 1872 ^{c g}
- [*Stichopogon schnusei*](#) (Bezzi, 1910) ^{c g}
- [*Stichopogon selenginus*](#) Lehr, 1984 ^{c g}
- [*Stichopogon septemcinctus*](#) Becker, 1908 ^{c g}
- [*Stichopogon sogdianus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon stackelbergi*](#) Lehr, 1975 ^{c g}
- [*Stichopogon surcoufi*](#) Villeneuve, 1920 ^{c g}
- [*Stichopogon tomentosus*](#) Oldroyd, 1948 ^{c g}
- [*Stichopogon tridactylophagus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon trifasciatus*](#) (Say, 1823) ^{i c g b} (three-banded robber fly)
- [*Stichopogon umkomaasensis*](#) Oldroyd, 1974 ^{c g}
- [*Stichopogon unicolor*](#) Ricardo, 1925 ^{c g}
- [*Stichopogon variabilis*](#) Lehr, 1975 ^{c g}
- [*Stichopogon venezuelanus*](#) Kaletta, 1976 ^{c g}
- [*Stichopogon venustus*](#) Richter, 1963 ^{c g}
- [*Stichopogon vernaculus*](#) (White, 1918) ^{c g}
- [*Stichopogon villiersi*](#) Seguy, 1955 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

- 1.

- ["Stichopogon Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-02.
 - ["Browse Stichopogon"](#). Catalogue of Life. Retrieved 2018-05-02.
 - ["Stichopogon"](#). GBIF. Retrieved 2018-05-02.
 - ["Stichopogon Genus Information"](#). BugGuide.net. Retrieved 2018-05-02.
 -
5. Barnes, Jeffrey K. (2013). "The Genus *Stichopogon* Loew (Diptera: Asilidae) in America North of Mexico". *Proceedings of the Entomological Society of Washington*. **115** (1): 9–36.
[doi:10.4289/0013-8797.115.1.9](#).

Categories:

- [Asilidae](#)
- [Lists of insect species](#)
-

These species belong to [Stenotabanus](#), a genus of horse flies in the family [Tabanidae](#).

Stenotabanus species

- [Stenotabanus abacus](#) Philip, 1954[1]
- [Stenotabanus aberrans](#) Philip, 1966[2]
- [Stenotabanus alayoi](#) Cruz & García, 1974[3]
- [Stenotabanus albidocinctus](#) (Bigot, 1892)[4]
- [Stenotabanus albilinearis](#) Philip, 1960[5]
- [Stenotabanus albiscutellatus](#) Chainey, 1999
- [Stenotabanus alticolus](#) Fairchild, 1980[6]
- [Stenotabanus atlanticus](#) (Johnson, 1914)[7]
- [Stenotabanus barahona](#) Fairchild, 1980[6]
- [Stenotabanus batesi](#) (Bequaert, 1940)[8]
- [Stenotabanus bequaerti](#) Rafael, Fairchild & Goarayeb, 1982
- [Stenotabanus blantoni](#) Fairchild, 1953[9]
- [Stenotabanus braziliensis](#) Chainey & Goarayeb, 1999
- [Stenotabanus brevistylatus](#) Kröber, 1929[10]
- [Stenotabanus brodzinskyi](#) Lane, Poinar & Fairchild, 1988[11]
- [Stenotabanus bruesi](#) (Hine, 1920)[12]
- [Stenotabanus brunetii](#) (Bequaert, 1940)[8]
- [Stenotabanus brunneus](#) Wilkerson, 1979[13]
- [Stenotabanus brunnipennis](#) Kröber, 1930[14]
- [Stenotabanus brunnipes](#) Kröber, 1929[10]

- [*Stenotabanus calvitius* Fairchild, 1942\[15\]](#)
- [*Stenotabanus cerrascoi* Henriques & Krolow, 2020\[16\]](#)
- [*Stenotabanus chaineyi* Henriques & Krolow, 2020\[16\]](#)
- [*Stenotabanus changuinolae* Fairchild, 1942\[15\]](#)
- [*Stenotabanus chiapanensis* Fairchild, 1953\[17\]](#)
- [*Stenotabanus chrysonotus* Wilkerson, 1979\[13\]](#)
- [*Stenotabanus cinereus* \(Wiedemann, 1821\)\[18\]](#)
- [*Stenotabanus cipoensis* Chainey, 1999](#)
- [*Stenotabanus clavijoi* Gorayeb, Tiape Gomez & Valásquez de Rios, 2013\[19\]](#)
- [*Stenotabanus confusus* Cruz & García, 1974\[3\]](#)
- [*Stenotabanus cretatus* Fairchild, 1961\[20\]](#)
- [*Stenotabanus cribellum* \(Osten Sacken, 1886\)\[21\]](#)
- [*Stenotabanus detersus* \(Walker, 1850\)\[22\]](#)
- [*Stenotabanus dusbabeki* Cruz & García, 1974\[3\]](#)
- [*Stenotabanus fairchildi* Chvála, 1967\[23\]](#)
- [*Stenotabanus farri* Philip, 1958\[24\]](#)
- [*Stenotabanus fenestra* \(Williston, 1887\)\[25\]](#)
- [*Stenotabanus flavidus* \(Hine, 1904\)\[26\]](#)
- [*Stenotabanus floridensis* \(Hine, 1912\)\[27\]](#)
- [*Stenotabanus fuliginosus* \(Lutz & Neiva, 1914\)](#)
- [*Stenotabanus fulvistriatus* \(Hine, 1912\)\[27\]](#)
- [*Stenotabanus fumipennis* Kröber, 1929\[10\]](#)
- [*Stenotabanus geijskesi* Fairchild, 1953\[9\]](#)
- [*Stenotabanus guttatulus* \(Townsend, 1893\)\[28\]](#)
- [*Stenotabanus henriquesi* Chainey, 1999](#)
- [*Stenotabanus hispaniolae* \(Bequaert, 1940\)\[8\]](#)
- [*Stenotabanus hyalinalis* Chainey, Hall & Gorayeb, 1999](#)
- [*Stenotabanus incipiens* \(Walker, 1860\)\[29\]](#)
- [*Stenotabanus indotatus* Ibáñez-Bernal, 1991](#)
- [*Stenotabanus irregularis* Chainey & Hall, 1999](#)
- [*Stenotabanus ixyostactes* \(Wiedemann, 1828\)\[30\]](#)
- [*Stenotabanus jamaicensis* \(Newstead, 1909\)](#)
- [*Stenotabanus liokylon* Fairchild, 1961\[31\]](#)
- [*Stenotabanus litotes* Fairchild, 1953\[17\]](#)
- [*Stenotabanus littoreus* \(Hine, 1907\)\[32\]](#)
- [*Stenotabanus longipennis* Kröber, 1929\[10\]](#)
- [*Stenotabanus luteolineatus* Wilkerson, 1979\[13\]](#)
- [*Stenotabanus macroceras* Philip, 1960\[5\]](#)
- [*Stenotabanus marcanoi* Fairchild, 1980\[6\]](#)
- [*Stenotabanus mellifluus* \(Bequaert, 1940\)\[8\]](#)
- [*Stenotabanus mexicanus* Philip, 1977\[33\]](#)
- [*Stenotabanus minusculus* \(Kröber, 1930\)\[14\]](#)

- [*Stenotabanus neivai* Borgmeier, 1933](#)[\[34\]](#)
- [*Stenotabanus nervosus* \(Curran, 1931\)](#)[\[35\]](#)
- [*Stenotabanus nigriculus* Wilkerson, 1979](#)[\[13\]](#)
- [*Stenotabanus nigriscapus* Chainey & Hall, 1999](#)
- [*Stenotabanus obscuremarginatus* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus obscurus* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus oleariorum* Strelow, Solórzano-Kraemer, Ibáñez-Bernal & Rust, 2013](#)[\[36\]](#)
- [*Stenotabanus paitillensis* Fairchild, 1942](#)[\[15\]](#)
- [*Stenotabanus pallidicornis* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus pallipes* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus paradoxus* \(Lutz, 1913\)](#)
- [*Stenotabanus parallelus* \(Walker, 1848\)](#)[\[37\]](#)
- [*Stenotabanus parsonsi* \(Bequaert, 1940\)](#)[\[8\]](#)
- [*Stenotabanus parvulus* \(Williston, 1887\)](#)[\[25\]](#)
- [*Stenotabanus pechumani* Philip, 1966](#)[\[2\]](#)
- [*Stenotabanus penai* Chainey, 1999](#)
- [*Stenotabanus peruviansis* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus picticornis* \(Bigot, 1892\)](#)[\[4\]](#)
- [*Stenotabanus platyfrons* Fairchild, 1964](#)[\[38\]](#)
- [*Stenotabanus pompholyx* Fairchild, 1953](#)[\[9\]](#)
- [*Stenotabanus psammophilus* \(Osten Sacken, 1876\)](#)[\[39\]](#)
- [*Stenotabanus pseudotaeniotes* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus pumiloides* \(Williston, 1901\)](#)[\[40\]](#)
- [*Stenotabanus pusillus* Cruz & García, 1974](#)[\[3\]](#)
- [*Stenotabanus quinquestriatus* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus roxannae* Wilkerson, 1979](#)[\[13\]](#)
- [*Stenotabanus sandyi* Gorayeb, 1988](#)
- [*Stenotabanus sordidatus* Fairchild, 1958](#)[\[41\]](#)
- [*Stenotabanus sphaeriscapus* Wilkerson, 1985](#)
- [*Stenotabanus sputnikulus* Philip, 1958](#)[\[24\]](#)
- [*Stenotabanus staryi* Fairchild, 1968](#)[\[42\]](#)
- [*Stenotabanus stigma* \(Fabricius, 1805\)](#)[\[43\]](#)
- [*Stenotabanus stonei* Philip, 1958](#)[\[44\]](#)
- [*Stenotabanus subtilis* \(Bellardi, 1862\)](#)[\[45\]](#)
- [*Stenotabanus taeniotes* \(Wiedemann, 1828\)](#)[\[30\]](#)
- [*Stenotabanus tenuistria* Fairchild, 1961](#)[\[31\]](#)
- [*Stenotabanus tobagensis* Fairchild, 1958](#)[\[41\]](#)
- [*Stenotabanus trilunatus* Philip, 1968](#)[\[46\]](#)
- [*Stenotabanus trinotatus* \(Wiedemann, 1828\)](#)[\[30\]](#)
- [*Stenotabanus vitripennis* \(Lutz, 1913\)](#)
- [*Stenotabanus wilkersoni* Chainey, 1999](#)
- [*Stenotabanus wolcotti* Fairchild, 1980](#)[\[6\]](#)

- [*Stenotabanus woodruffi*](#) Fairchild & Lane, 1989[47]

This is a list of 206 species in [*Stenopogon*](#), a genus of robber flies in the family [*Asilidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Stenopogon* species**

- [*Stenopogon abdulrassuli*](#) Lehr, 1984 ^{c g}
- [*Stenopogon adelantae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon aeacidinus*](#) Williston, 1886 ^{c g}
- [*Stenopogon aeacus*](#) (Wiedemann, 1828) ^{c g}
- [*Stenopogon alamoensis*](#) (Martin, 1968) ^{c g}
- [*Stenopogon albalulus*](#) Martin, 1968 ^{c g}
- [*Stenopogon albibasis*](#) Bigot, 1878 ^{i c g}
- [*Stenopogon albociliatus*](#) Hermann, 1929 ^{c g}
- [*Stenopogon ambryon*](#) (Walker, 1849) ^{c g}
- [*Stenopogon antigenes*](#) (Walker, 1849) ^{c g}
- [*Stenopogon antoniae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon aphrises*](#) (Walker, 1849) ^{c g}
- [*Stenopogon arabicus*](#) (Macquart, 1838) ^c
- [*Stenopogon arizonensis*](#) Bromley, 1937 ^{c g}
- [*Stenopogon armatus*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon arnaudi*](#) Martin, 1968 ^{c g}
- [*Stenopogon atrox*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon avus*](#) (Loew, 1874) ^{c g}
- [*Stenopogon bakeri*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon bartonae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon blaisdelli*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon boharti*](#) Bromley, 1951 ^{i c g}
- [*Stenopogon braunsi*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon brevipennis*](#) (Wiedemann, 1820) ^c
- [*Stenopogon brevis*](#) Martin, 1968 ^{c g}
- [*Stenopogon breviusculoides*](#) Bromley, 1937 ^{i c g b}
- [*Stenopogon breviusculus*](#) Loew, 1872 ^{i c g b}
- [*Stenopogon bromleyi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon brookmani*](#) Wilcox, 1971 ^{i c g}

- [*Stenopogon californiae*](#) (Walker, 1849) ^{i c g b}
- [*Stenopogon californioides*](#) Bromley, 1937 ^{i c g}
- [*Stenopogon callosus*](#) (Pallas, 1818) ^{c g}
- [*Stenopogon carbonarius*](#) Hermann, 1929 ^{c g}
- [*Stenopogon cazieri*](#) Brookman, 1941 ^{i c g b}
- [*Stenopogon cervinus*](#) Loew, 1861 ^{c g}
- [*Stenopogon cinchonaensis*](#) Joseph & Parui, 1981 ^{c g}
- [*Stenopogon cinereus*](#) Engel, 1940 ^{c g}
- [*Stenopogon colimae*](#) Martin, 1968 ^{c g}
- [*Stenopogon confrontus*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon coracinus*](#) (Loew, 1847) ^{c g}
- [*Stenopogon costatus*](#) Loew, 1871 ^{c g}
- [*Stenopogon cressius*](#) Tomasovic, 2005 ^{c g}
- [*Stenopogon csikii*](#) Strobl, 1901 ^{c g}
- [*Stenopogon damias*](#) (Walker, 1849) ^{c g}
- [*Stenopogon diablae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon dilutus*](#) (Walker, 1851) ^{c g}
- [*Stenopogon diversus*](#) (Williston, 1901) ^{c g}
- [*Stenopogon dorothyae*](#) Martin, 1968 ^{c g}
- [*Stenopogon duncani*](#) Bromley, 1937 ^{c g}
- [*Stenopogon ebyi*](#) Bromley, 1937 ^{c g}
- [*Stenopogon echelus*](#) (Walker, 1849) ^{c g}
- [*Stenopogon elizabethae*](#) Martin, 1968 ^{c g}
- [*Stenopogon elongatissimus*](#) Efflatoun, 1937 ^{c g}
- [*Stenopogon elongatus*](#) (Meigen, 1804) ^{c g}
- [*Stenopogon engelhardti*](#) Bromley, 1937 ^{i c g b}
- [*Stenopogon englandi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon escalarae*](#) Strobl, 1906 ^{c g}
- [*Stenopogon escorialensis*](#) Strobl, 1906 ^{c g}
- [*Stenopogon evansi*](#) (Martin, 1968) ^{c g}
- [*Stenopogon felis*](#) Bromley, 1931 ^{i c g}
- [*Stenopogon festae*](#) Bezzi, 1925 ^{c g}
- [*Stenopogon figueroae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon flavibarbis*](#) Enderlein, 1934 ^{c g}
- [*Stenopogon flavotibialis*](#) Martin, 1968 ^{c g}
- [*Stenopogon fulvus*](#) (Meigen, 1838) ^{c g}

- [Stenopogon fuscolimbatus](#) Bigot, 1878 ^{c g}
- [Stenopogon galadae](#) Martin, 1968 ^{c g}
- [Stenopogon galbinus](#) Martin, 1968 ^{c g}
- [Stenopogon gracilis](#) (Macquart, 1838) ^c
- [Stenopogon gratus](#) Loew, 1872 ^{i c g}
- [Stenopogon gruenbergi](#) Becker, 1911 ^{c g}
- [Stenopogon hamus](#) Martin, 1968 ^{c g}
- [Stenopogon harpax](#) Loew, 1868 ^{c g}
- [Stenopogon heteroneurus](#) (Macquart, 1838) ^c
- [Stenopogon hiemalis](#) Martin, 1968 ^{c g}
- [Stenopogon hradskyi](#) Lehr, 1963 ^{c g}
- [Stenopogon imbrex](#) (Walker, 1849) ^{c g}
- [Stenopogon indistinctus](#) Bromley, 1937 ^{c g}
- [Stenopogon inermipes](#) Strobl, 1909 ^{c g}
- [Stenopogon inquinatus](#) Loew, 1866 ^{i c g b}
- [Stenopogon inyae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon iphippus](#) Seguy, 1932 ^{c g}
- [Stenopogon iphis](#) Seguy, 1932 ^{c g}
- [Stenopogon ischyrius](#) Seguy, 1932 ^{c g}
- [Stenopogon jubatoides](#) Bromley, 1937 ^{i c g}
- [Stenopogon jubatus](#) (Coquillett, 1904) ^{i c g}
- [Stenopogon junceus](#) (Wiedemann, 1820) ^{c g}
- [Stenopogon jurupae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon kaltenbachii](#) Engel, 1929 ^{c g}
- [Stenopogon kherai](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon kirkwoodi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon kocheri](#) Timon-David, 1951 ^{c g}
- [Stenopogon kolenati](#) (Gimmerthal, 1847) ^{c g}
- [Stenopogon koreanus](#) Young, 2005 ^{c g}
- [Stenopogon kozlovi](#) Lehr, 1963 ^{c g}
- [Stenopogon laevigatus](#) (Loew, 1851) ^{c g}
- [Stenopogon languidus](#) Hradsky, 1962 ^{c g}
- [Stenopogon latipennis](#) Loew, 1866 ^{c g}
- [Stenopogon lehri](#) Londt, 1999 ^{c g}
- [Stenopogon linsleyi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon loewi](#) Joseph & Parui, 1984 ^{c g}

- [Stenopogon loma](#) Wilcox, 1971 ^{i c g b}
- [Stenopogon longulus](#) Loew, 1866 ^{c g}
- [Stenopogon lugubris](#) (Williston, 1901) ^{c g}
- [Stenopogon macilentus](#) Loew, 1861 ^{c g}
- [Stenopogon macswaini](#) Wilcox, 1971 ^{i c g}
- [Stenopogon manii](#) Joseph & Parui, 1981 ^{c g}
- [Stenopogon manipurensis](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon marikovskii](#) Lehr, 1963 ^{c g}
- [Stenopogon martini](#) Bromley, 1937 ^{i c g}
- [Stenopogon mediterraneus](#) Lehr, 1963 ^{c g}
- [Stenopogon melanderi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon melanostolus](#) Loew, 1868 ^{c g}
- [Stenopogon milvoides](#) Engel, 1929 ^{c g}
- [Stenopogon milvus](#) (Loew, 1847) ^{c g}
- [Stenopogon minos](#) (Osten Sacken, 1887) ^{c g}
- [Stenopogon mojaviae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon mollis](#) Loew, 1868 ^{c g}
- [Stenopogon mongolicus](#) Lehr, 1963 ^{c g}
- [Stenopogon mydon](#) Engel, 1930 ^{c g}
- [Stenopogon mysorensis](#) Joseph & Parui, 1981 ^{c g}
- [Stenopogon nataliae](#) Richter, 1963 ^{c g}
- [Stenopogon nathani](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon neojubatus](#) Wilcox and Martin, 1945 ^{i c g}
- [Stenopogon nigripes](#) Engel, 1940 ^{c g}
- [Stenopogon nigrutilus](#) Coquillett, 1904 ^{i c g}
- [Stenopogon nigriventris](#) Loew, 1868 ^{c g}
- [Stenopogon nigrofasciatus](#) Brunetti, 1928 ^{c g}
- [Stenopogon nigrolimbatus](#) Martin, 1968 ^{c g}
- [Stenopogon nitens](#) Coquillett, 1904 ^{c g}
- [Stenopogon oaxacensis](#) Martin, 1968 ^{c g}
- [Stenopogon obispae](#) Wilcox, 1971 ^{i c g b}
- [Stenopogon obliterated](#) Richter, 1963 ^{c g}
- [Stenopogon obscuriventris](#) Loew, 1872 ^{i c g}
- [Stenopogon occidentalis](#) Lehr, 1963 ^{c g}
- [Stenopogon occlusus](#) Theodor, 1980 ^{c g}
- [Stenopogon ochraceus](#) (Wulp, 1870) ^{c g}

- [Stenopogon ochripes](#) Loew, 1861 ^{c g}
- [Stenopogon oldroydi](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon orientalis](#) Lehr, 1963 ^{c g}
- [Stenopogon ortegai](#) Martin, 1968 ^{c g}
- [Stenopogon ozenae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon painterorum](#) (Martin, 1968) ^{c g}
- [Stenopogon parksi](#) Bromley, 1934 ^{c g}
- [Stenopogon peregrinus](#) Seguy, 1932 ^{c g}
- [Stenopogon petilus](#) Martin, 1968 ^{c g}
- [Stenopogon piceus](#) (von Roder, 1893) ^{c g}
- [Stenopogon pinyonae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon porcus](#) Loew, 1871 ^{c g}
- [Stenopogon povolnyi](#) Hradsky, 1985 ^{c g}
- [Stenopogon powelli](#) Wilcox, 1971 ^{i c g}
- [Stenopogon pradhani](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon propinquus](#) Bromley, 1937 ^{i c g}
- [Stenopogon pseudosabaudus](#) Lehr, 1963 ^{c g}
- [Stenopogon pulverifer](#) (Walker, 1851) ^{c g}
- [Stenopogon pumilus](#) Coquillett, 1904 ^{c g}
- [Stenopogon pyrrhomus](#) (Wiedemann, 1818) ^{c g}
- [Stenopogon pyrrhus](#) Loew, 1871 ^{c g}
- [Stenopogon rafaelae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon raven](#) (Bromley, 1938) ^{c g}
- [Stenopogon rhadamanthus](#) Loew, 1866 ^{c g}
- [Stenopogon rionegrensis](#) Lamas, 1971 ^{c g}
- [Stenopogon roederii](#) Bezzi, 1895 ^{c g}
- [Stenopogon roonwali](#) Joseph & Parui, 1993 ^{c g}
- [Stenopogon rossi](#) Martin, 1968 ^{c g}
- [Stenopogon rufescens](#) Theodor, 1980 ^{c g}
- [Stenopogon rufibarbis](#) Bromley, 1931 ^{i c g b}
- [Stenopogon rufibarboides](#) Bromley, 1937 ^{i c g}
- [Stenopogon ruficauda](#) Engel, 1929 ^{c g}
- [Stenopogon sabaudus](#) (Fabricius, 1794) ^{c g}
- [Stenopogon schisticolor](#) Gerstaecker, 1861 ^{c g}
- [Stenopogon sciron](#) (Loew, 1873) ^{c g}
- [Stenopogon setosus](#) Bezark, 1984 ^{c g}

- [*Stenopogon silaceus*](#) Martin, 1968 ^{c g}
- [*Stenopogon sinaloensis*](#) (Martin, 1968) ^{c g}
- [*Stenopogon solsolacearum*](#) Lehr, 1963 ^{c g}
- [*Stenopogon stackelbergi*](#) Lehr, 1963 ^{c g}
- [*Stenopogon stonei*](#) Bromley, 1937 ^{c g}
- [*Stenopogon strataegus*](#) Gerstaecker, 1861 ^{c g}
- [*Stenopogon subtus*](#) (Bromley, 1935) ^{c g}
- [*Stenopogon superbus*](#) (Portschinsky, 1873) ^{c g}
- [*Stenopogon surufus*](#) Martin, 1968 ^{c g}
- [*Stenopogon taboarde*](#) Strobl, 1909 ^{c g}
- [*Stenopogon tenebrosus*](#) Coquillett, 1904 ^{c g}
- [*Stenopogon tequilae*](#) (Martin, 1968) ^{c g}
- [*Stenopogon texanus*](#) Bromley, 1931 ^{c g}
- [*Stenopogon theodori*](#) Lehr, 1984 ^{c g}
- [*Stenopogon tolandi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon tristis*](#) (Meigen, 1820) ^{c g}
- [*Stenopogon trivialis*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon truquii*](#) (Bellardi, 1861) ^{c g}
- [*Stenopogon utahensis*](#) Bromley, 1951 ^{i c g}
- [*Stenopogon vallensis*](#) Martin, 1968 ^{c g}
- [*Stenopogon variabilis*](#) Theodor, 1980 ^{c g}
- [*Stenopogon villus*](#) Martin, 1968 ^{c g}
- [*Stenopogon werneri*](#) Engel, 1933 ^{c g}
- [*Stenopogon wilcoxi*](#) Bromley, 1937 ^{i c g}
- [*Stenopogon williamsi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon wolffi*](#) Mik, 1887 ^{c g}
- [*Stenopogon xanthomelas*](#) Loew, 1868 ^{c g}
- [*Stenopogon xanthotrichus*](#) (Brulle, 1833) ^{c g}
- [*Stenopogon xochimilcae*](#) Martin, 1968 ^{c g}
- [*Stenopogon youngi*](#) (Martin, 1968) ^{c g}
- [*Stenopogon zebra*](#) Martin, 1968 ^{c g}
- [*Stenopogon zimini*](#) Lehr, 1963 ^{c g}
- [*Stenopogon zinovievi*](#) Lehr, 1963 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species belong to [*Stenomorpha*](#), a genus of darkling beetles in the family [*Tenebrionidae*](#).^[1]

***Stenomorpha* species**

- [*Stenomorpha abbreviata*](#) (Casey, 1912)
- [*Stenomorpha abstrusa*](#) (Casey, 1912)
- [*Stenomorpha acerba*](#) (Horn, 1878)
- [*Stenomorpha advena*](#) (Casey, 1912)
- [*Stenomorpha amplicolis*](#) (Casey, 1912)
- [*Stenomorpha angulata*](#) (LeConte, 1851)
- [*Stenomorpha baroni*](#) (Casey, 1912)
- [*Stenomorpha blanda*](#) (Champion, 1884)
- [*Stenomorpha blapsoides*](#) Solier, 1836
- [*Stenomorpha brevimargo*](#) (Casey, 1912)
- [*Stenomorpha californica*](#) (Motschulsky, 1870)
- [*Stenomorpha caliginosa*](#) (Casey, 1912)
- [*Stenomorpha captiosa*](#) (Horn, 1870)
- [*Stenomorpha catalinae*](#) (Blaisdell, 1933)
- [*Stenomorpha clarissae*](#) Wilke, 1922
- [*Stenomorpha clathrata*](#) (Champion, 1884)
- [*Stenomorpha cochisensis*](#) (Casey, 1912)
- [*Stenomorpha coenosa*](#) (Casey, 1912)
- [*Stenomorpha collaris*](#) (Champion, 1892)
- [*Stenomorpha collega*](#) (Casey, 1912)
- [*Stenomorpha compressa*](#) (Horn, 1870)
- [*Stenomorpha confluens*](#) (LeConte, 1851)
- [*Stenomorpha congruens*](#) (Casey, 1912)
- [*Stenomorpha consentanea*](#) (Casey, 1912)
- [*Stenomorpha consobrina*](#) (Horn, 1870)
- [*Stenomorpha consors*](#) (Casey, 1912)
- [*Stenomorpha consueta*](#) (Casey, 1912)
- [*Stenomorpha convexa*](#) (LeConte, 1859)
- [*Stenomorpha convexicollis*](#) (LeConte, 1854)
- [*Stenomorpha corrugans*](#) (Casey, 1912)
- [*Stenomorpha costata*](#) Solier, 1836
- [*Stenomorpha crassa*](#) (Casey, 1912)
- [*Stenomorpha cressoni*](#) (Blaisdell, 1933)
- [*Stenomorpha cribrata*](#) (Casey, 1912)
- [*Stenomorpha crinita*](#) (Casey, 1912)
- [*Stenomorpha deceptor*](#) (Casey, 1912)
- [*Stenomorpha difficilis*](#) (Champion, 1884)
- [*Stenomorpha directa*](#) (Casey, 1912)
- [*Stenomorpha divaricata*](#) (Blaisdell, 1923)

- [*Stenomorpha dolosa*](#) (Casey, 1912)
- [*Stenomorpha durangoensis*](#) (Casey, 1912)
- [*Stenomorpha embaphionides*](#) (Horn, 1894)
- [*Stenomorpha evanescens*](#) (Casey, 1912)
- [*Stenomorpha evertissima*](#) (Casey, 1912)
- [*Stenomorpha eximia*](#) (Casey, 1912)
- [*Stenomorpha facilis*](#) (Casey, 1912)
- [*Stenomorpha fastigiosa*](#) (Casey, 1912)
- [*Stenomorpha flohri*](#) (Champion, 1892)
- [*Stenomorpha foeda*](#) (Champion, 1892)
- [*Stenomorpha forreri*](#) (Champion, 1884)
- [*Stenomorpha funesta*](#) (Champion, 1884)
- [*Stenomorpha furcata*](#) (Champion, 1892)
- [*Stenomorpha gabbii*](#) (Horn, 1880)
- [*Stenomorpha geminata*](#) (Champion, 1892)
- [*Stenomorpha globicollis*](#) (Casey, 1912)
- [*Stenomorpha gracilior*](#) (Casey, 1912)
- [*Stenomorpha gracilipes*](#) (Casey, 1912)
- [*Stenomorpha granicollis*](#) (Blaisdell, 1923)
- [*Stenomorpha gravidipes*](#) (Casey, 1912)
- [*Stenomorpha hirsuta*](#) (LeConte, 1851)
- [*Stenomorpha hispidula*](#) (LeConte, 1851)
- [*Stenomorpha horrida*](#) (Champion, 1892)
- [*Stenomorpha huachucae*](#) (Casey, 1912)
- [*Stenomorpha humeralis*](#) (Triplehorn & Flores, 2002)
- [*Stenomorpha idahoensis*](#) (Boddy, 1957)
- [*Stenomorpha ignava*](#) (Casey, 1912)
- [*Stenomorpha immunda*](#) (Casey, 1912)
- [*Stenomorpha impetrata*](#) (Horn, 1894)
- [*Stenomorpha implicans*](#) (Casey, 1912)
- [*Stenomorpha impotens*](#) (Casey, 1912)
- [*Stenomorpha inhabilis*](#) (Casey, 1912)
- [*Stenomorpha integra*](#) (Casey, 1912)
- [*Stenomorpha lata*](#) (Champion, 1884)
- [*Stenomorpha latissima*](#) (Champion, 1892)
- [*Stenomorpha lecontei*](#) (Horn, 1866)
- [*Stenomorpha lecontella*](#) (Blaisdell, 1936)
- [*Stenomorpha luctata*](#) (Horn, 1870)
- [*Stenomorpha lugubris*](#) (Wilke, 1922)
- [*Stenomorpha lutulenta*](#) (Doyen, 1990)
- [*Stenomorpha macra*](#) (Horn, 1883)
- [*Stenomorpha magnifica*](#) (Pallister, 1954)

- [*Stenomorpha mancipata*](#) (Horn, 1878)
- [*Stenomorpha marginata*](#) LeConte, 1851
- [*Stenomorpha maritima*](#) (Casey, 1912)
- [*Stenomorpha mckittricki*](#) (Pierce, 1954)
- [*Stenomorpha montezuma*](#) Wilke, 1922
- [*Stenomorpha moricoides*](#) (Champion, 1892)
- [*Stenomorpha muricatula*](#) (LeConte, 1851)
- [*Stenomorpha musiva*](#) Wilke, 1922
- [*Stenomorpha neutralis*](#) (Casey, 1912)
- [*Stenomorpha nitidula*](#) (Casey, 1912)
- [*Stenomorpha obliterated*](#) (Champion, 1892)
- [*Stenomorpha oblonga*](#) (Casey, 1912)
- [*Stenomorpha obovata*](#) LeConte, 1851
- [*Stenomorpha obsidiana*](#) (Casey, 1912)
- [*Stenomorpha obsoleta*](#) (LeConte, 1851)
- [*Stenomorpha olsoni*](#) (Triplehorn & Flores, 2002)
- [*Stenomorpha opaca*](#) (Say, 1824)
- [*Stenomorpha oregonensis*](#) (Casey, 1924)
- [*Stenomorpha orizabae*](#) Wilke, 1922
- [*Stenomorpha palmeri*](#) (Champion, 1884)
- [*Stenomorpha papagoana*](#) (Casey, 1912)
- [*Stenomorpha parallela*](#) (LeConte, 1851)
- [*Stenomorpha pinalica*](#) (Casey, 1912)
- [*Stenomorpha planata*](#) (Horn, 1894)
- [*Stenomorpha polita*](#) (Say, 1824)
- [*Stenomorpha pollens*](#) (Casey, 1912)
- [*Stenomorpha procurrens*](#) (Casey, 1912)
- [*Stenomorpha pubescens*](#) (Champion, 1884)
- [*Stenomorpha puncticollis*](#) (LeConte, 1866)
- [*Stenomorpha quadricollis*](#) (Horn, 1880)
- [*Stenomorpha rimata*](#) (LeConte, 1854)
- [*Stenomorpha roosevelti*](#) Smith, Miller & Wheeler 2011
- [*Stenomorpha rudis*](#) (Casey, 1912)
- [*Stenomorpha rufipes*](#) (Champion, 1884)
- [*Stenomorpha rugata*](#) (Casey, 1912)
- [*Stenomorpha rugicollis*](#) (Triplehorn & Brown, 1971)
- [*Stenomorpha rustica*](#) (Casey, 1912)
- [*Stenomorpha satiata*](#) (Casey, 1912)
- [*Stenomorpha segregata*](#) (Champion, 1892)
- [*Stenomorpha semilaevis*](#) (Horn, 1870)
- [*Stenomorpha semirufa*](#) (Casey, 1912)
- [*Stenomorpha servilis*](#) (Casey, 1912)

- [*Stenomorpha severa*](#) (Casey, 1912)
- [*Stenomorpha socialis*](#) (Casey, 1912)
- [*Stenomorpha speculata*](#) (Blaisdell, 1936)
- [*Stenomorpha sphaericollis*](#) (Champion, 1884)
- [*Stenomorpha spinimanus*](#) (Champion, 1892)
- [*Stenomorpha sponsor*](#) (Casey, 1912)
- [*Stenomorpha spurcans*](#) (Casey, 1912)
- [*Stenomorpha strigosula*](#) (Casey, 1912)
- [*Stenomorpha suavis*](#) (Casey, 1912)
- [*Stenomorpha subcruenta*](#) (Casey, 1912)
- [*Stenomorpha subcylindrica*](#) (Horn, 1870)
- [*Stenomorpha subelegans*](#) (Casey, 1912)
- [*Stenomorpha subpilosa*](#) Solier, 1836
- [*Stenomorpha suturalis*](#) (Champion, 1884)
- [*Stenomorpha tarda*](#) (Champion, 1892)
- [*Stenomorpha tenebrosa*](#) (Champion, 1892)
- [*Stenomorpha tensa*](#) (Casey, 1912)
- [*Stenomorpha tenuicollis*](#) (Triplehorn, 1967)
- [*Stenomorpha tetrica*](#) (Casey, 1912)
- [*Stenomorpha thoracica*](#) (Champion, 1884)
- [*Stenomorpha tularensis*](#) (Casey, 1912)
- [*Stenomorpha tumidicollis*](#) Blaisdell, 1943
- [*Stenomorpha uhdei*](#) Wilke, 1922
- [*Stenomorpha umbrosa*](#) (Champion, 1884)
- [*Stenomorpha unicostata*](#) (Champion, 1892)
- [*Stenomorpha vigens*](#) (Casey, 1912)
- [*Stenomorpha villosa*](#) (Champion, 1884)
- [*Stenomorpha wickhami*](#) (Horn, 1894)
- [*Stenomorpha zacatecensis*](#) (Pallister, 1954)

This is a list of 106 species in the genus [*Stelis*](#).^{[1][2][3]}

***Stelis* species**

- [*Stelis aculeata*](#) Morawitz, 1880
- [*Stelis acutiventris*](#) Linsley, 1939
- [*Stelis aegyptiaca*](#) Radoszkowski, 1876
- [*Stelis annulata*](#) (Lepelletier, 1841)
- [*Stelis anthidioides*](#) Timberlake, 1941
- [*Stelis anthracina*](#) Timberlake, 1941

- [*Stelis ashmeadiellae*](#) Timberlake, 1941
- [*Stelis ater*](#) Mitchell, 1962
- [*Stelis australis*](#) Cresson, 1878
- [*Stelis bengala*](#) Warncke, 1992
- [*Stelis breviscula*](#) (Nylander, 1848)
- [*Stelis calliphorina*](#) (Cockerell, 1911)
- [*Stelis callura*](#) Cockerell, 1925
- [*Stelis carnifex*](#) Cockerell, 1911
- [*Stelis chlorocyanea*](#) (Cockerell, 1925)
- [*Stelis coarctata*](#) Crawford, 1916
- [*Stelis cockerelli*](#) (Hicks, 1933)
- [*Stelis costalis*](#) Cresson, 1872
- [*Stelis costaricensis*](#) Friese, 1921
- [*Stelis crassiceps*](#) Cockerell, 1926
- [*Stelis cusackae*](#) (Cockerell, 1910)
- [*Stelis denticulata*](#) Friese, 1899
- [*Stelis depressa*](#) Timberlake, 1941
- [*Stelis diversicolor*](#) Crawford, 1916
- [*Stelis elegans*](#) Cresson, 1864
- [*Stelis elongativentris*](#) Parker, 1987
- [*Stelis foederalis*](#) Smith, 1854
- [*Stelis fragariella*](#) (Cockerell, 1925)
- [*Stelis franciscana*](#) (Cockerell, 1925)
- [*Stelis franconica*](#) Blüthgen, 1930
- [*Stelis fremonti*](#) Cockerell, 1925
- [*Stelis gigantea*](#) Friese, 1921
- [*Stelis grossa*](#) (Mitchell, 1962)
- [*Stelis hemirhoda*](#) Linsley, 1939
- [*Stelis herberti*](#) (Cockerell, 1916)
- [*Stelis holocyanea*](#) (Cockerell, 1925)
- [*Stelis hungarica*](#) Noskiewicz, 1962
- [*Stelis hurdi*](#) (Thorp, 1966)
- [*Stelis idahoensis*](#) Swenk, 1914
- [*Stelis interrupta*](#) Cresson, 1897
- [*Stelis iugae*](#) Noskiewicz, 1962
- [*Stelis labiata*](#) (Provancher, 1888)
- [*Stelis lateralis*](#) Cresson, 1864
- [*Stelis laticincta*](#) Cresson, 1878
- [*Stelis laverna*](#) Baker, 1999
- [*Stelis leucotricha*](#) (Cockerell, 1925)
- [*Stelis linsleyi*](#) Timberlake, 1941
- [*Stelis louisae*](#) Cockerell, 1911

- [*Stelis maculata*](#) (Provancher, 1888)
- [*Stelis malaccensis*](#) (Fries, 1914)
- [*Stelis manni*](#) Crawford, 1917
- [*Stelis maroccana*](#) Warncke, 1992
- [*Stelis melanotricha*](#) (Cockerell, 1925)
- [*Stelis melanura*](#) Cockerell, 1924
- [*Stelis micheneri*](#) Linsley, 1939
- [*Stelis michiganensis*](#) Mitchell, 1962
- [*Stelis minima*](#) Schenck, 1861
- [*Stelis minuta*](#) Lepeletier & Audinet-Serville, 1825
- [*Stelis modesta*](#) Alfken, 1931
- [*Stelis montana*](#) Cresson, 1864
- [*Stelis monticola*](#) Cresson, 1878
- [*Stelis nasuta*](#) (Latreille, 1809)
- [*Stelis nigrita*](#) (Fabricius, 1775)
- [*Stelis nigriventris*](#) Timberlake, 1941
- [*Stelis nitida*](#) Cresson, 1878
- [*Stelis nitidula*](#) (Cockerell, 1925)
- [*Stelis nyssonoides*](#) (Brues, 1903)
- [*Stelis odontopyga*](#) Noskiewicz, 1926
- [*Stelis oreophila*](#) Popov, 1935
- [*Stelis orientalis*](#) Warncke, 1992
- [*Stelis ornatula*](#) (Klug, 1807)
- [*Stelis palmarum*](#) Timberlake, 1941
- [*Stelis pardita*](#) (Parker & Griswold, 1993)
- [*Stelis pavonina*](#) (Cockerell, 1908)
- [*Stelis pentelica*](#) Mavromoustakis, 1963
- [*Stelis permaculata*](#) Cockerell, 1898
- [*Stelis perpulchra*](#) Crawford, 1916
- [*Stelis phaeoptera*](#) (Kirby, 1802)
- [*Stelis plena*](#) (Provancher, 1888)
- [*Stelis pulchra*](#) Crawford, 1902
- [*Stelis punctulatissima*](#) (Kirby, 1802)
- [*Stelis rhodia*](#) Mavromoustakis, 1960
- [*Stelis ricardonis*](#) (Cockerell, 1912)
- [*Stelis robertsoni*](#) Timberlake, 1941
- [*Stelis rozeni*](#) Griswold & Parker, 2003
- [*Stelis rubi*](#) Cockerell, 1898
- [*Stelis rudbeckiarum*](#) Cockerell, 1904
- [*Stelis ruficornis*](#) Morawitz, 1872
- [*Stelis saxicola*](#) Warncke, 1992
- [*Stelis scutellaris*](#) Morawitz, 1894

- [*Stelis semenovi*](#) Popov, 1933
- [*Stelis semirubra*](#) Timberlake, 1941
- [*Stelis seneciophila*](#) Cockerell, 1908
- [*Stelis sexmaculata*](#) Ashmead, 1896
- [*Stelis siamensis*](#) Friese, 1925
- [*Stelis signata*](#) (Latreille, 1809)
- [*Stelis simillima*](#) Morawitz, 1876
- [*Stelis strandi*](#) Popov, 1935
- [*Stelis subcaerulea*](#) Cresson, 1878
- [*Stelis submarginata*](#) Cresson, 1878
- [*Stelis subglauca*](#) (Cockerell, 1925)
- [*Stelis texana*](#) (Thorp, 1966)
- [*Stelis trichopyga*](#) Timberlake, 1941
- [*Stelis tuberculata*](#) Cockerell, 1919
- [*Stelis vernalis*](#) Mitchell, 1962
- [*Stelis verticalis*](#) Wu, 1992

This is a list of species in [*Stegana*](#), a genus of vinegar flies in the family [*Drosophilidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)[\[5\]](#)

***Stegana* species**

- [*Stegana acantha*](#) ^g
- [*Stegana acutangula*](#) (Hendel, 1913) ^{c g}
- [*Stegana adentata*](#) Toda & Peng, 1992 ^{c g}
- [*Stegana affinis*](#) Malloch, 1924 ^{c g}
- [*Stegana africana*](#) Malloch, 1934 ^{c g}
- [*Stegana alianya*](#) Zhang & Chen, 2021
- [*Stegana ancistrophylla*](#) ^g
- [*Stegana angulata*](#) Chen & Chen ^g
- [*Stegana annulata*](#) Haliday, 1833 ^{c g}
- [*Stegana annulosa*](#) (Duda, 1929) ^{c g}
- [*Stegana antica*](#) Curran, 1934 ^{c g}
- [*Stegana antiqua*](#) Wheeler, 1960 ^{i c g}
- [*Stegana antila*](#) Sidorenko & Okada, 1991 ^g
- [*Stegana antlia*](#) Okada, 1991 ^{c g}
- [*Stegana aotsukai*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana apicopubescens*](#) ^g
- [*Stegana apicosetosa*](#) ^g

- [*Stegana arcygramma*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana atrifrons*](#) Malloch, 1924 ^{c g}
- [*Stegana atrimana*](#) Malloch, 1924 ^{c g}
- [*Stegana bacilla*](#) Chen & Aotsuka, 2004 ^{c g}
- [*Stegana baechlii*](#) Lastovka & Maca, 1982 ^{c g}
- [*Stegana barretti*](#) Johnson, 1921 ⁱ
- [*Stegana belokobylskiji*](#) Sidorenko, 1997 ^{c g}
- [*Stegana bicoloripes*](#) Tsacas, 1990 ^{c g}
- [*Stegana biprotrusa*](#) Chen & Aotsuka, 2004 ^{c g}
- [*Stegana brasiliensis*](#) (Duda, 1927) ^c
- [*Stegana brevibarba*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana brunnea*](#) Malloch, 1924 ^{c g}
- [*Stegana burmensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana capillaria*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana castanea*](#) Okada, 1988 ^{c g}
- [*Stegana cheni*](#) Sidorenko, 1997 ^{c g}
- [*Stegana chitouensis*](#) Sidorenko, 1998 ^{c g}
- [*Stegana claudana*](#) Bock, 1982 ^{c g}
- [*Stegana coleoptrata*](#) (Scopoli, 1763) ^{i c g}
- [*Stegana conformis*](#) Malloch, 1924 ^{c g}
- [*Stegana consimilis*](#) Papp & Maca, 2000 ^{c g}
- [*Stegana convergens*](#) (Meijere, 1911) ^{c g}
- [*Stegana crescentica*](#) Gupta & Panigrahy, 1987 ^{c g}
- [*Stegana cristimana*](#) Malloch, 1924 ^{c g}
- [*Stegana ctenaria*](#) Nishiharu, 1979 ^{c g}
- [*Stegana curvinervis*](#) (Hendel, 1914) ^{c g}
- [*Stegana danbaensis*](#) ^g
- [*Stegana dendrobium*](#) Chen & Aotsuka, 2004 ^{c g}
- [*Stegana dentifera*](#) Lastovka and Maca, 1982 ^{i c g}
- [*Stegana dianensis*](#) ^g
- [*Stegana diodonta*](#) Zhang & Chen, 2021
- [*Stegana dorsolineata*](#) Duda, 1925 ^{c g}
- [*Stegana earli*](#) Bock, 1982 ^{c g}
- [*Stegana emeiensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana enigma*](#) Sidorenko, 1998 ^{c g}
- [*Stegana flavifrons*](#) Malloch, 1924 ^{c g}

- [*Stegana flavimana*](#) Malloch, 1924 ^{c g}
- [*Stegana fumipennis*](#) (Enderlein, 1922) ^{c g}
- [*Stegana furta*](#) (Linnaeus, 1767) ^{c g}
- [*Stegana fuscibasis*](#) Malloch, 1924 ^{c g}
- [*Stegana glabra*](#) ^g
- [*Stegana hirtipennis*](#) Xu, Gao & Chen, 2007 ^{c g}
- [*Stegana horae*](#) Williston, 1896 ^{c g}
- [*Stegana hypoleuca*](#) Meigen, 1830 ^{c g}
- [*Stegana ikedai*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana intermedia*](#) (Duda, 1927) ^{c g}
- [*Stegana interrupta*](#) Malloch, 1924 ^{c g}
- [*Stegana izu*](#) Sidorenko, 1997 ^{c g}
- [*Stegana kanmiyai*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana lamondi*](#) Bock, 1982 ^{c g}
- [*Stegana langufoliacea*](#) ^g
- [*Stegana lateralis*](#) Wulp, 1897 ^{c g}
- [*Stegana latipennis*](#) Xu, Gao & Chen, 2007 ^{c g}
- [*Stegana leucomelana*](#) (Walker, 1859) ^{c g}
- [*Stegana longibarba*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana longifibula*](#) Takada, 1968 ^{c g}
- [*Stegana magnifica*](#) Hendel, 1913 ^{c g}
- [*Stegana maichouensis*](#) Sidorenko, 1998 ^{c g}
- [*Stegana masanoritodai*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana mediospinosa*](#) ^g
- [*Stegana mehadiae*](#) Duda, 1924 ^{c g}
- [*Stegana meichiensis*](#) Chen & Toda, 1994 ^{c g}
- [*Stegana melanostigma*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana melanostoma*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana minor*](#) Duda, 1927 ^{c g}
- [*Stegana monochrous*](#) Tsacas, 1990 ^{c g}
- [*Stegana monodonata*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana montana*](#) ^g
- [*Stegana moritha*](#) Sidorenko, 1997 ^{c g}
- [*Stegana multiclavata*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana nainitalensis*](#) Singh & Fartyal, 2002 ^{c g}
- [*Stegana nartshukae*](#) Sidorenko, 1997 ^{c g}

- [*Stegana nigrifrons*](#) Meijere, 1911 ^{c g}
- [*Stegana nigrimana*](#) Malloch, 1924 ^{c g}
- [*Stegana nigripennis*](#) (Hendel, 1914) ^{c g}
- [*Stegana nigrita*](#) Malloch, 1924 ^{c g}
- [*Stegana nigrithorax*](#) Strobl, 1898 ^{c g}
- [*Stegana nigrolimbata*](#) Duda, 1924 ^{c g}
- [*Stegana nigromarginata*](#) Duda, 1925 ^{c g}
- [*Stegana norma*](#) Curran, 1934 ^{c g}
- [*Stegana oligochaeta*](#) ^g
- [*Stegana ornatipes*](#) Wheeler & Takada, 1964 ^{c g}
- [*Stegana otocondyloda*](#) ^g
- [*Stegana pallipes*](#) Wiedemann, 1830 ^{c g}
- [*Stegana papuana*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana parvispina*](#) ^g
- [*Stegana penihexata*](#) Gupta & Panigrahy, 1987 ^{c g}
- [*Stegana pianmaensis*](#) ^g
- [*Stegana pililobosa*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana planifacies*](#) Malloch, 1924 ^{c g}
- [*Stegana platypezina*](#) (Duda, 1927) ^{c g}
- [*Stegana plesia*](#) Tsacas & Chassagnard, 1996 ^{c g}
- [*Stegana prigenti*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana protuberans*](#) ^g
- [*Stegana proximata*](#) (Seguy, 1938) ^{c g}
- [*Stegana psilolobosa*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana pyinoolwinensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana scarabeo*](#) Bock, 1982 ^{c g}
- [*Stegana schildi*](#) Malloch, 1924 ^{c g}
- [*Stegana scutellata*](#) Meijere, 1911 ^{c g}
- [*Stegana setifrons*](#) Sidorenko, 1997 ^{c g}
- [*Stegana shirozui*](#) Okada, 1971 ^{c g}
- [*Stegana sibirica*](#) (Duda, 1934) ^{c g}
- [*Stegana sidorenkoi*](#) Hu & Toda, 1994 ^{c g}
- [*Stegana similis*](#) Lastovka & Maca, 1982 ^{c g}
- [*Stegana singularis*](#) Sidorenko, 1990 ^{c g}
- [*Stegana sinica*](#) Sidorenko, 1991 ^{c g}
- [*Stegana spyrotsakasi*](#) Tsacas, 1997 ^{c g}

- [*Stegana stuckenbergi*](#) Tsacas, 1990 ^{c g}
- [*Stegana subconvergens*](#) Okada, 1988 ^{c g}
- [*Stegana subexcavata*](#) Vaidya & Godbole, 1976 ^{c g}
- [*Stegana taba*](#) Okada, 1971 ^{c g}
- [*Stegana taiwana*](#) Okada, 1991 ^{c g}
- [*Stegana tarsalis*](#) Williston, 1896 ^{c g}
- [*Stegana tempifera*](#) Malloch, 1924 ^{c g}
- [*Stegana tenebrosa*](#) (Walker, 1865) ^{c g}
- [*Stegana tentaculifera*](#) ^g
- [*Stegana toyaensis*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana triseta*](#) (Duda, 1925) ^{c g}
- [*Stegana trisetosa*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana undulata*](#) Meijere, 1911 ^{c g}
- [*Stegana unidentata*](#) Takada, 1968 ^{c g}
- [*Stegana uniformis*](#) Malloch, 1924 ^{c g}
- [*Stegana varicolor*](#) (Duda, 1925) ^{c g}
- [*Stegana varipes*](#) Tsacas, 1990 ^{c g}
- [*Stegana vietnamensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana vittata*](#) (Coquillett, 1901) ^{i c g b}
- [*Stegana watabei*](#) Sidorenko, 1998 ^{c g}
- [*Stegana wheeleri*](#) Lastovka and Maca, 1982 ^{i c g}
- [*Stegana xiaoleiae*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana xishuangbanna*](#) ^g
- [*Stegana xuei*](#) Hu & Toda, 1994 ^{c g}
- [*Stegana yapingi*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana zebromyia*](#) Zhang & Chen, 2021'
- [*Stegana zhangi*](#) Sidorenko, 1997 ^{c g}
- [*Stegana zopheria*](#) Zhang & Chen, 2021

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a species list for the family [*Sphingidae*](#) of moths ([*Lepidoptera*](#)), commonly known as **hawk-moths**. This list contains all known species of *Sphingidae* in order of [subfamily](#). There should be about 1,288 species listed. There are three subfamilies:

- Subfamily [*Macroglossinae*](#)
- Subfamily [*Smerinthinae*](#)

- Subfamily [Sphinginae](#)

The species list is given below.

Subfamily **Macroglossinae**

Genus **[Acosmerycoides](#)**

- [Acosmerycoides harterti](#)

Genus **[Acosmeryx](#)**

- [Acosmeryx anceus](#)
- [Acosmeryx beatae](#)
- [Acosmeryx castanea](#)
- [Acosmeryx formosana](#)
- [Acosmeryx hoenei](#)
- [Acosmeryx miskini](#)
- [Acosmeryx miskinoides](#)
- [Acosmeryx naga](#)
- [Acosmeryx omissa](#)
- [Acosmeryx pseudomissa](#)
- [Acosmeryx sericeus](#)
- [Acosmeryx shervillii](#)
- [Acosmeryx sinjaevi](#)
- [Acosmeryx socrates](#)
- [Acosmeryx tenggarensis](#)

Genus **[Aellopos](#)**

- [Aellopos blaini](#)
- [Aellopos ceculus](#)
- [Aellopos clavipes](#)
- [Aellopos fadus](#)
- [Aellopos tantalus](#)
- [Aellopos titan](#)

Genus **[Aleuron](#)**

- [Aleuron carinata](#)
- [Aleuron chloroptera](#)
- [Aleuron cymographum](#)
- [Aleuron iphis](#)
- [Aleuron neglectum](#)
- [Aleuron prominens](#)
- [Aleuron ypanemae](#)

Genus Ampelophaga

- [Ampelophaga dolichoides](#)
- [Ampelophaga khasiana](#)
- [Ampelophaga nikolae](#)
- [Ampelophaga rubiginosa](#)
- [Ampelophaga thomasi](#)

Genus Amphion

- [Amphion floridensis](#)

Genus Angonyx

- [Angonyx boisduvali](#)
- [Angonyx chelsea](#)
- [Angonyx kai](#)
- [Angonyx krishna](#)
- [Angonyx meeki](#)
- [Angonyx papuana](#)
- [Angonyx testacea](#)
- [Angonyx williami](#)

Genus Antinephele

- [Antinephele achlora](#)
- [Antinephele anomala](#)
- [Antinephele camerunensis](#)
- [Antinephele efulani](#)
- [Antinephele lunulata](#)
- [Antinephele maculifera](#)
- [Antinephele marcida](#)
- [Antinephele muscosa](#)

Genus Atemnora

- [Atemnora westermanni](#)

Genus Baniwa

- [Baniwa yavitensis](#)

Genus Barbourion

- [Barbourion lemaii](#)

Genus **Basiothia**

- *Basiothia aureata*
- *Basiothia charis*
- *Basiothia laticornis*
- *Basiothia medea*
- *Basiothia schenki*

Genus **Callionima**

- *Callionima acuta*
- *Callionima calliomenae*
- *Callionima denticulata*
- *Callionima elainae*
- *Callionima ellacombei*
- *Callionima falcifera*
- *Callionima gracilis*
- *Callionima grisescens*
- *Callionima guiarti*
- *Callionima inuus*
- *Callionima juliane*
- *Callionima nomius*
- *Callionima pan*
- *Callionima parce*
- *Callionima ramsdeni*

Genus **Cautethia**

- *Cautethia carsusi*
- *Cautethia exuma*
- *Cautethia grotei*
- *Cautethia noctuiformis*
- *Cautethia simitia*
- *Cautethia spuria*
- *Cautethia yucatana*

Genus **Cechenena**

- *Cechenena aegrota*
- *Cechenena catori*
- *Cechenena chimaera*
- *Cechenena helops*
- *Cechenena lineosa*
- *Cechenena minor*
- *Cechenena mirabilis*

- [Cechenena pollux](#)
- [Cechenena scotti](#)
- [Cechenena sperlingi](#)
- [Cechenena subangustata](#)
- [Cechenena transpacific](#)

Genus **Centroctena**

- [Centroctena imitans](#)
- [Centroctena rutherfordi](#)

Genus **Cephonodes**

- [Cephonodes apus](#)
- [Cephonodes armatus](#)
- [Cephonodes banksi](#)
- [Cephonodes hylas](#)
- [Cephonodes janus](#)
- [Cephonodes kingii](#)
- [Cephonodes leucogaster](#)
- [Cephonodes lifuensis](#)
- [Cephonodes novebudensis](#)
- [Cephonodes picus](#)
- [Cephonodes rothschildi](#)
- [Cephonodes rufescens](#)
- [Cephonodes santome](#)
- [Cephonodes tamsi](#)
- [Cephonodes titan](#)
- [Cephonodes trochilus](#)
- [Cephonodes woodfordii](#)
- [Cephonodes xanthus](#)

Genus **Chaerocina**

- [Chaerocina dohertyi](#)
- [Chaerocina ellisoni](#)
- [Chaerocina jordani](#)
- [Chaerocina livingstonensis](#)
- [Chaerocina mbiziensis](#)
- [Chaerocina meridionalis](#)
- [Chaerocina nyikiana](#)
- [Chaerocina usambarensis](#)
- [Chaerocina zomba](#)

Genus **Cizara**

- *Cizara ardeniae*
- *Cizara sculpta*

Genus **Clarina**

- *Clarina kotschy*
- *Clarina syriaca*

Genus **Dahira**

- *Dahira bruno*
- *Dahira falcata*
- *Dahira hoenei*
- *Dahira jitkae*
- *Dahira kitchingi*
- *Dahira klaudiae*
- *Dahira marisae*
- *Dahira nili*
- *Dahira niphaphylla*
- *Dahira obliquifascia*
- *Dahira pinratanai*
- *Dahira plutenkoi*
- *Dahira rebecca*
- *Dahira rubiginosa*
- *Dahira svetsinjaevae*
- *Dahira taiwana*
- *Dahira tridens*
- *Dahira uljanae*
- *Dahira viksinjaevi*
- *Dahira yunlongensis*
- *Dahira yunnanfuana*

Genus **Daphnis**

- *Daphnis dohertyi*
- *Daphnis hayesi*
- *Daphnis hypothous*
- *Daphnis layardii*
- *Daphnis minima*
- *Daphnis moorei*
- *Daphnis nerii*
- *Daphnis placida*
- *Daphnis protrudens*

- [Daphnis torenia](#)
- [Daphnis vriesi](#)

Genus [Darapsa](#)

- [Darapsa choerilus](#)
- [Darapsa myron](#)
- [Darapsa versicolor](#)

Genus [Deidamia](#)

- [Deidamia inscriptum](#)

Genus [Deilephila](#)

- [Deilephila askoldensis](#)
- [Deilephila elpenor](#)
- [Deilephila porcellus](#)
- [Deilephila rivularis](#)

Genus [Elibia](#)

- [Elibia dolichus](#)
- [Elibia linigera](#)

Genus [Enpinanga](#)

- [Enpinanga assamensis](#)
- [Enpinanga borneensis](#)
- [Enpinanga vigens](#)

Genus [Enyo](#)

- [Enyo bathus](#)
- [Enyo boisduvali](#)
- [Enyo cavifer](#)
- [Enyo gorgon](#)
- [Enyo latipennis](#)
- [Enyo lugubris](#)
- [Enyo ocypete](#)
- [Enyo taedium](#)

Genus [Erinnyis](#)

- [Erinnyis alope](#)
- [Erinnyis crameri](#)
- [Erinnyis ello](#)
- [Erinnyis guttularis](#)

- [Erinnyis impunctata](#)
- [Erinnyis lassauxii](#)
- [Erinnyis obscura](#)
- [Erinnyis oenotrus](#)
- [Erinnyis pallida](#)
- [Erinnyis stheno](#)
- [Erinnyis yucatana](#)

Genus **Euchloron**

- [Euchloron megaera](#)

Genus **Eumorpha**

- [Eumorpha achemon](#)
- [Eumorpha adamsi](#)
- [Eumorpha analis](#)
- [Eumorpha anchemolus](#)
- [Eumorpha capronnieri](#)
- [Eumorpha cissi](#)
- [Eumorpha drucei](#)
- [Eumorpha elisa](#)
- [Eumorpha fasciatus](#)
- [Eumorpha intermedia](#)
- [Eumorpha labruscae](#)
- [Eumorpha megaeacus](#)
- [Eumorpha mirificatus](#)
- [Eumorpha neuburgeri](#)
- [Eumorpha obliquus](#)
- [Eumorpha pandorus](#)
- [Eumorpha phorbas](#)
- [Eumorpha satellitia](#)
- [Eumorpha strenua](#)
- [Eumorpha translineatus](#)
- [Eumorpha triangulum](#)
- [Eumorpha typhon](#)
- [Eumorpha vitis](#)

Genus **Eupanacra**

- [Eupanacra angulata](#)
- [Eupanacra automedon](#)
- [Eupanacra busiris](#)
- [Eupanacra cadioui](#)
- [Eupanacra elegantulus](#)

- [Eupanacra greetae](#)
- [Eupanacra harmani](#)
- [Eupanacra hollowayi](#)
- [Eupanacra malayana](#)
- [Eupanacra metallica](#)
- [Eupanacra micholitzii](#)
- [Eupanacra mindanaensis](#)
- [Eupanacra mydon](#)
- [Eupanacra perfecta](#)
- [Eupanacra poulardi](#)
- [Eupanacra psaltria](#)
- [Eupanacra pulchella](#)
- [Eupanacra radians](#)
- [Eupanacra regularis](#)
- [Eupanacra sinuata](#)
- [Eupanacra splendens](#)
- [Eupanacra tiridates](#)
- [Eupanacra treadawayi](#)
- [Eupanacra variolosa](#)
- [Eupanacra waloensis](#)

Genus [Euproserpinus](#)

- [Euproserpinus euterpe](#)
- [Euproserpinus phaeton](#)
- [Euproserpinus wiesti](#)

Genus [Eupyrrhoglossum](#)

- [Eupyrrhoglossum corvus](#)
- [Eupyrrhoglossum sagra](#)
- [Eupyrrhoglossum ventustum](#)

Genus [Eurypteryx](#)

- [Eurypteryx alleni](#)
- [Eurypteryx bhaga](#)
- [Eurypteryx diana](#)
- [Eurypteryx falcata](#)
- [Eurypteryx geoffreyi](#)
- [Eurypteryx molucca](#)
- [Eurypteryx obtruncata](#)
- [Eurypteryx shelfordi](#)

Genus Giganteopalpus

- [Giganteopalpus mirabilis](#)

Genus Gnathothlibus

- [Gnathothlibus australiensis](#)
- [Gnathothlibus brendelli](#)
- [Gnathothlibus collardi](#)
- [Gnathothlibus dabreru](#)
- [Gnathothlibus eras](#)
- [Gnathothlibus erotus](#)
- [Gnathothlibus fijiensis](#)
- [Gnathothlibus heliodes](#)
- [Gnathothlibus meeki](#)
- [Gnathothlibus saccoi](#)
- [Gnathothlibus samoensis](#)
- [Gnathothlibus vanuatuensis](#)

Genus Griseosphinx

- [Griseosphinx marchandi](#)
- [Griseosphinx preechari](#)

Genus Hayesiana

- [Hayesiana farintaenia](#)
- [Hayesiana triopus](#)

Genus Hemaris

- [Hemaris aethra](#)
- [Hemaris affinis](#)
- [Hemaris aksana](#)
- [Hemaris alaiana](#)
- [Hemaris beresowskii](#)
- [Hemaris croatica](#)
- [Hemaris dentata](#)
- [Hemaris diffinis](#)
- [Hemaris ducalis](#)
- [Hemaris fuciformis](#)
- [Hemaris galunae](#)
- [Hemaris gracilis](#)
- [Hemaris molli](#)
- [Hemaris ottonis](#)
- [Hemaris radians](#)

- [Hemaris rubra](#)
- [Hemaris saldaitisi](#)
- [Hemaris saundersii](#)
- [Hemaris staudingeri](#)
- [Hemaris syra](#)
- [Hemaris thetis](#)
- [Hemaris thysbe](#)
- [Hemaris tityus](#)
- [Hemaris venata](#)

Genus **Hemeroplanes**

- [Hemeroplanes diffusa](#)
- [Hemeroplanes longistriga](#)
- [Hemeroplanes ornatus](#)
- [Hemeroplanes triptolemus](#)

Genus **Himantoides**

- [Himantoides undata](#)

Genus **Hippotion**

- [Hippotion adelinae](#)
- [Hippotion aporodes](#)
- [Hippotion aurora](#)
- [Hippotion balsaminae](#)
- [Hippotion batschii](#)
- [Hippotion boerhaviae](#)
- [Hippotion brennus](#)
- [Hippotion brunnea](#)
- [Hippotion butleri](#)
- [Hippotion celerio](#)
- [Hippotion chloris](#)
- [Hippotion commatum](#)
- [Hippotion dexippus](#)
- [Hippotion echeclus](#)
- [Hippotion eson](#)
- [Hippotion geryon](#)
- [Hippotion gracilis](#)
- [Hippotion griveaudi](#)
- [Hippotion hateleyi](#)
- [Hippotion irregularis](#)
- [Hippotion isis](#)
- [Hippotion joiceyi](#)

- [Hippotion leucocephalus](#)
- [Hippotion melichari](#)
- [Hippotion moorei](#)
- [Hippotion osiris](#)
- [Hippotion paukstadtii](#)
- [Hippotion pentagramma](#)
- [Hippotion psammochroma](#)
- [Hippotion rafflesii](#)
- [Hippotion rebeli](#)
- [Hippotion rosae](#)
- [Hippotion roseipennis](#)
- [Hippotion rosetta](#)
- [Hippotion saclavorum](#)
- [Hippotion scrofa](#)
- [Hippotion socotrensis](#)
- [Hippotion stigma](#)
- [Hippotion talboti](#)
- [Hippotion velox](#)

Genus **Hyles**

- [Hyles annei](#)
- [Hyles apocyni](#)
- [Hyles biguttata](#)
- [Hyles calida](#)
- [Hyles centralasiae](#)
- [Hyles chamyla](#)
- [Hyles churkini](#)
- [Hyles chivilini](#)
- [Hyles costata](#)
- [Hyles dahlii](#)
- [Hyles euphorbiae](#)
- [Hyles euphorbiarum](#)
- [Hyles gallii](#)
- [Hyles hippophaes](#)
- [Hyles lineata](#)
- [Hyles livornica](#)
- [Hyles livornicoides](#)
- [Hyles malgassica](#)
- [Hyles nervosa](#)
- [Hyles nicaea](#)
- [Hyles perkinsi](#)
- [Hyles robertsi](#)

- [Hyles salangensis](#)
- [Hyles sammuti](#)
- [Hyles siehei](#)
- [Hyles stroehlei](#)
- [Hyles tithymali](#)
- [Hyles vespertilio](#)
- [Hyles wilsoni](#)
- [Hyles zygophylli](#)

Genus **Hypaedalea**

- [Hypaedalea butleri](#)
- [Hypaedalea insignis](#)
- [Hypaedalea lobipennis](#)
- [Hypaedalea neglecta](#)

Genus **Isognathus**

- [Isognathus allamandae](#)
- [Isognathus australis](#)
- [Isognathus caricae](#)
- [Isognathus excelsior](#)
- [Isognathus leachii](#)
- [Isognathus menechus](#)
- [Isognathus mossi](#)
- [Isognathus occidentalis](#)
- [Isognathus rimosa](#)
- [Isognathus scyron](#)
- [Isognathus swainsonii](#)

Genus **Kloneus**

- [Kloneus babayaga](#)

Genus **Leucostrophus**

- [Leucostrophus alterhirundo](#)
- [Leucostrophus commasiae](#)

Genus **Maassenia**

- [Maassenia distincta](#)
- [Maassenia heydeni](#)

Genus **Macroglossum**

- [Macroglossum adustum](#)

- [Macroglossum aesalon](#)
- [Macroglossum afflictitia](#)
- [Macroglossum albigutta](#)
- [Macroglossum albolineata](#)
- [Macroglossum alcedo](#)
- [Macroglossum alluaudi](#)
- [Macroglossum amoenum](#)
- [Macroglossum aquila](#)
- [Macroglossum arimasi](#)
- [Macroglossum assimilis](#)
- [Macroglossum augarra](#)
- [Macroglossum avicula](#)
- [Macroglossum backi](#)
- [Macroglossum belis](#)
- [Macroglossum bifasciata](#)
- [Macroglossum bombylans](#)
- [Macroglossum buini](#)
- [Macroglossum buruensis](#)
- [Macroglossum cadioui](#)
- [Macroglossum caldum](#)
- [Macroglossum calescens](#)
- [Macroglossum castaneum](#)
- [Macroglossum clemensi](#)
- [Macroglossum corythus](#)
- [Macroglossum dohertyi](#)
- [Macroglossum eggeri](#)
- [Macroglossum eichhorni](#)
- [Macroglossum faro](#)
- [Macroglossum fischeri](#)
- [Macroglossum fritzei](#)
- [Macroglossum fruhstorferi](#)
- [Macroglossum glaucoptera](#)
- [Macroglossum godeffroyi](#)
- [Macroglossum gyrans](#)
- [Macroglossum haslami](#)
- [Macroglossum haxairei](#)
- [Macroglossum heliophila](#)
- [Macroglossum hemichroma](#)
- [Macroglossum hirundo](#)
- [Macroglossum incredibile](#)
- [Macroglossum insipida](#)
- [Macroglossum jani](#)

- [Macroglossum joannisi](#)
- [Macroglossum kadneri](#)
- [Macroglossum kishidai](#)
- [Macroglossum kitchingi](#)
- [Macroglossum kleineri](#)
- [Macroglossum lepidum](#)
- [Macroglossum leytenis](#)
- [Macroglossum limata](#)
- [Macroglossum malitum](#)
- [Macroglossum marquesanum](#)
- [Macroglossum mediovitta](#)
- [Macroglossum meeki](#)
- [Macroglossum melanoleuca](#)
- [Macroglossum melas](#)
- [Macroglossum micacea](#)
- [Macroglossum milvus](#)
- [Macroglossum mitchellii](#)
- [Macroglossum moecki](#)
- [Macroglossum mouldsi](#)
- [Macroglossum multifascia](#)
- [Macroglossum napolovi](#)
- [Macroglossum nemesis](#)
- [Macroglossum neotroglodytus](#)
- [Macroglossum nigellum](#)
- [Macroglossum nubilum](#)
- [Macroglossum nycteris](#)
- [Macroglossum pachycerus](#)
- [Macroglossum palawana](#)
- [Macroglossum particolor](#)
- [Macroglossum passalus](#)
- [Macroglossum paukstatorum](#)
- [Macroglossum perplexum](#)
- [Macroglossum phocinum](#)
- [Macroglossum poecilum](#)
- [Macroglossum prometheus](#)
- [Macroglossum pseudocorythus](#)
- [Macroglossum pseudoluteata](#)
- [Macroglossum pseudonigellum](#)
- [Macroglossum pyrrhosticta](#)
- [Macroglossum rectans](#)
- [Macroglossum regulus](#)
- [Macroglossum reithi](#)

- [Macroglossum ronja](#)
- [Macroglossum saga](#)
- [Macroglossum schnitzleri](#)
- [Macroglossum semifasciata](#)
- [Macroglossum sitiene](#)
- [Macroglossum soror](#)
- [Macroglossum spilonotum](#)
- [Macroglossum stellatarum](#)
- [Macroglossum stenoxanthum](#)
- [Macroglossum stevensi](#)
- [Macroglossum stigma](#)
- [Macroglossum sulai](#)
- [Macroglossum svetlana](#)
- [Macroglossum sylvia](#)
- [Macroglossum tangalleum](#)
- [Macroglossum tenebrosa](#)
- [Macroglossum tenimberi](#)
- [Macroglossum trigi](#)
- [Macroglossum trochilus](#)
- [Macroglossum unguis](#)
- [Macroglossum vacillans](#)
- [Macroglossum vadenberghi](#)
- [Macroglossum variegatum](#)
- [Macroglossum vicinum](#)
- [Macroglossum vidua](#)
- [Macroglossum wolframmeyi](#)

Genus **Madoryx**

- [Madoryx bubastus](#)
- [Madoryx oiclus](#)
- [Madoryx plutonius](#)
- [Madoryx pseudothyreus](#)

Genus **Micracosmeryx**

- [Micracosmeryx chaochauensis](#)

Genus **Microsphinx**

- [Microsphinx pumilum](#)

Genus **Neogurelca**

- [Neogurelca himachala](#)

- [Neogurelca hyas](#)
- [Neogurelca masuriensis](#)
- [Neogurelca montana](#)
- [Neogurelca mulleri](#)
- [Neogurelca sonorensis](#)

Genus [Nephele](#)

- [Nephele accentifera](#)
- [Nephele aequivalens](#)
- [Nephele argentifera](#)
- [Nephele bipartita](#)
- [Nephele comma](#)
- [Nephele comoroana](#)
- [Nephele densoi](#)
- [Nephele discifera](#)
- [Nephele funebris](#)
- [Nephele hespera](#)
- [Nephele joiceyi](#)
- [Nephele lannini](#)
- [Nephele leighi](#)
- [Nephele maculosa](#)
- [Nephele monostigma](#)
- [Nephele oenopion](#)
- [Nephele peneus](#)
- [Nephele rectangulata](#)
- [Nephele rosae](#)
- [Nephele subvaria](#)
- [Nephele vau](#)
- [Nephele xylinea](#)

Genus [Nyceryx](#)

- [Nyceryx alophus](#)
- [Nyceryx brevis](#)
- [Nyceryx coffaeae](#)
- [Nyceryx continua](#)
- [Nyceryx draudti](#)
- [Nyceryx ericea](#)
- [Nyceryx eximia](#)
- [Nyceryx fernandezi](#)
- [Nyceryx furtadoi](#)
- [Nyceryx hyposticta](#)
- [Nyceryx janzeni](#)

- [Nyceryx lunaris](#)
- [Nyceryx magna](#)
- [Nyceryx maxwelli](#)
- [Nyceryx mielkei](#)
- [Nyceryx nephus](#)
- [Nyceryx nictitans](#)
- [Nyceryx riscus](#)
- [Nyceryx stuarti](#)
- [Nyceryx tacita](#)

Genus [Odontosida](#)

- [Odontosida magnificum](#)
- [Odontosida pusillus](#)

Genus [Oryba](#)

- [Oryba achemenides](#)
- [Oryba kadeni](#)

Genus [Pachygonidia](#)

- [Pachygonidia caliginosa](#)
- [Pachygonidia drucei](#)
- [Pachygonidia hopfferi](#)
- [Pachygonidia martini](#)
- [Pachygonidia mielkei](#)
- [Pachygonidia odile](#)
- [Pachygonidia ribbei](#)
- [Pachygonidia subhamata](#)

Genus [Pachylia](#)

- [Pachylia darceta](#)
- [Pachylia ficus](#)
- [Pachylia syces](#)

Genus [Pachylioides](#)

- [Pachylioides resumens](#)

Genus [Pergesa](#)

- [Pergesa acteus](#)

Genus [Perigonia](#)

- [Perigonia caryae](#)

- [Perigonia divisa](#)
- [Perigonia glaucescens](#)
- [Perigonia grisea](#)
- [Perigonia ilus](#)
- [Perigonia jamaicensis](#)
- [Perigonia lefebvraei](#)
- [Perigonia leucopus](#)
- [Perigonia lusca](#)
- [Perigonia manni](#)
- [Perigonia pallida](#)
- [Perigonia passerina](#)
- [Perigonia pittieri](#)
- [Perigonia stulta](#)
- [Perigonia thayeri](#)

Genus [Phanoxya](#)

- [Phanoxya hystrix](#)

Genus [Philodila](#)

- [Philodila astyanor](#)

Genus [Phryxus](#)

- [Phryxus caicus](#)

Genus [Proserpinus](#)

- [Proserpinus clarkiae](#)
- [Proserpinus flavofasciata](#)
- [Proserpinus gaurae](#)
- [Proserpinus juanita](#)
- [Proserpinus lucidus](#)
- [Proserpinus proserpina](#)
- [Proserpinus terlooi](#)
- [Proserpinus vega](#)

Genus [Protaleuron](#)

- [Protaleuron herbini](#)
- [Protaleuron rhodogaster](#)

Genus [Pseudenyo](#)

- [Pseudenyo benitensis](#)

Genus Pseudoangonyx

- [Pseudoangonyx excellens](#)

Genus Pseudosphinx

- [Pseudosphinx tetrio](#)

Genus Rethera

- [Rethera afghanistana](#)
- [Rethera amseli](#)
- [Rethera brandti](#)
- [Rethera komarovi](#)

Genus Rhagastis

- [Rhagastis acuta](#)
- [Rhagastis albomarginatus](#)
- [Rhagastis binoculata](#)
- [Rhagastis castor](#)
- [Rhagastis confusa](#)
- [Rhagastis diehli](#)
- [Rhagastis gloriosa](#)
- [Rhagastis hayesi](#)
- [Rhagastis lambertoni](#)
- [Rhagastis lunata](#)
- [Rhagastis meridionalis](#)
- [Rhagastis mongoliana](#)
- [Rhagastis olivacea](#)
- [Rhagastis rubetra](#)
- [Rhagastis trilineata](#)
- [Rhagastis velata](#)

Genus Rhodafra

- [Rhodafra marshalli](#)
- [Rhodafra opheltes](#)

Genus Sphecodina

- [Sphecodina abbottii](#)
- [Sphecodina caudata](#)

Genus Sphingonaepiopsis

- [Sphingonaepiopsis ansorgei](#)

- [*Sphingonaepiopsis asiatica*](#)
- [*Sphingonaepiopsis gorgoniades*](#)
- [*Sphingonaepiopsis gurkoi*](#)
- [*Sphingonaepiopsis kuldjaensis*](#)
- [*Sphingonaepiopsis malgassica*](#)
- [*Sphingonaepiopsis nana*](#)
- [*Sphingonaepiopsis obscurus*](#)
- [*Sphingonaepiopsis pumilio*](#)

Genus **Stolidoptera**

- [*Stolidoptera cadioui*](#)
- [*Stolidoptera tachasara*](#)

Genus **Temnora**

- [*Temnora albilinea*](#)
- [*Temnora angulosa*](#)
- [*Temnora argyropeza*](#)
- [*Temnora atrofasciata*](#)
- [*Temnora avinoffi*](#)
- [*Temnora bouyeri*](#)
- [*Temnora burdoni*](#)
- [*Temnora camerounensis*](#)
- [*Temnora crenulata*](#)
- [*Temnora curtula*](#)
- [*Temnora dierli*](#)
- [*Temnora elegans*](#)
- [*Temnora elisabethae*](#)
- [*Temnora engis*](#)
- [*Temnora eranga*](#)
- [*Temnora fumosa*](#)
- [*Temnora funebris*](#)
- [*Temnora grandidieri*](#)
- [*Temnora griseata*](#)
- [*Temnora hollandi*](#)
- [*Temnora iapygoides*](#)
- [*Temnora inornatum*](#)
- [*Temnora kaguru*](#)
- [*Temnora leighi*](#)
- [*Temnora livida*](#)
- [*Temnora marginata*](#)
- [*Temnora masungai*](#)
- [*Temnora mirabilis*](#)

- [Temnora murina](#)
- [Temnora namaqua](#)
- [Temnora natalis](#)
- [Temnora nephele](#)
- [Temnora nitida](#)
- [Temnora ntombi](#)
- [Temnora palpalis](#)
- [Temnora peckoveri](#)
- [Temnora plagiata](#)
- [Temnora probata](#)
- [Temnora pseudopylas](#)
- [Temnora pylades](#)
- [Temnora pylas](#)
- [Temnora radiata](#)
- [Temnora rattrayi](#)
- [Temnora reutlingeri](#)
- [Temnora robertsoni](#)
- [Temnora rungwe](#)
- [Temnora sardanus](#)
- [Temnora scheveni](#)
- [Temnora scitula](#)
- [Temnora spiritus](#)
- [Temnora stevensi](#)
- [Temnora subapicalis](#)
- [Temnora swynnertoni](#)
- [Temnora trapezoidea](#)
- [Temnora turlini](#)
- [Temnora uluguru](#)
- [Temnora wollastoni](#)
- [Temnora zantus](#)

Genus **Temnoripais**

- [Temnoripais lasti](#)

Genus **Theretra**

- [Theretra acuta](#)
- [Theretra alecto](#)
- [Theretra alorica](#)
- [Theretra arfakmontensis](#)
- [Theretra balienensis](#)
- [Theretra boisduvalii](#)
- [Theretra cajus](#)

- [Theretra capensis](#)
- [Theretra castanea](#)
- [Theretra catherinae](#)
- [Theretra celata](#)
- [Theretra clotho](#)
- [Theretra floresica](#)
- [Theretra gala](#)
- [Theretra gnoma](#)
- [Theretra griseomarginata](#)
- [Theretra halimuni](#)
- [Theretra hausmanni](#)
- [Theretra improvisa](#)
- [Theretra incarnata](#)
- [Theretra indistincta](#)
- [Theretra inornata](#)
- [Theretra insignis](#)
- [Theretra insularis](#)
- [Theretra japonica](#)
- [Theretra jugurtha](#)
- [Theretra kuehni](#)
- [Theretra latreillii](#)
- [Theretra lifuensis](#)
- [Theretra lomblenica](#)
- [Theretra lombokensis](#)
- [Theretra lycetus](#)
- [Theretra manilae](#)
- [Theretra masoni](#)
- [Theretra margarita](#)
- [Theretra molops](#)
- [Theretra monteironis](#)
- [Theretra muricolor](#)
- [Theretra natashae](#)
- [Theretra nessus](#)
- [Theretra oldenlandiae](#)
- [Theretra orpheus](#)
- [Theretra pallicosta](#)
- [Theretra papuensis](#)
- [Theretra pantarica](#)
- [Theretra perkeo](#)
- [Theretra polistratus](#)
- [Theretra queenslandi](#)
- [Theretra radiosa](#)

- [Theretra rhesus](#)
- [Theretra silhetensis](#)
- [Theretra suffusa](#)
- [Theretra sugii](#)
- [Theretra sumatrensis](#)
- [Theretra sumbaensis](#)
- [Theretra tabibulensis](#)
- [Theretra tessmanni](#)
- [Theretra tibetiana](#)
- [Theretra timorensis](#)
- [Theretra tomasi](#)
- [Theretra tryoni](#)
- [Theretra turneri](#)
- [Theretra viridis](#)
- [Theretra wetanensis](#)

Genus **Tinostoma**

- [Tinostoma smaragditis](#)

Genus **Unzela**

- [Unzela japix](#)
- [Unzela pronoe](#)

Genus **Xylophanes**

- [Xylophanes acrus](#)
- [Xylophanes adalia](#)
- [Xylophanes aglaor](#)
- [Xylophanes alexandrei](#)
- [Xylophanes alvarezsierrai](#)
- [Xylophanes amadis](#)
- [Xylophanes anubus](#)
- [Xylophanes aristor](#)
- [Xylophanes balcazari](#)
- [Xylophanes barbuti](#)
- [Xylophanes belti](#)
- [Xylophanes bilineata](#)
- [Xylophanes blanca](#)
- [Xylophanes ceratomioides](#)
- [Xylophanes chiron](#)
- [Xylophanes clarki](#)
- [Xylophanes colinae](#)
- [Xylophanes columbiana](#)

- [*Xylophanes cosmius*](#)
- [*Xylophanes crenulata*](#)
- [*Xylophanes crotonis*](#)
- [*Xylophanes cthulhu*](#)
- [*Xylophanes cyrene*](#)
- [*Xylophanes damocrita*](#)
- [*Xylophanes depuisei*](#)
- [*Xylophanes docilis*](#)
- [*Xylophanes dolius*](#)
- [*Xylophanes elara*](#)
- [*Xylophanes epaphus*](#)
- [*Xylophanes eumedon*](#)
- [*Xylophanes falco*](#)
- [*Xylophanes fassli*](#)
- [*Xylophanes fernandezi*](#)
- [*Xylophanes ferotinus*](#)
- [*Xylophanes fosteri*](#)
- [*Xylophanes furtadoi*](#)
- [*Xylophanes fusimacula*](#)
- [*Xylophanes germen*](#)
- [*Xylophanes godmani*](#)
- [*Xylophanes guianensis*](#)
- [*Xylophanes gundlachii*](#)
- [*Xylophanes hannemanni*](#)
- [*Xylophanes haxairei*](#)
- [*Xylophanes huloti*](#)
- [*Xylophanes hydrata*](#)
- [*Xylophanes indistincta*](#)
- [*Xylophanes irrorata*](#)
- [*Xylophanes isaon*](#)
- [*Xylophanes jamaicensis*](#)
- [*Xylophanes jordani*](#)
- [*Xylophanes josephinae*](#)
- [*Xylophanes juanita*](#)
- [*Xylophanes kaempferi*](#)
- [*Xylophanes katharinae*](#)
- [*Xylophanes kiefferi*](#)
- [*Xylophanes lamontagnei*](#)
- [*Xylophanes letiranti*](#)
- [*Xylophanes libya*](#)
- [*Xylophanes lichyi*](#)
- [*Xylophanes lissyi*](#)

- [*Xylophanes loelia*](#)
- [*Xylophanes lolita*](#)
- [*Xylophanes macasensis*](#)
- [*Xylophanes maculator*](#)
- [*Xylophanes marginalis*](#)
- [*Xylophanes media*](#)
- [*Xylophanes meridanus*](#)
- [*Xylophanes mineti*](#)
- [*Xylophanes mirabilis*](#)
- [*Xylophanes monzoni*](#)
- [*Xylophanes mossi*](#)
- [*Xylophanes mulleri*](#)
- [*Xylophanes nabuchodonosor*](#)
- [*Xylophanes neoptolemus*](#)
- [*Xylophanes norfolki*](#)
- [*Xylophanes obscurus*](#)
- [*Xylophanes ockendeni*](#)
- [*Xylophanes pearsoni*](#)
- [*Xylophanes pistacina*](#)
- [*Xylophanes ploetzi*](#)
- [*Xylophanes pluto*](#)
- [*Xylophanes porcus*](#)
- [*Xylophanes porioni*](#)
- [*Xylophanes pyrrhus*](#)
- [*Xylophanes resta*](#)
- [*Xylophanes rhodina*](#)
- [*Xylophanes rhodocera*](#)
- [*Xylophanes rhodochlora*](#)
- [*Xylophanes rhodotus*](#)
- [*Xylophanes robinsonii*](#)
- [*Xylophanes rothschildi*](#)
- [*Xylophanes rufescens*](#)
- [*Xylophanes sarae*](#)
- [*Xylophanes schausi*](#)
- [*Xylophanes schreiteri*](#)
- [*Xylophanes schwartzi*](#)
- [*Xylophanes staudingeri*](#)
- [*Xylophanes suana*](#)
- [*Xylophanes tersa*](#)
- [*Xylophanes thyelia*](#)
- [*Xylophanes titana*](#)
- [*Xylophanes turbata*](#)

- [*Xylophanes tyndarus*](#)
- [*Xylophanes undata*](#)
- [*Xylophanes vagliai*](#)
- [*Xylophanes virescens*](#)
- [*Xylophanes xylobotes*](#)
- [*Xylophanes zurcheri*](#)

Subfamily Smerinthinae

Genus [*Acanthosphinx*](#)

- [*Acanthosphinx guessfeldti*](#)

Genus [*Adhemarius*](#)

- [*Adhemarius blanchardorum*](#)
- [*Adhemarius daphne*](#)
- [*Adhemarius dariensis*](#)
- [*Adhemarius dentoni*](#)
- [*Adhemarius donysa*](#)
- [*Adhemarius eurysthenes*](#)
- [*Adhemarius fulvescens*](#)
- [*Adhemarius gagarini*](#)
- [*Adhemarius gannascus*](#)
- [*Adhemarius globifer*](#)
- [*Adhemarius jamaicensis*](#)
- [*Adhemarius mexicanus*](#)
- [*Adhemarius palmeri*](#)
- [*Adhemarius roessleri*](#)
- [*Adhemarius sexoculata*](#)
- [*Adhemarius tigrina*](#)
- [*Adhemarius ypsilon*](#)

Genus [*Afroclanis*](#)

- [*Afroclanis calcareus*](#)
- [*Afroclanis neavi*](#)

Genus [*Afrosataspes*](#)

- [*Afrosataspes galleyi*](#)

Genus [*Afrosphinx*](#)

- [*Afrosphinx amabilis*](#)

Genus **Agnosia**

- *Agnosia microta*
- *Agnosia orneus*

Genus **Akbesia**

- *Akbesia davidi*

Genus **Ambulyx**

- *Ambulyx adhemariusa*
- *Ambulyx amara*
- *Ambulyx amboynensis*
- *Ambulyx andangi*
- *Ambulyx auripennis*
- *Ambulyx bakeri*
- *Ambulyx belli*
- *Ambulyx bhutana*
- *Ambulyx bima*
- *Ambulyx canescens*
- *Ambulyx carycina*
- *Ambulyx celebensis*
- *Ambulyx ceramensis*
- *Ambulyx charlesi*
- *Ambulyx clavata*
- *Ambulyx cyclasticta*
- *Ambulyx dohertyi*
- *Ambulyx flava*
- *Ambulyx flavocelebensis*
- *Ambulyx immaculata*
- *Ambulyx inouei*
- *Ambulyx interplacida*
- *Ambulyx japonica*
- *Ambulyx johnsoni*
- *Ambulyx jordani*
- *Ambulyx kuangtungensis*
- *Ambulyx lahora*
- *Ambulyx latifascia*
- *Ambulyx lestradei*
- *Ambulyx liturata*
- *Ambulyx maculifera*
- *Ambulyx marissa*
- *Ambulyx matti*

- [Ambulyx meeki](#)
- [Ambulyx montana](#)
- [Ambulyx moorei](#)
- [Ambulyx naessigi](#)
- [Ambulyx obliterated](#)
- [Ambulyx ochracea](#)
- [Ambulyx phalaris](#)
- [Ambulyx placida](#)
- [Ambulyx pryeri](#)
- [Ambulyx pseudoclavata](#)
- [Ambulyx pseudoregia](#)
- [Ambulyx rawlini](#)
- [Ambulyx regia](#)
- [Ambulyx rudloffii](#)
- [Ambulyx schauffelbergeri](#)
- [Ambulyx semifervens](#)
- [Ambulyx semiplacida](#)
- [Ambulyx sericeipennis](#)
- [Ambulyx siamensis](#)
- [Ambulyx sinjaevi](#)
- [Ambulyx staudingeri](#)
- [Ambulyx subtrigilis](#)
- [Ambulyx suluensis](#)
- [Ambulyx tattina](#)
- [Ambulyx tenimberi](#)
- [Ambulyx tobii](#)
- [Ambulyx tondanoi](#)
- [Ambulyx viteki](#)
- [Ambulyx wildei](#)
- [Ambulyx wilemani](#)
- [Ambulyx zacharovi](#)
- [Ambulyx zhejiangensis](#)

Genus **Amorpha**

- [Amorpha juglandis](#)

Genus **Amplipterus**

- [Amplipterus celebensis](#)
- [Amplipterus mansonii](#)
- [Amplipterus mindanaoensis](#)
- [Amplipterus panopus](#)
- [Amplipterus sumbawanensis](#)

Genus Anambulyx

- [Anambulyx elwesi](#)

Genus Andriasa

- [Andriasa contraria](#)
- [Andriasa mitchelli](#)

Genus Avinoffia

- [Avinoffia hollandi](#)

Genus Batocnema

- [Batocnema africanus](#)
- [Batocnema coquerelii](#)

Genus Cadiouclanis

- [Cadiouclanis bianchii](#)

Genus Callambulyx

- [Callambulyx amanda](#)
- [Callambulyx junonia](#)
- [Callambulyx kitchingi](#)
- [Callambulyx poecilus](#)
- [Callambulyx rubricosa](#)
- [Callambulyx schintlmeisteri](#)
- [Callambulyx sichangensis](#)
- [Callambulyx sinjaevi](#)
- [Callambulyx tatarinovii](#)

Genus Ceridia

- [Ceridia heuglini](#)
- [Ceridia mira](#)
- [Ceridia nigricans](#)

Genus Chloroclanis

- [Chloroclanis virescens](#)

Genus Clanidopsis

- [Clanidopsis exusta](#)

Genus Clanis

- [Clanis baratana](#)
- [Clanis bilineata](#)
- [Clanis deucalion](#)
- [Clanis euroa](#)
- [Clanis hyperion](#)
- [Clanis mahadeva](#)
- [Clanis mcguirei](#)
- [Clanis negritensis](#)
- [Clanis orhanti](#)
- [Clanis peterseni](#)
- [Clanis phalaris](#)
- [Clanis pratti](#)
- [Clanis schwartzi](#)
- [Clanis stenosema](#)
- [Clanis surigaoensis](#)
- [Clanis thailandica](#)
- [Clanis titan](#)
- [Clanis undulosa](#)

Genus Coenotes

- [Coenotes eremophilae](#)
- [Coenotes jakli](#)

Genus Coequosa

- [Coequosa australasiae](#)
- [Coequosa triangularis](#)

Genus Compsulyx

- [Compsulyx cochereaui](#)

Genus Craspedortha

- [Craspedortha porphyria](#)
- [Craspedortha montana](#)

Genus Cypa

- [Cypa bouyeri](#)
- [Cypa claggi](#)
- [Cypa decolor](#)
- [Cypa duponti](#)
- [Cypa enodis](#)

- [Cypa ferruginea](#)
- [Cypa kitchingi](#)
- [Cypa latericia](#)
- [Cypa luzonica](#)
- [Cypa terranea](#)
- [Cypa uniformis](#)

Genus [Cypoides](#)

- [Cypoides chinensis](#)
- [Cypoides parachinensis](#)

Genus [Daphnusa](#)

- [Daphnusa ailanti](#)
- [Daphnusa ocellaris](#)
- [Daphnusa philippinensis](#)
- [Daphnusa sinocontinentalis](#)
- [Daphnusa zythum](#)

Genus [Dargeclanis](#)

- [Dargeclanis grandidieri](#)

Genus [Degmaptera](#)

- [Degmaptera cadioui](#)
- [Degmaptera mirabilis](#)
- [Degmaptera olivacea](#)

Genus [Dolbina](#)

- [Dolbina borneensis](#)
- [Dolbina elegans](#)
- [Dolbina exacta](#)
- [Dolbina formosana](#)
- [Dolbina grisea](#)
- [Dolbina inexacta](#)
- [Dolbina krikkeni](#)
- [Dolbina luzonensis](#)
- [Dolbina mindanaensis](#)
- [Dolbina paraexacta](#)
- [Dolbina schnitzleri](#)
- [Dolbina tancrei](#)

Genus Falcatula

- [Falcatula cymatodes](#)
- [Falcatula falcatus](#)
- [Falcatula penumbra](#)
- [Falcatula svaricki](#)
- [Falcatula tamsi](#)

Genus Grillotius

- [Grillotius bergeri](#)

Genus Gynoeryx

- [Gynoeryx bilineatus](#)
- [Gynoeryx brevis](#)
- [Gynoeryx integer](#)
- [Gynoeryx meander](#)
- [Gynoeryx paulianii](#)
- [Gynoeryx teteforti](#)

Genus Hopliocnema

- [Hopliocnema brachycera](#)

Genus Imber

- [Imber tropicus](#)

Genus Kentrochrysalis

- [Kentrochrysalis consimilis](#)
- [Kentrochrysalis heberti](#)
- [Kentrochrysalis sieversi](#)
- [Kentrochrysalis streckeri](#)

Genus Langia

- [Langia zenzeroides](#)

Genus Laothoe

- [Laothoe amurensis](#)
- [Laothoe austanti](#)
- [Laothoe habeli](#)
- [Laothoe philerema](#)
- [Laothoe populeti](#)
- [Laothoe populetorum](#)

- [Laothoe populi](#)

Genus [Larunda](#)

- [Larunda molitor](#)

Genus [Leptoclanis](#)

- [Leptoclanis pulchra](#)

Genus [Leucophlebia](#)

- [Leucophlebia afra](#)
- [Leucophlebia caecilie](#)
- [Leucophlebia edentata](#)
- [Leucophlebia emittens](#)
- [Leucophlebia formosana](#)
- [Leucophlebia frederkingi](#)
- [Leucophlebia hogenesi](#)
- [Leucophlebia lineata](#)
- [Leucophlebia muehlei](#)
- [Leucophlebia neumanni](#)
- [Leucophlebia paul](#)
- [Leucophlebia pinratanai](#)
- [Leucophlebia rosacea](#)
- [Leucophlebia schacht](#)
- [Leucophlebia vietnamensis](#)
- [Leucophlebia xanthopis](#)

Genus [Likoma](#)

- [Likoma apicalis](#)
- [Likoma crenata](#)

Genus [Lophostethus](#)

- [Lophostethus dumolinii](#)
- [Lophostethus negus](#)

Genus [Lycosphingia](#)

- [Lycosphingia hamatus](#)

Genus [Malgassoclanis](#)

- [Malgassoclanis delicatus](#)
- [Malgassoclanis suffusus](#)

Genus Marumba

- [Marumba amboinicus](#)
- [Marumba cristata](#)
- [Marumba diehli](#)
- [Marumba dyras](#)
- [Marumba fenzelii](#)
- [Marumba gaschkewitschii](#)
- [Marumba indicus](#)
- [Marumba jankowskii](#)
- [Marumba juvenicus](#)
- [Marumba maackii](#)
- [Marumba nympa](#)
- [Marumba poliotis](#)
- [Marumba quercus](#)
- [Marumba saishiuana](#)
- [Marumba spectabilis](#)
- [Marumba sperchius](#)
- [Marumba tigrina](#)
- [Marumba timora](#)

Genus Microclanis

- [Microclanis erlangeri](#)

Genus Mimas

- [Mimas christophi](#)
- [Mimas tiliae](#)

Genus Monarda

- [Monarda oryx](#)

Genus Morwennius

- [Morwennius decoratus](#)

Genus Neoclanis

- [Neoclanis basalis](#)

Genus Neopolyptychus

- [Neopolyptychus ancylus](#)
- [Neopolyptychus centralis](#)
- [Neopolyptychus choveti](#)

- [Neopolyptychus compar](#)
- [Neopolyptychus consimilis](#)
- [Neopolyptychus convexus](#)
- [Neopolyptychus prionites](#)
- [Neopolyptychus pygarga](#)
- [Neopolyptychus serrator](#)
- [Neopolyptychus spurrelli](#)

Genus **Opistoclanis**

- [Opistoclanis hawkeri](#)

Genus **Oplerclanis**

- [Oplerclanis boisduvali](#)
- [Oplerclanis rhadamistus](#)

Genus **Orecta**

- [Orecta acuminata](#)
- [Orecta fruhstorferi](#)
- [Orecta lycidas](#)
- [Orecta venedictoffae](#)

Genus **Pachysphinx**

- [Pachysphinx modesta](#)
- [Pachysphinx occidentalis](#)
- [Pachysphinx peninsularis](#)

Genus **Paonias**

- [Paonias astylus](#)
- [Paonias excaecatus](#)
- [Paonias macrops](#)
- [Paonias myops](#)
- [Paonias wolfei](#)

Genus **Parum**

- [Parum colligata](#)

Genus **Pentateucha**

- [Pentateucha curiosa](#)
- [Pentateucha inouei](#)
- [Pentateucha stueningi](#)

Genus Phyllosphingia

- [Phyllosphingia dissimilis](#)

Genus Phylloxiphia

- [Phylloxiphia goodii](#)
- [Phylloxiphia bicolor](#)
- [Phylloxiphia formosa](#)
- [Phylloxiphia illustris](#)
- [Phylloxiphia karschi](#)
- [Phylloxiphia metria](#)
- [Phylloxiphia oberthueri](#)
- [Phylloxiphia oweni](#)
- [Phylloxiphia punctum](#)
- [Phylloxiphia vicina](#)

Genus Pierreclanis

- [Pierreclanis admatha](#)

Genus Platysphinx

- [Platysphinx bouyeri](#)
- [Platysphinx constrictilis](#)
- [Platysphinx dorsti](#)
- [Platysphinx phyllis](#)
- [Platysphinx piabilis](#)
- [Platysphinx stigmatica](#)
- [Platysphinx vicaria](#)
- [Platysphinx zabolichus](#)

Genus Poliodes

- [Poliodes roseicornis](#)

Genus Polyptychoides

- [Polyptychoides afarissaque](#)
- [Polyptychoides assimilis](#)
- [Polyptychoides cadioui](#)
- [Polyptychoides digitatus](#)
- [Polyptychoides erosus](#)
- [Polyptychoides grayii](#)
- [Polyptychoides insulanus](#)
- [Polyptychoides mbarikensis](#)
- [Polyptychoides niloticus](#)

- [*Polyptychoides obtusus*](#)
- [*Polyptychoides politzari*](#)
- [*Polyptychoides ruaha*](#)
- [*Polyptychoides septentrionalis*](#)
- [*Polyptychoides vuattouxi*](#)

Genus **Polyptychopsis**

- [*Polyptychopsis marshalli*](#)

Genus **Polyptychus**

- [*Polyptychus affinis*](#)
- [*Polyptychus andosa*](#)
- [*Polyptychus anochus*](#)
- [*Polyptychus aurora*](#)
- [*Polyptychus baltus*](#)
- [*Polyptychus baxteri*](#)
- [*Polyptychus bernardii*](#)
- [*Polyptychus carteri*](#)
- [*Polyptychus chinensis*](#)
- [*Polyptychus claudiae*](#)
- [*Polyptychus coryndoni*](#)
- [*Polyptychus dentatus*](#)
- [*Polyptychus distensus*](#)
- [*Polyptychus enodia*](#)
- [*Polyptychus girardi*](#)
- [*Polyptychus herbuloti*](#)
- [*Polyptychus hollandi*](#)
- [*Polyptychus lapidatus*](#)
- [*Polyptychus murinus*](#)
- [*Polyptychus nigriplaga*](#)
- [*Polyptychus orthographus*](#)
- [*Polyptychus paupercula*](#)
- [*Polyptychus potiendus*](#)
- [*Polyptychus rougeoti*](#)
- [*Polyptychus sinus*](#)
- [*Polyptychus thihongae*](#)
- [*Polyptychus trilineatus*](#)
- [*Polyptychus trisecta*](#)
- [*Polyptychus wojtusiaki*](#)

Genus **Protambulyx**

- [*Protambulyx astygonus*](#)

- [Protambulyx carteri](#)
- [Protambulyx euryalus](#)
- [Protambulyx eurycles](#)
- [Protambulyx goeldii](#)
- [Protambulyx ockendeni](#)
- [Protambulyx strigilis](#)
- [Protambulyx sulphurea](#)

Genus [Pseudandriasa](#)

- [Pseudandriasa mutata](#)

Genus [Pseudoclanis](#)

- [Pseudoclanis abyssinicus](#)
- [Pseudoclanis aequabilis](#)
- [Pseudoclanis axis](#)
- [Pseudoclanis biokoensis](#)
- [Pseudoclanis canui](#)
- [Pseudoclanis diana](#)
- [Pseudoclanis evestigata](#)
- [Pseudoclanis kakamegae](#)
- [Pseudoclanis kenya](#)
- [Pseudoclanis occidentalis](#)
- [Pseudoclanis postica](#)
- [Pseudoclanis somaliae](#)
- [Pseudoclanis tomensis](#)
- [Pseudoclanis zairensis](#)

Genus [Pseudopolyptychus](#)

- [Pseudopolyptychus foliaceus](#)

Genus [Rhadinopasa](#)

- [Rhadinopasa hornimani](#)

Genus [Rhodambulyx](#)

- [Rhodambulyx davidi](#)
- [Rhodambulyx hainanensis](#)
- [Rhodambulyx schnitzleri](#)

Genus [Rhodoprasina](#)

- [Rhodoprasina callantha](#)
- [Rhodoprasina corolla](#)

- [*Rhodoprasina corrigenda*](#)
- [*Rhodoprasina floralis*](#)
- [*Rhodoprasina koerferi*](#)
- [*Rhodoprasina mateji*](#)
- [*Rhodoprasina nanlingensis*](#)
- [*Rhodoprasina nenulfascia*](#)
- [*Rhodoprasina viksinjaevi*](#)
- [*Rhodoprasina winbrechlini*](#)

Genus **Rufoclanis**

- [*Rufoclanis erlangeri*](#)
- [*Rufoclanis fulgurans*](#)
- [*Rufoclanis jansei*](#)
- [*Rufoclanis maccleeryi*](#)
- [*Rufoclanis numosae*](#)
- [*Rufoclanis rosea*](#)

Genus **Sataspes**

- [*Sataspes cerberus*](#)
- [*Sataspes infernalis*](#)
- [*Sataspes javanica*](#)
- [*Sataspes leyteana*](#)
- [*Sataspes negrosiana*](#)
- [*Sataspes ribbei*](#)
- [*Sataspes scotti*](#)
- [*Sataspes tagalica*](#)
- [*Sataspes xylocoparis*](#)

Genus **Smerinthulus**

- [*Smerinthulus designata*](#)
- [*Smerinthulus diehli*](#)
- [*Smerinthulus dohrni*](#)
- [*Smerinthulus myanmarensis*](#)
- [*Smerinthulus perversa*](#)
- [*Smerinthulus quadripunctatus*](#)
- [*Smerinthulus witti*](#)

Genus **Smerinthus**

- [*Smerinthus caecus*](#)
- [*Smerinthus cerisyi*](#)
- [*Smerinthus jamaicensis*](#)

- [*Smerinthus kindermannii*](#)
- [*Smerinthus minor*](#)
- [*Smerinthus ocellatus*](#)
- [*Smerinthus ophthalmica*](#)
- [*Smerinthus planus*](#)
- [*Smerinthus saliceti*](#)
- [*Smerinthus szechuanus*](#)
- [*Smerinthus tokyonis*](#)
- [*Smerinthus visinskasi*](#)

Genus [*Sphingulus*](#)

- [*Sphingulus mus*](#)

Genus [*Synoecha*](#)

- [*Synoecha marmorata*](#)

Genus [*Tetrachroa*](#)

- [*Tetrachroa edwardsi*](#)

Genus [*Trogolegnum*](#)

- [*Trogolegnum pseudambulyx*](#)

Genus [*Viriclanis*](#)

- [*Viriclanis kingstoni*](#)

Genus [*Xenosphingia*](#)

- [*Xenosphingia jansei*](#)

Subfamily [*Sphinginae*](#)

Genus [*Acherontia*](#)

- [*Acherontia atropos*](#)
- [*Acherontia styx*](#)
- [*Acherontia lachesis*](#)

Genus [*Adhemarius*](#)

- [*Adhemarius blanchardorum*](#)
- [*Adhemarius daphne*](#)
- [*Adhemarius dariensis*](#)
- [*Adhemarius dentoni*](#)

- [Adhemarius donysa](#)
- [Adhemarius eurysthenes](#)
- [Adhemarius fulvescens](#)
- [Adhemarius gagarini](#)
- [Adhemarius gannascus](#)
- [Adhemarius globifer](#)
- [Adhemarius jamaicensis](#)
- [Adhemarius mexicanus](#)
- [Adhemarius palmeri](#)
- [Adhemarius roessleri](#)
- [Adhemarius sexoculata](#)
- [Adhemarius tigrina](#)
- [Adhemarius ypsilon](#)

Genus **Agrius**

- [Agrius cingulata](#)
- [Agrius convolvuli](#)
- [Agrius cordiae](#)
- [Agrius godarti](#)
- [Agrius luctifera](#)
- [Agrius rothschildi](#)

Genus **Amphimoea**

- [Amphimoea walkeri](#)

Genus **Amphonyx**

- [Amphonyx duponchel](#)
- [Amphonyx haxairei](#)
- [Amphonyx jamaicensis](#)
- [Amphonyx kofleri](#)
- [Amphonyx lucifer](#)
- [Amphonyx mephisto](#)
- [Amphonyx rivularis](#)
- [Amphonyx vitrinus](#)

Genus **Apocalypsis**

- [Apocalypsis velox](#)

Genus **Callosphingia**

- [Callosphingia circe](#)

Genus Ceratomia

- [Ceratomia amyntor](#)
- [Ceratomia catalpae](#)
- [Ceratomia hageni](#)
- [Ceratomia hoffmanni](#)
- [Ceratomia igualana](#)
- [Ceratomia sonorensis](#)
- [Ceratomia undulosa](#)

Genus Cocytius

- [Cocytius antaeus](#)

Genus Coelonia

- [Coelonia brevis](#)
- [Coelonia fulvinotata](#)
- [Coelonia solani](#)

Genus Dolba

- [Dolba hyloeus](#)

Genus Dolbogene

- [Dolbogene hartwegii](#)

Genus Dovania

- [Dovania dargei](#)
- [Dovania mirei](#)
- [Dovania neumanni](#)
- [Dovania poecila](#)

Genus Ellenbeckia

- [Ellenbeckia monospila](#)

Genus Euryglottis

- [Euryglottis albstigmata](#)
- [Euryglottis aper](#)
- [Euryglottis davidianus](#)
- [Euryglottis dognini](#)
- [Euryglottis guttiventris](#)
- [Euryglottis johannes](#)
- [Euryglottis oliver](#)

Genus Hoplistopus

- [Hoplistopus butti](#)
- [Hoplistopus penricei](#)

Genus Isoparce

- [Isoparce broui](#)
- [Isoparce cupressi](#)

Genus Lapara

- [Lapara bombycoides](#)
- [Lapara coniferarum](#)
- [Lapara halicarnie](#)
- [Lapara phaeobrachycerous](#)

Genus Leucomonia

- [Leucomonia bethia](#)

Genus Lintneria

- [Lintneria arthuri](#)
- [Lintneria aurigutta](#)
- [Lintneria balsae](#)
- [Lintneria biolleyi](#)
- [Lintneria eremitoides](#)
- [Lintneria eremitus](#)
- [Lintneria geminus](#)
- [Lintneria istar](#)
- [Lintneria justiciae](#)
- [Lintneria lugens](#)
- [Lintneria maura](#)
- [Lintneria merops](#)
- [Lintneria phalerata](#)
- [Lintneria pitzahuac](#)
- [Lintneria porioni](#)
- [Lintneria praelongus](#)
- [Lintneria pseudostigmatica](#)
- [Lintneria separatus](#)
- [Lintneria smithi](#)
- [Lintneria tricolor](#)
- [Lintneria xantus](#)

Genus Litosphingia

- [Litosphingia corticea](#)
- [Litosphingia minettii](#)

Genus Lomocyma

- [Lomocyma oegrapha](#)

Genus Macropoliana

- [Macropoliana afarorum](#)
- [Macropoliana asirensis](#)
- [Macropoliana cadioui](#)
- [Macropoliana ferax](#)
- [Macropoliana gessi](#)
- [Macropoliana natalensis](#)
- [Macropoliana scheveni](#)

Genus Manduca

- [Manduca afflicta](#)
- [Manduca albiplaga](#)
- [Manduca albolineata](#)
- [Manduca andicola](#)
- [Manduca armatipes](#)
- [Manduca aztecus](#)
- [Manduca barnesi](#)
- [Manduca bergarmatipes](#)
- [Manduca bergi](#)
- [Manduca blackburni](#)
- [Manduca boliviana](#)
- [Manduca brasiliensis](#)
- [Manduca brontes](#)
- [Manduca brunalba](#)
- [Manduca camposi](#)
- [Manduca caribbeus](#)
- [Manduca chinchilla](#)
- [Manduca clarki](#)
- [Manduca contracta](#)
- [Manduca corallina](#)
- [Manduca corumbensis](#)
- [Manduca dalica](#)
- [Manduca diffissa](#)
- [Manduca dilucida](#)

- [Manduca duquefi](#)
- [Manduca empusa](#)
- [Manduca extrema](#)
- [Manduca feronia](#)
- [Manduca florestan](#)
- [Manduca fosteri](#)
- [Manduca franciscae](#)
- [Manduca gloriosa](#)
- [Manduca gueneei](#)
- [Manduca hannibal](#)
- [Manduca huascara](#)
- [Manduca incisa](#)
- [Manduca janira](#)
- [Manduca jasminearum](#)
- [Manduca johanni](#)
- [Manduca jordani](#)
- [Manduca kuschei](#)
- [Manduca lamasi](#)
- [Manduca lanuginosa](#)
- [Manduca lefeburii](#)
- [Manduca leucospila](#)
- [Manduca lichenea](#)
- [Manduca lucetius](#)
- [Manduca manducoides](#)
- [Manduca morelia](#)
- [Manduca mossi](#)
- [Manduca muscosa](#)
- [Manduca neglecta](#)
- [Manduca occulta](#)
- [Manduca ochus](#)
- [Manduca pellenia](#)
- [Manduca prestoni](#)
- [Manduca quinquemaculata](#)
- [Manduca reducta](#)
- [Manduca rustica](#)
- [Manduca schausi](#)
- [Manduca scutata](#)
- [Manduca sesquiplea](#)
- [Manduca sexta](#)
- [Manduca stuarti](#)
- [Manduca trimacula](#)
- [Manduca tucumana](#)

- [Manduca undata](#)
- [Manduca vestalis](#)
- [Manduca violaalba](#)
- [Manduca wellingi](#)

Genus **Megacorma**

- [Megacorma hoffmani](#)
- [Megacorma iorioi](#)
- [Megacorma obliqua](#)
- [Megacorma remota](#)
- [Megacorma schroederi](#)

Genus **Meganoton**

- [Meganoton analis](#)
- [Meganoton hyloicoides](#)
- [Meganoton loeffleri](#)
- [Meganoton nyctiphanes](#)
- [Meganoton rubescens](#)
- [Meganoton yunnanfuana](#)

Genus **Morcocytius**

- [Morcocytius mortuorum](#)

Genus **Nannoparce**

- [Nannoparce balsa](#)
- [Nannoparce poeyi](#)

Genus **Neococytius**

- [Neococytius cluentius](#)

Genus **Neogene**

- [Neogene albescens](#)
- [Neogene carrerasi](#)
- [Neogene corumbensis](#)
- [Neogene curitiba](#)
- [Neogene dynaeus](#)
- [Neogene intermedia](#)
- [Neogene pictus](#)
- [Neogene reevei](#)
- [Neogene steinbachi](#)

Genus Oligographa

- [Oligographa juniperi](#)

Genus Panogena

- [Panogena jasmini](#)
- [Panogena lingens](#)

Genus Pantophaea

- [Pantophaea favillacea](#)
- [Pantophaea jordani](#)
- [Pantophaea oneili](#)

Genus Paratrea

- [Paratrea plebeja](#)

Genus Poliana

- [Poliana albescens](#)
- [Poliana buchholzi](#)
- [Poliana leucomelas](#)
- [Poliana micra](#)
- [Poliana wintgensii](#)

Genus Praedora

- [Praedora leucophaea](#)
- [Praedora marshalli](#)
- [Praedora plagiata](#)
- [Praedora puchneri](#)
- [Praedora tropicalis](#)

Genus Pseudococytius

- [Pseudococytius beelzebuth](#)

Genus Pseudodolbina

- [Pseudodolbina aequalis](#)
- [Pseudodolbina fo](#)

Genus Psilogramma

- [Psilogramma andamanica](#)
- [Psilogramma angelika](#)
- [Psilogramma anne](#)

- [*Psilogramma argos*](#)
- [*Psilogramma bartschereri*](#)
- [*Psilogramma baueri*](#)
- [*Psilogramma casuarinae*](#)
- [*Psilogramma choui*](#)
- [*Psilogramma danneri*](#)
- [*Psilogramma dantchenkoi*](#)
- [*Psilogramma dillerorum*](#)
- [*Psilogramma discistriga*](#)
- [*Psilogramma edii*](#)
- [*Psilogramma exigua*](#)
- [*Psilogramma floresica*](#)
- [*Psilogramma frankenbachii*](#)
- [*Psilogramma gerstmeieri*](#)
- [*Psilogramma gloriosa*](#)
- [*Psilogramma hainanensis*](#)
- [*Psilogramma hauensteini*](#)
- [*Psilogramma hayati*](#)
- [*Psilogramma increta*](#)
- [*Psilogramma japonica*](#)
- [*Psilogramma joachimi*](#)
- [*Psilogramma jordana*](#)
- [*Psilogramma kitchingi*](#)
- [*Psilogramma kleineri*](#)
- [*Psilogramma koalae*](#)
- [*Psilogramma lifuense*](#)
- [*Psilogramma lukhtanovi*](#)
- [*Psilogramma macromera*](#)
- [*Psilogramma makirae*](#)
- [*Psilogramma mandarina*](#)
- [*Psilogramma manusensis*](#)
- [*Psilogramma maxmouldsi*](#)
- [*Psilogramma mediciei*](#)
- [*Psilogramma menephron*](#)
- [*Psilogramma monasteryskii*](#)
- [*Psilogramma nebulosa*](#)
- [*Psilogramma orientalis*](#)
- [*Psilogramma papuensis*](#)
- [*Psilogramma paukstadorum*](#)
- [*Psilogramma penumbra*](#)
- [*Psilogramma reinhardti*](#)
- [*Psilogramma renneri*](#)

- [*Psilogramma rupprechtorum*](#)
- [*Psilogramma salomonis*](#)
- [*Psilogramma stameri*](#)
- [*Psilogramma sulawesica*](#)
- [*Psilogramma sundana*](#)
- [*Psilogramma surholti*](#)
- [*Psilogramma tanimbarica*](#)
- [*Psilogramma timorica*](#)
- [*Psilogramma ulrichroesleri*](#)
- [*Psilogramma vanuatu*](#)
- [*Psilogramma vates*](#)
- [*Psilogramma villani*](#)
- [*Psilogramma wannanensis*](#)
- [*Psilogramma wernerbacki*](#)
- [*Psilogramma wetarensis*](#)
- [*Psilogramma yilingae*](#)

Genus **Sagenosoma**

- [*Sagenosoma elsa*](#)

Genus **Sphingidites**

- [*Sphingidites weidneri*](#)

Genus **Sphinx**

- [*Sphinx adumbrata*](#)
- [*Sphinx asellus*](#)
- [*Sphinx caligineus*](#)
- [*Sphinx canadensis*](#)
- [*Sphinx centrosinaria*](#)
- [*Sphinx chersis*](#)
- [*Sphinx chisoya*](#)
- [*Sphinx constricta*](#)
- [*Sphinx crassistriga*](#)
- [*Sphinx dollii*](#)
- [*Sphinx drupiferarum*](#)
- [*Sphinx formosana*](#)
- [*Sphinx franckii*](#)
- [*Sphinx gordius*](#)
- [*Sphinx kalmiae*](#)
- [*Sphinx leucophaeata*](#)
- [*Sphinx libocedrus*](#)
- [*Sphinx ligustri*](#)

- [*Sphinx luscitiosa*](#)
- [*Sphinx maurorum*](#)
- [*Sphinx morio*](#)
- [*Sphinx nogueirai*](#)
- [*Sphinx oberthueri*](#)
- [*Sphinx perelegans*](#)
- [*Sphinx pinastri*](#)
- [*Sphinx poecila*](#)
- [*Sphinx sequoiae*](#)
- [*Sphinx vashti*](#)

Genus [*Thamnoecha*](#)

- [*Thamnoecha uniformis*](#)

Genus [*Xanthopan*](#)

- [*Xanthopan morgani*](#)

References

- [Sphingidae of the World Checklist](#), All-Leps Barcode of Life

This is a list of 109 species in [*Sobarocephala*](#), a genus of flies in the family [Clusiidae](#).^{[1][2][3][4]}

Sobarocephala species

- [*Sobarocephala affinis*](#) (Johnson, 1913)^{i c g}
- [*Sobarocephala albitarsis*](#) Czerny, 1929^{c g}
- [*Sobarocephala albiventris*](#) Soos, 1962^{c g}
- [*Sobarocephala albomaculata*](#) Soos, 1965^{c g}
- [*Sobarocephala annulata*](#) Melander & Argo, 1924^{c g}
- [*Sobarocephala anonymos*](#)^g
- [*Sobarocephala apoxys*](#)^g
- [*Sobarocephala atricornis*](#) Sabrosky, 1974^{i c g b}
- [*Sobarocephala atrifacies*](#) Sabrosky, 1974^{i c g}
- [*Sobarocephala baculigera*](#) Sasakawa^g
- [*Sobarocephala beckeri*](#) Hennig, 1956^{c g}
- [*Sobarocephala bistrigata*](#) Kertész, 1903^{c g}
- [*Sobarocephala bivittata*](#) Melander & Argo, 1924^{c g}

- [*Sobarocephala boliviana*](#) Soos, 1963 ^{c g}
- [*Sobarocephala brasiliensis*](#) Soos, 1965 ^{c g}
- [*Sobarocephala columbiensis*](#) Soos, 1962 ^{c g}
- [*Sobarocephala cruciger*](#) Sabrosky, 1974 ^{i c g b}
- [*Sobarocephala cyclops*](#) ^g
- [*Sobarocephala discolor*](#) Soos, 1964 ^{c g}
- [*Sobarocephala distincta*](#) Soos, 1965 ^{c g}
- [*Sobarocephala diversa*](#) Soos, 1965 ^{c g}
- [*Sobarocephala diversipes*](#) Curran, 1939 ^{c g}
- [*Sobarocephala dives*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala dorsata*](#) Czerny, 1903 ^{c g}
- [*Sobarocephala doryphoros*](#) ^g
- [*Sobarocephala dreisbachi*](#) Sabrosky, 1974 ^{i c g}
- [*Sobarocephala dudichi*](#) Soos, 1963 ^{c g}
- [*Sobarocephala elegans*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala eurystylis*](#) Sasakawa ^g
- [*Sobarocephala fascipennis*](#) Melander, 1924 ^{c g}
- [*Sobarocephala ferruginea*](#) Czerny, 1903 ^{c g}
- [*Sobarocephala festiva*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala finnilaei*](#) Frey, 1918 ^{c g}
- [*Sobarocephala flava*](#) Melander & Argo, 1924 ^{i c g b}
- [*Sobarocephala flaviseta*](#) (Johnson, 1913) ^{i c g b}
- [*Sobarocephala fumipennis*](#) Soos, 1963 ^{c g}
- [*Sobarocephala fuscifacies*](#) Sasakawa ^g
- [*Sobarocephala geniculata*](#) Sasakawa ^g
- [*Sobarocephala guianica*](#) Curran, 1934 ^{c g}
- [*Sobarocephala hirsutiseta*](#) Frey ^g
- [*Sobarocephala humeralis*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala hypopygialis*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala imitans*](#) Curran, 1934 ^{c g}
- [*Sobarocephala insolata*](#) ^g
- [*Sobarocephala interrupta*](#) Sabrosky, 1974 ^{i c g b}
- [*Sobarocephala isla*](#) Curran, 1939 ^{c g}
- [*Sobarocephala kapnikos*](#) ^g
- [*Sobarocephala lachnosternum*](#) Melander & Argo, 1924 ^{i c g b}
- [*Sobarocephala lanei*](#) Curran, 1939 ^{c g}

- [*Sobarocephala laticrinis*](#) ^g
- [*Sobarocephala latifacies*](#) Sabrosky & Steyskal, 1974 ^{i c g b}
- [*Sobarocephala latifrons*](#) (Loew, 1860) ^{i c g b}
- [*Sobarocephala latipennis*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala latipennoides*](#) Soos, 1965 ^{c g}
- [*Sobarocephala liturata*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala lumbalis*](#) Williston, 1896 ^{c g}
- [*Sobarocephala macalpinei*](#) Soos, 1964 ^{c g}
- [*Sobarocephala magna*](#) ^g
- [*Sobarocephala medinai*](#) Steyskal, 1973 ^{c g}
- [*Sobarocephala megastylis*](#) Sasakawa ^g
- [*Sobarocephala melanderi*](#) Soos, 1965 ^{c g}
- [*Sobarocephala melanopyga*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala milangensis*](#) Stuckenberg, 1973 ^{c g}
- [*Sobarocephala mitsuii*](#) Sasakawa, 1995 ^{c g}
- [*Sobarocephala muesebecki*](#) Sabrosky, 1974 ^{i c g}
- [*Sobarocephala myllolabis*](#) ^g
- [*Sobarocephala nebulosa*](#) ^g
- [*Sobarocephala nepalensis*](#) Sasakawa, 1979 ^{c g}
- [*Sobarocephala nigroantennata*](#) Soos, 1962 ^{c g}
- [*Sobarocephala nigrofacies*](#) Soos, 1962 ^{c g}
- [*Sobarocephala nigrohumeralis*](#) Curran, 1928 ^{c g}
- [*Sobarocephala nigronota*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala nimbipennis*](#) ^g
- [*Sobarocephala orientalis*](#) ^g
- [*Sobarocephala paksana*](#) ^g
- [*Sobarocephala pallidor*](#) Steyskal, 1973 ^{c g}
- [*Sobarocephala panamaensis*](#) Soos, 1965 ^{c g}
- [*Sobarocephala pengellyi*](#) Lonsdale & Marshall, 2007 ^{c g}
- [*Sobarocephala peruana*](#) Soos, 1965 ^{c g}
- [*Sobarocephala picta*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala pictipennis*](#) Kertész, 1903 ^{c g}
- [*Sobarocephala plumata*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala plumatella*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala plumicornis*](#) Lamb, 1914 ^{c g}
- [*Sobarocephala pruinosa*](#) Soos, 1962 ^{c g}

- [*Sobarocephala quadrimaculata*](#) Soos, 1963 ^{i c g b}
- [*Sobarocephala quadrivittata*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala recava*](#) ^g
- [*Sobarocephala reducta*](#) Soos, 1965 ^{c g}
- [*Sobarocephala ruebsaameni*](#) Czerny, 1903 ^{c g}
- [*Sobarocephala sabroskyi*](#) Soos, 1963 ^{c g}
- [*Sobarocephala secaperas*](#) ^g
- [*Sobarocephala setipes*](#) Melander & Argo, 1924 ^{i c g b}
- [*Sobarocephala sexvittata*](#) Soos, 1964 ^{c g}
- [*Sobarocephala soosi*](#) Steyskal, 1973 ^{c g}
- [*Sobarocephala steyskali*](#) Soos, 1963 ^{c g}
- [*Sobarocephala strigata*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala subfasciata*](#) Curran, 1939 ^{c g}
- [*Sobarocephala texensis*](#) Sabrosky, 1974 ^{i c g}
- [*Sobarocephala triangula*](#) ^g
- [*Sobarocephala uncinata*](#) Sueyoshi, 2006 ^{c g}
- [*Sobarocephala valida*](#) Williston, 1896 ^{c g}
- [*Sobarocephala variegata*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala vittatifrons*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala vockerothi*](#) Sasakawa, 1993 ^{c g}
- [*Sobarocephala wirthi*](#) Lonsdale & Marshall, 2007 ^{c g}
- [*Sobarocephala xanthomelana*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala zeugma*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala zuluensis*](#) Stuckenberg, 1973 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 225 species belong to [*Smicronyx*](#), a genus of true weevils in the family [*Curculionidae*](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Smicronyx* species**

- [*Smicronyx abnormis*](#) Dietz, 1894
- [*Smicronyx adjamati*](#) Haran, 2018
- [*Smicronyx albidosquamosus*](#) Klima, 1934

- [*Smicronyx albofasciatus*](#) Chevrolat, 1879
- [*Smicronyx albonotatus*](#) Anderson, 1962
- [*Smicronyx albopictus*](#) Faust, 1882
- [*Smicronyx albosignatus*](#) Suffrian, 1871
- [*Smicronyx albosquamosus*](#) Wollaston, 1854
- [*Smicronyx albovariegatus*](#) Faust, 1891
- [*Smicronyx alfieri*](#) Pic, 1913
- [*Smicronyx amoenus*](#) (Say, T., 1832)
- [*Smicronyx angolanus*](#) Hustache, 1936
- [*Smicronyx angusticollis*](#) Fairmaire, 1875
- [*Smicronyx angustus*](#) Fairmaire, 1875
- [*Smicronyx anthracinus*](#) Faust, 1898
- [*Smicronyx apionides*](#) Casey, 1892
- [*Smicronyx argentinensis*](#) Hustache, 1939
- [*Smicronyx armipes*](#) Voss, 1962
- [*Smicronyx atratus*](#) Dietz, 1894
- [*Smicronyx australis*](#) Haran, 2021
- [*Smicronyx balassogloi*](#) Faust, 1885
- [*Smicronyx basalis*](#) Schultze, 1897
- [*Smicronyx bipunctatus*](#) Karasjov & Okrajko, 1998
- [*Smicronyx bisignatus*](#) Hoffmann, 1968
- [*Smicronyx bituberculatus*](#) Faust, 1898
- [*Smicronyx brenskei*](#) Faust, 1887
- [*Smicronyx brevicornis*](#) Solari, 1953
- [*Smicronyx buchnerae*](#) Haran, 2018
- [*Smicronyx caecus*](#) Schoenherr, 1843
- [*Smicronyx californicus*](#) Dietz, 1894
- [*Smicronyx caseyi*](#) Blatchley, 1916
- [*Smicronyx cataphractus*](#) Champion, 1902
- [*Smicronyx centralis*](#) Anderson, 1962
- [*Smicronyx centropustulatus*](#) Faust, 1891
- [*Smicronyx championi*](#) Fowler, 1890
- [*Smicronyx chilensis*](#) Kuschel, 1952
- [*Smicronyx cicur*](#)
- [*Smicronyx cinerascens*](#) Dietz, 1894
- [*Smicronyx cinereus*](#) Motschulsky, 1845
- [*Smicronyx clavofulva*](#) Hoffmann, 1962
- [*Smicronyx coecus*](#) (Reich, G.C., 1797)
- [*Smicronyx cognatus*](#) Dietz, 1894
- [*Smicronyx columbianus*](#) Dietz, 1894
- [*Smicronyx commixtus*](#) Dietz, 1894
- [*Smicronyx compar*](#) Anderson, 1962

- [*Smicronyx congestus*](#) Casey, 1892
- [*Smicronyx connivens*](#) Casey, 1892
- [*Smicronyx conspersus*](#) Dejean, 1836
- [*Smicronyx constrictus*](#) (Say, T., 1824)
- [*Smicronyx convexus*](#) Anderson, 1962
- [*Smicronyx corniculatus*](#) LeConte, 1876
- [*Smicronyx corpulentus*](#) LeConte, 1876
- [*Smicronyx corsicus*](#) Fairmaire, 1861
- [*Smicronyx crassithorax*](#) Haran, 2018
- [*Smicronyx cretaceus*](#) Tournier, 1874
- [*Smicronyx cuscutae*](#) Marshall, 1922
- [*Smicronyx cuscutiflorae*](#) Pierce, 1939
- [*Smicronyx cyaneus*](#) Schoenherr, 1843
- [*Smicronyx defricans*](#) Casey, 1892
- [*Smicronyx dentirostris*](#) Morimoto & Lee, 1992
- [*Smicronyx desbrochersi*](#) Klima, 1934
- [*Smicronyx dietzi*](#) Klima, 1934
- [*Smicronyx discoideus*](#) Casey, 1892
- [*Smicronyx dorsomaculatus*](#) Cox in Anderson & Cox, 1997
- [*Smicronyx drakensbergensis*](#) Haran, 2021
- [*Smicronyx erichsonii*](#) Hochhuth, 1847
- [*Smicronyx fallaciosus*](#) Klima, 1934
- [*Smicronyx fallax*](#) Dietz, 1894
- [*Smicronyx fasciatus*](#) Desbrochers, 1896
- [*Smicronyx fiducialis*](#) Casey, 1892
- [*Smicronyx flavicans*](#) LeConte, 1876
- [*Smicronyx floridanus*](#) Anderson, 1962
- [*Smicronyx fraterculus*](#) Dietz, 1894
- [*Smicronyx fulvipes*](#) Reiche, 1858
- [*Smicronyx fulvus*](#) LeConte, 1876
- [*Smicronyx funebris*](#) Tournier, 1874
- [*Smicronyx gentianae*](#) Morimoto & Kojima, 2007
- [*Smicronyx ghanii*](#) Anderson, 1974
- [*Smicronyx gibbistrostris*](#) Casey, 1892
- [*Smicronyx giganteus*](#) Hustache, 1935
- [*Smicronyx gossypii*](#) Marshall, 1942
- [*Smicronyx gracilipes*](#) Haran, 2021
- [*Smicronyx graciosus*](#) Solari, 1953
- [*Smicronyx griseus*](#) LeConte, 1876
- [*Smicronyx guineanus*](#) Voss, 1956
- [*Smicronyx halophilus*](#) Blatchley, 1920
- [*Smicronyx helenae*](#) Karasjov & Okrajko, 1998

- [*Smicronyx humilis*](#) Anderson, 1962
- [*Smicronyx imbricatus*](#) Casey, 1892
- [*Smicronyx immaculatus*](#) Anderson, 1962
- [*Smicronyx impressirostris*](#) Dietz, 1894
- [*Smicronyx incertus*](#) Anderson, 1962
- [*Smicronyx inornatus*](#) Anderson, 1974
- [*Smicronyx instabilis*](#) Casey, 1892
- [*Smicronyx interruptus*](#) Blatchley & Leng, 1916
- [*Smicronyx intricatus*](#) Casey, 1892
- [*Smicronyx italica*](#) Voss, 1953
- [*Smicronyx japonicus*](#) Morimoto & Matoba, 2009
- [*Smicronyx jordanicus*](#)
- [*Smicronyx jungermanniae*](#) (Reich, G.C., 1797)
- [*Smicronyx kenyanus*](#) Haran, 2018
- [*Smicronyx kiboanus*](#) Voss, 1971
- [*Smicronyx kiesenwetteri*](#) Tournier, 1874
- [*Smicronyx krausei*](#) Karasjov & Okrajko, 1998
- [*Smicronyx kubanicus*](#) Reitter, 1888
- [*Smicronyx languidulus*](#) Dietz, 1894
- [*Smicronyx lanuginosus*](#) Dietz, 1894
- [*Smicronyx latisquamis*](#) Champion, 1910
- [*Smicronyx leonardii*](#) Karasjov & Okrajko, 1998
- [*Smicronyx lepidus*](#) Dietz, 1894
- [*Smicronyx lineolatus*](#) Casey, 1892
- [*Smicronyx longinotus*](#) Karasjov & Okrajko, 1998
- [*Smicronyx longitarsis*](#) Haran
- [*Smicronyx loricatus*](#) Champion, 1902
- [*Smicronyx lutulentus*](#) Dietz, 1894
- [*Smicronyx mackenziei*](#) Sleeper, 1955
- [*Smicronyx maculatus*](#) Dietz, 1894
- [*Smicronyx madaranus*](#) Kôno, 1930
- [*Smicronyx maerens*](#) Marshall, 1940
- [*Smicronyx marmoratus*](#) Rey, 1893
- [*Smicronyx menozzii*](#) Solari, 1953
- [*Smicronyx metallescens*](#) Caldara, 1990
- [*Smicronyx minutissimus*](#) Blatchley, 1928
- [*Smicronyx modestus*](#) Tournier, 1874
- [*Smicronyx morio*](#) Dietz, 1894
- [*Smicronyx mucidus*](#) Dietz, 1894
- [*Smicronyx namibicus*](#) Haran, 2018
- [*Smicronyx nebulosus*](#) Tournier, 1874
- [*Smicronyx nubilus*](#) Dietz, 1894

- [*Smicronyx obrieni*](#) Anderson, Korotyaev & Lingafelter, 2006
- [*Smicronyx obscurus*](#) Anderson, 1962
- [*Smicronyx obtectus*](#) LeConte, 1876
- [*Smicronyx opacus*](#) Brisout Ch., 1860
- [*Smicronyx orientalis*](#) Karasjov & Okrajko, 1998
- [*Smicronyx ornatipennis*](#) Dietz, 1894
- [*Smicronyx ovipennis*](#) LeConte, 1876
- [*Smicronyx pacificus*](#) Anderson, 1962
- [*Smicronyx pallidus*](#) Anderson, 1962
- [*Smicronyx parafasciatus*](#) Anderson, 1974
- [*Smicronyx parvus*](#) Dietz, 1894
- [*Smicronyx paucisquamis*](#) Haran, 2021
- [*Smicronyx pauperculus*](#) Wollaston, 1864
- [*Smicronyx perfidus*](#) Dietz, 1894
- [*Smicronyx perplexus*](#) Dietz, 1894
- [*Smicronyx perpusillus*](#) Casey, 1892
- [*Smicronyx picipes*](#) Dietz, 1894
- [*Smicronyx pinguis*](#) Blatchley & Leng, 1916
- [*Smicronyx pleuralis*](#) Casey, 1892
- [*Smicronyx politus*](#) Boheman, 1843
- [*Smicronyx porrectus*](#) (Boheman, 1843)
- [*Smicronyx posticus*](#) Dietz, 1894
- [*Smicronyx praecox*](#) Faust, 1885
- [*Smicronyx profusus*](#) Casey, 1892
- [*Smicronyx pseudocoecus*](#) Haran, 2021
- [*Smicronyx punctatus*](#) Desbrochers, 1896
- [*Smicronyx puncticollis*](#) Tournier, 1874
- [*Smicronyx pusillus*](#) Dietz, 1894
- [*Smicronyx pusio*](#) LeConte, 1876
- [*Smicronyx quadrifer*](#) Casey, 1892
- [*Smicronyx quadrituberculatus*](#) Hustache, 1936
- [*Smicronyx rectirostris*](#) Blatchley, 1922
- [*Smicronyx reichei*](#) Schoenherr, 1843
- [*Smicronyx reichii*](#) Gyllenhal, 1835
- [*Smicronyx remaudierei*](#) Hoffmann, 1954
- [*Smicronyx resplendens*](#) Dietz, 1894
- [*Smicronyx revelierei*](#) Tournier, 1874
- [*Smicronyx rhodopus*](#) Dietz, 1894
- [*Smicronyx robustus*](#) Faust, 1885
- [*Smicronyx roridus*](#) Marshall, 1952
- [*Smicronyx rubricatus*](#) Kôno, 1930
- [*Smicronyx rudicollis*](#) Fairmaire, 1875

- [*Smicronyx rufipennis*](#) Tournier, 1874
- [*Smicronyx rufipes*](#) Kiesenwetter, 1864
- [*Smicronyx rufovittatus*](#) Anderson, 1974
- [*Smicronyx rufulus*](#) Dietz, 1894
- [*Smicronyx rufus*](#) Haran, 2018
- [*Smicronyx rugicollis*](#) Rey, 1893
- [*Smicronyx rusticus*](#) Dietz, 1894
- [*Smicronyx sagittatus*](#) Casey, 1892
- [*Smicronyx san*](#) Haran, 2021
- [*Smicronyx scalator*](#) Dietz, 1894
- [*Smicronyx scapalis*](#) (LeConte, 1876)
- [*Smicronyx scops*](#) Tournier, 1874
- [*Smicronyx sculpticollis*](#) Casey, 1892
- [*Smicronyx seriatus*](#) LeConte, 1876
- [*Smicronyx seriepilosus*](#) Tournier, 1874
- [*Smicronyx setulosus*](#) Dietz, 1894
- [*Smicronyx silaceus*](#) Casey, 1892
- [*Smicronyx similis*](#) Haran, 2021
- [*Smicronyx smreczynskii*](#) Solari, 1953
- [*Smicronyx sopubiae*](#) Marshall, 1940
- [*Smicronyx sordidus*](#) LeConte, 1876
- [*Smicronyx sparsus*](#) Casey, 1892
- [*Smicronyx spretus*](#) Dietz, 1894
- [*Smicronyx spureus*](#) Casey, 1892
- [*Smicronyx squalidus*](#) Casey, 1892
- [*Smicronyx squamulatus*](#) LeConte, 1876
- [*Smicronyx striatipennis*](#) Tournier, 1874
- [*Smicronyx swertiae*](#) Voss, 1953
- [*Smicronyx syriacus*](#) Faust, 1887
- [*Smicronyx tardus*](#) Dietz, 1894
- [*Smicronyx tataricus*](#) Faust, 1886
- [*Smicronyx tectus*](#) Champion, 1902
- [*Smicronyx tenuirostris*](#) Champion, 1902
- [*Smicronyx tenuisquamis*](#) Champion, 1902
- [*Smicronyx teselatus*](#) Dietz, 1894
- [*Smicronyx tessellatus*](#) Klima, 1934
- [*Smicronyx texana*](#) Blatchley, 1916
- [*Smicronyx thoracatus*](#) Champion, 1902
- [*Smicronyx triangularis*](#) (Dietz, 1894)
- [*Smicronyx tunicensis*](#) Desbrochers, 1898
- [*Smicronyx turkestanicus*](#) Karasyov, 1995
- [*Smicronyx tychioides*](#) LeConte, 1876

- [*Smicronyx umbrinus*](#) Hustache, 1947
- [*Smicronyx ushoensis*](#) Anderson, 1974
- [*Smicronyx utilis*](#) Buchanan, 1941
- [*Smicronyx vallium*](#) Kuschel, 1949
- [*Smicronyx variegatus*](#) Schoenherr, 1843
- [*Smicronyx varipilis*](#) Fairmaire, 1875
- [*Smicronyx vestitus*](#) Casey, 1892
- [*Smicronyx vitiosus*](#) Dietz, 1894
- [*Smicronyx zambianus*](#) Haran, 2018
- [*Smicronyx zherichini*](#) Karasjov & Okrajko, 1998
- [*Smicronyx zonatus*](#) Haran, 2018
- † [*Smicronyx antiquus*](#) Foerster, B., 1891

This is a list of 180 species in [*Smicridea*](#), a genus of net-spinning caddisflies in the family [*Hydropsychidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Smicridea* species**

- [*Smicridea abrupta*](#) Flint, 1974 ^{i c g}
- [*Smicridea acuminata*](#) Flint, 1974 ^{i c g}
- [*Smicridea aequalis*](#) Banks, 1920 ^{i c g}
- [*Smicridea albifrontalis*](#) Martynov, 1912 ^{i c g}
- [*Smicridea albosignata*](#) Ulmer, 1907 ^{i c g}
- [*Smicridea alticola*](#) Flint, 1964 ^{i c g}
- [*Smicridea amplispina*](#) Flint, 1981 ^{i c g}
- [*Smicridea anaticula*](#) Flint, 1981 ^{i c g}
- [*Smicridea andicola*](#) Flint, 1991 ^{i c g}
- [*Smicridea annulicornis*](#) (Blanchard in Gay, 1851) ^{i c g}
- [*Smicridea anomala*](#) Flint & Denning, 1989 ^{i c g}
- [*Smicridea anticura*](#) Flint & Denning, 1989 ^{i c g}
- [*Smicridea appendicula*](#) Flint, 1974 ^{i c g}
- [*Smicridea appendiculata*](#) Flint, 1972 ^{i c g}
- [*Smicridea araguaiense*](#) ^g
- [*Smicridea argentina*](#) (Navas, 1918) ^{i c g}
- [*Smicridea aries*](#) Blahnik, 1995 ^{i c g}
- [*Smicridea arizonensis*](#) Flint, 1974 ^{i c g}
- [*Smicridea astarte*](#) Malicky, 1980 ^{i c g}

- [*Smicridea aterrima*](#) Ulmer, 1911^{i c g}
- [*Smicridea atrobasis*](#) Flint, 1983^{i c g}
- [*Smicridea aurra*](#) Flint, 1991^{i c g}
- [*Smicridea australis*](#) Ulmer, 1908^{i c g}
- [*Smicridea banksi*](#) Flint, 1967^{i c g}
- [*Smicridea bicornuta*](#)^g
- [*Smicridea bidactyla*](#) Flint & Reyes-Arrunategui, 1991^{i c g}
- [*Smicridea bidentata*](#) Martynov, 1912^{i c g}
- [*Smicridea bifasciata*](#)^g
- [*Smicridea bifurcata*](#) Flint, 1974^{i c g}
- [*Smicridea biserrulata*](#) Flint, 1991^{i c g}
- [*Smicridea bivittata*](#) (Hagen, 1861)^{i c g}
- [*Smicridea brasiliانا*](#) (Ulmer, 1905)^{i c g}
- [*Smicridea breviuncata*](#) Flint, 1974^{i c g}
- [*Smicridea bulara*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea bulbosa*](#) Flint, 1974^{i c g}
- [*Smicridea caldwelli*](#) Ross, 1947^{i c g}
- [*Smicridea caligata*](#) Flint, 1974^{i c g}
- [*Smicridea calopa*](#) Flint, 1974^{i c g}
- [*Smicridea campana*](#) Flint, 1974^{i c g}
- [*Smicridea cariba*](#) Flint, 1968^{i c g}
- [*Smicridea cartiensis*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea catherinae*](#) Blahnik, 1995^{i c g}
- [*Smicridea chicoana*](#) Flint, 1983^{i c g}
- [*Smicridea cholta*](#) Flint, 1974^{i c g}
- [*Smicridea circinata*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea columbiana*](#) (Ulmer, 1905)^{i c}
- [*Smicridea comma*](#) Banks, 1924^{i c g}
- [*Smicridea completa*](#) Banks, 1941^{i c g}
- [*Smicridea complicatissima*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea compostela*](#) Bueno-Soria, 1986^{i c g}
- [*Smicridea conjuncta*](#) Flint, 1991^{i c g}
- [*Smicridea cornuta*](#) Flint, 1974^{i c g}
- [*Smicridea coronata*](#) Flint, 1980^{i c g}
- [*Smicridea corralita*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea cubana*](#) Kumanski, 1987^{i c g}

- [Smicridea cuna](#) Flint, 1974^{i c g}
- [Smicridea curvipenis](#) Flint, 1991^{i c g}
- [Smicridea dampfi](#) Flint, 1974^{i c g}
- [Smicridea decora](#) (Navás, 1930)^{i c}
- [Smicridea dentifera](#) Flint, 1983^{i c g}
- [Smicridea dentisserrata](#)^g
- [Smicridea discalis](#) Flint, 1972^{i c g}
- [Smicridea dispar](#) (Banks, 1905)^{i c g b}
- [Smicridea dithyra](#) Flint, 1974^{i c g}
- [Smicridea ephippifera](#) Flint, 1978^{i c g}
- [Smicridea erecta](#) Flint, 1974^{i c g}
- [Smicridea exu](#) Bonfá-Neto, Desidério & Salles 2025[5]
- [Smicridea fasciatella](#) McLachlan, 1871^{i c g}
- [Smicridea filicata](#) Flint & Denning, 1989^{i c g}
- [Smicridea flinti](#)^g
- [Smicridea forcipata](#) Flint, 1983^{i c g}
- [Smicridea franciscana](#)^g
- [Smicridea frequens](#) (Navás, 1930)^{i c g}
- [Smicridea fuscifurca](#) Botosaneanu, 1998^{i c g}
- [Smicridea gemina](#) Blahnik, 1995^{i c g}
- [Smicridea gladiator](#) Flint, 1978^{i c g}
- [Smicridea gomezi](#) Blahnik, 1995^{i c g}
- [Smicridea gomphotheria](#) Blahnik, 1995^{i c g}
- [Smicridea grandis](#) Flint, 1968^{i c g}
- [Smicridea grandisaccata](#) Flint, 1991^{i c g}
- [Smicridea grenadensis](#) Flint, 1968^{i c g}
- [Smicridea helenae](#) Albino & Pes, 2011^g
- [Smicridea holzenthali](#) Flint & Denning, 1989^{i c g}
- [Smicridea hybrida](#) Blahnik, 1995^{i c g}
- [Smicridea iguazu](#) Flint, 1983^{i c g}
- [Smicridea inaequispina](#) Flint, 1974^{i c g}
- [Smicridea inarmata](#) Flint, 1974^{i c g}
- [Smicridea jamaicensis](#) Flint, 1968^{i c g}
- [Smicridea jundiai](#) Almeida & Flint, 2002^g
- [Smicridea karukerae](#) Botosaneanu, 1994^{i c g}
- [Smicridea lacanja](#) Bueno-Soria & Hamilton, 1986^{i c g}

- [Smicridea latipala](#) Flint & Denning, 1989^{i c g}
- [Smicridea lobata](#) (Ulmer, 1909)^{i c g}
- [Smicridea magdalenae](#) Flint, 1991^{i c g}
- [Smicridea magnipinnata](#) Flint, 1991^{i c g}
- [Smicridea manzanara](#) Flint & Denning, 1989^{i c g}
- [Smicridea marlieri](#) Flint, 1978^{i c g}
- [Smicridea marua](#) Flint, 1978^{i c g}
- [Smicridea matagalpa](#) Flint, 1974^{i c g}
- [Smicridea matancilla](#) Flint & Denning, 1989^{i c g}
- [Smicridea meridensis](#) Botosaneanu & Flint, 1982^{i c g}
- [Smicridea mesembrina](#) (Navas, 1918)^{i c g}
- [Smicridea microsaccata](#) Flint, 1991^{i c g}
- [Smicridea minima](#) Flint, 1968^{i c g}
- [Smicridea minuscula](#) Flint, 1973^{i c g}
- [Smicridea mirama](#) Flint & Denning, 1989^{i c g}
- [Smicridea mucronata](#) Flint & Denning, 1989^{i c g}
- [Smicridea multident](#) Flint & Denning, 1989^{i c g}
- [Smicridea murina](#) McLachlan, 1871^{i c g}
- [Smicridea nahuatl](#) Flint, 1974^{i c g}
- [Smicridea nanda](#) Flint, 1983^{i c g}
- [Smicridea necator](#)^g
- [Smicridea nemorosa](#) Holzenthal & Blahnik, 1995^{i c g}
- [Smicridea nigerrima](#) Flint, 1983^{i c g}
- [Smicridea nigricans](#) Flint, 1991^{i c g}
- [Smicridea nigripennis](#) Banks, 1920^{i c g}
- [Smicridea obesa](#) Banks, 1938^{i c g}
- [Smicridea obliqua](#) Flint, 1974^{i c g}
- [Smicridea octospina](#) Flint, 1974^{i c g}
- [Smicridea olivacea](#) Flint, 1983^{i c g}
- [Smicridea palifera](#) Flint, 1981^{i c g}
- [Smicridea pallidivittata](#) Flint, 1972^{i c g}
- [Smicridea palmar](#) Sganga, 2005^g
- [Smicridea pampena](#) Flint, 1980^{i c g}
- [Smicridea paranensis](#) Flint, 1983^{i c g}
- [Smicridea parva](#) Banks, 1939^{i c g}
- [Smicridea parvula](#) Mosely in Mosely & Kimmins, 1953^{i c g}

- [Smicridea penai](#) Flint & Denning, 1989^{i c g}
- [Smicridea peruana](#) (Martynov, 1912)^{i c g}
- [Smicridea petasata](#) Flint, 1981^{i c g}
- [Smicridea pipila](#) Flint, 1974^{i c g}
- [Smicridea piraya](#) Flint, 1983^{i c g}
- [Smicridea polyfasciata](#) Martynov, 1912^{i c g}
- [Smicridea probolophora](#) Flint, 1991^{i c g}
- [Smicridea prorigera](#) Flint, 1991^{i c g}
- [Smicridea protera](#) (Denning, 1948)^{i c g}
- [Smicridea pseudolobata](#) Flint, 1978^{i c g}
- [Smicridea pseudoradula](#) Flint, 1991^{i c g}
- [Smicridea pucara](#) Flint & Denning, 1989^{i c g}
- [Smicridea radula](#) Flint, 1974^{i c g}
- [Smicridea rara](#) Bueno-Soria, 1979^{i c g}
- [Smicridea redunca](#) Flint & Denning, 1989^{i c g}
- [Smicridea reinerti](#) Flint, 1978^{i c g}
- [Smicridea riita](#) Flint, 1981^{i c g}
- [Smicridea roraimense](#) Albino & Pes, 2011^g
- [Smicridea ruginasa](#) Flint, 1991^{i c g}
- [Smicridea salta](#) Flint, 1974^{i c g}
- [Smicridea sattleri](#) Denning & Sykora, 1968^{i c g}
- [Smicridea saucia](#) McLachlan, 1871^{i c g}
- [Smicridea scutellaria](#) Flint, 1974^{i c g}
- [Smicridea sepala](#)^g
- [Smicridea sexspinoso](#) Flint, 1978^{i c g}
- [Smicridea signata](#) (Banks, 1903)^{i c g b}
- [Smicridea simmonsii](#) Flint, 1968^{i c g}
- [Smicridea singri](#) Holzenthal & Blahnik, 1995^{i c g}
- [Smicridea sirena](#) Bueno-Soria, 1986^{i c g}
- [Smicridea smilodon](#) Flint & Denning, 1989^{i c g}
- [Smicridea soyatepecana](#) Bueno-Soria, 1986^{i c g}
- [Smicridea spinulosa](#) Flint, 1972^{i c g}
- [Smicridea talamanca](#) Flint, 1974^{i c g}
- [Smicridea tapanti](#) Holzenthal & Blahnik, 1995^{i c g}
- [Smicridea tarasca](#) Flint, 1974^{i c g}
- [Smicridea titschacki](#) Flint, 1975^{i c g}

- [*Smicridea tobada*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea tregala*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea truncata*](#) Flint, 1974^{i c g}
- [*Smicridea turgida*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea turrialbana*](#) Flint, 1974^{i c g}
- [*Smicridea ulmeri*](#) Banks, 1939^{i c g}
- [*Smicridea ulva*](#) Flint, 1974^{i c g}
- [*Smicridea unguiculata*](#) Flint, 1983^{i c g}
- [*Smicridea unicolor*](#) (Banks, 1901)^{i c g}
- [*Smicridea urra*](#) Flint, 1991^{i c g}
- [*Smicridea varia*](#) (Banks, 1913)^{i c g}
- [*Smicridea ventridenticulata*](#) Flint, 1991^{i c g}
- [*Smicridea veracruzensis*](#) Flint, 1974^{i c g}
- [*Smicridea vermiculata*](#) Flint, 1978^{i c g}
- [*Smicridea vilela*](#) Flint, 1978^{i c g}
- [*Smicridea villarricensis*](#) Flint, 1983^{i c g}
- [*Smicridea voluta*](#) Flint, 1978^{i c g}
- [*Smicridea weidneri*](#) Flint, 1972^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 1778 species in [*Simulium*](#), a genus of black flies in the family [*Simuliidae*](#).^{[1][2][3][4]}

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [References](#)

***Simulium* species**

A

- [*Simulium abadii*](#) Takaoka, 2003 ^{c g}
- [*Simulium abatanense*](#) Takaoka, 1983 ^{c g}
- [*Simulium abberrans*](#) Delfinado, 1969 ^{c g}
- [*Simulium abbreviatum*](#) Rubtsov, 1957 ^{c g}
- [*Simulium acarayense*](#) Coscaron, Wygodzinsky, 1972 ^{i c g}
- [*Simulium acmeria*](#) (Ono, 1978) ^{c g}
- [*Simulium acotum*](#) Chen, Zhang & Huang, 2005 ^{c g}
- [*Simulium acostai*](#) Takaoka, 1983 ^{c g}
- [*Simulium acrotrichum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium acutum*](#) (Patrusheva, 1971) ^{c g}
- [*Simulium adamsoni*](#) Edwards, 1932 ^{c g}
- [*Simulium adelaideae*](#) Craig, 2004 ^{c g}
- [*Simulium adersi*](#) Pomeroy, 1922 ^{c g}
- [*Simulium adleri*](#) Jitklang & Kuvangkadilok, 2008 ^{c g}
- [*Simulium admixtum*](#) Craig, 1987 ^{c g}
- [*Simulium admixum*](#) Craig, 1987 ^g
- [*Simulium adolfoluzzi*](#) Wygodzinsky, 1951 ^{c g}
- [*Simulium adornatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium adsonense*](#) Craig, 2006 ^{c g}
- [*Simulium adventicium*](#) Datta, 1985 ^{c g}
- [*Simulium aemulum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium aeneifacies*](#) Edwards, 1933 ^{c g}
- [*Simulium aequifurcatum*](#) Lutz, 1910 ^{c g}

- [*Simulium aestivum*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium africanum*](#) Gibbins, 1934 ^{c g}
- [*Simulium afronuri*](#) Lewis & Disney, 1970 ^{c g}
- [*Simulium akopi*](#) Chubareva & Kachvoryan, 2000 ^{c g}
- [*Simulium akouense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium alajense*](#) (Rubtsov, 1972) ^{c g}
- [*Simulium alatum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium albanense*](#) Coscaron, 1991 ^{c g}
- [*Simulium albellum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium alberti*](#) Takaoka, 2008 ^{c g}
- [*Simulium albicinctum*](#) (Enderlein, 1933) ^{i c g}
- [*Simulium albineatum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium albivirgatum*](#) Wanson & Henrard, 1944 ^{c g}
- [*Simulium albopictum*](#) Lane and Porto, 1940 ^{i c g}
- [*Simulium alcocki*](#) Pomeroy, 1922 ^{c g}
- [*Simulium alfurens*](#) Takaoka, 2003 ^{c g}
- [*Simulium alidae*](#) Pilaka & Elouard, 1997 ^{c g}
- [*Simulium alienigenum*](#) Takaoka, 1983 ^{c g}
- [*Simulium alirioi*](#) Perez and Vulcano, 1973 ^{i c g}
- [*Simulium alizadei*](#) Dzhaferov, 1954 ^{c g}
- [*Simulium allaeri*](#) Wanson, 1947 ^{c g}
- [*Simulium almae*](#) Yankovsky & Koshkimbaev, 1988 ^{c g}
- [*Simulium alpinum*](#) (Rubtsov, 1947) ^{c g}
- [*Simulium altayense*](#) Cai, 2005 ^{c g}
- [*Simulium amazonicum*](#) Goeldi, 1905 ^{i c g}
- [*Simulium ambigens*](#) Definado, 1969 ^{c g}
- [*Simulium ambiguum*](#) Shiraki, 1935 ^{c g}
- [*Simulium ambonense*](#) Takaoka, 2003 ^{c g}
- [*Simulium ambositrae*](#) Grenier & Grjebine, 1959 ^{c g}
- [*Simulium ammosovi*](#) (Vorobets, 1984) ^{c g}
- [*Simulium amurense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium anaimense*](#) Coscaron & Munoz de Hoyos, 1995 ^{c g}
- [*Simulium anamariae*](#) Vulcano, 1962 ^{i c g}
- [*Simulium anatinum*](#) Wood, 1963 ^{i c g}
- [*Simulium anatolicum*](#) Craig, 1987 ^{c g}
- [*Simulium anchistinum*](#) Moulton & Adler, 1995 ^{c g}

- [*Simulium anduzei*](#) Vargas & Diaz Najera, 1948 ^{c g}
- [*Simulium anggiense*](#) Takaoka, 2003 ^{c g}
- [*Simulium angrense*](#) Pinto, 1931 ^{i c g}
- [*Simulium angulistylum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium angustatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium angusticorne*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium angustifilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium angustifrons*](#) (Enderlein, 1921) ^c
- [*Simulium angustifurca*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium angustipes*](#) Edwards, 1915 ^{c g}
- [*Simulium angustitarse*](#) (Lundstrom, 1911) ^{c g}
- [*Simulium annae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium annulatum*](#) Philippi, 1865 ^{c g}
- [*Simulium annuliforme*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium annulitarse*](#) (Zetterstedt, 1838) ^{c g}
- [*Simulium annulum*](#) (Lundstrom, 1911) ^{c g}
- [*Simulium annulus*](#) (Lundstrom, 1911) ^b (loon blackfly)
- [*Simulium antenusi*](#) (Lane & Porto, 1940) ^{c g}
- [*Simulium antibrachium*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium antillarum*](#) Jennings, 1915 ^{i c g}
- [*Simulium antlerum*](#) Chen, 2001 ^{c g}
- [*Simulium antonii*](#) Wygodzinsky, 1953 ^{i c g}
- [*Simulium antunesi*](#) Lane and Porto, 1940 ^{i g}
- [*Simulium aokii*](#) (Takahasi, 1941) ^{c g}
- [*Simulium apoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium appalachiense*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium apricarium*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium arabicum*](#) Crosskey, 1982 ^{c g}
- [*Simulium arakawae*](#) Matsumura, 1921 ^{c g}
- [*Simulium aranti*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium arboreum*](#) Takaoka, 2006 ^{c g}
- [*Simulium arcabucense*](#) Coscaron, 1991 ^{c g}
- [*Simulium arcticum*](#) Malloch, 1914 ^{i c g}
- [*Simulium arctium*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium arenicola*](#) Liu, Gong, Zhang, Luo & An, 2003 ^{c g}
- [*Simulium arfakense*](#) Takaoka, 2003 ^{c g}

- [*Simulium argentatum*](#) Enderlein, 1936 ^{i c g}
- [*Simulium argenteostriatum*](#) Strobl, 1898 ^{c g}
- [*Simulium argentipes*](#) Edwards, 1928 ^{c g}
- [*Simulium argentipectus*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium argentiscutum*](#) Shelley & Luna Dias, 1980 ^{c g}
- [*Simulium argus*](#) Williston, 1893 ^{i c g}
- [*Simulium argyreatum*](#) (Meigen, 1838) ^{c g}
- [*Simulium argyrocinctum*](#) Meijere, 1913 ^{c g}
- [*Simulium arisanum*](#) Shiraki, 1935 ^{c g}
- [*Simulium arlecchinum*](#) Craig, 1987 ^{c g}
- [*Simulium armeniacum*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium armoricanum*](#) Doby & David, 1961 ^{c g}
- [*Simulium arnoldi*](#) Gibbins, 1937 ^{c g}
- [*Simulium aropaense*](#) Takaoka, 1995 ^{c g}
- [*Simulium arpiense*](#) (Terteryan & Kachvoryan, 1982) ^{c g}
- [*Simulium arpiensis*](#) Terteryan & Kachvoryan, 1982 ^{c g}
- [*Simulium artum*](#) Sato, Takaoka & Saito, 2005 ^{c g}
- [*Simulium asakoe*](#) Takaoka & Davies, 1995 ^g
- [*Simulium asishi*](#) Datta, 1988 ^{c g}
- [*Simulium aspericorne*](#) Fain & Bafort, 1976 ^{c g}
- [*Simulium asperum*](#) Takaoka, 2003 ^{c g}
- [*Simulium assadovi*](#) (Dzhafarov, 1956) ^{c g}
- [*Simulium asulcatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium atipornae*](#) Takaoka, Srisuka & Choochote, 2014 ^g
- [*Simulium atlanticum*](#) Crosskey, 1969 ^{c g}
- [*Simulium atlasicum*](#) Giudicelli & Bouzidi, 1989 ^{c g}
- [*Simulium atratoides*](#) Takaoka & Davies, 1996 ^{c g}
- [*Simulium atratum*](#) Meijere, 1913 ^{c g}
- [*Simulium atrum*](#) Delfinado, 1969 ^{c g}
- [*Simulium atyophilum*](#) Lewis & Disney, 1969 ^{c g}
- [*Simulium audreyae*](#) Garms & Disney, 1974 ^{c g}
- [*Simulium aureliani*](#) Fain, 1950 ^{c g}
- [*Simulium aureofulgens*](#) Terteryan, 1949 ^{c g}
- [*Simulium aureohirtum*](#) Brunetti, 1911 ^{c g}
- [*Simulium aureonigrum*](#) Mackerras & Mackerras, 1950 ^{c g}
- [*Simulium aureosimile*](#) Pomeroy, 1920 ^{c g}

- [Simulium aureum](#) Fries, 1824 ^{i c g}
- [Simulium auricoma](#) (Meigen, 1818) ^{c g}
- [Simulium auripellitum](#) Enderlein, 1933 ^{i c g}
- [Simulium auristriatum](#) Lutz, 1910 ^{i c g}
- [Simulium australe](#) (Rubtsov, 1955) ^{c g}
- [Simulium avilae](#) Smart & Clifford, 1965 ^{c g}
- [Simulium awashense](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [Simulium ayrozai](#) Vargas, 1945 ^{c g}
- [Simulium azerbaijanicum](#) (Dzhafarov, 1953) ^{c g}
- [Simulium azorense](#) (Carlsson, 1963) ^{c g}

B

- [Simulium baatori](#) (Rubtsov, 1967) ^{c g}
- [Simulium babai](#) Takaoka & Aoki, 2007 ^{c g}
- [Simulium babuyanense](#) Takaoka & Tenedero, 2007 ^{c g}
- [Simulium bachmaense](#) Takaoka & Sofian-Azirun ^g
- [Simulium bachmanni](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [Simulium baetiphilum](#) Lewis & Disney, 1972 ^{c g}
- [Simulium baffinense](#) Twinn, 1936 ^{i c g}
- [Simulium baforti](#) Fain & Dujardin, 1983 ^{c g}
- [Simulium bagmaticum](#) Markey, 1985 ^{c g}
- [Simulium bahense](#) Chen, 2003 ^{c g}
- [Simulium baiense](#) Pinto, 1931 ^{i g}
- [Simulium baiensis](#) Pinto, 1932 ^{c g}
- [Simulium baimaii](#) Takaoka & Kuvangkadilok, 1999 ^{c g}
- [Simulium baisasae](#) Delfinado, 1962 ^{c g}
- [Simulium balcanicum](#) (Enderlein, 1924) ^{c g}
- [Simulium baliemense](#) Takaoka, 2003 ^{c g}
- [Simulium baltazarae](#) Delfinado, 1962 ^{c g}
- [Simulium balteatum](#) Adler, Currie & Wood, 2004 ^{c g}
- [Simulium banahauense](#) Takaoka, 2006 ^{c g}
- [Simulium banaticum](#) Dinulescu, 1966 ^{c g}
- [Simulium banauense](#) Takaoka, 1983 ^{c g}
- [Simulium banksi](#) Craig, 2006 ^{c g}
- [Simulium banluangense](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [Simulium bannaense](#) Chen & Zhang, 2003 ^{c g}

- [*Simulium bansonae*](#) Takaoka, 1983 ^{c g}
- [*Simulium barabense*](#) (Rubtsov, 1973) ^{c g}
- [*Simulium baracorne*](#) Smart, 1944 ^{c g}
- [*Simulium barbatipes*](#) Enderlein, 1933 ^{i c g}
- [*Simulium barnesi*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium barraudi*](#) Puri, 1932 ^{c g}
- [*Simulium barretti*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium bartangum*](#) Chubareva, 2000 ^{c g}
- [*Simulium bataksense*](#) Takaoka & Tenedero, 2007 ^{c g}
- [*Simulium batoense*](#) Edwards, 1934 ^{c g}
- [*Simulium bayakorum*](#) Fain & Elsen, 1974 ^{c g}
- [*Simulium beaupertuyi*](#) Perez, Rassi, Ramirez, 1977 ^{i c g}
- [*Simulium beiwanense*](#) Guo, Zhang, An, Zhang, Zhang, Dong, & Zhao, 2008 ^{c g}
- [*Simulium beltukovae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium benjamini*](#) Dalamt, 1952 ^{c g}
- [*Simulium benquetense*](#) Takaoka, 1983 ^{c g}
- [*Simulium bequaerti*](#) Gibbins, 1936 ^{c g}
- [*Simulium berberum*](#) Giudicelli & Bouzidi, 1989 ^{c g}
- [*Simulium berchtesgadense*](#) ^g
- [*Simulium berghei*](#) Fain, 1949 ^{c g}
- [*Simulium bergi*](#) Rubtsov, 1956 ^{c g}
- [*Simulium beringovi*](#) Bodrova, 1988 ^{c g}
- [*Simulium berneri*](#) Freeman, 1954 ^{c g}
- [*Simulium bertrandi*](#) Grenier & Dorier, 1959 ^{c g}
- [*Simulium bezzii*](#) Corti, 1914 ^{c g}
- [*Simulium biakense*](#) Takaoka, 2003 ^{c g}
- [*Simulium biancoi*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium bicolense*](#) Takaoka, 1983 ^{c g}
- [*Simulium bicoloratum*](#) Malloch, 1913 ^{i g}
- [*Simulium bicorne*](#) Dorog., Rubtsov, and Vlasenko, 1935 ^{i c g}
- [*Simulium bicornutum*](#) Wygodzinsky & Coscaron, 1982 ^{c g}
- [*Simulium bidentatum*](#) (Shiraki, 1935) ^{c g}
- [*Simulium bifenestratum*](#) Hamada & Pepinelli, 2004 ^{c g}
- [*Simulium bifila*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium biforaminiferum*](#) Datta, 1974 ^{c g}
- [*Simulium bifurcatum*](#) Takaoka, 2003 ^{c g}

- [*Simulium bimaculatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium binuanense*](#) Takaoka, 2008 ^{c g}
- [*Simulium bipunctatum*](#) Malloch, 1912 ^{c g}
- [*Simulium biseriatum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium bisnovem*](#) Gibbins, 1938 ^{c g}
- [*Simulium biuxinisa*](#) Coscaron & Ibanez Bernal, 1994 ^{c g}
- [*Simulium bivittatum*](#) Malloch, 1914 ^{i c g}
- [*Simulium blacklocki*](#) Meillon, 1930 ^{c g}
- [*Simulium blancasi*](#) Wygodzinsky, Coscaron, 1070 ^{i c g}
- [*Simulium blantoni*](#) Field, 1967 ^{c g}
- [*Simulium bobpetersoni*](#) Coscaron, Ibanez-Bernal & Coscaron-Arias, 1996 ^{c g}
- [*Simulium bogusium*](#) Craig, 1997 ^{c g}
- [*Simulium boldstemta*](#) (Ono, 1978) ^{c g}
- [*Simulium bonaerense*](#) Coscaron & Wygodzinsky, 1984 ^{c g}
- [*Simulium bonninense*](#) (Shiraki, 1935) ^{c g}
- [*Simulium bordai*](#) Coscaron, Wygodzinsky, 1910 ^{i c g}
- [*Simulium borneoense*](#) Takaoka, 2001 ^{c g}
- [*Simulium borunicornutum*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium botulibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium botulus*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium bovis*](#) Meillon, 1930 ^{c g}
- [*Simulium brachium*](#) Gibbins, 1936 ^{c g}
- [*Simulium brachyantherum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium brachyarthrum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium brachycladum*](#) Lutz, Pinto, 1931 ^{i c g}
- [*Simulium brachystylum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium bracteatum*](#) Coquillett, 1898 ^{i c g}
- [*Simulium brandti*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium bravermani*](#) [Beaucournu-Saguez](#), 1986 ^{c g}
- [*Simulium brevicorne*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium brevidens*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium brevifile*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium breviflagellum*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium brevifurcatum*](#) Lutz, 1910 ^{i c g}
- [*Simulium brevilabrum*](#) Takaoka, 2006 ^{c g}
- [*Simulium brevitarse*](#) (Rubtsov, 1976) ^{c g}

- [*Simulium brevitrunctatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium bricenoi*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium brinchangense*](#) Takaoka, Sofian-Azirun & Hashim ^g
- [*Simulium bronchiale*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium brunhesi*](#) Elouard & Ranaivoharindriaka, 1996 ^{c g}
- [*Simulium brunneum*](#) (Yankovsky, 1977) ^{c g}
- [*Simulium bryopodium*](#) Delfinado, 1971 ^{c g}
- [*Simulium buckleyi*](#) Meillon, 1944 ^{c g}
- [*Simulium bucolicum*](#) Datta, 1975 ^{c g}
- [*Simulium buettikeri*](#) Crosskey & Roberts, 1994 ^{c g}
- [*Simulium buisseti*](#) Fain & Elsen, 1980 ^{c g}
- [*Simulium buissoni*](#) Roubaud, 1906 ^{c g}
- [*Simulium bujakovi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium bukovskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium bulbiferum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium bulbosum*](#) Lewis, 1973 ^{c g}
- [*Simulium bulla*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium bullatum*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium burchi*](#) Dalmat, 1951 ^{c g}
- [*Simulium burgeri*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium burmense*](#) Takaoka, 1989 ^{c g}
- [*Simulium bustosi*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium buxtoni*](#) Austen, 1923 ^{c g}
- [*Simulium bwambanum*](#) ^g

C

- [*Simulium cabrerai*](#) Takaoka, 1983 ^{c g}
- [*Simulium caesariatum*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium cagayanense*](#) Takaoka, 2005 ^{c g}
- [*Simulium caledonense*](#) Adler and Currie, 1986 ^{i c g}
- [*Simulium callidum*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium callipygium*](#) Craig, 2006 ^{c g}
- [*Simulium canadense*](#) Hearle, 1932 ^{i c g}
- [*Simulium candelabrum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium canescens*](#) Breme, 1842 ^{c g}
- [*Simulium cangshanense*](#) Xue, 1993 ^{c g}

- [*Simulium canlaonense*](#) Delfinado, 1969 ^{c g}
- [*Simulium canonicola*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium caohaiense*](#) Chen & Zhang, 1997 ^{c g}
- [*Simulium capricorne*](#) Leon, 1945 ^{c g}
- [*Simulium caprii*](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [*Simulium carbunculum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium carinatum*](#) Delfinado, 1969 ^{c g}
- [*Simulium carolinae*](#) Leon, 1945 ^{c g}
- [*Simulium carpathicum*](#) (Knoz, 1961) ^{c g}
- [*Simulium carthusiense*](#) Grenier & Dorier, 1959 ^{c g}
- [*Simulium castaneum*](#) Craig, 1987 ^{c g}
- [*Simulium cataractarum*](#) Craig, 1987 ^{c g}
- [*Simulium catariense*](#) Pinto, 1932 ^{c g}
- [*Simulium catarinense*](#) Pinto, 1931 ^{i g}
- [*Simulium catleyi*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium caucasicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium cauchense*](#) Floch, Abonnenc, 1946 ^{i c g}
- [*Simulium cauveryense*](#) Anbalagan ^g
- [*Simulium cavum*](#) Gibbins, 1938 ^{c g}
- [*Simulium celebesense*](#) Takaoka, 2003 ^{c g}
- [*Simulium celsum*](#) Takaoka & Davies, 1996 ^{c g}
- [*Simulium centrale*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium cerqueira*](#) Almeida, 1974 ^{i g}
- [*Simulium cerqueirai*](#) Barbosa de Almeida, 1979 ^{c g}
- [*Simulium cerradense*](#) Coscaron, de Cerqueira, Schumaker & La Salvia, 1992 ^{c g}
- [*Simulium cervicornutum*](#) Pomeroy, 1920 ^{c g}
- [*Simulium cervus*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium ceylonicum*](#) (Enderlein, 1921) ^{c g}
- [*Simulium chainarongi*](#) Takaoka & Kuvangkadilok, 1999 ^{c g}
- [*Simulium chairuddini*](#) Takaoka, 2003 ^{c g}
- [*Simulium chalcocoma*](#) Knab, 1914 ⁱ
- [*Simulium chaliowae*](#) Takaoka & Kuvangkadilok, 1999 ^{c g}
- [*Simulium chamlongi*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium chaowaense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium chaquense*](#) Coscaron, 1971 ^{c g}
- [*Simulium chaudinhense*](#) Takaoka & Sofian-Azirun ^g

- [*Simulium cheedhangi*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium cheesmanae*](#) Edwards, 1927 ^{c g}
- [*Simulium chelevini*](#) (Ivashchenko, 1968) ^{c g}
- [*Simulium cheni*](#) Xue, 1993 ^{c g}
- [*Simulium chenzhouense*](#) Chen, Zhang & Bi, 2004 ^{c g}
- [*Simulium Chiangmaiense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium chiharuae*](#) Takaoka, Otsuka & Fukuda, 2007 ^{c g}
- [*Simulium chilianum*](#) Rondani, 1863 ^{c g}
- [*Simulium chimquazaense*](#) ^g
- [*Simulium chiriquiense*](#) Field, 1967 ^{c g}
- [*Simulium chitoense*](#) Takaoka, 1979 ^{c g}
- [*Simulium chlorum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium cholodkovskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium chomustachi*](#) (Vorobets, 1977) ^{c g}
- [*Simulium chongqingense*](#) Zhu & Wang, 1995 ^{c g}
- [*Simulium chongqingensis*](#) Zhu & Wang, 1995 ^{c g}
- [*Simulium choochotei*](#) Takaoka & Choochote, 2002 ^{c g}
- [*Simulium chovdica*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium chowettani*](#) Yankovsky, 1996 ^{c g}
- [*Simulium chowi*](#) Takaoka, 1979 ^{c g}
- [*Simulium christophersi*](#) Puri, 1932 ^{c g}
- [*Simulium chromatinum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium chromocentrum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium chubarevae*](#) (Kachvoryan & Terteryan, 1981) ^{c g}
- [*Simulium chungi*](#) Takaoka & Huang, 2006 ^{c g}
- [*Simulium chutteri*](#) Lewis, 1965 ^{c g}
- [*Simulium claricentrum*](#) Adler, 1990 ^{c g}
- [*Simulium clarkei*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium clarki*](#) Fairchild, 1940 ^{i c g}
- [*Simulium clarum*](#) (Dyar & Shannon, 1927) ^{c g}
- [*Simulium clathrinum*](#) Mackerras & Mackerras, 1948 ^{c g}
- [*Simulium clavibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium clavum*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium clibanarium*](#) Craig, 1997 ^{c g}
- [*Simulium coalitum*](#) Pomeroy, 1922 ^{c g}
- [*Simulium coarctatum*](#) Rubtsov, 1940 ^{c g}

- [*Simulium codreanui*](#) (Sherban, 1958) ^{c g}
- [*Simulium colasbelcouri*](#) Grenier & Ovazza, 1951 ^{c g}
- [*Simulium colombaschense*](#) (Scopoli, 1780) ^{c g}
- [*Simulium concavustylum*](#) Deng, Zhang & Chen, 1995 ^{c g}
- [*Simulium concludium*](#) Craig, 1997 ^{c g}
- [*Simulium confertum*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium confusum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium congareenarum*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium congi*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium congonse*](#) Gouteux, 1977 ^{c g}
- [*Simulium conicum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium connae*](#) Craig, 1997 ^{c g}
- [*Simulium consimile*](#) Puri, 1932 ^{c g}
- [*Simulium continii*](#) (Rivosecchi & Cardinali, 1975) ^{c g}
- [*Simulium contractum*](#) Takaoka, 2003 ^{c g}
- [*Simulium contrerense*](#) Najera & Vulcano, 1962 ^{c g}
- [*Simulium conundrum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium conviti*](#) Perez and Vulcano, 1973 ⁱ
- [*Simulium copleyi*](#) Gibbins, 1941 ^{c g}
- [*Simulium corbis*](#) Twinn, 1936 ^{i c g}
- [*Simulium cormonsi*](#) Wygodzinsky, 1971 ^{i c g}
- [*Simulium corniferum*](#) (Yankovsky, 1979) ^{c g}
- [*Simulium corpulentum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium coscaroni*](#) Nascimento, Hamada & Adler, 2017 ^g
- [*Simulium costalimai*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium costaricense*](#) Smart, 1944 ^{i c g}
- [*Simulium costatum*](#) Friederichs, 1920 ^{c g}
- [*Simulium cotabatoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium cotopaxi*](#) Wygodzinsky and Coscaron, 1979 ^{i c g}
- [*Simulium courtneyi*](#) Takaoka & Adler, 1997 ^{c g}
- [*Simulium couverti*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium covagarciai*](#) Perez, Yarzabal & Tada, 1984 ^{c g}
- [*Simulium craigi*](#) Adler and Currie, 1986 ^{i c g}
- [*Simulium crassicaulum*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium crassifilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium crassimanum*](#) Edwards, 1933 ^{c g}

- [*Simulium crassum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium cremnosi*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium crenobium*](#) (Knoz, 1961) ^{c g}
- [*Simulium criniferum*](#) Nascimento, Hamada, Andrade-Souza & Adler, 2017 ^g
- [*Simulium cristalinum*](#) Coscaron & Py-Daniel, 1989 ^{c g}
- [*Simulium cristatum*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium croaticum*](#) (Baranov, 1937) ^{c g}
- [*Simulium crocinum*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium crosskeyi*](#) Lewis & Disney, 1970 ^{c g}
- [*Simulium croxtoni*](#) Nicholson and Mickel, 1950 ^{i c g}
- [*Simulium cruszi*](#) Davies & Gyorkos, 1992 ^{c g}
- [*Simulium cryophilum*](#) (Rubtsov, 1959) ^{c g}
- [*Simulium cuasiexiguum*](#) Shelley, Luna Dias, Maia-Herzog, Lowry, Garritano, Penn & Camargo, 2001 ^{c g}
- [*Simulium cuasisanguineum*](#) Perez & Yarzabal, 1982 ^{c g}
- [*Simulium cuneatum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium curriei*](#) Adler & Wood, 1991 ^{c g}
- [*Simulium curtatum*](#) ^g
- [*Simulium curvans*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium curvastylum*](#) Chen & Zhang, 2001 ^{c g}
- [*Simulium curvistylus*](#) Rubtsov, 1957 ^{c g}
- [*Simulium curvitarise*](#) Rubtsov, 1940 ^{c g}
- [*Simulium curvum*](#) Takaoka, 2003 ^{c g}

D

- [*Simulium dachaisense*](#) Takaoka & Lau, 2015 ^g
- [*Simulium dahestanicum*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium daisense*](#) (Takahasi, 1950) ^{c g}
- [*Simulium dalmati*](#) Vargas & Najera, 1948 ^{c g}
- [*Simulium daltanhani*](#) Hamada & Adler, 1998 ^{c g}
- [*Simulium damascenoi*](#) Py-Daniel, 1988 ^{c g}
- [*Simulium damingense*](#) Chen, Zhang & Zhang, 2007 ^{c g}
- [*Simulium damnosum*](#) Theobald, 1903 ^{c g}
- [*Simulium dandrettai*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium danense*](#) Gouteux, 1979 ^{c g}
- [*Simulium danijari*](#) Chubareva & Ismagulov, 1992 ^{c g}
- [*Simulium darjeelingense*](#) Datta, 1973 ^{c g}

- [*Simulium dasguptai*](#) Datta, 1974 ^{c g}
- [*Simulium davaoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium dawaense*](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [*Simulium deagostinii*](#) Coscaron & Wygodzinsky, 1962 ^{c g}
- [*Simulium debacli*](#) (Terteryan, 1952) ^{c g}
- [*Simulium debegene*](#) Meillon, 1934 ^{c g}
- [*Simulium decafile*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium decafiliatum*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium decimatum*](#) Dorogostaisky & Vlasenko, 1935 ^{c g}
- [*Simulium decimfiliatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium decollectum*](#) Adler and Currie, 1986 ^{i c g}
- [*Simulium decolletum*](#) Adler & Currie, 1986 ^{c g}
- [*Simulium decorum*](#) Walker, 1848 ^{i c g}
- [*Simulium decuplum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium definitum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium defoliarti*](#) Stone and Peterson, 1958 ^{i c g}
- [*Simulium degrangei*](#) Dorier & Grenier, 1960 ^{c g}
- [*Simulium dehnei*](#) Field, 1969 ^{c g}
- [*Simulium dekeyseri*](#) Shelley & Py-Daniel, 1981 ^{c g}
- [*Simulium delatorrei*](#) Dalmat, 1950 ^{c g}
- [*Simulium delfinadoae*](#) Takaoka, 1983 ^{c g}
- [*Simulium delizhanense*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium delponteianum*](#) Wygoszinsky, 1961 ^{c g}
- [*Simulium demutaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium dendrofilum*](#) (Patrusheva, 1962) ^{c g}
- [*Simulium dentatum*](#) Puri, 1932 ^{c g}
- [*Simulium dentatura*](#) (Vorobets, 1984) ^{c g}
- [*Simulium dentistylum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium dentulosum*](#) Roubaud, 1915 ^{c g}
- [*Simulium deserticola*](#) Rubtsov, 1940 ^{c g}
- [*Simulium desertorum*](#) Rubtsov, 1938 ^{c g}
- [*Simulium desirei*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium diamantinum*](#) Coscaron & Coscaron-Arias, 1996 ^{c g}
- [*Simulium diaznajerai*](#) Vargas, 1943 ^{c g}
- [*Simulium diceros*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium dieguerense*](#) Vajime & Dunbar, 1975 ^{c g}

- [*Simulium digitatum*](#) Puri, 1932 ^{c g}
- [*Simulium digrammicum*](#) Edwards, 1928 ^{c g}
- [*Simulium dinakarani*](#) Anbalagan, Vijayan, Balachandran, Thiyonila & Surya, 2020 ^g
- [*Simulium dinellii*](#) Joan, 1912 ^{i c g}
- [*Simulium discrepans*](#) Delfinado, 1969 ^{c g}
- [*Simulium disneyi*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium distinctum*](#) Lutz, 1910 ^{c g}
- [*Simulium diversibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium diversifurcatum*](#) Lutz, 1910 ⁱ
- [*Simulium dixiense*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium djafarovi*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium djallonense*](#) Roubaud & Grenier, 1943 ^{c g}
- [*Simulium djebaglense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium dogieli*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium doipuiense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium doisaketense*](#) ^g
- [*Simulium dojeycorium*](#) Craig, 1997 ^{c g}
- [*Simulium dola*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium dolini*](#) Usova & Sukhomlin, 1989 ^{c g}
- [*Simulium dolomitense*](#) (Rivosecchi, 1971) ^{c g}
- [*Simulium donovani*](#) Vargas, 1943 ^{c g}
- [*Simulium downsi*](#) Vargas, Palacio, Nayera, 1946 ^{i c g}
- [*Simulium dubitskii*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium duboisi*](#) Fain, 1950 ^{c g}
- [*Simulium dudgeoni*](#) Takaoka & Davies, 1995 ^{c g}
- [*Simulium dugesi*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium dukei*](#) Lewis, Disney & Crosskey, 1969 ^{c g}
- [*Simulium dumogaense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium dunfellense*](#) (Davies, 1966) ^{c g}
- [*Simulium dunhuangense*](#) Liu & An, 2004 ^{c g}
- [*Simulium duodecimcornutum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium duodecimum*](#) Gibbins, 1936 ^{c g}
- [*Simulium duodenicornium*](#) Pipinelli, Hamada & Trivinho-Strixino, 2005 ^{c g}
- [*Simulium duolongum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium duplex*](#) Shewell and Fredeen, 1958 ^{i c g}
- [*Simulium dureti*](#) Wygodzinsky, Coscaron, 1967 ^{i c g}

- [*Simulium dussertorum*](#) Craig, 1997 ^{c g}
- [*Simulium dycei*](#) Colbo, 1976 ^{c g}

E

- [*Simulium earlei*](#) Vargas & Najera, 1946 ^{c g}
- [*Simulium ecuadoriense*](#) Enderlein, 1934 ^{i g}
- [*Simulium edwardsi*](#) (Enderlein, 1934) ^{c g}
- [*Simulium egregium*](#) Seguy, 1930 ^{c g}
- [*Simulium ekomei*](#) Lewis & Disney, 1972 ^{c g}
- [*Simulium ela*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium elatum*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium elburnum*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium elongatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium emarginatum*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium emiliae*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium empascae*](#) Py-Daniel & Moreira, 1988 ^{c g}
- [*Simulium empopomae*](#) Meillon, 1937 ^{c g}
- [*Simulium enciso*](#)i Vargas and Diaz Najera, 1949 ^{i c g}
- [*Simulium englund*](#)i Craig, 2004 ^{c g}
- [*Simulium eouzani*](#) Germain & Grenier, 1970 ^{c g}
- [*Simulium ephemerophilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium ephippioidum*](#) Chen & Wen, 1999 ^{c g}
- [*Simulium epistum*](#) Delfinado, 1971 ^{c g}
- [*Simulium equinum*](#) (Linnaeus, 1758) ^{c g}
- [*Simulium erectum*](#) (Rubtsov, 1959) ^{c g}
- [*Simulium erimoense*](#) (Ono, 1980) ^{c g}
- [*Simulium erythrocephalum*](#) (De Geer, 1776) ^{c g}
- [*Simulium escomeli*](#) Roubaud, 1909 ^{i c g}
- [*Simulium estevezi*](#) Vargas, 1945 ^{c g}
- [*Simulium ethelae*](#) Dalmat, 1950 ^{i c g}
- [*Simulium ethiopiense*](#) Fain & Oomen, 1968 ^{c g}
- [*Simulium euryadminiculum*](#) Davies, 1949 ^{i c g}
- [*Simulium euryplatamus*](#) Sun & Song, 1995 ^{c g}
- [*Simulium evelynae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium evenhuisi*](#) Craig, 1997 ^{c g}
- [*Simulium evillense*](#) Fain, Hallot & Bafort, 1966 ^{c g}

- [*Simulium exasperans*](#) Craig, 1987 ^{c g}
- [*Simulium excisum*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium exiguum*](#) Roubaud, 1906 ^{i c g}
- [*Simulium exile*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium eximium*](#) Meijere, 1913 ^{c g}
- [*Simulium exulatum*](#) Adler, Currie & Wood, 2004 ^{c g}

F

- [*Simulium faheyi*](#) Taylor, 1927 ^{c g}
- [*Simulium falcoe*](#) (Shiraki, 1935) ^{c g}
- [*Simulium falculatum*](#) (Enderlein, 1929) ^{c g}
- [*Simulium fallisi*](#) (Golini, 1975) ^{c g}
- [*Simulium fangense*](#) Takaoka, 2006 ^{c g}
- [*Simulium fanjingshanense*](#) Chen, Zhang & Wen, 2000 ^{c g}
- [*Simulium fararae*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium farciminis*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium fenestratum*](#) Edwards, 1934 ^{c g}
- [*Simulium ferganicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium feuerborni*](#) Edwards, 1934 ^{c g}
- [*Simulium fibrinflatum*](#) Twinn, 1936 ^{i c g b} (inflated gnat)
- [*Simulium fidum*](#) Datta, 1975 ^{c g}
- [*Simulium fimbriatum*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium fionae*](#) Adler, 1990 ^{c g}
- [*Simulium flaveolum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium flavicans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium flavidum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium flavifemur*](#) Enderlein, 1921 ^{i g}
- [*Simulium flavigaster*](#) Rubtsov, 1969 ^{c g}
- [*Simulium flavinotatum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium flavipes*](#) Austen, 1921 ^{c g}
- [*Simulium flavipictum*](#) Knab, 1914 ^{i c g}
- [*Simulium flavoantennatum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium flavocinctum*](#) Edwards, 1934 ^{c g}
- [*Simulium flavopubescens*](#) Lutz, 1910 ⁱ
- [*Simulium flavum*](#) Takaoka, 2003 ^{c g}
- [*Simulium flexibranchium*](#) Crosskey, 2001 ^{c g}

- [*Simulium florae*](#) (Dzhafarov, 1954) ^{c g}
- [*Simulium floresense*](#) Takaoka, 2006 ^{c g}
- [*Simulium fluviatile*](#) Radzivilovskaya, 1948 ^{c g}
- [*Simulium fontanum*](#) Terteryan, 1952 ^{c g}
- [*Simulium fontinale*](#) Radzivilovskaya, 1948 ^{c g}
- [*Simulium fontium*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium forcipatum*](#) Delfinado, 1969 ^{c g}
- [*Simulium fossatae*](#) Craig, 1997 ^{c g}
- [*Simulium fragai*](#) Abreu, 1960 ^{c g}
- [*Simulium freemani*](#) Vargas & Najera, 1949 ^{c g}
- [*Simulium friederichsi*](#) Edwards, 1934 ^{c g}
- [*Simulium friedlanderi*](#) Py-Daniel, 1987 ^{c g}
- [*Simulium frigidum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium fucense*](#) (Rivosecchi, 1962) ^{c g}
- [*Simulium fujianense*](#) Zhang-tao & Wang, 1991 ^{c g}
- [*Simulium fuliginis*](#) Field, 1969 ^{c g}
- [*Simulium fulvibnotum*](#) Cerqueira and Mello, 1968 ^{i g}
- [*Simulium fulvipes*](#) (Ono, 1978) ^{c g}
- [*Simulium furcillatum*](#) Wygodzinsky & Coscaron, 1982 ^{c g}
- [*Simulium furculatum*](#) (Shewell, 1952) ^{i c g}
- [*Simulium fuscatum*](#) Yankovsky, 1996 ^{c g}
- [*Simulium fuscicorne*](#) Fain, 1950 ^{c g}
- [*Simulium fuscidorsum*](#) Takaoka ^g
- [*Simulium fuscinervis*](#) Edwards, 1933 ^{c g}
- [*Simulium fuscitarse*](#) Takaoka, 2003 ^{c g}
- [*Simulium fuscopilosum*](#) Edwards, 1928 ^{c g}
- [*Simulium fuscum*](#) (Rubtsov, 1963) ^{c g}
- [*Simulium futaense*](#) Garms & Post, 1966 ^{c g}
- [*Simulium fuzhouense*](#) Zhang & Wang, 1991 ^{c g}

G

- [*Simulium gabaldoni*](#) Perez, 1971 ^{i c g}
- [*Simulium gabovae*](#) (Rubtsov, 1966) ^{c g}
- [*Simulium gagiduense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium gallinum*](#) Edwards, 1932 ^{c g}
- [*Simulium galloprovinciale*](#) Giuducelli, 1963 ^{c g}

- [*Simulium ganalesense*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium gariepsense*](#) Meillon, 1953 ^{c g}
- [*Simulium garmsi*](#) Crosskey, 1969 ^{c g}
- [*Simulium garniense*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium gatchaliani*](#) Takaoka, 1983 ^{c g}
- [*Simulium gaudeatum*](#) Knab, 1914 ^{i g}
- [*Simulium gaurani*](#) Coscaron and Wygodzinsky, 1972 ^{i g}
- [*Simulium geigyi*](#) Garms & Hausermann, 1968 ^{c g}
- [*Simulium geigelense*](#) (Dzhafarov, 1954) ^{c g}
- [*Simulium germuense*](#) Liu, Gong, Zhang, Luo & An, 2003 ^{c g}
- [*Simulium ghoomense*](#) Datta, 1975 ^{c g}
- [*Simulium gibense*](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [*Simulium giganteum*](#) Rubtzov, 1940 ^{i c g}
- [*Simulium gilleti*](#) Fain & Hallot, 1964 ^{c g}
- [*Simulium gimpuense*](#) Takaoka, 2003 ^{c g}
- [*Simulium glatthaari*](#) Takaoka & Davies, 1995 ^{c g}
- [*Simulium globosum*](#) Takaoka, 2003 ^{c g}
- [*Simulium goeldi*](#) Cerqueira and Mello, 1967 ⁱ
- [*Simulium goeldii*](#) Cerqueira & Mello, 1967 ^{c g}
- [*Simulium goinyi*](#) Lewis & Hanney, 1965 ^{c g}
- [*Simulium golani*](#) (Beaucornu-Saguez, 1977) ^{c g}
- [*Simulium gombakense*](#) Takaoka & Davies, 1995 ^g
- [*Simulium gomphocorne*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium gonzalezherrejoni*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium gonzalezi*](#) Vargas & Díaz Nájera, 1953 ^{c g}
- [*Simulium gorokae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium gouldingi*](#) Stone, 1952 ^{i c g}
- [*Simulium gracile*](#) Datta, 1973 ^{c g}
- [*Simulium gracilipes*](#) Edwards, 1921 ^{c g}
- [*Simulium gravelyi*](#) Puri, 1933 ^{c g}
- [*Simulium grenieri*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium grerreroi*](#) Perez, 1071 ^{i g}
- [*Simulium gribae*](#) Rubtsov, 1956 ^{c g}
- [*Simulium griseicolle*](#) Becker, 1903 ^{c g}
- [*Simulium griseifrons*](#) Brunetti, 1911 ^{c g}
- [*Simulium grisescens*](#) Brunetti, 1911 ^{c g}

- [*Simulium griseum*](#) Coquillett, 1898 ^{i c g}
- [*Simulium griveaudi*](#) Ovazzar & Ovazza, 1970 ^{c g}
- [*Simulium grossifilum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium guamense*](#) Stone, 1964 ^{c g}
- [*Simulium guaporense*](#) Py-Daniel, 1989 ^{c g}
- [*Simulium guerrenense*](#) Vargas & Najera, 1956 ^{c g}
- [*Simulium guerreroi*](#) Ramirez-Perez, 1971 ^{c g}
- [*Simulium guianense*](#) Wise, 1911 ^{i c g}
- [*Simulium guimari*](#) Becker, 1908 ^{c g}
- [*Simulium guniki*](#) Takaoka, 2001 ^{c g}
- [*Simulium gurneyae*](#) Senior-White, 1922 ^{c g}
- [*Simulium gusevi*](#) Rubtsov, 1976 ^{c g}
- [*Simulium gutsevitshi*](#) (Yankovsky, 1978) ^{c g}
- [*Simulium guttatum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium gviletense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium gyas*](#) Meillon, 1951 ^{c g}
- [*Simulium gyorkosae*](#) Takaoka & Davies, 1996 ^{c g}

H

- [*Simulium hackeri*](#) Edwards, 1929 ^{c g}
- [*Simulium hadiae*](#) Takaoka, 2003 ^{c g}
- [*Simulium haematopotum*](#) Malloch, 1914 ^{i c g}
- [*Simulium haematoptum*](#) Malloch ^{i g}
- [*Simulium hagai*](#) Takaoka, 2003 ^{c g}
- [*Simulium haiduanens*](#) Takaoka, Low & Huang, 2018 ^g
- [*Simulium hailuogouense*](#) Chen, Huang & Zhang, 2005 ^{c g}
- [*Simulium halmaheraense*](#) Takaoka, 2003 ^{c g}
- [*Simulium hargreavesi*](#) Gibbins, 1934 ^{c g}
- [*Simulium harrisoni*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium haysi*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium hechti*](#) Vargas, Martinez Palacios & Diaz Najera, 1946 ^{c g}
- [*Simulium hectorvargasi*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium heishuiense*](#) Wen & Chen, 2006 ^{c g}
- [*Simulium heldsbachense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium hematophilum*](#) Laboulbene, 1882 ^{c g}
- [*Simulium hemicyclium*](#) Smart & Clifford, 1965 ^{c g}

- [*Simulium henanense*](#) Wen & Chen, 2007 ^{c g}
- [*Simulium hengshanense*](#) Bi & Chen, 2004 ^{c g}
- [*Simulium heptapotamicum*](#) (Rubtsov, 1940) ^{c g}
- [*Simulium heptaspicae*](#) Gouteux, 1977 ^{c g}
- [*Simulium herreri*](#) Wygodzinsky and Coscaron, 1967 ^{i c g}
- [*Simulium hessei*](#) Gibbins, 1941 ^{c g}
- [*Simulium hibernale*](#) (Rubtsov, 1967) ^{c g}
- [*Simulium hiemale*](#) Rubtsov, 1956 ^{c g}
- [*Simulium hieroglyphicum*](#) Peterson, Vargas & Ramirez-Perez, 1988 ^{c g}
- [*Simulium hightoni*](#) Lewis, 1961 ^{c g}
- [*Simulium himalayense*](#) Puri, 1932 ^{c g}
- [*Simulium hinmani*](#) Vargas & Najera, 1946 ^{c g}
- [*Simulium hiroshii*](#) Takaoka, 1994 ^{c g}
- [*Simulium hiroyukii*](#) ^g
- [*Simulium hirsutilateris*](#) Meillon, 1937 ^{c g}
- [*Simulium hirsutum*](#) Pomeroy, 1922 ^{c g}
- [*Simulium hirticranioum*](#) Craig & Joy, 2000 ^g
- [*Simulium hirticranium*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium hirtinervis*](#) Edwards, 1928 ^{c g}
- [*Simulium hirtipannus*](#) Puri, 1932 ^{c g}
- [*Simulium hirtipupa*](#) Lutz, 1910 ^{i c g}
- [*Simulium hispaniola*](#) Grenier & Bertrand, 1954 ^{c g}
- [*Simulium hispidum*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium hissetteum*](#) Gibbins, 1936 ^{c g}
- [*Simulium hmongense*](#) Takaoka ^g
- [*Simulium hoffmanni*](#) Vargas, 1943 ^{i c g}
- [*Simulium hoiseni*](#) Takaoka, 2008 ^{c g}
- [*Simulium hongpingense*](#) Cheng, Luo & Yang, 2006 ^{c g}
- [*Simulium hongthaii*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium horacioi*](#) Okazawa & Onishi, 1980 ^{c g}
- [*Simulium horocochuspi*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium horokaense*](#) Ono, 1980 ^{c g}
- [*Simulium horvathi*](#) (Enderlein, 1922) ^{c g}
- [*Simulium howletti*](#) Puri, 1932 ^{c g}
- [*Simulium huaimoreense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium huairayacu*](#) Wygodzinsky, 1953 ^{c g}

- [*Simulium huangi*](#) Huang, 2017 ^g
- [*Simulium huemul*](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [*Simulium huense*](#) Takaoka ^g
- [*Simulium hukaense*](#) Sechan, 1983 ^{c g}
- [*Simulium humerosum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium hunanense*](#) Zhang & Chen, 2004 ^{c g}
- [*Simulium hunteri*](#) Malloch, 1914 ^{i c g}

I

- [*Simulium ibarakiense*](#) Takaoka & Saito, 2007 ^{c g}
- [*Simulium ibariense*](#) Zivkovic & Grenier, 1959 ^{c g}
- [*Simulium ibericum*](#) Crosskey & Santos Gracio, 1985 ^{c g}
- [*Simulium ibleum*](#) (Rivosecchi, 1966) ^{c g}
- [*Simulium ichnusae*](#) (Rivosecchi, 1993) ^{c g}
- [*Simulium ifugaoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium ignacioi*](#) Perez and Vulcano, 1973 ⁱ
- [*Simulium ignescens*](#) Roubaud, 1906 ^{i c g}
- [*Simulium iguazuense*](#) Coscaron, 1976 ^{c g}
- [*Simulium imerinae*](#) Roubaud, 1905 ^{c g}
- [*Simulium immortalis*](#) Cai, An, Li & Yan, 2004 ^{c g}
- [*Simulium impar*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium impukane*](#) Meillon, 1936 ^{c g}
- [*Simulium inaequale*](#) Paterson and Shannon, 1927 ^{i c g}
- [*Simulium incanum*](#) (Loew, 1840) ^{c g}
- [*Simulium incertum*](#) Lutz, 1910 ^{i c g}
- [*Simulium incognitum*](#) Adler & Mason, 1997 ^{c g}
- [*Simulium incrustatum*](#) Lutz, 1910 ^{i c g}
- [*Simulium indica*](#) Singh Sidhu, 2005 ^{c g}
- [*Simulium indicum*](#) Becher, 1885 ^{c g}
- [*Simulium inermum*](#) Takaoka, 2003 ^{c g}
- [*Simulium inexorabile*](#) Schrottky, 1909 ⁱ
- [*Simulium infenestrum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium infernale*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium inflatum*](#) (Rubtsov, 1951) ^{c g}
- [*Simulium innocens*](#) (Shewell, 1952) ^{i c g}
- [*Simulium inornatum*](#) Mackerras & Mackerras, 1950 ^{c g}

- [*Simulium intermedium*](#) Roubaud, 1906 ^{c g}
- [*Simulium inthanonense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium inuitkiense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium iphias*](#) Meillon, 1951 ^{c g}
- [*Simulium iracouboense*](#) Floch and Abonnenc, 1946 ^{i c g}
- [*Simulium irayense*](#) Takaoka, 2003 ^{c g}
- [*Simulium irianense*](#) Takaoka, 2003 ^{c g}
- [*Simulium iridescens*](#) Meijere, 1913 ^{c g}
- [*Simulium itaunense*](#) D'andretta and Gonzalez, 1964 ^{i c g}
- [*Simulium itelmenica*](#) (Chubareva & Yankovsky, 2006) ^{c g}
- [*Simulium ituriense*](#) Fain, 1951 ^{c g}
- [*Simulium itwariense*](#) ^g
- [*Simulium ivashchenkoi*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium ivdelensis*](#) Yankovsky, 2000 ^{c g}
- [*Simulium iwahigense*](#) Takaoka, 1983 ^{c g}
- [*Simulium iwatense*](#) (Shiraki, 1935) ^{c g}
- [*Simulium izuense*](#) Takaoka & Saito, 2005 ^{c g}

J

- [*Simulium jacobsi*](#) Dalmat, 1953 ^{c g}
- [*Simulium jacumbae*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium jacuticum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium jaimeramirezi*](#) Wygodzinsky, 1971 ^{i c g}
- [*Simulium jani*](#) Lewis, 1973 ^{c g}
- [*Simulium janzeni*](#) Enderlein, 1922 ^{c g}
- [*Simulium janzi*](#) Abreu, 1961 ^{c g}
- [*Simulium japonicum*](#) Matsumura, 1931 ^{c g}
- [*Simulium jasnulemum*](#) Chubareva, 2000 ^{c g}
- [*Simulium jayapuraense*](#) Takaoka, 2003 ^{c g}
- [*Simulium jefersoni*](#) Hamada, Hernandez, Luz & Pepinelli, 2006 ^{c g}
- [*Simulium jeffreysi*](#) Takaoka & Davies, 1995 ^g
- [*Simulium jenningsi*](#) Malloch, 1914 ^{i c g}
- [*Simulium jerantutense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium jerezense*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium jeteri*](#) Py-Daniel, 2005 ^{c g}
- [*Simulium jianjinshanense*](#) Zhang & Chen, 2006 ^{c g}

- [*Simulium jieyangense*](#) An, Yan & Yang, 1994 ^{c g}
- [*Simulium jilinense*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium jilinensis*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium jimmaense*](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [*Simulium jinbianense*](#) Zhang & Chen, 2004 ^{c g}
- [*Simulium jnabsium*](#) Craig, 1997 ^{c g}
- [*Simulium jobbinsi*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium jocularator*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium johannae*](#) Wanson, 1947 ^{c g}
- [*Simulium johannseni*](#) Hart, 1912 ^{i c g}
- [*Simulium johnfrumi*](#) Craig, 2006 ^{c g}
- [*Simulium johnsoni*](#) Vargas & Najera, 1957 ^{c g}
- [*Simulium jolyi*](#) Roubaud, 1906 ^{c g}
- [*Simulium jonesi*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium josephi*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium joyae*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium juarezi*](#) Vargas & Najera, 1957 ^{c g}
- [*Simulium jugatum*](#) Boldarueva, 1979 ^{c g}
- [*Simulium jujuyense*](#) Paterson and Shannon, 1927 ^{i c g}
- [*Simulium jundiaiense*](#) D'andretta and Gonzalez, 1964 ⁱ
- [*Simulium junkumae*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium juxtacrenobium*](#) Bass & Brockhouse, 1990 ^{c g}
- [*Simulium juxtadamnosum*](#) Gouteux, 1978 ^{c g}

K

- [*Simulium kabanayense*](#) Perez and Volcano, 1973 ^{i c g}
- [*Simulium kachvorjanae*](#) Ussova, 1991 ^{c g}
- [*Simulium kaffaense*](#) Hadis, Wilson, Cobblah & Boakye, 2005 ^{c g}
- [*Simulium kainantuense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kaiti*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kalimerahense*](#) Takaoka, 2003 ^{c g}
- [*Simulium kambaitense*](#) Takaoka, 1989 ^{c g}
- [*Simulium kamimurai*](#) Takaoka, 2003 ^{c g}
- [*Simulium kamtshadalicum*](#) Yankovsky, 1996 ^{c g}
- [*Simulium kamtshaticum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium kanchaveli*](#) (Machavariani, 1966) ^{c g}

- [*Simulium kapuri*](#) Datta, 1975 ^{c g}
- [*Simulium karasuae*](#) Panchenko, 1998 ^{c g}
- [*Simulium karavalliense*](#) Anbalagan, Rekha, Balachandran, Dinakaran & Krishnan, 2020 ^g
- [*Simulium karenkoense*](#) (Shiraki, 1935) ^{c g}
- [*Simulium kariyai*](#) (Takahasi, 1940) ^{c g}
- [*Simulium karzhantavicum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kaszabi*](#) (Rubtsov, 1969) ^{c g}
- [*Simulium katangae*](#) Fain, 1951 ^{c g}
- [*Simulium katoj*](#) Shiraki, 1935 ^{c g}
- [*Simulium kauntzeum*](#) Gibbins, 1938 ^{c g}
- [*Simulium kawagishii*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium kawamurae*](#) Matsummura, 1931 ^{c g}
- [*Simulium kazahstanicum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium keenani*](#) Field, 1969 ^{c g}
- [*Simulium keiseri*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium keningauense*](#) Takaoka, 2008 ^{c g}
- [*Simulium kenyae*](#) Meillon, 1940 ^{c g}
- [*Simulium keravatense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kerei*](#) Takaoka & Suzuki, 1994 ^{c g}
- [*Simulium kerisorum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kerzhneri*](#) (Rubtsov, 1975) ^{c g}
- [*Simulium khunklangense*](#) Takaoka & Srisuka ^g
- [*Simulium kiangaraense*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium kietaense*](#) Takaoka, 1995 ^{c g}
- [*Simulium kiewfinense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium kiewmaepanense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium kilibanum*](#) Gouteux, 1977 ^{c g}
- [*Simulium kinabaluense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium kingundense*](#) Fain & Elsen, 1974 ^{c g}
- [*Simulium kipengere*](#) Krueger, 2006 ^{c g}
- [*Simulium kirgisorum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kiritshenkoi*](#) (Rubtsov, 1940) ^{c g}
- [*Simulium kisoense*](#) Uemoto, Onishi & Orii, 1974 ^{c g}
- [*Simulium kitetense*](#) Elsen & Post, 1989 ^{c g}
- [*Simulium kivuense*](#) Gouteux, 1978 ^{c g}
- [*Simulium klonglanense*](#) Takaoka, Srisuka & Saeung, 2020 ^g

- [*Simulium knidirii*](#) Giudicelli & Thiery, 1985 ^{c g}
- [*Simulium kobayashii*](#) Okamoto, Sato & Shogaki, 1958 ^{c g}
- [*Simulium koidzumii*](#) (Tashasi, 1940) ^{c g}
- [*Simulium kokodae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kolakaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium kompi*](#) Dalmat, 1951 ^{c g}
- [*Simulium konakovi*](#) Rubtsov, 1956 ^{c g}
- [*Simulium konkoureense*](#) Boakye, Post, Mosha & Quillevere, 1993 ^{c g}
- [*Simulium konoj*](#) (Takashasi, 1950) ^{c g}
- [*Simulium kozlovi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium krebsorum*](#) Moulton & Adler, 1992 ^{c g}
- [*Simulium krishnani*](#) Anbalagan, Vijayan, Balachandran, Thiyonila & Surya, 2020 ^g
- [*Simulium krombeini*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium krymense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kuandianense*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium kuandianensis*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium kugartsuense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kugitangi*](#) Yankovsky & Shinkovsky, 1992 ^{c g}
- [*Simulium kuingingiense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kumbakkaraiense*](#) Anbalagan, Vijayan, Dinakaran & Krishnan, 2019 ^g
- [*Simulium kumboense*](#) Grenier & Germain, 1966 ^{c g}
- [*Simulium kurense*](#) Rubtsov & Dzhafarov, 1951 ^{c g}
- [*Simulium kurganense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kurilense*](#) Rubtsov, 1956 ^{c g}
- [*Simulium kuznetzovi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium kwangoense*](#) Fain & Elsen, 1974 ^{c g}
- [*Simulium kyushuense*](#) Takaoka, 1978 ^{c g}

L

- [*Simulium labellei*](#) Peterson, 1993 ^{c g}
- [*Simulium lacduongense*](#) Takaoka ^g
- [*Simulium laciniatum*](#) Edwards, 1924 ^{c g}
- [*Simulium lagunaense*](#) Takaoka, 1983 ^{c g}
- [*Simulium lahillei*](#) Paterson and Shannon, 1927 ^{i c g}
- [*Simulium lakei*](#) Snoddy, 1976 ^{i c g}
- [*Simulium lalokiense*](#) Smart & Clifford, 1965 ^{c g}

- [*Simulium lama*](#) Rubtsov, 1940 ^{c g}
- [*Simulium lamachi*](#) Doby & David, 1960 ^{c g}
- [*Simulium lamdongense*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium lampangense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium landonoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium laneportoi*](#) Vargas, 1941 ^{i c g}
- [*Simulium langbiangense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium languidum*](#) Davies & Gyorkos, 1988 ^{c g}
- [*Simulium laosense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium laoshanstum*](#) Ren, An & Kang, 1998 ^{c g}
- [*Simulium laplandica*](#) Chubareva & Yankovsky, 1992 ^{c g}
- [*Simulium lardizabala*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium larvipilosum*](#) Okazawa, 1984 ^{c g}
- [*Simulium larvispinosum*](#) Leon, 1948 ^{c g}
- [*Simulium lassmanni*](#) Vergas, Martinez, 1946 ^{i c g}
- [*Simulium laterale*](#) Edwards, 1933 ^{c g}
- [*Simulium laticax*](#) Enderlein, 1933 ^{i g}
- [*Simulium latidigitus*](#) Enderlein, 1936 ^{i g}
- [*Simulium latifile*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium latigonium*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium latilobus*](#) Rubtsov, 1973 ^{c g}
- [*Simulium latimentum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium latipes*](#) Meigen, 1804 ^{i c g}
- [*Simulium latipollex*](#) (Enderlein, 1936) ^{c g}
- [*Simulium latistylum*](#) Takaoka, 1983 ^{c g}
- [*Simulium latitarsus*](#) Rubtsov, 1971 ^{c g}
- [*Simulium laui*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium lawnhillense*](#) Colbo, 1976 ^{c g}
- [*Simulium laxum*](#) Takaoka, 2003 ^{c g}
- [*Simulium leberrei*](#) Grenier & Germain, 1966 ^{c g}
- [*Simulium ledangense*](#) ^g
- [*Simulium ledongense*](#) Yang & Chen, 2001 ^{c g}
- [*Simulium lehi*](#) Takaoka, 2001 ^{c g}
- [*Simulium leigongshanense*](#) Chen & Zhang, 1997 ^{c g}
- [*Simulium lemboreense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium leonense*](#) Boakye, Post & Mosha, 1993 ^{c g}

- [*Simulium leopoldense*](#) Strieder & Py-Daniel, 2000 ^{c g}
- [*Simulium lepnevae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium letabum*](#) Meillon, 1935 ^{c g}
- [*Simulium letrasense*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium lewisi*](#) Perez, 1971 ^{i c g}
- [*Simulium leytense*](#) Takaoka, 1983 ^{c g}
- [*Simulium liberiense*](#) Garms, 1973 ^{c g}
- [*Simulium lidiae*](#) (Semushin & Usova, 1983) ^{c g}
- [*Simulium lididae*](#) Semushin & Usova, 1983 ^{c g}
- [*Simulium lilianae*](#) Takaoka, 2000 ^{c g}
- [*Simulium liliwense*](#) Takaoka, 1983 ^{c g}
- [*Simulium lilotense*](#) (Rubtsov, 1971) ^{c g}
- [*Simulium limay*](#) Wygodzinsky, 1958 ^{c g}
- [*Simulium limbatum*](#) Knab, 1915 ^{i c g}
- [*Simulium linduense*](#) Takaoka, 2003 ^{c g}
- [*Simulium lineatum*](#) (Meigen, 1804) ^{c g}
- [*Simulium lineothorax*](#) Puri, 1932 ^{c g}
- [*Simulium lingziense*](#) Deng, Zhang & Chen, 1995 ^{c g}
- [*Simulium liriense*](#) Rivosecchi, 1961 ^{c g}
- [*Simulium litobranchium*](#) Hamada, Pepinelli, Mattos-Gloria & Luz ^g
- [*Simulium litoreum*](#) Datta, 1975 ^{c g}
- [*Simulium litshkense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium littopyga*](#) Evenhuis, 2017 ^g
- [*Simulium littosocius*](#) Evenhuis, 2017 ^g
- [*Simulium littosodalis*](#) Evenhuis, 2017 ^g
- [*Simulium lividum*](#) (Schellenberg, 1803) ^{c g}
- [*Simulium llutense*](#) Coscaron & Matta, 1982 ^{c g}
- [*Simulium lobatoi*](#) Dias, Hernandez, Maia-Herzog & Shelley, 2004 ^{c g}
- [*Simulium loeiense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium loerchae*](#) Adler, 1987 ^{c g}
- [*Simulium lonchatum*](#) Chen, Zhang & Huang, 2005 ^{c g}
- [*Simulium lonckeii*](#) Craig, 1997 ^{c g}
- [*Simulium longifiliatum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium longipalpe*](#) Beltyukova, 1955 ^{c g}
- [*Simulium longipes*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium longirostre*](#) Smart, 1972 ^{c g}

- [*Simulium longistylatum*](#) Shewell, 1959 ^{i c g}
- [*Simulium longitarse*](#) (Rubtsov & Violovich, 1965) ^{c g}
- [*Simulium longithallum*](#) Diaz Najera & Vulcano, 1962 ^{c g}
- [*Simulium longitruncum*](#) Zhang & Chen, 2003 ^{c g}
- [*Simulium longlanhense*](#) Takaoka ^g
- [*Simulium longshengense*](#) Chen, Zhang & Zhang, 2007 ^{c g}
- [*Simulium longtanstum*](#) Ren Bing, An & Kang, 1998 ^{c g}
- [*Simulium loreense*](#) Takaoka, 2003 ^{c g}
- [*Simulium lotii*](#) Craig, 1987 ^{c g}
- [*Simulium lourencoi*](#) Py-Daniel, 1988 ^{c g}
- [*Simulium loutetense*](#) Grenier & Ovazza, 1951 ^{c g}
- [*Simulium loveridgei*](#) Crosskey, 1965 ^{c g}
- [*Simulium lowi*](#) Takaoka & Adler, 2017 ^g
- [*Simulium luadiense*](#) Elsen, Fain & Boeck, 1983 ^{c g}
- [*Simulium luchoi*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium lucyae*](#) Craig, 2006 ^{c g}
- [*Simulium ludingens*](#) Chen, Zhang & Huang, 2005 ^{c g}
- [*Simulium lugense*](#) Yankovsky, 1996 ^{c g}
- [*Simulium luggeri*](#) Nicholson and Mickel, 1950 ^{i c g}
- [*Simulium luliangense*](#) Chen & Lian ^g
- [*Simulium lumbwanum*](#) Meillon, 1944 ^{c g}
- [*Simulium lundstromi*](#) (Enderlein, 1921) ^{c g}
- [*Simulium lunduense*](#) Takaoka, 2008 ^{c g}
- [*Simulium luppovae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium luridum*](#) Takaoka, 2003 ^{c g}
- [*Simulium lurybayae*](#) Smart, 1944 ^{i c g}
- [*Simulium lushanense*](#) Chen, Kang & Zhang, 2007 ^{c g}
- [*Simulium lutzi*](#) Knab, 1913 ^{c g}
- [*Simulium lutzianum*](#) Pinto, 1931 ^{i c g}
- [*Simulium luzonicum*](#) Takaoka, 1983 ^{c g}

M

- [*Simulium macca*](#) (Enderlein, 1934) ^{c g}
- [*Simulium machadoallisoni*](#) Vulcano, 1981 ⁱ
- [*Simulium machadoi*](#) Luna de Carvalho, 1962 ^{c g}
- [*Simulium machetorum*](#) ^g

- [*Simulium mackerrasorum*](#) Colbo, 1976 ^{c g}
- [*Simulium maculatum*](#) (Meigen, 1804) ^{c g}
- [*Simulium maehongsonense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium maelanoiense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium maenoi*](#) Takaoka & Choochote, 2002 ^{c g}
- [*Simulium maertensi*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium maewongense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium mafuluense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium magnum*](#) Lane & Porto, 1940 ^{c g}
- [*Simulium mainitense*](#) Takaoka, Tenedero, 2019 ^g
- [*Simulium major*](#) Lane and Porto, 1940 ^{i g}
- [*Simulium makartshenkovi*](#) Bodrova, 1987 ^{c g}
- [*Simulium makilingense*](#) Takaoka, 1983 ^{c g}
- [*Simulium maklarini*](#) Takaoka, 2007 ^{c g}
- [*Simulium malaibaense*](#) Takaoka & Tenedero, 2007 ^{c g}
- [*Simulium malardei*](#) Craig, 1987 ^{c g}
- [*Simulium malayense*](#) Takaoka & Davies, 1995 ^g
- [*Simulium malinoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium malukuense*](#) Takaoka, 2003 ^{c g}
- [*Simulium malyschevi*](#) Dorog., Rubtsov, and Vlasenko, 1935 ^{i c g}
- [*Simulium mamasaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium manadoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium manbucalense*](#) Takaoka, 1983 ^{c g}
- [*Simulium manense*](#) Elsen & Escaffre, 1976 ^{c g}
- [*Simulium mangabeirai*](#) Vargas, 1945 ^{c g}
- [*Simulium mangasepi*](#) Takaoka, 1983 ^{c g}
- [*Simulium manicatum*](#) Enderlein, 1933 ^{i g}
- [*Simulium manokwariense*](#) Takaoka, 2003 ^{c g}
- [*Simulium manooni*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium manuselaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium maraense*](#) Craig, 1997 ^{c g}
- [*Simulium maranguapense*](#) Pessoa, Rios-Velasquez & Py-Daniel, 2005 ^{c g}
- [*Simulium marathrumi*](#) Fairchild, 1940 ^{c g}
- [*Simulium margaritae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium margaritatum*](#) Pepinelli, Hamada & Luz, 2006 ^{c g}
- [*Simulium mariavulcanoae*](#) Coscaron & Wygodzinsky, 1984 ^{c g}

- [*Simulium maritimum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium marlieri*](#) Grenier, 1950 ^{c g}
- [*Simulium marocanum*](#) Bouzidi & Giudicelli, 1988 ^{c g}
- [*Simulium maroniense*](#) Floch and Abonnenc, 1946 ^{i g}
- [*Simulium marosense*](#) Takaoka, Sofian-Azirun & Suana, 2019 ^g
- [*Simulium marquezi*](#) Vargas & Diaz Najera, 1957 ^{c g}
- [*Simulium marsicanum*](#) (Rivosecchi, 1962) ^{c g}
- [*Simulium masabae*](#) Gibbins, 1934 ^{c g}
- [*Simulium masilauense*](#) Takaoka, 2008 ^{c g}
- [*Simulium mataverense*](#) Craig & Craig, 1987 ^{c g}
- [*Simulium matokoense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium matteabanchia*](#) Anduze, 1947 ⁱ
- [*Simulium matteabanchium*](#) Anduze, 1947 ^{c g}
- [*Simulium mauense*](#) Nunes de Mello, 1974 ^{c g}
- [*Simulium maximum*](#) (Knoz, 1961) ^{c g}
- [*Simulium mayuchuspi*](#) Coscaron, 1990 ^{c g}
- [*Simulium mayumbense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium mazzottii*](#) Diaz Najera, 1981 ^{c g}
- [*Simulium mbarigui*](#) Coscaron and Wygodzinsky, 1973 ⁱ
- [*Simulium mcmahoni*](#) Meillon, 1940 ^{c g}
- [*Simulium meadowi*](#) Mahe, Ma & An, 2003 ^{c g}
- [*Simulium mediaxisus*](#) An, Guo & Xu, 1995 ^{c g}
- [*Simulium mediocoloratum*](#) Takaoka, 2006 ^{c g}
- [*Simulium mediodentatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium mediovittatum*](#) Knab, 1916 ^{i c g}
- [*Simulium medusaeforme*](#) Pomeroy, 1920 ^{c g}
- [*Simulium meigeni*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium melanocephalum*](#) Gouteux, 1978 ^{c g}
- [*Simulium melanopus*](#) Edwards, 1929 ^{c g}
- [*Simulium melatum*](#) Wharton, 1949 ^{c g}
- [*Simulium mellah*](#) Giudicelli, Bouzidi & Ait Abdelaali, 2000 ^{c g}
- [*Simulium menchacai*](#) Vargas & Najera, 1957 ^{c g}
- [*Simulium mendiense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium mengense*](#) Vajime & Dunbar, 1979 ^{c g}
- [*Simulium mengi*](#) Chen, Zhang & Wen, 2000 ^{c g}
- [*Simulium menglaense*](#) Chen, 2003 ^{c g}

- [*Simulium merga*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium meridionale*](#) Riley, 1887 ^{i c g}
- [*Simulium merops*](#) Meillon, 1950 ^{c g}
- [*Simulium merritti*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium meruoca*](#) Mello, Almeida, Dellome, 1973 ⁱ
- [*Simulium mesasiaticum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium mesodontium*](#) Craig, 1987 ^{c g}
- [*Simulium metallicum*](#) Bellardi, 1859 ^{i c g}
- [*Simulium metatrsale*](#) Brunetti, 1911 ^{c g}
- [*Simulium metecontae*](#) Elouard & Pilaka, 1996 ^{c g}
- [*Simulium mexicanum*](#) Bellardi, 1862 ⁱ
- [*Simulium meyeræ*](#) Moulton & Adler, 2002 ^{c g}
- [*Simulium miblosi*](#) Takaoka, 1983 ^{c g}
- [*Simulium microbranchium*](#) Dalmat, 1949 ^{c g}
- [*Simulium microlepidum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium middlemissae*](#) Craig, 1997 ^{c g}
- [*Simulium mie*](#) Ogata & Sasa, 1954 ^{c g}
- [*Simulium milloti*](#) Grenier & Doucet, 1949 ^{c g}
- [*Simulium minahasaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium minangkabaum*](#) Takaoka & Sigit, 1997 ^{c g}
- [*Simulium mindanaoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium mindoroense*](#) Takaoka & Tenedero, 2007 ^{c g}
- [*Simulium minji*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium minuanum*](#) Strieder & Coscaron, 2000 ^{c g}
- [*Simulium minus*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium minusculum*](#) Lutz ^{i c g}
- [*Simulium minuticorpus*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium minutum*](#) (Rubtsov, 1959) ^c
- [*Simulium miyagii*](#) Takaoka, 2003 ^{c g}
- [*Simulium modicum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium mogii*](#) Takaoka, 2003 ^{c g}
- [*Simulium molliculum*](#) Takaoka, 2003 ^{c g}
- [*Simulium mongolense*](#) Yankovsky, 1996 ^{c g}
- [*Simulium mongolicum*](#) (Rubtsov, 1969) ^{c g}
- [*Simulium montiblense*](#) Takaoka, 1983 ^{c g}
- [*Simulium monticola*](#) Friederichs, 1920 ^{c g}

- [*Simulium monticoloides*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium montium*](#) (Rubtsov, 1947) ^{c g}
- [*Simulium montshadskii*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium morae*](#) Perez, Rassi, Ramirez, 1977 ^{i c g}
- [*Simulium morisonoi*](#) Takaoka, 1973 ^{c g}
- [*Simulium morsitans*](#) Edwards, 1915 ^{c g}
- [*Simulium motoyukii*](#) Takaoka, 2003 ^{c g}
- [*Simulium moucheti*](#) Gouteux, 1977 ^{c g}
- [*Simulium moultoni*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium moxiense*](#) Chen, Huang & Zhang, 2005 ^{c g}
- [*Simulium muangpanense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium multiclavulatum*](#) Fain, Elsen & Dujardin, 1989 ^{c g}
- [*Simulium multidentatum*](#) Bodrova, 1988 ^{c g}
- [*Simulium multifurcatum*](#) Zhang, 1991 ^{c g}
- [*Simulium multistriatum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium mumfordi*](#) Edwards, 1932 ^{c g}
- [*Simulium munumense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium murvanidzei*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium mussauense*](#) Delfinado, 1971 ^{c g}
- [*Simulium mutucuna*](#) Mello and Silva, 1974 ^{i c g}
- [*Simulium myanmarensense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium mysterium*](#) Adler, Currie & Wood, 2004 ^{c g}

N

- [*Simulium nacojapi*](#) Smart, 1944 ^{c g}
- [*Simulium nahimi*](#) Py-Daniel, 1984 ^{c g}
- [*Simulium nakhonense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium nakkhoense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium namdanense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium namense*](#) Takaoka, 1989 ^{c g}
- [*Simulium nami*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium nanoiense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium nanthaburiense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium nanum*](#) Zetterstedt, 1838 ^{c g}
- [*Simulium napuense*](#) Takaoka, 2003 ^{c g}
- [*Simulium narcaeum*](#) Meillon, 1950 ^{c g}

- [*Simulium natalense*](#) Meillon, 1950 ^{c g}
- [*Simulium naturale*](#) Davies, 1966 ^{c g}
- [*Simulium neavei*](#) Roubaud, 1915 ^{c g}
- [*Simulium nebulicola*](#) Edwards, 1934 ^{c g}
- [*Simulium nebulosum*](#) Currie and Adler, 1986 ^{i c g}
- [*Simulium negativum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium neireti*](#) Roubaud, 1905 ^{c g}
- [*Simulium nemorale*](#) Edwards, 1931 ^{c g}
- [*Simulium nemorivagum*](#) Datta, 1973 ^{c g}
- [*Simulium nemuroense*](#) Takaoka & Saito, 2002 ^{c g}
- [*Simulium neornatipes*](#) Dumbleton, 1969 ^{c g}
- [*Simulium neoviceps*](#) Craig, 1987 ^{c g}
- [*Simulium nepalense*](#) Lewis, 1964 ^{c g}
- [*Simulium netteli*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium ngabogei*](#) Fain, 1950 ^{c g}
- [*Simulium nganganum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium ngaoense*](#) Takaoka, Srisuka & Saeung, 2018 ^g
- [*Simulium ngouense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium nicholsoni*](#) Mackerras & Mackerras, 1948 ^{c g}
- [*Simulium nigricorne*](#) Dalmat, 1950 ^{c g}
- [*Simulium nigricoxum*](#) Stone, 1950 ^{i c g}
- [*Simulium nigrifacies*](#) Datta, 1974 ^{c g}
- [*Simulium nigrifemur*](#) (Enderlein, 1936) ^{c g}
- [*Simulium nigrimanum*](#) Macquart, 1838 ^{c g}
- [*Simulium nigripilosum*](#) Edwards, 1933 ^{c g}
- [*Simulium nigristrigatum*](#) (Enderlein, 1930) ^{c g}
- [*Simulium nigritarse*](#) Coquillett, 1902 ^{c g}
- [*Simulium nigrofemoralum*](#) Chen & Zhang, 2001 ^{c g}
- [*Simulium nigrofilum*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium nigrofuscipes*](#) Rubtsov, 1947 ^{c g}
- [*Simulium nigrogilvum*](#) Summers, 1911 ^{c g}
- [*Simulium nigrum*](#) (Meigen, 1804) ^{c g}
- [*Simulium niha*](#) Giuducelli & Dia, 1986 ^{c g}
- [*Simulium nikkoense*](#) Shiraki, 1935 ^{c g}
- [*Simulium nilesi*](#) Rambajan, 1979 ^{c g}
- [*Simulium nilgircum*](#) Puri, 1932 ^{c g}

- [*Simulium nili*](#) Gibbins, 1934 ^{c g}
- [*Simulium nishijimai*](#) (Ono, 1978) ^{c g}
- [*Simulium nitidithorax*](#) Puri, 1932 ^{c g}
- [*Simulium nobile*](#) Meijere, 1907 ^{c g}
- [*Simulium nodosum*](#) Puri, 1933 ^{c g}
- [*Simulium noelleri*](#) Friederichs, 1920 ^{c g}
- [*Simulium noqueirai*](#) D'andretta and Gonzalez, 1964 ⁱ
- [*Simulium noquerai*](#) d'Andretta & Gonzalez, 1964 ^{c g}
- [*Simulium norfolkense*](#) Dumbleton, 1969 ^{c g}
- [*Simulium norforense*](#) Takaoka, 2003 ^{c g}
- [*Simulium noroense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium notatum*](#) Adams, 1904 ^{i c g}
- [*Simulium notiale*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium novemarticulatum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium novigracilis*](#) Deng, Zhang & Xue, 1996 ^{c g}
- [*Simulium novolineatum*](#) Puri, 1933 ^{c g}
- [*Simulium nubis*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium nudifrons*](#) Takaoka, 2003 ^{c g}
- [*Simulium nudipes*](#) Takaoka, 2003 ^{c g}
- [*Simulium nujiangense*](#) Xue, 1993 ^{c g}
- [*Simulium nunesdemelloi*](#) Hamada, Pepinelli & Hernandez, 2006 ^{c g}
- [*Simulium nunestovari*](#) Perez, Rassi, and Ramirez, 1977 ^{i g}
- [*Simulium nuneztovari*](#) Perez, Rassi & Ramirez, 1977 ^{c g}
- [*Simulium nyaense*](#) Gouteux, 1977 ^{c g}
- [*Simulium nyanzense*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium nysalandicum*](#) Meillon, 1930 ^{c g}
- [*Simulium nyssa*](#) Stone and Snoddy, 1969 ^{i c g}

O

- [*Simulium obesum*](#) Vulcano, 1959 ^{i c g}
- [*Simulium obichingoum*](#) Chubareva, 2000 ^{c g}
- [*Simulium obikumbense*](#) (Rubtsov, 1972) ^{c g}
- [*Simulium oblongum*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium ochoai*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium ochraceum*](#) Walker, 1861 ^{i c g}
- [*Simulium ochreacum*](#) Walker, 1861 ^g

- [*Simulium ochrescentipes*](#) Enderlein, 1921 ^{c g}
- [*Simulium ocreastylum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium octofiliatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium octospicae*](#) Gibbins, 1937 ^{c g}
- [*Simulium oculatum*](#) (Enderlein, 1936) ^{c g}
- [*Simulium odontostylum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium ogatai*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium ogonukii*](#) Takaoka, 1983 ^{c g}
- [*Simulium uguamai*](#) Lewis & Disney, 1972 ^{c g}
- [*Simulium oitanum*](#) (Shiraki, 1935) ^{c g}
- [*Simulium okinawaense*](#) Takaoka, 1976 ^{c g}
- [*Simulium oligotuberculatum*](#) (Knoz, 1965) ^{c g}
- [*Simulium olimpicum*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium olonicum*](#) (Usova, 1961) ^{c g}
- [*Simulium omorii*](#) (Takahasi, 1942) ^{c g}
- [*Simulium omutaense*](#) Ogata & Sasa, 1954 ^{c g}
- [*Simulium onoi*](#) Yankovsky, 1996 ^{c g}
- [*Simulium onum*](#) Bodrova, 1988 ^{c g}
- [*Simulium opalinifrons*](#) Enderlein, 1934 ^{i g}
- [*Simulium opunohuense*](#) Craig, 1987 ^{c g}
- [*Simulium orbitale*](#) Lutz, 1910 ^{i c g}
- [*Simulium oresti*](#) Vorobets, 1984 ^{c g}
- [*Simulium ornatipes*](#) Skuse, 1890 ^{c g}
- [*Simulium ornatum*](#) (Meigen, 1818) ^{c g}
- [*Simulium orsovae*](#) Smart, 1944 ^{c g}
- [*Simulium ortizi*](#) Perez, 1971 ^{i g}
- [*Simulium oshimaense*](#) Ono, 1989 ^{c g}
- [*Simulium oshimanum*](#) Shiraki, 1935 ^{c g}
- [*Simulium ovazzae*](#) Grenier & Mouchet, 1959 ^{c g}
- [*Simulium oviceps*](#) Edwards, 1933 ^{c g}
- [*Simulium oviedoii*](#) Perez, 1971 ^{i c g}
- [*Simulium oyapockense*](#) Floch and Abonnenc, 1946 ^{i c g}
- [*Simulium ozarkense*](#) Moulton & Adler, 1995 ^{c g}

P

- [*Simulium padangense*](#) Takaoka & Sigit, 1997 ^{c g}

- [*Simulium pahangense*](#) Takaoka & Davies, 1995 ^{c g}
- [*Simulium palauense*](#) Stone, 1964 ^{c g}
- [*Simulium palawanense*](#) Delfinado, 1971 ^{c g}
- [*Simulium pallidicranium*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium pallidofemur*](#) Deng, Zhang & Xue, 1994 ^{c g}
- [*Simulium pallidum*](#) Puri, 1932 ^{c g}
- [*Simulium palmatum*](#) Puri, 1932 ^{c g}
- [*Simulium palmeri*](#) Pomeroy, 1922 ^{c g}
- [*Simulium palniense*](#) Puri, 1933 ^{c g}
- [*Simulium palopoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium palustre*](#) Rubtsov, 1956 ^{c g}
- [*Simulium pamahaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium panamense*](#) Fairchild, 1940 ^{c g}
- [*Simulium pandanophilum*](#) Kruger, Nurmi & Garms, 1998 ^{c g}
- [*Simulium pangunaense*](#) Takaoka, 1995 ^{c g}
- [*Simulium pankumuense*](#) Craig, 2006 ^{c g}
- [*Simulium papaveroi*](#) Coscaron, 1982 ^{c g}
- [*Simulium papuense*](#) Wharton, 1948 ^{c g}
- [*Simulium paracarolinae*](#) Coscaron, 2004 ^{c g}
- [*Simulium paracorniferum*](#) (Yankovsky, 1979) ^{c g}
- [*Simulium paradisium*](#) Craig, 2006 ^{c g}
- [*Simulium paraequinum*](#) Puri, 1933 ^{c g}
- [*Simulium paraguayense*](#) Schrottky, 1909 ^{i c g}
- [*Simulium parahiyangum*](#) Takaoka & Sigit, 1992 ^{c g}
- [*Simulium paralongipalpe*](#) Worobez, 1987 ^{c g}
- [*Simulium paraloutetense*](#) Crosskey, 1988 ^{c g}
- [*Simulium paramorsitans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium paranense*](#) Schrottky, 1909 ^{i c g}
- [*Simulium paranubis*](#) Davies & Gyorkos, 1992 ^{c g}
- [*Simulium parapusillum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium parargyreatum*](#) Rubtsov, 1979 ^{c g}
- [*Simulium parawaterfallum*](#) Zhang, Yang & Chen, 2003 ^{c g}
- [*Simulium parimaensis*](#) Perez, Yarzabal & Takaoka, 1986 ^{c g}
- [*Simulium parmatum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium parnassum*](#) Malloch, 1914 ^{i c g}
- [*Simulium parrai*](#) Vargas & Palacios, 1946 ^{c g}

- [*Simulium parvulum*](#) Takaoka, 2003 ^{c g}
- [*Simulium parvum*](#) Enderlein, 1921 ^{c g}
- [*Simulium pathrushevae*](#) (Boldarueva, 1979) ^{c g}
- [*Simulium patrushevae*](#) (Ivashchenko, 1978) ^c
- [*Simulium pattoni*](#) Senior-White, 1922 ^{c g}
- [*Simulium patzicianense*](#) Takaoka & Takahasi, 1982 ^{c g}
- [*Simulium paucicuspis*](#) (Rubtsov, 1947) ^{c g}
- [*Simulium pauliani*](#) Grenier & Doucet, 1949 ^{c g}
- [*Simulium payoutense*](#) Coscaron & Takaoka, 1989 ^{c g}
- [*Simulium pavlovskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium paynei*](#) Vargas, 1942 ^{i c g}
- [*Simulium pegalanense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium peggyae*](#) Takaoka, 1995 ^{c g}
- [*Simulium pekingense*](#) Sun, 1999 ^{c g}
- [*Simulium penai*](#) Wygodzinsky & Coscaron, 1970 ^{c g}
- [*Simulium penobscotensis*](#) Snoddy and Bauer, 1978 ^{i c g}
- [*Simulium pentaceros*](#) Grenier & Brunhes, 1972 ^{c g}
- [*Simulium perakense*](#) Takaoka, Ya'cob & Sofian-Azirun, 2018 ^g
- [*Simulium peregrinum*](#) Mackerras & Mackerras, 1950 ^{c g}
- [*Simulium perflavum*](#) Roubaud, 1906 ^{i c g}
- [*Simulium perforatum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium perlucidulum*](#) Takaoka, 1983 ^{c g}
- [*Simulium perplexum*](#) Shelley, Maia-Herzog & Luna Dias, 1989 ^{c g}
- [*Simulium pertinax*](#) Kollar, 1832 ^{i c g}
- [*Simulium peskovi*](#) Ismagulov & Koshkimbaev, 1996 ^{c g}
- [*Simulium peteri*](#) Anbalagan ^g
- [*Simulium petersoni*](#) Stone and Defoliart, 1959 ^{i c g}
- [*Simulium petricolum*](#) (Rivosecchi, 1963) ^g
- [*Simulium petropoliense*](#) Coscaron, 1981 ^{c g}
- [*Simulium phami*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium phapeungense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium phayaoense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium philippianum*](#) Pinto, 1932 ^{c g}
- [*Simulium philippii*](#) Coscaron, 1976 ^{c g}
- [*Simulium philipponi*](#) Elouard & Pilaka, 1997 ^{c g}
- [*Simulium phluktinae*](#) Pilaka & Elouard, 1999 ^{c g}

- [*Simulium phraense*](#) Takaoka, Srisuka & Saeung, 2018 ^g
- [*Simulium phulocense*](#) Takaoka & Chen, 2015 ^g
- [*Simulium phurueaense*](#) Tangkawanit, Wongpakam & Pramual, 2018 ^g
- [*Simulium pichi*](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [*Simulium pichoni*](#) Craig, Fossati & Sechan, 1995 ^{c g}
- [*Simulium pictipes*](#) Hagen, 1880 ^{i c g}
- [*Simulium pifanoi*](#) Perez, 1971 ^{i c g}
- [*Simulium pilosum*](#) (Knowlton and Rowe, 1934) ^{i c g}
- [*Simulium pindiensis*](#) Khatoon & Hasan, 1996 ^{c g}
- [*Simulium pingtungense*](#) Huang & Takaoka, 2008 ^g
- [*Simulium pinhaoi*](#) Santos Gracio, 1985 ^g
- [*Simulium pinto*](#) D'andretta and D'andretta, 1946 ^{i c g}
- [*Simulium piperi*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium piscicidium*](#) Riley, 1870 ^{c g}
- [*Simulium pitasawatae*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium pitense*](#) Carlsson, 1962 ^{c g}
- [*Simulium planipuparium*](#) Rubtsov, 1947 ^{c g}
- [*Simulium platytarse*](#) (Yankovsky, 1977) ^{c g}
- [*Simulium plumbeum*](#) Krueger, 2006 ^{c g}
- [*Simulium podostemi*](#) Snoddy, 1971 ^{i c g}
- [*Simulium pohaense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium polare*](#) Rubtsov, 1940 ^{c g}
- [*Simulium politum*](#) Crosskey, 1977 ^{c g}
- [*Simulium polyprominulum*](#) Chen & Lian ^g
- [*Simulium pontinum*](#) Rivoecchi, 1960 ^{c g}
- [*Simulium popowae*](#) Rubtsov, 1940 ^{c g}
- [*Simulium posticatum*](#) (Meigen, 1838) ^{c g}
- [*Simulium praelargum*](#) Datta, 1973 ^{c g}
- [*Simulium prafiense*](#) Takaoka, 2003 ^{c g}
- [*Simulium prayongi*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium proctorae*](#) Craig, 1997 ^{c g}
- [*Simulium prodexargenteum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium prominentum*](#) Chen & Zhang, 2002 ^{c g}
- [*Simulium promorsitans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium pruinosum*](#) Lutz, 1910 ⁱ
- [*Simulium prumirimense*](#) Corcaron, 1981 ^{c g}

- [*Simulium pseudequinum*](#) Seguy, 1921 ^{c g}
- [*Simulium pseudoamazonicum*](#) Perez & Peterson, 1981 ^{c g}
- [*Simulium pseudoantillarum*](#) Ramirez-Perez & Vulcano, 1973 ^{c g}
- [*Simulium pseudocallidum*](#) Diaz Najera, 1965 ^{c g}
- [*Simulium pseudocorium*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium pseudoexiguum*](#) Mello and Almeida, 1974 ^{i c g}
- [*Simulium pseudonearcticum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium pseudopusillum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium puaense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium pufauense*](#) Craig, 1997 ^{c g}
- [*Simulium pugetense*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium puigi*](#) Vargas & Palacios, 1945 ^{c g}
- [*Simulium pukaengense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium pulanotum*](#) An, Guo & Xu, 1995 ^{c g}
- [*Simulium pulchripes*](#) Austen, 1925 ^{c g}
- [*Simulium pulchrum*](#) Philippi, 1865 ^{c g}
- [*Simulium puliense*](#) Takaoka, 1979 ^{c g}
- [*Simulium pullus*](#) Rubtsov, 1956 ^{c g}
- [*Simulium pulverulentum*](#) Knab, 1914 ^{i c g}
- [*Simulium purii*](#) Datta, 1973 ^{c g}
- [*Simulium purosae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium pusillum*](#) Fries, 1824 ^{c g}
- [*Simulium putre*](#) Coscaron & Matta, 1982 ^{c g}

Q

- [*Simulium qianense*](#) Chen & Chen, 2001 ^{c g}
- [*Simulium qiaolaoense*](#) Chen, 2001 ^{c g}
- [*Simulium qinghaiense*](#) Liu, Gong, Zhang, Luo & An, 2003 ^{c g}
- [*Simulium qingshuiense*](#) Chen, 2001 ^{c g}
- [*Simulium qingxilingense*](#) Cai & An, 2005 ^{c g}
- [*Simulium qini*](#) Cao, Wang & Chen, 1993 ^{c g}
- [*Simulium qiongzhouense*](#) Chen, Zhang & Yang, 2003 ^{c g}
- [*Simulium quadratum*](#) (Stains & Knowlton, 1943) ^{c g}
- [*Simulium quadrifidum*](#) Lutz, 1917 ^{i c g}
- [*Simulium quadrifila*](#) (Grenier, Faure & Laurent, 1957) ^{c g}
- [*Simulium quadristrigatum*](#) Enderlein, 1933 ^{i c g}

- [*Simulium quadrivittatum*](#) Loew ^{i c g}
- [*Simulium quasidocolletum*](#) Crosskey, 1988 ^{c g}
- [*Simulium quasifrenum*](#) Delfinado, 1971 ^{c g}
- [*Simulium quattuordecimfiliatum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium quattuordecimfilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium quebecense*](#) Twinn, 1936 ^{i c g}
- [*Simulium quechuanum*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium quilleverei*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium quimbayium*](#) ^g
- [*Simulium quinquefiliatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium quinquestriatum*](#) (Shiraki, 1935) ^{c g}
- [*Simulium quychauense*](#) Takaoka & Chen ^g

R

- [*Simulium racenisi*](#) Perez, 1971 ^{i c g}
- [*Simulium raivavaense*](#) Craig & Porph ^g
- [*Simulium ramosum*](#) Puri, 1932 ^{c g}
- [*Simulium ramulosum*](#) Chen, 2000 ^{c g}
- [*Simulium ranauense*](#) Takaoka, 2006 ^{c g}
- [*Simulium rangeli*](#) Perez, 1977 ^{i c g}
- [*Simulium rangiferinum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium ransikiense*](#) Takaoka, 2003 ^{c g}
- [*Simulium raohense*](#) Cai & Yao, 2006 ^{c g}
- [*Simulium rappae*](#) Py-Daniel & Coscaron, 1982 ^{c g}
- [*Simulium rashidi*](#) Lewis, 1973 ^{c g}
- [*Simulium rasyani*](#) Garms, Kerner & Meredith, 1988 ^{c g}
- [*Simulium raunsimnae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium raybouldi*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium rayohense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium rebunense*](#) (Ono, 1979) ^{c g}
- [*Simulium recurvum*](#) Takaoka, 1983 ^{c g}
- [*Simulium reginae*](#) Terteryan, 1949 ^{c g}
- [*Simulium remissum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium remotum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium rendalense*](#) (Golini, 1975) ^{c g}
- [*Simulium repertum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}

- [*Simulium reptans*](#) (Linnaeus, 1758) ^{c g}
- [*Simulium resimum*](#) Takaoka, 1983 ^{c g}
- [*Simulium retusum*](#) Delfinado, 1971 ^{c g}
- [*Simulium rezvoi*](#) Rubtsov, 1956 ^{c g}
- [*Simulium rheophilum*](#) Tan & Chow, 1976 ^{c g}
- [*Simulium rhodesinense*](#) Meillon, 1942 ^{c g}
- [*Simulium rhopaloides*](#) Craig, Englund & Takaoka, 2006 ^{c g}
- [*Simulium rickenbachi*](#) Germain & Mouchet, 1966 ^{c g}
- [*Simulium riograndense*](#) Py-Daniel, Souza & Caldas, 1988 ^{c g}
- [*Simulium rithrogenophila*](#) Konurbayev, 1984 ^c
- [*Simulium rithrogenophilum*](#) Konurbayev, 1984 ^{c g}
- [*Simulium rivasi*](#) Perez, 1971 ^{i c g}
- [*Simulium riverai*](#) Takaoka, 1983 ^{c g}
- [*Simulium rivi*](#) (Ivashchenko, 1970) ^g
- [*Simulium rivierei*](#) Craig, Fossati & Sechan, 1995 ^{c g}
- [*Simulium rivosecchii*](#) (Contini, 1965) ^{c g}
- [*Simulium rivuli*](#) Twinn, 1936 ^{i g}
- [*Simulium robynae*](#) Peterson, 1993 ^{c g}
- [*Simulium rodhaini*](#) Fain, 1950 ^{c g}
- [*Simulium romanai*](#) Wygodzinsky, 1951 ^{c g}
- [*Simulium roquemayu*](#) Coscaron, 1985 ^{c g}
- [*Simulium roraimense*](#) Nunes de Mello, 1974 ^{c g}
- [*Simulium rorotaense*](#) Floch and Abonnenc, 1946 ^{i c g}
- [*Simulium rosemaryae*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium rothfelsi*](#) Adler, Brockhouse & Currie, 2003 ^{c g}
- [*Simulium rotifilis*](#) Chen & Zhang, 1998 ^{c g}
- [*Simulium rotundatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium rotundum*](#) Gibbins, 1936 ^{c g}
- [*Simulium rounae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium ruandae*](#) Fain, 1950 ^{c g}
- [*Simulium rubescens*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium rubicundulum*](#) Knab, 1915 ^{c g}
- [*Simulium rubiginosum*](#) Enderlein, 1933 ^{i c g}
- [*Simulium rubrithorax*](#) Lutz, 1909 ^{i c g}
- [*Simulium rubroflavifemur*](#) Rubtsov, 1940 ^{c g}
- [*Simulium rubtzovi*](#) Smart, 1945 ^{i c g}

- [*Simulium rubzovianum*](#) Sherban, 1961 ^g
- [*Simulium rubzovium*](#) (Ivashchenko, 1978) ^{c g}
- [*Simulium rufibasis*](#) Brunetti, 1911 ^{c g}
- [*Simulium ruficorne*](#) Macquart, 1838 ^{c g}
- [*Simulium rufithorax*](#) Brunetti, 1911 ^{c g}
- [*Simulium rugglesi*](#) Nicholson and Mickel, 1950 ^{i c g}
- [*Simulium ruizi*](#) Vargas & Najera, 1948 ^{c g}
- [*Simulium rurutuense*](#) Craig, 1997 ^{c g}
- [*Simulium rutherfordi*](#) Meillon, 1937 ^{c g}

S

- [*Simulium sabahense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium saccai*](#) (Rivosecchi, 1967) ^{c g}
- [*Simulium saccatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium sacculiferum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium saeungae*](#) Takaoka & Srisuka, 2018 ^g
- [*Simulium saihoense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium sakhalinum*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium sakishimaense*](#) Takaoka, 1977 ^{c g}
- [*Simulium salazarae*](#) Takaoka, 1983 ^{c g}
- [*Simulium salebrosum*](#) Takaoka, 1983 ^{c g}
- [*Simulium saliceti*](#) (Rubtsov, 1971) ^{c g}
- [*Simulium salinum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium samarkandica*](#) Yankovsky, 2000 ^{c g}
- [*Simulium samboni*](#) Jennings, 1915 ^{i c g}
- [*Simulium sanctipauli*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium sandyi*](#) Coscaron, Ibanez-Bernal & Coscaron-Arias, 1999 ^{c g}
- [*Simulium sangrense*](#) (Rivosecchi, 1967) ^{c g}
- [*Simulium sanguineum*](#) Knab, 1915 ^{i c g}
- [*Simulium sansahoense*](#) Takaoka & Chen ^g
- [*Simulium santomi*](#) Mustapha, 2004 ^{c g}
- [*Simulium saradzhovense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium sarawakense*](#) Takaoka, 2001 ^{c g}
- [*Simulium sasai*](#) (Rubstov, 1962) ^{c g}
- [*Simulium sastscheri*](#) Machavariani, 1966 ^{c g}
- [*Simulium satsumense*](#) Takaoka, 1976 ^{c g}

- [*Simulium savici*](#) (Baranov, 1937) ^{c g}
- [*Simulium saxosum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium sazalyi*](#) Takaoka, Ya'cob & Low, 2018 ^g
- [*Simulium schamili*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium schevyakovi*](#) Dorogostaisky & Rubtsov, 1935 ^{c g}
- [*Simulium schizolomum*](#) Deng, Zhang & Chen, 1995 ^{c g}
- [*Simulium schizostylum*](#) Chen & Zhang ^g
- [*Simulium schmidtummi*](#) Wygodzinsky, 1973 ^{i c g}
- [*Simulium schoenemanni*](#) Enderlein, 1934 ^{c g}
- [*Simulium schoutedeni*](#) Wanson, 1947 ^{c g}
- [*Simulium schwetzi*](#) Wanson, 1947 ^{c g}
- [*Simulium scutellatum*](#) (Lane & Porto, 1940) ^{c g}
- [*Simulium scutistriatum*](#) Lutz, 1909 ^{i c g}
- [*Simulium sechani*](#) Craig & Fossati, 1995 ^{c g}
- [*Simulium segusina*](#) (Couvert, 1968) ^{c g}
- [*Simulium selewynense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium selwynense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium semushini*](#) Usova & Zinchenko, 1992 ^{c g}
- [*Simulium senile*](#) Brunetti, 1911 ^{c g}
- [*Simulium septentrionale*](#) (Tan & Chow, 1976) ^{c g}
- [*Simulium seramense*](#) Takaoka, 2003 ^{c g}
- [*Simulium serenum*](#) Huang & Takaoka, 2009 ^g
- [*Simulium sergenti*](#) Edwards, 1923 ^{c g}
- [*Simulium seriatum*](#) Knab, 1914 ⁱ
- [*Simulium serranus*](#) Coscaron, 1981 ^{c g}
- [*Simulium serratum*](#) Takaoka, 2003 ^{c g}
- [*Simulium setsukoe*](#) Takaoka & Choochote, 2004 ^{c g}
- [*Simulium sexafila*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium sexiense*](#) Meillon, 1944 ^{c g}
- [*Simulium shadini*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium shandongense*](#) Sun & Li, 2000 ^{c g}
- [*Simulium shangchuanense*](#) An & Hao, 1998 ^{c g}
- [*Simulium shannonae*](#) Craig, 1997 ^{c g}
- [*Simulium shanxiense*](#) Cai, An, Li & Yan, 2004 ^{c g}
- [*Simulium sheilae*](#) Takaoka & Davies, 1995 ^g
- [*Simulium shennongjiaense*](#) Yang, Luo & Chen, 2005 ^{c g}

- [*Simulium sherwoodi*](#) Stone & Maffi, 1971 ^{c g}
- [*Simulium sheveligiense*](#) (Rubtsov & Violovich, 1965) ^{c g}
- [*Simulium shevtshenkovae*](#) Rubtsov, 1965 ^{c g}
- [*Simulium shewellianum*](#) Coscaron, 1985 ^{c g}
- [*Simulium shiraki*](#) Kono & Takahasi, 1940 ^{c g}
- [*Simulium shoae*](#) Grenier & Ovazza, 1956 ^{c g}
- [*Simulium shogakii*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium siamense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium sicuani*](#) Smart, 1944 ^{i c g}
- [*Simulium silvaticum*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium silvestre*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium simianshanensis*](#) Wang, Li & Sun, 1996 ^{c g}
- [*Simulium simile*](#) Silva Figueroa, 1917 ^{c g}
- [*Simulium simplex*](#) Gibbins, 1936 ^{c g}
- [*Simulium simplicicolor*](#) Lutz, 1910 ⁱ
- [*Simulium simulacrum*](#) Delfinado, 1969 ^{c g}
- [*Simulium simulans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium sinense*](#) (Enderlein, 1934) ^{c g}
- [*Simulium singgihi*](#) Takaoka, 2003 ^{c g}
- [*Simulium singtamense*](#) Datta & Pal, 1975 ^{c g}
- [*Simulium siolii*](#) Py-Daniel, 1988 ^{c g}
- [*Simulium sirbanum*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium sirimonense*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium slossonae*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium smarti*](#) Vargas, 1946 ^{c g}
- [*Simulium snowi*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium solarii*](#) Stone, 1948 ^{i c g}
- [*Simulium solomonense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium songense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium sonkulense*](#) Yankovsky, 2000 ^{c g}
- [*Simulium sorongense*](#) Takaoka, 2003 ^{c g}
- [*Simulium soubrense*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium souzalopesi*](#) Coscaron, 1981 ^{c g}
- [*Simulium spadacidorsum*](#) (Enderlein, 1934) ⁱ
- [*Simulium speculiventre*](#) Enderlein, 1914 ^{c g}
- [*Simulium spilmani*](#) Stone, 1969 ^{c g}

- [*Simulium spinibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium spinifer*](#) Knab, 1914 ^{i c g}
- [*Simulium spinosibranchium*](#) Takaoka, 1983 ^{c g}
- [*Simulium spinulicorne*](#) Fain & Elsen, 1980 ^{c g}
- [*Simulium spiroi*](#) Craig, Currie & Hunter, 2006 ^{c g}
- [*Simulium splendidum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium spoonatum*](#) An & Yan, 1998 ^{c g}
- [*Simulium squamosum*](#) (Enderlein, 1921) ^{c g}
- [*Simulium srisukai*](#) Takaoka & Saeung, 2017 ^g
- [*Simulium stackelbergi*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium standfasti*](#) Colbo, 1976 ^{c g}
- [*Simulium starmuhlneri*](#) Grenier & Grjebine, 1964 ^{c g}
- [*Simulium steatopygium*](#) Craig, 2006 ^{c g}
- [*Simulium stellatum*](#) Gil-Azevedo, Figueiro & Maia-Herzog, 2005 ^{c g}
- [*Simulium stelliferum*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium stenophallum*](#) Terteryan, 1952 ^{c g}
- [*Simulium stevensoni*](#) Edwards, 1927 ^{c g}
- [*Simulium strelkovi*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium striatum*](#) Brunetti, 1912 ^{c g}
- [*Simulium strigatum*](#) (Enderlein, 1933) ⁱ
- [*Simulium strigidorsum*](#) (Enderlein, 1933) ^{i c g}
- [*Simulium striginotum*](#) (Enderlein, 1933) ^{i c g}
- [*Simulium suarezi*](#) Perez, Rassi and Ramirez, 1977 ^{i c g}
- [*Simulium subatrum*](#) Takaoka, 1983 ^{c g}
- [*Simulium subclavibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium subcostatum*](#) (Takahasi, 1950) ^{c g}
- [*Simulium subexiguum*](#) Field, 1967 ^{c g}
- [*Simulium subgriseum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium sublonckei*](#) Craig, 2004 ^{c g}
- [*Simulium subnigrum*](#) Lutz, 1910 ^{i c g}
- [*Simulium subornatoides*](#) Rubtsov, 1947 ^{c g}
- [*Simulium subpallidum*](#) Lutz, 1910 ^{i c g}
- [*Simulium subpalmatum*](#) Davies & Gyorkos, 1992 ^{c g}
- [*Simulium subparadisium*](#) Craig, 2006 ^{c g}
- [*Simulium subpusillum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium subratai*](#) ^g

- [*Simulium subtile*](#) Rubtsov, 1956 ^{c g}
- [*Simulium subvariegatum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium suchariti*](#) Takaoka & Choochote, 2004 ^{c g}
- [*Simulium sulawesiense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium sumapazense*](#) Coscaron & Py-Daniel, 1989 ^{c g}
- [*Simulium sumatraense*](#) Takaoka & Sigit, 1997 ^{c g}
- [*Simulium sundaicum*](#) Edwards, 1934 ^{c g}
- [*Simulium supercilium*](#) Craig, 2006 ^{c g}
- [*Simulium suplidoi*](#) Takaoka, 1983 ^{c g}
- [*Simulium surachaii*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium sutebense*](#) Takaoka, 2003 ^{c g}
- [*Simulium suthpepuense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium suzukii*](#) Rubtsov, 1963 ^{c g}
- [*Simulium syafruddini*](#) Takaoka, 2003 ^{c g}
- [*Simulium synanceium*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium syriacum*](#) Roubaud, 1909 ^{c g}
- [*Simulium sytshevskiae*](#) (Rubtsov, 1967) ^{c g}
- [*Simulium syuhaiense*](#) Huang & Takaoka, 2008 ^g

T

- [*Simulium taalense*](#) Takaoka, 1983 ^{c g}
- [*Simulium tachengense*](#) An & Maha, 1994 ^{c g}
- [*Simulium tafae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium tafulaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium tahitiense*](#) Edwards, 1927 ^{c g}
- [*Simulium taichungense*](#) Takaoka & Huang, 2018 ^g
- [*Simulium taipei*](#) (Shiraki, 1935) ^{c g}
- [*Simulium taipokauense*](#) Takaoka, Davies & Dudgeon, 1995 ^{c g}
- [*Simulium taishanense*](#) Sun & Li, 2000 ^{c g}
- [*Simulium taitungense*](#) Huang & Takaoka, 2011 ^g
- [*Simulium taiwanicum*](#) Takaoka, 1979 ^{c g}
- [*Simulium takae*](#) Takaoka, 2003 ^{c g}
- [*Simulium takahasii*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium takaokai*](#) Anbalagan ^g
- [*Simulium takense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium talassicum*](#) (Yankovsky, 1984) ^{c g}

- [*Simulium tallaferroae*](#) Perez, 1971 ^{i c g}
- [*Simulium tamdaoense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium tanae*](#) Xue, 1992 ^{c g}
- [*Simulium tanahrataense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium tandrokum*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium tanetchowi*](#) Yankovsky, 1996 ^{c g}
- [*Simulium tani*](#) Takaoka & Davies, 1995 ^g
- [*Simulium tarbagataicum*](#) (Rubtsov, 1967) ^{c g}
- [*Simulium tarnogradskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium tarsale*](#) Williston, 1896 ^{i c g}
- [*Simulium tarsatum*](#) Macquart, 1847 ^{i c g}
- [*Simulium tashikulganense*](#) Mahe, Ma & An, 2003 ^{c g}
- [*Simulium tatianae*](#) (Bodrova, 1981) ^{c g}
- [*Simulium taulingense*](#) Takaoka, 1979 ^{c g}
- [*Simulium tauricum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium taxodium*](#) Snoddy and Beshear, 1968 ^{i c g}
- [*Simulium taylori*](#) Gibbins, 1938 ^{c g}
- [*Simulium taythienense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium teerachanense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium tekamense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium temascalense*](#) Najera & Vulcano, 1962 ^{c g}
- [*Simulium tenebrosum*](#) Takaoka, Srisuka & Saeung, 2018 ^g
- [*Simulium tenerificum*](#) Crosskey, 1988 ^{c g}
- [*Simulium tentaculum*](#) Gibbins, 1936 ^{c g}
- [*Simulium tenuatum*](#) Chen, 2000 ^{c g}
- [*Simulium tenuipes*](#) Knab, 1914 ^{c g}
- [*Simulium tenuistylum*](#) Datta, 1973 ^{c g}
- [*Simulium tenuitarsus*](#) (Rubtsov, 1969) ^{c g}
- [*Simulium tergospinosum*](#) Hamada, 2000 ^{c g}
- [*Simulium teruamanga*](#) Craig & Craig, 1987 ^{c g}
- [*Simulium tesorum*](#) Stone and Boreham, 1965 ^{i c g}
- [*Simulium thailandicum*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium thienemanni*](#) Edwards, 1934 ^{c g}
- [*Simulium thituyenae*](#) Takaoka & Pham, 2015 ^g
- [*Simulium thuathienense*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium thungchangense*](#) Takaoka, Srisuka & Saeung, 2020 ^g

- [*Simulium thyolense*](#) Vajime, Tambala, Kruger & Post, 2000 ^{c g}
- [*Simulium tianchi*](#) Chen, Zhang & Yang, 2003 ^{c g}
- [*Simulium timondavidi*](#) Giudicelli, 1961 ^{c g}
- [*Simulium timorensense*](#) Takaoka, 2006 ^{c g}
- [*Simulium timpohonense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium tjanschanicum*](#) Rubtsov, 1963 ^{c g}
- [*Simulium tjidodense*](#) Edwards, 1934 ^{c g}
- [*Simulium tobetsuense*](#) Ono, 1977 ^{c g}
- [*Simulium tokachiense*](#) Takaoka, 2006 ^{c g}
- [*Simulium tokarensense*](#) Takaoka, 1973 ^{c g}
- [*Simulium tolimaense*](#) Coscaron, 1985 ^{c g}
- [*Simulium tolongoinae*](#) Grenier & Brunhes, 1972 ^{c g}
- [*Simulium tomae*](#) Takaoka, 2003 ^{c g}
- [*Simulium tomentosum*](#) Delfinado, 1969 ^{c g}
- [*Simulium tomohonense*](#) Takaoka, 2003 ^{c g}
- [*Simulium tondewandouense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium tongbaishanense*](#) Chen, 2006 ^{c g}
- [*Simulium torautense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium tormentor*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium torresianum*](#) Mackerras & Mackerras, 1955 ^{c g}
- [*Simulium tosariense*](#) Edwards, 1934 ^{c g}
- [*Simulium toubkal*](#) Bouzidi & Giudicelli, 1986 ^{c g}
- [*Simulium touffeum*](#) Gibbins, 1937 ^{c g}
- [*Simulium townsendi*](#) Malloch, 1912 ^{i c g}
- [*Simulium trangense*](#) ^g
- [*Simulium transbaikalicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium transcaspicum*](#) Enderlein, 1921 ^{c g}
- [*Simulium transiens*](#) Rubtzov, 1940 ^{i c g}
- [*Simulium travassosi*](#) D'andretta and D'andretta, 1947 ^{i c g}
- [*Simulium travisi*](#) Vargas, Vargas & Ramirez-Perez, 1993 ^{c g}
- [*Simulium triangustum*](#) An, Guo & Xu, 1995 ^{c g}
- [*Simulium tricornis*](#) Leon, 1945 ^{c g}
- [*Simulium tricrenum*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium tridens*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium trifasciatum*](#) Curtis, 1839 ^{c g}
- [*Simulium triglobus*](#) Takaoka & Kuvangkadilok, 1999 ^{c g}

- [*Simulium trilineatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium trirugosum*](#) Davies & Gyorkos, 1988 ^{c g}
- [*Simulium trisphaerae*](#) Wanson & Henrard, 1944 ^{c g}
- [*Simulium trivittatum*](#) Malloch, 1914 ^{i c g}
- [*Simulium trombetense*](#) Hamada, Py-Daniel & Adler, 1998 ^{c g}
- [*Simulium trukense*](#) Stone, 1964 ^{c g}
- [*Simulium truncata*](#) (Lundstrom, 1911) ⁱ
- [*Simulium truncatum*](#) (Lundstrom, 1911) ^{c g}
- [*Simulium tsharae*](#) (Yankovsky, 1982) ^{c g}
- [*Simulium tsheburovae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium tshernovskii*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium tshuni*](#) Yankovsky, 2006 ^{c g}
- [*Simulium tuberculum*](#) Craig, 2006 ^{c g}
- [*Simulium tuberosum*](#) (Lundstrom, 1911) ^{i c g b} (Twinn's black fly)
- [*Simulium tuenense*](#) Takaoka, 1979 ^{c g}
- [*Simulium tukorongense*](#) Takaoka & Tenedero, 2019 ^g
- [*Simulium tumidum*](#) Takaoka, 2003 ^{c g}
- [*Simulium tumninum*](#) Bodrova, 1989 ^{c g}
- [*Simulium tumpaense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium tumulosum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium tumum*](#) Chen & Zhang, 2001 ^{c g}
- [*Simulium tunja*](#) Coscaron, 1991 ^{c g}
- [*Simulium turgaicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium tuyense*](#) Takaoka, 1983 ^{c g}

U-V

- [*Simulium uaense*](#) Sechan, 1983 ^{c g}
- [*Simulium ubiquitous*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium uchidai*](#) (Takahasi, 1950) ^{c g}
- [*Simulium udomi*](#) Takaoka & Choochote, 2006 ^{c g}
- [*Simulium uemotoi*](#) Sato, Takaoka & Fukuda, 2004 ^{c g}
- [*Simulium ufengense*](#) Takaoka, 1979 ^{c g}
- [*Simulium ulyssesi*](#) Py-Daniel & Coscaron, 2001 ^{c g}
- [*Simulium umphangense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium uncum*](#) Zhang & Chen, 2001 ^{c g}
- [*Simulium undecimum*](#) Takaoka, Srisuka & Saeung, 2018 ^g

- [*Simulium underhilli*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium undulatum*](#) Craig, 2006 ^{c g}
- [*Simulium unicornutum*](#) Pomeroy, 1920 ^{c g}
- [*Simulium unii*](#) Takaoka & Pham ^g
- [*Simulium unum*](#) Datta, 1975 ^{c g}
- [*Simulium upikae*](#) Takaoka & Davies, 1996 ^{c g}
- [*Simulium urbanum*](#) Davies, 1966 ^{c g}
- [*Simulium urubambanum*](#) Enderlein, 1933 ^{i c g}
- [*Simulium urundiense*](#) Fain, 1950 ^{c g}
- [*Simulium usovae*](#) (Golini, 1987) ^c
- [*Simulium ussovae*](#) Bodrova, 1989 ^{c g}
- [*Simulium vampirum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium vamprium*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium vangilsi*](#) Wanson, 1947 ^{c g}
- [*Simulium vanluni*](#) Ya'cob, Takaoka & Sofian-Azirun, 2017 ^g
- [*Simulium vantshi*](#) (Petrova, 1983) ^{c g}
- [*Simulium vantshum*](#) Chubareva, 2000 ^{c g}
- [*Simulium varians*](#) Lutz, 1909 ^{i c g}
- [*Simulium varicorne*](#) Edwards, 1925 ^{c g}
- [*Simulium variegatum*](#) (Meigen, 1818) ^{c g}
- [*Simulium veltistshevi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium velutinum*](#) (Santos Abreu, 1922) ^{c g}
- [*Simulium venator*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium venezuelense*](#) Perez & Peterson, 1981 ^{c g}
- [*Simulium venustum*](#) Say, 1823 ^{i c g}
- [*Simulium veracruzianum*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium verecundum*](#) Stone and Jamnback, 1955 ^{i c g}
- [*Simulium verum*](#) (Macquart, 1826) ^{i c g}
- [*Simulium vershini*](#) Yankovsky, 1979 ^{c g}
- [*Simulium versicolor*](#) Lutz and Tovar, 1928 ^{i c g}
- [*Simulium vidanoi*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium vietnamense*](#) Takaoka, Sofian-Azirun & Chen, 2014 ^g
- [*Simulium vigintifile*](#) (Dinulescu, 1966) ^{c g}
- [*Simulium vilhenai*](#) Luna de Carvalho, 1962 ^{c g}
- [*Simulium violacescens*](#) Enderlein, 1933 ^{i c g}
- [*Simulium violator*](#) Adler, Currie & Wood, 2004 ^{c g}

- [*Simulium violovitshi*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium virgatum*](#) Coquillett, 1902 ^{i c g}
- [*Simulium visayaense*](#) Takaoka, 1983 ^{c g}
- [*Simulium vischarvi*](#) Chubareva, 1996 ^{c g}
- [*Simulium visuti*](#) Takaoka & Choochote, 2006 ^{c g}
- [*Simulium vitile*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium vittatum*](#) (Zetterstedt, 1838) ^{i c g}
- [*Simulium voilense*](#) Sherban, 1960 ^{c g}
- [*Simulium volhynicum*](#) (Usova & Sukhomlin, 1990) ^g
- [*Simulium voltae*](#) Grenier & Ovazza, 1960 ^{c g}
- [*Simulium vorax*](#) Pomeroy, 1922 ^{c g}
- [*Simulium vulcanoae*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium vulgare*](#) Dorogostaisky & Rubtsov, 1935 ^{c g}

W-Z

- [*Simulium wakrisense*](#) Takaoka, 2003 ^{c g}
- [*Simulium walterwittmeri*](#) Wygodzinsky, 1958 ^{c g}
- [*Simulium wambanum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium wamenae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium wanchaii*](#) Takaoka, 2006 ^{c g}
- [*Simulium wangxianense*](#) Chen, Zhang & Bi, 2004 ^{c g}
- [*Simulium wantoatense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium watanabei*](#) Takaoka, 2003 ^{c g}
- [*Simulium waterfallum*](#) Zhang, Yang & Chen, 2003 ^{c g}
- [*Simulium watetoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium weiningense*](#) Chen & Zhang, 1997 ^{c g}
- [*Simulium weisiense*](#) Deng, 2005 ^{c g}
- [*Simulium weiji*](#) Takaoka, 2001 ^{c g}
- [*Simulium wellmanni*](#) Roubaud, 1906 ^{c g}
- [*Simulium weyeri*](#) Garms & Hausermann, 1968 ^{c g}
- [*Simulium wilhelmlandae*](#) Smart, 1944 ^{c g}
- [*Simulium wirthi*](#) Peterson & Craig, 1997 ^{c g}
- [*Simulium wolffhuegeli*](#) (Enderlein, 1922) ^{c g}
- [*Simulium woodi*](#) Meillon, 1930 ^{c g}
- [*Simulium wuayaraka*](#) Ortiz, 1957 ⁱ
- [*Simulium wulaofengense*](#) Chen & Zhang ^g

- [*Simulium wulindongense*](#) An, 2006 ^{c g}
- [*Simulium wutaishanense*](#) An & Ge, 2003 ^{c g}
- [*Simulium wuzhishanense*](#) Chen, 2003 ^{c g}
- [*Simulium wygodzinskyorum*](#) Coscaron & Py-Daniel, 1989 ^{c g}
- [*Simulium wygoi*](#) Coscaron, Ibanez-Bernal & Coscaron-Arias, 1999 ^{c g}
- [*Simulium wyomingense*](#) (Stone and De Foliart, 1959) ^{i c g}
- [*Simulium xanthinum*](#) Edwards, 1933 ^{c g}
- [*Simulium xanthogastrum*](#) Rubtsov, 1951 ^{c g}
- [*Simulium xiaodaoense*](#) Liu, Shi & An, 2004 ^{c g}
- [*Simulium xiaolongtanense*](#) Cheng, Luo & Yang, 2006 ^{c g}
- [*Simulium xinbinense*](#) (Chen & Cao, 1983) ^{c g}
- [*Simulium xingyiense*](#) Chen & Zhang, 1998 ^{c g}
- [*Simulium xinzhouense*](#) Chen & Zhang ^g
- [*Simulium xuandai*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium xuandei*](#) Takaoka & Pham, 2015 ^g
- [*Simulium yacuchuspi*](#) Wygodzinsky and Coscaron, 1967 ^{i c g}
- [*Simulium yadongense*](#) Deng & Chen, 1993 ^{c g}
- [*Simulium yaeyamaense*](#) Takaoka, 1991 ^{c g}
- [*Simulium yahense*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium yamayaense*](#) Ogata & Sasa, 1954 ^{c g}
- [*Simulium yanaense*](#) Anbalagan, Vijayan, Balachandran & Dinakaran, 2019 ^g
- [*Simulium yemenense*](#) Crosskey & Garms, 1982 ^{c g}
- [*Simulium yepocapense*](#) Dalmat, 1949 ^{c g}
- [*Simulium yokotense*](#) Shiraki, 1935 ^{c g}
- [*Simulium yonagoense*](#) Okamoto, 1958 ^{c g}
- [*Simulium yonakuniense*](#) Takaoka, 1972 ^{c g}
- [*Simulium yongi*](#) Takaoka & Davies, 1997 ^{c g}
- [*Simulium yuanbaoshanense*](#) Chen, Zhang & Zhang, 2007 ^{c g}
- [*Simulium yuleae*](#) Takaoka, 1995 ^{c g}
- [*Simulium yunnanense*](#) Chen & Zhang, 2004 ^{c g}
- [*Simulium yuntaiense*](#) Chen, Wen & Wei, 2006 ^{c g}
- [*Simulium yuphae*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium yushangense*](#) Takaoka, 1979 ^{c g}
- [*Simulium yvonneae*](#) Takaoka & Low, 2018 ^g
- [*Simulium zakhariense*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium zaporojae*](#) Pavlichenko, 1986 ^{c g}

- [*Simulium zempoalense*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium zephyrus*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium zetterstedti*](#) Carlsson, 1962 ^{c g}
- [*Simulium zhangjiajiense*](#) Chen, Zhang & Bi, 2004 ^{c g}
- [*Simulium zhiltzovae*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium zinadae*](#) Crosskey, 1997 ^{c g}
- [*Simulium zombaense*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium zonatum*](#) Edwards, 1934 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 221 species in [*Setodes*](#), a genus of long-horned caddisflies in the family [*Leptoceridae*](#).
[1][2][3][4]

Setodes species

- [*Setodes abbreviatus*](#) Scudder, 1890 ^{i c g}
- [*Setodes abhichobhita*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhirakta*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhiramika*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhirupa*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhrayita*](#) Schmid, 1987 ^{i c g}
- [*Setodes acchidra*](#) Schmid, 1987 ^{i c g}
- [*Setodes acutus*](#) Navás, 1936 ^{i c g}
- [*Setodes adusita*](#) Schmid, 1987 ^{i c g}
- [*Setodes aethiopicus*](#) Kimmins, 1963 ^{i c g}
- [*Setodes affinis*](#) Jacquemart, 1961 ^{i c g}
- [*Setodes agarhita*](#) Schmid, 1987 ^{i c g}
- [*Setodes akalanka*](#) Schmid, 1987 ^{i c g}
- [*Setodes akchepana*](#) Schmid, 1987 ^{i c g}
- [*Setodes akilbicha*](#) Schmid, 1987 ^{i c g}
- [*Setodes akrura*](#) Gordon & Schmid in Schmid, 1987 ^{i c g}
- [*Setodes akunchita*](#) Schmid, 1987 ^{i c g}
- [*Setodes akutila*](#) Schmid, 1987 ^{i c g}
- [*Setodes akutsita*](#) Schmid, 1987 ^{i c g}
- [*Setodes alalus*](#) Mosely, 1948 ^{i c g}

- [Setodes alampata](#) Schmid, 1987^{i c g}
- [Setodes alukcha](#) Schmid, 1987^{i c g}
- [Setodes amurensis](#) Martynov, 1935^{i c g}
- [Setodes anaticus](#) Schmid, 1964^{i c g}
- [Setodes ancala](#) Yang & Morse, 1989^{i c g}
- [Setodes angulatus](#) Chen & Morse^g
- [Setodes antardhana](#) Schmid, 1987^{i c g}
- [Setodes aparimeya](#) Schmid, 1987^{i c g}
- [Setodes apinchanga](#) Schmid, 1987^{i c g}
- [Setodes apitayati](#) Schmid, 1987^{i c g}
- [Setodes arenatus](#) Holzenthal, 1982^{i c g}
- [Setodes argentatus](#) Matsumura, 1906^{i c g}
- [Setodes argentiiferus](#) McLachlan, 1871^{i c g}
- [Setodes argenticuttatus](#) Gordon & Schmid, 1987^{i c g}
- [Setodes argentipunctellus](#) McLachlan, 1877^{i c g}
- [Setodes argentivarius](#) Kimmins, 1963^{i c g}
- [Setodes argentoaureus](#) Ulmer, 1915^{i c g}
- [Setodes asadharana](#) Schmid, 1987^{i c g}
- [Setodes asammuaddha](#) Schmid, 1987^{i c g}
- [Setodes atiguna](#) Schmid, 1987^{i c g}
- [Setodes atiloma](#) Schmid, 1987^{i c g}
- [Setodes atipunya](#) Schmid, 1987^{i c g}
- [Setodes atisubhaga](#) Schmid, 1987^{i c g}
- [Setodes atitejas](#) Schmid, 1987^{i c g}
- [Setodes atymanjula](#) Schmid, 1987^{i c g}
- [Setodes atyutkata](#) Schmid, 1987^{i c g}
- [Setodes aureomicans](#) Schmid, 1987^{i c g}
- [Setodes aureonitens](#) Schmid, 1987^{i c g}
- [Setodes baccatus](#) Kimmins, 1957^{i c g}
- [Setodes barnardi](#) Scott, 1961^{i c g}
- [Setodes bhimachringa](#) Schmid, 1987^{i c g}
- [Setodes bispinus](#) Yang & Morse, 1989^{i c g}
- [Setodes bracteatus](#) Neboiss, 1982^{i c g}
- [Setodes brevicaudatus](#) Yang & Morse, 1989^{i c g}
- [Setodes bulgaricus](#) Kumanski & Malicky, 1976^{i c g}
- [Setodes carinatus](#) Yang & Morse, 1989^{i c g}

- [Setodes chandrakita](#) Schmid, 1987^{i c g}
- [Setodes chandravarana](#) Schmid, 1987^{i c g}
- [Setodes cheni](#) Yang & Morse, 2000^{i c g}
- [Setodes chlorinus](#) Yang & Morse, 1997^{i c g}
- [Setodes chrysoplitis](#) Mey, 1998^{i c g}
- [Setodes chubhamyu](#) Schmid, 1987^{i c g}
- [Setodes crossotus](#) Martynov, 1935^{i c g}
- [Setodes curvisetus](#) Kobayashi, 1959^{i c g}
- [Setodes dantavarana](#) Schmid, 1987^{i c g}
- [Setodes dehensurae](#) Cakin & Malicky, 1983^{i c g}
- [Setodes dhanavridha](#) Schmid, 1987^{i c g}
- [Setodes dhanika](#) Schmid, 1987^{i c g}
- [Setodes dissobolus](#) Mey, 1998^{i c g}
- [Setodes distinctus](#) Yang & Morse, 1989^{i c g}
- [Setodes diversus](#) Yang & Morse, 1989^{i c g}
- [Setodes divyarupa](#) Schmid, 1987^{i c g}
- [Setodes dixiensis](#) Holzenthal, 1982^{i c g}
- [Setodes drangianicus](#) Schmid, 1959^{i c g}
- [Setodes dundoensis](#) Marlier, 1965^{i c g}
- [Setodes egregius](#) Mey, 1998^{i c g}
- [Setodes ekachringa](#) Schmid, 1987^{i c g}
- [Setodes ekapita](#) Schmid, 1987^{i c g}
- [Setodes endymion](#) Malicky & Chantaramongkol in Malicky, 2000^{i c g}
- [Setodes epicampes](#) Edwards, 1956^{i c g}
- [Setodes excisus](#) Kimmins, 1956^{i c g}
- [Setodes exposita](#) Kimmins, 1963^{i c g}
- [Setodes falcatus](#) Ulmer, 1930^{i c g}
- [Setodes flagellatus](#) Gibbs, 1973^{i c g}
- [Setodes flavipennis](#) Banks, 1937^{i c g}
- [Setodes fluvialis](#) Kimmins, 1963^{i c g}
- [Setodes fluviovivens](#) Mey, 1989^{i c g}
- [Setodes forcipatus](#) Kimmins, 1963^{i c g}
- [Setodes fragilis](#) Olah, 1985^{i c g}
- [Setodes furcatulus](#) Martynov, 1935^{i c g}
- [Setodes furcatus](#) Navás, 1932^{i c g}
- [Setodes gangaja](#) Gordon & Schmid, 1987^{i c g}

- [Setodes gaurichachringa](#) Schmid, 1987^{i c g}
- [Setodes geminispinus](#) Yang & Morse, 2000^{i c g}
- [Setodes gherni](#) Schmid, 1987^{i c g}
- [Setodes gona](#) Mosely, 1939^{i c g}
- [Setodes guptapara](#) Malicky, 1979^{i c g}
- [Setodes gutika](#) Schmid, 1987^{i c g}
- [Setodes gutividdha](#) Schmid, 1987^{i c g}
- [Setodes guttatus](#) (Banks, 1900)^{i c g}
- [Setodes gyrosus](#) Yang & Morse, 2000^{i c g}
- [Setodes hainanensis](#) Yang & Morse, 1989^{i c g}
- [Setodes himaruna](#) Schmid, 1987^{i c g}
- [Setodes holocercus](#) Navas, 1923^{i c g}
- [Setodes hungaricus](#) Ulmer, 1908^{i c g}
- [Setodes ifugella](#) Mey, 1995^{i c g}
- [Setodes incertus](#) (Walker, 1852)^{i c g b}
- [Setodes iris](#) Hagen, 1858^{i c g}
- [Setodes jatisampanna](#) Schmid, 1987^{i c g}
- [Setodes kadrava](#) Schmid, 1987^{i c g}
- [Setodes kalyana](#) Schmid, 1987^{i c g}
- [Setodes kantyamrita](#) Schmid, 1987^{i c g}
- [Setodes kapchajalaja](#) Schmid, 1987^{i c g}
- [Setodes karnyi](#) Ulmer, 1930^{i c g}
- [Setodes khechara](#) Schmid, 1987^{i c g}
- [Setodes kimminsi](#) Jacquemart, 1961^{i c g}
- [Setodes klakahanus](#) Ulmer, 1951^{i c g}
- [Setodes kuehbandneri](#) Malicky in Sipahiler & Malicky, 1987^{i c g}
- [Setodes kugleri](#) Botosaneanu & Gasith, 1971^{i c g}
- [Setodes kumara](#) Schmid, 1987^{i c g}
- [Setodes lamellatus](#) Yang & Morse, 2000^{i c g}
- [Setodes lineatus](#) Banks, 1913^{i c g}
- [Setodes longicaudatus](#) Yang & Morse, 1989^{i c g}
- [Setodes madhuvarna](#) Schmid, 1987^{i c g}
- [Setodes mahabichu](#) Schmid, 1987^{i c g}
- [Setodes manimekhala](#) Schmid, 1987^{i c g}
- [Setodes manivridha](#) Schmid, 1987^{i c g}
- [Setodes martini](#) Navas, 1933^{i c g}

- [Setodes mauktikavridha](#) Schmid, 1987^{i c g}
- [Setodes meghavarna](#) Schmid, 1987^{i c g}
- [Setodes miloi](#) Gibon, 1986^{i c g}
- [Setodes minutus](#) Tsuda, 1942^{i c g}
- [Setodes monicae](#) Schmid, 1987^{i c g}
- [Setodes muglaensis](#) Sipahiler, 1989^{i c g}
- [Setodes nagarjouna](#) Schmid, 1961^{i c g}
- [Setodes navanita](#) Schmid, 1987^{i c g}
- [Setodes nigroochraceus](#) Mosely, 1951^{i c g}
- [Setodes nirmala](#) Schmid, 1987^{i c g}
- [Setodes niveogrammicus](#) Schmid, 1987^{i c g}
- [Setodes niveolineatus](#) Kimmins, 1962^{i c g}
- [Setodes njala](#) Kimmins, 1962^{i c g}
- [Setodes nyuna](#) Schmid, 1987^{i c g}
- [Setodes obscurus](#) Schmid & Levanidova, 1986^{i c g}
- [Setodes oligius](#) (Ross, 1938)^{i c g}
- [Setodes orthocladus](#) Yang & Morse, 2000^{i c g}
- [Setodes oxapius](#) (Ross, 1938)^{i c g}
- [Setodes paghbahani](#) Mey, 1995^{i c g}
- [Setodes pallidus](#) Kimmins, 1963^{i c g}
- [Setodes pandara](#) Schmid, 1987^{i c g}
- [Setodes papuanus](#) Kimmins, 1962^{i c g}
- [Setodes paribhuchita](#) Schmid, 1987^{i c g}
- [Setodes parichkrita](#) Schmid, 1987^{i c g}
- [Setodes parilaghu](#) Schmid, 1987^{i c g}
- [Setodes parisamchuddha](#) Schmid, 1987^{i c g}
- [Setodes pellucidulus](#) Schmid, 1987^{i c g}
- [Setodes peniculus](#) Yang & Morse, 2000^{i c g}
- [Setodes perpendicularis](#) Chen & Morce^g
- [Setodes platecladus](#) Yang & Morse, 2000^{i c g}
- [Setodes prabhatajalaja](#) Schmid, 1987^{i c g}
- [Setodes pratachandradynti](#) Schmid, 1987^{i c g}
- [Setodes priyadarcha](#) Schmid, 1987^{i c g}
- [Setodes puchkaraja](#) Schmid, 1987^{i c g}
- [Setodes pulcher](#) Martynov, 1910^{i c g}
- [Setodes punctatus](#) (Fabricius, 1793)^{i c g}

- [Setodes puruchringa](#) Schmid, 1987^{i c g}
- [Setodes quadratus](#) Yang & Morse, 1989^{i c g}
- [Setodes reclinatus](#) Yang & Morse, 2000^{i c g}
- [Setodes retinaculus](#) Marlier, 1965^{i c g}
- [Setodes sachrika](#) Schmid, 1987^{i c g}
- [Setodes salweenensis](#)^g
- [Setodes samphulla](#) Schmid, 1987^{i c g}
- [Setodes samprabhinna](#) Schmid, 1987^{i c g}
- [Setodes sarvapunya](#) Schmid, 1987^{i c g}
- [Setodes satichaya](#) Schmid, 1987^{i c g}
- [Setodes savibhrama](#) Schmid, 1987^{i c g}
- [Setodes schmidi](#) Yang & Morse, 1989^{i c g}
- [Setodes scleroideus](#) Yang & Morse, 2000^{i c g}
- [Setodes shirasensis](#) Kobayashi, 1984^{i c g}
- [Setodes sinuatus](#) Yang & Morse, 2000^{i c g}
- [Setodes siribumrungsukhai](#)^g
- [Setodes spineus](#) Yang & Morse, 2000^{i c g}
- [Setodes spinosellus](#) Ulmer, 1930^{i c g}
- [Setodes squamosus](#) Mosely, 1931^{i c g}
- [Setodes stehri](#) (Ross, 1941)^{i c g}
- [Setodes sternalis](#) Martynov, 1936^{i c g}
- [Setodes subhachita](#) Schmid, 1987^{i c g}
- [Setodes sucharu](#) Schmid, 1987^{i c g}
- [Setodes sugdeni](#) Malicky, 1986^{i c g}
- [Setodes supattra](#) Schmid, 1987^{i c g}
- [Setodes sypharus](#) Yang & Morse, 2000^{i c g}
- [Setodes tarpaka](#) Gordon & Schmid, 1987^{i c g}
- [Setodes tcharurupa](#) Schmid, 1987^{i c g}
- [Setodes tchaturdanta](#) Schmid, 1987^{i c g}
- [Setodes tectorius](#) Yang & Morse, 2000^{i c g}
- [Setodes tejasvin](#) Schmid, 1987^{i c g}
- [Setodes tenuifalcatus](#) Martynov, 1936^{i c g}
- [Setodes terminalis](#) Banks, 1920^{i c g}
- [Setodes tilakita](#) Schmid, 1987^{i c g}
- [Setodes transvaalensis](#) (Jacquemart, 1963)^{i c g}
- [Setodes tridanta](#) Schmid, 1987^{i c g}

- [*Setodes trifidus*](#) Kimmins, 1957^{i c g}
- [*Setodes trikantayudha*](#) Schmid, 1987^{i c g}
- [*Setodes trilobatus*](#) Yang & Morse, 1989^{i c g}
- [*Setodes uchita*](#) Schmid, 1987^{i c g}
- [*Setodes uddharcha*](#) Schmid, 1987^{i c g}
- [*Setodes udghona*](#) Schmid, 1987^{i c g}
- [*Setodes ujiensis*](#) (Akagi, 1960)^{i c}
- [*Setodes uncinatus*](#) Ulmer, 1913^{i c g}
- [*Setodes urania*](#) Navas, 1916^{i c g}
- [*Setodes uttamavarna*](#) Schmid, 1987^{i c g}
- [*Setodes varians*](#) Yang & Morse, 2000^{i c g}
- [*Setodes vartianorum*](#) Malicky, 1986^{i c g}
- [*Setodes venustus*](#) Ulmer, 1951^{i c g}
- [*Setodes vichitrita*](#) Schmid, 1987^{i c g}
- [*Setodes viridellus*](#) Navás, 1932^{i c g}
- [*Setodes viridis*](#) (Fourcroy, 1785)^{i c g}
- [*Setodes vitanka*](#) Schmid, 1987^{i c g}
- [*Setodes vratachakora*](#) Schmid, 1987^{i c g}
- [*Setodes yatharupa*](#) Schmid, 1987^{i c g}
- [*Setodes yunnanensis*](#) Yang & Morse, 1989^{i c g}
- [*Setodes zerroukii*](#) Dakki, 1981^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of all species of May beetles and Junebugs within the genus [*Serica*](#), which is in the family Scarabaeidae.[1][2][3][4]

Subgenus *Serica*

- [*Serica abdita*](#) Dawson, 1921
- [*Serica acicula*](#) Dawson, 1932
- [*Serica acontia*](#) Dawson, 1933
- [*Serica adspersa*](#) Frey, 1972
- [*Serica adungana*](#) Ahrens, 1999
- [*Serica adversa*](#) Dawson, 1967
- [*Serica aemula*](#) Dawson, 1947

- [*Serica alabama*](#) Dawson, 1967
- [*Serica albisetis*](#) Ahrens, 2005
- [*Serica alleni*](#) Saylor, 1939
- [*Serica almorae*](#) Ahrens, 1999
- [*Serica alternata*](#) LeConte, 1856
- [*Serica ammomenisco*](#) Hardy, 1987
- [*Serica angustatotibialis*](#) Ahrens, 1999
- [*Serica anomala*](#) Arrow, 1946
- [*Serica anthracina*](#) LeConte, 1856
- [*Serica apatela*](#) Dawson, 1922
- [*Serica arborea*](#) Ahrens, 1999
- [*Serica arkansana*](#) Dawson, 1947
- [*Serica aspera*](#) Dawson, 1922
- [*Serica asperula*](#) Fairmaire, 1898
- [*Serica assequens*](#) Ahrens & Fabrizi, 2009
- [*Serica assingi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica atracapilla*](#) (Kirby, 1837)
- [*Serica atratula*](#) LeConte, 1856
- [*Serica aviceps*](#) Dawson, 1967
- [*Serica baiyungshanica*](#) Ahrens, 2005
- [*Serica barri*](#) Dawson, 1967
- [*Serica basantapurensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Serica basumtsoensis*](#) Ahrens, 2005
- [*Serica becvari*](#) Ahrens, 2005
- [*Serica behluddinensis*](#) Ahrens, 2005
- [*Serica benesi*](#) Ahrens, 2005
- [*Serica bhaktai*](#) Ahrens, 1999
- [*Serica bicornis*](#) Ahrens, 2005
- [*Serica bidentata*](#) Ahrens, 1999
- [*Serica bidigitata*](#) Ahrens, 2000
- [*Serica blatchleyi*](#) Dawson, 1932
- [*Serica bolm*](#) Ahrens, 2005
- [*Serica bomi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica boops*](#) Waterhouse, 1875
- [*Serica brevitarsis*](#) Nomura, 1972
- [*Serica bruneri*](#) Dawson, 1967
- [*Serica brunnea*](#) (Linnaeus, 1758)
- [*Serica caliginosa*](#) Dawson, 1932
- [*Serica campestris*](#) Dawson, 1919
- [*Serica carbonaria*](#) Fairmaire, 1898
- [*Serica carolina*](#) Dawson, 1920
- [*Serica catalina*](#) Dawson, 1947

- [*Serica chaetosoma*](#) Dawson, 1932
- [*Serica chasilakhae*](#) Ahrens, 1999
- [*Serica chautarana*](#) Ahrens, 2005
- [*Serica chicoensis*](#) Saylor, 1939
- [*Serica chingkinyui*](#) Kobayashi, 1993
- [*Serica chinhillensis*](#) Ahrens & Fabrizi, 2011
- [*Serica christophreuteri*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica chuttana*](#) Ahrens, 1999
- [*Serica clypealis*](#) Fairmaire, 1899
- [*Serica coalinga*](#) Dawson, 1952
- [*Serica concinna*](#) Dawson, 1947
- [*Serica contorta*](#) Dawson, 1947
- [*Serica craighead*](#) Saylor, 1939
- [*Serica cribripennis*](#) Fairmaire, 1898
- [*Serica cruzi*](#) Saylor, 1939
- [*Serica cuona*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica curtipennis*](#) Fairmaire, 1901
- [*Serica curvata*](#) LeConte, 1856
- [*Serica cuyamaca*](#) Saylor, 1939
- [*Serica cyclonotus*](#) (Thomson, 1858)
- [*Serica daliangshanica*](#) Ahrens, 2005
- [*Serica daliensis*](#) Ahrens, 2005
- [*Serica dathei*](#) Ahrens, 2005
- [*Serica davidkrali*](#) Ahrens & Fabrizi, 2011
- [*Serica degenensis*](#) Ahrens, 2005
- [*Serica deserticola*](#) Dawson, 1952
- [*Serica devei*](#) Ahrens, 2005
- [*Serica diablo*](#) Dawson, 1967
- [*Serica doiinthanonensis*](#) Ahrens, 2005
- [*Serica dolens*](#) Ahrens, 2005
- [*Serica duplex*](#) Sharp, 1876
- [*Serica eberlei*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Serica eberti*](#) (Frey, 1965)
- [*Serica echigoana*](#) (Nakane & Baba, 1960)
- [*Serica egregia*](#) Dawson, 1921
- [*Serica elmontea*](#) Saylor, 1939
- [*Serica elongatula*](#) Horn, 1870
- [*Serica elusa*](#) Dawson, 1919
- [*Serica emeishanica*](#) Ahrens, 2005
- [*Serica ensinada*](#) Saylor, 1948
- [*Serica evidens*](#) Blatchley, 1919
- [*Serica excisa*](#) (Frey, 1972)

- [*Serica exhausta*](#) Ahrens & Fabrizi, 2011
- [*Serica falcata*](#) Dawson, 1933
- [*Serica falcifera*](#) Ahrens & Fabrizi, 2009
- [*Serica falli*](#) Dawson, 1932
- [*Serica fansipan*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica fashengi*](#) Liu & Ahrens, 2014
- [*Serica feisintsiensis*](#) Ahrens, 2007
- [*Serica feresegregata*](#) Ahrens & Fabrizi, 2016
- [*Serica filitarsata*](#) Ahrens, 1999
- [*Serica fimbriata*](#) LeConte, 1856
- [*Serica floridana*](#) Dawson, 1967
- [*Serica foobowana*](#) Sawada, 1937
- [*Serica formosana*](#) Moser, 1915
- [*Serica frolovi*](#) Ahrens, 2021
- [*Serica frosti*](#) Dawson, 1967
- [*Serica fulvopubens*](#) (Reitter, 1896)
- [*Serica furcata*](#) Ahrens, 2005
- [*Serica fusa*](#) Brenske, 1898
- [*Serica fusciceps*](#) Fairmaire, 1897
- [*Serica fusifemorata*](#) Nomura, 1974
- [*Serica georgiana*](#) Leng, 1911
- [*Serica gonggashanica*](#) Ahrens, 2005
- [*Serica gongtonggouensis*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica gracilicornis*](#) Arrow, 1946
- [*Serica gracilipes*](#) Moser, 1915
- [*Serica grahami*](#) Ahrens, 2005
- [*Serica granulosa*](#) (Blanchard, 1850)
- [*Serica quangxiensis*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica guidoi*](#) Ahrens, 1999
- [*Serica gwangjuensis*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica hamifera*](#) (Walker, 1859)
- [*Serica heishuiensis*](#) Ahrens, 2005
- [*Serica heteracantha*](#) Dawson, 1967
- [*Serica heydeni*](#) (Reitter, 1896)
- [*Serica hirsuta*](#) Kim & Kim, 2003
- [*Serica hirtella*](#) Ahrens, 2005
- [*Serica hongyii*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica horrida*](#) Ahrens, 2007
- [*Serica howdeni*](#) Dawson, 1967
- [*Serica humboldti*](#) Gordon, 1975
- [*Serica imitans*](#) Chapin, 1931
- [*Serica inaequalis*](#) Ahrens, 2007

- [*Serica incognita*](#) Ahrens, 1999
- [*Serica incurvata*](#) (Nomura, 1971)
- [*Serica inexpectata*](#) (Kontkanen, 1956)
- [*Serica intermixta*](#) Blatchley, 1910
- [*Serica iricolor*](#) (Say, 1824)
- [*Serica jaegeri*](#) Ahrens, 1999
- [*Serica jiangda*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica jindrai*](#) Ahrens, 2007
- [*Serica jiulaoci*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica kalabi*](#) Ahrens, 2005
- [*Serica kangdingensis*](#) Ahrens, 2005
- [*Serica karafutoensis*](#) Nijima & Kinoshita, 1923
- [*Serica khajiaris*](#) Mittal, 1988
- [*Serica khasiana*](#) (Moser, 1918)
- [*Serica kingdoni*](#) Ahrens, 1999
- [*Serica kitulgalana*](#) Fabrizi & Ahrens, 2014
- [*Serica klapperichi*](#) (Frey, 1972)
- [*Serica kumaonensis*](#) Ahrens, 1999
- [*Serica lagoi*](#) Ahrens, 2007
- [*Serica laguna*](#) Saylor, 1935
- [*Serica lalashana*](#) Kobayashi, 1983
- [*Serica lama*](#) Ahrens, 1999
- [*Serica langeri*](#) Ahrens & Fabrizi, 2011
- [*Serica latesquamata*](#) Ahrens, 2007
- [*Serica leigongshanica*](#) Ahrens, 2005
- [*Serica lepidula*](#) Ahrens, 2005
- [*Serica ligulata*](#) Dawson, 1932
- [*Serica lijiangensis*](#) Ahrens, 2005
- [*Serica litangensis*](#) Ahrens, 2005
- [*Serica liyitengi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica lodingi*](#) Dawson, 1952
- [*Serica longula*](#) Frey, 1972
- [*Serica loxia*](#) Dawson, 1920
- [*Serica lupina*](#) Arrow, 1945
- [*Serica lurida*](#) Brenske, 1898
- [*Serica lushui*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica maculosa*](#) Moser, 1915
- [*Serica mahakaliensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Serica mckenziei*](#) Saylor, 1935
- [*Serica meiguensis*](#) Ahrens, 2005
- [*Serica mianningensis*](#) Ahrens, 2005
- [*Serica micans*](#) (Fabricius, 1801)

- [*Serica minshanica*](#) Ahrens, 2005
- [*Serica mixta*](#) LeConte, 1856
- [*Serica montreuili*](#) Ahrens, 2005
- [*Serica moupinensis*](#) (Fairmaire, 1889)
- [*Serica muliensis*](#) Ahrens, 2005
- [*Serica mureensis*](#) Ahrens, 1999
- [*Serica mystaca*](#) Dawson, 1922
- [*Serica nagana*](#) Brenske, 1899
- [*Serica nana*](#) Brenske, 1898
- [*Serica nanjiangana*](#) Ahrens, 2005
- [*Serica narya*](#) Ahrens, 1999
- [*Serica nebulosa*](#) Ahrens, 1999
- [*Serica nepalensis*](#) (Frey, 1969)
- [*Serica nigricans*](#) Brenske, 1894
- [*Serica nigroguttata*](#) Brenske, 1897
- [*Serica nigroguttulata*](#) Von Dalle Torre, 1912
- [*Serica nigromaculosa*](#) Fairmaire, 1891
- [*Serica nigrovariata*](#) Lewis, 1895
- [*Serica nipponica*](#) (Nomura, 1959)
- [*Serica nitididorsis*](#) (Nomura, 1971)
- [*Serica ochrosoma*](#) Dawson, 1919
- [*Serica olivacea*](#) Brenske, 1896
- [*Serica oliver*](#) Saylor, 1939
- [*Serica opaciclypealis*](#) Ahrens, 1999
- [*Serica opacithorax*](#) Nomura, 1974
- [*Serica opposita*](#) Dawson, 1921
- [*Serica ovata*](#) (Nomura, 1974)
- [*Serica palaea*](#) Ahrens, 2004
- [*Serica pallipes*](#) Fairmaire, 1900
- [*Serica panchaseana*](#) Ahrens, 2004
- [*Serica panda*](#) Dawson, 1952
- [*Serica panwarensis*](#) Ahrens & Fabrizi, 2011
- [*Serica parallela*](#) Casey, 1884
- [*Serica parasquamosa*](#) Ahrens, 2007
- [*Serica parvula*](#) (Blanchard, 1850)
- [*Serica pavonia*](#) Dawson, 1932
- [*Serica pelega*](#) Dawson, 1952
- [*Serica pelelaensis*](#) Ahrens & Fabrizi, 2011
- [*Serica perigonia*](#) Dawson, 1920
- [*Serica pigrans*](#) Ahrens & Fabrizi, 2009
- [*Serica pilifera*](#) Horn, 1894
- [*Serica pilumna*](#) Ahrens & Fabrizi, 2009

- [*Serica planifrons*](#) (Nomura, 1972)
- [*Serica plutenkoi*](#) Ahrens, 2005
- [*Serica polita*](#) (Gebler, 1832)
- [*Serica pommeranzi*](#) Ahrens, 1999
- [*Serica porcula*](#) Casey, 1884
- [*Serica prava*](#) Dawson, 1933
- [*Serica proclivis*](#) Ahrens, 1999
- [*Serica prunipennis*](#) Saylor, 1936
- [*Serica psammobuna*](#) Hardy, 1987
- [*Serica puetzi*](#) Ahrens, 2005
- [*Serica pullata*](#) Dawson, 1967
- [*Serica pulvinosa*](#) Frey, 1972
- [*Serica pusilla*](#) Dawson, 1922
- [*Serica qinlingshanica*](#) Ahrens, 2005
- [*Serica qizhihaoi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica ramosa*](#) Ahrens, 1999
- [*Serica ratcliffei*](#) Ahrens, 2005
- [*Serica rectidens*](#) Ahrens & Fabrizi, 2009
- [*Serica regia*](#) Brenske, 1894
- [*Serica repanda*](#) Dawson, 1933
- [*Serica rhypha*](#) Dawson, 1952
- [*Serica ribbei*](#) Ahrens, 1999
- [*Serica rosinae*](#) Pic, 1904
- [*Serica rossi*](#) Saylor, 1948
- [*Serica rubricollis*](#) (Blanchard, 1850)
- [*Serica rufoguttata*](#) Fairmaire, 1901
- [*Serica sandiegensis*](#) Saylor, 1939
- [*Serica satrapa*](#) Dawson, 1947
- [*Serica scaphia*](#) Dawson, 1952
- [*Serica schoenmanni*](#) Ahrens, 2005
- [*Serica sculptilis*](#) Dawson, 1922
- [*Serica scutellaris*](#) Arrow, 1946
- [*Serica segregata*](#) Arrow, 1946
- [*Serica semicincta*](#) (Walker, 1859)
- [*Serica semicribrosa*](#) Fairmaire, 1886
- [*Serica senta*](#) Dawson, 1933
- [*Serica septemfoliata*](#) (Frey, 1972)
- [*Serica septentrionalis*](#) Murayama, 1935
- [*Serica serensia*](#) Saylor, 1948
- [*Serica sericea*](#) (Illiger, 1802)
- [*Serica sericeoides*](#) Dawson, 1967
- [*Serica serotina*](#) LeConte, 1856

- [*Serica setiensis*](#) Rana, Fabrizi & Ahrens, 2017
- [*Serica shaanxiensis*](#) Ahrens, 2005
- [*Serica sherpa*](#) (Sabatinelli & Migliaccio, 1982)
- [*Serica shokhini*](#) Ahrens, 2005
- [*Serica silviae*](#) Ahrens, 2009
- [*Serica sinuaticeps*](#) Moser, 1915
- [*Serica solita*](#) Dawson, 1922
- [*Serica solivaga*](#) Brenske, 1898
- [*Serica sparsa*](#) Arrow, 1946
- [*Serica sphaerica*](#) Burmeister, 1855
- [*Serica spicula*](#) Dawson, 1921
- [*Serica sponsa*](#) Dawson, 1919
- [*Serica squamosa*](#) Ahrens, 2007
- [*Serica sticta*](#) Ahrens & Fabrizi, 2009
- [*Serica stygia*](#) Dawson, 1933
- [*Serica subglobosa*](#) Nonfried, 1892
- [*Serica subnisa*](#) Dawson, 1947
- [*Serica subpilosa*](#) Ahrens, 2007
- [*Serica sudhausi*](#) Ahrens, 2005
- [*Serica taibashanica*](#) Ahrens, 2005
- [*Serica takagii*](#) Sawada, 1937
- [*Serica tantula*](#) Dawson, 1922
- [*Serica tashigaonensis*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Serica tayanpingensis*](#) Ahrens, 2005
- [*Serica texana*](#) LeConte, 1856
- [*Serica therathumensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Serica thibetana*](#) Brenske, 1897
- [*Serica tokejii*](#) (Nomura, 1959)
- [*Serica tomiensis*](#) Ahrens & Fabrizi, 2009
- [*Serica tongluana*](#) Ahrens, 1999
- [*Serica trapezicollis*](#) Ahrens, 2005
- [*Serica trichofemorata*](#) (Nomura, 1959)
- [*Serica tristis*](#) LeConte, 1850
- [*Serica trociformis*](#) Burmeister, 1844
- [*Serica tropdeana*](#) Ahrens, 1999
- [*Serica tryznai*](#) Ahrens, 2007
- [*Serica tukucheana*](#) Ahrens, 1999
- [*Serica umbrosa*](#) Fairmaire, 1868
- [*Serica unicolor*](#) Nonfried, 1894
- [*Serica variolosa*](#) Motschulsky, 1863
- [*Serica velutina*](#) Arrow, 1946
- [*Serica ventrituberculata*](#) Ahrens, Fabrizi & Liu, 2022

- [*Serica ventura*](#) Dawson, 1932
- [*Serica vespertina*](#) (Gyllenhal, 1817)
- [*Serica watson*](#) Saylor, 1939
- [*Serica weiperti*](#) Ahrens, 2004
- [*Serica werner*](#) Ahrens, 2007
- [*Serica wrasei*](#) Ahrens, 2007
- [*Serica wrzecionkoi*](#) Ahrens & Fabrizi, 2009
- [*Serica xichangensis*](#) Ahrens, 2005
- [*Serica xizang*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yaogiensis*](#) Ahrens, 2005
- [*Serica yoshidai*](#) (Nomura, 1959)
- [*Serica yulongshanica*](#) Ahrens, 2005
- [*Serica zerchei*](#) Ahrens, 2005
- [*Serica zhamu*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica zianii*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018

Subgenus *Taiwanoserica* Nomura, 1974

- [*Serica anmashana*](#) (Kobayashi, 1993)
- [*Serica bihluhensis*](#) (Kobayashi, 2000)
- [*Serica chengtuensis*](#) Ahrens, 2009
- [*Serica chunlinlii*](#) (Ahrens, 2002)
- [*Serica elongata*](#) (Nomura, 1974)
- [*Serica gracilipes*](#) (Nomura, 1974)
- [*Serica kubotai*](#) (Kobayashi, 1983)
- [*Serica liboyani*](#) Zhao & Ahrens, 2023
- [*Serica lishana*](#) (Nomura, 1974)
- [*Serica monticola*](#) (Kobayashi, 2000)
- [*Serica niitakana*](#) (Sawada, 1939)
- [*Serica nitidipes*](#) (Nomura, 1974)
- [*Serica pubisterna*](#) (Nomura, 1974)
- [*Serica shinanshana*](#) (Kobayashi, 1988)
- [*Serica sigipinensis*](#) Ahrens, 2009
- [*Serica simillima*](#) (Kobayashi, 1983)
- [*Serica sinuosa*](#) (Kobayashi, 2000)
- [*Serica suturalis*](#) (Nomura, 1974)
- [*Serica suzukii*](#) (Kobayashi, 1983)
- [*Serica taiyal*](#) (Kobayashi, 2000)
- [*Serica variegata*](#) (Nomura, 1974)
- [*Serica wenchuanensis*](#) Ahrens, 2009
- [*Serica yangzaichuni*](#) Zhao & Ahrens, 2023
- [*Serica yexiaohani*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yui*](#) (Kobayashi, 1993)

Unplaced

- [*Serica allolongipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica allonanhua*](#) Liu, Ahrens, Li & Su, 2023
- [*Serica allotengchongana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica anhua*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica babaoshanensis*](#) Zhao & Ahrens, 2023
- [*Serica baishuitaiensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica baoshan*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica breviantennalis*](#) Liu, Ahrens, Li & Su, 2023
- [*Serica caiyiyiae*](#) Zhao & Ahrens, 2023
- [*Serica callosericoides*](#) Zhao & Ahrens, 2023
- [*Serica camura*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica daqiaoana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica dissimillima*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica emaw*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica fengensis*](#) Liu, Ahrens, Li & Su, 2023
- [*Serica fengxue*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica gaoligong*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica guangnanensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica hailuogou*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica huangbaiyuanensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica huangjing*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jani*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jaroslavi*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jiankouensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jicaiyanae*](#) Zhao & Ahrens, 2023
- [*Serica jirii*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica kuankuoshuiensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica limbourgi*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica longidentata*](#) Zhao & Ahrens, 2023
- [*Serica longipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica longwang*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica mengsongana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica nanhua*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica nhiae*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica pangwa*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica paracallosericoides*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica paralongipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica paralupina*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica pseudogracilipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica shengtangshan*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica shiduensis*](#) Ahrens, Fabrizi & Liu, 2022

- [*Serica smetanai*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica subansiriensis*](#) Gupta, Bhunia, Ahrens & Chandra, 2025
- [*Serica taishun*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica taythien*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica tengchongana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica tianmushan*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica tianpingshanensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica wuyishan*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yini*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica yuechengling*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yuheba*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica zhangyaonani*](#) Zhao & Ahrens, 2023
- [*Serica zhenba*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica ziqing*](#) Ahrens, Fabrizi & Liu, 2022

Fossil species

- †*Serica antediluviana* Wickham, 1912
- †*Serica cockerelli* Wickham, 1914
- †*Serica kanakoffi* Pierce, 1946 (California)
- †*Serica minutula* Heer, 1862

Selected former species

- [*Serica delicata*](#) Dawson, 1922
- [*Serica niijima*](#) (Kontkanen, 1956)

This is a list of 85 species in [*Sciapus*](#), a genus of long-legged flies in the family [*Dolichopodidae*](#).^{[1][2][3][4][5]}

Sciapus species

- [*Sciapus aberrans*](#) Becker, 1918^[6]
- [*Sciapus adana*](#) Grichanov & Negrobov, 2014^[5]
- [*Sciapus adumbratus*](#) (Becker, 1902)^[7]
- [*Sciapus albifrons*](#) (Meigen, 1830)^[8]
- [*Sciapus albobittatus*](#) Strobl, 1909^[9]
- [*Sciapus algirus*](#) Macquart, 1849^[10]
- [*Sciapus arctus*](#) Becker, 1922^[11]
- [*Sciapus basarukini*](#) Grichanov & Selivanova, 2022^[12]
- [*Sciapus basavandae*](#) Grichanov & Gilasian, 2023^[13]

- [*Sciapus basilicus*](#) Meuffels & Grootaert, 1990[14]
- [*Sciapus bellus*](#) (Loew, 1873)[15]
- [*Sciapus calceolatus*](#) (Loew, 1859)[16]
- [*Sciapus canariensis*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus collucens*](#) (Walker, 1856)[17]
- [†*Sciapus combaluzieri*](#) Timon-David, 1944[18]
- [*Sciapus contristans*](#) (Wiedemann, 1817)[19]
- [*Sciapus corsicanus*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus costae*](#) (Mik, 1890)[20]
- [*Sciapus delicatus*](#) (Walker, 1849)[21]
- [*Sciapus discretus*](#) Parent, 1926[22]
- [*Sciapus dytei*](#) Negrobov, Maslova & Selivanova, 2012[23]
- [*Sciapus endrogyi*](#) Grichanov, 1997[24]
- [†*Sciapus erasmius*](#) Meuffels & Grootaert, 1999[25]
- [*Sciapus euchromus*](#) (Loew, 1857)[26]
- [*Sciapus euzonus*](#) (Loew, 1859)[16]
- [*Sciapus evanidus*](#) Bezzi, 1898[27]
- [*Sciapus filipes*](#) (Loew, 1861)[28]
- [*Sciapus flavicinctus*](#) (Loew, 1857)[26]
- [*Sciapus flexicornis*](#) Parent, 1944[29]
- [*Sciapus frater*](#) (Parent, 1927)[30]
- [*Sciapus freidbergi*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus glaucescens*](#) (Loew, 1856)[31]
- [*Sciapus gracilipes*](#) (Loew, 1871)[32]
- [*Sciapus heteropygus*](#) Parent, 1926[22]
- [*Sciapus hirtiventris*](#) (De Meijere, 1924)[33]
- [*Sciapus holoxanthos*](#) Parent, 1926[22]
- [*Sciapus incognitus*](#) Negrobov & Shamshev, 1986[34]
- [*Sciapus iranicus*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus judaeus*](#) Parent, 1932[35]
- [*Sciapus khuzestanicus*](#) Grichanov & Gilasian, 2023[13]
- [*Sciapus laetus*](#) (Meigen, 1838)[36]
- [*Sciapus lesinensis*](#) (Mik, 1889)[37]
- [*Sciapus litoralis*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus lobipes*](#) (Meigen, 1824)[38]
- [*Sciapus longimanus*](#) Becker, 1907[39]
- [*Sciapus longitarsis*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus longulus*](#) (Fallén, 1823)[40]
- [*Sciapus maritimus*](#) Becker, 1918[6]
- [*Sciapus matilei*](#) Negrobov, 1973[41]
- [*Sciapus maurus*](#) Parent, 1930[42]
- [*Sciapus medvedevi*](#) Negrobov & Selivanova, 2009[43]

- [*Sciapus mitis* Parent, 1925\[44\]](#)
- [*Sciapus montium* Becker, 1908\[45\]](#)
- [*Sciapus nebraskaensis* \(Harmston & Rapp, 1968\)\[46\]](#)
- [*Sciapus negrobovi* Naglis & Bartak, 2015\[47\]](#)
- [*Sciapus nervosus* \(Lehmann, 1822\)\[48\]](#)
- [*Sciapus nigricornis* \(Loew, 1869\)\[49\]](#)
- [*Sciapus occidasiaticus* Grichanov & Negrobov, 2014\[5\]](#)
- [*Sciapus oldenbergi* Parent, 1932\[35\]](#)
- [*Sciapus opacus* \(Loew, 1866\)\[50\]](#)
- [*Sciapus pallens* \(Wiedemann, 1830\)\[51\]](#)
- [*Sciapus palmipes* Collin, 1966\[52\]](#)
- [*Sciapus paradoxus* Negrobov & Shamshev, 1986\[34\]](#)
 - [*Sciapus paradoxus paradoxus* Negrobov & Shamshev, 1986\[34\]](#)
 - [*Sciapus paradoxus sachalinensis* Negrobov & Shamshev, 1986](#)
- [*Sciapus platypterus* \(Fabricius, 1805\)\[53\]](#)
- [*Sciapus polozhentsevi* Negrobov, 1977\[54\]](#)
- [*Sciapus pseudobellus* Grichanov & Negrobov, 2014\[5\]](#)
- [*Sciapus richterae* Negrobov & Grichanov, 2010\[55\]](#)
- [*Sciapus roderi* Parent, 1929\[56\]](#)
- [*†Sciapus rottensis* Statz, 1940\[57\]](#)
- [*Sciapus rutilus* \(Van Duzee, 1914\)\[58\]](#)
- [*Sciapus sibiricus* Negrobov & Shamshev, 1986\[34\]](#)
- [*Sciapus spiniger* \(Zetterstedt, 1859\)\[59\]](#)
- [*Sciapus spinosus* Parent, 1929\[56\]](#)
- [*Sciapus subvicinus* Grichanov, 2007\[60\]](#)
- [*Sciapus sylvaticus* Becker, 1907\[39\]](#)
- [*Sciapus talebii* Kazerani & Grichanov in Kazerani, Khaghaninia, Talebi & Grichanov, 2015\[61\]](#)
- [*Sciapus tener* \(Loew, 1862\)\[62\]](#)
- [*Sciapus tenuinervis* \(Loew, 1857\)\[26\]](#)
- [*Sciapus vanharteni* Naglis & Bickel, 2017\[63\]](#)
- [*Sciapus venetus* Meuffels, 1977\[64\]](#)
- [*Sciapus vicinus* Parent, 1925\[44\]](#)
- [*Sciapus vladimiri* Grichanov & Negrobov, 2014\[5\]](#)
- [*Sciapus wiedemanni* \(Fallen, 1823\)\[40\]](#)
- [*Sciapus zewoiensus* Tang, Zhu & Yang, 2019\[65\]](#)
- [*Sciapus zonatulus* \(Zetterstedt, 1843\)\[66\]](#)

The following additional species are listed for the genus by online databases:

- *Sciapus ukrainensis* Pollet, 2003^g

Unrecognised species:

- *Sciapus aequalis* Becker, 1922[11]
- *Sciapus clarus* (Walker, 1857)[26]

- *Sciapus derelictus* (Walker, 1856)[17]
- *Sciapus dialithus* (Bigot, 1890)[67]
- *Sciapus illiciens* (Walker, 1856)[17]
- *Sciapus leiopus* (Doleschall, 1856) ^{c g}
- *Sciapus nitidus* (Walker, 1852)[68]
- *Sciapus palmetorum* (Doleschall, 1858) ^{c g}
- *Sciapus pellucens* (De Meijere, 1913) ^{c g}
- *Sciapus piger* Becker, 1922[11]
- *Sciapus posticus* (Walker, 1857)[26]
- *Sciapus subnotatus* (Walker, 1857)[26]
- *Sciapus tardus* Becker, 1922[11]
- *Sciapus viridicollis* (Frey, 1917) ^{c g}

Synonyms:

- *Sciapus adhaerens* Becker, 1922: ^{c g}[11] Moved to *Heteropsilopus*
- *Sciapus aestimatus* (Walker, 1859): ^{c g} Moved to *Chrysosoma*
- *Sciapus albifacies* Parent, 1931: ^{c g} Moved to *Amblypsilopus*
- *Sciapus albimanus* Becker, 1918:[6] Synonym of *Sciapus algirus* Macquart, 1849[10]
- †*Sciapus amabilis* Statz, 1940:[57] Renamed to *Sciapus erasmus* Meuffels & Grootaert, 1999[25]
- *Sciapus amplicaudatus* (Lamb, 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus angelicus* Parent, 1930:[42] Synonym of *Amblypsilopus uncinatus* (Van Duzee, 1927)
- *Sciapus angustifrons* Parent, 1929: ^{c g} Moved to *Amblypsilopus*
- *Sciapus antennatus* Becker, 1922:[11] Moved to *Amblypsilopus*
- *Sciapus arduus* Parent, 1936: ^{c g} Moved to *Chrysosoma*
- *Sciapus auresi* Vaillant, 1952: ^{c g} Var. of *Sciapus euzonus* (Loew, 1859)[16]
- *Sciapus aurichalceus* Becker, 1922:[11] Moved to *Amblypsilopus*
- *Sciapus australensis* (Schiner, 1868): ^{c g} Moved to *Negrobovia*
- *Sciapus badjavensis* Dyte, 1975: ^{c g} Synonym of *Amblypsilopus flavipes* (De Meijere, 1910)
- *Sciapus barbipalpis* Parent, 1937: ^{c g} Synonym of *Amblypsilopus lenga* (Curran, 1929)
- *Sciapus basilewskyi* Vanschuytbroeck, 1960: ^{c g} Moved to *Amblypsilopus*
- *Sciapus bellimanus* (Van Duzee, 1927): ^{c g} Moved to *Amblypsilopus*
- *Sciapus bicalcaratus* Parent, 1933: ^{c g} Moved to *Ethiosciapus*
- *Sciapus bilobatus* (Lamb, 1922): ^{c g} Moved to *Ethiosciapus*
- *Sciapus bilobus* (Van Duzee, 1929): ^{c g} Moved to *Amblypsilopus*
- *Sciapus bipectinatus* Parent, 1934: ^{c g} Moved to *Amblypsilopus*
- *Sciapus bredini* Robinson, 1975: Moved to *Amblypsilopus*
- *Sciapus brevitarsis* Parent, 1932: ^{c g} Synonym of *Amblypsilopus flaviappendiculatus* (De Meijere, 1910)
- *Sciapus brionii* (Becker, 1918): ^{c g} Synonym of *Sciapus glaucescens* (Loew, 1856)[31]

- *Sciapus californicus* Steyskal, 1966: ⁱ Moved to [Amblypsilopus](#)
- *Sciapus capillimanus* (Enderlein, 1912): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus carboneus* Parent, 1932: ^{c g} Synonym of [Krakatauia anthracoides](#) (Van der Wulp, 1896)
- *Sciapus castus* (Loew, 1866):[50] Moved to [Amblypsilopus](#)
- *Sciapus cilicostatus* (Van Duzee, 1927): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus cilipennis* (Aldrich, 1901): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus coalescens* Parent, 1934: ^{c g} Synonym of [Bickeliolus haemorhoidalis](#) (Becker, 1923)
- *Sciapus connexus* (Walker, 1835): ⁱ Moved to [Austrosciapus](#)
- *Sciapus cuthbertsoni* Parent, 1937: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus decoripes* Robinson, 1975: Moved to [Amblypsilopus](#)
- *Sciapus delectabilis* Parent, 1932: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus difficilis* (Parent, 1932): ^{c g} Moved to [Narrabeenia](#)
- *Sciapus digitatus* Van Duzee, 1914: ^{c g} Synonym of [Condyllostylus quadricolor](#) (Walker, 1849)[21]
- *Sciapus dimidiatus* (Loew, 1862):[62] Moved to [Amblypsilopus](#)
- *Sciapus dolichoenemis* (Frey, 1925): ^{c g} Synonym of [Amblypsilopus flaviappendiculatus](#) (De Meijere, 1910)
- *Sciapus duplicatus* Parent, 1932: ^{c g} Moved to [Mascaromyia](#)
- *Sciapus elegans* (Walker, 1852):[68] Moved to [Amblypsilopus](#)
- *Sciapus ellisi* Hollis, 1964: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus eutarsus* Schiner, 1860: Synonym of [Sciapus euzonus](#) (Loew, 1859)[16]
- *Sciapus evulgatus* Becker, 1922:[11] Moved to [Krakatauia](#)
- *Sciapus exarmatus* Parent, 1933: ^{c g} Moved to [Ethiosciapus](#)
- *Sciapus eximius* (Costa, 1886): Renamed to [Sciapus costae](#) (Mik, 1890)[20]
- *Sciapus exul* (Parent, 1932): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus filitarsis* Parent, 1935: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flabellifer* Becker, 1923: Moved to [Amblypsilopus](#)
- *Sciapus flagellaris* (Frey, 1925): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flaviannulatus* (Van Duzee, 1929): ^{c g} Synonym of [Amblypsilopus unicinctus](#) (Van Duzee, 1927)
- *Sciapus flaviappendiculatus* (De Meijere, 1910): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flavicornis* (Aldrich, 1896): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flavidus* (Aldrich, 1896): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flavipes* (De Meijere, 1910): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flaviventris* Bezzi, 1905: Synonym of [Ethiosciapus flavirostris](#) (Loew, 1858)
- *Sciapus flavomaculatus* Ringdahl, 1949: Synonym of [Sciapus maritimus](#) Becker, 1918
- *Sciapus flexus* Loew, 1869:[49] Synonym of [Sciapus contristans](#) (Wiedemann, 1817)
- *Sciapus floridanus* Harmston, 1971: ⁱ Moved to [Amblypsilopus](#)
- *Sciapus fruticosus* Becker, 1922:[11] Moved to [Amblypsilopus](#)

- *Sciapus fulgens* [von Roser](#), 1840: Synonym of *Sciapus laetus* ([Meigen](#), 1838)[36]
- *Sciapus fuscinervis* ([Van Duzee](#), 1926): ⁱ Moved to *Amblypsilopus*
- *Sciapus gemmatus* ([Walker](#), 1849): ^{c g} Moved to *Parentia*
- *Sciapus gilvipes* ([Enderlein](#), 1912): ^c Moved to *Amblypsilopus*
- *Sciapus grandicaudatus* ([Lamb](#), 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus graciosus* [Becker](#), 1922:[11] Synonym of *Austrosciapus connexus* ([Walker](#), 1835)
- *Sciapus gravipes* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus haemorrhoidalis* [Becker](#), 1923: Moved to *Bickeliolus*
- *Sciapus inaequalis* ([Van Duzee](#), 1927): ^{c g} Moved to *Amblypsilopus*
- *Sciapus indistinctus* ([Lamb](#), 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus infans* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus inflexus* [Becker](#), 1923: Moved to *Ethiosciapus*
- *Sciapus infumatus* ([Aldrich](#), 1901): ⁱ Moved to *Amblypsilopus*
- *Sciapus ingruo* ([Harris](#), 1780): ^{c g} Synonym of *Sciapus platypterus* ([Fabricius](#), 1805)[53]
- *Sciapus innoxius* [Parent](#), 1934: Synonym of *Amblypsilopus cilipennis* ([Aldrich](#), 1901)
- *Sciapus integer* [Becker](#), 1923: Moved to *Ethiosciapus*
- *Sciapus interdictus* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus lamellatus* [Parent](#), 1935: ^{c g} Moved to *Bickeliolus*
- *Sciapus latifacies* ([Van Duzee](#), 1934): ^c Moved to *Amblypsilopus*
- *Sciapus latilamellatus* [Parent](#), 1934: ^{c g} Moved to *Amblypsilopus*
- *Sciapus latitarsis* [Becker](#), 1922:[11] Moved to *Condylostylus*
- *Sciapus lectus* [Becker](#), 1922:[11] Synonym of *Austrosciapus discretifasciatus* ([Macquart](#), 1849)
- *Sciapus lenga* [Curran](#), 1929: Moved to *Amblypsilopus*
- *Sciapus longipes* ([Van Duzee](#), 1929): ^{c g} Moved to *Amblypsilopus*
- *Sciapus luteus* [Robinson](#), 1975: Moved to *Amblypsilopus*
- *Sciapus macrodactylus* [Becker](#), 1918:[6] Synonym of *Sciapus evanidus* [Bezzi](#), 1898[27]
- *Sciapus macula* ([Wiedemann](#), 1830):[51] Moved to *Amblypsilopus*
- *Sciapus magnicaudatus* ([Lamb](#), 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus mauritiensis* [Parent](#), 1939: ^{c g} Moved to *Mascaromyia*
- *Sciapus medianus* ([Becker](#), 1922): ^{c g} Moved to *Amblypsilopus*
- *Sciapus mediterraneus* [Bulli & Negrobov](#), 1987: ^{c g} Renamed to *Sciapus subvicinus* [Grichanov](#), 2007
- *Sciapus mexicanus* ([Aldrich](#), 1901): ^{c g} Moved to *Amblypsilopus*
- *Sciapus mutatus* [Becker](#), 1922: ^g Moved to *Amblypsilopus*
- *Sciapus nanus* [Parent](#), 1929: ^{c g} Moved to *Amblypsilopus*
- *Sciapus neoparvus* [Dyde](#), 1975: ^{c g} Moved to *Amblypsilopus*
- *Sciapus nigrimanus* [Van Duzee](#), 1914: ^{c g} Moved to *Amblypsilopus*
- *Sciapus nitidifacies* [Parent](#), 1934: ^{c g} Moved to *Krakatauia*
- *Sciapus noditarsis* [Becker](#), 1922:[11] Moved to *Amblypsilopus*

- *Sciapus nubilipennis* (Van Duzee, 1927): ^{c g} Synonym of *Amblypsilopus macula* ([Wiedemann](#), 1830) [51]
- *Sciapus occultus* (Santos Abreu, 1929): ^{c g} Var. of *Sciapus glaucescens* ([Loew](#), 1856)[31]
- *Sciapus oldroydi* Haider, 1957: ^{c g} Moved to *Amblypsilopus* (unrecognised)
- *Sciapus oscillans* [Parent](#), 1935: ^{c g} Moved to *Amblypsilopus*
- *Sciapus paracarboneus* Hollis, 1964: ^{c g} Moved to *Krakatauia*
- *Sciapus parrai* Milward de Azevedo, 1985: ^{c g} Moved to *Amblypsilopus*
- *Sciapus parvus* Van Duzee, 1933: ^{c g} Moved to *Amblypsilopus*
- *Sciapus pectinatus* ([De Meijere](#), 1910): ^{c g} Moved to *Amblypsilopus*
- *Sciapus pectoralis* Van Duzee, 1931: Synonym of *Amblypsilopus parvus* (Van Duzee, 1933)
- *Sciapus pediformis* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus penicillatus* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus peringueyi* [Curran](#), 1926: Synonym of *Amblypsilopus rosaceus* ([Wiedemann](#), 1824)
- *Sciapus planipes* (Van Duzee, 1929): ^{c g} Moved to *Amblypsilopus*
- *Sciapus pollicifer* (Lamb, 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus pollinosus* Van Duzee, 1915: ⁱ Moved to *Amblypsilopus*
- *Sciapus praecipuus* Milward de Azevedo, 1985: ^{c g} Moved to *Amblypsilopus*
- *Sciapus pressipes* [Parent](#), 1929: ⁱ Synonym of *Krakatauia evulgata* ([Becker](#), 1922)
- *Sciapus prolectans* ([Walker](#), 1856):[17] Moved to *Chrysosoma* (unrecognised)
- *Sciapus pruinus* [Coquillett](#), 1904: ⁱ Moved to *Condyllostylus*
- *Sciapus psittacinus* ([Loew](#), 1861):[28] ⁱ Moved to *Amblypsilopus*
- *Sciapus rectus* ([Wiedemann](#), 1830):[51] Moved to *Krakatauia*
- *Sciapus rectangularis* [Parent](#), 1937: ^{c g} Moved to *Amblypsilopus*
- *Sciapus renschi* [Parent](#), 1932: ^{c g} Moved to *Amblypsilopus*
- *Sciapus restrictus* (Hutton, 1901): ^{c g} Moved to *Parentia*
- *Sciapus rezendei* Milward de Azevedo, 1985: ^{c g} Moved to *Amblypsilopus*
- *Sciapus rosaceus* ([Wiedemann](#), 1824): ^{c g} Moved to *Amblypsilopus*
- *Sciapus rotundiceps* ([Aldrich](#), 1904): ⁱ Moved to *Amblypsilopus*
- *Sciapus sachalinensis* [Negrobov](#) & Shamshev, 1986: ^{c g} Subspecies of *Sciapus paradoxus* [Negrobov](#) & Shamshev, 1986
- *Sciapus scintillans* ([Loew](#), 1861):[28] ⁱ Moved to *Amblypsilopus*
- *Sciapus sericeus* ([De Meijere](#), 1913): ^{c g} Moved to *Krakatauia*
- *Sciapus setifrons* [Parent](#), 1937: ^{c g} Synonym of *Ethiosciapus bicalcaratus* ([Parent](#), 1933)
- *Sciapus sordidus* ([Parent](#), 1928): ^{c g} Moved to *Dytomyia*
- *Sciapus spinimanus* (Van Duzee, 1927): ^{c g} Synonym of *Amblypsilopus bellimanus* (Van Duzee, 1927)
- *Sciapus striaticollis* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus stuckenbergi* Vanschuytbroeck, 1957: ^{c g}[69] Moved to *Amblypsilopus*
- *Sciapus subfascipennis* [Curran](#), 1926: Moved to *Amblypsilopus*

- *Sciapus subtilis* [Becker](#), 1924: Moved to [Amblypsilopus](#)
- *Sciapus sudanensis* [Parent](#), 1939: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus svenhedini* [Parent](#), 1936: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus tabulina* [Becker](#), 1922:[11] Moved to [Krakatauia](#)
- *Sciapus tenuicauda* [Parent](#), 1936: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus trahens* ([Frey](#), 1925): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus trisetosus* Van Duzee, 1932: ^{i g} Synonym of [Condyllostylus scaber](#) ([Loew](#), 1861)[28]
- *Sciapus tropicalis* [Parent](#), 1933: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus turbidus* [Becker](#), 1922:[11] Moved to [Amblypsilopus](#)
- *Sciapus unicoiensis* [Robinson](#), 1964: ⁱ Moved to [Amblypsilopus](#)
- *Sciapus unifasciatus* ([Say](#), 1823): ⁱ Moved to [Amblypsilopus](#)
- *Sciapus unitus* [Parent](#), 1928: Synonym of [Krakatauia recta](#) ([Wiedemann](#), 1830)[51]
- *Sciapus vagabundus* [Bezzi](#) & Lamb, 1926 ^{c g} Moved to [Mascaromyia](#)
- *Sciapus variabilis* ([De Meijere](#), 1913): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus variegatus* ([Loew](#), 1861):[28] ⁱ Moved to [Amblypsilopus](#)
- *Sciapus vialis* ([Raddatz](#), 1873): ^{c g} Synonym of [Sciapus contristans](#) ([Wiedemann](#), 1817)
- *Sciapus villeneuvei* [Parent](#), 1927:[70] Renamed to [Amblypsilopus josephi](#) [Meuffels](#) & [Grootaert](#), 1999
- *Sciapus viridivittatus* ([Robinson](#), 1960): ⁱ Synonym of [Amblypsilopus dorsalis](#) ([Loew](#), 1866)[50]
- *Sciapus zucchini* [Milward de Azevedo](#), 1885: ^{c g} Moved to [Amblypsilopus](#)

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 244 species in [Scelio](#), a genus of parasitoid wasps in the family [Platygastridae](#). [1][2][3][4]

Scelio species

- [Scelio acontes](#) [Kozlov & Lê](#), 1988 ^{i c g}
- [Scelio acte](#) [Walker](#), 1846 ^{i c g}
- [Scelio aegyptiacus](#) [Priesner](#), 1951 ^{i c g}
- [Scelio afer](#) [Kieffer](#), 1905 ^{i c g}
- [Scelio africanus](#) [Risbec](#), 1950 ^{i c g}
- [Scelio alfierii](#) [Priesner](#), 1951 ^{i c g}
- [Scelio amoenus](#) [Dodd](#), 1927 ^{i c g}
- [Scelio ancilla](#) [Kozlov & Lê](#), 1988 ^{i c g}
- [Scelio anmarae](#) [Dangerfield & Austin](#), 2001 ^{i c g}

- [Scelio annae](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio antorides](#) Nixon, 1958^{i c g}
- [Scelio anyirambo](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio apo](#) Kozlov & Lê, 1988^{i c g}
- [Scelio approbatus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio aratigena](#) Kieffer, 1913^{i c g}
- [Scelio arion](#) Kozlov & Lê, 1988^{i c g}
- [Scelio asperatus](#) Dodd, 1927^{i c g}
- [Scelio auronitens](#) Kieffer, 1910^{i c g}
- [Scelio aurosparsus](#) Kieffer, 1910^{i c g}
- [Scelio australiensis](#) Kieffer, 1905^{i c g}
- [Scelio bakeri](#) Kieffer, 1908^{i c g}
- [Scelio baoli](#) Risbec, 1950^{i c g}
- [Scelio bengalensis](#) Mukerjee, 1979^{i c g}
- [Scelio bicolor](#) Fouts, 1930^{i c g}
- [Scelio bipartitus](#) Kieffer, 1907^{i c g}
- [Scelio bisectus](#) Kieffer, 1914^{i c g}
- [Scelio borrooolensis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio brasiliensis](#) Kieffer, 1910^{i c g}
- [Scelio bronae](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio cahirensis](#) Priesner, 1951^{i c g}
- [Scelio calcuttaensis](#) Mani, 1936^{i c g}
- [Scelio callimone](#) Kozlov & Lê, 1988^{i c g}
- [Scelio caloptenorum](#) Riley, 1886^{i c g}
- [Scelio calopterus](#) Kieffer, 1909^{i c g}
- [Scelio cellularis](#) Kieffer, 1916^{i c g}
- [Scelio ceto](#) Kozlov & Lê, 1988^{i c g}
- [Scelio chapmanni](#) Nixon, 1958^{i c g}
- [Scelio cheops](#) Nixon, 1958^{i c g}
- [Scelio chortoicetes](#) Froggatt, 1910^{i c g}
- [Scelio cinctus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio clarus](#) Fouts, 1934^{i c g}
- [Scelio commixtus](#) Muesebeck, 1972^{i c g}
- [Scelio concinnus](#) Dodd, 1927^{i c g}
- [Scelio conformis](#) Muesebeck, 1972^{i c g}
- [Scelio conon](#) Kozlov & Lê, 1988^{i c g}

- [Scelio consobrinus](#) Kieffer, 1913^{i c g}
- [Scelio contractus](#) Dodd, 1927^{i c g}
- [Scelio coriaceiventris](#) Kieffer, 1908^{i c g}
- [Scelio coriaceus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio corion](#) Nixon, 1958^{i c g}
- [Scelio correctus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio crassellus](#) Dodd, 1920^{i c g}
- [Scelio crassiceps](#) Priesner, 1951^{i c g}
- [Scelio croces](#) Kozlov & Lê, 1988^{i c g}
- [Scelio cruentatus](#) Dodd, 1914^{i c g}
- [Scelio desinens](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio dhupgarhi](#) Mukerjee, 1979^{i c g}
- [Scelio dichropli](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio diemenensis](#) Dodd, 1914^{i c g}
- [Scelio difficilis](#) Priesner, 1951^{i c g}
- [Scelio dion](#) Kozlov & Lê, 1988^{i c g}
- [Scelio doddi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio dodes](#) Kozlov & Lê, 1988^{i c g}
- [Scelio donez](#) Kozlov & Lê, 1988^{i c g}
- [Scelio elongatus](#) Kieffer, 1908^{i c g}
- [Scelio ernstii](#) Riley, 1886^{i c g}
- [Scelio erythrogaster](#) Kieffer, 1908^{i c g}
- [Scelio erythropoda](#) Cameron, 1888^{i c g}
- [Scelio erythropus](#) Dodd, 1920^{i c g}
- [Scelio evanescens](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio exaratus](#) (Kieffer, 1910)^{i c g}
- [Scelio facialis](#) Kieffer, 1916^{i c g}
- [Scelio festivus](#) Kieffer, 1910^{i c g}
- [Scelio flavibarbis](#) (Marshall, 1874)^{i c g}
- [Scelio flavicornis](#) Dodd, 1913^{i c g}
- [Scelio flavicoxis](#) Kieffer, 1905^{i c g}
- [Scelio flavigaster](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio flavocinctus](#) Kieffer, 1910^{i c g}
- [Scelio floridanus](#) Ashmead, 1893^{i c g b}
- [Scelio floridus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio fomes](#) Kozlov & Lê, 1988^{i c g}

- [Scelio fritzi](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio fulgidus](#) Crawford, 1911^{i c g}
- [Scelio fulvipes](#) Förster, 1856^{i c g}
- [Scelio fulvithorax](#) Dodd, 1927^{i c g}
- [Scelio furcatus](#) Kieffer, 1909^{i c g}
- [Scelio fuscicoxis](#) Kieffer, 1905^{i c g}
- [Scelio gallowayi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio gaudens](#) Nixon, 1958^{i c g}
- [Scelio gobar](#) Walker, 1839^{i c g}
- [Scelio goron](#) Kozlov & Lê, 1988^{i c g}
- [Scelio gracilis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio grbini](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio grongtes](#) Kozlov & Lê, 1988^{i c g}
- [Scelio guatemalensis](#) Kieffer, 1906^{i c g}
- [Scelio habilis](#) Nixon, 1958^{i c g}
- [Scelio hieroglyphi](#) Timberlake, 1932^{i c g}
- [Scelio hilaris](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio homona](#) Kozlov & Lê, 1988^{i c g}
- [Scelio horai](#) Mani, 1936^{i c g}
- [Scelio howardi](#) Crawford, 1910^{i c g}
- [Scelio husseini](#) Priesner, 1951^{i c g}
- [Scelio hyalinipennis](#) Ashmead, 1887^{i c g}
- [Scelio hypena](#) Kozlov & Lê, 1988^{i c g}
- [Scelio ignobilis](#) Dodd, 1927^{i c g}
- [Scelio improcerus](#) Dodd, 1927^{i c g}
- [Scelio incertus](#) Muesebeck, 1972^{i c g}
- [Scelio inermis](#) (Zetterstedt, 1840)^{i c g}
- [Scelio insolitus](#) Muesebeck, 1972^{i c g}
- [Scelio integer](#) Kieffer, 1908^{i c g}
- [Scelio javanicus](#) Roepke, 1916^{i c g}
- [Scelio jokentae](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio joni](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio levifrons](#) Kieffer, 1908^{i c g}
- [Scelio lineolatus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio littoralis](#) Dodd, 1927^{i c g}
- [Scelio locustae](#) Dodd, 1914^{i c g}

- [Scelio longiventris](#) Kieffer, 1908^{i c g}
- [Scelio loretanus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio lugens](#) Kieffer, 1910^{i c g}
- [Scelio luzonicus](#) Kieffer, 1914^{i c g}
- [Scelio macrotomus](#) Kieffer, 1916^{i c g}
- [Scelio magnus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio mallapura](#) Mukerjee, 1979^{i c g}
- [Scelio mannesi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio marbis](#) Nixon, 1958^{i c g}
- [Scelio mareebaensis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio maritimus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio matthewsi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio mauritanicus](#) Risbec, 1950^{i c g}
- [Scelio meridionalis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio microcerus](#) Kieffer, 1916^{i c g}
- [Scelio miki](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio mimaces](#) Kozlov & Lê, 1988^{i c g}
- [Scelio munnaricus](#) Mukerjee, 1979^{i c g}
- [Scelio muraii](#) Watanabe, 1955^{i c g}
- [Scelio nakhlensis](#) Priesner, 1951^{i c g}
- [Scelio nanocuspis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio naumanni](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio nerion](#) Kozlov & Lê, 1988^{i c g}
- [Scelio nigricornis](#) Dodd, 1913^{i c g}
- [Scelio nigricoxa](#) Dodd, 1914^{i c g}
- [Scelio nigriscutellum](#) Dodd, 1913^{i c g}
- [Scelio nigrobrunneus](#) Dodd, 1927^{i c g}
- [Scelio nikolskyi](#) Ogloblin, 1927^{i c g}
- [Scelio nilamburensis](#) Mukerjee, 1979^{i c g}
- [Scelio nisa](#) Kozlov, 1972^{i c g}
- [Scelio nitens](#) Brues, 1906^{i c g}
- [Scelio noancilla](#) Kozlov & Lê, 2000^{i c g}
- [Scelio notabilis](#) Dodd, 1927^{i c g}
- [Scelio odites](#) Kozlov & Lê, 1988^{i c g}
- [Scelio oedipodae](#) Ashmead, 1893^{i c g}
- [Scelio opacus](#) (Provancher, 1887)^{i c g}

- [Scelio orientalis](#) Dodd, 1915^{i c g}
- [Scelio oviphagus](#) Mukerji, 1953^{i c g}
- [Scelio ovivorus](#) (Riley, 1878)^{i c g}
- [Scelio oxyae](#) Timberlake, 1932^{i c g}
- [Scelio paivai](#) Mani, 1936^{i c g}
- [Scelio pakistanensis](#) Siddiqui et al., 1983^{i c g}
- [Scelio pakistanicus](#) Mahmood et al., 1988^{i c g}
- [Scelio pallidipes](#) Ashmead, 1893^{i c g}
- [Scelio paracroces](#) Kozlov & Lê, 2000^{i c g}
- [Scelio paraensis](#) Kieffer, 1910^{i c g}
- [Scelio paraspinifera](#) Kozlov & Lê, 1988^{i c g}
- [Scelio parvicornis](#) Dodd, 1914^{i c g}
- [Scelio pembertoni](#) Timberlake, 1932^{i c g}
- [Scelio perspicuus](#) Dodd, 1927^{i c g}
- [Scelio petilus](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio philippinensis](#) Ashmead, 1905^{i c g}
- [Scelio pigotti](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio pilosifrons](#) Dodd, 1927^{i c g}
- [Scelio pilosus](#) Dodd, 1913^{i c g}
- [Scelio planithorax](#) Dodd, 1927^{i c g}
- [Scelio plasticus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio poecilopterus](#) Priesner, 1951^{i c g}
- [Scelio popovi](#) Nixon, 1958^{i c g}
- [Scelio princeps](#) Nixon, 1958^{i c g}
- [Scelio psenes](#) Kozlov & Lê, 1988^{i c g}
- [Scelio pseudaustralis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio pulchripennis](#) Brues, 1906^{i c g}
- [Scelio pumilus](#) Muesebeck, 1972^{i c g}
- [Scelio punctaticeps](#) Dodd, 1914^{i c g}
- [Scelio remaudierei](#) Ferrière, 1952^{i c g}
- [Scelio reticulatum](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio rubripes](#) Kieffer, 1908^{i c g}
- [Scelio rufiventris](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio rufonotatus](#) Kieffer, 1906^{i c g}
- [Scelio rufulus](#) Muesebeck, 1972^{i c g}
- [Scelio rugosulus](#) Latreille, 1805^{i c g}

- [Scelio rugosus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio rusticus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio ruticulus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio rutilus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio satpurus](#) Mukerjee, 1979^{i c g}
- [Scelio schmelio](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio scottusae](#) Ogloblin, 1965^{i c g}
- [Scelio scyllinopsi](#) Ogloblin, 1965^{i c g}
- [Scelio sectigena](#) Kieffer, 1908^{i c g}
- [Scelio semiatratus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio semirufus](#) Muesebeck, 1972^{i c g}
- [Scelio semisanguineus](#) Girault, 1914^{i c g}
- [Scelio serdangensis](#) Timberlake, 1932^{i c g}
- [Scelio setafascis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio setiger](#) Brues, 1918^{i c g}
- [Scelio similis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio singularis](#) Muesebeck, 1972^{i c g}
- [Scelio solus](#) Muesebeck, 1972^{i c g}
- [Scelio spinifera](#) Mukerjee, 1979^{i c g}
- [Scelio splendidus](#) Kieffer, 1910^{i c g}
- [Scelio squamosus](#) Muesebeck, 1972^{i c g}
- [Scelio striatifacies](#) Dodd, 1914^{i c g}
- [Scelio striatiscutum](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio striativentris](#) Kieffer, 1908^{i c g}
- [Scelio striatus](#) Priesner, 1951^{i c g}
- [Scelio subpolitus](#) Dodd, 1920^{i c g}
- [Scelio sudanensis](#) Ferrière, 1952^{i c g}
- [Scelio sulcaticeps](#) Dodd, 1927^{i c g}
- [Scelio tasmaniensis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio taylori](#) Nixon, 1958^{i c g}
- [Scelio tenuipilosus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio thomsoni](#) Kieffer, 1913^{i c g}
- [Scelio transversalis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio travancoricus](#) Mukerjee, 1979^{i c g}
- [Scelio tripartitus](#) Kieffer, 1906^{i c g}
- [Scelio trisectus](#) Kieffer, 1908^{i c g}

- [Scelio tristis](#) Nixon, 1958^{i c g}
- [Scelio tsuruokensis](#) Watanabe, 1955^{i c g}
- [Scelio unidentis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio urgo](#) Kozlov & Lê, 1988^{i c g}
- [Scelio uvarovi](#) Ogloblin, 1927^{i c g}
- [Scelio vallecularis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio variegatus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio variicornis](#) Kieffer, 1913^{i c g}
- [Scelio variipennis](#) Kieffer, 1916^{i c g}
- [Scelio varipunctatus](#) Dodd, 1915^{i c g}
- [Scelio venatus](#) Brues, 1906^{i c g}
- [Scelio vulgaris](#) Kieffer, 1908^{i c g}
- [Scelio walkeri](#) Kieffer, 1913^{i c g}
- [Scelio wallacei](#) Dodd, 1920^{i c g}
- [Scelio wittmeri](#) Priesner, 1951^{i c g}
- [Scelio xanthopterus](#) Kieffer, 1916^{i c g}
- [Scelio zafari](#) Mahmood et al., 1988^{i c g}
- [Scelio zborowskii](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio zolotarevskyi](#) Ferrière, 1930^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Scelio Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-04-29.
 - ["Browse Scelio"](#). *Catalogue of Life*. Retrieved 2018-04-29.
 - ["Scelio"](#). *GBIF*. Retrieved 2018-04-29.
 -
4. ["Scelio Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-29.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 144 species in the genus [Scatella](#), shore flies in the family [Ephydriidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Scatella species

- [S. abbreviata](#) Harrison, 1976 ^{c g}
- [S. acutipennis](#) Harrison, 1964 ^{c g}
- [S. aeneiventris](#) ([Macquart](#), 1835) ^{c g}
- [S. albilutea](#) Mathis & Wirth, 1981 ^{c g}
- [S. alticeps](#) [Malloch](#), 1925 ^{c g}
- [S. amnica](#) (Tenorio, 1980) ^{c g}
- [S. angustipennis](#) Wirth, 1955 ^{c g}
- [S. apicalis](#) Wirth, 1957 ^{c g}
- [S. argentea](#) [Hendel](#), 1930 ^{c g}
- [S. argentifacies](#) Wirth, 1955 ^{c g}
- [S. arizonensis](#) [Cresson](#), 1935 ^{i c g}
- [S. atra](#) ([Malloch](#), 1933) ^{c g}
- [S. aurulenta](#) Giordani Soika, 1956 ^{c g}
- [S. australiae](#) [Malloch](#), 1925 ^{c g}
- [S. australis](#) [Zatwarnicki](#) & [Irwin](#), 1853 ^g
- [S. austrina](#) Mathis & Wirth, 1981 ^{c g}
- [S. balioptera](#) (Mathis & [Shewell](#), 1978) ^c
- [S. bicolor](#) Mathis & Wirth, 1981 ^{c g}
- [S. brachyptera](#) Wirth, 1955 ^{c g}
- [S. brevis](#) Harrison, 1964 ^{c g}
- [S. bronneci](#) ([Malloch](#), 1934) ^{c g}
- [S. brunnea](#) Wirth, 1957 ^{c g}
- [S. bryani](#) [Cresson](#), 1926 ^{c g}
- [S. bullacosta](#) [Cresson](#), 1934 ^{c g}
- [S. calida](#) [Matsumura](#), 1915 ^{c g}
- [S. callosicosta](#) [Bezzi](#), 1895 ^{c g}
- [S. catalogana](#) Mathis & [Zatwarnicki](#), 1995 ^{c g}
- [S. cauta](#) [Cresson](#), 1931 ^{c g}
- [S. cheesmanae](#) ([Malloch](#), 1934) ^{c g}

- [*S. ciliata*](#) Collin, 1930 ^{c g}
- [*S. cilipes*](#) (Wirth, 1948) ^{c g}
- [*S. cinerea*](#) Robineau-Desvoidy, 1830 ^{c g}
- [*S. cinereifacies*](#) (Tenorio, 1980) ^{c g}
- [*S. clavipes*](#) (Wirth, 1948) ^{c g}
- [*S. costalis*](#) Hendel, 1932 ^{c g}
- [*S. crassicosta*](#) Becker, 1896 ^{i c g}
- [*S. curtipennis*](#) (Becker, 1905) ^{c g}
- [*S. decemguttata*](#) Wirth, 1955 ^{c g}
- [*S. discalis*](#) Wirth, 1955 ^{c g}
- [*S. ecuadorensis*](#) (Mathis, 1979) ^{c g}
- [*S. edwardsi*](#) Cresson, 1931 ^{c g}
- [*S. favillacea*](#) Loew, 1862 ^{i c g}
- [*S. femoralis*](#) (Tenorio, 1980) ^{c g}
- [*S. fernandezensis*](#) Wirth, 1955 ^{c g}
- [*S. fluvialis*](#) (Tenorio, 1980) ^{c g}
- [*S. furens*](#) Cresson, 1931 ^{c g}
- [*S. fusca*](#) (Macquart, 1835) ^{c g}
- [*S. fuscivenosa*](#) Wirth, 1957 ^{c g}
- [*S. galapagensis*](#) Curran, 1934 ^{c g}
- [*S. gea*](#) Canzoneri & Meneghini, 1979 ^{c g}
- [*S. gestiens*](#) Cresson, 1931 ^{c g}
- [*S. glabra*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. gratiellae*](#) Canzoneri & Raffone, 1987 ^{c g}
- [*S. gregaria*](#) Cresson, 1931 ^{c g}
- [*S. guttata*](#) Zatwarnicki & Irwin, 2018 ^g
- [*S. guttipennis*](#) (Bigot, 1888) ^{c g}
- [*S. hawaiiensis*](#) Grimshaw, 1901 ^{c g}
- [*S. henanensis*](#) Zhang & Yang, 2005 ^{c g}
- [*S. hirticrus*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. ignara*](#) Cresson, 1931 ^{c g}
- [*S. immaculata*](#) Malloch, 1925 ^{c g}
- [*S. indistincta*](#) Becker, 1896 ^{c g}
- [*S. insularis*](#) Mathis & Wirth, 1981 ^{c g}
- [*S. irrorata*](#) (Macquart, 1835) ^{c g}
- [*S. kauaiensis*](#) (Wirth, 1948) ^{c g}

- [*S. kuscheli*](#) Wirth, 1955 ^{c g}
- [*S. lacustris*](#) [Meigen](#), 1830 ^g
- [*S. lanicrus*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. laxa*](#) [Cresson](#), 1933 ^{i c g}
- [*S. lindbergi*](#) Dahl, 1959 ^{c g}
- [*S. lutea*](#) Wirth, 1955 ^{c g}
- [*S. lutosa*](#) ([Haliday](#), 1833) ^{c g}
- [*S. maculosa*](#) Canzoneri & Menghini, 1969 ^{c g}
- [*S. major*](#) [Becker](#), 1908 ^{c g}
- [*S. marginalis*](#) Wirth, 1955 ^{c g}
- [*S. marinensis*](#) ([Cresson](#), 1935) ^{i c g}
- [*S. masatierrensis*](#) Wirth, 1955 ^{c g}
- [*S. mauiensis*](#) (Wirth, 1948) ^{c g}
- [*S. megastoma*](#) ([Zetterstedt](#), 1855) ^{c g}
- [*S. melanderi*](#) ([Cresson](#), 1935) ^{i c g}
- [*S. minima*](#) Wirth, 1955 ^{c g}
- [*S. nanoptera*](#) Wirth, 1955 ^{c g}
- [*S. neglecta*](#) (Lamb, 1917) ^{c g}
- [*S. nelsoni*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. nipponica*](#) Miyagi, 1977 ^{c g}
- [*S. nitidithorax*](#) [Malloch](#), 1925 ^{c g}
- [*S. norrisi*](#) Mathis & Wirth, 1981 ^{c g}
- [*S. notabilis*](#) [Cresson](#), 1934 ^{c g}
- [*S. nubeculosa*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. oahuense*](#) Williams, 1938 ^{c g}
- [*S. obscura*](#) [Williston](#), 1896 ^{i c g}
- [*S. obscurella*](#) [Hendel](#), 1930 ^{c g}
- [*S. obscuriceps*](#) [Cresson](#), 1915 ^{i c g}
- [*S. obsoleta*](#) [Loew](#), 1861 ^{i c g}
- [*S. pallida*](#) Wirth, 1955 ^{c g}
- [*S. paludum*](#) ([Meigen](#), 1830) ^{i c g}
- [*S. penai*](#) (Mathis & Shewell, 1978) ^c
- [*S. pentastigma*](#) ([Thomson](#), 1869) ^{i c g}
- [*S. picea*](#) ([Walker](#), 1849) ^{i c g b}
- [*S. pilifera*](#) [Cresson](#), 1931 ^{c g}
- [*S. pilimana*](#) Wirth, 1955 ^{c g}

- [*S. pruinosa*](#) Dahl, 1961 ^{c g}
- [*S. pulla*](#) Cresson, 1931 ^{c g}
- [*S. quadrinotata*](#) Cresson, 1933 ^{i c g}
- [*S. rivalis*](#) Miyagi, 1977 ^{c g}
- [*S. rufipes*](#) Strobl, 1906 ^{c g}
- [*S. sanctipauli*](#) Schiner, 1868 ^{c g}
- [*S. savegre*](#) Mathis & Zumbado, 2005 ^{c g}
- [*S. semicinerea*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. semipolita*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. septemfenestrata*](#) Lamb, 1912 ^{c g}
- [*S. septempunctata*](#) Malloch, 1933 ^{c g}
- [*S. setosa*](#) Coquillett, 1900 ^{i c g}
- [*S. sexnotata*](#) Cresson, 1926 ^{c g}
- [*S. sexpunctata*](#) Malloch, 1933 ^{c g}
- [*S. shewelli*](#) Mathis & Zartwarnicki, 1995 ^{c g}
- [*S. silacea*](#) Loew, 1860 ^{c g}
- [*S. skottsbergi*](#) Wirth, 1957 ^{c g}
- [*S. spangleri*](#) (Mathis, 1979) ^{c g}
- [*S. spinicrus*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. stagnalis*](#) (Fallén, 1813) ^{i c g}
- [*S. stenoptera*](#) Wirth, 1955 ^{c g}
- [*S. stuckenbergi*](#) (Wirth, 1956)[5]
- [*S. sturdeeanus*](#) (Lamb, 1917) ^{c g}
- [*S. subguttata*](#) (Meigen, 1830) ^{c g}
- [*S. subvittata*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. tasmaniae*](#) Mathis & Wirth, 1981 ^{c g}
- [*S. tenuicosta*](#) Collin, 1930 ^{c g}
- [*S. terryi*](#) Cresson, 1926 ^{c g}
- [*S. thermarum*](#) Collin, 1930 ^{i c g}
- [*S. tonnoiri*](#) Hendel, 1931 ^{c g}
- [*S. triseta*](#) Coquillett, 1902 ^{i c g}
- [*S. troi*](#) Cresson, 1933 ^{i c g}
- [*S. unguiculata*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. unguiculosa*](#) (Mathis, 1934) ^{c g}
- [*S. variofemorata*](#) Becker, 1903 ^{c g}
- [*S. varipennis*](#) Malloch, 1933 ^{c g}

- [*S. victoria*](#) (Cresson, 1935) ^c
- [*S. vittata*](#) Wirth, 1955 ^{c g}
- [*S. vittithorax*](#) Malloch, 1925 ^{c g}
- [*S. vulgata*](#) Cresson, 1931 ^{c g}
- [*S. warreni*](#) Cresson, 1926 ^{c g}
- [*S. williamsi*](#) (Wirth, 1948) ^{c g}
- [*S. wirthi*](#) Hardy, 1965 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 199 species in [*Scarites*](#), a genus of ground beetles in the family [*Carabidae*](#).[\[1\]\[2\]\[3\]\[4\]\[5\]](#)

***Scarites* species**

Subgenus *Orientolobus* Dostal, 1996

- [*Scarites beelsoni*](#) Andrewes, 1929
- [*Scarites birmanicus*](#) (Bates, 1892)
- [*Scarites lucidus*](#) (Chaudoir, 1881)
- [*Scarites modestus*](#) (Chaudoir, 1881)
- [*Scarites sexualis*](#) Bänninger, 1938
- [*Scarites stygicus*](#) (Chaudoir, 1881)
- [*Scarites vilhenai*](#) (Basilewsky, 1955)
- [*Scarites wittei*](#) (Bänninger, 1933)

Subgenus *Parallelomorphus* Motschulsky, 1849

- [*Scarites acutidens*](#) Chaudoir, 1855
- [*Scarites aterrimus*](#) A.Morawitz, 1863
- [*Scarites cultripalpis*](#) Quedenfeldt, 1883
- [*Scarites discoidalis*](#) Bänninger, 1938
- [*Scarites inconspicuus*](#) Chaudoir, 1855
- [*Scarites indus*](#) Olivier, 1795
- [*Scarites laevigatus*](#) Fabricius, 1792
- [*Scarites mandli*](#) Jedlicka, 1963
- [*Scarites nitidulus*](#) Klug, 1862
- [*Scarites punctum*](#) Wiedemann, 1823
- [*Scarites quadripunctatus*](#) Dejean, 1825
- [*Scarites semicircularis*](#) W.S.MacLeay, 1825
- [*Scarites subcylindricus*](#) Chaudoir, 1843
- [*Scarites subnitens*](#) Chaudoir, 1855
- [*Scarites terricola*](#) Bonelli, 1813

Subgenus *Scarites* Fabricius, 1775

- [*Scarites abbreviatus*](#) Dejean, 1825

[Scarites aestuans](#) Klug, 1853
[Scarites afghanus](#) Jedlicka, 1967
[Scarites angulifrons](#) Chaudoir, 1881
[Scarites angustesulcatus](#) Baehr, 2002
[Scarites angustus](#) (Chaudoir, 1855)
[Scarites anomalus](#) Andrewes, 1930
[Scarites anthracinus](#) Dejean, 1831
[Scarites atronitens](#) Fairmaire, 1887
[Scarites baenningeri](#) Emden, 1932
[Scarites barbarus](#) Dejean, 1825
[Scarites basiplicatus](#) Heyden, 1884
[Scarites batesi](#) Andrewes, 1929
[Scarites bengalensis](#) Dejean, 1826
[Scarites biangulatus](#) Fairmaire, 1898
[Scarites bokalensis](#) Bänninger, 1932
[Scarites bottegoi](#) Bänninger, 1937
[Scarites boucardi](#) Chaudoir, 1881
[Scarites bruchi](#) Bänninger, 1932
[Scarites bucida](#) (Pallas, 1776)
[Scarites buparius](#) (Forster, 1771)
[Scarites cayennensis](#) Dejean, 1825
[Scarites ceylonicus](#) Chaudoir, 1881
[Scarites colossus](#) Csiki, 1927
[Scarites comoricus](#) Alluaud, 1932
[Scarites corbetti](#) Andrewes, 1929
[Scarites cormoides](#) Andrewes, 1929
[Scarites costipennis](#) Péringuey, 1896
[Scarites crassus](#) Andrewes, 1929
[Scarites cycloderus](#) Chaudoir, 1881
[Scarites cyclops](#) Crotch, 1871
[Scarites cylindriciformis](#) Bänninger, 1933
[Scarites cylindronotus](#) Faldermann, 1836
[Scarites defletus](#) Bänninger, 1933
[Scarites denticulatus](#) Chaudoir, 1881
[Scarites derogatus](#) Andrewes, 1929
[Scarites distinguendus](#) Chaudoir, 1855
[Scarites doguereaui](#) Gory, 1833
[Scarites dubiosus](#) Andrewes, 1929
[Scarites dyschromus](#) Chaudoir, 1855
[Scarites edentatus](#) Bänninger, 1932
[Scarites emarginatus](#) Herbst, 1806
[Scarites epaphius](#) Chaudoir, 1881
[Scarites estriatus](#) Fairmaire, 1887
[Scarites exaratus](#) Dejean, 1825
[Scarites excavatus](#) Kirby, 1819
[Scarites fairmairei](#) Bänninger, 1933
[Scarites fatuus](#) Karsch, 1881
[Scarites feanus](#) Bänninger, 1937
[Scarites ferus](#) Bänninger, 1933

[Scarites fletcheri](#) Andrewes, 1929
[Scarites granulatus](#) Andrewes, 1929
[Scarites guineensis](#) Dejean, 1831
[Scarites heterogrammus](#) Perty, 1830
[Scarites hypsipus](#) Alluaud, 1917
[Scarites illustris](#) Chaudoir, 1881
[Scarites impressus](#) Fabricius, 1801
[Scarites inaequalis](#) Fairmaire, 1893
[Scarites jakli](#) Bulirsch, 2017
[Scarites kabakovi](#) (Dostal, 1997)
[Scarites klapperichi](#) Bänninger, 1956
[Scarites limitaneus](#) Andrewes, 1932
[Scarites linearis](#) Boheman, 1848
[Scarites liopterus](#) Chaudoir, 1881
[Scarites liostracus](#) Alluaud, 1930
[Scarites lissopterus](#) Chaudoir, 1881
[Scarites lomaensis](#) Basilewsky, 1972
[Scarites longiusculus](#) Chaudoir, 1881
[Scarites lubricipennis](#) Minowa, 1932
[Scarites lunicollis](#) Bänninger, 1933
[Scarites madagascariensis](#) Dejean, 1831
[Scarites malangensis](#) Quedenfeldt, 1883
[Scarites mandarinus](#) Bänninger, 1928
[Scarites mandibularis](#) Andrewes, 1929
[Scarites marinus](#) Nichols, 1986
[Scarites mayumbensis](#) Bänninger, 1933
[Scarites melanarius](#) Dejean, 1831
[Scarites migiurtinus](#) G.Müller, 1944
[Scarites minowai](#) Habu, 1947
[Scarites natalensis](#) Boheman, 1848
[Scarites nigritus](#) Boheman, 1848
[Scarites nitens](#) Andrewes, 1929
[Scarites nitidiceps](#) Baehr, 2002
[Scarites ocalensis](#) Nichols, 1986
[Scarites orthomus](#) Chaudoir, 1855
[Scarites palawanensis](#) Bulirsch, 2017
[Scarites paraguayensis](#) Bänninger, 1928
[Scarites parallelus](#) Dejean, 1825
[Scarites passaloides](#) Quedenfeldt, 1883
[Scarites patroclus](#) Murray, 1857
[Scarites patruelis](#) LeConte, 1845
[Scarites perplexus](#) Dejean, 1825
[Scarites pinguis](#) Andrewes, 1929
[Scarites politus](#) Bonelli, 1813
[Scarites polyphemus](#) Herbst, 1806
[Scarites praedator](#) Chaudoir, 1881
[Scarites procerus](#) Dejean, 1825
[Scarites productus](#) Bänninger, 1933
[Scarites quadratus](#) Fabricius, 1801

[Scarites quadriceps](#) Chaudoir, 1843
[Scarites quadricostis](#) Chaudoir, 1881
[Scarites raptor](#) Andrewes, 1932
[Scarites reductus](#) Bänninger, 1933
[Scarites retusus](#) Andrewes, 1929
[Scarites richteri](#) Chaudoir, 1847
[Scarites rugiceps](#) Wiedemann, 1823
[Scarites rugosus](#) Wiedemann, 1821
[Scarites salinus](#) Dejean, 1825
[Scarites saxicola](#) Bonelli, 1813
[Scarites scaevus](#) Andrewes, 1929
[Scarites selene](#) Schmidt-Goebel, 1846
[Scarites senegalensis](#) Dejean, 1825
[Scarites similis](#) Chaudoir, 1881
[Scarites simogonus](#) Chaudoir, 1881
[Scarites stenodes](#) Andrewes, 1929
[Scarites stenops](#) Bousquet & Skelley, 2010
[Scarites striatus](#) Dejean, 1825
[Scarites strigifrons](#) Baehr, 2002
[Scarites subpatroclus](#) Basilewsky, 1972
[Scarites subrugatus](#) Chaudoir, 1881
[Scarites subterraneus](#) Fabricius, 1775
[Scarites sulcatus](#) Olivier, 1795
[Scarites tauropus](#) Andrewes, 1929
[Scarites tenebricosus](#) Dejean, 1831
[Scarites texanus](#) Chaudoir, 1881
[Scarites timorensis](#) Bänninger, 1949
[Scarites trachydermon](#) Andrewes, 1936
[Scarites turkestanicus](#) Heyden, 1884
[Scarites unicus](#) Minowa, 1932
[Scarites urbanus](#) Minowa, 1932
[Scarites vicinus](#) Chaudoir, 1843
[Scarites zambo](#) Steinheil, 1875

Subgenus *Taeniolobus* Chaudoir, 1855

[Scarites aberrans](#) Bänninger, 1941
[Scarites bonariensis](#) (Chaudoir, 1881)
[Scarites carinatus](#) Dejean, 1825
[Scarites convexipennis](#) Fairmaire, 1869
[Scarites convexiusculus](#) (Chaudoir, 1881)
[Scarites corvinus](#) Dejean, 1831
[Scarites cubanus](#) (Bänninger, 1937)
[Scarites deplanatus](#) (Bänninger, 1937)
[Scarites dubius](#) Bänninger, 1941
[Scarites ecuadorensis](#) Bänninger, 1941
[Scarites furcatus](#) Bänninger, 1941
[Scarites giachinoi](#) (Bulirsch, 2019)
[Scarites gratus](#) (Chaudoir, 1855)

[*Scarites guerini*](#) (Chaudoir, 1855)
[*Scarites holcocranius*](#) (Chaudoir, 1881)
[*Scarites interpositus*](#) (Bänninger, 1933)
[*Scarites lebasii*](#) (Chaudoir, 1855)
[*Scarites meridionalis*](#) Bänninger, 1941
[*Scarites moreti*](#) (Bulirsch, 2021)
[*Scarites multisetosus*](#) Bänninger, 1941
[*Scarites oberthueri*](#) Bänninger, 1938
[*Scarites obliteratedus*](#) Bänninger, 1941
[*Scarites onorei*](#) (Bulirsch, 2019)
[*Scarites planatus*](#) Dejean, 1831
[*Scarites planiusculus*](#) (Chaudoir, 1855)
[*Scarites pronotalis*](#) Bänninger, 1941
[*Scarites reichei*](#) (Chaudoir, 1881)
[*Scarites rugatus*](#) (Chaudoir, 1881)
[*Scarites rugicollis*](#) Dejean, 1825
[*Scarites schubarti*](#) Bänninger, 1939
[*Scarites seriepunctatus*](#) (Bänninger, 1933)
[*Scarites setosus*](#) Bänninger, 1941
[*Scarites silvestris*](#) Laporte, 1835
[*Scarites spectabilis*](#) (Chaudoir, 1881)
[*Scarites subcostatus*](#) (Chaudoir, 1881)
[*Scarites subsulcatus*](#) Dejean, 1831
[*Scarites sulciceps*](#) (Chaudoir, 1855)
[*Scarites sulcifrons*](#) (Chaudoir, 1855)
[*Scarites thiemei*](#) (Bänninger, 1933)
[*Scarites vilcanotanus*](#) (Bänninger, 1932)
[*Scarites zikani*](#) Bänninger, 1941

Extinct, not assigned to subgenus

- †[*Scarites haidingeri*](#) Heer, 1861
- †[*Scarites mancus*](#) Zhang; Liu & Shangguan, 1989
- †[*Scarites robustiventris*](#) Theobald, 1937

References

This is a list of 270 species in [*Scaptomyza*](#), a genus of vinegar flies in the family [*Drosophilidae*](#).^{[1][2][3][4]}

Scaptomyza species

- [*Scaptomyza aberrans*](#) Hardy, 1965^{i c g}
- [*Scaptomyza abrupta*](#) Hackman^{i c g}

- [Scaptomyza acronastes](#) Hardy, 1965 ^{i c g}
- [Scaptomyza acuta](#) Nishiharu, 1979 ^{c g}
- [Scaptomyza adunca](#) Hardy, 1965 ^{i c g}
- [Scaptomyza adusta](#) (Loew, 1862) ^{i c g b}
- [Scaptomyza affinicuspidata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza albovittata](#) (Malloch) ^{i c g}
- [Scaptomyza aloha](#) Hackman ^{i c g}
- [Scaptomyza amplialata](#) Takada, Beppu & Toda, 1979 ^{c g}
- [Scaptomyza ampliloba](#) (Hardy, 1967) ^{c g}
- [Scaptomyza andina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza anechocerca](#) Hardy, 1965 ^{i c g}
- [Scaptomyza angustipennis](#) (Frey, 1954) ^{c g}
- [Scaptomyza anomala](#) Hardy, 1965 ^{i c g}
- [Scaptomyza apicata](#) (Thomson, 1969) ^{i c g}
- [Scaptomyza apiciguttula](#) Hardy, 1965 ⁱ
- [Scaptomyza apicigutulla](#) Hardy, 1965 ^{c g}
- [Scaptomyza apicipuncta](#) Malloch, 1934 ^{c g}
- [Scaptomyza apponopusilla](#) Hardy, 1965 ^{c g}
- [Scaptomyza apponpusilla](#) Hardy, 1965 ^{i g}
- [Scaptomyza argentifrons](#) Hardy, 1965 ^{i c g}
- [Scaptomyza articulata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza atahualpa](#) Hackman, 1959 ^{c g}
- [Scaptomyza atlantica](#) Hackman, 1955 ^{c g}
- [Scaptomyza australis](#) Malloch, 1923 ^{c g}
- [Scaptomyza baechlii](#) Sidorenko, 1993 ^{c g}
- [Scaptomyza basiloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza bicolor](#) Malloch, 1934 ^{c g}
- [Scaptomyza bilobata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza bipars](#) Hardy, 1965 ^{i c g}
- [Scaptomyza bipunctipennis](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza biseta](#) Malloch, 1932 ^{c g}
- [Scaptomyza bogotae](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza boninensis](#) Okada, 1973 ^{c g}
- [Scaptomyza brachycerca](#) Hardy, 1965 ^{i c g}
- [Scaptomyza brevilamellata](#) (Frey, 1954) ^{c g}
- [Scaptomyza brunnimaculata](#) Hardy, 1965 ^{i c g}

- [Scaptomyza bryani](#) (Wirth, 1952) ^{c g}
- [Scaptomyza bryanti](#) Hackman ^{i c g}
- [Scaptomyza buccata](#) Hackman ^{i c g}
- [Scaptomyza budnikae](#) Brncic, 1983 ^{c g}
- [Scaptomyza caliginosa](#) Hardy, 1967 ^{c g}
- [Scaptomyza camptochaetes](#) Hardy, 1965 ^{i c g}
- [Scaptomyza carinata](#) Okada, 1973 ^{c g}
- [Scaptomyza cerina](#) Hardy, 1965 ^{i c g}
- [Scaptomyza chauliodon](#) (Hardy, 1965) ^{c g}
- [Scaptomyza choi](#) Kang, Lee & Bahng, 1965 ^{c g}
- [Scaptomyza chylizosoma](#) (Seguy, 1938) ^{c g}
- [Scaptomyza clavata](#) Okada, 1973 ^{c g}
- [Scaptomyza clavifera](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza cnecosoma](#) Hardy, 1965 ^{i c g}
- [Scaptomyza cochleata](#) Burla, 1957 ^{c g}
- [Scaptomyza concinna](#) Hardy, 1965 ^{i c g}
- [Scaptomyza confusa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza connata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza consimilis](#) Hackman, 1955 ^{c g}
- [Scaptomyza contestata](#) (Hardy, 1967) ^{c g}
- [Scaptomyza coquilletti](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza cornuta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza crassifemur](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza cryptoloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza ctenophora](#) Hardy, 1965 ^{i c g}
- [Scaptomyza cuspidata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza cyrandraea](#) Hardy, 1965 ^{i g}
- [Scaptomyza cyrtandrae](#) Hardy, 1965 ^{c g}
- [Scaptomyza dankoi](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza decepta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza deemingi](#) Tsacas, 1972 ^{c g}
- [Scaptomyza deludens](#) Hardy, 1967 ^{c g}
- [Scaptomyza dentata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza denticauda](#) Malloch, 1934 ^{c g}
- [Scaptomyza devexa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza diaphorocerca](#) Hardy, 1965 ^{i c g}

- [Scaptomyza domita](#) Hardy, 1965 ^{i c g}
- [Scaptomyza dorsalis](#) Seguy, 1938 ^{c g}
- [Scaptomyza dubautiae](#) Hardy, 1965 ^{i c g}
- [Scaptomyza dubia](#) Hardy, 1965 ^{i c g}
- [Scaptomyza elmoi](#) Takada, 1970 ^{c g}
- [Scaptomyza eurystylata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza evexa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza exigua](#) (Grimshaw) ^{i c g}
- [Scaptomyza exilis](#) McEvey, 1990 ^{c g}
- [Scaptomyza fastigata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza finitima](#) Hardy, 1965 ^{i c g}
- [Scaptomyza flava](#) Fallen, 1823 ^{i c g b}
- [Scaptomyza flavella](#) Harrison, 1959 ^{c g}
- [Scaptomyza flavida](#) Hardy, 1965 ^{i c g}
- [Scaptomyza flavifacies](#) (Malloch, 1932) ^{c g}
- [Scaptomyza flaviventris](#) Hackman, 1959 ^{i c g}
- [Scaptomyza freyi](#) Hackman, 1959 ^{c g}
- [Scaptomyza frustulifera](#) (Frey, 1954) ^{c g}
- [Scaptomyza fuscifrons](#) Hackman ^{i c g}
- [Scaptomyza fuscinervis](#) Malloch, 1924 ^{c g}
- [Scaptomyza fuscitarsis](#) Harrison, 1959 ^{c g}
- [Scaptomyza gilvivilia](#) Hardy, 1965 ^{i g}
- [Scaptomyza gilvivilia](#) Hardy, 1965 ^{c g}
- [Scaptomyza glauca](#) (Hardy, 1965) ^{c g}
- [Scaptomyza gracilis](#) (Walker, 1853) ^{c g}
- [Scaptomyza grahami](#) Hackman, 1959 ^{c g}
- [Scaptomyza graminum](#) (Fallen, 1823) ^{i c g}
- [Scaptomyza griseola](#) (Zetterstedt, 1847) ^{c g}
- [Scaptomyza hackmani](#) Hardy, 1965 ^{i c g}
- [Scaptomyza hamata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza hardyi](#) Hackman ^{i c g}
- [Scaptomyza heedi](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza helvola](#) (Frey, 1954) ^{c g}
- [Scaptomyza hennigi](#) Hackman, 1959 ^{c g}
- [Scaptomyza hexasticha](#) Okada, 1973 ^{c g}
- [Scaptomyza himalayana](#) Takada, 1970 ^{c g}

- [Scaptomyza hirsuta](#) Wheeler, 1949^{i c g}
- [Scaptomyza horaeoptera](#) Tsacas & Cogan, 1976^{c g}
- [Scaptomyza horrida](#) (Frey, 1954)^{c g}
- [Scaptomyza hsui](#) Hackman, 1955^{i c g}
- [Scaptomyza ichneumon](#) (Knab, 1914)^{c g}
- [Scaptomyza impunctata](#) (Frey, 1945)^{c g}
- [Scaptomyza inaequalis](#) (Grimshaw)^{i c g}
- [Scaptomyza incerta](#) (Frey, 1954)^{c g}
- [Scaptomyza inermis](#) Hardy, 1965^{i c g}
- [Scaptomyza inflatus](#) (Kaneshiro, 1969)^{c g}
- [Scaptomyza infurcula](#) Hardy, 1965^{i c g}
- [Scaptomyza innotabilis](#) Hardy, 1965^{i c g}
- [Scaptomyza intermedia](#) (Duda, 1927)^c
- [Scaptomyza intricata](#) Hardy, 1965^{i c g}
- [Scaptomyza isopedon](#) Hardy, 1965^{i c g}
- [Scaptomyza kaavae](#) (Malloch, 1934)^{c g}
- [Scaptomyza kauaiensis](#) Hackman^{i c g}
- [Scaptomyza kilembea](#) Tsacas, 1972^{c g}
- [Scaptomyza latifrons](#) Malloch, 1932^{c g}
- [Scaptomyza latitergum](#) Hardy, 1965^{i c g}
- [Scaptomyza levata](#) Hardy, 1965^{i c g}
- [Scaptomyza lobifera](#) Hardy, 1965^{i c g}
- [Scaptomyza lonchoptera](#) (Hardy, 1965)^{c g}
- [Scaptomyza longipecten](#) Hackman^{i c g}
- [Scaptomyza longipennis](#) Seguy, 1938^{c g}
- [Scaptomyza longisetosa](#) Hackman^{i c g}
- [Scaptomyza macroptera](#) Wheeler & Takada, 1966^{c g}
- [Scaptomyza maculifera](#) Becker, 1919^{i c g}
- [Scaptomyza malada](#) Wheeler and Takada, 1966^{i c g}
- [Scaptomyza mateolata](#) McEvey, 1990^{c g}
- [Scaptomyza mauiensis](#) (Grimshaw)^{i c g}
- [Scaptomyza mecocera](#) Hardy, 1965^{i g}
- [Scaptomyza mecocerca](#) Hardy, 1965^{c g}
- [Scaptomyza mediana](#) Hardy, 1965^{i c g}
- [Scaptomyza mediopallens](#) Hackman^{i c g}
- [Scaptomyza melancholica](#) (Duda, 1927)^{c g}

- [Scaptomyza melanissima](#) Okada, 1966 ^{c g}
- [Scaptomyza meocerca](#) Hardy, 1965 ^{c g}
- [Scaptomyza merina](#) McEvey, 1990 ^{c g}
- [Scaptomyza mimitantalia](#) Tsacas & Cogan, 1976 ^{c g}
- [Scaptomyza mimula](#) Hardy, 1965 ^{i c g}
- [Scaptomyza mitchelli](#) Hackman ^{i c g}
- [Scaptomyza molokaiensis](#) Hardy, 1967 ^{c g}
- [Scaptomyza montana](#) Wheeler, 1949 ^{i g}
- [Scaptomyza monticola](#) (Grimshaw) ^{i c g}
- [Scaptomyza multidentata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza multispinosa](#) Malloch, 1934 ^{c g}
- [Scaptomyza mumfordi](#) Malloch, 1933 ^{c g}
- [Scaptomyza mutica](#) Hardy, 1965 ^{i c g}
- [Scaptomyza nasalis](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza neoandina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza neocyrtrandrae](#) Burgunder, Rampasso, & O'Grady, 2022[5]
- [Scaptomyza neoevexa](#) O'Grady, Bonacum, Desalle & Val, 2003 ^{c g}
- [Scaptomyza neokauaiensis](#) O'Grady, Bonacum, Desalle & Val, 2003 ^{c g}
- [Scaptomyza neosilvicola](#) O'Grady, Bonacum, Desalle & Val, 2003 ^{c g}
- [Scaptomyza nigricosta](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza nigripalpis](#) Malloch, 1924 ^{c g}
- [Scaptomyza nigrita](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza nigrocella](#) Wheeler, 1949 ^{i c g}
- [Scaptomyza nigrosignata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza noei](#) Brncic, 1955 ^{c g}
- [Scaptomyza oahuensis](#) Hardy, 1967 ^{c g}
- [Scaptomyza obscuricornis](#) (Grimshaw) ^{i c g}
- [Scaptomyza obscurifrons](#) (Grimshaw) ^{i c g}
- [Scaptomyza ochromata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza okadai](#) Hackman, 1959 ^{c g}
- [Scaptomyza ostensa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza oxyphallus](#) Tsacas, 1990 ^{c g}
- [Scaptomyza palata](#) (Hardy, 1965) ^{c g}
- [Scaptomyza pallida](#) (Zetterstedt, 1847) ^{i c g b}
- [Scaptomyza pallifrons](#) Hackman ^{i c g}
- [Scaptomyza palmae](#) Hardy, 1965 ^{i c g}

- [Scaptomyza paradusta](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza paralobae](#) Hardy, 1965 ^{i c g}
- [Scaptomyza parandina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza parasplendens](#) Okada, 1966 ^{c g}
- [Scaptomyza paravittata](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza parva](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza pectinifera](#) (Frey, 1954) ^{c g}
- [Scaptomyza penicula](#) Hardy, 1965 ^{i c g}
- [Scaptomyza perkinsi](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza personata](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza philipensis](#) Bock, 1986 ^{c g}
- [Scaptomyza photophilia](#) Hardy, 1965 ^{i c g}
- [Scaptomyza phryxothrix](#) Hardy, 1965 ^{i c g}
- [Scaptomyza picifemorata](#) Hackman, 1959 ^{c g}
- [Scaptomyza platyrhina](#) Hardy, 1967 ^{c g}
- [Scaptomyza pleurolineata](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza polygonia](#) Okada, 1956 ^{c g}
- [Scaptomyza protensa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza prunctivena](#) Hardy, 1965 ^{i g}
- [Scaptomyza pseudovittata](#) Brncic, 1955 ^{c g}
- [Scaptomyza punctivena](#) Hardy, 1965 ^{c g}
- [Scaptomyza pusilla](#) (Grimshaw) ^{i c g}
- [Scaptomyza pygaea](#) Tsacas, 1990 ^{c g}
- [Scaptomyza quadridentata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza quadriseriata](#) Malloch, 1934 ^{c g}
- [Scaptomyza quadruangulata](#) Singh & Dash, 1993 ^{c g}
- [Scaptomyza recava](#) Hardy, 1965 ^{i c g}
- [Scaptomyza recta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza reducta](#) (Hardy, 1965) ^{c g}
- [Scaptomyza remota](#) (Walker, 1849) ^{c g}
- [Scaptomyza retusa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza robusta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza rostrata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza rotundiloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza ruficornis](#) (Meigen, 1838) ^{c g}
- [Scaptomyza salvadorae](#) Wheeler & Takada, 1966 ^{c g}

- [Scaptomyza samurai](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza santacruzi](#) Val, 1983 ^{c g}
- [Scaptomyza santahelenica](#) Tsacas & Cogan, 1976 ^{c g}
- [Scaptomyza scoliops](#) Hardy, 1965 ^{i c g}
- [Scaptomyza scoloplichas](#) Hardy, 1965 ^{i c g}
- [Scaptomyza semiflava](#) Hardy, 1965 ^{i c g}
- [Scaptomyza setiger](#) Hardy, 1965 ^{i c g}
- [Scaptomyza setosa](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza setosiloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza setosiscutellum](#) (Hardy, 1965) ^{c g}
- [Scaptomyza sichuanica](#) Sidorenko, 1995 ^{c g}
- [Scaptomyza silvata](#) Okada, 1966 ^{c g}
- [Scaptomyza silvicola](#) Hardy, 1965 ^{i c g}
- [Scaptomyza sinica](#) Lin & Ting, 1971 ^{c g}
- [Scaptomyza spiculipennis](#) Takada & Momma, 1975 ^{c g}
- [Scaptomyza spilota](#) Hardy, 1965 ^{i c g}
- [Scaptomyza spinipalpis](#) Seguy, 1934 ^{c g}
- [Scaptomyza stamineifrons](#) Hackman ^{i g}
- [Scaptomyza stramineifrons](#) Hackman, 1962 ^{c g}
- [Scaptomyza stratifrons](#) Hackman ^{i g}
- [Scaptomyza striaticeps](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza striatifrons](#) Hackman, 1959 ^{c g}
- [Scaptomyza subandina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza subsplendens](#) (Duda, 1935) ^{c g}
- [Scaptomyza substrigata](#) Meijere, 1914 ^{c g}
- [Scaptomyza subvittata](#) Hackman, 1959 ^{c g}
- [Scaptomyza swezeyi](#) (Wirth, 1952) ^{c g}
- [Scaptomyza taigensis](#) Sidorenko & Toda, 1996 ^{c g}
- [Scaptomyza taiwanica](#) Lin & Ting, 1971 ^{c g}
- [Scaptomyza teinoptera](#) Hackman, 1955 ^{i c g}
- [Scaptomyza tenuata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza terminalis](#) (Loew, 1863) ^{i c g}
- [Scaptomyza throcmortoni](#) Hardy, 1967 ^{c g}
- [Scaptomyza tistai](#) Kumar & Gupta, 1991 ^{c g}
- [Scaptomyza trivittata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza trochanterata](#) Collin, 1953 ^{i c g}

- [*Scaptomyza tumidula*](#) Hardy, 1965^{i c g}
- [*Scaptomyza uliginosa*](#) Hardy, 1965^{i c g}
- [*Scaptomyza umbrosa*](#) Hardy, 1965^{i c g}
- [*Scaptomyza undulata*](#) (Grimshaw, 1901)^{c g}
- [*Scaptomyza unipunctum*](#) (Zetterstedt, 1847)^{i c g}
- [*Scaptomyza univitta*](#) Hardy, 1965^{i c g}
- [*Scaptomyza vagabunda*](#) Hardy, 1965^{i c g}
- [*Scaptomyza varia*](#) Hardy, 1965^{i c g}
- [*Scaptomyza varifrons*](#) (Grimshaw)^{i c g}
- [*Scaptomyza varipicta*](#) Hardy, 1965^{i c g}
- [*Scaptomyza villosa*](#) Hardy, 1965^{i c g}
- [*Scaptomyza vittata*](#) (Coquillett, 1895)^{i c g}
- [*Scaptomyza vittiger*](#) (Hardy, 1965)^{c g}
- [*Scaptomyza waialealeae*](#) Hardy, 1965^{i c g}
- [*Scaptomyza wheeleri*](#) Hackman, 1959^{i c g b}
- [*Scaptomyza xanthopleura*](#) Hardy, 1965^{i c g}
- [*Scaptomyza yakutica*](#) Sidorenko & Toda, 1996^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 175 species in [*Scaphytopius*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3][4]}

***Scaphytopius* species**

- [*Scaphytopius abbreviatus*](#) DeLong 1916^{c g}
- [*Scaphytopius abutus*](#) DeLong 1980^{c g}
- [*Scaphytopius acuminatus*](#) DeLong 1943^{c g}
- [*Scaphytopius acutus*](#) (Say, 1830)^{c g b} (sharp-nosed leafhopper)
- [*Scaphytopius aequinoctialis*](#) Van Duzee 1933^{c g}
- [*Scaphytopius aequus*](#) DeLong 1943^{c g}
- [*Scaphytopius alas*](#) DeLong 1943^{c g}
- [*Scaphytopius albascutellus*](#) Caldwell 1952^{c g}
- [*Scaphytopius albifrons*](#) Hepner 1946^{c g}
- [*Scaphytopius albocephalus*](#) DeLong 1943^{c g}
- [*Scaphytopius albocinctus*](#) DeLong 1943^{c g}

- [Scaphytopius albolutescens](#) Zanol 2000 ^{c g}
- [Scaphytopius albomarginatus](#) DeLong 1943 ^{c g}
- [Scaphytopius altus](#) DeLong 1944 ^{c g}
- [Scaphytopius amazonicus](#) Zanol 2000 ^{c g}
- [Scaphytopius amplinotus](#) Hepner 1946 ^{c g}
- [Scaphytopius anadamus](#) DeLong 1943 ^{c g}
- [Scaphytopius analis](#) Van Duzee 1923 ^{c g}
- [Scaphytopius andromus](#) Ball 1931 ^{c g}
- [Scaphytopius angustatus](#) (Osborn, 1905) ^{c g b}
- [Scaphytopius anisacanus](#) Ball 1931 ^{c g}
- [Scaphytopius anticus](#) Stål 1862 ^{c g}
- [Scaphytopius apertus](#) DeLong 1943 ^{c g}
- [Scaphytopius appendiculatus](#) Zanol 2000 ^{c g}
- [Scaphytopius arcuatus](#) DeLong 1944 ^{c g}
- [Scaphytopius argutus](#) (DeLong, 1945) ^{c g b}
- [Scaphytopius atrafrons](#) DeLong 1943 ^{c g}
- [Scaphytopius atrifrons](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius barroensis](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius bifidellus](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius biflavus](#) Cwikla & Freytag 1982 ^{c g}
- [Scaphytopius bolivianus](#) Oman 1938 ^{c g}
- [Scaphytopius brevis](#) Van Duzee 1907 ^{c g}
- [Scaphytopius brunneus](#) Hepner 1946 ^{c g}
- [Scaphytopius caldwelli](#) DeLong 1943 ^{c g}
- [Scaphytopius californiensis](#) Hepner 1946 ^{c g}
- [Scaphytopius calliandrus](#) Ball 1931 ^{c g}
- [Scaphytopius campester](#) DeLong 1943 ^{c g}
- [Scaphytopius canus](#) Hepner 1946 ^{c g}
- [Scaphytopius carasensis](#) Linnavuori & Heller 1961 ^{c g}
- [Scaphytopius carenatus](#) Zanol 2000 ^{c g}
- [Scaphytopius celtidis](#) Ball 1931 ^{c g}
- [Scaphytopius chiquitanus](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius cinctus](#) DeLong 1943 ^{c g}
- [Scaphytopius cinereus](#) Osborn & Ball 1897 ^{c g}
- [Scaphytopius cinnamoneus](#) (Osborn, 1915) ^b
- [Scaphytopius collaris](#) Sanders & DeLong 1919 ^{c g}

- [Scaphytopius contractus](#) Hepner 1946 ^{c g}
- [Scaphytopius cornutus](#) DeLong 1944 ^{c g}
- [Scaphytopius cruzianus](#) Metcalf 1967 ^{c g}
- [Scaphytopius cumbresus](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius curtus](#) DeLong 1944 ^{c g}
- [Scaphytopius delongi](#) McKamey & Hicks 2007 ^{c g}
- [Scaphytopius deltensis](#) Hepner 1946 ^{c g}
- [Scaphytopius desertanus](#) Ball, 1931 ^{c g b}
- [Scaphytopius diabolus](#) Van Duzee 1925 ^{c g}
- [Scaphytopius dilatus](#) DeLong 1944 ^{c g}
- [Scaphytopius divisus](#) DeLong 1944 ^{c g}
- [Scaphytopius dodonanus](#) Ball 1931 ^{c g}
- [Scaphytopius dorsalis](#) Ball 1909 ^{c g}
- [Scaphytopius dubius](#) Van Duzee 1910 ^{c g}
- [Scaphytopius duocolorus](#) DeLong 1943 ^{c g}
- [Scaphytopius eburneus](#) Zanol 2000 ^{c g}
- [Scaphytopius elegans](#) ^b
- [Scaphytopius elongatus](#) DeLong 1944 ^{c g}
- [Scaphytopius expansus](#) Linnavuori & Heller 1961 ^{c g}
- [Scaphytopius falcatus](#) DeLong 1943 ^{c g}
- [Scaphytopius fasciatus](#) DeLong 1944 ^{c g}
- [Scaphytopius ferruginosus](#) Zanol 2000 ^{c g}
- [Scaphytopius flavens](#) DeLong 1943 ^{c g}
- [Scaphytopius flavifrons](#) Hepner 1946 ^{c g}
- [Scaphytopius fluxus](#) DeLong 1943 ^{c g}
- [Scaphytopius frontalis](#) Van Duzee, 1890 ^{c g b} (yellowfaced leafhopper)
- [Scaphytopius fuliginosus](#) Osborn 1923 ^{c g}
- [Scaphytopius fulvostriatus](#) Linnavuori 1959 ^{c g}
- [Scaphytopius fulvus](#) (Osborn, 1905) ^{c g b}
- [Scaphytopius furcifer](#) Linnavuori 1959 ^{c g}
- [Scaphytopius fuscicephalus](#) Hepner 1946 ^{c g}
- [Scaphytopius fuscifrons](#) Van Duzee 1894 ^{c g}
- [Scaphytopius goodi](#) DeLong 1943 ^{c g}
- [Scaphytopius graneticus](#) Ball 1931 ^{c g}
- [Scaphytopius guterranus](#) Ball 1931 ^{c g}
- [Scaphytopius hambletoni](#) DeLong 1944 ^{c g}

- [Scaphytopius hebatus](#) DeLong 1943 ^{c g}
- [Scaphytopius heldoranus](#) Ball 1931 ^{c g}
- [Scaphytopius hilaris](#) Linnavuori 1959 ^{c g}
- [Scaphytopius hymenocleae](#) Van Duzee 1923 ^{c g}
- [Scaphytopius iadmon](#) Linnavuori 1973 ^{c g}
- [Scaphytopius insolitus](#) Hepner 1946 ^{c g}
- [Scaphytopius irroratus](#) Van Duzee 1910 ^{c g}
- [Scaphytopius irrorellus](#) DeLong 1944 ^{c g}
- [Scaphytopius isabellinus](#) Zanol 2000 ^{c g}
- [Scaphytopius jandacephalus](#) Caldwell 1952 ^{c g}
- [Scaphytopius jocosus](#) Van Duzee 1923 ^{c g}
- [Scaphytopius labellus](#) DeLong 1980 ^{c g}
- [Scaphytopius latens](#) DeLong 1943 ^{c g}
- [Scaphytopius latidens](#) DeLong 1944 ^{c g}
- [Scaphytopius latus](#) (Baker, 1900) ^{c g b}
- [Scaphytopius limbatus](#) Osborn 1926 ^{c g}
- [Scaphytopius limbramentus](#) DeLong 1943 ^{c g}
- [Scaphytopius lineacephalus](#) Caldwell 1952 ^{c g}
- [Scaphytopius lineafrons](#) DeLong 1943 ^{c g}
- [Scaphytopius lineus](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius linnavuorii](#) McKamey&Hicks2007 ^{c g}
- [Scaphytopius loricatus](#) (Van Duzee, 1894) ^{i c g}
- [Scaphytopius lumenotus](#) DeLong 1943 ^{c g}
- [Scaphytopius luteus](#) DeLong 1944 ^{c g}
- [Scaphytopius maculosus](#) DeLong 1944 ^{c g}
- [Scaphytopius magdalenensis](#) Provancher, 1889 ^{c g b} (blueberry leafhopper)
- [Scaphytopius majestus](#) (Ball, 1909) ^b
- [Scaphytopius marginelineatus](#) Stål 1859 ^{c g}
- [Scaphytopius marginellus](#) DeLong 1944 ^{c g}
- [Scaphytopius marginifrons](#) DeLong 1943 ^{c g}
- [Scaphytopius meridianus](#) Hepner 1946 ^{c g}
- [Scaphytopius modicus](#) Hepner 1946 ^{c g}
- [Scaphytopius monticolus](#) DeLong 1944 ^{c g}
- [Scaphytopius nanus](#) Van Duzee 1907 ^{c g}
- [Scaphytopius nasutus](#) Van Duzee 1907 ^{c g}
- [Scaphytopius neloricatus](#) Caldwell 1952 ^{c g}

- [Scaphytopius nigricollis](#) Ball, 1916 ^{c g b}
- [Scaphytopius nigrifrons](#) DeLong, 1923 ^{c g b}
- [Scaphytopius nigrinotus](#) Caldwell 1952 ^{c g}
- [Scaphytopius nigriviridis](#) Ball 1909 ^{c g}
- [Scaphytopius nitridus](#) DeLong 1943 ^{c g}
- [Scaphytopius obajuba](#) Zanol 2000 ^{c g}
- [Scaphytopius obatubira](#) Zanol 2000 ^{c g}
- [Scaphytopius oinomaos](#) Linnavuori 1973 ^{c g}
- [Scaphytopius oregonensis](#) (Baker, 1900) ^{c g b}
- [Scaphytopius osborni](#) Van Duzee 1910 ^{c g}
- [Scaphytopius pallescens](#) Linnavuori & DeLong 1979 ^{c g}
- [Scaphytopius pallidicapitatus](#) Hepner 1946 ^{c g}
- [Scaphytopius pallidiscutus](#) Hepner 1946 ^{c g}
- [Scaphytopius pallidus](#) DeLong 1944 ^{c g}
- [Scaphytopius paraguayensis](#) Cheng 1980 ^{c g}
- [Scaphytopius parallelus](#) DeLong 1943 ^{c g}
- [Scaphytopius paulistanus](#) Zanol 2000 ^{c g}
- [Scaphytopius pennatus](#) Hepner 1946 ^{c g}
- [Scaphytopius peruigua](#) Zanol 2000 ^{c g}
- [Scaphytopius picturata](#) Osborn 1924 ^{c g}
- [Scaphytopius piperatus](#) DeLong 1943 ^{c g}
- [Scaphytopius plummeri](#) DeLong 1943 ^{c g}
- [Scaphytopius quinquenotus](#) DeLong 1943 ^{c g}
- [Scaphytopius radiatus](#) Hepner 1946 ^{c g}
- [Scaphytopius retusus](#) Van Duzee 1937 ^{c g}
- [Scaphytopius rotundiceps](#) Linnavuori 1959 ^{c g}
- [Scaphytopius rubellus](#) Sanders & DeLong, 1919 ^{c g b}
- [Scaphytopius rubidus](#) DeLong 1980 ^{c g}
- [Scaphytopius rubranotus](#) DeLong 1944 ^{c g}
- [Scaphytopius saginatus](#) Linnavuori 1959 ^{c g}
- [Scaphytopius schuezi](#) Linnavuori & Heller 1961 ^{c g}
- [Scaphytopius scriptus](#) Ball 1909 ^{c g}
- [Scaphytopius scutellatus](#) Van Duzee 1923 ^{c g}
- [Scaphytopius serratus](#) DeLong 1943 ^{c g}
- [Scaphytopius serrellus](#) DeLong 1944 ^{c g}
- [Scaphytopius slossoni](#) Van Duzee 1910 ^{c g}

- [Scaphytopius spadix](#) DeLong 1943 ^{c g}
- [Scaphytopius speciosus](#) Van Duzee 1923 ^{c g}
- [Scaphytopius spinosus](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius stonei](#) DeLong 1943 ^{c g}
- [Scaphytopius subniger](#) DeLong 1943 ^{c g}
- [Scaphytopius sulphureus](#) Osborn 1923 ^{c g}
- [Scaphytopius thea](#) Linnavuori & DeLong 1979 ^{c g}
- [Scaphytopius torridus](#) Ball 1916 ^{c g}
- [Scaphytopius transversalis](#) Linnavuori 1959 ^{c g}
- [Scaphytopius triangularis](#) DeLong, 1945 ^{c g b}
- [Scaphytopius trilineatus](#) Ball 1916 ^{c g}
- [Scaphytopius tripunctatus](#) DeLong 1943 ^{c g}
- [Scaphytopius utahensis](#) Hepner 1946 ^{c g}
- [Scaphytopius verecundus](#) Van Duzee, 1910 ^{c g b}
- [Scaphytopius vermiculatus](#) DeLong 1943 ^{c g}
- [Scaphytopius vinculatus](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius vinculus](#) DeLong 1943 ^{c g}
- [Scaphytopius virescens](#) Zanol 2000 ^{c g}
- [Scaphytopius viridicephalus](#) Hepner 1946 ^{c g}
- [Scaphytopius vittifrons](#) Hepner 1946 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 126 species in [Saropogon](#), a genus of robber flies in the family [Asilidae](#).^{[1][2][3][4]}

Saropogon species

- [Saropogon abbreviatus](#) Johnson, 1903 ^{i g b}
- [Saropogon aberrans](#) Loew, 1857 ^{c g}
- [Saropogon albicans](#) Janssens, 1961 ^{c g}
- [Saropogon albifrons](#) Back, 1904 ^{i c g}
- [Saropogon alternatus](#) Loew, 1873 ^{c g}
- [Saropogon antipodus](#) Schiner, 1868 ^{c g}
- [Saropogon aretalogus](#) Seguy, 1953 ^{c g}
- [Saropogon atricolor](#) Loew, 1857 ^{c g}
- [Saropogon aurifrons](#) (Macquart, 1849) ^{c g}

- [*Saropogon axillaris*](#) Loew, 1851 ^{c g}
- [*Saropogon beckeri*](#) Villeneuve, 1922 ^{c g}
- [*Saropogon bijani*](#) Abbassian-Lintzen, 1964 ^{c g}
- [*Saropogon birdi*](#) Curran, 1931 ^{i c g}
- [*Saropogon bryanti*](#) Wilcox, 1966 ^{i c g b}
- [*Saropogon castaneicornis*](#) (Macquart, 1838) ^{c g}
- [*Saropogon celaenopterus*](#) Janssens, 1968 ^{c g}
- [*Saropogon chathamensis*](#) Hutton, 1901 ^{c g}
- [*Saropogon clarkii*](#) Hutton, 1901 ^{c g}
- [*Saropogon clausus*](#) Becker, 1906 ^{c g}
- [*Saropogon combustus*](#) Loew, 1874 ^{i c g}
- [*Saropogon comosus*](#) Loew, 1869 ^{c g}
- [*Saropogon coquilletti*](#) Back, 1909 ^{c g b}
- [*Saropogon coquillettii*](#) Back, 1909 ⁱ
- [*Saropogon dasynotus*](#) Loew, 1871 ^{c g}
- [*Saropogon discus*](#) (Walker, 1849) ^{c g}
- [*Saropogon dispar*](#) Coquillett, 1902 ^{i c g b}
- [*Saropogon dissimulans*](#) White, 1918 ^{c g}
- [*Saropogon distinctus*](#) Becker, 1906 ^{c g}
- [*Saropogon dubiosus*](#) Theodor, 1980 ^{c g}
- [*Saropogon ehrenbergii*](#) Loew, 1851 ^{c g}
- [*Saropogon elbaiensis*](#) Efflatoun, 1937 ^{c g}
- [*Saropogon eucus*](#) (Loew, 1847) ^{c g}
- [*Saropogon extenuatus*](#) Hutton, 1901 ^{c g}
- [*Saropogon fascipes*](#) Hutton, 1902 ^{c g}
- [*Saropogon flavicinctus*](#) (Wiedemann, 1820) ^{c g}
- [*Saropogon flavofacialis*](#) Hull, 1956 ^{c g}
- [*Saropogon fletcheri*](#) Bromley, 1934 ^{i c g}
- [*Saropogon frontalis*](#) Loew, 1869 ^{c g}
- [*Saropogon fucatus*](#) Loew, 1869 ^{c g}
- [*Saropogon fugiens*](#) Hutton, 1901 ^{c g}
- [*Saropogon fulvicornis*](#) (Macquart, 1850) ^c
- [*Saropogon fulvus*](#) Theodor, 1980 ^{c g}
- [*Saropogon galilaeus*](#) Theodor, 1980 ^{c g}
- [*Saropogon geniculatus*](#) Loew, 1869 ^{c g}
- [*Saropogon gigas*](#) Becker & Stein, 1913 ^{c g}

- [*Saropogon greatheadi*](#) Londt, 1997 ^{c g}
- [*Saropogon hispanicus*](#) Strobl, 1906 ^{c g}
- [*Saropogon hudsoni*](#) Hutton, 1901 ^{c g}
- [*Saropogon hulli*](#) Joseph & Parui, 1981 ^{c g}
- [*Saropogon hyalinus*](#) Coquillett, 1904 ^{i c g}
- [*Saropogon hypomelas*](#) (Loew, 1866) ^{i c g b}
- [*Saropogon incisuratus*](#) Wulp, 1899 ^{c g}
- [*Saropogon jucundus*](#) (Wulp, 1872) ^{c g}
- [*Saropogon jugulum*](#) (Loew, 1847) ^{c g}
- [*Saropogon kenyensis*](#) Londt, 1997 ^{c g}
- [*Saropogon lamperti*](#) Becker, 1906 ^{c g}
- [*Saropogon laparoides*](#) Bromley, 1951 ^{i c g}
- [*Saropogon latecinctus*](#) Becker, 1906 ^{c g}
- [*Saropogon leucocephalus*](#) (Meigen, 1820) ^{c g}
- [*Saropogon leucogenus*](#) Seguy, 1953 ^{c g}
- [*Saropogon lhoti*](#) Seguy, 1938 ^{c g}
- [*Saropogon limbinevris*](#) (Macquart, 1855) ^{c g}
- [*Saropogon londti*](#) Parui, 1999 ^{c g}
- [*Saropogon longicornis*](#) (Macquart, 1838) ^{c g}
- [*Saropogon luctuosus*](#) (Wiedemann, 1820) ^{c g}
- [*Saropogon luteus*](#) Coquillett, 1904 ^{i c g b}
- [*Saropogon maculipennis*](#) (Brunetti, 1928) ^{c g}
- [*Saropogon maroccanus*](#) Seguy, 1930 ^{c g}
- [*Saropogon meghalayensis*](#) Parui, 1999 ^{c g}
- [*Saropogon megriensis*](#) Richter, 1966 ^{c g}
- [*Saropogon melampygius*](#) (Loew, 1851) ^{c g}
- [*Saropogon melanophrus*](#) Bigot, 1878 ^{c g}
- [*Saropogon mellipes*](#) Bromley, 1934 ^{c g}
- [*Saropogon mofidii*](#) Abbassian-Lintzen, 1964 ^{c g}
- [*Saropogon mohawki*](#) Wilcox, 1966 ^{i c g b}
- [*Saropogon monachus*](#) Janssens, 1960 ^{c g}
- [*Saropogon nepalensis*](#) Parui, 1999 ^{c g}
- [*Saropogon nigratarsus*](#) Hull, 1956 ^{c g}
- [*Saropogon nigriventris*](#) Frey, 1958 ^{c g}
- [*Saropogon nigronasutum*](#) Bigot, 1878 ^{c g}
- [*Saropogon nitidus*](#) Wilcox, 1966 ^{i c g b}

- [*Saropogon notatus*](#) Loew, 1869 ^{c g}
- [*Saropogon obesulus*](#) Loew, 1869 ^{c g}
- [*Saropogon obscuripennis*](#) (Macquart, 1849) ^{c g}
- [*Saropogon olivierii*](#) (Macquart, 1838) ^c
- [*Saropogon perlatus*](#) Costa, 1884 ^{c g}
- [*Saropogon philocalus*](#) Seguy, 1941 ^{c g}
- [*Saropogon pittoproctus*](#) Loew, 1873 ^{c g}
- [*Saropogon platynotus*](#) (Loew, 1847) ^{c g}
- [*Saropogon pollinosus*](#) Loew, 1869 ^{c g}
- [*Saropogon pritchardi*](#) Bromley, 1934 ^{i c g b}
- [*Saropogon proximus*](#) Hutton, 1901 ^{c g}
- [*Saropogon pseudojugulum*](#) Theodor, 1980 ^{c g}
- [*Saropogon pulcherimus*](#) Williston, 1901 ^{c g}
- [*Saropogon pulverulentus*](#) Wulp, 1899 ^{c g}
- [*Saropogon punctipennis*](#) Frey, 1958 ^{c g}
- [*Saropogon purus*](#) Curran, 1930 ^{i c g b}
- [*Saropogon revivensis*](#) Theodor, 1980 ^{c g}
- [*Saropogon rubricosus*](#) Bezzi, 1916 ^{c g}
- [*Saropogon rubriventris*](#) Wulp, 1899 ^{c g}
- [*Saropogon rufipes*](#) (Gimmerthal, 1847) ^{c g}
- [*Saropogon scalaris*](#) Bigot, 1878 ^{c g}
- [*Saropogon semirubra*](#) Meijere, 1914 ^{c g}
- [*Saropogon semiustus*](#) Coquillett, 1904 ^{i c g}
- [*Saropogon senex*](#) Osten Sacken, 1887 ^{i c g}
- [*Saropogon sodalis*](#) Loew, 1869 ^{c g}
- [*Saropogon solus*](#) Bromley, 1951 ^{i c g}
- [*Saropogon specularis*](#) Bezzi, 1916 ^{c g}
- [*Saropogon srilankaensis*](#) Joseph & Parui, 1995 ^{c g}
- [*Saropogon subauratus*](#) (Walker, 1854) ^{c g}
- [*Saropogon tassilaensis*](#) Seguy, 1953 ^{c g}
- [*Saropogon thailandensis*](#) Tomasovic & Grootaert, 2003 ^{c g}
- [*Saropogon tiberiadis*](#) Theodor, 1980 ^{c g}
- [*Saropogon ticinense*](#) Bezzi, 1892 ^{c g}
- [*Saropogon tigris*](#) Parui, 1999 ^{c g}
- [*Saropogon treibensis*](#) Theodor, 1980 ^{c g}
- [*Saropogon trispiculum*](#) Tomasovic, 2005 ^{c g}

- [*Saropogon varians*](#) Bigot, 1888 ^{c g}
- [*Saropogon velutinus*](#) Carrera & Papavero, 1962 ^{c g}
- [*Saropogon verticalis*](#) Oldroyd, 1958 ^{c g}
- [*Saropogon vestitus*](#) (Wiedemann, 1828) ^{c g}
- [*Saropogon viduus*](#) (Walker, 1849) ^{c g}
- [*Saropogon weissii*](#) Bezzi, 1910 ^{c g}
- [*Saropogon wilcoxi*](#) Papavero, 1971 ^{c g}
- [*Saropogon zinidi*](#) Londt, 1997 ^{c g}
- [*Saropogon zopheropterus*](#) Janssens, 1969 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Saropogon Report"*](#). *Integrated Taxonomic Information System*. Retrieved 2018-04-21.
 - [*"Browse Saropogon"*](#). *Catalogue of Life*. Retrieved 2018-04-21.
 - [*"Saropogon"*](#). *GBIF*. Retrieved 2018-04-21.
 -
4. [*"Saropogon Genus Information"*](#). *BugGuide.net*. Retrieved 2018-04-21.

Categories:

- [Asilidae](#)
- [Lists of insect species](#)
- [Lists of flies](#)
-

This is a list of species in [*Sargus*](#), a genus of soldier flies in the family [*Stratiomyidae*](#).^[1]

Sargus species

- [*Sargus albibarbus*](#) Loew, 1855^[2]
- [*Sargus albopilosus*](#) Meijere, 1906
- [*Sargus alchidas*](#) Walker, 1849^[3]
- [*Sargus analis*](#) (Williston, 1888)^[4]
- [*Sargus atrobasis*](#) (James, 1941)

- [*Sargus aureopilosus*](#) McFadden, 1982[5]
- [*Sargus aurora*](#) (Lindner, 1935)[6]
- [*Sargus baculventerus*](#) Yang & Chen, 1993
- [*Sargus bagosas*](#) Walker, 1849[3]
- [*Sargus beppui*](#) Nagatomi, 1990
- [*Sargus bipunctatus*](#) (Scopoli, 1763)[7]
- [*Sargus brasiliensis*](#) Wiedemann, 1830[8]
- [*Sargus brevis*](#) Yang, Zhang & Li, 2014[9]
- [*Sargus caeruleapex*](#) McFadden, 1982
- [*Sargus chrysis*](#) Loew, 1855[2]
- [*Sargus circumcinctus*](#) (James, 1941)
- [*Sargus cirrhosus*](#) McFadden, 1982
- [*Sargus citrinellus*](#) (Lindner, 1949)[10]
- [*Sargus clavatus*](#) Walker, 1854[11]
- [*Sargus claviventris*](#) Rondani, 1850[12]
- [*Sargus concisus*](#) Walker, 1861[13]
- [*Sargus congoense*](#) (Lindner, 1965)
- [*Sargus contractus*](#) Walker, 1854[11]
- [*Sargus cuprarius*](#) (Linnaeus, 1758)[14]
- [*Sargus cyaneus*](#) (Brunetti, 1912)[15]
- [*Sargus darius*](#) Hardy, 1932
- [*Sargus decorus*](#) Say, 1824[16]
- [*Sargus elegans*](#) Loew, 1866[17]
- [*Sargus elongatulus*](#) McFadden, 1982[5]
- [*Sargus evansi*](#) McFadden, 1982[5]
- [*Sargus fasciatus*](#) Fabricius, 1805[18]
- [*Sargus festivus*](#) Jaennicke, 1867[19]
- [*Sargus flavilatus*](#) James, 1973
- [*Sargus flavipes*](#) (Lindner, 1966)[20]
- [*Sargus flavipes*](#) Meigen, 1822[21]
- [*Sargus flavopilosus*](#) (Bigot, 1879)[22]
- [*Sargus gemmifer*](#) Walker, 1849[3]
- [*Sargus goliath*](#) (Curran, 1927)
- [*Sargus grandis*](#) (Ôuchi, 1938)[23]
- [*Sargus gselli*](#) Hill, 1919[24]
- [*Sargus huangshanensis*](#) Yang, Yu & Yang, 2012
- [*Sargus illuminata*](#) (Lindner, 1949)[10]
- [*Sargus inactus*](#) Walker, 1859[25]
- [*Sargus inficitus*](#) Walker, 1861[13]
- [*Sargus iridatus*](#) (Scopoli, 1763)[7]
- [*Sargus isthmi*](#) James, 1982
- [*Sargus jaennickei*](#) Woodley, 2001[1]

- [*Sargus jamesi* \(Lindner, 1966\)\[20\]](#)
- [*Sargus jucundus* Walker, 1850\[26\]](#)
- [*Sargus laetus* Wulp, 1885\[27\]](#)
- [*Sargus lateralis* Macquart, 1834\[28\]](#)
- [*Sargus lateropictus* James, 1982](#)
- [*Sargus latifrons* Yang, Zhang & Li, 2014\[9\]](#)
- [*Sargus latipennis* \(Brunetti, 1923\)\[29\]](#)
- [*Sargus latus* Bellardi, 1859\[30\]](#)
- [*Sargus lii* Chen, Liang & Yang, 2010\[31\]](#)
- [*Sargus limbatus* Macquart, 1838\[32\]](#)
- [*Sargus linearis* Walker, 1854\[11\]](#)
- [*Sargus lucidus* \(Lindner, 1949\)\[10\]](#)
- [*Sargus luctuosus* \(Lindner, 1938\)\[33\]](#)
- [*Sargus macquartii* Perty, 1833\[34\]](#)
- [*Sargus mactans* Walker, 1859\[25\]](#)
- [*Sargus maculatus* \(Lindner, 1936\)\[35\]](#)
- [*Sargus mandarinus* Schiner, 1868\[36\]](#)
- [*Sargus melleus* Rondani, 1848\[37\]](#)
- [*Sargus meracus* Nagatomi, 1975\[38\]](#)
- [*Sargus meridionalis* White, 1916](#)
- [*Sargus metallinus* Fabricius, 1805\[18\]](#)
- [*Sargus molliculus* \(Nagatomi, 1975\)\[38\]](#)
- [*Sargus multicolor* \(Lindner, 1949\)\[10\]](#)
- [*Sargus nigricoxa* Yang, Zhang & Li, 2014\[9\]](#)
- [*Sargus nigrifacies* Yang, Zhang & Li, 2014\[9\]](#)
- [*Sargus nigripes* \(Lindner, 1955\)](#)
- [*Sargus nipponensis* Bigot, 1879\[22\]](#)
- [*Sargus opulentum* \(Grünberg, 1915\)\[39\]](#)
- [*Sargus opulentus* Walker, 1854\[11\]](#)
- [*Sargus pallidiventris* \(Brunetti, 1926\)](#)
- [*Sargus parastenus* James, 1982](#)
- [*Sargus pavo* \(Lindner, 1965\)](#)
- [*Sargus persimilis* McFadden, 1982](#)
- [*Sargus petersoni* McFadden, 1982](#)
- [*Sargus pleuriticus* Loew, 1866\[17\]](#)
- [*Sargus polychromus* James, 1982](#)
- [*Sargus pseudoptecticus* James, 1982](#)
- [*Sargus ptecticoides* \(Lindner, 1935\)](#)
- [*Sargus ptecticoideum* \(Lindner, 1966\)\[20\]](#)
- [*Sargus pubescens* Wulp, 1885\[27\]](#)
- [*Sargus punctatus* McFadden, 1982](#)
- [*Sargus purpuratus* Lindner, 1972\[40\]](#)

- [*Sargus purpureus*](#) (Walker, 1860)[41]
- [*Sargus rufibasis*](#) (Bigot, 1879)[22]
- [*Sargus ruficornis*](#) Macquart, 1846[42]
- [*Sargus rufifrons*](#) (Pleske, 1926)
- [*Sargus rufipes*](#) Wahlberg, 1854[43]
- [*Sargus rufitarsis*](#) (Macquart, 1846)[42]
- [*Sargus schaeuffelei*](#) Lindner, 1972[40]
- [*Sargus seychellensis*](#) Kertész, 1972
- [*Sargus sichuanensis*](#) Yang, Zhang & Li, 2014[9]
- [*Sargus speciosus*](#) Macquart, 1846[42]
- [*Sargus splendidus*](#) Brunetti, 1925[44]
- [*Sargus stenus*](#) James, 1982
- [*Sargus stuckenbergi*](#) (Lindner, 1961)[45]
- [*Sargus tenuis*](#) (Lindner, 1938)[33]
- [*Sargus tenuiventris*](#) (Bigot, 1879)[22]
- [*Sargus thoracicus*](#) Macquart, 1834[28]
- [*Sargus transversus*](#) McFadden, 1982[5]
- [*Sargus tricolor*](#) Yang, Zhang & Li, 2014[9]
- [*Sargus tuberculatus*](#) Loew, 1855[2]
- [*Sargus vandykei*](#) James, 1941
- [*Sargus vetus*](#) Cockerell, 1921
- [*Sargus viridiceps*](#) Macquart, 1855[46]
- [*Sargus viridis*](#) Say, 1823[47]
- [*Sargus viridistima*](#) (Brunetti, 1926)
- [*Sargus yerbabuena*](#) Woodley, 2001[1]

This is a list of 1013 species in 184 subgenera of the genus [*Sarcophaga*](#), common flesh flies.
(Catalogue of Life and Systema Dipterorum, 2024.)[1][2]

***Sarcophaga* species**

Genus [*Sarcophaga*](#) Meigen, 1824

Subgenus Aethianella Zumpt, 1972

[*Sarcophaga edwardsiana*](#) (Zumpt, 1972)

Subgenus Aethiopisca Rohdendorf, 1963

[*Sarcophaga currani*](#) (Verves, 1989)

Subgenus Afropierretia Verves, 1997

[*Sarcophaga dingaani*](#) Zumpt, 1950

Subgenus Afrosarcophaga

[*Sarcophaga booersiana*](#) Engel, 1925

Subgenus *Afrothyrsoecema* Rohdendorf, 1963

- [*Sarcophaga adusta*](#) Engel, 1938
- [*Sarcophaga castellana*](#) Zumpt, 1972
- [*Sarcophaga demeilloni*](#) Zumpt, 1950
- [*Sarcophaga globicauda*](#) Rohdendorf, 1931
- [*Sarcophaga ingwavumae*](#) Zumpt, 1972
- [*Sarcophaga montivaga*](#) Zumpt, 1961
- [*Sarcophaga sakharovae*](#) (Verves, 1985)
- [*Sarcophaga seychellica*](#) (Verves, 1986)
- [*Sarcophaga subdistinguenda*](#) Zumpt, 1950
- [*Sarcophaga vansoni*](#) Zumpt, 1950
- [*Sarcophaga zuluensis*](#) Zumpt, 1950

Subgenus *Alisarcophaga* Fan & Chen, 1981

- [*Sarcophaga gressitti*](#) Hall & Bohart, 1948 - (Flesh fly)
- [*Sarcophaga sawainensis*](#) (Nandi, 1989)

Subgenus *Amamia*

- [*Sarcophaga kanekoi*](#) (Kano & Field, 1964)

Subgenus *Amharomyia*

- [*Sarcophaga maculigaster*](#) Verves, 1984
- [*Sarcophaga tavanola*](#) (Lehrer, 2013)

Subgenus *Anthostilophalla* Lehrer, 1993

- [*Sarcophaga klinzigi*](#) Lehrer, 1993
- [*Sarcophaga menelika*](#) (Lehrer, 2005)
- [*Sarcophaga pennopluma*](#) Zumpt, 1972

Subgenus *Arachnidomyia*

- [*Sarcophaga davidsonii*](#) Coquillett, 1892
- [*Sarcophaga lindae*](#) (Lopes, 1990)
- [*Sarcophaga travassosi*](#) (Tibana & Mello, 1992)

Subgenus *Asceloctella* Enderlein, 1928

- [*Sarcophaga australis*](#) (Johnston & Tiegs, 1921)

Subgenus *Asiopierettia*

Subgenus *Asiopierettia* Rohdendorf, 1965

- [*Sarcophaga kayaensis*](#) Park, 1962
- [*Sarcophaga ugamskii*](#) (Rohdendorf, 1937)

Subgenus *Baliisca* Verves, 1980

- [*Sarcophaga souzalopesi*](#) Pape, 1996

Subgenus *Baranovisca* Lopes, 1985

- [*Sarcophaga arachnivora*](#) (Lopes, 1985)
- [*Sarcophaga banksi*](#) Senior-White, 1924
- [*Sarcophaga cantrelli*](#) (Verves, 1992)
- [*Sarcophaga cyrtophorae*](#) (Cantrell, 1986)
- [*Sarcophaga praelibera*](#) (Lopes, 1959)
- [*Sarcophaga reposita*](#) (Lopes, 1959)

Subgenus *Batissophalla* Rohdendorf, 1963

- [*Sarcophaga batissa*](#) Curran, 1934
- [*Sarcophaga galaniella*](#) (Lehrer, 2009)
- [*Sarcophaga siganella*](#) (Lehrer, 2005)
- [*Sarcophaga uamensis*](#) Zumpt, 1951

Subgenus *Bellieriomima* Rohdendorf, 1937

[*Sarcophaga baoxingensis*](#) (Feng & Ye, 1987)
[*Sarcophaga diminuta*](#) Thomas, 1949
[*Sarcophaga genuforceps*](#) Thomas, 1949
[*Sarcophaga graciliforceps*](#) Thomas, 1949
[*Sarcophaga horii*](#) Kano, 1953
[*Sarcophaga josephi*](#) Böttcher, 1912
[*Sarcophaga kagaensis*](#) Hori, 1954
[*Sarcophaga lini*](#) Sugiyama, 1987
[*Sarcophaga noonganensis*](#) Shinonaga, 2004
[*Sarcophaga pseudosubulata*](#) (Kano & Field, 1963)
[*Sarcophaga pterygota*](#) Thomas, 1949
[*Sarcophaga shuxia*](#) (Feng & Qiao, 2003)
[*Sarcophaga situliformis*](#) (Zhong, Wu & Fan, 1981)
[*Sarcophaga spatuliformis*](#) (Ye, 1980)
[*Sarcophaga stackelbergi*](#) (Rohdendorf, 1937)
[*Sarcophaga subulata*](#) Pandellé, 1896
[*Sarcophaga takahasii*](#) Kano & Okazaki, 1956
[*Sarcophaga tenuicornis*](#) (Rohdendorf, 1937)
[*Sarcophaga uniseta*](#) Baranov, 1939
[*Sarcophaga yaanensis*](#) (Feng, 1986)
[*Sarcophaga zhouquensis*](#) (Ye & Liu, 1981)

Subgenus *Bercaea* Robineau-Desvoidy, 1863

[*Sarcophaga africa*](#) (Wiedemann, 1824) - (Flesh fly)
[*Sarcophaga arno*](#) Curran, 1934
[*Sarcophaga burungae*](#) Curran, 1934
[*Sarcophaga inaequalis*](#) Austen, 1909
[*Sarcophaga parasurcoufi*](#) Zumpt, 1972

Subgenus *Bercaeopsis* Townsend, 1917

[*Sarcophaga acadiana*](#) Reinhard, 1947
[*Sarcophaga acrophila*](#) (Dodge, 1956)
[*Sarcophaga beameri*](#) (Dodge, 1956)
[*Sarcophaga bicolor*](#) (Dodge, 1956)
[*Sarcophaga carinata*](#) (Dodge, 1956)
[*Sarcophaga elanis*](#) Reinhard, 1947
[*Sarcophaga epitheca*](#) Reinhard, 1952
[*Sarcophaga fattigi*](#) (Dodge, 1956)
[*Sarcophaga footei*](#) Dodge, 1964
[*Sarcophaga fortisa*](#) Reinhard, 1947
[*Sarcophaga helicivora*](#) (Dodge, 1956)
[*Sarcophaga hesterna*](#) Reinhard, 1947
[*Sarcophaga idonea*](#) Aldrich, 1916
[*Sarcophaga louisianensis*](#) (Dodge, 1956)
[*Sarcophaga mimoris*](#) Reinhard, 1947
[*Sarcophaga morosa*](#) Aldrich, 1925
[*Sarcophaga ontariensis*](#) Hall, 1932
[*Sarcophaga parallela*](#) Aldrich, 1916
[*Sarcophaga paulina*](#) Hall, 1937
[*Sarcophaga pleomenda*](#) Reinhard, 1953
[*Sarcophaga pratti*](#) (Dodge, 1956)

[*Sarcophaga rabunensis*](#) (Dodge, 1956)

[*Sarcophaga sabroskyi*](#) (Dodge, 1956)

[*Sarcophaga sarraceniae*](#) Riley, 1874

[*Sarcophaga seagoi*](#) (Dodge, 1956)

[*Sarcophaga sima*](#) Aldrich, 1916

[*Sarcophaga smithi*](#) (Dodge, 1956)

[*Sarcophaga snyderi*](#) (Dodge, 1956)

[*Sarcophaga sudiai*](#) (Dodge, 1956)

[*Sarcophaga sutilis*](#) Reinhard, 1952

[*Sarcophaga tarsata*](#) Aldrich, 1916

[*Sarcophaga tetona*](#) Reinhard, 1952

[*Sarcophaga tetra*](#) Aldrich, 1916

Subgenus *Beziella* Enderlein, 1937

[*Sarcophaga alina*](#) Curran, 1934

[*Sarcophaga batissoides*](#) Zumpt, 1972

[*Sarcophaga erecta*](#) Engel, 1925

[*Sarcophaga freedmani*](#) Zumpt, 1956

[*Sarcophaga kadeisi*](#) Salem, 1938

[*Sarcophaga mefouensis*](#) Rickenbach, 1977

[*Sarcophaga pomeroyi*](#) Zumpt, 1962

[*Sarcophaga pudongensis*](#) (Fan, Chen & Lu, 2003)

[*Sarcophaga rageaui*](#) Rickenbach, 1966

[*Sarcophaga shenzhenensis*](#) (Fan, 2002)

[*Sarcophaga spangleri*](#) Reed, 1973

[*Sarcophaga stygia*](#) Zumpt, 1951

[*Sarcophaga vicaria*](#) Curran, 1934

Subgenus *Bilenemyia* Verves, 1989

[*Sarcophaga limpopoensis*](#) Zumpt, 1956

Subgenus *Boettcherella*

[*Sarcophaga galmuda*](#) (Lehrer, 1998)

Subgenus *Boettcherisca* Rohdendorf, 1937

[*Sarcophaga cabrerai*](#) (Kano & Sugiyama, 1983)

[*Sarcophaga formosensis*](#) (Kirner & Lopes, 1961)

[*Sarcophaga highlandica*](#) (Kurahashi & Tan, 2009)

[*Sarcophaga invaria*](#) Walker, 1859

[*Sarcophaga javanica*](#) (Lopes, 1961)

[*Sarcophaga karnyi*](#) Hardy, 1927

[*Sarcophaga koimani*](#) (Kano & Shinonaga, 1977)

[*Sarcophaga krathonmai*](#) Pape & Bänziger, 2000

[*Sarcophaga nathani*](#) (Lopes, 1961)

[*Sarcophaga peregrina*](#) (Robineau-Desvoidy, 1830) - (Flesh fly)

[*Sarcophaga septentrionalis*](#) (Rohdendorf, 1937)

[*Sarcophaga talomoensis*](#) Magpayo & Kano, 1986

[*Sarcophaga timorensis*](#) (Kano & Shinonaga, 1977)

[*Sarcophaga zuli*](#) (Kurahashi, Tan & Leh, 2015)

Subgenus *Brasia* Strand, 1932

[*Sarcophaga yadvashemia*](#) (Lehrer, 1996)

Subgenus *Bulbostyla* Giroux & Wheeler, 2010

[*Sarcophaga airosalis*](#) Giroux & Wheeler, 2010

[*Sarcophaga cadyi*](#) Giroux & Wheeler, 2010
[*Sarcophaga cuautla*](#) Giroux & Wheeler, 2010
[*Sarcophaga fattigina*](#) Giroux & Wheeler, 2010
[*Sarcophaga ironalis*](#) Giroux & Wheeler, 2010
 Subgenus Caledonicesa Koçak & Kemal, 2010
 Subgenus Callostuckenbergia Lehrer & Lehrer, 1992
 Subgenus Ceratophalla
 Subgenus Cercosarcophaga Zumpt, 1972
[*Sarcophaga preussi*](#) Zumpt, 1951
[*Sarcophaga swahilia*](#) (Lehrer, 2009)
 Subgenus Chaetophalla Rohdendorf, 1963
[*Sarcophaga villa*](#) Curran, 1934
 Subgenus Chrysosarcophaga Townsend, 1933
[*Sarcophaga superba*](#) (Townsend, 1933)
 Subgenus Cornexcisia Fan & Kano, 2000
[*Sarcophaga cygnocerca*](#) (Xue, Verves & Du, 2011)
[*Sarcophaga longicornuta*](#) (Fan & Kano, 2000)
[*Sarcophaga suthep*](#) Pape & Bänziger, 2003
 Subgenus Curranea
[*Sarcophaga tibialis*](#) Macquart, 1851
 Subgenus Curranisca Rohdendorf, 1963
[*Sarcophaga reedi*](#) (Lehrer, 2005)
 Subgenus Curtophalla Lehrer, 1994
[*Sarcophaga geari*](#) Zumpt, 1972
 Subgenus Cyclophalla Rohdendorf, 1963
[*Sarcophaga basuto*](#) Zumpt, 1951
 Subgenus Danbeckia Lehrer, 1994
[*Sarcophaga paralina*](#) Zumpt, 1967
 Subgenus Dasysceloctis Enderlein, 1928
[*Sarcophaga longanota*](#) (Lehrer, 2005)
[*Sarcophaga maculipennis*](#) (Enderlein, 1928)
 Subgenus Deconinckia Lehrer, 2003
 Subgenus Dinemomyia Chen, 1975
[*Sarcophaga nigrbasicosta*](#) (Chen, 1975)
 Subgenus Diplonophalla Lehrer, 1994
[*Sarcophaga hautieri*](#) (Lehrer, 2003)
[*Sarcophaga weyeri*](#) Zumpt, 1972
 Subgenus Dolichophalla Rohdendorf, 1963
[*Sarcophaga marcadita*](#) (Lehrer, 2013)
[*Sarcophaga sudanica*](#) Zumpt, 1951
 Subgenus Dovporiella Lehrer, 2003
[*Sarcophaga curva*](#) Reed, 1974
 Subgenus Draculana Lehrer, 2002
[*Sarcophaga momba*](#) Curran, 1934
 Subgenus Dravidia Lehrer, 2010
[*Sarcophaga cavangarei*](#) (Nandi, 1988)
 Subgenus Durbanella Lehrer, 1994
[*Sarcophaga vockerothi*](#) (Lehrer, 1994)
 Subgenus Fanimyia Verves, 1997

[*Sarcophaga globovesica*](#) (Ye, 1980)

Subgenus Fanzidella Lehrer, 2003

[*Sarcophaga erzulia*](#) (Lehrer, 2013)

[*Sarcophaga furcadorsalis*](#) Rohdendorf, 1931

Subgenus Fengia Rohdendorf, 1964

[*Sarcophaga kaimaraensis*](#) (Nandi, 1992)

[*Sarcophaga ostindicae*](#) Senior-White, 1924

Subgenus Fergusonimyia Lopes, 1958

[*Sarcophaga bancroftorum*](#) Johnston & Tiegs, 1921

Subgenus Fijimyia Lopes & Kano, 1971

[*Sarcophaga ganura*](#) Bezzi, 1927

[*Sarcophaga tephrra*](#) Bezzi, 1927

Subgenus Grimaldiomyia

[*Sarcophaga gnu*](#) Curran, 1934

Subgenus Gujaratophalla

[*Sarcophaga girnarensis*](#) (Nandi, 1992)

Subgenus Hadashophalla

[*Sarcophaga tautella*](#) (Lehrer, 1996)

Subgenus Hadroxena Whitmore, Buenaventura & Pape, 2018

[*Sarcophaga karakoncolos*](#) Whitmore, Buenaventura & Pape, 2018

Subgenus Hardyella Lopes, 1959

[*Sarcophaga littoralis*](#) Johnston & Tiegs, 1922

Subgenus Harpagophalla Rohdendorf, 1937

[*Sarcophaga kempi*](#) Senior-White, 1924

[*Sarcophaga talonata*](#) Senior-White, 1925

Subgenus Harpagophylloides

[*Sarcophaga opata*](#) Zumpt, 1972

[*Sarcophaga theseus*](#) Zumpt, 1951

Subgenus Helicophagella Enderlein, 1928

[*Sarcophaga agnata*](#) Rondani, 1861

[*Sarcophaga altitudinis*](#) Sugiyama, 1989

[*Sarcophaga bellae*](#) (Lehrer, 2000)

[*Sarcophaga bodenheimeri*](#) (Lehrer, 2001)

[*Sarcophaga carlestolrai*](#) Pape, 2023

[*Sarcophaga crassimargo*](#) Pandellé, 1896

[*Sarcophaga dreyfusi*](#) (Lehrer, 1994)

[*Sarcophaga gorodkovi*](#) (Grunin, 1964)

[*Sarcophaga hirticrus*](#) Pandellé, 1896

[*Sarcophaga hortobagyensis*](#) (Mihályi, 1979)

[*Sarcophaga inopinata*](#) (Rohdendorf, 1937)

[*Sarcophaga keresophalla*](#) (Lehrer, 2001)

[*Sarcophaga macrura*](#) (Rohdendorf, 1937)

[*Sarcophaga maculata*](#) Meigen, 1835

[*Sarcophaga melanura*](#) Meigen, 1826

[*Sarcophaga mishnania*](#) (Lehrer, 2001)

[*Sarcophaga novella*](#) Baranov, 1929

[*Sarcophaga noverca*](#) Rondani, 1861

[*Sarcophaga novercoides*](#) Böttcher, 1913

[*Sarcophaga okaliana*](#) (Lehrer, 1975)

[*Sarcophaga ora*](#) Blackith, Blackith & Pape, 1997

[*Sarcophaga pachyura*](#) (Rohdendorf, 1937)

[*Sarcophaga reicostae*](#) (Povolný, 1999)

[*Sarcophaga rosellei*](#) Böttcher, 1912

[*Sarcophaga sarezia*](#) (Lehrer, 2006)

Subgenus *Heteronychia* Brauer & Bergenstamm, 1889

[*Sarcophaga abramovi*](#) (Rohdendorf, 1938)

[*Sarcophaga amita*](#) Rondani, 1861

[*Sarcophaga amputata*](#) Pape, 1990

[*Sarcophaga anatolica*](#) Whitmore, 2011

[*Sarcophaga ancilla*](#) Rondani, 1865

[*Sarcophaga ancilloides*](#) Baranov, 1927

[*Sarcophaga angelicae*](#) Engel, 1925

[*Sarcophaga arcipes*](#) Pandellé, 1896

[*Sarcophaga ardua*](#) (Peris, González-Mora & Mingo-Pérez, 1996)

[*Sarcophaga armenica*](#) (Rohdendorf, 1937)

[*Sarcophaga atavina*](#) (Enderlein, 1928)

[*Sarcophaga autochtona*](#) (Verves, 2020)

[*Sarcophaga bajkalensis*](#) Rohdendorf, 1925

[*Sarcophaga balanina*](#) Pandellé, 1896

[*Sarcophaga belanovskyi*](#) (Verves, 1973)

[*Sarcophaga benaci*](#) Böttcher, 1913

[*Sarcophaga bezziana*](#) Böttcher, 1913

[*Sarcophaga boettcheri*](#) Villeneuve, 1912

[*Sarcophaga bulgarica*](#) (Enderlein, 1936)

[*Sarcophaga chaetoneura*](#) (Brauer & Bergenstamm, 1889)

[*Sarcophaga chapini*](#) Curran, 1934

[*Sarcophaga chiquita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)

[*Sarcophaga clarahenae*](#) (Lehrer, 1999)

[*Sarcophaga consanguinea*](#) Rondani, 1861

[*Sarcophaga croca*](#) Pape, 1996

[*Sarcophaga cucullans*](#) Pandellé, 1896

[*Sarcophaga curvifemoralis*](#) (Li, 1980)

[*Sarcophaga depressifrons*](#) Zetterstedt, 1845

[*Sarcophaga desertorum*](#) Salem, 1935

[*Sarcophaga dissimilis*](#) Meigen, 1826

[*Sarcophaga enderleini*](#) Jacentkovský, 1937

[*Sarcophaga esthera*](#) (Lehrer, 2006)

[*Sarcophaga evagorata*](#) Zumpt, 1956

[*Sarcophaga ferox*](#) Villeneuve, 1908

[*Sarcophaga filia*](#) Rondani, 1861

[*Sarcophaga filiola*](#) (Rohdendorf, 1937)

[*Sarcophaga gabrielei*](#) Whitmore, 2009

[*Sarcophaga gallica*](#) Whitmore, Richet, Pape & Blackith, 2009

[*Sarcophaga gigantea*](#) Pape, 1996

[*Sarcophaga gomezbustilloi*](#) (Lehrer & Báez, 1986)

[*Sarcophaga graeca*](#) (Rohdendorf, 1937)

[*Sarcophaga grenieri*](#) Rickenbach, 1965

[*Sarcophaga guoi*](#) (Wei & Yang, 2005)

[*Sarcophaga haemorrhoa*](#) Meigen, 1826
[*Sarcophaga haemorrhoides*](#) Böttcher, 1913
[*Sarcophaga helenae*](#) (Trofimov, 1948)
[*Sarcophaga hellenica*](#) Whitmore, 2011
[*Sarcophaga heptapotamica*](#) (Rohdendorf, 1937)
[*Sarcophaga infixa*](#) Böttcher, 1913
[*Sarcophaga javita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)
[*Sarcophaga kaplani*](#) Lehrer, 1999
[*Sarcophaga kataphygionis*](#) (Povolný, 1999)
[*Sarcophaga kerteszi*](#) Villeneuve, 1912
[*Sarcophaga kobachidzei*](#) (Guzhabidze, 1965)
[*Sarcophaga kovalae*](#) (Verves, 1979)
[*Sarcophaga kozlovi*](#) (Rohdendorf, 1937)
[*Sarcophaga kunonis*](#) (Pape, 1986)
[*Sarcophaga lacrymans*](#) Villeneuve, 1912
[*Sarcophaga langestylata*](#) Lehrer, 2013
[*Sarcophaga lederbergi*](#) (Lehrer, 1995)
[*Sarcophaga lejlekensis*](#) Whitmore, 2011
[*Sarcophaga limbata*](#) (Reed, 1973)
[*Sarcophaga longestilatus*](#) Lehrer, 2013
[*Sarcophaga longestylata*](#) Strobl, 1906
[*Sarcophaga macromembrana*](#) (Ye, 1980)
[*Sarcophaga maritima*](#) Povolný, 1994
[*Sarcophaga markevitchi*](#) (Verves, 1975)
[*Sarcophaga mazurmovitshi*](#) (Verves, 1979)
[*Sarcophaga mcgoughi*](#) (Zumpt, 1972)
[*Sarcophaga mediterranea*](#) Whitmore, 2011
[*Sarcophaga metopina*](#) Villeneuve, 1908
[*Sarcophaga minima*](#) Rondani, 1862
[*Sarcophaga monspellensia*](#) Böttcher, 1913
[*Sarcophaga morenita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)
[*Sarcophaga moronita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)
[*Sarcophaga mossambica*](#) Zumpt, 1951
[*Sarcophaga mousseti*](#) Lehrer, 1976
[*Sarcophaga mutila*](#) Villeneuve, 1912
[*Sarcophaga nanula*](#) (Povolný, 1999)
[*Sarcophaga nigracauda*](#) (Verves & Khrokalo, 2020)
[*Sarcophaga nigricaudata*](#) (Povolný & Slamečková, 1982)
[*Sarcophaga nipponensis*](#) (Shinonaga & Matsudaira, 1970)
[*Sarcophaga nostalgica*](#) (Lehrer, 2000)
[*Sarcophaga oastensacken*](#) (Lehrer, 2012)
[*Sarcophaga obvia*](#) (Povolný, 2004)
[*Sarcophaga ostensacken*](#) (Lehrer, 2012)
[*Sarcophaga pandellei*](#) (Rohdendorf, 1937)
[*Sarcophaga pauciseta*](#) Pandellé, 1896
[*Sarcophaga penicillata*](#) Villeneuve, 1907
[*Sarcophaga petrovae*](#) (Artamonov, 1980)
[*Sarcophaga plotnikovi*](#) Rohdendorf, 1925
[*Sarcophaga pontica*](#) (Rohdendorf, 1937)

[*Sarcophaga porrecta*](#) Böttcher, 1913
[*Sarcophaga proxima*](#) Rondani, 1861
[*Sarcophaga pseudobenaci*](#) (Baranov, 1942)
[*Sarcophaga pumila*](#) Meigen, 1826
[*Sarcophaga quinquestrigata*](#) (Enderlein, 1934)
[*Sarcophaga recta*](#) (Rohdendorf, 1937)
[*Sarcophaga rondaniana*](#) (Rohdendorf, 1937)
[*Sarcophaga rosellensis*](#) Whitmore, 2011
[*Sarcophaga salerensis*](#) (Lehrer, 1978)
[*Sarcophaga santospintosi*](#) (Lehrer & Báez, 1986)
[*Sarcophaga schineri*](#) Bezzi, 1891
[*Sarcophaga schnabli*](#) Villeneuve, 1911
[*Sarcophaga setinervis*](#) Rondani, 1861
[*Sarcophaga shnitnikovi*](#) (Rohdendorf, 1937)
[*Sarcophaga sicilia*](#) Pape, 1996
[*Sarcophaga siciliana*](#) (Enderlein, 1928)
[*Sarcophaga siciliensis*](#) Böttcher, 1913
[*Sarcophaga slovac*](#) (Povolný & Slamečková, 1967)
[*Sarcophaga smirnovi*](#) Rohdendorf, 1925
[*Sarcophaga strenua*](#) (Robineau-Desvoidy, 1863)
[*Sarcophaga tangerensis*](#) Whitmore, 2011
[*Sarcophaga telengai*](#) (Verves, 1973)
[*Sarcophaga tetrax*](#) Whitmore, 2011
[*Sarcophaga thirionae*](#) (Lehrer, 1976)
[*Sarcophaga tricolor*](#) Villeneuve, 1908
[*Sarcophaga tsinanensis*](#) (Fan, 1964)
[*Sarcophaga tunisiae*](#) Whitmore, 2011
[*Sarcophaga turana*](#) (Rohdendorf, 1937)
[*Sarcophaga uncicurva*](#) Pandellé, 1896
[*Sarcophaga vagans*](#) Meigen, 1826
[*Sarcophaga vicina*](#) Macquart, 1835
[*Sarcophaga villeneuveana*](#) (Enderlein, 1928)
[*Sarcophaga violovitshi*](#) (Rohdendorf & Verves, 1979)
[*Sarcophaga wahisi*](#) (Lehrer, 1976)

Subgenus Hoa Rohdendorf, 1937

[*Sarcophaga flexuosa*](#) Ho, 1934
[*Sarcophaga membranijuxta*](#) Wang, Hue, Zhang & Pape, 2020

Subgenus Hochiella Lehrer, 2005

[*Sarcophaga pongola*](#) (Lehrer, 2005)

Subgenus Horiisca Rohdendorf, 1965

[*Sarcophaga hozawai*](#) Hori, 1954

Subgenus Hosarcophaga Shinonaga & Tumrasvin, 1979

[*Sarcophaga serrata*](#) Ho, 1938

Subgenus Hyperacanthisca Rohdendorf, 1963

[*Sarcophaga bellowi*](#) (Lehrer, 1996)
[*Sarcophaga susteriana*](#) (Lehrer, 2003)
[*Sarcophaga zumpti*](#) Engel, 1938

Subgenus Ihosyia Verves, 1989

[*Sarcophaga nomita*](#) Zumpt, 1964

Subgenus Iranihindia Rohdendorf, 1961

[*Sarcophaga futilis*](#) Senior-White, 1924

[*Sarcophaga jamesi*](#) (Nandi, 1979)

[*Sarcophaga martellata*](#) Senior-White, 1924

[*Sarcophaga martellatoides*](#) Baranov, 1931

[*Sarcophaga nepalensis*](#) (Kano & Shinonaga, 1969)

[*Sarcophaga persica*](#) (Rohdendorf, 1961)

[*Sarcophaga zaitzevi*](#) (Verves, 1989)

Subgenus Johnsonimima Kano & Lopes, 1971

[*Sarcophaga aurora*](#) Pape, 1996

[*Sarcophaga bivittata*](#) (Kano & Lopes, 1971)

Subgenus Johnstonimyia Lopes, 1959

[*Sarcophaga fatua*](#) (Lopes, 1967)

[*Sarcophaga gorokaensis*](#) Sugiyama, Shinonaga & Kano, 1988

[*Sarcophaga kappa*](#) Johnston & Tiegs, 1921

[*Sarcophaga lincta*](#) (Lopes, 1959)

Subgenus Kalshovenella Baranov, 1941

[*Sarcophaga otiophalla*](#) (Fan & Chen, 1981)

Subgenus Kanoa Rohdendorf, 1965

[*Sarcophaga okazakii*](#) Kano, 1953

Subgenus Kanomyia Shinonaga & Tumrasvin, 1979

[*Sarcophaga bangkokensis*](#) (Shinonaga & Tumrasvin, 1979)

Subgenus Karnataka

Subgenus Kenyophga

[*Sarcophaga klinzigiana*](#) (Lehrer, 2005)

Subgenus Komisca Kurahashi & Samerjai, 2018

[*Sarcophaga nanensis*](#) Chaiwong, Sukontason & Sukontason, 2009

Subgenus Kozlovea Rohdendorf, 1937

[*Sarcophaga cetu*](#) (Chao & Chan, 1978)

[*Sarcophaga lothianensis*](#) (Sinha & Nandi, 2002)

[*Sarcophaga peshelcis*](#) Senior-White, 1930

[*Sarcophaga tshernovi*](#) (Rohdendorf, 1937)

Subgenus Kramerea Rohdendorf, 1937

[*Sarcophaga schuetzei*](#) Kramer, 1909

Subgenus Kramerella

[*Sarcophaga slameckovae*](#) (Lehrer, 1976)

Subgenus Krameromyia Verves, 1982

[*Sarcophaga anaces*](#) Walker, 1849

[*Sarcophaga sirinia*](#) (Lehrer, 2008)

Subgenus Latistyla Strukan, 1970

[*Sarcophaga czernyi*](#) Böttcher, 1912

Subgenus Lehreria

[*Sarcophaga keiseri*](#) Zumpt, 1964

Subgenus Leucomyia Brauer & Bergenstamm, 1891

[*Sarcophaga alba*](#) (Schiner, 1868)

[*Sarcophaga dukoicus*](#) (Zhang & Chao, 1988)

Subgenus Lioplacella Enderlein, 1928

[*Sarcophaga mauritana*](#) Zumpt, 1953

Subgenus Lioproctia Enderlein, 1928

[*Sarcophaga alcicornis*](#) Hardy, 1932
[*Sarcophaga annandalei*](#) Senior-White, 1924
[*Sarcophaga aurescens*](#) (Lopes, 1967)
[*Sarcophaga basiseta*](#) Baranov, 1931
[*Sarcophaga besoni*](#) Senior-White, 1924
[*Sarcophaga imita*](#) Pape, 1996
[*Sarcophaga mailansis*](#) Mumar, Bala & Abd Al Galil, 2023
[*Sarcophaga midnaporensis*](#) (Nandi, 1978)
[*Sarcophaga multicolor*](#) Johnston & Tiegs, 1922
[*Sarcophaga notabilis*](#) (Kano & Lopes, 1969)
[*Sarcophaga paineiana*](#) (Baranov, 1934)
[*Sarcophaga proballiina*](#) Baranov, 1931
[*Sarcophaga spinifera*](#) Hardy, 1932
[*Sarcophaga sumbaensis*](#) Shinonaga, 2004
[*Sarcophaga taiwanensis*](#) (Kano & Lopes, 1969)
[*Sarcophaga torvida*](#) (Lopes, 1959)

Subgenus *Liopygia* Enderlein, 1928

[*Sarcophaga argyrostoma*](#) (Robineau-Desvoidy, 1830) - (Flesh fly)
[*Sarcophaga crassipalpis*](#) Macquart, 1839
[*Sarcophaga cultellata*](#) Pandellé, 1896
[*Sarcophaga flavibarbis*](#) Engel, 1925
[*Sarcophaga par*](#) Zumpt, 1954
[*Sarcophaga ruficornis*](#) (Fabricius, 1794) - (Flesh fly)
[*Sarcophaga sabiensis*](#) Zumpt, 1953
[*Sarcophaga santosdiasi*](#) Zumpt, 1951
[*Sarcophaga surcoufi*](#) Villeneuve, 1913

Subgenus *Liopygiopsis* Verves, 1997

[*Sarcophaga juliaetta*](#) Aldrich, 1916

Subgenus *Liosarcophaga* Enderlein, 1928

[*Sarcophaga adhamae*](#) (Lehrer & Abou-Zied, 2008)
[*Sarcophaga adzhatica*](#) (Rohdendorf, 1937)
[*Sarcophaga aegyptica*](#) Salem, 1935
[*Sarcophaga allisoni*](#) Sugiyama, Shinonaga & Kano, 1988
[*Sarcophaga amplicercus*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga angarosinica*](#) (Rohdendorf, 1937)
[*Sarcophaga auricauda*](#) Ho, 1938
[*Sarcophaga bartaki*](#) (Verves, Radchenko & Khrokalo, 2017)
[*Sarcophaga bechuanae*](#) Zumpt, 1972
[*Sarcophaga brevicornis*](#) Ho, 1934
[*Sarcophaga bushmenia*](#) (Lehrer, 2005)
[*Sarcophaga catalunya*](#) (Lehrer, 2008)
[*Sarcophaga choudhuryi*](#) Sinha & Nandi, 2002
[*Sarcophaga cognata*](#) (Robineau-Desvoidy, 1830)
[*Sarcophaga dahiana*](#) (Lehrer, 2013)
[*Sarcophaga darshania*](#) (Lehrer, 2008)
[*Sarcophaga deviedmai*](#) (Lehrer & Báez, 1986)
[*Sarcophaga dux*](#) Thomson, 1869 - (Flesh fly)
[*Sarcophaga edrossi*](#) (Lehrer, 2009)
[*Sarcophaga emdeni*](#) (Rohdendorf, 1969)

[*Sarcophaga emmrichiana*](#) (Lehrer, 2002)
[*Sarcophaga eta*](#) Johnston & Tiegs, 1921
[*Sarcophaga evelynae*](#) Zumpt, 1964
[*Sarcophaga evenhuisi*](#) (Lehrer, 2005)
[*Sarcophaga exuberans*](#) Pandellé, 1896
[*Sarcophaga feralis*](#) Pape, 1996
[*Sarcophaga fimbricauda*](#) (Verves & Xue, 2016)
[*Sarcophaga forceps*](#) Blackith & Blackith, 1988
[*Sarcophaga gallinara*](#) (Lehrer, 2013)
[*Sarcophaga gambiensis*](#) Zumpt, 1972
[*Sarcophaga garbo*](#) Curran, 1934
[*Sarcophaga goodhopeia*](#) (Lehrer, 2005)
[*Sarcophaga hamoni*](#) Rickenbach, 1965
[*Sarcophaga harpax*](#) Pandellé, 1896
[*Sarcophaga hinglungensis*](#) (Fan, 1964)
[*Sarcophaga hunti*](#) (Lehrer, 1996)
[*Sarcophaga idmais*](#) Séguy, 1934
[*Sarcophaga inhacaensis*](#) Zumpt, 1972
[*Sarcophaga inzi*](#) Curran, 1934
[*Sarcophaga inzoides*](#) Zumpt, 1972
[*Sarcophaga jacobi*](#) (Lehrer, 1994)
[*Sarcophaga jacobsoni*](#) (Rohdendorf, 1937)
[*Sarcophaga jaipurensis*](#) (Nandi, 1990)
[*Sarcophaga jaroschevskyi*](#) (Rohdendorf, 1937)
[*Sarcophaga josephi*](#) (Nandi, 2002)
[*Sarcophaga juncta*](#) (Lopes, 1967)
[*Sarcophaga kanoi*](#) Park, 1962
[*Sarcophaga kanoiana*](#) (Lehrer, 1994)
[*Sarcophaga kirgizica*](#) (Rohdendorf, 1969)
[*Sarcophaga kitaharai*](#) Miyazaki, 1958
[*Sarcophaga kobayashii*](#) Hori, 1954
[*Sarcophaga kohla*](#) Johnston & Hardy, 1923
[*Sarcophaga kovatschevitchi*](#) (Strukan, 1970)
[*Sarcophaga liui*](#) (Ye & Zhang, 1989)
[*Sarcophaga liukuensis*](#) (Fan, 1964)
[*Sarcophaga londtiana*](#) (Lehrer, 1996)
[*Sarcophaga luabae*](#) Zumpt, 1972
[*Sarcophaga luzonensis*](#) Parker, 1919
[*Sarcophaga lypai*](#) (Verves, 1977)
[*Sarcophaga mababiensis*](#) Zumpt, 1972
[*Sarcophaga madeirensis*](#) (Schiner, 1868)
[*Sarcophaga marcosgarciae*](#) (Lehrer & Martínez-Sánchez, 2000)
[*Sarcophaga maritima*](#) Engel, 1925
[*Sarcophaga marshalli*](#) Parker, 1923
[*Sarcophaga masaiana*](#) (Lehrer, 2005)
[*Sarcophaga mazuela*](#) (Lehrer & Wei, 2011)
[*Sarcophaga monodia*](#) (Lehrer, 2006)
[*Sarcophaga monospila*](#) (Bezzi, 1908)
[*Sarcophaga monserrati*](#) (Peris, González-Mora & Mingo-Pérez, 1999)

[*Sarcophaga moucheti*](#) Rickenbach, 1977
[*Sarcophaga mulaba*](#) Curran, 1934
[*Sarcophaga namibia*](#) Reed, 1974
[*Sarcophaga nanpingensis*](#) (Ye, 1980)
[*Sarcophaga natalensis*](#) Zumpt, 1951
[*Sarcophaga neuweileri*](#) (Lehrer, 2002)
[*Sarcophaga nodosa*](#) Engel, 1925
[*Sarcophaga nubica*](#) Jaennicke, 1867
[*Sarcophaga palestinensis*](#) (Lehrer, 1998)
[*Sarcophaga paramulaba*](#) Zumpt, 1972
[*Sarcophaga phallosoma*](#) Zumpt, 1972
[*Sarcophaga pharaonis*](#) Rohdendorf, 1934
[*Sarcophaga pleskei*](#) (Rohdendorf, 1937)
[*Sarcophaga portschinskyi*](#) (Rohdendorf, 1937)
[*Sarcophaga promiscua*](#) (Lopes, 1967)
[*Sarcophaga pyrrhopoda*](#) Bezzi, 1923
[*Sarcophaga redux*](#) Walker, 1849
[*Sarcophaga rohdendorfi*](#) Salem, 1936
[*Sarcophaga sabae*](#) (Lehrer, 1995)
[*Sarcophaga salemiana*](#) (Lehrer, 1995)
[*Sarcophaga salkhit*](#) Pape, 1996
[*Sarcophaga sarracenioides*](#) Aldrich, 1916
[*Sarcophaga sarupi*](#) (Nandi, 1979)
[*Sarcophaga sayersi*](#) Salem, 1946
[*Sarcophaga semimarginalis*](#) Hall, 1931
[*Sarcophaga shermani*](#) Parker, 1923
[*Sarcophaga shimbana*](#) (Lehrer, 2006)
[*Sarcophaga shiritakaensis*](#) Hori, 1954
[*Sarcophaga shoniella*](#) (Lehrer, 2005)
[*Sarcophaga sigma*](#) Johnston & Tiegs, 1921
[*Sarcophaga simulatrix*](#) (Povolný, 2000)
[*Sarcophaga solomonica*](#) (Verves, 1982)
[*Sarcophaga spilargyra*](#) Bezzi, 1923
[*Sarcophaga sternalis*](#) (Reinhard, 1939)
[*Sarcophaga strumiana*](#) (Lehrer, 1996)
[*Sarcophaga subdiscalis*](#) Aldrich, 1916
[*Sarcophaga subharpax*](#) (Rohdendorf, 1969)
[*Sarcophaga symphaestria*](#) Zumpt, 1964
[*Sarcophaga teretirostris*](#) Pandellé, 1896
[*Sarcophaga tritriiva*](#) (Lehrer, 2008)
[*Sarcophaga tsushima*](#) Senior-White, 1924
[*Sarcophaga tuberosa*](#) Pandellé, 1896
[*Sarcophaga uliginosa*](#) Kramer, 1908
[*Sarcophaga ussuriensis*](#) (Kolomiets & Artamonov, 1981)
[*Sarcophaga vadoni*](#) Zumpt, 1969
[*Sarcophaga vanriebeecki*](#) Zumpt, 1953
[*Sarcophaga vietnamica*](#) (Verves, 1980)
[*Sarcophaga voluptus*](#) (Verves, 1986)
[*Sarcophaga wagneri*](#) Kano & Zumpt, 1968

[*Sarcophaga walshi*](#) Ho, 1938
[*Sarcophaga wetzeli*](#) Kano & Zumpt, 1968
[*Sarcophaga wysokii*](#) (Lehrer, 2008)
[*Sarcophaga yorkii*](#) Parker, 1919
[*Sarcophaga yvorei*](#) Rickenbach, 1977
 Subgenus Livingstonelia Lehrer, 2003
[*Sarcophaga gertrudae*](#) Zumpt, 1953
 Subgenus Lucyphalla Lehrer, 2005
[*Sarcophaga nuzzacii*](#) (Lehrer, 2005)
 Subgenus Macabiella
 Subgenus Magnicauda
[*Sarcophaga linjiangensis*](#) (Wei, 2005)
 Subgenus Malliophalla Lehrer, 1994
[*Sarcophaga optata*](#) (Zumpt, 1972)
 Subgenus Mandalania Lehrer, 1994
[*Sarcophaga teskeyi*](#) (Lehrer, 1994)
 Subgenus Mauritiella Verves, 1989
[*Sarcophaga kikuyana*](#) (Lehrer, 2006)
[*Sarcophaga mutesa*](#) (Lehrer, 2005)
[*Sarcophaga rayssae*](#) (Lehrer, 1993)
[*Sarcophaga sachsaе*](#) (Lehrer, 1993)
[*Sarcophaga sukumaia*](#) (Lehrer, 2010)
[*Sarcophaga transvaalensis*](#) Zumpt, 1950
 Subgenus Mehria Enderlein, 1928
[*Sarcophaga cockerellae*](#) Aldrich, 1916
[*Sarcophaga guyanensis*](#) (Lopes, 1946)
[*Sarcophaga hineii*](#) Hall, 1929
[*Sarcophaga houghi*](#) Aldrich, 1916
[*Sarcophaga insularis*](#) Lopes, 1946
[*Sarcophaga lanna*](#) Pape & Bänziger, 2003
[*Sarcophaga litsingeri*](#) (Shinonaga & Barrion, 1980)
[*Sarcophaga lorosa*](#) Hall, 1937
[*Sarcophaga minutissima*](#) Hall, 1929
[*Sarcophaga nemoralis*](#) Kramer, 1908
[*Sarcophaga olsouffjevi*](#) (Rohdendorf, 1937)
[*Sarcophaga sexpunctata*](#) (Fabricius, 1805)
[*Sarcophaga silbergliedi*](#) (Lopes, 1981)
[*Sarcophaga subaenescens*](#) Aldrich, 1925
[*Sarcophaga tsintaoensis*](#) (Ye, 1965)
 Subgenus Membranophalla Verves, 1997
[*Sarcophaga membranocorporis*](#) Sugiyama, 1987
 Subgenus Mimarhopocnemis Rohdendorf, 1937
[*Sarcophaga granulata*](#) Kramer, 1908
 Subgenus Mindanaoa
[*Sarcophaga villipes*](#) (Lopes & Kano, 1979)
 Subgenus Mitumbana Lehrer, 2003
[*Sarcophaga kisangani*](#) Curran, 1934
[*Sarcophaga lubaia*](#) (Lehrer, 2005)
 Subgenus Montagnieria Lehrer, 2005

[*Sarcophaga loandania*](#) (Lehrer, 2009)
[*Sarcophaga todiscoae*](#) (Lehrer, 2005)
 Subgenus Mufindia Verves, 1990
 [*Sarcophaga tanzaniae*](#) Zumpt, 1972
 Subgenus Myorhina Robineau-Desvoidy, 1830
 [*Sarcophaga asahinai*](#) Kano, 1962
 [*Sarcophaga iulicida*](#) Pape, 1990
 [*Sarcophaga keziviana*](#) (Lehrer, 2009)
 [*Sarcophaga lageniharpes*](#) (Xue & Feng, 1989)
 [*Sarcophaga lunigera*](#) Böttcher, 1914
 [*Sarcophaga nigriventris*](#) Meigen, 1826
 [*Sarcophaga recurvata*](#) (Chen & Yao, 1985)
 [*Sarcophaga socrus*](#) Rondani, 1861
 [*Sarcophaga soror*](#) Rondani, 1861
 [*Sarcophaga sororcula*](#) Rohdendorf, 1937
 [*Sarcophaga villeneuvei*](#) Böttcher, 1912
 Subgenus Nagpuria Verves, 1997
 [*Sarcophaga vervesi*](#) (Nandi, 1993)
 Subgenus Nandimyia Verves, 1997
 [*Sarcophaga panchganiensis*](#) (Nandi, 1993)
 Subgenus Neobellieria Blanchard, 1939
 [*Sarcophaga bullata*](#) Parker, 1916 - (grey fleshfly)
 [*Sarcophaga citellivora*](#) Shewell, 1950
 [*Sarcophaga cooleyi*](#) Parker, 1914
 [*Sarcophaga libera*](#) Aldrich, 1916
 [*Sarcophaga longisterna*](#) Giroux & Wheeler, 2009
 [*Sarcophaga offecta*](#) Lopes, 1938
 [*Sarcophaga polistensis*](#) Hall, 1933
 [*Sarcophaga triplasia*](#) Wulp, 1896
 Subgenus Neosarcophaga Shewell, 1996
 [*Sarcophaga canadensis*](#) Hall, 1929
 [*Sarcophaga elongata*](#) Aldrich, 1916
 [*Sarcophaga gracilis*](#) Aldrich, 1916
 [*Sarcophaga occidentalis*](#) Aldrich, 1916
 [*Sarcophaga perissa*](#) Reinhard, 1952
 [*Sarcophaga perspicax*](#) Aldrich, 1916
 [*Sarcophaga pubicornis*](#) (Coquillett, 1902)
 [*Sarcophaga statuta*](#) Reinhard, 1952
 [*Sarcophaga thatuna*](#) Aldrich, 1916
 [*Sarcophaga vancouverensis*](#) Parker, 1918
 [*Sarcophaga wrangeliensis*](#) Parker, 1920
 Subgenus Nesbittia Verves, 1989
 [*Sarcophaga bergsoni*](#) (Lehrer, 1993)
 [*Sarcophaga dysderci*](#) Villeneuve, 1936
 [*Sarcophaga etoshana*](#) (Lehrer, 2005)
 [*Sarcophaga guillarmodi*](#) Zumpt, 1950
 [*Sarcophaga munronis*](#) Pape, 1996
 [*Sarcophaga wieseli*](#) (Lehrer, 1993)
 Subgenus Nihonea Rohdendorf, 1965

[*Sarcophaga hokurikuensis*](#) Hori, 1955
 Subgenus Nudicerca Rohdendorf, 1965
[*Sarcophaga furutonensis*](#) Kano & Okazaki, 1956
 Subgenus Nuzzaciella Lehrer, 1994
[*Sarcophaga londti*](#) (Lehrer, 1994)
 Subgenus Nyikamyia Lehrer, 1994
[*Sarcophaga barracloughiana*](#) (Lehrer, 1994)
 Subgenus Pandelleana Rohdendorf, 1937
[*Sarcophaga andaluciana*](#) (Lehrer, 2004)
[*Sarcophaga insularis*](#) (Povolný, 1997)
[*Sarcophaga kugleri*](#) (Lehrer, 2004)
[*Sarcophaga myceniana*](#) (Lehrer, 2009)
[*Sarcophaga protuberans*](#) Pandellé, 1896 - (Pandelleana protuberans)
[*Sarcophaga siciliae*](#) (Povolný, 1998)
[*Sarcophaga struthioides*](#) (Xue, Feng & Liu, 1986)
[*Sarcophaga tanita*](#) (Lehrer, 2013)
 Subgenus Pandelleisca Rohdendorf, 1937
[*Sarcophaga assamensis*](#) (Nandi & Ray, 1982)
[*Sarcophaga bainbriggei*](#) Senior-White, 1925
[*Sarcophaga ballardi*](#) Senior-White, 1924
[*Sarcophaga baudeti*](#) (Lehrer, 1998)
[*Sarcophaga curvata*](#) (Nandi, 1989)
[*Sarcophaga gresiventris*](#) Salem, 1946
[*Sarcophaga hui*](#) Ho, 1936
[*Sarcophaga insula*](#) Pape, 1996
[*Sarcophaga iwuensis*](#) Ho, 1934
[*Sarcophaga kawayuensis*](#) Kano, 1950
[*Sarcophaga kurahashii*](#) Nandi, 1992
[*Sarcophaga lorengauensis*](#) (Lopes, 1967)
[*Sarcophaga pingi*](#) Ho, 1934
[*Sarcophaga polystylata*](#) Ho, 1934
[*Sarcophaga scopariiformis*](#) Senior-White, 1927
[*Sarcophaga similis*](#) Meade, 1876
[*Sarcophaga taka*](#) Pape, 1996
[*Sarcophaga theodori*](#) (Lehrer, 1998)
[*Sarcophaga tristylata*](#) Böttcher, 1912
 Subgenus Pandelleola Rohdendorf, 1937
[*Sarcophaga hanita*](#) (Lehrer, 2008)
[*Sarcophaga immortalis*](#) (Lehrer, 2013)
[*Sarcophaga karmelina*](#) (Lehrer, 2013)
[*Sarcophaga lunzeria*](#) (Lehrer, 2012)
[*Sarcophaga pieriana*](#) (Lehrer, 2012)
 Subgenus Papesarcophaga Kurahashi & Kakinuma, 2015
[*Sarcophaga kisarazuensis*](#) (Kurahashi & Kakinuma, 2015)
[*Sarcophaga tainanensis*](#) (Kurahashi, Yang & Kakinuma, 2017)
 Subgenus Paraethiopisca Zumpt, 1972
[*Sarcophaga dewulfi*](#) Zumpt, 1967
 Subgenus Parasarcophaga Johnston & Tiegs, 1921
[*Sarcophaga abaensis*](#) (Feng & Qiao, 2003)

[*Sarcophaga albiceps*](#) Meigen, 1826 - (Flesh fly)
[*Sarcophaga aliena*](#) Walker, 1856
[*Sarcophaga balayana*](#) (Lehrer, 2008)
[*Sarcophaga bohboti*](#) (Lehrer, 2000)
[*Sarcophaga brevis*](#) Walker, 1864
[*Sarcophaga faenionota*](#) Kano et al., 2000
[*Sarcophaga flavifemorata*](#) Macquart, 1851
[*Sarcophaga flavipalpis*](#) Senior-White, 1924
[*Sarcophaga hirtipes*](#) Wiedemann, 1830
[*Sarcophaga knabi*](#) Parker, 1917
[*Sarcophaga knadi*](#) Quo, 1952
[*Sarcophaga lekebai*](#) Shinonaga, 2004
[*Sarcophaga macroauriculata*](#) Ho, 1932
[*Sarcophaga misera*](#) Walker, 1849 - (Flesh fly)
[*Sarcophaga omega*](#) Johnston & Tieg, 1921
[*Sarcophaga taenionota*](#) (Wiedemann, 1819)
[*Sarcophaga tupada*](#) (Lehrer, 2008)
[*Sarcophaga unguetigris*](#) (Rohdendorf, 1938)
 Subgenus *Perisimyia* Xue & Verves, 2009
[*Sarcophaga perisi*](#) (Xue & Verves, 2009)
 Subgenus *Petuniophalla* Lehrer, 1994
[*Sarcophaga stuckenbergiana*](#) (Lehrer, 1994)
 Subgenus *Phalacrodiscus* Enderlein, 1928
[*Sarcophaga dahliana*](#) (Enderlein, 1928)
 Subgenus *Phallantha* Rohdendorf, 1938
[*Sarcophaga keegani*](#) Kano & Shinonaga, 1964
[*Sarcophaga sichotealini*](#) (Rohdendorf, 1938)
 Subgenus *Phallanthisca* Rohdendorf, 1965
[*Sarcophaga magensi*](#) Kano, 1957
[*Sarcophaga shirakii*](#) (Kano & Field, 1963)
 Subgenus *Phallocheira* Rohdendorf, 1937
[*Sarcophaga minor*](#) (Rohdendorf, 1937)
 Subgenus *Phallonychia* Verves, 1982
[*Sarcophaga oshimensis*](#) (Kano & Field, 1964)
 Subgenus *Phallosarcophaga*
[*Sarcophaga cutbertsoni*](#) (Lehrer, 2006)
 Subgenus *Phallosphaera* Rohdendorf, 1938
[*Sarcophaga amica*](#) (Ma, 1964)
[*Sarcophaga amicoides*](#) (Kurahashi & Tan, 2012)
[*Sarcophaga barioensis*](#) (Kurahashi & Tan, 2012)
[*Sarcophaga gravelyi*](#) Senior-White, 1924
[*Sarcophaga konakovi*](#) (Rohdendorf, 1938)
[*Sarcophaga kurahashii*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga metzgeri*](#) (Kano & Shinonaga, 1964)
[*Sarcophaga yelanghiops*](#) (Lehrer & Wei, 2011)
 Subgenus *Pharaonops* Lehrer, 2003
[*Sarcophaga tewfiki*](#) Salem, 1940
 Subgenus *Philiphaga* Lehrer, 2008
[*Sarcophaga batangomyia*](#) Lehrer, 2008

Subgenus Phytosarcophaga Rohdendorf, 1937
[*Sarcophaga destructor*](#) Malloch, 1929
[*Sarcophaga dialensis*](#) Mawlood, 2006

Subgenus Pierretia
[*Sarcophaga thinhi*](#) (Kano & Kurahashi, 2000)

Subgenus Poecilometopa Villeneuve, 1913
[*Sarcophaga dimidiatipes*](#) (Villeneuve, 1913)
[*Sarcophaga flavibasis*](#) Malloch, 1928
[*Sarcophaga kericho*](#) Pape, 1996
[*Sarcophaga nitidiventris*](#) Malloch, 1928
[*Sarcophaga octomaculata*](#) Jaennicke, 1867
[*Sarcophaga punctipennis*](#) Malloch, 1928
[*Sarcophaga spilogaster*](#) (Wiedemann, 1824)

Subgenus Poseidonimyia Verves, 1997
[*Sarcophaga simplex*](#) (Lopes, 1967)

Subgenus Povolnomyia Verves, 1997
[*Sarcophaga lingulata*](#) (Ye, 1980)

Subgenus Prionophalla Rohdendorf, 1963
[*Sarcophaga braunsi*](#) Engel, 1925
[*Sarcophaga freyi*](#) Zumpt, 1953
[*Sarcophaga goergeni*](#) (Lehrer, 2005)
[*Sarcophaga langi*](#) Curran, 1934
[*Sarcophaga leechi*](#) Zumpt, 1967
[*Sarcophaga lomagundica*](#) (Rohdendorf, 1963)
[*Sarcophaga namaquensis*](#) Zumpt, 1951
[*Sarcophaga praerupta*](#) Villeneuve, 1930
[*Sarcophaga silvai*](#) Zumpt, 1952

Subgenus Pseudaethiopisca Verves, 1989
[*Sarcophaga dinuzului*](#) Zumpt, 1972

Subgenus Pseudodiscachaeta
[*Sarcophaga imbecilla*](#) Karsch, 1886

Subgenus Pseudothyrsocnema Rohdendorf, 1937
[*Sarcophaga borneensis*](#) (Shinonaga & Lopes, 1975)
[*Sarcophaga caudagalli*](#) Böttcher, 1912
[*Sarcophaga crinitula*](#) Quo, 1952
[*Sarcophaga indica*](#) (Shinonaga & Lopes, 1975)
[*Sarcophaga kairatuensis*](#) Shinonaga, 2004
[*Sarcophaga lhasae*](#) (Fan, 1964)
[*Sarcophaga longistylata*](#) (Shinonaga & Lopes, 1975)
[*Sarcophaga nicobarensis*](#) (Nandi, 1989)
[*Sarcophaga panaya*](#) (Lehrer, 2008)
[*Sarcophaga spinosa*](#) Villeneuve, 1912

Subgenus Pterolobomyia Lehrer, 1993
[*Sarcophaga einsteiniella*](#) (Lehrer, 1993)
[*Sarcophaga kalahariana*](#) (Lehrer, 2005)
[*Sarcophaga turkanella*](#) (Lehrer, 2005)

Subgenus Pterophalla Rohdendorf, 1955
[*Sarcophaga oitana*](#) Hori, 1955

Subgenus Pterosarcophaga Ye, 1981

[*Sarcophaga emeishanensis*](#) (Ye & Ni, 1981)
Subgenus Ranavalona Lehrer, 2003
[*Sarcophaga stuckenbergi*](#) Zumpt, 1964
Subgenus Robertiana
Subgenus Robineauella Enderlein, 1928
[*Sarcophaga anchoriformis*](#) (Fan, 1964)
[*Sarcophaga caerulescens*](#) Zetterstedt, 1838
[*Sarcophaga carpatina*](#) (Lehrer, 2008)
[*Sarcophaga coei*](#) (Rohdendorf, 1966)
[*Sarcophaga daurica*](#) (Grunin, 1964)
[*Sarcophaga djakonovi*](#) (Rohdendorf, 1937)
[*Sarcophaga grunini*](#) (Rohdendorf, 1938)
[*Sarcophaga huangshanensis*](#) (Fan, 1964)
[*Sarcophaga japonica*](#) Hori, 1954
[*Sarcophaga javana*](#) Macquart, 1851
[*Sarcophaga kopetdaghica*](#) (Verves, 1979)
[*Sarcophaga mendeliana*](#) (Lehrer, 2008)
[*Sarcophaga nearctica*](#) Parker, 1916
[*Sarcophaga picibasicosta*](#) Pape, 1996
[*Sarcophaga pseudoscopia*](#) Kramer, 1911
[*Sarcophaga rohdendorfiana*](#) (Trofimov, 1948)
[*Sarcophaga simultaneousa*](#) (Wei & Yang, 2007)
[*Sarcophaga thailandica*](#) (Kurahashi & Chaiwong, 2013)
[*Sarcophaga uemotoi*](#) (Kano & Field, 1964)
[*Sarcophaga walayari*](#) Senior-White, 1924
Subgenus Rohdendorfisca Grunin, 1964
[*Sarcophaga flagellifera*](#) (Grunin, 1964)
Subgenus Rosellea Rohdendorf, 1937
[*Sarcophaga aratrix*](#) Pandellé, 1896
[*Sarcophaga beckiana*](#) (Lehrer, 1996)
[*Sarcophaga gigas*](#) Thomas, 1949
[*Sarcophaga hainanna*](#) (Xue & Zhang, 2004)
[*Sarcophaga khasiensis*](#) Senior-White, 1924
[*Sarcophaga naumanni*](#) (Lehrer & Martínez-Sánchez, 2000)
Subgenus Rossikenya
Subgenus Sabakia Lehrer, 2005
[*Sarcophaga tanzaniella*](#) (Lehrer, 2005)
Subgenus Sabiella Verves, 1990
[*Sarcophaga mandelania*](#) (Lehrer, 2005)
Subgenus Salemmiya Verves, 2001
[*Sarcophaga austenii*](#) Salem, 1938
Subgenus Saputaramyia Verves, 2001
[*Sarcophaga saputaraensis*](#) (Nandi, 1992)
Subgenus Sarconandia Lehrer, 2005
[*Sarcophaga madrasiola*](#) (Lehrer, 2005)
Subgenus Sarcophaga Meigen, 1824
[*Sarcophaga adriatica*](#) Böttcher, 1913
[*Sarcophaga apsuarum*](#) Rohdendorf, 1937
[*Sarcophaga bachmayeri*](#) Lehrer, 1978

[*Sarcophaga baranoffi*](#) Rohdendorf, 1937
[*Sarcophaga bergi*](#) Rohdendorf, 1937
[*Sarcophaga carnaria*](#) (Linnaeus, 1758) - (camouflaged flesh fly)
[*Sarcophaga congesta*](#) Lehrer, 1967
[*Sarcophaga croatica*](#) Baranov, 1941
[*Sarcophaga disputata*](#) Lehrer, 1967
[*Sarcophaga hennigi*](#) Lehrer, 1978
[*Sarcophaga jeanleclercqi*](#) Lehrer, 1975
[*Sarcophaga jupalnica*](#) Lehrer, 1967
[*Sarcophaga kaplani*](#) Lehrer, 1999
[*Sarcophaga lehmanni*](#) Müller, 1922
[*Sarcophaga marcelleclercqi*](#) Lehrer, 1975
[*Sarcophaga matilei*](#) Blackith, Richet, Pape & Andreï-Ruiz, 2001
[*Sarcophaga moldavica*](#) Rohdendorf, 1937
[*Sarcophaga moravica*](#) Povolný, 1986
[*Sarcophaga mouchajosefi*](#) Lehrer, 1978
[*Sarcophaga ornatijuxta*](#) Richet, Pape & Blackith, 1995
[*Sarcophaga pagensis*](#) Baranov, 1939
[*Sarcophaga pyrenaica*](#) Séguy, 1941
[*Sarcophaga romanica*](#) Lehrer, 1967
[*Sarcophaga schusteri*](#) Lehrer, 1959
[*Sarcophaga serbica*](#) Baranov, 1930
[*Sarcophaga subvicina*](#) Rohdendorf, 1937
[*Sarcophaga trabzonensis*](#) Pekbey, Hayat, Richet & Blackith, 2011
[*Sarcophaga ukrainica*](#) Rohdendorf, 1937
[*Sarcophaga variegata*](#) (Scopoli, 1763)
[*Sarcophaga wallenbergi*](#) Lehrer, 1989
[*Sarcophaga zumptiana*](#) Lehrer, 1959

Subgenus *Sarcorohdendorfia* Baranov, 1938

[*Sarcophaga alpha*](#) Johnston & Tiegs, 1921
[*Sarcophaga antilope*](#) Böttcher, 1913
[*Sarcophaga assimilis*](#) Macquart, 1851
[*Sarcophaga aureifacies*](#) (Lopes, 1967)
[*Sarcophaga aureolata*](#) Pape & Kurahashi, 2000
[*Sarcophaga beta*](#) Johnston & Tiegs, 1921
[*Sarcophaga bidentata*](#) (Lopes, 1953)
[*Sarcophaga bifrons*](#) Walker, 1853
[*Sarcophaga braueri*](#) Salem, 1946
[*Sarcophaga cirrhura*](#) Bezzi, 1927
[*Sarcophaga clavus*](#) Meiklejohn, Wallman & Pape, 2013
[*Sarcophaga confusio*](#) Geisler & Pape, 2023
[*Sarcophaga darwiniana*](#) (Kano & Lopes, 1979)
[*Sarcophaga desaii*](#) (Nandi, 1978)
[*Sarcophaga emuensis*](#) (Lopes & Kano, 1979)
[*Sarcophaga fergusonina*](#) Hardy, 1940
[*Sarcophaga froggatti*](#) Taylor, 1917
[*Sarcophaga furcata*](#) Hardy, 1932
[*Sarcophaga ghaiae*](#) (Nandi, 1979)
[*Sarcophaga henryi*](#) Senior-White, 1924

[*Sarcophaga hiromui*](#) Kano, 1994
[*Sarcophaga hollandia*](#) Roback, 1952
[*Sarcophaga horti*](#) Blackith & Blackith, 1988
[*Sarcophaga howensis*](#) Johnston & Hardy, 1923
[*Sarcophaga ikat*](#) Pape & Kurahashi, 2004
[*Sarcophaga ikedai*](#) Shinonaga, 2004
[*Sarcophaga impatiens*](#) Walker, 1849
[*Sarcophaga indusa*](#) (Curran, 1936)
[*Sarcophaga inextricata*](#) Walker, 1859
[*Sarcophaga irrequieta*](#) Walker, 1849
[*Sarcophaga longifilia*](#) Salem, 1946
[*Sarcophaga magnifica*](#) (Baranov, 1936)
[*Sarcophaga maxima*](#) Meiklejohn, Pape, Wallman & Dowton, 2017
[*Sarcophaga megafilosia*](#) Pape, McKillup & McKillup, 2000
[*Sarcophaga meiofilosia*](#) Pape, McKillup & McKillup, 2000
[*Sarcophaga mimobasalis*](#) (Ma, 1964)
[*Sarcophaga mont*](#) Pape, 1996
[*Sarcophaga multivillosa*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga narabondxii*](#) Geisler & Pape, 2023
[*Sarcophaga omikron*](#) Johnston & Tiegs, 1921
[*Sarcophaga pattoni*](#) Senior-White, 1924
[*Sarcophaga piciventris*](#) Pape, 1996
[*Sarcophaga piva*](#) Roback, 1952
[*Sarcophaga praedatrix*](#) Walker, 1849
[*Sarcophaga pusana*](#) Senior-White, 1924
[*Sarcophaga rhynchura*](#) Bezzi, 1927
[*Sarcophaga saprianovae*](#) Pape & Bänziger, 2000
[*Sarcophaga seniorwhitei*](#) Ho, 1938
[*Sarcophaga separata*](#) (Lopes, 1967)
[*Sarcophaga serratocudo*](#) Pape & Kurahashi, 2004
[*Sarcophaga spinigera*](#) (Lopes, 1953)
[*Sarcophaga stylata*](#) Pape, 1996
[*Sarcophaga sundaensis*](#) Shinonaga, 2004
[*Sarcophaga triplex*](#) Hardy, 1943
[*Sarcophaga uncus*](#) Pape & Kurahashi, 2004
[*Sarcophaga urceola*](#) (Shinonaga & Beaver, 1979)
[*Sarcophaga variabilis*](#) (Lopes, 1958)
[*Sarcophaga villisterna*](#) Salem, 1946
[*Sarcophaga whitneyi*](#) (Curran, 1936)
[*Sarcophaga wujiangiana*](#) (Lehrer & Wei, 2011)
[*Sarcophaga wumengia*](#) (Lehrer & Wei, 2011)
[*Sarcophaga zeta*](#) Johnston & Tiegs, 1921

Subgenus *Sarcosolomonina* Baranov, 1938

[*Sarcophaga andamanensis*](#) (Nandi, 1989)
[*Sarcophaga arabari*](#) Pape, 1996
[*Sarcophaga aureomarginata*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga baranovi*](#) (Lopes, 1967)
[*Sarcophaga buxtoni*](#) Salem, 1946
[*Sarcophaga carolinensis*](#) (Lopes, 1958)

[*Sarcophaga chalcura*](#) Bezzi, 1927
[*Sarcophaga chambaensis*](#) (Nandi, 1989)
[*Sarcophaga circa*](#) Pape & Bänziger, 2003
[*Sarcophaga collessi*](#) Meiklejohn, Wallman & Pape, 2013
[*Sarcophaga confusa*](#) (Lopes, 1967)
[*Sarcophaga crinita*](#) Parker, 1917
[*Sarcophaga fabea*](#) (Lopes, 1959)
[*Sarcophaga guanyina*](#) (Lehrer & Wei, 2010)
[*Sarcophaga hai*](#) (Kano & Kurahashi, 2000)
[*Sarcophaga harinasutai*](#) (Kano & Sooksri, 1977)
[*Sarcophaga hongheensis*](#) (Li & Ye, 1992)
[*Sarcophaga kaushanensis*](#) (Nandi, 1990)
[*Sarcophaga kupangensis*](#) Shinonaga, 2004
[*Sarcophaga lombokensis*](#) Shinonaga, 2004
[*Sarcophaga lopesi*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga maai*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga occulta*](#) (Lopes & Kano, 1969)
[*Sarcophaga papuensis*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga rohdendorfia*](#) Pape, 1996
[*Sarcophaga sedlaceki*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga setifacies*](#) (Lopes, 1967)
[*Sarcophaga shinonagai*](#) (Kano & Sooksri, 1977)
[*Sarcophaga shresthai*](#) (Kano & Shinonaga, 1969)
[*Sarcophaga stricklandi*](#) Hall & Bohart, 1948
[*Sarcophaga sumunensis*](#) (Lopes, 1967)
[*Sarcophaga susainathani*](#) Pape, 1996
[*Sarcophaga synia*](#) Johnston & Hardy, 1923
[*Sarcophaga trifulcata*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga tulagiensis*](#) (Baranov, 1938)
[*Sarcophaga versatilis*](#) (Lopes, 1959)

Subgenus *Sarcotachinella* Townsend, 1892

[*Sarcophaga sinuata*](#) Meigen, 1826

Subgenus *Scotathysia* Enderlein, 1937

[*Sarcophaga cuthbertsoni*](#) (Lehrer, 2003)

[*Sarcophaga liberia*](#) Curran, 1934

[*Sarcophaga notatipennis*](#) Austen, 1909

[*Sarcophaga samia*](#) Curran, 1934

Subgenus *Seniorwhitea* Rohdendorf, 1937

[*Sarcophaga mantiae*](#) (Nandi, 2002)

[*Sarcophaga orientalis*](#) Parker, 1917

[*Sarcophaga phoenicopterus*](#) Böttcher, 1913

[*Sarcophaga princeps*](#) Wiedemann, 1830 - (Flesh fly)

[*Sarcophaga schoemani*](#) Zumpt, 1951

Subgenus *Seselwana* Lehrer, 2003

[*Sarcophaga aldabrae*](#) Zumpt, 1973

Subgenus *Sinonipponia* Rohdendorf, 1965

[*Sarcophaga aniyai*](#) Kano, 1957

[*Sarcophaga bengalensis*](#) (Nandi, 1977)

[*Sarcophaga cheesmanae*](#) Salem, 1946

[*Sarcophaga concreata*](#) Séguy, 1934
[*Sarcophaga hainanensis*](#) Ho, 1936
[*Sarcophaga hervebazini*](#) Séguy, 1934
[*Sarcophaga javi*](#) Salem, 1946
[*Sarcophaga komi*](#) (Kurahashi & Sukontason, 2004)
[*Sarcophaga musashinensis*](#) Kano & Okazaki, 1956
[*Sarcophaga papaii*](#) (Nandi, 1988)
[*Sarcophaga smarti*](#) (Nandi, 1991)
 Subgenus Sinopierretia Verves, 1997
 [*Sarcophaga bihami*](#) (Qian & Fan, 1981)
 Subgenus Sisyhelicobia Zumpt, 1972
 [*Sarcophaga sisypheus*](#) Zumpt, 1952
 Subgenus Sokotriella Lehrer, 2005
 [*Sarcophaga jamila*](#) (Lehrer, 2005)
 Subgenus Stackelbergeola Rohdendorf, 1937
 [*Sarcophaga fedtshenkoi*](#) (Rohdendorf, 1937)
 [*Sarcophaga galileana*](#) (Lehrer, 1999)
 [*Sarcophaga grueti*](#) (Lehrer, 1999)
 [*Sarcophaga mehadiensis*](#) Böttcher, 1912
 [*Sarcophaga paramonovi*](#) (Rohdendorf, 1937)
 [*Sarcophaga sushkini*](#) (Rohdendorf, 1937)
 [*Sarcophaga zarudnyi*](#) (Rohdendorf, 1937)
 Subgenus Sugiyamamyia Verves, 1997
 [*Sarcophaga tsengi*](#) Sugiyama, 1987
 Subgenus Takanoa
 [*Sarcophaga hakusana*](#) Hori, 1954
 [*Sarcophaga rugosa*](#) (Rohdendorf, 1969)
 Subgenus Takaraia Kano & Field, 1963
 [*Sarcophaga yonahaensis*](#) (Kano & Field, 1963)
 Subgenus Taylorimyia Lopes, 1959
 [*Sarcophaga aurifrons*](#) Macquart, 1846
 Subgenus Thyrsoenema Enderlein, 1928
 [*Sarcophaga belgiana*](#) (Lehrer, 1976)
 [*Sarcophaga corsicana*](#) Villeneuve, 1911
 [*Sarcophaga dasguptai*](#) (Nandi, 1979)
 [*Sarcophaga incisilobata*](#) Pandellé, 1896
 [*Sarcophaga kentejana*](#) (Rohdendorf, 1937)
 [*Sarcophaga lushainensis*](#) (Nandi, 1992)
 [*Sarcophaga niculescui*](#) (Lehrer, 1994)
 [*Sarcophaga platariae*](#) (Povolný, 1992)
 [*Sarcophaga pulla*](#) Aldrich, 1916
 [*Sarcophaga solitaria*](#) (Povolný, 1998)
 [*Sarcophaga transpyrenaica*](#) (Povolný, 1995)
 Subgenus Tolucamyia Dodge, 1965
 [*Sarcophaga cavagnaroi*](#) (Dodge, 1965)
 [*Sarcophaga schrameli*](#) Dodge, 1967
 [*Sarcophaga sigilla*](#) Reinhard, 1947
 Subgenus Torgopampa Lopes, 1975
 Subgenus Transvaalomyia Lehrer, 1992

[*Sarcophaga erlangeri*](#) (Lehrer & Lehrer, 1992)
[*Sarcophaga somalica*](#) Rudzinski & Baumjohann, 2009
 Subgenus Tuberomembrana Fan, 1981
 [*Sarcophaga xizangensis*](#) (Fan, 1981)
 Subgenus Uroxanthisca Rohdendorf, 1963
 [*Sarcophaga absurda*](#) (Lehrer, 2000)
 [*Sarcophaga benefactor*](#) Malloch, 1929
 [*Sarcophaga calicifera*](#) Böttcher, 1912
 [*Sarcophaga dispessa*](#) Villeneuve, 1936
 [*Sarcophaga eos*](#) Zumpt, 1955
 [*Sarcophaga furcoides*](#) Zumpt, 1967
 [*Sarcophaga germaini*](#) Rickenbach, 1977
 [*Sarcophaga inducta*](#) Curran, 1934
 [*Sarcophaga liberiphaga*](#) (Lehrer, 2005)
 [*Sarcophaga lindneriana*](#) Zumpt, 1954
 [*Sarcophaga malgache*](#) Zumpt, 1964
 [*Sarcophaga plutus*](#) Zumpt, 1954
 [*Sarcophaga selene*](#) (Curran, 1934)
 Subgenus Variosellea Xue, 1979
 [*Sarcophaga aldrichi*](#) Parker, 1916
 Subgenus Virugana
 [*Sarcophaga musitali*](#) Curran, 1934
 Subgenus Wittemyia
 [*Sarcophaga turkanella*](#) Lehrer, 2008
 Subgenus Wohlfahrtiopsis Townsend, 1917
 [*Sarcophaga beeri*](#) Dodge, 1966
 [*Sarcophaga bishoppi*](#) Aldrich, 1916
 [*Sarcophaga georgiana*](#) Dodge, 1966
 [*Sarcophaga johnsoni*](#) Aldrich, 1916
 [*Sarcophaga kesseli*](#) Dodge, 1966
 [*Sarcophaga utilis*](#) Aldrich, 1915
 Subgenus Xanthopterisca Rohdendorf, 1963
 [*Sarcophaga aheria*](#) (Lehrer, 1996)
 [*Sarcophaga condona*](#) (Curran, 1934)
 [*Sarcophaga dromaficana*](#) (Lehrer, 2001)
 [*Sarcophaga elegantipes*](#) Villeneuve, 1921
 [*Sarcophaga freidbergi*](#) (Lehrer, 2001)
 [*Sarcophaga gadiriana*](#) (Lehrer, 1996)
 [*Sarcophaga mazaliana*](#) (Lehrer, 1996)
 [*Sarcophaga nihbadella*](#) (Lehrer, 1996)
 [*Sarcophaga regularis*](#) Wiedemann, 1830
 [*Sarcophaga ziegleri*](#) (Lehrer, 2005)
 [*Sarcophaga zulunata*](#) (Lehrer, 2005)
 Subgenus Yemeniella Lehrer, 2005
 [*Sarcophaga friedmani*](#) (Lehrer, 2008)
 [*Sarcophaga suhaylia*](#) (Lehrer, 2005)
 Subgenus Yunnanisca Verves, 1997
 [*Sarcophaga fani*](#) (Li & Ye, 1985)
 Subgenus Ziminisca Rohdendorf, 1965

[*Sarcophaga semenovi*](#) Rohdendorf, 1925

Subgenus Zombanella Lehrer, 1993

[*Sarcophaga ehrlichi*](#) (Lehrer, 1993)

Subgenus Zumptiopsis Lehrer, 1992

[*Sarcophaga hera*](#) Zumpt, 1972

[*Sarcophaga sapitwana*](#) (Lehrer, 2011)

[*Sarcophaga surda*](#) Curran, 1934

Subgenus Zumptisca Rohdendorf, 1963

[*Sarcophaga bulamatadi*](#) Curran, 1934

[*Sarcophaga oharai*](#) (Lehrer, 1994)

[*Sarcophaga retrostylata*](#) (Lehrer, 2009)

Subgenus not assigned

[*Sarcophaga aenigmoides*](#) Povolný, 1987

[*Sarcophaga agrestis*](#) (Robineau-Desvoidy, 1863)

[*Sarcophaga ambon*](#) Pape, 1995

[*Sarcophaga baruai*](#) Sugiyama, Shinonaga & Kano, 1988

[*Sarcophaga beninella*](#) (Lehrer, 2003)

[*Sarcophaga berberina*](#) (Lehrer, 2003)

[*Sarcophaga birganjensis*](#) Sugiyama, 1988

[*Sarcophaga borodorf*](#) Pape, 1996

[*Sarcophaga brachiata*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga caledonia*](#) Pape, 1996

[*Sarcophaga claviger*](#) Blackith & Blackith, 1988

[*Sarcophaga curvicercus*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga daciana*](#) Lehrer, 2008

[*Sarcophaga dawahi*](#) Deeming, 2024

[*Sarcophaga diatraeae*](#) (Brèthes, 1927)

[*Sarcophaga discifera*](#) Pandellé, 1896

[*Sarcophaga disneyi*](#) Blackith & Blackith, 1988

[*Sarcophaga distincta*](#) Salem, 1946

[*Sarcophaga diurpaneia*](#) Lehrer, 2008

[*Sarcophaga dumoga*](#) Sugiyama & Kurahashi, 1988

[*Sarcophaga fenchihuensis*](#) Sugiyama, 1987

[*Sarcophaga hirsuta*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga hugoi*](#) Pape, 1996

[*Sarcophaga isorokui*](#) Shinonaga & Kano, 1993

[*Sarcophaga karachiensis*](#) Bilqees, Ali & Khan, 1984

[*Sarcophaga karna*](#) Pape, 1996

[*Sarcophaga kartabo*](#) Curran & Walley, 1934

[*Sarcophaga kiyokoae*](#) Chaiwong, Sukontason & Sukontason, 2009

[*Sarcophaga limbatella*](#) (Bezzi, 1928)

[*Sarcophaga malaitensis*](#) Shinonaga & Kano, 1993

[*Sarcophaga maramureshana*](#) Lehrer, 2008

[*Sarcophaga mariobezzi*](#) Pape, 1991

[*Sarcophaga melania*](#) (Shinonaga & Tumrasvin, 1979)

[*Sarcophaga menadensis*](#) Shinonaga, 2004

[*Sarcophaga mersinensis*](#) Pekbey, 2020

[*Sarcophaga mimobrevicornis*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga montiblensis*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga nigradorsalis*](#) Shinonaga & Kano, 1993
[*Sarcophaga omari*](#) (Kurahashi & Leh, 2007)
[*Sarcophaga palavae*](#) Povolný, 1993
[*Sarcophaga pandifera*](#) Blackith & Pape, 1999
[*Sarcophaga panormi*](#) Povolný, 1998
[*Sarcophaga polita*](#) Malloch, 1929
[*Sarcophaga quinquerosa*](#) Sugiyama, Shinonaga & Kano, 1990
[*Sarcophaga robustispinosa*](#) Sugiyama, Shinonaga & Kano, 1990
[*Sarcophaga rozkosnyi*](#) Povolný, 2001
[*Sarcophaga smithiana*](#) Pape, 1996
[*Sarcophaga sorrow*](#) Pape, 1995
[*Sarcophaga spinipenis*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga suffa*](#) Pape, 1996
[*Sarcophaga tephroides*](#) Shinonaga & Kano, 1993
[*Sarcophaga vanuatu*](#) Pape, 1991
[*Sarcophaga vitilevensis*](#) Shinonaga & Kano, 1993
[*Sarcophaga wiesenthalii*](#) Lehrer, 1989
[*Sarcophaga wyatti*](#) (Nandi, 1994)
[*Sarcophaga yuwanensis*](#) Sugiyama, 1991
[*Sarcophaga zimba*](#) Pape, 1996

This is a list of 339 species in [*Sapromyza*](#), a genus of flies in the family [*Lauxaniidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Sapromyza* species**

- [*Sapromyza abhorens*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza acrostichalis*](#) Sasakawa, 2001 ^{c g}
- [*Sapromyza adriani*](#) Baez, 2000 ^{c g}
- [*Sapromyza affra*](#) Rondani, 1863 ^{c g}
- [*Sapromyza afghanica*](#) Papp, 1979 ^{c g}
- [*Sapromyza agromyzina*](#) (Kertész, 1913) ^{c g}
- [*Sapromyza alazonica*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza albibasis*](#) Sasakawa, 1995 ^{c g}
- [*Sapromyza albiceps*](#) Fallén, 1820
- [*Sapromyza albicincta*](#) (Meijere, 1916) ^{c g}
- [*Sapromyza albifacies*](#) Czerny, 1932 ^{c g}
- [*Sapromyza albipes*](#) Coquillett, 1904 ^{c g}
- [*Sapromyza albitarsis*](#) (Meigen, 1826) ^{c g}
- [*Sapromyza alboatra*](#) Malloch, 1926 ^{c g}
- [*Sapromyza albuliceps*](#) Czerny, 1932

- [Sapromyza alpina](#) Merz, 2007 ^{c g}
- [Sapromyza amabilis](#) Frey, 1930
- [Sapromyza amphibola](#) Shatalkin, 1993 ^{c g}
- [Sapromyza analis](#) Macquart, 1846 ^{c g}
- [Sapromyza annulifera](#) Malloch, 1929 ^{c g}
- [Sapromyza annulipes](#) Macquart, 1851 ^{c g}
- [Sapromyza antennata](#) Becker, 1895 ^{c g}
- [Sapromyza apicalis](#) Loew, 1847
- [Sapromyza appula](#) (Walker, 1849) ^{c g}
- [Sapromyza arctophila](#) Shatalkin, 1993 ^{c g}
- [Sapromyza ardesiaca](#) Shatalkin, 1993 ^{c g}
- [Sapromyza arenaria](#) Tonnoir & Malloch, 1926 ^{c g}
- [Sapromyza argus](#) Macquart, 1846 ^{c g}
- [Sapromyza arkitana](#) Shatalkin, 1999 ^{c g}
- [Sapromyza atrimana](#) Malloch, 1928 ^{c g}
- [Sapromyza atripes](#) (Meigen, 1838) ^{c g}
- [Sapromyza atrivena](#) Shewell, 1971 ^{c g}
- [Sapromyza aureocapitata](#) Malloch, 1926 ^{c g}
- [Sapromyza avicola](#) Malloch, 1927 ^{c g}
- [Sapromyza basalis](#) Zetterstedt, 1847
- [Sapromyza basipunctata](#) Kertész, 1900 ^{c g}
- [Sapromyza beccarii](#) Kertész, 1900 ^{c g}
- [Sapromyza beckeriana](#) Baez, 2000 ^{c g}
- [Sapromyza bergenstammi](#) (Czerny, 1932) ^{c g}
- [Sapromyza bergi](#) Shatalkin, 1993 ^{c g}
- [Sapromyza binotata](#) Macquart, 1835 ^{c g}
- [Sapromyza biordinata](#) Czerny, 1932 ^{c g}
- [Sapromyza bipunctata](#) Say, 1829 ^{c g}
- [Sapromyza biscoitoi](#) Baez, 2001 ^{c g}
- [Sapromyza bisigillata](#) Rondani, 1868
- [Sapromyza blanchardi](#) Malloch, 1933 ^{c g}
- [Sapromyza brachysoma](#) Coquillett, 1898 ^{i c g b}
- [Sapromyza brasiliensis](#) Walker, 1853 ^{c g}
- [Sapromyza brunneovittata](#) Malloch, 1926 ^{c g}
- [Sapromyza brunnitarsis](#) Macquart, 1835 ^{c g}
- [Sapromyza cabrilsensis](#) Carles-Tolra, 1993 ^{c g}
- [Sapromyza caeruleophthalmica](#) (Scopoli, 1763) ^{c g}

- [*Sapromyza carinatula*](#) Shatalkin, 1992 ^{c g}
- [*Sapromyza cerata*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza chiloensis*](#) Malloch, 1933 ^{c g}
- [*Sapromyza chlorophthalma*](#) Zetterstedt, 1838 ^{c g}
- [*Sapromyza cincitventris*](#) Czerny, 1932 ^{c g}
- [*Sapromyza cinctipes*](#) (Meijere, 1910) ^{c g}
- [*Sapromyza cinerea*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza citrina*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza citrinella*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza claripennis*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza clathrata*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza columbi*](#) Frey, 1936
- [*Sapromyza connexa*](#) (Say, 1829) ^{c g}
- [*Sapromyza conspicua*](#) Malloch, 1929 ^{c g}
- [*Sapromyza ctenophora*](#) Sasakawa, 2001 ^{c g}
- [*Sapromyza cyclops*](#) Melander, 1913 ^{i c g}
- [*Sapromyza delicatula*](#) Blanchard, 1852 ^{c g}
- [*Sapromyza dichromata*](#) Walker, 1849 ^{c g}
- [*Sapromyza dichromocera*](#) Czerny, 1933 ^{c g}
- [*Sapromyza discontinua*](#) Bezzi, 1928 ^{c g}
- [*Sapromyza dispersa*](#) (Pandelle, 1902) ^{c g}
- [*Sapromyza dorsalis*](#) Macquart, 1835 ^{c g}
- [*Sapromyza drahamensis*](#) Villeneuve, 1921 ^{c g}
- [*Sapromyza dubiella*](#) Evenhuis, 1989 ^{c g}
- [*Sapromyza duodecimvittata*](#) (Frey, 1918) ^{c g}
- [*Sapromyza edwardsi*](#) Malloch, 1933 ^{c g}
- [*Sapromyza elegans*](#) Kertész, 1900 ^{c g}
- [*Sapromyza emmesa*](#) Malloch, 1933 ^{c g}
- [*Sapromyza erimae*](#) Kertész, 1900 ^{c g}
- [*Sapromyza eronis*](#) Curran, 1934 ^{c g}
- [*Sapromyza exul*](#) Williston, 1896 ^{c g}
- [*Sapromyza faciatifrons*](#) (Kertész, 1913) ^g
- [*Sapromyza fasciatifrons*](#) (Kertész, 1913) ^{c g}
- [*Sapromyza femoralis*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza ferdinandi*](#) (Frey, 1919) ^{c g}
- [*Sapromyza ferganica*](#) Shatalkin, 1996 ^{c g}

- [*Sapromyza ferruginea*](#) (Macquart, 1848) ^{c g}
- [*Sapromyza flava*](#) (Robineau-Desvoidy, 1830) ^c
- [*Sapromyza flavimana*](#) Malloch, 1926 ^{c g}
- [*Sapromyza flavipes*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza flavodorsalis*](#) Malloch, 1927 ^{c g}
- [*Sapromyza flavopleura*](#) Malloch, 1927 ^{c g}
- [*Sapromyza freidbergi*](#) Yarom, 1990 ^{c g}
- [*Sapromyza frontalis*](#) Macquart, 1843 ^{c g}
- [*Sapromyza fulvicornis*](#) Malloch, 1933 ^{c g}
- [*Sapromyza fuscidula*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza fuscocostata*](#) Malloch, 1925 ^{c g}
- [*Sapromyza fuscolimbata*](#) Malloch, 1926 ^{c g}
- [*Sapromyza fuscotestacea*](#) Zetterstedt, 1849 ^{c g}
- [*Sapromyza geniculata*](#) Macquart, 1843 ^{c g}
- [*Sapromyza gestroi*](#) Kertész, 1900 ^{c g}
- [*Sapromyza gibbosa*](#) Thomson, 1869 ^{c g}
- [*Sapromyza gomerensis*](#) Baez, 2000 ^{c g}
- [*Sapromyza gozmanyi*](#) Papp, 1981 ^{c g}
- [*Sapromyza griseadorsalis*](#) Malloch, 1926 ^{c g}
- [*Sapromyza grossipes*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza guttulata*](#) Macquart, 1846 ^{c g}
- [*Sapromyza halidayi*](#) Shatalkin, 2000 ^{c g}
- [*Sapromyza hardii*](#) Lower, 1953 ^{c g}
- [*Sapromyza helomyzoides*](#) Becker, 1919 ^{c g}
- [*Sapromyza hermonensis*](#) Yarom, 1990 ^{c g}
- [*Sapromyza hieroglyphica*](#) Malloch, 1927 ^{c g}
- [*Sapromyza hierrensis*](#) Baez, 2000 ^{c g}
- [*Sapromyza hirtiloba*](#) Frey, 1949
- [*Sapromyza hissarica*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza hyalinata*](#) (Meigen, 1826)
- [*Sapromyza hyalipennis*](#) (Meijere, 1914) ^{c g}
- [*Sapromyza hypocrita*](#) Kertész, 1900 ^{c g}
- [*Sapromyza imitans*](#) Baez, 2001 ^{c g}
- [*Sapromyza immaculipes*](#) Malloch, 1926 ^{c g}
- [*Sapromyza impar*](#) Kertész, 1900 ^{c g}
- [*Sapromyza impunctata*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza incidens*](#) Curran, 1934 ^{c g}

- [Sapromyza inconspicua](#) Baez, 2001 ^{c g}
- [Sapromyza indigena](#) Becker, 1908
- [Sapromyza infumata](#) Becker, 1908
- [Sapromyza ingrata](#) Williston, 1896 ^{c g}
- [Sapromyza innuba](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza insolita](#) Shatalkin, 1993 ^{c g}
- [Sapromyza insularis](#) (Schiner, 1868) ^{c g}
- [Sapromyza interiecta](#) Walker, 1849 ^{c g}
- [Sapromyza interjecta](#) (Walker, 1849) ^c
- [Sapromyza intonsa](#) Loew, 1847
- [Sapromyza intonsina](#) Yarom, 1990 ^{c g}
- [Sapromyza inversa](#) Malloch, 1929 ^{c g}
- [Sapromyza invertebrata](#) Bezzi, 1928 ^{c g}
- [Sapromyza israelis](#) Yarom, 1990 ^{c g}
- [Sapromyza kabuli](#) Papp, 1979 ^{c g}
- [Sapromyza krivosheinae](#) Shatalkin, 1999 ^{c g}
- [Sapromyza laevatrispina](#) Carles-Tolra, 1992 ^{c g}
- [Sapromyza lancifera](#) Malloch, 1926 ^{c g}
- [Sapromyza laszlopappi](#) Merz, 2007 ^{c g}
- [Sapromyza latelimbata](#) Macquart, 1855 ^{c g}
- [Sapromyza lateralis](#) Walker, 1853 ^{c g}
- [Sapromyza lateritia](#) Rondani, 1863 ^{c g}
- [Sapromyza laticincta](#) Shatalkin, 1999 ^{c g}
- [Sapromyza laurisilvae](#) Baez, 2001 ^{c g}
- [Sapromyza lebasii](#) Macquart, 1843 ^{c g}
- [Sapromyza leptoptera](#) (Frey, 1919) ^{c g}
- [Sapromyza lichtwardti](#) Malloch, 1930 ^{c g}
- [Sapromyza limbinerva](#) Rondani, 1848 ^{c g}
- [Sapromyza lineata](#) (Walker, 1853) ^{c g}
- [Sapromyza lineatocollis](#) Blanchard, 1852 ^{c g}
- [Sapromyza lineatus](#) Williston, 1896 ^c
- [Sapromyza longimentula](#) Sasakawa, 2001 ^{c g}
- [Sapromyza lopesi](#) Shewell, 1989 ^{c g}
- [Sapromyza lorentzi](#) (Meijere, 1913) ^{c g}
- [Sapromyza loriae](#) Kertész, 1900 ^{c g}
- [Sapromyza lupulinoides](#) Williston, 1897 ^{c g}
- [Sapromyza macrochaeta](#) Shatalkin, 1999 ^{c g}

- [Sapromyza maculipennis](#) Loew, 1847 ^{c g}
- [Sapromyza madeirensis](#) Frey, 1949
- [Sapromyza maghrebi](#) Papp, 1981 ^{c g}
- [Sapromyza magnifica](#) Malloch, 1926 ^{c g}
- [Sapromyza mallochi](#) (Hendel, 1932) ^{c g}
- [Sapromyza mallochiana](#) Evenhuis & Okadome, 1989 ^{c g}
- [Sapromyza maquilingensis](#) Malloch, 1929 ^{c g}
- [Sapromyza marginalis](#) (Walker, 1858) ^{c g}
- [Sapromyza mariae](#) Malloch, 1927 ^{c g}
- [Sapromyza mauli](#) Baez, 2001 ^{c g}
- [Sapromyza melanocephala](#) (Kertész, 1915) ^{c g}
- [Sapromyza melanura](#) Zetterstedt, 1847 ^{c g}
- [Sapromyza metallica](#) Walker, 1853 ^{c g}
- [Sapromyza micropyga](#) Malloch, 1933 ^{c g}
- [Sapromyza mikii](#) Strobl, 1892
- [Sapromyza minuta](#) Kertész, 1900 ^{c g}
- [Sapromyza mollis](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza mongolorum](#) Remm & El'berg, 1980 ^{c g}
- [Sapromyza monticola](#) Melander, 1913 ^{i c g}
- [Sapromyza montis](#) Becker, 1914 ^{c g}
- [Sapromyza morokana](#) Kertész, 1900 ^{c g}
- [Sapromyza multimaculata](#) Yarom, 1990 ^{c g}
- [Sapromyza multiseriata](#) Czerny, 1932
- [Sapromyza neozelandica](#) Tonnoir & Malloch, 1926
- [Sapromyza nigerrima](#) Becker, 1919 ^{c g}
- [Sapromyza nigrans](#) (Melander, 1913) ^{i c g}
- [Sapromyza nigriceps](#) Macquart, 1851 ^{c g}
- [Sapromyza nigricornis](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza nigrifrontata](#) Becker, 1919 ^{c g}
- [Sapromyza nigripalpus](#) (Walker, 1849) ^{i c g}
- [Sapromyza nigripes](#) Macquart, 1843 ^{c g}
- [Sapromyza nigriventris](#) Blanchard, 1852 ^{c g}
- [Sapromyza nigroapicata](#) Malloch, 1926 ^{c g}
- [Sapromyza nitida](#) Czerny, 1932
- [Sapromyza novempunctata](#) Gimmerthal, 1847 ^{c g}
- [Sapromyza nudiseta](#) Shatalkin, 1999 ^{c g}
- [Sapromyza nudiuscula](#) Lamb, 1912 ^{c g}

- [*Sapromyza obesa* Zetterstedt, 1847](#)
- [*Sapromyza obscuripennis* Loew, 1847](#) ^{c g}
- [*Sapromyza obsoleta* Fallén, 1820](#)
- [*Sapromyza obscuripennis* Loew, 1847](#)
- [*Sapromyza occipitalis* Malloch, 1926](#) ^{c g}
- [*Sapromyza octopuncta* Wiedemann, 1830](#) ^{c g}
- [*Sapromyza oestrachion* Schiner, 1868](#) ^{c g}
- [*Sapromyza ombriosa* Baez, 2000](#) ^{c g}
- [*Sapromyza opaca* Becker, 1895](#)
- [*Sapromyza ornata* Schiner, 1868](#) ^{c g}
- [*Sapromyza pallens* Blanchard, 1852](#) ^{c g}
- [*Sapromyza pallida* Fallen, 1820](#) ^{c g}
- [*Sapromyza pallidicornis* Loew, 1857](#) ^{c g}
- [*Sapromyza palmensis* Baez, 2000](#) ^{c g}
- [*Sapromyza palpella* Rondani, 1868](#)
- [*Sapromyza palustris* \(Robineau-Desvoidy, 1830\)](#) ^{c g}
- [*Sapromyza parallela* Carles-Tolra, 1992](#) ^{c g}
- [*Sapromyza paramerata* Shatalkin, 1993](#) ^{c g}
- [*Sapromyza parviceps* Malloch, 1926](#) ^{c g}
- [*Sapromyza parvula* Blanchard, 1852](#) ^{c g}
- [*Sapromyza pellopleura* Sasakawa, 2001](#) ^{c g}
- [*Sapromyza persica* Shatalkin, 1996](#) ^{c g}
- [*Sapromyza persimillima* Harrison, 1959](#) ^{c g}
- [*Sapromyza peterseni* Malloch, 1927](#) ^{c g}
- [*Sapromyza picea* Shatalkin, 1996](#) ^{c g}
- [*Sapromyza picrula* Williston, 1897](#) ^{c g}
- [*Sapromyza picticornis* \(Curran, 1942\)](#) ^{c g}
- [*Sapromyza pictigera* Malloch, 1935](#) ^{c g}
- [*Sapromyza pilifrons* Malloch, 1926](#) ^{c g}
- [*Sapromyza pistaciphila* Shatalkin, 1993](#) ^{c g}
- [*Sapromyza placida* Meigen, 1830](#) ^{c g}
- [*Sapromyza plana* \(Curran, 1942\)](#) ^{c g}
- [*Sapromyza plantaris* Thomson, 1869](#) ^{c g}
- [*Sapromyza pleuralis* \(Kertész, 1913\)](#) ^{c g}
- [*Sapromyza plumiseta* Malloch, 1927](#) ^{c g}
- [*Sapromyza poecilogastra* \(Meijere, 1916\)](#) ^{c g}
- [*Sapromyza pollinifrons* Malloch, 1927](#) ^{c g}

- [Sapromyza pseudohyalinata](#) Papp, 2004 ^{c g}
- [Sapromyza pseudopaca](#) Shatalkin, 1993 ^{c g}
- [Sapromyza pseudovirilis](#) Shewell, 1971 ^{c g}
- [Sapromyza puella](#) Williston, 1896 ^{c g}
- [Sapromyza pulchripennis](#) Kertész, 1900 ^{c g}
- [Sapromyza punctata](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza punctigera](#) (Doleschall, 1858) ^g
- [Sapromyza punctiseta](#) Malloch, 1925 ^{c g}
- [Sapromyza punctulata](#) Kertész, 1900 ^{c g}
- [Sapromyza pusillima](#) (Meijere, 1914) ^{c g}
- [Sapromyza quadrangulata](#) (Meijere, 1924) ^{c g}
- [Sapromyza quadrata](#) Bezzi, 1908 ^{c g}
- [Sapromyza quadricincta](#) Becker, 1895 ^{c g}
- [Sapromyza quadridentata](#) Sasakawa, 2001 ^{c g}
- [Sapromyza quadripunctata](#) (Linnaeus, 1767) ^{c g}
- [Sapromyza quadristrigata](#) Kertész, 1900 ^{c g}
- [Sapromyza quichuana](#) Brèthes, 1922 ^{c g}
- [Sapromyza quinquepunctata](#) Kertész, 1900 ^{c g}
- [Sapromyza quyanensis](#) Macquart, 1843 ^{c g}
- [Sapromyza ratzii](#) Kertész, 1900 ^{c g}
- [Sapromyza ravida](#) Shatalkin, 1996 ^{c g}
- [Sapromyza recurrens](#) (Meijere, 1913) ^{c g}
- [Sapromyza regalis](#) Malloch, 1926 ^{c g}
- [Sapromyza remmae](#) Shatalkin, 1996 ^{c g}
- [Sapromyza remota](#) Thomson, 1869 ^{c g}
- [Sapromyza rhodesiella](#) Curran, 1938 ^{c g}
- [Sapromyza ringens](#) Loew, 1862 ^{c g}
- [Sapromyza riparia](#) Malloch, 1927 ^{c g}
- [Sapromyza roberti](#) Meigen, 1838 ^{c g}
- [Sapromyza romanovi](#) Shatalkin, 1996 ^{c g}
- [Sapromyza rotundicornis](#) Loew, 1863 ^{i c g b}
- [Sapromyza rubescens](#) Macquart, 1843 ^{c g}
- [Sapromyza rubricornis](#) Becker, 1907 ^{c g}
- [Sapromyza rufifrons](#) (Walker, 1853) ^{c g}
- [Sapromyza schnabli](#) Papp, 1987 ^{c g}
- [Sapromyza schwarzi](#) Malloch, 1928 ^{c g}

- [Sapromyza sciomyzina](#) Schiner, 1868 ^{c g}
- [Sapromyza scutellaris](#) (Williston, 1896) ^{c g}
- [Sapromyza semiatra](#) Malloch, 1933 ^{c g}
- [Sapromyza septemnotata](#) Sasakawa, 2001 ^{c g}
- [Sapromyza setiventris](#) Zetterstedt, 1847
- [Sapromyza setosa](#) Thomson, 1869 ^{c g}
- [Sapromyza sexlitoris](#) Shatalkin, 1993 ^{c g}
- [Sapromyza sexmaculata](#) Sasakawa, 2001 ^{c g}
- [Sapromyza sexnotata](#) Zetterstedt, 1847 ^{c g}
- [Sapromyza sexpunctata](#) Meigen, 1826
- [Sapromyza shannoni](#) Malloch, 1933 ^{c g}
- [Sapromyza shewelli](#) Evenhuis, 1989 ^{c g}
- [Sapromyza sicca](#) Becker, 1914 ^{c g}
- [Sapromyza simillima](#) Tonnoir & Malloch, 1926 ^{c g}
- [Sapromyza simplicior](#) Hendel, 1908
- [Sapromyza simplicipes](#) Czerny, 1932 ^{c g}
- [Sapromyza sonax](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza sordida](#) Haliday, 1833 ^{c g}
- [Sapromyza sororia](#) Williston, 1896 ^{i c g}
- [Sapromyza sorosia](#) Williston, 1896 ^{c g}
- [Sapromyza speciosa](#) Remm & El'berg, 1980 ^{c g}
- [Sapromyza spinigera](#) Malloch, 1933 ^{c g}
- [Sapromyza stata](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza stigmatica](#) Malloch, 1926 ^{c g}
- [Sapromyza strahani](#) Malloch, 1927 ^{c g}
- [Sapromyza strigillifera](#) Shatalkin, 1993 ^{c g}
- [Sapromyza stroblii](#) Kertész, 1900 ^{c g}
- [Sapromyza suavis](#) Loew, 1847 ^{c g}
- [Sapromyza suffusa](#) Malloch, 1926 ^{c g}
- [Sapromyza takagii](#) Elberg, 1993 ^{c g}
- [Sapromyza talyshensis](#) Shatalkin, 1999 ^{c g}
- [Sapromyza tarsella](#) Zetterstedt, 1847 ^{c g}
- [Sapromyza tenebricosa](#) Lindner, 1956 ^{c g}
- [Sapromyza teneriffensis](#) Frey, 1936
- [Sapromyza ternatensis](#) Kertész, 1900 ^{c g}
- [Sapromyza thoracica](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza tinguarrea](#) Frey, 1936

- [Sapromyza tonnoiri](#) Malloch, 1927 ^{c g}
- [Sapromyza transcaspica](#) Shatalkin, 2000 ^{c g}
- [Sapromyza transcaucasica](#) Czerny, 1932 ^{c g}
- [Sapromyza transformata](#) Becker, 1908
- [Sapromyza triloba](#) Malloch, 1933 ^{c g}
- [Sapromyza trinotata](#) Costa, 1844 ^{c g}
- [Sapromyza triseriata](#) Coquillett, 1904 ^{c g}
- [Sapromyza tuberculosa](#) Becker, 1895
- [Sapromyza ultima](#) Baez, 2001 ^{c g}
- [Sapromyza umbraculata](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza undulata](#) Merz, 2007 ^{c g}
- [Sapromyza unicolorata](#) Malloch, 1926 ^{c g}
- [Sapromyza unizona](#) Hendel, 1908
- [Sapromyza urbana](#) Malloch, 1927 ^{c g}
- [Sapromyza variventris](#) Malloch, 1926 ^{c g}
- [Sapromyza venusta](#) Williston, 1896 ^{c g}
- [Sapromyza verena](#) Becker, 1919 ^{c g}
- [Sapromyza viciespunctata](#) Czerny, 1932
- [Sapromyza vicina](#) Meijere, 1907 ^{c g}
- [Sapromyza vicispunctata](#) Czerny, 1932 ^{c g}
- [Sapromyza victoriae](#) Malloch, 1925 ^{c g}
- [Sapromyza vinnula](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza virescens](#) (Macquart, 1851) ^{c g}
- [Sapromyza vittata](#) (Frey, 1917) ^{c g}
- [Sapromyza vumbella](#) Curran, 1938 ^{c g}
- [Sapromyza xanthiceps](#) Williston, 1897 ^{c g}
- [Sapromyza xenia](#) Malloch, 1935 ^{c g}
- [Sapromyza zebra](#) (Kertész, 1913) ^{c g}
- [Sapromyza zetterstedti](#) Hendel, 1908
- [Sapromyza ziminae](#) Shatalkin, 1996 ^{c g}
- [Sapromyza zlobini](#) Shatalkin, 1999 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 112 species in [*Saldula*](#), a genus of shore bugs in the family [*Saldidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Saldula* species**

- [*Saldula ablusa*](#) Drake & Hottes, 1954 ^{i c g b}
- [*Saldula ambigua*](#) Lindskog, 1985 ^{i c g}
- [*Saldula amoena*](#) (Reuter, 1876) ^{i c g}
- [*Saldula amplicollis*](#) (Reuter, 1891) ^{i c g}
- [*Saldula andrei*](#) Drake, 1949 ^{i c g}
- [*Saldula arenicola*](#) (Scholtz, 1847) ^{i c g}
- [*Saldula arsenjevi*](#) Vinokurov, 1981 ^{i c g}
- [*Saldula balli*](#) Drake, 1950 ^{i c g}
- [*Saldula basingeri*](#) Drake, 1949 ^{i c g}
- [*Saldula bengali*](#) Cobben, 1986 ^{i c g}
- [*Saldula boninana*](#) Drake, 1961 ^{i c g}
- [*Saldula bouchervillei*](#) (Provancher, 1872) ^{i c g}
- [*Saldula brevicornis*](#) Rimes, 1951 ^{i c g}
- [*Saldula burmanica*](#) Lindskog, 1975 ^{i c g}
- [*Saldula c-album*](#) (Fieber, 1859) ^{i c g}
- [*Saldula chartoscirtoides*](#) Cobben, 1986 ^{i c g}
- [*Saldula comata*](#) (Champion, 1900) ^{i c g}
- [*Saldula comatula*](#) Parshley, 1923 ^{i c g}
- [*Saldula confluenta*](#) (Say, 1832) ^{i c g}
- [*Saldula connemarae*](#) Walton, 1986 ^{i c g}
- [*Saldula coorongensis*](#) Rimes, 1951 ^{i c g}
- [*Saldula coxalis*](#) (Stål, 1873) ^{i c g}
- [*Saldula cygni*](#) (Kirkaldy, 1899) ^{i c g}
- [*Saldula dentulata*](#) (Hodgden, 1949) ^{i c g}
- [*Saldula differata*](#) Drake and Carvalho, 1948 ^{i c g}
- [*Saldula dispersa*](#) (Uhler, 1893) ^{i c g}
- [*Saldula durangoana*](#) J. Polhemus, 1972 ^{i c g}
- [*Saldula explanata*](#) (Uhler, 1893) ^{i c g}
- [*Saldula exulans*](#) (White, 1878) ^{i c g}
- [*Saldula filippii*](#) Cobben, 1987 ^{i c g}
- [*Saldula fucicola*](#) (Sahlberg, 1871) ^{i c g}
- [*Saldula fukiens*](#) Drake and Maa, 1954 ^{i c g}
- [*Saldula galapagosana*](#) J. Polhemus, 1968 ^{i c g}

- [*Saldula gidshaensis*](#) Cobben, 1987^{i c g}
- [*Saldula gilloglyi*](#) J. Polhemus and D. Polhemus, 2006^{i c g}
- [*Saldula guamensis*](#) Drake and Hottes, 1950^{i c g}
- [*Saldula hasegawai*](#) Cobben, 1985^{i c g}
- [*Saldula inconspicua*](#) Cobben, 1987^{i c g}
- [*Saldula inoana*](#) Drake, 1961^{i c g}
- [*Saldula intermedia*](#) Cobben, 1980^{i c g}
- [*Saldula javanica*](#) (Jaczewski, 1935)^{i c g}
- [*Saldula katonai*](#) Drake and Hoberlandt, 1950^{i c g}
- [*Saldula kauaiensis*](#) Cobben, 1980^{i c g}
- [*Saldula kurentzovi*](#) Vinokurov, 1979^{i c g}
- [*Saldula laevis*](#) (Champion, 1900)^{i c g}
- [*Saldula laticollis*](#) (Reuter, 1875)^{i c g}
- [*Saldula lattini*](#) Chapman and J. Polhemus, 1965^{i c g}
- [*Saldula lindbergi*](#) Lindskog, 1975^{i c g}
- [*Saldula lindskogi*](#) Vinokurov, 2004^{i c g}
- [*Saldula lita*](#) Drake, 1961^{i c g}
- [*Saldula lomata*](#) J. Polhemus, 1985^{i c g b}
- [*Saldula longicornis*](#) Cobben, 1980^{i c g}
- [*Saldula luctuosa*](#) (Stål, 1859)^{i c g}
- [*Saldula luteola*](#) Lindskog and J. Polhemus, 1992^{i c g}
- [*Saldula madagascariensis*](#) Cobben, 1987^{i c g}
- [*Saldula mariae*](#) Vinokurov, 1978^{i c g}
- [*Saldula melanoscela*](#) (Fieber, 1859)^{i c g}
- [*Saldula misis*](#) Seidenstücker, 1964^{i c g}
- [*Saldula montana*](#) Cobben and J. Polhemus, 1966^{i c g}
- [*Saldula montensis*](#) Cobben, 1987^{i c g}
- [*Saldula montigena*](#) Cobben, 1987^{i c g}
- [*Saldula montivaga*](#) Cobben, 1987^{i c g}
- [*Saldula nicholsoni*](#) (Hale, 1924)^{i c g}
- [*Saldula nigrita*](#) Parshley, 1921^{i c g}
- [*Saldula nitidula*](#) (Puton, 1880)^g
- [*Saldula niveolimbata*](#) (Reuter, 1900)^{i c g}
- [*Saldula nobilis*](#) (Horváth, 1883)^{i c g}
- [*Saldula notalis*](#) Drake, 1950^g
- [*Saldula notera*](#) Drake, 1963^{i c g}

- [*Saldula nubigena*](#) (Kirkaldy, 1908) ^{i c g}
- [*Saldula oahuensis*](#) (Blackburn, 1888) ^{i c g}
- [*Saldula opacula*](#) (Zetterstedt, 1838) ^{i c g b}
- [*Saldula piparia*](#) Drake and Hottes, 1955 ^{i c g}
- [*Saldula orbiculata*](#) (Uhler, 1877) ^{i c g b}
- [*Saldula orthochila*](#) (Fieber, 1859) ^{i c g}
- [*Saldula palauana*](#) Drake, 1961 ^{i c g}
- [*Saldula pallipes*](#) (Fabricius, 1794) ^{i c g b}
- [*Saldula palustris*](#) (Douglas, 1874) ^{i c g}
- [*Saldula parens*](#) Cobben, 1986 ^{i c g}
- [*Saldula penningtoni*](#) Drake and Carvalho, 1948 ^{i c g}
- [*Saldula pericarti*](#) Vinokurov, 2012 ^{i c g}
- [*Saldula pexa*](#) Drake, 1950 ^{i c g}
- [*Saldula pilosella*](#) (Thomson, 1871) ^{i c g}
- [*Saldula procellaris*](#) (Kirkaldy, 1908) ^{i c g}
- [*Saldula pruinosa*](#) Cobben, 1987 ^{i c g}
- [*Saldula psammobia*](#) Rimes, 1951 ^{i c g}
- [*Saldula quadrilineata*](#) (Jakovlev, 1865) ^{i c g}
- [*Saldula recticollis*](#) (Horváth, 1899) ^{i c g}
- [*Saldula reuteriella*](#) (Kirkaldy, 1899) ^{i c g}
- [*Saldula robertusingeri*](#) Cobben, 1982 ^{i c g}
- [*Saldula saltatoria*](#) (Linnaeus, 1758) ^{i c g b} (common shorebug)
- [*Saldula sardoa*](#) Filippi, 1957 ^{i c g}
- [*Saldula scitula*](#) Drake and Hottes, 1950 ^{i c g}
- [*Saldula setulosa*](#) (Puton, 1880) ^{i c g}
- [*Saldula severini*](#) Harris, 1943 ^{i c g}
- [*Saldula sibiricola*](#) Cobben, 1985 ^{i c g}
- [*Saldula solomonensis*](#) Cobben, 1986 ^{i c g}
- [*Saldula sonneveldti*](#) Blöte, 1947 ^{i c g}
- [*Saldula subcarinata*](#) (China, 1924) ^{i c g}
- [*Saldula subsolans*](#) Drake and Hottes, 1950 ^{i c g}
- [*Saldula sulcicollis*](#) (Champion, 1900) ^{i c g}
- [*Saldula tahitiensis*](#) Cobben, 1961 ^{i c g}
- [*Saldula taiwanensis*](#) Cobben, 1985 ^{i c g}
- [*Saldula tuberculata*](#) Cobben, 1987 ^{i c g}
- [*Saldula uichancoi*](#) Drake and Viado, 1951 ^{i c g}

- [*Saldula usingeri*](#) J. Polhemus, 1967^{i c g}
- [*Saldula villosa*](#) (Hodgden, 1949)^{i c g}
- [*Saldula waltoni*](#) Cobben and J. Polhemus, 1966^{i c g}
- [*Saldula xanthoa*](#) Cobben, 1987^{i c g}
- [*Saldula xanthochila*](#) (Fieber, 1859)^{i c g}
- [*Saldula zairensis*](#) Cobben, 1987^{i c g}
- [*Saldula zena*](#) J. Polhemus, 1985^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 107 species in [*Rogas*](#), a genus of wasp in the family [*Braconidae*](#).^{[1][2][3]}

***Rogas* species**

- [*Rogas abraxas*](#) Bano, 2001^{c g}
- [*Rogas aequalis*](#) (Szepligeti, 1914)^{c g}
- [*Rogas annulifemur*](#) (Enderlein, 1920)^{c g}
- [*Rogas areatus*](#) (Enderlein, 1920)^{c g}
- [*Rogas areolatus*](#) (Szepligeti, 1914)^{c g}
- [*Rogas ashmeadi*](#) Watanabe, 1957^{c g}
- [*Rogas asmaranus*](#) (Enderlein, 1920)^{c g}
- [*Rogas atripes*](#) (Szepligeti, 1914)^{c g}
- [*Rogas baguioensis*](#) Shenefelt, 1975^{c g}
- [*Rogas banksi*](#) (Baker, 1917)^{c g}
- [*Rogas benguetensis*](#) (Baker, 1917)^{c g}
- [*Rogas bevisi*](#) (Brues, 1926)^c
- [*Rogas bicolor*](#) (Schrottky, 1915)^{c g}
- [*Rogas bicoloratus*](#) (Enderlein, 1920)^{c g}
- [*Rogas breviventris*](#) (Enderlein, 1912)^{c g}
- [*Rogas brownii*](#) (Baker, 1917)^{c g}
- [*Rogas capensis*](#) (Cameron, 1905)^{c g}
- [*Rogas cerurae*](#) (Ashmead, 1889)^{c g}
- [*Rogas ceylonicus*](#) (Enderlein, 1912)^c
- [*Rogas citernii*](#) (Mantero, 1904)^{c g}
- [*Rogas coloratus*](#) Motschoulsky, 1863^{c g}

- [*Rogas crassipalpus*](#) (Enderlein, 1912) ^{c g}
- [*Rogas desertus*](#) (Telenga, 1941) ^c
- [*Rogas ecuadoriensis*](#) (Brues, 1926) ^{c g}
- [*Rogas elongatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas erythroderus*](#) (Spinola, 1851) ^{c g}
- [*Rogas eupoeviae*](#) (Ashmead, 1897) ^{c g}
- [*Rogas fascipennis*](#) (Cresson, 1869) ^{c g}
- [*Rogas festivus*](#) (Statz, 1938) ^{c g}
- [*Rogas flavomarginatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas flavus*](#) (Baker, 1917) ^{c g}
- [*Rogas fritschii*](#) (Brues, 1933) ^{c g}
- [*Rogas fulvinervis*](#) (Cameron, 1911) ^{c g}
- [*Rogas fusciceps*](#) (Cresson, 1869) ^{c g}
- [*Rogas fuscovarius*](#) (Cresson, 1865) ^{c g}
- [*Rogas grandimaculatus*](#) (Cameron, 1910) ^{c g}
- [*Rogas hova*](#) (Granger, 1949) ^c
- [*Rogas iliganensis*](#) Shenefelt, 1975 ^{c g}
- [*Rogas inaequalis*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas indianensis*](#) Muesebeck & Walkley, 1951 ^{c g}
- [*Rogas indicus*](#) (Cameron, 1910) ^c
- [*Rogas insignicornis*](#) (Granger, 1949) ^{c g}
- [*Rogas insignis*](#) (Brues, 1926) ^{c g}
- [*Rogas kanpurensis*](#) (Pant, 1960) ^{c g}
- [*Rogas lateralis*](#) (Cameron, 1905) ^{c g}
- [*Rogas longicollis*](#) (Baker, 1917) ^{c g}
- [*Rogas luteus*](#) Nees, 1834 ^{c g}
- [*Rogas luzonensis*](#) (Baker, 1917) ^{c g}
- [*Rogas maculicornis*](#) (Brues, 1926) ^{c g}
- [*Rogas melanocephalus*](#) (Cameron, 1887) ^c
- [*Rogas melanocerus*](#) (Cameron, 1906) ^{c g}
- [*Rogas melanosoma*](#) (Ashmead, 1905) ^{c g}
- [*Rogas melanospilus*](#) (Cameron, 1911) ^c
- [*Rogas melleus*](#) (Cresson, 1896) ^{c g}
- [*Rogas meridianus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas mimeuri*](#) (Ferriere, 1925) ^{c g}
- [*Rogas mimicus*](#) (Baker, 1917) ^{c g}

- [*Rogas modestus*](#) (Baker, 1917) ^{c g}
- [*Rogas nigricans*](#) Chen & He, 1997 ^{c g}
- [*Rogas nigricarpus*](#) (Szepligeti, 1907) ^c
- [*Rogas nigriceps*](#) (Brèthes, 1909) ^{c g}
- [*Rogas nigradorsum*](#) Belokobylskij, 1996 ^{c g}
- [*Rogas nigristigma*](#) Chen & He, 1997 ^{c g}
- [*Rogas nigronotatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas nigroornatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas nigrovenosus*](#) (Vojnovskaja-Krieger, 1935) ^{c g}
- [*Rogas orientalis*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas ornatus*](#) (Cresson, 1869) ^{c g}
- [*Rogas oyeyamensis*](#) (Watanabe, 1937) ^{c g}
- [*Rogas palavanicus*](#) (Baker, 1917) ^{c g}
- [*Rogas pallidipalpis*](#) (Cameron, 1911) ^{c g}
- [*Rogas pictipennis*](#) (Brues, 1924) ^c
- [*Rogas pilosus*](#) (Cameron, 1910) ^{c g}
- [*Rogas plecopterae*](#) (Chatterjee, 1943) ^{c g}
- [*Rogas praeustus*](#) (Fahringer, 1941) ^{c g}
- [*Rogas punctipleuris*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas pygmaeus*](#) (Enderlein, 1920) ^c
- [*Rogas roonensis*](#) (Cameron, 1910) ^{c g}
- [*Rogas roxanus*](#) (Telenga, 1941) ^{c g}
- [*Rogas rufifemur*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas ruspolii*](#) (Mantero, 1904) ^{c g}
- [*Rogas sanchezi*](#) (Baker, 1917) ^{c g}
- [*Rogas saturatus*](#) (Brues, 1926) ^{c g}
- [*Rogas scioensis*](#) (Mantero, 1904) ^{c g}
- [*Rogas semiluteus*](#) (Szepligeti, 1911) ^c
- [*Rogas semirufus*](#) (Szepligeti, 1911) ^{c g}
- [*Rogas separatus*](#) (Baker, 1917) ^{c g}
- [*Rogas siccitesta*](#) (Morley, 1937) ^{c g}
- [*Rogas signaticornis*](#) (Enderlein, 1920) ^{c g}
- [*Rogas signativena*](#) (Enderlein, 1920) ^{c g}
- [*Rogas somaliensis*](#) (Szepligeti, 1914) ^c
- [*Rogas speciosicornis*](#) (Granger, 1949) ^c
- [*Rogas steinbachi*](#) Mathur, 1957 ^{c g}

- [*Rogas striatifrons*](#) (Cameron, 1911) ^{c g}
- [*Rogas subquadratus*](#) (Baker, 1917) ^{c g}
- [*Rogas surrogatus*](#) (Schulz, 1907) ^{c g}
- [*Rogas tertarius*](#) (Brues, 1906) ^{c g}
- [*Rogas testaceicollis*](#) (Cameron, 1910) ^{c g}
- [*Rogas transvaalensis*](#) (Cameron, 1911) ^c
- [*Rogas tricolor*](#) (Enderlein, 1912) ^{c g}
- [*Rogas unicarinatus*](#) (Holmgren, 1868) ^{c g}
- [*Rogas varicarinatus*](#) (Cameron, 1911) ^{c g}
- [*Rogas varinervis*](#) (Cameron, 1911) ^{c g}
- [*Rogas ventrimacula*](#) (Enderlein, 1920) ^{c g}
- [*Rogas vestitor*](#) (Say, 1936) ^{c g}
- [*Rogas vollenhoveni*](#) Gribodo, 1881 ^{c g}
- [*Rogas yanagiharai*](#) (Sonan, 1940) ^c

This is a list of 107 species in [*Rogas*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]} Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

This is a list of 189 species in [*Rhyssomatus*](#), a genus of true weevils in the family [Curculionidae](#).^{[1][2][3][4]}

***Rhyssomatus* species**

- [*Rhyssomatus aciculaticollis*](#) Boheman, 1837 ^c
- [*Rhyssomatus acutecostatus*](#) Champion, 1904 ^{i c}
- [*Rhyssomatus aequalis*](#) Horn, 1873 ^{i c b}
- [*Rhyssomatus aethiops*](#) Kirsch, 1875 ^c
- [*Rhyssomatus alternans*](#) Champion, 1904 ^c
- [*Rhyssomatus amibinus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus angustulus*](#) Faust, 1893 ^c
- [*Rhyssomatus annectans*](#) Casey, 1895 ^c
- [*Rhyssomatus annectens*](#) (Casey, 1895) ^{i g b}
- [*Rhyssomatus arizonicus*](#) (Van Dyke, 1930) ^{i c}
- [*Rhyssomatus ater*](#) Philippi, 1864 ^c
- [*Rhyssomatus aterrimus*](#) Fiedler, 1937 ^c

- [*Rhyssomatus atrolucens*](#) Fiedler, 1937 ^C
- [*Rhyssomatus atronitens*](#) Fiedler, 1937 ^C
- [*Rhyssomatus atropiceus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus atrorubens*](#) Fiedler, 1937 ^C
- [*Rhyssomatus auropilosus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus auroscutosus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus barioides*](#) Fiedler, 1937 ^C
- [*Rhyssomatus beutenmuelleri*](#) (Van Dyke, 1930) ^{i C}
- [*Rhyssomatus bicolor*](#) Fiedler, 1937 ^C
- [*Rhyssomatus bicoloratus*](#) Boheman, 1845 ^C
- [*Rhyssomatus bicoloripennis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus bifasciatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus biseriatus*](#) Champion, 1904 ^C
- [*Rhyssomatus brevis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus breyeri*](#) Brèthes, 1910 ^C
- [*Rhyssomatus brunneipennis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus brunnescens*](#) Fiedler, 1942 ^C
- [*Rhyssomatus calcarifer*](#) Fiedler, 1937 ^C
- [*Rhyssomatus canaliculatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus carbonarius*](#) Fiedler, 1939 ^C
- [*Rhyssomatus championi*](#) Blackwelder, 1947 ^C
- [*Rhyssomatus chrysocephalus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus compertus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus contractirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus convexus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus crassicollis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus crassirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus crenatus*](#) Champion, 1904 ^C
- [*Rhyssomatus crenulatus*](#) Blanchard, 1851 ^C
- [*Rhyssomatus crispicollis*](#) Boheman, 1837 ^C
- [*Rhyssomatus curvatirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus debilis*](#) Champion, 1904 ^C
- [*Rhyssomatus difficilis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus dilaticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus discoideus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus diversicollis*](#) Heller, 1921 ^C

- [*Rhyssomatus diversirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus dumosus*](#) Kuschel, 1955 ^C
- [*Rhyssomatus ebeninus*](#) Suffrian, 1872 ^C
- [*Rhyssomatus elongatulus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus erythrinus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus erythropterus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus exaratus*](#) Blanchard, 1851 ^C
- [*Rhyssomatus extensus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fausti*](#) Blackwelder, 1947 ^C
- [*Rhyssomatus ferruginipes*](#) Fiedler, 1937 ^C
- [*Rhyssomatus filirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus fissilis*](#) Burke, 1961 ^{i c b}
- [*Rhyssomatus flavosparsus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus fortirostris*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fulvicornis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fulvomixtus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fulvopilosus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus fulvosparsus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus gracilirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus granatensis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus grandicollis*](#) (Casey, 1895) ^{i c}
- [*Rhyssomatus griseofasciatus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus haemopterus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus impolitus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus impressicollis*](#) Fiedler, 1942 ^C
- [*Rhyssomatus incertus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus iners*](#) Fiedler, 1939 ^C
- [*Rhyssomatus inflexirostris*](#) Fiedler, 1939 ^C
- [*Rhyssomatus landeiroi*](#) Bondar, 1942 ^C
- [*Rhyssomatus languidus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus laticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus latipennis*](#) Champion, 1904 ^C
- [*Rhyssomatus latovalis*](#) Fiedler, 1942 ^C
- [*Rhyssomatus latus*](#) Champion, 1904 ^C
- [*Rhyssomatus lineaticollis*](#) (Say, 1824) ^{i c b} (milkweed stem weevil)
- [*Rhyssomatus lineatifrons*](#) Fiedler, 1942 ^C

- [*Rhyssomatus longirostris*](#) Chevrolat, ^C
- [*Rhyssomatus macilentus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus marginatus*](#) Fåhræus, 1837 ^C
- [*Rhyssomatus medialis*](#) (Casey, 1895) ^{i c b}
- [*Rhyssomatus minutus*](#) Kirsch, 1875 ^C
- [*Rhyssomatus morio*](#) Rosenschoeld, 1837 ^C
- [*Rhyssomatus nigerrimus*](#) Fåhræus, 1837 ^C
- [*Rhyssomatus nigriventris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus nigropiceus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus nigrosignatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus nitidus*](#) Champion, 1904 ^C
- [*Rhyssomatus notabilis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus novalis*](#) Schoenherr, 1837 ^C
- [*Rhyssomatus obliquefasciatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus oblongovalis*](#) Fiedler, 1942 ^C
- [*Rhyssomatus obtusus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus ochraceus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus oculatus*](#) (Schaeffer, 1909) ^{i c}
- [*Rhyssomatus opacus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus opimus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus oriformis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus ovalis*](#) (Casey, 1892) ^{i c b}
- [*Rhyssomatus ovatulus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus oviformis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus ovipennis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus palmacollis*](#) (Say, 1831) ^{i c b}
- [*Rhyssomatus parvidens*](#) Fiedler, 1942 ^C
- [*Rhyssomatus parvulus*](#) (Casey, 1895) ^{i c b}
- [*Rhyssomatus patinacollis*](#) ^C
- [*Rhyssomatus paululus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus perparvulus*](#) Hustache, 1936 ^C
- [*Rhyssomatus peruvianus*](#) Kirsch, 1875 ^C
- [*Rhyssomatus picinus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus pilosipes*](#) Heller, 1921 ^C
- [*Rhyssomatus pilosus*](#) Kissinger, 1962 ^C
- [*Rhyssomatus pinguis*](#) Fiedler, 1937 ^C

- [*Rhyssomatus polycoccus*](#) Fåhraeus, 1837 ^C
- [*Rhyssomatus productus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus pruinosis*](#) (Boheman, 1845) ^{i c b}
- [*Rhyssomatus psidii*](#) Marshall, 1929 ^C
- [*Rhyssomatus pubescens*](#) Horn, 1873 ^{i c b}
- [*Rhyssomatus pullus*](#) Hustache, 1924 ^C
- [*Rhyssomatus punctatosulcatus*](#) Champion, 1904 ^C
- [*Rhyssomatus puncticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus pupillatus*](#) Suffrian, 1872 ^C
- [*Rhyssomatus pusillus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rectirostris*](#) Fiedler, 1942 ^C
- [*Rhyssomatus robustus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus rubidus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubripennis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubrocostatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubrofasciatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubromixtus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus rubropiceus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus rubrovarius*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rudicollis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rufescens*](#) Champion, 1904 ^C
- [*Rhyssomatus rufinus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rufipennis*](#) Kirsch, 1875 ^C
- [*Rhyssomatus rufitarsis*](#) Roelofs, 1875 ^C
- [*Rhyssomatus rufulus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rufus*](#) Fåhraeus, 1837 ^C
- [*Rhyssomatus rugosus*](#) Champion, 1904 ^C
- [*Rhyssomatus rugulipennis*](#) Champion, 1904 ^{i c}
- [*Rhyssomatus sculpticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus sculpturatus*](#) Champion, 1904 ^C
- [*Rhyssomatus sculpturatus*](#) ? Champion, 1902-06 (0 ^C
- [*Rhyssomatus scupticollis*](#) Champion, 1902-06 (0 ^C
- [*Rhyssomatus scutellaris*](#) Fiedler, 1939 ^C
- [*Rhyssomatus semicostatus*](#) Boheman, 1845 ^C
- [*Rhyssomatus semistriatus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus seriepilosus*](#) Fiedler, 1937 ^C

- [*Rhyssomatus sexcostatus*](#) Champion, 1910 ^c
- [*Rhyssomatus spectatus*](#) Faust, 1893 ^c
- [*Rhyssomatus strangulatus*](#) Gyllenhal, 1837 ^c
- [*Rhyssomatus striatellus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus strigicollis*](#) Schoenherr, 1837 ^c
- [*Rhyssomatus strigosus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus striolatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus subcostatus*](#) Fåhræus, 1837 ^c
- [*Rhyssomatus subfasciatus*](#) Faust, 1893 ^c
- [*Rhyssomatus subovalis*](#) Fiedler, 1937 ^c
- [*Rhyssomatus subrhomboidalis*](#) Fiedler, 1939 ^c
- [*Rhyssomatus subrufus*](#) Champion, 1904 ^c
- [*Rhyssomatus substrigosus*](#) Fiedler, 1939 ^c
- [*Rhyssomatus subtilis*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tabescens*](#) Scudder, 1893 ^c
- [*Rhyssomatus tenellus*](#) Fiedler, 1942 ^c
- [*Rhyssomatus tenuifasciatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tenuirostris*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tenuistrigatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus texanus*](#) (Sleeper, 1954) ^{i g b}
- [*Rhyssomatus thoracicus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tomentosus*](#) Fiedler, 1939 ^c
- [*Rhyssomatus totostriatus*](#) Fiedler, 1942 ^c
- [*Rhyssomatus trifasciatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tuberculirostris*](#) Fiedler, 1942 ^c
- [*Rhyssomatus umbrinus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus vacillatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus variegatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus variipennis*](#) Fiedler, 1937 ^c
- [*Rhyssomatus vehemens*](#) Boheman, 1845 ^c
- [*Rhyssomatus vestitus*](#) Fiedler, 1942 ^c
- [*Rhyssomatus viridipes*](#) Fåhræus, 1837 ^c
- [*Rhyssomatus yucatanus*](#) Champion, 1904 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 167 species in [Rhyssemus](#), a genus of aphodiine dung beetles in the family [Scarabaeidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Rhyssemus species

- [Rhyssemus africanus](#) Petrovitz, 1963 ^{c g}
- [Rhyssemus ahrensi](#) Rakovic & Kral, 2001 ^{c g}
- [Rhyssemus algericus](#) Lucas, 1846 ^{c g}
- [Rhyssemus alluaudi](#) Clouet, 1901 ^{c g}
- [Rhyssemus ambovombensis](#) Pittino, 1990 ^{c g}
- [Rhyssemus amplicolis](#) Pittino, 1984 ^{c g}
- [Rhyssemus andreinii](#) Pittino, 1984 ^{c g}
- [Rhyssemus annaedicatus](#) Pierotti, 1980 ^{c g}
- [Rhyssemus archambaulti](#) Bénard, 1929 ^{c g}
- [Rhyssemus aspericollis](#) Petrovitz, 1965 ^{c g}
- [Rhyssemus asperocostatus](#) Fairmaire, 1892 ^{c g}
- [Rhyssemus atramentarius](#) Péringuey, 1901 ^{c g}
- [Rhyssemus aurivillii](#) Clouet, 1901 ^{c g}
- [Rhyssemus bacchusi](#) Pittino, 1984 ^{c g}
- [Rhyssemus balteatus](#) Petrovitz, 1966 ^{c g}
- [Rhyssemus bechuanus](#) Petrovitz, 1956 ^{c g}
- [Rhyssemus bedeli](#) Clouet, 1901 ^{c g}
- [Rhyssemus berytensis](#) Marseul, 1878 ^{c g}
- [Rhyssemus bilyi](#) Rakovic, 2001 ^{c g}
- [Rhyssemus biovatus](#) Clouet, 1901 ^{c g}
- [Rhyssemus birmensis](#) Clouet, 1901 ^{c g}
- [Rhyssemus blackburnei](#) Clouet, 1901 ^{c g}
- [Rhyssemus bordati](#) Pittino, 1984 ^{c g}
- [Rhyssemus brevis](#) Pittino, 1990 ^{c g}
- [Rhyssemus brevitaris](#) Pittino, 1984 ^{c g}
- [Rhyssemus brownwoodi](#) Gordon and Cartwright, 1980 ^{i c g}
- [Rhyssemus bucciarellii](#) Pittino, 1990 ^{c g}
- [Rhyssemus buettikeri](#) Pittino, 1984 ^{c g}

- [*Rhysssemus bufonis*](#) Boucomont, 1935 ^{c g}
- [*Rhysssemus californicus*](#) Horn, 1871 ^{i c g}
- [*Rhysssemus canaliculatus*](#) Clement, 1969 ^{c g}
- [*Rhysssemus cantabricus*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus capensis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus carinatipennis*](#) Péringuey, 1901 ^{c g}
- [*Rhysssemus carinatus*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus chinensis*](#) Pittino, 1996 ^{c g}
- [*Rhysssemus convexus*](#) Bénard, 1911 ^{c g}
- [*Rhysssemus crispus*](#) Schmidt, 1916 ^{c g}
- [*Rhysssemus decellei*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus descarpentriesi*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus dispar*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus endroedyyoungai*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus evae*](#) Endrödi, 1964 ^{c g}
- [*Rhysssemus exaratus*](#) Marseul, 1878 ^{c g}
- [*Rhysssemus fairmairei*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus falcatus*](#) Petrovitz, 1961 ^{c g}
- [*Rhysssemus feae*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus ferenczi*](#) Endrödi, 1976 ^{c g}
- [*Rhysssemus frankenbergeri*](#) Balthasar, 1942 ^{c g}
- [*Rhysssemus franzi*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus freudei*](#) Balthasar, 1960 ^{c g}
- [*Rhysssemus freyi*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus germanus*](#) (Linnaeus, 1767) ^{i c g b}
- [*Rhysssemus gestroi*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus ghanaensis*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus goudoti*](#) Harold, 1868 ^{c g}
- [*Rhysssemus granosus*](#) (Klug & Erichson, 1842) ^{c g}
- [*Rhysssemus granulosocostatus*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus granulosus*](#) Ballion, 1871 ^{c g}
- [*Rhysssemus grossepunctatus*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus guineensis*](#) Petrovitz, 1969 ^{c g}
- [*Rhysssemus haafi*](#) Petrovitz, 1964 ^{c g}
- [*Rhysssemus hamatus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus haroldi*](#) Clouet, 1901 ^{c g}

- [*Rhysssemus hauseri*](#) Balthasar, 1933 ^{c g}
- [*Rhysssemus helenae*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus histrio*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus histrioides*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus horni*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus hottentottus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus imitator*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus indicus*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus inermis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus infidus*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus inscitus*](#) (Walker, 1858) ^{c g}
- [*Rhysssemus insularis*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus interruptus*](#) Reitter, 1892 ^{c g}
- [*Rhysssemus karnatakaensis*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus keisseri*](#) Bénard, 1910 ^{c g}
- [*Rhysssemus koreanus*](#) Stebnicka, 1980 ^{c g}
- [*Rhysssemus laevinasus*](#) Petrovitz, 1964 ^{c g}
- [*Rhysssemus lamyensis*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus laoticus*](#) Pittino, Rakovic & Mencl, 2013 ^{c g}
- [*Rhysssemus limbolaris*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus linnavuorii*](#) Balthasar, 1972 ^{c g}
- [*Rhysssemus loebli*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus macedonicus*](#) Bénard, 1923 ^{c g}
- [*Rhysssemus madagassus*](#) Harold, 1879 ^{c g}
- [*Rhysssemus maximus*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus mayeti*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus meridionalis*](#) Reitter, 1890 ^{c g}
- [*Rhysssemus meruensis*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus mesopotamicus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus mexicanus*](#) Hinton, 1934 ^{c g}
- [*Rhysssemus mimus*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus mirus*](#) Petrovitz, 1967 ^{c g}
- [*Rhysssemus morgani*](#) Bénard, 1911 ^{c g}
- [*Rhysssemus murghabensis*](#) (Balthasar, 1967) ^{c g}
- [*Rhysssemus namorokae*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus nanshanchicus*](#) Masumoto, 1977 ^{c g}

- [*Rhysssemus neglectus*](#) Brown, 1929 ^{i c g}
- [*Rhysssemus nitidus*](#) Petrovitz, 1972 ^{c g}
- [*Rhysssemus obliviosus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus olympiae*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus osmanlis*](#) Koshantschikov, 1916 ^{c g}
- [*Rhysssemus parallelcollis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus parallelus*](#) Reitter, 1892 ^{c g}
- [*Rhysssemus pauliani*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus pectoralis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus perissinottoi*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus perlatus*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus pertinax*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus peyrierasi*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus pfefferi*](#) Balthasar, 1972 ^{c g}
- [*Rhysssemus plicatus*](#) (Germar, 1817) ^{c g}
- [*Rhysssemus polycolpus*](#) Fairmaire, 1886 ^{c g}
- [*Rhysssemus pondoensis*](#) Petrovitz, 1967 ^{c g}
- [*Rhysssemus ponticus*](#) Petrovitz, 1962 ^{c g}
- [*Rhysssemus procerus*](#) Petrovitz, 1973 ^{c g}
- [*Rhysssemus promontorii*](#) Péringuey, 1901 ^{c g}
- [*Rhysssemus propinquus*](#) Petrovitz, 1964 ^{c g}
- [*Rhysssemus psammobiiformis*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus punctatissimus*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus puncticollis*](#) Brown, 1929 ^{c g}
- [*Rhysssemus punctiventris*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus purkynei*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus rajasthanii*](#) Rakovic, Mencl & Kral, 2017 ^{c g}
- [*Rhysssemus relegatus*](#) Balthasar, 1965 ^{c g}
- [*Rhysssemus resslī*](#) Petrovitz, 1965 ^{c g}
- [*Rhysssemus ritsemae*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus rohani*](#) Bénard, 1920 ^{c g}
- [*Rhysssemus rotschildi*](#) Bénard, 1909 ^{c g}
- [*Rhysssemus rubeolus*](#) Harold, 1871 ^{c g}
- [*Rhysssemus saldaitisi*](#) Rakovic, Kral & Mencl, 2016 ^{c g}
- [*Rhysssemus saoudi*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus sardous*](#) Pierotti, 1980 ^{c g}

- [*Rhysssemus scaber*](#) Haldeman, 1848^{i c g b}
- [*Rhysssemus scabrosus*](#) Pittino, 1990^{c g}
- [*Rhysssemus schaeuffelei*](#) Petrovitz, 1964^{c g}
- [*Rhysssemus sculptilipennis*](#) Schmidt, 1916^{c g}
- [*Rhysssemus seineri*](#) Petrovitz, 1969^{c g}
- [*Rhysssemus senegalensis*](#) Petrovitz, 1972^{c g}
- [*Rhysssemus sexcostatus*](#) Schmidt, 1909^{c g}
- [*Rhysssemus similis*](#) Petrovitz, 1963^{c g}
- [*Rhysssemus sinuaticollis*](#) Pittino, 1984^{c g}
- [*Rhysssemus sonatus*](#) LeConte, 1881^{i c g b}
- [*Rhysssemus spangleri*](#) Gordon & Cartwright, 1980^{c g}
- [*Rhysssemus spiniger*](#) Pittino, 1983^{c g}
- [*Rhysssemus subdolus*](#) Balthasar, 1961^{c g}
- [*Rhysssemus sulcatus*](#) (Olivier, 1789)^{c g}
- [*Rhysssemus syriacus*](#) Petrovitz, 1971^{c g}
- [*Rhysssemus testudo*](#) Pittino, 1990^{c g}
- [*Rhysssemus thailandicus*](#) Pittino, 1996^{c g}
- [*Rhysssemus thomasi*](#) Endrödi, 1964^{c g}
- [*Rhysssemus tristis*](#) Petrovitz, 1969^{c g}
- [*Rhysssemus trisulcatus*](#) Petrovitz, 1956^{c g}
- [*Rhysssemus tschadensis*](#) Petrovitz, 1963^{c g}
- [*Rhysssemus tsihombensis*](#) Pittino, 1990^{c g}
- [*Rhysssemus tuberculicollis*](#) Petrovitz, 1965^{c g}
- [*Rhysssemus uncispinis*](#) Pittino, 1984^{c g}
- [*Rhysssemus vaulozeri*](#) Clouet, 1901^{c g}
- [*Rhysssemus verrucosus*](#) Mulsant, 1842^{c g}
- [*Rhysssemus villosus*](#) Pittino, 1990^{c g}
- [*Rhysssemus vinodolensis*](#) Petrovitz, 1963^{c g}
- [*Rhysssemus waboniensis*](#) Petrovitz, 1964^{c g}
- [*Rhysssemus xerxes*](#) Pittino, 1983^{c g}
- [*Rhysssemus zumpti*](#) Petrovitz, 1956^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 149 species in [Rhyncolus](#), a genus of true weevils in the family [Curculionidae](#).[\[1\]\[2\]\[3\]](#)
[\[4\]](#)

Rhyncolus species

- [Rhyncolus affinis](#) Wollaston, T.V., 1861 ^C
- [Rhyncolus angularis](#) LeConte, 1858 ^{i C}
- [Rhyncolus angustatus](#) Boheman, 1838 ^C
- [Rhyncolus angusticollis](#) Reitter, E., 1896 ^C
- [Rhyncolus angustus](#) Fairmaire, L., 1859 ^C
- [Rhyncolus appenhageni](#) Uyttenboogaart, D.L., 1930 ^C
- [Rhyncolus asperipennis](#) Hustache, 1936 ^C
- [Rhyncolus ater](#) Motschulsky, V. de, 1866 ^C
- [Rhyncolus australis](#) Erichson, 1842 ^C
- [Rhyncolus bhutanensis](#) Osella, 1989 ^C
- [Rhyncolus bonnairei](#) Hoffmann, 1938 ^C
- [Rhyncolus brachyrhinus](#) Montrouzier, X., 1860 ^C
- [Rhyncolus brevicornis](#) Wollaston, T.V., 1873 ^C
- [Rhyncolus brevis](#) Boheman, 1845 ^C
- [Rhyncolus brunneus](#) Mannerheim, 1843 ^{i C b}
- [Rhyncolus burgeoni](#) Hustache, 1934 ^C
- [Rhyncolus californicus](#) Wollaston, T.V., 1873 ^{C b}
- [Rhyncolus calvus](#) Wollaston, T.V., 1860 ^C
- [Rhyncolus capitulus](#) Wollaston, T.V., 1858 ^C
- [Rhyncolus carinatus](#) Blatchley & Leng, 1916 ^C
- [Rhyncolus castaneipennis](#) Voss, 1956 ^C
- [Rhyncolus caulium](#) Wollaston, T.V., 1861 ^C
- [Rhyncolus cercocarpus](#) (Thatcher, 1940) ^{i g b}
- [Rhyncolus chinensis](#) Voss, 1953 ^C
- [Rhyncolus chiriquensis](#) Champion, G.C., 1909 ^C
- [Rhyncolus chloropus](#) Dejean, 1821 ^C
- [Rhyncolus cloropus](#) Germar, 1817 ^C
- [Rhyncolus compressus](#) Wollaston, T.V., 1860 ^C
- [Rhyncolus corticalis](#) Boheman, 1845 ^C
- [Rhyncolus cossonoides](#) Csiki, E., 1936 ^C
- [Rhyncolus crassirostris](#) Dejean, 1821 ^C
- [Rhyncolus cribripennis](#) Gräells, 1858 ^C

- [*Rhyncolus culinaris*](#) Dejean, 1821 ^C
- [*Rhyncolus curvistriatus*](#) Zherikhin in Zherikhin & Egorov, 1990 ^C
- [*Rhyncolus cylindricollis*](#) Wollaston, 1873 ^{i c b}
- [*Rhyncolus cylindricus*](#) Boheman, 1838 ^C
- [*Rhyncolus cylindrirostris*](#) Dejean, 1821 ^C
- [*Rhyncolus cylindrus*](#) Boheman, 1838 ^C
- [*Rhyncolus dalmatinus*](#) Desbr., 1892 ^C
- [*Rhyncolus depressus*](#) Csiki, E., 1936 ^C
- [*Rhyncolus dilatatus*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus dilucidus*](#) Voss, 1953 ^C
- [*Rhyncolus discors*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus dorsalis*](#) LeConte, 1858 ^{i c}
- [*Rhyncolus dufau*](#) Hustache, 1932 ^C
- [*Rhyncolus ebeninus*](#) Csiki, E., 1936 ^C
- [*Rhyncolus elongatus*](#) Dejean, 1821 ^{c g}
- [*Rhyncolus elumbis*](#) Boheman, 1838 ^C
- [*Rhyncolus encaustes*](#) Boheman, C.H. in Schönherr, C.J., 1838 ^C
- [*Rhyncolus encaustus*](#) Boheman, 1838 ^C
- [*Rhyncolus euphorbium*](#) Wollaston, T.V., 1867 ^C
- [*Rhyncolus exiguus*](#) Boheman, 1838 ^C
- [*Rhyncolus fallax*](#) Csiki, E., 1936 ^C
- [*Rhyncolus falsosus*](#) Hoffmann, 1965 ^C
- [*Rhyncolus ferrugineus*](#) Walzl, 1839 ^C
- [*Rhyncolus filiformis*](#) Boheman, 1838 ^C
- [*Rhyncolus filum*](#) Chevrolat, L.A.A., 1880 ^C
- [*Rhyncolus fuscicollis*](#) Marshall, 1931 ^C
- [*Rhyncolus fusiformis*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus globulipennis*](#) Chevrolat, ^C
- [*Rhyncolus gracilis*](#) Rosensch., 1856 ^C
- [*Rhyncolus grandicollis*](#) Ch. Bris. In Grenier, 1863 ^C
- [*Rhyncolus hervei*](#) Allard, 1868 ^C
- [*Rhyncolus himalayensis*](#) Stebbing, 1914 ^C
- [*Rhyncolus hispidulus*](#) Fairmaire, 1849 ^C
- [*Rhyncolus hispidus*](#) Csiki, E., 1936 ^C
- [*Rhyncolus hopffgarteni*](#) Stierlin, W.G., 1884 ^C
- [*Rhyncolus hustachei*](#) Csiki, E., 1936 ^C

- [*Rhyncolus incertus*](#) Osella, 1989 ^c
- [*Rhyncolus kathrynae*](#) Sleeper, 1968 ^c
- [*Rhyncolus kenya*](#) Hustache, 1929 ^c
- [*Rhyncolus kivuanus*](#) Hustache, 1934 ^c
- [*Rhyncolus knowltoni*](#) (Thatcher, 1940) ^{i g}
- [*Rhyncolus laevis*](#) Hoffmann, 1965 ^c
- [*Rhyncolus laeviusculus*](#) Wollaston, T.V., 1873 ^c
- [*Rhyncolus latinasus*](#) Say, T., 1831 ^c
- [*Rhyncolus latitarsis*](#) Thomson, C.G., 1886 ^c
- [*Rhyncolus lauri*](#) Gyllenhal, 1838 ^c
- [*Rhyncolus laurineus*](#) Wollaston, T.V., 1861 ^c
- [*Rhyncolus lignarius*](#) Stephens, 1829 ^c
- [*Rhyncolus linearis*](#) Boheman, 1845 ^c
- [*Rhyncolus longicollis*](#) Boheman, 1838 ^c
- [*Rhyncolus longulus*](#) Boheman, C.H., 1859 ^c
- [*Rhyncolus macrops*](#) Buchanan, 1946 ^{i c b}
- [*Rhyncolus marginalis*](#) Csiki, E., 1936 ^c
- [*Rhyncolus maynei*](#) Hustache, 1934 ^c
- [*Rhyncolus meruensis*](#) Hoffmann, 1965 ^c
- [*Rhyncolus minor*](#) ^b
- [*Rhyncolus minutulus*](#) Hoffmann, 1965 ^c
- [*Rhyncolus montivagus*](#) Champion, G.C., 1909 ^c
- [*Rhyncolus nigripes*](#) Reitter, E., 1901 ^c
- [*Rhyncolus nimius*](#) Casey, 1892 ^{i c}
- [*Rhyncolus nitidulus*](#) Boheman, 1838 ^c
- [*Rhyncolus nossibianus*](#) Hustache, 1922 ^c
- [*Rhyncolus obesulus*](#) Wollaston, T.V., 1867 ^c
- [*Rhyncolus obsoletus*](#) Fauv., ^c
- [*Rhyncolus opacus*](#) Karsch, 1881 ^{i c}
- [*Rhyncolus oregonensis*](#) Horn, 1873 ^{i c b}
- [*Rhyncolus oryzae*](#) Gyllenhal, 1838 ^c
- [*Rhyncolus pallens*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus persimilis*](#) Hustache, 1933 ^c
- [*Rhyncolus piceus*](#) Stephens, 1831 ^c
- [*Rhyncolus plebejus*](#) Boheman, 1838 ^c
- [*Rhyncolus porcatus*](#) Schoenherr, 1838 ^c

- [*Rhyncolus praeustus*](#) Boheman, 1838 ^C
- [*Rhyncolus procer*](#) Boheman, 1838 ^C
- [*Rhyncolus protensus*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus protractus*](#) Horn, G.H., 1873 ^C
- [*Rhyncolus pulvereus*](#) LeConte, 1850 ^C
- [*Rhyncolus punctatulus*](#) Dejean, 1821 ^C
- [*Rhyncolus punctatus*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus puncticollis*](#) Dejean, 1821 ^C
- [*Rhyncolus punctulatus*](#) Lea, A.M., 1896 ^C
- [*Rhyncolus pyrenaeus*](#) Dufour, 1843 ^C
- [*Rhyncolus quercicolus*](#) Boheman, 1845 ^C
- [*Rhyncolus reflexus*](#) Boheman, 1838 ^C
- [*Rhyncolus regularis*](#) Hustache, 1932 ^C
- [*Rhyncolus relictus*](#) Casey, T.L., 1892 ^C
- [*Rhyncolus rufipennis*](#) Montrouzier, X., 1860 ^C
- [*Rhyncolus samoanus*](#) Marshall, 1931 ^C
- [*Rhyncolus schoenherri*](#) Hochhuth, 1847 ^C
- [*Rhyncolus schönherri*](#) Hochhuth, I.H., 1847 ^C
- [*Rhyncolus sculpturatus*](#) Walzl, 1839 ^C
- [*Rhyncolus similis*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus simplicipes*](#) Wollaston, T.V., 1861 ^C
- [*Rhyncolus simulans*](#) Hoffmann, 1965 ^C
- [*Rhyncolus sitoniformis*](#) Zherikhin, 1992 ^C
- [*Rhyncolus spretus*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus stacesmithi*](#) Sleeper, 1953 ^{i c b}
- [*Rhyncolus stlembus*](#) Schoenherr, ^C
- [*Rhyncolus strangulatus*](#) Perris, 1852 ^g
- [*Rhyncolus submuricatus*](#) Schoenherr, 1832 ^C
- [*Rhyncolus sulcatus*](#) Dejean, 1821 ^C
- [*Rhyncolus sulcipennis*](#) Wollaston, T.V., 1854 ^C
- [*Rhyncolus sulcirostris*](#) Dejean, 1821 ^C
- [*Rhyncolus syriacus*](#) Desbr., 1892 ^C
- [*Rhyncolus taciturnus*](#) Motschulsky, V. de, 1866 ^C
- [*Rhyncolus tenuirostris*](#) Creutzer, ^C
- [*Rhyncolus tenuis*](#) Gemminger, M., 1871 ^C
- [*Rhyncolus teretirostris*](#) Klug, 1834 ^C

- [*Rhyncolus thomsoni*](#) Grill, 1896 ^c
- [*Rhyncolus trivialis*](#) Boheman, 1838 ^c
- [*Rhyncolus troglodytes*](#) Boheman, 1838 ^c
- [*Rhyncolus truncorum*](#) Stephens, 1831 ^c
- [*Rhyncolus turbatus*](#) Reitter, E., 1887 ^c
- [*Rhyncolus ulkei*](#) Horn, G.H., 1873 ^c
- [*Rhyncolus usambaricus*](#) Voss, E., 1934 ^c
- [*Rhyncolus velutinus*](#) Dejean, 1821 ^c
- [*Rhyncolus winkleri*](#) Formánek, 1912 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Rhyncolus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-29.
 - ["Browse Rhyncolus"](#). Catalogue of Life. Retrieved 2018-04-29.[[dead link](#)]
 - ["Rhyncolus"](#). GBIF. Retrieved 2018-04-29.
 -
4. ["Rhyncolus Genus Information"](#). BugGuide.net. Retrieved 2018-04-29.

Categories:

- [Cossoninae](#)
- [Lists of insect species](#)
-

The following species in the insect genus [*Rhotana*](#) (family [Derbidae](#), tribe [Rhotanini](#)) are recognized as of 2026.[1][2][3] [Basionyms](#) are given in square brackets.

- [*Rhotana aequa*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana albata*](#) Melichar 1903 (Sri Lanka, rare)[4]
- [*Rhotana aperta*](#) Zelazny 2011 (Borneo, uncommon)[1]
- [*Rhotana argus*](#) Zelazny 2011 (Sulawesi, rare)[1]
- *Rhotana biermani* (Schmidt 1926) [*Decora biermani*] (Buru Isl., Indonesia, rare)[5]
- [*Rhotana brendelli*](#) Zelazny 2011 (Sulawesi, rare)[1]
- [*Rhotana concolor*](#) Zelazny 1981 (southern Philippines and Borneo, uncommon)[6]
- [*Rhotana crassa*](#) Zelazny 2011 (North Borneo, rare)[1]

- [*Rhotana cribraria*](#) Zelazny 2011 (North Borneo, uncommon)[1]
- [*Rhotana dammermani*](#) (Schmidt 1926) [*Decora dammermani*] (Buru Isl., Indonesia, rare)[5]
- [*Rhotana deminuta*](#) Zelazny 2011 (New Caledonia, uncommon)[1]
- [*Rhotana dentata*](#) Zelazny 2011 (New Guinea, rare)[1]
- [*Rhotana dextra*](#) Zelazny 2011 (New Britain, Papua New Guinea, uncommon)[1]
- [*Rhotana dohertyi*](#) Zelazny 2011 (north-eastern India, uncommon)[1]
- [*Rhotana excelsa*](#) Melichar 1914 (Philippines, moderately common)[7]
- [*Rhotana fera*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana fordi*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana formosana*](#) Matsumura 1914 (Taiwan, Vietnam, uncommon)[8]
- [*Rhotana fuscofasciata*](#) Distant 1906 (Sri Lanka, rare)[9]
- [*Rhotana globosa*](#) Zelazny 2011 (western New Guinea, rare)[1]
- [*Rhotana gracilis*](#) Zelazny 2011 (New Guinea, rare)[1]
- [*Rhotana gressittorum*](#) Zelazny 2011 (eastern Australia, uncommon)[1]
- [*Rhotana haematoneura*](#) Kirkaldy 1906 (north-eastern Australia, rare)[10]
- [*Rhotana hirashimai*](#) Zelazny 2011 (North Borneo, uncommon)[1]
- [*Rhotana holtmanni*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana inoptata*](#) Yang & Wu 1993 (Taiwan, uncommon)[11]
- *Rhotana inorata* Yang & Wu 1993 (Taiwan, uncommon)[11]
- [*Rhotana jacobsoni*](#) Zelazny 2011 (Sumatra and West Malaysia, rare)[1]
- [*Rhotana kuncheriai*](#) Zelazny 2011 (North Borneo and West Malaysia, uncommon)[1]
- *Rhotana lalage* (Fennah 1969) [*Decora lalage*] (New Caledonia, rare)[12]
- [*Rhotana latipennis*](#) Walker 1857 (North Borneo, rare)[13]
- [*Rhotana luteola*](#) Zelazny 2011 (New Ireland, Papua New Guinea, rare)[1]
- [*Rhotana maculata*](#) Matsumura 1914 (Taiwan and southern Japan, uncommon)[8]
- [*Rhotana magna*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana marmorata*](#) Zelazny 1981 (southern Philippines, Borneo, Sumatra, Sulawesi, Singapore, West Malaysia, moderately common)[6]
- [*Rhotana melichari*](#) Zelazny 2011 (New Guinea Isl., uncommon)[1]
- [*Rhotana mendax*](#) Zelazny 2011 (north-eastern Australia, rare)[1]
- [*Rhotana miles*](#) Zelazny 2011 (North Borneo, Palawan Isl., Philippines, uncommon)[1]
- [*Rhotana mindanaoensis*](#) Zelazny 1981 (Mindanao Isl., Philippines, uncommon)[6]
- [*Rhotana novahiberniensis*](#) Zelazny 2011 (New Ireland, Papua New Guinea, rare)[1]
- [*Rhotana obaerata*](#) Yang & Wu 1993 (Taiwan, uncommon)[11]
- [*Rhotana ornata*](#) Zelazny 1981 (Mindanao Isl., Philippines, uncommon)[6]
- [*Rhotana pacata*](#) Zelazny 2011 (North Borneo, uncommon)[1]
- [*Rhotana panthera*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana papuensis*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana pavo*](#) (Bierman 1910) [*Decora pavo*] (Sumatra, Borneo, uncommon)[14]
- [*Rhotana pellax*](#) Fennah 1967 (Samoa, rare)[15]
- [*Rhotana quadrimaculata*](#) Distant 1907 (Queensland, Australia, uncommon)[16]
- [*Rhotana ramentosa*](#) Distant 1907 (Queensland, Australia, uncommon)[16]

- [*Rhotana ramosa*](#) Zelazny 2011 (Sumatra, Indonesia, uncommon)[1]
- [*Rhotana reticulata*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana rubifasciata*](#) Zelazny 2011 (New Ireland, Papua New Guinea, rare)[1]
- [*Rhotana sabaea*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana satsumana*](#) Matsumura 1914 (southern Japan, China, Taiwan, uncommon)[8]
- [*Rhotana sectator*](#) Zelazny 2011 (Papua New Guinea, uncommon)[1]
- [*Rhotana semiopalina*](#) Muir 1926 (Borneo, Java, Mentawai Isl., moderately common)[17]
- [*Rhotana septemmaculata*](#) Distant 1907 (Queensland, Australia, rare)[16]
- [*Rhotana similis*](#) Zelazny 2011 (western New Guinea, rare)[1]
- [*Rhotana spenceri*](#) Zelazny 2011 (Vietnam, rare)[1]
- [*Rhotana stali*](#) Zelazny 2011 (Sri Lanka, rare)[1]
- [*Rhotana stigmosa*](#) Zelazny 1981 (Luzon Isl., Philippines, rare)[6]
- [*Rhotana suttoni*](#) Zelazny 2011 (North Borneo, Brunei, rare)[1]
- [*Rhotana torrevillasi*](#) Zelazny 1981 (Mindanao Isl., Philippines, uncommon)[6]
- [*Rhotana transversolinea*](#) Melichar 1914 (Java, Mentawai Isl., Borneo, West Malaysia, uncommon)[18]
- [*Rhotana tridentata*](#) Zelazny 2011 (North Borneo, West Malaysia, rare)[1]
- [*Rhotana trimaculata*](#) Distant 1906 (Sri Lanka, rare)[9]
- [*Rhotana triplex*](#) Zelazny 2011 (New Guinea, Biak Isl., rare)[1]
- [*Rhotana truncata*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana unca*](#) Zelazny 2011 (Papua New Guinea, uncommon)[1]
- [*Rhotana venosa*](#) Distant 1906 (Myanmar, West Malaysia, Laos, Vietnam, Borneo, Verlaten Isl. in Indonesia, common)[9]
- [*Rhotana vitriceps*](#) (Stål 1858) [*Genestia vitriceps*] (Sri Lanka, uncommon)[19]
- [*Rhotana wallacei*](#) Zelazny 2011 (North Sulawesi, Indonesia, rare)[1]

The following species in the insect genus [*Levu*](#) (family [*Derbidae*](#), tribe [*Rhotanini*](#)) are recognized as of 2026.[1][2][3] [Basionyms](#) are given in square brackets.

- [*Levu amboinensis*](#) Muir 1913 (Ambon Isl., Indonesia, rare)[4]
- [*Levu apiatus*](#) Zelazny 2011 (New Guinea, moderately common)[1]
- [*Levu apicalis*](#) Zelazny 2011 (Laos, rare)[1]
- [*Levu bicoloris*](#) Zelazny, 1981 (Albay Prov., Philippines, rare)[5]
- [*Levu candidus*](#) Zelazny 2011 (Papua New Guinea, uncommon)[1]
- [*Levu confinis*](#) Zelazny 2011 (Vietnam, rare)[1]
- [*Levu echinus*](#) Zelazny 2011 (New Guinea Island, uncommon)[1]
- [*Levu elmohardyi*](#) Zelazny 2011 (New Guinea, uncommon)[1]
- [*Levu elongatus*](#) Zelazny 1981 (Mindanao Isl. and Basilan Isl., Philippines, uncommon)[5]
- [*Levu erraticus*](#) Zelazny 2011 (New Guinea, New Ireland, Vanuatu, moderately common)[1]

- [*Levu haedulus*](#) Fennah 1956 [*Levu pallescens haedulus*] (Truk Islands, Micronesia, uncommon)[6][1]
- [*Levu halosydne*](#) (Kirkaldy 1907) [*Rhotana halosydne*] (Fiji Islands, rare)[7][4]
- [*Levu immaculatus*](#) Zelazny, 2011 (Vanuatu Islands, uncommon)[1]
- [*Levu kirkaldyi*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu knighti*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu kraussi*](#) Zelazny 2011 (Tonga Islands, rare)[1]
- [*Levu lactineus*](#) Fennah 1956 [*Levu pallescens lactinea*] (Palau Islands, moderately common)[6][1]
- [*Levu muiri*](#) Zelazny 1981 (Laguna Prov., Philippines, uncommon)[5]
- [*Levu nocturnus*](#) Zelazny 2011 (Vanuatu Islands, uncommon)[1]
- [*Levu paganus*](#) Fennah 1956 [*Levu pallescens pagana*] (Ponape Islands, moderately common)[6][1]
- [*Levu pallescens*](#) (Metcalf 1946) [*Muiralyricen pallescens*] (Guam and Yap Islands, uncommon)[8][6]
- [*Levu patolai*](#) Zelazny 1981 (Luzon Isl., Philippines, uncommon)[5]
- *Levu penarius* Yang & Wu 1993 [*Levu penaria*] (Taiwan, uncommon)[9][10]
- [*Levu psittacus*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu pudens*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu rubrofrontalis*](#) Zelazny 1981 (Luzon Isl., Philippines, uncommon)[5]
- [*Levu rubropleuralis*](#) Zelazny 1981 (Philippines, moderately common)[5]
- [*Levu rufigena*](#) Zelazny 2011 (Solomon Islands, rare)[1]
- [*Levu rufulus*](#) Muir 1927 (Samoan Islands, Guam, uncommon)[11]
- [*Levu samoensis*](#) Muir 1927 (Samoan Islands, moderately common)[11]
- [*Levu shanahani*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu simplissimus*](#) Zelazny 2011 (New Guinea, rare)[1]
- [*Levu triangularis*](#) Zelazny 2011 (New Guinea and New Ireland, uncommon)[1]
- [*Levu vitiensis*](#) Kirkaldy 1906 (Fiji, south-western Pacific islands and eastern Australia, moderately common, common in some areas)[12]

References


1.
 - Zelazny, B.; Webb, M.D. (2011). "Revision of the planthopper tribe Rhotanini (Hemiptera: Auchenorrhyncha: Derbidae)". *Zootaxa*. **3071**: 1–307. doi:10.11646/zootaxa.3071.1.1.
 - "[Levu Kirkaldy, 1906](#)". GBIF Global Biodiversity Information Facility. Retrieved 2 May 2026.
 - "[Levu Kirkaldy, 1906](#)". World Auchenorrhyncha Database (WAD). Retrieved 2 May 2026.
 - Muir, F. (1913). "[On some new species of leaf-hoppers. Part II. Derbidae](#)". Hawaiian Sugar Planters Association, Division of Entomology, Bulletin. **12**: 28–92.
 - Zelazny, B. (1981). "[The Philippines species of Rhotanini \(Homoptera: Derbidae\) and their distribution outside the Philippines](#)" (PDF). *Pacific Insects*. **23**: 213–285.
 - Fennah, R.G. (1956). "Homoptera: Fulgoroidea". *Insect of Micronesia, Vol. 6 No. 3* (PDF). Honolulu, U.S.A.: Bernice P. Bishop Museum. pp. 1–211 [174].

- Kirkaldy, G.W. (1907). [*"Leaf-hoppers - Supplement \(Hemiptera\)"*](#). Hawaiian Sugar Planters Association, Division of Entomology, Bulletin. **III**: 1–185 [169].
 - Metcalf, Z.P. (1946). [*"Homoptera - Fulgoroidea and Jassoidea of Guam In: Insects of Guam II"*](#) (PDF). Bulletin of the Bernice P. Bishop Museum. **189**: 105–148 [116].
 - Yang, Chung Tu; Wu, Rong Hwa (1993). *Derbidae of Taiwan (Homoptera: Fulgoroidea)*. Taiwan: Ching Chung Book Co Ltd. pp. 1–230. [ISBN](#) .
 - [*"Levu penarius"*](#). iNaturalist. Retrieved 11 May 2026.
 - Muir, F. (1927). [*Insects of Samoa, Part II., Fasc. 1., Hemiptera, Fulgoroidea*](#). London, U.K.: British Museum of Natural History. pp. 1–45 [21, 22].
 -
12. Kirkaldy, G.W. (1906). [*"Leaf-hoppers and their natural enemies \(Part IX. Leaf-Hoppers - Hemiptera\)"*](#) (PDF). Hawaiian Sugar Planters Association, Division of Entomology, Bulletin. **1**: 1–479 [434].

Categories:

- [Lists of insect species](#)
- [Rhotanini](#)
- [Hemiptera of Asia](#)
-

Rhithrogena is a genus of flatheaded mayflies in the family [Heptageniidae](#). There are 153 species in *Rhithrogena*.[\[1\]\[2\]\[3\]\[4\]\[5\]](#)



[*Rhithrogena germanica subimago*](#)

Species

- [*Rhithrogena adrianae*](#) Belfiore, 1983 ^{c g}
- [*Rhithrogena allobrogica*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena alpestris*](#) Eaton, 1885 ^{c g}
- [*Rhithrogena amica*](#) Traver, 1935 ^{i c g}
- [*Rhithrogena ampla*](#) Kang & Yang, 1994 ^{c g}

- [*Rhithrogena amseli*](#) (Demoulin, 1964) ^{c g}
- [*Rhithrogena anatolica*](#) Kazanci, 1985 ^{c g}
- [*Rhithrogena anomala*](#) McDunnough, 1928 ^{i c g}
- [*Rhithrogena austriaca*](#) Sowa & Weichselbaumer, 1988 ^{c g}
- [*Rhithrogena ayadi*](#) Dakki & Thomas, 1986 ^{c g}
- [*Rhithrogena bajkovae*](#) Sowa, 1973 ^{c g}
- [*Rhithrogena basiri*](#) Ali, 1971 ^{c g}
- [*Rhithrogena beskidensis*](#) Alba-Tercedor & Sowa, 1987 ^{c g}
- [*Rhithrogena binervis*](#) Kluge, 1987 ^{c g}
- [*Rhithrogena bogoescai*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena braaschi*](#) Jacob, 1974 ^{c g}
- [*Rhithrogena brodskyi*](#) Kustareva, 1976 ^{c g}
- [*Rhithrogena brunneotincta*](#) McDunnough, 1933 ^{i c g b}
- [*Rhithrogena bulgarica*](#) Braasch, Soldán & Sowa, 1985 ^{c g}
- [*Rhithrogena buresi*](#) Sowa, 1973 ^{c g}
- [*Rhithrogena carpatoalpina*](#) Klonowska, Olechowska, Sartori & Weichselbaumer, 1987 ^{c g}
- [*Rhithrogena castellana*](#) Navás, 1927 ^{c g}
- [*Rhithrogena catalaunica*](#) Navas, 1916 ^g
- [*Rhithrogena caucasica*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena cincta*](#) Navás, 1921 ^{c g}
- [*Rhithrogena circumtatica*](#) Sowa & Soldán, 1986 ^{c g}
- [*Rhithrogena colmarsensis*](#) Sowa, 1984 ^{c g}
- [*Rhithrogena corcontica*](#) Sowa & Soldán, 1986 ^{c g}
- [*Rhithrogena dagestanica*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena daterrai*](#) Sowa, 1984 ^{c g}
- [*Rhithrogena decolorata*](#) Sinitshenkova, 1973 ^{c g}
- [*Rhithrogena decora*](#) Day, 1954 ^{i c g}
- [*Rhithrogena degrangei*](#) Sowa, 1969 ^{c g}
- [*Rhithrogena delphinensis*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena diaphana*](#) Navás, 1917 ^{c g}
- [*Rhithrogena diensis*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena dorieri*](#) Sowa, 1971 ^{c g}
- [*Rhithrogena eatoni*](#) Esben-Petersen, 1912 ^{c g}
- [*Rhithrogena endenensis*](#) Metzler, Tomka & Zurwerra, 1985 ^{c g}
- [*Rhithrogena eugeniae*](#) Kluge, 1983 ^{c g}
- [*Rhithrogena excisa*](#) Sinitshenkova, 1979 ^{c g}

- [*Rhithrogena exilis*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena expectata*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena fasciata*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena ferruginea*](#) Navás, 1905 ^{c g}
- [*Rhithrogena fiorii*](#) Grandi, 1953 ^{c g}
- [*Rhithrogena flavianula*](#) (McDunnough, 1924) ^{i c g b}
- [*Rhithrogena fonticola*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena fuscifrons*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena futilis*](#) McDunnough, 1934 ^{i c g}
- [*Rhithrogena gaspeensis*](#) McDunnough, 1933 ^{i c g}
- [*Rhithrogena germanica*](#) Eaton, 1885 ^{c g}
- [*Rhithrogena giudicelliorum*](#) Thomas & Bouzidi, 1986 ^{c g}
- [*Rhithrogena goeldini*](#) Sartori & Sowa, 1988 ^{c g}
- [*Rhithrogena gorganica*](#) Klapálek, 1907 ^{c g}
- [*Rhithrogena gorrizi*](#) Navás, 1913 ^{c g}
- [*Rhithrogena gratianopolitana*](#) Sowa, Degrange & Sartori, 1986 ^{c g}
- [*Rhithrogena grischuna*](#) Sartori & Oswald, 1988 ^{c g}
- [*Rhithrogena hageni*](#) Eaton, 1885 ^{i c g}
- [*Rhithrogena henschi*](#) Klapálek, 1906 ^{c g}
- [*Rhithrogena hercegovina*](#) Tanasijevic, 1984 ^{c g}
- [*Rhithrogena hercynia*](#) Landa, 1970 ^{c g}
- [*Rhithrogena hybrida*](#) Eaton, 1885 ^{c g}
- [*Rhithrogena impersonata*](#) (McDunnough, 1925) ^{i c g b}
- [*Rhithrogena ingalik*](#) Randolph and McCafferty, 2005 ^{i c g}
- [*Rhithrogena insularis*](#) Esben-Petersen, 1913 ^{c g}
- [*Rhithrogena iranica*](#) Braasch, 1983 ^{c g}
- [*Rhithrogena iridina*](#) (Kolenati, 1859) ^{c g}
- [*Rhithrogena jacobi*](#) Braasch & Soldán, 1988 ^{c g}
- [*Rhithrogena jahorinensis*](#) Tanasijevic, 1985 ^{c g}
- [*Rhithrogena japonica*](#) Uéno, 1928 ^{c g}
- [*Rhithrogena jejuna*](#) Eaton, 1885 ^{i c g}
- [*Rhithrogena johanni*](#) Belfiore, 1990 ^{c g}
- [*Rhithrogena joostiana*](#) Sowa, 1976 ^{c g}
- [*Rhithrogena kashmiriensis*](#) (Braasch & Soldán, 1982) ^{c g}
- [*Rhithrogena kimminsi*](#) Thomas, 1970 ^{c g}
- [*Rhithrogena klausnitzeriana*](#) Braasch, 1979 ^{c g}

- [*Rhithrogena klugei*](#) Tiunova, 2010 ^{c g}
- [*Rhithrogena laciniosa*](#) Sinitshenkova, 1979 ^{c g}
- [*Rhithrogena landai*](#) Sowa & Soldán, 1984 ^{c g}
- [*Rhithrogena lepnevae*](#) Brodsky, 1930 ^{c g}
- [*Rhithrogena lisettae*](#) Bauernfeind, 2003 ^{c g}
- [*Rhithrogena loyolaea*](#) Navás, 1922 ^{c g}
- [*Rhithrogena lucida*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena manifesta*](#) Eaton, 1885 ^{i c g}
- [*Rhithrogena marcosi*](#) Alba-Tercedor & Sowa, 1987 ^{c g}
- [*Rhithrogena mariaae*](#) Vitte, 1991 ^{c g}
- [*Rhithrogena mariaedominicae*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena marinkovici*](#) Tanasijevic, 1985 ^{c g}
- [*Rhithrogena minazuki*](#) Imanishi, 1936 ^{c g}
- [*Rhithrogena minima*](#) Sinitshenkova, 1973 ^{c g}
- [*Rhithrogena monserati*](#) Alba-Tercedor & Sowa, 1986 ^{c g}
- [*Rhithrogena morrisoni*](#) (Banks, 1924) ^{i c g}
- [*Rhithrogena nepalensis*](#) Braasch, 1984 ^{c g}
- [*Rhithrogena neretvana*](#) Tanasijevic, 1984 ^{c g}
- [*Rhithrogena nivata*](#) (Eaton, 1871) ^{c g}
- [*Rhithrogena notialis*](#) Allen and Cohen, 1977 ^{i c g}
- [*Rhithrogena nuragica*](#) Belfiore, 1987 ^{c g}
- [*Rhithrogena orientalis*](#) You, 1990 ^{c g}
- [*Rhithrogena ornata*](#) (Ulmer, 1939) ^{c g}
- [*Rhithrogena oscensis*](#) Navás, 1927 ^{c g}
- [*Rhithrogena ourika*](#) Thomas & Mohati, 1985 ^{c g}
- [*Rhithrogena parva*](#) (Ulmer, 1912) ^{c g}
- [*Rhithrogena paulinae*](#) Sartori & Sowa, 1992 ^{c g}
- [*Rhithrogena picteti*](#) Sowa, 1971 ^{c g}
- [*Rhithrogena piechockii*](#) Braasch, 1977 ^{c g}
- [*Rhithrogena plana*](#) Allen and Chao, 1978 ^{i c g}
- [*Rhithrogena podhalensis*](#) Sowa & Soldán, 1986 ^{c g}
- [*Rhithrogena pontica*](#) Sowa, Soldán, Kazanci & Braasch, 1986 ^{c g}
- [*Rhithrogena potamalis*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena puthzi*](#) Sowa, 1984 ^{c g}
- [*Rhithrogena puytoraci*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena reatina*](#) Sowa & Belfiore, 1984 ^{c g}

- [*Rhithrogena robusta*](#) Dodds, 1923 ^{i c g}
- [*Rhithrogena rolandi*](#) Weichselbaumer, 1995 ^{c g}
- [*Rhithrogena rubicunda*](#) Traver, 1937 ^{i c g}
- [*Rhithrogena ryszardi*](#) Thomas, 1987 ^{c g}
- [*Rhithrogena sartorii*](#) Zrelli & Boumaiza, 2011 ^{c g}
- [*Rhithrogena savoienensis*](#) Alba-Tercedor & Sowa, 1987 ^{c g}
- [*Rhithrogena semicolorata*](#) (Curtis, 1834) ^{c g}
- [*Rhithrogena siamensis*](#) Braasch & Boonsoong, 2009 ^{c g}
- [*Rhithrogena sibillina*](#) Metzler, Tomka & Zurwerra, 1985 ^{c g}
- [*Rhithrogena sibirica*](#) Brodsky, 1930 ^{c g}
- [*Rhithrogena siciliana*](#) Braasch, 1989 ^{c g}
- [*Rhithrogena soteria*](#) Navás, 1917 ^{c g}
- [*Rhithrogena sowai*](#) Puthz, 1972 ^{c g}
- [*Rhithrogena stackelbergi*](#) Sinitshenkova, 1973 ^{c g}
- [*Rhithrogena strenua*](#) Thomas, 1982 ^{c g}
- [*Rhithrogena subangulata*](#) Braasch, 1984 ^{c g}
- [*Rhithrogena sublineata*](#) Kazanci & Braasch, 1988 ^{c g}
- [*Rhithrogena tateyamana*](#) Imanishi, 1936 ^{c g}
- [*Rhithrogena taurisca*](#) Bauernfeind, 1992 ^{c g}
- [*Rhithrogena teberdensis*](#) Zimmermann, 1977 ^{c g}
- [*Rhithrogena tetrapunctigera*](#) Matsumura, 1931 ^{c g}
- [*Rhithrogena theischingeri*](#) Braasch, 1981 ^{c g}
- [*Rhithrogena thomasi*](#) Alba-Tercedor & Sowa, 1986 ^{c g}
- [*Rhithrogena thracica*](#) Sowa, Soldán & Braasch, 1988 ^{c g}
- [*Rhithrogena tianshanica*](#) Brodsky, 1930 ^{c g}
- [*Rhithrogena tibialis*](#) (Ulmer, 1920) ^c
- [*Rhithrogena trispina*](#) Zhou & Zheng, 2000 ^{c g}
- [*Rhithrogena uhari*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena umbrosa*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena undulata*](#) (Banks, 1924) ^{i c g}
- [*Rhithrogena unica*](#) Zhou & Peters, 2004 ^{c g}
- [*Rhithrogena uzbekistanicus*](#) (Braasch & Soldán, 1982) ^{c g}
- [*Rhithrogena vaillanti*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena virilis*](#) McDunnough, 1934 ^{i c g}
- [*Rhithrogena wolosatkae*](#) Klonowska, 1987 ^{c g}
- [*Rhithrogena wuyiensis*](#) (Gui, Zhou & Su, 1999) ^{c g}

- [*Rhithrogena zelinkai*](#) Sowa & Soldán, 1984 ^{c g}
- [*Rhithrogena zernyi*](#) Bauernfeind, 1991 ^{c g}
- [*Rhithrogena zhiltzovae*](#) Sinitschenkova, 1979 ^{c g}
- [*Rhithrogena znojko*](#) (Tshernova, 1938) ^{c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

References

1.
 - ["Rhithrogena Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-05.
 - ["Browse Rhithrogena"](#). Catalogue of Life. Archived from [the original](#) on 2018-05-06. Retrieved 2018-05-05.
 - ["Rhithrogena"](#). GBIF. Retrieved 2018-05-05.
 - ["Rhithrogena Genus Information"](#). BugGuide.net. Retrieved 2018-05-05.
5. ["Mayfly Central"](#). Retrieved 2018-05-05.
- Chinery, Michael (1986). *Collins Guide to the Insects of Britain and Western Europe*. London: Collins. [ISBN](#) .

Further reading

- Arnett, Ross H. Jr. (2000). [American Insects: A Handbook of the Insects of America North of Mexico](#) (2nd ed.). CRC Press. [ISBN](#) .
- Barber-James, Helen M.; Gattolliat, Jean-Luc; Sartori, Michel; Hubbard, Michael D. (2008). "Global diversity of mayflies (Ephemeroptera, Insecta) in freshwater". *Freshwater Animal Diversity Assessment*. **595** (1). Springer: 339–350. doi:[10.1007/978-1-4020-8259-7_37](#).
- Barber-James, H.; Sartori, M.; Gattolliat, J-L.; Webb, J. (2013). ["World checklist of freshwater Ephemeroptera species"](#). The Catalogue of Life Partnership. doi:[10.15468/wrzznv](#). Retrieved 2018-05-05. {{cite journal}}: Cite journal requires |journal= (help)
- Campbell, Ian C., ed. (1990). *Mayflies and stoneflies: Life histories and biology*. Springer. doi:[10.1007/978-94-009-2397-3](#). [ISBN](#) . [S2CID](#) [39201439](#).
- Edmunds Jr., George F. (1972). "Biogeography and evolution of Ephemeroptera". *Annual Review of Entomology*. **17** (1). Annual Reviews: 21–42. doi:[10.1146/annurev.en.17.010172.000321](#).
- Kluge, Nikita (2013). *The phylogenetic system of Ephemeroptera*. Springer Science & Business Media. doi:[10.1007/978-94-007-0872-3](#). [ISBN](#) . [S2CID](#) [39671739](#).

External links

-  Media related to [Rhithrogena](#) at Wikimedia Commons

Taxon identifiers

Rhithrogena

- [Wikidata: Q3429517](#)
- [Wikispecies: Rhithrogena](#)
- [ADW: Rhithrogena](#)
- [BioLib: 97181](#)
- [BOLD: 96004](#)
- [BugGuide: 50753](#)
- [CoL: 78W9](#)
- [EoL: 2762790](#)
- [Fauna Europaea: 193374](#)
- [Fauna Europaea \(new\): 8a59ed7e-c43a-4c02-922c-218390286a2a](#)
- [GBIF: 1408385](#)
- [iNaturalist: 211724](#)
- [IRMNG: 1059040](#)
- [ITIS: 100572](#)
- [NBN: NHMSYS00000066955](#)
- [NCBI: 307890](#)
- [Open Tree of Life: 525130](#)
- [Paleobiology Database: 195398](#)
- [Plazi: D297CEBA-00C2-8532-30F1-8A3CADCB31D4](#)



This [mayfly](#) related article is a [stub](#). You can help Wikipedia by [adding missing information](#).

Categories:

- [Mayflies](#)
- [Lists of insect species](#)
- [Mayfly genera](#)
- [Mayfly stubs](#)
-

This is a list of 620 species in [Rhamphomyia](#), a genus of dance flies in the family [Empididae](#).^{[1][2][3]}

***Rhamphomyia* species**

- [Rhamphomyia acuta](#) Bartak, 2002 ^{c g}

- [*Rhamphomyia adversa*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia aethiops*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia agasciles*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia alameda*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia albata*](#) Coquillett, 1902 ^{i c g}
- [*Rhamphomyia albibasis*](#) Frey, 1935 ^{c g}
- [*Rhamphomyia albidipennis*](#) Malloch, 1930 ^{c g}
- [*Rhamphomyia albidiventris*](#) Strobl, 1898 ^{c g}
- [*Rhamphomyia albipennis*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia albissima*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia albitarsis*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia albogeniculata*](#) Roser, 1840 ^{c g}
- [*Rhamphomyia albohirta*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia albonigra*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia albopilosa*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia albosegmentata*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia alpina*](#) (Zetterstedt, 1838) ^{c g}
- [*Rhamphomyia alpiniformis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia ambocnema*](#) Chillcott, 1959 ^{i c g}
- [*Rhamphomyia americana*](#) Wiedemann, 1830 ^{i c g}
- [*Rhamphomyia amoena*](#) Loew, 1840 ^{c g}
- [*Rhamphomyia ampla*](#) Frey, 1952 ^{c g}
- [*Rhamphomyia amplicella*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia amplipedis*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia andalusiaca*](#) Strobl, 1899 ^{c g}
- [*Rhamphomyia anfractuosa*](#) Bezzi, 1904 ^{c g}
- [*Rhamphomyia angulifera*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia angustifacies*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia angustipennis*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia anomala*](#) Oldenberg, 1915 ^{c g}
- [*Rhamphomyia anomalina*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia anomalipennis*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia antennata*](#) Frey, 1915 ^{c g}
- [*Rhamphomyia anthracina*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia anthracinella*](#) Strobl, 1898 ^{c g}
- [*Rhamphomyia anthracodes*](#) Coquillett, 1900 ^{i c g}

- [*Rhamphomyia aperta*](#) Loew^{i c g}
- [*Rhamphomyia appendens*](#) Bartak, 2002^{c g}
- [*Rhamphomyia appendiculata*](#) Macquart, 1827^{c g}
- [*Rhamphomyia aprilis*](#) White, 1916^{c g}
- [*Rhamphomyia aquaria*](#) Bartak, 2002^{c g}
- [*Rhamphomyia arakawae*](#) Matsumura, 1915^{c g}
- [*Rhamphomyia araneipes*](#) Frey, 1951^{c g}
- [*Rhamphomyia arctotibia*](#) Chillcott, 1959^{i c g}
- [*Rhamphomyia arcuata*](#) Coquillett, 1895^{i c g}
- [*Rhamphomyia argentata*](#) Roder, 1887^{c g}
- [*Rhamphomyia argyrina*](#) Bezzi, 1909^{c g}
- [*Rhamphomyia argyrosoma*](#) Saigusa, 1963^{c g}
- [*Rhamphomyia ariiorum*](#) Saigusa, 1964^{c g}
- [*Rhamphomyia armata*](#) Becker, 1915^{c g}
- [*Rhamphomyia armimana*](#) Oldenberg, 1910^{c g}
- [*Rhamphomyia armipes*](#) Sack, 1923^{c g}
- [*Rhamphomyia arnaudorum*](#) Bartak, 2002^{c g}
- [*Rhamphomyia articularis*](#) Bartak, 2002^{c g}
- [*Rhamphomyia astragala*](#) Bartak, 2002^{c g}
- [*Rhamphomyia aterrima*](#) Frey, 1922^{c g}
- [*Rhamphomyia atra*](#) Meigen, 1822^{c g}
- [*Rhamphomyia atrata*](#) Coquillett, 1900^{i c g}
- [*Rhamphomyia aucta*](#) Oldenberg, 1917^{c g}
- [*Rhamphomyia auricoma*](#) Bartak, 2002^{c g}
- [*Rhamphomyia auripilosa*](#) Saigusa, 1964^{c g}
- [*Rhamphomyia australis*](#) Frey, 1922^{c g}
- [*Rhamphomyia aversa*](#) Frey, 1950^{c g}
- [*Rhamphomyia azauensis*](#) Bartak, 1983^{c g}
- [*Rhamphomyia baicalensis*](#) Frey, 1950^{c g}
- [*Rhamphomyia barbata*](#) (Macquart, 1823)^{c g}
- [*Rhamphomyia barbipalpis*](#) Frey, 1950^{c g}
- [*Rhamphomyia barypoda*](#) Coquillett, 1900^{i c g}
- [*Rhamphomyia basalis*](#) Loew, 1864^{i c g}
- [*Rhamphomyia basisetosa*](#) Saigusa, 1966^{c g}
- [*Rhamphomyia basispinosa*](#) Frey, 1950^{c g}
- [*Rhamphomyia batylimensis*](#) Frey, 1922^{c g}

- [*Rhamphomyia beckeriella*](#) Chvala, 1985 ^{c g}
- [*Rhamphomyia bellinsetosa*](#) Bartak, 2007 ^{c g}
- [*Rhamphomyia bergrothi*](#) (Kieffer, 1923) ^{c g}
- [*Rhamphomyia bernhardi*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia bicalaris*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia bicolor*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia bicoloripes*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia bifasciata*](#) (Rossi, 1794) ^{c g}
- [*Rhamphomyia bifilata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia bigelowi*](#) Walley, 1927 ^{i c g}
- [*Rhamphomyia bilineata*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia bipila*](#) Strobl, 1909 ^{c g}
- [*Rhamphomyia birdi*](#) Curran, 1929 ^{i c g}
- [*Rhamphomyia biroi*](#) Bezzi, 1908 ^{c g}
- [*Rhamphomyia biserialis*](#) (Collin, 1960) ^{c g}
- [*Rhamphomyia bistriata*](#) Strobl, 1910 ^{c g}
- [*Rhamphomyia boliviana*](#) Bezzi, 1905 ^{c g}
- [*Rhamphomyia borealis*](#) (Fabricius, 1780) ^{i c g}
- [*Rhamphomyia boreoitalica*](#) Bartak, 2006 ^{c g}
- [*Rhamphomyia brevicellula*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia brevipila*](#) Oldenberg, 1922 ^{c g}
- [*Rhamphomyia brevis*](#) Loew, 1861 ^{i c g b}
- [*Rhamphomyia brevistylata*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia breviventris*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia brunneostriata*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia brussnewi*](#) Frey, 1915 ^{c g}
- [*Rhamphomyia bryanti*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia caeca*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia caesia*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia calcarifera*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia californica*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia caliginosa*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia calimenda*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia calvimontis*](#) Cockerell, 1916 ^{i c g}
- [*Rhamphomyia cana*](#) Zetterstedt, 1849 ^{c g}
- [*Rhamphomyia candicans*](#) Loew, 1864 ^{i c g}

- [Rhamphomyia candidula](#) Collin, 1933 ^{c g}
- [Rhamphomyia canella](#) Bartak, 2002 ^{c g}
- [Rhamphomyia carbonaria](#) Wiedemann, 1822 ^{c g}
- [Rhamphomyia carenifera](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia carrerai](#) Smith, 1962 ^{c g}
- [Rhamphomyia catarinae](#) Smith, 1962 ^{c g}
- [Rhamphomyia caucasica](#) Frey, 1953 ^{c g}
- [Rhamphomyia caudata](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia cavicornuta](#) Bartak, 2002 ^{c g}
- [Rhamphomyia cervi](#) Bartak, 2006 ^{c g}
- [Rhamphomyia chibinensis](#) Frey, 1922 ^{c g}
- [Rhamphomyia chimganensis](#) Bartak, 2000 ^{c g}
- [Rhamphomyia chinoptera](#) Bezzi, 1904 ^{c g}
- [Rhamphomyia chionoptera](#) Bezzi, 1904 ^g
- [Rhamphomyia chrysodactyla](#) Frey, 1950 ^{c g}
- [Rhamphomyia chvalai](#) Bartak, 2000 ^{c g}
- [Rhamphomyia ciliata](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia ciliatopoda](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia cilipes](#) (Say, 1823) ^{i c g}
- [Rhamphomyia cimrmani](#) Bartak, 2006 ^{c g}
- [Rhamphomyia cinefacta](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia cineracea](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia cinerascens](#) (Meigen, 1804) ^{c g}
- [Rhamphomyia cinerea](#) (Fabricius, 1775) ^{c g}
- [Rhamphomyia claripennis](#) Oldenberg, 1922 ^{c g}
- [Rhamphomyia clariventris](#) Okada, 1941 ^{c g}
- [Rhamphomyia clauda](#) Coquillett, 1901 ^{i c g}
- [Rhamphomyia clavator](#) Coquillett, 1901 ^{i c g}
- [Rhamphomyia clavigera](#) Loew, 1861 ^{i c g}
- [Rhamphomyia clypeata](#) Macquart, 1834 ^{c g}
- [Rhamphomyia collini](#) Smith, 1971 ^{c g}
- [Rhamphomyia colorata](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia comosa](#) Bartak, 2002 ^{c g}
- [Rhamphomyia complicans](#) Frey, 1953 ^{c g}
- [Rhamphomyia compta](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia confinis](#) Zetterstedt, 1852 ^{c g}

- [Rhamphomyia conjuncta](#) Loew, 1861 ^{i c g}
- [Rhamphomyia contracta](#) Bartak, 2002 ^{c g}
- [Rhamphomyia cophas](#) Walker, 1849 ^{i c g}
- [Rhamphomyia coracina](#) Zetterstedt, 1849 ^{c g}
- [Rhamphomyia corvina](#) Loew, 1861 ^{c g}
- [Rhamphomyia crassicauda](#) Strobl, 1893 ^{c g}
- [Rhamphomyia crassimana](#) Strobl, 1898 ^{c g}
- [Rhamphomyia crassirostris](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia cribrata](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia cribrata](#) Oldenberg, 1927 ^g
- [Rhamphomyia crinita](#) Becker, 1887 ^{c g}
- [Rhamphomyia culicina](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia cummingi](#) Bartak, 2002 ^{c g}
- [Rhamphomyia curicauda](#) Frey, 1949 ^g
- [Rhamphomyia currani](#) Steyskal, 1964 ^{i c g}
- [Rhamphomyia curvicauda](#) Frey, 1949 ^{c g}
- [Rhamphomyia curvinervis](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia curvipes](#) Coquillett, 1904 ^{i c g}
- [Rhamphomyia curvitibia](#) Saigusa, 1965 ^{c g}
- [Rhamphomyia curvula](#) Frey, 1913 ^{c g}
- [Rhamphomyia cyanogaster](#) Wheeler & Melander, 1901 ^{c g}
- [Rhamphomyia cymbella](#) Frey, 1950 ^{c g}
- [Rhamphomyia czizeki](#) Bartak, 1982 ^{c g}
- [Rhamphomyia dalmatica](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia dana](#) Walker, 1849 ^{i c g}
- [Rhamphomyia daria](#) Walker, 1849 ^{i c g}
- [Rhamphomyia dasyncnema](#) Bartak, 2002 ^{c g}
- [Rhamphomyia dasypoda](#) Steyskal, 1964 ^{i c g}
- [Rhamphomyia debilis](#) Loew, 1861 ^{i c g}
- [Rhamphomyia deformata](#) Frey, 1950 ^{c g}
- [Rhamphomyia deformatella](#) Bartak, 2000 ^{c g}
- [Rhamphomyia deformicauda](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia deformipes](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia dentata](#) Oldenberg, 1910 ^{c g}
- [Rhamphomyia dimidiata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia discoidalis](#) Becker, 1889 ^{c g}

- [*Rhamphomyia disconcerta*](#) Curran, 1930 ^{i c g}
- [*Rhamphomyia disconnecta*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia disparilis*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia distincta*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia diversa*](#) Coquillett, 1901 ^{i c g}
- [*Rhamphomyia diversipennis*](#) Becker, 1900 ^{c g}
- [*Rhamphomyia dombai*](#) Bartak, 1983 ^{c g}
- [*Rhamphomyia dorsata*](#) Becker, 1915 ^{c g}
- [*Rhamphomyia drahomirae*](#) Bartak, 1983 ^{c g}
- [*Rhamphomyia dudai*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia duplicis*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia ecetra*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia effera*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia eminens*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia empidiformis*](#) Becker, 1909 ^{c g}
- [*Rhamphomyia enupta*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia erecta*](#) Bartak, 1998 ^{c g}
- [*Rhamphomyia erinacioides*](#) Malloch, 1919 ^{i c g}
- [*Rhamphomyia erythrohptalma*](#) Meigen, 1830 ^g
- [*Rhamphomyia erythrophthalma*](#) Meigen, 1830 ^{c g}
- [*Rhamphomyia eupterota*](#) Loew, 1873 ^{c g}
- [*Rhamphomyia exigua*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia facipennis*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia falcipedia*](#) Chillcott, 1959 ^{i c g}
- [*Rhamphomyia fascipennis*](#) Zetterstedt, 1838 ^g
- [*Rhamphomyia filicauda*](#) Henriksen and Lundbeck, 1917 ^{i c g}
- [*Rhamphomyia filicaudula*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia filipjefi*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia fimbriata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia fixus*](#) (Harris, 1776) ^{c g}
- [*Rhamphomyia flava*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia flavipes*](#) Matsumura, 1911 ^{c g}
- [*Rhamphomyia flavirostris*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia flaviventris*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia flavobasalis*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia flexuosa*](#) Coquillett, 1895 ^{i c g}

- [*Rhamphomyia formidabilis*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia formosula*](#) Melander, 1965 ^{i c g}
- [*Rhamphomyia fortis*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia foveata*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia freyi*](#) Bartak, 1985 ^{c g}
- [*Rhamphomyia fridolini*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia frontalis*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia fulvirostris*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia fulvolanata*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia fumosa*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia furcifer*](#) Wheeler & Melander, 1901 ^{c g}
- [*Rhamphomyia fuscipicis*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia fuscipennis*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia fuscula*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia galactodes*](#) Bezzi, 1909 ^{c g}
- [*Rhamphomyia galactoptera*](#) Strobl, 1893 ^{c g}
- [*Rhamphomyia galbanata*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia geisha*](#) Frey, 1952 ^{c g}
- [*Rhamphomyia geniculata*](#) Meigen, 1830 ^{c g}
- [*Rhamphomyia gibba*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia gibbifera*](#) Strobl, 1906 ^{c g}
- [*Rhamphomyia gilvipes*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia gilvipilosa*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia glabra*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia glauca*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia gracilis*](#) Walker, 1849 ^b
- [*Rhamphomyia gracilitarsis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia grammoptera*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia granadensis*](#) Chvala, 1981 ^{c g}
- [*Rhamphomyia gripha*](#) Frey, 1935 ^{c g}
- [*Rhamphomyia griseola*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia griseonigra*](#) Brunetti, 1913 ^{c g}
- [*Rhamphomyia gufitar*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia hagogromo*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia hambergi*](#) Frey, 1916 ^{c g}
- [*Rhamphomyia harpago*](#) Frey, 1952 ^{c g}

- [Rhamphomyia helleni](#) Frey, 1922 ^{c g}
- [Rhamphomyia hercynica](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia herschelli](#) Malloch, 1919 ^{i c g}
- [Rhamphomyia heterochroma](#) Bezzi, 1898 ^{c g}
- [Rhamphomyia heterogyna](#) Frey, 1952 ^{c g}
- [Rhamphomyia hilariformis](#) Frey, 1922 ^{c g}
- [Rhamphomyia himalayana](#) Brunetti, 1913 ^{c g}
- [Rhamphomyia hirsutipes](#) Collin, 1926[4] ^{c g}
- [Rhamphomyia hirticula](#) Collin, 1937 ^{i c g}
- [Rhamphomyia hirtimana](#) Oldenberg, 1922 ^{c g}
- [Rhamphomyia hirtipes](#) Loew, 1864 ^{i c g}
- [Rhamphomyia hirtula](#) Zetterstedt, 1842 ^{i c g}
- [Rhamphomyia hoeli](#) Frey, 1950 ^{i c g}
- [Rhamphomyia horitropha](#) Bartak, 2002 ^{c g}
- [Rhamphomyia hovgaardii](#) Holmgren, 1880 ^{i c g}
- [Rhamphomyia hungarica](#) (Weber, 1969) ^{c g}
- [Rhamphomyia hyalina](#) Brullé, 1833 ^{c g}
- [Rhamphomyia hybotina](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia ideii](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia idonea](#) Bartak, 2002 ^{c g}
- [Rhamphomyia ignobilis](#) Zetterstedt, 1859 ^{c g}
- [Rhamphomyia impedita](#) Loew, 1862 ^{i c g}
- [Rhamphomyia improbula](#) Frey, 1953 ^{c g}
- [Rhamphomyia incompleta](#) Loew, 1863 ^{i c g}
- [Rhamphomyia insecta](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia insignis](#) Loew, 1871 ^{c g}
- [Rhamphomyia intercedens](#) Frey, 1950 ^{c g}
- [Rhamphomyia interserta](#) Collin, 1933 ^{c g}
- [Rhamphomyia intersita](#) Collin, 1960 ^{c g}
- [Rhamphomyia intonsa](#) Steyskal, 1964 ^{i c g}
- [Rhamphomyia inyoca](#) Bartak, 2002 ^{c g}
- [Rhamphomyia ise](#) Frey, 1953 ^{c g}
- [Rhamphomyia issikii](#) Ito, 1961 ^{c g}
- [Rhamphomyia itoi](#) Frey, 1950 ^{c g}
- [Rhamphomyia janoensis](#) Bartak, 1981 ^{c g}
- [Rhamphomyia janovensis](#) Bartak, 1981 ^{c g}

- [Rhamphomyia japonica](#) Frey, 1950 ^{c g}
- [Rhamphomyia jaroslavi](#) Bartak, 2002 ^{c g}
- [Rhamphomyia jesonensis](#) Matsumura, 1915 ^{c g}
- [Rhamphomyia jubata](#) Chillcott, 1959 ^{i c g}
- [Rhamphomyia kamenuschka](#) Bartak, 2003 ^{c g}
- [Rhamphomyia kamtschatica](#) Frey, 1922 ^{c g}
- [Rhamphomyia kaninensis](#) Frey, 1913 ^{c g}
- [Rhamphomyia karamanensis](#) Bartak, Ciftci & Hasbenli, 2007 ^{c g}
- [Rhamphomyia kashiiensis](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia kerteszi](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia kjellmanii](#) Holmgren, 1880 ^{c g}
- [Rhamphomyia klapperichi](#) Frey, 1953 ^{c g}
- [Rhamphomyia knutsoni](#) Bartak, 2002 ^{c g}
- [Rhamphomyia koreana](#) Bartak, 1997 ^{c g}
- [Rhamphomyia kovalevi](#) Bartak, 2004 ^{c g}
- [Rhamphomyia kozaneki](#) Bartak, 1997 ^{c g}
- [Rhamphomyia kreischi](#) Bartak, 1998 ^{c g}
- [Rhamphomyia kubiki](#) Bartak, 2002 ^{c g}
- [Rhamphomyia ladas](#) Frey, 1955 ^{c g}
- [Rhamphomyia laevigata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia laevipes](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia lamellata](#) Collin, 1926[4] ^{c g}
- [Rhamphomyia lamelliseta](#) Ringdahl, 1928 ^{c g}
- [Rhamphomyia lammifera](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia lamniferella](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia lapponica](#) Frey, 1955 ^{c g}
- [Rhamphomyia latifrons](#) Frey, 1913 ^{c g}
- [Rhamphomyia latilobata](#) Bartak, 2002 ^{c g}
- [Rhamphomyia latiscaura](#) Bartak, 2002 ^{c g}
- [Rhamphomyia latistriata](#) Frey, 1953 ^{c g}
- [Rhamphomyia lautereri](#) Bartak, 1981 ^{c g}
- [Rhamphomyia leptidiformis](#) Frey, 1950 ^{c g}
- [Rhamphomyia leptopus](#) Loew, 1873 ^{c g}
- [Rhamphomyia leucophenga](#) Bezzi, 1905 ^{c g}
- [Rhamphomyia leucoptera](#) Loew, 1861 ^{i c g}
- [Rhamphomyia leucopterella](#) Saigusa, 1964 ^{c g}

- [Rhamphomyia limata](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia limbata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia lindneri](#) Bartak, 1998 ^{c g}
- [Rhamphomyia litoralis](#) Saigusa, 1994 ^{c g}
- [Rhamphomyia lividiventris](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia loewi](#) Nowicki, 1868 ^{c g}
- [Rhamphomyia longefilata](#) Strobl, 1906 ^{c g}
- [Rhamphomyia longicauda](#) Loew, 1861 ^{i c g b} (long-tailed dance fly)
- [Rhamphomyia longicornis](#) Loew, 1861 ^{i c g}
- [Rhamphomyia longidiscalis](#) Bartak, 2002 ^{c g}
- [Rhamphomyia longipennis](#) Loew, 1861 ^{i c g}
- [Rhamphomyia longipes](#) (Meigen, 1804) ^{c g}
- [Rhamphomyia longirostris](#) (Lindner, 1972) ^{c g}
- [Rhamphomyia longiseta](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia longistigma](#) Frey, 1953 ^{c g}
- [Rhamphomyia loripedis](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia lucidula](#) Zetterstedt, 1842 ^{c g}
- [Rhamphomyia luctifera](#) Loew, 1861 ^{i c g}
- [Rhamphomyia luctuosa](#) Loew, 1872 ^{i g}
- [Rhamphomyia luridipennis](#) Nowicki, 1868 ^{c g}
- [Rhamphomyia luteicoxa](#) Frey, 1953 ^{c g}
- [Rhamphomyia luteiventer](#) Curran, 1929 ^{i g}
- [Rhamphomyia luteiventris](#) Loew, 1864 ^{i c g}
- [Rhamphomyia maai](#) Saigusa, 1966 ^{c g}
- [Rhamphomyia macilenta](#) Loew, 1864 ^{i c g}
- [Rhamphomyia macrura](#) Loew, 1871 ^{c g}
- [Rhamphomyia maculipennis](#) Zetterstedt, 1842 ^{c g}
- [Rhamphomyia magellensis](#) Frey, 1922 ^{c g}
- [Rhamphomyia malaisei](#) Frey, 1935 ^{c g}
- [Rhamphomyia mallos](#) Walker, 1849 ^{i c g}
- [Rhamphomyia manca](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia marginata](#) (Fabricius, 1787) ^{c g}
- [Rhamphomyia mariobezzi](#) Bartak, 2001 ^{c g}
- [Rhamphomyia maroccana](#) Collin, 1953 ^{c g}
- [Rhamphomyia melania](#) Becker, 1887 ^{c g}
- [Rhamphomyia mendicula](#) Frey, 1950 ^{c g}

- [Rhamphomyia merzi](#) Bartak, 2000 ^{c g}
- [Rhamphomyia micans](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia micrargyra](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia micropyga](#) Collin, 1926[4] ^{c g}
- [Rhamphomyia minor](#) Oldenberg, 1922 ^{c g}
- [Rhamphomyia minutiforceps](#) Bartak & Kubik, 2008 ^{c g}
- [Rhamphomyia minutiforcipella](#) Bartak & Kubik, 2008 ^{c g}
- [Rhamphomyia minutissima](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia minytus](#) Walker, 1849 ^{i c g}
- [Rhamphomyia mirabilis](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia mirifica](#) Frey, 1922 ^{c g}
- [Rhamphomyia modesta](#) Wahlberg, 1844 ^{c g}
- [Rhamphomyia mollipes](#) Frey, 1953 ^{c g}
- [Rhamphomyia mollis](#) Collin, 1933 ^{c g}
- [Rhamphomyia monacha](#) Bartak, 2002 ^{c g}
- [Rhamphomyia monstrosa](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia montana](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia morenae](#) Strobl, 1899 ^{c g}
- [Rhamphomyia morio](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia multicolor](#) Frey, 1952 ^{c g}
- [Rhamphomyia multisinuosa](#) Frey, 1950 ^{c g}
- [Rhamphomyia murina](#) Collin, 1926[4] ^{c g}
- [Rhamphomyia mutabilis](#) Loew, 1862 ^{i c g}
- [Rhamphomyia naias](#) Bartak, 2002 ^{c g}
- [Rhamphomyia nakasujii](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia nana](#) Loew, 1861 ^{i c g b}
- [Rhamphomyia nasoni](#) Coquillett, 1895 ^{i c g b}
- [Rhamphomyia nevadensis](#) Lindner, 1962 ^{c g}
- [Rhamphomyia nigraccipitrina](#) Ito & Saigusa, 1967 ^{c g}
- [Rhamphomyia nigricans](#) Loew, 1864 ^{i c g}
- [Rhamphomyia nigricauda](#) Becker, 1907 ^{c g}
- [Rhamphomyia nigrifemina](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia nigripennis](#) (Fabricius, 1794) ^{c g}
- [Rhamphomyia nigripes](#) Strobl, 1898 ^{c g}
- [Rhamphomyia nigrita](#) Zetterstedt, 1838 ^{i c g}
- [Rhamphomyia nigromaculata](#) Roser, 1840 ^{c g}

- [*Rhamphomyia nipponalpina*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia nipponensis*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia nitida*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia nitidifrons*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia nitidistriata*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia nitidivittata*](#) Macquart, 1846 ^{i c g}
- [*Rhamphomyia nitidolineata*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia nitidula*](#) Zetterstedt, 1842 ^{c g}
- [*Rhamphomyia niveipennis*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia nodipes*](#) Fallen, 1816 ^{c g}
- [*Rhamphomyia nordqvisti*](#) Holmgren, 1880 ^{c g}
- [*Rhamphomyia novecarolina*](#) Beutenmuller, 1913 ^{i c g}
- [*Rhamphomyia nox*](#) Oldenberg, 1917 ^{c g}
- [*Rhamphomyia nubes*](#) (Collin, 1969) ^{c g}
- [*Rhamphomyia nubigena*](#) Bezzi, 1904 ^{c g}
- [*Rhamphomyia nudipes*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia obscura*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia obscurella*](#) Zetterstedt, 1842 ^{c g}
- [*Rhamphomyia obscuripennis*](#) Meigen, 1830 ^{c g}
- [*Rhamphomyia oedimana*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia olympiana*](#) Bartak, 1999 ^{c g}
- [*Rhamphomyia omissinervis*](#) Becker, 1900 ^{c g}
- [*Rhamphomyia omogoensis*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia opacithorax*](#) Malloch, 1923 ^{i c g}
- [*Rhamphomyia optimalis*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia ornithorhampha*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia otiosa*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia ozernajensis*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia ozerovi*](#) Bartak, 2003 ^{c g}
- [*Rhamphomyia pachymera*](#) Bigot, 1887 ^{i c g}
- [*Rhamphomyia pachymeriae*](#) Bartak & Kubik, 2009 ^{c g}
- [*Rhamphomyia pallistigma*](#) Roser, 1840 ^{c g}
- [*Rhamphomyia palmeni*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia paradoxa*](#) Wahlberg, 1844 ^{c g}
- [*Rhamphomyia paragramma*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia paraleucoptera*](#) Frey, 1950 ^{c g}

- [Rhamphomyia parva](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia parvicellulata](#) Frey, 1922 ^g
- [Rhamphomyia parvicellutata](#) Frey, 1922 ^{c g}
- [Rhamphomyia parvisinuata](#) Bartak, 2002 ^{c g}
- [Rhamphomyia parvula](#) Frey, 1955 ^{c g}
- [Rhamphomyia pectinata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia pectoris](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia pendella](#) Bartak, 2002 ^{c g}
- [Rhamphomyia pendens](#) Bartak, 2002 ^{c g}
- [Rhamphomyia penicillata](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia phemius](#) Walker, 1849 ^{i c g}
- [Rhamphomyia physoprocta](#) Frey, 1913 ^{c g}
- [Rhamphomyia piedmontensis](#) Bartak, 2007 ^{c g}
- [Rhamphomyia pilifer](#) Meigen, 1838 ^{c g}
- [Rhamphomyia piligeronis](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia pilimanicula](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia pilosifacies](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia pilostibia](#) Bartak & Kubik, 2009 ^{c g}
- [Rhamphomyia pkoronyi](#) Bezzi, 1904 ^{c g}
- [Rhamphomyia platycnemis](#) Frey, 1922 ^{c g}
- [Rhamphomyia pleciaeformis](#) Frey, 1950 ^{c g}
- [Rhamphomyia plumifera](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia plumipes](#) (Meigen, 1804) ^{c g}
- [Rhamphomyia poissoni](#) (Trehen, 1966) ^{c g}
- [Rhamphomyia pokorny](#) Bezzi, 1904 ^g
- [Rhamphomyia polita](#) Loew, 1862 ^{i c g}
- [Rhamphomyia politella](#) Malloch, 1931 ^{c g}
- [Rhamphomyia ponti](#) Bartak, 2007 ^{c g}
- [Rhamphomyia poplitea](#) Wahlberg, 1844 ^{c g}
- [Rhamphomyia porteri](#) Brèthes, 1924 ^{c g}
- [Rhamphomyia powelli](#) Bartak, 2002 ^{c g}
- [Rhamphomyia praecellens](#) Frey, 1952 ^{c g}
- [Rhamphomyia praecipua](#) Bartak, 2002 ^{c g}
- [Rhamphomyia praestans](#) Frey, 1913 ^{c g}
- [Rhamphomyia praeterita](#) Bartak, 2002 ^{c g}
- [Rhamphomyia prava](#) Chillcott, 1959 ^{i c g}

- [*Rhamphomyia pretiosa*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia priapulus*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia proclinata*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia prodroma*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia pseudocrinita*](#) Strobl, 1909 ^{c g}
- [*Rhamphomyia pseudogibba*](#) Strobl, 1910 ^{c g}
- [*Rhamphomyia psychomorpha*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia pteropyga*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia pulla*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia pusilla*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia pusio*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia pyctes*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia quinquelineata*](#) (Say, 1823) ^{i c g}
- [*Rhamphomyia rampazzii*](#) Bartak, 2006 ^{c g}
- [*Rhamphomyia rava*](#) Loew, 1962 ^{i c g}
- [*Rhamphomyia ravida*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia reflexa*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia retortus*](#) Frey, 1955 ^{c g}
- [*Rhamphomyia rhodesiensis*](#) Collin, 1938 ^{c g}
- [*Rhamphomyia rhythmica*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia ringens*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia rivalis*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia robustior*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia rogersi*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia rostrifera*](#) Bezzi, 1912 ^{c g}
- [*Rhamphomyia rotundicauda*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia rufipes*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia rufirostris*](#) Say, 1829 ^{i c g}
- [*Rhamphomyia rupestris*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia ryongaksanensis*](#) Bartak, 1997 ^{c g}
- [*Rhamphomyia saintbaumensis*](#) Bartak, 2007 ^{c g}
- [*Rhamphomyia samarkandensis*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia sanctimauroi*](#) Becker, 1887 ^{c g}
- [*Rhamphomyia sapporensis*](#) Matsumura, 1915 ^{c g}
- [*Rhamphomyia sareptana*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia sauteri*](#) Bezzi, 1912 ^{c g}

- [Rhamphomyia scaura](#) Bartak, 2002 ^{c g}
- [Rhamphomyia scaurissima](#) Wheeler, 1896 ^{i c g}
- [Rhamphomyia sciarina](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia scitula](#) Frey, 1922 ^{c g}
- [Rhamphomyia scolopacea](#) (Say, 1823) ^{i c g}
- [Rhamphomyia scopifer](#) Bartak, 2002 ^{c g}
- [Rhamphomyia scutellaris](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia sellacrinata](#) Bartak, 2007 ^{c g}
- [Rhamphomyia sellaensis](#) Bartak, 1999 ^{c g}
- [Rhamphomyia sellata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia semipellucida](#) Frey, 1950 ^{c g}
- [Rhamphomyia seposita](#) Collin, 1933 ^{c g}
- [Rhamphomyia septembris](#) White, 1916 ^{c g}
- [Rhamphomyia serpentata](#) Loew, 1856 ^{c g}
- [Rhamphomyia setitibia](#) Frey, 1950 ^{c g}
- [Rhamphomyia setosa](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia setulosa](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia shirayuki](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia siebecki](#) Strobl, 1898 ^{c g}
- [Rhamphomyia similata](#) Malloch, 1919 ^{i c g}
- [Rhamphomyia simplex](#) Zetterstedt, 1849 ^{c g}
- [Rhamphomyia slovakii](#) Bartak, 1997 ^{c g}
- [Rhamphomyia soccata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia sociabilis](#) (Williston, 1893) ^{i c g}
- [Rhamphomyia soleata](#) Melander, 1965 ^{i c g}
- [Rhamphomyia sordida](#) Loew, 1861 ^{i c g}
- [Rhamphomyia sororia](#) Frey, 1953 ^{c g}
- [Rhamphomyia spatenkai](#) Bartak, 2000 ^{c g}
- [Rhamphomyia spectabilis](#) Frey, 1922 ^{c g}
- [Rhamphomyia speighti](#) Bartak, 2006 ^{c g}
- [Rhamphomyia sphaerophora](#) Frey, 1950 ^{c g}
- [Rhamphomyia sphenoptera](#) Loew, 1873 ^{c g}
- [Rhamphomyia spinipes](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia spiniventris](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia spinosipes](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia spirifera](#) Frey, 1955 ^{c g}

- [*Rhamphomyia stackelbergi*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia stigmosa*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia strobli*](#) Bartak, 1985 ^{c g}
- [*Rhamphomyia stylata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia subacuta*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia subcinarescens*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia subdolomitica*](#) Bartak, 1981 ^{c g}
- [*Rhamphomyia subglaucella*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia subpusilla*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia subsultans*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia sudigeronis*](#) Coquillett, 1895 ^{i c g b}
- [*Rhamphomyia sulcata*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia sulcatella*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia sulcatina*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia sutibialis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia tachulanensis*](#) Saigusa, 1966 ^{c g}
- [*Rhamphomyia taenia*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia taimyrensis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia takagii*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia takahashii*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia tarsata*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia taylori*](#) Smith, 1971 ^{c g}
- [*Rhamphomyia teberdana*](#) Bartak, 1983 ^{c g}
- [*Rhamphomyia tenuipes*](#) Becker, 1907 ^{c g}
- [*Rhamphomyia tenuiterfilata*](#) Becker, 1900 ^{c g}
- [*Rhamphomyia tersa*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia testacea*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia thaiciliata*](#) Bartak & Kubik, 2008 ^{c g}
- [*Rhamphomyia tibialis*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia tibiella*](#) Zetterstedt, 1842 ^{c g}
- [*Rhamphomyia tienshanensis*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia tipularia*](#) Fallen, 1816 ^{c g}
- [*Rhamphomyia tolteca*](#) Wheeler & Melander, 1901 ^{c g}
- [*Rhamphomyia tonsa*](#) Loew, 1871 ^{c g}
- [*Rhamphomyia transversipyga*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia triangulifera*](#) Bartak, 2002 ^{c g}

- [Rhamphomyia trichopleura](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia trigemina](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia trilineata](#) Zetterstedt, 1859 ^{c g}
- [Rhamphomyia trimaculata](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia triseta](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia tristis](#) Walker, 1857 ^{i c g}
- [Rhamphomyia tristriolata](#) Nowicki, 1868 ^{c g}
- [Rhamphomyia truncata](#) Frey, 1922 ^{c g}
- [Rhamphomyia tuberifemur](#) Bartak, 2004 ^{c g}
- [Rhamphomyia tumiditarsis](#) Oldenberg, 1917 ^{c g}
- [Rhamphomyia turneri](#) Bartak, 2002 ^{c g}
- [Rhamphomyia tympanica](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia umbilicata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia umbripennis](#) Meigen, 1822 ^{c g}
- [Rhamphomyia umbripes](#) Becker, 1887 ^{c g}
- [Rhamphomyia umbrosa](#) Loew, 1864 ^{i c g}
- [Rhamphomyia unguiculata](#) Frey, 1913 ^{c g}
- [Rhamphomyia ungulata](#) Loew, 1861 ^{i g}
- [Rhamphomyia unimaculata](#) Loew, 1862 ^{i c g}
- [Rhamphomyia uralensis](#) Becker, 1915 ^{c g}
- [Rhamphomyia ursina](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia ursinella](#) Melander, 1927 ^{i c g}
- [Rhamphomyia uzbekistanica](#) Bartak, 2000 ^{c g}
- [Rhamphomyia valga](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia vara](#) Loew, 1861 ^{i c g}
- [Rhamphomyia variabilis](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia verae](#) Smith, 1962 ^{c g}
- [Rhamphomyia vernalis](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia versicolor](#) Chillcott, 1959 ^{i c g}
- [Rhamphomyia vesiculosa](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia vicana](#) (Harris, 1780) ^{c g}
- [Rhamphomyia villipes](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia villosella](#) Bartak, 2002 ^{c g}
- [Rhamphomyia villosipes](#) Bezzi, 1905 ^{c g}
- [Rhamphomyia virgata](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia vittata](#) Loew, 1862 ^{i c g}

- [*Rhamphomyia vockerothi*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia wagneri*](#) Bartak, 1998 ^{c g}
- [*Rhamphomyia weedii*](#) Coquillett ^{i c g}
- [*Rhamphomyia wuroentausi*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia xanthomera*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia yasumatsui*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia zaitsevi*](#) Becker, 1915 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[5] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Rhamphomyia Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-23.
 - ["Rhamphomyia"](#). GBIF. Retrieved 2018-04-23.
 - ["Rhamphomyia Genus Information"](#). BugGuide.net. Retrieved 2018-04-23.
 - Collin, James Edward (1926). "Notes on the Empididae (Diptera), with additions and corrections to the British list". *The Entomologist's Monthly Magazine*. **62**: 146–159, 185–190, 213–219, 231–237.
 -
5. ["Catalogue of Life"](#). Retrieved 2018-04-23.

Categories:

- [Lists of insect species](#)
- [Rhamphomyia](#)
-

This is a list of 396 species in [Rhagovelia](#), a genus of smaller water striders in the family [Veliidae](#).^{[1][2][3][4]}

Rhagovelia species

- [Rhagovelia abalienata](#) Hoberlandt, 1951 ^{i c g}
- [Rhagovelia aberrans](#) Andersen, 1965 ^{i c g}
- [Rhagovelia abra](#) Nieser, Zettel and Chen, 1997 ^{i c g}

- [*Rhagovelia abrupta*](#) Gould, 1934^{i c g}
- [*Rhagovelia acapulcana*](#) Drake, 1953^{i c g}
- [*Rhagovelia accedens*](#) Drake, 1957^{i c g}
- [*Rhagovelia achna*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia acuminata*](#) Bacon, 1956^{i c g}
- [*Rhagovelia adrienneaebrasili*](#) Poisson, 1945^{i c g}
- [*Rhagovelia aeneipes*](#) Haglund, 1895^{i c g}
- [*Rhagovelia aestiva*](#) J. Polhemus, 1980^{i c g}
- [*Rhagovelia agilis*](#) J. Polhemus, 1976^{i c g}
- [*Rhagovelia agra*](#) Drake, 1957^{i c g}
- [*Rhagovelia aguacilara*](#) Padilla-Gil, 2010^{i c g}
- [*Rhagovelia ainsliei*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia aiuruoca*](#) Moreira and Ribeiro, 2009^{i c g}
- [*Rhagovelia akrita*](#) J. Polhemus in J. Polhemus and Reisen, 1976^{i c g}
- [*Rhagovelia amazonensis*](#) Gould, 1931^{i c g}
- [*Rhagovelia ambonensis*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia ambra*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia amnica*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia andaman*](#) J. Polhemus, 1990^{i c g}
- [*Rhagovelia anderseni*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia andringitrae*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia angulata*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia angustipes*](#) Uhler, 1894^{i c g}
- [*Rhagovelia antilleana*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia antioquiae*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia aquacola*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia arcuata*](#) (J. Polhemus and Manzano, 1992)^{i c g}
- [*Rhagovelia armata*](#) (Burmeister, 1835)^{i c g}
- [*Rhagovelia atrispina*](#) J. Polhemus, 1977^{i c g}
- [*Rhagovelia aureospicata*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia australica*](#) Kirkaldy, 1908^{i c g}
- [*Rhagovelia azulita*](#) Padilla-Gil, 2009^{i c g}[5]
- [*Rhagovelia bacanensis*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia baconi*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia bakeri*](#) Bergroth, 1914^{i c g}
- [*Rhagovelia barbacoensis*](#)^g

- [*Rhagovelia batantana*](#) D. Polhemus and J. Polhemus, 2011 ^{i c g}
- [*Rhagovelia beangonyi*](#) Poisson, 1952 ^{i c g}
- [*Rhagovelia becki*](#) Drake and Harris, 1936 ^{i c g}
- [*Rhagovelia bicolorana*](#) Zettel, 2014 ^{i c g}
- [*Rhagovelia bipennicillata*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia biroi*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia bisignata*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia blogiokommene*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia bocaina*](#) Moreira and Ribeiro, 2009 ^{i c g}
- [*Rhagovelia boliviana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia borneensis*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia brincki*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia browni*](#) Lansbury, 1993 ^{i c g}
- [*Rhagovelia brunae*](#) Magalhães and Moreira in Magalhães et al., 2016 ^{i c g}
- [*Rhagovelia brunipes*](#) Zettel, 2006 ^{i c g}
- [*Rhagovelia buesaquensis*](#) Padilla-Gil, 2009 ^{i c g}
- [*Rhagovelia cachipai*](#) Padilla-Gil, 2011 ^{i c g} [6]
- [*Rhagovelia caesia*](#) Lansbury, 1993 ^{i c g}
- [*Rhagovelia calcarea*](#) D. Polhemus and J. Polhemus, 2011 ^{i c g}
- [*Rhagovelia calcaris*](#) Drake and Harris, 1935 ^{i c g}
- [*Rhagovelia calceola*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia cali*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia callida*](#) Drake and Harris, 1935 ^{i c g}
- [*Rhagovelia calopa*](#) Drake and Harris, 1927 ^{i c g}
- [*Rhagovelia camiguinana*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia canlaonensis*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia cardia*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia caribbeana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia carina*](#) ^g
- [*Rhagovelia castanea*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia catemaco*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia cauca*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia caunapi*](#) ^g
- [*Rhagovelia celebensis*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia cenizae*](#) Zettel, 2007 ^{i c g}
- [*Rhagovelia cephalo*](#) Padilla-Gil, 2009 ^{i c g}

- [*Rhagovelia ceylanica*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia chac*](#) D. Polhemus and Chordas, 2010 ^{i c g}
- [*Rhagovelia chiapensis*](#) J. Polhemus, 1980 ^{i c g}
- [*Rhagovelia chiriqui*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia choreutes*](#) Hussey, 1925 ^{i c g b}
- [*Rhagovelia christenseni*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia chrysomalla*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia cimarrona*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia citata*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia collaris*](#) (Burmeister, 1835) ^{i c g}
- [*Rhagovelia colombiana*](#) (J. Polhemus and Manzano, 1992) ^{i c g}
- [*Rhagovelia compacta*](#) D. Polhemus and Andersen, 2010 ^{i c g}
- [*Rhagovelia cotabatoensis*](#) Hungerford and Matsuda, 1961 ^{i c g}
- [*Rhagovelia crassipes*](#) Champion, 1898 ^{i c g}
- [*Rhagovelia crinita*](#) Lansbury, 1993 ^{i c g}
- [*Rhagovelia cubana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia culebrana*](#) Drake and Maldonado-Capriles, 1952 ^{i c g}
- [*Rhagovelia cuspidis*](#) Drake and Harris, 1933 ^{i c g}
- [*Rhagovelia cylindros*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia daktylophora*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia danpolhemi*](#) Moreira, Pacheco-Chaves and Cordeiro in Moreira et al., 2015 ^{i c g}
- [*Rhagovelia deigmena*](#) Padilla-Gil, 2009 ^{i c g}
- [*Rhagovelia deminuta*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia diabolica*](#) Poisson, 1951 ^{i c g}
- [*Rhagovelia dilatissima*](#) Sallier Dupin, 1976 ^{i c g}
- [*Rhagovelia distincta*](#) Champion, 1898 ^{i c g b}
- [*Rhagovelia divisoensis*](#) Padilla-Gil, 2012 ^{i c g} [7]
- [*Rhagovelia dostali*](#) Zettel, 2009 ^{i c g}
- [*Rhagovelia doveri*](#) Lundblad, 1933 ^{i c g}
- [*Rhagovelia drakei*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia elegans*](#) Uhler, 1894 ^{i c g}
- [*Rhagovelia encelli*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia ephydros*](#) (Drake and Van Doesburg, 1966) ^{i c g}
- [*Rhagovelia equatoria*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia esakii*](#) Lundblad, 1937 ^{i c g}
- [*Rhagovelia espriella*](#) Padilla-Gil, 2011 ^{i c g}

- [*Rhagovelia estrella*](#) Zettel, 1994^{i c g}
- [*Rhagovelia evidis*](#) Bacon, 1948^{i c g}
- [*Rhagovelia faratsihoi*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia femoralis*](#) Champion, 1898^{i c g}
- [*Rhagovelia femorata*](#) Dover, 1928^{i c g}
- [*Rhagovelia festae*](#) Kirkaldy, 1899^{i c g}
- [*Rhagovelia fischeri*](#) Zettel, 1999^{i c g}
- [*Rhagovelia fontanalis*](#) Bacon, 1948^{i c g}
- [*Rhagovelia formosa*](#) Bacon, 1956^{i c g}
- [*Rhagovelia froeschneri*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia fulva*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia gaigei*](#) Drake and Hussey, 1957^{i c g}
- [*Rhagovelia gastrotricha*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia gorgona*](#) Manzano, Nieser and Caicedo, 1995^{i c g}
- [*Rhagovelia graindli*](#) Zettel, 2012^{i c g}
- [*Rhagovelia grandis*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia grayi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia gregalis*](#) Drake and Harris, 1927^{i c g}
- [*Rhagovelia guentheri*](#) Zettel, 2007^{i c g}
- [*Rhagovelia guianana*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia gyrista*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia hambletoni*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia hamdjahi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia heissi*](#) Zettel and Bongo, 2006^{i c g}
- [*Rhagovelia henryi*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia herzogensis*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia hirsuta*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia hirtipes*](#) Drake and Harris, 1927^{i c g}
- [*Rhagovelia hirtipoides*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia hoogstraali*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia horaia*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia hovana*](#) Hoberlandt, 1941^{i c g}
- [*Rhagovelia huila*](#) Padilla-Gil, 2009^{i c g}[\[5\]](#)
- [*Rhagovelia humboldti*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia hutchinsoni*](#) Lundblad, 1933^{i c g}
- [*Rhagovelia hynesi*](#) Poisson, 1949^{i c g}

- [*Rhagovelia ignota*](#) Drake and Harris, 1933 ^{i c g}
- [*Rhagovelia imitatrix*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia impensa*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia imperatrix*](#) Padilla-Gil, 2011 ^{i c g} [6]
- [*Rhagovelia incognita*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia inexpectata*](#) Zettel, 2000 ^{i c g}
- [*Rhagovelia infernalis*](#) (Butler, 1876) ^{i c g}
- [*Rhagoveliaingleae*](#) Zettel, 2012 ^{i c g}
- [*Rhagovelia itatiaiana*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia itremoi*](#) Poisson, 1952 ^{i c g}
- [*Rhagovelia jagua*](#) ^g
- [*Rhagovelia jaliscoana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia janeira*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia johnpolhemi*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia jubata*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia kalami*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia kararao*](#) Burguez Floriano and Moreira, 2015 ^{i c g}
- [*Rhagovelia karunaratnei*](#) J. Polhemus, 1979 ^{i c g}
- [*Rhagovelia kastanoparuphe*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia kawakamii*](#) (Matsumura, 1913) ^{i c g}
- [*Rhagovelia knighti*](#) Drake and Harris, 1927 ^{i c g}
- [*Rhagovelia krama*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia lansburyi*](#) Zettel, 1995 ^{i c g}
- [*Rhagovelia leyteensis*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia linnavuorii*](#) Sallier Dupin, 1979 ^{i c g}
- [*Rhagovelia longipes*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia lorelinduana*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia lucida*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia lugubris*](#) Lundblad, 1933 ^{i c g}
- [*Rhagovelia lundbladi*](#) Hungerford and Matsuda, 1961 ^{i c g}
- [*Rhagovelia luzonica*](#) Lundblad, 1937 ^{i c g}
- [*Rhagovelia macarena*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia macta*](#) Drake and Carvalho, 1955 ^{i c g}
- [*Rhagovelia maculata*](#) Distant, 1903 ^{i c g}
- [*Rhagovelia madagascariensis*](#) Hoberlandt, 1941 ^{i c g}
- [*Rhagovelia madari*](#) Hoberlandt, 1941 ^{i c g}

- [*Rhagovelia madecassa*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia magdalena*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia malkini*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia manamboloi*](#) Poisson, 1952^{i c g}
- [*Rhagovelia manankazo*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia mancinii*](#) Poisson, 1955^{i c g}
- [*Rhagovelia mandraka*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia manga*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia mangaratiba*](#) Moreira, Barbosa and Ribeiro, 2012^{i c g}
- [*Rhagovelia mangle*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010^{i c g}
- [*Rhagovelia manzano*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia marinduquensis*](#) Zettel, 2012^{i c g}
- [*Rhagovelia maya*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia meikdelyi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia melanopsis*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia merga*](#) Bacon, 1956^{i c g}
- [*Rhagovelia milloti*](#) Poisson, 1948^{i c g}
- [*Rhagovelia minahasa*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia mindanaoensis*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia mindoroensis*](#) Zettel, 1994^{i c g}
- [*Rhagovelia minuta*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia minutissima*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia mira*](#) Drake and Harris, 1938^{i c g}
- [*Rhagovelia misoolana*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia mixteca*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia mocoa*](#)^g
- [*Rhagovelia modesta*](#) Bacon, 1956^{i c g}
- [*Rhagovelia mohelii*](#) Poisson, 1959^{i c g}
- [*Rhagovelia mondena*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia narinensis*](#) Padilla-Gil, 2011^{i c g} [6]
- [*Rhagovelia negrosensis*](#) Zettel, 1995^{i c g}
- [*Rhagovelia nicolai*](#) Padilla-Gil, 2011^{i c g} [6]
- [*Rhagovelia nieseri*](#) Zettel, 1995^{i c g}
- [*Rhagovelia nigra*](#) Hungerford, 1933^{i c g}
- [*Rhagovelia nigranota*](#) D. Polhemus and Chordas, 2003^{i c g}
- [*Rhagovelia nigricans*](#) (Burmeister, 1835)^{i c g}

- [*Rhagovelia nilgiriensis*](#) Thirumalai, 1994 ^{i c g}
- [*Rhagovelia nitida*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia novacaledonica*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia novahispaniae*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia novana*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia oaxtepec*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia obesa*](#) Uhler, 1871 ^{i c g b}
- [*Rhagovelia obi*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia occulcata*](#) Drake, 1959 ^{i c g}
- [*Rhagovelia ochra*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia ochroischion*](#) Nieser and D. Polhemus, 1999 ^{i c g}
- [*Rhagovelia oporapa*](#) Padilla-Gil, 2009 ^{i c g} [5]
- [*Rhagovelia oriander*](#) Parshley, 1922 ^{i c g}
- [*Rhagovelia orientalis*](#) Lundblad, 1937 ^{i c g}
- [*Rhagovelia orientaloides*](#) Zettel, 1995 ^{i c g}
- [*Rhagovelia origami*](#) D. Polhemus and Andersen, 2010 ^{i c g}
- [*Rhagovelia ornata*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia pacayana*](#) Drake and Carvalho, 1955 ^{i c g}
- [*Rhagovelia pacifica*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia palawanensis*](#) Zettel, 1994 ^{i c g}
- [*Rhagovelia palea*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia pallida*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia panamensis*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia panayensis*](#) Zettel, 1995 ^{i c g}
- [*Rhagovelia panda*](#) Drake and Harris, 1935 ^{i c g}
- [*Rhagovelia papuensis*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia paulana*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia pediformis*](#) Padilla-Gil, 2010 ^{i c g}
- [*Rhagovelia peggiae*](#) Kirkaldy, 1901 ^{i c g}
- [*Rhagovelia penta*](#) ^g
- [*Rhagovelia perfecta*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia perija*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia pexa*](#) Hoberlandt, 1941 ^{i c g}
- [*Rhagovelia philippina*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia phoretica*](#) D. Polhemus, 1995 ^{i c g}
- [*Rhagovelia pidaxa*](#) J. Polhemus and Herring, 1970 ^{i c g}

- [*Rhagovelia plana*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia planipes*](#) Gould, 1931^{i c g}
- [*Rhagovelia plaumanni*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia plumbea*](#) Uhler, 1894^{i c g b}
- [*Rhagovelia plyphona*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia polhemi*](#) Y. C. Gupta and Khandelwal, 2004^{i c g}
- [*Rhagovelia polymorpha*](#) Zettel and Tran, 2004^{i c g}
- [*Rhagovelia potamophila*](#) Zettel, 1996^{i c g}
- [*Rhagovelia priori*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia problematica*](#) Zettel, 2006^{i c g}
- [*Rhagovelia pruinosa*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia pseudocelebensis*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia pseudotijuca*](#) Moreira and Barbosa, 2011^{i c g}
- [*Rhagovelia pulchra*](#) Gould, 1931^{i c g}
- [*Rhagovelia quilichaensis*](#) Padilla-Gil, 2011^{i c g}[8]
- [*Rhagovelia raddai*](#) Zettel, 1994^{i c g}
- [*Rhagovelia rajana*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia ramphus*](#) Padilla-Gil, 2009^{i c g}
- [*Rhagovelia ranau*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia ravana*](#) Kirkaldy, 1902^{i c g}
- [*Rhagovelia raymondi*](#) Zettel, 1995^{i c g}
- [*Rhagovelia reclusa*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia regalis*](#) Drake and Harris, 1927^{i c g}
- [*Rhagovelia reitteri*](#) Reuter, 1882^{i c g}
- [*Rhagovelia relictta*](#) Gould, 1931^{i c g}
- [*Rhagovelia reuteri*](#) Hoberlandt, 1951^{i c g}
- [*Rhagovelia ridicula*](#) D. Polhemus, 1995^{i c g}
- [*Rhagovelia rigovae*](#) Zettel, 2012^{i c g}
- [*Rhagovelia rioana*](#) Drake, 1953^{i c g}
- [*Rhagovelia ripithes*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia rivale*](#) Torre-bueno, 1924^{i c g b}
- [*Rhagovelia rivulosa*](#) J. Polhemus and D. Polhemus, 1985^{i c g}
- [*Rhagovelia robina*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia robusta*](#) Gould, 1931^{i c g}
- [*Rhagovelia roldani*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia rosarensis*](#) Padilla-Gil, 2010^{i c g}

- [*Rhagovelia rosensis*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia rubra*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia rudischuhi*](#) Zettel, 1993 ^{i c g}
- [*Rhagovelia rufescens*](#) Zettel, 2012 ^{i c g}
- [*Rhagovelia sabela*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sabrina*](#) Drake, 1958 ^{i c g}
- [*Rhagovelia sahabe*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia salawati*](#) D. Polhemus and J. Polhemus, 2011 ^{i c g}
- [*Rhagovelia salina*](#) (Champion, 1898) ^{i c g}
- [*Rhagovelia sallyae*](#) Zettel, 2003 ^{i c g}
- [*Rhagovelia samardaca*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia samarinda*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sandoka*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia santanderi*](#) ^g
- [*Rhagovelia saotomae*](#) (Sallier Dupin, 1976) ^{i c g}
- [*Rhagovelia sarawakensis*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sbolos*](#) Nieser and D. Polhemus, 1999 ^{i c g}
- [*Rhagovelia scabra*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia schoedli*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia scitula*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia sculpturata*](#) D. Polhemus and Andersen, 2010 ^{i c g}
- [*Rhagovelia secluda*](#) Drake and Maldonado-Capriles, 1956 ^{i c g}
- [*Rhagovelia sehnali*](#) Buzzetti and Zettel, 2007 ^{i c g}
- [*Rhagovelia seychellensis*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia seyferti*](#) Zettel, 1995 ^{i c g}
- [*Rhagovelia sibuyana*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia silau*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia simulata*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia singaporensis*](#) Yang and D. Polhemus, 1994 ^{i c g}
- [*Rhagovelia sinuata*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia skoura*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia solida*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia sondaica*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sooretama*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010 ^{i c g}
- [*Rhagovelia sorsogonensis*](#) Zettel, 2014 ^{i c g}
- [*Rhagovelia spinigera*](#) Champion, 1898 ^{i c g}

- [*Rhagovelia spinosa*](#) Gould, 1931^{i c g}
- [*Rhagovelia springerae*](#) Moreira, Pacheco-Chaves and Cordeiro in Moreira et al., 2015^{i c g}
- [*Rhagovelia starmuehlneri*](#) J. Polhemus, 1990^{i c g}
- [*Rhagovelia sterea*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia stibea*](#) Drake, 1958^{i c g}
- [*Rhagovelia styx*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia suarezensis*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia sulawesiana*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia sumaldei*](#) Zettel, 2012^{i c g}
- [*Rhagovelia sumatrensis*](#) Lundblad, 1933^{i c g}
- [*Rhagovelia tablasensis*](#) Zettel, 1996^{i c g}
- [*Rhagovelia takona*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia tansiongcoi*](#) Zettel, 1995^{i c g}
- [*Rhagovelia tantilla*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia tarahumara*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia tawau*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia tayloriella*](#) Kirkaldy, 1900^{i c g}
- [*Rhagovelia tebakang*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia tenuipes*](#) Champion, 1898^{i c g}
- [*Rhagovelia teresa*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010^{i c g}
- [*Rhagovelia tesari*](#) Hoberlandt, 1941^{i c g}
- [*Rhagovelia thaumana*](#) Drake, 1958^{i c g}
- [*Rhagovelia thysanotos*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia tibialis*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia tijuca*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia torquata*](#) Bacon, 1948^{i c g}
- [*Rhagovelia torreyana*](#) Bacon, 1956^{i c g}
- [*Rhagovelia tozeur*](#) Baena, Nieser and Gallardo, 1994^{i c g}
- [*Rhagovelia traili*](#) (Buchanan-White, 1879)^{i c g}
- [*Rhagovelia transbintuni*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia trepida*](#) Bacon, 1948^{i c g}
- [*Rhagovelia triangula*](#) Drake, 1953^{i c g}
- [*Rhagovelia trianguloides*](#) Nieser and D. Polhemus, 1999^{i c g}
- [*Rhagovelia trichota*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia tricoma*](#)^g
- [*Rhagovelia trista*](#) Gould, 1931^{i c g}

- [*Rhagovelia tropidata*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia tsaratananae*](#) Poisson, 1952^{i c g}
- [*Rhagovelia tsecuri*](#) Padilla-Gil, 2009^{i c g}
- [*Rhagovelia tsouloufi*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia tumaquensis*](#)^g
- [*Rhagovelia turmalis*](#) Nieser and D. Polhemus, 1999^{i c g}
- [*Rhagovelia ullrichi*](#) Zettel, 2001^{i c g}
- [*Rhagovelia umbria*](#)^g
- [*Rhagovelia uncinata*](#) Champion, 1898^{i c g}
- [*Rhagovelia unica*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia usingeri*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia vaninia*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010^{i c g}
- [*Rhagovelia varipes*](#) Champion, 1898^{i c g}
- [*Rhagovelia vega*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia vegana*](#) Drake and Maldonado-Capriles, 1956^{i c g}
- [*Rhagovelia velocis*](#) Drake and Harris, 1935^{i c g}
- [*Rhagovelia venezuelana*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia versuta*](#) Drake and Harris, 1935^{i c g}
- [*Rhagovelia victoria*](#) Padilla-Gil, 2012^{i c g}[\[7\]](#)
- [*Rhagovelia viriosa*](#) Bacon, 1956^{i c g}
- [*Rhagovelia vivata*](#) Bacon, 1948^{i c g}
- [*Rhagovelia vonprahli*](#) Manzano, Nieser and Caicedo, 1995^{i c g}
- [*Rhagovelia wallacei*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia wenzeli*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia weneri*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia whitei*](#) (Breddin, 1898)^{i c g}
- [*Rhagovelia williamsi*](#) Gould, 1931^{i c g}
- [*Rhagovelia yacuivana*](#) Drake, 1958^{i c g}
- [*Rhagovelia yangae*](#) Zettel and Tran, 2004^{i c g}
- [*Rhagovelia yanomamo*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia zecai*](#) Moreira and Barbosa, 2014^{i c g}
- [*Rhagovelia zela*](#) Drake, 1959^{i c g}
- [*Rhagovelia zeteki*](#) Drake, 1953^{i c g}

Data sources: i = ITIS,[\[1\]](#) c = Catalogue of Life,[\[2\]](#) g = GBIF,[\[3\]](#) b = Bugguide.net[\[4\]](#)

This is a list of 145 species in [*Rhagonycha*](#), a genus of soldier beetles in the family [Cantharidae](#).^{[1][2][3]}

***Rhagonycha* species**

- [*Rhagonycha addenda*](#) Dahlgren, 1972
- [*Rhagonycha aetolica*](#) (Kiesenwetter, 1852) ^g
- [*Rhagonycha alaskensis*](#) Fender, 1972 ^{i g}
- [*Rhagonycha aliena*](#) Dahlgren, 1972 ^g
- [*Rhagonycha andalusica*](#) Dahlgren, 1975 ^g
- [*Rhagonycha angulata*](#) (Say, 1823) ^{i g b}
- [*Rhagonycha angulatocollis*](#) Costa, 1858 ^g
- [*Rhagonycha antennata*](#) (Green, 1941) ^{i g}
- [*Rhagonycha anthracina*](#) Mannerheim, 1853 ^{i g}
- [*Rhagonycha approximana*](#) (Fairmaire, 1884) ^g
- [*Rhagonycha atra*](#) (Linnaeus, 1767) ^g
- [*Rhagonycha balcanica*](#) Pic, 1901 ^g
- [*Rhagonycha bohaci*](#) Svihla, 1990 ^g
- [*Rhagonycha campestris*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha carpathica*](#) Ganglbauer, 1896 ^g
- [*Rhagonycha cartwrighti*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha caspica*](#) Wittmer, 1972 ^g
- [*Rhagonycha chevrolati*](#) Marseul, 1864 ^g
- [*Rhagonycha chlorotica*](#) (Gené, 1839) ^g
- [*Rhagonycha cloughi*](#) (Miskimen, 1956) ^{i g}
- [*Rhagonycha coloradensis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha complicans*](#) Dahlgren, 1979 ^g
- [*Rhagonycha confusa*](#) Dahlgren, 1975 ^g
- [*Rhagonycha corcyrea*](#) Pic, 1901 ^g
- [*Rhagonycha costipennis*](#) (LeConte, 1884) ^{i g}
- [*Rhagonycha cruentata*](#) (Reiche, 1862) ^g
- [*Rhagonycha cruralis*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha decorata*](#) Pic, 1912 ^g
- [*Rhagonycha degener*](#) (Blatchley, 1928) ^{i g}
- [*Rhagonycha delagrangei*](#) Pic, 1898 ^g
- [*Rhagonycha dichroa*](#) LeConte, 1851 ^{g b}

- [*Rhagonycha diversipes*](#) Pic, 1905
- [*Rhagonycha divisa*](#) Dahlgren, 1972 ^g
- [*Rhagonycha drienensis*](#) Dahlgren, 1978 ^g
- [*Rhagonycha elbursiaca*](#) Wittmer, 1972 ^g
- [*Rhagonycha elongata*](#) (Fallén, 1807) ^g
- [*Rhagonycha esfandiarii*](#) Wittmer, 1972 ^g
- [*Rhagonycha excavata*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha falcifera*](#) Dahlgren, 1972 ^g
- [*Rhagonycha femoralis*](#) (Brulle, 1832) ^g
- [*Rhagonycha fenderi*](#) (Miskimen, 1956) ^{i g}
- [*Rhagonycha fraxini*](#) (Say, 1823) ^{i g b}
- [*Rhagonycha fugax*](#) Mannerheim, 1843 ^g
- [*Rhagonycha fulva*](#) (Scopoli, 1763) ^{i g b} (common red soldier beetle)
- [*Rhagonycha fulvaliena*](#) Svihla, 1995 ^g
- [*Rhagonycha fuscitibia*](#) Rey, 1891 ^g
- [*Rhagonycha galiciana*](#) Gougelet, 1859
- [*Rhagonycha gallica*](#) Pic, 1923 ^g
- [*Rhagonycha genistae*](#) Kiesenwetter, 1865 ^g
- [*Rhagonycha ghilanensis*](#) Dahlgren, 1985 ^g
- [*Rhagonycha gilvipennis*](#) (Rosenhauer, 1856) ^g
- [*Rhagonycha gilvipes*](#) (Gemminger, 1870) ^{i g}
- [*Rhagonycha greeni*](#) (Fall, 1936) ^{i g b}
- [*Rhagonycha helleni*](#) Dahlgren, 1968 ^g
- [*Rhagonycha herbea*](#) Marseul, 1864 ^g
- [*Rhagonycha hesperica*](#) Baudi, 1859 ^g
- [*Rhagonycha heterodoxa*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha hirticula*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha hispanica*](#) Pic, 1932 ^g
- [*Rhagonycha hyrcana*](#) Svihla, 2002 ^g
- [*Rhagonycha iberica*](#) Dahlgren, 1975 ^g
- [*Rhagonycha imbecillis*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha impar*](#) (LeConte, 1881) ^{i g}
- [*Rhagonycha interposita*](#) Dahlgren, 1978 ^g
- [*Rhagonycha iranica*](#) Wittmer, 1972 ^g
- [*Rhagonycha karsensis*](#) Svihla, 1995 ^g
- [*Rhagonycha kefallinica*](#) Dahlgren, 1975 ^g
- [*Rhagonycha kiesenwetteri*](#) (Marseul, 1864) ^g

- [*Rhagonycha kubanensis*](#) Pic, 1900 ^g
- [*Rhagonycha kuleghana*](#) (Marseul, 1868) ^g
- [*Rhagonycha kurdistan*](#) Svihla, 1983 ^g
- [*Rhagonycha lencoranica*](#) Kazantsev, 1992 ^g
- [*Rhagonycha lignosa*](#) (Müller, 1764) ^g
- [*Rhagonycha limbata*](#) Thomson, 1864 ^g
- [*Rhagonycha lineola*](#) (Fabricius, 1792) ^{i g b}
- [*Rhagonycha longula*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha luristana*](#) Svihla, 1995 ^g
- [*Rhagonycha lutea*](#) (Müller, 1764) ^g
- [*Rhagonycha luteicollis*](#) (Germar, 1824) ^{i g b}
- [*Rhagonycha macedonica*](#) Dahlgren, 1985 ^g
- [*Rhagonycha machulkai*](#) Svihla, 1993 ^g
- [*Rhagonycha maculicollis*](#) Märkel, 1852 ^g
- [*Rhagonycha mandibularis*](#) (Kirby in Richards, 1837) ^{i g b}
- [*Rhagonycha martini*](#) Pic, 1908 ^g
- [*Rhagonycha meridionalis*](#) Dahlgren, 1975 ^g
- [*Rhagonycha micheli*](#) Okushima & Yang, 2013 ^g
- [*Rhagonycha milleri*](#) Kiesenwetter, 1860 ^g
- [*Rhagonycha mimetica*](#) (Green, 1941) ^{i g}
- [*Rhagonycha mollis*](#) (Fall, 1936) ^{i b}
- [*Rhagonycha morio*](#) Kiesenwetter, 1852 ^g
- [*Rhagonycha morvani*](#) Wittmer, 1974 ^g
- [*Rhagonycha nanula*](#) (LeConte, 1881) ^{i g b}
- [*Rhagonycha neglecta*](#) Dahlgren, 1975 ^g
- [*Rhagonycha nevadensis*](#) Svihla, 1995 ^g
- [*Rhagonycha nigriceps*](#) (Waltl, 1838) ^g
- [*Rhagonycha nigricollis*](#) Motschulsky, 1849 ^g
- [*Rhagonycha nigripes*](#) Redtenbacher, 1842 ^g
- [*Rhagonycha nigratarsis*](#) Brulle, 1832 ^g
- [*Rhagonycha nigriventris*](#) Motschulsky, 1860 ^g
- [*Rhagonycha nigrohumeralis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha nigrosuta*](#) Fiori, 1899 ^g
- [*Rhagonycha nitida*](#) Baudi, 1859 ^g
- [*Rhagonycha notaticollis*](#) Rosenhauer, 1856 ^g
- [*Rhagonycha opaca*](#) Mulsant, 1862 ^g

- [*Rhagonycha oriflava*](#) (LeConte, 1874) ^{i g b}
- [*Rhagonycha ornaticollis*](#) Marseul, 1864 ^g
- [*Rhagonycha parvicollis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha patricia*](#) Kiesenwetter, 1865 ^g
- [*Rhagonycha pedemontana*](#) Baudi di Selve, 1872 ^g
- [*Rhagonycha persica*](#) Pic, 1933 ^g
- [*Rhagonycha picticornis*](#) (Green, 1941) ^{i g}
- [*Rhagonycha plagiella*](#) Marseul, 1864 ^g
- [*Rhagonycha proxima*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha quadricollis*](#) Kiesenwetter, 1852 ^g
- [*Rhagonycha querceti*](#) Kiesenwetter, 1865 ^g
- [*Rhagonycha rambouseki*](#) Svihla, 1993 ^g
- [*Rhagonycha recta*](#) (Melsheimer, 1846) ^{i g b}
- [*Rhagonycha richteri*](#) Wittmer, 1972 ^g
- [*Rhagonycha rorida*](#) Kiesenwetter, 1867 ^g
- [*Rhagonycha rufithorax*](#) (Pic, 1906) ^{i g}
- [*Rhagonycha sareptana*](#) Marseul, 1868 ^g
- [*Rhagonycha scitula*](#) (Say, 1825) ^{i g b}
- [*Rhagonycha seiberti*](#) (Miskimen, 1956) ^{i g}
- [*Rhagonycha septentrionis*](#) (Green, 1941) ^{i g}
- [*Rhagonycha similata*](#) Dahlgren, 1976 ^g
- [*Rhagonycha straminea*](#) Kiesenwetter, 1859 ^g
- [*Rhagonycha striatofrons*](#) Dahlgren, 1972 ^g
- [*Rhagonycha sylvatica*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha taiwanonigra*](#) Wittmer, 1982 ^g
- [*Rhagonycha talyschensis*](#) Yablokov-Khnzorian, 1959 ^g
- [*Rhagonycha tantilla*](#) (LeConte, 1881) ^{i g b}
- [*Rhagonycha tenuis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha testacea*](#) (Linnaeus, 1758) ^g
- [*Rhagonycha translucida*](#) (Krynicky, 1832) ^g
- [*Rhagonycha triangulifera*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha tripunctata*](#) (Reiche, 1857) ^g
- [*Rhagonycha umbrina*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha varians*](#) (Rosenhauer, 1856)
- [*Rhagonycha vestigialis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha vicina*](#) Baudi, 1871 ^g

- [*Rhagonycha viduata*](#) (Kuester, 1854) ^g
- [*Rhagonycha vilis*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha vitticollis*](#) Menetries, 1832 ^g
- [*Rhagonycha walshi*](#) (LeConte, 1881) ^{i g b}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[4] g = GBIF,^[2] b = Bugguide.net^[3]

References

1.
 - ["Rhagonycha Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-27.
 - ["Rhagonycha"](#). GBIF. Retrieved 2018-03-27.
 - ["Rhagonycha Genus Information"](#). BugGuide.net. Retrieved 2018-03-27.
 -
4. ["Catalogue of Life"](#). Retrieved 2018-03-27.

Categories:

- [Cantharidae](#)
- [Lists of insect species](#)
-

This is a list of species of the [tephritid](#) fruit fly genus [Rhagoletis](#). As of 2006, 70 species have been described.

- [Rhagoletis acuticornis](#) (Steyskal)
- [Rhagoletis adusta](#) Foote
- [Rhagoletis almatensis](#) Rohdendorf
- [Rhagoletis alternata](#) (Fallén)
- [Rhagoletis bagheera](#) Richter & Kandybina
- [Rhagoletis basiola](#) (Osten Sacken)
- [Rhagoletis basiola](#) Osten Sacken
- [Rhagoletis batava](#) Hering
- [Rhagoletis berberidis](#) Jermy
- [Rhagoletis berberis](#) Curran
- [Rhagoletis bezziana](#) (Hendel)
- [Rhagoletis blanchardi](#) Aczél
- [Rhagoletis boycei](#) Cresson
- [Rhagoletis caucasica](#) Kandybina & Richter

- *[Rhagoletis cerasi](#)* (Linnaeus) [cherry](#) fruit fly
- *[Rhagoletis chionanthi](#)* Bush
- *[Rhagoletis chumsanica](#)* (Rohdendorf)
- *[Rhagoletis cingulata](#)* (Loew) eastern [cherry](#) fruit fly
- *[Rhagoletis completa](#)* (Cresson) [Walnut](#) Husk Fly
- *[Rhagoletis conversa](#)* (Brèthes)
- *[Rhagoletis cornivora](#)* Bush
- *[Rhagoletis ebbettsi](#)* Bush
- *[Rhagoletis electromorpha](#)* Berlocher
- *[Rhagoletis emiliae](#)* Richter
- *[Rhagoletis fausta](#)* (Osten Sacken)
- *[Rhagoletis ferruginea](#)* Hendel
- *[Rhagoletis flavicincta](#)* Enderlein
- *[Rhagoletis flavigenualis](#)* Hering
- *[Rhagoletis indifferens](#)* (Curran) [cherry](#) fruit fly
- *[Rhagoletis jamaicensis](#)* Foote
- *[Rhagoletis juglandis](#)* (Cresson) walnut-husk-infesting fly
- *[Rhagoletis juniperina](#)* Marcovitch
- *[Rhagoletis kurentsovi](#)* (Rohdendorf)
- *[Rhagoletis lycopersella](#)* Smyth
- *[Rhagoletis macquartii](#)* (Loew)
- *[Rhagoletis magniterebra](#)* (Rohdendorf)
- *[Rhagoletis meigenii](#)* (Loew)
- *[Rhagoletis mendax](#)* (Curran) [blueberry](#) maggot
- *[Rhagoletis metallica](#)* (Schiner)
- *[Rhagoletis mongolica](#)* Kandybina
- *[Rhagoletis nicaraguensis](#)* Hernández-Ortiz & Frías
- *[Rhagoletis nigripes](#)* Rohdendorf
- *[Rhagoletis nova](#)* (Schiner)
- *[Rhagoletis ochraspis](#)* (Wiedemann)
- *[Rhagoletis osmanthi](#)* Bush
- *[Rhagoletis penela](#)* Foote
- *[Rhagoletis persimilis](#)* Bush
- *[Rhagoletis pomonella](#)* (Walsh) [apple](#) maggot fly, railroad worm
- *[Rhagoletis psalida](#)* Hendel
- *[Rhagoletis ramosae](#)* Hernández-Ortiz
- *[Rhagoletis reducta](#)* Hering
- *[Rhagoletis rhytida](#)* Hendel
- *[Rhagoletis ribicola](#)* Doane
- *[Rhagoletis rohdendorfi](#)* Korneyev & Merz
- *[Rhagoletis rumpomaculata](#)* Hardy
- *[Rhagoletis samojlovitshae](#)* (Rohdendorf)

- [*Rhagoletis scutellata*](#) Zia
- [*Rhagoletis solanophaga*](#) Hernández-Ortiz & Frías
- [*Rhagoletis stepanae*](#) Te Tit Hermanandante
- [*Rhagoletis striatella*](#) Wulp
- [*Rhagoletis suavis*](#) (Loew) [Walnut](#) Husk Maggot
- [*Rhagoletis tabellaria*](#) (Fitch)
- [*Rhagoletis tomatitis*](#) Foote
- [*Rhagoletis triangularis*](#) Hernández-Ortiz & Frías
- [*Rhagoletis turanica*](#) (Rohdendorf)
- [*Rhagoletis turpiniae*](#) Hernández-Ortiz
- [*Rhagoletis willinki*](#) Aczél
- [*Rhagoletis zephyria*](#) Snow
- [*Rhagoletis zernyi*](#) Hendel
- [*Rhagoletis zoqui*](#) Bush

References

- after [Fruit Fly \(Diptera: Tephritidae\) Species Database](#) from 2006-12-22

Categories:

- [Rhagoletis](#)
- [Lists of insect species](#)
-

This is a list of 112 species in [Puliciphora](#), a genus of scuttle flies in the family [Phoridae](#).

***Puliciphora* species**

- [Puliciphora anceps](#) Schmitz, 1915[1]
- [Puliciphora beaveri](#) Disney, 1988[2]
- [Puliciphora beckeri](#) Meijere, 1907[3]
- [Puliciphora boltoni](#) Disney, 1988[2]
- [Puliciphora borinquenensis](#) Wheeler, 1906[4]
- [Puliciphora brachymyrmecis](#) (Silvestri, 1911)[5]
- [Puliciphora browni](#) Disney, 2020[6]
- [Puliciphora cacaulandiae](#) Disney, 2003[7]
- [Puliciphora calva](#) Schmitz, 1951[8]

- [*Puliciphora cloveri*](#) (Disney, 1989)[9]
- [*Puliciphora collinsi*](#) Disney, 1988[2]
- [*Puliciphora convexa*](#) Borgmeier, 1960[10]
- [*Puliciphora coprophila*](#) Borgmeier, 1960[11]
- [*Puliciphora coptotermitem*](#) Disney, 1989[9]
- [*Puliciphora cubensis*](#) (Brues, 1932)[12]
- [*Puliciphora decachete*](#) Schmitz, 1958[13]
- [*Puliciphora destituta*](#) Disney, 1999[14]
- [*Puliciphora ecitophila*](#) Disney, 2004[15]
- [*Puliciphora edaphomyia*](#) Disney, 2005[16]
- [*Puliciphora epichaeta*](#) (Borgmeier, 1960)[11]
- [*Puliciphora etiamodesta*](#) Disney, 2005[16]
- [*Puliciphora exachatina*](#) Disney, 1988[2]
- [*Puliciphora fenestrata*](#) Borgmeier, 1960[11]
- [*Puliciphora flava*](#) Malloch, 1914[17]
- [*Puliciphora fosteri*](#) Disney, 1999[14]
- [*Puliciphora frivola*](#) Borgmeier, 1960[11]
- [*Puliciphora fungicola*](#) Yang & Wang, 1993[18]
- [*Puliciphora glacialis*](#) Malloch, 1912[19]
- [*Puliciphora gracilis*](#) Borgmeier, 1960[11]
- [*Puliciphora grandicoxa*](#) Colyer, 1967[20]
- [*Puliciphora hancocki*](#) Disney, 2005[21]
- [*Puliciphora haplopyga*](#) (Borgmeier, 1969)[22]
- [*Puliciphora haplpyga*](#) (Borgmeier, 1969)[22]
- [*Puliciphora hirta*](#) (Schmitz, 1951)[8]
- [*Puliciphora ibadanensis*](#) Disney, 2002[23]
- [*Puliciphora imbecilla*](#) Borgmeier, 1960[11]
- [*Puliciphora imitata*](#) Disney, 2008[24]
- [*Puliciphora interrupta*](#) Borgmeier, 1960[11]
- [*Puliciphora jacobsoni*](#) Schmitz, 1925[25]
- [*Puliciphora jacobsonorum*](#) Disney, 1989[9]
- [*Puliciphora jacquemarti*](#) Disney, 2005[16]
- [*Puliciphora jeanssoni*](#) (Trägårdh, 1909)[26]
- [*Puliciphora karensis*](#) Disney, 1998[27]
- [*Puliciphora kerteszi*](#) Brues, 1911[28]
- [*Puliciphora kistneri*](#) Disney, 1998[27]
- [*Puliciphora knighti*](#) Disney, 1988[2]
- [*Puliciphora koghiensis*](#) Disney, 2003[7]
- [*Puliciphora laranjae*](#) Disney, 2003[7]
- [*Puliciphora legionis*](#) Borgmeier, 1960[11]
- [*Puliciphora longipes*](#) Schmitz & Mjoberg, 1925[29]
- [*Puliciphora longitergum*](#) Disney, 2003[7]

- [*Puliciphora lucifera*](#) Dahl, 1897[30]
- [*Puliciphora lunaris*](#) Borgmeier, 1960[11]
- [*Puliciphora macrolunarum*](#) Disney, 2003[7]
- [*Puliciphora malae*](#) Disney, 1990[31]
- [*Puliciphora malaysiae*](#) Disney, 1988[2]
- [*Puliciphora matheranensis*](#) Brues, 1907[32]
- [*Puliciphora melanis*](#) Schmitz, 1951[8]
- [*Puliciphora meneghettii*](#) Schmitz, 1951[8]
- [*Puliciphora mexicanae*](#) Disney, 2003[7]
- [*Puliciphora microphthalma*](#) Schmitz & Mjoberg, 1924[29]
- [*Puliciphora modesta*](#) (Borgmeier, 1960)[11]
- [*Puliciphora myrmecophila*](#) Brues, 1925[33]
- [*Puliciphora nigeriae*](#) Disney, 2002[23]
- [*Puliciphora nigroflava*](#) (Borgmeier, 1958)[34]
- [*Puliciphora nudipalpis*](#) Malloch, 1912[19]
- [*Puliciphora nuttingi*](#) Disney, 1998[27]
- [*Puliciphora obtecta*](#) Meijere, 1912[35]
- [*Puliciphora occidentalis*](#) (Melander and Brues, 1903)[36]
- [*Puliciphora omnivora*](#) Mikhailovskaya, 1993[37]
- [*Puliciphora opuntiae*](#) Paulian, 1950[38]
- [*Puliciphora pallicauda*](#) Schmitz, 1934[39]
- [*Puliciphora papillata*](#) Borgmeier, 1960[11]
- [*Puliciphora parsetosa*](#) Disney, 2003[7]
- [*Puliciphora parvula*](#) Borgmeier, 1969[22]
- [*Puliciphora parvulunarum*](#) Disney, 2002[23]
- [*Puliciphora pauxilla*](#) (Borgmeier, 1960)[11]
- [*Puliciphora penangensis*](#) Disney, 1988[2]
- [*Puliciphora placida*](#) Borgmeier, 1960[11]
- [*Puliciphora profana*](#) Borgmeier, 1960[11]
- [*Puliciphora puerilis*](#) (Becker, 1908)[40]
- [*Puliciphora pulex*](#) Dahl, 1898[41]
- [*Puliciphora pygmaea*](#) (Borgmeier, 1960)[11]
- [*Puliciphora qianana*](#) Yang & Wang, 1993[18]
- [*Puliciphora rata*](#) Borgmeier, 1960[11]
- [*Puliciphora reevesi*](#) Disney, 2003[7]
- [*Puliciphora rhodesiana*](#) Schmitz, 1934[39]
- [*Puliciphora rosei*](#) Disney, 1988[2]
- [*Puliciphora rufipes*](#) Silva Figueroa, 1916[42]
- [*Puliciphora russellsmithi*](#) Disney, 2002[23]
- [*Puliciphora secosexergum*](#) Disney, 2008[43]
- [*Puliciphora sedecimsetarum*](#) Schmitz, 1958[13] 1916
- [*Puliciphora semicimex*](#) (Schmitz, 1951)[8]

- [*Puliciphora seriata* Borgmeier, 1960\[11\]](#)
- [*Puliciphora setosa* Borgmeier, 1960\[11\]](#)
- [*Puliciphora sobria* Borgmeier, 1960\[11\]](#)
- [*Puliciphora spirapenis* Disney & Mikhailovskaya, 2001\[44\]](#)
- [*Puliciphora stuckenbergi* Disney, 1988\[2\]](#)
- [*Puliciphora suavis* Borgmeier, 1963\[45\]](#)
- [*Puliciphora subconvexa* Borgmeier, 1960\[11\]](#)
- [*Puliciphora sulcimanae* Disney, 1998\[27\]](#)
- [*Puliciphora sumatrae* Disney, 1999\[14\]](#)
- [*Puliciphora sylvatica* Brues, 1909\[46\]](#)
- [*Puliciphora taigae* Disney & Mikhailovskaya, 2001\[44\]](#)
- [*Puliciphora tambopata* Disney, 1989\[9\]](#)
- [*Puliciphora termitum* Schmitz, 1926\[47\]](#)
- [*Puliciphora togata* Schmitz, 1925\[25\]](#)
- [*Puliciphora tokyoensis* Kinoshita, 1918\[48\]](#)
- [*Puliciphora triangularis* \(Borgmeier, 1960\)\[11\]](#)
- [*Puliciphora trisclerita* Senior-White, 1924](#)
- [*Puliciphora velocipes* \(Schmitz, 1913\)\[49\]](#)
- [*Puliciphora vicinalis* Borgmeier, 1960\[11\]](#)
- [*Puliciphora viklundi* Disney, 2003\[7\]](#)
- [*Puliciphora virginiensis* Malloch, 1912\[19\]](#)

This is a list of 157 species in [*Ptycta*](#), a genus of common barklice in the family [*Psocidae*](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Ptycta* species**

- [*Ptycta aaroni* Thornton, 1984^{c g}](#)
- [*Ptycta afasciata* Endang, Thornton & New, 2002^{c g}](#)
- [*Ptycta anacantha* Badonnel, 1967^{c g}](#)
- [*Ptycta angulata* Thornton, S. S. Lee & Chui, 1972^{c g}](#)
- [*Ptycta angustifrons* \(Enderlein, 1931\)^{c g}](#)
- [*Ptycta apicalis* Broadhead & Alison Richards, 1980^{c g}](#)
- [*Ptycta apicantha* Thornton, 1984^{c g}](#)
- [*Ptycta apicanthoides* Thornton, 1984^{c g}](#)
- [*Ptycta arandae* Baz, 1990^{c g}](#)
- [*Ptycta aschekei* Turner, B. D., 1976^{c g}](#)
- [*Ptycta australis* Schmidt, E. R. & Thornton, 1993^{c g}](#)
- [*Ptycta badonneli* \(Roesler, 1943\)^{c g}](#)

- [*Ptycta bebea*](#) Thornton, 1981 ^{c g}
- [*Ptycta biloba*](#) Smithers, Courtenay, 1999 ^{c g}
- [*Ptycta blanci*](#) Badonnel, 1976 ^{c g}
- [*Ptycta breuschi*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta buettikeri*](#) Badonnel, 1982 ^{c g}
- [*Ptycta bulbosa*](#) Badonnel, 1969 ^{c g}
- [*Ptycta caboverdensis*](#) Meinander, 1966 ^{c g}
- [*Ptycta campbelli*](#) Schmidt, E. R. & Thornton, 1993 ^{c g}
- [*Ptycta chekei*](#) Turner, B. D., 1976 ^{c g}
- [*Ptycta cogani*](#) New, 1977 ^{c g}
- [*Ptycta colei*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Ptycta cruciata*](#) Badonnel, 1979 ^{c g}
- [*Ptycta curvata*](#) Li, Fasheng, 2002 ^{c g}
- [*Ptycta curviclava*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta deltoides*](#) Li, Fasheng, 1992 ^{c g}
- [*Ptycta descarpentriesi*](#) Badonnel, 1976 ^{c g}
- [*Ptycta diacantha*](#) Thornton, 1984 ^{c g}
- [*Ptycta diadela*](#) Thornton, 1984 ^{c g}
- [*Ptycta diastema*](#) Thornton, 1984 ^{c g}
- [*Ptycta dichotoma*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta dicrosa*](#) Thornton, 1984 ^{c g}
- [*Ptycta disclera*](#) Thornton, 1984 ^{c g}
- [*Ptycta distincta*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta distinguenda*](#) (Perkins, 1899) ^{c g}
- [*Ptycta drepana*](#) Thornton, 1984 ^{c g}
- [*Ptycta elegantula*](#) Li, Fasheng, 1999 ^{c g}
- [*Ptycta elena*](#) New & Thornton, 1975 ^{c g}
- [*Ptycta emarginata*](#) New, 1974 ^{c g}
- [*Ptycta enderleini*](#) (Roesler, 1943) ^{c g}
- [*Ptycta episcia*](#) Thornton, 1984 ^{c g}
- [*Ptycta flavipalpi*](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [*Ptycta floresensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta frayorgensis*](#) New & Thornton, 1981 ^{c g}
- [*Ptycta freycineti*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Ptycta frogneri*](#) Thornton, 1984 ^{c g}
- [*Ptycta frontalis*](#) Thornton, 1984 ^{c g}

- [*Ptycta furcata*](#) Li, Fasheng, 1993 ^{c g}
- [*Ptycta giffardi*](#) Thornton, 1984 ^{c g}
- [*Ptycta glossoptera*](#) New, 1974 ^{c g}
- [*Ptycta grucheti*](#) Turner, B. D., 1976 ^{c g}
- [*Ptycta gynegonia*](#) Thornton, 1984 ^{c g}
- [*Ptycta gyroflexa*](#) Li, Fasheng, 2001 ^{c g}
- [*Ptycta haleakalae*](#) (Perkins, 1899) ^{c g}
- [*Ptycta hardyi*](#) Thornton, 1984 ^{c g}
- [*Ptycta hawaiiensis*](#) Thornton, 1984 ^{c g}
- [*Ptycta heterogamias*](#) (Perkins, 1899) ^{c g}
- [*Ptycta hollowayae*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Ptycta iaoensis*](#) Thornton, 1984 ^{c g}
- [*Ptycta improcera*](#) New, 1974 ^{c g}
- [*Ptycta incerta*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta incurvata*](#) Thornton, 1960 ^{c g}
- [*Ptycta isabelae*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta johnsoni*](#) Bess, E. C. & Yoshizawa, 2007 ^{c g}
- [*Ptycta kaala*](#) Thornton, 1984 ^{c g}
- [*Ptycta kauaiensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta kenyensis*](#) New, 1975 ^{c g}
- [*Ptycta kiboschoensis*](#) (Enderlein, 1907) ^{c g}
- [*Ptycta krakatau*](#) Cole, New & Thornton, 1989 ^{c g}
- [*Ptycta laevidorsum*](#) (Enderlein, 1931) ^{c g}
- [*Ptycta lanaiensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta lemniscata*](#) (Smithers, Courtenay, 1964) ^{c g}
- [*Ptycta leucothorax*](#) Thornton, 1984 ^{c g}
- [*Ptycta lineata*](#) Mockford, 1974 ^{i c g}
- [*Ptycta lobata*](#) (Badonnel, 1955) ^{c g}
- [*Ptycta lobophora*](#) Thornton, 1984 ^{i c g}
- [*Ptycta longicaulis*](#) Li, Fasheng, 1992 ^{c g}
- [*Ptycta longipennis*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Ptycta longispinosa*](#) (Smithers, Courtenay, 1964) ^{c g}
- [*Ptycta lugosensis*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta lunulata*](#) New, 1972 ^{c g}
- [*Ptycta maculata*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta maculifrons*](#) Thornton, 1984 ^{c g}

- [*Ptycta maculosa*](#) Badonnel, 1967 ^{c g}
- [*Ptycta marianensis*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta marta*](#) Thornton & A. K. T. Woo, 1973 ^{c g}
- [*Ptycta merapiensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta microctena*](#) Thornton, 1984 ^{c g}
- [*Ptycta microglena*](#) Thornton, 1984 ^{c g}
- [*Ptycta micromaculata*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta molokaiensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta monticola*](#) (Perkins, 1899) ^{c g}
- [*Ptycta muogamarra*](#) Smithers, Courtenay, 1977 ^{c g}
- [*Ptycta nadleri*](#) Galil, 1981 ^{c g}
- [*Ptycta nitens*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta novohibernica*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta oahuensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta obscura*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta oceanica*](#) New, 1977 ^{c g}
- [*Ptycta oligocantha*](#) Thornton, 1984 ^{c g}
- [*Ptycta palikea*](#) Thornton, 1984 ^{c g}
- [*Ptycta pallawahensis*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Ptycta pallida*](#) Badonnel, 1967 ^{c g}
- [*Ptycta paralobata*](#) New, 1975 ^{c g}
- [*Ptycta pardenae*](#) Thornton, 1984 ^{c g}
- [*Ptycta parvidentata*](#) Tsutsumi, 1964 ^{c g}
- [*Ptycta parvula*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta pauliani*](#) Badonnel, 1967 ^{c g}
- [*Ptycta pearmani*](#) New, 1972 ^{c g}
- [*Ptycta pedina*](#) Thornton, 1984 ^{c g}
- [*Ptycta peleae*](#) Thornton, 1984 ^{c g}
- [*Ptycta perkinsi*](#) Thornton, 1984 ^{c g}
- [*Ptycta persimilis*](#) Thornton, 1984 ^{c g}
- [*Ptycta picta*](#) New, 1974 ^{c g}
- [*Ptycta pikeloi*](#) Thornton, 1984 ^{c g}
- [*Ptycta pitallo*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta placophora*](#) Thornton, 1984 ^{c g}
- [*Ptycta platyclava*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta polluta*](#) (Walsh, 1862) ^{i c g b}

- [*Ptycta polyacantha*](#) Badonnel, 1967 ^{c g}
- [*Ptycta precincta*](#) Thornton, 1984 ^{c g}
- [*Ptycta prosta*](#) Schmidt, E. R. & Thornton, 1993 ^{c g}
- [*Ptycta pulchra*](#) Turner, B. D., 1976 ^{c g}
- [*Ptycta pupukea*](#) Thornton, 1984 ^{c g}
- [*Ptycta quadrimaculata*](#) (Smithers, Courtenay, 1964) ^{c g}
- [*Ptycta recava*](#) Bess, E. C. & Yoshizawa, 2007 ^{c g}
- [*Ptycta reticulata*](#) New, 1972 ^{c g}
- [*Ptycta revoluta*](#) Li, Fasheng, 2002 ^{c g}
- [*Ptycta rhina*](#) Thornton, 1984 ^{c g}
- [*Ptycta sardjani*](#) Endang & Thornton, 1992 ^{c g}
- [*Ptycta schillei*](#) (Enderlein, 1906) ^{c g}
- [*Ptycta schisma*](#) Thornton, 1984 ^{c g}
- [*Ptycta schneideri*](#) Badonnel, 1981 ^{c g}
- [*Ptycta serrata*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta seyrigi*](#) (Badonnel, 1935) ^{c g}
- [*Ptycta simulator*](#) (Perkins, 1899) ^{c g}
- [*Ptycta stena*](#) Thornton, 1984 ^{c g}
- [*Ptycta stenomedia*](#) Thornton, 1984 ^{c g}
- [*Ptycta striatoptera*](#) New, 1975 ^{c g}
- [*Ptycta swezeyi*](#) Thornton, 1984 ^{c g}
- [*Ptycta sylvestris*](#) (Perkins, 1899) ^{c g}
- [*Ptycta tachardiae*](#) Badonnel, 1967 ^{c g}
- [*Ptycta tapensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta telma*](#) Thornton, 1984 ^{c g}
- [*Ptycta tikala*](#) (Mockford, 1957) ^{c g}
- [*Ptycta timorensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta trullifera*](#) Smithers, Courtenay, 1998 ^{c g}
- [*Ptycta tsutsumii*](#) New & Thornton, 1976 ^{c g}
- [*Ptycta umbrata*](#) New, 1974 ^{c g}
- [*Ptycta unica*](#) (Perkins, 1899) ^{c g}
- [*Ptycta vaga*](#) New, 1975 ^{c g}
- [*Ptycta verticalis*](#) Vaughan, Thornton & New, 1991 ^{c g}
- [*Ptycta vittipennis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta williamsorum*](#) Smithers, Courtenay, 1997 ^{c g}
- [*Ptycta ypsilon*](#) Broadhead & Alison Richards, 1980 ^{c g}

- [Ptycta zimmermani](#) Thornton, 1984 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Ptycta Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-05-05.
 - ["Browse Ptycta"](#). *Catalogue of Life*. Retrieved 2018-05-05.
 - ["Ptycta"](#). *GBIF*. Retrieved 2018-05-05.
 -
4. ["Ptycta Genus Information"](#). *BugGuide.net*. Retrieved 2018-05-05.

Categories:

- [Psocidae](#)
- [Lists of insect species](#)
-

These 107 species are members of [Ptinus](#), a genus of spider beetles in the family [Ptinidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Ptinus species

- [Ptinus affinis](#) Desbrochers des Loges, 1871 ^g
- [Ptinus agnatus](#) Fall, 1905 ^{i c g}
- [Ptinus alternatus](#) Fall, 1905 ^{i c g}
- [Ptinus antennatus](#) Pic, 1896 ^g
- [Ptinus argolisanus](#) (Reitter, 1884) ^g
- [Ptinus arragonicus](#) (Brenske & Reitter, 1884) ^g
- [Ptinus atricapillus](#) Kiesenwetter, 1877 ^g
- [Ptinus aubei](#) Boieldieu, 1854 ^g
- [Ptinus auberti](#) Abeille de Perrin, 1869 ^g
- [Ptinus barberi](#) Fisher, 1919 ^{i c g}
- [Ptinus barrosi](#) Pic, 1905 ^g
- [Ptinus bertranpetiti](#)[\[5\]](#)
- [Ptinus bicinctus](#) Sturm, 1837 ^{i c g}

- [*Ptinus bidens*](#) Olivier, 1790 ^g
- [*Ptinus biformis*](#) Reitter, 1880 ^g
- [*Ptinus bimaculatus*](#) Melsheimer, 1845 ^{i c g b}
- [*Ptinus brevivittis*](#) Reitter, 1881 ^g
- [*Ptinus caelebs*](#) Fall, 1905 ^{i c g b}
- [*Ptinus calcaratus*](#) Kiesenwetter, 1877 ^g
- [*Ptinus calcarifer*](#) (Reitter, 1888) ^g
- [*Ptinus californicus*](#) Pic, 1900 ^{i c g b}
- [*Ptinus capellae*](#) Reitter, 1880 ^g
- [*Ptinus catalonicus*](#) Bellés, 2002 ^g
- [*Ptinus clavipes*](#) Panzer, 1792 ^{i c g}
- [*Ptinus coarcticollis*](#) Sturm, 1837 ^g
- [*Ptinus cognatus*](#) Fall, 1905 ^{i c g}
- [*Ptinus concurrens*](#) Fall, 1905 ^{i c g b}
- [*Ptinus constrictus*](#) Blatchley, 1922 ^{i c g}
- [*Ptinus corsicus*](#) Kiesenwetter, 1877 ^g
- [*Ptinus crassicornis*](#) Kiesenwetter, 1877 ^g
- [*Ptinus cumaniensis*](#) Pic, 1896 ^g
- [*Ptinus dubius*](#) Sturm, 1837 ^g
- [*Ptinus dufawi*](#) Pic, 1906 ^g
- [*Ptinus ellipticus*](#) (Reitter, 1894) ^g
- [*Ptinus eximius*](#) Fall, 1905 ^{i c g}
- [*Ptinus explanatus*](#) Fauvel, 1891 ^g
- [*Ptinus exulans*](#) Erichson, 1842 ^g
- [*Ptinus fallax*](#) Fall, 1905 ^{i c g b}
- [*Ptinus falli*](#) Pic, 1904 ^{i c g b}
- [*Ptinus feminalis*](#) Fall, 1905 ^{i c g}
- [*Ptinus femoralis*](#) (Reitter, 1884) ^g
- [*Ptinus fur*](#) (Linnaeus, 1758) ^{i c g b} (whitemarked spider beetle)
- [*Ptinus gandolphei*](#) Pic, 1904 ^{i c g b}
- [*Ptinus gylippus*](#) Reitter, 1906 ^g
- [*Ptinus hirticornis*](#) Kiesenwetter, 1867 ^g
- [*Ptinus hispaniolaensis*](#)[6]
- [*Ptinus hystrix*](#) Fall, 1905 ^{i c g b}
- [*Ptinus insularis*](#) Boheman, 1858 ^g
- [*Ptinus interruptus*](#) LeConte, 1857 ^{i c g b}

- [*Ptinus italicus*](#) Aragona, 1830 ^g
- [*Ptinus ivanensis*](#) (Reitter, 1902) ^g
- [*Ptinus japonicus*](#)
- [*Ptinus kiesenwetteri*](#) (Reitter, 1884) ^g
- [*Ptinus kruperi*](#) Pic, 1929 ^g
- [*Ptinus kutzschenbachi*](#) Reitter, 1878 ^g
- [*Ptinus latro*](#) Fabricius, 1775 ^{i c g b} (brown spider beetle)
- [*Ptinus leprieuri*](#) Pic, 1896 ^g
- [*Ptinus lichenum*](#) Marsham, 1802 ^g
- [*Ptinus longivestis*](#) Fall, 1905 ^{i c g}
- [*Ptinus maculosus*](#) Abeille de Perrin, 1895 ^g
- [*Ptinus madoni*](#) Pic, 1932 ^g
- [*Ptinus mediterraneus*](#)[7]
- [*Ptinus mitchelli*](#) Fisher, 1919 ^{i c g}
- [*Ptinus nigripennis*](#) Comolli, 1837 ^g
- [*Ptinus nikitanus*](#) (Brenske & Reitter, 1884) ^g
- [*Ptinus obesus*](#) P.H.Lucas, 1846 ^g
- [*Ptinus oertzeni*](#) (Reitter, 1888) ^g
- [*Ptinus palliatus*](#) (Perris, 1847) ^g
- [*Ptinus paulonotatus*](#) Pic, 1904 ^{i c g b}
- [*Ptinus pellitus*](#) Desbrochers des Loges, 1875 ^g
- [*Ptinus perplexus*](#) Mulsant & Rey, 1868 ^g
- [*Ptinus perrini*](#) (Reitter, 1884) ^g
- [*Ptinus phlomidis*](#) Boieldieu, 1854 ^g
- [*Ptinus pilosus*](#) Müller, 1821 ^g
- [*Ptinus podolicus*](#) Iablokoff-Khnzorian & Karapetian, 1991 ^g
- [*Ptinus prolixus*](#) Fall, 1905 ^{i c g}
- [*Ptinus pusillus*](#) Sturm, 1837 ^g
- [*Ptinus pyrenaeus*](#) Pic, 1897 ^g
- [*Ptinus quadrimaculatus*](#) Melsheimer, 1846 ^{i c g}
- [*Ptinus raptor*](#) Sturm, 1837 ^{i c g b} (eastern spider beetle)
- [*Ptinus reitteri*](#) Pic, 1894 ^g
- [*Ptinus rufipes*](#) Olivier, 1790 ^g
- [*Ptinus rufolimbatus*](#) Pic, 1908 ^g
- [*Ptinus rufus*](#) Brulle, 1832 ^g
- [*Ptinus rugosicollis*](#) (Desbrochers des Loges, 1875) ^g
- [*Ptinus salvatori*](#) Pic, 1901 ^g

- [*Ptinus schatzmayeri*](#) Pic, 1934 ^g
- [*Ptinus schlerethi*](#) (Reitter, 1884) ^g
- [*Ptinus sexpunctatus*](#) Panzer, 1795 ^{g b}
- [*Ptinus spissicornis*](#) Abeille de Perrin, 1894 ^g
- [*Ptinus spitzyi*](#) A.Villa & G.B.Villa, 1838 ^g
- [*Ptinus strangulatus*](#) Fall, 1905 ^{i c g b}
- [*Ptinus subaeneus*](#) (Reitter, 1884) ^g
- [*Ptinus subpillosus*](#) Sturm, 1837 ^g
- [*Ptinus subroseus*](#) Reitter, 1888 ^g
- [*Ptinus tarsalis*](#) (Reitter, 1884) ^g
- [*Ptinus tauricus*](#) (Brenske & Reitter, 1884) ^g
- [*Ptinus tectus*](#) Boieldieu, 1856 ^{i c g b} (Australian spider beetle)
- [*Ptinus texanus*](#) Pic, 1903 ^{i c g b}
- [*Ptinus timidus*](#) Brisout de Barneville, 1866 ^g
- [*Ptinus torretassoi*](#) Pic, 1934 ^g
- [*Ptinus tuberculatus*](#) Blatchley, 1920 ^{i c g}
- [*Ptinus tumidus*](#) Fall, 1905 ^{i c g b}
- [*Ptinus variegatus*](#) Rossi, 1794 ^{i c g}
- [*Ptinus vegrandis*](#) Fall, 1905 ^{i c g}
- [*Ptinus verticalis*](#) LeConte, 1859 ^{i c g b}
- [*Ptinus villiger*](#) (Reitter, 1884) ^{i c g b} (hairy spider beetle)

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 432 species in [*Pteromalus*](#), a genus of pteromalid wasps in the family [*Pteromalidae*](#).^[1]
^[2]^[3]

***Pteromalus* species**

- [*Pteromalus aartseni*](#) (Gijswijt, 1972) ^{c g}
- [*Pteromalus abdominalis*](#) Statz, 1938 ^{c g}
- [*Pteromalus aberrans*](#) Forster, 1841 ^g
- [*Pteromalus abieticola*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus achillei*](#) Janzon, 1984 ^{c g}
- [*Pteromalus acicularis*](#) Forster, 1841 ^g
- [*Pteromalus actinopterae*](#) (Hedqvist, 1977) ^{c g}

- [*Pteromalus acuminatus*](#) Forster, 1841 ^g
- [*Pteromalus aeneus*](#) Fonscolombe, 1832 ^{c g}
- [*Pteromalus aerosus*](#) Statz, 1938 ^{c g}
- [*Pteromalus aeson*](#) Walker, 1848 ^{c g}
- [*Pteromalus agilis*](#) Forster, 1841 ^g
- [*Pteromalus albescens*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus albidovenosus*](#) Walker, 1874 ^{c g}
- [*Pteromalus albipennis*](#) Walker, 1835 ^{c g}
- [*Pteromalus albitarsis*](#) De Stefani, 1907 ^{c g}
- [*Pteromalus almeriensis*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus alternans*](#) Forster, 1841 ^g
- [*Pteromalus alternipes*](#) Walker, 1872 ^{c g}
- [*Pteromalus altus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus amabilis*](#) Walker, 1836 ^{c g}
- [*Pteromalus amage*](#) (Walker, 1849) ^{c g}
- [*Pteromalus ambiguus*](#) Forster, 1841 ^g
- [*Pteromalus amerinae*](#) Swederus, 1795 ^{c g}
- [*Pteromalus ametrus*](#) Graham, 1981 ^g
- [*Pteromalus amyntor*](#) Walker, 1846 ^{c g}
- [*Pteromalus anaxis*](#) Walker, 1849 ^{c g}
- [*Pteromalus angustus*](#) Forster, 1841 ^g
- [*Pteromalus annae*](#) Janzon, 1984 ^{c g}
- [*Pteromalus anomalipes*](#) Forster, 1841 ^g
- [*Pteromalus antheraecola*](#) Amerling & Kirchner, 1860 ^{c g}
- [*Pteromalus apantelesi*](#) Risbec, 1952 ^{c g}
- [*Pteromalus apantelophagus*](#) (Crawford, 1910) ^{c g}
- [*Pteromalus apicalis*](#) Nees, 1834 ^{c g}
- [*Pteromalus apionis*](#) (Goureau, 1847) ^{c g}
- [*Pteromalus apum*](#) (Retzius, 1783) ^{c g}
- [*Pteromalus arborivagus*](#) Forster, 1841 ^g
- [*Pteromalus archia*](#) Walker, 1843 ^{c g}
- [*Pteromalus arnicae*](#) Janzon, 1984 ^{c g}
- [*Pteromalus atomos*](#) Fonscolombe, 1832 ^{c g}
- [*Pteromalus atomus*](#) Statz, 1938 ^{c g}
- [*Pteromalus atra*](#) Statz, 1938 ^{c g}
- [*Pteromalus atramentarius*](#) Forster, 1841 ^g

- [*Pteromalus aurantiacus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus auratus*](#) Swederus, 1795 ^{c g}
- [*Pteromalus aureolus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus aurifacies*](#) Forster, 1841 ^g
- [*Pteromalus aurinitens*](#) Forster, 1841 ^g
- [*Pteromalus barycerus*](#) Forster, 1841 ^g
- [*Pteromalus baton*](#) Walker, 1839 ^{c g}
- [*Pteromalus bedeguaris*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus bekiliensis*](#) Risbec, 1952 ^{c g}
- [*Pteromalus berylli*](#) Walker, 1835 ^{c g}
- [*Pteromalus bienna*](#) Walker, 1848 ^{c g}
- [*Pteromalus bifoveolatus*](#) Förster, 1861 ^g
- [*Pteromalus blandus*](#) Forster, 1841 ^g
- [*Pteromalus bottnicus*](#) Vikberg, 1979 ^{c g}
- [*Pteromalus brachygaster*](#) (Graham, 1969) ^{c g}
- [*Pteromalus breviscapus*](#) Forster, 1841 ^g
- [*Pteromalus brunnicans*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus bryce*](#) Walker, 1842 ^{c g}
- [*Pteromalus calenus*](#) Walker, 1843 ^{c g}
- [*Pteromalus canariensis*](#) (Janzon, 1977) ^{c g}
- [*Pteromalus capreae*](#) (Linnaeus, 1761) ^{c g}
- [*Pteromalus cardui*](#) (Erdos, 1953) ^g
- [*Pteromalus carinatus*](#) Forster, 1841 ^g
- [*Pteromalus cassotis*](#) Walker, 1847 ^{c g b}
- [*Pteromalus caudiger*](#) (Graham, 1969) ^{c g}
- [*Pteromalus cerealellae*](#) (Ashmead, 1902) ^{c g}
- [*Pteromalus cerinopus*](#) Forster, 1841 ^g
- [*Pteromalus chalybaeus*](#) Nees, 1834 ^{c g}
- [*Pteromalus chlorogaster*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus chlorospilus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus chrysis*](#) Forster, 1841 ^g
- [*Pteromalus chrysos*](#) Walker, 1836 ^{c g}
- [*Pteromalus ciliatus*](#) Walker, 1795 ^{c g}
- [*Pteromalus cioni*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus cionobius*](#) (Erdos, 1953) ^g
- [*Pteromalus clavicornis*](#) Swederus, 1795 ^{c g}

- [*Pteromalus clavipes*](#) Forster, 1841 ^g
- [*Pteromalus cleophanes*](#) Walker, 1839 ^{c g}
- [*Pteromalus coeruleiventris*](#) (Ashmead, 1888) ^{c g}
- [*Pteromalus coerulescens*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus coeruleus*](#) Forster, 1841 ^g
- [*Pteromalus coloradensis*](#) (Ashmead, 1890) ^{c g}
- [*Pteromalus colosseus*](#) Forster, 1841 ^g
- [*Pteromalus compactus*](#) Forster, 1841 ^g
- [*Pteromalus compos*](#) Forster, 1841 ^g
- [*Pteromalus concinnus*](#) Forster, 1841 ^g
- [*Pteromalus conformis*](#) (Graham, 1969) ^{c g}
- [*Pteromalus conoideus*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus conopidarum*](#) (Boucek, 1961) ^{c g}
- [*Pteromalus cosis*](#) Walker, 1839 ^{c g}
- [*Pteromalus costulata*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus couridae*](#) Cameron, 1913 ^{c g}
- [*Pteromalus crassicapitatus*](#) Statz, 1938 ^{c g}
- [*Pteromalus crassicornis*](#) Zetterstedt, 1838 ^{c g}
- [*Pteromalus crassinervis*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus crassus*](#) Forster, 1841 ^g
- [*Pteromalus cryptocephali*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus cubocephalus*](#) Forster, 1841 ^g
- [*Pteromalus cupreus*](#) Nees, 1834 ^{c g}
- [*Pteromalus curculionoides*](#) (Bouché, 1834) ^g
- [*Pteromalus cylindraceus*](#) Forster, 1841 ^g
- [*Pteromalus cyniphidis*](#) (Linnaeus, 1758) ^g
- [*Pteromalus dahlbomi*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus dalmanni*](#) Forster, 1841 ^g
- [*Pteromalus damo*](#) Walker, 1847 ^{c g}
- [*Pteromalus decipiens*](#) (Graham, 1969) ^c
- [*Pteromalus defossus*](#) Statz, 1938 ^{c g}
- [*Pteromalus delvarei*](#) Vago, 2002 ^{c g}
- [*Pteromalus dendrolimi*](#) Matsumura, 1926 ^{c g}
- [*Pteromalus depressus*](#) Forster, 1841 ^g
- [*Pteromalus devorator*](#) Forster, 1841 ^g
- [*Pteromalus diadema*](#) Ratzeburg, 1852 ^{c g}

- [*Pteromalus diatatus*](#) Schmidt, 1851 ^{c g}
- [*Pteromalus difficilis*](#) Forster, 1841 ^g
- [*Pteromalus dimiduis*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus diminuator*](#) Forster, 1841 ^g
- [*Pteromalus dirutor*](#) Forster, 1841 ^g
- [*Pteromalus discors*](#) Graham, 1992 ^{c g}
- [*Pteromalus discrepans*](#) Forster, 1861 ^g
- [*Pteromalus dispar*](#) (Curtis, 1827) ^{c g}
- [*Pteromalus divitissimus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus dolichurus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus doryssus*](#) Walker, 1847 ^{c g}
- [*Pteromalus doumeti*](#) Fairmaire, 1879 ^{c g}
- [*Pteromalus driopides*](#) Walker, 1839 ^{c g}
- [*Pteromalus ecarinatus*](#) Forster, 1841 ^g
- [*Pteromalus egregius*](#) Forster, 1841 ^g
- [*Pteromalus elatus*](#) Forster, 1841 ^g
- [*Pteromalus elevatus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus ellisorum*](#) Gijswijt, 1984 ^{c g}
- [*Pteromalus elongatus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus elpinice*](#) Walker, 1839 ^{c g}
- [*Pteromalus eminens*](#) Forster, 1841 ^g
- [*Pteromalus epicles*](#) Walker, 1847 ^{c g}
- [*Pteromalus epimelas*](#) Walker, 1836 ^{c g}
- [*Pteromalus esuriens*](#) Forster, 1841 ^g
- [*Pteromalus eurymi*](#) Gahan, 1913 ^{c g}
- [*Pteromalus euthymus*](#) Walker, 1847 ^{c g}
- [*Pteromalus euurae*](#) Askew, 1995 ^{c g}
- [*Pteromalus exanimis*](#) Brues, 1910 ^{c g}
- [*Pteromalus exiguus*](#) Forster, 1841 ^g
- [*Pteromalus exoletus*](#) Forster, 1841 ^g
- [*Pteromalus exsertus*](#) Forster, 1841 ^g
- [*Pteromalus extensus*](#) Forster, 1841 ^g
- [*Pteromalus fabia*](#) Walker, 1839 ^{c g}
- [*Pteromalus facilis*](#) Forster, 1841 ^g
- [*Pteromalus fagi*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus fasciatus*](#) (Thomson, 1878) ^c

- [*Pteromalus faunigena*](#) Forster, 1841 ^g
- [*Pteromalus felginas*](#) Walker, 1842 ^{c g}
- [*Pteromalus fenomenalis*](#) (Domenichini, 1958) ^g
- [*Pteromalus ferox*](#) Forster, 1841 ^g
- [*Pteromalus fervidus*](#) Forster, 1841 ^g
- [*Pteromalus festivus*](#) Forster, 1841 ^g
- [*Pteromalus flavicornis*](#) (Girault & Dodd, 1915) ^{c g}
- [*Pteromalus flavipalpis*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus flaviscapus*](#) Rudow, 1886 ^{c g}
- [*Pteromalus flaviventris*](#) Rudow, 1886 ^{c g}
- [*Pteromalus foersteri*](#) Dalla Torre, 1898 ^g
- [*Pteromalus fugax*](#) Forster, 1841 ^g
- [*Pteromalus furtivus*](#) Forster, 1841 ^g
- [*Pteromalus fuscipennis*](#) (Walker, 1834) ^{c g}
- [*Pteromalus fuscipes*](#) (Provancher, 1881) ^{c g}
- [*Pteromalus fuscitarsis*](#) Ashmead, 1901 ^{c g}
- [*Pteromalus fuscopalpus*](#) Forster, 1841 ^g
- [*Pteromalus gallicolus*](#) Doganlar, 1980 ^{c g}
- [*Pteromalus garibaldius*](#) (Girault, 1938) ^{c g}
- [*Pteromalus genuinus*](#) Forster, 1841 ^g
- [*Pteromalus glabriculus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus gnavis*](#) Forster, 1841 ^g
- [*Pteromalus gracillimus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus gratiosus*](#) Forster, 1841 ^g
- [*Pteromalus grisselli*](#) ^g
- [*Pteromalus gryneus*](#) Walker, 1842 ^{c g}
- [*Pteromalus guttula*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus habilis*](#) Forster, 1841 ^g
- [*Pteromalus hedymeles*](#) Walker, 1839 ^{c g}
- [*Pteromalus helenomus*](#) (Graham, 1969) ^{c g}
- [*Pteromalus hemileucae*](#) Gahan, 1917 ^{c g}
- [*Pteromalus herbaceus*](#) Forster, 1841 ^g
- [*Pteromalus hercyniae*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus hesus*](#) Walker, 1839 ^{c g}
- [*Pteromalus hieracii*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus hirtipes*](#) Statz, 1938 ^{c g}

- [*Pteromalus holmgrenii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus honestus*](#) Forster, 1841 ^g
- [*Pteromalus hunteri*](#) (Crawford, 1908) ^{c g}
- [*Pteromalus hyalopterus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus hypocyaneus*](#) Forster, 1841 ^g
- [*Pteromalus hyponomeutae*](#) (Masi, 1909) ^g
- [*Pteromalus ignobilis*](#) Forster, 1861 ^g
- [*Pteromalus illustratus*](#) Forster, 1841 ^g
- [*Pteromalus immundus*](#) Forster, 1841 ^g
- [*Pteromalus impeditus*](#) Walker, 1835 ^{c g}
- [*Pteromalus impressifrons*](#) Forster, 1841 ^g
- [*Pteromalus inanis*](#) Forster, 1841 ^g
- [*Pteromalus incertus*](#) Forster, 1841 ^g
- [*Pteromalus inclytus*](#) Forster, 1841 ^g
- [*Pteromalus inconspicuus*](#) Forster, 1841 ^g
- [*Pteromalus inermis*](#) Forster, 1841 ^g
- [*Pteromalus infelix*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus infestus*](#) Forster, 1841 ^g
- [*Pteromalus infinitus*](#) Forster, 1841 ^g
- [*Pteromalus inquilinus*](#) Forster, 1841 ^g
- [*Pteromalus insignis*](#) Forster, 1841 ^g
- [*Pteromalus integer*](#) Walker, 1872 ^{c g}
- [*Pteromalus intermedius*](#) (Walker, 1834) ^{c g}
- [*Pteromalus ipsea*](#) Walker, 1839 ^{c g}
- [*Pteromalus isarchus*](#) Walker, 1839 ^{c g}
- [*Pteromalus ivondroi*](#) Risbec, 1952 ^{c g}
- [*Pteromalus janssoni*](#) (Graham, 1969) ^{c g}
- [*Pteromalus jejunos*](#) Forster, 1841 ^g
- [*Pteromalus keralensis*](#) Sureshan, 2001 ^{c g}
- [*Pteromalus kuwayamae*](#) Matsumura, 1926 ^{c g}
- [*Pteromalus lactucae*](#) (Szelenyi & Erdos, 1953) ^g
- [*Pteromalus laetus*](#) Forster, 1841 ^g
- [*Pteromalus laevis*](#) Forster, 1841 ^g
- [*Pteromalus laricinellae*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus larymna*](#) Walker, 1848 ^{c g}
- [*Pteromalus larzacensis*](#) Graham, 1984 ^{c g}

- [*Pteromalus latipennatus*](#) Statz, 1938 ^{c g}
- [*Pteromalus latreillei*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus lazulinus*](#) Forster, 1841 ^g
- [*Pteromalus lepidotus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus leptogaster*](#) Forster, 1841 ^g
- [*Pteromalus leptostictus*](#) Forster, 1841 ^g
- [*Pteromalus leucanthemi*](#) Janzon, 1980 ^{c g}
- [*Pteromalus limbatus*](#) Forster, 1841 ^g
- [*Pteromalus lineolatus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus lixi*](#) (Sarrazin, 1924) ^g
- [*Pteromalus longicornis*](#) Statz, 1938 ^{c g}
- [*Pteromalus lugens*](#) Forster, 1841 ^g
- [*Pteromalus lutulentus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus luzonensis*](#) Gahan, 1925 ^{c g}
- [*Pteromalus macrocerus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus macronychivorus*](#) Perez, 1864 ^{c g}
- [*Pteromalus maculiscapus*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus mandibulatus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus marellii*](#) De Santis, 1998 ^{c g}
- [*Pteromalus mariae*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus matsuyadorii*](#) Matsumura, 1926 ^{c g}
- [*Pteromalus maurus*](#) Forster, 1841 ^g
- [*Pteromalus mediocris*](#) Walker, 1835 ^{c g}
- [*Pteromalus megareus*](#) Walker, 1842 ^{c g}
- [*Pteromalus melancholicus*](#) Forster, 1841 ^g
- [*Pteromalus melanocerus*](#) Forster, 1841 ^g
- [*Pteromalus melanochlorus*](#) Forster, 1841 ^g
- [*Pteromalus meridionalis*](#) Risbec, 1952 ^{c g}
- [*Pteromalus metallicus*](#) Sureshan, 2001 ^{c g}
- [*Pteromalus metallifemur*](#) (Bukovskii, 1938) ^g
- [*Pteromalus microgastris*](#) (Kurdjumov, 1912) ^g
- [*Pteromalus microneurus*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus microps*](#) (Graham, 1969) ^{c g}
- [*Pteromalus micros*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus mixtus*](#) Forster, 1841 ^g
- [*Pteromalus mobilis*](#) Forster, 1841 ^g

- [*Pteromalus molestus*](#) Forster, 1841 ^g
- [*Pteromalus monochrous*](#) Forster, 1841 ^g
- [*Pteromalus moravicus*](#) Graham, 1984 ^{c g}
- [*Pteromalus musaeus*](#) Walker, 1844 ^{c g}
- [*Pteromalus mutia*](#) Walker, 1839 ^{c g}
- [*Pteromalus mydon*](#) Walker, 1839 ^{c g}
- [*Pteromalus myopitae*](#) (Graham, 1969) ^{c g}
- [*Pteromalus myopites*](#) De Stefani Perez, 1901 ^{c g}
- [*Pteromalus nanulus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus napaeus*](#) Forster, 1841 ^g
- [*Pteromalus naucus*](#) Forster, 1841 ^g
- [*Pteromalus navis*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus nebulosus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus neesii*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus neglectus*](#) Forster, 1841 ^g
- [*Pteromalus niger*](#) (Fonscolombe, 1832) ^{c g}
- [*Pteromalus nigricans*](#) Forster, 1841 ^g
- [*Pteromalus nigrus*](#) Sureshan, 2001 ^{c g}
- [*Pteromalus niphe*](#) Walker, 1839 ^{c g}
- [*Pteromalus nodulosus*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus nuperus*](#) Forster, 1841 ^g
- [*Pteromalus obductus*](#) Forster, 1841 ^g
- [*Pteromalus obscurus*](#) Nees, 1834 ^c
- [*Pteromalus obvolitans*](#) Forster, 1841 ^g
- [*Pteromalus ochrocerus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus oenoe*](#) Walker, 1843 ^{c g}
- [*Pteromalus onerati*](#) Fitch, 1859 ^{c g}
- [*Pteromalus opacus*](#) Forster, 1841 ^g
- [*Pteromalus opimus*](#) Forster, 1841 ^g
- [*Pteromalus ormenus*](#) Walker, 1839 ^{c g}
- [*Pteromalus ornatus*](#) Forster, 1841 ^g
- [*Pteromalus ortalus*](#) Walker, 1839 ^{c g}
- [*Pteromalus osmiae*](#) Hedqvist, 1979 ^{c g}
- [*Pteromalus oxynthes*](#) Walker, 1843 ^{c g}
- [*Pteromalus pachygaster*](#) Forster, 1841 ^g
- [*Pteromalus pachymerus*](#) Forster, 1841 ^g

- [*Pteromalus pallipes*](#) (Spinola, 1808) ^{c g}
- [*Pteromalus paludicola*](#) Boucek, 1972 ^{c g}
- [*Pteromalus papaveris*](#) Forster, 1841 ^g
- [*Pteromalus parietinae*](#) (Graham, 1969) ^{c g}
- [*Pteromalus patro*](#) Walker, 1848 ^{c g}
- [*Pteromalus pellucidiventris*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus pellucidus*](#) Forster, 1841 ^g
- [*Pteromalus phycidis*](#) (Ashmead, 1898) ^{c g}
- [*Pteromalus picinus*](#) Forster, 1841 ^g
- [*Pteromalus pilosellae*](#) Janzon, 1984 ^{c g}
- [*Pteromalus pilosellus*](#) Forster, 1841 ^g
- [*Pteromalus planiusculus*](#) Forster, 1841 ^g
- [*Pteromalus platyphilus*](#) Walker, 1874 ^{c g}
- [*Pteromalus pogonochoeri*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus poisoensis*](#) Graham, 1983 ^{c g}
- [*Pteromalus polychlori*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus polycyclus*](#) Forster, 1841 ^g
- [*Pteromalus pomacearum*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus pontaniae*](#) Askew, 1985 ^{c g}
- [*Pteromalus praeceps*](#) Forster, 1841 ^g
- [*Pteromalus praecocellae*](#) (Boucek, 1967) ^{c g}
- [*Pteromalus praelongus*](#) Forster, 1841 ^g
- [*Pteromalus praepes*](#) Forster, 1841 ^g
- [*Pteromalus praepotens*](#) Forster, 1841 ^g
- [*Pteromalus princeps*](#) Forster, 1841 ^g
- [*Pteromalus procerus*](#) Graham, 1969 ^{c g}
- [*Pteromalus propinquus*](#) Forster, 1841 ^g
- [*Pteromalus proprius*](#) Walker, 1874 ^{c g}
- [*Pteromalus provincialis*](#) Graham, 1984 ^g
- [*Pteromalus psyllus*](#) Forster, 1841 ^g
- [*Pteromalus pulchellus*](#) Statz, 1938 ^{c g}
- [*Pteromalus pullus*](#) Forster, 1841 ^g
- [*Pteromalus punctum*](#) Forster, 1841 ^g
- [*Pteromalus pungens*](#) Forster, 1841 ^g
- [*Pteromalus puparum*](#) (Linnaeus, 1758) ^{c g}
- [*Pteromalus purpureiventris*](#) (Ashmead, 1888) ^{c g}

- [*Pteromalus pygmaeanae*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus pygmaeolus*](#) Statz, 1938 ^{c g}
- [*Pteromalus pygmaeus*](#) Forster, 1841 ^g
- [*Pteromalus qinghaiensis*](#) Liao, 1987 ^{c g}
- [*Pteromalus questionis*](#) Forster, 1841 ^g
- [*Pteromalus racemosi*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus ramulorum*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus rapax*](#) Forster, 1841 ^g
- [*Pteromalus ratzeburgii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus rectispinus*](#) Statz, 1938 ^{c g}
- [*Pteromalus regius*](#) Forster, 1841 ^g
- [*Pteromalus relevatus*](#) Forster, 1841 ^g
- [*Pteromalus rhinthon*](#) Walker, 1844 ^{c g}
- [*Pteromalus rhoebus*](#) Walker, 1843 ^{c g}
- [*Pteromalus rhombicus*](#) Forster, 1841 ^g
- [*Pteromalus ridens*](#) Vago, 2002 ^{c g}
- [*Pteromalus rondanii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus rottensis*](#) Statz, 1938 ^{c g}
- [*Pteromalus rudowii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus ruficornis*](#) Rudow, 1886 ^{c g}
- [*Pteromalus saltatorius*](#) Forster, 1841 ^g
- [*Pteromalus sapphireus*](#) Forster, 1841 ^g
- [*Pteromalus scandiae*](#) (Graham, 1969) ^{c g}
- [*Pteromalus semotus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus senegalensis*](#) Risbec, 1951 ^{c g}
- [*Pteromalus sequester*](#) Walker, 1835 ^{c g}
- [*Pteromalus serratae*](#) Graham, 1984 ^{c g}
- [*Pteromalus sestius*](#) Walker, 1843 ^{c g}
- [*Pteromalus shanxiensis*](#) Huang, 1987 ^{c g}
- [*Pteromalus similis*](#) Forster, 1841 ^g
- [*Pteromalus simplex*](#) Forster, 1841 ^g
- [*Pteromalus sincerus*](#) Forster, 1841 ^g
- [*Pteromalus singularis*](#) Forster, 1841 ^g
- [*Pteromalus smaragdinus*](#) Forster, 1841 ^g
- [*Pteromalus smaragdus*](#) Graham, 1969 ^{c g}
- [*Pteromalus solidaginis*](#) Graham & Gijswijt, 1991 ^{c g}

- [*Pteromalus solidus*](#) Forster, 1841 ^g
- [*Pteromalus sonchi*](#) Janzon, 1983 ^{c g}
- [*Pteromalus sophax*](#) Walker, 1839 ^{c g}
- [*Pteromalus sparsus*](#) Forster, 1841 ^g
- [*Pteromalus specularis*](#) Graham, 1981 ^{c g}
- [*Pteromalus sphaerogaster*](#) Forster, 1841 ^g
- [*Pteromalus sphegigaster*](#) De Stefani, 1886 ^{c g}
- [*Pteromalus spilocerus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus splendidus*](#) Forster, 1841 ^g
- [*Pteromalus spoliator*](#) Forster, 1861 ^g
- [*Pteromalus squamifer*](#) Thomson, 1878 ^{c g}
- [*Pteromalus strobilobius*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus subaequalis*](#) Forster, 1841 ^g
- [*Pteromalus sublaevis*](#) Forster, 1841 ^g
- [*Pteromalus subpunctatus*](#) Forster, 1841 ^g
- [*Pteromalus subterraneus*](#) Forster, 1841 ^g
- [*Pteromalus sua*](#) Walker, 1848 ^{c g}
- [*Pteromalus sulphuripes*](#) Forster, 1841 ^g
- [*Pteromalus sybarita*](#) Forster, 1841 ^g
- [*Pteromalus sylvarum*](#) Forster, 1841 ^g
- [*Pteromalus sylveni*](#) Hedqvist, 1979 ^{c g}
- [*Pteromalus syntomus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus syrphi*](#) Dalman, 1820 ^{c g}
- [*Pteromalus tananarivensis*](#) Risbec, 1952 ^{c g}
- [*Pteromalus temporalis*](#) (Graham, 1969) ^{c g}
- [*Pteromalus terebrans*](#) Forster, 1841 ^g
- [*Pteromalus tereus*](#) Walker, 1839 ^{c g}
- [*Pteromalus tessellatus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus tethys*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus tibialis*](#) Nees, 1834 ^{c g}
- [*Pteromalus tibiellus*](#) Zetterstedt, 1838 ^{c g}
- [*Pteromalus tiburtus*](#) Walker, 1839 ^{c g}
- [*Pteromalus timidus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus tortricis*](#) (Schrank, 1781) ^{c g}
- [*Pteromalus townsendi*](#) (Crawford, 1912) ^{c g}
- [*Pteromalus toxus*](#) Walker, 1843 ^{c g}

- [*Pteromalus tricollis*](#) Forster, 1841 ^g
- [*Pteromalus tripolii*](#) (Graham, 1969) ^{c g}
- [*Pteromalus troglodytes*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus unca*](#) Walker, 1839 ^{c g}
- [*Pteromalus unicolor*](#) Forster, 1841 ^g
- [*Pteromalus vaginatus*](#) Forster, 1841 ^g
- [*Pteromalus vaginulae*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus vallatus*](#) Forster, 1841 ^g
- [*Pteromalus vallecula*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus vanessae*](#) Howard, 1889 ^{c g}
- [*Pteromalus varians*](#) (Spinola, 1808) ^{c g}
- [*Pteromalus variolosus*](#) Forster, 1841 ^g
- [*Pteromalus vectensis*](#) Cockerell, 1921 ^{c g}
- [*Pteromalus velox*](#) Forster, 1841 ^g
- [*Pteromalus veneris*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus ventricosus*](#) Forster, 1841 ^g
- [*Pteromalus venustus*](#) Statz, 1938 ^{c g}
- [*Pteromalus verticalis*](#) Forster, 1841 ^g
- [*Pteromalus vibulenus*](#) (Walker, 1839) ^{c g}
- [*Pteromalus vicarius*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus vicinus*](#) Forster, 1841 ^g
- [*Pteromalus villosae*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus violarum*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus viridicans*](#) Forster, 1841 ^g
- [*Pteromalus vitula*](#) Walker, 1843 ^{c g}
- [*Pteromalus vopiscus*](#) Walker, 1839 ^{c g}
- [*Pteromalus vorax*](#) Forster, 1841 ^g
- [*Pteromalus vulgaris*](#) (Ashmead, 1894) ^{c g}
- [*Pteromalus vulso*](#) Walker, 1839 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of species in the genus [*Ptecticus*](#).^[1]

***Ptecticus* species**

- [*Ptecticus aculeatus*](#) James, 1952[2]
- [*Ptecticus adustus*](#) Lindner, 1949[3]
- [*Ptecticus aeneithorax*](#) Meijere, 1919[4]
- [*Ptecticus alticola*](#) McFadden, 1982[5]
- [*Ptecticus amapanus*](#) Leal, 1977
- [*Ptecticus annulipes*](#) Rozkošný & Kovac, 2003[6]
- [*Ptecticus anomalopyga*](#) James, 1982[5]
- [*Ptecticus archboldi*](#) Lindner, 1957[7]
- [*Ptecticus artocarpophilus*](#) Rozkošný & Hauser, 2009[8]
- [*Ptecticus assamensis*](#) Brunetti, 1923[9]
- [*Ptecticus aurifer*](#) (Walker, 1854)[10]
- [*Ptecticus aurobrunneus*](#) Brunetti, 1920[11]
- [*Ptecticus australis*](#) Schiner, 1868[12]
- [*Ptecticus bannapensis*](#) Rozkošný & Hauser, 2009[8]
- [*Ptecticus benecki*](#) Torres-Toro, Pujol-Luz & Wolff, 2022[13]
- [*Ptecticus bequaerti*](#) James, 1952[2]
- [*Ptecticus bicolor*](#) Yang, Zhang & Li, 2014[14]
- [*Ptecticus bifidus*](#) Rozkošný & Kovac, 1998[15]
- [*Ptecticus bilobatus*](#) Rozkošný & Kovac, 1998[15]
- [*Ptecticus brevipennis*](#) (Rondani, 1875)[16]
- [*Ptecticus brevispinus*](#) Yang, Chen & Yang, 2015[17]
- [*Ptecticus breviunguis*](#) Lindner, 1966[18]
- [*Ptecticus briani*](#) McFadden, 1982[5]
- [*Ptecticus brunescens*](#) Ôuchi, 1938[19]
- [*Ptecticus ciliatus*](#) James, 1941
- [*Ptecticus cingulatus*](#) Loew, 1855[20]
- [*Ptecticus complens*](#) (Walker, 1858)[21]
- [*Ptecticus comstocki*](#) McFadden, 1982[5]
- [*Ptecticus concinnus*](#) Williston, 1900[22]
- [*Ptecticus confusus*](#) McFadden, 1982[5]
- [*Ptecticus connectens*](#) Brunetti, 1923[9]
- [*Ptecticus conopsoides*](#) Schiner, 1868[12]
- [*Ptecticus costaricensis*](#) James, 1982[5]
- [*Ptecticus cyanifrons*](#) (Rondani, 1848)[23]
- [*Ptecticus danielsi*](#) Rozkošný & Jong, 2003[24]
- [*Ptecticus elegans*](#) Rozkošný & Hauser, 2009[8]
- [*Ptecticus elongatus*](#) Yang, Zhang & Li, 2014[14]
- [*Ptecticus erectus*](#) Rozkošný & Kovac, 2000[25]
- [*Ptecticus evansi*](#) McFadden, 1982[5]
- [*Ptecticus eximius*](#) Daniels, 1979[26]
- [*Ptecticus extensipes*](#) James, 1982[5]

- [*Ptecticus ferrugineus* \(Doleschall, 1858\)\[27\]](#)
- [*Ptecticus ficulinus* Lindner, 1940](#)
- [*Ptecticus figlinus* Osten Sacken, 1886\[28\]](#)
- [*Ptecticus flaviceps* Bigot, 1879\[29\]](#)
- [*Ptecticus flavifemoratus* Rozkošný & Kovac, 1996\[30\]](#)
- [*Ptecticus fukienensis* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus fumipennis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus furcatus* McFadden, 1982\[5\]](#)
- [*Ptecticus fuscipennis* McFadden, 1982\[5\]](#)
- [*Ptecticus gigliotosi* McFadden, 1971\[31\]](#)
- [*Ptecticus gilvus* Daniels, 1979\[26\]](#)
- [*Ptecticus glaucus* \(Bigot, 1859\)\[32\]](#)
- [*Ptecticus quangxiensis* Yang, Chen & Yang, 2015\[17\]](#)
- [*Ptecticus hansonii* James, 1982\[5\]](#)
- [*Ptecticus helvolus* Daniels, 1979\[26\]](#)
- [*Ptecticus histrio* Meijere, 1933](#)
- [*Ptecticus illustris* Schiner, 1868\[12\]](#)
- [*Ptecticus immaculatus* McFadden, 1982\[5\]](#)
- [*Ptecticus indicus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus infuscatus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus inops* Lindner, 1949\[3\]](#)
- [*Ptecticus insularis* James, 1972](#)
- [*Ptecticus intensivus* Brunetti, 1927\[33\]](#)
- [*Ptecticus inversus* Curran, 1934\[34\]](#)
- [*Ptecticus isabelensis* Lindner, 1937\[35\]](#)
- [*Ptecticus jamesi* McFadden, 1982\[5\]](#)
- [*Ptecticus japonicus* \(Thunberg, 1789\)\[36\]](#)
- [*Ptecticus kambangensis* Meijere, 1914](#)
- [*Ptecticus kerteszi* Meijere, 1924\[37\]](#)
- [*Ptecticus kovaci* Hauser & Rozkošný, 2007\[38\]](#)
- [*Ptecticus kraussi* James, 1982\[5\]](#)
- [*Ptecticus kubani* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus lanei* James, 1941](#)
- [*Ptecticus lateritius* \(Rondani, 1863\)\[39\]](#)
- [*Ptecticus linearis* McFadden, 1982\[5\]](#)
- [*Ptecticus longipennis* \(Wiedemann, 1824\)\[40\]](#)
- [*Ptecticus longipes* \(Walker, 1861\)\[41\]](#)
- [*Ptecticus longispinus* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus maculatus* Williston, 1900\[22\]](#)
- [*Ptecticus malayensis* Rozkošný & Kovac, 1994](#)
- [*Ptecticus matsumurae* Lindner, 1936\[42\]](#)
- [*Ptecticus melanurus* \(Walker, 1848\)\[43\]](#)

- [*Ptecticus mesoxanthus* Grünberg, 1915](#)
- [*Ptecticus mexicanus* James, 1982\[5\]](#)
- [*Ptecticus minimus* Rozkošný & Kovac, 1997](#)
- [*Ptecticus mirabilis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus nebulifer* James, 1941](#)
- [*Ptecticus neoaffinis* Woodley, 2001\[1\]](#)
- [*Ptecticus niger* Lindner, 1955\[44\]](#)
- [*Ptecticus nigritarsis* McFadden, 1971\[45\]](#)
- [*Ptecticus nigropygialis* Lindner, 1931](#)
- [*Ptecticus nitidipennis* Loew, 1855\[20\]](#)
- [*Ptecticus okinawae* James, 1950\[46\]](#)
- [*Ptecticus palpalis* Leal, 1977](#)
- [*Ptecticus pangmapensis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus papuanus* \(Bigot, 1879\)\[29\]](#)
- [*Ptecticus perochreus* James, 1982\[5\]](#)
- [*Ptecticus pseudospatulatus* Torres-Toro, Pujol-Luz & Wolff, 2022\[13\]](#)
- [*Ptecticus petersoni* McFadden, 1982\[5\]](#)
- [*Ptecticus petiolatus* \(Macquart, 1838\)\[47\]](#)
- [*Ptecticus philippinensis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus polyxanthus* Speiser, 1908\[48\]](#)
- [*Ptecticus posticus* \(Wiedemann, 1830\)\[49\]](#)
- [*Ptecticus proximus* Rozkošný & Kovac, 1996\[30\]](#)
- [*Ptecticus pseudohistrio* Rozkošný & Hauser, 2001\[50\]](#)
- [*Ptecticus quadrifasciatus* \(Walker, 1860\)\[51\]](#)
- [*Ptecticus remeans* \(Walker, 1859\)\[52\]](#)
- [*Ptecticus rhodesiae* James, 1952\[2\]](#)
- [*Ptecticus rogans* \(Walker, 1858\)\[21\]](#)
- [*Ptecticus rufipes* Lindner, 1939\[53\]](#)
- [*Ptecticus rufus* \(Doleschall, 1858\)\[27\]](#)
- [*Ptecticus sackenii* Williston, 1885\[54\]](#)
- [*Ptecticus sarawakensis* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus semimetallicus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus septentrionalis* McFadden, 1982\[5\]](#)
- [*Ptecticus serranus* Leal, 1977](#)
- [*Ptecticus shirakii* Nagatomi, 1975\[55\]](#)
- [*Ptecticus siamensis* Rozkošný & Kovac, 1998\[15\]](#)
- [*Ptecticus simplex* James, 1982\[5\]](#)
- [*Ptecticus sinchangensis* Ôuchi, 1938\[19\]](#)
- [*Ptecticus somereni* James, 1952\[2\]](#)
- [*Ptecticus spatulatus* McFadden, 1982\[5\]](#)
- [*Ptecticus spatuloides* Daniels, 1979\[26\]](#)
- [*Ptecticus srilankai* Rozkošný & Hauser, 2001\[50\]](#)

- [*Ptecticus subaurifer*](#) Rozkošný & Hauser, 2009[8]
- [*Ptecticus subaustralis*](#) Rozkošný & Kovac, 1998[15]
- [*Ptecticus substitutus*](#) Daniels, 1979[26]
- [*Ptecticus sumatranus*](#) Enderlein, 1914[56]
- [*Ptecticus temasekianus*](#) Rozkošný & Kovac, 2003[6]
- [*Ptecticus tenebrifer*](#) (Walker, 1849)[57]
- [*Ptecticus tenuis*](#) Schiner, 1868[12]
- [*Ptecticus terminalis*](#) James, 1938
- [*Ptecticus testaceus*](#) (Fabricius, 1805[58]
- [*Ptecticus thailandicus*](#) Rozkošný & Courtney, 2005[59]
- [*Ptecticus tricolor*](#) Wulp, 1904[60]
- [*Ptecticus trivittatus*](#) (Say, 1829)[61][62]
- [*Ptecticus violaceus*](#) Enderlein, 1914[56]
- [*Ptecticus vitalisi*](#) Brunetti, 1924[63]
- [*Ptecticus vulpianus*](#) (Enderlein, 1914)[56]
- [*Ptecticus woodleyi*](#) James, 1982[5]
- [*Ptecticus wulpji*](#) Brunetti, 1907[64]
- [*Ptecticus xanthipes*](#) Blanchard, 1938

The following species belong to [*Psylla*](#), a genus of plant-parasitic hemipterans in the family [*Psyllidae*](#).
[1][2][3]

***Psylla* species**

1. [*Psylla aceris*](#) Loginova, 1964 ^{c g}
2. [*Psylla aili*](#) Yang & Li, 1984 ^{c g}
3. [*Psylla alni*](#) (Linné, 1758) ^{c g}
4. [*Psylla alnicola*](#) Li, 1992 ^{c g}
5. [*Psylla alnifasciata*](#) Li, 2011 ^{c g}
6. [*Psylla alniformosanaesuga*](#) Lauterer, Yang & Fang, 1988 ^{c g}
7. [*Psylla alpina*](#) Foerster, 1848 ^{c g}
8. [*Psylla ancylocaula*](#) Li, 2011 ^{c g}
9. [*Psylla aranetae*](#) Miyatake, 1972 ^{c g}
10. [*Psylla arisana*](#) Kuwayama, 1908 ^{c g}
11. [*Psylla aurea*](#) Li, 2011 ^{c g}
12. [*Psylla aureicapita*](#) Li, 2011 ^{c g}
13. [*Psylla bakeri*](#) Crawford, 1919 ^{c g}
14. [*Psylla baphicacanthi*](#) Yang, 1984 ^{c g}

15. [*Psylla betulae*](#) (Linné, 1758) ^{c g}
16. [*Psylla betulaenanae*](#) Ossiannilsson, 1970 ^{c g b} (dwarf birch psyllid)
17. [*Psylla betulibetuliae*](#) Li, 2011 ^{c g}
18. [*Psylla borealis*](#) Horvath, 1908 ^{c g}
19. [*Psylla buxi*](#) (Linné, 1758) ^{c g b} (boxwood psyllid)
20. [*Psylla capricornis*](#) Li, 2005 ^{c g}
21. [*Psylla carpinicola*](#) Crawford, 1914 ^{c g b}
22. [*Psylla caudata*](#) Crawford, 1914 ^{c g}
23. [*Psylla cedrelae*](#) Kieffer, 1905 ^{c g}
24. [*Psylla chaenomelei*](#) Yang & Li, 1984 ^{c g}
25. [*Psylla changli*](#) Yang & Li, 1981 ^{c g}
26. [*Psylla chujoi*](#) Miyatake, 1982 ^{c g}
27. [*Psylla colorada*](#) Crawford, 1917 ^{c g}
28. [*Psylla compta*](#) Crawford, 1919 ^{c g}
29. [*Psylla cordata*](#) Tamanini, 1977 ^{c g}
30. [*Psylla cotoneastericola*](#) Li, 2005 ^{c g}
31. [*Psylla crenata*](#) Crawford, 1917 ^{c g}
32. [*Psylla cunashiri*](#) Konovalova, 1981 ^{c g}
33. [*Psylla curticapita*](#) Li, 2011 ^{c g}
34. [*Psylla deflua*](#) Yang, 1984 ^{c g}
35. [*Psylla dianli*](#) Yang & Li, 1984 ^{c g}
36. [*Psylla distincta*](#) Pettey, 1933 ^{c g}
37. [*Psylla eastopi*](#) Mathur, 1975 ^{c g}
38. [*Psylla eriobotryacola*](#) Yang, 1984 ^{c g}
39. [*Psylla eriobotryae*](#) Yang, 1984 ^{c g}
40. [*Psylla floccosa*](#) Patch, 1909 ^{c g b} (cottony alder psyllid)
41. [*Psylla formosana*](#) Yang, 1984 ^{c g}
42. [*Psylla fumosa*](#) Crawford, 1919 ^{c g}
43. [*Psylla fusca*](#) (Zetterstedt, 1828) ^{c g}
44. [*Psylla fuscinodulus*](#) Enderlein, 1918 ^{c g}
45. [*Psylla grata*](#) Yang, 1984 ^{c g}
46. [*Psylla hippophae*](#) Li, 2011 ^{c g}
47. [*Psylla huabeialnia*](#) Li, 2011 ^{c g}
48. [*Psylla hyalina*](#) Mathur, 1975 ^{c g}
49. [*Psylla ignescens*](#) Li & Yang, 1984 ^{c g}
50. [*Psylla ileicis*](#) Li, 2011 ^{c g}

51. [*Psylla indica*](#) (Yang, 1984) ^{c g}
52. [*Psylla indicata*](#) Yang, 1984 ^{c g}
53. [*Psylla infesta*](#) Yang, 1984 ^{c g}
54. [*Psylla ingae*](#) Tuthill, 1959 ^{c g}
55. [*Psylla juiliensis*](#) Yang, 1984 ^{c g}
56. [*Psylla kilimandjaroensis*](#) Enderlein, 1910 ^{c g}
57. [*Psylla kotejai*](#) Drohojowska & Klimaszewski, 2006 ^{c g}
58. [*Psylla lanceolata*](#) Yang, 1984 ^{c g}
59. [*Psylla leprosa*](#) Crawford, 1919 ^{c g}
60. [*Psylla litchi*](#) Giard, 1893 ^{c g}
61. [*Psylla liuheica*](#) Li, 2011 ^{c g}
62. [*Psylla longicauda*](#) Konovalova, 1986 ^{c g}
63. [*Psylla longigena*](#) Mathur, 1975 ^{c g}
64. [*Psylla loranathi*](#) Capener, 1973 ^{c g}
65. [*Psylla magnifera*](#) Kuwayama, 1908 ^{c g}
66. [*Psylla mala*](#) Yang, 1984 ^{c g}
67. [*Psylla mecoura*](#) Li, 2011 ^{c g}
68. [*Psylla minima*](#) Konovalova, 1979 ^{c g}
69. [*Psylla minutiforma*](#) Caldwell, 1944 ^{c g}
70. [*Psylla montanica*](#) Gegechkori, 1981 ^{c g}
71. [*Psylla morimotoi*](#) Miyatake, 1963 ^{c g}
72. [*Psylla muiri*](#) Crawford, 1919 ^{c g}
73. [*Psylla multipunctata*](#) Miyatake, 1964 ^{c g}
74. [*Psylla murrayi*](#) Mathur, 1975 ^{c g}
75. [*Psylla neolitseae*](#) Miyatake, 1981 ^{c g}
76. [*Psylla nigella*](#) Konovalova, 1979 ^{c g}
77. [*Psylla obliqua*](#) (Thomson, 1877) ^{c g}
78. [*Psylla oblonga*](#) Mathur, 1975 ^{c g}
79. [*Psylla octomaculata*](#) Konovalova, 1980 ^{c g}
80. [*Psylla omogoensis*](#) Miyatake, 1963 ^{c g}
81. [*Psylla opulenta*](#) Yang, 1984 ^{c g}
82. [*Psylla pamirica*](#) Baeva, 1966 ^{c g}
83. [*Psylla picciconica*](#) Li, 2011 ^{c g}
84. [*Psylla plagiosticta*](#) Li, 2011 ^{c g}
85. [*Psylla praevia*](#) Loginova, 1964 ^{c g}
86. [*Psylla prima*](#) Fang & Yang, 1986 ^g

87. [*Psylla pulla*](#) Yang, 1984 ^{c g}
88. [*Psylla quianli*](#) Yang & Li, 1984 ^{c g}
89. [*Psylla ribicola*](#) Loginova, 1964 ^{c g}
90. [*Psylla rigida*](#) Yang, 1984 ^{c g}
91. [*Psylla rubescens*](#) Li & Yang, 1984 ^{c g}
92. [*Psylla sanguinea*](#) (Provancher, 1872) ^{c g b}
93. [*Psylla santali*](#) Mathur, 1975 ^{c g}
94. [*Psylla sarcospermae*](#) (Li, 2011) ^{c g}
95. [*Psylla sibirica*](#) Loginova, 1966 ^{c g}
96. [*Psylla simaoli*](#) Yang & Li, 1984 ^{c g}
97. [*Psylla simlae*](#) Crawford, 1912 ^{c g}
98. [*Psylla spadica*](#) Kuwayama, 1908 ^{c g}
99. [*Psylla stranvaesia*](#) Yang, 1984 ^{c g}
100. [*Psylla sulcata*](#) Mathur, 1973 ^{c g}
101. [*Psylla tayulinensis*](#) Yang, 1984 ^{c g}
102. [*Psylla tetrapanaxae*](#) Yang, 1984 ^{c g}
103. [*Psylla torrida*](#) Crawford, 1914 ^{c g}
104. [*Psylla unica*](#) Bajeva, 1978 ^{c g}
105. [*Psylla viciifoliae*](#) Yang & Li, 1984 ^{c g}
106. [*Psylla viridescens*](#) (Provancher, 1872) ^{c g b}
107. [*Psylla vulpis*](#) Loginova, 1964 ^{c g}
108. [*Psylla winkleri*](#) Rübsaamen, 1910 ^{c g}
109. [*Psylla yasumatsui*](#) Miyatake, 1963 ^{c g}
110. [*Psylla yunli*](#) Yang & Li, 1984 ^{c g}
111. [*Psylla ziozankeana*](#) Kuwayama, 1908 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

These 392 species belong to [*Psychoda*](#), a genus of moth flies in the family [*Psychodidae*](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Psychoda* species**

- [*Psychoda aberrans*](#) Tonnoir, 1922
- [*Psychoda ablucens*](#) Quate & Quate, 1967
- [*Psychoda absidata*](#) Quate & Quate, 1967
- [*Psychoda acanthostyla*](#) Tokunaga, 1957
- [*Psychoda aculeata*](#) Quate, 1996

- [*Psychoda acuta* Tonnoir, 1939](#)
- [*Psychoda acutilamina* Quate, 1959](#)
- [*Psychoda acutipennis* Tonnoir, 1920](#)
- [*Psychoda aderces* Quate, 1962](#)
- [*Psychoda adumbrata* Satchell, 1953](#)
- [*Psychoda adunca* Wagner & Andersen, 2007](#)
- [*Psychoda adyscheres* Quate, 1959](#)
- [*Psychoda aitkeni* Quate, 1959](#)
- [*Psychoda alabangensis* Del Rosario, 1936](#)
- [*Psychoda albescens* Quate & Quate, 1967](#)
- [*Psychoda albida* Tonnoir, 1939](#)
- [*Psychoda albidonigra* Tonnoir, 1939](#)
- [*Psychoda albipennis* Zetterstedt, 1850](#)
- [*Psychoda albopicta* Brunetti, 1911](#)
- [*Psychoda alia* Quate, 1962](#)
- [*Psychoda allodapa* Quate, 1959](#)
- [*Psychoda alternata* Williston, 1824](#)
- [*Psychoda alternicula* Quate, 1955](#)
- [*Psychoda alticola* Vaillant, 1973](#)
- [*Psychoda alveata* Quate & Quate, 1967](#)
- [*Psychoda amazonensis* Cordeiro, 2008](#)
- [*Psychoda amphorica* Tonnoir, 1939](#)
- [*Psychoda angustisternata* Satchell, 1955](#)
- [*Psychoda annectans* Quate & Quate, 1967](#)
- [*Psychoda apennata* Satchell, 1953](#)
- [*Psychoda aponesos* Quate, 1959](#)
- [*Psychoda apparitia* Quate, 1996](#)
- [*Psychoda arcuata* Satchell, 1953](#)
- [*Psychoda armillariphila* Vaillant, 1988](#)
- [*Psychoda articaula* Quate, 1996](#)
- [*Psychoda articuliga* Quate, 1965](#)
- [*Psychoda atlantica* Cordeiro, Bravo & Carvalho, 2011](#)
- [*Psychoda bahiensis* Cordeiro, Bravo & Carvalho, 2011](#)
- [*Psychoda balaenica* Quate, 1996](#)
- [*Psychoda barbigera* Quate & Quate, 1967](#)
- [*Psychoda bicordata* Quate, 1996](#)
- [*Psychoda bidigitalis* Quate, 1965](#)
- [*Psychoda bifurcata* Tokunaga, 1958](#)
- [*Psychoda bilobata* Tonnoir, 1939](#)
- [*Psychoda biretinaculata* Wagner, 1978](#)
- [*Psychoda bisacula* Quate, 1996](#)
- [*Psychoda bitrunculens* Quate & Quate, 1967](#)

- [*Psychoda blandita*](#) Quate & Quate, 1967
- [*Psychoda bogotensis*](#) Wagner & Joost, 1994
- [*Psychoda bojata*](#) Quate & Quate, 1967
- [*Psychoda brachyptera*](#) Quate, 1964
- [*Psychoda brassi*](#) Quate & Quate, 1967
- [*Psychoda brevicerca*](#) Huang & Chen, 1992
- [*Psychoda brevicornis*](#) Tonnoir, 1940
- [*Psychoda bulbosa*](#) (Ježek & Harten, 2006)
- [*Psychoda buxoides*](#) Quate, 1996
- [*Psychoda buxtoni*](#) Withers, 1988
- [*Psychoda byblis*](#) Quate, 1962
- [*Psychoda calceata*](#) Meigen, 1818
- [*Psychoda calva*](#) Satchell, 1955
- [*Psychoda campbellica*](#) Quate, 1964
- [*Psychoda canalis*](#) Quate, 1999
- [*Psychoda canlaones*](#) Quate, 1965
- [*Psychoda capitipenis*](#) Ibáñez-Bernal, 1991
- [*Psychoda caudata*](#) Quate, 1962
- [*Psychoda celebris*](#) Quate, 1962
- [*Psychoda cetreta*](#) Quate & Quate, 1967
- [*Psychoda cicii*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda cinerea*](#) Banks, 1894
- [*Psychoda cochlearia*](#) Satchell, 1950
- [*Psychoda collina*](#) Quate, 1965
- [*Psychoda complexa*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda concavula*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda concinna*](#) Quate & Quate, 1967
- [*Psychoda congruens*](#) Satchell, 1955
- [*Psychoda consobrina*](#) Satchell, 1955
- [*Psychoda contigua*](#) Quate, 1966
- [*Psychoda contortula*](#) Satchell, 1955
- [*Psychoda cordiforma*](#) Quate, 1996
- [*Psychoda crassipenis*](#) Tonnoir, 1940
- [*Psychoda crenula*](#) Quate, 1962
- [*Psychoda cristata*](#) Duckhouse, 1966
- [*Psychoda cristula*](#) Quate, 1965
- [*Psychoda cultella*](#) Salmela, Kvifte & More, 2012
- [*Psychoda cylindrica*](#) Wagner, 1989
- [*Psychoda dantilandensis*](#) Bravo, Cordeiro & Chagas, 2006
- [*Psychoda debilis*](#) Quate & Quate, 1967
- [*Psychoda degenera*](#) Walker, 1848
- [*Psychoda delicata*](#) Quate, 1965

- [*Psychoda dennesi*](#) Satchell, 1953
- [*Psychoda dentata*](#) Tonnoir, 1939
- [*Psychoda despicata*](#) Wagner, 1978
- [*Psychoda deviata*](#) Tonnoir, 1939
- [*Psychoda dewulfi*](#) Satchell, 1955
- [*Psychoda disacca*](#) Duckhouse, 1966
- [*Psychoda dissidens*](#) Quate & Quate, 1967
- [*Psychoda divaricata*](#) Duckhouse, 1968
- [*Psychoda dolomitica*](#) Salamanna & Sarà, 1980
- [*Psychoda domestica*](#) Haseman, 1908
- [*Psychoda duaspica*](#) Quate & Quate, 1967
- [*Psychoda duplilamnata*](#) Tokunaga, 1957
- [*Psychoda echinata*](#) Quate & Quate, 1967
- [*Psychoda efflatouni*](#) Tonnoir, 1922
- [*Psychoda elegans*](#) Kincaid, 1897
- [*Psychoda entolopha*](#) Quate, 1996
- [*Psychoda eremita*](#) Quate, 1964
- [*Psychoda erminea*](#) Eaton, 1893
- [*Psychoda erratilis*](#) Quate & Quate, 1967
- [*Psychoda esakii*](#) Tokunaga, 1958
- [*Psychoda esfahanica*](#) (Ježek, 1990)
- [*Psychoda euboana*](#) Vaillant, 1988
- [*Psychoda exigua*](#) Quate & Quate, 1967
- [*Psychoda exilis*](#) Quate & Quate, 1967
- [*Psychoda fasciata*](#) Quate, 1965
- [*Psychoda felina*](#) Quate, 1965
- [*Psychoda filipenis*](#) Satchell, 1955
- [*Psychoda fimbriatissima*](#) Blanchard, 1852
- [*Psychoda flagellata*](#) Quate, 1996
- [*Psychoda flava*](#) Edwards, 1927
- [*Psychoda flexichela*](#) Quate, 1965
- [*Psychoda flexistyla*](#) Satchell, 1955
- [*Psychoda floropsis*](#) Quate & Quate, 1967
- [*Psychoda floscula*](#) Quate, 1962
- [*Psychoda formosa*](#) Satchell, 1954
- [*Psychoda formosana*](#) Tokunaga, 1957
- [*Psychoda formosensis*](#) Tokunaga, 1957
- [*Psychoda formosiensis*](#) Tokunaga, 1957
- [*Psychoda frivola*](#) Quate, 1965
- [*Psychoda fucastra*](#) Quate, 1962
- [*Psychoda fucosa*](#) Quate, 1962
- [*Psychoda fulvohirta*](#) Brunetti, 1911

- [*Psychoda fumetaria*](#) Vaillant, 1988
- [*Psychoda fungicola*](#) Tokunaga, 1953
- [*Psychoda furcillata*](#) Quate & Quate, 1967
- [*Psychoda fusticola*](#) Quate, 1965
- [*Psychoda gehrkeae*](#) Quate, 1959
- [*Psychoda gemella*](#) Quate & Quate, 1967
- [*Psychoda gemina*](#) (Eaton, 1904)
- [*Psychoda geniculata*](#) Brunetti, 1911
- [*Psychoda gilvipes*](#) Brunetti, 1908
- [*Psychoda glamocensis*](#) Wagner, 2020
- [*Psychoda gracicaulis*](#) Quate & Quate, 1967
- [*Psychoda gracilipenis*](#) Duckhouse, 1966
- [*Psychoda gressitti*](#) Quate, 1959
- [*Psychoda grisea*](#) Tonnoir, 1922
- [*Psychoda guamensis*](#) Quate, 1959
- [*Psychoda hamatospicula*](#) Satchell, 1955
- [*Psychoda harrisi*](#) Satchell, 1950
- [*Psychoda hastata*](#) Quate & Quate, 1967
- [*Psychoda helotes*](#) Quate, 1962
- [*Psychoda hemicorcula*](#) Quate, 1959
- [*Psychoda hespera*](#) Quate, 1959
- [*Psychoda hirsutaria*](#) Audinet-Serville, 1828
- [*Psychoda inaequalis*](#) Satchell, 1950
- [*Psychoda incompta*](#) Quate, 1996
- [*Psychoda indica*](#) Vaillant, 1965
- [*Psychoda innotabilis*](#) Quate, 1962
- [*Psychoda inornata*](#) Grimshaw, 1901
- [*Psychoda itoco*](#) Tokunaga & Komyo, 1955
- [*Psychoda ituberanensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda iucunda*](#) Wagner, Andrade & Gonsalves, 2022
- [*Psychoda jezeki*](#) Withers, 1988
- [*Psychoda johnsoni*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda jucunda*](#) Quate, 1962
- [*Psychoda juliae*](#) Wagner & Masteller, 1996
- [*Psychoda kalabanica*](#) Quate, 1962
- [*Psychoda kea*](#) Quate, 1962
- [*Psychoda khoralkhwaiensis*](#) (Ježek & Harten, 2006)
- [*Psychoda kishorei*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda lamina*](#) Quate & Quate, 1967
- [*Psychoda laticaula*](#) Quate, 1996
- [*Psychoda laticeps*](#) Quate, 1996
- [*Psychoda latipennis*](#) Tonnoir, 1939

- [*Psychoda latisternata*](#) Tonnoir, 1939
- [*Psychoda lativentris*](#) Berdén, 1952
- [*Psychoda lebanica*](#) Vaillant & Moubayed
- [*Psychoda limicola*](#) Vaillant, 1973
- [*Psychoda litotes*](#) Quate, 1996
- [*Psychoda lloydi*](#) Satchell, 1950
- [*Psychoda lobata*](#) Tonnoir, 1940
- [*Psychoda longifringa*](#) Haseman, 1907
- [*Psychoda longiseta*](#) Tokunaga & Komyo, 1955
- [*Psychoda longivirga*](#) Huang & Chen, 1992
- [*Psychoda lucubrans*](#) Quate, 1959
- [*Psychoda lusca*](#) Quate, 1965
- [*Psychoda lusitanica*](#) Vaillant & Terra, 1987
- [*Psychoda lutea*](#) Quate, 1962
- [*Psychoda luzonica*](#) Quate, 1965
- [*Psychoda macispina*](#) Quate & Quate, 1967
- [*Psychoda maculipennis*](#) Brunetti, 1911
- [*Psychoda magna*](#) Vaillant, 1965
- [*Psychoda magnipalpus*](#) Quate, 1960
- [*Psychoda makati*](#) Del Rosario, 1936
- [*Psychoda malayica*](#) Quate, 1962
- [*Psychoda malickyi*](#) Vaillant, 1988
- [*Psychoda malleola*](#) Tokunaga & Komyo, 1955
- [*Psychoda malleopenis*](#) Satchell, 1953
- [*Psychoda manaliensis*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda martini*](#) Hogue, 1970
- [*Psychoda masatierrensis*](#) Satchell, 1952
- [*Psychoda matogrossensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda maxima*](#) Tonnoir, 1939
- [*Psychoda mediocris*](#) Quate, 1959
- [*Psychoda megale*](#) Quate, 1957
- [*Psychoda meyi*](#) Wagner, 2003
- [*Psychoda mimica*](#) Quate, 1996
- [*Psychoda minuta*](#) Banks, 1894
- [*Psychoda mirabilis*](#) Quate & Quate, 1967
- [*Psychoda miyatakei*](#) Tokunaga, 1958
- [*Psychoda modesta*](#) Tonnoir, 1939
- [*Psychoda moleva*](#) Quate, 1965
- [*Psychoda montana*](#) Wagner, 2000
- [*Psychoda monticola*](#) Quate & Quate, 1967
- [*Psychoda moravica*](#) Vaillant, 1966
- [*Psychoda morogorica*](#) Wagner & Andersen, 2007

- [*Psychoda motoharui*](#) Tokunaga & Komyo, 1955
- [*Psychoda mundula*](#) Duckhouse, 1966
- [*Psychoda musae*](#) Del Rosario, 1936
- [*Psychoda muscicola*](#) Vaillant, 1963
- [*Psychoda mycophila*](#) Vaillant, 1988
- [*Psychoda neoformosana*](#) Duckhouse, 1966
- [*Psychoda nigripennis*](#) Brunetti, 1908
- [*Psychoda nigriventris*](#) Tokunaga, 1958
- [*Psychoda nikhilii*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda nilgiriensis*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda nolana*](#) Quate & Quate, 1967
- [*Psychoda notatipennis*](#) Brunetti, 1913
- [*Psychoda novaezealandica*](#) Satchell, 1950
- [*Psychoda nugatrix*](#) Báez & Vaillant, 1991
- [*Psychoda nya*](#) Quate, 1962
- [*Psychoda obeliske*](#) Quate, 1996
- [*Psychoda obscuripennis*](#) (Ježek & Harten, 2006)
- [*Psychoda occulta*](#) Quate & Quate, 1967
- [*Psychoda ocellata*](#) Quate, 1962
- [*Psychoda ochra*](#) Quate, 1959
- [*Psychoda oculifera*](#) Quate & Quate, 1967
- [*Psychoda orbicularis*](#) Brunetti, 1911
- [*Psychoda orientalis*](#) Wagner, 1978
- [*Psychoda pacilens*](#) Quate & Quate, 1967
- [*Psychoda pala*](#) Quate & Quate, 1967
- [*Psychoda panajiensis*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda paraderces*](#) Quate, 1962
- [*Psychoda paraguadens*](#) Quate & Quate, 1967
- [*Psychoda paraloba*](#) Quate & Quate, 1967
- [*Psychoda paranaensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda parsivena*](#) Quate, 1959
- [*Psychoda parthenogenetica*](#) Tonnoir, 1940
- [*Psychoda pedunculata*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda pellucida*](#) Quate, 1962
- [*Psychoda penicillata*](#) Satchell, 1950
- [*Psychoda pentagona*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda perlonga*](#) Satchell, 1955
- [*Psychoda phalaenoides*](#) (Linnaeus, 1758)
- [*Psychoda phalanga*](#) Quate, 1965
- [*Psychoda phratra*](#) Quate, 1996
- [*Psychoda pinguicula*](#) Quate & Quate, 1967
- [*Psychoda pitilla*](#) Quate, 1996

- [*Psychoda plaesia*](#) Quate, 1959
- [*Psychoda platalea*](#) Quate, 1965
- [*Psychoda platilobata*](#) Tokunaga, 1957
- [*Psychoda plumbea*](#) Ibáñez-Bernal, 1991
- [*Psychoda plumosa*](#) Tonnoir, 1939
- [*Psychoda plutea*](#) Quate & Quate, 1967
- [*Psychoda pontina*](#) Sarà, 1953
- [*Psychoda prolarta*](#) Quate, 1965
- [*Psychoda pseudalternata*](#) Williams, 1946
- [*Psychoda pseudalternicula*](#) Salamanna, 1975
- [*Psychoda pseudoalbipennis*](#) Santos Abreu, 1930
- [*Psychoda pseudobrevicornis*](#) Tokunaga, 1957
- [*Psychoda pseudocanescens*](#) Santos Abreu, 1930
- [*Psychoda pseudocompar*](#) Tonnoir, 1929
- [*Psychoda pseudomaxima*](#) Tonnoir, 1939
- [*Psychoda pseudominuta*](#) Wagner, 1978
- [*Psychoda psilotes*](#) Quate, 1996
- [*Psychoda puertoricana*](#) Wagner & Masteller, 1996
- [*Psychoda pulchrima*](#) Satchell, 1954
- [*Psychoda pusilla*](#) Tonnoir, 1922
- [*Psychoda quadrata*](#) Quate & Quate, 1967
- [*Psychoda quadricornis*](#) Quate & Quate, 1967
- [*Psychoda quadrifilis*](#) Edwards, 1928
- [*Psychoda quadriosa*](#) Quate & Quate, 1967
- [*Psychoda quadropsis*](#) Quate & Quate, 1967
- [*Psychoda quasisetigera*](#) Ibáñez-Bernal, 2008
- [*Psychoda quatei*](#) Sarà & Salamanna, 1967
- [*Psychoda quiniversa*](#) Quate, 1996
- [*Psychoda reducta*](#) Tonnoir, 1939
- [*Psychoda reevesi*](#) Quate, 2000
- [*Psychoda remata*](#) Quate & Quate, 1967
- [*Psychoda rhinocera*](#) Quate & Quate, 1967
- [*Psychoda rhipsalis*](#) Quate & Quate, 1967
- [*Psychoda rhis*](#) Quate, 1996
- [*Psychoda rosetta*](#) Quate & Quate, 1967
- [*Psychoda rujumensis*](#) (Ježek & Harten, 2006)
- [*Psychoda saites*](#) Quate, 1965
- [*Psychoda salicornia*](#) Quate, 1954
- [*Psychoda sanctijohani*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda sanfilippoi*](#) Salamanna, 1980
- [*Psychoda sarcophila*](#) Vaillant, 1988
- [*Psychoda satchelli*](#) Quate, 1955

- [*Psychoda savaiiensis*](#) Edwards, 1928
- [*Psychoda scotina*](#) Quate, 1959
- [*Psychoda scuticopenis*](#) Satchell, 1955
- [*Psychoda sectiga*](#) Quate & Quate, 1967
- [*Psychoda selangoriana*](#) Satchell, 1958
- [*Psychoda semberiaca*](#) Krek, 1980
- [*Psychoda semberica*](#) Krek, 1979
- [*Psychoda seorsa*](#) Quate, 1966
- [*Psychoda serpentina*](#) Quate, 1965
- [*Psychoda serrana*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda serraorobonensis*](#) Bravo, Cordeiro & Chagas, 2006
- [*Psychoda serrata*](#) Wagner, 1989
- [*Psychoda setigera*](#) Tonnoir, 1922
- [*Psychoda setistyla*](#) Satchell, 1950
- [*Psychoda severini*](#) Tonnoir, 1922
- [*Psychoda sibilica*](#) Quate & Quate, 1967
- [*Psychoda sigma*](#) Kincaid, 1899
- [*Psychoda silvensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda simillima*](#) Tonnoir, 1929
- [*Psychoda simplex*](#) Satchell, 1954
- [*Psychoda sinuosa*](#) Wagner, 1978
- [*Psychoda solangensis*](#) Kaul, 1971
- [*Psychoda solitaria*](#) Eaton, 1913
- [*Psychoda solivaga*](#) Duckhouse, 1971
- [*Psychoda spectabilis*](#) Quate & Quate, 1967
- [*Psychoda speculata*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda sphelata*](#) Quate & Quate, 1967
- [*Psychoda spicula*](#) Quate & Quate, 1967
- [*Psychoda spinacia*](#) Quate & Quate, 1967
- [*Psychoda spinipelata*](#) Quate & Quate, 1967
- [*Psychoda spondea*](#) Quate, 1996
- [*Psychoda squamata*](#) Satchell, 1953
- [*Psychoda squamipleuris*](#) Satchell, 1953
- [*Psychoda squamulata*](#) Satchell, 1950
- [*Psychoda stenostypis*](#) Quate, 1996
- [*Psychoda subinflata*](#) Satchell, 1955
- [*Psychoda subpennata*](#) Satchell, 1953
- [*Psychoda subquadrilobata*](#) Tokunaga, 1957
- [*Psychoda surcoufi*](#) Tonnoir, 1922
- [*Psychoda symmetrica*](#) Vaillant, 1973
- [*Psychoda talamanca*](#) Quate, 1996
- [*Psychoda terlinoculata*](#) Quate, 1965

- [*Psychoda terskolina*](#) Vaillant & Joost, 1983
- [*Psychoda thrinax*](#) Quate, 1955
- [*Psychoda tiencensis*](#) Wagner, 2003
- [*Psychoda torquata*](#) Quate, 1962
- [*Psychoda tothastica*](#) Quate, 1955
- [*Psychoda transversa*](#) Brunetti, 1911
- [*Psychoda triaciculata*](#) Satchell, 1950
- [*Psychoda tridens*](#) Satchell, 1954
- [*Psychoda tridentata*](#) Sarà & Salamanna, 1967
- [*Psychoda trifida*](#) Wagner, 1979
- [*Psychoda trilobata*](#) Tokunaga, 1958
- [*Psychoda trilobatula*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda trinodulosa*](#) Tonnoir, 1922
- [*Psychoda truncata*](#) Satchell, 1953
- [*Psychoda trunculens*](#) Quate, 1965
- [*Psychoda tumorosa*](#) Quate & Quate, 1967
- [*Psychoda turgida*](#) Quate, 1965
- [*Psychoda umbracula*](#) Quate, 1955
- [*Psychoda umbratica*](#) Quate, 1965
- [*Psychoda uncinula*](#) Quate, 1954
- [*Psychoda undulata*](#) Tonnoir, 1939
- [*Psychoda unicinula*](#) Quate
- [*Psychoda uniformata*](#) Haseman, 1907
- [*Psychoda unioculata*](#) Quate, 1965
- [*Psychoda vagabunda*](#) Quate, 1962
- [*Psychoda vaillanti*](#) Sarà & Salamanna, 1967
- [*Psychoda vanga*](#) Quate, 1962
- [*Psychoda varablanca*](#) Quate, 1996
- [*Psychoda velita*](#) Ibáñez-Bernal, 1993
- [*Psychoda verrucosa*](#) (Ježek & Harten, 2006)
- [*Psychoda vesca*](#) Quate & Quate, 1967
- [*Psychoda villosa*](#) Salamanna & Raggio, 1985
- [*Psychoda virgo*](#) Vaillant, 1988
- [*Psychoda vittata*](#) Brunetti, 1908
- [*Psychoda wattsi*](#) Duckhouse, 1966
- [*Psychoda williamsi*](#) Quate, 1954
- [*Psychoda wilsoni*](#) Quate & Quate, 1967
- [*Psychoda wirthi*](#) Quate, 1954
- [*Psychoda yama*](#) Quate, 1966
- [*Psychoda yapensis*](#) Quate, 1959
- [*Psychoda ypsylon*](#) Satchell, 1953
- [*Psychoda zetoscota*](#) Quate, 1959

- [*Psychoda zetterstedti*](#) (Ježek, 1983)
- [*Psychoda zigzagensis*](#) Del Rosario, 1936
- [*Psychoda zonata*](#) Satchell, 1950
- † [*Psychoda bulbifera*](#) Meunier, 1899
- † [*Psychoda eocenica*](#) Meunier, 1905
- † [*Psychoda oxyptera*](#) Loew, 1850
- † [*Psychoda rusti*](#) Stebner & Solórzano-Kraemer, 2014
- † [*Psychoda tzotzili*](#) Stebner & Solórzano-Kraemer, 2014
- † [*Psychoda usitata*](#) Quate, 1963

References

1.
 - ["Psychoda"](#). GBIF. Retrieved 2024-01-12.
 - ["Psychoda genus Information"](#). BugGuide.net. Retrieved 2024-01-12.
 - ["Psychoda Latreille, 1796"](#). Catalogue of Life. Retrieved 2024-01-12.
 -
4. ["Psychoda Report"](#). Integrated Taxonomic Information System. Retrieved 2024-01-12.

Categories:

- [Psychodidae](#)
- [Lists of insect species](#)
-

This is a list of 32 species in [Pseudopanurgus](#), a subgenus of mining bees in the family [Andrenidae](#).^{[1][2][3][4]}

Pseudopanurgus species

- [Protandrena aethiops](#) Linnaeus, 1758 ^{i c g b}
- [Protandrena cameroni](#) (Baker, 1906) ^{i c g}
- [Protandrena cazieri](#) Timberlake, 1973 ^{i c g}
- [Protandrena compacta](#) Timberlake, 1973 ^{i c g}
- [Protandrena crenulata](#) (Cockerell, 1905) ^{i c g}
- [Protandrena dicksoni](#) Timberlake, 1967 ^{i c g}
- [Protandrena fratercula](#) (Cockerell, 1896) ^{i c g b}
- [Protandrena fuliginosa](#) Timberlake, 1973 ^{i c g}
- [Protandrena fulvicornis](#) Timberlake, 1973 ^{i c g}

- [*Protandrena fuscicornis*](#) Timberlake, 1973^{i c g}
- [*Protandrena mexicana*](#) (Cresson, 1878)^{i c g}
- [*Protandrena opacella*](#) (Cockerell, 1949)^{i c g}
- [*Protandrena pectidella*](#) Cockerell, 1904^{i c g}
- [*Protandrena pectiphila*](#) (Cockerell, 1913)^{i c g}
- [*Protandrena perarmata*](#) Timberlake, 1967^{i c g}
- [*Protandrena perpunctata*](#) Timberlake, 1973^{i c g}
- [*Protandrena rufosignata*](#) Cockerell, 1949^{i c g}
- [*Protandrena rugosa*](#) (Robertson, 1895)^{i c}
- [*Protandrena scaber*](#) (Fox, 1894)^{i c g}
- [*Protandrena semilevis*](#) Timberlake, 1973^{i c g}
- [*Protandrena subrugosa*](#) Timberlake, 1973^{i c g}
- [*Protandrena tomentosa*](#) Timberlake, 1973^{i c g}
- [*Protandrena townsendi*](#) (Cockerell, 1897)^{i c}
- [*Protandrena tridecis*](#) (Timberlake, 1975)^{i c g}
- [*Protandrena trifasciata*](#) Timberlake, 1973^{i c g}
- [*Protandrena trimaculata*](#) Timberlake, 1973^{i c g}
- [*Protandrena tripogandrae*](#) (Timberlake, 1975)^{i c g}
- [*Protandrena tuberala*](#) Timberlake, 1973^{i c g}
- [*Protandrena velutina*](#) Timberlake, 1973^{i c g}
- [*Protandrena ventralis*](#) (Timberlake, 1975)^{i c g}
- [*Protandrena verticalis*](#) Timberlake, 1967^{i c g}
- [*Protandrena virginica*](#) (Cockerell, 1907)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[5]

Formerly treated as *Pseudopanurgus*

Transferred to *Protandrena* (*Anthemurgus*)

- [*Protandrena passiflorae*](#) (Robertson, 1902)^{i c g}

Transferred to *Protandrena* (*Heterosarus*)

- [*Protandrena adjuncta*](#) Timberlake, 1975^{i c}
- [*Protandrena amplipennis*](#) Timberlake, 1975)^{i c}
- [*Protandrena arctiventris*](#) Timberlake, 1975^{i c g}
- [*Protandrena aristata*](#) Timberlake, 1975^{i c g}
- [*Protandrena asperata*](#) Timberlake, 1975^{i c g}

- [*Protandrena bakeri*](#) Cockerell, 1896 ^{i c g}
- [*Protandrena brevis*](#) Timberlake, 1975 ^{i c g}
- [*Protandrena chemsaki*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena clypeata*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena congener*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena consors*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena creper*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena dakotensis*](#) (Timberlake, 1977) ^{i c g}
- [*Protandrena dawsoni*](#) Timberlake, 1964 ^{i c g}
- [*Protandrena diparilis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena dreisbachi*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena elongata*](#) (Friese, 1917) ^{i c g}
- [*Protandrena eurycephala*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena flavotincta*](#) (Cockerell, 1898) ^{i c g}
- [*Protandrena fuscitarsis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena globiceps*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena gracilis*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena humilis*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena illinoiensis*](#) (Cresson, 1878) ^{i c g}
- [*Protandrena inornata*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena levis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena leviventris*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena lopeziae*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena lugubris*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena margaritensis*](#) (Fox, 1893) ^{i c g}
- [*Protandrena munda*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena nanula*](#) Timberlake, 1964 ^{i c g}
- [*Protandrena neomexicana*](#) (Cockerell, 1898) ^{i c g}
- [*Protandrena nitens*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena opacula*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena parva*](#) (Robertson, 1892) ^{i c g b}
- [*Protandrena parvula*](#) (Friese, 1917) ^{i c g}
- [*Protandrena pauper*](#) (Cresson, 1878) ^{i c g}
- [*Protandrena pernitens*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena platycephala*](#) (Ruz, 1990) ^{i c g}
- [*Protandrena pleuralis*](#) (Timberlake, 1975) ^{i c g}

- [*Protandrena pulchricornis*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena readioi*](#) (Michener, 1952) ^{i c g}
- [*Protandrena sculleni*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena setigera*](#) (Timberlake, 1977) ^{i c g}
- [*Protandrena subglaber*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena sublevis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena subopaca*](#) Timberlake, 1964 ^{i c g}
- [*Protandrena succincta*](#) (Timberlake, 1975) ^{i c g}

Transferred to *Protandrena* (*Pterosarus*)

- [*Protandrena aestivalis*](#) Provancher, 1882 ^{i c g}
- [*Protandrena albitarsis*](#) Zetterstedt, 1838 ^{i c g b}
- [*Protandrena altissima*](#) Cockerell, 1922) ^{i c g}
- [*Protandrena andrenoides*](#) Spinola, 1808 ^{i c g b}
- [*Protandrena atricornis*](#) Grote, 1874 ^{i c g b}
- [*Protandrena aurifodinae*](#) Michener, 1937 ^{i c g}
- [*Protandrena barberi*](#) Cockerell, 1899 ^{i c}
- [*Protandrena bidentis*](#) Cockerell, 1896 ^{i c g}
- [*Protandrena boylei*](#) Cockerell, 1896 ^{i c g}
- [*Protandrena californica*](#) Cresson, 1878 ^{i c g}
- [*Protandrena citrinifrons*](#) (Viereck, 1903) ^{i c g}
- [*Protandrena citripes*](#) (Ashmead, 1890) ^{i c g}
- [*Protandrena compositarum*](#) (Robertson, 1893) ^{i c g b}
- [*Protandrena concinna*](#) (Fox, 1894) ^{i c g}
- [*Protandrena didirupa*](#) (Cockerell, 1908) ^{i c g}
- [*Protandrena expallida*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena friesei*](#) Timberlake, 1973 ^{i c g}
- [*Protandrena helianthi*](#) Mitchell, 1960 ^{i c g}
- [*Protandrena horizontalis*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena illustris*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena innupta*](#) (Cockerell, 1896) ^{i c g}
- [*Protandrena irregularis*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena labrosa*](#) (Robertson, 1895) ^{i c g}
- [*Protandrena labrosiformis*](#) (Robertson, 1898) ^{i c g}
- [*Protandrena leucoptera*](#) (Cockerell, 1923) ^{i c g}
- [*Protandrena nitescens*](#) (Cockerell, 1918) ^{i c g}

- [*Protandrena nubis*](#) (Cockerell, 1913) ^{i c g}
- [*Protandrena occidua*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena ornatipes*](#) (Cresson, 1872) ^{i c g}
- [*Protandrena pecki*](#) (Cockerell, 1937) ^{i c g}
- [*Protandrena perlaevis*](#) (Cockerell, 1896) ^{i c g}
- [*Protandrena piercei*](#) (Crawford, 1903) ^{i c g}
- [*Protandrena planata*](#) (Cockerell, 1918) ^{i c g}
- [*Protandrena porterae*](#) (Cockerell, 1900) ^{i c}
- [*Protandrena renimaculata*](#) (Cockerell, 1896) ^{i c g}
- [*Protandrena rudbeckiae*](#) (Robertson, 1895) ^{i c}
- [*Protandrena simulans*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena solidaginis*](#) (Robertson, 1893) ^{i c g}
- [*Protandrena stathamae*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena stigmalis*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena vicina*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena ximenesiae*](#) (Cockerell, 1913) ^{i c g}
- [*Protandrena zamoranica*](#) (Cockerell, 1949) ^{i c g}

This is a list of species in [*Pseudobaris*](#), a genus of flower weevils in the family [Curculionidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)
[\[4\]](#)

***Pseudobaris* species**

- [*Pseudobaris abrupta*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris acutipennis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris angusta*](#) (LeConte, 1868) ^{i c b}
- [*Pseudobaris angustula*](#) LeConte, J.L., 1876 ^c
- [*Pseudobaris anthracina*](#) Casey, T.L., 1892 ^c
- [*Pseudobaris apicalis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris atitlana*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris biguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris binotata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris biolleyi*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris boliviana*](#) Hustache, A., 1924 ^c

- [*Pseudobaris brevior*](#) Casey, 1920 ^{i c}
- [*Pseudobaris caelata*](#) Casey, 1892 ^{i c}
- [*Pseudobaris californica*](#) Casey, 1920 ^{i c}
- [*Pseudobaris callosipennis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris carinipectus*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris carolinae*](#) Casey, 1920 ^{i c}
- [*Pseudobaris conica*](#) Hustache, 1951 ^c
- [*Pseudobaris connectans*](#) Blatchley, 1920 ^{i c}
- [*Pseudobaris corvina*](#) (Kirsch, T., 1875) ^c
- [*Pseudobaris costaricensis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris costirostris*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris cribripennis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris cuprea*](#) Hustache, 1951 ^c
- [*Pseudobaris curvipes*](#) Hustache, 1951 ^c
- [*Pseudobaris cylindricollis*](#) Casey, 1922 ^c
- [*Pseudobaris dentipes*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris discreta*](#) Casey, 1892 ^{i c}
- [*Pseudobaris disparilis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris diversa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris dividua*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris farcta*](#) (LeConte, 1868) ^{i c b}
- [*Pseudobaris fasciculata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris fausta*](#) Casey, 1892 ^{i c}
- [*Pseudobaris femoralis*](#) Hustache, 1951 ^c
- [*Pseudobaris fraterculus*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris gibbicollis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris gibbirostris*](#) Casey, 1920 ^{i c}
- [*Pseudobaris gigantea*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris glabripennis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris grandis*](#) Hustache, 1951 ^c
- [*Pseudobaris guttifer*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris ibaguena*](#) Hustache, 1951 ^c
- [*Pseudobaris illini*](#) Casey, 1920 ^{i c}
- [*Pseudobaris irregularis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris kansana*](#) Casey, 1920 ^{i c}
- [*Pseudobaris kirschi*](#) Hustache, 1951 ^c

- [*Pseudobaris leucostigma*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris levettei*](#) Casey, 1920 ^{i c}
- [*Pseudobaris longicollis*](#) Hustache, 1951 ^c
- [*Pseudobaris lucens*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris lucida*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris luctuosa*](#) Casey, 1892 ^{i c}
- [*Pseudobaris lugubris*](#) Casey, 1892 ^{i g}
- [*Pseudobaris lustrans*](#) Casey, 1920 ^c
- [*Pseudobaris minuscula*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris minuta*](#) Hustache, 1924 ^c
- [*Pseudobaris missouriana*](#) Casey, 1920 ^{i c}
- [*Pseudobaris multiguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris mutabilis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris naevius*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris nigrina*](#) (Say, 1831) ^{i c b}
- [*Pseudobaris niveoguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris notata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris ocellata*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris octonotata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris oscillans*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris oscitans*](#) Casey, 1920 ^{i c}
- [*Pseudobaris ovalipennis*](#) Hustache, 1924 ^c
- [*Pseudobaris parallelipennis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris pectoralis*](#) LeConte, 1876 ^{i c b}
- [*Pseudobaris perexigua*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris plicata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris porcina*](#) Casey, 1920 ^{i c}
- [*Pseudobaris providens*](#) Casey, 1920 ^{i c}
- [*Pseudobaris puncticollis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris pusilla*](#) LeConte, J.L., 1876 ^c
- [*Pseudobaris rabida*](#) Casey, 1920 ^{i c}
- [*Pseudobaris rugipennis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris santacrucis*](#) Hustache, 1924 ^c
- [*Pseudobaris satyrica*](#) Casey, 1920 ^{i c}
- [*Pseudobaris scabrida*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris scaeva*](#) Casey, 1920 ^{i c}

- [*Pseudobaris senescens*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sexguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sinuosa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sobrina*](#) Blatchley, 1916 ^{i c b}
- [*Pseudobaris sonomae*](#) Casey, 1920 ^{i c}
- [*Pseudobaris stigmatica*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris subcaudata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sublineata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris subopaca*](#) Hustache, 1951 ^c
- [*Pseudobaris subparallela*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris subrugosa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris subscabrosa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris suturalis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris tibialis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris tradita*](#) Casey, 1920 ^{i c}
- [*Pseudobaris undulata*](#) Casey, 1922 ^c
- [*Pseudobaris vacunalis*](#) Casey, 1920 ^{i c}
- [*Pseudobaris vafra*](#) Casey, 1920 ^{i c}
- [*Pseudobaris verecunda*](#) Casey, 1920 ^{i c}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pseudobaris Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-12.
 - ["Browse Pseudobaris"](#). Catalogue of Life. Retrieved 2018-04-12.
 - ["Pseudobaris"](#). GBIF. Retrieved 2018-04-12.
 -
4. ["Pseudobaris Genus Information"](#). BugGuide.net. Retrieved 2018-04-12.

Categories:

- [Baridinae](#)
- [Lists of insect species](#)
-

This is a list of 162 species in [*Psallus*](#), a genus of plant bugs in the family [Miridae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Psallus* species**

- [*Psallus aethiops*](#) (Zetterstedt, 1840) ⁱ ^c ^g
- [*Psallus aetnicola*](#) Wagner, 1955 ^c ^g
- [*Psallus albicinctus*](#) (Kirschbaum, 1856) ^c ^g
- [*Psallus aldanensis*](#) Vinokurov, 1985 ^c ^g
- [*Psallus ambiguus*](#) (Fallén, 1807) ^c ^g
- [*Psallus amoenus*](#) Josifov, 1983 ^c ^g
- [*Psallus amygdali*](#) Linnavuori, 1998 ^c ^g
- [*Psallus anaemicus*](#) Seidenstucker, 1966 ^c ^g
- [*Psallus anatolicus*](#) Wagner, 1963 ^c ^g
- [*Psallus anticus*](#) (Reuter, 1876) ^c ^g
- [*Psallus apoplecticus*](#) Seidenstucker, 1966 ^c ^g
- [*Psallus argyrotrichus*](#) Fieber, 1861 ^c ^g
- [*Psallus asperus*](#) Van Duzee, 1923 ⁱ ^g
- [*Psallus assimilis*](#) Stichel, 1956 ^c ^g
- [*Psallus asthenicus*](#) Seidenstucker, 1966 ^c ^g
- [*Psallus ater*](#) Josifov, 1983 ^c ^g
- [*Psallus aterrimus*](#) Yasunaga and Vinokurov, 2000 ^c ^g
- [*Psallus atratus*](#) Josifov, 1983 ^c ^g
- [*Psallus aurora*](#) (Mulsant and Rey, 1852) ^c ^g
- [*Psallus bagjonicus*](#) Josifov, 1983 ^c ^g
- [*Psallus balcanicus*](#) Josifov, 1969 ^c ^g
- [*Psallus bernardi*](#) Wagner, 1958 ^c ^g
- [*Psallus betuleti*](#) (Fallén, 1829) ⁱ ^c ^g
- [*Psallus bivitreus*](#) (Mulsant and Rey, 1852) ^c ^g
- [*Psallus brachycerus*](#) Reuter, 1904 ^c ^g
- [*Psallus breviceps*](#) Reuter, 1909 ⁱ ^c ^g
- [*Psallus buddha*](#) Yasunaga, 2010 ^c ^g
- [*Psallus calliprinoi*](#) Carapezza, 2002 ^c ^g
- [*Psallus callunae*](#) Reuter, 1878 ^c ^g
- [*Psallus castaneae*](#) Josifov, 1983 ^c ^g
- [*Psallus catalanicus*](#) Wagner, 1965 ^c ^g

- [*Psallus cerridis*](#) Wagner, 1971 ^{c g}
- [*Psallus chrysopsilus*](#) Reuter, 1878 ^{c g}
- [*Psallus cinnabarinus*](#) Kerzhner, 1979 ^{c g}
- [*Psallus clarus*](#) Kerzhner, 1988 ^{c g}
- [*Psallus collaris*](#) (Wagner, 1975) ^c
- [*Psallus confusus*](#) Rieger, 1981 ^{c g}
- [*Psallus crataegi*](#) Kulik, 1973 ^{c g}
- [*Psallus criocoroides*](#) Reuter, 1879 ^{c g}
- [*Psallus cruentatus*](#) (Mulsant and Rey, 1852) ^{c g}
- [*Psallus cyprius*](#) Wagner, 1977 ^{c g}
- [*Psallus dichrous*](#) Kerzhner, 1962 ^{c g}
- [*Psallus difficilis*](#) Odhiambo, 1959 ^{c g}
- [*Psallus dilutipes*](#) Reuter, 1907 ^{c g}
- [*Psallus dilutus*](#) Fieber, 1858 ^{c g}
- [*Psallus divergens*](#) Reuter, 1899 ^{c g}
- [*Psallus drosopouloisi*](#) Linnavuori, 1992 ^{c g}
- [*Psallus edoensis*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus ericetorum*](#) Reuter, 1899 ^{c g}
- [*Psallus ermolenkoi*](#) Kerzhner, 1979 ^{c g}
- [*Psallus ernesti*](#) Duwal & Lee, 2012 ^g
- [*Psallus eximius*](#) Reuter, 1904 ^{c g}
- [*Psallus fagi*](#) Drapolyuk, 1990 ^{c g}
- [*Psallus falleni*](#) Reuter, 1883 ^{i c g b}
- [*Psallus faniae*](#) Josifov, 1974 ^{c g}
- [*Psallus flavellus*](#) Stichel, 1933 ^{i c g}
- [*Psallus flavescens*](#) Kerzhner, 1988 ^{c g}
- [*Psallus flavipes*](#) (Reuter, 1899) ^{c g}
- [*Psallus fokkeri*](#) Reuter, 1899 ^{c g}
- [*Psallus fortis*](#) Li and Liu, 2007 ^{c g}
- [*Psallus fukienanus*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus fuscatus*](#) Knight, 1923 ^{i g}
- [*Psallus fuscopunctatus*](#) Knight, 1930 ⁱ
- [*Psallus galilaeus*](#) Linnavuori, 1965 ^{c g}
- [*Psallus georgicus*](#) Zaitzeva, 1968 ^{c g}
- [*Psallus gidajatovi*](#) Drapolyuk, 1987 ^{c g}
- [*Psallus graminicola*](#) (Zetterstedt, 1828) ^{c g}

- [*Psallus guttatus*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus haematodes*](#) (Gmelin, 1788) ^{c g b}
- [*Psallus halidi*](#) Drapolyuk, 1991 ^{c g}
- [*Psallus hani*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus hartigi*](#) Wagner, 1970 ^{c g}
- [*Psallus hastatus*](#) Carapezza, 2002 ^{c g}
- [*Psallus helenae*](#) Josifov, 1969 ^{c g}
- [*Psallus henanensis*](#) Li and Liu, 2007 ^{c g}
- [*Psallus henschii*](#) Reuter, 1888 ^{c g}
- [*Psallus holomelas*](#) Reuter, 1906 ^{c g}
- [*Psallus injensis*](#) Duwal ^g
- [*Psallus jeitensis*](#) Wagner, 1963 ^{c g}
- [*Psallus jungaricus*](#) Vinokurov and Luo, 2012 ^{c g}
- [*Psallus jurorum*](#) Linnavuori, 1975 ^{c g}
- [*Psallus karakardes*](#) Seidenstucker, 1959 ^{c g}
- [*Psallus kerzhneri*](#) Josifov, 1992 ^{c g}
- [*Psallus kiritshenkoi*](#) Zaitzeva, 1968 ^{c g}
- [*Psallus koreanus*](#) Josifov, 1983 ^{c g}
- [*Psallus kurseongensis*](#) Distant, 1910 ^{c g}
- [*Psallus lapponicus*](#) Reuter, 1874 ^{c g}
- [*Psallus laricinus*](#) Vinokurov, 1982 ^{c g}
- [*Psallus laticeps*](#) Reuter, 1878 ^{c g}
- [*Psallus lentigo*](#) Seidenstucker, 1972 ^{c g}
- [*Psallus lepidus*](#) Fieber, 1858 ^{i c g}
- [*Psallus loginovae*](#) Kerzhner, 1988 ^{c g}
- [*Psallus lucanicus*](#) Wagner, 1968 ^{c g}
- [*Psallus luridus*](#) Reuter, 1878 ^{c g}
- [*Psallus luteicornis*](#) (Villers, 1789) ^{c g}
- [*Psallus maculosus*](#) Knight, 1925 ⁱ
- [*Psallus mali*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus melpomene*](#) (Linnavuori, 1989) ^{c g}
- [*Psallus michaili*](#) Kerzhner and Schuh, 1995 ^{c g}
- [*Psallus milenae*](#) Josifov, 1974 ^{c g}
- [*Psallus minusculus*](#) Zaitzeva, 1968 ^{c g}
- [*Psallus miyamotoi*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus mollis*](#) (Mulsant and Rey, 1852) ^{c g}

- [*Psallus montanus*](#) Josifov, 1973 ^{c g}
- [*Psallus nigricornis*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus nigripilis*](#) (Reuter, 1888) ^{c g}
- [*Psallus ninurta*](#) (Linnavuori, 1984) ^{c g}
- [*Psallus nipponicus*](#) Vinokurov, 1998 ^{c g}
- [*Psallus ocularis*](#) (Mulsant and Rey, 1852) ^{c g}
- [*Psallus oenderi*](#) Wagner, 1976 ^{c g}
- [*Psallus oleae*](#) Wagner, 1963 ^{c g}
- [*Psallus orni*](#) Wagner, 1968 ^{c g}
- [*Psallus oyashimanus*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus pardalis*](#) Seidenstucker, 1966 ^{c g}
- [*Psallus perrisi*](#) (Mulsant and Rey, 1852) ^{c g}
- [*Psallus piceae*](#) Reuter, 1878 ^{c g}
- [*Psallus pinicola*](#) Reuter, 1875 ^{c g}
- [*Psallus pseudoambiguus*](#) Wagner, 1970 ^{c g}
- [*Psallus pseudoplatani*](#) Reichling, 1984 ^{c g}
- [*Psallus pseudopunctulatus*](#) Linnavuori, 1984 ^{c g}
- [*Psallus pseudoquercus*](#) Josifov, 1974 ^{c g}
- [*Psallus pullus*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus punctulatus*](#) Puton, 1874 ^{c g}
- [*Psallus quercicola*](#) (Reuter, 1904) ^{c g}
- [*Psallus quercus*](#) (Kirschbaum, 1856) ^{c g}
- [*Psallus roseoguttatus*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus roseus*](#) (Fabricius, 1777) ⁱ
- [*Psallus rubinicterus*](#) Seidenstucker, 1966 ^{c g}
- [*Psallus rubromaculosus*](#) Knight, 1935 ^{c g}
- [*Psallus sachaensis*](#) Vinokurov, 1998 ^{c g}
- [*Psallus salicicola*](#) Schwartz and Kelton, 1990 ⁱ
- [*Psallus salicis*](#) (Kirschbaum, 1856) ^{c g}
- [*Psallus samdzijonicus*](#) Josifov, 1983 ^{c g}
- [*Psallus samedovi*](#) Drapolyuk, 1991 ^{c g}
- [*Psallus samoanus*](#) Knight, 1935 ^{c g}
- [*Psallus sanguinarius*](#) Kerzhner and Josifov, 1999 ^{c g}
- [*Psallus shulsangaricus*](#) Linnavuori, 2010 ^{c g}
- [*Psallus sículus*](#) Reuter, 1875 ^{c g}
- [*Psallus skylla*](#) Linnavuori, 1994 ^{c g}

- [*Psallus sorbi*](#) Wagner, 1970 ^{c g}
- [*Psallus stackelbergi*](#) Kerzhner, 1988 ^{c g}
- [*Psallus svidae*](#) Drapolyuk, 1991 ^{c g}
- [*Psallus syriacus*](#) (Reuter, 1883) ^{c g}
- [*Psallus taehwana*](#) Duwal ^g
- [*Psallus takaii*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus tesongsanicus*](#) Josifov, 1983 ^{c g}
- [*Psallus tibialis*](#) Reuter, 1894 ^{c g}
- [*Psallus tonnaichanus*](#) Muramoto, 1973 ^{c g}
- [*Psallus transcaucasicus*](#) Zaitzeva, 1966 ^{c g}
- [*Psallus tristis*](#) (Blanchard, 1852) ^{c g}
- [*Psallus turcicus*](#) Wagner, 1971 ^{c g}
- [*Psallus ulmi*](#) Kerzhner and Josifov, 1966 ^{c g}
- [*Psallus ussuriensis*](#) Kerzhner, 1979 ^{c g}
- [*Psallus vaccinicola*](#) Knight, 1930 ⁱ
- [*Psallus variabilis*](#) (Fallén, 1807) ^{i c g b}
- [*Psallus varians*](#) (Herrich-Schaeffer, 1841) ^{c g}
- [*Psallus vicinus*](#) Reuter, 1899 ^{c g}
- [*Psallus vittatus*](#) (Fieber, 1861) ^{c g}
- [*Psallus wagneri*](#) Ossiannilsson, 1953 ^{c g}
- [*Psallus yasunagai*](#) Vinokurov, 1998 ^{c g}
- [*Psallus yongdaeri*](#) Duwal ^g
- [*Psallus zakatalensis*](#) Drapolyuk, 1991 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Protoneuridae was formerly considered a [family](#) of [damselflies](#). Recent taxonomic revisions have classified the species previously placed in Protoneuridae into two existing families - [Coenagrionidae](#) and [Platycnemididae](#), both in the superfamily [Coenagrionoidea](#).

[New World](#) Protoneuridae are now sunk in [Coenagrionidae](#) and [Old World](#) Protoneuridae in [Platycnemididae](#).^[1]

Species of damselfly, formerly in Protoneuridae:

- [*Arabineura khalidi*](#)

- [*Caconeura gomphoides*](#)
- [*Caconeura obscura*](#)
- [*Caconeura ramburi*](#)
- [*Caconeura risi*](#)
- [*Caconeura t-coerulea*](#)
- [*Chlorocnemis abbotti*](#)
- [*Chlorocnemis contraria*](#)
- [*Chlorocnemis eisentrauti*](#)
- [*Chlorocnemis elongata*](#)
- [*Chlorocnemis flavipennis*](#)
- [*Chlorocnemis interrupta*](#)
- [*Chlorocnemis marshali*](#)
- [*Chlorocnemis montana*](#)
- [*Chlorocnemis nigripes*](#)
- [*Chlorocnemis nublilipennis*](#)
- [*Chlorocnemis pauli*](#)
- [*Chlorocnemis wittei*](#)
- [*Disparoneura apicalis*](#)
- [*Disparoneura canningi*](#)
- [*Disparoneura quadrimaculata*](#)
- [*Disparoneura ramajana*](#)
- [*Drepanoneura donnellyi*](#)
- [*Drepanoneura janirae*](#)
- [*Drepanoneura letitia*](#)
- [*Drepanoneura loutoni*](#)
- [*Drepanoneura muzoni*](#)
- [*Drepanoneura peruviansis*](#)
- [*Drepanoneura tennesse*](#)
- [*Elattoneura acuta*](#)
- [*Elattoneura analis*](#)
- [*Elattoneura atkinsoni*](#)
- [*Elattoneura aurantiaca*](#)
- [*Elattoneura balli*](#)
- [*Elattoneura bigemmata*](#)
- [*Elattoneura caesia*](#)
- [*Elattoneura campioni*](#)
- [*Elattoneura centrafricana*](#)
- [*Elattoneura centralis*](#)
- [*Elattoneura coomansi*](#)
- [*Elattoneura dorsalis*](#)
- [*Elattoneura erythromma*](#)
- [*Elattoneura frenulata*](#)

- [Elattoneura girardi](#)
- [Elattoneura glauca](#)
- [Elattoneura josemorai](#)
- [Elattoneura leucostigma](#)
- [Elattoneura lliba](#)
- [Elattoneura longispina](#)
- [Elattoneura mayombensis](#)
- [Elattoneura morini](#)
- [Elattoneura nigerrima](#)
- [Elattoneura nigra](#)
- [Elattoneura nihari](#)
- [Elattoneura pasquinii](#)
- [Elattoneura pluotae](#)
- [Elattoneura pruinosa](#)
- [Elattoneura souteri](#)
- [Elattoneura tenax](#)
- [Elattoneura tetrica](#)
- [Elattoneura tropicalis](#)
- [Elattoneura vrijdaghi](#)
- [Epipleoneura albuquerquei](#)
- [Epipleoneura capilliformis](#)
- [Epipleoneura demarmelsi](#)
- [Epipleoneura fernandezi](#)
- [Epipleoneura fuscaenea](#)
- [Epipleoneura haroldoi](#)
- [Epipleoneura humeralis](#)
- [Epipleoneura janirae](#)
- [Epipleoneura kaxuriana](#)
- [Epipleoneura lamina](#)
- [Epipleoneura machadoi](#)
- [Epipleoneura manauensis](#)
- [Epipleoneura metallica](#)
- [Epipleoneura ocuene](#)
- [Epipleoneura pallida](#)
- [Epipleoneura pereirai](#)
- [Epipleoneura protostictoides](#)
- [Epipleoneura solitaria](#)
- [Epipleoneura spatulata](#)
- [Epipleoneura tariana](#)
- [Epipleoneura uncinata](#)
- [Epipleoneura venezuelensis](#)
- [Epipleoneura waiwaiana](#)

- [Epipleoneura westfalli](#)
- [Epipleoneura williamsoni](#)
- [Epipotoneura machadoi](#)
- [Epipotoneura nehalennia](#)
- [Esme cyaneovittata](#)
- [Esme longistyla](#)
- [Esme mudiensis](#)
- [Forcepsioneura ephippigera](#)
- [Forcepsioneura garrisoni](#)
- [Forcepsioneura grossiorum](#)
- [Forcepsioneura haerteli](#)
- [Forcepsioneura itatiaiae](#)
- [Forcepsioneura juruaensis](#)
- [Forcepsioneura lucia](#)
- [Forcepsioneura sancta](#)
- [Forcepsioneura westfalli](#)
- [Idioneura ancilla](#)
- [Idioneura celioi](#)
- [Isomecocnemis cellularis](#)
- [Isomecocnemis cyanura](#)
- [Isomecocnemis subnodalis](#)
- [Junix elumbis](#)
- [Lamproneura lucerna](#)
- [Melanoneura bilineata](#)
- [Neoneura aaroni](#)
- [Neoneura amelia](#)
- [Neoneura anaclara](#)
- [Neoneura angelensis](#)
- [Neoneura bilinearis](#)
- [Neoneura carnatica](#)
- [Neoneura cristina](#)
- [Neoneura denticulata](#)
- [Neoneura desana](#)
- [Neoneura esthera](#)
- [Neoneura ethela](#)
- [Neoneura fluvicollis](#)
- [Neoneura gaida](#)
- [Neoneura joana](#)
- [Neoneura jurzitzai](#)
- [Neoneura kiautai](#)
- [Neoneura leonardoi](#)
- [Neoneura lucas](#)

- [Neoneura luzmarina](#)
- [Neoneura maria](#)
- [Neoneura mariana](#)
- [Neoneura moorei](#)
- [Neoneura myrthea](#)
- [Neoneura paya](#)
- [Neoneura rubriventris](#)
- [Neoneura rufithorax](#)
- [Neoneura schreiberi](#)
- [Neoneura sylvatica](#)
- [Neoneura waltheri](#)
- [Nososticta africana](#)
- [Nososticta astrolabica](#)
- [Nososticta atrocyana](#)
- [Nososticta aurantiaca](#)
- [Nososticta baroalba](#)
- [Nososticta beatrix](#)
- [Nososticta callisphaena](#)
- [Nososticta chalybeostoma](#)
- [Nososticta circumscripta](#)
- [Nososticta coelestna](#)
- [Nososticta commutata](#)
- [Nososticta cyanura](#)
- [Nososticta diadesma](#)
- [Nososticta dorsonigra](#)
- [Nososticta eburnea](#)
- [Nososticta egregia](#)
- [Nososticta emphylla](#)
- [Nososticta erythroprocta](#)
- [Nososticta erythrura](#)
- [Nososticta evelynae](#)
- [Nososticta exul](#)
- [Nososticta flavipennis](#)
- [Nososticta fonticola](#)
- [Nososticta fraterna](#)
- [Nososticta insignis](#)
- [Nososticta irene](#)
- [Nososticta kalumburu](#)
- [Nososticta koolpinyah](#)
- [Nososticta koongarra](#)
- [Nososticta liveringa](#)
- [Nososticta lorentzi](#)

- [Nososticta marina](#)
- [Nososticta melanoxantha](#)
- [Nososticta moluccensis](#)
- [Nososticta nigrifrons](#)
- [Nososticta nigrofasciata](#)
- [Nososticta phoenissa](#)
- [Nososticta pilbara](#)
- [Nososticta plagiata](#)
- [Nososticta plagioxantha](#)
- [Nososticta pseudexul](#)
- [Nososticta pyroprocta](#)
- [Nososticta rangifera](#)
- [Nososticta rosea](#)
- [Nososticta salomonis](#)
- [Nososticta selysi](#)
- [Nososticta silvicola](#)
- [Nososticta solida](#)
- [Nososticta solitaria](#)
- [Nososticta tarcumbi](#)
- [Nososticta thalassina](#)
- [Nososticta wallacii](#)
- [Nososticta xanthe](#)
- [Peristicta aeneoviridis](#)
- [Peristicta forceps](#)
- [Peristicta gauchae](#)
- [Peristicta jalmosi](#)
- [Peristicta janiceae](#)
- [Peristicta lizeria](#)
- [Peristicta muzoni](#)
- [Phasmoneura exigua](#)
- [Phasmoneura janirae](#)
- [Phylloneura westermanni](#)
- [Prodasineura abbreviata](#)
- [Prodasineura auricolor](#)
- [Prodasineura autumnalis](#)
- [Prodasineura coerulescens](#)
- [Prodasineura collaris](#)
- [Prodasineura croconota](#)
- [Prodasineura delicatula](#)
- [Prodasineura doisuthepensis](#)
- [Prodasineura dorsalis](#)
- [Prodasineura flammula](#)

- [*Prodasineura flavifacies*](#)
- [*Prodasineura gracillima*](#)
- [*Prodasineura haematostoma*](#)
- [*Prodasineura hanzhongensis*](#)
- [*Prodasineura hosei*](#)
- [*Prodasineura hyperythra*](#)
- [*Prodasineura incerta*](#)
- [*Prodasineura integra*](#)
- [*Prodasineura interrupta*](#)
- [*Prodasineura laidlawii*](#)
- [*Prodasineura lansbergei*](#)
- [*Prodasineura longjingensis*](#)
- [*Prodasineura nigra*](#)
- [*Prodasineura notostigma*](#)
- [*Prodasineura obsoleta*](#)
- [*Prodasineura odoneli*](#)
- [*Prodasineura odzala*](#)
- [*Prodasineura palawana*](#)
- [*Prodasineura peramoena*](#)
- [*Prodasineura perisi*](#)
- [*Prodasineura quadristigma*](#)
- [*Prodasineura sita*](#)
- [*Prodasineura tenebricosa*](#)
- [*Prodasineura theebawi*](#)
- [*Prodasineura verticalis*](#)
- [*Prodasineura villiersi*](#)
- [*Prodasineura vittata*](#)
- [*Proneura prolongata*](#)
- [*Protoneura ailsa*](#)
- [*Protoneura amatoria*](#)
- [*Protoneura aurantiaca*](#)
- [*Protoneura calverti*](#)
- [*Protoneura capillaris*](#)
- [*Protoneura cara*](#)
- [*Protoneura corculum*](#)
- [*Protoneura cupida*](#)
- [*Protoneura dunklei*](#)
- [*Protoneura klugi*](#)
- [*Protoneura macintyre*](#)
- [*Protoneura paucinervis*](#)
- [*Protoneura peramans*](#)
- [*Protoneura rojiza*](#)

- [*Protoneura romanae*](#)
- [*Protoneura sanguinipes*](#)
- [*Protoneura scintilla*](#)
- [*Protoneura sulfurata*](#)
- [*Protoneura tenuis*](#)
- [*Protoneura viridis*](#)
- [*Protoneura woytkowskii*](#)
- [*Psaironeura bifurcata*](#)
- [*Psaironeura remissa*](#)
- [*Psaironeura selvatica*](#)
- [*Psaironeura tenuissima*](#)
- [*Roppaneura beckeri*](#)

This is a list of 249 species in the genus [*Promachus*](#), giant robber flies. [\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Promachus* species**

- [*Promachus abdominalis*](#) Ricardo, 1920 ^{c g}
- [*Promachus aberrans*](#) Paramonov, 1931 ^{c g}
- [*Promachus absterrens*](#) Oldroyd, 1960 ^{c g}
- [*Promachus acuminatus*](#) (Hobby, 1936) ^{c g}
- [*Promachus adamsii*](#) Ricardo, 1920 [= apicalis Adams, 1905 (Homonym)] ^{c g}
- [*Promachus addens*](#) (Walker, 1861) ^{c g}
- [*Promachus aedithus*](#) (Walker, 1849) ^{c g}
- [*Promachus aegyptiacus*](#) Efflatoun, 1929 ^{c g}
- [*Promachus aequalis*](#) Loew, 1858 ^{c g}
- [*Promachus albicauda*](#) Wulp, 1872 ^{c g}
- [*Promachus albicinctus*](#) Ricardo, 1900 ^{c g}
- [*Promachus albifacies*](#) Williston, 1885 ^{i c g b}
- [*Promachus albitarsatus*](#) (Macquart, 1834) ^{c g}
- [*Promachus albopilosus*](#) (Macquart, 1855) ^{c g}
- [*Promachus aldrichii*](#) Hine, 1911 ^{i c g b}
- [*Promachus amastrus*](#) (Walker, 1849) ^{c g}
- [*Promachus amorges*](#) (Walker, 1849) ^{c g}
- [*Promachus anceps*](#) Osten Sacken, 1887 ^{c g}
- [*Promachus anicius*](#) (Walker, 1849) ^{c g}

- [Promachus annularis](#) (Fabricius, 1805) ^{c g}
- [Promachus apicalis](#) (Macquart, 1838)
- [Promachus apivorus](#) (Walker, 1860) ^{c g}
- [Promachus argentipennis](#) Efflatoun, 1929 ^{c g}
- [Promachus argentipes](#) Meijere, 1913 ^{c g}
- [Promachus argyropus](#) Bezzi, 1906 ^{c g}
- [Promachus ater](#) Coquillett, 1898 ^{c g}
- [Promachus atrox](#) Bromley, 1940 ^{i c g b}
- [Promachus aurulans](#) Lindner, 1955 ^{c g}
- [Promachus barbatus](#) (Doleschall, 1857) ^{c g}
- [Promachus bastardii](#) (Macquart, 1838) ^{i c g b} (false bee-killer)
- [Promachus beelsoni](#) Ricardo, 1921 ^{c g}
- [Promachus bellaridi](#) Martin, 1965 ^{c g}
- [Promachus bifasciatus](#) (Macquart, 1838) ^{c g}
- [Promachus binghamensis](#) Ricardo, 1921 ^{c g}
- [Promachus binucleatus](#) Bezzi, 1908 ^{c g}
- [Promachus bomensis](#) Curran, 1927 ^{c g}
- [Promachus bottegoi](#) Corti, 1895 ^{c g}
- [Promachus brevipennis](#) Ricardo, 1920 ^{c g}
- [Promachus breviscululus](#) Walker, 1855 ^{c g}
- [Promachus breviventris](#) Ricardo, 1920 ^{c g}
- [Promachus caffer](#) (Macquart, 1846) ^{c g}
- [Promachus calanus](#) (Walker, 1851) ^{c g}
- [Promachus calcaratus](#) (Hobby, 1936) ^{c g}
- [Promachus calorificus](#) (Walker, 1859) ^{c g}
- [Promachus canus](#) (Wiedemann, 1818) ^{c g}
- [Promachus captans](#) (Walker, 1851) ^{c g}
- [Promachus carpenteri](#) (Hobby, 1936) ^{c g}
- [Promachus ceylanicus](#) (Macquart, 1838) ^{c g}
- [Promachus chalcops](#) Speiser, 1910 ^{c g}
- [Promachus chinensis](#) Ricardo, 1920 ^{c g}
- [Promachus cinctus](#) Bellardi, 1861 ^{c g}
- [Promachus cinereus](#) Ricardo, 1925 ^{c g}
- [Promachus clausus](#) (Macquart, 1846) ^{c g}
- [Promachus clavigerus](#) Bromley, 1931 ^{c g}
- [Promachus complens](#) (Walker, 1861) ^c

- [Promachus condanguineus](#) (Macquart, 1838) ^{c g}
- [Promachus conradti](#) (Hobby, 1936) ^{c g}
- [Promachus consanguineus](#) (Macquart, 1838) ^g
- [Promachus contractus](#) (Walker, 1851) ^{c g}
- [Promachus contradicens](#) (Walker, 1858) ^{c g}
- [Promachus cornutus](#) (Hobby, 1936) ^{c g}
- [Promachus cothurnatus](#) (Bigot, 1859) ^{c g}
- [Promachus crassifemoratus](#) (Hobby, 1936) ^{c g}
- [Promachus cristatus](#) Oldroyd, 1960 ^{c g}
- [Promachus cypricus](#) (Rondani, 1856) ^{c g}
- [Promachus desmopygus](#) Meijere, 1914 ^{c g}
- [Promachus dimidiatus](#) Curran, 1927 ^{i c g}
- [Promachus djanetianus](#) Seguy, 1938 ^{c g}
- [Promachus doddi](#) Ricardo, 1913 ^{c g}
- [Promachus duvaucelii](#) (Macquart, 1838) ^c
- [Promachus entebbensis](#) (Hobby, 1936) ^{c g}
- [Promachus enucleatus](#) Karsch, 1888 ^{c g}
- [Promachus erythroscelus](#) (Hobby, 1936) ^{c g}
- [Promachus fasciatus](#) (Fabricius, 1775) ^{c g}
- [Promachus felinus](#) Wulp, 1872 ^{c g}
- [Promachus fitchii](#) Osten Sacken, 1878 ^{i c g b}
- [Promachus flavifasciatus](#) (Macquart, 1838) ^{c g}
- [Promachus flavopilosus](#) Ricardo, 1920 ^{c g}
- [Promachus floccosus](#) Kirby, 1884 ^{c g}
- [Promachus forcipatus](#) Schiner, 1868 ^{c g}
- [Promachus forfex](#) Osten Sacken, 1887 ^{c g}
- [Promachus formosanus](#) Matsumura, 1916 ^{c g}
- [Promachus foromosanus](#) Matsumura, 1916 ^g
- [Promachus fraterculus](#) (Walker, 1855) ^{c g}
- [Promachus fulvipes](#) (Macquart, 1838) ^c
- [Promachus fulviventris](#) (Becker, 1925) ^{c g}
- [Promachus fuscifemoratus](#) Joseph & Parui, 1981 ^{c g}
- [Promachus fuscipennis](#) (Macquart, 1846) ^c
- [Promachus fusiformis](#) (Walker, 1856) ^{c g}
- [Promachus genitalis](#) Joseph & Parui, 1987 ^{c g}
- [Promachus ghumtiensis](#) Bromley, 1935 ^{c g}

- [Promachus giganteus](#) Hine, 1911 ^{i c g b}
- [Promachus gomeræ](#) Frey, 1936 ^{c g}
- [Promachus gossypiatu](#)s Speiser, 1910 ^{c g}
- [Promachus gracilis](#) (Macquart, 1838) ^{c g}
- [Promachus graeffi](#) Schmeltz, 1866 ^{c g}
- [Promachus grandis](#) (Macquart, 1838) ^{c g}
- [Promachus griseiventris](#) Becker & Stein, 1913 ^{c g}
- [Promachus grisiventris](#) Becker, 1913 ^{c g}
- [Promachus guineensis](#) (Wiedemann, 1824) ^{c g}
- [Promachus hastatus](#) (Hobby, 1936) ^{c g}
- [Promachus heteropterus](#) (Macquart, 1838) ^c
- [Promachus hinei](#) Bromley, 1931 ^{i c g b}
- [Promachus hirsutus](#) Ricardo, 1925 ^{c g}
- [Promachus hirtiventris](#) (Macquart, 1850) ^c
- [Promachus horichanus](#) Matsumura, 1916 ^g
- [Promachus horishanus](#) Matsumura, 1916 ^{c g}
- [Promachus horni](#) Bromley, 1935 ^{c g}
- [Promachus hypocaustus](#) Oldroyd, 1972 ^{c g}
- [Promachus incisuralis](#) (Macquart, 1838) ^{c g}
- [Promachus indicus](#) Joseph & Parui, 1987 ^{c g}
- [Promachus indigenus](#) (Becker, 1925) ^{c g}
- [Promachus inoratus](#) Wulp, 1872 ^{c g}
- [Promachus inornatus](#) Wulp, 1872 ^{c g}
- [Promachus jabalpurensis](#) Joseph & Parui, 1981 ^{c g}
- [Promachus knutsoni](#) Joseph & Parui, 1987 ^{c g}
- [Promachus laciniosus](#) Becker, 1907 ^{c g}
- [Promachus lateralis](#) (Walker, 1860) ^{c g}
- [Promachus latitarsatus](#) (Macquart & Berthelot, 1839) ^{c g}
- [Promachus lehri](#) Joseph & Parui, 1987 ^{c g}
- [Promachus lemur](#) Bromley, 1931 ^{c g}
- [Promachus leoninus](#) Loew, 1848 ^{c g}
- [Promachus leontochlaenus](#) Loew, 1871 ^{c g}
- [Promachus leucopareus](#) Wulp, 1872 ^{c g}
- [Promachus leucopygus](#) (Walker, 1857) ^{c g}
- [Promachus leucotrichodes](#) Bigot, 1892 ^{c g}
- [Promachus lineosus](#) (Walker, 1857) ^{c g}

- [Promachus longius](#) (Chou & Lee, 1991) ^g
- [Promachus macquartii](#) (Rondani, 1848) ^c
- [Promachus maculatus](#) (Fabricius, 1775) ^{c g}
- [Promachus maculosus](#) (Macquart, 1834) ^{c g}
- [Promachus madagascarensis](#) Bromley, 1942 ^{c g}
- [Promachus magnus](#) Bellardi, 1861 ^{i c g}
- [Promachus manilliensis](#) (Macquart, 1838) ^{c g}
- [Promachus marcii](#) (Macquart, 1838) ^{c g}
- [Promachus mediospinosus](#) Speiser, 1913 ^{c g}
- [Promachus melampygius](#) Wulp, 1872 ^{c g}
- [Promachus mesacanthus](#) (Hobby, 1936) ^{c g}
- [Promachus mesorrhachis](#) (Hobby, 1936) ^{c g}
- [Promachus metoxus](#) (Oldroyd, 1939) ^{c g}
- [Promachus microlabis](#) Loew, 1857 ^{c g}
- [Promachus minusculus](#) Hine, 1911 ^{i c g}
- [Promachus mitescens](#) (Walker, 1851) ^{c g}
- [Promachus mixtus](#) (Hobby, 1936) ^{c g}
- [Promachus mustela](#) Loew, 1854 ^{c g}
- [Promachus neavei](#) (Hobby, 1936) ^{c g}
- [Promachus negligens](#) Adams, 1905 ^{c g}
- [Promachus nicobarensis](#) Schiner, 1868 ^{c g}
- [Promachus nigr barbatus](#) (Becker, 1925) ^g
- [Promachus nigrialbus](#) Martin, 1970 ^{i c g b}
- [Promachus nigribarbatus](#) (Becker, 1925) ^{c g}
- [Promachus nigripes](#) (Fabricius, 1787) ^{c g}
- [Promachus nigropennipes](#) Hobby, 1933 ^{c g}
- [Promachus nigropilosus](#) Schaeffer, 1916 ^{i g}
- [Promachus niveicinctus](#) (Hobby, 1936) ^{c g}
- [Promachus nobilis](#) Osten Sacken, 1887 ^{c g}
- [Promachus noninterponens](#) Ricardo, 1920 ^{c g}
- [Promachus noscibilis](#) Austen, 1915 ^{c g}
- [Promachus nussus](#) Oldroyd, 1972 ^{c g}
- [Promachus obscuripes](#) Ricardo, 1920 ^{c g}
- [Promachus obscurus](#) Joseph & Parui, 1987 ^{c g}
- [Promachus oklahomensis](#) Pritchard, 1935 ^{i c g}
- [Promachus opacus](#) Becker, 1925 ^{c g}

- [Promachus orientalis](#) (Macquart, 1838) ^{c g}
- [Promachus ovatus](#) Martin, 1967 ^{c g}
- [Promachus painteri](#) Bromley, 1934 ^{i c g b}
- [Promachus pallidus](#) Ricardo, 1921 ^{c g}
- [Promachus pallipennis](#) (Macquart, 1855) ^{c g}
- [Promachus palmensis](#) Frey, 1936 ^{c g}
- [Promachus parvus](#) Bromley, 1931 ^{c g}
- [Promachus perfectus](#) (Walker, 1851) ^{c g}
- [Promachus perpusilla](#) (Walker, 1851) ^{c g}
- [Promachus philipinus](#) Ricardo, 1920 ^{c g}
- [Promachus pictus](#) Meigen, 1820
- [Promachus plutonicus](#) (Walker, 1861) ^{c g}
- [Promachus poeinus](#) (Walker, 1849) ^{c g}
- [Promachus pontifex](#) Karsch, 1888 ^{c g}
- [Promachus princeps](#) Williston, 1885 ^{i c g b}
- [Promachus productus](#) (Walker, 1851) ^{c g}
- [Promachus promiscuus](#) (Hobby, 1936) ^{c g}
- [Promachus pseudocontractus](#) Joseph & Parui, 1993 ^{c g}
- [Promachus pseudomaculatus](#) Ricardo, 1920 ^{c g}
- [Promachus pulchellus](#) Bellardi, 1861 ^{c g}
- [Promachus punctatostriata](#) (Schrank, 1803) ^g
- [Promachus quadratus](#) (Wiedemann, 1821) ^{i c b}
- [Promachus quatuorlineatus](#) (Macquart, 1838) ^{c g}
- [Promachus ramakrishnai](#) Bromley, 1939 ^{c g}
- [Promachus rapax](#) Gerstaecker, 1871 ^{c g}
- [Promachus raptor](#) Austen, 1915 ^{c g}
- [Promachus rectangularis](#) Loew, 1854 ^{c g}
- [Promachus rex](#) Karsch, 1888 ^{c g}
- [Promachus robertii](#) (Macquart, 1838) ^{c g}
- [Promachus rondanii](#) Oldroyd, 1975 ^{c g}
- [Promachus rubripes](#) (Macquart, 1834) ^c
- [Promachus rueppelli](#) Loew, 1854 ^c
- [Promachus rufescens](#) Ricardo, 1920 ^{c g}
- [Promachus rufibarbis](#) (Macquart, 1848) ^c
- [Promachus rufihumeralis](#) Hobby, 1933 ^{c g}
- [Promachus rufimystaceus](#) (Macquart, 1850) ^{c g}

- [Promachus rufipes](#) (Fabricius, 1775) ^{i c g b} (red-footed cannibalfly)
- [Promachus rufoangulatus](#) (Macquart, 1838) ^{c g}
- [Promachus rufotibialis](#) (Hobby, 1936) ^{c g}
- [Promachus sackeni](#) Hine, 1911 ^{i c g b}
- [Promachus scalaris](#) Loew, 1858 ^{c g}
- [Promachus scotti](#) (Oldroyd, 1940) ^{c g}
- [Promachus scutellatus](#) (Macquart, 1834) ^c
- [Promachus senegalensis](#) (Macquart, 1838) ^{c g}
- [Promachus simpsoni](#) Ricardo, 1920 ^{c g}
- [Promachus sinaiticus](#) Efflatoun, 1934 ^{c g}
- [Promachus smithi](#) Parui & Joseph, 1994 ^{c g}
- [Promachus snowi](#) (Hobby, 1940) ^{c g}
- [Promachus sokotrae](#) Ricardo, 1903 ^{c g}
- [Promachus speiseri](#) (Hobby, 1936) ^c
- [Promachus spissibarbis](#) (Macquart, 1846) ^{c g}
- [Promachus subtitula](#) (Walker, 1851) ^{c g}
- [Promachus subtilis](#) Bromley, 1935 ^{c g}
- [Promachus superfluous](#) Oldroyd, 1972 ^{c g}
- [Promachus taiwanensis](#) (Chou & Lee, 1991) ^g
- [Promachus tasmanensis](#) (Macquart, 1847) ^{c g}
- [Promachus testacipes](#) (Macquart, 1855) ^{c g}
- [Promachus tewfiki](#) Efflatoun, 1929 ^{c g}
- [Promachus tewfikis](#) Efflatoun, 1929 ^{c g}
- [Promachus texanus](#) Bromley, 1934 ^{i c g}
- [Promachus titan](#) (Carrera, 1959) ^{c g}
- [Promachus transactus](#) (Walker, 1864) ^{c g}
- [Promachus transvaalensis](#) Hobby, 1933 ^{c g}
- [Promachus trichonotus](#) (Wiedemann, 1828) ^{c g}
- [Promachus trichozonus](#) Loew, 1858 ^{c g}
- [Promachus triflagellatus](#) Frey, 1923 ^{c g}
- [Promachus tristis](#) Bigot, 1892 ^{c g}
- [Promachus truquii](#) Bellardi, 1861 ^{i c g b}
- [Promachus turinus](#) (Walker, 1849) ^{c g}
- [Promachus ugandiensis](#) Ricardo, 1920 ^{c g}
- [Promachus varipes](#) (Macquart, 1838) ^c
- [Promachus venatrix](#) (Hobby, 1936) ^{c g}

- [*Promachus venustus*](#) Carrera & Andretta, 1950 ^{c g}
- [*Promachus versicolor*](#) (Hobby, 1936) ^{c g}
- [*Promachus vertebratus*](#) (Say, 1823) ^{i c g b}
- [*Promachus vexator*](#) Becker, 1908 ^{c g}
- [*Promachus viridiventris*](#) (Macquart, 1855) ^{c g}
- [*Promachus westermanni*](#) (Macquart, 1838) ^{c g}
- [*Promachus wiedemanni*](#) Schiner, 1867 ^{c g}
- [*Promachus wollastoni*](#) (Hobby, 1936) ^{c g}
- [*Promachus xanthostoma*](#) Wulp, 1872 ^{c g}
- [*Promachus xanthotrichus*](#) Bezzi, 1908 ^{c g}
- [*Promachus yepezi*](#) (Carrera & Machado-Allison, 1963) ^{c g}
- [*Promachus yerburiensis*](#) Ricardo, 1920 ^{c g}
- [*Promachus yesonicus*](#) Bigot, 1887 ^{c g}
- [*Promachus zenkeri*](#) (Hobby, 1936) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

These 134 species belong to [*Pristiphora*](#), a genus of common sawflies in the family [*Tenthredinidae*](#).^{[1][2][3][4]}

Pristiphora species

- [*Pristiphora abbreviata*](#) (Hartig) ^{i c g}
- [*Pristiphora abietina*](#) (Christ, 1791) ^g
- [*Pristiphora affinis*](#) (Lindqvist, 1952) ^g
- [*Pristiphora albilabris*](#) (Boheman, 1852) ^g
- [*Pristiphora albitibia*](#) (Costa, 1859) ^g
- [*Pristiphora alpestris*](#) (Konow, 1903) ^g
- [*Pristiphora anderschi*](#) (Zaddach, 1876) ^g
- [*Pristiphora angulata*](#) Lindqvist, 1974 ^g
- [*Pristiphora aphantoneura*](#) (Foerster, 1854) ^g
- [*Pristiphora appendiculata*](#) (Hartig, 1837) ^{g b} (green currantworm)
- [*Pristiphora aquilegiae*](#) (Vollenhoven, 1866) ^g
- [*Pristiphora armata*](#) (Thomson, 1862) ^g

- [*Pristiphora astragali*](#) Vikberg, 1978 ^g
- [*Pristiphora atlantica*](#) Malaise, 1939 ^g
- [*Pristiphora atripes*](#) (Lindqvist, 1952) ^g
- [*Pristiphora banksi*](#) ^b
- [*Pristiphora beaumonti*](#) Zirngiebl, 1957 ^g
- [*Pristiphora bensoni*](#) Lindqvist, 1953 ^g
- [*Pristiphora bifida*](#) (Hellén, 1948) ^g
- [*Pristiphora biscalis*](#) (Foerster, 1854) ^g
- [*Pristiphora bivittata*](#) (Norton, 1861) ^b
- [*Pristiphora borea*](#) (Konow, 1904) ^g
- [*Pristiphora borneensis*](#) Forsius ^g
- [*Pristiphora breadalbanensis*](#) (Cameron, 1882) ^g
- [*Pristiphora brevis*](#) (Hartig, 1837) ^g
- [*Pristiphora brunniapex*](#) Lindqvist, 1960 ^g
- [*Pristiphora bufo*](#) (Brischke, 1883) ^g
- [*Pristiphora cadma*](#) Wong & Ross, 1960 ^g
- [*Pristiphora camtschatcalis*](#) (Enslin, 1927) ^g
- [*Pristiphora carinata*](#) (Hartig, 1837) ^g
- [*Pristiphora carpathiensis*](#) Haris, 2001 ^g
- [*Pristiphora chalybeata*](#) Benson ^g
- [*Pristiphora chlorea*](#) (Norton) ^b
- [*Pristiphora cincta*](#) Newman, 1837 ^{g b}
- [*Pristiphora coactula*](#) (Ruthe, 1859) ^g
- [*Pristiphora compressa*](#) (Hartig, 1837) ^g
- [*Pristiphora concolor*](#) (Lindqvist, 1952) ^g
- [*Pristiphora condei*](#) Lindqvist, 1955 ^g
- [*Pristiphora confusa*](#) Lindqvist, 1955 ^g
- [*Pristiphora congener*](#) (W.F.Kirby, 1882) ^g
- [*Pristiphora coniceps*](#) Lindqvist, 1955 ^g
- [*Pristiphora conjugata*](#) (Dahlbom, 1835) ^g
- [*Pristiphora crassicornis*](#) (Hartig, 1837) ^g
- [*Pristiphora cretica*](#) W.Schedl, 1981 ^g
- [*Pristiphora dasiphorae*](#) Zinovjev, 1993 ^g
- [*Pristiphora decipiens*](#) (Enslin, 1916) ^g
- [*Pristiphora denudata*](#) Konow, 1902 ^g
- [*Pristiphora depressa*](#) Hartig, 1840 ^g

- [*Pristiphora dissimilis*](#) Lindqvist, 1971 ^g
- [*Pristiphora dochmocera*](#) (Thomson, 1871) ^g
- [*Pristiphora erichsonii*](#) (Hartig) ^{i c g b} (larch sawfly)
- [*Pristiphora exigua*](#) (Lindqvist, 1956) ^g
- [*Pristiphora fausta*](#) (Hartig, 1837) ^g
- [*Pristiphora formosana*](#) Rohwer, 1916 ^g
- [*Pristiphora forsiusi*](#) Enslin, 1916 ^g
- [*Pristiphora friesei*](#) (Konow, 1904) ^g
- [*Pristiphora frigida*](#) (Boheman, 1865) ^g
- [*Pristiphora fulvipes*](#) (Fallén, 1808) ^g
- [*Pristiphora gaunitzi*](#) Lindqvist, 1968 ^g
- [*Pristiphora geniculata*](#) (Hartig) ^{i c g b} (mountain ash sawfly)
- [*Pristiphora gerula*](#) (Konow, 1904) ^g
- [*Pristiphora glauca*](#) Benson, 1954 ^g
- [*Pristiphora groenblomi*](#) (Lindqvist, 1952) ^g
- [*Pristiphora hoverlaensis*](#) Haris, 2001 ^g
- [*Pristiphora hyperborea*](#) Malaise, 1921 ^g
- [*Pristiphora idiota*](#) Norton, 1867 ^g
- [*Pristiphora insularis*](#) Rohwer, 1910 ^g
- [*Pristiphora kamtchatica*](#) Malaise, 1931 ^g
- [*Pristiphora karvoneni*](#) (Lindqvist, 1952) ^g
- [*Pristiphora kontuniemii*](#) (Lindqvist, 1952) ^g
- [*Pristiphora kuznetzovorum*](#) (Enslin, 1919) ^g
- [*Pristiphora lanifica*](#) (Zaddach, 1883) ^g
- [*Pristiphora laricis*](#) (Hartig, 1837) ^g
- [*Pristiphora lativentris*](#) (Thomson, 1871) ^g
- [*Pristiphora leucopodia*](#) (Hartig, 1837) ^g
- [*Pristiphora leucopus*](#) Hellén, 1948 ^g
- [*Pristiphora listoni*](#) Lacourt, 1998 ^g
- [*Pristiphora luteipes*](#) Lindqvist, 1955 ^g
- [*Pristiphora maesta*](#) (Zaddach, 1876) ^g
- [*Pristiphora malaisei*](#) (Lindqvist, 1952) ^g
- [*Pristiphora melanocarpa*](#) (Hartig, 1840) ^g
- [*Pristiphora micronematica*](#) Malaise, 1931 ^g
- [*Pristiphora mollis*](#) (Hartig, 1837) ^{g b}
- [*Pristiphora monogyniae*](#) (Hartig, 1840) ^g

- [*Pristiphora moravica*](#) Gregor, 1940 ^g
- [*Pristiphora murielae*](#) Lacourt, 1995 ^g
- [*Pristiphora nievesi*](#) Haris, 2004 ^g
- [*Pristiphora nigricans*](#) Eversmann, 1847 ^g
- [*Pristiphora nigriceps*](#) (Hartig, 1840) ^g
- [*Pristiphora nordmani*](#) (Lindqvist, 1949) ^g
- [*Pristiphora normani*](#) (Lindqvist, 1949) ^g
- [*Pristiphora opaca*](#) Lindqvist, 1955 ^g
- [*Pristiphora paedida*](#) (Konow, 1904) ^g
- [*Pristiphora pallida*](#) (Konow, 1904) ^g
- [*Pristiphora pallidiventris*](#) (Fallén, 1808) ^g
- [*Pristiphora pallipes*](#) Serville, 1823 ^g
- [*Pristiphora paralella*](#) Hartig, 1840 ^g
- [*Pristiphora parnasia*](#) Konow, 1902 ^g
- [*Pristiphora piceae*](#) (Zhelochovtsev, 1988) ^g
- [*Pristiphora pseudocoactula*](#) (Lindqvist, 1952) ^g
- [*Pristiphora pseudodecipiens*](#) Beneš & Krístek, 1976 ^g
- [*Pristiphora pseudogeniculata*](#) Lindqvist, 1969 ^g
- [*Pristiphora punctifrons*](#) (Thomson, 1871) ^g
- [*Pristiphora pusilla*](#) Malaise, 1921 ^g
- [*Pristiphora pygmaea*](#) Lindqvist, 1964 ^g
- [*Pristiphora quercus*](#) (Hartig, 1837) ^g
- [*Pristiphora retusa*](#) (Thomson, 1871) ^g
- [*Pristiphora reuteri*](#) (Lindqvist, 1960) ^g
- [*Pristiphora robusta*](#) (Konow, 1895) ^g
- [*Pristiphora ruficornis*](#) (Olivier, 1811) ^g
- [*Pristiphora rufipes*](#) Lepeletier, 1823 ^{g b} (columbine sawfly)
- [*Pristiphora saliciphilus*](#) (Liston, 2007) ^g
- [*Pristiphora sareptana*](#) Kuznetzov-Ugamskij, 1924 ^g
- [*Pristiphora sauteri*](#) Rohwer, 1916 ^g
- [*Pristiphora saxesenii*](#) (Hartig, 1837) ^g
- [*Pristiphora schedli*](#) Liston & Späth, 2008 ^g
- [*Pristiphora sermola*](#) Liston, 1993 ^g
- [*Pristiphora sinensis*](#) Wong ^g
- [*Pristiphora sootryeni*](#) Lindqvist, 1955 ^g
- [*Pristiphora staudingeri*](#) (Ruthe, 1859) ^g

- [*Pristiphora subarctica*](#) (Forsslund, 1936) ^g
- [*Pristiphora subbifida*](#) (Thomson, 1871) ^g
- [*Pristiphora subopaca*](#) Lindqvist, 1955 ^g
- [*Pristiphora tenuicornis*](#) (Lindqvist, 1955) ^g
- [*Pristiphora tenuiserra*](#) (Lindqvist, 1958) ^g
- [*Pristiphora testacea*](#) (Jurine, 1807) ^g
- [*Pristiphora tetrica*](#) (Zaddach, 1883) ^g
- [*Pristiphora thalictri*](#) (Kriechbaumer, 1884) ^g
- [*Pristiphora thalictrivora*](#) Lindqvist, 1962 ^g
- [*Pristiphora thomsoni*](#) Lindqvist, 1953 ^g
- [*Pristiphora trochanterica*](#) (Lindqvist, 1952) ^g
- [*Pristiphora vicina*](#) (Lepeletier, 1823) ^g
- [*Pristiphora viridana*](#) Konow, 1902 ^g
- [*Pristiphora wesmaeli*](#) (Tischbein, 1853) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 132 species in [*Pristaulacus*](#), a genus of aulacid wasps in the [hymenopteran](#) family [Aulacidae](#). [1][2][3][4]

***Pristaulacus* species**

- [*Pristaulacus absens*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus acutipennis*](#) Kieffer, 1910 ^{i c g}
- [*Pristaulacus africanus*](#) (Brues, 1924) ^{i c g}
- [*Pristaulacus albitarsatus*](#) Sun & Sheng, 2007 ^g
- [*Pristaulacus albosignatus*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus ambiguus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus angularis*](#) (Crosskey, 1953) ^{i c g}
- [*Pristaulacus anijimensis*](#) ^g
- [*Pristaulacus annulatus*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus arcuatus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus arizonicus*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus arozaenae*](#) Ortega & Baez, 1985 ^{i c g}
- [*Pristaulacus asiaticus*](#) Turrisi & Smith, 2011 ^g

- [*Pristaulacus barbeyi*](#) (Ferrière, 1933) ^{i c g}
- [*Pristaulacus bicornutus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus bilobatus*](#) (Provancher, 1878) ^{i c g}
- [*Pristaulacus boninensis*](#) Konishi, 1989 ^{i c g}
- [*Pristaulacus bradleyi*](#) (Brues, 1910) ^{i c g}
- [*Pristaulacus brasiliensis*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus californicus*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus canadensis*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus capitalis*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus caudatus*](#) Szépligeti, 1903 ^{i c g}
- [*Pristaulacus chlapowskii*](#) Kieffer, 1900 ^{i c g}
- [*Pristaulacus cingulatus*](#) (Westwood, 1841) ^{i c g}
- [*Pristaulacus colombianus*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus compressus*](#) (Spinola, 1808) ^{i c g}
- [*Pristaulacus comptipennis*](#) Enderlein, 1912 ^{i c g}
- [*Pristaulacus concolor*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus cordatus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus cordiformis*](#) (Crosskey, 1953) ^{i c g}
- [*Pristaulacus curryi*](#) Jennings, Austin & Stevens, 2004 ^{i c g}
- [*Pristaulacus davisii*](#) Jennings, Austin & Stevens, 2004 ^{i c g}
- [*Pristaulacus decemdentatus*](#) Kieffer, 1906 ^{i c g}
- [*Pristaulacus disjunctus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus duporti*](#) Kieffer, 1921 ^{i c g}
- [*Pristaulacus editus*](#) (Cresson, 1880) ^{i c g b}
- [*Pristaulacus emarginaticeps*](#) Turner, 1922 ^{i c g}
- [*Pristaulacus erythrocephalus*](#) Cameron, 1905 ^{i c g}
- [*Pristaulacus excisus*](#) (Turner, 1922) ^{i c g}
- [*Pristaulacus fasciatipennis*](#) Cameron, 1906 ^{i c g}
- [*Pristaulacus fasciatus*](#) (Say, 1829) ^{i c g b}
- [*Pristaulacus femurrubrum*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus fiebrigi*](#) Brèthes, 1909 ^{i c g}
- [*Pristaulacus flavicrurus*](#) (Bradley, 1901) ^{i c g b}
- [*Pristaulacus flavipennis*](#) (Cameron, 1887) ^{i c g}
- [*Pristaulacus flavoguttatus*](#) (Westwood, 1851) ^{i c g}
- [*Pristaulacus formosus*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus foxleei*](#) (Townes, 1950) ^{i c g b}

- [*Pristaulacus fulvus*](#) (Turner, 1918) ^{i c g}
- [*Pristaulacus fuscocostalis*](#) Turner, 1918 ^{i c g}
- [*Pristaulacus galitae*](#) (Gribodo, 1879) ^{i c g}
- [*Pristaulacus gibbator*](#) (Thunberg, 1822) ^{i c g}
- [*Pristaulacus gloriator*](#) (Fabricius, 1804) ^{i c g}
- [*Pristaulacus guerini*](#) (Westwood, 1851) ^{i c g}
- [*Pristaulacus haemorrhoidalis*](#) (Westwood, 1851) ^{i c g}
- [*Pristaulacus haemorrhoidellus*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus holtzi*](#) (Schulz, 1906) ^{i c g}
- [*Pristaulacus holzschuhi*](#) Madl, 1990 ^{i c g}
- [*Pristaulacus immaculatus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus insularis*](#) Konishi, 1990 ^{i c g}
- [*Pristaulacus intermedius*](#) Uchida, 1932 ^{i c g}
- [*Pristaulacus iosephi*](#) Turrisi & Madl, 2013 ^g
- [*Pristaulacus iridipennis*](#) (Cameron, 1900) ^{i c g}
- [*Pristaulacus japonicus*](#) Turrisi & Watanabe ^g
- [*Pristaulacus karinulus*](#) Smith, 2001 ^{i c g}
- [*Pristaulacus kiunga*](#) Jennings & Austin ^g
- [*Pristaulacus kostylevi*](#) (Alekseev, 1986) ^{i c g}
- [*Pristaulacus krombeini*](#) Smith, 1997 ^{i c g}
- [*Pristaulacus laloki*](#) Jennings & Austin ^g
- [*Pristaulacus lateritius*](#) (Shuckard, 1841) ^{i c g}
- [*Pristaulacus leviceps*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus lindae*](#) Turrisi, 2000 ^{i c g}
- [*Pristaulacus longicornis*](#) Kieffer, 1911 ^{i c g}
- [*Pristaulacus maculatus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus major*](#) Szépligeti, 1903 ^{i c g}
- [*Pristaulacus mandibularis*](#) Brues, 1933 ^{i c g}
- [*Pristaulacus melleus*](#) (Cresson, 1879) ^{i c g b}
- [*Pristaulacus memnonius*](#) Sun & Sheng, 2007 ^g
- [*Pristaulacus minor*](#) (Cresson, 1880) ^{i c g b}
- [*Pristaulacus montanus*](#) (Cresson, 1879) ^{i c g b}
- [*Pristaulacus morawitzi*](#) (Semenow, 1892) ^{i c g}
- [*Pristaulacus mouldsi*](#) Jennings, Austin & Stevens, 2004 ^{i c g}
- [*Pristaulacus mourguesi*](#) Maneval, 1935 ^{i c g}
- [*Pristaulacus muticus*](#) Kieffer, 1904 ^{i c g}

- [*Pristaulacus niger*](#) (Shuckard, 1841) ^{i c g b}
- [*Pristaulacus nigripes*](#) Kieffer, 1911 ^{i c g}
- [*Pristaulacus nobilei*](#) Turrisi & Smith, 2011 ^g
- [*Pristaulacus nobilis*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus occidentalis*](#) (Cresson, 1879) ^{i c g b}
- [*Pristaulacus oregonus*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus ornatus*](#) Kieffer, 1913 ^{i c g}
- [*Pristaulacus pacificus*](#) (Cresson, 1879) ^{i c g}
- [*Pristaulacus patrati*](#) (Audinet-Serville, 1833) ^{i c g}
- [*Pristaulacus pieli*](#) Kieffer, 1924 ^{i c g}
- [*Pristaulacus polychromus*](#) Kieffer, 1906 ^{i c g}
- [*Pristaulacus porcatus*](#) Sun & Sheng, 2007 ^g
- [*Pristaulacus praevolans*](#) (Brues, 1923) ^{i c g}
- [*Pristaulacus proximus*](#) Kieffer, 1906 ^{i c g}
- [*Pristaulacus punctatus*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus resutorivorus*](#) (Westwood, 1851) ^{i c g b}
- [*Pristaulacus rohweri*](#) Brues, 1910 ^{i c g}
- [*Pristaulacus rubidus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus rubriventer*](#) (Philippi, 1873) ^{i c g}
- [*Pristaulacus ruficeps*](#) (Westwood, 1851) ^{i c g}
- [*Pristaulacus ruficollis*](#) (Cameron, 1887) ^{i c g}
- [*Pristaulacus rufipes*](#) Enderlein, 1912 ^{i c g}
- [*Pristaulacus rufipilosus*](#) Uchida, 1932 ^{i c g}
- [*Pristaulacus rufitarsis*](#) (Cresson, 1864) ^{i c g b}
- [*Pristaulacus rufobalteatus*](#) (Cameron, 1907) ^{i c g}
- [*Pristaulacus rufus*](#) (Westwood, 1841) ^{i c g}
- [*Pristaulacus ryukyuiensis*](#) Konishi, 1990 ^{i c g}
- [*Pristaulacus secundus*](#) (Cockerell, 1916) ^{i c g}
- [*Pristaulacus sexdentatus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus sibiricola*](#) (Semenow, 1892) ^{i c g}
- [*Pristaulacus signatus*](#) (Shuckard, 1841) ^{i c g}
- [*Pristaulacus spinifer*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus stephanoides*](#) (Westwood, 1841) ^{i c g}
- [*Pristaulacus stigmaterus*](#) (Cresson, 1864) ^{i c g}
- [*Pristaulacus stigmaticus*](#) (Westwood, 1868) ^{i c g b}
- [*Pristaulacus strangaliae*](#) Rohwer, 1917 ^{i c g b}

- [*Pristaulacus superbus*](#) Turrisi & Konishi ^g
- [*Pristaulacus takakuwai*](#) Turrisi & Watanabe ^g
- [*Pristaulacus tonkinensis*](#) (Turner, 1919) ^{i c g}
- [*Pristaulacus torridus*](#) (Bradley, 1908) ^{i c g}
- [*Pristaulacus tricolor*](#) Szépligeti, 1903 ^{i c g}
- [*Pristaulacus tridentatus*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus tuberculiceps*](#) Turner, 1919 ^{i c g}
- [*Pristaulacus variegatus*](#) (Shuckard, 1841) ^{i c g}
- [*Pristaulacus violaceus*](#) (Bradley, 1905) ^{i c g}
- [*Pristaulacus zhejiangensis*](#) He & Ma, 2002 ^{i c g}
- [*Pristaulacus zonatipennis*](#) Roman, 1917 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 198 species in [*Prepops*](#), a genus of plant bugs in the family [*Miridae*](#).^{[1][2][3][4]}

***Prepops* species**

- [*Prepops accinctus*](#) (Distant, 1893) ^{c g}
- [*Prepops adluteiceps*](#) Carvalho, 1988 ^{c g}
- [*Prepops albomarginatus*](#) (Reuter, 1910) ^{c g}
- [*Prepops alienus*](#) (Reuter, 1910) ^{c g}
- [*Prepops anasueliae*](#) Carvalho and Fontes, 1970 ^{c g}
- [*Prepops areatus*](#) (Reuter, 1910) ^{c g}
- [*Prepops atratus*](#) (Distant, 1883) ^{c g}
- [*Prepops atripennis*](#) (Reuter, 1876) ^{i c g}
- [*Prepops atroluteus*](#) (Walker, 1873) ^{c g}
- [*Prepops bachmanni*](#) Carvalho and Carpintero, 1990 ^{c g}
- [*Prepops bahiensis*](#) Carvalho, 1975 ^{c g}
- [*Prepops banosus*](#) Carvalho, 1988 ^{c g}
- [*Prepops barueriensis*](#) Carvalho, 1988 ^{c g}
- [*Prepops bastensis*](#) Carvalho and Costa, 1991 ^{c g}
- [*Prepops bechynei*](#) Carvalho, 1988 ^{c g}
- [*Prepops beniensis*](#) Carvalho, 1988 ^{c g}
- [*Prepops bicolor*](#) (Distant, 1883) ^c

- [Prepops bicoloroides](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops bivittatus](#) (Stål, 1860) ^{c g}
- [Prepops bivittis](#) (Stål, 1862) ^{i c g b}
- [Prepops bolivianus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops borealis](#) (Knight, 1923) ^{i c g b}
- [Prepops caatinganus](#) Carvalho, 1988 ^{c g}
- [Prepops cajuruensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops caliensis](#) Carvalho, 1989 ^{c g}
- [Prepops candelariensis](#) Hernandez and Henry, 2010 ^{c g}
- [Prepops canelae](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops caracensis](#) Carvalho, 1974 ^{c g}
- [Prepops carioca](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops casualis](#) Carvalho, 1988 ^{c g}
- [Prepops catamarcanus](#) Carvalho, 1988 ^{c g}
- [Prepops catarinensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops championi](#) (Carvalho, 1952) ^{c g}
- [Prepops chanchamaianus](#) Carvalho, 1988 ^{c g}
- [Prepops circumcinctus](#) (Say, 1832) ^{i c g b}
- [Prepops circummaculatus](#) (Stål, 1854) ^{c g}
- [Prepops columbiensis](#) (Carvalho and Fontes, 1972) ^{c g}
- [Prepops comarapanus](#) Carvalho, 1988 ^{c g}
- [Prepops commissuralis](#) (Reuter, 1910) ^{c g}
- [Prepops concinnoides](#) Carvalho, 1988 ^{c g}
- [Prepops concinnus](#) (Stål, 1860) ^{c g}
- [Prepops concisus](#) (Knight, 1929) ^{i c g}
- [Prepops confraternus](#) (Uhler, 1872) ^{i c g}
- [Prepops cordobanus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops correntinoides](#) Carvalho and Carpintero, 1987 ^{c g}
- [Prepops costalis](#) (Stål, 1860) ^{c g}
- [Prepops crassicornis](#) (Reuter, 1910) ^{c g}
- [Prepops cruciferoides](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops crucifera](#) (Berg, 1879) ^{i c g}
- [Prepops cruxnigra](#) (Reuter, 1910) ^{c g}
- [Prepops cubanus](#) Carvalho and Schaffner, 1974 ^{c g}
- [Prepops cuzcoensis](#) Carvalho, 1988 ^{c g}
- [Prepops decoratus](#) (Reuter, 1910) ^{c g}

- [Prepops diamantinensis](#) Carvalho, 1984 ^{c g}
- [Prepops diminutus](#) Carvalho and Fontes, 1973 ^{i c g}
- [Prepops dissociatus](#) (Berg, 1892) ^{c g}
- [Prepops divisus](#) (Herrich-Schaeffer, 1850) ^{i c g}
- [Prepops englemani](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops entrerianus](#) Carvalho and Carpintero, 1987 ^{c g}
- [Prepops eremicola](#) (Knight, 1929) ^{i c g}
- [Prepops erubescens](#) (Distant, 1883) ^{c g}
- [Prepops falloui](#) (Bergroth, 1898) ^{c g}
- [Prepops fernandopolis](#) Carvalho, 1988 ^{c g}
- [Prepops fiuzai](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops flavicostus](#) (Berg, 1884) ^{c g}
- [Prepops flavoniger](#) (Stål, 1860) ^{c g}
- [Prepops flavovarius](#) (Reuter, 1910) ^{c g}
- [Prepops fragosoi](#) Carvalho, 1988 ^{c g}
- [Prepops fraterculus](#) (Knight, 1923) ^{i c g}
- [Prepops fraternus](#) (Knight, 1923) ^{i c g b}
- [Prepops frontalis](#) (Reuter, 1905) ^{i c g}
- [Prepops goianus](#) Carvalho and Costa, 1992 ^{c g}
- [Prepops gracilis](#) (Reuter, 1910) ^{c g}
- [Prepops guanduensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops guaranianus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops guttaticeps](#) (Reuter, 1910) ^{c g}
- [Prepops hambletoni](#) Carvalho, 1988 ^{c g}
- [Prepops hogbergi](#) (Stål, 1862) ^{c g}
- [Prepops horvathi](#) (Reuter, 1910) ^{c g}
- [Prepops howardi](#) (Reuter, 1910) ^{c g}
- [Prepops huanucanus](#) Carvalho, 1974 ^{c g}
- [Prepops huascaraiensis](#) Carvalho, 1988 ^{c g}
- [Prepops iconnicoffi](#) (Reuter, 1910) ^{c g}
- [Prepops iguazuensis](#) Carvalho and Carpintero, 1987 ^{c g}
- [Prepops imperatrizensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops insignis](#) (Say, 1832) ^{i c g}
- [Prepops insitivoides](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops insitivus](#) (Say, 1832) ^{i c g b}
- [Prepops interpunctus](#) (Distant, 1883) ^{c g}

- [*Prepops itatiaiensis*](#) Carvalho and Fontes, 1968 ^{c g}
- [*Prepops jamaicensis*](#) (Walker, 1873) ^{c g}
- [*Prepops koschevnikovi*](#) (Reuter, 1910) ^{c g}
- [*Prepops latipennis*](#) (Stål, 1862) ^{c g}
- [*Prepops liliae*](#) Carvalho, 1988 ^{c g}
- [*Prepops limbicollis*](#) (Reuter, 1910) ^{c g}
- [*Prepops lineatus*](#) Carvalho, 1975 ^{c g}
- [*Prepops lopesi*](#) Carvalho and Fontes, 1973 ^{c g}
- [*Prepops luteiceps*](#) (Stål, 1859) ^{c g}
- [*Prepops luteofasciatus*](#) (Distant, 1883) ^{c g}
- [*Prepops maldonadoi*](#) Carvalho and Fontes, 1973 ^{c g}
- [*Prepops malkini*](#) Carvalho, 1988 ^{c g}
- [*Prepops marginalis*](#) (Reuter, 1910) ^{c g}
- [*Prepops mariliensis*](#) Carvalho and Costa, 1991 ^{c g}
- [*Prepops meinerti*](#) (Reuter, 1905) ^{c g}
- [*Prepops mielkei*](#) Carvalho, 1988 ^{c g}
- [*Prepops mimosus*](#) Carvalho and Fontes, 1970 ^{c g}
- [*Prepops minensis*](#) Carvalho and Fontes, 1970 ^{c g}
- [*Prepops minutulus*](#) (Reuter, 1910) ^{c g}
- [*Prepops missiones*](#) Carvalho, 1988 ^{c g}
- [*Prepops montevidensis*](#) (Berg, 1883) ^{c g}
- [*Prepops montivagus*](#) (Distant, 1883) ^{c g}
- [*Prepops nicaraguensis*](#) Carvalho and Schaffner, 1987 ^{c g}
- [*Prepops nigricollis*](#) (Reuter, 1876) ^{i c g}
- [*Prepops nigripennis*](#) (Stål, 1860) ^{c g}
- [*Prepops nigripilus*](#) (Knight, 1929) ^{i c g b}
- [*Prepops nigritus*](#) Carvalho, 1988 ^{c g}
- [*Prepops nigroscutellatus*](#) (Knight, 1923) ^{i c g}
- [*Prepops nigrus*](#) Carvalho and Fontes, 1970 ^{c g}
- [*Prepops nitidipennis*](#) (Reuter, 1910) ^{c g}
- [*Prepops nobilis*](#) (Reuter, 1910) ^{c g}
- [*Prepops notaticollis*](#) (Reuter, 1910) ^{c g}
- [*Prepops nuevoleonensis*](#) Carvalho and Schaffner, 1987 ^{c g}
- [*Prepops oaxacaenus*](#) Carvalho and Schaffner, 1974 ^{c g}
- [*Prepops obscurans*](#) (Distant, 1883) ^{c g}
- [*Prepops olmosensis*](#) Carvalho, 1988 ^{c g}

- [Prepops omphalophorus](#) (Reuter, 1910) ^{c g}
- [Prepops palatanganus](#) Carvalho, 1988 ^{c g}
- [Prepops paraensis](#) Carvalho and Fontes, 1971 ^{c g}
- [Prepops paraguayiensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops paranaensis](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops patricius](#) (Reuter, 1910) ^{c g}
- [Prepops paulistanus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops pauloi](#) Carvalho, 1988 ^{c g}
- [Prepops pentheri](#) (Reuter, 1907) ^{c g}
- [Prepops persignandus](#) (Distant, 1883) ^{i c g}
- [Prepops persimilis](#) (Reuter, 1907) ^{c g}
- [Prepops peruvianus](#) (Reuter, 1910) ^{c g}
- [Prepops piraporanus](#) Carvalho, 1988 ^{c g}
- [Prepops platensis](#) (Berg, 1878) ^{c g}
- [Prepops plaumann](#) Carvalho, 1989 ^{c g}
- [Prepops plenus](#) (Distant, 1883) ^{c g}
- [Prepops poppii](#) (Bergroth, 1910) ^{c g}
- [Prepops prepopsoides](#) Carvalho, 1974 ^{c g}
- [Prepops procorrentinus](#) Carvalho and Carpintero, 1992 ^{c g}
- [Prepops quadriguttatus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops riocensis](#) Carvalho, 1988 ^{c g}
- [Prepops robustus](#) (Reuter, 1913) ⁱ
- [Prepops rollei](#) (Reuter, 1910) ^{c g}
- [Prepops rondoniensis](#) Carvalho, 1988 ^{c g}
- [Prepops roppai](#) Carvalho, 1974 ^{c g}
- [Prepops rubellicollis](#) (Knight, 1923) ^{i c g}
- [Prepops rubroscutellatus](#) (Knight, 1929) ^{i c g b}
- [Prepops rubrovittatus](#) (Stål, 1862) ^{i c g b}
- [Prepops rufocapitis](#) Carvalho and Fontes, 1971 ^{c g}
- [Prepops rurrenabaquensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops saltensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops santiagoensis](#) Hernandez and Henry, 2010 ^{c g}
- [Prepops schaffneri](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops semifemoratus](#) Carvalho and Costa, 1992 ^{c g}
- [Prepops seminiger](#) (Stål, 1860) ^{c g}
- [Prepops serranus](#) Carvalho and Fontes, 1969 ^{c g}

- [Prepops setosipes](#) (Reuter, 1910) ^{c g}
- [Prepops signifer](#) (Reuter, 1910) ^{c g}
- [Prepops similaris](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops simplex](#) (Kuhlgatz, 1902) ^{c g}
- [Prepops stricturalis](#) (Reuter, 1910) ^{c g}
- [Prepops subandinus](#) Carvalho and Wallerstein, 1978 ^{c g}
- [Prepops subannulatus](#) (Stål, 1860) ^{c g}
- [Prepops subsimilis](#) (Reuter, 1907) ^{c g}
- [Prepops teapensis](#) (Distant, 1893) ^{c g}
- [Prepops teutonianus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops teutoniensis](#) Carvalho, 1993 ^{c g}
- [Prepops thoracicus](#) (Distant, 1883) ^{c g}
- [Prepops tingoensis](#) Carvalho, 1988 ^{c g}
- [Prepops tiquiensis](#) Carvalho, 1988 ^{c g}
- [Prepops trilineatus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops tristicolor](#) (Reuter, 1910) ^{c g}
- [Prepops trivittatus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops trujilloi](#) (Distant, 1893) ^{c g}
- [Prepops tucumanensis](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops tupianus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops turrialbanus](#) Carvalho and Schaffner, 1974 ^{c g}
- [Prepops ubirajarai](#) Carvalho, 1989 ^{c g}
- [Prepops univittatoides](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops univittatus](#) (Berg, 1878) ^{c g}
- [Prepops uruguayensis](#) (Berg, 1883) ^{c g}
- [Prepops variabilis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops vianai](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops vissosensis](#) Carvalho, 1988 ^{c g}
- [Prepops vittatus](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops vitticollis](#) (Reuter, 1910) ^{c g}
- [Prepops vittifrons](#) (Stål, 1862) ^{c g}
- [Prepops wallersteini](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops wanderbilti](#) Carvalho, 1988 ^{c g}
- [Prepops xavantinooides](#) Carvalho and Fontes, 1972 ^{c g}
- [Prepops xavantinus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops zetterstedti](#) (Stål, 1860) ^{c g}

- [*Prepops zonatus*](#) (Knight, 1926)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Prepops Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-18.
 - ["Browse Prepops"](#). Catalogue of Life. Retrieved 2018-03-18.
 - ["Prepops"](#). GBIF. Retrieved 2018-03-18.
 -
4. ["Prepops Genus Information"](#). BugGuide.net. Retrieved 2018-03-18.

Categories:

- [Restheniini](#)
- [Lists of insect species](#)
-

These species belong to [Ponana](#), a genus of leafhoppers in the family [Cicadellidae](#).^{[1][2]}

Ponana species

- [Ponana aenea](#)
- [Ponana albosignata](#)
- [Ponana amana](#) DeLong, [Wolda](#) & Estribi, 1983
- [Ponana ampa](#) DeLong, 1977
- [Ponana anela](#) DeLong & Freytag, 1967
- [Ponana anepa](#) DeLong & Freytag, 1967
- [Ponana aquila](#)
- [Ponana areya](#) DeLong, 1981
- [Ponana atea](#) DeLong & Freytag, 1967
- [Ponana aurata](#) DeLong & Freytag, 1967
- [Ponana avena](#) DeLong & Freytag, 1967
- [Ponana balloui](#) DeLong, 1981
- [Ponana bera](#) DeLong & Freytag, 1967
- [Ponana berta](#) DeLong & Freytag, 1967
- [Ponana bisignata](#) Fowler, 1903
- [Ponana bola](#) DeLong & Freytag, 1967

- [*Ponana boquetea*](#) DeLong, Wolda & Estribi, 1983
- [*Ponana cacozeia*](#)
- [*Ponana candida*](#)
- [*Ponana cephalata*](#) DeLong, 1977
- [*Ponana cerella*](#) DeLong & Freytag, 1967
- [*Ponana cerosa*](#) DeLong & Freytag, 1967
- [*Ponana cesta*](#) DeLong & Freytag, 1967
- [*Ponana chiapa*](#) DeLong & Freytag, 1967
- [*Ponana cincta*](#) DeLong & Freytag, 1967
- [*Ponana citrina*](#) (Spangberg, 1878)
- [*Ponana clavella*](#) DeLong, Wolda & Estribi, 1983
- [*Ponana clea*](#) DeLong & Freytag, 1967
- [*Ponana conspersa*](#) Spångberg, 1878
- [*Ponana curiata*](#) Gibson, 1919
- [*Ponana dana*](#) DeLong & Freytag, 1967
- [*Ponana demela*](#) DeLong & Freytag, 1967
- [*Ponana distortia*](#) DeLong & Freytag, 1967
- [*Ponana divergens*](#) DeLong & Freytag, 1967
- [*Ponana divisa*](#) DeLong & Cwikla, 1988
- [*Ponana dohrni*](#)
- [*Ponana dulera*](#) DeLong & Freytag, 1967
- [*Ponana extensa*](#) DeLong, 1942
- [*Ponana fastosa*](#) Metcalf & Bruner, 1949
- [*Ponana floridana*](#)
- [*Ponana fortina*](#) DeLong & Freytag, 1967
- [*Ponana fuscara*](#) DeLong & Martinson, 1980
- [*Ponana guatama*](#) DeLong & Freytag, 1967
- [*Ponana hieroglyphica*](#) Fowler, 1903
- [*Ponana hilara*](#) DeLong & Martinson, 1973
- [*Ponana inflata*](#) DeLong, 1942
- [*Ponana integra*](#) DeLong, 1942
- [*Ponana irheae*](#) DeLong, Wolda & Estribi, 1983
- [*Ponana limbatipennis*](#)
- [*Ponana limonea*](#)
- [*Ponana magna*](#) Caldwell, 1952
- [*Ponana meadi*](#) DeLong & Martinson, 1980
- [*Ponana mexella*](#) DeLong & Freytag, 1967
- [*Ponana modesta*](#) Spångberg, 1883
- [*Ponana notula*](#) Fowler, 1903
- [*Ponana occlusa*](#)
- [*Ponana ornatata*](#) DeLong & Kolbe, 1974
- [*Ponana ornatella*](#) DeLong, 1981

- [Ponana ortha](#) DeLong, Wolda & Estribi, 1983
- [Ponana pamana](#) DeLong & Freytag, 1967
- [Ponana pana](#) DeLong & Freytag, 1967
- [Ponana panera](#) DeLong & Martinson, 1973
- [Ponana pauperata](#)
- [Ponana pectoralis](#) (Spangberg, 1878)
- [Ponana pertenua](#) DeLong, 1977
- [Ponana perusana](#) DeLong, 1980
- [Ponana propior](#)
- [Ponana puertoricensis](#) Caldwell, 1952
- [Ponana punctatella](#)
- [Ponana puncticollis](#) (Spangberg, 1878)
- [Ponana punctipennis](#)
- [Ponana pura](#) DeLong, 1942
- [Ponana quadralaba](#) DeLong, 1942
- [Ponana quadriproba](#) DeLong, Wolda & Estribi, 1983
- [Ponana reservanda](#) Fowler, 1903
- [Ponana rubida](#) DeLong, 1942
- [Ponana rubrapuncta](#)
- [Ponana sandersi](#) DeLong, 1977
- [Ponana scarlatina](#) (Fitch, 1851)
- [Ponana sena](#) DeLong & Martinson, 1973
- [Ponana seresa](#) DeLong & Martinson, 1973
- [Ponana serrella](#) DeLong & Martinson, 1973
- [Ponana serrens](#) DeLong, 1977
- [Ponana sonora](#) Ball
- [Ponana sparsa](#)
- [Ponana tabula](#) DeLong & Martinson, 1973
- [Ponana tama](#) DeLong & Freytag, 1967
- [Ponana tamala](#) DeLong & Freytag, 1967
- [Ponana tena](#) DeLong & Freytag, 1967
- [Ponana tresa](#) DeLong & Freytag, 1967
- [Ponana tura](#) DeLong & Freytag, 1967
- [Ponana valeda](#) DeLong & Freytag, 1967
- [Ponana vandera](#) DeLong & Freytag, 1967
- [Ponana vebera](#) DeLong & Freytag, 1967
- [Ponana vedala](#) DeLong & Freytag, 1967
- [Ponana velora](#) DeLong & Freytag, 1967
- [Ponana vinula](#) Stål, 1864
- [Ponana virga](#) DeLong, Wolda & Estribi, 1983
- [Ponana volara](#) DeLong & Freytag, 1967
- [Ponana vulana](#) DeLong & Freytag, 1967

- [*Ponana woodruffi*](#) DeLong & Martinson, 1980
- [*Ponana xarela*](#) DeLong & Freytag, 1967
- [*Ponana xella*](#) DeLong & Freytag, 1967
- [*Ponana xena*](#) DeLong & Freytag, 1967
- [*Ponana xila*](#) DeLong & Freytag, 1967
- [*Ponana xola*](#) DeLong & Freytag, 1967
- [*Ponana yena*](#) DeLong & Freytag, 1967
- [*Ponana yera*](#) DeLong & Freytag, 1967
- [*Ponana yura*](#) DeLong & Freytag, 1967

References

1.
 - [*"Ponana"*](#). GBIF. Retrieved 2020-11-02.
 -
2. [*"Ponana genus Information"*](#). BugGuide.net. Retrieved 2020-11-02.

Categories:

- [Cicadellidae](#)
- [Lists of insect species](#)
-

From Wikipedia, the free encyclopedia

Polyrhachis is a large [genus](#) of [formicine ants](#) found in the [Old World](#). As of 2026, it comprises 712 [species](#) and numerous [subspecies](#). One species, *[Polyrhachis annosa](#)*, is extinct. This list of species is based on AntCat.^{[\[1\]](#)}

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [See also](#)
- [References](#)

A

- [*Polyrhachis abbreviata*](#) Kohout, 2006
- [*Polyrhachis abdita*](#) Kohout, 2007
- [*Polyrhachis abdominalis*](#) Smith, F., 1858



P. abdominalis

- [*Polyrhachis aberrans*](#) Kohout, 2008
- [*Polyrhachis abnormis*](#) Donisthorpe, 1948
- [*Polyrhachis abrupta*](#) Mayr, 1867
- [*Polyrhachis achterbergi*](#) Kohout, 2006
- [*Polyrhachis aculeata*](#) Mayr, 1879
- [*Polyrhachis acuminata*](#) Kohout, 2007

- [*Polyrhachis aenescens*](#) Stitz, 1910
- [*Polyrhachis aequalis*](#) Forel, 1910
- [*Polyrhachis aérope*](#) Wheeler, 1922
- [*Polyrhachis agesilas*](#) Forel, 1913
- [*Polyrhachis alata*](#) Forel, 1904
- [*Polyrhachis alatisquamis*](#) Forel, 1893
- [*Polyrhachis albertisi*](#) Emery, 1887
- [*Polyrhachis alexisi*](#) Forel, 1916
- [*Polyrhachis alluaudi*](#) Emery, 1892
- [*Polyrhachis alpea*](#) Smith, 1863
- [*Polyrhachis alphena*](#) Smith, 1860
- [*Polyrhachis amana*](#) Smith, 1861
- [*Polyrhachis ammon*](#) (Fabricius, 1775)



P. ammon

- [*Polyrhachis ammonoeides*](#) Roger, 1863
- [*Polyrhachis anderseni*](#) Kohout, 2013
- [*Polyrhachis andrei*](#) Emery, 1921
- [*Polyrhachis andromache*](#) Roger, 1863
- [*Polyrhachis angusta*](#) Forel, 1902
- [*Polyrhachis annae*](#) Mann, 1919
- [*Polyrhachis annulata*](#) Kohout, 2007
- [*Polyrhachis antennata*](#) Viehmeyer, 1912
- [*Polyrhachis antoniae*](#) Stitz, 1911
- [*Polyrhachis aporema*](#) Kohout, 2006
- [*Polyrhachis appendiculata*](#) Emery, 1893
- [*Polyrhachis arachne*](#) Emery, 1896
- [*Polyrhachis arborea*](#) Kohout, 2006
- [*Polyrhachis archeri*](#) Kohout, 2013
- [*Polyrhachis arcuata*](#) (Le Guillou, 1842)
- [*Polyrhachis argenteosignata*](#) Emery, 1900
- [*Polyrhachis argentosa*](#) Forel, 1902
- [*Polyrhachis armata*](#) (Le Guillou, 1842)




P. armata

- [*Polyrhachis arnoldi*](#) Forel, 1914
- [*Polyrhachis aruensis*](#) Viehmeyer, 1912
- [*Polyrhachis asomaningi*](#) Bolton, 1973
- [*Polyrhachis aspasia*](#) Forel, 1911
- [*Polyrhachis atossa*](#) Forel, 1913
- [*Polyrhachis atropos*](#) Smith, 1860
- [*Polyrhachis atrovirens*](#) Emery, 1900
- [*Polyrhachis aurea*](#) Mayr, 1876



P. aurea

- [*Polyrhachis aureovestita*](#) Donisthorpe, 1937
- [*Polyrhachis auriformis*](#) Donisthorpe, 1943
- [*Polyrhachis aurita*](#) Emery, 1911
- [*Polyrhachis aurora*](#) Kohout, 2013
- [*Polyrhachis australis*](#) Mayr, 1870



P. australis

B

- [*Polyrhachis baca*](#) Sorger & Zettel, 2010
- [*Polyrhachis bakana*](#) Xu, 1998
- [*Polyrhachis bakeri*](#) Viehmeyer, 1916
- [*Polyrhachis bamaga*](#) Kohout, 1990
- [*Polyrhachis banghaasi*](#) Viehmeyer, 1922
- [*Polyrhachis barretti*](#) Clark, 1928
- [*Polyrhachis barryi*](#) Kohout, 2006
- [*Polyrhachis basirufa*](#) Emery, 1900
- [*Polyrhachis batesi*](#) Forel, 1911
- [*Polyrhachis beauforti*](#) Emery, 1911
- [*Polyrhachis beccarii*](#) Mayr, 1872
- [*Polyrhachis becvari*](#) Zettel & Ockermüller, 2023
- [*Polyrhachis bedeloweryi*](#) Kohout, 2006
- [*Polyrhachis bedoti*](#) Forel, 1902
- [*Polyrhachis bellicosa*](#) Smith, 1859
- [*Polyrhachis bicolor*](#) Smith, 1858



P. bicolor

- [*Polyrhachis bihamata*](#) (Drury, 1773)



P. bihamata

- [*Polyrhachis binghamii*](#) Forel, 1893
- [*Polyrhachis bismarckensis*](#) Forel, 1901
- [*Polyrhachis bispinosa*](#) Kohout, 2013
- [*Polyrhachis bohemia*](#) Kohout, 2013
- [*Polyrhachis boltoni*](#) Dorow & Kohout, 1995
- [*Polyrhachis bosi*](#) Kohout, 2008

- [*Polyrhachis bouvieri*](#) Santschi, 1928
- [*Polyrhachis brachyspina*](#) Kohout, 2008
- [*Polyrhachis braxa*](#) Bolton, 1973
- [*Polyrhachis brendelli*](#) Kohout, 2008
- [*Polyrhachis breviata*](#) Kohout, 2007
- [*Polyrhachis brevicorpa*](#) Xu, 2002
- [*Polyrhachis brevinoda*](#) Kohout, 2006
- [*Polyrhachis breviorspinosa*](#) Donisthorpe, 1947
- [*Polyrhachis brevopilosa*](#) Rigato, 2016
- [*Polyrhachis brisbanensis*](#) Kohout, 2013



P. brisbanensis

- [*Polyrhachis browni*](#) Kohout, 2008
- [*Polyrhachis bruehli*](#) Kohout, 2006
- [*Polyrhachis brutella*](#) Kohout, 2013
- [*Polyrhachis bubastes*](#) Smith, 1863
- [*Polyrhachis bugnioni*](#) Forel, 1908
- [*Polyrhachis burmanensis*](#) Donisthorpe, 1938
- [*Polyrhachis burwelli*](#) Kohout, 2013
- [*Polyrhachis busiris*](#) Smith, 1860

C

- [*Polyrhachis caeciliae*](#) Forel, 1912
- [*Polyrhachis callima*](#) Kohout, 2013
- [*Polyrhachis calliope*](#) Emery, 1900
- [*Polyrhachis calypso*](#) Forel, 1911
- [*Polyrhachis campbelli*](#) Mann, 1919
- [*Polyrhachis capeyorkensis*](#) Kohout, 2013
- [*Polyrhachis capillata*](#) Kohout, 2013
- [*Polyrhachis captiva*](#) Kohout, 2013
- [*Polyrhachis carbonaria*](#) Smith, 1857
- [*Polyrhachis carinata*](#) Fabricius, 1804
- [*Polyrhachis castaneiventris*](#) Smith, 1858
- [*Polyrhachis caulomma*](#) Viehmeyer, 1914
- [*Polyrhachis cedarensis*](#) Forel, 1915

- [*Polyrhachis celebensis*](#) Viehmeyer, 1913
- [*Polyrhachis cephalotes*](#) Emery, 1893
- [*Polyrhachis ceramensis*](#) Mayr, 1883
- [*Polyrhachis chaita*](#) Kohout, 2008
- [*Polyrhachis chalybea*](#) Smith, 1857



P. chalybea

- [*Polyrhachis chapmani*](#) Kohout, 2006
- [*Polyrhachis charaxa*](#) Smith, 1860
- [*Polyrhachis chartifex*](#) Emery, 1900
- [*Polyrhachis cheesmanae*](#) Donisthorpe, 1937
- [*Polyrhachis cincta*](#) Viehmeyer, 1913
- [*Polyrhachis cingula*](#) Donisthorpe, 1947
- [*Polyrhachis circumdata*](#) Viehmeyer, 1913
- [*Polyrhachis clarkei*](#) Donisthorpe, 1949
- [*Polyrhachis clarki*](#) Kohout, 2013
- [*Polyrhachis cleopatra*](#) Forel, 1902



P. cleopatra

- [*Polyrhachis cleophanes*](#) Smith, 1861

- [*Polyrhachis clio*](#) Forel, 1902



P. clio

- [*Polyrhachis clotho*](#) Forel, 1902
- [*Polyrhachis coerulescens*](#) Emery, 1897
- [*Polyrhachis cognata*](#) Kohout, 2008
- [*Polyrhachis compressicornis*](#) Smith, 1860
- [*Polyrhachis concava*](#) Andre, 1889
- [*Polyrhachis conciliata*](#) Kohout, 2013
- [*Polyrhachis confusa*](#) Wong & Guénard, 2020
- [*Polyrhachis conops*](#) Forel, 1901
- [*Polyrhachis consimilis*](#) Smith, 1858
- [*Polyrhachis conspicua*](#) Kohout, 2006
- [*Polyrhachis constricta*](#) Emery, 1897
- [*Polyrhachis constructor*](#) Smith, 1857
- [*Polyrhachis contemta*](#) Mayr, 1876
- [*Polyrhachis continua*](#) Emery, 1887
- [*Polyrhachis convexa*](#) Roger, 1863
- [*Polyrhachis cornihumera*](#) Xu, 2002
- [*Polyrhachis cornuhumera*](#) Zhou & Huang, 2002
- [*Polyrhachis cornuta*](#) Stitz, 1910
- [*Polyrhachis corporaali*](#) Santschi, 1928
- [*Polyrhachis costulata*](#) Emery, 1897
- [*Polyrhachis cracenta*](#) Kohout, 2013
- [*Polyrhachis craddocki*](#) Bingham, 1903
- [*Polyrhachis crassispinosa*](#) Viehmeyer, 1914
- [*Polyrhachis crawleyi*](#) Forel, 1916
- [*Polyrhachis creusa*](#) Emery, 1897
- [*Polyrhachis croceiventris*](#) Emery, 1900
- [*Polyrhachis cryptoceroides*](#) Emery, 1887
- [*Polyrhachis cubaensis*](#) Mayr, 1862
- [*Polyrhachis cupreata*](#) Emery, 1895



P. cupreata


- [*Polyrhachis curta*](#) Emery, 1890
- [*Polyrhachis curvispina*](#) Forel, 1908
- [*Polyrhachis cyaniventris*](#) Smith, 1858
- [*Polyrhachis cybele*](#) Wheeler, 1919
- [*Polyrhachis cydista*](#) Kohout, 2008
- [*Polyrhachis cyphonota*](#) Xu, 1998
- [*Polyrhachis cyrus*](#) Forel, 1901



P. cyrus

D


- [*Polyrhachis daemeli*](#) Mayr, 1876



P. daemeli

- [*Polyrhachis dahlui*](#) Forel, 1901
- [*Polyrhachis danum*](#) Kohout, 2006
- [*Polyrhachis daphne*](#) Wheeler, 1919
- [*Polyrhachis darlingtoni*](#) Kohout, 2013
- [*Polyrhachis davydovi*](#) Karavaiev, 1927

- [*Polyrhachis debilis*](#) Emery, 1887
- [*Polyrhachis decellei*](#) Bolton, 1973
- [*Polyrhachis decemdentata*](#) Andre, 1889
- [*Polyrhachis deceptor*](#) Kohout, 2008
- [*Polyrhachis decipiens*](#) Roger, 1863
- [*Polyrhachis decora*](#) Kohout, 2007
- [*Polyrhachis decumbens*](#) Kohout, 2006
- [*Polyrhachis delecta*](#) Kohout, 2006
- [*Polyrhachis delicata*](#) Crawley, 1915
- [*Polyrhachis demangei*](#) Santschi, 1910



P. demangei

- [*Polyrhachis denselineata*](#) Viehmeyer, 1914
- [*Polyrhachis dentata*](#) Donisthorpe, 1947
- [*Polyrhachis denticulata*](#) Karavaiev, 1927
- [*Polyrhachis dentihumera*](#) Xu, 2002
- [*Polyrhachis derecyna*](#) Smith, 1871
- [*Polyrhachis diana*](#) Wheeler, 1909
- [*Polyrhachis diaphanta*](#) Smith, 1861
- [*Polyrhachis dimoculata*](#) Kohout, 2013
- [*Polyrhachis diotima*](#) Forel, 1911
- [*Polyrhachis dispar*](#) Kohout, 2010
- [*Polyrhachis diversa*](#) Kohout, 2013
- [*Polyrhachis dives*](#) Smith, 1857
- [*Polyrhachis dohrni*](#) Forel, 1901
- [*Polyrhachis dolomedes*](#) Smith, 1863
- [*Polyrhachis dorowi*](#) Kohout, 2009
- [*Polyrhachis dorsena*](#) Kohout, 2006
- [*Polyrhachis dostali*](#) Zettel, 2019
- [*Polyrhachis doudou*](#) Rigato, 2016
- [*Polyrhachis dougcooki*](#) Kohout, 2013

- [*Polyrhachis dubia*](#) Rigato, 2016
- [*Polyrhachis durbanensis*](#) Forel, 1914
- [*Polyrhachis durvillei*](#) Donisthorpe, 1938

E

- [*Polyrhachis edentula*](#) Emery, 1900
- [*Polyrhachis edwardi*](#) Donisthorpe, 1948
- [*Polyrhachis electra*](#) Kohout, 2013
- [*Polyrhachis elegantula*](#) Kohout, 2013
- [*Polyrhachis elii*](#) Emery, 1900
- [*Polyrhachis emeryana*](#) Mann, 1919
- [*Polyrhachis emmae*](#) Santschi, 1920
- [*Polyrhachis empesoi*](#) Kohout, 2006
- [*Polyrhachis enigma*](#) Kohout, 2006
- [*Polyrhachis epinotalis*](#) Santschi, 1924
- [*Polyrhachis equina*](#) Smith, 1857
- [*Polyrhachis erato*](#) Forel, 1902



P. erato

- [*Polyrhachis eremita*](#) Kohout, 1990
- [*Polyrhachis erosispina*](#) Emery, 1900
- [*Polyrhachis esarata*](#) Bolton, 1973
- [*Polyrhachis escherichi*](#) Viehmeyer, 1914
- [*Polyrhachis esuriens*](#) Emery, 1897
- [*Polyrhachis etheli*](#) Chapman, 1963
- [*Polyrhachis eureka*](#) Kohout, 2013
- [*Polyrhachis euryala*](#) Smith, 1863
- [*Polyrhachis eurynota*](#) Emery, 1897
- [*Polyrhachis euterpe*](#) Forel, 1902
- [*Polyrhachis euthiacaena*](#) Zhou & Zheng, 1997
- [*Polyrhachis exarata*](#) Emery, 1887
- [*Polyrhachis excellens*](#) Viehmeyer, 1912
- [*Polyrhachis excisa*](#) Mayr, 1867
- [*Polyrhachis excitata*](#) Viehmeyer, 1913
- [*Polyrhachis exercita*](#) (Walker, 1859)

- [*Polyrhachis exotica*](#) Kohout, 1987
- [*Polyrhachis expressa*](#) Kohout, 2006

F

- [*Polyrhachis feehani*](#) Kohout, 2013
- [*Polyrhachis fellowesi*](#) Wong & Guénard, 2020
- [*Polyrhachis femorata*](#) Smith, 1858



P. femorata

- [*Polyrhachis fervens*](#) Smith, 1860
- [*Polyrhachis festina*](#) Kohout, 2008
- [*Polyrhachis fisheri*](#) Rigato, 2016
- [*Polyrhachis fissa*](#) Mayr, 1902
- [*Polyrhachis flavibasis*](#) Clark, 1930



P. flavibasis

- [*Polyrhachis flavicornis*](#) Smith, 1857
- [*Polyrhachis flavoflagellata*](#) Karavaiev, 1927
- [*Polyrhachis follicula*](#) Menozzi, 1926
- [*Polyrhachis foreli*](#) Kohout, 1989



P. foreli

- [*Polyrhachis fornicata*](#) Emery, 1900
- [*Polyrhachis fortis*](#) Emery, 1893
- [*Polyrhachis frauenfeldi*](#) Mayr, 1862
- [*Polyrhachis fruhstorferi*](#) Emery, 1898




P. f. varicolor

- [*Polyrhachis fulakora*](#) Mann, 1919
- [*Polyrhachis fulgens*](#) Viehmeyer, 1912
- [*Polyrhachis furcata*](#) Smith, 1858
- [*Polyrhachis furcula*](#) Emery, 1911
- [*Polyrhachis fuscipes*](#) Mayr, 1862

G

- [*Polyrhachis gab*](#) Forel, 1879
- [*Polyrhachis gagates*](#) Smith, 1858



P. gagates

- [*Polyrhachis gamaii*](#) Santschi, 1917

- [*Polyrhachis garbhangaensis*](#) Sharma et al., 2026
- [*Polyrhachis gazelle*](#) Kohout, 2013
- [*Polyrhachis geminata*](#) Mann, 1919
- [*Polyrhachis gentilis*](#) Kohout, 2007
- [*Polyrhachis geometrica*](#) Smith, 1859
- [*Polyrhachis gerstaeckeri*](#) Forel, 1886
- [*Polyrhachis gestroi*](#) Emery, 1900
- [*Polyrhachis gibba*](#) Emery, 1901
- [*Polyrhachis gibbosa*](#) Forel, 1908
- [*Polyrhachis gibbula*](#) Rigato, 2016
- [*Polyrhachis glabrinota*](#) Clark, 1930
- [*Polyrhachis glykera*](#) Forel, 1912
- [*Polyrhachis gobini*](#) Kohout, 2008
- [*Polyrhachis goramensis*](#) Emery, 1887
- [*Polyrhachis gracilior*](#) Forel, 1893
- [*Polyrhachis grandis*](#) Donisthorpe, 1949
- [*Polyrhachis gravis*](#) Clark, 1930
- [*Polyrhachis greensladei*](#) Kohout, 1990
- [*Polyrhachis gressitti*](#) Kohout, 2007
- [*Polyrhachis gribodoi*](#) Emery, 1887
- [*Polyrhachis grisescens*](#) Emery, 1895
- [*Polyrhachis guerini*](#) Roger, 1863

H

- [*Polyrhachis halidayi*](#) Emery, 1889
- [*Polyrhachis hashimotoi*](#) Kohout, 2007
- [*Polyrhachis hastata*](#) (Latreille, 1802)
- [*Polyrhachis hauxwelli*](#) Bingham, 1903
- [*Polyrhachis hector*](#) Smith, 1857
- [*Polyrhachis heinlethii*](#) Forel, 1895
- [*Polyrhachis hemiopticoides*](#) Mukerjee, 1930
- [*Polyrhachis hera*](#) Forel, 1911
- [*Polyrhachis hermione*](#) Emery, 1895
- [*Polyrhachis hespera*](#) Kohout, 2013
- [*Polyrhachis hexacantha*](#) (Erichson, 1842)
- [*Polyrhachis hilaris*](#) Kohout, 2008
- [*Polyrhachis hippomanes*](#) Smith, 1861
- [*Polyrhachis hirsuta*](#) Mayr, 1876



P. hirsuta

- [*Polyrhachis hirta*](#) Viehmeyer, 1914
- [*Polyrhachis hispida*](#) Kohout, 2008
- [*Polyrhachis hodgsoni*](#) Forel, 1902
- [*Polyrhachis hoelldobleri*](#) Kohout, 2006
- [*Polyrhachis hoffmanni*](#) Kohout, 2013
- [*Polyrhachis hookeri*](#) Lowne, 1865



P. hookeri

- [*Polyrhachis horacei*](#) Hung, 1967
- [*Polyrhachis horni*](#) Emery, 1901
- [*Polyrhachis hosei*](#) Donisthorpe, 1942
- [*Polyrhachis hortensis*](#) Forel, 1913
- [*Polyrhachis hostilis*](#) Smith, 1859
- [*Polyrhachis hunggeuk*](#) Wong & Guénard, 2020
- [*Polyrhachis hungi*](#) Emery, 1901
- [*Polyrhachis hybosa*](#) Kohout, 2006

I

- [*Polyrhachis ignota*](#) Kohout, 1987
- [*Polyrhachis illaudata*](#) Walker, 1859
- [*Polyrhachis imitator*](#) Kohout, 2008
- [*Polyrhachis impressa*](#) Kohout, 2007
- [*Polyrhachis incerta*](#) Kohout, 2008
- [*Polyrhachis inclusa*](#) Viehmeyer, 1912
- [*Polyrhachis incognita*](#) Kohout, 2008
- [*Polyrhachis inconspicua*](#) Emery, 1887

- [*Polyrhachis inducta*](#) Kohout, 2006
- [*Polyrhachis inermis*](#) Smith, 1858
- [*Polyrhachis inflata*](#) Kohout, 2006
- [*Polyrhachis injinooi*](#) Kohout, 2013
- [*Polyrhachis insularis*](#) Emery, 1887
- [*Polyrhachis integra*](#) Kohout, 2006
- [*Polyrhachis inusitata*](#) Kohout, 1989
- [*Polyrhachis io*](#) Forel, 1915
- [*Polyrhachis isacantha*](#) Emery, 1887
- [*Polyrhachis isolata*](#) Kohout, 2013
- [*Polyrhachis ithona*](#) Smith, 1860

J

- [*Polyrhachis jacksoniana*](#) Roger, 1863
- [*Polyrhachis jacobsoni*](#) Forel, 1909
- [*Polyrhachis javanica*](#) Mayr, 1867
- [*Polyrhachis jerdonii*](#) Forel, 1892
- [*Polyrhachis jianghuaensis*](#) Wang & Wu, 1991
- [*Polyrhachis johnsoni*](#) Mann, 1919
- [*Polyrhachis jurii*](#) Karavaiev, 1935

K

- [*Polyrhachis kaipi*](#) Mann, 1919
- [*Polyrhachis kazuoi*](#) Kohout, 2008
- [*Polyrhachis kebunraya*](#) Kohout, 2013
- [*Polyrhachis keratifera*](#) Karavaiev, 1927
- [*Polyrhachis khepra*](#) Bolton, 1973
- [*Polyrhachis kohli*](#) Forel, 1916
- [*Polyrhachis kohouti*](#) Hoffmann, 2015
- [*Polyrhachis kokoda*](#) Kohout, 2007
- [*Polyrhachis kubani*](#) Zettel & Ockermüller, 2023
- [*Polyrhachis kyawthani*](#) Kohout, 2006

L

- [*Polyrhachis labella*](#) Smith, 1860
- [*Polyrhachis laboriosa*](#) Smith, 1858



P. laboriosa

- [*Polyrhachis lachesis*](#) Forel, 1897
- [*Polyrhachis laciniata*](#) Emery, 1900
- [*Polyrhachis lacroixi*](#) Zettel, 2019
- [*Polyrhachis lacteipennis*](#) Smith, 1858
- [*Polyrhachis laevigata*](#) Smith, 1857
- [*Polyrhachis laevissima*](#) Smith, 1858



P. laevissima

- [*Polyrhachis lama*](#) Kohout, 1994
- [*Polyrhachis lamellidens*](#) Smith, 1874
- [*Polyrhachis laminata*](#) Mayr, 1867
- [*Polyrhachis lanuginosa*](#) Santschi, 1910
- [*Polyrhachis lao*](#) Jaitrong & Yamane, 2023
- [*Polyrhachis lata*](#) Emery, 1895
- [*Polyrhachis latharis*](#) Bolton, 1973
- [*Polyrhachis latinota*](#) Viehmeyer, 1912
- [*Polyrhachis latispina*](#) Emery, 1925
- [*Polyrhachis latona*](#) Wheeler, 1909
- [*Polyrhachis lauta*](#) Santschi, 1910
- [*Polyrhachis leae*](#) Forel, 1913



P. leae

- [*Polyrhachis leonidas*](#) Forel, 1901
- [*Polyrhachis leopoldi*](#) Santschi, 1932
- [*Polyrhachis lepida*](#) Kohout, 2006
- [*Polyrhachis lestoni*](#) Bolton, 1973
- [*Polyrhachis levior*](#) Roger, 1863
- [*Polyrhachis leviuscula*](#) Viehmeyer, 1916
- [*Polyrhachis lilianae*](#) Forel, 1911
- [*Polyrhachis limbata*](#) Emery, 1897



P. limbata

- [*Polyrhachis limitis*](#) Santschi, 1939
- [*Polyrhachis lineae*](#) Donisthorpe, 1938
- [*Polyrhachis litigiosa*](#) Emery, 1897
- [*Polyrhachis lombokensis*](#) Emery, 1898
- [*Polyrhachis longipes*](#) Smith, 1859
- [*Polyrhachis longiseta*](#) Rigato, 2016
- [*Polyrhachis lorlai*](#) Emery, 1897
- [*Polyrhachis loweryi*](#) Kohout, 1990
- [*Polyrhachis lownei*](#) Forel, 1895
- [*Polyrhachis lucidula*](#) Emery, 1893
- [*Polyrhachis luctuosa*](#) Emery, 1921

- [*Polyrhachis lugens*](#) Mayr, 1867
- [*Polyrhachis lumi*](#) Kohout, 2007
- [*Polyrhachis luteipes*](#) Rigato, 2016
- [*Polyrhachis luteogaster*](#) Kohout, 2012
- [*Polyrhachis lydiae*](#) Forel, 1902

M

- [*Polyrhachis maai*](#) Kohout, 2007
- [*Polyrhachis machaon*](#) Santschi, 1920




P. machaon

- [*Polyrhachis mackayi*](#) Donisthorpe, 1938



P. mackayi

- [*Polyrhachis macropus*](#) Wheeler, 1916
- [*Polyrhachis maculata*](#) Forel, 1915



P. maculata


- [*Polyrhachis magnifica*](#) Menozzi, 1926
- [*Polyrhachis malaensis*](#) Mann, 1919
- [*Polyrhachis maliau*](#) Kohout, 2014
- [*Polyrhachis mamba*](#) Kohout, 2007

- [*Polyrhachis manni*](#) Kohout, 2008
- [*Polyrhachis manusensis*](#) Kohout, 2013
- [*Polyrhachis marginata*](#) Smith, 1859
- [*Polyrhachis maryatiae*](#) Kohout, 2007
- [*Polyrhachis masaokai*](#) Kohout, 2008
- [*Polyrhachis medusa*](#) Forel, 1897



P. medusa

- [*Polyrhachis melanura*](#) Kohout, 2013
- [*Polyrhachis mellita*](#) Kohout, 2008
- [*Polyrhachis melpomene*](#) Emery, 1897
- [*Polyrhachis menelas*](#) Forel, 1904
- [*Polyrhachis menozzii*](#) Karavaiev, 1927
- [*Polyrhachis mentor*](#) Forel, 1901
- [*Polyrhachis metella*](#) Smith, 1860



P. metella

- [*Polyrhachis micans*](#) Mayr, 1876
- [*Polyrhachis militaris*](#) Fabricius, 1782



P. militaris

- [*Polyrhachis mindanaensis*](#) Emery, 1923
- [*Polyrhachis minima*](#) Kohout, 2007
- [*Polyrhachis mitrata*](#) Menozzi, 1932
- [*Polyrhachis mjobergi*](#) Forel, 1915



P. mjobergi

- [*Polyrhachis mkomaziae*](#) Taylor & McGavin, 2020
- [*Polyrhachis modesta*](#) Smith, 1857
- [*Polyrhachis moeschi*](#) Forel, 1912
- [*Polyrhachis moesta*](#) Emery, 1887



P. moesta

- [*Polyrhachis mondoi*](#) Donisthorpe, 1938
- [*Polyrhachis monista*](#) Santschi, 1910
- [*Polyrhachis montana*](#) Hung, 1970
- [*Polyrhachis monteithi*](#) Kohout, 2006



P. monteithi

- [*Polyrhachis monticola*](#) Kohout, 2007
- [*Polyrhachis muara*](#) Kohout, 2008
- [*Polyrhachis mucronata*](#) Smith, 1859
- [*Polyrhachis muelleri*](#) Forel, 1893
- [*Polyrhachis murina*](#) Emery, 1893
- [*Polyrhachis mutata*](#) Smith, 1858

N

- [*Polyrhachis narendrani*](#) Karmaly, 2004
- [*Polyrhachis neglecta*](#) Kohout, 2008
- [*Polyrhachis nepenthicola*](#) Kohout, 2013
- [*Polyrhachis neptunus*](#) Smith, 1865
- [*Polyrhachis neuguinensis*](#) Kohout, 2013
- [*Polyrhachis nidificans*](#) (Jerdon, 1851)
- [*Polyrhachis nigra*](#) Mayr, 1862
- [*Polyrhachis nigrescens*](#) Karavaiev, 1927
- [*Polyrhachis nigriceps*](#) Smith, 1863
- [*Polyrhachis nigripes*](#) Emery, 1897
- [*Polyrhachis nigrita*](#) Mayr, 1895
- [*Polyrhachis nigropilosa*](#) Mayr, 1872
- [*Polyrhachis nitens*](#) Donisthorpe, 1943
- [*Polyrhachis nitida*](#) Smith, 1857
- [*Polyrhachis noesaensis*](#) Forel, 1915
- [*Polyrhachis nofra*](#) Bolton, 1975
- [*Polyrhachis nomo*](#) Donisthorpe, 1941
- [*Polyrhachis noonananti*](#) Kohout, 2013
- [*Polyrhachis nourlangie*](#) Kohout, 2013
- [*Polyrhachis nudata*](#) Smith, 1860
- [*Polyrhachis numeria*](#) Smith, 1861

O

- [*Polyrhachis obesior*](#) Viehmeyer, 1916

- [*Polyrhachis obliqua*](#) Stitz, 1911
- [*Polyrhachis obscura*](#) Forel, 1895
- [*Polyrhachis obtusa*](#) Emery, 1897
- [*Polyrhachis ochracea*](#) Karavaiev, 1927
- [*Polyrhachis oedacantha*](#) Wheeler, 1919
- [*Polyrhachis oedipus*](#) Forel, 1893
- [*Polyrhachis ogatai*](#) Kohout, 2008
- [*Polyrhachis olena*](#) Smith, 1861
- [*Polyrhachis olybria*](#) Forel, 1912



P. olybria

- [*Polyrhachis omissa*](#) Rigato, 2016
- [*Polyrhachis omyrmex*](#) Donisthorpe, 1938
- [*Polyrhachis opacita*](#) Kohout, 2013
- [*Polyrhachis opalescens*](#) Clark, 1930
- [*Polyrhachis ops*](#) Forel, 1907
- [*Polyrhachis orbihumera*](#) Xu, 2002
- [*Polyrhachis ornata*](#) Mayr, 1876



P. ornata

- [*Polyrhachis orokana*](#) Kohout, 2007
- [*Polyrhachis orpheus*](#) Forel, 1911
- [*Polyrhachis orsylla*](#) Smith, 1861
- [*Polyrhachis osae*](#) Mann, 1919
- [*Polyrhachis osiris*](#) Bolton, 1975
- [*Polyrhachis otleti*](#) Forel, 1916

P

- [*Polyrhachis pacifica*](#) Kohout, 2006
- [*Polyrhachis pagana*](#) Santschi, 1928
- [*Polyrhachis palaeartica*](#) Dietrich, 2004
- [*Polyrhachis palawanensis*](#) Kohout, 2013
- [*Polyrhachis pallescens*](#) Mayr, 1876
- [*Polyrhachis pallipes*](#) Donisthorpe, 1948
- [*Polyrhachis palmerae*](#) Kohout, 2013
- [*Polyrhachis parabiatica*](#) Chapman, 1963
- [*Polyrhachis paracamponota*](#) Wang & Wu, 1991
- [*Polyrhachis paromala*](#) Smith, 1863
- [*Polyrhachis parva*](#) Kohout, 2007
- [*Polyrhachis patiens*](#) Santschi, 1920
- [*Polyrhachis paxilla*](#) Smith, 1863
- [*Polyrhachis peetersi*](#) Wong & Guénard, 2020
- [*Polyrhachis pelecta*](#) Kohout, 2007
- [*Polyrhachis pellita*](#) Menozzi, 1922
- [*Polyrhachis penelope*](#) Forel, 1895
- [*Polyrhachis peregrina*](#) Smith, 1860
- [*Polyrhachis personata*](#) Wheeler, 1919
- [*Polyrhachis phalerata*](#) Menozzi, 1926
- [*Polyrhachis phidias*](#) Forel, 1910
- [*Polyrhachis philippinensis*](#) Smith, 1858
- [*Polyrhachis phryne*](#) Forel, 1907



P. phryne

- [*Polyrhachis pilbara*](#) Kohout, 2013
- [*Polyrhachis pilosa*](#) Donisthorpe, 1938



P. pilosa

- [*Polyrhachis pirata*](#) Sorger & Zettel, 2009
- [*Polyrhachis placida*](#) Kohout, 2013
- [*Polyrhachis planata*](#) Kohout, 2007
- [*Polyrhachis planoculata*](#) Kohout, 2013
- [*Polyrhachis plato*](#) Forel, 1911
- [*Polyrhachis platynota*](#) Stitz, 1933
- [*Polyrhachis platyomma*](#) Emery, 1921
- [*Polyrhachis polymnia*](#) Forel, 1902
- [*Polyrhachis porcata*](#) Emery, 1921
- [*Polyrhachis pressa*](#) Mayr, 1862
- [*Polyrhachis procera*](#) Emery, 1897
- [*Polyrhachis prometheus*](#) Santschi, 1920
- [*Polyrhachis proxima*](#) Roger, 1863
- [*Polyrhachis pruinosa*](#) Mayr, 1872
- [*Polyrhachis pseudothrinax*](#) Hung, 1967
- [*Polyrhachis pubescens*](#) Mayr, 1879
- [*Polyrhachis pulleni*](#) Kohout, 2013
- [*Polyrhachis punctillata*](#) Roger, 1863
- [*Polyrhachis punctiventris*](#) Mayr, 1876



P. punctiventris

- [*Polyrhachis punjabi*](#) Bharti, 2003
- [*Polyrhachis pyrrhus*](#) Forel, 1910

Q

- [*Polyrhachis quadrispinosa*](#) Jaitrong & Noon-Anant, 2023
- [*Polyrhachis queenslandica*](#) Forel, 1901

R

- [*Polyrhachis radicolica*](#) Dahl, 1901
- [*Polyrhachis ralumensis*](#) Forel, 1901
- [*Polyrhachis rastellata*](#) Latreille, 1802
- [*Polyrhachis reclinata*](#) Emery, 1887
- [*Polyrhachis regesa*](#) Bolton, 1973
- [*Polyrhachis regularis*](#) Mayr, 1867
- [*Polyrhachis relucens*](#) Latreille, 1802
- [*Polyrhachis rere*](#) Mann, 1919
- [*Polyrhachis retrorsa*](#) Emery, 1900
- [*Polyrhachis retusa*](#) Kohout, 2007
- [*Polyrhachis revoili*](#) Andre, 1887
- [*Polyrhachis rhea*](#) Forel, 1911
- [*Polyrhachis ridleyi*](#) Forel, 1912
- [*Polyrhachis rixosa*](#) Smith, 1858
- [*Polyrhachis roberti*](#) Kohout, 2007
- [*Polyrhachis robsoni*](#) Kohout, 2006



P. robsoni

- [*Polyrhachis robusta*](#) Kohout, 2013
- [*Polyrhachis romanovi*](#) Santschi, 1928
- [*Polyrhachis roomi*](#) Kohout, 2007
- [*Polyrhachis rossi*](#) Donisthorpe, 1948
- [*Polyrhachis rotoccipita*](#) Xu, 2002
- [*Polyrhachis rotumana*](#) Wilson & Taylor, 1967
- [*Polyrhachis rowlandi*](#) Forel, 1910
- [*Polyrhachis rubigastrica*](#) Wu & Wang, 1991
- [*Polyrhachis ruficornis*](#) Smith, 1857
- [*Polyrhachis rufifemur*](#) Forel, 1907



P. rufifemur

- [*Polyrhachis rufipalpis*](#) Santschi, 1910
- [*Polyrhachis rufipes*](#) Smith, 1858



P. rufipes

- [*Polyrhachis rufifemorata*](#) Smith, 1859
- [*Polyrhachis rugifrons*](#) Smith, 1860
- [*Polyrhachis rupicapra*](#) Roger, 1863
- [*Polyrhachis rustica*](#) Kohout, 1990
- [*Polyrhachis rutila*](#) Kohout, 2006

S

- [*Polyrhachis saevissima*](#) Smith, 1860
- [*Polyrhachis saigonensis*](#) Forel, 1886
- [*Polyrhachis salebrosa*](#) Kohout, 2008
- [*Polyrhachis salomo*](#) Forel, 1910
- [*Polyrhachis santschii*](#) Mann, 1919
- [*Polyrhachis scabra*](#) Kohout, 1987
- [*Polyrhachis scapulata*](#) Santschi, 1932
- [*Polyrhachis schang*](#) Forel, 1879

- [*Polyrhachis schellerichae*](#) Dorow, 1996
- [*Polyrhachis schenckii*](#) Forel, 1886
- [*Polyrhachis schistacea*](#) Gerstaecker, 1859



P. schistacea

- [*Polyrhachis schlueteri*](#) Forel, 1886



P. schlueteri

- [*Polyrhachis schoopae*](#) Forel, 1902



P. schoopae

- [*Polyrhachis schwiedlandi*](#) Forel, 1902
- [*Polyrhachis scissa*](#) Roger, 1862
- [*Polyrhachis sculpta*](#) Emery, 1887
- [*Polyrhachis sculpturata*](#) Smith, 1860
- [*Polyrhachis scutulata*](#) Smith, 1859
- [*Polyrhachis sedlaceki*](#) Kohout, 2006
- [*Polyrhachis seducta*](#) Kohout, 2013
- [*Polyrhachis selecta*](#) Forel, 1911

- [*Polyrhachis semiaurata*](#) Mayr, 1876




P. semiaurata

- [*Polyrhachis semiinermis*](#) Donisthorpe, 1941
- [*Polyrhachis semiobscura*](#) Donisthorpe, 1944
- [*Polyrhachis semipolita*](#) Andre, 1896
- [*Polyrhachis semitestacea*](#) Emery, 1900
- [*Polyrhachis senilis*](#) Forel, 1902



P. senilis

- [*Polyrhachis sericata*](#) Guérin-Meneville, 1831



P. sericata

- [*Polyrhachis sericeopubescens*](#) Donisthorpe, 1941
- [*Polyrhachis setosa*](#) Kohout, 2006
- [*Polyrhachis sexspinosa*](#) Latreille, 1802
- [*Polyrhachis shattucki*](#) Kohout, 2013
- [*Polyrhachis shixingensis*](#) Wu & Wang, 1995
- [*Polyrhachis sidnica*](#) Mayr, 1866

- [*Polyrhachis similis*](#) Viehmeyer, 1912
- [*Polyrhachis simillima*](#) Emery, 1900
- [*Polyrhachis simpla*](#) Santschi, 1928
- [*Polyrhachis simulans*](#) Kohout, 2007
- [*Polyrhachis sinuata*](#) Kohout, 2013
- [*Polyrhachis smithersi*](#) Kohout, 2012
- [*Polyrhachis smithi*](#) Emery, 1901
- [*Polyrhachis snellingi*](#) Kohout, 2007
- [*Polyrhachis sokolova*](#) Forel, 1902
- [*Polyrhachis solivaga*](#) Menozzi, 1926
- [*Polyrhachis solmsi*](#) Emery, 1887
- [*Polyrhachis sophocles*](#) Forel, 1908
- [*Polyrhachis sparaxes*](#) Smith, 1863
- [*Polyrhachis spengeli*](#) Forel, 1912
- [*Polyrhachis spinicola*](#) Forel, 1894
- [*Polyrhachis spinifera*](#) Stitz, 1911
- [*Polyrhachis spinigera*](#) Mayr, 1879
- [*Polyrhachis spinosa*](#) Mayr, 1867
- [*Polyrhachis spitteleri*](#) Forel, 1916
- [*Polyrhachis splendens*](#) Santschi, 1932
- [*Polyrhachis starri*](#) Kohout, 2013
- [*Polyrhachis stigmatifera*](#) Kohout, 1990
- [*Polyrhachis stitzi*](#) Santschi, 1928
- [*Polyrhachis storki*](#) Kohout, 2008
- [*Polyrhachis striata*](#) Mayr, 1862
- [*Polyrhachis striatorugosa*](#) Mayr, 1862
- [*Polyrhachis stricta*](#) Kohout, 2013
- [*Polyrhachis strictifrons*](#) Emery, 1898
- [*Polyrhachis strumosa*](#) Kohout, 2006
- [*Polyrhachis stylifera*](#) Karavaiev, 1935
- [*Polyrhachis subaenescens*](#) Viehmeyer, 1912
- [*Polyrhachis subcyanea*](#) Emery, 1897
- [*Polyrhachis subfossa*](#) Viehmeyer, 1913
- [*Polyrhachis subfossoides*](#) Karavaiev, 1927
- [*Polyrhachis submarginata*](#) Rigato, 2016
- [*Polyrhachis subpilosa*](#) Emery, 1895
- [*Polyrhachis subtridens*](#) Emery, 1900
- [*Polyrhachis sukarmani*](#) Kohout, 2007
- [*Polyrhachis sulang*](#) Kohout, 2006
- [*Polyrhachis sulawesiensis*](#) Kohout, 2008
- [*Polyrhachis sulcata*](#) Andre, 1895
- [*Polyrhachis sulcifera*](#) Kohout, 2007

- [*Polyrhachis sylvicola*](#) Jerdon, 1851

T

- [*Polyrhachis tambourinensis*](#) Forel, 1915
- [*Polyrhachis tanami*](#) Kohout, 2013
- [*Polyrhachis tapini*](#) Kohout, 2013
- [*Polyrhachis taylori*](#) Kohout, 1988
- [*Polyrhachis templi*](#) Forel, 1902



P. templi

- [*Polyrhachis tenebra*](#) Kohout, 2013
- [*Polyrhachis terminata*](#) Rigato, 2016
- [*Polyrhachis tersa*](#) Viehmeyer, 1914
- [*Polyrhachis terpsichore*](#) Forel, 1893
- [*Polyrhachis textor*](#) Smith, 1857
- [*Polyrhachis thailandica*](#) Kohout, 2006
- [*Polyrhachis thais*](#) Forel, 1910
- [*Polyrhachis thompsoni*](#) Bingham, 1903
- [*Polyrhachis thrinax*](#) Roger, 1863
- [*Polyrhachis thusnelda*](#) Forel, 1902



P. thusnelda

- [*Polyrhachis tianjingshanensis*](#) Qian & Zhou, 2008
- [*Polyrhachis tibialis*](#) Smith, 1858
- [*Polyrhachis tonsilis*](#) Santschi, 1928
- [*Polyrhachis tragos*](#) Stitz, 1925

- [*Polyrhachis transiens*](#) Bolton, 1973
- [*Polyrhachis trapezoidea*](#) Mayr, 1876



P. trapezoidea

- [*Polyrhachis triaena*](#) Wheeler, 1919
- [*Polyrhachis tricuspis*](#) Andre, 1887
- [*Polyrhachis trina*](#) Donisthorpe, 1944
- [*Polyrhachis trispinosa*](#) Smith, 1861
- [*Polyrhachis tristis*](#) Mayr, 1867
- [*Polyrhachis trophima*](#) Smith, 1863
- [*Polyrhachis tschu*](#) Forel, 1879
- [*Polyrhachis tubericeps*](#) Forel, 1893



P. tubericeps

- [*Polyrhachis tuberosa*](#) Kohout, 2006
- [*Polyrhachis thusnelda*](#) Forel, 1902
- [*Polyrhachis tubifera*](#) Forel, 1902



P. tubifera

- [*Polyrhachis tubifex*](#) Karavaiev, 1926
- [*Polyrhachis turneri*](#) Forel, 1895
- [*Polyrhachis tyrannica*](#) Smith, 1858

U

- [*Polyrhachis ugiensis*](#) Mann, 1919
- [*Polyrhachis ulysses*](#) Forel, 1910
- [*Polyrhachis umboi*](#) Kohout, 2007
- [*Polyrhachis uncaria*](#) Kohout, 2013
- [*Polyrhachis undulata*](#) Kohout, 2006
- [*Polyrhachis unicornis*](#) Kohout, 2013
- [*Polyrhachis unicuspis*](#) Emery, 1898

V

- [*Polyrhachis vanachterbergi*](#) Kohout, 2008
- [*Polyrhachis varicolor*](#) Viehmeyer, 1916
- [*Polyrhachis variegata*](#) Kohout, 2007
- [*Polyrhachis venus*](#) Forel, 1893




P. venus

- [*Polyrhachis vermiculosa*](#) Mayr, 1876



P. vermiculosa

- [*Polyrhachis vernoni*](#) Kohout, 2013
- [*Polyrhachis vestita*](#) Smith, 1860
- [*Polyrhachis viehmeyeri*](#) Emery, 1921
- [*Polyrhachis vigilans*](#) Smith, 1858




P. vigilans

- [*Polyrhachis villipes*](#) Smith, 1857

- [*Polyrhachis villosa*](#) Emery, 1897
- [*Polyrhachis vindex*](#) Smith, 1857
- [*Polyrhachis viola*](#) Zettel, 2013
- [*Polyrhachis violaceonigra*](#) Viehmeyer, 1914
- [*Polyrhachis viscosa*](#) Smith, 1858
- [*Polyrhachis vitalisi*](#) Santschi, 1920
- [*Polyrhachis volkarti*](#) Forel, 1916

W

- [*Polyrhachis wagneri*](#) Viehmeyer, 1914
- [*Polyrhachis waigeuensis*](#) Donisthorpe, 1943
- [*Polyrhachis wallacei*](#) Emery, 1887
- [*Polyrhachis wamuki*](#) Kohout, 2007
- [*Polyrhachis wardi*](#) Kohout, 2007
- [*Polyrhachis watanasiti*](#) Kohout, 2013
- [*Polyrhachis weiri*](#) Kohout, 2013
- [*Polyrhachis weissii*](#) Santschi, 1910
- [*Polyrhachis wellmani*](#) Forel, 1909
- [*Polyrhachis wheeleri*](#) Mann, 1919
- [*Polyrhachis widodoi*](#) Kohout, 2006
- [*Polyrhachis wilmsi*](#) Forel, 1910
- [*Polyrhachis wilsoni*](#) Kohout, 2007
- [*Polyrhachis wolffi*](#) Forel, 1912



P. wolffi

- [*Polyrhachis wroughtonii*](#) Forel, 1894

X

- [*Polyrhachis xanthippe*](#) Forel, 1911
- [*Polyrhachis xiphias*](#) Smith, 1863

Y

- [*Polyrhachis yarrabahensis*](#) Forel, 1915
- [*Polyrhachis yerburyi*](#) Forel, 1893


- [*Polyrhachis yorkana*](#) Forel, 1915
- [*Polyrhachis ypsilon*](#) Emery, 1887

Z

- [*Polyrhachis zhengi*](#) Zhou & Huang, 2002
- [*Polyrhachis zhoui*](#) Chen & Guénard, 2025
- [*Polyrhachis zimmerae*](#) Clark, 1941
- [*Polyrhachis zopyra*](#) Smith, 1861

Extinct

- †[*Polyrhachis annosa*](#) Wappler et al., 2009



Fossil of *P. annosa*

Unidentifiable

A number of species tentatively placed within the genus have subsequently been determined as unidentifiable to the species level, although they technically remain [valid](#) binomen.[\[1\]](#)

- [*Polyrhachis eudora*](#) Smith, 1860
- [*Polyrhachis latreillii*](#) (Guérin-Méneville, 1838)

References

1.

[Bolton, B.](#) (2026). "[Polyrhachis](#)". *AntCat*. Retrieved 12 February 2026.

This is a list of 545 species in [Polypedilum](#), a genus of midges in the family [Chironomidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Polypedilum* species**

- [*Polypedilum aberufobrunneum*](#) Niitsuma, 1996 ^{c g}
- [*Polypedilum absensilobum*](#) Zhang & Wang ^g
- [*Polypedilum abyssiniae*](#) Kieffer, 1918 ^{c g}
- [*Polypedilum acifer*](#) Townes, 1945 ^{i c g}
- [*Polypedilum acristylum*](#) ^g
- [*Polypedilum acutulum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum acutum*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum aegyptium*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum aequabe*](#) Zhang & Wang, 2007 ^{c g}
- [*Polypedilum aethiopis*](#) Lehmann, 1979 ^{c g}
- [*Polypedilum aferum*](#) Lehmann, 1981 ^{c g}
- [*Polypedilum akani*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum akipulcher*](#) Kawai, Okamoto & Imabayashi, 2002 ^{c g}
- [*Polypedilum akisplendens*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum albiceps*](#) (Johannsen, 1932) ^c
- [*Polypedilum albicollum*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum albicorne*](#) (Meigen, 1838) ^{c g}
- [*Polypedilum albicorpus*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum albimanus*](#) ^{i g}
- [*Polypedilum albinodus*](#) Townes, 1945 ^{i c g}
- [*Polypedilum albipalpus*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum albiventris*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum alboguttatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum albonotatum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum albosignatum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum albulum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum allansoni*](#) Freeman, 1958 ^{c g}
- [*Polypedilum alternans*](#) Forsyth, 1971 ^{c g}
- [*Polypedilum alticola*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum amataura*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum amoenum*](#) Goetghebuer, 1930 ^{c g}
- [*Polypedilum amplificatus*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum amputatum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum anderseni*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum angulum*](#) Maschwitz ^{i c g}

- [*Polypedilum angustifoceps*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum angustum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum anjarum*](#) Moubayed, 1989 ^{c g}
- [*Polypedilum annulatipes*](#) (Kieffer, 1910) ^{c g}
- [*Polypedilum annulatum*](#) Freeman, 1954 ^{c g}
- [*Polypedilum aparai*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum apfelbecki*](#) (Strobl, 1900) ^{c g}
- [*Polypedilum apiaka*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum apicale*](#) (Kieffer, 1917) ^{c g}
- [*Polypedilum apicatum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum apiculusetosum*](#) Zhang & Wang ^g
- [*Polypedilum appendiculatum*](#) Goetghebuer, 1939 ^{c g}
- [*Polypedilum arara*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum arcuatum*](#) Zhang & Wang ^g
- [*Polypedilum argentiniense*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum aripuana*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum artifer*](#) (Curran, 1930) ^{i c g}
- [*Polypedilum arua*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum aruakan*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum arudinetum*](#) (Goetghebuer, 1921) ^{c g}
- [*Polypedilum arundineti*](#) (Goetghebuer, 1921) ^g
- [*Polypedilum asakawaense*](#) Sasa, 1980 ^{c g}
- [*Polypedilum ascium*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum asoprimum*](#) Bidawid & Fittkau, 1995 ^g
- [*Polypedilum astictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum asurini*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum atrichon*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum atrinerve*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum atroari*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum australotropicus*](#) Cranston, 2000 ^{c g}
- [*Polypedilum aviceps*](#) Townes, 1945 ^{i c g}
- [*Polypedilum bakairi*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum baniva*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum barboyoni*](#) Serra-Tosio, 1981 ^{c g}
- [*Polypedilum basilarum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum bellipes*](#) Kieffer, 1922 ^{c g}

- [*Polypedilum benokiense*](#) Sasa & Hasegawa, 1988 ^{c g}
- [*Polypedilum bergi*](#) Maschwitz ^{i c g}
- [*Polypedilum bicoloratum*](#) Freeman, 1961 ^{c g}
- [*Polypedilum bicrenatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum bifalcatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum bifurcatum*](#) Cranston, 1989 ^{c g}
- [*Polypedilum bilamella*](#) Zhang & Wang ^g
- [*Polypedilum bingoparadoxum*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum bipustulatum*](#) Freeman, 1958 ^{c g}
- [*Polypedilum bisetosum*](#) Wang, 1995 ^{c g}
- [*Polypedilum bispinum*](#) Zhang & Wang, 2007 ^{c g}
- [*Polypedilum branquinho*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum braseniae*](#) (Leathers, 1922) ^{i c g b}
- [*Polypedilum brevipalpe*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum brevipilosum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum brumale*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum brunneicorne*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum brunneofasciatum*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum buettikeri*](#) Cranston, 1989 ^{c g}
- [*Polypedilum bulbocaudatum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum bullum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum californicum*](#) Sublette, 1960 ^{i c g}
- [*Polypedilum callimorphus*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum canoeiro*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum canum*](#) Freeman, 1959 ^{c g}
- [*Polypedilum carib*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum carijona*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum castornama*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum caudocula*](#) Kawai, 1991 ^{c g}
- [*Polypedilum ceciliaeformis*](#) (Chernovskij, 1949) ^{c g}
- [*Polypedilum centisetum*](#) Hazra, Mazumdar & Chaudhuri, 2003 ^{c g}
- [*Polypedilum centralis*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum chaudhurii*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum chelum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum chiriguano*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum chubetuabeum*](#) Sasa & Suzuki, 2001 ^{c g}

- [*Polypedilum chubetubeceum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum chubetuceum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum chubetudeum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum chatteri*](#) Harrison, 2001 ^{c g}
- [*Polypedilum ciliatum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum cinctum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum circulum*](#) Chaudhuri & Chattopadhyay, 1990 ^{c g}
- [*Polypedilum clavatum*](#) Kieffer, 1917 ^{c g}
- [*Polypedilum clavigerum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum clavistylus*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum coalitum*](#) Zhang & Wang, 2008 ^{c g}
- [*Polypedilum cocama*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum cochlearum*](#) Zhang & Wang, 2005 ^g
- [*Polypedilum concomitatum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum conghuaense*](#) Zhang & Wang ^g
- [*Polypedilum consobrinum*](#) Kieffer, 1916 ^{c g}
- [*Polypedilum convexum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum convictum*](#) (Walker, 1856) ^{i c g}
- [*Polypedilum corniger*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum crassiglobum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum crassistyla*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum crassum*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum crenulosum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum cultellatum*](#) Goetghebuer, 1931 ^{i c g}
- [*Polypedilum cumperi*](#) Freeman, 1959 ^{c g}
- [*Polypedilum cyclus*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum cypellum*](#) Qi, Shi, Zhang & Wang, 2014 ^g
- [*Polypedilum czernyi*](#) Vimmer, 1934 ^{c g}
- [*Polypedilum dagombae*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum daitoneoum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum dangsanense*](#) Bjorlo, 2002 ^g
- [*Polypedilum decematoguttatum*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum decemmaculatum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum declive*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum deletum*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum dengae*](#) Zhang & Wang ^g

- [*Polypedilum depile*](#) Zhang & Wang, 2008 ^{c g}
- [*Polypedilum dewulfi*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum dickebuschense*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum digitifer*](#) Townes, 1945 ^{i c g}
- [*Polypedilum digitulum*](#) Freeman, 1959 ^{c g}
- [*Polypedilum dilatatum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum dimidiatum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum dissimilum*](#) ^g
- [*Polypedilum distans*](#) (Kieffer, 1921) ^c
- [*Polypedilum dossenudum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum dubium*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum dudichi*](#) Berczik, 1957 ^{c g}
- [*Polypedilum dybasi*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum edense*](#) Ree, 1981 ^{c g}
- [*Polypedilum edensis*](#) Han Il Ree & Hoon Soo Kim, 1981 ^{c g}
- [*Polypedilum elgonatum*](#) Albu, 1980 ^{c g}
- [*Polypedilum elongatum*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum enshiense*](#) Song & Wang ^g
- [*Polypedilum ephippium*](#) Freeman, 1958 ^{c g}
- [*Polypedilum epleri*](#) Oyewo & Jacobsen, 2007 ^{c g}
- [*Polypedilum epomis*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum esakii*](#) (Tokunaga, 1964) ^{c g}
- [*Polypedilum ewei*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum exilicaudatum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum exsectum*](#) (Kieffer, 1916) ^c
- [*Polypedilum falcatum*](#) Zhang, Song, Wang & Wang, 2015 ^g
- [*Polypedilum falciforme*](#) Maschwitz ^{i c g}
- [*Polypedilum fallax*](#) (Johannsen, 1905) ^{i c g}
- [*Polypedilum fanjingensis*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum fasciatipennis*](#) (Kieffer, 1910) ^c
- [*Polypedilum feridae*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum festivipenne*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum flagellatum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum flavescens*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum flaviscapus*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum flavoviride*](#) Goetghebuer, 1939 ^{c g}

- [*Polypedilum floridense*](#) Townes, 1945 ^{i c g}
- [*Polypedilum fodiens*](#) (Kieffer, 1916) ^c
- [*Polypedilum freemani*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum fulgidum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum fuscipenne*](#) (Meigen, 1818) ^{i c g}
- [*Polypedilum fuscovittatum*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum fuscum*](#) Freeman, 1954 ^{c g}
- [*Polypedilum ge*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum genesareth*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum genpeiense*](#) Niitsuma, 1996 ^{c g}
- [*Polypedilum ginzangeheum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum ginzanheium*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum ginzanijeum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum ginzanprimum*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum ginzansecundum*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum ginzantertium*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum glabripenne*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum gladysae*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum gomphus*](#) Townes, 1945 ^{i c g}
- [*Polypedilum griseistriatum*](#) (Edwards, 1931) ^{c g}
- [*Polypedilum griseoguttatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum griseopunctatum*](#) (Malloch, 1915) ^{i c g}
- [*Polypedilum guarani*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum guato*](#) ^g
- [*Polypedilum hainanense*](#) Zhang & Wang, 2008 ^{c g}
- [*Polypedilum halterale*](#) (Coquillett, 1901) ^{i c g}
- [*Polypedilum hamigerum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum harrisi*](#) Freeman, 1959 ^{c g}
- [*Polypedilum harrisoni*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum harteni*](#) Andersen & Mendes, 2010 ^{c g}
- [*Polypedilum hastaferum*](#) Harrison, 2001 ^{c g}
- [*Polypedilum henicurum*](#) Wang, 1995 ^{c g}
- [*Polypedilum heptasticum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum heptatomum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum hexastictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum hiroshimaense*](#) Kawai & Sasa, 1985 ^{c g}

- [*Polypedilum hirticoxa*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum hirtiforceps*](#) (Kieffer, 1926) ^{c g}
- [*Polypedilum hirtimanum*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum humile*](#) Kieffer, 1924 ^{c g}
- [*Polypedilum illinoense*](#) (Malloch, 1915) ^{i c g}
- [*Polypedilum inawageheum*](#) Andersen & Mendes, 2010 ^g
- [*Polypedilum incoloripenne*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum infundibulum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum insolitum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum insulanum*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum integrum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum intermedium*](#) Albu, 1966 ^{c g}
- [*Polypedilum irapirapi*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum iricolor*](#) Kieffer, 1916 ^{c g}
- [*Polypedilum iridis*](#) (Kieffer, 1911) ^c
- [*Polypedilum iriofegeum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum irioegeum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum isigabeceum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum isocerus*](#) Townes, 1945 ^{i c g}
- [*Polypedilum japonicum*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum javanum*](#) Kruseman, 1939 ^{c g}
- [*Polypedilum jawaperi*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum jianfengense*](#) Song & Wang ^g
- [*Polypedilum jii*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum johannseni*](#) Sublette & Sublette, 1973 ^{c g}
- [*Polypedilum jurana*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum juruna*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum kadiweu*](#) Bidawid-Kafka, 1996 ^g
- [*Polypedilum kajapo*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kakumense*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum kamajura*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum karaja*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum karyana*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kaxuyana*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kempi*](#) (Kieffer, 1913) ^{c g}
- [*Polypedilum kibatiense*](#) Goetghebuer, 1936 ^{c g}

- [*Polypedilum kobotokense*](#) Sasa, 1981 ^{c g}
- [*Polypedilum kuikuro*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kunigamiense*](#) Sasa & Hasegawa, 1988 ^{c g}
- [*Polypedilum kyotoense*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum labeculosum*](#) (Mitchell, 1908) ^{i c g}
- [*Polypedilum laetipenne*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum laetum*](#) (Meigen, 1818) ^{i c g}
- [*Polypedilum laterale*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum lateralum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum leei*](#) Freeman, 1961 ^{c g}
- [*Polypedilum lehmanni*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum lene*](#) (Becker, 1908) ^{c g}
- [*Polypedilum leopoldi*](#) Goetghebuer, 1932 ^{c g}
- [*Polypedilum leptovolsellae*](#) Ree, 2009 ^g
- [*Polypedilum leucolabis*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum leucopterum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum lichuanensis*](#) Wang, 1994 ^{c g}
- [*Polypedilum limnophilum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum limpidum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum lineatum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum litoralis*](#) (Chernovskij, 1949) ^{c g}
- [*Polypedilum lobiferum*](#) Freeman, 1954 ^{c g}
- [*Polypedilum longicrus*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum longinerve*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum longisetum*](#) Moubayed, 1992 ^{c g}
- [*Polypedilum lotensis*](#) Moubayed-Breil, 2007 ^{c g}
- [*Polypedilum lucidum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum lumiense*](#) (Kieffer, 1913) ^{c g}
- [*Polypedilum luteopedis*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum luteum*](#) Forsyth, 1971 ^{c g}
- [*Polypedilum macrotrichum*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum maculatum*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum maculipes*](#) Goethghebuer, 1933 ^{c g}
- [*Polypedilum majiis*](#) Lehmann, 1979 ^{c g}
- [*Polypedilum majus*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum malickianum*](#) Cranston, 1989 ^{c g}

- [*Polypedilum marauia*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum marcondesi*](#) Pinho & Mendes ^g
- [*Polypedilum marsafae*](#) Ghonaim, Ali & Osheibah, 2005 ^{c g}
- [*Polypedilum masoni*](#) Sublette ^{i g}
- [*Polypedilum masudai*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum medium*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum medivittatum*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum mehinaku*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum melanophilum*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum mellense*](#) (Goetghebuer, 1942) ^{c g}
- [*Polypedilum mengmanense*](#) Zhang & Wang ^g
- [*Polypedilum miagense*](#) Niitsuma, 1991 ^{c g}
- [*Polypedilum microzoster*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum milnei*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum misumaiquartum*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum misumaitertium*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum miyakoense*](#) Hasegawa & Sasa, 1987 ^{c g}
- [*Polypedilum mongollemus*](#) Sasa & Suzuki, 1997 ^{c g}
- [*Polypedilum monodontatum*](#) Konstantnivo, 1948 ^{c g}
- [*Polypedilum monostictum*](#) Kieffer, 1916 ^{c g}
- [*Polypedilum moubayedbreili*](#) Ashe & O Connor, 2015 ^g
- [*Polypedilum multiannulatum*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum mundurucu*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum nahukuwa*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum nanulus*](#) (Kieffer, 1916) ^{c g}
- [*Polypedilum napahaiense*](#) ^g
- [*Polypedilum natalense*](#) (Kieffer, 1918) ^{c g}
- [*Polypedilum neoperturbans*](#) Ree, 2009 ^g
- [*Polypedilum nigribasale*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum nigrinum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum nodosum*](#) Johannsen, 1932 ^g
- [*Polypedilum novemmaculatum*](#) Hardy, 1960 ⁱ
- [*Polypedilum nubeculosum*](#) (Meigen, 1804) ^{i c g}
- [*Polypedilum nubens*](#) (Edwards, 1929) ^{c g}
- [*Polypedilum nubifer*](#) Skuse, 1889 ^{c g}
- [*Polypedilum nubiferum*](#) (Skuse, 1889) ^{i c g}

- [*Polypedilum nudiceps*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum nudifer*](#) Skuse, 1889 ^g
- [*Polypedilum nudimanum*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum nudiprostatum*](#) Zhang, Wang & Saether, 2006 ^g
- [*Polypedilum numerus*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum nymphaeorum*](#) Maschwitz ^{i c g}
- [*Polypedilum nymphella*](#) (Kieffer, 1921) ^c
- [*Polypedilum obelos*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum oblitteratum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum obscurum*](#) Guha & Chaudhuri, 1982 ^{c g}
- [*Polypedilum obtusum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum octosema*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum ogoouense*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum okiflavum*](#) Sasa, 1991 ^{c g}
- [*Polypedilum okiharaki*](#) Sasa, 1991 ^{c g}
- [*Polypedilum okipallidum*](#) Sasa, 1991 ^{c g}
- [*Polypedilum okueima*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum ontario*](#) (Walley, 1926) ^{i c g b}
- [*Polypedilum opacum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum ophioides*](#) Townes, 1945 ^{i c g}
- [*Polypedilum opimum*](#) (Hutton, 1902) ^{c g}
- [*Polypedilum oresitrophum*](#) (Skuse, 1889) ^{c g}
- [*Polypedilum ornatipennis*](#) (Kieffer, 1918) ^{c g}
- [*Polypedilum ornatipes*](#) Kieffer, 1924 ^{c g}
- [*Polypedilum palauense*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum palliventre*](#) Freeman, 1961 ^{c g}
- [*Polypedilum paludosum*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum panacu*](#) ^g
- [*Polypedilum paraconvexum*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum paraconvictum*](#) Yamamoto, Yamamoto & Hirowatari ^g
- [*Polypedilum parallelum*](#) Zhang & Wang ^g
- [*Polypedilum paranigrum*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum parapicatum*](#) Niitsuma, 1991 ^{c g}
- [*Polypedilum parascalaenum*](#) Beck, 1962 ^{i c g}
- [*Polypedilum paraviceps*](#) Niitsuma, 1992 ^{c g}
- [*Polypedilum pardus*](#) Townes, 1945 ^{i c g}

- [*Polypedilum parthenogeneticum*](#) Donato & Paggi, 2008 ^{c g}
- [*Polypedilum parviacumen*](#) Kawai & Sasa, 1985 ^{c g}
- [*Polypedilum parvum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum patulum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum paucisetum*](#) Zhang, Wang & Saether, 2006 ^{c g}
- [*Polypedilum paulusi*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum pavidum*](#) (Hutton, 1902) ^{c g}
- [*Polypedilum pedatum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum pedestre*](#) (Meigen, 1830) ^{c g}
- [*Polypedilum perturbans*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum phre*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum plautum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum ploenense*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum pollicium*](#) Zhang & Wang ^g
- [*Polypedilum ponapense*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum praegnans*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum prasiogaster*](#) Freeman, 1961 ^{c g}
- [*Polypedilum procerum*](#) Zhang, Song, Wang & Wang, 2015 ^g
- [*Polypedilum prolixipartum*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum prominens*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum pruina*](#) Freeman, 1954 ^{c g}
- [*Polypedilum pseudacifer*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum pseudamoenum*](#) Moubayed, 1992 ^{c g}
- [*Polypedilum pseudoconvictum*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum pseudoflagellatum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum pseudoiris*](#) Gromov, 1951 ^{c g}
- [*Polypedilum pseudomasudai*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum pseudoscalaenum*](#) Vimmer, 1934 ^{c g}
- [*Polypedilum pseudosordens*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum pterosopilus*](#) Townes, 1945 ^{i g}
- [*Polypedilum pterospilus*](#) Townes, 1945 ^{c g}
- [*Polypedilum pulchripes*](#) (Meijere, 1924) ^{c g}
- [*Polypedilum pulchrum*](#) Albu, 1980 ^{c g}
- [*Polypedilum pulchum*](#) Townes, 1945 ^g
- [*Polypedilum pullum*](#) (Zetterstedt, 1838) ^{c g}
- [*Polypedilum pumilio*](#) (Kieffer, 1921) ^{c g}

- [Polypedilum puri](#) ^g
- [Polypedilum purimanus](#) Kieffer, 1913 ^{c g}
- [Polypedilum purus](#) Bidawid, 1996 ^{c g}
- [Polypedilum pygmaeum](#) (Kieffer, 1921) ^c
- [Polypedilum quadrifarum](#) (Kieffer, 1922) ^{c g}
- [Polypedilum quadriguttatum](#) Kieffer, 1921 ^{c g}
- [Polypedilum quadrimaculatum](#) (Meigen, 1838) ^{c g}
- [Polypedilum quinqueguttatum](#) Kieffer, 1921 ^{c g}
- [Polypedilum quinquesetosum](#) (Edwards, 1931) ^{c g}
- [Polypedilum ramiferum](#) Kieffer, 1921 ^{c g}
- [Polypedilum rissi](#) Edwards, 1931 ^g
- [Polypedilum rohneri](#) Edwards, 1931 ^g
- [Polypedilum rufomarginalis](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [Polypedilum sabbuhi](#) Bidawid, 1996 ^{c g}
- [Polypedilum saetheri](#) Moubayed-Breil, 2007 ^{c g}
- [Polypedilum saetosum](#) Lehmann, 1981 ^{c g}
- [Polypedilum sagittiferum](#) (Tokunaga, 1938) ^{c g}
- [Polypedilum sahariense](#) Kieffer, 1926 ^{c g}
- [Polypedilum salavoni](#) Bidawid, 1996 ^{c g}
- [Polypedilum salwiti](#) Bidawid, 1996 ^{c g}
- [Polypedilum sate](#) Kieffer, 1925 ^{c g}
- [Polypedilum sauteri](#) Kieffer, 1921 ^{c g}
- [Polypedilum scalaenulus](#) (Edwards, 1932) ^{c g}
- [Polypedilum scalaenum](#) (Schränk, 1803) ^{i c g b}
- [Polypedilum scharfi](#) von Schränk, 1803 ^g
- [Polypedilum scirpicola](#) (Kieffer, 1921) ^{c g}
- [Polypedilum scutellare](#) Kieffer, 1922 ^{c g}
- [Polypedilum seorsum](#) (Skuse, 1889) ^{c g}
- [Polypedilum shangujuensis](#) Wang, 1994 ^{c g}
- [Polypedilum shirokanense](#) (Sasa, 1979) ^{c g}
- [Polypedilum siamensis](#) Moubayed, 1989 ^{c g}
- [Polypedilum sibadeeum](#) Sasa, Sumita & Suzuki, 1999 ^{c g}
- [Polypedilum sibiricum](#) Goetghebuer, 1933 ^{c g}
- [Polypedilum sidoniensis](#) Moubayed, 1989 ^{c g}
- [Polypedilum silhouettarium](#) Saether, 2004 ^{c g}
- [Polypedilum simantoheium](#) Sasa, Suzuki & Sakai, 1998 ^{c g}

- [*Polypedilum simantoijeum*](#) Sasa, Suzuki & Sakai, 1998 ^{c g}
- [*Polypedilum simantokeleum*](#) Sasa, Suzuki & Sakai, 1998 ^{c g}
- [*Polypedilum simantomaculatum*](#) Sasa, Suzuki & Sakai, 1998 ^{c g}
- [*Polypedilum simulans*](#) Townes, 1945 ^{i c g}
- [*Polypedilum simulator*](#) Kieffer, 1917 ^{c g}
- [*Polypedilum solimoes*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum sordens*](#) (Wulp, 1874) ^{i c g b}
- [*Polypedilum spadix*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum sparganii*](#) (Kieffer, 1913) ^c
- [*Polypedilum spathum*](#) Zhang & Wang, 2007 ^{c g}
- [*Polypedilum spiesi*](#) Zhang & Wang, 2007 ^g
- [*Polypedilum spinalveum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum spinibojum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum stephani*](#) Lehmann, 1981 ^{c g}
- [*Polypedilum stictopternum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum stictopterus*](#) (Kieffer, 1921) ^c
- [*Polypedilum stratiotis*](#) (Kieffer, 1909) ^c
- [*Polypedilum stuckenbergi*](#) Freeman, 1961 ^{c g}
- [*Polypedilum subconfluens*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum subovatum*](#) Freeman, 1958 ^{c g}
- [*Polypedilum subscultellatum*](#) Sublette, 1960 ^{i c g}
- [*Polypedilum subulatum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum suliceps*](#) Townes, 1945 ^{i c g}
- [*Polypedilum surugense*](#) Niitsuma, 1992 ^{c g}
- [*Polypedilum suturalis*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum takaoense*](#) Sasa, 1980 ^{c g}
- [*Polypedilum tamagohanum*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamagoryoense*](#) Sasa, 1980 ^{c g}
- [*Polypedilum tamahamurai*](#) (Sasa, 1983) ^{c g}
- [*Polypedilum tamaharaki*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamahinoense*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamahosohige*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamanigrum*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamasemusi*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tana*](#) Cranston & Judd, 1989 ^{c g}
- [*Polypedilum tananense*](#) Sasa & Hasegawa, 1988 ^{c g}

- [*Polypedilum tenue*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum tenuis*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum tenuitarse*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum tesfayi*](#) Harrison, 1996 ^{c g}
- [*Polypedilum tetrachaetum*](#) (Goetghebuer, 1919) ^{c g}
- [*Polypedilum tetracrenatum*](#) Hirvenoja, 1962 ^{c g}
- [*Polypedilum tetrasema*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum tetrastictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum tiberiadis*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum tigrinum*](#) (Hashimoto, 1983) ^{c g}
- [*Polypedilum tirio*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum titicacae*](#) Roback & Coffman, 1983 ^{c g}
- [*Polypedilum tobadecima*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobanona*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobaoctavum*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobaseptimum*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobaundecima*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tochibicolor*](#) Niitsuma, 1991 ^{c g}
- [*Polypedilum togapallidum*](#) Kikuchi & Sasa, 1990 ^g
- [*Polypedilum tokaraheium*](#) Sasa & Suzuki, 1995 ^{c g}
- [*Polypedilum tokaraijeum*](#) Sasa & Suzuki, 1995 ^{c g}
- [*Polypedilum tokunagai*](#) Sasa & Suzuki, 1995 ^g
- [*Polypedilum tonnoiri*](#) Freeman, 1961 ^{c g}
- [*Polypedilum trapezium*](#) Zhang & Wang ^g
- [*Polypedilum tridens*](#) Freeman, 1955 ^{c g}
- [*Polypedilum tridentatum*](#) Konstantinov, 1952 ^{c g}
- [*Polypedilum trigonum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum trigonus*](#) ^b
- [*Polypedilum trinimaculum*](#) (Tokunaga, 1940) ^{c g}
- [*Polypedilum tripunctum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum tristictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum tritum*](#) (Walker, 1856) ^{i c g b}
- [*Polypedilum trombetas*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum tropicum*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum trukense*](#) (Tokunaga, 1940) ^{c g}
- [*Polypedilum tsukubaense*](#) Sasa, 1979 ^g

- [*Polypedilum tuberculatum*](#) (Tokunaga, 1940) ^{c g}
- [*Polypedilum tuberculum*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum tuburcinatum*](#) Andersen & Bello Gonzalez ^g
- [*Polypedilum tupi*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum tusimageheum*](#) Sasa & Suzuki, 1999 ^{c g}
- [*Polypedilum tusimaheium*](#) Sasa & Suzuki, 1999 ^{c g}
- [*Polypedilum tusimaijeum*](#) Sasa & Suzuki, 1999 ^{c g}
- [*Polypedilum txicao*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum udominutum*](#) Niitsuma, 1992 ^{c g}
- [*Polypedilum umayo*](#) Roback & Coffman, 1983 ^{c g}
- [*Polypedilum unagiquartum*](#) Sasa, 1985 ^{c g}
- [*Polypedilum uncinatum*](#) (Goetghebuer, 1921) ^{c g}
- [*Polypedilum unifasciatum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum unifascium*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum vanderplanki*](#) Hinton, 1951 ^{c g}
- [*Polypedilum variegatum*](#) Goetghebuer, 1931 ^{c g}
- [*Polypedilum vectum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum vespertinum*](#) (Skuse, 1889) ^{c g}
- [*Polypedilum vibex*](#) Townes, 1945 ^{i c g}
- [*Polypedilum villcanota*](#) Roback & Coffman, 1983 ^{c g}
- [*Polypedilum vogesiacum*](#) Goetghebuer, 1944 ^{c g}
- [*Polypedilum volselligum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum walleyi*](#) Townes, 1945 ^{i c g}
- [*Polypedilum watsoni*](#) Freeman, 1961 ^{c g}
- [*Polypedilum wayana*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum wirthi*](#) Freeman, 1961 ^{c g}
- [*Polypedilum xamatar*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum xavante*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum xiborena*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum xuei*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum yakubeceum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum yakucedum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum yakudeeum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum yamasinense*](#) Tokunaga, 1940 ^g
- [*Polypedilum yammounei*](#) Moubayed, 1992 ^{c g}
- [*Polypedilum yanomami*](#) Bidawid & Fittkau, 1996 ^{c g}

- [*Polypedilum yapense*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum yaumounei*](#) Bidawid & Fittkau, 1995 ^g
- [*Polypedilum yavalapiti*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum yongsanense*](#) Ree, 1981 ^{c g}
- [*Polypedilum youngsanensis*](#) Han Il Ree & Hoon Soo Kim, 1981 ^{c g}
- [*Polypedilum zavreli*](#) (Kieffer, 1922) ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 100 species in [*Polymerus*](#), a genus of plant bugs in the family [*Miridae*](#).^{[1][2][3][4]}

***Polymerus* species**

- [*Polymerus amazonicus*](#) Carvalho, 1976 ^{c g}
- [*Polymerus americanus*](#) (Reuter, 1876) ^{i c g}
- [*Polymerus amurensis*](#) Kerzhner, 1988 ^{c g}
- [*Polymerus andinus*](#) Carvalho and Carpintero, 1989 ^{c g}
- [*Polymerus aristaeae*](#) Ferreira, 1979 ^{c g}
- [*Polymerus asperulae*](#) (Fieber, 1861) ^{c g}
- [*Polymerus atacamensis*](#) Carvalho and Carpintero, 1986 ^{c g}
- [*Polymerus aureus*](#) (Ballard, 1927) ^{c g}
- [*Polymerus balli*](#) Knight, 1925 ^{i c g}
- [*Polymerus basalis*](#) (Reuter, 1876) ^{i c g b} (red-spotted aster mirid)
- [*Polymerus basivittis*](#) (Reuter, 1909) ^{i c g}
- [*Polymerus bimaculatus*](#) (Poppius, 1910) ^{c g}
- [*Polymerus brevicornis*](#) (Reuter, 1879) ^{c g}
- [*Polymerus brevirostris*](#) Knight, 1925 ^{i c g}
- [*Polymerus brevis*](#) Knight, 1925 ^{i c g}
- [*Polymerus caligatus*](#) (Stål, 1860) ^{c g}
- [*Polymerus carpathicus*](#) (Horvath, 1882) ^{c g}
- [*Polymerus carpintero*](#) Carvalho and Wallerstein, 1978 ^{c g}
- [*Polymerus castilleja*](#) Schwartz, 1989 ^{i c g}
- [*Polymerus chilensis*](#) Carvalho and Gomes, 1969 ^{c g}
- [*Polymerus chrysopsis*](#) Knight, 1925 ^{i c g}
- [*Polymerus coccineus*](#) (Spinola, 1852) ^{c g}
- [*Polymerus cognatus*](#) (Fieber, 1858) ^{i c g}

- [*Polymerus consanguineus*](#) (Distant, 1904) ^{c g}
- [*Polymerus costalis*](#) Knight, 1943 ^{i c g}
- [*Polymerus cunealis*](#) (Reuter, 1907) ^c
- [*Polymerus cuneatus*](#) (Distant, 1893) ^c
- [*Polymerus delongi*](#) Knight, 1925 ^{i c g}
- [*Polymerus diffusus*](#) (Uhler, 1872) ^{i c g}
- [*Polymerus dissimilis*](#) (Reuter, 1896) ^{c g}
- [*Polymerus ecuadorensis*](#) Carvalho and Gomes, 1968 ^{c g}
- [*Polymerus elegans*](#) (Reuter, 1909) ^{i c g}
- [*Polymerus fasciolus*](#) Knight, 1943 ^{i c g}
- [*Polymerus flaviloris*](#) Knight, 1925 ^{i c g}
- [*Polymerus flavipes*](#) (Distant, 1904) ^{c g}
- [*Polymerus flavocostatus*](#) Knight, 1926 ^{i c g}
- [*Polymerus forughae*](#) Linnavuori and Hosseini, 2000 ^{c g}
- [*Polymerus froeschneri*](#) Knight, 1923 ^{i c g}
- [*Polymerus fulvipes*](#) Knight, 1923 ^{i c g b}
- [*Polymerus funestus*](#) (Reuter, 1906) ^{c g}
- [*Polymerus gerhardi*](#) Knight, 1923 ^{i c g}
- [*Polymerus gracilentus*](#) Knight, 1925 ^{i c g}
- [*Polymerus hirtulus*](#) Wagner, 1959 ^{c g}
- [*Polymerus hirtus*](#) Knight, 1943 ^{i c g}
- [*Polymerus holosericeus*](#) Hahn, 1831 ^{i c g}
- [*Polymerus illini*](#) Knight, 1941 ^{i c g}
- [*Polymerus lammesi*](#) Rinne, 1989 ^{c g}
- [*Polymerus lanuginosus*](#) (Distant, 1893) ^c
- [*Polymerus longirostris*](#) (Reuter, 1905) ^{c g}
- [*Polymerus madagascariensis*](#) (Poppius, 1914) ^{c g}
- [*Polymerus microphthalmus*](#) (Wagner, 1951) ^{c g}
- [*Polymerus minutus*](#) Ferreira, 1979 ^{c g}
- [*Polymerus modestus*](#) (Blanchard, 1852) ^{c g}
- [*Polymerus nigrigulis*](#) Knight, 1926 ^{i c g}
- [*Polymerus nigrinus*](#) (Fallén, 1807) ^{c g}
- [*Polymerus nigropallidus*](#) Knight, 1923 ^{i c g}
- [*Polymerus nitidus*](#) (Odhiambo, 1960) ^{c g}
- [*Polymerus nubilipes*](#) Knight, 1925 ^{i c g}
- [*Polymerus obscuratus*](#) (Poppius, 1914) ^{c g}

- [*Polymerus ocellatus*](#) (V. Signoret, 1864) ^{c g}
- [*Polymerus opacus*](#) Knight, 1923 ^{i c g b}
- [*Polymerus ornatifrons*](#) Odhiambo, 1959 ^{c g}
- [*Polymerus pallescens*](#) (Walker, 1873) ^{i c g}
- [*Polymerus pallidus*](#) Maldonado, 1969 ^{c g}
- [*Polymerus palustris*](#) (Reuter, 1905) ^{c g}
- [*Polymerus pekinensis*](#) Horváth, 1901 ^{c g}
- [*Polymerus peruanus*](#) Carvalho and Melendez, 1986 ^{c g}
- [*Polymerus proximus*](#) Knight, 1923 ^{i c g b}
- [*Polymerus punctipes*](#) Knight, 1923 ^{i c g}
- [*Polymerus relativus*](#) Knight, 1926 ^{i c g}
- [*Polymerus robustus*](#) Henry, 1978 ^{i c g}
- [*Polymerus rostratus*](#) T. Henry, 1978 ^{c g}
- [*Polymerus rubescens*](#) Carvalho and Schaffner, 1973 ^{c g}
- [*Polymerus rubidus*](#) (Reuter, 1896) ^{c g}
- [*Polymerus rubrocuneatus*](#) Knight, 1925 ^{i c g b} (red-cuneus plant bug)
- [*Polymerus rubroornatus*](#) Knight, 1926 ^{c g}
- [*Polymerus rufipes*](#) Knight, 1926 ^{i c g}
- [*Polymerus rugulus*](#) (Ballard, 1927) ^{c g}
- [*Polymerus sculleni*](#) Knight, 1943 ^{i c g}
- [*Polymerus severini*](#) Knight, 1925 ^{i c g}
- [*Polymerus shawi*](#) Knight, 1943 ^{i c g}
- [*Polymerus solitus*](#) (Walker, 1873) ^{c g}
- [*Polymerus standishi*](#) Knight, 1943 ^{i c g}
- [*Polymerus sticticus*](#) (Stål, 1860) ^{c g}
- [*Polymerus tepastus*](#) Rinne, 1989 ^{c g}
- [*Polymerus testaceipes*](#) (Stål, 1860) ^{i c g b}
- [*Polymerus tinctipes*](#) Knight, 1923 ^{i c g}
- [*Polymerus tomentosus*](#) Villers, 1789 ^{c g}
- [*Polymerus tumidifrons*](#) Knight, 1925 ^{i c g}
- [*Polymerus uhleri*](#) (Van Duzee, 1914) ^{i c g}
- [*Polymerus unifasciatus*](#) (Fabricius, 1794) ^{i c g b}
- [*Polymerus vegatus*](#) (Van Duzee, 1933) ^{c g}
- [*Polymerus venaticus*](#) (Uhler, 1872) ^{i c g b}
- [*Polymerus venustus*](#) ^b
- [*Polymerus venustus*](#) Knight, 1923 ^{i c g}

- [*Polymerus vittatipennis*](#) Knight, 1943 ^{i c g}
- [*Polymerus voelzkovi*](#) (Reuter, 1907) ^{c g}
- [*Polymerus vulneratus*](#) (Wolff, 1801) ^{i c g}
- [*Polymerus wheeleri*](#) Henry, 1979 ^{i c g}
- [*Polymerus xerophilus*](#) Linnavuori, 1975 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 225 species in [*Polydrusus*](#), a genus of broad-nosed weevils in the family [*Curculionidae*](#).
[1][2][3][4]

***Polydrusus* species**

- [*Polydrusus abbreviatus*](#) Desbrochers, 1871 ^g
- [*Polydrusus abeillei*](#) Desbrochers des Loges, 1869 ^{c g}
- [*Polydrusus acuminatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus aeratus*](#) (Gravenhorst, 1807) ^{c g}
- [*Polydrusus alaiensis*](#) (Faust, 1891) ^{c g}
- [*Polydrusus alchemillae*](#) (Hustache, 1929) ^{c g}
- [*Polydrusus alveolus*](#) Desbrochers, 1869
- [*Polydrusus americanus*](#) (Gyllenhal, 1834) ^{i c g b}
- [*Polydrusus amoenus*](#) (Germar, 1824) ^{c g}
- [*Polydrusus amplipennis*](#) Desbrochers des Loges, 1902 ^{c g}
- [*Polydrusus amplipennis*](#) Champion, 1911 ^{c g}
- [*Polydrusus analis*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus anchoralifer*](#) (Chevrolat, 1859) ^{c g}
- [*Polydrusus andalusicus*](#) Solari, 1954
- [*Polydrusus angustus*](#) (Lucas, 1854) ^{c g}
- [*Polydrusus apfelbecki*](#) Solari, 1926
- [*Polydrusus archaetypus*](#) (Zherikhin, 1971) ^{c g}
- [*Polydrusus armipes*](#) Brullé, 1832 ^{c g}
- [*Polydrusus asniensis*](#) (Hustache, 1933) ^{c g}
- [*Polydrusus astutus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus atlasicus*](#) (Kocher, 1961) ^{c g}
- [*Polydrusus augustalisi*](#) (Pic, 1910) ^{c g}
- [*Polydrusus aurocupreus*](#) Gandhi & Pajni, 1984 ^{c g}
- [*Polydrusus auronitens*](#) (D'Amore-Fracassi, 1906) ^{c g}

- [*Polydrusus balearicus*](#) (Voss, 1936)
- [*Polydrusus bardus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus bartolii*](#) Pesarini, 1975 ^{c g}
- [*Polydrusus baudii*](#) (Faust, 1889) ^{c g}
- [*Polydrusus bedeli*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus biovatus*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus bisphaericus*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus bodemeyeri*](#) (Reitter, 1903) ^{c g}
- [*Polydrusus bohemani*](#) Kiesenwetter, 1852 ^{c g}
- [*Polydrusus brevicollis*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Polydrusus brevipes*](#) (Kiesenwetter, 1864) ^{c g}
- [*Polydrusus bulgaricus*](#) (Leonhard, 1912) ^{c g}
- [*Polydrusus calabricus*](#) (Faust, 1890) ^{c g}
- [*Polydrusus carpathicus*](#) Brancsik, 1874 ^{c g}
- [*Polydrusus castilianus*](#) K. Daniel & J. Daniel, 1898 ^{c g}
- [*Polydrusus caucasicus*](#) (Desbrochers des Loges, 1872) ^{c g}
- [*Polydrusus cephalonicus*](#) Apfelbeck, 1922 ^{c g}
- [*Polydrusus cephalotes*](#) (Desbrochers des Loges, 1872) ^{c g}
- [*Polydrusus cervinus*](#) (Linnaeus, 1758)
- [*Polydrusus chilensis*](#) Kuschel, 1950 ^{c g}
- [*Polydrusus chinensis*](#) (Kono & Morimoto, 1960) ^{c g}
- [*Polydrusus chlorogaster*](#) Champion, 1911 ^{c g}
- [*Polydrusus chrysocephalodes*](#) Hustache, 1946 ^{c g}
- [*Polydrusus chrysocephalus*](#) (Chevrolat, 1859) ^{c g}
- [*Polydrusus chrysomela*](#) (Olivier, 1807) ^{c g}
- [*Polydrusus clermonti*](#) (Pic, 1919) ^{c g}
- [*Polydrusus cocciferae*](#) Kiesenwetter, 1864 ^{c g}
- [*Polydrusus confluens*](#) Stephens, 1831
- [*Polydrusus constellatus*](#) (Voss, 1959) ^{c g}
- [*Polydrusus corruscus*](#) Germar, 1824 ^{c g}
- [*Polydrusus cressius*](#) Pic, 1904 ^{c g}
- [*Polydrusus crinipes*](#) Germann, 2018 ^c
- [*Polydrusus cylindrithorax*](#) Desbrochers, 1900
- [*Polydrusus davatchii*](#) (Hoffmann, 1956) ^{c g}
- [*Polydrusus decoratus*](#) Woodruff, 1923 ^{i c g}
- [*Polydrusus delicatulus*](#) Horn, 1894 ^{c g}
- [*Polydrusus demoflysi*](#) Normand, 1951 ^{c g}

- [*Polydrusus deplanatus*](#) (Schilsky, 1910) ^{c g}
- [*Polydrusus derosasi*](#) Zumpt, 1933 ^{c g}
- [*Polydrusus desbrochersi*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus dilutus*](#) Motschulsky, 1849 ^{c g}
- [*Polydrusus djarkentensis*](#) (Voss, 1940) ^{c g}
- [*Polydrusus dohrni*](#) (Faust, 1882) ^{c g}
- [*Polydrusus elegans*](#) Reitter, 1887
- [*Polydrusus elegantulus*](#) (Boheman, 1840) ^{c g}
- [*Polydrusus emmae*](#) J. Müller, 1925 ^{c g}
- [*Polydrusus eusomoides*](#) (Desbrochers des Loges, 1899) ^{c g}
- [*Polydrusus faillai*](#) Desbrochers, 1889 ^g
- [*Polydrusus falsosus*](#) (Hoffmann, 1963) ^{c g}
- [*Polydrusus femoratus*](#) (Stierlin, 1888) ^g
- [*Polydrusus ferrugineus*](#) (Boheman, 1840) ^{c g}
- [*Polydrusus festae*](#) (F. Solari, 1925) ^{c g}
- [*Polydrusus flavipes*](#) (De Geer, 1775)
- [*Polydrusus flavonotatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus formosus*](#) (Mayer, 1779) ^{c g b} (green immigrant leaf weevil)
- [*Polydrusus frater*](#) (Rottenberg, 1871) ^{c g}
- [*Polydrusus freyi*](#) (Zumpt, 1933) ^{c g}
- [*Polydrusus fulvicornis*](#) (Fabricius, 1792) ^{c g}
- [*Polydrusus fusciclava*](#) (Desbrochers des Loges, 1908) ^{c g}
- [*Polydrusus fuscofasciatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus fuscoroseus*](#) Desbrochers, 1871
- [*Polydrusus fuscus*](#) (Marshall, 1953) ^{c g}
- [*Polydrusus gemmifer*](#) (Guillebeau, 1897) ^{c g}
- [*Polydrusus glabratus*](#) (Gyllenhal, 1834) ^{c g}
- [*Polydrusus gracilicornis*](#) Kiesenwetter, 1864 ^g
- [*Polydrusus grandiceps*](#) (Desbrochers des Loges, 1875) ^{c g}
- [*Polydrusus griseomaculatus*](#) Desbrochers des Loges, 1869 ^{c g}
- [*Polydrusus guadelupensis*](#) Hustache, 1929 ^{c g}
- [*Polydrusus hassayampus*](#) Sleeper, 1957 ^{i c g b}
- [*Polydrusus henoni*](#) (Allard, 1869) ^{c g}
- [*Polydrusus hirsutipennis*](#) (Pic, 1908) ^{c g}
- [*Polydrusus hoppei*](#) (Apfelbeck, 1922) ^{c g}
- [*Polydrusus ibericus*](#) Stierlin, 1884 ^{c g}
- [*Polydrusus iliensis*](#) (Bajtenov, 1974) ^{c g}

- [*Polydrusus immaculatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus impar*](#) Gozis, 1882 ^{c g}
- [*Polydrusus impressifrons*](#) (Gyllenhal, 1834) ^{i c g b} (pale green weevil)
- [*Polydrusus inopinatus*](#) (Binaghi, 1968) ^{c g}
- [*Polydrusus interstitialis*](#) Perris, 1864 ^{c g}
- [*Polydrusus inustus*](#) Germar, 1824 ^{c g}
- [*Polydrusus ischnotracheloides*](#) (Hustache, 1939) ^{c g}
- [*Polydrusus isshikii*](#) (Kono, 1930) ^{c g}
- [*Polydrusus japonicus*](#) (Hustache, 1920) ^{c g}
- [*Polydrusus jucundus*](#) Miller, 1862 ^{c g}
- [*Polydrusus julianus*](#) (Reitter, 1916) ^{c g}
- [*Polydrusus juniperi*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Polydrusus kadleci*](#) Borovec & Germann, 2013 ^{c g}
- [*Polydrusus kahri*](#) Kirsch, 1865 ^{c g}
- [*Polydrusus kiesenwetteri*](#) (Faust, 1887) ^{c g}
- [*Polydrusus korbi*](#) (Stierlin, 1888) ^{c g}
- [*Polydrusus lateralis*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus latitarsis*](#) Hustache, 1929 ^{c g}
- [*Polydrusus lepineyi*](#) Hustache, 1946 ^{c g}
- [*Polydrusus leucaspis*](#) Boheman, 1840 ^{c g}
- [*Polydrusus longiceps*](#) (Schilsky, 1912) ^{c g}
- [*Polydrusus longicornis*](#) Champion, 1911 ^{c g}
- [*Polydrusus longus*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus lopatini*](#) Meleshko & Korotyaev, 2005 ^{c g}
- [*Polydrusus lucianae*](#) Francia, 1985 ^{c g}
- [*Polydrusus luctuosus*](#) (Desbrochers des Loges, 1875) ^{c g}
- [*Polydrusus lusitanicus*](#) (Chevrolat, 1879) ^{c g}
- [*Polydrusus macrocephalus*](#) Champion, 1911 ^{c g}
- [*Polydrusus manteroi*](#) (Solari & Solari, 1903) ^{c g}
- [*Polydrusus marcidus*](#) Kiesenwetter, 1864 ^{c g}
- [*Polydrusus marginatus*](#) (Stephens, 1831) ^{c g}
- [*Polydrusus mariae*](#) (Faust, 1882) ^{c g}
- [*Polydrusus maurus*](#) (Peyerimhoff, 1925) ^{c g}
- [*Polydrusus mecedanus*](#) Reitter, 1908 ^{c g}
- [*Polydrusus minutus*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus modestus*](#) (Stierlin, 1864) ^{c g}

- [*Polydrusus mogadoricus*](#) (Escalera, 1914) ^{c g}
- [*Polydrusus mollicomus*](#) (Peyerimhoff, 1920) ^{c g}
- [*Polydrusus mollis*](#) (Stroem, 1768) ^{c g}
- [*Polydrusus moricei*](#) Pic, 1903 ^{c g}
- [*Polydrusus mutabilis*](#) Champion, 1911 ^{c g}
- [*Polydrusus nadaii*](#) Meleshko & Korotyaev, 2005 ^{c g}
- [*Polydrusus neapolitanus*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Polydrusus nothofagi*](#) Kuschel, 1950 ^{c g}
- [*Polydrusus obesulus*](#) Faust, 1882 ^{c g}
- [*Polydrusus obliquatus*](#) (Faust, 1884) ^{c g}
- [*Polydrusus obrieni*](#) Korotyaev, Ismailova & Meleshko, 2003 ^{c g}
- [*Polydrusus ochreus*](#) (Fall, 1907) ^{i c g b}
- [*Polydrusus pallidisetis*](#) Champion, 1911 ^{c g}
- [*Polydrusus pallidus*](#) (Gyllenhal, 1834) ^g
- [*Polydrusus pallipes*](#) (Lucas, 1849) ^{c g}
- [*Polydrusus paradoxus*](#) Stierlin, 1859 ^{c g}
- [*Polydrusus parallelus*](#) (Chevrolat, 1860) ^{c g}
- [*Polydrusus partitus*](#) Champion, 1911 ^{c g}
- [*Polydrusus pauper*](#) (Stierlin, 1890) ^{c g}
- [*Polydrusus pedemontanus*](#) (Chevrolat, 1869) ^{c g}
- [*Polydrusus peninsularis*](#) Horn, 1894 ^{c g}
- [*Polydrusus pici*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus picus*](#) (Fabricius, 1792) ^{c g}
- [*Polydrusus piliferus*](#) Hochhuth, 1847 ^{c g}
- [*Polydrusus piligerus*](#) Stierlin, 1884 ^{c g}
- [*Polydrusus pilosulus*](#) Chevrolat, 1865 ^{c g}
- [*Polydrusus pilosus*](#) Gredler, 1866 ^{c g}
- [*Polydrusus pirazzolii*](#) Stierlin, 1857 ^{c g}
- [*Polydrusus pistaciae*](#) (Kiesenwetter, 1864) ^{c g}
- [*Polydrusus planifrons*](#) (Gyllenhal, 1834) ^{c g}
- [*Polydrusus ponticus*](#) Faust, 1888 ^{c g}
- [*Polydrusus prasinus*](#) Olivier, 1790
- [*Polydrusus privatus*](#) (Normand, 1949) ^{c g}
- [*Polydrusus pterygomalis*](#) (Boheman, 1840) ^{c g}
- [*Polydrusus pulchellus*](#) Stephens, 1831
- [*Polydrusus pyrenaeus*](#) Tempère, 1976
- [*Polydrusus quadraticollis*](#) (Desbrochers des Loges, 1902) ^g

- [*Polydrusus raverae*](#) Solari & Solari, 1903 ^{c g}
- [*Polydrusus reitteri*](#) Stierlin, 1884 ^c
- [*Polydrusus rhodiaceus*](#) Schilsky, 1912 ^{c g}
- [*Polydrusus roseiceps*](#) Pesarini, 1975 ^{c g}
- [*Polydrusus roseus*](#) (Blanchard, 1831) ^{c g}
- [*Polydrusus rubicundus*](#) Pesarini, 1973 ^{c g}
- [*Polydrusus rufulus*](#) (Hochhuth, 1847) ^{c g}
- [*Polydrusus scapularis*](#) Pesarini, 1975 ^{c g}
- [*Polydrusus schwiegeri*](#) Reitter, 1908 ^{c g}
- [*Polydrusus sciaphiliformis*](#) Apfelbeck, 1898 ^{c g}
- [*Polydrusus scutellaris*](#) (Chevrolat, 1860) ^{c g}
- [*Polydrusus seidlitzii*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus senex*](#) Chevrolat, 1866 ^{c g}
- [*Polydrusus sericeus*](#) (Schaller, 1783) ⁱ
- [*Polydrusus setifrons*](#) (Jacquelin du Val, 1852) ^{c g}
- [*Polydrusus sicanus*](#) Chevrolat, 1860 ^{c g}
- [*Polydrusus sichuanicus*](#) Korotyaev & Meleshko, 1997 ^{c g}
- [*Polydrusus siculus*](#) Desbrochers des Loges, 1872 ^g
- [*Polydrusus sirdariensis*](#) (Bajtenov, 1974) ^{c g}
- [*Polydrusus smaragdulus*](#) (Fairmaire, 1859)
- [*Polydrusus solarii*](#) Pesarini, 1975 ^c
- [*Polydrusus sparsus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus spiniger*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus splendens*](#) F. Solari, 1909 ^{c g}
- [*Polydrusus stierlini*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus subalpinus*](#) Petri, 1912 ^{c g}
- [*Polydrusus subcyaneus*](#) (Desbrochers des Loges, 1872) ^{c g}
- [*Polydrusus subglaber*](#) (Desbrochers des Loges, 1870) ^{c g}
- [*Polydrusus subnotatus*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus talamellii*](#) Pesarini, 1999 ^{c g}
- [*Polydrusus tereticollis*](#) (De Geer, 1775) ^{c g}
- [*Polydrusus tibialis*](#) (Gyllenhal, 1834) ^{c g}
- [*Polydrusus tinauti*](#) Alonso-Zarazaga, 2013 ^{c g}
- [*Polydrusus tonsus*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus transalpinus*](#) K. Daniel & J. Daniel, 1906 ^{c g}
- [*Polydrusus transjordanus*](#) Germann, 2018 ^c

- [*Polydrusus tscharynensis*](#) (Bajtenov, 1971) ^{c g}
- [*Polydrusus turanensis*](#) (Faust, 1891) ^{c g}
- [*Polydrusus turcicus*](#) Meleshko & Korotyaev, 2003 ^{c g}
- [*Polydrusus vagepictus*](#) (Desbrochers des Loges, 1892) ^{c g}
- [*Polydrusus variegatus*](#) Desbrochers, 1870 ^g
- [*Polydrusus villosithorax*](#) Apfelbeck, 1922 ^{c g}
- [*Polydrusus virbius*](#) (Reitter, 1899) ^{c g}
- [*Polydrusus virens*](#) Kiesenwetter, 1864
- [*Polydrusus virginalis*](#) (Faust, 1888) ^{c g}
- [*Polydrusus viridicinctus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus viridimarginalis*](#) Hustache, 1946 ^{c g}
- [*Polydrusus vodozi*](#) (Desbrochers des Loges, 1903) ^g
- [*Polydrusus vulpeculus*](#) Hustache, 1946 ^{c g}
- [*Polydrusus wymanni*](#) Borovec & Germann, 2013 ^{c g}
- [*Polydrusus xanthopus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus yunakovi*](#) Alonso- Zarazaga, 2013 ^{c g}
- [*Polydrusus zumpti*](#) Voss, 1958 ^{c g}
- [*Polydrusus zurcheri*](#) (Schilsky, 1912) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 169 species belong to [*Polycyrtus*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^{[1][2][3]}

***Polycyrtus* species**

- [*Polycyrtus accuratus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus acerbus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus albiniclavus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus albispina*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus alboannulatus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus albocinctus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus albolineatus*](#) Cameron, 1911 ^c
- [*Polycyrtus alei*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus alexisi*](#) Zuniga, 2004 ^{c g}

- [Polycyrtus alterator](#) (Trentepohl, 1829) ^{c g}
- [Polycyrtus amoenus](#) (Viereck, 1913) ^{c g}
- [Polycyrtus areolaris](#) Cushman, 1931 ^{c g}
- [Polycyrtus areolatus](#) Cushman, 1931 ^{c g}
- [Polycyrtus atriceps](#) (Cresson, 1874) ^c
- [Polycyrtus avilae](#) Zuniga, 2004 ^{c g}
- [Polycyrtus barrientosi](#) Zuniga, 2004 ^{c g}
- [Polycyrtus bicarinatus](#) Cushman, 1931 ^{c g}
- [Polycyrtus bicolor](#) Zuniga, 2004 ^{c g}
- [Polycyrtus boliviensis](#) Cushman, 1931 ^{c g}
- [Polycyrtus brevigenalis](#) Cushman, 1931 ^{c g}
- [Polycyrtus brunneator](#) (Fabricius, 1798) ^{c g}
- [Polycyrtus bulbosus](#) Cushman, 1931 ^{c g}
- [Polycyrtus burgosi](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus buscki](#) Cushman, 1931 ^{c g}
- [Polycyrtus calii](#) Zuniga, 2004 ^{c g}
- [Polycyrtus capitator](#) (Fabricius, 1804) ^{c g}
- [Polycyrtus carinispinis](#) Cushman, 1931 ^{c g}
- [Polycyrtus carmenae](#) Zuniga, 2004 ^{c g}
- [Polycyrtus caudatus](#) Szepligeti, 1916 ^{c g}
- [Polycyrtus cedrella](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [Polycyrtus chalmersi](#) Zuniga, 2004 ^{c g}
- [Polycyrtus chiriquensis](#) Cameron, 1886 ^{c g}
- [Polycyrtus circumfluens](#) Cushman, 1931 ^{c g}
- [Polycyrtus clausus](#) Zuniga, 2004 ^{c g}
- [Polycyrtus clavator](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus cockerellae](#) Viereck, 1912 ^{c g}
- [Polycyrtus comma](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus condylobus](#) Zuniga, 2004 ^{c g}
- [Polycyrtus confusus](#) Cushman, 1931 ^{c g}
- [Polycyrtus constricticlavus](#) Cushman, 1931 ^{c g}
- [Polycyrtus convergens](#) Cushman, 1931 ^{c g}
- [Polycyrtus copiosus](#) (Cresson, 1874) ^{c g}
- [Polycyrtus copularis](#) Zuniga, 2004 ^{c g}
- [Polycyrtus crespoi](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus curtispina](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}

- [*Polycyrtus curvispina*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus curviventris*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus dahianae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus delphini*](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [*Polycyrtus dentatorius*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus donzoi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus duplaris*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus duplicatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus elegans*](#) (Provancher, 1888) ^{c g}
- [*Polycyrtus eliethae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus elviae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus emaculatus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus emarginatus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus eneyae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus enriquei*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus epimeron*](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [*Polycyrtus erythrosterneus*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus femoratus*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus ferox*](#) (Cresson, 1873) ^{c g}
- [*Polycyrtus fonsecai*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus furvus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus gauldi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus giacomellii*](#) Schrottky, 1911 ^{c g}
- [*Polycyrtus gibbulus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus gynnae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus hernandezi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus herrerae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus hidalgoi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus hilaris*](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [*Polycyrtus histrio*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus humerosus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus iconicus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus impressus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus inca*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus inezae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus infractus*](#) Cushman, 1931 ^{c g}

- [*Polycyrtus inquinatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus isidro*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus isthmus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus javieri*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus josei*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus juani*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus juanmii*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus junceus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus kattyae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus latigulus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus leprieurii*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus leucopus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus leucostomus*](#) (Taschenberg, 1876) ^{c g}
- [*Polycyrtus lidiae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus lindhae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus lituratus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus lovejoyi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus lucidator*](#) Erichson, 1848 ^{c g}
- [*Polycyrtus luisi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus macer*](#) (Cresson, 1874) ^c
- [*Polycyrtus maculatus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus major*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus mancus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus manni*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus marcoi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus martini*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus medialbus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus mediotinctus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus melanocephalus*](#) Cameron, 1911 ^{c g}
- [*Polycyrtus melanoleucus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus minutus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus nanii*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus neglectus*](#) Cushman, 1926 ^{c g b}
- [*Polycyrtus nigriceps*](#) (Brulle, 1846) ^c
- [*Polycyrtus nigriclypeatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus nigroscutellatus*](#) (Brulle, 1846) ^{c g}

- [*Polycyrtus nigrotibialis*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus nudus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus obtusispina*](#) Cameron, 1885 ^{c g}
- [*Polycyrtus ornatifrons*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus pallidibalteatus*](#) Cameron, 1885 ^{c g}
- [*Polycyrtus pallidus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus paranensis*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus parmenioi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus parviclavus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus patriciae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus paululus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus perditor*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus prominens*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus proximannulatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus quadrisulcatus*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus raveni*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus rebecae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus retusus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus riojanus*](#) Brèthes, 1916 ^{c g}
- [*Polycyrtus rufiventris*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus rugulosus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus sartor*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus semialbus*](#) (Cresson, 1865) ^{c g}
- [*Polycyrtus semirufus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus sigillatus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus similis*](#) Szepligeti, 1916 ^c
- [*Polycyrtus solisi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus soniae*](#) Kasparian & Ruiz-Cancino, 2003 ^{c g}
- [*Polycyrtus spinatorius*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus subtenuis*](#) (Cresson, 1865) ^c
- [*Polycyrtus superbus*](#) (Provancher, 1888) ^{c g}
- [*Polycyrtus surinamensis*](#) Szepligeti, 1916 ^c
- [*Polycyrtus suturalis*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus testaceus*](#) (Taschenberg, 1876) ^c
- [*Polycyrtus texanus*](#) (Porter, 1977) ^{c g}
- [*Polycyrtus thoracicus*](#) Tzankov & Alayo, 1974 ^{c g}

- [*Polycyrtus tigrinus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus tinctipennis*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus triangularis*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus trichromus*](#) (Spinola, 1851) ^{c g}
- [*Polycyrtus tricolor*](#) (Brulle, 1846) ^c
- [*Polycyrtus trilineatus*](#) (Brulle, 1846) ^c
- [*Polycyrtus trochanteratus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus tuberculatus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus tubulifer*](#) (Viereck, 1913) ^{c g}
- [*Polycyrtus univittatus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus vierecki*](#) Townes, 1966 ^{c g}
- [*Polycyrtus wilsoni*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus xanthocarpus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus xanthopus*](#) (Brulle, 1846) ^c
- [*Polycyrtus xanthothorax*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus yucatan*](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 161 species in [*Polycentropus*](#), a genus of tube maker caddisflies in the family [*Polycentropodidae*](#).^{[1][2][3][4]}

***Polycentropus* species**

- [*Polycentropus acanthogaster*](#) Flint, 1981 ^{i c g}
- [*Polycentropus africanus*](#) Marlier, 1956 ^{i c g}
- [*Polycentropus alabamensis*](#) Hamilton, Harris & Lago, 1990 ^{i c g}
- [*Polycentropus alatus*](#) Flint, 1981 ^{i c g}
- [*Polycentropus albipunctus*](#) (Banks, 1930) ^{i c g}
- [*Polycentropus almanzor*](#) Schmid, 1952 ^{i c g}
- [*Polycentropus altmani*](#) Yamamoto, 1967 ^{i c g}
- [*Polycentropus apsyrtos*](#) Malicky, 1999 ^{i c g}
- [*Polycentropus aquilonius*](#) Martynov, 1926 ^{i c g}
- [*Polycentropus ariensis*](#) Denning & Sykora, 1966 ^{i c g}
- [*Polycentropus arizonensis*](#) Banks, 1905 ^{i c g}
- [*Polycentropus armeniacus*](#) Martynov, 1934 ^{i c g}

- [*Polycentropus aspinosus*](#) Schmid, 1964^{i c g}
- [*Polycentropus auricollis*](#) Kimmins, 1962^{i c g}
- [*Polycentropus auriculatus*](#) Martynov, 1926^{i c g}
- [*Polycentropus australis*](#) Ulmer, 1915^{i c g}
- [*Polycentropus aztecus*](#) Flint, 1967^{i c g}
- [*Polycentropus azulus*](#) Flint, 1981^{i c g}
- [*Polycentropus barri*](#) Ross & Yamamoto^{i c g}
- [*Polycentropus bartolus*](#) Denning, 1962^{i c g}
- [*Polycentropus bellus*](#) Flint, 1981^{i c g}
- [*Polycentropus biappendiculatus*](#) Flint, 1974^{i c g}
- [*Polycentropus blicklei*](#) Ross & Yamamoto^{i c g}
- [*Polycentropus bonus*](#) Flint, 1981^{i c g}
- [*Polycentropus brevicornutus*](#)^g
- [*Polycentropus brongus*](#) Gibbs, 1973^{i c g}
- [*Polycentropus carlsoni*](#) Morse, 1971^{i c g}
- [*Polycentropus carolinensis*](#) Banks, 1905^{i c g}
- [*Polycentropus casicus*](#) Denning in Denning & Sykora, 1966^{i c g}
- [*Polycentropus ceciliae*](#) Flint, 1991^{i c g}
- [*Polycentropus centralis*](#) Banks, 1914^{i c g}
- [*Polycentropus chelatus*](#) Ross & Yamamoto^{i c g}
- [*Polycentropus chellus*](#) Denning, 1964^{i c g}
- [*Polycentropus chilensis*](#) Yamamoto, 1966^{i c g}
- [*Polycentropus cianficconiae*](#) De Pietro, 2000^{i c g}
- [*Polycentropus clarus*](#) Flint, 1981^{i c g}
- [*Polycentropus colei*](#) Ross, 1941^{i c g}
- [*Polycentropus confusus*](#) Hagen, 1861^{i c g}
- [*Polycentropus connatus*](#) Flint, 1981^{i c g}
- [*Polycentropus corniger*](#) McLachlan, 1884^{i c g}
- [*Polycentropus corsicus*](#) Mosely, 1931^{i c g}
- [*Polycentropus costaricensis*](#) Flint, 1967^{i c g}
- [*Polycentropus cressae*](#) Hamilton & Holzenthal^g
- [*Polycentropus criollo*](#) Botosaneanu, 1980^{i c g}
- [*Polycentropus cuspidatus*](#) Flint, 1981^{i c g}
- [*Polycentropus deltoides*](#) Yamamoto, 1967^{i c g}
- [*Polycentropus denningi*](#) Smith, 1962^{i c g b}
- [*Polycentropus devetaki*](#) Krusnik & Malicky, 1992^{i c g}

- [*Polycentropus digitus*](#) Yamamoto, 1967^{i c g}
- [*Polycentropus divergens*](#) Mosely, 1930^{i c g}
- [*Polycentropus djaman*](#) Martynov, 1927^{i c g}
- [*Polycentropus domingensis*](#) Banks, 1941^{i c g}
- [*Polycentropus doronca*](#) Denning & Sykora, 1966^{i c g}
- [*Polycentropus drahamensis*](#) Malicky, 1982^{i c g}
- [*Polycentropus elarus*](#) Ross, 1944^{i c g}
- [*Polycentropus elegans*](#) Kumanski, 1979^{i c g}
- [*Polycentropus encera*](#) Denning, 1968^{i c g}
- [*Polycentropus excisus*](#) Klapalek, 1894^{i c g}
- [*Polycentropus exsertus*](#) Flint, 1981^{i c g}
- [*Polycentropus fasthi*](#) Holzenthal & Hamilton, 1988^{i c g}
- [*Polycentropus flavomaculatus*](#) (Pictet, 1834)^{i c g}
- [*Polycentropus flavostictus*](#) Hagen, 1865^{i c g}
- [*Polycentropus flavus*](#)^{i c}
- [*Polycentropus floridensis*](#) Lago & Harris, 1983^{i c g}
- [*Polycentropus formosanus*](#)^g
- [*Polycentropus fortispinus*](#) Holzenthal & Hamilton, 1988^{i c g}
- [*Polycentropus fortunei*](#) Flint, 1981^{i c g}
- [*Polycentropus francavillensis*](#) Malicky, 1981^{i c g}
- [*Polycentropus gertschi*](#) Denning, 1950^{i c g}
- [*Polycentropus grandis*](#) Kimmins, 1962^{i c g}
- [*Polycentropus guatemalensis*](#) Flint, 1967^{i c g}
- [*Polycentropus halidus*](#) Milne, 1936^{i c g}
- [*Polycentropus hamiferus*](#) Flint, 1981^{i c g}
- [*Polycentropus harpi*](#) Moulton & Stewart, 1993^{i c g}
- [*Polycentropus hebraeus*](#) Botosaneanu & Gasith, 1971^{i c g}
- [*Polycentropus holzenthali*](#) Bueno-Soria & Hamilton, 1986^{i c g}
- [*Polycentropus ichnusa*](#) Malicky, 1974^{i c g}
- [*Polycentropus iculus*](#) Ross, 1941^{i c g}
- [*Polycentropus ierapetra*](#) Malicky, 1972^{i c g}
- [*Polycentropus inaequalis*](#)^g
- [*Polycentropus insularis*](#) Banks, 1938^{i c g}
- [*Polycentropus interruptus*](#) (Banks, 1914)^{i c}
- [*Polycentropus intricatus*](#) Morton, 1910^{i c g}
- [*Polycentropus jamaicensis*](#) Flint, 1968^{i c g}

- [*Polycentropus jeldesi*](#) Flint, 1976^{i c g}
- [*Polycentropus jenula*](#) Denning in Denning & Sykora, 1966^{i c g}
- [*Polycentropus joergenseni*](#) Ulmer, 1909^{i c g}
- [*Polycentropus kapchajalaja*](#) Schmid, 1975^{i c g}
- [*Polycentropus kenampi*](#) (Korboot, 1964)^{i c g}
- [*Polycentropus kingi*](#) McLachlan, 1881^{i c g}
- [*Polycentropus lepidius*](#) Navas, 1920^{i c g}
- [*Polycentropus lingulatus*](#) Flint, 1981^{i c g}
- [*Polycentropus longispinosus*](#) Schmid, 1958^{i c g}
- [*Polycentropus maculatus*](#) Banks, 1908^{i c g b}
- [*Polycentropus malickyi*](#) Moretti, 1981^{i c g}
- [*Polycentropus marcanoi*](#) Flint, 1976^{i c g}
- [*Polycentropus masi*](#) Navas, 1916^{i c g}
- [*Polycentropus mathisi*](#) Hamilton, 1986^{i c g}
- [*Polycentropus mayanus*](#) Flint, 1981^{i c g}
- [*Polycentropus mazdacus*](#) Schmid, 1959^{i c g}
- [*Polycentropus meridiensis*](#) Flint, 1981^{i c g}
- [*Polycentropus metirensis*](#) Malicky, 1982^{i c g}
- [*Polycentropus mexicanus*](#) (Banks, 1901)^{i c g}
- [*Polycentropus milaca*](#) Etnier, 1968^{i c g}
- [*Polycentropus milikuri*](#) Malicky, 1975^{i c g}
- [*Polycentropus morettii*](#) Malicky, 1977^{i c g}
- [*Polycentropus mortoni*](#) Mosely, 1930^{i c g}
- [*Polycentropus moselyi*](#) Kimmins, 1962^{i c g}
- [*Polycentropus mounthageni*](#) Kumanski, 1979^{i c g}
- [*Polycentropus nascotius*](#) Ross, 1941^{i c g}
- [*Polycentropus nebulosus*](#) Holzenthal & Hamilton, 1988^{i c g}
- [*Polycentropus neiswanderi*](#) Ross, 1947^{i c g}
- [*Polycentropus nigriceps*](#) Banks, 1938^{i c g}
- [*Polycentropus nigrospinus*](#) Hsu & Chen, 1996^{i c g}
- [*Polycentropus obtusus*](#) (Schmid, 1955)^{i c g}
- [*Polycentropus palmitus*](#) Flint, 1967^{i c g}
- [*Polycentropus pentus*](#) Ross, 1941^{i c g}
- [*Polycentropus picana*](#) Ross, 1947^{i c g}
- [*Polycentropus piceus*](#) Kimmins, 1962^{i c g}
- [*Polycentropus pilosa*](#)^g

- [*Polycentropus pirisinui*](#) Malicky, 1981^{i c g}
- [*Polycentropus pixi*](#) Ross, 1944^{i c g}
- [*Polycentropus plicatus*](#) Navas, 1916^{i c g}
- [*Polycentropus quadriappendiculatus*](#) Schmid, 1964^{i c g}
- [*Polycentropus quadrispinosus*](#) Schmid, 1964^{i c g}
- [*Polycentropus radaukles*](#) Malicky, 1977^{i c g}
- [*Polycentropus rickeri*](#) Yamamoto, 1966^{i c g}
- [*Polycentropus rosselinus*](#) Navas, 1924^{i c g}
- [*Polycentropus sabulosus*](#) Leonard & Leonard, 1949^{i c g}
- [*Polycentropus sarandi*](#) Angrisano, 1994^{i c g}
- [*Polycentropus sardous*](#) Moretti, 1981^{i c g}
- [*Polycentropus schmidi*](#) Novak & Botosaneanu, 1965^{i c g}
- [*Polycentropus segregatus*](#) Mey & Joost, 1982^{i c g}
- [*Polycentropus similis*](#) Kimmins, 1962^{i c g}
- [*Polycentropus sinuosus*](#) Kimmins, 1962^{i c g}
- [*Polycentropus smithae*](#) Denning, 1949^{i c g}
- [*Polycentropus spicatus*](#) Yamamoto, 1967^{i c g}
- [*Polycentropus stephani*](#) Bowles, Mathis, & Hamilton, 1993^{i c g}
- [*Polycentropus surinamensis*](#) Flint, 1974^{i c g}
- [*Polycentropus telifer*](#) McLachlan, 1884^{i c g}
- [*Polycentropus tenerifensis*](#) Malicky, 1999^{i c g}
- [*Polycentropus terrai*](#) Malicky, 1980^{i c g}
- [*Polycentropus thaxtoni*](#) Hamilton & Holzenthal, 1986^{i c g}
- [*Polycentropus timesis*](#) (Denning, 1948)^{i c g}
- [*Polycentropus tuberculatus*](#) Flint, 1983^{i c g}
- [*Polycentropus turquino*](#) Botosaneanu, 1980^{i c g}
- [*Polycentropus unicus*](#) Hsu & Chen, 1996^{i c g}
- [*Polycentropus unispina*](#) Flint, 1991^{i c g}
- [*Polycentropus valdiviensis*](#) Flint, 1983^{i c g}
- [*Polycentropus vanachakuni*](#) Schmid & Denning, 1979^{i c g}
- [*Polycentropus vanderpooli*](#) Flint, 1976^{i c g}
- [*Polycentropus variatus*](#) Navas, 1917^{i c g}
- [*Polycentropus variegatus*](#) (Banks, 1900)^b
- [*Polycentropus veracruzensis*](#) Flint, 1981^{i c g}
- [*Polycentropus vernus*](#) Hamilton, Harris & Lago, 1990^{i c g}
- [*Polycentropus volcano*](#) Holzenthal & Hamilton, 1988^{i c g}

- [*Polycentropus weedi*](#) Bickel & Morse, 1955^{i c g}
- [*Polycentropus yuecelcaglari*](#) Sipahiler, 1999^{i c g}
- [*Polycentropus zancus*](#) Flint, 1981^{i c g}
- [*Polycentropus zaneta*](#) Denning, 1948^{i c g}
- [*Polycentropus zurqui*](#) Holzenthal & Hamilton, 1988^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 143 species in [*Polana*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3]}

***Polana* species**

- [*Polana agrilla*](#) DeLong & Freytag 1972^{c g}
- [*Polana alata*](#) DeLong & Freytag 1972^{c g}
- [*Polana alia*](#) DeLong & Freytag 1972^{c g}
- [*Polana alitera*](#) DeLong & Freytag 1972^{c g}
- [*Polana amapaensis*](#) Coelho 1991^{c g}
- [*Polana ancistra*](#) Freytag 2007^{c g}
- [*Polana aneza*](#) DeLong & Freytag 1972^{c g}
- [*Polana ardua*](#) DeLong & Freytag 1972^{c g}
- [*Polana aspersa*](#) DeLong & Freytag 1972^{c g}
- [*Polana assula*](#) DeLong & Freytag 1972^{c g}
- [*Polana belema*](#) DeLong 1984^{c g}
- [*Polana bena*](#) DeLong & Freytag 1972^{c g}
- [*Polana bicolor*](#) Spångberg 1878^{c g}
- [*Polana bidens*](#) DeLong & Freytag 1972^{c g}
- [*Polana bitubera*](#) DeLong & Foster 1982^{c g}
- [*Polana bohemani*](#) Stål 1864^{c g}
- [*Polana boquetea*](#) DeLong & Wolda 1984^{c g}
- [*Polana brevis*](#) Freytag 2007^{c g}
- [*Polana bruneola*](#) Osborn 1938^{c g}
- [*Polana bulba*](#) DeLong & Freytag 1972^{c g}
- [*Polana calvanoa*](#) DeLong & Wolda 1984^{c g}
- [*Polana caputa*](#) DeLong 1980^{c g}
- [*Polana carla*](#) DeLong 1980^{c g}
- [*Polana celata*](#) Fowler 1903^{c g}

- [Polana celsa](#) DeLong & Freytag 1972 ^{c g}
- [Polana censora](#) DeLong & Wolda 1984 ^{c g}
- [Polana chelata](#) DeLong & Freytag 1972 ^{c g}
- [Polana chena](#) DeLong & Wolda 1978 ^{c g}
- [Polana chifama](#) DeLong & Freytag 1972 ^{c g}
- [Polana clarita](#) DeLong & Wolda 1982 ^{c g}
- [Polana clavata](#) DeLong & Wolda 1984 ^{c g}
- [Polana cochlea](#) DeLong 1980 ^{c g}
- [Polana concinna](#) Stål 1862 ^{c g}
- [Polana confusa](#) DeLong 1984 ^{c g}
- [Polana coresa](#) DeLong & Freytag 1972 ^{c g}
- [Polana coverra](#) DeLong 1979 ^{c g}
- [Polana cumbresa](#) DeLong & Wolda 1984 ^{c g}
- [Polana cupida](#) DeLong & Freytag 1972 ^{c g}
- [Polana danesa](#) DeLong & Freytag 1972 ^{c g}
- [Polana declivata](#) Freytag 2007 ^{c g}
- [Polana desela](#) DeLong 1979 ^{c g}
- [Polana dispara](#) DeLong & Freytag 1972 ^{c g}
- [Polana diversita](#) DeLong & Wolda 1982 ^{c g}
- [Polana docera](#) DeLong & Wolda 1982 ^{c g}
- [Polana elabora](#) DeLong & Freytag 1972 ^{c g}
- [Polana elera](#) DeLong & Freytag 1972 ^{c g}
- [Polana exornata](#) Fowler 1903 ^{c g}
- [Polana extranea](#) Fowler 1903 ^{c g}
- [Polana falsa](#) DeLong & Freytag 1972 ^{c g}
- [Polana fenestra](#) DeLong 1984 ^{c g}
- [Polana fetera](#) DeLong & Freytag 1972 ^{c g}
- [Polana fina](#) DeLong & Freytag 1972 ^{c g}
- [Polana flectara](#) DeLong & Freytag 1972 ^{c g}
- [Polana fusconotata](#) Osborn 1938 ^{c g}
- [Polana gatunana](#) DeLong & Wolda 1984 ^{c g}
- [Polana gelera](#) DeLong & Freytag 1972 ^{c g}
- [Polana gomezi](#) DeLong 1979 ^{c g}
- [Polana gracilis](#) Spångberg 1883 ^{c g}
- [Polana helara](#) DeLong & Freytag 1972 ^{c g}
- [Polana helvola](#) DeLong 1979 ^{c g}

- [Polana icara](#) DeLong & Freytag 1972 ^{c g}
- [Polana inclinata](#) DeLong & Freytag 1972 ^{c g}
- [Polana inimica](#) DeLong & Freytag 1972 ^{c g}
- [Polana insulana](#) Freytag & Cwikla 1982 ^{c g}
- [Polana insulia](#) DeLong 1984 ^{c g}
- [Polana intricata](#) ^g
- [Polana julna](#) DeLong & Wolda 1982 ^{c g}
- [Polana laca](#) DeLong & Freytag 1972 ^{c g}
- [Polana lamina](#) DeLong 1979 ^{c g}
- [Polana lanara](#) DeLong & Freytag 1972 ^{c g}
- [Polana lerana](#) DeLong & Triplehorn 1979 ^{c g}
- [Polana luteonota](#) DeLong 1979 ^{c g}
- [Polana macuella](#) DeLong & Freytag 1972 ^{c g}
- [Polana macula](#) DeLong & Freytag 1972 ^{c g}
- [Polana mala](#) DeLong & Freytag 1972 ^{c g}
- [Polana melalbida](#) DeLong 1979 ^{c g}
- [Polana melella](#) DeLong 1979 ^{c g}
- [Polana mella](#) DeLong & Freytag 1972 ^{c g}
- [Polana merga](#) DeLong & Freytag 1972 ^{c g}
- [Polana minima](#) Freytag 2007 ^{c g}
- [Polana miramara](#) DeLong & Wolda 1984 ^{c g}
- [Polana naja](#) ^g
- [Polana nebulosa](#) Stål 1862 ^{c g}
- [Polana nida](#) DeLong & Freytag 1972 ^{c g}
- [Polana nidula](#) DeLong & Freytag 1972 ^{c g}
- [Polana nigrolabes](#) DeLong & Wolda 1978 ^{c g}
- [Polana nisa](#) DeLong & Freytag 1972 ^{c g}
- [Polana obliqua](#) DeLong & Freytag 1972 ^{c g}
- [Polana obtecta](#) DeLong & Freytag 1972 ^{c g}
- [Polana obtusa](#) Spångberg 1878 ^{c g}
- [Polana ocellata](#) Spångberg 1878 ^{c g}
- [Polana onara](#) DeLong & Triplehorn 1979 ^{c g}
- [Polana optata](#) DeLong & Freytag 1972 ^{c g}
- [Polana orbita](#) DeLong & Freytag 1972 ^{c g}
- [Polana orcula](#) DeLong & Foster 1982 ^{c g}
- [Polana ordinaria](#) Freytag 2007 ^{c g}

- [Polana pandara](#) DeLong & Freytag 1972 ^{c g}
- [Polana papillata](#) Freytag & Cwikla 1982 ^{c g}
- [Polana parca](#) DeLong & Freytag 1972 ^{c g}
- [Polana parvula](#) DeLong & Freytag 1972 ^{c g}
- [Polana peda](#) DeLong & Freytag 1972 ^{c g}
- [Polana pendula](#) DeLong & Freytag 1972 ^{c g}
- [Polana pensa](#) DeLong & Freytag 1972 ^{c g}
- [Polana piceata](#) Osborn 1938 ^{c g}
- [Polana plumea](#) DeLong & Freytag 1972 ^{c g}
- [Polana portochuela](#) DeLong & Foster 1982 ^{c g}
- [Polana praeusta](#) Stål 1854 ^{c g}
- [Polana pressa](#) DeLong & Freytag 1972 ^{c g}
- [Polana principia](#) DeLong & Freytag 1972 ^{c g}
- [Polana putara](#) DeLong 1979 ^{c g}
- [Polana quadrilabes](#) DeLong & Freytag 1972 ^{c g}
- [Polana quadrina](#) DeLong 1979 ^{c g}
- [Polana quadrinotata](#) (Spangberg, 1878) ^{c g b}
- [Polana quadripunctata](#) Stål 1862 ^{c g}
- [Polana quatara](#) DeLong & Freytag 1972 ^{c g}
- [Polana randa](#) DeLong & Freytag 1972 ^{c g}
- [Polana raseca](#) DeLong & Triplehorn 1979 ^{c g}
- [Polana resilara](#) DeLong & Freytag 1972 ^{c g}
- [Polana resupina](#) DeLong & Freytag 1972 ^{c g}
- [Polana retenta](#) DeLong & Freytag 1972 ^{c g}
- [Polana rixa](#) DeLong & Freytag 1972 ^{c g}
- [Polana robusta](#) DeLong 1980 ^{c g}
- [Polana ruppeli](#) DeLong & Freytag 1972 ^{c g}
- [Polana sana](#) DeLong 1979 ^{c g}
- [Polana scela](#) DeLong & Freytag 1972 ^{c g}
- [Polana scina](#) DeLong & Freytag 1972 ^{c g}
- [Polana scruta](#) DeLong & Freytag 1972 ^{c g}
- [Polana sereta](#) DeLong & Freytag 1972 ^{c g}
- [Polana solida](#) DeLong 1979 ^{c g}
- [Polana spindella](#) DeLong & Freytag 1972 ^{c g}
- [Polana squalera](#) DeLong & Freytag 1972 ^{c g}
- [Polana thugana](#) DeLong & Triplehorn 1979 ^{c g}

- [*Polana tinae*](#) DeLong & Wolda 1982 ^{c g}
- [*Polana tortora*](#) DeLong 1980 ^{c g}
- [*Polana tropica*](#) DeLong & Triplehorn 1979 ^{c g}
- [*Polana truncata*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana tuberana*](#) DeLong & Foster 1982 ^{c g}
- [*Polana tulara*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana unca*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana vana*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana venosa*](#) Stål 1854 ^{c g}
- [*Polana villa*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana villara*](#) DeLong 1979 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 110 species in [*Podabrus*](#), a genus of soldier beetles in the family [*Cantharidae*](#).^{[1][2][3]}

***Podabrus* species**

- [*Podabrus alexanderi*](#) Fender, 1953 ^{i g}
- [*Podabrus alpinus*](#) (Paykull, 1798) ^g
- [*Podabrus altus*](#) Fall, 1928 ^{i g}
- [*Podabrus ambiguus*](#) Fall, 1928 ^{i g}
- [*Podabrus appendiculatus*](#) Fall, 1928 ^{i g b}
- [*Podabrus basilaris*](#) (Say, 1823) ^{i g}
- [*Podabrus basillaris*](#) ^b
- [*Podabrus binotatus*](#) LeConte, 1881 ^{i g}
- [*Podabrus bolteri*](#) LeConte, 1881 ^{i g}
- [*Podabrus brevicollis*](#) Fall, 1928 ^{i g b}
- [*Podabrus brevipennis*](#) LeConte, 1878 ^{i g}
- [*Podabrus brimleyi*](#) Green, 1947 ^{i g b}
- [*Podabrus brunneus*](#) Fender, 1943 ^{i g}
- [*Podabrus brunnicollis*](#) (Fabricius, 1801) ^{i g b}
- [*Podabrus californicus*](#) Fender, 1948 ^{i g}
- [*Podabrus carmelensis*](#) Fender, 1948 ^{i g}
- [*Podabrus cascadenis*](#) Fender, 1943 ^{i g b}
- [*Podabrus cavicollis*](#) LeConte, 1851 ^{i g b}

- [Podabrus cinctipennis](#) LeConte, 1866 ⁱ
- [Podabrus citrinus](#) Fall, 1928 ^{i g}
- [Podabrus confraternus](#) Fall, 1928 ^{i g}
- [Podabrus conspiratus](#) Fall, 1926 ^{i g b}
- [Podabrus corneus](#) LeConte, 1861 ^{i g}
- [Podabrus danielsi](#) Fender, 1943 ^{i g}
- [Podabrus deceptus](#) Brown, 1940 ⁱ
- [Podabrus diadema](#) (Fabricius, 1798) ^{i g b}
- [Podabrus dietrichi](#) Green, 1947 ^{i g}
- [Podabrus dreisbachi](#) Green, 1948 ^{i g b}
- [Podabrus edmundsae](#) Fender, 1953 ^{i g b}
- [Podabrus excursus](#) Fall, 1928 ^{i g}
- [Podabrus extremus](#) LeConte, 1881 ⁱ
- [Podabrus extricatus](#) Fall, 1928 ^{i g}
- [Podabrus falli](#) Hopping, 1929 ^{i g b}
- [Podabrus fayi](#) LeConte, 1866 ^{i g b}
- [Podabrus fenestratus](#) Fall, 1928 ^{i g}
- [Podabrus fissilis](#) Fall, 1926 ⁱ
- [Podabrus fissus](#) LeConte, 1881 ^{i g}
- [Podabrus flavicollis](#) LeConte, 1851 ^{i g b}
- [Podabrus frater](#) LeConte, 1851 ^{i g b}
- [Podabrus frosti](#) Fender, 1946 ^{i g}
- [Podabrus fulvus](#) Fall, 1928 ^{i g}
- [Podabrus fumiganus](#) Green, 1948 ⁱ
- [Podabrus furtivus](#) Fall, 1928 ⁱ
- [Podabrus gracilis](#) Fall, 1928 ^{i g}
- [Podabrus hackerae](#) Fender in Hatch, 1962 ⁱ
- [Podabrus heteronychus](#) Fall, 1928 ⁱ
- [Podabrus illex](#) Fall, 1928 ^{i g}
- [Podabrus infumatus](#) Green, 1949 ^{i g}
- [Podabrus instabilis](#) Fall, 1928 ⁱ
- [Podabrus intrusus](#) Green, 1947 ^{i g b}
- [Podabrus knobeli](#) Fall, 1928 ^{i g}
- [Podabrus knowltoni](#) Fender, 1948 ^{i g}
- [Podabrus laevicollis](#) (Kirby in Richards, 1837) ⁱ
- [Podabrus lapponicus](#) (Gyllenhal, 1810) ^g

- [Podabrus lateralis](#) LeConte in Wheeler, 1876^{i g}
- [Podabrus latimanus](#) (Motschulsky, 1860)^{i g b}
- [Podabrus limatus](#) Fall, 1928^{i g}
- [Podabrus limbellus](#) LeConte, 1881ⁱ
- [Podabrus longicornis](#) Fall, 1928^{i g}
- [Podabrus lucidatus](#) Fender, 1948^{i g}
- [Podabrus lutosus](#) LeConte, 1881ⁱ
- [Podabrus lygarius](#) Fender in Hatch, 1962ⁱ
- [Podabrus macer](#) LeConte, 1861ⁱ
- [Podabrus malheurensis](#) Fender in Hatch, 1962^{i g}
- [Podabrus mellitus](#) LeConte, 1881^{i g}
- [Podabrus melvillei](#) Fender in Hatch, 1962ⁱ
- [Podabrus modestus](#) (Say, 1823)^{i g b}
- [Podabrus modulatus](#) Fall, 1928^{i g}
- [Podabrus moestus](#) Fall, 1928^{i g}
- [Podabrus muliebris](#) Fall, 1928^{i g}
- [Podabrus nothoides](#) LeConte, 1881^{i g b}
- [Podabrus obscurevittatus](#) Fall, 1928ⁱ
- [Podabrus obscuripes](#) J.Sahlberg, 1871^g
- [Podabrus occipitalis](#) Fall, 1928^{i g}
- [Podabrus ochocensis](#) Fender, 1953ⁱ
- [Podabrus pattoni](#) LeConte, 1866ⁱ
- [Podabrus perplexus](#) Brown, 1940ⁱ
- [Podabrus piceatus](#) Fender, 1953ⁱ
- [Podabrus piniphilus](#) (Eschscholtz, 1830)ⁱ
- [Podabrus planulus](#) Green, 1947^{i g b}
- [Podabrus probus](#) Fall, 1928ⁱ
- [Podabrus protensus](#) LeConte, 1866^{i g b}
- [Podabrus pruinosus](#) LeConte, 1851^{i b} (downy leather-winged beetle)
- [Podabrus puberulus](#) LeConte in Agassiz, 1850ⁱ
- [Podabrus punctatus](#) LeConte in Agassiz, 1850ⁱ
- [Podabrus puncticollis](#) (Kirby in Richards, 1837)ⁱ
- [Podabrus punctulatus](#) LeConte, 1859^{i g b}
- [Podabrus pustulatus](#) Fender in Hatch, 1962ⁱ
- [Podabrus pygmaeus](#) Green, 1948^{i g b}
- [Podabrus quadratus](#) LeConte, 1881^{i g}

- [Podabrus rossi](#) Fender, 1948ⁱ
- [Podabrus rugosulus](#) LeConte in Agassiz, 1850^{i g b}
- [Podabrus scaber](#) LeConte, 1861ⁱ
- [Podabrus schuhi](#) Fender in Hatch, 1962^{i g}
- [Podabrus secretus](#) Brown, 1940ⁱ
- [Podabrus sericatus](#) (Mannerheim, 1846)^{i g}
- [Podabrus sierrae](#) Fall, 1928^{i g}
- [Podabrus simplex](#) Couper, 1865ⁱ
- [Podabrus smithi](#) Fender, 1948ⁱ
- [Podabrus stehri](#) Miskimen, 1956^{i g}
- [Podabrus tejonicus](#) LeConte, 1859^{i g}
- [Podabrus tenuis](#) Fall, 1928^{i g}
- [Podabrus tetragonoderus](#) Fall, 1926^{i b}
- [Podabrus tomentosus](#) (Say, 1825)^{i g b}
- [Podabrus tricosatus](#) (Say, 1835)^{i g b}
- [Podabrus vandykei](#) Fender, 1949^{i g}
- [Podabrus vernalis](#) Green, 1948^{i g b}
- [Podabrus viduus](#) Fall, 1928^{i g}
- [Podabrus xanthoderus](#) LeConte, 1881^{i g}
- [Podabrus youngi](#) Fender, 1979^{i g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[4] g = GBIF,[2] b = Bugguide.net[3]

References

Lygaeoidea Species File lists these 98 species in [Plinthisus](#), a genus of dirt-colored seed bugs in the family [Rhyparochromidae](#).^[1]

Plinthisus species

- [Plinthisus acanthothorax](#) Kiritschenko, 1931
- [Plinthisus acrocephalus](#) Slater & Sweet, 1977
- [Plinthisus afer](#) Horvath, 1906
- [Plinthisus alpinus](#) Linnavuori, 1978
- [Plinthisus americanus](#) Van Duzee, 1910
- [Plinthisus andalusicus](#) Wagner, 1963
- [Plinthisus angulatus](#) Horvath, 1876

- [*Plinthisus australiensis*](#) Slater & Sweet, 1977
- [*Plinthisus basilewskyi*](#) Scudder, 1962
- [*Plinthisus bassianus*](#) Slater & Sweet, 1977
- [*Plinthisus bembidioides*](#) Josifov & Kerzhner, 1978
- [*Plinthisus beniamaricus*](#) Linnavuori, 1978
- [*Plinthisus brachyoccus*](#) Sweet & Slater, 2004
- [*Plinthisus brevipennis*](#) (Latreille, 1807)
- [*Plinthisus brunneus*](#) (Distant, 1918)
- [*Plinthisus canariensis*](#) Wagner, 1963
- [*Plinthisus cautus*](#) Popov, 1965
- [*Plinthisus cerinus*](#) Putschkov, 1976
- [*Plinthisus chilensis*](#) Slater, 1971
- [*Plinthisus compactus*](#) (Uhler, 1904)
- [*Plinthisus convexus*](#) Fieber, 1864
- [*Plinthisus coracinus*](#) Horvath, 1876
- [*Plinthisus dampieris*](#) Slater & Sweet, 1977
- [*Plinthisus daneghanus*](#) Linnavuori & van Harten, 2000
- [*Plinthisus debaroensis*](#) Linnavuori, 1989
- [*Plinthisus drakensbergensis*](#) Sweet & Slater, 2004
- [*Plinthisus ericae*](#) Sweet & Slater, 2004
- [*Plinthisus fasciatus*](#) Horvath, 1882
- [*Plinthisus flavipes*](#) Fieber, 1861
- [*Plinthisus flindersi*](#) (Slater & Sweet, 1977)
- [*Plinthisus fynbosi*](#) Sweet & Slater, 2004
- [*Plinthisus grossi*](#) (Slater & Sweet, 1977)
- [*Plinthisus hebeiensis*](#) Zheng, 1981
- [*Plinthisus herbarum*](#) Lindberg, 1958
- [*Plinthisus heteroclitus*](#) Matocq & Pluot-Sigwalt, 2013
- [*Plinthisus himyaritus*](#) Linnavuori, 1978
- [*Plinthisus hirsutus*](#) Slater, 1964
- [*Plinthisus hirtus*](#) Zheng, 1981
- [*Plinthisus indentatus*](#) Barber, 1918
- [*Plinthisus japonicus*](#) (Hidaka, 1962)
- [*Plinthisus jordiribesi*](#) Rieger & Pagola-Carte, 2011
- [*Plinthisus kangarooensis*](#) Slater & Sweet, 1977
- [*Plinthisus kanyukovae*](#) Vinokurov, 1981
- [*Plinthisus kilimensis*](#) Horvath, 1906
- [*Plinthisus laevigatus*](#) Puton, 1884
- [*Plinthisus laevis*](#) Linnavuori, 1978
- [*Plinthisus lamprus*](#) Sweet & Slater, 2004
- [*Plinthisus lativentris*](#) Horvath, 1906
- [*Plinthisus lepinyei*](#) Vidal, 1940

- [*Plinthisus longicollis*](#) Fieber, 1861
- [*Plinthisus longisetosus*](#) Barber, 1918
- [*Plinthisus lucidus*](#) Linnavuori, 1978
- [*Plinthisus maculatus*](#) (Kiritshenko, 1931)
- [*Plinthisus magnieni*](#) Pericart & Ribes, 1994
- [*Plinthisus major*](#) Horvath, 1876
- [*Plinthisus marginatus*](#) Ferrari, 1874
- [*Plinthisus martini*](#) Van Duzee, 1921
- [*Plinthisus megacephalus*](#) Horvath, 1876
- [*Plinthisus mehadiensis*](#) Horvath, 1882
- [*Plinthisus minutissimus*](#) (Fieber, 1864)
- [*Plinthisus mixtus*](#) Kiritshenko, 1951
- [*Plinthisus mullewa*](#) Slater & Sweet, 1977
- [*Plinthisus muticus*](#) Slater, 1964
- [*Plinthisus neotropicalis*](#) Slater, 1971
- [*Plinthisus noctivagus*](#) (Linnavuori, 1978)
- [*Plinthisus nudus*](#) Slater & Sweet, 1977
- [*Plinthisus obsoletus*](#) Horvath, 1886
- [*Plinthisus otini*](#) Vidal, 1951
- [*Plinthisus pallens*](#) Linnavuori, 1978
- [*Plinthisus pallidus*](#) Barber, 1918
- [*Plinthisus parviceps*](#) (Wagner, 1961)
- [*Plinthisus parvioculatus*](#) Slater, 1971
- [*Plinthisus patruelis*](#) Horvath, 1914
- [*Plinthisus peninsularis*](#) Sweet & Slater, 2004
- [*Plinthisus perpusillus*](#) Wagner, 1963
- [*Plinthisus pilosellus*](#) Horvath, 1876
- [*Plinthisus platycephalus*](#) Slater & Sweet, 1977
- [*Plinthisus proteus*](#) Scudder, 1962
- [*Plinthisus ptilioides*](#) Puton, 1874
- [*Plinthisus pulchellus*](#) Sweet & Slater, 2004
- [*Plinthisus pusillus*](#) (Scholtz, 1847)
- [*Plinthisus putoni*](#) Horvath, 1876
- [*Plinthisus pygmaeus*](#) Horvath, 1882
- [*Plinthisus reticulatus*](#) Slater & Sweet, 1977
- [*Plinthisus reyi*](#) Puton, 1882
- [*Plinthisus rudebecki*](#) Slater, 1964
- [*Plinthisus saundersi*](#) Horvath, 1893
- [*Plinthisus scutellatus*](#) Zheng, 1981
- [*Plinthisus sericeus*](#) Slater & Sweet, 1977
- [*Plinthisus soongoricus*](#) Kerzhner, 1962
- [*Plinthisus subtilis*](#) Horvath, 1882

- [*Plinthisus tasmaniensis*](#) Slater & Sweet, 1977
- [*Plinthisus tindalis*](#) (Slater & Sweet, 1977)
- [*Plinthisus tineoides*](#) (Distant, 1901)
- [*Plinthisus vestitus*](#) Jakovlev, 1889
- [*Plinthisus woodwardi*](#) Slater & Sweet, 1977
- [*Plinthisus yunnanus*](#) Zheng, 1981
- [*Plinthisus zuurbergi*](#) Sweet & Slater, 2004

References

This is a list of 362 species in [*Plectris*](#), a genus of May beetles and Junebugs in the family [*Scarabaeidae*](#).^{[1][2][3][4]}

Plectris species

- [*Plectris abdominalis*](#) Frey, 1967 ^{c g}
- [*Plectris aberrans*](#) Frey, 1964 ^{c g}
- [*Plectris abnormalis*](#) (Moser, 1919) ^{c g}
- [*Plectris acrensis*](#) Frey, 1973 ^{c g}
- [*Plectris acutesetosa*](#) Frey, 1974 ^{c g}
- [*Plectris aenea*](#) Blanchard, 1851 ^{c g}
- [*Plectris aeneicollis*](#) (Moser, 1918) ^c
- [*Plectris aeneofusca*](#) (Moser, 1918) ^c
- [*Plectris aeneomicans*](#) Frey, 1967 ^{c g}
- [*Plectris aeneorufa*](#) (Moser, 1918) ^{c g}
- [*Plectris aenescens*](#) (Moser, 1918) ^c
- [*Plectris aequatorialis*](#) (Moser, 1921) ^{c g}
- [*Plectris aerata*](#) Burmeister, 1855 ^{c g}
- [*Plectris afflicta*](#) Blanchard, 1850 ^{c g}
- [*Plectris ahena*](#) Burmeister, 1855 ^{c g}
- [*Plectris alboscutata*](#) Frey, 1967 ^{c g}
- [*Plectris albovittata*](#) Frey, 1967 ^{c g}
- [*Plectris aliena*](#) Chapin, 1934 ^{i c g b}
- [*Plectris alternata*](#) Frey, 1967 ^{c g}
- [*Plectris alvarengai*](#) Frey, 1967 ^{c g}
- [*Plectris amabilis*](#) Frey, 1967 ^{c g}

- [*Plectris ambigua*](#) Frey, 1967 ^{c g}
- [*Plectris ambitiosa*](#) (Blanchard, 1850) ^{c g}
- [*Plectris amoena*](#) Frey, 1973 ^{c g}
- [*Plectris andicola*](#) Frey, 1969 ^{c g}
- [*Plectris andina*](#) Frey, 1967 ^{c g}
- [*Plectris angerona*](#) Blanchard, 1850 ^{c g}
- [*Plectris angusta*](#) Frey, 1974 ^{c g}
- [*Plectris anomala*](#) (Kirsch, 1885) ^{c g}
- [*Plectris antennalis*](#) (Moser, 1924) ^{c g}
- [*Plectris antennata*](#) Frey, 1969 ^{c g}
- [*Plectris apicalis*](#) (Moser, 1921) ^c
- [*Plectris archidonensis*](#) (Moser, 1924) ^{c g}
- [*Plectris argentata*](#) Frey, 1967 ^{c g}
- [*Plectris argentina*](#) (Bruch, 1909) ^{c g}
- [*Plectris atubana*](#) Frey, 1972 ^{c g}
- [*Plectris aulai*](#) (Bruch, 1909) ^{c g}
- [*Plectris bahiensis*](#) Frey, 1975 ^{c g}
- [*Plectris balthasari*](#) Frey, 1967 ^{c g}
- [*Plectris baraudi*](#) Frey, 1967 ^{c g}
- [*Plectris barbitarsis*](#) (Moser, 1919) ^{c g}
- [*Plectris barda*](#) Blanchard, 1850 ^{c g}
- [*Plectris bicolor*](#) Frey, 1967 ^{c g}
- [*Plectris bilobata*](#) (Moser, 1921) ^{c g}
- [*Plectris binotata*](#) Blanchard, 1850 ^{c g}
- [*Plectris blanchardi*](#) Frey, 1967 ^{c g}
- [*Plectris boliviensis*](#) (Moser, 1921) ^{c g}
- [*Plectris bonariensis*](#) (Bruch, 1909) ^{c g}
- [*Plectris breiti*](#) Frey, 1967 ^{c g}
- [*Plectris breviceps*](#) Frey, 1967 ^{c g}
- [*Plectris brevicollis*](#) (Moser, 1919) ^{c g}
- [*Plectris brevipes*](#) (Blanchard, 1850) ^{c g}
- [*Plectris brevipilosa*](#) Moser, 1924 ^{c g}
- [*Plectris brevis*](#) Blanchard, 1851 ^{c g}
- [*Plectris brevisetosa*](#) Moser, 1918 ^{c g}
- [*Plectris brevitarsis*](#) (Blanchard, 1850) ^{c g}
- [*Plectris brittoni*](#) Frey, 1967 ^{c g}

- [*Plectris bruchi*](#) Moser, 1924 ^{c g}
- [*Plectris burmeisteri*](#) (Kirsch, 1871) ^{c g}
- [*Plectris calcarata*](#) Frey, 1967 ^{c g}
- [*Plectris caliginosa*](#) Blanchard, 1850 ^{c g}
- [*Plectris calva*](#) Frey, 1969 ^{c g}
- [*Plectris candezei*](#) Frey, 1967 ^{c g}
- [*Plectris caniventris*](#) (Burmeister, 1855) ^{c g}
- [*Plectris castaneipennis*](#) (Moser, 1921) ^{c g}
- [*Plectris cayennensis*](#) (Moser, 1921) ^c
- [*Plectris centralis*](#) (Bruch, 1909) ^{c g}
- [*Plectris ceylanica*](#) (Nonfried, 1894) ^{c g}
- [*Plectris ciliata*](#) Frey, 1967 ^{c g}
- [*Plectris cinerascens*](#) (Blanchard, 1850) ^c
- [*Plectris cinereopilosa*](#) (Moser, 1924) ^{c g}
- [*Plectris clypealis*](#) Frey, 1975 ^{c g}
- [*Plectris clypeata*](#) Burmeister, 1855 ^{c g}
- [*Plectris collarti*](#) Frey, 1967 ^{c g}
- [*Plectris comata*](#) (Blanchard, 1850) ^{c g}
- [*Plectris conformis*](#) Frey, 1967 ^{c g}
- [*Plectris contaminata*](#) Blanchard, 1850 ^{c g}
- [*Plectris cordobana*](#) (Moser, 1924) ^c
- [*Plectris corrientensis*](#) (Moser, 1919) ^{c g}
- [*Plectris corumbana*](#) Moser, 1921 ^{c g}
- [*Plectris corvicoana*](#) (Moser, 1919) ^{c g}
- [*Plectris costulata*](#) Frey, 1967 ^{c g}
- [*Plectris coxalis*](#) (Moser, 1921) ^{c g}
- [*Plectris crassa*](#) Blanchard, 1850 ^{c g}
- [*Plectris crassesetosa*](#) Frey, 1967 ^{c g}
- [*Plectris cucullata*](#) Burmeister, 1855 ^{c g}
- [*Plectris curta*](#) Burmeister, 1855 ^{c g}
- [*Plectris curticollis*](#) Frey, 1967 ^{c g}
- [*Plectris curtipilis*](#) Frey, 1967 ^{c g}
- [*Plectris curtisetis*](#) Frey, 1969 ^{c g}
- [*Plectris cuyana*](#) (Bruch, 1909) ^{c g}
- [*Plectris cylindrica*](#) Burmeister, 1855 ^{c g}
- [*Plectris cylindriformis*](#) Frey, 1967 ^{c g}

- [*Plectris decipiens*](#) Burmeister, 1855 ^{c g}
- [*Plectris decolorata*](#) Blanchard, 1850 ^{c g}
- [*Plectris delicatula*](#) (Blanchard, 1850) ^{c g}
- [*Plectris denominata*](#) Frey, 1967 ^{c g}
- [*Plectris densaticollis*](#) Frey, 1967 ^{c g}
- [*Plectris densehirsuta*](#) Frey, 1967 ^{c g}
- [*Plectris densevestita*](#) (Moser, 1924) ^{c g}
- [*Plectris depressicollis*](#) Frey, 1967 ^{c g}
- [*Plectris desiderata*](#) Evans, 2003 ^{c g}
- [*Plectris devillei*](#) Frey, 1967 ^{c g}
- [*Plectris difformis*](#) Frey, 1973 ^{c g}
- [*Plectris dimorpha*](#) Frey, 1976 ^{c g}
- [*Plectris distincta*](#) (Bruch, 1909) ^{c g}
- [*Plectris duplopilosa*](#) (Moser, 1921) ^{c g}
- [*Plectris elongata*](#) Burmeister, 1855 ^{c g}
- [*Plectris emarginata*](#) (Moser, 1921) ^{c g}
- [*Plectris endroedii*](#) Frey, 1967 ^{c g}
- [*Plectris eucalypti*](#) Frey, 1973 ^{c g}
- [*Plectris eusquamosa*](#) Frey, 1975 ^{c g}
- [*Plectris evansi*](#) Smith, 2008 ^{c g}
- [*Plectris excisiceps*](#) (Moser, 1921) ^c
- [*Plectris exigua*](#) Frey, 1973 ^{c g}
- [*Plectris fallax*](#) (Blanchard, 1850) ^{c g}
- [*Plectris farinosa*](#) Burmeister, 1855 ^{c g}
- [*Plectris fassli*](#) (Moser, 1919) ^c
- [*Plectris festiva*](#) (Burmeister, 1855) ^c
- [*Plectris flavicornis*](#) (Burmeister, 1855) ^c
- [*Plectris flavohirta*](#) Blanchard, 1851 ^{c g}
- [*Plectris fulgida*](#) Frey, 1973 ^{c g}
- [*Plectris fulva*](#) Blanchard, 1851 ^{c g}
- [*Plectris fungicola*](#) Arrow, 1900 ^{c g}
- [*Plectris fusca*](#) Moser, 1918 ^{c g}
- [*Plectris fuscoaenea*](#) Moser, 1921 ^{c g}
- [*Plectris fuscoviridis*](#) (Moser, 1918) ^{c g}
- [*Plectris fuscula*](#) (Moser, 1918) ^{c g}
- [*Plectris gaudichaudi*](#) (Blanchard, 1851) ^{c g}

- [*Plectris gebieni*](#) (Moser, 1921) ^{c g}
- [*Plectris glabrata*](#) Frey, 1967 ^{c g}
- [*Plectris glabripennis*](#) Frey, 1967 ^{c g}
- [*Plectris globulicollis*](#) Frey, 1973 ^{c g}
- [*Plectris goetzi*](#) Frey, 1967 ^{c g}
- [*Plectris gracilicornis*](#) Moser, 1918 ^{c g}
- [*Plectris grisea*](#) Moser, 1921 ^{c g}
- [*Plectris griseohirta*](#) Frey, 1967 ^{c g}
- [*Plectris griseopilosa*](#) (Moser, 1921) ^c
- [*Plectris griseosetosa*](#) (Moser, 1924) ^{c g}
- [*Plectris griseovestita*](#) Moser, 1921 ^{c g}
- [*Plectris guayrana*](#) Frey, 1967 ^{c g}
- [*Plectris gutierrezii*](#) Frey, 1967 ^{c g}
- [*Plectris hellmichi*](#) Frey, 1967 ^{c g}
- [*Plectris herteli*](#) Frey, 1967 ^{c g}
- [*Plectris hispidula*](#) Frey, 1974 ^{c g}
- [*Plectris huedepohli*](#) Frey, 1967 ^{c g}
- [*Plectris imitans*](#) Frey, 1967 ^{c g}
- [*Plectris incana*](#) (Burmeister, 1855) ^{c g}
- [*Plectris indigens*](#) Blanchard, 1850 ^{c g}
- [*Plectris inopinata*](#) Frey, 1973 ^{c g}
- [*Plectris integrata*](#) (Bates, 1887) ^{c g}
- [*Plectris intermixta*](#) Frey, 1967 ^{c g}
- [*Plectris juengeri*](#) Frey, 1969 ^{c g}
- [*Plectris juncea*](#) (Burmeister, 1855) ^{c g}
- [*Plectris junceana*](#) Frey, 1969 ^{c g}
- [*Plectris katovichi*](#) Smith, 2008 ^{c g}
- [*Plectris kirschi*](#) Frey, 1967 ^{c g}
- [*Plectris kochi*](#) Frey, 1967 ^{c g}
- [*Plectris kriegii*](#) Frey, 1973 ^{c g}
- [*Plectris kulzeri*](#) Frey, 1967 ^{c g}
- [*Plectris kuntzeni*](#) Moser, 1921 ^{c g}
- [*Plectris laevipennis*](#) Frey, 1967 ^{c g}
- [*Plectris laevis*](#) Frey, 1967 ^{c g}
- [*Plectris laeviscutata*](#) (Moser, 1918) ^c
- [*Plectris lanata*](#) Frey, 1964 ^{c g}

- [Plectris laticeps](#) Blanchard, 1850 ^{c g}
- [Plectris lepida](#) (Burmeister, 1855) ^{c g}
- [Plectris lignicola](#) Arrow, 1900 ^{c g}
- [Plectris lignicolor](#) Blanchard, 1850 ^{c g}
- [Plectris ligulata](#) Frey, 1969 ^{c g}
- [Plectris lindneri](#) Frey, 1967 ^{c g}
- [Plectris lineatocollis](#) (Blanchard, 1850) ^{c g}
- [Plectris lobaticeps](#) Frey, 1967 ^{c g}
- [Plectris lobaticollis](#) Frey, 1967 ^{c g}
- [Plectris lojana](#) (Moser, 1924) ^{c g}
- [Plectris longeantennata](#) Frey, 1967 ^{c g}
- [Plectris longiclava](#) Frey, 1976 ^{c g}
- [Plectris longicornis](#) (Burmeister, 1855) ^{c g}
- [Plectris longitarsis](#) (Bates, 1887) ^{c g}
- [Plectris longula](#) Moser, 1918 ^{c g}
- [Plectris luctuosa](#) Frey, 1967 ^{c g}
- [Plectris maculata](#) (Moser, 1919) ^c
- [Plectris maculicollis](#) (Arrow, 1925) ^{c g}
- [Plectris maculifera](#) Frey, 1976 ^{c g}
- [Plectris maculipennis](#) (Moser, 1918) ^{c g}
- [Plectris maculipyga](#) Moser, 1918 ^{c g}
- [Plectris maculosa](#) (Moser, 1918) ^c
- [Plectris magdalenae](#) Frey, 1967 ^{c g}
- [Plectris mandli](#) Frey, 1967 ^{c g}
- [Plectris marmorea](#) (Guérin-Méneville, 1830) ^{c g}
- [Plectris martinezi](#) Frey, 1967 ^{c g}
- [Plectris martinicensis](#) Chalumeau, 1982 ^{c g}
- [Plectris meridana](#) (Moser, 1918) ^c
- [Plectris metallica](#) (Moser, 1918) ^{c g}
- [Plectris micans](#) (Kirsch, 1885) ^{c g}
- [Plectris minuta](#) (Moser, 1920) ^{c g}
- [Plectris molesta](#) (Kirsch, 1873) ^{c g}
- [Plectris montana](#) Frey, 1967 ^{c g}
- [Plectris moseri](#) Saylor, 1935 ^{c g}
- [Plectris murina](#) (Blanchard, 1850) ^c
- [Plectris mus](#) Blanchard, 1851 ^{c g}

- [Plectris muscula](#) Frey, 1967 ^{c g}
- [Plectris neglecta](#) Blanchard, 1850 ^{c g}
- [Plectris nigrita](#) Moser, 1918 ^{c g}
- [Plectris nigracula](#) (Moser, 1918) ^c
- [Plectris nitidicollis](#) Frey, 1967 ^{c g}
- [Plectris niveoscutata](#) Moser, 1918 ^{c g}
- [Plectris nuda](#) Frey, 1967 ^{c g}
- [Plectris nudicollis](#) Frey, 1967 ^{c g}
- [Plectris obsoleta](#) Blanchard, 1850 ^{c g}
- [Plectris obtusa](#) (Burmeister, 1855) ^{c g}
- [Plectris obtusoides](#) Frey, 1967 ^{c g}
- [Plectris obtusior](#) Frey, 1967 ^{c g}
- [Plectris ocularis](#) Frey, 1967 ^{c g}
- [Plectris ohausi](#) (Bruch, 1909) ^{c g}
- [Plectris ohausiana](#) (Moser, 1921) ^{c g}
- [Plectris ohausiella](#) Frey, 1967 ^{c g}
- [Plectris olivierai](#) Frey, 1974 ^{c g}
- [Plectris opacula](#) Moser, 1918 ^{c g}
- [Plectris ophthalmica](#) Frey, 1967 ^{c g}
- [Plectris ornaticeps](#) Frey, 1967 ^{c g}
- [Plectris ornatipennis](#) (Moser, 1921) ^c
- [Plectris orocuensis](#) Frey, 1967 ^{c g}
- [Plectris palpalis](#) (Moser, 1918) ^c
- [Plectris panamaensis](#) Frey, 1967 ^{c g}
- [Plectris paraensis](#) Frey, 1967 ^{c g}
- [Plectris paraguayensis](#) (Moser, 1921) ^c
- [Plectris parallela](#) Frey, 1976 ^{c g}
- [Plectris paranensis](#) (Moser, 1921) ^{c g}
- [Plectris parcesetosa](#) Frey, 1976 ^{c g}
- [Plectris parumsetosa](#) Frey, 1969 ^{c g}
- [Plectris pauloana](#) Moser, 1924 ^{c g}
- [Plectris pavidula](#) (Burmeister, 1855) ^{c g}
- [Plectris pedestris](#) Frey, 1967 ^{c g}
- [Plectris pelliculata](#) (Perty, 1830) ^{c g}
- [Plectris penaella](#) Frey, 1967 ^{c g}
- [Plectris penai](#) Frey, 1967 ^{c g}

- [*Plectris pentaphylla*](#) (Moser, 1918) ^c
- [*Plectris pereirai*](#) Frey, 1967 ^{c g}
- [*Plectris perplexa*](#) Blanchard, 1850 ^{c g}
- [*Plectris pexa*](#) (Germar, 1824) ^{c g}
- [*Plectris picea*](#) Evans, 2003 ^{c g}
- [*Plectris pilicollis*](#) (Moser, 1921) ^{c g}
- [*Plectris pilifera*](#) (Moser, 1919) ^c
- [*Plectris pilosa*](#) (Moser, 1921) ^c
- [*Plectris pilosula*](#) (Moser, 1921) ^c
- [*Plectris pinsdorfii*](#) Frey, 1967 ^{c g}
- [*Plectris piottii*](#) (Bruch, 1909) ^{c g}
- [*Plectris plaumanni*](#) Frey, 1967 ^{c g}
- [*Plectris plaumanniella*](#) Frey, 1967 ^{c g}
- [*Plectris podicalis*](#) Moser, 1921 ^{c g}
- [*Plectris postnotata*](#) Frey, 1967 ^{c g}
- [*Plectris praecellens*](#) Frey, 1969 ^{c g}
- [*Plectris primaria*](#) (Burmeister, 1855) ^c
- [*Plectris prolata*](#) Evans, 2003 ^{c g}
- [*Plectris pruina*](#) (Burmeister, 1855) ^{c g}
- [*Plectris pubens*](#) (Moser, 1921) ^{c g}
- [*Plectris pubera*](#) (Burmeister, 1855) ^c
- [*Plectris puberoides*](#) Frey, 1976 ^{c g}
- [*Plectris pubescens*](#) Blanchard, 1850 ^{c g}
- [*Plectris pusio*](#) Frey, 1967 ^{c g}
- [*Plectris putida*](#) Frey, 1967 ^{c g}
- [*Plectris pygmaea*](#) Frey, 1973 ^{c g}
- [*Plectris quinqueflabellata*](#) (Moser, 1926) ^c
- [*Plectris reitteri*](#) Frey, 1967 ^{c g}
- [*Plectris reticulata*](#) Frey, 1967 ^{c g}
- [*Plectris riodejaneiroensis*](#) Evans, 2003 ^{c g}
- [*Plectris riveti*](#) Frey, 1967 ^{c g}
- [*Plectris roeri*](#) Frey, 1967 ^{c g}
- [*Plectris rorida*](#) (Burmeister, 1855) ^c
- [*Plectris rubescens*](#) Blanchard, 1850 ^{c g}
- [*Plectris ruffoi*](#) Frey, 1972 ^{c g}
- [*Plectris ruficollis*](#) Frey, 1976 ^{c g}

- [Plectris rufina](#) (Moser, 1926) ^{c g}
- [Plectris rugiceps](#) (Moser, 1921) ^{c g}
- [Plectris rugipennis](#) (Moser, 1921) ^c
- [Plectris rugulosa](#) Blanchard, 1850 ^{c g}
- [Plectris rugulosipennis](#) Blanchard, 1851 ^{c g}
- [Plectris santaecrucis](#) Frey, 1972 ^{c g}
- [Plectris santosana](#) Frey, 1967 ^{c g}
- [Plectris sarana](#) (Moser, 1921) ^{c g}
- [Plectris schereri](#) Frey, 1967 ^{c g}
- [Plectris schneblei](#) Frey, 1967 ^{c g}
- [Plectris schoolmeestersi](#) Smith, 2015 ^{c g}
- [Plectris scopulata](#) (Burmeister, 1855) ^{c g}
- [Plectris sculpturata](#) Frey, 1967 ^{c g}
- [Plectris sculptipennis](#) Frey, 1974 ^{c g}
- [Plectris scutalis](#) Blanchard, 1850 ^{c g}
- [Plectris scutellaris](#) Blanchard, 1850 ^{c g}
- [Plectris sequela](#) Evans, 2003 ^{c g}
- [Plectris sericea](#) (Moser, 1921) ^{c g}
- [Plectris setifera](#) Burmeister, 1855 ^{c g}
- [Plectris setisparsa](#) (Bates, 1887) ^{c g}
- [Plectris setiventris](#) Moser, 1918 ^{c g}
- [Plectris setosa](#) Moser, 1924 ^{c g}
- [Plectris setosella](#) (Moser, 1919) ^{c g}
- [Plectris setulifera](#) (Moser, 1919) ^{c g}
- [Plectris signaticollis](#) Frey, 1974 ^{c g}
- [Plectris signativentris](#) Moser, 1918 ^{c g}
- [Plectris similis](#) Frey, 1973 ^{c g}
- [Plectris sinuaticeps](#) (Moser, 1921) ^{c g}
- [Plectris sordida](#) (Burmeister, 1855) ^c
- [Plectris sororia](#) (Moser, 1919) ^{c g}
- [Plectris sparsecrinita](#) Frey, 1976 ^{c g}
- [Plectris sparsepilosa](#) Frey, 1967 ^{c g}
- [Plectris sparsepunctata](#) Frey, 1967 ^{c g}
- [Plectris sparsesetosa](#) (Moser, 1924) ^{c g}
- [Plectris spatulata](#) Frey, 1967 ^{c g}
- [Plectris splendens](#) Frey, 1967 ^{c g}

- [*Plectris splendida*](#) Frey, 1967 ^{c g}
- [*Plectris squalida*](#) Frey, 1967 ^{c g}
- [*Plectris squamiger*](#) Frey, 1967 ^{c g}
- [*Plectris squamisetis*](#) Frey, 1967 ^{c g}
- [*Plectris subaenea*](#) Moser, 1918 ^{c g}
- [*Plectris subcarinata*](#) Frey, 1967 ^{c g}
- [*Plectris subcostata*](#) Blanchard, 1850 ^{c g}
- [*Plectris subdepressa*](#) Blanchard, 1850 ^{c g}
- [*Plectris subglabra*](#) (Moser, 1918) ^{c g}
- [*Plectris sulcicollis*](#) (Moser, 1919) ^c
- [*Plectris suturalis*](#) Burmeister, 1855 ^{c g}
- [*Plectris tacoma*](#) Smith, 2008 ^{c g}
- [*Plectris talinay*](#) Mondaca, 2010 ^{c g}
- [*Plectris tarsalis*](#) (Moser, 1919) ^{c g}
- [*Plectris tenebrosa*](#) Frey, 1967 ^{c g}
- [*Plectris tenueclava*](#) Frey, 1976 ^{c g}
- [*Plectris tenuevestita*](#) Frey, 1967 ^{c g}
- [*Plectris tessellata*](#) Burmeister, 1855 ^{c g}
- [*Plectris tetraphylla*](#) Frey, 1967 ^{c g}
- [*Plectris teutoniensis*](#) Frey, 1969 ^{c g}
- [*Plectris tolimana*](#) (Moser, 1921) ^c
- [*Plectris tomentosa*](#) Serville, 1825 ^{c g}
- [*Plectris tricastata*](#) (Burmeister, 1855) ^{c g}
- [*Plectris tristis*](#) Frey, 1967 ^{c g}
- [*Plectris truncata*](#) (Blanchard, 1850) ^c
- [*Plectris tuberculata*](#) (Moser, 1919) ^c
- [*Plectris tucumana*](#) (Bruch, 1909) ^{c g}
- [*Plectris umbilicata*](#) Frey, 1967 ^{c g}
- [*Plectris umbrata*](#) Frey, 1967 ^{c g}
- [*Plectris unidens*](#) Frey, 1967 ^{c g}
- [*Plectris validior*](#) Burmeister, 1855 ^{c g}
- [*Plectris variegata*](#) (Moser, 1919) ^{c g}
- [*Plectris variipennis*](#) Moser, 1921 ^{c g}
- [*Plectris vauriella*](#) Frey, 1967 ^{c g}
- [*Plectris vestita*](#) (Burmeister, 1855) ^c
- [*Plectris vicina*](#) Frey, 1967 ^{c g}

- [*Plectris vilis*](#) (Burmeister, 1855) ^{c g}
- [*Plectris villiersi*](#) Frey, 1967 ^{c g}
- [*Plectris violascens*](#) Blanchard, 1851 ^{c g}
- [*Plectris virescens*](#) (Blanchard, 1846) ^{c g}
- [*Plectris viridifusca*](#) (Moser, 1918) ^c
- [*Plectris viridimicans*](#) (Moser, 1918) ^c
- [*Plectris vitticollis*](#) Moser, 1918 ^{c g}
- [*Plectris vittipennis*](#) Frey, 1972 ^{c g}
- [*Plectris vonvolxemi*](#) Frey, 1967 ^{c g}
- [*Plectris wittmeri*](#) Frey, 1967 ^{c g}
- [*Plectris witzgalli*](#) Frey, 1973 ^{c g}
- [*Plectris wolfrumi*](#) Frey, 1969 ^{c g}
- [*Plectris yungasa*](#) Frey, 1975 ^{c g}
- [*Plectris zikani*](#) (Moser, 1924) ^c
- [*Plectris zischkaella*](#) Frey, 1967 ^{c g}
- [*Plectris zischkai*](#) Frey, 1967 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Selected former species

- [*Plectris metallescens*](#) (Moser, 1918) ^c

References

1.
 - ["Plectris Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-30.
 - ["Browse Plectris"](#). Catalogue of Life. Retrieved 2018-04-30.
 - ["Plectris"](#). GBIF. Retrieved 2018-04-30.
 -
4. ["Plectris Genus Information"](#). BugGuide.net. Retrieved 2018-04-30.

Categories:

- [Plectris](#)
- [Lists of insect species](#)
-

This is a list of 580 species in the genus *Platypalpus*.

***Platypalpus* species**

- *Platypalpus abagoensis* Kustov, Shamshev & Grootaert, 2014[1]
- *Platypalpus academicus* Barták & Kubík, 2018[2]
- *Platypalpus achlytarsis* Chillcott, 1962[3]
- *Platypalpus aciculatus* (Smith, 1967)[4]
- *Platypalpus acuminatus* Saigusa & Yang, 2003[5]
- *Platypalpus acutatus* Yang & Li, 2005[6]
- *Platypalpus acuticornis* (Collin, 1960)
- *Platypalpus aeneus* (Macquart, 1823)[7]
- *Platypalpus aequalis* Loew, 1864[8]
- *Platypalpus aequicornis* Melander, 1928[9]
- *Platypalpus aerivagus* (Séguy, 1941)[10]
- *Platypalpus agilis* (Meigen, 1822)[11]
- *Platypalpus agnitus* (Collin, 1960)
- *Platypalpus akhunensis* Kusov, Shamshev & Grootaert, 2015[12]
- *Platypalpus alamaculatus* Yang & Merz, 2005[13]
- *Platypalpus albescens* (Collin, 1941)[14]
- *Platypalpus albicornis* (Zetterstedt, 1842)[15]
- *Platypalpus albidifacies* Chvála, 1975
- *Platypalpus albifacies* (Collin, 1926)
- *Platypalpus albiseti* (Meigen, 1806)[16]
- *Platypalpus albistylus* Chvála, 1989
- *Platypalpus albocapillatus* (Fallén, 1815)[17]
- *Platypalpus albomicans* (Bezzi, 1892)[18]
- *Platypalpus alexippus* Walker, 1849[19]
- *Platypalpus algirus* Macquart, 1847[20]
- *Platypalpus aliterolamellatus* Kovalev, 1971
- *Platypalpus alluaudi* Grootaert & Chvála, 1992[21]
- *Platypalpus alpigenus* (Strobl, 1893)[22]
- *Platypalpus alpinus* Chvála, 1971[23]
- *Platypalpus alter* (Collin, 1961)
- *Platypalpus altuum* Frey, 1958
- *Platypalpus alumnus* Melander, 1928[9]
- *Platypalpus amankutanensis* Barták & Shamshev, 2015[24]
- *Platypalpus analis* (Meigen, 1830)[25]
- *Platypalpus anatolicus* Chillcott, 1962[3]
- *Platypalpus andalusiacus* (Strobl, 1899)[26]
- *Platypalpus angustifrons* Frey, 1943

- [*Platypalpus annularis* Bezzi, 1909\[27\]](#)
- [*Platypalpus annulatus* \(Fallén, 1815\)\[17\]](#)
- [*Platypalpus annulipes* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus annulitarsis* Kovalev, 1978](#)
- [*Platypalpus anomalicerus* \(Becker, 1902\)\[28\]](#)
- [*Platypalpus anomalinervis* Chvála, 1971\[23\]](#)
- [*Platypalpus anomalitarsis* Chvála & Kovalev, 1974](#)
- [*Platypalpus anomalus* Barták & Kubík, 2018\[2\]](#)
- [*Platypalpus antennalis* Smith, 1962\[29\]](#)
- [*Platypalpus apicalis* Loew, 1864\[8\]](#)
- [*Platypalpus apiciflavus* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus apiciniger* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus approximatus* \(Becker, 1902\)\[28\]](#)
- [*Platypalpus arcticus* Melander, 1928\[9\]](#)
- [*Platypalpus argenteomicans* \(Becker, 1908\)\[30\]](#)
- [*Platypalpus argenticapillatus* Kovalev, 1978](#)
- [*Platypalpus argenticeps* \(Meijere, 1914\)](#)
- [*Platypalpus argeniseta* \(Collin, 1969\)](#)
- [*Platypalpus argyroceratus* \(Collin, 1960\)](#)
- [*Platypalpus aristatus* \(Collin, 1926\)](#)
- [*Platypalpus armillatus* Melander, 1928\[9\]](#)
- [*Platypalpus arnaudi* \(Melander, 1960\)\[31\]](#)
- [*Platypalpus articulatoides* \(Frey, 1918\)](#)
- [*Platypalpus articulatus* Macquart, 1828\[32\]](#)
- [*Platypalpus arzanovi* Kustov, Shamshev & Grootaert, 2014\[1\]](#)
- [*Platypalpus asniensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus ater* \(Wahlberg, 1844\)\[33\]](#)
- [*Platypalpus aurantiacus* \(Collin, 1926\)](#)
- [*Platypalpus australis* Grootaert, 1995](#)
- [*Platypalpus australominutus* Grootaert, 1989](#)
- [*Platypalpus awarensis* Grootaert, 1984](#)
- [*Platypalpus baechlii* Grootaert, 1992](#)
- [*Platypalpus baezi* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus baldensis* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus ballistrarius* Melander, 1928\[9\]](#)
- [*Platypalpus ballucatus* Melander, 1928\[9\]](#)
- [*Platypalpus balticus* Kovalev, 1971](#)
- [*Platypalpus baotianmanensis* Yang, An & Gao, 2002\[34\]](#)
- [*Platypalpus barotsei* Smith, 1969\[35\]](#)
- [*Platypalpus bartaki* Chvála, 1989](#)
- [*Platypalpus basiflavus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus beijingensis* Yang & Yu, 2005\[37\]](#)

- [*Platypalpus bellatulus*](#) Yang & Yang, 1989[36]
- [*Platypalpus bequaerti*](#) Grootaert & [Chvála](#), 1992[21]
- [*Platypalpus bequaertoides*](#) Grootaert, 1995
- [*Platypalpus biapicalis*](#) Weber, 1972
- [*Platypalpus bicoloratus*](#) [Chvála](#), 1981
- [*Platypalpus bicornis*](#) [Melander](#), 1928[9]
- [*Platypalpus bilobatus*](#) Weber, 1972
- [*Platypalpus bimaculatus*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus bipunctatus*](#) Kovalev, 1978
- [*Platypalpus blascoi*](#) Grootaert, 1995
- [*Platypalpus bohousi*](#) Barták & Kubík, 2018[2]
- [*Platypalpus bolikoi*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus bomiensis*](#) Yang & Yang, 1989[36]
- [*Platypalpus boreoalpinus*](#) [Frey](#), 1943
- [*Platypalpus brachystylus*](#) ([Bezzi](#), 1892)[18]
- [*Platypalpus breviarista*](#) Li, Gao, Lin, Chen & Yang, 2021[40]
- [*Platypalpus brevicornis*](#) ([Zetterstedt](#), 1842)[15]
- [*Platypalpus breviprocerus*](#) Yang, Wang & Zhang, 2018[41]
- [*Platypalpus brevis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus breviseta*](#) Li, Chang, Zhang & Yang, 2019[42]
- [*Platypalpus brunettii*](#) [Melander](#), 1928[9]
- [*Platypalpus calceatus*](#) ([Meigen](#), 1822)[11]
- [*Platypalpus caligaris*](#) [Melander](#), 1928[9]
- [*Platypalpus caligatus*](#) [Melander](#), 1902[43]
- [*Platypalpus callithrix*](#) [Melander](#), 1928[9]
- [*Platypalpus canariensis*](#) Grootaert & [Chvála](#), 1992[21]
- [*Platypalpus candicans*](#) ([Fallén](#), 1815)[17]
- [*Platypalpus candidiseta*](#) ([Bezzi](#), 1912)[44]
- [*Platypalpus canus*](#) [Melander](#), 1902[43]
- [*Platypalpus capensis*](#) [Smith](#), 1967[45]
- [*Platypalpus carectorum*](#) [Chillcott](#), 1962[3]
- [*Platypalpus carlestolrai*](#) Grootaert & [Chvála](#), 1992[21]
- [*Platypalpus caroli*](#) Grootaert, 1987
- [*Platypalpus carpathicus*](#) Kovalev & [Chvála](#), 1985
- [*Platypalpus carteri*](#) ([Collin](#), 1926)
- [*Platypalpus caucasicus*](#) Kovalev, 1967
- [*Platypalpus cellarius*](#) [Melander](#), 1928[9]
- [*Platypalpus ceylonensis*](#) [Melander](#), 1928[9]
- [*Platypalpus chilensis*](#) [Philippi](#), 1865[46]
- [*Platypalpus chillcotti*](#) [Chvála](#), 1981
- [*Platypalpus chilllocotti*](#) [Chvála](#), 1981
- [*Platypalpus chimganensis*](#) Barták & Shamshev, 2015[24]

- [*Platypalpus chionochaeta* \(Bezzi, 1904\)\[47\]](#)
- [*Platypalpus chishuiensis* Yang, Zhu & An, 2006\[48\]](#)
- [*Platypalpus chrysonotus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus churchillensis* Chillcott, 1962\[3\]](#)
- [*Platypalpus ciliaris* \(Fallén, 1816\)\[17\]](#)
- [*Platypalpus cilitarsis* Frey, 1943](#)
- [*Platypalpus cinereovittatus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus clarandus* \(Collin, 1926\)](#)
- [*Platypalpus clypeatus* Kovalev, 1973](#)
- [*Platypalpus coarctatiformis* Frey, 1943\[49\]](#)
- [*Platypalpus coei* Bequaert, 1962](#)
- [*Platypalpus cognatus* \(Collin, 1949\)](#)
- [*Platypalpus collini* \(Chvála, 1966\)\[50\]](#)
- [*Platypalpus commendatus* \(Becker, 1914\)](#)
- [*Platypalpus commutatus* \(Strobl, 1893\)\[22\]](#)
- [*Platypalpus commutitoides* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus concavus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus concitatus* Meunier, 1908\[51\]](#)
- [*Platypalpus confiformis* Chvála, 1971\[23\]](#)
- [*Platypalpus confinis* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus continguus* Melander, 1928\[9\]](#)
- [*Platypalpus convergens* Yang, Merz & Grootaert, 2006\[52\]](#)
- [*Platypalpus coquilletti* Melander, 1924\[53\]](#)
- [*Platypalpus cothurnatus* Macquart, 1828\[32\]](#)
- [*Platypalpus crassifemoris* \(Fitch, 1856\)\[54\]](#)
- [*Platypalpus crassifemur* Li, Chang, Zhang & Yang, 2019\[42\]](#)
- [*Platypalpus crassipes* Chvála, 1975](#)
- [*Platypalpus crassiseta* \(Strobl, 1906\)\[55\]](#)
- [*Platypalpus crepodarius* Melander, 1928\[9\]](#)
- [*Platypalpus croatiensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus cruralis* \(Collin, 1961\)](#)
- [*Platypalpus cryptospina* \(Frey, 1909\)\[56\]](#)
- [*Platypalpus cubanicus* Stark, 1993](#)
- [*Platypalpus cuipennis* Melander, 1924\[53\]](#)
- [*Platypalpus cummingi* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus cursitans* \(Fabricius, 1775\)\[58\]](#)
- [*Platypalpus curvispinus* Yang & Yang, 2003\[59\]](#)
- [*Platypalpus cylleneus* Grootaert & Alexiou, 2020\[60\]](#)
- [*Platypalpus dalmatinus* \(Strobl, 1902\)\[61\]](#)
- [*Platypalpus dalongtanus* Yang & Li, 2011\[62\]](#)
- [*Platypalpus debilis* Loew, 1863\[63\]](#)
- [*Platypalpus decolor* Melander, 1928\[9\]](#)

- [*Platypalpus desertorum*](#) (Becker, 1907)
- [*Platypalpus dessarti*](#) Grootaert, 1983
- [*Platypalpus didymus*](#) Huo, Zhang & Yang, 2010[64]
- [*Platypalpus digitatus*](#) Yang, An & Gao, 2002[34]
- [*Platypalpus dilatovittatus*](#) (Strobl, 1910)[65]
- [*Platypalpus diminuticornis*](#) Barták & Kubík, 2018[2]
- [*Platypalpus direptor*](#) Melander, 1928[9]
- [*Platypalpus discifer*](#) Loew, 1863[63]
- [*Platypalpus dissimilipes*](#) Melander, 1928[9]
- [*Platypalpus distichus*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus diversipes*](#) Coquillett, 1900[66]
- [*Platypalpus divisus*](#) Walker, 1852[67]
- [*Platypalpus dolichopeza*](#) Frey, 1943
- [*Platypalpus dongae*](#) Li, Chang, Zhang & Yang, 2019[42]
- [*Platypalpus dursuni*](#) Barták & Kubík, 2018[2]
- [*Platypalpus ecalceatus*](#) (Zetterstedt, 1838)[68]
- [*Platypalpus ementitus*](#) (Collin, 1928)[69]
- [*Platypalpus enervatus*](#) Melander, 1928[9]
- [*Platypalpus engadinicus*](#) (Mik, 1896)[70]
- [*Platypalpus eshowensis*](#) Smith, 1969[35]
- [*Platypalpus eumelaenus*](#) (Mik, 1884)[71]
- [*Platypalpus eumerus*](#) Bezzi, 1909[27]
- [*Platypalpus euneurus*](#) Yang & Yang, 1989[36]
- [*Platypalpus eversoris*](#) Meunier, 1908[51]
- [*Platypalpus excavatus*](#) Yang & Yao, 2007[72]
- [*Platypalpus exilis*](#) (Meigen, 1822)[11]
- [*Platypalpus eximius*](#) (Oldenberg, 1924)[73]
- [*Platypalpus fai*](#) Grootaert & Shamshev, 2006
- [*Platypalpus falleni*](#) Chvála, 1981
- [*Platypalpus farabiensis*](#) Shamshev, 1998
- [*Platypalpus fasciatus*](#) (Meigen, 1822)[11]
- [*Platypalpus fasciventris*](#) Melander, 1928[9]
- [*Platypalpus fenestella*](#) Kovalev, 1971
- [*Platypalpus ferrugineus*](#) Brunetti, 1913[74]
- [*Platypalpus firensis*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus flammifer*](#) Melander, 1924[53]
- [*Platypalpus flavicornis*](#) (Meigen, 1822)[11]
- [*Platypalpus flavicoxis*](#) (Becker, 1907)
- [*Platypalpus flavidorsalis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus flavilateralis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus flavirostris*](#) Loew, 1864[8]
- [*Platypalpus flavirostris*](#) var. *dilutior* Melander, 1928[9]

- [*Platypalpus flaviseta* Chvála, 1973](#)
- [*Platypalpus flavisetosus* Li, Chang, Zhang & Yang, 2019\[42\]](#)
- [*Platypalpus formosanus* Frey, 1943](#)
- [*Platypalpus fratercula* Smith, 1969\[35\]](#)
- [*Platypalpus fuscicornis* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus fuscohalteratus* Melander, 1924\[53\]](#)
- [*Platypalpus fusicnemis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus gaemluang* Grootaert & Shamshev, 2006](#)
- [*Platypalpus gatti* Grootaert, 1995](#)
- [*Platypalpus gazaryani* Kustov, Shamshev & Grootaert, 2014\[1\]](#)
- [*Platypalpus gentilis* Brunetti, 1913\[74\]](#)
- [*Platypalpus gesticolor* Melander, 1928\[9\]](#)
- [*Platypalpus glacialis* Melander, 1928\[9\]](#)
- [*Platypalpus gracilipes* Smith, 1967\[45\]](#)
- [*Platypalpus graecoides* Barták & Kubík, 2015\[75\]](#)
- [*Platypalpus graecus* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus granadensis* Chvála, 1981](#)
- [*Platypalpus grandensis* Chvála, 1981](#)
- [*Platypalpus gravidus* Melander, 1902\[43\]](#)
- [*Platypalpus grilloi* Stark, 1993](#)
- [*Platypalpus guangdongensis* Yang, Merz & Grootaert, 2006\[52\]](#)
- [*Platypalpus quangxiensis* Yang & Yang, 1992\[76\]](#)
- [*Platypalpus guanshanus* Yang, Wang, Zhu & Zhang, 2010\[38\]](#)
- [*Platypalpus hackmani* Chvála, 1972](#)
- [*Platypalpus hallensis* Grootaert & Stark, 1997](#)
- [*Platypalpus halli* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus hamulatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus harpestylis* Chillcott, 1962\[3\]](#)
- [*Platypalpus harpiger* Melander, 1924\[53\]](#)
- [*Platypalpus hastatus* Melander, 1902\[43\]](#)
- [*Platypalpus hebeiensis* Yang & Weihai, 2005\[6\]](#)
- [*Platypalpus hemispinosus* Grootaert, 1995](#)
- [*Platypalpus henanensis* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus hians* Melander, 1902\[43\]](#)
- [*Platypalpus hirsutus* \(Collin, 1941\)\[14\]](#)
- [*Platypalpus hispanicus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus holosericus* Melander, 1924\[53\]](#)
- [*Platypalpus hualuang* Grootaert & Shamshev, 2006](#)
- [*Platypalpus hubeiensis* Yang & Yang, 1997\[77\]](#)
- [*Platypalpus hui* Yang, An & Gao, 2002\[34\]](#)
- [*Platypalpus hyaenoides* Melander, 1928\[9\]](#)
- [*Platypalpus ibericus* Barták & Kubík, 2016\[78\]](#)

- [*Platypalpus ikoso*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus immaculatus*](#) (Becker, 1902)[28]
- [*Platypalpus impexus*](#) Melander, 1902[43]
- [*Platypalpus impololoi*](#) Smith, 1969[35]
- [*Platypalpus incertoides*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus incertus*](#) (Collin, 1926)
- [*Platypalpus incurvus*](#) Melander, 1902[43]
- [*Platypalpus inermifemur*](#) Smith, 1969[35]
- [*Platypalpus inexpectatus*](#) Smith & Chvála, 1976[79]
- [*Platypalpus infectus*](#) (Collin, 1926)
- [*Platypalpus inferialis*](#) Melander, 1928[9]
- [*Platypalpus ingenuus*](#) (Collin, 1926)
- [*Platypalpus innocuus*](#) Smith, 1967[45]
- [*Platypalpus inops*](#) Melander, 1902[43]
- [*Platypalpus insperatus*](#) Kovalev, 1971
- [*Platypalpus interfectoris*](#) Meunier, 1908[51]
- [*Platypalpus interstinctus*](#) (Collin, 1926)
- [*Platypalpus isaanensis*](#) Grootaert & Shamshev, 2006
- [*Platypalpus isabellae*](#) Grootaert, 1984
- [*Platypalpus itoi*](#) Frey, 1955
- [*Platypalpus javieri*](#) Grootaert, 1995
- [*Platypalpus juvenis*](#) Melander, 1928[9]
- [*Platypalpus kamtschaticus*](#) Frey, 1943
- [*Platypalpus kamyshanovensis*](#) Kustov, Shamshev & Grootaert, 2014[1]
- [*Platypalpus kandybinae*](#) Shamshev & Grootaert, 2003[80]
- [*Platypalpus kasparyani*](#) Shamshev, 1999
- [*Platypalpus kaszabi*](#) Kovalev, 1978
- [*Platypalpus kintrishiensis*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus kirtlingensis*](#) Grootaert, 1986
- [*Platypalpus kosi*](#) (Smith, 1965)[81]
- [*Platypalpus kovalevi*](#) Chvála, 1988
- [*Platypalpus krisi*](#) Grootaert & Van de Velde, 1988
- [*Platypalpus kurilensis*](#) Shamshev, 1999
- [*Platypalpus lacertosus*](#) Melander, 1928[9]
- [*Platypalpus lacteiseta*](#) (Collin, 1922)
- [*Platypalpus laestadianorum*](#) (Frey, 1913)
- [*Platypalpus laetabilis*](#) Melander, 1928[9]
- [*Platypalpus laetus*](#) Loew, 1864[8]
- [*Platypalpus lantsovi*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus laohegouanus*](#) Li, Chang, Zhang & Yang, 2019[42]
- [*Platypalpus lapponicus*](#) Frey, 1943
- [*Platypalpus latemi*](#) Grootaert, 1983

- [*Platypalpus lateralis* Loew, 1864\[8\]](#)
- [*Platypalpus latericius* \(Becker, 1914\)](#)
- [*Platypalpus laticinctus* Walker, 1852\[67\]](#)
- [*Platypalpus latistrigata* \(Meijere, 1924\)\[82\]](#)
- [*Platypalpus layiaphilus* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus leleji* Shamshev, 1999](#)
- [*Platypalpus lesinensis* \(Strobl, 1893\)\[83\]](#)
- [*Platypalpus leucarista* Kovalev, 1978](#)
- [*Platypalpus leucocephalus* \(Roser, 1840\)\[84\]](#)
- [*Platypalpus leucothrix* \(Strobl, 1910\)\[65\]](#)
- [*Platypalpus lhasaensis* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus lii* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus loewi* Smith, 1969\[35\]](#)
- [*Platypalpus lokonda* Grootaert & Shamshev, 2014\[39\]](#)
- [*Platypalpus longicauda* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus longicornioides* Chvála, 1972](#)
- [*Platypalpus longicornis* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus longimanus* \(Corti, 1907\)](#)
- [*Platypalpus longirostris* \(Bezzi, 1912\)\[44\]](#)
- [*Platypalpus longiseta* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus luctator* Melander, 1928\[9\]](#)
- [*Platypalpus lupatus* Melander, 1902\[43\]](#)
- [*Platypalpus luteicornis* \(Meigen, 1838\)\[85\]](#)
- [*Platypalpus luteipes* Zuskova, 1966](#)
- [*Platypalpus luteoloides* Grootaert, 1983](#)
- [*Platypalpus luteolus* \(Collin, 1926\)](#)
- [*Platypalpus lutescens* \(Collin, 1941\)\[14\]](#)
- [*Platypalpus luteus* \(Meigen, 1804\)\[86\]](#)
- [*Platypalpus lyneborgi* Chvála, 1981](#)
- [*Platypalpus lyristes* Melander, 1928\[9\]](#)
- [*Platypalpus macropalpus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus macropygus* Frey, 1943](#)
- [*Platypalpus macula* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus maculifemoratus* Melander, 1928\[9\]](#)
- [*Platypalpus maculifemur* \(Meijere, 1913\)](#)
- [*Platypalpus maculipes* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus major* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus makoensis* Smith, 1967\[45\]](#)
- [*Platypalpus malagonensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus malokurilensis* Shamshev, 1999](#)
- [*Platypalpus malotiensis* Smith, 1969\[35\]](#)
- [*Platypalpus maltensis* Grootaert & Chvála, 1992\[21\]](#)

- [*Platypalpus manjano*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus mankoosi*](#) Smith, 1969[35]
- [*Platypalpus manni*](#) Chillcott, 1962[3]
- [*Platypalpus maoershanensis*](#) Yang & Merz, 2005[13]
- [*Platypalpus marcosbaezi*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus masoni*](#) Chillcott, 1962[3]
- [*Platypalpus medialis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus melancholicus*](#) (Collin, 1961)
- [*Platypalpus melanocerus*](#) Melander, 1928[9]
- [*Platypalpus melanogaster*](#) Melander, 1928[9]
- [*Platypalpus melleus*](#) Melander, 1928[9]
- [*Platypalpus mesogrammus*](#) Loew, 1863[63]
- [*Platypalpus microcerus*](#) Melander, 1928[9]
- [*Platypalpus microphona*](#) (Melander, 1928)[9]
- [*Platypalpus mikii*](#) (Becker, 1890)[87]
- [*Platypalpus minus*](#) Melander, 1928[9]
- [*Platypalpus minor*](#) Li, Gao, Lin, Chen & Yang, 2021[40]
- [*Platypalpus minutimontanus*](#) Smith, 1969[35]
- [*Platypalpus minutissimus*](#) (Strobl, 1899)[26]
- [*Platypalpus minutus*](#) (Meigen, 1804)[86]
- [*Platypalpus moceki*](#) Barták & Kubík, 2018[2]
- [*Platypalpus mollis*](#) Melander, 1928[9]
- [*Platypalpus mollitus*](#) Collin, 1933[88]
- [*Platypalpus monegrensis*](#) Grootaert, 1995
- [*Platypalpus montenegrensis*](#) Bequaert, 1962
- [*Platypalpus monticola*](#) Melander, 1902[43]
- [*Platypalpus morgei*](#) Chvála, 1981
- [*Platypalpus mosticensis*](#) Barták & Kubík, 2016[78]
- [*Platypalpus msingi*](#) Smith, 1967[45]
- [*Platypalpus multisetosus*](#) (Bezzi, 1899)[89]
- [*Platypalpus murphyi*](#) Chillcott, 1962[3]
- [*Platypalpus nanus*](#) (Oldenberg, 1924)[90]
- [*Platypalpus narangi*](#) (Smith, 1965)[81]
- [*Platypalpus neberdzaensis*](#) Kustov, Shamshev & Grootaert, 2014[1]
- [*Platypalpus negrobovi*](#) Grootaert, Kustov & Shamshev, 2012[91]
- [*Platypalpus neixiangensis*](#) Yang, An & Gao, 2002[34]
- [*Platypalpus ngomensis*](#) Smith, 1969[35]
- [*Platypalpus nigellus*](#) (Collin, 1969)
- [*Platypalpus niger*](#) (Meigen, 1804)[86]
- [*Platypalpus nigricolor*](#) Merz & Chvála, 1998
- [*Platypalpus nigricoxa*](#) (Mik, 1884)[71]
- [*Platypalpus nigrimanus*](#) Strobl, 1880[92]

- [*Platypalpus nigrinus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus nigritarsis* \(Fallén, 1816\)\[17\]](#)
- [*Platypalpus nigrosetosus* \(Strobl, 1893\)\[22\]](#)
- [*Platypalpus nitidipleura* Melander, 1928\[9\]](#)
- [*Platypalpus niveiseta* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus niveisetoides* Chvála, 1973](#)
- [*Platypalpus niveocapillatus* Chvála, 1973](#)
- [*Platypalpus niyazovi* Shamshev, 1998](#)
- [*Platypalpus nonstriatus* \(Strobl, 1900\)\[93\]](#)
- [*Platypalpus norvegicus* Grootaert & Jonassen, 1991](#)
- [*Platypalpus notatus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus novakii* \(Strobl, 1893\)\[83\]](#)
- [*Platypalpus nuadkhao* Grootaert & Shamshev, 2006](#)
- [*Platypalpus nudithorax* Chvála, 1975](#)
- [*Platypalpus obscuratoides* \(Engel, 1939\)](#)
- [*Platypalpus obscuripes* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus obscuroides* Barták & Grootaert, 2021\[94\]](#)
- [*Platypalpus obscurus* \(Roser, 1840\)\[84\]](#)
- [*Platypalpus ochricollis* Melander, 1928\[9\]](#)
- [*Platypalpus ochrocera* \(Collin, 1961\)](#)
- [*Platypalpus oculeus* Melander, 1928\[9\]](#)
- [*Platypalpus odintsovi* Kustov, Shamshev & Grootaert, 2014\[1\]](#)
- [*Platypalpus optivus* \(Collin, 1926\)](#)
- [*Platypalpus oribiensis* Smith, 1969\[35\]](#)
- [*Platypalpus oriens* Melander, 1928\[9\]](#)
- [*Platypalpus orientalis* Brunetti, 1913\[74\]](#)
- [*Platypalpus ornatipes* \(Bigot, 1891\)\[95\]](#)
- [*Platypalpus orphnus* Collin, 1933\[88\]](#)
- [*Platypalpus ostiorum* \(Becker, 1902\)\[28\]](#)
- [*Platypalpus ozerovi* Shamshev, 1999](#)
- [*Platypalpus pachycera* \(Collin, 1949\)](#)
- [*Platypalpus pachycnemus* Loew, 1864\[8\]](#)
- [*Platypalpus palavensis* Chvála, 1989](#)
- [*Platypalpus pallescens* Kovalev, 1979](#)
- [*Platypalpus pallidicornis* \(Collin, 1926\)](#)
- [*Platypalpus pallidicoxa* \(Frey, 1913\)](#)
- [*Platypalpus pallidiseta* Kovalev, 1978](#)
- [*Platypalpus palliditibiae* Brunetti, 1913\[74\]](#)
- [*Platypalpus pallidiventrus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus pallipes* \(Fallén, 1815\)\[17\]](#)
- [*Platypalpus pallipilosus* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus palmeni* Frey, 1943](#)

- [*Platypalpus paluster*](#) Chillcott, 1962[3]
- [*Platypalpus papillatus*](#) Collin, 1933[88]
- [*Platypalpus parvicauda*](#) (Collin, 1926)
- [*Platypalpus paulseni*](#) Philippi, 1865[46]
- [*Platypalpus pectinator*](#) Melander, 1924[53]
- [*Platypalpus pectoralis*](#) (Fallén, 1815)[17]
- [*Platypalpus pedestris*](#) (Becker, 1907)
- [*Platypalpus penesmirnovi*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus perimerus*](#) Melander, 1928[9]
- [*Platypalpus persephone*](#) Collin, 1933[88]
- [*Platypalpus perspiquus*](#) (Collin, 1960)
- [*Platypalpus phomyaaw*](#) Grootaert & Shamshev, 2006
- [*Platypalpus pictipennis*](#) Bezzi, 1909[27]
- [*Platypalpus pictitarsis*](#) (Becker, 1902)[28]
- [*Platypalpus pilatus*](#) Melander, 1928[9]
- [*Platypalpus pilifer*](#) Grootaert & Weele, 2020[96]
- [*Platypalpus pilosus*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus pingqianus*](#) Yang & Li, 2011[62]
- [*Platypalpus planti*](#) Grootaert, 1995
- [*Platypalpus pluto*](#) Melander, 1902[43]
- [*Platypalpus podocarp*](#) (Becker, 1914)
- [*Platypalpus politellus*](#) Melander, 1928[9]
- [*Platypalpus politus*](#) (Collin, 1926)
- [*Platypalpus politus*](#) var. nitens Melander, 1928[9]
- [*Platypalpus porrectus*](#) Melander, 1924[53]
- [*Platypalpus postpositus*](#) Melander, 1928[9]
- [*Platypalpus praecinctus*](#) (Collin, 1926)
- [*Platypalpus pragensis*](#) Chvála, 1989
- [*Platypalpus preagilis*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus predatoris*](#) Meunier, 1908[51]
- [*Platypalpus prorsus*](#) Melander, 1928[9]
- [*Platypalpus proserpina*](#) Bezzi, 1909[27]
- [*Platypalpus pseudoalter*](#) Raffone, 2005[97]
- [*Platypalpus pseudobicolor*](#) (Strobl, 1910)[65]
- [*Platypalpus pseudociliaris*](#) (Strobl, 1910)[65]
- [*Platypalpus pseudoexiguus*](#) (Strobl, 1909)[98]
- [*Platypalpus pseudofulvipes*](#) (Frey, 1909)[56]
- [*Platypalpus pseudomaculipes*](#) (Strobl, 1899)[26]
- [*Platypalpus pseudorapidus*](#) Kovalev, 1971
- [*Platypalpus pseudosilvahumidus*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus pseudounguiculatus*](#) (Strobl, 1909)[98]
- [*Platypalpus pubescens*](#) Melander, 1928[9]

- [*Platypalpus pudens* Melander, 1928\[9\]](#)
- [*Platypalpus puerinus* Melander, 1928\[9\]](#)
- [*Platypalpus pulicarius* \(Meigen, 1830\)\[25\]](#)
- [*Platypalpus pulverulentus* Melander, 1928\[9\]](#)
- [*Platypalpus pygialis* Chvála, 1973](#)
- [*Platypalpus pyrenaicus* \(Séguy, 1941\)](#)
- [*Platypalpus pyreneensis* Barták & Kubík, 2015\[75\]](#)
- [*Platypalpus quadrimaculatus* Smith, 1962\[29\]](#)
- [*Platypalpus quadriseta* Collin, 1933\[88\]](#)
- [*Platypalpus quinlani* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus rapidoides* Chvála, 1975](#)
- [*Platypalpus rapidus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus recurvus* Melander, 1928\[9\]](#)
- [*Platypalpus rhodesiensis* Smith, 1969\[35\]](#)
- [*Platypalpus rhodosensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus richardsi* Chillcott, 1962\[3\]](#)
- [*Platypalpus ringdahli* \(Chvála, 1975\)](#)
- [*Platypalpus riojaensis* Chvála, 1981](#)
- [*Platypalpus rossicus* Kovalev, 1977](#)
- [*Platypalpus rubefactus* Melander, 1928\[9\]](#)
- [*Platypalpus ruficornis* \(Roser, 1840\)\[84\]](#)
- [*Platypalpus rufiventris* Melander, 1902\[43\]](#)
- [*Platypalpus saffradi* Grootaert & Shamshev, 2014\[39\]](#)
- [*Platypalpus sagma* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus sahlbergi* \(Frey, 1909\)\[56\]](#)
- [*Platypalpus samarkandensis* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus sanguensis* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus sasaphilus* Shamshev, 1999](#)
- [*Platypalpus satyriacus* Melander, 1928\[9\]](#)
- [*Platypalpus scambus* \(Collin, 1928\)\[69\]](#)
- [*Platypalpus scandinavicus* Chvála, 1972](#)
- [*Platypalpus seedam* Grootaert & Shamshev, 2006](#)
- [*Platypalpus seeluang* Grootaert & Shamshev, 2006](#)
- [*Platypalpus sejunctus* \(Collin, 1949\)](#)
- [*Platypalpus septentrionalis* Shamshev & Sinclair, 2010\[99\]](#)
- [*Platypalpus sericatus* Melander, 1928\[9\]](#)
- [*Platypalpus seticauda* Barták & Kubík, 2018\[2\]](#)
- [*Platypalpus shealsi* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus shirozui* \(Saigusa, 1965\)](#)
- [*Platypalpus siamensis* Grootaert & Shamshev, 2006](#)
- [*Platypalpus sichuanensis* Yang & Yang, 1993\[100\]](#)
- [*Platypalpus silvahumidus* Barták & Kubík, 2015\[75\]](#)

- [*Platypalpus similis* Smith, 1969\[35\]](#)
- [*Platypalpus simplicipes* Melander, 1928\[9\]](#)
- [*Platypalpus simplicitarsis* Chvála & Kovalev, 1974](#)
- [*Platypalpus sinevi* Kusov, Shamshev & Grootaert, 2015\[12\]](#)
- [*Platypalpus singaporensis* Grootaert & Shamshev, 2012\[101\]](#)
- [*Platypalpus singularis* \(Collin, 1960\)](#)
- [*Platypalpus sloveniensis* Bequaert, 1962](#)
- [*Platypalpus smirnovi* Kovalev, 1978](#)
- [*Platypalpus smithi* Kovalev & Tokarczyk, 1988](#)
- [*Platypalpus soccatus* Melander, 1928\[9\]](#)
- [*Platypalpus soosi* Chvála, 1989](#)
- [*Platypalpus sordidus* \(Zetterstedt, 1838\)\[68\]](#)
- [*Platypalpus soror* Smith, 1969\[35\]](#)
- [*Platypalpus spatenkai* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus spatiosus* \(Collin, 1928\)\[69\]](#)
- [*Platypalpus spinicercus* Chvála, 1981](#)
- [*Platypalpus spinosus* Melander, 1928\[9\]](#)
- [*Platypalpus splendens* Melander, 1928\[9\]](#)
- [*Platypalpus stabilis* \(Collin, 1961\)](#)
- [*Platypalpus stackelbergi* Kovalev, 1971](#)
- [*Platypalpus stigma* \(Collin, 1926\)](#)
- [*Platypalpus stigmatelloides* Grootaert & Chvála, 1988\[21\]](#)
- [*Platypalpus stigmatellus* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus strakai* Chvála, 1989](#)
- [*Platypalpus striatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus strigifrons* \(Zetterstedt, 1849\)\[102\]](#)
- [*Platypalpus stroblii* \(Mik, 1900\)\[103\]](#)
- [*Platypalpus styloformis* Weber, 1972](#)
- [*Platypalpus subbrevis* \(Frey, 1913\)](#)
- [*Platypalpus subcaucasicus* Kusov, Shamshev & Grootaert, 2015\[12\]](#)
- [*Platypalpus subinfectus* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus sublutescens* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus submicans* Frey, 1958](#)
- [*Platypalpus submicrophona* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus subnigrinus* Chvála, 1975](#)
- [*Platypalpus subtectifrons* Shamshev & Sinclair, 2010\[99\]](#)
- [*Platypalpus subtilis* \(Collin, 1926\)](#)
- [*Platypalpus subulifer* \(Meijere, 1914\)](#)
- [*Platypalpus suffasciatus* Melander, 1928\[9\]](#)
- [*Platypalpus sulcolanatus* Smith, 1967\[45\]](#)
- [*Platypalpus sutor* Melander, 1924\[53\]](#)
- [*Platypalpus syletor* \(Melander, 1928\)\[9\]](#)

- [*Platypalpus sylvicola* \(Collin, 1926\)](#)
- [*Platypalpus tachistiformis* Melander, 1928\[9\]](#)
- [*Platypalpus talaris* Melander, 1928\[9\]](#)
- [*Platypalpus tanbarkiensis* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus tapa* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus taplejungensis* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus teberdaensis* Kusov, Shamshev & Grootaert, 2015\[12\]](#)
- [*Platypalpus tectifrons* \(Becker, 1907\)\[104\]](#)
- [*Platypalpus tenax* Melander, 1928\[9\]](#)
- [*Platypalpus tenellus* Melander, 1902\[43\]](#)
- [*Platypalpus teneriffensis* \(Becker, 1908\)\[30\]](#)
- [*Platypalpus tenuis* Melander, 1928\[9\]](#)
- [*Platypalpus tergestinoides* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus tergestinus* Egger, 1860\[105\]](#)
- [*Platypalpus tersus* Coquillett, 1895\[106\]](#)
- [*Platypalpus testaceus* Philippi, 1865\[46\]](#)
- [*Platypalpus thaicus* Grootaert & Shamshev, 2006](#)
- [*Platypalpus thyamis* \(Séguy, 1942\)](#)
- [*Platypalpus tonsus* \(Collin, 1961\)](#)
- [*Platypalpus triangulatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus trivialis* Loew, 1864\[8\]](#)
- [*Platypalpus truncatus* Chillcott, 1962\[3\]](#)
- [*Platypalpus tsitsikama* Smith, 1969\[35\]](#)
- [*Platypalpus tumidiarista* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus tuomikoskii* Chvála, 1972](#)
- [*Platypalpus turgidus* \(Becker, 1907\)](#)
- [*Platypalpus uncinatus* Melander, 1928\[9\]](#)
- [*Platypalpus unguiculatus* \(Zetterstedt, 1838\)\[68\]](#)
- [*Platypalpus unguiger* Kovalev & Chvála, 1985](#)
- [*Platypalpus unicus* \(Collin, 1961\)](#)
- [*Platypalpus univittatus* Loew, 1858\[107\]](#)
- [*Platypalpus uzbekistanicus* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus valens* Melander, 1928\[9\]](#)
- [*Platypalpus valgus* Melander, 1928\[9\]](#)
- [*Platypalpus variegatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus vegetus* Frey, 1943](#)
- [*Platypalpus vegrandis* Frey, 1943](#)
- [*Platypalpus velocipes* Frey, 1943](#)
- [*Platypalpus velox* Melander, 1928\[9\]](#)
- [*Platypalpus venaticus* Melander, 1928\[9\]](#)
- [*Platypalpus verbekei* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus verpus* Melander, 1928\[9\]](#)

- [*Platypalpus verralli*](#) (Collin, 1926)
- [*Platypalpus versipes*](#) Melander, 1928[9]
- [*Platypalpus versutus*](#) Melander, 1924[53]
- [*Platypalpus vicarius*](#) Walker, 1857[108]
- [*Platypalpus vicinus*](#) Smith, 1969[35]
- [*Platypalpus vierecki*](#) Melander, 1902[43]
- [*Platypalpus villeneuvei*](#) (Becker, 1910)[109]
- [*Platypalpus virgatus*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus vittatus*](#) Melander, 1928[9]
- [*Platypalpus vittiger*](#) Melander, 1928[9]
- [*Platypalpus vividus*](#) (Meigen, 1838)[85]
- [*Platypalpus vockerothi*](#) Chvála, 1981
- [*Platypalpus vulcanicus*](#) Frey, 1958
- [*Platypalpus vulnificus*](#) Melander, 1928[9]
- [*Platypalpus w-maculatus*](#) Smith, 1962[29]
- [*Platypalpus wagneri*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus wangwushanus*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus weberi*](#) Chvála, 1989
- [*Platypalpus wuorentausi*](#) Frey, 1943
- [*Platypalpus xanthochiton*](#) Melander, 1928[9]
- [*Platypalpus xanthodes*](#) Yang & Merz, 2005[13]
- [*Platypalpus xanthopodus*](#) Melander, 1928[9]
- [*Platypalpus xanthopus*](#) (Bezzi, 1914)[110]
- [*Platypalpus xiaowutaiensis*](#) Yang & Li, 2005[6]
- [*Platypalpus xizangenicus*](#) Yang & Yang, 1989[36]
- [*Platypalpus yadinganus*](#) Li, Gao, Lin, Chen & Yang, 2021[40]
- [*Platypalpus yadongensis*](#) Yang & Yang, 1989[36]
- [*Platypalpus yangambensis*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus yugoslavensis*](#) Bequaert, 1962
- [*Platypalpus yunnanensis*](#) Yang & Yang, 1990[111]
- [*Platypalpus zeravshanensis*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus zernyi*](#) Chvála, 1975
- [*Platypalpus zetterstedti*](#) Chvála, 1971[23]
- [*Platypalpus zeylanicus*](#) (Senior-White, 1922)
- [*Platypalpus zhangae*](#) Yang, Merz & Grootaert, 2006[52]

This is a list of species in the genus [*Platylomalus*](#). [1][2]

***Platylomalus* species**

- [*Platylomalus acisternus*](#) (Desbordes, 1914)
- [*Platylomalus aequalis*](#) (Say, 1825)
- [*Platylomalus alluaudi*](#) (Schmidt, 1893)
- [*Platylomalus arrowi*](#) Gomy, 1983
- [*Platylomalus bavicola*](#) Cooman, 1948
- [*Platylomalus biarculus*](#) (Marseul, 1870)
- [*Platylomalus bicavatus*](#) Cooman, 1955
- [*Platylomalus biellipticus*](#) Vienna, 1983
- [*Platylomalus calcuttanus*](#) Ôhara, 1989
- [*Platylomalus carinipygus*](#) Cooman, 1955
- [*Platylomalus ceylanicus*](#) (Motschulsky, 1863)
- [*Platylomalus cincticauda*](#) (Cooman, 1937)
- [*Platylomalus clavis*](#) (Marseul, 1879)
- [*Platylomalus complanatus*](#) (Panzer, 1797)
- [*Platylomalus cribratus*](#) (Lea, 1925)
- [*Platylomalus derasus*](#) (Schmidt, 1897)
- [*Platylomalus digitatus*](#) (Wollaston, 1867)
- [*Platylomalus erythraeus*](#) (G. Müller, 1938)
- [*Platylomalus evanescens*](#) (Marseul, 1879)
- [*Platylomalus exiguus*](#) (Fahraeus in Boheman, 1851)
- [*Platylomalus feae*](#) (Lewis, 1888)
- [*Platylomalus forestieri*](#) (Marseul, 1870)
- [*Platylomalus fossisternus*](#) (Cooman, 1936)
- [*Platylomalus fujisanus*](#) (Lewis, 1892)
- [*Platylomalus gardineri*](#) (Scott, 1913)
- [*Platylomalus goliath*](#) (Lewis, 1891)
- [*Platylomalus horni*](#) (Cooman, 1935)
- [*Platylomalus indicus*](#) (Lewis, 1892)
- [*Platylomalus inflexus*](#) Zhang and Zhou, 2007
- [*Platylomalus instabilis*](#) Vienna, 1983
- [*Platylomalus kabakovi*](#) Kryzhanovskij in Kryzhanovskij and Reichardt, 1976
- [*Platylomalus kusuii*](#) Ôhara, 1994
- [*Platylomalus lenticula*](#) (Schmidt, 1893)
- [*Platylomalus longicornis*](#) (Lewis, 1905)
- [*Platylomalus mendicus*](#) (Lewis, 1892)
- [*Platylomalus modiglianii*](#) (Schmidt, 1897)
- [*Platylomalus musicus*](#) (Marseul, 1864)
- [*Platylomalus niponensis*](#) (Lewis, 1899)
- [*Platylomalus nudipectus*](#) (Cooman, 1937)
- [*Platylomalus oceanitis*](#) (Marseul, 1855)
- [*Platylomalus osellai*](#) Vienna, 1983

- [*Platylomalus parvopunctatus*](#) (Lea, 1925)
- [*Platylomalus persimilis*](#) (Lewis, 1888)
- [*Platylomalus pseudosuturalis*](#) (Cooman, 1937)
- [*Platylomalus saucius*](#) (Blackburn, 1903)
- [*Platylomalus sauteri*](#) (Bickhardt, 1912)
- [*Platylomalus schultheissi*](#) (Schmidt, 1897)
- [*Platylomalus sinuaticeps*](#) (Cooman, 1937)
- [*Platylomalus submetallicus*](#) (Lewis, 1892)
- [*Platylomalus tcibodae*](#) (Marseul, 1879)
- [*Platylomalus terraereginae*](#) (Blackburn, 1903)
- [*Platylomalus therondi*](#) Vienna, 1983
- [*Platylomalus tonkinensis*](#) (Cooman, 1937)
- [*Platylomalus umbilicatus*](#) (Marseul, 1870)
- [*Platylomalus varionotus*](#) Vienna, 1983
- [*Platylomalus venator*](#) (Cooman, 1941)
- [*Platylomalus viaticus*](#) (Lewis, 1892)
- [*Platylomalus victoriae*](#) (Marseul, 1870)
- [*Platylomalus vittula*](#) (Marseul, 1879)
- [*Platylomalus zypi*](#) (Cooman, 1937)

These 561 species belong to the genus [*Platygaster*](#), platygastriids.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Platygaster* species**

- [*Platygaster aberrans*](#) Buhl, 1998
- [*Platygaster abia*](#) Walker, 1836
- [*Platygaster abicollis*](#) MacGown & Osgood, 1971
- [*Platygaster abisares*](#) Walker, 1836
- [*Platygaster aboriginalis*](#) Buhl, 2004
- [*Platygaster abrupta*](#) Buhl, 1994
- [*Platygaster acciculusis*](#) Drake, 1970
- [*Platygaster aciculata*](#) Ashmead, 1893
- [*Platygaster acrisius*](#) Walker, 1836
- [*Platygaster actinomeridis*](#) (Ashmead, 1893)
- [*Platygaster acuticlava*](#) Buhl, 1998
- [*Platygaster acutocularis*](#) Buhl, 1998
- [*Platygaster aebeloeensis*](#) Buhl, 2001
- [*Platygaster aegeus*](#) Walker, 1836
- [*Platygaster affinis*](#) Fouts, 1925
- [*Platygaster alnicola*](#) (Ashmead, 1893)
- [*Platygaster alticola*](#) Kieffer, 1910
- [*Platygaster ambositrensis*](#) Risbec, 1955

- [*Platygaster americana*](#) (Ashmead, 1887)
- [*Platygaster aneurus*](#) (Provancher, 1887)
- [*Platygaster angulata*](#) (Ashmead, 1893)
- [*Platygaster angustula*](#) (Thomson, 1859)
- [*Platygaster anopediana*](#) Buhl, 2005
- [*Platygaster anormis*](#) (Brues, 1910)
- [*Platygaster antennariae*](#) (Ashmead, 1893)
- [*Platygaster anura*](#) Fouts, 1925
- [*Platygaster aphidis*](#) Ashmead, 1893
- [*Platygaster apicalis*](#) Thomson, 1859
- [*Platygaster applanata*](#) Buhl, 2001
- [*Platygaster appropinquata*](#) Buhl, 2006
- [*Platygaster aptera*](#) Nees, 1834
- [*Platygaster armata*](#) Buhl, 2017
- [*Platygaster artemisiae*](#) (Ashmead, 1893)
- [*Platygaster ashmeadiana*](#) Huggert, 1973
- [*Platygaster asiatica*](#) Buhl, 2004
- [*Platygaster astericola*](#) (Ashmead, 1893)
- [*Platygaster asynaptae*](#) (Ashmead, 1893)
- [*Platygaster ater*](#) Buhl, 2011
- [*Platygaster athamas*](#) Walker, 1836
- [*Platygaster atrae*](#) Fouts, 1924
- [*Platygaster atriplicis*](#) (Ashmead, 1893)
- [*Platygaster attenuata*](#) Walker, 1836
- [*Platygaster australis*](#) (Dodd, 1916)
- [*Platygaster automenes*](#) Walker, 1839
- [*Platygaster baccharicola*](#) (Ashmead, 1887)
- [*Platygaster baccharidis*](#) Kieffer & Jörgensen, 1910
- [*Platygaster baezi*](#) Buhl, 2003
- [*Platygaster baloghi*](#) Buhl, 2004
- [*Platygaster basi*](#) Vlug, 1995
- [*Platygaster beneficiens*](#) MacGown, 1979
- [*Platygaster betulae*](#) (Kieffer, 1916)
- [*Platygaster betularia*](#) Kieffer, 1916
- [*Platygaster biroi*](#) Buhl, 2004
- [*Platygaster blascozumetae*](#) Buhl, 1998
- [*Platygaster bonessi*](#) Buhl, 2000
- [*Platygaster boneti*](#) Buhl, 2006
- [*Platygaster borealis*](#) Buhl, 1998
- [*Platygaster brachyptera*](#) Buhl, 2004
- [*Platygaster brevicornis*](#) Förster, 1861
- [*Platygaster brevipetiolata*](#) Buhl, 2004

- [*Platygaster brevistriata*](#) Kieffer, 1916
- [*Platygaster bucolion*](#) Walker, 1836
- [*Platygaster bureschi*](#) Szabó, 1959
- [*Platygaster burkei*](#) (Rohwer, 1917)
- [*Platygaster californica*](#) (Ashmead, 1893)
- [*Platygaster canestrinii*](#) (Rondani, 1866)
- [*Platygaster caninifrons*](#) (Brues, 1910)
- [*Platygaster caryae*](#) Ashmead, 1893
- [*Platygaster caulicola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster cebes*](#) Walker, 1836
- [*Platygaster cecconii*](#) Kieffer, 1913
- [*Platygaster cecidomyiae*](#) Ratzeburg, 1852
- [*Platygaster cenone*](#) Fouts
- [*Platygaster chaos*](#) [4]
- [*Platygaster chilensis*](#) (Brèthes, 1915)
- [*Platygaster chloropus*](#) Thomson, 1859
- [*Platygaster chrysippus*](#) Walker, 1836
- [*Platygaster ciliata*](#) Buhl & Choi, 2006
- [*Platygaster clavata*](#) Buhl, 1994
- [*Platygaster cochleata*](#) Walker, 1836
- [*Platygaster coloradensis*](#) (Ashmead, 1893)
- [*Platygaster columbiana*](#) Fouts, 1924
- [*Platygaster compressa*](#) Fouts, 1934
- [*Platygaster compressicornis*](#) (Thomson, 1859)
- [*Platygaster compressiventris*](#) (Ashmead, 1893)
- [*Platygaster confinis*](#) Thomson, 1859
- [*Platygaster consobrina*](#) Kieffer, 1913
- [*Platygaster contorticornis*](#) Ratzeburg, 1844
- [*Platygaster convergens*](#) Kieffer, 1913
- [*Platygaster coorgensis*](#) (Mukerjee, 1978)
- [*Platygaster corcyrana*](#) Buhl, 1996
- [*Platygaster corni*](#) Kieffer, 1916
- [*Platygaster coronata*](#) (Brues, 1910)
- [*Platygaster corvina*](#) Förster, 1861
- [*Platygaster costaricae*](#) Buhl, 2003
- [*Platygaster cotei*](#) Kieffer, 1913
- [*Platygaster crassa*](#) (Kryger & Schmiedeknecht, 1938)
- [*Platygaster crassicornis*](#) Buhl, 1998
- [*Platygaster crenulata*](#) Buhl, 2004
- [*Platygaster cruciferarum*](#) Kieffer, 1916
- [*Platygaster csoszi*](#) Buhl, 2004
- [*Platygaster cuspidata*](#) Buhl, 2005

- [*Platygaster cynipicola*](#) (Ashmead, 1893)
- [*Platygaster cyrsilus*](#) Walker, 1836
- [*Platygaster dalgaardi*](#) Buhl, 2006
- [*Platygaster damokles*](#) Buhl, 1998
- [*Platygaster danica*](#) Buhl, 1999
- [*Platygaster danielssoni*](#) Buhl, 1998
- [*Platygaster danyiensis*](#) Buhl, 2014
- [*Platygaster davei*](#) Buhl, 2010
- [*Platygaster deipyla*](#) Walker, 1836
- [*Platygaster delyi*](#) Buhl, 2006
- [*Platygaster demades*](#) Walker, 1836
- [*Platygaster dentata*](#) Buhl, 2001
- [*Platygaster denticulata*](#) Buhl, 2001
- [*Platygaster depressiventris*](#) Thomson, 1859
- [*Platygaster dictys*](#) Walker, 1836
- [*Platygaster dilata*](#) Buhl, 2001
- [*Platygaster diplosidis*](#) (Ashmead, 1893)
- [*Platygaster diplosisae*](#) Risbec, 1956
- [*Platygaster disincta*](#) Fouts
- [*Platygaster distincta*](#) Fouts, 1926
- [*Platygaster dombeyae*](#) Risbec, 1953
- [*Platygaster draskovitsi*](#) Buhl, 2006
- [*Platygaster dryomiae*](#) Dieuzeide, 1927
- [*Platygaster dryope*](#) Walker, 1836
- [*Platygaster dubia*](#) (Ashmead, 1894)
- [*Platygaster elissa*](#) Walker, 1839
- [*Platygaster elongata*](#) Haliday, 1833
- [*Platygaster ennius*](#) Walker, 1836
- [*Platygaster ensifer*](#) (Westwood, 1833)
- [*Platygaster entwistlei*](#) Buhl, 1997
- [*Platygaster equestris*](#) Spittler, 1969
- [*Platygaster ericeti*](#) Rondani, 1877
- [*Platygaster eriphyle*](#) Walker, 1836
- [*Platygaster errans*](#) Fouts, 1924
- [*Platygaster eryngii*](#) Kieffer, 1916
- [*Platygaster estonica*](#) Buhl, 2004
- [*Platygaster ethiopica*](#) Buhl, 2004
- [*Platygaster etsuhoae*](#) Buhl, 1998
- [*Platygaster eucalyptodiplosisae*](#) Buhl, 2017
- [*Platygaster euhemerus*](#) Walker, 1836
- [*Platygaster eurotiae*](#) (Ashmead, 1893)
- [*Platygaster euurae*](#) (Ashmead, 1893)

- [*Platygaster euxestonotoides*](#) Buhl, 1998
- [*Platygaster exiguae*](#) Fouts, 1926
- [*Platygaster felti*](#) Fouts, 1920
- [*Platygaster fennica*](#) Buhl, 2003
- [*Platygaster filicaudis*](#) Fouts, 1925
- [*Platygaster filicornis*](#) Walker, 1836
- [*Platygaster flabellata*](#) Buhl, 2003
- [*Platygaster flagellata*](#) Buhl, 2003
- [*Platygaster flavifemorata*](#) Buhl & Choi, 2006
- [*Platygaster flavitarsis*](#) Fouts, 1926
- [*Platygaster floridensis*](#) Ashmead, 1887
- [*Platygaster foersteri*](#) (Gahan, 1919)
- [*Platygaster formicarum*](#) Kieffer, 1916
- [*Platygaster forshagei*](#) Buhl, 2006
- [*Platygaster foutsii*](#) Huggert, 1973
- [*Platygaster frater*](#) Buhl, 2006
- [*Platygaster fumipennis*](#) Fouts, 1924
- [*Platygaster funesta*](#) Motschulsky, 1852
- [*Platygaster fungicola*](#) Kieffer, 1916
- [*Platygaster fusca*](#) Buhl, 2004
- [*Platygaster fuscalis*](#) Buhl, 2011
- [*Platygaster fuscipennis*](#) Fouts, 1924
- [*Platygaster gahani*](#) Fouts, 1924
- [*Platygaster gaia*](#) Buhl, 2004
- [*Platygaster galbus*](#) Ushakumari, 2004
- [*Platygaster galenus*](#) Walker, 1836
- [*Platygaster gambiana*](#) Buhl, 2006
- [*Platygaster genata*](#) Buhl, 1998
- [*Platygaster generalii*](#) Rondani, 1866
- [*Platygaster germanica*](#) Buhl, 1998
- [*Platygaster gifuensis*](#) (Ashmead, 1904)
- [*Platygaster glemhornae*](#) Buhl, 2010
- [*Platygaster globicola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster gorge*](#) Walker, 1836
- [*Platygaster gorgo*](#) Walker, 1839
- [*Platygaster gracilicornis*](#) (Ashmead, 1894)
- [*Platygaster gracilipes*](#) Huggert, 1975
- [*Platygaster gracilis*](#) Ashmead
- [*Platygaster gyge*](#) Walker, 1836
- [*Platygaster gyrone*](#) Szelényi, 1958
- [*Platygaster hanseni*](#) Buhl, 2006
- [*Platygaster hanssoniana*](#) Buhl, 2003

- [*Platygaster harpagoceras*](#)
- [*Platygaster henkvlugi*](#) Buhl, 1996
- [*Platygaster hera*](#) Buhl, 1998
- [*Platygaster herricki*](#) Packard, 1880
- [*Platygaster heterothalami*](#) Kieffer & Jörgensen, 1910
- [*Platygaster hiemalis*](#) Forbes, 1888
- [*Platygaster hoffmeyer*](#) Buhl, 2006
- [*Platygaster hovmoelleri*](#) Buhl, 2006
- [*Platygaster huachucae*](#) (Ashmead, 1893)
- [*Platygaster huggerti*](#) Buhl, 2001
- [*Platygaster hyalinata*](#) (Thomson, 1859)
- [*Platygaster hyalinipennis*](#) (Ashmead, 1887)
- [*Platygaster hybrida*](#) Buhl, 1994
- [*Platygaster hyemalis*](#) Curtis, 1830
- [*Platygaster hygrophila*](#) Kieffer, 1916
- [*Platygaster iberica*](#) Buhl, 1998
- [*Platygaster ilona*](#) Szabó, 1976
- [*Platygaster imlaci*](#) Buhl, 1997
- [*Platygaster inconspicua*](#) Buhl, 1999
- [*Platygaster indefinita*](#) Buhl, 2006
- [*Platygaster inderdaadi*](#) Vlug, 1995
- [*Platygaster indica*](#) Mukerjee, 1978
- [*Platygaster inermis*](#) Walker, 1836
- [*Platygaster ingeniosus*](#) Matsuo & Yamagishi, 2018
- [*Platygaster insularis*](#) (Ashmead, 1894)
- [*Platygaster intermedia*](#) Buhl, 2006
- [*Platygaster intermedius*](#) Ushakumari, 2004
- [*Platygaster iolas*](#) Walker, 1836
- [*Platygaster iteocrypta*](#) Kieffer, 1916
- [*Platygaster iteophila*](#) (Kieffer, 1916)
- [*Platygaster javieri*](#) Buhl, 1998
- [*Platygaster juniperella*](#) MacGown, 1979
- [*Platygaster juniperi*](#) MacGown, 1979
- [*Platygaster juniperina*](#) MacGown, 1979
- [*Platygaster jutlandica*](#) Buhl, 2006
- [*Platygaster kalmiae*](#) Fouts, 1925
- [*Platygaster karlssoni*](#) Buhl, 2010
- [*Platygaster kaszabi*](#) Buhl, 2004
- [*Platygaster kenya*](#) Buhl, 2004
- [*Platygaster keralicus*](#) Ushakumari, 2004
- [*Platygaster kimballi*](#) MacGown, 1974
- [*Platygaster komugi*](#) Ishii, 1953

- [*Platygaster koponeni*](#) Buhl, 2003
- [*Platygaster koreana*](#) Buhl, 2006
- [*Platygaster krarupi*](#) Buhl, 1995
- [*Platygaster kui*](#) Choi & Buhl, 2006
- [*Platygaster laevicollis*](#) (Ashmead, 1893)
- [*Platygaster laevifrons*](#) Buhl, 2002
- [*Platygaster laeviventris*](#) Thomson, 1859
- [*Platygaster lamelliformis*](#) Huggert, 1973
- [*Platygaster lampronota*](#) Fouts, 1924
- [*Platygaster lanceolata*](#) Buhl, 1996
- [*Platygaster lapponica*](#) Thomson, 1859
- [*Platygaster laricis*](#) Haliday, 1836
- [*Platygaster lasiopterae*](#) Kieffer & Jörgensen, 1910
- [*Platygaster lasiorum*](#) Kieffer, 1916
- [*Platygaster lata*](#) Förster, 1861
- [*Platygaster latescens*](#) (Brues, 1910)
- [*Platygaster laticeps*](#) Thomson, 1859
- [*Platygaster laticlavus*](#) (Ashmead, 1894)
- [*Platygaster laticornis*](#) Buhl, 2004
- [*Platygaster latifrons*](#) Huggert, 1973
- [*Platygaster latiptera*](#) Buhl, 2010
- [*Platygaster leguminicolae*](#) Fouts, 1920
- [*Platygaster leileri*](#) Buhl, 2007
- [*Platygaster leptines*](#) Walker, 1836
- [*Platygaster leptoptera*](#) Buhl, 1998
- [*Platygaster leptosoma*](#) Buhl, 2006
- [*Platygaster leucanthemi*](#) (Kieffer, 1916)
- [*Platygaster libocedri*](#) MacGown, 1974
- [*Platygaster liga*](#) Buhl, 2014
- [*Platygaster linearis*](#) Fouts, 1924
- [*Platygaster lineaticeps*](#) Buhl, 1994
- [*Platygaster litoralis*](#) Buhl, 1998
- [*Platygaster lobata*](#) Buhl, 2014
- [*Platygaster longestriata*](#) Kieffer, 1916
- [*Platygaster longestriolata*](#) Thomson, 1859
- [*Platygaster longicaudata*](#) Kieffer, 1906
- [*Platygaster lubomasneri*](#) Buhl, 1995
- [*Platygaster lucida*](#) Fouts, 1924
- [*Platygaster luctuosa*](#) Kieffer & Herbst, 1911
- [*Platygaster lugens*](#) Kieffer, 1926
- [*Platygaster lundensis*](#) Buhl, 1997
- [*Platygaster lupinicola*](#) (Ashmead, 1893)

- [*Platygaster luteocoxalis*](#) (Kozlov, 1966)
- [*Platygaster lyciicola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster lyneborgi*](#) Buhl, 1998
- [*Platygaster lysicles*](#) Walker, 1836
- [*Platygaster maarteni*](#) Vlug, 1995
- [*Platygaster macgowni*](#) Buhl, 2001
- [*Platygaster macroptera*](#) Buhl, 2004
- [*Platygaster mahensis*](#) Kieffer, 1912
- [*Platygaster mainensis*](#) MacGown & Osgood, 1971
- [*Platygaster malabarica*](#) (Mukerjee, 1978)
- [*Platygaster malaisei*](#) Buhl, 2005
- [*Platygaster malpighii*](#) Kieffer, 1916
- [*Platygaster mandrakae*](#) Risbec, 1955
- [*Platygaster manto*](#) Walker, 1836
- [*Platygaster marchali*](#) Kieffer, 1906
- [*Platygaster marginata*](#) Thomson, 1859
- [*Platygaster martikaineni*](#) Buhl, 2003
- [*Platygaster martii*](#) Buhl, 2003
- [*Platygaster marylandica*](#) Fouts, 1924
- [*Platygaster masneri*](#) Huggert, 1975
- [*Platygaster matsutama*](#) Yoshida & Hirashima, 1979
- [*Platygaster matuschanskavaskyi*](#) Buhl, 2003
- [*Platygaster mayetiolae*](#) Kieffer, 1916
- [*Platygaster mayi*](#) Buhl, 2017
- [*Platygaster mediocris*](#) (Brues, 1910)
- [*Platygaster meduxnekeagensis*](#) Buhl, 2006
- [*Platygaster melanocera*](#) (Ashmead, 1887)
- [*Platygaster melliscapus*](#) (Ashmead, 1893)
- [*Platygaster meridionalis*](#) (Ashmead, 1894)
- [*Platygaster micromma*](#) Buhl, 2010
- [*Platygaster microsculpturata*](#) Buhl, 1999
- [*Platygaster minima*](#) (Mukerjee, 1978)
- [*Platygaster minthe*](#) Walker, 1836
- [*Platygaster minuta*](#) Zetterstedt, 1840
- [*Platygaster minutissima*](#) Fouts, 1925
- [*Platygaster minutula*](#) Dalla Torre, 1898
- [*Platygaster mirabilis*](#) (Ashmead, 1893)
- [*Platygaster misella*](#) Buhl, 2006
- [*Platygaster moczari*](#) Szabó, 1976
- [*Platygaster modesta*](#) Buhl, 1998
- [*Platygaster molsensis*](#) Buhl, 1995
- [*Platygaster mongolica*](#) Buhl, 2004

- [*Platygaster mumfordi*](#) Fouts, 1934
- [*Platygaster munita*](#) Walker, 1836
- [*Platygaster munki*](#) Buhl, 1994
- [*Platygaster muscivora*](#) Risbec, 1950
- [*Platygaster myrmecobia*](#) Kieffer, 1913
- [*Platygaster narendrani*](#) Ushakumari, 2004
- [*Platygaster nashi*](#) Buhl & O'Connor, 2011
- [*Platygaster natalensis*](#) Buhl, 2003
- [*Platygaster nigeriana*](#) Buhl, 2004
- [*Platygaster nigerrimus*](#) (Kieffer, 1926)
- [*Platygaster nigra*](#) Nees von Esenbeck, 1834
- [*Platygaster nigricoxa*](#) Fouts, 1925
- [*Platygaster nigrifemur*](#) (Ashmead, 1890)
- [*Platygaster nigripes*](#) Ratzeburg, 1852
- [*Platygaster nigrita*](#) Buhl, 2004
- [*Platygaster nigrocoxatus*](#) Ushakumari, 2004
- [*Platygaster nisus*](#) Walker, 1836
- [*Platygaster nodicola*](#) (Kieffer, 1916)
- [*Platygaster noonae*](#) Buhl, 1995
- [*Platygaster norvegica*](#) Kieffer, 1913
- [*Platygaster nottoni*](#) Buhl, 1995
- [*Platygaster novaezealandiae*](#) Buhl, 2011
- [*Platygaster noveboracensis*](#) (Brues, 1910)
- [*Platygaster oblonga*](#) Buhl, 2005
- [*Platygaster obscura*](#) Nees von Esenbeck, 1834
- [*Platygaster obscuripennis*](#) Ashmead, 1893
- [*Platygaster oculata*](#) Buhl, 2004
- [*Platygaster oebalus*](#) Walker, 1836
- [*Platygaster oeclus*](#) Walker, 1836
- [*Platygaster oenone*](#) Fouts, 1925
- [*Platygaster oleae*](#) Szelényi, 1940
- [*Platygaster opaca*](#) Ruthe, 1859
- [*Platygaster orcus*](#) Walker, 1836
- [*Platygaster ornata*](#) Kieffer, 1906
- [*Platygaster orus*](#) Walker, 1836
- [*Platygaster oryzae*](#) Cameron, 1891
- [*Platygaster oscus*](#) Walker, 1836
- [*Platygaster otandjoboliensis*](#) Buhl, 2014
- [*Platygaster otanes*](#) Walker, 1836
- [*Platygaster oviventris*](#) Buhl, 2004
- [*Platygaster paches*](#) Walker, 1842
- [*Platygaster pallida*](#) Fouts, 1925

- [*Platygaster pallidicoxalis*](#) (Ashmead, 1894)
- [*Platygaster pallipes*](#) (Ashmead, 1890)
- [*Platygaster panamaensis*](#) Buhl, 2002
- [*Platygaster panchganii*](#) Mani, 1975
- [*Platygaster pappi*](#) Buhl, 2004
- [*Platygaster parallela*](#) Walker, 1835
- [*Platygaster parvula*](#) Zetterstedt, 1840
- [*Platygaster pauliani*](#) Risbec, 1953
- [*Platygaster pedasus*](#) Walker, 1836
- [*Platygaster pedestris*](#) Buhl, 2004
- [*Platygaster pelias*](#) Walker, 1836
- [*Platygaster pentatoma*](#) (Ashmead, 1893)
- [*Platygaster perineti*](#) Risbec, 1953
- [*Platygaster perplexa*](#) Fouts, 1925
- [*Platygaster persicariae*](#) Kieffer, 1906
- [*Platygaster philinna*](#) Walker, 1836
- [*Platygaster philippiae*](#) Risbec, 1953
- [*Platygaster phragmitiphila*](#) Buhl, 2006
- [*Platygaster phragmitis*](#) (Schränk, 1781)
- [*Platygaster picipes*](#) Förster, 1861
- [*Platygaster pilco*](#) Sundholm, 1970
- [*Platygaster pinaensis*](#) Buhl, 1998
- [*Platygaster pini*](#) Fouts
- [*Platygaster pinicola*](#) (Ashmead, 1893)
- [*Platygaster piniphila*](#) MacGown, 1979
- [*Platygaster pinyonicola*](#) MacGown, 1979
- [*Platygaster piso*](#) Sundholm, 1970
- [*Platygaster plana*](#) Buhl, 1994
- [*Platygaster planivertex*](#) Buhl, 2014
- [*Platygaster planoides*](#) Buhl, 1995
- [*Platygaster platyptera*](#) Buhl, 2005
- [*Platygaster pleuron*](#) Walker, 1836
- [*Platygaster plotina*](#) Walker, 1836
- [*Platygaster pluto*](#) (Ashmead, 1887)
- [*Platygaster podocarp*](#) Buhl, 2015
- [*Platygaster polaszeki*](#) Buhl, 2004
- [*Platygaster polita*](#) Thomson, 1859
- [*Platygaster politiceps*](#) Buhl, 2013
- [*Platygaster ponderosae*](#) MacGown, 1979
- [*Platygaster praecox*](#) Buhl, 1999
- [*Platygaster producta*](#) MacGown, 1979
- [*Platygaster prolata*](#) MacGown, 1971

- [*Platygaster propucta*](#) Macgown
- [*Platygaster proxima*](#) (Ashmead, 1893)
- [*Platygaster pruni*](#)
- [*Platygaster pseudotsugae*](#) MacGown, 1979
- [*Platygaster pubiventris*](#) Buhl, 2005
- [*Platygaster puccinii*](#) Vlug, 1995
- [*Platygaster punctiventris*](#) Buhl, 2006
- [*Platygaster pygmaea*](#) Kieffer, 1913
- [*Platygaster pyramidalis*](#) Nees von Esenbeck, 1834
- [*Platygaster quadriceps*](#) Buhl, 2006
- [*Platygaster quadrifarius*](#) (Kieffer, 1916)
- [*Platygaster ramachandrai*](#) (Rao, 1950)
- [*Platygaster relativa*](#) Fouts, 1924
- [*Platygaster resinosae*](#) MacGown, 1979
- [*Platygaster retuertae*](#) Buhl, 1998
- [*Platygaster reyi*](#) Buhl, 2001
- [*Platygaster rhabdophagae*](#) MacGown, 1979
- [*Platygaster riparia*](#) Yamagishi, 1980
- [*Platygaster robertensis*](#) Buhl, 2017
- [*Platygaster robiniae*](#) Buhl & Duso, 2008
- [*Platygaster rohweri*](#) Fouts, 1924
- [*Platygaster romanica*](#) Popovici & Buhl, 2005
- [*Platygaster rossinii*](#) Vlug, 1995
- [*Platygaster rubi*](#) (Ashmead, 1893)
- [*Platygaster ruficornis*](#) (Latreille, 1805)
- [*Platygaster rufidens*](#) Fouts, 1925
- [*Platygaster rufitibia*](#) Buhl, 1999
- [*Platygaster rugosiceps*](#) Buhl, 1994
- [*Platygaster rutilipes*](#) Buhl, 1997
- [*Platygaster rutubus*](#) Walker, 1836
- [*Platygaster rwankwiensis*](#) Risbec, 1958
- [*Platygaster sagana*](#) Walker, 1836
- [*Platygaster salicicola*](#) (Ashmead, 1893)
- [*Platygaster saliciperdae*](#) Kieffer, 1913
- [*Platygaster salvadorae*](#) Rao, 1950
- [*Platygaster sambuci*](#) (Kieffer, 1916)
- [*Platygaster sasii*](#) Ushakumari, 2004
- [*Platygaster satara*](#) Mani, 1975
- [*Platygaster scorpoides*](#) Muesebeck & Walkley, 1951
- [*Platygaster scotica*](#) Kieffer, 1913
- [*Platygaster scrophulariae*](#) (Kieffer, 1916)
- [*Platygaster sculptiventris*](#) Buhl, 2007

- [*Platygaster scutellator*](#) Fouts, 1925
- [*Platygaster semiflava*](#) Buhl, 2006
- [*Platygaster semiglabra*](#) (Girault, 1920)
- [*Platygaster setosa*](#) Buhl, 2003
- [*Platygaster shastensis*](#) Fouts, 1924
- [*Platygaster signata*](#) (Förster, 1861)
- [*Platygaster signe*](#) Buhl, 2006
- [*Platygaster similis*](#) MacGown, 1974
- [*Platygaster simplex*](#) (Brues, 1922)
- [*Platygaster singularis*](#) Buhl, 2006
- [*Platygaster sinica*](#) Buhl, 1996
- [*Platygaster sociabilis*](#) Kieffer & Jörgensen, 1910
- [*Platygaster soederlundii*](#) Buhl, 1998
- [*Platygaster solidaginis*](#) (Ashmead, 1887)
- [*Platygaster solodovnikovi*](#) Buhl, 2011
- [*Platygaster sonchis*](#) Walker, 1836
- [*Platygaster sophianae*](#) Szabó, 1976
- [*Platygaster specularis*](#) Buhl, 1998
- [*Platygaster spiniger*](#) Nees, 1834
- [*Platygaster spinigera*](#) Nees von Esenbeck, 1834
- [*Platygaster splendens*](#) Sundholm, 1970
- [*Platygaster splendidula*](#) Ruthe, 1859
- [*Platygaster srilankensis*](#) Buhl, 2003
- [*Platygaster stachydis*](#) (Kieffer, 1916)
- [*Platygaster stefaniellae*](#) Buhl, 2000
- [*Platygaster stefaniolae*](#) Buhl, 1998
- [*Platygaster sterope*](#) Walker, 1836
- [*Platygaster stimulator*](#) Yamagishi, 1980
- [*Platygaster strato*](#) Walker, 1836
- [*Platygaster striaticeps*](#) (Ashmead, 1893)
- [*Platygaster striaticollis*](#) (Ashmead, 1893)
- [*Platygaster striatidorsum*](#) Buhl, 1998
- [*Platygaster striatifacies*](#) Buhl, 1996
- [*Platygaster striatifrons*](#) Fouts, 1925
- [*Platygaster striatipleura*](#) Buhl, 2004
- [*Platygaster striatitergitis*](#) Buhl, 1995
- [*Platygaster striatithorax*](#) Buhl, 1994
- [*Platygaster striolata*](#) Nees von Esenbeck, 1834
- [*Platygaster stylata*](#) Huggert, 1980
- [*Platygaster subanguliceps*](#) Buhl, 2014
- [*Platygaster subapicalis*](#) Buhl, 2006
- [*Platygaster subfilicornis*](#) Buhl, 2006

- [*Platygaster subparallela*](#) Buhl, 2017
- [*Platygaster subplana*](#) Buhl, 2005
- [*Platygaster subterranea*](#) (Kieffer, 1916)
- [*Platygaster subtilis*](#) Förster, 1861
- [*Platygaster subuliformis*](#) Kieffer, 1926
- [*Platygaster suecica*](#) (Kieffer, 1926)
- [*Platygaster sugitama*](#) Yoshida & Hirashima, 1979
- [*Platygaster sylea*](#) Walker, 1843
- [*Platygaster sylveni*](#) Buhl, 2009
- [*Platygaster szelenyii*](#) Huggert, 1975
- [*Platygaster tacita*](#) Fouts, 1925
- [*Platygaster tanus*](#) Ushakumari, 2004
- [*Platygaster taras*](#) Walker, 1836
- [*Platygaster taylori*](#) MacGown, 1974
- [*Platygaster tenerifensis*](#) Buhl, 2001
- [*Platygaster tengoei*](#) Buhl, 2010
- [*Platygaster tenuicornis*](#) Förster, 1861
- [*Platygaster tephrosiae*](#)
- [*Platygaster terco*](#) Sundholm, 1970
- [*Platygaster texana*](#) Fouts, 1924
- [*Platygaster tibialis*](#) Kieffer, 1905
- [*Platygaster tisas*](#) Walker, 1836
- [*Platygaster topali*](#) Buhl, 2004
- [*Platygaster topaliana*](#) Buhl, 2004
- [*Platygaster transsylvanica*](#) (Szelényi, 1958)
- [*Platygaster transversiceps*](#) Buhl, 1998
- [*Platygaster tricarinata*](#) Buhl, 2014
- [*Platygaster tripotini*](#) Buhl & Choi, 2006
- [*Platygaster truncata*](#) Buhl, 2004
- [*Platygaster tschirnhausi*](#) Buhl, 2014
- [*Platygaster tsitsikamensis*](#) Buhl, 2005
- [*Platygaster tuberata*](#) Kieffer, 1916
- [*Platygaster tuberculatrix*](#) Buhl, 2011
- [*Platygaster tuberculi*](#) (Kieffer, 1916)
- [*Platygaster tuberosa*](#) Nees von Esenbeck, 1834
- [*Platygaster tuberosula*](#) Kieffer, 1926
- [*Platygaster tubulosa*](#) Brues, 1922
- [*Platygaster tumida*](#) (Ashmead, 1893)
- [*Platygaster tumoricola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster ulmicola*](#) Kieffer, 1916
- [*Platygaster ungeri*](#) Buhl, 1999
- [*Platygaster uniformis*](#) Buhl, 2006

- [*Platygaster urnicola*](#) Yamagishi, 1980
- [*Platygaster urniphila*](#) Matsuo & Yamagishi, 2018
- [*Platygaster utahensis*](#) (Ashmead, 1893)
- [*Platygaster uvulariae*](#)
- [*Platygaster vaccinii*](#)
- [*Platygaster vaenia*](#) Walker, 1836
- [*Platygaster vancouverensis*](#) (Ashmead, 1893)
- [*Platygaster variabilis*](#) Fouts, 1924
- [*Platygaster variarilis*](#) Fouts
- [*Platygaster varicornis*](#) Buhl, 1999
- [*Platygaster vedresi*](#) Szabó, 1977
- [*Platygaster vera*](#) Buhl, 1998
- [*Platygaster verdii*](#) Vlug, 1995
- [*Platygaster vernalis*](#) (Myers, 1917)
- [*Platygaster vernoniae*](#) (Ashmead, 1893)
- [*Platygaster verrucosa*](#) Kieffer, 1916
- [*Platygaster verticalis*](#) Buhl, 2003
- [*Platygaster vestina*](#) Walker, 1836
- [*Platygaster viburni*](#) Kieffer, 1916
- [*Platygaster victoriae*](#) MacGown, 1979
- [*Platygaster vintheri*](#) Buhl, 1994
- [*Platygaster virgo*](#) Day, 1971
- [*Platygaster viticola*](#) (Ashmead, 1893)
- [*Platygaster vitisiellae*](#)
- [*Platygaster vitreus*](#) Buhl, 1997
- [*Platygaster vulgaris*](#) Buhl, 1998
- [*Platygaster walkerae*](#) Buhl, 2017
- [*Platygaster warda*](#) Buhl, 2004
- [*Platygaster websteri*](#) Fouts, 1924
- [*Platygaster xeneus*](#) Walker, 1838
- [*Platygaster yunnanensis*](#) Buhl, 2007
- [*Platygaster zambiana*](#) Buhl, 2007
- [*Platygaster zangherii*](#) Szelényi, 1955
- [*Platygaster zantanus*](#) Ushakumari, 2004
- [*Platygaster zaragozana*](#) Buhl, 1998
- [*Platygaster zavchanensis*](#) Buhl, 2004
- [*Platygaster zethus*](#) Walker, 1839
- [*Platygaster zosine*](#) Walker, 1836
- [*Polygnotus marchali*](#)

These 287 species belong to the genus of rove beetles, [Platydracus](#).^{[1][2]}

Platydracus species

- [Platydracus acupunctipennis](#) (Bernhauer, 1907)
- [Platydracus aeneipennis](#) (Cameron, 1930)
- [Platydracus aeneoacreus](#) (Cameron, 1930)
- [Platydracus aeneoniger](#) (Bernhauer, 1933)
- [Platydracus afer](#) (Erichson, 1839)
- [Platydracus affinis](#) (Solsky, 1868)
- [Platydracus allardi](#) Levasseur, 1967
- [Platydracus alluaudi](#) (Fauvel, 1905)
- [Platydracus amamiensis](#) Ito & T., 1982
- [Platydracus amazonicus](#) (Sharp, 1876)
- [Platydracus angusticeps](#) (Sharp, 1884)
- [Platydracus antiquus](#) (Nordmann, 1837)
- [Platydracus apicipennis](#) (Sharp, 1884)
- [Platydracus asemus](#) (Kraatz, 1859)
- [Platydracus associatus](#) (Cameron, 1937)
- [Platydracus aureofasciatus](#) (Motschulsky, 1861)
- [Platydracus aurichalceus](#) (Cameron, 1941)
- [Platydracus auricomus](#) (Cameron, 1929)
- [Platydracus aurifluus](#) (Erichson, 1839)
- [Platydracus auroaeneus](#) (Cameron, 1938)
- [Platydracus auronotatus](#) (Fauvel, 1895)
- [Platydracus auropubescens](#) (Cameron, 1930)
- [Platydracus bakeri](#) (Bernhauer, 1915)
- [Platydracus basicornis](#) (Fauvel, 1895)
- [Platydracus becquarti](#) (Bernhauer, 1938)
- [Platydracus belti](#) (Sharp, 1884)
- [Platydracus bengalensis](#) (Bernhauer, 1914)
- [Platydracus biguttatus](#) (Bernhauer, 1937)
- [Platydracus birmanus](#) (Fauvel, 1895)
- [Platydracus biseriatus](#) (Sharp, 1884)
- [Platydracus bocandei](#) (Fagel, 1951)
- [Platydracus bodongi](#) (Bernhauer, 1906)
- [Platydracus bolivianus](#) (Bernhauer, 1908)
- [Platydracus borneensis](#) Rougemont, 2015
- [Platydracus brachycerus](#) Smetana & Davies, 2000
- [Platydracus bredoi](#) (Fagel, 1950)
- [Platydracus brevicornis](#) (Motschulsky, 1861)

- [*Platydracus brevipennis*](#) Smetana & Davies, 2000
- [*Platydracus brincki*](#) (Scheerpeltz, 1974)
- [*Platydracus bruchi*](#) (Bernhauer, 1934)
- [*Platydracus bryanti*](#) (Cameron, 1918)
- [*Platydracus buquetii*](#) (Laporte de Castelnau, 1835)
- [*Platydracus burgeoni*](#) (Bernhauer, 1932)
- [*Platydracus caffer*](#) (Boheman, 1848)
- [*Platydracus caliginosus*](#)
- [*Platydracus campestris*](#) Coiffait, 1977
- [*Platydracus cantharophagus*](#) (Fagel, 1950)
- [*Platydracus castaneus*](#) (Nordmann, 1837)
- [*Platydracus catalonicus*](#) Coiffait, 1967
- [*Platydracus centralis*](#) (Sharp, 1884)
- [*Platydracus cerdo*](#) (Gerstaecker, 1867)
- [*Platydracus cervinipennis*](#) (G.Quedenfeldt, 1888)
- [*Platydracus chalcescens*](#) (Sharp, 1889)
- [*Platydracus chalceus*](#) (Bernhauer, 1911)
- [*Platydracus chalcocephalus*](#) (Fabricius, 1801)
- [*Platydracus championi*](#) (Sharp, 1884)
- [*Platydracus chinensis*](#) (Bernhauer, 1914)
- [*Platydracus chiriquensis*](#) (Sharp, 1884)
- [*Platydracus chrysaster*](#) (Erichson, 1839)
- [*Platydracus chrysis*](#) (Bernhauer, 1936)
- [*Platydracus chrysotrichopterus*](#) (Scheerpeltz, 1933)
- [*Platydracus cincticollis*](#) (Cameron, 1951)
- [*Platydracus cinnamopterus*](#) (Gravenhorst, 1802)
- [*Platydracus circumcinctus*](#) (Bernhauer, 1914)
- [*Platydracus coeruleipennis*](#) Coiffait, 1983
- [*Platydracus collaris*](#) Coiffait, 1977
- [*Platydracus comes*](#) (LeConte & J.L., 1863)
- [*Platydracus consularis*](#) (Bernhauer, 1915)
- [*Platydracus contiguus*](#) (Cameron, 1938)
- [*Platydracus cordilleranus*](#) (Bernhauer, 1917)
- [*Platydracus costaricensis*](#) (Bernhauer, 1917)
- [*Platydracus cribratipennis*](#) (É.Blanchard, 1842)
- [*Platydracus cupreicollis*](#) (Nordmann, 1837)
- [*Platydracus curticornis*](#) (Fauvel, 1895)
- [*Platydracus cyaneus*](#) (Sharp, 1884)
- [*Platydracus cyanomelas*](#) (Erichson, 1839)
- [*Platydracus darfourensis*](#) Levasseur, 1967
- [*Platydracus dauricus*](#) (Mannerheim, 1830)
- [*Platydracus decipiens*](#) (Kraatz, 1859)

- [*Platydracus demissus*](#) (G.Müller, 1925)
- [*Platydracus dimidiatus*](#) (Laporte de Castelnau, 1835)
- [*Platydracus discretus*](#) (Sharp, 1884)
- [*Platydracus dispersus*](#) (Fauvel, 1907)
- [*Platydracus dohertyi*](#) (Cameron, 1932)
- [*Platydracus donnyi*](#) Rougemont, 2015
- [*Platydracus drescheri*](#) (Cameron, 1937)
- [*Platydracus dudgeoni*](#) (Cameron, 1932)
- [*Platydracus emeritus*](#) (Herman, 2001)
- [*Platydracus erichsoni*](#) (Boheman, 1848)
- [*Platydracus ertli*](#) (Bernhauer, 1908)
- [*Platydracus erythrocnemus*](#) (Nordmann, 1837)
- [*Platydracus evansi*](#) (Bernhauer, 1936)
- [*Platydracus exulans*](#) (Erichson, 1839)
- [*Platydracus falcimaculatus*](#) (Bernhauer, 1937)
- [*Platydracus fassli*](#) (Bernhauer, 1908)
- [*Platydracus fauvelianus*](#) (Fagel, 1950)
- [*Platydracus fauvelides*](#) Newton, 2017
- [*Platydracus feae*](#) (Bernhauer, 1915)
- [*Platydracus femoratus*](#) (Fabricius, 1801)
- [*Platydracus ferox*](#) (Nordmann, 1837)
- [*Platydracus fervidus*](#) (Sharp, 1884)
- [*Platydracus flavopilosus*](#) (Cameron, 1932)
- [*Platydracus flavopunctatus*](#) (Latreille, 1804)
- [*Platydracus formosae*](#) (Bernhauer, 1933)
- [*Platydracus fossator*](#) (Gravenhorst, 1802) (red-spotted rove beetle)
- [*Platydracus fraternus*](#) (Bernhauer, 1915)
- [*Platydracus fulvipes*](#) (Scopoli, 1763)
- [*Platydracus fulvomaculatus*](#) (Nordmann, 1837)
- [*Platydracus funebris*](#) (Sharp, 1884)
- [*Platydracus fuscolineatus*](#) (Bernhauer, 1934)
- [*Platydracus fuscomaculatus*](#) (Laporte de Castelnau, 1835)
- [*Platydracus gabiruensis*](#) (Bernhauer, 1934)
- [*Platydracus gemmatus*](#) (Fauvel, 1895)
- [*Platydracus gentilis*](#) (Erichson, 1839)
- [*Platydracus gerardi*](#) (Bondroit, 1913)
- [*Platydracus giganteus*](#) (Kraatz, 1899)
- [*Platydracus girardi*](#) Levasseur, 1980
- [*Platydracus gmelini*](#) (Blackwelder, 1944)
- [*Platydracus goliathus*](#) (Bernhauer, 1912)
- [*Platydracus goryi*](#) (Laporte de Castelnau, 1835)
- [*Platydracus gracilipes*](#) (Sharp, 1884)

- [*Platydracus graciosus*](#) (Sharp, 1876)
- [*Platydracus gratus*](#) (Sharp, 1876)
- [*Platydracus gravenhorsti*](#) (Blackwelder, 1944)
- [*Platydracus guineensis*](#) (Cameron, 1950)
- [*Platydracus hauserianus*](#) (Bernhauer, 1933)
- [*Platydracus hewitti*](#) (Bernhauer, 1914)
- [*Platydracus hypocrita*](#) (G.Müller, 1925)
- [*Platydracus immaculatus*](#) (Mannerheim, 1830)
- [*Platydracus imperatorius*](#) (Bernhauer, 1916)
- [*Platydracus impotens*](#) (Eppelsheim, 1889)
- [*Platydracus incognitus*](#) (Sharp, 1884)
- [*Platydracus inornatus*](#) (Sharp, 1874)
- [*Platydracus insolitus*](#) (Sharp, 1884)
- [*Platydracus insularis*](#) (Cameron, 1941)
- [*Platydracus iridiventrīs*](#) (Bernhauer, 1936)
- [*Platydracus iringanus*](#) (Bernhauer, 1937)
- [*Platydracus javanus*](#) (Bernhauer, 1934)
- [*Platydracus jeanneli*](#) (Chapman, 1939)
- [*Platydracus juang*](#) Smetana, 2005
- [*Platydracus kalisi*](#) (Bernhauer, 1934)
- [*Platydracus kamerunensis*](#) (Bernhauer, 1912)
- [*Platydracus kasyi*](#) (Scheerpeltz, 1962)
- [*Platydracus kiulungensis*](#) (Bernhauer, 1933)
- [*Platydracus kiushiuiensis*](#) (Bernhauer, 1939)
- [*Platydracus kraatzi*](#) (Bernhauer, 1906)
- [*Platydracus krejcii*](#) (Coiffait, 1984)
- [*Platydracus kristenseni*](#) (Bernhauer, 1915)
- [*Platydracus lamottei*](#) Levasseur, 1967
- [*Platydracus lamtoensis*](#) Levasseur, 1967
- [*Platydracus langei*](#) (Bernhauer, 1904)
- [*Platydracus latebricola*](#) (Gravenhorst, 1806)
- [*Platydracus latecarinatus*](#) (Bernhauer, 1937)
- [*Platydracus latro*](#) (Erichson, 1839)
- [*Platydracus lecordieri*](#) Levasseur, 1980
- [*Platydracus lefevrei*](#) (Bernhauer, 1936)
- [*Platydracus leleupi*](#) Fagel, 1957
- [*Platydracus lewisi*](#) (Cameron, 1932)
- [*Platydracus lomii*](#) (Cerruti, 1951)
- [*Platydracus luzonicus*](#) (Fauvel, 1886)
- [*Platydracus maculicollis*](#) (Fauvel, 1895)
- [*Platydracus maculipennis*](#) (Kraatz, 1859)
- [*Platydracus maculosus*](#) (Gravenhorst, 1802)

- [*Platydracus marginatus*](#) (Cameron, 1944)
- [*Platydracus marmorellus*](#) (Fauvel, 1895)
- [*Platydracus masumotoi*](#) Y.Hayashi, 2011
- [*Platydracus mendicus*](#) (Sharp, 1884)
- [*Platydracus meridionalis*](#) (Rosenhauer, 1847)
- [*Platydracus methneri*](#) (Bernhauer, 1915)
- [*Platydracus methnerianus*](#) (Bernhauer, 1936)
- [*Platydracus mexicanus*](#) (Sharp, 1884)
- [*Platydracus mimeticus*](#) (Bernhauer, 1917)
- [*Platydracus mirandus*](#) (Bernhauer, 1934)
- [*Platydracus mongendensis*](#) (Bernhauer, 1929)
- [*Platydracus montanides*](#) Newton, 2015
- [*Platydracus montanus*](#) (Cameron, 1942)
- [*Platydracus mortuorum*](#) (Bernhauer, 1912)
- [*Platydracus muellerianus*](#) (Scheerpeltz, 1933)
- [*Platydracus musonoiensis*](#) Levasseur, 1967
- [*Platydracus mysticus*](#) (Erichson, 1840)
- [*Platydracus nepalensis*](#) (Scheerpeltz, 1976)
- [*Platydracus nigripennis*](#) (Cameron, 1941)
- [*Platydracus nigriventris*](#) (Boheman, 1848)
- [*Platydracus nobilis*](#) (Nordmann, 1837)
- [*Platydracus notativentris*](#) (Fauvel, 1905)
- [*Platydracus notatus*](#) (Solsky, 1872)
- [*Platydracus nudicollis*](#) (Sharp, 1887)
- [*Platydracus oblongopunctatus*](#) Rougemont, 2015
- [*Platydracus obsoleticornis*](#) (Bernhauer, 1911)
- [*Platydracus ochropygus*](#) (Nordmann, 1837)
- [*Platydracus oculosus*](#) Smetana & Davies, 2000
- [*Platydracus opaciceps*](#) (Scheerpeltz, 1976)
- [*Platydracus opacus*](#) (Roth, 1851)
- [*Platydracus optatus*](#) (Sharp, 1884)
- [*Platydracus orizabae*](#) (Bernhauer, 1917)
- [*Platydracus osculatii*](#) (Guérin-Méneville, 1855)
- [*Platydracus pallidipes*](#) (Bernhauer, 1917)
- [*Platydracus panamensis*](#) (Bernhauer & K.Schubert, 1914)
- [*Platydracus parviceps*](#) (Sharp, 1876)
- [*Platydracus parvulus*](#) Smetana & Davies, 2000
- [*Platydracus patricius*](#) (Bernhauer, 1915)
- [*Platydracus perniger*](#) (Scheerpeltz, 1976)
- [*Platydracus perreaui*](#) Coiffait, 1984
- [*Platydracus peyrierasi*](#) Jarrige, 1972
- [*Platydracus philippinus*](#) (Cameron, 1941)

- [*Platydracus phoenicurus*](#) (Nordmann, 1837)
- [*Platydracus pictus*](#) (Boheman, 1860)
- [*Platydracus pinorum*](#) (Casey, 1915)
- [*Platydracus plagiicollis*](#) (Fairmaire, 1891)
- [*Platydracus plebejus*](#) (Bernhauer, 1915)
- [*Platydracus praelongus*](#) (Mannerheim, 1830)
- [*Platydracus praetermissus*](#) Newton, 2011
- [*Platydracus prasinivariiegatus*](#) (Bernhauer, 1921)
- [*Platydracus pratti*](#) (Scheerpeltz, 1962)
- [*Platydracus preangeranus*](#) (Cameron, 1937)
- [*Platydracus procerus*](#) (Gahan, 1893)
- [*Platydracus pseudopaganus*](#) (Bernhauer, 1914)
- [*Platydracus pulcherrimus*](#) (Bernhauer, 1915)
- [*Platydracus purpurascens*](#) (Cameron, 1920)
- [*Platydracus purpureoauratus*](#) (Bernhauer, 1915)
- [*Platydracus raffrayi*](#) (Fauvel, 1907)
- [*Platydracus reitterianus*](#) (Bernhauer, 1933)
- [*Platydracus rhodesianus*](#) (Cameron, 1951)
- [*Platydracus riojanus*](#) Hozman, 1977
- [*Platydracus ruandae*](#) (Bernhauer, 1934)
- [*Platydracus rufipennis*](#) (Cameron, 1930)
- [*Platydracus rufulus*](#) Rougemont, 2015
- [*Platydracus rugosipennis*](#) (K.Schubert, 1911)
- [*Platydracus rutilicauda*](#) (Horn, 1879)
- [*Platydracus sachalinensis*](#) (Matsumura, 1911)
- [*Platydracus sallaei*](#) (Sharp, 1884)
- [*Platydracus santacoffiensis*](#) Levasseur, 1968
- [*Platydracus scabrosus*](#) (Curtis, 1839)
- [*Platydracus schultzei*](#) (Bernhauer, 1915)
- [*Platydracus scriptus*](#) (Nordmann, 1837)
- [*Platydracus semiauratus*](#) (K.Schubert, 1911)
- [*Platydracus semicyaneus*](#) (Bernhauer, 1915)
- [*Platydracus semipurpureus*](#) (Kraatz, 1859)
- [*Platydracus semiviolaceus*](#) (Cameron, 1932)
- [*Platydracus semotus*](#) (Herman, 2001)
- [*Platydracus sepulchralis*](#) (Erichson, 1839)
- [*Platydracus sharpi*](#) (Fauvel, 1901)
- [*Platydracus sjostedti*](#) (Fauvel, 1903)
- [*Platydracus sladeae*](#) Rougemont, 2015
- [*Platydracus solwegianus*](#) (Cameron, 1951)
- [*Platydracus sparsus*](#) (Cameron, 1932)
- [*Platydracus speculifrons*](#) (Bernhauer, 1939)

- [*Platydracus stercorarius*](#) (Olivier & A.G., 1795)
- [*Platydracus subaeneipennis*](#) (Scheerpeltz, 1976)
- [*Platydracus subaeneus*](#) (Roth, 1851)
- [*Platydracus subauronotatus*](#) Coiffait, 1977
- [*Platydracus subchalceus*](#) (Cameron, 1930)
- [*Platydracus subirideus*](#) (Kraatz, 1859)
- [*Platydracus submarmorellus*](#) (K.Schubert, 1908)
- [*Platydracus subtilicornis*](#) Fagel, 1957
- [*Platydracus subviridis*](#) (Bernhauer, 1933)
- [*Platydracus sumakowi*](#) (Bernhauer, 1911)
- [*Platydracus surdus*](#) Fagel, 1957
- [*Platydracus suspectus*](#) (Fauvel, 1904)
- [*Platydracus suspiciosus*](#) (Cameron, 1937)
- [*Platydracus tanalensis*](#) (Fauvel, 1905)
- [*Platydracus tarsalis*](#) (Mannerheim, 1843)
- [*Platydracus temporalis*](#) (Casey, 1915)
- [*Platydracus tomentosus*](#)
- [*Platydracus toumodiensis*](#) Levasseur, 1967
- [*Platydracus trimaculatus*](#) (Fauvel, 1895)
- [*Platydracus uheheanus*](#) (Bernhauer, 1937)
- [*Platydracus ussuriensis*](#) (Solsky, 1871)
- [*Platydracus vestitus*](#) (Sharp, 1884)
- [*Platydracus vetustus*](#) (Sharp, 1876)
- [*Platydracus vicarius*](#) (Sharp, 1889)
- [*Platydracus villanuevai*](#) Rougemont, 2015
- [*Platydracus violaceovirens*](#) (Fauvel, 1905)
- [*Platydracus violaceus*](#)
- [*Platydracus virgulatus*](#) (Fauvel, 1895)
- [*Platydracus viridanus*](#) (Horn, 1879)
- [*Platydracus vittatus*](#)
- [*Platydracus vividus*](#) (Sharp, 1884)
- [*Platydracus weingaertneri*](#) (Bernhauer, 1927)
- [*Platydracus wittei*](#) (Fagel, 1950)
- [*Platydracus wittmeri*](#) Coiffait, 1977
- [*Platydracus yolensis*](#) (Cerruti, 1951)
- [*Platydracus yunnanensis*](#) (Bernhauer, 1933)
- [*Platydracus yunnanicus*](#) Smetana & Davies, 2000
- [*Platydracus zavattarii*](#) (Gridelli, 1939)
- [*Platydracus zonatus*](#) (Gravenhorst, 1802)
- † [*Platydracus breviantennatus*](#) Cai, Chenyang, Newton, Diying Huang & Liang Tang, 2014

References

1.
 - [*"Platydracus"*](#). GBIF. Retrieved 2020-03-19.
 -
2. [*"Platydracus genus Information"*](#). BugGuide.net. Retrieved 2020-03-19.

Categories:

- [Staphylininae](#)
- [Lists of insect species](#)
-

This is a list of 545 species in [*Pityophthorus*](#), a genus of typical bark beetles in the family [*Curculionidae*](#).^{[1][2][3][4]}

***Pityophthorus* species**

- [*Pityophthorus abbreviatus*](#) Schedl, 1972g ^C
- [*Pityophthorus abiegnus*](#) Wood, 1964 ^C
- [*Pityophthorus abietinus*](#) Wood, 1989 ^C
- [*Pityophthorus abietis*](#) Blackman, 1928b ^C
- [*Pityophthorus ablusus*](#) Bright, 1985b ^C
- [*Pityophthorus abnormalis*](#) Bright, 1972d ^C
- [*Pityophthorus absonus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus abstrusus*](#) Bright, 1976c ^C
- [*Pityophthorus acceptus*](#) Bright, 1981d ^C
- [*Pityophthorus acerini*](#) Blackman, 1928b ^C
- [*Pityophthorus aciculatus*](#) Bright, 1977 ^C
- [*Pityophthorus acuminatus*](#) Bright, 1981d ^C
- [*Pityophthorus acutus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus africanulus*](#) Wood, 1992a ^C
- [*Pityophthorus africanus*](#) Eggers, 1927a ^C
- [*Pityophthorus agnatus*](#) Blackman, 1928b ^C
- [*Pityophthorus albertensis*](#) Blackman, 1928b ^C
- [*Pityophthorus alienus*](#) Eichhoff, 1872a ^C

- [*Pityophthorus alni*](#) Blackman, 1942a ^c
- [*Pityophthorus alnicolens*](#) Wood, 1977b ^c
- [*Pityophthorus alpinensis*](#) Hopping, 1960 ^{i c}
- [*Pityophthorus alvarengai*](#) Schedl, 1972g ^c
- [*Pityophthorus amicus*](#) Wood, 1975b ^c
- [*Pityophthorus amoenus*](#) Blandford, 1904 ^c
- [*Pityophthorus amplus*](#) (Blackman, 1928) ^{i c}
- [*Pityophthorus anacardii*](#) Wood, 2007 ^c
- [*Pityophthorus anceps*](#) Blackman, 1928b ^c
- [*Pityophthorus angeri*](#) Pfeffer, 1927 ^c
- [*Pityophthorus angustus*](#) Blackman, 1928b ^c
- [*Pityophthorus annectens*](#) LeConte, 1878 ^{i c b}
- [*Pityophthorus anthracinus*](#) Bright, 1976c ^c
- [*Pityophthorus anticus*](#) Schedl, 1976a ^c
- [*Pityophthorus antillicus*](#) Bright, 1981c ^c
- [*Pityophthorus antiquarius*](#) Bright & Poinar, 1994 ^c
- [*Pityophthorus apachae*](#) Bright, 1977 ^c
- [*Pityophthorus apache*](#) Bright, 1977 ^{i g}
- [*Pityophthorus aphelofacies*](#) Bright & Poinar, 1994 ^c
- [*Pityophthorus apicenotatus*](#) Schedl, 1976a ^c
- [*Pityophthorus apicipennis*](#) Schedl, 1976a ^c
- [*Pityophthorus apiculatus*](#) Schedl, 1937h ^c
- [*Pityophthorus aplanatus*](#) Schedl, 1930 ^c
- [*Pityophthorus aquilonius*](#) Bright, 1968c ^c
- [*Pityophthorus aquilus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus arakii*](#) Bright, 1977 ^c
- [*Pityophthorus arcanus*](#) Bright, 1976 ^{i c}
- [*Pityophthorus arceuthobii*](#) Wood, 1971 ^c
- [*Pityophthorus argentinensis*](#) Eggers, 1951 ^c
- [*Pityophthorus argentiniae*](#) Wood & Bright, 1992 ^c
- [*Pityophthorus aristatae*](#) Bright, 1964 ^c
- [*Pityophthorus artifex*](#) Blackman, 1928b ^c
- [*Pityophthorus ascendens*](#) Schedl, 1972g ^c
- [*Pityophthorus ashanti*](#) Schedl, 1972e ^c
- [*Pityophthorus assitus*](#) Wood, 1977b ^c
- [*Pityophthorus aterrimus*](#) Eggers, 1931b ^c

- [*Pityophthorus atkinsoni*](#) Bright, 1985a ^C
- [*Pityophthorus atomus*](#) Wood, 1964 ^C
- [*Pityophthorus atratulus*](#) LeConte, 1868 ^C
- [*Pityophthorus attenuatus*](#) Blackman, 1942a ^C
- [*Pityophthorus auctor*](#) Blackman, 1942a ^C
- [*Pityophthorus aurulentus*](#) Bright, 1966b ^C
- [*Pityophthorus australis*](#) Blackman, 1928b ^C
- [*Pityophthorus aztecus*](#) Bright, 1977 ^C
- [*Pityophthorus bahiae*](#) Wood, 2007 ^C
- [*Pityophthorus balcanicus*](#) Pfeffer, 1940b ^C
- [*Pityophthorus balsameus*](#) Blackman, 1922 ^{i C}
- [*Pityophthorus barberi*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus barbifer*](#) Schedl, 1964j ^C
- [*Pityophthorus barbosai*](#) Wood, 2007 ^C
- [*Pityophthorus bassetti*](#) Blackman, 1920 ^{i C}
- [*Pityophthorus bellus*](#) Blackman, 1928b ^C
- [*Pityophthorus bibractensis*](#) Balachowsky, 1949a ^C
- [*Pityophthorus biovalis*](#) Blackman, 1922 ^{i C}
- [*Pityophthorus bisulcatus*](#) Eichhoff, 1869a ^C
- [*Pityophthorus blackmani*](#) Wood, 1986a ^C
- [*Pityophthorus blandulus*](#) Schedl, 1955g ^C
- [*Pityophthorus blandus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus bolivianus*](#) Eggers, 1943a ^C
- [*Pityophthorus borrichiae*](#) Wood, 1964 ⁱ
- [*Pityophthorus borrichiae*](#) Wood, 1964 ^C
- [*Pityophthorus boycei*](#) Swaine, 1925 ^{i C}
- [*Pityophthorus brasiliensis*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus bravoii*](#) Bright, 1986b ^C
- [*Pityophthorus brevicomatus*](#) Bright, 1976c ^C
- [*Pityophthorus brevis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus brevisetosus*](#) Eggers, 1933b ^C
- [*Pityophthorus brighti*](#) Wood, 1989 ^C
- [*Pityophthorus briscoei*](#) Blackman, 1922 ^{i C}
- [*Pityophthorus brucki*](#) Bright, 1971b ^C
- [*Pityophthorus burkei*](#) Blackman, 1928b ^C
- [*Pityophthorus burserae*](#) Wood, 1976a ^C

- [*Pityophthorus busseae*](#) Schedl, 1962h ^C
- [*Pityophthorus buyssoni*](#) Reitter, 1901a ^C
- [*Pityophthorus cacuminatus*](#) Blandford, 1904 ^C
- [*Pityophthorus caelator*](#) Blackman, 1928b ^C
- [*Pityophthorus californicus*](#) Bright, 1976 ^{i C}
- [*Pityophthorus camerunus*](#) Eggers, 1920 ^C
- [*Pityophthorus canadensis*](#) Swaine, J.M., 1917 ^C
- [*Pityophthorus carinatus*](#) Bright, 1978 ^{i C}
- [*Pityophthorus cariniceps*](#) LeConte, 1876 ^{i C}
- [*Pityophthorus carinifrons*](#) Blandford, 1904 ^C
- [*Pityophthorus carinulatus*](#) Swaine, 1925 ^{i C}
- [*Pityophthorus carmeli*](#) Swaine, 1918 ^{i C}
- [*Pityophthorus carniolicus*](#) Wichmann, H.E., 1910a ^C
- [*Pityophthorus cascoensis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus catulus*](#) Blackman, 1928b ^C
- [*Pityophthorus cavatus*](#) Bright, 1978 ^{i C}
- [*Pityophthorus cedri*](#) Wood, 1989 ^C
- [*Pityophthorus celatus*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus cephalonicae*](#) Pfeffer, 1940b ^C
- [*Pityophthorus chalcoensis*](#) Hopkins, 1905b ^C
- [*Pityophthorus chiapensis*](#) Bright, 1977 ^C
- [*Pityophthorus chilgoza*](#) Wood, 1989 ^C
- [*Pityophthorus chir*](#) Beeson, 1961 ^C
- [*Pityophthorus ciliatus*](#) Blackman, 1942a ^C
- [*Pityophthorus cincinnatus*](#) Blandford, 1904 ^C
- [*Pityophthorus citus*](#) Blackman, 1928b ^C
- [*Pityophthorus clarus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus clivus*](#) Bright, 1977 ^C
- [*Pityophthorus cognatus*](#) Blackman, 1928b ^C
- [*Pityophthorus collaris*](#) Schedl, 1965c ^C
- [*Pityophthorus collinus*](#) Bright, 1968c ^C
- [*Pityophthorus comosus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus comptus*](#) Blackman, 1928b ^C
- [*Pityophthorus concavus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus concentralis*](#) Eichhoff, 1878 ^{i C}
- [*Pityophthorus concinnus*](#) Wood, 1977b ^C

- [*Pityophthorus confertus*](#) Swaine, 1917^{i c}
- [*Pityophthorus confinis*](#) LeConte, 1876^{i c}
- [*Pityophthorus confractus*](#) Bright, 1985c^c
- [*Pityophthorus confusus*](#) Blandford, 1904^{i c}
- [*Pityophthorus congonus*](#) Eggers, 1927a^c
- [*Pityophthorus coniferae*](#) Stebbing, E.P., 1909b^c
- [*Pityophthorus coniperda*](#) Schwarz, E.A., 1895a^c
- [*Pityophthorus conscriptus*](#) Bright, 1986b^c
- [*Pityophthorus consimilis*](#) LeConte, 1878^{i c b}
- [*Pityophthorus conspectus*](#) Wood, 1976a^c
- [*Pityophthorus convexicollis*](#) Bright & Torres, 2006^c
- [*Pityophthorus coronarius*](#) Blackman, 1942a^c
- [*Pityophthorus corruptus*](#) Wood, 1976a^c
- [*Pityophthorus cortezi*](#) Bright, 1977^c
- [*Pityophthorus corticalis*](#) Eichhoff, 1872a^c
- [*Pityophthorus costabilis*](#) Wood, 1976a^c
- [*Pityophthorus costalimai*](#) Blackman, 1942a^c
- [*Pityophthorus costatulus*](#) Wood, 1976a^c
- [*Pityophthorus costatus*](#) Wood, 1975b^c
- [*Pityophthorus costifera*](#) Bright, 1985b^c
- [*Pityophthorus cracentis*](#) Bright, 1985b^c
- [*Pityophthorus crassus*](#) Blackman, 1928^{i c}
- [*Pityophthorus cribratus*](#) Pfeffer, 1940b^c
- [*Pityophthorus cribripennis*](#) Eichhoff, 1869a^c
- [*Pityophthorus crinalis*](#) Blackman, 1928^{i c}
- [*Pityophthorus cristatus*](#) Wood, 1964^{i c}
- [*Pityophthorus crotonis*](#) Wood, 1977d^c
- [*Pityophthorus cubensis*](#) Schedl, 1972g^c
- [*Pityophthorus culminicolae*](#) Bright, 1977^c
- [*Pityophthorus curtulus*](#) Sokanovskii, B.V., 1954^c
- [*Pityophthorus cuspidatus*](#) Blackman, 1942a^c
- [*Pityophthorus cutleri*](#) Swaine, J.M., 1925b^c
- [*Pityophthorus debilis*](#) Wood, 1976a^c
- [*Pityophthorus declivisetosus*](#) Bright, 1977^c
- [*Pityophthorus degener*](#) Wood, 1975b^c
- [*Pityophthorus deleoni*](#) Bright, 1976c^c

- [*Pityophthorus deletus*](#) LeConte, 1879^{i c}
- [*Pityophthorus delicatus*](#) Wood, 1978b^c
- [*Pityophthorus demissus*](#) Blackman, 1928b^c
- [*Pityophthorus denticulatus*](#) Wood & Bright, 1992^c
- [*Pityophthorus dentifrons*](#) Blackman, 1922^{i c}
- [*Pityophthorus deodara*](#) Wood & Bright, 1992^c
- [*Pityophthorus deprecator*](#) Schaufuss, C.F.C., 1891^c
- [*Pityophthorus depygis*](#) Blackman, 1928^{i c}
- [*Pityophthorus desultorius*](#) Bright, 1985b^c
- [*Pityophthorus detectus*](#) Schedl, 1972g^c
- [*Pityophthorus detentus*](#) Wood, 1976a^c
- [*Pityophthorus deyrollei*](#) Blandford, 1904^c
- [*Pityophthorus digestus*](#) (LeConte, 1874)^{i c}
- [*Pityophthorus diglyphus*](#) Blandford, 1904^c
- [*Pityophthorus diligens*](#) Wood, 1976a^c
- [*Pityophthorus dimidiatus*](#) Blackman, 1942a^c
- [*Pityophthorus diminutivus*](#) Bright, 1985a^c
- [*Pityophthorus dimorphus*](#) Schedl, 1959m^c
- [*Pityophthorus discretus*](#) Wood, 1977c^c
- [*Pityophthorus dispar*](#) Bright, 1976c^c
- [*Pityophthorus dissolutus*](#) Wood, 1975b^c
- [*Pityophthorus diversus*](#) Bright, 1972d^c
- [*Pityophthorus djuguensis*](#) Eggers, 1940b^c
- [*Pityophthorus dolus*](#) Wood, 1964^c
- [*Pityophthorus dorsalis*](#) Schedl, 1953d^c
- [*Pityophthorus durus*](#) Blackman, 1928^{i c}
- [*Pityophthorus edulis*](#) Blackman, 1928b^c
- [*Pityophthorus eggersi*](#) Schedl, 1952d^c
- [*Pityophthorus eggersianus*](#) Schedl, 1958k^c
- [*Pityophthorus elatinus*](#) Wood, 1964^c
- [*Pityophthorus electus*](#) Blackman, 1928^{i c}
- [*Pityophthorus elegans*](#) Schedl, 1938a^c
- [*Pityophthorus elimatus*](#) Bright, 1976c^c
- [*Pityophthorus elongatulus*](#) Schedl, 1976a^c
- [*Pityophthorus elongatus*](#) Swaine, J.M., 1925b^c
- [*Pityophthorus epistomalis*](#) Schedl, 1961i^c

- [*Pityophthorus equihuai*](#) Bright, 1985a ^C
- [*Pityophthorus erraticus*](#) Schedl, 1976a ^C
- [*Pityophthorus espinosai*](#) Brèthes, 1925 ^C
- [*Pityophthorus eucracens*](#) Wood, 2007 ^C
- [*Pityophthorus euterpes*](#) Bright, 1978 ^C
- [*Pityophthorus excellens*](#) Schedl, 1972g ^C
- [*Pityophthorus exiguus*](#) Blackman, 1928b ^C
- [*Pityophthorus exilis*](#) Swaine, J.M., 1925b ^C
- [*Pityophthorus eximius*](#) Schedl, 1938a ^C
- [*Pityophthorus explicitus*](#) Wood, 1975b ^C
- [*Pityophthorus exquisitus*](#) Bright, 1981d ^C
- [*Pityophthorus exsculptus*](#) Eichhoff, 1864b ^C
- [*Pityophthorus exsectus*](#) Schedl, 1972g ^C
- [*Pityophthorus fallax*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus fennicus*](#) Eggers, 1914 ^C
- [*Pityophthorus festus*](#) Wood, 1967 ^{i C}
- [*Pityophthorus flavimaculatus*](#) Murayama, 1963c ^C
- [*Pityophthorus foratus*](#) Wood, 1967d ^C
- [*Pityophthorus formosus*](#) Bright, 1972d ^C
- [*Pityophthorus fortis*](#) Blackman, 1928b ^C
- [*Pityophthorus fossifrons*](#) Leconte, 1876 ^C
- [*Pityophthorus franseriae*](#) Wood, 1971 ^{i C}
- [*Pityophthorus frontalis*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus fulgens*](#) Schedl, 1965c ^C
- [*Pityophthorus furnissi*](#) Bright, 1976c ^C
- [*Pityophthorus fuscus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus galeritus*](#) Wood, 1976a ^C
- [*Pityophthorus gentilis*](#) Schedl, 1961i ^C
- [*Pityophthorus germanus*](#) Bright, 1976c ^C
- [*Pityophthorus ghanaensis*](#) Schedl, 1972k ^C
- [*Pityophthorus glaber*](#) Schedl (Eggers in), 1951m ^C
- [*Pityophthorus glabratus*](#) Bright, 1976b ^C
- [*Pityophthorus glabratus*](#) Eichhoff, 1878b ^C
- [*Pityophthorus glutae*](#) Wood, 1989 ^C
- [*Pityophthorus gracilis*](#) Swaine, J.M., 1925b ^C
- [*Pityophthorus grandis*](#) Blackman, 1928 ^{i C}

- [*Pityophthorus granulatus*](#) Swaine, J.M., 1917 ^C
- [*Pityophthorus granulicauda*](#) Schedl, 1979c ^C
- [*Pityophthorus granulipennis*](#) Schedl, 1966f ^C
- [*Pityophthorus guadeloupensis*](#) Nunberg, 1956d ^C
- [*Pityophthorus guatemalensis*](#) Blandford, 1904 ^C
- [*Pityophthorus gunneri*](#) Schedl, 1970f ^C
- [*Pityophthorus hamamelidis*](#) Blackman, 1928b ^C
- [*Pityophthorus henscheli*](#) Seitner, M., 1887 ^C
- [*Pityophthorus hermosus*](#) Wood, 1976a ^C
- [*Pityophthorus herrarai*](#) Hopkins, 1905b ^C
- [*Pityophthorus hesperius*](#) Bright, 1978 ^C
- [*Pityophthorus hidalgoensis*](#) Blackman, 1942a ^C
- [*Pityophthorus hintzi*](#) Schedl, 1938h ^C
- [*Pityophthorus hirticeps*](#) LeConte, 1878b ^C
- [*Pityophthorus hispaniolus*](#) Bright, 1985c ^C
- [*Pityophthorus hopkinsi*](#) Blackman, 1928b ^C
- [*Pityophthorus hubbardi*](#) Blackman, 1928b ^C
- [*Pityophthorus hylocuroides*](#) Wood, 1964 ^C
- [*Pityophthorus icicae*](#) Wood, 2007 ^C
- [*Pityophthorus idoneus*](#) Blackman, 1928b ^C
- [*Pityophthorus ignotus*](#) Schedl, 1961e ^C
- [*Pityophthorus ikelaensis*](#) Nunberg, 1967b ^C
- [*Pityophthorus imbellis*](#) Wood, 2007 ^C
- [*Pityophthorus immanis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus impexus*](#) Bright, 1978 ^C
- [*Pityophthorus inaequidens*](#) Schedl, 1976a ^C
- [*Pityophthorus inceptis*](#) Wood, 1975b ^C
- [*Pityophthorus incommodus*](#) Blandford, 1904 ^C
- [*Pityophthorus incompositus*](#) Blandford, 1904 ^C
- [*Pityophthorus indefessus*](#) Bright, 1986a ^C
- [*Pityophthorus indigens*](#) Wood, 1976a ^C
- [*Pityophthorus indigus*](#) Wood, 1978 ^{i C}
- [*Pityophthorus ineditus*](#) Bright, 1976c ^C
- [*Pityophthorus infans*](#) Eichhoff, 1872a ^C
- [*Pityophthorus infimus*](#) Schedl, 1972g ^C
- [*Pityophthorus infulatus*](#) Blackman, 1928 ^{i C}

- [*Pityophthorus ingens*](#) Blackman, 1928^{i c}
- [*Pityophthorus inhabilis*](#) Bright, 1986a^c
- [*Pityophthorus iniquus*](#) Blackman, 1928b^c
- [*Pityophthorus inops*](#) Wood, 1976a^c
- [*Pityophthorus inquietus*](#) Blackman, 1928b^c
- [*Pityophthorus insuetus*](#) Bright, 1985b^c
- [*Pityophthorus intentus*](#) Bright, 1978^{i c}
- [*Pityophthorus intextus*](#) Swaine, 1917^{i c}
- [*Pityophthorus inyoensis*](#) Bright, 1971b^c
- [*Pityophthorus irregularis*](#) Eggers, 1931b^c
- [*Pityophthorus irritans*](#) Schedl, 1979j^c
- [*Pityophthorus islas*](#) Wood, 1962^c
- [*Pityophthorus ituriensis*](#) Eggers, 1940b^c
- [*Pityophthorus jeffreyi*](#) Blackman, 1928^{i c}
- [*Pityophthorus joveri*](#) Schedl, 1954d^c
- [*Pityophthorus jucundus*](#) Blandford, 1894d^c
- [*Pityophthorus juglandis*](#) Blackman, 1928^{i c b} (walnut twig beetle)
- [*Pityophthorus keeni*](#) (Blackman, 1928)ⁱ
- [*Pityophthorus kenti*](#) Blackman, 1928b^c
- [*Pityophthorus kenyae*](#) Schedl, 1955i^c
- [*Pityophthorus kirgicus*](#) Pjatnitskii, 1931^c
- [*Pityophthorus kivuensis*](#) Schedl, 1957d^c
- [*Pityophthorus knoteki*](#) Reitter, 1898b^c
- [*Pityophthorus kurentzovi*](#) Krivolutskaya, 1996a^c
- [*Pityophthorus kuscheli*](#) Schedl, 1951d^c
- [*Pityophthorus laetus*](#) Wood, 1976a^c
- [*Pityophthorus laevigatus*](#) Eggers, 1933b^c
- [*Pityophthorus languidus*](#) Eichhoff, 1878b^c
- [*Pityophthorus lapponicus*](#) Stark, V.N., 1952^c
- [*Pityophthorus lateralis*](#) Swaine, J.M., 1917^c
- [*Pityophthorus laticeps*](#) Bright, 1978^c
- [*Pityophthorus lautus*](#) Eichhoff, 1872^{i c}
- [*Pityophthorus lecontei*](#) Bright, 1977^{i c}
- [*Pityophthorus leechi*](#) Wood, 1977^{i c}
- [*Pityophthorus leiophyllae*](#) Blackman, 1942a^c
- [*Pityophthorus lenis*](#) Wood, 1976a^c

- [*Pityophthorus lepidus*](#) Bright, 1977 ^c
- [*Pityophthorus levis*](#) Wood, 1986 ^{i c}
- [*Pityophthorus lichtensteini*](#) Eichhoff, 1864b ^c
- [*Pityophthorus limatus*](#) Wood, 1964 ^c
- [*Pityophthorus liquidambarus*](#) Blackman, 1921 ^{i c}
- [*Pityophthorus litos*](#) Bright, 1976c ^c
- [*Pityophthorus longipilus*](#) Schedl, 1951m ^c
- [*Pityophthorus longulus*](#) Sokanovskii, B.V., 1954 ^c
- [*Pityophthorus macrographus*](#) Eichhoff, 1880a ^c
- [*Pityophthorus madagascariensis*](#) Schedl, 1951j ^c
- [*Pityophthorus malleatus*](#) Bright, 1978 ^c
- [*Pityophthorus mandibularis*](#) Schedl, 1951m ^c
- [*Pityophthorus maritimus*](#) Stark, V.N., 1952 ^c
- [*Pityophthorus maroantsetrae*](#) Schedl, 1965c ^c
- [*Pityophthorus mauretanicus*](#) Peyerimhoff, 1930 ^c
- [*Pityophthorus medialis*](#) Wood, 1976a ^c
- [*Pityophthorus megas*](#) Bright, 1976c ^c
- [*Pityophthorus melanurus*](#) Wood, 1976a ^c
- [*Pityophthorus mendosus*](#) Wood, 1975b ^c
- [*Pityophthorus mesembria*](#) Bright, 1978 ^c
- [*Pityophthorus mexicanus*](#) Blackman, 1928b ^c
- [*Pityophthorus micans*](#) Bright, 1981d ^c
- [*Pityophthorus micrographus*](#) (Linnaeus, C., 1758) ^{c g}
- [*Pityophthorus micrograptinus*](#) Wood, 1989 ^c
- [*Pityophthorus miniatus*](#) Bright, 1981d ^c
- [*Pityophthorus minimus*](#) Bright, 1976 ^{i c g}
- [*Pityophthorus minus*](#) Bright, 1976c ^c
- [*Pityophthorus minutalis*](#) Wood, 1976a ^c
- [*Pityophthorus minutus*](#) Schedl, 1963d ^c
- [*Pityophthorus modicus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus molestus*](#) Wood, 1976a ^c
- [*Pityophthorus mollis*](#) Blackman, 1928b ^c
- [*Pityophthorus monophyllae*](#) Blackman, 1928b ^c
- [*Pityophthorus montezumae*](#) Bright, 1978 ^c
- [*Pityophthorus monticolae*](#) Bright, 1978 ^c
- [*Pityophthorus montivagus*](#) Bright, 1977 ^c

- [*Pityophthorus moritzi*](#) Wood, 2007 ^c
- [*Pityophthorus mormon*](#) Bright, 1977 ^{i c}
- [*Pityophthorus morosovi*](#) Spessivtsev, P., 1926b ^c
- [*Pityophthorus morosus*](#) Wood, 1976a ^c
- [*Pityophthorus mpossae*](#) Schedl, 1957d ^c
- [*Pityophthorus muluensis*](#) Bright, 2000 ^c
- [*Pityophthorus mulungensis*](#) Schedl, 1957d ^c
- [*Pityophthorus mundus*](#) Blackman, 1928b ^c
- [*Pityophthorus murrayanae*](#) Blackman, 1922 ^{i c}
- [*Pityophthorus nanus*](#) Wood, 1964 ^c
- [*Pityophthorus natalis*](#) Blackman, 1921 ^c
- [*Pityophthorus navus*](#) Blackman, 1928b ^c
- [*Pityophthorus nebulosus*](#) Wood, 1976a ^c
- [*Pityophthorus nectandrae*](#) Wood, 2007 ^c
- [*Pityophthorus nemoralis*](#) Wood, 1976a ^c
- [*Pityophthorus niger*](#) Schedl, 1938a ^c
- [*Pityophthorus nigricans*](#) Blandford, 1904 ^c
- [*Pityophthorus nigriceps*](#) Wood, 2007 ^c
- [*Pityophthorus nitellus*](#) Browne, 1973a ^c
- [*Pityophthorus nitidicollis*](#) Blackman, 1928b ^c
- [*Pityophthorus nitidulus*](#) (Mannerheim, 1843) ⁱ
- [*Pityophthorus nitidus*](#) Swaine, 1917 ^{i c}
- [*Pityophthorus nocturnus*](#) Schedl, 1938a ^c
- [*Pityophthorus novateutonicus*](#) Schedl, 1964b ^c
- [*Pityophthorus novellus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus nudus*](#) Swaine, J.M., 1917 ^c
- [*Pityophthorus nugalus*](#) Wood, 1976a ^c
- [*Pityophthorus obliquus*](#) LeConte, 1878a ^c
- [*Pityophthorus obsoletus*](#) Blandford, 1904 ^c
- [*Pityophthorus obtusipennis*](#) Blandford, 1904 ^c
- [*Pityophthorus obtusus*](#) Schaufuss, C.F.C., 1891 ^c
- [*Pityophthorus occidentalis*](#) Blackman, 1920 ^{i c}
- [*Pityophthorus occlusus*](#) Bright, 1976c ^c
- [*Pityophthorus olivierai*](#) Schedl, 1972g ^c
- [*Pityophthorus opacifrons*](#) Wood, 2007 ^c
- [*Pityophthorus opaculus*](#) LeConte, 1878 ^{i c}

- [*Pityophthorus opimus*](#) Blackman, 1928b ^c
- [*Pityophthorus orarius*](#) Bright, 1968 ^{i c}
- [*Pityophthorus ornatus*](#) Blackman, 1928b ^c
- [*Pityophthorus ostryacolens*](#) Bright, 1986b ^c
- [*Pityophthorus pampasae*](#) Schedl, 1970e ^c
- [*Pityophthorus parfentievi*](#) Pjatnitskii, 1931 ^c
- [*Pityophthorus parilis*](#) Wood, 1976a ^c
- [*Pityophthorus patchi*](#) Blackman, 1922c ^c
- [*Pityophthorus paulus*](#) Wood, 1964 ^c
- [*Pityophthorus pecki*](#) Atkinson, 1993b ^c
- [*Pityophthorus pellitus*](#) Schedl, 1955g ^c
- [*Pityophthorus pentaclethrae*](#) Schedl, 1957d ^c
- [*Pityophthorus peregrinus*](#) Eichhoff, 1878b ^c
- [*Pityophthorus perexiguus*](#) Wood, 1976a ^c
- [*Pityophthorus perotei*](#) Blackman, 1942a ^c
- [*Pityophthorus philippinensis*](#) Schedl, 1936h ^c
- [*Pityophthorus piceae*](#) Blackman, 1928b ^c
- [*Pityophthorus piceus*](#) Bright, 1966b ^c
- [*Pityophthorus pilifer*](#) Schedl, 1931b ^c
- [*Pityophthorus pinavorus*](#) Bright, 1985 ^{i c}
- [*Pityophthorus pindrow*](#) Beeson, 1961 ^c
- [*Pityophthorus pinguus*](#) (Blackman, 1928) ^{i g}
- [*Pityophthorus pini*](#) Kurenzov, 1941a ^c
- [*Pityophthorus pinsapo*](#) Pfeffer, 1982b ^c
- [*Pityophthorus podocarp*](#) Wood, 2007 ^c
- [*Pityophthorus politus*](#) Blandford, 1904 ^c
- [*Pityophthorus polonicus*](#) Karpinski, 1949 ^c
- [*Pityophthorus ponderosae*](#) Blackman, 1928b ^c
- [*Pityophthorus poricollis*](#) Blandford, 1904 ^c
- [*Pityophthorus praealtus*](#) Bright, 1966b ^c
- [*Pityophthorus pruinus*](#) Eichhoff, 1878b ^c
- [*Pityophthorus pseudotsugae*](#) Swaine, 1918 ^{i g}
- [*Pityophthorus puberulus*](#) (LeConte, 1868) ⁱ
- [*Pityophthorus pubifrons*](#) Bright, 1981d ^c
- [*Pityophthorus pudicus*](#) Blackman, 1942a ^c
- [*Pityophthorus pulchellus*](#) Eichhoff, 1869 ^{i c}

- [*Pityophthorus pulicarius*](#) (Zimmermann, 1868)ⁱ
- [*Pityophthorus pullus*](#) (Zimmermann, 1868)ⁱ
- [*Pityophthorus punctatus*](#) Eggers, 1940a^c
- [*Pityophthorus puncticollis*](#) LeConte, 1874a^c
- [*Pityophthorus punctifrons*](#) Bright, 1966^{i c}
- [*Pityophthorus punctiger*](#) Wood & Bright, 1992^c
- [*Pityophthorus pusillus*](#) Wood, 1964^c
- [*Pityophthorus pusio*](#) LeConte, 1878b^c
- [*Pityophthorus pygmaeolus*](#) Schedl, 1970e^c
- [*Pityophthorus pygmaeus*](#) Schedl, 1931b^c
- [*Pityophthorus quadrispinatus*](#) Schedl, 1966f^c
- [*Pityophthorus quercinus*](#) Wood, 1967d^c
- [*Pityophthorus querciperda*](#) Schwarz, E.A., 1888a^c
- [*Pityophthorus ramiperda*](#) Swaine, 1917^{i c}
- [*Pityophthorus ramulorum*](#) Perris, 1856a^c
- [*Pityophthorus recens*](#) Bright, 1977^{i g}
- [*Pityophthorus regularis*](#) Blackman, 1942a^c
- [*Pityophthorus repens*](#) Bright, 1976c^c
- [*Pityophthorus reticulatus*](#) Wood, 2007^c
- [*Pityophthorus retifrons*](#) Wood, 2007^c
- [*Pityophthorus rhois*](#) Swaine, J.M., 1917^c
- [*Pityophthorus robai*](#) Wood, 1977b^c
- [*Pityophthorus robustus*](#) Pfeffer, 1940b^c
- [*Pityophthorus roppae*](#) Schedl, 1976a^c
- [*Pityophthorus rossicus*](#) Eggers, 1915b^c
- [*Pityophthorus rubidus*](#) Wood, 1978^{i c}
- [*Pityophthorus rubripes*](#) Eggers, 1943a^c
- [*Pityophthorus rudis*](#) Blackman, 1942a^c
- [*Pityophthorus rugicollis*](#) Swaine, J.M., 1925b^c
- [*Pityophthorus sachalinensis*](#) Krivolutskaya, 1956^c
- [*Pityophthorus sambuci*](#) Blackman, 1942a^c
- [*Pityophthorus sampsoni*](#) Stebbing, E.P., 1914^c
- [*Pityophthorus sapineus*](#) Bright, 1981d^c
- [*Pityophthorus scabridus*](#) Schedl, 1955g^c
- [*Pityophthorus scalptor*](#) Blackman, 1928^{i c}
- [*Pityophthorus scalptus*](#) Bright, 1978^{i c}

- [*Pityophthorus schrenkianae*](#) Pjatnitskii, 1931 ^c
- [*Pityophthorus schwarzi*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus schwerdtfegeri*](#) Wood & Bright, 1992 ^c
- [*Pityophthorus schwerdtfegeri*](#) (Schedl, 1955) ^{i g}
- [*Pityophthorus scitulus*](#) Wood, 1976a ^c
- [*Pityophthorus scriptor*](#) Blackman, 1921 ^{i c}
- [*Pityophthorus segnis*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus seiryuensis*](#) Murayama, 1963c ^c
- [*Pityophthorus semiermis*](#) Nunberg, 1963c ^c
- [*Pityophthorus senex*](#) Wichmann, H.E., 1913d ^c
- [*Pityophthorus separatus*](#) Bright, 1977 ^{i c}
- [*Pityophthorus seriatus*](#) LeConte, 1878a ^c
- [*Pityophthorus serratus*](#) Swaine, 1918 ^{i c}
- [*Pityophthorus setifer*](#) Browne, 1965a ^c
- [*Pityophthorus setosus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus sextuberculatus*](#) Eggers, 1933b ^c
- [*Pityophthorus shannoni*](#) Blackman, 1942a ^c
- [*Pityophthorus shepardi*](#) Blackman, 1922c ^c
- [*Pityophthorus sibiricus*](#) Nunberg, 1956d ^c
- [*Pityophthorus sichotensis*](#) Kurenzov, 1941a ^c
- [*Pityophthorus sierrensis*](#) Bright, 1971 ^{i c}
- [*Pityophthorus signatifrons*](#) Browne, 1975a ^c
- [*Pityophthorus similis*](#) Wood, 2007 ^c
- [*Pityophthorus similis*](#) Eichhoff, 1869a ^c
- [*Pityophthorus simplicis*](#) Wood, 2007 ^c
- [*Pityophthorus singularis*](#) Bright, 1966b ^c
- [*Pityophthorus sinopae*](#) Schedl, 1976a ^c
- [*Pityophthorus siouxensis*](#) Bright, 1977 ^c
- [*Pityophthorus smithi*](#) Schedl, 1931b ^c
- [*Pityophthorus sobrinus*](#) Wood, 1976a ^c
- [*Pityophthorus socius*](#) Blackman, 1928b ^c
- [*Pityophthorus solatus*](#) Wood, 1977b ^c
- [*Pityophthorus solers*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus solus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus spadix*](#) Blackman, 1942a ^c
- [*Pityophthorus sparsepilosus*](#) Wood, 1975b ^c

- [*Pityophthorus speciosus*](#) Wood, 1977b ^C
- [*Pityophthorus speculum*](#) Bright, 1976c ^C
- [*Pityophthorus splendens*](#) Wood, 2007 ^C
- [*Pityophthorus strictus*](#) Wood, 1976a ^C
- [*Pityophthorus subconcentralis*](#) Schedl, 1938a ^C
- [*Pityophthorus subcibratus*](#) Schedl, 1937h ^C
- [*Pityophthorus subimpressus*](#) Bright, 1976c ^C
- [*Pityophthorus subopacus*](#) Blackman, 1942a ^C
- [*Pityophthorus subsimilans*](#) Wood, 1989 ^C
- [*Pityophthorus subsimilis*](#) Schedl, 1955g ^C
- [*Pityophthorus subsulcatus*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus sulcatus*](#) Bright, 1977 ^{i C}
- [*Pityophthorus surinamensis*](#) Schedl, 1961i ^C
- [*Pityophthorus suspiciosus*](#) Bright, 1972d ^C
- [*Pityophthorus suturalis*](#) Eggers, 1932d ^C
- [*Pityophthorus swaini*](#) Blackman, 1928b ^C
- [*Pityophthorus temporarius*](#) Bright & Poinar, 1994 ^C
- [*Pityophthorus tenax*](#) Wood, 1976a ^C
- [*Pityophthorus tenuis*](#) Swaine, J.M., 1925b ^C
- [*Pityophthorus terebrans*](#) Schedl, 1970i ^C
- [*Pityophthorus thamnus*](#) Bright, 1985a ^C
- [*Pityophthorus thatcheri*](#) Bright, 1976c ^C
- [*Pityophthorus thomasi*](#) Bright, 1976c ^C
- [*Pityophthorus timidulus*](#) Wood, 1975b ^C
- [*Pityophthorus timidus*](#) Blandford, 1904 ^C
- [*Pityophthorus togonus*](#) Eggers, 1920 ^C
- [*Pityophthorus tomentosus*](#) Eichhoff, 1878b ^C
- [*Pityophthorus tonsus*](#) Blackman, 1928b ^C
- [*Pityophthorus toralis*](#) Wood, 1964 ^{i C}
- [*Pityophthorus torreyanae*](#) Swaine, J.M., 1918a ^C
- [*Pityophthorus torridus*](#) Wood, 1971 ^{i C}
- [*Pityophthorus traeghardi*](#) Spessivtseff, 1921 ^g
- [*Pityophthorus tragardi*](#) Spessivtsev, P., 1921a ^C
- [*Pityophthorus treculiae*](#) Schedl, 1962k ^C
- [*Pityophthorus trepidus*](#) Bright, 1978 ^{i C}
- [*Pityophthorus trunculus*](#) Bright, 1985a ^C

- [*Pityophthorus tuberculatus*](#) Eichhoff, 1878b ^c
- [*Pityophthorus tucumanensis*](#) Wood, 2007 ^c
- [*Pityophthorus tumidus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus turbiculus*](#) Schedl, 1938a ^c
- [*Pityophthorus tutulus*](#) Bright, 1986a ^c
- [*Pityophthorus varians*](#) Schedl, 1930 ^c
- [*Pityophthorus vegrandis*](#) Bright, 1986a ^c
- [*Pityophthorus venezuelensis*](#) Schedl, 1935d ^c
- [*Pityophthorus venustus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus vesculus*](#) Wood, 1978b ^c
- [*Pityophthorus vescus*](#) Wood, 2007 ^c
- [*Pityophthorus vespertinus*](#) Bright, 1978 ^c
- [*Pityophthorus viminalis*](#) Bright, 1977 ^c
- [*Pityophthorus virilis*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus virtus*](#) Schedl, 1938a ^c
- [*Pityophthorus volvulus*](#) Schedl, 1965f ^c
- [*Pityophthorus vrydaghi*](#) Nunberg, 1973 ^c
- [*Pityophthorus watsoni*](#) Schedl, 1930 ^c
- [*Pityophthorus woodi*](#) Bright, 1977 ^{i c}
- [*Pityophthorus xylotrupes*](#) Eichhoff, 1872a ^c
- [*Pityophthorus zeteki*](#) Blackman, 1942a ^c
- [*Pityophthorus zexmenivora*](#) Bright, 1985a ^c
- [*Pityophthorus zonalis*](#) Bright, 1976 ^{i c}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pityophthorus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-28.
 - ["Browse Pityophthorus"](#). Catalogue of Life. Retrieved 2018-04-28.[[dead link](#)]
 - ["Pityophthorus"](#). GBIF. Retrieved 2018-04-28.
 -
4. ["Pityophthorus Genus Information"](#). BugGuide.net. Retrieved 2018-04-28.

Categories:

- [Scolytinae](#)

- [Lists of insect species](#)
-

This is a list of 140 species in the genus [Pissodes](#), conifer weevils. [\[1\]\[2\]\[3\]\[4\]](#)

***Pissodes* species**

- [Pissodes abietis](#) Ratzeburg, 1837 ^c
- [Pissodes affinis](#) Randall, 1838 ^{i c b}
- [Pissodes alascensis](#) Hopkins, 1911 ^c
- [Pissodes albosignatus](#) Dejean, 1821 ^c
- [Pissodes annulatus](#) Dejean, 1821 ^c
- [Pissodes apiatus](#) Dejean, 1821 ^c
- [Pissodes approximatus](#) Hopkins, 1911 ^{i c b} (northern pine weevil)
- [Pissodes araliae](#) Montrouzier, 1860 ^c
- [Pissodes argus](#) Sturm, 1826 ^c
- [Pissodes armatus](#) Sturm, 1826 ^c
- [Pissodes barberi](#) Hopkins, 1911 ^{i c}
- [Pissodes bellicosus](#) Sturm, 1826 ^c
- [Pissodes bimaculatus](#) Sturm, 1826 ^c
- [Pissodes brasiliensis](#) Cristofori & Jan, 1832 ^c
- [Pissodes brunneus](#) Dalla Torre & Schenkling, 1932 ^c
- [Pissodes bufo](#) Germar, 1817 ^c
- [Pissodes burkei](#) Hopkins, 1911 ^{i c}
- [Pissodes californicus](#) Hopkins, 1911 ^{i c}
- [Pissodes canadensis](#) Hopkins, 1911 ^c
- [Pissodes castaneus](#) (DeGeer, C., 1775) ^{c g}
- [Pissodes caucasicus](#) Roubal, 1923 ^c
- [Pissodes cembrae](#) Motschulsky, V. de, 1860 ^c
- [Pissodes championi](#) O'Brien, 1989 ^c
- [Pissodes cheni](#) Lu, Zhang & Langor, 2007 ^c
- [Pissodes cibriani](#) O'Brien, 1989 ^c
- [Pissodes circularis](#) Sturm, 1826 ^c
- [Pissodes collaris](#) Sturm, 1826 ^c
- [Pissodes coloradensis](#) Hopkins, 1911 ^{i c}

- [*Pissodes conspersus*](#) Dejean, 1821 ^c
- [*Pissodes coronatus*](#) Dejean, 1821 ^c
- [*Pissodes costatus*](#) Mannerheim, 1852 ^{i c}
- [*Pissodes creutzeri*](#) Germar, E.F., 1824 ^c
- [*Pissodes cribrosus*](#) Sturm, 1826 ^c
- [*Pissodes curriei*](#) Hopkins, 1911 ^c
- [*Pissodes cylindricus*](#) Sturm, 1826 ^c
- [*Pissodes dealbatus*](#) Sturm, 1826 ^c
- [*Pissodes deodarae*](#) Hopkins, 1911 ^c
- [*Pissodes dubius*](#) Randall, 1838 ^c
- [*Pissodes echinatus*](#) Sturm, 1826 ^c
- [*Pissodes effossus*](#) Heyden, C. von, 1858 ^{c g}
- [*Pissodes engelmanni*](#) Hopkins, 1911 ^c
- [*Pissodes erythrocephalus*](#) Sturm, 1826 ^c
- [*Pissodes erythrorhynchus*](#) Germar, 1824 ^c
- [*Pissodes fabricii*](#) Stephens, 1829 ^c
- [*Pissodes fasciatus*](#) LeConte, 1876 ^{i c}
- [*Pissodes femoratus*](#) Sturm, 1826 ^c
- [*Pissodes ferrugineus*](#) Rey, C., 1895 ^c
- [*Pissodes fiskei*](#) Hopkins, 1911 ^{i c}
- [*Pissodes flammiger*](#) Germar, 1824 ^c
- [*Pissodes fraseri*](#) Hopkins, 1911 ^c
- [*Pissodes galloisi*](#) Kôno, 1928 ^c
- [*Pissodes guatemaltecus*](#) Voss, 1955 ^c
- [*Pissodes gyllenhalii*](#) Gyllenhal, L. in Schönherr, C.J., 1836 ^c
- [*Pissodes gyllenhalii*](#) Gyllenhal, 1835 ^c
- [*Pissodes harcyniae*](#) (Herbst, J.F.W., 1795) ^{c g}
- [*Pissodes henningseni*](#) Voss, 1972 ^c
- [*Pissodes hercyniae*](#) Dejean, 1821 ^c
- [*Pissodes hispidus*](#) Sturm, 1826 ^c
- [*Pissodes insignatus*](#) Boheman, 1843 ^c
- [*Pissodes interruptus*](#) Pic, 1937 ^c
- [*Pissodes interstitiosus*](#) Dalla Torre & Schenkling, 1932 ^c
- [*Pissodes irroratus*](#) Reitter, E., 1899 ^c
- [*Pissodes japonicus*](#) Niishima, 1915 ^c
- [*Pissodes juniperi*](#) Dejean, 1821 ^c

- [*Pissodes laevigatus*](#) Sturm, 1826 ^c
- [*Pissodes laricinus*](#) Motschulsky, V. de, 1860 ^c
- [*Pissodes macellus*](#) Germar, 1824 ^c
- [*Pissodes marginalis*](#) Dejean, 1821 ^c
- [*Pissodes marmoreus*](#) Dejean, 1821 ^c
- [*Pissodes mexicanus*](#) O'Brien, 1989 ^c
- [*Pissodes multiguttatus*](#) Dejean, 1821 ^c
- [*Pissodes multisignatus*](#) Dejean, 1821 ^c
- [*Pissodes murrayanae*](#) Hopkins, 1911 ^{i c}
- [*Pissodes myops*](#) Cristofori & Jan, 1832 ^c
- [*Pissodes nebulosus*](#) Sturm, 1826 ^c
- [*Pissodes nemorensis*](#) Germar, 1824 ^{i c b} (eastern pine weevil)
- [*Pissodes nigrae*](#) Hopkins, 1911 ^c
- [*Pissodes nitidus*](#) Roelofs, W., 1874 ^c
- [*Pissodes notatus*](#) Sturm, 1826 ^c
- [*Pissodes obscurus*](#) Dejean, 1821 ^c
- [*Pissodes obsoletus*](#) Sturm, 1826 ^c
- [*Pissodes ocellatus*](#) Dejean, 1821 ^c
- [*Pissodes ochraceus*](#) Van Dyke, 1927 ^{i c}
- [*Pissodes oculatus*](#) Dejean, 1821 ^c
- [*Pissodes onychinus*](#) Germar, 1824 ^c
- [*Pissodes ornatus*](#) Sturm, 1826 ^c
- [*Pissodes palmeri*](#) Dalla Torre & Schenkling, 1932 ^c
- [*Pissodes piceae*](#) Schoenherr, 1825 ^c
- [*Pissodes picturatus*](#) Germar, 1824 ^c
- [*Pissodes pilatsquamosus*](#) Lu, Zhang & Langor, 2007 ^c
- [*Pissodes pini*](#) (Linnaeus, C., 1758) ^{c g}
- [*Pissodes piniphilus*](#) Billberg, 1820 ^{c g}
- [*Pissodes piperi*](#) Hopkins, 1911 ^c
- [*Pissodes planatus*](#) Foerster, B., 1891 ^{c g}
- [*Pissodes polymitus*](#) Germar, 1824 ^c
- [*Pissodes prodigialis*](#) Germar, 1824 ^c
- [*Pissodes ptinicornis*](#) Sturm, 1826 ^c
- [*Pissodes pulverosus*](#) Dejean, 1821 ^c
- [*Pissodes pulverulentus*](#) Sturm, 1826 ^c
- [*Pissodes punctatus*](#) Langor & Zhang in Langor, Situ & Zhang, 1999 ^c

- [*Pissodes puncticollis*](#) Hopkins, 1911 ^{i c}
- [*Pissodes punctum*](#) Sturm, 1826 ^c
- [*Pissodes pupillatus*](#) Dejean, 1821 ^c
- [*Pissodes pygmaeus*](#) Curtis, 1840 ^c
- [*Pissodes quadrinotatus*](#) Sturm, J., 1826 ^c
- [*Pissodes radiatae*](#) Hopkins, 1911 ^{i c}
- [*Pissodes robustus*](#) Van Dyke, 1927 ^{i c}
- [*Pissodes rotundatus*](#) LeConte, 1876 ^{i c b} (small spruce weevil)
- [*Pissodes rotundicollis*](#) Desbrochers, J., 1870 ^c
- [*Pissodes rufitarsis*](#) Dejean, 1821 ^c
- [*Pissodes scabricollis*](#) Miller, L., 1859 ^c
- [*Pissodes schwarzi*](#) Hopkins, 1911 ^{i c b} (Yosemite bark weevil)
- [*Pissodes scutellaris*](#) Sturm, 1826 ^c
- [*Pissodes sericeus*](#) Sturm, 1826 ^c
- [*Pissodes setosus*](#) Sturm, 1826 ^c
- [*Pissodes silvaticus*](#) Voss, 1956 ^c
- [*Pissodes similis*](#) Hopkins, 1911 ^{i c b}
- [*Pissodes sitchensis*](#) Hopkins, 1911 ^c
- [*Pissodes spinosus*](#) Dejean, 1821 ^c
- [*Pissodes squamosus*](#) LeConte J E, 1824 ^c
- [*Pissodes striatulus*](#) (Fabricius, 1775) ^{i c g b} (balsam bark weevil)
- [*Pissodes strobi*](#) (Peck, 1817) ^{i c b} (white pine weevil)
- [*Pissodes strobili*](#) Redtenbacher, L., 1849 ^c
- [*Pissodes strobyli*](#) Redtenbacher, 1849 ^c
- [*Pissodes terminalis*](#) Hopping, 1920 ^{i c}
- [*Pissodes terribilis*](#) Sturm, 1826 ^c
- [*Pissodes tessellatus*](#) Dejean, 1821 ^c
- [*Pissodes tribulus*](#) Sturm, 1826 ^c
- [*Pissodes tuberculatus*](#) Dejean, 1821 ^c
- [*Pissodes umbrosus*](#) Sturm, 1826 ^c
- [*Pissodes undabundus*](#) Sturm, 1826 ^c
- [*Pissodes undatus*](#) Dejean, 1821 ^c
- [*Pissodes utahensis*](#) Hopkins, 1911 ^c
- [*Pissodes validirostris*](#) Gyllenhal, 1835 ^c
- [*Pissodes variabilis*](#) Sturm, 1826 ^c
- [*Pissodes verrucosus*](#) Sturm, 1826 ^c

- [*Pissodes webbi*](#) Hopkins, 1911 ^{i c}
- [*Pissodes yosemite*](#) Hopkins, 1911 ^c
- [*Pissodes yunnanensis*](#) Langor & Zhang in Langor, Situ & Zhang, 1999 ^c
- [*Pissodes zitacuarensis*](#) Sleeper, 1969 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 201 species belong to [*Pimpla*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^{[1][2][3]}

***Pimpla* species**

- [*Pimpla acutula*](#) (Momoi, 1973) ^c
- [*Pimpla aeola*](#) (Porter, 1970) ^{c g}
- [*Pimpla aequalis*](#) Provancher, 1880 ^{c b}
- [*Pimpla aethiops*](#) Curtis, 1828 ^{c g}
- [*Pimpla albipalpis*](#) Cameron, 1905 ^{c g}
- [*Pimpla alboannulata*](#) Uchida, 1928 ^{c g}
- [*Pimpla albociliata*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla albomarginata*](#) Cameron, 1886 ^{c g}
- [*Pimpla alishanensis*](#) (Kusigemati, 1985) ^{c g}
- [*Pimpla alnorum*](#) (Porter, 1970) ^{c g}
- [*Pimpla amamiensis*](#) (Momoi, 1970) ^{c g}
- [*Pimpla amplifemura*](#) Lin, 1988 ^{c g}
- [*Pimpla annulipes*](#) Brullé, 1846 ^{c g b}
- [*Pimpla anomalensis*](#) Theobald, 1937 ^{c g}
- [*Pimpla apollyon*](#) Morley, 1913 ^{c g}
- [*Pimpla appendigera*](#) Brues, 1906 ^{c g}
- [*Pimpla apricaria*](#) Costa, 1885 ^{c g}
- [*Pimpla aquensis*](#) Theobald, 1937 ^{c g}
- [*Pimpla aquilonia*](#) Cresson, 1870 ^{c g b}
- [*Pimpla arayai*](#) Gauld, 1991 ^{c g}
- [*Pimpla arcadica*](#) Kasparyan, 1973 ^{c g}
- [*Pimpla arctica*](#) Zetterstedt, 1838 ^{c g}
- [*Pimpla arisana*](#) (Sonan, 1936) ^g
- [*Pimpla arjuna*](#) (Gupta & Saxena, 1987) ^{c g}

- [*Pimpla arnoldi*](#) Benoit, 1953 ^{c g}
- [*Pimpla artemonis*](#) Kasparyan, 1973 ^{c g}
- [*Pimpla asiatica*](#) Kasparyan, 1973 ^{c g}
- [*Pimpla aurimicans*](#) (Enderlein, 1921) ^{c g}
- [*Pimpla aviancae*](#) (Porter, 1970) ^{c g}
- [*Pimpla azteca*](#) Cresson, 1874 ^{c g}
- [*Pimpla bactriana*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla bicolor*](#) Brullé, 1846 ^{c g}
- [*Pimpla bilineata*](#) (Cameron, 1900) ^{c g}
- [*Pimpla bistricta*](#) Morley, 1916 ^{c g}
- [*Pimpla bolivari*](#) (Porter, 1970) ^{c g}
- [*Pimpla brithys*](#) (Porter, 1970) ^{c g}
- [*Pimpla brumha*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla brunnea*](#) (Gupta & Saxena, 1987) ^c
- [*Pimpla burgeoni*](#) Seyrig, 1937 ^{c g}
- [*Pimpla burmensis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla caerulea*](#) Brullé, 1846 ^{c g}
- [*Pimpla caeruleata*](#) Cresson, 1874 ^{c g}
- [*Pimpla calliphora*](#) Morley, 1914 ^{c g}
- [*Pimpla cameronii*](#) Dalla Torre, 1901 ^{c g}
- [*Pimpla canaliculata*](#) Forster, 1888 ^{c g}
- [*Pimpla carinifrons*](#) Cameron, 1899 ^{c g}
- [*Pimpla carlosi*](#) Gauld, Ugalde & Hanson, 1998 ^{c g}
- [*Pimpla caucasica*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla conchyliata*](#) Tosquinet, 1896 ^{c g}
- [*Pimpla contemplator*](#) (Müller, 1776) ^{c g}
- [*Pimpla cossivora*](#) Curtis, 1826 ^{c g}
- [*Pimpla crocata*](#) Tosquinet, 1896 ^{c g}
- [*Pimpla croceipes*](#) Cresson, 1874 ^{c g}
- [*Pimpla croceiventris*](#) (Cresson, 1868) ^{c g}
- [*Pimpla curiosa*](#) Forster, 1888 ^{c g}
- [*Pimpla curta*](#) (Momi, 1973) ^{c g}
- [*Pimpla cyanator*](#) Morley, 1914 ^{c g}
- [*Pimpla cyanea*](#) Szépligeti, 1908 ^{c g}
- [*Pimpla cyanipennis*](#) Brullé, 1846 ^c
- [*Pimpla cyclostigmata*](#) Statz, 1936 ^{c g}

- [*Pimpla daitojimana*](#) Sonan, 1940 ^{c g}
- [*Pimpla decaryi*](#) Seyrig, 1932 ^{c g}
- [*Pimpla decessa*](#) Scudder, 1878 ^{c g}
- [*Pimpla dimidiata*](#) (Townes, 1960) ^{c g}
- [*Pimpla disparis*](#) Viereck, 1911 ^c
- [*Pimpla distincta*](#) (Momoi, 1971) ^{c g}
- [*Pimpla dohrnii*](#) Ratzeburg, 1847 ^{c g}
- [*Pimpla dorsata*](#) (Dalla Torre, 1901) ^{c g}
- [*Pimpla dravida*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla elegantissima*](#) Szepligeti, 1922 ^{c g}
- [*Pimpla ellopiae*](#) Harrington, 1892 ^{c g}
- [*Pimpla eocenica*](#) Cockerell, 1919 ^{c g}
- [*Pimpla ereba*](#) Cameron, 1899 ^{c g}
- [*Pimpla erythema*](#) (Porter, 1970) ^{c g}
- [*Pimpla erythromera*](#) (Momoi, 1971) ^c
- [*Pimpla exapta*](#) Forster, 1888 ^{c g}
- [*Pimpla experiens*](#) Forster, 1888 ^{c g}
- [*Pimpla exstirpator*](#) Forster, 1888 ^{c g}
- [*Pimpla fatua*](#) De Stefani, 1887 ^{c g}
- [*Pimpla femorella*](#) Kasparian, 1974 ^{c g}
- [*Pimpla flavicoxis*](#) Thomson, 1877 ^{c g}
- [*Pimpla flavipalpis*](#) Cameron, 1899 ^{c g}
- [*Pimpla flavipennis*](#) (Enderlein, 1919) ^{c g}
- [*Pimpla fraudator*](#) Forster, 1888 ^{c g}
- [*Pimpla fuscipes*](#) Brullé, 1846 ^{c g}
- [*Pimpla garuda*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla glandaria*](#) Costa, 1886 ^{c g}
- [*Pimpla golbachi*](#) (Porter, 1970) ^{c g}
- [*Pimpla hesperus*](#) (Townes, 1960) ^{c g}
- [*Pimpla himalayensis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla hostifera*](#) Forster, 1888 ^{c g}
- [*Pimpla hova*](#) Seyrig, 1932 ^{c g}
- [*Pimpla hubendickae*](#) Gauld, 1991 ^{c g}
- [*Pimpla ichneumoniformis*](#) Cresson, 1874 ^{c g}
- [*Pimpla illecebrator*](#) (Villers, 1789) ^{c g}
- [*Pimpla imitata*](#) Forster, 1888 ^{c g}

- [*Pimpla impuncta*](#) Lin, 1988 ^{c g}
- [*Pimpla indra*](#) Cameron, 1899 ^{c g}
- [*Pimpla indura*](#) Theobald, 1937 ^{c g}
- [*Pimpla inopinata*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla insignatoria*](#) (Gravenhorst, 1807) ^{c g}
- [*Pimpla instigator*](#) (Miller, 1759) ^b
- [*Pimpla iothales*](#) (Porter, 1970) ^{c g}
- [*Pimpla isidroii*](#) Gauld, Ugalde & Hanson, 1998 ^{c g}
- [*Pimpla jakulicai*](#) (Porter, 1972) ^{c g}
- [*Pimpla javensis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla karakurti*](#) Rossikov, 1904 ^{c g}
- [*Pimpla kaszabi*](#) (Momoi, 1973) ^{c g}
- [*Pimpla laevifrons*](#) Forster, 1888 ^{c g}
- [*Pimpla lamprotes*](#) (Porter, 1970) ^{c g}
- [*Pimpla laothoe*](#) Cameron, 1897 ^{c g}
- [*Pimpla lasallei*](#) Diaz, 2000 ^{c g}
- [*Pimpla latistigma*](#) (Momoi, 1973) ^{c g}
- [*Pimpla lignicola*](#) Ratzeburg, 1852 ^{c g}
- [*Pimpla limitata*](#) Forster, 1888 ^{c g}
- [*Pimpla luctuosa*](#) Smith, 1874 ^{c g}
- [*Pimpla maculiscaposa*](#) Seyrig, 1932 ^{c g}
- [*Pimpla madecassa*](#) (Saussure, 1892) ^{c g}
- [*Pimpla mahalensis*](#) Gribodo, 1879 ^{c g}
- [*Pimpla marginella*](#) Brullé, 1846 ^{c g b}
- [*Pimpla maura*](#) Cresson, 1870 ^{c g b}
- [*Pimpla melanacrias*](#) Perkins, 1941 ^{c g}
- [*Pimpla meridionalis*](#) Benoit, 1956 ^{c g}
- [*Pimpla mitchelli*](#) Diaz, 2000 ^{c g}
- [*Pimpla morticina*](#) Brues, 1910 ^{c g}
- [*Pimpla murinanae*](#) Fahringer, 1943 ^c
- [*Pimpla nigricolor*](#) Tosquinet, 1903 ^{c g}
- [*Pimpla nigroaenea*](#) (Cushman, 1927) ^{c g}
- [*Pimpla nigrohirsuta*](#) Strobl, 1902 ^{c g}
- [*Pimpla nipponica*](#) Uchida, 1928 ^{c g}
- [*Pimpla nuda*](#) Townes, 1940 ^{c g}
- [*Pimpla oehlkei*](#) (Momoi, 1973) ^{c g}

- [*Pimpla orbitalis*](#) Ratzeburg, 1852 ^{c g}
- [*Pimpla oropha*](#) (Porter, 1970) ^{c g}
- [*Pimpla pamirica*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla parva*](#) (Momoi, 1973) ^c
- [*Pimpla pedalis*](#) Cresson, 1865 ^{c g b}
- [*Pimpla pepsoides*](#) (Porter, 1970) ^{c g}
- [*Pimpla perssoni*](#) Gauld, 1991 ^{c g}
- [*Pimpla picea*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla platysma*](#) (Porter, 1970) ^{c g}
- [*Pimpla pluto*](#) Ashmead, 1906 ^{c g}
- [*Pimpla polychroma*](#) (Cushman, 1927) ^{c g}
- [*Pimpla praesecta*](#) Forster, 1888 ^{c g}
- [*Pimpla processioneae*](#) Ratzeburg, 1849 ^{c g}
- [*Pimpla punicipes*](#) Cresson, 1874 ^{c g b}
- [*Pimpla pyramis*](#) (Porter, 1970) ^{c g}
- [*Pimpla ramirezi*](#) (Porter, 1970) ^{c g}
- [*Pimpla rasilis*](#) (Momoi, 1973) ^{c g}
- [*Pimpla rediviva*](#) Brues, 1910 ^{c g}
- [*Pimpla renevieri*](#) Meunier, 1903 ^{c g}
- [*Pimpla revelata*](#) Brues, 1910 ^{c g}
- [*Pimpla rojasi*](#) Gauld, 1991 ^{c g}
- [*Pimpla romeroi*](#) Gauld, 1991 ^{c g}
- [*Pimpla rubripes*](#) Holmgren, 1868 ^c
- [*Pimpla rufonigra*](#) Cresson, 1865 ^{c g}
- [*Pimpla russula*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla sanguinipes*](#) Cresson, 1872 ^{c g b}
- [*Pimpla saussurei*](#) Heer, 1856 ^{c g}
- [*Pimpla sedula*](#) Cameron, 1886 ^{c g}
- [*Pimpla segnestami*](#) Gauld, 1991 ^{c g}
- [*Pimpla semirufa*](#) Brullé, 1846 ^{c g}
- [*Pimpla semitibialis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla senecta*](#) Scudder, 1878 ^{c g}
- [*Pimpla senilis*](#) Brues, 1910 ^{c g}
- [*Pimpla seyrigi*](#) Theobald, 1937 ^{c g}
- [*Pimpla shiva*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla silvicola*](#) Walley, 1941 ^{c g}

- [*Pimpla sodalis*](#) Ruthe, 1859 ^{c g b}
- [*Pimpla sondrae*](#) Gauld, Ugalde & Hanson, 1998 ^{c g}
- [*Pimpla sordidella*](#) Holmgren, 1868 ^{c g}
- [*Pimpla sparsa*](#) (Porter, 1970) ^{c g}
- [*Pimpla spectabilis*](#) Szépligeti, 1908 ^{c g}
- [*Pimpla specularis*](#) Forster, 1888 ^{c g}
- [*Pimpla spilopteris*](#) (Moi, 1973) ^{c g}
- [*Pimpla spuria*](#) Gravenhorst, 1829 ^{c g}
- [*Pimpla stangei*](#) (Porter, 1970) ^{c g}
- [*Pimpla stigmatica*](#) Henriksen, 1922 ^{c g}
- [*Pimpla stricklandi*](#) (Townes, 1960) ^c
- [*Pimpla strigipleuris*](#) Thomson, 1877 ^{c g}
- [*Pimpla succini*](#) Giebel, 1856 ^{c g}
- [*Pimpla sumichrasti*](#) Cresson, 1874 ^{c g}
- [*Pimpla tafiae*](#) (Porter, 1970) ^{c g}
- [*Pimpla taihokensis*](#) Uchida, 1930 ^{c g}
- [*Pimpla taprobanae*](#) Cameron, 1897 ^{c g}
- [*Pimpla tarapacae*](#) (Porter, 1970) ^{c g}
- [*Pimpla tenuicornis*](#) Cresson, 1865 ^{c g}
- [*Pimpla thoracica*](#) Morley, 1914 ^{c g}
- [*Pimpla tomyris*](#) Schrottky, 1902 ^{c g}
- [*Pimpla trichroa*](#) (Porter, 1970) ^{c g}
- [*Pimpla tuberculata*](#) Morley, 1914 ^c
- [*Pimpla turionellae*](#) (Linnaeus, 1758) ^{c g b}
- [*Pimpla vangeli*](#) Diaz, 2000 ^{c g}
- [*Pimpla varians*](#) (Townes, 1960) ^{c g}
- [*Pimpla varipes*](#) (Porter, 1970) ^{c g}
- [*Pimpla vayonae*](#) Diaz, 2000 ^{c g}
- [*Pimpla viridescens*](#) Morley, 1914 ^{c g}
- [*Pimpla vumbana*](#) Benoit, 1953 ^{c g}
- [*Pimpla waterloti*](#) Seyrig, 1932 ^{c g}
- [*Pimpla wilchristi*](#) Fitton, Shaw & Gauld, 1988 ^{c g}
- [*Pimpla yungarum*](#) (Porter, 1970) ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is the list of species in the genus [*Phyllotreta*](#), of which there are over 300 species worldwide.[\[1\]](#)

- [*Phyllotreta acutecarinata*](#) Heikertinger, 1941
- [*Phyllotreta aeneicollis*](#) (Crotch, 1873)
- [*Phyllotreta aerea*](#) Allard, 1859
- [*Phyllotreta alberta*](#) Chittenden, 1927
- [*Phyllotreta albionica*](#) (LeConte, 1857)
- [*Phyllotreta arcuata*](#) E.Smith, 1985
- [*Phyllotreta armoraciae*](#) (Koch, 1803)
- [*Phyllotreta astrachanica*](#) Lopatin, 1977
- [*Phyllotreta asturica*](#) Heikertinger, 1941
- [*Phyllotreta atra*](#) (Fabricius, 1775)
- [*Phyllotreta attenuata*](#) E.Smith, 1985
- [*Phyllotreta austriaca*](#) Heikertinger, 1909
- [*Phyllotreta balcanica*](#) Heikertinger, 1909
- [*Phyllotreta bipustulata*](#) (Fabricius, 1801)
- [*Phyllotreta bisinuata*](#) E.Smith, 1985
- [*Phyllotreta brevipennis*](#) Chittenden, 1927
- [*Phyllotreta bulgarica*](#) Gruev, 1977
- [*Phyllotreta chalybeipennis*](#) (Crotch, 1873)
- [*Phyllotreta chotanica*](#) Duvivier, 1892
- [*Phyllotreta christinae*](#) Heikertinger, 1941
- [*Phyllotreta conjuncta*](#) Gentner, 1924
- [*Phyllotreta consobrina*](#) (Curtis, 1837)
- [*Phyllotreta constricta*](#) E.H.Smith, 1985
- [*Phyllotreta corrugata*](#) Reiche & Saulcy, 1858
- [*Phyllotreta crassicornis*](#) Allard, 1866
- [*Phyllotreta cruciferae*](#) (Goeze, 1777)
- [*Phyllotreta cruralis*](#) Abeille, 1895
- [*Phyllotreta dacica*](#) Heikertinger, 1941
- [*Phyllotreta decipiens*](#) Horn, 1889
- [*Phyllotreta denticornis*](#) Horn, 1889
- [*Phyllotreta diademata*](#)
- [*Phyllotreta dilatata*](#) Thomson, 1866
- [*Phyllotreta distincta*](#) Monnot, 1914
- [*Phyllotreta dolichophalla*](#) E.Smith, 1985
- [*Phyllotreta emarginata*](#) E.Smith, 1985
- [*Phyllotreta erysimi*](#) Weise, 1900
- [*Phyllotreta exclamationis*](#) (Thunberg, 1784)
- [*Phyllotreta fallaciosa*](#) Heikertinger, 1941

- [*Phyllotreta flavoguttata*](#) Kutschera, 1860
- [*Phyllotreta flexuosa*](#) (Illiger, 1794)
- [*Phyllotreta foudrasi*](#) Brisout de Barneville, 1873
- [*Phyllotreta fulgida*](#) Chittenden, 1927
- [*Phyllotreta gallica*](#) C.Brisout de Barneville, 1892
- [*Phyllotreta ganglbaueri*](#) Heikertinger, 1909
- [*Phyllotreta gillerforsi*](#) Biondi, 1991
- [*Phyllotreta gloriae*](#) Biondi, 1994
- [*Phyllotreta hemipoda*](#) Abeille, 1909
- [*Phyllotreta herbacea*](#) Chittenden, 1927
- [*Phyllotreta hispanica*](#) Pic, 1903
- [*Phyllotreta hochetlingeri*](#) Fleischer, 1917
- [*Phyllotreta iberica*](#) Heikertinger, 1911
- [*Phyllotreta inconspicua*](#) Chittenden, 1927
- [*Phyllotreta inordinata*](#) Chittenden, 1927
- [*Phyllotreta insularis*](#) Heikertinger, 1942
- [*Phyllotreta ispartaensis*](#) Gok, 2005
- [*Phyllotreta judaea*](#) Pic, 1901
- [*Phyllotreta lacerta*](#) Heikertinger, 1941
- [*Phyllotreta laticornis*](#) Chittenden, 1927
- [*Phyllotreta lativittata*](#) Kutschera, 1860
- [*Phyllotreta lepidula*](#) (J.L.LeConte, 1857)
- [*Phyllotreta lewisii*](#) (Crotch, 1873)
- [*Phyllotreta liebecki*](#) C.Schaeffer, 1919
- [*Phyllotreta lindahli*](#) Dury, 1906
- [*Phyllotreta melichari*](#) Heikertinger, 1941
- [*Phyllotreta nemorum*](#) (Linnaeus, 1758)
- [*Phyllotreta nigripes*](#) (Fabricius, 1775)
- [*Phyllotreta nitidicollis*](#) Weise, 1888
- [*Phyllotreta nodicornis*](#) (Marsham, 1802)
- [*Phyllotreta oblonga*](#) Chittenden, 1927
- [*Phyllotreta obtusa*](#) Chittenden, 1927
- [*Phyllotreta ochripes*](#) (Curtis, 1837)
- [*Phyllotreta ogloblini*](#) Shapiro, 1960
- [*Phyllotreta oregonensis*](#) (Crotch, 1873)
- [*Phyllotreta pallidipennis*](#) Reitter, 1891
- [*Phyllotreta parallela*](#) (Boieldieu, 1859)
- [*Phyllotreta perspicua*](#) Chittenden, 1927
- [*Phyllotreta polita*](#) Chittenden, 1927
- [*Phyllotreta pontaegeica*](#) Gruev, 1982
- [*Phyllotreta prasina*](#) Chittenden, 1927
- [*Phyllotreta praticola*](#) Weise, 1887

- [*Phyllotreta procera*](#) (Redtenbacher, 1849)
- [*Phyllotreta punctulata*](#) (Marsham, 1802)
- [*Phyllotreta pusilla*](#) Horn, 1889
- [*Phyllotreta ramosa*](#) (Crotch, 1874)
- [*Phyllotreta ramosoides*](#) E.H.Smith, 1985
- [*Phyllotreta randoniae*](#) Peyerimhoff, 1920
- [*Phyllotreta reitteri*](#) Heikertinger, 1911
- [*Phyllotreta robusta*](#) LeConte, 1878
- [*Phyllotreta rufitarsis*](#) Allard, 1859
- [*Phyllotreta rugifrons*](#) Küster, 1849
- [*Phyllotreta scheuchi*](#) Heikertinger, 1941
- [*Phyllotreta sholaksori*](#) Konstantinov & Moseyko, 2019
- [*Phyllotreta spatulata*](#) E.Smith, 1985
- [*Phyllotreta striolata*](#) (Fabricius, 1803)
- [*Phyllotreta subnitida*](#) Chittenden, 1927
- [*Phyllotreta temperei*](#) Doguet, 1974
- [*Phyllotreta tetrastigma*](#) (Comolli, 1837)
- [*Phyllotreta transversovalis*](#) Chittenden, 1927
- [*Phyllotreta ulkei*](#) Horn, 1889
- [*Phyllotreta undulata*](#) Kutschera, 1860
- [*Phyllotreta utana*](#) Chittenden, 1920
- [*Phyllotreta utanula*](#) E.H.Smith, 1985
- [*Phyllotreta variipennis*](#) (Boieldieu, 1859)
- [*Phyllotreta vilis*](#) Weise, 1888
- [*Phyllotreta viridicyanea*](#) Chittenden, 1927
- [*Phyllotreta vittigera*](#) Broun, 1893
- [*Phyllotreta vittula*](#) (Redtenbacher, 1849)
- [*Phyllotreta wiseana*](#) Jacobson, 1901
- [*Phyllotreta zerchei*](#) Doberl, 1998
- [*Phyllotreta zieglerei*](#) Lohse, 1980
- [*Phyllotreta zimmermanni*](#) (Crotch, 1873)

This is a list of 905 species in the genus [*Phyllophaga*](#), May beetles.[\[1\]](#)[\[2\]](#)[\[3\]](#)

Contents

- [A](#)
- [B](#)
- [C](#)
- [D–F](#)

- [G-I](#)
- [J-L](#)
- [M](#)
- [N-O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-Z](#)
- [References](#)

***Phyllophaga* species**

A

- [*Phyllophaga abcea*](#) Saylor, 1940
- [*Phyllophaga abdominalis*](#) (Moser, 1921)
- [*Phyllophaga abudantuni*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga acacoyahuana*](#) Morón & Blas, 2005
- [*Phyllophaga acapulca*](#) Saylor, 1943
- [*Phyllophaga acatlanensis*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga aceitillar*](#) Woodruff, 2005
- [*Phyllophaga acinosa*](#) (Arrow, 1920)
- [*Phyllophaga acunai*](#) Chapin, 1937
- [*Phyllophaga adjuntas*](#) Saylor, 1940
- [*Phyllophaga adoretoides*](#) (Von Dalle Torre, 1912)
- [*Phyllophaga aegrotus*](#) (Bates, 1887)
- [*Phyllophaga aemula*](#) (Horn, 1887)
- [*Phyllophaga aenea*](#) (Moser, 1921)
- [*Phyllophaga aeneotincta*](#) Chapin, 1932
- [*Phyllophaga aequalis*](#) (LeConte, 1854)
- [*Phyllophaga aequata*](#) Bates, 1887
- [*Phyllophaga aequatorialis*](#) (Moser, 1921)
- [*Phyllophaga aeruginosa*](#) (Burmeister, 1855)
- [*Phyllophaga affabilis*](#) (Horn, 1887)
- [*Phyllophaga afflicta*](#) (Blanchard, 1851)
- [*Phyllophaga aguadita*](#) (Saylor, 1942)
- [*Phyllophaga ahlbrandti*](#) Garcia-Vidal, 1988
- [*Phyllophaga alayoi*](#) Garcia-Vidal, 1978
- [*Phyllophaga albina*](#) (Burmeister, 1855)
- [*Phyllophaga alcoa*](#) Woodruff, 2005
- [*Phyllophaga aliada*](#) Sanderson, 1951

- [*Phyllophaga aliciae*](#) Morón & Rivera-Cervantes, 2005
- [*Phyllophaga almada*](#) Saylor, 1941
- [*Phyllophaga alquizara*](#) Chapin, 1932
- [*Phyllophaga alvareztoroi*](#) Morón & Blas, 2005
- [*Phyllophaga amazonica*](#) (Moser, 1918)
- [*Phyllophaga amplicornis*](#) (Reinhard, 1939)
- [*Phyllophaga analis*](#) (Burmeister, 1855)
- [*Phyllophaga andersoni*](#) Smith & Paulsen, 2015
- [*Phyllophaga androw*](#) Woodruff, 2005
- [*Phyllophaga angulicollis*](#) (Bates, 1887)
- [*Phyllophaga angusta*](#) (Blanchard, 1851)
- [*Phyllophaga anolaminata*](#) (Moser, 1921)
- [*Phyllophaga anomaloides*](#) (Bates, 1888)
- [*Phyllophaga antennalis*](#) (Moser, 1921)
- [*Phyllophaga antennata*](#) (Smith, 1889)
- [*Phyllophaga antiquae*](#) (Arrow, 1920)
- [*Phyllophaga anxia*](#) (LeConte, 1850) (cranberry white grub)
- [*Phyllophaga apicalis*](#) (Blanchard, 1851)
- [*Phyllophaga apicata*](#) Reinhard, 1939
- [*Phyllophaga apolinari*](#) Saylor, 1940
- [*Phyllophaga apolinaria*](#) Saylor, 1942
- [*Phyllophaga approxima*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga aragoni*](#) Morón, 2013
- [*Phyllophaga arcta*](#) (Horn, 1887)
- [*Phyllophaga ardara*](#) Saylor, 1943
- [*Phyllophaga arenicola*](#) Howden, 1960
- [*Phyllophaga arizona*](#) Saylor, 1940
- [*Phyllophaga arkansana*](#) (Schaeffer, 1906)
- [*Phyllophaga arribans*](#) Saylor, 1943
- [*Phyllophaga arrowi*](#) Saylor, 1935
- [*Phyllophaga assmani*](#) Saylor, 1936
- [*Phyllophaga atra*](#) (Moser, 1918)
- [*Phyllophaga atrata*](#) (Moser, 1918)
- [*Phyllophaga atratoides*](#) Morón, 2003
- [*Phyllophaga audanti*](#) Wolcott, 1928
- [*Phyllophaga aurea*](#) Luginbill and Painter, 1941
- [*Phyllophaga austera*](#) (Erichson, 1847)
- [*Phyllophaga avus*](#) (Cockerell, 1922)

B

- [*Phyllophaga babicora*](#) Morón, 2004
- [*Phyllophaga babys*](#) Saylor, 1943

- [*Phyllophaga bahiana*](#) (Saylor, 1935)
- [*Phyllophaga balacachiana*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga balia*](#) (Say, 1825)
- [*Phyllophaga balli*](#) Morón & Woodruff, 2008
- [*Phyllophaga balsana*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga baneta*](#) Saylor, 1943
- [*Phyllophaga baoruco*](#) Woodruff, 2005
- [*Phyllophaga baracoana*](#) Chapin, 1932
- [*Phyllophaga baraguensis*](#) Chapin, 1932
- [*Phyllophaga barda*](#) (Horn, 1887)
- [*Phyllophaga baroni*](#) (Bates, 1889)
- [*Phyllophaga barrerana*](#) Aragon & Morón, 2003
- [*Phyllophaga barrosa*](#) Sanderson, 1951
- [*Phyllophaga batillifer*](#) (Bates, 1887)
- [*Phyllophaga beameri*](#) Sanderson, 1958
- [*Phyllophaga beckeri*](#) (Moser, 1921)
- [*Phyllophaga bellamyi*](#) Warner and Morón, 1992
- [*Phyllophaga benexonana*](#) Morón, 2000
- [*Phyllophaga bicavifrons*](#) Chapin, 1932
- [*Phyllophaga bicolor*](#) (Moser, 1921)
- [*Phyllophaga bilobatata*](#) Saylor, 1939
- [*Phyllophaga bilyi*](#) Chalumeau, 1989
- [*Phyllophaga bimaculata*](#) Garcia-Vidal, 1984
- [*Phyllophaga bimammifrons*](#) Saylor, 1940
- [*Phyllophaga bipartita*](#) (Horn, 1887)
- [*Phyllophaga blackwelderi*](#) Saylor, 1940
- [*Phyllophaga blanchardi*](#) (Arrow, 1933)
- [*Phyllophaga blanda*](#) Sanderson, 1958
- [*Phyllophaga bolacoides*](#) (Bates, 1887)
- [*Phyllophaga boliviensis*](#) (Blanchard, 1851)
- [*Phyllophaga bonfils*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga boruca*](#) Morón, 2003
- [*Phyllophaga bottimeri*](#) Reinhard, 1950
- [*Phyllophaga bowditchi*](#) Saylor, 1938
- [*Phyllophaga brama*](#) Saylor, 1943
- [*Phyllophaga bretti*](#) Smith & Paulsen, 2015
- [*Phyllophaga brevicornis*](#) Garcia-Vidal, 1988
- [*Phyllophaga brevidens*](#) (Bates, 1888)
- [*Phyllophaga brevipilosa*](#) (Moser, 1918)
- [*Phyllophaga brownella*](#) Saylor, 1942
- [*Phyllophaga bruneri*](#) Chapin, 1932 (Cuban May beetle)
- [*Phyllophaga buapae*](#) Morón, 2013

- [*Phyllophaga bucephala*](#) (Bates, 1887)
- [*Phyllophaga bueta*](#) Saylor, 1940

C

- [*Phyllophaga caanchaki*](#) Morón, 1998
- [*Phyllophaga cahitana*](#) Morón, 2001
- [*Phyllophaga calai*](#) Smith & Paulsen, 2015
- [*Phyllophaga calceata*](#) (LeConte, 1856)
- [*Phyllophaga calculiventris*](#) Saylor, 1935
- [*Phyllophaga calderasa*](#) (Saylor, 1937)
- [*Phyllophaga callosiventris*](#) (Moser, 1921)
- [*Phyllophaga cambeforti*](#) Cartwright & Chalumeau, 1977
- [*Phyllophaga campana*](#) Morón & Riley, 2005
- [*Phyllophaga caneyensis*](#) Garcia-Vidal, 1984
- [*Phyllophaga canipolea*](#) Saylor, 1948
- [*Phyllophaga canoa*](#) Sanderson, 1951
- [*Phyllophaga canoana*](#) Morón, 2003
- [*Phyllophaga capillata*](#) (Blanchard, 1851)
- [*Phyllophaga caraga*](#) Saylor, 1943
- [*Phyllophaga cardini*](#) Chapin, 1932
- [*Phyllophaga carminator*](#) (Horn, 1894)
- [*Phyllophaga carnegie*](#) Woodruff, 2005
- [*Phyllophaga cartaba*](#) Sanderson, 1951
- [*Phyllophaga castaniella*](#) (Bates, 1887)
- [*Phyllophaga castineirasi*](#) Garcia-Vidal, 1978
- [*Phyllophaga catemacoana*](#) Morón, 2003
- [*Phyllophaga cavata*](#) (Bates, 1888)
- [*Phyllophaga caviceps*](#) (Moser, 1918)
- [*Phyllophaga cayennensis*](#) (Moser, 1918)
- [*Phyllophaga caymanensis*](#) Sanderson, 1939
- [*Phyllophaga cazahuata*](#) Morón, 2013
- [*Phyllophaga cazieriana*](#) Saylor, 1938
- [*Phyllophaga cececpana*](#) Morón, 2016
- [*Phyllophaga centralis*](#) (Nonfried, 1894)
- [*Phyllophaga certanca*](#) Saylor, 1943
- [*Phyllophaga chada*](#) Saylor, 1948
- [*Phyllophaga chalumeau*](#) Garcia-Vidal, 1984
- [*Phyllophaga chamacayoca*](#) Morón, 1992
- [*Phyllophaga chamula*](#) Morón, 1999
- [*Phyllophaga changuena*](#) Morón, 2003
- [*Phyllophaga chapini*](#) Saylor, 1940
- [*Phyllophaga chiapas*](#) Saylor, 1943

- [*Phyllophaga chiapensis*](#) Chapin, 1935
- [*Phyllophaga chiblacana*](#) Morón, 2003
- [*Phyllophaga chimoxtila*](#) Morón, 2003
- [*Phyllophaga chippewa*](#) Saylor, 1939
- [*Phyllophaga chiriquina*](#) (Bates, 1887)
- [*Phyllophaga chlaenobiana*](#) Saylor, 1936
- [*Phyllophaga choixiana*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga cholana*](#) Morón, 2003
- [*Phyllophaga chortiana*](#) Morón, 2003
- [*Phyllophaga ciliatipes*](#) Blanchard, 1850
- [*Phyllophaga cinnamomea*](#) (Blanchard, 1851)
- [*Phyllophaga citarae*](#) Morón & Neita-Moreno, 2014
- [*Phyllophaga ciudadensis*](#) (Bates, 1888)
- [*Phyllophaga clavijeroi*](#) Morón, 2015
- [*Phyllophaga clemens*](#) (Horn, 1887)
- [*Phyllophaga clypeata*](#) (Horn, 1887)
- [*Phyllophaga cneda*](#) Saylor, 1940
- [*Phyllophaga coahuayana*](#) Morón, 2006
- [*Phyllophaga cochisa*](#) Saylor, 1940
- [*Phyllophaga cocleana*](#) Morón, 2013
- [*Phyllophaga colima*](#) Saylor, 1943
- [*Phyllophaga colimana*](#) (Moser, 1921)
- [*Phyllophaga collaris*](#) (Moser, 1921)
- [*Phyllophaga collaroides*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga columbiana*](#) (Blanchard, 1851)
- [*Phyllophaga comaltepecana*](#) Morón, 2003
- [*Phyllophaga cometes*](#) (Bates, 1887)
- [*Phyllophaga complexipennis*](#) Garcia-Vidal, 1984
- [*Phyllophaga conformis*](#) (Blanchard, 1851)
- [*Phyllophaga congrua*](#) (LeConte, 1856)
- [*Phyllophaga conicariana*](#) Morón, 2006
- [*Phyllophaga contaminata*](#) Fall, 1932
- [*Phyllophaga coronadis*](#) Saylor, 1941
- [*Phyllophaga corrosa*](#) (LeConte, 1856)
- [*Phyllophaga costaricensis*](#) (Moser, 1918)
- [*Phyllophaga costura*](#) Sanderson, 1951
- [*Phyllophaga crassa*](#) (Burmeister, 1855)
- [*Phyllophaga crassissima*](#) (Blanchard, 1851)
- [*Phyllophaga crena*](#) Saylor, 1941
- [*Phyllophaga crenaticollis*](#) (Blanchard, 1851)
- [*Phyllophaga crenonycha*](#) Saylor, 1943
- [*Phyllophaga crenulata*](#) (Frölich, 1792)

- [*Phyllophaga cribrosa*](#) (LeConte, 1853)
- [*Phyllophaga crinipennis*](#) (Bates, 1889)
- [*Phyllophaga crinita*](#) (Burmeister, 1855)
- [*Phyllophaga crinitissima*](#) Wolcott, 1924
- [*Phyllophaga cristagalli*](#) (Arrow, 1933)
- [*Phyllophaga cristobala*](#) Saylor, 1942
- [*Phyllophaga cruces*](#) Morón & Riley, 2005
- [*Phyllophaga cubana*](#) Chapin, 1932
- [*Phyllophaga cuicateca*](#) Morón & Aragon, 1997
- [*Phyllophaga culminata*](#) Bates, 1887
- [*Phyllophaga cupuliformis*](#) Langston, 1924
- [*Phyllophaga curialis*](#) Reinhard, 1939
- [*Phyllophaga cushmani*](#) Saylor, 1940
- [*Phyllophaga cuyabana*](#) (Moser, 1918)
- [*Phyllophaga cylindrica*](#) (Burmeister, 1855)

D–F

- [*Phyllophaga darlingtoni*](#) Sanderson, 1940
- [*Phyllophaga dasypoda*](#) (Bates, 1887)
- [*Phyllophaga davidsoni*](#) Woodruff, 2005
- [*Phyllophaga davisi*](#) Langston, 1927
- [*Phyllophaga debilis*](#) (LeConte, 1856)
- [*Phyllophaga delata*](#) (Horn, 1887)
- [*Phyllophaga deleri*](#) Smith & Paulsen, 2015
- [*Phyllophaga delphinicauda*](#) Androw, 2016
- [*Phyllophaga delplanquei*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga densata*](#) (Moser, 1918)
- [*Phyllophaga densepunctata*](#) (Moser, 1918)
- [*Phyllophaga densicollis*](#) (LeConte, 1863)
- [*Phyllophaga dentex*](#) (Bates, 1888)
- [*Phyllophaga denticulata*](#) (Blanchard, 1851)
- [*Phyllophaga dieteriana*](#) Deloya & Morón, 1998
- [*Phyllophaga diffinis*](#) (Blanchard, 1851)
- [*Phyllophaga diminuta*](#) Evans, 2003
- [*Phyllophaga disca*](#) Saylor, 1943
- [*Phyllophaga discalis*](#) Chapin, 1935
- [*Phyllophaga dispar*](#) (Burmeister, 1855)
- [*Phyllophaga disparilis*](#) (Horn, 1878)
- [*Phyllophaga disrupta*](#) Cockerell, 1927
- [*Phyllophaga dissimilis*](#) (Chevrolat, 1865)
- [*Phyllophaga divertens*](#) (Bates, 1888)
- [*Phyllophaga dominicensis*](#) Cartwright & Chalumeau, 1977

- [*Phyllophaga drakii*](#) (Kirby, 1837)
- [*Phyllophaga dsaimana*](#) Morón, 2003
- [*Phyllophaga dubitata*](#) Garcia-Vidal, 1978
- [*Phyllophaga duenas*](#) Saylor, 1941
- [*Phyllophaga dugesiana*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga dulcis*](#) (Bates, 1887)
- [*Phyllophaga duncani*](#) (Barrett, 1933)
- [*Phyllophaga durango*](#) Saylor, 1940
- [*Phyllophaga durangoana*](#) (Moser, 1921)
- [*Phyllophaga durangosa*](#) Saylor, 1943
- [*Phyllophaga ecostata*](#) (Horn, 1887)
- [*Phyllophaga ecuadorae*](#) Blackwelder, 1944
- [*Phyllophaga edrileyi*](#) Morón, 2015
- [*Phyllophaga eladio*](#) Woodruff, 2005
- [*Phyllophaga elegans*](#) (Nonfried, 1891)
- [*Phyllophaga elenans*](#) Saylor, 1938
- [*Phyllophaga eligia*](#) Sanderson, 1958
- [*Phyllophaga elizoria*](#) Saylor, 1937
- [*Phyllophaga elongata*](#) (Linell, 1896)
- [*Phyllophaga emberae*](#) Morón, 2015
- [*Phyllophaga emburyi*](#) Saylor, 1938
- [*Phyllophaga eniba*](#) Saylor, 1943
- [*Phyllophaga ephilida*](#) (Say, 1825)
- [*Phyllophaga epigaea*](#) (Wickham, 1903)
- [*Phyllophaga epulara*](#) Sanderson, 1958
- [*Phyllophaga erota*](#) (Saylor, 1942)
- [*Phyllophaga errans*](#) (LeConte, 1860)
- [*Phyllophaga espina*](#) Sanderson, 1951
- [*Phyllophaga esquinada*](#) Sanderson, 1951
- [*Phyllophaga estacea*](#) Saylor, 1943
- [*Phyllophaga etabatesiana*](#) Morón, 1992
- [*Phyllophaga euryaspis*](#) (Bates, 1887)
- [*Phyllophaga exorata*](#) (Horn, 1887)
- [*Phyllophaga expansa*](#) Chapin, 1932
- [*Phyllophaga explanicollis*](#) Chapin, 1935
- [*Phyllophaga extincta*](#) (Wickham, 1916)
- [*Phyllophaga falcata*](#) Smith & Paulsen, 2015
- [*Phyllophaga falsa*](#) (LeConte, 1856)
- [*Phyllophaga falta*](#) (LeConte, 1856)
- [*Phyllophaga farcta*](#) (LeConte, 1856)
- [*Phyllophaga favosa*](#) Saylor, 1941
- [*Phyllophaga ferrugata*](#) (Moser, 1918)

- [*Phyllophaga ferruginea*](#) (Moser, 1918)
- [*Phyllophaga ferupilis*](#) Saylor, 1941
- [*Phyllophaga fervida*](#) (Fabricius, 1775)
- [*Phyllophaga fesina*](#) Saylor, 1948
- [*Phyllophaga fimbriata*](#) Chapin, 1932
- [*Phyllophaga fimbripes*](#) (LeConte, 1856)
- [*Phyllophaga fissilabris*](#) (Bates, 1887)
- [*Phyllophaga flavidopilosa*](#) (Moser, 1921)
- [*Phyllophaga flavipennis*](#) (Horn, 1885)
- [*Phyllophaga floridana*](#) Robinson, 1938
- [*Phyllophaga foralita*](#) Saylor, 1938
- [*Phyllophaga forbesi*](#) Glasgow, 1916
- [*Phyllophaga forcipata*](#) (Burmeister, 1855)
- [*Phyllophaga forsteri*](#) (Burmeister, 1855)
- [*Phyllophaga fossoria*](#) Sanderson, 1951
- [*Phyllophaga foveicollis*](#) (Bates, 1887)
- [*Phyllophaga foxii*](#) Davis, 1920
- [*Phyllophaga fragilipennis*](#) (Blanchard, 1851)
- [*Phyllophaga franciscana*](#) Garcia-Vidal, 1984
- [*Phyllophaga fraterna*](#) Harris, 1842
- [*Phyllophaga fraternaria*](#) Cano & Morón, 2002
- [*Phyllophaga freeborni*](#) Saylor, 1937
- [*Phyllophaga fucata*](#) (Horn, 1887)
- [*Phyllophaga fulvipennis*](#) (Blanchard, 1851)
- [*Phyllophaga fulviventris*](#) (Moser, 1918)
- [*Phyllophaga fusca*](#) (Frölich, 1792) (northern June beetle)
- [*Phyllophaga fuscipennis*](#) (Moser, 1918)
- [*Phyllophaga futilis*](#) (LeConte, 1850) (lesser June beetle)

G–I

- [*Phyllophaga gaigei*](#) Sanderson, 1948
- [*Phyllophaga galeanae*](#) Saylor, 1943
- [*Phyllophaga garrota*](#) Sanderson, 1951
- [*Phyllophaga gastonguzmani*](#) Morón, 2016
- [*Phyllophaga gaumeri*](#) (Bates, 1889)
- [*Phyllophaga gentryi*](#) (Saylor, 1936)
- [*Phyllophaga georgiana*](#) (Horn, 1885)
- [*Phyllophaga ghentata*](#) (Saylor, 1937)
- [*Phyllophaga gigantissima*](#) Saylor, 1935
- [*Phyllophaga ginigra*](#) Saylor, 1940
- [*Phyllophaga glaberrima*](#) (Blanchard, 1851)
- [*Phyllophaga glabricula*](#) (LeConte, 1856)

- [*Phyllophaga glorieae*](#) Morón, 2013
- [*Phyllophaga godwini*](#) Morón & Riley, 2005
- [*Phyllophaga gonzalffteri*](#) Morón, 2012
- [*Phyllophaga gracilis*](#) (Burmeister, 1855)
- [*Phyllophaga gracillima*](#) (Von Dalle Torre, 1912)
- [*Phyllophaga gramma*](#) Morón & Woodruff, 2014
- [*Phyllophaga grancha*](#) Saylor, 1948
- [*Phyllophaga granti*](#) Saylor, 1940
- [*Phyllophaga gravidula*](#) (Moser, 1921)
- [*Phyllophaga grossepunctata*](#) (Moser, 1918)
- [*Phyllophaga guanacasteca*](#) Morón & Solis, 2000
- [*Phyllophaga guanicana*](#) Smyth, 1917
- [*Phyllophaga guapilana*](#) Saylor, 1935
- [*Phyllophaga guapiles*](#) Saylor, 1941
- [*Phyllophaga guapilesea*](#) Saylor, 1941
- [*Phyllophaga guapoloides*](#) Morón & Solis, 2001
- [*Phyllophaga guatemala*](#) (Saylor, 1940)
- [*Phyllophaga guerrocans*](#) Saylor, 1938
- [*Phyllophaga haagi*](#) Saylor, 1943
- [*Phyllophaga haitiensis*](#) Woodruff, 2005
- [*Phyllophaga halffteriana*](#) Morón, 1992
- [*Phyllophaga hamata*](#) (Horn, 1887)
- [*Phyllophaga hardyi*](#) Garcia-Vidal, 1984
- [*Phyllophaga hemilissa*](#) (Bates, 1887)
- [*Phyllophaga herminiae*](#) Hernández-Cruz, Morón & Sánchez-García, 2015
- [*Phyllophaga hernandezi*](#) Garcia-Vidal, 1984
- [*Phyllophaga herreraana*](#) Morón, 2017
- [*Phyllophaga heteroclita*](#) (Burmeister, 1855)
- [*Phyllophaga heteronycha*](#) (Bates, 1887)
- [*Phyllophaga hidalgoana*](#) Saylor, 1943
- [*Phyllophaga hintonella*](#) Saylor, 1941
- [*Phyllophaga hintoni*](#) Saylor, 1935
- [*Phyllophaga hirsuta*](#) (Knoch, 1801)
- [*Phyllophaga hirticollis*](#) (Moser, 1921)
- [*Phyllophaga hirticula*](#) (Knoch, 1801)
- [*Phyllophaga hirtifrons*](#) (Moser, 1921)
- [*Phyllophaga hirtiventris*](#) (Horn, 1887)
- [*Phyllophaga hoegei*](#) (Bates, 1887)
- [*Phyllophaga hoegella*](#) Saylor, 1943
- [*Phyllophaga hoffmanitae*](#) Morón, 1996
- [*Phyllophaga hogardi*](#) (Blanchard, 1851)
- [*Phyllophaga holguinensis*](#) Smith & Paulsen, 2015

- [*Phyllophaga hondura*](#) Saylor, 1943
- [*Phyllophaga hondurasana*](#) (Moser, 1921)
- [*Phyllophaga hoogstraali*](#) Saylor, 1943
- [*Phyllophaga hornii*](#) (Smith, 1889)
- [*Phyllophaga howdeniana*](#) Morón, 1992
- [*Phyllophaga howdenryi*](#) Morón & Maes, 2014
- [*Phyllophaga huachuca*](#) Saylor, 1940
- [*Phyllophaga hubbelli*](#) Cartwright, 1946
- [*Phyllophaga huiteaca*](#) Morón, 2006
- [*Phyllophaga humboldtiana*](#) Morón, 2003
- [*Phyllophaga idonea*](#) Sanderson, 1948
- [*Phyllophaga ignava*](#) (Horn, 1887)
- [*Phyllophaga ilicis*](#) (Knoch, 1801)
- [*Phyllophaga imeldae*](#) Morón, 2017
- [*Phyllophaga imitans*](#) Frey, 1975
- [*Phyllophaga imitatrix*](#) Chapin, 1932
- [*Phyllophaga impar*](#) Davis, 1920
- [*Phyllophaga implicita*](#) (Horn, 1887)
- [*Phyllophaga impressipyga*](#) Frey, 1975
- [*Phyllophaga imprima*](#) Sanderson, 1951
- [*Phyllophaga incuria*](#) Sanderson, 1942
- [*Phyllophaga independentista*](#) Garcia-Vidal, 1984
- [*Phyllophaga inepta*](#) (Horn, 1887)
- [*Phyllophaga infidelis*](#) (Horn, 1887)
- [*Phyllophaga inflativentris*](#) (Moser, 1918)
- [*Phyllophaga inflexa*](#) Barrett, 1935
- [*Phyllophaga instabilis*](#) Blackwelder, 1944
- [*Phyllophaga insulaepinora*](#) Garcia-Vidal, 1978
- [*Phyllophaga insulana*](#) (Moser, 1918)
- [*Phyllophaga insularis*](#) Smyth, 1917
- [*Phyllophaga integra*](#) (Say, 1835)
- [*Phyllophaga integriceps*](#) (Moser, 1918)
- [*Phyllophaga inversa*](#) (Horn, 1887)
- [*Phyllophaga invisa*](#) Riley & Wolfe, 1997
- [*Phyllophaga irazuana*](#) Saylor, 1936
- [*Phyllophaga isabellae*](#) Morón & Rivera, 2001
- [*Phyllophaga itsmica*](#) Morón, 2000
- [*Phyllophaga iviei*](#) Chalumeau, 1985
- [*Phyllophaga izabalana*](#) Morón, 2003
- [*Phyllophaga izucarana*](#) Morón & Aragon, 1997

J–L

- [*Phyllophaga jalisciensis*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga jamaicana*](#) (Moser, 1918)
- [*Phyllophaga janzeniana*](#) Morón & Solis, 2000
- [*Phyllophaga jaragua*](#) Woodruff, 2005
- [*Phyllophaga jaronua*](#) Chapin, 1932
- [*Phyllophaga javepacuana*](#) Morón, 2003
- [*Phyllophaga jeanmathieui*](#) Morón & Woodruff, 2014
- [*Phyllophaga jiminezi*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga jorgevaldezi*](#) Hernández-Cruz, Morón & Sánchez-García, 2015
- [*Phyllophaga josepalaciosi*](#) Morón & Nogueira, 2012
- [*Phyllophaga jovelana*](#) Morón & Cano, 2000
- [*Phyllophaga joyana*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga jumberea*](#) (Saylor, 1942)
- [*Phyllophaga juquilana*](#) Morón, 2000
- [*Phyllophaga juvenilis*](#) (Fall, 1932)
- [*Phyllophaga karlsioei*](#) (Linell, 1898)
- [*Phyllophaga kayaumariana*](#) Morón & Nogueira, 2014
- [*Phyllophaga kenscoffi*](#) Wolcott, 1928
- [*Phyllophaga kentuckiana*](#) Ritcher, 1937
- [*Phyllophaga knausi*](#) (Schaeffer, 1907)
- [*Phyllophaga knausii*](#) (Schaeffer, 1907)
- [*Phyllophaga knochi*](#) (Gyllenhal, 1817)
- [*Phyllophaga knochii*](#) (Schönherr and Gyllenhal, 1817)
- [*Phyllophaga koehleriana*](#) Saylor, 1940
- [*Phyllophaga kohlmanniana*](#) Morón & Solis, 2000
- [*Phyllophaga kulzeri*](#) Frey, 1975
- [*Phyllophaga kuntzeni*](#) (Moser, 1921)
- [*Phyllophaga laboriosa*](#) Garcia-Vidal, 1988
- [*Phyllophaga labrata*](#) Chapin, 1932
- [*Phyllophaga lacroixi*](#) Paulian, 1947
- [*Phyllophaga laevigata*](#) Blanchard, 1851
- [*Phyllophaga lalanza*](#) Saylor, 1941
- [*Phyllophaga laminata*](#) (Moser, 1921)
- [*Phyllophaga lanata*](#) (Blanchard, 1851)
- [*Phyllophaga lanceolata*](#) (Say, 1824)
- [*Phyllophaga lanepta*](#) (Saylor, 1937)
- [*Phyllophaga laportaei*](#) (Blanchard, 1851)
- [*Phyllophaga laportei*](#) Blanchard, 1851
- [*Phyllophaga larimar*](#) Woodruff, 2005
- [*Phyllophaga latefissa*](#) (Moser, 1918)
- [*Phyllophaga latens*](#) (Arrow, 1900)

- [*Phyllophaga latidens*](#) (Schaeffer, 1906)
- [*Phyllophaga latifrons*](#) (LeConte, 1856)
- [*Phyllophaga latipes*](#) Bates, 1887
- [*Phyllophaga latiungula*](#) Wolcott, 1928
- [*Phyllophaga lebasii*](#) (Blanchard, 1851)
- [*Phyllophaga lempira*](#) Morón & Robbins, 2004
- [*Phyllophaga lenis*](#) (Horn, 1887)
- [*Phyllophaga leonilae*](#) Morón, 1995
- [*Phyllophaga leonina*](#) (Bates, 1887)
- [*Phyllophaga leporina*](#) (Erichson, 1848)
- [*Phyllophaga leprieuri*](#) (Blanchard, 1851)
- [*Phyllophaga leptospica*](#) Sanderson, 1951
- [*Phyllophaga lineata*](#) (Bates, 1887)
- [*Phyllophaga lineatoides*](#) Morón, 2000
- [*Phyllophaga linharesensis*](#) Frey, 1975
- [*Phyllophaga lobata*](#) (Fall, 1908)
- [*Phyllophaga lodingi*](#) Sanderson, 1939
- [*Phyllophaga longicornis*](#) (Blanchard, 1851)
- [*Phyllophaga longifoliata*](#) (Moser, 1921)
- [*Phyllophaga longispina*](#) (Smith, 1889)
- [*Phyllophaga longitarsa*](#) (Say, 1824)
- [*Phyllophaga lorencita*](#) Morón & Solis, 2001
- [*Phyllophaga lota*](#) Luginbill, 1928
- [*Phyllophaga loxichana*](#) Morón, 2017
- [*Phyllophaga luctuosa*](#) (Horn, 1887)
- [*Phyllophaga luginbilli*](#) Saylor, 1941
- [*Phyllophaga lulaana*](#) Morón, 2000
- [*Phyllophaga luridipennis*](#) (Moser, 1918)

M

- [*Phyllophaga macasana*](#) (Moser, 1921)
- [*Phyllophaga macgregori*](#) Morón, 2004
- [*Phyllophaga macmurryi*](#) Saylor, 1940
- [*Phyllophaga macrocera*](#) (Bates, 1887)
- [*Phyllophaga macrophylla*](#) (Bates, 1887)
- [*Phyllophaga maculicollis*](#) (LeConte, 1863)
- [*Phyllophaga maestrensis*](#) Garcia-Vidal, 1984
- [*Phyllophaga magnicornis*](#) (Moser, 1921)
- [*Phyllophaga mali*](#) Wolcott, 1928
- [*Phyllophaga manantleca*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga manaosana*](#) (Moser, 1924)
- [*Phyllophaga manchesterea*](#) Saylor, 1940

- [*Phyllophaga mandevillea*](#) Saylor, 1940
- [*Phyllophaga manibota*](#) Smith & Paulsen, 2015
- [*Phyllophaga marcano*](#) Woodruff, 2005
- [*Phyllophaga marcapatana*](#) (Moser, 1918)
- [*Phyllophaga marginalis*](#) (LeConte, 1856)
- [*Phyllophaga mariaegalante*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga mariana*](#) Fall, 1929
- [*Phyllophaga marilucasana*](#) Cano & Morón, 2002
- [*Phyllophaga marina*](#) Garcia-Vidal, 1987
- [*Phyllophaga martiana*](#) Saylor, 1943
- [*Phyllophaga martincampoi*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga martinezi*](#) Frey, 1975
- [*Phyllophaga martinezpalcios*](#) Morón, 1989
- [*Phyllophaga matacapana*](#) Morón, 2003
- [*Phyllophaga maxima*](#) Bates, 1887
- [*Phyllophaga meadei*](#) Saylor, 1940
- [*Phyllophaga mella*](#) Sanderson, 1951
- [*Phyllophaga menetriesi*](#) (Blanchard, 1851)
- [*Phyllophaga mentalis*](#) Saylor, 1941
- [*Phyllophaga mesophylla*](#) Morón & Rivera, 1992
- [*Phyllophaga mexicana*](#) (Blanchard, 1851)
- [*Phyllophaga micans*](#) (Knoch, 1801)
- [*Phyllophaga michelbacheri*](#) Saylor, 1940
- [*Phyllophaga microcera*](#) (Arrow, 1933)
- [*Phyllophaga microcerus*](#) (Arrow, 1933)
- [*Phyllophaga microchaeta*](#) (Moser, 1924)
- [*Phyllophaga microphylla*](#) (Moser, 1918)
- [*Phyllophaga micros*](#) (Bates, 1888)
- [*Phyllophaga microsoma*](#) Chapin, 1932
- [*Phyllophaga migratoria*](#) Garcia-Vidal, 1984
- [*Phyllophaga mimicana*](#) Saylor, 1938
- [*Phyllophaga minutissima*](#) Wolcott, 1928
- [*Phyllophaga miraflora*](#) Saylor, 1940
- [*Phyllophaga misteca*](#) (Bates, 1888)
- [*Phyllophaga mitlana*](#) Saylor, 1943
- [*Phyllophaga moei*](#) Saylor, 1938
- [*Phyllophaga molopia*](#) (Bates, 1888)
- [*Phyllophaga monana*](#) (Moser, 1921)
- [*Phyllophaga monrosi*](#) Frey, 1975
- [*Phyllophaga monstrosa*](#) (Saylor, 1935)
- [*Phyllophaga montserratensis*](#) (Arrow, 1920)
- [*Phyllophaga morganella*](#) Saylor, 1942

- [*Phyllophaga morgani*](#) Saylor, 1938
- [*Phyllophaga moserella*](#) Morón, 2016
- [*Phyllophaga moseri*](#) Frey, 1965
- [*Phyllophaga mucorea*](#) (LeConte, 1856)
- [*Phyllophaga munizi*](#) Morón, 2008
- [*Phyllophaga murina*](#) (Burmeister, 1855)
- [*Phyllophaga muwieriana*](#) Morón & Nogueira, 2014

N–O

- [*Phyllophaga nahui*](#) Morón & Solis, 1994
- [*Phyllophaga nandalumia*](#) Morón & Riley, 2005
- [*Phyllophaga naranjina*](#) Morón & Solis, 2001
- [*Phyllophaga nasalis*](#) Chapin, 1935
- [*Phyllophaga navassa*](#) (Woodruff & Steiner, 2011)
- [*Phyllophaga navidad*](#) Morón & Woodruff, 2008
- [*Phyllophaga nebulosa*](#) Polihronakis, 2007
- [*Phyllophaga necaxa*](#) Saylor, 1943
- [*Phyllophaga neglecta*](#) (Blanchard, 1851)
- [*Phyllophaga neomexicana*](#) Saylor, 1940
- [*Phyllophaga nepida*](#) Saylor, 1941
- [*Phyllophaga nevermannea*](#) Saylor, 1941
- [*Phyllophaga nevermanni*](#) Saylor, 1935
- [*Phyllophaga nevomeana*](#) Morón, 2006
- [*Phyllophaga nigerrima*](#) (Bates, 1887)
- [*Phyllophaga nigrita*](#) (Moser, 1918)
- [*Phyllophaga nigropicea*](#) (Walker, 1866)
- [*Phyllophaga niquirana*](#) Moron, 1990
- [*Phyllophaga nisuens*](#) (Saylor, 1937)
- [*Phyllophaga nitida*](#) (LeConte, 1856)
- [*Phyllophaga nitidicauda*](#) (Arrow, 1913)
- [*Phyllophaga nitidicollis*](#) (Blanchard, 1851)
- [*Phyllophaga nitididorsis*](#) Frey, 1975
- [*Phyllophaga nogales*](#) Saylor, 1940
- [*Phyllophaga nogueirana*](#) Morón, 2002
- [*Phyllophaga nosa*](#) Blackwelder, 1944
- [*Phyllophaga nubipennis*](#) Bates, 1887
- [*Phyllophaga nuda*](#) (Moser, 1918)
- [*Phyllophaga nudipennis*](#) Frey, 1975
- [*Phyllophaga nunezi*](#) Woodruff, 2005
- [*Phyllophaga oaxaca*](#) Saylor, 1940
- [*Phyllophaga oaxena*](#) Saylor, 1940
- [*Phyllophaga obliquestriata*](#) Saylor, 1938

- [*Phyllophaga oblongula*](#) Bates, 1887
- [*Phyllophaga obsoleta*](#) (Blanchard, 1851)
- [*Phyllophaga ocozocuana*](#) Morón, 2003
- [*Phyllophaga odomi*](#) Saylor, 1943
- [*Phyllophaga ohausi*](#) (Moser, 1921)
- [*Phyllophaga okeechobea*](#) Robinson, 1948
- [*Phyllophaga omani*](#) Sanderson, 1937
- [*Phyllophaga ome*](#) Morón, 1991
- [*Phyllophaga omitemia*](#) Bates, 1889
- [*Phyllophaga onchophora*](#) Chapin, 1932
- [*Phyllophaga onita*](#) Saylor, 1941
- [*Phyllophaga onoreana*](#) Morón, 2003
- [*Phyllophaga opaca*](#) (Moser, 1918)
- [*Phyllophaga opacicollis*](#) (Horn, 1878)
- [*Phyllophaga orosina*](#) (Moser, 1918)
- [*Phyllophaga ortizi*](#) Woodruff, 2005
- [*Phyllophaga ovalis*](#) (Cartwright, 1939)

P

- [*Phyllophaga pachuca*](#) Saylor, 1943
- [*Phyllophaga pachypyga*](#) (Burmeister, 1855)
- [*Phyllophaga pallida*](#) (Horn, 1885)
- [*Phyllophaga pallidicornis*](#) (Moser, 1921)
- [*Phyllophaga pameana*](#) Morón, 2000
- [*Phyllophaga panamana*](#) Chapin, 1935
- [*Phyllophaga panamensis*](#) (Moser, 1921)
- [*Phyllophaga panicula*](#) Sanderson, 1951
- [*Phyllophaga panorpa*](#) Sanderson, 1950
- [*Phyllophaga papaloana*](#) Morón, 2001
- [*Phyllophaga paraguayana*](#) (Moser, 1921)
- [*Phyllophaga paraguayensis*](#) (Moser, 1918)
- [*Phyllophaga parallela*](#) (Blanchard, 1851)
- [*Phyllophaga parcesetifera*](#) Chapin, 1935
- [*Phyllophaga parilis*](#) (Bates, 1888)
- [*Phyllophaga parumpunctata*](#) (Bates, 1887)
- [*Phyllophaga parvicornis*](#) (Moser, 1924)
- [*Phyllophaga parvidens*](#) (LeConte, 1856)
- [*Phyllophaga parvisetis*](#) (Bates, 1887)
- [*Phyllophaga pastassana*](#) (Moser, 1924)
- [*Phyllophaga paternoi*](#) Glasgow, 1925
- [*Phyllophaga patruelis*](#) (Chevrolat, 1865)
- [*Phyllophaga patrueloides*](#) Paulian, 1947

- [*Phyllophaga pauliani*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga pauloensis*](#) Frey, 1975
- [*Phyllophaga pearliae*](#) Davis, 1920
- [*Phyllophaga peccata*](#) Blackwelder, 1944
- [*Phyllophaga pectoralis*](#) (Blanchard, 1851)
- [*Phyllophaga pedernales*](#) Woodruff, 2005
- [*Phyllophaga penaella*](#) Frey, 1975
- [*Phyllophaga peninsulana*](#) (Moser, 1918)
- [*Phyllophaga peninsularis*](#) Saylor, 1940
- [*Phyllophaga pentaphylla*](#) (Bates, 1888)
- [*Phyllophaga perfidia*](#) Smith & Paulsen, 2015
- [*Phyllophaga perlonga*](#) Davis, 1920
- [*Phyllophaga permagna*](#) (Moser, 1918)
- [*Phyllophaga persimilis*](#) Chapin, 1935
- [*Phyllophaga personata*](#) Chapin, 1935
- [*Phyllophaga peruana*](#) (Moser, 1918)
- [*Phyllophaga picadoana*](#) Morón & Solis, 2000
- [*Phyllophaga picea*](#) (Blanchard, 1851)
- [*Phyllophaga piceola*](#) (Bates, 1887)
- [*Phyllophaga picipennis*](#) (Moser, 1918)
- [*Phyllophaga piligera*](#) (Moser, 1918)
- [*Phyllophaga piliventris*](#) (Moser, 1918)
- [*Phyllophaga pilosipes*](#) Saylor, 1940
- [*Phyllophaga pilositaris*](#) Blackwelder, 1944
- [*Phyllophaga pilosula*](#) (Moser, 1918)
- [*Phyllophaga pilotoensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga pilula*](#) (Moser, 1921)
- [*Phyllophaga pinophilus*](#) Morón & Woodruff, 2014
- [*Phyllophaga plaei*](#) (Blanchard, 1851)
- [*Phyllophaga plairi*](#) (Saylor, 1937)
- [*Phyllophaga planeta*](#) Reinhard, 1950
- [*Phyllophaga platti*](#) Saylor, 1935
- [*Phyllophaga platyrhina*](#) (Bates, 1887)
- [*Phyllophaga plena*](#) (Fall, 1932)
- [*Phyllophaga pleroma*](#) Reinhard, 1940
- [*Phyllophaga poculifer*](#) (Bates, 1887)
- [*Phyllophaga pokornyiana*](#) Morón, 1995
- [*Phyllophaga polita*](#) (Harold, 1869)
- [*Phyllophaga polyphylla*](#) (Bates, 1887)
- [*Phyllophaga postrema*](#) (Horn, 1887)
- [*Phyllophaga poterillosa*](#) Saylor, 1942
- [*Phyllophaga potosisalta*](#) Morón & Woodruff, 2008

- [*Phyllophaga potrerillo*](#) Garcia-Vidal, 1987
- [*Phyllophaga praesidii*](#) (Bates, 1888)
- [*Phyllophaga praetermissa*](#) (Horn, 1887)
- [*Phyllophaga probaporra*](#) Sanderson, 1951
- [*Phyllophaga profunda*](#) (Blanchard, 1851)
- [*Phyllophaga proluxa*](#) (Bates, 1887)
- [*Phyllophaga propinqua*](#) (Moser, 1918)
- [*Phyllophaga pruinipennis*](#) (Moser, 1918)
- [*Phyllophaga pruinosa*](#) (Blanchard, 1851)
- [*Phyllophaga prunina*](#) (LeConte, 1856)
- [*Phyllophaga prununculina*](#) (Burmeister, 1855)
- [*Phyllophaga pseudoatra*](#) Morón, 2003
- [*Phyllophaga pseudocalcaris*](#) Saylor, 1940
- [*Phyllophaga pseudocarus*](#) Morón, 1999
- [*Phyllophaga pseudofloridana*](#) Woodruff and Beck, 1989
- [*Phyllophaga pseudomicans*](#) Chapin, 1935
- [*Phyllophaga psiloptera*](#) Sanderson, 1939
- [*Phyllophaga puberea*](#) (Mannerheim, 1829)
- [*Phyllophaga puberula*](#) (Jacquelin Du Val, 1856)
- [*Phyllophaga pubescens*](#) (Burmeister, 1855)
- [*Phyllophaga pubicauda*](#) (Bates, 1887)
- [*Phyllophaga pubicollis*](#) (Blanchard, 1851)
- [*Phyllophaga pudorosa*](#) Reinhard, 1939
- [*Phyllophaga puerilis*](#) Wickham, 1914
- [*Phyllophaga pulcher*](#) (Linell, 1896)
- [*Phyllophaga punctipennis*](#) (Blanchard, 1851)
- [*Phyllophaga punctulata*](#) (Blanchard, 1851)
- [*Phyllophaga punctuliceps*](#) Bates, 1887
- [*Phyllophaga punctulicollis*](#) (Bates, 1887)
- [*Phyllophaga puntarenosa*](#) Morón & Solis, 2001
- [*Phyllophaga pusillidens*](#) Fall, 1937

Q–R

- [*Phyllophaga quadriphylla*](#) Saylor, 1943
- [*Phyllophaga quercus*](#) (Knoch, 1801)
- [*Phyllophaga quercus*](#) (Knoch, 1801)
- [*Phyllophaga quetzala*](#) Morón, 2001
- [*Phyllophaga quetzaloides*](#) Morón, 2001
- [*Phyllophaga quetzalpoa*](#) Morón, 2015
- [*Phyllophaga quiana*](#) Morón, 2003
- [*Phyllophaga quituana*](#) Morón, 2015
- [*Phyllophaga rafaelamothei*](#) Morón, 2016

- [*Phyllophaga rangelana*](#) Chapin, 1935
- [*Phyllophaga ratcliffeiana*](#) Morón, 1992
- [*Phyllophaga ravidia*](#) (Blanchard, 1851)
- [*Phyllophaga rawlinsi*](#) Woodruff, 2005
- [*Phyllophaga raydoma*](#) (Saylor, 1943)
- [*Phyllophaga recorta*](#) Sanderson, 1951
- [*Phyllophaga reevesi*](#) Saylor, 1939
- [*Phyllophaga regiomontana*](#) Morón, 2001
- [*Phyllophaga reinhardi*](#) Saylor, 1940
- [*Phyllophaga renodis*](#) Reinhard, 1939
- [*Phyllophaga reticulata*](#) Frey, 1975
- [*Phyllophaga reventazona*](#) Saylor, 1936
- [*Phyllophaga rex*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga reyescastilloi*](#) Morón, 2013
- [*Phyllophaga reyesiana*](#) Morón, 1992
- [*Phyllophaga reyesolivasi*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga riverana*](#) Morón, 2004
- [*Phyllophaga riviera*](#) Reinhard, 1950
- [*Phyllophaga roberterroni*](#) Morón, 2017
- [*Phyllophaga rodriguezi*](#) Bates, 1889
- [*Phyllophaga rolbakeri*](#) Saylor, 1940
- [*Phyllophaga rolstoni*](#) Riley & Wolfe, 1997
- [*Phyllophaga romana*](#) Saylor, 1946
- [*Phyllophaga rorida*](#) (Burmeister, 1855)
- [*Phyllophaga rorulenta*](#) (Burmeister, 1855)
- [*Phyllophaga roscida*](#) (Burmeister, 1855)
- [*Phyllophaga rossi*](#) Saylor, 1939
- [*Phyllophaga rostrypyga*](#) (Bates, 1888)
- [*Phyllophaga rubiginosa*](#) (LeConte, 1856)
- [*Phyllophaga rubricosa*](#) Reinhard, 1939
- [*Phyllophaga ruficollis*](#) (Moser, 1915)
- [*Phyllophaga rufipes*](#) (Moser, 1924)
- [*Phyllophaga rufithorax*](#) (Moser, 1921)
- [*Phyllophaga rufiventris*](#) (Kirsch, 1885)
- [*Phyllophaga rufotestacea*](#) (Moser, 1918)
- [*Phyllophaga rugicollis*](#) (Bates, 1887)
- [*Phyllophaga rugipennis*](#) (Schaufuss, 1858)
- [*Phyllophaga rugithorax*](#) Saylor, 1938
- [*Phyllophaga rugosa*](#) (Melsheimer, 1845) (rugose June beetle)
- [*Phyllophaga rugulosa*](#) (Blanchard, 1851)
- [*Phyllophaga rustica*](#) Woodruff, 2005
- [*Phyllophaga rzedowskiana*](#) Aragon & Morón, 2003

S

- [*Phyllophaga sacoma*](#) Reinhard, 1939
- [*Phyllophaga saginata*](#) (Mannerheim, 1829)
- [*Phyllophaga sahadundinoi*](#) Morón, 2015
- [*Phyllophaga saltana*](#) Frey, 1975
- [*Phyllophaga sanbarthensis*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga sanctipauli*](#) (Blanchard, 1851)
- [*Phyllophaga sandersoni*](#) Garcia-Vidal, 1988
- [*Phyllophaga sandersoniana*](#) Morón, 1992
- [*Phyllophaga sandersoniella*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga santachloe*](#) Woodruff, 2005
- [*Phyllophaga santaclarae*](#) Chapin, 1932
- [*Phyllophaga santiagozai*](#) Morón, 2011
- [*Phyllophaga santiaguensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga sarlacca*](#) Smith & Paulsen, 2015
- [*Phyllophaga saylori*](#) Sanderson, 1965
- [*Phyllophaga sayloriana*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga scabrifrons*](#) (Bates, 1887)
- [*Phyllophaga scabripygma*](#) Bates, 1887
- [*Phyllophaga scaramuzzai*](#) Garcia-Vidal, 1988
- [*Phyllophaga schaefferi*](#) Saylor, 1937
- [*Phyllophaga schenklingi*](#) Moser, 1918
- [*Phyllophaga schizorhina*](#) (Bates, 1887)
- [*Phyllophaga schizorhinoides*](#) Morón, 2003
- [*Phyllophaga schneblei*](#) Frey, 1975
- [*Phyllophaga schusteriana*](#) (Cano & Morón, 2002)
- [*Phyllophaga schwarzi*](#) Chapin, 1932
- [*Phyllophaga sciassa*](#) (Bates, 1887)
- [*Phyllophaga scitula*](#) (Horn, 1887)
- [*Phyllophaga scoparia*](#) (LeConte, 1856)
- [*Phyllophaga scuticeps*](#) (Bates, 1888)
- [*Phyllophaga secessicola*](#) Smith & Paulsen, 2015
- [*Phyllophaga segregans*](#) (Bates, 1888)
- [*Phyllophaga senex*](#) (Horn, 1878)
- [*Phyllophaga senicula*](#) (Bates, 1887)
- [*Phyllophaga sequoiana*](#) Saylor, 1936
- [*Phyllophaga sericata*](#) (Erichson, 1848)
- [*Phyllophaga serrana*](#) Morón & Cano, 2000
- [*Phyllophaga serratipes*](#) Morón & Cano, 2000
- [*Phyllophaga setifera*](#) (Burmeister, 1855)
- [*Phyllophaga sibonyensis*](#) Garcia-Vidal, 1988
- [*Phyllophaga signaticollis*](#) (Burmeister, 1855)

- [*Phyllophaga sinaloana*](#) Saylor, 1935
- [*Phyllophaga sinicollis*](#) Saylor, 1943
- [*Phyllophaga sinuaticeps*](#) (Moser, 1921)
- [*Phyllophaga skelleyi*](#) Woodruff and Beck, 1989
- [*Phyllophaga smithi*](#) (Arrow, 1912)
- [*Phyllophaga snowi*](#) Saylor, 1940
- [*Phyllophaga sociata*](#) (Horn, 1878)
- [*Phyllophaga sodalis*](#) Reinhard, 1940
- [*Phyllophaga sodialis*](#) Reinhard, 1940
- [*Phyllophaga solanophaga*](#) Morón, 1988
- [*Phyllophaga solavegana*](#) Morón, 2000
- [*Phyllophaga solisiana*](#) Morón, 2003
- [*Phyllophaga sonora*](#) Saylor, 1939
- [*Phyllophaga soror*](#) Davis, 1920
- [*Phyllophaga spaethi*](#) (Nonfried, 1891)
- [*Phyllophaga speculifera*](#) (Chevrolat, 1865)
- [*Phyllophaga spinicola*](#) Garcia-Vidal, 1984
- [*Phyllophaga spinifemora*](#) Saylor, 1940
- [*Phyllophaga spinitarsis*](#) (Moser, 1921)
- [*Phyllophaga spreata*](#) (Horn, 1887)
- [*Phyllophaga squamifera*](#) Frey, 1976
- [*Phyllophaga squamipilosa*](#) Saylor, 1937
- [*Phyllophaga stehlei*](#) Chalumeau, 1985
- [*Phyllophaga stipitalis*](#) (Blanchard, 1851)
- [*Phyllophaga stohleri*](#) Saylor, 1938
- [*Phyllophaga straminea*](#) (Bates, 1887)
- [*Phyllophaga sturmi*](#) (Bates, 1887)
- [*Phyllophaga stzotzilana*](#) Morón, 2001
- [*Phyllophaga submetallica*](#) (Bates, 1887)
- [*Phyllophaga submucida*](#) (LeConte, 1856)
- [*Phyllophaga subnitida*](#) (Moser, 1918)
- [*Phyllophaga subopaca*](#) (Moser, 1918)
- [*Phyllophaga subpruinosa*](#) (Casey, 1884)
- [*Phyllophaga subrugosa*](#) (Moser, 1924)
- [*Phyllophaga subspinosa*](#) (Harris, 1826)
- [*Phyllophaga subtonsa*](#) (LeConte, 1856)
- [*Phyllophaga suriana*](#) Morón, 2002
- [*Phyllophaga suttonana*](#) Reinhard, 1939
- [*Phyllophaga suturalis*](#) (Chevrolat, 1865)
- [*Phyllophaga sylvatica*](#) Sanderson, 1942

T

- [*Phyllophaga tajimaroana*](#) Morón, 2000
- [*Phyllophaga talamancana*](#) Morón & Solis, 2001
- [*Phyllophaga tamatziana*](#) Morón & Nogueira, 2014
- [*Phyllophaga tancitara*](#) Saylor, 1943
- [*Phyllophaga tapantina*](#) Morón & Solis, 2001
- [*Phyllophaga tarsalis*](#) (Schaeffer, 1908)
- [*Phyllophaga tascatensis*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga taxodii*](#) Langston, 1924
- [*Phyllophaga tecta*](#) Cartwright, 1944
- [*Phyllophaga tegenara*](#) Saylor, 1935
- [*Phyllophaga tegulicollis*](#) Saylor, 1934
- [*Phyllophaga tejupana*](#) Morón, 2000
- [*Phyllophaga tejupilcas*](#) Saylor, 1943
- [*Phyllophaga temascalis*](#) Saylor, 1941
- [*Phyllophaga temascaltepeca*](#) Saylor, 1934
- [*Phyllophaga temaxa*](#) Saylor, 1940
- [*Phyllophaga temora*](#) Saylor, 1943
- [*Phyllophaga tenuipilis*](#) (Bates, 1887)
- [*Phyllophaga teosinteophaga*](#) Morón & Rivera, 1992
- [*Phyllophaga tepanana*](#) Saylor, 1938
- [*Phyllophaga tepequetzala*](#) Morón, 2015
- [*Phyllophaga terezinae*](#) Frey, 1965
- [*Phyllophaga terminalis*](#) Saylor, 1935
- [*Phyllophaga tesorito*](#) Vallejo & Wolff, 2013
- [*Phyllophaga tetracera*](#) Chapin, 1932
- [*Phyllophaga tetraphylla*](#) (Moser, 1918)
- [*Phyllophaga texensis*](#) Saylor, 1940
- [*Phyllophaga thoracica*](#) (Burmeister, 1855)
- [*Phyllophaga tilarana*](#) Morón & Solis, 2001
- [*Phyllophaga timida*](#) (Horn, 1878)
- [*Phyllophaga tlamana*](#) Morón, 2016
- [*Phyllophaga tlanchinolensis*](#) Morón, 2000
- [*Phyllophaga tojolabala*](#) Morón, 1999
- [*Phyllophaga toni*](#) Woodruff, 2005
- [*Phyllophaga torta*](#) (LeConte, 1856)
- [*Phyllophaga totonis*](#) Saylor, 1941
- [*Phyllophaga totoreana*](#) Morón, 2006
- [*Phyllophaga trichoderma*](#) (Moser, 1921)
- [*Phyllophaga trichodes*](#) (Bates, 1890)
- [*Phyllophaga tridens*](#) (Bates, 1887)
- [*Phyllophaga tridilonycha*](#) Saylor, 1943

- [*Phyllophaga trinitariensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga tristis*](#) (Fabricius, 1781)
- [*Phyllophaga triticophaga*](#) Morón & Salvadori, 1998
- [*Phyllophaga trochanter*](#) Saylor, 1940
- [*Phyllophaga tsajumiana*](#) Morón, 2001
- [*Phyllophaga tuberculifrons*](#) (Chevrolat, 1865)
- [*Phyllophaga tumulosa*](#) Bates, 1887
- [*Phyllophaga tusa*](#) (Horn, 1887)
- [*Phyllophaga tuxtleca*](#) Morón, 2003
- [*Phyllophaga tzintzontliana*](#) Morón, 1992

U–Z

- [*Phyllophaga ueiacayoca*](#) Morón, 1992
- [*Phyllophaga ulkei*](#) (Smith, 1889)
- [*Phyllophaga umbrosa*](#) (Erichson, 1847)
- [*Phyllophaga uniformis*](#) (Blanchard, 1851)
- [*Phyllophaga uruguayana*](#) (Saylor, 1935)
- [*Phyllophaga valeriana*](#) Saylor, 1934
- [*Phyllophaga valia*](#) Saylor, 1940
- [*Phyllophaga vallendensis*](#) Morón, 2013
- [*Phyllophaga vandinei*](#) Smyth, 1917
- [*Phyllophaga vandykei*](#) Saylor, 1935
- [*Phyllophaga varohiana*](#) Morón, 2006
- [*Phyllophaga vazquezae*](#) Morón, 1995
- [*Phyllophaga vehemens*](#) (Horn, 1887)
- [*Phyllophaga velezangeli*](#) Morón & Neita-Moreno, 2014
- [*Phyllophaga venodiola*](#) Saylor, 1948
- [*Phyllophaga vermiculata*](#) Chapin, 1932
- [*Phyllophaga verruciventris*](#) (Moser, 1918)
- [*Phyllophaga vestita*](#) (Moser, 1918)
- [*Phyllophaga vetula*](#) (Horn, 1887)
- [*Phyllophaga vexata*](#) (Horn, 1885)
- [*Phyllophaga vicina*](#) (Moser, 1918)
- [*Phyllophaga vilifrons*](#) (LeConte, 1856)
- [*Phyllophaga villaclarensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga villardoi*](#) Morón & Ordóñez-Reséndiz, 2015
- [*Phyllophaga villifrons*](#) (LeConte, 1856)
- [*Phyllophaga violetae*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga vulpes*](#) (Arrow, 1913)
- [*Phyllophaga wickhami*](#) Saylor, 1940
- [*Phyllophaga wittkugeli*](#) (Nonfried, 1891)
- [*Phyllophaga wolcotti*](#) Saylor, 1940

- [*Phyllophaga xalacoatepecana*](#) Morón, 2015
- [*Phyllophaga xanthe*](#) (Bates, 1888)
- [*Phyllophaga xanthocoma*](#) (Bates, 1887)
- [*Phyllophaga xerophila*](#) Saylor, 1939
- [*Phyllophaga xkumuka*](#) Morón, 1999
- [*Phyllophaga yaqui*](#) Saylor, 1940
- [*Phyllophaga yaxbitana*](#) Morón, 2000
- [*Phyllophaga yei*](#) Morón, 1991
- [*Phyllophaga yemasseei*](#) Cartwright, 1944
- [*Phyllophaga yoloxana*](#) Morón, 2003
- [*Phyllophaga youngi*](#) Cartwright, 1935
- [*Phyllophaga yucana*](#) Saylor, 1937
- [*Phyllophaga yunqueana*](#) Chapin, 1935
- [*Phyllophaga zacaquetzala*](#) Morón, 2015
- [*Phyllophaga zaragozana*](#) Morón, 2003
- [*Phyllophaga zarcoana*](#) Morón, 2003
- [*Phyllophaga zavalana*](#) Reinhard, 1946
- [*Phyllophaga zayasi*](#) Garcia-Vidal, 1978
- [*Phyllophaga zeteki*](#) Saylor, 1942
- [*Phyllophaga zunilensis*](#) Bates, 1887
- [*Phyllophaga zunimarioi*](#) Morón & Maes, 2014

This is a list of 164 species in [*Phyllobius*](#), a genus of broad-nosed weevils in the family [*Curculionidae*](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Phyllobius* species**

- [*Phyllobius achardi*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius aetolicus*](#) Apfelbeck, 1901 ^{c g}
- [*Phyllobius alpinus*](#) Stierlin, 1859 ^{c g}
- [*Phyllobius altaicus*](#) Gebler, 1833 ^{c g}
- [*Phyllobius alternans*](#) Bajtenov, 1974 ^{c g}
- [*Phyllobius annectens*](#) Sharp, 1896 ^{c g}
- [*Phyllobius arborator*](#) (Herbst, 1797) ^{c g}
- [*Phyllobius argentatus*](#) Linnaeus, 1758 ^{c g}
- [*Phyllobius armatus*](#) Roelofs, 1876 ^{c g}
- [*Phyllobius armeniacus*](#) Kirsch, 1878 ^{c g}

- [Phyllobius atlasticus](#) Hustache, 1933 ^{c g}
- [Phyllobius baicalicus](#) Korotyaev, 1979 ^{c g}
- [Phyllobius ballionis](#) Stark, 1889 ^{c g}
- [Phyllobius banghaasi](#) Schilsky, 1908 ^{c g}
- [Phyllobius betulinus](#) Bechstein & Scharfenberg, 1805 ^{c g}
- [Phyllobius brenskei](#) Schilsky, 1911 ^{c g}
- [Phyllobius brevis](#) Gyllenhal, 1834 ^{c g}
- [Phyllobius bulgaricus](#) Apfelbeck, 1915 ^{c g}
- [Phyllobius cambyses](#) Pesarini, 1981 ^{c g}
- [Phyllobius canus](#) Gyllenhal, 1834 ^{c g}
- [Phyllobius cervinus](#) Hochhuth, 1847 ^{c g}
- [Phyllobius cinerascens](#) (Fabricius, 1792) ^g
- [Phyllobius circassicus](#) Reitter, 1888 ^{c g}
- [Phyllobius claviger](#) Faust, 1889 ^{c g}
- [Phyllobius confusus](#) Schilsky, 1912 ^{c g}
- [Phyllobius contemptus](#) Schoenherr, 1832 ^{c g}
- [Phyllobius crassipes](#) Motschulsky, 1860 ^{c g}
- [Phyllobius crassus](#) Motschulsky, 1860 ^{c g}
- [Phyllobius cupreoaureus](#) Stierlin, 1861 ^{c g}
- [Phyllobius cylindricollis](#) Gyllenhal, 1834 ^{c g}
- [Phyllobius dahli](#) Korotyaev, 1984 ^{c g}
- [Phyllobius dalabanus](#) Voss, 1956 ^{c g}
- [Phyllobius delagrangei](#) Desbrochers des Loges, 1892 ^{c g}
- [Phyllobius derjugini](#) Smirnov, 1913 ^{c g}
- [Phyllobius deyrollei](#) Tournier, 1877 ^{c g}
- [Phyllobius dispar](#) Redtenbacher, 1849 ^{c g}
- [Phyllobius emeryi](#) Desbrochers des Loges, 1873 ^{c g}
- [Phyllobius emgei](#) Stierlin, 1887 ^{c g}
- [Phyllobius emmrichi](#) Bajtenov, 1980 ^{c g}
- [Phyllobius eques](#) Reitter, 1913 ^{c g}
- [Phyllobius etruscus](#) Desbrochers des Loges, 1872 ^{c g}
- [Phyllobius euchromus](#) Reitter, 1885 ^{c g}
- [Phyllobius exaequatus](#) Faust, 1885 ^{c g}
- [Phyllobius farinosus](#) Motschulsky, 1860 ^{c g}
- [Phyllobius femoralis](#) Boheman, 1842 ^{c g}
- [Phyllobius fessus](#) Boheman, 1843 ^g

- [*Phyllobius festae*](#) F. Solari, 1925 ^{c g}
- [*Phyllobius flecki*](#) Reitter, 1906 ^{c g}
- [*Phyllobius fulvago*](#) (Gyllenhal, 1834) ^{c g}
- [*Phyllobius fulvagoides*](#) Reitter, 1885 ^{c g}
- [*Phyllobius fumigatus*](#) Boheman, 1843 ^{c g}
- [*Phyllobius ganglbaueri*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius glaucus*](#) (Scopoli, 1763) ^{i c g}
- [*Phyllobius globicollis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius gomadanensis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius granicollis*](#) Pesarini, 1970 ^{c g}
- [*Phyllobius grubovi*](#) Korotyaev, 1984 ^{c g}
- [*Phyllobius grunini*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius haberhaueri*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius harlachingensis*](#) Gistel, 1857 ^{c g}
- [*Phyllobius helenae*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius hirtipennis*](#) (Hustache, 1921) ^{c g}
- [*Phyllobius hiurai*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius hochhuthi*](#) Faust, 1883 ^{c g}
- [*Phyllobius ichihashii*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius incomptus*](#) Sharp, 1896 ^{c g}
- [*Phyllobius insidiosus*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius insulanus*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius intrusus*](#) Kono, 1948 ^{i b} (arborvitae weevil)
- [*Phyllobius italicus*](#) A. Solari & F. Solari, 1904 ^{c g}
- [*Phyllobius jacobsoni*](#) Smirnov, 1913 ^{c g}
- [*Phyllobius japonicus*](#) Faust, 1889 ^{c g}
- [*Phyllobius kajigamori*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius kantoensis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius karamanensis*](#) Voss, 1964 ^{c g}
- [*Phyllobius kaszabi*](#) L. Arnoldi & Korotyaev, 1977 ^{c g}
- [*Phyllobius kerzhneri*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius kolyomensis*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius korbi*](#) Schilsky, 1908 ^{c g}
- [*Phyllobius kozlovi*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius kuldzhanus*](#) Suvorov, 1915 ^{c g}
- [*Phyllobius kumanoensis*](#) Morimoto & Miyakawa, 2006 ^{c g}

- [*Phyllobius kurosonensis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius lateralis*](#) Reiche, 1857 ^{c g}
- [*Phyllobius lederi*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius lenkoranus*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius leonhardi*](#) Schilsky, 1908 ^{c g}
- [*Phyllobius leonisi*](#) Pic, 1902 ^{c g}
- [*Phyllobius lewisi*](#) (Sharp, 1896) ^{c g}
- [*Phyllobius litoralis*](#) Faust, 1887 ^{c g}
- [*Phyllobius lodosi*](#) Pesarini, 1975 ^{c g}
- [*Phyllobius logunovi*](#) Korotyaev, 1995 ^{c g}
- [*Phyllobius longipilis*](#) Boheman, 1842 ^{c g}
- [*Phyllobius lukjanovitshi*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius maculicornis*](#) Germar, 1824 ^{c g}
- [*Phyllobius maculosus*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius mediatus*](#) Reitter, 1888 ^{c g}
- [*Phyllobius meschniggi*](#) F. Solari, 1938 ^{c g}
- [*Phyllobius mixtus*](#) Hochhuth, 1847 ^{c g}
- [*Phyllobius mongolicus*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius montanus*](#) Miller, 1862 ^{c g}
- [*Phyllobius nigrofasciatus*](#) Pesarini, 1974 ^{c g}
- [*Phyllobius noesskei*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius nudiamplus*](#) Reitter, 1916 ^{c g}
- [*Phyllobius oblongus*](#) (Linnaeus, 1758) ^{i c g b} (European snout beetle)
- [*Phyllobius obovatus*](#) Gebler, 1834 ^{c g}
- [*Phyllobius obscuripes*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius occidentalis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius pallidipennis*](#) Hochhuth, 1847 ^{c g}
- [*Phyllobius pallidus*](#) (Fabricius, 1792) ^{c g}
- [*Phyllobius parvus*](#) Voss, 1956 ^{c g}
- [*Phyllobius parviceps*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius parvicollis*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius pellitus*](#) Boheman, 1842 ^{c g}
- [*Phyllobius peneckeii*](#) F. Solari, 1931 ^{c g}
- [*Phyllobius perspicillatus*](#) Pesarini, 1971 ^{c g}
- [*Phyllobius pesarinii*](#) Borovec & Magnano, 2004 ^{c g}
- [*Phyllobius picipes*](#) Motschulsky, 1861 ^{c g}

- [*Phyllobius pilicornis*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius pilidorsum*](#) Desbrochers des Loges, 1895 ^{c g}
- [*Phyllobius pilipes*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Phyllobius pomaceus*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius potanini*](#) Korotyaev, 1979 ^{c g}
- [*Phyllobius profanus*](#) Faust, 1881 ^{c g}
- [*Phyllobius prolongatus*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius przewalskii*](#) Korotyaev, 1979 ^{c g}
- [*Phyllobius pubipennis*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius pyri*](#) Linnaeus, 1758 ^{c g}
- [*Phyllobius quercicola*](#) Apfelbeck, 1916 ^{c g}
- [*Phyllobius raveræ*](#) A. Solari & F. Solari, 1903 ^{c g}
- [*Phyllobius reicheidius*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Phyllobius rhodopensis*](#) Apfelbeck, 1898 ^{c g}
- [*Phyllobius roboretanus*](#) Gredler, 1882 ^{c g}
- [*Phyllobius rochatii*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius romanus*](#) Faust, 1890 ^{c g}
- [*Phyllobius roseipennis*](#) Pesarini, 1973 ^{c g}
- [*Phyllobius rotundicollis*](#) Roelofs, 1873 ^{c g}
- [*Phyllobius ruscicus*](#) Stierlin, 1884 ^{c g}
- [*Phyllobius sahlbergi*](#) Faust, 1890 ^{c g}
- [*Phyllobius sauricus*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius schatzmayri*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius scutellaris*](#) Redtenbacher, 1849 ^g
- [*Phyllobius seladonius*](#) Brullé, 1832 ^{c g}
- [*Phyllobius shigematsui*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius solarii*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius solskyi*](#) Faust, 1885 ^{c g}
- [*Phyllobius squamosus*](#) C.N.F. Brisout de Barneville, 1866 ^{c g}
- [*Phyllobius subdentatus*](#) Boheman, 1842 ^{c g}
- [*Phyllobius subnudus*](#) Kôno, 1928 ^{c g}
- [*Phyllobius thalassinus*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius transsylvanicus*](#) Stierlin, 1894 ^{c g}
- [*Phyllobius tridentinus*](#) Stierlin, 1894 ^{c g}
- [*Phyllobius tuberculifer*](#) Chevrolat, 1866 ^{c g}
- [*Phyllobius tuvensis*](#) Korotyaev & Egorov, 1977 ^{c g}

- [*Phyllobius valonensis*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius verae*](#) Korotyaev, 1984 ^{c g}
- [*Phyllobius versipellis*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius vespertinus*](#) (Fabricius, 1792) ^{c g}
- [*Phyllobius virens*](#) Faust, 1890 ^{c g}
- [*Phyllobius virideaeris*](#) (Laicharting, 1781) ^{c g}
- [*Phyllobius viridicollis*](#) (Fabricius, 1792) ^{c g}
- [*Phyllobius wittmeri*](#) Pesarini, 1971 ^{c g}
- [*Phyllobius xanthocnemus*](#) Kiesenwetter, 1852 ^{c g}
- [*Phyllobius zherichini*](#) Korotyaev & Egorov, 1977 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 147 species in [*Phloeotribus*](#), a genus of crenulate bark beetles in the family [*Curculionidae*](#). [1][2][3][4]

***Phloeotribus* species**

- [*Phloeotribus acaciae*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus americanus*](#) Dejean, 1837 ^c
- [*Phloeotribus amplus*](#) Wood, 1977 ^c
- [*Phloeotribus antiquus*](#) Bright & Poinar, 1994 ^c
- [*Phloeotribus argentinae*](#) Blackman, 1943 ^c
- [*Phloeotribus argentinensis*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus armatus*](#) Blandford, 1897a ^c
- [*Phloeotribus asiaticus*](#) Pjatnitskii, 1934 ^c
- [*Phloeotribus asperatus*](#) Blandford, 1897a ^c
- [*Phloeotribus asperulus*](#) Eggers, 1943a ^c
- [*Phloeotribus atavus*](#) Wood, 1969b ^c
- [*Phloeotribus atlanticus*](#) Schedl, 1951m ^c
- [*Phloeotribus australis*](#) Schedl, 1953f ^c
- [*Phloeotribus biguttatus*](#) Blandford, 1897a ^c
- [*Phloeotribus boliviae*](#) Blackman, 1943 ^c
- [*Phloeotribus bolivianus*](#) Eggers, 1933b ^c
- [*Phloeotribus brasiliensis*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus brevicollis*](#) Wood & Bright, 1992 ^{c g}

- [*Phloeotribus carinatus*](#) Burgos-Solorio & Equihua in Burgos-Solorio, Equihua Martínez, González Hernández, Carrillo Sánchez & ^C
- [*Phloeotribus caucasicus*](#) Reitter, 1891a ^C
- [*Phloeotribus championi*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus chiliensis*](#) Eggers, 1942a ^C
- [*Phloeotribus collaris*](#) Chapuis, 1869 ^C
- [*Phloeotribus contortus*](#) Schedl, 1973d ^C
- [*Phloeotribus contractus*](#) Chapuis, 1869 ^C
- [*Phloeotribus corsicus*](#) Guillebeau, 1893 ^C
- [*Phloeotribus crenatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus cristatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus cylindricus*](#) Schedl, 1951m ^C
- [*Phloeotribus dalmatinus*](#) Schedl (Eggers in), 1979j ^C
- [*Phloeotribus demessus*](#) Blandford, 1897a ^C
- [*Phloeotribus dentifrons*](#) (Blackman, 1921) ^{i c g b}
- [*Phloeotribus despectus*](#) Schedl, 1966f ^C
- [*Phloeotribus destructor*](#) Wood, 1969b ^C
- [*Phloeotribus discrepans*](#) Blandford, 1897a ^C
- [*Phloeotribus dubius*](#) Eichhoff, 1868c ^C
- [*Phloeotribus eggersi*](#) Schedl, 1962q ^C
- [*Phloeotribus erinaceus*](#) Schedl, 1973d ^C
- [*Phloeotribus erosus*](#) Schedl, 1951m ^C
- [*Phloeotribus fici*](#) Wood, 1977c ^C
- [*Phloeotribus fraxini*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus frontalis*](#) (Olivier, 1795) ^{i c g b}
- [*Phloeotribus furvus*](#) Wood, 1969b ^C
- [*Phloeotribus geminus*](#) Wood, 1983a ^C
- [*Phloeotribus harringtoni*](#) Blackman, 1943a ^C
- [*Phloeotribus hebes*](#) Schedl, 1978c ^C
- [*Phloeotribus hercegovinensis*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus hirtellus*](#) Schedl, 1966f ^C
- [*Phloeotribus hirticulus*](#) Wood, 2007 ^C
- [*Phloeotribus hirtus*](#) Wood, 1977c ^C
- [*Phloeotribus hispidulus*](#) Eggers, 1934a ^C
- [*Phloeotribus huapiae*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus hylurgulus*](#) Schedl, 1959i ^C

- [*Phloeotribus hystrix*](#) Wood, 1969b ^C
- [*Phloeotribus incanus*](#) Wood, 2007 ^C
- [*Phloeotribus ingae*](#) Wood, 1977c ^C
- [*Phloeotribus insularis*](#) Eggers, 1940a ^C
- [*Phloeotribus jujuya*](#) Blackman, 1943c ^C
- [*Phloeotribus lecontei*](#) Schedl, 1962 ^{i c b}
- [*Phloeotribus levis*](#) Wood, 1977c ^C
- [*Phloeotribus liminaris*](#) (Harris, 1852) ^{i c g b} (peach bark beetle)
- [*Phloeotribus lineatus*](#) Eggers, 1951 ^C
- [*Phloeotribus lineigera*](#) Guillebeau, 1893 ^C
- [*Phloeotribus longipilus*](#) Eggers, 1943a ^C
- [*Phloeotribus major*](#) Stebbing, E.P., 1907a ^C
- [*Phloeotribus manni*](#) Blackman, 1943c ^C
- [*Phloeotribus marginatus*](#) Eggers, 1933a ^C
- [*Phloeotribus maroccanus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus maurus*](#) Wood, 1969b ^C
- [*Phloeotribus mayeti*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus mexicanus*](#) Lacordaire, 1866 ^C
- [*Phloeotribus minor*](#) Wood, 1977c ^C
- [*Phloeotribus mixtecus*](#) Bright, 1972b ^C
- [*Phloeotribus muricatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus nahueliae*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus nanus*](#) Wood, 1974a ^C
- [*Phloeotribus nebulosus*](#) Wood, 1977c ^C
- [*Phloeotribus neglectus*](#) Schedl, 1964m ^C
- [*Phloeotribus nitidicollis*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus novateutonicus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus nubilus*](#) Blandford, 1897a ^C
- [*Phloeotribus obesus*](#) Kirsch, 1875 ^C
- [*Phloeotribus obliquus*](#) Chapuis, 1869 ^C
- [*Phloeotribus occidentalis*](#) Balachowsky (Bedel in), 1949a ^C
- [*Phloeotribus oleae*](#) ^C
- [*Phloeotribus oleiphilus*](#) Del Guercio, 1925a ^C
- [*Phloeotribus opacicollis*](#) Eggers, 1943a ^C
- [*Phloeotribus opimus*](#) Wood, 1969b ^C
- [*Phloeotribus ovatus*](#) Wood & Bright, 1992 ^C

- [*Phloeotribus pacificus*](#) Bright, 1982a ^C
- [*Phloeotribus pectinicornis*](#) Balachowsky, 1949a ^C
- [*Phloeotribus perfoliatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus perniciosus*](#) Wood, 1982a ^C
- [*Phloeotribus peruensis*](#) Schedl, 1942 ^C
- [*Phloeotribus peyerimhoffi*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus piceae*](#) Swaine, 1911 ^{i c b}
- [*Phloeotribus picipennis*](#) Eggers, 1943a ^C
- [*Phloeotribus pilifer*](#) Wood, 2007 ^C
- [*Phloeotribus pilula*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus pistaciae*](#) Pfeffer (Wichmann, H.E. in), 1972b ^C
- [*Phloeotribus porteri*](#) Bruch, 1914b ^C
- [*Phloeotribus profanus*](#) Schedl, 1963d ^C
- [*Phloeotribus pruni*](#) Wood, 1956 ^{i c}
- [*Phloeotribus pseudocristatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus pseudoscabricollis*](#) Atkinson, 1989 ^{i c b}
- [*Phloeotribus puberulus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus pubifrons*](#) Guillebeau, 1893 ^C
- [*Phloeotribus puncticollis*](#) Chapuis, 1869 ^C
- [*Phloeotribus quercinus*](#) Wood, 1969b ^C
- [*Phloeotribus remorsus*](#) Wood, 1977c ^C
- [*Phloeotribus rhododactylus*](#) Wood & Bright, 1992 ^{C g}
- [*Phloeotribus rudis*](#) Eichhoff, 1868c ^C
- [*Phloeotribus rugulosus*](#) Eggers, 1951 ^C
- [*Phloeotribus scabratus*](#) Blandford, 1897a ^C
- [*Phloeotribus scabricollis*](#) (Hopkins, 1916) ^{i c g}
- [*Phloeotribus scaraboeoides*](#) (Bernard, P.-J., 1788) ^{C g}
- [*Phloeotribus schedli*](#) Wood, 2007 ^C
- [*Phloeotribus schoenbachi*](#) Kirsch, 1866 ^C
- [*Phloeotribus serratus*](#) Eggers, 1943a ^C
- [*Phloeotribus setulosus*](#) Eichhoff, 1868c ^C
- [*Phloeotribus sharpi*](#) Guillebeau, 1893 ^C
- [*Phloeotribus simplex*](#) Wood, 1967b ^C
- [*Phloeotribus simplicidens*](#) Wood, 1977c ^C
- [*Phloeotribus sodalis*](#) Blandford, 1897a ^C
- [*Phloeotribus spinipennis*](#) Eggers, 1930a ^C

- [*Phloeotribus spinulosus*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus squamatus*](#) Wood, 1969b ^c
- [*Phloeotribus squamiger*](#) Wood, 1977c ^c
- [*Phloeotribus striatus*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus subcostatus*](#) Eggers, 1943a ^c
- [*Phloeotribus subovatus*](#) Blandford, 1987a ^c
- [*Phloeotribus sulcifrons*](#) Blandford, 1897a ^c
- [*Phloeotribus suturalis*](#) Eggers, 1943a ^c
- [*Phloeotribus tetricus*](#) Wood, 1977c ^c
- [*Phloeotribus texanus*](#) Schaeffer, 1908 ^{i c b}
- [*Phloeotribus transversus*](#) Chapuis, 1869 ^c
- [*Phloeotribus truncatus*](#) Wood, 2007 ^c
- [*Phloeotribus tuberculatus*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus uniseriatus*](#) Eggers, 1943a ^c
- [*Phloeotribus venezuelensis*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus vesculus*](#) Wood, 1977c ^c
- [*Phloeotribus vestitus*](#) Eggers, 1943a ^c
- [*Phloeotribus villosulus*](#) Lacordaire, 1866 ^c
- [*Phloeotribus vinogradovi*](#) Semenov, 1902 ^g
- [*Phloeotribus willei*](#) Schedl, 1937g ^c
- [*Phloeotribus woytkowskii*](#) Wood, 2007 ^c
- [*Phloeotribus zimmermanni*](#) Wickham, H.F., 1916 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 251 species in [*Philonthus*](#), a genus of large rove beetles in the family [*Staphylinidae*](#).^[1]
^[2]^[3]^[4]

***Philonthus* species**

- [*Philonthus aberrans*](#) Cameron, 1932 ^g
- [*Philonthus acromyrmecis*](#) Scheerpeltz, 1976 ^g
- [*Philonthus aculeatus*](#) Coiffait, 1963 ^g
- [*Philonthus addendus*](#) Sharp, 1867 ^g
- [*Philonthus aeneipennis*](#) Boheman ^g
- [*Philonthus aequalis*](#) Horn, 1884 ^g

- [*Philonthus aerosus*](#) Kiesenwetter, 1851 ^g
- [*Philonthus alberti*](#) Schillhammer, 2000 ^g
- [*Philonthus albipes*](#) (Gravenhorst, 1802) ^g
- [*Philonthus alcyoneus*](#) Erichson, 1840 ^g
- [*Philonthus alpinus*](#) Eppelsheim, 1875 ^g
- [*Philonthus alterius*](#) Cameron, 1951 ^g
- [*Philonthus amnicola*](#) Gistel, 1857 ^g
- [*Philonthus analis*](#) Erichson, 1840 ^g
- [*Philonthus anguinus*](#) Fauvel, 1874 ^g
- [*Philonthus antipodum*](#) Fauvel, 1877 ^g
- [*Philonthus aprilinus*](#) Gistel, 1857 ^g
- [*Philonthus archangelicus*](#) Poppius, 1908 ^g
- [*Philonthus argus*](#) Herman ^g
- [*Philonthus asper*](#) Horn, 1884 ^{g b}
- [*Philonthus assimilis*](#) Nordmann, 1837 ^g
- [*Philonthus atratoides*](#) Coiffait, 1963 ^g
- [*Philonthus atratus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus aurulentus*](#) Horn, 1884 ^{g b}
- [*Philonthus australis*](#) Cameron, 1943 ^g
- [*Philonthus bicolor*](#) Fauvel, 1903 ^g
- [*Philonthus bicoloristylus*](#) Chani-Posse ^g
- [*Philonthus biskrensis*](#) Fagel, 1957 ^g
- [*Philonthus blossius*](#) Smetana, 1995 ^g
- [*Philonthus bonariensis*](#) Bernhauer, 1909 ^g
- [*Philonthus boreas*](#) Smetana, 1995 ^{g b}
- [*Philonthus brachypterus*](#) Solsky, 1872 ^g
- [*Philonthus bruchianus*](#) Chani-Posse ^g
- [*Philonthus busiris*](#) Smetana, 1995 ^g
- [*Philonthus caeruleipennis*](#) ^{g b}
- [*Philonthus caerulescens*](#) (Lacordaire, 1835) ^g
- [*Philonthus carbonarius*](#) (Gravenhorst, 1802) ^g
- [*Philonthus caucasicus*](#) Nordmann, 1837 ^{g b}
- [*Philonthus caurinus*](#) Horn, 1884 ^g
- [*Philonthus cautus*](#) ^b
- [*Philonthus cerambus*](#) Smetana, 1995 ^g
- [*Philonthus chalceus*](#) Stephens, 1832 ^g

- [*Philonthus chopardi*](#) Cameron, 1950 ^g
- [*Philonthus cochleatus*](#) Scheerpeltz, 1937 ^g
- [*Philonthus coenicola*](#) Gistel, 1857 ^g
- [*Philonthus cognatus*](#) Stephens, 1832 ^{g b}
- [*Philonthus confinis*](#) Strand, 1941 ^g
- [*Philonthus coprophilus*](#) Jarrige, 1949 ^g
- [*Philonthus coracion*](#) Peyerimhoff, 1902 ^g
- [*Philonthus corruscus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus corvinus*](#) Erichson, 1839 ^g
- [*Philonthus couleensis*](#) Hatch, 1957 ^{g b}
- [*Philonthus crassicornis*](#) Fauvel, 1895 ^g
- [*Philonthus cribriventris*](#) Bernhauer, 1912 ^g
- [*Philonthus crotchi*](#) Horn, 1884 ^g
- [*Philonthus cruentatus*](#) (Gmelin, 1790) ^{g b}
- [*Philonthus cunctans*](#) Horn, 1884 ^g
- [*Philonthus cunicularius*](#) Gistel, 1857 ^g
- [*Philonthus cyanipennis*](#) (Fabricius, 1793) ^g
- [*Philonthus davus*](#) Smetana, 1995 ^g
- [*Philonthus debilis*](#) (Gravenhorst, 1802) ^{g b}
- [*Philonthus decorus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus delicatulus*](#) Boheman, 1858 ^g
- [*Philonthus derennei*](#) Drugmand, 1987 ^g
- [*Philonthus dilutipes*](#) Fauvel, 1898 ^g
- [*Philonthus dimidiatipennis*](#) Erichson, 1840 ^g
- [*Philonthus discoideus*](#) (Gravenhorst, 1802) ^{i c g}
- [*Philonthus distans*](#) Horn, 1884 ^g
- [*Philonthus duplicatus*](#) Bernhauer & Schubert, 1914 ^g
- [*Philonthus ebeninus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus ephippium*](#) Nordmann, 1837 ^g
- [*Philonthus eremus*](#) Gistel, 1857 ^g
- [*Philonthus erraticus*](#) Nordmann, 1837 ^g
- [*Philonthus eustilbus*](#) Kraat, 1859 ^g
- [*Philonthus explorator*](#) Cameron, 1932 ^g
- [*Philonthus fauvelianus*](#) Bernhauer ^g
- [*Philonthus fenestratus*](#) Fauvel, 1872 ^g
- [*Philonthus ferreipennis*](#) Horn, 1884 ^g

- [*Philonthus figulus*](#) Erichson, 1840 ^g
- [*Philonthus flavibasis*](#) Casey, 1915 ^g
- [*Philonthus flavipes*](#) Kraatz, 1859 ^g
- [*Philonthus flavocinctus*](#) Motschulsky, 1858 ^g
- [*Philonthus flavolimbatus*](#) Erichson, 1840 ^g
- [*Philonthus flumineus*](#) Casey, 1915 ^{g b}
- [*Philonthus foetidus*](#) Cameron, 1932 ^g
- [*Philonthus formosae*](#) Bernhauer ^g
- [*Philonthus frigidus*](#) Märkel & Kiesenwetter, 1848 ^g
- [*Philonthus fulcinus*](#) Smetana, 1995 ^g
- [*Philonthus fumarius*](#) (Gravenhorst, 1806) ^g
- [*Philonthus furcifer*](#) Renkonen, 1937 ^g
- [*Philonthus furvus*](#) Nordmann, 1837 ^g
- [*Philonthus fusiformis*](#) Melsheimer, 1844 ^g
- [*Philonthus gagates*](#) Mulsant & Rey, 1876 ^g
- [*Philonthus gaudens*](#) Tottenham, 1939 ^g
- [*Philonthus gemellus*](#) Kraatz, 1859 ^g
- [*Philonthus gopheri*](#) Hubbard, 1894 ^b (gopher tortoise rove beetle)
- [*Philonthus gracilior*](#) Casey, 1915 ^g
- [*Philonthus grandicollis*](#) Horn, 1884 ^g
- [*Philonthus gratus*](#) Cameron, 1943 ^g
- [*Philonthus gyllenhali*](#) Gistel, 1857 ^g
- [*Philonthus haddeni*](#) Bierig, 1932 ^{i c g}
- [*Philonthus haemorrhoidalis*](#) MacLeay, 1873 ^g
- [*Philonthus heinlii*](#) Gistel, 1857 ^g
- [*Philonthus hepaticus*](#) Er. ^{i c g b}
- [*Philonthus heterodoxus*](#) Mulsant & Rey, 1876 ^g
- [*Philonthus hudsonicus*](#) Horn, 1884 ^g
- [*Philonthus humilis*](#) Erichson, 1840 ^g
- [*Philonthus hybridus*](#) Cameron, 1930 ^g
- [*Philonthus hyperboreus*](#) ^g
- [*Philonthus intermedius*](#) (Lacordaire, 1835) ^g
- [*Philonthus janus*](#) Smetana, 1995 ^g
- [*Philonthus japonicus*](#) Sharp, 1874 ^g
- [*Philonthus jurecekianus*](#) Bohac & Hromadka, 1980 ^g
- [*Philonthus jurgans*](#) Tottenham, 1937 ^g

- [*Philonthus juvenilis*](#) Peyron, 1858 ^g
- [*Philonthus kaszabi*](#) Smetana, 1967 ^g
- [*Philonthus kiyoyamai*](#) Hayashi, 1993b ^g
- [*Philonthus laetus*](#) Heer, 1839 ^g
- [*Philonthus laevicollis*](#) (Lacordaire, 1835) ^g
- [*Philonthus laminatus*](#) (Creutzer, 1799) ^g
- [*Philonthus lecontei*](#) Horn, 1884 ^g
- [*Philonthus lederi*](#) Eppelsheim, 1893 ^g
- [*Philonthus leechensis*](#) Hatch, 1957 ^g
- [*Philonthus lepidus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus lewisius*](#) Sharp, 1974 ^g
- [*Philonthus lindbergi*](#) Scheerpeltz, 1958 ^g
- [*Philonthus lindrothi*](#) Smetana, 1965 ^g
- [*Philonthus linki*](#) Solsky, 1866 ^g
- [*Philonthus littorinus*](#) Gistel, 1857 ^g
- [*Philonthus lomatus*](#) Erichson, 1840 ^{g b}
- [*Philonthus longicornis*](#) Stephens, 1832 ^{i c g}
- [*Philonthus luxurians*](#) Erichson, 1840 ^g
- [*Philonthus madurensis*](#) Bernhauer ^g
- [*Philonthus maindroni*](#) Fauvel, 1903 ^g
- [*Philonthus mannerheimi*](#) Fauvel, 1868 ^g
- [*Philonthus marcidus*](#) Wollaston, 1864 ^g
- [*Philonthus mareki*](#) Coiffait, 1967 ^g
- [*Philonthus merops*](#) Smetana, 1963 ^g
- [*Philonthus micans*](#) (Gravenhorst, 1802) ^g
- [*Philonthus micantoides*](#) Benick & Lohse, 1956 ^g
- [*Philonthus mimus*](#) Smetana, 1959 ^g
- [*Philonthus minutus*](#) Boheman ^g
- [*Philonthus moldavicus*](#) Wendeler, 1924 ^g
- [*Philonthus monaeses*](#) Smetana, 1995 ^{g b}
- [*Philonthus montanus*](#) Bernhauer, 1934 ^g
- [*Philonthus montivagus*](#) Heer, 1839 ^g
- [*Philonthus morosus*](#) Casey, 1915 ^g
- [*Philonthus nemorosus*](#) Gistel, 1857 ^g
- [*Philonthus neonatus*](#) Smetana, 1965 ^g
- [*Philonthus nigriceps*](#) Eppelsheim, 1885 ^g

- [*Philonthus nigrita*](#) (Gravenhorst, 1806) ^g
- [*Philonthus nimbicola*](#) Fauvel, 1874 ^g
- [*Philonthus nitidicollis*](#) (Lacordaire, 1835) ^g
- [*Philonthus nitidus*](#) (Fabricius, 1787) ^g
- [*Philonthus notabilis*](#) Kraatz ^g
- [*Philonthus nudus*](#) Sharp, 1874 ^g
- [*Philonthus oblitus*](#) Jarrige, 1951 ^g
- [*Philonthus obscurus*](#) Gravenhorst, 1802 ^g
- [*Philonthus occidentalis*](#) Horn, 1884 ^g
- [*Philonthus olfactorius*](#) Gistel, 1857 ^g
- [*Philonthus onthomanes*](#) Gistel, 1857 ^g
- [*Philonthus opacipennis*](#) Notman, 1919 ^g
- [*Philonthus paederoides*](#) (Motschulsky, 1858) ^g
- [*Philonthus paganettii*](#) Linke, 1915 ^g
- [*Philonthus palliatus*](#) (Gravenhorst, 1806) ^{g b}
- [*Philonthus pallipes*](#) Blanchard, 1842 ^g
- [*Philonthus palustris*](#) C.Brisout de Barneville, 1860 ^g
- [*Philonthus parvicornis*](#) (Gravenhorst, 1802) ^g
- [*Philonthus peliomerus*](#) Kraatz, 1859 ^g
- [*Philonthus peregrinus*](#) Fauvel, 1866 ^g
- [*Philonthus perversus*](#) Horn, 1884 ^g
- [*Philonthus pettiti*](#) Horn, 1884 ^g
- [*Philonthus picipennis*](#) Heer, 1839 ^g
- [*Philonthus picnocara*](#) Gistel, 1857 ^g
- [*Philonthus politus*](#) (Linnaeus, 1758) ^{g b}
- [*Philonthus pollens*](#) Marquez & Asiain, 2010 ^g
- [*Philonthus productus*](#) Kraatz, 1859 ^g
- [*Philonthus prolatus*](#) Sharp, 1874 ^{i c g}
- [*Philonthus propinquus*](#) Sharp, 1876 ^g
- [*Philonthus pseudolodes*](#) Smetana, 1996 ^g
- [*Philonthus pseudolus*](#) Smetana, 1995 ^g
- [*Philonthus pseudovarians*](#) Strand, 1941 ^g
- [*Philonthus puberulus*](#) Horn, 1884 ^g
- [*Philonthus pubes*](#) Horn, 1884 ^g
- [*Philonthus punctatellus*](#) Heer, 1839 ^g
- [*Philonthus puncticollis*](#) Stephens, 1832 ^g

- [*Philonthus punctus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus putridarius*](#) Gistel, 1857 ^g
- [*Philonthus pyrenaeus*](#) Kiesenwetter, 1850 ^g
- [*Philonthus quadraticeps*](#) Boheman, 1858 ^g
- [*Philonthus quadricollis*](#) Horn, 1884 ^{g b}
- [*Philonthus quadrulus*](#) Horn, 1884 ^g
- [*Philonthus quisquiliarius*](#) (Gyllenhal, 1810) ^g
- [*Philonthus rectangulus*](#) Sharp, 1874 ^{g b}
- [*Philonthus retangulus*](#) Sharp, 1874 ^{i c g}
- [*Philonthus rivularis*](#) Kiesenwetter, 1858 ^g
- [*Philonthus rotundicollis*](#) (Ménétriés, 1832) ^g
- [*Philonthus rubripennis*](#) Stephens, 1832 ^g
- [*Philonthus rufimanus*](#) Erichson, 1840 ^g
- [*Philonthus rufipes*](#) (Stephens, 1832) ^g
- [*Philonthus rufulus*](#) Horn, 1884 ^{g b}
- [*Philonthus salinus*](#) Kiesenwetter, 1844 ^g
- [*Philonthus sanguinolentus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus scansor*](#) Gistel, 1857 ^g
- [*Philonthus schwarzi*](#) Horn, 1884 ^g
- [*Philonthus scybalarius*](#) Nordmann, 1837 ^{i c g}
- [*Philonthus semiruber*](#) Horn, 1884 ^g
- [*Philonthus sericans*](#) (Gravenhorst, 1802) ^{g b}
- [*Philonthus sericeus*](#) Stephens, 1832 ^g
- [*Philonthus sericinus*](#) Horn, 1884 ^{g b}
- [*Philonthus sessor*](#) Smetana, 1965 ^g
- [*Philonthus siculus*](#) Gridelli, 1923 ^g
- [*Philonthus simpliciventris*](#) Bernhauer, 1933 ^g
- [*Philonthus smetanai*](#) Schillhammer, 2003 ^g
- [*Philonthus sospitalis*](#) Gistel, 1857 ^g
- [*Philonthus speculum*](#) Lokay, 1919 ^g
- [*Philonthus sphagnorum*](#) Smetana, 1995 ^g
- [*Philonthus spiniformis*](#) Hatch, 1957 ^g
- [*Philonthus spinipes*](#) Sharp, 1874 ^g
- [*Philonthus stictus*](#) Hausen, 1891 ^g
- [*Philonthus stragulatus*](#) Erichson, 1840 ^g
- [*Philonthus suavis*](#) Brisout de Barneville, 1867 ^g

- [*Philonthus suavus*](#) Brisout de Barneville, 1867 ^g
- [*Philonthus subnivalis*](#) Gistel, 1857 ^g
- [*Philonthus subvirescens*](#) C.G.Thomson, 1884 ^g
- [*Philonthus succicola*](#) Thomson, 1860 ^g
- [*Philonthus tahitiensis*](#) Coiffait, 1977 ^g
- [*Philonthus taiwanensis*](#) Shibata, 1993 ^g
- [*Philonthus tardus*](#) Kraatz ^g
- [*Philonthus temporalis*](#) Mulsant & Rey, 1853 ^g
- [*Philonthus tenuicornis*](#) Mulsant & Rey, 1853 ^g
- [*Philonthus tillius*](#) Smetana, 1995 ^g
- [*Philonthus triangulum*](#) Horn, 1884 ^{g b}
- [*Philonthus tumulinus*](#) Tottenham, 1955 ^g
- [*Philonthus turbatus*](#) Erichson, 1840 ^g
- [*Philonthus turbidus*](#) Erichson, 1839 ^{i c g}
- [*Philonthus turbo*](#) Smetana, 1995 ^g
- [*Philonthus umbratilis*](#) (Gravenhorst, 1802) ^g
- [*Philonthus umbrinoides*](#) Smetana, 1995 ^g
- [*Philonthus umbrinus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus validus*](#) Casey, 1915 ^g
- [*Philonthus varians*](#) (Paykull, 1789) ^g
- [*Philonthus varro*](#) Smetana, 1995 ^g
- [*Philonthus ventralis*](#) Grav. ^{i c g}
- [*Philonthus vesubiensis*](#) Coiffait, 1967 ^g
- [*Philonthus viduus*](#) Erichson, 1840 ^g
- [*Philonthus virgo*](#) (Gravenhorst, 1802) ^g
- [*Philonthus viridipennis*](#) Fauvel, 1875 ^g
- [*Philonthus vulgatus*](#) Casey, 1915 ^{g b}
- [*Philonthus wollastoni*](#) Scheerpeltz, 1933 ^g
- [*Philonthus zhuk*](#) Gusarov, 1995 ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species of concealer moths belong to the genus [*Philobota*](#). [1][2]

***Philobota* species**

- [*Philobota abductella*](#) (Walker, 1864)
- [*Philobota aceraea*](#) (Meyrick, 1883)
- [*Philobota acerba*](#) (Turner, 1939)
- [*Philobota achranta*](#) (Turner, 1917)
- [*Philobota acompsa*](#) (Turner, 1939)
- [*Philobota acropola*](#) Meyrick, 1884
- [*Philobota actias*](#) (Lower, 1899)
- [*Philobota aedophanes*](#) Turner, 1944
- [*Philobota aethalea*](#) (Meyrick, 1883)
- [*Philobota agnesella*](#) (Newman, 1856)
- [*Philobota agrapha*](#) Turner, 1917
- [*Philobota amblopis*](#) Turner, 1944
- [*Philobota amblys*](#) Turner, 1944
- [*Philobota ameles*](#) Turner, 1944
- [*Philobota ancylotoxa*](#) Meyrick, 1884
- [*Philobota angustella*](#) (Walker, 1864)
- [*Philobota apora*](#) (Meyrick, 1883)
- [*Philobota arabella*](#) (Newman, 1856)
- [*Philobota archepeda*](#) (Meyrick, 1888)
- [*Philobota argotoxa*](#) Meyrick, 1889
- [*Philobota asemantica*](#) (Turner, 1944)
- [*Philobota atmobola*](#) Meyrick, 1884
- [*Philobota atmopis*](#) (Meyrick, 1889)
- [*Philobota atrisignis*](#) (Lower, 1900)
- [*Philobota austalea*](#) (Meyrick, 1884)
- [*Philobota auxolyca*](#) Meyrick, 1889
- [*Philobota baryptera*](#) (Turner, 1896)
- [*Philobota barysoma*](#) (Meyrick, 1883)
- [*Philobota basicapna*](#) (Turner, 1937)
- [*Philobota basiphaia*](#) Common, 1996
- [*Philobota bathrogramma*](#) (Turner, 1916)
- [*Philobota bathrophaea*](#) (Turner, 1914)
- [*Philobota biophora*](#) Meyrick, 1884
- [*Philobota brachystoma*](#) (Meyrick, 1915)
- [*Philobota byrsochra*](#) (Meyrick, 1915)
- [*Philobota calamaea*](#) Meyrick, 1884
- [*Philobota callistis*](#) (Meyrick, 1889)
- [*Philobota candida*](#) (Turner, 1898)
- [*Philobota capnonota*](#) (Turner, 1938)
- [*Philobota carinaria*](#) Meyrick, 1913
- [*Philobota catharopa*](#) Turner, 1944

- [*Philobota celaenopa*](#) (Turner, 1936)
- [*Philobota centromita*](#) Turner, 1944
- [*Philobota cephalochrysa*](#) (Lower, 1894)
- [*Philobota chionoptera*](#) Meyrick, 1884
- [*Philobota chlorella*](#) (Meyrick, 1883)
- [*Philobota chrysopotama*](#) Meyrick, 1884
- [*Philobota cirrhocephala*](#) (Turner, 1917)
- [*Philobota cirrhopepla*](#) (Turner, 1916)
- [*Philobota clastosticha*](#) (Turner, 1939)
- [*Philobota cnecopasta*](#) (Turner, 1937)
- [*Philobota comarcha*](#) (Meyrick, 1920)
- [*Philobota cosmocrates*](#) Meyrick, 1889
- [*Philobota crassinervis*](#) (Lower, 1900)
- [*Philobota cretacea*](#) Meyrick, 1884
- [*Philobota crocopleura*](#) Turner, 1944
- [*Philobota crossoxantha*](#) (Lower, 1907)
- [*Philobota crypsichola*](#) Meyrick, 1884
- [*Philobota cryptea*](#) (Turner, 1938)
- [*Philobota curvilinea*](#) (Turner, 1896)
- [*Philobota cyphocentra*](#) (Meyrick, 1922)
- [*Philobota dedecorata*](#) Meyrick, 1915
- [*Philobota delochorda*](#) (Turner, 1917)
- [*Philobota delosema*](#) Turner, 1917
- [*Philobota delosticha*](#) (Lower, 1915)
- [*Philobota deltoloma*](#) (Lower, 1923)
- [*Philobota diaereta*](#) Turner, 1917
- [*Philobota dichotoma*](#) (Turner, 1941)
- [*Philobota dictyodes*](#) (Meyrick, 1889)
- [*Philobota dysphorata*](#) (Turner, 1938)
- [*Philobota egena*](#) (Turner, 1940)
- [*Philobota ellenella*](#) (Newman, 1856)
- [*Philobota embologramma*](#) (Turner, 1916)
- [*Philobota enchalca*](#) Turner, 1917
- [*Philobota ennephela*](#) (Meyrick, 1883)
- [*Philobota epibosca*](#) (Turner, 1937)
- [*Philobota epipercna*](#) (Turner, 1917)
- [*Philobota erebodes*](#) Meyrick, 1884
- [*Philobota eremosema*](#) Lower, 1915
- [*Philobota eremotropha*](#) (Turner, 1938)
- [*Philobota euageta*](#) Turner, 1944
- [*Philobota euarmosta*](#) Turner, 1944
- [*Philobota euchlora*](#) (Turner, 1896)

- [*Philobota euethira*](#) (Turner, 1944)
- [*Philobota euzancla*](#) (Turner, 1938)
- [*Philobota foedatella*](#) (Walker, 1864)
- [*Philobota fumifera*](#) (Turner, 1939)
- [*Philobota futilis*](#) Meyrick, 1920
- [*Philobota glaucoptera*](#) Meyrick, 1884
- [*Philobota gonostrophia*](#) Lower, 1896
- [*Philobota grammatica*](#) (Meyrick, 1883)
- [*Philobota haplogramma*](#) (Turner, 1917)
- [*Philobota haplostola*](#) (Turner, 1937)
- [*Philobota hemera*](#) (Meyrick, 1886)
- [*Philobota hemeris*](#) Meyrick, 1915
- [*Philobota hemichrysa*](#) (Lower, 1916)
- [*Philobota heptasticta*](#) (Turner, 1937)
- [*Philobota heterophaea*](#) Turner, 1944
- [*Philobota hexasticta*](#) (Turner, 1937)
- [*Philobota hiracistis*](#) Meyrick, 1889
- [*Philobota homochroa*](#) (Turner, 1916)
- [*Philobota homophyla*](#) (Turner, 1937)
- [*Philobota humerella*](#) (Walker, 1863)
- [*Philobota hydara*](#) Meyrick, 1884
- [*Philobota hylophila*](#) (Turner, 1917)
- [*Philobota hypocausta*](#) Meyrick, 1884
- [*Philobota hypopolia*](#) (Turner, 1917)
- [*Philobota ignava*](#) Meyrick, 1913
- [*Philobota immemor*](#) (Meyrick, 1913)
- [*Philobota impletella*](#) (Walker, 1869)
- [*Philobota incompta*](#) Turner, 1944
- [*Philobota iphigenes*](#) Meyrick, 1889
- [*Philobota ischnodes*](#) (Meyrick, 1902)
- [*Philobota ischnophanes*](#) (Turner, 1937)
- [*Philobota isomora*](#) Turner, 1915
- [*Philobota isonoma*](#) Common, 1996
- [*Philobota latifissella*](#) (Walker, 1864)
- [*Philobota laxeuta*](#) (Meyrick, 1913)
- [*Philobota leptochorda*](#) (Turner, 1916)
- [*Philobota leucodelta*](#) (Turner, 1938)
- [*Philobota limenarcha*](#) Meyrick, 1913
- [*Philobota lochmaula*](#) (Turner, 1917)
- [*Philobota lonchota*](#) Turner, 1896
- [*Philobota lutulenta*](#) (Meyrick, 1913)
- [*Philobota lysizona*](#) Meyrick, 1889

- [*Philobota macrostola*](#) (Turner, 1938)
- [*Philobota marcens*](#) Meyrick, 1914
- [*Philobota mathematica*](#) (Meyrick, 1883)
- [*Philobota melanoglypta*](#) Meyrick, 1889
- [*Philobota melanogypsa*](#) (Turner, 1938)
- [*Philobota melanoxantha*](#) Meyrick, 1889
- [*Philobota melanthus*](#) (Lower, 1899)
- [*Philobota meraca*](#) (Turner, 1937)
- [*Philobota metaxantha*](#) (Turner, 1941)
- [*Philobota microxantha*](#) Meyrick, 1889
- [*Philobota moestella*](#) (Walker, 1864)
- [*Philobota monogramma*](#) Meyrick, 1884
- [*Philobota monoides*](#) (Turner, 1917)
- [*Philobota monospila*](#) (Turner, 1937)
- [*Philobota mucida*](#) (Turner, 1938)
- [*Philobota myrochrsta*](#) (Meyrick, 1920)
- [*Philobota napaea*](#) (Turner, 1917)
- [*Philobota nephelarcha*](#) Meyrick, 1884
- [*Philobota nephelota*](#) Turner, 1944
- [*Philobota obliviosa*](#) Meyrick, 1913
- [*Philobota ochlophila*](#) (Turner, 1938)
- [*Philobota olympias*](#) Meyrick, 1889
- [*Philobota omotypa*](#) Turner, 1944
- [*Philobota orecta*](#) (Turner, 1938)
- [*Philobota orescoa*](#) (Meyrick, 1883)
- [*Philobota orinoma*](#) Meyrick, 1884
- [*Philobota ortholoma*](#) (Turner, 1937)
- [*Philobota orthomita*](#) Turner, 1917
- [*Philobota orthotoma*](#) Turner, 1917
- [*Philobota oxyptila*](#) (Turner, 1937)
- [*Philobota pachychorda*](#) (Turner, 1937)
- [*Philobota pacifera*](#) (Meyrick, 1914)
- [*Philobota paragypsa*](#) Lower, 1900
- [*Philobota partitella*](#) (Walker, 1864)
- [*Philobota pasteoptera*](#) (Turner, 1937)
- [*Philobota pedetis*](#) Meyrick, 1884
- [*Philobota perangusta*](#) (Turner, 1936)
- [*Philobota perioeca*](#) (Turner, 1937)
- [*Philobota perixantha*](#) Turner, 1896
- [*Philobota perpetua*](#) (Meyrick, 1913)
- [*Philobota petrinodes*](#) (Lower, 1901)
- [*Philobota phaeodelta*](#) (Turner, 1937)

- [*Philobota philostaura*](#) (Meyrick, 1883)
- [*Philobota phlaura*](#) (Turner, 1938)
- [*Philobota physaula*](#) Meyrick, 1914
- [*Philobota pilidiota*](#) (Turner, 1917)
- [*Philobota pilipes*](#) (Butler, 1882)
- [*Philobota placophaea*](#) (Turner, 1937)
- [*Philobota plesiosperma*](#) (Turner, 1937)
- [*Philobota pleurosticha*](#) (Turner, 1936)
- [*Philobota plicilinea*](#) (Turner, 1938)
- [*Philobota polypenthes*](#) (Turner, 1939)
- [*Philobota prepodes*](#) (Turner, 1937)
- [*Philobota productella*](#) (Walker, 1864)
- [*Philobota profuga*](#) (Meyrick, 1913)
- [*Philobota proscedes*](#) (Turner, 1936)
- [*Philobota protecta*](#) Meyrick, 1920
- [*Philobota protorthra*](#) (Meyrick, 1883)
- [*Philobota psacasta*](#) (Meyrick, 1883)
- [*Philobota psammochroa*](#) (Lower, 1894)
- [*Philobota publicana*](#) (Meyrick, 1914)
- [*Philobota pulvifera*](#) (Turner, 1937)
- [*Philobota pycnoda*](#) (Lower, 1907)
- [*Philobota pyrota*](#) (Meyrick, 1889)
- [*Philobota rhadinosticha*](#) (Turner, 1938)
- [*Philobota rhipidura*](#) (Meyrick, 1913)
- [*Philobota ruinosa*](#) (Meyrick, 1913)
- [*Philobota scieropa*](#) Meyrick, 1889
- [*Philobota scioessa*](#) (Turner, 1938)
- [*Philobota scitula*](#) (Turner, 1917)
- [*Philobota semantica*](#) (Turner, 1916)
- [*Philobota silignias*](#) (Lower, 1899)
- [*Philobota similis*](#) (Turner, 1937)
- [*Philobota sophia*](#) Turner, 1896
- [*Philobota sordidella*](#) (Walker, 1864)
- [*Philobota sphenoleuca*](#) Lower, 1907
- [*Philobota spodotis*](#) Turner, 1944
- [*Philobota stella*](#) (Newman, 1856)
- [*Philobota stenophylla*](#) (Turner, 1939)
- [*Philobota stenotypa*](#) (Turner, 1917)
- [*Philobota sthenopis*](#) Turner, 1927
- [*Philobota stictoloma*](#) (Turner, 1944)
- [*Philobota stramentaria*](#) (Turner, 1916)
- [*Philobota strigatella*](#) (Donovan, 1805)

- [*Philobota strongyla*](#) (Turner, 1936)
- [*Philobota susanae*](#) (Lower, 1900)
- [*Philobota syncolla*](#) (Turner, 1917)
- [*Philobota syneches*](#) (Turner, 1914)
- [*Philobota synnephes*](#) (Turner, 1937)
- [*Philobota tanyscia*](#) (Meyrick, 1883)
- [*Philobota thiobaphes*](#) (Turner, 1937)
- [*Philobota thiocrossa*](#) (Turner, 1917)
- [*Philobota thiogramma*](#) Meyrick, 1889
- [*Philobota tranquilla*](#) (Turner, 1937)
- [*Philobota transversella*](#) (Walker, 1864)
- [*Philobota trigonosema*](#) (Turner, 1937)
- [*Philobota xanthastis*](#) (Meyrick, 1889)
- [*Philobota xanthodisca*](#) Turner, 1944
- [*Philobota xanthopolia*](#) (Turner, 1941)
- [*Philobota xanthoprepes*](#) Turner, 1917
- [*Philobota xerodes*](#) (Lower, 1900)
- [*Philobota xiphères*](#) Turner, 1896
- [*Philobota xiphopepla*](#) (Lower, 1920)
- [*Philobota xiphostola*](#) Meyrick, 1884
- [*Philobota xuthocrana*](#) (Turner, 1937)
- [*Philobota xylochroa*](#) (Lower, 1893)
- [*Philobota zalias*](#) (Lower, 1899)

References

1.
 - ["Philobota"](#). GBIF. Retrieved 2019-12-26.
 -
2. ["Australian Biological Resources Study, Australian Faunal Directory"](#). Retrieved 2019-12-26.

Categories:

- [Oecophoridae](#)
- [Lists of insect species](#)
-

This is a list of 137 species in the genus [Philanthus](#), beewolves.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Philanthus* species**

- [*Philanthus adamsoni*](#) Arnold, 1952 ^{i c g}
- [*Philanthus albopictus*](#) Taschenberg, 1880 ^{i c g}
- [*Philanthus albopilosus*](#) Cresson, 1865 ^{i c g}
- [*Philanthus amabilis*](#) Arnold, 1946 ^{i c g}
- [*Philanthus ammochrysus*](#) W. Schulz, 1905 ^{i c g}
- [*Philanthus arizonicus*](#) R. Bohart, 1972 ^{i c g}
- [*Philanthus arnoldi*](#) Berland, 1936 ^{i c g}
- [*Philanthus asmarensis*](#) Giordani Soika, 1939 ^{i c g}
- [*Philanthus avidus*](#) Bingham, 1896 ^{i c g}
- [*Philanthus banabacoa*](#) Alayo Dalmau, 1968 ^{i c g}
- [*Philanthus barbatus*](#) F. Smith, 1856 ^{i c g}
- [*Philanthus barbigus*](#) Mickel, 1916 ^{i c g}
- [*Philanthus basalis*](#) F. Smith, 1856 ^{i c g}
- [*Philanthus basilaris*](#) Cresson, 1880 ^{i c g}
- [*Philanthus basilewskyi*](#) Leclercq, 1955 ^{i c g}
- [*Philanthus bicinctus*](#) (Mickel, 1916) ^{i c g b} (bumble bee wolf)
- [*Philanthus bilineatus*](#) Gravenhorst, 1807 ^{i c g}
- [*Philanthus bilunatus*](#) Cresson, 1865 ^{i c g b}
- [*Philanthus bimaculatus*](#) de Saussure, 1891 ^{i c g}
- [*Philanthus boharti*](#) G. Ferguson, 1983 ^{i c g}
- [*Philanthus bredoi*](#) Arnold, 1946 ^{i c g}
- [*Philanthus brevicornis*](#) Guichard, 1994 ^{i c g}
- [*Philanthus bucephalus*](#) F. Smith, 1856 ^{i c}
- [*Philanthus camerunensis*](#) Tullgren, 1904 ^{i c g}
- [*Philanthus capensis*](#) Dahlbom, 1845 ^{i c g}
- [*Philanthus coarctatus*](#) Spinola, 1839 ^{i c}
- [*Philanthus coronatus*](#) (Thunberg, 1784) ^{i c g}
- [*Philanthus crabroniformis*](#) F. Smith, 1856 ^{i c g b}
- [*Philanthus crotoniphilus*](#) Viereck and Cockerell, 1904 ^{i c g}
- [*Philanthus curvimaculatus*](#) (Cameron, 1910) ^{i c g}
- [*Philanthus decemmaculatus*](#) Eversmann, 1849 ^{i c g}
- [*Philanthus dentatus*](#) Cameron, 1902 ^{i c g}
- [*Philanthus depredator*](#) F. Smith, 1856 ^{i c g}
- [*Philanthus desertorum*](#) (F. Morawitz, 1890) ^{i c g}
- [*Philanthus dichrous*](#) Kohl, 1894 ^{i c g}

- [*Philanthus dimidiatus*](#) Klug, 1845^{i c g}
- [*Philanthus dufouri*](#) Lucas, 1849^{c g}
- [*Philanthus dufourii*](#) Lucas, 1849ⁱ
- [*Philanthus elegantissimus*](#) Dalla Torre, 1897^{i c g}
- [*Philanthus femoralis*](#) Arnold, 1946^{i c g}
- [*Philanthus flagellarius*](#) R. Turner, 1918^{i c g}
- [*Philanthus flavipes*](#) Arnold, 1949^{i c g}
- [*Philanthus fossulatus*](#) R. Turner, 1918^{i c g}
- [*Philanthus foveatus*](#) Arnold, 1933^{i c g}
- [*Philanthus fuscipennis*](#) Guérin-Méneville, 1844^{i c g}
- [*Philanthus genalis*](#) Kohl, 1891^{i c g}
- [*Philanthus gibbosus*](#) (Fabricius, 1775)^{i c g b}
- [*Philanthus glaber*](#) Kohl, 1891^{i c g}
- [*Philanthus gloriosus*](#) Cresson, 1865^{i c g}
- [*Philanthus gwaaiensis*](#) Arnold, 1929^{i c g}
- [*Philanthus hellmanni*](#) (Eversmann, 1849)^{i c g}
- [*Philanthus histrio*](#) Fabricius, 1804^{i c g}
- [*Philanthus impatiens*](#) Kohl, 1891^{i c g}
- [*Philanthus inversus*](#) Patton, 1879^{i c g}
- [*Philanthus kaszabi*](#) Tsuneki, 1971^{i c g}
- [*Philanthus kohlii*](#) F. Morawitz, 1890^{i c g}
- [*Philanthus kokandicus*](#) Radoszkowski, 1877^{i c g}
- [*Philanthus komarowi*](#) F. Morawitz, 1890^{i c g}
- [*Philanthus laticeps*](#) Arnold, 1925^{i c g}
- [*Philanthus lepidus*](#) Cresson, 1865^{i c g b}
- [*Philanthus levini*](#) R. Bohart, 1972^{i c g}
- [*Philanthus limatus*](#) Bingham, 1909^{i c g}
- [*Philanthus lingyuanensis*](#) Yasumatsu, 1935^{i c g}
- [*Philanthus loeflingi*](#) Dahlbom, 1845^{i c g}
- [*Philanthus madagascariensis*](#) Brèthes, 1910^{i c g}
- [*Philanthus major*](#) Kohl, 1891^{i c g}
- [*Philanthus melanderi*](#) Arnold, 1925^{i c g}
- [*Philanthus michelbacheri*](#) R. Bohart, 1972^{i c g}
- [*Philanthus minor*](#) Kohl, 1891^{i c g}
- [*Philanthus mongolicus*](#) F. Morawitz, 1889^{i c g}
- [*Philanthus multimaculatus*](#) Cameron, 1891^{i c g b}

- [*Philanthus namaqua*](#) Arnold, 1925^{i c g}
- [*Philanthus nasalis*](#) R. Bohart, 1972^{i c g b}
- [*Philanthus natalensis*](#) Arnold, 1925^{i c g}
- [*Philanthus neomexicanus*](#) Strandtmann, 1946^{i c g}
- [*Philanthus nepalensis*](#) Bingham, 1908^{i c g}
- [*Philanthus nigritus*](#) Gravenhorst, 1807^{i c g}
- [*Philanthus nigrohirtus*](#) R. Turner, 1918^{i c g}
- [*Philanthus nitidus*](#) Magretti, 1884^{i c g}
- [*Philanthus nobilis*](#) Kohl, 1891^{i c g}
- [*Philanthus notatulus*](#) F. Smith, 1862^{i c g}
- [*Philanthus nursei*](#) (Bingham, 1898)^{i c g}
- [*Philanthus occidentalis*](#) Strandtmann, 1946^{i c g}
- [*Philanthus oraniensis*](#) Arnold, 1925^{i c g}
- [*Philanthus ordinarius*](#) Bingham, 1896^{i c g}
- [*Philanthus pacificus*](#) Cresson, 1880^{i c g b}
- [*Philanthus pallidus*](#) Klug, 1845^{i c g}
- [*Philanthus parkeri*](#) G. Ferguson, 1983^{i c g}
- [*Philanthus pilifrons*](#) Cameron, 1908^{i c g}
- [*Philanthus politus*](#) Say, 1824^{i c g b}
- [*Philanthus promontorii*](#) Arnold, 1925^{i c g}
- [*Philanthus psyche*](#) Dunning, 1896^{i c g}
- [*Philanthus pulchellus*](#) Spinola, 1843^{i c g}
- [*Philanthus pulcher*](#) Dalla Torre, 1897^{i c g}
- [*Philanthus pulcherrimus*](#) F. Smith, 1856^{i c g}
- [*Philanthus punjabensis*](#) Nurse, 1902^{i c g}
- [*Philanthus radamae*](#) Arnold, 1945^{i c g}
- [*Philanthus ramakrishnae*](#) R. Turner, 1918^{i c g}
- [*Philanthus reinigi*](#) Bischoff, 1930^{i c g}
- [*Philanthus rubidus*](#) Arnold, 1946^{i c g}
- [*Philanthus rubriventris*](#) Kazenas, 1970^{i c g}
- [*Philanthus rugosifrons*](#) Arnold, 1949^{i c g}
- [*Philanthus rugosus*](#) Kohl, 1891^{i c g}
- [*Philanthus rutilus*](#) Spinola, 1839^{i c g}
- [*Philanthus sanbornii*](#) Cresson, 1865^{i c g b}
- [*Philanthus schulthessi*](#) Maidl, 1924^{i c g}
- [*Philanthus schusteri*](#) R. Bohart, 1972^{i c g}

- [*Philanthus scrutator*](#) Nurse, 1902^{i c g}
- [*Philanthus sculpturatus*](#) Gayubo, 1991^{i c g}
- [*Philanthus serrulatae*](#) Dunning, 1898^{i c g}
- [*Philanthus sicarius*](#) F. Smith, 1856^{i c g}
- [*Philanthus soikai*](#) de Beaumont, 1961^{i c g}
- [*Philanthus solivagus*](#) Say, 1837^{i c g b}
- [*Philanthus sparsipunctatus*](#) Arnold, 1946^{i c g}
- [*Philanthus spiniger*](#) Thunberg, 1815^{i c g}
- [*Philanthus stecki*](#) W. Schulz, 1906^{i c g}
- [*Philanthus strigosus*](#) R. Turner, 1918^{i c g}
- [*Philanthus stygius*](#) Gerstäcker, 1858^{i c g}
- [*Philanthus subconcolor*](#) (Bingham, 1898)^{i c g}
- [*Philanthus sulphureus*](#) F. Smith, 1856^{i c g}
- [*Philanthus sumptuosus*](#) R. Turner, 1917^{i c g}
- [*Philanthus taantes*](#) Gribodo, 1895^{i c g}
- [*Philanthus tarsatus*](#) H. Smith, 1908^{i c g}
- [*Philanthus tenellus*](#) Arnold, 1925^{i c g}
- [*Philanthus triangulum*](#) (Fabricius, 1775)^{i c g}
- [*Philanthus tricinctus*](#) Gimmerthal, 1836^{i c g}
- [*Philanthus tricolor*](#) Fairmaire, 1858^{i c g}
- [*Philanthus turneri*](#) Arnold, 1925^{i c g}
- [*Philanthus variegatus*](#) Spinola, 1839^{i c g}
- [*Philanthus variolosus*](#) Arnold, 1932^{i c g}
- [*Philanthus ventilabris*](#) Fabricius, 1798^{i c g b}
- [*Philanthus ventralis*](#) (Mickel, 1918)^{i c g}
- [*Philanthus venustus*](#) (Rossi, 1790)^{i c g}
- [*Philanthus walteri*](#) Kohl, 1891^{i c g}
- [*Philanthus weneri*](#) Maidl, 1933^{i c g}
- [*Philanthus yerburyi*](#) Bingham, 1898^{i c g}
- [*Philanthus zebratus*](#) Cresson, 1880^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 180 species in [*Phenacoccus*](#), a genus of mealybugs in the family [*Pseudococcidae*](#).[\[1\]\[2\]](#)
[\[3\]\[4\]](#)

***Phenacoccus* species**

- [*Phenacoccus abditus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus acericola*](#) King, 1902 ^{c g}
- [*Phenacoccus aceris*](#) (Signoret, 1875) ^{c g b} (apple mealybug)
- [*Phenacoccus affinis*](#) Ter-Grigorian, 1963 ^{c g}
- [*Phenacoccus alibotush*](#) Gavrilov ^g
- [*Phenacoccus alienus*](#) De Lotto, 1961 ^{c g}
- [*Phenacoccus alleni*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus alonim*](#) Ben-Dov, 1991 ^{c g}
- [*Phenacoccus alticola*](#) Bazarov, 1967 ^{c g}
- [*Phenacoccus americanus*](#) King & Cockerell, 1897 ^{c g}
- [*Phenacoccus angophorae*](#) Williams, 1985 ^{c g}
- [*Phenacoccus angustatus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus arambourgi*](#) Balachowsky, 1954 ^{c g}
- [*Phenacoccus arctophilus*](#) (Wang, 1979) ^{c g}
- [*Phenacoccus artemisiae*](#) Ehrhorn, 1900 ^{c g}
- [*Phenacoccus arthropityi*](#) Archangelskaya, 1930 ^{c g}
- [*Phenacoccus asphodeli*](#) Goux, 1942 ^{c g}
- [*Phenacoccus asteri*](#) Takahashi, 1932 ^{c g}
- [*Phenacoccus avenae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus avetianae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus azaleae*](#) Kuwana, 1914 ^{c g}
- [*Phenacoccus baccharidis*](#) Williams, 1987 ^{c g}
- [*Phenacoccus balachowskyi*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus balagnus*](#) Balachowsky, 1933 ^{c g}
- [*Phenacoccus basorae*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus bazarovi*](#) Ben-Dov, 1994 ^{c g}
- [*Phenacoccus betae*](#) Moghaddam ^g
- [*Phenacoccus bicerarius*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus borchsenii*](#) (Matesova, 1957) ^{c g}
- [*Phenacoccus brachipodi*](#) (Savescu, 1985) ^{c g}
- [*Phenacoccus caillardi*](#) (Balachowsky, 1930) ^{c g}
- [*Phenacoccus cajonensis*](#) McKenzie, 1967 ^{c g}

- [*Phenacoccus capensis*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus cassiniae*](#) Williams, 1985 ^{c g}
- [*Phenacoccus celtisifoliae*](#) Hollinger, 1917 ^{c g}
- [*Phenacoccus cerasi*](#) Savescu, 1985 ^{c g}
- [*Phenacoccus colemani*](#) Ehrhorn, 1906 ^{c g}
- [*Phenacoccus convolvuli*](#) Savescu, 1985 ^{c g}
- [*Phenacoccus cotyledonis*](#) De Lotto, 1964 ^{c g}
- [*Phenacoccus crassus*](#) Granara de Willink, 1983 ^{c g}
- [*Phenacoccus cynodontis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus cyrenaicus*](#) Ferris, 1922 ^{c g}
- [*Phenacoccus dearnessi*](#) King, 1901 ^{c g}
- [*Phenacoccus defectus*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus desertus*](#) Bazarov & Nurmamatov ^g
- [*Phenacoccus destitutus*](#) McKenzie, 1967 ^{c g}
- [*Phenacoccus dicoriae*](#) McKenzie, 1961 ^{c g}
- [*Phenacoccus discadenatus*](#) Danzig, 1978 ^{c g}
- [*Phenacoccus echeveriae*](#) McKenzie, 1960 ^{c g}
- [*Phenacoccus ejinensis*](#) Tang in Tang & Li, 1988 ^{c g}
- [*Phenacoccus eleabius*](#) Silvestri, 1915 ^{c g}
- [*Phenacoccus elongatus*](#) Kanda, 1943 ^{c g}
- [*Phenacoccus emansor*](#) Williams & Kozarzhevskaya, 1988 ^{c g}
- [*Phenacoccus eremicus*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus eriogoni*](#) Ferris, 1918 ^{c g}
- [*Phenacoccus eschscholtziae*](#) McKenzie, 1961 ^{c g}
- [*Phenacoccus eugeniae*](#) Takahashi, 1942 ^{c g}
- [*Phenacoccus eurotiae*](#) Danzig, 1975 ^{c g}
- [*Phenacoccus evelinae*](#) (Tereznikova, 1968) ^{c g}
- [*Phenacoccus ferulae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus fici*](#) Takahashi, 1940 ^{c g}
- [*Phenacoccus formicarum*](#) Leonardi, 1908 ^{c g}
- [*Phenacoccus franseriae*](#) Ferris, 1921 ^{c g}
- [*Phenacoccus fraxinus*](#) Tang, 1977 ^{c g}
- [*Phenacoccus giganteus*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus gobicus*](#) Danzig, 1987 ^{c g}
- [*Phenacoccus gorgasalicus*](#) Hadzibejli, 1960 ^{c g}
- [*Phenacoccus gossypii*](#) Townsend & Cockerell, 1898 ^{c g}

- [*Phenacoccus graminicola*](#) Leonardi, 1908 ^{c g}
- [*Phenacoccus grandicarpus*](#) Hollinger, 1917 ^{c g}
- [*Phenacoccus gregosus*](#) Williams & Granara de Willink, 1992 ^{c g}
- [*Phenacoccus gypsophilae*](#) Hall, 1927 ^{c g}
- [*Phenacoccus hakeae*](#) Williams, 1985 ^{c g}
- [*Phenacoccus halimiphylli*](#) Danzig, 1968 ^{c g}
- [*Phenacoccus halli*](#) Ezzat, 1962 ^{c g}
- [*Phenacoccus hargreavesi*](#) (Laing, 1925) ^{c g}
- [*Phenacoccus helianthi*](#) (Cockerell, 1893) ^{c g}
- [*Phenacoccus herbaceus*](#) Borchsenius, 1962 ^{c g}
- [*Phenacoccus herreni*](#) Cox & Williams, 1981 ^{c g}
- [*Phenacoccus hordei*](#) (Reuter, 1904) ^{c g}
- [*Phenacoccus hortorum*](#) Brachman & Kosztarab in Kosztarab, 1996 ^{c g}
- [*Phenacoccus hurdi*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus hystrix*](#) (Baerensprung, 1849) ^{c g}
- [*Phenacoccus incertus*](#) (Kiritshenko, 1940) ^{c g}
- [*Phenacoccus incomptus*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus indicus*](#) (Avasthi & Shafee, 1980) ^{c g}
- [*Phenacoccus infernalis*](#) McKenzie, 1962 ^{c g}
- [*Phenacoccus insularis*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus interruptus*](#) Green, 1923 ^{c g}
- [*Phenacoccus iranica*](#) Moghaddam ^g
- [*Phenacoccus isadenatus*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus juniperi*](#) Ter-Grigorian, 1964 ^{c g}
- [*Phenacoccus kaplini*](#) Danzig, 1983 ^{c g}
- [*Phenacoccus karabardi*](#) Borchsenius & Ter-Grigorian, 1956 ^{c g}
- [*Phenacoccus kareliniae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus karkasicus*](#) Moghaddam ^g
- [*Phenacoccus kokandicus*](#) Nurmamatov, 1986 ^{c g}
- [*Phenacoccus larvalis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus latipes*](#) Green, 1923 ^{c g}
- [*Phenacoccus longoi*](#) Russo, 1994 ^{c g}
- [*Phenacoccus lotearum*](#) McKenzie, 1960 ^{c g}
- [*Phenacoccus lycii*](#) (Ferris, 1919) ^{c g}
- [*Phenacoccus madeirensis*](#) Green, 1925 ^{i c g}
- [*Phenacoccus manihoti*](#) Matile-Ferrero, 1977 ^{c g}

- [*Phenacoccus maritimus*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus matricariae*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus megaulus*](#) McKenzie, 1967 ^{c g}
- [*Phenacoccus memorabilis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus menieri*](#) Matile-Ferrero & Balachowsky, 1972 ^{c g}
- [*Phenacoccus meridionalis*](#) Gómez-Menor Ortega, 1948 ^{c g}
- [*Phenacoccus mexicanus*](#) (Miller & McKenzie, 1971) ^{c g}
- [*Phenacoccus meymeryani*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus minimus*](#) Tinsley, 1898 ^{c g}
- [*Phenacoccus monieri*](#) Balachowsky, 1939 ^{c g}
- [*Phenacoccus montanus*](#) (Hadzibejli, 1959) ^{c g}
- [*Phenacoccus multisetosus*](#) McKenzie, 1967 ^{c g}
- [*Phenacoccus neohordei*](#) Marotta, 1992 ^{c g}
- [*Phenacoccus nephelii*](#) Takahashi, 1939 ^{c g}
- [*Phenacoccus nurmamatovi*](#) Bazarov, 1979 ^{c g}
- [*Phenacoccus orcinus*](#) De Lotto, 1964 ^{c g}
- [*Phenacoccus parietariae*](#) (Lichtenstein, 1881) ^{c g}
- [*Phenacoccus parietaricola*](#) Goux, 1938 ^{c g}
- [*Phenacoccus parvus*](#) Morrison, 1924 ^{i c g}
- [*Phenacoccus pauculus*](#) De Lotto, 1964 ^{c g}
- [*Phenacoccus pauperatus*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus pergandei*](#) Cockerell, 1896 ^{c g}
- [*Phenacoccus perillustris*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus persimplex*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus peruvianus*](#) Granara de Willink, 2007 ^g
- [*Phenacoccus phenacoccoides*](#) (Kiritschenko, 1932) ^g
- [*Phenacoccus piceae*](#) (Löw, 1883) ^{c g}
- [*Phenacoccus poriferus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus pratti*](#) Takahashi, 1951 ^{c g}
- [*Phenacoccus prodigialis*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus prosopidis*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus proximus*](#) De Lotto, 1974 ^{c g}
- [*Phenacoccus prunispinosi*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus pseudopumilus*](#) Hadzibejli, 1960 ^{c g}
- [*Phenacoccus psidiarum*](#) Cockerell, 1903 ^{c g}
- [*Phenacoccus pumilus*](#) Kiritschenko, 1936 ^{c g}

- [*Phenacoccus pyramidensis*](#) Ezzat, 1960 ^{c g}
- [*Phenacoccus quadricaudata*](#) (Signoret, 1875) ^{c g}
- [*Phenacoccus querculus*](#) (Borchsenius, 1949) ^{c g}
- [*Phenacoccus radii*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus rehaceki*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus rotundus*](#) Kanda, 1943 ^{c g}
- [*Phenacoccus rubivorus*](#) Cockerell, 1901 ^{c g}
- [*Phenacoccus sakai*](#) (Takahashi, 1951) ^{c g}
- [*Phenacoccus salsolae*](#) Danzig, 1975 ^{c g}
- [*Phenacoccus salviacus*](#) Moghaddam ^g
- [*Phenacoccus schmelevi*](#) Bazarov, 1980 ^{c g}
- [*Phenacoccus segnis*](#) (Brain, 1915) ^{c g}
- [*Phenacoccus setiger*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus sherbinovskyi*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus shutovae*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus silvanae*](#) Longo & Russo in Longo et al., 1989 ^{c g}
- [*Phenacoccus similis*](#) Granara de Willink, 1983 ^{c g}
- [*Phenacoccus sogdianicus*](#) Nurmamatov & Bazarov, 1987 ^{c g}
- [*Phenacoccus solani*](#) Ferris, 1918 ^{i c g b} (solanum mealybug)
- [*Phenacoccus solenopsis*](#) Tinsley, 1898 ^{c g}
- [*Phenacoccus specificus*](#) Matesova, 1960 ^{c g}
- [*Phenacoccus sphaeralceae*](#) Williams, 1987 ^{c g}
- [*Phenacoccus sphagni*](#) (Green, 1915) ^{c g}
- [*Phenacoccus stelli*](#) (Brain, 1915) ^{c g}
- [*Phenacoccus stipae*](#) Nurmamatov, 1986 ^{c g}
- [*Phenacoccus strigosus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus subdeserticus*](#) Vayssi re, 1932 ^{c g}
- [*Phenacoccus surinamensis*](#) ⁱ
- [*Phenacoccus tataricus*](#) Matesova, 1960 ^{c g}
- [*Phenacoccus tergrigorianae*](#) Borchsenius in Borchsenius & Ter-Grigorian, 1956 ^{c g}
- [*Phenacoccus tibialis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus transcaucasicus*](#) Hadzibejli, 1960 ^{c g}
- [*Phenacoccus transvcaucasicus*](#) Hadzibejli, 1960 ^g
- [*Phenacoccus trichonotus*](#) (Danzig, 1971) ^{c g}
- [*Phenacoccus tucumanus*](#) Granara de Willink, 1983 ^{c g}
- [*Phenacoccus ulmi*](#) (Savescu, 1985) ^{c g}

- [*Phenacoccus vaccinii*](#) (Danzig, 1960) ^c ^g
- [*Phenacoccus viburnae*](#) Kanda, 1931 ^c ^g
- [*Phenacoccus wilmattae*](#) Cockerell, 1901 ^c ^g
- [*Phenacoccus yerushalmi*](#) Ben-Dov, 1985 ^c ^g

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 197 species in [*Phanerotoma*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]}

***Phanerotoma* species**

- [*Phanerotoma acara*](#) van Achterberg, 1990 ^c ^g
- [*Phanerotoma acuminata*](#) Szépligeti, 1908 ^c ^g
- [*Phanerotoma agarwali*](#) Varshney & Shuja-Uddin, 1999 ^c ^g
- [*Phanerotoma alagoasensis*](#) Zettel, 1992 ^c ^g
- [*Phanerotoma analis*](#) Zettel, 1990 ^c ^g
- [*Phanerotoma andamanensis*](#) Gupta ^g
- [*Phanerotoma annulata*](#) Zettel, 1989 ^c ^g
- [*Phanerotoma aperta*](#) Szépligeti, 1908 ^c ^g
- [*Phanerotoma arakakii*](#) Zettel, 1990 ^c ^g
- [*Phanerotoma atra*](#) Snoflak, 1951 ^c ^g
- [*Phanerotoma atriceps*](#) Zettel, 1992 ^c ^g
- [*Phanerotoma attenuata*](#) Zettel, 1989 ^c ^g
- [*Phanerotoma australiensis*](#) Ashmead, 1900 ^c ^g
- [*Phanerotoma aviculus*](#) Saussure, 1892 ^c ^g
- [*Phanerotoma baltica*](#) Brues, 1933 ^c ^g
- [*Phanerotoma bannensis*](#) Masi, 1944 ^c ^g
- [*Phanerotoma behriae*](#) Zettel, 1988 ^c ^g
- [*Phanerotoma bekilyensis*](#) Granger, 1949 ^c ^g
- [*Phanerotoma bennetti*](#) Muesebeck, 1955 ^c ^g
- [*Phanerotoma bicolor*](#) Sonan, 1932 ^c ^g
- [*Phanerotoma bidentula*](#) Zettel, 1992 ^c ^g
- [*Phanerotoma bilinea*](#) Lyle, 1924 ^c ^g
- [*Phanerotoma bouceki*](#) van Achterberg, 1990 ^c ^g
- [*Phanerotoma brasiliensis*](#) Zettel, 1989 ^c ^g
- [*Phanerotoma brendelli*](#) Zettel, 1990 ^c ^g

- [*Phanerotoma brevis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma buchneri*](#) Fahringer, 1932 ^{c g}
- [*Phanerotoma caltagironei*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma capeki*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma caudalis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma caudata*](#) Granger, 1949 ^{c g}
- [*Phanerotoma circumscripta*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma coccinellae*](#) Girault, 1924 ^{c g}
- [*Phanerotoma conopomorphae*](#) Tsang & You ^g
- [*Phanerotoma crabbi*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma crocea*](#) (Cameron, 1887) ^{c g}
- [*Phanerotoma curvicarinata*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma curvimaculata*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma curvinervis*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma cyrenaica*](#) Masi, 1932 ^{c g}
- [*Phanerotoma decorata*](#) Szepligeti, 1914 ^{c g}
- [*Phanerotoma decticauda*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma dentata*](#) (Panzer, 1805) ^{c g}
- [*Phanerotoma divergens*](#) van Achterberg, 2009 ^{c g}
- [*Phanerotoma diversa*](#) (Walker, 1874) ^{c g}
- [*Phanerotoma ebneri*](#) Fahringer, 1924 ^{c g}
- [*Phanerotoma ejuncida*](#) Chen & Ji, 2003 ^{c g}
- [*Phanerotoma erythrocephala*](#) Rohwer, 1917 ^{c g}
- [*Phanerotoma exigua*](#) Zettel, 1991 ^{c g}
- [*Phanerotoma extensa*](#) Brues, 1933 ^{c g}
- [*Phanerotoma fasciata*](#) Provancher, 1881 ^{c g}
- [*Phanerotoma fasciatipennis*](#) Granger, 1949 ^{c g}
- [*Phanerotoma fastigata*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma filicornis*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma flava*](#) Ashmead, 1906 ^{c g}
- [*Phanerotoma flavida*](#) Enderlein, 1912 ^{c g}
- [*Phanerotoma floridana*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma formosana*](#) Rohwer, 1934 ^{c g}
- [*Phanerotoma fracta*](#) Kokujev, 1903 ^{c g}
- [*Phanerotoma franklini*](#) Gahan, 1917 ^{c g}
- [*Phanerotoma fusca*](#) Zettel, 1992 ^{c g}

- [*Phanerotoma fuscovaria*](#) Ashmead, 1894 ^{c g}
- [*Phanerotoma ghesquierei*](#) de Saeger, 1948 ^{c g}
- [*Phanerotoma gigantea*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma gijswijti*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma glabra*](#) Telenga, 1941 ^{c g}
- [*Phanerotoma gracilipes*](#) (Szepligeti, 1914) ^{c g}
- [*Phanerotoma gracilis*](#) Tobias, 1970 ^{c g}
- [*Phanerotoma gracilisoma*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma graciloides*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma graeca*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma grapholithae*](#) Muesebeck, 1933 ^{c g}
- [*Phanerotoma hapaliae*](#) de Saeger, 1948 ^{c g}
- [*Phanerotoma hayati*](#) Ahmad & Shuja-Uddin, 2004 ^{c g}
- [*Phanerotoma hendecasisella*](#) Cameron, 1905 ^{c g}
- [*Phanerotoma hispanica*](#) Kokujev, 1899 ^{c g}
- [*Phanerotoma honiarana*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma humeralis*](#) Ashmead, 1894 ^{c g}
- [*Phanerotoma ichneutiptera*](#) (Vachal, 1907) ^{c g}
- [*Phanerotoma improvisa*](#) Zettel, 1991 ^{c g}
- [*Phanerotoma indica*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma inopinata*](#) Caltagirone, 1965 ^{c g}
- [*Phanerotoma intermedia*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma interstitialis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma iturica*](#) de Saeger, 1942 ^{c g}
- [*Phanerotoma kamtshatica*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma kasachstanica*](#) Tobias, 1964 ^{c g}
- [*Phanerotoma katkowi*](#) Kokujev, 1900 ^{c g}
- [*Phanerotoma kobdensis*](#) Tobias, 1972 ^{c g}
- [*Phanerotoma kotenkoi*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma kozlovi*](#) Shestakov, 1930 ^{c g}
- [*Phanerotoma laspeyresia*](#) Rohwer, 1915 ^{c g}
- [*Phanerotoma leeuwinensis*](#) Turner, 1917 ^{c g}
- [*Phanerotoma lepida*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma leucobasis*](#) Kriechbaumer, 1894 ^{c g}
- [*Phanerotoma lissonota*](#) Tobias, 1972 ^{c g}
- [*Phanerotoma longicauda*](#) Walley, 1951 ^{c g}

- [*Phanerotoma longiradialis*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma longiterebra*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma maculata*](#) (Wollaston, 1858) ^{c g}
- [*Phanerotoma marshalli*](#) (Buysson, 1897) ^{c g}
- [*Phanerotoma masiana*](#) Fahringer, 1934 ^{c g}
- [*Phanerotoma melanocephala*](#) Fullaway, 1913 ^{c g}
- [*Phanerotoma melanura*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma mellina*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma meridionalis*](#) Ashmead, 1894 ^{c g}
- [*Phanerotoma minuta*](#) Kokujev, 1903 ^{c g}
- [*Phanerotoma mirabilis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma modesta*](#) Masi, 1944 ^{c g}
- [*Phanerotoma moniliata*](#) Ji & Chen, 2003 ^{c g}
- [*Phanerotoma moravica*](#) Snoflak, 1951 ^{c g}
- [*Phanerotoma myeloisae*](#) Fullaway, 1956 ^{c g}
- [*Phanerotoma nathani*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma nepalensis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma nigricephala*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma nigriceps*](#) Szepligeti, 1914 ^{c g}
- [*Phanerotoma nigripelta*](#) Muesebeck, 1955 ^{c g}
- [*Phanerotoma nigroscutis*](#) Cameron, 1905 ^{c g}
- [*Phanerotoma nigrotibialis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma nitidiventris*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma nocturna*](#) Tobias, 1967 ^{c g}
- [*Phanerotoma notabilis*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma novacaledoniensis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma novaehebridensis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma novaguineensis*](#) Szepligeti, 1900 ^{c g}
- [*Phanerotoma novateutonica*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma noyesi*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma obscura*](#) Snoflak, 1951 ^{c g}
- [*Phanerotoma offensa*](#) Papp, 1989 ^{c g}
- [*Phanerotoma orientalis*](#) Szepligeti, 1902 ^{c g}
- [*Phanerotoma ornatula*](#) Brues, 1926 ^{c g}
- [*Phanerotoma pacifica*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma pallida*](#) Cameron, 1911 ^{c g}

- [*Phanerotoma pallidipes*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma pallidula*](#) Masi, 1945 ^{c g}
- [*Phanerotoma panamana*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma pappi*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma parastigmalis*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma parva*](#) Kokujev, 1903 ^{c g}
- [*Phanerotoma pedra*](#) Papp, 1989 ^{c g}
- [*Phanerotoma pellucida*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma permixtella*](#) Fischer, 1968 ^{c g}
- [*Phanerotoma persa*](#) Shestakov, 1930 ^{c g}
- [*Phanerotoma phycitina*](#) de Saeger, 1942 ^{c g}
- [*Phanerotoma planifrons*](#) (Nees, 1816) ^{c g}
- [*Phanerotoma plaumanni*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma popovi*](#) Telenga, 1941 ^{c g}
- [*Phanerotoma potanini*](#) Kokujev, 1895 ^{c g}
- [*Phanerotoma producta*](#) Watanabe, 1937 ^{c g}
- [*Phanerotoma puchneriana*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma pygmaea*](#) Szepligeti, 1913 ^{c g}
- [*Phanerotoma pyrodercis*](#) Fischer, 1962 ^{c g}
- [*Phanerotoma recurvariae*](#) Cushman, 1914 ^{c g}
- [*Phanerotoma rhyacioniae*](#) Cushman, 1927 ^{c g}
- [*Phanerotoma robusta*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma rufescens*](#) (Latreille, 1809) ^{c g}
- [*Phanerotoma ruficornis*](#) Granger, 1949 ^{c g}
- [*Phanerotoma rufotestacea*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma samoana*](#) Fullaway, 1940 ^{c g}
- [*Phanerotoma sardiana*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma saussurei*](#) Kohl, 1906 ^{c g}
- [*Phanerotoma sculptifrons*](#) Tobias, 1970 ^{c g}
- [*Phanerotoma semenowi*](#) Kokujev, 1900 ^{c g}
- [*Phanerotoma somaliae*](#) Masi, 1943 ^{c g}
- [*Phanerotoma somalica*](#) Paoli, 1934 ^{c g}
- [*Phanerotoma soror*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma spilaspis*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma sponsa*](#) Ji & Chen, 2002 ^{c g}
- [*Phanerotoma straminea*](#) Viereck, 1913 ^{c g}

- [*Phanerotoma subexigua*](#) Zettel, 1991 ^{c g}
- [*Phanerotoma subpygmaea*](#) Granger, 1949 ^{c g}
- [*Phanerotoma sulcus*](#) Chen & Ji, 2003 ^{c g}
- [*Phanerotoma syedi*](#) Ahmad & Shuja-Uddin, 2004 ^{c g}
- [*Phanerotoma syleptae*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma terebralis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma texana*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma tibialis*](#) (Haldeman, 1849) ^{c g}
- [*Phanerotoma toreutae*](#) Caltagirone, 1967 ^{c g}
- [*Phanerotoma transcaspica*](#) Kokujev, 1902 ^{c g}
- [*Phanerotoma tricolorata*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma tridentati*](#) Ji & Chen, 2003 ^{c g}
- [*Phanerotoma tritoma*](#) (Marshall, 1898) ^{c g}
- [*Phanerotoma trivittata*](#) Brues, 1912 ^{c g}
- [*Phanerotoma trivittatoides*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma tropicana*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma uniformis*](#) Brues, 1926 ^{c g}
- [*Phanerotoma unipunctata*](#) Cushman, 1922 ^{c g}
- [*Phanerotoma upoluensis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma valentina*](#) Moreno & Jimenez, 1992 ^{c g}
- [*Phanerotoma vana*](#) de Saeger, 1948 ^{c g}
- [*Phanerotoma variegata*](#) Szepligeti, 1914 ^{c g}
- [*Phanerotoma vidua*](#) De Santis, 1975 ^{c g}
- [*Phanerotoma wahlbergianae*](#) Fischer, 1963 ^{c g}
- [*Phanerotoma waitzbaueri*](#) Zettel, 1987 ^{c g}
- [*Phanerotoma zebripes*](#) Chen & Ji, 2003 ^{c g}
- [*Phanerotoma zelleriae*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma zinovjevi*](#) Tobias, 2000 ^{c g}

This is a list of 197 species in [*Phanerotoma*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]} Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

References

1.
 - ["Browse Phanerotoma"](#). *Catalogue of Life*. Archived from [the original](#) on 2018-04-07. Retrieved 2018-04-06.
 - ["Phanerotoma"](#). *GBIF*. Retrieved 2018-04-06.

- ["Phanerotoma Genus Information"](#). BugGuide.net. Retrieved 2018-04-06.
-
- 4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-06.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 203 species in [Peromyia](#), a genus of wood midges in the family [Cecidomyiidae](#).^[1]

Peromyia species

- [Peromyia abdita](#) Jaschhof, 2009
- [Peromyia aberrans](#) Mamaev, 1963
- [Peromyia abnormis](#) Mamaev & Berest, 1990
- [Peromyia acuminata](#) Jaschhof, 2017
- [Peromyia acutula](#) Jaschhof, 2001
- [Peromyia aeratipennis](#) (Skuse, 1888)
- [Peromyia albicornis](#) (Meigen, 1830)
- [Peromyia aleemkhani](#) Jaschhof, 2001
- [Peromyia ampla](#) Jaschhof, 2001
- [Peromyia anatina](#) Mamaev & Berest, 1990
- [Peromyia angellifera](#) Jaschhof, 1997
- [Peromyia angulata](#) Jaschhof, 2001
- [Peromyia angulosa](#) Jaschhof, 2017
- [Peromyia angustior](#) Jaschhof, 2017
- [Peromyia anisotoma](#) Mamaev, 1994
- [Peromyia anocellata](#) Jaschhof, 2001
- [Peromyia apposita](#) Jaschhof, 1997
- [Peromyia appositoides](#) Jaschhof, 2017
- [Peromyia assimilis](#) Jaschhof, 2020
- [Peromyia aurantiaca](#) (Kieffer, 1894)
- [Peromyia austrina](#) Jaschhof, 2001
- [Peromyia autumnalis](#) Jaschhof, 2001
- [Peromyia avia](#) Jaschhof, 2001
- [Peromyia ayaensis](#) Jaschhof, 2001

- [Peromyia bashfordi](#) Jaschhof, 2010
- [Peromyia bavarica](#) Jaschhof, 2009
- [Peromyia bengalensis](#) Kieffer, 1905
- [Peromyia bertviklundi](#) Jaschhof, 2009
- [Peromyia bicolor](#) Edwards, 1938
- [Peromyia bidentata](#) Berest, 1988
- [Peromyia bihamata](#) Mamaev & Zaitzev, 1997
- [Peromyia borealis](#) (Felt, 1920)
- [Peromyia boreojaponica](#) Jaschhof, 2001
- [Peromyia boreophila](#) Jaschhof, 2001
- [Peromyia brandenburgensis](#) Jaschhof, 2017
- [Peromyia brevispina](#) Yukawa, 1967
- [Peromyia brutostylata](#) Jaschhof, 2017
- [Peromyia capitata](#) Jaschhof, 2001
- [Peromyia caricis](#) (Kieffer, 1901)
- [Peromyia carinata](#) Jaschhof, 2001
- [Peromyia cassa](#) Jaschhof, 2001
- [Peromyia clandestina](#) Jaschhof, 2004
- [Peromyia centrosa](#) Jaschhof, 2001
- [Peromyia cinalata](#) Jaschhof, 2010
- [Peromyia clancula](#) Jaschhof, 2009
- [Peromyia clavata](#) Jaschhof, 2017
- [Peromyia cognata](#) Jaschhof, 2017
- [Peromyia composita](#) Jaschhof, 1997
- [Peromyia concitata](#) Mamaev & Berest, 1994
- [Peromyia consimilis](#) Jaschhof, 2017
- [Peromyia constricta](#) Jaschhof, 2017
- [Peromyia cornuta](#) (Edwards, 1938)
- [Peromyia culta](#) Jaschhof, 2004
- [Peromyia curta](#) Jaschhof, 1997
- [Peromyia curvostylata](#) Jaschhof, 2017
- [Peromyia debilis](#) Jaschhof, 2010
- [Peromyia denotata](#) Jaschhof, 2009
- [Peromyia derupta](#) Jaschhof, 2004
- [Peromyia despecta](#) Jaschhof, 2010
- [Peromyia devia](#) Jaschhof, 2017
- [Peromyia diadema](#) Mamaev, 1963
- [Peromyia didhami](#) Jaschhof, 2004
- [Peromyia directa](#) Jaschhof, 1997
- [Peromyia discreta](#) Jaschhof, 1997
- [Peromyia dissona](#) Jaschhof, 2004
- [Peromyia docī](#) Jaschhof, 2004

- [Peromyia dupla](#) Jaschhof, 2017
- [Peromyia edwardsi](#) Berest, 1994
- [Peromyia elongatula](#) Jaschhof & Jaschhof, 2020
- [Peromyia extensa](#) Berest, 1991
- [Peromyia fagiphila](#) Jaschhof, 1997
- [Peromyia fiyensis](#) Jaschhof, 2009
- [Peromyia fujiensis](#) Jaschhof, 2001
- [Peromyia fungicola](#) (Kieffer, 1898)
- [Peromyia galapagensis](#) Jaschhof, 2004
- [Peromyia gemella](#) Jaschhof, 2001
- [Peromyia gotohi](#) Jaschhof, 2001
- [Peromyia gracilostylata](#) Jaschhof, 2017
- [Peromyia grovei](#) Jaschhof, 2010
- [Peromyia gryphiswaldensis](#) Jaschhof, 1997
- [Peromyia horridula](#) Jaschhof, 1997
- [Peromyia hyalina](#) Jaschhof, 2017
- [Peromyia ibarakiensis](#) Jaschhof, 2001
- [Peromyia imperatoria](#) Jaschhof, 2001
- [Peromyia impexa](#) (Skuse, 1888)
- [Peromyia indecorata](#) Jaschhof, 2010
- [Peromyia indica](#) Grover, 1970
- [Peromyia inflata](#) Jaschhof, 2017
- [Peromyia insueta](#) Jaschhof, 2004
- [Peromyia intacta](#) Jaschhof, 2004
- [Peromyia intermedia](#) (Kieffer, 1895)
- [Peromyia intonsa](#) Jaschhof, 2004
- [Peromyia iuxtatruncata](#) Jaschhof, 2017
- [Peromyia karstroemi](#) Jaschhof, 2017
- [Peromyia katieae](#) Jaschhof, 2004
- [Peromyia lapponica](#) Jaschhof, 2017
- [Peromyia latebrosa](#) Jaschhof, 2004
- [Peromyia leveillei](#) Kieffer, 1894
- [Peromyia lindstroemi](#) Jaschhof & Jaschhof, 2020
- [Peromyia lippertae](#) Jaschhof, 2017
- [Peromyia lisatengoe](#) Jaschhof, 2017
- [Peromyia lobata](#) Yukawa, 1971
- [Peromyia lobuscorum](#) Jaschhof, 2001
- [Peromyia longistylata](#) Jaschhof, 2017
- [Peromyia maetoi](#) Jaschhof, 2001
- [Peromyia manca](#) Jaschhof, 2017
- [Peromyia mediterranea](#) Mamaev, 1998
- [Peromyia memoranda](#) Jaschhof, 2004

- [*Peromyia menzeli*](#) Jaschhof, 2009
- [*Peromyia mica*](#) Mamaev & Zaitzev, 1998
- [*Peromyia minutissima*](#) Mamaev, 1963
- [*Peromyia mitrata*](#) Jaschhof, 1997
- [*Peromyia miyazakiensis*](#) Jaschhof, 2001
- [*Peromyia modesta*](#) (Felt, 1907)
- †[*Peromyia monilifera*](#) (Meunier, 1904)
- [*Peromyia monilis*](#) Mamaev, 1965
- [*Peromyia monticorvina*](#) Jaschhof, 2017
- [*Peromyia montivaga*](#) Jaschhof, 2001
- [*Peromyia mountalbertiensis*](#) Jaschhof, 2004
- [*Peromyia multifurcata*](#) Jaschhof, 2004
- [*Peromyia neglecta*](#) Jaschhof, 2017
- [*Peromyia nemorum*](#) (Edwards, 1938)
- [*Peromyia neomexicana*](#) (Felt, 1913)
- [*Peromyia niederhofensis*](#) Jaschhof, 2017
- [*Peromyia nitoda*](#) Jaschhof, 2010
- [*Peromyia novaezelandiae*](#) Jaschhof, 2004
- [*Peromyia obesa*](#) Jaschhof, 2001
- [*Peromyia obunca*](#) Jaschhof, 2004
- [*Peromyia oelandica*](#) Jaschhof, 2017
- [*Peromyia ogawaensis*](#) Jaschhof, 2001
- [*Peromyia okochii*](#) Jaschhof, 2001
- [*Peromyia ombergensis*](#) Jaschhof, 2017
- [*Peromyia orientalis*](#) Grover, 1964
- [*Peromyia ornata*](#) Jaschhof, 2001
- [*Peromyia ovalis*](#) (Edwards, 1938)
- [*Peromyia penicillata*](#) Jaschhof, 1997
- [*Peromyia perardua*](#) Jaschhof, 2004
- [*Peromyia perpusilla*](#) (Winnterz, 1870)
- [*Peromyia pertrita*](#) Jaschhof, 2004
- [*Peromyia photophila*](#) (Felt, 1907)
- [*Peromyia pilosa*](#) Jaschhof, 2001
- [*Peromyia plena*](#) Jaschhof, 2004
- [*Peromyia praeclara*](#) Jaschhof, 2004
- [*Peromyia prominens*](#) Yukawa, 1967
- [*Peromyia pseudoborealis*](#) Jaschhof, 2017
- [*Peromyia pumila*](#) Jaschhof, 2001
- [*Peromyia pumiloides*](#) Jaschhof, 2017
- [*Peromyia puncta*](#) Jaschhof, 2001
- [*Peromyia quercinophila*](#) Jaschhof, 2017
- [*Peromyia ramosa*](#) (Edwards, 1938)

- [*Peromyia ramosoides*](#) Jaschhof, 2009
- [*Peromyia rara*](#) Jaschhof, 2004
- [*Peromyia revelata*](#) Mamaev & Berest, 1990
- [*Peromyia rhombica*](#) Jaschhof, 2001
- [*Peromyia rotoitiensis*](#) Jaschhof, 2004
- [*Peromyia ryukyuensis*](#) Jaschhof, 2001
- [*Peromyia sacculiformia*](#) Mamaev & Berest, 1990
- [*Peromyia sanguinea*](#) (Kieffer, 1894)
- [*Peromyia scirrhosa*](#) Jaschhof, 2009
- [*Peromyia scutellata*](#) Mamaev, 1990
- [*Peromyia semota*](#) Jaschhof, 2001
- [*Peromyia semotoides*](#) Jaschhof, 2009
- [*Peromyia sera*](#) Jaschhof, 2004
- [*Peromyia serrata*](#) Jaschhof, 2004
- [*Peromyia setosa*](#) Jaschhof, 2004
- [*Peromyia seychellensis*](#) (Kieffer, 1911)
- [*Peromyia simpla*](#) Jaschhof, 2001
- [*Peromyia simulans*](#) Jaschhof, 2017
- [*Peromyia sinuosa*](#) Jaschhof, 2004
- [*Peromyia sofielundensis*](#) Jaschhof & Jaschhof, 2020
- [*Peromyia sororia*](#) Jaschhof & Jaschhof, 2017
- [*Peromyia sphenoides*](#) Jaschhof, 2001
- [*Peromyia spinigera*](#) Jaschhof, 2004
- [*Peromyia spinosa*](#) Jaschhof, 2001
- [*Peromyia squamigera*](#) Jaschhof, 2004
- [*Peromyia stenshuvudensis*](#) Jaschhof, 2017
- [*Peromyia subanatina*](#) Mamaev & Zaitzev, 1997
- [*Peromyia subbicolor*](#) Jaschhof, 2009
- [*Peromyia subborealis*](#) Jaschhof, 1997
- [*Peromyia subcurta*](#) Jaschhof, 2001
- [*Peromyia suberis*](#) Jaschhof, 1997
- [*Peromyia syltefjordensis*](#) Jaschhof, 1996
- [*Peromyia tasmanica*](#) Jaschhof, 2010
- [*Peromyia tecta*](#) Jaschhof, 2004
- [*Peromyia tenella*](#) Jaschhof, 2001
- [*Peromyia trifida*](#) Jaschhof, 2001
- [*Peromyia trifidoides*](#) Jaschhof, 2017
- [*Peromyia trimera*](#) (Edwards, 1938)
- [*Peromyia tripuncta*](#) Jaschhof, 2001
- [*Peromyia truncata*](#) Yukawa, 1967
- [*Peromyia tschirnhausi*](#) Jaschhof, 1996
- [*Peromyia tsukubasanensis*](#) Jaschhof, 2001

- [*Peromyia tumida*](#) Jaschhof, 2004
- [*Peromyia tundrae*](#) Jaschhof, 1996
- [*Peromyia uleforsi*](#) Jaschhof, 2017
- [*Peromyia uniseriata*](#) Jaschhof, 2017
- [*Peromyia upupoides*](#) Jaschhof, 1997
- [*Peromyia valens*](#) Jaschhof, 2001
- [*Peromyia vernalis*](#) Jaschhof, 2001
- [*Peromyia viklundi*](#) Jaschhof, 1997
- [*Peromyia warraensis*](#) Jaschhof, 2010
- [*Peromyia yezoensis*](#) Jaschhof, 2001

References

1.

1. [R.J. Gagne](#); M. Jaschhof (2021). *A Catalog of the Cecidomyiidae (Diptera) of the World* (5th ed.). ISBN . Wikidata [Q109561625](#).

Categories:

- [Cecidomyiidae](#)
- [Lists of insect species](#)
-

This is a list of 251 species in [Peripsocus](#), a genus of stout barklice in the family [Peripsocidae](#).^{[1][2][3][4]}

Peripsocus species

- [Peripsocus acuminatus](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Peripsocus africanus](#) Enderlein, 1902 ^{c g}
- [Peripsocus alachuae](#) Mockford, 1971 ^{i c g b}
- [Peripsocus alboguttatus](#) (Dalman, 1823) ^{i c g}
- [Peripsocus ammonus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus angolensis](#) Smithers, Courtenay, 1959 ^{c g}

- [*Peripsocus annectens*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus annulatus*](#) Badonnel, 1967 ^{c g}
- [*Peripsocus anura*](#) Vaughan, Thornton & New, 1991 ^{c g}
- [*Peripsocus apicatus*](#) Cole, New & Thornton, 1989 ^{c g}
- [*Peripsocus apiculatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus attenuatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus australis*](#) Mockford, 1971 ^{c g}
- [*Peripsocus badimaculatus*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus baishanzuicus*](#) Li, Fasheng, 1995 ^{c g}
- [*Peripsocus baiyunshanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus balli*](#) Badonnel, 1948 ^{c g}
- [*Peripsocus barunus*](#) Vaughan, Thornton & New, 1991 ^{c g}
- [*Peripsocus beijingensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus bhaktai*](#) Badonnel, 1981 ^{c g}
- [*Peripsocus biacanthus*](#) Li, Fasheng & Chikun Yang, 1988 ^{c g}
- [*Peripsocus bifasciarius*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus bifasciatus*](#) Schmidt, E. R. & Thornton, 1993 ^{c g}
- [*Peripsocus bifidus*](#) Thornton, 1984 ^{c g}
- [*Peripsocus bilobatus*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Peripsocus bonnieae*](#) Thornton, 1990 ^{c g}
- [*Peripsocus brachyura*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus brinchangensis*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus brunneus*](#) Datta, 1965 ^{c g}
- [*Peripsocus bucephalus*](#) Li, Fasheng, 1992 ^{c g}
- [*Peripsocus bucerus*](#) Li, Fasheng, 1992 ^{c g}
- [*Peripsocus bulbosus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus camerunus*](#) Badonnel, 1943 ^{c g}
- [*Peripsocus cassideus*](#) Li, Fasheng, 1999 ^{c g}
- [*Peripsocus caudatus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus chamelanus*](#) Badonnel, 1986 ^{c g}
- [*Peripsocus changbaishanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus chekei*](#) Turner, B. D., 1975 ^{c g}
- [*Peripsocus circinus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus coccophagus*](#) Badonnel, 1935 ^{c g}
- [*Peripsocus cochleus*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Peripsocus conoidalis*](#) Li, Fasheng, 2002 ^{c g}

- [*Peripsocus consobrinus*](#) Pearman, J. V., 1951 ^{c g}
- [*Peripsocus constrictus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus corollaris*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus crassicosta*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus crenulatus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus curvicalvus*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Peripsocus cylindratus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus decellei*](#) Badonnel, 1976 ^{c g}
- [*Peripsocus decurvatus*](#) Li, Fasheng, 1995 ^{c g}
- [*Peripsocus denticulatus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus didymus*](#) Roesler, 1939 ^{c g}
- [*Peripsocus disdentus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus dolichophallus*](#) Badonnel, 1986 ^{c g}
- [*Peripsocus dongbeiensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus duodecimidentus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus elongatus*](#) New & Thornton, 1976 ^{c g}
- [*Peripsocus equispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus exilis*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus falsipictus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus ferrugineus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus fici*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Peripsocus forcipatus*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus forficatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus fornicalis*](#) Li, Fasheng, 1999 ^{c g}
- [*Peripsocus frimensis*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus fulvescens*](#) Navás, 1920 ^{c g}
- [*Peripsocus furcellatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus ghesquierei*](#) Badonnel, 1948 ^{c g}
- [*Peripsocus golubae*](#) Lienhard, 2006 ^{c g}
- [*Peripsocus grandispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus guandishanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus guttulatus*](#) Badonnel, 1967 ^{c g}
- [*Peripsocus hainanensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus hamiltonae*](#) Smithers, Courtenay, 1977 ^{c g}
- [*Peripsocus haplacanthus*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus hedinianus*](#) Enderlein, 1934 ^{c g}

- [*Peripsocus helenae*](#) Lienhard, 2011 ^{c g}
- [*Peripsocus hickmani*](#) New, 1973 ^{c g}
- [*Peripsocus hinduensis*](#) Garcia Aldrete, 1999 ^{c g}
- [*Peripsocus hollowayi*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Peripsocus hongkongensis*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus huashanensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus hutsoni*](#) New, 1977 ^{c g}
- [*Peripsocus hyalinus*](#) Enderlein, 1903 ^{c g}
- [*Peripsocus ignis*](#) Okamoto, 1910 ^{c g}
- [*Peripsocus incertus*](#) Badonnel, 1986 ^{c g}
- [*Peripsocus incoloratus*](#) Turner, B. D., 1975 ^{c g}
- [*Peripsocus inflatus*](#) Li, Fasheng, 2001 ^{c g}
- [*Peripsocus intricatus*](#) Smithers, Courtenay, 1964 ^{c g}
- [*Peripsocus jianfenglingicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus jiangxiensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus jilinicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus jinggangshanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus jinshaanensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus jinxiuensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus juniperi*](#) Turner, B. D., 1975 ^{c g}
- [*Peripsocus kashmirensis*](#) Badonnel, 1981 ^{c g}
- [*Peripsocus keniensis*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Peripsocus kunmingiensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus laoshanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus laricis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus latispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus leptorrhizus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus lifashengi*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus limi*](#) New & Thornton, 1976 ^{c g}
- [*Peripsocus longifurcus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus longivalvus*](#) Badonnel, 1986 ^{c g}
- [*Peripsocus louguantaiensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus lunaris*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus luotongshanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus machadoi*](#) Badonnel, 1955 ^{c g}
- [*Peripsocus macrosiphus*](#) Li, Fasheng, 1993 ^{c g}

- [Peripsocus maculosus](#) Mockford, 1971 ^{i c g b}
- [Peripsocus madecassus](#) Badonnel, 1967 ^{c g}
- [Peripsocus madescens](#) (Walsh, 1863) ^{i c g b}
- [Peripsocus madidus](#) (Hagen, 1861) ^{i c g b}
- [Peripsocus magnimammus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus maoricus](#) (Tillyard, 1923) ^{c g}
- [Peripsocus marginatus](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Peripsocus medifasciarius](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus medimacularis](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus medispineus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus megalophus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus melaleucae](#) New, 1971 ^{c g}
- [Peripsocus menieri](#) Badonnel, 1984 ^{c g}
- [Peripsocus meridionalis](#) Li, Fasheng, 1999 ^{c g}
- [Peripsocus microcheilius](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus microcheilus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus milleri](#) (Tillyard, 1923) ^{i c g}
- [Peripsocus milloti](#) Badonnel, 1969 ^{c g}
- [Peripsocus mingshanicus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus minimus](#) Mockford, 1971 ^{i c g b}
- [Peripsocus minutus](#) Banks, N., 1924 ^{c g}
- [Peripsocus mirabilis](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus mokotensis](#) Badonnel, 1948 ^{c g}
- [Peripsocus monticola](#) Mockford, 1971 ^{c g}
- [Peripsocus morulops](#) (Tillyard, 1923) ^{c g}
- [Peripsocus mutilatus](#) Badonnel, 1986 ^{c g}
- [Peripsocus nanjingensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus nanus](#) Navás, 1922 ^{c g}
- [Peripsocus nasutus](#) Badonnel, 1976 ^{c g}
- [Peripsocus nebulosus](#) Navás, 1932 ^{c g}
- [Peripsocus neglectus](#) Mockford, 1996 ^{c g}
- [Peripsocus nigrescens](#) Williner, 1949 ^{c g}
- [Peripsocus notialis](#) Smithers, Courtenay, 1984 ^{c g}
- [Peripsocus nubifer](#) Mockford, 1991 ^{c g}
- [Peripsocus octoidentus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus oculatus](#) Enderlein, 1926 ^{c g}

- [Peripsocus oculimaculatus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus odontopetalus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus oligodontus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus optimalis](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus orbiculatus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus orebius](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus orientalis](#) Garcia Aldrete, 1999 ^{c g}
- [Peripsocus oxydontus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus pallidus](#) Broadhead & Alison Richards, 1980 ^{c g}
- [Peripsocus pamae](#) Schmidt, E. R. & New, 2008 ^{c g}
- [Peripsocus papillatus](#) Cole, New & Thornton, 1989 ^{c g}
- [Peripsocus parareichertii](#) Cole, New & Thornton, 1989 ^{c g}
- [Peripsocus paraspinosus](#) New & S. S. Lee, 1991 ^{c g}
- [Peripsocus parvulus](#) Kolbe, 1880 ^{c g}
- [Peripsocus parvus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus pauliani](#) Badonnel, 1949 ^{i c g}
- [Peripsocus pediformis](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus pемbanus](#) Enderlein, 1908 ^{c g}
- [Peripsocus peruanus](#) Banks, N., 1920 ^{c g}
- [Peripsocus phacellodomi](#) New, 1972 ^{c g}
- [Peripsocus phaeochilus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus phaeopterus](#) (Stephens, 1836) ^{i c g}
- [Peripsocus pictus](#) Thornton, 1962 ^{c g}
- [Peripsocus placidus](#) Mockford, 1991 ^{c g}
- [Peripsocus plagiotropus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus platyopterus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus plstylpus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus plurimaculatus](#) Li, Fasheng, 1992 ^{c g}
- [Peripsocus polygonalis](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus polyoacanthus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus potosi](#) Mockford, 1971 ^{i c g}
- [Peripsocus pseudoquercicola](#) Thornton, 1962 ^{c g}
- [Peripsocus pumilus](#) Enderlein, 1907 ^{c g}
- [Peripsocus qingchengshanicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus qingdaoensis](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus quadratidentalis](#) Li, Fasheng, 2002 ^{c g}

- [Peripsocus quadratiprocessus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus quadripunctatus](#) Badonnel, 1955 ^{c g}
- [Peripsocus quattuordecimus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus quercicola](#) Enderlein, 1906 ^{c g}
- [Peripsocus reduncus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus reflexibilis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus reicherti](#) Enderlein, 1903 ^{c g}
- [Peripsocus rhombicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus rhomboacanthus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus roseus](#) Smithers, Courtenay, 1977 ^{c g}
- [Peripsocus scalpratus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus scapiformis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus sclerotus](#) Thornton & Wong, 1966 ^{c g}
- [Peripsocus sedcimidentalis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus sedecimidentalis](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus setosus](#) Smithers, Courtenay, 1960 ^{c g}
- [Peripsocus sexidentus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus shilinensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus siculiformis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus similis](#) Enderlein, 1903 ^{c g}
- [Peripsocus spinosus](#) Thornton, 1959 ^{c g}
- [Peripsocus spissospilus](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus stagnivagus](#) Chapman, 1930 ^{i c g b}
- [Peripsocus stegeri](#) Thornton, 1990 ^{c g}
- [Peripsocus stenopterus](#) Thornton & Wong, 1968 ^{c g}
- [Peripsocus stigmatus](#) Thornton & Wong, 1968 ^{c g}
- [Peripsocus stigmatismus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus stiptatus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus subfasciatus](#) (Rambur, 1842) ^{i c g b}
- [Peripsocus subtilis](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus subtristis](#) Mockford, 1991 ^{c g}
- [Peripsocus suffitus](#) Enderlein, 1903 ^{c g}
- [Peripsocus suoxiyuicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus sydneyensis](#) Enderlein, 1903 ^{c g}
- [Peripsocus taipingensis](#) New & S. S. Lee, 1991 ^{c g}
- [Peripsocus terricolis](#) Badonnel, 1986 ^{c g}

- [Peripsocus teutonicus](#) Mockford, 1971 ^{c g}
- [Peripsocus tillyardi](#) New, 1973 ^{c g}
- [Peripsocus tinctus](#) Cole, New & Thornton, 1989 ^{c g}
- [Peripsocus togoensis](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Peripsocus transivenus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus tredecimus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus trigonoispineus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus tristis](#) Mockford, 1991 ^{c g}
- [Peripsocus umbrosus](#) Navás, 1911 ^{c g}
- [Peripsocus uncinatus](#) New, 1977 ^{c g}
- [Peripsocus undecimidentus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus undulatus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus uniformis](#) New & Thornton, 1976 ^{c g}
- [Peripsocus vacoasensis](#) Turner, B. D., 1976 ^{c g}
- [Peripsocus valvulus](#) Thornton & Wong, 1968 ^{c g}
- [Peripsocus variatus](#) Soehardjan & Hamann, 1959 ^{c g}
- [Peripsocus varidentatus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus vescus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus viriosus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus weinigeri](#) Turner, B. D., 1975 ^{c g}
- [Peripsocus wuhoi](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus wuyishanicus](#) Li, Fasheng, 1999 ^{c g}
- [Peripsocus xanthochilus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus xihuensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus yongqi](#) New & S. S. Lee, 1991 ^{c g}
- [Peripsocus yuleki](#) Galil & Halperin, 1983 ^{c g}
- [Peripsocus zhangispineus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus zhangliani](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus ziguiensis](#) Li, Fasheng, 1997 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 191 species in [Pericoma](#), a genus of moth flies in the family [Psychodidae](#). [1][2][3][4]

Pericoma species

- [Pericoma acuminata](#) Strobl, 1901 ^{c g}
- [Pericoma affinis](#) Krek, 1985 ^{c g}
- [Pericoma agreste](#) Quate & Quate, 1967 ^{c g}
- [Pericoma alaeoensis](#) Kaul, 1971 ^{c g}
- [Pericoma alba](#) (Sara, 1952) ^{c g}
- [Pericoma albipes](#) Tonnoir, 1953 ^{c g}
- [Pericoma albitarsis](#) (Banks, 2895) ^{i c g}
- [Pericoma alfaroana](#) (Dyar, 1926) ^{c g}
- [Pericoma alhambrana](#) Vaillant, 1978 ^{c g}
- [Pericoma alticola](#) Vaillant, 1955 ^{c g}
- [Pericoma americana](#) Kincaid, 1901 ^{i c g}
- [Pericoma amplipenna](#) (Knab, 1914) ^{c g}
- [Pericoma ancyla](#) Quate, 1955 ^{i c g}
- [Pericoma anderssoni](#) (Nielsen, 1965) ^{c g}
- [Pericoma antennata](#) Krek, 1983 ^g
- [Pericoma arvernica](#) Vaillant, 1978 ^{c g}
- [Pericoma aterrima](#) (Banks, 1914) ^{i c g}
- [Pericoma atlantica](#) (Satchell, 1955) ^{c g}
- [Pericoma attenuata](#) Vaillant, 1978 ^{c g}
- [Pericoma balcanica](#) Krek, 1985 ^{c g}
- [Pericoma bancrofti](#) Tonnoir, 1920 ^{c g}
- [Pericoma barbarica](#) Vaillant, 1955 ^{c g}
- [Pericoma barbata](#) Satchell, 1954 ^{c g}
- [Pericoma barremica](#) Vaillant & Withers, 1993 ^{c g}
- [Pericoma bavarica](#) Wagner, 1981 ^{c g}
- [Pericoma becharreense](#) Wagner, 1980 ^{c g}
- [Pericoma bessophila](#) Quate, 1955 ⁱ
- [Pericoma bifalcata](#) Satchell, 1950 ^{c g}
- [Pericoma bilobata](#) Satchell, 1954 ^{c g}
- [Pericoma bipunctata](#) Kincaid, 1899 ^{i c g}
- [Pericoma biramus](#) Quate, 1955 ^{i c g}
- [Pericoma blandula](#) Eaton, 1893 ^{c g}
- [Pericoma bosnica](#) Krek, 1967 ^{c g}
- [Pericoma brasilensis](#) Duckhouse, 1968 ^{c g}
- [Pericoma bunae](#) Krek, 1979 ^{c g}

- [Pericoma busckana](#) (Dyar, 1926) ^{c g}
- [Pericoma calcifera](#) Vaillant & Withers, 1993 ^{c g}
- [Pericoma calcilega](#) Feuerborn, 1923 ^{c g}
- [Pericoma californica](#) Kincaid, 1901 ^{i c g}
- [Pericoma carolina](#) Banks, 1931 ^{i c g}
- [Pericoma chilensis](#) Tonnoir, 1929 ^{c g}
- [Pericoma chlifasica](#) Vaillant & Moubayed, 1987 ^{c g}
- [Pericoma clarkei](#) Satchell, 1954 ^{c g}
- [Pericoma claviatum](#) Satchell, 1950 ^{c g}
- [Pericoma coei](#) Vaillant, 1965 ^{c g}
- [Pericoma complexa](#) Quate, 1955 ^{i c g}
- [Pericoma complicata](#) Tonnoir, 1929 ^{c g}
- [Pericoma confusa](#) Satchell, 1953 ^{c g}
- [Pericoma consigilana](#) Sara, 1953 ^{c g}
- [Pericoma contigua](#) Tonnoir, 1929 ^{c g}
- [Pericoma coracina](#) Duckhouse, 1966 ^{c g}
- [Pericoma corsicana](#) Vaillant, 1955 ^{c g}
- [Pericoma crenophila](#) Wagner & Schrankel, 2005 ^{c g}
- [Pericoma deceptrix](#) Quate & Brown, 2004 ^{c g}
- [Pericoma decoricornis](#) Tokunaga, 1961 ^{c g}
- [Pericoma denticulatistylata](#) Tokunaga & Kyoto, 1956 ^{c g}
- [Pericoma diffusa](#) Satchell, 1954 ^{c g}
- [Pericoma diversa](#) Tonnoir, 1919 ^{c g}
- [Pericoma dlabolai](#) Jezek, 1990 ^{c g}
- [Pericoma drepanatum](#) Satchell, 1950 ^{c g}
- [Pericoma drepanopenis](#) Duckhouse, 1975 ^{c g}
- [Pericoma edwardsi](#) Tonnoir, 1929 ^{c g}
- [Pericoma egeica](#) Vaillant, 1979 ^{c g}
- [Pericoma equalis](#) Tonnoir, 1934 ^{c g}
- [Pericoma exquisita](#) Eaton, 1893 ^g
- [Pericoma exquisita](#) Eaton, 1893 ^{c g}
- [Pericoma fallax](#) Eaton, 1893 ^{c g}
- [Pericoma fenestrata](#) Tonnoir, 1929 ^{c g}
- [Pericoma fluviatilis](#) Dyar, 1926 ^{i c g}
- [Pericoma fo-no](#) Tokunaga, 1957 ^g
- [Pericoma formosa](#) Nielsen, 1964 ^{c g}

- [Pericoma funebris](#) Hutton, 1902 ^{c g}
- [Pericoma gourlayi](#) Satchell, 1950 ^{c g}
- [Pericoma grabhamana](#) (Dyar, 1926) ^{c g}
- [Pericoma gracecica](#) Vaillant, 1978 ^{c g}
- [Pericoma graecica](#) Vaillant, 1978 ^{c g}
- [Pericoma granadica](#) Vaillant, 1978 ^{c g}
- [Pericoma hakkariae](#) Wagner, 1986 ^{c g}
- [Pericoma hamtensis](#) Kaul, 1971 ^{c g}
- [Pericoma hansonii](#) Quate, 1996 ^{c g}
- [Pericoma hespenheidei](#) Quate, 1996 ^{c g}
- [Pericoma hiera](#) Quate, 1955 ^{i c g}
- [Pericoma hygropetrica](#) Wagner, 1993 ^{c g}
- [Pericoma illustrata](#) Tonnoir, 1953 ^{c g}
- [Pericoma improvisa](#) Wagner & Baez, 1993 ^{c g}
- [Pericoma incompleta](#) (Knab, 1914) ^{c g}
- [Pericoma incrustans](#) Vaillant, 1978 ^{c g}
- [Pericoma inornata](#) Tonnoir, 1929 ^{c g}
- [Pericoma insularis](#) Wagner & Salamanna, 1984 ^{c g}
- [Pericoma intricatoria](#) Tonnoir, 1953 ^{c g}
- [Pericoma isabellae](#) Wagner, 2005 ^{c g}
- [Pericoma kabulica](#) Wagner, 1979 ^{c g}
- [Pericoma kariana](#) Vaillant, 1978 ^{c g}
- [Pericoma kincaidi](#) Quate, 1955 ⁱ
- [Pericoma kugleri](#) Wagner, 1984 ^{c g}
- [Pericoma lassenicalassenica](#) Quate, 1955 ^{c g}
- [Pericoma latina](#) Sara, 1954 ^{c g}
- [Pericoma limicola](#) Vaillant, 1961 ^{c g}
- [Pericoma litanica](#) Vaillant & Moubayed, 1987 ^{c g}
- [Pericoma ljubiliensis](#) Krek, 1967 ^{c g}
- [Pericoma lobisternum](#) Satchell, 1950 ^{c g}
- [Pericoma longicellata](#) Tokunaga & Komyo, 1956 ^{c g}
- [Pericoma longipennis](#) Kaul, 1971 ^{c g}
- [Pericoma ludificata](#) Quate, 1955 ^{i c g}
- [Pericoma maculosa](#) Wagner, 1979 ^{c g}
- [Pericoma marginalis](#) (Banks, 1984) ^{i c g}
- [Pericoma margininotata](#) Brunetti, 1908 ^{c g}

- [Pericoma maroccana](#) Vaillant, 1955 ^{c g}
- [Pericoma maurum](#) Satchell, 1950 ^{c g}
- [Pericoma melanderi](#) Quate, 1955 ^{i c g}
- [Pericoma metatarsalis](#) Brunetti, 1911 ^{c g}
- [Pericoma mixta](#) Brunetti, 1911 ^{c g}
- [Pericoma modesta](#) Tonnoir, 1922 ^{c g}
- [Pericoma mollis](#) (Satchell, 1955) ^{c g}
- [Pericoma motasi](#) Vaillant, 1978 ^{c g}
- [Pericoma multimaculata](#) Satchell, 1950 ^{c g}
- [Pericoma nemorosa](#) Duckhouse, 1966 ^{c g}
- [Pericoma neoblandula](#) Duckhouse, 1962 ^{c g}
- [Pericoma neretvana](#) Krek, 1972 ^g
- [Pericoma nielsenii](#) Kvifte, 2010 ^g
- [Pericoma nigricauda](#) (Tonnoir, 1919) ^{c g}
- [Pericoma nigropunctata](#) (Schiner, 1868) ^{c g}
- [Pericoma niveopunctata](#) Tonnoir, 1929 ^{c g}
- [Pericoma notata](#) Duckhouse, 1966 ^{c g}
- [Pericoma orientalis](#) Wagner, 1986 ^{c g}
- [Pericoma ottwayensis](#) Duckhouse, 1966 ^{c g}
- [Pericoma paghmanica](#) Wagner, 1979 ^{c g}
- [Pericoma pallida](#) Vaillant, 1978 ^{c g}
- [Pericoma pallidula](#) Tonnoir, 1929 ^{c g}
- [Pericoma pannonica](#) Szabo, 1960 ^{c g}
- [Pericoma peregrinum](#) Quate & Quate, 1967 ^{c g}
- [Pericoma pericoma](#) ^{i g}
- [Pericoma pictipennis](#) Tonnoir, 1920 ^{c g}
- [Pericoma pingarestica](#) Vaillant, 1978 ^{c g}
- [Pericoma platystyla](#) Wagner, 1986 ^{c g}
- [Pericoma pseudoalbipes](#) Satchell, 1953 ^{c g}
- [Pericoma pseudocalcilega](#) Krek, 1972 ^{c g}
- [Pericoma pseudoexquisita](#) Tonnoir, 1940 ^{c g}
- [Pericoma punctulatum](#) Tonnoir, 1953 ^{c g}
- [Pericoma pyramidon](#) Quate & Brown, 2004 ^{c g}
- [Pericoma remulum](#) Quate & Brown, 2004 ^{c g}
- [Pericoma restonicana](#) Vaillant, 1978 ^{c g}
- [Pericoma reticulatipennis](#) Tokunaga & Komyo, 1956 ^{c g}

- [*Pericoma rivularis*](#) Berden, 1954 ^{c g}
- [*Pericoma rotundipennis*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma salfii*](#) (Sara, 1951) ^{c g}
- [*Pericoma sasakawai*](#) Tokunaga et Komyo, 1955 ^{c g}
- [*Pericoma satchell*](#) Duckhouse, 1966 ^{c g}
- [*Pericoma schumanni*](#) Jezek, 1994 ^{c g}
- [*Pericoma scotiae*](#) (Curran, 1924) ^{i c g}
- [*Pericoma segregata*](#) Vaillant, 1978 ^{c g}
- [*Pericoma serratipenis*](#) Satchell, 1950 ^{c g}
- [*Pericoma servadeii*](#) Salamanna, 1982 ^{c g}
- [*Pericoma shikokuensis*](#) Tokunaga et Komyo, 1955 ^{c g}
- [*Pericoma sicula*](#) Quate, 1955 ^{i c g}
- [*Pericoma signata*](#) (Banks, 1901) ^{i c g b}
- [*Pericoma simplex*](#) Tonnoir, 1929 ^{c g}
- [*Pericoma simulata*](#) Duckhouse, 1966 ^{c g}
- [*Pericoma singularis*](#) Quate, 1962 ^{c g}
- [*Pericoma sinica*](#) Wagner, 2003 ^{c g}
- [*Pericoma sitchana*](#) Kincaid, 1899 ^{i c g}
- [*Pericoma slossonae*](#) (Williston, 1893) ^{i c g}
- [*Pericoma solangensis*](#) Kaul, 1971 ^{c g}
- [*Pericoma soleata*](#) (Haliday, 1856) ^{c g}
- [*Pericoma solitaria*](#) Wagner & Salamanna, 1984 ^{c g}
- [*Pericoma solitarium*](#) Satchell, 1954 ^{c g}
- [*Pericoma spiralifera*](#) Satchell, 1950 ^{c g}
- [*Pericoma squamitarsis*](#) Tonnoir, 1929 ^{c g}
- [*Pericoma steffani*](#) Quate & Quate, 1967 ^{c g}
- [*Pericoma stuckenbergi*](#) Duckhouse, 1975 ^{c g}
- [*Pericoma subillustrata*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma symphyllia*](#) Quate, 1999 ^{c g}
- [*Pericoma tasmaniae*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma tatrca*](#) Szabo, 1960 ^{c g}
- [*Pericoma taurica*](#) Jezek, 1990 ^{c g}
- [*Pericoma tenerifensis*](#) Satchell, 1955 ^{c g}
- [*Pericoma tenuistylis*](#) Vaillant, 1978 ^{c g}
- [*Pericoma tienshanensis*](#) Jezek, 1994 ^{c g}
- [*Pericoma tonnoiri*](#) Vaillant, 1978 ^{c g}

- [*Pericoma tricolor*](#) (Knab, 1914) ^{c g}
- [*Pericoma trifasciata*](#) (Meigen, 1818) ^{c g}
- [*Pericoma triuncinatum*](#) Satchell, 1950 ^{c g}
- [*Pericoma truncata*](#) Kincaid, 1899 ^{i c g}
- [*Pericoma uniformatum*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma usingeri*](#) Quate, 1955 ^{i c g}
- [*Pericoma vestita*](#) Vaillant & Withers, 1993 ^{c g}
- [*Pericoma viduata*](#) Tonnoir, 1929 ^{c g}
- [*Pericoma viperina*](#) Vaillant, 1961 ^{c g}
- [*Pericoma volpina*](#) Vaillant, 1978 ^{c g}
- [*Pericoma wirthi*](#) Quate, 1955 ⁱ
- [*Pericoma zumbadoi*](#) Quate, 1996 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pericoma Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-04.
 - ["Browse Pericoma"](#). Catalogue of Life. Retrieved 2018-05-04.[[dead link](#)]
 - ["Pericoma"](#). GBIF. Retrieved 2018-05-04.
 -
4. ["Pericoma Genus Information"](#). BugGuide.net. Retrieved 2018-05-04.

Categories:

- [Psychodidae](#)
- [Lists of insect species](#)
-

This is a partial list of species in the genus [Perdita](#).^{[1][2][3][4]}

Perdita species

- [Perdita abbreviata](#) Timberlake, 1980
- [Perdita abdominalis](#) Timberlake, 1960
- [Perdita abducta](#) Timberlake, 1980
- [Perdita acaciae](#) Timberlake, 1962

- [*Perdita acapulcona*](#) Timberlake, 1954
- [*Perdita accepta*](#) Timberlake, 1958
- [*Perdita aculeata*](#) Timberlake, 1968
- [*Perdita adjuncta*](#) Timberlake, 1958
- [*Perdita adustiventris*](#) Timberlake, 1964
- [*Perdita aemula*](#) Timberlake, 1958
- [*Perdita affecta*](#) Timberlake, 1971
- [*Perdita affinis*](#) Cresson, 1878
- [*Perdita agasta*](#) Timberlake, 1958
- [*Perdita ainsliei*](#) Crawford, 1932
- [*Perdita albata*](#) Timberlake, 1968
- [*Perdita albescens*](#) Timberlake, 1980
- [*Perdita albihirta*](#) Timberlake, 1954
- [*Perdita albipennis*](#) Cresson, 1868 – shiny green miner bee[5]
- [*Perdita albipes*](#) Timberlake, 1962
- [*Perdita albiventris*](#) Timberlake, 1964
- [*Perdita albofasciata*](#) Timberlake, 1968
- [*Perdita albomaculata*](#) Timberlake, 1980
- [*Perdita albomarginata*](#) Timberlake, 1980
- [*Perdita albonotata*](#) Timberlake, 1954
- [*Perdita albopicta*](#) Timberlake, 1958
- [*Perdita albovittata*](#) Cockerell, 1895
- [*Perdita alexi*](#) Timberlake, 1968
- [*Perdita algodones*](#) Timberlake, 1980
- [*Perdita ambigua*](#) Timberlake, 1964
- [*Perdita amacula*](#) Timberlake, 1964
- [*Perdita amoena*](#) Timberlake, 1956
- [*Perdita ampla*](#) Timberlake, 1971
- [*Perdita amplipennis*](#) Timberlake, 1962
- [*Perdita ancoralis*](#) Timberlake, 1968
- [*Perdita angellata*](#) Griswold, 1993
- [*Perdita annectens*](#) Timberlake, 1968
- [*Perdita annexa*](#) Timberlake, 1960
- [*Perdita apacheorum*](#) Timberlake, 1960
- [*Perdita aperta*](#) Timberlake, 1968
- [*Perdita apicalis*](#) Timberlake, 1977
- [*Perdita aplopappi*](#) Timberlake, 1960
- [*Perdita arenaria*](#) Timberlake, 1954
- [*Perdita argemones*](#) Timberlake, 1956
- [*Perdita aridella*](#) Timberlake, 1960
- [*Perdita arizonica*](#) Timberlake, 1956
- [*Perdita arnaudi*](#) Timberlake, 1958

- [*Perdita ashmeadi*](#) Cockerell, 1899
- [*Perdita assimilis*](#) Timberlake, 1964
- [*Perdita associata*](#) Timberlake, 1968
- [*Perdita asteris*](#) Cockerell, 1896
- [*Perdita atrata*](#) Timberlake, 1964
- [*Perdita atriventris*](#) Timberlake, 1960
- [*Perdita atrovirens*](#) Timberlake, 1968
- [*Perdita aureovittata*](#) Cockerell, 1916
- [*Perdita austini*](#) Cockerell, 1895
- [*Perdita autumnalis*](#) Timberlake, 1977
- [*Perdita baccharidis*](#) Cockerell, 1900
- [*Perdita barri*](#) Timberlake, 1964
- [*Perdita basinicola*](#) Timberlake, 1968
- [*Perdita beameri*](#) Timberlake, 1964
- [*Perdita beata*](#) Cockerell, 1895
- [*Perdita beatula*](#) Timberlake, 1960
- [*Perdita bebbiae*](#) Timberlake, 1956
- [*Perdita bellula*](#) Timberlake, 1954
- [*Perdita bequaerti*](#) Viereck, 1917 – Bequaert's miner bee[\[5\]](#)
- [*Perdita bequaertiana*](#) Cockerell, 1951
- [*Perdita bicuspidariae*](#) Timberlake, 1962
- [*Perdita bidentata*](#) Timberlake, 1956
- [*Perdita bifasciata*](#) Timberlake, 1977
- [*Perdita bigeloviae*](#) Cockerell, 1896
- [*Perdita biguttata*](#) Timberlake, 1962
- [*Perdita bilobata*](#) Timberlake, 1956
- [*Perdita binotata*](#) Timberlake, 1954
- [*Perdita biornata*](#) Timberlake, 1980
- [*Perdita biparticeps*](#) Cockerell, 1896
- [*Perdita bishoppi*](#) Cockerell, 1906
- [*Perdita bispinata*](#) Timberlake, 1956
- [*Perdita blaisdelli*](#) Timberlake, 1954
- [*Perdita blanda*](#) Timberlake, 1958
- [*Perdita blatchleyi*](#) Timberlake, 1952
- [*Perdita boharti*](#) Portman & Griswold, 2016
- [*Perdita boltoniae*](#) (Robertson, 1902)
- [*Perdita brachyglossa*](#) Timberlake, 1971
- [*Perdita bradleyana*](#) Timberlake, 1954
- [*Perdita bradleyi*](#) Viereck, 1907
- [*Perdita brevicornis*](#) Timberlake, 1980
- [*Perdita brevihirta*](#) Timberlake, 1962
- [*Perdita bridwelli*](#) Timberlake, 1960

- [*Perdita bruneri*](#) Cockerell, 1897 – Bruner's miner bee[5]
- [*Perdita butleri*](#) Timberlake, 1960
- [*Perdita caerulescens*](#) Timberlake, 1964
- [*Perdita californica*](#) (Cresson, 1878)
- [*Perdita callicerata*](#) Cockerell, 1897
- [*Perdita calloleuca*](#) Cockerell, 1922
- [*Perdita calochorti*](#) Timberlake, 1956
- [*Perdita cambarella*](#) Cockerell, 1906
- [*Perdita cara*](#) Timberlake, 1958
- [*Perdita cazieri*](#) Timberlake, 1960
- [*Perdita celadona*](#) Griswold & Miller, 2010
- [*Perdita cephalotes*](#) (Cresson, 1878)
- [*Perdita chamaesarachae*](#) Cockerell, 1896
- [*Perdita chemsaki*](#) Timberlake, 1980
- [*Perdita chihuahua*](#) Timberlake, 1964
- [*Perdita chionostoma*](#) Timberlake, 1964
- [*Perdita chloris*](#) Timberlake, 1960
- [*Perdita chrysophila*](#) Cockerell, 1896
- [*Perdita chrysothamni*](#) Timberlake, 1958
- [*Perdita ciliata*](#) Timberlake, 1958
- [*Perdita cinctiventris*](#) Timberlake, 1977
- [*Perdita cingulata*](#) Timberlake, 1980
- [*Perdita cladothercis*](#) Cockerell, 1896
- [*Perdita clarifacies*](#) Cockerell, 1923
- [*Perdita claripennis*](#) Timberlake, 1968
- [*Perdita claypolei*](#) Cockerell, 1901
- [*Perdita cleomellae*](#) Cockerell, 1925
- [*Perdita clypeata*](#) Timberlake, 1962
- [*Perdita coahuilensis*](#) Timberlake, 1954
- [*Perdita coalingensis*](#) Timberlake, 1956
- [*Perdita cochiseana*](#) Timberlake, 1971
- [*Perdita cognata*](#) Timberlake, 1960
- [*Perdita coldeniae*](#) Timberlake, 1954
- [*Perdita colei*](#) Timberlake, 1962
- [*Perdita compacta*](#) Timberlake, 1971
- [*Perdita compactilis*](#) Timberlake, 1980
- [*Perdita compta*](#) Timberlake, 1964
- [*Perdita concolor*](#) Timberlake, 1968
- [*Perdita concors*](#) Timberlake, 1958
- [*Perdita confinis*](#) Timberlake, 1971
- [*Perdita confusa*](#) Timberlake, 1964
- [*Perdita congrua*](#) Timberlake, 1971

- [*Perdita consimilis*](#) Timberlake, 1968
- [*Perdita consobrina*](#) Timberlake, 1928
- [*Perdita coreopsidis*](#) Cockerell, 1906
- [*Perdita cornishiana*](#) Timberlake, 1977
- [*Perdita covilleae*](#) Timberlake, 1958
- [*Perdita cowaniae*](#) Timberlake, 1956
- [*Perdita cracens*](#) Timberlake, 1980
- [*Perdita crandalli*](#) Timberlake, 1962
- [*Perdita crassihirta*](#) Timberlake, 1968
- [*Perdita crassula*](#) Timberlake, 1958
- [*Perdita craterognatha*](#) Timberlake, 1968
- [*Perdita croceipes*](#) Timberlake, 1960
- [*Perdita crotonis*](#) Cockerell, 1896
- [*Perdita cruciferarum*](#) Timberlake, 1968
- [*Perdita cushmani*](#) Timberlake, 1964
- [*Perdita cuspidata*](#) Timberlake, 1964
- [*Perdita dalyi*](#) Timberlake, 1960
- [*Perdita dammersi*](#) Timberlake, 1964
- [*Perdita dasyliirii*](#) Cockerell, 1907
- [*Perdita davidsoni*](#) Timberlake, 1964
- [*Perdita debilis*](#) Timberlake, 1968
- [*Perdita decemnotata*](#) Timberlake, 1962
- [*Perdita deltophora*](#) Timberlake, 1964
- [*Perdita dentata*](#) Timberlake, 1964
- [*Perdita depressa*](#) Timberlake, 1968
- [*Perdita desdemona*](#) Portman, 2016
- [*Perdita dichroa*](#) Timberlake, 1958
- [*Perdita dicksoni*](#) Timberlake, 1958
- [*Perdita differens*](#) Timberlake, 1964
- [*Perdita difficilis*](#) Timberlake, 1964
- [*Perdita digna*](#) Timberlake, 1964
- [*Perdita digressa*](#) Timberlake, 1968
- [*Perdita dimidiata*](#) Timberlake, 1962
- [*Perdita diminutiva*](#) Timberlake, 1977
- [*Perdita discors*](#) Timberlake, 1964
- [*Perdita discreta*](#) Timberlake, 1954
- [*Perdita dispar*](#) Timberlake, 1964
- [*Perdita dispilota*](#) Timberlake, 1968
- [*Perdita dissimulans*](#) Timberlake, 1954
- [*Perdita distans*](#) Timberlake, 1962
- [*Perdita distincta*](#) Timberlake, 1964
- [*Perdita distropica*](#) Timberlake, 1956

- [*Perdita divaricata*](#) Timberlake, 1968
- [*Perdita diversa*](#) Timberlake, 1954
- [*Perdita dolanensis*](#) Neff, 2003
- [*Perdita dolichocephala*](#) Swenk & Cockerell, 1907
- [*Perdita dreisbachi*](#) Timberlake, 1964
- [*Perdita drymariae*](#) Timberlake, 1960
- [*Perdita dubia*](#) Cockerell, 1896
- [*Perdita duplicata*](#) Timberlake, 1964
- [*Perdita duplonotata*](#) Timberlake, 1956
- [*Perdita durangoensis*](#) Timberlake, 1960
- [*Perdita eickworti*](#) Timberlake, 1977
- [*Perdita electa*](#) Timberlake, 1960
- [*Perdita elegans*](#) Timberlake, 1960
- [*Perdita elimata*](#) Timberlake, 1964
- [*Perdita emarginata*](#) Timberlake, 1964
- [*Perdita ensenadensis*](#) Timberlake, 1960
- [*Perdita eremica*](#) Timberlake, 1964
- [*Perdita eremophila*](#) Timberlake, 1964
- [*Perdita eriastri*](#) Timberlake, 1964
- [*Perdita ericameriae*](#) Timberlake, 1958
- [*Perdita eriogoni*](#) Cockerell, 1925
- [*Perdita erudita*](#) Cockerell, 1923
- [*Perdita erythropyga*](#) Timberlake, 1962
- [*Perdita esmeraldensis*](#) Timberlake, 1977
- [*Perdita eucnides*](#) Timberlake, 1964
- [*Perdita euphorbiae*](#) Timberlake, 1954
- [*Perdita euzonata*](#) Timberlake, 1964
- [*Perdita evansi*](#) Timberlake, 1964
- [*Perdita ewarti*](#) Timberlake, 1971
- [*Perdita excellens*](#) Timberlake, 1958
- [*Perdita exclamans*](#) Cockerell, 1895
- [*Perdita exigua*](#) Timberlake, 1964
- [*Perdita exilis*](#) Timberlake, 1962
- [*Perdita eximia*](#) Timberlake, 1964
- [*Perdita exusta*](#) Portman & Griswold, 2016
- [*Perdita eysenhardtiae*](#) Timberlake, 1964
- [*Perdita falcata*](#) Timberlake, 1964
- [*Perdita fallax*](#) Cockerell, 1896 – deceptive miner bee[5]
- [*Perdita fallugiae*](#) Timberlake, 1956
- [*Perdita fasciatella*](#) Timberlake, 1980
- [*Perdita fedorensis*](#) Cockerell, 1916
- [*Perdita festiva*](#) Timberlake, 1958

- [*Perdita fidissima*](#) Timberlake, 1968
- [*Perdita fieldi*](#) Timberlake, 1956
- [*Perdita flavicauda*](#) Timberlake, 1960
- [*Perdita flaviceps*](#) Timberlake, 1960
- [*Perdita flavicornis*](#) Timberlake, 1980
- [*Perdita flavifrons*](#) Timberlake, 1968
- [*Perdita flavipes*](#) Timberlake, 1964
- [*Perdita flaviventris*](#) Timberlake, 1980
- [*Perdita floridensis*](#) Timberlake, 1928
- [*Perdita florissantella*](#) Cockerell, 1906
- [*Perdita foleyi*](#) Timberlake, 1958
- [*Perdita fortis*](#) Timberlake, 1971
- [*Perdita foveata*](#) Timberlake, 1956
- [*Perdita foxi*](#) Cockerell, 1895
- [*Perdita fracticincta*](#) Timberlake, 1953
- [*Perdita frontalis*](#) Timberlake, 1968
- [*Perdita fulvescens*](#) Timberlake, 1980
- [*Perdita fulvicauda*](#) Timberlake, 1962
- [*Perdita fulviventris*](#) Timberlake, 1980
- [*Perdita fumipennis*](#) Timberlake, 1964
- [*Perdita fuscipes*](#) Timberlake, 1968
- [*Perdita gemella*](#) Timberlake, 1964
- [*Perdita geminata*](#) Timberlake, 1964
- [*Perdita genalis*](#) Timberlake, 1964
- [*Perdita gentilis*](#) Timberlake, 1962
- [*Perdita georgica*](#) Timberlake, 1928
- [*Perdita gerardiae*](#) Crawford, 1932
- [*Perdita gerhardi*](#) Viereck, 1904
- [*Perdita gertschi*](#) Timberlake, 1958
- [*Perdita giliae*](#) Timberlake, 1954
- [*Perdita gillaspys*](#) Timberlake, 1980
- [*Perdita glabrella*](#) Timberlake, 1968
- [*Perdita glabrescens*](#) Timberlake, 1962
- [*Perdita glamis*](#) Timberlake, 1980
- [*Perdita gracilior*](#) Timberlake, 1977
- [*Perdita gracilis*](#) Timberlake, 1964
- [*Perdita graenicheri*](#) Timberlake, 1947
- [*Perdita grandiceps*](#) Cockerell, 1896
- [*Perdita gratiosa*](#) Timberlake, 1971
- [*Perdita greggiae*](#) Timberlake, 1968
- [*Perdita guerreroensis*](#) Timberlake, 1964
- [*Perdita gutierreziae*](#) Cockerell, 1896

- [*Perdita haigi*](#) Timberlake, 1962
- [*Perdita halictoides*](#) Smith, 1853 – sweatbee-like miner bee[\[5\]](#)
- [*Perdita halli*](#) Timberlake, 1960
- [*Perdita heliophila*](#) Cockerell, 1916
- [*Perdita heliotropii*](#) Cockerell, 1900
- [*Perdita heterothecae*](#) Cockerell, 1900
- [*Perdita hidalgoensis*](#) Timberlake, 1968
- [*Perdita hiemalis*](#) Timberlake, 1980
- [*Perdita hilaris*](#) Timberlake, 1968
- [*Perdita hippolyta*](#) Portman & Griswold, 2016
- [*Perdita hirsuta*](#) Cockerell, 1896
- [*Perdita hirtella*](#) Timberlake, 1968
- [*Perdita hirticeps*](#) Timberlake, 1960
- [*Perdita hirtuosa*](#) Timberlake, 1980
- [*Perdita holoxantha*](#) Timberlake, 1962
- [*Perdita hooki*](#) Portman & Neff, 2016
- [*Perdita hubbelli*](#) Timberlake, 1980
- [*Perdita humilis*](#) Timberlake, 1968
- [*Perdita hurdi*](#) Timberlake, 1956
- [*Perdita idahoensis*](#) Timberlake, 1958
- [*Perdita idonea*](#) Timberlake, 1968
- [*Perdita ignota*](#) Cockerell, 1896
- [*Perdita imbellis*](#) Timberlake, 1968
- [*Perdita imberbis*](#) Timberlake, 1968
- [*Perdita impar*](#) Timberlake, 1980
- [*Perdita impigra*](#) Timberlake, 1968
- [*Perdita impressa*](#) Timberlake, 1968
- [*Perdita impunctifrons*](#) Timberlake, 1958
- [*Perdita incana*](#) Timberlake, 1958
- [*Perdita incompta*](#) Timberlake, 1964
- [*Perdita indioensis*](#) Timberlake, 1960
- [*Perdita infelix*](#) Timberlake, 1964
- [*Perdita inflexa*](#) Timberlake, 1956
- [*Perdita infuscata*](#) Timberlake, 1977
- [*Perdita innotata*](#) Timberlake, 1964
- [*Perdita inornata*](#) Timberlake, 1962
- [*Perdita insequens*](#) Timberlake, 1968
- [*Perdita interrupta*](#) Cresson, 1878
- [*Perdita interserta*](#) Cockerell, 1922
- [*Perdita inyoensis*](#) Timberlake, 1977
- [*Perdita irregularis*](#) Timberlake, 1971
- [*Perdita irwini*](#) Timberlake, 1968

- [*Perdita isocomae*](#) Timberlake, 1958
- [*Perdita janzeni*](#) Timberlake, 1980
- [*Perdita jonesi*](#) Cockerell, 1906
- [*Perdita jucunda*](#) Timberlake, 1962
- [*Perdita kanabensis*](#) Timberlake, 1971
- [*Perdita keiferi*](#) Timberlake, 1928
- [*Perdita kiowi*](#) Griswold, 1988
- [*Perdita knowltoni*](#) Timberlake, 1960
- [*Perdita koebelei*](#) Timberlake, 1964
- [*Perdita krombeini*](#) Timberlake, 1960
- [*Perdita labergei*](#) Timberlake, 1960
- [*Perdita labrata*](#) Timberlake, 1962
- [*Perdita labrosa*](#) Timberlake, 1980
- [*Perdita larreae*](#) Cockerell, 1896
- [*Perdita lasiogastra*](#) Timberlake, 1929
- [*Perdita lateralis*](#) Timberlake, 1962
- [*Perdita laticincta*](#) Swenk & Cockerell, 1907
- [*Perdita layiae*](#) Cockerell, 1938
- [*Perdita leechi*](#) Timberlake, 1968
- [*Perdita lenis*](#) Timberlake, 1958
- [*Perdita lepachidis*](#) Cockerell, 1896
- [*Perdita lepidosparti*](#) Timberlake, 1958
- [*Perdita leucogastra*](#) Timberlake, 1964
- [*Perdita leucophylli*](#) Timberlake, 1964
- [*Perdita leucosticta*](#) Timberlake, 1964
- [*Perdita leucostoma*](#) Timberlake, 1956
- [*Perdita levigata*](#) Timberlake, 1968
- [*Perdita levissima*](#) Timberlake, 1964
- [*Perdita lingualis*](#) Cockerell, 1896
- [*Perdita linsleyi*](#) Timberlake, 1964
- [*Perdita lipovskyi*](#) Timberlake, 1964
- [*Perdita lompocensis*](#) Timberlake, 1958
- [*Perdita lucens*](#) Timberlake, 1962
- [*Perdita luciae*](#) Cockerell, 1899
- [*Perdita lucidella*](#) Timberlake, 1964
- [*Perdita luculenta*](#) Timberlake, 1968
- [*Perdita lunulata*](#) Timberlake, 1962
- [*Perdita lustrans*](#) Timberlake, 1964
- [*Perdita luteiceps*](#) Cockerell, 1896
- [*Perdita luteola*](#) Cockerell, 1894
- [*Perdita lycii*](#) Timberlake, 1964
- [*Perdita macneilli*](#) Timberlake, 1964

- [*Perdita macrostoma*](#) Cockerell, 1922
- [*Perdita macswaini*](#) Timberlake, 1964
- [*Perdita maculigera*](#) Cockerell, 1896 – black-spotted miner bee[5]
- [*Perdita maculipes*](#) Cockerell, 1896
- [*Perdita maculosa*](#) Timberlake, 1958
- [*Perdita maerens*](#) Timberlake, 1964
- [*Perdita maesta*](#) Timberlake, 1964
- [*Perdita malacothricis*](#) Timberlake, 1956
- [*Perdita mandibularis*](#) Timberlake, 1954
- [*Perdita marcialis*](#) Cockerell, 1896
- [*Perdita marginata*](#) Timberlake, 1964
- [*Perdita maritima*](#) Timberlake, 1954
- [*Perdita martini*](#) Cockerell, 1895
- [*Perdita mazatlanica*](#) Timberlake, 1980
- [*Perdita meconis*](#) Griswold, 1993
- [*Perdita media*](#) Timberlake, 1960
- [*Perdita medialis*](#) Timberlake, 1977
- [*Perdita megapyga*](#) Timberlake, 1954
- [*Perdita melanderi*](#) Timberlake, 1968
- [*Perdita melanochlora*](#) Cockerell, 1922
- [*Perdita melanogastra*](#) Timberlake, 1964
- [*Perdita melanops*](#) Timberlake, 1968
- [*Perdita melanostoma*](#) Swenk & Cockerell, 1907
- [*Perdita melanura*](#) Timberlake, 1962
- [*Perdita mentzeliae*](#) Cockerell, 1896
- [*Perdita mentzeliarum*](#) Cockerell, 1897
- [*Perdita mesillensis*](#) Timberlake, 1968
- [*Perdita mexicanorum*](#) Cockerell, 1896
- [*Perdita micans*](#) Timberlake, 1971
- [*Perdita michelbacheri*](#) Timberlake, 1962
- [*Perdita micheneri*](#) Timberlake, 1956
- [*Perdita microsticta*](#) Timberlake, 1960
- [*Perdita mimosae*](#) Timberlake, 1964
- [*Perdita mimula*](#) Timberlake, 1960
- [*Perdita minima*](#) Cockerell, 1923
- [*Perdita minuta*](#) Timberlake, 1980
- [*Perdita missionis*](#) Timberlake, 1958
- [*Perdita mitchelli*](#) Timberlake, 1947
- [*Perdita mitis*](#) Timberlake, 1971
- [*Perdita moabensis*](#) Timberlake, 1971
- [*Perdita modestissima*](#) Timberlake, 1968
- [*Perdita mohavensis*](#) Timberlake, 1956

- [*Perdita moldenkei*](#) Timberlake, 1980
- [*Perdita montereyensis*](#) Timberlake, 1956
- [*Perdita morelosana*](#) Timberlake, 1968
- [*Perdita mormonica*](#) Timberlake, 1956
- [*Perdita morula*](#) Timberlake, 1980
- [*Perdita mucronata*](#) Timberlake, 1956
- [*Perdita multiflorae*](#) Parker, 1988
- [*Perdita munda*](#) Timberlake, 1958
- [*Perdita munita*](#) Timberlake, 1964
- [*Perdita namatophila*](#) Timberlake, 1954
- [*Perdita nanula*](#) Timberlake, 1960
- [*Perdita nasuta*](#) Timberlake, 1962
- [*Perdita navarretiae*](#) Timberlake, 1958
- [*Perdita nayaritensis*](#) Timberlake, 1980
- [*Perdita nebrascensis*](#) Swenk & Cockerell, 1907
- [*Perdita neffi*](#) Timberlake, 1980
- [*Perdita nevadensis*](#) Cockerell, 1896 – Nevada miner bee[5]
- [*Perdita nevadiana*](#) Timberlake, 1980
- [*Perdita nigricornis*](#) Timberlake, 1964
- [*Perdita nigridia*](#) Timberlake, 1962
- [*Perdita nigriventris*](#) Timberlake, 1954
- [*Perdita nigroaenea*](#) Timberlake, 1968
- [*Perdita nigrocaerulea*](#) Timberlake, 1954
- [*Perdita nigrocincta*](#) Timberlake, 1958
- [*Perdita nigroclypeata*](#) Timberlake, 1964
- [*Perdita nigronotata*](#) Timberlake, 1964
- [*Perdita nigroviridis*](#) Timberlake, 1954
- [*Perdita nitens*](#) Timberlake, 1956
- [*Perdita nodosicornia*](#) Timberlake, 1968
- [*Perdita novaeangliae*](#) Viereck, 1907
- [*Perdita novoleona*](#) Timberlake, 1971
- [*Perdita nubila*](#) Timberlake, 1958
- [*Perdita nuda*](#) Cockerell, 1896
- [*Perdita numerata*](#) Cockerell, 1895
- [*Perdita nuttalliae*](#) Portman, 2016
- [*Perdita oaxacana*](#) Timberlake, 1964
- [*Perdita obispoensis*](#) Timberlake, 1958
- [*Perdita obliqua*](#) Timberlake, 1928
- [*Perdita obliquenotata*](#) Timberlake, 1968
- [*Perdita obscurata*](#) Cresson, 1878
- [*Perdita obscurella*](#) Timberlake, 1964
- [*Perdita obscurifascies*](#) Timberlake, 1968

- [*Perdita obscuripennis*](#) Timberlake, 1954
- [*Perdita obtusa*](#) Timberlake, 1968
- [*Perdita occidua*](#) Timberlake, 1960
- [*Perdita occlusa*](#) Timberlake, 1968
- [*Perdita octomaculata*](#) (Say, 1824) – eight-spotted miner bee[5]
- [*Perdita omani*](#) Timberlake, 1964
- [*Perdita optiva*](#) Timberlake, 1954
- [*Perdita ordinata*](#) Timberlake, 1962
- [*Perdita oregonensis*](#) Timberlake, 1929
- [*Perdita oreophila*](#) Timberlake, 1964
- [*Perdita otiosa*](#) Timberlake, 1971
- [*Perdita ovaliceps*](#) Timberlake, 1964
- [*Perdita pachygnatha*](#) Timberlake, 1977
- [*Perdita pallida*](#) Timberlake, 1954
- [*Perdita pallidipes*](#) Timberlake, 1964
- [*Perdita pallidiventris*](#) Timberlake, 1962
- [*Perdita panocheana*](#) Timberlake, 1964
- [*Perdita paroselae*](#) Timberlake, 1960
- [*Perdita parryellae*](#) Timberlake, 1971
- [*Perdita paula*](#) Timberlake, 1968
- [*Perdita pauliana*](#) Timberlake, 1977
- [*Perdita pauxilla*](#) Timberlake, 1980
- [*Perdita pectidis*](#) Cockerell, 1896
- [*Perdita pectoralis*](#) Timberlake, 1968
- [*Perdita peculiaris*](#) Timberlake, 1953
- [*Perdita pedernalensis*](#) Neff, 2010
- [*Perdita pelargoides*](#) (Cockerell, 1916)
- [*Perdita percincta*](#) Timberlake, 1968
- [*Perdita perixantha*](#) Timberlake, 1960
- [*Perdita perlucens*](#) Timberlake, 1977
- [*Perdita pernitens*](#) Timberlake, 1980
- [*Perdita perpallida*](#) Cockerell, 1901 – pale miner bee[5]
- [*Perdita perplexa*](#) Timberlake, 1962
- [*Perdita perpulchra*](#) Cockerell, 1896
- [*Perdita phymatae*](#) Cockerell, 1895
- [*Perdita physalidis*](#) Timberlake, 1958
- [*Perdita picturata*](#) Timberlake, 1960
- [*Perdita pilonotata*](#) Timberlake, 1980
- [*Perdita pinguis*](#) Timberlake, 1980
- [*Perdita placens*](#) Timberlake, 1968
- [*Perdita placida*](#) Timberlake, 1958
- [*Perdita planifrons*](#) Timberlake, 1968

- [*Perdita plucheae*](#) Timberlake, 1960
- [*Perdita polita*](#) Timberlake, 1958
- [*Perdita politissima*](#) Timberlake, 1980
- [*Perdita polycarpae*](#) Timberlake, 1954
- [*Perdita polygonellae*](#) Timberlake, 1954
- [*Perdita polytropica*](#) Timberlake, 1962
- [*Perdita pratensis*](#) Timberlake, 1980
- [*Perdita pratti*](#) Cockerell, 1906
- [*Perdita pretiosa*](#) Timberlake, 1980 – precious miner bee[5]
- [*Perdita primula*](#) Timberlake, 1958
- [*Perdita prionopsidis*](#) Timberlake, 1960
- [*Perdita prodigiosa*](#) Portman & Griswold, 2016
- [*Perdita propinqua*](#) Timberlake, 1964
- [*Perdita propodealis*](#) Timberlake, 1954
- [*Perdita prosopidis*](#) Timberlake, 1964
- [*Perdita proxima*](#) Timberlake, 1958
- [*Perdita pubescens*](#) Timberlake, 1968
- [*Perdita pueblana*](#) Timberlake, 1964
- [*Perdita pulchella*](#) Timberlake, 1954
- [*Perdita pulliventris*](#) Timberlake, 1968
- [*Perdita pumila*](#) Timberlake, 1964
- [*Perdita puncticeps*](#) Timberlake, 1971
- [*Perdita punctifera*](#) Cockerell, 1914
- [*Perdita punctifrons*](#) Timberlake, 1958
- [*Perdita punctosignata*](#) Cockerell, 1895
- [*Perdita punctulata*](#) Timberlake, 1958
- [*Perdita purpurascens*](#) Timberlake, 1956
- [*Perdita pusilla*](#) Timberlake, 1964
- [*Perdita pusillissima*](#) Timberlake, 1977
- [*Perdita pygidialis*](#) Timberlake, 1980
- [*Perdita pyrifer*](#) Cockerell, 1925
- [*Perdita quadraticeps*](#) Timberlake, 1964
- [*Perdita quadrinotata*](#) Timberlake, 1968
- [*Perdita quadrisignata*](#) Timberlake, 1956
- [*Perdita quinquebalteata*](#) Timberlake, 1960
- [*Perdita rectangulata*](#) Cockerell, 1896
- [*Perdita recticincta*](#) Timberlake, 1980
- [*Perdita rehni*](#) Cockerell, 1907
- [*Perdita repens*](#) Timberlake, 1971
- [*Perdita reperta*](#) Timberlake, 1968
- [*Perdita replicans*](#) Timberlake, 1968
- [*Perdita retusa*](#) Timberlake, 1960

- [*Perdita rhodogastra*](#) Timberlake, 1954
- [*Perdita rhodura*](#) Cockerell, 1897
- [*Perdita rhois*](#) Cockerell, 1901
- [*Perdita rhondae*](#) Griswold, 2010
- [*Perdita richardsi*](#) Timberlake, 1964
- [*Perdita rivalis*](#) Timberlake, 1958
- [*Perdita robustula*](#) Timberlake, 1956
- [*Perdita rossi*](#) Timberlake, 1956
- [*Perdita rozeni*](#) Timberlake, 1968
- [*Perdita rudei*](#) Timberlake, 1980
- [*Perdita rufescens*](#) Timberlake, 1968
- [*Perdita rufiventris*](#) (Friese, 1917)
- [*Perdita salicis*](#) Cockerell, 1896
- [*Perdita salviae*](#) Timberlake, 1964
- [*Perdita sandhouseae*](#) Timberlake, 1964
- [*Perdita santaclarensis*](#) Timberlake, 1956
- [*Perdita schlingeri*](#) Timberlake, 1964
- [*Perdita schwartzi*](#) Timberlake, 1968
- [*Perdita scitula*](#) Timberlake, 1960
- [*Perdita scopata*](#) Timberlake, 1953
- [*Perdita scotti*](#) Timberlake, 1958
- [*Perdita scutellaris*](#) Timberlake, 1962
- [*Perdita sedulosa*](#) Timberlake, 1971
- [*Perdita sejuncta*](#) Timberlake, 1968
- [*Perdita semicaerulea*](#) Cockerell, 1896
- [*Perdita semicrocea*](#) Cockerell, 1895
- [*Perdita semilutea*](#) Timberlake, 1962
- [*Perdita senecionis*](#) Cockerell, 1896
- [*Perdita separata*](#) Timberlake, 1960
- [*Perdita sexfasciata*](#) Timberlake, 1954
- [*Perdita sexmaculata*](#) Cockerell, 1895
- [*Perdita sexnotata*](#) Timberlake, 1964
- [*Perdita shinnersi*](#) Timberlake, 1956
- [*Perdita sidae*](#) Cockerell, 1897
- [*Perdita similis*](#) Timberlake, 1958
- [*Perdita snellingi*](#) Timberlake, 1962
- [*Perdita snowii*](#) Cockerell, 1896
- [*Perdita socia*](#) Timberlake, 1968
- [*Perdita solidaginis*](#) Cockerell, 1922
- [*Perdita sonorensis*](#) Cockerell, 1899
- [*Perdita sparsa*](#) Fox, 1893
- [*Perdita speciosa*](#) Timberlake, 1971

- [*Perdita sphaeralceae*](#) Cockerell, 1896
- [*Perdita stabilis*](#) Timberlake, 1968
- [*Perdita stagei*](#) Timberlake, 1968
- [*Perdita stathamae*](#) Timberlake, 1964
- [*Perdita stenopyga*](#) Timberlake, 1964
- [*Perdita stephanomeriae*](#) Timberlake, 1954
- [*Perdita stepheni*](#) Timberlake, 1960
- [*Perdita sternalis*](#) Timberlake, 1964
- [*Perdita stigmatalis*](#) Timberlake, 1971
- [*Perdita stottleri*](#) Cockerell, 1896 – Stottler's miner bee[5]
- [*Perdita suavis*](#) Timberlake, 1980
- [*Perdita subfasciata*](#) Cockerell, 1897
- [*Perdita subglabra*](#) Timberlake, 1971
- [*Perdita submaerens*](#) Timberlake, 1980
- [*Perdita submedia*](#) Timberlake, 1971
- [*Perdita subrufiventris*](#) Timberlake, 1980
- [*Perdita subvestita*](#) Timberlake, 1968
- [*Perdita sulphuripes*](#) Timberlake, 1964
- [*Perdita supranitens*](#) Timberlake, 1964
- [*Perdita swenki*](#) Crawford, 1915 – Swenk's miner bee[5]
- [*Perdita swezeyi*](#) Timberlake, 1958
- [*Perdita sycorax*](#) Portman, 2016
- [*Perdita tacita*](#) Timberlake, 1968
- [*Perdita taeniata*](#) Timberlake, 1971
- [*Perdita tarda*](#) Cockerell, 1896
- [*Perdita tenebrosa*](#) Timberlake, 1968
- [*Perdita tessellata*](#) Timberlake, 1964
- [*Perdita thelypodii*](#) Timberlake, 1958
- [*Perdita thermophila*](#) Timberlake, 1962
- [*Perdita timberlakei*](#) Cockerell, 1925
- [*Perdita titania*](#) Portman, 2016
- [*Perdita torchioi*](#) Timberlake, 1980
- [*Perdita tortifoliae*](#) Cockerell, 1906
- [*Perdita toschiae*](#) Timberlake, 1968
- [*Perdita townesi*](#) Timberlake, 1968
- [*Perdita townsendi*](#) Cockerell, 1896
- [*Perdita translineata*](#) Timberlake, 1960
- [*Perdita transversa*](#) Timberlake, 1956
- [*Perdita triangulifera*](#) Timberlake, 1964
- [*Perdita tricincta*](#) Timberlake, 1953
- [*Perdita tridentata*](#) Stevens, 1919
- [*Perdita trifasciata*](#) Timberlake, 1953

- [*Perdita trifida*](#) Timberlake, 1960
- [*Perdita trimaculata*](#) Timberlake, 1960
- [*Perdita trinotata*](#) Timberlake, 1964
- [*Perdita trisignata*](#) Cockerell, 1896
- [*Perdita tristissima*](#) Timberlake, 1968
- [*Perdita tropicalis*](#) Cockerell, 1912
- [*Perdita truncatella*](#) Timberlake, 1968
- [*Perdita tularensis*](#) Timberlake, 1956
- [*Perdita tumida*](#) Timberlake, 1980
- [*Perdita turgiceps*](#) Timberlake, 1954
- [*Perdita umbrata*](#) Timberlake, 1971
- [*Perdita utahensis*](#) Cockerell, 1896
- [*Perdita ute*](#) Griswold, 1993
- [*Perdita valida*](#) Timberlake, 1962
- [*Perdita vanduzeei*](#) Cockerell, 1923
- [*Perdita vandykei*](#) Timberlake, 1956
- [*Perdita variegata*](#) Timberlake, 1960
- [*Perdita varleyi*](#) Timberlake, 1962
- [*Perdita ventralis*](#) Fox, 1893
- [*Perdita venustella*](#) Timberlake, 1980
- [*Perdita verbessinae*](#) Cockerell, 1896
- [*Perdita veris*](#) Timberlake, 1968
- [*Perdita versuta*](#) Timberlake, 1962
- [*Perdita vesca*](#) Timberlake, 1968
- [*Perdita vespertina*](#) Griswold & Miller, 2010
- [*Perdita vestita*](#) Timberlake, 1958
- [*Perdita vicina*](#) Timberlake, 1962
- [*Perdita vidua*](#) Timberlake, 1964
- [*Perdita viridicollis*](#) Timberlake, 1971
- [*Perdita vittata*](#) Cockerell, 1923
- [*Perdita wasbaueri*](#) Timberlake, 1960
- [*Perdita washingtoniae*](#) Timberlake, 1971
- [*Perdita wernerii*](#) Timberlake, 1968
- [*Perdita wheeleri*](#) Timberlake, 1928
- [*Perdita willcoxiana*](#) Timberlake, 1977
- [*Perdita williamsi*](#) Timberlake, 1962
- [*Perdita wilmattae*](#) Cockerell, 1906
- [*Perdita wislizeniae*](#) Timberlake, 1964
- [*Perdita wootonae*](#) Cockerell, 1898
- [*Perdita wyomingensis*](#) Cockerell, 1922
- [*Perdita xanthisma*](#) Cockerell, 1905
- [*Perdita xanthochroa*](#) Timberlake, 1960

- [*Perdita xanthodes*](#) Timberlake, 1960
- [*Perdita xanthops*](#) Timberlake, 1971
- [*Perdita xanthoxyli*](#) Timberlake, 1968
- [*Perdita xerophila*](#) Timberlake, 1962
- [*Perdita yanegai*](#) Portman, 2016
- [*Perdita yosemitensis*](#) Timberlake, 1962
- [*Perdita zavortinki*](#) Timberlake, 1977
- [*Perdita zebrata*](#) Cresson, 1878
- [*Perdita zonalis*](#) Cresson, 1879

This is a list of 106 species in [*Pedicia*](#), a genus of hairy-eyed crane flies in the family [*Pediciidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Pedicia* species**

- [*Pedicia aethiops*](#) Alexander, 1955 ⁱ
- [*Pedicia albivitta*](#) Walker, 1848 ^{i c g b} (giant eastern crane fly)
- [*Pedicia albivittata*](#) ^{i g}
- [*Pedicia ampla*](#) Doane, 1900 ⁱ
- [*Pedicia aperta*](#) (Coquillett, 1905) ⁱ
- [*Pedicia apusenica*](#) Ujvarosi and Stary, 2003 ^{c g}
- [*Pedicia arctica*](#) Frey, 1921 ^{c g}
- [*Pedicia aspidoptera*](#) (Coquillett, 1905) ⁱ
- [*Pedicia auripennis*](#) (Osten Sacken, 1859) ^{i b}
- [*Pedicia autumnalis*](#) (Alexander, 1917) ^{i b}
- [*Pedicia baikalica*](#) (Alexander, 1930) ^{c g}
- [*Pedicia bellamyana*](#) Alexander, 1964 ^{i c g}
- [*Pedicia bianchii*](#) Alexander, 1966 ⁱ
- [*Pedicia bicomata*](#) Alexander, 1943 ⁱ
- [*Pedicia bidentifera*](#) Alexander, 1950 ⁱ
- [*Pedicia brachycera*](#) Alexander, 1933 ^{c g}
- [*Pedicia brevifurcata*](#) (Alexander, 1919) ⁱ
- [*Pedicia calcar*](#) (Osten Sacken, 1859) ⁱ
- [*Pedicia cascadiensis*](#) Alexander, 1954 ⁱ
- [*Pedicia cervina*](#) (Alexander, 1917) ⁱ
- [*Pedicia cinereicolor*](#) Alexander, 1958 ^{i g}
- [*Pedicia claggi*](#) (Alexander, 1930) ⁱ

- [*Pedicia cockerelli*](#) Alexander, 1925 ^{c g}
- [*Pedicia constans*](#) (Doane, 1900) ⁱ
- [*Pedicia contermina*](#) Walker, 1848 ^{i c g b}
- [*Pedicia cubitalis*](#) Alexander, 1933 ^{c g}
- [*Pedicia daimio*](#) (Matsumura, 1916) ^{c g}
- [*Pedicia debilis*](#) (Williston, 1893) ^{i g}
- [*Pedicia degenerata*](#) (Alexander, 1917) ⁱ
- [*Pedicia depressiloba*](#) Alexander, 1945 ^{c g}
- [*Pedicia diaphana*](#) (Doane, 1900) ^{i g}
- [*Pedicia dispar*](#) Savchenko, 1978 ^{c g}
- [*Pedicia ericarum*](#) Alexander, 1966 ^{c g}
- [*Pedicia euryptera*](#) Alexander, 1949 ^{i g}
- [*Pedicia exoloma*](#) (Doane, 1900) ⁱ
- [*Pedicia falcifera*](#) Alexander, 1941 ^{i c g}
- [*Pedicia fenderiana*](#) Alexander, 1954 ⁱ
- [*Pedicia fimbriatula*](#) Alexander, 1953 ^{c g}
- [*Pedicia frigida*](#) (Alexander, 1919) ⁱ
- [*Pedicia fulvicolor*](#) Alexander, 1945 ⁱ
- [*Pedicia fusca*](#) Ujvarosi and Balint, 2012 ^{c g}
- [*Pedicia gaudens*](#) (Alexander, 1925) ^{c g}
- [*Pedicia gifuensis*](#) Kariya, 1934 ^{c g}
- [*Pedicia gigantea*](#) Alexander, 1940 ⁱ
- [*Pedicia glacialis*](#) (Alexander, 1917) ⁱ
- [*Pedicia goldsworthyi*](#) Petersen, 2006 ^{c g}
- [*Pedicia grandior*](#) (Alexander, 1923) ^{c g}
- [*Pedicia huffae*](#) Alexander, 1940 ⁱ
- [*Pedicia hynesiana*](#) Alexander, 1961 ⁱ
- [*Pedicia inconstans*](#) (Osten Sacken, 1859) ^{i b}
- [*Pedicia issikiella*](#) Alexander, 1953 ^{c g}
- [*Pedicia johnsoni*](#) (Alexander, 1930) ⁱ
- [*Pedicia katahdin*](#) (Alexander, 1914) ⁱ
- [*Pedicia kuwayamai*](#) Alexander, 1966 ^{c g}
- [*Pedicia laetabilis*](#) Alexander, 1938 ^{c g}
- [*Pedicia lewisiana*](#) Alexander, 1958 ^{i c g}
- [*Pedicia littoralis*](#) (Meigen, 1804) ^{c g}
- [*Pedicia lobifera*](#) Savchenko, 1986 ^{c g}

- [*Pedicia macatee*](#) (Alexander, 1919) ⁱ
- [*Pedicia magnifica*](#) (Hine, 1903) ^{i c g}
- [*Pedicia margarita*](#) Alexander, 1929 ^{i c g}
- [*Pedicia monophilus*](#) ^{i g}
- [*Pedicia nawai*](#) Kariya, 1934 ^{c g}
- [*Pedicia nielsen*](#) (Slipka, 1955) ^{c g}
- [*Pedicia norikurae*](#) Alexander, 1958 ^{c g}
- [*Pedicia obtusa*](#) Osten Sacken, 1877 ^{i c g}
- [*Pedicia occulta*](#) (Meigen, 1830) ^{c g}
- [*Pedicia pahasapa*](#) Alexander, 1958 ⁱ
- [*Pedicia pallens*](#) Savchenko, 1978 ^{c g}
- [*Pedicia pallida*](#) Savchenko, 1976 ^{c g}
- [*Pedicia paludicola*](#) (Alexander, 1916) ⁱ
- [*Pedicia parvicellula*](#) Alexander, 1938 ^{i c g b}
- [*Pedicia patens*](#) Alexander, 1938 ^{c g}
- [*Pedicia perangusta*](#) Alexander, 1958 ^{i g}
- [*Pedicia persica*](#) Alexander, 1975 ^{c g}
- [*Pedicia procteriana*](#) Alexander, 1939 ^{i c g b}
- [*Pedicia protea*](#) (Alexander, 1918) ⁱ
- [*Pedicia pumila*](#) Alexander, 1942 ⁱ
- [*Pedicia rainieria*](#) (Alexander, 1924) ⁱ
- [*Pedicia riedeli*](#) (Lackschewitz, 1940) ^{c g}
- [*Pedicia rivosa*](#) (Linnaeus, 1758) ^{c g}
- [*Pedicia rubiginosa*](#) (Alexander, 1931) ⁱ
- [*Pedicia savtshenkoi*](#) Paramonov, 2009 ^{c g}
- [*Pedicia semireducta*](#) Savchenko, 1978 ^{c g}
- [*Pedicia septentrionalis*](#) ^{i g}
- [*Pedicia seticauda*](#) (Alexander, 1924) ^{c g}
- [*Pedicia setipennis*](#) (Alexander, 1931) ^{c g}
- [*Pedicia shastensis*](#) Alexander, 1958 ⁱ
- [*Pedicia simplicistyla*](#) (Alexander, 1930) ⁱ
- [*Pedicia simulata*](#) Alexander, 1938 ^{c g}
- [*Pedicia smithae*](#) Alexander, 1941 ⁱ
- [*Pedicia spinifera*](#) Stary, 1974 ^{c g}
- [*Pedicia staryi*](#) Savchenko, 1978 ^{c g}
- [*Pedicia straminea*](#) (Meigen, 1838) ^{c g}

- [*Pedicia subfalcata*](#) Alexander, 1941 ^{c g}
- [*Pedicia subobtusa*](#) Alexander, 1949 ^{i c g}
- [*Pedicia subtransversa*](#) Alexander, 1933 ^{c g}
- [*Pedicia tacoma*](#) Alexander, 1949 ⁱ
- [*Pedicia tenuiloba*](#) Alexander, 1957 ^{c g}
- [*Pedicia tjederi*](#) Mendl, 1974 ^{c g}
- [*Pedicia truncata*](#) Alexander, 1941 ^{i g}
- [*Pedicia unigera*](#) Alexander, 1949 ⁱ
- [*Pedicia vernalis*](#) Osten Sacken ⁱ
- [*Pedicia vetusta*](#) (Alexander, 1913) ^{c g}
- [*Pedicia zangheriana*](#) Nielsen, 1950 ^{c g}
- [*Pedicia zernyi*](#) (Lackschewitz, 1940) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pedicia Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-04-30.
 - ["Browse Pedicia"](#). *Catalogue of Life*. Retrieved 2018-04-30.
 - ["Pedicia"](#). *GBIF*. Retrieved 2018-04-30.
 -
4. ["Pedicia Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-30.

Categories:

- [Pediidae](#)
- [Lists of insect species](#)
-

These 368 species belong to [Paussus](#), a genus of ground beetles in the family [Carabidae](#).^[1]

Paussus species

- [Paussus abditus](#) Nagel, 2018
- [Paussus acuminicoxis](#) Kolbe, 1896

- [*Paussus adamsoni*](#) Fowler, 1912
- [*Paussus adeptus*](#) Kolbe, 1929
- [*Paussus adinventus*](#) C.A.Dohrn, 1888
- [*Paussus adjunctus*](#) Reichensperger, 1936
- [*Paussus aenigma*](#) Reichensperger, 1954
- [*Paussus aethiops*](#) Blanchard, 1845
- [*Paussus affinis*](#) Westwood, 1833
- [*Paussus affulgens*](#) Reichensperger, 1954
- [*Paussus afraequatorialis*](#) Luna de Carvalho, 1963
- [*Paussus africanus*](#) Luna de Carvalho, 1958
- [*Paussus afzelii*](#) Westwood, 1855
- [*Paussus aldrovandii*](#) Gestro, 1901
- [*Paussus alienus*](#) Reichensperger, 1950
- [*Paussus alluaudi*](#) Reichensperger, 1936
- [*Paussus ambiguus*](#) Reichensperger, 1938
- [*Paussus americanus*](#) Kolbe, 1920
- [*Paussus andreae*](#) Ritsema, 1879
- [*Paussus angustulus*](#) Wasmann, 1922
- [*Paussus antinorii*](#) Gestro, 1881
- [*Paussus anxius*](#) Reichensperger, 1913
- [*Paussus arabicus*](#) Raffray, 1885
- [*Paussus araneans*](#) Luna de Carvalho, 1968
- [*Paussus arduus*](#) Péringuey, 1896
- [*Paussus aristoteli*](#) J.Thomson, 1858
- [*Paussus armatus*](#) Westwood, 1833
- [*Paussus armicollis*](#) Fairmaire, 1899
- [*Paussus asperulus*](#) Fairmaire, 1898
- [*Paussus assmuthi*](#) Wasmann, 1904
- [*Paussus atheruri*](#) Luna de Carvalho, 1960
- [*Paussus audouinii*](#) Westwood, 1852
- [*Paussus aureofimbriatus*](#) Wasmann, 1904
- [*Paussus aureovellus*](#) Reichensperger, 1922
- [*Paussus avunculus*](#) Reichensperger, 1925
- [*Paussus barkeri*](#) Péringuey, 1896
- [*Paussus basilewskyi*](#) Reichensperger, 1952
- [*Paussus bastinae*](#) Luna de Carvalho, 1963
- [*Paussus batillarius*](#) Reichensperger, 1933
- [*Paussus bayonii*](#) Gestro, 1910
- [*Paussus bekilyanus*](#) Jeannel, 1946
- [*Paussus benoiti*](#) Janssens, 1956
- [*Paussus bicolor*](#) Raffray, 1886
- [*Paussus bicoloricornis*](#) Luna de Carvalho, 1963

- [*Paussus bicornis*](#) Wasmann, 1904
- [*Paussus biflagellatus*](#) Luna de Carvalho, 1973
- [*Paussus bituberculatus*](#) Kolbe, 1896
- [*Paussus blanchardi*](#) (Raffray, 1882)
- [*Paussus bohemani*](#) Westwood, 1855
- [*Paussus borneensis*](#) Gestro, 1919
- [*Paussus bowringii*](#) Westwood, 1850
- [*Paussus boysii*](#) Westwood, 1845
- [*Paussus brancuccii*](#) Nagel, 2016
- [*Paussus braunsi*](#) Péringuey, 1897
- [*Paussus brevicornutus*](#) Luna de Carvalho, 1968
- [*Paussus brincki*](#) Reichensperger, 1958
- [*Paussus brittoni*](#) Reichensperger, 1957
- [*Paussus bucephalus*](#) Gyllenhal, 1817
- [*Paussus buettikeri*](#) Nagel, 2006
- [*Paussus burchelianus*](#) Westwood, 1869
- [*Paussus burgeoni*](#) Reichensperger, 1925
- [*Paussus burmeisteri*](#) Westwood, 1838
- [*Paussus camaxilensis*](#) Luna de Carvalho, 1963
- [*Paussus canaliculatus*](#) Wasmann, 1919
- [*Paussus canteloubei*](#) Luna de Carvalho, 1962
- [*Paussus capillaceus*](#) Reichensperger, 1937
- [*Paussus capreolus*](#) Reichensperger, 1913
- [*Paussus cardoni*](#) Wasmann, 1904
- [*Paussus caroli*](#) (Reichensperger, 1913)
- [*Paussus catalai*](#) Jeannel, 1946
- [*Paussus catoxanthus*](#) Gestro, 1923
- [*Paussus celisi*](#) Janssens, 1956
- [*Paussus centurio*](#) C.A.Dohrn, 1881
- [*Paussus cephalotes*](#) Raffray, 1885
- [*Paussus cerambyx*](#) Wasmann, 1904
- [*Paussus ceratoderinus*](#) Luna de Carvalho, 1963
- [*Paussus cervinus*](#) Kraatz, 1892
- [*Paussus chappuisi*](#) Reichensperger, 1938
- [*Paussus cilipes*](#) Westwood, 1845
- [*Paussus cirenaicus*](#) A.Fiori, 1914
- [*Paussus citernii*](#) Gestro, 1912
- [*Paussus clarkei*](#) Luna de Carvalho, 1974
- [*Paussus cochlearius*](#) Westwood, 1838
- [*Paussus cognatus*](#) Westwood, 1842
- [*Paussus colasi*](#) (Antoine, 1952)
- [*Paussus collarti*](#) Reichensperger, 1932

- [*Paussus comptus*](#) Péringuey, 1898
- [*Paussus concinnus*](#) Péringuey, 1896
- [*Paussus conradti*](#) Kolbe, 1896
- [*Paussus cornutus*](#) Chevrolat, 1833
- [*Paussus coronatus*](#) Reichensperger, 1935
- [*Paussus corporaali*](#) Reichensperger, 1927
- [*Paussus crenaticornis*](#) Raffray, 1885
- [*Paussus crepidulae*](#) Luna de Carvalho, 1967
- [*Paussus cridae*](#) Gestro, 1917
- [*Paussus cucullatus*](#) Westwood, 1850
- [*Paussus cultratus*](#) Westwood, 1850
- [*Paussus curtisii*](#) Westwood, 1864
- [*Paussus cuypersi*](#) Luna de Carvalho, 1976
- [*Paussus cyathiger*](#) Raffray, 1885
- [*Paussus cylindricollis*](#) Wasmann, 1922
- [*Paussus cylindricornis*](#) Péringuey, 1885
- [*Paussus dama*](#) H.Dohrn, 1890
- [*Paussus damarinus*](#) Westwood, 1874
- [*Paussus darlingtoni*](#) Reichensperger, 1951
- [*Paussus decellei*](#) Luna de Carvalho, 1980
- [*Paussus decipiens*](#) Reichensperger, 1951
- [*Paussus dedyckeri*](#) Luna de Carvalho, 1976
- [*Paussus degeeri*](#) Westwood, 1855
- [*Paussus denticulatus*](#) Westwood, 1845
- [*Paussus desneuxi*](#) Fowler, 1912
- [*Paussus dichrous*](#) Janssens, 1950
- [*Paussus dissidens*](#) Péringuey, 1898
- [*Paussus dissimulator*](#) Reichensperger, 1928
- [*Paussus distinguendus*](#) Reichensperger, 1925
- [*Paussus dohrnii*](#) Westwood, 1852
- [*Paussus dollmani*](#) Wasmann, 1922
- [*Paussus donisthorpei*](#) Wasmann, 1922
- [*Paussus drescheri*](#) Reichensperger, 1935
- [*Paussus drumonti*](#) Maruyama, 2014
- [*Paussus eisentrauti*](#) Nagel, 1982
- [*Paussus elaphus*](#) H.Dohrn, 1890
- [*Paussus elizabethae*](#) Péringuey, 1897
- [*Paussus elongatus*](#) Kano, 1930
- [*Paussus escherichi*](#) Wasmann, 1911
- [*Paussus excavatus*](#) Westwood, 1833
- [*Paussus exiguus*](#) Reichensperger, 1929
- [*Paussus fairmairei*](#) Raffray, 1886

- [*Paussus fallax*](#) Péringuey, 1892
- [*Paussus favieri*](#) Fairmaire, 1851
- [*Paussus fichtelii*](#) Donovan, 1804
- [*Paussus fissifrons*](#) Fairmaire, 1902
- [*Paussus fletcheri*](#) Fowler, 1912
- [*Paussus formosus*](#) Wasmann, 1912
- [*Paussus foveifrons*](#) Reichensperger, 1926
- [*Paussus fulvus*](#) Westwood, 1842
- [*Paussus gazella*](#) Reichensperger, 1925
- [*Paussus germari*](#) Westwood, 1852
- [*Paussus ghanensis*](#) Luna de Carvalho, 1973
- [*Paussus glabripennis*](#) (Jeannel, 1946)
- [*Paussus globiceps*](#) Reichensperger, 1913
- [*Paussus goetzei*](#) Kolbe, 1926
- [*Paussus gracilis*](#) (Reichensperger, 1930)
- [*Paussus granulatus*](#) Westwood, 1850
- [*Paussus hardwickii*](#) Hope, 1831
- [*Paussus hasinae*](#) Maruyama, 2016
- [*Paussus hearseyanus*](#) Westwood, 1842
- [*Paussus heinrichi*](#) Luna de Carvalho, 1959
- [*Paussus henningsi*](#) Reichensperger, 1929
- [*Paussus hirsutus*](#) Raffray, 1886
- [*Paussus hisamatsui*](#) Maruyama & Ito, 2016
- [*Paussus horikawae*](#) Kano, 1930
- [*Paussus horni*](#) Wasmann, 1902
- [*Paussus hottentotta*](#) (Westwood, 1874)
- [*Paussus howa*](#) C.A.Dohrn, 1881
- [*Paussus huamboensis*](#) Schüle & Bednarik, 2015
- [*Paussus hughscotti*](#) Reichensperger, 1938
- [*Paussus humbloti*](#) Raffray, 1886
- [*Paussus humboldtii*](#) Westwood, 1852
- [*Paussus hystrix*](#) Westwood, 1850
- [*Paussus incultus*](#) Reichensperger, 1926
- [*Paussus inermis*](#) Gerstaecker, 1855
- [*Paussus inexpectatus*](#) Fairmaire, 1899
- [*Paussus intermedius*](#) Reichensperger, 1957
- [*Paussus intuitivus*](#) Kolbe, 1935
- [*Paussus jacobsoni*](#) Wasmann, 1928
- [*Paussus janssensi*](#) Luna de Carvalho, 1956
- [*Paussus javanus*](#) Wasmann, 1899
- [*Paussus jeanneli*](#) Reichensperger, 1936
- [*Paussus jeannelianus*](#) Basilewsky, 1957

- [*Paussus jengi*](#) Maruyama, 2016
- [*Paussus jerdani*](#) Westwood, 1847
- [*Paussus jousselinii*](#) Guérin-Méneville, 1836
- [*Paussus kanaoi*](#) Maruyama, 2016
- [*Paussus kannegieteri*](#) Wasmann, 1896
- [*Paussus kecil*](#) Maruyama, 2016
- [*Paussus kjellanderi*](#) Luna de Carvalho, 1965
- [*Paussus klugii*](#) Westwood, 1838
- [*Paussus kochi*](#) Reichensperger, 1953
- [*Paussus kohli*](#) Wasmann, 1907
- [*Paussus kolbei*](#) Reichensperger, 1925
- [*Paussus komatsui*](#) Maruyama, 2016
- [*Paussus krelli*](#) Kaupp & Rödel, 1997
- [*Paussus kristenseni*](#) Reichensperger, 1913
- [*Paussus lacrimans*](#) Reichensperger, 1925
- [*Paussus laetus*](#) Gerstaecker, 1867
- [*Paussus laevifrons*](#) (Westwood, 1833)
- [*Paussus lamottei*](#) Luna de Carvalho, 1968
- [*Paussus lanxangensis*](#) Nagel, 2009
- [*Paussus laosensis*](#) Maruyama & Nagel, 2016
- [*Paussus laticollis*](#) Raffray, 1886
- [*Paussus latidens*](#) Kolbe, 1935
- [*Paussus latreillei*](#) Westwood, 1845
- [*Paussus leechi*](#) Luna de Carvalho, 1968
- [*Paussus leleupi*](#) Luna de Carvalho, 1968
- [*Paussus leroyi*](#) Wasmann, 1899
- [*Paussus liber*](#) Wasmann, 1899
- [*Paussus lineatus*](#) Thunberg, 1781
- [*Paussus linnaei*](#) Westwood, 1833
- [*Paussus linnavuori*](#) Luna de Carvalho, 1969
- [*Paussus lucasseni*](#) Wasmann, 1896
- [*Paussus ludekingii*](#) Snellen van Vollenhoven, 1872
- [*Paussus lusotropicalis*](#) Luna de Carvalho, 1963
- [*Paussus madurensis*](#) Wasmann, 1913
- [*Paussus malayanus*](#) Maruyama, 2016
- [*Paussus manicanus*](#) Péringuey, 1896
- [*Paussus manni*](#) Reichensperger, 1925
- [*Paussus marshalli*](#) Péringuey, 1896
- [*Paussus masaoi*](#) Maruyama, 2014
- [*Paussus massarti*](#) Reichensperger, 1933
- [*Paussus mata*](#) Maruyama, 2016
- [*Paussus medleri*](#) Luna de Carvalho, 1980

- [*Paussus mendesi*](#) (Luna de Carvalho, 2001)
- [*Paussus microcephalus*](#) Linnaeus, 1775
- [*Paussus milloti*](#) Jeannel, 1955
- [*Paussus milneedwardsi*](#) Raffray, 1885
- [*Paussus mimus*](#) Péringuey, 1897
- [*Paussus minor*](#) Shiraki, 1907
- [*Paussus minutulus*](#) Nagel & Rasool, 2019
- [*Paussus mirei*](#) Luna de Carvalho, 1957
- [*Paussus modestus*](#) Reichensperger, 1913
- [*Paussus moltonii*](#) Luna de Carvalho, 1959
- [*Paussus moreirai*](#) Luna de Carvalho, 1971
- [*Paussus mucius*](#) C.A.Dohrn, 1884
- [*Paussus multisetosus*](#) Maruyama, 2016
- [*Paussus murrayi*](#) Westwood, 1857
- [*Paussus nagahatai*](#) Maruyama, 2016
- [*Paussus nageli*](#) Luna de Carvalho, 1980
- [*Paussus nakasei*](#) Maruyama, 2016
- [*Paussus natalis*](#) Péringuey, 1898
- [*Paussus nauceras*](#) Benson, 1846
- [*Paussus nigrita*](#) Wasmann, 1904
- [*Paussus nobilis*](#) Wasmann, 1930
- [*Paussus nomurai*](#) Maruyama, 2016
- [*Paussus nudus*](#) Nagel, 1980
- [*Paussus oberthueri*](#) Wasmann, 1899
- [*Paussus obscurus*](#) Nagel, 1977
- [*Paussus occlusus*](#) Darlington, 1950
- [*Paussus oertzeni*](#) Kolbe, 1896
- [*Paussus olcesii*](#) Fairmaire, 1856
- [*Paussus opacus*](#) Kraatz, 1892
- [*Paussus orientalis*](#) Nagel, 1986
- [*Paussus overlaeti*](#) Reichensperger, 1937
- [*Paussus pacificus*](#) Westwood, 1855
- [*Paussus pallidefulvus*](#) Wasmann, 1899
- [*Paussus pandamanus*](#) Wasmann, 1904
- [*Paussus passosi*](#) Luna de Carvalho, 1963
- [*Paussus pasteuri*](#) Wasmann, 1896
- [*Paussus patrizii*](#) Gestro, 1923
- [*Paussus paulmuelleri*](#) Nagel, 1983
- [*Paussus penicillatus*](#) Raffray, 1886
- [*Paussus permutatus*](#) Reichensperger, 1937
- [*Paussus perrieri*](#) Fairmaire, 1898
- [*Paussus perroti*](#) Wasmann, 1899

- [*Paussus pierronii*](#) Fairmaire, 1880
- [*Paussus pilicornis*](#) Donovan, 1804
- [*Paussus pilosus*](#) Reichensperger, 1957
- [*Paussus piochardi*](#) Saulcy, 1874
- [*Paussus pipitzi*](#) C.A.Dohrn, 1884
- [*Paussus planicollis*](#) Raffray, 1885
- [*Paussus planicornis*](#) Wasmann, 1922
- [*Paussus planifrons*](#) Fairmaire, 1899
- [*Paussus ploiophorus*](#) Benson, 1846
- [*Paussus politus*](#) Westwood, 1850
- [*Paussus prestesjoannesi*](#) Luna de Carvalho, 1974
- [*Paussus pretoriensis*](#) Brauns, 1925
- [*Paussus procerus*](#) Gerstaecker, 1867
- [*Paussus propinquus*](#) Péringuey, 1888
- [*Paussus pseudocucullatus*](#) Nagel, 1983
- [*Paussus pseudoklugi*](#) Luna de Carvalho, 1963
- [*Paussus pseudosetosus*](#) Nagel, 1977
- [*Paussus quadratidens*](#) Wasmann, 1904
- [*Paussus quadricornis*](#) Wasmann, 1899
- [*Paussus raffrayi*](#) Péringuey, 1896
- [*Paussus rawlinsi*](#) Nagel, 2006
- [*Paussus recarpus*](#) Nagel, 1986
- [*Paussus recticornis*](#) Raffray, 1886
- [*Paussus reductus*](#) Reichensperger, 1937
- [*Paussus reichenspergeri*](#) (Luna de Carvalho, 1959)
- [*Paussus ricardojorgei*](#) Luna de Carvalho, 1951
- [*Paussus ritsemae*](#) Wasmann, 1896
- [*Paussus roeri*](#) (Luna de Carvalho, 1989)
- [*Paussus rosliei*](#) Maruyama, 2016
- [*Paussus rougemonti*](#) Luna de Carvalho, 1974
- [*Paussus rougemontianus*](#) Lorenz, 1998
- [*Paussus ruber*](#) Thunberg, 1781
- [*Paussus rufitarsis*](#) Westwood, 1833
- [*Paussus rugiceps*](#) Péringuey, 1888
- [*Paussus rugosus*](#) Raffray, 1886
- [*Paussus rusticus*](#) Péringuey, 1885
- [*Paussus sankuruensis*](#) Reichensperger, 1930
- [*Paussus saundersii*](#) Westwood, 1841
- [*Paussus sauteri*](#) Wasmann, 1912
- [*Paussus scaliger*](#) Reichensperger, 1926
- [*Paussus schaumii*](#) Westwood, 1852
- [*Paussus schiodtii*](#) Westwood, 1874

- [*Paussus schoutedeni*](#) Reichensperger, 1933
- [*Paussus scorteccii*](#) Luna de Carvalho, 1959
- [*Paussus scyphus*](#) Raffray, 1886
- [*Paussus sebakuanus*](#) (Péringuey, 1904)
- [*Paussus semicucullatus*](#) Brauns, 1899
- [*Paussus semilineatus*](#) Wasmann, 1899
- [*Paussus semirufus*](#) Wasmann, 1899
- [*Paussus seriesetosus*](#) Wasmann, 1904
- [*Paussus serraticornis*](#) Nagel & Bednarik, 2013
- [*Paussus serratulus*](#) Reichensperger, 1927
- [*Paussus sesquisulcatus*](#) Wasmann, 1899
- [*Paussus setosus*](#) Westwood, 1850
- [*Paussus sewelli*](#) Ribeiro, 1930
- [*Paussus seydeli*](#) Reichensperger, 1937
- [*Paussus seyriganus*](#) Jeannel, 1946
- [*Paussus seyrigi*](#) Reichensperger, 1936
- [*Paussus shuckardi*](#) Westwood, 1838
- [*Paussus siamensis*](#) Maruyama, 2016
- [*Paussus sicardi*](#) Jeannel, 1946
- [*Paussus signatipennis*](#) Péringuey, 1885
- [*Paussus sikoranus*](#) C.A.Dohrn, 1890
- [*Paussus simplicissimus*](#) Janssens, 1956
- [*Paussus soleatus*](#) Wasmann, 1894
- [*Paussus solidus*](#) Reichensperger, 1936
- [*Paussus somaliae*](#) Reichensperger, 1953
- [*Paussus spencii*](#) Westwood, 1864
- [*Paussus sphaerocerus*](#) Afzelius, 1798
- [*Paussus spiniceps*](#) Wasmann, 1904
- [*Paussus spinicola*](#) Wasmann, 1892
- [*Paussus spinicoxis*](#) Westwood, 1850
- [*Paussus spinolae*](#) Gestro, 1901
- [*Paussus squamicornis*](#) Wasmann, 1922
- [*Paussus stevensianus*](#) Westwood, 1842
- [*Paussus stolzi*](#) Kolbe, 1926
- [*Paussus striaticornis*](#) Luna de Carvalho, 1966
- [*Paussus suahelinus*](#) Reichensperger, 1930
- [*Paussus suavis*](#) Wasmann, 1894
- [*Paussus subarcuatus*](#) Reichensperger, 1932
- [*Paussus subglaber*](#) Maruyama, 2016
- [*Paussus sumateranus*](#) Maruyama, 2016
- [*Paussus tagalicus*](#) Gestro, 1919
- [*Paussus tchadensis*](#) Luna de Carvalho, 1957

- [*Paussus telescopifer*](#) Wasmann, 1922
- [*Paussus tenuiculus*](#) Luna de Carvalho, 1959
- [*Paussus tenuis*](#) Reichensperger, 1925
- [*Paussus testaceus*](#) Fowler, 1912
- [*Paussus thomsonii*](#) Reiche, 1860
- [*Paussus thoracicus*](#) Donovan, 1804
- [*Paussus tibialis*](#) Westwood, 1841
- [*Paussus tigrinus*](#) Gestro, 1901
- [*Paussus tristis*](#) Wasmann, 1912
- [*Paussus tununguensis*](#) Reichensperger, 1933
- [*Paussus turcicus*](#) I.Frivaldszky von Frivald, 1835
- [*Paussus uelensis*](#) (Reichensperger, 1925)
- [*Paussus upembanus*](#) Janssens, 1951
- [*Paussus vadoni*](#) Jeannel, 1946
- [*Paussus vanrooni*](#) Wasmann, 1922
- [*Paussus verticalis*](#) Reiche, 1847
- [*Paussus vexator*](#) Péringuey, 1898
- [*Paussus viator*](#) Péringuey, 1896
- [*Paussus vollenhovii*](#) Westwood, 1874
- [*Paussus wasmanni*](#) Kraatz, 1894
- [*Paussus watarui*](#) Maruyama, 2016
- [*Paussus waterhousei*](#) Westwood, 1874
- [*Paussus wellmani*](#) Wasmann, 1907
- [*Paussus wittei*](#) Maruyama, 2016
- [*Paussus woerdeni*](#) Ritsema, 1876
- [*Paussus wroughtoni*](#) Wasmann, 1894
- [*Paussus yasutoshii*](#) Maruyama, 2016
- [*Paussus ypsilopilos*](#) Luna de Carvalho, 1966
- [*Paussus yubaki*](#) Nagel, 2018
- [*Paussus zhouchaoi*](#) Wang, 2017

This is a list of 75 species in the genus [*Parthenicus*](#).^{[1][2]}

***Parthenicus* species**

- [*Parthenicus accumulatus*](#) Knight, 1968
- [*Parthenicus albellus*](#) Knight, 1925
- [*Parthenicus aridus*](#) Knight, 1918
- [*Parthenicus atriplicis*](#) Knight, 1968
- [*Parthenicus aureosquamis*](#) Knight, 1925
- [*Parthenicus baccharidis*](#) Knight, 1925
- [*Parthenicus basicornis*](#) Knight, 1968

- [*Parthenicus becki*](#) Knight, 1968
- [*Parthenicus boutelouae*](#) Knight, 1968
- [*Parthenicus brevicornis*](#) Knight, 1968
- [*Parthenicus brindleyi*](#) Knight, 1968
- [*Parthenicus brooksi*](#) Kelton, 1980
- [*Parthenicus brunneus*](#) Van Duzee, 1925
- [*Parthenicus candidus*](#) Van Duzee, 1918
- [*Parthenicus cercocarpi*](#) Knight, 1968
- [*Parthenicus condensus*](#) Knight, 1968
- [*Parthenicus consperus*](#) Knight, 1968
- [*Parthenicus covilleae*](#) Van Duzee, 1918
- [*Parthenicus cowaniae*](#) Knight, 1968
- [*Parthenicus cuneotinctus*](#) Knight, 1925
- [*Parthenicus davisii*](#) Knight, 1968
- [*Parthenicus deleticus*](#) Knight, 1968
- [*Parthenicus desertus*](#) Knight, 1968
- [*Parthenicus discalis*](#) Van Duzee, 1925
- [*Parthenicus femoratus*](#) (Van Duzee, 1925)
- [*Parthenicus furcatus*](#) Knight, 1968
- [*Parthenicus fuscipilus*](#) Knight, 1968
- [*Parthenicus fuscus*](#) Knight, 1968
- [*Parthenicus giffardi*](#) Van Duzee, 1917
- [*Parthenicus grex*](#) Van Duzee, 1925
- [*Parthenicus incurvus*](#) Knight, 1968
- [*Parthenicus irroratus*](#) Knight, 1968
- [*Parthenicus juniperi*](#) (Heidemann, 1892)
- [*Parthenicus knighti*](#) Henry, 1982
- [*Parthenicus merinoi*](#) Knight, 1968
- [*Parthenicus micans*](#) Knight, 1925
- [*Parthenicus miniopunctatus*](#) Knight, 1968
- [*Parthenicus muchmorei*](#) Knight, 1968
- [*Parthenicus multipunctatus*](#) Knight, 1968
- [*Parthenicus mundus*](#) Van Duzee, 1923
- [*Parthenicus nevadensis*](#) Knight, 1968
- [*Parthenicus nicholellus*](#) Knight, 1968
- [*Parthenicus nicholi*](#) Knight, 1925
- [*Parthenicus nigripunctus*](#) Knight, 1968
- [*Parthenicus obsoletus*](#) Knight, 1968
- [*Parthenicus oreades*](#) Knight, 1925
- [*Parthenicus pallidicollis*](#) Van Duzee, 1925
- [*Parthenicus pallipes*](#) Knight, 1968
- [*Parthenicus peregrinus*](#) (Van Duzee, 1918)

- [*Parthenicus picicollis*](#) Van Duzee, 1918
- [*Parthenicus pictus*](#) Knight, 1925
- [*Parthenicus pilipes*](#) Knight, 1968
- [*Parthenicus pinicola*](#) Knight, 1968
- [*Parthenicus psalliodes*](#) Reuter, 1876
- [*Parthenicus ribesi*](#) Knight, 1968
- [*Parthenicus ruber*](#) Van Duzee, 1917
- [*Parthenicus rubrinervis*](#) Knight, 1925
- [*Parthenicus rubromaculosus*](#) Knight, 1968
- [*Parthenicus rubropunctipes*](#) Knight, 1968
- [*Parthenicus rubrosignatus*](#) Knight, 1968
- [*Parthenicus rufiguttatus*](#) Knight, 1968
- [*Parthenicus rufivenosus*](#) Knight, 1925
- [*Parthenicus rufus*](#) Henry, 1982
- [*Parthenicus rufusculus*](#) Knight, 1925
- [*Parthenicus sabulosus*](#) Van Duzee, 1925
- [*Parthenicus selectus*](#) Knight, 1925
- [*Parthenicus soror*](#) (Van Duzee, 1917)
- [*Parthenicus taxodii*](#) Knight, 1941
- [*Parthenicus tenuis*](#) Knight, 1968
- [*Parthenicus thibodeau*](#) Schwartz and Scudder, 2003
- [*Parthenicus trispinosus*](#) Knight, 1968
- [*Parthenicus utahensis*](#) Knight, 1968
- [*Parthenicus vaccini*](#) (Van Duzee, 1915)
- [*Parthenicus weemsi*](#) Henry, 1982
- [*Parthenicus wheeleri*](#) Henry, 2007

these 111 species belong to [*Parancistrocerus*](#), a genus of potter and mason wasps in the family [*Vespidae*](#).^{[1][2][3]}

***Parancistrocerus* species**

- [*Parancistrocerus acarigaster*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus acarophilus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus acarophorus*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus acclivus*](#) Gusenleitner 2007 ^{c g}
- [*Parancistrocerus algidus*](#) (Schrottky, 1909) ^{c g}
- [*Parancistrocerus androcles*](#) (Meade-Waldo, 1910) ^{c g}
- [*Parancistrocerus areatus*](#) (Fox, 1902) ^{c g}

- [*Parancistrocerus assamensis*](#) (Meade-Waldo, 1910) ^{c g}
- [*Parancistrocerus assumptionis*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus atkinsi*](#) Bequard & Salt, 1931 ^{c g}
- [*Parancistrocerus austrinus*](#) (Cresson, 1872) ^{c g}
- [*Parancistrocerus bacu*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus bacuensis*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus bicornis*](#) (Roberts, 1901) ^{c g b}
- [*Parancistrocerus binotatus*](#) (Fabricius, 1804) ^{c g}
- [*Parancistrocerus bonariensis*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus bravo*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus capocacciai*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus chiricahuae*](#) (Bohart, 1949) ^{c g}
- [*Parancistrocerus citropictus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus concavus*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus coronado*](#) (Bohart, 1949) ^{c g}
- [*Parancistrocerus cotti*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus cucullatus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus cylindricus*](#) (de Saussure, 1862) ^{c g}
- [*Parancistrocerus cylindroides*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus declivatus*](#) (Bohart, 1948) ^{c g b}
- [*Parancistrocerus declivus*](#) (Brethes, 1903) ^{c g}
- [*Parancistrocerus decollatus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus dejectus*](#) (Cresson, 1865) ^{c g}
- [*Parancistrocerus difformis*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus dorsonotatus*](#) (Fox, 1902) ^{c g}
- [*Parancistrocerus dux*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus enyo*](#) (Lepeletier, 1841) ^c
- [*Parancistrocerus farias*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus feai*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus foveolatus*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus fulvipes*](#) (de Saussure, 1856) ^{c g b}
- [*Parancistrocerus gracilior*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus guzmani*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus herbertii*](#) (Fox, 1902) ^{c g}
- [*Parancistrocerus histrio*](#) (Lepeletier, 1841) ^{c g b}
- [*Parancistrocerus holmbergi*](#) (Brethes, 1906) ^c

- [*Parancistrocerus holmbergii*](#) (Brèthes 1906) ^{c g}
- [*Parancistrocerus holzschuhi*](#) Gusenleitner, 1987 ^{c g}
- [*Parancistrocerus hongkongensis*](#) Gusenleitner, 2002 ^{c g}
- [*Parancistrocerus ignotus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus incommodus*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus inconstans*](#) (de Saussure) ^{c g}
- [*Parancistrocerus incorruptus*](#) Giordani Soika, 1972 ^{c g}
- [*Parancistrocerus inflaticeps*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus inornatus*](#) (Zavattari, 1912) ^c
- [*Parancistrocerus intermediatus*](#) (Sonan 1939) ^c
- [*Parancistrocerus invisibilis*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus irritatus*](#) Giordani Soika, 1972 ^{c g}
- [*Parancistrocerus kennethianus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus kolambuganensis*](#) Schulthess, 1934 ^{c g}
- [*Parancistrocerus kuraruensis*](#) (Sonan 1939) ^c
- [*Parancistrocerus leionotus*](#) (Viereck, 1906) ^{c g b}
- [*Parancistrocerus longicornutus*](#) (Dalla Torre, 1904) ^{c g}
- [*Parancistrocerus lutzi*](#) Bequard & Salt, 1931 ^{c g}
- [*Parancistrocerus luzonicola*](#) Vecht, 1981 ^{c g}
- [*Parancistrocerus lynchii*](#) (Brèthes, 1903) ^{c g}
- [*Parancistrocerus macfarlandi*](#) (Cameron, 1909) ^{c g}
- [*Parancistrocerus makilingi*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus malayanus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus mcclayi*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus microsynoeca*](#) (Schrottky, 1909) ^{c g}
- [*Parancistrocerus minimoferus*](#) (Bohart, 1949) ^{c g b}
- [*Parancistrocerus nigriventris*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus nitobei*](#) (Sonan, 1939) ^{c g}
- [*Parancistrocerus obliquus*](#) (Cresson, 1865) ^{c g}
- [*Parancistrocerus olseni*](#) Bequard & Salt, 1931 ^{c g}
- [*Parancistrocerus parapedestris*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus paulensis*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus pedestris*](#) (de Saussure, 1856) ^{c g b}
- [*Parancistrocerus pennsylvanicus*](#) (de Saussure, 1856) ^{c g b}
- [*Parancistrocerus perennis*](#) (de Saussure, 1857) ^{c g b}
- [*Parancistrocerus polingi*](#) (Bohart, 1949) ^{c g}

- [*Parancistrocerus productus*](#) (Smith, 1862) ^{c g}
- [*Parancistrocerus pruinosus*](#) (Smith, 1857) ^{c g}
- [*Parancistrocerus pseudallodynerus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus pseudodynerus*](#) (Dalla Torre, 1889) ^{c g}
- [*Parancistrocerus rectangulis*](#) (Viereck, 1908) ^{c g}
- [*Parancistrocerus rhipheus*](#) (Cameron, 1904) ^{c g}
- [*Parancistrocerus robertianus*](#) (Cameron) ^{c g}
- [*Parancistrocerus saecularis*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus salcularis*](#) ^b
- [*Parancistrocerus saltensis*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus samarensis*](#) (Schulthess, 1934) ^{c g}
- [*Parancistrocerus scapultatus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus siamensis*](#) Gusenleitner, 2003 ^{c g}
- [*Parancistrocerus siccus*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus striatus*](#) (Fox, 1902) ^{c g}
- [*Parancistrocerus subcyaneus*](#) (Brèthes, 1909) ^{c g}
- [*Parancistrocerus subtoltecus*](#) (Viereck, 1906) ^{c g}
- [*Parancistrocerus sulcatus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus sumichrasti*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus taihorinensis*](#) (Schulthess, 1934) ^{c g}
- [*Parancistrocerus taihorinshoensis*](#) (Schulthess, 1934) ^{c g}
- [*Parancistrocerus taikonus*](#) (Sonan 1939) ^{c g}
- [*Parancistrocerus texensis*](#) Saussure, 1871 ^{c g b}
- [*Parancistrocerus toltecus*](#) (de Saussure, 1857) ^{c b}
- [*Parancistrocerus trepidus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus triconcavus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus ussuriensis*](#) Kurzenko, 1981 ^{c g}
- [*Parancistrocerus vagus*](#) (de Saussure, 1857) ^{c g b}
- [*Parancistrocerus vicinus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus vogti*](#) Kromb., 1962 ^{c g}
- [*Parancistrocerus yachowensis*](#) Giordani Soika, 1986 ^{c g}
- [*Parancistrocerus yamanei*](#) Gusenleitner, 2000 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

this is a list of former species in the butterfly genus [Papilio](#), with the current species name.

Selected former species include:

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- *P. accius* Smith, 1797 - transferred to [Lerema accius](#) (Smith, 1797)
- *P. aracinthus* Fabricius, 1777 - synonymized with [Heteropterus morpheus](#) (Pallas, 1771)
- *P. asychis* Stoll, [1780] - transferred to [Chiothion asychis](#) (Stoll, [1780])

B

- *P. broteas* Cramer, 1780 - transferred to [*Nascus busirus*](#) (Cramer, 1780)
- *P. busirus* Cramer, [1779] - transferred to [*Achlyodes busirus*](#) (Cramer, [1779])

C

- *P. cebrenus* Cramer, 1777 - transferred to [*Euriphellus cebrenus*](#) (Cramer, 1777)
- *P. comma* Linnaeus, 1758 - transferred to [*Hesperia comma*](#) (Linnaeus, 1758)
- *P. coridon* Fabricius, 1775 - synonymized with [*Perichares philetus*](#) (Gmelin, [1790])

E

- *P. edipus* Stoll, [1781] - transferred to [*Pardaleodes edipus*](#) (Stoll, [1781])
- *P. eligius* Stoll, [1781] - transferred to [*Celaenorrhinus eligius*](#) (Stoll, [1781])
- *P. ethlius* Stoll, 1782 - transferred to [*Calpodes ethlius*](#) (Stoll, 1782)
- *P. euribates* Stoll, 1782 - transferred to [*Euriphellus euribates*](#) (Stoll, 1782)

F

- *P. flesus* Stoll, [1790] - transferred to [*Tagiades flesus*](#) (Fabricius, 1781])
- *P. folus* Cramer, 1775 - transferred to [*Udaspes folus*](#) (Cramer, 1775)

H

- *P. helirius* Cramer, 1775 - transferred to [*Chaetocneme helirius*](#) (Cramer, 1775)
- *P. hylaspes* Stoll, 1781 - transferred to [*Synale folus*](#) (Stoll, 1781)

J

- *P. japetus* Stoll, [1781] - transferred to [*Tagiades japetus*](#) (Stoll, [1781])
- *P. jolus* Stoll, [1782] - transferred to [*Carystus jolus*](#) (Stoll, [1782])
- *P. jovianus* Stoll, 1782 - transferred to [*Pythonides jovianus*](#) (Stoll, 1782)

M

- *P. menes* Stoll, 1782 - transferred to [*Apaustus menes*](#) (Stoll, 1782)
- *P. midas* Cramer, 1775 - transferred to [*Bungalotis midas*](#) (Cramer, 1775)
- *P. metis* Linnaeus, 1764 - transferred to [*Metisella metis*](#) (Linnaeus, 1764)
- *P. morpheus* Pallas, 1771 - transferred to [*Heteropterus morpheus*](#) (Pallas, 1771)

N

- *P. nothus* Fabricius, 1787 - transferred to [*Ceratrachia nothus*](#) (Fabricius, 1787)

O

- *P. ophion* Stoll, [1790] - synonymized with [Tagiades flesus](#) (Fabricius, 1781))
- *P. orchamus* Cramer, [1777] - transferred to [Xeniades orchamus](#) (Cramer, [1777])

P

- *P. paullinae* Sepp, [1842] - transferred to [Nascus paullinae](#) (Sepp, [1842])
- *P. pertinax* Stoll, [1781] - transferred to [Phlebodes pertinax](#) (Stoll, [1781])
- *P. phidon* Cramer, 1779 - transferred to [Thracides phidon](#) (Cramer, 1779)
- *P. philetes* Gmelin, [1790] - transferred to [Perichares philetes](#) (Gmelin, [1790])
- *P. phocaeus* Cramer, 1777 - transferred to [Ceratrachia phocion](#) (Fabricius, 1781)
- *P. phocion* Fabricius, 1781 - synonymized to [Ceratrachia phocion](#) (Fabricius, 1781)
- *P. phocus* Cramer, 1777 - transferred to [Nascus phocus](#) (Cramer, [1777])
- *P. phyllus* Cramer, [1777] - transferred to [Vettius phyllus](#) (Cramer, [1777])

S

- *P. salatis* Stoll, 1782 - transferred to [Salatis salatis](#) (Stoll, 1782)
- *P. salius* Cramer, 1775 - transferred to [Calpodes salius](#) (Cramer, 1775)
- *P. saturnus* Fabricius, 1787 - transferred to [Saturnus saturnus](#) (Fabricius, 1787)
- *P. sebalus* Stoll, 1781 - transferred to [Dyscophellus sebalus](#) (Stoll, 1781)

T

- *P. tryxus* Stoll, 1780 - transferred to [Xenophanes tryxus](#) (Stoll, 1780)

V

- *P. virbius* Cramer, 1777 - transferred to [Cobalus virbius](#) (Cramer, 1777)

This is a list of 109 species in [Pachytychius](#), a genus of true weevils in the family [Curculionidae](#).^{[1][2][3][4]}

Pachytychius species

- [Pachytychius abeillei](#) Desbrochers, 1892 ^C
- [Pachytychius aethiopicus](#) Caldara, 2000 ^C
- [Pachytychius albomaculatus](#) Pic, 1905 ^C
- [Pachytychius albosparsus](#) Caldara, 1989 ^C

- [*Pachytychius alepensis*](#) Hoffmann, 1958 ^C
- [*Pachytychius amoenus*](#) Leconte, 1876 ^C
- [*Pachytychius ancora*](#) Tournier, 1873 ^C
- [*Pachytychius antoinei*](#) Hoffmann, 1944 ^C
- [*Pachytychius aridicola*](#) Caldara, 1984 ^C
- [*Pachytychius asperatus*](#) Bedel, 1884 ^C
- [*Pachytychius auricollis*](#) Tournier, 1873 ^C
- [*Pachytychius avulsus*](#) Faust, 1885 ^C
- [*Pachytychius baeticus*](#) Kirsch, 1870 ^C
- [*Pachytychius basimaculata*](#) Voss, 1964 ^C
- [*Pachytychius beardae*](#) Caldara, 2000 ^C
- [*Pachytychius bedeli*](#) Chevrolat, 1881 ^C
- [*Pachytychius behnei*](#) Caldara, 1988 ^C
- [*Pachytychius bifascithorax*](#) Escalera, 1914 ^C
- [*Pachytychius bugnioni*](#) Stierlin, 1894 ^C
- [*Pachytychius cognatus*](#) Caldara, 2000 ^C
- [*Pachytychius congoanus*](#) Hustache, 1923 ^C
- [*Pachytychius curvirostris*](#) Hoffmann, 1944 ^C
- [*Pachytychius deplanatus*](#) Desbrochers, 1898 ^C
- [*Pachytychius difficilis*](#) Caldara, 1978 ^C
- [*Pachytychius discithorax*](#) Desbrochers, 1873 ^C
- [*Pachytychius discoideus*](#) Leconte, 1876 ^C
- [*Pachytychius echidna*](#) Caldara, 1978 ^C
- [*Pachytychius eldae*](#) Caldara, 1978 ^C
- [*Pachytychius elephas*](#) Kraatz, 1862 ^C
- [*Pachytychius erythreensis*](#) Hustache, 1932 ^C
- [*Pachytychius erythropterus*](#) Chevrolat, 1879 ^C
- [*Pachytychius fairmairei*](#) Tournier, 1873 ^C
- [*Pachytychius grandicollis*](#) Caldara, 2010 ^C
- [*Pachytychius granicollis*](#) Reitter, 1883 ^C
- [*Pachytychius granulicollis*](#) Tournier, 1874 ^C
- [*Pachytychius haematocephalus*](#) (Gyllenhal, 1836) ^{i c b} (gilkicker weevil)
- [*Pachytychius hierosolymus*](#) Desbrochers, 1900 ^C
- [*Pachytychius hirtipes*](#) Hustache, 1939 ^C
- [*Pachytychius hirtulus*](#) Chevrolat, 1879 ^C
- [*Pachytychius hispidulus*](#) Solari, 1932 ^C

- [*Pachytychius hypocrita*](#) Tournier, 1873 ^C
- [*Pachytychius illectus*](#) Faust, 1889 ^C
- [*Pachytychius indicus*](#) Tournier, 1873 ^C
- [*Pachytychius insularis*](#) Chevrolat, 1875 ^C
- [*Pachytychius jakobsoni*](#) Legalov, 2007 ^C
- [*Pachytychius kirschi*](#) Tournier, 1873 ^C
- [*Pachytychius krugeri*](#) Solari, 1939 ^C
- [*Pachytychius lacordairei*](#) Tournier, 1873 ^C
- [*Pachytychius laticollis*](#) Desbrochers, 1898 ^C
- [*Pachytychius latithorax*](#) Pic, 1902 ^C
- [*Pachytychius latus*](#) Jekel, 1861 ^C
- [*Pachytychius letourneuxi*](#) Desbrochers, 1891 ^C
- [*Pachytychius leucoloma*](#) Jekel, H., 1861 ^C
- [*Pachytychius lineipennis*](#) Klima, 1934 ^C
- [*Pachytychius longipilis*](#) Reitter, 1909 ^C
- [*Pachytychius lostiae*](#) Solari, 1939 ^C
- [*Pachytychius lucasi*](#) Jekel, 1861 ^C
- [*Pachytychius lyali*](#) Caldara, 2000 ^C
- [*Pachytychius maculosus*](#) Klima, 1934 ^{C g}
- [*Pachytychius marmoreus*](#) Desbrochers, 1895 ^C
- [*Pachytychius mazaganicus*](#) Escalera, 1914 ^C
- [*Pachytychius melillensis*](#) Escalera, 1914 ^C
- [*Pachytychius mungonis*](#) Marshall, 1915 ^C
- [*Pachytychius nivalis*](#) Korotyaev, 1987 ^C
- [*Pachytychius oberprieleri*](#) Caldara, 2000 ^C
- [*Pachytychius obscuricollis*](#) Voss, 1960 ^C
- [*Pachytychius obsoletus*](#) Desbrochers, 1898 ^C
- [*Pachytychius pachyderus*](#) Fairmaire, 1870 ^C
- [*Pachytychius pardoii*](#) Hoffmann, 1952 ^C
- [*Pachytychius phytonomoides*](#) Escalera, 1914 ^C
- [*Pachytychius picteti*](#) Tournier, 1873 ^C
- [*Pachytychius puncticollis*](#) Reitter, 1873 ^C
- [*Pachytychius quadrifasciatipennis*](#) Escalera, 1914 ^C
- [*Pachytychius rifensis*](#) Hustache, 1936 ^C
- [*Pachytychius robustus*](#) Wollaston, 1854 ^C
- [*Pachytychius rotroi*](#) Pic, 1925 ^C

- [*Pachytychius rotundicollis*](#) Desbrochers, 1896 ^c
- [*Pachytychius rubriceps*](#) Rosenhauer, 1856 ^c
- [*Pachytychius scabricollis*](#) Rosenhauer, 1856 ^c
- [*Pachytychius schusteri*](#) Reitter, 1909 ^c
- [*Pachytychius scrobiculatus*](#) Rosenhauer, 1856 ^c
- [*Pachytychius sellatus*](#) (Lucas, H., 1846) ^{c g}
- [*Pachytychius setosus*](#) Marshall, 1950 ^c
- [*Pachytychius sculus*](#) Desbrochers, 1891 ^c
- [*Pachytychius simillimus*](#) Desbrochers, 1891 ^c
- [*Pachytychius simulans*](#) Caldara, 2010 ^c
- [*Pachytychius sinaiticus*](#) Caldara, 2010 ^c
- [*Pachytychius smyrnensis*](#) Desbrochers, 1891 ^c
- [*Pachytychius sobrinus*](#) Tournier, 1873 ^c
- [*Pachytychius solidus*](#) Faust, 1885 ^c
- [*Pachytychius sparsutus*](#) Jekel, 1861 ^c
- [*Pachytychius squamosus*](#) Acloque, 1896 ^c
- [*Pachytychius striatellus*](#) Caldara, 2000 ^c
- [*Pachytychius strumarius*](#) Tournier, 1873 ^c
- [*Pachytychius subasper*](#) Fairmaire, 1870 ^c
- [*Pachytychius subcordatus*](#) Desbrochers, 1894 ^c
- [*Pachytychius subcostatus*](#) Kol., 1858 ^c
- [*Pachytychius subcylindricus*](#) Reitter, 1890 ^c
- [*Pachytychius summorum*](#) Peyerimhoff, 1943 ^c
- [*Pachytychius talgarensis*](#) Legalov, 2007 ^c
- [*Pachytychius transcaucasicus*](#) Pic, 1913 ^c
- [*Pachytychius transmutatus*](#) Voss, 1962 ^c
- [*Pachytychius transversicollis*](#) Fairmaire, 1877 ^c
- [*Pachytychius trapezicollis*](#) Tournier, 1873 ^c
- [*Pachytychius trimacula*](#) Rosenhauer, 1856 ^c
- [*Pachytychius tuberculatus*](#) Caldara, 2000 ^c
- [*Pachytychius tychioides*](#) Desbrochers, 1900 ^c
- [*Pachytychius undulatus*](#) Desbrochers, 1873 ^c
- [*Pachytychius viciae*](#) Marshall, 1938 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 238 species belong to the genus [*Pachybrachis*](#), scriptured leaf beetles.[\[1\]\[2\]\[3\]](#)

***Pachybrachis* species**

- [*Pachybrachis abdominalis*](#) (Bloch & Schneider, 1801)
- [*Pachybrachis adspersa*](#) Suffrian, 1866
- [*Pachybrachis alacris*](#) Fall, 1915
- [*Pachybrachis alpinus*](#) Rapilly, 1982
- [*Pachybrachis alticola*](#) Fall, 1915
- [*Pachybrachis analis*](#) (Bloch, 1787)
- [*Pachybrachis anoguttatus*](#) Suffrian, 1866
- [*Pachybrachis antigae*](#) Weise, 1900
- [*Pachybrachis aquilonis*](#)
- [*Pachybrachis aragonicus*](#) Tempere & Rapilly, 1981
- [*Pachybrachis archboldi*](#) Barney, 2016
- [*Pachybrachis arizonensis*](#) Bowditch, 1909
- [*Pachybrachis assiettae*](#) Burlini, 1968
- [*Pachybrachis atomarius*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis azureus*](#) Suffrian, 1848
- [*Pachybrachis badius*](#) Fall, 1915
- [*Pachybrachis baeticus*](#) Weise, 1882
- [*Pachybrachis bajulus*](#) Suffrian, 1852
- [*Pachybrachis balsas*](#) Bowditch, 1909
- [*Pachybrachis bifasciatus*](#) Jacoby, 1880
- [*Pachybrachis bivittatus*](#) LINNAEUS, 1758
- [*Pachybrachis bloxham*](#) (A. Bloxam, 1827)
- [*Pachybrachis brevicollis*](#) J. L. LeConte, 1880
- [*Pachybrachis brevicornis*](#) Fall, 1915
- [*Pachybrachis brunneus*](#) (Günther, 1870)
- [*Pachybrachis bullatus*](#) Fall, 1915 (bubble-banded pachy)
- [*Pachybrachis burlinii*](#) Daccordi & Ruffo, 1971
- [*Pachybrachis caelatus*](#) (Valenciennes, 1840)
- [*Pachybrachis calcaratus*](#) Fall, 1915
- [*Pachybrachis calidus*](#) Fall, 1915
- [*Pachybrachis californicus*](#) Fall, 1915
- [*Pachybrachis canigouensis*](#) Lambelet, 2005
- [*Pachybrachis carolinensis*](#) Bowditch, 1910
- [*Pachybrachis carpathicus*](#) Rey, 1883
- [*Pachybrachis catalonicus*](#) Burlini, 1968
- [*Pachybrachis cephalicus*](#) Fall, 1915
- [*Pachybrachis chaoticus*](#) Fall, 1915

- [*Pachybrachis chester*](#)
- [*Pachybrachis cinctus*](#) Suffrian, 1848
- [*Pachybrachis circumcinctus*](#) (Schreber, 1775)
- [*Pachybrachis coloradensis*](#) Bowditch, 1909
- [*Pachybrachis confederatus*](#) Fall, 1915
- [*Pachybrachis conformis*](#) Suffrian, 1852
- [*Pachybrachis confusus*](#) Bowditch, 1909
- [*Pachybrachis congener*](#) Suffrian, 1866
- [*Pachybrachis connexus*](#) Fall, 1915
- [*Pachybrachis consimilis*](#) Fall, 1915
- [*Pachybrachis conspirator*](#) Fall, 1915
- [*Pachybrachis contractifrons*](#) Fall, 1915
- [*Pachybrachis convictus*](#) GÜNTHER, 1864
- [*Pachybrachis crassus*](#) Bowditch, 1909
- [*Pachybrachis creticus*](#) Weise, 1886
- [*Pachybrachis cribricollis*](#) Pic, 1907
- [*Pachybrachis croftus*](#) Bowditch, 1909
- [*Pachybrachis cruentus*](#) J. L. LeConte, 1880
- [*Pachybrachis cylindricus*](#) Bowditch, 1909
- [*Pachybrachis danieli*](#) Burlini, 1968
- [*Pachybrachis deceptor*](#) Riley & Barney, 2015
- [*Pachybrachis delumbis*](#) Fall, 1915
- [*Pachybrachis densus*](#) Bowditch, 1909
- [*Pachybrachis desertus*](#) Fall, 1915
- [*Pachybrachis deyrupi*](#) Barney, 2016
- [*Pachybrachis dilatatus*](#) Suffrian, 1852
- [*Pachybrachis discoideus*](#) Bowditch, 1909
- [*Pachybrachis diversus*](#) Allen & Randall, 1993
- [*Pachybrachis donneri*](#) Gosse, 1851
- [*Pachybrachis dubiosus*](#) (Cuvier, 1830)
- [*Pachybrachis durangoensis*](#) Jacoby, 1889
- [*Pachybrachis duryi*](#) Fall, 1915
- [*Pachybrachis eburifer*](#) Suffrian, 1866
- [*Pachybrachis elegans*](#) Graells, 1851
- [*Pachybrachis excisus*](#) Weise, 1897
- [*Pachybrachis exclusus*](#) Rey, 1883
- [*Pachybrachis femoratus*](#) (Olivier, 1808)
- [*Pachybrachis fimbriolatus*](#) Suffrian, 1848
- [*Pachybrachis flavescens*](#) Jacoby, 1889
- [*Pachybrachis flexuosus*](#) Weise, 1882
- [*Pachybrachis forreri*](#) Jacoby, 1889
- [*Pachybrachis fortis*](#) Fall, 1915

- [*Pachybrachis fractus*](#) Fall, 1915
- [*Pachybrachis fraudulentus*](#) G.Muller, 1955
- [*Pachybrachis freyi*](#) Burlini, 1957
- [*Pachybrachis fulvipes*](#) Suffrian, 1848
- [*Pachybrachis fuscipes*](#) Fall, 1915
- [*Pachybrachis gracilipes*](#) Fall, 1915
- [*Pachybrachis haematodes*](#) Suffrian, 1852 (bloody pachy)
- [*Pachybrachis hector*](#) Fall, 1915
- [*Pachybrachis hepaticus*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis hieroglyphicus*](#) Laicharting, 1781
- [*Pachybrachis hippophaes*](#) Suffrian, 1848
- [*Pachybrachis holerorum*](#) Montagna & Sassi
- [*Pachybrachis hybridus*](#) Suffrian, 1852
- [*Pachybrachis illectus*](#) Fall, 1915
- [*Pachybrachis immaculatus*](#) (Bloch & Schneider, 1801)
- [*Pachybrachis impurus*](#) Suffrian, 1852
- [*Pachybrachis inclusa*](#) Jacoby, 1889
- [*Pachybrachis insidiosus*](#) Fall, 1915
- [*Pachybrachis integratus*](#) Fall, 1915
- [*Pachybrachis jacobyi*](#) Soto-Adames & Taylor
- [*Pachybrachis juquilensis*](#) Jacoby, 1889
- [*Pachybrachis karamani*](#) Weise, 1893
- [*Pachybrachis kentuckyensis*](#) Riley & Barney, 2015
- [*Pachybrachis korbi*](#) Weise, 1891
- [*Pachybrachis kraatzi*](#) Weise, 1882
- [*Pachybrachis lachrymosus*](#) Fall, 1915
- [*Pachybrachis laetificus*](#) Marseul, 1875
- [*Pachybrachis laevis*](#) Bowditch, 1909
- [*Pachybrachis laticollis*](#) Suffrian, 1860
- [*Pachybrachis latithorax*](#) Clavareau, 1913
- [*Pachybrachis leonardii*](#) Sassi & Scholler, 2003
- [*Pachybrachis liebecki*](#) Fall, 1915
- [*Pachybrachis limbatus*](#) (Menetries, 1836)
- [*Pachybrachis lindbergi*](#) Burlini, 1963
- [*Pachybrachis lineolatus*](#) Suffrian, 1848
- [*Pachybrachis litigiosus*](#) Suffrian, 1852
- [*Pachybrachis livens*](#) J. L. LeConte, 1858
- [*Pachybrachis lodingi*](#) Bowditch, 1909
- [*Pachybrachis longus*](#) Bowditch, 1909
- [*Pachybrachis luctuosus*](#) Suffrian, 1858
- [*Pachybrachis luridus*](#) (Fabricius, 1798)
- [*Pachybrachis lustrans*](#) J. L. LeConte, 1880

- [*Pachybrachis macronychus*](#) (Germar, 1824)
- [*Pachybrachis maculicollis*](#) Jacoby, 1889
- [*Pachybrachis marginatus*](#) Bowditch, 1909
- [*Pachybrachis marginipennis*](#) Bowditch, 1909
- [*Pachybrachis marmoratus*](#) Jacoby, 1889
- [*Pachybrachis melanostictus*](#) Suffrian, 1852
- [*Pachybrachis mellitus*](#) Trewavas, 1935
- [*Pachybrachis mercurialis*](#) Fall, 1915
- [*Pachybrachis microps*](#) Fall, 1915
- [*Pachybrachis minor*](#) Bowditch, 1909
- [*Pachybrachis minutus*](#) Jacoby, 1889
- [*Pachybrachis mitis*](#) Fall, 1915
- [*Pachybrachis m-nigrum*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis mobilis*](#) Fall, 1915
- [*Pachybrachis morosus*](#) Simon, 1886
- [*Pachybrachis nero*](#) (Cuvier, 1832)
- [*Pachybrachis nigricornis*](#) (Say, 1824)
- [*Pachybrachis nigropunctatus*](#) Suffrian, 1854
- [*Pachybrachis nobilis*](#) Fall, 1915
- [*Pachybrachis nogalicus*](#) Fall, 1915
- [*Pachybrachis notatus*](#) Bowditch, 1910
- [*Pachybrachis nubigenus*](#) Fall, 1915
- [*Pachybrachis nubilis*](#) Bowditch, 1909
- [*Pachybrachis nunenmacheri*](#) Fall, 1915
- [*Pachybrachis obfuscatus*](#) Fall, 1915
- [*Pachybrachis obsoletus*](#) Suffrian, 1852
- [*Pachybrachis osceola*](#) Fall, 1915
- [*Pachybrachis osellai*](#) Daccordi & Ruffo, 1975
- [*Pachybrachis othonus*](#) (Say, 1825)
- [*Pachybrachis pagana*](#) Olivier, 1808
- [*Pachybrachis pallidulus*](#) Suffrian, 1851
- [*Pachybrachis parvinotatus*](#) Fall, 1915
- [*Pachybrachis pawnee*](#) Bloch & Schneider, 1801
- [*Pachybrachis peccans*](#) Suffrian, 1852
- [*Pachybrachis pectoralis*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis petitpierrei*](#) Daccordi, 1976
- [*Pachybrachis petronius*](#) Fall, 1915
- [*Pachybrachis picturatus*](#) (Ayres, 1855)
- [*Pachybrachis picus*](#) Weise, 1882
- [*Pachybrachis pinguescens*](#) Fall, 1915
- [*Pachybrachis pinicola*](#) Medvedev in Rouse and Medvedev, 1972
- [*Pachybrachis placidus*](#) Fall, 1915

- [*Pachybrachis planifrons*](#) Wagner, 1927
- [*Pachybrachis pluripunctatus*](#) Fall, 1915
- [*Pachybrachis postfasciatus*](#) Fall, 1915
- [*Pachybrachis posticus*](#) Suffrian, 1852
- [*Pachybrachis pradensis*](#) Marseul, 1875
- [*Pachybrachis praeclarus*](#) Weise, 1913
- [*Pachybrachis precarius*](#) Fall, 1915
- [*Pachybrachis prosopis*](#) Fall, 1915
- [*Pachybrachis proximus*](#) Bowditch, 1909
- [*Pachybrachis pteromelas*](#) Graells, 1858
- [*Pachybrachis pulvinatus*](#) Suffrian, 1852
- [*Pachybrachis punctatus*](#) Bowditch, 1909
- [*Pachybrachis puncticollis*](#) Bowditch, 1909
- [*Pachybrachis punicus*](#) Fall, 1915
- [*Pachybrachis purus*](#) Fall, 1915
- [*Pachybrachis pusillus*](#) Bowditch, 1909
- [*Pachybrachis quadratus*](#) Fall, 1915
- [*Pachybrachis quadricollis*](#) Suffrian, 1866
- [*Pachybrachis quadrioculatus*](#) Fall, 1915
- [*Pachybrachis regius*](#) Schaufuss, 1862
- [*Pachybrachis relictus*](#) Fall, 1915
- [*Pachybrachis rondanus*](#) Burlini, 1968
- [*Pachybrachis ruffoi*](#) Burlini, 1956
- [*Pachybrachis rugifer*](#) Abeille de Perrin, 1905
- [*Pachybrachis salfi*](#) Burlini, 1957
- [*Pachybrachis sallaei*](#) Jacoby, 1889
- [*Pachybrachis sanrita*](#) Bowditch, 1909
- [*Pachybrachis scripticollis*](#) Faldermann, 1837
- [*Pachybrachis scriptidorsum*](#) Marseul, 1875
- [*Pachybrachis scriptus*](#) Herrich-Schäffer, 1838
- [*Pachybrachis sículus*](#) Weise, 1891
- [*Pachybrachis signatifrons*](#) Mannerheim, 1843
- [*Pachybrachis signatus*](#) Bowditch, 1909
- [*Pachybrachis simius*](#) Marseul, 1875
- [*Pachybrachis sinuatus*](#) Mulsant & Rey, 1859
- [*Pachybrachis snowi*](#) Bowditch, 1909
- [*Pachybrachis sonorensis*](#) Jacoby, 1889
- [*Pachybrachis spumarius*](#) Suffrian, 1852
- [*Pachybrachis stygicus*](#) Fall, 1915
- [*Pachybrachis subfasciatus*](#) (J. E. LeConte, 1824)
- [*Pachybrachis sublimatus*](#) Fall, 1915
- [*Pachybrachis subvittatus*](#) J. L. LeConte, 1880

- [*Pachybrachis suffrianii*](#) Schaufuss, 1862
- [*Pachybrachis suturalis*](#) (Weise, 1882)
- [*Pachybrachis tacitus*](#) Moore, 1988
- [*Pachybrachis terminalis*](#) Suffrian, 1849
- [*Pachybrachis tessellatus*](#) (Olivier, 1791)
- [*Pachybrachis testaceus*](#) Perris, 1865
- [*Pachybrachis texanus*](#) Bowditch, 1909
- [*Pachybrachis thoracicus*](#) Linnaeus, 1758
- [*Pachybrachis tridens*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis trinotatus*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis trivittatus*](#) Bowditch, 1910
- [*Pachybrachis truncatus*](#) Bowditch, 1909
- [*Pachybrachis tumidus*](#) Bowditch, 1909
- [*Pachybrachis turbidus*](#)
- [*Pachybrachis turgidicollis*](#) Fall, 1915
- [*Pachybrachis tybeensis*](#) Fall, 1915
- [*Pachybrachis umbraculatus*](#) Guenée, 1868
- [*Pachybrachis uncinatus*](#) Fall, 1915
- [*Pachybrachis uteanus*](#) Dejean
- [*Pachybrachis vacillatus*](#) Fall, 1915
- [*Pachybrachis varians*](#) Bowditch, 1909
- [*Pachybrachis varicolor*](#) Suffrian, 1852
- [*Pachybrachis vau*](#) Denis & Schiffermüller, 1775
- [*Pachybrachis vermicularis*](#) Suffrian, 1854
- [*Pachybrachis vestigialis*](#) Fall, 1915
- [*Pachybrachis viduatus*](#) (Zetterstedt, 1838)
- [*Pachybrachis viedmai*](#) Burlini, 1968
- [*Pachybrachis virgatus*](#) Kunth
- [*Pachybrachis vulnerosus*](#) Fall, 1915
- [*Pachybrachis wenzeli*](#) Fall, 1915
- [*Pachybrachis wickhami*](#) Bowditch, 1909
- [*Pachybrachis xantholucens*](#) Fall, 1915
- [*Pachybrachis xanti*](#) Gill, 1860

Next up is O to A