

This is a list of 576 species in [*Acalles*](#), a genus of hidden snout weevils in the family [Curculionidae](#).^[1]
^[2]^[3]^[4]

***Acalles* species**

- [*Acalles abstersus*](#) Boheman, 1837 ^C
- [*Acalles acerosus*](#) Erichson, 1842 ^C
- [*Acalles achadagrandensis*](#) Stüben, 2002 ^C
- [*Acalles acutus*](#) Wollaston, 1864 ^C
- [*Acalles adamsi*](#) Broun, 1893 ^C
- [*Acalles aeonii*](#) Wollaston, 1864 ^C
- [*Acalles aeonisimilis*](#) Stüben, 2000 ^C
- [*Acalles affinis*](#) Meyer, 1896 ^C
- [*Acalles africanus*](#) Solari & Solari, 1907 ^C
- [*Acalles albistrigalis*](#) Broun, 1909 ^C
- [*Acalles albivertex*](#) Chevrolat, 1879 ^C
- [*Acalles albocinctus*](#) Fiedler, 1940 ^C
- [*Acalles albolineatus*](#) Wollaston, 1854 ^C
- [*Acalles albopictus*](#) Jacquet, 1887 ^C
- [*Acalles albovittatus*](#) Fiedler, 1940 ^C
- [*Acalles alcarazensis*](#) Stüben, 2009 ^C
- [*Acalles algiricus*](#) Pic, 1905 ^C
- [*Acalles allostethus*](#) Broun, 1893 ^C
- [*Acalles alluaudi*](#) Uyttenboogaart, 1940 ^C
- [*Acalles almeriaensis*](#) Stüben, 2001 ^C
- [*Acalles alpestris*](#) Broun, 1893 ^C
- [*Acalles altus*](#) Broun, 1909 ^C
- [*Acalles amplicollis*](#) Fairmaire, 1849 ^C
- [*Acalles anagaensis*](#) Stüben, 2000 ^C
- [*Acalles analcisoides*](#) Kirsch, 1888-89 ^C
- [*Acalles anceps*](#) Broun, 1921 ^C
- [*Acalles anchonoides*](#) Champion, 1910 ^C
- [*Acalles angulicollis*](#) Rosenschold, 1837 ^C
- [*Acalles angulipennis*](#) Hustache, 1936 ^C
- [*Acalles angusticollis*](#) Sharp, 1885 ^{i C}
- [*Acalles apicalis*](#) Boheman, 1837 ^C
- [*Acalles apogaeus*](#) Peyerimhoff, 1925 ^C

- [*Acalles apogeus*](#) Peyerimhoff, 1925 ^C
- [*Acalles aptus*](#) Meyer, 1896 ^C
- [*Acalles arctus*](#) Broun, 1881 ^C
- [*Acalles argillosus*](#) Boheman, 1837 ^C
- [*Acalles asniensis*](#) Stüben, 2003 ^C
- [*Acalles aspersus*](#) Hustache, 1936 ^C
- [*Acalles aterrimus*](#) Broun, 1909 ^C
- [*Acalles atropagiatus*](#) Fiedler, 1940 ^C
- [*Acalles attenuatus*](#) Blanchard, 1851 ^C
- [*Acalles aubei*](#) Boheman, 1837 ^C
- [*Acalles aulacus*](#) Broun, 1893 ^C
- [*Acalles australis*](#) Broun, 1893 ^C
- [*Acalles balcanicus*](#) Meyer, 1908 ^C
- [*Acalles basalis*](#) Leconte, 1876 ^C
- [*Acalles batorligetiensis*](#) Kaszab & Székessy, 1953 ^C
- [*Acalles bazaensis*](#) Stüben, 2001 ^C
- [*Acalles bellieri*](#) Reiche, 1860 ^C
- [*Acalles berberi*](#) Stüben in Stüben, Bahr, Germann, Behne & Bayer, 2005 ^C
- [*Acalles bicarinatus*](#) Fiedler, 1940 ^C
- [*Acalles bicinctus*](#) Broun, 1914 ^C
- [*Acalles bicostatus*](#) Broun, 1921 ^C
- [*Acalles bicristiceps*](#) Broun, 1914 ^C
- [*Acalles bifasciata*](#) Gerst., 1860 ^C
- [*Acalles bifasciatus*](#) Gerstäcker, 1860 ^C
- [*Acalles bilineatus*](#) Fiedler, 1940 ^C
- [*Acalles binodes*](#) Broun, 1921 ^C
- [*Acalles binodulus*](#) Champion, 1910 ^C
- [*Acalles biokovoensis*](#) Stüben, 2008 ^C
- [*Acalles bisignatus*](#) Pascoe, 1874 ^C
- [*Acalles bistrigosus*](#) Fiedler, 1940 ^C
- [*Acalles bodegensis*](#) Stüben, 2000 ^C
- [*Acalles breiti*](#) Solari & Solari, 1908 ^C
- [*Acalles brevipennis*](#) Broun, 1921 ^C
- [*Acalles brevis*](#) Tournier, 1873 ^C
- [*Acalles brevitarsis*](#) Wollaston, 1864 ^C
- [*Acalles brisouti*](#) Reitter, 1885 ^C

- [*Acalles brookesi*](#) Broun, 1921 ^c
- [*Acalles brunneus*](#) Suffrian, 1872 ^c
- [*Acalles bullatus*](#) Boheman, 1837 ^c
- [*Acalles callichroma*](#) Perkins, 1900 ^{i c}
- [*Acalles camelus*](#) (Fabricius, J.C., 1792) ^{c g}
- [*Acalles campbellicus*](#) Brookes, 1951 ^c
- [*Acalles canescens*](#) Broun, 1881 ^c
- [*Acalles capiomonti*](#) H. Brisout, 1864 ^c
- [*Acalles carinatus*](#) LeConte, 1876 ^{i c b}
- [*Acalles carinicornis*](#) Tournier, 1873 ^c
- [*Acalles caucasicus*](#) Reitter, 1891 ^c
- [*Acalles cavitellus*](#) Champion, 1905 ^c
- [*Acalles cayennensis*](#) Rheinheimer, 2007 ^c
- [*Acalles cazorlaensis*](#) Stüben, 2004 ^c
- [*Acalles cedroensis*](#) Kulbe in Stüben, 2000 ^c
- [*Acalles certus*](#) Broun, 1880 ^c
- [*Acalles chaudoiri*](#) Hochh., 1847 ^c
- [*Acalles chaudoirii*](#) Hochhuth, 1847 ^c
- [*Acalles chlorolepis*](#) Perkins, 1900 ^{i c}
- [*Acalles cicatricosus*](#) Boheman, 1844 ^c
- [*Acalles cilicollis*](#) Broun, 1921 ^c
- [*Acalles cilicollis*](#) Broun, 1921 ^c
- [*Acalles cinerascens*](#) Blanchard, 1851 ^c
- [*Acalles cinereus*](#) Wollaston, 1860 ^c
- [*Acalles cinericius*](#) Champion, 1905 ^c
- [*Acalles cingulatus*](#) Broun, 1886 ^c
- [*Acalles cisalpinus*](#) Stüben, 2003 ^c
- [*Acalles clathrata*](#) J. Lec., 1876 ^c
- [*Acalles clathratus*](#) Leconte, 1876 ^c
- [*Acalles clavatus*](#) (Say, 1831) ^{i c b}
- [*Acalles clermonti*](#) Solari & Solari, 1905 ^c
- [*Acalles clunaris*](#) Chevrolat, 1879 ^c
- [*Acalles coarctatus*](#) Wollaston, 1857 ^c
- [*Acalles commutatus*](#) Dieckmann, 1982 ^c
- [*Acalles compactus*](#) Hustache, 1936 ^c
- [*Acalles compressus*](#) Fiedler, 1940 ^c

- [*Acalles comptus*](#) Broun, 1893 ^C
- [*Acalles concinnus*](#) Broun, 1893 ^C
- [*Acalles confusus*](#) Broun, 1914 ^C
- [*Acalles conicollis*](#) Broun, 1913 ^C
- [*Acalles conifer*](#) Erichson, 1842 ^C
- [*Acalles consors*](#) Broun, 1913 ^C
- [*Acalles contractus*](#) Broun, 1913 ^C
- [*Acalles cordaticollis*](#) Fiedler, 1940 ^C
- [*Acalles cordipennis*](#) Broun, 1881 ^C
- [*Acalles costatus*](#) Chevrolat, 1861 ^C
- [*Acalles costifer*](#) LeConte, 1884 ^{i c b}
- [*Acalles costipennis*](#) Fiedler, 1940 ^C
- [*Acalles costulatus*](#) Chevrolat, 1879 ^C
- [*Acalles crassisetis*](#) Champion, 1905 ^C
- [*Acalles crassulus*](#) LeConte, 1876 ^{i c}
- [*Acalles crenatus*](#) Hustache, 1936 ^C
- [*Acalles creticus*](#) Reitter, 1916 ^C
- [*Acalles cribricollis*](#) Pascoe, 1874 ^C
- [*Acalles crisioides*](#) Broun, 1881 ^C
- [*Acalles cristatiger*](#) Blanchard, 1851 ^C
- [*Acalles cristatus*](#) Broun, 1880 ^C
- [*Acalles croaticus*](#) H. Brisout, 1867 ^C
- [*Acalles cryptobius*](#) Broun, 1893 ^C
- [*Acalles cunctans*](#) Boheman, 1844 ^C
- [*Acalles curtus*](#) Hamilton, 1893 ^C
- [*Acalles cylindricollis*](#) Wollaston, 1854 ^C
- [*Acalles cynerae*](#) Vitale, 1903 ^C
- [*Acalles cytisi*](#) Stüben, 2004 ^C
- [*Acalles decemcristatus*](#) Broun, 1886 ^C
- [*Acalles decoratus*](#) Blackburn, 1885 ^{i c}
- [*Acalles delirus*](#) Pascoe, 1874 ^C
- [*Acalles delumbatus*](#) Chevrolat, ^C
- [*Acalles denominandus*](#) Solari & Solari, 1907 ^C
- [*Acalles denticollis*](#) Schoenherr, 1837 ^C
- [*Acalles dentigerus*](#) Broun, 1917 ^C
- [*Acalles dieckmanni*](#) Tempère & Péricart, 1989 ^C

- [*Acalles dilatata*](#) Cas., 1895 ^C
- [*Acalles dilatatus*](#) Casey, 1895 ^C
- [*Acalles diocletianus*](#) Bohem. in Schoenh., 1844 ^C
- [*Acalles discors*](#) Hoffmann, 1958 ^C
- [*Acalles dispar*](#) Wollaston, 1854 ^C
- [*Acalles distans*](#) Pascoe, 1874 ^C
- [*Acalles diversus*](#) Broun, 1886 ^C
- [*Acalles dolosus*](#) Broun, 1893 ^C
- [*Acalles doriae*](#) Pascoe, 1885 ^C
- [*Acalles dorsalis*](#) Broun, 1881 ^C
- [*Acalles dromedarius*](#) Boheman, 1844 ^C
- [*Acalles droueti*](#) Crotch, 1867 ^C
- [*Acalles dubius*](#) Solari & Solari, 1907 ^C
- [*Acalles dufau*](#) Hustache, 1930 ^C
- [*Acalles duplex*](#) Sharp, 1885 ^{i C}
- [*Acalles echinatus*](#) Schoenherr, 1844 ^C
- [*Acalles editorum*](#) Peyerimhoff, 1913 ^C
- [*Acalles edoughensis*](#) Desbrochers, 1892 ^C
- [*Acalles episternalis*](#) Heller, 1935 ^C
- [*Acalles erinaceus*](#) Fiedler, 1940 ^C
- [*Acalles ernensis*](#) Broun, 1913 ^C
- [*Acalles errans*](#) Boheman, 1844 ^C
- [*Acalles erroneus*](#) Pascoe, 1876 ^C
- [*Acalles eruensis*](#) Broun, 1913 ^C
- [*Acalles eugeniae*](#) Perkins, 1916 ^{i C}
- [*Acalles euphorbiacus*](#) Stüben, 2000 ^C
- [*Acalles exaratus*](#) Champion, 1905 ^C
- [*Acalles exhumatus*](#) Wickham, H.F., 1913 ^{C g}
- [*Acalles expletus*](#) Pascoe, 1874 ^C
- [*Acalles extensithorax*](#) Rosenschold, 1837 ^C
- [*Acalles facilis*](#) Broun, 1893 ^C
- [*Acalles fallax*](#) Boheman, 1844 ^C
- [*Acalles farinosus*](#) Broun, 1898 ^C
- [*Acalles fasciculatus*](#) Boheman, 1844 ^C
- [*Acalles fausti*](#) Meyer, 1896 ^C
- [*Acalles favicollis*](#) Fiedler, 1940 ^C

- [*Acalles fernandezi*](#) Roudier, 1954 ^C
- [*Acalles ferrugineus*](#) Blanchard, 1851 ^C
- [*Acalles festivus*](#) Wollaston, 1857 ^C
- [*Acalles ficvorator*](#) Stüben, 2007 ^C
- [*Acalles figulinus*](#) Germ. in Dej., 1821 ^C
- [*Acalles fissicollis*](#) Penecke, 1926 ^C
- [*Acalles flavicaudis*](#) Colonnelli, 1994 ^C
- [*Acalles flavisetosus*](#) Broun, 1909 ^C
- [*Acalles flavomaculatus*](#) Voss, 1960 ^C
- [*Acalles floricola*](#) Broun, 1886 ^C
- [*Acalles flynni*](#) Broun, 1914 ^C
- [*Acalles flynsi*](#) Broun, 1914 ^C
- [*Acalles foraminosus*](#) Pascoe, 1874 ^C
- [*Acalles formosus*](#) Broun, 1898 ^C
- [*Acalles fortunatus*](#) Wollaston, 1864 ^C
- [*Acalles fossulatus*](#) Fiedler, 1940 ^C
- [*Acalles fougeri*](#) Hutton, 1898 ^C
- [*Acalles foveolatus*](#) Champion, 1905 ^C
- [*Acalles foveopunctatus*](#) Fiedler, 1942 ^C
- [*Acalles frater*](#) Perkins, 1900 ^{i C}
- [*Acalles frivolus*](#) Boheman, 1837 ^C
- [*Acalles frontalis*](#) Suffrian, 1872 ^C
- [*Acalles fuliginosus*](#) Fiedler, 1940 ^C
- [*Acalles fulvosparsus*](#) Fiedler, 1940 ^C
- [*Acalles fulvovittatus*](#) Champion, 1905 ^C
- [*Acalles furvus*](#) Broun, 1914 ^C
- [*Acalles fuscatus*](#) Broun, 1907 ^C
- [*Acalles fuscescens*](#) Blanchard, 1851 ^C
- [*Acalles fuscidorsis*](#) Broun, 1909 ^C
- [*Acalles fuscus*](#) Meyer, 1908 ^C
- [*Acalles gadorensis*](#) Stüben, 2001 ^C
- [*Acalles ganglbaueri*](#) Solari & Solari, 1908 ^C
- [*Acalles ganglionicus*](#) Boheman, 1837 ^C
- [*Acalles geophilus*](#) Lucas, 1860 ^C
- [*Acalles germanicus*](#) Letzner, 1882 ^C
- [*Acalles giraudi*](#) Mulsant, 1875? ^C

- [*Acalles globulipennis*](#) Wollaston, 1854 ^C
- [*Acalles globulus*](#) Meyer, 1896 ^C
- [*Acalles gonoderus*](#) Chevrolat, 1879 ^C
- [*Acalles gracilipes*](#) Solari, 1938 ^C
- [*Acalles gracilis*](#) Broun, 1913 ^C
- [*Acalles graëlsi*](#) Martínez, 1873 ^C
- [*Acalles grancanariensis*](#) Stüben, 2000 ^C
- [*Acalles grandicollis*](#) Boheman, 1837 ^C
- [*Acalles granellus*](#) Boheman, 1844 ^C
- [*Acalles granosus*](#) LeConte, 1876 ^{i C}
- [*Acalles granulicollis*](#) Tournier, 1875 ^C
- [*Acalles granulifer*](#) Boheman, 1837 ^C
- [*Acalles granulimaculosus*](#) Stuben ^g
- [*Acalles griseocaudatus*](#) Fairmaire, 1849 ^C
- [*Acalles grisescens*](#) Fiedler, 1940 ^C
- [*Acalles griseus*](#) Broun, 1886 ^C
- [*Acalles grossus*](#) Frieser, 1955 ^C
- [*Acalles guadarramaensis*](#) Stüben, 2004 ^C
- [*Acalles hakani*](#) Roudier, 1954 ^C
- [*Acalles haraforus*](#) Faust, 1887 ^C
- [*Acalles haraiorus*](#) Faust, 1887 ^C
- [*Acalles haraldi*](#) Roudier, 1954 ^C
- [*Acalles henoni*](#) Bedel, 1888 ^C
- [*Acalles hirsutus*](#) Hustache, 1936 ^C
- [*Acalles histrionicus*](#) Hustache, 1936 ^{C g}
- [*Acalles hopensis*](#) Broun, 1921 ^C
- [*Acalles horrens*](#) Champion, 1905 ^C
- [*Acalles horridulus*](#) Reitter, 1888 ^C
- [*Acalles horridus*](#) Broun, 1881 ^C
- [*Acalles hubbardi*](#) LeConte, 1880 ^C
- [*Acalles humeralis*](#) Perkins, 1900 ^{i C}
- [*Acalles humerosus*](#) Fairmaire, 1862 ^C
- [*Acalles humilis*](#) Blanchard, 1851 ^C
- [*Acalles hungaricus*](#) Hajóss, 1938 ^C
- [*Acalles hustachei*](#) O'Brien & Wibmer, 1982 ^C
- [*Acalles hypocrita*](#) Boheman, 1837 ^C

- [*Acalles hystriculus*](#) Pascoe, 1876 ^c
- [*Acalles hystrix*](#) Hustache, 1936 ^c
- [*Acalles iblanensis*](#) Stuben ^g
- [*Acalles icarus*](#) Heyden, C. von & Heyden, L. von., 1866 ^{c g}
- [*Acalles igneus*](#) Broun, 1909 ^c
- [*Acalles ignotus*](#) Blackburn, 1885 ^{i c}
- [*Acalles immansuetus*](#) Boheman, 1837 ^c
- [*Acalles impexus*](#) Pascoe, 1877 ^c
- [*Acalles impressicollis*](#) Hustache, 1936 ^c
- [*Acalles incanus*](#) Fiedler, 1940 ^c
- [*Acalles incognitus*](#) Hoffmann, 1956 ^c
- [*Acalles incultus*](#) Broun, 1893 ^c
- [*Acalles indigens*](#) Fall, 1907 ^{i c b}
- [*Acalles indutus*](#) Champion, 1905 ^c
- [*Acalles inflatus*](#) Blatchley & Leng, 1916 ^c
- [*Acalles ingens*](#) Broun, 1893 ^c
- [*Acalles innotabilis*](#) Perkins, 1900 ^{i c}
- [*Acalles instabilis*](#) Hustache, 1936 ^{c g}
- [*Acalles integer*](#) Broun, 1898 ^c
- [*Acalles interpositus*](#) Frieser, 1955 ^c
- [*Acalles interruptus*](#) Suffrian, 1872 ^c
- [*Acalles intutus*](#) Pascoe, 1876 ^c
- [*Acalles italicus*](#) Solari & Solari, 1905 ^c
- [*Acalles kabylianus*](#) Desbrochers, 1898 ^c
- [*Acalles kippenbergi*](#) Dieckmann, 1982 ^c
- [*Acalles koae*](#) Perkins, 1900 ^{i c}
- [*Acalles korbi*](#) Stierlin, 1890 ^c
- [*Acalles kroni*](#) Hustache, 1936 ^c
- [*Acalles kronii*](#) Kirsch, 1877 ^c
- [*Acalles krueperi*](#) Faust, 1890 ^c
- [*Acalles laevirostris*](#) Chevrolat, 1879 ^c
- [*Acalles lanaiensis*](#) Perkins, 1900 ^{i c}
- [*Acalles lanzarotensis*](#) Stüben, 2000 ^c
- [*Acalles lateralis*](#) Sharp, 1885 ^{i c}
- [*Acalles lateritius*](#) Suffrian, 1872 ^c
- [*Acalles latescens*](#) Champion, 1905 ^c

- [*Acalles laticollis*](#) Boheman, 1837 ^C
- [*Acalles latirostris*](#) Broun, 1886 ^C
- [*Acalles lecorrei*](#) Rheinheimer, 2008 ^C
- [*Acalles lederi*](#) Meyer, 1896 ^C
- [*Acalles lemur*](#) Schoenherr, 1837 ^C
- [*Acalles lentisci*](#) Chevrolat, 1861 ^C
- [*Acalles lepidus*](#) Kulbe in Stüben, 2000 ^C
- [*Acalles lepirhinus*](#) Broun, 1893 ^C
- [*Acalles leporinus*](#) Chevrolat, 1879 ^C
- [*Acalles leptothorax*](#) Perkins, 1900 ^{i C}
- [*Acalles leviculus*](#) Broun, 1881 ^C
- [*Acalles lifuanus*](#) Hustache, 1936 ^C
- [*Acalles lineirostris*](#) Broun, 1911 ^C
- [*Acalles lineolatus*](#) Blanchard, 1851 ^C
- [*Acalles lituratus*](#) Blanchard, 1851 ^C
- [*Acalles longipilis*](#) Voss, 1960 ^C
- [*Acalles longiusculus*](#) Fiedler, 1942 ^C
- [*Acalles longulus*](#) Leconte, 1876 ^C
- [*Acalles longus*](#) Desbrochers, 1892 ^C
- [*Acalles lugionii*](#) A. & F. Solari, 1907 ^C
- [*Acalles luigionii*](#) Solari & Solari, 1907 ^C
- [*Acalles lunulatus*](#) Wollaston, 1854 ^C
- [*Acalles lusitanicus*](#) Solari & Solari, 1905 ^C
- [*Acalles lutosus*](#) Fiedler, 1940 ^C
- [*Acalles machadoi*](#) Stüben, 2006 ^C
- [*Acalles maculatus*](#) O'Brien & Wibmer, 1982 ^C
- [*Acalles maculipennis*](#) Fiedler, 1942 ^C
- [*Acalles magnicollis*](#) Boheman, 1837 ^C
- [*Acalles major*](#) Meyer, 1908 ^C
- [*Acalles maniensis*](#) Blackburn, 1885 ^C
- [*Acalles maraoensis*](#) Stüben, 2001 ^C
- [*Acalles maritimus*](#) Broun, 1893 ^C
- [*Acalles maroccensis*](#) Stüben, 2001 ^C
- [*Acalles mauiensis*](#) Blackburn, 1885 ^{i g}
- [*Acalles mauritanicus*](#) Solari & Solari, 1907 ^C
- [*Acalles melanolepis*](#) Perkins, 1900 ^{i C}

- [*Acalles memnonius*](#) Pascoe, 1874 ^c
- [*Acalles menetriesi*](#) Bohem., 1844 ^c
- [*Acalles menetriesii*](#) Boheman, 1844 ^c
- [*Acalles merkli*](#) Meyer, 1896 ^c
- [*Acalles meteoricus*](#) Meyer, 1909 ^c
- [*Acalles metrosiderae*](#) Broun, 1910 ^c
- [*Acalles micros*](#) Dieckmann, 1982 ^c
- [*Acalles milleri*](#) Reitt., 1883 ^c
- [*Acalles minimus*](#) Blatchley, 1916 ^{i c}
- [*Acalles minus*](#) Broun, 1893 ^c
- [*Acalles minutesquamosus*](#) Reiche, 1860 ^c
- [*Acalles minutissimus*](#) Alonso-Zarazaga & Lyal, 1999 ^{c b}
- [*Acalles minutus*](#) Fiedler, 1940 ^c
- [*Acalles misellus*](#) Boheman, 1844 ^c
- [*Acalles miserabilis*](#) Suffrian, 1872 ^c
- [*Acalles moerens*](#) Fiedler, 1940 ^c
- [*Acalles moestus*](#) Blanchard, 1851 ^c
- [*Acalles monasterialis*](#) Stüben, 2004 ^c
- [*Acalles monstrosus*](#) Frieser, 1955 ^c
- [*Acalles monticola*](#) Perkins, 1900 ^{i c}
- [*Acalles moraguezi*](#) Desbrochers, 1898 ^c
- [*Acalles muelleri*](#) Stüben, 2000 ^c
- [*Acalles mulleri*](#) Reitter, 1883 ^c
- [*Acalles multisetosus*](#) Broun, 1907 ^c
- [*Acalles mundus*](#) Broun, 1881 ^{c g}
- [*Acalles mutillaria*](#) Gerst., 1860 ^c
- [*Acalles mutillarius*](#) Gerstäcker, 1860 ^c
- [*Acalles navieresi*](#) Boheman, 1837 ^c
- [*Acalles neptunus*](#) Hustache, 1936 ^{c g}
- [*Acalles niger*](#) Hustache, 1936 ^c
- [*Acalles nigripennis*](#) Perkins, 1900 ^{i c}
- [*Acalles nobilis*](#) Leconte, 1876 ^c
- [*Acalles nocturnus*](#) Boheman, 1837 ^c
- [*Acalles nodifer*](#) Wollaston, 1854 ^c
- [*Acalles nodiferus*](#) Wollaston, 1854 ^g
- [*Acalles nodigerus*](#) Broun, 1917 ^c

- [*Acalles nodipennis*](#) Pic, 1906 ^C
- [*Acalles nodulosus*](#) Boheman, 1837 ^C
- [*Acalles normandi*](#) Solari & Solari, 1907 ^C
- [*Acalles notoporphinus*](#) Broun, 1914 ^C
- [*Acalles nubilosus*](#) Wollaston, 1864 ^C
- [*Acalles nuchalis*](#) Leconte, 1876 ^C
- [*Acalles nucleatus*](#) Pascoe, 1874 ^C
- [*Acalles nudiusculus*](#) Foerster, 1849 ^C
- [*Acalles oahuensis*](#) Perkins, 1900 ^{i C}
- [*Acalles obesus*](#) Schoenherr, 1837 ^C
- [*Acalles obliquefasciatus*](#) Fiedler, 1940 ^C
- [*Acalles oblitus*](#) Wollaston, 1854 ^C
- [*Acalles oceanicus*](#) Stüben, 2002 ^C
- [*Acalles ochsi*](#) Solari, 1952 ^C
- [*Acalles ohioensis*](#) Sleeper, 1953 ^C
- [*Acalles olcese*](#) Tournier, 1873 ^C
- [*Acalles opilio*](#) Klug, 1850 ^C
- [*Acalles orbiculatus*](#) Hustache, 1936 ^C
- [*Acalles orientalis*](#) Hustache, 1936 ^C
- [*Acalles ornatus*](#) Wollaston, 1854 ^C
- [*Acalles ovalipennis*](#) Petri, 1912 ^C
- [*Acalles ovalis*](#) Fiedler, 1940 ^C
- [*Acalles ovatellus*](#) Broun, 1881 ^C
- [*Acalles ovipennis*](#) Fiedler, 1940 ^C
- [*Acalles ovulum*](#) Fiedler, 1940 ^C
- [*Acalles paganettii*](#) Solari, 1952 ^C
- [*Acalles pallens*](#) Blanchard, 1853 ^C
- [*Acalles pallidicollis*](#) Perkins, 1900 ^{i C}
- [*Acalles palmensis*](#) Roudier, 1954 ^C
- [*Acalles papei*](#) Meyer, 1908 ^C
- [*Acalles parasierrae*](#) Stüben, 2002 ^C
- [*Acalles parvulus*](#) Boheman, 1837 ^C
- [*Acalles pascoei*](#) Broun, 1880 ^C
- [*Acalles paulmeyeri*](#) Reitter, 1901 ^C
- [*Acalles pectoralis*](#) Leconte, 1876 ^C
- [*Acalles pedestris*](#) Stüben, 2000 ^C

- [*Acalles peelensis*](#) Broun, 1913 ^c
- [*Acalles pelionis*](#) Frieser, 1955 ^c
- [*Acalles peninsularis*](#) Hustache, 1931 ^c
- [*Acalles peragalloi*](#) Meyer, 1896 ^c
- [*Acalles perditus*](#) Pascoe, 1874 ^c
- [*Acalles perjurus*](#) Fairmaire, 1849 ^c
- [*Acalles perpusillus*](#) Pascoe, 1877 ^c
- [*Acalles pertusus*](#) Boheman, 1837 ^c
- [*Acalles petryszaki*](#) Dieckmann, 1982 ^c
- [*Acalles picatus*](#) Broun, 1893 ^c
- [*Acalles pici*](#) Solari & Solari, 1907 ^c
- [*Acalles piciventris*](#) Broun, 1909 ^c
- [*Acalles pictus*](#) Wollaston, 1864 ^c
- [*Acalles pilicornis*](#) Dejean, 1836 ^c
- [*Acalles pilula*](#) Hustache, 1936 ^{c g}
- [*Acalles pilularius*](#) Fiedler, 1940 ^c
- [*Acalles plagiatofasciatus*](#) Costa, 1847 ^c
- [*Acalles planidorsis*](#) Blanchard, 1851 ^c
- [*Acalles planipennis*](#) Hustache, 1930 ^c
- [*Acalles plebejus*](#) Suffrian, 1872 ^c
- [*Acalles plicatus*](#) Broun, 1893 ^c
- [*Acalles poneli*](#) Stüben, 2000 ^c
- [*Acalles porcatus*](#) Broun, 1898 ^c
- [*Acalles porcheti*](#) Hustache, 1936 ^c
- [*Acalles porosa*](#) J. Lec., 1876 ^c
- [*Acalles porosipennis*](#) Fiedler, 1940 ^c
- [*Acalles porosus*](#) Blatchley, 1916 ^{i c b}
- [*Acalles portosantoensis*](#) Stüben, 2002 ^c
- [*Acalles portusveneris*](#) Mayet, 1903 ^c
- [*Acalles portus-veneris*](#) Mayet, 1903 ^c
- [*Acalles posticalis*](#) Broun, 1886 ^c
- [*Acalles posticatus*](#) Fiedler, 1940 ^c
- [*Acalles poverus*](#) Blanchard, 1851 ^c
- [*Acalles praesetosus*](#) Broun, 1909 ^c
- [*Acalles profusa*](#) Cas., 1829 ^c
- [*Acalles profusus*](#) Casey, 1892 ^c

- [*Acalles provincialis*](#) Hoffmann, 1960 ^C
- [*Acalles ptinoides*](#) Stephens, 1831 ^C
- [*Acalles ptochoides*](#) Suffrian, 1872 ^C
- [*Acalles pulchellus*](#) H. Brisout, 1864 ^C
- [*Acalles pulverosus*](#) Gemminger, 1871 ^C
- [*Acalles pulverulentus*](#) Wollaston, 1854 ^C
- [*Acalles pumilus*](#) Hustache, 1936 ^C
- [*Acalles punctaticollis*](#) Solari & Solari, 1907 ^C
- [*Acalles puncticollis*](#) Broun, 1898 ^C
- [*Acalles pusillimus*](#) Perkins, 1903 ^C
- [*Acalles pusillissimus*](#) Perkins, 1910 ^{i C}
- [*Acalles pyrenaeus*](#) Boheman, 1844 ^C
- [*Acalles quadrinodosus*](#) Fiedler, 1940 ^C
- [*Acalles quadrituberculatus*](#) Champion, 1905 ^C
- [*Acalles quercus*](#) Boheman, 1844 ^C
- [*Acalles querilhaci*](#) H. Brisout, 1864 ^C
- [*Acalles quietus*](#) Broun, 1893 ^C
- [*Acalles raffrayi*](#) Desbrochers, 1871 ^C
- [*Acalles reitteri*](#) Meyer, 1896 ^C
- [*Acalles reynosae*](#) H. Brisout, 1867 ^C
- [*Acalles roboris*](#) Meyer, 1908 ^C
- [*Acalles robustus*](#) Broun, 1909 ^C
- [*Acalles rolleti*](#) Germ., 1824 ^C
- [*Acalles rolletii*](#) Germar, 1839 ^C
- [*Acalles rotundatus*](#) Blanchard, 1851 ^C
- [*Acalles rubeter*](#) Er., 1842 ^C
- [*Acalles rubetra*](#) Erichson, 1842 ^C
- [*Acalles rubricus*](#) Broun, 1884 ^C
- [*Acalles rudipennis*](#) Fiedler, 1940 ^C
- [*Acalles rudis*](#) Broun, 1881 ^C
- [*Acalles ruficollis*](#) Broun, 1898 ^C
- [*Acalles rufipes*](#) Chevrolat, 1879 ^C
- [*Acalles rufirostris*](#) Boheman, 1844 ^C
- [*Acalles rufotuberculatus*](#) Champion, 1905 ^C
- [*Acalles rugirostris*](#) Champion, 1905 ^C
- [*Acalles rugosus*](#) Pascoe, 1885 ^C

- [*Acalles rugulosus*](#) Champion, 1905 ^C
- [*Acalles rusticanus*](#) Rosenschold, 1837 ^C
- [*Acalles ruteri*](#) Roudier, 1954 ^g
- [*Acalles sablensis*](#) Blatchley, 1920 ^{i c}
- [*Acalles samoanus*](#) Marshall, 1931 ^C
- [*Acalles sardiniaensis*](#) Stüben, 2001 ^C
- [*Acalles sarothamni*](#) Stüben, 2003 ^C
- [*Acalles saxicola*](#) Hustache, 1936 ^C
- [*Acalles scabricollis*](#) Fiedler, 1940 ^C
- [*Acalles scabrosus*](#) Leconte, 1876 ^C
- [*Acalles scapularis*](#) Chevrolat, 1880 ^C
- [*Acalles scitus*](#) Broun, 1880 ^C
- [*Acalles senilis*](#) Wollaston, 1864 ^C
- [*Acalles sentus*](#) Broun, 1886 ^C
- [*Acalles septemcostatus*](#) Desbrochers, 1892 ^C
- [*Acalles setaceus*](#) Fiedler, 1952 ^C
- [*Acalles seticollis*](#) Hustache, 1936 ^C
- [*Acalles setifer*](#) Broun, 1886 ^C
- [*Acalles setosus*](#) Fiedler, 1940 ^C
- [*Acalles setulipennis*](#) Desbrochers, 1871 ^C
- [*Acalles seychellensis*](#) Champion, 1914 ^C
- [*Acalles sierrae*](#) H. Brisout, 1865 ^C
- [*Acalles sigma*](#) Hustache, 1936 ^{C g}
- [*Acalles signatus*](#) Blanchard, 1851 ^C
- [*Acalles silosensis*](#) Stüben, 2000 ^C
- [*Acalles simulator*](#) Roelofs, 1875 ^C
- [*Acalles sintraniensis*](#) Stüben, 1999 ^C
- [*Acalles solarii*](#) Hoffmann, 1958 ^C
- [*Acalles sonchi*](#) Stüben, 2000 ^C
- [*Acalles sophiae*](#) Tschapek, 1873 ^C
- [*Acalles sordidus*](#) Leconte, 1876 ^C
- [*Acalles spureus*](#) Broun, 1881 ^C
- [*Acalles squalidus*](#) Boheman, 1837 ^C
- [*Acalles squamiger*](#) Suffrian, 1872 ^C
- [*Acalles squamosus*](#) Solari & Solari, 1907 ^C
- [*Acalles sternalis*](#) Broun, 1917 ^C

- [*Acalles sticticus*](#) Broun, 1921 ^C
- [*Acalles stipulosus*](#) Suffrian, 1872 ^C
- [*Acalles stöckleini*](#) Frieser, 1959 ^C
- [*Acalles subcarinatus*](#) Broun, 1910 ^C
- [*Acalles subcostatus*](#) Fiedler, 1940 ^C
- [*Acalles subfasciatus*](#) Rosenschoeld, 1837 ^C
- [*Acalles subglaber*](#) Rosenhauer, 1856 ^C
- [*Acalles subglobatus*](#) Desbrochers, 1892 ^C
- [*Acalles subhispidus*](#) LeConte, 1878 ^{i C}
- [*Acalles sublineatus*](#) Fiedler, 1940 ^C
- [*Acalles sulcatipennis*](#) Fiedler, 1940 ^C
- [*Acalles sulcatus*](#) Boheman, 1844 ^C
- [*Acalles sulcicollis*](#) LeConte, 1884 ^{i C}
- [*Acalles sulcifrons*](#) Suffrian, 1872 ^C
- [*Acalles suturatus*](#) Dieckmann, 1983 ^C
- [*Acalles sycophanta*](#) Fairmaire, 1849 ^C
- [*Acalles sylvosus*](#) Blatchley, 1916 ^{i C}
- [*Acalles sympedioides*](#) Broun, 1893 ^C
- [*Acalles syriacus*](#) Pic, 1900 ^C
- [*Acalles tagasaste*](#) Stüben, 2000 ^C
- [*Acalles tantillus*](#) Champion, 1905 ^C
- [*Acalles temperei*](#) Péricart, 1987 ^C
- [*Acalles tenellus*](#) Fiedler, 1940 ^C
- [*Acalles tenuistriatus*](#) Fiedler, 1942 ^C
- [*Acalles terminalis*](#) Hustache, 1936 ^C
- [*Acalles terminatus*](#) Klug in Dej., 1821 ^C
- [*Acalles terricola*](#) Broun, 1886 ^C
- [*Acalles terrosus*](#) Suffrian, 1872 ^C
- [*Acalles testensis*](#) Stüben, 2003 ^C
- [*Acalles teter*](#) Boheman, 1844 ^C
- [*Acalles theryi*](#) Hustache, 1936 ^C
- [*Acalles tibialis*](#) Hustache, 1936 ^C
- [*Acalles tigreanus*](#) Hustache, 1940 ^C
- [*Acalles tolpis*](#) Stüben, 2002 ^C
- [*Acalles tolpivorus*](#) Germann & Stüben, 2006 ^C
- [*Acalles tortipes*](#) Broun, 1880 ^C

- [*Acalles triangulatus*](#) Broun, 1886 ^C
- [*Acalles tricinctus*](#) Champion, 1905 ^C
- [*Acalles trinotatus*](#) Broun, 1880 ^C
- [*Acalles triseriatus*](#) Champion, 1910 ^C
- [*Acalles tristaensis*](#) Stüben, 2002 ^C
- [*Acalles tristis*](#) Blanchard, 1851 ^C
- [*Acalles truquii*](#) Champion, 1910 ^C
- [*Acalles tuberculatus*](#) Perkins, 1900 ^{i C}
- [*Acalles tuberculosus*](#) Blanchard, 1851 ^C
- [*Acalles turbatus*](#) Boheman, 1844 ^C
- [*Acalles turbida*](#) J. Lec., 1876 ^C
- [*Acalles turbidus*](#) Leconte, 1876 ^C
- [*Acalles uncatus*](#) Desbrochers, 1895 ^C
- [*Acalles unicolor*](#) Montrouzier, 1860 ^C
- [*Acalles uraeus*](#) Boheman, 1837 ^C
- [*Acalles vadosopunctatus*](#) Fiedler, 1940 ^C
- [*Acalles vafrum*](#) Broun, 1881 ^C
- [*Acalles vairum*](#) Broun, 1881 ^C
- [*Acalles validus*](#) Hampe, 1864 ^C
- [*Acalles variegatus*](#) Stephens, 1831 ^C
- [*Acalles variolosus*](#) Stierlin, 1887 ^C
- [*Acalles varius*](#) Gemminger, 1871 ^C
- [*Acalles vau*](#) Wollaston, 1854 ^C
- [*Acalles ventrosus*](#) LeConte, 1878 ^C
- [*Acalles veratrus*](#) Broun, 1883 ^C
- [*Acalles verrucifer*](#) Fiedler, 1942 ^C
- [*Acalles verrucosus*](#) Wollaston, 1863 ^C
- [*Acalles versicolor*](#) Fiedler, 1940 ^C
- [*Acalles vicarius*](#) Dan., 1906 ^C
- [*Acalles vividus*](#) Broun, 1880 ^C
- [*Acalles volens*](#) Broun, 1881 ^C
- [*Acalles vorsti*](#) Stüben ^g
- [*Acalles wilkesi*](#) Perkins in Bryan, 1925 ^C
- [*Acalles wilkesii*](#) Bryan (Perkins in), 1926 ^C
- [*Acalles wollastoni*](#) Chevrolat, 1852 ^C
- [*Acalles xanthostictus*](#) Broun, 1893 ^C

- [*Acalles xenorhinus*](#) Broun, 1898 ^c
- [*Acalles xerampelinus*](#) Wollaston, 1864 ^g
- [*Acalles zenomorphus*](#) Broun, 1917 ^c
- [*Acalles zumpti*](#) Uyttenboogaart, 1939 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Acalles Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-26.
 - ["Browse Acalles"](#). Catalogue of Life. Retrieved 2018-04-26.
 - ["Acalles"](#). GBIF. Retrieved 2018-04-26.
 - ["Acalles Genus Information"](#). BugGuide.net. Retrieved 2018-04-26.

This is a list of 119 species in the genus [Acritus](#).^{[1][2]}

Acritus species

- [Acritus abundans](#) Cooman, 1932
- [Acritus acaroides](#) Marseul, 1856
- [Acritus acinus](#) Marseul, 1862
- [Acritus alienus](#) Thérond, 1960
- [Acritus alluaudi](#) Schmidt, 1895
- [Acritus alticola](#) Gomy, 1978
- [Acritus alutaceus](#) Thérond, 1961
- [Acritus analis](#) J. L. LeConte, 1853
- [Acritus angoramensis](#) Gomy, 1977
- [Acritus arizonae](#) Horn, 1873
- [Acritus atai](#) Gomy, 1984
- [Acritus atomus](#) J. L. LeConte, 1853
- [Acritus attaphilus](#) Wenzel, 1939
- [Acritus australasiae](#) Gomy, 1984
- [Acritus bikoi](#) Gomy, 2001
- [Acritus bipartitus](#) Lewis, 1888
- [Acritus bisulcithorax](#) Cooman, 1936
- [Acritus blackburni](#) Gomy, 1984
- [Acritus blighi](#) Gomy, 1984
- [Acritus caldwelli](#) Gomy, 1984
- [Acritus caledoniae](#) Wenzel, 1955
- [Acritus caledonicus](#) Gomy, 1981

- [*Acritus castaneus*](#) Lea, 1925
- [*Acritus cingulidens*](#) Marseul, 1879
- [*Acritus colettae*](#) Gomy, 1978
- [*Acritus cooteri*](#) Gomy, 1999
- [*Acritus copricola*](#) Cooman, 1932
- [*Acritus courtoisi*](#) Gomy, 1978
- [*Acritus deharvengi*](#) Gomy, 1981
- [*Acritus depressus*](#) Bousquet and Laplante, 2006
- [*Acritus discriminatus*](#) Thérond, 1973
- [*Acritus discus*](#) J. L. LeConte, 1853
- [*Acritus dogueti*](#) Gomy, 1984
- [*Acritus dugdalei*](#) Gomy, 1983
- [*Acritus egregius*](#) Cooman, 1932
- [*Acritus eichelbaumi*](#) Bickhardt, 1911
- [*Acritus elgonensis*](#) Jeannel and Paulian, 1945
- [*Acritus erimae*](#) Gomy, 1981
- [*Acritus exiguus*](#) (Erichson, 1834)
- [*Acritus exquisitus*](#) Cooman, 1932
- [*Acritus fidjensis*](#) Gomy, 1983
- [*Acritus fidjicus*](#) Gomy, 1983
- [*Acritus fimetarius*](#) (J. E. LeConte, 1844)
- [*Acritus fuligineus*](#) Lewis, 1888
- [*Acritus gibbipectus*](#) Cooman, 1932
- [*Acritus griffithi*](#) Gomy, 1984
- [*Acritus haedillus*](#) Marseul, 1870
- [*Acritus halmaturinus*](#) Lea, 1925
- [*Acritus hammondi*](#) Gomy, 1980
- [*Acritus helferi*](#) Reichardt, 1932
- [*Acritus helmsi*](#) Gomy, 1984
- [*Acritus herbertfranzi*](#) Gomy, 1981
- [*Acritus hilum*](#) Lewis, 1888
- [*Acritus homoeopathicus*](#) Wollaston, 1857
- [*Acritus hopffgarteni*](#) Reitter, 1878
- [*Acritus ignobilis*](#) (Lewis, 1888)
- [*Acritus indignus*](#) Schmidt, 1893
- [*Acritus inquilinus*](#) Lea, 1925
- [*Acritus insipiens*](#) Marseul, 1879
- [*Acritus italicus*](#) Reitter, 1904
- [*Acritus komai*](#) Lewis, 1879
- [*Acritus kuscheli*](#) Gomy, 1984
- [*Acritus lamberti*](#) Gomy, 1994
- [*Acritus leai*](#) Gomy, 1984

- [*Acritus liliputianus*](#) Lewis, 1888
- [*Acritus loriai*](#) Gomy, 1980
- [*Acritus madagascariensis*](#) Schmidt, 1895
- [*Acritus magnus*](#) Cooman, 1935
- [*Acritus mahnerti*](#) Gomy, 1981
- [*Acritus mandelai*](#) Gomy, 2001
- [*Acritus mateui*](#) Gomy, 1988
- [*Acritus matthewsi*](#) Gomy, 1984
- [*Acritus megaponerae*](#) Bickhardt in Brauns, 1914
- [*Acritus methneri*](#) Bickhardt, 1921
- [*Acritus mexicanus*](#) (Lewis, 1888)
- [*Acritus microsomus*](#) Cooman, 1932
- [*Acritus microtatus*](#) Cooman, 1934
- [*Acritus minutus*](#) (Herbst, 1791)
- [*Acritus muhleii*](#) Gomy, 2001
- [*Acritus mulleri*](#) Gomy, 2007
- [*Acritus multipunctus*](#) Bickhardt, 1911
- [*Acritus nepalensis*](#) Gomy, 1976
- [*Acritus nigricornis*](#) (Hoffmann, 1803)
- [*Acritus novaeguineae*](#) Gomy, 1977
- [*Acritus occidentalis*](#) Lea, 1925
- [*Acritus opimus*](#) Cooman, 1947
- [*Acritus pascuarum*](#) Cooman, 1947
- [*Acritus paulae*](#) Gomy, 1980
- [*Acritus pectinatus*](#) Cooman, 1932
- [*Acritus peculiaris*](#) Lewis, 1888
- [*Acritus pirata*](#) Gomy, 1978
- [*Acritus poggii*](#) Gomy, 1980
- [*Acritus prosternalis*](#) (Deane, 1932)
- [*Acritus punctisternus*](#) Wenzel and Dybas, 1941
- [*Acritus quadristriatus*](#) Lewis, 1888
- [*Acritus quilleroui*](#) Gomy, 1984
- [*Acritus rugosus*](#) Bickhardt, 1911
- [*Acritus schmidtii*](#) Wenzel, 1955
- [*Acritus serratus*](#) Burgeon, 1939
- [*Acritus shirozui*](#) Hisamatsu, 1965
- [*Acritus strigipennis*](#) Bickhardt, 1912
- [*Acritus strigosus*](#) J. L. LeConte, 1853
- [*Acritus substriatus*](#) Marseul, 1856
- [*Acritus subtilissimus*](#) Schmidt, 1893
- [*Acritus sulcatellus*](#) Cooman, 1935
- [*Acritus tasmaniae*](#) Lewis, 1892

- [*Acritus tataricus*](#) Reitter, 1878
- [*Acritus tazekae*](#) Gomy, 1980
- [*Acritus teaboomae*](#) Gomy, 1976
- [*Acritus tenuis*](#) Marseul, 1856
- [*Acritus tropicus*](#) Lea, 1925
- [*Acritus tuberculatus*](#) Wenzel and Dybas, 1941
- [*Acritus tuberisternus*](#) Cooman, 1932
- [*Acritus udege*](#) Gomy and Tishechkin, 1993
- [*Acritus vacheri*](#) Cooman, 1932
- [*Acritus vaulogeri*](#) Cooman, 1935
- [*Acritus wenzeli*](#) Gomy, 1981
- [*Acritus werneri*](#) Gomy, 1981
- [*Acritus wokanensis*](#) Marseul, 1879

References

1.
 - ["Acritus Genus Information"](#). BugGuide.net. Retrieved 2018-01-27.
 - ["Acritus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-01-27.

These 15 species belong to [*Aeolus*](#), a genus of click beetles in the family [*Elateridae*](#).^[1]

Aeolus species

- [*Aeolus amabilis*](#) (LeConte, 1853)
- [*Aeolus dorsalis*](#) (Say, 1823)
- [*Aeolus facetus*](#) Candèze, 1859
- [*Aeolus leprieuri*](#) Candèze, 1859
- [*Aeolus mannerheimi*](#) Candèze, 1859
- [*Aeolus melliculus*](#) Candèze, 1859
- [*Aeolus nigromaculatus*](#) Drapiez, 1819
- [*Aeolus parvulus*](#) Schwarz, 1903
- [*Aeolus retrofasciatus*](#) Candèze, 1859
- [*Aeolus rubricatus*](#) Candèze, 1859
- [*Aeolus signatipennis*](#) Candèze, 1859
- [*Aeolus signatus*](#) Schwarz, 1902
- [*Aeolus signifer*](#) Candèze, 1859
- [*Aeolus unifasciatus*](#) (Fabricius, 1801)
- [*Aeolus variolatus*](#) Candèze, 1878

References

1.

1. "[*Aeolus Eschscholtz, 1829*](#)". [Catalogue of Life](#). [Species 2000](#): Leiden, the Netherlands. Retrieved 4 March 2026.

Categories:

- [Elateridae](#)
- [Lists of insect species](#)
-

This is a list of 218 species in [Agapetus](#), a genus of little black caddisflies in the family [Glossosomatidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Agapetus species

- [Agapetus abbreviatus](#) Ulmer, 1913 ^{i c g}
- [Agapetus ablusus](#) Neboiss, 1986 ^{i c g}
- [Agapetus acuductus](#) (Harris, 1828) ^{i c g}
- [Agapetus adejensis](#) Enderlein, 1929 ^{i c g}
- [Agapetus agilis](#) (Barnard, 1934) ^{i c g}
- [Agapetus agtuuganonis](#) Mey, 1997 ^{i c g}
- [Agapetus aineias](#) Malicky, 1997 ^{i c g}
- [Agapetus ajpetriensis](#) Martynov, 1916 ^{i c g}
- [Agapetus alabamensis](#) Harris, 1986 ^{i c g}
- [Agapetus alarum](#) Gibon, 2017 ^g
- [Agapetus albomaculatus](#) (Kimmins, 1953) ^{i c g}
- [Agapetus alicae](#) Neboiss & Botosaneanu, 1988 ^{i c g}
- [Agapetus altineri](#) Sipahiler, 1989 ^{i c g}
- [Agapetus anakdacing](#) Malicky, 1995 ^{i c g}
- [Agapetus anaksatu](#) Malicky, 1995 ^{i c g}
- [Agapetus anatolicus](#) (Cakin, 1983) ^{i c g}
- [Agapetus annulicornis](#) Matsumura, 1931 ^{i c g}
- [Agapetus antikena](#) Schmid, 1959 ^{i c g}
- [Agapetus antilochos](#) Malicky, 1998 ^{i c g}

- [Agapetus antiyaka](#) Schmid, 1959^{i c g}
- [Agapetus anuragoda](#) Schmid, 1958^{i c g}
- [Agapetus apalapsili](#) (Malicky, 1978)^{i c g}
- [Agapetus arcita](#) Denning, 1951^{i c g}
- [Agapetus armatus](#) (McLachlan, 1879)^{i c g}
- [Agapetus artesus](#) Ross, 1938^{i c g}
- [Agapetus arvernensis](#) (Malicky, 1980)^{i c g}
- [Agapetus atuus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus avitus](#) Edwards, 1956^{i c g}
- [Agapetus ayodhia](#) Schmid, 1958^{i c g}
- [Agapetus azureus](#) (Stephens, 1829)^{i c g}
- [Agapetus bapto](#) Mey, 1998^{i c g}
- [Agapetus barang](#) Olah, 1988^{i c g}
- [Agapetus basagureni](#) Gonzalez & Botosaneanu, 1995^{i c g}
- [Agapetus belarecus](#) Botosaneanu, 1957^{i c g}
- [Agapetus beredensis](#) Dakki & Malicky, 1980^{i c g}
- [Agapetus bidens](#) McLachlan, 1875^{i c g}
- [Agapetus bifidus](#) Denning, 1949^{i c g}
- [Agapetus birgi](#) (Sipahiler, 1989)^{i c g}
- [Agapetus boulderensis](#) Milne, 1936^{i c g}
- [Agapetus budoensis](#) Kobayashi, 1982^{i c g}
- [Agapetus caimoc](#) Olah, 1988^{i c g}
- [Agapetus cannensis](#)^g
- [Agapetus cataractae](#) Ulmer, 1951^{i c g}
- [Agapetus caucasicus](#) Martynov, 1913^{i c g}
- [Agapetus celatus](#) McLachlan, 1871^{i c g}
- [Agapetus cenumarus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus chiangi](#)^g
- [Agapetus chinensis](#) (Mosely, 1942)^{i c g}
- [Agapetus chitraliorum](#) Schmid, 1959^{i c g}
- [Agapetus christineae](#)^g
- [Agapetus clio](#) (Malicky, 1976)^{i c g}
- [Agapetus cocandicus](#) McLachlan, 1875^{i c g}
- [Agapetus cornutus](#) Denning, 1958^{i c g}
- [Agapetus cralus](#) (Mosely in Mosely & Kimmins, 1953)^{i c g}
- [Agapetus crasmus](#) Ross, 1939^{i c g}

- [Agapetus cravensis](#) Giudicelli, 1973^{i c g}
- [Agapetus curvidens](#) Ulmer, 1930^{i c g}
- [Agapetus cyrenensis](#) Mosely, 1930^{i c g}
- [Agapetus cynensis](#) Mosely, 1930^g
- [Agapetus dagunagari](#) Malicky, 1995^{i c g}
- [Agapetus dakkii](#) Malicky & Lounaci, 1987^{i c g}
- [Agapetus danbang](#) Olah, 1988^{i c g}
- [Agapetus dangorum](#) Olah, 1988^{i c g}
- [Agapetus dayi](#) Ross, 1956^{i c g}
- [Agapetus degrangei](#) (Vaillant, 1967)^{i c g}
- [Agapetus delicatulus](#) McLachlan, 1884^{i c g}
- [Agapetus denningi](#) Ross, 1951^{i c g}
- [Agapetus dentatus](#) (Kimmins, 1953)^{i c g}
- [Agapetus desom](#) Olah, 1988^{i c g}
- [Agapetus diacanthus](#) Edwards, 1956^{i c g}
- [Agapetus diversus](#) (McLachlan, 1884)^{i c g}
- [Agapetus dolichopterus](#) Giudicelli & Dakki, 1980^{i c g}
- [Agapetus dubitans](#) (McLachlan, 1879)^{i c g}
- [Agapetus dundungra](#)^g
- [Agapetus episkopi](#) Malicky, 1972^{i c g}
- [Agapetus eriopus](#) Mey, 1996^{i c g}
- [Agapetus esinertus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus evansi](#) Ross, 1956^{i c g}
- [Agapetus excisus](#) Kimmins, 1953^{i c g}
- [Agapetus foliatus](#) (Kimmins, 1953)^{i c g}
- [Agapetus formosanus](#)^g
- [Agapetus fuscipes](#) Curtis, 1834^{i c g}
- [Agapetus fuscus](#) Vaillant, 1954^{i c g}
- [Agapetus gelbae](#) Ross, 1947^{i c g}
- [Agapetus gonophorus](#) Mey, 1996^{i c g}
- [Agapetus gorgitensis](#) Sipahiler, 1996^{i c g}
- [Agapetus gotgian](#) Olah, 1988^{i c g}
- [Agapetus grahami](#) Ross, 1956^{i c g}
- [Agapetus gunungus](#) Neboiss & Botosaneanu, 1988^{i c g}
- [Agapetus hadimensis](#) Sipahiler, 1996^{i c g}
- [Agapetus halong](#) Olah, 1988^{i c g}

- [Agapetus hamatus](#) Ross, 1956^{i c g}
- [Agapetus hanumata](#) Schmid, 1958^{i c g}
- [Agapetus hellenorum](#) (Malicky, 1984)^{i c g}
- [Agapetus hessi](#) Leonard & Leonard, 1949^{i c g}
- [Agapetus hieianus](#) (Tsuda, 1942)^{i c g}
- [Agapetus himalayanus](#) (Martynov, 1935)^{i c}
- [Agapetus illini](#) Ross, 1938^{i c g}
- [Agapetus inaequispinosus](#) Schmid, 1970^{i c g}
- [Agapetus incertulus](#) McLachlan, 1884^{i c g}
- [Agapetus incurvatus](#) (Kimmins, 1953)^{i c g}
- [Agapetus insons](#) (McLachlan, 1879)^{i c g}
- [Agapetus iridipennis](#) (McLachlan, 1879)^{i c g}
- [Agapetus iridis](#) Ross, 1944^{i c g}
- [Agapetus jafiwi](#) Ross, 1951^{i c g}
- [Agapetus jakutorum](#) Martynov, 1934^{i c g}
- [Agapetus japonicus](#) (Tsuda, 1942)^{i c g}
- [Agapetus jiriensis](#) Malicky, 1995^{i c g}
- [Agapetus joannia](#) Denning, 1965^{i c g}
- [Agapetus jocassee](#) Morse in Morse, Hamilton & Hoffman, 1989^{i c g}
- [Agapetus karabagi](#) Cakin, 1983^{i c g}
- [Agapetus kashmirensis](#) Kimmins, 1953^{i c g}
- [Agapetus kimminsi](#) Ross, 1956^{i c g}
- [Agapetus kirgisorum](#) Martynov, 1927^{i c g}
- [Agapetus kithmalie](#) (Chantaramongkol & Malicky, 1986)^{i c g}
- [Agapetus komanus](#) (Tsuda, 1942)^{i c g}
- [Agapetus kongcanxing](#) Olah, 1988^{i c g}
- [Agapetus krawanyi](#) (Ulmer, 1938)^{i c g}
- [Agapetus kumudumalie](#) (Chantaramongkol & Malicky, 1986)^{i c g}
- [Agapetus lalus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus laniger](#) Pictet, 1834^{i c g}
- [Agapetus laparus](#) Neboiss, 1977^{i c g}
- [Agapetus latosus](#) Ross, 1951^{i c g}
- [Agapetus lepetimnos](#) Malicky, 1976^{i c g}
- [Agapetus limsusan](#) Olah, 1993^{i c g}
- [Agapetus lindus](#) Neboiss & Botosaneanu, 1988^{i c g}
- [Agapetus longipennis](#)^g

- [Agapetus loxozona](#) Mey, 1997^{i c g}
- [Agapetus lundbladi](#) (Mosely, 1938)^{i c g}
- [Agapetus lusitanicus](#) (Malicky, 1980)^{i c g}
- [Agapetus mahadhyandika](#) (Schmid, 1959)^{i c g}
- [Agapetus maharikhita](#) (Schmid, 1959)^{i c g}
- [Agapetus malleatus](#) Banks, 1914^{i c g}
- [Agapetus marlierorum](#) (Botosaneanu, 1980)^{i c g}
- [Agapetus marlo](#) Milne, 1936^{i c g}
- [Agapetus medicus](#) Ross, 1938^{i c g}
- [Agapetus membrosus](#) Ross, 1951^{i c g}
- [Agapetus minutus](#) Sibley, 1926^{i c g}
- [Agapetus mitis](#) (Kimmins, 1953)^{i c g}
- [Agapetus mittamitta](#)^g
- [Agapetus montanus](#) Denning, 1949^{i c g}
- [Agapetus monticolus](#) Banks, 1939^{i c g}
- [Agapetus moselyi](#) (Ulmer, 1938)^{i c g}
- [Agapetus mossmanensis](#)^g
- [Agapetus muelleri](#)^g
- [Agapetus murinus](#) (Barnard, 1934)^{i c g}
- [Agapetus neboissi](#)^g
- [Agapetus nimbulus](#) McLachlan, 1879^{i c g}
- [Agapetus nivodacus](#) Ivanov, 1992^{i c g}
- [Agapetus nokowoula](#) Neboiss, 1986^{i c g}
- [Agapetus numidicus](#) Vaillant, 1954^{i c g}
- [Agapetus oblongatus](#) Martynov, 1913^{i c g}
- [Agapetus obscurus](#) Walker, 1852^{i c g}
- [Agapetus occidentalis](#) Denning, 1949^{i c g}
- [Agapetus occidentis](#) Denning, 1949^{i c g}
- [Agapetus ochripes](#) Curtis, 1834^{i c g}
- [Agapetus ohiya](#) Kimmins, 1953^{i c g}
- [Agapetus oramatama](#) (Malicky, 1978)^{i c g}
- [Agapetus orontes](#) Malicky, 1980^{i c g}
- [Agapetus orosus](#) Denning, 1950^{i c g}
- [Agapetus paluma](#)^g
- [Agapetus paracralus](#)^g
- [Agapetus pedarius](#) Mey, 1997^{i c g}

- [Agapetus pinatus](#) Ross, 1938^{i c g}
- [Agapetus placidus](#) (Navas, 1918)^{i c g}
- [Agapetus pontona](#) (Mosely in Mosely & Kimmins, 1953)^{i c g}
- [Agapetus productus](#) (Kimmins, 1962)^{i c g}
- [Agapetus punctatus](#) Hagen, 1859^{i c g}
- [Agapetus punjabicus](#) (Martynov, 1936)^{i c g}
- [Agapetus quadratus](#) Mosely, 1930^{i c g}
- [Agapetus quordus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus rama](#) Schmid, 1958^{i c g}
- [Agapetus ranohelae](#) Gibon, 2017^g
- [Agapetus rawana](#) Schmid, 1958^{i c g}
- [Agapetus rectigonopoda](#) Botosaneanu, 1957^{i c g}
- [Agapetus rossi](#) Denning, 1941^{i c g b}
- [Agapetus rudis](#) Hagen, 1859^{i c g}
- [Agapetus rupestris](#) Mey, 1996^{i c g}
- [Agapetus salomonis](#) (Kimmins, 1957)^{i c g}
- [Agapetus sarayensis](#) Sipahiler, 1996^{i c g}
- [Agapetus segovicus](#) Schmid, 1952^{i c g}
- [Agapetus serotinus](#) (Navas, 1919)^{i c g}
- [Agapetus setiferus](#) Stephens, 1836^{i c g}
- [Agapetus sexipalpus](#) Jacquemart & Statzner, 1981^{i c g}
- [Agapetus sheldoni](#)^g
- [Agapetus sibiricus](#) Martynov, 1918^{i c g}
- [Agapetus sindis](#) Kimmins, 1953^{i c g}
- [Agapetus sita](#) Schmid, 1958^{i c g}
- [Agapetus slavorum](#) Botosaneanu, 1960^{i c g}
- [Agapetus spinosus](#) Etnier & Way, 1973^{i c g}
- [Agapetus stclairae](#)^g
- [Agapetus tadzhikorum](#) Ivanov, 1992^{i c g}
- [Agapetus taho](#) Ross, 1947^{i c g}
- [Agapetus tamrangensis](#) (Kimmins, 1964)^{i c g}
- [Agapetus tapaiacus](#) Schmid, 1965^{i c g}
- [Agapetus tasmanicus](#) (Mosely in Mosely & Kimmins, 1953)^{i c g}
- [Agapetus tenuis](#)^g
- [Agapetus theischingeri](#) Malicky, 1980^{i c g}
- [Agapetus tomus](#) Ross, 1941^{i c g}

- [Agapetus torautus](#) Neboiss & Botosaneanu, 1988^{i c g}
- [Agapetus triangularis](#) Martynov, 1935^{i c g}
- [Agapetus tridens](#) McLachlan, 1875^{i c g}
- [Agapetus truncatus](#) Martynov, 1913^{i c g}
- [Agapetus tubrabucca](#)^g
- [Agapetus turcomanorum](#) Schmid, 1959^{i c g}
- [Agapetus uiguricus](#) Mey, 1993^{i c g}
- [Agapetus ulmeri](#) Ross, 1951^{i c g}
- [Agapetus unguatus](#) (Mosely, 1939)^{i c g}
- [Agapetus unicuspidalis](#) (Mey, 1990)^{i c g}
- [Agapetus vercondarius](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus vicanthicus](#) Neboiss, 1988^{i c g}
- [Agapetus vireo](#) Ross, 1941^{i c g}
- [Agapetus viricatus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus voccus](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Agapetus walkeri](#) (Betten & Mosely, 1940)^{i c g}
- [Agapetus yasensis](#) (Tsuda, 1942)^{i c g}
- [Agapetus zniachtl](#) Malicky, 1995^{i c g}
- [Agapetus zwicki](#)^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Agapetus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-23.
 - ["Browse Agapetus"](#). Catalogue of Life. Archived from [the original](#) on 2018-04-24. Retrieved 2018-04-23.
 - ["Agapetus"](#). GBIF. Retrieved 2018-04-23.
 -
4. ["Agapetus Genus Information"](#). BugGuide.net. Retrieved 2018-04-23.

Categories:

- [Glossosomatidae](#)
- [Lists of insect species](#)
-

From Wikipedia, the free encyclopedia

Zoraida is a large genus of [planthoppers](#) in the tribe [Zoraidini](#) of the family [Derbidae](#). As of 2024, it comprises three subgenera and around 120 species. The species are found in tropical and some subtropical parts of Asia, Africa and parts of Australia and the western Pacific.^{[1][2][3]} This page provides for each subgenus an overview of the species, their distribution records and other details. "Wing length" means the length of the forewing which have been converted in some cases from measurements of expanded forewings (wingspan) according to the formula <half of wingspan minus 10%>, derived from published illustrations.^[4]

Subgenus *[Neozoraida](#)*

Key

- § [Type species](#)
- ‡ Renamed

Species in subgenus <i>Neozoraida</i>					
Species	Authority	Basionym	Range	Wing length [a]	References
Zoraida carpenteri	Muir, 1928	n/a	Uganda , Nigeria	13.4 mm (0.53 in)	[5]
‡ Zoraida fletcheri	Distant, 1916	<i>Zoraida variipennis</i> Distant 1911	Sri Lanka	10 mm (0.39 in)	[6][7][8]
Zoraida gilva	Distant, 1906	n/a	Sri Lanka	11 mm (0.43 in)	[4][8]
Zoraida insignata	Yang & Wu, 1993	n/a	Taiwan	11.0 mm (0.43 in)	[9]
Zoraida maculicostata	Muir, 1928	n/a	Sierra Leone	11.5 mm (0.45 in)	[5]
Zoraida motschoulskyi	Distant, 1906	n/a	Sri Lanka	11 mm (0.43 in)	[4][8]
‡ Zoraida obsoleta	(Kirby, 1891)	<i>Thracia obsoleta</i> Kirby, 1891	Sri Lanka	12.6 mm (0.50 in)	[10][8]
§ Zoraida ugandensis	Distant, 1914	n/a	Uganda , Senegal , Sierra Leone , Nigeria , Republic of the Congo , Democratic Republic of the Congo	11 mm (0.43 in)	[11][8]
‡ Zoraida vanstallei	Dmitriev, 2020	<i>Zoraida silvicola</i> van	Ivory Coast		[12][13]

Stalle, 1988

1.

1. Some wing length measurements converted from wingspan (half of wingspan minus 10%)

Subgenus *Peggiopsis*

Species in subgenus *Peggiopsis*

Species	Authority	Basionym	Range	Wing length[a]	References
<i>Zoraida aenea</i>	van Stalle, 1983	n/a	Nigeria		[14]
<i>Zoraida distanti</i>	Muir, 1918	n/a	Sierra Leone, Democratic Republic of the Congo, Mozambique , South Africa (KwaZulu-Natal)	13 mm (0.51 in)	[15][5]
‡ <i>Zoraida javana</i>	(Melichar, 1914)	<i>Peggiopsis javana</i> Melichar, 1914	Indonesia (Java)		[16][17]
<i>Zoraida kemp</i>	Muir, 1922	n/a	India	8 mm (0.31 in)	[18]
<i>Zoraida longa</i>	Yang & Wu, 1993	n/a	Taiwan	♂ 11.4 mm (0.45 in) ♀ 12.3 mm (0.48 in)	[9]
‡ <i>Zoraida nivifera</i>	(Walker, 1870)	<i>Thracia nivifera</i> Walker, 1870	Indonesia (Bacan Isl.)	10 mm (0.39 in)	[19][8]
‡ <i>Zoraida punctipennis</i>	(Walker, 1870)	<i>Thracia punctipennis</i> Walker, 1870	Indonesia (Misool Isl.), New Guinea	10 mm (0.39 in)	[19][8]
‡ <i>Zoraida rufifinis</i>	(Walker, 1870)	<i>Thracia punctipennis</i> Walker, 1870	Indonesia (Morotai Isl.)	10 mm (0.39 in)	[19][8]
<i>Zoraida smedleyi</i>	Muir, 1926	n/a	Indonesia (Mentawai Islands)	10.3 mm (0.41 in)	[20]
<i>Zoraida spectra</i>	Distant, 1911	n/a	India	8 mm (0.31 in)	[6][8]
<i>Zoraida wallacei</i>	Muir, 1918	n/a	Singapore	12 mm (0.47 in)	[15][21]

1.

1. Some wing length measurements converted from wingspan (half of wingspan minus 10%)

Subgenus *Zoraida*

Type species: *Derbe sinuosa* Boheman, 1838[22]

- [*Zoraida aburiensis*](#) Muir, 1918 - Ghana, Democratic Republic of Congo, Sierra Leone, Central African Republic[8][15]
- [*Zoraida albida*](#) (Walker, 1870) - "Sula" (Indonesia?)[19][8]
- [*Zoraida angolensis*](#) Synave, 1973 - Angola[2]
- [*Zoraida bohemani*](#) (Westwood, 1841) - new name for *Derbe nervosa* Boheman 1838) - Sierra Leone, Democratic Republic of Congo, Angola, Madagascar, Zimbabwe, South Africa (KwaZulu-Natal, Transvaal)[23][24][8]
- [*Zoraida borneensis*](#) Distant, 1907 - Borneo[25][8]
- [*Zoraida boulardi*](#) Synave, 1973 - Central African Republic, Togo[2]
- [*Zoraida ceylonica*](#) (Kirby, 1891) - Sri Lanka[10][8]
- [*Zoraida confusa*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida consanguinea*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida costalis*](#) (Walker, 1870) - Indonesia (Bacan Isl., Misool Isl.), New Guinea[19][8]
- [*Zoraida cumulata*](#) (Walker, 1870) - Indonesia (Ambon Isl., Buru Isl., Sumatra), New Guinea, Philippines, Sri Lanka[19][8]
- [*Zoraida curta*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida cycnoptera*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida dubia*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida ephemeralis*](#) (Walker, 1870) - Indonesia (Aru Isl., Misool Isl.), New Guinea[19][8]
- [*Zoraida erythractis*](#) Distant, 1907 - Borneo[25][8]
- [*Zoraida essingtonii*](#) (Westwood, 1851) - Australia (Northern Territory)[26][8]
 - [*Zoraida essingtonii porphyron*](#) Fennah, 1969 - New Caledonia, Australia (QLD)[27]
- [*Zoraida eupoecila*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida evansi*](#) Distant, 1914 - Ghana, Nigeria[11][8]
- [*Zoraida flava*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida flavocostata*](#) Distant, 1914 - Mozambique, Sierra Leone, South Africa, Democratic Republic of Congo, Nigeria[11][8]
- [*Zoraida freta*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida fulgans*](#) Muir, 1923 - Madagascar[28][5]
- [*Zoraida fuligipennis*](#) Muir, 1928 - Sierra Leone, Burkina Faso, Nigeria[5]
- [*Zoraida furcata*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida fuscipennis*](#) (Walker, 1870) - Indonesia (Aru Isl.)[19][8]
- [*Zoraida gravis*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida histrionica*](#) Distant, 1914 - India[11][8]
- [*Zoraida horishana*](#) Matsumura, 1914 - Japan, Taiwan, South Korea, far-eastern Russia[29][9]
- [*Zoraida insolita*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida kirkaldyi*](#) Muir, 1918 - Sri Lanka[8][15]
- [*Zoraida koannania*](#) Matsumura, 1914 - Taiwan, South Korea[29][9]
- [*Zoraida kotoshoensis*](#) Matsumura, 1938 - Taiwan[30][9]
- [*Zoraida lankana*](#) (Kirby, 1891) - Sri Lanka[10][8]
- [*Zoraida limnobia*](#) (Walker, 1870) - Philippines (Sulu Isl.)[19][8]
- [*Zoraida lusca*](#) Yang & Wu, 1993 - Taiwan[9]

- [*Zoraida nitobii*](#) Muir, 1914 - Taiwan[31][9]
- [*Zoraida njalensis*](#) Muir, 1928 - Sierra Leone, Democratic Republic of Congo, Central African Republic[5]
- [*Zoraida niasensis*](#) Distant, 1914 - Malawi, Democratic Republic of Congo[11][8]
- [*Zoraida pattersoni*](#) Distant, 1914 - Ghana, Democratic Republic of Congo, Central African Republic[11][8]
- [*Zoraida picta*](#) Distant, 1907 - Australia (Queensland)[25][8]
- [*Zoraida picturata*](#) Distant, 1914 - Malawi[11][8]
- [*Zoraida propria*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida pseudosylvicola*](#) Muir, 1913 - Borneo, Indonesia (Krakatau)[32][17]
- [*Zoraida pterophoroides*](#) (Westwood, 1851) - Taiwan, China, Japan, Malaysia, Burma, Sri Lanka[26][8]
 - [*Zoraida pterophoroides fistulator*](#) Fennah, 1956 - Palau[33]
- [*Zoraida ridleyi*](#) Muir, 1918 - Singapore[8][15]
- [*Zoraida rufivena*](#) Distant, 1906 - Sri Lanka[4][8]
- [*Zoraida scutellaris*](#) (Walker, 1870) - Indonesia (Aru Isl., Misool Isl., Morotai Isl., Buru Isl.), New Guinea, Solomon Islands[19][8]
- [*Zoraida separata*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida sexnotata*](#) (Walker, 1870) - Indonesia (Aru Isl., Java), Australia (Queensland)[19][8]
- [*Zoraida sinuosa*](#) (Boheman, 1838) - Sierra Leone, Guinea, Cameroon, Togo, Nigeria, Democratic Republic of Congo, Central African Republic[23][2]
- [*Zoraida sudanica*](#) Synave, 1973 - South Sudan, Democratic Republic of Congo, Central African Republic[2]
- [*Zoraida venusta*](#) Yang & Wu, 1993 - Taiwan[9]
- [*Zoraida zairensis*](#) van Stalle, 1983 - Democratic Republic of Congo[12]

Unassigned to a subgenus

- [*Peggiopsis dorsimaculata*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis dorsopunctata*](#) (Melichar, 1915) - Philippines[35][34]
- [*Peggiopsis flavicornis*](#) (Melichar, 1915) - Philippines[35][34]
- [*Peggiopsis irrorata*](#) (Muir, 1917) - Philippines[34][36]
- [*Peggiopsis nigrovenosa*](#) Muir, 1915 - Indonesia (Java)[37]
- [*Peggiopsis pallida*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis pseudoflavicornis*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis pseudojavana*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis pseudopuncticosta*](#) Muir, 1917 - Philippines[34]
- [*Peggiopsis puncticosta*](#) (Melichar, 1915) - Philippines [35][34]
- [*Peggiopsis rufa*](#) Muir, 1913 - Indonesia (Ambon)[32]
- [*Peggiopsis stali*](#) Muir, 1917 - Philippines[34]
- [*Zoraida albicans*](#) Anufriev, 1968 - far-eastern Russia, Japan, South Korea[38]
- [*Zoraida bakeri*](#) Muir, 1922 - Borneo[39]
- [*Zoraida bouchneri*](#) Synave, 1982 - Central African Republic, Liberia[40]

- [*Zoraida brunnipennis*](#) Muir, 1922 - India (Assam)[18]
- [*Zoraida egregia*](#) (Melichar, 1903) - Sri Lanka[41][4]
- [*Zoraida falsa*](#) Muir, 1924 - Philippines[36]
- [*Zoraida ficta*](#) Distant, 1906 - Sri Lanka[4]
- [*Zoraida flaviventris*](#) Muir, 1917 - Philippines[34]
- [*Zoraida fuliginosa*](#) Muir, 1913 - Papua New Guinea[28]
- [*Zoraida howei*](#) Schmidt, 1926 - Indonesia (Buru Isl.)[42]
- [*Zoraida hubeiensis*](#) Chou, Lu, Huang & Wang, 1985 - China, South Korea[43]
- [*Zoraida hyalina*](#) Melichar, 1914 - Indonesia (Java), Philippines[16]
- [*Zoraida javanica*](#) (Westwood, 1840) - Indonesia (Java), Philippines[44][45]
- [*Zoraida kalshoveni*](#) Muir, 1922 - Singapore, Indonesia (Java)[39]
- [*Zoraida karnyi*](#) Muir, 1926 - Indonesia (Mentawai Islands)[20]
- [*Zoraida kuwayamae*](#) (Matsumura, 1913) - Japan, South Korea[46][29]
- [*Zoraida lalokensis*](#) Muir, 1913 - Papua New Guinea[32]
- [*Zoraida laratae*](#) Muir, 1913 - Indonesia (Larat Isl., Ambon)[32]
- [*Zoraida lutescens*](#) Muir, 1917 - Philippines[34]
- [*Zoraida maculata*](#) Muir, 1917 - Philippines[34]
- [*Zoraida maculicosta*](#) Schmidt, 1926 - Indonesia (Buru Isl.)[42]
- [*Zoraida mcgregori*](#) Muir, 1922 - Philippines[39]
- [*Zoraida melichari*](#) Muir, 1917 - Philippines[34]
- [*Zoraida obscura*](#) Melichar, 1914 - Indonesia (Java)[16]
- [*Zoraida padangensis*](#) Muir, 1926 - Indonesia (Sumatra)[20]
- [*Zoraida parvalata*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida procterythra*](#) Jacobi, 1941 - Indonesia (Lombok Isl.)[47]
- [*Zoraida rectifrons*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida rubrolineata*](#) Schmidt, 1926 - Indonesia (Buru Isl.)[42]
- [*Zoraida sexpunctata*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida superba*](#) Muir, 1913 - Papua New Guinea[32]
- [*Zoraida sylvicola*](#) Muir, 1913 - Borneo, Indonesia (Mentawai Islands)[32]
- [*Zoraida taiensis*](#) Van Stalle, 1988 - Ivory Coast[12]
- [*Zoraida westwoodi*](#) (Stål, 1870) - Philippines[48][34]
- [*Zoraida zeijsti*](#) Van Stalle, 1988 - Ivory Coast[12]

This is a list of species of fruit flies (*Tephritidae*) in the genus [*Zeugodacus*](#), as of 2019.[1]

- [*Zeugodacus abdoangustus*](#) (Drew 1972)
- [*Zeugodacus abdoaurantiacus*](#) (Drew 1989)
- [*Zeugodacus abdopallescens*](#) (Drew 1971)
- [*Zeugodacus ablepharus*](#) (Bezzi 1919)
- [*Zeugodacus abnormis*](#) (Hardy 1982)
- [*Zeugodacus absolutus*](#) (Walker 1861)
- [*Zeugodacus aithonota*](#) (Drew & Romig 2013)

- [*Zeugodacus alampetus*](#) (Drew 1989)
- [*Zeugodacus ambiguus*](#) (Shiraki 1933)
- [*Zeugodacus amoenus*](#) (Drew 1972)
- [*Zeugodacus analus*](#) (Chen & Zhou 2013)
- [*Zeugodacus anchitrichotus*](#) (Drew 1989)
- [*Zeugodacus angusticostatus*](#) (Drew 1989)
- [*Zeugodacus angustifinis*](#) (Hardy 1982)
- [*Zeugodacus apicalis*](#) (de Meijere 1911)
- [*Zeugodacus apiciflavus*](#) (Yu He & Chen 2011)
- [*Zeugodacus apicofemoralis*](#) (Drew & Romig 2013)
- [*Zeugodacus areolatus*](#) (Walker 1861)
- [*Zeugodacus arisanicus*](#) (Shiraki 1933)
- [*Zeugodacus armillatus*](#) (Hering 1938)
- [*Zeugodacus assamensis*](#) White 1999
- [*Zeugodacus atrichus*](#) (Bezzi 1919)
- [*Zeugodacus atrifacies*](#) (Perkins 1938)
- [*Zeugodacus atrisetosus*](#) (Perkins 1939)
- [*Zeugodacus atypicus*](#) (White & Evenhuis 1999)
- [*Zeugodacus aurantiventer*](#) (Drew 1989)
- [*Zeugodacus bakeri*](#) (Bezzi 1919)
- [*Zeugodacus baliensis*](#) (Drew & Romig 2013)
- [*Zeugodacus baoshanensis*](#) (Zhang, Ji & Chen 2011)
- [*Zeugodacus biguttatus*](#) (Bezzi 1916)
- [*Zeugodacus binoyi*](#) (Drew 2002)
- [*Zeugodacus bogorensis*](#) (Hardy 1983)
- [*Zeugodacus borongensis*](#) (Drew & Romig 2013)
- [*Zeugodacus brachus*](#) (Drew 1972)
- [*Zeugodacus brevipunctatus*](#) (David & Hancock 2017)
- [*Zeugodacus brevivitta*](#) (Drew & Romig 2013)
- [*Zeugodacus buruensis*](#) (White 1999)
- [*Zeugodacus buvittatus*](#) (Drew 1989)
- [*Zeugodacus calumniatus*](#) (Hardy 1970)
- [*Zeugodacus careomacula*](#) (Drew & Romig 2013)
- [*Zeugodacus caudatus*](#) (Fabricius 1805)
- [*Zeugodacus choristus*](#) (May 1962)
- [*Zeugodacus cilifer*](#) (Hendel 1912)
- [*Zeugodacus citrifuscus*](#) (Drew & Romig 2013)
- [*Zeugodacus citroides*](#) (Drew 1989)
- [*Zeugodacus complicatus*](#) (White 1999)
- [*Zeugodacus connexus*](#) (Hardy 1982)
- [*Zeugodacus cucumis*](#) (French 1907)
- [*Zeugodacus cucurbitae*](#) (Coquillett 1899)

- [Zeugodacus curtus](#) (Drew 1972)
- [Zeugodacus daclaciae](#) (Drew & Romig 2013)
- [Zeugodacus daulus](#) (Drew 1989)
- [Zeugodacus decipiens](#) (Drew 1972)
- [Zeugodacus depressus](#) (Shiraki 1933)
- [Zeugodacus diaphoropsis](#) (Hering 1952)
- [Zeugodacus diaphorus](#) (Hendel 1915)
- [Zeugodacus dissidens](#) (Drew 1989)
- [Zeugodacus disturgidus](#) (Yu, Deng & Chen 2012)
- [Zeugodacus diversus](#) (Coquillett 1904)
- [Zeugodacus dorsirufus](#) (Drew & Romig 2013)
- [Zeugodacus dubiosus](#) (Hardy 1982)
- [Zeugodacus duplicatus](#) (Bezzi 1916)
- [Zeugodacus elegantulus](#) (Hardy 1974)
- [Zeugodacus emarginatus](#) (Perkins 1939)
- [Zeugodacus emittens](#) (Walker 1860)
- [Zeugodacus eurylomatus](#) (Hardy 1982)
- [Zeugodacus exornatus](#) (Hering 1941)
- [Zeugodacus fallacis](#) (Drew 1972)
- [Zeugodacus fereuncinatus](#) (Drew & Romig 2013)
- [Zeugodacus flavipilosus](#) (Hardy 1982)
- [Zeugodacus flavolateralis](#) (Drew & Romig 2013)
- [Zeugodacus flavopectoralis](#) (Hering 1953)
- [Zeugodacus flavoverticalis](#) (Drew & Romig 2013)
- [Zeugodacus freidbergi](#) (White 1999)
- [Zeugodacus fulvipes](#) (Perkins 1938)
- [Zeugodacus fulvoabdominalis](#) (White & Evenhuis 1999)
- [Zeugodacus fuscans](#) (Wang 1998)
- [Zeugodacus fuscipennulus](#) (Drew & Romig 2001)
- [Zeugodacus fuscoalatus](#) (Drew & Romig 2013)
- [Zeugodacus gavisus](#) (Munro 1935)
- [Zeugodacus gracilis](#) (Drew 1972)
- [Zeugodacus hamaceki](#) (Drew & Romig 2001)
- [Zeugodacus hancocki](#) (Drew & Romig 2013)
- [Zeugodacus hatyaiensis](#) (Drew & Romig 2013)
- [Zeugodacus havelockiae](#) (Drew & Romig 2013)
- [Zeugodacus heinrichi](#) (Hering 1941)
- [Zeugodacus hekouanus](#) (Yu He & Yang 2011)
- [Zeugodacus hengsawadae](#) (Drew & Romig 2013)
- [Zeugodacus hoabinhiae](#) (Drew & Romig 2013)
- [Zeugodacus hochii](#) (Zia 1936)
- [Zeugodacus hodgsoniae](#) (Drew & Romig 2013)

- [*Zeugodacus hoedi*](#) (White 1999)
- [*Zeugodacus hululangatiae*](#) (Drew & Romig 2013)
- [*Zeugodacus incisus*](#) (Walker 1861)
- [*Zeugodacus indentus*](#) (Hardy 1974)
- [*Zeugodacus infestus*](#) (Enderlein 1920)
- [*Zeugodacus iriomotiae*](#) (Drew & Romig 2013)
- [*Zeugodacus ishigakiensis*](#) (Shiraki 1933)
- [*Zeugodacus isolatus*](#) (Hardy 1973)
- [*Zeugodacus javadicus*](#) (Mahmood 1999)
- [*Zeugodacus javanensis*](#) (Perkins 1938)
- [*Zeugodacus juxtuncinatus*](#) (Drew & Romig 2013)
- [*Zeugodacus kaghanae*](#) (Mahmood 1999)
- [*Zeugodacus khaoyaiae*](#) (Drew & Romig 2013)
- [*Zeugodacus laguniensis*](#) (Drew & Romig 2013)
- [*Zeugodacus lipsanus*](#) (Hendel 1915)
- [*Zeugodacus liquidus*](#) (Drew & Romig 2013)
- [*Zeugodacus longicaudatus*](#) (Perkins 1938)
- [*Zeugodacus longivittatus*](#) (Chua & Ooi 1998)
- [*Zeugodacus luteicinctus*](#) (Ito 2011)
- [*Zeugodacus macrophyllae*](#) (Drew & Romig 2013)
- [*Zeugodacus macrovittatus*](#) (Drew 1989)
- [*Zeugodacus maculatus*](#) (Perkins 1938)
- [*Zeugodacus maculifacies*](#) (Hardy 1973)
- [*Zeugodacus maculifemur*](#) (Hering 1938)
- [*Zeugodacus madhupuri*](#) (Leblanc, Luc & Hossain, Md & Doorenweerd, Camiel & Khan, Shakil & Momen, Mahfuza & San Jose, Michael & Rubinoff, Daniel. 2019)
- [*Zeugodacus magnicauda*](#) (White & Evenhuis 1999)
- [*Zeugodacus melanofacies*](#) (Drew & Romig 2013)
- [*Zeugodacus melanopsis*](#) (Hardy 1982)
- [*Zeugodacus menglanus*](#) (Yu Liu & Yang 2011)
- [*Zeugodacus mesonotaitha*](#) (Drew 1989)
- [*Zeugodacus minimus*](#) (Hering 1952)
- [*Zeugodacus montanus*](#) (Hardy 1983)
- [*Zeugodacus mukiae*](#) (Drew & Romig 2013)
- [*Zeugodacus mundus*](#) (Bezzi 1919)
- [*Zeugodacus nakhonnayokiae*](#) (Drew & Romig 2013)
- [*Zeugodacus namlingiae*](#) (Drew & Romig 2013)
- [*Zeugodacus neoelegantulus*](#) (White 1999)
- [*Zeugodacus neoemittens*](#) (Drew & Romig 2013)
- [*Zeugodacus neoflavipilosus*](#) (Drew & Romig 2013)
- [*Zeugodacus neolipsanus*](#) (Drew & Romig 2013)
- [*Zeugodacus neopallescentis*](#) (Drew 1989)

- [*Zeugodacus nigrifacies*](#) (Shiraki 1933)
- [*Zeugodacus ochrosterna*](#) (Drew & Romig 2013)
- [*Zeugodacus okunii*](#) (Shiraki 1933)
- [*Zeugodacus pahangiae*](#) (Drew & Romig 2013)
- [*Zeugodacus pantabanganiae*](#) (Drew & Romig 2013)
- [*Zeugodacus papuaensis*](#) (Malloch 1939)
- [*Zeugodacus paululus*](#) (Drew 1989)
- [*Zeugodacus pemalangiae*](#) (Drew & Romig 2013)
- [*Zeugodacus perplexus*](#) (Walker 1862)
- [*Zeugodacus perpusillus*](#) (Drew 1971)
- [*Zeugodacus persignatus*](#) (Hering 1941)
- [*Zeugodacus platamus*](#) (Hardy 1973)
- [*Zeugodacus proprescutellatus*](#) (Zhang Che & Gao 2011)
- [*Zeugodacus pubescens*](#) (Bezzi 1919)
- [*Zeugodacus purus*](#) (White 1999)
- [*Zeugodacus quasiinfestus*](#) (Drew & Romig 2013)
- [*Zeugodacus reflexus*](#) (Drew 1971)
- [*Zeugodacus rubellus*](#) (Hardy 1973)
- [*Zeugodacus sabahensis*](#) (Drew & Romig 2013)
- [*Zeugodacus sandaracinus*](#) (Drew 1989)
- [*Zeugodacus sasaotiae*](#) (Drew & Romig 2013)
- [*Zeugodacus scutellaris*](#) (Bezzi 1913)
- [*Zeugodacus scutellarius*](#) (Bezzi 1916)
- [*Zeugodacus scutellatus*](#) (Hendel 1912)
- [*Zeugodacus scutellinus*](#) (Bezzi 1916)
- [*Zeugodacus semisurstyli*](#) (Drew & Romig 2013)
- [*Zeugodacus semongokensis*](#) (Drew & Romig 2013)
- [*Zeugodacus sepikae*](#) (Drew 1989)
- [*Zeugodacus signatifer*](#) (Tryon 1927)
- [*Zeugodacus signatus*](#) (Hering 1941)
- [*Zeugodacus sinensis*](#) (Yu Bai & Chen 2011)
- [*Zeugodacus singularis*](#) (Drew 1989)
- [*Zeugodacus sonlaiae*](#) (Drew & Romig 2013)
- [*Zeugodacus speciosus*](#) (Drew & Romig 2013)
- [*Zeugodacus spectabilis*](#) (Drew & Romig 2013)
- [*Zeugodacus strigifinis*](#) (Walker 1861)
- [*Zeugodacus sumbensis*](#) (Hering 1953)
- [*Zeugodacus surrufulus*](#) (Drew 1989)
- [*Zeugodacus synnephes*](#) (Hendel 1913)
- [*Zeugodacus tapervitta*](#) (Mahmood 1999)
- [*Zeugodacus tappanus*](#) (Shiraki 1933)
- [*Zeugodacus tau*](#) (Walker 1849)

- [*Zeugodacus tebeduiae*](#) (Drew & Romig 2013)
- [*Zeugodacus timorensis*](#) (Perkins 1939)
- [*Zeugodacus transversus*](#) (Hardy 1982)
- [*Zeugodacus triangularis*](#) (Drew 1968)
- [*Zeugodacus trichosanthus*](#) (Drew & Romig 2013)
- [*Zeugodacus trichotus*](#) (May 1962)
- [*Zeugodacus tricuspidatae*](#) (Drew & Romig 2013)
- [*Zeugodacus trilineatus*](#) (Hardy 1955)
- [*Zeugodacus trimaculatus*](#) (Hardy & Adachi 1954)
- [*Zeugodacus trivandrumensis*](#) (Drew & Romig 2013)
- [*Zeugodacus ujungpandangiae*](#) (Drew & Romig 2013)
- [*Zeugodacus uncinatus*](#) (Drew & Romig 2013)
- [*Zeugodacus unilateralis*](#) (Drew 1989)
- [*Zeugodacus univittatus*](#) (Drew 1972)
- [*Zeugodacus urens*](#) (White 1999)
- [*Zeugodacus vargus*](#) (Hardy 1982)
- [*Zeugodacus vinnulus*](#) (Hardy 1973)
- [*Zeugodacus vultus*](#) (Hardy 1973)
- [*Zeugodacus waimitaliae*](#) (Drew & Romig 2013)
- [*Zeugodacus watersi*](#) (Hardy 1954)
- [*Zeugodacus whitei*](#) (Drew & Romig 2013)
- [*Zeugodacus yalaensis*](#) (Drew & Romig 2013)
- [*Zeugodacus yoshimotoi*](#) (Hardy 1973)
- [*Zeugodacus zahadi*](#) (Mahmood 1999)

References

1.

1. Dooreenweerd C, Leblanc L, Norrbom AS, San Jose M, Rubino D (2018) A global checklist for the 932 fruit fly species in the tribe Dacini (Diptera: Tephritidae). [ZooKeys](#) 730: 19–56. [doi: 10.3897/zookeys.730.21786](#)

Categories:

- [Dacinae](#)
- [Lists of insect species](#)
- [Lists of flies](#)
-

This is a list of 127 species in [*Yelicones*](#), a genus of wasp in the family [Braconidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

***Yelicones* species**

- [*Yelicones affinis*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones africanus*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones anchanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones anitae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones arizonus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones artitus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones ateronotus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones barroci*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones bello*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones belokobylskiji*](#) Quicke, Chishti & Chen, 1997 ^{c g}
- [*Yelicones belshawii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones bentoni*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones bicoloripes*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones boliviensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones braziliensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones buloloensis*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones butcheri*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones cameroni*](#) Szepligeti, 1902 ^{c g}
- [*Yelicones canalensis*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones cardaleae*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones colombiensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones concavus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones confusus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones contractus*](#) Papp, 1991 ^{c g}
- [*Yelicones cooki*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones crassicornis*](#) Cameron, 1887 ^{c g}
- [*Yelicones crassipes*](#) Szepligeti, 1904 ^{c g}
- [*Yelicones crassitarsis*](#) (Cameron, 1911) ^{c g}
- [*Yelicones crica*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones crurobicolor*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones delicatus*](#) (Cresson, 1872) ^{c g b}
- [*Yelicones desertus*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones diasus*](#) Areekul & Quicke, 2006 ^{c g}

- [*Yelicones divaricatus*](#) Papp, 1992 ^{c g}
- [*Yelicones doyenii*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones elegans*](#) Papp, 1992 ^{c g}
- [*Yelicones fijiensis*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones fisheri*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones fittoni*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones flavus*](#) Chen & Quicke, 1997 ^{c g}
- [*Yelicones gavinbroadi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones geminus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones gessi*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones girardozae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones glabromaculatus*](#) Belokobylskij, 1993 ^{c g}
- [*Yelicones gracilus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones hansonii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones howdeni*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones huggerti*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones infuriatus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones iranensis*](#) (Fischer, 1963) ^{c g}
- [*Yelicones joaquimi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones kibaleiensis*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones koreanus*](#) Papp, 1985 ^{c g}
- [*Yelicones kraaijeveldi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones levelus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones longiantennatus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones longigena*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones longivena*](#) Quicke, Chishti & Chen, 1997 ^{c g}
- [*Yelicones longulus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones luridus*](#) Papp, 1991 ^{c g}
- [*Yelicones luteus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones maculatus*](#) Papp, 1985 ^{c g}
- [*Yelicones magnus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones manzarii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones marutus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones mayi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones medius*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones melanocephalus*](#) Cameron, 1887 ^{c g}

- [*Yelicones minutus*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones napo*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones natsanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones naumanni*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones nigradorsum*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones nigrigaster*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones nigroantennatus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones nigrocaputus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones nigromaculatus*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones nigromarginatus*](#) Quicke & Kruft, 1995 ^{c g b}
- [*Yelicones nipponensis*](#) Togashi, 1980 ^{c g}
- [*Yelicones ormei*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones panameus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones pappi*](#) Quicke & Chishti, 1997 ^{c g}
- [*Yelicones paradoxus*](#) (Fischer, 1961) ^{c g}
- [*Yelicones paso*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennapallidus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennapunctum*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennatrum*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pennoexemplarus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones peruensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pilops*](#) Quicke & Kruft, 1995 ^{c g}
- [*Yelicones plaumanni*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones plenus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones poci*](#) Papp, 1991 ^{c g}
- [*Yelicones polaszeki*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones publicus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pulawskii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones pulcherus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones quarterus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones ramosi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones samaesanensis*](#) ^g
- [*Yelicones sangvornae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones satoishi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones scutellaris*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones setosus*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}

- [*Yelicones shawi*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones siamensis*](#) Areekul & Quicke, 2002 ^{c g}
- [*Yelicones spectabilis*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones spursus*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones sumatranus*](#) (Fischer, 1962) ^c
- [*Yelicones surinamensis*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones tavaresi*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones theinsrii*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones tricolor*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones usae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones usanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones variegatus*](#) Areekul & Quicke, 2004 ^{c g}
- [*Yelicones vespapulcher*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones vestigium*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones vilawanae*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones violaceipennis*](#) Cameron, 1887 ^{c g}
- [*Yelicones vojnitsi*](#) Papp, 1992 ^{c g}
- [*Yelicones vulgaris*](#) Quicke, Austin & Chishti, 1998 ^{c g}
- [*Yelicones woldai*](#) Quicke, Chishti & Basibuyuk, 1996 ^{c g}
- [*Yelicones wui*](#) Chen & He, 1995 ^{c g}
- [*Yelicones zaldivari*](#) Areekul & Quicke, 2006 ^{c g}
- [*Yelicones zitanae*](#) Areekul & Quicke, 2006 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Browse Yelicones"](#). Catalogue of Life. Retrieved 2018-04-11.
 - ["Yelicones"](#). GBIF. Retrieved 2018-04-11.
 - ["Yelicones Genus Information"](#). BugGuide.net. Retrieved 2018-04-11.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-11.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)

- [Lists of Hymenoptera](#)
-

This is a list of 1496 species in [Xyleborus](#), a genus of typical bark beetles in the family [Curculionidae](#).
[\[1\]\[2\]\[3\]\[4\]](#)

***Xyleborus* species**

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E-F](#)
- [G-H](#)
- [I](#)
- [J-K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-Z](#)
- [References](#)

A

- [Xyleborus abberrans](#) Schedl, 1959a ^C
- [Xyleborus abbreviata](#) Schedl, 1942a ^C
- [Xyleborus abbreviatipennis](#) Schedl, 1973e ^C
- [Xyleborus abnormis](#) Eichhoff, 1869b ^C
- [Xyleborus abruptoides](#) Schedl, 1955b ^C
- [Xyleborus abruptulus](#) Schedl, 1953f ^C
- [Xyleborus abruptus](#) Eggers, 1923a ^C
- [Xyleborus abscissus](#) Browne, 1974b ^C

- [*Xyleborus acanthodes*](#) Schedl, 1954e ^C
- [*Xyleborus acanthurus*](#) Wood & Bright, 1992 ^C
- [*Xyleborus acanthus*](#) Schedl, 1952i ^C
- [*Xyleborus accomodatus*](#) Schedl, 1966f ^C
- [*Xyleborus aceris*](#) Kurenzov, 1941a ^C
- [*Xyleborus aclinis*](#) Wood, 1974a ^C
- [*Xyleborus acuminatus*](#) Schedl, 1970e ^C
- [*Xyleborus acuticornis*](#) Schedl, 1957d ^C
- [*Xyleborus acutus*](#) Schedl, 1975f ^C
- [*Xyleborus adamsoni*](#) Beeson, 1935a ^C
- [*Xyleborus addendus*](#) Schedl, 1964e ^C
- [*Xyleborus adelographus*](#) Eichhoff, 1868a ^C
- [*Xyleborus adjunctus*](#) Eggers, 1924 ^C
- [*Xyleborus adossuarius*](#) Schedl, 1952b ^C
- [*Xyleborus adspersus*](#) Schedl, 1958k ^C
- [*Xyleborus adumbratus*](#) Blandford, 1894d ^C
- [*Xyleborus adunculus*](#) Schedl, 1961e ^C
- [*Xyleborus aduncus*](#) Schedl, 1961e ^C
- [*Xyleborus adusticollis*](#) Wood & Bright, 1992 ^C
- [*Xyleborus adustus*](#) Eggers, 1923a ^C
- [*Xyleborus aegir*](#) Eggers, 1922b ^C
- [*Xyleborus aequalis*](#) Wood & Bright, 1992 ^C
- [*Xyleborus aequatorensis*](#) Eggers, 1940b ^C
- [*Xyleborus aesculi*](#) Ferrari, 1867a ^C
- [*Xyleborus affinis*](#) Eichhoff, 1868 ^{i c b} (sugarcane shot-hole borer)
- [*Xyleborus africanus*](#) Eggers, 1927a ^C
- [*Xyleborus agamus*](#) Perkins, 1900 ^{i c}
- [*Xyleborus agathis*](#) Browne, 1984b ^C
- [*Xyleborus aglaiae*](#) Browne, 1984a ^C
- [*Xyleborus agnaticeps*](#) Schedl, 1957d ^C
- [*Xyleborus agnatus*](#) Eggers, 1923a ^C
- [*Xyleborus agraphus*](#) Schedl, 1977f ^C
- [*Xyleborus albizzianus*](#) Schedl, 1950d ^C
- [*Xyleborus algidus*](#) Schedl, 1979b ^C
- [*Xyleborus alienus*](#) Schedl, 1977c ^C
- [*Xyleborus allecta*](#) Schedl, 1942d ^C

- [*Xyleborus alluaudi*](#) Schaufuss, C.F.C., 1897a ^C
- [*Xyleborus alni*](#) Niisima, 1909 ^C
- [*Xyleborus alpha*](#) Beeson, 1929 ^C
- [*Xyleborus alpinus*](#) Schedl, 1957d ^C
- [*Xyleborus alsapanicus*](#) Schedl, 1951i ^C
- [*Xyleborus alter*](#) Eggers, 1931a ^C
- [*Xyleborus alternans*](#) Eichhoff, 1869a ^C
- [*Xyleborus atilis*](#) Schedl, 1966f ^C
- [*Xyleborus amanicus*](#) Hagedorn, 1910b ^C
- [*Xyleborus amarantum*](#) Schedl, 1942a ^C
- [*Xyleborus ambasinotatus*](#) Schedl, 1978c ^C
- [*Xyleborus ambasipennis*](#) Schedl, 1957d ^C
- [*Xyleborus ambasius*](#) Hagedorn, 1912a ^C
- [*Xyleborus ambasiusculus*](#) Eggers, 1920 ^C
- [*Xyleborus amoenus*](#) Schedl, 1948f ^C
- [*Xyleborus amorphus*](#) Eggers, 1926b ^C
- [*Xyleborus amphicauda*](#) Browne, 1986c ^C
- [*Xyleborus amphicranoides*](#) Hagedorn, 1908 ^C
- [*Xyleborus amphicranulus*](#) Eggers, 1923a ^C
- [*Xyleborus amplexicauda*](#) Hagedorn, 1910b ^C
- [*Xyleborus amplicollis*](#) Eichhoff, 1869a ^C
- [*Xyleborus amputatus*](#) Blandford, 1894c ^C
- [*Xyleborus analis*](#) Schedl, 1973e ^C
- [*Xyleborus analogus*](#) Schedl, 1948f ^C
- [*Xyleborus andamanensis*](#) Blandford, 1896b ^C
- [*Xyleborus andrewesi*](#) Blandford, 1896b ^C
- [*Xyleborus andriani*](#) Schedl, 1965c ^C
- [*Xyleborus anepotulus*](#) Eggers, 1940d ^C
- [*Xyleborus angolensis*](#) Schedl, 1959p ^C
- [*Xyleborus angustatulus*](#) Schedl, 1942d ^C
- [*Xyleborus angustatus*](#) Eichhoff, 1866 ^C
- [*Xyleborus angustior*](#) Eggers, 1925 ^C
- [*Xyleborus anisandrus*](#) Schedl, 1954b ^C
- [*Xyleborus anisopterae*](#) Browne, 1983a ^C
- [*Xyleborus ankius*](#) Schedl, 1975f ^C
- [*Xyleborus annectens*](#) Schedl, 1957d ^C

- [*Xyleborus annexus*](#) Schedl, 1973e ^C
- [*Xyleborus anomalus*](#) Schedl, 1955b ^C
- [*Xyleborus anoplum*](#) Schedl, 1975f ^C
- [*Xyleborus antaisaka*](#) Schedl, 1953d ^C
- [*Xyleborus antanala*](#) Schedl, 1953d ^C
- [*Xyleborus apertus*](#) Schedl, 1939e ^C
- [*Xyleborus apicalis*](#) Blandford, 1894d ^C
- [*Xyleborus apicenotatus*](#) Schedl, 1971c ^C
- [*Xyleborus apicipenne*](#) Schedl, 1974d ^C
- [*Xyleborus apiculatus*](#) Schedl, 1942a ^C
- [*Xyleborus aplanatideclivis*](#) Schedl, 1942c ^C
- [*Xyleborus aplanatus*](#) Wichmann, H.E., 1914a ^C
- [*Xyleborus approximatus*](#) Schedl, 1951i ^C
- [*Xyleborus aquilus*](#) Blandford, 1894d ^C
- [*Xyleborus araguensis*](#) Wood, 2007 ^C
- [*Xyleborus araujiae*](#) Brèthes, 1921b ^C
- [*Xyleborus arbuti*](#) Hopkins, 1915b ^C
- [*Xyleborus arcticollis*](#) Blandford, 1896b ^C
- [*Xyleborus arcturus*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus arduus*](#) Schedl, 1942a ^C
- [*Xyleborus argentinensis*](#) Schedl, 1931c ^C
- [*Xyleborus aries*](#) Schedl, 1969b ^C
- [*Xyleborus armaticeps*](#) Schedl, 1942a ^C
- [*Xyleborus armatus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus armifer*](#) Schedl, 1942c ^C
- [*Xyleborus armiger*](#) Schedl, 1953e ^C
- [*Xyleborus armillatus*](#) Schedl, 1933d ^C
- [*Xyleborus arquatus*](#) Sampson, 1912 ^C
- [*Xyleborus artecomans*](#) Schedl, 1953e ^C
- [*Xyleborus artecuneolus*](#) Schedl, 1939n ^C
- [*Xyleborus artecylindrus*](#) Schedl, 1942a ^C
- [*Xyleborus artegranulatus*](#) Schedl, 1937b ^C
- [*Xyleborus artegrapha*](#) Schedl, 1942d ^C
- [*Xyleborus artehybridus*](#) Schedl, 1951i ^C
- [*Xyleborus artelaevis*](#) Schedl, 1942a ^C
- [*Xyleborus artelineatus*](#) Beeson, 1929 ^C

- [*Xyleborus artelongus*](#) Schedl, 1957d ^C
- [*Xyleborus artemarginatus*](#) Schedl, 1975a ^C
- [*Xyleborus artespinosus*](#) Schedl, 1935d ^C
- [*Xyleborus artestriatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus artetenuis*](#) Schedl, 1973a ^C
- [*Xyleborus artifex*](#) Schedl, 1942d ^C
- [*Xyleborus ashuensis*](#) Murayama, 1954b ^C
- [*Xyleborus asper*](#) Eggers, 1933b ^C
- [*Xyleborus asperatus*](#) Blandford, 1895a ^C
- [*Xyleborus aspericauda*](#) Eggers, 1941a ^C
- [*Xyleborus asperipennis*](#) Eggers, 1934b ^C
- [*Xyleborus asperipunctatus*](#) Eggers, 1933b ^C
- [*Xyleborus asperrimus*](#) Schedl, 1975a ^C
- [*Xyleborus aspersus*](#) Sampson, 1921 ^C
- [*Xyleborus asperulus*](#) Eggers, 1931a ^C
- [*Xyleborus assamensis*](#) Eggers, 1930d ^C
- [*Xyleborus assiduus*](#) Schedl, 1961i ^C
- [*Xyleborus assimilis*](#) Eggers, 1927b ^C
- [*Xyleborus associatus*](#) Schedl, 1976a ^C
- [*Xyleborus astutus*](#) Schedl, 1954a ^C
- [*Xyleborus atava*](#) Schedl, 1979g ^C
- [*Xyleborus ater*](#) Eggers, 1923a ^C
- [*Xyleborus aterrimus*](#) Eggers, 1927b ^C
- [*Xyleborus atlanticus*](#) Bright & Torres, 2006 ^C
- [*Xyleborus atratus*](#) Eichhoff, 1875 ^C
- [*Xyleborus attenuatus*](#) Blandford, 1894d ^C
- [*Xyleborus auratus*](#) Eggers, 1923a ^C
- [*Xyleborus aurilegulus*](#) Schaufuss, C.F.C., 1897b ^C
- [*Xyleborus australis*](#) Schedl, 1980b ^C

B

- [*Xyleborus baculum*](#) Beeson, 1929 ^C
- [*Xyleborus badius*](#) Eichhoff, 1869a ^C
- [*Xyleborus balanocarp*](#)i Nunberg, 1961b ^C
- [*Xyleborus balbalanus*](#) Eggers, 1927c ^C
- [*Xyleborus bambesanus*](#) Eggers, 1940c ^C

- [*Xyleborus banjoewangi*](#) Schedl, 1939f ^C
- [*Xyleborus banksiae*](#) Schedl, 1964d ^C
- [*Xyleborus barbatogranosus*](#) Schedl, 1942d ^C
- [*Xyleborus barbatoides*](#) Schedl, 1971c ^C
- [*Xyleborus barbatulus*](#) Schedl, 1934d ^C
- [*Xyleborus barbatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus barumbuensis*](#) Eggers, 1924 ^C
- [*Xyleborus basalis*](#) Schedl, 1972e ^C
- [*Xyleborus batoensis*](#) Eggers, 1923a ^C
- [*Xyleborus beckeri*](#) Bright, 1972d ^C
- [*Xyleborus bella*](#) Sampson, 1921 ^C
- [*Xyleborus benguetensis*](#) Schedl, 1951i ^C
- [*Xyleborus betsileo*](#) Schedl, 1965c ^C
- [*Xyleborus bezanozano*](#) Schedl, 1961e ^C
- [*Xyleborus bicinctulus*](#) Schedl, 1974f ^C
- [*Xyleborus bicinctum*](#) Schedl, 1965c ^C
- [*Xyleborus bicinctus*](#) Schedl, 1972g ^C
- [*Xyleborus bicolor*](#) Blandford, 1894d ^C
- [*Xyleborus biconicus*](#) Eggers, 1928c ^C
- [*Xyleborus bicornatulus*](#) Wood, 1967c ^C
- [*Xyleborus bicornioides*](#) Schedl, 1952b ^C
- [*Xyleborus bicornis*](#) Eggers, 1923a ^C
- [*Xyleborus bicornutus*](#) Wood, 1974a ^C
- [*Xyleborus bicostatus*](#) Sampson, 1921 ^C
- [*Xyleborus bicuspis*](#) Eggers, 1940d ^C
- [*Xyleborus bidentatus*](#) Wood & Bright, 1992 ^C
- [*Xyleborus bimaculatus*](#) Eggers, 1927c ^C
- [*Xyleborus biographus*](#) LeConte, 1868 ^C
- [*Xyleborus birmanus*](#) Eggers, 1930d ^C
- [*Xyleborus biseriatus*](#) Schedl, 1963d ^C
- [*Xyleborus bismarcensis*](#) Browne, 1966 ^C
- [*Xyleborus bispinatus*](#) Eichhoff, 1868c ^{C b}
- [*Xyleborus bispinosulus*](#) Schedl, 1961c ^C
- [*Xyleborus bispinus*](#) Nobuchi, 1981d ^C
- [*Xyleborus bituberculatum*](#) Eggers, 1923a ^C
- [*Xyleborus biuncus*](#) Browne, 1984d ^C

- [*Xyleborus blandus*](#) Schedl, 1954c ^C
- [*Xyleborus bobiriae*](#) Schedl, 1957e ^C
- [*Xyleborus bodoanus*](#) Reitter, 1913a ^C
- [*Xyleborus boeni*](#) Schedl, 1953d ^C
- [*Xyleborus bolivianus*](#) Eggers, 1943a ^C
- [*Xyleborus borneensis*](#) Eggers, 1927c ^C
- [*Xyleborus bostrichoides*](#) Schedl, 1956a ^C
- [*Xyleborus brasiliensis*](#) Eggers, 1928c ^C
- [*Xyleborus brevicollis*](#) Browne, 1984d ^C
- [*Xyleborus brevidentatus*](#) Eggers, 1930d ^C
- [*Xyleborus brevipennis*](#) Schedl, 1971c ^C
- [*Xyleborus brevipilosus*](#) Eggers, 1940d ^C
- [*Xyleborus brevis*](#) Eichhoff, 1877a ^C
- [*Xyleborus brevius*](#) Eggers, 1923a ^C
- [*Xyleborus breviusculus*](#) Schedl, 1942a ^C
- [*Xyleborus brighti*](#) Schedl, 1974f ^C
- [*Xyleborus brownei*](#) Schedl, 1964k ^C
- [*Xyleborus brunneipes*](#) Eggers, 1940d ^C
- [*Xyleborus brunneus*](#) Browne, 1981b ^C
- [*Xyleborus bryanti*](#) Sampson, 1919 ^C
- [*Xyleborus bucco*](#) Schaufuss, C.F.C., 1897a ^C
- [*Xyleborus burgdorfi*](#) Hopkins, 1915b ^C
- [*Xyleborus burmanicus*](#) Beeson, 1930 ^C
- [*Xyleborus buscki*](#) Hopkins, 1915b ^C
- [*Xyleborus butamali*](#) Beeson, 1930 ^C
- [*Xyleborus buxtoni*](#) Beeson, 1929 ^C

C

- [*Xyleborus cachani*](#) Schedl, 1958j ^C
- [*Xyleborus cachoeirinhae*](#) Schedl, 1951m ^C
- [*Xyleborus cacuminatus*](#) Eggers, 1928c ^C
- [*Xyleborus caelator*](#) Browne, 1955 ^C
- [*Xyleborus caelebs*](#) Blandford, 1898b ^C
- [*Xyleborus calamoides*](#) Murayama, 1934c ^C
- [*Xyleborus caldensis*](#) Wood, 2007 ^C
- [*Xyleborus californicus*](#) Wood, 1975 ^{i C}

- [*Xyleborus calvus*](#) Schedl, 1942a ^C
- [*Xyleborus camela*](#) Eggers, 1940d ^C
- [*Xyleborus camerunus*](#) Hagedorn, 1910b ^C
- [*Xyleborus camopinus*](#) Hagedorn, 1903b ^C
- [*Xyleborus camphorae*](#) Hagedorn, 1908 ^C
- [*Xyleborus canadensis*](#) Swaine, J.M., 1917 ^C
- [*Xyleborus canarii*](#) Browne, 1984a ^C
- [*Xyleborus canarivorus*](#) Browne, 1986a ^C
- [*Xyleborus cancellatus*](#) Eggers, 1936e ^C
- [*Xyleborus canus*](#) Niisima, 1909 ^C
- [*Xyleborus capensis*](#) Eggers, 1944b ^C
- [*Xyleborus capito*](#) Schaufuss, C.F.C., 1897a ^C
- [*Xyleborus capucinoides*](#) Eggers, 1941a ^C
- [*Xyleborus capucinus*](#) Eichhoff, 1869b ^C
- [*Xyleborus caraibicus*](#) Eggers, 1941a ^C
- [*Xyleborus carbonarius*](#) Eggers, 1927a ^C
- [*Xyleborus carinensis*](#) Eggers, 1923a ^C
- [*Xyleborus carinipennis*](#) Eichhoff, 1868c ^C
- [*Xyleborus carinulatus*](#) Eggers, 1920 ^C
- [*Xyleborus catharinensis*](#) Eggers, 1928c ^C
- [*Xyleborus catulus*](#) Blandford, 1898b ^C
- [*Xyleborus caudatus*](#) Schedl, 1957d ^C
- [*Xyleborus cavatus*](#) Browne, 1980c ^C
- [*Xyleborus cavuloides*](#) Browne, 1984c ^C
- [*Xyleborus cavulus*](#) Browne, 1974b ^C
- [*Xyleborus celsoides*](#) Hagedorn, 1908 ^C
- [*Xyleborus celsus*](#) Eichhoff, 1868 ^{i c b}
- [*Xyleborus ceramensis*](#) Schedl, 1937e ^C
- [*Xyleborus cerasi*](#) Eggers, 1937b ^C
- [*Xyleborus chimbui*](#) Schedl, 1973f ^C
- [*Xyleborus chrysophylli*](#) Eggers, 1930d ^C
- [*Xyleborus chujoi*](#) Schedl, 1951i ^C
- [*Xyleborus ciliatoformis*](#) Schedl, 1953f ^C
- [*Xyleborus ciliatus*](#) Eggers, 1940d ^C
- [*Xyleborus cinchonae*](#) Veen, H., 1897 ^C
- [*Xyleborus cinctipennis*](#) Schedl, 1980b ^C

- [*Xyleborus cinctipes*](#) Schedl, 1979g ^C
- [*Xyleborus circulicauda*](#) Browne, 1974a ^C
- [*Xyleborus circumcisulus*](#) Schedl, 1954a ^C
- [*Xyleborus circumcisum*](#) Sampson, 1921 ^C
- [*Xyleborus circumdentatus*](#) Schedl, 1938h ^C
- [*Xyleborus circumspinosus*](#) Schedl, 1972i ^C
- [*Xyleborus citri*](#) Beeson, 1930 ^C
- [*Xyleborus clerodendronae*](#) Schedl, 1952i ^C
- [*Xyleborus coartatus*](#) Sampson, 1921 ^C
- [*Xyleborus coccotrypoides*](#) Eggers, 1943a ^C
- [*Xyleborus coffeicola*](#) Campos Novaes, 1922 ^C
- [*Xyleborus coffeae*](#) Wurth, T., 1908 ^C
- [*Xyleborus coffeiceus*](#) Schedl, 1951b ^C
- [*Xyleborus coffeivorus*](#) Weele, H.W. van der, 1910 ^C
- [*Xyleborus cognatus*](#) Blandford, 1896a ^C
- [*Xyleborus collaris*](#) Eggers, 1923a ^C
- [*Xyleborus collarti*](#) Eggers, 1932d ^C
- [*Xyleborus collis*](#) Niisima, 1910a ^C
- [*Xyleborus colossus*](#) Blandford, 1896b ^C
- [*Xyleborus comans*](#) Sampson, 1919 ^C
- [*Xyleborus commixtus*](#) Blandford, 1898b ^C
- [*Xyleborus compactus*](#) Eichhoff, 1875 ^C
- [*Xyleborus comparabilis*](#) Schedl, 1957d ^C
- [*Xyleborus comptus*](#) Sampson, 1919 ^C
- [*Xyleborus concentus*](#) Wood, 1974a ^C
- [*Xyleborus concinnus*](#) Beeson, 1930 ^C
- [*Xyleborus concisus*](#) Blandford, 1894d ^C
- [*Xyleborus concitatus*](#) Schedl, 1969a ^C
- [*Xyleborus conditus*](#) Schedl, 1971c ^C
- [*Xyleborus confinis*](#) Eggers, 1923a ^C
- [*Xyleborus confluens*](#) Schedl, 1966f ^C
- [*Xyleborus conformis*](#) Schedl (Kollar in), 1962j ^C
- [*Xyleborus confusus*](#) Eichhoff, 1868a ^C
- [*Xyleborus congonus*](#) Hagedorn, 1908 ^C
- [*Xyleborus congruens*](#) Schedl, 1966f ^C
- [*Xyleborus conidens*](#) Eggers, 1936d ^C

- [*Xyleborus conifer*](#) Hagedorn, 1905 ^C
- [*Xyleborus conradti*](#) Hagedorn, 1910b ^C
- [*Xyleborus consimilis*](#) Eggers, 1923a ^C
- [*Xyleborus consobrinus*](#) Eggers, 1932d ^C
- [*Xyleborus conspeciens*](#) Schedl, 1936i ^C
- [*Xyleborus conspectus*](#) Schedl, 1964g ^C
- [*Xyleborus consularis*](#) Schedl, 1955b ^C
- [*Xyleborus continentalis*](#) Eggers, 1920 ^C
- [*Xyleborus convexicauda*](#) Eggers, 1932d ^C
- [*Xyleborus cordatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus corniculatulus*](#) Schedl, 1948f ^C
- [*Xyleborus corniculatus*](#) Schedl, 1948f ^C
- [*Xyleborus cornivorus*](#) Murayama, 1950c ^C
- [*Xyleborus cornutus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus coronatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus corporaali*](#) Eggers, 1923a ^C
- [*Xyleborus corpulentus*](#) Eggers, 1930d ^C
- [*Xyleborus corrugatum*](#) Schedl, 1951i ^C
- [*Xyleborus corruptus*](#) Schedl, 1962j ^C
- [*Xyleborus corthyloides*](#) Schedl, 1934d ^C
- [*Xyleborus costaricensis*](#) Blandford, 1898b ^C
- [*Xyleborus costatomorphus*](#) Schedl, 1950g ^C
- [*Xyleborus costipennis*](#) Schedl, 1959a ^C
- [*Xyleborus costulatus*](#) Eggers, 1940d ^C
- [*Xyleborus covinus*](#) Reitter, 1913a ^C
- [*Xyleborus crassitarsus*](#) Schedl, 1936j ^C
- [*Xyleborus crassus*](#) Hagedorn, 1910b ^C
- [*Xyleborus crenatus*](#) Eggers, 1920 ^C
- [*Xyleborus crenulatus*](#) Eggers, 1920 ^C
- [*Xyleborus cribratus*](#) Eggers, 1940d ^C
- [*Xyleborus cribripennis*](#) Eggers, 1927a ^C
- [*Xyleborus crinitulus*](#) Wood, 1974a ^C
- [*Xyleborus crinitus*](#) Schedl, 1962j ^C
- [*Xyleborus cristatuloides*](#) Schedl, 1971a ^C
- [*Xyleborus cristatus*](#) Hagedorn, 1908 ^C
- [*Xyleborus criticus*](#) Schedl, 1950g ^C

- [*Xyleborus cruciatus*](#) Schedl, 1973e ^C
- [*Xyleborus crucifer*](#) Hagedorn, 1908 ^C
- [*Xyleborus cruciferinum*](#) Schedl, 1957d ^C
- [*Xyleborus cruciforme*](#) Schedl, 1957d ^C
- [*Xyleborus crucipenne*](#) Schedl, 1962j ^C
- [*Xyleborus cruralis*](#) Schedl, 1975e ^C
- [*Xyleborus cryphaloides*](#) Schedl, 1942a ^C
- [*Xyleborus cryptographus*](#) Wood & Bright, 1992 ^C
- [*Xyleborus cucullatus*](#) Blandford, 1894d ^C
- [*Xyleborus cuneatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus cuneidentis*](#) Schedl, 1961e ^C
- [*Xyleborus cuneiformis*](#) Schedl, 1958b ^C
- [*Xyleborus cuneipennis*](#) Schedl, 1950d ^C
- [*Xyleborus cuneolosus*](#) Schedl, 1959a ^C
- [*Xyleborus cuneolus*](#) Eggers, 1927c ^C
- [*Xyleborus cupulatus*](#) Schedl, 1961e ^C
- [*Xyleborus curtidentis*](#) Schedl, 1961e ^C
- [*Xyleborus curtuloides*](#) Eggers, 1941a ^C
- [*Xyleborus curtulus*](#) Eichhoff, 1869a ^C
- [*Xyleborus curtus*](#) Eggers, 1928c ^C
- [*Xyleborus curvatus*](#) Browne, 1986a ^C
- [*Xyleborus curvidentis*](#) Schedl, 1958b ^C
- [*Xyleborus curvipenne*](#) Schedl, 1951i ^C
- [*Xyleborus cuspidus*](#) Schedl, 1975f ^C
- [*Xyleborus cyclopus*](#) Schedl, 1940b ^C
- [*Xyleborus cylindrica*](#) Eggers, 1927c ^C
- [*Xyleborus cylindriiformis*](#) Schedl, 1942c ^C
- [*Xyleborus cylindripennis*](#) Schedl, 1954a ^C
- [*Xyleborus cylindromorphus*](#) Eggers, 1927c ^C
- [*Xyleborus cylindrus*](#) Schedl, 1951i ^C

D

- [*Xyleborus dalbergiae*](#) Eggers, 1930d ^C
- [*Xyleborus daosi*](#) Schedl, 1958j ^C
- [*Xyleborus darwini*](#) Schedl, 1972a ^C
- [*Xyleborus dasyurus*](#) Browne, 1950b ^C

- [*Xyleborus dearmatus*](#) Eggers, 1923a ^C
- [*Xyleborus decipiens*](#) Eggers, 1923a ^C
- [*Xyleborus declivigranulatus*](#) Schedl, 1936j ^C
- [*Xyleborus declivis*](#) Eichhoff, 1869a ^C
- [*Xyleborus declivispinatus*](#) Schedl, 1969b ^C
- [*Xyleborus decorus*](#) Schedl, 1960i ^C
- [*Xyleborus decumans*](#) Schedl, 1953c ^C
- [*Xyleborus defensus*](#) Blandford, 1894d ^C
- [*Xyleborus deformatus*](#) Browne, 1974a ^C
- [*Xyleborus delicatum*](#) Schedl, 1955b ^C
- [*Xyleborus demissus*](#) Wood, 1974a ^C
- [*Xyleborus densatus*](#) Schedl, 1979g ^C
- [*Xyleborus denseseriatulus*](#) Eggers, 1941b ^C
- [*Xyleborus densicornis*](#) Schedl, 1957d ^C
- [*Xyleborus dentatulus*](#) Browne, 1981a ^C
- [*Xyleborus dentatus*](#) Blandford, 1895a ^C
- [*Xyleborus dentellus*](#) Schedl, 1953d ^C
- [*Xyleborus dentibaris*](#) Schedl, 1961e ^C
- [*Xyleborus denticulus*](#) Mandelshtam & Nikitsky, 2010 ^C
- [*Xyleborus dentipennis*](#) Browne, 1983a ^C
- [*Xyleborus deplanatulus*](#) Schedl, 1950f ^C
- [*Xyleborus deplanatus*](#) Eggers, 1933b ^C
- [*Xyleborus depressurus*](#) Browne, 1985a ^C
- [*Xyleborus derelictus*](#) Hagedorn, 1910b ^C
- [*Xyleborus derupteterminatus*](#) Schedl, 1951i ^C
- [*Xyleborus deruptulus*](#) Schedl, 1942d ^C
- [*Xyleborus desertus*](#) Schedl, 1971c ^C
- [*Xyleborus despectus*](#) Schedl, 1975j ^C
- [*Xyleborus dstrictum*](#) Schedl, 1939e ^C
- [*Xyleborus destruens*](#) Blandford, 1896b ^C
- [*Xyleborus detectus*](#) Schedl, 1975a ^C
- [*Xyleborus detritus*](#) Eggers, 1927b ^C
- [*Xyleborus devexulus*](#) Wood, 1978b ^C
- [*Xyleborus devexus*](#) Wood, 1977b ^C
- [*Xyleborus devius*](#) Schedl, 1979g ^C
- [*Xyleborus diapiformis*](#) Schedl, 1961e ^C

- [*Xyleborus dichrous*](#) Eichhoff, 1868c ^C
- [*Xyleborus difficilis*](#) Eggers, 1923a ^C
- [*Xyleborus diglyptus*](#) Schedl, 1956a ^C
- [*Xyleborus dihingensis*](#) Schedl, 1951i ^C
- [*Xyleborus dilatatifomis*](#) Schedl, 1971a ^C
- [*Xyleborus dilatatus*](#) Schedl, 1953b ^C
- [*Xyleborus dilatatus*](#) Eichhoff, 1878b ^C
- [*Xyleborus diligens*](#) Schedl, 1957d ^C
- [*Xyleborus dimidiatus*](#) Eggers, 1927b ^C
- [*Xyleborus discolor*](#) Blandford, 1898a ^C
- [*Xyleborus discrepans*](#) Schedl, 1950d ^C
- [*Xyleborus discretus*](#) Eggers, 1933b ^C
- [*Xyleborus dispar*](#) (Fabricius, 1792) ^C
- [*Xyleborus dissidens*](#) Wood, 1974a ^C
- [*Xyleborus dissimulatus*](#) Wood, 1974a ^C
- [*Xyleborus distinguendus*](#) Eggers, 1930d ^C
- [*Xyleborus diversepilosus*](#) Eggers, 1941b ^C
- [*Xyleborus diversicolor*](#) Eggers, 1923a ^C
- [*Xyleborus diversipennis*](#) Schedl, 1951j ^C
- [*Xyleborus diversus*](#) Schedl, 1954e ^C
- [*Xyleborus docta*](#) Schedl, 1975f ^C
- [*Xyleborus doliaris*](#) Schedl, 1959a ^C
- [*Xyleborus dolosus*](#) Blandford, 1896b ^C
- [*Xyleborus donisthorpi*](#) Schedl, 1951i ^C
- [*Xyleborus dorsalis*](#) Schedl, 1965g ^C
- [*Xyleborus dorsosulcatus*](#) Beeson, 1930 ^C
- [*Xyleborus dossuarius*](#) Eggers, 1923a ^C
- [*Xyleborus dryographus*](#) Wood & Bright, 1992 ^{C g}
- [*Xyleborus dubiosus*](#) Perkins, 1900 ^{i C}
- [*Xyleborus dubius*](#) Eggers, 1923a ^C
- [*Xyleborus duodecimspinus*](#) Schedl, 1936g ^C
- [*Xyleborus duplex*](#) Browne, 1974a ^C
- [*Xyleborus duplicatus*](#) Eggers, 1923a ^C
- [*Xyleborus duploarmatus*](#) Browne, 1962c ^C
- [*Xyleborus duponti*](#) Montrouzier, 1861 ^C
- [*Xyleborus duprezi*](#) Hoffmann, A., 1936 ^C

E-F

- [*Xyleborus ebenus*](#) Wood, 1971 ^C
- [*Xyleborus ebriosus*](#) Niisima, 1909 ^C
- [*Xyleborus eccoptopterus*](#) Schedl, 1951k ^C
- [*Xyleborus eggersi*](#) Beeson, 1930 ^C
- [*Xyleborus eggersianus*](#) Schedl, 1960i ^C
- [*Xyleborus eichhoffi*](#) Schreiner, 1882 ^C
- [*Xyleborus eichhoffianus*](#) Schedl, 1950h ^C
- [*Xyleborus elegans*](#) Sampson, 1923b ^C
- [*Xyleborus elevatus*](#) Eggers, 1931a ^C
- [*Xyleborus elongatus*](#) Eggers, 1920 ^C
- [*Xyleborus emarginatus*](#) Schedl, 1952k ^C
- [*Xyleborus erinacea*](#) Eggers, 1927c ^C
- [*Xyleborus erygraphus*](#) (Ratzeburg, 1837) ^g
- [*Xyleborus eucalyptica*](#) Schedl, 1938f ^C
- [*Xyleborus eugeniae*](#) Eggers, 1930d ^C
- [*Xyleborus eupatorii*](#) Eggers, 1940d ^C
- [*Xyleborus eurygraphus*](#) Wood & Bright, 1992 ^{C g}
- [*Xyleborus exactus*](#) Schedl, 1964i ^C
- [*Xyleborus exaratus*](#) Blandford, 1898b ^C
- [*Xyleborus excavatus*](#) Hagedorn, 1907b ^C
- [*Xyleborus excavus*](#) Schedl, 1964g ^C
- [*Xyleborus exesus*](#) Blandford, 1894d ^C
- [*Xyleborus exilis*](#) Schedl, 1934e ^C
- [*Xyleborus eximius*](#) Schedl, 1970b ^C
- [*Xyleborus exsculpta*](#) Eggers, 1927c ^C
- [*Xyleborus exsectus*](#) Perkins, 1900 ^{i C}
- [*Xyleborus extensa*](#) Schedl, 1955b ^C
- [*Xyleborus exutus*](#) Wood, 1974a ^C
- [*Xyleborus fabricii*](#) Schedl, 1964k ^C
- [*Xyleborus facetus*](#) Schedl, 1965f ^C
- [*Xyleborus falcarius*](#) Schedl, 1942c ^C
- [*Xyleborus fallaciosus*](#) Schedl, 1957d ^C
- [*Xyleborus fallax*](#) Eichhoff, 1878b ^C
- [*Xyleborus fallaxoides*](#) Schedl, 1955b ^C
- [*Xyleborus falsus*](#) Schedl, 1966f ^C

- [*Xyleborus familiaris*](#) Schedl, 1965c ^C
- [*Xyleborus fastigatus*](#) Schedl, 1935b ^C
- [*Xyleborus felix*](#) Schedl, 1971g ^C
- [*Xyleborus femoratus*](#) Eggers, 1928c ^C
- [*Xyleborus ferinus*](#) Schedl, 1936j ^C
- [*Xyleborus ferox*](#) Blandford, 1898b ^C
- [*Xyleborus ferrugineus*](#) (Fabricius, 1801) ^{i c b}
- [*Xyleborus festivus*](#) Eichhoff, 1875 ^C
- [*Xyleborus ficus*](#) Eggers, 1927a ^C
- [*Xyleborus figuratus*](#) Schedl, 1959a ^C
- [*Xyleborus fijianus*](#) Schedl, 1938f ^C
- [*Xyleborus filiformis*](#) Schedl, 1975f ^C
- [*Xyleborus fischeri*](#) Hagedorn, 1908 ^C
- [*Xyleborus fitchi*](#) Hopkins, 1915b ^C
- [*Xyleborus flavipennis*](#) Schedl, 1979g ^C
- [*Xyleborus flavopilosus*](#) Schedl, 1936g ^C
- [*Xyleborus flexiocostatus*](#) Schedl, 1942d ^C
- [*Xyleborus flohri*](#) Schedl, 1972g ^C
- [*Xyleborus floridensis*](#) Hopkins, 1915b ^C
- [*Xyleborus foederatus*](#) Schedl, 1963f ^C
- [*Xyleborus foersteri*](#) Hagedorn, 1910b ^C
- [*Xyleborus forcipatus*](#) Schedl, 1957d ^C
- [*Xyleborus forficatus*](#) Schedl, 1957d ^C
- [*Xyleborus forficuloides*](#) Schedl, 1951j ^C
- [*Xyleborus forficulus*](#) Eggers, 1922b ^C
- [*Xyleborus formosae*](#) Wood, 1992a ^C
- [*Xyleborus formosanus*](#) Eggers, 1930d ^C
- [*Xyleborus fornication*](#) Eggers, 1923a ^C
- [*Xyleborus fornicatus*](#) Eichhoff, 1868c ^C
- [*Xyleborus fouqueti*](#) Schedl, 1937f ^C
- [*Xyleborus foveicollis*](#) Browne, 1950b ^C
- [*Xyleborus fragosus*](#) Schedl, 1942d ^C
- [*Xyleborus fraterculus*](#) Schaufuss, C.F.C., 1905 ^C
- [*Xyleborus fraternus*](#) Blandford, 1896b ^C
- [*Xyleborus frigidus*](#) Blackburn, 1885 ^C
- [*Xyleborus fukiensis*](#) Eggers, 1941b ^C

- [*Xyleborus fulgens*](#) Schedl, 1975f ^C
- [*Xyleborus fuliginosus*](#) Eggers, 1923a ^C
- [*Xyleborus fulvulus*](#) Schedl, 1942d ^C
- [*Xyleborus fulvus*](#) Murayama, 1936a ^C
- [*Xyleborus funebris*](#) Schedl, 1976a ^C
- [*Xyleborus funereus*](#) Lea, 1910 ^C
- [*Xyleborus funestus*](#) Schedl, 1979g ^C
- [*Xyleborus fuscatus*](#) Eichhoff, 1868a ^C
- [*Xyleborus fuscipilosus*](#) Eggers, 1940d ^C
- [*Xyleborus fusciseriatus*](#) Eggers, 1934a ^C
- [*Xyleborus fuscobrunneus*](#) Eichhoff, 1878b ^C
- [*Xyleborus fuscus*](#) Eggers, 1923a ^C
- [*Xyleborus fuyugei*](#) Schedl, 1973f ^C

G-H

- [*Xyleborus galeatus*](#) Blandford, 1894d ^C
- [*Xyleborus ganshoensis*](#) Murayama, 1952a ^C
- [*Xyleborus geayi*](#) Hagedorn, 1905a ^C
- [*Xyleborus geminatus*](#) Hagedorn, 1904d ^C
- [*Xyleborus gentilis*](#) Schedl, 1972g ^C
- [*Xyleborus germanus*](#) Blandford, 1894d ^C
- [*Xyleborus gezei*](#) Lepesme, 1942c ^C
- [*Xyleborus gibber*](#) Schedl, 1961e ^C
- [*Xyleborus gilvipes*](#) Blandford, 1898b ^C
- [*Xyleborus glaber*](#) Eggers, 1930d ^C
- [*Xyleborus glaberrimus*](#) Schedl, 1942c ^C
- [*Xyleborus glabratulus*](#) Browne, 1983a ^C
- [*Xyleborus glabratus*](#) Eichhoff, 1877a ^{C b} (redbay ambrosia beetle)
- [*Xyleborus glabripennis*](#) Schedl, 1942a ^C
- [*Xyleborus glaucus*](#) Sampson, 1921 ^C
- [*Xyleborus globus*](#) Blandford, 1896b ^C
- [*Xyleborus godmani*](#) Blandford, 1898b ^C
- [*Xyleborus goloanus*](#) Browne, 1974a ^C
- [*Xyleborus gorggae*](#) Schedl, 1973e ^C
- [*Xyleborus gorontalosa*](#) Schedl, 1939f ^C
- [*Xyleborus gracilicornis*](#) Schedl, 1977e ^C

- [*Xyleborus gracilipennis*](#) Schedl, 1957d ^C
- [*Xyleborus gracilis*](#) Eichhoff, 1868c ^C
- [*Xyleborus granatus*](#) Schedl, 1979a ^C
- [*Xyleborus grandis*](#) Eichhoff, 1869a ^C
- [*Xyleborus granicollis*](#) LeConte, 1868 ^C
- [*Xyleborus granifer*](#) Eichhoff, 1878b ^C
- [*Xyleborus graniger*](#) Schedl, 1955b ^C
- [*Xyleborus granistriatus*](#) Eggers, 1940d ^C
- [*Xyleborus granosus*](#) Schedl, 1957d ^C
- [*Xyleborus granularis*](#) Schedl, 1950g ^C
- [*Xyleborus granulicauda*](#) Eggers, 1931a ^C
- [*Xyleborus granulifer*](#) Eggers, 1923a ^C
- [*Xyleborus granulipennis*](#) Eggers, 1930d ^C
- [*Xyleborus granulipes*](#) Schedl, 1973e ^C
- [*Xyleborus granulosus*](#) Schedl, 1975f ^C
- [*Xyleborus granurus*](#) Browne, 1980a ^C
- [*Xyleborus gratiosus*](#) Schedl, 1975f ^C
- [*Xyleborus gratus*](#) Schedl, 1964g ^C
- [*Xyleborus gravelyi*](#) Wichmann, H.E., 1914a ^C
- [*Xyleborus gravidus*](#) Blandford, 1898a ^C
- [*Xyleborus grenadensis*](#) Hopkins, 1915b ^C
- [*Xyleborus grossmanni*](#) Schedl, 1952d ^C
- [*Xyleborus grossopunctatus*](#) Schedl, 1942d ^C
- [*Xyleborus guanajuatensis*](#) Dugès, 1887 ^C
- [*Xyleborus guayanensis*](#) Eggers, 1933b ^C
- [*Xyleborus guineense*](#) Eggers, 1941d ^C
- [*Xyleborus gundlachi*](#) Eggers, 1931a ^C
- [*Xyleborus haberkorni*](#) Eggers, 1920 ^C
- [*Xyleborus haddeni*](#) Schedl, 1933e ^C
- [*Xyleborus haesitus*](#) Schedl, 1976a ^C
- [*Xyleborus hagedorni*](#) Iglesias, 1914b ^C
- [*Xyleborus hagedornianus*](#) Schedl, 1952k ^C
- [*Xyleborus halli*](#) Schedl, 1954c ^C
- [*Xyleborus hamatus*](#) LeConte, 1874a ^C
- [*Xyleborus hashimotoi*](#) Browne, 1986a ^C
- [*Xyleborus hastatum*](#) Schedl, 1942d ^C

- [*Xyleborus hatanakai*](#) Browne, 1983a ^C
- [*Xyleborus hawaiiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus hembibitalei*](#) Schedl, 1962j ^C
- [*Xyleborus heveae*](#) Schedl, 1957d ^C
- [*Xyleborus hiiaka*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus hirsutipennis*](#) Schedl, 1961e ^C
- [*Xyleborus hirtellus*](#) Schedl, 1948f ^C
- [*Xyleborus hirtipennis*](#) Eggers, 1940d ^C
- [*Xyleborus hirtipes*](#) Schedl, 1969c ^C
- [*Xyleborus hirtum*](#) Hagedorn, 1904d ^C
- [*Xyleborus hirtuosus*](#) Beeson, 1930 ^C
- [*Xyleborus holtzi*](#) Eggers, 1922b ^C
- [*Xyleborus hopeae*](#) Browne, 1986a ^C
- [*Xyleborus hopkinsi*](#) Beeson, 1929 ^C
- [*Xyleborus horridatus*](#) Wood, 1967c ^C
- [*Xyleborus horridicus*](#) Wood, 1967c ^C
- [*Xyleborus horridulus*](#) Browne, 1961a ^C
- [*Xyleborus horridus*](#) Eichhoff, 1869 ^{i C b}
- [*Xyleborus hova*](#) Schedl, 1953d ^C
- [*Xyleborus howardi*](#) Hopkins, 1915b ^C
- [*Xyleborus howdenae*](#) Bright, 1973 ^C
- [*Xyleborus huangi*](#) Browne, 1983d ^C
- [*Xyleborus hubbardi*](#) Hopkins, 1915b ^C
- [*Xyleborus hunanensis*](#) Browne, 1983d ^C
- [*Xyleborus hybridus*](#) Eggers, 1927c ^C
- [*Xyleborus hystericoides*](#) Browne, 1973a ^C
- [*Xyleborus hystrix*](#) Schedl, 1957d ^C

I

- [*Xyleborus ignobilis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus iheringi*](#) Iglesias, 1914b ^C
- [*Xyleborus illepidus*](#) Schedl, 1941d ^C
- [*Xyleborus illustrius*](#) Schedl, 1939f ^C
- [*Xyleborus imbellis*](#) Blandford, 1898b ^C
- [*Xyleborus imitator*](#) Schedl, 1976a ^C
- [*Xyleborus immaturus*](#) Blackburn, 1885 ^C

- [*Xyleborus immersus*](#) Schedl, 1972i ^C
- [*Xyleborus immitatrix*](#) Schedl, 1975f ^C
- [*Xyleborus impar*](#) Eggers, 1927c ^C
- [*Xyleborus impexus*](#) Schedl, 1942c ^C
- [*Xyleborus impressus*](#) Eichhoff, 1868a ^{C b}
- [*Xyleborus improbus*](#) Sampson, 1913 ^C
- [*Xyleborus improcerus*](#) Sampson, 1921 ^C
- [*Xyleborus improvidus*](#) Schedl, 1935d ^C
- [*Xyleborus inaequalis*](#) Schedl, 1934d ^C
- [*Xyleborus inaffectatus*](#) Schedl, 1972g ^C
- [*Xyleborus incertus*](#) Wood, 2007 ^C
- [*Xyleborus inconstans*](#) Schedl, 1962j ^C
- [*Xyleborus inconveniens*](#) Schedl, 1948h ^C
- [*Xyleborus incultus*](#) Wood, 1975b ^C
- [*Xyleborus incurvus*](#) Eggers, 1930d ^C
- [*Xyleborus indicus*](#) Eichhoff, 1878b ^C
- [*Xyleborus indigens*](#) Schedl, 1955b ^C
- [*Xyleborus indocorus*](#) Schedl, 1979a ^C
- [*Xyleborus indonesianus*](#) Browne, 1984b ^C
- [*Xyleborus industrius*](#) Sampson, 1912 ^C
- [*Xyleborus inermis*](#) Eichhoff, 1868a ^C
- [*Xyleborus infans*](#) Hagedorn, 1910b ^C
- [*Xyleborus inferior*](#) Schedl, 1976a ^C
- [*Xyleborus innominatus*](#) Schedl, 1970d ^C
- [*Xyleborus inoblitus*](#) Schedl, 1939g ^C
- [*Xyleborus inopinatus*](#) Schedl, 1970e ^C
- [*Xyleborus insignis*](#) Browne, 1984c ^C
- [*Xyleborus insitivus*](#) Schedl, 1959a ^C
- [*Xyleborus insolitus*](#) Bright, 1972d ^C
- [*Xyleborus insularis*](#) Sharp, D., 1885 ^C
- [*Xyleborus insulindicus*](#) Eggers, 1923a ^C
- [*Xyleborus integer*](#) Schedl, 1957d ^C
- [*Xyleborus interjectus*](#) Blandford, 1894 ^{i C}
- [*Xyleborus intermedius*](#) Eggers, 1923a ^C
- [*Xyleborus interponens*](#) Schedl, 1954c ^C
- [*Xyleborus interpunctatus*](#) Blandford, 1898b ^C

- [*Xyleborus interruptus*](#) Eggers, 1940d ^C
- [*Xyleborus intersetosus*](#) Blandford, 1898b ^C
- [*Xyleborus interstitialis*](#) Eichhoff, 1878b ^C
- [*Xyleborus intextus*](#) Beeson, 1930 ^C
- [*Xyleborus intricatus*](#) Schedl, 1948f ^C
- [*Xyleborus intrusus*](#) Blandford, 1898 ^{i c b}
- [*Xyleborus inurbanus*](#) Bright & Skidmore, 2002 ^C
- [*Xyleborus ipidia*](#) Schedl, 1972h ^C
- [*Xyleborus irregularis*](#) Eggers, 1923a ^C
- [*Xyleborus ishidai*](#) Niisima, 1909 ^C
- [*Xyleborus itatiyaensis*](#) Schedl, 1936i ^C
- [*Xyleborus izuensis*](#) Murayama, 1952a ^C

J-K

- [*Xyleborus jaintianus*](#) Schedl, 1967f ^C
- [*Xyleborus jamaicensis*](#) Bright, 1972d ^C
- [*Xyleborus jambolanaensis*](#) Schedl, 1951j ^C
- [*Xyleborus japonicus*](#) Nobuchi, 1981d ^C
- [*Xyleborus javanus*](#) Eggers, 1923a ^C
- [*Xyleborus jongaensis*](#) Schedl, 1941d ^C
- [*Xyleborus joveri*](#) Schedl, 1951f ^C
- [*Xyleborus jucundus*](#) Schedl, 1954a ^C
- [*Xyleborus judenkoi*](#) Schedl, 1959a ^C
- [*Xyleborus justus*](#) Schedl, 1931c ^C
- [*Xyleborus kadoyamaensis*](#) Murayama, 1934c ^C
- [*Xyleborus kaimochii*](#) Nobuchi, 1981d ^C
- [*Xyleborus kajangensis*](#) Schedl, 1942a ^C
- [*Xyleborus kalopanacis*](#) Kurenzov, 1941a ^C
- [*Xyleborus katangensis*](#) Eggers, 1932d ^C
- [*Xyleborus katoi*](#) Browne, 1986c ^C
- [*Xyleborus kauaiensis*](#) Perkins, 1900 ^{i c}
- [*Xyleborus kelantanum*](#) Schedl, 1953c ^C
- [*Xyleborus kersianus*](#) Browne, 1981a ^C
- [*Xyleborus khayae*](#) Schedl, 1957e ^C
- [*Xyleborus khinganensis*](#) Murayama, 1943b ^C
- [*Xyleborus kirishimanus*](#) Murayama, 1955 ^C

- [*Xyleborus kivuensis*](#) Eggers, 1935c ^C
- [*Xyleborus klapperichi*](#) Schedl, 1955h ^C
- [*Xyleborus kojimai*](#) Murayama, 1936a ^C
- [*Xyleborus kororensis*](#) Wood, 1960a ^C
- [*Xyleborus kraatzi*](#) Eichhoff, 1868c ^C
- [*Xyleborus kraunhiae*](#) Niisima, 1910a ^C
- [*Xyleborus kuchingensis*](#) Browne, 1955 ^C
- [*Xyleborus kumamotoensis*](#) Murayama, 1934c ^C

L

- [*Xyleborus laciniatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus lacunatus*](#) Wood, 1974a ^C
- [*Xyleborus laetus*](#) Niisima, 1909 ^C
- [*Xyleborus laevipennis*](#) Schedl, 1961e ^C
- [*Xyleborus laevis*](#) Eggers, 1923a ^C
- [*Xyleborus laeviusculus*](#) Blandford, 1896a ^C
- [*Xyleborus lanaiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus latecarinatus*](#) Schedl, 1936d ^C
- [*Xyleborus latecavatus*](#) Eggers, 1927c ^C
- [*Xyleborus latecompressus*](#) Schedl, 1936g ^C
- [*Xyleborus latecornis*](#) Schedl, 1969a ^C
- [*Xyleborus latetruncatus*](#) Schedl, 1942a ^C
- [*Xyleborus laticaudatus*](#) Eggers, 1923a ^C
- [*Xyleborus laticeps*](#) Wood, 1977b ^C
- [*Xyleborus laticollis*](#) Blandford, 1896b ^C
- [*Xyleborus latipennis*](#) Schedl, 1976a ^C
- [*Xyleborus lativentris*](#) Schedl, 1942a ^C
- [*Xyleborus latus*](#) Eggers, 1923a ^C
- [*Xyleborus lenis*](#) Wood, 1974a ^C
- [*Xyleborus lepidus*](#) Bright, 1972d ^C
- [*Xyleborus leprosulus*](#) Schedl, 1936j ^C
- [*Xyleborus leverensis*](#) Browne, 1986c ^C
- [*Xyleborus lewekianus*](#) Eggers, 1923a ^C
- [*Xyleborus lewisi*](#) Blandford, 1894d ^C
- [*Xyleborus libra*](#) Eggers, 1923a ^C
- [*Xyleborus lignographus*](#) Schedl, 1953e ^C

- [*Xyleborus limatus*](#) Schedl, 1936h ^C
- [*Xyleborus linearicollis*](#) Schedl, 1937h ^C
- [*Xyleborus linearis*](#) Schedl, 1948f ^C
- [*Xyleborus lineatopunctatus*](#) Eggers, 1927b ^C
- [*Xyleborus lineatus*](#) Eggers, 1930d ^C
- [*Xyleborus littoralis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus loebli*](#) Schedl, 1979b ^C
- [*Xyleborus longehirtus*](#) Nunberg, 1956d ^C
- [*Xyleborus longicollis*](#) Browne, 1977c ^C
- [*Xyleborus longideclivis*](#) Wood, 1968b ^C
- [*Xyleborus longidens*](#) Eggers, 1930d ^C
- [*Xyleborus longipennis*](#) Eggers, 1933b ^C
- [*Xyleborus longipilus*](#) Eggers, 1926b ^C
- [*Xyleborus longius*](#) Eggers, 1923a ^C
- [*Xyleborus longulus*](#) Schedl, 1966f ^C
- [*Xyleborus longus*](#) Eggers, 1927b ^C
- [*Xyleborus loricatus*](#) Schedl, 1933d ^C
- [*Xyleborus lubricus*](#) Schedl, 1941d ^C
- [*Xyleborus luctuosus*](#) Eggers, 1939b ^C
- [*Xyleborus lugubris*](#) Eggers, 1927c ^C
- [*Xyleborus luteus*](#) Schedl, 1937b ^C
- [*Xyleborus luzonicus*](#) Eggers, 1923a ^C

M

- [*Xyleborus macer*](#) Blandford, 1898b ^C
- [*Xyleborus machili*](#) Niisima, 1910a ^C
- [*Xyleborus madagascariensis*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus magnificus*](#) Wood, 1992a ^C
- [*Xyleborus magnispinatus*](#) Beaver & Loyttyneimi (Beaver in), 1985a ^C
- [*Xyleborus magnus*](#) Niisima, 1910a ^C
- [*Xyleborus mahafali*](#) Schedl, 1953d ^C
- [*Xyleborus maiche*](#) Eggers, 1942c ^C
- [*Xyleborus major*](#) Wood & Bright, 1992 ^C
- [*Xyleborus majusculus*](#) Schedl, 1951m ^C
- [*Xyleborus malayensis*](#) Browne, 1981a ^C
- [*Xyleborus malgasicus*](#) Schedl, 1961e ^C

- [*Xyleborus malloti*](#) Eggers, 1930d ^C
- [*Xyleborus mamibillae*](#) Browne, 1970 ^C
- [*Xyleborus mancus*](#) Blandford, 1898a ^C
- [*Xyleborus mangoense*](#) Schedl, 1942a ^C
- [*Xyleborus maniensis*](#) Browne, 1981a ^C
- [*Xyleborus marcidus*](#) Schedl, 1965c ^C
- [*Xyleborus marginatulus*](#) Schedl, 1957d ^C
- [*Xyleborus marginatus*](#) Eggers, 1927c ^C
- [*Xyleborus marginicollis*](#) Schedl, 1936h ^C
- [*Xyleborus maronicus*](#) Eggers, 1933b ^C
- [*Xyleborus mascareniformis*](#) Eggers, 1927b ^C
- [*Xyleborus mascarensis*](#) Eichhoff, 1878b ^C
- [*Xyleborus mascarenius*](#) Hagedorn, 1908 ^C
- [*Xyleborus mauiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus mediocris*](#) Schedl, 1942a ^C
- [*Xyleborus melanarius*](#) Schedl, 1978c ^C
- [*Xyleborus melancranis*](#) Beeson, 1930 ^C
- [*Xyleborus melas*](#) Eggers, 1927c ^C
- [*Xyleborus melli*](#) Schedl, 1938h ^C
- [*Xyleborus mendosus*](#) Schedl, 1965c ^C
- [*Xyleborus meridensis*](#) Wood, 1974a ^C
- [*Xyleborus meritus*](#) Wood, 1974a ^C
- [*Xyleborus mesoleiulus*](#) Schedl, 1979g ^C
- [*Xyleborus mesuae*](#) Eggers, 1930d ^C
- [*Xyleborus metacomans*](#) Eggers, 1930d ^C
- [*Xyleborus metacrucifer*](#) Browne, 1965a ^C
- [*Xyleborus metacuneolus*](#) Eggers, 1940d ^C
- [*Xyleborus metagermanus*](#) Schedl, 1951i ^C
- [*Xyleborus metanepotulus*](#) Eggers, 1939c ^C
- [*Xyleborus meuseli*](#) Reitter, 1905 ^C
- [*Xyleborus mexicanus*](#) Eggers, 1931a ^C
- [*Xyleborus micarius*](#) Wood, 1974a ^C
- [*Xyleborus micrographus*](#) Schedl, 1958b ^C
- [*Xyleborus mimicus*](#) Wood, 2007 ^C
- [*Xyleborus mimosae*](#) Schedl, 1957d ^C
- [*Xyleborus mimus*](#) Schedl, 1971e ^C

- [*Xyleborus mindanaensis*](#) Eggers, 1927c ^C
- [*Xyleborus minimus*](#) Schedl, 1955b ^C
- [*Xyleborus minor*](#) Swaine, J.M., 1910b ^C
- [*Xyleborus minusculus*](#) Eggers, 1923a ^C
- [*Xyleborus minutissimus*](#) Eggers, 1930d ^C
- [*Xyleborus misatoensis*](#) Nobuchi, 1981d ^C
- [*Xyleborus mitosomiformis*](#) Schedl, 1953d ^C
- [*Xyleborus mitosomipennis*](#) Schedl, 1953d ^C
- [*Xyleborus mitosomus*](#) Schedl, 1965c ^C
- [*Xyleborus mixtus*](#) Schedl, 1979g ^C
- [*Xyleborus miyazakiensis*](#) Murayama, 1936a ^C
- [*Xyleborus mkulumusius*](#) Schedl (Hagedorn in), 1962j ^C
- [*Xyleborus moestus*](#) Eggers, 1930d ^C
- [*Xyleborus molestulus*](#) Wood, 1975b ^C
- [*Xyleborus molokaiensis*](#) Perkins, 1900 ^{i C}
- [*Xyleborus moluccanus*](#) Browne, 1985b ^C
- [*Xyleborus monachus*](#) Blandford, 1898b ^C
- [*Xyleborus monographus*](#) (Fabricius, J.C., 1792) ^{C g}
- [*Xyleborus montanus*](#) Niisima, 1910a ^C
- [*Xyleborus monticolus*](#) Schedl, 1957d ^C
- [*Xyleborus morigerus*](#) Blandford, 1894b ^C
- [*Xyleborus morio*](#) Eggers, 1923a ^C
- [*Xyleborus morosus*](#) Schedl, 1962j ^C
- [*Xyleborus morstatti*](#) Hagedorn, 1912b ^C
- [*Xyleborus morulus*](#) Blandford, 1898b ^C
- [*Xyleborus mpangae*](#) Browne, 1965a ^C
- [*Xyleborus muasi*](#) Browne, 1961a ^C
- [*Xyleborus mucronatoides*](#) Schedl, 1975f ^C
- [*Xyleborus mucronatulus*](#) Eggers, 1930d ^C
- [*Xyleborus mucronatus*](#) Eggers, 1923a ^C
- [*Xyleborus mukunyeae*](#) Schedl, 1957d ^C
- [*Xyleborus multigranosum*](#) Schedl, 1964f ^C
- [*Xyleborus multipunctatus*](#) Browne, 1980b ^C
- [*Xyleborus multipunctulus*](#) Browne, 1984d ^C
- [*Xyleborus multispinatus*](#) Eggers, 1920 ^C
- [*Xyleborus mumfordi*](#) Beeson, 1935b ^C

- [*Xyleborus muriceus*](#) Eichhoff, 1878b ^C
- [*Xyleborus murudensis*](#) Browne, 1965a ^C
- [*Xyleborus mus*](#) Eggers, 1930d ^C
- [*Xyleborus mussooriensis*](#) Eggers, 1930d ^C
- [*Xyleborus mustus*](#) Schedl, 1972b ^C
- [*Xyleborus mutabilis*](#) Schedl, 1935d ^C
- [*Xyleborus muticus*](#) Blandford, 1894d ^C
- [*Xyleborus mutilatus*](#) Blandford, 1894d ^C
- [*Xyleborus myllus*](#) Browne, 1986a ^C
- [*Xyleborus myristicae*](#) Schedl, 1939f ^C

N

- [*Xyleborus nagaoensis*](#) Murayama, 1934c ^C
- [*Xyleborus nakazawai*](#) Browne, 1984a ^C
- [*Xyleborus nameranus*](#) Murayama, 1954b ^C
- [*Xyleborus namibiae*](#) Schedl, 1982 ^C
- [*Xyleborus nandarivatus*](#) Schedl, 1950f ^C
- [*Xyleborus nanus*](#) Blandford, 1896f ^C
- [*Xyleborus natalensis*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus nearodus*](#) Schedl, 1950g ^C
- [*Xyleborus neglectus*](#) Schedl, 1957d ^C
- [*Xyleborus neivai*](#) Eggers, 1928c ^C
- [*Xyleborus neoadjunctus*](#) Schedl, 1967d ^C
- [*Xyleborus neocavipenne*](#) Schedl, 1977f ^C
- [*Xyleborus neocrucifer*](#) Schedl, 1955i ^C
- [*Xyleborus neocylindricus*](#) Schedl, 1942a ^C
- [*Xyleborus neogracilis*](#) Schedl, 1954b ^C
- [*Xyleborus neohybridus*](#) Schedl, 1942a ^C
- [*Xyleborus neoscabridus*](#) Schedl, 1972b ^C
- [*Xyleborus neosphenos*](#) Schedl, 1976a ^C
- [*Xyleborus neotruncatus*](#) Schedl, 1978c ^C
- [*Xyleborus nepocranus*](#) Schedl, 1939f ^C
- [*Xyleborus nepos*](#) Eggers, 1923a ^C
- [*Xyleborus nepotulomorphus*](#) Eggers, 1936e ^C
- [*Xyleborus nepotulus*](#) Eggers, 1923a ^C
- [*Xyleborus neptunus*](#) Schaufuss, C.F.C., 1891 ^C

- [*Xyleborus nesianus*](#) Beeson, 1940 ^C
- [*Xyleborus nevermanni*](#) Schedl, 1935d ^C
- [*Xyleborus niger*](#) Sampson, 1912 ^C
- [*Xyleborus nigericus*](#) Browne, 1970 ^C
- [*Xyleborus nigrescens*](#) Browne, 1980b ^C
- [*Xyleborus nigricollis*](#) Hagedorn, 1905b ^C
- [*Xyleborus nigripennis*](#) Schedl, 1951i ^C
- [*Xyleborus nigroaffinis*](#) Beeson, 1940 ^C
- [*Xyleborus nigropilosus*](#) Eggers, 1943c ^C
- [*Xyleborus nigrosetosus*](#) Schedl, 1939f ^C
- [*Xyleborus nitellus*](#) Browne, 1984d ^C
- [*Xyleborus nitens*](#) Browne, 1984d ^C
- [*Xyleborus nitidiloides*](#) Schedl, 1951i ^C
- [*Xyleborus nitidior*](#) Eggers, 1940d ^C
- [*Xyleborus nitidipennis*](#) Roubal, 1937 ^C
- [*Xyleborus nitidulus*](#) Eggers, 1927a ^C
- [*Xyleborus nitidus*](#) Schedl, 1951i ^C
- [*Xyleborus nodulosus*](#) Eggers, 1941b ^C
- [*Xyleborus norfolkensis*](#) Schedl, 1972b ^C
- [*Xyleborus nossi*](#) Schedl, 1961e ^C
- [*Xyleborus notatus*](#) Eggers, 1941a ^C
- [*Xyleborus novagranadensis*](#) Eggers, 1941a ^C
- [*Xyleborus novaguineanus*](#) Schedl, 1936g ^C
- [*Xyleborus novateutonicus*](#) Schedl, 1954b ^C
- [*Xyleborus novus*](#) Eggers, 1923a ^C
- [*Xyleborus noxius*](#) Sampson, 1913 ^C
- [*Xyleborus nsafukalae*](#) Schedl, 1957d ^C
- [*Xyleborus nubilus*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus nudipennis*](#) Schedl, 1951i ^C
- [*Xyleborus nudus*](#) Nunberg, 1956d ^C
- [*Xyleborus nugax*](#) Schedl, 1939e ^C
- [*Xyleborus nuperus*](#) Bright, 1972d ^C
- [*Xyleborus nutans*](#) Schedl, 1942a ^C
- [*Xyleborus nuuanus*](#) Schedl, 1941f ^C
- [*Xyleborus nyssae*](#) Hopkins, 1915b ^C

O

- [*Xyleborus oahuensis*](#) Perkins, 1900 ⁱ ^c
- [*Xyleborus obesus*](#) LeConte, 1868 ⁱ ^c
- [*Xyleborus obiensis*](#) Browne, 1980a ^c
- [*Xyleborus oblicatus*](#) Schedl, 1980d ^c
- [*Xyleborus obliquesectum*](#) Eggers, 1927c ^c
- [*Xyleborus obliquus*](#) Bright, 1968b ^c
- [*Xyleborus oblongus*](#) Schedl, 1950d ^c
- [*Xyleborus obscurus*](#) Schedl, 1972q ^c
- [*Xyleborus obstipus*](#) Schedl, 1935f ^c
- [*Xyleborus obtrusus*](#) Schedl (Sampson in), 1960i ^c
- [*Xyleborus obtusatus*](#) Schedl, 1972m ^c
- [*Xyleborus obtusicollis*](#) Schedl, 1938g ^c
- [*Xyleborus obtusipennis*](#) Schedl (Eggers in), 1962j ^c
- [*Xyleborus obtusitruncatus*](#) Schedl, 1948f ^c
- [*Xyleborus obtusus*](#) Eggers, 1923a ^c
- [*Xyleborus ocellatus*](#) Wood, 1974a ^c
- [*Xyleborus octiesdentatus*](#) Murayama, 1931a ^c
- [*Xyleborus octospinosus*](#) Eggers, 1920 ^c
- [*Xyleborus ohausi*](#) Hagedorn, 1912a ^c
- [*Xyleborus ohnoi*](#) Browne, 1980a ^c
- [*Xyleborus ohtoensis*](#) Nobuchi, 1981d ^c
- [*Xyleborus okinosenensis*](#) Murayama, 1961b ^c
- [*Xyleborus okoumeensis*](#) Schedl, 1935f ^c
- [*Xyleborus ominosus*](#) Schedl, 1962j ^c
- [*Xyleborus omissus*](#) Schedl, 1961e ^c
- [*Xyleborus oneratus*](#) Schedl, 1976a ^c
- [*Xyleborus onerosus*](#) Schedl, 1942a ^c
- [*Xyleborus onoharaensis*](#) Murayama, 1934c ^c
- [*Xyleborus opacicauda*](#) Eggers, 1940d ^c
- [*Xyleborus opacithorax*](#) Schedl, 1937b ^c
- [*Xyleborus opalescens*](#) Schedl, 1937e ^c
- [*Xyleborus oparunus*](#) Beeson, 1940 ^c
- [*Xyleborus operosus*](#) Schedl, 1973e ^c
- [*Xyleborus opimatum*](#) Schedl, 1975a ^c
- [*Xyleborus opimulus*](#) Schedl, 1976a ^c

- [*Xyleborus opimus*](#) Wood, 1974a ^C
- [*Xyleborus optatus*](#) Schedl, 1973e ^C
- [*Xyleborus opulentus*](#) Schedl, 1975f ^C
- [*Xyleborus oralis*](#) Schedl, 1961e ^C
- [*Xyleborus orbatus*](#) Blandford, 1894d ^C
- [*Xyleborus orbicaudatus*](#) Eggers, 1940d ^C
- [*Xyleborus orbiculatus*](#) Schedl, 1942a ^C
- [*Xyleborus orbis*](#) Browne, 1966 ^C
- [*Xyleborus orientalis*](#) Eggers, 1933f ^C
- [*Xyleborus osumiensis*](#) Murayama, 1934c ^C
- [*Xyleborus ovalicollis*](#) Eggers, 1930d ^C
- [*Xyleborus ovatus*](#) Eggers, 1932d ^C

P

- [*Xyleborus pacificus*](#) Nunberg, 1959a ^C
- [*Xyleborus palatus*](#) Wood, 1974a ^C
- [*Xyleborus palembangensis*](#) Schedl, 1939f ^C
- [*Xyleborus pallidipennis*](#) Eggers, 1940d ^C
- [*Xyleborus pandae*](#) Schedl, 1957d ^C
- [*Xyleborus pandulus*](#) Wood, 1974a ^C
- [*Xyleborus papatrae*](#) Schedl, 1972i ^C
- [*Xyleborus papuanus*](#) Blandford, 1896b ^C
- [*Xyleborus paradoxus*](#) Schedl, 1972g ^C
- [*Xyleborus paraguayensis*](#) Schedl, 1948f ^C
- [*Xyleborus parallelcollis*](#) Eggers, 1933b ^C
- [*Xyleborus parallelus*](#) Eggers, 1936c ^C
- [*Xyleborus parcellus*](#) Wood, 1968b ^C
- [*Xyleborus pardous*](#) Eggers, 1943d ^C
- [*Xyleborus parinarie*](#) Schedl, 1962j ^C
- [*Xyleborus partitus*](#) Browne, 1974a ^C
- [*Xyleborus parvior*](#) Browne, 1981b ^C
- [*Xyleborus parvipunctatus*](#) Eggers, 1943a ^C
- [*Xyleborus parvispinosus*](#) Schedl, 1951i ^C
- [*Xyleborus parvulus*](#) Eichhoff, 1868c ^C
- [*Xyleborus parvus*](#) Eichhoff, 1878b ^C
- [*Xyleborus pecanus*](#) Hopkins, 1915b ^C

- [*Xyleborus pedella*](#) Schedl, 1969a ^C
- [*Xyleborus peguensis*](#) Eggers, 1930d ^C
- [*Xyleborus pele*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus peliciformis*](#) Schedl, 1936j ^C
- [*Xyleborus pelliculosus*](#) Eichhoff, 1878b ^C
- [*Xyleborus penicillatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus pentaclethrae*](#) Schedl, 1957d ^C
- [*Xyleborus perakensis*](#) Schedl, 1942a ^C
- [*Xyleborus peramploides*](#) Schedl, 1957d ^C
- [*Xyleborus peramplus*](#) Schedl, 1950d ^C
- [*Xyleborus perbrevis*](#) Schedl, 1951i ^C
- [*Xyleborus percorthyloides*](#) Schedl, 1957d ^C
- [*Xyleborus percorthylus*](#) Schedl, 1935f ^C
- [*Xyleborus percristatus*](#) Eggers, 1939a ^C
- [*Xyleborus percuneolus*](#) Schedl, 1951i ^C
- [*Xyleborus perdeclivis*](#) Schedl, 1957d ^C
- [*Xyleborus perdiligens*](#) Schedl, 1937b ^C
- [*Xyleborus perdix*](#) Schedl, 1939e ^C
- [*Xyleborus perebeae*](#) Blandford, 1898b ^C
- [*Xyleborus peregrinus*](#) Eggers, 1944c ^C
- [*Xyleborus perexiguus*](#) Schedl, 1971c ^C
- [*Xyleborus perforans*](#) (Wollaston, 1857) ^{i C}
- [*Xyleborus perlaetus*](#) Schedl, 1960h ^C
- [*Xyleborus perlongus*](#) Eggers, 1943a ^C
- [*Xyleborus permarginatus*](#) Schedl, 1933d ^C
- [*Xyleborus perminor*](#) Schedl, 1957d ^C
- [*Xyleborus perminutissimus*](#) Schedl, 1934d ^C
- [*Xyleborus pernitidus*](#) Schedl, 1954a ^C
- [*Xyleborus pernotus*](#) Schedl, 1934d ^C
- [*Xyleborus perorientalis*](#) Schedl, 1957d ^C
- [*Xyleborus perparva*](#) Sampson, 1922b ^C
- [*Xyleborus perpilosellum*](#) Schedl, 1935b ^C
- [*Xyleborus perplexus*](#) Schedl, 1969b ^C
- [*Xyleborus perpunctatus*](#) Schedl, 1971c ^C
- [*Xyleborus perpusillus*](#) Eggers, 1927b ^C
- [*Xyleborus perquadrispinosus*](#) Schedl, 1957d ^C

- [*Xyleborus persimilis*](#) Eggers, 1927c ^C
- [*Xyleborus persphenos*](#) Schedl, 1970a ^C
- [*Xyleborus perspinidens*](#) Schedl, 1957d ^C
- [*Xyleborus perspinifer*](#) Schedl, 1957d ^C
- [*Xyleborus pertortuosus*](#) Schedl, 1942a ^C
- [*Xyleborus pertuberculatus*](#) Eggers, 1940d ^C
- [*Xyleborus peruvianus*](#) Schedl, 1951m ^C
- [*Xyleborus perversus*](#) Hagedorn, 1905a ^C
- [*Xyleborus pfeili*](#) Wood & Bright, 1992 ^{C b}
- [*Xyleborus philippinensis*](#) Eichhoff, 1878b ^C
- [*Xyleborus picinus*](#) Schedl, 1957d ^C
- [*Xyleborus pileatulus*](#) Schedl, 1975f ^C
- [*Xyleborus pilifer*](#) Eggers, 1923a ^C
- [*Xyleborus pilipenne*](#) Eggers, 1940d ^C
- [*Xyleborus pilipunctatus*](#) Browne, 1966 ^C
- [*Xyleborus pilosellus*](#) Schedl, 1957d ^C
- [*Xyleborus pilosulum*](#) Eggers, 1927c ^C
- [*Xyleborus pilosus*](#) Eggers, 1923a ^C
- [*Xyleborus pinguis*](#) Schedl, 1961e ^C
- [*Xyleborus pini*](#) Eichhoff, 1868a ^C
- [*Xyleborus pinicola*](#) Eggers, 1930d ^C
- [*Xyleborus pinivorus*](#) Browne, 1980a ^C
- [*Xyleborus pithecolobius*](#) Schedl, 1937c ^C
- [*Xyleborus pityogenes*](#) Schedl, 1936g ^C
- [*Xyleborus plagiatus*](#) LeConte, 1868 ^C
- [*Xyleborus planicollis*](#) Zimmermann, 1868 ^{i C}
- [*Xyleborus planipennis*](#) Schedl, 1955b ^C
- [*Xyleborus planodeclivis*](#) Browne, 1974a ^C
- [*Xyleborus planotruncatum*](#) Schedl, 1942a ^C
- [*Xyleborus platyurus*](#) Browne, 1984f ^C
- [*Xyleborus pleiades*](#) Samuelson, 1981 ^{i C}
- [*Xyleborus politus*](#) Hagedorn, 1905a ^C
- [*Xyleborus polyalthiae*](#) Schedl, 1952i ^C
- [*Xyleborus polyodon*](#) Eggers, 1923a ^C
- [*Xyleborus pometianus*](#) Schedl, 1939e ^C
- [*Xyleborus popondettae*](#) Browne, 1970 ^C

- [*Xyleborus populi*](#) Swaine, J.M., 1917 ^C
- [*Xyleborus posticegranulatus*](#) Schedl, 1938h ^C
- [*Xyleborus posticepilosus*](#) Schedl, 1951i ^C
- [*Xyleborus posticespinatum*](#) Eggers, 1940c ^C
- [*Xyleborus posticestriatus*](#) Eggers, 1939c ^C
- [*Xyleborus posticoides*](#) Schedl, 1948f ^C
- [*Xyleborus posticus*](#) Eichhoff, 1869b ^C
- [*Xyleborus potens*](#) Schedl, 1964c ^C
- [*Xyleborus pourriensis*](#) Schedl, 1950h ^C
- [*Xyleborus praecursor*](#) Schedl, 1962j ^C
- [*Xyleborus praestans*](#) Wood, 1980b ^C
- [*Xyleborus praeusta*](#) Eggers, 1923a ^C
- [*Xyleborus praeivius*](#) Blandford, 1894d ^C
- [*Xyleborus princeps*](#) Blandford, 1898b ^C
- [*Xyleborus principalis*](#) Eichhoff, 1878b ^C
- [*Xyleborus priscus*](#) Eggers, 1920 ^C
- [*Xyleborus pristis*](#) Wood, 1974a ^C
- [*Xyleborus privatus*](#) Beeson, 1930 ^C
- [*Xyleborus procer*](#) Eichhoff, 1878b ^C
- [*Xyleborus procerior*](#) Schedl, 1942c ^C
- [*Xyleborus procerrimus*](#) Schedl, 1969a ^C
- [*Xyleborus procerrissimus*](#) Schedl, 1942a ^C
- [*Xyleborus productus*](#) Hagedorn, 1905a ^C
- [*Xyleborus profundus*](#) Schedl, 1961e ^C
- [*Xyleborus prolatus*](#) Wood, 1974a ^C
- [*Xyleborus prolixus*](#) Schedl, 1962j ^C
- [*Xyleborus pronunciatus*](#) Eggers, 1936e ^C
- [*Xyleborus propinquus*](#) Eichhoff, 1869b ^C
- [*Xyleborus protensus*](#) Eggers, 1930d ^C
- [*Xyleborus protii*](#) Browne, 1984d ^C
- [*Xyleborus protinus*](#) Wood, 1974a ^C
- [*Xyleborus proximus*](#) Eggers, 1943c ^C
- [*Xyleborus pruinosulus*](#) Beaver & Browne (Browne in), 1978 ^C
- [*Xyleborus pruinosum*](#) Blandford, 1896b ^C
- [*Xyleborus psaltes*](#) Schedl, 1954e ^C
- [*Xyleborus pseudoacuminatus*](#) Wood, 2007 ^C

- [*Xyleborus pseudoambasius*](#) Schedl, 1954e ^C
- [*Xyleborus pseudoangustatus*](#) Schedl, 1948g ^C
- [*Xyleborus pseudobarbatus*](#) Schedl, 1942a ^C
- [*Xyleborus pseudobrasiliensis*](#) Eggers, 1941a ^C
- [*Xyleborus pseudocitri*](#) Schedl, 1959a ^C
- [*Xyleborus pseudococcotrypes*](#) Eggers, 1941a ^C
- [*Xyleborus pseudocolossus*](#) Schedl, 1942d ^C
- [*Xyleborus pseudocomans*](#) Eggers, 1930d ^C
- [*Xyleborus pseudocrucifer*](#) Schedl, 1939a ^C
- [*Xyleborus pseudocylindricus*](#) Eggers, 1927b ^C
- [*Xyleborus pseudoferox*](#) Wood, 2007 ^C
- [*Xyleborus pseudofersteri*](#) Schedl, 1942a ^C
- [*Xyleborus pseudogracilis*](#) Schedl, 1937h ^C
- [*Xyleborus pseudohystrix*](#) Schedl, 1959p ^C
- [*Xyleborus pseudomajor*](#) Schedl, 1951i ^C
- [*Xyleborus pseudopilifer*](#) Schedl, 1936d ^C
- [*Xyleborus pseudopityogenes*](#) Eggers, 1943e ^C
- [*Xyleborus pseudoprocer*](#) Schedl, 1948f ^C
- [*Xyleborus pseudopunctulus*](#) Schedl, 1942a ^C
- [*Xyleborus pseudorudis*](#) Schedl, 1951i ^C
- [*Xyleborus pseudosolidus*](#) Schedl, 1936g ^C
- [*Xyleborus pseudosolitarius*](#) Eggers, 1933b ^C
- [*Xyleborus pseudotenuis*](#) Schedl, 1936i ^C
- [*Xyleborus pseudovalidus*](#) Eggers, 1925 ^C
- [*Xyleborus puberulus*](#) Blandford, 1896b ^C
- [*Xyleborus pubescens*](#) Zimmermann, 1868 ^{i c b}
- [*Xyleborus pubifer*](#) Schedl, 1972m ^C
- [*Xyleborus pubipennis*](#) Schedl, 1974c ^C
- [*Xyleborus puer*](#) Eggers, 1923a ^C
- [*Xyleborus pulchripes*](#) Schedl, 1958f ^C
- [*Xyleborus pulcnerrimus*](#) Schedl, 1948d ^C
- [*Xyleborus pulla*](#) Schedl, 1952b ^C
- [*Xyleborus pumilus*](#) Eggers, 1923a ^C
- [*Xyleborus punctatopilosum*](#) Schedl, 1936g ^C
- [*Xyleborus punctatum*](#) Eggers, 1923a ^C
- [*Xyleborus punctilicolle*](#) Schedl, 1942a ^C

- [*Xyleborus punctipennis*](#) LeConte, 1878b ^C
- [*Xyleborus punctulatus*](#) Kurenzov, 1948a ^C
- [*Xyleborus pusillus*](#) Schedl, 1961f ^C
- [*Xyleborus pusio*](#) Eggers, 1941a ^C
- [*Xyleborus putputensis*](#) Browne, 1986a ^C
- [*Xyleborus pygmaeus*](#) Eggers, 1940d ^C

Q-R

- [*Xyleborus quadraticollis*](#) Eggers, 1923a ^C
- [*Xyleborus quadratus*](#) Blandford, 1898b ^C
- [*Xyleborus quadricostata*](#) Schedl, 1942d ^C
- [*Xyleborus quadricuspis*](#) Schedl, 1942d ^C
- [*Xyleborus quadridens*](#) Eggers, 1930d ^C
- [*Xyleborus quadridentatus*](#) Schedl, 1957d ^C
- [*Xyleborus quadrisignatus*](#) Schedl, 1972m ^C
- [*Xyleborus quadrispinis*](#) Schedl, 1953d ^C
- [*Xyleborus quadrispinosulus*](#) Eggers, 1923a ^C
- [*Xyleborus quadrispinosus*](#) Eichhoff, 1878b ^C
- [*Xyleborus quasimodo*](#) Browne, 1980e ^C
- [*Xyleborus quercicola*](#) Eggers, 1926b ^C
- [*Xyleborus quercus*](#) Kurenzov, 1948a ^C
- [*Xyleborus rameus*](#) Schedl, 1940b ^C
- [*Xyleborus ramulorum*](#) Schedl, 1957d ^C
- [*Xyleborus rapandus*](#) Schedl, 1942c ^C
- [*Xyleborus rapanus*](#) Beeson, 1940 ^C
- [*Xyleborus raucus*](#) Schedl, 1950c ^C
- [*Xyleborus recidens*](#) Sampson, 1923b ^C
- [*Xyleborus reconditus*](#) Schedl, 1963f ^C
- [*Xyleborus repositus*](#) Schedl, 1942a ^C
- [*Xyleborus resecaus*](#) Eggers, 1930d ^C
- [*Xyleborus resectus*](#) Eggers, 1927b ^C
- [*Xyleborus resinosus*](#) Schedl, 1939a ^C
- [*Xyleborus restrictus*](#) Schedl, 1939f ^C
- [*Xyleborus retrusus*](#) Schedl, 1940c ^C
- [*Xyleborus retusicollis*](#) Zimmermann, 1868 ^C
- [*Xyleborus retusiformis*](#) Schedl, 1936j ^C

- [*Xyleborus retusus*](#) Eichhoff, 1868c ^C
- [*Xyleborus reunionis*](#) Schedl, 1961e ^C
- [*Xyleborus revocabile*](#) Schedl, 1942c ^C
- [*Xyleborus rhodesianus*](#) Eggers, 1936c ^C
- [*Xyleborus ricini*](#) Eggers, 1932d ^C
- [*Xyleborus riehli*](#) Eichhoff, 1878b ^C
- [*Xyleborus rileyi*](#) Hopkins, 1915b ^C
- [*Xyleborus rimulosus*](#) Schedl, 1959a ^C
- [*Xyleborus robertsi*](#) Browne, 1963b ^C
- [*Xyleborus robustipennis*](#) Schedl, 1954c ^C
- [*Xyleborus robustulus*](#) Schedl, 1957d ^C
- [*Xyleborus robustus*](#) Schedl, 1933e ^C
- [*Xyleborus rodgeri*](#) Beeson, 1930 ^C
- [*Xyleborus rosseli*](#) Schedl, 1975m ^C
- [*Xyleborus rothkirchi*](#) Eggers, 1920 ^C
- [*Xyleborus rotundicollis*](#) Browne, 1984f ^C
- [*Xyleborus ruandae*](#) Schedl, 1957d ^C
- [*Xyleborus ruber*](#) Eichhoff, 1868c ^C
- [*Xyleborus rubricollis*](#) Eichhoff, 1875 ^C
- [*Xyleborus rudis*](#) Eggers, 1930d ^C
- [*Xyleborus rufipes*](#) Eggers, 1933b ^C
- [*Xyleborus rufithorax*](#) Eichhoff, 1869b ^C
- [*Xyleborus rufobrunneus*](#) Eggers, 1929e ^C
- [*Xyleborus rufoniger*](#) Schedl, 1934d ^C
- [*Xyleborus rufonitidum*](#) Schedl, 1951i ^C
- [*Xyleborus rufopiceus*](#) Eggers, 1932d ^C
- [*Xyleborus rufus*](#) Schedl, 1951i ^C
- [*Xyleborus rugatus*](#) Blackburn, 1885 ^{i C}
- [*Xyleborus rugicollis*](#) Blandford, 1898b ^C
- [*Xyleborus rugipennis*](#) Schedl, 1953c ^C
- [*Xyleborus rugosipennis*](#) Schedl, 1963f ^C
- [*Xyleborus rugosus*](#) Eggers, 1920 ^C
- [*Xyleborus rugulosipes*](#) Wood, 2007 ^C
- [*Xyleborus rugulosus*](#) Eggers, 1922c ^C
- [*Xyleborus russulus*](#) Schedl, 1942c ^C
- [*Xyleborus rusticus*](#) Wood, 1974a ^C

S

- [*Xyleborus sacchari*](#) Hopkins, 1915b ^C
- [*Xyleborus sakalava*](#) Schedl, 1953d ^C
- [*Xyleborus sakoae*](#) Schedl, 1961e ^C
- [*Xyleborus salvini*](#) Blandford, 1898b ^C
- [*Xyleborus sampsoni*](#) Donisthorpe, 1940 ^C
- [*Xyleborus sandragotoensis*](#) Schedl, 1961e ^C
- [*Xyleborus sanguinicollis*](#) Blandford, 1898b ^C
- [*Xyleborus sarawakensis*](#) Eggers, 1923a ^C
- [*Xyleborus sartor*](#) Schedl, 1961e ^C
- [*Xyleborus satoi*](#) Schedl, 1961e ^C
- [*Xyleborus sauropteroides*](#) Schedl, 1970d ^C
- [*Xyleborus sauropterus*](#) Schedl, 1953d ^C
- [*Xyleborus sayi*](#) (Hopkins, 1915) ^{i C}
- [*Xyleborus scaber*](#) Schedl, 1948f ^C
- [*Xyleborus scabratus*](#) Schedl, 1941 ^{i C}
- [*Xyleborus scabricollis*](#) Wood & Bright, 1992 ^C
- [*Xyleborus scabridus*](#) Schedl, 1952i ^C
- [*Xyleborus scabrior*](#) Schedl, 1954e ^C
- [*Xyleborus scabripennis*](#) Blandford, 1896b ^C
- [*Xyleborus scalaris*](#) Schedl, 1935d ^C
- [*Xyleborus sculptor*](#) Schedl, 1961e ^C
- [*Xyleborus scapulare*](#) Schedl, 1942a ^C
- [*Xyleborus schaufussi*](#) Blandford, 1894d ^C
- [*Xyleborus schedli*](#) Eggers, 1934a ^C
- [*Xyleborus schildi*](#) Schedl, 1935d ^C
- [*Xyleborus schizolobius*](#) Schedl, 1950i ^C
- [*Xyleborus schlichi*](#) Stebbing, E.P., 1914 ^C
- [*Xyleborus schoenherr*](#) Schedl, 1981a ^C
- [*Xyleborus schoutedeni*](#) Eggers, 1927a ^C
- [*Xyleborus schreineri*](#) Eggers, 1920 ^C
- [*Xyleborus schultzei*](#) Schedl, 1951i ^C
- [*Xyleborus schwarzi*](#) Hopkins, 1915b ^C
- [*Xyleborus sclerocaryae*](#) Schedl, 1962h ^C
- [*Xyleborus scobinatus*](#) Hagedorn, 1910b ^C
- [*Xyleborus scopulorum*](#) Hopkins, 1915b ^C

- [*Xyleborus scorpius*](#) Schedl, 1942a ^C
- [*Xyleborus sculptilis*](#) Schedl, 1964g ^C
- [*Xyleborus seiryorensis*](#) Murayama, 1930b ^C
- [*Xyleborus sejugatus*](#) Schedl, 1942a ^C
- [*Xyleborus semicarinatus*](#) Schedl, 1942c ^C
- [*Xyleborus semicircularis*](#) Schedl, 1973e ^C
- [*Xyleborus semicostatus*](#) Schedl, 1948f ^C
- [*Xyleborus semigranosus*](#) Blandford, 1896b ^C
- [*Xyleborus semigranulatus*](#) Schedl, 1931c ^C
- [*Xyleborus seminitens*](#) Blandford, 1895a ^C
- [*Xyleborus semiopacus*](#) Eichhoff, 1878b ^C
- [*Xyleborus semipilosus*](#) Eggers, 1932d ^C
- [*Xyleborus semipolitus*](#) Schedl, 1951i ^C
- [*Xyleborus semipunctatus*](#) Eggers, 1933b ^C
- [*Xyleborus semirufus*](#) Schedl, 1959a ^C
- [*Xyleborus semistriatus*](#) Schedl, 1971c ^C
- [*Xyleborus semitruncatus*](#) Schedl, 1942d ^C
- [*Xyleborus senchalensis*](#) Beeson, 1930 ^C
- [*Xyleborus sentosus*](#) Eichhoff, 1868c ^C
- [*Xyleborus separandus*](#) Schedl, 1971c ^C
- [*Xyleborus septentrionalis*](#) Niisima, 1909 ^C
- [*Xyleborus sereinuus*](#) Eggers, 1923a ^C
- [*Xyleborus seriatus*](#) Blandford, 1894d ^{C b}
- [*Xyleborus serratus*](#) Swaine, J.M., 1910b ^C
- [*Xyleborus setosus*](#) Eichhoff, 1868c ^C
- [*Xyleborus setulosus*](#) Eggers, 1940d ^C
- [*Xyleborus sexdentatus*](#) Eggers, 1940d ^C
- [*Xyleborus sexnotatus*](#) Schedl, 1970e ^C
- [*Xyleborus sexspinum*](#) Schedl, 1935f ^C
- [*Xyleborus sextuberculatus*](#) Schedl, 1952a ^C
- [*Xyleborus sharpae*](#) Hopkins, 1915b ^C
- [*Xyleborus sharpi*](#) Blandford, 1898b ^C
- [*Xyleborus shionomisakiensis*](#) Murayama, 1951a ^C
- [*Xyleborus shiva*](#) Maiti & Saha, 1986 ^C
- [*Xyleborus shoreae*](#) (Stebbing, E.P., 1909b) ^C
- [*Xyleborus sibsagaricus*](#) Eggers, 1930d ^C

- [*Xyleborus siclus*](#) Schedl, 1936j ^C
- [*Xyleborus signinis*](#) Eggers (Hagedorn in), 1920 ^C
- [*Xyleborus signatipennis*](#) Schedl, 1961e ^C
- [*Xyleborus signatus*](#) Schedl, 1948f ^C
- [*Xyleborus signiceps*](#) Schedl, 1962j ^C
- [*Xyleborus signifer*](#) Schedl, 1968b ^C
- [*Xyleborus silvestris*](#) Beeson, 1929 ^C
- [*Xyleborus similans*](#) Eggers, 1940c ^C
- [*Xyleborus similaris*](#) Schedl, 1965c ^C
- [*Xyleborus similis*](#) Eggers, 1927c ^C
- [*Xyleborus simillimus*](#) Perkins, 1900 ^{i C}
- [*Xyleborus simulatus*](#) Bright, 1972d ^C
- [*Xyleborus sinensis*](#) Eggers, 1941b ^C
- [*Xyleborus siobanus*](#) Eggers, 1923a ^C
- [*Xyleborus siporanus*](#) Hagedorn, 1910b ^C
- [*Xyleborus sirambeanus*](#) Eggers, 1923a ^C
- [*Xyleborus sisyrnophorum*](#) Hagedorn, 1910b ^C
- [*Xyleborus sobrinus*](#) Eichhoff, 1875 ^C
- [*Xyleborus societatis*](#) Beeson, 1935a ^C
- [*Xyleborus solidus*](#) Eichhoff, 1868c ^C
- [*Xyleborus solitariceps*](#) Schedl, 1954b ^C
- [*Xyleborus solitariformis*](#) Schedl, 1976a ^C
- [*Xyleborus solitarinus*](#) Schedl, 1950i ^C
- [*Xyleborus solitaripennis*](#) Schedl, 1976a ^C
- [*Xyleborus solitarius*](#) Hagedorn, 1905a ^C
- [*Xyleborus solomonicus*](#) Schedl, 1970b ^C
- [*Xyleborus soltaui*](#) Hopkins, 1915b ^C
- [*Xyleborus solutus*](#) Schedl, 1962j ^C
- [*Xyleborus sordicaudulus*](#) Eggers, 1927c ^C
- [*Xyleborus sparsegranulosus*](#) Kirkendall & Jordal, 2006 ^C
- [*Xyleborus sparsipilosus*](#) Eggers, 1933b ^C
- [*Xyleborus sparsus*](#) LeConte, 1868 ^C
- [*Xyleborus spathipennis*](#) Eichhoff, 1868c ^C
- [*Xyleborus spatulatus*](#) Blandford, 1896b ^C
- [*Xyleborus speciosus*](#) Schedl, 1975e ^C
- [*Xyleborus sphenos*](#) Sampson, 1912 ^C

- [*Xyleborus spicatululus*](#) Browne, 1986c ^C
- [*Xyleborus spicatus*](#) Browne, 1986a ^C
- [*Xyleborus spiculatululus*](#) Schedl, 1965c ^C
- [*Xyleborus spiculatus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus spinachius*](#) Schedl, 1955b ^C
- [*Xyleborus spinatus*](#) Eggers, 1923a ^C
- [*Xyleborus spinibarbe*](#) Schedl, 1955i ^C
- [*Xyleborus spinicornis*](#) Schedl, 1975f ^C
- [*Xyleborus spinidens*](#) Eggers, 1920 ^C
- [*Xyleborus spinifer*](#) Eggers, 1920 ^C
- [*Xyleborus spiniger*](#) Schedl, 1954b ^C
- [*Xyleborus spinipennis*](#) Eggers, 1930d ^C
- [*Xyleborus spinipes*](#) Schedl, 1957d ^C
- [*Xyleborus spinosulus*](#) Schedl, 1934g ^C
- [*Xyleborus spinosus*](#) Schaufuss, C.F.C., 1891 ^C
- [*Xyleborus spinulosus*](#) Blandford, 1898 ^{i c b}
- [*Xyleborus splendidus*](#) Schaufuss, C.F.C., 1897b ^C
- [*Xyleborus squamatilis*](#) Schedl, 1955b ^C
- [*Xyleborus squamulatus*](#) Eichhoff, 1869b ^C
- [*Xyleborus squamulosus*](#) Eggers, 1923a ^C
- [*Xyleborus starki*](#) Nunberg, 1956d ^C
- [*Xyleborus stenographus*](#) Schedl, 1971c ^C
- [*Xyleborus striatotruncatus*](#) Schedl, 1936j ^C
- [*Xyleborus striatululus*](#) Browne, 1980c ^C
- [*Xyleborus strohmeyeri*](#) Schedl, 1975e ^C
- [*Xyleborus strombiformis*](#) Schedl, 1971c ^C
- [*Xyleborus strombosiopsis*](#) Schedl, 1957d ^C
- [*Xyleborus suaui*](#) Schedl, 1973f ^C
- [*Xyleborus subadjunctus*](#) Schedl, 1950d ^C
- [*Xyleborus subaffinis*](#) Eggers, 1933b ^C
- [*Xyleborus subagnatus*](#) Schedl (Eggers in), 1979c ^C
- [*Xyleborus subasperulus*](#) Eggers, 1935c ^C
- [*Xyleborus subcarinulatus*](#) Eggers, 1932d ^C
- [*Xyleborus subcostatus*](#) Eichhoff, 1869a ^C
- [*Xyleborus subcrenulatus*](#) Eggers, 1932d ^C
- [*Xyleborus subcribrosus*](#) Blandford, 1896b ^C

- [*Xyleborus subdentatulus*](#) Browne, 1986a ^C
- [*Xyleborus subdentatus*](#) Browne, 1974b ^C
- [*Xyleborus subdepressus*](#) Rey, 1885 ^C
- [*Xyleborus subdolosus*](#) Schedl, 1942d ^C
- [*Xyleborus subductus*](#) Schedl, 1976a ^C
- [*Xyleborus subemarginatus*](#) Eggers, 1940d ^C
- [*Xyleborus subgranosus*](#) Schedl, 1962j ^C
- [*Xyleborus subgranulatus*](#) Eggers, 1930d ^C
- [*Xyleborus subitus*](#) Schedl, 1948f ^C
- [*Xyleborus sublinearis*](#) Eggers, 1940d ^C
- [*Xyleborus sublongus*](#) Eggers, 1927c ^C
- [*Xyleborus submarginatus*](#) Blandford, 1896b ^C
- [*Xyleborus submolestus*](#) Schedl, 1941d ^C
- [*Xyleborus submontanus*](#) Schedl, 1960i ^C
- [*Xyleborus subnepotulus*](#) Eggers, 1930d ^C
- [*Xyleborus subobtusum*](#) Schedl, 1942a ^C
- [*Xyleborus subparallelus*](#) Eggers, 1940d ^C
- [*Xyleborus subplanatus*](#) Eggers, 1943a ^C
- [*Xyleborus subpruinosis*](#) Browne, 1986a ^C
- [*Xyleborus subsimiliformis*](#) Eggers, 1939b ^C
- [*Xyleborus subsimilis*](#) Eggers, 1930d ^C
- [*Xyleborus subspinosus*](#) Eggers, 1930d ^C
- [*Xyleborus subsulcatus*](#) Eggers, 1927a ^C
- [*Xyleborus subtilis*](#) Schedl, 1970e ^C
- [*Xyleborus subtruncatus*](#) Schedl, 1972m ^C
- [*Xyleborus subtuberculatus*](#) Eggers, 1927a ^C
- [*Xyleborus sulcaticeps*](#) Schedl, 1962j ^C
- [*Xyleborus sulcatulus*](#) Eggers, 1939b ^C
- [*Xyleborus sulcatus*](#) Eggers, 1930d ^C
- [*Xyleborus sulcicauda*](#) Schedl, 1972b ^C
- [*Xyleborus sulcinoides*](#) Schedl, 1974d ^C
- [*Xyleborus sulcipenne*](#) Eggers, 1932d ^C
- [*Xyleborus sumatranus*](#) Hagedorn, 1908 ^C
- [*Xyleborus sundaensis*](#) Eggers, 1923a ^C
- [*Xyleborus superbulus*](#) Schedl, 1958k ^C
- [*Xyleborus superbus*](#) Schedl, 1942c ^C

- [*Xyleborus sus*](#) Schedl, 1973e ^C
- [*Xyleborus suturalis*](#) Eggers, 1930d ^C
- [*Xyleborus swezeyi*](#) Beeson, 1929 ^C
- [*Xyleborus syzygii*](#) Nunberg, 1959c ^C
- [*Xyleborus szentivanyi*](#) Schedl, 1968e ^C

T

- [*Xyleborus taboensis*](#) Schedl, 1952c ^C
- [*Xyleborus tachygraphus*](#) Zimmermann, 1868 ^C
- [*Xyleborus taichuensis*](#) Schedl, 1952c ^C
- [*Xyleborus taitonus*](#) Eggers, 1939c ^C
- [*Xyleborus taiwanensis*](#) Browne, 1980b ^C
- [*Xyleborus takeharai*](#) Browne, 1983a ^C
- [*Xyleborus takinoyensis*](#) Murayama, 1953b ^C
- [*Xyleborus talumalai*](#) Browne, 1966 ^C
- [*Xyleborus tanganjikaensis*](#) Schedl, 1937b ^C
- [*Xyleborus tanganus*](#) Hagedorn, 1910b ^C
- [*Xyleborus tanibe*](#) Schedl, 1965c ^C
- [*Xyleborus tantalus*](#) Schedl, 1941 ^{i C}
- [*Xyleborus tapatapaoensis*](#) Schedl, 1951k ^C
- [*Xyleborus taxicornis*](#) Schedl, 1971c ^C
- [*Xyleborus tecleae*](#) Schedl, 1957e ^C
- [*Xyleborus tectonae*](#) Nunberg, 1956d ^C
- [*Xyleborus tectus*](#) Schedl, 1972h ^C
- [*Xyleborus tegalensis*](#) Eggers, 1923a ^C
- [*Xyleborus temetiuiicus*](#) Beeson, 1935b ^C
- [*Xyleborus tenebrosus*](#) Schedl, 1937b ^C
- [*Xyleborus tenella*](#) Schedl, 1959a ^C
- [*Xyleborus tenellus*](#) Schedl, 1957d ^C
- [*Xyleborus teninabani*](#) Browne, 1986c ^C
- [*Xyleborus tenuigraphum*](#) Schedl, 1953e ^C
- [*Xyleborus tenuipennis*](#) Browne, 1974a ^C
- [*Xyleborus tenuis*](#) Schedl, 1948f ^C
- [*Xyleborus tereticollis*](#) Schedl, 1951i ^C
- [*Xyleborus terminatus*](#) Eggers, 1930d ^C
- [*Xyleborus testudo*](#) Eggers, 1939c ^C

- [*Xyleborus tetracanthus*](#) Beeson, 1941 ^C
- [*Xyleborus theae*](#) Eggers, 1940d ^C
- [*Xyleborus timidus*](#) Schedl, 1973f ^C
- [*Xyleborus tinnitus*](#) Schedl, 1941d ^C
- [*Xyleborus titubanter*](#) Schedl, 1948h ^C
- [*Xyleborus todo*](#) Kono, 1938b ^C
- [*Xyleborus tolimanus*](#) Eggers, 1928c ^C
- [*Xyleborus tomentosus*](#) Eggers, 1939b ^C
- [*Xyleborus tomicoides*](#) Eggers, 1923a ^C
- [*Xyleborus tonkinensis*](#) Schedl, 1934c ^C
- [*Xyleborus tonsus*](#) Wood, 1977b ^C
- [*Xyleborus torquatus*](#) Eichhoff, 1868c ^C
- [*Xyleborus tortuosus*](#) Schedl, 1942a ^C
- [*Xyleborus transitus*](#) Schedl, 1962j ^C
- [*Xyleborus trapezicollis*](#) Schedl, 1971c ^C
- [*Xyleborus trepanicauda*](#) Eggers, 1923a ^C
- [*Xyleborus triangi*](#) Schedl, 1958b ^C
- [*Xyleborus triangularis*](#) Schedl, 1975f ^C
- [*Xyleborus tribulatus*](#) Wood, 1974a ^C
- [*Xyleborus trinidadensis*](#) Schedl, 1961a ^C
- [*Xyleborus trispinatus*](#) Browne, 1981a ^C
- [*Xyleborus tristiculus*](#) Wood, 1975b ^C
- [*Xyleborus tristis*](#) Eggers, 1930d ^C
- [*Xyleborus triton*](#) Schaufuss, C.F.C., 1905 ^C
- [*Xyleborus trolaki*](#) Schedl, 1939e ^C
- [*Xyleborus tropicus*](#) Hagedorn, 1910b ^C
- [*Xyleborus truncatellus*](#) Schedl, 1951i ^C
- [*Xyleborus truncaticauda*](#) Browne, 1984d ^C
- [*Xyleborus truncatiferus*](#) Schedl, 1955b ^C
- [*Xyleborus truncatiformis*](#) Eggers, 1923a ^C
- [*Xyleborus truncatipennis*](#) Schedl, 1961f ^C
- [*Xyleborus truncatulus*](#) Schedl, 1957d ^C
- [*Xyleborus truncatus*](#) Sharp, D., 1885 ^C
- [*Xyleborus trux*](#) Schedl, 1937b ^C
- [*Xyleborus tsukubanus*](#) Murayama, 1954b ^C
- [*Xyleborus tuberculifer*](#) Eggers, 1923a ^C

- [*Xyleborus tuberculosissimum*](#) Eggers, 1940d ^C
- [*Xyleborus tuberculosus*](#) Browne, 1981b ^C
- [*Xyleborus tumidus*](#) Schedl, 1975f ^C
- [*Xyleborus tumucensis*](#) Hagedorn, 1905a ^C
- [*Xyleborus tunggali*](#) Schedl, 1936j ^C
- [*Xyleborus turbineus*](#) Sampson, 1923b ^C
- [*Xyleborus turgidus*](#) Schedl, 1962j ^C
- [*Xyleborus turraeanthus*](#) Schedl, 1957d ^C

U-Z

- [*Xyleborus ugandaensis*](#) Schedl, 1957e ^C
- [*Xyleborus umbratulus*](#) Schedl, 1975g ^C
- [*Xyleborus umbratum*](#) Eggers, 1941b ^C
- [*Xyleborus uncatus*](#) Schedl, 1970e ^C
- [*Xyleborus undatus*](#) Schedl, 1974c ^C
- [*Xyleborus undulata*](#) Sampson, 1919 ^C
- [*Xyleborus unimodus*](#) Beeson, 1929 ^C
- [*Xyleborus uniseriatus*](#) Eggers, 1936e ^C
- [*Xyleborus upoluensis*](#) Schedl, 1951k ^C
- [*Xyleborus urichi*](#) Sampson, 1912 ^C
- [*Xyleborus ursa*](#) Eggers, 1923a ^C
- [*Xyleborus ursinus*](#) Hagedorn, 1908 ^C
- [*Xyleborus ursulus*](#) Eggers, 1923a ^C
- [*Xyleborus ursus*](#) Eggers, 1923a ^C
- [*Xyleborus usagaricus*](#) Eggers, 1922b ^C
- [*Xyleborus usitata*](#) Schedl, 1942c ^C
- [*Xyleborus usticus*](#) Wood, 1968b ^C
- [*Xyleborus ustulatus*](#) Eggers (Hagedorn in), 1920 ^C
- [*Xyleborus ustus*](#) Schedl, 1957d ^C
- [*Xyleborus vafra*](#) Schedl, 1957e ^C
- [*Xyleborus vagabundus*](#) Schedl, 1948f ^C
- [*Xyleborus vagans*](#) Schedl, 1977f ^C
- [*Xyleborus validicornis*](#) Schedl, 1950f ^C
- [*Xyleborus validus*](#) Eichhoff, 1875 ^{i C}
- [*Xyleborus vanrynae*](#) Browne, 1973a ^C
- [*Xyleborus variabilis*](#) Schedl, 1948f ^C

- [*Xyleborus varians*](#) Fabricius, 1801 ^g
- [*Xyleborus variipennis*](#) Schedl, 1971c ^c
- [*Xyleborus varulus*](#) Wood, 1974a ^c
- [*Xyleborus velatus*](#) Sampson, 1913 ^c
- [*Xyleborus venustulus*](#) Schedl, 1969b ^c
- [*Xyleborus verax*](#) Schedl, 1939f ^c
- [*Xyleborus vernaculus*](#) Schedl, 1975f ^c
- [*Xyleborus versicolor*](#) Sampson, 1921 ^c
- [*Xyleborus vespatorius*](#) Schedl, 1931c ^c
- [*Xyleborus vestigator*](#) Schedl, 1973e ^c
- [*Xyleborus vexans*](#) Schedl, 1972g ^c
- [*Xyleborus viaticus*](#) Schedl, 1974d ^c
- [*Xyleborus vicarius*](#) Eichhoff, 1875 ^c
- [*Xyleborus vicinus*](#) LeConte, 1874a ^c
- [*Xyleborus viduus*](#) Eichhoff, 1878 ^{i c b}
- [*Xyleborus vigilans*](#) Schedl, 1939f ^c
- [*Xyleborus villosulus*](#) Blandford, 1898b ^c
- [*Xyleborus villosus*](#) Schedl, 1948f ^c
- [*Xyleborus viruensis*](#) Browne, 1984a ^c
- [*Xyleborus vismiae*](#) Wood, 1974a ^c
- [*Xyleborus vitiosus*](#) Schedl, 1940a ^c
- [*Xyleborus voarotrae*](#) Schedl, 1961e ^c
- [*Xyleborus vochysiae*](#) Kirkendall, 2006 ^c
- [*Xyleborus volutus*](#) Wood, 2007 ^c
- [*Xyleborus volvulus*](#) (Fabricius, 1775) ^{i c g b}
- [*Xyleborus vulcanus*](#) Perkins, 1900 ^{i c}
- [*Xyleborus vulpina*](#) Schedl, 1942a ^c
- [*Xyleborus wakayamensis*](#) Nobuchi, 1981d ^c
- [*Xyleborus wallacei*](#) Blandford, 1896b ^c
- [*Xyleborus webbi*](#) Hopkins, 1915b ^c
- [*Xyleborus whitfordiodendrus*](#) Schedl, 1942a ^c
- [*Xyleborus whitteni*](#) Beeson, 1935b ^c
- [*Xyleborus wilderi*](#) Beeson, 1929 ^c
- [*Xyleborus woodi*](#) Schedl, 1979j ^c
- [*Xyleborus xanthophyllus*](#) Schedl, 1942a ^c
- [*Xyleborus xanthopus*](#) Eichhoff, 1868c ^c

- [*Xyleborus xylocranellus*](#) Schedl, 1931^c
- [*Xyleborus xylographus*](#) (Say, 1826)^{i c g b}
- [*Xyleborus xyloteroides*](#) Eggers, 1939^c
- [*Xyleborus xylotrupes*](#) Schedl, 1962^{j c}
- [*Xyleborus yakushmanus*](#) Murayama, 1955^c
- [*Xyleborus zicsii*](#) Schedl, 1967^{e c}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 154 species in [*Xorides*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^[1]
^[2]^[3]

***Xorides* species**

- [*Xorides abaddon*](#) (Morley, 1913)^{c g}
- [*Xorides aciculatus*](#) (Benoit, 1952)^{c g}
- [*Xorides aculeatus*](#) Liu & Sheng, 1998^{c g}
- [*Xorides albimaculatus*](#) Sheng, 2000^{c g}
- [*Xorides albopictus*](#) (Cresson, 1870)^{c g b}
- [*Xorides alpestris*](#) (Habermehl, 1903)^{c g}
- [*Xorides amissiantennes*](#) Wang, 1997^{c g}
- [*Xorides annulator*](#) (Fabricius, 1804)^{c g}
- [*Xorides annulatus*](#) (Gravenhorst, 1829)^{c g}
- [*Xorides antennalis*](#) (Szepligeti, 1914)^c
- [*Xorides anthracinus*](#) Gupta & Chandra, 1974^{c g}
- [*Xorides armidae*](#) Gauld, 1997^{c g}
- [*Xorides asperus*](#) Wang & Gupta, 1995^{c g}
- [*Xorides ater*](#) (Gravenhorst, 1829)^{c g}
- [*Xorides atrox*](#) Townes, 1960^{c g}
- [*Xorides australiensis*](#) (Szepligeti, 1914)^c
- [*Xorides austriacus*](#) (Clement, 1938)^{c g}
- [*Xorides berlandi*](#) Clement, 1938^{c g}
- [*Xorides boharti*](#) Townes, 1960^{c g}
- [*Xorides brachylabis*](#) (Kriechbaumer, 1889)^{c g}
- [*Xorides brookei*](#) (Cameron, 1903)^{c g}
- [*Xorides caeruleus*](#) (Morley, 1913)^{c g}
- [*Xorides caeruleus*](#) (Cameron, 1905)^{c g}

- [*Xorides calidus*](#) (Provancher, 1886) ^{c g b}
- [*Xorides californicus*](#) (Cresson, 1879) ^{c g}
- [*Xorides carinifrons*](#) Baltazar, 1961 ^{c g}
- [*Xorides centromaculatus*](#) Cushman, 1933 ^{c g}
- [*Xorides cerbonei*](#) Porter, 1978 ^{c g}
- [*Xorides chalybeator*](#) (Smith, 1862) ^{c g}
- [*Xorides cincticornis*](#) (Cresson, 1865) ^{c g b}
- [*Xorides citrimaculatus*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides confusus*](#) Baltazar, 1961 ^{c g}
- [*Xorides corcyrensis*](#) (Kriechbaumer, 1894) ^{c g}
- [*Xorides crassitibialis*](#) (Uchida, 1932) ^c
- [*Xorides crudelis*](#) (Turner, 1919) ^{c g}
- [*Xorides csikii*](#) Clement, 1938 ^{c g}
- [*Xorides deplanatus*](#) Sheng, 2006 ^{c g}
- [*Xorides depressus*](#) (Holmgren, 1860) ^{c g}
- [*Xorides eastoni*](#) (Rohwer, 1913) ^{c g}
- [*Xorides elizabethae*](#) (Bingham, 1898) ^{c g}
- [*Xorides ephialtoides*](#) (Kriechbaumer, 1882) ^{c g}
- [*Xorides erigentis*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides erythrothorax*](#) (Turner, 1919) ^{c g}
- [*Xorides euthrix*](#) Porter, 1975 ^{c g}
- [*Xorides exmacularis*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides exquisitus*](#) (Tosquinet, 1903) ^{c g}
- [*Xorides filiformis*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides flavopictus*](#) Baltazar, 1961 ^{c g}
- [*Xorides flavotibialis*](#) Hilszczanski, 2000 ^{c g}
- [*Xorides formosanus*](#) (Sonan, 1936) ^c
- [*Xorides formosulus*](#) (Kokujev, 1912) ^{c g}
- [*Xorides fracticornis*](#) (Smith, 1860) ^{c g}
- [*Xorides frigidus*](#) (Cresson, 1870) ^{c g}
- [*Xorides fulgidipennis*](#) (Smith, 1858) ^{c g}
- [*Xorides fuligator*](#) (Thunberg, 1822) ^{c g}
- [*Xorides funiuensis*](#) Sheng, 2000 ^{c g}
- [*Xorides furcatus*](#) Liu & Sheng, 1998 ^{c g}
- [*Xorides giganticus*](#) Baltazar, 1961 ^{c g}
- [*Xorides gloriosus*](#) (Szepligeti, 1914) ^{c g}

- [*Xorides gracilicornis*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides gravenhorstii*](#) (Curtis, 1831) ^{c g}
- [*Xorides harringtoni*](#) Rohwer, 1920 ^{c g}
- [*Xorides hedwigi*](#) Clement, 1938 ^{c g}
- [*Xorides hiatus*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides hingganensis*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides hirtus*](#) Liu & Sheng, 1998 ^{c g}
- [*Xorides hulstaerti*](#) (Benoit, 1952) ^{c g}
- [*Xorides humeralis*](#) (Say, 1829) ^{c g b}
- [*Xorides humos*](#) Gauld, 1997 ^{c g}
- [*Xorides idunae*](#) Gauld, 1997 ^{c g}
- [*Xorides ilignus*](#) Hilszczanski, 2000 ^{c g}
- [*Xorides immaculatus*](#) Cushman, 1933 ^{c g}
- [*Xorides indicatorius*](#) (Latreille, 1806) ^{c g}
- [*Xorides indicus*](#) Gupta & Chandra, 1972 ^{c g}
- [*Xorides insularis*](#) (Cresson, 1879) ^c
- [*Xorides investigator*](#) (Smith, 1874) ^{c g}
- [*Xorides iodes*](#) Baltazar, 1961 ^{c g}
- [*Xorides irrigator*](#) (Fabricius, 1793) ^{c g}
- [*Xorides iwatensis*](#) (Uchida, 1928) ^{c g}
- [*Xorides jakovlevi*](#) (Kokujev, 1903) ^{c g}
- [*Xorides jezoensis*](#) (Matsumura, 1912) ^c
- [*Xorides jiyanensis*](#) Sheng, 2004 ^{c g}
- [*Xorides karnaticus*](#) Gupta & Chandra, 1977 ^{c g}
- [*Xorides konduensis*](#) (Benoit, 1952) ^{c g}
- [*Xorides konumensis*](#) (Uchida, 1928) ^{c g}
- [*Xorides lambei*](#) (Handlirsch, 1911) ^{c g}
- [*Xorides lissopunctus*](#) Gupta & Chandra, 1972 ^{c g}
- [*Xorides longicaudus*](#) Sheng & Wen, 2008 ^{c g}
- [*Xorides maculatus*](#) (Benoit, 1952) ^{c g}
- [*Xorides maculiceps*](#) (Cameron, 1906) ^{c g}
- [*Xorides maculipennis*](#) (Smith, 1859) ^c
- [*Xorides madronensis*](#) Ruiz-Cancino & Kasparyan, 2000 ^{c g}
- [*Xorides magnificus*](#) (Mocsary, 1905) ^{c g}
- [*Xorides maudae*](#) (Davis, 1895) ^{c g}
- [*Xorides mayumbensis*](#) (Benoit, 1952) ^{c g}

- [*Xorides medius*](#) Townes, 1960 ^{c g}
- [*Xorides mindanensis*](#) Baltazar, 1961 ^{c g}
- [*Xorides minimus*](#) Gupta & Chandra, 1974 ^{c g}
- [*Xorides minutus*](#) Clement, 1938 ^{c g}
- [*Xorides mirabilis*](#) (Seyrig, 1932) ^{c g}
- [*Xorides nasensis*](#) Uchida, 1956 ^{c g}
- [*Xorides neoclyti*](#) (Rohwer, 1915) ^{c g}
- [*Xorides niger*](#) (Pfeffer, 1913) ^{c g}
- [*Xorides nigricaeruleus*](#) Wang & Gupta, 1995 ^{c g}
- [*Xorides nigristomus*](#) Gupta & Chandra, 1974 ^{c g}
- [*Xorides ornatus*](#) (Tosquinet, 1903) ^c
- [*Xorides peniculus*](#) Townes, 1960 ^{c g}
- [*Xorides philippinensis*](#) Baltazar, 1961 ^{c g}
- [*Xorides pictus*](#) Townes, 1960 ^{c g}
- [*Xorides pissodius*](#) Sheng & Wen, 2008 ^{c g}
- [*Xorides planus*](#) Townes, 1960 ^{c g}
- [*Xorides plumicornis*](#) (Smith, 1877) ^{c g}
- [*Xorides praecatorius*](#) (Fabricius, 1793) ^{c g}
- [*Xorides praestans*](#) (Tosquinet, 1896) ^{c g}
- [*Xorides propinquus*](#) (Tschek, 1869) ^{c g}
- [*Xorides propodeum*](#) (Cushman, 1933) ^{c g}
- [*Xorides rileyi*](#) (Ashmead, 1890) ^{c g}
- [*Xorides rubrator*](#) Khalaim & Ruiz-Cancino, 2007 ^{c g}
- [*Xorides rudis*](#) Townes, 1960 ^{c g}
- [*Xorides ruficeps*](#) (Cameron, 1903) ^{c g}
- [*Xorides rufipes*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides rufipleuralis*](#) (Cushman, 1933) ^{c g}
- [*Xorides rufomaculatus*](#) (Cameron, 1905) ^c
- [*Xorides rusticus*](#) (Desvignes, 1856) ^{c g}
- [*Xorides sapporensis*](#) (Uchida, 1928) ^{c g}
- [*Xorides scaber*](#) (Gravenhorst, 1829) ^{c g}
- [*Xorides secos*](#) Gauld, 1997 ^{c g}
- [*Xorides sejugatus*](#) (Brues, 1910) ^{c g}
- [*Xorides semirufus*](#) Townes, 1960 ^{c g}
- [*Xorides sepulchralis*](#) (Holmgren, 1860) ^{c g}
- [*Xorides serratitibia*](#) (Enderlein, 1914) ^{c g}

- [*Xorides shevyrevi*](#) (Meyer, 1926) ^{c g}
- [*Xorides similis*](#) (Benoit, 1952) ^{c g}
- [*Xorides sinoxyli*](#) Sedivy, 1996 ^{c g}
- [*Xorides smithi*](#) (Schmiedeknecht, 1907) ^{c g}
- [*Xorides spectabilis*](#) (Tosquinet, 1903) ^{c g}
- [*Xorides splendens*](#) (Brues, 1918) ^{c g}
- [*Xorides stepposus*](#) Kasparyan, 1981 ^{c g}
- [*Xorides stigmapterus*](#) (Say, 1824) ^{c g b}
- [*Xorides strandi*](#) (Clement, 1938) ^{c g}
- [*Xorides syrinx*](#) Gauld, 1997 ^{c g}
- [*Xorides tamora*](#) Gauld, 1997 ^{c g}
- [*Xorides tarsalis*](#) (Szepligeti, 1914) ^c
- [*Xorides thanatos*](#) Gauld, 1997 ^{c g}
- [*Xorides tornatus*](#) (Schiodte, 1839) ^{c g}
- [*Xorides townesi*](#) Baltazar, 1961 ^{c g}
- [*Xorides tumidus*](#) Sheng & Wen, 2008 ^{c g}
- [*Xorides tuqiangensis*](#) Sheng, 1998 ^{c g}
- [*Xorides vitalisi*](#) (Turner, 1919) ^c
- [*Xorides vitiosus*](#) (Turner, 1919) ^{c g}
- [*Xorides weii*](#) Sheng, 2002 ^{c g}
- [*Xorides wenzeli*](#) Gauld, 1997 ^{c g}
- [*Xorides xanthisma*](#) Porter, 1975 ^{c g}
- [*Xorides yamai*](#) Gauld, 1997 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 129 species in [*Xestocephalus*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3]}

***Xestocephalus* species**

- [*Xestocephalus abyssinicus*](#) Heller & Linnavuori 1968 ^{c g}
- [*Xestocephalus adiopodoumus*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus aethiopicus*](#) Melichar 1914 ^{c g}
- [*Xestocephalus agassizi*](#) Van Duzee 1912 ^{c g}
- [*Xestocephalus albidus*](#) Evans 1954 ^{c g}
- [*Xestocephalus albopunctatus*](#) Linnavuori 1959 ^{c g}

- [Xestocephalus amenus](#) DeLong, [Wolda](#) & Estribi 1980 ^{c g}
- [Xestocephalus ancorifer](#) Linnavuori 1959 ^{c g}
- [Xestocephalus antimachus](#) Linnavuori 1979 ^{c g}
- [Xestocephalus antlerus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus apicalis](#) Melichar 1903 ^{c g}
- [Xestocephalus aquilus](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [Xestocephalus artarus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus asper](#) Linnavuori 1969 ^{c g}
- [Xestocephalus australensis](#) Kirkaldy 1907 ^{c g}
- [Xestocephalus badius](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus balli](#) Van Duzee 1907 ^{c g}
- [Xestocephalus bicolor](#) Matsumura 1914 ^{c g}
- [Xestocephalus bicoloratus](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [Xestocephalus bicornis](#) Linnavuori 1969 ^{c g}
- [Xestocephalus bifasciatus](#) Cwikla & Wolda 1986 ^{c g}
- [Xestocephalus bifidus](#) DeLong & Linnavuori 1978 ^{c g}
- [Xestocephalus binatus](#) Cai & He ^{c g}
- [Xestocephalus bipunctatus](#) Van Duzee 1907 ^{c g}
- [Xestocephalus botelensis](#) Matsumura 1940 ^{c g}
- [Xestocephalus brunneus](#) Van Duzee, 1907 ^b (brown xestocephalus)
- [Xestocephalus bulbus](#) Cwikla, 1985 ^{c g b}
- [Xestocephalus canidia](#) Linnavuori 1979 ^{c g}
- [Xestocephalus cervinus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus chibianus](#) Matsumura 1940 ^{c g}
- [Xestocephalus cinctus](#) DeLong 1980 ^{c g}
- [Xestocephalus cirus](#) Evans 1955 ^{c g}
- [Xestocephalus cognatus](#) Choe 1981 ^{c g}
- [Xestocephalus consentaneus](#) Linnavuori 1979 ^{c g}
- [Xestocephalus contortuplicatus](#) Kirkaldy 1907 ^{c g}
- [Xestocephalus coronatus](#) Osborn & Ball 1897 ^{c g}
- [Xestocephalus cristifer](#) Logvinenko 1981 ^{c g}
- [Xestocephalus culmus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus curtus](#) DeLong & Linnavuori 1978 ^{c g}
- [Xestocephalus dedecus](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [Xestocephalus delongi](#) Cwikla 1985 ^{c g}
- [Xestocephalus desertorum](#) (Berg, 1879) ^{c g b}

- [*Xestocephalus dimonika*](#) Linnavuori 1969 ^{c g}
- [*Xestocephalus dissimilis*](#) Distant 1918 ^{c g}
- [*Xestocephalus dubius*](#) DeLong 1982 ^{c g}
- [*Xestocephalus eumaios*](#) Linnavuori 1973 ^{c g}
- [*Xestocephalus fasciatus*](#) Evans 1954 ^{c g}
- [*Xestocephalus feowerpacchus*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus fistutlus*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus fucatus*](#) Evans 1954 ^{c g}
- [*Xestocephalus fulvocapitatus*](#) ^b
- [*Xestocephalus fulvus*](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [*Xestocephalus fuscarius*](#) DeLong, Wolda & Estribi 1980 ^{c g}
- [*Xestocephalus fuscomaculatus*](#) Kamitani 2005 ^{c g}
- [*Xestocephalus fuscus*](#) Evans 1954 ^{c g}
- [*Xestocephalus guttulatus*](#) Motschulsky 1859 ^{c g}
- [*Xestocephalus igerna*](#) Linnavuori 1969 ^{c g}
- [*Xestocephalus iguchii*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus immaculatus*](#) Linnavuori 1959 ^{c g}
- [*Xestocephalus irroratus*](#) Osborn 1924 ^{c g}
- [*Xestocephalus ishidae*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus izzardii*](#) Metcalf 1955 ^{c g}
- [*Xestocephalus japonicus*](#) Ishihara 1961 ^{c g}
- [*Xestocephalus javanus*](#) Melichar 1914 ^{c g}
- [*Xestocephalus jucundus*](#) Linnavuori 1954 ^{c g}
- [*Xestocephalus koreanus*](#) Kwon 1981 ^{c g}
- [*Xestocephalus koshunensis*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus kuyanianus*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus longus*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus lunatus*](#) Peters, 1933 ^{c g b}
- [*Xestocephalus luridus*](#) Linnavuori 1959 ^{c g}
- [*Xestocephalus maculatus*](#) Osborn 1929 ^{c g}
- [*Xestocephalus magnificus*](#) Evans 1966 ^{c g}
- [*Xestocephalus maquilingensis*](#) Merino 1936 ^{c g}
- [*Xestocephalus medius*](#) Linnavuori 1969 ^{c g}
- [*Xestocephalus mexicanus*](#) DeLong & Linnavuori 1978 ^{c g}
- [*Xestocephalus minimus*](#) China 1935 ^{c g}
- [*Xestocephalus miramari*](#) DeLong, Wolda & Estribi 1980 ^{c g}

- [*Xestocephalus montanus*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus nigrifrons*](#) ^b
- [*Xestocephalus nikkoensis*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus nilgiriensis*](#) Distant 1918 ^{c g}
- [*Xestocephalus ornatus*](#) Van Duzee 1907 ^{c g}
- [*Xestocephalus osborni*](#) Merino 1936 ^{c g}
- [*Xestocephalus ovalis*](#) Evans 1966 ^{c g}
- [*Xestocephalus paganurus*](#) Melichar 1903 ^{c g}
- [*Xestocephalus pallescens*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus pallidiceps*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus panamanus*](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [*Xestocephalus piceatus*](#) Osborn 1934 ^{c g}
- [*Xestocephalus piceus*](#) ^b
- [*Xestocephalus polleti*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus provancheri*](#) ^b
- [*Xestocephalus pulicarius*](#) Van Duzee, 1894 ^g
- [*Xestocephalus pullus*](#) DeLong, Wolda & Estribi 1983 ^{c g}
- [*Xestocephalus punctatus*](#) Caldwell 1952 ^{c g}
- [*Xestocephalus purpurascens*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus quadripunctatus*](#) Linnavuori 1955 ^{c g}
- [*Xestocephalus ramulus*](#) DeLong & Linnavuori 1978 ^{c g}
- [*Xestocephalus reflexus*](#) Osborn 1934 ^{c g}
- [*Xestocephalus relatus*](#) Distant 1918 ^{c g}
- [*Xestocephalus ryukyuensis*](#) Kamitani 2005 ^{c g}
- [*Xestocephalus shikokuanus*](#) Ishihara 1961 ^{c g}
- [*Xestocephalus sidnicus*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus similis*](#) ^b
- [*Xestocephalus sinchonus*](#) DeLong 1982 ^{c g}
- [*Xestocephalus spicatus*](#) DeLong & Linnavuori 1978 ^{c g}
- [*Xestocephalus spinestyleus*](#) Li & Dai 2003 ^{c g}
- [*Xestocephalus spinifer*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus spinosus*](#) Linnavuori 1957 ^{c g}
- [*Xestocephalus suakoko*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus subfuscus*](#) Melichar 1905 ^{c g}
- [*Xestocephalus subtessellatus*](#) Linnavuori 1959 ^{c g}
- [*Xestocephalus superbus*](#) (Provancher, 1890) ^b

- [*Xestocephalus sycophantus*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus tangaensis*](#) Linnavuori 1979 ^{c g}
- [*Xestocephalus tasmaniensis*](#) Evans 1938 ^{c g}
- [*Xestocephalus tessellatus*](#) ^b
- [*Xestocephalus tessellatus*](#) Van Duzee 1894 ^{c g}
- [*Xestocephalus toroensis*](#) Matsumura 1914 ^{c g}
- [*Xestocephalus transversus*](#) Distant 1918 ^{c g}
- [*Xestocephalus triatus*](#) Caldwell 1952 ^{c g}
- [*Xestocephalus tucsoni*](#) Knull, 1944 ^{c g b}
- [*Xestocephalus tutuilanus*](#) Osborn 1934 ^{c g}
- [*Xestocephalus variarius*](#) DeLong 1982 ^{c g}
- [*Xestocephalus vitiensis*](#) Kirkaldy 1907 ^{c g}
- [*Xestocephalus vittanotus*](#) Cwikla & Wolda 1986 ^{c g}
- [*Xestocephalus youngi*](#) Cwikla 1985 ^{c g}
- [*Xestocephalus zambicus*](#) Linnavuori 1979 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

These 149 species belong to [*Wyeomyia*](#), a genus of [mosquitoes](#) in the family [Culicidae](#).^{[1][2][3][4]}

Wyeomyia species

- [*Wyeomyia abebela*](#) Dyar and Knab, 1908 ^{i c g}
- [*Wyeomyia ablechra*](#) Dyar & Knab, 1908 ^{c g}
- [*Wyeomyia adelpha*](#) Dyar & Knab, 1906 ^{c g}
- [*Wyeomyia aequatoriana*](#) Levi-castillo, 1954 ⁱ
- [*Wyeomyia aequatorianna*](#) Levi-Castillo, 1954 ^{c g}
- [*Wyeomyia airosai*](#) Lane & Cerqueria, 1942 ^{c g}
- [*Wyeomyia alani*](#) Lane and Cerqueira, 1957 ^{i c g}
- [*Wyeomyia albosquamata*](#) Bonne-Wepster & Bonne, 1919 ^{c g}
- [*Wyeomyia amazonica*](#) Levi-castillo, 1954 ^{i c g}
- [*Wyeomyia aningae*](#) Motta & Lourenco-de-Oliveira, 2005 ^{c g}
- [*Wyeomyia antillarum*](#) Floch and Abonnenc, 1945 ⁱ
- [*Wyeomyia antunesi*](#) Lane & Guimaraes, 1937 ^{c g}
- [*Wyeomyia aphobema*](#) Dyar, 1918 ^{i c g}

- [Wyeomyia aporonoma](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia arborea](#) Galindo, 1951 ^{i c g}
- [Wyeomyia argenteostris](#) (Bonne-Wepster & Bonne, 1920) ^{c g}
- [Wyeomyia arthrostigma](#) (Lutz, 1905) ^{i c g}
- [Wyeomyia atrata](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia autocratica](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia bahama](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia bicornis](#) (Root, 1928) ^{i c g}
- [Wyeomyia bonnei](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia bourrouli](#) (Lutz, 1905) ^{c g}
- [Wyeomyia caracula](#) Dyarand Nunez Tovar, 1927 ^{i c g}
- [Wyeomyia carrilloi](#) (Sutil & Pulido, 1978) ^{c g}
- [Wyeomyia celaenocephala](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia cesari](#) Ponte & Cerqueira, 1938 ^{c g}
- [Wyeomyia chalconecephala](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia charmion](#) Dyar, 1928 ^{i c g}
- [Wyeomyia chocoensis](#) Porter & Wolff, 2004 ^{c g}
- [Wyeomyia circumcincta](#) Dyar & Knab, 1907 ^{c g}
- [Wyeomyia clasoleuca](#) Dyar & Knab, 1908 ^{c g}
- [Wyeomyia codiocampa](#) Dyar and Knab, 1907 ^{i c g}
- [Wyeomyia coenonous](#) Howard, Dyar & Knab, 1913 ^{c g}
- [Wyeomyia colombiana](#) Lane, 1945 ^{i c g}
- [Wyeomyia complosa](#) (Dyar, 1928) ^{c g}
- [Wyeomyia compta](#) Senevet & Abonnenc, 1939 ^{c g}
- [Wyeomyia confusa](#) (Lutz, 1905) ^{c g}
- [Wyeomyia corona](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia covagarciai](#) Sutil Oramas & Pulido F., 1974 ^{c g}
- [Wyeomyia davisii](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia deaneii](#) Oliveira, 1983 ^{c g}
- [Wyeomyia diabolica](#) Lane & Forattini, 1952 ^{c g}
- [Wyeomyia downsi](#) Lane, 1945 ^{i c g}
- [Wyeomyia dyari](#) Lane and Cerqueira, 1942 ^{i c g}
- [Wyeomyia edwardsii](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia esmeraldasii](#) Levi-Castillo, 1955 ^{c g}
- [Wyeomyia felicia](#) (Dyar & Nunez Tovar, 1927) ^{c g}
- [Wyeomyia fernandezyepezi](#) Cova Garcia, Sutil Oramas, & Pulido F., 1974 ^{c g}

- [Wyeomyia finlayi](#) Lane & Cerqueria, 1942 ^{c g}
- [Wyeomyia fishi](#) Zavortink, 1986 ^{c g}
- [Wyeomyia flabellata](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia flavifacies](#) Edwards, 1922 ^{i c g}
- [Wyeomyia florestan](#) Dyar, 1925 ^{i c g}
- [Wyeomyia flui](#) (Bonne-Wepster & Bonne, 1919) ^{c g}
- [Wyeomyia forattinii](#) Clastrier, 1974 ^{c g}
- [Wyeomyia forcipenis](#) Lourenco-de-Oliveira & Silva, 1985 ^{c g}
- [Wyeomyia fuscipes](#) Edwards, 1922 ^{c g}
- [Wyeomyia galvaoi](#) Correa & Ramalho, 1956 ^{c g}
- [Wyeomyia gaudians](#) Dyar & Nunez Tovar, 1927 ^{c g}
- [Wyeomyia gausapata](#) Dyar and Nunez Tovar, 1927 ^{i c g}
- [Wyeomyia grayii](#) Theobald, 1901 ^{c g}
- [Wyeomyia guadians](#) Dyar and Nunez Tovar, 1927 ^{i g}
- [Wyeomyia guatemala](#) Dyar & Knab, 1906 ^{c g}
- [Wyeomyia gutierrezi](#) Duret, 1971 ^{c g}
- [Wyeomyia haynei](#) Dodge, 1947 ^{i c g}
- [Wyeomyia hemisagnosta](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia hirsuta](#) (Hill and Hill, 1946) ^{i c g}
- [Wyeomyia hosautos](#) Dyar and Knab, 1907 ^{i c g}
- [Wyeomyia howardi](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia incaudata](#) Root, 1928 ^{c g}
- [Wyeomyia ininicola](#) Fauran, 1974 ^{c g}
- [Wyeomyia intonca](#) Dyar & Knab, 1909 ^{c g}
- [Wyeomyia juxtahirsuta](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia knabi](#) Lane & Cerqueria, 1942 ^{c g}
- [Wyeomyia kummi](#) Lane and Cerqueira, 1942 ^{i c g}
- [Wyeomyia labesba](#) Howard, Dyar & Knab, 1913 ^{c g}
- [Wyeomyia lamellata](#) (Bonne-Wepster & Bonne, 1919) ^{c g}
- [Wyeomyia lassalli](#) (Bonne-Wepster & Bonne, 1921) ^{c g}
- [Wyeomyia lateralis](#) Petrocchi, 1927 ^{i c g}
- [Wyeomyia leucostigma](#) Lutz, 1904 ^{i c g}
- [Wyeomyia leucotarsis](#) Lane, 1936 ^{c g}
- [Wyeomyia limai](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia longirostris](#) Theobald, 1901 ^{c g}
- [Wyeomyia lopesi](#) Correa & Ramalho, 1956 ^{c g}

- [Wyeomyia lopezii](#) Cova Garcia, Sutil Oramas, & Pulido F., 1974 ^{c g}
- [Wyeomyia luna](#) Belkin & Heinemann, 1970 ^{c g}
- [Wyeomyia luteoventralis](#) Theobald, 1901 ^{i c g}
- [Wyeomyia lutzi](#) (Lima, 1904) ^{i c g}
- [Wyeomyia malonopus](#) Dyar, 1919 ^{i g}
- [Wyeomyia mattinglyi](#) Lane, 1953 ^{i c g}
- [Wyeomyia medioalbipes](#) Lutz, 1904 ^{i c g}
- [Wyeomyia melanocephala](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia melanopus](#) Dyar, 1919 ^{c g}
- [Wyeomyia mitchellii](#) (Theobald, 1905) ^{i c g b} (bromeliad mosquito)
- [Wyeomyia moerbista](#) (Dyar and Knab, 1919) ^{i c g}
- [Wyeomyia muehlensi](#) Petrocchi, 1927 ^{c g}
- [Wyeomyia mystes](#) Dyar, 1924 ^{i c g}
- [Wyeomyia negrensis](#) Gordon and Evans, 1922 ^{i c g}
- [Wyeomyia nigricephala](#) Clastrier & Claustre, 1978 ^{c g}
- [Wyeomyia nigratubus](#) Galindo, Carpenter, Trapido, 1951 ^{i c g}
- [Wyeomyia nunezia](#) Dyar, 1928 ^{i g}
- [Wyeomyia oblita](#) (Lutz, 1904) ^{i c g}
- [Wyeomyia occulta](#) Bonne-wepster and Bonne, 1919 ^{i c g}
- [Wyeomyia pallidoventer](#) Theobald, 1907 ^{c g}
- [Wyeomyia palmata](#) Lane & Cerqueira, 1942 ^{c g}
- [Wyeomyia pampithes](#) (Dyar and Nunez Tovar, 1928) ^{i c g}
- [Wyeomyia personata](#) (Lutz, 1904) ⁱ
- [Wyeomyia pertinans](#) (Williston, 1896) ^{i c g}
- [Wyeomyia petrocchiae](#) (Shannon and Del Ponte, 1927) ⁱ
- [Wyeomyia phroso](#) Howard, Dyar, Knab, 1915 ^{i c g}
- [Wyeomyia pilicauda](#) Root, 1928 ^{c g}
- [Wyeomyia pseudopecten](#) Dyar and Knab, 1906 ^{i c g}
- [Wyeomyia pseudorobusta](#) Pajot & Fauran, 1975 ^{c g}
- [Wyeomyia quasilongirostris](#) Theobald, 1907 ^{c g}
- [Wyeomyia quasiluteoventralis](#) (Theobald, 1903) ⁱ
- [Wyeomyia robusta](#) Senevet and Abonnenc, 1939 ^{i c g}
- [Wyeomyia rooti](#) (Del Ponte, 1939) ^{i c g}
- [Wyeomyia rorotai](#) Senevet & Chabelard, 1942 ^{c g}
- [Wyeomyia roucouyana](#) (Bonne-wepster and Bonne, 1927) ^{i c g}
- [Wyeomyia sabethea](#) Lane and Cerqueira, 1842 ^{i c g}

- [*Wyeomyia schnusei*](#) (Martini, 1931)ⁱ
- [*Wyeomyia scotinomus*](#) (Dyar and Knab, 1907)^{i c g}
- [*Wyeomyia serrata*](#) (Lutz, 1905)^{i c g}
- [*Wyeomyia serratoria*](#) (Dyar and Nunez Tovar, 1927)^{i c g}
- [*Wyeomyia shannoni*](#) Lane and Cerqueira, 1942^{i c g}
- [*Wyeomyia simmsi*](#) Dyar and Knab, 1908)^{i c g}
- [*Wyeomyia smithii*](#) (Coquillett, 1901)^{i c g b} (pitcherplant mosquito)
- [*Wyeomyia sororcula*](#) Dyar & Knab, 1906^{c g}
- [*Wyeomyia splendida*](#) Bonne-Wepster & Bonne, 1919^{c g}
- [*Wyeomyia staminifera*](#) Lourenco-de-Oliveira, Motta & de Castro, 1992^{c g}
- [*Wyeomyia stellata*](#) Belkin & Heinemann, 1970^{c g}
- [*Wyeomyia stonei*](#) Vargas, Martinez, Palacios, 1953^{i c g}
- [*Wyeomyia subcomplosa*](#) (Del Ponte, 1939)^{i c g}
- [*Wyeomyia surinamensis*](#) Bruijning, 1959^{c g}
- [*Wyeomyia tarsata*](#) Lane and Cerqueira, 1942^{i c g}
- [*Wyeomyia taurepana*](#) Anduze, 1941^{i c g}
- [*Wyeomyia telestica*](#) Dyar and Knab, 1906ⁱ
- [*Wyeomyia testei*](#) Senevet and Abonnenc, 1939^{i c g}
- [*Wyeomyia theobaldi*](#) Lane & Cerqueira, 1942^{c g}
- [*Wyeomyia trifurcata*](#) Clastrier, 1973^{c g}
- [*Wyeomyia trinidadensis*](#) Theobald, 1901^{c g}
- [*Wyeomyia tripartita*](#) (Bonne-Wepster & Bonne, 1921)^{c g}
- [*Wyeomyia trujilloi*](#) Pulido F. & Sutil O., 1981^{c g}
- [*Wyeomyia ulocoma*](#) (Theobald, 1903)^{i c g}
- [*Wyeomyia undulata*](#) Del Ponte and Cerqueira, 1938^{i c g}
- [*Wyeomyia vanduzeei*](#) Dyar & Knab, 1906^{i c g b}
- [*Wyeomyia ypsipola*](#) Dyar, 1922^{i c g}
- [*Wyeomyia zinzala*](#) Zavortink, 1986^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 100 species in [Wormaldia](#), a genus of fingernet caddisflies in the family [Philopotamidae](#).^{[1][2][3][4]}

Wormaldia species

- [Wormaldia algerica](#) Lestage, 1925 ^{i c g}
- [Wormaldia ambigua](#) Navas, 1916 ^{i c g}
- [Wormaldia amyda](#) Ross, 1956 ^g
- [Wormaldia anilla](#) (Ross, 1941) ^{i c g}
- [Wormaldia arcopa](#) Denning in Denning & Sykora, 1966 ^{i c g}
- [Wormaldia arizonensis](#) (Ling, 1938) ^{i c g}
- [Wormaldia arriba](#) Sipahiler, 1999 ^{i c g}
- [Wormaldia artillac](#) Sipahiler, 1999 ^{i c g}
- [Wormaldia asterusia](#) Malicky, 1972 ^g
- [Wormaldia balcanica](#) Kumanski, 1979 ^{i c g}
- [Wormaldia beaumonti](#) Schmid, 1952 ^g
- [Wormaldia bilamellata](#) Sun, 1997 ^{i c g}
- [Wormaldia bulgarica](#) Novak, 1971 ^{i c g}
- [Wormaldia cantabrica](#) Gonzalez & Botosaneanu, 1983 ^{i c g}
- [Wormaldia charalambi](#) Malicky, 1980 ^{i c g}
- [Wormaldia chinensis](#) (Ulmer, 1932) ^{i c g}
- [Wormaldia clavella](#) Mey, 1995 ^{i c g}
- [Wormaldia congina](#) Malicky & Chantaramongkol, 1993 ^{i c g}
- [Wormaldia copiosa](#) (McLachlan, 1868) ^{i c g}
- [Wormaldia coreana](#) Kumanski, 1992 ^{i c g}
- [Wormaldia cornuta](#) Bueno-Soria & Holzenthal, 1986 ^{i c g}
- [Wormaldia corvina](#) (McLachlan, 1884) ^{i c g}
- [Wormaldia dampfi](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia dissita](#) Gibbs, 1973 ^{i c g}
- [Wormaldia dorsata](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia echinata](#) Tobias, 1995 ^{i c g}
- [Wormaldia endonima](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia ephestion](#) Schmid, 1991 ^{i c g}
- [Wormaldia esperonis](#) Ross & King in Ross, 1956 ^{i c g}
- [Wormaldia extensa](#) Kimmins, 1955 ^{i c g}
- [Wormaldia fletcheri](#) Kimmins, 1959 ^{i c g}
- [Wormaldia fujinoensis](#) Kobayashi, 1980 ^{i c g}
- [Wormaldia gabriella](#) (Banks, 1930) ^{i c g}
- [Wormaldia gardensis](#) Sipahiler, 1999 ^{i c g}
- [Wormaldia gesugta](#) Schmid, 1968 ^{i c g}

- [Wormaldia hamata](#) Denning, 1951 ^{i c g}
- [Wormaldia hemsinensis](#) Sipahiler, 1987 ^{i c g}
- [Wormaldia ikizdere](#) Sipahiler, 2000 ^{i c g}
- [Wormaldia insignis](#) (Martynov, 1912) ^{i c g}
- [Wormaldia inthanonensis](#) Malicky & Chantaramongkol, 1993 ^{i c g}
- [Wormaldia joosti](#) Kumanski, 1980 ^{i c g}
- [Wormaldia juliani](#) Kumanski, 1979 ^{i c g}
- [Wormaldia kadowakii](#) Kobayashi, 1980 ^{i c g}
- [Wormaldia kakopetros](#) Malicky, 1972 ^g
- [Wormaldia kakopteros](#) Malicky, 1972 ^{i c g}
- [Wormaldia khourmai](#) Schmid, 1959 ^{i c g}
- [Wormaldia kimminsi](#) Botosaneanu, 1960 ^{i c g}
- [Wormaldia kyana](#) (Mosely, 1939) ^{i c g}
- [Wormaldia lacerna](#) Denning, 1958 ^{i c g}
- [Wormaldia langohri](#) Botosaneanu & Giudicelli, 2001 ^g
- [Wormaldia laona](#) Denning, 1989 ^{i c g}
- [Wormaldia longicerca](#) Kumanski, 1992 ^{i c g}
- [Wormaldia longicornuta](#) Mey, 1996 ^{i c g}
- [Wormaldia longispina](#) Tian & Li in Chen, 1993 ^{i c g}
- [Wormaldia luma](#) Bueno-Soria & Holzenthal, 1986 ^{i c g}
- [Wormaldia lusitanica](#) Gonzalez & Botosaneanu, 1983 ^{i c g}
- [Wormaldia matagalpa](#) Flint, 1995 ^{i c g}
- [Wormaldia mediana](#) McLachlan, 1878 ^{i c g}
- [Wormaldia melanion](#) Schmid, 1991 ^{i c g}
- [Wormaldia moesta](#) (Banks, 1914) ^{i c b}
- [Wormaldia moselyi](#) Kimmins, 1953 ^g
- [Wormaldia muoihai](#) Malicky, 1995 ^{i c g}
- [Wormaldia muoimot](#) Malicky, 1995 ^{i c g}
- [Wormaldia nigrorosea](#) Schmid, 1991 ^{i c g}
- [Wormaldia niiensis](#) Kobayashi, 1985 ^{i c g}
- [Wormaldia occidea](#) (Ross, 1938) ^{i c g}
- [Wormaldia occipitalis](#) (Pictet, 1834) ^{i c g}
- [Wormaldia oconee](#) Morse in Morse, Hamilton & Hoffman, 1989 ^{i c g}
- [Wormaldia pachita](#) Denning, 1956 ^{i c g}
- [Wormaldia palma](#) Flint, 1991 ^{i c g}
- [Wormaldia pauliani](#) Ross, 1956 ^{i c g}

- [*Wormaldia planae*](#) Ross & King in Ross, 1956^{i c g}
- [*Wormaldia prolixa*](#) Flint, 1991^{i c g}
- [*Wormaldia pulla*](#) (McLachlan, 1878)^{i c g}
- [*Wormaldia quadriphylla*](#) Sun in Yang, Sun & Wang, 1997^{i c g}
- [*Wormaldia recta*](#) (Ulmer, 1930)^{i c}
- [*Wormaldia relict*](#) (Martynov, 1935)^{i c g}
- [*Wormaldia rufiventris*](#) Ulmer, 1908^{i c g}
- [*Wormaldia saekiensis*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia saldetica*](#) Botosaneanu & Gonzalez, 1984^{i c g}
- [*Wormaldia serratosioi*](#) Vaillant, 1974^{i c g}
- [*Wormaldia shawnee*](#) (Ross, 1938)^{i c g}
- [*Wormaldia simulans*](#) Kimmins, 1955^{i c g}
- [*Wormaldia sinocornuta*](#) Mey, 1996^{i c g}
- [*Wormaldia spinifera*](#) Hwang, 1957^{i c g}
- [*Wormaldia spinosa*](#) Ross, 1956^g
- [*Wormaldia strota*](#) (Ross, 1938)^{i c g}
- [*Wormaldia subnigra*](#) McLachlan, 1865^{i c g}
- [*Wormaldia sumuharana*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia tarasca*](#) Bueno-Soria & Holzenthal, 1986^{i c g}
- [*Wormaldia therapion*](#) Schmid, 1991^{i c g}
- [*Wormaldia thyria*](#) Denning, 1950^{i c g}
- [*Wormaldia triangulifera*](#) McLachlan, 1878^{i c g}
- [*Wormaldia uonumana*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia vargai*](#) Malicky, 1981^{i c g}
- [*Wormaldia variegata*](#) Mosely, 1930^{i c g}
- [*Wormaldia viganoi*](#) Moretti & Taticchi, 1992^g
- [*Wormaldia yakuensis*](#) Kobayashi, 1980^{i c g}
- [*Wormaldia yavuzi*](#) Sipahiler, 1996^{i c g}
- [*Wormaldia yunotakiensis*](#) Kobayashi, 1980^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

Aleyrodidae is a large [hemipteran family](#) called the [whiteflies](#). It contains the following [species](#):^[1]

Aleyrodinae Westwood, 1840

- [*Acanthaleyrodes*](#) Takahashi, 1931
 - [*Acanthaleyrodes callicarpae*](#) Takahashi, 1931
 - [*Acanthaleyrodes styraci*](#) Takahashi, 1942
- [*Acanthobemisia*](#) Takahashi, 1935
 - [*Acanthobemisia distyliae*](#) Takahashi, 1935
 - [*Acanthobemisia indicus*](#) Meganathan & David, 1994
- [*Acaudaleyrodes*](#) Takahashi, 1951
 - [*Acaudaleyrodes africanus*](#) Dozier, 1934
 - [*Acaudaleyrodes ebeni*](#) Manzari & Alemansoor, 2005
 - [*Acaudaleyrodes pauliani*](#) Takahashi, 1951
 - [*Acaudaleyrodes rachipora*](#) Singh, 1931
 - [*Acaudaleyrodes tuberculata*](#) Bink-Moenen, 1983
- [*Acutaleyrodes*](#) Takahashi, 1960
 - [*Acutaleyrodes palmae*](#) Takahashi, 1960
- [*Africaleurodes*](#) Dozier, 1934
 - [*Africaleurodes adami*](#) Cohic, 1968
 - [*Africaleurodes ananthakrishnani*](#) Dubey & Sundararaj, 2006
 - [*Africaleurodes balachowskyi*](#) Cohic, 1968
 - [*Africaleurodes capgrasi*](#) Cohic, 1968
 - [*Africaleurodes citri*](#) Takahashi, 1932
 - [*Africaleurodes coffeacola*](#) Dozier, 1934
 - [*Africaleurodes fulakariensis*](#) Cohic, 1966
 - [*Africaleurodes hexalobi*](#) Bink-Moenen, 1983
 - [*Africaleurodes indicus*](#) Regu & David, 1993
 - [*Africaleurodes karwarensis*](#) Dubey & Sundararaj, 2006
 - [*Africaleurodes loganiaceae*](#) Dozier, 1934
 - [*Africaleurodes martini*](#) Cohic, 1968
 - [*Africaleurodes ochraceae*](#) Dozier, 1934
 - [*Africaleurodes pauliani*](#) Cohic, 1968
 - [*Africaleurodes simula*](#) Peal, 1903
 - [*Africaleurodes souliei*](#) Ardaillon & Cohic, 1970
 - [*Africaleurodes tetracerae*](#) Cohic, 1966
 - [*Africaleurodes uvariae*](#) Cohic, 1968
 - [*Africaleurodes vrijdaghii*](#) Ghesquière in Mayné & Ghesquière, 1934
- [*Agrostaleyrodes*](#) Ko, 2001
 - [*Agrostaleyrodes arcanus*](#) Ko in Ko, Chou & Wu, 2001
- [*Aleurocanthus*](#) Quaintance & Baker, 1914

- [*Aleurocanthus arecae*](#) David & Manjunatha, 2003
- [*Aleurocanthus ayyari*](#) Regu & David, 1993
- [*Aleurocanthus bambusae*](#) Peal, 1903
- [*Aleurocanthus bangalorensis*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus banksiae*](#) Maskell, 1896
- [*Aleurocanthus brevispinosus*](#) Dumbleton, 1961
- [*Aleurocanthus calophylli*](#) Kotinsky, 1907
- [*Aleurocanthus ceracroceus*](#) Martin, 1999
- [*Aleurocanthus cheni*](#) Young, 1942
- [*Aleurocanthus chiengmaiensis*](#) Takahashi, 1942
- [*Aleurocanthus cinnamomi*](#) Takahashi, 1931
- [*Aleurocanthus citriperdus*](#) Quaintance & Baker, 1916
- [*Aleurocanthus clitoriae*](#) Jesudasan & David, 1991
- [*Aleurocanthus cocois*](#) Corbett, 1927
- [*Aleurocanthus corbetti*](#) Takahashi, 1951
- [*Aleurocanthus davidi*](#) David & Subramaniam, 1976
- [*Aleurocanthus delottoi*](#) Cohic, 1969
- [*Aleurocanthus dissimilis*](#) Quaintance & Baker, 1917
- [*Aleurocanthus esakii*](#) Takahashi, 1936
- [*Aleurocanthus eugeniae*](#) Takahashi, 1933
- [*Aleurocanthus euphorbiae*](#) Jesudasan & David, 1991
- [*Aleurocanthus ficicola*](#) David, 1993
- [*Aleurocanthus firmianae*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus froggatti*](#) Martin, 1999
- [*Aleurocanthus gateri*](#) Corbett, 1927
- [*Aleurocanthus goaensis*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus gordoniae*](#) Takahashi, 1941
- [*Aleurocanthus gymnosporiae*](#) Jesudasan & David, 1991
- [*Aleurocanthus hibisci*](#) Corbett, 1935
- [*Aleurocanthus hirsutus*](#) Maskell, 1896
- [*Aleurocanthus husaini*](#) Corbett, 1939
- [*Aleurocanthus imperialis*](#) Cohic, 1968
- [*Aleurocanthus inceratus*](#) Silvestri, 1927
- [*Aleurocanthus indicus*](#) David & Regu, 1989
- [*Aleurocanthus ixorae*](#) Jesudasan & David, 1991
- [*Aleurocanthus leptadeniae*](#) Cohic, 1968
- [*Aleurocanthus lobulatus*](#) Jesudasan & David, 1991
- [*Aleurocanthus longispinus*](#) Quaintance & Baker, 1917
- [*Aleurocanthus loyolae*](#) David & Subramaniam, 1976
- [*Aleurocanthus luteus*](#) Martin, 1985
- [*Aleurocanthus mackenziei*](#) Cohic, 1969
- [*Aleurocanthus mangiferae*](#) Quaintance & Baker, 1917
- [*Aleurocanthus martini*](#) David, 1993
- [*Aleurocanthus marudamalaiensis*](#) David & Subramaniam, 1976
- [*Aleurocanthus mayumbensis*](#) Cohic, 1966
- [*Aleurocanthus multispinosus*](#) Dumbleton, 1961
- [*Aleurocanthus musae*](#) David & Jesudasan, 2002
- [*Aleurocanthus mvoutiensis*](#) Cohic, 1966
- [*Aleurocanthus niger*](#) Corbett, 1926

- [*Aleurocanthus nigricans*](#) Corbett, 1926
- [*Aleurocanthus nudus*](#) Dumbleton, 1961
- [*Aleurocanthus palauensis*](#) Kuwana in Kuwana & Muramatsu, 1931
- [*Aleurocanthus papuanus*](#) Martin, 1985
- [*Aleurocanthus pendleburyi*](#) Corbett, 1935
- [*Aleurocanthus piperis*](#) Maskell, 1896
- [*Aleurocanthus regis*](#) Mound, 1965
- [*Aleurocanthus rugosa*](#) Singh, 1931
- [*Aleurocanthus russellae*](#) Jesudasan & David, 1991
- [*Aleurocanthus satyanarayani*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus serratus*](#) Quaintance & Baker, 1917
- [*Aleurocanthus seshadrii*](#) David & Subramaniam, 1976
- [*Aleurocanthus shillongensis*](#) Jesudasan & David, 1991
- [*Aleurocanthus siamensis*](#) Takahashi, 1942
- [*Aleurocanthus singhi*](#) Jesudasan & David, 1991
- [*Aleurocanthus spiniferus*](#) Quaintance, 1903
- [*Aleurocanthus spinithorax*](#) Dumbleton, 1961
- [*Aleurocanthus spinosus*](#) Kuwana, 1911
- [*Aleurocanthus splendens*](#) David & Subramaniam, 1976
- [*Aleurocanthus strychnosicola*](#) Cohic, 1966
- [*Aleurocanthus terminaliae*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus trispina*](#) Mound, 1965
- [*Aleurocanthus t-signatus*](#) Maskell, 1896
- [*Aleurocanthus valenciae*](#) Martin & Carver in Martin, 1999
- [*Aleurocanthus valparaiensis*](#) David & Subramaniam, 1976
- [*Aleurocanthus vindhyachali*](#) Dubey & Sundararaj, 2004
- [*Aleurocanthus voeltzkowi*](#) Newstead, 1908
- [*Aleurocanthus woglumi*](#) Ashby, 1915
- [*Aleurocanthus zizyphi*](#) Priesner & Hosny, 1934

- [*Aleurocerus*](#) Bondar, 1923
 - [*Aleurocerus ceriferus*](#) Sampson & Drews, 1941
 - [*Aleurocerus chicleensis*](#) Russell, 1986
 - [*Aleurocerus coccolobae*](#) Russell, 1986
 - [*Aleurocerus colombiae*](#) Russell, 1986
 - [*Aleurocerus flavomarginatus*](#) Bondar, 1923
 - [*Aleurocerus luxuriosus*](#) Bondar, 1923
 - [*Aleurocerus musae*](#) Russell, 1986
 - [*Aleurocerus palmae*](#) Russell, 1986
 - [*Aleurocerus petiolicola*](#) Russell, 1986
 - [*Aleurocerus tumidosus*](#) Bondar, 1923

- [*Aleurochiton*](#) Tullgren, 1907
 - [*Aleurochiton acerinus*](#) Haupt, 1934
 - [*Aleurochiton aceris*](#) Modeer, 1778
 - [*Aleurochiton forbesii*](#) Ashmead, 1893
 - [*Aleurochiton orientalis*](#) Danzig, 1966

- [*Aleurochiton pseudoplatani*](#) Visnya, 1936
- [*Aleuroclava*](#) Singh, 1931
 - [*Aleuroclava afriae*](#) Sundararaj & David, 1995
 - [*Aleuroclava angkorensis*](#) Takahashi, 1942
 - [*Aleuroclava artocarp*](#) Corbett, 1935
 - [*Aleuroclava aucubae*](#) Kuwana, 1911
 - [*Aleuroclava ayyari*](#) Sundararaj & David, 1993
 - [*Aleuroclava baccaureae*](#) Corbett, 1935
 - [*Aleuroclava bauhiniae*](#) Corbett, 1935
 - [*Aleuroclava bifurcata*](#) Corbett, 1933
 - [*Aleuroclava bilineata*](#) Sundararaj & David, 1993
 - [*Aleuroclava bulbiformi*](#) Qureshi, 1982
 - [*Aleuroclava burmanicus*](#) Singh, 1938
 - [*Aleuroclava calicutensis*](#) Dubey & Sundararaj, 2005
 - [*Aleuroclava calycopteriseae*](#) Dubey & Sundararaj, 2005
 - [*Aleuroclava canangae*](#) Corbett, 1935
 - [*Aleuroclava cardamomi*](#) David & Subramaniam, 1976
 - [*Aleuroclava carpini*](#) Takahashi, 1939
 - [*Aleuroclava cinnamomi*](#) Jesudasan & David, 1991
 - [*Aleuroclava citri*](#) Jesudasan & David, 1991
 - [*Aleuroclava citrifolii*](#) Corbett, 1935
 - [*Aleuroclava complex*](#) Singh, 1931
 - [*Aleuroclava cordii*](#) Qureshi, 1982
 - [*Aleuroclava davidi*](#) Qureshi, 1982
 - [*Aleuroclava dehradunensis*](#) Jesudasan & David, 1991
 - [*Aleuroclava doddabettaensis*](#) Dubey & Sundararaj, 2005
 - [*Aleuroclava doveri*](#) Corbett, 1935
 - [*Aleuroclava dubius*](#) Bink-Moenen, 1983
 - [*Aleuroclava ehretiae*](#) Jesudasan & David, 1991
 - [*Aleuroclava elatostemae*](#) Takahashi, 1932
 - [*Aleuroclava erythrinae*](#) Corbett, 1935
 - [*Aleuroclava eugeniae*](#) Corbett, 1935
 - [*Aleuroclava euphoriae*](#) Takahashi, 1942
 - [*Aleuroclava euryae*](#) Kuwana, 1911
 - [*Aleuroclava evanantiae*](#) Jesudasan & David, 1991
 - [*Aleuroclava fici*](#) Corbett, 1935
 - [*Aleuroclava ficicola*](#) Takahashi, 1932
 - [*Aleuroclava filamentosa*](#) Corbett, 1933
 - [*Aleuroclava flabellus*](#) Takahashi, 1949
 - [*Aleuroclava fletcheri*](#) Sundararaj & David, 1992
 - [*Aleuroclava goaensis*](#) Jesudasan & David, 1991
 - [*Aleuroclava gordoniae*](#) Takahashi, 1932
 - [*Aleuroclava grewiae*](#) Sundararaj & David, 1993
 - [*Aleuroclava guyavae*](#) Takahashi, 1932
 - [*Aleuroclava hexcantha*](#) Singh, 1940
 - [*Aleuroclava hikosanensis*](#) Takahashi, 1938
 - [*Aleuroclava hindustanicus*](#) Meganathan & David, 1994

- [*Aleuroclava indicus*](#) Singh, 1931
- [*Aleuroclava jasmini*](#) Takahashi, 1932
- [*Aleuroclava kanyakumariensis*](#) Sundararaj & David, 1993
- [*Aleuroclava kavalurensis*](#) Jesudasan & David, 1991
- [*Aleuroclava kerala*](#) Martin & Mound, 2007
- [*Aleuroclava kudremukhensis*](#) Dubey & Sundararaj, 2005
- [*Aleuroclava kuwanai*](#) Takahashi, 1934
- [*Aleuroclava lagerstroemiae*](#) Takahashi, 1934
- [*Aleuroclava lanceolata*](#) Takahashi, 1949
- [*Aleuroclava latus*](#) Takahashi, 1934
- [*Aleuroclava lefroyi*](#) Sundararaj & David, 1993
- [*Aleuroclava lithocarp*](#) Takahashi, 1934
- [*Aleuroclava longisetosus*](#) Jesudasan & David, 1991
- [*Aleuroclava longispinus*](#) Takahashi, 1934
- [*Aleuroclava louiseae*](#) Sundararaj & David, 1993
- [*Aleuroclava macarangae*](#) Corbett, 1935
- [*Aleuroclava madhucae*](#) Jesudasan & David, 1991
- [*Aleuroclava magnoliae*](#) Takahashi, 1952
- [*Aleuroclava malloti*](#) Takahashi, 1932
- [*Aleuroclava manii*](#) David, 1978
- [*Aleuroclava martini*](#) Dubey & Sundararaj, 2005
- [*Aleuroclava maximus*](#) Qureshi, 1982
- [*Aleuroclava melastomae*](#) Takahashi, 1934
- [*Aleuroclava meliosmae*](#) Takahashi, 1932
- [*Aleuroclava montanus*](#) Takahashi, 1939
- [*Aleuroclava multipori*](#) Takahashi, 1935
- [*Aleuroclava multituberculata*](#) Sundararaj & David, 1993
- [*Aleuroclava murrayae*](#) Singh, 1931
- [*Aleuroclava mysorensis*](#) Jesudasan & David, 1991
- [*Aleuroclava nachiensis*](#) Takahashi, 1963
- [*Aleuroclava nagercoilensis*](#) Sundararaj & David, 1993
- [*Aleuroclava nanjangudensis*](#) Jesudasan & David, 1991
- [*Aleuroclava neolitseae*](#) Takahashi, 1934
- [*Aleuroclava nephelii*](#) Corbett, 1935
- [*Aleuroclava nigeriae*](#) Mound, 1965
- [*Aleuroclava nitidus*](#) Singh, 1932
- [*Aleuroclava orientalis*](#) David & Jesudasan, 1988
- [*Aleuroclava papillata*](#) Sundararaj & Dubey, 2004
- [*Aleuroclava parvus*](#) Singh, 1938
- [*Aleuroclava pentatuberculata*](#) Sundararaj & David, 1993
- [*Aleuroclava philomenae*](#) Jesudasan & David, 1991
- [*Aleuroclava phyllanthi*](#) Corbett, 1935
- [*Aleuroclava piperis*](#) Takahashi, 1935
- [*Aleuroclava pongamiae*](#) Jesudasan & David, 1991
- [*Aleuroclava porosus*](#) Priesner & Hosny, 1937
- [*Aleuroclava psidii*](#) Singh, 1931
- [*Aleuroclava pulcherrimus*](#) Corbett, 1935
- [*Aleuroclava pyracanthae*](#) Takahashi, 1933
- [*Aleuroclava ramachandrani*](#) Dubey & Sundararaj, 2005

- [*Aleuroclava regui*](#) Sundararaj & David, 1993
- [*Aleuroclava rhododendri*](#) Takahashi, 1935
- [*Aleuroclava saputarensis*](#) Sundararaj & David, 1993
- [*Aleuroclava selvakumarani*](#) Sundararaj & David, 1993
- [*Aleuroclava sepangensis*](#) Martin & Mound, 2007
- [*Aleuroclava siamensis*](#) Takahashi, 1942
- [*Aleuroclava similis*](#) Takahashi, 1938
- [*Aleuroclava simplex*](#) Takahashi, 1949
- [*Aleuroclava singhi*](#) Jesudasan & David, 1991
- [*Aleuroclava sivakasiensis*](#) Sundararaj & David, 1993
- [*Aleuroclava srilankaensis*](#) David, 1993
- [*Aleuroclava stereospermi*](#) Corbett, 1935
- [*Aleuroclava subindica*](#) Martin & Mound, 2007
- [*Aleuroclava submarginatus*](#) Qureshi, 1982
- [*Aleuroclava takahashii*](#) David & Subramaniam, 1976
- [*Aleuroclava tarennae*](#) Martin & Mound, 2007
- [*Aleuroclava tentaculiformis*](#) Corbett, 1935
- [*Aleuroclava terminaliae*](#) Sundararaj & David, 1993
- [*Aleuroclava thysanospermi*](#) Takahashi, 1934
- [*Aleuroclava trachelospermi*](#) Takahashi, 1938
- [*Aleuroclava trilineata*](#) Sundararaj & David, 1993
- [*Aleuroclava tripori*](#) Dubey & Sundararaj, 2006
- [*Aleuroclava trochodendri*](#) Takahashi, 1957
- [*Aleuroclava ubonensis*](#) Takahashi, 1942
- [*Aleuroclava uraianus*](#) Takahashi, 1932
- [*Aleuroclava vernoniae*](#) Meganathan & David, 1994
- [*Aleuroclava vitexae*](#) Sundararaj & David, 1993
- [*Aleuroclava wrightiae*](#) Jesudasan & David, 1991

- [*Aleurocybotus*](#) Quaintance & Baker, 1914
 - [*Aleurocybotus cereus*](#) Martin, 2005
 - [*Aleurocybotus graminicolus*](#) Quaintance, 1899
 - [*Aleurocybotus occiduus*](#) Russell, 1964

- [*Aleurocyperus*](#) Ko & Dubey, 2007
 - [*Aleurocyperus humus*](#) Ko & Dubey, 2007

- [*Aleuroduplidens*](#) Martin, 1999
 - [*Aleuroduplidens carverae*](#) Martin, 1999
 - [*Aleuroduplidens croceata*](#) Maskell, 1896
 - [*Aleuroduplidens eucalyptifolia*](#) Martin, 1999
 - [*Aleuroduplidens santali*](#) Martin, 1999
 - [*Aleuroduplidens triangularis*](#) Martin, 1999
 - [*Aleuroduplidens wellsae*](#) Martin, 1999

- [*Aleuroglandulus*](#) Bondar, 1923

- [*Aleuroglandulus inanis*](#) Martin, 2005
- [*Aleuroglandulus magnus*](#) Russell, 1944
- [*Aleuroglandulus striatus*](#) Sampson & Drews, 1941
- [*Aleuroglandulus subtilis*](#) Bondar, 1923

- [*Aleuroinanis*](#) Martin, 1999
 - [*Aleuroinanis myrtacei*](#) Martin, 1999

- [*Aleurolobus*](#) Quaintance & Baker, 1914
 - [*Aleurolobus acanthi*](#) Takahashi, 1936
 - [*Aleurolobus antennata*](#) Regu & David, 1993
 - [*Aleurolobus azadirachtae*](#) Regu & David, 1993
 - [*Aleurolobus azimae*](#) Jesudasan & David, 1991
 - [*Aleurolobus barleriae*](#) Jesudasan & David, 1991
 - [*Aleurolobus barodensis*](#) Maskell, 1896
 - [*Aleurolobus bidentatus*](#) Singh, 1940
 - [*Aleurolobus burliarensis*](#) Jesudasan & David, 1991
 - [*Aleurolobus cassiae*](#) Jesudasan & David, 1991
 - [*Aleurolobus cephalidistinctus*](#) Regu & David, 1993
 - [*Aleurolobus cissampelosae*](#) Regu & David, 1993
 - [*Aleurolobus cohici*](#) Regu & David, 1993
 - [*Aleurolobus confusus*](#) David & Subramaniam, 1976
 - [*Aleurolobus dalbergiae*](#) Dubey & Sundararaj, 2006
 - [*Aleurolobus delamarei*](#) Cohic, 1969
 - [*Aleurolobus delhiensis*](#) Regu & David, 1993
 - [*Aleurolobus diacritica*](#) Regu & David, 1993
 - [*Aleurolobus diastematus*](#) Bink-Moenen, 1983
 - [*Aleurolobus distinctus*](#) Regu & David, 1993
 - [*Aleurolobus exceptionalis*](#) Regu & David, 1993
 - [*Aleurolobus flavus*](#) Quaintance & Baker, 1917
 - [*Aleurolobus fouabii*](#) Cohic, 1969
 - [*Aleurolobus graminicola*](#) Bink-Moenen, 1983
 - [*Aleurolobus greeni*](#) Corbett, 1926
 - [*Aleurolobus gruveli*](#) Cohic, 1968
 - [*Aleurolobus hargreavesi*](#) Dozier, 1934
 - [*Aleurolobus hederæ*](#) Takahashi, 1935
 - [*Aleurolobus hosurensis*](#) Regu & David, 1993
 - [*Aleurolobus indigoferæ*](#) Regu & David, 1993
 - [*Aleurolobus iteae*](#) Takahashi, 1957
 - [*Aleurolobus japonicus*](#) Takahashi, 1954
 - [*Aleurolobus jullieni*](#) Cohic, 1968
 - [*Aleurolobus karunkuliensis*](#) Jesudasan & David, 1991
 - [*Aleurolobus lagerstroemiae*](#) Regu & David, 1993
 - [*Aleurolobus longisetosus*](#) Dubey & Sundararaj, 2006
 - [*Aleurolobus luci*](#) Cohic, 1969
 - [*Aleurolobus macarangae*](#) Regu & David, 1993
 - [*Aleurolobus madrasensis*](#) Regu & David, 1993

- [*Aleurolobus marlatti*](#) Quaintance, 1903
 - [*Aleurolobus mauritanicus*](#) Cohic, 1969
 - [*Aleurolobus moundi*](#) David & Subramaniam, 1976
 - [*Aleurolobus musae*](#) Corbett, 1935
 - [*Aleurolobus nagercoilensis*](#) Regu & David, 1993
 - [*Aleurolobus olivinus*](#) Silvestri, 1911
 - [*Aleurolobus onitshae*](#) Mound, 1965
 - [*Aleurolobus oplismeni*](#) Takahashi, 1931
 - [*Aleurolobus orientalis*](#) David & Jesudasan, 1988
 - [*Aleurolobus osmanthi*](#) Young, 1944
 - [*Aleurolobus ovalis*](#) Regu & David, 1993
 - [*Aleurolobus padappaiensis*](#) Regu & David, 1993
 - [*Aleurolobus panvelensis*](#) Regu & David, 1993
 - [*Aleurolobus patchlily*](#) Regu & David, 1993
 - [*Aleurolobus pauliani*](#) Cohic, 1969
 - [*Aleurolobus philippinensis*](#) Quaintance & Baker, 1917
 - [*Aleurolobus piliostigmatos*](#) Bink-Moenen, 1983
 - [*Aleurolobus psidii*](#) Jesudasan & David, 1991
 - [*Aleurolobus rhachisphora*](#) Regu & David, 1993
 - [*Aleurolobus rhododendri*](#) Takahashi, 1934
 - [*Aleurolobus riveae*](#) Regu & David, 1993
 - [*Aleurolobus russellae*](#) Regu & David, 1993
 - [*Aleurolobus sairandhryensis*](#) Meganathan & David, 1994
 - [*Aleurolobus saklespurensis*](#) Regu & David, 1993
 - [*Aleurolobus saputarensis*](#) Regu & David, 1993
 - [*Aleurolobus scolopiae*](#) Takahashi, 1933
 - [*Aleurolobus selangorensis*](#) Corbett, 1935
 - [*Aleurolobus setigerus*](#) Quaintance & Baker, 1917
 - [*Aleurolobus shiiae*](#) Takahashi, 1957
 - [*Aleurolobus singhi*](#) Regu & David, 1993
 - [*Aleurolobus solitarius*](#) Quaintance & Baker, 1917
 - [*Aleurolobus spinosus*](#) Jesudasan & David, 1991
 - [*Aleurolobus sterculiae*](#) Jesudasan & David, 1991
 - [*Aleurolobus styraci*](#) Takahashi, 1954
 - [*Aleurolobus subrotundus*](#) Silvestri, 1927
 - [*Aleurolobus sundararaji*](#) Regu & David, 1993
 - [*Aleurolobus szechwanensis*](#) Young, 1942
 - [*Aleurolobus taonabae*](#) Kuwana, 1911
 - [*Aleurolobus tassellatus*](#) Regu & David, 1993
 - [*Aleurolobus tchadiensis*](#) Bink-Moenen, 1983
 - [*Aleurolobus teucriti*](#) Mifsud & Palmeri, 1996
 - [*Aleurolobus tuberculatus*](#) Regu & David, 1993
 - [*Aleurolobus valparaiensis*](#) Jesudasan & David, 1991
 - [*Aleurolobus vitis*](#) Danzig, 1966
 - [*Aleurolobus walayarensis*](#) Jesudasan & David, 1991
 - [*Aleurolobus wunni*](#) Ryberg, 1938
-
- [*Aleuroloba*](#) Mound, 1965

- [*Aleurolonga cassiae*](#) Mound, 1965
- [*Aleuromarginatus*](#) Corbett, 1935
 - [*Aleuromarginatus bauhiniae*](#) Corbett, 1935
 - [*Aleuromarginatus corbettiaformis*](#) Martin, 1985
 - [*Aleuromarginatus dalbergiae*](#) Cohic, 1969
 - [*Aleuromarginatus kallarensis*](#) David & Subramaniam, 1976
 - [*Aleuromarginatus littoralis*](#) Martin, 1985
 - [*Aleuromarginatus marginiquus*](#) Martin, 1999
 - [*Aleuromarginatus millettiae*](#) Cohic, 1968
 - [*Aleuromarginatus moundi*](#) Martin, 1999
 - [*Aleuromarginatus nemciae*](#) Martin, 1999
 - [*Aleuromarginatus nigrus*](#) Martin, 1999
 - [*Aleuromarginatus serdangensis*](#) Takahashi, 1955
 - [*Aleuromarginatus shihmenensis*](#) Ko in Ko, Hsu & Wu, 1995
 - [*Aleuromarginatus tephrosiae*](#) Corbett, 1935
 - [*Aleuromarginatus thirumurthiensis*](#) David, 1988
- [*Aleuropapillatus*](#) Regu & David, 1993
 - [*Aleuropapillatus gmelinae*](#) David, Jesudasan & Mathew, 1988
 - [*Aleuropapillatus kumariensis*](#) Regu & David, 1993
- [*Aleuoparadoxus*](#) Quaintance & Baker, 1914
 - [*Aleuoparadoxus arctostaphyli*](#) Russell, 1947
 - [*Aleuoparadoxus chomeliae*](#) Russell, 1947
 - [*Aleuoparadoxus gardeniae*](#) Russell, 1947
 - [*Aleuoparadoxus ilicicola*](#) Russell, 1947
 - [*Aleuoparadoxus iridescens*](#) Bemis, 1904
 - [*Aleuoparadoxus punctatus*](#) Quaintance & Baker, 1917
 - [*Aleuoparadoxus rhodae*](#) Russell, 1947
 - [*Aleuoparadoxus sapotae*](#) Russell, 1947
 - [*Aleuoparadoxus trinidadensis*](#) Russell, 1947
 - [*Aleuoparadoxus truncatus*](#) Russell, 1947
- [*Aleuoplatus*](#) Quaintance & Baker, 1914
 - [*Aleuoplatus acaciae*](#) Bink-Moenen, 1983
 - [*Aleuoplatus affinis*](#) Takahashi, 1961
 - [*Aleuoplatus agauriae*](#) Takahashi, 1955
 - [*Aleuoplatus akeassii*](#) Cohic, 1969
 - [*Aleuoplatus alcocki*](#) Peal, 1903
 - [*Aleuoplatus alpinus*](#) Takahashi, 1955
 - [*Aleuoplatus anapatsae*](#) Takahashi, 1951
 - [*Aleuoplatus berbericolus*](#) Quaintance & Baker, 1917
 - [*Aleuoplatus bignoniae*](#) Russell, 1944
 - [*Aleuoplatus biluminiporus*](#) Martin & Malumphy, 2002
 - [*Aleuoplatus bossi*](#) Takahashi, 1936

- [*Aleuroplatus cadabae*](#) Priesner & Hosny, 1934
- [*Aleuroplatus claricephalus*](#) Takahashi, 1940
- [*Aleuroplatus cockerelli*](#) von Ihering, 1897
- [*Aleuroplatus cococolus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus coronata*](#) Quaintance, 1900
- [*Aleuroplatus daitoensis*](#) Takahashi, 1940
- [*Aleuroplatus dentatus*](#) Sampson & Drews, 1941
- [*Aleuroplatus dorsipallidus*](#) Martin, 1988
- [*Aleuroplatus dubius*](#) Takahashi, 1955
- [*Aleuroplatus elmarae*](#) Mound & Halsey, 1978
- [*Aleuroplatus epigaeae*](#) Russell, 1944
- [*Aleuroplatus evodiae*](#) Takahashi, 1960
- [*Aleuroplatus fici*](#) Takahashi, 1932
- [*Aleuroplatus ficifolii*](#) Takahashi, 1942
- [*Aleuroplatus ficusrugosae*](#) Quaintance & Baker, 1917
- [*Aleuroplatus gelatinosus*](#) Cockerell, 1898
- [*Aleuroplatus graphicus*](#) Bondar, 1923
- [*Aleuroplatus hiezi*](#) Cohic, 1968
- [*Aleuroplatus hoyae*](#) Peal, 1903
- [*Aleuroplatus ilicis*](#) Russell, 1944
- [*Aleuroplatus incisus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus incurvatus*](#) Takahashi, 1961
- [*Aleuroplatus insularis*](#) Takahashi, 1941
- [*Aleuroplatus joholensis*](#) Corbett, 1935
- [*Aleuroplatus lateralis*](#) Bondar, 1923
- [*Aleuroplatus latus*](#) Takahashi, 1939
- [*Aleuroplatus liquidambaris*](#) Takahashi, 1941
- [*Aleuroplatus magnoliae*](#) Russell, 1944
- [*Aleuroplatus malayanus*](#) Takahashi, 1955
- [*Aleuroplatus mameti*](#) Takahashi, 1937
- [*Aleuroplatus manjakaensis*](#) Takahashi, 1955
- [*Aleuroplatus multipori*](#) Takahashi, 1940
- [*Aleuroplatus myricae*](#) Quaintance & Baker, 1917
- [*Aleuroplatus mysorensis*](#) David & Subramaniam, 1976
- [*Aleuroplatus neovatus*](#) Takahashi, 1961
- [*Aleuroplatus oculiminutus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus oculireniformis*](#) Quaintance & Baker, 1917
- [*Aleuroplatus ovatus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus panamensis*](#) Sampson & Drews, 1941
- [*Aleuroplatus pauliani*](#) Takahashi, 1955
- [*Aleuroplatus pectiniferus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus periplocae*](#) Dozier, 1934
- [*Aleuroplatus perseaphagus*](#) Martin, Aguiar & Pita, 1996
- [*Aleuroplatus pileae*](#) Takahashi, 1939
- [*Aleuroplatus plumosus*](#) Quaintance, 1900
- [*Aleuroplatus polystachyae*](#) Takahashi, 1955
- [*Aleuroplatus premnae*](#) Corbett, 1926
- [*Aleuroplatus quaintancei*](#) Peal, 1903
- [*Aleuroplatus quercusaquaticae*](#) Quaintance, 1900

- [*Aleuroplatus robinsoni*](#) Takahashi, 1955
- [*Aleuroplatus sculpturatus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus semiplumosus*](#) Russell, 1944
- [*Aleuroplatus serratus*](#) Takahashi, 1955
- [*Aleuroplatus sinepecten*](#) Singh, 1945
- [*Aleuroplatus spina*](#) Singh, 1931
- [*Aleuroplatus stellatus*](#) Hempel, 1922
- [*Aleuroplatus subrotundus*](#) Takahashi, 1938
- [*Aleuroplatus translucidus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus tsibabena*](#) Takahashi, 1955
- [*Aleuroplatus tsimananensis*](#) Takahashi, 1955
- [*Aleuroplatus tuberculatus*](#) Takahashi, 1951
- [*Aleuroplatus vaccinii*](#) Russell, 1944
- [*Aleuroplatus validus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus variegatus*](#) Quaintance & Baker, 1917
- [*Aleuroplatus vinsoniodes*](#) Cockerell, 1898
- [*Aleuroplatus weinmanniae*](#) Takahashi, 1951
- [*Aleuropleurocelus*](#) Drews & Sampson, 1956
 - [*Aleuropleurocelus abnormis*](#) Quaintance, 1900
 - [*Aleuropleurocelus acaudatus*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus ceanothi*](#) Sampson, 1945
 - [*Aleuropleurocelus cecropiae*](#) Bondar, 1923
 - [*Aleuropleurocelus coachellensis*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus granulata*](#) Sampson & Drews, 1941
 - [*Aleuropleurocelus laingi*](#) Drews & Sampson, 1956
 - [*Aleuropleurocelus nigrans*](#) Bemis, 1904
 - [*Aleuropleurocelus oblanceolatus*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus ornatus*](#) Drews & Sampson, 1958
 - [*Aleuropleurocelus rotunda*](#) J. M. Baker, 1937
 - [*Aleuropleurocelus sierrae*](#) Sampson, 1945
- [*Aleuroporosus*](#) Corbett, 1935
 - [*Aleuroporosus lumpurensis*](#) Corbett, 1935
- [*Aleuropteridis*](#) Mound, 1961
 - [*Aleuropteridis eastopi*](#) Mound, 1961
 - [*Aleuropteridis filicicola*](#) Newstead, 1911
 - [*Aleuropteridis hargreavesi*](#) Mound, 1961
 - [*Aleuropteridis jamesi*](#) Mound, 1961
- [*Aleuroputeus*](#) Corbett, 1935
 - [*Aleuroputeus baccaureae*](#) Corbett, 1935
 - [*Aleuroputeus perseae*](#) Corbett, 1935
- [*Aleurothrixus*](#) Quaintance & Baker, 1914

- [*Aleurothrixus aepim*](#) Goeldi, 1886
- [*Aleurothrixus aguiari*](#) Costa Lima, 1942
- [*Aleurothrixus antidesmae*](#) Takahashi, 1933
- [*Aleurothrixus bondari*](#) Costa Lima, 1942
- [*Aleurothrixus chivelensis*](#) Sampson & Drews, 1941
- [*Aleurothrixus floccosus*](#) Maskell, 1896
- [*Aleurothrixus guareae*](#) Costa Lima, 1942
- [*Aleurothrixus guimaraesi*](#) Costa Lima, 1942
- [*Aleurothrixus interrogationis*](#) Bemis, 1904
- [*Aleurothrixus lucumai*](#) Costa Lima, 1942
- [*Aleurothrixus miconiae*](#) Hempel, 1922
- [*Aleurothrixus myrtacei*](#) Bondar, 1923
- [*Aleurothrixus myrtifolii*](#) Bondar, 1923
- [*Aleurothrixus ondinae*](#) Bondar, 1923
- [*Aleurothrixus porteri*](#) Quaintance & Baker, 1916
- [*Aleurothrixus proximans*](#) Bondar, 1923
- [*Aleurothrixus silvestris*](#) Corbett, 1935
- [*Aleurothrixus similis*](#) Sampson & Drews, 1941
- [*Aleurothrixus smilaceti*](#) Takahashi, 1934
- [*Aleurothrixus solani*](#) Bondar, 1923
- [*Aleurotithius*](#) Quaintance & Baker, 1914
 - [*Aleurotithius mexicanus*](#) Russell, 1947
 - [*Aleurotithius timberlakei*](#) Quaintance & Baker, 1914
- [*Aleurotrachelus*](#) Quaintance & Baker, 1914
 - [*Aleurotrachelus alpinus*](#) Takahashi, 1940
 - [*Aleurotrachelus ambrensis*](#) Takahashi & Mamet, 1952
 - [*Aleurotrachelus ampullatus*](#) Bink-Moenen, 1983
 - [*Aleurotrachelus anonae*](#) Corbett, 1935
 - [*Aleurotrachelus asparagi*](#) Lewis, 1893
 - [*Aleurotrachelus atratus*](#) Hempel, 1922
 - [*Aleurotrachelus brazzavillense*](#) Cohic, 1968
 - [*Aleurotrachelus camamuensis*](#) Bondar, 1923
 - [*Aleurotrachelus camelliae*](#) Kuwana, 1911
 - [*Aleurotrachelus chikungensis*](#) Mound & Halsey, 1978
 - [*Aleurotrachelus corbetti*](#) Takahashi, 1941
 - [*Aleurotrachelus debregeasiae*](#) Young, 1944
 - [*Aleurotrachelus distinctus*](#) Hempel, 1922
 - [*Aleurotrachelus dryandrae*](#) Solomon, 1935
 - [*Aleurotrachelus duplicatus*](#) Bink-Moenen, 1983
 - [*Aleurotrachelus elatostemae*](#) Takahashi, 1932
 - [*Aleurotrachelus eriosemae*](#) Hempel, 1922
 - [*Aleurotrachelus erythrinae*](#) Corbett, 1935
 - [*Aleurotrachelus euphorifoliae*](#) Young, 1944
 - [*Aleurotrachelus fenestellae*](#) Hempel, 1922
 - [*Aleurotrachelus filamentosus*](#) Takahashi, 1938

- [*Aleurotrachelus fissistigmae*](#) Takahashi, 1931
- [*Aleurotrachelus globulariae*](#) Goux, 1942
- [*Aleurotrachelus granosus*](#) Bondar, 1923
- [*Aleurotrachelus gratiosus*](#) Bondar, 1923
- [*Aleurotrachelus grewiae*](#) Takahashi, 1952
- [*Aleurotrachelus hazomiavonae*](#) Takahashi, 1955
- [*Aleurotrachelus ingafolii*](#) Bondar, 1923
- [*Aleurotrachelus ishigakiensis*](#) Takahashi, 1933
- [*Aleurotrachelus joholensis*](#) Corbett, 1935
- [*Aleurotrachelus juiyunensis*](#) Young, 1944
- [*Aleurotrachelus limbatus*](#) Maskell, 1896
- [*Aleurotrachelus longispinus*](#) Corbett, 1926
- [*Aleurotrachelus lumpurensis*](#) Corbett, 1935
- [*Aleurotrachelus machili*](#) Takahashi, 1942
- [*Aleurotrachelus madagascariensis*](#) Takahashi, 1955
- [*Aleurotrachelus maesae*](#) Takahashi, 1935
- [*Aleurotrachelus marginata*](#) Newstead, 1911
- [*Aleurotrachelus mauritiensis*](#) Takahashi, 1940
- [*Aleurotrachelus mesuae*](#) Corbett, 1935
- [*Aleurotrachelus minimus*](#) Young, 1944
- [*Aleurotrachelus minutus*](#) Takahashi, 1952
- [*Aleurotrachelus multipapillus*](#) Singh, 1932
- [*Aleurotrachelus nivetae*](#) Cohic, 1969
- [*Aleurotrachelus obscurus*](#) Bink-Moenen, 1983
- [*Aleurotrachelus orchidicola*](#) Takahashi, 1939
- [*Aleurotrachelus oriani*](#) Martin & Mound, 2007
- [*Aleurotrachelus pandani*](#) Takahashi, 1951
- [*Aleurotrachelus papilliferus*](#) Sampson & Drews, 1941
- [*Aleurotrachelus parvus*](#) Hempel, 1899
- [*Aleurotrachelus pauliani*](#) Takahashi, 1960
- [*Aleurotrachelus plectroniae*](#) Takahashi, 1955
- [*Aleurotrachelus primitus*](#) Young, 1944
- [*Aleurotrachelus pyracanthae*](#) Takahashi, 1935
- [*Aleurotrachelus reunionensis*](#) Takahashi, 1960
- [*Aleurotrachelus rhamnicola*](#) Goux, 1940
- [*Aleurotrachelus rosarius*](#) Bondar, 1923
- [*Aleurotrachelus rotundus*](#) Corbett, 1935
- [*Aleurotrachelus rubi*](#) Takahashi, 1933
- [*Aleurotrachelus rubromaculatus*](#) Bondar, 1923
- [*Aleurotrachelus selangorensis*](#) Corbett, 1935
- [*Aleurotrachelus serratus*](#) Takahashi, 1949
- [*Aleurotrachelus socialis*](#) Bondar, 1923
- [*Aleurotrachelus souliei*](#) Cohic, 1969
- [*Aleurotrachelus stypheliae*](#) Maskell, 1896
- [*Aleurotrachelus taiwanus*](#) Takahashi, 1932
- [*Aleurotrachelus tarennae*](#) Bink-Moenen, 1983
- [*Aleurotrachelus theobromae*](#) Bondar, 1923
- [*Aleurotrachelus tracheifer*](#) Quaintance, 1900
- [*Aleurotrachelus trachoides*](#) Back, 1912

- [*Aleurotrachelus tuberculatus*](#) Singh, 1933
- [*Aleurotrachelus urticicola*](#) Young, 1944
- [*Aleurotrachelus vitis*](#) Corbett, 1935
- [*Aleurotrachelus zonatus*](#) Takahashi, 1952
- [*Aleurotuba*](#) Tremblay & Iaccarino, 1978
 - [*Aleurotuba replaced*](#) by *Aleurotuba* Tremblay & Iaccarino, 1978.
 - [*Aleurotuba jelinekii*](#) Frauenfeld, 1867
- [*Aleurotulus*](#) Quaintance & Baker, 1914
 - [*Aleurotulus anthuricola*](#) Nakahara, 1989
 - [*Aleurotulus arundinacea*](#) Singh, 1931
 - [*Aleurotulus laneus*](#) Martin, 2005
 - [*Aleurotulus mundururu*](#) Bondar, 1923
 - [*Aleurotulus nephrolepidis*](#) Quaintance, 1900
 - [*Aleurotulus pteridophytae*](#) Martin in Mound, Martin & Polaszek, 1994
- [*Aleuroviggianus*](#) Iaccarino, 1982
 - [*Aleuroviggianus adanaensis*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus adrianae*](#) Iaccarino, 1982
 - [*Aleuroviggianus graecus*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus halperini*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus polymorphus*](#) Bink-Moenen, 1992
 - [*Aleuroviggianus zonalus*](#) Bink-Moenen, 1992
- [*Aleurovitreus*](#) Martin, 2005
 - [*Aleurovitreus insignis*](#) Bondar, 1923
 - [*Aleurovitreus risor*](#) Martin, 2005
- [*Aleyrodes*](#) Latreille, 1796
 - [*Aleyrodes albescens*](#) Hempel, 1922
 - [*Aleyrodes amnicola*](#) Bemis, 1904
 - [*Aleyrodes asari*](#) Schrank, 1801
 - [*Aleyrodes asarumis*](#) Shimer, 1867
 - [*Aleyrodes aureocincta*](#) Cockerell, 1897
 - [*Aleyrodes baja*](#) Sampson, 1943
 - [*Aleyrodes ciliatus*](#) Takahashi, 1955
 - [*Aleyrodes crataegi*](#) Kiriukhin, 1947
 - [*Aleyrodes diasemus*](#) Bemis, 1904
 - [*Aleyrodes elevatus*](#) Silvestri, 1934
 - [*Aleyrodes essigi*](#) Penny, 1922
 - [*Aleyrodes fodiens*](#) Maskell, 1896
 - [*Aleyrodes gossypii*](#) Fitch, 1857
 - [*Aleyrodes hyperici*](#) Corbett, 1926
 - [*Aleyrodes japonicus*](#) Takahashi, 1963

- [*Aleyrodes lacteus*](#) Zehntner, 1897
- [*Aleyrodes latus*](#) Hempel, 1922
- [*Aleyrodes loniceræ*](#) Walker, 1852
- [*Aleyrodes millettiae*](#) Cohic, 1968
- [*Aleyrodes osmaroniae*](#) Sampson, 1945
- [*Aleyrodes philadelphi*](#) Danzig, 1966
- [*Aleyrodes prolella*](#) Linnaeus, 1758
- [*Aleyrodes pruinosis*](#) Bemis, 1904
- [*Aleyrodes pyrolæ*](#) Gillette & Baker, 1895
- [*Aleyrodes shizuokensis*](#) Kuwana, 1911
- [*Aleyrodes singularis*](#) Danzig, 1966
- [*Aleyrodes sorini*](#) Takahashi, 1958
- [*Aleyrodes spiraeoides*](#) Quaintance, 1900
- [*Aleyrodes taiheisanus*](#) Takahashi, 1939
- [*Aleyrodes takahashii*](#) Ossiannilsson, 1966
- [*Aleyrodes tinaeoides*](#) Blanchard, 1852
- [*Aleyrodes winteræ*](#) Takahashi, 1937
- [*Aleyrodes zygia*](#) Danzig, 1966

- [*Aleyrodiella*](#) Danzig, 1966
 - [*Aleyrodiella lamellifera*](#) Danzig, 1966

- [*Anomaleyrodes*](#) Takahashi & Mamet, 1952
 - [*Anomaleyrodes palmarum*](#) Takahashi & Mamet, 1952

- [*Apobemisia*](#) Takahashi, 1954
 - [*Apobemisia celti*](#) Takahashi, 1932
 - [*Apobemisia kuwanai*](#) Takahashi, 1934

- [*Arachnaleyrodes*](#) Bink-Moenen, 1983
 - [*Arachnaleyrodes insignis*](#) Bink-Moenen, 1983

- [*Asialeyrodes*](#) Corbett, 1935
 - [*Asialeyrodes corbeti*](#) Takahashi, 1949
 - [*Asialeyrodes dorsidemarcata*](#) Singh, 1932
 - [*Asialeyrodes dubius*](#) Martin & Mound, 2007
 - [*Asialeyrodes elegans*](#) Meganathan & David, 1994
 - [*Asialeyrodes euphoriae*](#) Takahashi, 1942
 - [*Asialeyrodes indica*](#) Sundararaj & David, 1992
 - [*Asialeyrodes lumpurensis*](#) Corbett, 1935
 - [*Asialeyrodes lushanensis*](#) Ko in Ko, Hsu & Wu, 1993
 - [*Asialeyrodes maesae*](#) Takahashi, 1934
 - [*Asialeyrodes meghalayensis*](#) Regu & David, 1992
 - [*Asialeyrodes menoni*](#) Meganathan & David, 1994
 - [*Asialeyrodes multipori*](#) Takahashi, 1942

- [*Asialeyrodes papillatus*](#) Regu & David, 1992
- [*Asialeyrodes saklespurensis*](#) Regu & David, 1993
- [*Asialeyrodes selangorensis*](#) Corbett, 1935
- [*Asialeyrodes sphaerica*](#) Sundararaj & Dubey, 2006
- [*Asialeyrodes splendens*](#) Meganathan & David, 1994
- [*Asterobemisia*](#) Trehan, 1940
 - [*Asterobemisia atraphaxius*](#) Danzig, 1969
 - [*Asterobemisia carpini*](#) Koch, 1857
 - [*Asterobemisia curvata*](#) Qureshi, 1981
 - [*Asterobemisia dentata*](#) Danzig, 1969
 - [*Asterobemisia lata*](#) Danzig, 1966
 - [*Asterobemisia obenbergeri*](#) Zahradnik, 1961
 - [*Asterobemisia paveli*](#) Zahradnik, 1961
 - [*Asterobemisia salicaria*](#) Danzig, 1969
 - [*Asterobemisia silvatica*](#) Danzig, 1964
 - [*Asterobemisia takahashii*](#) Danzig, 1966
 - [*Asterobemisia trifolii*](#) Danzig, 1966
 - [*Asterobemisia yanagicola*](#) Takahashi, 1934
- [*Asterochiton*](#) Maskell, 1879
 - [*Asterochiton aureus*](#) Maskell, 1879
 - [*Asterochiton auricolor*](#) Bondar, 1923
 - [*Asterochiton cerata*](#) Maskell, 1896
 - [*Asterochiton cordiae*](#) David & Subramaniam, 1976
 - [*Asterochiton fagi*](#) Maskell, 1890
 - [*Asterochiton pittospori*](#) Dumbleton, 1957
 - [*Asterochiton simplex*](#) Maskell, 1890
- [*Axacalia*](#) Danzig, 1969
 - [*Axacalia spiraeanthi*](#) Danzig, 1969
- [*Bellitudo*](#) Russell, 1943
 - [*Bellitudo campae*](#) Russell, 1943
 - [*Bellitudo cubae*](#) Russell, 1943
 - [*Bellitudo hispaniolae*](#) Russell, 1943
 - [*Bellitudo jamaicae*](#) Russell, 1943
- [*Bemisaleyrodes*](#) Cohic, 1969
 - [*Bemisaleyrodes balachowskyi*](#) Cohic, 1969
 - [*Bemisaleyrodes brideliae*](#) Bink-Moenen, 1983
 - [*Bemisaleyrodes grjebinei*](#) Cohic, 1968
 - [*Bemisaleyrodes pauliani*](#) Cohic, 1969
- [*Bemisia*](#) Quaintance & Baker, 1914

- [*Bemisia afer*](#) Priesner & Hosny, 1934
 - [*Bemisia alni*](#) Takahashi, 1957
 - [*Bemisia antennata*](#) Gameel, 1968
 - [*Bemisia bambusae*](#) Takahashi, 1942
 - [*Bemisia berbericola*](#) Cockerell, 1896
 - [*Bemisia capitata*](#) Regu & David, 1991
 - [*Bemisia caudasculptura*](#) Quaintance & Baker, 1937
 - [*Bemisia centroamericana*](#) Martin, 2005
 - [*Bemisia combreticula*](#) Bink-Moenen, 1983
 - [*Bemisia confusa*](#) Danzig, 1964
 - [*Bemisia cordylinidis*](#) Dumbleton, 1961
 - [*Bemisia decipiens*](#) Maskell, 1896
 - [*Bemisia elliptica*](#) Takahashi, 1960
 - [*Bemisia flocculosa*](#) Gill & Holder, 2011[2]
 - [*Bemisia formosana*](#) Takahashi, 1933
 - [*Bemisia giffardi*](#) Kotinsky, 1907
 - [*Bemisia gigantea*](#) Martin, 1999
 - [*Bemisia grossa*](#) Singh, 1931
 - [*Bemisia guierae*](#) Bink-Moenen, 1983
 - [*Bemisia hirta*](#) Bink-Moenen, 1983
 - [*Bemisia lampangensis*](#) Takahashi, 1942
 - [*Bemisia lauracea*](#) Martin, Aguiar & Pita, 1996
 - [*Bemisia leakii*](#) Peal, 1903
 - [*Bemisia medinae*](#) Gomez-Menor, 1954
 - [*Bemisia mesasiatica*](#) Danzig, 1969
 - [*Bemisia moringae*](#) David & Subramaniam, 1976
 - [*Bemisia multituberculata*](#) Sundararaj & David, 1990
 - [*Bemisia ovata*](#) Goux, 1940
 - [*Bemisia poinsettiae*](#) Hempel, 1922
 - [*Bemisia pongamiae*](#) Takahashi, 1931
 - [*Bemisia porteri*](#) Corbett, 1935
 - [*Bemisia psiadiae*](#) Takahashi, 1955
 - [*Bemisia puerariae*](#) Takahashi, 1955
 - [*Bemisia religiosa*](#) Peal, 1903
 - [*Bemisia shinanoensis*](#) Kuwana, 1922
 - [*Bemisia spiraeae*](#) Young, 1944
 - [*Bemisia spiraeoides*](#) Mound & Halsey, 1978
 - [*Bemisia subdecipiens*](#) Martin, 1999
 - [*Bemisia sugonjaevi*](#) Danzig, 1969
 - [*Bemisia tabaci*](#) Gennadius, 1889
 - [*Bemisia tuberculata*](#) Bondar, 1923
-
- [*Bemisiella*](#) Danzig, 1966
 - [*Bemisiella artemisiae*](#) Danzig, 1966
 - [*Bemisiella lespedezae*](#) Danzig, 1966
-
- [*Brazzaleyrodes*](#) Cohic, 1966

- [*Brazzaleyrodes eriococciformis*](#) Cohic, 1966
- [*Bulgarialeurodes*](#) Corbett, 1936
 - [*Bulgarialeurodes cotesii*](#) Maskell, 1896
- [*Calluneyrodes*](#) Zahradnik, 1961
 - [*Calluneyrodes callunae*](#) Ossiannilsson, 1947
- [*Chitonaleyrodes*](#) Martin, 1999
 - [*Chitonaleyrodes canberrensis*](#) Martin, 1999
- [*Cockerelliella*](#) Sundararaj & David, 1992
 - [*Cockerelliella adinandrae*](#) Corbett, 1935
 - [*Cockerelliella bladhaie*](#) Takahashi, 1931
 - [*Cockerelliella curcumae*](#) Corbett, 1935
 - [*Cockerelliella dehradunensis*](#) Jesudasan & David, 1991
 - [*Cockerelliella dioscoreae*](#) Sundararaj & David, 1992
 - [*Cockerelliella indica*](#) Sundararaj & David, 1992
 - [*Cockerelliella karmardini*](#) Corbett, 1935
 - [*Cockerelliella lumpurensis*](#) Corbett, 1935
 - [*Cockerelliella meghalayensis*](#) Sundararaj & David, 1992
 - [*Cockerelliella psidii*](#) Corbett, 1935
 - [*Cockerelliella quaintancei*](#) Sundararaj & David, 1992
 - [*Cockerelliella rhodamniae*](#) Corbett, 1935
 - [*Cockerelliella rotunda*](#) Regu & David, 1993
 - [*Cockerelliella sembilanensis*](#) Corbett, 1935
 - [*Cockerelliella somnathensis*](#) Sundararaj, 2000
 - [*Cockerelliella splendens*](#) Meganathan & David, 1994
 - [*Cockerelliella zingiberiae*](#) Sundararaj & David, 1992
- [*Cohicaleyrodes*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes alternans*](#) Cohic, 1966
 - [*Cohicaleyrodes blanzyi*](#) Cohic, 1968
 - [*Cohicaleyrodes crossopterygis*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes descarpentriesi*](#) Cohic, 1968
 - [*Cohicaleyrodes elongatus*](#) Meganathan & David, 1994
 - [*Cohicaleyrodes indicus*](#) David & Selvakumaran, 1987
 - [*Cohicaleyrodes jesudasani*](#) David, 2005
 - [*Cohicaleyrodes mappiae*](#) Selvakumaran & David, 1996
 - [*Cohicaleyrodes obscura*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes padminiae*](#) Phillips & Jesudasan in David, Jesudasan & Phillips, 2006
 - [*Cohicaleyrodes pauliani*](#) Cohic, 1968
 - [*Cohicaleyrodes platysepali*](#) Cohic, 1966
 - [*Cohicaleyrodes quadrilongispinae*](#) Bink-Moenen, 1983
 - [*Cohicaleyrodes recurvispinus*](#) Cohic, 1966

- [*Cohicaleyrodes saklespurensis*](#) Regu & David, 1992
- [*Cohicaleyrodes uvariae*](#) Cohic, 1968
- [*Combesaleyrodes*](#) Cohic, 1966
 - [*Combesaleyrodes bouqueti*](#) Cohic, 1966
 - [*Combesaleyrodes tauffliebi*](#) Cohic, 1966
- [*Corbettia*](#) Dozier, 1934
 - [*Corbettia bauhinae*](#) Cohic, 1968
 - [*Corbettia graminis*](#) Mound, 1965
 - [*Corbettia grandis*](#) Russell, 1960
 - [*Corbettia isoberliniae*](#) Bink-Moenen, 1983
 - [*Corbettia lamottei*](#) Cohic, 1969
 - [*Corbettia lonchocarp*](#) Bink-Moenen, 1983
 - [*Corbettia milletticola*](#) Dozier, 1934
 - [*Corbettia pauliani*](#) Cohic, 1966
 - [*Corbettia tamarindi*](#) Takahashi, 1951
- [*Crenidorsum*](#) Russell, 1945
 - [*Crenidorsum discussion*](#) of *C. rubiae*, below. Syn. nov.
 - [*Crenidorsum armatae*](#) Russell, 1945
 - [*Crenidorsum aroidephagus*](#) Martin & Aguiar in Martin, Aguiar & Baufeld, 2001
 - [*Crenidorsum binkae*](#) Jesudasan & David, 1991
 - [*Crenidorsum caeruleascens*](#) Singh, 1931
 - [*Crenidorsum celebes*](#) Martin, 1988
 - [*Crenidorsum cinnamomi*](#) Jesudasan & David, 1991
 - [*Crenidorsum coimbatorensis*](#) David & Subramaniam, 1976
 - [*Crenidorsum commune*](#) Russell, 1945
 - [*Crenidorsum debordae*](#) Russell, 1945
 - [*Crenidorsum diaphanum*](#) Russell, 1945
 - [*Crenidorsum differens*](#) Russell, 1945
 - [*Crenidorsum goaensis*](#) Jesudasan & David, 1991
 - [*Crenidorsum lasangensis*](#) Martin, 1985
 - [*Crenidorsum leve*](#) Russell, 1945
 - [*Crenidorsum magnisetae*](#) Russell, 1945
 - [*Crenidorsum malpighiae*](#) Russell, 1945
 - [*Crenidorsum marginale*](#) Russell, 1945
 - [*Crenidorsum micheliae*](#) Takahashi, 1932
 - [*Crenidorsum millennium*](#) Martin, 1999
 - [*Crenidorsum morobensis*](#) Martin, 1985
 - [*Crenidorsum ornatum*](#) Russell, 1945
 - [*Crenidorsum pykarae*](#) Jesudasan & David, 1991
 - [*Crenidorsum rubiae*](#) P. M. M. David, 2000
 - [*Crenidorsum russellae*](#) P. M. M. David & B. V. David, 2000
 - [*Crenidorsum stigmaphylli*](#) Russell, 1945
 - [*Crenidorsum tuberculatum*](#) Russell, 1945
 - [*Crenidorsum turpiniae*](#) Takahashi, 1932

- [*Crenidorsum wendlandiae*](#) Jesudasan & David, 1991
- [*Crescentaleyrodes*](#) David & Jesudasan, 1987
 - [*Crescentaleyrodes fumipennis*](#) Hempel, 1899
 - [*Crescentaleyrodes monodi*](#) Cohic, 1969
 - [*Crescentaleyrodes paulianae*](#) Cohic, 1969
 - [*Crescentaleyrodes semilunaris*](#) Corbett, 1926
 - [*Crescentaleyrodes vetiveriae*](#) Dubey & Ko, 2006
- [*Cryptolingula*](#) Martin & Carver, 1999
 - [*Cryptolingula perplexa*](#) Martin & Carver in Martin, 1999
- [*Davidiella*](#) Dubey & Sundararaj, 2005
 - [*Davidiella cinnamomi*](#) Dubey & Sundararaj, 2005
- [*Dialeurodes*](#) Cockerell, 1902
 - [*Dialeurodes abbotabadiensis*](#) Qureshi, 1980
 - [*Dialeurodes adinobotris*](#) Corbett, 1935
 - [*Dialeurodes agalmae*](#) Takahashi, 1935
 - [*Dialeurodes angulata*](#) Corbett, 1935
 - [*Dialeurodes anjumi*](#) Qureshi, 1980
 - [*Dialeurodes ara*](#) Corbett, 1935
 - [*Dialeurodes armatus*](#) David & Subramaniam, 1976
 - [*Dialeurodes ayyanarensis*](#) Sundararaj & David, 1991
 - [*Dialeurodes bancoensis*](#) Ardaillon & Cohic, 1970
 - [*Dialeurodes bangkokana*](#) Takahashi, 1942
 - [*Dialeurodes bicornicauda*](#) Martin, 1999
 - [*Dialeurodes blinkae*](#) Sundararaj & David, 1991
 - [*Dialeurodes biventralis*](#) Sundararaj & David, 1991
 - [*Dialeurodes buscki*](#) Quaintance & Baker, 1917
 - [*Dialeurodes canthiae*](#) Sundararaj & David, 1991
 - [*Dialeurodes celti*](#) Takahashi, 1942
 - [*Dialeurodes cephalidistinctus*](#) Singh, 1932
 - [*Dialeurodes cerifera*](#) Quaintance & Baker, 1917
 - [*Dialeurodes chiengsenana*](#) Takahashi, 1942
 - [*Dialeurodes cinnamomi*](#) Takahashi, 1932
 - [*Dialeurodes cinnamomicola*](#) Takahashi, 1937
 - [*Dialeurodes citri*](#) Ashmead, 1885
 - [*Dialeurodes citricola*](#) Young, 1942
 - [*Dialeurodes conocephali*](#) Corbett, 1935
 - [*Dialeurodes crescentata*](#) Corbett, 1935
 - [*Dialeurodes cyathispinifera*](#) Corbett, 1933
 - [*Dialeurodes daphniphylli*](#) Takahashi, 1932
 - [*Dialeurodes davidi*](#) Mound & Halsey, 1978
 - [*Dialeurodes decaspermi*](#) Martin, 1985
 - [*Dialeurodes delhiensis*](#) David & Sundararaj, 1992

- [*Dialeurodes denticulatus*](#) Bondar, 1923
- [*Dialeurodes dicksoni*](#) Corbett, 1935
- [*Dialeurodes didymocarpi*](#) Corbett, 1935
- [*Dialeurodes dissimilis*](#) Quaintance & Baker, 1917
- [*Dialeurodes distincta*](#) Corbett, 1933
- [*Dialeurodes drypetesi*](#) nomen novum.
- [*Dialeurodes dubia*](#) Corbett, 1935
- [*Dialeurodes dumbeaensis*](#) Dumbleton, 1961
- [*Dialeurodes egregissima*](#) Sampson & Drews, 1941
- [*Dialeurodes emarginata*](#) Mound, 1965
- [*Dialeurodes endospermae*](#) Corbett, 1935
- [*Dialeurodes evodiae*](#) Corbett, 1935
- [*Dialeurodes ficicola*](#) Takahashi, 1935
- [*Dialeurodes gardeniae*](#) Corbett, 1935
- [*Dialeurodes gemurohensis*](#) Corbett, 1935
- [*Dialeurodes gigantica*](#) Sundararaj & David, 1991
- [*Dialeurodes glutae*](#) Corbett, 1935
- [*Dialeurodes granulata*](#) Sundararaj & David, 1991
- [*Dialeurodes greenwoodi*](#) Corbett, 1936
- [*Dialeurodes heterocera*](#) Bondar, 1923
- [*Dialeurodes hexpuncta*](#) Singh, 1932
- [*Dialeurodes hongkongensis*](#) Takahashi, 1941
- [*Dialeurodes icfreae*](#) Sundararaj & Dubey, 2003
- [*Dialeurodes imperialis*](#) Bondar, 1923
- [*Dialeurodes indicus*](#) David & Subramaniam, 1976
- [*Dialeurodes ixorae*](#) Singh, 1931
- [*Dialeurodes joholensis*](#) Corbett, 1935
- [*Dialeurodes kepongensis*](#) Corbett, 1935
- [*Dialeurodes keralaensis*](#) Meganathan & David, 1994
- [*Dialeurodes kirkaldyi*](#) Kotinsky, 1907
- [*Dialeurodes kumargiriensis*](#) Sundararaj & Dubey, 2006
- [*Dialeurodes lithocarpus*](#) Takahashi, 1931
- [*Dialeurodes loranthe*](#) Corbett, 1926
- [*Dialeurodes machilicola*](#) Takahashi, 1942
- [*Dialeurodes maculatus*](#) Bondar, 1928
- [*Dialeurodes maculipennis*](#) Bondar, 1923
- [*Dialeurodes mahableshwarensis*](#) Sundararaj & David, 1998
- [*Dialeurodes martini*](#) Sundararaj & David, 1991
- [*Dialeurodes maxima*](#) Quaintance & Baker, 1917
- [*Dialeurodes minahassai*](#) Martin, 1988
- [*Dialeurodes mirabilis*](#) Takahashi, 1942
- [*Dialeurodes musae*](#) Corbett, 1935
- [*Dialeurodes nagpurensis*](#) Sundararaj & David, 1991
- [*Dialeurodes natickis*](#) Baker & Moles, 1921
- [*Dialeurodes navarro*](#) Bondar, 1928
- [*Dialeurodes nigeriae*](#) Cohic, 1966
- [*Dialeurodes octoplicata*](#) Corbett, 1935
- [*Dialeurodes ouchii*](#) Takahashi, 1937
- [*Dialeurodes oweni*](#) Singh, 1932

- [*Dialeurodes palmata*](#) Sundararaj & David, 1991
 - [*Dialeurodes panacis*](#) Corbett, 1935
 - [*Dialeurodes papulae*](#) Singh, 1932
 - [*Dialeurodes pauliani*](#) Cohic, 1966
 - [*Dialeurodes philippinensis*](#) Takahashi, 1936
 - [*Dialeurodes pilahensis*](#) Corbett, 1935
 - [*Dialeurodes platicus*](#) Bondar, 1923
 - [*Dialeurodes polymorpha*](#) Bink-Moenen, 1983
 - [*Dialeurodes pseudocitri*](#) Takahashi, 1942
 - [*Dialeurodes psychotriae*](#) Dumbleton, 1961
 - [*Dialeurodes punctata*](#) Corbett, 1933
 - [*Dialeurodes radiilinealis*](#) Quaintance & Baker, 1917
 - [*Dialeurodes radiipuncta*](#) Quaintance & Baker, 1917
 - [*Dialeurodes ramadeviae*](#) Dubey & Sundararaj, 2004
 - [*Dialeurodes rangooni*](#) Singh, 1932
 - [*Dialeurodes razalyi*](#) Corbett, 1935
 - [*Dialeurodes rempangensis*](#) Takahashi, 1949
 - [*Dialeurodes rengas*](#) Corbett, 1935
 - [*Dialeurodes reticulosa*](#) Corbett, 1935
 - [*Dialeurodes rotunda*](#) Singh, 1931
 - [*Dialeurodes rubiphaga*](#) Dubey & Sundararaj, 2004
 - [*Dialeurodes russellae*](#) Sundararaj & David, 1991
 - [*Dialeurodes saklaspurensis*](#) David, 1976
 - [*Dialeurodes saklespurensis*](#) Regu & David, 1993
 - [*Dialeurodes sandorici*](#) Corbett, 1935
 - [*Dialeurodes sepangensis*](#) Corbett, 1935
 - [*Dialeurodes sheryli*](#) P. M. M. David, 2000
 - [*Dialeurodes shintenensis*](#) Takahashi, 1933
 - [*Dialeurodes shoreae*](#) Corbett, 1933
 - [*Dialeurodes siemriepensis*](#) Takahashi, 1942
 - [*Dialeurodes simmondsi*](#) Corbett, 1927
 - [*Dialeurodes striata*](#) Corbett, 1935
 - [*Dialeurodes struthanthi*](#) Hempel, 1901
 - [*Dialeurodes sundararajani*](#) Sundararaj & Dubey, 2006
 - [*Dialeurodes tanakai*](#) Takahashi, 1942
 - [*Dialeurodes townsendi*](#) Quaintance & Baker, 1917
 - [*Dialeurodes tricolor*](#) Quaintance & Baker, 1917
 - [*Dialeurodes tuberculosa*](#) Corbett, 1935
 - [*Dialeurodes turpiniae*](#) Meganathan & David, 1994
 - [*Dialeurodes vitis*](#) Corbett, 1935
 - [*Dialeurodes vulgaris*](#) Singh, 1931
 - [*Dialeurodes wendlandiae*](#) Meganathan & David, 1994
 - [*Dialeurodes yercaudensis*](#) Jesudasan & David, 1991
-
- [*Dialeurolobus*](#) Danzig, 1964
 - [*Dialeurolobus erythrinae*](#) Corbett, 1935
 - [*Dialeurolobus pulcher*](#) Danzig, 1964
 - [*Dialeurolobus rhamni*](#) Bink-Moenen in Bink-Moenen & Gerling, 1992

- *Dialeurolonga* Dozier, 1928
 - *Dialeurolonga elevated* to generic rank by Takahashi, 1951
 - *Dialeurolonga africana* Newstead, 1921
 - *Dialeurolonga agauriae* Takahashi, 1951
 - *Dialeurolonga ambilaensis* Takahashi, 1955
 - *Dialeurolonga angustata* Takahashi, 1961
 - *Dialeurolonga aphloiae* Takahashi, 1955
 - *Dialeurolonga bambusae* Takahashi, 1961
 - *Dialeurolonga bambusicola* Takahashi, 1951
 - *Dialeurolonga brevispina* Takahashi, 1951
 - *Dialeurolonga communis* Bink-Moenen, 1983
 - *Dialeurolonga davidi* Dubey & Sundararaj, 2006
 - *Dialeurolonga elliptica* Takahashi, 1955
 - *Dialeurolonga elongata* Dozier, 1928
 - *Dialeurolonga erythroxytonis* Takahashi, 1955
 - *Dialeurolonga eugeniae* Takahashi, 1951
 - *Dialeurolonga graminis* Takahashi, 1951
 - *Dialeurolonga guettardae* Martin, 2005
 - *Dialeurolonga hoyti* Mound, 1965
 - *Dialeurolonga kumargiriensis* Dubey & Sundararaj, 2006
 - *Dialeurolonga lagerstroemiae* Jesudasan & David, 1991
 - *Dialeurolonga lamtoensis* Cohic, 1969
 - *Dialeurolonga lata* Takahashi, 1955
 - *Dialeurolonga maculata* Singh, 1931
 - *Dialeurolonga malleshwaramensis* Sundararaj, 2001
 - *Dialeurolonga mameti* Takahashi, 1955
 - *Dialeurolonga mauritiensis* Takahashi, 1938
 - *Dialeurolonga milloti* Takahashi, 1951
 - *Dialeurolonga multipapilla* Takahashi, 1955
 - *Dialeurolonga multipori* Dubey & Sundararaj, 2006
 - *Dialeurolonga multituberculata* Dubey & Sundararaj, 2006
 - *Dialeurolonga nemoralis* Bink-Moenen, 1983
 - *Dialeurolonga nigra* Takahashi & Mamet, 1952
 - *Dialeurolonga operculobata* Martin & Carver in Martin, 1999
 - *Dialeurolonga paradoxa* Takahashi, 1955
 - *Dialeurolonga paucipapillata* Cohic, 1969
 - *Dialeurolonga pauliani* Takahashi, 1951
 - *Dialeurolonga perinetensis* Takahashi & Mamet, 1952
 - *Dialeurolonga phyllarthronis* Takahashi, 1955
 - *Dialeurolonga pseudocephalidistincta* Dubey & Sundararaj, 2006
 - *Dialeurolonga ravensarae* Takahashi & Mamet, 1952
 - *Dialeurolonga rhamni* Takahashi, 1961
 - *Dialeurolonga robinsoni* Takahashi & Mamet, 1952
 - *Dialeurolonga rotunda* Takahashi, 1961
 - *Dialeurolonga rusostigmoides* Martin, 1999
 - *Dialeurolonga similis* Takahashi, 1955
 - *Dialeurolonga simplex* Takahashi, 1955
 - *Dialeurolonga strychnosicola* Cohic, 1966

- [*Dialeurolonga subrotunda*](#) Takahashi, 1955
- [*Dialeurolonga swainei*](#) Martin, 1999
- [*Dialeurolonga takahashii*](#) David & Jesudasan 1989
- [*Dialeurolonga tambourissae*](#) Takahashi, 1955
- [*Dialeurolonga tenella*](#) Takahashi, 1961
- [*Dialeurolonga trialeuroides*](#) Takahashi & Mamet, 1952
- [*Dialeurolonga vendranæ*](#) Takahashi, 1961
- [*Dialeuropora*](#) Quaintance & Baker, 1917
 - [*Dialeuropora bipunctata*](#) Corbett, 1933
 - [*Dialeuropora brideliae*](#) Takahashi, 1932
 - [*Dialeuropora centrosemæ*](#) Corbett, 1935
 - [*Dialeuropora congoensis*](#) Cohic, 1966
 - [*Dialeuropora decempuncta*](#) Quaintance & Baker, 1917
 - [*Dialeuropora hassensanensis*](#) Takahashi, 1934
 - [*Dialeuropora heptapora*](#) Regu & David, 1992
 - [*Dialeuropora holboelliae*](#) Young, 1944
 - [*Dialeuropora indochinensis*](#) Takahashi, 1942
 - [*Dialeuropora jendera*](#) Corbett, 1935
 - [*Dialeuropora langsung*](#) Corbett, 1935
 - [*Dialeuropora malayensis*](#) Corbett, 1935
 - [*Dialeuropora mangiferae*](#) Corbett, 1935
 - [*Dialeuropora murrayae*](#) Takahashi, 1931
 - [*Dialeuropora papillata*](#) Cohic, 1966
 - [*Dialeuropora photiniana*](#) Chen, 1997
 - [*Dialeuropora portugaliae*](#) Cohic, 1966
 - [*Dialeuropora pterolobiae*](#) David & Subramaniam, 1976
 - [*Dialeuropora silvarum*](#) Corbett, 1935
 - [*Dialeuropora urticata*](#) Young, 1944
 - [*Dialeuropora viburni*](#) Takahashi, 1933
- [*Dialeurotrachelus*](#) Takahashi, 1942
 - [*Dialeurotrachelus cambodiensis*](#) Takahashi, 1942
- [*Disiphon*](#) Russell, 1993
 - [*Disiphon dubienus*](#) Bondar, 1923
 - [*Disiphon russellae*](#) Martin, 2005
- [*Distinctaleyrodes*](#) Dubey & Sundararaj, 2006
 - [*Distinctaleyrodes setosus*](#) Dubey & Sundararaj, 2006
- [*Dothioia*](#) Dumbleton, 1961
 - [*Dothioia bidentatus*](#) Dumbleton, 1961
- [*Dumbletoniella*](#) Jesudasan & David, 1990

- [*Dumbletoniella callistemoni*](#) Martin, 1999
- [*Dumbletoniella ellipticae*](#) Dumbleton, 1956
- [*Dumbletoniella eucalypti*](#) Dumbleton, 1957
- [*Dumbletoniella pittospori*](#) Martin & Carver in Martin, 1999
- [*Dumbletoniella rotunda*](#) Martin & Carver in Martin, 1999
- [*Dumbletoniella xanthorrhoeae*](#) Martin, 1999

- [*Editaaleyrodes*](#) David, 2005
 - [*Editaaleyrodes indicus*](#) David, 2005

- [*Extensaleyrodes*](#) Bink-Moenen, 1983
 - [*Extensaleyrodes akurensis*](#) Mound, 1965
 - [*Extensaleyrodes falcata*](#) Bink-Moenen, 1983

- [*Fascaleyrodes*](#) Bink-Moenen, 1983
 - [*Fascaleyrodes palmae*](#) Gameel, 1968
 - [*Fascaleyrodes rara*](#) Bink-Moenen, 1983

- [*Filicaleyrodes*](#) Takahashi, 1962
 - [*Filicaleyrodes bosseri*](#) Takahashi, 1962
 - [*Filicaleyrodes williamsi*](#) Trehan, 1938

- [*Fippataleyrodes*](#) Sundararaj & David, 1992
 - [*Fippataleyrodes cinnamomi*](#) Dubey & Sundararaj, 2005
 - [*Fippataleyrodes indica*](#) Sundararaj & David, 1992
 - [*Fippataleyrodes litseae*](#) Sundararaj & David, 1992
 - [*Fippataleyrodes multipori*](#) Dubey & Sundararaj, 2005
 - [*Fippataleyrodes yellapurensis*](#) Dubey & Sundararaj, 2005

- [*Gagudjuia*](#) Martin, 1999
 - [*Gagudjuia allosyncarpiae*](#) Martin, 1999

- [*Gomenella*](#) Dumbleton, 1961
 - [*Gomenella dryandrae*](#) Takahashi, 1950
 - [*Gomenella multipora*](#) Dumbleton, 1961
 - [*Gomenella reflexa*](#) Dumbleton, 1961

- [*Harpaleyrodes*](#) Bink-Moenen, 1983
 - [*Harpaleyrodes, tuberculata*](#) Bink-Moenen, 1983

- [*Hesperaleyrodes*](#) Sampson, 1943
 - [*Hesperaleyrodes michoacanensis*](#) Sampson, 1943

- [Heteraleyrodes](#) Takahashi, 1942
 - [Heteraleyrodes bambusae](#) Takahashi, 1942
 - [Heteraleyrodes bambusicola](#) Takahashi, 1951
- [Heterobemisia](#) Takahashi, 1957
 - [Heterobemisia alba](#) Takahashi, 1957
- [Indoaleyrodes](#) David & Subramaniam, 1976
 - [Indoaleyrodes glochidioni](#) Martin & Carver *in* Martin, 1999
 - [Indoaleyrodes laos](#) Takahashi, 1942
 - [Indoaleyrodes pseudoculatus](#) Martin, 1985
 - [Indoaleyrodes reticulata](#) Dumbleton, 1961
- [Juglasaleyrodes](#) Cohic, 1966
 - [Juglasaleyrodes orstomensis](#) Cohic, 1966
- [Keralaleyrodes](#) Meganathan & David, 1994
 - [Keralaleyrodes indicus](#) Meganathan & David, 1994
- [Laingiella](#) Corbett, 1926
 - [Laingiella bambusae](#) Corbett, 1926
- [Leucopogonella](#) Dumbleton, 1961
 - [Leucopogonella apectenata](#) Dumbleton, 1961
 - [Leucopogonella pallida](#) Dumbleton, 1961
 - [Leucopogonella simila](#) Dumbleton, 1961
 - [Leucopogonella sinuata](#) Dumbleton, 1961
- [Lipaleyrodes](#) Takahashi, 1962
 - [Lipaleyrodes atriplex](#) Froggatt, 1911
 - [Lipaleyrodes breyniae](#) Singh, 1931
 - [Lipaleyrodes crossandrae](#) David & Subramaniam, 1976
 - [Lipaleyrodes emiliae](#) Chen & Ko, 2006
 - [Lipaleyrodes euphorbiae](#) David & Subramaniam, 1976
 - [Lipaleyrodes hargreavesi](#) Corbett, 1935
 - [Lipaleyrodes leguminicola](#) Takahashi, 1942
 - [Lipaleyrodes phyllanthi](#) Takahashi, 1962
 - [Lipaleyrodes vernoniae](#) David & Thenmozhi, 1995
- [Malayaleyrodes](#) Corbett, 1935
 - [Malayaleyrodes lumpurensis](#) Corbett, 1935
- [Marginaleyrodes](#) Takahashi, 1961

- [*Marginaleyrodes fanalae*](#) Takahashi, 1951
- [*Marginaleyrodes fenestrata*](#) Takahashi, 1955
- [*Marginaleyrodes ixorae*](#) Takahashi, 1961
- [*Marginaleyrodes madagascariensis*](#) Takahashi, 1951
- [*Marginaleyrodes tsinjoarivona*](#) Takahashi, 1955
- [*Massilieuroides*](#) Goux, 1939
 - [*Massilieuroides elevated*](#) to generic rank by Jensen, 2001
 - [*Massilieuroides alabamensis*](#) Jensen, 2001
 - [*Massilieuroides americanus*](#) Jensen, 2001
 - [*Massilieuroides chittendeni*](#) Laing, 1928
 - [*Massilieuroides curiosa*](#) Jensen, 2001
 - [*Massilieuroides euryae*](#) Takahashi, 1940
 - [*Massilieuroides fici*](#) Takahashi, 1932
 - [*Massilieuroides formosensis*](#) Takahashi, 1933
 - [*Massilieuroides homonoiae*](#) Jesudasan & David, 1991
 - [*Massilieuroides kirishimensis*](#) Takahashi, 1963
 - [*Massilieuroides monticola*](#) Takahashi, 1932
 - [*Massilieuroides multipori*](#) Takahashi, 1932
 - [*Massilieuroides myricae*](#) Jensen, 2001
 - [*Massilieuroides rarasana*](#) Takahashi, 1934
 - [*Massilieuroides sakaki*](#) Takahashi, 1958
 - [*Massilieuroides setiger*](#) Goux, 1939
- [*Metabemisia*](#) Takahashi, 1963
 - [*Metabemisia distylii*](#) Takahashi, 1963
 - [*Metabemisia filicis*](#) Mound, 1967
 - [*Metabemisia palawana*](#) Martin in Martin & Camus, 2001
- [*Metaleyrodes*](#) Sampson, 1943
 - [*Metaleyrodes oceanica*](#) Takahashi, 1939
- [*Minutaleyrodes*](#) Jesudasan & David, 1990
 - [*Minutaleyrodes cherasensis*](#) Corbett, 1935
 - [*Minutaleyrodes indicus*](#) Meganathan & David, 1994
 - [*Minutaleyrodes kolliensis*](#) David, 1977
 - [*Minutaleyrodes minuta*](#) Singh, 1931
 - [*Minutaleyrodes suishanus*](#) Takahashi, 1934
- [*Mixaleyrodes*](#) Takahashi, 1936
 - [*Mixaleyrodes polypodicola*](#) Takahashi, 1963
 - [*Mixaleyrodes polystichi*](#) Takahashi, 1936
- [*Nealeyrodes*](#) Hempel, 1922
 - [*Nealeyrodes bonariensis*](#) Hempel, 1922

- [Neoaleurodes](#) Bondar, 1923
 - [Neoaleurodes clandestinus](#) Bondar, 1923
- [Neoaleurotrachelus](#) Takahashi & Mamet, 1952
 - [Neoaleurotrachelus aphloiae](#) Takahashi & Mamet, 1952
 - [Neoaleurotrachelus bertilloni](#) Cohic, 1966
 - [Neoaleurotrachelus graberi](#) Cohic, 1968
 - [Neoaleurotrachelus sudaniensis](#) Gameel, 1968
- [Neomaskellia](#) Quaintance & Baker, 1913
 - [Neomaskellia andropogonis](#) Corbett, 1926
 - [Neomaskellia bergii](#) Signoret, 1868
- [Neopealius](#) Takahashi, 1954
 - [Neopealius rubi](#) Takahashi, 1954
- [Nigrasialeyrodes](#) Martin & Carver, 1999
 - [Nigrasialeyrodes convexus](#) Martin & Carver in Martin, 1999
- [Orchamoplatus](#) Russell, 1958
 - [Orchamoplatus caledonicus](#) Dumbleton, 1956
 - [Orchamoplatus calophylli](#) Russell, 1958
 - [Orchamoplatus citri](#) Takahashi, 1940
 - [Orchamoplatus dentatus](#) Dumbleton, 1956
 - [Orchamoplatus dumbletoni](#) Cohic, 1959
 - [Orchamoplatus incognitus](#) Dumbleton, 1956
 - [Orchamoplatus louiserussellae](#) Martin, 1999
 - [Orchamoplatus mammaeferus](#) Quaintance & Baker, 1917
 - [Orchamoplatus montanus](#) Dumbleton, 1956
 - [Orchamoplatus niuginii](#) Martin, 1985
 - [Orchamoplatus noumeae](#) Russell, 1958
 - [Orchamoplatus perdentatus](#) Dumbleton, 1961
 - [Orchamoplatus plumensis](#) Dumbleton, 1956
 - [Orchamoplatus porosus](#) Dumbleton, 1956
- [Orientaleyrodes](#) David, 1993
 - [Orientaleyrodes indicus](#) Regu & David, 1993
 - [Orientaleyrodes zeylanicus](#) Corbett, 1926
- [Orstomaleyrodes](#) Cohic, 1966
 - [Orstomaleyrodes fimbriata](#) Mound, 1965
- [Papillipes](#) Bink-Moenen, 1983

- [*Papillipes spinifer*](#) Bink-Moenen, 1983
- [*Parabemisia*](#) Takahashi, 1952
 - [*Parabemisia aceris*](#) Takahashi, 1931
 - [*Parabemisia indica*](#) Meganathan & David, 1994
 - [*Parabemisia jawani*](#) Martin, 1985
 - [*Parabemisia lushanensis*](#) Ko & Luo, 1999
 - [*Parabemisia maculata*](#) Takahashi, 1952
 - [*Parabemisia myricae*](#) Kuwana, 1927
 - [*Parabemisia myrmecophila*](#) Martin, 1985
- [*Paraleurolobus*](#) Sampson & Drews, 1941
 - [*Paraleurolobus chamaedoreae*](#) Russell, 1994
 - [*Paraleurolobus imbricatus*](#) Sampson & Drews, 1941
- [*Paulianaleyrodes*](#) Cohic, 1966
 - [*Paulianaleyrodes pauliani*](#) Cohic, 1966
 - [*Paulianaleyrodes splendens*](#) Cohic, 1966
 - [*Paulianaleyrodes tetracerae*](#) Cohic, 1966
- [*Pealius*](#) Quaintance & Baker, 1914
 - [*Pealius akebiae*](#) Kuwana, 1911
 - [*Pealius amamianus*](#) Takahashi, 1963
 - [*Pealius artocarp*](#) Corbett, 1935
 - [*Pealius azaleae*](#) Baker & Moles, 1920
 - [*Pealius bangkokensis*](#) Takahashi, 1942
 - [*Pealius bengalensis*](#) Peal, 1903
 - [*Pealius cambodiensis*](#) Takahashi, 1942
 - [*Pealius chinensis*](#) Takahashi, 1941
 - [*Pealius cinnamomi*](#) David & Sundararaj, 1991
 - [*Pealius cryptus*](#) Martin, 1999
 - [*Pealius damnacanthi*](#) Takahashi, 1935
 - [*Pealius elatostemae*](#) Takahashi, 1932
 - [*Pealius elongatus*](#) David, Sudararaj & Regu, 1991
 - [*Pealius euryae*](#) Takahashi, 1955
 - [*Pealius ezeigwi*](#) Mound, 1965
 - [*Pealius fici*](#) Mound, 1965
 - [*Pealius indicus*](#) David, 1972
 - [*Pealius kalawi*](#) Singh, 1933
 - [*Pealius kankoensis*](#) Takahashi, 1933
 - [*Pealius kelloggi*](#) Bemis, 1904
 - [*Pealius kongosana*](#) Takahashi, 1955
 - [*Pealius liquidambari*](#) Takahashi, 1932
 - [*Pealius longispinus*](#) Takahashi, 1932
 - [*Pealius machili*](#) Takahashi, 1935
 - [*Pealius maculatus*](#) Takahashi, 1942

- [*Pealius madeirensis*](#) Martin, Aguiar & Pita, 1996
- [*Pealius maskelli*](#) Bemis, 1904
- [*Pealius misrae*](#) Singh, 1931
- [*Pealius mitakensis*](#) Takahashi, 1955
- [*Pealius mori*](#) Takahashi, 1932
- [*Pealius nagerkoilensis*](#) Jesudasan & David, 1991
- [*Pealius nilgiriensis*](#) David, 1972
- [*Pealius polygoni*](#) Takahashi, 1934
- [*Pealius psychotriae*](#) Takahashi, 1935
- [*Pealius quercus*](#) Signoret, 1868
- [*Pealius rhododendri*](#) Takahashi, 1935
- [*Pealius rubi*](#) Takahashi, 1936
- [*Pealius sairandhryensis*](#) Meganathan & David, 1994
- [*Pealius schimae*](#) Takahashi, 1950
- [*Pealius setosus*](#) Danzig, 1964
- [*Pealius spinosus*](#) Jesudasan & David, 1991
- [*Pealius splendens*](#) David, Sudararaj & Regu, 1991
- [*Pealius sutepensis*](#) Takahashi, 1942
- [*Pealius tuberculatus*](#) Takahashi, 1942
- [*Pealius walayarensis*](#) Jesudasan & David, 1991

- [*Pectinaleyrodes*](#) Bink-Moenen, 1983
 - [*Pectinaleyrodes culcasiae*](#) Cohic, 1969
 - [*Pectinaleyrodes silvaticus*](#) Cohic, 1969
 - [*Pectinaleyrodes triclisiae*](#) Cohic, 1966

- [*Pentaleyrodes*](#) Takahashi, 1937
 - [*Pentaleyrodes cinnamomi*](#) Takahashi, 1932
 - [*Pentaleyrodes hongkongensis*](#) Takahashi, 1941
 - [*Pentaleyrodes linderae*](#) Chou & Yan, 1988
 - [*Pentaleyrodes yasumatsui*](#) Takahashi, 1939

- [*Peracchius*](#) Lima & Racca-Filho, 2005
 - [*Peracchius durantae*](#) Lima & Racca-Filho, 2005

- [*Plataleyrodes*](#) Takahashi & Mamet, 1952
 - [*Plataleyrodes anthocleista*](#) Takahashi & Mamet, 1952

- [*Pogonaleyrodes*](#) Takahashi, 1955
 - [*Pogonaleyrodes fastuosa*](#) Takahashi, 1955
 - [*Pogonaleyrodes zimmermanni*](#) Newstead, 1911

- [*Pseudaleurolobus*](#) Hempel, 1922
 - [*Pseudaleurolobus jaboticabae*](#) Hempel, 1922

- [*Pseudaleurolatus*](#) Martin, 1999
 - [*Pseudaleurolatus kiensis*](#) Martin, 1999
 - [*Pseudaleurolatus litseae*](#) Dumbleton, 1956
- [*Pseudaleyrodes*](#) Hempel, 1922
 - [*Pseudaleyrodes depressus*](#) Hempel, 1922
- [*Pseudozaphanera*](#) Manzari, 2006
 - [*Pseudozaphanera narendramodii*](#) Ragupathy & Radhakrishnan 2019
 - [*Pseudozaphanera niger*](#) Maskell, 1896
 - [*Pseudozaphanera papyrocarpae*](#) Martin in Bailey, Martin, Noyes & Austin, 2001
 - [*Pseudozaphanera rhachisreticulata*](#) Martin, 1999
 - [*Pseudozaphanera splendida*](#) Martin, 1999
 - [*Pseudozaphanera wariensis*](#) Martin, 1999
- [*Ramsesseus*](#) Zahradnik, 1970
 - [*Ramsesseus follioti*](#) Zahradnik, 1970
- [*Rhachisphora*](#) Quaintance & Baker, 1917
 - [*Rhachisphora alishanensis*](#) Ko in Ko, Hsu & Wu, 1992
 - [*Rhachisphora ardisiae*](#) Takahashi, 1935
 - [*Rhachisphora capitatis*](#) Corbett, 1926
 - [*Rhachisphora elongatus*](#) Regu & David, 1990
 - [*Rhachisphora fijiensis*](#) Kotinsky, 1907
 - [*Rhachisphora franksae*](#) Martin, 1999
 - [*Rhachisphora indica*](#) Sundararaj & David, 1991
 - [*Rhachisphora ixorae*](#) Sundararaj & David, 1991
 - [*Rhachisphora kallarensis*](#) Jesudasan & David, 1991
 - [*Rhachisphora koshunensis*](#) Takahashi, 1933
 - [*Rhachisphora machili*](#) Takahashi, 1932
 - [*Rhachisphora madhucae*](#) Jesudasan & David, 1991
 - [*Rhachisphora maesae*](#) Takahashi, 1932
 - [*Rhachisphora malayensis*](#) Takahashi, 1952
 - [*Rhachisphora oblongata*](#) Ko, Wu & Chou, 1998
 - [*Rhachisphora queenslandica*](#) Martin, 1999
 - [*Rhachisphora reticulata*](#) Takahashi, 1933
 - [*Rhachisphora rutherfordi*](#) Quaintance & Baker, 1917
 - [*Rhachisphora sanhsianensis*](#) Ko in Ko, Hsu & Wu, 1992
 - [*Rhachisphora selangorensis*](#) Corbett, 1933
 - [*Rhachisphora setulosa*](#) Corbett, 1926
 - [*Rhachisphora styraci*](#) Takahashi, 1934
 - [*Rhachisphora taiwana*](#) Ko in Ko, Hsu & Wu, 1992
 - [*Rhachisphora trilobitoides*](#) Quaintance & Baker, 1917
- [*Rosanovia*](#) Danzig, 1969

- [*Rosanovia hulthemiae*](#) Danzig, 1969
- [*Rugaleyrodes*](#) Bink-Moenen, 1983
 - [*Rugaleyrodes angolensis*](#) Cohic, 1966
 - [*Rugaleyrodes bidentata*](#) Bink-Moenen, 1983
 - [*Rugaleyrodes tetracerae*](#) Cohic, 1966
 - [*Rugaleyrodes villiersi*](#) Cohic, 1968
 - [*Rugaleyrodes vuattouxi*](#) Cohic, 1969
- [*Rusostigma*](#) Quaintance & Baker, 1917
 - [*Rusostigma eugeniae*](#) Maskell, 1896
 - [*Rusostigma radiirugosa*](#) Quaintance & Baker, 1917
 - [*Rusostigma tokyonis*](#) Kuwana, 1911
 - [*Rusostigma tristylis*](#) Takahashi, 1935
- [*Russellaleyrodes*](#) David, 1973
 - [*Russellaleyrodes cumiugum*](#) Singh, 1932
- [*Septaleurodicus*](#) Sampson, 1943
 - [*Septaleurodicus mexicanus*](#) Sampson, 1943
- [*Setaleyrodes*](#) Takahashi, 1931
 - [*Setaleyrodes litseae*](#) David & Sundararaj, 1991
 - [*Setaleyrodes mirabilis*](#) Takahashi, 1931
 - [*Setaleyrodes quercicola*](#) Takahashi, 1934
 - [*Setaleyrodes takahashii*](#) Singh, 1933
 - [*Setaleyrodes thretonai*](#) David, 1981
 - [*Setaleyrodes vigintiseta*](#) Martin, 1999
- [*Simplaleurodes*](#) Goux, 1945
 - [*Simplaleurodes hemisphaerica*](#) Goux, 1945
- [*Singhiella*](#) Sampson, 1943
 - [*Singhiella bassiae*](#) David & Subramaniam, 1976
 - [*Singhiella bicolor*](#) Singh, 1931
 - [*Singhiella brideliae*](#) Jesudasan & David, 1991
 - [*Singhiella cambodiensis*](#) Takahashi, 1942
 - [*Singhiella cardamomi*](#) David & Subramaniam, 1976
 - [*Singhiella chinensis*](#) Takahashi, 1941
 - [*Singhiella chitinsa*](#) Takahashi, 1937
 - [*Singhiella citrifolii*](#) Morgan, 1893
 - [*Singhiella crenulata*](#) Qureshi & Qayyam, 1969
 - [*Singhiella delamarei*](#) Cohic, 1968
 - [*Singhiella dioscoreae*](#) Takahashi, 1934

- [*Singhiella dipterocarpi*](#) Takahashi, 1942
- [*Singhiella elaeagni*](#) Takahashi, 1935
- [*Singhiella elbaensis*](#) Priesner & Hosny, 1934
- [*Singhiella ficifolii*](#) Takahashi, 1942
- [*Singhiella kuraruensis*](#) Takahashi, 1933
- [*Singhiella longisetae*](#) Chou & Yan, 1988
- [*Singhiella malabaricus*](#) Jesudasan & David, 1991
- [*Singhiella mekonensis*](#) Takahashi, 1942
- [*Singhiella melanolepis*](#) Chen & Ko, 2007
- [*Singhiella pallida*](#) Singh, 1931
- [*Singhiella piperis*](#) Takahashi, 1934
- [*Singhiella premnae*](#) Martin, 1999
- [*Singhiella serdangensis*](#) Corbett, 1935
- [*Singhiella simplex*](#) Singh, 1931
- [*Singhiella subrotunda*](#) Takahashi, 1935
- [*Singhiella sutepensis*](#) Takahashi, 1942
- [*Singhiella tetrastigmae*](#) Takahashi, 1934
- [*Singhiella vanieriae*](#) Takahashi, 1935

- [*Singhius*](#) Takahashi, 1932
 - [*Singhius ehretiae*](#) Jesudasan & David, 1991
 - [*Singhius hibisci*](#) Kotinsky, 1907
 - [*Singhius morindae*](#) Sundararaj & David, 1992
 - [*Singhius russellae*](#) David & Subramaniam, 1976

- [*Siphoninus*](#) Silvestri, 1915
 - [*Siphoninus gruveli*](#) Cohic, 1968
 - [*Siphoninus immaculatus*](#) Heeger, 1856
 - [*Siphoninus phillyreae*](#) Haliday, 1835

- [*Sphericaleyrodes*](#) Selvakumaran & David, 1996
 - [*Sphericaleyrodes bambusae*](#) Selvakumaran & David, 1996
 - [*Sphericaleyrodes regui*](#) Dubey & Sundararaj, 2006

- [*Tegmaleurodes*](#) Martin, 2005
 - [*Tegmaleurodes crustatus*](#) Bondar, 1928
 - [*Tegmaleurodes integellus*](#) Bondar, 1923
 - [*Tegmaleurodes lentus*](#) Martin, 2005

- [*Tetraleurodes*](#) Cockerell, 1902
 - [*Tetraleurodes acaciae*](#) Quaintance, 1900
 - [*Tetraleurodes adabicola*](#) Takahashi, 1955
 - [*Tetraleurodes andropogoni*](#) Dozier, 1934
 - [*Tetraleurodes bambusae*](#) Jesudasan & David, 1991
 - [*Tetraleurodes banksiae*](#) Martin, 1999

- [*Tetraleurodes bararakae*](#) Takahashi, 1955
- [*Tetraleurodes bicolor*](#) Bink-Moenen in Bink-Moenen & Gerling, 1992
- [*Tetraleurodes bidentatus*](#) Sampson & Drews, 1941
- [*Tetraleurodes bireflexa*](#) Nakahara, 1995
- [*Tetraleurodes burliarensis*](#) Jesudasan & David, 1991
- [*Tetraleurodes cacaorum*](#) Bondar, 1923
- [*Tetraleurodes caulicola*](#) Nakahara, 1995
- [*Tetraleurodes chivela*](#) Nakahara, 1995
- [*Tetraleurodes confusa*](#) Nakahara, 1995
- [*Tetraleurodes contigua*](#) Sampson & Drews, 1941
- [*Tetraleurodes corni*](#) Haldeman, 1850
- [*Tetraleurodes cruzi*](#) Cassino, 1991
- [*Tetraleurodes dendrocalami*](#) Dubey & Sundararaj, 2005
- [*Tetraleurodes dorseyi*](#) Kirkaldy, 1907
- [*Tetraleurodes dorsirugosa*](#) Nakahara, 1995
- [*Tetraleurodes elaeocarp*](#) Takahashi, 1950
- [*Tetraleurodes errans*](#) Bemis, 1904
- [*Tetraleurodes fici*](#) Quaintance & Baker, 1937
- [*Tetraleurodes ghesquierei*](#) Dozier, 1934
- [*Tetraleurodes graminis*](#) Takahashi, 1934
- [*Tetraleurodes granulata*](#) Bink-Moenen, 1983
- [*Tetraleurodes hederæ*](#) Goux, 1939
- [*Tetraleurodes hirsuta*](#) Takahashi, 1955
- [*Tetraleurodes kunnathoorensis*](#) Regu & David, 1993
- [*Tetraleurodes leguminicola*](#) Bink-Moenen, 1983
- [*Tetraleurodes madagascariensis*](#) Takahashi, 1951
- [*Tetraleurodes malayensis*](#) Mound & Halsey, 1978
- [*Tetraleurodes mameti*](#) Takahashi, 1938
- [*Tetraleurodes marshalli*](#) Bondar, 1928
- [*Tetraleurodes melanops*](#) Cockerell, 1903
- [*Tetraleurodes mexicana*](#) Nakahara, 1995
- [*Tetraleurodes mirabilis*](#) Takahashi, 1961
- [*Tetraleurodes monnioti*](#) Cohic, 1968
- [*Tetraleurodes mori*](#) Quaintance, 1899
- [*Tetraleurodes mouni*](#) Cohic, 1968
- [*Tetraleurodes neemani*](#) Bink-Moenen in Bink-Moenen & Gerling, 1992
- [*Tetraleurodes oplismeni*](#) Takahashi, 1934
- [*Tetraleurodes pauliani*](#) Takahashi, 1955
- [*Tetraleurodes perileuca*](#) Cockerell, 1902
- [*Tetraleurodes perseæ*](#) Nakahara, 1995
- [*Tetraleurodes pluto*](#) Dumbleton, 1956
- [*Tetraleurodes pringlei*](#) Quaintance & Baker, 1937
- [*Tetraleurodes pseudacaciae*](#) Nakahara, 1995
- [*Tetraleurodes psidii*](#) David, 1993
- [*Tetraleurodes pusana*](#) Takahashi, 1950
- [*Tetraleurodes quadratus*](#) Sampson & Drews, 1941
- [*Tetraleurodes quercicola*](#) Nakahara, 1995
- [*Tetraleurodes rugosus*](#) Corbett, 1926
- [*Tetraleurodes russellæ*](#) Cohic, 1968

- [*Tetraleurodes selachidentata*](#) Bink-Moenen, 1983
 - [*Tetraleurodes semibarbata*](#) Takahashi, 1955
 - [*Tetraleurodes simplicior*](#) Bink-Moenen, 1983
 - [*Tetraleurodes splendens*](#) Bemis, 1904
 - [*Tetraleurodes stellata*](#) Maskell, 1896
 - [*Tetraleurodes stirlingiae*](#) Martin, 1999
 - [*Tetraleurodes submarginata*](#) Dumbleton, 1961
 - [*Tetraleurodes subrotunda*](#) Takahashi, 1937
 - [*Tetraleurodes sulcistriatus*](#) Martin, 1999
 - [*Tetraleurodes supraxialis*](#) Martin, 1999
 - [*Tetraleurodes thenmozhaie*](#) Jesudasan & David, 1991
 - [*Tetraleurodes truncatus*](#) Sampson & Drews, 1941
 - [*Tetraleurodes tuberculata*](#) Bink-Moenen, 1983
 - [*Tetraleurodes tuberculosa*](#) Nakahara, 1995
 - [*Tetraleurodes ursorum*](#) Cockerell, 1910
-
- [*Tetralicia*](#) Harrison, 1917
 - [*Tetralicia debarroi*](#) Martin & Carver *in* Martin, 1999
 - [*Tetralicia erianthi*](#) Danzig, 1969
 - [*Tetralicia ericae*](#) Harrison, 1917
 - [*Tetralicia graminicola*](#) Bink-Moenen, 1983
 - [*Tetralicia iberiaca*](#) Bink-Moenen, 1989
 - [*Tetralicia tuberculata*](#) Bink-Moenen, 1983
-
- [*Trialeurodes*](#) Cockerell, 1902
 - [*Trialeurodes abdita*](#) Martin, 2005
 - [*Trialeurodes abutiloneus*](#) Haldeman, 1850
 - [*Trialeurodes amealcensis*](#) Carapia-Ruiz *in* Carapia-Ruiz, Gonzalez-Hernandez, Romero-Napoles, Ortega-Arenas & Koch, 2003
 - [*Trialeurodes asplenii*](#) Maskell, 1890
 - [*Trialeurodes bambusae*](#) Takahashi, 1943
 - [*Trialeurodes bellissima*](#) Sampson & Drews, 1940
 - [*Trialeurodes bemisae*](#) Russell, 1948
 - [*Trialeurodes bruneiensis*](#) Martin *in* Martin & Camus, 2001
 - [*Trialeurodes celti*](#) Takahashi, 1943
 - [*Trialeurodes chinensis*](#) Takahashi, 1955
 - [*Trialeurodes coccolobae*](#) Russell, 1948
 - [*Trialeurodes colcordae*](#) Russell, 1948
 - [*Trialeurodes corollis*](#) Penny, 1922
 - [*Trialeurodes cryptus*](#) Martin, 2005
 - [*Trialeurodes darwiniensis*](#) Martin, 1999
 - [*Trialeurodes dicksoniae*](#) Martin, 1999
 - [*Trialeurodes diminutis*](#) Penny, 1922
 - [*Trialeurodes drewsi*](#) Sampson, 1945
 - [*Trialeurodes elaphoglossi*](#) Takahashi, 1960
 - [*Trialeurodes ericae*](#) Bink-Moenen, 1976
 - [*Trialeurodes eriodictyonis*](#) Russell, 1948

- [*Trialeurodes euphorbiae*](#) Russell, 1948
 - [*Trialeurodes fernaldi*](#) Morrill, 1903
 - [*Trialeurodes floridensis*](#) Quaintance, 1900
 - [*Trialeurodes glacialis*](#) Bemis, 1904
 - [*Trialeurodes heucherae*](#) Russell, 1948
 - [*Trialeurodes hutchingsi*](#) Bemis, 1904
 - [*Trialeurodes intermedia*](#) Russell, 1948
 - [*Trialeurodes ipomoeae*](#) Carapia-Ruiz in Carapia-Ruiz, Gonzalez-Hernandez, Romero-Napoles, Ortega-Arenas & Koch, 2003
 - [*Trialeurodes lauri*](#) Signoret, 1882
 - [*Trialeurodes longispina*](#) Takahashi, 1943
 - [*Trialeurodes madroni*](#) Bemis, 1904
 - [*Trialeurodes magnoliae*](#) Russell, 1948
 - [*Trialeurodes mameti*](#) Takahashi, 1951
 - [*Trialeurodes manihoti*](#) Bondar, 1923
 - [*Trialeurodes meggitti*](#) Singh, 1933
 - [*Trialeurodes merlini*](#) Bemis, 1904
 - [*Trialeurodes mirissimus*](#) Sampson & Drews, 1941
 - [*Trialeurodes multipori*](#) Russell, 1948
 - [*Trialeurodes notata*](#) Russell, 1948
 - [*Trialeurodes oblongifoliae*](#) Russell, 1948
 - [*Trialeurodes packardi*](#) Morrill, 1903
 - [*Trialeurodes palaquifolia*](#) Corbett, 1935
 - [*Trialeurodes paucipapilla*](#) Martin, 2005
 - [*Trialeurodes perakensis*](#) Corbett, 1935
 - [*Trialeurodes pergandei*](#) Quaintance, 1900
 - [*Trialeurodes phlogis*](#) Russell, 1993
 - [*Trialeurodes rex*](#) Martin in Martin & Camus, 2001
 - [*Trialeurodes ricini*](#) Misra, 1924
 - [*Trialeurodes ruborum*](#) Cockerell, 1897
 - [*Trialeurodes sardiniae*](#) Rapisarda, 1986
 - [*Trialeurodes shawundus*](#) Baker & Moles, 1921
 - [*Trialeurodes similis*](#) Russell, 1948
 - [*Trialeurodes tabaci*](#) Bondar, 1928
 - [*Trialeurodes tentaculatus*](#) Bemis, 1904
 - [*Trialeurodes tephrosiae*](#) Russell, 1948
 - [*Trialeurodes thaiensis*](#) Takahashi, 1943
 - [*Trialeurodes unadutus*](#) Baker & Moles, 1921
 - [*Trialeurodes vaporariorum*](#) Westwood, 1856
 - [*Trialeurodes varia*](#) Quaintance & Baker, 1937
 - [*Trialeurodes variabilis*](#) Quaintance, 1900
 - [*Trialeurodes vitrinellus*](#) Cockerell, 1903
 - [*Trialeurodes vittatus*](#) Quaintance, 1900
- [*Trialeurolonga*](#) Martin, 2005
 - [*Trialeurolonga trifida*](#) Martin, 2005
- [*Trichoaleyrodes*](#) Takahashi & Mamet, 1952

- [*Trichoaleyrodes carinata*](#) Takahashi & Mamet, 1952
- [*Tuberaleyrodes*](#) Takahashi, 1932
 - [*Tuberaleyrodes bobuag*](#) Takahashi, 1934
 - [*Tuberaleyrodes machili*](#) Takahashi, 1932
 - [*Tuberaleyrodes neolitseae*](#) Young, 1944
 - [*Tuberaleyrodes rambutana*](#) Takahashi, 1955
 - [*Tuberaleyrodes spinifera*](#) Corbett, 1933
- [*Vasantharajiella*](#) P. M. M. David, 2000
 - [*Vasantharajiella kalakadensis*](#) P. M. M. David, 2000
- [*Vasdavidius*](#) Russell, 2000
 - [*Vasdavidius cobarensis*](#) Martin, 1999
 - [*Vasdavidius concursus*](#) Ko in Ko, Wu & Chou, 1998
 - [*Vasdavidius indicus*](#) David & Subramaniam, 1976
 - [*Vasdavidius miscanthus*](#) Ko in Ko, Wu & Chou, 1998
 - [*Vasdavidius setiferus*](#) Quaintance & Baker, 1917
- [*Venezaleurodes*](#) Russell, 1967
 - [*Venezaleurodes pisoniae*](#) Russell, 1967
- [*Viennotaleyrodes*](#) Cohic, 1968
 - [*Viennotaleyrodes bergerardi*](#) Cohic, 1966
 - [*Viennotaleyrodes bicolorata*](#) Martin, 1999
 - [*Viennotaleyrodes bosciae*](#) Bink-Moenen, 1983
 - [*Viennotaleyrodes curvisetosus*](#) Martin, 1999
 - [*Viennotaleyrodes dichrostachi*](#) Bink-Moenen, 1983
 - [*Viennotaleyrodes fallax*](#) Bink-Moenen, 1983
 - [*Viennotaleyrodes incomptus*](#) Martin, 1999
 - [*Viennotaleyrodes lacunae*](#) Martin, 1999
 - [*Viennotaleyrodes megapapillae*](#) Singh, 1932
 - [*Viennotaleyrodes nilagiriensis*](#) David, Krishnan & Thenmozhi, 1994
 - [*Viennotaleyrodes platysepalis*](#) Cohic, 1966
- [*Xenaleyrodes*](#) Takahashi, 1936
 - [*Xenaleyrodes artocarpis*](#) Takahashi, 1936
 - [*Xenaleyrodes broughae*](#) Martin, 1985
 - [*Xenaleyrodes eucalypti*](#) Dumbleton, 1956
 - [*Xenaleyrodes fauceregus*](#) Martin, 1999
 - [*Xenaleyrodes irianicus*](#) Martin, 1985
 - [*Xenaleyrodes timonii*](#) Martin, 1985
- [*Xenobemisia*](#) Takahashi, 1951

- [*Xenobemisia coleae*](#) Takahashi, 1951
- [*Yleyrodes*](#) Bink-Moenen, 1983
 - [*Yleyrodes isoberlinae*](#) Bink-Moenen, 1983
- [*Zaphanera*](#) Corbett, 1926
 - [*Zaphanera capparis*](#) Bink-Moenen, 1983
 - [*Zaphanera cyanotis*](#) Corbett, 1926
 - [*Zaphanera indicus*](#) Jesudasan & David, 1991
 - [*Zaphanera publicus*](#) Singh, 1938

Aleurodicinae Quaintance & Baker, 1913

- [*Aleurodicus*](#) Douglas, 1892
 - [*Aleurodicus antidesmae*](#) Corbett, 1926
 - [*Aleurodicus antillensis*](#) Dozier, 1936
 - [*Aleurodicus araujo*](#) Sampson & Drews, 1941
 - [*Aleurodicus capianga*](#) Bondar, 1923
 - [*Aleurodicus cinnamomi*](#) Takahashi, 1951
 - [*Aleurodicus coccolobae*](#) Quaintance & Baker, 1913
 - [*Aleurodicus cocois*](#) Curtis, 1846
 - [*Aleurodicus destructor*](#) Mackie, 1912
 - [*Aleurodicus dispersus*](#) Russell, 1965
 - [*Aleurodicus dugesii*](#) Cockerell, 1896
 - [*Aleurodicus essigi*](#) Sampson & Drews, 1941
 - [*Aleurodicus flavus*](#) Hempel, 1922
 - [*Aleurodicus fucatus*](#) Bondar, 1923
 - [*Aleurodicus guppyi*](#) Quaintance & Baker, 1913
 - [*Aleurodicus holmesii*](#) Maskell, 1896
 - [*Aleurodicus indicus*](#) Regu & David, 1992
 - [*Aleurodicus inversus*](#) Martin, 2004
 - [*Aleurodicus jamaicensis*](#) Cockerell, 1902
 - [*Aleurodicus juleikae*](#) Bondar, 1923
 - [*Aleurodicus machili*](#) Takahashi, 1931
 - [*Aleurodicus magnificus*](#) Costa Lima, 1928
 - [*Aleurodicus maritimus*](#) Hempel, 1922
 - [*Aleurodicus marmoratus*](#) Hempel, 1922
 - [*Aleurodicus neglectus*](#) Quaintance & Baker, 1913
 - [*Aleurodicus niveus*](#) Martin, 2004
 - [*Aleurodicus ornatus*](#) Cockerell, 1893
 - [*Aleurodicus pauciporus*](#) Martin, 2004
 - [*Aleurodicus pulvinatus*](#) Maskell, 1896
 - [*Aleurodicus rugioperculatus*](#) Martin, 2004
 - [*Aleurodicus talamancensis*](#) Martin, 2005
 - [*Aleurodicus trinidadensis*](#) Quaintance & Baker, 1913
 - [*Aleurodicus vinculus*](#) Martin, 2004

- [*Aleurodicus wallaceus*](#) Martin, 1988
- [*Aleuronudus*](#) Hempel, 1922
 - [*Aleuronudus acapulcensis*](#) Sampson & Drews, 1941
 - [*Aleuronudus bondari*](#) Costa Lima, 1928
 - [*Aleuronudus induratus*](#) Hempel, 1922
 - [*Aleuronudus jaciae*](#) Bondar, 1923
 - [*Aleuronudus jequiensis*](#) Bondar, 1928
 - [*Aleuronudus manni*](#) Baker, 1923
 - [*Aleuronudus melzeri*](#) Bondar, 1928
- [*Austroaleurodicus*](#) Tapia, 1970
 - [*Austroaleurodicus lomatiae*](#) Tapia, 1970
 - [*Austroaleurodicus pigeanus*](#) Baker & Moles, 1921
- [*Azuraleurodicus*](#) Martin, 1999
 - [*Azuraleurodicus pentarthrus*](#) Martin in Martin & Polaszek, 1999
- [*Bakerius*](#) Bondar, 1923
 - [*Bakerius amazonicus*](#) Penny & Arias, 1980
 - [*Bakerius attenuatus*](#) Bondar, 1923
 - [*Bakerius calmoni*](#) Bondar, 1928
 - [*Bakerius conspurcatus*](#) Enderlein, 1909
 - [*Bakerius glandulosus*](#) Hempel, 1938
 - [*Bakerius maculatus*](#) Penny & Arias, 1980
 - [*Bakerius phrygilanthi*](#) Bondar, 1923
 - [*Bakerius sanguineus*](#) Bondar, 1928
 - [*Bakerius sublatas*](#) Bondar, 1928
- [*Costalimada*](#) Martin, 2011[3]
 - [*Costalimada brasiliensis*](#) Martin, 2011
- [*Ceraleurodicus*](#) Hempel, 1922
 - [*Ceraleurodicus assymetrus*](#) Bondar, 1922
 - [*Ceraleurodicus duckei*](#) Penny & Arias, 1980
 - [*Ceraleurodicus hempeli*](#) Costa Lima, 1928
 - [*Ceraleurodicus keris*](#) Martin, 2004
 - [*Ceraleurodicus neivai*](#) Bondar, 1928
 - [*Ceraleurodicus splendidus*](#) Hempel, 1922
 - [*Ceraleurodicus varus*](#) Bondar, 1928
- [*Dialeurodicus*](#) Cockerell, 1902
 - [*Dialeurodicus bondariae*](#) Martin, 2004
 - [*Dialeurodicus caballeroi*](#) Martin, 2004

- [*Dialeurodicus cockerellii*](#) Quaintance, 1900
- [*Dialeurodicus coelhi*](#) Bondar, 1928
- [*Dialeurodicus cornutus*](#) Bondar, 1923
- [*Dialeurodicus frontalis*](#) Bondar, 1923
- [*Dialeurodicus maculatus*](#) Bondar, 1928
- [*Dialeurodicus niger*](#) Bondar, 1923
- [*Dialeurodicus radifera*](#) Sampson & Drews, 1941
- [*Dialeurodicus silvestrii*](#) Leonardi, 1910
- [*Dialeurodicus similis*](#) Bondar, 1923
- [*Dialeurodicus tessellatus*](#) Quaintance & Baker, 1913

- [*Eudialeurodicus*](#) Quaintance & Baker, 1915
 - [*Eudialeurodicus bodkini*](#) Quaintance & Baker, 1915

- [*Lecanoideus*](#) Quaintance & Baker, 1913
 - [*Lecanoideus floccissimus*](#) Martin, Hernández-Suarez & Carnero, 1997
 - [*Lecanoideus mirabilis*](#) Cockerell, 1898

- [*Leonardius*](#) Quaintance & Baker, 1913
 - [*Leonardius kellyae*](#) Martin, 2004
 - [*Leonardius lahillei*](#) Leonardi, 1910

- [*Metaleurodicus*](#) Quaintance & Baker, 1913
 - [*Metaleurodicus arcanus*](#) Martin, 2004
 - [*Metaleurodicus bahiensis*](#) Hempel, 1922
 - [*Metaleurodicus cardini*](#) Back, 1912
 - [*Metaleurodicus griseus*](#) Dozier, 1936
 - [*Metaleurodicus lacerdae*](#) Signoret, 1883
 - [*Metaleurodicus minimus*](#) Quaintance, 1900
 - [*Metaleurodicus phalaenoides*](#) Blanchard, 1852
 - [*Metaleurodicus stelliferus*](#) Bondar, 1923
 - [*Metaleurodicus tenuis*](#) Martin, 2004
 - [*Metaleurodicus variporus*](#) Martin, 2004

- [*Nealeurodicus*](#) Hempel, 1922
 - [*Nealeurodicus altissimus*](#) Quaintance, 1900
 - [*Nealeurodicus bakeri*](#) Bondar, 1923
 - [*Nealeurodicus fallax*](#) Martin, 2004
 - [*Nealeurodicus ingae*](#) J. M. Baker, 1937
 - [*Nealeurodicus moreirai*](#) Costa Lima, 1928
 - [*Nealeurodicus octifer*](#) Bondar, 1923
 - [*Nealeurodicus paulistus*](#) Hempel, 1922
 - [*Nealeurodicus petiolaris*](#) Martin, 2004

- [*Nipaleyrodes*](#) Takahashi, 1951

- [*Nipaleyrodes elongata*](#) Takahashi, 1951
- [*Octaleurodicus*](#) Hempel, 1922
 - [*Octaleurodicus nitidus*](#) Hempel, 1922
 - [*Octaleurodicus pulcherrimus*](#) Quaintance & Baker, 1913
- [*Paraleyrodes*](#) Quaintance, 1909
 - [*Paraleyrodes ancora*](#) Martin, 2004
 - [*Paraleyrodes bondari*](#) Peracchi, 1971
 - [*Paraleyrodes cervus*](#) Martin, 2004
 - [*Paraleyrodes citri*](#) Bondar, 1931
 - [*Paraleyrodes citricolus*](#) Costa Lima, 1928
 - [*Paraleyrodes crateraformans*](#) Bondar, 1922
 - [*Paraleyrodes goyabae*](#) Goeldi, 1886
 - [*Paraleyrodes minei*](#) Iaccarino, 1990
 - [*Paraleyrodes naranjae*](#) Dozier, 1927
 - [*Paraleyrodes perplexus*](#) Martin, 2004
 - [*Paraleyrodes perseae*](#) Quaintance, 1900
 - [*Paraleyrodes proximus*](#) Terán, 1979
 - [*Paraleyrodes pseudonaranjae*](#) Martin, 2001
 - [*Paraleyrodes pulverans*](#) Bondar, 1923
 - [*Paraleyrodes singularis*](#) Bondar, 1923
 - [*Paraleyrodes triungulae*](#) Martin, 2004
 - [*Paraleyrodes urichii*](#) Quaintance & Baker, 1913
- [*Pseudosynaleurodicus*](#) Gillespie, 2006
 - [*Pseudosynaleurodicus mayoi*](#) Gillespie, 2006
 - [*Pseudosynaleurodicus nigrimarginatus*](#) Gillespie, 2006
- [*Stenaleyrodes*](#) Takahashi, 1938
 - [*Stenaleyrodes papillote*](#) Martin & Streito, 2003
 - [*Stenaleyrodes vinsoni*](#) Takahashi, 1938
- [*Synaleurodicus*](#) Solomon, 1935
 - [*Synaleurodicus hakeae*](#) Solomon, 1935
 - [*Synaleurodicus serratus*](#) Martin, 1999

Udamoselinae Enderlein, 1909

- [*Udamoselis*](#) Enderlein, 1909
 - [*Udamoselis estrellamarinae*](#) Martin, 2007
 - [*Udamoselis pigmentaria*](#) Enderlein, 1909

References

1.
 - Jon A. Martin & Laurence A. Mound (2007). "[*An annotated check list of the world's whiteflies \(Insecta: Hemiptera: Aleyrodidae\)*](#)" (PDF). *Zootaxa*. **1492**: 1–84. [ISBN](#) .
 - Gill, R. & Holder, P. (2011). "A new species of *Bemisia* (Hemiptera, Aleyrodidae) from New Zealand." *Zootaxa* 2794: 63-68.
3. Martin, J.H. (2011). "Description of a new genus and species of whitefly from *Lafoensia pacari* in Brazil (Hemiptera, Aleyrodidae, Aleurodicinae)." *Zootaxa* 2790: 54-60.

External links

-  Media related to [Aleyrodidae](#) at Wikimedia Commons

Categories:

- [Whiteflies](#)
- [Lists of insect species](#)
-

This is a list of 308 species in [Valenzuela](#), a genus of lizard barklice in the family [Caeciliusidae](#).^{[1][2][3][4]}

Valenzuela species

- [Valenzuela abiectus](#) (Costa, 1885) ^c ^g
- [Valenzuela adrianae](#) (Mockford, 1991) ^c ^g
- [Valenzuela albiceps](#) (Pearman, J. V., 1934) ^c ^g
- [Valenzuela albimaculatus](#) (Badonnel, 1967) ^c ^g
- [Valenzuela albipes](#) (Thornton, 1984) ^c ^g
- [Valenzuela albofasciatus](#) (Mockford, 1991) ^c ^g
- [Valenzuela albomarginatus](#) (Enderlein, 1910) ^c ^g
- [Valenzuela albus](#) (Badonnel, 1987) ^c ^g
- [Valenzuela alcinus](#) (Banks, N., 1941) ^c ^g
- [Valenzuela alticola](#) (Vaughan, Thornton & New, 1991) ^c ^g
- [Valenzuela ambiguus](#) (Pearman, J. V., 1932) ^c ^g
- [Valenzuela amicus](#) (Kolbe, 1885) ^c ^g

- [Valenzuela andeanus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela andinus](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela angustiplumalus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela ankaratrensis](#) (Badonnel, 1967) ^{c g}
- [Valenzuela annulicornis](#) (Enderlein, 1903) ^{c g}
- [Valenzuela anomalus](#) (Badonnel, 1959) ^{c g}
- [Valenzuela apicatus](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela aridus](#) (Hagen, 1858) ^{c g}
- [Valenzuela astovensisi](#) (New, 1977) ^{c g}
- [Valenzuela atricornis](#) (McLachlan, 1869) ^{i c g}
- [Valenzuela badiostigma](#) (Okamoto, 1910) ^{c g}
- [Valenzuela baishanzuicus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela baliensis](#) (Thornton, 1984) ^{c g}
- [Valenzuela bambusae](#) (Soehardjan & Hamann, 1959) ^{c g}
- [Valenzuela bataviensis](#) (Enderlein, 1926) ^{c g}
- [Valenzuela bengalensis](#) (Badonnel, 1981) ^{c g}
- [Valenzuela bermudensis](#) (Mockford, 1989) ^{c g}
- [Valenzuela bicolorinervus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela bicoloripes](#) (Badonnel, 1969) ^{c g}
- [Valenzuela bicolorus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela bifoliolatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela biminiensis](#) (Mockford, 1969) ^{c g}
- [Valenzuela boggianii](#) (Ribaga, 1908) ^{c g}
- [Valenzuela bombensis](#) (Baz, 1990) ^{c g}
- [Valenzuela boreus](#) (Mockford, 1965) ^{i c g b}
- [Valenzuela borneensis](#) (Karny, H. H., 1925) ^{c g}
- [Valenzuela brunneimaculatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela brunneoflavus](#) (Badonnel, 1935) ^{c g}
- [Valenzuela brunneonitens](#) (Pearman, J. V., 1932) ^{c g}
- [Valenzuela burmeisteri](#) (Brauer, 1876) ^{i c g}
- [Valenzuela cabrerai](#) (Navas, 1920) ^{c g}
- [Valenzuela caligonoides](#) (Mockford, 1969) ^{c g}
- [Valenzuela caligonus](#) (Banks, N., 1941) ^{c g}
- [Valenzuela caloclypeus](#) (Mockford and Gurney, 1956) ^{i c g}
- [Valenzuela canei](#) (Williner, 1944) ^{c g}
- [Valenzuela capelli](#) (Navás, 1914) ^{c g}

- [Valenzuela caribensis](#) (Mockford, 1969) ^{c g}
- [Valenzuela carneangularis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela carrilloi](#) (New & Thornton, 1981) ^{c g}
- [Valenzuela castellus](#) (Banks, N., 1916) ^{c g}
- [Valenzuela chilozoneus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela chrysopterus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela cinalus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela cincticornis](#) (Banks, N., 1920) ^{c g}
- [Valenzuela citrinus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela claripennis](#) (Mockford, 1991) ^{c g}
- [Valenzuela claristigma](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela clarivenus](#) (Vaughan, Thornton & New, 1991) ^{c g}
- [Valenzuela clayae](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela coei](#) (New, 1973) ^{c g}
- [Valenzuela collarti](#) (Badonnel, 1946) ^{c g}
- [Valenzuela columbianus](#) (Badonnel, 1986) ^{c g}
- [Valenzuela complexus](#) (Turner, B. D., 1975) ^{c g}
- [Valenzuela confluens](#) (Walsh, 1863) ^{i c g b}
- [Valenzuela conspicuus](#) (Banks, N., 1937) ^{c g}
- [Valenzuela cornutus](#) (Navás, 1915) ^{c g}
- [Valenzuela corsicus](#) (Kolbe, 1882) ^{c g}
- [Valenzuela croesus](#) (Chapman, 1930) ^{i c g b}
- [Valenzuela cuboideus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela cuspidatus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela cyrtospilus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela dayongicus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela debilis](#) (Pictet-Baraban & Hagen, 1856) ^{c g}
- [Valenzuela deceptor](#) (Banks, N., 1920) ^{c g}
- [Valenzuela delamarei](#) (Badonnel, 1949) ^{c g}
- [Valenzuela delicatulus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela descolei](#) (Williner, 1944) ^{c g}
- [Valenzuela despaxi](#) (Badonnel, 1936) ^{c g}
- [Valenzuela dicornis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela difficilis](#) (Mockford, 1969) ^{c g}
- [Valenzuela dinghuensis](#) (New, 1991) ^{c g}
- [Valenzuela diploideus](#) (Li, Fasheng, 1999) ^{c g}

- [Valenzuela distinctus](#) (Mockford, 1966) ^{i c g}
- [Valenzuela dives](#) (Navas, 1927) ^{c g}
- [Valenzuela dolichostigmus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela dubius](#) (Badonnel, 1946) ^{c g}
- [Valenzuela eastopi](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela elegans](#) (Mockford, 1969) ^{c g}
- [Valenzuela elegantoides](#) (Mockford, 1969) ^{c g}
- [Valenzuela equivocatus](#) (Mockford, 1969) ^{c g}
- [Valenzuela erythrostigma](#) (Li, Fasheng, 1993) ^c
- [Valenzuela erythrostigmus](#) Li, Fasheng, 2002 ^{c g}
- [Valenzuela erythrozonalis](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela estriatus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela excavatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela farrelli](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela fasciatus](#) (Enderlein, 1906) ^{c g}
- [Valenzuela fasciipennis](#) (Mockford, 1969) ^{c g}
- [Valenzuela flavibrunneus](#) (Mockford, 1969) ^{c g}
- [Valenzuela flavidorsalis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela flavidus](#) (Stephens, 1836) ^{i c g b}
- [Valenzuela flavipennis](#) (Costa, 1885) ^{c g}
- [Valenzuela flavistigma](#) (Tillyard, 1923) ^{c g}
- [Valenzuela flavus](#) (Smithers, Courtenay, 1969) ^{c g}
- [Valenzuela florinaevus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela foramilulosus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela fortis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela fortunatus](#) (Enderlein, 1929) ^{c g}
- [Valenzuela fraternus](#) (Banks, N., 1937) ^{c g}
- [Valenzuela fuligineneurus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela furculatus](#) (Navás, 1934) ^{c g}
- [Valenzuela fuscipennis](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela fuscolineus](#) (Turner, B. D. & Cheke, 1983) ^{c g}
- [Valenzuela fusicangularis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela gelaberti](#) (Navás, 1914) ^{c g}
- [Valenzuela gemmatus](#) (Mockford, 1991) ^{c g}
- [Valenzuela ghesquierei](#) (Badonnel, 1946) ^{c g}
- [Valenzuela gonostigma](#) (Enderlein, 1906) ^{i c g b}

- [Valenzuela gracilentus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela gracilis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela graminis](#) (Mockford, 1966) ^{i c g}
- [Valenzuela grandivalvus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela granulosus](#) (Badonnel, 1967) ^{c g}
- [Valenzuela gutianshanicus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela gynapterus](#) (Tetens, 1891) ^{c g}
- [Valenzuela hainanensis](#) (New, 1991) ^{c g}
- [Valenzuela hemipsocoides](#) (Badonnel, 1935) ^{c g}
- [Valenzuela heptimacularus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela himalayanus](#) (Enderlein, 1903) ^{c g}
- [Valenzuela hivesi](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela huangqi](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela hubeiensis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela hyperboreus](#) (Mockford, 1965) ^{i c g b}
- [Valenzuela ilamensis](#) (New, 1983) ^{c g}
- [Valenzuela imbecillus](#) (McLachlan, 1866) ^{c g}
- [Valenzuela imitator](#) (Badonnel, 1969) ^{c g}
- [Valenzuela impressus](#) (Hagen, 1859) ^{c g}
- [Valenzuela incoloratus](#) (Mockford, 1969) ^{i c g}
- [Valenzuela incurviusculus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela indicator](#) (Mockford, 1969) ^{i c g b}
- [Valenzuela indicus](#) (Navás, 1934) ^{c g}
- [Valenzuela inornatus](#) (Mockford, 1996) ^{c g}
- [Valenzuela inquinatus](#) (Enderlein, 1902) ^{c g}
- [Valenzuela insidiosus](#) (Badonnel, 1967) ^{c g}
- [Valenzuela isochasialis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela itremoensis](#) (Badonnel, 1976) ^{c g}
- [Valenzuela jamaicensis](#) (Banks, N., 1938) ^{c g}
- [Valenzuela javanus](#) (Enderlein, 1907) ^{c g}
- [Valenzuela juniperorum](#) (Mockford, 1969) ^{i c g}
- [Valenzuela kamakurensis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela kamatembanus](#) (Badonnel, 1959) ^{c g}
- [Valenzuela kansuensis](#) (Enderlein, 1934) ^{c g}
- [Valenzuela klebsi](#) (Enderlein, 1911) ^{c g}
- [Valenzuela kraussi](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}

- [Valenzuela kunashirensis](#) Mockford, 2003 ^{c g}
- [Valenzuela labinae](#) Lienhard, 2006 ^{c g}
- [Valenzuela labratus](#) (Navás, 1934) ^{c g}
- [Valenzuela labrostylus](#) Lienhard, 2002 ^{c g}
- [Valenzuela lachloosae](#) ^b
- [Valenzuela lemniscellus](#) (Enderlein, 1907) ^{c g}
- [Valenzuela leuroceps](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela lochloosae](#) (Mockford, 1965) ^{i c g}
- [Valenzuela longistylus](#) (Badonnel, 1935) ^{c g}
- [Valenzuela longulus](#) (Navás, 1932) ^{c g}
- [Valenzuela luachimensis](#) (Badonnel, 1955) ^{c g}
- [Valenzuela luridus](#) (Enderlein, 1903) ^{c g}
- [Valenzuela luteovenosus](#) (Okamoto, 1910) ^{c g}
- [Valenzuela machadoi](#) (Badonnel, 1955) ^{c g}
- [Valenzuela macromelaus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela maculistigma](#) (Enderlein, 1903) ^{c g}
- [Valenzuela magniocularis](#) (Li, Fasheng, 1991) ^{c g}
- [Valenzuela manteri](#) (Sommerman, 1943) ^{i c g b}
- [Valenzuela manteri](#) (Sommerman, 1943) ^{i c g b}
- [Valenzuela marginalis](#) (Badonnel, 1955) ^{c g}
- [Valenzuela marginatus](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela marginilacutus](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela maritimus](#) (Mockford, 1965) ^{i c g}
- [Valenzuela mclareni](#) (Cole, New & Thornton, 1989) ^{c g}
- [Valenzuela medialunatus](#) (Vaughan, Thornton & New, 1991) ^{c g}
- [Valenzuela medimacularis](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela megalocystis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela megalodichotomus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela melanocnemis](#) (Enderlein, 1907) ^{c g}
- [Valenzuela metasequoiae](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela mexcalensis](#) (Mockford, 1965) ^{c g}
- [Valenzuela mexicanus](#) (Enderlein, 1909) ^{c g}
- [Valenzuela micanopi](#) (Mockford, 1965) ^{i c g b}
- [Valenzuela micans](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela microcystus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela milloti](#) (Badonnel, 1967) ^{c g}

- [Valenzuela minutoculus](#) (Li, Fasheng, 1991) ^{c g}
- [Valenzuela miocensis](#) (Baz, 1990) ^{c g}
- [Valenzuela mjoebergi](#) (Karny, H. H., 1925) ^{c g}
- [Valenzuela mockfordi](#) (Turner, B. D., 1975) ^{c g}
- [Valenzuela mueggenbergi](#) (Enderlein, 1903) ^g
- [Valenzuela mueggenburgi](#) (Enderlein, 1903) ^{c g}
- [Valenzuela multimaculatus](#) (Li, Fasheng, 1991) ^{c g}
- [Valenzuela myrmicaformis](#) (Turner, B. D., 1975) ^{c g}
- [Valenzuela nadleri](#) (Mockford, 1966) ^{i c g b}
- [Valenzuela nebuloides](#) Mockford, 2000 ^{c g}
- [Valenzuela nebulomaculatus](#) Mockford, 2000 ^{c g}
- [Valenzuela nebulosoides](#) Mockford, 2000 ^{c g}
- [Valenzuela nebulosus](#) (Navás, 1909) ^{c g}
- [Valenzuela nigricornis](#) (Okamoto, 1910) ^{c g}
- [Valenzuela nigritibia](#) (Yoshizawa, 1997) ^{c g}
- [Valenzuela nigroticta](#) (Williner, 1945) ^{c g}
- [Valenzuela obliquus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela obscuripennis](#) (Mockford, 1991) ^{c g}
- [Valenzuela obscurus](#) (Pearman, J. V., 1932) ^{c g}
- [Valenzuela ochroleucus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela oculatus](#) (Kolbe, 1884) ^{c g}
- [Valenzuela okamotoi](#) (Banks, N., 1937) ^{c g}
- [Valenzuela olitorius](#) (Banks, N., 1941) ^{c g}
- [Valenzuela oyamai](#) (Enderlein, 1906) ^{c g}
- [Valenzuela pakistanensis](#) (Badonnel, 1981) ^{c g}
- [Valenzuela pallidobrunneus](#) (Mockford, 1969) ^{c g}
- [Valenzuela paradistinctus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela paraguayensis](#) (Enderlein, 1910) ^{c g}
- [Valenzuela paramonus](#) (Badonnel, 1986) ^{c g}
- [Valenzuela parbatensis](#) (New, 1983) ^{c g}
- [Valenzuela patellaris](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela pauliani](#) (Badonnel, 1967) ^{c g}
- [Valenzuela pectinatus](#) (Badonnel, 1955) ^{c g}
- [Valenzuela pelmus](#) (New & Thornton, 1976) ^{c g}
- [Valenzuela perplexus](#) (Chapman, 1930) ^{i c g b}
- [Valenzuela peyrrierasi](#) (Badonnel, 1976) ^{c g}

- [Valenzuela phaeocephalus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela phaeopterellus](#) Mockford, 2003 ^{c g}
- [Valenzuela phaeopterus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela phaeozanalis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela piceus](#) (Kolbe, 1882) ^{c g}
- [Valenzuela pinicola](#) (Banks, 1903) ^{i c g b}
- [Valenzuela plagioerythrinus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela platytaenius](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela podacromelas](#) (Enderlein, 1908) ^{c g}
- [Valenzuela podacrophaeus](#) (Enderlein, 1909) ^{c g}
- [Valenzuela posticoides](#) (Mockford, 1991) ^{c g}
- [Valenzuela posticus](#) (Banks, 1914) ^{i c g b}
- [Valenzuela proavus](#) (Pictet-Baraban & Hagen, 1856) ^{c g}
- [Valenzuela prometheus](#) (Enderlein, 1911) ^{c g}
- [Valenzuela protritrus](#) (Enderlein, 1931) ^{c g}
- [Valenzuela pseudanalis](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela pteridii](#) (Smithers, Courtenay, 1977) ^{c g}
- [Valenzuela pubes](#) (Enderlein, 1903) ^{c g}
- [Valenzuela pugioniformis](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela pulchellus](#) (Mockford, 1974) ^{c g}
- [Valenzuela purpureus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela pycnacanthus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela quadrimaculatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela quaternatus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela quinarius](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela rodriguezi](#) (Williner, 1944) ^{c g}
- [Valenzuela roseus](#) (New, 1971) ^{c g}
- [Valenzuela rosor](#) (Navás, 1930) ^{c g}
- [Valenzuela rubinii](#) (Vaughan, Thornton & New, 1991) ^{c g}
- [Valenzuela rubiventer](#) (Thornton, 1984) ^{c g}
- [Valenzuela sanchezlabradori](#) (Williner, 1949) ^{c g}
- [Valenzuela scenepipedus](#) (Enderlein, 1911) ^{c g}
- [Valenzuela scriptus](#) (Enderlein, 1906) ^{c g}
- [Valenzuela serpentinus](#) (Enderlein, 1926) ^{c g}
- [Valenzuela shixingensis](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela signatipennis](#) (Enderlein, 1907) ^{c g}

- [Valenzuela similipennis](#) (Badonnel, 1967) ^{c g}
- [Valenzuela similis](#) (Badonnel, 1949) ^{c g}
- [Valenzuela simplex](#) (Navás, 1930) ^{c g}
- [Valenzuela singularis](#) (Smithers, Courtenay, 1995) ^{c g}
- [Valenzuela sinuofasciatus](#) (Badonnel, 1935) ^{c g}
- [Valenzuela soleili](#) (Badonnel, 1946) ^{c g}
- [Valenzuela spiloerythrinus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela spissicornis](#) (Badonnel, 1943) ^{c g}
- [Valenzuela stenopterus](#) (Li, Fasheng, 1993) ^{c g}
- [Valenzuela stigmatus](#) (Okamoto, 1910) ^{c g}
- [Valenzuela striolatus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela stuckenbergi](#) (Badonnel, 1967) ^{c g}
- [Valenzuela subelegans](#) (Mockford, 1969) ^{c g}
- [Valenzuela subflavus](#) (Aaron, 1886) ^{i c g b}
- [Valenzuela sublineatus](#) Mockford, 2000 ^{c g}
- [Valenzuela subnebulosus](#) Mockford, 2000 ^{c g}
- [Valenzuela subundulatus](#) (Li, Fasheng, 1995) ^{c g}
- [Valenzuela sucinicaptus](#) (Enderlein, 1911) ^{c g}
- [Valenzuela suffusus](#) (Navás, 1931) ^{c g}
- [Valenzuela sulciformis](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela tamiami](#) (Mockford, 1965) ^{i c g}
- [Valenzuela thiemei](#) (Enderlein, 1903) ^{c g}
- [Valenzuela totonacus](#) (Mockford, 1966) ^{i c g}
- [Valenzuela traceus](#) (Thornton, 1984) ^{c g}
- [Valenzuela trifolius](#) (Li, Fasheng, 1999) ^{c g}
- [Valenzuela trigonostigma](#) (Enderlein, 1907) ^{c g}
- [Valenzuela trigonus](#) (Li, Fasheng, 1997) ^{c g}
- [Valenzuela trimaculatus](#) (Li, Fasheng, 1992) ^{c g}
- [Valenzuela trukensis](#) (Thornton, S. S. Lee & Chui, 1972) ^{c g}
- [Valenzuela tuberculatus](#) (New & Thornton, 1975) ^{c g}
- [Valenzuela umbratus](#) (Navas, 1922) ^{c g}
- [Valenzuela umbripennis](#) (Navás, 1932) ^{c g}
- [Valenzuela vau](#) (Enderlein, 1931) ^{c g}
- [Valenzuela velectus](#) (Thornton, 1984) ^{c g}
- [Valenzuela veracruzensis](#) (Mockford, 1969) ^{c g}
- [Valenzuela villiersi](#) (Badonnel, 1943) ^{c g}

- [*Valenzuela virgatus*](#) (Broadhead & Alison Richards, 1982) ^{c g}
- [*Valenzuela vitellinus*](#) (Li, Fasheng, 1993) ^{c g}
- [*Valenzuela vittidorsum*](#) (Enderlein, 1907) ^{c g}
- [*Valenzuela wolffhuegelianus*](#) (Enderlein, 1906) ^{c g}
- [*Valenzuela wui*](#) (Li, Fasheng, 1995) ^{c g}
- [*Valenzuela wuxiaensis*](#) (Li, Fasheng, 1997) ^{c g}
- [*Valenzuela wuyishanicus*](#) (Li, Fasheng, 1999) ^{c g}
- [*Valenzuela zhejiangicus*](#) (Li, Fasheng, 1995) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Of the *Valenzuela* species currently listed, only those authored by Longinos Navás were subject to critical revision by Meinander (1979) and subsequently treated as synonyms or misidentifications in the world catalogue of Lienhard & Smithers (2002). The majority of *Valenzuela* species, described by later authors using modern diagnostic characters, remain valid.

This is a list of 636 species in the genus [*Trypoxylon*](#).^{[1][2][3][4]}

***Trypoxylon* species**

- [*Trypoxylon abditum*](#) Arnold, 1924
- [*Trypoxylon accumulator*](#) F. Smith, 1875
- [*Trypoxylon acutangulum*](#) Arnold, 1951
- [*Trypoxylon aegyptium*](#) Kohl, 1906
- [*Trypoxylon aeneipenne*](#) Arnold, 1944
- [*Trypoxylon aestivale*](#) Richards, 1934
- [*Trypoxylon agamemnon*](#) Richards, 1934
- [*Trypoxylon albipes*](#) F. Smith, 1856
- [*Trypoxylon albispinosum*](#) Tsuneki, 1979
- [*Trypoxylon albitarsatum*](#) Tsuneki, 1977
- [*Trypoxylon albitarse*](#) Fabricius, 1804
- [*Trypoxylon albonigrum*](#) Richards, 1934
- [*Trypoxylon algoense*](#) Arnold, 1924
- [*Trypoxylon algoensis*](#) Arnold, 1924
- [*Trypoxylon alleni*](#) Richards, 1934
- [*Trypoxylon amankutanum*](#) Antropov, 1986
- [*Trypoxylon amatorium*](#) Tsuneki, 1980
- [*Trypoxylon ambiguum*](#) Tsuneki, 1956
- [*Trypoxylon anamalaiense*](#) Tsuneki, 1979
- [*Trypoxylon anapaike*](#) Amarante, 1991

- [*Trypoxylon angoramum* Tsuneki, 1981](#)
- [*Trypoxylon angustum* Tsuneki, 1979](#)
- [*Trypoxylon annulatum* Brèthes, 1913](#)
- [*Trypoxylon antennatum* Tsuneki, 1979](#)
- [*Trypoxylon antropovi* Coville, 1985](#)
- [*Trypoxylon aphelothoracicus* Fu & Li, 2024\[5\]](#)
- [*Trypoxylon apicatum* Tsuneki, 1979](#)
- [*Trypoxylon apicipenne* Cameron, 1889](#)
- [*Trypoxylon apicum* Tsuneki, 1980](#)
- [*Trypoxylon appendiculatum* Tsuneki, 1974](#)
- [*Trypoxylon arabicum* Gussakovskij, 1936](#)
- [*Trypoxylon armatum* Taschenberg, 1875](#)
- [*Trypoxylon arnoldi* Menke in Bohart and Menke, 1976](#)
- [*Trypoxylon arroyense* Richards, 1934](#)
- [*Trypoxylon arudum* Leclercq, 1965](#)
- [*Trypoxylon ashmeadi* Baltazar, 1966](#)
- [*Trypoxylon asinum* Leclercq, 1965](#)
- [*Trypoxylon asuncicola* Strand, 1910](#)
- [*Trypoxylon atkinsoni* Richards, 1934](#)
- [*Trypoxylon atricorne* Tsuneki, 1979](#)
- [*Trypoxylon atrum* Tsuneki, 1979](#)
- [*Trypoxylon attenuatum* F. Smith, 1851](#)
- [*Trypoxylon aureovestitum* Taschenberg, 1875](#)
- [*Trypoxylon aurifrons* Shuckard, 1837](#)
- [*Trypoxylon auropilosum* Tsuneki, 1976](#)
- [*Trypoxylon bakeri* Tsuneki, 1978](#)
- [*Trypoxylon balabacense* Tsuneki, 1976](#)
- [*Trypoxylon balteatum* Cameron, 1889](#)
- [*Trypoxylon banahao* Tsuneki, 1980](#)
- [*Trypoxylon banoense* Tsuneki, 1980](#)
- [*Trypoxylon banvaneum* Tsuneki, 1979](#)
- [*Trypoxylon barberi* Richards, 1934](#)
- [*Trypoxylon barticense* Richards, 1934](#)
- [*Trypoxylon basilanense* Tsuneki, 1980](#)
- [*Trypoxylon basilanum* Tsuneki, 1980](#)
- [*Trypoxylon beaumonti* Antropov, 1991](#)
- [*Trypoxylon bellardi* Richards, 1934](#)
- [*Trypoxylon bellum* Tsuneki, 1979](#)
- [*Trypoxylon bensoni* Richards, 1934](#)
- [*Trypoxylon benten* Tsuneki, 1979](#)
- [*Trypoxylon betremi* Tsuneki, 1979](#)
- [*Trypoxylon bettotan* Tsuneki, 1980](#)

- [*Trypoxylon biarti* Richards, 1934](#)
- [*Trypoxylon bibou* Tsuneki, 1981](#)
- [*Trypoxylon bicolor* F. Smith, 1856](#)
- [*Trypoxylon bidentatum* W. Fox, 1891](#)
- [*Trypoxylon bidenticulatum* Tsuneki, 1979](#)
- [*Trypoxylon bifoveatum* Tsuneki, 1979](#)
- [*Trypoxylon bilobatum* Tsuneki, 1961](#)
- [*Trypoxylon biputeolum* Tsuneki, 1979](#)
- [*Trypoxylon bishopi* Tsuneki, 1979](#)
- [*Trypoxylon bismarckianum* Tsuneki, 1977](#)
- [*Trypoxylon bituberculatum* Tsuneki, 1977](#)
- [*Trypoxylon bogotense* Richards, 1934](#)
- [*Trypoxylon borneanum* Tsuneki, 1980](#)
- [*Trypoxylon bourgeoisii* Strand, 1911](#)
- [*Trypoxylon brasilianum* de Saussure, 1867](#)
- [*Trypoxylon braunsi* Arnold, 1924](#)
- [*Trypoxylon brethesii* Gemignani, 1941](#)
- [*Trypoxylon breviclypeatum* Tsuneki, 1979](#)
- [*Trypoxylon brevipenne* de Saussure, 1867](#)
- [*Trypoxylon breviventre* Arnold, 1959](#)
- [*Trypoxylon bridwelli* Sandhouse, 1940](#)
- [*Trypoxylon brunneimaculatum* T. Li and Q. Li, 2007](#)
- [*Trypoxylon bryanti* Richards, 1934](#)
- [*Trypoxylon buchwaldi* Richards, 1934](#)
- [*Trypoxylon buddha* Cameron, 1889](#)
- [*Trypoxylon buehleri* Tsuneki, 1979](#)
- [*Trypoxylon bukidnon* Tsuneki, 1980](#)
- [*Trypoxylon bum* Tsuneki, 1981](#)
- [*Trypoxylon burmaense* Tsuneki, 1981](#)
- [*Trypoxylon busckii* Richards, 1934](#)
- [*Trypoxylon cagrum* Tsuneki, 1979](#)
- [*Trypoxylon caldesianum* Richards, 1934](#)
- [*Trypoxylon californicum* de Saussure, 1867](#)
- [*Trypoxylon cameroni* Tsuneki, 1980](#)
- [*Trypoxylon cameronii* Dalla Torre, 1897](#)
- [*Trypoxylon canlaon* Tsuneki, 1980](#)
- [*Trypoxylon capense* Cameron, 1905](#)
- [*Trypoxylon capillatum* Tsuneki, 1979](#)
- [*Trypoxylon capitale* Richards, 1934](#)
- [*Trypoxylon carcinum* Leclercq, 1965](#)
- [*Trypoxylon carinatum* Say, 1837](#)
- [*Trypoxylon cariniceps* Richards, 1934](#)

- [*Trypoxylon carinifrons* Cameron, 1889](#)
- [*Trypoxylon cariosum* Arnold, 1959](#)
- [*Trypoxylon carpenteri* Richards, 1933](#)
- [*Trypoxylon castoris* Leclercq, 1965](#)
- [*Trypoxylon cataractae* Arnold, 1924](#)
- [*Trypoxylon catinum* Leclercq, 1965](#)
- [*Trypoxylon cavallum* Leclercq, 1965](#)
- [*Trypoxylon cavum* Tsuneki, 1980](#)
- [*Trypoxylon centrale* W. Fox, 1895](#)
- [*Trypoxylon cheesmanae* Tsuneki, 1979](#)
- [*Trypoxylon chichenitzae* Coville, 1982](#)
- [*Trypoxylon chichidzimaense* Tsuneki, 1973](#)
- [*Trypoxylon chichimecum* de Saussure, 1867](#)
- [*Trypoxylon chimum* Tsuneki, 1981](#)
- [*Trypoxylon chingi* Tsuneki, 1971](#)
- [*Trypoxylon chirindense* Arnold, 1936](#)
- [*Trypoxylon choiseulense* Tsuneki, 1981](#)
- [*Trypoxylon chosenense* Tsuneki, 1956](#)
- [*Trypoxylon cidicum* Tsuneki, 1980](#)
- [*Trypoxylon cimmolum* Tsuneki, 1980](#)
- [*Trypoxylon cinctellum* Richards, 1934](#)
- [*Trypoxylon cindjun* Tsuneki, 1980](#)
- [*Trypoxylon clarkei* Krombein, 1962](#)
- [*Trypoxylon clavatum* Say, 1837](#)
- [*Trypoxylon clavicerum* Lepeletier de Saint Fargeau and Audinet-Serville, 1828](#)
- [*Trypoxylon clypeatum* Tsuneki, 1979](#)
- [*Trypoxylon clypeisinuatum* T. Li and Q. Li, 2010](#)
- [*Trypoxylon cocorite* Richards, 1934](#)
- [*Trypoxylon cognatum* Cameron, 1897](#)
- [*Trypoxylon collinsi* Tsuneki, 1980](#)
- [*Trypoxylon collinum* F. Smith, 1856](#)
- [*Trypoxylon coloratum* F. Smith, 1858](#)
- [*Trypoxylon compluvium* Tsuneki, 1980](#)
- [*Trypoxylon concinnum* Tsuneki, 1979](#)
- [*Trypoxylon confrater* Kohl, 1894](#)
- [*Trypoxylon cornigerum* Cameron, 1889](#)
- [*Trypoxylon correntium* Brèthes, 1909](#)
- [*Trypoxylon crassifrons* Tsuneki, 1963](#)
- [*Trypoxylon crassipes* Tsuneki, 1981](#)
- [*Trypoxylon crassipunctatum* Arnold, 1946](#)
- [*Trypoxylon crassiventre* Tsuneki, 1979](#)
- [*Trypoxylon cricetum* Leclercq, 1965](#)

- [*Trypoxylon crudele* Richards, 1934](#)
- [*Trypoxylon cubense* Richards, 1934](#)
- [*Trypoxylon cucurbitinum* Tsuneki, 1978](#)
- [*Trypoxylon culionum* Tsuneki, 1980](#)
- [*Trypoxylon curvicorne* Tsuneki, 1979](#)
- [*Trypoxylon curvum* Tsuneki, 1980](#)
- [*Trypoxylon daicoccum* Tsuneki, 1979](#)
- [*Trypoxylon darium* Leclercq, 1965](#)
- [*Trypoxylon darjeeling* Tsuneki, 1980](#)
- [*Trypoxylon deceptorium* Antropov, 1991](#)
- [*Trypoxylon dendrophilum* Arnold, 1959](#)
- [*Trypoxylon dentatum* Tsuneki, 1981](#)
- [*Trypoxylon deuterium* Leclercq, 1965](#)
- [*Trypoxylon djampangense* Tsuneki, 1979](#)
- [*Trypoxylon djun* Tsuneki, 1980](#)
- [*Trypoxylon dubium* Coville, 1982](#)
- [*Trypoxylon duckei* Richards, 1934](#)
- [*Trypoxylon dyeri* Richards, 1934](#)
- [*Trypoxylon ebneri* Maidl, 1924](#)
- [*Trypoxylon eburneipes* Tsuneki, 1977](#)
- [*Trypoxylon ecuadorium* Richards, 1934](#)
- [*Trypoxylon egregium* Arnold, 1959](#)
- [*Trypoxylon elegantulum* F. Smith, 1860](#)
- [*Trypoxylon elgonense* Arnold, 1956](#)
- [*Trypoxylon elongatum* F. Smith, 1856](#)
- [*Trypoxylon emdeni* Richards, 1934](#)
- [*Trypoxylon emeritum* Leclercq, 1965](#)
- [*Trypoxylon errans* de Saussure, 1867](#)
- [*Trypoxylon erythrozonatum* Cameron, 1901](#)
- [*Trypoxylon eugeniae* Gussakovskij, 1936](#)
- [*Trypoxylon evansi* Coville, 1982](#)
- [*Trypoxylon excavatum* F. Smith, 1856](#)
- [*Trypoxylon excellens* Strand, 1910](#)
- [*Trypoxylon exiguum* Tsuneki, 1956](#)
- [*Trypoxylon eximium* F. Smith, 1859](#)
- [*Trypoxylon eveni* Leclercq, 1965](#)
- [*Trypoxylon fabricator* F. Smith, 1873](#)
- [*Trypoxylon fastigium* W. Fox, 1894](#)
- [*Trypoxylon fenchihuense* Tsuneki, 1967](#)
- [*Trypoxylon ferox* F. Smith, 1860](#)
- [*Trypoxylon ferrugatum* Tsuneki, 1979](#)
- [*Trypoxylon ferrugiabdominale* T. Li and Q. Li, 2007](#)

- [*Trypoxylon ferrugineipes*](#) Fu & Li, 2024[5]
- [*Trypoxylon ferrugineum*](#) Tsuneki, 1979
- [*Trypoxylon fiebrigi*](#) Richards, 1934
- [*Trypoxylon figulus*](#) (Linnaeus, 1758)
- [*Trypoxylon fitzgeraldi*](#) Richards, 1934
- [*Trypoxylon flagellatum*](#) Tsuneki, 1980
- [*Trypoxylon flavimanum*](#) Arnold, 1946
- [*Trypoxylon flavipes*](#) Tsuneki, 1979
- [*Trypoxylon flavofasciatum*](#) Tsuneki, 1980
- [*Trypoxylon fletcheri*](#) R. Turner, 1918
- [*Trypoxylon florale*](#) Richards, 1934
- [*Trypoxylon formosicola*](#) Strand, 1922
- [*Trypoxylon fortius*](#) Tsuneki, 1979
- [*Trypoxylon foveatum*](#) Cameron, 1904
- [*Trypoxylon fractum*](#) Richards, 1934
- [*Trypoxylon freidbergi*](#) Antropov, 1989
- [*Trypoxylon frigidum*](#) F. Smith, 1856
- [*Trypoxylon frioense*](#) Richards, 1934
- [*Trypoxylon frontale*](#) F. Smith, 1856
- [*Trypoxylon fronticorne*](#) Gussakovskij, 1936
- [*Trypoxylon fruticicola*](#) Tsuneki, 1981
- [*Trypoxylon fugax*](#) Fabricius, 1804
- [*Trypoxylon fulviventre*](#) Tsuneki, 1979
- [*Trypoxylon fulvocollare*](#) Cameron, 1904
- [*Trypoxylon fumi*](#) Tsuneki, 1979
- [*Trypoxylon funatui*](#) Tsuneki, 1963
- [*Trypoxylon fuscipenne*](#) Fabricius, 1804
- [*Trypoxylon gallopavo*](#) Antropov, 1994
- [*Trypoxylon gampahae*](#) Tsuneki, 1981
- [*Trypoxylon gentingense*](#) Tsuneki, 1981
- [*Trypoxylon giganteum*](#) Tsuneki, 1980
- [*Trypoxylon gounellei*](#) Richards, 1934
- [*Trypoxylon gracilescens*](#) F. Smith, 1860
- [*Trypoxylon gracilicorne*](#) Arnold, 1946
- [*Trypoxylon grenadense*](#) Richards, 1934
- [*Trypoxylon gressitti*](#) Tsuneki, 1979
- [*Trypoxylon guadalense*](#) Tsuneki, 1981
- [*Trypoxylon guassu*](#) Amarante, 2002
- [*Trypoxylon guichardi*](#) Antropov, 1994
- [*Trypoxylon gussachaos*](#) Menke in Bohart and Menke, 1976
- [*Trypoxylon gustatum*](#) Leclercq, 1965
- [*Trypoxylon halcon*](#) Tsuneki, 1980

- [*Trypoxylon himachalense* Tsuneki, 1979](#)
- [*Trypoxylon hollandiae* Tsuneki, 1981](#)
- [*Trypoxylon hollisi* Tsuneki, 1980](#)
- [*Trypoxylon hova* de Saussure, 1892](#)
- [*Trypoxylon hyperorientale* Strand, 1922](#)
- [*Trypoxylon imayoshii* Yasumatsu, 1938](#)
- [*Trypoxylon inconstans* Arnold, 1946](#)
- [*Trypoxylon indianum* Tsuneki, 1979](#)
- [*Trypoxylon infimum* Arnold, 1940](#)
- [*Trypoxylon infoveatum* T. Li and Q. Li, 2007](#)
- [*Trypoxylon inopinatum* Antropov, 1986](#)
- [*Trypoxylon insolitum* W. Fox, 1897](#)
- [*Trypoxylon insulare* Tsuneki, 1976](#)
- [*Trypoxylon insulsum* Arnold, 1959](#)
- [*Trypoxylon interruptum* Tsuneki, 1978](#)
- [*Trypoxylon iriomotense* Tsuneki, 1981](#)
- [*Trypoxylon jacobsoni* Tsuneki, 1979](#)
- [*Trypoxylon javanense* Tsuneki, 1979](#)
- [*Trypoxylon javanicum* Tsuneki, 1979](#)
- [*Trypoxylon joergenseni* Brèthes, 1910](#)
- [*Trypoxylon johnsoni* W. Fox, 1891](#)
- [*Trypoxylon judicum* Leclercq, 1965](#)
- [*Trypoxylon kabeyae* Leclercq, 1965](#)
- [*Trypoxylon kachin* Tsuneki, 1981](#)
- [*Trypoxylon kaitum* Tsuneki, 1981](#)
- [*Trypoxylon kalabakan* Tsuneki, 1980](#)
- [*Trypoxylon kalilicum* Tsuneki, 1981](#)
- [*Trypoxylon kalimantan* Menke in Bohart and Menke, 1976](#)
- [*Trypoxylon kambaitium* Tsuneki, 1981](#)
- [*Trypoxylon kandyianum* Tsuneki, 1979](#)
- [*Trypoxylon kansitakum* Tsuneki, 1971](#)
- [*Trypoxylon kapiricum* Leclercq, 1965](#)
- [*Trypoxylon karimui* Tsuneki, 1981](#)
- [*Trypoxylon kashmirensense* Tsuneki, 1979](#)
- [*Trypoxylon katangae* Leclercq, 1965](#)
- [*Trypoxylon katsuuense* Tsuneki, 1984](#)
- [*Trypoxylon kedah* Tsuneki, 1979](#)
- [*Trypoxylon kepongianum* Tsuneki, 1979](#)
- [*Trypoxylon khasiae* Cameron, 1904](#)
- [*Trypoxylon kinabalum* Tsuneki, 1980](#)
- [*Trypoxylon kitulgalaense* Tsuneki, 1981](#)
- [*Trypoxylon klapperichi* Balthasar, 1957](#)

- [*Trypoxylon kodamanum* Tsuneki, 1972](#)
- [*Trypoxylon kohli* Arnold, 1924](#)
- [*Trypoxylon koikense* Tsuneki, 1956](#)
- [*Trypoxylon kokodaense* Tsuneki, 1981](#)
- [*Trypoxylon kolambuganum* Tsuneki, 1980](#)
- [*Trypoxylon kolazyi* Kohl, 1893](#)
- [*Trypoxylon kolthoffi* Gussakovskij, 1938](#)
- [*Trypoxylon koma* Tsuneki, 1956](#)
- [*Trypoxylon konosuense* Tsuneki, 1968](#)
- [*Trypoxylon koreanum* Tsuneki, 1956](#)
- [*Trypoxylon koshunicon* Strand, 1922](#)
- [*Trypoxylon kostylevi* Antropov, 1985](#)
- [*Trypoxylon krombeini* Tsuneki, 1979](#)
- [*Trypoxylon kuchingense* Tsuneki, 1980](#)
- [*Trypoxylon kuncheriai* Tsuneki, 1980](#)
- [*Trypoxylon kunzui* Tsuneki, 1981](#)
- [*Trypoxylon kutuense* Tsuneki, 1979](#)
- [*Trypoxylon kyotoense* Tsuneki, 1966](#)
- [*Trypoxylon lactitarse* de Saussure, 1867](#)
- [*Trypoxylon lacustre* Arnold, 1956](#)
- [*Trypoxylon lae* Tsuneki, 1981](#)
- [*Trypoxylon laeve* W. Fox, 1897](#)
- [*Trypoxylon laeviceps* Tsuneki, 1976](#)
- [*Trypoxylon laevidorsum* Tsuneki, 1979](#)
- [*Trypoxylon laevifrons* F. Smith, 1873](#)
- [*Trypoxylon lagunaense* Tsuneki, 1980](#)
- [*Trypoxylon lamellatum* Tsuneki, 1979](#)
- [*Trypoxylon langkawiense* Tsuneki, 1979](#)
- [*Trypoxylon laosense* Tsuneki, 1979](#)
- [*Trypoxylon laosianum* Tsuneki, 1979](#)
- [*Trypoxylon latilobatum* Antropov, 1991](#)
- [*Trypoxylon latiscutatum* Arnold, 1946](#)
- [*Trypoxylon latro* Menke and \[Richards\]\(#\) in Matthews, 1983](#)
- [*Trypoxylon layouanum* Evans, 1972](#)
- [*Trypoxylon lenkoi* Amarante, 1991](#)
- [*Trypoxylon leptogaster* Kohl, 1894](#)
- [*Trypoxylon letiferum* Arnold, 1946](#)
- [*Trypoxylon leucarthurum* \[Richards\]\(#\), 1934](#)
- [*Trypoxylon licimum* Tsuneki, 1980](#)
- [*Trypoxylon lieftincki* Tsuneki, 1981](#)
- [*Trypoxylon lissonotum* \[Cameron\]\(#\), 1910](#)
- [*Trypoxylon lobatifrons* Tsuneki, 1979](#)

- [*Trypoxylon longicorne* Tsuneki, 1977](#)
- [*Trypoxylon longipes* Tsuneki, 1979](#)
- [*Trypoxylon longipilosum* Tsuneki, 1979](#)
- [*Trypoxylon longiscute* Tsuneki, 1978](#)
- [*Trypoxylon lucidipes* Tsuneki, 1980](#)
- [*Trypoxylon lucidum* Arnold, 1959](#)
- [*Trypoxylon lumpurens* Tsuneki, 1979](#)
- [*Trypoxylon lusingum* Leclercq, 1965](#)
- [*Trypoxylon luteitarse* de Saussure, 1867](#)
- [*Trypoxylon luteocollare* Tsuneki, 1980](#)
- [*Trypoxylon luteosignatum* Arnold, 1945](#)
- [*Trypoxylon luzonense* Tsuneki, 1980](#)
- [*Trypoxylon lynchi* Brèthes, 1913](#)
- [*Trypoxylon maai* Tsuneki, 1979](#)
- [*Trypoxylon mabwense* Leclercq, 1965](#)
- [*Trypoxylon maculipes* Tsuneki, 1979](#)
- [*Trypoxylon maculiventre* Tsuneki, 1979](#)
- [*Trypoxylon mafuluense* Tsuneki, 1981](#)
- [*Trypoxylon magrettii* Gribodo, 1884](#)
- [*Trypoxylon maidli* Richards, 1934](#)
- [*Trypoxylon makassarens* Tsuneki, 1980](#)
- [*Trypoxylon makiling* Tsuneki, 1980](#)
- [*Trypoxylon malaisei* Gussakovskij, 1932](#)
- [*Trypoxylon malaiseiellum* Tsuneki, 1981](#)
- [*Trypoxylon malitae* Tsuneki, 1981](#)
- [*Trypoxylon malayanum* Tsuneki, 1979](#)
- [*Trypoxylon mandibulatum* Richards, 1933](#)
- [*Trypoxylon manni* Richards, 1934](#)
- [*Trypoxylon marginatum* Cameron, 1912](#)
- [*Trypoxylon marginifrons* Cameron, 1912](#)
- [*Trypoxylon martium* Tsuneki, 1979](#)
- [*Trypoxylon massaicum* Cameron, 1908](#)
- [*Trypoxylon matheranicum* Tsuneki, 1979](#)
- [*Trypoxylon mayri* Richards, 1934](#)
- [*Trypoxylon mazaruni* Richards, 1934](#)
- [*Trypoxylon medipolitum* Tsuneki, 1979](#)
- [*Trypoxylon medium* de Beaumont, 1945](#)
- [*Trypoxylon megriense* Antropov, 1985](#)
- [*Trypoxylon melanocorne* Strand, 1922](#)
- [*Trypoxylon melanoleucum* Richards, 1934](#)
- [*Trypoxylon melanurum* Cameron, 1901](#)
- [*Trypoxylon membranaceum* Tsuneki, 1979](#)

- [*Trypoxylon menkeanum* Coville, 1982](#)
- [*Trypoxylon menkei* Tsuneki, 1979](#)
- [*Trypoxylon mexicanum* de Saussure, 1867](#)
- [*Trypoxylon mico* Tsuneki, 1979](#)
- [*Trypoxylon mindanaonis* Tsuneki, 1976](#)
- [*Trypoxylon miniovatum* Tsuneki, 1980](#)
- [*Trypoxylon minus* de Beaumont, 1945](#)
- [*Trypoxylon minutum* Tsuneki, 1979](#)
- [*Trypoxylon mishimaense* Tsuneki, 1986](#)
- [*Trypoxylon mojuba* Amarante, 1995](#)
- [*Trypoxylon moluccanum* Tsuneki, 1980](#)
- [*Trypoxylon monstificum* Kohl, 1905](#)
- [*Trypoxylon monteverdeae* Coville, 1982](#)
- [*Trypoxylon montivagum* Arnold, 1940](#)
- [*Trypoxylon moraballi* Richards, 1934](#)
- [*Trypoxylon morobense* Tsuneki, 1981](#)
- [*Trypoxylon mulusanum* Tsuneki, 1980](#)
- [*Trypoxylon mutatum* Kohl, 1885](#)
- [*Trypoxylon mutilatum* Richards, 1934](#)
- [*Trypoxylon myitkyinae* Tsuneki, 1981](#)
- [*Trypoxylon nambui* Tsuneki, 1966](#)
- [*Trypoxylon nasale* Tsuneki, 1980](#)
- [*Trypoxylon nathani* Tsuneki, 1979](#)
- [*Trypoxylon nattereri* Richards, 1934](#)
- [*Trypoxylon naviforme* Tsuneki, 1979](#)
- [*Trypoxylon nesianum* Tsuneki, 1979](#)
- [*Trypoxylon ngum* Tsuneki, 1979](#)
- [*Trypoxylon nigricorne* Tsuneki, 1979](#)
- [*Trypoxylon nigrifemur* Tsuneki, 1979](#)
- [*Trypoxylon nigripes* Tsuneki, 1979](#)
- [*Trypoxylon nigrispine* Cameron, 1905](#)
- [*Trypoxylon nilgiriense* Tsuneki, 1979](#)
- [*Trypoxylon nipponicum* Tsuneki, 1956](#)
- [*Trypoxylon nishidai* Tsuneki, 1979](#)
- [*Trypoxylon nitidissimum* Richards, 1934](#)
- [*Trypoxylon nitidum* F. Smith, 1856](#)
- [*Trypoxylon niveitarse* de Saussure, 1867](#)
- [*Trypoxylon nodosicorne* R. Turner, 1917](#)
- [*Trypoxylon nodosum* Arnold, 1944](#)
- [*Trypoxylon novaguineae* Tsuneki, 1981](#)
- [*Trypoxylon oaxacae* Coville, 1982](#)
- [*Trypoxylon obidense* Richards, 1934](#)

- [*Trypoxylon obiense* Tsuneki, 1980](#)
- [*Trypoxylon occidentale* Coville, 1982](#)
- [*Trypoxylon oculare* Menke, 1968](#)
- [*Trypoxylon okinawanum* Tsuneki, 1966](#)
- [*Trypoxylon olfersi* Richards, 1934](#)
- [*Trypoxylon olthofi* Tsuneki, 1981](#)
- [*Trypoxylon opacum* Brèthes, 1913](#)
- [*Trypoxylon operculum* Tsuneki, 1979](#)
- [*Trypoxylon optimum* Richards, 1934](#)
- [*Trypoxylon ordinarium* Richards, 1934](#)
- [*Trypoxylon orientale* Cameron, 1904](#)
- [*Trypoxylon orientinum* Richards, 1969](#)
- [*Trypoxylon oriomonis* Tsuneki, 1981](#)
- [*Trypoxylon orizabense* Richards, 1934](#)
- [*Trypoxylon ornatigaster* Tsuneki, 1979](#)
- [*Trypoxylon outang* Tsuneki, 1980](#)
- [*Trypoxylon owrichardsi* Tsuneki, 1981](#)
- [*Trypoxylon pachygaster* Richards, 1934](#)
- [*Trypoxylon pacificum* Gussakovskij, 1932](#)
- [*Trypoxylon paeninsulicola* Tsuneki, 1979](#)
- [*Trypoxylon pagdeni* Tsuneki, 1979](#)
- [*Trypoxylon paglianoi* Antropov, 1991](#)
- [*Trypoxylon pahangense* Tsuneki, 1979](#)
- [*Trypoxylon palawanum* Tsuneki, 1976](#)
- [*Trypoxylon pan* Arnold, 1956](#)
- [*Trypoxylon panitianum* Tsuneki, 1980](#)
- [*Trypoxylon papa* Antropov, 1994](#)
- [*Trypoxylon papuanum* Tsuneki, 1977](#)
- [*Trypoxylon parvulum* Tsuneki, 1979](#)
- [*Trypoxylon parvum* Schrottky, 1902](#)
- [*Trypoxylon patrule* Arnold, 1924](#)
- [*Trypoxylon paulisum* Leclercq, 1965](#)
- [*Trypoxylon paulum* Tsuneki, 1980](#)
- [*Trypoxylon pectorale* Richards, 1934](#)
- [*Trypoxylon peltopse* Kohl, 1906](#)
- [*Trypoxylon pendleburyi* Tsuneki, 1979](#)
- [*Trypoxylon pennsylvanicum* de Saussure, 1867](#)
- [*Trypoxylon pentheri* Richards, 1934](#)
- [*Trypoxylon personatum* Amarante, 1991](#)
- [*Trypoxylon petiolatum* F. Smith, 1858](#)
- [*Trypoxylon petioloides* Strand, 1922](#)
- [*Trypoxylon pileatum* F. Smith, 1856](#)

- [*Trypoxylon pilosum* Tsuneki, 1979](#)
- [*Trypoxylon pinguiceps* Tsuneki, 1977](#)
- [*Trypoxylon placidum* F. Smith, 1863](#)
- [*Trypoxylon planifrons* Tsuneki, 1977](#)
- [*Trypoxylon platense* Brèthes, 1913](#)
- [*Trypoxylon politum* Say, 1837 \(pipe organ mud dauber\)](#)
- [*Trypoxylon popondettae* Tsuneki, 1981](#)
- [*Trypoxylon posterorubrum* Richards, 1934](#)
- [*Trypoxylon poultoni* Richards, 1934](#)
- [*Trypoxylon prominens* Tsuneki, 1979](#)
- [*Trypoxylon propinquum* Tsuneki, 1980](#)
- [*Trypoxylon providum* F. Smith, 1860](#)
- [*Trypoxylon pseudoclavicerum* Antropov, 1994](#)
- [*Trypoxylon pulchellum* Tsuneki, 1979](#)
- [*Trypoxylon pullatum* Tsuneki, 1979](#)
- [*Trypoxylon pumilio* Arnold, 1959](#)
- [*Trypoxylon punctatissimum* Arnold, 1924](#)
- [*Trypoxylon punctivertex* Richards, 1934](#)
- [*Trypoxylon punctulatum* Taschenberg, 1875](#)
- [*Trypoxylon punjabense* Tsuneki, 1979](#)
- [*Trypoxylon pusillum* Tsuneki, 1979](#)
- [*Trypoxylon puttalamum* Strand, 1922](#)
- [*Trypoxylon pygmaeum* Cameron, 1900](#)
- [*Trypoxylon quadriceps* Tsuneki, 1971](#)
- [*Trypoxylon rajang* Tsuneki, 1980](#)
- [*Trypoxylon regium* Gussakovskij, 1932](#)
- [*Trypoxylon regulare* Viereck, 1906](#)
- [*Trypoxylon rekabum* Tsuneki, 1980](#)
- [*Trypoxylon richardsi* Sandhouse, 1940](#)
- [*Trypoxylon ridlei* Tsuneki, 1979](#)
- [*Trypoxylon rogenhoferi* Kohl, 1884](#)
- [*Trypoxylon rohweri* Richards, 1934](#)
- [*Trypoxylon rohweriellum* Tsuneki, 1980](#)
- [*Trypoxylon rubiginosum* Gussakovskij, 1936](#)
- [*Trypoxylon rubrifemoratum* Richards, 1934](#)
- [*Trypoxylon rubrocaudatum* Tsuneki, 1979](#)
- [*Trypoxylon rufidens* Cameron, 1905](#)
- [*Trypoxylon rufigaster* Tsuneki, 1979](#)
- [*Trypoxylon rufimaculatum* Antropov, 1987](#)
- [*Trypoxylon rufimanum* Spinola, 1851](#)
- [*Trypoxylon rufiventre* Tsuneki, 1976](#)
- [*Trypoxylon rugiceps* Dalla Torre, 1897](#)

- [*Trypoxylon rugifrons* F. Smith, 1873](#)
- [*Trypoxylon rutilans* Tsuneki, 1980](#)
- [*Trypoxylon ryukyuense* Tsuneki, 1966](#)
- [*Trypoxylon sacinasium* Tsuneki, 1981](#)
- [*Trypoxylon salti* Richards, 1934](#)
- [*Trypoxylon salween* Tsuneki, 1981](#)
- [*Trypoxylon samarense* Tsuneki, 1980](#)
- [*Trypoxylon sanctum* Richards, 1934](#)
- [*Trypoxylon sandakanum* Tsuneki, 1980](#)
- [*Trypoxylon sapporoense* Tsuneki, 1960](#)
- [*Trypoxylon sarum* Tsuneki, 1980](#)
- [*Trypoxylon saundersi* Richards, 1934](#)
- [*Trypoxylon saussurei* Rohwer, 1912](#)
- [*Trypoxylon sauteri* Tsuneki, 1981](#)
- [\[\[*Trypoxylon Sayabouryense*\]\] Tsuneki, 1979](#)
- [*Trypoxylon scaposum* Tsuneki, 1980](#)
- [*Trypoxylon schmidtii* Richards, 1936](#)
- [*Trypoxylon schmiedeknechtii* Kohl, 1906](#)
- [*Trypoxylon schnusei* Richards, 1934](#)
- [*Trypoxylon scitulum* Tsuneki, 1980](#)
- [*Trypoxylon scrobiferum* Richards, 1934](#)
- [*Trypoxylon sculleni* Sandhouse, 1940](#)
- [*Trypoxylon scutatum* Chevrier, 1867](#)
- [*Trypoxylon scutiferum* Taschenberg, 1875](#)
- [*Trypoxylon scutifrons* de Saussure, 1892](#)
- [*Trypoxylon sectum* Tsuneki, 1980](#)
- [*Trypoxylon sedlaceki* Tsuneki, 1981](#)
- [*Trypoxylon sedonense* Tsuneki, 1979](#)
- [*Trypoxylon segregatum* Richards, 1934](#)
- [*Trypoxylon selangor* Tsuneki, 1979](#)
- [*Trypoxylon semicompluvium* Tsuneki, 1980](#)
- [*Trypoxylon semiflavum* Richards, 1934](#)
- [*Trypoxylon semongoh* Tsuneki, 1980](#)
- [*Trypoxylon semperi* Tsuneki, 1980](#)
- [*Trypoxylon senegambicum* Kohl, 1906](#)
- [*Trypoxylon sextum* Tsuneki, 1979](#)
- [*Trypoxylon seyrigi* Arnold, 1945](#)
- [*Trypoxylon shakha* Tsuneki, 1979](#)
- [*Trypoxylon shannoni* Richards, 1934](#)
- [*Trypoxylon shanshan* Tsuneki, 1981](#)
- [*Trypoxylon shimoyamai* Tsuneki, 1958](#)
- [*Trypoxylon sibolangitum* Tsuneki, 1979](#)

- [*Trypoxylon sibuyanense* Tsuneki, 1980](#)
- [*Trypoxylon silvestre* Richards, 1934](#)
- [*Trypoxylon silvicola* Tsuneki, 1980](#)
- [*Trypoxylon simile* Tsuneki, 1979](#)
- [*Trypoxylon similichingi* T. Li and Q. Li, 2010](#)
- [*Trypoxylon simpliceincrassatum* T. Li and Q. Li, 2007](#)
- [*Trypoxylon sinaloense* Coville, 1982](#)
- [*Trypoxylon singaporense* Tsuneki, 1979](#)
- [*Trypoxylon singator* Tsuneki, 1981](#)
- [*Trypoxylon sinuosiscute* Arnold, 1945](#)
- [*Trypoxylon sinuosiscutis* Arnold, 1945](#)
- [*Trypoxylon smithi* Tsuneki, 1979](#)
- [*Trypoxylon sogdianum* Gussakovskij, 1952](#)
- [*Trypoxylon solivagum* Arnold, 1946](#)
- [*Trypoxylon solomonense* Tsuneki, 1981](#)
- [*Trypoxylon sonani* Tsuneki, 1990](#)
- [*Trypoxylon spangleri* Tsuneki, 1979](#)
- [*Trypoxylon speciosum* Tsuneki, 1979](#)
- [*Trypoxylon spinosum* Cameron, 1889](#)
- [*Trypoxylon splendidum* Antropov, 2011](#)
- [*Trypoxylon srilankum* Tsuneki, 1979](#)
- [*Trypoxylon staudingeri* Richards, 1934](#)
- [*Trypoxylon stevensoni* Arnold, 1924](#)
- [*Trypoxylon stieglmayri* Richards, 1934](#)
- [*Trypoxylon straatmani* Tsuneki, 1981](#)
- [*Trypoxylon striolatum* Tsuneki, 1979](#)
- [*Trypoxylon stroudi* Gribodo, 1884](#)
- [*Trypoxylon subimpressum* F. Smith, 1856](#)
- [*Trypoxylon succinctum* Cresson, 1865](#)
- [*Trypoxylon sulcatoides* Richards, 1934](#)
- [*Trypoxylon sumatraense* Tsuneki, 1979](#)
- [*Trypoxylon sumbanicola* Tsuneki, 1979](#)
- [*Trypoxylon sumbanum* Tsuneki, 1979](#)
- [*Trypoxylon superbum* F. Smith, 1873](#)
- [*Trypoxylon surinamense* Richards, 1934](#)
- [*Trypoxylon suumi* Tsuneki, 1979](#)
- [*Trypoxylon syriacum* Mercet, 1906](#)
- [*Trypoxylon szechuen* Tsuneki, 1981](#)
- [*Trypoxylon tadaonis* Tsuneki, 1980](#)
- [*Trypoxylon tainanense* Strand, 1923](#)
- [*Trypoxylon taiwanum* Tsuneki, 1967](#)
- [*Trypoxylon takasago* Tsuneki, 1966](#)

- [Trypoxylon taros](#) Tsuneki, 1980
- [Trypoxylon tawitawiense](#) Tsuneki, 1976
- [Trypoxylon tekuense](#) Tsuneki, 1979
- [Trypoxylon tengmen](#) Tsuneki, 1981
- [Trypoxylon tengu](#) Tsuneki, 1981
- [Trypoxylon tenocticlan](#) Richards, 1934
- [Trypoxylon terbakarinum](#) Tsuneki, 1979
- [Trypoxylon testaceicorne](#) Cameron, 1907
- [Trypoxylon testaceipes](#) Arnold, 1924
- [Trypoxylon texense](#) de Saussure, 1867
- [Trypoxylon thaianum](#) Tsuneki, 1961
- [Trypoxylon timberlakei](#) Sandhouse, 1940
- [Trypoxylon tirimen](#) Tsuneki, 1980
- [Trypoxylon tjangkoedang](#) Tsuneki, 1979
- [Trypoxylon tjiangsanum](#) Tsuneki, 1979
- [Trypoxylon tobiasi](#) Antropov, 1989
- [Trypoxylon toltecum](#) de Saussure, 1867
- [Trypoxylon tomi](#) Tsuneki, 1979
- [Trypoxylon townesi](#) Tsuneki, 1981
- [Trypoxylon townesorum](#) Tsuneki, 1980
- [Trypoxylon transversistriatum](#) Strand, 1910
- [Trypoxylon tremulum](#) Arnold, 1946
- [Trypoxylon triangulum](#) Tsuneki, 1981
- [Trypoxylon tridentatum](#) Packard, 1867
- [Trypoxylon trigeminum](#) Richards, 1934
- [Trypoxylon trinidadense](#) Richards, 1934
- [Trypoxylon triodon](#) Richards, 1934
- [Trypoxylon triste](#) Arnold, 1924
- [Trypoxylon trituberculatum](#) Tsuneki, 1980
- [Trypoxylon trochanteratum](#) Cameron, 1902
- [Trypoxylon truncatum](#) Tsuneki, 1979
- [Trypoxylon tuberculifrons](#) Arnold, 1945
- [Trypoxylon turbulentum](#) Arnold, 1946
- [Trypoxylon turkestanicum](#) Gussakovskij, 1936
- [Trypoxylon undatum](#) Tsuneki, 1979
- [Trypoxylon unguicorne](#) Richards, 1934
- [Trypoxylon urbanii](#) Tsuneki, 1979
- [Trypoxylon urichi](#) Richards, 1934
- [Trypoxylon ussuriense](#) Kazenas, 1980
- [Trypoxylon vagulum](#) Richards, 1934
- [Trypoxylon vagum](#) F. Smith, 1873
- [Trypoxylon vardyi](#) Tsuneki, 1979

- [*Trypoxylon varicolor* Tsuneki, 1980](#)
- [*Trypoxylon varipes* Pérez, 1905](#)
- [*Trypoxylon varipiloides* Tsuneki, 1980](#)
- [*Trypoxylon varipilosum* Cameron, 1901](#)
- [*Trypoxylon varipunctatum* Tsuneki, 1980](#)
- [*Trypoxylon vechti* Tsuneki, 1979](#)
- [*Trypoxylon venaticum* Tsuneki, 1980](#)
- [*Trypoxylon vicinum* Tsuneki, 1979](#)
- [*Trypoxylon viduum* Arnold, 1951](#)
- [*Trypoxylon vientianense* Tsuneki, 1979](#)
- [*Trypoxylon viridaricola* Tsuneki, 1979](#)
- [*Trypoxylon volitans* Arnold, 1956](#)
- [*Trypoxylon wallacei* Tsuneki, 1980](#)
- [*Trypoxylon walshae* Tsuneki, 1979](#)
- [*Trypoxylon warisum* Tsuneki, 1981](#)
- [*Trypoxylon wauense* Tsuneki, 1981](#)
- [*Trypoxylon wegneri* Tsuneki, 1980](#)
- [*Trypoxylon wheeleri* Richards, 1936](#)
- [*Trypoxylon williamsi* Tsuneki, 1980](#)
- [*Trypoxylon winthemi* Richards, 1934](#)
- [*Trypoxylon xanthandrum* Richards, 1934](#)
- [*Trypoxylon xantianum* de Saussure, 1867](#)
- [*Trypoxylon xenophon* Richards, 1934](#)
- [*Trypoxylon yanoi* Tsuneki, 1980](#)
- [*Trypoxylon yebissum* Tsuneki, 1979](#)
- [*Trypoxylon yogator* Tsuneki, 1979](#)
- [*Trypoxylon yoshimotoi* Tsuneki, 1981](#)
- [*Trypoxylon yumi* Tsuneki, 1979](#)
- [*Trypoxylon zikae* Arnold, 1956](#)
- [*Trypoxylon zurki* Leclercq, 1965](#)

References

1.
 - ["Trypoxylon Genus Information"](#). BugGuide.net. Retrieved 2018-03-08.
 - ["Trypoxylon Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-08.
 - ["Trypoxylon Overview"](#). Encyclopedia of Life. Retrieved 2018-03-08.
 - ["Browse Trypoxylon"](#). Catalogue of Life. Retrieved 2018-03-08.
 -
5. Fu, Yan; Bashir, Nawaz Haider; Li, Qiang; Ma, Li (2024-04-29). ["A review of Trypoxylon Latreille, 1796 \(Hymenoptera, Crabronidae\) of Southwest China with descriptions of two new](#)

species". *Journal of Hymenoptera Research*. **97**. Pensoft Publishers: 307–347.
[doi:10.3897/jhr.97.121279](https://doi.org/10.3897/jhr.97.121279). ISSN 1314-2607.



Wikispecies has information related to *[Trypoxylon species](#)*.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
-

This is a list of species in the *kleptoparasitic* bee genus *[Triepeolus](#)*.^{[1][2]}

Species

- *[Triepeolus aguilari](#)* Moure, 1955
- *[Triepeolus alvarengai](#)* Moure, 1955
- *[Triepeolus ancoratus](#)* Cockerell, 1916
- *[Triepeolus antiquensis](#)* Cockerell, 1949
- *[Triepeolus antiochensis](#)* Rightmyer, 2008
- *[Triepeolus argentimus](#)* Rightmyer, 2008
- *[Triepeolus argus](#)* Rightmyer, 2008
- *[Triepeolus argyreus](#)* (Cockerell, 1907)
- *[Triepeolus atoconganus](#)* Moure, 1955
- *[Triepeolus atripes](#)* Mitchell, 1962
- *[Triepeolus aztecus](#)* (Cresson, 1878)
- *[Triepeolus balteatus](#)* Cockerell, 1921
- *[Triepeolus bihamatus](#)* (Cockerell, 1907)
- *[Triepeolus bilineatus](#)* Cockerell, 1949
- *[Triepeolus bilunatus](#)* Cockerell, 1949
- *[Triepeolus bimorulus](#)* Rightmyer, 2008
- *[Triepeolus blaisdelli](#)* Cockerell & Sandhouse, 1924
- *[Triepeolus brittaini](#)* Cockerell, 1931
- *[Triepeolus brunnescens](#)* Cockerell & Sandhouse, 1924
- *[Triepeolus buchwaldi](#)* (Friese, 1908)
- *[Triepeolus californicus](#)* (Cresson, 1878)
- *[Triepeolus callopus](#)* Cockerell, 1905
- *[Triepeolus cameroni](#)* (Meade-Waldo, 1913)

- [*Triepeolus charlesi*](#) Rightmyer, 2008
- [*Triepeolus circumculus*](#) Rightmyer, 2008
- [*Triepeolus claytoni*](#) Rightmyer, 2008
- [*Triepeolus concavus*](#) (Cresson, 1878)
- [*Triepeolus cressonii*](#) (Robertson, 1897)
- [*Triepeolus cruciformis*](#) Rightmyer, 2008
- [*Triepeolus cuabitisensis*](#) Genaro, 1999
- [*Triepeolus cuneatus*](#) Cockerell, 1917
- [*Triepeolus custeri*](#) Cockerell, 1926
- [*Triepeolus cyclurus*](#) Cockerell, 1923
- [*Triepeolus dacotensis*](#) (Stevens, 1919)
- [*Triepeolus denverensis*](#) Cockerell, 1910
- [*Triepeolus diffusus*](#) Rightmyer, 2008
- [*Triepeolus dilutus*](#) Rightmyer, 2008
- [*Triepeolus distinctus*](#) (Cresson, 1878)
- [*Triepeolus diversipes*](#) Cockerell, 1924
- [*Triepeolus donatus*](#) (Smith, 1854)
- [*Triepeolus edwardi*](#) Rightmyer, 2008
- [*Triepeolus eldoradensis*](#) (Cockerell, 1910)
- [*Triepeolus eliseae*](#)
- [*Triepeolus engeli*](#) Rightmyer, 2008
- [*Triepeolus epeolurus*](#) Rightmyer, 2004
- [*Triepeolus exilicurvus*](#) Rightmyer, 2008
- [*Triepeolus flavigradus*](#) Rightmyer, 2008
- [*Triepeolus flavipennis*](#) (Friese, 1917)
- [*Triepeolus fraseriae*](#) Cockerell, 1904
- [*Triepeolus fulgidus*](#) Rightmyer, 2008
- [*Triepeolus georgicus*](#) Mitchell, 1962
- [*Triepeolus grandis*](#) (Friese, 1917)
- [*Triepeolus grindeliae*](#) Cockerell, 1907
- [*Triepeolus griswoldi*](#) Rightmyer, 2008
- [*Triepeolus haematurus*](#) Cockerell & Sandhouse, 1924
- [*Triepeolus helianthi*](#) (Robertson, 1897)
- [*Triepeolus hopkinsi*](#) Cockerell, 1905
- [*Triepeolus interruptus*](#) Rightmyer, 2008
- [*Triepeolus intrepidus*](#) (Smith, 1879)
- [*Triepeolus inyoensis*](#) Cockerell & Sandhouse, 1924
- [*Triepeolus isocomae*](#) Cockerell, 1904
- [*Triepeolus isohedrus*](#) Rightmyer, 2008
- [*Triepeolus jennieae*](#) Rightmyer, 2008
- [*Triepeolus joliae*](#) Rightmyer, 2008
- [*Triepeolus junctus*](#) Mitchell, 1962

- [*Triepeolus kathrynae*](#) Rozen, 1989
- [*Triepeolus lateralis*](#) Rightmyer, 2008
- [*Triepeolus laticaudus*](#) Cockerell, 1921
- [*Triepeolus laticeps*](#) (Friese, 1917)
- [*Triepeolus lectiformis*](#) (Cockerell, 1925)
- [*Triepeolus loomisorum*](#) Rozen, 1989
- [*Triepeolus lunatus*](#) (Say, 1824)
- [*Triepeolus lusor*](#) Cockerell, 1925
- [*Triepeolus margaretae*](#) Rightmyer, 2008
- [*Triepeolus martini*](#) (Cockerell, 1900)
- [*Triepeolus mauropygus*](#) Rightmyer, 2008
- [*Triepeolus medusa*](#) Cockerell, 1917
- [*Triepeolus melanarius*](#) Rightmyer, 2008
- [*Triepeolus mensae*](#) Cockerell, 1924
- [*Triepeolus metatarsalis*](#) (Friese, 1921)
- [*Triepeolus mexicanus*](#) (Cresson, 1878)
- [*Triepeolus micheneri*](#) Rightmyer, 2008
- [*Triepeolus michiganensis*](#) Mitchell, 1962
- [*Triepeolus micropygius*](#) Robertson, 1903
- [*Triepeolus mitchelli*](#) Hurd, 1979
- [*Triepeolus mojavensis*](#) Linsley, 1939
- [*Triepeolus monardae*](#) Mitchell, 1962
- [*Triepeolus nayaritensis*](#) Rightmyer, 2008
- [*Triepeolus nemoralis*](#) (Holmberg, 1886)
- [*Triepeolus nevadensis*](#) (Cresson, 1878)
- [*Triepeolus nigrihirtus*](#) Mitchell, 1962
- [*Triepeolus nisibonensis*](#) Genaro, 2001
- [*Triepeolus norae*](#) Cockerell, 1907
- [*Triepeolus obliteratus*](#) Graenicher, 1911
- [*Triepeolus occidentalis*](#) (Cresson, 1878)
- [*Triepeolus osiriformis*](#) (Schrottky, 1910)
- [*Triepeolus pacis*](#) Cockerell, 1925
- [*Triepeolus paenepectoralis*](#) Viereck, 1905
- [*Triepeolus parkeri*](#) Rightmyer, 2008
- [*Triepeolus partitus*](#) Rightmyer, 2008
- [*Triepeolus parvidiversipes*](#) Rightmyer, 2008
- [*Triepeolus parvus*](#) Rightmyer, 2008
- [*Triepeolus pectoralis*](#) (Robertson, 1897)
- [*Triepeolus penicilliferus*](#) (Brues, 1903)
- [*Triepeolus permixtus*](#) (Cockerell, 1923)
- [*Triepeolus perpictus*](#) Rightmyer, 2008
- [*Triepeolus phaeopygus*](#) Rightmyer, 2008

- [*Triepeolus pomonalis*](#) Cockerell, 1916
- [*Triepeolus punctoclypeus*](#) Rightmyer, 2008
- [*Triepeolus quadratus*](#) Rightmyer, 2008
- [*Triepeolus quadrifasciatus*](#) (Say, 1823)
- [*Triepeolus remigatus*](#) (Fabricius, 1804)
- [*Triepeolus rhododontus*](#) Cockerell, 1921
- [*Triepeolus robustus*](#) (Cresson, 1878)
- [*Triepeolus rohweri*](#) Cockerell, 1911
- [*Triepeolus roni*](#) Genaro, 1999
- [*Triepeolus rufithorax*](#) Graenicher, 1928
- [*Triepeolus rufoclypeus*](#) (Fox, 1891)
- [*Triepeolus rufotegularis*](#) (Ashmead, 1900)
- [*Triepeolus rugosus*](#) Mitchell, 1962
- [*Triepeolus rugulosus*](#) (Cockerell, 1917)
- [*Triepeolus sarothrinus*](#) (Cockerell, 1929)
- [*Triepeolus saturninus*](#) Cockerell & Sandhouse, 1924
- [*Triepeolus scelestus*](#) (Cresson, 1878)
- [*Triepeolus schwarzi*](#) Cockerell, 1921
- [*Triepeolus segregatus*](#) (Cockerell, 1900)
- [*Triepeolus sequior*](#) Cockerell, 1921
- [*Triepeolus simplex*](#) Robertson, 1903
- [*Triepeolus simulatus*](#) Rightmyer, 2008
- [*Triepeolus subalpinus*](#) Cockerell, 1910
- [*Triepeolus sublunatus*](#) Cockerell, 1907
- [*Triepeolus subnitens*](#) Cockerell & Timberlake, 1929
- [*Triepeolus tanneri*](#) Cockerell, 1928
- [*Triepeolus tepanecus*](#) (Cresson, 1878)
- [*Triepeolus texanus*](#) (Cresson, 1878)
- [*Triepeolus timberlakei*](#) Cockerell, 1929
- [*Triepeolus totonacus*](#) (Cresson, 1878)
- [*Triepeolus townsendi*](#) Cockerell, 1907
- [*Triepeolus tristis*](#) (Smith, 1854)
- [*Triepeolus utahensis*](#) (Cockerell, 1921)
- [*Triepeolus ventralis*](#) (Meade-Waldo, 1913)
- [*Triepeolus verbesinae*](#) (Cockerell, 1897)
- [*Triepeolus vernus*](#) Rightmyer, 2008
- [*Triepeolus vicinus*](#) (Cresson, 1865)
- [*Triepeolus victori*](#) Genaro, 1998
- [*Triepeolus warriti*](#) Rightmyer, 2008
- [*Triepeolus wilsoni*](#) (Cresson, 1865)
- [*Triepeolus zacatecus*](#) (Cresson, 1878)

References

1.
 - ["Catalogue of Life, Triepeolus Robertson, 1901"](#). Retrieved 2025-10-26.
 -
2. ["GBIF, Triepeolus"](#). Retrieved 2025-10-26.

Categories:

- [Nomadinae](#)
- [Lists of insect species](#)
- [Lists of bees](#)
-

This is a list of species within the [chalcid](#) genus [Trichogramma](#) [1]

Trichogramma species

- [Trichogramma acacioi](#) Brun, Gomez de Moraes and Soares, 1984
- [Trichogramma acantholydae](#) Pintureau and Kenis, 2000
- [Trichogramma achaeae](#) Nagaraja and Nagarkatti, 1970
- [Trichogramma acuminatum](#) Querino and Zucchi, 2003
- [Trichogramma acutovirilia](#) Pinto, 1999
- [Trichogramma adashkevitschi](#) Sorokina, 1984
- [Trichogramma agriae](#) Nagaraja, 1973
- [Trichogramma agrotidis](#) Voegelé and Pintureau, 1982
- [Trichogramma aldanense](#) Sorokina, 1989
- [Trichogramma alloeovirilia](#) Querino and Zucchi, 2003
- [Trichogramma alpha](#) Pinto, 1999
- [Trichogramma aomoriense](#) Honda, 2006
- [Trichogramma arcanum](#) Pinto, 1999
- [Trichogramma arttonae](#) Chen and Pang, 1986
- [Trichogramma atopovirilia](#) Oatman and Platner, 1983
- [Trichogramma atropos](#) Pinto, 1992
- [Trichogramma aurosum](#) Sugonjaev and Sorokina, 1976
- [Trichogramma australicum](#) Girault, 1912
- [Trichogramma bactrianum](#) Sugonjaev and Sorokina, 1976
- [Trichogramma ballmeri](#) Pinto, 1999
- [Trichogramma bellaunionense](#) Basso and Pintureau, 2001

- [Trichogramma bennetti](#) Nagaraja and Nagarkatti, 1973
- [Trichogramma bertii](#) Zucchi and Querino, 2003
- [Trichogramma bezdencovii](#) Bezdenko, 1968
- [Trichogramma bilingense](#) He and Pang, 2000
- [Trichogramma bispinosum](#) Pinto, 1999
- [Trichogramma bistrae](#) (Kostadinov, 1988)
- [Trichogramma bourarachae](#) Pintureau and Babault, 1988
- [Trichogramma bournieri](#) Pintureau and Babault, 1988
- [Trichogramma brassicae](#) Bezdenko, 1968
- [Trichogramma brevicapillum](#) Pinto and Platner, 1978
- [Trichogramma breviciliata](#) Yousuf and Hassan, 2007
- [Trichogramma breviflagellata](#) Yousuf (unavailable name in current taxon)
- [Trichogramma brevifringiata](#) Yousuf and Shafee, 1988
- [Trichogramma browningi](#) Pinto and Oatman, 1985
- [Trichogramma bruni](#) Nagaraja, 1983
- [Trichogramma buesi](#) Voegelé, 1985
- [Trichogramma buluti](#) Bulut and Kilincer, 1991
- [Trichogramma cacaeciae](#) Marchal, 1927
- [Trichogramma cacaeciae](#) Marchal, 1927 (unavailable name in current taxon)
- [Trichogramma californicum](#) Nagaraja and Nagarkatti, 1973
- [Trichogramma canadense](#) Pinto, 1999
- [Trichogramma canariense](#) del Pino and Polaszek, 2013
- [Trichogramma carina](#) Walker, 1843
- [Trichogramma carverae](#) Oatman and Pinto, 1987
- [Trichogramma castrense](#) Velásquez de Ríos and Terán, 1995
- [Trichogramma cephalciae](#) Hochmut and Martinek, 1963
- [Trichogramma chilonis](#) Ishii, 1941
- [Trichogramma chilotraeae](#) Nagaraja and Nagarkatti, 1970
- [Trichogramma choui](#) Chan and Chou, 2000
- [Trichogramma chusniddini](#) Sorokina and Atamirzaeva, 1993
- [Trichogramma closterae](#) Pang and Chen, 1974
- [Trichogramma clotho](#) Pinto, 1992
- [Trichogramma colombiense](#) Velásquez de Ríos and Terán, 1995
- [Trichogramma convolvuli](#) Nagaraja, 2008
- [Trichogramma cordubense](#) Vargas and Cabello, 1985
- [Trichogramma cultellus](#) Jose, Hirose and Honda, 2005
- [Trichogramma cuttackense](#) Nagaraja, 2008
- [Trichogramma danaidiphagum](#) Nagaraja and Prasanth, 2010
- [Trichogramma danausicida](#) Nagaraja, 2008
- [Trichogramma danubiense](#) Birova and Kazimirova, 1997
- [Trichogramma daumalae](#) Dugast and Voegelé, 1984
- [Trichogramma deion](#) Pinto and Oatman, 1986

- [*Trichogramma demoraesi*](#) Nagaraja, 1983
- [*Trichogramma dendrolimi*](#) Matsumura, 1926
- [*Trichogramma diana*](#) Pinto, 1999
- [*Trichogramma diazi*](#) Velasquez de Rios and Teran, 2003
- [*Trichogramma dissimile*](#) Zucchi, 1988
- [*Trichogramma distinctum*](#) Zucchi, 1988
- [*Trichogramma drepanophorum*](#) Pinto and Oatman, 1985
- [*Trichogramma elegantum*](#) Sorokina, 1984
- [*Trichogramma embryophagum*](#) (Hartig, 1838)
- [*Trichogramma erebus*](#) Pinto, 1999
- [*Trichogramma erosicorne*](#) Westwood, 1879
- [*Trichogramma esalqueanum*](#) Querino and Zucchi, 2003
- [*Trichogramma ethiopicum*](#) (Risbec, 1956)
- [*Trichogramma euproctidis*](#) (Girault, 1911)
- [*Trichogramma evanescens*](#) Westwood, 1833
- [*Trichogramma exiguum*](#) Pinto and Platner, 1978
- [*Trichogramma falx*](#) Pinto and Oatman, 1996
- [*Trichogramma fasciatum*](#) (Perkins, 1912)
- [*Trichogramma flandersi*](#) Nagaraja and Nagarkatti, 1970
- [*Trichogramma flavum*](#) Ashmead, 1880
- [*Trichogramma forcipiforme*](#) Zhang and Wang, 1982
- [*Trichogramma fuentesi*](#) Torre, 1980
- [*Trichogramma funestum*](#) Pinto and Oatman, 1989
- [*Trichogramma funiculatum*](#) Carver, 1978
- [*Trichogramma fuzhouense*](#) Lin, 1994
- [*Trichogramma gabrielino*](#) Pinto, 1999
- [*Trichogramma galloi*](#) Zucchi, 1988
- [*Trichogramma georgia*](#) (unavailable name in current taxon)
- [*Trichogramma gicai*](#) Pintureau and Stefanescu, 2000
- [*Trichogramma gordhi*](#) Pinto, 1999
- [*Trichogramma guariquense*](#) Velasquez de Rios and Teran, 1995
- [*Trichogramma guineense*](#) (unavailable name in current taxon)
- [*Trichogramma hebbalensis*](#) Nagaraja, 2008
- [*Trichogramma hesperidis*](#) Nagaraja, 1973
- [*Trichogramma higai*](#) Oatman and Platner, 1982
- [*Trichogramma huberi*](#) Pinto, 1999
- [*Trichogramma infelix*](#) Pinto, 1999
- [*Trichogramma ingricum*](#) Sorokina, 1984
- [*Trichogramma interius*](#) Pinto, 1999
- [*Trichogramma inyoense*](#) Pinto and Oatman, 1985
- [*Trichogramma iracildae*](#) Querino and Zucchi, 2003
- [*Trichogramma itsybitsi*](#) Pinto and Stouthamer, 2002

- [*Trichogramma ivelae*](#) Pang and Chen, 1974
- [*Trichogramma jalmirezi*](#) Zucchi, 1988
- [*Trichogramma japonicum*](#) Ashmead, 1904
- [*Trichogramma jaxarticum*](#) Sorokina, 1984
- [*Trichogramma jezoense*](#) Ishii, 1941
- [*Trichogramma juliano*](#) Platner and Oatman, 1981
- [*Trichogramma kalkae*](#) Schulten and Feijen, 1978
- [*Trichogramma kankerense*](#) Yousuf and Hassan, 2008
- [*Trichogramma kashmiricum*](#) Nagaraja, Ahmad and Gupta, 2007
- [*Trichogramma kaykai*](#) Pinto and Stouthamer, 1997
- [*Trichogramma kilinceri*](#) Bulut and Kilincer, 1991
- [*Trichogramma koehleri*](#) Blanchard, 1927
- [*Trichogramma kurosuae*](#) Taylor, Yashiro, Hirose and Honda, 2005
- [*Trichogramma lachesis*](#) Pinto, 1992
- [*Trichogramma lacustre*](#) Sorokina, 1978
- [*Trichogramma lasallei*](#) Pinto, 1999
- [*Trichogramma latipenne*](#) Yousuf and Hasan, 2008
- [*Trichogramma lenae*](#) Sorokina, 1991
- [*Trichogramma leptoparameron*](#) Dyurich, 1987
- [*Trichogramma leucaniae*](#) Pang and Chen, 1974
- [*Trichogramma leviculum*](#) Pinto, 1999
- [*Trichogramma lingulatum*](#) Pang and Chen, 1974
- [*Trichogramma longxishanense*](#) Lin, 1994
- [*Trichogramma lopezandinense*](#) Sarmiento, 1993
- [*Trichogramma maltbyi*](#) Nagaraja and Nagarkatti, 1973
- [*Trichogramma mandelai*](#) Pintureau and Babault, 1988
- [*Trichogramma manicobai*](#) Brun, Gomez de Moraes and Soares, 1984
- [*Trichogramma manii*](#) Nagaraja and Gupta, 2007
- [*Trichogramma maori*](#) Pinto and Oatman, 1996
- [*Trichogramma marandobai*](#) Brun, Gomez de Moraes and Soares, 1986
- [*Trichogramma margianum*](#) Sorokina, 1984
- [*Trichogramma marthae*](#) Goodpasture, 1986
- [*Trichogramma marylandense*](#) Thorpe, 1982
- [*Trichogramma maxacalii*](#) Voegelé and Pointel, 1980
- [*Trichogramma meteorum*](#) Vincent, 1986
- [*Trichogramma minutum*](#) Riley, 1871
- [*Trichogramma mirabile*](#) Dyurich, 1987
- [*Trichogramma mirum*](#) Girault, 1922
- [*Trichogramma misiae*](#) Kostadinov, 1987
- [*Trichogramma mullensi*](#) Pinto, 1999
- [*Trichogramma mwanzai*](#) Schulten and Feijen, 1982
- [*Trichogramma nemesis*](#) Pinto, 1999

- [*Trichogramma nerudai*](#) Pintureau and Gerding, 1999
- [*Trichogramma nestoris*](#) (Kostadinov, 1991)
- [*Trichogramma neuropterae*](#) Chan and Chou, 1996
- [*Trichogramma niveiscapus*](#) (Morley, 1950)
- [*Trichogramma nomlaki*](#) Pinto and Oatman, 1985
- [*Trichogramma nubilale*](#) Ertle and Davis, 1975
- [*Trichogramma oatmani*](#) Torre, 1980
- [*Trichogramma obscurum*](#) Pinto, 1999
- [*Trichogramma offella*](#) Pinto and Oatman, 1985
- [*Trichogramma okinawae*](#) Honda, 2006
- [*Trichogramma oleae*](#) Voegelé and Pointel, 1979
- [*Trichogramma ostriniae*](#) Pang and Chen, 1974
- [*Trichogramma pallidiventrís*](#) Nagaraja, 1973
- [*Trichogramma panamense*](#) Pinto, 1999
- [*Trichogramma pangi*](#) Lin, 1987
- [*Trichogramma papilionidis*](#) Viggiani, 1972
- [*Trichogramma papilionis*](#) Nagarkatti, 1974
- [*Trichogramma paraplasseyensis*](#) Yousuf (unavailable name in current taxon)
- [*Trichogramma parkeri*](#) Nagarkatti, 1975
- [*Trichogramma parnarae*](#) Huo, 1986
- [*Trichogramma parrai*](#) Querino and Zucchi, 2003
- [*Trichogramma parvum*](#) Pinto, 1999
- [*Trichogramma pelovi*](#) Kostadinov, 1986
- [*Trichogramma perkinsi*](#) Girault, 1912
- [*Trichogramma piceum*](#) Dyurich, 1987
- [*Trichogramma pinneyi*](#) Schulten and Feijen, 1978
- [*Trichogramma pintoí*](#) Voegelé, 1982
- [*Trichogramma pintureaui*](#) Rodríguez and Galán, 1993
- [*Trichogramma piracicabense*](#) Querino and Zucchi, 2017
- [*Trichogramma pkcal*](#) (unavailable name in current taxon)
- [*Trichogramma plasseyense*](#) Nagaraja, 1973
- [*Trichogramma platneri*](#) Nagarkatti, 1975
- [*Trichogramma pluto*](#) Pinto, 1999
- [*Trichogramma poliae*](#) Nagaraja, 1973
- [*Trichogramma polychrosis*](#) Chen and Pang, 1981
- [*Trichogramma pratissolii*](#) Querino and Zucchi, 2003
- [*Trichogramma pratti*](#) Pinto, 1999
- [*Trichogramma pretiosum*](#) Riley, 1879
- [*Trichogramma primaevum*](#) Pinto, 1992
- [*Trichogramma principium*](#) Sugonjaev and Sorokina, 1976
- [*Trichogramma psocopterae*](#) Chan and Chou, 1996
- [*Trichogramma pusillum*](#) Querino and Zucchi, 2003

- [*Trichogramma raoi*](#) Nagaraja, 1973
- [*Trichogramma retorridum*](#) (Girault, 1911)
- [*Trichogramma rojasi*](#) Nagaraja and Nagarkatti, 1973
- [*Trichogramma rossicum*](#) Sorokina, 1984
- [*Trichogramma sankarani*](#) Nagaraja, 2008
- [*Trichogramma santarosae*](#) Pinto, 1999
- [*Trichogramma sathon*](#) Pinto, 1999
- [*Trichogramma savalense*](#) Sorokina, 1991
- [*Trichogramma schaposchnikovi*](#) Meyer (unavailable name in current taxon)
- [*Trichogramma sembeli*](#) Oatman and Platner, 1982
- [*Trichogramma semblidis*](#) (Aurivillius, 1898)
- [*Trichogramma semifumatum*](#) (Perkins, 1910)
- [*Trichogramma semifusca*](#) Blanchard (unavailable name in current taxon)
- [*Trichogramma sericini*](#) Pang and Chen, 1974
- [*Trichogramma shaanxiense*](#) Huo, 1991
- [*Trichogramma shchepetilnikovae*](#) Sorokina, 1984
- [*Trichogramma sibiricum*](#) Sorokina, 1980
- [*Trichogramma siddiqi*](#) Nasir and Schoeller, 2011
- [*Trichogramma silvestre*](#) Sorokina, 1984
- [*Trichogramma singularis*](#) Girault, 1932
- [*Trichogramma sinuosum*](#) Pinto, 1999
- [*Trichogramma sogdianum*](#) Sorokina, 1984
- [*Trichogramma sorokinae*](#) Kostadinov, 1986
- [*Trichogramma stampae*](#) Vincent, 1986
- [*Trichogramma sugonjaevi*](#) Sorokina, 1984
- [*Trichogramma suorangelica*](#) Pinto, 1999
- [*Trichogramma taiwanense*](#) Chan and Chou, 2000
- [*Trichogramma tajimaense*](#) Yashiro, Hirose and Honda, 2012
- [*Trichogramma talitzkii*](#) Dyurich, 1987
- [*Trichogramma tenebrosum*](#) Oatman and Pinto, 1987
- [*Trichogramma terani*](#) Velasquez de Rios and Teran, 2003
- [*Trichogramma thalense*](#) Pinto and Oatman, 1985
- [*Trichogramma tielingense*](#) Zhang and Wang, 1982
- [*Trichogramma trjapitzini*](#) Sorokina, 1984
- [*Trichogramma tshumakovae*](#) Sorokina, 1984
- [*Trichogramma tupiense*](#) Querino and Zucchi, 2003
- [*Trichogramma turkeiense*](#) Bulut and Kilincer, 1991
- [*Trichogramma turkestanicum*](#) Meyer, 1940
- [*Trichogramma umerus*](#) Jose, Hirose and Honda, 2005
- [*Trichogramma urquijoi*](#) Cabello Garcia, 1986
- [*Trichogramma ussuricum*](#) Sorokina, 1984
- [*Trichogramma valentinei*](#) Pinto and Oatman, 1996

- [*Trichogramma valmiri*](#) Querino and Zucchi, 2017
- [*Trichogramma vargasi*](#) Oatman and Platner, 1982
- [*Trichogramma viggianii*](#) Pinto, 1999
- [*Trichogramma yabui*](#) Honda and Taylor, 2006
- [*Trichogramma yawarae*](#) Hirai and Fursov, 1998
- [*Trichogramma zahiri*](#) Polaszek, 2002
- [*Trichogramma zeirapherae*](#) Walter, 1985
- [*Trichogramma zeta*](#) Pinto, 1999
- [*Trichogramma zucchi*](#) Querino, 2003

This is a list of 119 species in [*Trichocera*](#), a genus of winter crane flies in the family [*Trichoceridae*](#).^[1]
^[2]^[3]^[4]

***Trichocera* species**

- [*Trichocera abieticola*](#) Alexander, 1935 ^{c g}
- [*Trichocera alpina*](#) Stary, 2000 ^{c g}
- [*Trichocera alticola*](#) Alexander, 1935 ^{c g}
- [*Trichocera altipons*](#) Starý, 1998 ^{c g}
- [*Trichocera andorrensis*](#) Krzeminska, 2000 ^{c g}
- [*Trichocera annulata*](#) Meigen, 1818 ^{i c g b}
- [*Trichocera antennata*](#) Stary, 1999 ^{c g}
- [*Trichocera arctica*](#) Lundstrom, 1915 ^{i c g}
- [*Trichocera arisanensis*](#) Alexander, 1935 ^{c g}
- [*Trichocera arnaudi*](#) Pratt, 2003 ^{c g}
- [*Trichocera auripennis*](#) Alexander, 1960 ^{c g}
- [*Trichocera banffi*](#) Pratt, 2003 ^{c g}
- [*Trichocera barraudi*](#) Krzeminska, 2002 ^{c g}
- [*Trichocera basidens*](#) Starý, 1998 ^{c g}
- [*Trichocera bellula*](#) Alexander, 1961 ^{c g}
- [*Trichocera bifurcata*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera bilobata*](#) Stary, 1999 ^{c g}
- [*Trichocera bimacula*](#) Walker, 1848 ^{i c g b}
- [*Trichocera bisignata*](#) Alexander, 1959 ^{c g}
- [*Trichocera bituberculata*](#) Alexander, 1924 ^{i c g}
- [*Trichocera borealis*](#) Lackschewitz, 1934 ^{i c g}
- [*Trichocera brevicornis*](#) Alexander, 1952 ^{i c g}

- [*Trichocera brumalis*](#) Fitch, 1847 ^{i c g}
- [*Trichocera calva*](#) Stary, 1999 ^{c g}
- [*Trichocera candida*](#) Dahl, 1976 ^{c g}
- [*Trichocera carpathica*](#) Stary & Martinovsky, 1996 ^{c g}
- [*Trichocera chaetopyga*](#) Nakamura & Saigusa, 1996 ^{c g}
- [*Trichocera colei*](#) Alexander, 1919 ^{i c g}
- [*Trichocera columbiana*](#) Alexander, 1927 ^{i c g}
- [*Trichocera corallifera*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera cordata*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera crassicauda*](#) Nakamura & Saigusa, 1996 ^{c g}
- [*Trichocera dahlae*](#) Mendl, 1971 ^g
- [*Trichocera excilis*](#) Dahl, 1967 ^{i c g}
- [*Trichocera fattigiana*](#) Alexander, 1952 ^{i c g}
- [*Trichocera fernaldi*](#) Alexander, 1927 ⁱ
- [*Trichocera forcipula*](#) Nielsen, 1920 ^{c g}
- [*Trichocera garretti*](#) Alexander, 1927 ^{i c g b}
- [*Trichocera geigeri*](#) Stary & Krzeminska, 2000 ^{c g}
- [*Trichocera gigantea*](#) (Dahl, 1967) ^{c g}
- [*Trichocera glacialis*](#) Alexander, 1936 ^{c g}
- [*Trichocera hiemalis*](#) (De Geer, 1776) ^{i c g}
- [*Trichocera hirta*](#) Stary & Martinovsky, 1996 ^{c g}
- [*Trichocera hyaloptera*](#) Alexander, 1949 ⁱ
- [*Trichocera hypandrialis*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera idahoensis*](#) Pratt, 2003 ^{c g}
- [*Trichocera imanishii*](#) (Tokunaga, 1935) ^c
- [*Trichocera implicata*](#) Dahl, 1976 ^{c g}
- [*Trichocera inexplorata*](#) (Dahl, 1967) ^{c g}
- [*Trichocera irina*](#) Krzeminska, 1996 ^{c g}
- [*Trichocera japonica*](#) Matsumura, 1915 ^{c g}
- [*Trichocera kotejai*](#) Krzeminska, 1992 ^{c g}
- [*Trichocera lackschewitzi*](#) Lantsov, 1987 ^{c g}
- [*Trichocera lantsovi*](#) Krzeminska, 1996 ^{c g}
- [*Trichocera latilobata*](#) Alexander, 1938 ^{c g}
- [*Trichocera latipons*](#) Podenas, 2017 ^g
- [*Trichocera limpidipennis*](#) Loew, 1873 ^{c g}
- [*Trichocera longisetosa*](#) Alexander, 1927 ⁱ

- [*Trichocera lutea*](#) Becher, 1886^{i c g}
- [*Trichocera mackenziei*](#) (Dahl, 1967)^{c g}
- [*Trichocera maculipennis*](#) Meigen, 1818^{i c g}
- [*Trichocera major*](#) Edwards, 1921^{c g}
- [*Trichocera marocana*](#)^g
- [*Trichocera mendli*](#) Dahl, 1976^{c g}
- [*Trichocera mexicana*](#) Alexander, 1946^{c g}
- [*Trichocera michali*](#) Krzeminska, 1999^{c g}
- [*Trichocera minuta*](#) Tokunaga, 1938^{c g}
- [*Trichocera mirabilis*](#) Alexander, 1934^{c g}
- [*Trichocera mishmi*](#) Krzeminska, 2002^{c g}
- [*Trichocera monochroma*](#) (Harris, 1835)ⁱ
- [*Trichocera monstrosa*](#) Nakamura & Saigusa, 1997^{c g}
- [*Trichocera montium*](#) Sary, 2002^{c g}
- [*Trichocera mutica*](#) Dahl, 1966^{c g}
- [*Trichocera nipponensis*](#) Tokunaga, 1938^{c g}
- [*Trichocera obtusa*](#) Sary & Martinovsky, 1996^{c g}
- [*Trichocera ocellata*](#) Walker, 1856^{c g}
- [*Trichocera oregelationis*](#) (Linnaeus, 1758)^{i g}
- [*Trichocera pallens*](#) Alexander, 1954^{i c g}
- [*Trichocera pappi*](#) Krzeminska, 2003^{c g}
- [*Trichocera parva*](#) Meigen, 1804^{c g}
- [*Trichocera percincta*](#) Alexander, 1961^{c g}
- [*Trichocera pictipennis*](#) Alexander, 1930^{c g}
- [*Trichocera polanensis*](#) Sary, 2002^{c g}
- [*Trichocera pubescens*](#) Sary & Martinovsky, 1996^{c g}
- [*Trichocera recondita*](#) Sary, 2000^{c g}
- [*Trichocera rectistylus*](#) Starý, 1998^{c g}
- [*Trichocera regelationis*](#) (Linnaeus, 1758)^{c g}
- [*Trichocera reticulata*](#) Alexander, 1933^{c g}
- [*Trichocera rufescens*](#) Edwards, 1921^{c g}
- [*Trichocera rufulenta*](#) Edwards, 1938^g
- [*Trichocera salmani*](#) Alexander, 1927^{i c g}
- [*Trichocera saltator*](#) (Harris, 1776)^{c g}
- [*Trichocera sapporensis*](#) Alexander, 1935^{c g}
- [*Trichocera sardiniensis*](#) Petasiunas, 2009^{c g}

- [*Trichocera schmidi*](#) Alexander, 1959 ^{c g}
- [*Trichocera scutellata*](#) Say, 1824 ^{i c g}
- [*Trichocera setosivena*](#) Alexander, 1927 ^{i c g}
- [*Trichocera sibirica*](#) Edwards, 1920 ^{c g}
- [*Trichocera simonyi*](#) Mik, 1886 ^{c g}
- [*Trichocera skrobli*](#) Podenas, 1991 ^{c g}
- [*Trichocera sparsa*](#) Stary & Martinovsky, 1996 ^{c g}
- [*Trichocera superna*](#) Alexander, 1961 ^{c g}
- [*Trichocera szechwanensis*](#) Alexander, 1935 ^{c g}
- [*Trichocera tenuicercus*](#) Alexander, 1959 ^{c g}
- [*Trichocera tenuistylus*](#) Stary & Geiger, 1995 ^{c g}
- [*Trichocera tetonensis*](#) Alexander, 1945 ^{i c g}
- [*Trichocera thaleri*](#) Stary, 2000 ^{c g}
- [*Trichocera thaumastopyga*](#) Alexander, 1960 ^{c g}
- [*Trichocera ticina*](#) Stary & Podenas, 1995 ^{c g}
- [*Trichocera transversa*](#) Starý, 1998 ^{c g}
- [*Trichocera triangularis*](#) Alexander, 1968 ^{c g}
- [*Trichocera truncata*](#) Nakamura & Saigusa, 1997 ^{c g}
- [*Trichocera tsutsui*](#) Tokunaga, 1938 ^{c g}
- [*Trichocera tuberculifera*](#) Alexander, 1938 ^{c g}
- [*Trichocera unimaculata*](#) Yang & Yang, 1995 ^{c g}
- [*Trichocera ursamajor*](#) Alexander, 1959 ^{i c g}
- [*Trichocera variata*](#) Alexander, 1961 ^{c g}
- [*Trichocera venosa*](#) Dietz, 1921 ⁱ
- [*Trichocera villosa*](#) Stary, 2009 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 217 species in [*Trichadenotecnum*](#), a genus of common barklice in the family [*Psocidae*](#).
[\[1\]\[2\]\[3\]\[4\]](#)

***Trichadenotecnum* species**

- [*Trichadenotecnum aconcinnum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum acutolingum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum acutum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}

- [*Trichadenotecnum adika*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Trichadenotecnum aduncatum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum aggrogatum*](#) Li, Fasheng, 2001 ^{c g}
- [*Trichadenotecnum album*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum alexanderae*](#) Sommerman, 1948 ^{i c g b}
- [*Trichadenotecnum alinguum*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Trichadenotecnum alobum*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum alternatum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum amamiense*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum ampullaceum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum angolense*](#) Badonnel, 1955 ^{c g}
- [*Trichadenotecnum anomalum*](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [*Trichadenotecnum apertum*](#) Thornton, 1961 ^{c g}
- [*Trichadenotecnum arciforme*](#) Thornton, 1961 ^{c g}
- [*Trichadenotecnum auritum*](#) Yoshizawa & Lienhard, 2004 ^{c g}
- [*Trichadenotecnum baishanzuicum*](#) Li, Fasheng, 1995 ^{c g}
- [*Trichadenotecnum bannaense*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum barrerae*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum bicolor*](#) Li, Fasheng, 2001 ^{c g}
- [*Trichadenotecnum bidens*](#) Thornton, 1961 ^{c g}
- [*Trichadenotecnum bidentatum*](#) Thornton, 1984 ^{c g}
- [*Trichadenotecnum bigyrans*](#) Li, Fasheng, 2001 ^{c g}
- [*Trichadenotecnum bitenatum*](#) (Li, Fasheng, 1995) ^c
- [*Trichadenotecnum bos*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum brevicornum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum bromoense*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Trichadenotecnum bucciniforme*](#) Li, Fasheng, 1993 ^{c g}
- [*Trichadenotecnum calycoideum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum carinatum*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum castum*](#) Betz, 1983 ^{i c g b} [5]
- [*Trichadenotecnum cerrosillae*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum cheahae*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Trichadenotecnum chiapense*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum chinense*](#) Li, Fasheng, 1997 ^{c g}
- [*Trichadenotecnum cinnamonum*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum cintalapense*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}

- [Trichadenotecnum circulare](#) (Hagen, 1859) ^{c g}
- [Trichadenotecnum circularoides](#) Badonnel, 1955 ^{i c g b}
- [Trichadenotecnum colesae](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Trichadenotecnum concinnum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum corniculum](#) Yoshizawa, 2003 ^{c g}
- [Trichadenotecnum cornutum](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum corollatum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum cynostigmus](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum dactylinum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum danieli](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum decui](#) Badonnel, 1987 ^{c g}
- [Trichadenotecnum denticulatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum depitarensae](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum desolatum](#) (Chapman, 1930) ^{i c g}
- [Trichadenotecnum digitatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum diplodurum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum distinctum](#) Datta, 1969 ^{c g}
- [Trichadenotecnum dobhanense](#) New, 1973 ^{c g}
- [Trichadenotecnum dolabratum](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [Trichadenotecnum emeishanense](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum endangae](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [Trichadenotecnum enneagonum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum ericium](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum erwini](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum falx](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum felix](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum furcilingum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum fuscipenne](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum galihi](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum gallicum](#) Lienhard, 1986 ^{c g}
- [Trichadenotecnum germanicum](#) Roesler, 1939 ^{c g}
- [Trichadenotecnum germinatum](#) Yoshizawa, 2003 ^{c g}
- [Trichadenotecnum godavarensae](#) New, 1971 ^{c g}
- [Trichadenotecnum gombakensae](#) New & S. S. Lee, 1992 ^{c g}
- [Trichadenotecnum gonzalezi](#) (Williner, 1945) ^{c g}
- [Trichadenotecnum guandongicum](#) Li, Fasheng, 1993 ^{c g}

- [Trichadenotecnum quangxiicum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum gutianum](#) Li, Fasheng, 1995 ^{c g}
- [Trichadenotecnum guttatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum hammani](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum hengshanicum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum himalayense](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [Trichadenotecnum iani](#) Yoshizawa & Lienhard, 2004 ^{c g}
- [Trichadenotecnum ianobidens](#) Yoshizawa & Lienhard, 2004 ^{c g}
- [Trichadenotecnum imperatorium](#) Li, Fasheng, 1989 ^{c g}
- [Trichadenotecnum imrum](#) New & Thornton, 1976 ^{c g}
- [Trichadenotecnum incognitum](#) Roesler, 1939 ^{c g}
- [Trichadenotecnum innuptum](#) Betz, 1983 ^{i c g} [5]
- [Trichadenotecnum isocaulum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum isseii](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum jaculatorum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum jambiense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum jinxiuense](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum kalibiruense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum kerinciense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum kojimai](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [Trichadenotecnum krucilense](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum kumejimense](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum kunmingicum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum latebrachium](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum laticornutum](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum latipenne](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum longilingum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum longimucronatum](#) (Li, Fasheng, 1997) ^{c g}
- [Trichadenotecnum longivalvum](#) Li, Fasheng, 2005 ^{c g}
- [Trichadenotecnum maculatum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum magnolingum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum magnomixtum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum majus](#) (Kolbe, 1880) ^{i c g b}
- [Trichadenotecnum malayense](#) New, 1975 ^{c g}
- [Trichadenotecnum malickyi](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum mamillatum](#) Li, Fasheng, 2002 ^{c g}

- [Trichadenotecnum marginatum](#) New & Thornton, 1976 ^{c g}
- [Trichadenotecnum maroccanum](#) Baz, 1989 ^{c g}
- [Trichadenotecnum masoni](#) New, 1971 ^{c g}
- [Trichadenotecnum mclachlani](#) New, 1973 ^{c g}
- [Trichadenotecnum medium](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum merum](#) Betz, 1983 ^{i c g b} [5]
- [Trichadenotecnum miffy](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum minisexmaculatum](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [Trichadenotecnum minutum](#) Enderlein, 1926 ^{c g}
- [Trichadenotecnum mixtum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum monodactylum](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum muaraense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum multangulare](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum multicuspidatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum nebulosum](#) Vaughan, Thornton & New, 1991 ^{c g}
- [Trichadenotecnum neoleonense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum nepalense](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [Trichadenotecnum nicaraguense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum nothoapertum](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum oaxacense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum obliquidens](#) Li, Fasheng, 2001 ^{c g}
- [Trichadenotecnum obrienorum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum obsitum](#) (Enderlein, 1908) ^{c g}
- [Trichadenotecnum obsubulatum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum octogonum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum okinawense](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum opiparipardale](#) (Li, Fasheng, 1995) ^{c g}
- [Trichadenotecnum paradika](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum pardidum](#) Thornton, 1961 ^{c g}
- [Trichadenotecnum pardoides](#) Badonnel, 1955 ^{c g}
- [Trichadenotecnum pardus](#) Badonnel, 1955 ^{i c g}
- [Trichadenotecnum paululum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum perbellum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum percussum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum pergracilum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum periphericum](#) Li, Fasheng, 2001 ^{c g}

- [Trichadenotecnum peruense](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum pichincha](#) New & Thornton, 1975 ^{c g}
- [Trichadenotecnum pictipenne](#) Badonnel, 1973 ^{c g}
- [Trichadenotecnum pokhariense](#) New, 1983 ^{c g}
- [Trichadenotecnum proctum](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum pseudomedium](#) Yoshizawa, 2001 ^{c g}
- [Trichadenotecnum punctipenne](#) New, 1972 ^{c g}
- [Trichadenotecnum pycnacanthum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum qingshuicum](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum quadrispinosum](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum quadruplex](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum quaesitellum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [Trichadenotecnum quaesitum](#) (Chapman, 1930) ^{i c g b}
- [Trichadenotecnum quinarium](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum rachimi](#) Endang & Thornton, 1992 ^{c g}
- [Trichadenotecnum rectangulum](#) Li, Fasheng, 1992 ^{c g}
- [Trichadenotecnum resupinum](#) (Li, Fasheng, 1997) ^c
- [Trichadenotecnum rhomboides](#) Li, Fasheng, 2002 ^{c g}
- [Trichadenotecnum roesleri](#) New, 1972 ^{c g}
- [Trichadenotecnum sabahense](#) Yoshizawa & Lienhard, 2015 ^{c g}
- [Trichadenotecnum santosai](#) Endang & Thornton, 1992 ^{c g}
- [Trichadenotecnum sclerotum](#) New, 1978 ^{c g}
- [Trichadenotecnum scoparium](#) (Li, Fasheng, 1995) ^c
- [Trichadenotecnum scrobiculare](#) Li, Fasheng, 1992 ^{c g}
- [Trichadenotecnum sexpunctatum](#) (Linnaeus, 1758) ^{c g}
- [Trichadenotecnum sexpunctellum](#) (Enderlein, 1907) ^{c g}
- [Trichadenotecnum sharkeyi](#) Yoshizawa & Lienhard, 2015 ^{c g}
- [Trichadenotecnum shawi](#) Yoshizawa & Garcia Aldrete, 2010 ^{c g}
- [Trichadenotecnum shilinicum](#) (Li, Fasheng, 2002) ^{c g}
- [Trichadenotecnum sibolangitense](#) Endang & New, 2005 ^{c g}
- [Trichadenotecnum simile](#) Mockford, 1996 ^{c g}
- [Trichadenotecnum sinuatum](#) New, 1972 ^{c g}
- [Trichadenotecnum slossonae](#) (Banks, 1903) ^{i c g b}
- [Trichadenotecnum soekarmanni](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum soenarti](#) Endang, Thornton & New, 2002 ^{c g}
- [Trichadenotecnum sparsum](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}

- [*Trichadenotecnum spiniserrulum*](#) Datta, 1969 ^{c g}
- [*Trichadenotecnum spuristipiatum*](#) Li, Fasheng, 1997 ^{c g}
- [*Trichadenotecnum stipiatum*](#) Li, Fasheng, 1992 ^{c g}
- [*Trichadenotecnum stipulatum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum subrotundum*](#) Li, Fasheng, 2001 ^{c g}
- [*Trichadenotecnum subscalare*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum sufflatum*](#) Li, Fasheng, 1993 ^{c g}
- [*Trichadenotecnum sumatrense*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum suwai*](#) Yoshizawa & Lienhard, 2007 ^{c g}
- [*Trichadenotecnum sylvaticum*](#) Turner, B. D., 1975 ^{c g}
- [*Trichadenotecnum takahashii*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum tambopatense*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum tenuispinum*](#) Li, Fasheng, 1995 ^{c g}
- [*Trichadenotecnum thallocalum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum thorntoni*](#) New, 1975 ^{c g}
- [*Trichadenotecnum tigrinum*](#) Yoshizawa & Lienhard, 2015 ^{c g}
- [*Trichadenotecnum trichotomum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum trigonophyllum*](#) Li, Fasheng, 1993 ^{c g}
- [*Trichadenotecnum trigonosceneum*](#) (Enderlein, 1911) ^{c g}
- [*Trichadenotecnum tuitense*](#) Yoshizawa, Garcia Aldrete & Mockford, 2008 ^{c g}
- [*Trichadenotecnum turriforme*](#) (Li, Fasheng, 1995) ^{c g}
- [*Trichadenotecnum unciforme*](#) (Li, Fasheng, 2002) ^{c g}
- [*Trichadenotecnum uncorne*](#) (Li, Fasheng, 1995) ^{c g}
- [*Trichadenotecnum uniforme*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum univittatum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum vughani*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Trichadenotecnum waykambasense*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum waykananense*](#) Endang & New, 2005 ^{c g}
- [*Trichadenotecnum wuxiacum*](#) Li, Fasheng, 1997 ^{c g}
- [*Trichadenotecnum xizangicum*](#) Li, Fasheng, 2002 ^{c g}
- [*Trichadenotecnum yaeyamense*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum yamatomajus*](#) Yoshizawa, 2001 ^{c g}
- [*Trichadenotecnum yatai*](#) Yoshizawa & Lienhard, 2014 ^{c g}
- [*Trichadenotecnum yonaguniense*](#) Yoshizawa, 2001 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 117 species in [*Triaspis*](#), a genus of wasp in the family [Braconidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

***Triaspis* species**

- [*Triaspis abditiva*](#) Martin, 1956 ^{c g}
- [*Triaspis aequoris*](#) Martin, 1956 ^{c g}
- [*Triaspis affinis*](#) (Herrich-Schäffer, 1838) ^c
- [*Triaspis algerica*](#) Snoflak, 1953 ^{c g}
- [*Triaspis angustiventris*](#) de Saeger, 1948 ^{c g}
- [*Triaspis anomala*](#) Brues, 1939 ^{c g}
- [*Triaspis apionis*](#) (Rondani, 1872) ^{c g}
- [*Triaspis aquila*](#) Martin, 1956 ^{c g}
- [*Triaspis armeniaca*](#) Tobias, 1976 ^{c g}
- [*Triaspis azteca*](#) Martin, 1952 ^{c g}
- [*Triaspis bambusae*](#) de Saeger, 1948 ^{c g}
- [*Triaspis bangela*](#) Papp, 1984 ^{c g}
- [*Triaspis bictica*](#) (Papp, 1993) ^{c g}
- [*Triaspis breviventris*](#) (Thomson, 1892) ^{c g}
- [*Triaspis brucivora*](#) (Rondani, 1877) ^{c g}
- [*Triaspis buccula*](#) (Papp, 1984) ^{c g}
- [*Triaspis caledonica*](#) (Marshall, 1888) ^{c g}
- [*Triaspis carentica*](#) Lopez, 2004 ^{c g}
- [*Triaspis caucasica*](#) Abdinbekova, 1969 ^{c g}
- [*Triaspis caudata*](#) (Nees, 1816) ^{c g}
- [*Triaspis cervicalis*](#) (Cockerell, 1921) ^{c g}
- [*Triaspis claripennis*](#) Tobias, 1967 ^{c g}
- [*Triaspis collaris*](#) (Thomson, 1874) ^{c g}
- [*Triaspis complanellae*](#) (Hartig, 1847) ^{c g}
- [*Triaspis concava*](#) Chou & Hsu, 1996 ^{c g}
- [*Triaspis concisa*](#) (Fullaway, 1919) ^{c g}
- [*Triaspis conico*](#) Lopez, 2004 ^{c g}
- [*Triaspis convexa*](#) Belokobylskij, 1998 ^{c g}
- [*Triaspis corusca*](#) Papp, 1984 ^{c g}
- [*Triaspis curculiovorus*](#) Papp & Maeto, 1992 ^{c g}
- [*Triaspis daci*](#) (Szepligeti, 1911) ^{c g}
- [*Triaspis deversa*](#) (Papp, 1993) ^{c g}

- [Triaspis devinensis](#) Snoflak, 1953 ^{c g}
- [Triaspis eflucta](#) Papp, 1998 ^{c g}
- [Triaspis elaeagni](#) Tobias, 1986 ^{c g}
- [Triaspis emarginata](#) (Szepligeti, 1914) ^c
- [Triaspis eugenii](#) Wharton & Lopez-Martinez, 2000 ^{c g}
- [Triaspis facialis](#) (Ratzeburg, 1852) ^{c g}
- [Triaspis fijica](#) (Papp, 1993) ^{c g}
- [Triaspis flavipalpis](#) (Wesmael, 1835) ^{c g}
- [Triaspis flavofacies](#) Papp, 1999 ^{c g}
- [Triaspis floricola](#) (Wesmael, 1835) ^{c g}
- [Triaspis fulgens](#) Papp, 1971 ^{c g}
- [Triaspis fumosa](#) Papp, 1984 ^{c g}
- [Triaspis glaberrima](#) Snoflak, 1953 ^{c g}
- [Triaspis graeca](#) Papp, 2003 ^{c g}
- [Triaspis halidayi](#) Martin, 1956 ^{c g}
- [Triaspis hansonii](#) Lopez, 2004 ^{c g}
- [Triaspis hispanica](#) Papp, 1999 ^{c g}
- [Triaspis imitatus](#) Papp, 1993 ^g
- [Triaspis krivolutskayae](#) Belokobylskij, 1994 ^{c g}
- [Triaspis kurtogaster](#) Martin, 1956 ^{c g}
- [Triaspis laticarinata](#) Martin, 1956 ^{c g}
- [Triaspis lugubris](#) Snoflak, 1953 ^{c g}
- [Triaspis luteipes](#) (Thomson, 1874) ^c
- [Triaspis magnafoveae](#) Martin, 1956 ^{c g}
- [Triaspis masoni](#) Lopez, 2004 ^{c g}
- [Triaspis matercula](#) Martin, 1956 ^{c g}
- [Triaspis mervarki](#) Papp, 1999 ^{c g}
- [Triaspis metacarpalis](#) Tobias, 1986 ^{c g}
- [Triaspis minuta](#) Papp, 1971 ^c
- [Triaspis nanchaensis](#) Ma, Yang & Yao, 2002 ^{c g}
- [Triaspis nishidai](#) Papp, 1984 ^{c g}
- [Triaspis nobilis](#) de Saeger, 1948 ^{c g}
- [Triaspis obscurella](#) (Nees, 1816) ^{c g}
- [Triaspis ocellulata](#) Martin, 1956 ^{c g}
- [Triaspis odontochila](#) Martin, 1956 ^{c g}
- [Triaspis odrina](#) (Papp, 1993) ^{c g}

- [Triaspis oranga](#) (Papp, 1993) ^{c g}
- [Triaspis pallipes](#) (Nees, 1816) ^{c g}
- [Triaspis pernegrus](#) (Papp, 1993) ^{c g}
- [Triaspis pinsapo](#) (Papp, 1993) ^{c g}
- [Triaspis pissodis](#) Viereck, 1912 ^{c g}
- [Triaspis podlussanyi](#) Papp, 1998 ^{c g}
- [Triaspis prima](#) (Brethes, 1925) ^{c g}
- [Triaspis prinops](#) Papp, 1984 ^{c g}
- [Triaspis pumila](#) Papp, 1984 ^{c g}
- [Triaspis pygmaea](#) (Szepligeti, 1913) ^c
- [Triaspis rectangulata](#) Martin, 1956 ^{c g}
- [Triaspis rimulosa](#) (Thomson, 1892) ^c
- [Triaspis ruficollis](#) (Cameron, 1905) ^c
- [Triaspis schrottkyi](#) (Szépligeti, 1908) ^{c g}
- [Triaspis scotospila](#) Papp, 1984 ^{c g}
- [Triaspis sculpturata](#) (Szepligeti, 1898) ^g
- [Triaspis sekera](#) Snoflak, 1953 ^{c g}
- [Triaspis semiareola](#) Papp, 1999 ^{c g}
- [Triaspis semiglabra](#) (Szepligeti, 1902) ^{c g}
- [Triaspis semilissa](#) Snoflak, 1953 ^{c g}
- [Triaspis shangchia](#) Chou & Hsu, 1996 ^{c g}
- [Triaspis shawi](#) Lopez, 2004 ^{c g}
- [Triaspis similator](#) (Szepligeti, 1901) ^g
- [Triaspis simplicifrons](#) (Brues, 1924) ^{c g}
- [Triaspis stenochila](#) Martin, 1956 ^{c g}
- [Triaspis stenogaster](#) Martin, 1956 ^{c g}
- [Triaspis stictostiba](#) Martin, 1956 ^{c g}
- [Triaspis stilpnogaster](#) Martin, 1956 ^{c g}
- [Triaspis striatula](#) (Nees, 1816) ^{c g}
- [Triaspis striola](#) (Thomson, 1874) ^{c g}
- [Triaspis sulcata](#) (Szépligeti, 1901) ^{c g}
- [Triaspis tadorna](#) Papp, 1984 ^{c g}
- [Triaspis terebra](#) (de Saeger, 1948) ^{c g}
- [Triaspis testacea](#) (Szepligeti, 1914) ^{c g}
- [Triaspis thomsoni](#) Fahringer, 1934 ^{c g}
- [Triaspis thoracica](#) (Curtis, 1860) ^c

- [*Triaspis transita*](#) Papp, 1984 ^{c g}
- [*Triaspis tricolorata*](#) Tobias & Saidov, 1997 ^{c g}
- [*Triaspis tripartita*](#) (Szepligeti, 1905) ^c
- [*Triaspis umbofer*](#) (Papp, 1993) ^{c g}
- [*Triaspis vernalis*](#) Belokobylskij, 1998 ^{c g}
- [*Triaspis versata*](#) Papp, 1984 ^{c g}
- [*Triaspis vestitica*](#) Viereck, 1912 ^{c g}
- [*Triaspis virginensis*](#) (Ashmead, 1889) ^{c g}
- [*Triaspis warncke*](#) Papp, 1999 ^{c g}
- [*Triaspis whartoni*](#) Lopez, 2004 ^{c g}
- [*Triaspis witte*](#) de Saeger, 1948 ^{c g}
- [*Triaspis xanthochila*](#) Martin, 1958 ^{c g}
- [*Triaspis xylophagi*](#) Fischer, 1966 ^{c g}

This is a list of 117 species in [*Triaspis*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]} Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

References

1.
 - ["Browse Triaspis"](#). *Catalogue of Life*. Retrieved 2018-04-05.
 - ["Triaspis"](#). *GBIF*. Retrieved 2018-04-05.
 - ["Triaspis Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-05.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-05.

[Categories:](#)

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 177 species in [*Trienodes*](#), a genus of long-horned caddisflies in the family [Leptoceridae](#).^{[1][2][3][4]}

***Triaenodes* species**

- [*Triaenodes aba*](#) Milne, 1935 ^b
- [*Triaenodes aberrans*](#) (Marlier, 1965) ^{i c g}
- [*Triaenodes abruptus*](#) Flint, 1991 ^{i c g}
- [*Triaenodes abus*](#) Milne, 1935 ^{i c g}
- [*Triaenodes africanus*](#) Ulmer, 1907 ^{i c g}
- [*Triaenodes allax*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes anomalus*](#) Flint, 1967 ^{i c g}
- [*Triaenodes apicatus*](#) Navás, 1934 ^{i c g}
- [*Triaenodes apicomaculatus*](#) Mey, 1990 ^{i c g}
- [*Triaenodes assimilis*](#) (Banks, 1937) ^{i c g}
- [*Triaenodes atalomus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes aureus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes barbarae*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes baris*](#) Ross, 1938 ^{i c g b}
- [*Triaenodes bernardi*](#) Vaillant, 1953 ^{i c g}
- [*Triaenodes bernaysae*](#) Korboot, 1964 ^{i c g}
- [*Triaenodes bicolor*](#) (Curtis, 1834) ^{i c g}
- [*Triaenodes bifasciatus*](#) Navás, 1934 ^{i c g}
- [*Triaenodes bifidus*](#) Jacquemart, 1966 ^{i c g}
- [*Triaenodes bilobatus*](#) Yang & Morse, 2000 ^{i c g}
- [*Triaenodes boettcheri*](#) Ulmer, 1930 ^{i c g}
- [*Triaenodes borealis*](#) Banks, 1900 ^{i c g}
- [*Triaenodes botosaneanui*](#) Marlier, 1978 ^{i c g}
- [*Triaenodes bulupendek*](#) Andersen & Holzenthal, 1999 ^{i c g}
- [*Triaenodes calamintella*](#) Mey, 1995 ^{i c g}
- [*Triaenodes camurus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes celatus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes cheliferus*](#) (Mosely, 1932) ^{i c g}
- [*Triaenodes clarus*](#) Jacquemart, 1961 ^{i c g}
- [*Triaenodes clavatus*](#) (Mosely, 1932) ^{i c g}
- [*Triaenodes cloe*](#) (Hagen, 1859) ^{i c g}
- [*Triaenodes columbicus*](#) Ulmer, 1909 ^{i c g}
- [*Triaenodes conjugatus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes connatus*](#) Ross, 1959 ^{i c g}
- [*Triaenodes conspersus*](#) (Rambur, 1842) ^g

- [*Triadenodes contartus*](#) Jacquemart & Statzner, 1981^{i c g}
- [*Triadenodes copelatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes corallinus*](#) Kimmins, 1962^{i c g}
- [*Triadenodes corynotrus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes costalis*](#) Kimmins, 1962^{i c g}
- [*Triadenodes cumberlandensis*](#) Etnier & Way, 1973^{i c g}
- [*Triadenodes cuspiatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes cymulosus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes darfuricus*](#) Mosely, 1936^{i c g}
- [*Triadenodes delicatus*](#) Navas, 1924^{i c g}
- [*Triadenodes demoulini*](#) Jacquemart, 1967^{i c g}
- [*Triadenodes dentatus*](#) Banks, 1914^{i c g}
- [*Triadenodes dibolia*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes difformis*](#) Mosely, 1932^{i c g}
- [*Triadenodes dipsia*](#)^b
- [*Triadenodes dipsius*](#) Ross, 1938^{i c g}
- [*Triadenodes dolabratus*](#) Gibbs, 1973^{i c g}
- [*Triadenodes doryphorus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes drepana*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes dubius*](#) Mosely, 1934^{i c g}
- [*Triadenodes dusrus*](#) Schmid, 1965^{i c g}
- [*Triadenodes dysmica*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes elegantulus*](#) Ulmer, 1908^{i c g}
- [*Triadenodes empheirus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes esakii*](#) Tsuda, 1941^{i c g}
- [*Triadenodes etheira*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes excisus*](#) Kimmins, 1957^{i c g}
- [*Triadenodes eximius*](#) Schmid, 1994^{i c g}
- [*Triadenodes falculatus*](#) Kimmins, 1956^{i c g}
- [*Triadenodes fantasio*](#) Schmid, 1994^{i c g}
- [*Triadenodes fijianus*](#) Mosely, 1941^{i c g}
- [*Triadenodes flavescens*](#) Banks, 1900^{i c g b}
- [*Triadenodes florida*](#) Ross, 1941^{i c g}
- [*Triadenodes foliformis*](#) Yang & Morse, 2000^{i c g}
- [*Triadenodes forficatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triadenodes fortunio*](#) Schmid, 1994^{i c g}

- [*Triaenodes fulvus*](#) Navás, 1931^{i c g}
- [*Triaenodes furcellus*](#) Ross, 1959^{i c g}
- [*Triaenodes fusciniulus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes gazella*](#) (Hagen, 1859)^{i c g}
- [*Triaenodes ghana*](#) Kimmins, 1957^{i c g}
- [*Triaenodes gibberosus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes hastatus*](#) Ulmer, 1908^{i c g}
- [*Triaenodes hauseri*](#) Mey, 1998^{i c g}
- [*Triaenodes helo*](#) Milne, 1934^{i c g}
- [*Triaenodes hickini*](#) Kimmins, 1957^{i c g}
- [*Triaenodes hirsutus*](#) Jacquemart, 1966^{i c g}
- [*Triaenodes hoenei*](#) Schmid, 1959^{i c g}
- [*Triaenodes hybos*](#) Mey, 1998^{i c g}
- [*Triaenodes ignitus*](#) (Walker, 1852)^{i c g}
- [*Triaenodes imakus*](#) Gibbs, 1973^{i c g}
- [*Triaenodes implexus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes indicus*](#) Martynov, 1936^{i c g}
- [*Triaenodes inflexus*](#) Morse, 1971^{i c g}
- [*Triaenodes injusta*](#) Hagen, 1861^b
- [*Triaenodes injustus*](#) (Hagen, 1861)^{i c g}
- [*Triaenodes insulanus*](#) Ulmer, 1951^{i c g}
- [*Triaenodes insularis*](#) Navás, 1936^{i c g}
- [*Triaenodes intricata*](#) Neboiss, 1977^{i c g}
- [*Triaenodes jubatus*](#) Neboiss, 1982^{i c g}
- [*Triaenodes kimilus*](#) Mosely, 1939^{i c g}
- [*Triaenodes laamii*](#) Dakki, 1980^{i c g}
- [*Triaenodes laciniatus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes lanceolatus*](#) Kimmins, 1957^{i c g}
- [*Triaenodes lankarama*](#) Schmid, 1958^{i c g}
- [*Triaenodes legonus*](#) Mosely, 1939^{i c g}
- [*Triaenodes longispinus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes lorai*](#) Navás, 1932^{i c g}
- [*Triaenodes lurideolus*](#) Mey, 1990^{i c g}
- [*Triaenodes manni*](#) Banks, 1936^{i c g}
- [*Triaenodes marginata*](#) Milne, 1934^b
- [*Triaenodes marginatus*](#) Sibley, 1926^{i c g}

- [*Triaenodes mataranka*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes melacus*](#) Ross, 1947^{i c g}
- [*Triaenodes melanopeza*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes mondoanus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes moselyi*](#) Kimmins, 1962^{i c g}
- [*Triaenodes mouldsi*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes nesiotinus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes nigrolineatus*](#) Kimmins, 1962^{i c g}
- [*Triaenodes niwai*](#) Iwata, 1927^{i c g}
- [*Triaenodes notalius*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes nox*](#) Ross, 1941^{i c g}
- [*Triaenodes nymphaea*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes ochraceus*](#) (Betten & Mosely, 1940)^{i c g}
- [*Triaenodes ochreellus*](#) McLachlan, 1877^{i c g}
- [*Triaenodes ornatus*](#) Ulmer, 1915^{i c g}
- [*Triaenodes palpalis*](#) Banks, 1920^{i c g}
- [*Triaenodes pellectus*](#) Ulmer, 1908^{i c g}
- [*Triaenodes perissotes*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes perna*](#) Ross, 1938^{i c g}
- [*Triaenodes peruanus*](#) Flint & Reyes-Arrunategui, 1991^{i c g}
- [*Triaenodes phalacris*](#) Ross, 1938^{i c g}
- [*Triaenodes piceus*](#) Kimmins, 1957^{i c g}
- [*Triaenodes plutonis*](#) (Banks, 1931)^{i c g}
- [*Triaenodes polystachius*](#) (Marlier, 1957)^{i c g}
- [*Triaenodes probolius*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes prosynskii*](#) (Marlier & Botosaneanu, 1968)^{i c g}
- [*Triaenodes qinglingensis*](#) Yang & Morse, 2000^{i c g}
- [*Triaenodes reclusus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes resimus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes reuteri*](#) (McLachlan, 1880)^b
- [*Triaenodes rufescens*](#) Martynov, 1935^{i c g}
- [*Triaenodes rutellus*](#) Neboiss & Wells, 1998^{i c g}
- [*Triaenodes scottae*](#) Gibon, 1982^{i c g}
- [*Triaenodes semigraphatus*](#) Mey, 1990^{i c g}
- [*Triaenodes sericeus*](#) Navás, 1935^{i c g}
- [*Triaenodes serratus*](#) Ulmer, 1912^{i c g}

- [*Triaenodes siculus*](#) (Barnard, 1934) ^{i c g}
- [*Triaenodes sinicus*](#) Ulmer, 1932 ^{i c g}
- [*Triaenodes smithi*](#) Ross, 1959 ^{i c g}
- [*Triaenodes spoliatus*](#) Mey, 1998 ^{i c g}
- [*Triaenodes stipulosus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes taenius*](#) Ross, 1938 ^{i c g}
- [*Triaenodes tafanus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes tanzanicus*](#) Olah, 1986 ^{i c g}
- [*Triaenodes tardus*](#) Milne, 1934 ^{i c g b}
- [*Triaenodes telefominicus*](#) Kumanski, 1979 ^{i c g}
- [*Triaenodes teneratus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes teresis*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes theiophorus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes tofanus*](#) Gibbs, 1973 ^{i c g}
- [*Triaenodes torresianus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes toxeres*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes transversarius*](#) Mey, 1990 ^{i c g}
- [*Triaenodes triaenodiformis*](#) (Ulmer, 1930) ^{i c g}
- [*Triaenodes tridentatus*](#) Ross, 1938 ^{i c g}
- [*Triaenodes trifidus*](#) Kimmins, 1957 ^{i c g}
- [*Triaenodes triquetrus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes trivulcio*](#) Schmid, 1994 ^{i c g}
- [*Triaenodes troubati*](#) Gibon, 1982 ^{i c g}
- [*Triaenodes unanimis*](#) McLachlan, 1877 ^{i c g}
- [*Triaenodes uncatus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes ustulatus*](#) Kimmins, 1962 ^{i c g}
- [*Triaenodes uvidus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes verberatus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes vespertinus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes virgulus*](#) Neboiss & Wells, 1998 ^{i c g}
- [*Triaenodes voldus*](#) Mosely in Mosely & Kimmins, 1953 ^{i c g}
- [*Triaenodes vorhiesi*](#) Betten, 1934 ^{i c g}
- [*Triaenodes wambanus*](#) Mosely, 1939 ^{i c g}
- [*Triaenodes wannonensis*](#) Neboiss & Wells, 1998 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of species in [Trechus](#), a genus of beetles in the family [Carabidae](#).

The genus *Trechus* contains the following species:[\[1\]](#)[\[2\]](#)[\[3\]](#)

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- [Trechus abakumovi](#) Belousov & Kabak, 1996
- [Trechus abalkhasimi](#) J.Schmidt & Faille, 2018
- [Trechus abdurakhmanovi](#) Belousov, 1990
- [Trechus abeillei](#) Pandellé, 1872
- [Trechus academiae](#) Deuve, 1992
- [Trechus achillecasalei](#) Deuve, 1998
- [Trechus acuticollis](#) Sciaky & Pavesi, 1994
- [Trechus adaba](#) J.Schmidt & Faille, 2018

- [Trechus additus](#) J.Schmidt, 2016
- [Trechus aduncus](#) Barr, 1962
- [Trechus adustus](#) Jeannel, 1962
- [Trechus aedeagalis](#) J.Schmidt, 2009
- [Trechus aethiopicus](#) Alluaud, 1918
- [Trechus aghiazicus](#) Belousov & Kabak, 2019
- [Trechus agni](#) Deuve & Queinnec, 1985
- [Trechus agouzicus](#) Deuve & Queinnec, 1992
- [Trechus akibensis](#) Belousov, 1990
- [Trechus akkusianus](#) Donabauer, 2006
- [Trechus aksuensis](#) Belousov & Kabak, 1996
- [Trechus alajensis](#) Belousov & Kabak, 1994
- [Trechus alanicus](#) Belousov, 1990
- [Trechus albanicus](#) Apfelbeck, 1905
- [Trechus algiricus](#) Jeannel, 1922
- [Trechus alicantinus](#) Español, 1971
- [Trechus alinae](#) Dajoz, 1990
- [Trechus almonius](#) Reitter, 1903
- [Trechus alpicola](#) Sturm, 1825
- [Trechus alpigradus](#) Reitter, 1888
- [Trechus alticola](#) Wollaston, 1854
- [Trechus altitudinum](#) Deuve, 2004
- [Trechus amasraensis](#) Donabauer, 2004
- [Trechus ambarasensis](#) Jeannel, 1954
- [Trechus amblus](#) Jeannel, 1935
- [Trechus amblygonellus](#) Jeannel, 1964
- [Trechus amblygonus](#) Jeannel, 1935
- [Trechus ambrolauricus](#) Belousov, 1989
- [Trechus amharicus](#) Ortuño & Novoa, 2011
- [Trechus amicornum](#) P.Moravec & Wrase, 1998
- [Trechus amplicollis](#) Fairmaire, 1859
- [Trechus anae](#) Morvan, 1982
- [Trechus andreinii](#) Jeannel, 1921
- [Trechus angavoensis](#) J.Schmidt & Faille, 2018
- [Trechus angelae](#) Magrini, 1984
- [Trechus angelicae](#) Reitter, 1892
- [Trechus angulifer](#) Belousov & Kabak, 1992
- [Trechus angusticeps](#) Apfelbeck, 1904
- [Trechus angusticollis](#) Kiesenwetter, 1850
- [Trechus anichtchenkoi](#) Toribio, 2012
- [Trechus animosus](#) Jeannel, 1962
- [Trechus anjuensis](#) Deuve, 1998

- [Trechus antonii](#) Jeannel, 1936
- [Trechus antonini](#) Deuve, 1998
- [Trechus apache](#) Dajoz, 1990
- [Trechus apicalis](#) Motschulsky, 1845
- [Trechus apodualipenis](#) Salgado & Ortuño, 1998
- [Trechus apusenicus](#) P.Moravec, 1986
- [Trechus aquilus](#) Jeannel, 1962
- [Trechus arambourgi](#) Jeannel, 1935
- [Trechus arizonae](#) Casey, 1918
- [Trechus armenus](#) Iablokoff-Khnzorian, 1963
- [Trechus arnoldii](#) Belousov, 1987
- [Trechus arrechaei](#) Ortuño; Gilgado & Cuesta, 2014
- [Trechus arribasi](#) Jeanne, 1988
- [Trechus arshanicus](#) Belousov & Kabak, 2001
- [Trechus artemisiae](#) Putzeys, 1872
- [Trechus arthuri](#) P.Moravec & Lompe in Löbl & Smetana, 2003
- [Trechus asiaticus](#) Jeannel, 1927
- [Trechus assingi](#) Lompe, 1999
- [Trechus astrophilus](#) J.Schmidt, 2009
- [Trechus atomus](#) P.Moravec & Wrase, 1998
- [Trechus aubei](#) Pandellé, 1867
- [Trechus aubryi](#) Coiffait, 1953
- [Trechus aurouxi](#) (Mateu & Comas, 2006)
- [Trechus austriacus](#) Dejean, 1831
- [Trechus avgolensis](#) Belousov & Kabak, 1998
- [Trechus aztec](#) Jeannel, 1920

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)

- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

B

- [*Trechus babaensis*](#) Lompe, 2015
- [*Trechus babaulti*](#) Jeannel, 1935
- [*Trechus babinjensis*](#) Jeannel, 1927
- [*Trechus badius*](#) Jeannel, 1960
- [*Trechus badzhalicus*](#) Plutenko, 2004
- [*Trechus bajankoli*](#) Belousov & Kabak, 1992
- [*Trechus bakeri*](#) Jeannel, 1923
- [*Trechus bakurovi*](#) Shilenkov, 1984
- [*Trechus baleensis*](#) (Basilewsky, 1974)
- [*Trechus balesilvestris*](#) J.Schmidt & Faille, 2018
- [*Trechus balfourbrownei*](#) Ueno, 1965
- [*Trechus balkaricus*](#) Belousov, 1990
- [*Trechus balsamensis*](#) Barr, 1962
- [*Trechus bannaticus*](#) Dejean, 1831
- [*Trechus barahbisensis*](#) Deuve, 1988
- [*Trechus barbaritae*](#) Donabauer, 2004
- [*Trechus barberi*](#) (Jeannel, 1931)
- [*Trechus barii*](#) Focarile, 1949
- [*Trechus barnevillei*](#) Pandellé, 1867
- [*Trechus barratxinai*](#) Español, 1971
- [*Trechus basarukini*](#) P.Moravec & Wrase, 1997
- [*Trechus basilewskianus*](#) Geginat, 2008
- [*Trechus basilewskyi*](#) Jeannel, 1960
- [*Trechus baskonicus*](#) Belousov & Kabak, 1996
- [*Trechus bastianinii*](#) Magrini & Sciaky, 2006
- [*Trechus bastropi*](#) J.Schmidt, 2009
- [*Trechus batuensis*](#) Magrini & Sciaky, 2006
- [*Trechus batyr*](#) Belousov & Kabak, 1992
- [*Trechus bayanbulak*](#) Deuve, 1993

- [Trechus baztanensis](#) Dupré, 1991
- [Trechus beatus](#) Reitter, 1903
- [Trechus bedeli](#) Jeannel, 1922
- [Trechus beelsoni](#) Jeannel, 1930
- [Trechus beghinorum](#) Belousov & Kabak, 1992
- [Trechus beieri](#) Winkler, 1936
- [Trechus belovi](#) Belousov & Kabak, 1996
- [Trechus beltrani](#) Toribio, 1990
- [Trechus benahoaritus](#) Machado, 1989
- [Trechus benesi](#) Deuve, 1993
- [Trechus bensai](#) Jeannel, 1927
- [Trechus besucheti](#) Pawlowski, 1977
- [Trechus besuchetianus](#) Deuve, 1987
- [Trechus beusti](#) (L.Schaufuss, 1863)
- [Trechus bhadarwahensis](#) Deuve, 1982
- [Trechus bhutanicus](#) Ueno, 1977
- [Trechus bianericus](#) Belousov & Kabak, 2020
- [Trechus bibulus](#) Lompe, 1999
- [Trechus biharicus](#) Meixner, 1912
- [Trechus binotatus](#) Putzeys, 1870
- [Trechus bipartitus](#) Raffray, 1886
- [Trechus bodemeyeri](#) Reitter, 1913
- [Trechus bogatshevi](#) Belousov, 1987
- [Trechus bogdani](#) Belousov & Kabak, 2000
- [Trechus bogdoensis](#) Belousov & Kabak, 2001
- [Trechus boghinorum](#) Belousov & Kabak, 1992
- [Trechus bohaci](#) P.Moravec, 1987
- [Trechus bohemorum](#) Pawlowski, 1973
- [Trechus boleslavi](#) Belousov & Kabak, 2000
- [Trechus boludagensis](#) Donabauer, 2006
- [Trechus bombi](#) J.Schmidt & Faille, 2018
- [Trechus bonvouloiri](#) Pandellé, 1867
- [Trechus bordei](#) Peyerimhoff, 1909
- [Trechus bosnicus](#) Ganglbauer, 1891
- [Trechus boudikae](#) Morvan, 1982
- [Trechus bouilloni](#) Faille; Bourdeau & Fresneda, 2012
- [Trechus boulbeni](#) Deuve, 1998
- [Trechus bourdeau](#) Fresneda; Valenzuela & Faille, 2015
- [Trechus bowlingi](#) Barr, 1962
- [Trechus bradycelliformis](#) Csiki, 1906
- [Trechus brancuccii](#) Deuve, 2006
- [Trechus brendelli](#) Deuve, 2005

- [Trechus breuili](#) Jeannel, 1913
- [Trechus breuningi](#) Morvan, 1972
- [Trechus brevicaudis](#) Belousov & Kabak, 1993
- [Trechus brevicorpus](#) Belousov & Kabak, 1993
- [Trechus brezinai](#) Deuve & Queinnec, 1992
- [Trechus bruckii](#) Fairmaire, 1862
- [Trechus bruckoides](#) Faille; Bourdeau & Fresneda, 2012
- [Trechus buahitensis](#) Jeannel, 1954
- [Trechus budhaensis](#) J.Schmidt, 2009
- [Trechus byzantinus](#) Apfelbeck, 1901

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

C

- [Trechus cabrerai](#) (Jeannel, 1936)
- [Trechus calashensis](#) Deuve, 1982

- [*Trechus caliginis*](#) Barr, 1985
- [*Trechus cameroni*](#) Jeannel, 1923
- [*Trechus cantalicus*](#) Fauvel, 1888
- [*Trechus cappadocicus*](#) Pawlowski, 1976
- [*Trechus caprai*](#) Jeannel, 1927
- [*Trechus cardioderus*](#) Putzeys, 1870
- [*Trechus carilloi*](#) Toribio & Rodriguez, 1997
- [*Trechus carnioliae*](#) G.Müller, 1921
- [*Trechus carolinae*](#) Schaeffer, 1901
- [*Trechus carpaticus*](#) Rybinski, 1902
- [*Trechus caspircus*](#) Deuve, 1982
- [*Trechus catensis*](#) Donabauer, 2013
- [*Trechus cathaicus*](#) Sciaky & Pavesi, 1995
- [*Trechus caucasicus*](#) Chaudoir, 1846
- [*Trechus cautus*](#) Wollaston, 1854
- [*Trechus cavernicola*](#) J.Frivaldszky, 1881
- [*Trechus ceballosi*](#) Mateu, 1953
- [*Trechus centralis*](#) Nonveiller; Pavicevic & Popovic, 1994
- [*Trechus cephalonicus*](#) Winkler, 1914
- [*Trechus cephalotellus*](#) Belousov in Kryzhanovskij et al., 1995
- [*Trechus ceresai*](#) Binaghi, 1938
- [*Trechus chalybeus*](#) Dejean, 1831
- [*Trechus championi*](#) Jeannel, 1920
- [*Trechus changbaicola*](#) Deuve, 2017
- [*Trechus chappuisi*](#) Jeannel, 1935
- [*Trechus cheoahensis*](#) Donabauer, 2005
- [*Trechus chiguguanensis*](#) Belousov & Kabak, 2020
- [*Trechus chillalicus*](#) Jeannel, 1936
- [*Trechus chodjajii*](#) Morvan, 1974
- [*Trechus chokensis*](#) Pawlowski, 2002
- [*Trechus cholaensis*](#) Deuve, 1996
- [*Trechus chormaensis*](#) Deuve, 1993
- [*Trechus christinae*](#) J.Schmidt, 2016
- [*Trechus cifrianae*](#) Ortuño & Jimenez-Valverde, 2011
- [*Trechus clarkeianus*](#) (Basilewsky, 1974)
- [*Trechus claudiae*](#) Deuve, 1996
- [*Trechus clingmanensis*](#) Donabauer, 2005
- [*Trechus coelestis*](#) Sciaky & Pavesi, 1994
- [*Trechus colobus*](#) J.Schmidt & Faille, 2018
- [*Trechus coloradensis*](#) Schaeffer, 1915
- [*Trechus comasi*](#) Hernando, 2002
- [*Trechus compactulus*](#) Belousov & Kabak, 1996

- [Trechus compsus](#) Jeannel, 1935
- [Trechus concinnus](#) Tschitscherine, 1904
- [Trechus concoloratus](#) Lorenz, 1998
- [Trechus conformis](#) Jeannel, 1927
- [Trechus confusatorius](#) Deuve & Kaiser, 2009
- [Trechus consobrinus](#) K. & J.Daniel, 1898
- [Trechus constrictus](#) Schaum, 1860
- [Trechus controversus](#) Binaghi, 1959
- [Trechus coweensis](#) Barr, 1979
- [Trechus crassiscapus](#) Lindroth, 1955
- [Trechus cratocephalus](#) Belousov & Kabak, 2019
- [Trechus croaticus](#) Dejean, 1831
- [Trechus croceus](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus crucifer](#) Piochard de la Brûlerie, 1876
- [Trechus cryobius](#) Jeannel, 1935
- [Trechus cryptophilus](#) Belousov & Kabak, 1992
- [Trechus culminicola](#) Jeannel, 1936
- [Trechus cumberlandus](#) Barr, 1962
- [Trechus cuniculorum](#) Mequignon, 1921
- [Trechus curticolis](#) Fairmaire, 1866
- [Trechus curvatis](#) Belousov & Kabak, 1998
- [Trechus cuspis](#) Belousov & Kabak, 2020
- [Trechus custos](#) Wollaston, 1854
- [Trechus cyclomus](#) Jeannel, 1954
- [Trechus cyprinus](#) Franz, 1987

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)

- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

D

- [Trechus dabanensis](#) Sciaky & Pavesi, 1994
- [Trechus dabanshanicola](#) Deuve, 2011
- [Trechus dacatraianus](#) Deuve, 1996
- [Trechus dakushitaicus](#) Deuve, 2004
- [Trechus damchungensis](#) Deuve, 1998
- [Trechus danieli](#) Holdhaus, 1902
- [Trechus daoensis](#) Belousov & Kabak, 2001
- [Trechus davanensis](#) Sciaky & Pavesi, 1994
- [Trechus davidiani](#) Belousov, 1990
- [Trechus davidwrasei](#) Donabauer, 2007
- [Trechus dayanae](#) Assmann & Wrase, 2012
- [Trechus debilis](#) Wollaston, 1871
- [Trechus decolor](#) Jeannel, 1938
- [Trechus degienensis](#) Jeannel, 1954
- [Trechus delarouzei](#) Pandellé, 1867
- [Trechus delhermi](#) Saulcy, 1880
- [Trechus deliae](#) Morvan, 1971
- [Trechus demircapicus](#) P.Moravec, 1986
- [Trechus demissus](#) Jeannel, 1962
- [Trechus densicornis](#) (Fischhuber, 1977)
- [Trechus depressipenis](#) Sciaky & Pavesi, 1995
- [Trechus depressipennis](#) J.Schmidt & Faille, 2018
- [Trechus degenensis](#) Deuve, 2017
- [Trechus detersus](#) Wollaston, 1864
- [Trechus dichrous](#) Reitter, 1911
- [Trechus diecki](#) Putzeys, 1870
- [Trechus dilizhanicus](#) Belousov, 1989
- [Trechus dilutus](#) Wollaston, 1854
- [Trechus dimorphicus](#) Pawlowski, 2002
- [Trechus diogenes](#) Pawlowski, 1979

- [Trechus dioscuricus](#) Belousov, 1990
- [Trechus distigma](#) Kiesenwetter, 1851
- [Trechus distinctus](#) Fairmaire & Laboulbène, 1854
- [Trechus djebalicus](#) (Comas & Mateu, 2008)
- [Trechus djebelgloubensis](#) Quéinnec & Ollivier, 2013
- [Trechus doderoi](#) Jeannel, 1927
- [Trechus dodola](#) J.Schmidt & Faille, 2018
- [Trechus dolomitanus](#) Jeannel, 1931
- [Trechus donabaueri](#) Lebenbauer, 2004
- [Trechus dongola](#) J.Schmidt, 2016
- [Trechus dongulaensis](#) J.Schmidt, 2009
- [Trechus dostali](#) Donabauer, 2007
- [Trechus dromai](#) J.Schmidt, 2016
- [Trechus dubitans](#) Reitter, 1903
- [Trechus dudkorum](#) Belousov & Kabak, 1996
- [Trechus dulat](#) Belousov & Kabak, 1992
- [Trechus dunitrescui](#) Decou, 1959
- [Trechus duvalioides](#) Deuve, 2004
- [Trechus dzermukensis](#) Iablokoff-Khinzorian, 1963
- [Trechus dzhalair](#) Belousov & Kabak, 1994
- [Trechus dzhungaricus](#) Belousov & Kabak, 1992
- [Trechus dzykhvensis](#) Belousov, 1990

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

E

- [Trechus echarouxi](#) Ollivier & Queinnec, 2011
- [Trechus egorovi](#) Belousov & Kabak, 1996
- [Trechus egregius](#) Jeannel, 1927
- [Trechus elburzensis](#) Morvan, 1974
- [Trechus elegans](#) Putzeys, 1847
- [Trechus elgonicus](#) Jeannel, 1930
- [Trechus elongatulus](#) Putzeys, 1870
- [Trechus enedaphos](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus enigmaticus](#) Coiffait, 1971
- [Trechus enoploides](#) Jeannel, 1954
- [Trechus enoplus](#) Jeannel, 1935
- [Trechus epirotes](#) Colas, 1957
- [Trechus eremita](#) J.Schmidt, 2009
- [Trechus ericalis](#) Magrini; Queinnec & Vigna Taglianti, 2013
- [Trechus erythrostomus](#) Deuve, 1987
- [Trechus escalerae](#) Abeille de Perrin, 1903
- [Trechus espanyoli](#) (Mateu & Escola, 2006)
- [Trechus eutrechoides](#) Deuve, 1992
- [Trechus exilipenis](#) Belousov & Kabak, 1994

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

F

- [*Trechus fadriquei*](#) (Mateu & Escola, 2006)
- [*Trechus fairmairei*](#) Pandellé, 1867
- [*Trechus felix*](#) Wollaston, 1864
- [*Trechus ferghanicus*](#) Belousov & Kabak, 1992
- [*Trechus fischensis*](#) Reitter, 1888
- [*Trechus fisehai*](#) J.Schmidt & Faille, 2018
- [*Trechus flavocinctus*](#) Jeannel, 1922
- [*Trechus flavocircumdatus*](#) Jeannel, 1922
- [*Trechus flavolimbatus*](#) Wollaston, 1863
- [*Trechus flavomarginatus*](#) Wollaston, 1854
- [*Trechus focarilei*](#) Monguzzi, 1998
- [*Trechus folwarcznyi*](#) Deuve, 1998
- [*Trechus fongondi*](#) Deuve & Queinnec, 1983
- [*Trechus fontinalis*](#) Rybinski, 1901
- [*Trechus fortimanus*](#) Reitter, 1903
- [*Trechus fortunatus*](#) Jeannel, 1927
- [*Trechus franzianus*](#) Mateu & Deuve, 1979
- [*Trechus franzschuberti*](#) Donabauer, 2006
- [*Trechus frater*](#) J.Schmidt, 2016
- [*Trechus frigophilus*](#) J.Schmidt, 2016
- [*Trechus fritzbeneschi*](#) Donabauer, 2006
- [*Trechus fubianensis*](#) Deuve, 2009
- [*Trechus fulvatis*](#) Belousov & Kabak, 1998
- [*Trechus fulvus*](#) Dejean, 1831
- [*Trechus fuscus*](#) Motschulsky, 1850

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

G

- [*Trechus gagrensis*](#) Jeannel, 1927
- [*Trechus galianus*](#) Belousov, 1989
- [*Trechus galicicaensis*](#) B.V.Gueorguiev & Hristovski, 2010
- [*Trechus gallaecus*](#) Jeannel, 1921
- [*Trechus gallorites*](#) Jeannel, 1936
- [*Trechus gamae*](#) Reboleira & Serrano, 2009
- [*Trechus gansuensis*](#) Deuve & Queinnec, 1993
- [*Trechus gemaensis*](#) Belousov & Kabak, 2020
- [*Trechus genevanorum*](#) Pawlowski, 1977
- [*Trechus gigas*](#) Pawlowski, 2002
- [*Trechus gigoni*](#) (Casale, 1982)
- [*Trechus gitzeni*](#) Belousov & Kabak, 2001
- [*Trechus glabratus*](#) J.Schmidt, 2009

- [Trechus glacialis](#) Heer, 1837
- [Trechus glebi](#) Belousov & Kabak, 2019
- [Trechus gloriensis](#) Jeanne, 1971
- [Trechus goebli](#) Breit, 1914
- [Trechus goelkoeyensis](#) Donabauer, 2013
- [Trechus goidanichi](#) Focarile & Casale, 1978
- [Trechus goliath](#) Belousov & Kabak, 1992
- [Trechus golovatchi](#) Casale, 1983
- [Trechus gomerensis](#) Franz, 1986
- [Trechus gongshanensis](#) Deuve & Kavanaugh, 2016
- [Trechus gorkhai](#) J.Schmidt, 1998
- [Trechus gracilitarsis](#) K. & J.Daniel, 1898
- [Trechus gradloni](#) Morvan, 1982
- [Trechus grandiceps](#) Reitter, 1885
- [Trechus grandipennis](#) J.Schmidt & Faille, 2018
- [Trechus grandis](#) Ganglbauer, 1891
- [Trechus gravidus](#) Putzeys, 1870
- [Trechus grenieri](#) Pandellé, 1867
- [Trechus groubei](#) (Antoine, 1936)
- [Trechus guangaishanus](#) Belousov & Kabak, 2001
- [Trechus gugheensis](#) Jeannel, 1950
- [Trechus gulickai](#) Löbl, 1967
- [Trechus gurungi](#) J.Schmidt, 1998
- [Trechus gusevi](#) Belousov, 1990
- [Trechus gushensis](#) Belousov & Kabak, 1998
- [Trechus gwiomarchi](#) Morvan, 1982
- [Trechus gyalmo](#) J.Schmidt, 2016
- [Trechus gyalpo](#) J.Schmidt, 2016
- [Trechus gyatsola](#) J.Schmidt, 2016
- [Trechus gypaeti](#) Vigna Taglianti & Magrini, 2009

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

H

- [Trechus habaicus](#) Deuve, 2011
- [Trechus habashanensis](#) Deuve, 2017
- [Trechus hagenia](#) J.Schmidt & Faille, 2018
- [Trechus haggei](#) J.Schmidt & Faille, 2018
- [Trechus hajeki](#) Reitter, 1913
- [Trechus hampei](#) Ganglbauer, 1891
- [Trechus hangaicus](#) Shilenkov, 1982
- [Trechus haoe](#) Barr, 1979
- [Trechus haoeleadensis](#) Donabauer, 2005
- [Trechus harena](#) J.Schmidt & Faille, 2018
- [Trechus harryi](#) J.Schmidt & Faille, 2018
- [Trechus hauseri](#) Jeannel, 1962
- [Trechus heinzianus](#) Pawlowski, 1979
- [Trechus hemsinensis](#) Donabauer, 2013
- [Trechus hendrichsi](#) Mateu, 1974
- [Trechus heniochicus](#) Ljovuschkin, 1970
- [Trechus hiekei](#) J.Schmidt, 2016
- [Trechus himalensis](#) Deuve & Queinnec, 1985
- [Trechus hingstoni](#) Jeannel, 1928
- [Trechus hodeberti](#) Deuve, 1998
- [Trechus holzun](#) Shilenkov & Sokolov, 1987
- [Trechus hoppi](#) Jeannel, 1927
- [Trechus houzhenziensis](#) Deuve, 2001
- [Trechus howellae](#) Barr, 1979
- [Trechus humboldti](#) Van Dyke, 1945

- [Trechus hummleri](#) Jeannel, 1927
- [Trechus hurrita](#) Pavesi & Sciaky, 1990
- [Trechus huzhubeiensis](#) Deuve, 2011
- [Trechus hydropicus](#) G.Horn, 1883
- [Trechus hylonomellus](#) Lorenz, 1998
- [Trechus hyperythros](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

I

- [Trechus iblanensis](#) (Mateu & Escola, 2006)
- [Trechus idriss](#) Peyerimhoff, 1924
- [Trechus ilgazensis](#) Donabauer, 2004
- [Trechus ilgazicus](#) Pawlowski, 1976
- [Trechus illyricus](#) Jeannel, 1921
- [Trechus imaicus](#) Jeannel, 1923

- [Trechus imereticus](#) Belousov, 1990
- [Trechus impunctus](#) Casale, 1979
- [Trechus imurai](#) Ueno, 1999
- [Trechus incisipenis](#) Belousov & Kabak, 1999
- [Trechus incola](#) Peyerimhoff, 1909
- [Trechus indicus](#) Putzeys, 1870
- [Trechus indicusoides](#) Deuve, 2005
- [Trechus inexpectatus](#) Barr, 1985
- [Trechus inexpectatus](#) Belousov & Kabak, 2001
- [Trechus infuscatus](#) Chaudoir, 1850
- [Trechus insolitus](#) K.Daniel in K. & J.Daniel, 1906
- [Trechus insubricus](#) K. & J.Daniel, 1898
- [Trechus iranicus](#) Morvan & Pawlowski, 1977
- [Trechus irenis](#) Csiki, 1912
- [Trechus iricolor](#) Sciaky & Pavesi, 1995
- [Trechus iridescens](#) J.Schmidt & Faille, 2018
- [Trechus irkeshtamicus](#) Belousov & Kabak, 1998
- [Trechus irritus](#) Jeannel, 1960
- [Trechus isabelae](#) Borges & Serrano, 2007 (Cave ground-beetle)
- [Trechus isfanensis](#) Belousov & Kabak, 1998
- [Trechus ispulensis](#) Belousov & Kabak, 1992
- [Trechus italicus](#) K. & J.Daniel, 1898
- [Trechus ithae](#) Reitter, 1888

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)

- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

J

- [*Trechus jadodraconis*](#) Deuve, 1995
- [*Trechus jaechi*](#) Donabauer, 2006
- [*Trechus janaki*](#) P.Moravec, 1993
- [*Trechus janatai*](#) Belousov & Kabak, 2000
- [*Trechus jarrigei*](#) Morvan, 1972
- [*Trechus jeannei*](#) Sciaky, 1998
- [*Trechus jezerensis*](#) Apfelbeck, 1908
- [*Trechus jiuhensis*](#) Deuve & Liang, 2015
- [*Trechus jiuzhaiensis*](#) Deuve, 1998
- [*Trechus jorgensis*](#) Oromi & Borges, 1991 (Cave ground-beetle)
- [*Trechus jugivagus*](#) Lutshnik, 1930

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)

- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

K

- [Trechus kabakovi](#) Pawlowski, 1978
- [Trechus kabylicus](#) Casale, 1983
- [Trechus kackardagi](#) Pawlowski, 1978
- [Trechus kaikanicus](#) Belousov & Kabak, 1994
- [Trechus kalabi](#) Deuve & Queinnec, 1993
- [Trechus kalabianus](#) Deuve, 1993
- [Trechus kangchenjunga](#) J.Schmidt, 2016
- [Trechus kantegiricus](#) Belousov & Kabak, 1994
- [Trechus karadenizus](#) Pawlowski, 1976
- [Trechus karasibensis](#) Belousov & Kabak, 1994
- [Trechus karlykensis](#) Belousov & Kabak, 2001
- [Trechus kashensis](#) Belousov & Kabak, 2001
- [Trechus kashgarensis](#) Deuve, 1992
- [Trechus kataevi](#) Belousov, 1987
- [Trechus katranicus](#) Belousov & Kabak, 1996
- [Trechus kaznakovi](#) Jeannel, 1935
- [Trechus keithi](#) Ollivier; Pavicevic & Queinnec, 2008
- [Trechus ketmenicus](#) Belousov & Kabak, 1993
- [Trechus kezadonicus](#) Belousov, 1989
- [Trechus khalabicus](#) Belousov, 1990
- [Trechus khaledicus](#) Belousov, 1990
- [Trechus khnzoriani](#) Pawlowski, 1976
- [Trechus khorgosicus](#) Belousov & Kabak, 1994
- [Trechus kiapazicus](#) Belousov, 1990
- [Trechus kimak](#) Belousov & Kabak, 1996
- [Trechus kobingeri](#) Apfelbeck, 1902
- [Trechus kocheri](#) Paulian & Villiers, 1939
- [Trechus kodoricus](#) Belousov, 1989
- [Trechus kokzhotensis](#) Belousov & Kabak, 1996
- [Trechus komarovi](#) Belousov, 1990
- [Trechus korae](#) J.Schmidt, 2009
- [Trechus korbi](#) Reitter, 1903
- [Trechus korotyaevi](#) Shilenkov, 1982

- [Trechus korrigani](#) Morvan, 1982
- [Trechus korzhun](#) Belousov & Kabak, 1994
- [Trechus kovali](#) Belousov, 1989
- [Trechus kozlovi](#) Jeannel, 1935
- [Trechus krasnovi](#) Belousov & Kabak, 1992
- [Trechus krejcii](#) Deuve & Queinnec, 1985
- [Trechus kricheldorffi](#) Wagner, 1913
- [Trechus kuceraei](#) Deuve, 2011
- [Trechus kukunoricus](#) Belousov & Kabak, 2000
- [Trechus kulpensis](#) Belousov & Kabak, 1998
- [Trechus kuraicus](#) Shilenkov, 1995
- [Trechus kurbatovi](#) Belousov & Kabak, 2000
- [Trechus kurentzovi](#) Lafer, 1989
- [Trechus kurnakovi](#) Jeannel, 1960
- [Trechus kushtaicus](#) Belousov & Kabak, 2001

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

L

- [*Trechus labrangensis*](#) Belousov & Kabak, 2000
- [*Trechus labruleriei*](#) Jeannel, 1921
- [*Trechus laevipes*](#) Jeannel, 1927
- [*Trechus lailensis*](#) Belousov, 1989
- [*Trechus lallemantii*](#) Fairmaire, 1859
- [*Trechus lama*](#) J.Schmidt, 2009
- [*Trechus lamjunensis*](#) J.Schmidt, 1994
- [*Trechus lampros*](#) Jeannel, 1935
- [*Trechus laranoensis*](#) Lompe, 1999
- [*Trechus larisae*](#) Belousov & Kabak, 1996
- [*Trechus lassallei*](#) Deuve, 1981
- [*Trechus latebricola*](#) Kiesenwetter, 1850
- [*Trechus latibuli*](#) Jeannel, 1948
- [*Trechus latior*](#) Darlington, 1959
- [*Trechus latiplatus*](#) Belousov & Kabak, 1998
- [*Trechus latus*](#) Putzeys, 1847
- [*Trechus laureticola*](#) Jeannel, 1936
- [*Trechus lazicus*](#) Pawlowski, 1976
- [*Trechus lebenbaueri*](#) Donabauer, 2004
- [*Trechus lebreatae*](#) Jeannel, 1960
- [*Trechus lederi*](#) Putzeys, 1878
- [*Trechus ledouxianus*](#) Mateu & Deuve, 1979
- [*Trechus legorskyi*](#) Donabauer, 2013
- [*Trechus leleupi*](#) Jeannel, 1954
- [*Trechus lencinai*](#) (Mateu & Ortuño, 2006)
- [*Trechus lepineyi*](#) Paulian & Villiers, 1939
- [*Trechus lepontinus*](#) Ganglbauer, 1891
- [*Trechus letshkhumicus*](#) Belousov, 1989
- [*Trechus levillaini*](#) Morvan, 1982
- [*Trechus lgockii*](#) Pawlowski, 1978
- [*Trechus lhasaensis*](#) J.Schmidt, 2016
- [*Trechus libanensis*](#) Piochard de la Brûlerie, 1876
- [*Trechus liguricus*](#) Jeannel, 1921
- [*Trechus lijiangensis*](#) Belousov & Kabak, 2001
- [*Trechus limacodes*](#) Dejean, 1831
- [*Trechus lindbergi*](#) Coiffait, 1962
- [*Trechus linxiaicus*](#) Deuve, 2005
- [*Trechus liochrous*](#) Jeannel, 1935
- [*Trechus liopleurus*](#) Chaudoir, 1850
- [*Trechus litangensis*](#) Deuve, 1995
- [*Trechus loebli*](#) Pawlowski, 1977

- [Trechus loeblianus](#) Deuve, 1988
- [Trechus loeffleri](#) Magrini & Sciaky, 2006
- [Trechus lomakini](#) Belousov & Kabak, 1994
- [Trechus longicollis](#) Meixner, 1912
- [Trechus longulus](#) K. & J.Daniel, 1898
- [Trechus lucidus](#) Jeannel, 1960
- [Trechus luculentus](#) Barr, 1962
- [Trechus lunai](#) Reboleira & Serrano, 2009
- [Trechus lundbladi](#) Jeannel, 1938
- [Trechus luquensis](#) Belousov & Kabak, 2000
- [Trechus lusitanicus](#) Jeannel, 1921
- [Trechus luteolus](#) Jeannel, 1960
- [Trechus lutshniki](#) Belousov, 1987
- [Trechus luzhangensis](#) Deuve & Liang, 2016

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

M

- [*Trechus maceki*](#) Deuve, 1992
- [*Trechus machadoensis*](#) Franz, 1984
- [*Trechus machadoi*](#) Jeannel, 1941
- [*Trechus machardi*](#) Jeanne, 1976
- [*Trechus maculicornis*](#) Chaudoir, 1846
- [*Trechus maderensis*](#) Csiki, 1928
- [*Trechus magistretti*](#) Focarile, 1949
- [*Trechus magniceps*](#) Reitter, 1898
- [*Trechus maisaicus*](#) Belousov & Kabak, 1994
- [*Trechus majusculus*](#) K.Daniel, 1902
- [*Trechus mallaszianus*](#) P.Moravec & Lompe in Löbl & Smetana, 2003
- [*Trechus mandarinus*](#) Sciaky & Pavesi, 1995
- [*Trechus manensis*](#) Belousov & Kabak, 1994
- [*Trechus manzhangicus*](#) Deuve, 2004
- [*Trechus maomao*](#) Deuve, 2005
- [*Trechus maoniu*](#) Belousov & Kabak, 2020
- [*Trechus maowenensis*](#) Deuve, 1995
- [*Trechus maqenicus*](#) Deuve, 2004
- [*Trechus maquensis*](#) Deuve, 2004
- [*Trechus marcilhaci*](#) Pham, 1987
- [*Trechus marcilhacianus*](#) Deuve, 2004
- [*Trechus margelanicus*](#) Belousov & Kabak, 1998
- [*Trechus marginalis*](#) Schaum in Kraatz, 1862
- [*Trechus maritimus*](#) Sainte-Claire Deville, 1907
- [*Trechus markakolensis*](#) Belousov & Kabak, 1999
- [*Trechus martelluccii*](#) Magrini & Sciaky, 2006
- [*Trechus martensi*](#) Deuve & Hodebert, 1991
- [*Trechus martinae*](#) J.Schmidt, 2009
- [*Trechus martinezi*](#) Jeannel, 1927
- [*Trechus matejkai*](#) Vsetecka, 1938
- [*Trechus mateui*](#) Deuve & Queinnec, 1985
- [*Trechus matrismeae*](#) Pawlowski, 1972
- [*Trechus mattisi*](#) J.Schmidt & Faille, 2018
- [*Trechus mauritanicus*](#) Jeannel, 1909
- [*Trechus meissonnieri*](#) Belousov & Kabak, 2000
- [*Trechus meixnerianus*](#) P.Moravec & Lompe in Löbl & Smetana, 2003
- [*Trechus mekbibi*](#) J.Schmidt & Faille, 2018
- [*Trechus melanocephalus*](#) Kolenati, 1845
- [*Trechus mengensis*](#) Belousov & Kabak, 2020
- [*Trechus menpa*](#) J.Schmidt, 2016
- [*Trechus merditanus*](#) Apfelbeck, 1906

- [*Trechus meregallii*](#) Casale, 1983
- [*Trechus merenicus*](#) Belousov & Kabak, 1994
- [*Trechus merkli*](#) Pawlowski, 1973
- [*Trechus meschniggi*](#) Jeannel, 1930
- [*Trechus messoulii*](#) Casale, 2011
- [*Trechus metrius*](#) Jeannel, 1935
- [*Trechus meurguesianus*](#) Deuve, 1980
- [*Trechus michaeli*](#) Pawlowski, 1978
- [*Trechus micrangulus*](#) Reitter, 1913
- [*Trechus midas*](#) Jeannel, 1927
- [*Trechus mieheorum*](#) J.Schmidt, 2009
- [*Trechus mila*](#) J.Schmidt, 2016
- [*Trechus minaicus*](#) Belousov & Kabak, 1994
- [*Trechus mingguangensis*](#) Deuve & Liang, 2016
- [*Trechus minioculatus*](#) Machado, 1987
- [*Trechus minitrechus*](#) J.Schmidt & Faille, 2018
- [*Trechus minshanicola*](#) Deuve, 2004
- [*Trechus minyops*](#) Wollaston, 1862
- [*Trechus mirzayani*](#) Morvan, 1974
- [*Trechus mitchellensis*](#) Barr, 1962
- [*Trechus mitjaevi*](#) Belousov & Kabak, 1996
- [*Trechus moctezuma*](#) Mateu, 1974
- [*Trechus modestus*](#) Putzeys, 1874
- [*Trechus mogul*](#) Belousov & Kabak, 2001
- [*Trechus mongolicus*](#) P.Moravec, 1992
- [*Trechus mongolorum*](#) Belousov & Kabak, 1994
- [*Trechus montanellus*](#) Gemminger & Harold, 1868
- [*Trechus montanheirorum*](#) Oromi & Borges, 1991 (Cave ground-beetle)
- [*Trechus montanus*](#) Motschulsky, 1844
- [*Trechus montisarerae*](#) Focarile, 1950
- [*Trechus montismaielletae*](#) Ghidini, 1932
- [*Trechus montisrosae*](#) Jeannel, 1921
- [*Trechus montreuili*](#) Deuve, 2004
- [*Trechus morandinii*](#) Lebenbauer, 2002
- [*Trechus mordkovitschi*](#) Shilenkov, 1982
- [*Trechus morvanellus*](#) Deuve, 1996
- [*Trechus morvanianus*](#) Deuve & Queinnec, 1985
- [*Trechus mourzinellus*](#) Deuve, 1998
- [*Trechus mouzaiensis*](#) Jeannel, 1922
- [*Trechus muguensis*](#) J.Schmidt, 2009
- [*Trechus murzorum*](#) Belousov & Kabak, 1994
- [*Trechus muscorum*](#) P.Moravec & Wrase, 1998

- [Trechus myanmarensis](#) Deuve, 2004

- [Top](#)

- [A](#)

- [B](#)

- [C](#)

- [D](#)

- [E](#)

- [F](#)

- [G](#)

- [H](#)

- [I](#)

- [J](#)

- [K](#)

- [L](#)

- [M](#)

- [N](#)

- [O](#)

- [P](#)

- [Q](#)

- [R](#)

- [S](#)

- [T](#)

- [U](#)

- [V](#)

- [W](#)

- [X](#)

- [Y](#)

- [Z](#)

N

- [Trechus nairicus](#) Pavesi & Sciaky, 1992
- [Trechus nakaguroi](#) Ueno, 1960
- [Trechus naldii](#) Ghidini, 1932
- [Trechus nami](#) J.Schmidt, 2016
- [Trechus namtsoensis](#) J.Schmidt, 2009
- [Trechus nannus](#) Jeannel, 1935
- [Trechus nantahalae](#) Barr, 1979
- [Trechus nanulus](#) J.Schmidt & Faille, 2018
- [Trechus naratensis](#) Deuve, 1993
- [Trechus narynensis](#) Belousov & Kabak, 1992
- [Trechus natmataungensis](#) Donabauer, 2010

- [Trechus navaricus](#) (Vuillefroy, 1869)
- [Trechus nebulosus](#) Barr, 1962
- [Trechus newar](#) Deuve, 1988
- [Trechus neyamensis](#) J.Schmidt, 2016
- [Trechus nezlobinskyi](#) Hristovskiy, 2014
- [Trechus nicoleae](#) Moncoutier, 1986
- [Trechus nigrans](#) J.Schmidt, 2016
- [Trechus nigrifemoralis](#) J.Schmidt & Faille, 2018
- [Trechus nigrinus](#) Putzeys, 1847
- [Trechus nigrocruciatus](#) Wollaston, 1854
- [Trechus nikolajevi](#) Belousov & Kabak, 1992
- [Trechus nivicola](#) Chaudoir, 1846
- [Trechus nomurai](#) Ueno, 1998
- [Trechus nonveilleri](#) G.Müller, 1930
- [Trechus noricus](#) Meixner, 1911
- [Trechus nothus](#) Jeannel, 1960
- [Trechus novaculosus](#) Barr, 1962
- [Trechus nugax](#) Lompe, 1997
- [Trechus numatai](#) Ueno, 1967
- [Trechus nyalamensis](#) J.Schmidt, 2016

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)

- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

O

- [Trechus obliquebasalis](#) Breit, 1914
- [Trechus obtusiusculus](#) Ganglbauer, 1889
- [Trechus obtusus](#) Erichson, 1837
- [Trechus ochreateus](#) Dejean, 1831
- [Trechus odontopeos](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus ofensis](#) Donabauer, 2013
- [Trechus ogouzicus](#) Deuve & Queinnec, 1992
- [Trechus oligophthalmus](#) Jeannel, 1935
- [Trechus oligops](#) Bedel, 1896
- [Trechus olympicus](#) Piochard de la Brûlerie, 1876
- [Trechus ongudaicus](#) Belousov & Kabak, 1996
- [Trechus onicus](#) Belousov & Kabak, 1994
- [Trechus oodes](#) Jeannel, 1935
- [Trechus opgenoorthi](#) J.Schmidt, 2016
- [Trechus oppositus](#) J.Schmidt & Faille, 2018
- [Trechus ordinarior](#) Deuve & Queinnec, 1993
- [Trechus orduensis](#) Donabauer, 2007
- [Trechus oregonensis](#) Hatch, 1951
- [Trechus ormayi](#) Ganglbauer, 1891
- [Trechus oromiensis](#) Magrini; Queinnec & Vigna Taglianti, 2012
- [Trechus oromii](#) Borges; Serrano & Amorim, 2004 (Cave ground-beetle)
- [Trechus orousseti](#) (Perrault, 1982)
- [Trechus orphaeus](#) Pawlowski, 1973
- [Trechus orthapicalis](#) Belousov & Kabak, 1998
- [Trechus ortizi](#) Español, 1970
- [Trechus osellai](#) F.Battoni & Vigna Taglianti, 1994
- [Trechus osmanilis](#) K. & J.Daniel, 1902
- [Trechus ossae](#) B.V.Gueorguiev, 2010
- [Trechus ovatus](#) Putzeys, 1845
- [Trechus ovipennis](#) Motschulsky, 1845
- [Trechus ovtshinnikovi](#) Belousov & Kabak, 1992
- [Top](#)
- [A](#)
- [B](#)

- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

P

- [Trechus pachycerus](#) Apfelbeck, 1918
- [Trechus pallens](#) Belousov & Kabak, 1994
- [Trechus pallidulus](#) Ganglbauer, 1891
- [Trechus pamirensis](#) Belousov & Kabak, 1996
- [Trechus pamphylicus](#) Jeanne, 1996
- [Trechus paphlagonicus](#) Maran, 1940
- [Trechus parapandus](#) Ortuño, 2015
- [Trechus parvifrater](#) J.Schmidt, 2016
- [Trechus patrizii](#) Jeannel, 1960
- [Trechus pavlovskii](#) Jeannel, 1962
- [Trechus pecignai](#) Toribio, 1992
- [Trechus pennisii](#) Magrini, 1984
- [Trechus pereirai](#) Borges; Serrano & Amorim, 2004 (Cave ground-beetle)
- [Trechus perissus](#) Andrewes, 1936
- [Trechus perpusillus](#) Mateu & Deuve, 1979
- [Trechus perreaui](#) Deuve & Queinnec, 1985

- [*Trechus pertyi*](#) Heer, 1837
- [*Trechus peynei*](#) Magrini & Sciaky, 2006
- [*Trechus phaeocerus*](#) Jeannel, 1935
- [*Trechus phagunensis*](#) J.Schmidt, 2016
- [*Trechus phami*](#) Deuve, 1981
- [*Trechus phanageriacus*](#) Belousov, 1990
- [*Trechus piazzolii*](#) Focarile, 1950
- [*Trechus picoensis*](#) Machado, 1988 (Cave ground-beetle)
- [*Trechus pieltaini*](#) Jeannel, 1920
- [*Trechus pilisensis*](#) Csiki, 1918
- [*Trechus pilonensis*](#) Toribio, 2014
- [*Trechus pilosicornis*](#) Deuve & Queinnec, 1993
- [*Trechus pilosipennis*](#) Jeannel, 1954
- [*Trechus pinkeri*](#) Ganglbauer, 1891
- [*Trechus pirinicus*](#) Pawlowski, 1972
- [*Trechus pispahensis*](#) Barr, 1979
- [*Trechus pisuenensis*](#) Ortuño & Toribio, 2005
- [*Trechus placidus*](#) Jeannel, 1962
- [*Trechus planioculus*](#) Belousov & Kabak, 1993
- [*Trechus planipennis*](#) Rosenhauer, 1856
- [*Trechus planiusculus*](#) A.Costa, 1858
- [*Trechus platyptereillus*](#) Belousov in Kryzhanovskij et al., 1995
- [*Trechus plicatulus*](#) L.Miller, 1868
- [*Trechus plottbalsamensis*](#) Donabauer, 2005
- [*Trechus pochoni*](#) Jeannel, 1939
- [*Trechus pohorjeensis*](#) Donabauer, 2006
- [*Trechus polonorum*](#) Pawlowski, 1979
- [*Trechus pomonae*](#) Fall, 1901
- [*Trechus pongensis*](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [*Trechus priapus*](#) K.Daniel, 1902
- [*Trechus processifer*](#) Belousov & Kabak, 1992
- [*Trechus promeces*](#) Jeannel, 1935
- [*Trechus przewalskyi*](#) Belousov & Kabak, 1993
- [*Trechus pseudoalmonius*](#) Deuve, 1993
- [*Trechus pseudoalyschensis*](#) Deuve & Queinnec, 1992
- [*Trechus pseudobarberi*](#) Donabauer, 2009
- [*Trechus pseudocholaensis*](#) Deuve, 1998
- [*Trechus pseudogansuensis*](#) Belousov & Kabak, 2000
- [*Trechus pseudokozlovi*](#) Deuve, 2011
- [*Trechus pseudolatus*](#) Lompe, 2011
- [*Trechus pseudomontanellus*](#) Rizun, 1994
- [*Trechus pseudonovaculosus*](#) Donabauer, 2005

- [Trechus pseudopiceus](#) K. & J.Daniel, 1898
- [Trechus pseudoqiqiensis](#) Deuve & Liang, 2016
- [Trechus pseudosubtilis](#) Donabauer, 2009
- [Trechus puetzi](#) P.Moravec & Wrase, 1998
- [Trechus pulchellus](#) Putzeys, 1845
- [Trechus pulpani](#) Reska, 1965
- [Trechus pulvinipenis](#) Belousov & Kabak, 1999
- [Trechus pumilio](#) Jeannel, 1923
- [Trechus pumilus](#) Jeannel, 1927
- [Trechus pumoensis](#) Deuve, 1998
- [Trechus putchkovi](#) Belousov & Kabak, 1996
- [Trechus putzeysi](#) Pandellé, 1867
- [Trechus pyrenaeus](#) Dejean, 1831

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Q

- [*Trechus qagcaensis*](#) Deuve, 1996
- [*Trechus qinghaicus*](#) Deuve & Queinnec, 1993
- [*Trechus qingmaiensis*](#) Deuve, 2011
- [*Trechus qiqiensis*](#) Deuve & Kavanaugh, 2016
- [*Trechus quadrimaculatus*](#) Motschulsky, 1850
- [*Trechus quadristriatus*](#) (Schrank, 1781)
- [*Trechus quarelicus*](#) Belousov, 1987
- [*Trechus qunlaishanicus*](#) Belousov & Kabak, 2020

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

R

- [*Trechus raffrayanus*](#) Jeannel, 1954
- [*Trechus rambouseki*](#) Breit, 1909
- [*Trechus ramseyensis*](#) Donabauer, 2005

- [Trechus rarus](#) J.Schmidt, 2009
- [Trechus ravasinianus](#) Lorenz, 1998
- [Trechus regularis](#) Putzeys, 1870
- [Trechus relictus](#) Magrini; Queinnec & Vigna Taglianti, 2012
- [Trechus religiosus](#) J.Schmidt, 2009
- [Trechus renei](#) Belousov, 1990
- [Trechus rhilensis](#) Kaufmann, 1884
- [Trechus rhodopeius](#) Jeannel, 1921
- [Trechus rhombus](#) Belousov & Kabak, 2019
- [Trechus riberae](#) Fresneda; Valenzuela; Bourdeau & Faille, 2019
- [Trechus rira](#) J.Schmidt & Faille, 2018
- [Trechus rivulis](#) Dajoz, 2005
- [Trechus roanicus](#) Barr, 1962
- [Trechus robustapicalis](#) Belousov & Kabak, 1998
- [Trechus rolwalingensis](#) J.Schmidt, 2009
- [Trechus ronchetti](#) Reitter, 1911
- [Trechus roparzhemoni](#) Morvan, 1982
- [Trechus rosenbergi](#) Barr, 1962
- [Trechus rotroui](#) Antoine, 1934
- [Trechus rotundatus](#) Dejean, 1831
- [Trechus rotundicollis](#) (Basilewsky, 1974)
- [Trechus rotundipennis](#) (Duftschmid, 1812)
- [Trechus rougemonti](#) (Basilewsky, 1975)
- [Trechus rougemontiellus](#) Belousov, 2017
- [Trechus rouxi](#) Deuve, 1995
- [Trechus rouxioides](#) Deuve, 2005
- [Trechus rubens](#) (Fabricius, 1792)
- [Trechus rudolphi](#) Ganglbauer, 1891
- [Trechus rufulus](#) Dejean, 1831
- [Trechus ruthi](#) Jeannel, 1929

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)

- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

S

- [*Trechus sachalinensis*](#) Lafer, 1989
- [*Trechus safranboluensis*](#) Donabauer, 2004
- [*Trechus sagax*](#) Jeannel, 1960
- [*Trechus saglensis*](#) Shilenkov, 1998
- [*Trechus sajanensis*](#) P.Moravec, 1993
- [*Trechus sajuncaicus*](#) Monguzzi, 2002
- [*Trechus salassus*](#) Jeannel, 1927
- [*Trechus saluki*](#) Belousov & Kabak, 2019
- [*Trechus sambylensis*](#) Belousov & Kabak, 1994
- [*Trechus sanettii*](#) J.Schmidt & Faille, 2018
- [*Trechus santaluciaensis*](#) Donabauer, 2014
- [*Trechus satanicus*](#) Barr, 1962
- [*Trechus saulcyanus*](#) Csiki, 1928
- [*Trechus sauricus*](#) Belousov & Kabak, 1992
- [*Trechus saxicola*](#) Putzeys, 1870
- [*Trechus sbordonii*](#) Vigna Taglianti, 1967
- [*Trechus scapulatus*](#) Belousov & Kabak, 1993
- [*Trechus schaufussi*](#) Putzeys, 1870
- [*Trechus schaumii*](#) Pandellé, 1867
- [*Trechus schillhammeri*](#) Donabauer, 2006
- [*Trechus schimperanus*](#) Jeannel, 1954
- [*Trechus schmalfussi*](#) Baehr, 1983
- [*Trechus schoenmanni*](#) Donabauer & Lebenbauer, 2005
- [*Trechus schuelkei*](#) P.Moravec & Wrase, 1998
- [*Trechus schuhi*](#) Donabauer, 2007

- [*Trechus schwarzi*](#) Jeannel, 1931
- [*Trechus schwienbacheri*](#) Donabauer & Lebenbauer, 2003
- [*Trechus schyberosiae*](#) Szallies & Schüle, 2011
- [*Trechus sciakyellus*](#) Deuve, 2001
- [*Trechus scitus*](#) Jeannel, 1960
- [*Trechus scotti*](#) Jeannel, 1936
- [*Trechus sculptipennis*](#) J.Schmidt, 2009
- [*Trechus selaensis*](#) Deuve, 2006
- [*Trechus semenovi*](#) Belousov & Kabak, 1992
- [*Trechus sendrai*](#) (Comas & Mateu, 2008)
- [*Trechus seserligensis*](#) Shilenkov, 1998
- [*Trechus sessitanus*](#) Monguzzi, 1985
- [*Trechus setitemporalis*](#) Deuve, 2005
- [*Trechus shaanxiensis*](#) P.Moravec & Wrase, 1998
- [*Trechus shaid*](#) Belousov & Kabak, 1998
- [*Trechus shakhensis*](#) Belousov, 1987
- [*Trechus shangensis*](#) Belousov & Kabak, 2020
- [*Trechus sharpi*](#) Jeannel, 1921
- [*Trechus shatrovskyi*](#) Belousov & Kabak, 1994
- [*Trechus shchurovi*](#) Belousov & Kabak, 1996
- [*Trechus shibalicus*](#) Deuve & Kavanaugh, 2016
- [*Trechus shilenkovi*](#) Belousov & Kabak, 1992
- [*Trechus shinganensis*](#) Shilenkov, 1998
- [*Trechus shivalensis*](#) Belousov & Kabak, 1998
- [*Trechus shiyueliang*](#) Deuve & Liang, 2016
- [*Trechus sichuanus*](#) Deuve, 1988
- [*Trechus signatus*](#) Wollaston, 1857
- [*Trechus sikhotealinus*](#) Ueno & Lafer, 1994
- [*Trechus silveiranus*](#) Lompe, 1997
- [*Trechus simienensis*](#) Jeannel, 1954
- [*Trechus simplicens*](#) Belousov & Kabak, 1993
- [*Trechus singularis*](#) J.Schmidt, 2009
- [*Trechus sinuatus*](#) Schaum, 1860
- [*Trechus sinus*](#) Belousov & Kabak, 2001
- [*Trechus sivellae*](#) Monguzzi, 2002
- [*Trechus sjostedti*](#) Alluaud, 1927
- [*Trechus skoupyi*](#) P.Moravec & Zieris, 1998
- [*Trechus smetanai*](#) Deuve, 2017
- [*Trechus snowbirdensis*](#) Donabauer, 2005
- [*Trechus sodalis*](#) Jeannel, 1960
- [*Trechus sogdianus*](#) Belousov & Kabak, 1998
- [*Trechus sokolovi*](#) Belousov, 1990

- [Trechus solarii](#) Jeannel, 1921
- [Trechus solhoeyi](#) J.Schmidt, 2009
- [Trechus soma](#) Mateu & Deuve, 1979
- [Trechus songoricus](#) Belousov & Kabak, 1992
- [Trechus sotshiensis](#) Belousov, 1987
- [Trechus splendens](#) Gemminger & Harold, 1868
- [Trechus stanovskyi](#) P.Moravec, 1993
- [Trechus stefanschoedli](#) Donabauer, 2005
- [Trechus stenoderus](#) Jeannel, 1935
- [Trechus stictulus](#) Belousov & Kabak, 1998
- [Trechus stipraisi](#) Belousov & Kabak, 1992
- [Trechus straneo](#) Jeannel, 1931
- [Trechus strasseri](#) Ganglbauer, 1891
- [Trechus stratiotes](#) J.Schmidt, 2009
- [Trechus striatulus](#) Putzeys, 1847
- [Trechus stricticollis](#) Jeannel, 1927
- [Trechus strigipennis](#) Kiesenwetter, 1861
- [Trechus strongylus](#) Jeannel, 1935
- [Trechus stupkai](#) Barr, 1979
- [Trechus suan](#) Belousov & Kabak, 1994
- [Trechus subacuminatus](#) A.Fleischer, 1898
- [Trechus subcordatus](#) Chaudoir, 1846
- [Trechus sublaevis](#) Raffray, 1886
- [Trechus subnotatus](#) Dejean, 1831
- [Trechus subtilis](#) Barr, 1962
- [Trechus subzoigeicola](#) Deuve, 2009
- [Trechus suensoni](#) Jeannel, 1957
- [Trechus suluk](#) Belousov & Kabak, 1996
- [Trechus sundukovi](#) P.Moravec & Wrase, 1997
- [Trechus suopoensis](#) Belousov & Kabak, 2020
- [Trechus surkiensis](#) Deuve, 2004
- [Trechus susamyrensis](#) Belousov & Kabak, 1992
- [Trechus suturalis](#) Putzeys, 1870
- [Trechus svanicus](#) Belousov, 1989
- [Trechus sylviae](#) Lompe, 2000
- [Trechus sylviahofmannae](#) J.Schmidt, 2017
- [Trechus sylvicola](#) K. & J.Daniel, 1898
- [Trechus szujeckii](#) Pawlowski, 1972
- [Top](#)
- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

T

- [*Trechus taghizadehi*](#) Morvan, 1974
- [*Trechus talassicus*](#) Belousov & Kabak, 1992
- [*Trechus talequah*](#) Barr, 1962
- [*Trechus talgarensis*](#) Jeannel, 1927
- [*Trechus tamangi*](#) J.Schmidt, 1998
- [*Trechus tarbagataicus*](#) Belousov & Kabak, 1992
- [*Trechus tardokijanensis*](#) Lafer, 1989
- [*Trechus tatai*](#) Reboleira; Ortuño; Goncalves & Oromi, 2010
- [*Trechus tchibiloevi*](#) Anichtchenko, 2009
- [*Trechus teberdanus*](#) Jeannel, 1960
- [*Trechus teletskianus*](#) Belousov & Kabak, 1994
- [*Trechus tennesseensis*](#) Barr, 1962
- [*Trechus tenoensis*](#) Israelson & Palm, 1979
- [*Trechus tentek*](#) Belousov & Kabak, 1996
- [*Trechus tenuilimbatus*](#) K. & J.Daniel, 1898
- [*Trechus tenuiscapus*](#) Lindroth, 1961
- [*Trechus terveiranus*](#) Machado, 1988 (Cave ground-beetle)

- [*Trechus terrabravensis*](#) Borges; Serrano & Amorim, 2004 (Ground-beetle)
- [*Trechus terskeiensis*](#) Belousov & Kabak, 1992
- [*Trechus tesnensis*](#) Belousov & Kabak, 1999
- [*Trechus tetracoderus*](#) Gemminger & Harold, 1868
- [*Trechus teverganus*](#) Toribio, 2015
- [*Trechus tewoicus*](#) Deuve, 2009
- [*Trechus thai*](#) Deuve, 1995
- [*Trechus thaleri*](#) Franz, 1991
- [*Trechus thessalicus*](#) Meixner, 1928
- [*Trechus thessalonicus*](#) Jeannel, 1930
- [*Trechus thibetanus*](#) Jeannel, 1928
- [*Trechus thomasbarri*](#) Donabauer, 2005
- [*Trechus thorungiensis*](#) J.Schmidt, 1994
- [*Trechus thunderheadensis*](#) Donabauer, 2005
- [*Trechus tianchi*](#) Perreau, 1992
- [*Trechus tianshanivagus*](#) Deuve, 1993
- [*Trechus tilitshoensis*](#) J.Schmidt, 1994
- [*Trechus tingitanus*](#) Putzeys, 1870
- [*Trechus tishetshkini*](#) Belousov & Kabak, 1994
- [*Trechus tobiasi*](#) Donabauer, 2005
- [*Trechus toksanbaicus*](#) Belousov & Kabak, 1993
- [*Trechus tolucensis*](#) Bolivar y Pieltain, 1941
- [*Trechus tonitru*](#) Barr, 1962
- [*Trechus topaz*](#) Belousov & Kabak, 1998
- [*Trechus torgaut*](#) Belousov & Kabak, 2019
- [*Trechus toroticus*](#) Belousov & Kabak, 1996
- [*Trechus torrentialis*](#) Apfelbeck, 1908
- [*Trechus torressalai*](#) Ortuño & Arillo, 2005
- [*Trechus torretassoi*](#) Jeannel, 1937 (Ground-beetle)
- [*Trechus toxawayi*](#) Barr, 1979
- [*Trechus trachypachys*](#) Sciaky & Pavesi, 1995
- [*Trechus tragelaphus*](#) J.Schmidt & Faille, 2018
- [*Trechus transversicollis*](#) J.Schmidt & Faille, 2018
- [*Trechus triamicorum*](#) Ortuño & Jimenez-Valverde, 2011
- [*Trechus tristiculus*](#) K. & J.Daniel, 1898
- [*Trechus tsampa*](#) J.Schmidt, 2009
- [*Trechus tsanmensis*](#) Belousov & Kabak, 2019
- [*Trechus tseringi*](#) J.Schmidt, 2009
- [*Trechus tshildebaevi*](#) Belousov & Kabak, 1992
- [*Trechus tshitsherini*](#) Belousov, 1987
- [*Trechus tuckaleechee*](#) Barr, 1962
- [*Trechus tumidus*](#) Jeannel, 1921

- [Trechus turgenicus](#) Belousov & Kabak, 1994
- [Trechus turkestanicus](#) Belousov & Kabak, 1992
- [Trechus turnai](#) Deuve & Queinnec, 1993
- [Trechus turnaianus](#) Deuve, 1993
- [Trechus turnaioides](#) Deuve, 1998
- [Trechus turukensis](#) Belousov & Kabak, 1992
- [Trechus tusquitee](#) Barr, 1979
- [Trechus tusquitensis](#) Donabauer, 2005
- [Trechus tuxeni](#) Jeannel, 1957
- [Trechus tychus](#) Jeannel, 1960
- [Trechus tyrrhenicus](#) Jeannel, 1927
- [Trechus tyshkanensis](#) Deuve & Queinnec, 1992

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

U

- [Trechus udiensis](#) Ortuño, 2017
- [Trechus uenyeensis](#) Donabauer, 2006
- [Trechus ulrichi](#) Pawlowski, 1976
- [Trechus umbricola](#) Wollaston, 1854
- [Trechus uncifer](#) Barr, 1962
- [Trechus unicoi](#) Barr, 1979
- [Trechus urartaeus](#) Pavesi & Sciaky, 1994
- [Trechus usgentensis](#) Belousov & Kabak, 1998
- [Trechus utschderensis](#) Reitter, 1890
- [Trechus utsi](#) J.Schmidt, 2016
- [Trechus uygur](#) Deuve, 1993
- [Trechus uygurorum](#) Belousov & Kabak, 1994
- [Trechus uytttenboogaarti](#) Jeannel, 1936

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

V

- [Trechus valbonensis](#) Jeannel, 1927
- [Trechus valentinei](#) Barr, 1979
- [Trechus valenzuelai](#) Fresneda; Bourdeau & Faille, 2015
- [Trechus validicollis](#) Sciaky & Pavesi, 1995
- [Trechus validipes](#) K.Daniel, 1902
- [Trechus valikhanovi](#) Belousov & Kabak, 1993
- [Trechus vallestris](#) K. & J.Daniel, 1898
- [Trechus vandykei](#) (Jeannel, 1927)
- [Trechus varendorffi](#) Sainte-Claire Deville, 1903
- [Trechus verus](#) Barr, 1962
- [Trechus vietnamicus](#) Ueno, 1995
- [Trechus vignai](#) Casale, 1979
- [Trechus viti](#) Pawlowski, 1977

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

W

- [Trechus wagneri](#) Ganglbauer, 1906
- [Trechus walteri](#) Pawlowski, 1978
- [Trechus wayahbaldensis](#) Donabauer, 2005
- [Trechus weiratheri](#) Jeannel, 1929
- [Trechus weiserti](#) Donabauer, 2007
- [Trechus weixiensis](#) Belousov & Kabak, 2000
- [Trechus wiersbowskyi](#) J.Schmidt & Faille, 2018
- [Trechus winkleri](#) Jeannel, 1927
- [Trechus witkowskii](#) Pawlowski, 1978
- [Trechus wittmeri](#) Ueno, 1977
- [Trechus wrzecionkoellus](#) Deuve, 2011
- [Trechus wrzecionkoi](#) Deuve, 1996
- [Trechus wrzecionkoianus](#) Deuve, 2005
- [Trechus wutaicola](#) (Deuve, 1988)

- [Top](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)

- [Z](#)

X Y Z

- [Trechus xiei](#) Deuve, 1992
- [Trechus xinjiangensis](#) Deuve, 1992
- [Trechus xiwuensis](#) Deuve, 1996
- [Trechus yak](#) J.Schmidt, 2009
- [Trechus yanoi](#) Jeannel, 1937
- [Trechus yaralensis](#) Belousov & Kabak, 2000
- [Trechus yasudai](#) Ueno, 1973
- [Trechus yengensis](#) Morvan, 1982
- [Trechus yeti](#) J.Schmidt, 2009
- [Trechus yvesbousqueti](#) Donabauer, 2010
- [Trechus zaerensis](#) Antoine, 1928
- [Trechus zamotajlovi](#) Belousov, 1990
- [Trechus zangherii](#) Jeannel, 1927
- [Trechus zarandicus](#) P.Moravec, 1986
- [Trechus zaslavskii](#) Jeannel, 1962
- [Trechus zetteli](#) Donabauer, 2007
- [Trechus zhabyk](#) Belousov & Kabak, 1994
- [Trechus zhangi](#) Deuve, 1989
- [Trechus zhaosuensis](#) Deuve, 2004
- [Trechus zhdankoi](#) Belousov & Kabak, 1992
- [Trechus zhugquicus](#) Deuve, 2009
- [Trechus ziganensis](#) Jeanne, 1976
- [Trechus zinovievi](#) Belousov & Kabak, 1996
- [Trechus zintshenkoi](#) Belousov & Kabak, 1999
- [Trechus zoigeicola](#) Belousov & Kabak, 2000
- [Trechus zoigensis](#) Deuve, 1989
- [Trechus zolotikhini](#) Belousov, 1990
- [Trechus zonguldakensis](#) Donabauer, 2004
- [Trechus zorgatii](#) Quéinnec & Ollivier, 2013
- [Trechus zvarici](#) Belousov & Kabak, 2000
- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

Extinct

- † [Trechus balticus](#) J.Schmidt & Faille, 2015
- † [Trechus capito](#) Forster, 1891
- † [Trechus eoanophthalmus](#) J.Schmidt; Hoffmann & Michalik, 2016
- † [Trechus exhibitorius](#) J.Schmidt; Belousov & Michalik, 2016
- † [Trechus fractus](#) Wickham, 1912

The following is an incomplete list of [hoverfly](#) species within the genus [Toxomerus](#):

- [T. aeolus](#) (Hull, 1942)[1][2]
- [T. alphabeticus](#) (Hull,1942) [3]
- [T. anthrax](#) [4][5]
- [T. antiopa](#) [6]
- [T. apeiensis](#) (Harbach, 1974)[1]
- [T. aquilinus](#) (Sack, 1941)[7]
- [T. arcifer](#) (Loew, 1866)
- [T. aurulentus](#)[8]
- [T. basalis](#)[5]

- [*T. Bidentatus*](#) (Giglio-Tos,1893)[9]
- [*T. bistrigus*](#)[10]
- [*T. boscii*](#) (Macquart, 1842) [11]
- [*T. brevifacies*](#)[5][11]
- [*T. buscki*](#) [4]
- [*T. calceolatus*](#)[4]
- [*T. centaureus*](#)[6]
- [*T. ciliatus*](#) (Giglio-Tos,1892) [9]
- [*T. circumcinctus*](#) [4]
- [*T.circumdatu*](#)s (Bigot, 1884) [10]
- [*T. claracuneus*](#) (Hull, 1940)[12]
- [*T. clarus*](#) (Curran 1930)[13]
- [*T. corbis*](#) (Walker, 1852)
- [*T. costalis*](#) (Wiedemann, 1830)[4]
- [*T. crockeri*](#) (Curran, 1934) [11]
- [*T. croesus*](#) (Hull, 1940) [12]
- [*T. difficilis*](#) (Curran, 1930)[14]
- [*T. dispar*](#) (Fabricius, 1794) [15]
- [*T. duplicatus*](#) [5]
- [*T. ectypus*](#) (Say, 1829) [16]
- [*T. ecuadoreus*](#) [11]
- [*T. elinorae*](#) [4]
- [*T. elisa*](#) (Hull, 1951) [6]
- [*T. eurydice*](#) (Hull 1951) [6]
- [*T.extrapolatus*](#) (Hull, 1943) [11]
- [*T. ferroxida*](#) (Hull, 1941)[11]
- [*T. flaviplurus*](#) [17][5]
- [*T. flamminea*](#) (Hull 1941) [11]
- [*T. floralis*](#) (Fabricius, 1798) [5]
- [*T. funestus*](#) [15]
- [*T. geminatus*](#) (Say, 1823)[18]
- [*T. guttifer*](#) (Hull, 1943) [11]
- [*T. hauseri*](#)[15]
- [*T.heraldicus*](#) (Bigot, 1884) [10]
- [*T. hieroglyphicus*](#) (Schiner, 1868) [5]
- [*T. hulli*](#) (Sedman) [4]
- [*T. idalius*](#) (Hull, 1951) [6]
- [*T.imperialis*](#) (Curran, 1926) [11]
- [*T. incaicus*](#) (Sack,1941) [15]
- [*T. insignis*](#) (Schiner, 1868)[2]
- [*T. intermedius*](#) (Hull, 1949) [2]
- [*T. jussiaeae*](#) (Vige, 1939)

- [*T. laciniosus*](#) (Loew 1866) [19][13]
- [*T. lacrymosus*](#) (Bigot, 1884)[10][5]
- [*T. laenas*](#) (Walker, 1852)[4]
- [*T. linearis*](#) (Wulp 1883) [4]
- [*T. luna*](#) (Hull, 1943) [11]
- [*T. marginatus*](#) (Say, 1823)
- [*T. minutus*](#) [4]
- [*T. multipunctatus*](#) [4]
- [*T. musicus*](#) [4]
- [*T. mutuus*](#) [4]
- [*T. nasutus*](#) [4]
- [*T. nigripunctus*](#) [4]
- [*T. nitidus*](#) [4]
- [*T. norma*](#) [4]
- [*T. nymphalius*](#) [4]
- [*T. occidentalis*](#) (Curran, 1922)
- [*T. ochraceus*](#) [4]
- [*T. ophiolinea*](#) [4]
- [*T. ornithoglyphus*](#) [4]
- [*T. ovatus*](#) [4]
- [*T. pallipes*](#) [4]
- [*T. papaveroi*](#) (Borges & Couri, 2009)[14]
- [*T. paragrammus*](#) [4]
- [*T. parvulus*](#) (Loew, 1866)
- [*T. pichinchae*](#) [4]
- [*T. pictus*](#) (Macquart, 1842)[7]
- [*T. picudus*](#)[15]
- [*T. politus*](#) (Say, 1823)
- [*T. polygraphicus*](#) [4]
- [*T. porticola*](#) [4]
- [*T. procrasinatus*](#) (Metz, 2001)[7]
- [*T. productus*](#) [4]
- [*T. puellus*](#) [4]
- [*T. pulchellus*](#) [4]
- [*T. purus*](#) [4]
- [*T. quinquecinctus*](#) [4]
- [*T. quinquemaculatus*](#) [4]
- [*T. rohri*](#) [4]
- [*T. rombicus*](#) [4]
- [*T. saphiridiceps*](#) [4]
- [*T. schlingeri*](#) [4]
- [*T. sedmani*](#) (Harbach, 1984)[14]

- [T. serpentinus](#) [4]
- [T. steatogaster](#) (Hull, 1941)[14]
- [T. sylvaticus](#) [4]
- [T. taenius](#) [4]
- [T. teligera](#) (Fluke, 1953)
- [T. tibicen](#) (Wiedemann, 1830)[7]
- [T. tubularius](#) [4]
- [T. una](#) [4]
- [T. undecimpunctatus](#) [4]
- [T. uranius](#) [4]
- [T. valdesi](#) [4]
- [T. vertebratus](#) [4]
- [T. verticalis](#) (Curran, 1927)
- [T. veve](#) [4]
- [T. vierecki](#) [4]
- [T. violaceus](#) [4]
- [T. virgulatus](#) (Macquart, 1850)[1]
- [T. watsoni](#) (Curran, 1930)[1]
- [T. willistonii](#) [4]

References

1.
 - Mengual, Ximo; Gunilla Stahls; Santos Rojo (2008). ["First phylogeny of predatory flower flies \(Diptera, Syrphidae, Syrphinae\) using mitochondrial COI and nuclear 28S rRNA genes: conflict and congruence with the current tribal classification"](#) (PDF). *Cladistics*. **24** (4). Wiley-Blackwell: 543–562. doi:10.1111/j.1096-0031.2008.00200.x. hdl:10045/12249. PMID 34879632. Archived from [the original](#) (PDF) on 2009-04-09. Retrieved 2009-06-18.
 - Metz, Mark (2001). ["A revision of the larger species of Toxomerus \(Diptera: Syrphidae\) with description of a new species"](#) (PDF). *Studia dipterologica*. **8**: 225–256.
 - Hull, Frank (1942). ["New Species Of Syrphid^ From The Neotropical Region"](#). *Psyche: A Journal of Entomology*. **84**.
 - ["ADW: Toxomerus: CLASSIFICATION"](#). animaldiversity.org.
 - Gerdes, Charles Frederick (1974). [Toxomerus \(Diptera:Syrphidae\) Of Ecuadora](#) (Thesis). Retrieved 2025-03-27.
 - Hull, Frank M (1951). ["New Species of Mesogramma \(Diptera, Syrphidae\)"](#). *American Museum Novitates* (1480): 22.
 - Marinoni, Luciane; Thompson, F. Christian (2003). "Flower flies of southeastern Brazil (Diptera: Syrphidae) Part I. Introduction and new species". *Studia Dipterologica*. **10** (2): 565–578. ISSN 0945-3954.

- Williston, S.W. (1887). [*"Synopsis of the North American Syrphidae"*](#). *Bulletin of the United States National Museum*. **31**: 1–335.🔒 This article incorporates text from this source, which is in the [public domain](#).
- Giglio-Tos, E (1892). [*Ditteri del Messico*](#). Torino, C. Clausen.
- Bigot, Jacques Marie François (1884). [*"Diptères nouveaux ou peu connus. 22e partie, XXXII: Syrphidi \(2e partie\). espèces nouvelles, No 1er"*](#). *Annales de la Société Entomologique de France*. **3** (6): 74. Retrieved 11 January 2024.🔒 This article incorporates text from this source, which is in the [public domain](#).
- Hull, Frank (1943). [*"The Genus Mesogramma"*](#). *Entomologica Americana*. **23**: 1–40.
- Hull, Frank (1940). [*"New Species of Syrphidae From the Neotropical Region"*](#). *Psyche: A Journal of Entomology*. **49** (3–4): 84–107. doi:[10.1155/1942/62725](#).
- Curran, C. H. (1930). [*"New Diptera Belonging to the Genus Mesogramma Loew \(Syrphidae\)"*](#). *American Museum Novitates* (405): 1–14.
- Reemer, Menno; Rotheray, Graham E. (16 April 2009). [*"Pollen feeding larvae in the presumed predatory syrphine genus Toxomerus Macquart \(Diptera, Syrphidae\)"*](#). *Journal of Natural History*. **43** (15). UK: Taylor and Francis: 939–949. Bibcode:[2009JNatH..43..939R](#). doi:[10.1080/00222930802610576](#). ISSN [1464-5262](#).
- Mengual, Ximo (2011-10-26). [*"Black-tie dress code: two new species of the genus Toxomerus \(Diptera, Syrphidae\)"*](#). *ZooKeys* (140): 1–26. Bibcode:[2011ZooK..140....1M](#). doi:[10.3897/zookeys.140.1930](#). ISSN [1313-2970](#). PMC [3208516](#). PMID [22144857](#).
- Say, T (1829). [*"Descriptions of North American dipterous insects"*](#). *J. Acad. Nat. Sci. Phila.* **6**: 149–178.
- Hall, D.G. (1927). "A new syrphid (Diptera) from Guatemala". *Entomol. News*. **38**: 239–240.
- Vockeroth, J. R. (1992). [*The Flower Flies of the Subfamily Syrphinae of Canada, Alaska, and Greenland \(Diptera: Syrphidae\). Part 18. The Insects and Arachnids of Canada*](#) (PDF). Ottawa, Ontario: Canadian Government Pub Centre. pp. 1–456.
-
- 19.Loew, H (1866). [*"Diptera Americae septentrionalis indigena. Centuria sexta"*](#). *Berliner Entomologische Zeitschrift*. **9**: 127–186. doi:[10.1002/mmnd.18650090303](#).

Categories:

- [Lists of insect species](#)
- [Syrphini](#)
-

These 363 species belong to [Torymus](#), a genus of chalcid wasps in the family [Torymidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Torymus species

- [Torymus absonus](#) Narendran & Kumar, 2005 ^{c g}
- [Torymus aceris](#) Boucek, 1994 ^{c g}
- [Torymus acrophilae](#) Ruschka, 1921 ^{c g}
- [Torymus advenus](#) (Osten-Sacken, 1870) ^{c g b}
- [Torymus aea](#) (Walker, 1843) ^{c g}
- [Torymus aeneoscapus](#) (Huber, 1927) ^{c g}
- [Torymus aereus](#) (Huber, 1927) ^{c g}
- [Torymus affinis](#) (Fonscolombe, 1832) ^{c g}
- [Torymus aiolomorphi](#) (Kamijo, 1964) ^g
- [Torymus alaskensis](#) (Huber, 1927) ^{c g}
- [Torymus ambositrae](#) (Risbec, 1955) (Madagascar)
- [Torymus amurensis](#) (Walker, 1874) ^{c g}
- [Torymus anastativorus](#) Fahringer, 1944 ^{c g}
- [Torymus angelicae](#) (Walker, 1836) ^{c g}
- [Torymus anthobiae](#) Ruschka, 1921 ^{c g}
- [Torymus anthomyiae](#) Ashmead, 1887 ^{c g}
- [Torymus antiquus](#) (Geoffroy, 1785) ^g
- [Torymus apiomyiae](#) Boucek & Mihajlovic, 1986 ^{c g}
- [Torymus approximatus](#) Forster, 1841 ^g
- [Torymus arcadius](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus arcella](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus arcticus](#) (Thomson, 1876) ^{c g}
- [Torymus argei](#) Boucek, 1994 ^{c g}
- [Torymus armatus](#) Boheman, 1834 ^{c g}
- [Torymus arrogans](#) Schrottky, 1907 ^{c g}
- [Torymus artemisiae](#) Mayr, 1874 ^{c g}
- [Torymus arundinis](#) (Walker, 1833) ^{c g}
- [Torymus asphondyliae](#) Kieffer, 1910 ^{c g}
- [Torymus associatus](#) Forster, 1841 ^g
- [Torymus asteridis](#) (Huber, 1927) ^{c g}
- [Torymus atheatus](#) Grissell, 1976 ^{c g}
- [Torymus atriplicis](#) (Huber, 1927) ^{c g b}
- [Torymus aucupariae](#) (Rodzianko, 1908) ^{c g}
- [Torymus auratus](#) (Muller, 1764) ^g
- [Torymus austriacus](#) Graham, 1994 ^{c g}

- [*Torymus aztecus*](#) Cameron, 1905 ^{c g}
- [*Torymus azureus*](#) Boheman, 1834 ^{c g}
- [*Torymus baccharidis*](#) (Huber, 1927) ^{c g}
- [*Torymus basalis*](#) (Walker, 1833) ^{c g}
- [*Torymus baudysi*](#) Boucek, 1954 ^{c g}
- [*Torymus bedeguaris*](#) (Linnaeus, 1758) ^{c g b}
- [*Torymus beneficus*](#) Yasumatsu & Kamijo, 1979 ^{c g}
- [*Torymus biarticulatus*](#) (Mayr, 1885) ^{c g}
- [*Torymus bicoloratus*](#) (Huber, 1927) ^{c g}
- [*Torymus bicolorus*](#) Xu & He, 2003 ^{c g}
- [*Torymus bifasciipennis*](#) (Gahan, 1936) ^{c g}
- [*Torymus biorhizae*](#) (Ashmead, 1887) ^{c g}
- [*Torymus boharti*](#) Grissell, 1976 ^{c g}
- [*Torymus boops*](#) Graham, 1994 ^{c g}
- [*Torymus borealis*](#) Thomson, 1876 ^{c g}
- [*Torymus bouceki*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus brachyurus*](#) Boheman, 1834 ^{c g}
- [*Torymus brevicoxa*](#) Zavada, 2001 ^{c g}
- [*Torymus breviscapus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus brodiei*](#) (Ashmead, 1887) ^{c g}
- [*Torymus calcaratus*](#) Nees, 1834 ^{c g}
- [*Torymus caledonicus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus californicus*](#) (Ashmead, 1886) ^{c g b} (oak gall chalcid)
- [*Torymus canariensis*](#) Hedqvist, 1977 ^{c g}
- [*Torymus capillaceus*](#) (Huber, 1927) ^{c g}
- [*Torymus capitis*](#) (Huber, 1927) ^{c g}
- [*Torymus capitonis*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus caudatulus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus caudatus*](#) Boheman, 1834 ^{c g}
- [*Torymus cecidomyae*](#) (Walker, 1844) ^{c g}
- [*Torymus centor*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cerri*](#) (Mayr, 1874) ^{c g}
- [*Torymus chapadae*](#) Ashmead, 1904 ^{c g}
- [*Torymus chaubattiensis*](#) Bhatnagar, 1952 ^{c g}
- [*Torymus chlorocopes*](#) Boheman, 1834 ^{c g}
- [*Torymus chloromerus*](#) (Walker, 1833) ^{c g}

- [*Torymus chrysocephalus*](#) Boheman, 1834 ^{c g}
- [*Torymus chrysochlorus*](#) (Osten-Sacken, 1870) ^{c g}
- [*Torymus cingulatus*](#) Nees, 1834 ^{c g}
- [*Torymus citripes*](#) (Huber, 1927) ^{c g}
- [*Torymus coccineus*](#) (Huber, 1927) ^{c g}
- [*Torymus coeruleus*](#) (Ashmead, 1881) ^{c g}
- [*Torymus coloradensis*](#) (Huber, 1927) ^{c g}
- [*Torymus condaliae*](#) Kieffer, 1910 ^{c g}
- [*Torymus confinis*](#) (Walker, 1833) ^{c g}
- [*Torymus confluens*](#) Ratzeburg, 1852 ^{c g}
- [*Torymus contractus*](#) Dalman, 1820 ^{c g}
- [*Torymus contubernalis*](#) Boheman, 1834 ^{c g}
- [*Torymus corni*](#) Mayr, 1874 ^{c g}
- [*Torymus crassiceps*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus crassus*](#) (Breland, 1939) ^{c g}
- [*Torymus cretaceus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cribratus*](#) Kieffer, 1910 ^{c g}
- [*Torymus cruentatus*](#) (Huber, 1927) ^{c g}
- [*Torymus cultratus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cultriventris*](#) Ratzeburg, 1844 ^{c g}
- [*Torymus cupratus*](#) Boheman, 1834 ^{c g}
- [*Torymus cupreus*](#) (Spinola, 1808) ^{c g}
- [*Torymus curticauda*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus curtisi*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus curvatulus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus cyaneus*](#) Walker, 1847 ^{c g}
- [*Torymus cyniphidis*](#) (Linnaeus, 1758) ^g
- [*Torymus cyprianus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus dasyneurae*](#) (Huber, 1927) ^{c g}
- [*Torymus dennoi*](#) Grissell, 1976 ^{c g}
- [*Torymus denticulatus*](#) (Breland, 1939) ^{c g}
- [*Torymus diabolus*](#) Moser, 1965 ^{c g}
- [*Torymus difficilis*](#) Nees, 1834 ^{c g}
- [*Torymus dorycnicola*](#) (Müller, 1870) ^g
- [*Torymus druparum*](#) Boheman, 1834 ^{c g}
- [*Torymus dryophantae*](#) (Ashmead, 1887) ^{c g}

- [*Torymus dubiosus*](#) (Huber, 1927) ^{c g}
- [*Torymus duplicatus*](#) (Huber, 1927) ^{c g}
- [*Torymus durus*](#) (Osten-Sacken, 1870) ^{c g}
- [*Torymus eadyi*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus ebrius*](#) (Osten-Sacken, 1870) ^{c g}
- [*Torymus eglanteriae*](#) Mayr, 1874 ^{c g}
- [*Torymus elegantissimus*](#) (Ashmead, 1881) ^{c g}
- [*Torymus epilobii*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus ermolenkoi*](#) Zerova & Seryogina, 2002 ^{c g}
- [*Torymus erucarum*](#) (Schrank, 1781) ^{c g}
- [*Torymus eumelis*](#) (Walker, 1842) ^{c g}
- [*Torymus eurytomae*](#) (Puzanova-Malysheva, 1936) ^{c g}
- [*Torymus evansi*](#) Grissell, 2004 ^{c g}
- [*Torymus ezomatsuanus*](#) Kamijo, 2004 ^{c g}
- [*Torymus fagi*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus fagineus*](#) Graham, 1994 ^{c g}
- [*Torymus fagopirum*](#) (Provancher, 1881) ^{c g b}
- [*Torymus fastuosus*](#) Boheman, 1834 ^{c g}
- [*Torymus favardi*](#) Steffan, 1962 ^{c g}
- [*Torymus femoralis*](#) (Perez, 1895) ^g
- [*Torymus ferrugineipes*](#) (Huber, 1927) ^{c g}
- [*Torymus festivus*](#) Hobbs, 1950 ^{c g}
- [*Torymus filipendulae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus fischeri*](#) Ruschka, 1921 ^{c g}
- [*Torymus flavicoxa*](#) (Osten-Sacken, 1870) ^{c g b}
- [*Torymus flavigastris*](#) Matsuo, 2012 ^g
- [*Torymus flavipes*](#) (Walker, 1833) ^{c g}
- [*Torymus flaviventris*](#) Ashmead, 1888 ^{c g}
- [*Torymus flavocinctus*](#) Kieffer, 1910 ^{c g}
- [*Torymus flavovariegatus*](#) Gijswijt, 1990 ^{c g}
- [*Torymus flavus*](#) (Goureau, 1851) ^g
- [*Torymus floridensis*](#) Peck, 1951 ^{c g}
- [*Torymus formosus*](#) (Walker, 1833) ^{c g}
- [*Torymus fractiosus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus frankiei*](#) Grissell, 1973 ^{c g}
- [*Torymus frater*](#) Thomson, 1876 ^{c g}

- [*Torymus frumenti*](#) (Dumont-Courset, 1799) ^g
- [*Torymus fujianensis*](#) Xu & He, 2003 ^{c g}
- [*Torymus fullawayi*](#) (Huber, 1927) ^{c g b}
- [*Torymus fulvus*](#) (Huber, 1927) ^{c g}
- [*Torymus fuscicornis*](#) (Walker, 1833) ^{c g}
- [*Torymus fuscipes*](#) Boheman, 1834 ^{c g}
- [*Torymus gahani*](#) (Huber, 1927) ^{c g}
- [*Torymus galeobdolonis*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus galii*](#) Boheman, 1834 ^{c g}
- [*Torymus gansuensis*](#) Lin & Xu, 2005 ^{c g}
- [*Torymus genisticola*](#) Ruschka, 1921 ^{c g}
- [*Torymus geranii*](#) (Walker, 1833) ^{c g}
- [*Torymus giraudianus*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus globiceps*](#) (Retzius, 1783) ^{c g}
- [*Torymus gloriosus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus gracilior*](#) Graham, 1994 ^{c g}
- [*Torymus grahami*](#) Boucek, 1994 ^{c g}
- [*Torymus guyanaus*](#) Cameron, 1913 ^{c g}
- [*Torymus hainesi*](#) Ashmead, 1893 ^{c g}
- [*Torymus halimi*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus hederæ*](#) (Walker, 1833) ^{c g}
- [*Torymus helianthi*](#) Brodie, 1894 ^{c g}
- [*Torymus helveticus*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus heterobiae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus heyeri*](#) Wachtl, 1883 ^{c g}
- [*Torymus himachalicus*](#) Narendran & Sureshan, 2005 ^{c g}
- [*Torymus hircinus*](#) Ashmead, 1894 ^{c g}
- [*Torymus hirsutus*](#) (Huber, 1927) ^{c g}
- [*Torymus hobbsi*](#) Grissell, 2004 ^{c g}
- [*Torymus holcaspoideus*](#) (Ashmead, 1904) ^{c g}
- [*Torymus hornigi*](#) Ruschka, 1921 ^{c g}
- [*Torymus huberi*](#) (Hoffmeyer, 1929) ^{c g}
- [*Torymus hylesini*](#) Graham, 1994 ^{c g}
- [*Torymus iacchos*](#) Zavada, 2001 ^{c g}
- [*Torymus igniceps*](#) Mayr, 1874 ^{c g}
- [*Torymus impar*](#) Rondani, 1877 ^{c g}

- [*Torymus imperatrix*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus indicus*](#) (Ahmad, 1946) ^{c g}
- [*Torymus interruptus*](#) Gijswijt, 2000 ^{c g}
- [*Torymus inulae*](#) Wachtl, 1884 ^{c g}
- [*Torymus iraklii*](#) Zerova & Seryogina, 2002 ^{c g}
- [*Torymus isajevi*](#) Zerova & Dolgin, 1986 ^{c g}
- [*Torymus itoi*](#) Matsuo ^g
- [*Torymus janetiellae*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus josefi*](#) Boucek, 1996 ^{c g}
- [*Torymus josephinae*](#) Boucek, 1988 ^{c g}
- [*Torymus juniperi*](#) (Linnaeus, 1758) ^{c g}
- [*Torymus kaltenbachii*](#) Forster, 1840 ^g
- [*Torymus kiefferi*](#) (Hoffmeyer, 1929) ^{c g}
- [*Torymus kinseyi*](#) (Huber, 1927) ^{c g}
- [*Torymus koebeleii*](#) (Huber, 1927) ^{c g b}
- [*Torymus kononovae*](#) (Zerova & Seregina, 1991) ^{c g}
- [*Torymus koreanus*](#) Kamijo, 1982 ^{c g}
- [*Torymus kovaci*](#) Narendran & Girish Kumar, 2005 ^{c g}
- [*Torymus laetus*](#) (Walker, 1833) ^{c g}
- [*Torymus lampros*](#) Graham, 1994 ^{c g}
- [*Torymus lapsanae*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus laricis*](#) Boucek, 1994 ^{c g}
- [*Torymus larreae*](#) Grissell, 1976 ^{c g}
- [*Torymus lathyri*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus latialatus*](#) Lin & Xu, 2005 ^{c g}
- [*Torymus lini*](#) Mayr, 1874 ^{c g}
- [*Torymus lissus*](#) (Walker, 1843) ^{c g}
- [*Torymus lividus*](#) (Ashmead, 1885) ^{c g}
- [*Torymus longicalcar*](#) Graham, 1994 ^{c g}
- [*Torymus longicauda*](#) (Provancher, 1883) ^{c g}
- [*Torymus longior*](#) Brodie, 1894 ^{c g b}
- [*Torymus longiscapus*](#) Grissell, 1976 ^{c g}
- [*Torymus longistigmus*](#) (Huber, 1927) ^{c g}
- [*Torymus lorantheri*](#) (Cameron, 1913) ^{c g}
- [*Torymus luridus*](#) Zavada, 2001 ^{c g}
- [*Torymus lycicola*](#) Kieffer, 1910 ^{c g}

- [Torymus lythri](#) Boucek, 1994 ^{c g}
- [Torymus macrurus](#) (Forster, 1859) ^g
- [Torymus maculatus](#) Lin & Xu, 2005 ^{c g}
- [Torymus maculipennis](#) (Cameron, 1884) ^{c g}
- [Torymus magnificus](#) (Osten-Sacken, 1870) ^{c g}
- [Torymus mandrakensis](#) (Risbec, 1956) ^{c g}
- [Torymus mediocris](#) (Walker, 1874) ^{c g}
- [Torymus mellipes](#) (Huber, 1927) ^{c g}
- [Torymus memnonius](#) Grissell, 1973 ^{c g}
- [Torymus mendocinus](#) Kieffer, 1910 ^{c g}
- [Torymus mexicanus](#) Ashmead, 1899 ^{c g}
- [Torymus microcerus](#) (Walker, 1833) ^{c g}
- [Torymus microstigma](#) (Walker, 1833) ^{c g}
- [Torymus micrurus](#) Boucek, 1994 ^{c g}
- [Torymus millefolii](#) Ruschka, 1921 ^{c g}
- [Torymus minutus](#) Forster, 1840 ^g
- [Torymus missouriensis](#) (Huber, 1927) ^{c g}
- [Torymus monticola](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus montserrati](#) Crawford, 1911 ^{c g}
- [Torymus multicolor](#) (Huber, 1927) ^{c g}
- [Torymus myrtacearum](#) (Costa Lima, 1916) ^{c g}
- [Torymus narvikensis](#) Graham, 1994 ^{c g}
- [Torymus nebulosus](#) Askew, 2001 ^{c g}
- [Torymus neepalensis](#) Narendran, 1994 ^{c g}
- [Torymus nemorum](#) Boucek, 1994 ^{c g}
- [Torymus neuroterus](#) Ashmead, 1887 ^{c g}
- [Torymus nigritarsus](#) (Walker, 1833) ^{c g}
- [Torymus nitidulus](#) (Walker, 1833) ^{c g}
- [Torymus nobilis](#) Boheman, 1834 ^{c g}
- [Torymus nonacris](#) (Walker, 1842) ^{c g}
- [Torymus notatus](#) (Walker, 1833) ^{c g}
- [Torymus novitzkyi](#) Graham, 1994 ^{c g}
- [Torymus nubilus](#) (Breland, 1939) ^{c g}
- [Torymus nudus](#) (Breland, 1939) ^{c g}
- [Torymus obscurus](#) (Breland, 1939) ^{c g}
- [Torymus occidentalis](#) (Huber, 1927) ^{c g}

- [Torymus ochreateus](#) Say, 1836 ^{c g}
- [Torymus oreiplanus](#) Kieffer, 1910 ^{c g}
- [Torymus orientalis](#) (Masi, 1926) ^g
- [Torymus orissaensis](#) (Mani, 1936) ^{c g}
- [Torymus orobi](#) Mayr, 1874 ^{c g}
- [Torymus osborni](#) (Huber, 1927) ^{c g}
- [Torymus oviperditor](#) (Gahan, 1927) ^{c g}
- [Torymus pachypsyllae](#) (Ashmead, 1888) ^{c g}
- [Torymus pallidipes](#) Ashmead, 1894 ^{c g}
- [Torymus paludum](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus paraguayensis](#) (Girault, 1913) ^{c g}
- [Torymus partitus](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus pascuorum](#) Boucek, 1994 ^{c g}
- [Torymus pastinacae](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus pavidus](#) Say, 1836 ^{c g}
- [Torymus perplexus](#) (Huber, 1927) ^{c g}
- [Torymus persicariae](#) Mayr, 1874 ^{c g}
- [Torymus persimilis](#) Ashmead, 1894 ^{c g}
- [Torymus philippii](#) (Hoffmeyer, 1929) ^{c g}
- [Torymus phillyreae](#) Ruschka, 1921 ^{c g}
- [Torymus poae](#) (Hoffmeyer, 1930) ^{c g}
- [Torymus potamius](#) Grissell, 1976 ^{c g}
- [Torymus pretiosus](#) (Walker, 1833) ^{c g}
- [Torymus problematicus](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus prosopidis](#) Kieffer, 1910 ^{c g}
- [Torymus prunicola](#) (Huber, 1927) ^{c g}
- [Torymus pseudotsugae](#) Hobbs, 2004 ^{c g}
- [Torymus pulchellus](#) Thomson, 1876 ^{c g}
- [Torymus punctifrons](#) (Ashmead, 1894) ^{c g}
- [Torymus purpurascens](#) (Fabricius, 1798) ^{c g}
- [Torymus purpureae](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus purpureomaculata](#) (Cameron, 1904) ^{c g}
- [Torymus putoniellae](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus pygmaeus](#) Mayr, 1874 ^{c g}
- [Torymus quadriceps](#) Graham & Gijswijt, 1998 ^{c g}
- [Torymus quercinus](#) Boheman, 1834 ^{c g}

- [Torymus racemariae](#)^b
- [Torymus ramicola](#) Ruschka, 1921^{c g}
- [Torymus ranomafanensis](#) (Risbec, 1956) (Madagascar)
- [Torymus regalis](#) (Walker, 1833)^{c g}
- [Torymus resinanae](#) Ratzeburg, 1852^{c g}
- [Torymus rhamni](#) Boucek, 1994^{c g}
- [Torymus rhoditidis](#) (Huber, 1927)^{c g}
- [Torymus ringofuschi](#) Kamijo, 1979^{c g}
- [Torymus roboris](#) (Walker, 1833)^{c g}
- [Torymus rosariae](#) Graham & Gijswijt, 1998^{c g}
- [Torymus rubi](#) (Schrank, 1781)^{c g}
- [Torymus rubigasterus](#) Xu & He, 2003^{c g}
- [Torymus rudbeckiae](#) Ashmead, 1890^{c g}
- [Torymus rufipes](#) (Walker, 1834)^{c g}
- [Torymus rugglesi](#) Milliron, 1959^{c g b}
- [Torymus rugosipunctatus](#) Ashmead, 1894^{c g}
- [Torymus ruschkai](#) (Hoffmeyer, 1929)^{c g}
- [Torymus salicis](#) Graham, 1994^{c g}
- [Torymus sapporoensis](#) Ashmead, 1904^{c g}
- [Torymus sarothamni](#) Kieffer, 1899^{c g}
- [Torymus scalaris](#) (Huber, 1927)^{c g}
- [Torymus scandicus](#) Graham & Gijswijt, 1998^{c g}
- [Torymus scaposus](#) (Thomson, 1876)^{c g}
- [Torymus schizothecae](#) Ruschka, 1921^{c g}
- [Torymus scutellaris](#) (Walker, 1833)^{c g}
- [Torymus seminum](#) (Hoffmeyer, 1929)^{c g}
- [Torymus sharmai](#) Sureshan & Narendran, 2002^{c g}
- [Torymus silenus](#) Zavada, 2001^{c g}
- [Torymus sinensis](#) Kamijo, 1982^{c g}
- [Torymus smithi](#) Ashmead, 1904^{c g}
- [Torymus socius](#) Mayr, 1874^{c g}
- [Torymus solidaginis](#) (Huber, 1927)^{c g}
- [Torymus solitarius](#) (Osten-Sacken, 1870)^{c g b}
- [Torymus spaici](#) Boucek, 1994^{c g}
- [Torymus speciosus](#) Boheman, 1834^{c g}
- [Torymus sphaerocephalus](#) Graham & Gijswijt, 1998^g

- [*Torymus spherocephalus*](#) de Vere Graham & Gijswijt, 1998 ^g
- [*Torymus spilopterus*](#) Boheman, 1834 ^{c g}
- [*Torymus splendidulus*](#) Dalla Torre, 1898 ^{c g}
- [*Torymus stenus*](#) Graham, 1994 ^{c g}
- [*Torymus stom*](#) Narendran & Sudheer, 2005 ^{c g}
- [*Torymus strenuus*](#) (Walker, 1871) ^{c g}
- [*Torymus subcalifornicus*](#) Grissell, 1976 ^{c g}
- [*Torymus subnudus*](#) Boucek, 1978 ^{c g}
- [*Torymus sulcatus*](#) (Huber, 1927) ^{c g}
- [*Torymus superbus*](#) Kieffer, 1910 ^{c g}
- [*Torymus sylvicola*](#) Ashmead, 1904 ^{c g}
- [*Torymus tanaceticola*](#) Ruschka, 1921 ^{c g}
- [*Torymus tatarianae*](#) Zavada, 2001 ^{c g}
- [*Torymus terentianus*](#) Zavada, 2001 ^{c g}
- [*Torymus texanus*](#) (Hoffmeyer, 1930) ^{c g}
- [*Torymus thalassinus*](#) (Crosby, 1908) ^{c g}
- [*Torymus theon*](#) (Walker, 1843) ^{c g}
- [*Torymus thompsoni*](#) Fyles, 1904 ^{c g}
- [*Torymus thoracicus*](#) (Ashmead, 1904) ^{c g}
- [*Torymus thymi*](#) Ruschka, 1921 ^{c g}
- [*Torymus tipulariarum*](#) Zetterstedt, 1838 ^{c g}
- [*Torymus triangularis*](#) Thomson, 1876 ^{c g}
- [*Torymus tsugae*](#) (Yano, 1918) ^{c g}
- [*Torymus tubicola*](#) (Osten-Sacken, 1870) ^{c g b}
- [*Torymus ulmariae*](#) Ruschka, 1921 ^{c g}
- [*Torymus umbilicatus*](#) (Gahan, 1919) ^{c g b}
- [*Torymus valerii*](#) Graham & Gijswijt, 1998 ^{c g}
- [*Torymus vallisnerii*](#) Cameron, 1901 ^{c g}
- [*Torymus varians*](#) (Walker) ^{i c g}
- [*Torymus ventralis*](#) (Fonscolombe, 1832) ^{c g}
- [*Torymus verbasci*](#) Ruschka, 1921 ^{c g}
- [*Torymus veronicae*](#) Ruschka, 1921 ^{c g}
- [*Torymus vesiculi*](#) Moser, 1956 ^{c g}
- [*Torymus violae*](#) (Hoffmeyer, 1944) ^{c g}
- [*Torymus virescens*](#) (De Stefani, 1908) ^g
- [*Torymus wachtliellae*](#) Graham & Gijswijt, 1998 ^{c g}

- [*Torymus warreni*](#) (Cockerell, 1911) ^{c g}
- [*Torymus xanthopus*](#) (Schulz, 1906) ^{c g}
- [*Torymus zabriskii*](#) ^b
- [*Torymus zhejiangensis*](#) Lin & Xu, 2005 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 282 species in [*Tomosvaryella*](#), a genus of big-headed flies in the family [*Pipunculidae*](#).

***Tomosvaryella* species**

- [*Tomosvaryella aegyptia*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella aeneiventris*](#) (Kertész, 1903)
- [*Tomosvaryella africana*](#) Hardy, 1949
- [*Tomosvaryella agnesea*](#) Hardy, 1940
- [*Tomosvaryella albiseta*](#) Cresson, 1911
- [*Tomosvaryella aliena*](#) Hardy, 1947
- [*Tomosvaryella amazonensis*](#) De Meyer & Skevington, 2000[2]
- [*Tomosvaryella ancylostyla*](#) Hardy, 1961
- [*Tomosvaryella angolensis*](#) De Meyer, 1993
- [*Tomosvaryella angulata*](#) Kehlmaier & Majnon-Jahromi, 2017[3]
- [*Tomosvaryella anomala*](#) Hardy, 1949
- [*Tomosvaryella apicalis*](#) Hardy, 1949
- [*Tomosvaryella appendipes*](#) (Cresson, 1911)
- [*Tomosvaryella argentea*](#) (Sack, 1935)
- [*Tomosvaryella argenteiventris*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella argentifrons*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella argentosa*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella arguta*](#) Kuznetsov, 1994[1]
- [*Tomosvaryella argyrata*](#) De Meyer, 1995
- [*Tomosvaryella argyratoides*](#) De Meyer, 1995
- [*Tomosvaryella armata*](#) Hardy, 1940
- [*Tomosvaryella aurata*](#) Ale-Rocha, 1996
- [*Tomosvaryella baderiensis*](#) Kapoor, Grewal & Sharma, 1987[4]
- [*Tomosvaryella basalis*](#) Hardy, 1950
- [*Tomosvaryella beameri*](#) Hardy, 1940
- [*Tomosvaryella bidens*](#) (Cresson, 1911)
- [*Tomosvaryella bissulca*](#) Ale-Rocha, 1996
- [*Tomosvaryella botswanae*](#) De Meyer, 1993
- [*Tomosvaryella brachybasis*](#) De Meyer, 1993

- [Tomosvaryella brachyscolops](#) Hardy, 1961
- [Tomosvaryella brevidens](#) Kuznetsov, 1994[1]
- [Tomosvaryella brevijuncta](#) Hardy, 1943
- [Tomosvaryella bugalensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella bulganensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella caerulescens](#) De Meyer, 1993
- [Tomosvaryella cagiae](#) Skevington & Foldvari, 2007
- [Tomosvaryella calcarata](#) Hardy, 1968
- [Tomosvaryella caligata](#) Hardy, 1968
- [Tomosvaryella chilensis](#) Ale-Rocha, 1996
- [Tomosvaryella cilifemorata](#) (Becker, 1907)
- [Tomosvaryella cilifera](#) Kuznetsov, 1994[1]
- [Tomosvaryella cilitarsis](#) (Strobl, 1910)[5]
- [Tomosvaryella claripennis](#) (Loew, 1858)
- [Tomosvaryella columbiana](#) (Kertész, 1915)
- [Tomosvaryella comaousa](#) De Meyer, 1990
- [Tomosvaryella concavifronta](#) Yang & Xu, 1998
- [Tomosvaryella congoana](#) Hardy, 1950
- [Tomosvaryella contorta](#) (Hardy, 1939)
- [Tomosvaryella coquilletti](#) (Kertész, 1907)
- [Tomosvaryella coquilletticoquilletti](#) (Kertész, 1907)
- [Tomosvaryella cornuta](#) Kuznetsov, 1994[1]
- [Tomosvaryella corusca](#) Skevington & Foldvari, 2007
- [Tomosvaryella crassa](#) Ale-Rocha, 2004
- [Tomosvaryella crassifemorata](#) De Meyer, 1993
- [Tomosvaryella crinita](#) Ale-Rocha, 1996
- [Tomosvaryella curta](#) Ale-Rocha, 1996
- [Tomosvaryella curtissima](#) Kuznetsov, 1993
- [Tomosvaryella curvipatis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella debruyni](#) De Meyer, 1995
- [Tomosvaryella deformis](#) Hardy, 1947
- [Tomosvaryella dehraduniensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella denticulatus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella dentiterebra](#) Collin, 1949
- [Tomosvaryella deserticola](#) Kuznetsov, 1993
- [Tomosvaryella diffusa](#) Ale-Rocha, 1996
- [Tomosvaryella disjuncta](#) (Becker, 1900)
- [Tomosvaryella dissimilis](#) Hardy, 1943
- [Tomosvaryella dividua](#) Kuznetsov, 1994[1]
- [Tomosvaryella docta](#) De Meyer, 1995
- [Tomosvaryella dongyue](#) Yang & Xu, 1998
- [Tomosvaryella ekyphysis](#) Ale-Rocha, 1996

- [Tomosvaryella epichalca](#) (Perkins, 1905)
- [Tomosvaryella equistylis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella eusylvatica](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella exilidens](#) Hardy, 1943
- [Tomosvaryella falkovitshi](#) Kuznetsov, 1993
- [Tomosvaryella femella](#) Kuznetsov, 1993
- [Tomosvaryella flaviantenna](#) (Hardy and Knowlton, 1939)
- [Tomosvaryella flavicrus](#) Hardy, 1968
- [Tomosvaryella flavipes](#) De Meyer, 1993
- [Tomosvaryella flexa](#) Kuznetsov, 1994[1]
- [Tomosvaryella floridensis](#) Hardy, 1940
- [Tomosvaryella forchhammeri](#) De Meyer, 1993
- [Tomosvaryella forter](#) Yang & Xu, 1998
- [Tomosvaryella freidbergi](#) De Meyer, 1995
- [Tomosvaryella frontata](#) (Becker, 1898)[6]
- [Tomosvaryella galapagensis](#) (Curran, 1934)
- [Tomosvaryella gazliensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella geniculata](#) (Meigen, 1824)[7]
- [Tomosvaryella genitalis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella gibbosa](#) Hardy, 1949
- [Tomosvaryella gobiensis](#) De Meyer & Skevington, 2000[2]
- [Tomosvaryella gussakovskyi](#) Kuznetsov, 1994[1]
- [Tomosvaryella guwahatiensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella hactena](#) Hardy, 1972
- [Tomosvaryella helwanensis](#) Collin, 1949
- [Tomosvaryella hildeae](#) De Meyer, 1997
- [Tomosvaryella hirticollis](#) (Becker, 1910)
- [Tomosvaryella hispanica](#) De Meyer, 1997
- [Tomosvaryella hissarica](#) Kuznetsov, 1993
- [Tomosvaryella hongorica](#) Kuznetsov, 1994[1]
- [Tomosvaryella hortobagyiensis](#) Foldvari & De Meyer, 2000[2]
- [Tomosvaryella hozretishiensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella immutata](#) (Becker, 1913)
- [Tomosvaryella inazumae](#) (Koizumi, 1960)
- [Tomosvaryella incompta](#) Ale-Rocha, 1996
- [Tomosvaryella incondita](#) Hardy, 1961
- [Tomosvaryella inconspicua](#) (Malloch, 1912)
- [Tomosvaryella indica](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella inermis](#) De Meyer, 1995
- [Tomosvaryella inopinata](#) De Meyer, 1995
- [Tomosvaryella insulicola](#) De Meyer, 1993
- [Tomosvaryella israelensis](#) De Meyer, 1995

- [Tomosvaryella itoi](#) (Koizumi, 1960)
- [Tomosvaryella jubata](#) De Meyer, 1995
- [Tomosvaryella kalevala](#) Kehlmaier, 2008
- [Tomosvaryella karakalaensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella kashipurensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella kirghizorum](#) Kuznetsov, 1993
- [Tomosvaryella kondarensis](#) Kuznetsov, 1993
- [Tomosvaryella kuthyi](#) Aczél, 1944[8]
- [Tomosvaryella lata](#) Kuznetsov, 1994[1]
- [Tomosvaryella laticlavata](#) Kuznetsov, 1994[1]
- [Tomosvaryella latitarsis](#) Hardy, 1950
- [Tomosvaryella leimonias](#) (Perkins, 1905)
- [Tomosvaryella lepidipes](#) Hardy, 1943
- [Tomosvaryella leri](#) Kuznetsov, 1994[1]
- [Tomosvaryella limpidipennis](#) (Brunetti, 1912)
- [Tomosvaryella littoralis](#) (Becker, 1898)[6]
- [Tomosvaryella longipygianus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella longiseta](#) Ale-Rocha, 1996
- [Tomosvaryella longistylus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella longula](#) Kuznetsov, 1994[1]
- [Tomosvaryella luppovae](#) Kuznetsov, 1994[1]
- [Tomosvaryella lynchi](#) (Shannon, 1927)
- [Tomosvaryella lyneborgi](#) (Coe, 1969)
- [Tomosvaryella manauensis](#) Ale-Rocha, 1996
- [Tomosvaryella mbuyensis](#) Hardy, 1952
- [Tomosvaryella mediocris](#) (Collin, 1931)
- [Tomosvaryella membranacea](#) Ale-Rocha & Rafael, 1995
- [Tomosvaryella membranosa](#) Kuznetsov, 1994[1]
- [Tomosvaryella mesasiatica](#) Kuznetsov, 1994[1]
- [Tomosvaryella mesostena](#) Hardy, 1961
- [Tomosvaryella mexicanensis](#) Ale-Rocha & Rafael, 1995
- [Tomosvaryella micronesiae](#) Hardy, 1956
- [Tomosvaryella mimica](#) Kuznetsov, 1994[1]
- [Tomosvaryella minacis](#) Hardy, 1940
- [Tomosvaryella minima](#) (Becker, 1898)[6]
- [Tomosvaryella minuscula](#) (Collin, 1956)
- [Tomosvaryella minutus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella moala](#) Skevington & Foldvari, 2007
- [Tomosvaryella mongolica](#) Kozanek, 1992
- [Tomosvaryella montana](#) De Meyer, 1993
- [Tomosvaryella montina](#) Kuznetsov, 1994[1]
- [Tomosvaryella multisetae](#) Kapoor, Grewal & Sharma, 1987[4]

- [Tomosvaryella mutata](#) (Becker, 1898)[6]
- [Tomosvaryella nalaihiiana](#) Kuznetzov, 1994[1]
- [Tomosvaryella nartshukae](#) Kuznetzov, 1994[1]
- [Tomosvaryella nigra](#) Kuznetzov, 1994[1]
- [Tomosvaryella nigritula](#) Zetterstedt, 1844
- [Tomosvaryella nigronitida](#) (Collin, 1958)
- [Tomosvaryella nitens](#) Brunetti, 1912
- [Tomosvaryella nodosa](#) De Meyer, 1995
- [Tomosvaryella novaezealandiae](#) Tonnoir, 1925
- [Tomosvaryella nyctias](#) (Perkins, 1905)
- [Tomosvaryella oligoseta](#) De Meyer, 1993
- [Tomosvaryella olmii](#) De Meyer & Foldvari, 2008
- [Tomosvaryella olympicola](#) (Janssens, 1955)
- [Tomosvaryella ornatitarsalis](#) Hardy, 1954
- [Tomosvaryella orthocladia](#) Kuznetzov, 1994[1]
- [Tomosvaryella oryzaetora](#) Koizumi, 1959
- [Tomosvaryella palliditarsis](#) (Collin, 1931)
- [Tomosvaryella parakuthyi](#) De Meyer, 1995
- [Tomosvaryella parvicuspidis](#) Hardy, 1961
- [Tomosvaryella pauca](#) Hardy, 1943
- [Tomosvaryella pectinalis](#) Ale-Rocha, 1996
- [Tomosvaryella pennatula](#) Kuznetzov, 1994[1]
- [Tomosvaryella perissosceles](#) Hardy, 1965
- [Tomosvaryella pernitida](#) (Becker, 1924)
- [Tomosvaryella perpusilla](#) (Collin, 1941)
- [Tomosvaryella pilosiventris](#) Becker, 1900
- [Tomosvaryella pistacia](#) Majnon-Jahromi & Kehlmaier, 2017[3]
- [Tomosvaryella platensis](#) Ale-Rocha, 1996
- [Tomosvaryella polita](#) (Williston, 1896)[9]
- [Tomosvaryella propinqua](#) (Becker, 1913)
- [Tomosvaryella propria](#) Hardy, 1949
- [Tomosvaryella prostata](#) Hardy, 1962
- [Tomosvaryella pruinosa](#) Kozanek, 1992
- [Tomosvaryella pseudophanes](#) (Perkins, 1905)
- [Tomosvaryella pterae](#) Kapoor & Grewal, 1985
- [Tomosvaryella pulchra](#) Kozanek, 1992
- [Tomosvaryella pusilla](#) De Meyer, 1995
- [Tomosvaryella quadradentis](#) Hardy, 1943
- [Tomosvaryella ramnagariensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella relictia](#) Kuznetzov, 1994[1]
- [Tomosvaryella resurgens](#) De Meyer, 1997
- [Tomosvaryella robusta](#) Hardy, 1968

- [Tomosvaryella rossica](#) Kuznetzov, 1993
- [Tomosvaryella ruwenzoriensis](#) De Meyer, 1993
- [Tomosvaryella sachtlebeni](#) (Aczél, 1940)
- [Tomosvaryella santaroi](#) Ouchi, 1943
- [Tomosvaryella santiagoensis](#) De Meyer & Skevington, 2000[2]
- [Tomosvaryella scalprata](#) Yang & Xu, 1987
- [Tomosvaryella scopulata](#) Hardy, 1962
- [Tomosvaryella sedomensis](#) De Meyer, 1995
- [Tomosvaryella sentis](#) Hardy, 1968
- [Tomosvaryella sepulta](#) De Meyer, 1997
- [Tomosvaryella setositora](#) Hardy, 1961
- [Tomosvaryella shaoshanensis](#) Yang & Xu, 1998
- [Tomosvaryella sigillata](#) Kuznetzov, 1994[1]
- [Tomosvaryella similis](#) (Hough, 1899)
- [Tomosvaryella singalensis](#) (Kertész, 1903)
- [Tomosvaryella singula](#) Hardy, 1950
- [Tomosvaryella singularis](#) De Meyer, 1993
- [Tomosvaryella singuloides](#) De Meyer, 1993
- [Tomosvaryella songinoensis](#) Kuznetzov, 1994[1]
- [Tomosvaryella sonorensis](#) (Cole, 1923)
- [Tomosvaryella spangleri](#) Scarbrough & Knutson, 1989
- [Tomosvaryella speciosa](#) Hardy, 1949
- [Tomosvaryella spectata](#) Kuznetzov, 1994[1]
- [Tomosvaryella spicata](#) Kuznetzov, 1994[1]
- [Tomosvaryella spiculata](#) Hardy, 1972
- [Tomosvaryella spinea](#) Kuznetzov, 1994[1]
- [Tomosvaryella spinigera](#) De Meyer, 1993
- [Tomosvaryella spinosa](#) Ale-Rocha, 1996
- [Tomosvaryella spinulenta](#) Kuznetzov, 1994[1]
- [Tomosvaryella spinulifera](#) Kuznetzov, 1994[1]
- [Tomosvaryella stackelbergi](#) Kuznetzov, 1994[1]
- [Tomosvaryella subafricana](#) De Meyer, 1993
- [Tomosvaryella subhectena](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella subnitens](#) (Cresson, 1911)
- [Tomosvaryella subrobusta](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella subvirescens](#) (Loew, 1872)[10]
- [Tomosvaryella sugonjaevi](#) Kuznetzov, 1994[1]
- [Tomosvaryella sumbarensis](#) Kuznetzov, 1993
- [Tomosvaryella surstylae](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella sylvatica](#) (Meigen, 1824)[7]
- [Tomosvaryella sylvaticoides](#) (Lamb, 1922)
- [Tomosvaryella sylvicola](#) Kuznetzov, 1994[1]

- [Tomosvaryella synadelpha](#) (Perkins, 1905)
- [Tomosvaryella synadelphoides](#) (Meijere, 1914)
- [Tomosvaryella tadzhikorum](#) Kuznetsov, 1994[1]
- [Tomosvaryella talyshensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella tanaitidis](#) Kuznetsov, 1994[1]
- [Tomosvaryella tanasijtshuki](#) Kuznetsov, 1994[1]
- [Tomosvaryella tattapaniensis](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella taurica](#) Kuznetsov, 1994[1]
- [Tomosvaryella tecta](#) De Meyer, 1993
- [Tomosvaryella teligera](#) Kuznetsov, 1994[1]
- [Tomosvaryella tenebricosa](#) Kuznetsov, 1994[1]
- [Tomosvaryella tenera](#) Kuznetsov, 1994[1]
- [Tomosvaryella teneroidea](#) Kuznetsov, 1994[1]
- [Tomosvaryella tenuata](#) Kuznetsov, 1994[1]
- [Tomosvaryella torosa](#) Hardy, 1961
- [Tomosvaryella toxodentis](#) (Hardy and Knowlton, 1939)
- [Tomosvaryella translata](#) (Walker, 1857)
- [Tomosvaryella transvaalensis](#) De Meyer, 1993
- [Tomosvaryella trichotibialis](#) De Meyer, 1995
- [Tomosvaryella tridens](#) Hardy, 1950
- [Tomosvaryella trigona](#) Kuznetsov, 1994[1]
- [Tomosvaryella trjapitzini](#) Kuznetsov, 1994[1]
- [Tomosvaryella troangulatus](#) Kapoor, Grewal & Sharma, 1987[4]
- [Tomosvaryella trochanterata](#) Kuznetsov, 1994[1]
- [Tomosvaryella trochantericola](#) Kuznetsov, 1994[1]
- [Tomosvaryella tuberculatus](#) Hardy, 1948
- [Tomosvaryella tumida](#) Hardy, 1940
- [Tomosvaryella turgayica](#) Kuznetsov, 1994[1]
- [Tomosvaryella turgida](#) Hardy, 1940
- [Tomosvaryella ubsunurensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella unguiculatus](#) (Cresson, 1911)
- [Tomosvaryella urdaensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella urgamalensis](#) Kuznetsov, 1994[1]
- [Tomosvaryella utahensis](#) (Hardy and Knowlton, 1939)
- [Tomosvaryella vagabunda](#) (Knab, 1915)
- [Tomosvaryella venezuelana](#) Ale-Rocha, 1993
- [Tomosvaryella verrucula](#) Kuznetsov, 1993
- [Tomosvaryella vicina](#) (Becker, 1900)
- [Tomosvaryella virlai](#) Ale-Rocha, 1996
- [Tomosvaryella vittigera](#) Kuznetsov, 1994[1]
- [Tomosvaryella wilburi](#) (Hardy, 1939)
- [Tomosvaryella xerophila](#) Hardy, 1943

- [Tomosvaryella zimini](#) Kuznetsov, 1993

References

1.

- Kuznetsov, S.Y. . (1994). "New Palaearctic species of *Tomosvaryella* Aczél (Diptera, Pipunculidae) with redescription of *T. rondanii* (Collin)". *Dipterological Research*. 5: 107–207.
- De Meyer, Marc; Skevington, Jeffrey H. (2000). "[The first addition to the world catalogue of Pipunculidae \(Diptera\)](#)" (PDF). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Entomologie*. **70** (5–11). Retrieved 27 July 2022.
- Majnon-Jahromi, B.; Gheibi, M.; Fallahzadeh, M.; Kehlmaier, C.; Hesami, S. (2017). "Pipunculidae (Diptera) from southern Iran, including two new species of the genus *Tomosvaryella* Aczél". *Zootaxa*. **4273** (4): 488–500.
- Kapoor, V.C.; Grewal, J.S.; Sharma, S.K. (1987). *Indian pipunculids (Diptera: Pipunculidae)*. New Delhi: Atlantic Publ. p. 201.
- Strobl, Pater Gabriel (1910). "[Die Dipteren von Steiermark. II. Nachtrag](#)". *Mitteilungen des Naturwissenschaftlichen Vereines für Steiermark*. (1909)46: 45–292. Retrieved 25 May 2019.
- Becker, T. (1897). "Dipterologische Studien. V. Pipunculidae". *Berliner Entomologische Zeitschrift*. **42** (25–100).
- Meigen, J. W. (1824). "Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten". *Vierter Theil*. Schulz-Wundermann, Hamm.: xii + 428 pp.
- Aczél, M.L. (1944). "[Die Gattung Tomosvaryella Acz. \(Dipt.\) \(Dorylaiden-Studien 8\)](#)" (PDF). *Annales Historica-Naturales Musei Nationalis Hungarici (Zoology)*. **37**: 75–130. Retrieved 16 August 2022.
- Williston, Samuel Wendell (1896). "[On the Diptera of St. Vincent \(West Indies\)](#)". *Transactions of the Entomological Society of London*. **1896**: 253–446, pls. 8–14. Retrieved 3 June 2018.
-
- 10.Loew, Hermann (1872). "[Diptera Americae septentrionalis indigena. Centuria decima](#)". *Berliner Entomologische Zeitschrift*. **16**: 49–124. Retrieved 25 July 2021.

Categories:

- [Pipunculidae](#)
- [Lists of insect species](#)
-

This is a list of members of the [crane fly genus Tipula](#).

***Tipula* subg. *Acutipula* [Alexander](#), 1924**

- [T. acanthophora Alexander](#), 1934
- [T. aktashi](#) Koc, Hasbenli & de Jong, 1998
- [T. alboplagiata Alexander](#), 1935
- [T. alphaspis Speiser](#), 1909
- [T. amissa Alexander](#), 1960
- [T. amymona Alexander](#), 1951
- [T. amytis Alexander](#), 1933
- [T. angolana Alexander](#), 1963
- [T. anormalipennis](#) Pierre, 1924
- [T. apicidenticulata](#) Yang & Yang, 1995
- [T. atuntzuensis Edwards](#), 1928
- [T. aureola](#) Mannheims, 1952
- [T. auspici Alexander](#), 1950
- [T. bakundu](#) de Jong, 1984
- [T. balcanica](#) Vermoolen, 1983
- [T. bamileke](#) de Jong, 1984
- [T. bantu Alexander](#), 1956
- [T. barbigera](#) Young and Li, 2013
- [T. bartletti Alexander](#), 1920
- [T. basispinosa Alexander](#), 1970
- [T. bicompressa Alexander](#), 1950
- [T. bihastata Alexander](#), 1941
- [T. bioculata Alexander](#), 1960
- [T. bipenicillata Alexander](#), 1924
- [T. biramosa Alexander](#), 1933
- [T. bistrispunctata](#) (Speiser, 1909)
- [T. bistyligera Alexander](#), 1935
- [T. bosnica Strobl](#), 1898
- [T. brunnirostris Edwards](#), 1928
- [T. bubiana](#) de Jong, 1984
- [T. bubo Alexander](#), 1918
- [T. buboda](#) Yang & Yang, 1992
- [T. bulbifera Alexander](#), 1953
- [T. calcar](#) (Alexander, 1958)
- [T. camerounensis Alexander](#), 1921
- [T. captiosa Alexander](#), 1936
- [T. centroproducta Alexander](#), 1972
- [T. chaniae Alexander](#), 1956
- [T. cinnamomea Riedel](#), 1914
- [T. citae](#) Oosterbroek & Vermoolen, 1990
- [T. cockerelliana Alexander](#), 1925

- [*T. coeana* Alexander](#), 1966
- [*T. corsica* Pierre](#), 1921
- [*T. cranicornuta* Yang & Yang](#), 1992
- [*T. cretensis* Vermoolen](#), 1983
- [*T. cypriensis* Vermoolen](#), 1983
- [*T. dahomiensis* Alexander](#), 1920
- [*T. desidiosa* Alexander](#), 1933
- [*T. deva* Alexander](#), 1952
- [*T. dichroa* Bezzi](#), 1906
- [*T. dicladura* Alexander](#), 1934
- [*T. diclava* Alexander](#), 1922
- [*T. doriae* Pierre](#), 1926
- [*T. echo* Alexander](#), 1961
- [*T. ellenbergeri* Alexander](#), 1920
- [*T. ellioti* Alexander](#), 1920
- [*T. epicaste* Alexander](#), 1952
- [*T. epularis* Alexander](#), 1953
- [*T. forticauda* Alexander](#), 1936
- [*T. fulani* Alexander](#), 1975
- [*T. fulvipennis* De Geer](#), 1776
- [*T. fumicosta* Brunetti](#), 1918
- [*T. fumivena* \(Alexander\)](#), 1958
- [*T. furcifera* Young and Li](#), 2013
- [*T. furvimarginata* Yang & Yang](#), 1992
- [*T. gaboonensis* Alexander](#), 1920
- [*T. gansuensis* Yang & Yang](#), 1995
- [*T. gemma* Alexander](#), 1953
- [*T. globicauda* Alexander](#), 1960
- [*T. gola* Alexander](#), 1958
- [*T. grahamiana* Alexander](#), 1964
- [*T. graphiptera* Alexander](#), 1933
- [*T. guizhouensis* Yang, Gao & Young](#), 2006
- [*T. hardeana* Alexander](#), 1978
- [*T. hemmingseniana* Alexander](#), 1961
- [*T. henanensis* Li and Yang](#), 2010
- [*T. hokusaii* de Jong](#), 1984
- [*T. hova* Alexander](#), 1920
- [*T. hubeiana* Yang & Yang](#), 1992
- [*T. incorrupta* Alexander](#), 1933
- [*T. indra* Alexander](#), 1961
- [*T. intacta* Alexander](#), 1933
- [*T. interrupta* Brunetti](#), 1911

- [*T. irrequieta* Alexander](#), 1936
- [*T. ismene* Mannheims](#), 1969
- [*T. isparta* Vermoolen](#), 1983
- [*T. iyala* Alexander](#), 1974
- [*T. jacobsoni* Edwards](#), 1919
- [*T. jocosa* Alexander](#), 1917
- [*T. kenia* Alexander](#), 1920
- [*T. kinangopensis* \(Riedel\)](#), 1914
- [*T. kumpa* Alexander](#), 1961
- [*T. kuzuensis* Alexander](#), 1918
- [*T. lambertoniana* Alexander](#), 1955
- [*T. langi* Alexander](#), 1920
- [*T. latifasciata* Alexander](#), 1933
- [*T. latifurca* Vermoolen](#), 1983
- [*T. leonensis* Alexander](#), 1920
- [*T. leptoneura* Alexander](#), 1922
- [*T. levicula* Alexander](#), 1972
- [*T. lhabu* Alexander](#), 1970
- [*T. libanica* Vermoolen](#), 1983
- [*T. lieftinckiana* Alexander](#), 1944
- [*T. linneana* Alexander](#), 1966
- [*T. longispina* Yang, Gao & Young](#), 2006
- [*T. loveridgei* Alexander](#), 1972
- [*T. luctuosa* Mannheims](#), 1964
- [*T. luna* Westhoff](#), 1879
- [*T. luteinotalis* Alexander](#), 1941
- [*T. macra* Savchenko](#), 1961
- [*T. mannheimsiana* Alexander](#), 1953
- [*T. masai* Alexander](#), 1920
- [*T. maxima* Poda](#), 1761
- [*T. medivittata* Yang & Yang](#), 1995
- [*T. megaleuca* Alexander](#), 1933
- [*T. melampodia* Alexander](#), 1935
- [*T. meliuscula* Alexander](#), 1920
- [*T. milanjensis* Alexander](#), 1920
- [*T. milanjii* Alexander](#), 1920
- [*T. mogul* Alexander](#), 1970
- [*T. mungo* de Jong](#), 1984
- [*T. natalia* Alexander](#), 1956
- [*T. neavei* Alexander](#), 1920
- [*T. nevada* Dufour](#), 1990
- [*T. niethammeri* Mannheims](#), 1969

- [*T. nigroantennata*](#) Savchenko, 1961
- [*T. nyasae*](#) Alexander, 1920
- [*T. obex*](#) Alexander, 1960
- [*T. obtusiloba*](#) Alexander, 1934
- [*T. octoplagiata*](#) Alexander, 1951
- [*T. omeiensis*](#) Alexander, 1934
- [*T. oncerodes*](#) Alexander, 1933
- [*T. oryx*](#) Alexander, 1921
- [*T. paria*](#) Speiser, 1909
- [*T. persegneis*](#) Alexander, 1945
- [*T. pertinax*](#) Alexander, 1936
- [*T. phaeocera*](#) Alexander, 1958
- [*T. phaeoleuca*](#) Alexander, 1940
- [*T. platycantha*](#) Alexander, 1934
- [*T. pomposa*](#) Bergroth, 1888
- [*T. princeps*](#) Brunetti, 1912
- [*T. pseudacanthophora*](#) Yang & Yang, 1993
- [*T. pseudocockerelliana*](#) Yang & Yang, 1995
- [*T. pseudofulvipennis*](#) de Meijere, 1919
- [*T. punctoargentea*](#) Alexander, 1960
- [*T. quadrifulva*](#) Edwards, 1921
- [*T. quadrinotata*](#) Brunetti, 1912
- [*T. radha*](#) Alexander, 1952
- [*T. receptor*](#) Alexander, 1941
- [*T. repanda*](#) Loew, 1864
- [*T. repentina*](#) Mannheims, 1952
- [*T. rifensis*](#) Theowald & Oosterbroek, 1980
- [*T. robusta*](#) Brunetti, 1911
- [*T. ruwenzori*](#) Alexander, 1920
- [*T. saitamae*](#) Alexander, 1920
- [*T. schizostyla*](#) Alexander, 1956
- [*T. schmidt*](#) Mannheims, 1952
- [*T. schulteni*](#) Theowald, 1983
- [*T. sichuanensis*](#) Yang & Yang, 1991
- [*T. sicala*](#) Alexander, 1961
- [*T. silinda*](#) Alexander, 1920
- [*T. sinarctica*](#) Yang & Yang, 1993
- [*T. sircari*](#) Alexander, 1953
- [*T. sjostedti*](#) Alexander, 1924
- [*T. sogana*](#) Alexander, 1965
- [*T. stenacantha*](#) Alexander, 1937
- [*T. stenoterga*](#) Alexander, 1941

- [*T. subintacta* Alexander](#), 1936
- [*T. subturbida* Alexander](#), 1933
- [*T. subvernalis* Alexander](#), 1927
- [*T. takahashii* Alexander](#), 1971
- [*T. tananarivia* Alexander](#), 1960
- [*T. tenuicornis* Schummel](#), 1833
- [*T. tigon* Alexander](#), 1976
- [*T. tokionis* Alexander](#), 1920
- [*T. transcaucasica* Savchenko](#), 1961
- [*T. triangulifera* Loew](#), 1864
- [*T. triplaca* Alexander](#), 1961
- [*T. triscopula* Alexander](#), 1970
- [*T. turbida* Alexander](#), 1924
- [*T. uluguruensis* Alexander](#), 1962
- [*T. umbrinoides* Alexander](#), 1915
- [*T. urundiana* Alexander](#), 1955
- [*T. vadoni* Alexander](#), 1955
- [*T. vana* Alexander](#), 1934
- [*T. vanewrighti* Oosterbroek](#), 1986
- [*T. vanstraeleni* Alexander](#), 1956
- [*T. velutina* Walker](#), 1848
- [*T. victoria* Alexander](#), 1920
- [*T. vittata* Meigen](#), 1804
- [*T. yoruba* Alexander](#), 1976
- [*T. yunnanica* Edwards](#), 1928
- [*T. zambeziensis* Alexander](#), 1917
- [*T. zhaojuensis* Yang & Yang](#), 1991
- [*T. zuluensis* Alexander](#), 1956

***Tipula* subg. *Afrotipula* [Alexander](#), 1955**

- [*T. aethiopica* Alexander](#), 1972
- [*T. brachycera* Riedel](#), 1914
- [*T. infracta* Alexander](#), 1955

***Tipula* subg. *Arctotipula* [Alexander](#), 1934**

- [*T. aleutica* Alexander](#), 1923
- [*T. bakeriana* Alexander](#), 1954
- [*T. besselsi* Osten Sacken](#), 1877
- [*T. besseloides* Alexander](#), 1919
- [*T. caliginosa* Savchenko](#), 1961
- [*T. centrodentata* Alexander](#), 1953

- [*T. conjuncta* Alexander](#), 1925
- [*T. crassispina* Savchenko](#), 1978
- [*T. denali* Alexander](#), 1969
- [*T. dickinsoni* Alexander](#), 1932
- [*T. excelsa* Savchenko](#), 1961
- [*T. gavronskii* Alexander](#), 1934
- [*T. hirticula* Alexander](#), 1953
- [*T. hirtitergata* Alexander](#), 1934
- [*T. hovsgolensis* Gelhaus, Podenas & Brodo](#), 2000
- [*T. kincaidi* Alexander](#), 1949
- [*T. laterodentata* Alexander](#), 1950
- [*T. loganensis* Alexander](#), 1946
- [*T. mckinleyana* Alexander](#), 1969
- [*T. miyadaii* Alexander](#), 1935
- [*T. namhaidorji* Gelhaus, Podenas & Brodo](#), 2000
- [*T. oklandi* Alexander](#), 1922
- [*T. piliceps* Alexander](#), 1915
- [*T. plutonis* Alexander](#), 1919
- [*T. pudibunda* Savchenko](#), 1961
- [*T. quadriloba* Savchenko](#), 1967
- [*T. rubicunda* Savchenko](#), 1961
- [*T. sacra* Alexander](#), 1946
- [*T. salicetorum* Siebke](#), 1870
- [*T. semidea* Alexander](#), 1944
- [*T. smithae* Alexander](#), 1968
- [*T. suttoni* Alexander](#), 1934
- [*T. tribulator* Alexander](#), 1956
- [*T. twogwoteeana* Alexander](#), 1945
- [*T. williamsiana* Alexander](#), 1940

***Tipula* subg. *Bellardina* [Edwards](#), 1931**

- [*T. albimacula* Doane](#), 1912
- [*T. craverii* Bellardi](#), 1859
- [*T. cydippe* Alexander](#), 1947
- [*T. edwardsi* Bellardi](#), 1859
- [*T. flinti* Alexander](#), 1970
- [*T. fuscolimbata* Alexander](#), 1981
- [*T. larga* Alexander](#), 1946
- [*T. obliquefasciata* Macquart](#), 1846
- [*T. parrai* Alexander](#), 1940
- [*T. praelauta* Alexander](#), 1949
- [*T. pura* Alexander](#), 1941

- [*T. rupicola*](#) Doane, 1912
- [*T. schizomera*](#) [Alexander](#), 1940
- [*T. theobromina*](#) [Edwards](#), 1920
- [*T. wetmoreana*](#) [Alexander](#), 1947

***Tipula* subg. *Beringotipula* Savchenko, 1961**

- [*T. afflicta*](#) Dietz, 1915
- [*T. appendiculata*](#) [Loew](#), 1863
- [*T. athabasca*](#) [Alexander](#), 1927
- [*T. borealis*](#) [Walker](#), 1848
- [*T. charpalex*](#) Byers & Arnaud, 2001
- [*T. clathrata*](#) Dietz, 1914
- [*T. coloradensis*](#) Doane, 1911
- [*T. comstockiana*](#) [Alexander](#), 1947
- [*T. donaldi*](#) [Alexander](#), 1965
- [*T. dorothea*](#) [Alexander](#), 1954
- [*T. fallax*](#) [Loew](#), 1863
- [*T. helderbergensis*](#) [Alexander](#), 1918
- [*T. inclusa*](#) Dietz, 1921
- [*T. ingrata*](#) Dietz, 1914
- [*T. inyoensis*](#) [Alexander](#), 1946
- [*T. latipennis*](#) [Loew](#), 1864
- [*T. madera*](#) Doane, 1911
- [*T. monoana*](#) [Alexander](#), 1965
- [*T. newcomeri*](#) Doane, 1911
- [*T. paiuta*](#) [Alexander](#), 1948
- [*T. resurgens*](#) [Walker](#), 1848
- [*T. rohweri*](#) Doane, 1911
- [*T. subunca*](#) Pilipenko, 1998
- [*T. unca*](#) [Wiedemann](#), 1817
- [*T. yellowstonensis*](#) [Alexander](#), 1946

***Tipula* subg. *Dendrotipula* Savchenko, 1964**

- [*T. curvicauda*](#) [Alexander](#), 1923
- [*T. dichroistigma*](#) [Alexander](#), 1920
- [*T. flavolineata*](#) [Meigen](#), 1804
- [*T. fortistyla*](#) [Alexander](#), 1934
- [*T. hoi*](#) [Alexander](#), 1936
- [*T. isshikii*](#) [Alexander](#), 1921
- [*T. nigrosignata*](#) [Alexander](#), 1924
- [*T. westwoodiana*](#) [Alexander](#), 1924

***Tipula* subg. *Emodotipula* [Alexander](#), 1966**

- [*T. breviscapa*](#) [Alexander](#), 1953

- [*T. fabriciana* Alexander](#), 1966
- [*T. goetghebuerana* Alexander](#), 1970
- [*T. gomina* Dufour](#), 2003
- [*T. hemmingseni* Alexander](#), 1968
- [*T. hintoniana* Alexander](#), 1968
- [*T. holoteles* Alexander](#), 1924
- [*T. leo* Dufour](#), 1991
- [*T. lishanensis* Young](#), 2014
- [*T. marmoratipennis* Brunetti](#), 1912
- [*T. multibarbata* Alexander](#), 1935
- [*T. multisetosa* Alexander](#), 1935
- [*T. naviculifer* Alexander](#), 1920
- [*T. obscuriventris* Strobl](#), 1900
- [*T. saginata* Bergroth](#), 1891
- [*T. shogun* Alexander](#), 1921
- [*T. stylostena* Alexander](#), 1961
- [*T. submarmoratipennis* Alexander](#), 1936
- [*T. tenuiloba* Alexander](#), 1971
- [*T. thailandica* Young](#), 2014
- [*T. vaillantiana* Alexander](#), 1964
- [*T. yangi* Men](#), 2019
- [*T. yaoluopingensis* Men](#), 2015

***Tipula* subg. *Eremotipula* [Alexander](#), 1965**

- [*T. anasazi* Gelhaus](#), 2005
- [*T. artemisiae* Gelhaus](#), 2005
- [*T. baumanni* Gelhaus](#), 2005
- [*T. biproducta* Alexander](#), 1947
- [*T. byersi* Gelhaus](#), 2005
- [*T. dimidiata* Dietz](#), 1921
- [*T. disspina* Gelhaus](#), 2005
- [*T. diversa* Dietz](#), 1921
- [*T. elverae* Gelhaus](#), 2005
- [*T. eurystyla* Alexander](#), 1969
- [*T. evalynae* Gelhaus](#), 2005
- [*T. helferi* Alexander](#), 1965
- [*T. impudica* Doane](#), 1901
- [*T. incisa* Doane](#), 1901
- [*T. jicarilla* Gelhaus](#), 2005
- [*T. jongelhausi* Oosterbroek](#), 2009
- [*T. kaibabensis* Alexander](#), 1946
- [*T. kirkwoodi* Alexander](#), 1961
- [*T. larreae* Gelhaus](#), 2005
- [*T. leiocantha* Alexander](#), 1959
- [*T. lyrifera* Dietz](#), 1921
- [*T. macracantha* Alexander](#), 1946
- [*T. maderensis* Gelhaus](#), 2005

- [*T. madina*](#) Dietz, 1921
- [*T. melanderiana*](#) [Alexander](#), 1965
- [*T. middlekauffi*](#) [Alexander](#), 1965
- [*T. mitrata*](#) Dietz, 1921
- [*T. pellucida*](#) Doane, 1912
- [*T. rogersi*](#) Gelhaus, 2005
- [*T. sackeni*](#) Gelhaus, 2005
- [*T. schusteri*](#) [Alexander](#), 1965
- [*T. sinistra*](#) Dietz, 1921
- [*T. spaldingi*](#) Dietz, 1921
- [*T. spinerecta*](#) [Alexander](#), 1947
- [*T. spinosa*](#) Gelhaus, 2005
- [*T. utahicola*](#) [Alexander](#), 1948
- [*T. woodi*](#) [Alexander](#), 1948

***Tipula* subg. *Eumicrotipula* [Alexander](#), 1923**

- [*T. abortiva*](#) [Alexander](#), 1914
- [*T. absona*](#) [Alexander](#), 1937
- [*T. accipitrina*](#) [Alexander](#), 1946
- [*T. accumulatrix*](#) [Alexander](#), 1951
- [*T. acroleuca*](#) [Alexander](#), 1978
- [*T. aedon*](#) [Alexander](#), 1947
- [*T. aglossa*](#) [Alexander](#), 1962
- [*T. agrippina*](#) [Alexander](#), 1946
- [*T. albifasciata*](#) [Macquart](#), 1838
- [*T. amblythrix*](#) [Alexander](#), 1967
- [*T. amphion*](#) [Alexander](#), 1952
- [*T. andalgala*](#) [Alexander](#), 1919
- [*T. andina*](#) [Brethes](#), 1909
- [*T. andromache*](#) [Alexander](#), 1950
- [*T. angolensis*](#) [Alexander](#), 1944
- [*T. antarctica*](#) [Alexander](#), 1920
- [*T. anthonympha*](#) [Alexander](#), 1928
- [*T. apterogyne*](#) [Philippi](#), 1866
- [*T. araguensis*](#) [Alexander](#), 1950
- [*T. araucania*](#) [Alexander](#), 1929
- [*T. arecuna*](#) [Alexander](#), 1931
- [*T. arenae*](#) [Alexander](#), 1981
- [*T. armillata*](#) [Alexander](#), 1916
- [*T. asaroton*](#) [Alexander](#), 1962
- [*T. asteria*](#) [Alexander](#), 1951
- [*T. atacama*](#) [Alexander](#), 1912
- [*T. atameles*](#) [Alexander](#), 1966
- [*T. atroscapa*](#) [Alexander](#), 1949
- [*T. atrovelutina*](#) ([Alexander](#), 1928)
- [*T. auricomata*](#) [Alexander](#), 1942
- [*T. austroandina*](#) [Alexander](#), 1929

- [*T. azteca* Alexander](#), 1925
- [*T. backstromi* Alexander](#), 1920
- [*T. balloui* Alexander](#), 1938
- [*T. barreto* Alexander](#), 1923
- [*T. bathromeces* Alexander](#), 1962
- [*T. belemensis* Alexander](#), 1971
- [*T. biacerva* Alexander](#), 1971
- [*T. bigotiana* Alexander](#), 1920
- [*T. bogotana* Alexander](#), 1938
- [*T. brethesiana* Alexander](#), 1929
- [*T. brevicoma* Alexander](#), 1944
- [*T. browniana* Alexander](#), 1940
- [*T. bruchi* Alexander](#), 1920
- [*T. callisto* Alexander](#), 1944
- [*T. callithrix* Alexander](#), 1944
- [*T. camp* Alexander](#), 1914
- [*T. capucina* Alexander](#), 1947
- [*T. carizona* Alexander](#), 1913
- [*T. chacopata* Alexander](#), 1944
- [*T. chanchanensis* Alexander](#), 1969
- [*T. charmosyne* Alexander](#), 1967
- [*T. chicana* Alexander](#), 1945
- [*T. chilensis* Alexander](#), 1920
- [*T. chillanica* Alexander](#), 1945
- [*T. chilota* Alexander](#), 1929
- [*T. chiricahuensis* Alexander](#), 1946
- [*T. clarkiana* Alexander](#), 1929
- [*T. clavaria* Alexander](#), 1946
- [*T. coloptera* Alexander](#), 1981
- [*T. consonata* Alexander](#), 1940
- [*T. conspicillata* Alexander](#), 1945
- [*T. coronaria* Alexander](#), 1940
- [*T. crepera* Alexander](#), 1952
- [*T. cristata* Alexander](#), 1945
- [*T. crossospila* Alexander](#), 1929
- [*T. curinao* Alexander](#), 1914
- [*T. cyclomera* Alexander](#), 1951
- [*T. darlingtoniana* Alexander](#), 1939
- [*T. delectata* Alexander](#), 1940
- [*T. diardis* Alexander](#), 1969
- [*T. dictyophora* Alexander](#), 1962
- [*T. dimorpha* Alexander](#), 1929
- [*T. diodonta* Alexander](#), 1969
- [*T. duidae* Alexander](#), 1931
- [*T. duseni* Alexander](#), 1920
- [*T. efficax* Alexander](#), 1945
- [*T. emerita* Alexander](#), 1944
- [*T. enderleinana* Alexander](#), 1929
- [*T. estella* Alexander](#), 1970

- [*T. euprepia* Alexander](#), 1979
- [*T. exilis* Alexander](#), 1916
- [*T. expleta* Alexander](#), 1962
- [*T. fatidica* Alexander](#), 1940
- [*T. fazi* Alexander](#), 1928
- [*T. flavidula* Alexander](#), 1940
- [*T. flavoannulata* Jacobs](#), 1900
- [*T. flavopedicellaris* Alexander](#), 1979
- [*T. foersteriana* Alexander](#), 1967
- [*T. forsteri* Alexander](#), 1962
- [*T. fortior* Alexander](#), 1951
- [*T. fraudulenta* Alexander](#), 1928
- [*T. fuegiensis* Alexander](#), 1920
- [*T. glaphyroptera* Philippi](#), 1866
- [*T. glossophora* Alexander](#), 1962
- [*T. graphica* Schiner](#), 1868
- [*T. guarani* Alexander](#), 1914
- [*T. hadrotrichia* Alexander](#), 1979
- [*T. hedymopa* Alexander](#), 1944
- [*T. hostifica* Alexander](#), 1937
- [*T. huanca* Alexander](#), 1945
- [*T. hylonympha* Alexander](#), 1929
- [*T. iguazuensis* \(Alexander, 1928\)](#)
- [*T. immerens* Alexander](#), 1944
- [*T. immorsa* Alexander](#), 1945
- [*T. inaequiarmata* Alexander](#), 1962
- [*T. inaequidens* Alexander](#), 1946
- [*T. inca* Alexander](#), 1912
- [*T. incondita* Alexander](#), 1951
- [*T. infidelis* Alexander](#), 1951
- [*T. infinita* Alexander](#), 1945
- [*T. innubens* Alexander](#), 1942
- [*T. invigilans* Alexander](#), 1951
- [*T. itatiayensis* Alexander](#), 1944
- [*T. jacobsiana* Alexander](#), 1929
- [*T. jaennickeana* Alexander](#), 1929
- [*T. jivaro* Alexander](#), 1916
- [*T. jubilans* Alexander](#), 1940
- [*T. juvena* Alexander](#), 1937
- [*T. kathema* Alexander](#), 1966
- [*T. kuehlhorni* Alexander](#), 1962
- [*T. kuscheli* Alexander](#), 1967
- [*T. lanigera* Alexander](#), 1928
- [*T. laterosetosa* Alexander](#), 1931
- [*T. latifolia* Alexander](#), 1944
- [*T. legitima* \(Alexander, 1928\)](#)
- [*T. lethe* Alexander](#), 1971
- [*T. ligulata* Alexander](#), 1929
- [*T. ligulipenicillata* Alexander](#), 1946

- [*T. longibasis* Alexander](#), 1946
- [*T. longurioides* Alexander](#), 1955
- [*T. macintyreana* Alexander](#), 1941
- [*T. macrotrichiata* \(Alexander, 1923\)](#)
- [*T. magellanica* Alexander](#), 1920
- [*T. marmoripennis* Rondani](#), 1850
- [*T. martinbrowni* Alexander](#), 1946
- [*T. mecoglossa* Alexander](#), 1967
- [*T. mediodentata* Alexander](#), 1944
- [*T. meridiana* Edwards](#), 1920
- [*T. microspilota* Alexander](#), 1928
- [*T. miranha* Alexander](#), 1913
- [*T. mithradates* Alexander](#), 1951
- [*T. mitua* Alexander](#), 1916
- [*T. mocoa* Alexander](#), 1913
- [*T. moctezumae* Alexander](#), 1925
- [*T. monilifera* Loew](#), 1851
- [*T. moniliferoides* Alexander](#), 1920
- [*T. moniliformis* von Roder](#), 1886
- [*T. mordax* Alexander](#), 1945
- [*T. morphea* Alexander](#), 1946
- [*T. navarinoensis* Alexander](#), 1962
- [*T. neivai* Alexander](#), 1940
- [*T. nethis* Alexander](#), 1966
- [*T. nigriscapa* Alexander](#), 1946
- [*T. nimbinervis* Alexander](#), 1946
- [*T. nolens* Alexander](#), 1966
- [*T. nordenskjoldi* Alexander](#), 1920
- [*T. nothofagetorum* Alexander](#), 1929
- [*T. notoria* Alexander](#), 1942
- [*T. novaleonensis* Alexander](#), 1940
- [*T. novatrix* Alexander](#), 1942
- [*T. nubifera* van der Wulp](#), 1881
- [*T. nubleana* Alexander](#), 1969
- [*T. obirata* Alexander](#), 1940
- [*T. obscuricincta* Alexander](#), 1940
- [*T. odontomera* Alexander](#), 1967
- [*T. olssoniana* Alexander](#), 1943
- [*T. omnilutea* Alexander](#), 1967
- [*T. ona* Alexander](#), 1920
- [*T. oreonympha* Alexander](#), 1929
- [*T. orizabensis* Alexander](#), 1941
- [*T. ornaticornis* van der Wulp](#), 1891
- [*T. osculata* Alexander](#), 1944
- [*T. palenca* Alexander](#), 1944
- [*T. palitans* Alexander](#), 1966
- [*T. pallidineuris* Macquart](#), 1846
- [*T. pallidesignata* Alexander](#), 1929
- [*T. pantherina* Alexander](#), 1941

- [*T. paranensis* Alexander](#), 1945
- [*T. parviloba* Alexander](#), 1929
- [*T. patagonica* Alexander](#), 1920
- [*T. pediformis* Alexander](#), 1962
- [*T. perflavidula* Alexander](#), 1979
- [*T. perjovialis* Alexander](#), 1944
- [*T. perstudiosa* Alexander](#), 1937
- [*T. petalura* Alexander](#), 1953
- [*T. petaluroides* Alexander](#), 1969
- [*T. petiolaris* Alexander](#), 1940
- [*T. phalangioides* Alexander](#), 1945
- [*T. philippiana* Alexander](#), 1920
- [*T. pictipennis* Walker](#), 1837
- [*T. pilulifera* Edwards](#), 1920
- [*T. pirioni* Alexander](#), 1929
- [*T. piro* Alexander](#), 1914
- [*T. platytergata* Alexander](#), 1962
- [*T. procericornis* Edwards](#), 1920
- [*T. profuga* Alexander](#), 1938
- [*T. protrudens* Alexander](#), 1952
- [*T. psittacina* Alexander](#), 1962
- [*T. pulchriflava* Alexander](#), 1979
- [*T. quadrisetosa* Alexander](#), 1951
- [*T. quichua* Alexander](#), 1916
- [*T. reciproca* Alexander](#), 1946
- [*T. redunca* Alexander](#), 1967
- [*T. reedi* Alexander](#), 1934
- [*T. resplendens* Alexander](#), 1946
- [*T. riveti* Edwards](#), 1920
- [*T. rucana* Alexander](#), 1946
- [*T. rufirostris* Bigot](#), 1888
- [*T. runtunensis* Alexander](#), 1940
- [*T. sariapampae* Alexander](#), 1967
- [*T. satrapa* Alexander](#), 1952
- [*T. schachovskoyi* Alexander](#), 1952
- [*T. scriptella* Alexander](#), 1940
- [*T. semivulpina* Alexander](#), 1944
- [*T. serrilobata* Alexander](#), 1941
- [*T. serval* Alexander](#), 1937
- [*T. songoana* Alexander](#), 1962
- [*T. spatulifera* Alexander](#), 1928
- [*T. spilota* Wiedemann](#), 1828
- [*T. steinbachi* Alexander](#), 1946
- [*T. stenoglossa* Alexander](#), 1942
- [*T. suavissima* Alexander](#), 1951
- [*T. subandina* Philippi](#), 1866
- [*T. subcana* Edwards](#), 1920
- [*T. subglabrata* Alexander](#), 1951
- [*T. subjubilans* Alexander](#), 1979

- *T. subligulata* [Alexander](#), 1941
- *T. tabida* [Enderlein](#), 1912
- *T. tainoleuca* [Alexander](#), 1981
- *T. tanymetra* [Alexander](#), 1962
- *T. tehuelche* [Alexander](#), 1920
- *T. tephronota* [Alexander](#), 1942
- *T. tersa* [Alexander](#), 1928
- *T. tersoides* [Alexander](#), 1945
- *T. thalia* [Alexander](#), 1946
- *T. tiolomana* [Oosterbroek](#), 2009
- *T. towarensis* [Alexander](#), 1947
- *T. triemarginata* [Alexander](#), 1936
- *T. trispilota* [Alexander](#), 1942
- *T. tristillata* [Alexander](#), 1929
- *T. tunguraguana* [Alexander](#), 1940
- *T. tyranna* [Alexander](#), 1946
- *T. unistriata* [Alexander](#), 1941
- *T. ursula* [Alexander](#), 1951
- *T. valdiviana* [Philippi](#), 1866
- *T. varineura* ([Bigot](#), 1888)
- *T. virgulata* [Williston](#), 1900
- *T. votiva* [Alexander](#), 1944
- *T. wernerii* [Alexander](#), 1950
- *T. willinki* [Alexander](#), 1962
- *T. wittei* [Alexander](#), 1920
- *T. woytkowskiana* [Alexander](#), 1942
- *T. yanamontana* [Alexander](#), 1945
- *T. yungasensis* [Alexander](#), 1962
- *T. zeltale* [Alexander](#), 1928
- *T. zeugmata* [Alexander](#), 1951
- *T. zotzil* [Alexander](#), 1928

***Tipula* subg. *Formotipula* [Matsumura](#), 1916**

- *T. cinereifrons* [de Meijere](#), 1911
- *T. decurvans* [Alexander](#), 1950
- *T. dikchuensis* [Edwards](#), 1932
- *T. dusun* [Edwards](#), 1933
- *T. exusta* [Alexander](#), 1931
- *T. friedrichi* [Alexander](#), 1935
- *T. gongshanensis* [Men](#), 2020
- *T. holoserica* ([Matsumura](#), 1916)
- *T. hypopygialis* [Alexander](#), 1924
- *T. ishana* [Alexander](#), 1953
- *T. kiangsuensis* [Alexander](#), 1938
- *T. laosica* [Edwards](#), 1926
- *T. leopoldi* [Alexander](#), 1937
- *T. lipophleps* [Edwards](#), 1926

- [*T. ludingana*](#) Li, Ding and Naizhong, 2013
- [*T. luteicorporis*](#) Alexander, 1933
- [*T. maolana*](#) Li, Ding and Naizhong, 2013
- [*T. medogensis*](#) Men, 2020
- [*T. melanomera*](#) Walker, 1848
- [*T. melanopyga*](#) Edwards, 1926
- [*T. oblitterata*](#) Alexander, 1924
- [*T. omeicola*](#) Alexander, 1935
- [*T. rufizona*](#) Edwards, 1916
- [*T. rufoabdominalis*](#) Alexander, 1927
- [*T. sciariformis*](#) Brunetti, 1911
- [*T. spoliatrix*](#) Alexander, 1941
- [*T. stoneana*](#) Alexander, 1943
- [*T. tjederana*](#) Alexander, 1966
- [*T. unirubra*](#) Alexander, 1935
- [*T. vindex*](#) Alexander, 1940

***Tipula* subg. [*Hesperotipula*](#) Alexander, 1947**

- [*T. aitkeniana*](#) Alexander, 1944
- [*T. arnaudi*](#) Alexander, 1965
- [*T. californica*](#) (Doane, 1908)
- [*T. chlorion*](#) Alexander, 1965
- [*T. chumash*](#) Alexander, 1961
- [*T. circularis*](#) Alexander, 1947
- [*T. contortrix*](#) Alexander, 1944
- [*T. coronado*](#) Alexander, 1946
- [*T. derbyi*](#) Doane, 1912
- [*T. fragmentata*](#) Dietz, 1919
- [*T. linsdalei*](#) Alexander, 1951
- [*T. micheneri*](#) Alexander, 1944
- [*T. millardi*](#) Alexander, 1965
- [*T. mutica*](#) Dietz, 1919
- [*T. opisthocera*](#) Dietz, 1919
- [*T. ovalis*](#) Alexander, 1951
- [*T. sanctaeluciae*](#) Alexander, 1951
- [*T. streptocera*](#) Doane, 1901
- [*T. supplicata*](#) Alexander, 1944
- [*T. sweetae*](#) Alexander, 1931
- [*T. trypetophora*](#) Dietz, 1919

***Tipula* subg. [*Indratipula*](#) Alexander, 1970**

- [*T. comstockana*](#) Alexander, 1970
- [*T. needhamana*](#) Alexander, 1968

***Tipula* subg. *Kalatipula* [Alexander](#), 1971**

- [T. skuseana Alexander](#), 1971

***Tipula* subg. *Labiotipula* [Alexander](#), 1965**

- [T. leechi Alexander](#), 1938
- [T. macrolabis Loew](#), 1864
- [T. macrolaboides Alexander](#), 1918
- [T. youngi Alexander](#), 1927

***Tipula* subg. *Lindnerina* Mannheims, 1965**

- [T. bistilata](#) Lundstrom, 1907
- [T. dershavini Alexander](#), 1934
- [T. illinoiensis Alexander](#), 1915
- [T. neptun](#) Dietz, 1921
- [T. senega Alexander](#), 1915
- [T.serta Loew](#), 1863
- [T. shieldsi Alexander](#), 1965
- [T. subexcisa](#) Lundstrom, 1907
- [T. subserta Alexander](#), 1928

***Tipula* subg. *Lunatipula* [Edwards](#), 1931**

- [T. abscissa Alexander](#), 1946
- [T. absconsa Alexander](#), 1936
- [T. accurata Alexander](#), 1927
- [T. acudens](#) Theischinger, 1977
- [T. acuminata Strobl](#), 1900
- [T. acutipleura](#) Doane, 1912
- [T. adapazariensis](#) Theischinger, 1987
- [T. adusta](#) Savchenko, 1954
- [T. adzharolivida](#) Savchenko, 1968
- [T. affinis Schummel](#), 1833
- [T. alaska Alexander](#), 1918
- [T. albofascia](#) Doane, 1901
- [T. albostriata Strobl](#), 1909
- [T. alpina Loew](#), 1873
- [T. ampliata Alexander](#), 1925
- [T. ampullifera](#) Mannheims, 1965
- [T. angela](#) Mannheims, 1963
- [T. angelica](#) Theowald, 1957
- [T. anicilla](#) Mannheims, 1967
- [T. animula](#) Mannheims, 1967
- [T. annulicornuta Alexander](#), 1922
- [T. anthe](#) Mannheims, 1968

- [*T. antichasia*](#) Theischinger, 1979
- [*T. antilope*](#) Theischinger, 1977
- [*T. aperta*](#) Alexander, 1918
- [*T. aphrodite*](#) Mannheims, 1963
- [*T. apicalis*](#) Loew, 1863
- [*T. ariadne*](#) Mannheims, 1954
- [*T. armata*](#) Doane, 1901
- [*T. arnoldii*](#) Savchenko, 1957
- [*T. artemis*](#) Theischinger, 1977
- [*T. astigma*](#) Savchenko, 1968
- [*T. atreia*](#) Petersen & Gelhaus, 2004
- [*T. atrisumma*](#) Doane, 1912
- [*T. auriculata*](#) Mannheims, 1963
- [*T. aurita*](#) Riedel, 1920
- [*T. australis*](#) Doane, 1901
- [*T. bactridica*](#) Savchenko, 1954
- [*T. balearica*](#) Mannheims, 1968
- [*T. barbata*](#) Doane, 1901
- [*T. beieri*](#) Mannheims, 1954
- [*T. bernardinensis*](#) Alexander, 1946
- [*T. bernhardi*](#) Theischinger, 2009
- [*T. berytia*](#) Mannheims, 1963
- [*T. bezzii*](#) Mannheims & Theowald, 1959
- [*T. biaculeata*](#) Alexander, 1949
- [*T. biavicularia*](#) Alexander, 1965
- [*T. bicornis*](#) Forbes, 1890
- [*T. bifalcata*](#) Doane, 1912
- [*T. bifasciculata*](#) Loew, 1873
- [*T. bigeminata*](#) Alexander, 1915
- [*T. bimacula*](#) Theowald, 1980
- [*T. bisetosa*](#) Doane, 1901
- [*T. bispina*](#) Loew, 1873
- [*T. biuncus*](#) Doane, 1912
- [*T. bivittata*](#) Pierre, 1922
- [*T. boregoensis*](#) Alexander, 1946
- [*T. borysthenica*](#) Savchenko, 1954
- [*T. brinki*](#) Theischinger, 1987
- [*T. bucera*](#) Alexander, 1927
- [*T. buchholzi*](#) Mannheims & Theowald, 1959
- [*T. bulbosa*](#) Mannheims, 1954
- [*T. bullata*](#) Loew, 1873
- [*T. calcarata*](#) Doane, 1901
- [*T. canakkalensis*](#) Theischinger, 1987
- [*T. canariensis*](#) Theischinger, 1979
- [*T. capra*](#) Theischinger, 1980
- [*T. capreola*](#) Mannheims, 1966
- [*T. carens*](#) Theischinger, 1987
- [*T. cassiope*](#) Mannheims, 1966
- [*T. catawba*](#) Alexander, 1915

- [*T. caucasica* Riedel](#), 1920
- [*T. caudatula* Loew](#), 1862
- [*T. caudispina* Pierre](#), 1921
- [*T. cava* Riedel](#), 1913
- [*T. cedrophila* Mannheims](#), 1963
- [*T. cerva* Mannheims & Theowald](#), 1959
- [*T. cervula* Mannheims & Theowald](#), 1959
- [*T. charybdis* Theischinger](#), 1979
- [*T. chelifera* Savchenko](#), 1964
- [*T. chernavini* Alexander](#), 1934
- [*T. chloris* Savchenko](#), 1972
- [*T. christophi* Theischinger](#), 1982
- [*T. cillibema* Koc](#), 2004
- [*T. cinerascens* Loew](#), 1873
- [*T. cinereicolor* Pierre](#), 1924
- [*T. cinerella* Pierre](#), 1919
- [*T. circe* Mannheims](#), 1954
- [*T. circumdata* Siebke](#), 1863
- [*T. cirrata* de Jong](#), 1995
- [*T. cirratula* Oosterbroek](#), 1997
- [*T. cladacantha* Alexander](#), 1945
- [*T. cladacanthodes* Alexander](#), 1964
- [*T. clio* Mannheims](#), 1954
- [*T. cornicula* Pierre](#), 1922
- [*T. corollata* Yang & Yang](#), 1995
- [*T. costaloides* Alexander](#), 1915
- [*T. cressa* Mannheims](#), 1965
- [*T. cretis* Mannheims](#), 1965
- [*T. ctenura* Savchenko](#), 1952
- [*T. curvata* Theischinger](#), 1977
- [*T. curvispina* Savchenko](#), 1954
- [*T. cypris* Mannheims](#), 1963
- [*T. cypropeliostigma* Vogtenhuber](#), 2002
- [*T. dampfiana* Alexander](#), 1946
- [*T. danieli* Simova-Tosic](#), 1972
- [*T. decolor* Mannheims](#), 1963
- [*T. dedecor* Loew](#), 1873
- [*T. degeneri* Alexander](#), 1944
- [*T. densursi* Alexander](#), 1943
- [*T. deserticola* Savchenko](#), 1968
- [*T. detruncata* Oosterbroek](#), 1997
- [*T. diabolica* Alexander](#), 1954
- [*T. diacanthophora* Alexander](#), 1945
- [*T. diarizos* Vogtenhuber](#), 2002
- [*T. dido* Alexander](#), 1947
- [*T. didymotes* Theischinger](#), 1977
- [*T. dietziana* Alexander](#), 1915
- [*T. disjuncta* Walker](#), 1856
- [*T. dolores* Mannheims](#), 1967

- [*T. dolosa* Alexander](#), 1936
- [*T. dorica* Mannheims](#), 1965
- [*T. dorsimacula* Walker](#), 1848
- [*T. downesi* Alexander](#), 1944
- [*T. dracula* Theischinger](#), 1977
- [*T. dumetorum* Savchenko](#), 1964
- [*T. duplex* Walker](#), 1848
- [*T. dupliciformis* Alexander](#), 1940
- [*T. eleniya* Lantsov and Pilipenko](#), 2021
- [*T. emmahelene* Theischinger](#), 1980
- [*T. engeli* Theowald](#), 1957
- [*T. erato* Mannheims](#), 1954
- [*T. erectispina* Savchenko](#), 1954
- [*T. eugeniana* Simova-Tosic](#), 1972
- [*T. euterpe* Theischinger](#), 1979
- [*T. eyndhoveni* Theowald](#), 1972
- [*T. fabiola* Mannheims](#), 1968
- [*T. falcata* Riedel](#), 1913
- [*T. fascicula* Mannheims](#), 1966
- [*T. fascingulata* Mannheims](#), 1966
- [*T. fascipennis* Meigen](#), 1818
- [*T. fattigiana* Alexander](#), 1944
- [*T. fenderi* Alexander](#), 1954
- [*T. filamentosa* Alexander](#), 1959
- [*T. fini* Oosterbroek](#), 1997
- [*T. finitima* Alexander](#), 1936
- [*T. flabellifera* Savchenko](#), 1954
- [*T. flaccida* Alexander](#), 1934
- [*T. flavibasis* Alexander](#), 1918
- [*T. flavocauda* Doane](#), 1912
- [*T. flavomarginata* Doane](#), 1912
- [*T. forcipula* Mannheims](#), 1966
- [*T. franzressli* Theischinger](#), 1982
- [*T. freidbergi* Theowald & Oosterbroek](#), 1987
- [*T. fuliginosa* \(Say, 1823\)](#)
- [*T. fulminis* Alexander](#), 1945
- [*T. fulvinodus* Doane](#), 1912
- [*T. furcula* Mannheims](#), 1954
- [*T. furiosa* Alexander](#), 1941
- [*T. fuscicosta* Mannheims](#), 1954
- [*T. gallaeca* Eiroa](#), 1989
- [*T. gebze* Koc, Hasbenli & Vogtenhuber](#), 2007
- [*T. geja* Savchenko](#), 1968
- [*T. gelensis* Loi](#), 1971
- [*T. georgiana* Alexander](#), 1915
- [*T. gibbifera* Strobl](#), 1906
- [*T. gondattii* Alexander](#), 1934
- [*T. graeca* Oosterbroek & Vukovic](#), 1989
- [*T. graecolivida* Mannheims](#), 1954

- [*T. grahamina* Alexander](#), 1963
- [*T. griesheimae* Mannheims & Theowald](#), 1959
- [*T. handschini* Mannheims](#), 1967
- [*T. harmonia* Mannheims](#), 1966
- [*T. hastingssae* Alexander](#), 1951
- [*T. helvola* Loew](#), 1873
- [*T. hera* Theischinger](#), 1979
- [*T. hermes* Theischinger](#), 1977
- [*T. heros* Egger](#), 1863
- [*T. hirsuta* Doane](#), 1901
- [*T. hirsuticauda* Pierre](#), 1925
- [*T. hispanolivida* Mannheims](#), 1968
- [*T. holzschuhi* Theischinger](#), 1977
- [*T. horsti* Theischinger](#), 1982
- [*T. huberti* Theischinger](#), 1982
- [*T. humilis* Staeger](#), 1840
- [*T. hybrida* Savchenko](#), 1952
- [*T. hypoalvata* Alexander](#), 1936
- [*T. hyrcana* Savchenko](#), 1973
- [*T. iberica* Mannheims](#), 1963
- [*T. iliensis* Mannheims](#), 1965
- [*T. imbecilla* Loew](#), 1869
- [*T. inadusta* Alexander](#), 1946
- [*T. interrta* Alexander](#), 1938
- [*T. inusitata* Alexander](#), 1949
- [*T. istriana* Erhan & Theowald](#), 1961
- [*T. jaroslavi* Koc](#), 2007
- [*T. jativensis* Strobl](#), 1909
- [*T. johnsoniana* Alexander](#), 1915
- [*T. kephalos* Theischinger](#), 1979
- [*T. kerkis* Theischinger](#), 1977
- [*T. kinzelbachi* Theischinger](#), 1982
- [*T. kirkwoodiana* Alexander](#), 1965
- [*T. klytaimnestra* Theischinger](#), 1979
- [*T. korovini* Savchenko](#), 1970
- [*T. kreissli* Theischinger](#), 1987
- [*T. kumerloevei* Mannheims](#), 1968
- [*T. kybele* Mannheims](#), 1968
- [*T. kykladon* Theischinger](#), 1987
- [*T. laetabilis* Zetterstedt](#), 1838
- [*T. lagunicola* Alexander](#), 1969
- [*T. lamellata* Doane](#), 1901
- [*T. lamentaria* Alexander](#), 1934
- [*T. lanispina* Mannheims](#), 1966
- [*T. lassenensis* Alexander](#), 1965
- [*T. latistyla* Savchenko](#), 1954
- [*T. leda* Mannheims](#), 1965
- [*T. leeuweni* Theischinger](#), 1982
- [*T. lehriana* Savchenko](#), 1964

- [*T. leto*](#) Mannheims, 1966
- [*T. limitata*](#) Schummel, 1833
- [*T. lithophila*](#) Savchenko, 1968
- [*T. livida*](#) van der Wulp, 1859
- [*T. loewiana*](#) Alexander, 1915
- [*T. longidens*](#) Strobl, 1909
- [*T. lucasi*](#) Theischinger, 1987
- [*T. lucida*](#) Doane, 1901
- [*T. luebenauorum*](#) Theischinger, 1977
- [*T. lunata*](#) Linnaeus, 1758
- [*T. lyrion*](#) Theischinger, 1987
- [*T. macciana*](#) Edwards, 1928
- [*T. macnabi*](#) Alexander, 1939
- [*T. macquarti*](#) Becker, 1908
- [*T. macropeliostigma*](#) Mannheims, 1954
- [*T. macropyga*](#) Savchenko, 1952
- [*T. macroselene*](#) Strobl, 1893
- [*T. macswaini*](#) Alexander, 1965
- [*T. magnicauda*](#) Strobl, 1895
- [*T. maija*](#) Savchenko, 1973
- [*T. mainensis*](#) Alexander, 1915
- [*T. mallochi*](#) Alexander, 1920
- [*T. mallorca*](#) Theischinger, 1982
- [*T. manca*](#) Alexander, 1924
- [*T. mariannae*](#) Alexander, 1940
- [*T. mariposa*](#) Alexander, 1946
- [*T. martini*](#) Alexander, 1965
- [*T. mecotrichia*](#) Alexander, 1966
- [*T. megalabiata*](#) Alexander, 1915
- [*T. megaura*](#) Doane, 1901
- [*T. melanothrix*](#) Savchenko & Theischinger, 1978
- [*T. mellea*](#) Schummel, 1833
- [*T. melpomene*](#) Mannheims, 1954
- [*T. mendli*](#) Martinovsky, 1976
- [*T. mercedensis*](#) Alexander, 1965
- [*T. meronensis*](#) Oosterbroek, 1997
- [*T. mesotergata*](#) Alexander, 1931
- [*T. michoacana*](#) Alexander, 1946
- [*T. micropeliostigma*](#) Mannheims, 1965
- [*T. milkoi*](#) Pilipenko, 2005
- [*T. minos*](#) Theischinger, 1982
- [*T. miwok*](#) Alexander, 1945
- [*T. modesta*](#) Macquart, 1846
- [*T. modoc*](#) Alexander, 1945
- [*T. mohavensis*](#) Alexander, 1946
- [*T. monstrabilis*](#) Theischinger, 1980
- [*T. monticola*](#) Alexander, 1915
- [*T. montifer*](#) Theischinger, 1977
- [*T. morenae*](#) Strobl, 1900

- [*T. mormon* Alexander](#), 1948
- [*T. morrisoni* Alexander](#), 1915
- [*T. murati* Koc](#), 2004
- [*T. musensis* Theischinger](#), 1987
- [*T. naumanni* Theischinger](#), 1979
- [*T. nausicaa* Mannheims](#), 1966
- [*T. neutra* Theischinger](#), 1982
- [*T. nigdeensis* Bischof](#), 1905
- [*T. nigrobasalis* Alexander](#), 1933
- [*T. nocturna* Savchenko](#), 1964
- [*T. olympia* Doane](#), 1912
- [*T. onusta* Riedel](#), 1913
- [*T. oorschotorum* Theischinger](#), 1987
- [*T. oosterbroeki* Koc](#), 2007
- [*T. oreada* Alexander](#), 1933
- [*T. ornithogona* Theischinger](#), 1982
- [*T. osmana* Mannheims](#), 1963
- [*T. oxytona* Alexander](#), 1927
- [*T. pachyprocta* Loew](#), 1873
- [*T. palifera* Mannheims](#), 1965
- [*T. pallidicornis* Savchenko](#), 1954
- [*T. pallidithorax* Savchenko](#), 1954
- [*T. palmarum* Alexander](#), 1947
- [*T. pandora* Mannheims](#), 1968
- [*T. pannonia* Loew](#), 1873
- [*T. parallela* Theischinger](#), 1977
- [*T. parapeliostigma* Mannheims & Theowald](#), 1959
- [*T. pararecticornis* Savchenko & Theischinger](#), 1978
- [*T. parasimurg* Savchenko](#), 1968
- [*T. paravelox* Theischinger](#), 1987
- [*T. parshleyi* Alexander](#), 1915
- [*T. pelidne* Mannheims](#), 1965
- [*T. peliostigma* Schummel](#), 1833
- [*T. pelma* Mannheims](#), 1965
- [*T. pendula* Alexander](#), 1924
- [*T. penelope* Mannheims](#), 1954
- [*T. penicillata* Alexander](#), 1915
- [*T. perfidiosa* Alexander](#), 1945
- [*T. peteri* Theischinger](#), 1979
- [*T. phaidra* Mannheims](#), 1965
- [*T. pilicauda* Pierre](#), 1922
- [*T. pinnifer* Theischinger](#), 1977
- [*T. pjotri* de Jong and Adgir](#), 2018
- [*T. pleuracacula* Alexander](#), 1915
- [*T. poelli* Vogtenhuber](#), 2012
- [*T. pokorny* Mannheims](#), 1968
- [*T. polingi* Alexander](#), 1950
- [*T. polycantha* Alexander](#), 1942
- [*T. polydeukes* Theischinger](#), 1977

- [*T. powersi* Alexander](#), 1965
- [*T. praecox* Loew](#), 1873
- [*T. productisterna* Alexander](#), 1963
- [*T. profdrassi* Theischinger](#), 1980
- [*T. pseudocinerascens* Strobl](#), 1906
- [*T. pseudolunata* Theischinger](#), 1980
- [*T. pseudopeliostigma* Mannheims](#), 1965
- [*T. pseudowolfi* Theischinger](#), 1979
- [*T. pustulata* Pierre](#), 1920
- [*T. pythia* Theischinger](#), 1979
- [*T. quadriatrata* Alexander](#), 1956
- [*T. quadridentata* Savchenko](#), 1964
- [*T. quinquespinis* Theischinger](#), 1980
- [*T. rabiosa* Alexander](#), 1943
- [*T. rainiericola* Alexander](#), 1946
- [*T. ramona* Alexander](#), 1941
- [*T. rauschorum* Theischinger](#), 1977
- [*T. raysmithi* Alexander](#), 1965
- [*T. recticornis* Schummel](#), 1833
- [*T. renate* Theischinger](#), 1982
- [*T. retusa* Doane](#), 1901
- [*T. rhodolivida* Theowald](#), 1972
- [*T. rhynchos* Theischinger](#), 1977
- [*T. rocina* Theischinger](#), 1979
- [*T. rossmani* Byers](#), 2003
- [*T. rotundiloba* Alexander](#), 1915
- [*T. rudis* Alexander](#), 1935
- [*T. rufula* Mannheims & Theowald](#), 1959
- [*T. rugulosa* Mannheims & Theowald](#), 1959
- [*T. ruidoso* Alexander](#), 1946
- [*T. russula* Theischinger](#), 1977
- [*T. rutila* Savchenko](#), 1952
- [*T. sacerdotula* Riedel](#), 1918
- [*T. sagittifera* Alexander](#), 1948
- [*T. saltatrix* Savchenko](#), 1964
- [*T. satyr* Alexander](#), 1915
- [*T. savtschenkoi* Simova](#), 1960
- [*T. saxemontana* Alexander](#), 1946
- [*T. saylori* Alexander](#), 1961
- [*T. schlingeri* Alexander](#), 1965
- [*T. sciurus* Theischinger](#), 1977
- [*T. seguyi* Mannheims](#), 1954
- [*T. selenaria* Mannheims](#), 1967
- [*T. selene* Meigen](#), 1830
- [*T. selenis* Loew](#), 1873
- [*T. selenitica* Meigen](#), 1818
- [*T. seminole* Alexander](#), 1915
- [*T. semipeliostigma* Mannheims](#), 1965
- [*T. sepiaformis* Vogtenhuber](#), 2002

- [*T. sequoiarum* Alexander](#), 1945
- [*T. sigma* Theischinger](#), 1979
- [*T. simova* Theischinger](#), 1982
- [*T. simurg* Dzhafarov & Savchenko](#), 1964
- [*T. siskiyuensis* Alexander](#), 1949
- [*T. skylla* Theischinger](#), 1979
- [*T. snoqualmiensis* Alexander](#), 1946
- [*T. soosi* Mannheims](#), 1954
- [*T. spatha* Doane](#), 1912
- [*T. sperryana* Alexander](#), 1942
- [*T. spetai* Vogtenhuber](#), 2012
- [*T. splendens* Doane](#), 1901
- [*T. stalagmites* Alexander](#), 1915
- [*T. sternalis* Theischinger](#), 1977
- [*T. sternata* Doane](#), 1912
- [*T. stimulosa* Mannheims](#), 1973
- [*T. strigosa* Savchenko](#), 1952
- [*T. stubbsi* Theischinger](#), 1979
- [*T. subacuminata* Mannheims](#), 1963
- [*T. subaurita* Savchenko](#), 1964
- [*T. subbarbata* Alexander](#), 1927
- [*T. subbispina* Savchenko](#), 1952
- [*T. subcava* Mannheims](#), 1963
- [*T. subfalcata* Mannheims](#), 1967
- [*T. subhelvola* Mannheims & Theowald](#), 1959
- [*T. sublimitata* Alexander](#), 1927
- [*T. sublunata* Savchenko](#), 1952
- [*T. submaculata* Loew](#), 1863
- [*T. submanca* Savchenko](#), 1964
- [*T. subonusta* Mannheims & Theowald](#), 1959
- [*T. subpustulata* Mannheims](#), 1963
- [*T. subrecticornis* Savchenko](#), 1964
- [*T. subselenitica* Theowald](#), 1957
- [*T. substernalis* Oosterbroek](#), 1997
- [*T. subtrunca* Mannheims](#), 1966
- [*T. subtruncata* Mannheims](#), 1954
- [*T. subvelox* Savchenko](#), 1968
- [*T. suleika* Mannheims](#), 1963
- [*T. sushkini* Savchenko](#), 1964
- [*T. talyshensis* Savchenko](#), 1964
- [*T. tanap* Koc and Can](#), 2020
- [*T. tanneri* Alexander](#), 1948
- [*T. tateyamae* Alexander](#), 1918
- [*T. tazzekai* Theowald](#), 1973
- [*T. tenaya* Alexander](#), 1946
- [*T. tergata* Doane](#), 1912
- [*T. tergestina* Loew](#), 1873
- [*T. teunissenii* Theischinger](#), 1979
- [*T. texensis* Alexander](#), 1916

- [*T. thais*](#) Mannheims, 1963
- [*T. theia*](#) Mannheims, 1963
- [*T. theowaldi*](#) Savchenko, 1964
- [*T. tibonella*](#) Theischinger, 1977
- [*T. timberlakei*](#) Alexander, 1947
- [*T. titania*](#) Mannheims, 1966
- [*T. transcaspica*](#) Savchenko, 1954
- [*T. transfixa*](#) Alexander, 1933
- [*T. translucida*](#) Doane, 1901
- [*T. transmarmarensis*](#) Koc, Aktas & Oosterbroek, 1996
- [*T. trapeza*](#) Theischinger, 1982
- [*T. trialbosignata*](#) Alexander, 1935
- [*T. trifasciculata*](#) Strobl, 1900
- [*T. trigona*](#) Mannheims, 1966
- [*T. trispinosa*](#) Lundstrom, 1907
- [*T. triton*](#) Alexander, 1915
- [*T. truculenta*](#) Alexander, 1943
- [*T. trunca*](#) Mannheims, 1954
- [*T. truncata*](#) Loew, 1873
- [*T. turanensis*](#) Alexander, 1934
- [*T. turca*](#) Mannheims, 1963
- [*T. turcolivida*](#) Mannheims, 1968
- [*T. turgida*](#) Oosterbroek, 1997
- [*T. tuscarora*](#) Alexander, 1915
- [*T. twilightae*](#) Alexander, 1959
- [*T. tyche*](#) Mannheims, 1966
- [*T. ulrike*](#) Theischinger, 1982
- [*T. unicincta*](#) Doane, 1901
- [*T. unicornis*](#) Theischinger, 1977
- [*T. urania*](#) Mannheims, 1954
- [*T. ursulae*](#) Mannheims, 1965
- [*T. usitata*](#) Doane, 1901
- [*T. valerii*](#) Savchenko, 1968
- [*T. valida*](#) Loew, 1863
- [*T. validicornis*](#) Alexander, 1934
- [*T. vermooleni*](#) Theischinger, 1987
- [*T. vernalis*](#) Meigen, 1804
- [*T. verrucosa*](#) Pierre, 1919
- [*T. vesubiana*](#) Dufour, 2003
- [*T. vitabilis*](#) Alexander, 1947
- [*T. vittatipennis*](#) Doane, 1912
- [*T. vogtenhuberi*](#) Theischinger, 1979
- [*T. vulpecula*](#) Theischinger, 1979
- [*T. wewalkai*](#) Theischinger, 1979
- [*T. willissmithi*](#) Alexander, 1945
- [*T. wolfi*](#) Mannheims, 1954
- [*T. xyrophora*](#) Theischinger, 1977
- [*T. yana*](#) Alexander, 1965
- [*T. yosemite*](#) Alexander, 1946

- [T. zaitzevi](#) Savchenko, 1952
- [T. zangherii](#) Lackschewitz, 1932
- [T. zarcoi](#) Mannheims, 1967
- [T. zarnigor](#) Savchenko, 1954
- [T. zelotypa](#) [Alexander](#), 1946
- [T. zimini](#) Savchenko, 1954

***Tipula* subg. *Mediotipula* [Pierre](#), 1924**

- [T. anatoliensis](#) Theowald, 1978
- [T. brolemanni](#) Pierre, 1922
- [T. cataloniensis](#) Theowald, 1978
- [T. caucasiensis](#) Theowald, 1978
- [T. fulvogrisea](#) (Pierre, 1924)
- [T. galiciensis](#) Theowald, 1978
- [T. gjipeensis](#) Keresztes and Kolcsar, 2018
- [T. mikiana](#) Bergroth, 1888
- [T. nitidicollis](#) [Strobl](#), 1909
- [T. sarajevensis](#) [Strobl](#), 1898
- [T. siebkei](#) [Zetterstedt](#), 1852
- [T. stigmatella](#) [Schummel](#), 1833

***Tipula* subg. *Microtipula* [Alexander](#), 1912**

- [T. aequitorialis](#) [Alexander](#), 1940
- [T. affabilis](#) [Alexander](#), 1945
- [T. akestra](#) [Alexander](#), 1966
- [T. alecto](#) [Alexander](#), 1945
- [T. amara](#) [Alexander](#), 1951
- [T. amazonica](#) ([Alexander](#), 1912)
- [T. amoenicornis](#) [Alexander](#), 1922
- [T. anomalina](#) [Alexander](#), 1979
- [T. apollyon](#) [Alexander](#), 1951
- [T. appendens](#) ([Enderlein](#), 1912)
- [T. ariranhæ](#) [Alexander](#), 1945
- [T. armatipennis](#) [Alexander](#), 1912
- [T. auricularis](#) [Alexander](#), 1942
- [T. austrovolens](#) [Alexander](#), 1951
- [T. aymara](#) [Alexander](#), 1912
- [T. baeostyla](#) [Alexander](#), 1979
- [T. bigracilis](#) [Alexander](#), 1979
- [T. bilimeki](#) [Alexander](#), 1941
- [T. biprolata](#) [Alexander](#), 1967
- [T. bitribula](#) [Alexander](#), 1967
- [T. blaseri](#) [Alexander](#), 1942
- [T. brasiliensis](#) ([Wiedemann](#), 1828)
- [T. bruesi](#) [Alexander](#), 1945

- [*T. camura* Alexander](#), 1979
- [*T. carib* Alexander](#), 1970
- [*T. cerogama* Alexander](#), 1944
- [*T. cithariformis* Alexander](#), 1967
- [*T. colombicola* Alexander](#), 1929
- [*T. contemplata* Alexander](#), 1951
- [*T. costaricensis* \(Alexander, 1922\)](#)
- [*T. crassistyla* Alexander](#), 1966
- [*T. ctenopyga* Alexander](#), 1940
- [*T. decens* Alexander](#), 1942
- [*T. decolorata* \(Alexander, 1935\)](#)
- [*T. detecta* Alexander](#), 1927
- [*T. diacanthos* Alexander](#), 1921
- [*T. diadexia* Alexander](#), 1967
- [*T. didactyla* Alexander](#), 1942
- [*T. didolos* Alexander](#), 1962
- [*T. dirhabdophora* Alexander](#), 1951
- [*T. discophora* Alexander](#), 1951
- [*T. efferox* Alexander](#), 1945
- [*T. effeta* Alexander](#), 1921
- [*T. effulta* Alexander](#), 1941
- [*T. epione* Alexander](#), 1944
- [*T. erebus* Alexander](#), 1979
- [*T. erostrata* Alexander](#), 1945
- [*T. eurymera* Alexander](#), 1945
- [*T. extensistyla* Alexander](#), 1979
- [*T. falcifer* Alexander](#), 1944
- [*T. feliciana* Alexander](#), 1945
- [*T. ferocia* Alexander](#), 1937
- [*T. fiebrigi* Alexander](#), 1941
- [*T. flavopolita* Alexander](#), 1942
- [*T. gladiator* Alexander](#), 1914
- [*T. guato* Alexander](#), 1912
- [*T. guerreroensis* Alexander](#), 1940
- [*T. gutticellula* Alexander](#), 1936
- [*T. heterodactyla* Alexander](#), 1944
- [*T. hexamelania* Alexander](#), 1951
- [*T. histrionica* Alexander](#), 1945
- [*T. horribilis* Alexander](#), 1945
- [*T. icasta* Alexander](#), 1941
- [*T. impatiens* Alexander](#), 1951
- [*T. inaequilobata* Alexander](#), 1938
- [*T. inarmata* Alexander](#), 1928
- [*T. infida* Alexander](#), 1941
- [*T. intemperata* Alexander](#), 1943
- [*T. jivaronis* Alexander](#), 1943
- [*T. jordanensis* Alexander](#), 1949
- [*T. juquiella* Alexander](#), 1945
- [*T. klagesi* Alexander](#), 1945

- [*T. lagotis* Alexander, 1942](#)
- [*T. languidula* Alexander, 1942](#)
- [*T. laticostata* Alexander, 1937](#)
- [*T. letalis* Alexander, 1937](#)
- [*T. lichyana* Alexander, 1945](#)
- [*T. luctifica* Alexander, 1940](#)
- [*T. luteidorsata* Alexander, 1971](#)
- [*T. luteilimbata* Alexander, 1944](#)
- [*T. lyriformis* Alexander, 1942](#)
- [*T. macrosterna* \(Alexander, 1912\)](#)
- [*T. mandator* Alexander, 1945](#)
- [*T. manniana* Alexander, 1945](#)
- [*T. mediocompressa* Alexander, 1944](#)
- [*T. megalyra* Alexander, 1945](#)
- [*T. monocera* Alexander, 1967](#)
- [*T. mulfordi* Alexander, 1945](#)
- [*T. multimoda* Alexander, 1938](#)
- [*T. myriatricha* Alexander, 1942](#)
- [*T. neolenta* Alexander, 1945](#)
- [*T. nicoya* Alexander, 1944](#)
- [*T. nigroabdominalis* \(Alexander, 1936\)](#)
- [*T. nigrovariegata* Alexander, 1928](#)
- [*T. niobe* Alexander, 1947](#)
- [*T. obstinata* Alexander, 1971](#)
- [*T. opipara* Alexander, 1951](#)
- [*T. ortonii* Alexander, 1945](#)
- [*T. pala* Alexander, 1939](#)
- [*T. palaeogama* Alexander, 1944](#)
- [*T. paloides* Alexander, 1940](#)
- [*T. paralenta* Alexander, 1950](#)
- [*T. pararia* Alexander, 1966](#)
- [*T. parishii* Alexander, 1912](#)
- [*T. penana* Alexander, 1951](#)
- [*T. perangustula* Alexander, 1938](#)
- [*T. percompressa* Alexander, 1944](#)
- [*T. percomptaria* Alexander, 1945](#)
- [*T. perdelecta* Alexander, 1942](#)
- [*T. perissopyga* Alexander, 1979](#)
- [*T. perlaticosta* Alexander, 1941](#)
- [*T. plaumannina* Alexander, 1945](#)
- [*T. plumbeithorax* Alexander, 1921](#)
- [*T. pontifex* Alexander, 1967](#)
- [*T. porrecta* Alexander, 1951](#)
- [*T. pretiosa* Alexander, 1945](#)
- [*T. pritchardi* Alexander, 1940](#)
- [*T. proctotricha* Alexander, 1945](#)
- [*T. prolixisterna* Alexander, 1941](#)
- [*T. quadricollis* Alexander, 1945](#)
- [*T. rectangulus* Alexander, 1951](#)

- [*T. regressa* Alexander](#), 1950
- [*T. retrorsa* Alexander](#), 1962
- [*T. scaphula* Alexander](#), 1945
- [*T. scelestia* Alexander](#), 1945
- [*T. schildeana* Alexander](#), 1945
- [*T. schunkei* Alexander](#), 1971
- [*T. schwarzmaieri* Alexander](#), 1940
- [*T. septemhastata* Alexander](#), 1962
- [*T. sexcincta* Alexander](#), 1942
- [*T. smilodon* Alexander](#), 1940
- [*T. smithi* Alexander](#), 1912
- [*T. sparsipila* Alexander](#), 1962
- [*T. spinicauda* Alexander](#), 1919
- [*T. sternohirsuta* Alexander](#), 1941
- [*T. subarmata* Alexander](#), 1941
- [*T. subaymara* Alexander](#), 1962
- [*T. subeffeta* Alexander](#), 1951
- [*T. subeffulta* Alexander](#), 1969
- [*T. subinfusata* Williston](#), 1896[1]
- [*T. tancitaro* Alexander](#), 1946
- [*T. temperata* Alexander](#), 1940
- [*T. tenuicula* Enderlein](#), 1912
- [*T. tenuilobata* Alexander](#), 1940
- [*T. tergoarmata* Alexander](#), 1971
- [*T. terpsichore* Alexander](#), 1951
- [*T. terribilis* Alexander](#), 1944
- [*T. tijucensis* Alexander](#), 1943
- [*T. topoensis* Alexander](#), 1951
- [*T. trichoprocta* Alexander](#), 1945
- [*T. trihastata* Alexander](#), 1945
- [*T. trinidadensis* \(Alexander, 1912\)](#)
- [*T. trinitatis* Alexander](#), 1941
- [*T. tucumanensis* Alexander](#), 1945
- [*T. urophora* Alexander](#), 1938
- [*T. virgilia* Alexander](#), 1951
- [*T. volens* Alexander](#), 1944
- [*T. zeteki* Alexander](#), 1945
- [*T. zonalis* Alexander](#), 1927

***Tipula* subg. *Nesotipula* [Alexander](#), 1921**

- [*T. pribilovia* Alexander](#), 1921

***Tipula* subg. *Nippotipula* [Matsumura](#), 1916**

- [*T. abdominalis* \(Say, 1823\)](#)
- [*T. anastomosa* Edwards](#), 1928

- [*T. brevifusa* Alexander](#), 1940
- [*T. champasakensis* Zhang, Ren, Li and Yang](#), 2020
- [*T. coquilletti* Enderlein](#), 1912
- [*T. edwardsomyia* Alexander](#), 1964
- [*T. fanjingshana* Yang & Yang](#), 1988
- [*T. flavostigmalis* Alexander](#), 1953
- [*T. kerteszi* Alexander](#), 1964
- [*T. klapperichi* Alexander](#), 1941
- [*T. masakiana* Alexander](#), 1968
- [*T. metacomet* Alexander](#), 1965
- [*T. phaedina* \(Alexander\)](#), 1927
- [*T. pseudophaedina* Yang & Yang](#), 1992
- [*T. pulcherrima* Brunetti](#), 1912
- [*T. sinica* Alexander](#), 1935
- [*T. susurrans* Edwards](#), 1932

***Tipula* subg. *Nobilotipula* [**Alexander**](#), 1943**

- [*T. brolemanniana* Alexander](#), 1968
- [*T. collaris* Say](#), 1823
- [*T. fuiana* Alexander](#), 1949
- [*T. nobilis* \(Loew\)](#), 1864
- [*T. specularis* Alexander](#), 1961
- [*T. wardleana* Alexander](#), 1968

***Tipula* subg. *Odonatisca* Savchenko, 1956**

- [*T. breviligula* Alexander](#), 1956
- [*T. gouldeni* Podenas & Gelhaus](#), 2000
- [*T. kamchatkensis* Alexander](#), 1918
- [*T. nodicornis* Meigen](#), 1818
- [*T. optiva* Alexander](#), 1921
- [*T. pribilofensis* Alexander](#), 1923
- [*T. subarctica* Alexander](#), 1919
- [*T. timptonensis* Savchenko](#), 1956

***Tipula* subg. *Papuatipula* [**Alexander**](#), 1935**

- [*T. artifex* Alexander](#), 1948
- [*T. consiliosa* Alexander](#), 1971
- [*T. cyclopica* Alexander](#), 1948
- [*T. divergens* de Meijere](#), 1913
- [*T. gressittiana* Alexander](#), 1971
- [*T. insperata* Young](#), 1987
- [*T. koiari* Young](#), 1987
- [*T. leucosticta* Alexander](#), 1934
- [*T. lieftincki* Alexander](#), 1971

- *T. meijereana* [Alexander](#), 1935
- *T. melanotis* [Alexander](#), 1948
- *T. nigrilus* Young, 1987
- *T. nokicola* [Alexander](#), 1953
- *T. novaebrittaniae* [Alexander](#), 1935
- *T. obediens* [Alexander](#), 1947
- *T. omissinervis* (de Meijere, 1906)
- *T. oneili* Young, 1987
- *T. pedicioides* [Alexander](#), 1948
- *T. pensilis* [Alexander](#), 1971
- *T. satirica* [Alexander](#), 1971
- *T. staryi* [Alexander](#), 1971
- *T. strictistyla* [Alexander](#), 1971
- *T. surcularia* [Alexander](#), 1947
- *T. toxopeina* [Alexander](#), 1971
- *T. wibleae* Young, 1987

***Tipula* subg. *Pectinotipula* [Alexander](#), 1920**

- *T. argentina* (van der Wulp, 1881)
- *T. boliviensis* ([Alexander](#), 1946)
- *T. titicacae* ([Alexander](#), 1944)
- *T. tucumana* ([Alexander](#), 1946)

***Tipula* subg. *Platytipula* [Matsumura](#), 1916**

- *T. acifera* [Alexander](#), 1926
- *T. acirostris* [Alexander](#), 1954
- *T. alexanderi* Joseph, 1974
- *T. angustiligula* [Alexander](#), 1931
- *T. appendifera* [Alexander](#), 1956
- *T. autumnalis* Loew, 1864
- *T. bidenticulata* [Alexander](#), 1933
- *T. carinata* Doane, 1901
- *T. chumbiensis* [Edwards](#), 1928
- *T. continuata* [Brunetti](#), 1912
- *T. cumulata* [Alexander](#), 1938
- *T. cunctans* [Say](#), 1823
- *T. cylindrostylata* [Alexander](#), 1926
- *T. dinarzadae* Theowald, 1978
- *T. dissociata* [Alexander](#), 1936
- *T. ecaudata* [Alexander](#), 1924
- *T. esakiana* [Alexander](#), 1933
- *T. hamptoni* [Edwards](#), 1927
- *T. haplostyla* Oosterbroek & Theowald, 1992
- *T. hebeiensis* Yang & Yang, 1995
- *T. honorifica* [Alexander](#), 1933

- [*T. hugginsi*](#) Gelhaus, 1986
- [*T. imanishii*](#) Alexander, 1933
- [*T. indifferens*](#) Alexander, 1935
- [*T. insulicola*](#) Alexander, 1914
- [*T. jocosipennis*](#) Alexander, 1933
- [*T. knowltoniana*](#) Alexander, 1969
- [*T. luteipennis*](#) Meigen, 1830
- [*T. maritima*](#) Alexander, 1930
- [*T. melanoceros*](#) Schummel, 1833
- [*T. membranifera*](#) Alexander, 1936
- [*T. moiwana*](#) (Matsumura, 1916)
- [*T. nebulinervis*](#) Alexander, 1940
- [*T. nicothoe*](#) Alexander, 1953
- [*T. nigrocellula*](#) Alexander, 1935
- [*T. nikkoensis*](#) Alexander, 1921
- [*T. nipponensis*](#) Alexander, 1914
- [*T. omogicola*](#) Alexander, 1954
- [*T. paterifera*](#) Alexander, 1962
- [*T. pendulifera*](#) Alexander, 1919
- [*T. perhirtipes*](#) Alexander, 1963
- [*T. pterotricha*](#) Alexander, 1953
- [*T. querula*](#) Alexander, 1924
- [*T. quiris*](#) Alexander, 1940
- [*T. saragaminensis*](#) Alexander, 1954
- [*T. scheherezadae*](#) Theowald, 1978
- [*T. sessilis*](#) Edwards, 1921
- [*T. sparsiseta*](#) Alexander, 1924
- [*T. spenceriana*](#) Alexander, 1943
- [*T. stipata*](#) Alexander, 1935
- [*T. tennesa*](#) Alexander, 1920
- [*T. ultima*](#) Alexander, 1915
- [*T. violovitshiana*](#) Savchenko, 1961
- [*T. xanthodes*](#) Yang & Yang, 1991

***Tipula* subg. *Pterelachisus* [Rondani](#), 1842**

- [*T. aka*](#) Alexander, 1971
- [*T. albertensis*](#) Alexander, 1927
- [*T. alcestis*](#) Alexander, 1946
- [*T. alta*](#) Doane, 1912
- [*T. aluco*](#) Alexander, 1918
- [*T. angulata*](#) Loew, 1864
- [*T. apicispina*](#) Alexander, 1934
- [*T. aspoecki*](#) Vogtenhuber, 2004
- [*T. austriaca*](#) (Pokorny, 1887)
- [*T. autumnna*](#) Alexander, 1921
- [*T. badakhensis*](#) Alexander, 1956
- [*T. bakeri*](#) Alexander, 1954

- [*T. banffiana* Alexander](#), 1946
- [*T. bellardiana* Alexander](#), 1926
- [*T. berteii* \(Rondani, 1842\)](#)
- [*T. biaciculifera* Alexander](#), 1937
- [*T. bilobata* Pokorny](#), 1887
- [*T. brindleana* Alexander](#), 1964
- [*T. brunnica* Brunetti](#), 1912
- [*T. camillerii* Alexander](#), 1959
- [*T. carinifrons* Holmgren](#), 1883
- [*T. cavagnaroi* Alexander](#), 1965
- [*T. cayollensis* Dufour](#), 2003
- [*T. cineracea* Coquillett](#), 1900
- [*T. cinereocincta* Lundstrom](#), 1907
- [*T. clinata* Alexander](#), 1938
- [*T. coleana* Alexander](#), 1940
- [*T. crassicornis* Zetterstedt](#), 1838
- [*T. crassiventris* Riedel](#), 1913
- [*T. crawfordi* Alexander](#), 1927
- [*T. cruciata* Edwards](#), 1928
- [*T. curvistylus* Eiroa](#), 1990
- [*T. daitenjoensis* Alexander](#), 1955
- [*T. derbecki* Alexander](#), 1934
- [*T. difflava* Alexander](#), 1919
- [*T. digesta* Alexander](#), 1953
- [*T. dolomitensis* Theowald](#), 1980
- [*T. edwardsella* Alexander](#), 1923
- [*T. entomophthorae* Alexander](#), 1918
- [*T. excetra* Alexander](#), 1935
- [*T. famula* Alexander](#), 1935
- [*T. faultrix* Alexander](#), 1961
- [*T. flavocostalis* Alexander](#), 1921
- [*T. futilis* Alexander](#), 1924
- [*T. garuda* Alexander](#), 1953
- [*T. geisha* Alexander](#), 1958
- [*T. gelida* Coquillett](#), 1900
- [*T. gemula* Alexander](#), 1945
- [*T. glacialis* \(Pokorny, 1887\)](#)
- [*T. gredosi* Theowald](#), 1980
- [*T. haplorhabda* Alexander](#), 1935
- [*T. harutai* Alexander](#), 1955
- [*T. helvocincta* Doane](#), 1901
- [*T. hewitti* Alexander](#), 1919
- [*T. hibii* Alexander](#), 1933
- [*T. hirsutipes* Lackschewitz](#), 1934
- [*T. hispida* Savchenko](#), 1964
- [*T. hollandi* Alexander](#), 1934
- [*T. hoogerwerfi* Alexander](#), 1944
- [*T. horningi* Alexander](#), 1966
- [*T. huntsmaniana* Dietz](#), 1920

- [*T. huron* Alexander](#), 1918
- [*T. hylaea* Alexander](#), 1924
- [*T. icarus* Alexander](#), 1936
- [*T. idahoensis* Alexander](#), 1955
- [*T. ignoscens* Alexander](#), 1935
- [*T. illegitima* Alexander](#), 1933
- [*T. imbellis* Alexander](#), 1927
- [*T. imitator* Alexander](#), 1953
- [*T. incurva* Doane](#), 1912
- [*T. ingenua* Alexander](#), 1945
- [*T. interposita* Savchenko](#), 1966
- [*T. irregularis* \(Pokorny, 1887\)](#)
- [*T. irrorata* Macquart](#), 1826
- [*T. ishiharana* Alexander](#), 1953
- [*T. jedomensis* Alexander](#), 1933
- [*T. jenseni* Alexander](#), 1965
- [*T. jutlandica* Nielsen](#), 1947
- [*T. kaisilai* Mannheims](#), 1954
- [*T. katmaiensis* Alexander](#), 1920
- [*T. kaulbackiana* Alexander](#), 1953
- [*T. kirbyana* Alexander](#), 1918
- [*T. kuatunensis* Alexander](#), 1941
- [*T. kurilensis* Savchenko](#), 1970
- [*T. lacunosa* Alexander](#), 1941
- [*T. laetabunda* Alexander](#), 1961
- [*T. laetibasis* Alexander](#), 1934
- [*T. laetissima* Alexander](#), 1938
- [*T. latiflava* Alexander](#), 1931
- [*T. legalis* Alexander](#), 1933
- [*T. leucopalassa* Alexander](#), 1964
- [*T. leucosema* Edwards](#), 1928
- [*T. limbinervis* Alexander](#), 1953
- [*T. luridorostris* Schummel](#), 1833
- [*T. luteobasalis* Savchenko](#), 1964
- [*T. maaiana* Alexander](#), 1949
- [*T. macarta* Alexander](#), 1936
- [*T. macrostyla* Savchenko](#), 1964
- [*T. malaisei* Alexander](#), 1927
- [*T. mandan* Alexander](#), 1915
- [*T. margarita* Alexander](#), 1918
- [*T. matsumuriana* Alexander](#), 1924
- [*T. mayerduerii* Egger](#), 1863
- [*T. mcdonaldi* Alexander](#), 1975
- [*T. meijerella* Alexander](#), 1966
- [*T. middendorffi* Lackschewitz](#), 1936
- [*T. mitophora* Alexander](#), 1934
- [*T. mono* Alexander](#), 1945
- [*T. mupinensis* Alexander](#), 1934
- [*T. mutila* Wahlgren](#), 1905

- [*T. mutiloides* Alexander](#), 1932
- [*T. mystax* Alexander](#), 1961
- [*T. neurotica* Mannheims](#), 1966
- [*T. niitakensis* Alexander](#), 1938
- [*T. nudicellula* Savchenko](#), 1966
- [*T. obnata* Alexander](#), 1934
- [*T. ochotana* Savchenko](#), 1970
- [*T. octomaculata* Savchenko](#), 1964
- [*T. osellai* Theowald](#), 1980
- [*T. pabulina* Meigen](#), 1818
- [*T. padana* Dufour](#), 1981
- [*T. pauli* Mannheims](#), 1964
- [*T. pedicellaris* Alexander](#), 1933
- [*T. penobscot* Alexander](#), 1915
- [*T. percara* Alexander](#), 1922
- [*T. pertenuis* Alexander](#), 1938
- [*T. phaeopasta* Alexander](#), 1924
- [*T. phryne* Alexander](#), 1945
- [*T. pieli* Alexander](#), 1937
- [*T. pingi* Alexander](#), 1936
- [*T. plitviciensis* Simova](#), 1962
- [*T. polaruralensis* Theowald](#), 1980
- [*T. pollex* Alexander](#), 1933
- [*T. pontica* Savchenko](#), 1964
- [*T. procliva* Alexander](#), 1938
- [*T. pseudobiaciculifera* Men, Xue and Wang](#), 2016
- [*T. pseudocrassiventris* Theowald](#), 1980
- [*T. pseudoirrorata* Goetghebuer](#), 1921
- [*T. pseudopruinosa* Strobl](#), 1895
- [*T. pseudotruncorum* Alexander](#), 1920
- [*T. pseudovariipennis* Czizek](#), 1912
- [*T. ranee* Alexander](#), 1961
- [*T. recondita* Pilipenko and Salmela](#), 2012
- [*T. resupina* Alexander](#), 1935
- [*T. sauteri* Dufour](#), 1982
- [*T. savionis* Alexander](#), 1937
- [*T. sequoicola* Alexander](#), 1947
- [*T. seticellula* Alexander](#), 1932
- [*T. sharva* Alexander](#), 1953
- [*T. shomio* Alexander](#), 1921
- [*T. shoshone* Alexander](#), 1946
- [*T. sibiriensis* Alexander](#), 1925
- [*T. simondsi* Alexander](#), 1965
- [*T. spathifera* Mannheims](#), 1953
- [*T. stenostyla* Savchenko](#), 1964
- [*T. striatipennis* Brunetti](#), 1912
- [*T. strictura* Alexander](#), 1937
- [*T. subfasciata* Loew](#), 1863
- [*T. subfutilis* Alexander](#), 1929

- *T. subglacialis* Mannheims & Theowald, 1959
- *T. sublimata* [Alexander](#), 1953
- *T. submarmorata* [Schummel](#), 1833
- *T. submutila* [Alexander](#), 1933
- *T. sunda* [Alexander](#), 1915
- *T. taikun* [Alexander](#), 1921
- *T. teleutica* Pilipenko, 1999
- *T. ternaria* [Loew](#), 1864
- *T. tetramelania* [Alexander](#), 1935
- *T. trichopleura* Savchenko, 1964
- *T. tridentata* [Alexander](#), 1920
- *T. trifascingulata* Theowald, 1980
- *T. tristriata* Lundstrom, 1915
- *T. trivittata* [Say](#), 1823
- *T. truncorum* [Meigen](#), 1830
- *T. trupheoneura* [Alexander](#), 1920
- *T. tshernovskii* Savchenko, 1954
- *T. tundrensis* [Alexander](#), 1934
- *T. uenoi* [Alexander](#), 1930
- *T. variata* [Alexander](#), 1927
- *T. varipennis* [Meigen](#), 1818
- *T. vayu* [Alexander](#), 1964
- *T. vermiculata* Savchenko, 1964
- *T. vitiosa* [Alexander](#), 1933
- *T. vivax* [Alexander](#), 1933
- *T. wahlgreni* Lackschewitz, 1925
- *T. wardiana* [Alexander](#), 1951
- *T. wiedemanniana* [Alexander](#), 1971
- *T. winthemi* Lackschewitz, 1932
- *T. wuana* [Alexander](#), 1966
- *T. yasumatsuana* [Alexander](#), 1954

***Tipula* subg. *Ramatipula* [Alexander](#), 1971**

- *T. bagchiana* [Alexander](#), 1971
- *T. bangerterana* [Alexander](#), 1964
- *T. bilobula* [Alexander](#), 1938
- *T. flavithorax* [Brunetti](#), 1918
- *T. kuntzeana* [Alexander](#), 1971
- *T. octacantha* [Alexander](#), 1961
- *T. phallacaena* [Alexander](#), 1964
- *T. pierreana* [Alexander](#), 1964
- *T. podana* [Alexander](#), 1971
- *T. shawiana* [Alexander](#), 1953

Tipula subg. *Savtshenkia* [Alexander](#), 1965

- [T. aberdareica Alexander](#), 1956
- [T. akeleyi Alexander](#), 1956
- [T. alpha](#) de Jong, 1994
- [T. alpium](#) Bergroth, 1888
- [T. anadyrensis](#) Pilipenko, 2011
- [T. antricola Riedel](#), 1918
- [T. asbolodes Speiser](#), 1909
- [T. aspromontensis](#) Theowald, 1973
- [T. aster](#) Theischinger, 1983
- [T. atlas](#) Pierre, 1924
- [T. baltistanica Alexander](#), 1936
- [T. benesignata](#) Mannheims, 1954
- [T. boreosignata](#) Tjeder, 1969
- [T. brevantennata](#) Lackschewitz, 1933
- [T. caligo Alexander](#), 1956
- [T. cheethami Edwards](#), 1924
- [T. chrysocephala](#) Mannheims, 1958
- [T. confusa](#) van der Wulp, 1883
- [T. convexifrons Holmgren](#), 1883
- [T. corsosignata](#) Theowald, Dufour & Oosterbroek, 1982
- [T. cyrnosardensis](#) Theowald, Dufour & Oosterbroek, 1982
- [T. draconis Alexander](#), 1964
- [T. eleonora](#) Theischinger, 1978
- [T. elgonensis Alexander](#), 1956
- [T. eugeni](#) Theowald, 1973
- [T. fragilina Alexander](#), 1919
- [T. fragilis Loew](#), 1863
- [T. gimmerthali](#) Lackschewitz, 1925
- [T. glaucocinerea](#) Lundstrom, 1915
- [T. goriziensis Strobl](#), 1893
- [T. graciae Alexander](#), 1947
- [T. griseascens Zetterstedt](#), 1851
- [T. haennii](#) Dufour, 1991
- [T. hancocki Alexander](#), 1956
- [T. hartigiana](#) Theowald, Dufour & Oosterbroek, 1982
- [T. holoptera Edwards](#), 1939
- [T. ignobilis Loew](#), 1863
- [T. interserta Riedel](#), 1913
- [T. invenusta Riedel](#), 1919
- [T. jeekeli](#) Mannheims & Theowald, 1959
- [T. kiushiuensis Alexander](#), 1925
- [T. koreana Alexander](#), 1934
- [T. letifera Alexander](#), 1951
- [T. limbata Zetterstedt](#), 1838
- [T. lundbladi](#) Mannheims, 1962
- [T. macaronesica](#) Savchenko, 1961
- [T. mannheimsi](#) Theowald, 1973

- [*T. minuscula*](#) Savchenko, 1971
- [*T. mohriana*](#) Alexander, 1954
- [*T. multipicta*](#) Becker, 1908
- [*T. nephrotomoides*](#) Alexander, 1924
- [*T. nielsenii*](#) Mannheims & Theowald, 1959
- [*T. nivalis*](#) Savchenko, 1961
- [*T. obsoleta*](#) Meigen, 1818
- [*T. odontostyla*](#) Savchenko, 1961
- [*T. omega*](#) de Jong, 1994
- [*T. ornata*](#) Theowald & Oosterbroek, 1987
- [*T. pagana*](#) Meigen, 1818
- [*T. pechlaneri*](#) Mannheims & Theowald, 1959
- [*T. persignata*](#) Alexander, 1945
- [*T. phoroctenia*](#) Alexander, 1919
- [*T. postposita*](#) Riedel, 1919
- [*T. productella*](#) Alexander, 1928
- [*T. rothschildi*](#) Alexander, 1920
- [*T. rufina*](#) Meigen, 1818
- [*T. sardosignata*](#) Mannheims & Theowald, 1959
- [*T. sciadoptera*](#) Alexander, 1964
- [*T. serrulifera*](#) Alexander, 1942
- [*T. signata*](#) Staeger, 1840
- [*T. simulans*](#) Savchenko, 1966
- [*T. sordidipes*](#) Alexander, 1961
- [*T. staegeri*](#) Nielsen, 1922
- [*T. subalpinum*](#) Savchenko, 1961
- [*T. subnodicornis*](#) Zetterstedt, 1838
- [*T. subsignata*](#) Lackschewitz, 1933
- [*T. subvafra*](#) Lackschewitz, 1936
- [*T. tetragramma*](#) Edwards, 1928
- [*T. trinacria*](#) de Jong, 1994
- [*T. tulipa*](#) Dufour, 1983
- [*T. venerabilis*](#) Alexander, 1936
- [*T. villeneuvii*](#) Strobl, 1909
- [*T. wulingshana*](#) Yang & Yang, 1995

***Tipula* subg. *Schummelia* [Edwards](#), 1931**

- [*T. ahrensi*](#) Savchenko, 1957
- [*T. annulicornis*](#) Say, 1829
- [*T. argentacea*](#) Alexander, 1961
- [*T. argentosigna*](#) Alexander, 1961
- [*T. atrosetosa*](#) Alexander, 1961
- [*T. bicolorata*](#) Alexander, 1938
- [*T. butzi*](#) Edwards, 1928
- [*T. costolutea*](#) Alexander, 1964
- [*T. coulsoni*](#) Alexander, 1966
- [*T. cramptoniana*](#) Alexander, 1966

- [*T. crastina* Alexander](#), 1941
- [*T. decembris* Alexander](#), 1949
- [*T. dharma* Alexander](#), 1956
- [*T. dolichopezoides* Alexander](#), 1920
- [*T. dravidiana* Alexander](#), 1961
- [*T. durga* Alexander](#), 1964
- [*T. eggeriana* Alexander](#), 1971
- [*T. friendi* Alexander](#), 1940
- [*T. fuscocellula* Alexander](#), 1961
- [*T. halidayana* Alexander](#), 1970
- [*T. hennigiana* Alexander](#), 1971
- [*T. hermannia* Alexander](#), 1915
- [*T. hinayana* Alexander](#), 1956
- [*T. inconspicua* de Meijere](#), 1911
- [*T. indiscreta* Alexander](#), 1935
- [*T. ishidana* Alexander](#), 1964
- [*T. ishizuchiana* Alexander](#), 1954
- [*T. jacksoniana* Alexander](#), 1956
- [*T. kariyana* Alexander](#), 1966
- [*T. kiddana* Alexander](#), 1966
- [*T. klossi* Edwards](#), 1916
- [*T. lama* Alexander](#), 1954
- [*T. lindneriana* Alexander](#), 1964
- [*T. lioterga* Alexander](#), 1961
- [*T. magnifolia* Alexander](#), 1948
- [*T. medica* Alexander](#), 1936
- [*T. nannaris* Alexander](#), 1961
- [*T. nobilior* Alexander](#), 1961
- [*T. notomelania* Alexander](#), 1958
- [*T. oldhamana* Alexander](#), 1966
- [*T. pagastiana* Alexander](#), 1966
- [*T. pendleburyi* Edwards](#), 1933
- [*T. penicillaris* Alexander](#), 1961
- [*T. pokornyana* Alexander](#), 1966
- [*T. pumila* de Meijere](#), 1914
- [*T. rantaicola* Alexander](#), 1929
- [*T. rhombica* Edwards](#), 1932
- [*T. salakensis* Alexander](#), 1915
- [*T. schrankiana* Alexander](#), 1971
- [*T. scylla* Alexander](#), 1964
- [*T. sophista* Alexander](#), 1949
- [*T. sparsissima* Alexander](#), 1928
- [*T. sphaerostyla* Alexander](#), 1966
- [*T. stenorhabda* Alexander](#), 1941
- [*T. strictiva* Alexander](#), 1935
- [*T. subtenuicornis* Doane](#), 1901
- [*T. synchroa* Alexander](#), 1927
- [*T. tanyrhina* Alexander](#), 1961
- [*T. tonnoirana* Alexander](#), 1968

- [*T. turea* Alexander](#), 1956
- [*T. variicornis* Schummel](#), 1833
- [*T. venusticornis* Alexander](#), 1964
- [*T. verrallana* Alexander](#), 1966
- [*T. vitalisi* Edwards](#), 1926
- [*T. vocator* Alexander](#), 1956
- [*T. yerburyi* Edwards](#), 1924
- [*T. zernyi* Mannheims](#), 1952
- [*T. zonaria* Goetghebuer](#), 1921

***Tipula* subg. *Serratipula* [*Alexander*](#), 1965**

- [*T. cylindrata* Doane](#), 1912
- [*T. graminivora* Alexander](#), 1921
- [*T. marina* Doane](#), 1912
- [*T. tristis* Doane](#), 1901

***Tipula* subg. *Setitipula* [*Alexander*](#), 1965**

- [*T. esselen* Alexander](#), 1965
- [*T. rusticola* Doane](#), 1912
- [*T. trichophora* Alexander](#), 1920

***Tipula* subg. *Sinotipula* [*Alexander*](#), 1935**

- [*T. abluta* Doane](#), 1901
- [*T. arjuna* Alexander](#), 1962
- [*T. arjunoides* Alexander](#), 1961
- [*T. aspersa* Doane](#), 1912
- [*T. assamensis* Oosterbroek](#), 2009
- [*T. babai* Alexander](#), 1971
- [*T. bodpa* Edwards](#), 1928
- [*T. brunettiana* Alexander](#), 1920
- [*T. calaveras* Alexander](#), 1944
- [*T. callicoma* Alexander](#), 1966
- [*T. catalinensis* Alexander](#), 1950
- [*T. chimaera* Savchenko](#), 1969
- [*T. coleomyia* Alexander](#), 1965
- [*T. commiscibilis* Doane](#), 1912
- [*T. cranbrookii* Alexander](#), 1951
- [*T. curtisiana* Alexander](#), 1971
- [*T. delfinadoae* Alexander](#), 1973
- [*T. denningi* Alexander](#), 1969
- [*T. differta* Alexander](#), 1956
- [*T. dyrope* Alexander](#), 1961
- [*T. emiliae* Savchenko](#), 1964
- [*T. exquisita* Alexander](#), 1935

- [*T. faustina* Alexander](#), 1941
- [*T. gloriosa* Alexander](#), 1935
- [*T. gothicana* Alexander](#), 1943
- [*T. gracilirostris* Alexander](#), 1938
- [*T. gregoryi* Edwards](#), 1928
- [*T. griseipennis* Brunetti](#), 1912
- [*T. hingstoni* Edwards](#), 1928
- [*T. hobsoni* Edwards](#), 1928
- [*T. hutchinsonae* Alexander](#), 1936
- [*T. hypsistos* Alexander](#), 1962
- [*T. janetscheki* Alexander](#), 1968
- [*T. jepsoni* Alexander](#), 1945
- [*T. josephus* Alexander](#), 1954
- [*T. krishna* Alexander](#), 1962
- [*T. lithostrota* Alexander](#), 1961
- [*T. macquartina* Alexander](#), 1966
- [*T. meigeniana* Alexander](#), 1966
- [*T. oenone* Alexander](#), 1961
- [*T. pacifica* Doane](#), 1912
- [*T. persplendens* Alexander](#), 1935
- [*T. powelli* Alexander](#), 1965
- [*T. rastristyla* Alexander](#), 1945
- [*T. rondaniana* Alexander](#), 1970
- [*T. sacajawea* Alexander](#), 1945
- [*T. savtshenkoana* Alexander](#), 1964
- [*T. schizorhyncha* Savchenko](#), 1966
- [*T. schmidiana* Alexander](#), 1961
- [*T. seguyana* Alexander](#), 1964
- [*T. shastensis* Alexander](#), 1944
- [*T. shennongana* Yang & Yang](#), 1992
- [*T. sindensis* Alexander](#), 1935
- [*T. staegeriana* Alexander](#), 1971
- [*T. strobliana* Alexander](#), 1971
- [*T. subcinerea* Doane](#), 1901
- [*T. tessellatipennis* Brunetti](#), 1912
- [*T. tesuque* Teale](#), 1985
- [*T. thibetana* de Meijere](#), 1904
- [*T. trilobata* Edwards](#), 1928
- [*T. tsiosenica* Alexander](#), 1945
- [*T. umbra* Alexander](#), 1959
- [*T. waltoni* Edwards](#), 1928
- [*T. wardi* Edwards](#), 1928
- [*T. warneri* Alexander](#), 1944

***Tipula* subg. *Sivatipula* [**Alexander**](#), 1964**

- [*T. alhena* Alexander](#), 1953
- [*T. bhishma* Alexander](#), 1964

- [*T. biprocessa*](#) Xue and Men, 2016
- [*T. filicornis*](#) Brunetti, 1918
- [*T. lackschewitziana*](#) Alexander, 1928
- [*T. mitocera*](#) Alexander, 1927
- [*T. multidentata*](#) Men, 2018
- [*T. parvauricula*](#) Alexander, 1941
- [*T. pianmaensis*](#) Men, 2020
- [*T. podenasi*](#) Men, 2020
- [*T. pseudofilicornis*](#) Men, 2020
- [*T. pullimargo*](#) Alexander, 1951
- [*T. similis*](#) Men, 2016
- [*T. suensoniana*](#) Alexander, 1940
- [*T. tergatruncata*](#) Men, 2018
- [*T. tongbiguanensis*](#) Men, 2016
- [*T. yigongensis*](#) Yang, Pan and Yang, 2019

***Tipula* subg. *Spinitipula* [Alexander](#), 1963**

- [*T. citricornis*](#) Alexander, 1955
- [*T. lactineipes*](#) Alexander, 1961
- [*T. spinimarginata*](#) Alexander, 1951

***Tipula* subg. *Tipula* [Linnaeus](#), 1758**

- [*T. atlantica*](#) Mannheims, 1962
- [*T. bicolor*](#) Loew, 1866
- [*T. capnionaura*](#) Speiser, 1909
- [*T. chubbi*](#) Alexander, 1956
- [*T. consobrina*](#) Theowald, 1984
- [*T. eumecacera*](#) Speiser, 1909
- [*T. flagellicurta*](#) Mannheims, 1958
- [*T. frater*](#) Alexander, 1921
- [*T. hollanderi*](#) Theowald, 1977
- [*T. hungarica*](#) Lackschewitz, 1930
- [*T. italica*](#) Lackschewitz, 1930
- [*T. kleinschmidtii*](#) Mannheims, 1950
- [*T. lobeliae*](#) Alexander, 1956
- [*T. loeffleri*](#) Theowald, 1984
- [*T. lourensi*](#) den Hollander, 1975
- [*T. mediterranea*](#) Lackschewitz, 1930
- [*T. oleracea*](#) [Linnaeus](#), 1758
- [*T. orientalis*](#) Lackschewitz, 1930
- [*T. paludosa*](#) Meigen, 1830
- [*T. plumbea*](#) Fabricius, 1781
- [*T. soror*](#) Wiedemann, 1820
- [*T. speiseriana*](#) Alexander, 1930
- [*T. strigata*](#) Loew, 1866

- [*T. subaptera*](#) Freeman, 1950
- [*T. subcunctans*](#) [Alexander](#), 1921
- [*T. zimbabwensis*](#) Theowald, 1984

***Tipula* subg. *Tipulodinodes* [Alexander](#), 1965**

- [*T. lacteipes*](#) [Alexander](#), 1943

***Tipula* subg. *Trichotipula* [Alexander](#), 1915**

- [*T. algonquin*](#) [Alexander](#), 1915
- [*T. apache*](#) [Alexander](#), 1916
- [*T. aplecta*](#) [Alexander](#), 1946
- [*T. beatula*](#) [Osten Sacken](#), 1877
- [*T. bituberculata*](#) [Doane](#), 1901
- [*T. breedlovei*](#) [Alexander](#), 1969
- [*T. cahuilla*](#) [Alexander](#), 1920
- [*T. capistrano*](#) [Alexander](#), 1946
- [*T. cazieri*](#) [Alexander](#), 1942
- [*T. cimarronensis*](#) [Rogers](#), 1931
- [*T. desertorum*](#) [Alexander](#), 1946
- [*T. dis*](#) [Alexander](#), 1962
- [*T. dorsolineata*](#) [Doane](#), 1901
- [*T. frommeri*](#) [Alexander](#), 1973
- [*T. furialis*](#) [Alexander](#), 1946
- [*T. geronimo*](#) [Alexander](#), 1946
- [*T. gertschi*](#) [Alexander](#), 1963
- [*T. guasa*](#) [Alexander](#), 1916
- [*T. haplotricha*](#) [Alexander](#), 1934
- [*T. hedgesi*](#) [Alexander](#), 1961
- [*T. kennedyana*](#) [Alexander](#), 1965
- [*T. kraussi*](#) [Alexander](#), 1946
- [*T. longifimbriata*](#) [Alexander](#), 1936
- [*T. macrophallus*](#) ([Dietz](#), 1918)
- [*T. malkini*](#) [Alexander](#), 1955
- [*T. mallophora*](#) [Alexander](#), 1936
- [*T. mayedai*](#) [Alexander](#), 1946
- [*T. megalodonta*](#) [Alexander](#), 1946
- [*T. mulaiki*](#) [Alexander](#), 1948
- [*T. oropezoides*](#) [Johnson](#), 1909
- [*T. pachyrhinoides*](#) [Alexander](#), 1915
- [*T. politonigra*](#) [Alexander](#), 1953
- [*T. polytricha*](#) [Alexander](#), 1932
- [*T. proluxa*](#) [Alexander](#), 1947
- [*T. puncticollis*](#) ([Dietz](#), 1918)
- [*T. religiosa*](#) [Alexander](#), 1946
- [*T. repulsa*](#) [Alexander](#), 1943

- [*T. retinens* Alexander](#), 1946
- [*T. sanctaecruzae* Alexander](#), 1973
- [*T. sayloriana* Alexander](#), 1946
- [*T. selanderi* Alexander](#), 1956
- [*T. stonei* Alexander](#), 1965
- [*T. subapache* Alexander](#), 1947
- [*T. unimaculata* \(Loew\)](#), 1864)
- [*T. uxor* Alexander](#), 1946
- [*T. vultuosa* Alexander](#), 1946

***Tipula* subg. [*Triplicitipula* Alexander](#), 1965**

- [*T. acuta* Doane](#), 1901
- [*T. aequalis* Doane](#), 1901
- [*T. barnesiana* Alexander](#), 1963
- [*T. bellamyi* Alexander](#), 1965
- [*T. colei* Alexander](#), 1942
- [*T. doaneiana* Alexander](#), 1919
- [*T. flavoumbrosa* Alexander](#), 1918
- [*T. hoogstraali* Alexander](#), 1940
- [*T. idiotricha* Alexander](#), 1965
- [*T. integra* Alexander](#), 1962
- [*T. justa* Alexander](#), 1935
- [*T. lygropis* Alexander](#), 1920
- [*T. minensis* Alexander](#), 1936
- [*T. nastjasta* Yang & Yang](#), 1991
- [*T. perlongipes* Johnson](#), 1909
- [*T. planicornis* Doane](#), 1912
- [*T. praecisa* Loew](#), 1872
- [*T. pubera* Loew](#), 1864
- [*T. quaylii* Doane](#), 1909
- [*T. sanctaeritae* Alexander](#), 1946
- [*T. silvestra* Doane](#), 1909
- [*T. simplex* Doane](#), 1901
- [*T. subtilis* Doane](#), 1901
- [*T. sylvicola* Doane](#), 1912
- [*T. triplex* Walker](#), 1848
- [*T. umbrosa* Loew](#), 1863
- [*T. variipetiolaris* Alexander](#), 1933
- [*T. vestigipennis* Doane](#), 1908
- [*T. williamsii* Doane](#), 1909

***Tipula* subg. *Vestiplex* [*Bezzi*](#), 1924**

- [*T. acudorsata* Alexander](#), 1970
- [*T. adungensis* Alexander](#), 1963
- [*T. aestiva* Savchenko](#), 1960

- [*T. aldrichiana* Alexander](#), 1929
- [*T. alyxis* Alexander](#), 1963
- [*T. ambigua* Savchenko](#), 1964
- [*T. apicifurcata* Yang & Yang](#), 1992
- [*T. aptera* Savchenko](#), 1955
- [*T. arctica* Curtis](#), 1835
- [*T. arisanensis* Edwards](#), 1921
- [*T. auriculatalobata* Starkevich, Men and Saldaitis](#), 2019
- [*T. avicularia* Edwards](#), 1928
- [*T. avicularoides* Alexander](#), 1936
- [*T. balioptera* Loew](#), 1863
- [*T. baliopteroides* Alexander](#), 1945
- [*T. bergrothiana* Alexander](#), 1918
- [*T. bhutia* Alexander](#), 1959
- [*T. bicalcarata* Savchenko](#), 1965
- [*T. bicornigera* Alexander](#), 1938
- [*T. bicornuta* Alexander](#), 1920
- [*T. bisentis* Alexander](#), 1951
- [*T. biserra* Edwards](#), 1921
- [*T. borthi* Starkevich, Men and Saldaitis](#), 2019
- [*T. breviloba* Men and Starkevich](#), 2021
- [*T. bryceana* Alexander](#), 1964
- [*T. butvilai* Starkevich, Saldaitis and Men](#), 2019
- [*T. canadensis* Loew](#), 1864
- [*T. caroliniana* Alexander](#), 1916
- [*T. centralis* Loew](#), 1864
- [*T. chiswellana* Alexander](#), 1964
- [*T. churchillensis* Alexander](#), 1940
- [*T. cisalpina* Riedel](#), 1913
- [*T. coquilletiana* Alexander](#), 1924
- [*T. coronifera* Savchenko](#), 1960
- [*T. cremeri* Alexander](#), 1941
- [*T. crolina* Dufour](#), 1992
- [*T. czizekiana* Alexander](#), 1970
- [*T. dechangensis* Men, Starkevich and Saldaitis](#), 2021
- [*T. deserrata* Alexander](#), 1934
- [*T. dhalma* Starkevich and Podenas](#), 2011
- [*T. distifurca* Alexander](#), 1942
- [*T. divisotergata* Alexander](#), 1932
- [*T. dobrotworskyana* Alexander](#), 1968
- [*T. doron* Alexander](#), 1961
- [*T. erectiloba* Alexander](#), 1940
- [*T. eurydice* Alexander](#), 1961
- [*T. excisa* Schummel](#), 1833
- [*T. exechostyla* Alexander](#), 1964
- [*T. factiosa* Alexander](#), 1940
- [*T. fernandezi* Theowald](#), 1972
- [*T. foliacea* Alexander](#), 1924
- [*T. fragilicornis* Riedel](#), 1913

- [*T. franzi* Mannheims, 1950](#)
- [*T. freemanana* Alexander, 1963](#)
- [*T. fultonensis* Alexander, 1918](#)
- [*T. gandharva* Alexander, 1951](#)
- [*T. gedehana* de Meijere, 1911](#)
- [*T. gongdangensis* Men, Starkevich and Saldaitis, 2021](#)
- [*T. grahami* Alexander, 1933](#)
- [*T. guibifida* Yang & Yang, 1992](#)
- [*T. hadrostyla* Alexander, 1970](#)
- [*T. halteroptera* Alexander, 1951](#)
- [*T. hasiya* Pilipenko and Starkevich, 2020](#)
- [*T. hemapterandra* Bezzi, 1924](#)
- [*T. hemiptera* Mannheims, 1953](#)
- [*T. himalayensis* Brunetti, 1911](#)
- [*T. hirticeps* Savchenko, 1960](#)
- [*T. hortorum* Linnaeus, 1758](#)
- [*T. hugueniniana* Alexander, 1971](#)
- [*T. immota* Alexander, 1935](#)
- [*T. immsiana* Alexander, 1970](#)
- [*T. inaequidentata* Alexander, 1927](#)
- [*T. inaequifurca* Alexander, 1949](#)
- [*T. inquinata* Alexander, 1938](#)
- [*T. jakut* Alexander, 1934](#)
- [*T. jiangi* Yang & Yang, 1991](#)
- [*T. kamchatkana* Alexander, 1934](#)
- [*T. kashkarovi* Stackelberg, 1944](#)
- [*T. kiritshenkoi* Savchenko, 1960](#)
- [*T. kosswigi* Mannheims, 1953](#)
- [*T. kozlovi* Savchenko, 1960](#)
- [*T. kumaonensis* Alexander, 1961](#)
- [*T. kuwayamai* Alexander, 1921](#)
- [*T. kwanhsienana* Alexander, 1934](#)
- [*T. laccata* Lundstrom & Frey, 1916](#)
- [*T. laocai* Pilipenko, Starkevich and Gavryushin, 2019](#)
- [*T. leigongshanensis* Men and Young, 2017](#)
- [*T. leucophaea* Doane, 1901](#)
- [*T. leucoprocta* Mik, 1889](#)
- [*T. longarmata* Yang & Yang, 1999](#)
- [*T. longitudinalis* Nielsen, 1929](#)
- [*T. longiventris* Loew, 1863](#)
- [*T. malla* Alexander, 1959](#)
- [*T. maoershanensis* Men and Young, 2017](#)
- [*T. maoxianensis* Starkevich, Men and Saldaitis, 2019](#)
- [*T. medioflava* Yang & Yang, 1999](#)
- [*T. mediovittata* Mik, 1889](#)
- [*T. mitchelli* Edwards, 1927](#)
- [*T. montana* Curtis, 1834](#)
- [*T. nestor* Alexander, 1934](#)
- [*T. nigroapicalis* Brunetti, 1911](#)

- [*T. nigrocostata* Alexander](#), 1925
- [*T. nokonis* Alexander](#), 1928
- [*T. nubeculosa* Meigen](#), 1804
- [*T. nubila* Savchenko](#), 1960
- [*T. opilionimorpha* Savchenko](#), 1955
- [*T. optanda* Alexander](#), 1935
- [*T. pallidicosta* Pierre](#), 1924
- [*T. pallitergata* Alexander](#), 1934
- [*T. papandajanica* Edwards](#), 1932
- [*T. parvapiculata* Alexander](#), 1934
- [*T. pauxilla* Savchenko](#), 1960
- [*T. perretti* Alexander](#), 1928
- [*T. platymera* Walker](#), 1856
- [*T. pleuracantha* Edwards](#), 1928
- [*T. proboscelongata* Yang & Yang](#), 1991
- [*T. quadricorna* Ren, Li and Yang](#), 2021
- [*T. quasimarmoratipennis* Brunetti](#), 1912
- [*T. rana* Alexander](#), 1959
- [*T. ravana* Alexander](#), 1953
- [*T. relict*a Dia & Theowald](#), 1982
- [*T. reposita* Walker](#), 1848
- [*T. rhimma* Alexander](#), 1961
- [*T. riedeliana* Mannheims](#), 1953
- [*T. rongtoensis* Alexander](#), 1963
- [*T. saccai* Mannheims](#), 1950
- [*T. scandens* Edwards](#), 1928
- [*T. schizophallus* Alexander](#), 1973
- [*T. schummelana* Alexander](#), 1968
- [*T. scripta* Meigen](#), 1830
- [*T. semivittata* Savchenko](#), 1960
- [*T. serricauda* Alexander](#), 1914
- [*T. serridens* Alexander](#), 1920
- [*T. serrulata* Loew](#), 1864
- [*T. setigera* Savchenko](#), 1960
- [*T. sexspinosa* Strobl](#), 1898
- [*T. siddartha* Alexander](#), 1961
- [*T. siebkeana* Alexander](#), 1970
- [*T. sintenisi* Lackschewitz](#), 1933
- [*T. spathacea* Alexander](#), 1963
- [*T. styligera* Alexander](#), 1927
- [*T. subapterogyne* Alexander](#), 1920
- [*T. subbifida* Alexander](#), 1953
- [*T. subcentralis* Alexander](#), 1918
- [*T. subscripta* Edwards](#), 1928
- [*T. subtestata* Alexander](#), 1938
- [*T. subtincta* Brunetti](#), 1912
- [*T. tacomicola* Alexander](#), 1949
- [*T. takahashiana* Alexander](#), 1938
- [*T. tanycera* Alexander](#), 1961

- [*T. tardigrada* Edwards](#), 1928
- [*T. tchukchi* Alexander](#), 1934
- [*T. teshionis* Alexander](#), 1921
- [*T. testata* Alexander](#), 1935
- [*T. theowaldana* Alexander](#), 1964
- [*T. tillyardana* Alexander](#), 1970
- [*T. tumididens* Savchenko](#), 1988
- [*T. tumulta* Alexander](#), 1934
- [*T. tuta* Alexander](#), 1936
- [*T. vaillanti* Theowald](#), 1977
- [*T. verecunda* Alexander](#), 1924
- [*T. virgatula* Riedel](#), 1913
- [*T. wahlgrenana* Alexander](#), 1968
- [*T. walkeriana* Alexander](#), 1971
- [*T. wrangeliana* Stackelberg](#), 1944
- [*T. xanthocephala* Yang & Yang](#), 1991
- [*T. xinduqiaoensis* Starkevich, Men and Saldaitis](#), 2019
- [*T. xingshana* Yang & Yang](#), 1997
- [*T. yunnanensis* Alexander](#), 1942
- [*T. zayulensis* Alexander](#), 1963
- [*T. zhengkuni* Men and Starkevich](#), 2021

***Tipula* subg. *Yamatotipula* [Matsumura](#), 1916**

- [*T. afriberia* Theowald & Oosterbroek](#), 1980
- [*T. aino* Alexander](#), 1914
- [*T. albifrons* Savchenko](#), 1967
- [*T. albocaudata* Doane](#), 1901
- [*T. amblyostyla* Savchenko](#), 1968
- [*T. anceps* Savchenko](#), 1965
- [*T. aprilina* Alexander](#), 1918
- [*T. aspidoptera* Alexander](#), 1916
- [*T. aviceniana* Savchenko](#), 1954
- [*T. barbarensis* Theowald & Oosterbroek](#), 1980
- [*T. bhoteana* Alexander](#), 1961
- [*T. bitumidosa* Alexander](#), 1971
- [*T. brevifurcata* Alexander](#), 1926
- [*T. caesia* Schummel](#), 1833
- [*T. caloptera* Loew](#), 1863
- [*T. calopteroides* Alexander](#), 1919
- [*T. carsoni* Alexander](#), 1963
- [*T. catawbiana* Alexander](#), 1940
- [*T. caucasimontana* Savchenko](#), 1955
- [*T. cayuga* Alexander](#), 1915
- [*T. cervicula* Doane](#), 1901
- [*T. chonsaniana* Alexander](#), 1945
- [*T. cimmerica* Speiser](#), 1909
- [*T. coerulescens* Lackschewitz](#), 1923

- [*T. cognata* Doane, 1901](#)
- [*T. colteri* Alexander, 1943](#)
- [*T. comanche* Alexander, 1916](#)
- [*T. concava* Alexander, 1926](#)
- [*T. conspicua* Dietz, 1917](#)
- [*T. continentalis* Alexander, 1941](#)
- [*T. couckeii* Tonnoir, 1921](#)
- [*T. dejecta* Walker, 1856](#)
- [*T. eluta* Loew, 1863](#)
- [*T. fendleri* Mannheims, 1963](#)
- [*T. fenestrella* Theowald, 1980](#)
- [*T. floridensis* Alexander, 1926](#)
- [*T. footeana* Alexander, 1961](#)
- [*T. fraterna* Loew, 1864](#)
- [*T. freyana* Lackschewitz, 1936](#)
- [*T. fulvilineata* Doane, 1912](#)
- [*T. furca* Walker, 1848](#)
- [*T. glendenningi* Alexander, 1943](#)
- [*T. grenfelli* Alexander, 1928](#)
- [*T. guentheri* Oosterbroek, 1994](#)
- [*T. hamata* Savchenko, 1953](#)
- [*T. hexacantha* Alexander, 1961](#)
- [*T. incana* Savchenko, 1955](#)
- [*T. iranensis* Theowald, 1978](#)
- [*T. iroquois* Alexander, 1915](#)
- [*T. jacintoensis* Alexander, 1946](#)
- [*T. jacobus* Alexander, 1931](#)
- [*T. jamaicensis* Alexander, 1928](#)
- [*T. jucunda* Savchenko, 1961](#)
- [*T. kamikochiensis* Alexander, 1941](#)
- [*T. kennicotti* Alexander, 1915](#)
- [*T. koikei* Alexander, 1971](#)
- [*T. lanei* Alexander, 1940](#)
- [*T. latemarginata* Alexander, 1921](#)
- [*T. lateralis* Meigen, 1804](#)
- [*T. lionota* Holmgren, 1883](#)
- [*T. lucifera* Savchenko, 1954](#)
- [*T. ludoviciana* Alexander, 1919](#)
- [*T. machidai* Alexander, 1933](#)
- [*T. maculipleura* Alexander, 1927](#)
- [*T. manahatta* Alexander, 1919](#)
- [*T. marginella* Theowald, 1980](#)
- [*T. meridiana* Doane, 1912](#)
- [*T. misakana* Alexander, 1953](#)
- [*T. moesta* Riedel, 1919](#)
- [*T. montium* Egger, 1863](#)
- [*T. nephophila* Alexander, 1940](#)
- [*T. nigrolamina* Alexander, 1950](#)
- [*T. nocticostata* Alexander, 1971](#)

- [*T. nova* Walker](#), 1848
- [*T. noveboracensis* Alexander](#), 1919
- [*T. nuntia* Alexander](#), 1946
- [*T. ompoensis* Alexander](#), 1945
- [*T. osceola* Alexander](#), 1927
- [*T. patagiata* Alexander](#), 1924
- [*T. pierrei* Tonnoir](#), 1921
- [*T. poliocephala* Alexander](#), 1922
- [*T. protrusa* Alexander](#), 1934
- [*T. pruinosa* Wiedemann](#), 1817
- [*T. quadrivittata* Staeger](#), 1840
- [*T. recticauda* Savchenko](#), 1953
- [*T. reversa* Alexander](#), 1956
- [*T. riedeli* Mannheims](#), 1952
- [*T. roya* Dufour](#), 2003
- [*T. sackeniana* Alexander](#), 1918
- [*T. sayi* Alexander](#), 1911
- [*T. sempiterna* Alexander](#), 1933
- [*T. setosipennis* Alexander](#), 1920
- [*T. shevtshenkoi* Savchenko](#), 1954
- [*T. solitaria* Savchenko](#), 1953
- [*T. spernax* Osten Sacken](#), 1877
- [*T. strepens* Loew](#), 1863
- [*T. subeluta* Johnson](#), 1913
- [*T. subincana* Savchenko](#), 1961
- [*T. submontium* Theowald & Oosterbroek](#), 1981
- [*T. subnova* Alexander](#), 1937
- [*T. subprotrusa* Savchenko](#), 1955
- [*T. subreversa* Alexander](#), 1956
- [*T. subvirgo* Alexander](#), 1951
- [*T. succincta* Alexander](#), 1940
- [*T. sulphurea* Doane](#), 1901
- [*T. tenebrosa* Coquillett](#), 1900
- [*T. tenuilinea* Alexander](#), 1959
- [*T. tephrocephala* Loew](#), 1864
- [*T. tricolor* Fabricius](#), 1775
- [*T. tsurugiana* Alexander](#), 1953
- [*T. vicina* Dietz](#), 1917
- [*T. virgo* Osten Sacken](#), 1886
- [*T. xanthostigma* Dietz](#), 1917
- [*T. yamamuriana* Alexander](#), 1926

Unplaced

- [*T. baileyi* Alexander](#), 1953
- [*T. bipendula* Alexander](#), 1934
- [*T. bispathifera* Savchenko](#), 1960
- [*T. cladomera* Alexander](#), 1936

- [*T. compressiloba* Alexander](#), 1938
- [*T. coxitalis* Alexander](#), 1935
- [*T. demeijerei* Edwards](#), 1915
- [*T. depressiloba* Oosterbroek & Theowald](#), 1992
- [*T. flavicosta* Alexander](#), 1915
- [*T. formosicola* Alexander](#), 1920
- [*T. frigida* Walker](#), 1848
- [*T. gressitti* Alexander](#), 1935
- [*T. idiopyga* Alexander](#), 1949
- [*T. imanoensis* Alexander](#), 1954
- [*T. incisurata* Alexander](#), 1940
- [*T. inordinans* Walker](#), 1859
- [*T. johanseni* Alexander](#), 1919
- [*T. kusunokiana* Alexander](#), 1955
- [*T. lanio* Alexander](#), 1945
- [*T. liui* Alexander](#), 1941
- [*T. maculatipennis* Say](#), 1824
- [*T. melanonotalis* Alexander](#), 1954
- [*T. microcellula* Alexander](#), 1923
- [*T. nippoalpina* Alexander](#), 1931
- [*T. opinata* Alexander](#), 1940
- [*T. otiosa* Alexander](#), 1924
- [*T. palesoides* Alexander](#), 1942
- [*T. percommoda* Alexander](#), 1938
- [*T. perelegans* Alexander](#), 1921
- [*T. perlata* Alexander](#), 1938
- [*T. pluriguttata* Alexander](#), 1920
- [*T. praeses* Alexander](#), 1942
- [*T. prolongata* Alexander](#), 1936
- [*T. puncticornis* Macquart](#), 1850
- [*T. repugnans* Alexander](#), 1940
- [*T. reservata* Alexander](#), 1941
- [*T. sexlobata* Alexander](#), 1938
- [*T. spectata* Alexander](#), 1940
- [*T. sternosetosa* Alexander](#), 1940
- [*T. sternotuberculata* Alexander](#), 1935
- [*T. strix* Alexander](#), 1918
- [*T. subdepressa* Alexander](#), 1941
- [*T. subnata* Alexander](#), 1949
- [*T. subpolaris* Alexander](#), 1919
- [*T. subyusou* Alexander](#), 1929
- [*T. superciliosa* Alexander](#), 1924

- [*T. tantula* Alexander](#), 1924
- [*T. terebrata* Edwards](#), 1921
- [*T. trimaculata*](#) (Emmons, 1854)
- [*T. tropica*](#) de Meijere, 1913
- [*T. varaha* Alexander](#), 1953
- [*T. xanthomelaena* Edwards](#), 1926
- [*T. yanoana* Alexander](#), 1953
- [*T. yusou* Alexander](#), 1914
- [*T. yusouoides* Alexander](#), 1929

References

1.

1. Williston, Samuel Wendell (1896). "[On the Diptera of St. Vincent \(West Indies\)](#)". *Transactions of the Entomological Society of London*. **1896**: 253–446, pls. 8–14. Retrieved 3 June 2018.

[Categories](#):

- [Tipulidae](#)
- [Lists of insect species](#)
-

This is a list of 92 species in [Thrypticus](#), a genus of long-legged flies in the family [Dolichopodidae](#).^[1]
^[2]^[3]^[4]

Thrypticus species

- [Thrypticus abditus](#) Becker, 1922 ^c ^g
- [Thrypticus abdominalis](#) (Say, 1829) ⁱ ^c ^g
- [Thrypticus acuticauda](#) Van Duzee, 1929 ^c ^g
- [Thrypticus adauctus](#) Parent, 1933 ^c ^g
- [Thrypticus aequalis](#) Robinson, 1975 ^c ^g
- [Thrypticus afer](#) Vanschuytbroeck, 1951 ^c ^g
- [Thrypticus altaicus](#) Negrobov in Negrobov & Stackelberg, 1971 ^c ^g
- [Thrypticus amoenus](#) Becker, 1922 ^c ^g
- [Thrypticus analis](#) Becker, 1922 ^c ^g
- [Thrypticus aphroditus](#) Negrobov & Tsurikov, 1986 ^c ^g
- [Thrypticus arahakiensis](#) Bickel, 1992 ^c ^g ^[5]

- [*Thrypticus armatus* Robinson](#), 1975 ^{c g}
- [*Thrypticus atomus* Frey](#), 1915 ^{c g}
- [*Thrypticus aurinotatus*](#) Van Duzee, 1915 ^{i c g}
- [*Thrypticus australis*](#) Bickel, 1986 ^{c g}[6]
- [*Thrypticus azuricola*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus basalis*](#) Van Duzee, 1930 ^{c g}
- [*Thrypticus bellus* Loew](#), 1869 ^{c g}
- [*Thrypticus bolevensis*](#) Kejval & Pollet, 2024[7]
- [*Thrypticus brevicauda*](#) Van Duzee, 1930 ^{c g}
- [*Thrypticus caeruleus*](#) Naglis & [Negrobov](#), 2020[8]
- [*Thrypticus caudatus* Parent](#), 1939 ^{c g}
- [*Thrypticus chanophallus*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus circularis*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus comosus*](#) Van Duzee, 1915 ^{i c g}
- [*Thrypticus crinipes* Robinson](#), 1975 ^{c g}
- [*Thrypticus cuneatus*](#) (Becker, 1917) ^{c g}[9]
- [*Thrypticus cynicus*](#) Drake & Godfrey in Drake, Godfrey & Gibbs, 2023[10]
- [*Thrypticus deficiens* Robinson](#), 1980 ^{i c g}
- [*Thrypticus delicatus* Robinson](#), 1975 ^{c g}
- [*Thrypticus dissectus* Robinson](#), 1964 ^{i c g}
- [*Thrypticus divisus*](#) (Strobl, 1880) ^{c g}
- [*Thrypticus edwardsi*](#) Van Duzee, 1931 ^{c g}
- [*Thrypticus emiliae* Negrobov](#) in Negrobov & [Stackelberg](#), 1971 ^{c g}
- [*Thrypticus flavicornis*](#) Van Duzee, 1933 ^{c g}
- [*Thrypticus formosensis*](#) Bickel & Hernández, 2004 ^{c g}
- [*Thrypticus fortescuensis*](#) Bickel, 1986 ^{c g}[6]
- [*Thrypticus fosteri* Robinson](#), 1980 ^{i c g}
- [*Thrypticus fraterculus*](#) (Wheeler, 1890) ^{i c g}
- [*Thrypticus grogani* Robinson](#), 1980 ^{i c g}
- [*Thrypticus incanus* Negrobov](#), 1967 ^{c g}
- [*Thrypticus intercedens* Negrobov](#), 1967 ^{c g}
- [*Thrypticus kataevi* Grichanov](#), 1998 ^{c g}
- [*Thrypticus laetus* Verrall](#), 1912 ^{c g}
- [*Thrypticus licanus*](#) Drake in Drake, Godfrey & Gibbs, 2023[10]
- [*Thrypticus longicauda*](#) Van Duzee, 1921 ^{i c g}
- [*Thrypticus mediofuscus*](#) Runyon, 2020[11]
- [*Thrypticus minor*](#) (Aldrich, 1896) ^{c g}

- [*Thrypticus minutus* Parent, 1929](#)^{i c}
- [*Thrypticus mironovi* Grichanov, 1998](#)^{c g}
- [*Thrypticus mongoliensis* Negrobov, Selivanova & Maslova, 2019](#)^[12]
- [*Thrypticus muhlenbergiae* Johannsen & Crosby, 1913](#)^{i c g}^[13]
- [*Thrypticus nigricauda* Wood, 1913](#)^{c g}
- [*Thrypticus nigripes* Van Duzee, 1921](#)^{i c g}
- [*Thrypticus nigriseta* Van Duzee, 1931](#)^{c g}
- [*Thrypticus pallidicoxa* Parent, 1928](#)^{c g}
- [*Thrypticus paludicola* Negrobov in Negrobov & Stackelberg, 1971](#)^{c g}^[8]
- [*Thrypticus parabellus* Grichanov, 2000](#)^{c g}
- [*Thrypticus parvulus* Van Duzee, 1930](#)^{c g}
- [*Thrypticus penicillatus* Van Duzee, 1931](#)^{c g}
- [*Thrypticus politus* Negrobov, 1967](#)^{c g}
- [*Thrypticus pollinosus* Verrall, 1912](#)^{c g}
- [*Thrypticus pruinosis* Parent, 1932](#)^{c g}
- [*Thrypticus pusillus* Aldrich, 1901](#)^{c g}
- [*Thrypticus riparius* Negrobov in Negrobov & Stackelberg, 1971](#)^{c g}
- [*Thrypticus romus* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus sagittatus* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus schmidtii* Parent, 1928](#)^{c g}
- [*Thrypticus scutellatus* Van Duzee, 1931](#)^{c g}
- [*Thrypticus senilis* Robinson, 1975](#)^{c g}
- [*Thrypticus sinevi* Grichanov, 1998](#)^{c g}
- [*Thrypticus singularis* \(Aldrich, 1896\)](#)^{c g}
- [*Thrypticus smaragdinus* Gerstäcker, 1864](#)^g
- [*Thrypticus spretus* Parent, 1934](#)^{c g}
- [*Thrypticus squamiciliatus* Harmston & Rapp, 1968](#)^{i c g}
- [*Thrypticus subdissectus* Robinson, 1975](#)^{c g}
- [*Thrypticus subtilis* Negrobov in Negrobov & Stackelberg, 1971](#)
- [*Thrypticus sumatranus* Hollis, 1964](#)^{c g}
- [*Thrypticus taragui* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus tarsalis* Parent, 1932](#)^{c g}^[14]
- [*Thrypticus tectus* Van Duzee, 1915](#)^{i c g}
- [*Thrypticus tropicus* Bickel, 1986](#)^{c g}^[6]
- [*Thrypticus truncatus* Bickel & Hernández, 2004](#)^{c g}
- [*Thrypticus tsacasi* Negrobov in Negrobov & Stackelberg, 1971](#)^{c g}
- [*Thrypticus varipes* Robinson, 1975](#)^{c g}

- *Thrypticus vestitus* [Negrobov](#) in [Negrobov & Stackelberg](#), 1971 ^{c g}
- *Thrypticus vietus* [Van Duzee](#), 1915 ^{i c g}
- *Thrypticus violaceus* [Van Duzee](#), 1927 ^{i c g b}
- *Thrypticus virescens* [Negrobov](#), 1967 ^{c g}
- *Thrypticus willistoni* ([Wheeler](#), 1890) ^{i c g b}
- *Thrypticus yanayacu* [Bickel & Hernández](#), 2004 ^{c g}
- *Thrypticus zagulyaevi* [Grichanov](#), 1998 ^{c g}

Unrecognised species:

- *Thrypticus aeneus* ([Meigen](#), 1838) ^{c g}
- *Thrypticus alpinus* ([Meigen](#), 1824) ^{c g}
- *Thrypticus bicolor* ([Macquart](#), 1827) ^{c g}
- *Thrypticus coeruleocephalus* ([Meigen](#), 1824) ^c
- *Thrypticus cupreus* ([Macquart](#), 1838) ^{c g}
- *Thrypticus cylindricum* ([Zetterstedt](#), 1838) ^{c g}
- *Thrypticus decoratus* ([Haliday](#), 1832) ^{c g}
- *Thrypticus exiguus* ([Zetterstedt](#), 1843) ^{c g}
- *Thrypticus festiva* ([Meigen](#), 1838) ^{c g}
- *Thrypticus fasciatus* ([Macquart](#), 1834) ^{c g}
- *Thrypticus fulgidus* ([Fallen](#), 1823) ^{c g}
- *Thrypticus inconspicuus* ([Zetterstedt](#), 1843) ^{c g}
- *Thrypticus longicollis* ([Meigen](#), 1824) ^{c g}
- *Thrypticus maculipes* ([Meigen](#), 1824) ^{c g}
- *Thrypticus magnicornis* ([Zetterstedt](#), 1843) ^{c g}
- *Thrypticus minuta* ([Fabricius](#), 1805) ^{c g}
- *Thrypticus misellus* ([Boheman](#), 1852) ^{c g}
- *Thrypticus obscuratus* ([Meigen](#), 1824) ^{c g}
- *Thrypticus parvus* ([Macquart](#), 1834) ^{c g}
- *Thrypticus rufipes* ([Meigen](#), 1838) ^{c g}
- *Thrypticus sublamellatus* ([Macquart](#), 1827) ^{c g}
- *Thrypticus suturalis* ([Meigen](#), 1830) ^{c g}
- *Thrypticus thoracicus* ([Meigen](#), 1824) ^{c g}

Synonyms:

- *Thrypticus cupulifer* ([Aldrich](#), 1896): ^{c g} synonym of *Thrypticus abdominalis* ([Say](#), 1829)
- *Thrypticus fennicus* [Becker](#), 1917: ^{c g} synonym of *Thrypticus divisus* ([Strobl](#), 1880)
- *Thrypticus insulanus* [Van Duzee](#), 1933: ^{c g} synonym of *Thrypticus minutus* [Parent](#), 1929

- *Thrypticus kechevi* Naglis & [Negrobov](#), 2020:[8] transferred to [Corindia](#), synonym of [Corindia viridis](#) (Parent, 1932)[10]
- *Thrypticus tonsus* [Negrobov](#) in Negrobov & [Stackelberg](#), 1972: ^{c g} synonym of [Thrypticus subtilis](#) [Negrobov](#) in Negrobov & [Stackelberg](#), 1971[8]
- *Thrypticus viridis* [Parent](#), 1932: ^{c g} transferred to [Corindia](#)[10]
- †*Thrypticus gestuosus* Meunier, 1907: transferred to [Medeterites](#)[15]
- †*Thrypticus gulosus* Meunier, 1907: transferred to [Medeterites](#)[15]

The following species are unplaced in the family:[16]

- †*Thrypticus sobrius* Meunier, 1907

The following are listed for the genus by online databases, but are actually placed in other genera:

- *Thrypticus dissimilipes* ([Zetterstedt](#), 1843): ^{c g} Actually in [Dolichopus](#), synonym of [Dolichopus lepidus](#) [Staeger](#), 1842
- *Thrypticus flavicoxa* ([Meigen](#), 1824): ^{c g} Actually in [Anepsiomyia](#), synonym of [Anepsiomyia flaviventris](#) ([Meigen](#), 1824)
- *Thrypticus flaviventris* ([Macquart](#), 1827): ^{c g} Actually in [Argyra](#), synonym of [Argyra ilonae](#) [Gosseries](#), 1989
- *Thrypticus fulviventris* ([Macquart](#), 1827): ^{c g} Actually in [Argyra](#), synonym of [Argyra leucocephala](#) ([Meigen](#), 1824)
- *Thrypticus pygmaeus* ([Macquart](#), 1828): ^{c g} Actually in [Sympycnus](#), synonym of [Sympycnus pulicarius](#) ([Fallen](#), 1823)
- *Thrypticus ruficauda* ([Zetterstedt](#), 1859): ^{c g} Actually in [Hercostomus](#)
- *Thrypticus taeniomereus* ([Zetterstedt](#), 1843): ^{c g} Actually in [Chrysotus](#), possible synonym of [Chrysotus pulchellus](#) [Kowarz](#), 1874
- *Thrypticus thalassinus* ([Haliday](#), 1832): ^{c g} Actually in [Dolichopus](#), possible synonym of [Dolichopus simplex](#) [Meigen](#), 1824
- *Thrypticus tibialis* ([von Roser](#), 1840): ^{c g} Actually in [Rhaphium](#)
- *Thrypticus zonatulus* ([Zetterstedt](#), 1843): ^{c g} Actually in [Sciapus](#)

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These roughly 140 species belong to [Tetrix](#), a genus of ground hoppers or pygmy grasshoppers in the family [Tetrigidae](#). [1][2][3][4]

***Tetrix* species**

- [Tetrix aelytra](#) Deng, Zheng & Wei, 2009 ^{c g}
- [Tetrix akagiensis](#) Uchida & Ichikawa, 1999 ^{c g}

- [*Tetrix arcunota*](#) Ingrisch, 2001 (pending) (or as malformed "*arcunotus*")^{c g}
- [*Tetrix arenosa*](#) Burmeister, 1838^{i c g b} (obscure pygmy grasshopper)
- [*Tetrix areolata*](#) Westwood, 1841^{c g}
- [*Tetrix barbifemura*](#) Zheng, 1998^{c g}
- [*Tetrix barbipes*](#) Zheng, 2004^{c g}
- [*Tetrix beibuwanensis*](#) Zheng & Jiang, 1994^{c g}
- [*Tetrix beihaiensis*](#) Deng & Zheng, 2007^{c g}
- [*Tetrix bipunctata*](#) (Linnaeus, 1758)^{c g} (or as malformed "*bipunctatus*")ⁱ
- [*Tetrix bolivari*](#) Saulcy, 1901^{c g}
- [*Tetrix brachynota*](#) Zheng & Deng, 2004^{c g}
- [*Tetrix brevicornis*](#) Zheng Lin & Shi, 2012^{c g}
- [*Tetrix brevipennis*](#) Zheng & Ou, 2010^{c g}
- [*Tetrix brunnerii*](#) (Bolívar, 1887)^{b c g} (or as malformed "*brunneri*")ⁱ (Brunner's pygmy grasshopper)
- [*Tetrix cangshanensis*](#) Deng, Wang & Mao, 2021^{c g}
- [*Tetrix cavifrontalis*](#) Liang, 1998^{c g}
- [*Tetrix ceperoi*](#) (Bolívar, 1887)^{c g} (Cepero's groundhopper)
- [*Tetrix ceperoides*](#) Zheng & Jiang, 1997^{c g}
- [*Tetrix changbaishanensis*](#) Ren, Wang & Sun, 2003^{c g}
- [*Tetrix changchunensis*](#) Wang, Wang & Ren, 2005^{c g}
- [*Tetrix chichibuensis*](#) Uchida & Ichikawa, 1999^{c g}
- [*Tetrix chongqingensis*](#) Zheng & Shi, 2002^{c g}
- [*Tetrix collina*](#) Rehn, 1952^{c g}
- [*Tetrix condylops*](#) Gerstaecker, 1869^{c g}
- [*Tetrix coronata*](#) Fischer von Waldheim, 1833 (pending)
- [*Tetrix curvimarginus*](#) Zheng & Deng, 2004^{c g}
- [*Tetrix dentifemura*](#) Zheng, Shi & Luo, 2003^{c g}
- [*Tetrix depressa*](#) Brisout de Barneville, 1848^{c g}
- [*Tetrix dimidiata*](#) Westwood, 1841^{c g}
- [*Tetrix dongningensis*](#) Wang, 2007^{c g}
- [*Tetrix dorrigensis*](#) Rehn, 1952^{c g}
- [*Tetrix ensifera*](#) Westwood, 1841 (pending) (or as malformed "*enisfer*")^{c g}
- [*Tetrix erhaiensis*](#) Zheng & Mao, 1997^{c g}
- [*Tetrix ewenkensis*](#) Zheng, Shi & Mao, 2010^{c g}
- [*Tetrix eyouqiensis*](#) Liang, 1996^{c g} (g pending from "equoqiensis")
- [*Tetrix fengmanensis*](#) Ren, Meng & Sun, 2003^{c g}

- [*Tetrix fuchuanensis*](#) Zheng, 1998 ^{c g}
- [*Tetrix fuliginosa*](#) (Zetterstedt, 1828) ^{c g}
- [*Tetrix fuliginosoides*](#) Deng, 2016 ^{c g}
- [*Tetrix gavoyi*](#) Saulcy, 1901 ^{c g}
- [*Tetrix gibberosa*](#) (Wang & Zheng, 1993) ^{c g}
- [*Tetrix gifuensis*](#) Storozhenko, Ichikawa & Uchida, 1994 ^{c g}
- [*Tetrix grossifemura*](#) Zheng & Jiang, 1997 ^{c g}
- [*Tetrix quangxiensis*](#) Zheng & Jiang, 1996 ^{c g}
- [*Tetrix quibeiensis*](#) Zheng, Lu & Li, 2000 ^{c g}
- [*Tetrix quibeioides*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix quilinica*](#) Li & Huang, 2000 ^{c g}
- [*Tetrix quinanensis*](#) Zheng & Jiang, 2002 ^{c g}
- [*Tetrix huanjiangensis*](#) Zheng, Shi & Mao, 2010 ^{c g}
- [*Tetrix hururana*](#) Ingrisch, 2001 ^(pending) (or as malformed "*arcunotus*") ^{c g}
- [*Tetrix interrupta*](#) Zheng, 2004 ^{c g}
- [*Tetrix irrupta*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix japonica*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix jigongshanensis*](#) Zhao, Niu & Zheng, 2010 ^{c g}
- [*Tetrix jilinensis*](#) Ren, Wang & Meng, 2004 ^{c g}
- [*Tetrix jinshajiangensis*](#) Zheng & Shi, 2001 ^{c g}
- [*Tetrix kantoensis*](#) Uchida & Ichikawa, 1999 ^{c g}
- [*Tetrix kraussi*](#) Saulcy, 1888 ^{c g}
- [*Tetrix kunmingensis*](#) Zheng & Ou, 1993 ^{c g}
- [*Tetrix kunmingoides*](#) Zheng, 2005 ^{c g}
- [*Tetrix laticeps*](#) Westwood, 1841 ^{c g}
- [*Tetrix latifemuroides*](#) Zheng & Xie, 2004 ^{c g}
- [*Tetrix latifemurus*](#) Zheng & Xie, 2004 ^{c g}
- [*Tetrix lativertex*](#) Zheng, Li & Wei, 2002 ^{c g}
- [*Tetrix longipennis*](#) Zheng, 2006 ^{c g} (homonym of *Tetrix longipennis* Hancock, 1909 = *Paratettix argillaceus* (Erichson, 1842))
- [*Tetrix longipennioides*](#) Zheng & Ou, 2010 ^{c g}
- [*Tetrix longzhouensis*](#) Zheng & Jiang, 2000 ^{c g}
- [*Tetrix macilenta*](#) Ichikawa, 1993 ^{c g}
- [*Tetrix maguanensis*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix mandanensis*](#) Zheng & Ou, 2010 ^{c g}
- [*Tetrix minor*](#) Ichikawa, 1993 ^{c g}

- [*Tetrix montivaga*](#) Rehn, 1952 ^{c g}
- [*Tetrix morbillosa*](#) (Fabricius, 1787) ^{c g} (or as malformed "*morbillosus*") ^{wikis}
- [*Tetrix munda*](#) (Walker, 1871) ^{c g}
- [*Tetrix nanpanjiangensis*](#) Deng, Zheng & Wei, 2008 ^{c g}
- [*Tetrix nanshanensis*](#) (Liang & Jiang, 2014) ^{c g}
- [*Tetrix neozhengi*](#) Huang, 2014 ^{c g}
- [*Tetrix nigricollis*](#) Walker, 1871 ^{c g} (or as malformed "*nigricolle*") ^{wikis}
- [*Tetrix nigrimaculata*](#) Zheng & Shi, 2002 ^c (or as malformed and misspelt "*nigromaculatus*") ^g,
wikis
- [*Tetrix nigrimarginis*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix nigristriata*](#) Zheng & Nie, 2005 (pending) (or as malformed "*nigristriatus*") ^{c g}
- [*Tetrix nigrotibialis*](#) Chen, Zheng & Zeng, 2010 ^{c g}
- [*Tetrix nikkoensis*](#) Uchida & Ichikawa, 1999 ^{c g}
- [*Tetrix nodulosa*](#) (Fieber, 1853) ^{c g}
- [*Tetrix nonmaculata*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix ochronotata*](#) Zheng, 1998 ^{c g}
- [*Tetrix ornata*](#) (Say, 1824) ^{i c g b} (ornate pygmy grasshopper)
- [*Tetrix parabarbifemura*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix parabipunctata*](#) Zheng & Ou, 2004 ^{c g}
- [*Tetrix parabrachynota*](#) Zheng, Wang & Shi, 2007 ^{c g}
- [*Tetrix phrynus*](#) Rehn, 1952 ^{c g}
- [*Tetrix priscus*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix pseudodepressa*](#) (Ingrisch, 2006) (pending) (or as malformed "*pseudodepressus*") ^{c g}
- [*Tetrix pseudosimulans*](#) Zheng & Shi, 2010 ^{c g}
- [*Tetrix puerensis*](#) Zheng, 2007 ^{c g}
- [*Tetrix qilianshanensis*](#) Zheng & Chen, 2000 ^{c g}
- [*Tetrix reducta*](#) (Walker, 1871) ^{c g}
- [*Tetrix sadoensis*](#) Storozhenko, Ichikawa & Uchida, 1994 ^{c g}
- [*Tetrix serrifemoralis*](#) Zheng, 1998 ^{c g} (or as malformed ("*serrifemora*") ^{wikis}
- [*Tetrix serrifemoroides*](#) Zheng & Jiang, 2002 ^{c g}
- [*Tetrix shaanxiensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix shennongjiaensis*](#) Zheng, Li & Wei, 2002 ^{c g}
- [*Tetrix sierrana*](#) Rehn & Grant, 1956 ^{i c g b} (sierra pygmy grasshopper)
- [*Tetrix silvicultrix*](#) Ichikawa, 1993 ^{c g}
- [*Tetrix simingshanensis*](#) Chen, Zhang, Li & Yin, 2022 ^{c g}
- [*Tetrix simulanoidea*](#) Zheng & Jiang, 1996 ^{c g}

- [*Tetrix simulans*](#) (Bey-Bienko, 1929) ^{c g}
- [*Tetrix sinufemoralis*](#) Liang, 1998 ^{c g}
- [*Tetrix sipingensis*](#) Hao, Wang & Ren, 2006 ^{c g}
- [*Tetrix subulata*](#) (Linnaeus, 1761) ^{i c g b} (slender groundhopper or awl-shaped pygmy grasshopper)
- [*Tetrix tartara*](#) (Saussure, 1887) ^{c g}
- [*Tetrix tenuicornis*](#) (Sahlberg, 1891) ^{c g}
- [*Tetrix tenuicornoides*](#) Wang, Yuan & Ren, 2006 ^{c g}
- [*Tetrix tereeshumerus*](#) Zheng & Wang, 2005 ^{c g}
- [*Tetrix tianensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix tinkhami*](#) Zheng & Liang, 1998 ^{c g}
- [*Tetrix torulosinota*](#) Zheng, 1998 ^{c g}
- [*Tetrix torulosinotoides*](#) Zheng & Jiang, 2004 ^{c g}
- [*Tetrix totulihumerus*](#) Zheng & Nie, 2005 ^{c g}
- [*Tetrix transimacula*](#) Zheng, 1998 ^{c g}
- [*Tetrix transsylvanica*](#) (Bazyluk & Kis, 1960) ^{c g}
- [*Tetrix tubercarina*](#) Zheng & Jiang, 1994 ^{c g}
- [*Tetrix tuerki*](#) (Krauss, 1876) ^{c g}
- [*Tetrix undatifemura*](#) Zheng, Huo & Zhang, 2000 ^{c g}
- [*Tetrix undulata*](#) (Sowerby, 1806) ^{c g} (common groundhopper)
- [*Tetrix wadai*](#) Uchida & Ichikawa, 1999 ^{c g}
- [*Tetrix weishanensis*](#) Zheng & Mao, 2002 ^{c g}
- [*Tetrix xiangzhouensis*](#) Deng, Zheng & Wei, 2008 ^{c g}
- [*Tetrix xiaowutaishanensis*](#) Zheng & Shi, 2010 ^{c g}
- [*Tetrix xinganensis*](#) Zheng & Zhou, 1997 ^{c g}
- [*Tetrix yangshuoensis*](#) Li & Huang, 2000 ^{c g}
- [*Tetrix yaoshanensis*](#) Liang, 1998 ^{c g}
- [*Tetrix yizhouensis*](#) Zheng & Deng, 2004 ^{c g}
- [*Tetrix yunnanensis*](#) Zheng, 1992 ^{c g}
- [*Tetrix zayuensis*](#) Zheng & Shi, 2009 ^{c g}
- [*Tetrix zhengi*](#) Jiang, 1994 ^{c g}
- [*Tetrix zhengioides*](#) Zheng, 2004 ^{c g}
- [*Tetrix zhongshanensis*](#) Deng, Zheng & Wei, 2007 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

--- Others (as of 2024), since transferred or synonymised:

- [*Tetrix albistriatus*](#) Yao, Yanping & Zheng, 2006 ^{c g}

- [*Tetrix albomaculatus*](#) Zheng & Jiang, 2006 ^{c g}
- [*Tetrix albomarginis*](#) Zheng & Nie, 2005 ^{c g}
- [*Tetrix albomarginisoides*](#) Deng, 2016 ^{c g}
- [*Tetrix albonota*](#) Zheng, 2005 ^{c g}
- [*Tetrix americana*](#) Hancock, 1909 ^{i c g}
- [*Tetrix andeanum*](#) (Hebard, 1923) ^{c g}
- [*Tetrix baditibialis*](#) Deng, 2016 ^{c g}
- [*Tetrix baoshanensis*](#) Zheng, Wei & Liu, 1999
- [*Tetrix cenwanglaoshana*](#) Zheng, Jiang & Liu, 2005 ^{c g}
- [*Tetrix cliva*](#) Zheng & Deng, 2004
- [*Tetrix crassivulva*](#) Denis, 1954
- [*Tetrix cuspidata*](#) Hancock, 1907 ^{c g}
- [*Tetrix cyaneum*](#) (Stoll, C.) ^{c g}
- [*Tetrix dubiosus*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix duolunensis*](#) Zheng, 1996 ^{c g}
- [*Tetrix dushanensis*](#) Deng, 2016 ^{c g}
- [*Tetrix fuhaiensis*](#) Zheng, Zhang, Yang & Wang, 2006 ^{c g}
- [*Tetrix glochinota*](#) Zhao, Niu & Zheng, 2010 ^{c g}
- [*Tetrix gracilis*](#) Bruner, 1906 ^{c g}
- [*Tetrix granulata*](#) (Kirby, 1837) ⁱ
- [*Tetrix grossovalva*](#) Zheng, 1994 ^{c g}
- [*Tetrix jingheensis*](#) Liang, Zheng, 1998 ^{c g}
- [*Tetrix jiuwanshanensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix langshanensis*](#) Deng, W.-A., 2016 ^{c g}
- [*Tetrix latipalpa*](#) Cao & Zheng, 2011 ^{c g}
- [*Tetrix lativertexoides*](#) Deng, 2016 ^{c g}
- [*Tetrix liuwanshanensis*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix lochengensis*](#) Zheng, 2005 ^{c g}
- [*Tetrix longipennis*](#) Zheng, 2006
- [*Tetrix mandanensis*](#) Zheng & Ou, 2010 ^{c g}
- [*Tetrix misera*](#) (Walker, 1871) ^{c g}
- [*Tetrix nanus*](#) Bruner, 1910 ^{c g}
- [*Tetrix qinlingensis*](#) Zheng, Huo & Zhang, 2000 ^{c g}
- [*Tetrix rectimargina*](#) Zheng & Jiang, 2004 ^{c g}
- [*Tetrix rongshuiensis*](#) Deng, 2016 ^{c g}
- [*Tetrix ruyuanensis*](#) Liang, 1998 ^{c g}
- [*Tetrix sigillatum*](#) Bolívar, 1908 ^{c g}

- [*Tetrix signatus*](#) (Bolívar, 1887) ^{c g}
- [*Tetrix slivae*](#) (Kostia, 1993)
- [*Tetrix subulatoides*](#) Zheng, Zhang, Yang & Wang, 2006 ^{c g}
- [*Tetrix torulosifemura*](#) Deng, 2016 ^{c g}
- [*Tetrix tuberculata*](#) (Zheng & Jiang, 1997) ^{c g}
- [*Tetrix wagai*](#) Bazyluk, 1962 ^{c g}
- [*Tetrix xianensis*](#) Zheng, 1996 ^{c g}
- [*Tetrix xinchengensis*](#) Deng, Zheng & Wei, 2007 ^{c g}
- [*Tetrix xinjiangensis*](#) Zheng, 1996 ^{c g}
- [*Tetrix yunlongensis*](#) Zheng & Mao, 2002 ^{c g}

This is a list of 105 species in [*Tetraloniella*](#), a genus of long-horned bees in the family [Apidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)
[\[4\]](#)

***Tetraloniella* species**

- [*Tetraloniella abessinica*](#) (Friese, 1915) ^{i c g}
- [*Tetraloniella abrochia*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella albata*](#) (Cresson, 1872) ^{i c g b}
- [*Tetraloniella alboscopacea*](#) (Friese, 1909) ^{i c g}
- [*Tetraloniella alticincta*](#) (Lepeletier, 1841) ^{i c g}
- [*Tetraloniella apicalis*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella arizonica*](#) (Cockerell, 1937) ^{i c}
- [*Tetraloniella ataxia*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella aurantiflava*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella auricauda*](#) (LaBerge, 1970) ^{i c g}
- [*Tetraloniella ayala*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella balluca*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella bottandieri*](#) (Alfken, 1914) ^{i c g}
- [*Tetraloniella braunsiana*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella brevifellator*](#) (LaBerge, 1957) ^{i c g}
- [*Tetraloniella brevikeraia*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella brevipennis*](#) (Cameron, 1898) ^{i c g}
- [*Tetraloniella brooksi*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella cacuminis*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella capensis*](#) (Lepeletier, 1841) ^{i c g}

- [*Tetraloniella cinctella*](#) (Saunders, 1908) ^{i c g}
- [*Tetraloniella crenulaticornis*](#) (Cockerell, 1898) ^{i c g}
- [*Tetraloniella cressoniana*](#) (Cockerell, 1905) ^{i c g}
- [*Tetraloniella davidsoni*](#) (Cockerell, 1905) ^{i c}
- [*Tetraloniella dentata*](#) (Germar, 1839) ^{i c g}
- [*Tetraloniella distata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella donata*](#) (Cresson, 1878) ^{i c g}
- [*Tetraloniella elsei*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella eriocarp*](#) (Cockerell, 1898) ^{i c g b}
- [*Tetraloniella fasciata*](#) (LaBerge, 1970) ^{i c g}
- [*Tetraloniella fasciatella*](#) (LaBerge, 1970) ^{i c}
- [*Tetraloniella fastigiata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella flagellicornis*](#) (Smith, 1879) ^{i c g}
- [*Tetraloniella flavifasciata*](#) (Cockerell, 1949) ^{i c g}
- [*Tetraloniella flaviscopa*](#) (Hedicke, 1933) ^{i c g}
- [*Tetraloniella friesei*](#) (Meade-Waldo, 1914) ^{i c g}
- [*Tetraloniella fulvescens*](#) (Giraud, 1863) ^{i c g}
- [*Tetraloniella fulvicornis*](#) Morawitz ^g
- [*Tetraloniella fulvotecta*](#) (Cockerell, 1949) ^{i c g}
- [*Tetraloniella glabricornis*](#) (Cameron, 1908) ^{i c g}
- [*Tetraloniella graja*](#) (Eversmann, 1852) ^{i c g}
- [*Tetraloniella helianthorum*](#) (Cockerell, 1914) ^{i c g}
- [*Tetraloniella hohmanni*](#) (Tkalcu, 1993) ^{i c g}
- [*Tetraloniella holli*](#) (Alfken, 1914) ^{i c g}
- [*Tetraloniella iberica*](#) Dusmet y Alonso, 1926 ^g
- [*Tetraloniella imitatrix*](#) (Cockerell & Porter, 1899) ^{i c g}
- [*Tetraloniella incana*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella inermis*](#) (Friese, 1911) ^{i c g}
- [*Tetraloniella inulae*](#) (Tkalcu, 1979) ^{i c g}
- [*Tetraloniella jaliscoensis*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella julliani*](#) (Pérez, 1879) ^{i c g}
- [*Tetraloniella junodi*](#) (Friese, 1909) ^{i c g}
- [*Tetraloniella karooensis*](#) (Brauns, 1926) ^{i c g}
- [*Tetraloniella katangensis*](#) (Cockerell, 1930) ^{i c g}
- [*Tetraloniella keiseri*](#) (Benoist, 1962) ^{i c g}
- [*Tetraloniella lanzarotensis*](#) (Tkalcu, 1993) ^{i c g}

- [*Tetraloniella lippiae*](#) (Cockerell, 1904) ^{i c b}
- [*Tetraloniella longifellator*](#) (LaBerge, 1957) ^{i c g}
- [*Tetraloniella lyncea*](#) (Mocsáry, 1879) ^{i c g}
- [*Tetraloniella madecassa*](#) (Benoist, 1962) ^{i c g}
- [*Tetraloniella michaelsoni*](#) (Friese, 1916) ^{i c g}
- [*Tetraloniella michoacanensis*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella minuta*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella minuticornis*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella minutilla*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella nana*](#) (Morawitz, 1874) ^{i c g}
- [*Tetraloniella nanula*](#) (Cockerell, 1932) ^{i c g}
- [*Tetraloniella nigricans*](#) (Cockerell, 1932) ^{i c g}
- [*Tetraloniella nigriceps*](#) (Morawitz, 1895) ^{i c}
- [*Tetraloniella noguera*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella nostra*](#) (Cockerell, 1933) ^{i c g}
- [*Tetraloniella nursei*](#) Cockerell, 1922 ^{i c g}
- [*Tetraloniella nyassana*](#) (Strand, 1911) ^{i c g}
- [*Tetraloniella ochraea*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella ogilviae*](#) (Cockerell, 1935) ^{i c g}
- [*Tetraloniella ottiliensis*](#) (Friese, 1905) ^{i c g}
- [*Tetraloniella pachysoma*](#) (Cockerell, 1920) ^{i c g}
- [*Tetraloniella paenalbata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella paulyi*](#) Eardley, 2001 ^{i c g}
- [*Tetraloniella pennata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella perconcinna*](#) (Cockerell, 1949) ^{i c g}
- [*Tetraloniella pomonae*](#) (Cockerell, 1915) ^{i c g b}
- [*Tetraloniella ruficornis*](#) (Fabricius, 1804) ^{i c g}
- [*Tetraloniella salicariae*](#) (Lepeletier, 1841) ^{i c g}
- [*Tetraloniella salviae*](#) (LaBerge, 1989) ^{i c g}
- [*Tetraloniella scabiosae*](#) (Mocsáry, 1881) ^{i c g}
- [*Tetraloniella sierranila*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella silacea*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella simpsoni*](#) (Meade-Waldo, 1914) ^{i c g}
- [*Tetraloniella sjoestedti*](#) (Friese, 1909) ^{i c g}
- [*Tetraloniella snizeki*](#) (Tkalcu, 2003) ^{i c g}
- [*Tetraloniella sphaeralceae*](#) LaBerge, 2001 ^{i c g}

- [*Tetraloniella spissa*](#) (Cresson, 1872) ^{i c g}
- [*Tetraloniella strigata*](#) (Lepeletier, 1841) ^{i c g}
- [*Tetraloniella tenuifasciata*](#) (Friesse, 1911) ^{i c}
- [*Tetraloniella tethepa*](#) Eardley, 2001 ^{i c g}
- [*Tetraloniella trabeata*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella trimera*](#) (Risch, 2001) ^{i c g}
- [*Tetraloniella vandykei*](#) LaBerge, 2001 ^{i c g}
- [*Tetraloniella vansoni*](#) (Cockerell, 1935) ^{i c g}
- [*Tetraloniella viator*](#) (Cockerell, 1911) ^{i c g}
- [*Tetraloniella watmoughi*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella whiteheadi*](#) Eardley, 1989 ^{i c g}
- [*Tetraloniella wilmattae*](#) (Cockerell, 1917) ^{i c g}
- [*Tetraloniella yanega*](#) LaBerge, 2001 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 58 species belong to [*Terellia*](#), a genus of fruit flies in the family [*Tephritidae*](#).^{[1][2][3][4]}

***Terellia* species**

- [*Terellia amberboae*](#) Korneyev & Merz, 1996 ^{i c g}
- [*Terellia apicalis*](#) (Chen, 1938) ^{i c g}
- [*Terellia armeniaca*](#) (Korneyev, 1985) ^{i c g}
- [*Terellia blanda*](#) (Richter, 1975) ^{i c g}
- [*Terellia bushi*](#) Korneyez, 2006 ^{c g}
- [*Terellia caerulea*](#) (Hering, 1939) ^{i c g}
- [*Terellia ceratocera*](#) (Hendel, 1913) ^{i c g}
- [*Terellia clarissima*](#) Korneyev, 1987 ^{i c g}
- [*Terellia colon*](#) (Meigen, 1826) ^{i c g}
- [*Terellia cyanoides*](#) Korneyev, 2003 ^{c g}
- [*Terellia cynarae*](#) (Rondani, 1870) ^{i c g}
- [*Terellia deserta*](#) Korneyev, 1985 ^{i c g}
- [*Terellia dubia*](#) Korneyev, 1985 ^{i c g}
- [*Terellia ermolenkoi*](#) Korneyev, 1985 ^{i c g}
- [*Terellia euura*](#) (Hering, 1942) ^{i c g}
- [*Terellia fuscicornis*](#) (Loew, 1844) ^{i c g b}

- [Terellia gynaecochroma](#) (Hering, 1937) ^{i c g}
- [Terellia korneyevorum](#) Mohamadzade Namin & Nozari, 2011 ^g
- [Terellia latigenalis](#) Hering, 1942 ^{i c g}
- [Terellia longicauda](#) (Meigen, 1838) ^{i c g}
- [Terellia luteola](#) (Wiedemann, 1830) ^{i c g}
- [Terellia maculicauda](#) (Chen, 1938) ^{i c g}
- [Terellia matrix](#) Korneyev, 1988 ^{i c g}
- [Terellia megalopyge](#) (Hering, 1936) ^{i c g}
- [Terellia montana](#) Korneyez, 2006 ^{c g}
- [Terellia nigripalpis](#) Hendel, 1927 ^{i c g}
- [Terellia nigronota](#) (Korneyev, 1985) ^{i c g}
- [Terellia oasis](#) (Hering, 1938) ^{i c g}
- [Terellia occidentalis](#) (Snow, 1894) ^{i c g b}
- [Terellia odontolophi](#) Korneyev, 1993 ^{i c g}
- [Terellia orheana](#) Korneyev, 1990 ^{i c g}
- [Terellia oriunda](#) (Hering, 1941) ^{i c g}
- [Terellia palposa](#) (Loew, 1862) ^{i c g b}
- [Terellia plagiata](#) (Dahlbom, 1850) ^{i c g}
- [Terellia popovi](#) Korneyev, 1985 ^{i c g}
- [Terellia pseudovirens](#) (Hering, 1940) ^{i c g}
- [Terellia quadratula](#) (Loew, 1869) ^{i c g}
- [Terellia rhapontici](#) Merz, 1990 ^{i c g}
- [Terellia ruficauda](#) (Fabricius, 1794) ^{i c g b}
- [Terellia sabroskyi](#) Freidberg, 1982 ^{i c g}
- [Terellia sarolensis](#) (Agarwal & Kapoor, 1985) ^{i c g}
- [Terellia serratulae](#) (Linnaeus, 1758) ^{i c g}
- [Terellia setifera](#) Hendel, 1927 ^{i c g}
- [Terellia tarbinskiorum](#) Korneyez, 2006 ^{c g}
- [Terellia tribulicola](#) (Senior-White, 1922) ^{i c g}
- [Terellia tristicta](#) (Hering, 1956) ^{i c g}
- [Terellia tussilaginis](#) (Fabricius, 1775) ^{i c g}
- [Terellia uncinata](#) White, 1989 ^{i c g}
- [Terellia vectensis](#) (Collin, 1937) ^{i c g}
- [Terellia vicina](#) (Chen, 1938) ^{i c g}
- [Terellia vilis](#) (Hering, 1961) ^{i c g}
- [Terellia virens](#) (Loew, 1846) ^{i c g}

- [Terellia virpana](#) Dirlbek, 1980 ^{i c g}
- [Terellia volgensis](#) Bassov & Tolstoguzova, 1995 ^{i c g}
- [Terellia whitei](#) V.Korneyev & Mohamadzade Namin, 2013 ^g
- [Terellia winthemi](#) (Meigen, 1826) ^{i c g}
- [Terellia zerovae](#) Korneyev, 1985 ^{i c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

References

1.
 - ["Terellia Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-06.
 - ["Browse Terellia"](#). Catalogue of Life. Retrieved 2018-05-06.
 - ["Terellia"](#). GBIF. Retrieved 2018-05-06.
 -
4. ["Terellia Genus Information"](#). BugGuide.net. Retrieved 2018-05-06.

Categories:

- [Tephritinae](#)
- [Lists of insect species](#)
-

This is a list of 108 species in [Tanypus](#), a genus of midges in the family [Chironomidae](#).^{[1][2][3][4]}

Tanypus species

- [Tanypus albolineatus](#) (Kieffer, 1910) ^{c g}
- [Tanypus albus](#) (Kieffer, 1924) ^{c g}
- [Tanypus beringensis](#) (Müller, 1924) ^{c g}
- [Tanypus bicoloripennis](#) Kieffer, 1917 ^{c g}
- [Tanypus bilineata](#) (Meigen, 1838) ^{c g}
- [Tanypus bilobatus](#) (Kieffer, 1910) ^{c g}
- [Tanypus birmanensis](#) (Kieffer, 1913) ^{c g}

- [Tanypus brevipalpis](#) (Kieffer, 1923) ^c
- [Tanypus brooksi](#) Gerry, 1933 ^{c g}
- [Tanypus bruchi](#) Kieffer, 1925 ^{c g}
- [Tanypus castellanus](#) (Strobl, 1900) ^{c g}
- [Tanypus catemaco](#) (Roback, 1964) ^{c g}
- [Tanypus chinensis](#) Wang, 1994 ^{c g}
- [Tanypus ciliatus](#) (Meigen, 1838) ^{c g}
- [Tanypus cirratus](#) Kieffer, 1925 ^{c g}
- [Tanypus clavatus](#) Beck, 1962 ^{i c g}
- [Tanypus complanatus](#) Saether, 2004 ^{c g}
- [Tanypus concavus](#) Roback, 1971 ^{i c g}
- [Tanypus crassistylus](#) Kieffer, 1925 ^{c g}
- [Tanypus cvaneomaculatus](#) (Doleschall, 1856) ^{c g}
- [Tanypus debilis](#) (Hutton, 1902) ^{c g}
- [Tanypus distans](#) (Kieffer, 1909) ^c
- [Tanypus elegantulus](#) (Wulp, 1874) ^{c g}
- [Tanypus elongatus](#) Kieffer, 1925 ^{c g}
- [Tanypus excavatus](#) Kieffer, 1925 ^{c g}
- [Tanypus faeroensis](#) (Kieffer, 1915) ^c
- [Tanypus fasciatus](#) (Meigen, 1804) ^c
- [Tanypus fiebrigi](#) Kieffer, 1917 ^{c g}
- [Tanypus flaveolus](#) (Williston, 1896) ^{c g}
- [Tanypus flavidella](#) (Vimmer, 1927) ^{c g}
- [Tanypus formosanus](#) (Kieffer, 1912) ^c
- [Tanypus fraterculus](#) (Lynch Arribalzaga, 1893) ^{c g}
- [Tanypus fulvomaculipennis](#) (Vimmer, 1927) ^{c g}
- [Tanypus fulvonotata](#) (Vimmer, 1927) ^{c g}
- [Tanypus fusciclava](#) (Kieffer, 1922) ^c
- [Tanypus fuscofemoratus](#) (Roser, 1840) ^{c g}
- [Tanypus fuscus](#) Freeman, 1955 ^{c g}
- [Tanypus gracilis](#) (Kieffer, 1918) ^c
- [Tanypus gracillima](#) (Kieffer, 1916) ^{c g}
- [Tanypus grandis](#) Chaudhuri, Das & Debnath, 1985 ^{c g}
- [Tanypus gratus](#) (Meigen, 1838) ^{c g}
- [Tanypus grodhausi](#) Coquillett, 1905 ^b
- [Tanypus guttatipennis](#) Goetghebuer, 1935 ^{c g}

- [Tanypus himalayae](#) (Kieffer, 1911) ^{c g}
- [Tanypus hirsutus](#) (Macquart, 1826) ^{c g}
- [Tanypus imperialis](#) Sublette, 1964 ^{i c g}
- [Tanypus incarnatus](#) (Meigen, 1830) ^{c g}
- [Tanypus kraatzi](#) (Kieffer, 1912) ^{c g}
- [Tanypus lacustris](#) (Kieffer, 1913) ^{c g}
- [Tanypus languidus](#) (Hutton, 1902) ^{c g}
- [Tanypus laticalcar](#) (Kieffer, 1918) ^{c g}
- [Tanypus lauroi](#) Serpa-Filho & Oliveira, 1922 ^{c g}
- [Tanypus lenzi](#) Spies & Reiss, 1966 ^{c g}
- [Tanypus longiseta](#) (Kieffer, 1924) ^c
- [Tanypus lucidus](#) Chaudhuri, Das & Debnath, 1985 ^{c g}
- [Tanypus luteus](#) (Gimmerthal, 1836) ^{c g}
- [Tanypus macrochaeta](#) (Kieffer, 1913) ^{c g}
- [Tanypus maculatus](#) (Macquart, 1826) ^{c g}
- [Tanypus manilensis](#) (Schiner, 1868) ^{c g}
- [Tanypus masteri](#) (Skuse, 1889) ^{c g}
- [Tanypus melanurus](#) (Doleschall, 1856) ^{c g}
- [Tanypus memorosus](#) (Meigen, 1804) ^{c g}
- [Tanypus microcercus](#) (Kieffer, 1910) ^{c g}
- [Tanypus monotomus](#) (Kieffer, 1924) ^c
- [Tanypus murimus](#) (Goetghebuer, 1923) ^{c g}
- [Tanypus myrmedon](#) Kieffer, 1917 ^{c g}
- [Tanypus nakazatoi](#) ^g
- [Tanypus neopunctipennis](#) Sublette, 1964 ^{i c g b}
- [Tanypus neotropicus](#) Kieffer, 1917 ^{c g}
- [Tanypus nigristilus](#) (Kieffer, 1915) ^{c g}
- [Tanypus nigrocinctus](#) (Doleschall, 1856) ^{c g}
- [Tanypus nubifer](#) Coquillett, 1905 ^{i c g}
- [Tanypus obscurus](#) (Macquart, 1826) ^{c g}
- [Tanypus pallidicornis](#) (Zetterstedt, 1850) ^{c g}
- [Tanypus pallidipes](#) (Kieffer, 1912) ^c
- [Tanypus parastellatus](#) Sublette, 1964 ^{i c g}
- [Tanypus pelargus](#) Kieffer, 1917 ^{c g}
- [Tanypus photophilus](#) (Kieffer, 1910) ^{c g}
- [Tanypus pictipennis](#) (Vimmer, 1927) ^{c g}

- [Tanypus prionotus](#) (Kieffer, 1924) ^{c g}
- [Tanypus pubitarsis](#) (Zetterstedt, 1850) ^c
- [Tanypus punctipennis](#) Meigen, 1818 ^{i c g b}
- [Tanypus quadripunctata](#) (Vimmer, 1917) ^{c g}
- [Tanypus riparius](#) (Kieffer, 1911) ^{c g}
- [Tanypus rufus](#) (Meigen, 1830) ^{c g}
- [Tanypus saltatrix](#) (Kieffer, 1911) ^{c g}
- [Tanypus schineri](#) (Strobl, 1880) ^{c g}
- [Tanypus scripta](#) (Vimmer, 1917) ^{c g}
- [Tanypus sexmaculata](#) (Vimmer, 1927) ^{c g}
- [Tanypus similima](#) (Vimmer, 1927) ^{c g}
- [Tanypus stellatus](#) Coquillett, 1902 ^{i c g}
- [Tanypus stictolabis](#) (Kieffer, 1923) ^{c g}
- [Tanypus sylvaticus](#) (Meigen, 1804) ^{c g}
- [Tanypus tanypodipennis](#) (Zetterstedt, 1838) ^{c g}
- [Tanypus telus](#) Roback, 1971 ^{i c g}
- [Tanypus tenebrosus](#) Chaudhuri, Das & Debnath, 1985 ^{c g}
- [Tanypus tenuis](#) (Meigen, 1838) ^{c g}
- [Tanypus tenuistylus](#) Kieffer, 1925 ^{c g}
- [Tanypus transversalis](#) Kieffer, 1925 ^{c g}
- [Tanypus tripunctata](#) (Vimmer, 1927) ^{c g}
- [Tanypus trisema](#) (Kieffer, 1915) ^{c g}
- [Tanypus unifascipennis](#) (Zetterstedt, 1838) ^{c g}
- [Tanypus unimaculata](#) (Macquart, 1826) ^{c g}
- [Tanypus vilipennis](#) (Kieffer, 1918) ^{i c}
- [Tanypus villipennis](#) (Kieffer, 1918) ^{c g}
- [Tanypus violaceipennis](#) (Kieffer, 1910) ^{c g}
- [Tanypus virdellus](#) (Kieffer, 1924) ^{c g}
- [Tanypus viridis](#) (Meigen, 1804) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Tanypus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-21.
 - ["Browse Tanypus"](#). Catalogue of Life. Retrieved 2018-04-21.
 - ["Tanypus"](#). GBIF. Retrieved 2018-04-21.

-

4. ["Tanypus Genus Information"](#). BugGuide.net. Retrieved 2018-04-21.

Categories:

- [Tanypodinae](#)
- [Lists of insect species](#)
- [Lists of flies](#)
-

This is a list of 103 species in [Tanymecus](#), a genus of broad-nosed weevils in the family [Curculionidae](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Tanymecus species

- [Tanymecus abyssinicus](#) Hustache, 1920 ^c ^g
- [Tanymecus agricola](#) Marshall, 1920 ^c ^g
- [Tanymecus albicans](#) Rosenhauer, 1856 ^c ^g
- [Tanymecus alboscuteatus](#) Chevrolat, 1869 ^c ^g
- [Tanymecus albus](#) Gebler, 1830 ^c ^g
- [Tanymecus alienus](#) Faust, 1895 ^c ^g
- [Tanymecus arenaceus](#) Marshall, 1916 ^c ^g
- [Tanymecus ariasi](#) Escalera, 1914 ^c ^g
- [Tanymecus arushanus](#) Marshall, 1929 ^c ^g
- [Tanymecus aureosauamosus](#) Linell, 1896 ^c ^g
- [Tanymecus bayeri](#) Hustache, 1924 ^c ^g
- [Tanymecus benguelensis](#) Hustache, 1923 ^c ^g
- [Tanymecus bidentatus](#) Gebler, 1830 ^c ^g
- [Tanymecus biplagiatus](#) Marshall, 1935 ^c ^g
- [Tanymecus boettcheri](#) Voss, 1922 ^c ^g
- [Tanymecus brachyderoides](#) Faust, 1895 ^c ^g
- [Tanymecus brevipennis](#) Reitter, 1903 ^c ^g
- [Tanymecus brevirostris](#) Aurivillius, 1910 ^c ^g
- [Tanymecus brevis](#) Chevrolat, 1860 ^c ^g
- [Tanymecus bulgaricus](#) Angelov, 1990 ^c ^g
- [Tanymecus burmanus](#) Marshall, 1916 ^c ^g

- [Tanymecus cervinus](#) Fahraeus, 1840 ^{c g}
- [Tanymecus confusus](#) Say, 1831 ^{i c g b}
- [Tanymecus confususconfertus](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus costulicollis](#) Fairmaire, 1901 ^{c g}
- [Tanymecus crassicornis](#) Solari, 1904 ^{c g}
- [Tanymecus curviscapus](#) Marshall, 1916 ^{c g}
- [Tanymecus deceptor](#) Marshall, 1916 ^{c g}
- [Tanymecus destructor](#) Marshall, 1920 ^{c g}
- [Tanymecus dilaticollis](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus discolor](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus excursor](#) Faust, 1890 ^{c g}
- [Tanymecus fausti](#) Desbrochers des Loges, 1884 ^{c g}
- [Tanymecus fimbriatus](#) Faust, 1899 ^{c g}
- [Tanymecus fruhstorferi](#) Faust, 1896 ^{c g}
- [Tanymecus furcatus](#) Marshall, 1952 ^{c g}
- [Tanymecus hirsutus](#) Champion, 1911 ^{c g}
- [Tanymecus hirticeps](#) Marshall, 1916 ^{c g}
- [Tanymecus hispidus](#) Marshall, 1916 ^{c g}
- [Tanymecus humilis](#) Erichson, 1843 ^{c g}
- [Tanymecus inaffectatus](#) Fåhraeus, 1871 ^{c g}
- [Tanymecus indicus](#) Faust, 1895 ^{c g}
- [Tanymecus infimus](#) Thomson J., 1858 ^{c g}
- [Tanymecus insipidus](#) Chevrolat, 1878 ^{c g}
- [Tanymecus kolenatii](#) Reitter, 1903 ^{c g}
- [Tanymecus konbيرانus](#) Marshall, 1916 ^{c g}
- [Tanymecus kricheldorffi](#) Reitter, 1915 ^{c g}
- [Tanymecus lacaena](#) (Herbst, 1797) ^{i c g b}
- [Tanymecus laminipes](#) Marshall, 1951 ^{c g}
- [Tanymecus latifrons](#) Faust, 1899 ^{c g}
- [Tanymecus lautus](#) Le Conte, 1854 ^{c g}
- [Tanymecus lectus](#) Marshall, 1916 ^{c g}
- [Tanymecus lineatus](#) Gyllenhal, 1834 ^{c g}
- [Tanymecus lomii](#) Hustache, 1938 ^{c g}
- [Tanymecus luridus](#) Gestro, 1895 ^{c g}
- [Tanymecus makkaliensis](#) Fåhraeus, 1871 ^{c g}
- [Tanymecus masaicus](#) Voss, 1962 ^{c g}

- [Tanymecus merus](#) Marshall, 1954 ^{c g}
- [Tanymecus metallinus](#) Fairmaire, 1866 ^{c g}
- [Tanymecus micans](#) Hustache, 1920 ^{c g}
- [Tanymecus migrans](#) Fahraeus, 1840 ^{c g}
- [Tanymecus mixtus](#) Hustache, 1921 ^{c g}
- [Tanymecus modicus](#) Marshall, 1916 ^{c g}
- [Tanymecus morosus](#) Fairmaire, 1901 ^{c g}
- [Tanymecus mozambicus](#) Hustache, 1920 ^{c g}
- [Tanymecus musculus](#) Fahraeus, 1840 ^{c g}
- [Tanymecus nevadensis](#) Desbrochers des Loges, 1872 ^{c g}
- [Tanymecus obconicicollis](#) Voss, 1937 ^{c g}
- [Tanymecus obscuriusculus](#) Voss, 1962 ^{c g}
- [Tanymecus obscurus](#) Marshall, 1916 ^{c g}
- [Tanymecus obsoletus](#) Reitter, 1890 ^{c g}
- [Tanymecus oculatus](#) Chevrolat, 1880 ^{c g}
- [Tanymecus orientalis](#) Hustache, 1921 ^{c g}
- [Tanymecus ovalipennis](#) Hustache, 1935 ^{c g}
- [Tanymecus palliatus](#) (Fabricius, 1787) ^{c g}
- [Tanymecus parkiensis](#) Ahmed, Rizvi, Akhter et Yasir, 2006 ^{c g}
- [Tanymecus parvus](#) Desbrochers des Loges, 1891 ^{c g}
- [Tanymecus perrieri](#) (Fairmaire, 1900) ^{c g}
- [Tanymecus piger](#) Marshall, 1916 ^{c g}
- [Tanymecus pisciformis](#) (Fairmaire, 1899) ^{c g}
- [Tanymecus ponticus](#) Arnoldi & Blinsein, 1971 ^{c g}
- [Tanymecus potteri](#) Hustache, 1920 ^{c g}
- [Tanymecus princeps](#) (Faust, 1891) ^{c g}
- [Tanymecus pseudohispidus](#) Rizvi, Ahmed et Naz, 2003 ^{c g}
- [Tanymecus pubirostris](#) Reitter, 1903 ^{c g}
- [Tanymecus rapax](#) Marshall, 1939 ^{c g}
- [Tanymecus revelierei](#) Tournier, 1875 ^{c g}
- [Tanymecus rhodopus](#) Fahraeus, 1871 ^{c g}
- [Tanymecus seclusus](#) Faust, 1895 ^{c g}
- [Tanymecus sitonoides](#) A. Solari & F. Solari, 1909 ^{c g}
- [Tanymecus sparsus](#) Fahraeus, 1840 ^{c g}
- [Tanymecus submaculatus](#) Chevrolat, 1860 ^{c g}
- [Tanymecus telephus](#) Reitter, 1903 ^{c g}

- [*Tanymecus tenuis*](#) Reitter, 1903 ^{c g}
- [*Tanymecus tessellatus*](#) Marshall, 1935 ^{c g}
- [*Tanymecus tetricus*](#) Faust, 1897 ^{c g}
- [*Tanymecus texanus*](#) Van Dyke, 1935 ^{i g b}
- [*Tanymecus tonsus*](#) Marshall, 1935 ^{c g}
- [*Tanymecus trivialis*](#) Fahraeus, 1840 ^{c g}
- [*Tanymecus vagabundus*](#) Chevrolat, 1880 ^{c g}
- [*Tanymecus variabilis*](#) Fahraeus, 1840 ^{c g}
- [*Tanymecus versutus*](#) Faust, 1895 ^{c g}
- [*Tanymecus villicus*](#) Fahraeus, 1840 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 300 species in [*Tachytes*](#), a genus of square-headed wasps in the family [*Crabronidae*](#). [1] [2] [3] [4]

***Tachytes* species**

- [*Tachytes abdominalis*](#) (Say, 1823) ^{i c g b}
- [*Tachytes abercornensis*](#) Arnold, 1959 ^{i c g}
- [*Tachytes absidatus*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes admirabilis*](#) R. Turner, 1916 ^{i c g}
- [*Tachytes aeneus*](#) E. Saunders, 1910 ^{i c g}
- [*Tachytes aestuans*](#) R. Turner, 1916 ^{i c g}
- [*Tachytes agadiriensis*](#) Nadig, 1933 ^{i c g}
- [*Tachytes alacer*](#) Arnold, 1960 ^{i c g}
- [*Tachytes albonotatus*](#) Walker, 1871 ^{i c g}
- [*Tachytes alfieri*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes alvarengai*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes amazonus*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes ambidens*](#) Kohl, 1884 ^{i c}
- [*Tachytes andesae*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes andreniformis*](#) Cameron, 1889 ^{i c g}
- [*Tachytes angustiverticis*](#) Wu and Li, 2006 ^{i c g}
- [*Tachytes approximatus*](#) R. Turner, 1908 ^{i c g}

- [*Tachytes arabicus*](#) Guichard, 1994 ^{i c g}
- [*Tachytes archaeophilus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes argentea*](#) Gussakovskij, 1933 ^{c g}
- [*Tachytes argenteovestitus*](#) Cameron, 1910 ^{i c g}
- [*Tachytes argenteus*](#) Gussakovskij, 1933 ⁱ
- [*Tachytes argyreus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachytes argyropis*](#) de Saussure, 1887 ^{i c g}
- [*Tachytes asiagenes*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes assamensis*](#) Cameron, 1904 ^{i c g}
- [*Tachytes associatus*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes astutus*](#) Nurse, 1909 ^{i c g}
- [*Tachytes aureocinctus*](#) Cameron, 1905 ^{i c g}
- [*Tachytes aurichalceus*](#) Kohl in Schletterer, 1891 ^{i c g}
- [*Tachytes auricomans*](#) Bradley, 1919 ^{i c g}
- [*Tachytes aurifex*](#) F. Smith, 1858 ^{i c g}
- [*Tachytes auripes*](#) Berland, 1942 ^{i c g}
- [*Tachytes aurovestitus*](#) F. Smith, 1873 ^{i c g}
- [*Tachytes aurulentus*](#) (Fabricius, 1804) ^{i c g b}
- [*Tachytes badius*](#) Banks, 1942 ^{i c g}
- [*Tachytes bakeri*](#) Williams, 1928 ^{i c g}
- [*Tachytes basilicus*](#) (Guérin-Méneville, 1844) ^{i c g}
- [*Tachytes beludzhistanicus*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachytes bidens*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachytes bilunaris*](#) Tsuneki, 1982 ^{i c g}
- [*Tachytes bimetallicus*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes birkmanni*](#) Rohwer, 1909 ^{i c g}
- [*Tachytes biskrensis*](#) E. Saunders, 1910 ^{i c g}
- [*Tachytes braunsi*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes bredoi*](#) Arnold, 1947 ^{i c g}
- [*Tachytes brevicornis*](#) Tsuneki, 1976 ^{i c g}
- [*Tachytes brevipennis*](#) Cameron, 1900 ^{i c g}
- [*Tachytes brevis*](#) Walker, 1871 ^{i c g}
- [*Tachytes brunneomarginatus*](#) Arnold, 1947 ^{i c g}
- [*Tachytes brunneus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes bulawayoensis*](#) Bischoff, 1913 ^{i c g}
- [*Tachytes californicus*](#) R. Bohart, 1962 ^{i c g}

- [*Tachytes cameronianus*](#) Morice, 1897^{i c g}
- [*Tachytes carinatus*](#) Berland, 1942^{i c g}
- [*Tachytes catamarcae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes cataractae*](#) Arnold, 1923^{i c g}
- [*Tachytes catarinae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes celsissimus*](#) R. Turner, 1917^{i c g}
- [*Tachytes cephalotes*](#) Walker, 1871^{i c g}
- [*Tachytes ceratophorus*](#) Pulawski, 1962^{i c g}
- [*Tachytes chelatus*](#) R. Bohart, 1962^{i c g}
- [*Tachytes chilensis*](#) (Spinola, 1851)^{i c g}
- [*Tachytes chivensis*](#) Pulawski, 1962^{i c g}
- [*Tachytes chrysocercus*](#) Rohwer, 1911^{i c g}
- [*Tachytes chrysopyga*](#) (Spinola, 1842)^{i c g}
- [*Tachytes chudeaui*](#) Berland, 1942^{i c g}
- [*Tachytes cinerascens*](#) Arnold, 1935^{i c g}
- [*Tachytes codonocarpi*](#) Pulawski, 1975^{i c g}
- [*Tachytes coloratus*](#) R. Bohart, 1979^{i c g}
- [*Tachytes columbiae*](#) W. Fox, 1892^{i c g}
- [*Tachytes comberi*](#) R. Turner, 1917^{i c g}
- [*Tachytes compactus*](#) Arnold, 1951^{i c g}
- [*Tachytes concinnus*](#) F. Smith, 1856^{i c g}
- [*Tachytes confusus*](#) Arnold, 1923^{i c g}
- [*Tachytes contractus*](#) Walker, 1871^{i c g}
- [*Tachytes copiosus*](#) Arnold, 1945^{i c g}
- [*Tachytes corniger*](#) Gussakovskij, 1952^{i c g}
- [*Tachytes costalis*](#) Taschenberg, 1870^{i c g}
- [*Tachytes crassus*](#) Patton, 1880^{i c g b}
- [*Tachytes cressoni*](#) Banks, 1942^{i c g}
- [*Tachytes danae*](#) Arnold, 1923^{i c g}
- [*Tachytes decoratus*](#) Walker, 1871^{i c g}
- [*Tachytes desertus*](#) R. Bohart, 1994^{i c g b}
- [*Tachytes dichrous*](#) F. Smith, 1856^{i c g}
- [*Tachytes dilaticornis*](#) R. Turner, 1916^{i c g}
- [*Tachytes dilwara*](#) Nurse, 1903^{i c g}
- [*Tachytes diodontus*](#) Pulawski, 1962^{i c g}
- [*Tachytes discrepans*](#) Arnold, 1951^{i c g}

- [*Tachytes dispersus*](#) R. Turner, 1916^{i c g}
- [*Tachytes disputabilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes distant*](#) R. Turner, 1917^{i c g}
- [*Tachytes distinctus*](#) F. Smith, 1856^{i c g b}
- [*Tachytes dogon*](#) Pulawski, 2006^{i c g}
- [*Tachytes dubiosus*](#) Tsuneki, 1974^{i c g}
- [*Tachytes ermineus*](#) Banks, 1942^{i c g}
- [*Tachytes erynnis*](#) R. Turner, 1917^{i c g}
- [*Tachytes etruscus*](#) (Rossi, 1790)^{i c g}
- [*Tachytes excellens*](#) Cameron, 1912^{i c g}
- [*Tachytes exclusus*](#) R. Turner, 1917^{i c g}
- [*Tachytes exornatus*](#) W. Fox, 1894^{i c g}
- [*Tachytes famelicus*](#) Pulawski, 1962^{i c g}
- [*Tachytes fatalis*](#) R. Turner, 1916^{i c g}
- [*Tachytes fervidus*](#) F. Smith, 1856^{i c g}
- [*Tachytes fidelis*](#) Pulawski, 1962^{i c g}
- [*Tachytes flagellarius*](#) R. Bohart, 1979^{i c g}
- [*Tachytes flagellatus*](#) Nurse, 1903^{i c g}
- [*Tachytes flavocinereus*](#) Arnold, 1945^{i c g}
- [*Tachytes floridanus*](#) Rohwer, 1920^{i c g}
- [*Tachytes formosissimus*](#) R. Turner, 1908^{i c g}
- [*Tachytes fraternoides*](#) R. Bohart, 1979^{i c g}
- [*Tachytes fraternus*](#) Taschenberg, 1870^{i c g}
- [*Tachytes freygessneri*](#) Kohl, 1881^{i c g}
- [*Tachytes fritzi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes frontalis*](#) F. Smith, 1873^{i c g}
- [*Tachytes fruticis*](#) Tsuneki, 1964^{i c g}
- [*Tachytes fucatus*](#) Arnold, 1951^{i c g}
- [*Tachytes fulviventris*](#) Cresson, 1865^{i c g}
- [*Tachytes fulvovestitus*](#) Cameron, 1904^{i c g}
- [*Tachytes gondarabai*](#) (Guiglia, 1943)^{i c g}
- [*Tachytes gracilicornis*](#) Arnold, 1944^{i c g}
- [*Tachytes grisselli*](#) R. Bohart, 1994^{i c g b}
- [*Tachytes guatemalensis*](#) Cameron, 1889^{i c g b}
- [*Tachytes gyusanus*](#) Back and Kim, 2014^{i g}
- [*Tachytes habilis*](#) R. Turner, 1917^{i c g}

- [*Tachytes hades*](#) Schrottky, 1903 ^{i c g}
- [*Tachytes hainanensis*](#) Wu and Q. Li, 2006 ^{i c g}
- [*Tachytes hamiltoni*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes harpax*](#) Patton, 1880 ^{i c g}
- [*Tachytes hirsutus*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes illabefactus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes imperialis*](#) de Saussure, 1867 ^{i c g}
- [*Tachytes indicus*](#) Dalla Torre, 1897 ^{i c g}
- [*Tachytes indifferens*](#) Arnold, 1945 ^{i c g}
- [*Tachytes indulgens*](#) Cheesman, 1937 ^{i c g}
- [*Tachytes inexorabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes instabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes integer*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachytes intermedius*](#) (Viereck, 1906) ^{i c g b}
- [*Tachytes interstitialis*](#) Cameron, 1900 ^{i c g}
- [*Tachytes irreverens*](#) Cheesman, 1937 ^{i c g}
- [*Tachytes irritabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes jucundus*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes kristenseni*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes labilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes lachesis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes lamborni*](#) Arnold, 1934 ^{i c g}
- [*Tachytes lamentabilis*](#) Arnold, 1951 ^{i c g}
- [*Tachytes lanuginosus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes latifrons*](#) Tsuneki, 1964 ^{i c g}
- [*Tachytes lepidus*](#) Arnold, 1929 ^{i c g}
- [*Tachytes leprieuri*](#) (Spinola, 1842) ^{c g}
- [*Tachytes leprieurii*](#) (Spinola, 1842) ⁱ
- [*Tachytes levantinus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes lingnau*](#) Arnold, 1933 ^{i c g}
- [*Tachytes lissinus*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes longirostris*](#) Arnold, 1947 ^{i c g}
- [*Tachytes lugubris*](#) Walker, 1871 ^{i c g}
- [*Tachytes maculicornis*](#) E. Saunders, 1910 ^{i c g}
- [*Tachytes maerens*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes magellanicus*](#) Williams, 1928 ^{i c g}

- [*Tachytes maindroni*](#) Berland, 1942^{i c g}
- [*Tachytes manjikuli*](#) Tsuneki, 1963^{i c g}
- [*Tachytes maroccanus*](#) Pulawski, 1962^{i c g}
- [*Tachytes marshalli*](#) R. Turner, 1912^{i c g}
- [*Tachytes matronalis*](#) Dahlbom, 1845^{i c g}
- [*Tachytes megaera*](#) R. Turner, 1917^{i c g}
- [*Tachytes melancholicus*](#) Arnold, 1923^{i c g}
- [*Tachytes memnon*](#) R. Turner, 1916^{i c g}
- [*Tachytes menkei*](#) R. Bohart, 1979^{i c g}
- [*Tachytes meraukensis*](#) Cameron, 1911^{i c g}
- [*Tachytes mergus*](#) W. Fox, 1892^{i c g}
- [*Tachytes micantipygus*](#) Strand, 1910^{i c g}
- [*Tachytes midas*](#) Arnold, 1929^{i c g}
- [*Tachytes minutior*](#) R. Bohart, 1979^{i c g}
- [*Tachytes mirus*](#) Kohl, 1894^{i c g}
- [*Tachytes mitis*](#) R. Turner, 1916^{i c g}
- [*Tachytes modestus*](#) F. Smith, 1856^{i c g}
- [*Tachytes monetarius*](#) F. Smith, 1856^{i c g}
- [*Tachytes mongolicus*](#) Tsuneki, 1972^{i c g}
- [*Tachytes mutilloides*](#) Walker, 1871^{i c g}
- [*Tachytes nasicornis*](#) Gussakovskij, 1952^{i c g}
- [*Tachytes natalensis*](#) de Saussure, 1854^{i c g}
- [*Tachytes nevadensis*](#) R. Bohart, 1962^{i c g}
- [*Tachytes nigrescens*](#) Berland, 1942^{i c g}
- [*Tachytes nigroannulatus*](#) Bischoff, 1913^{i c g}
- [*Tachytes nigropilosellus*](#) (Cameron, 1910)^{i c g}
- [*Tachytes niloticus*](#) R. Turner, 1918^{i c g}
- [*Tachytes nitidiusculus*](#) (F. Smith, 1856)^{i c g}
- [*Tachytes nitidulus*](#) (Fabricius, 1793)^{i c g}
- [*Tachytes nomarches*](#) Pulawski, 1962^{i c g}
- [*Tachytes notabilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes nudiventris*](#) R. Turner, 1917^{i c g}
- [*Tachytes obductus*](#) W. Fox, 1892^{i c g}
- [*Tachytes observabilis*](#) Kohl, 1894^{i c g}
- [*Tachytes obsoletus*](#) (Rossi, 1792)^{i c g}
- [*Tachytes oppositus*](#) R. Turner, 1917^{i c g}

- [*Tachytes opulentus*](#) Nurse, 1909^{i c g}
- [*Tachytes ornatipes*](#) Cameron, 1889^{i c g}
- [*Tachytes oviventris*](#) de Saussure, 1891^{i c g}
- [*Tachytes palatus*](#) R. Bohart, 1979^{i c g}
- [*Tachytes pallidiventris*](#) Arnold, 1947^{i c g}
- [*Tachytes panzeri*](#) (Dufour, 1841)^{i c g}
- [*Tachytes papuanus*](#) Tsuneki, 1983^{i c g}
- [*Tachytes parvus*](#) W. Fox, 1892^{i c g}
- [*Tachytes pennsylvanica*](#) Banks, 1921^{c g}
- [*Tachytes pennsylvanicus*](#) Banks, 1921^{i b}
- [*Tachytes pepticus*](#) (Say, 1837)^{i c g}
- [*Tachytes perornatus*](#) R. Turner, 1917^{i c g}
- [*Tachytes picticornis*](#) Arnold, 1945^{i c g}
- [*Tachytes plagiatus*](#) Walker, 1871^{i c g}
- [*Tachytes plutocraticus*](#) R. Turner, 1910^{i c g}
- [*Tachytes politus*](#) R. Bohart, 1979^{i c g}
- [*Tachytes popovi*](#) Pulawski, 1962^{i c g}
- [*Tachytes praedator*](#) W. Fox, 1892^{i c g}
- [*Tachytes praestabilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes pretiosus*](#) Cameron, 1912^{i c g}
- [*Tachytes priesneri*](#) Pulawski, 1962^{i c g}
- [*Tachytes procerus*](#) A. Costa, 1882^{i c g}
- [*Tachytes pubescens*](#) R. Bohart, 1979^{i c g}
- [*Tachytes pulchricornis*](#) R. Turner, 1917^{i c g}
- [*Tachytes punctuosus*](#) Arnold, 1923^{i c g}
- [*Tachytes pygmaeus*](#) Kohl, 1888^{i c g}
- [*Tachytes quinquedens*](#) R. Bohart, 1979^{i c g}
- [*Tachytes rarus*](#) Arnold, 1960^{i c g}
- [*Tachytes relucens*](#) R. Turner, 1916^{i c g}
- [*Tachytes repandus*](#) (Fabricius, 1787)^{i c g}
- [*Tachytes rhodesianus*](#) Bischoff, 1913^{i c g}
- [*Tachytes rhododactylus*](#) Taschenberg, 1870^{i c g}
- [*Tachytes rhodogaster*](#) R. Bohart, 1979^{i c g}
- [*Tachytes richardsi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes roraimae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes rubellus*](#) R. Turner, 1908^{i c g}

- [*Tachytes rubioi*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes rufalaris*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes rufipalpis*](#) Cameron, 1904 ^{i c g}
- [*Tachytes rufiscutis*](#) R. Turner, 1918 ^{i c g}
- [*Tachytes rufomarginatus*](#) Arnold, 1945 ^{i c g}
- [*Tachytes rugulosus*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sacricola*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes sagani*](#) Guiglia, 1943 ^{i c g}
- [*Tachytes saharicus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes salvus*](#) Kohl, 1906 ^{i c g}
- [*Tachytes saundersii*](#) Bingham, 1897 ^{i c g}
- [*Tachytes sayi*](#) Banks, 1942 ^{i c g}
- [*Tachytes schlingeri*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sculleni*](#) R. Bohart, 1962 ^{i c g}
- [*Tachytes sedulus*](#) F. Smith, 1860 ^{i c g}
- [*Tachytes seminole*](#) Banks, 1942 ^{i c g}
- [*Tachytes separabilis*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes setiger*](#) Kohl, 1898 ^{i c g}
- [*Tachytes setosus*](#) Taschenberg, 1870 ^{i c g}
- [*Tachytes sexdens*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sheppardi*](#) Arnold, 1940 ^{i c g}
- [*Tachytes silverlocki*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes silvicola*](#) Williams, 1928 ^{i c g}
- [*Tachytes silvicoloides*](#) Williams, 1928 ^{i c g}
- [*Tachytes simillimus*](#) von Schulthess, 1926 ^{i c g}
- [*Tachytes simulans*](#) F. Smith, 1873 ^{i c g}
- [*Tachytes simulatrix*](#) R. Turner, 1917 ^{i c g}
- [*Tachytes sinensis*](#) F. Smith, 1856 ^{i c g}
- [*Tachytes sinuatus*](#) Pulawski, 1962 ^{i c g}
- [*Tachytes sjoestedti*](#) Cameron, 1908 ^{i c}
- [*Tachytes spatiosus*](#) T. Li, Cai and Q. Li, 2008 ^{i c g}
- [*Tachytes spatulatus*](#) W. Fox, 1892 ^{i c g}
- [*Tachytes stangei*](#) R. Bohart, 1979 ^{i c g}
- [*Tachytes sulcatus*](#) R. Turner, 1916 ^{i c g}
- [*Tachytes surigensis*](#) Williams, 1928 ^{i c g}
- [*Tachytes tabrobanae*](#) Cameron, 1900 ^{i c g}

- [*Tachytes tachyrrhostus*](#) de Saussure, 1854^{i c g}
- [*Tachytes tarsalis*](#) (Spinola, 1839)^{i c g}
- [*Tachytes testaceinervus*](#) Cameron, 1908^{i c g}
- [*Tachytes tomentosus*](#) Kohl in Schletterer, 1891^{i c g}
- [*Tachytes toyensis*](#) Tsuneki, 1971^{i c g}
- [*Tachytes transvaalensis*](#) Cameron, 1905^{i c g}
- [*Tachytes trichopygus*](#) Pulawski, 1962^{i c g}
- [*Tachytes tricinctus*](#) (Fabricius, 1804)^{i c g}
- [*Tachytes trigonalis*](#) de Saussure, 1867^{i c g}
- [*Tachytes turneri*](#) Arnold, 1923^{i c g}
- [*Tachytes ugandensis*](#) R. Turner, 1917^{i c g}
- [*Tachytes ustulatus*](#) R. Bohart, 1979^{i c g}
- [*Tachytes vagus*](#) Radoszkowski, 1877^{i c g}
- [*Tachytes validus*](#) Cresson, 1873^{i c g b}
- [*Tachytes vardyi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes varians*](#) (Fabricius, 1804)^{i c g}
- [*Tachytes vechti*](#) Tsuneki, 1976^{i c g}
- [*Tachytes velox*](#) F. Smith, 1856^{i c g}
- [*Tachytes venezuelae*](#) R. Bohart, 1979^{i c g}
- [*Tachytes versatilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes vestitus*](#) (F. Smith, 1873)^{i c g}
- [*Tachytes vicinus*](#) Cameron, 1889^{i c g}
- [*Tachytes villegasi*](#) R. Bohart, 1979^{i c g}
- [*Tachytes vischnu*](#) Cameron, 1889^{i c g}
- [*Tachytes volubilis*](#) R. Turner, 1917^{i c g}
- [*Tachytes werneri*](#) R. Bohart, 1994^{i c g}
- [*Tachytes willinki*](#) R. Bohart, 1979^{i c g}
- [*Tachytes xenoferus*](#) Rohwer, 1911^{i c g}
- [*Tachytes yerburyi*](#) Bingham, 1897^{i c g}
- [*Tachytes yunnanensis*](#) T. Li, Cai and Q. Li, 2008^{i c g}
- [*Tachytes zuliae*](#) R. Bohart, 1979^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Tachytes Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-23.

- ["Browse Tachytes"](#). *Catalogue of Life*. Retrieved 2018-04-23.
- ["Tachytes"](#). *GBIF*. Retrieved 2018-04-23.
-
- 4. ["Tachytes Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-23.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of species in [Tachysphex](#), a genus of square-headed wasps in the family [Crabronidae](#).^[1]
^[2]^[3]^[4]

Tachysphex species

- [Tachysphex aboriginus](#) Pulawski, 1977 ^{i c g}
- [Tachysphex aburi](#) Pulawski, 2007 ^{i c g}
- [Tachysphex acanthophorus](#) Pulawski, 1982 ^{i c g}
- [Tachysphex actites](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [Tachysphex acutemarginatus](#) Strand, 1910 ^{i c g}
- [Tachysphex acutus](#) (Patton, 1880) ^{i c g}
- [Tachysphex adjunctus](#) Kohl, 1885 ^{i c g}
- [Tachysphex advenus](#) Pulawski, 1974 ^{i c g}
- [Tachysphex aemulus](#) Kohl, 1906 ^{i c g}
- [Tachysphex aequalis](#) W. Fox, 1894 ^{i c g}
- [Tachysphex aethiopicus](#) Arnold, 1923 ^{i c g}
- [Tachysphex aethiops](#) (Cresson, 1865) ^{i c g}
- [Tachysphex agilis](#) (F. Smith, 1856) ^{i c g}
- [Tachysphex agnus](#) Pulawski, 1971 ^{i c g}
- [Tachysphex alayoi](#) Pulawski, 1974 ^{i c g}
- [Tachysphex albocinctus](#) (Lucas, 1849) ^{i c g}
- [Tachysphex alpestris](#) Rohwer, 1908 ^{i c g}
- [Tachysphex ambiguus](#) Arnold, 1923 ^{i c g}

- [*Tachysphex ambositrae*](#) Leclercq, 1967 ^{i c g}
- [*Tachysphex ampijoroa*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex amplus*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex anceps*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex angelicus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex angustatus*](#) Pulawski, 1967 ^{i c g}
- [*Tachysphex angustus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex antennatus*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex anthracinus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex antillarum*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex anubis*](#) Pulawski, 1964 ^{i c g}
- [*Tachysphex apakensis*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex apicalis*](#) W. Fox, 1893 ^{i c g}
- [*Tachysphex apoctenus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex apricus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex araucanus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex argentatus*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachysphex argenteiceps*](#) Arnold, 1959 ^{i c g}
- [*Tachysphex argentifrons*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex arizonae*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex armatus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex ashmeadii*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex asinus*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex asmara*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex aterrimus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex atlanteus*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex atratus*](#) (Lepeletier de Saint Fargeau, 1845) ^{i c g}
- [*Tachysphex aureopilosus*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex aureorufoniger*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex auriceps*](#) Cameron, 1889 ^{i c g}
- [*Tachysphex auropilosus*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex austriacus*](#) Kohl, 1892 ^{i c g}
- [*Tachysphex bara*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex barkeri*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex beaumonti*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex beidzimiao*](#) Tsuneki, 1971 ^{i c g}

- [*Tachysphex belfragei*](#) (Cresson, 1873) ^{i c g}
- [*Tachysphex bemba*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex bengalensis*](#) Cameron, 1889 ^{i c}
- [*Tachysphex bipustulosus*](#) Arnold, 1949 ^{i c g}
- [*Tachysphex bituberculatus*](#) Cameron, 1905 ^{i c g}
- [*Tachysphex blattivorus*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachysphex bohartorum*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex bohemicus*](#) Straka, 2016 ^g
- [*Tachysphex bostryx*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex bouceki*](#) Straka, 2005 ^{i c g}
- [*Tachysphex brachypus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex brasilianus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex braunsi*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex breviceps*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex brevicornis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex brevipecten*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex brevipennis*](#) Mercet, 1909 ^{i c g}
- [*Tachysphex brevipes*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex brinckerae*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex brullii*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex bruneiceps*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex buccalis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex buyssoni*](#) Morice, 1897 ^{i c g}
- [*Tachysphex caliban*](#) Arnold, 1923 ^{i c}
- [*Tachysphex calidus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex camptopygus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex capensis*](#) (de Saussure, 1867) ^{i c g}
- [*Tachysphex carinatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex carli*](#) de Beaumont, 1947 ^{i c g}
- [*Tachysphex cavatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex changi*](#) Tsuneki, 1967 ^{i c g}
- [*Tachysphex cheops*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex chephren*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex chiastotrichus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex circulans*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex clarconis*](#) Viereck, 1906 ^{i c g}

- [*Tachysphex claripes*](#) Arnold, 1924^{i c g}
- [*Tachysphex clypeatus*](#) Arnold, 1947^{i c g}
- [*Tachysphex clypedentalis*](#) T. Li, Cai and Q. Li, 2008^{i c g}
- [*Tachysphex cockerellae*](#) Rohwer, 1914^{i c g}
- [*Tachysphex cocopa*](#) Pulawski, 1988^{i c g}
- [*Tachysphex conceptus*](#) Pulawski, 1974^{i c g}
- [*Tachysphex conclusus*](#) Nurse, 1903^{i c g}
- [*Tachysphex confrater*](#) Pulawski, 1971^{i c g}
- [*Tachysphex congoensis*](#) Arnold, 1924^{i c g}
- [*Tachysphex consocius*](#) Kohl, 1892^{i c g}
- [*Tachysphex contrarius*](#) Pulawski, 1977^{i c g}
- [*Tachysphex coquilletti*](#) Rohwer, 1911^{i c g}
- [*Tachysphex coriaceus*](#) (A. Costa, 1867)^{i c g}
- [*Tachysphex costae*](#) (De Stefani Perez, 1882)^{i c g}
- [*Tachysphex coxalis*](#) Pulawski, 2007^{i c g}
- [*Tachysphex crassiformis*](#) Viereck, 1906^{i c g}
- [*Tachysphex crassipes*](#) Arnold, 1923^{i c g}
- [*Tachysphex crenulatus*](#) W. Fox, 1894^{i c g}
- [*Tachysphex cretensis*](#) Straka, 2016^g
- [*Tachysphex crinitus*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex crocodilus*](#) Pulawski, 1971^{i c g}
- [*Tachysphex ctenophorus*](#) Pulawski, 1971^{i c g}
- [*Tachysphex cubanus*](#) Pulawski, 1974^{i c g}
- [*Tachysphex curvipes*](#) Pulawski, 2007^{i c g}
- [*Tachysphex denisi*](#) de Beaumont, 1936^{i c g}
- [*Tachysphex depressiventris*](#) R. Turner, 1916^{i c g}
- [*Tachysphex descendensis*](#) Mercet, 1909^{i c g}
- [*Tachysphex deserticola*](#) de Beaumont, 1940^{i c g}
- [*Tachysphex desertorum*](#) F. Morawitz, 1894^{i c g}
- [*Tachysphex detritus*](#) Arnold, 1924^{i c g}
- [*Tachysphex diabolicus*](#) Arnold, 1923^{i c g}
- [*Tachysphex diadelus*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex dignus*](#) Kohl in Kohl and Handlirsch, 1889^{i c g}
- [*Tachysphex dimidiatus*](#) Panzer, 1809^g
- [*Tachysphex discrepans*](#) R. Turner, 1915^{i c g}
- [*Tachysphex dissimulatus*](#) Pulawski, 2007^{i c g}

- [*Tachysphex diversilabris*](#) Arnold, 1960 ^{i c g}
- [*Tachysphex dolosus*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex dominicanus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex drymobius*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex dzinghis*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex ebeninus*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex eldoradensis*](#) Rohwer, 1917 ^{i c g}
- [*Tachysphex erectus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex erythrophorus*](#) Dalla Torre, 1897 ^{i c g}
- [*Tachysphex erythropus*](#) (Spinola, 1839) ^{i c g}
- [*Tachysphex erythrurus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex eucalypticus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex eucharistus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex eurystoma*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex euxinus*](#) Pulawski, 1958 ^{i c g}
- [*Tachysphex excavatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex excelsus*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex excisus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex eximius*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex fanuiensis*](#) Cheesman, 1928 ^{i c g}
- [*Tachysphex fasciatus*](#) Morice, 1897 ^{i c}
- [*Tachysphex ferrugineus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex flavofimbriatus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex foliaceus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex formosanus*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex fortior*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex frigidus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex fugax*](#) (Radoszkowski, 1877) ^{i c g}
- [*Tachysphex fulgidus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex fulviantennatus*](#) Tsuneki, 1976 ^{i c g}
- [*Tachysphex fulvitaris*](#) (A. Costa, 1867) ^{i c g}
- [*Tachysphex fuscispina*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex gagates*](#) Arnold, 1940 ^{i c g}
- [*Tachysphex galapagensis*](#) Rohwer, 1924 ^{i c g}
- [*Tachysphex galeatus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex gastrotrichus*](#) Pulawski, 2007 ^{i c g}

- [*Tachysphex gegen*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex geniculatus*](#) (Spinola, 1839) ^{i c g}
- [*Tachysphex georgii*](#) Arnold, 1940 ^{i c g}
- [*Tachysphex gessianus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex glaber*](#) Kohl, 1906 ^{i c g}
- [*Tachysphex glabrior*](#) F. Williams, 1914 ^{i c g}
- [*Tachysphex gracilicornis*](#) Mercet, 1909 ^{i c g}
- [*Tachysphex gracilitarsis*](#) Morice in E. Saunders, 1910 ^{i c g}
- [*Tachysphex graecus*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex grandissimus*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachysphex gryllivorus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex gujaraticus*](#) Nurse, 1909 ^{i c g}
- [*Tachysphex gussakovskii*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex hadronyx*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex haematopus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex harpax*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex helveticus*](#) Kohl, 1885 ^{i c g}
- [*Tachysphex hermia*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex hippolyta*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex hopi*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex horus*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex hostilis*](#) Kohl, 1901 ^{i c g}
- [*Tachysphex huchiti*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex humilis*](#) Straka, 2005 ^{i c g}
- [*Tachysphex hungaricus*](#) Straka, 2016 ^g
- [*Tachysphex hurdi*](#) R. Bohart, 1962 ^{i c g}
- [*Tachysphex hypoleius*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex iaphetes*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ibi*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex idiotrichus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex idzekii*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex imbellis*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex incanus*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex incertus*](#) (Radoszkowski, 1877) ^{i c g}
- [*Tachysphex inconspicuus*](#) (W.F. Kirby, 1890) ^{i c g}
- [*Tachysphex indicus*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}

- [*Tachysphex inextricabilis*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex instructus*](#) Nurse, 1909 ^{i c g}
- [*Tachysphex insulsus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex iridipennis*](#) (F. Smith, 1873) ^{i c g}
- [*Tachysphex irregularis*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex isis*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex jokischianus*](#) (Panzer, 1809) ^g
- [*Tachysphex jujuyensis*](#) Brèthes, 1913 ^{i c g}
- [*Tachysphex julliani*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex kalaharicus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex karasi*](#) Straka, 2005 ^{i c g}
- [*Tachysphex karoo*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex kaszabi*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex khoikhoi*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex kodairai*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex krombeini*](#) Kurczewski, 1971 ^{i c g}
- [*Tachysphex krombeiniellus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex lacertosus*](#) Arnold, 1944 ^{i c g}
- [*Tachysphex laevifrons*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex lagunaensis*](#) Tsuneki, 1983 ^{i c g}
- [*Tachysphex lamellatus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex laticauda*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachysphex latifrons*](#) Kohl, 1884 ^{i c g}
- [*Tachysphex limatus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex lindbergi*](#) de Beaumont, 1956 ^{i c g}
- [*Tachysphex linsleyi*](#) R. Bohart, 1962 ^{i c g}
- [*Tachysphex liriformis*](#) Pulawski, 1967 ^{i c g}
- [*Tachysphex longipalpis*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex longipes*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex lucillus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex luctuosus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex luxuriosus*](#) Morice, 1897 ^{i c g}
- [*Tachysphex mackayensis*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex maculipennis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex magnaemontis*](#) Hensen in Hensen and Ooijen, 1987 ^{i c g}
- [*Tachysphex malkovskii*](#) Pulawski, 1971 ^{i c g}

- [*Tachysphex marshalli*](#) R. Turner, 1917 ^{i c g}
- [*Tachysphex mashona*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex mauretanus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex maurus*](#) Rohwer, 1911 ^{i c g}
- [*Tachysphex maximus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex maya*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex mediterraneus*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex melanius*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex melas*](#) Kohl, 1898 ^{i c g}
- [*Tachysphex mendozanus*](#) Brèthes, 1913 ^{i c g}
- [*Tachysphex menkei*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex merina*](#) Pulawski, 2007 ^{i g}
- [*Tachysphex mesembrius*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex micans*](#) (Radoszkowski, 1877) ^{i c g}
- [*Tachysphex miniatulus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex mirandus*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex miwok*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex mkomazi*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex mocsaryi*](#) Kohl, 1884 ^{i c g}
- [*Tachysphex moczari*](#) Tsuneki, 1972 ^{i c g}
- [*Tachysphex modestus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex montanus*](#) (Cresson, 1865) ^{i c g}
- [*Tachysphex montivagus*](#) Arnold, 1944 ^{i c g}
- [*Tachysphex morawitzi*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex morosus*](#) (F. Smith, 1858) ^{i c g}
- [*Tachysphex multifasciatus*](#) Pulawski in Evans, Matthews and Pulawski, 1976 ^{i c g}
- [*Tachysphex mundus*](#) W. Fox, 1894 ^{i c g}
- [*Tachysphex musciventrìs*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex mycerinus*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex mzingeli*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex namaqua*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex naranhun*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex nasalis*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex nefarius*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex nigerrimus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex nigricolor*](#) (Dalla Torre, 1897) ^{i c g}

- [*Tachysphex nigripennis*](#) (Spinola, 1808)^g
- [*Tachysphex niloticus*](#) Pulawski, 1964^{i c g}
- [*Tachysphex nitidior*](#) de Beaumont, 1940^{i c g}
- [*Tachysphex nitidissimus*](#) de Beaumont, 1952^{i c g}
- [*Tachysphex nitidus*](#) (Spinola, 1805)^{i c g}
- [*Tachysphex noar*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex nobilis*](#) Straka, 2016^g
- [*Tachysphex nonakai*](#) Tsuneki, 1971^{i c g}
- [*Tachysphex notogoniaeformis*](#) Nadig, 1933^{i c g}
- [*Tachysphex novarae*](#) (de Saussure, 1867)^{i c g}
- [*Tachysphex oasicola*](#) Pulawski, 1988^{i c g}
- [*Tachysphex oberon*](#) Arnold, 1923^{i c g}
- [*Tachysphex obscuripennis*](#) (Schenck, 1857)^{i c g}
- [*Tachysphex obscurus*](#) Pulawski, 1971^{i c g}
- [*Tachysphex occidentalis*](#) Pulawski, 1982^{i c g}
- [*Tachysphex octodentatus*](#) Arnold, 1924^{i c g}
- [*Tachysphex omoi*](#) Guiglia, 1943^{i c g}
- [*Tachysphex onager*](#) Pulawski, 2007^{i c g}
- [*Tachysphex opacus*](#) F. Morawitz, 1893^{i c g}
- [*Tachysphex opata*](#) Pulawski, 1988^{i c g}
- [*Tachysphex orestes*](#) Pulawski, 1988^{i c g}
- [*Tachysphex osiris*](#) de Beaumont, 1940^{i c g}
- [*Tachysphex ovambo*](#) Pulawski, 2007^{i c g}
- [*Tachysphex oxychelus*](#) Pulawski in Krombein and Pulawski, 1994^{i c g}
- [*Tachysphex pacificus*](#) R. Turner, 1908^{i c g}
- [*Tachysphex paiute*](#) Pulawski, 1988^{i c g}
- [*Tachysphex palopterus*](#) (Dahlbom, 1845)^{i c g}
- [*Tachysphex panzeri*](#) (Vander Linden, 1829)^{i c}
- [*Tachysphex papago*](#) Pulawski, 1982^{i c g}
- [*Tachysphex paucispina*](#) Pulawski, 1977^{i c g}
- [*Tachysphex paulus*](#) Pulawski, 2007^{i c g}
- [*Tachysphex pauxillus*](#) W. Fox, 1894^{i c g}
- [*Tachysphex pechumani*](#) Krombein, 1938^{i c g}
- [*Tachysphex pectinatus*](#) Pulawski, 1974^{i c g}
- [*Tachysphex pekingensis*](#) Tsuneki, 1971^{i c g}
- [*Tachysphex pentheri*](#) Cameron, 1905^{i c g}

- [*Tachysphex perniger*](#) Arnold, 1947 ^{i c g}
- [*Tachysphex persa*](#) Gussakovskij, 1933 ^{i c g}
- [*Tachysphex persistans*](#) R. Turner, 1916 ^{i c g}
- [*Tachysphex peruanus*](#) Pulawski, 1986 ^{i c g}
- [*Tachysphex picnic*](#) van Ooijen in Hensen and van Ooijen, 1987 ^{i c g}
- [*Tachysphex pilosellus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex pilosulus*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex pinal*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex pisonoides*](#) (Reed, 1894) ^{i c g}
- [*Tachysphex pisonopsis*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex platypus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex platystethus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex pleuralis*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex plicosus*](#) (A. Costa, 1867) ^{i c g}
- [*Tachysphex politus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex pompiliformis*](#) (Panzer, 1804) ^{i c g b}
- [*Tachysphex powelli*](#) R. Bohart, 1962 ^{i c g}
- [*Tachysphex priesneri*](#) de Beaumont, 1940 ^{i c g}
- [*Tachysphex prismaticus*](#) Straka, 2005 ^{i c g}
- [*Tachysphex prosopigastroides*](#) Bischoff, 1913 ^{i c g}
- [*Tachysphex proteus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex psammobius*](#) (Kohl, 1880) ^{i c g}
- [*Tachysphex pseudofasciatus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex pseudopanzeri*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex psilocerus*](#) Kohl, 1884 ^{i c g}
- [*Tachysphex psilonotus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ptah*](#) Pulawski, 1964 ^{i c g}
- [*Tachysphex pubescens*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex pugnator*](#) R. Turner, 1908 ^{i c g}
- [*Tachysphex pulcher*](#) Pulawski, 1967 ^{i c g}
- [*Tachysphex punctatiformis*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex punctatus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex puncticeps*](#) Cameron, 1903 ^{i c g}
- [*Tachysphex punctifrons*](#) (W. Fox, 1891) ^{i c g}
- [*Tachysphex punctiger*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex punctipes*](#) Pulawski, 1967 ^{i c g}

- [*Tachysphex punctipleuris*](#) Straka, 2016 ^g
- [*Tachysphex pusulosus*](#) de Beaumont, 1955 ^{i c g}
- [*Tachysphex quadricolor*](#) (Gerstaecker in Peters, 1858) ^{i c g}
- [*Tachysphex quisqueyus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex radiatus*](#) Gussakovskij, 1952 ^{i c g}
- [*Tachysphex radoszkowskyi*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex ramses*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex rapax*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex reedi*](#) Menke in Pulawski, 1974 ^{i c g}
- [*Tachysphex remotus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex rhacodes*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex rhodesianus*](#) Bischoff, 1913 ^{i c g}
- [*Tachysphex rhynchocephalus*](#) Pulawski, 1977 ^{i c g}
- [*Tachysphex robustior*](#) F. Williams, 1914 ^{i c g}
- [*Tachysphex rotundus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex ruber*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex rubicundus*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex ruficaudis*](#) (Taschenberg, 1870) ^{i c g}
- [*Tachysphex rufitarsis*](#) (Spinola, 1851) ^{i c g}
- [*Tachysphex rufopictus*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex rugicauda*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex rugosipleuris*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex sabulosus*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex saevus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex sahelensis*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex samburu*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex saturnus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex saundersi*](#) Mercet, 1909 ^{i c g}
- [*Tachysphex scaber*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex scaurus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex schmiedeknechti*](#) Kohl, 1883 ^{i c g}
- [*Tachysphex schoenlandi*](#) Cameron, 1905 ^{i c g}
- [*Tachysphex scopa*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex scopaeus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex semirufus*](#) (Cresson, 1865) ^{i c g}
- [*Tachysphex sericans*](#) Gussakovskij, 1952 ^{i c g}

- [*Tachysphex sericeus*](#) (F. Smith, 1856) ^{i c g}
- [*Tachysphex sexinus*](#) Leclercq, 1961 ^{i c g}
- [*Tachysphex seyrigi*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex siitanus*](#) Tsuneki, 1971 ^{i c g}
- [*Tachysphex silvestris*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex similis*](#) Rohwer, 1910 ^{i c g b}
- [*Tachysphex smissenae*](#) Straka, 2016 ^g
- [*Tachysphex socotrae*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex solaris*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex sonorensis*](#) (Cameron, 1889) ^{i c g}
- [*Tachysphex sordidus*](#) (Dahlbom, 1845) ^{i c g}
- [*Tachysphex spatulifer*](#) Pulawski, 1982 ^{i c g}
- [*Tachysphex speciosissimus*](#) Morice, 1897 ^{i c g}
- [*Tachysphex spectrum*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex spinulosus*](#) Pulawski, 1975 ^{i c g}
- [*Tachysphex splendidulus*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex spretus*](#) Kohl, 1901 ^{i c g}
- [*Tachysphex sri*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex stachi*](#) de Beaumont, 1936 ^{i c g}
- [*Tachysphex stevensoni*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex stimulator*](#) R. Turner, 1916 ^{i c g}
- [*Tachysphex stysi*](#) Straka, 2008 ^{i c g}
- [*Tachysphex suavis*](#) Arnold, 1929 ^{i c g}
- [*Tachysphex subandinus*](#) Pulawski, 1974 ^{i c g}
- [*Tachysphex subcoriaceus*](#) Arnold, 1945 ^{i c g}
- [*Tachysphex subdentatus*](#) F. Morawitz, 1893 ^{i c g}
- [*Tachysphex subfimbriatus*](#) Arnold, 1924 ^{i c g}
- [*Tachysphex subopacus*](#) R. Turner, 1910 ^{i c g}
- [*Tachysphex sulcatus*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex sulcidorsum*](#) de Beaumont, 1950 ^{i c g}
- [*Tachysphex svetlanae*](#) Pulawski, 1971 ^{i c g}
- [*Tachysphex sycorax*](#) Arnold, 1923 ^{i c g}
- [*Tachysphex sympleuron*](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}
- [*Tachysphex tahoe*](#) Pulawski, 1988 ^{i c g}
- [*Tachysphex taita*](#) Pulawski, 2007 ^{i c g}
- [*Tachysphex tanqua*](#) Pulawski, 2007 ^{i c g}

- [Tachysphex tarsatus](#) (Say, 1823) ^{i c g}
- [Tachysphex tarsinus](#) (Lepeletier de Saint Fargeau, 1845) ^{i c g}
- [Tachysphex tembe](#) Pulawski, 2007 ^{i c g}
- [Tachysphex tenuicornis](#) Bischoff, 1913 ^{i c g}
- [Tachysphex tenuis](#) R. Turner, 1908 ^{i c g}
- [Tachysphex tenuisculptus](#) Pulawski, 1977 ^{i c g}
- [Tachysphex terminatus](#) (F. Smith, 1856) ^{i c g}
- [Tachysphex tessellatus](#) (Dahlbom, 1845) ^{i c g}
- [Tachysphex testaceipes](#) Bingham, 1897 ^{i c g}
- [Tachysphex texanus](#) (Cresson, 1873) ^{i c g}
- [Tachysphex theseus](#) Arnold, 1951 ^{i c g}
- [Tachysphex thysanomerus](#) Pulawski, 2007 ^{i c g}
- [Tachysphex tipai](#) Pulawski, 1988 ^{i c g}
- [Tachysphex titania](#) Arnold, 1923 ^{i c g}
- [Tachysphex toltec](#) Pulawski, 1988 ^{i c g}
- [Tachysphex truncatifrons](#) R. Turner, 1908 ^{i c g}
- [Tachysphex tryssus](#) Pulawski, 2007 ^{i c g}
- [Tachysphex tsil](#) Pulawski, 1988 ^{i c g}
- [Tachysphex ulonyovu](#) Pulawski, 2007 ^{i c g}
- [Tachysphex ulothrix](#) Pulawski, 2007 ^{i c g}
- [Tachysphex undatus](#) (F. Smith, 1856) ^{i c g}
- [Tachysphex unicolor](#) (Panzer, 1807) ^{i c g}
- [Tachysphex usakos](#) Pulawski, 2007 ^{i c g}
- [Tachysphex utina](#) Pulawski, 1988 ^{i c g}
- [Tachysphex vanrhynsi](#) Arnold, 1940 ^{i c g}
- [Tachysphex vardyi](#) Pulawski, 1977 ^{i c g}
- [Tachysphex venator](#) Arnold, 1960 ^{i c g}
- [Tachysphex verticalis](#) Pulawski, 1982 ^{i c g}
- [Tachysphex vestitus](#) Kohl, 1892 ^{i c g}
- [Tachysphex vitiensis](#) F. Williams, 1928 ^{i c g}
- [Tachysphex vividus](#) Pulawski, 1977 ^{i c g}
- [Tachysphex vulneratus](#) R. Turner, 1917 ^{i c g}
- [Tachysphex walkeri](#) R. Turner, 1908 ^{i c g}
- [Tachysphex waltoni](#) Arnold, 1940 ^{i c g}
- [Tachysphex williamsi](#) R. Bohart, 1962 ^{i c g}
- [Tachysphex xanthoptesimus](#) Pulawski in Krombein and Pulawski, 1994 ^{i c g}

- [*Tachysphex yarrowi*](#) de Beaumont, 1960^{i c g}
- [*Tachysphex yolo*](#) Pulawski, 1982^{i c g}
- [*Tachysphex yuma*](#) Pulawski, 1982^{i c g}
- [*Tachysphex zambius*](#) Pulawski, 2007^{i c g}
- [*Tachysphex ziziphi*](#) Pulawski, 2007^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Tachysphex Report"*](#). Integrated Taxonomic Information System. Retrieved 2018-04-27.
 - [*"Browse Tachysphex"*](#). Catalogue of Life. Retrieved 2018-04-27.
 - [*"Tachysphex"*](#). GBIF. Retrieved 2018-04-27.
 -
4. [*"Tachysphex Genus Information"*](#). BugGuide.net. Retrieved 2018-04-27.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
-

These 273 species belong to [*Tachys*](#), a genus of ground beetles in the family [Carabidae](#).^[1]

Tachys species

- [*Tachys aaa*](#) (Liebherr, 2021)
- [*Tachys abruptus*](#) Darlington, 1934
- [*Tachys aeneipennis*](#) Motschulsky, 1862
- [*Tachys aequinoctialis*](#) (Motschulsky, 1855)
- [*Tachys albipes*](#) LeConte, 1863
- [*Tachys algericus*](#) (Lucas, 1846)
- [*Tachys ambulatus*](#) Darlington, 1962
- [*Tachys androyanus*](#) (Jeannel, 1946)
- [*Tachys angustulus*](#) Reitter, 1899
- [*Tachys apex*](#) Darlington, 1962

- [*Tachys arcanicola*](#) Blackburn, 1878
- [*Tachys arculus*](#) Fauvel, 1882
- [*Tachys argentinus*](#) Csiki, 1928
- [*Tachys artensis*](#) (Montrouzier, 1860)
- [*Tachys asemus*](#) (Basilewsky, 1968)
- [*Tachys assamicus*](#) (Jedlicka, 1964)
- [*Tachys atamuradovi*](#) Kryzhanovskij & Mikhailov, 1987
- [*Tachys atomarius*](#) Wollaston, 1867
- [*Tachys atomus*](#) Blackburn, 1878
- [*Tachys atridermis*](#) Sloane, 1921
- [*Tachys austinicus*](#) (Casey, 1918)
- [*Tachys australicus*](#) Sloane, 1896
- [*Tachys avius*](#) Darlington, 1962
- [*Tachys baldiensis*](#) Blackburn, 1891
- [*Tachys barbieri*](#) Straneo, 1953
- [*Tachys bathyglyptus*](#) Andrewes, 1925
- [*Tachys beatus*](#) Darlington, 1962
- [*Tachys beaumonti*](#) Casey, 1918
- [*Tachys bicoloratus*](#) Burgeon, 1935
- [*Tachys bistriatus*](#) (Duftschmid, 1812)
- [*Tachys blackburni*](#) Sloane, 1921
- [*Tachys blemoides*](#) (Jeannel, 1946)
- [*Tachys bloetei*](#) Andrewes, 1930
- [*Tachys bolellus*](#) Darlington, 1962
- [*Tachys bolus*](#) Darlington, 1962
- [*Tachys bonariensis*](#) Steinheil, 1869
- [*Tachys borkuensis*](#) (Bruneau de Miré, 1952)
- [*Tachys bouchardi*](#) Andrewes, 1931
- [*Tachys brachys*](#) Andrewes, 1925
- [*Tachys bradycellinus*](#) Hayward, 1900
- [*Tachys bredoi*](#) (Basilewsky, 1953)
- [*Tachys brevicornis*](#) (Chaudoir, 1846)
- [*Tachys brunneus*](#) Andrewes, 1925
- [*Tachys brunniceps*](#) Andrewes, 1930
- [*Tachys bryanti*](#) Lindroth, 1966
- [*Tachys bunyaensis*](#) Baehr, 2017
- [*Tachys caffer*](#) Péringuey, 1896
- [*Tachys caheni*](#) (Basilewsky, 1972)
- [*Tachys caledonicus*](#) Csiki, 1928
- [*Tachys callipygus*](#) (Boheman, 1858)
- [*Tachys cameroni*](#) Andrewes, 1925
- [*Tachys captus*](#) Blackburn, 1888

- [*Tachys cardoni*](#) Andrewes, 1925
- [*Tachys carib*](#) Darlington, 1936
- [*Tachys carinulatus*](#) Sloane, 1921
- [*Tachys castaneicolor*](#) Bates, 1882
- [*Tachys centralis*](#) J.Sahlberg, 1900
- [*Tachys centriustatus*](#) Reitter in F.Hauser, 1894
- [*Tachys centromaculatus*](#) Wollaston, 1864
- [*Tachys chiriquinus*](#) Bates, 1882
- [*Tachys cinctus*](#) Putzeys, 1875
- [*Tachys collardi*](#) (Basilewsky, 1955)
- [*Tachys colonicus*](#) Casey, 1918
- [*Tachys columbiensis*](#) Hayward, 1900
- [*Tachys corax*](#) LeConte, 1852
- [*Tachys coriaceus*](#) Broun, 1908
- [*Tachys crypticola*](#) (Britton, 1960)
- [*Tachys cubax*](#) Darlington, 1934
- [*Tachys curtulus*](#) (Basilewsky, 1953)
- [*Tachys cycloderus*](#) Bates, 1871
- [*Tachys cyprius*](#) Coulon, 2004
- [*Tachys delamarei*](#) (Jeannel, 1962)
- [*Tachys delicatus*](#) Andrewes, 1925
- [*Tachys dentatus*](#) Andrewes, 1925
- [*Tachys descarpentriesi*](#) (Bruneau de Miré, 1965)
- [*Tachys devroeyi*](#) Burgeon, 1935
- [*Tachys dimedius*](#) Motschulsky, 1849
- [*Tachys diminutus*](#) Bates, 1871
- [*Tachys diploharpinus*](#) Bates, 1878
- [*Tachys discipennis*](#) Fauvel, 1882
- [*Tachys dominicanus*](#) Darlington, 1934
- [*Tachys dorsalis*](#) Motschulsky, 1851
- [*Tachys dostali*](#) Baehr, 2014
- [*Tachys dromioides*](#) Bates, 1871
- [*Tachys dzosonicus*](#) Pawlowski, 1974
- [*Tachys ectromioides*](#) Sloane, 1896
- [*Tachys edax*](#) LeConte, 1852
- [*Tachys ellenbergeri*](#) (Bruneau de Miré, 1964)
- [*Tachys elongatulus*](#) (Dejean, 1831)
- [*Tachys endroedyi*](#) Baehr, 2017
- [*Tachys enormis*](#) (Dostal, 2015)
- [*Tachys erwini*](#) Reichardt, 1976
- [*Tachys euryodes*](#) Bates, 1892
- [*Tachys excisicollis*](#) Baehr, 2012

- [*Tachys exochrias*](#) Darlington, 1962
- [*Tachys fasciatus*](#) (Motschulsky, 1851)
- [*Tachys federicae*](#) Baehr, 2016
- [*Tachys filax*](#) Darlington, 1934
- [*Tachys flavax*](#) Darlington, 1962
- [*Tachys flavicollis*](#) Motschulsky, 1862
- [*Tachys fortetriatus*](#) Baehr, 2003
- [*Tachys fortunatus*](#) Machado, 1989
- [*Tachys fulvicollis*](#) (Dejean, 1831)
- [*Tachys fumax*](#) Darlington, 1962
- [*Tachys gilvus*](#) Schaum, 1863
- [*Tachys gracchus*](#) Andrewes, 1935
- [*Tachys quangxicus*](#) (Deuve & Tian, 2011)
- [*Tachys gyotokuensis*](#) Tanaka, 1956
- [*Tachys haleakalae*](#) (Liebherr, 2021)
- [*Tachys halophilus*](#) Lindroth, 1966
- [*Tachys holmi*](#) (Basilewsky, 1963)
- [*Tachys hyalinus*](#) Casey, 1918
- [*Tachys hydrophilus*](#) (Germain, 1906)
- [*Tachys impictus*](#) Andrewes, 1925
- [*Tachys impressipennis*](#) Motschulsky, 1860
- [*Tachys impressus*](#) Motschulsky, 1851
- [*Tachys incertus*](#) Andrewes, 1925
- [*Tachys infuscatus*](#) Blackburn, 1888
- [*Tachys intermedius*](#) Baehr, 2012
- [*Tachys iridipennis*](#) Chaudoir, 1876
- [*Tachys jeannei*](#) Coulon, 2004
- [*Tachys joannae*](#) (Basilewsky, 1962)
- [*Tachys jucundulus*](#) Péringuey, 1908
- [*Tachys kabylianus*](#) Puel, 1935
- [*Tachys kahuzianus*](#) (Basilewsky, 1953)
- [*Tachys kaorutanakai*](#) Habu, 1977
- [*Tachys koizumii*](#) Habu, 1961
- [*Tachys koreanorum*](#) Pawlowski, 1974
- [*Tachys laevigatus*](#) (Boheman, 1858)
- [*Tachys laevus*](#) (Say, 1823)
- [*Tachys lamottei*](#) (Bruneau de Miré, 1964)
- [*Tachys languidus*](#) Andrewes, 1925
- [*Tachys latalatus*](#) Csiki, 1928
- [*Tachys leleupi*](#) (Basilewsky, 1953)
- [*Tachys lenkoreanus*](#) Csiki, 1928
- [*Tachys leptocerus*](#) Chaudoir, 1876

- [*Tachys leytensis*](#) (Baehr, 2016)
- [*Tachys limbatellus*](#) Bates, 1884
- [*Tachys lindi*](#) Blackburn, 1888
- [*Tachys lissonotus*](#) Andrewes, 1925
- [*Tachys litoralis*](#) Casey, 1884
- [*Tachys lividus*](#) (Bates, 1871)
- [*Tachys longulus*](#) Andrewes, 1925
- [*Tachys lugubris*](#) Motschulsky, 1862
- [*Tachys lusciosus*](#) (Antoine, 1945)
- [*Tachys luscus*](#) Darlington, 1962
- [*Tachys macleayi*](#) Sloane, 1896
- [*Tachys macrops*](#) Baehr, 2012
- [*Tachys mameti*](#) Alluaud, 1933
- [*Tachys marri*](#) Baehr, 1987
- [*Tachys masculus*](#) Darlington, 1962
- [*Tachys massaui*](#) (Basilewsky, 1955)
- [*Tachys mastersi*](#) Sloane, 1921
- [*Tachys micros*](#) (Fischer von Waldheim, 1828)
- [*Tachys microscopicus*](#) (Bates, 1873)
- [*Tachys minutissimus*](#) (R.F.Sahlberg, 1847)
- [*Tachys mirandus*](#) (Coulon & Wrase, 2008)
- [*Tachys mirei*](#) (Basilewsky, 1968)
- [*Tachys misellus*](#) LaFerté-Sénéctère, 1841
- [*Tachys mitchelli*](#) Sloane, 1895
- [*Tachys monostictus*](#) Bates, 1871
- [*Tachys mordax*](#) LeConte, 1852
- [*Tachys mulwalensis*](#) Sloane, 1900
- [*Tachys mus*](#) Andrewes, 1925
- [*Tachys myrmecophilus*](#) (Jeannel, 1946)
- [*Tachys nanniscus*](#) Péringuey, 1896
- [*Tachys naraensis*](#) Ueno, 1953
- [*Tachys nephelodes*](#) Andrewes, 1930
- [*Tachys niger*](#) (Jeannel, 1953)
- [*Tachys nitmiluki*](#) (Giachino, 2003)
- [*Tachys oahuensis*](#) Blackburn, 1878
- [*Tachys oblitus*](#) Casey, 1918
- [*Tachys obtusiusculus*](#) (Jeannel, 1941)
- [*Tachys ochrias*](#) Andrewes, 1925
- [*Tachys ochrioides*](#) Darlington, 1962
- [*Tachys olemartini*](#) Kirschenhofer, 1986
- [*Tachys opalescens*](#) Andrewes, 1925
- [*Tachys orphninus*](#) Andrewes, 1925

- [*Tachys pallescens*](#) Bates, 1873
- [*Tachys pallidus*](#) Chaudoir, 1868
- [*Tachys pallorus*](#) Kopecky in Löbl & Smetana, 2003
- [*Tachys palustris*](#) Reitter in F.Hauser, 1894
- [*Tachys panamensis*](#) Casey, 1918
- [*Tachys paraserra*](#) Baehr, 2017
- [*Tachys particula*](#) Andrewes, 1936
- [*Tachys paulax*](#) Darlington, 1934
- [*Tachys perkinsi*](#) (Liebherr, 2021)
- [*Tachys pharao*](#) Schatzmayr & Koch, 1934
- [*Tachys piceolus*](#) LaFerté-Sénéctère, 1841
- [*Tachys plagiatus*](#) Putzeys, 1875
- [*Tachys pliginskii*](#) Solodovnikov, 2001
- [*Tachys politissimus*](#) Baehr, 2014
- [*Tachys potomaca*](#) (Erwin, 1981)
- [*Tachys prionotus*](#) Andrewes, 1936
- [*Tachys privus*](#) Darlington, 1962
- [*Tachys prolixus*](#) Bates, 1892
- [*Tachys proximus*](#) (Say, 1823)
- [*Tachys pseudolusciosus*](#) Coulon, 2004
- [*Tachys pseudosericeus*](#) Kirschenhofer, 1986
- [*Tachys pujoli*](#) (Bruneau de Miré, 1964)
- [*Tachys pulchellus*](#) LaFerté-Sénéctère, 1841
- [*Tachys pumilus*](#) (Dejean, 1831)
- [*Tachys pusillimus*](#) Péringuey, 1896
- [*Tachys queenslandicus*](#) Sloane, 1903
- [*Tachys rambai*](#) Jedlicka, 1966
- [*Tachys rectangulus*](#) Notman, 1919
- [*Tachys rhodeanus*](#) Casey, 1918
- [*Tachys riedeli*](#) Baehr, 2014
- [*Tachys sagax*](#) Casey, 1918
- [*Tachys scitulus*](#) LeConte, 1848
- [*Tachys scutellaris*](#) Stephens, 1828
- [*Tachys sellatus*](#) Fairmaire, 1892
- [*Tachys sequax*](#) LeConte, 1848
- [*Tachys sericans*](#) Bates, 1873
- [*Tachys sericeus*](#) Motschulsky, 1851
- [*Tachys serra*](#) Darlington, 1962
- [*Tachys serratus*](#) Andrewes, 1925
- [*Tachys serrula*](#) Darlington, 1962
- [*Tachys sexguttatus*](#) (Fairmaire, 1849)
- [*Tachys sibling*](#) Darlington, 1962

- [*Tachys similis*](#) Blackburn, 1888
- [*Tachys simulator*](#) Coulon, 2004
- [*Tachys spadix*](#) Casey, 1918
- [*Tachys striax*](#) Darlington, 1934
- [*Tachys subangulatus*](#) Bates, 1871
- [*Tachys subbrunneus*](#) Darlington, 1962
- [*Tachys sublobatus*](#) Darlington, 1962
- [*Tachys suboculatus*](#) (Basilewsky, 1958)
- [*Tachys sundaicus*](#) Andrewes, 1925
- [*Tachys suturifer*](#) Reitter, 1884
- [*Tachys sydneyensis*](#) Sloane, 1923
- [*Tachys szekessyi*](#) Jedlicka, 1968
- [*Tachys tenuiserra*](#) Darlington, 1962
- [*Tachys terryli*](#) (Liebherr, 2021)
- [*Tachys testaceus*](#) (Basilewsky, 1953)
- [*Tachys tetraphacus*](#) Bedel, 1896
- [*Tachys tienmushaniensis*](#) Kirschenhofer, 1986
- [*Tachys torretassoi*](#) Schatzmayr & Koch, 1934
- [*Tachys transcaucasicus*](#) Coulon, 2004
- [*Tachys translucens*](#) Darlington, 1937
- [*Tachys transumbratus*](#) Bates, 1892
- [*Tachys transversicollis*](#) (W.J.MacLeay, 1871)
- [*Tachys trechoderus*](#) Coulon, 2004
- [*Tachys trechulus*](#) Darlington, 1936
- [*Tachys troglocola*](#) (Deuve & Tian, 2011)
- [*Tachys troglophilus*](#) Ueno, 1953
- [*Tachys tropicalis*](#) Baehr, 2012
- [*Tachys tropicus*](#) (Nietner, 1858)
- [*Tachys truncatus*](#) (Nietner, 1858)
- [*Tachys turkestanicus*](#) Csiki, 1928
- [*Tachys uelensis*](#) Burgeon, 1935
- [*Tachys uenoianus*](#) Habu, 1974
- [*Tachys umbripennis*](#) Chaudoir, 1868
- [*Tachys uniformis*](#) Blackburn, 1888
- [*Tachys vandeli*](#) (Mateu & Colas, 1954)
- [*Tachys vandepolli*](#) (Bruneau de Miré, 1964)
- [*Tachys varsavianorum*](#) Pawlowski, 1974
- [*Tachys ventricosus*](#) LeConte, 1863
- [*Tachys venustus*](#) Andrewes, 1936
- [*Tachys vernilis*](#) Casey, 1918
- [*Tachys vibex*](#) Kopecky in Löbl & Smetana, 2003
- [*Tachys vietnami*](#) Jedlicka, 1968

- [*Tachys virgo*](#) LeConte, 1852
- [*Tachys vittiger*](#) LeConte, 1852
- [*Tachys vorax*](#) LeConte, 1852
- [*Tachys windsorensis*](#) Baehr, 1991
- [*Tachys xanthochrous*](#) Chaudoir, 1876
- [*Tachys yeboensis*](#) Burgeon, 1935
- [*Tachys yodai*](#) Jedlicka, 1964
- [*Tachys yorkensis*](#) Baehr, 2012
- [*Tachys yunchengensis*](#) Kirschenhofer, 1986
- [*Tachys zonatus*](#) Andrewes, 1925
- † [*Tachys haywardi*](#) Wickham, 1913

This is a list of 124 species in [*Tachinus*](#), a genus of crab-like rove beetles in the family [*Staphylinidae*](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)

***Tachinus* species**

- [*Tachinus addendus*](#) Horn, 1877 ^{g b}
- [*Tachinus alishanensis*](#) Hayashi, 1990 ^{c g}
- [*Tachinus andoi*](#) Tang et al., 2003 ^{c g}
- [*Tachinus angustatus*](#) Horn, 1877 ^g
- [*Tachinus apicalis*](#) Erichson, 1839 ^g
- [*Tachinus apterus*](#) [*Méklin*](#), 1853 ^g
- [*Tachinus atripes*](#) J.Sahlberg, 1876 ^g
- [*Tachinus axillaris*](#) Erichson, 1839 ^{g b}
- [*Tachinus basalis*](#) Erichson, 1839 ^{c g b}
- [*Tachinus beckeri*](#) Ullrich, 1975 ^{c g}
- [*Tachinus becquarti*](#) Bernhauer, 1938 ^{c g}
- [*Tachinus bernhaueri*](#) Luze, 1901 ^{c g}
- [*Tachinus bicuspidatus*](#) Sahlberg, J., 1880 ^{c g}
- [*Tachinus binotatus*](#) Li et al., 2000 ^{c g}
- [*Tachinus bipustulatus*](#) Fabricius, 1793 ^{c g}
- [*Tachinus bonvouloiri*](#) Pandellé, 1869 ^g
- [*Tachinus brevicuspis*](#) Schülke, 2003 ^{c g}
- [*Tachinus brevipennis*](#) J.R.Sahlberg, 1880 ^g
- [*Tachinus brunneus*](#) Ullrich, 1975 ^g

- [*Tachinus caelatus*](#) Ullrich, 1975 ^{c g}
- [*Tachinus canadensis*](#) Horn, 1877 ^g
- [*Tachinus chinensis*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus contortus*](#) Hatch, 1957 ^g
- [*Tachinus corticinus*](#) Gravenhorst, 1802 ^{g b}
- [*Tachinus crotchi*](#) ^b
- [*Tachinus crotchii*](#) Horn, 1877 ^g
- [*Tachinus debilis*](#) Horn, 1877 ^g
- [*Tachinus dilatatus*](#) Hatch, 1957 ^g
- [*Tachinus discoideus*](#) Erichson, 1839 ^g
- [*Tachinus edentulus*](#) Ullrich, 1975 ^{c g}
- [*Tachinus edwardi*](#) Herman, 2001 ^g
- [*Tachinus elegans*](#) Eppelsheim, 1893 ^{c g}
- [*Tachinus elongatus*](#) Gyllenhal, 1810 ^{c g}
- [*Tachinus emeiensis*](#) Zhang et al., 2003 ^{c g}
- [*Tachinus fanjingensis*](#) Li et al., 2004 ^{c g}
- [*Tachinus fauveli*](#) Pandelle, 1869 ^g
- [*Tachinus fimbriatus*](#) Gravenhorst, 1802 ^{g b}
- [*Tachinus fimetarius*](#) Gravenhorst, 1802 ^g
- [*Tachinus flavolimbatus*](#) Pandellé, 1869 ^g
- [*Tachinus fortepunctatus*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus frigidus*](#) Erichson, 1839 ^{g b}
- [*Tachinus fulvipes*](#) Erichson, 1840 ^g
- [*Tachinus fumipennis*](#) (Say, 1834) ^{g b}
- [*Tachinus gelidus*](#) Eppelsheim, 1893 ^{c g}
- [*Tachinus gigantulus*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus grandicollis*](#) Bernhauer, 1917 ^{c g}
- [*Tachinus hedini*](#) Ullrich, 1975 ^{c g}
- [*Tachinus humeralis*](#) Gravenhorst, 1802 ^g
- [*Tachinus humeronotatus*](#) Zhao & Li, 2002 ^{c g}
- [*Tachinus instabilis*](#) Mäklin, 1853 ^{c g}
- [*Tachinus insularis*](#) Hayashi, 1987 ^{c g}
- [*Tachinus jacuticus*](#) ^g
- [*Tachinus japonicus*](#) Sharp, 1888 ^{c g}
- [*Tachinus javanus*](#) Cameron, 1937 ^{c g}
- [*Tachinus kabakovi*](#) Veselova, 1993 ^{c g}

- [*Tachinus kaiseri*](#) Bernhauer, 1934 ^{c g}
- [*Tachinus kaszabi*](#) Ullrich, 1975 ^{c g}
- [*Tachinus laticollis*](#) Gravenhorst, 1802 ^{c g}
- [*Tachinus latissimus*](#) Tikhomirova, 1973 ^g
- [*Tachinus latiusculus*](#) Markel & Kiesenwetter, 1848 ^g
- [*Tachinus licenti*](#) Bernhauer, 1938 ^{c g}
- [*Tachinus lignorum*](#) (Linnaeus, 1758) ^g
- [*Tachinus lii*](#) Schülke, 2005 ^{c g}
- [*Tachinus limbatus*](#) Melsheimer, 1844 ^{g b}
- [*Tachinus lohsei*](#) Ullrich, 1975 ^{c g}
- [*Tachinus longelytratus*](#) Ullrich, 1975 ^{c g}
- [*Tachinus ludwigbenicki*](#) Ullrich, 1975 ^{c g}
- [*Tachinus luridus*](#) Erichson, 1840 ^{g b}
- [*Tachinus maculicollis*](#) Mäklin, 1852 ^{g b}
- [*Tachinus maculipennis*](#) Cameron, 1928 ^{c g}
- [*Tachinus maderi*](#) Bernhauer, 1939 ^{c g}
- [*Tachinus manueli*](#) Sharp, 1874 ^g
- [*Tachinus marginatus*](#) Fabricius, 1793 ^{c g}
- [*Tachinus marginellus*](#) (Fabricius, 1781) ^g
- [*Tachinus masahiroi*](#) Li & Zhao, 2003 ^{c g}
- [*Tachinus masaohayashii*](#) Hayashi, 1990 ^{c g}
- [*Tachinus memnonius*](#) Gravenhorst, 1802 ^{g b}
- [*Tachinus mercatii*](#) Jarrige, 1966 ^g
- [*Tachinus miltoni*](#) Schülke, 2003 ^{c g}
- [*Tachinus minimus*](#) Campbell, 1973 ^g
- [*Tachinus montanellus*](#) Bernhauer, 1933 ^{c g}
- [*Tachinus nigriceps*](#) Sharp, 1888 ^{c g}
- [*Tachinus nigricornis*](#) Mannerheim, 1843 ^g
- [*Tachinus nitouensis*](#) Ullrich, 1975 ^{c g}
- [*Tachinus ohbayashii*](#) Li et al., 2001 ^{c g}
- [*Tachinus pallipes*](#) Gravenhorst, 1806 ^{c g}
- [*Tachinus parasibiricus*](#) Zhang et al., 2003 ^{c g}
- [*Tachinus piceus*](#) Cameron, 1932 ^g
- [*Tachinus picipes*](#) Erichson, 1839 ^{g b}
- [*Tachinus potanini*](#) Veselova, 1981 ^{c g}
- [*Tachinus punctipennis*](#) Sahlberg, J., 1876 ^{c g}

- [*Tachinus punctus*](#) Gravenhorst, 1806 ^g
- [*Tachinus quebecensis*](#) Robert, 1946 ^g
- [*Tachinus rainieri*](#) Hatch, 1957 ^g
- [*Tachinus roborowskyi*](#) Reitter, 1887 ^{c g}
- [*Tachinus robustus*](#) Zhao et al., 2003 ^{c g}
- [*Tachinus rufipennis*](#) Gyllenhal, 1810 ^{c g}
- [*Tachinus rufipes*](#) Linnaeus, 1758 ^{c g}
- [*Tachinus sahlbergi*](#) Fauvel, 1900 ^{c g}
- [*Tachinus satoi*](#) Li & Zhao, 2003 ^{c g}
- [*Tachinus scapularis*](#) Stephens, 1832 ^g
- [*Tachinus schilowi*](#) Ullrich, 1975 ^{c g}
- [*Tachinus schneideri*](#) Luze, 1900 ^g
- [*Tachinus schwarzi*](#) Horn, 1877 ^g
- [*Tachinus semirufus*](#) Horn, 1877 ^{g b}
- [*Tachinus sibiricus*](#) Sharp, 1888 ^{c g}
- [*Tachinus signatus*](#) Gravenhorst, 1802 ^g
- [*Tachinus silphoides*](#) Schülke, 2005 ^{c g}
- [*Tachinus sinensis*](#) Li & Zhao, 2002 ^{c g}
- [*Tachinus smetanai*](#) Campbell, 1973 ^g
- [*Tachinus splendidus*](#) Gravenhorst, 1806 ^g
- [*Tachinus stacesmithi*](#) Campbell, 1973 ^g
- [*Tachinus striatipennis*](#) Schülke, 2005 ^{c g}
- [*Tachinus subterraneus*](#) (Linnaeus, 1758) ^g
- [*Tachinus sugayai*](#) Schülke, 2003 ^{c g}
- [*Tachinus taichungensis*](#) Campbell, 1993 ^{c g}
- [*Tachinus taiwanensis*](#) Shibata, 1979 ^g
- [*Tachinus thruppi*](#) Hatch, 1957 ^g
- [*Tachinus tianmuensis*](#) Li et al., 2000 ^{c g}
- [*Tachinus vergatus*](#) Campbell, 1973 ^g
- [*Tachinus watanabei*](#) Shibata, 1979 ^{c g}
- [*Tachinus yasukii*](#) Li et al., 2002 ^{c g}
- [*Tachinus yasutoshii*](#) Ito, 1993 ^{c g}
- [*Tachinus yushanensis*](#) Campbell, 1993 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 1358 species in [Tabanus](#), a genus of horseflies in the family [Tabanidae](#).

Tabanus species

Contents

- [A](#)
- [B](#)
- [C](#)
- [D-E](#)
- [F-G](#)
- [H-J](#)
- [K-L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [References](#)

A

- [Tabanus aaptus](#) Fairchild, 1985[1]
- [Tabanus aar](#) Philip, 1941[2]
- [Tabanus abactor](#) Philip, 1936[3]
- [Tabanus abaculus](#) Philip, 1960[4]
- [Tabanus abauristriatus](#) Philip, 1960[4]
- [Tabanus abbasalis](#) Philip, 1960[4]
- [Tabanus abbreviatus](#) (Bigot, 1892)[5]
- [Tabanus abditus](#) Philip, 1941[2]
- [Tabanus abdominalis](#) Fabricius, 1805[6]
- [Tabanus abjanensis](#) Ježek, Tkoc & Harten, 2017[7]
- [Tabanus abscondens](#) Walker, 1860[8]
- [Tabanus acallosus](#) Philip, 1961[9]
- [Tabanus acallus](#) Szilády, 1926[10]

- [*Tabanus accensus* Austen, 1920\[11\]](#)
- [*Tabanus accipiter* Szilády, 1923\[12\]](#)
- [*Tabanus acer* Brèthes, 1910\[13\]](#)
- [*Tabanus acuminaris* Philip, 1960\[4\]](#)
- [*Tabanus acutus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus adhabarensis* Matsumura & Takahasi, 1976\[14\]](#)
- [*Tabanus adistolus* Fairchild, 1986\[15\]](#)
- [*Tabanus admelanopygus* Philip, 1974\[16\]](#)
- [*Tabanus administrans* Schiner, 1868\[17\]](#)
- [*Tabanus aegrotus* Osten Sacken, 1877\[18\]](#)
- [*Tabanus aeneus* Surcouf, 1907\[19\]](#)
- [*Tabanus agnoscibilis* Austen, 1922\[20\]](#)
- [*Tabanus aidini* Kröber, 1928\[21\]](#)
- [*Tabanus alatocinereus* Dias, 1974](#)
- [*Tabanus albicinctus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus albicuspis* Wang, 1985\[23\]](#)
- [*Tabanus albifacies* Loew, 1856\[24\]](#)
- [*Tabanus albifrons* Szilády, 1914\[25\]](#)
- [*Tabanus albilinea* Walker, 1848\[26\]](#)
- [*Tabanus albitibialis* Macquart, 1838\[27\]](#)
- [*Tabanus albitriangularis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus albocirculus* Hine, 1907\[28\]](#)
- [*Tabanus albocostatus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus albocreus* Philip, 1974\[16\]](#)
- [*Tabanus albofasciatus* Ricardo, 1911\[29\]](#)
- [*Tabanus albopunctatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus albosetosus* Coher, 1985\[30\]](#)
- [*Tabanus algeriensis* Peus, 1980\[31\]](#)
- [*Tabanus altermaculatus* Ricardo, 1913](#)
- [*Tabanus alticola* Philip, 1959\[32\]](#)
- [*Tabanus alumnus* Burton, 1978\[33\]](#)
- [*Tabanus alvarengai* Schacht, 1987](#)
- [*Tabanus amaenus* Walker, 1848\[26\]](#)
- [*Tabanus amamiensis* Hayakawa, Suzuki & Nagashima, 1981](#)
- [*Tabanus amapaensis* Fairchild, 1961\[34\]](#)
- [*Tabanus americanus* Forster, 1771\[35\]](#)
- [*Tabanus amoenatus* Séguy, 1934](#)
- [*Tabanus anabates* Philip, 1960\[4\]](#)
- [*Tabanus anatolicus* Olsufiev, Moucha & Chvála, 1967\[36\]](#)
- [*Tabanus andamanensis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus andamanicus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus anderssoni* Philip, 1972\[37\]](#)

- [*Tabanus angustilimbatus* Senior-White, 1924](#)
- [*Tabanus angustipalpis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustistriatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustitriangularis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustiventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus angustofrons* Wang, 1985\[23\]](#)
- [*Tabanus angustus* Macquart, 1838\[27\]](#)
- [*Tabanus aniptus* Fairchild, 1976\[38\]](#)
- [*Tabanus annamensis* Philip, 1960\[4\]](#)
- [*Tabanus annamiticus* Surcouf, 1911](#)
- [*Tabanus annamitus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus anomalus* Philip, 1959\[32\]](#)
- [*Tabanus ansarii* Abbassian-Lintzen, 1960\[39\]](#)
- [*Tabanus antarcticus* Linnaeus, 1758\[40\]](#)
- [*Tabanus antennarum* \(Kröber, 1936\)\[41\]](#)
- [*Tabanus anthrax* Olsufiev, 1937](#)
- [*Tabanus antunesi* Fairchild, 1985\[1\]](#)
- [*Tabanus apicalis* Wiedemann, 1828\[42\]](#)
- [*Tabanus approximatus* Oldroyd, 1949\[43\]](#)
- [*Tabanus aquilus* Surcouf, 1907\[44\]](#)
- [*Tabanus arabicus* Macquart, 1839\[45\]](#)
- [*Tabanus aranti* Hays, 1961](#)
- [*Tabanus arctus* Wang, 1982\[46\]](#)
- [*Tabanus ardalus* Philip, 1960\[4\]](#)
- [*Tabanus ardens* Wiedemann, 1821\[47\]](#)
- [*Tabanus arenicolor* Peus, 1980\[31\]](#)
- [*Tabanus arenivagus* Austen, 1920\[11\]](#)
- [*Tabanus arfaai* Abbassian-Lintzen, 1966\[48\]](#)
- [*Tabanus argentatus* \(Szilády, 1926\)\[10\]](#)
- [*Tabanus argenteomaculatus* \(Kröber, 1928\)\[21\]](#)
- [*Tabanus argenteus* Surcouf, 1907\[19\]](#)
- [*Tabanus argentifrons* Walker, 1848\[26\]](#)
- [*Tabanus argentsignatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus argentivittatus* Fairchild, 1976\[38\]](#)
- [*Tabanus arisanus* Shiraki, 1918\[49\]](#)
- [*Tabanus armeniacus* \(Kröber, 1928\)\[21\]](#)
- [*Tabanus armenicus* Szilády, 1926\[50\]](#)
- [*Tabanus arnaudi* Philip, 1978\[51\]](#)
- [*Tabanus atamuradovi* Dolin & Andreeva, 1986](#)
- [*Tabanus atratoides* Burger, 1988\[52\]](#)
- [*Tabanus atratus* Fabricius, 1775\[53\]](#)
- [*Tabanus atrimaculatus* Schuurmans Stekhoven, 1932\[54\]](#)

- [*Tabanus atrimanus* Loew, 1858\[55\]](#)
- [*Tabanus atripilosus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atripunctatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atrisignatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atristylatus* Burger, 1988\[52\]](#)
- [*Tabanus atriventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus atrohirtus* Ricardo, 1911\[29\]](#)
- [*Tabanus atropathenicus* Olsufiev, 1937](#)
- [*Tabanus atropilosus* Burger, 1988\[52\]](#)
- [*Tabanus attenuatus* Walker, 1848\[26\]](#)
- [*Tabanus attenuis* Philip, 1959\[32\]](#)
- [*Tabanus aublanti* Toumanoff, 1953](#)
- [*Tabanus audyi* Philip, 1960\[4\]](#)
- [*Tabanus aurantium* Philip, 1957\[56\]](#)
- [*Tabanus aurepiloides* Xu & Deng, 1990\[57\]](#)
- [*Tabanus auribundus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auricauda* Philip, 1956\[58\]](#)
- [*Tabanus auricingulatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auricircus* Philip, 1979\[59\]](#)
- [*Tabanus aurifer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auriflamma* Walker, 1848\[26\]](#)
- [*Tabanus aurilineatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auripilosus* Philip, 1959\[32\]](#)
- [*Tabanus auripunctatus* Macquart, 1839\[45\]](#)
- [*Tabanus aurisegmentatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus aurisetosus* Toumanoff, 1950](#)
- [*Tabanus aurisparsus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus auristriatus* Ricardo, 1911\[29\]](#)
- [*Tabanus auriventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus aurivittatus* Ricardo, 1913\[60\]](#)
- [*Tabanus aurora* Macquart, 1838\[27\]](#)
- [*Tabanus aurotestaceus* Walker, 1854\[61\]](#)
- [*Tabanus australicus* Taylor, 1919\[62\]](#)
- [*Tabanus autumnalis* Linnaeus, 1761\[63\]](#)
- [*Tabanus avittatus* Schuurmans Stekhoven, 1926\[22\]](#)

B

- [*Tabanus bactrianus* Olsufiev, 1937](#)
- [*Tabanus baquiensis* Philip, 1959\[32\]](#)
- [*Tabanus bakeri* Philip, 1959\[32\]](#)
- [*Tabanus balabacensis* Chvála & Lyneborg, 1970\[64\]](#)
- [*Tabanus ballmeri* Burton, 1978\[33\]](#)

- [*Tabanus baohaii*](#) Xu & Liu, 1980
- [*Tabanus baohaii*](#) Xu & Sun, 2008[65]
- [*Tabanus baojiensis*](#) Xu & Liu, 1980[66]
- [*Tabanus barbarus*](#) Coquebert, 1804[67]
- [*Tabanus barbatus*](#) Thunberg, 1789[68]
- [*Tabanus barclayi*](#) Austen, 1912[69]
- [*Tabanus barnesi*](#) Austen, 1922[20]
- [*Tabanus basalis*](#) Macquart, 1838[27]
- [*Tabanus bashiri*](#) Abro, 1994
- [*Tabanus basilaris*](#) Kröber, 1931[70]
- [*Tabanus beneficus*](#) Wang, 1982[46]
- [*Tabanus bequaertianus*](#) Fain, 1949[71]
- [*Tabanus beshkentica*](#) Baratov, 1980[72]
- [*Tabanus besti*](#) Surcouf, 1907[73]
- [*Tabanus besti*](#) var. *arbucklei* Austen, 1912[74]
- [*Tabanus bewanensis*](#) Oldroyd, 1964[75]
- [*Tabanus biannularis*](#) Philip, 1960[76]
- [*Tabanus biatripunctatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus bicoloratus*](#) Philip, 1962[77]
- [*Tabanus bifarius*](#) Loew, 1858[78]
- [*Tabanus bifloccus*](#) Hine, 1925[79]
- [*Tabanus bigoti*](#) Bellardi, 1859[80]
- [*Tabanus biguttatus*](#) Wiedemann, 1830[81]
- [*Tabanus bilateralis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus billingtoni*](#) Newstead, Dutton & Todd, 1907
- [*Tabanus bilorus*](#) Oldroyd, 1963[82]
- [*Tabanus bimini*](#) Philip, 1957[56]
- [*Tabanus birdiei*](#) Whitney, 1914[83]
- [*Tabanus birmanicus*](#) (Bigot, 1892)[5]
- [*Tabanus bishoppi*](#) Stone, 1933[84]
- [*Tabanus bivari*](#) Dias, 1985
- [*Tabanus boharti*](#) Philip, 1950[85]
- [*Tabanus bombyaensis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus borealoriens*](#) Burton, 1978[33]
- [*Tabanus boueti*](#) Surcouf, 1907[86]
- [*Tabanus bovinus*](#) Linnaeus, 1758[40]
- [*Tabanus brancoi*](#) Dias, 1989
- [*Tabanus brassofortei*](#) Dias, 1980
- [*Tabanus brevicallus*](#) Philip, 1959[32]
- [*Tabanus brevifrons*](#) Kröber, 1931[70]
- [*Tabanus brevitrianguliferus*](#) Kröber, 1931[70]
- [*Tabanus briani*](#) Leclercq, 1962

- [*Tabanus brincki* Philip, 1973\[87\]](#)
- [*Tabanus brochei* Cruz & García, 1974\[88\]](#)
- [*Tabanus brodeni* Bequaert, 1913\[89\]](#)
- [*Tabanus bromiolus* Szilády, 1923\[12\]](#)
- [*Tabanus bromius* Linnaeus, 1758\[40\]](#)
- [*Tabanus bromius* var. *flavofemoratus* Strobl, 1909\[90\]](#)
- [*Tabanus brumpti* Surcouf, 1907\[91\]](#)
- [*Tabanus brunneicollis* Hine & Bequaert, 1932](#)
- [*Tabanus brunneocallosus* Olsufiev, 1936](#)
- [*Tabanus brunneothorax* Schuurmans Stekhoven, 1924\[92\]](#)
- [*Tabanus brunneus* Thunberg, 1827\[93\]](#)
- [*Tabanus brunnipennis* Ricardo, 1911\[29\]](#)
- [*Tabanus brunnipes* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus brunniventer* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus bubali* Doleschall, 1856\[94\]](#)
- [*Tabanus bubalophilus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus bubbermani* Nieschulz, 1927](#)
- [*Tabanus bucolicus* Schiner, 1868\[17\]](#)
- [*Tabanus budda* Portschiński, 1887\[95\]](#)
- [*Tabanus budongoensis* Crosskey, 1965\[96\]](#)
- [*Tabanus burgeri* \(Philip, 1978\)\[51\]](#)
- [*Tabanus burmanensis* Schuurmans Stekhoven, 1926\[22\]](#)

C

- [*Tabanus caduceus* Burton, 1978\[33\]](#)
- [*Tabanus caenosus* Burger, 1974\[97\]](#)
- [*Tabanus caeruleus* Macquart, 1838\[27\]](#)
- [*Tabanus calabyi* Mackerras, 1971\[98\]](#)
- [*Tabanus calcarius* Xu & Liao, 1984](#)
- [*Tabanus calens* Linnaeus, 1758\[40\]](#)
- [*Tabanus calidus* Walker, 1850\[99\]](#)
- [*Tabanus caligneus* Philip, 1974\[16\]](#)
- [*Tabanus callogaster* Wang, 1988\[100\]](#)
- [*Tabanus cambodianus* Philip, 1960\[4\]](#)
- [*Tabanus cambodiensis* Toumanoff, 1953](#)
- [*Tabanus camelarius* Austen, 1911\[101\]](#)
- [*Tabanus campechianus* Townsend, 1897\[102\]](#)
- [*Tabanus campestris* Brèthes, 1910\[13\]](#)
- [*Tabanus candidus* Ricardo, 1913\[103\]](#)
- [*Tabanus canipalpis* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus canipus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus canus* Karsch, 1879\[104\]](#)

- [*Tabanus capelai*](#) Dias, 1992
- [*Tabanus catenatus*](#) Walker, 1848[26]
- [*Tabanus caucasi*](#) Kröber, 1925[105]
- [*Tabanus cayensis*](#) Fairchild, 1935[106]
- [*Tabanus cazieri*](#) Philip, 1954[107]
- [*Tabanus cementus*](#) Xu & Liao, 1984
- [*Tabanus centroafricanus*](#) Dias, 1996
- [*Tabanus cepuricus*](#) Surcouf, 1922
- [*Tabanus cervinus*](#) Kröber, 1929[108]
- [*Tabanus ceylonicus*](#) Schiner, 1868[17]
- [*Tabanus chalcothrix*](#) Fairchild, 1961[109]
- [*Tabanus charrua*](#) Coscarón, 1980[110]
- [*Tabanus chekiangensis*](#) Ôuchi, 1943[111]
- [*Tabanus cheliopertus*](#) Rondani, 1850[112]
- [*Tabanus chenfu*](#) Xu & Sun, 2013
- [*Tabanus chentangensis*](#) Zhu & Xu, 1995
- [*Tabanus chicoi*](#) Tendeiro, 1965[113]
- [*Tabanus chinensis*](#) Ôuchi, 1943[111]
- [*Tabanus chloropsis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus choiseulensis*](#) Mackerras, 1972[114]
- [*Tabanus chosenensis*](#) Murdoch & Takahasi, 1969
- [*Tabanus choumarae*](#) Leclercq, 1967
- [*Tabanus christophi*](#) Kröber, 1928[21]
- [*Tabanus chrysogaster*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus chrysoleucus*](#) Walker, 1854[61]
- [*Tabanus chrysurinus*](#) (Enderlein, 1925)[115]
- [*Tabanus chrysurus*](#) Loew, 1858[116]
- [*Tabanus cincta*](#) Fabricius, 1794[117]
- [*Tabanus cinerescens*](#) Macleay, 1826[118]
- [*Tabanus cingulatus*](#) Thunberg, 1827[93]
- [*Tabanus cinnamomeus*](#) Doleschall, 1858[119]
- [*Tabanus circumalbatus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus citripilosus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus claripennis*](#) (Bigot, 1892)[5]
- [*Tabanus claritibialis*](#) Ricardo, 1908[120]
- [*Tabanus clenchi*](#) Bequaert, 1940[121]
- [*Tabanus cnemidotus*](#) Philip, 1959[32]
- [*Tabanus cneus*](#) Philip, 1974[16]
- [*Tabanus coarctatus*](#) Stone, 1935[122]
- [*Tabanus cohaerens*](#) Walker, 1865[123]
- [*Tabanus colombensis*](#) Macquart, 1846[124]
- [*Tabanus columbus*](#) Fairchild, 1942[125]

- [*Tabanus combustus* \(Bigot, 1891\)\[126\]](#)
- [*Tabanus comitans* Wiedemann, 1828\[42\]](#)
- [*Tabanus commixtus* Walker, 1860\[8\]](#)
- [*Tabanus comosus* Stone, 1944\[127\]](#)
- [*Tabanus concolor* Walker, 1848\[26\]](#)
- [*Tabanus concurrens* Walker, 1858\[128\]](#)
- [*Tabanus conformis* Walker, 1848\[26\]](#)
- [*Tabanus confusiens* Philip, 1959\[32\]](#)
- [*Tabanus congoicola* Bequaert, 1930\[129\]](#)
- [*Tabanus congoiensis* Ricardo, 1908\[120\]](#)
- [*Tabanus conicus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus coniformis* Ricardo, 1908\[120\]](#)
- [*Tabanus coninckae* Dias, 1993](#)
- [*Tabanus conius* Philip, 1959\[32\]](#)
- [*Tabanus consanguineus* Macquart, 1838\[27\]](#)
- [*Tabanus conspicuus* Ricardo, 1908\[120\]](#)
- [*Tabanus conterminus* Walker, 1850\[99\]](#)
- [*Tabanus copemani* Austen, 1912\[130\]](#)
- [*Tabanus corax* Loew, 1863\[131\]](#)
- [*Tabanus cordiger* Meigen & Wiedemann, 1820\[132\]](#)
- [*Tabanus cordigeroides* Surcouf, 1923\[133\]](#)
- [*Tabanus coreanus* Shiraki, 1932\[134\]](#)
- [*Tabanus corone* Osten Sacken, 1886\[135\]](#)
- [*Tabanus corpulentus* Brèthes, 1910\[13\]](#)
- [*Tabanus craverii* Bellardi, 1859\[80\]](#)
- [*Tabanus crocitinctipennis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus crocodilinus* Austen, 1912\[130\]](#)
- [*Tabanus crosskeyi* Tendeiro, 1965\[113\]](#)
- [*Tabanus cruzesilvai* Dias, 1980](#)
- [*Tabanus cubensis* Cruz & García, 1974\[88\]](#)
- [*Tabanus cuculus* Szilády, 1923\[12\]](#)
- [*Tabanus cuisancei* Dias, 1996](#)
- [*Tabanus curticornis* Kröber, 1931\[70\]](#)
- [*Tabanus curtus* Hine, 1920\[136\]](#)
- [*Tabanus cyclops* Szilády, 1926\[10\]](#)
- [*Tabanus cyclopus* Philip, 1961\[137\]](#)
- [*Tabanus cylindricallus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus cylindrocallus* Wang, 1988\[138\]](#)
- [*Tabanus cymatophorus* Osten Sacken, 1876\[139\]](#)

D-E

- [*Tabanus daedalus* \(Stone, 1938\)\[140\]](#)

- [*Tabanus daishojii*](#) Murdoch & Takahasi, 1969
- [*Tabanus daohaoi*](#) Xu, 2005[141]
- [*Tabanus darimonti*](#) Leclercq, 1964
- [*Tabanus darlingtoni*](#) Bequaert, 1940[121]
- [*Tabanus davidsoni*](#) Taylor, 1919[62]
- [*Tabanus decipiens*](#) (Kröber, 1928)[21]
- [*Tabanus decoratus*](#) Szilády, 1926[10]
- [*Tabanus defilippii*](#) Bellardi, 1859[80]
- [*Tabanus demellonis*](#) Senior-White, 1924
- [*Tabanus denshamii*](#) Austen, 1908[142]
- [*Tabanus denticulatus*](#) Ricardo, 1913[60]
- [*Tabanus destructus*](#) Szilády, 1926[10]
- [*Tabanus dietrichi*](#) Pechuman, 1956
- [*Tabanus discifer*](#) Walker, 1850[99]
- [*Tabanus discors*](#) Burton, 1978[33]
- [*Tabanus discrepans*](#) Ricardo, 1911[29]
- [*Tabanus discus*](#) Wiedemann, 1828[42]
- [*Tabanus dissimilis*](#) Ricardo, 1911[29]
- [*Tabanus distinctus*](#) Ricardo, 1908[120]
- [*Tabanus diversifrons*](#) Ricardo, 1911[29]
- [*Tabanus diversus*](#) Ricardo, 1908[120]
- [*Tabanus divulsus*](#) Suh, Choi & Kwon, 2003[143]
- [*Tabanus dolini*](#) Ivanishchuk, 1986
- [*Tabanus dominicanus*](#) Kröber, 1931[70]
- [*Tabanus dominus*](#) Datta & Das, 1978
- [*Tabanus donaldsoni*](#) Carter, 1912[144]
- [*Tabanus doreicus*](#) Walker, 1861[145]
- [*Tabanus dorsifer*](#) Walker, 1860[8]
- [*Tabanus dorsifloccus*](#) Szilády, 1926[10]
- [*Tabanus dorsiger*](#) Wiedemann, 1821[47]
- [*Tabanus dorsivitta*](#) Walker, 1850[99]
- [*Tabanus dorsobimaculatus*](#) Macquart, 1850[146]
- [*Tabanus dorsomaculatus*](#) Macquart, 1847[147]
- [*Tabanus dorsonotatus*](#) Macquart, 1847[147]
- [*Tabanus duckei*](#) Fairchild, 1985[1]
- [*Tabanus dunni*](#) Fairchild, 1942[125]
- [*Tabanus dzhafarovi*](#) Khudaverdiev & Dzhafarov, 1974
- [*Tabanus eadsi*](#) Philip, 1962[148]
- [*Tabanus effilatanus*](#) Philip, 1959[32]
- [*Tabanus effilatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus eggeri*](#) var. *prometheus* Szilády, 1923[12]
- [*Tabanus ekor*](#) Al-Talafha, Yaakop & Idris, 2017[149]

- [*Tabanus eldridgei* Fairchild, 1973\[150\]](#)
- [*Tabanus elongatus* Wiedemann, 1828\[42\]](#)
- [*Tabanus enanus* Fairchild, 1942\[125\]](#)
- [*Tabanus endymion* Osten Sacken, 1878\[151\]](#)
- [*Tabanus equicinctus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus erebus* Osten Sacken, 1886\[135\]](#)
- [*Tabanus erythraeus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus euphanes* Surcouf, 1922](#)
- [*Tabanus eurycerus* Philip, 1937\[152\]](#)
- [*Tabanus eurytopus* Burton, 1978\[33\]](#)
- [*Tabanus exagens* Walker, 1864\[153\]](#)
- [*Tabanus excelsus* Ricardo, 1913](#)
- [*Tabanus exclusus* Pandellé, 1883\[154\]](#)
- [*Tabanus exilipalpis* Stone, 1938\[140\]](#)
- [*Tabanus exoticus* Ricardo, 1913\[103\]](#)
- [*Tabanus explicatus* Walker, 1854\[61\]](#)
- [*Tabanus expulsus* Walker, 1854\[61\]](#)
- [*Tabanus extricans* Walker, 1861\[155\]](#)

F-G

- [*Tabanus factiosus* Walker, 1859\[156\]](#)
- [*Tabanus faini* Oldroyd, 1954\[157\]](#)
- [*Tabanus fairchildi* Stone, 1938\[140\]](#)
- [*Tabanus falviscutellus* Philip, 1962\[77\]](#)
- [*Tabanus fascius* Philip, 1960\[4\]](#)
- [*Tabanus felderi* Wulp, 1885\[158\]](#)
- [*Tabanus femoralis* Kröber, 1931\[70\]](#)
- [*Tabanus fijianus* Ricardo, 1914\[159\]](#)
- [*Tabanus filipjevi* Olsufiev, 1936](#)
- [*Tabanus firmus* Burton, 1978\[33\]](#)
- [*Tabanus flammeus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flaviannulatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus flavicapitis* Wang & Liu, 1977\[160\]](#)
- [*Tabanus flavicornis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavicoxa* Oldroyd, 1954\[157\]](#)
- [*Tabanus flavimarginatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavimediis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavioculatus* Toumanoff, 1950](#)
- [*Tabanus flavipennis* Ricardo, 1913\[161\]](#)
- [*Tabanus flavipilosus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavipus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flaviscutellatus* Schuurmans Stekhoven, 1926\[22\]](#)

- [*Tabanus flaviscutellus* Philip, 1962\[77\]](#)
- [*Tabanus flavissimus* Ricardo, 1911\[29\]](#)
- [*Tabanus flavistriatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavitibiatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavitriangularis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavivittatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus flavohirtus* Philip, 1960\[4\]](#)
- [*Tabanus flavothorax* Ricardo, 1911\[29\]](#)
- [*Tabanus flexilis* Walker, 1859\[156\]](#)
- [*Tabanus flocculus* Bequaert, 1940\[121\]](#)
- [*Tabanus fontinalis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus formosiensis* Ricardo, 1911\[29\]](#)
- [*Tabanus fortis* Fairchild, 1961\[34\]](#)
- [*Tabanus fossilis* Grabenhorst, 1985\[162\]](#)
- [*Tabanus fragai* Dias, 1955](#)
- [*Tabanus fraseri* Austen, 1925\[163\]](#)
- [*Tabanus fratellus* Williston, 1887\[164\]](#)
- [*Tabanus fraternus* Macquart, 1846\[124\]](#)
- [*Tabanus fronto* Osten Sacken, 1876\[139\]](#)
- [*Tabanus fujianensis* Xu & Xu, 1993\[165\]](#)
- [*Tabanus fullo* Walker, 1850\[166\]](#)
- [*Tabanus fulvicallus* Philip, 1931\[167\]](#)
- [*Tabanus fulvicapillus* Carter, 1912\[144\]](#)
- [*Tabanus fulvicinctus* Ricardo, 1914](#)
- [*Tabanus fulvilinearis* Philip, 1960\[4\]](#)
- [*Tabanus fulvilineis* Philip, 1957\[56\]](#)
- [*Tabanus fulvilineus* Hayakawa & Takahasi, 1983](#)
- [*Tabanus fulvimedioides* Shiraki, 1918\[49\]](#)
- [*Tabanus fulvissimus* Rondani, 1875\[168\]](#)
- [*Tabanus fulvulus* Wiedemann, 1828\[42\]](#)
- [*Tabanus fulvulus* var. *pallidescens* Philip, 1936\[169\]](#)
- [*Tabanus fumidus* Austen, 1923\[170\]](#)
- [*Tabanus fumifer* Walker, 1856\[171\]](#)
- [*Tabanus fumipennis* Wiedemann, 1828\[42\]](#)
- [*Tabanus fumomarginatus* Hine, 1920\[136\]](#)
- [*Tabanus funebris* Macquart, 1846\[124\]](#)
- [*Tabanus furunculigenus* Doleschall, 1858\[119\]](#)
- [*Tabanus furunculus* Williston, 1901\[172\]](#)
- [*Tabanus furvicaudus* Xu, 1981\[173\]](#)
- [*Tabanus fuscibarbus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus fuscicauda* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus fuscicornis* Ricardo, 1911\[29\]](#)

- [*Tabanus fuscicostatus*](#) Hine, 1906[174]
- [*Tabanus fuscifrons*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus fuscipleuris*](#) Oldroyd, 1954[157]
- [*Tabanus fuscithorax*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus fusciventer*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus fuscofasciatus*](#) Macquart, 1838[27]
- [*Tabanus fuscomaculatus*](#) Ricardo, 1911[29]
- [*Tabanus fuscomaculatus*](#) var. *unisignatus* Szilády, 1926[10]
- [*Tabanus fuscomarginatus*](#) Ricardo, 1908[120]
- [*Tabanus fusconervosus*](#) Macquart, 1838[27]
- [*Tabanus fuscopunctatus*](#) Macquart, 1850[146]
- [*Tabanus fuscotibialis*](#) Elsen, 1989
- [*Tabanus fuscoventris*](#) Xu, 1981[173]
- [*Tabanus fuscus*](#) Wiedemann, 1819[175]
- [*Tabanus fuzhouensis*](#) Xu & Xu, 1995[176]
- [*Tabanus fuzouensis*](#) Xu & Xu, 1995
- [*Tabanus galloisi*](#) Kono & Takahasi, 1939
- [*Tabanus geminus*](#) Szilády, 1923[12]
- [*Tabanus geniculatus*](#) Wulp, 1881[177]
- [*Tabanus geographicus*](#) Burton, 1978[33]
- [*Tabanus gibensis*](#) Turnbull, Taylor & Smith, 1992[178]
- [*Tabanus gilanus*](#) Townsend, 1897[179]
- [*Tabanus gilingilensis*](#) Mackerras, 1962[180]
- [*Tabanus gilvellus*](#) Philip, 1960[4]
- [*Tabanus gilvilineis*](#) Philip, 1960[4]
- [*Tabanus gilvus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus gladiator*](#) Stone, 1935[122]
- [*Tabanus glaucomaculis*](#) Philip, 1978[51]
- [*Tabanus glauconotatus*](#) Philip, 1954[107]
- [*Tabanus glaucus*](#) Wiedemann, 1819[175]
- [*Tabanus golovi*](#) Olsufiev, 1936
- [*Tabanus gonghaiensis*](#) Xu, 1979[181]
- [*Tabanus gracilicornis*](#) Hine, 1925[79]
- [*Tabanus gracilis*](#) Wiedemann, 1828[42]
- [*Tabanus grandicauda*](#) Xu, 1979[181]
- [*Tabanus grandis*](#) Szilády, 1923[12]
- [*Tabanus granti*](#) Toumanoff, 1950
- [*Tabanus gratus*](#) Loew, 1858[55]
- [*Tabanus gressitti*](#) Mackerras, 1972[114]
- [*Tabanus griseifacies*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus griseilineis*](#) Philip, 1960[4]
- [*Tabanus griseipalpis*](#) Schuurmans Stekhoven, 1926[22]

- [*Tabanus griseithorax*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus griseoscutellatus*](#) Kröber, 1924[182]
- [*Tabanus grunini*](#) Olsufiev, 1967
- [*Tabanus guapiensis*](#) Wilkerson, 1979[183]
- [*Tabanus guatemalanus*](#) Hine, 1906[174]
- [*Tabanus guineensis*](#) Wiedemann, 1824[184]
- [*Tabanus guizhouensis*](#) Chen & Xu, 1992[185]
- [*Tabanus guyanensis*](#) Macquart, 1846[124]
- [*Tabanus guyonae*](#) (Surcouf, 1922)
- [*Tabanus gymnorhynchus*](#) Fairchild, 1980[186]
- [*Tabanus gyruchus*](#) Burton, 1978[33]

H-J

- [*Tabanus haemagogus*](#) Williston, 1901[172]
- [*Tabanus haimovitchae*](#) Surcouf, 1909[187]
- [*Tabanus hainanensis*](#) Stone, 1972[188]
- [*Tabanus haitiensis*](#) Kröber, 1931[70]
- [*Tabanus hakkariensis*](#) (Schacht, 1983)
- [*Tabanus hamoni*](#) Ovazza & Valade, 1958
- [*Tabanus hashemii*](#) Ježek, 1981[189]
- [*Tabanus hauseri*](#) Olsufiev, 1967
- [*Tabanus haysi*](#) Philip, 1956[58]
- [*Tabanus hedlundii*](#) Kapoor, Grewal & Sharma, 1991
- [*Tabanus hellenicus*](#) Peus, 1980[31]
- [*Tabanus helvinus*](#) Burton, 1978[33]
- [*Tabanus herbertensis*](#) Mackerras, 1964[75]
- [*Tabanus herculeanus*](#) (Enderlein, 1925)[115]
- [*Tabanus hipparionis*](#) Cockerell, 1909[190]
- [*Tabanus hirsutus*](#) (Thunberg, 1827)[191]
- [*Tabanus hirsutus*](#) Villers, 1789[192]
- [*Tabanus hirtipalpis*](#) Ricardo, 1911[29]
- [*Tabanus hirtistriatus*](#) Ricardo, 1911[29]
- [*Tabanus hirtitibia*](#) Walker, 1850[99]
- [*Tabanus hisarensis*](#) Veer, Parashar & Rao, 1999
- [*Tabanus hispanicus*](#) Peus, 1980[31]
- [*Tabanus hispanus*](#) Peus, 1980[31]
- [*Tabanus hissaricus*](#) Baratov, 1962[193]
- [*Tabanus holtzianus*](#) (Enderlein, 1927)[194]
- [*Tabanus honestus*](#) Walker, 1850[99]
- [*Tabanus hongchowensis*](#) Liu, 1962
- [*Tabanus hongkongiensis*](#) Ricardo, 1916
- [*Tabanus hoogstraali*](#) Philip, 1959[32]

- [*Tabanus howdeni* \(Philip, 1978\)\[51\]](#)
- [*Tabanus huallagensis* Fairchild, 1976\[38\]](#)
- [*Tabanus huangshanensis* Xu & Wu, 1985](#)
- [*Tabanus humboldti* Fairchild, 1985\[1\]](#)
- [*Tabanus humilis* Coquillett, 1898\[195\]](#)
- [*Tabanus humillimus* Walker, 1857\[196\]](#)
- [*Tabanus humiloides* Xu, 1980\[197\]](#)
- [*Tabanus hybridus* Wiedemann, 1828\[42\]](#)
- [*Tabanus hypomacros* Surcouf, 1922](#)
- [*Tabanus hyugaensis* Hayakawa, 1977](#)
- [*Tabanus ianthinus* Surcouf, 1907\[198\]](#)
- [*Tabanus iber* Peus, 1980\[31\]](#)
- [*Tabanus ichiokai* Ôuchi, 1943\[111\]](#)
- [*Tabanus ictericus* Surcouf, 1922](#)
- [*Tabanus idulis* Burton, 1978\[33\]](#)
- [*Tabanus ignobilis* Rondani, 1875\[168\]](#)
- [*Tabanus ilchanii* Ježek, 1981\[189\]](#)
- [*Tabanus ilharcoi* Dias, 1991](#)
- [*Tabanus illustris* Ricardo, 1913\[60\]](#)
- [*Tabanus imitans* Walker, 1848\[26\]](#)
- [*Tabanus imitator* Lutz, 1909\[199\]](#)
- [*Tabanus immanis* Wiedemann, 1828\[42\]](#)
- [*Tabanus immixtus* Walker, 1859\[156\]](#)
- [*Tabanus imparicallosus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus impertinens* Oldroyd, 1954\[157\]](#)
- [*Tabanus importunus* Wiedemann, 1828\[42\]](#)
- [*Tabanus impurus* Karsch, 1888\[200\]](#)
- [*Tabanus inaensis* Asakawa & Takahasi, 1975](#)
- [*Tabanus inaequannulatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus incohaerens* Mackerras, 1972\[114\]](#)
- [*Tabanus inconspicuus* \(Walker, 1848\)\[26\]](#)
- [*Tabanus incultus* Wulp, 1881\[177\]](#)
- [*Tabanus indecisu* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus indianus* Ricardo, 1911\[29\]](#)
- [*Tabanus indicus* Fabricius, 1805\[6\]](#)
- [*Tabanus indifferens* Szilády, 1926\[10\]](#)
- [*Tabanus indiscriminatus* Ricardo, 1915\[201\]](#)
- [*Tabanus indistinctus* Bigot, 1892\[5\]](#)
- [*Tabanus indosinensis* Toumanoff, 1950](#)
- [*Tabanus indrae* Hauser, 1939](#)
- [*Tabanus infans* Walker, 1850\[99\]](#)
- [*Tabanus infestus* Bogatchev & Samedov, 1949](#)

- [*Tabanus inflatipalpis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus ingens*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus inifromis*](#) Ricardo, 1911[29]
- [*Tabanus innotabilis*](#) Walker, 1848[26]
- [*Tabanus inobservatus*](#) Ricardo, 1911[29]
- [*Tabanus insidiator*](#) Austen, 1922[20]
- [*Tabanus insignis*](#) Loew, 1858[55]
- [*Tabanus invalidus*](#) Szilády, 1926[10]
- [*Tabanus isis*](#) Fairchild, 1976[38]
- [*Tabanus itaituba*](#) Fairchild, 1985[1]
- [*Tabanus ixion*](#) Osten Sacken, 1882[202]
- [*Tabanus iyoensis*](#) Shiraki, 1918[49]
- [*Tabanus jacobi*](#) Coher, 1963[203]
- [*Tabanus jadini*](#) Fain, 1949[71]
- [*Tabanus javanus*](#) Fabricius, 1805[6]
- [*Tabanus jeanae*](#) Burton, 1978[33]
- [*Tabanus jigongshanensis*](#) Xu, 1983[204]
- [*Tabanus jigongshanoides*](#) Xu & Huang, 1990[205]
- [*Tabanus jigongshanensis*](#) Xu, 1982
- [*Tabanus jilamensis*](#) Hine, 1925[79]
- [*Tabanus jinghongensis*](#) Yang, Xu & Chen, 1999
- [*Tabanus jinhuai*](#) Xu & Sun, 2007[206]
- [*Tabanus johannesi*](#) Fairchild, 1942[125]
- [*Tabanus johnburgeri*](#) Xu & Xu, 1993[165]
- [*Tabanus johnsoni*](#) Hine, 1907[28]
- [*Tabanus joidus*](#) (Bigot, 1892)[5]
- [*Tabanus joshii*](#) Coher, 1985[30]
- [*Tabanus jucundus*](#) Walker, 1848[26]
- [*Tabanus justorius*](#) Rondani, 1875[168]

K-L

- [*Tabanus kabuensis*](#) Yao, 1984
- [*Tabanus kaburagii*](#) Murdoch & Takahasi, 1969
- [*Tabanus kakhyenensis*](#) Senior-White, 1922
- [*Tabanus kamengensis*](#) Datta & Das, 1978
- [*Tabanus karaosus*](#) Timmer, 1984
- [*Tabanus karenkoensis*](#) Shiraki, 1932[134]
- [*Tabanus katoi*](#) Kono & Takahasi, 1940
- [*Tabanus kermani*](#) Abbassian-Lintzen, 1961[207]
- [*Tabanus kesseli*](#) Philip, 1950[85]
- [*Tabanus khalafi*](#) Leclercq, 1986
- [*Tabanus khasiensis*](#) Ricardo, 1909

- [*Tabanus kiangsuensis* Kröber, 1933\[208\]](#)
- [*Tabanus kingi* Austen, 1911\[209\]](#)
- [*Tabanus kinoshitai* Kono & Takahasi, 1939](#)
- [*Tabanus kisliuki* Stone, 1940\[210\]](#)
- [*Tabanus konis* Philip, 1960\[4\]](#)
- [*Tabanus kotoshoensis* Shiraki, 1918\[49\]](#)
- [*Tabanus krombeini* Burger, 1982\[211\]](#)
- [*Tabanus kumaonensis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus kumatai* Matsumura & Takahasi, 1976\[14\]](#)
- [*Tabanus kumrakomensis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus kunmingensis* Wang, 1985\[23\]](#)
- [*Tabanus kwangsinensis* Wang & Liu, 1977\[160\]](#)
- [*Tabanus kwatta* Fairchild, 1983\[212\]](#)
- [*Tabanus kwiluensis* Oldroyd, 1954\[157\]](#)
- [*Tabanus lacajaensis* Kröber, 1931\[70\]](#)
- [*Tabanus lacustris* Stone, 1935\[122\]](#)
- [*Tabanus laetetinctus* Becker, 1913\[213\]](#)
- [*Tabanus laevigatus* Szilády, 1926\[50\]](#)
- [*Tabanus lamiensis* Burger, 1991](#)
- [*Tabanus laotianus* \(Bigot, 1890\)\[214\]](#)
- [*Tabanus larvatus* Burton, 1978\[33\]](#)
- [*Tabanus lateralbus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus laticornis* \(Schuurmans Stekhoven, 1926\)\[22\]](#)
- [*Tabanus laticornis* Hine, 1904\[215\]](#)
- [*Tabanus latifascies* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus lavandoni* Kröber, 1939\[216\]](#)
- [*Tabanus laverani* Surcouf, 1907\[86\]](#)
- [*Tabanus leclercqi* Abbassian-Lintzen, 1961\[207\]](#)
- [*Tabanus leleani* Austen, 1920\[11\]](#)
- [*Tabanus lenticulatus* Oldroyd, 1949\[43\]](#)
- [*Tabanus lenticuloides* Mackerras, 1972\[114\]](#)
- [*Tabanus lentis* Stone, 1972\[188\]](#)
- [*Tabanus lentisignatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus leucocnematus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus leucohirtus* Ricardo, 1909](#)
- [*Tabanus leucomelas* Walker, 1848\[26\]](#)
- [*Tabanus leucopogon* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus leucostomus* Loew, 1858\[217\]](#)
- [*Tabanus levantinus* Peus, 1980\[31\]](#)
- [*Tabanus leveri* Mackerras & Rageau, 1958](#)
- [*Tabanus lewisi* Philip, 1957\[56\]](#)
- [*Tabanus liangshanensis* Xu, 1979\[181\]](#)

- [*Tabanus lijiangensis*](#) Yang & Xu, 1993[218]
- [*Tabanus limbatinevris*](#) Macquart, 1847[147]
- [*Tabanus limbithorax*](#) (Macquart, 1855)[219]
- [*Tabanus limushanensis*](#) Xu, 1979[181]
- [*Tabanus lineataenia*](#) Xu, 1979[181]
- [*Tabanus lineifrons*](#) Lutz, 1912[220]
- [*Tabanus lineola*](#) var. *hinellus* Philip, 1960[221]
- [*Tabanus lingfengi*](#) Xu, Zhan & Sun, 2006[222]
- [*Tabanus lintzeni*](#) Zeegers & Müller, 2014[223]
- [*Tabanus liventipes*](#) Surcouf, 1907[44]
- [*Tabanus loczyi*](#) Szilády, 1926[10]
- [*Tabanus longibasalis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus longinquus*](#) Oldroyd, 1954[157]
- [*Tabanus longistylus*](#) Xu, Ni & Xu, 1984
- [*Tabanus longiusculus*](#) Hine, 1907[28]
- [*Tabanus longus*](#) Osten Sacken, 1876[139]
- [*Tabanus loukashkini*](#) Philip, 1956[58]
- [*Tabanus lubutuensis*](#) Bequaert, 1930[129]
- [*Tabanus lucidulus*](#) Walker, 1848[26]
- [*Tabanus lucifer*](#) Szilády, 1926[10]
- [*Tabanus lufirensis*](#) Bequaert, 1913[89]
- [*Tabanus luizae*](#) Dias, 1979
- [*Tabanus lunatus*](#) Fabricius, 1794[117]
- [*Tabanus lushanensis*](#) Liu, 1962
- [*Tabanus lutzi*](#) Kröber, 1934[224]
- [*Tabanus luzonensis*](#) Philip, 1959[32]
- [*Tabanus lyneborgi*](#) Mackerras, 1972[114]

M

- [*Tabanus macdonaldi*](#) Philip, 1960[4]
- [*Tabanus macer*](#) (Bigot, 1892)[5]
- [*Tabanus macfarlanei*](#) Ricardo, 1916
- [*Tabanus machadoi*](#) Dias, 1964
- [*Tabanus macilentus*](#) Coher, 1985[30]
- [*Tabanus macquarti*](#) Schiner, 1868[17]
- [*Tabanus maculicornis*](#) Zetterstedt, 1842[225]
- [*Tabanus maculinevris*](#) Macquart, 1855[219]
- [*Tabanus maculipennis*](#) Wiedemann, 1828[42]
- [*Tabanus maculosus*](#) Coquillett, 1902[226]
- [*Tabanus madoerensis*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus maedai*](#) Hayakawa, 1976
- [*Tabanus maini*](#) Mackerras, 1971[98]

- [*Tabanus maiombensis*](#) Dias, 1973
- [*Tabanus makimurae*](#) Ôuchi, 1943[111]
- [*Tabanus malayensis*](#) Ricardo, 1911[29]
- [*Tabanus maliensis*](#) Goodwin, 1982
- [*Tabanus mandarinus*](#) Schiner, 1868[17]
- [*Tabanus manipurensis*](#) Ricardo, 1913
- [*Tabanus marginalis*](#) Fabricius, 1805[6]
- [*Tabanus marginatus*](#) Macquart, 1848[227]
- [*Tabanus marginenevris*](#) Macquart, 1855[219]
- [*Tabanus marianii*](#) (Leclercq, 1956)
- [*Tabanus marmorosus*](#) Surcouf, 1909[228]
- [*Tabanus martini*](#) Surcouf, 1907[86]
- [*Tabanus martinii*](#) Kröber, 1928[21]
- [*Tabanus masamitsui*](#) Hayakawa, 1976
- [*Tabanus mateusi*](#) Dias, 1979
- [*Tabanus matosi*](#) Dias, 1966
- [*Tabanus matsumotoensis*](#) Murdoch & Takahasi, 1961
- [*Tabanus matsuzawai*](#) Hayakawa & Takahasi, 1983
- [*Tabanus matutinimordicus*](#) Xu, 1989
- [*Tabanus maurus*](#) Philip, 1974[16]
- [*Tabanus mazzottii*](#) Philip, 1954[107]
- [*Tabanus mediatrimaculatus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus medionotatus*](#) Austen, 1912[229]
- [*Tabanus meghalayensis*](#) Datta & Biswas, 1977[230]
- [*Tabanus meihuashanensis*](#) Xu & Xu, 1992[231]
- [*Tabanus melanocerus*](#) Wiedemann, 1828[42]
- [*Tabanus melanogaster*](#) Brèthes, 1910[13]
- [*Tabanus melanognathus*](#) (Bigot, 1890)[214]
- [*Tabanus mendossai*](#) Dias, 1992
- [*Tabanus mengdingensis*](#) Xu, Xu & Sun, 2008[232]
- [*Tabanus mengdingensis*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus menoensis*](#) Taylor & Chainey, 1994
- [*Tabanus mentitus*](#) Walker, 1848[26]
- [*Tabanus meraukensis*](#) Mackerras, 1964[75]
- [*Tabanus meridionalis*](#) Thunberg, 1827[93]
- [*Tabanus merychippi*](#) Cockerell, 1916[234]
- [*Tabanus mesnili*](#) Surcouf, 1909
- [*Tabanus mesogaeus*](#) Burton, 1978[33]
- [*Tabanus mesquitelai*](#) Dias, 1991
- [*Tabanus mianjanganensis*](#) Ježek, 1981[189]
- [*Tabanus miki*](#) Brauer, 1880[235]
- [*Tabanus miles*](#) Wiedemann, 1828[42]

- [*Tabanus mindanensis* Philip, 1959\[32\]](#)
- [*Tabanus miniatus* Datta & Biswas, 1977\[230\]](#)
- [*Tabanus minimus* Wulp, 1881\[177\]](#)
- [*Tabanus minuscularius* Austen, 1912\[236\]](#)
- [*Tabanus minusculus* Datta & Das, 1978](#)
- [*Tabanus mishanensis* Xu & Liu, 1982](#)
- [*Tabanus mistshenkoi* Olsufiev, 1937](#)
- [*Tabanus mitidjensis* Macquart, 1839\[45\]](#)
- [*Tabanus miyajima* Ricardo, 1911\[29\]](#)
- [*Tabanus miyakei* Shiraki, 1918\[49\]](#)
- [*Tabanus moderator* Stone, 1938\[140\]](#)
- [*Tabanus modestus* \(Kröber, 1931\)\[237\]](#)
- [*Tabanus moerens* Fabricius, 1787\[238\]](#)
- [*Tabanus mofidii* Leclercq, 1960](#)
- [*Tabanus mogollon* Burger, 1974\[97\]](#)
- [*Tabanus molestus* Say, 1823\[239\]](#)
- [*Tabanus monchai* Leclercq, 1962](#)
- [*Tabanus mongolensis* Kröber, 1933\[208\]](#)
- [*Tabanus monocallosus* Dias, 1955](#)
- [*Tabanus monoculus* Doleschall, 1858\[119\]](#)
- [*Tabanus monoensis* Hine, 1924](#)
- [*Tabanus monokini* Philip, 1966\[240\]](#)
- [*Tabanus monomiensis* Takahasi, 1950](#)
- [*Tabanus monops* Bequaert, 1940\[121\]](#)
- [*Tabanus monotaeniatus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus monotaxis* Philip, 1967\[241\]](#)
- [*Tabanus montiasiaticus* Olsufiev, 1977](#)
- [*Tabanus morbosus* Stone, 1938\[140\]](#)
- [*Tabanus mordax* Austen, 1911\[101\]](#)
- [*Tabanus moreli* Ovazza, 1962](#)
- [*Tabanus morio* Linnaeus, 1767\[242\]](#)
- [*Tabanus morsitans* Ricardo, 1908\[120\]](#)
- [*Tabanus mossambicensis* Dias, 1985\[243\]](#)
- [*Tabanus motuoensis* Yao & Liu, 1983](#)
- [*Tabanus mucronatus* Fairchild, 1961\[109\]](#)
- [*Tabanus mularis* Stone, 1935\[122\]](#)
- [*Tabanus multicinctus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus murdochi* Philip, 1961\[9\]](#)
- [*Tabanus muruensis* Mackerras, 1964\[75\]](#)
- [*Tabanus muscoides* Toumanoff, 1950](#)
- [*Tabanus mutatus* Wang & Liu, 1990](#)

N

- [*Tabanus namdaphaicus*](#) Datta & Chakraborti, 1985
- [*Tabanus namibiensis*](#) Dias, 1989
- [*Tabanus nanpingensis*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus nantae*](#) Toumanoff, 1950
- [*Tabanus napaensis*](#) Nieschulz, 1927
- [*Tabanus nartshukae*](#) Olsufiev, 1972
- [*Tabanus neavei*](#) Austen, 1912[229]
- [*Tabanus nebulosus*](#) De Geer, 1776[244]
- [*Tabanus nefarius*](#) Hine, 1907[28]
- [*Tabanus nefas*](#) Usher, 1971[245]
- [*Tabanus neglectus*](#) Kröber, 1931[70]
- [*Tabanus negritos*](#) Philip, 1959[32]
- [*Tabanus nematocallus*](#) Fairchild, 1985[1]
- [*Tabanus nemocallosus*](#) Ricardo, 1909
- [*Tabanus nemoralis*](#) Meigen, 1820[132]
- [*Tabanus neoindianus*](#) Philip, 1959[32]
- [*Tabanus neovestitus*](#) Kröber, 1931[70]
- [*Tabanus nepalensis*](#) Coher, 1971[246]
- [*Tabanus nephodes*](#) (Bigot, 1892)[5]
- [*Tabanus nereus*](#) Fairchild, 1943[247]
- [*Tabanus nexus*](#) Walker, 1856[171]
- [*Tabanus nicobarensis*](#) Schiner, 1868[17]
- [*Tabanus nigeriensis*](#) Crosskey, 1959[248]
- [*Tabanus nigrabdominis*](#) Wang, 1982[46]
- [*Tabanus nigrefronti*](#) Liu, 1981[249]
- [*Tabanus nigrescens*](#) Palisot de Beauvois, 1809[250]
- [*Tabanus nigrhinus*](#) Philip, 1962[77]
- [*Tabanus nigricaudus*](#) Xu, 1981[173]
- [*Tabanus nigrifascies*](#) (Bigot, 1892)[5]
- [*Tabanus nigrifeminibus*](#) Austen, 1912[236]
- [*Tabanus nigrifer*](#) Walker, 1871[251]
- [*Tabanus nigrihinus*](#) Philip, 1962[77]
- [*Tabanus nigrimaculatus*](#) Xu, 1981[173]
- [*Tabanus nigrimanus*](#) Walker, 1848[26]
- [*Tabanus nigrimordicus*](#) Xu, 1979[181]
- [*Tabanus nigripes*](#) Wiedemann, 1821[47]
- [*Tabanus nigriventris*](#) Macquart, 1846[124]
- [*Tabanus nigrofemoratus*](#) Kröber, 1929[252]
- [*Tabanus nigrostriatus*](#) Ricardo, 1908[120]
- [*Tabanus nigrotectus*](#) (Bigot, 1890)[214]
- [*Tabanus nigrovittatus*](#) Macquart, 1847[147]

- [*Tabanus nilakinus* Philip, 1960\[4\]](#)
- [*Tabanus nipponicus* Murdoch & Takahasi, 1969](#)
- [*Tabanus niveinotatus* Bequaert, 1930\[129\]](#)
- [*Tabanus noctuinus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus nondescriptus* Fairchild, 1973\[150\]](#)
- [*Tabanus notatus* Ricardo, 1915\[253\]](#)
- [*Tabanus novaescotiae* Macquart, 1847\[147\]](#)
- [*Tabanus nyasae* Ricardo, 1900\[254\]](#)
- [*Tabanus nyctops* Burton, 1978\[33\]](#)

O

- [*Tabanus obconicus* Walker, 1850\[99\]](#)
- [*Tabanus obesus* \(Bigot, 1892\)\[5\]](#)
- [*Tabanus obliquemaculatus* Macquart, 1838\[27\]](#)
- [*Tabanus obscuratus* Walker, 1864\[153\]](#)
- [*Tabanus obscurefumatus* Surcouf, 1906](#)
- [*Tabanus obscurehirtus* Ricardo, 1908\[120\]](#)
- [*Tabanus obscurestigmatus* Bigot, 1859\[255\]](#)
- [*Tabanus obscurestriatus* Ricardo, 1908\[120\]](#)
- [*Tabanus obscurilineatus* Taylor, 1919\[62\]](#)
- [*Tabanus obscurior* Ricardo, 1908\[120\]](#)
- [*Tabanus obscurus* Xu, 1983\[204\]](#)
- [*Tabanus obsolescens* Pandellé, 1883\[154\]](#)
- [*Tabanus obsoletimaculus* Xu, 1983\[204\]](#)
- [*Tabanus obsoletus* Wiedemann, 1821\[47\]](#)
- [*Tabanus obtusipalpis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus obumbratus* Bequaert, 1940\[121\]](#)
- [*Tabanus occidentalis* Linnaeus, 1758\[40\]](#)
- [*Tabanus occidentalis* Oldroyd, 1954\[157\]](#)
- [*Tabanus ochroater* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus ochroceras* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus ochrogaster* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus ochros* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus octulus* Walker, 1848\[26\]](#)
- [*Tabanus okinawanoides* Xu, 1989](#)
- [*Tabanus okinawanus* Shiraki, 1918\[49\]](#)
- [*Tabanus oknos* Surcouf, 1922](#)
- [*Tabanus oldroydi* Philip, 1941\[2\]](#)
- [*Tabanus olivaceiventris* Macquart, 1847\[147\]](#)
- [*Tabanus oliviventris* Xu, 1979\[181\]](#)
- [*Tabanus oliviventroides* Xu, 1984](#)
- [*Tabanus olsufjevi* Hauser, 1960](#)

- [*Tabanus olympius*](#) Peus, 1980[31]
- [*Tabanus omeishanensis*](#) Xu, 1979[181]
- [*Tabanus omnirobustus*](#) Wang, 1988[138]
- [*Tabanus onoi*](#) Murdoch & Takahasi, 1969
- [*Tabanus opalescens*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus oppugnator*](#) Austen, 1925[163]
- [*Tabanus optatus*](#) Walker, 1856[171]
- [*Tabanus orbicallus*](#) Philip, 1936[3]
- [*Tabanus orbis*](#) Burton, 1978[33]
- [*Tabanus oreophilus*](#) Xu & Liao, 1985
- [*Tabanus orientalis*](#) Wiedemann, 1824[184]
- [*Tabanus orientis*](#) Walker, 1848[26]
- [*Tabanus orphnos*](#) Wang, 1982[46]
- [*Tabanus otsurui*](#) Ogawa, 1960
- [*Tabanus ovazzai*](#) Crosskey, 1959[248]
- [*Tabanus oviventris*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus oxybeles*](#) Burton, 1978[33]
- [*Tabanus oxyceratus*](#) (Bigot, 1892)[5]

P

- [*Tabanus pachypalpus*](#) (Bigot, 1892)[5]
- [*Tabanus paganus*](#) Chen, 1984[256]
- [*Tabanus palauensis*](#) Takahashi, 1944[257]
- [*Tabanus palawanensis*](#) Philip, 1959[32]
- [*Tabanus pallidepectoratus*](#) (Bigot, 1892)[5]
- [*Tabanus pallidifacies*](#) Surcouf, 1906
- [*Tabanus pallidipes*](#) Austen, 1920[11]
- [*Tabanus pallidiscutum*](#) Philip, 1959[32]
- [*Tabanus pallidiventer*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus pallipennis*](#) Macquart, 1846[124]
- [*Tabanus palpalis*](#) Brèthes, 1910[13]
- [*Tabanus palpinus*](#) Palisot de Beauvois, 1819[250]
- [*Tabanus papuensis*](#) Oldroyd, 1964[75]
- [*Tabanus par*](#) Walker, 1854[61]
- [*Tabanus parabactrianus*](#) Liu, 1960[258]
- [*Tabanus parabruneus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus parabuddha*](#) Xu, 1983[259]
- [*Tabanus parachinensis*](#) Xu, Zhan & Sun, 2006[222]
- [*Tabanus parachrysater*](#) Yao, 1984
- [*Tabanus paradiversifrons*](#) Xu & Guo, 2005[232]
- [*Tabanus paradiversifrons*](#) Xu, 2005[232]
- [*Tabanus paradoxus*](#) Jaennicke, 1866[260]

- [*Tabanus parafuscomaculatus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus parahippi*](#) Cockerell, 1909[190]
- [*Tabanus parahybridus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus paraichiokai*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus parallelifrons*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus paralleliventer*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus pararubidus*](#) Yao & Liu, 2008
- [*Tabanus pararufiventris*](#) Nieschulz, 1927
- [*Tabanus parasexcinctus*](#) Xu & Sun, 2008[261]
- [*Tabanus parawuyishanensis*](#) Xu & Sun, 2007[262]
- [*Tabanus parimmixtus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus particaecus*](#) Hardy, 1948[263]
- [*Tabanus particolor*](#) Szilády, 1926[10]
- [*Tabanus parvicallus*](#) Ricardo, 1914[264]
- [*Tabanus parvidentatus*](#) Macquart, 1838[27]
- [*Tabanus parviformus*](#) Wang, 1985[23]
- [*Tabanus passosi*](#) Dias, 1974
- [*Tabanus patriarchus*](#) Oldroyd, 1949[43]
- [*Tabanus pauper*](#) Rondani, 1875[168]
- [*Tabanus paviei*](#) Burton, 1978[33]
- [*Tabanus pazukii*](#) Ježek, 1990[265]
- [*Tabanus pellucidus*](#) Fabricius, 1805[6]
- [*Tabanus pellus*](#) Philip, 1959[32]
- [*Tabanus penai*](#) Philip, 1967[241]
- [*Tabanus pendleburyi*](#) Philip, 1960[4]
- [*Tabanus pengquensis*](#) Zhu & Xu, 1995
- [*Tabanus perakiensis*](#) Ricardo, 1911[29]
- [*Tabanus perelegans*](#) Olsufiev, 1972
- [*Tabanus perileucus*](#) Philip, 1974[16]
- [*Tabanus persimilis*](#) Dolin & Andreeva, 1986
- [*Tabanus pertinens*](#) Austen, 1912[130]
- [*Tabanus peruvianus*](#) Macquart, 1848[227]
- [*Tabanus petiolatus*](#) Hine, 1917[266]
- [*Tabanus petiscai*](#) Dias, 1974
- [*Tabanus philippinensis*](#) Kröber, 1924[182]
- [*Tabanus piceiventris*](#) Rondani, 1848[267]
- [*Tabanus picicalosus*](#) Fairchild, 1951[268]
- [*Tabanus pictiventris*](#) Szilády, 1926[10]
- [*Tabanus pingxiangensis*](#) Xu & Liao, 1985
- [*Tabanus platensis*](#) Brèthes, 1910[13]
- [*Tabanus platycerus*](#) Fairchild, 1976[38]
- [*Tabanus pleskei*](#) Kröber, 1925[105]

- [*Tabanus pluto* Walker, 1848\[26\]](#)
- [*Tabanus pollinosus* Ricardo, 1913\[60\]](#)
- [*Tabanus polygonus* Walker, 1854\[61\]](#)
- [*Tabanus polyphemus* Fairchild, 1958\[269\]](#)
- [*Tabanus portschinskii* Olsufiev, 1937](#)
- [*Tabanus postactus* Oldroyd, 1947\[270\]](#)
- [*Tabanus praematurus* Austen, 1922\[20\]](#)
- [*Tabanus praepilatus* Fairchild, 1943\[247\]](#)
- [*Tabanus praepositus* Walker, 1848\[26\]](#)
- [*Tabanus praeteritus* Fairchild, 1947\[271\]](#)
- [*Tabanus pratti* Ricardo, 1911\[29\]](#)
- [*Tabanus prefulventer* Wang, 1985\[23\]](#)
- [*Tabanus primitivus* Walker, 1848\[26\]](#)
- [*Tabanus principis* Bequaert, 1930\[129\]](#)
- [*Tabanus priscoides* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus pristinus* Burton, 1978\[33\]](#)
- [*Tabanus procallosus* Lutz, 1912\[220\]](#)
- [*Tabanus provincialis* Ricardo, 1913](#)
- [*Tabanus proximus* Walker, 1848\[26\]](#)
- [*Tabanus pruinosis* Bigot, 1892\[5\]](#)
- [*Tabanus prunicolor* Lutz, 1912\[220\]](#)
- [*Tabanus pseudoculus* Fairchild, 1942](#)
- [*Tabanus pseudogratus* Goodwin, 1982](#)
- [*Tabanus pseudoliviventrus* Chen & Xu, 1992\[185\]](#)
- [*Tabanus pseudolunatus* Dias, 1979](#)
- [*Tabanus pseudolunatus* Dias, 1980](#)
- [*Tabanus pseudonebulosus* Gorayeb, 2006\[272\]](#)
- [*Tabanus pseudothoracinus* Dias, 1996](#)
- [*Tabanus ptolemaeanus* Szilády, 1923\[12\]](#)
- [*Tabanus pullulus* Austen, 1912\[130\]](#)
- [*Tabanus pullus* Philippi, 1865\[273\]](#)
- [*Tabanus pulvifer* Walker, 1854\[61\]](#)
- [*Tabanus pumilus* Macquart, 1838\[27\]](#)
- [*Tabanus punctifer* Osten Sacken, 1876\[139\]](#)
- [*Tabanus punctipleura* Hine, 1920\[136\]](#)
- [*Tabanus puncturius* Xu & Liao, 1985](#)
- [*Tabanus pungens* Wiedemann, 1828\[42\]](#)
- [*Tabanus pusillus* Macquart, 1838\[27\]](#)
- [*Tabanus puteus* Ricardo, 1911\[29\]](#)

Q-R

- [*Tabanus qinlingensis* Wang, 1985](#)

- [*Tabanus quadrifocus*](#) Burton, 1978[33]
- [*Tabanus quadriguttatus*](#) Ricardo, 1908[120]
- [*Tabanus quadrisignatus*](#) Ricardo, 1908[120]
- [*Tabanus quadritriangularis*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus quaesitus*](#) Stone, 1938[140]
- [*Tabanus quatei*](#) Philip, 1962[77]
- [*Tabanus quatuornotatus*](#) Meigen, 1820[132]
- [*Tabanus queenslandii*](#) Ricardo, 1914[264]
- [*Tabanus quinarius*](#) Wang & Liu, 1990
- [*Tabanus quinquecinctus*](#) Ricardo, 1914
- [*Tabanus quinquepunctatus*](#) Hine, 1925[79]
- [*Tabanus quinquetriangularis*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus quinquevittatus*](#) Wiedemann, 1821[47]
- [*Tabanus rageaui*](#) Oldroyd, 1954[157]
- [*Tabanus rallus*](#) Philip, 1978[51]
- [*Tabanus rectilineatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus rectus*](#) Loew, 1858[78]
- [*Tabanus recusans*](#) Walker, 1858[274]
- [*Tabanus reducens*](#) Walker, 1859[156]
- [*Tabanus regularis*](#) Jaennicke, 1866[260]
- [*Tabanus reinwardtii*](#) Wiedemann, 1828[42]
- [*Tabanus remotus*](#) Walker, 1848[26]
- [*Tabanus restrepoensis*](#) Fairchild, 1942[125]
- [*Tabanus rhinargus*](#) Philip, 1962[77]
- [*Tabanus rhizonshine*](#) Philip, 1954[107]
- [*Tabanus rhizophorae*](#) Fairchild, 1943[247]
- [*Tabanus ricardae*](#) Surcouf, 1906
- [*Tabanus rixator*](#) Fairchild, 1943[247]
- [*Tabanus riyadhae*](#) Amoudi & Leclercq, 1988[275]
- [*Tabanus rockefelleri*](#) Philip, 1954[107]
- [*Tabanus rondoniensis*](#) Henriques, Krolow, Zamarchi & Camargo, 2022[276]
- [*Tabanus rosarioi*](#) Dias, 1994
- [*Tabanus rosselensis*](#) Mackerras, 1964[75]
- [*Tabanus rossi*](#) Philip, 1959[32]
- [*Tabanus rothschildi*](#) Surcouf, 1906
- [*Tabanus roubaudi*](#) Toumanoff, 1950
- [*Tabanus roussellii*](#) Macquart, 1839[45]
- [*Tabanus rubicundulus*](#) Austen, 1922[20]
- [*Tabanus rubicundus*](#) Macquart, 1846[124]
- [*Tabanus rubidaceus*](#) Dias, 1975
- [*Tabanus rubidoides*](#) Szilády, 1926[10]
- [*Tabanus rubidus*](#) Wiedemann, 1821[47]

- [*Tabanus rubiginosus* Walker, 1850\[99\]](#)
- [*Tabanus rubioi* Dias, 1987](#)
- [*Tabanus rubricauda* Philip, 1958\[277\]](#)
- [*Tabanus rubripes* Macquart, 1838\[27\]](#)
- [*Tabanus rubriscutatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus rubriventris* Macquart, 1838\[27\]](#)
- [*Tabanus ruficoloratus* Philip, 1960\[4\]](#)
- [*Tabanus rufidens* Bigot, 1887\[278\]](#)
- [*Tabanus rufimedijs* Szilády, 1926\[10\]](#)
- [*Tabanus rufioloratus* Philip, 1960\[4\]](#)
- [*Tabanus rufipes* Palisot de Beauvois, 1806\[250\]](#)
- [*Tabanus rufiscutellatus* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus rufiventris* Fabricius, 1805\[6\]](#)
- [*Tabanus rufofrater* Walker, 1850\[99\]](#)
- [*Tabanus ruoqiangensis* Xiang & Xu, 1986](#)
- [*Tabanus rupinae* Austen, 1920\[11\]](#)
- [*Tabanus rupium* \(Brauer, 1880\)\[235\]](#)
- [*Tabanus russatoides* Xu & Deng, 1990\[57\]](#)
- [*Tabanus russatus* Wang, 1982](#)
- [*Tabanus rusticatus* Burton, 1978\[33\]](#)
- [*Tabanus ryukyuensis* Murdoch & Takahasi, 1961](#)

S

- [*Tabanus sabuletoroides* Xu, 1979\[181\]](#)
- [*Tabanus sabuletorum* Loew, 1874\[279\]](#)
- [*Tabanus sackeni* Fairchild, 1934\[280\]](#)
- [*Tabanus safavii* Ježek, 1981\[281\]](#)
- [*Tabanus sagax* Osten Sacken, 1876\[139\]](#)
- [*Tabanus sagittipalpis* Szilády, 1926\[10\]](#)
- [*Tabanus samarensis* Philip, 1959\[32\]](#)
- [*Tabanus samawangensis* Burger, 1988\[52\]](#)
- [*Tabanus samoensis* Ferguson, 1927\[282\]](#)
- [*Tabanus sandersoni* Austen, 1912\[74\]](#)
- [*Tabanus sannio* Fairchild, 1956\[283\]](#)
- [*Tabanus sanyaensis* Xu, Xu & Sun, 2008](#)
- [*Tabanus sapporoensis* Shiraki, 1918\[49\]](#)
- [*Tabanus sapporoenus* Shiraki, 1918\[49\]](#)
- [*Tabanus sarbazensis* Ježek, 1990\[265\]](#)
- [*Tabanus sarmentoi* Dias, 1959](#)
- [*Tabanus sasai* Watanabe & Takahasi, 1971](#)
- [*Tabanus sauteri* Ricardo, 1913\[103\]](#)
- [*Tabanus saxicolus* Usher, 1965\[284\]](#)

- [*Tabanus sayensis*](#) Xu, Xu & Sun, 2008[233]
- [*Tabanus schadei*](#) Fairchild, 1976[38]
- [*Tabanus schiva*](#) Moucha & Chvála, 1959[285]
- [*Tabanus scholae*](#) Oldroyd, 1954[157]
- [*Tabanus scutellus*](#) Philip, 1970[286]
- [*Tabanus searsi*](#) Philip, 1978[51]
- [*Tabanus secedens*](#) Walker, 1854[61]
- [*Tabanus secundus*](#) Walker, 1848[26]
- [*Tabanus selene*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus selousi*](#) Austen, 1912[236]
- [*Tabanus selvaticus*](#) Burger, Bermúdez & Bermúdez, 1987[287]
- [*Tabanus semenovi*](#) Olsufiev, 1937
- [*Tabanus semiargenteus*](#) Olsufiev, 1937
- [*Tabanus semicircularis*](#) Ricardo, 1913[60]
- [*Tabanus semirufus*](#) Szilády, 1926[10]
- [*Tabanus separatus*](#) Efflatoun, 1930[288]
- [*Tabanus sepiensis*](#) Philip, 1954[107]
- [*Tabanus sepikensis*](#) Oldroyd, 1964[75]
- [*Tabanus sequens*](#) Walker, 1848[26]
- [*Tabanus sequens*](#) Walker, 1850[99]
- [*Tabanus sericiventrís*](#) Loew, 1858[55]
- [*Tabanus serpentina*](#) Wiedemann, 1828[42]
- [*Tabanus serus*](#) Walker, 1861[289]
- [*Tabanus servillei*](#) Macquart, 1838[27]
- [*Tabanus sexcinctus*](#) Ricardo, 1911[29]
- [*Tabanus sextriangulus*](#) Gorayeb & Rafael, 1984
- [*Tabanus shaanxiensis*](#) Xu, Lu & Wu, 1990[290]
- [*Tabanus shannonellus*](#) Kröber, 1936[291]
- [*Tabanus shantungensis*](#) Ôuchi, 1943[111]
- [*Tabanus shelkovnikovi*](#) Paramonov, 1934[292]
- [*Tabanus shennongjianensis*](#) Xu, Ni & Xu, 1984
- [*Tabanus shikokuensis*](#) Murdoch & Takahasi, 1961
- [*Tabanus shyamarupi*](#) Datta & Chakraborti, 1985
- [*Tabanus siamensis*](#) Ricardo, 1911[29]
- [*Tabanus siassensis*](#) Mackerras, 1964[75]
- [*Tabanus siccus*](#) Walker, 1850[99]
- [*Tabanus sidneyensis*](#) Macquart, 1846[124]
- [*Tabanus siebersi*](#) Schuurmans Stekhoven, 1928
- [*Tabanus sierensis*](#) Burger, Bermúdez & Bermúdez, 1987[287]
- [*Tabanus sierrensis*](#) Burger, Bermúdez & Bermúdez, 1987[287]
- [*Tabanus signatipennis*](#) Portschinsky, 1887[95]
- [*Tabanus signifer*](#) Walker, 1856[293]

- [*Tabanus significans* Ricardo, 1911\[29\]](#)
- [*Tabanus significans* var. *inaequisignatus* Schuurmans Stekhoven, 1932\[54\]](#)
- [*Tabanus silvanus* Ricardo, 1908\[120\]](#)
- [*Tabanus similis* Macquart, 1850\[146\]](#)
- [*Tabanus simplicissimus* Walker, 1856\[171\]](#)
- [*Tabanus simpsoni* Austen, 1912\[74\]](#)
- [*Tabanus sinewitensis* Mackerras, 1972\[114\]](#)
- [*Tabanus sinicus* Walker, 1848\[26\]](#)
- [*Tabanus skarduensis* Abro, 1992](#)
- [*Tabanus soembawensis* Schuurmans Stekhoven, 1926\[22\]](#)
- [*Tabanus sorbillans* Wiedemann, 1828\[42\]](#)
- [*Tabanus soubiroui* Surcouf, 1922](#)
- [*Tabanus sowi* Goodwin, 1982](#)
- [*Tabanus sparus* Whitney, 1879\[294\]](#)
- [*Tabanus speciosus* Ricardo, 1911\[29\]](#)
- [*Tabanus spectabilis* Loew, 1858\[78\]](#)
- [*Tabanus speculum* Walker, 1861\[295\]](#)
- [*Tabanus sphinx* Philip, 1960\[4\]](#)
- [*Tabanus spodopteroides* Olsufiev, Moucha & Chvála, 1969\[296\]](#)
- [*Tabanus spodopterus* Wiedemann, 1820\[132\]](#)
- [*Tabanus stabilis* Wang, 1982\[46\]](#)
- [*Tabanus stackelbergiellus* Olsufiev, 1967](#)
- [*Tabanus sticticolis* Surcouf, 1906](#)
- [*Tabanus stonei* Philip, 1941\[2\]](#)
- [*Tabanus strangmannii* Ricardo, 1914\[264\]](#)
- [*Tabanus striatus* Fabricius, 1787\[238\]](#)
- [*Tabanus strigimaculus* Fairchild, 1942\[297\]](#)
- [*Tabanus strix* Szilády, 1923\[12\]](#)
- [*Tabanus stueberi* Oldroyd, 1949\[43\]](#)
- [*Tabanus stygius* Say, 1823\[239\]](#)
- [*Tabanus subbasalis* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus subcaeruleus* Peus, 1980\[31\]](#)
- [*Tabanus subcamipus* Philip, 1960\[4\]](#)
- [*Tabanus subcanipus* Philip, 1960\[4\]](#)
- [*Tabanus subcinerascens* Ricardo, 1911\[29\]](#)
- [*Tabanus subcinerescens* Mackerras, 1971\[98\]](#)
- [*Tabanus subcinnamoneus* Mackerras, 1972\[114\]](#)
- [*Tabanus subcohaerens* Mackerras, 1964\[75\]](#)
- [*Tabanus subcordiger* Liu, 1960](#)
- [*Tabanus subcrassus* Kapoor, Grewal & Sharma, 1991](#)
- [*Tabanus subfemoralis* Philip, 1978\[51\]](#)
- [*Tabanus subflavicornis* Philip, 1970\[286\]](#)

- [*Tabanus subfurvicaudus*](#) Wu & Xu, 1992
- [*Tabanus subhybridus*](#) Philip, 1960[4]
- [*Tabanus subimmanis*](#) Philip, 1959[32]
- [*Tabanus subjoidus*](#) Philip, 1959[32]
- [*Tabanus sublongus*](#) Stone, 1938[140]
- [*Tabanus submacilentus*](#) Coher, 1985[30]
- [*Tabanus submalayensis*](#) Wang & Liu, 1977[160]
- [*Tabanus subniger*](#) Coquillett, 1906[298]
- [*Tabanus suboliviventris*](#) Xu, 1984
- [*Tabanus subpulliomaculatus*](#) Xu & Zhang, 1990[299]
- [*Tabanus subpullomaculatus*](#) Xu & Zhang, 1990[300]
- [*Tabanus subrecusans*](#) Mackerras, 1964[75]
- [*Tabanus subruber*](#) Bellardi, 1859[80]
- [*Tabanus subrubidus*](#) Chvála & Lyneborg, 1970[64]
- [*Tabanus subrussatus*](#) Wang, 1982
- [*Tabanus subsabuletorum*](#) Olsufiev, 1936
- [*Tabanus subsimilis*](#) Bellardi, 1859[80]
- [*Tabanus subsinerascens*](#) Ricardo, 1911[29]
- [*Tabanus subviolaceus*](#) Fairchild, 1961[109]
- [*Tabanus succurvus*](#) Walker, 1859[156]
- [*Tabanus sudeticus*](#) Zeller, 1842[301]
- [*Tabanus sufis*](#) Jaennicke, 1867[302]
- [*Tabanus sugens*](#) Wiedemann, 1828[42]
- [*Tabanus sulfurescens*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus sumatrensis*](#) Macquart, 1834[303]
- [*Tabanus superjumentarius*](#) Whitney, 1879[294]
- [*Tabanus surifer*](#) Fairchild, 1964[304]
- [*Tabanus swiridowi*](#) Portsichinsky, 1881[305]
- [*Tabanus symmetrus*](#) Burton, 1978[33]
- [*Tabanus syriacus*](#) Kröber, 1925[105]
- [*Tabanus systemus*](#) Burton, 1978[33]
- [*Tabanus szechenyianus*](#) Szilády, 1926[10]
- [*Tabanus sziladyi*](#) Schuurmans Stekhoven, 1932[54]

T

- [*Tabanus taeniatus*](#) Macquart, 1834[303]
- [*Tabanus taeniellus*](#) Philip, 1960[4]
- [*Tabanus taeniola*](#) Palisot de Beauvois, 1806[250]
- [*Tabanus taiensis*](#) Taylor & Chainey, 1994
- [*Tabanus taipingensis*](#) Xu & Wu, 1985
- [*Tabanus taiwanus*](#) Hayakawa & Takahasi, 1983
- [*Tabanus talyshi*](#) Olsufiev, 1972

- [*Tabanus tambaensis*](#) Murdoch & Takahasi, 1969
- [*Tabanus tamthaiorum*](#) Burton, 1978[33]
- [*Tabanus tangi*](#) Xu & Xu, 1992
- [*Tabanus tardinotus*](#) Bequaert, 1940[121]
- [*Tabanus taygetus*](#) Peus, 1980[31]
- [*Tabanus teishengi*](#) Xu & Sun, 2007
- [*Tabanus tenasserimi*](#) Szilády, 1926[10]
- [*Tabanus tendeiroi*](#) Dias, 1980
- [*Tabanus tenebrosus*](#) Walker, 1854[61]
- [*Tabanus tenens*](#) Walker, 1850[99]
- [*Tabanus tenuifrons*](#) Datta & Chakraborti, 1985
- [*Tabanus tenuipalpis*](#) Austen, 1912[69]
- [*Tabanus tenuis*](#) Schuurmans Stekhoven, 1932[306]
- [*Tabanus tenuistria*](#) Kröber, 1931[70]
- [*Tabanus tephrodes*](#) Philippi, 1865[273]
- [*Tabanus teraiensis*](#) Coher, 1971[307]
- [*Tabanus tergestinus*](#) Egger, 1859[308]
- [*Tabanus terterjani*](#) Andreeva & Dolin, 1982[309]
- [*Tabanus testaceiventris*](#) Macquart, 1847[147]
- [*Tabanus tetropsis*](#) Bigot, 1892[5]
- [*Tabanus texanus*](#) Hine, 1907[28]
- [*Tabanus thellus*](#) Burger, 1982[211]
- [*Tabanus thermarum*](#) Burton, 1978[33]
- [*Tabanus thiemeana*](#) (Enderlein, 1925)[115]
- [*Tabanus thoracinus*](#) Palisot de Beauvois, 1806[250]
- [*Tabanus thurmani*](#) Philip, 1960[4]
- [*Tabanus tianyui*](#) Xu & Sun, 2008[261]
- [*Tabanus tienmuensis*](#) Liu, 1962
- [*Tabanus tiluensis*](#) Nieschulz, 1927
- [*Tabanus tinctorothorax*](#) Ricardo, 1911[29]
- [*Tabanus tinctus*](#) Walker, 1850[99]
- [*Tabanus titoi*](#) Dias, 1962
- [*Tabanus tokaraensis*](#) Hayakawa & Suzuki, 1984
- [*Tabanus tokunoshimaensis*](#) Hayakawa & Suzuki, 1984
- [*Tabanus tonglai*](#) Surcouf, 1922
- [*Tabanus toshiokai*](#) Murdoch & Takahasi, 1969
- [*Tabanus toumanoffi*](#) Philip, 1960[4]
- [*Tabanus townsendi*](#) Johnson, 1919[310]
- [*Tabanus townsvilli*](#) Ricardo, 1915[253]
- [*Tabanus traubi*](#) Philip, 1960[4]
- [*Tabanus trianguliger*](#) Austen, 1912[311]
- [*Tabanus triangulum*](#) Wiedemann, 1828[42]

- [*Tabanus tricoloratus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus tricolorus*](#) Xu, 1981[173]
- [*Tabanus trigonus*](#) Coquillett, 1898[195]
- [*Tabanus trijunctus*](#) Walker, 1854[61]
- [*Tabanus trilineatus*](#) Latreille, 1817[312]
- [*Tabanus tripurensis*](#) Datta, 1986
- [*Tabanus triquetroratus*](#) Carter, 1915[313]
- [*Tabanus tristichus*](#) Fairchild, 1976[38]
- [*Tabanus tristis*](#) Wulp, 1881[177]
- [*Tabanus trivittatus*](#) Fabricius, 1805[6]
- [*Tabanus tuberculatus*](#) Ricardo, 1911[29]
- [*Tabanus tumidicallus*](#) Burger, 1982[211]
- [*Tabanus tumiscapens*](#) Philip, 1954[107]
- [*Tabanus turbidus*](#) Wiedemann, 1828[42]

U-V

- [*Tabanus umbripennis*](#) Ricardo, 1915[253]
- [*Tabanus undulans*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus unicinctus*](#) Loew, 1856[24]
- [*Tabanus unicus*](#) Burton, 1978[33]
- [*Tabanus unifasciatus*](#) Loew, 1858[78]
- [*Tabanus unifasciens*](#) Philip, 1959[32]
- [*Tabanus uniformis*](#) Ricardo, 1911[29]
- [*Tabanus unilineatus*](#) Loew, 1852[314]
- [*Tabanus unipunctatus*](#) (Bigot, 1892)[5]
- [*Tabanus unistriatus*](#) Hine, 1906[174]
- [*Tabanus univentrtris*](#) Walker, 1848[26]
- [*Tabanus ustus*](#) Walker, 1850[315]
- [*Tabanus vanleeuweni*](#) Oldroyd, 1949[43]
- [*Tabanus varelai*](#) Dias, 1980
- [*Tabanus variabilis*](#) Loew, 1858[55]
- [*Tabanus varipes*](#) Walker, 1836[316]
- [*Tabanus variventris*](#) Macquart, 1847[147]
- [*Tabanus vaseyi*](#) Sherman, 1991[317]
- [*Tabanus vectensis*](#) (Cockerell, 1921)[318]
- [*Tabanus velutinus*](#) Surcouf, 1906
- [*Tabanus ventriflavimarginatus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus venustus*](#) Osten Sacken, 1876[139]
- [*Tabanus vernus*](#) Burton, 1978[33]
- [*Tabanus vestitus*](#) Wiedemann, 1819[175]
- [*Tabanus veterinarius*](#) Dias, 1964
- [*Tabanus vibex*](#) Suh, Choi & Kwon, 2002

- [*Tabanus violaceus*](#) Schuurmans Stekhoven, 1926[22]
- [*Tabanus virgulatus*](#) Austen, 1922[20]
- [*Tabanus vittiger*](#) Thomson, 1869
- [*Tabanus vivax*](#) Osten Sacken, 1876[139]
- [*Tabanus vix*](#) Philip, 1960[4]

W-Z

- [*Tabanus wallacei*](#) Szilády, 1926[10]
- [*Tabanus weiheensis*](#) Xu & Liu, 1980[66]
- [*Tabanus weiningensis*](#) Xu, Xu & Sun, 2008
- [*Tabanus wellmanii*](#) Austen, 1908[142]
- [*Tabanus wenzeli*](#) Philip, 1959[32]
- [*Tabanus weyrauchi*](#) Barretto, 1949
- [*Tabanus wiedemanni*](#) Osten Sacken, 1876[139]
- [*Tabanus williamsii*](#) Austen, 1908[319]
- [*Tabanus wilpattuensis*](#) Burger, 1982[211]
- [*Tabanus wilsoni*](#) Pechuman, 1962
- [*Tabanus wokei*](#) Fairchild, 1983[212]
- [*Tabanus woollastoni*](#) Ricardo, 1913[60]
- [*Tabanus wuyishanensis*](#) Xu & Xu, 1995
- [*Tabanus wuzhishanensis*](#) Xu, 1979[181]
- [*Tabanus wyndhamensis*](#) Mackerras, 1971[98]
- [*Tabanus xanthocorus*](#) Burton, 1978[33]
- [*Tabanus xanthogaster*](#) Philippi, 1865[273]
- [*Tabanus xanthoimus*](#) Philip, 1960[4]
- [*Tabanus xanthomelas*](#) Austen, 1912[236]
- [*Tabanus xanthos*](#) Wang, 1982[46]
- [*Tabanus xanti*](#) Szilády, 1926[10]
- [*Tabanus xenorhynchus*](#) Fairchild, 1947[271]
- [*Tabanus xerodes*](#) Philip, 1967[241]
- [*Tabanus xuezhong*](#) Xu & Guo, 2005[232]
- [*Tabanus xuthopogon*](#) Fairchild, 1985[1]
- [*Tabanus xuthus*](#) Philip, 1960[4]
- [*Tabanus yablonicus*](#) Takagi, 1941
- [*Tabanus yadongensis*](#) Xu & Sun, 2007[262]
- [*Tabanus yaeyamaensis*](#) Hayakawa & Hasegawa, 1981
- [*Tabanus yakuensis*](#) Ôuchi, 1943[320]
- [*Tabanus yanbaruensis*](#) Hayakawa & Yoneyama, 1983
- [*Tabanus yao*](#) Macquart, 1855[219]
- [*Tabanus yasujensis*](#) Ježek, 1981[189]
- [*Tabanus yishanensis*](#) Xu, 1979[181]
- [*Tabanus yoneyamai*](#) Hayakawa, 1984

- [*Tabanus yoshimotoi*](#) Burger, 1991
- [*Tabanus yucatanus*](#) Townsend, 1897[102]
- [*Tabanus yulensis*](#) Röder, 1892[321]
- [*Tabanus yunnanensis*](#) Liu & Wang, 1977[160]
- [*Tabanus zancala*](#) (Philip, 1954)[107]
- [*Tabanus zayaensis*](#) Xu & Sun, 2007[262]
- [*Tabanus zayasi*](#) Cruz & García, 1974[88]
- [*Tabanus zayuensis*](#) Wang, 1982
- [*Tabanus zebrinus*](#) Schuurmans Stekhoven, 1932[54]
- [*Tabanus zeirii*](#) Ježek, 1981[189]
- [*Tabanus zhongpingi*](#) Xu & Guo, 2005[232]
- [*Tabanus zimini*](#) Olsufiev, 1937
- [*Tabanus zodiacus*](#) Burton, 1978[33]
- [*Tabanus zoster*](#) Philip, 1960[4]
- [*Tabanus zoulouensis*](#) (Bigot, 1892)[5]
- [*Tabanus zuhairi*](#) Al-Talafha, Yaakop, Nurul Fatimah & Idris, 2018[322]
- [*Tabanus zummingi*](#) Xu & Sun, 2007[262]
- [*Tabanus zythicolor*](#) Philip, 1936[169]

This is a list of 121 species in [*Systoechus*](#), a genus of bee flies in the family [*Bombyliidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Systoechus* species**

- [*Systoechus aberrans*](#) Hesse, 1938 ^{c g}
- [*Systoechus acridophagus*](#) Hesse, 1938 ^{c g}
- [*Systoechus affinis*](#) Hesse, 1938 ^{c g}
- [*Systoechus albicans*](#) (Macquart, 1846) ^{c g}
- [*Systoechus albidus*](#) Loew, 1860 ^{c g}
- [*Systoechus albipectus*](#) Hesse, 1938 ^{c g}
- [*Systoechus altivolans*](#) Hesse, 1938 ^{c g}
- [*Systoechus anthophilus*](#) Hesse, 1938 ^{c g}
- [*Systoechus arabicus*](#) Greathead, 1980 ^{c g}
- [*Systoechus argyroleucus*](#) Hesse, 1938 ^{c g}
- [*Systoechus argyropogonus*](#) Hesse, 1938 ^{c g}
- [*Systoechus atriceps*](#) Bowden, 1964 ^{c g}
- [*Systoechus audax*](#) Greathead, 1967 ^{c g}
- [*Systoechus aureus*](#) Hesse, 1938 ^{c g}
- [*Systoechus auricomatus*](#) Bowden, 1959 ^{c g}

- [Systoechus aurifacies](#) Greathead, 1958 ^{c g}
- [Systoechus auripilus](#) Hesse, 1938 ^{c g}
- [Systoechus aurulentus](#) (Wiedemann, 1820) ^{c g}
- [Systoechus austeni](#) Bezzi, 1924 ^{c g}
- [Systoechus autumnalis](#) (Pallas & Wiedemann, 1818) ^{c g}
- [Systoechus autumnalis](#) Becker, 1910 ^{c g}
- [Systoechus badipennis](#) Hesse, 1938 ^{c g}
- [Systoechus badius](#) Hesse, 1938 ^{c g}
- [Systoechus bombycinus](#) Hesse, 1938 ^{c g}
- [Systoechus brunnibasis](#) Hesse, 1938 ^{c g}
- [Systoechus brunnipennis](#) (Loew, 1852) ^{c g}
- [Systoechus candidulus](#) Loew, 1863 ^{i c g b}
- [Systoechus candidus](#) Hesse, 1938 ^{c g}
- [Systoechus canescens](#) Hesse, 1938 ^{c g}
- [Systoechus canicapilis](#) Bowden, 1959 ^{c g}
- [Systoechus canipectus](#) Hesse, 1938 ^{c g}
- [Systoechus canus](#) (Macquart, 1840) ^{c g}
- [Systoechus castanealis](#) Greathead, 1996 ^{c g}
- [Systoechus cellularis](#) Bowden, 1959 ^{c g}
- [Systoechus chlamydicterus](#) Hesse, 1938 ^{c g}
- [Systoechus chrystallinus](#) Bezzi, 1924 ^{c g}
- [Systoechus claripennis](#) (Macquart, 1840) ^c
- [Systoechus croceipilus](#) Greathead, 1980 ^{c g}
- [Systoechus ctenopterus](#) (Mikan, 1976) ^{c g}
- [Systoechus damarensis](#) Hesse, 1938 ^{c g}
- [Systoechus deceptus](#) Hesse, 1938 ^{c g}
- [Systoechus eremophilus](#) Hesse, 1936 ^{c g}
- [Systoechus eupogonatus](#) Bigot, 1892 ^{c g}
- [Systoechus exiguus](#) Hesse, 1938 ^{c g}
- [Systoechus exilipes](#) Bezzi, 1923 ^{c g}
- [Systoechus faustus](#) Hesse, 1938 ^{c g}
- [Systoechus flavicapillis](#) Bowden, 1959 ^{c g}
- [Systoechus flavospinosus](#) Brunetti, 1920 ^{c g}
- [Systoechus fuligineus](#) Loew, 1863 ^{c g}
- [Systoechus fumipennis](#) Painter, 1962 ^{i c g}
- [Systoechus fumitinctus](#) Hesse, 1938 ^{c g}

- [Systoechus fusciventris](#) Hesse, 1938 ^{c g}
- [Systoechus goliath](#) Bezzi, 1922 ^{c g}
- [Systoechus gomezmenori](#) Andreu Rubio, 1959 ^{c g}
- [Systoechus gradatus](#) (Wiedemann, 1820) ^{c g}
- [Systoechus grandis](#) Paramonov, 1940 ^{c g}
- [Systoechus heteropogon](#) Bowden, 1959 ^{c g}
- [Systoechus horridus](#) Greathead, 1980 ^{c g}
- [Systoechus inordinatus](#) Hesse, 1938 ^{c g}
- [Systoechus kalaharicus](#) Hesse, 1936 ^{c g}
- [Systoechus lacus](#) Bowden, 1964 ^{c g}
- [Systoechus laevifrons](#) (Loew, 1855) ^{c g}
- [Systoechus leoninus](#) Bowden, 1964 ^{c g}
- [Systoechus leucostictus](#) Hesse, 1938 ^{c g}
- [Systoechus lightfooti](#) Hesse, 1938 ^{c g}
- [Systoechus litoralis](#) Bowden, 1964 ^{c g}
- [Systoechus longirostris](#) Becker, 1916 ^{c g}
- [Systoechus lucidus](#) (Loew, 1855) ^{c g}
- [Systoechus marshalli](#) Paramonov, 1931 ^{c g}
- [Systoechus melanpogon](#) Bezzi, 1912 ^{c g}
- [Systoechus mentiens](#) Bezzi, 1924 ^{c g}
- [Systoechus microcephalus](#) (Loew, 1855) ^{c g}
- [Systoechus mixtus](#) (Wiedemann, 1821) ^{c g}
- [Systoechus montanus](#) Hesse, 1938 ^{c g}
- [Systoechus monticolanus](#) Hesse, 1938 ^{c g}
- [Systoechus montuosus](#) Greathead, 1967 ^{c g}
- [Systoechus namaquensis](#) Hesse, 1938 ^{c g}
- [Systoechus neglectus](#) Hesse, 1938 ^{c g}
- [Systoechus nigribarbus](#) (Loew, 1852) ^{c g}
- [Systoechus nigripes](#) Loew, 1863 ^{c g}
- [Systoechus nivalis](#) Brunetti, 1912 ^{c g}
- [Systoechus niveicomatus](#) Bowden, 1959 ^{c g}
- [Systoechus oreas](#) Osten Sacken, 1877 ^{i c g b}
- [Systoechus pallidipilosus](#) Austen, 1937 ^{c g}
- [Systoechus pallidulus](#) (Walker, 1849) ^{c g}
- [Systoechus phaeopterus](#) Bezzi, 1924 ^{c g}
- [Systoechus polioleucus](#) Hesse, 1938 ^{c g}

- [*Systoechus poweri*](#) Hesse, 1938 ^{c g}
- [*Systoechus pumilio*](#) Becker, 1915 ^{c g}
- [*Systoechus pumilo*](#) Becker, 1915 ^g
- [*Systoechus quasiminimus*](#) Evenhuis & Greathead, 1999 ^{c g}
- [*Systoechus rhodesianus*](#) Hesse, 1938 ^{c g}
- [*Systoechus robustus*](#) Bezzi, 1921 ^{c g}
- [*Systoechus rudebecki*](#) Hesse, 1955 ^{c g}
- [*Systoechus salticola*](#) Hesse, 1938 ^{c g}
- [*Systoechus scabrrostris*](#) Bezzi, 1921 ^{c g}
- [*Systoechus scutellaris*](#) (Wiedemann, 1828) ^c
- [*Systoechus scutellatus*](#) (Macquart, 1840) ^{c g}
- [*Systoechus segetus*](#) Bowden, 1964 ^{c g}
- [*Systoechus silvaticus*](#) Hesse, 1938 ^{c g}
- [*Systoechus simplex*](#) Loew, 1860 ^{c g}
- [*Systoechus sinaiticus*](#) Efflatoun, 1945 ^{c g}
- [*Systoechus socius*](#) (Walker, 1852) ^{c g}
- [*Systoechus solitus*](#) (Walker, 1849) ^{i c b}
- [*Systoechus somali*](#) Oldroyd, 1947 ^{c g}
- [*Systoechus spinithorax*](#) Bezzi, 1921 ^{c g}
- [*Systoechus srilankae*](#) Zaitzev, 1988 ^{c g}
- [*Systoechus stenssoni*](#) Hesse, 1938 ^{c g}
- [*Systoechus subcontiguus*](#) Hesse, 1938 ^{c g}
- [*Systoechus submicans*](#) Greathead, 1980 ^{c g}
- [*Systoechus subulinus*](#) Bowden, 1964 ^{c g}
- [*Systoechus tesquorum*](#) Becker, 1916 ^{c g}
- [*Systoechus titan*](#) Greathead, 1996 ^{c g}
- [*Systoechus transvaalensis*](#) Hesse, 1938 ^{c g}
- [*Systoechus tumidifrons*](#) Bezzi, 1921 ^{c g}
- [*Systoechus ventricosus*](#) Bezzi, 1921 ^{c g}
- [*Systoechus vulgaris*](#) Loew, 1863 ^{i c g b} (grasshopper bee fly)
- [*Systoechus vulpinus*](#) Becker, 1910 ^{c g}
- [*Systoechus waltoni*](#) Hesse, 1938 ^{c g}
- [*Systoechus xanthoplocamus*](#) Francois, 1964 ^{c g}
- [*Systoechus xerophilus*](#) Hesse, 1938 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species belong to [*Synopeas*](#), a genus of parasitoid wasps in the family [*Platygastridae*](#).[\[1\]\[2\]\[3\]](#)
[\[4\]](#)

Synopeas species

- [*Synopeas abaris*](#) (Walker, 1836)
- [*Synopeas abominator*](#) (Fouts, 1925)
- [*Synopeas aciculatum*](#) (Fouts, 1924)
- [*Synopeas acuminatum*](#) Kieffer, 1916
- [*Synopeas acuticornis*](#) Buhl, 2003
- [*Synopeas acutispinus*](#) Buhl, 1998
- [*Synopeas acutiventris*](#) Buhl, 1997
- [*Synopeas affine*](#) (Nees von Esenbeck, 1834)
- [*Synopeas affinis*](#) (Nees, 1834)
- [*Synopeas africanus*](#) Buhl, 2004
- [*Synopeas alatus*](#) Buhl, 2004
- [*Synopeas amandae*](#) Awad, 2021
- [*Synopeas anderssoni*](#) Buhl, 2013
- [*Synopeas angustulum*](#) (Fouts, 1925)
- [*Synopeas anomaliventre*](#) (Ashmead, 1887)
- [*Synopeas anunu*](#) Awad, 2021
- [*Synopeas argentinensis*](#) Buhl, 2004
- [*Synopeas ashmeadii*](#) Dalla Torre, 1898
- [*Synopeas athenaeum*](#) (Walker, 1839)
- [*Synopeas atturens*](#) Mukerjee, 1981
- [*Synopeas auripes*](#) (Ashmead, 1893)
- [*Synopeas autumnalis*](#) Buhl, 1998
- [*Synopeas balabacensis*](#) Buhl, 1997
- [*Synopeas bengalense*](#) Mukerjee, 1978
- [*Synopeas bialowiezaensis*](#) Buhl, 2005
- [*Synopeas bicolor*](#) Sundholm, 1970
- [*Synopeas bifoveatum*](#) (Kieffer, 1912)
- [*Synopeas bifurcatus*](#) Buhl, 2001
- [*Synopeas blascoi*](#) Buhl, 1998
- [*Synopeas bohemani*](#) Buhl, 1998
- [*Synopeas bradleyi*](#) (Fouts, 1924)
- [*Synopeas breve*](#) Buhl, 1998
- [*Synopeas brevis*](#) Buhl, 1998
- [*Synopeas breviventre*](#) (Ashmead, 1893)
- [*Synopeas butterilli*](#) Buhl, 2013
- [*Synopeas calecai*](#) Buhl & Asadi, 2021 [\[5\]](#)
- [*Synopeas carinator*](#) (Fouts, 1925)
- [*Synopeas carinifrons*](#) Buhl, 2001

- [*Synopeas carpentieri*](#) Kieffer, 1916
- [*Synopeas chica*](#) Buhl, 2004
- [*Synopeas chinensis*](#) Buhl, 2007
- [*Synopeas ciliatum*](#) Thomson, 1859
- [*Synopeas codex*](#) Awad, 2021
- [*Synopeas collinus*](#) Choi & Buhl, 2006
- [*Synopeas compressiventris*](#) (Szabó, 1981)
- [*Synopeas congoanum*](#) (Risbec, 1958)
- [*Synopeas convexum*](#) Thomson, 1859
- [*Synopeas crassiceps*](#) Buhl, 1997
- [*Synopeas craterum*](#) (Walker, 1836)
- [*Synopeas cryptus*](#) Buhl, 2004
- [*Synopeas csoszi*](#) Buhl, 2004
- [*Synopeas curvicauda*](#) (Förster, 1856)
- [*Synopeas cynipsiphilum*](#) (Ashmead, 1887)
- [*Synopeas cynipsoides*](#) Buhl, 2004
- [*Synopeas daucicola*](#) Kieffer, 1916
- [*Synopeas decumbens*](#) Buhl, 1997
- [*Synopeas decurvatum*](#) (Nees von Esenbeck, 1834)
- [*Synopeas dentiscutellaris*](#) (Szabó, 1979)
- [*Synopeas dentiscutum*](#) (Szabó, 1981)
- [*Synopeas discoideus*](#) Buhl, 2005
- [*Synopeas doczkali*](#) Buhl, 2010
- [*Synopeas donizettii*](#) Vlug, 1995
- [*Synopeas dravedensis*](#) Buhl, 2004
- [*Synopeas dubiosum*](#) (Fouts, 1925)
- [*Synopeas epigeios*](#) Buhl, 2006
- [*Synopeas esenbecki*](#) Buhl, 1999
- [*Synopeas eugeniae*](#) Kieffer & Herbst, 1911
- [*Synopeas euryale*](#) (Walker, 1836)
- [*Synopeas figitiformis*](#) Thomson, 1859
- [*Synopeas flavicorne*](#) (Ashmead, 1893)
- [*Synopeas flavipes*](#) Ashmead, 1896
- [*Synopeas floridanum*](#) (Ashmead, 1893)
- [*Synopeas fluminale*](#) Yamagishi, 1980
- [*Synopeas fontali*](#) Buhl, 2002
- [*Synopeas forshagei*](#) Buhl, 2006
- [*Synopeas foutsii*](#) Masner, 1967
- [*Synopeas frontale*](#) Buhl, 2010
- [*Synopeas frontalis*](#) Buhl, 1998
- [*Synopeas fulvimanus*](#) Buhl, 2004
- [*Synopeas fungorum*](#) Buhl, 2000

- [*Synopeas fuscicola*](#) Box, 1921
- [*Synopeas fuscus*](#) Buhl, 1998
- [*Synopeas gallicola*](#) Kieffer, 1916
- [*Synopeas gastralis*](#) Buhl, 2001
- [*Synopeas gibberosus*](#) Buhl, 1997
- [*Synopeas globatum*](#) (Fouts, 1924)
- [*Synopeas goengeti*](#) Buhl, 1997
- [*Synopeas gracilicorne*](#) Kieffer, 1916
- [*Synopeas gracilicornis*](#) Kieffer, 1916
- [*Synopeas grenadense*](#) (Ashmead, 1896)
- [*Synopeas guatemalae*](#) Buhl, 2003
- [*Synopeas hakonense*](#) (Ashmead, 1904)
- [*Synopeas haladai*](#) Buhl, 2007
- [*Synopeas hansseni*](#) Buhl, 1998
- [*Synopeas hastatus*](#) Buhl, 2002
- [*Synopeas hopkinsi*](#) (Crawford & Bradley, 1911)
- [*Synopeas howardii*](#) (Ashmead, 1888)
- [*Synopeas hyllus*](#) (Walker, 1836)
- [*Synopeas ibadanensis*](#) Buhl, 2004
- [*Synopeas idarniforme*](#) (Dodd, 1916)
- [*Synopeas ilsei*](#) Vlug, 1995
- [*Synopeas incertum*](#) (Ashmead, 1887)
- [*Synopeas indicum*](#) Mani, 1975
- [*Synopeas indopeninsulare*](#) Mani, 1975
- [*Synopeas inerme*](#) Thomson, 1859
- [*Synopeas inermis*](#) Thomson, 1859
- [*Synopeas inquilinum*](#) Kieffer, 1904
- [*Synopeas insulare*](#) (Ashmead, 1894)
- [*Synopeas intermedius*](#) Buhl, 2003
- [*Synopeas involutum*](#) Kieffer, 1916
- [*Synopeas isus*](#) (Walker, 1839)
- [*Synopeas iteobia*](#) Kieffer, 1916
- [*Synopeas japonicum*](#) (Ashmead, 1904)
- [*Synopeas jasium*](#) (Walker, 1836)
- [*Synopeas johansonii*](#) Buhl, 2015
- [*Synopeas kalubia*](#) Awad, 2021
- [*Synopeas kanwonensis*](#) Buhl, 2006
- [*Synopeas kaszabi*](#) Buhl, 2004
- [*Synopeas kiki*](#) Awad, 2021
- [*Synopeas kimi*](#) Choi & Buhl, 2006
- [*Synopeas kira*](#) Awad, 2021
- [*Synopeas klingunculum*](#) Awad, 2021

- [*Synopeas koponeni*](#) Buhl, 2003
- [*Synopeas koreana*](#) Buhl, 2006
- [*Synopeas kovacsi*](#) Buhl, 2004
- [*Synopeas larides*](#) (Walker, 1836)
- [*Synopeas leda*](#) (Walker, 1839)
- [*Synopeas lemkaensis*](#) Buhl, 1997
- [*Synopeas leroyi*](#) (Risbec, 1958)
- [*Synopeas leve*](#) Fouts, 1935
- [*Synopeas levis*](#) Fouts, 1934
- [*Synopeas longifuniculus*](#) Buhl, 2002
- [*Synopeas longiventre*](#) (Ashmead, 1893)
- [*Synopeas lugubre*](#) Thomson, 1859
- [*Synopeas lugubris*](#) Thomson, 1859
- [*Synopeas luli*](#) Awad, 2021
- [*Synopeas luteolipes*](#) Buhl, 1997
- [*Synopeas luzonicum*](#) (Ashmead, 1905)
- [*Synopeas macrurus*](#) (Ashmead, 1896)
- [*Synopeas maculipes*](#) (Ashmead, 1887)
- [*Synopeas madagascariense*](#) (Risbec, 1953)
- [*Synopeas madridiana*](#) Buhl, 2001
- [*Synopeas magnussoni*](#) Buhl, 2010
- [*Synopeas mahunkai*](#) Buhl, 2006
- [*Synopeas mangiferae*](#) Austin, 1984
- [*Synopeas marttii*](#) Buhl, 2004
- [*Synopeas maximum*](#) Awad & Talamas, 2023 [6]
- [*Synopeas mazumbaiense*](#) Buhl & MS, 2008
- [*Synopeas melampus*](#) Förster, 1861
- [*Synopeas meridionalis*](#) Brues, 1922
- [*Synopeas millefolii*](#) (Kieffer, 1913)
- [*Synopeas minor*](#) (Brues, 1922)
- [*Synopeas mongolicus*](#) Buhl, 2004
- [*Synopeas montanus*](#) Buhl, 1997
- [*Synopeas monticola*](#) (Kieffer, 1910)
- [*Synopeas mucronatum*](#) (Ratzeburg, 1852)
- [*Synopeas mukerjeei*](#) Buhl, 1997
- [*Synopeas muticum*](#) (Nees von Esenbeck, 1834)
- [*Synopeas myles*](#) (Walker, 1836)
- [*Synopeas neglectus*](#) Buhl, 2004
- [*Synopeas nepalense*](#) Mukerjee, 1981
- [*Synopeas nervicola*](#) Kieffer, 1916
- [*Synopeas nervorum*](#) Kieffer, 1916
- [*Synopeas neurolasiopterae*](#) Brèthes, 1922

- [*Synopeas neuroteri*](#) Kieffer, 1916
- [*Synopeas nievesaldreyi*](#) Buhl, 2002
- [*Synopeas nigeriana*](#) Buhl, 2004
- [*Synopeas nigerrimum*](#) Sundholm, 1970
- [*Synopeas nigripes*](#) Ashmead, 1893
- [*Synopeas nigriscapis*](#) Förster, 1861
- [*Synopeas nigroides*](#) Buhl, 2001
- [*Synopeas nottoni*](#) Buhl, 2009
- [*Synopeas noyesi*](#) Buhl, 2009
- [*Synopeas obesus*](#) Buhl, 2001
- [*Synopeas occultum*](#) Awad, 2021
- [*Synopeas opacum*](#) Thomson, 1859
- [*Synopeas osaces*](#) (Walker, 1836)
- [*Synopeas osgoodi*](#) MacGown, 1974
- [*Synopeas otiosum*](#) Kieffer, 1924
- [*Synopeas palawanensis*](#) Buhl, 1997
- [*Synopeas pallescens*](#) Buhl, 1997
- [*Synopeas pallidicornis*](#) Buhl, 2006
- [*Synopeas panamaensis*](#) Buhl, 2002
- [*Synopeas paolii*](#) Fouts, 1934
- [*Synopeas pattiae*](#) Awad, 2021
- [*Synopeas pauliani*](#) (Risbec, 1957)
- [*Synopeas pennsylvanicum*](#) (Fouts, 1924)
- [*Synopeas pinnei*](#) Buhl, 2009
- [*Synopeas pisi*](#) (Förster, 1856)
- [*Synopeas planiscutellum*](#) Buhl, 1997
- [*Synopeas pleuralis*](#) Buhl, 2004
- [*Synopeas polaszeki*](#) Buhl, 2004
- [*Synopeas procerus*](#) Buhl, 2005
- [*Synopeas procon*](#) Austin, 1984
- [*Synopeas prospectum*](#) Förster, 1861
- [*Synopeas psychotriae*](#) Buhl, 2013
- [*Synopeas pterocarpi*](#) Buhl, 2013
- [*Synopeas pubescens*](#) (Ashmead, 1893)
- [*Synopeas pulupulu*](#) Awad, 2021
- [*Synopeas pumilus*](#) Buhl & Choi, 2006
- [*Synopeas punctatum*](#) (Ashmead, 1893)
- [*Synopeas punctigaster*](#) (Szabó, 1981)
- [*Synopeas queenslandicus*](#) Buhl, 2004
- [*Synopeas raphanistri*](#) Kieffer, 1916
- [*Synopeas rectum*](#) (Ratzeburg, 1852)
- [*Synopeas recurvatus*](#) Buhl, 2003

- [*Synopeas reticulatifrons*](#) Buhl, 2002
- [*Synopeas reticulatum*](#) (Szabó, 1966)
- [*Synopeas rhane*](#) (Walker, 1836)
- [*Synopeas rhanis*](#) (Walker, 1836)
- [*Synopeas rigidicornis*](#) Förster, 1861
- [*Synopeas rionegroensis*](#) Buhl, 2004
- [*Synopeas robustus*](#) Buhl, 2004
- [*Synopeas romsoeense*](#) Buhl, 1999
- [*Synopeas romsoeensis*](#) Buhl, 1999
- [*Synopeas roncavei*](#) Awad, 2021
- [*Synopeas ronquisti*](#) Buhl, 2010
- [*Synopeas royi*](#) Buhl, 2001
- [*Synopeas ruficoxa*](#) Buhl, 2006
- [*Synopeas rufipes*](#) (Ashmead, 1894)
- [*Synopeas rufiscapus*](#) Ashmead, 1893
- [*Synopeas rugiceps*](#) Ashmead
- [*Synopeas rugosiceps*](#) (Kieffer, 1926)
- [*Synopeas russelli*](#) MacGown, 2003
- [*Synopeas saccharale*](#) (Dodd, 1916)
- [*Synopeas saintexuperyi*](#) Buhl, 1997
- [*Synopeas salice*](#) Szelényi, 1940
- [*Synopeas salicicola*](#) (Kieffer, 1916)
- [*Synopeas salicis*](#) Szelenyi, 1940
- [*Synopeas sanga*](#) Awad, 2021
- [*Synopeas saopaulensis*](#) Buhl, 2004
- [*Synopeas sculpturatum*](#) Buhl, 1997
- [*Synopeas seychellense*](#) (Kieffer, 1912)
- [*Synopeas soederlundi*](#) Buhl, 2005
- [*Synopeas solidus*](#) Buhl, 2001
- [*Synopeas solomonensis*](#) Buhl, 1997
- [*Synopeas sose*](#) (Walker, 1836)
- [*Synopeas sosis*](#) (Walker, 1836)
- [*Synopeas spinifer*](#) Kozlov, 1978
- [*Synopeas spiniferum*](#) Kozlov, 1978
- [*Synopeas spinulus*](#) Buhl, 2004
- [*Synopeas srilankensis*](#) Buhl, 2003
- [*Synopeas stigenbergae*](#) Buhl, 2013
- [*Synopeas striatifrons*](#) (Ashmead, 1893)
- [*Synopeas striatitergitis*](#) Buhl, 2004
- [*Synopeas striatum*](#) (Risbec, 1958)
- [*Synopeas subaequale*](#) (Förster, 1856)
- [*Synopeas subaequalis*](#) (Foerster, 1856)

- [Synopeas substrigosus](#) Buhl, 2006
- [Synopeas subtilis](#) Buhl, 2004
- [Synopeas sundholmi](#) Buhl, 2005
- [Synopeas suomiana](#) Buhl, 2003
- [Synopeas talhouki](#) Vlug, 1976
- [Synopeas tarsa](#) (Walker, 1836)
- [Synopeas temporale](#) Austin, 1984
- [Synopeas texanum](#) (Fouts, 1925)
- [Synopeas thersippus](#) (Walker, 1839)
- [Synopeas thorkildi](#) Buhl, 2004
- [Synopeas thysanus](#) Kozlov, 1978
- [Synopeas tosticola](#) Kozlov
- [Synopeas toto](#) Awad, 2021
- [Synopeas trebium](#) (Walker, 1836)
- [Synopeas tripartitum](#) (Kieffer, 1917)
- [Synopeas tropicus](#) Buhl, 1997
- [Synopeas tuberosum](#) Sundholm, 1970
- [Synopeas valavala](#) Awad, 2021
- [Synopeas varipes](#) (Harrington, 1900)
- [Synopeas velutinum](#) (Walker, 1836)
- [Synopeas ventrale](#) (Westwood, 1833)
- [Synopeas ventricosus](#) Buhl, 1997
- [Synopeas vulgaris](#) Buhl, 2004
- [Synopeas wangsjoii](#) Buhl, 2009
- [Synopeas wasmanni](#) Kieffer, 1916
- [Synopeas weaveri](#) Buhl, 2001
- [Synopeas xanthopus](#) Kieffer, 1913
- [Synopeas xenarchus](#) (Walker, 1839)
- [Synopeas yanagi](#) Yamagishi, 1980
- [Synopeas zaitama](#) Yoshida & Hirashima, 1979
- [Synopeas zhangii](#) Awad, 2021
- [Synopeas zomborii](#) Buhl, 2004

This is a list of 165 species in [Syneches](#), a genus of hybotid dance flies in the family [Hybotidae](#).^[1]

Syneches species

- [Syneches acutatus](#) Saigusa & Yang, 2003^[2]
- [Syneches albonotatus](#) Loew, 1862^[3]
- [Syneches amamiensis](#) Saigusa, 1964

- [*Syneches amazonicus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches amorimi*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches ancistroides*](#) Li, Zhang & Yang, 2007[6]
- [*Syneches angulatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches annulipes*](#) Bezzi, 1909[7]
- [*Syneches apiciflavus*](#) Yang, Yang & Hu, 2002[8]
- [*Syneches applanatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches armatus*](#) Melander, 1928[9]
- [*Syneches astigma*](#) Wang, Wang & Yang, 2014[10]
- [*Syneches ater*](#) Melander, 1928[9]
- [*Syneches atratus*](#) Soares & Ale-Rocha, 2018[11]
- [*Syneches bakeri*](#) Melander, 1928[9]
- [*Syneches baotianmana*](#) Yang, Wang, Zhu & Zhang, 2010[12]
- [*Syneches barrettoii*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches barypterus*](#) Melander, 1928[9]
- [*Syneches basiniger*](#) Yang & Wang, 1998[13]
- [*Syneches bicolor*](#) (Walker, 1859)[14]
- [*Syneches bicornutus*](#) Yang & Yang, 2004[15]
- [*Syneches bigoti*](#) Bezzi, 1904[16]
- [*Syneches bilobatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches boettcheri*](#) Frey, 1938
- [*Syneches brevispinus*](#) Collin, 1929
- [*Syneches brunettii*](#) Smith, 1975[17]
- [*Syneches calodromius*](#) Frey, 1938
- [*Syneches capensis*](#) Smith, 1969[18]
- [*Syneches catarinae*](#) Smith, 1962[19]
- [*Syneches claripilosus*](#) Saigusa, 1964
- [*Syneches curvineura*](#) Melander, 1928[9]
- [*Syneches curvipes*](#) (Fabricius, 1805)[20]
- [*Syneches debilis*](#) Coquillett, 1895[21]
- [*Syneches deficiens*](#) (Walker, 1859)[22]
- [*Syneches deformitarsis*](#) Saigusa, 1964
- [*Syneches devius*](#) Collin, 1929
- [*Syneches dictyophorus*](#) Bezzi, 1904[16]
- [*Syneches dichogenus*](#) Melander, 1928[9]
- [*Syneches dichrous*](#) Bezzi, 1909[7]
- [*Syneches digitatus*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches dinoscelis*](#) Bezzi, 1904[16]
- [*Syneches distinctus*](#) Wang, Wang & Yang, 2014[10]
- [*Syneches dominicanus*](#) Ale-Rocha & Rafael, 2004[23]
- [*Syneches duplex*](#) Melander, 1928[9]
- [*Syneches elegans*](#) Frey, 1938

- [*Syneches elevatus* Bezzi, 1908\[24\]](#)
- [*Syneches equatoriensis* Menzes & Ale-Rocha, 2016\[4\]](#)
- [*Syneches eustylatus* \(Bigot, 1889\)\[25\]](#)
- [*Syneches exilis* Menzes & Ale-Rocha, 2016\[4\]](#)
- [*Syneches fasciatus* Soares, Freitas-Silva & Ale-Rocha, 2021\[5\]](#)
- [*Syneches ferrugineus* \(Walker, 1860\)\[26\]](#)
- [*Syneches fijiensis* Yang & Yao, 2007\[27\]](#)
- [*Syneches flavicoxa* Wang, Wang & Yang, 2014\[10\]](#)
- [*Syneches flavipalpis* Saigusa, 1964](#)
- [*Syneches flavipes* \(Brunetti, 1913\)\[28\]](#)
- [*Syneches flaviscutellatus* Soares, Freitas-Silva & Ale-Rocha, 2021\[5\]](#)
- [*Syneches flavithorax* Ale-Rocha, 2016\[29\]](#)
- [*Syneches flavitibia* Wang, Wang & Yang, 2014\[10\]](#)
- [*Syneches fratellus* Brunetti, 1913\[28\]](#)
- [*Syneches frosti* Wilder, 1974](#)
- [*Syneches fujianensis* Yang & Yang, 2003\[30\]](#)
- [*Syneches fuliginosus* Meijere, 1916\[31\]](#)
- [*Syneches furcatus* Saigusa & Yang, 2003\[2\]](#)
- [*Syneches fuscescens* Bezzi, 1909\[7\]](#)
- [*Syneches fuscipennis* \(Brunetti, 1913\)\[28\]](#)
- [*Syneches fuscus* Soares, Freitas-Silva & Ale-Rocha, 2021\[5\]](#)
- [*Syneches graminis* Smith, 1969\[18\]](#)
- [*Syneches grandis* Frey, 1953\[32\]](#)
- [*Syneches quangdongensis* Yang & Grootaert, 2004\[33\]](#)
- [*Syneches quangxiensis* Yang, 2007\[34\]](#)
- [*Syneches quizhouensis* Yang & Yang, 1988\[35\]](#)
- [*Syneches handschini* Frey, 1938](#)
- [*Syneches helvolus* Frey, 1917](#)
- [*Syneches henanensis* \(Saigusa & Yang, 2003\)\[2\]](#)
- [*Syneches hirashimai* Saigusa, 1990](#)
- [*Syneches hispidus* Ale-Rocha & Vieira, 2008\[36\]](#)
- [*Syneches hyalinus* Coquillett, 1895\[21\]](#)
- [*Syneches hyalopterus* Bezzi, 1904\[16\]](#)
- [*Syneches immaculatus* Brunetti, 1913\[28\]](#)
- [*Syneches indistinctus* Wang, Wang & Yang, 2014\[10\]](#)
- [*Syneches inversus* Curran, 1928](#)
- [*Syneches jamaicensis* Wilder, 1974\[37\]](#)
- [*Syneches jardinei* Senior-White, 1924](#)
- [*Syneches jauensis* Ale-Rocha & Vieira, 2008\[36\]](#)
- [*Syneches lachaisei* Charbonnel, 1998](#)
- [*Syneches latus* Yang & Grootaert, 2004\[33\]](#)
- [*Syneches leonensis* Raffone, 1994](#)

- [*Syneches lii*](#) Yang, Wang, Zhu & Zhang, 2010[12]
- [*Syneches limaeirai*](#) Soares & Ale-Rocha, 2018[11]
- [*Syneches lividus*](#) Melander, 1928[9]
- [*Syneches loici*](#) Charbonnel & Daugeron, 2000
- [*Syneches longiflagellatus*](#) Ale-Rocha & Vieira, 2008[36]
- [*Syneches longipennis*](#) Melander, 1902[38]
- [*Syneches longistigma*](#) Frey, 1938
- [*Syneches longiventris*](#) Melander, 1928[9]
- [*Syneches luanchuanensis*](#) Yang & Wang, 1998[13]
- [*Syneches luctifer*](#) Bezzi, 1912[39]
- [*Syneches luzonicus*](#) Frey, 1938
- [*Syneches macrochaetosus*](#) Wilder, 1974[37]
- [*Syneches macrothele*](#) Smith, 1969[18]
- [*Syneches maculatus*](#) (Matsumura, 1916)[40]
- [*Syneches maculithorax*](#) Senior-White, 1924
- [*Syneches maculosum*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches mamillosus*](#) Smith, 1969[18]
- [*Syneches manaos*](#) Smith, 1962[19]
- [*Syneches maoershanensis*](#) Yang, 2007[34]
- [*Syneches mars*](#) Garrett Jones, 1940[41]
- [*Syneches matemus*](#) Curran, 1936[42]
- [*Syneches matilei*](#) Charbonnel, 1998
- [*Syneches medinai*](#) Wilder, 1974[37]
- [*Syneches medoganus*](#) Zhao, Ding, Lin & Yang, 2020[43]
- [*Syneches minor*](#) Bezzi, 1904[16]
- [*Syneches minutus*](#) Brunetti, 1913[28]
- [*Syneches miyamotoi*](#) Saigusa, 1964
- [*Syneches moraballi*](#) Smith, 1963[44]
- [*Syneches muscarius*](#) (Fabricius, 1794)[45]
- [*Syneches nankunshanensis*](#) Li, Zhang & Yang, 2007[6]
- [*Syneches nanlingensis*](#) Yang & Grootaert, 2007[46]
- [*Syneches natalensis*](#) (Bigot, 1889)[47]
- [*Syneches nebulosus*](#) Loew, 1858[48]
- [*Syneches neptunus*](#) Garrett Jones, 1940[41]
- [*Syneches nigrescens*](#) Shi, Yao & Yang, 2014[49]
- [*Syneches nigrinus*](#) Collin, 1941[50]
- [*Syneches nigriritibia*](#) Zhao, Ding, Lin & Yang, 2020[43]
- [*Syneches nordestino*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches obeliscus*](#) Bezzi, 1909[7]
- [*Syneches oedicornis*](#) Bezzi, 1928[51]
- [*Syneches pallidicornis*](#) Frey, 1938
- [*Syneches palliditarsis*](#) Brunetti, 1913[28]

- [*Syneches pallidus*](#) Wilder, 1974[37]
- [*Syneches peradeniyae*](#) Senior-White, 1924
- [*Syneches periscelis*](#) Melander, 1928[9]
- [*Syneches phaeopterus*](#) Bezzi, 1905[52]
- [*Syneches planiceps*](#) Melander, 1928[9]
- [*Syneches platybregmus*](#) Quate, 1960[53]
- [*Syneches plaumanni*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches polleti*](#) Ale-Rocha, 2016[29]
- [*Syneches praestans*](#) Bezzi, 1912[39]
- [*Syneches prmissimus*](#) Garrett Jones, 1940[41]
- [*Syneches pulliginis*](#) Collin, 1941[50]
- [*Syneches pullus*](#) Bezzi, 1912[39]
- [*Syneches pusillus*](#) Loew, 1861[54]
- [*Syneches pyramidatus*](#) Bezzi, 1905[52]
- [*Syneches quadraginta*](#) Garrett Jones, 1940[41]
- [*Syneches quadrangularis*](#) Wheeler & Melander, 1901[55]
- [*Syneches rafaeli*](#) Ale-Rocha & Vieira, 2008[36]
- [*Syneches repletus*](#) Bezzi, 1909[7]
- [*Syneches ruficollis*](#) (Walker, 1852)[56]
- [*Syneches rufitibia*](#) Frey, 1953[32]
- [*Syneches rufus*](#) Loew, 1861[54]
- [*Syneches rusticus*](#) Brunetti, 1913[28]
- [*Syneches semibrunnea*](#) Mejjere, 1911[57]
- [*Syneches semihelvolus*](#) Frey, 1938
- [*Syneches serratus*](#) Yang, An & Gao, 2002[58]
- [*Syneches shirozui*](#) Saigusa, 1963
- [*Syneches shumuyuanensis*](#) Li, Zhang & Yang, 2007[6]
- [*Syneches signatus*](#) (Bigot, 1859)[59]
- [*Syneches simplex*](#) Walker, 1852[56]
- [*Syneches sinclairi*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches singularis*](#) Yang & Yang, 2004[15]
- [*Syneches smithi*](#) Soares, Freitas-Silva & Ale-Rocha, 2021[5]
- [*Syneches spinidorsum*](#) Bezzi, 1928[51]
- [*Syneches stigma*](#) (Walker, 1865)[60]
- [*Syneches stigmatalis*](#) Bezzi, 1909[7]
- [*Syneches striatus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches subdeficiens*](#) Frey, 1938
- [*Syneches sublatius*](#) Yang & Grootaert, 2007[46]
- [*Syneches subvittatus*](#) Yang & Yao, 2007[27]
- [*Syneches tenebricus*](#) Menzes & Ale-Rocha, 2016[4]
- [*Syneches thoracicus*](#) (Say, 1823)[61]
- [*Syneches tibetanus*](#) Yang & Yang, 1988[62]

- [*Syneches tomentosus*](#) Smith, 1962[19]
- [*Syneches tuberculitibia*](#) Smith, 1969[18]
- [*Syneches usherae*](#) Smith, 1969[18]
- [*Syneches varipes*](#) (Senior-White, 1924)
- [*Syneches varus*](#) Melander, 1928[9]
- [*Syneches velutinus*](#) Meijere, 1906
- [*Syneches vidali*](#) Ale-Rocha & Vieira, 2008[36]
- [*Syneches vineus*](#) Wilder, 1974[37]
- [*Syneches visinonii*](#) Raffone, 2005[63]
- [*Syneches vittatus*](#) (Walker, 1860)[64]
- [*Syneches vittipleura*](#) Frey, 1938
- [*Syneches walkeri*](#) Smith, 1962[19]
- [*Syneches wangae*](#) Wang, Wang & Yang, 2014[10]
- [*Syneches xanthochromus*](#) Yang & Yang, 1988[62]
- [*Syneches xiaohuangshanensis*](#) Yang & Grootaert, 2007[46]
- [*Syneches xui*](#) Yang & Grootaert, 2004[33]
- [*Syneches zhejiangensis*](#) Yang & Wang, 1998[65]

These 309 species are among more than 700 that belong to the genus [*Strongylium*](#), darkling beetles. [1]
[2]

***Strongylium* species**

- [*Strongylium acraeum*](#) Garrido & Armas, 2012
- [*Strongylium akitai*](#) Masumoto, 1998
- [*Strongylium akiyamai*](#) Masumoto, 2003
- [*Strongylium albopilosum*](#) Gebien, 1913
- [*Strongylium algoense*](#)
- [*Strongylium alishanum*](#) Masumoto, 1981
- [*Strongylium amethystinum*](#)
- [*Strongylium andoi*](#) Masumoto, 1996
- [*Strongylium angustissimum*](#) Pic, 1922
- [*Strongylium anmashanum*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium anthrax*](#) Schwarz
- [*Strongylium apache*](#) Triplehorn & Spilman, 1973
- [*Strongylium atrum*](#) Champion, 1887
- [*Strongylium attapuense*](#) Masumoto & Akita, 2013
- [*Strongylium aulicum*](#)
- [*Strongylium auratopubens*](#) Pic, 1922

- [*Strongylium auratum*](#) (Laporte, 1840)
- [*Strongylium auspicatum*](#)
- [*Strongylium azureum*](#) (Germar, 1823)
- [*Strongylium baetianum*](#) Garrido & Armas, 2012
- [*Strongylium basiclavis*](#) Zayas, 1988
- [*Strongylium becvari*](#) Masumoto, 1998
- [*Strongylium belti*](#) Champion, 1888
- [*Strongylium bicarinatoides*](#) Kaszab
- [*Strongylium bifasciatum*](#) Maklin, 1864
- [*Strongylium bilineatocolle*](#) Pic, 1918
- [*Strongylium bilyi*](#) Masumoto, 1998
- [*Strongylium birmanicum*](#) Masumoto, 1998
- [*Strongylium bivittatum*](#) Champion, 1888
- [*Strongylium blairi*](#) Gebien, 1920
- [*Strongylium bolikhamsaiense*](#) Masumoto & Akita, 2012
- [*Strongylium bremeri*](#) Masumoto, 1998
- [*Strongylium brevipes*](#) Champion, 1888
- [*Strongylium burckhardti*](#) Masumoto, 2003
- [*Strongylium caelatum*](#)
- [*Strongylium canaliculatum*](#) Champion, 1887
- [*Strongylium carbonarium*](#) Gebien, 1913
- [*Strongylium carinipenne*](#) Champion, 1888
- [*Strongylium carinulatum*](#) Mäklin, 1864
- [*Strongylium cayennense*](#) Mäklin, 1864
- [*Strongylium chalcopterum*](#) Mäklin, 1864
- [*Strongylium champasakense*](#) Masumoto & Akita, 2013
- [*Strongylium championi*](#) Gebien, 1948
- [*Strongylium Chiangdaoense*](#) Masumoto, 1996
- [*Strongylium chihpenense*](#) Masumoto, 2005c
- [*Strongylium chiriquense*](#) Champion, 1887
- [*Strongylium chontalense*](#) Champion, 1887
- [*Strongylium chutungense*](#) Masumoto, 2005c
- [*Strongylium cicindeliforme*](#) Masumoto, 1998
- [*Strongylium clauda*](#) (Gebien, 1913)
- [*Strongylium clavicorne*](#) Champion, 1893
- [*Strongylium cochinchinense*](#) Masumoto, 1997
- [*Strongylium coeruleipes*](#) Pic, 1940
- [*Strongylium colombianum*](#) Champion, 1888
- [*Strongylium compactum*](#)
- [*Strongylium conradti*](#) Champion, 1893
- [*Strongylium costaricense*](#) Champion, 1888
- [*Strongylium costipenne*](#) Mäklin, 1864

- [*Strongylium crassicorne*](#) Champion, 1887
- [*Strongylium crenatum*](#) Maklin
- [*Strongylium crockerense*](#) Masumoto, 1997
- [*Strongylium crurale*](#) Fairmaire, 1893
- [*Strongylium cultellatum*](#)
- [*Strongylium cupeyal*](#) Zayas, 1988
- [*Strongylium cupricolle*](#) Mäklin, 1864
- [*Strongylium cuproso*](#) Garrido, 2004
- [*Strongylium curticorne*](#) Champion, 1888
- [*Strongylium cyaneomaculatum*](#) Pic, 1918
- [*Strongylium cyaneum*](#)
- [*Strongylium delauneyi*](#) Fleutiaux
- [*Strongylium dembickyi*](#) Masumoto, 1998
- [*Strongylium dentatum*](#) Champion, 1887
- [*Strongylium dilutipes*](#) Masumoto & Akita, 2011
- [*Strongylium discrepans*](#)
- [*Strongylium doipuiense*](#) Masumoto, 1996
- [*Strongylium doisuthepense*](#) Masumoto, 1996
- [*Strongylium elongatum*](#) Garrido & Armas, 2012
- [*Strongylium emasense*](#) Masumoto & Akita, 2011
- [*Strongylium endoi*](#) Masumoto, 1982
- [*Strongylium erraticum*](#) Champion, 1888
- [*Strongylium erythrocephalum*](#) (Fabricius, 1801)
- [*Strongylium erythropterum*](#) Mäklin, 1864
- [*Strongylium exaratum*](#) Champion, 1887
- [*Strongylium excavatipenne*](#) Pic, 1918
- [*Strongylium fangense*](#) Masumoto, 1996
- [*Strongylium fasciolatum*](#) Mäklin, 1864
- [*Strongylium formosanum*](#) Gebien, 1913
- [*Strongylium fossulatum*](#)
- [*Strongylium fragile*](#) Champion, 1888
- [*Strongylium frontale*](#) Champion, 1888
- [*Strongylium fujitai*](#) Masumoto, 1981
- [*Strongylium gibbum*](#) Mäklin, 1867
- [*Strongylium girardianum*](#) Masumoto, 1996
- [*Strongylium grande*](#) Pic, 1935
- [*Strongylium gravidum*](#) Mäklin, 1864
- [*Strongylium gregarium*](#) Champion, 1888
- [*Strongylium guadeloupense*](#) Gebien, 1911
- [*Strongylium haucki*](#) Masumoto & Akita, 2013
- [*Strongylium hemistriatum*](#) Triplehorn & Spilman, 1973
- [*Strongylium hideoi*](#) Masumoto, 1996

- [*Strongylium hirasawai*](#) Masumoto, 1996
- [*Strongylium hmongense*](#) Masumoto, 1998
- [*Strongylium hoepfneri*](#)
- [*Strongylium holzschuhi*](#) Masumoto & Akita, 2012
- [*Strongylium horaki*](#) Masumoto, 1998
- [*Strongylium horni*](#) Oertzen, 1903
- [*Strongylium hsiao*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium huaianaense*](#) Masumoto & Akita, 2011
- [*Strongylium huaipoense*](#) Masumoto, 1998
- [*Strongylium ignitum*](#) Champion, 1887
- [*Strongylium imitator*](#)
- [*Strongylium indigeus*](#)
- [*Strongylium indignum*](#) Gebien, 1920
- [*Strongylium insulare*](#)
- [*Strongylium iricolor*](#) Ardoin, 1973
- [*Strongylium ishizakii*](#) Masumoto, 2003
- [*Strongylium itoi*](#) Masumoto, 1998
- [*Strongylium jae*](#) Masumoto, 1996
- [*Strongylium kalimantanense*](#) Masumoto, 1997
- [*Strongylium kambaitiense*](#) Masumoto, 1998
- [*Strongylium kanchanaburiense*](#) Masumoto, 1998
- [*Strongylium kariangense*](#) Masumoto, 1998
- [*Strongylium katsumii*](#) Masumoto, 1999
- [*Strongylium keningauense*](#) Masumoto, 1997
- [*Strongylium kenokokense*](#) Masumoto, 1998
- [*Strongylium kentingense*](#) Masumoto, 1981
- [*Strongylium kerlevi*](#) Masumoto, 1996
- [*Strongylium khamense*](#) Masumoto & Akita, 2014
- [*Strongylium khammouanense*](#) Masumoto & Akita, 2012
- [*Strongylium khaolakense*](#) Masumoto & Akita, 2011
- [*Strongylium khaosoidaoense*](#) Masumoto, 2003
- [*Strongylium khasinamtanoon*](#) Masumoto & Akita, 2012
- [*Strongylium kimanisense*](#) Masumoto, 1997
- [*Strongylium kingdonwardi*](#) Masumoto, 1998
- [*Strongylium klapperichi*](#)
- [*Strongylium kohanemum*](#) Masumoto, 1998
- [*Strongylium kokoae*](#) Masumoto & Akita, 2013
- [*Strongylium kondoi*](#) Masumoto & Akita, 2011
- [*Strongylium krali*](#) Masumoto, 2003
- [*Strongylium kuantouense*](#) Masumoto, 2005c
- [*Strongylium laetum*](#)
- [*Strongylium lanathai*](#) Masumoto, 1996

- [*Strongylium langurioides*](#) Champion, 1888
- [*Strongylium lanhai*](#) Masumoto, Akita & Lee, 2013
- [*Strongylium laocrurale*](#) Masumoto & Akita, 2012
- [*Strongylium laonouaum*](#) Masumoto & Akita, 2014
- [*Strongylium laotaicrurale*](#) Masumoto & Akita, 2013
- [*Strongylium laszlorum*](#) Masumoto, 2005c
- [*Strongylium lautum*](#)
- [*Strongylium liangi*](#) Yuan & Ren, 2014
- [*Strongylium lini*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium lishanum*](#) Gebien, 1981
- [*Strongylium lisuense*](#) Masumoto, 1998
- [*Strongylium longissimum*](#) Gebien, 1913
- [*Strongylium lumulumuense*](#) Masumoto, 1998
- [*Strongylium lutaoense*](#) Masumoto, 1992
- [*Strongylium maculicolle*](#) Champion, 1887
- [*Strongylium maehongsonense*](#) Masumoto, 1998
- [*Strongylium maisi*](#) Garrido, 2004
- [*Strongylium majeri*](#) Masumoto, 2003
- [*Strongylium malengthai*](#) Masumoto, 1996
- [*Strongylium masatahai*](#) Masumoto Lee & Akita, 2007
- [*Strongylium meengsiikiaum*](#) Masumoto & Akita, 2014
- [*Strongylium meengsiitongum*](#) Masumoto & Akita, 2014
- [*Strongylium meengyoaum*](#) Masumoto & Akita, 2014
- [*Strongylium merkli*](#) Masumoto, 1998
- [*Strongylium miikhonum*](#) Masumoto, 1996
- [*Strongylium mindanaoense*](#) Masumoto, 1997
- [*Strongylium mirabile*](#) Linell
- [*Strongylium misantlae*](#) Champion, 1888
- [*Strongylium miwai*](#) Masumoto, 1996
- [*Strongylium miyakei*](#) Masumoto, 1997
- [*Strongylium montebarreto*](#) Garrido, 2004
- [*Strongylium moritai*](#) Masumoto, 1998
- [*Strongylium moroninum*](#) Pic, 1918
- [*Strongylium mucronatum*](#) Mäklin, 1864
- [*Strongylium naamum*](#) Masumoto & Akita, 2011
- [*Strongylium nakaiense*](#) Masumoto & Akita, 2012
- [*Strongylium nakanei*](#) Masumoto, 1981
- [*Strongylium nakpraati*](#) Masumoto, 1996
- [*Strongylium namnaonis*](#) Masumoto, 2003
- [*Strongylium namthaense*](#) Masumoto & Akita, 2012
- [*Strongylium nanfangum*](#) Masumoto, 1982
- [*Strongylium nangbangense*](#) Masumoto, 1998

- [*Strongylium nanrenense*](#) Masumoto, Akita & Lee, 2012
- [*Strongylium nayoense*](#) Masumoto & Akita, 2011
- [*Strongylium ngaiense*](#) Masumoto & Akita, 2011
- [*Strongylium nigrum*](#) Zayas, 1988
- [*Strongylium nitidiceps*](#) Champion, 1888
- [*Strongylium nobile*](#) Maklin, 1864
- [*Strongylium noi*](#) Masumoto, 1998
- [*Strongylium norikoe*](#) Masumoto & Akita, 2012
- [*Strongylium ochii*](#) Masumoto, 1992
- [*Strongylium oculatum*](#) Champion, 1888
- [*Strongylium ohbayashianum*](#) Masumoto & Akita, 2014
- [*Strongylium ohmomo*](#) Masumoto, Akita & Lee, 2013
- [*Strongylium okajimai*](#) Masumoto, 2003
- [*Strongylium okumurai*](#) Masumoto, 1981
- [*Strongylium opacipenne*](#) Champion, 1888
- [*Strongylium osawai*](#) Masumoto, 2005c
- [*Strongylium ovampoense*](#)
- [*Strongylium pacholatko*](#) Masumoto, 1998
- [*Strongylium paddai*](#) Ivie & Triplehorn, 1986
- [*Strongylium pai*](#) Masumoto, 1998
- [*Strongylium pakanense*](#) Masumoto & Akita, 2014
- [*Strongylium pakchongense*](#) Masumoto & Akita, 2011
- [*Strongylium pakseum*](#) Masumoto & Akita, 2013
- [*Strongylium palawanense*](#) Masumoto, 1997
- [*Strongylium palingense*](#) Masumoto, 2005c
- [*Strongylium palopoense*](#) Masumoto & Akita, 2011
- [*Strongylium panamense*](#) Champion, 1888
- [*Strongylium pangkoreense*](#) Masumoto & Akita, 2011
- [*Strongylium papuense*](#)
- [*Strongylium perakense*](#) Masumoto & Akita, 2011
- [*Strongylium perturbator*](#)
- [*Strongylium phaknabense*](#) Masumoto & Akita, 2011
- [*Strongylium phedongense*](#) Masumoto, 1998
- [*Strongylium phomae*](#) Masumoto, 1996
- [*Strongylium phonsavanense*](#) Masumoto & Akita, 2012
- [*Strongylium phousamsounense*](#) Masumoto & Akita, 2012
- [*Strongylium phoutonmonense*](#) Masumoto & Akita, 2012
- [*Strongylium phraense*](#) Masumoto, 1996
- [*Strongylium phuchongense*](#) Masumoto & Akita, 2011
- [*Strongylium pici*](#) Masumoto, 1998
- [*Strongylium pilifasciatum*](#) Masumoto, 1998
- [*Strongylium plausible*](#)

- [*Strongylium preciosus*](#) Zayas, 1988
- [*Strongylium pseudogibbosipenne*](#) Masumoto, 1981
- [*Strongylium pumilum*](#) Garrido & Armas, 2012
- [*Strongylium punctipes*](#) Champion, 1888
- [*Strongylium purpureopunctum*](#) Pic, 1918
- [*Strongylium purpuripenne*](#) Mäklin, 1864
- [*Strongylium putaoense*](#) Masumoto & Akita, 2011
- [*Strongylium quisqueyanum*](#) Garrido & Armas, 2012
- [*Strongylium ratchashimaense*](#) Masumoto & Akita, 2011
- [*Strongylium rhodesianum*](#)
- [*Strongylium roifeedaatum*](#) Masumoto, 1996
- [*Strongylium roiyonum*](#) Masumoto, 1996
- [*Strongylium rufabdominale*](#) Masumoto, 1998
- [*Strongylium rufifemoratum*](#) Masumoto, 1997
- [*Strongylium rufovittatum*](#) Pic, 1932
- [*Strongylium sabahense*](#) Masumoto, 1997
- [*Strongylium sabahinsigne*](#) Masumoto, 1997
- [*Strongylium sakaii*](#) Masumoto, 1998
- [*Strongylium salueiense*](#) Masumoto & Akita, 2013
- [*Strongylium salvazai*](#) Masumoto & Akita, 2011
- [*Strongylium saracenum*](#) (Reiche & Saulcy, 1857)
- [*Strongylium sawaiae*](#) Masumoto, 1996
- [*Strongylium schawalleri*](#) Masumoto, 2003
- [*Strongylium scheknlingi*](#) Gebien, 1913
- [*Strongylium schneideri*](#) Masumoto, 1998
- [*Strongylium semiopacum*](#) Pic, 1918
- [*Strongylium shigeoi*](#) Masumoto, Akita & Lee, 2008
- [*Strongylium shimomurai*](#) Masumoto, 1998
- [*Strongylium siichaum*](#) Masumoto & Akita, 2014
- [*Strongylium siidemum*](#) Masumoto, 1996
- [*Strongylium siidum*](#) Masumoto, 1998
- [*Strongylium siisuai*](#) Masumoto, 1996
- [*Strongylium simplicicolle*](#) LeConte, 1878
- [*Strongylium simplicipes*](#) Pic, 1918
- [*Strongylium sinuatipenne*](#) Miwa, 1939
- [*Strongylium siphangngense*](#) Masumoto, 2003
- [*Strongylium snizeki*](#) Masumoto & Akita, 2011
- [*Strongylium sodongense*](#) Masumoto & Akita, 2011
- [*Strongylium soncai*](#) Masumoto, 1996
- [*Strongylium soppongense*](#) Masumoto, 1998
- [*Strongylium sparseimpressum*](#) Pic, 1922
- [*Strongylium spec*](#) Masumoto & Akita, 2011

- [*Strongylium strbahergovisorum*](#) Masumoto & Akita, 2012
- [*Strongylium subalternatum*](#) Pic, 1918
- [*Strongylium sulawesiense*](#) Masumoto, 1997
- [*Strongylium sumikoe*](#) Masumoto, Akita & Lee, 2014
- [*Strongylium suspicax*](#)
- [*Strongylium szentivanyi*](#) Kaszab, 1941
- [*Strongylium tabanai*](#) Masumoto, 1998
- [*Strongylium takeshianum*](#) Masumoto & Akita, 2011
- [*Strongylium tanikadoi*](#) Masumoto, 1998
- [*Strongylium taoi*](#) Masumoto, 1996
- [*Strongylium tehuashense*](#) Masumoto, 2005c
- [*Strongylium tenuicolle*](#) (Say)
- [*Strongylium terminatum*](#) (Say)
- [*Strongylium thangonense*](#) Masumoto & Akita, 2014
- [*Strongylium tinctipes*](#) Champion, 1887
- [*Strongylium trifasciatum*](#) Masumoto, 1998
- [*Strongylium tsurui*](#) Masumoto, 2003
- [*Strongylium tsuyukii*](#) Masumoto, 1996
- [*Strongylium turquinense*](#) Zayas, 1988
- [*Strongylium umphangense*](#) Masumoto, 2003
- [*Strongylium variicorne*](#) Champion, 1887
- [*Strongylium ventrale*](#) Champion, 1888
- [*Strongylium venustum*](#) Zayas, 1988
- [*Strongylium verde*](#) Garrido & Armas, 2012
- [*Strongylium vikenae*](#) Ferrer
- [*Strongylium virescens*](#) Zayas, 1988
- [*Strongylium viride*](#) Fabricius, 1801
- [*Strongylium viridimembris*](#) Pic, 1922
- [*Strongylium viriditinctum*](#) Champion, 1888
- [*Strongylium wadai*](#) Masumoto, 2005c
- [*Strongylium wallacei*](#) Masumoto, 1997
- [*Strongylium wiseetingum*](#) Masumoto, 1997
- [*Strongylium woodruffi*](#) Garrido & Armas, 2012
- [*Strongylium xiengkouangense*](#) Masumoto & Akita, 2013
- [*Strongylium yai*](#) Masumoto, 1998
- [*Strongylium yalaense*](#) Masumoto & Akita, 2011
- [*Strongylium yamasakoi*](#) Masumoto & Akita, 2013
- [*Strongylium yasuhikoi*](#) Masumoto, 1996
- [*Strongylium yokoyamai*](#) Masumoto, 1981
- [*Strongylium yuka*](#) Masumoto, 1996
- [*Strongylium zoltani*](#) Masumoto, 1981

This is a list of 109 species in the genus [Stizus](#), sand wasps in the family [Bembicidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Stizus species

- [Stizus adelphus](#) W.F. Kirby, 1900 ^{i c g}
- [Stizus aegyptius](#) Lepeletier, 1845 ^{i c g}
- [Stizus aestivalis](#) Mercet, 1906 ^{i c g}
- [Stizus anchoratus](#) Mantero, 1917 ^{i c g}
- [Stizus annulatus](#) (Klug, 1845) ^{i c g}
- [Stizus apicalis](#) Guérin-Méneville, 1844 ^{i c g}
- [Stizus arabicus](#) Guichard, 1989 ^{i c g}
- [Stizus arnoldi](#) Mochi, 1939 ^{i c g}
- [Stizus atrox](#) (F. Smith, 1856) ^{i c g}
- [Stizus aurifluus](#) R. Turner, 1916 ^{i c g}
- [Stizus aztecus](#) Stubblefield, 1984 ^{i c g}
- [Stizus basalis](#) Guérin-Méneville, 1844 ^{i c g}
- [Stizus baumanni](#) Handlirsch, 1901 ^{i c g}
- [Stizus beccarii](#) Mantero, 1917 ^{i c g}
- [Stizus bensoni](#) Arnold, 1951 ^{i c g}
- [Stizus berlandi](#) Arnold, 1945 ^{i c g}
- [Stizus biclipeatus](#) (Christ, 1791) ^{i c g}
- [Stizus bipunctatus](#) (F. Smith, 1856) ^{i c g}
- [Stizus bizonatus](#) Spinola, 1839 ^{i c g}
- [Stizus brevipennis](#) Walsh, 1869 ^{i c g b}
- [Stizus breyeri](#) Arnold, 1936 ^{i c g}
- [Stizus chrysorrhoeus](#) Handlirsch, 1892 ^{i c g}
- [Stizus cinctus](#) (Fabricius, 1793) ^{i c g}
- [Stizus coloratus](#) Nurse, 1903 ^{i c g}
- [Stizus combustus](#) (F. Smith, 1856) ^{i c g}
- [Stizus continuus](#) (Klug, 1835) ^{i c g}
- [Stizus delessertii](#) Guérin-Méneville, 1844 ^{i c g}
- [Stizus deserticus](#) Giner Marí, 1945 ^{i c g}
- [Stizus dewitzii](#) Handlirsch, 1892 ^{i c g}
- [Stizus dispar](#) F. Morawitz, 1888 ^{i c g}
- [Stizus elegans](#) Dahlbom, 1845 ^{i c g}
- [Stizus ellenbergeri](#) Arnold, 1929 ^{i c g}

- [Stizus emir](#) Handlirsch, 1901 ^{i c g}
- [Stizus erythraeensis](#) Mantero, 1917 ^{i c g}
- [Stizus erythrocephalus](#) (Fabricius, 1793) ^{i c g}
- [Stizus euchromus](#) Handlirsch, 1892 ^{i c g}
- [Stizus excellens](#) Lohrmann, 1943 ^{i c g}
- [Stizus eximius](#) F. Morawitz, 1894 ^{i c g}
- [Stizus fasciatus](#) (Fabricius, 1781) ^{i c g}
- [Stizus fedtschenkoi](#) Radoszkowski, 1877 ^{i c g}
- [Stizus ferrandii](#) Magretti, 1899 ^{i c g}
- [Stizus franzi](#) R. Turner, 1916 ^{i c g}
- [Stizus fulvicornis](#) Dahlbom, 1845 ^{i c g}
- [Stizus fuscatus](#) Morice, 1897 ^{i c g}
- [Stizus fuscipennis](#) (F. Smith, 1856) ^{i c g}
- [Stizus hamatus](#) Arnold, 1929 ^{i c g}
- [Stizus handlirschi](#) Radoszkowski, 1893 ^{i c g}
- [Stizus hispanicus](#) Mocsáry, 1883 ^{i c g}
- [Stizus histrio](#) F. Morawitz, 1888 ^{i c g}
- [Stizus huegelii](#) Handlirsch, 1892 ^{i c g}
- [Stizus hyalipennis](#) Handlirsch, 1892 ^{i c g}
- [Stizus imperator](#) Nurse, 1903 ^{i c g}
- [Stizus imperialis](#) Handlirsch, 1892 ^{i c g}
- [Stizus iridis](#) Dow, 1941 ^{i c g}
- [Stizus jordanicus](#) Lohrmann, 1942 ^{i c g}
- [Stizus koenigi](#) F. Morawitz, 1888 ^{i c g}
- [Stizus kohlii](#) Mocsáry, 1883 ^{i c g}
- [Stizus lacteipennis](#) Mocsáry, 1883 ^{i c g}
- [Stizus lepidus](#) (Klug, 1845) ^{i c g}
- [Stizus lineatus](#) (Fabricius, 1793) ^{i c}
- [Stizus lohrmanni](#) R. Bohart, 1976 ^{i c g}
- [Stizus lughensis](#) Magretti, 1899 ^{i c g}
- [Stizus luteotaeniatus](#) Gussakovskij, 1933 ^{i c g}
- [Stizus marnonis](#) Handlirsch, 1892 ^{i c g}
- [Stizus marshallii](#) R. Turner, 1912 ^{i c g}
- [Stizus marthae](#) Handlirsch, 1892 ^{i c g}
- [Stizus melanurus](#) Handlirsch, 1892 ^{i c g}
- [Stizus mocsaryi](#) Handlirsch, 1895 ^{i c g}

- [Stizus multicolor](#) R. Turner, 1916^{i c g}
- [Stizus nadigi](#) Roth, 1933^{i c g}
- [Stizus neavei](#) R. Turner, 1912^{i c g}
- [Stizus nigriventris](#) Arnold, 1951^{i c g}
- [Stizus niloticus](#) Handlirsch, 1892^{i c g}
- [Stizus occidentalis](#) J. Parker, 1929^{i c g b}
- [Stizus ocellatus](#) Gistel, 1857^{i c g}
- [Stizus orientalis](#) Cameron, 1890^{i c g}
- [Stizus ornatus](#) Dahlbom, 1845^{i c g}
- [Stizus pauli](#) Mantero, 1917^{i c g}
- [Stizus perrisi](#) Dufour, 1838^{i c g}
- [Stizus pictus](#) Dahlbom, 1845^{i c g}
- [Stizus praestans](#) F. Morawitz, 1893^{i c g}
- [Stizus pubescens](#) (Klug, 1835)^{i c g}
- [Stizus quartinae](#) Gribodo, 1884^{i c g}
- [Stizus raddei](#) Handlirsch in Kohl and Handlirsch, 1889^{c g}
- [Stizus rapax](#) Handlirsch, 1892^{i c g}
- [Stizus richardsi](#) Arnold, 1959^{i c g}
- [Stizus rubellus](#) R. Turner, 1912^{i c g}
- [Stizus rubroflavus](#) R. Turner, 1916^{i c g}
- [Stizus rufescens](#) (F. Smith, 1856)^{i c g}
- [Stizus ruficornis](#) (J. Forster, 1771)^{i c g}
- [Stizus rufipes](#) (Fabricius, 1804)^{i c g}
- [Stizus rufiventris](#) Radoszkowski, 1877^{i c g}
- [Stizus rufocinctus](#) Dahlbom, 1845^{i c g}
- [Stizus rufoniger](#) Mochi, 1939^{i c g}
- [Stizus saussurei](#) Handlirsch, 1895^{i c g}
- [Stizus savignyi](#) Spinola, 1839^{i c g}
- [Stizus schmiedeknehti](#) Handlirsch, 1898^{i c g}
- [Stizus sexfasciatus](#) (Fabricius, 1793)^{i c g}
- [Stizus spectrum](#) Handlirsch, 1901^{i c g}
- [Stizus spinulosus](#) Radoszkowski, 1876^{i c g}
- [Stizus tenuicornis](#) (F. Smith, 1856)^{i c g}
- [Stizus texanus](#) Cresson, 1873^{i c g}
- [Stizus tricolor](#) Handlirsch, 1892^{i c g}
- [Stizus tunetanus](#) A. Costa, 1893^{i c g}

- [*Stizus vespiformis*](#) (Fabricius, 1775) ^{i c g}
- [*Stizus vespoides*](#) (Walker, 1871) ^{i c g}
- [*Stizus wheeleri*](#) Arnold, 1959 ^{i c g}
- [*Stizus zonatus*](#) (Klug, 1845) ^{i c g}
- [*Stizus zonosoma*](#) Handlirsch, 1895 ^{i c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 324 species in [*Stilobezzia*](#), a genus of predaceous midges in the family [*Ceratopogonidae*](#).^{[1][2][3][4]}

***Stilobezzia* species**

- "[*Stilobezzia acanthohelea*](#)" Da Silva, Ferreira-Keppler & Cazorla, 2023 ^{c g}
- [*Stilobezzia acrotrichis*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia addita*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia afra*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia africana*](#) (Ingram & Macfie, 1921) ^c
- [*Stilobezzia afrotropica*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia alba*](#) Tokunaga, 1940 ^{c g}
- [*Stilobezzia albiabdominalis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia albicoxa*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia albocincta*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia amaniensis*](#) Meillon, 1980 ^{c g}
- [*Stilobezzia amazonica*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia americana*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia amnigena*](#) (Macfie, 1935) ^{c g}
- [*Stilobezzia amplistyla*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia angustipennis*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia antennalis*](#) (Coquillett, 1901) ^{i c g b}
- [*Stilobezzia antipodalis*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia areolaris*](#) (Kieffer, 1911) ^{c g}
- [*Stilobezzia armatibiae*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia artistyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia atrichopogon*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia atronitens*](#) Goetghebuer, 1933 ^{c g}

- [*Stilobezzia aureola*](#) Clastrier, 1963 ^{c g}
- [*Stilobezzia badia*](#) Macfie, 1932 ^{c g}
- [*Stilobezzia baojia*](#) Liu & Shi, 2002 ^{c g}
- [*Stilobezzia basizonata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia bata*](#) Meillon & Hardy, 1954 ^{c g}
- [*Stilobezzia beckae*](#) Wirth, 1953 ^{i c g b}
- [*Stilobezzia biangulata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia bicinctipes*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia bicolor*](#) Lane, 1947 ^{i c g}
- [*Stilobezzia bifurcata*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia bimacula*](#) (Kieffer, 1910) ^{c g}
- [*Stilobezzia bimaculata*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia bispinosa*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia bizonata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia blantoni*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia brandti*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia brevicornis*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia brevicostalis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia brevistyla*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia browni*](#) Wirth & Giles, 1990 ^{c g}
- [*Stilobezzia bulla*](#) Thomsen, 1935 ^{i c g}
- [*Stilobezzia calcaris*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia carayoni*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia caribe*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia castanea*](#) Macfie, 1934 ^{c g}
- [*Stilobezzia centripictura*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia cereola*](#) Clastrier, 1963 ^{c g}
- [*Stilobezzia chaconi*](#) Macfie, 1938 ^{c g}
- [*Stilobezzia challieri*](#) Vattier & Adam, 1966 ^{c g}
- [*Stilobezzia chasteli*](#) Clastrier, 1967 ^{c g}
- [*Stilobezzia chlorosa*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia clarifemorata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia claripennis*](#) Clastrier & Wirth, 1958 ^{c g}
- [*Stilobezzia claripes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia clavicula*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia collessi*](#) Wirth & Grogan, 1988 ^{c g}

- [*Stilobezzia congestiterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia contans*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia coquilletti*](#) Kieffer, 1917 ^{i c g b}
- [*Stilobezzia coracina*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia corneti*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia crassiforceps*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia crassipes*](#) Kieffer, 1918 ^{c g}
- [*Stilobezzia crassistyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia crassivenosa*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia crossi*](#) Meillon & Wirth, 1981 ^{c g}
- [*Stilobezzia curvistyla*](#) Cazorla & Spinelli, 2006 ^{c g}
- [*Stilobezzia debilipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia decora*](#) Kieffer, 1916 ^{c g}
- [*Stilobezzia differens*](#) Meillon, 1960 ^{c g}
- [*Stilobezzia diminuta*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia distinctifasciata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia diversa*](#) (Coquillett, 1901) ^{i c g}
- [*Stilobezzia djalonsensis*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia donscoffi*](#) Clastrier, 1988 ^{c g}
- [*Stilobezzia dorsofasciata*](#) (Lutz, 1914) ^{c g}
- [*Stilobezzia dorsosignata*](#) Sinha, Dasgupta & Chaudhuri, 2003 ^{c g}
- [*Stilobezzia douryi*](#) Clastrier, 1963 ^{c g}
- [*Stilobezzia dryadum*](#) Macfie, 1940 ^{c g}
- [*Stilobezzia dubitans*](#) Lane, Forattini & Rabello, 1955 ^{c g}
- [*Stilobezzia dureti*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia dycei*](#) Wirth & Grogan, 1988 ^{c g}
- [*Stilobezzia edwardsi*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia elegantula*](#) (Johannsen, 1907) ^{i c g}
- [*Stilobezzia eliptaminensis*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia ensistyla*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Stilobezzia erectiseta*](#) Liu, Ge & Liu, 1996 ^{c g}
- [*Stilobezzia esmeralda*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia eximitarsis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fasciscutata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia femoralis*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia festiva*](#) Kieffer, 1911 ^{c g}

- [*Stilobezzia fiebrigi*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia fitzroyensis*](#) Lee, 1948 ^{c g}
- [*Stilobezzia flavida*](#) Meillon & Wirth, 1987 ^{c g}
- [*Stilobezzia flavipectoralis*](#) Remm, 1993 ^{c g}
- [*Stilobezzia flavirostris*](#) Winnertz, 1852 ^{c g}
- [*Stilobezzia flavizonata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia fortipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fortistyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia foyi*](#) (Ingram & Macfie, 1921) ^{c g}
- [*Stilobezzia fulva*](#) Meillon & Downes, 1986 ^{c g}
- [*Stilobezzia fulvacea*](#) Remm, 1980 ^{c g}
- [*Stilobezzia fulviscuta*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia furcellata*](#) Remm, 1980 ^{c g}
- [*Stilobezzia furcipes*](#) Meillon, 1960 ^{c g}
- [*Stilobezzia furva*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia fuscidorsum*](#) Kieffer, 1921 ^{c g}
- [*Stilobezzia fuscigenua*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia fuscipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fusciscutellata*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia fusciterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia fuscula*](#) Wirth, 1952 ^{i c g}
- [*Stilobezzia fusistylata*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia gallica*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia gambiae*](#) Clastrier & Wirth, 1961 ^{c g}
- [*Stilobezzia genitalis*](#) Lee, 1948 ^{c g}
- [*Stilobezzia gigantiforceps*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia glauca*](#) Macfie, 1939 ^{i c g}
- [*Stilobezzia gracilis*](#) (Haliday, 1833) ^{c g}
- [*Stilobezzia grandis*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia gressitti*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia guarani*](#) ^g
- [*Stilobezzia guianae*](#) (Macfie, 1940) ^c
- [*Stilobezzia harurii*](#) Boorman & Harten, 2002 ^{c g}
- [*Stilobezzia hirsuta*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia hirta*](#) Borkent, 1997 ^{c g}
- [*Stilobezzia hirtaterga*](#) Yu, 1989 ^{c g}

- [*Stilobezzia hollandia*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia huberti*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia immodentis*](#) Liu, Ge & Liu, 1996 ^{c g}
- [*Stilobezzia imparungulae*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia inermipes*](#) Kieffer, 1912 ^{c g}
- [*Stilobezzia inkisiensis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia insigniforceps*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia insolita*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia intermedia*](#) Meillon, 1939 ^{c g}
- [*Stilobezzia isthmoseca*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia kiefferi*](#) Lane, 1947 ^{i c g}
- [*Stilobezzia kindiae*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia kisantuensis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia kunashiri*](#) Remm, 1993 ^{c g}
- [*Stilobezzia kurthi*](#) Borkent, 2000 ^{c g}
- [*Stilobezzia lanceleti*](#) Macfie, 1937 ^{c g}
- [*Stilobezzia lasioterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia lateralis*](#) (Meigen, 1838) ^c
- [*Stilobezzia latiforceps*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia latistyla*](#) Clastrier, 1989 ^{c g}
- [*Stilobezzia latiunguis*](#) Clastrier, 1985 ^{c g}
- [*Stilobezzia leucopeza*](#) Clastrier, 1958 ^{c g}
- [*Stilobezzia limai*](#) Wirth & Derron, 1976 ^{c g}
- [*Stilobezzia limnophila*](#) Ingram & Macfie, 1922 ^{c g}
- [*Stilobezzia longicornis*](#) Goetghebuer, 1934 ^{c g}
- [*Stilobezzia longiforceps*](#) Clastrier, 1960 ^{c g}
- [*Stilobezzia longihamata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia longiradix*](#) ^g
- [*Stilobezzia longistyla*](#) Tokunaga, 1941 ^{c g}
- [*Stilobezzia lutacea*](#) Edwards, 1926 ^{c g}
- [*Stilobezzia lutea*](#) (Malloch, 1918) ^{i c g}
- [*Stilobezzia luteola*](#) Meillon, 1940 ^{c g}
- [*Stilobezzia maai*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia macclurei*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia macfie*](#) Lane, 1947 ^{c g}
- [*Stilobezzia maculata*](#) Lane, 1947 ^{c g}

- [*Stilobezzia maculipes*](#) Macfie, 1933 ^{c g}
- [*Stilobezzia maculitibia*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia magnithecra*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia mahensis*](#) Clastrier, 1983 ^{c g}
- [*Stilobezzia maia*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia manausensis*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia merceri*](#) Cazorla, 2005 ^{c g}
- [*Stilobezzia minima*](#) Kieffer, 1918 ^{c g}
- [*Stilobezzia minuta*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia miripes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia modesta*](#) Lane, 1947 ^{c g}
- [*Stilobezzia monopicta*](#) ^g
- [*Stilobezzia monticola*](#) Tokunaga, 1940 ^{c g}
- [*Stilobezzia mutabilis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia nasticæ*](#) Meillon, 1959 ^{c g}
- [*Stilobezzia natalensis*](#) Meillon, 1939 ^{c g}
- [*Stilobezzia navaia*](#) Wirth and Grogan, 1981 ^{i c g}
- [*Stilobezzia nebulosa*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia nigerrima*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia nigriapicalis*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia nigroflava*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia nitela*](#) Yu, 2005 ^{c g}
- [*Stilobezzia niveus*](#) Liu, Ge & Liu, 1996 ^{c g}
- [*Stilobezzia notata*](#) (de Meijere, 1907) ^{c g}
- [*Stilobezzia nudisthmesthecra*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia nyei*](#) Clastrier, 1983 ^{c g}
- [*Stilobezzia obesa*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia obesigenitalis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia obscura*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia ochracea*](#) (Winnertz, 1852) ^c
- [*Stilobezzia ohakunei*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia orientis*](#) Meillon & Wirth, 1981 ^{c g}
- [*Stilobezzia ornata*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia ornatiscrus*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia ornatithorax*](#) Clastrier, 1991 ^{c g}
- [*Stilobezzia oxiana*](#) Remm, 1980 ^{c g}

- [*Stilobezzia pallescens*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia pallidicornis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia pallidipes*](#) Clastrier, 1983 ^{c g}
- [*Stilobezzia pallidiventris*](#) (Malloch, 1915) ^{i c g}
- [*Stilobezzia palpalis*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia panamensis*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia papillata*](#) Remm, 1980 ^{c g}
- [*Stilobezzia papuae*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia paranaense*](#) ^g
- [*Stilobezzia parvaeungulae*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia parvitheca*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia parvula*](#) Goetghebuer, 1933 ^{c g}
- [*Stilobezzia pastoriana*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia patagonica*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia paucimaculata*](#) Clastrier, 1984 ^{c g}
- [*Stilobezzia paucipictipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia pauliani*](#) Meillon, 1961 ^{c g}
- [*Stilobezzia paulistensis*](#) Lane, 1947 ^{c g}
- [*Stilobezzia perspicua*](#) Johannsen, 1931 ^{c g}
- [*Stilobezzia pessonii*](#) (Neveu, 1977) ^{c g}
- [*Stilobezzia photophila*](#) Clastrier, 1984 ^{c g}
- [*Stilobezzia pictipes*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia poikiloptera*](#) (Ingram & Macfie, 1922) ^{c g}
- [*Stilobezzia postcervix*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia propriostyla*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia proxima*](#) Cazorla & Felipe-Bauer, 2017 ^g
- [*Stilobezzia pruinosa*](#) Wirth, 1952 ^{i c}
- [*Stilobezzia pseudofestiva*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia pseudonotata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia punctifemorata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia punctulata*](#) Lane, 1947 ^{c g}
- [*Stilobezzia quadrisetosa*](#) (Goetghebuer, 1933) ^{c g}
- [*Stilobezzia quasielegantula*](#) Cazorla & Felipe-Bauer, 2017 ^g
- [*Stilobezzia quatei*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia rabelloi*](#) Lane, 1947 ^{i c g}
- [*Stilobezzia rava*](#) Ingram & Macfie, 1931 ^{c g}

- [*Stilobezzia reflexa*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia robusta*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia rotunditheca*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia rufa*](#) Kieffer, 1921 ^{c g}
- [*Stilobezzia rutshuruensis*](#) Clastrier, 1986 ^{c g}
- [*Stilobezzia sahariensis*](#) Kieffer, 1923 ^{c g}
- [*Stilobezzia samoana*](#) Edwards, 1928 ^{c g}
- [*Stilobezzia sanctibernardini*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia scutata*](#) Lane & Forattini, 1961 ^{c g}
- [*Stilobezzia seguyi*](#) Clastrier, 1990 ^{c g}
- [*Stilobezzia semiartistyla*](#) Sinha, Dasgupta & Chaudhuri, 2003 ^{c g}
- [*Stilobezzia setigera*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia setigeripes*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia setigeriscutellata*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia seychelleana*](#) Clastrier, 1983 ^{c g}
- [*Stilobezzia silvicola*](#) Macfie, 1940 ^{c g}
- [*Stilobezzia similans*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia similisegmenta*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia simplex*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia simulator*](#) Meillon, 1960 ^{c g}
- [*Stilobezzia singularis*](#) Clastrier, 1985 ^{c g}
- [*Stilobezzia soror*](#) Johannsen, 1931 ^{c g}
- [*Stilobezzia spadicoxalis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia spadicitibialis*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia speculae*](#) Macfie, 1934 ^{c g}
- [*Stilobezzia spinellii*](#) Huerta & Grogan, 2017 ^g
- [*Stilobezzia spinifemorata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia spinipes*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia spinitarsis*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia spiniterga*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia spirogyrae*](#) Carter, Ingram & Macfie, 1921 ^{c g}
- [*"Stilobezzia stilobezzia"*](#) Da Silva, Ferreira-Keppler & Cazorla, 2023 ^{c g}
- [*Stilobezzia stonei*](#) Wirth, 1953 ^{i c g}
- [*Stilobezzia subalba*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia subfestiva*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia subflava*](#) Gupta & Wirth, 1968 ^{c g}

- [*Stilobezzia subnebulosa*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia subsessilis*](#) Kieffer, 1917 ^{c g}
- [*Stilobezzia subsoror*](#) Tokunaga, 1941 ^{c g}
- [*Stilobezzia subviridis*](#) Macfie, 1934 ^{c g}
- [*Stilobezzia succinea*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia supernotata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia sybleae*](#) Wirth, 1953 ^{i c g b}
- [*Stilobezzia szadziewskii*](#) Chaudhuri, 1991 ^{c g}
- [*Stilobezzia tarsispinosa*](#) ^g
- [*Stilobezzia tasmaniensis*](#) Lee, 1948 ^{c g}
- [*Stilobezzia tauffliebi*](#) Meillon, 1959 ^{c g}
- [*Stilobezzia tenebrosa*](#) Macfie, 1933 ^{c g}
- [*Stilobezzia tenuicolorata*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia tenuiforceps*](#) Tokunaga & Murachi, 1959 ^{c g}
- [*Stilobezzia tetragona*](#) Goetghebuer, 1934 ^{c g}
- [*Stilobezzia thibaulti*](#) (Neveu, 1977) ^{c g}
- [*Stilobezzia thomasi*](#) Grogan, Spinelli, Ronderos & Cazorla, 2013 ^g
- [*Stilobezzia thomsenae*](#) Wirth, 1953 ^{i c g}
- [*Stilobezzia thyridofera*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia tibialis*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia tomensis*](#) Wirth & Derron, 1976 ^{c g}
- [*Stilobezzia tonnoiri*](#) Macfie, 1932 ^{c g}
- [*Stilobezzia transversa*](#) Lane & Forattini, 1958 ^{c g}
- [*Stilobezzia traubi*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia travassosi*](#) Lane, 1947 ^{c g}
- [*Stilobezzia trilineata*](#) Meillon & Wirth, 1983 ^{c g}
- [*Stilobezzia trimaculata*](#) Meillon & Wirth, 1987 ^{c g}
- [*Stilobezzia tropica*](#) Clastrier, 1958 ^{c g}
- [*Stilobezzia truncata*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia ugandae*](#) Ingram & Macfie, 1923 ^{c g}
- [*Stilobezzia unicellula*](#) Clastrier, 1985 ^{c g}
- [*Stilobezzia unifasciata*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia unifascidorsalis*](#) Tokunaga, 1959 ^{c g}
- [*Stilobezzia vandeli*](#) Vattier & Adam, 1966 ^{c g}
- [*Stilobezzia varia*](#) Ingram & Macfie, 1931 ^{c g}
- [*Stilobezzia venefica*](#) Gupta & Wirth, 1968 ^{c g}

- [*Stilobezzia venezuelensis*](#) Ortiz, 1950 ^{c g}
- [*Stilobezzia versicolor*](#) (Ingram & Macfie, 1921) ^c
- [*Stilobezzia virescens*](#) Kieffer, 1919 ^{c g}
- [*Stilobezzia viridis*](#) (Coquillett, 1901) ^{i c g b}
- [*Stilobezzia viridiventris*](#) (Kieffer, 1910) ^{c g}
- [*Stilobezzia vittata*](#) Clastrier, 1960 ^{c g}
- [*Stilobezzia vittula*](#) Tokunaga, 1963 ^{c g}
- [*Stilobezzia vulgaris*](#) Yu, 1989 ^{c g}
- [*Stilobezzia williamsi*](#) Cazorla, 2005 ^{c g}
- [*Stilobezzia wirthi*](#) Lane & Forattini, 1956 ^{c g}
- [*Stilobezzia wygodzinskyi*](#) Lane, 1947 ^{c g}
- [*Stilobezzia xanthogaster*](#) Gupta & Wirth, 1968 ^{c g}
- [*Stilobezzia xerophila*](#) ^g
- [*Stilobezzia zonata*](#) Tokunaga, 1963 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Stilobezzia Report"*](#). Integrated Taxonomic Information System. Retrieved 2018-05-03.
 - [*"Browse Stilobezzia"*](#). Catalogue of Life. Retrieved 2018-05-03.
 - [*"Stilobezzia"*](#). GBIF. Retrieved 2018-05-03.
 -
4. [*"Stilobezzia Genus Information"*](#). BugGuide.net. Retrieved 2018-05-03.

Categories:

- [Ceratopogonidae](#)
- [Lists of insect species](#)
-

This is a list of 105 species in [*Stichopogon*](#), a genus of robber flies in the family [Asilidae](#).^{[1][2][3][4]}

Stichopogon species

- [*Stichopogon abdominalis*](#) Back, 1909 ^{i c g b}

- [*Stichopogon aedon*](#) (Walker, 1849) ^{c g}
- [*Stichopogon aequetinctus*](#) Becker, 1910 ^{c g}
- [*Stichopogon agustifrons*](#) Theodor, 1980 ^{c g}
- [*Stichopogon albellus*](#) Loew, 1856 ^{c g}
- [*Stichopogon albimystax*](#) Joseph & Parui, 1988 ^{c g}
- [*Stichopogon albofasciatus*](#) (Meigen, 1820) ^{c g}
- [*Stichopogon ammophilus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon angustifrons*](#) Theodor, 1980 ^{c g}
- [*Stichopogon araxicola*](#) Richter, 1979 ^{c g}
- [*Stichopogon arenicolus*](#) Wilcox, 1936 ^{i c g}
- [*Stichopogon argenteus*](#) (Say, 1823) ^{i c g b}
- [*Stichopogon auctus*](#) Bezzi, 1912 ^{c g}
- [*Stichopogon aurigerum*](#) Lehr, 1984 ^{c g}
- [*Stichopogon auritinctus*](#) Abbassian-Lintzen, 1964 ^{c g}
- [*Stichopogon bancrofti*](#) Hardy, 1934 ^{c g}
- [*Stichopogon barbiellinii*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon barbistrellus*](#) Loew, 1854 ^{c g}
- [*Stichopogon basiti*](#) Joseph & Parui, 1993 ^{c g}
- [*Stichopogon beckeri*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon bedae*](#) Hradsky & Geller-Grimm, 1996 ^{c g}
- [*Stichopogon biharilali*](#) Joseph & Parui, 1993 ^{c g}
- [*Stichopogon caffer*](#) Hermann, 1907 ^{c g}
- [*Stichopogon californica*](#) Barnes, 2013[5]
- [*Stichopogon callidus*](#) Richter, 1966 ^{c g}
- [*Stichopogon canariensis*](#) Becker, 1908 ^{c g}
- [*Stichopogon candidus*](#) Becker, 1902 ^{c g}
- [*Stichopogon canus*](#) Seguy, 1932 ^{c g}
- [*Stichopogon catulus*](#) Osten Sacken, 1887 ^{i c g b}
- [*Stichopogon caucasicus*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon chrysostoma*](#) Schiner, 1867 ^{c g}
- [*Stichopogon colei*](#) Bromley, 1934 ^{i c g b}
- [*Stichopogon conjungens*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon coquillettii*](#) (Bezzi, 1910) ^{i c g}
- [*Stichopogon deserti*](#) Theodor, 1980 ^{c g}
- [*Stichopogon dorsatus*](#) Becker, 1915 ^{c g}
- [*Stichopogon dubiosus*](#) Villeneuve, 1920 ^{c g}

- [*Stichopogon elegantulus*](#) (Wiedemann, 1820) ^{c g}
- [*Stichopogon engeli*](#) Lindner, 1973 ^{c g}
- [*Stichopogon flaviventris*](#) Efflatoun, 1937 ^{c g}
- [*Stichopogon fragilis*](#) Back, 1909 ^{i c g b}
- [*Stichopogon gracilifemur*](#) Nagatomi, 1983 ^{c g}
- [*Stichopogon gussakovskii*](#) Lehr, 1975 ^{c g}
- [*Stichopogon gymnurus*](#) Oldroyd, 1948 ^{c g}
- [*Stichopogon hermanni*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon inaequalis*](#) (Loew, 1847) ^{c g}
- [*Stichopogon inconstana*](#) (Wiedemann, 1828) ^{c g}
- [*Stichopogon indicus*](#) Joseph & Parui, 1984 ^{c g}
- [*Stichopogon infuscatus*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon irwini*](#) Londt, 1979 ^{c g}
- [*Stichopogon kerteszi*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon kerzhmeri*](#) Lehr, 1975 ^{c g}
- [*Stichopogon krueperi*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon maculipennis*](#) Engel & Cuthbertson, 1939 ^{c g}
- [*Stichopogon mahatoi*](#) Joseph & Parui, 1999 ^{c g}
- [*Stichopogon malkovskii*](#) (Lehr, 1964) ^c
- [*Stichopogon marinus*](#) Efflatoun, 1937 ^{c g}
- [*Stichopogon maritima*](#) (Hardy, 1934) ^{c g}
- [*Stichopogon maroccanus*](#) (Becker, 1913) ^{c g}
- [*Stichopogon meridionalis*](#) Oldroyd, 1948 ^{c g}
- [*Stichopogon minor*](#) Hardy, 1934 ^{c g}
- [*Stichopogon mitjaevi*](#) Lehr, 1975 ^{c g}
- [*Stichopogon modestus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon moremiensis*](#) Londt, 1979 ^{c g}
- [*Stichopogon mukherjeei*](#) Joseph & Parui, 1999 ^{c g}
- [*Stichopogon muticus*](#) Bezzi, 1910 ^{c g}
- [*Stichopogon nartshuakae*](#) Lehr, 1975 ^{c g}
- [*Stichopogon nartshukae*](#) Lehr ^g
- [*Stichopogon nigrinus*](#) (Paramonov, 1930) ^{c g}
- [*Stichopogon obscurellus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon obscurus*](#) (Hardy, 1928) ^{c g}
- [*Stichopogon ocrealis*](#) (Rondani, 1863) ^{c g}
- [*Stichopogon oldroydi*](#) Joseph & Parui, 1993 ^{c g}

- [*Stichopogon orientalis*](#) Lehr, 1975 ^{c g}
- [*Stichopogon parvipulvillatus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon parvulus*](#) (Bigot, 1859) ^c
- [*Stichopogon peregrinus*](#) Osten Sacken, 1882 ^{c g}
- [*Stichopogon pholipteron*](#) Richter, 1973 ^{c g}
- [*Stichopogon pritchardi*](#) Bromley, 1951 ^{i c g}
- [*Stichopogon punctiferus*](#) Bigot, 1878 ^{c g}
- [*Stichopogon punctus*](#) Loew, 1851 ^{c g}
- [*Stichopogon pusio*](#) (Macquart, 1849) ^{c g}
- [*Stichopogon pygmaeus*](#) (Macquart, 1849) ^{c g}
- [*Stichopogon ramakrishnai*](#) Joseph & Parui, 1988 ^{c g}
- [*Stichopogon rivulorum*](#) Lehr, 1975 ^{c g}
- [*Stichopogon rubzovi*](#) Lehr, 1975 ^{c g}
- [*Stichopogon salinus*](#) (Melander, 1924) ^{i c g}
- [*Stichopogon scaliger*](#) Loew, 1847 ^{c g}
- [*Stichopogon schineri*](#) Koch, 1872 ^{c g}
- [*Stichopogon schnusei*](#) (Bezzi, 1910) ^{c g}
- [*Stichopogon selenginus*](#) Lehr, 1984 ^{c g}
- [*Stichopogon septemcinctus*](#) Becker, 1908 ^{c g}
- [*Stichopogon sogdianus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon stackelbergi*](#) Lehr, 1975 ^{c g}
- [*Stichopogon surcoufi*](#) Villeneuve, 1920 ^{c g}
- [*Stichopogon tomentosus*](#) Oldroyd, 1948 ^{c g}
- [*Stichopogon tridactylophagus*](#) Lehr, 1975 ^{c g}
- [*Stichopogon trifasciatus*](#) (Say, 1823) ^{i c g b} (three-banded robber fly)
- [*Stichopogon umkomaasensis*](#) Oldroyd, 1974 ^{c g}
- [*Stichopogon unicolor*](#) Ricardo, 1925 ^{c g}
- [*Stichopogon variabilis*](#) Lehr, 1975 ^{c g}
- [*Stichopogon venezuelanus*](#) Kaletta, 1976 ^{c g}
- [*Stichopogon venustus*](#) Richter, 1963 ^{c g}
- [*Stichopogon vernaculus*](#) (White, 1918) ^{c g}
- [*Stichopogon villiersi*](#) Seguy, 1955 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

- 1.

- ["Stichopogon Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-02.
 - ["Browse Stichopogon"](#). Catalogue of Life. Retrieved 2018-05-02.
 - ["Stichopogon"](#). GBIF. Retrieved 2018-05-02.
 - ["Stichopogon Genus Information"](#). BugGuide.net. Retrieved 2018-05-02.
 -
5. Barnes, Jeffrey K. (2013). "The Genus *Stichopogon* Loew (Diptera: Asilidae) in America North of Mexico". *Proceedings of the Entomological Society of Washington*. **115** (1): 9–36.
[doi:10.4289/0013-8797.115.1.9](#).

Categories:

- [Asilidae](#)
- [Lists of insect species](#)
-

These species belong to [Stenotabanus](#), a genus of horse flies in the family [Tabanidae](#).

Stenotabanus species

- [Stenotabanus abacus](#) Philip, 1954[1]
- [Stenotabanus aberrans](#) Philip, 1966[2]
- [Stenotabanus alayoi](#) Cruz & García, 1974[3]
- [Stenotabanus albidocinctus](#) (Bigot, 1892)[4]
- [Stenotabanus albilinearis](#) Philip, 1960[5]
- [Stenotabanus albiscutellatus](#) Chainey, 1999
- [Stenotabanus alticolus](#) Fairchild, 1980[6]
- [Stenotabanus atlanticus](#) (Johnson, 1914)[7]
- [Stenotabanus barahona](#) Fairchild, 1980[6]
- [Stenotabanus batesi](#) (Bequaert, 1940)[8]
- [Stenotabanus bequaerti](#) Rafael, Fairchild & Goarayeb, 1982
- [Stenotabanus blantoni](#) Fairchild, 1953[9]
- [Stenotabanus braziliensis](#) Chainey & Goarayeb, 1999
- [Stenotabanus brevistylatus](#) Kröber, 1929[10]
- [Stenotabanus brodzinskyi](#) Lane, Poinar & Fairchild, 1988[11]
- [Stenotabanus bruesi](#) (Hine, 1920)[12]
- [Stenotabanus brunetii](#) (Bequaert, 1940)[8]
- [Stenotabanus brunneus](#) Wilkerson, 1979[13]
- [Stenotabanus brunnipennis](#) Kröber, 1930[14]
- [Stenotabanus brunnipes](#) Kröber, 1929[10]

- [*Stenotabanus calvitius* Fairchild, 1942\[15\]](#)
- [*Stenotabanus cerrascoi* Henriques & Krolow, 2020\[16\]](#)
- [*Stenotabanus chaineyi* Henriques & Krolow, 2020\[16\]](#)
- [*Stenotabanus changuinolae* Fairchild, 1942\[15\]](#)
- [*Stenotabanus chiapanensis* Fairchild, 1953\[17\]](#)
- [*Stenotabanus chrysonotus* Wilkerson, 1979\[13\]](#)
- [*Stenotabanus cinereus* \(Wiedemann, 1821\)\[18\]](#)
- [*Stenotabanus cipoensis* Chainey, 1999](#)
- [*Stenotabanus clavijoi* Gorayeb, Tiape Gomez & Valásquez de Rios, 2013\[19\]](#)
- [*Stenotabanus confusus* Cruz & García, 1974\[3\]](#)
- [*Stenotabanus cretatus* Fairchild, 1961\[20\]](#)
- [*Stenotabanus cribellum* \(Osten Sacken, 1886\)\[21\]](#)
- [*Stenotabanus detersus* \(Walker, 1850\)\[22\]](#)
- [*Stenotabanus dusbabeki* Cruz & García, 1974\[3\]](#)
- [*Stenotabanus fairchildi* Chvála, 1967\[23\]](#)
- [*Stenotabanus farri* Philip, 1958\[24\]](#)
- [*Stenotabanus fenestra* \(Williston, 1887\)\[25\]](#)
- [*Stenotabanus flavidus* \(Hine, 1904\)\[26\]](#)
- [*Stenotabanus floridensis* \(Hine, 1912\)\[27\]](#)
- [*Stenotabanus fuliginosus* \(Lutz & Neiva, 1914\)](#)
- [*Stenotabanus fulvistriatus* \(Hine, 1912\)\[27\]](#)
- [*Stenotabanus fumipennis* Kröber, 1929\[10\]](#)
- [*Stenotabanus geijskesi* Fairchild, 1953\[9\]](#)
- [*Stenotabanus guttatululus* \(Townsend, 1893\)\[28\]](#)
- [*Stenotabanus henriquesi* Chainey, 1999](#)
- [*Stenotabanus hispaniolae* \(Bequaert, 1940\)\[8\]](#)
- [*Stenotabanus hyalinalis* Chainey, Hall & Gorayeb, 1999](#)
- [*Stenotabanus incipiens* \(Walker, 1860\)\[29\]](#)
- [*Stenotabanus indotatus* Ibáñez-Bernal, 1991](#)
- [*Stenotabanus irregularis* Chainey & Hall, 1999](#)
- [*Stenotabanus ixyostactes* \(Wiedemann, 1828\)\[30\]](#)
- [*Stenotabanus jamaicensis* \(Newstead, 1909\)](#)
- [*Stenotabanus liokylon* Fairchild, 1961\[31\]](#)
- [*Stenotabanus litotes* Fairchild, 1953\[17\]](#)
- [*Stenotabanus littoreus* \(Hine, 1907\)\[32\]](#)
- [*Stenotabanus longipennis* Kröber, 1929\[10\]](#)
- [*Stenotabanus luteolineatus* Wilkerson, 1979\[13\]](#)
- [*Stenotabanus macroceras* Philip, 1960\[5\]](#)
- [*Stenotabanus marcanoi* Fairchild, 1980\[6\]](#)
- [*Stenotabanus mellifluus* \(Bequaert, 1940\)\[8\]](#)
- [*Stenotabanus mexicanus* Philip, 1977\[33\]](#)
- [*Stenotabanus minusculus* \(Kröber, 1930\)\[14\]](#)

- [*Stenotabanus neivai* Borgmeier, 1933](#)[\[34\]](#)
- [*Stenotabanus nervosus* \(Curran, 1931\)](#)[\[35\]](#)
- [*Stenotabanus nigriculus* Wilkerson, 1979](#)[\[13\]](#)
- [*Stenotabanus nigriscapus* Chainey & Hall, 1999](#)
- [*Stenotabanus obscuremarginatus* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus obscurus* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus oleariorum* Strelow, Solórzano-Kraemer, Ibáñez-Bernal & Rust, 2013](#)[\[36\]](#)
- [*Stenotabanus paitillensis* Fairchild, 1942](#)[\[15\]](#)
- [*Stenotabanus pallidicornis* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus pallipes* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus paradoxus* \(Lutz, 1913\)](#)
- [*Stenotabanus parallelus* \(Walker, 1848\)](#)[\[37\]](#)
- [*Stenotabanus parsonsi* \(Bequaert, 1940\)](#)[\[8\]](#)
- [*Stenotabanus parvulus* \(Williston, 1887\)](#)[\[25\]](#)
- [*Stenotabanus pechumani* Philip, 1966](#)[\[2\]](#)
- [*Stenotabanus penai* Chainey, 1999](#)
- [*Stenotabanus peruviansis* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus picticornis* \(Bigot, 1892\)](#)[\[4\]](#)
- [*Stenotabanus platyfrons* Fairchild, 1964](#)[\[38\]](#)
- [*Stenotabanus pompholyx* Fairchild, 1953](#)[\[9\]](#)
- [*Stenotabanus psammophilus* \(Osten Sacken, 1876\)](#)[\[39\]](#)
- [*Stenotabanus pseudotaeniotes* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus pumiloides* \(Williston, 1901\)](#)[\[40\]](#)
- [*Stenotabanus pusillus* Cruz & García, 1974](#)[\[3\]](#)
- [*Stenotabanus quinquestriatus* Kröber, 1929](#)[\[10\]](#)
- [*Stenotabanus roxannae* Wilkerson, 1979](#)[\[13\]](#)
- [*Stenotabanus sandyi* Gorayeb, 1988](#)
- [*Stenotabanus sordidatus* Fairchild, 1958](#)[\[41\]](#)
- [*Stenotabanus sphaeriscapus* Wilkerson, 1985](#)
- [*Stenotabanus sputnikulus* Philip, 1958](#)[\[24\]](#)
- [*Stenotabanus staryi* Fairchild, 1968](#)[\[42\]](#)
- [*Stenotabanus stigma* \(Fabricius, 1805\)](#)[\[43\]](#)
- [*Stenotabanus stonei* Philip, 1958](#)[\[44\]](#)
- [*Stenotabanus subtilis* \(Bellardi, 1862\)](#)[\[45\]](#)
- [*Stenotabanus taeniotes* \(Wiedemann, 1828\)](#)[\[30\]](#)
- [*Stenotabanus tenuistria* Fairchild, 1961](#)[\[31\]](#)
- [*Stenotabanus tobagensis* Fairchild, 1958](#)[\[41\]](#)
- [*Stenotabanus trilunatus* Philip, 1968](#)[\[46\]](#)
- [*Stenotabanus trinotatus* \(Wiedemann, 1828\)](#)[\[30\]](#)
- [*Stenotabanus vitripennis* \(Lutz, 1913\)](#)
- [*Stenotabanus wilkersoni* Chainey, 1999](#)
- [*Stenotabanus wolcotti* Fairchild, 1980](#)[\[6\]](#)

- [*Stenotabanus woodruffi*](#) Fairchild & Lane, 1989[47]

This is a list of 206 species in [*Stenopogon*](#), a genus of robber flies in the family [*Asilidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Stenopogon* species**

- [*Stenopogon abdulrassuli*](#) Lehr, 1984 ^{c g}
- [*Stenopogon adelantae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon aeacidinus*](#) Williston, 1886 ^{c g}
- [*Stenopogon aeacus*](#) (Wiedemann, 1828) ^{c g}
- [*Stenopogon alamoensis*](#) (Martin, 1968) ^{c g}
- [*Stenopogon albalulus*](#) Martin, 1968 ^{c g}
- [*Stenopogon albibasis*](#) Bigot, 1878 ^{i c g}
- [*Stenopogon albociliatus*](#) Hermann, 1929 ^{c g}
- [*Stenopogon ambryon*](#) (Walker, 1849) ^{c g}
- [*Stenopogon antigenes*](#) (Walker, 1849) ^{c g}
- [*Stenopogon antoniae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon aphrises*](#) (Walker, 1849) ^{c g}
- [*Stenopogon arabicus*](#) (Macquart, 1838) ^c
- [*Stenopogon arizonensis*](#) Bromley, 1937 ^{c g}
- [*Stenopogon armatus*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon arnaudi*](#) Martin, 1968 ^{c g}
- [*Stenopogon atrox*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon avus*](#) (Loew, 1874) ^{c g}
- [*Stenopogon bakeri*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon bartonae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon blaisdelli*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon boharti*](#) Bromley, 1951 ^{i c g}
- [*Stenopogon braunsi*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon brevipennis*](#) (Wiedemann, 1820) ^c
- [*Stenopogon brevis*](#) Martin, 1968 ^{c g}
- [*Stenopogon brevisculoides*](#) Bromley, 1937 ^{i c g b}
- [*Stenopogon brevisculus*](#) Loew, 1872 ^{i c g b}
- [*Stenopogon bromleyi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon brookmani*](#) Wilcox, 1971 ^{i c g}

- [*Stenopogon californiae*](#) (Walker, 1849) ^{i c g b}
- [*Stenopogon californioides*](#) Bromley, 1937 ^{i c g}
- [*Stenopogon callosus*](#) (Pallas, 1818) ^{c g}
- [*Stenopogon carbonarius*](#) Hermann, 1929 ^{c g}
- [*Stenopogon cazieri*](#) Brookman, 1941 ^{i c g b}
- [*Stenopogon cervinus*](#) Loew, 1861 ^{c g}
- [*Stenopogon cinchonaensis*](#) Joseph & Parui, 1981 ^{c g}
- [*Stenopogon cinereus*](#) Engel, 1940 ^{c g}
- [*Stenopogon colimae*](#) Martin, 1968 ^{c g}
- [*Stenopogon confrontus*](#) Oldroyd, 1974 ^{c g}
- [*Stenopogon coracinus*](#) (Loew, 1847) ^{c g}
- [*Stenopogon costatus*](#) Loew, 1871 ^{c g}
- [*Stenopogon cressius*](#) Tomasovic, 2005 ^{c g}
- [*Stenopogon csikii*](#) Strobl, 1901 ^{c g}
- [*Stenopogon damias*](#) (Walker, 1849) ^{c g}
- [*Stenopogon diablae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon dilutus*](#) (Walker, 1851) ^{c g}
- [*Stenopogon diversus*](#) (Williston, 1901) ^{c g}
- [*Stenopogon dorothyae*](#) Martin, 1968 ^{c g}
- [*Stenopogon duncani*](#) Bromley, 1937 ^{c g}
- [*Stenopogon ebyi*](#) Bromley, 1937 ^{c g}
- [*Stenopogon echelus*](#) (Walker, 1849) ^{c g}
- [*Stenopogon elizabethae*](#) Martin, 1968 ^{c g}
- [*Stenopogon elongatissimus*](#) Efllatoun, 1937 ^{c g}
- [*Stenopogon elongatus*](#) (Meigen, 1804) ^{c g}
- [*Stenopogon engelhardti*](#) Bromley, 1937 ^{i c g b}
- [*Stenopogon englandi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon escalarae*](#) Strobl, 1906 ^{c g}
- [*Stenopogon escorialensis*](#) Strobl, 1906 ^{c g}
- [*Stenopogon evansi*](#) (Martin, 1968) ^{c g}
- [*Stenopogon felis*](#) Bromley, 1931 ^{i c g}
- [*Stenopogon festae*](#) Bezzi, 1925 ^{c g}
- [*Stenopogon figueroae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon flavibarbis*](#) Enderlein, 1934 ^{c g}
- [*Stenopogon flavotibialis*](#) Martin, 1968 ^{c g}
- [*Stenopogon fulvus*](#) (Meigen, 1838) ^{c g}

- [Stenopogon fuscolimbatus](#) Bigot, 1878 ^{c g}
- [Stenopogon galadae](#) Martin, 1968 ^{c g}
- [Stenopogon galbinus](#) Martin, 1968 ^{c g}
- [Stenopogon gracilis](#) (Macquart, 1838) ^c
- [Stenopogon gratus](#) Loew, 1872 ^{i c g}
- [Stenopogon gruenbergi](#) Becker, 1911 ^{c g}
- [Stenopogon hamus](#) Martin, 1968 ^{c g}
- [Stenopogon harpax](#) Loew, 1868 ^{c g}
- [Stenopogon heteroneurus](#) (Macquart, 1838) ^c
- [Stenopogon hiemalis](#) Martin, 1968 ^{c g}
- [Stenopogon hradskyi](#) Lehr, 1963 ^{c g}
- [Stenopogon imbrex](#) (Walker, 1849) ^{c g}
- [Stenopogon indistinctus](#) Bromley, 1937 ^{c g}
- [Stenopogon inermipes](#) Strobl, 1909 ^{c g}
- [Stenopogon inquinatus](#) Loew, 1866 ^{i c g b}
- [Stenopogon inyae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon iphippus](#) Seguy, 1932 ^{c g}
- [Stenopogon iphis](#) Seguy, 1932 ^{c g}
- [Stenopogon ischyurus](#) Seguy, 1932 ^{c g}
- [Stenopogon jubatoides](#) Bromley, 1937 ^{i c g}
- [Stenopogon jubatus](#) (Coquillett, 1904) ^{i c g}
- [Stenopogon junceus](#) (Wiedemann, 1820) ^{c g}
- [Stenopogon jurupae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon kaltenbachii](#) Engel, 1929 ^{c g}
- [Stenopogon kherai](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon kirkwoodi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon kocheri](#) Timon-David, 1951 ^{c g}
- [Stenopogon kolenati](#) (Gimmerthal, 1847) ^{c g}
- [Stenopogon koreanus](#) Young, 2005 ^{c g}
- [Stenopogon kozlovi](#) Lehr, 1963 ^{c g}
- [Stenopogon laevigatus](#) (Loew, 1851) ^{c g}
- [Stenopogon languidus](#) Hradsky, 1962 ^{c g}
- [Stenopogon latipennis](#) Loew, 1866 ^{c g}
- [Stenopogon lehri](#) Londt, 1999 ^{c g}
- [Stenopogon linsleyi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon loewi](#) Joseph & Parui, 1984 ^{c g}

- [*Stenopogon loma*](#) Wilcox, 1971 ^{i c g b}
- [*Stenopogon longulus*](#) Loew, 1866 ^{c g}
- [*Stenopogon lugubris*](#) (Williston, 1901) ^{c g}
- [*Stenopogon macilentus*](#) Loew, 1861 ^{c g}
- [*Stenopogon macswaini*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon manii*](#) Joseph & Parui, 1981 ^{c g}
- [*Stenopogon manipurensis*](#) Joseph & Parui, 1976 ^{c g}
- [*Stenopogon marikovskii*](#) Lehr, 1963 ^{c g}
- [*Stenopogon martini*](#) Bromley, 1937 ^{i c g}
- [*Stenopogon mediterraneus*](#) Lehr, 1963 ^{c g}
- [*Stenopogon melanderi*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon melanostolus*](#) Loew, 1868 ^{c g}
- [*Stenopogon milvoides*](#) Engel, 1929 ^{c g}
- [*Stenopogon milvus*](#) (Loew, 1847) ^{c g}
- [*Stenopogon minos*](#) (Osten Sacken, 1887) ^{c g}
- [*Stenopogon mojaviae*](#) Wilcox, 1971 ^{i c g}
- [*Stenopogon mollis*](#) Loew, 1868 ^{c g}
- [*Stenopogon mongolicus*](#) Lehr, 1963 ^{c g}
- [*Stenopogon mydon*](#) Engel, 1930 ^{c g}
- [*Stenopogon mysorensis*](#) Joseph & Parui, 1981 ^{c g}
- [*Stenopogon nataliae*](#) Richter, 1963 ^{c g}
- [*Stenopogon nathani*](#) Joseph & Parui, 1976 ^{c g}
- [*Stenopogon neojubatus*](#) Wilcox and Martin, 1945 ^{i c g}
- [*Stenopogon nigripes*](#) Engel, 1940 ^{c g}
- [*Stenopogon nigrutilus*](#) Coquillett, 1904 ^{i c g}
- [*Stenopogon nigriventris*](#) Loew, 1868 ^{c g}
- [*Stenopogon nigrofasciatus*](#) Brunetti, 1928 ^{c g}
- [*Stenopogon nigrolimbatus*](#) Martin, 1968 ^{c g}
- [*Stenopogon nitens*](#) Coquillett, 1904 ^{c g}
- [*Stenopogon oaxacensis*](#) Martin, 1968 ^{c g}
- [*Stenopogon obispae*](#) Wilcox, 1971 ^{i c g b}
- [*Stenopogon obliterated*](#) Richter, 1963 ^{c g}
- [*Stenopogon obscuriventris*](#) Loew, 1872 ^{i c g}
- [*Stenopogon occidentalis*](#) Lehr, 1963 ^{c g}
- [*Stenopogon occlusus*](#) Theodor, 1980 ^{c g}
- [*Stenopogon ochraceus*](#) (Wulp, 1870) ^{c g}

- [Stenopogon ochripes](#) Loew, 1861 ^{c g}
- [Stenopogon oldroydi](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon orientalis](#) Lehr, 1963 ^{c g}
- [Stenopogon ortegai](#) Martin, 1968 ^{c g}
- [Stenopogon ozenae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon painterorum](#) (Martin, 1968) ^{c g}
- [Stenopogon parksi](#) Bromley, 1934 ^{c g}
- [Stenopogon peregrinus](#) Seguy, 1932 ^{c g}
- [Stenopogon petilus](#) Martin, 1968 ^{c g}
- [Stenopogon piceus](#) (von Roder, 1893) ^{c g}
- [Stenopogon pinyonae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon porcus](#) Loew, 1871 ^{c g}
- [Stenopogon povolnyi](#) Hradsky, 1985 ^{c g}
- [Stenopogon powelli](#) Wilcox, 1971 ^{i c g}
- [Stenopogon pradhani](#) Joseph & Parui, 1976 ^{c g}
- [Stenopogon propinquus](#) Bromley, 1937 ^{i c g}
- [Stenopogon pseudosabaudus](#) Lehr, 1963 ^{c g}
- [Stenopogon pulverifer](#) (Walker, 1851) ^{c g}
- [Stenopogon pumilus](#) Coquillett, 1904 ^{c g}
- [Stenopogon pyrrhomus](#) (Wiedemann, 1818) ^{c g}
- [Stenopogon pyrrhus](#) Loew, 1871 ^{c g}
- [Stenopogon rafaelae](#) Wilcox, 1971 ^{i c g}
- [Stenopogon raven](#) (Bromley, 1938) ^{c g}
- [Stenopogon rhadamanthus](#) Loew, 1866 ^{c g}
- [Stenopogon rionegrensis](#) Lamas, 1971 ^{c g}
- [Stenopogon roederii](#) Bezzi, 1895 ^{c g}
- [Stenopogon roonwali](#) Joseph & Parui, 1993 ^{c g}
- [Stenopogon rossi](#) Martin, 1968 ^{c g}
- [Stenopogon rufescens](#) Theodor, 1980 ^{c g}
- [Stenopogon rufibarbis](#) Bromley, 1931 ^{i c g b}
- [Stenopogon rufibarboides](#) Bromley, 1937 ^{i c g}
- [Stenopogon ruficauda](#) Engel, 1929 ^{c g}
- [Stenopogon sabaudus](#) (Fabricius, 1794) ^{c g}
- [Stenopogon schisticolor](#) Gerstaecker, 1861 ^{c g}
- [Stenopogon sciron](#) (Loew, 1873) ^{c g}
- [Stenopogon setosus](#) Bezark, 1984 ^{c g}

- [Stenopogon silaceus](#) Martin, 1968 ^{c g}
- [Stenopogon sinaloensis](#) (Martin, 1968) ^{c g}
- [Stenopogon solsolacearum](#) Lehr, 1963 ^{c g}
- [Stenopogon stackelbergi](#) Lehr, 1963 ^{c g}
- [Stenopogon stonei](#) Bromley, 1937 ^{c g}
- [Stenopogon strataegus](#) Gerstaecker, 1861 ^{c g}
- [Stenopogon subtus](#) (Bromley, 1935) ^{c g}
- [Stenopogon superbus](#) (Portschinsky, 1873) ^{c g}
- [Stenopogon surufus](#) Martin, 1968 ^{c g}
- [Stenopogon taboarde](#) Strobl, 1909 ^{c g}
- [Stenopogon tenebrosus](#) Coquillett, 1904 ^{c g}
- [Stenopogon tequilae](#) (Martin, 1968) ^{c g}
- [Stenopogon texanus](#) Bromley, 1931 ^{c g}
- [Stenopogon theodori](#) Lehr, 1984 ^{c g}
- [Stenopogon tolandi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon tristis](#) (Meigen, 1820) ^{c g}
- [Stenopogon trivialis](#) Oldroyd, 1974 ^{c g}
- [Stenopogon truquii](#) (Bellardi, 1861) ^{c g}
- [Stenopogon utahensis](#) Bromley, 1951 ^{i c g}
- [Stenopogon vallensis](#) Martin, 1968 ^{c g}
- [Stenopogon variabilis](#) Theodor, 1980 ^{c g}
- [Stenopogon villus](#) Martin, 1968 ^{c g}
- [Stenopogon werneri](#) Engel, 1933 ^{c g}
- [Stenopogon wilcoxi](#) Bromley, 1937 ^{i c g}
- [Stenopogon williamsi](#) Wilcox, 1971 ^{i c g}
- [Stenopogon wolffi](#) Mik, 1887 ^{c g}
- [Stenopogon xanthomelas](#) Loew, 1868 ^{c g}
- [Stenopogon xanthotrichus](#) (Brulle, 1833) ^{c g}
- [Stenopogon xochimilcae](#) Martin, 1968 ^{c g}
- [Stenopogon youngi](#) (Martin, 1968) ^{c g}
- [Stenopogon zebra](#) Martin, 1968 ^{c g}
- [Stenopogon zimini](#) Lehr, 1963 ^{c g}
- [Stenopogon zinovievi](#) Lehr, 1963 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species belong to [*Stenomorpha*](#), a genus of darkling beetles in the family [*Tenebrionidae*](#).^[1]

***Stenomorpha* species**

- [*Stenomorpha abbreviata*](#) (Casey, 1912)
- [*Stenomorpha abstrusa*](#) (Casey, 1912)
- [*Stenomorpha acerba*](#) (Horn, 1878)
- [*Stenomorpha advena*](#) (Casey, 1912)
- [*Stenomorpha amplicolis*](#) (Casey, 1912)
- [*Stenomorpha angulata*](#) (LeConte, 1851)
- [*Stenomorpha baroni*](#) (Casey, 1912)
- [*Stenomorpha blanda*](#) (Champion, 1884)
- [*Stenomorpha blapsoides*](#) Solier, 1836
- [*Stenomorpha brevimargo*](#) (Casey, 1912)
- [*Stenomorpha californica*](#) (Motschulsky, 1870)
- [*Stenomorpha caliginosa*](#) (Casey, 1912)
- [*Stenomorpha captiosa*](#) (Horn, 1870)
- [*Stenomorpha catalinae*](#) (Blaisdell, 1933)
- [*Stenomorpha clarissae*](#) Wilke, 1922
- [*Stenomorpha clathrata*](#) (Champion, 1884)
- [*Stenomorpha cochisensis*](#) (Casey, 1912)
- [*Stenomorpha coenosa*](#) (Casey, 1912)
- [*Stenomorpha collaris*](#) (Champion, 1892)
- [*Stenomorpha collega*](#) (Casey, 1912)
- [*Stenomorpha compressa*](#) (Horn, 1870)
- [*Stenomorpha confluens*](#) (LeConte, 1851)
- [*Stenomorpha congruens*](#) (Casey, 1912)
- [*Stenomorpha consentanea*](#) (Casey, 1912)
- [*Stenomorpha consobrina*](#) (Horn, 1870)
- [*Stenomorpha consors*](#) (Casey, 1912)
- [*Stenomorpha consueta*](#) (Casey, 1912)
- [*Stenomorpha convexa*](#) (LeConte, 1859)
- [*Stenomorpha convexicollis*](#) (LeConte, 1854)
- [*Stenomorpha corrugans*](#) (Casey, 1912)
- [*Stenomorpha costata*](#) Solier, 1836
- [*Stenomorpha crassa*](#) (Casey, 1912)
- [*Stenomorpha cressoni*](#) (Blaisdell, 1933)
- [*Stenomorpha cribrata*](#) (Casey, 1912)
- [*Stenomorpha crinita*](#) (Casey, 1912)
- [*Stenomorpha deceptor*](#) (Casey, 1912)
- [*Stenomorpha difficilis*](#) (Champion, 1884)
- [*Stenomorpha directa*](#) (Casey, 1912)
- [*Stenomorpha divaricata*](#) (Blaisdell, 1923)

- [*Stenomorpha dolosa*](#) (Casey, 1912)
- [*Stenomorpha durangoensis*](#) (Casey, 1912)
- [*Stenomorpha embaphionides*](#) (Horn, 1894)
- [*Stenomorpha evanescens*](#) (Casey, 1912)
- [*Stenomorpha evertissima*](#) (Casey, 1912)
- [*Stenomorpha eximia*](#) (Casey, 1912)
- [*Stenomorpha facilis*](#) (Casey, 1912)
- [*Stenomorpha fastigiosa*](#) (Casey, 1912)
- [*Stenomorpha flohri*](#) (Champion, 1892)
- [*Stenomorpha foeda*](#) (Champion, 1892)
- [*Stenomorpha forreri*](#) (Champion, 1884)
- [*Stenomorpha funesta*](#) (Champion, 1884)
- [*Stenomorpha furcata*](#) (Champion, 1892)
- [*Stenomorpha gabbii*](#) (Horn, 1880)
- [*Stenomorpha geminata*](#) (Champion, 1892)
- [*Stenomorpha globicollis*](#) (Casey, 1912)
- [*Stenomorpha gracilior*](#) (Casey, 1912)
- [*Stenomorpha gracilipes*](#) (Casey, 1912)
- [*Stenomorpha granicollis*](#) (Blaisdell, 1923)
- [*Stenomorpha gravidipes*](#) (Casey, 1912)
- [*Stenomorpha hirsuta*](#) (LeConte, 1851)
- [*Stenomorpha hispidula*](#) (LeConte, 1851)
- [*Stenomorpha horrida*](#) (Champion, 1892)
- [*Stenomorpha huachucae*](#) (Casey, 1912)
- [*Stenomorpha humeralis*](#) (Triplehorn & Flores, 2002)
- [*Stenomorpha idahoensis*](#) (Boddy, 1957)
- [*Stenomorpha ignava*](#) (Casey, 1912)
- [*Stenomorpha immunda*](#) (Casey, 1912)
- [*Stenomorpha impetrata*](#) (Horn, 1894)
- [*Stenomorpha implicans*](#) (Casey, 1912)
- [*Stenomorpha impotens*](#) (Casey, 1912)
- [*Stenomorpha inhabilis*](#) (Casey, 1912)
- [*Stenomorpha integra*](#) (Casey, 1912)
- [*Stenomorpha lata*](#) (Champion, 1884)
- [*Stenomorpha latissima*](#) (Champion, 1892)
- [*Stenomorpha lecontei*](#) (Horn, 1866)
- [*Stenomorpha lecontella*](#) (Blaisdell, 1936)
- [*Stenomorpha luctata*](#) (Horn, 1870)
- [*Stenomorpha lugubris*](#) (Wilke, 1922)
- [*Stenomorpha lutulenta*](#) (Doyen, 1990)
- [*Stenomorpha macra*](#) (Horn, 1883)
- [*Stenomorpha magnifica*](#) (Pallister, 1954)

- [*Stenomorpha mancipata*](#) (Horn, 1878)
- [*Stenomorpha marginata*](#) LeConte, 1851
- [*Stenomorpha maritima*](#) (Casey, 1912)
- [*Stenomorpha mckittricki*](#) (Pierce, 1954)
- [*Stenomorpha montezuma*](#) Wilke, 1922
- [*Stenomorpha moricoides*](#) (Champion, 1892)
- [*Stenomorpha muricatula*](#) (LeConte, 1851)
- [*Stenomorpha musiva*](#) Wilke, 1922
- [*Stenomorpha neutralis*](#) (Casey, 1912)
- [*Stenomorpha nitidula*](#) (Casey, 1912)
- [*Stenomorpha obliterated*](#) (Champion, 1892)
- [*Stenomorpha oblonga*](#) (Casey, 1912)
- [*Stenomorpha obovata*](#) LeConte, 1851
- [*Stenomorpha obsidiana*](#) (Casey, 1912)
- [*Stenomorpha obsoleta*](#) (LeConte, 1851)
- [*Stenomorpha olsoni*](#) (Triplehorn & Flores, 2002)
- [*Stenomorpha opaca*](#) (Say, 1824)
- [*Stenomorpha oregonensis*](#) (Casey, 1924)
- [*Stenomorpha orizabae*](#) Wilke, 1922
- [*Stenomorpha palmeri*](#) (Champion, 1884)
- [*Stenomorpha papagoana*](#) (Casey, 1912)
- [*Stenomorpha parallela*](#) (LeConte, 1851)
- [*Stenomorpha pinalica*](#) (Casey, 1912)
- [*Stenomorpha planata*](#) (Horn, 1894)
- [*Stenomorpha polita*](#) (Say, 1824)
- [*Stenomorpha pollens*](#) (Casey, 1912)
- [*Stenomorpha procurrens*](#) (Casey, 1912)
- [*Stenomorpha pubescens*](#) (Champion, 1884)
- [*Stenomorpha puncticollis*](#) (LeConte, 1866)
- [*Stenomorpha quadricollis*](#) (Horn, 1880)
- [*Stenomorpha rimata*](#) (LeConte, 1854)
- [*Stenomorpha roosevelti*](#) Smith, Miller & Wheeler 2011
- [*Stenomorpha rudis*](#) (Casey, 1912)
- [*Stenomorpha rufipes*](#) (Champion, 1884)
- [*Stenomorpha rugata*](#) (Casey, 1912)
- [*Stenomorpha rugicollis*](#) (Triplehorn & Brown, 1971)
- [*Stenomorpha rustica*](#) (Casey, 1912)
- [*Stenomorpha satiata*](#) (Casey, 1912)
- [*Stenomorpha segregata*](#) (Champion, 1892)
- [*Stenomorpha semilaevis*](#) (Horn, 1870)
- [*Stenomorpha semirufa*](#) (Casey, 1912)
- [*Stenomorpha servilis*](#) (Casey, 1912)

- [*Stenomorpha severa*](#) (Casey, 1912)
- [*Stenomorpha socialis*](#) (Casey, 1912)
- [*Stenomorpha speculata*](#) (Blaisdell, 1936)
- [*Stenomorpha sphaericollis*](#) (Champion, 1884)
- [*Stenomorpha spinimanus*](#) (Champion, 1892)
- [*Stenomorpha sponsor*](#) (Casey, 1912)
- [*Stenomorpha spurcans*](#) (Casey, 1912)
- [*Stenomorpha strigosula*](#) (Casey, 1912)
- [*Stenomorpha suavis*](#) (Casey, 1912)
- [*Stenomorpha subcruenta*](#) (Casey, 1912)
- [*Stenomorpha subcylindrica*](#) (Horn, 1870)
- [*Stenomorpha subelegans*](#) (Casey, 1912)
- [*Stenomorpha subpilosa*](#) Solier, 1836
- [*Stenomorpha suturalis*](#) (Champion, 1884)
- [*Stenomorpha tarda*](#) (Champion, 1892)
- [*Stenomorpha tenebrosa*](#) (Champion, 1892)
- [*Stenomorpha tensa*](#) (Casey, 1912)
- [*Stenomorpha tenuicollis*](#) (Triplehorn, 1967)
- [*Stenomorpha tetrica*](#) (Casey, 1912)
- [*Stenomorpha thoracica*](#) (Champion, 1884)
- [*Stenomorpha tularensis*](#) (Casey, 1912)
- [*Stenomorpha tumidicollis*](#) Blaisdell, 1943
- [*Stenomorpha uhdei*](#) Wilke, 1922
- [*Stenomorpha umbrosa*](#) (Champion, 1884)
- [*Stenomorpha unicostata*](#) (Champion, 1892)
- [*Stenomorpha vigens*](#) (Casey, 1912)
- [*Stenomorpha villosa*](#) (Champion, 1884)
- [*Stenomorpha wickhami*](#) (Horn, 1894)
- [*Stenomorpha zacatecensis*](#) (Pallister, 1954)

This is a list of 106 species in the genus [*Stelis*](#).^{[1][2][3]}

***Stelis* species**

- [*Stelis aculeata*](#) Morawitz, 1880
- [*Stelis acutiventris*](#) Linsley, 1939
- [*Stelis aegyptiaca*](#) Radoszkowski, 1876
- [*Stelis annulata*](#) (Lepelletier, 1841)
- [*Stelis anthidioides*](#) Timberlake, 1941
- [*Stelis anthracina*](#) Timberlake, 1941

- [*Stelis ashmeadiellae*](#) Timberlake, 1941
- [*Stelis ater*](#) Mitchell, 1962
- [*Stelis australis*](#) Cresson, 1878
- [*Stelis bengala*](#) Warncke, 1992
- [*Stelis breviscula*](#) (Nylander, 1848)
- [*Stelis calliphorina*](#) (Cockerell, 1911)
- [*Stelis callura*](#) Cockerell, 1925
- [*Stelis carnifex*](#) Cockerell, 1911
- [*Stelis chlorocyanea*](#) (Cockerell, 1925)
- [*Stelis coarctata*](#) Crawford, 1916
- [*Stelis cockerelli*](#) (Hicks, 1933)
- [*Stelis costalis*](#) Cresson, 1872
- [*Stelis costaricensis*](#) Friese, 1921
- [*Stelis crassiceps*](#) Cockerell, 1926
- [*Stelis cusackae*](#) (Cockerell, 1910)
- [*Stelis denticulata*](#) Friese, 1899
- [*Stelis depressa*](#) Timberlake, 1941
- [*Stelis diversicolor*](#) Crawford, 1916
- [*Stelis elegans*](#) Cresson, 1864
- [*Stelis elongativentris*](#) Parker, 1987
- [*Stelis foederalis*](#) Smith, 1854
- [*Stelis fragariella*](#) (Cockerell, 1925)
- [*Stelis franciscana*](#) (Cockerell, 1925)
- [*Stelis franconica*](#) Blüthgen, 1930
- [*Stelis fremonti*](#) Cockerell, 1925
- [*Stelis gigantea*](#) Friese, 1921
- [*Stelis grossa*](#) (Mitchell, 1962)
- [*Stelis hemirhoda*](#) Linsley, 1939
- [*Stelis herberti*](#) (Cockerell, 1916)
- [*Stelis holocyanea*](#) (Cockerell, 1925)
- [*Stelis hungarica*](#) Noskiewicz, 1962
- [*Stelis hurdi*](#) (Thorp, 1966)
- [*Stelis idahoensis*](#) Swenk, 1914
- [*Stelis interrupta*](#) Cresson, 1897
- [*Stelis iugae*](#) Noskiewicz, 1962
- [*Stelis labiata*](#) (Provancher, 1888)
- [*Stelis lateralis*](#) Cresson, 1864
- [*Stelis laticincta*](#) Cresson, 1878
- [*Stelis laverna*](#) Baker, 1999
- [*Stelis leucotricha*](#) (Cockerell, 1925)
- [*Stelis linsleyi*](#) Timberlake, 1941
- [*Stelis louisae*](#) Cockerell, 1911

- [Stelis maculata](#) (Provancher, 1888)
- [Stelis malaccensis](#) (Fries, 1914)
- [Stelis manni](#) Crawford, 1917
- [Stelis maroccana](#) Warncke, 1992
- [Stelis melanotricha](#) (Cockerell, 1925)
- [Stelis melanura](#) Cockerell, 1924
- [Stelis micheneri](#) Linsley, 1939
- [Stelis michiganensis](#) Mitchell, 1962
- [Stelis minima](#) Schenck, 1861
- [Stelis minuta](#) Lepeletier & Audinet-Serville, 1825
- [Stelis modesta](#) Alfken, 1931
- [Stelis montana](#) Cresson, 1864
- [Stelis monticola](#) Cresson, 1878
- [Stelis nasuta](#) (Latreille, 1809)
- [Stelis nigrita](#) (Fabricius, 1775)
- [Stelis nigriventris](#) Timberlake, 1941
- [Stelis nitida](#) Cresson, 1878
- [Stelis nitidula](#) (Cockerell, 1925)
- [Stelis nyssonoides](#) (Brues, 1903)
- [Stelis odontopyga](#) Noskiewicz, 1926
- [Stelis oreophila](#) Popov, 1935
- [Stelis orientalis](#) Warncke, 1992
- [Stelis ornatula](#) (Klug, 1807)
- [Stelis palmarum](#) Timberlake, 1941
- [Stelis pardita](#) (Parker & Griswold, 1993)
- [Stelis pavonina](#) (Cockerell, 1908)
- [Stelis pentelica](#) Mavromoustakis, 1963
- [Stelis permaculata](#) Cockerell, 1898
- [Stelis perpulchra](#) Crawford, 1916
- [Stelis phaeoptera](#) (Kirby, 1802)
- [Stelis plena](#) (Provancher, 1888)
- [Stelis pulchra](#) Crawford, 1902
- [Stelis punctulatissima](#) (Kirby, 1802)
- [Stelis rhodia](#) Mavromoustakis, 1960
- [Stelis ricardonis](#) (Cockerell, 1912)
- [Stelis robertsoni](#) Timberlake, 1941
- [Stelis rozeni](#) Griswold & Parker, 2003
- [Stelis rubi](#) Cockerell, 1898
- [Stelis rudbeckiarum](#) Cockerell, 1904
- [Stelis ruficornis](#) Morawitz, 1872
- [Stelis saxicola](#) Warncke, 1992
- [Stelis scutellaris](#) Morawitz, 1894

- [*Stelis semenovi*](#) Popov, 1933
- [*Stelis semirubra*](#) Timberlake, 1941
- [*Stelis seneciophila*](#) Cockerell, 1908
- [*Stelis sexmaculata*](#) Ashmead, 1896
- [*Stelis siamensis*](#) Friese, 1925
- [*Stelis signata*](#) (Latreille, 1809)
- [*Stelis simillima*](#) Morawitz, 1876
- [*Stelis strandi*](#) Popov, 1935
- [*Stelis subcaerulea*](#) Cresson, 1878
- [*Stelis submarginata*](#) Cresson, 1878
- [*Stelis subglauca*](#) (Cockerell, 1925)
- [*Stelis texana*](#) (Thorp, 1966)
- [*Stelis trichopyga*](#) Timberlake, 1941
- [*Stelis tuberculata*](#) Cockerell, 1919
- [*Stelis vernalis*](#) Mitchell, 1962
- [*Stelis verticalis*](#) Wu, 1992

This is a list of species in [*Stegana*](#), a genus of vinegar flies in the family [*Drosophilidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)[\[5\]](#)

***Stegana* species**

- [*Stegana acantha*](#) ^g
- [*Stegana acutangula*](#) (Hendel, 1913) ^{c g}
- [*Stegana adentata*](#) Toda & Peng, 1992 ^{c g}
- [*Stegana affinis*](#) Malloch, 1924 ^{c g}
- [*Stegana africana*](#) Malloch, 1934 ^{c g}
- [*Stegana alianya*](#) Zhang & Chen, 2021
- [*Stegana ancistrophylla*](#) ^g
- [*Stegana angulata*](#) Chen & Chen ^g
- [*Stegana annulata*](#) Haliday, 1833 ^{c g}
- [*Stegana annulosa*](#) (Duda, 1929) ^{c g}
- [*Stegana antica*](#) Curran, 1934 ^{c g}
- [*Stegana antiqua*](#) Wheeler, 1960 ^{i c g}
- [*Stegana antila*](#) Sidorenko & Okada, 1991 ^g
- [*Stegana antlia*](#) Okada, 1991 ^{c g}
- [*Stegana aotsukai*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana apicopubescens*](#) ^g
- [*Stegana apicosetosa*](#) ^g

- [*Stegana arcygramma*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana atrifrons*](#) Malloch, 1924 ^{c g}
- [*Stegana atrimana*](#) Malloch, 1924 ^{c g}
- [*Stegana bacilla*](#) Chen & Aotsuka, 2004 ^{c g}
- [*Stegana baechlii*](#) Lastovka & Maca, 1982 ^{c g}
- [*Stegana barretti*](#) Johnson, 1921 ⁱ
- [*Stegana belokobylskiji*](#) Sidorenko, 1997 ^{c g}
- [*Stegana bicoloripes*](#) Tsacas, 1990 ^{c g}
- [*Stegana biprotrusa*](#) Chen & Aotsuka, 2004 ^{c g}
- [*Stegana brasiliensis*](#) (Duda, 1927) ^c
- [*Stegana brevibarba*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana brunnea*](#) Malloch, 1924 ^{c g}
- [*Stegana burmensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana capillaria*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana castanea*](#) Okada, 1988 ^{c g}
- [*Stegana cheni*](#) Sidorenko, 1997 ^{c g}
- [*Stegana chitouensis*](#) Sidorenko, 1998 ^{c g}
- [*Stegana claudana*](#) Bock, 1982 ^{c g}
- [*Stegana coleoptrata*](#) (Scopoli, 1763) ^{i c g}
- [*Stegana conformis*](#) Malloch, 1924 ^{c g}
- [*Stegana consimilis*](#) Papp & Maca, 2000 ^{c g}
- [*Stegana convergens*](#) (Meijere, 1911) ^{c g}
- [*Stegana crescentica*](#) Gupta & Panigrahy, 1987 ^{c g}
- [*Stegana cristimana*](#) Malloch, 1924 ^{c g}
- [*Stegana ctenaria*](#) Nishiharu, 1979 ^{c g}
- [*Stegana curvinervis*](#) (Hendel, 1914) ^{c g}
- [*Stegana danbaensis*](#) ^g
- [*Stegana dendrobium*](#) Chen & Aotsuka, 2004 ^{c g}
- [*Stegana dentifera*](#) Lastovka and Maca, 1982 ^{i c g}
- [*Stegana dianensis*](#) ^g
- [*Stegana diodonta*](#) Zhang & Chen, 2021
- [*Stegana dorsolineata*](#) Duda, 1925 ^{c g}
- [*Stegana earli*](#) Bock, 1982 ^{c g}
- [*Stegana emeiensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana enigma*](#) Sidorenko, 1998 ^{c g}
- [*Stegana flavifrons*](#) Malloch, 1924 ^{c g}

- [*Stegana flavimana*](#) Malloch, 1924 ^{c g}
- [*Stegana fumipennis*](#) (Enderlein, 1922) ^{c g}
- [*Stegana furta*](#) (Linnaeus, 1767) ^{c g}
- [*Stegana fuscibasis*](#) Malloch, 1924 ^{c g}
- [*Stegana glabra*](#) ^g
- [*Stegana hirtipennis*](#) Xu, Gao & Chen, 2007 ^{c g}
- [*Stegana horae*](#) Williston, 1896 ^{c g}
- [*Stegana hypoleuca*](#) Meigen, 1830 ^{c g}
- [*Stegana ikedai*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana intermedia*](#) (Duda, 1927) ^{c g}
- [*Stegana interrupta*](#) Malloch, 1924 ^{c g}
- [*Stegana izu*](#) Sidorenko, 1997 ^{c g}
- [*Stegana kanmiyai*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana lamondi*](#) Bock, 1982 ^{c g}
- [*Stegana langufoliacea*](#) ^g
- [*Stegana lateralis*](#) Wulp, 1897 ^{c g}
- [*Stegana latipennis*](#) Xu, Gao & Chen, 2007 ^{c g}
- [*Stegana leucomelana*](#) (Walker, 1859) ^{c g}
- [*Stegana longibarba*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana longifibula*](#) Takada, 1968 ^{c g}
- [*Stegana magnifica*](#) Hendel, 1913 ^{c g}
- [*Stegana maichouensis*](#) Sidorenko, 1998 ^{c g}
- [*Stegana masanoritodai*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana mediospinosa*](#) ^g
- [*Stegana mehadiae*](#) Duda, 1924 ^{c g}
- [*Stegana meichiensis*](#) Chen & Toda, 1994 ^{c g}
- [*Stegana melanostigma*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana melanostoma*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana minor*](#) Duda, 1927 ^{c g}
- [*Stegana monochrous*](#) Tsacas, 1990 ^{c g}
- [*Stegana monodonata*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana montana*](#) ^g
- [*Stegana moritha*](#) Sidorenko, 1997 ^{c g}
- [*Stegana multiclavata*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana nainitalensis*](#) Singh & Fartyal, 2002 ^{c g}
- [*Stegana nartshukae*](#) Sidorenko, 1997 ^{c g}

- [*Stegana nigrifrons*](#) Meijere, 1911 ^{c g}
- [*Stegana nigrimana*](#) Malloch, 1924 ^{c g}
- [*Stegana nigripennis*](#) (Hendel, 1914) ^{c g}
- [*Stegana nigrita*](#) Malloch, 1924 ^{c g}
- [*Stegana nigrithorax*](#) Strobl, 1898 ^{c g}
- [*Stegana nigrolimbata*](#) Duda, 1924 ^{c g}
- [*Stegana nigromarginata*](#) Duda, 1925 ^{c g}
- [*Stegana norma*](#) Curran, 1934 ^{c g}
- [*Stegana oligochaeta*](#) ^g
- [*Stegana ornatipes*](#) Wheeler & Takada, 1964 ^{c g}
- [*Stegana otocondyloda*](#) ^g
- [*Stegana pallipes*](#) Wiedemann, 1830 ^{c g}
- [*Stegana papuana*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana parvispina*](#) ^g
- [*Stegana penihexata*](#) Gupta & Panigrahy, 1987 ^{c g}
- [*Stegana pianmaensis*](#) ^g
- [*Stegana pililobosa*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana planifacies*](#) Malloch, 1924 ^{c g}
- [*Stegana platypezina*](#) (Duda, 1927) ^{c g}
- [*Stegana plesia*](#) Tsacas & Chassagnard, 1996 ^{c g}
- [*Stegana prigenti*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana protuberans*](#) ^g
- [*Stegana proximata*](#) (Seguy, 1938) ^{c g}
- [*Stegana psilolobosa*](#) Chen & Chen, 2008 ^{c g}
- [*Stegana pyinoolwinensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana scarabeo*](#) Bock, 1982 ^{c g}
- [*Stegana schildi*](#) Malloch, 1924 ^{c g}
- [*Stegana scutellata*](#) Meijere, 1911 ^{c g}
- [*Stegana setifrons*](#) Sidorenko, 1997 ^{c g}
- [*Stegana shirozui*](#) Okada, 1971 ^{c g}
- [*Stegana sibirica*](#) (Duda, 1934) ^{c g}
- [*Stegana sidorenkoi*](#) Hu & Toda, 1994 ^{c g}
- [*Stegana similis*](#) Lastovka & Maca, 1982 ^{c g}
- [*Stegana singularis*](#) Sidorenko, 1990 ^{c g}
- [*Stegana sinica*](#) Sidorenko, 1991 ^{c g}
- [*Stegana spyrotsakasi*](#) Tsacas, 1997 ^{c g}

- [*Stegana stuckenbergi*](#) Tsacas, 1990 ^{c g}
- [*Stegana subconvergens*](#) Okada, 1988 ^{c g}
- [*Stegana subexcavata*](#) Vaidya & Godbole, 1976 ^{c g}
- [*Stegana taba*](#) Okada, 1971 ^{c g}
- [*Stegana taiwana*](#) Okada, 1991 ^{c g}
- [*Stegana tarsalis*](#) Williston, 1896 ^{c g}
- [*Stegana tempifera*](#) Malloch, 1924 ^{c g}
- [*Stegana tenebrosa*](#) (Walker, 1865) ^{c g}
- [*Stegana tentaculifera*](#) ^g
- [*Stegana toyaensis*](#) Okada & Sidorenko, 1992 ^{c g}
- [*Stegana triseta*](#) (Duda, 1925) ^{c g}
- [*Stegana trisetosa*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana undulata*](#) Meijere, 1911 ^{c g}
- [*Stegana unidentata*](#) Takada, 1968 ^{c g}
- [*Stegana uniformis*](#) Malloch, 1924 ^{c g}
- [*Stegana varicolor*](#) (Duda, 1925) ^{c g}
- [*Stegana varipes*](#) Tsacas, 1990 ^{c g}
- [*Stegana vietnamensis*](#) Sidorenko, 1997 ^{c g}
- [*Stegana vittata*](#) (Coquillett, 1901) ^{i c g b}
- [*Stegana watabei*](#) Sidorenko, 1998 ^{c g}
- [*Stegana wheeleri*](#) Lastovka and Maca, 1982 ^{i c g}
- [*Stegana xiaoleiae*](#) Cao & Chen, 2008 ^{c g}
- [*Stegana xishuangbanna*](#) ^g
- [*Stegana xuei*](#) Hu & Toda, 1994 ^{c g}
- [*Stegana yapingi*](#) Chen & Wang, 2004 ^{c g}
- [*Stegana zebromyia*](#) Zhang & Chen, 2021'
- [*Stegana zhangi*](#) Sidorenko, 1997 ^{c g}
- [*Stegana zopheria*](#) Zhang & Chen, 2021

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a species list for the family [*Sphingidae*](#) of moths ([*Lepidoptera*](#)), commonly known as **hawk-moths**. This list contains all known species of *Sphingidae* in order of [*subfamily*](#). There should be about 1,288 species listed. There are three subfamilies:

- Subfamily [*Macroglossinae*](#)
- Subfamily [*Smerinthinae*](#)

- Subfamily [Sphinginae](#)

The species list is given below.

Subfamily **Macroglossinae**

Genus **[Acosmerycoides](#)**

- [Acosmerycoides harterti](#)

Genus **[Acosmeryx](#)**

- [Acosmeryx anceus](#)
- [Acosmeryx beatae](#)
- [Acosmeryx castanea](#)
- [Acosmeryx formosana](#)
- [Acosmeryx hoenei](#)
- [Acosmeryx miskini](#)
- [Acosmeryx miskinoides](#)
- [Acosmeryx naga](#)
- [Acosmeryx omissa](#)
- [Acosmeryx pseudomissa](#)
- [Acosmeryx sericeus](#)
- [Acosmeryx shervillii](#)
- [Acosmeryx sinjaevi](#)
- [Acosmeryx socrates](#)
- [Acosmeryx tenggarensis](#)

Genus **[Aellopos](#)**

- [Aellopos blaini](#)
- [Aellopos ceculus](#)
- [Aellopos clavipes](#)
- [Aellopos fadus](#)
- [Aellopos tantalus](#)
- [Aellopos titan](#)

Genus **[Aleuron](#)**

- [Aleuron carinata](#)
- [Aleuron chloroptera](#)
- [Aleuron cymographum](#)
- [Aleuron iphis](#)
- [Aleuron neglectum](#)
- [Aleuron prominens](#)
- [Aleuron ypanemae](#)

Genus Ampelophaga

- [Ampelophaga dolichoides](#)
- [Ampelophaga khasiana](#)
- [Ampelophaga nikolae](#)
- [Ampelophaga rubiginosa](#)
- [Ampelophaga thomasi](#)

Genus Amphion

- [Amphion floridensis](#)

Genus Angonyx

- [Angonyx boisduvali](#)
- [Angonyx chelsea](#)
- [Angonyx kai](#)
- [Angonyx krishna](#)
- [Angonyx meeki](#)
- [Angonyx papuana](#)
- [Angonyx testacea](#)
- [Angonyx williami](#)

Genus Antinephele

- [Antinephele achlora](#)
- [Antinephele anomala](#)
- [Antinephele camerunensis](#)
- [Antinephele efulani](#)
- [Antinephele lunulata](#)
- [Antinephele maculifera](#)
- [Antinephele marcida](#)
- [Antinephele muscosa](#)

Genus Atemnora

- [Atemnora westermanni](#)

Genus Baniwa

- [Baniwa yavitensis](#)

Genus Barbourion

- [Barbourion lemaii](#)

Genus **Basiothia**

- [Basiothia aureata](#)
- [Basiothia charis](#)
- [Basiothia laticornis](#)
- [Basiothia medea](#)
- [Basiothia schenki](#)

Genus **Callionima**

- [Callionima acuta](#)
- [Callionima calliomenae](#)
- [Callionima denticulata](#)
- [Callionima elainae](#)
- [Callionima ellacombei](#)
- [Callionima falcifera](#)
- [Callionima gracilis](#)
- [Callionima grisescens](#)
- [Callionima guiarti](#)
- [Callionima inuus](#)
- [Callionima juliane](#)
- [Callionima nomius](#)
- [Callionima pan](#)
- [Callionima parce](#)
- [Callionima ramsdeni](#)

Genus **Cautethia**

- [Cautethia carsusi](#)
- [Cautethia exuma](#)
- [Cautethia grotei](#)
- [Cautethia noctuiformis](#)
- [Cautethia simitia](#)
- [Cautethia spuria](#)
- [Cautethia yucatana](#)

Genus **Cechenena**

- [Cechenena aegrota](#)
- [Cechenena catori](#)
- [Cechenena chimaera](#)
- [Cechenena helops](#)
- [Cechenena lineosa](#)
- [Cechenena minor](#)
- [Cechenena mirabilis](#)

- [Cechenena pollux](#)
- [Cechenena scotti](#)
- [Cechenena sperlingi](#)
- [Cechenena subangustata](#)
- [Cechenena transpacifica](#)

Genus **Centroctena**

- [Centroctena imitans](#)
- [Centroctena rutherfordi](#)

Genus **Cephonodes**

- [Cephonodes apus](#)
- [Cephonodes armatus](#)
- [Cephonodes banksi](#)
- [Cephonodes hylas](#)
- [Cephonodes janus](#)
- [Cephonodes kingii](#)
- [Cephonodes leucogaster](#)
- [Cephonodes lifuensis](#)
- [Cephonodes novebudensis](#)
- [Cephonodes picus](#)
- [Cephonodes rothschildi](#)
- [Cephonodes rufescens](#)
- [Cephonodes santome](#)
- [Cephonodes tamsi](#)
- [Cephonodes titan](#)
- [Cephonodes trochilus](#)
- [Cephonodes woodfordii](#)
- [Cephonodes xanthus](#)

Genus **Chaerocina**

- [Chaerocina dohertyi](#)
- [Chaerocina ellisoni](#)
- [Chaerocina jordani](#)
- [Chaerocina livingstonensis](#)
- [Chaerocina mbiziensis](#)
- [Chaerocina meridionalis](#)
- [Chaerocina nyikiana](#)
- [Chaerocina usambarensis](#)
- [Chaerocina zomba](#)

Genus **Cizara**

- [Cizara ardeniae](#)
- [Cizara sculpta](#)

Genus **Clarina**

- [Clarina kotschy](#)
- [Clarina syriaca](#)

Genus **Dahira**

- [Dahira bruno](#)
- [Dahira falcata](#)
- [Dahira hoenei](#)
- [Dahira jitkae](#)
- [Dahira kitchingi](#)
- [Dahira klaudiae](#)
- [Dahira marisae](#)
- [Dahira nili](#)
- [Dahira niphaphylla](#)
- [Dahira obliquifascia](#)
- [Dahira pinratana](#)
- [Dahira plutenkoi](#)
- [Dahira rebecca](#)
- [Dahira rubiginosa](#)
- [Dahira svetsinjaevae](#)
- [Dahira taiwana](#)
- [Dahira tridens](#)
- [Dahira uljanae](#)
- [Dahira viksinjaevi](#)
- [Dahira yunlongensis](#)
- [Dahira yunnanfuana](#)

Genus **Daphnis**

- [Daphnis dohertyi](#)
- [Daphnis hayesi](#)
- [Daphnis hypothous](#)
- [Daphnis layardii](#)
- [Daphnis minima](#)
- [Daphnis moorei](#)
- [Daphnis nerii](#)
- [Daphnis placida](#)
- [Daphnis protrudens](#)

- [Daphnis torenia](#)
- [Daphnis vriesi](#)

Genus [Darapsa](#)

- [Darapsa choerilus](#)
- [Darapsa myron](#)
- [Darapsa versicolor](#)

Genus [Deidamia](#)

- [Deidamia inscriptum](#)

Genus [Deilephila](#)

- [Deilephila askoldensis](#)
- [Deilephila elpenor](#)
- [Deilephila porcellus](#)
- [Deilephila rivularis](#)

Genus [Elibia](#)

- [Elibia dolichus](#)
- [Elibia linigera](#)

Genus [Enpinanga](#)

- [Enpinanga assamensis](#)
- [Enpinanga borneensis](#)
- [Enpinanga vigens](#)

Genus [Enyo](#)

- [Enyo bathus](#)
- [Enyo boisduvali](#)
- [Enyo cavifer](#)
- [Enyo gorgon](#)
- [Enyo latipennis](#)
- [Enyo lugubris](#)
- [Enyo ocypete](#)
- [Enyo taedium](#)

Genus [Erinnyis](#)

- [Erinnyis alope](#)
- [Erinnyis crameri](#)
- [Erinnyis ello](#)
- [Erinnyis guttularis](#)

- [Erinnyis impunctata](#)
- [Erinnyis lassauxii](#)
- [Erinnyis obscura](#)
- [Erinnyis oenotrus](#)
- [Erinnyis pallida](#)
- [Erinnyis sthenos](#)
- [Erinnyis yucatana](#)

Genus **Euchloron**

- [Euchloron megaera](#)

Genus **Eumorpha**

- [Eumorpha achemon](#)
- [Eumorpha adamsi](#)
- [Eumorpha analis](#)
- [Eumorpha anchemolus](#)
- [Eumorpha capronnieri](#)
- [Eumorpha cissi](#)
- [Eumorpha drucei](#)
- [Eumorpha elisa](#)
- [Eumorpha fasciatus](#)
- [Eumorpha intermedia](#)
- [Eumorpha labruscae](#)
- [Eumorpha megaeacus](#)
- [Eumorpha mirificatus](#)
- [Eumorpha neuburgeri](#)
- [Eumorpha obliquus](#)
- [Eumorpha pandorus](#)
- [Eumorpha phorbas](#)
- [Eumorpha satellitia](#)
- [Eumorpha strenua](#)
- [Eumorpha translineatus](#)
- [Eumorpha triangulum](#)
- [Eumorpha typhon](#)
- [Eumorpha vitis](#)

Genus **Eupanacra**

- [Eupanacra angulata](#)
- [Eupanacra automedon](#)
- [Eupanacra busiris](#)
- [Eupanacra cadioui](#)
- [Eupanacra elegantulus](#)

- [Eupanacra greetae](#)
- [Eupanacra harmani](#)
- [Eupanacra hollowayi](#)
- [Eupanacra malayana](#)
- [Eupanacra metallica](#)
- [Eupanacra micholitzii](#)
- [Eupanacra mindanaensis](#)
- [Eupanacra mydon](#)
- [Eupanacra perfecta](#)
- [Eupanacra poulardi](#)
- [Eupanacra psaltria](#)
- [Eupanacra pulchella](#)
- [Eupanacra radians](#)
- [Eupanacra regularis](#)
- [Eupanacra sinuata](#)
- [Eupanacra splendens](#)
- [Eupanacra tiridates](#)
- [Eupanacra treadawayi](#)
- [Eupanacra variolosa](#)
- [Eupanacra waloensis](#)

Genus [Euproserpinus](#)

- [Euproserpinus euterpe](#)
- [Euproserpinus phaeton](#)
- [Euproserpinus wiesti](#)

Genus [Eupyrrhoglossum](#)

- [Eupyrrhoglossum corvus](#)
- [Eupyrrhoglossum sagra](#)
- [Eupyrrhoglossum ventustum](#)

Genus [Eurypteryx](#)

- [Eurypteryx alleni](#)
- [Eurypteryx bhaga](#)
- [Eurypteryx diana](#)
- [Eurypteryx falcata](#)
- [Eurypteryx geoffreyi](#)
- [Eurypteryx molucca](#)
- [Eurypteryx obtruncata](#)
- [Eurypteryx shelfordi](#)

Genus Giganteopalpus

- [Giganteopalpus mirabilis](#)

Genus Gnathothlibus

- [Gnathothlibus australiensis](#)
- [Gnathothlibus brendelli](#)
- [Gnathothlibus collardi](#)
- [Gnathothlibus dabreru](#)
- [Gnathothlibus eras](#)
- [Gnathothlibus erotus](#)
- [Gnathothlibus fijiensis](#)
- [Gnathothlibus heliodes](#)
- [Gnathothlibus meeki](#)
- [Gnathothlibus saccoi](#)
- [Gnathothlibus samoensis](#)
- [Gnathothlibus vanuatuensis](#)

Genus Griseosphinx

- [Griseosphinx marchandi](#)
- [Griseosphinx preechari](#)

Genus Hayesiana

- [Hayesiana farintaenia](#)
- [Hayesiana triopus](#)

Genus Hemaris

- [Hemaris aethra](#)
- [Hemaris affinis](#)
- [Hemaris aksana](#)
- [Hemaris alaiana](#)
- [Hemaris beresowskii](#)
- [Hemaris croatica](#)
- [Hemaris dentata](#)
- [Hemaris diffinis](#)
- [Hemaris ducalis](#)
- [Hemaris fuciformis](#)
- [Hemaris galunae](#)
- [Hemaris gracilis](#)
- [Hemaris molli](#)
- [Hemaris ottonis](#)
- [Hemaris radians](#)

- [Hemaris rubra](#)
- [Hemaris saldaitisi](#)
- [Hemaris saundersii](#)
- [Hemaris staudingeri](#)
- [Hemaris syra](#)
- [Hemaris thetis](#)
- [Hemaris thysbe](#)
- [Hemaris tityus](#)
- [Hemaris venata](#)

Genus **Hemeroplanes**

- [Hemeroplanes diffusa](#)
- [Hemeroplanes longistriga](#)
- [Hemeroplanes ornatus](#)
- [Hemeroplanes triptolemus](#)

Genus **Himantoides**

- [Himantoides undata](#)

Genus **Hippotion**

- [Hippotion adelinae](#)
- [Hippotion aporodes](#)
- [Hippotion aurora](#)
- [Hippotion balsaminae](#)
- [Hippotion batschii](#)
- [Hippotion boerhaviae](#)
- [Hippotion brennus](#)
- [Hippotion brunnea](#)
- [Hippotion butleri](#)
- [Hippotion celerio](#)
- [Hippotion chloris](#)
- [Hippotion commatum](#)
- [Hippotion dexippus](#)
- [Hippotion echeclus](#)
- [Hippotion eson](#)
- [Hippotion geryon](#)
- [Hippotion gracilis](#)
- [Hippotion griveaudi](#)
- [Hippotion hateleyi](#)
- [Hippotion irregularis](#)
- [Hippotion isis](#)
- [Hippotion joiceyi](#)

- [Hippotion leucocephalus](#)
- [Hippotion melichari](#)
- [Hippotion moorei](#)
- [Hippotion osiris](#)
- [Hippotion paukstadtii](#)
- [Hippotion pentagramma](#)
- [Hippotion psammochroma](#)
- [Hippotion rafflesii](#)
- [Hippotion rebeli](#)
- [Hippotion rosae](#)
- [Hippotion roseipennis](#)
- [Hippotion rosetta](#)
- [Hippotion saclavorum](#)
- [Hippotion scrofa](#)
- [Hippotion socotrensis](#)
- [Hippotion stigma](#)
- [Hippotion talboti](#)
- [Hippotion velox](#)

Genus **Hyles**

- [Hyles annei](#)
- [Hyles apocyni](#)
- [Hyles biguttata](#)
- [Hyles calida](#)
- [Hyles centralasiae](#)
- [Hyles chamyla](#)
- [Hyles churkini](#)
- [Hyles chivilini](#)
- [Hyles costata](#)
- [Hyles dahlii](#)
- [Hyles euphorbiae](#)
- [Hyles euphorbiarum](#)
- [Hyles gallii](#)
- [Hyles hippophaes](#)
- [Hyles lineata](#)
- [Hyles livornica](#)
- [Hyles livornicoides](#)
- [Hyles malgassica](#)
- [Hyles nervosa](#)
- [Hyles nicaea](#)
- [Hyles perkinsi](#)
- [Hyles robertsi](#)

- [Hyles salangensis](#)
- [Hyles sammuti](#)
- [Hyles siehei](#)
- [Hyles stroehlei](#)
- [Hyles tithymali](#)
- [Hyles vespertilio](#)
- [Hyles wilsoni](#)
- [Hyles zygophylli](#)

Genus **[Hypaedalea](#)**

- [Hypaedalea butleri](#)
- [Hypaedalea insignis](#)
- [Hypaedalea lobipennis](#)
- [Hypaedalea neglecta](#)

Genus **[Isognathus](#)**

- [Isognathus allamandae](#)
- [Isognathus australis](#)
- [Isognathus caricae](#)
- [Isognathus excelsior](#)
- [Isognathus leachii](#)
- [Isognathus menechus](#)
- [Isognathus mossi](#)
- [Isognathus occidentalis](#)
- [Isognathus rimosa](#)
- [Isognathus scyron](#)
- [Isognathus swainsonii](#)

Genus **[Kloneus](#)**

- [Kloneus babayaga](#)

Genus **[Leucostrophus](#)**

- [Leucostrophus alterhirundo](#)
- [Leucostrophus commasiae](#)

Genus **[Maassenia](#)**

- [Maassenia distincta](#)
- [Maassenia heydeni](#)

Genus **[Macroglossum](#)**

- [Macroglossum adustum](#)

- [Macroglossum aesalon](#)
- [Macroglossum afflictitia](#)
- [Macroglossum albigutta](#)
- [Macroglossum albolineata](#)
- [Macroglossum alcedo](#)
- [Macroglossum alluaudi](#)
- [Macroglossum amoenum](#)
- [Macroglossum aquila](#)
- [Macroglossum arimasi](#)
- [Macroglossum assimilis](#)
- [Macroglossum augarra](#)
- [Macroglossum avicula](#)
- [Macroglossum backi](#)
- [Macroglossum belis](#)
- [Macroglossum bifasciata](#)
- [Macroglossum bombylans](#)
- [Macroglossum buini](#)
- [Macroglossum buruensis](#)
- [Macroglossum cadioui](#)
- [Macroglossum caldum](#)
- [Macroglossum calescens](#)
- [Macroglossum castaneum](#)
- [Macroglossum clemensi](#)
- [Macroglossum corythus](#)
- [Macroglossum dohertyi](#)
- [Macroglossum eggeri](#)
- [Macroglossum eichhorni](#)
- [Macroglossum faro](#)
- [Macroglossum fischeri](#)
- [Macroglossum fritzei](#)
- [Macroglossum fruhstorferi](#)
- [Macroglossum glaucoptera](#)
- [Macroglossum godeffroyi](#)
- [Macroglossum gyrans](#)
- [Macroglossum haslami](#)
- [Macroglossum haxairei](#)
- [Macroglossum heliophila](#)
- [Macroglossum hemichroma](#)
- [Macroglossum hirundo](#)
- [Macroglossum incredibile](#)
- [Macroglossum insipida](#)
- [Macroglossum jani](#)

- [Macroglossum joannisi](#)
- [Macroglossum kadneri](#)
- [Macroglossum kishidai](#)
- [Macroglossum kitchingi](#)
- [Macroglossum kleineri](#)
- [Macroglossum lepidum](#)
- [Macroglossum leytenis](#)
- [Macroglossum limata](#)
- [Macroglossum malitum](#)
- [Macroglossum marquesanum](#)
- [Macroglossum mediovitta](#)
- [Macroglossum meeki](#)
- [Macroglossum melanoleuca](#)
- [Macroglossum melas](#)
- [Macroglossum micacea](#)
- [Macroglossum milvus](#)
- [Macroglossum mitchellii](#)
- [Macroglossum moecki](#)
- [Macroglossum mouldsi](#)
- [Macroglossum multifascia](#)
- [Macroglossum napolovi](#)
- [Macroglossum nemesis](#)
- [Macroglossum neotroglodytus](#)
- [Macroglossum nigellum](#)
- [Macroglossum nubilum](#)
- [Macroglossum nycteris](#)
- [Macroglossum pachycerus](#)
- [Macroglossum palawana](#)
- [Macroglossum particolor](#)
- [Macroglossum passalus](#)
- [Macroglossum paukstatorum](#)
- [Macroglossum perplexum](#)
- [Macroglossum phocinum](#)
- [Macroglossum poecilum](#)
- [Macroglossum prometheus](#)
- [Macroglossum pseudocorythus](#)
- [Macroglossum pseudoluteata](#)
- [Macroglossum pseudonigellum](#)
- [Macroglossum pyrrhosticta](#)
- [Macroglossum rectans](#)
- [Macroglossum regulus](#)
- [Macroglossum reithi](#)

- [Macroglossum ronja](#)
- [Macroglossum saga](#)
- [Macroglossum schnitzleri](#)
- [Macroglossum semifasciata](#)
- [Macroglossum sitiene](#)
- [Macroglossum soror](#)
- [Macroglossum spilonotum](#)
- [Macroglossum stellatarum](#)
- [Macroglossum stenoxanthum](#)
- [Macroglossum stevensi](#)
- [Macroglossum stigma](#)
- [Macroglossum sulai](#)
- [Macroglossum svetlana](#)
- [Macroglossum sylvia](#)
- [Macroglossum tangalleum](#)
- [Macroglossum tenebrosa](#)
- [Macroglossum tenimberi](#)
- [Macroglossum trigi](#)
- [Macroglossum trochilus](#)
- [Macroglossum unguis](#)
- [Macroglossum vacillans](#)
- [Macroglossum vadenberghi](#)
- [Macroglossum variegatum](#)
- [Macroglossum vicinum](#)
- [Macroglossum vidua](#)
- [Macroglossum wolframmeyi](#)

Genus **Madoryx**

- [Madoryx bubastus](#)
- [Madoryx oiclus](#)
- [Madoryx plutonius](#)
- [Madoryx pseudothyreus](#)

Genus **Micracosmeryx**

- [Micracosmeryx chaochauensis](#)

Genus **Microsphinx**

- [Microsphinx pumilum](#)

Genus **Neogurelca**

- [Neogurelca himachala](#)

- [Neogurelca hyas](#)
- [Neogurelca masuriensis](#)
- [Neogurelca montana](#)
- [Neogurelca mulleri](#)
- [Neogurelca sonorensis](#)

Genus **[Nephele](#)**

- [Nephele accentifera](#)
- [Nephele aequivalens](#)
- [Nephele argentifera](#)
- [Nephele bipartita](#)
- [Nephele comma](#)
- [Nephele comoroana](#)
- [Nephele densoi](#)
- [Nephele discifera](#)
- [Nephele funebris](#)
- [Nephele hespera](#)
- [Nephele joiceyi](#)
- [Nephele lannini](#)
- [Nephele leighi](#)
- [Nephele maculosa](#)
- [Nephele monostigma](#)
- [Nephele oenopion](#)
- [Nephele peneus](#)
- [Nephele rectangulata](#)
- [Nephele rosae](#)
- [Nephele subvaria](#)
- [Nephele vau](#)
- [Nephele xylinea](#)

Genus **[Nyceryx](#)**

- [Nyceryx alophus](#)
- [Nyceryx brevis](#)
- [Nyceryx coffaeae](#)
- [Nyceryx continua](#)
- [Nyceryx draudti](#)
- [Nyceryx ericea](#)
- [Nyceryx eximia](#)
- [Nyceryx fernandezi](#)
- [Nyceryx furtadoi](#)
- [Nyceryx hyposticta](#)
- [Nyceryx janzeni](#)

- [Nyceryx lunaris](#)
- [Nyceryx magna](#)
- [Nyceryx maxwelli](#)
- [Nyceryx mielkei](#)
- [Nyceryx nephus](#)
- [Nyceryx nictitans](#)
- [Nyceryx riscus](#)
- [Nyceryx stuarti](#)
- [Nyceryx tacita](#)

Genus [Odontosida](#)

- [Odontosida magnificum](#)
- [Odontosida pusillus](#)

Genus [Oryba](#)

- [Oryba achemenides](#)
- [Oryba kadeni](#)

Genus [Pachygonidia](#)

- [Pachygonidia caliginosa](#)
- [Pachygonidia drucei](#)
- [Pachygonidia hopfferi](#)
- [Pachygonidia martini](#)
- [Pachygonidia mielkei](#)
- [Pachygonidia odile](#)
- [Pachygonidia ribbei](#)
- [Pachygonidia subhamata](#)

Genus [Pachylia](#)

- [Pachylia darceta](#)
- [Pachylia ficus](#)
- [Pachylia syces](#)

Genus [Pachylioides](#)

- [Pachylioides resumens](#)

Genus [Pergesa](#)

- [Pergesa acteus](#)

Genus [Perigonia](#)

- [Perigonia caryae](#)

- [Perigonia divisa](#)
- [Perigonia glaucescens](#)
- [Perigonia grisea](#)
- [Perigonia ilus](#)
- [Perigonia jamaicensis](#)
- [Perigonia lefebvraei](#)
- [Perigonia leucopus](#)
- [Perigonia lusca](#)
- [Perigonia manni](#)
- [Perigonia pallida](#)
- [Perigonia passerina](#)
- [Perigonia pittieri](#)
- [Perigonia stulta](#)
- [Perigonia thayeri](#)

Genus [Phanoxya](#)

- [Phanoxya hystrix](#)

Genus [Philodila](#)

- [Philodila astyanor](#)

Genus [Phryxus](#)

- [Phryxus caicus](#)

Genus [Proserpinus](#)

- [Proserpinus clarkiae](#)
- [Proserpinus flavofasciata](#)
- [Proserpinus gaurae](#)
- [Proserpinus juanita](#)
- [Proserpinus lucidus](#)
- [Proserpinus proserpina](#)
- [Proserpinus terlooi](#)
- [Proserpinus vega](#)

Genus [Protaleuron](#)

- [Protaleuron herbini](#)
- [Protaleuron rhodogaster](#)

Genus [Pseudenyo](#)

- [Pseudenyo benitensis](#)

Genus Pseudoangonyx

- [Pseudoangonyx excellens](#)

Genus Pseudosphinx

- [Pseudosphinx tetrio](#)

Genus Rethera

- [Rethera afghanistana](#)
- [Rethera amseli](#)
- [Rethera brandti](#)
- [Rethera komarovi](#)

Genus Rhagastis

- [Rhagastis acuta](#)
- [Rhagastis albomarginatus](#)
- [Rhagastis binoculata](#)
- [Rhagastis castor](#)
- [Rhagastis confusa](#)
- [Rhagastis diehli](#)
- [Rhagastis gloriosa](#)
- [Rhagastis hayesi](#)
- [Rhagastis lambertoni](#)
- [Rhagastis lunata](#)
- [Rhagastis meridionalis](#)
- [Rhagastis mongoliana](#)
- [Rhagastis olivacea](#)
- [Rhagastis rubetra](#)
- [Rhagastis trilineata](#)
- [Rhagastis velata](#)

Genus Rhodafra

- [Rhodafra marshalli](#)
- [Rhodafra opheltes](#)

Genus Sphecodina

- [Sphecodina abbottii](#)
- [Sphecodina caudata](#)

Genus Sphingonaepiopsis

- [Sphingonaepiopsis ansorgei](#)

- [*Sphingonaepiopsis asiatica*](#)
- [*Sphingonaepiopsis gorgoniades*](#)
- [*Sphingonaepiopsis gurkoi*](#)
- [*Sphingonaepiopsis kuldjaensis*](#)
- [*Sphingonaepiopsis malgassica*](#)
- [*Sphingonaepiopsis nana*](#)
- [*Sphingonaepiopsis obscurus*](#)
- [*Sphingonaepiopsis pumilio*](#)

Genus **Stolidoptera**

- [*Stolidoptera cadioui*](#)
- [*Stolidoptera tachasara*](#)

Genus **Temnora**

- [*Temnora albilinea*](#)
- [*Temnora angulosa*](#)
- [*Temnora argyropeza*](#)
- [*Temnora atrofasciata*](#)
- [*Temnora avinoffi*](#)
- [*Temnora bouyeri*](#)
- [*Temnora burdoni*](#)
- [*Temnora camerounensis*](#)
- [*Temnora crenulata*](#)
- [*Temnora curtula*](#)
- [*Temnora dierli*](#)
- [*Temnora elegans*](#)
- [*Temnora elisabethae*](#)
- [*Temnora engis*](#)
- [*Temnora eranga*](#)
- [*Temnora fumosa*](#)
- [*Temnora funebris*](#)
- [*Temnora grandidieri*](#)
- [*Temnora griseata*](#)
- [*Temnora hollandi*](#)
- [*Temnora iapygoides*](#)
- [*Temnora inornatum*](#)
- [*Temnora kaguru*](#)
- [*Temnora leighi*](#)
- [*Temnora livida*](#)
- [*Temnora marginata*](#)
- [*Temnora masungai*](#)
- [*Temnora mirabilis*](#)

- [Temnora murina](#)
- [Temnora namaqua](#)
- [Temnora natalis](#)
- [Temnora nephele](#)
- [Temnora nitida](#)
- [Temnora ntombi](#)
- [Temnora palpalis](#)
- [Temnora peckoveri](#)
- [Temnora plagiata](#)
- [Temnora probata](#)
- [Temnora pseudopylas](#)
- [Temnora pylades](#)
- [Temnora pylas](#)
- [Temnora radiata](#)
- [Temnora rattrayi](#)
- [Temnora reutlingeri](#)
- [Temnora robertsoni](#)
- [Temnora rungwe](#)
- [Temnora sardanus](#)
- [Temnora scheveni](#)
- [Temnora scitula](#)
- [Temnora spiritus](#)
- [Temnora stevensi](#)
- [Temnora subapicalis](#)
- [Temnora swynnertoni](#)
- [Temnora trapezoidea](#)
- [Temnora turlini](#)
- [Temnora uluguru](#)
- [Temnora wollastoni](#)
- [Temnora zantus](#)

Genus **Temnoripais**

- [Temnoripais lasti](#)

Genus **Theretra**

- [Theretra acuta](#)
- [Theretra alecto](#)
- [Theretra alorica](#)
- [Theretra arfakmontensis](#)
- [Theretra balienensis](#)
- [Theretra boisduvalii](#)
- [Theretra cajus](#)

- [Theretra capensis](#)
- [Theretra castanea](#)
- [Theretra catherinae](#)
- [Theretra celata](#)
- [Theretra clotho](#)
- [Theretra floresica](#)
- [Theretra gala](#)
- [Theretra gnoma](#)
- [Theretra griseomarginata](#)
- [Theretra halimuni](#)
- [Theretra hausmanni](#)
- [Theretra improvisa](#)
- [Theretra incarnata](#)
- [Theretra indistincta](#)
- [Theretra inornata](#)
- [Theretra insignis](#)
- [Theretra insularis](#)
- [Theretra japonica](#)
- [Theretra jugurtha](#)
- [Theretra kuehni](#)
- [Theretra latreillii](#)
- [Theretra lifuensis](#)
- [Theretra lomblenica](#)
- [Theretra lombokensis](#)
- [Theretra lycetus](#)
- [Theretra manilae](#)
- [Theretra masoni](#)
- [Theretra margarita](#)
- [Theretra molops](#)
- [Theretra monteironis](#)
- [Theretra muricolor](#)
- [Theretra natashae](#)
- [Theretra nessus](#)
- [Theretra oldenlandiae](#)
- [Theretra orpheus](#)
- [Theretra pallicosta](#)
- [Theretra papuensis](#)
- [Theretra pantarica](#)
- [Theretra perkeo](#)
- [Theretra polistratus](#)
- [Theretra queenslandi](#)
- [Theretra radiosa](#)

- [Theretra rhesus](#)
- [Theretra silhetensis](#)
- [Theretra suffusa](#)
- [Theretra sugii](#)
- [Theretra sumatrensis](#)
- [Theretra sumbaensis](#)
- [Theretra tabibulensis](#)
- [Theretra tessmanni](#)
- [Theretra tibetiana](#)
- [Theretra timorensis](#)
- [Theretra tomasi](#)
- [Theretra tryoni](#)
- [Theretra turneri](#)
- [Theretra viridis](#)
- [Theretra wetanensis](#)

Genus **Tinostoma**

- [Tinostoma smaragditis](#)

Genus **Unzela**

- [Unzela japix](#)
- [Unzela pronoe](#)

Genus **Xylophanes**

- [Xylophanes acrus](#)
- [Xylophanes adalia](#)
- [Xylophanes aglaor](#)
- [Xylophanes alexandrei](#)
- [Xylophanes alvarezsierrai](#)
- [Xylophanes amadis](#)
- [Xylophanes anubus](#)
- [Xylophanes aristor](#)
- [Xylophanes balcazari](#)
- [Xylophanes barbuti](#)
- [Xylophanes belti](#)
- [Xylophanes bilineata](#)
- [Xylophanes blanca](#)
- [Xylophanes ceratomioides](#)
- [Xylophanes chiron](#)
- [Xylophanes clarki](#)
- [Xylophanes colinae](#)
- [Xylophanes columbiana](#)

- [*Xylophanes cosmius*](#)
- [*Xylophanes crenulata*](#)
- [*Xylophanes crotonis*](#)
- [*Xylophanes cthulhu*](#)
- [*Xylophanes cyrene*](#)
- [*Xylophanes damocrita*](#)
- [*Xylophanes depuisei*](#)
- [*Xylophanes docilis*](#)
- [*Xylophanes dolius*](#)
- [*Xylophanes elara*](#)
- [*Xylophanes epaphus*](#)
- [*Xylophanes eumedon*](#)
- [*Xylophanes falco*](#)
- [*Xylophanes fassli*](#)
- [*Xylophanes fernandezi*](#)
- [*Xylophanes ferotinus*](#)
- [*Xylophanes fosteri*](#)
- [*Xylophanes furtadoi*](#)
- [*Xylophanes fusimacula*](#)
- [*Xylophanes germen*](#)
- [*Xylophanes godmani*](#)
- [*Xylophanes guianensis*](#)
- [*Xylophanes gundlachii*](#)
- [*Xylophanes hannemanni*](#)
- [*Xylophanes haxairei*](#)
- [*Xylophanes huloti*](#)
- [*Xylophanes hydrata*](#)
- [*Xylophanes indistincta*](#)
- [*Xylophanes irrorata*](#)
- [*Xylophanes isaon*](#)
- [*Xylophanes jamaicensis*](#)
- [*Xylophanes jordani*](#)
- [*Xylophanes josephinae*](#)
- [*Xylophanes juanita*](#)
- [*Xylophanes kaempferi*](#)
- [*Xylophanes katharinae*](#)
- [*Xylophanes kiefferi*](#)
- [*Xylophanes lamontagnei*](#)
- [*Xylophanes letiranti*](#)
- [*Xylophanes libya*](#)
- [*Xylophanes lichyi*](#)
- [*Xylophanes lissyi*](#)

- [*Xylophanes loelia*](#)
- [*Xylophanes lolita*](#)
- [*Xylophanes macasensis*](#)
- [*Xylophanes maculator*](#)
- [*Xylophanes marginalis*](#)
- [*Xylophanes media*](#)
- [*Xylophanes meridanus*](#)
- [*Xylophanes mineti*](#)
- [*Xylophanes mirabilis*](#)
- [*Xylophanes monzoni*](#)
- [*Xylophanes mossi*](#)
- [*Xylophanes mulleri*](#)
- [*Xylophanes nabuchodonosor*](#)
- [*Xylophanes neoptolemus*](#)
- [*Xylophanes norfolki*](#)
- [*Xylophanes obscurus*](#)
- [*Xylophanes ockendeni*](#)
- [*Xylophanes pearsoni*](#)
- [*Xylophanes pistacina*](#)
- [*Xylophanes ploetzi*](#)
- [*Xylophanes pluto*](#)
- [*Xylophanes porcus*](#)
- [*Xylophanes porioni*](#)
- [*Xylophanes pyrrhus*](#)
- [*Xylophanes resta*](#)
- [*Xylophanes rhodina*](#)
- [*Xylophanes rhodocera*](#)
- [*Xylophanes rhodochlora*](#)
- [*Xylophanes rhodotus*](#)
- [*Xylophanes robinsonii*](#)
- [*Xylophanes rothschildi*](#)
- [*Xylophanes rufescens*](#)
- [*Xylophanes sarae*](#)
- [*Xylophanes schausi*](#)
- [*Xylophanes schreiteri*](#)
- [*Xylophanes schwartzi*](#)
- [*Xylophanes staudingeri*](#)
- [*Xylophanes suana*](#)
- [*Xylophanes tersa*](#)
- [*Xylophanes thyelia*](#)
- [*Xylophanes titana*](#)
- [*Xylophanes turbata*](#)

- [*Xylophanes tyndarus*](#)
- [*Xylophanes undata*](#)
- [*Xylophanes vagliai*](#)
- [*Xylophanes virescens*](#)
- [*Xylophanes xylobotes*](#)
- [*Xylophanes zurcheri*](#)

Subfamily Smerinthinae

Genus [*Acanthosphinx*](#)

- [*Acanthosphinx guessfeldti*](#)

Genus [*Adhemarius*](#)

- [*Adhemarius blanchardorum*](#)
- [*Adhemarius daphne*](#)
- [*Adhemarius dariensis*](#)
- [*Adhemarius dentoni*](#)
- [*Adhemarius donysa*](#)
- [*Adhemarius eurysthenes*](#)
- [*Adhemarius fulvescens*](#)
- [*Adhemarius gagarini*](#)
- [*Adhemarius gannascus*](#)
- [*Adhemarius globifer*](#)
- [*Adhemarius jamaicensis*](#)
- [*Adhemarius mexicanus*](#)
- [*Adhemarius palmeri*](#)
- [*Adhemarius roessleri*](#)
- [*Adhemarius sexoculata*](#)
- [*Adhemarius tigrina*](#)
- [*Adhemarius ypsilon*](#)

Genus [*Afroclanis*](#)

- [*Afroclanis calcareus*](#)
- [*Afroclanis neavi*](#)

Genus [*Afrosataspes*](#)

- [*Afrosataspes galleyi*](#)

Genus [*Afrosphinx*](#)

- [*Afrosphinx amabilis*](#)

Genus **Agnosia**

- *Agnosia microta*
- *Agnosia orneus*

Genus **Akbesia**

- *Akbesia davidi*

Genus **Ambulyx**

- *Ambulyx adhemariusa*
- *Ambulyx amara*
- *Ambulyx amboynensis*
- *Ambulyx andangi*
- *Ambulyx auripennis*
- *Ambulyx bakeri*
- *Ambulyx belli*
- *Ambulyx bhutana*
- *Ambulyx bima*
- *Ambulyx canescens*
- *Ambulyx carycina*
- *Ambulyx celebensis*
- *Ambulyx ceramensis*
- *Ambulyx charlesi*
- *Ambulyx clavata*
- *Ambulyx cyclasticta*
- *Ambulyx dohertyi*
- *Ambulyx flava*
- *Ambulyx flavocelebensis*
- *Ambulyx immaculata*
- *Ambulyx inouei*
- *Ambulyx interplacida*
- *Ambulyx japonica*
- *Ambulyx johnsoni*
- *Ambulyx jordani*
- *Ambulyx kuangtungensis*
- *Ambulyx lahora*
- *Ambulyx latifascia*
- *Ambulyx lestradei*
- *Ambulyx liturata*
- *Ambulyx maculifera*
- *Ambulyx marissa*
- *Ambulyx matti*

- [Ambulyx meeki](#)
- [Ambulyx montana](#)
- [Ambulyx moorei](#)
- [Ambulyx naessigi](#)
- [Ambulyx obliterated](#)
- [Ambulyx ochracea](#)
- [Ambulyx phalaris](#)
- [Ambulyx placida](#)
- [Ambulyx pryeri](#)
- [Ambulyx pseudoclavata](#)
- [Ambulyx pseudoregia](#)
- [Ambulyx rawlini](#)
- [Ambulyx regia](#)
- [Ambulyx rudloffii](#)
- [Ambulyx schauffelbergeri](#)
- [Ambulyx semifervens](#)
- [Ambulyx semiplacida](#)
- [Ambulyx sericeipennis](#)
- [Ambulyx siamensis](#)
- [Ambulyx sinjaevi](#)
- [Ambulyx staudingeri](#)
- [Ambulyx subtrigilis](#)
- [Ambulyx suluensis](#)
- [Ambulyx tattina](#)
- [Ambulyx tenimberi](#)
- [Ambulyx tobii](#)
- [Ambulyx tondanoi](#)
- [Ambulyx viteki](#)
- [Ambulyx wildei](#)
- [Ambulyx wilemani](#)
- [Ambulyx zacharovi](#)
- [Ambulyx zhejiangensis](#)

Genus **Amorpha**

- [Amorpha juglandis](#)

Genus **Amplipterus**

- [Amplipterus celebensis](#)
- [Amplipterus mansonii](#)
- [Amplipterus mindanaoensis](#)
- [Amplipterus panopus](#)
- [Amplipterus sumbawanensis](#)

Genus Anambulyx

- [Anambulyx elwesi](#)

Genus Andriasa

- [Andriasa contraria](#)
- [Andriasa mitchelli](#)

Genus Avinoffia

- [Avinoffia hollandi](#)

Genus Batocnema

- [Batocnema africanus](#)
- [Batocnema coquerelii](#)

Genus Cadiouclanis

- [Cadiouclanis bianchii](#)

Genus Callambulyx

- [Callambulyx amanda](#)
- [Callambulyx junonia](#)
- [Callambulyx kitchingi](#)
- [Callambulyx poecilus](#)
- [Callambulyx rubricosa](#)
- [Callambulyx schintlmeisteri](#)
- [Callambulyx sichangensis](#)
- [Callambulyx sinjaevi](#)
- [Callambulyx tatarinovii](#)

Genus Ceridia

- [Ceridia heuglini](#)
- [Ceridia mira](#)
- [Ceridia nigricans](#)

Genus Chloroclanis

- [Chloroclanis virescens](#)

Genus Clanidopsis

- [Clanidopsis exusta](#)

Genus Clanis

- [Clanis baratana](#)
- [Clanis bilineata](#)
- [Clanis deucalion](#)
- [Clanis euroa](#)
- [Clanis hyperion](#)
- [Clanis mahadeva](#)
- [Clanis mcguirei](#)
- [Clanis negritensis](#)
- [Clanis orhanti](#)
- [Clanis peterseni](#)
- [Clanis phalaris](#)
- [Clanis pratti](#)
- [Clanis schwartzi](#)
- [Clanis stenosema](#)
- [Clanis surigaoensis](#)
- [Clanis thailandica](#)
- [Clanis titan](#)
- [Clanis undulosa](#)

Genus Coenotes

- [Coenotes eremophilae](#)
- [Coenotes jakli](#)

Genus Coequosa

- [Coequosa australasiae](#)
- [Coequosa triangularis](#)

Genus Compsulyx

- [Compsulyx cochereaui](#)

Genus Craspedortha

- [Craspedortha porphyria](#)
- [Craspedortha montana](#)

Genus Cypa

- [Cypa bouyeri](#)
- [Cypa claggi](#)
- [Cypa decolor](#)
- [Cypa duponti](#)
- [Cypa enodis](#)

- [Cypa ferruginea](#)
- [Cypa kitchingi](#)
- [Cypa latericia](#)
- [Cypa luzonica](#)
- [Cypa terranea](#)
- [Cypa uniformis](#)

Genus [Cypoides](#)

- [Cypoides chinensis](#)
- [Cypoides parachinensis](#)

Genus [Daphnusa](#)

- [Daphnusa ailanti](#)
- [Daphnusa ocellaris](#)
- [Daphnusa philippinensis](#)
- [Daphnusa sinocontinentalis](#)
- [Daphnusa zythum](#)

Genus [Dargeclanis](#)

- [Dargeclanis grandidieri](#)

Genus [Degmaptera](#)

- [Degmaptera cadioui](#)
- [Degmaptera mirabilis](#)
- [Degmaptera olivacea](#)

Genus [Dolbina](#)

- [Dolbina borneensis](#)
- [Dolbina elegans](#)
- [Dolbina exacta](#)
- [Dolbina formosana](#)
- [Dolbina grisea](#)
- [Dolbina inexacta](#)
- [Dolbina krikkeni](#)
- [Dolbina luzonensis](#)
- [Dolbina mindanaensis](#)
- [Dolbina paraexacta](#)
- [Dolbina schnitzleri](#)
- [Dolbina tancrei](#)

Genus Falcatula

- [Falcatula cymatodes](#)
- [Falcatula falcatus](#)
- [Falcatula penumbra](#)
- [Falcatula svaricki](#)
- [Falcatula tamsi](#)

Genus Grillotius

- [Grillotius bergeri](#)

Genus Gynoeryx

- [Gynoeryx bilineatus](#)
- [Gynoeryx brevis](#)
- [Gynoeryx integer](#)
- [Gynoeryx meander](#)
- [Gynoeryx paulianii](#)
- [Gynoeryx teteforti](#)

Genus Hopliocnema

- [Hopliocnema brachycera](#)

Genus Imber

- [Imber tropicus](#)

Genus Kentrochrysalis

- [Kentrochrysalis consimilis](#)
- [Kentrochrysalis heberti](#)
- [Kentrochrysalis sieversi](#)
- [Kentrochrysalis streckeri](#)

Genus Langia

- [Langia zenzeroides](#)

Genus Laothoe

- [Laothoe amurensis](#)
- [Laothoe austanti](#)
- [Laothoe habeli](#)
- [Laothoe philerema](#)
- [Laothoe populeti](#)
- [Laothoe populetorum](#)

- [Laothoe populi](#)

Genus [Larunda](#)

- [Larunda molitor](#)

Genus [Leptoclanis](#)

- [Leptoclanis pulchra](#)

Genus [Leucophlebia](#)

- [Leucophlebia afra](#)
- [Leucophlebia caecilie](#)
- [Leucophlebia edentata](#)
- [Leucophlebia emittens](#)
- [Leucophlebia formosana](#)
- [Leucophlebia frederkingi](#)
- [Leucophlebia hogenesi](#)
- [Leucophlebia lineata](#)
- [Leucophlebia muehlei](#)
- [Leucophlebia neumanni](#)
- [Leucophlebia paul](#)
- [Leucophlebia pinratanai](#)
- [Leucophlebia rosacea](#)
- [Leucophlebia schacht](#)
- [Leucophlebia vietnamensis](#)
- [Leucophlebia xanthopis](#)

Genus [Likoma](#)

- [Likoma apicalis](#)
- [Likoma crenata](#)

Genus [Lophostethus](#)

- [Lophostethus dumolinii](#)
- [Lophostethus negus](#)

Genus [Lycosphingia](#)

- [Lycosphingia hamatus](#)

Genus [Malgassoclanis](#)

- [Malgassoclanis delicatus](#)
- [Malgassoclanis suffusus](#)

Genus **Marumba**

- *Marumba amboinicus*
- *Marumba cristata*
- *Marumba diehli*
- *Marumba dyras*
- *Marumba fenzelii*
- *Marumba gaschkewitschii*
- *Marumba indicus*
- *Marumba jankowskii*
- *Marumba juvenicus*
- *Marumba maackii*
- *Marumba nympa*
- *Marumba poliotis*
- *Marumba quercus*
- *Marumba saishiuana*
- *Marumba spectabilis*
- *Marumba sperchius*
- *Marumba tigrina*
- *Marumba timora*

Genus **Microclanis**

- *Microclanis erlangeri*

Genus **Mimas**

- *Mimas christophi*
- *Mimas tiliae*

Genus **Monarda**

- *Monarda oryx*

Genus **Morwennius**

- *Morwennius decoratus*

Genus **Neoclanis**

- *Neoclanis basalis*

Genus **Neopolyptychus**

- *Neopolyptychus ancylus*
- *Neopolyptychus centralis*
- *Neopolyptychus choveti*

- [Neopolyptychus compar](#)
- [Neopolyptychus consimilis](#)
- [Neopolyptychus convexus](#)
- [Neopolyptychus prionites](#)
- [Neopolyptychus pygarga](#)
- [Neopolyptychus serrator](#)
- [Neopolyptychus spurrelli](#)

Genus **Opistoclanis**

- [Opistoclanis hawkeri](#)

Genus **Oplerclanis**

- [Oplerclanis boisduvali](#)
- [Oplerclanis rhadamistus](#)

Genus **Orecta**

- [Orecta acuminata](#)
- [Orecta fruhstorferi](#)
- [Orecta lycidas](#)
- [Orecta venedictoffae](#)

Genus **Pachysphinx**

- [Pachysphinx modesta](#)
- [Pachysphinx occidentalis](#)
- [Pachysphinx peninsularis](#)

Genus **Paonias**

- [Paonias astylus](#)
- [Paonias excaecatus](#)
- [Paonias macrops](#)
- [Paonias myops](#)
- [Paonias wolfei](#)

Genus **Parum**

- [Parum colligata](#)

Genus **Pentateucha**

- [Pentateucha curiosa](#)
- [Pentateucha inouei](#)
- [Pentateucha stueningi](#)

Genus Phyllosphingia

- [Phyllosphingia dissimilis](#)

Genus Phylloxiphia

- [Phylloxiphia goodii](#)
- [Phylloxiphia bicolor](#)
- [Phylloxiphia formosa](#)
- [Phylloxiphia illustris](#)
- [Phylloxiphia karschi](#)
- [Phylloxiphia metria](#)
- [Phylloxiphia oberthueri](#)
- [Phylloxiphia oweni](#)
- [Phylloxiphia punctum](#)
- [Phylloxiphia vicina](#)

Genus Pierreclanis

- [Pierreclanis admatha](#)

Genus Platysphinx

- [Platysphinx bouyeri](#)
- [Platysphinx constrictilis](#)
- [Platysphinx dorsti](#)
- [Platysphinx phyllis](#)
- [Platysphinx piabilis](#)
- [Platysphinx stigmatica](#)
- [Platysphinx vicaria](#)
- [Platysphinx zabolichus](#)

Genus Poliodes

- [Poliodes roseicornis](#)

Genus Polyptychoides

- [Polyptychoides afarissaque](#)
- [Polyptychoides assimilis](#)
- [Polyptychoides cadioui](#)
- [Polyptychoides digitatus](#)
- [Polyptychoides erosus](#)
- [Polyptychoides grayii](#)
- [Polyptychoides insulanus](#)
- [Polyptychoides mbarikensis](#)
- [Polyptychoides niloticus](#)

- [*Polyptychoides obtusus*](#)
- [*Polyptychoides politzari*](#)
- [*Polyptychoides ruaha*](#)
- [*Polyptychoides septentrionalis*](#)
- [*Polyptychoides vuattouxi*](#)

Genus [*Polyptychopsis*](#)

- [*Polyptychopsis marshalli*](#)

Genus [*Polyptychus*](#)

- [*Polyptychus affinis*](#)
- [*Polyptychus andosa*](#)
- [*Polyptychus anochus*](#)
- [*Polyptychus aurora*](#)
- [*Polyptychus baltus*](#)
- [*Polyptychus baxteri*](#)
- [*Polyptychus bernardii*](#)
- [*Polyptychus carteri*](#)
- [*Polyptychus chinensis*](#)
- [*Polyptychus claudiae*](#)
- [*Polyptychus coryndoni*](#)
- [*Polyptychus dentatus*](#)
- [*Polyptychus distensus*](#)
- [*Polyptychus enodia*](#)
- [*Polyptychus girardi*](#)
- [*Polyptychus herbuloti*](#)
- [*Polyptychus hollandi*](#)
- [*Polyptychus lapidatus*](#)
- [*Polyptychus murinus*](#)
- [*Polyptychus nigriplaga*](#)
- [*Polyptychus orthographus*](#)
- [*Polyptychus paupercula*](#)
- [*Polyptychus potiendus*](#)
- [*Polyptychus rougeoti*](#)
- [*Polyptychus sinus*](#)
- [*Polyptychus thihongae*](#)
- [*Polyptychus trilineatus*](#)
- [*Polyptychus trisecta*](#)
- [*Polyptychus wojtusiaki*](#)

Genus [*Protambulyx*](#)

- [*Protambulyx astygonus*](#)

- [Protambulyx carteri](#)
- [Protambulyx euryalus](#)
- [Protambulyx eurycles](#)
- [Protambulyx goeldii](#)
- [Protambulyx ockendeni](#)
- [Protambulyx strigilis](#)
- [Protambulyx sulphurea](#)

Genus [Pseudandriasa](#)

- [Pseudandriasa mutata](#)

Genus [Pseudoclanis](#)

- [Pseudoclanis abyssinicus](#)
- [Pseudoclanis aequabilis](#)
- [Pseudoclanis axis](#)
- [Pseudoclanis biokoensis](#)
- [Pseudoclanis canui](#)
- [Pseudoclanis diana](#)
- [Pseudoclanis evestigata](#)
- [Pseudoclanis kakamegae](#)
- [Pseudoclanis kenya](#)
- [Pseudoclanis occidentalis](#)
- [Pseudoclanis postica](#)
- [Pseudoclanis somaliae](#)
- [Pseudoclanis tomensis](#)
- [Pseudoclanis zairensis](#)

Genus [Pseudopolyptychus](#)

- [Pseudopolyptychus foliaceus](#)

Genus [Rhadinopasa](#)

- [Rhadinopasa hornimani](#)

Genus [Rhodambulyx](#)

- [Rhodambulyx davidi](#)
- [Rhodambulyx hainanensis](#)
- [Rhodambulyx schnitzleri](#)

Genus [Rhodoprasina](#)

- [Rhodoprasina callantha](#)
- [Rhodoprasina corolla](#)

- [*Rhodoprasina corrigenda*](#)
- [*Rhodoprasina floralis*](#)
- [*Rhodoprasina koerferi*](#)
- [*Rhodoprasina mateji*](#)
- [*Rhodoprasina nanlingensis*](#)
- [*Rhodoprasina nenulfascia*](#)
- [*Rhodoprasina viksinjaevi*](#)
- [*Rhodoprasina winbrechlini*](#)

Genus **Rufoclanis**

- [*Rufoclanis erlangeri*](#)
- [*Rufoclanis fulgurans*](#)
- [*Rufoclanis jansei*](#)
- [*Rufoclanis maccleeryi*](#)
- [*Rufoclanis numosae*](#)
- [*Rufoclanis rosea*](#)

Genus **Sataspes**

- [*Sataspes cerberus*](#)
- [*Sataspes infernalis*](#)
- [*Sataspes javanica*](#)
- [*Sataspes leyteana*](#)
- [*Sataspes negrosiana*](#)
- [*Sataspes ribbei*](#)
- [*Sataspes scotti*](#)
- [*Sataspes tagalica*](#)
- [*Sataspes xylocoparis*](#)

Genus **Smerinthulus**

- [*Smerinthulus designata*](#)
- [*Smerinthulus diehli*](#)
- [*Smerinthulus dohrni*](#)
- [*Smerinthulus myanmarensis*](#)
- [*Smerinthulus perversa*](#)
- [*Smerinthulus quadripunctatus*](#)
- [*Smerinthulus witti*](#)

Genus **Smerinthus**

- [*Smerinthus caecus*](#)
- [*Smerinthus cerisyi*](#)
- [*Smerinthus jamaicensis*](#)

- [*Smerinthus kindermannii*](#)
- [*Smerinthus minor*](#)
- [*Smerinthus ocellatus*](#)
- [*Smerinthus ophthalmica*](#)
- [*Smerinthus planus*](#)
- [*Smerinthus saliceti*](#)
- [*Smerinthus szechuanus*](#)
- [*Smerinthus tokyonis*](#)
- [*Smerinthus visinskasi*](#)

Genus [*Sphingulus*](#)

- [*Sphingulus mus*](#)

Genus [*Synoecha*](#)

- [*Synoecha marmorata*](#)

Genus [*Tetrachroa*](#)

- [*Tetrachroa edwardsi*](#)

Genus [*Trogolegnum*](#)

- [*Trogolegnum pseudambulyx*](#)

Genus [*Viriclanis*](#)

- [*Viriclanis kingstoni*](#)

Genus [*Xenosphingia*](#)

- [*Xenosphingia jansei*](#)

Subfamily [*Sphinginae*](#)

Genus [*Acherontia*](#)

- [*Acherontia atropos*](#)
- [*Acherontia styx*](#)
- [*Acherontia lachesis*](#)

Genus [*Adhemarius*](#)

- [*Adhemarius blanchardorum*](#)
- [*Adhemarius daphne*](#)
- [*Adhemarius dariensis*](#)
- [*Adhemarius dentoni*](#)

- [Adhemarius donysa](#)
- [Adhemarius eurysthenes](#)
- [Adhemarius fulvescens](#)
- [Adhemarius gagarini](#)
- [Adhemarius gannascus](#)
- [Adhemarius globifer](#)
- [Adhemarius jamaicensis](#)
- [Adhemarius mexicanus](#)
- [Adhemarius palmeri](#)
- [Adhemarius roessleri](#)
- [Adhemarius sexoculata](#)
- [Adhemarius tigrina](#)
- [Adhemarius ypsilon](#)

Genus **Agrius**

- [Agrius cingulata](#)
- [Agrius convolvuli](#)
- [Agrius cordiae](#)
- [Agrius godarti](#)
- [Agrius luctifera](#)
- [Agrius rothschildi](#)

Genus **Amphimoea**

- [Amphimoea walkeri](#)

Genus **Amphonyx**

- [Amphonyx duponchel](#)
- [Amphonyx haxairei](#)
- [Amphonyx jamaicensis](#)
- [Amphonyx kofleri](#)
- [Amphonyx lucifer](#)
- [Amphonyx mephisto](#)
- [Amphonyx rivularis](#)
- [Amphonyx vitrinus](#)

Genus **Apocalypsis**

- [Apocalypsis velox](#)

Genus **Callosphingia**

- [Callosphingia circe](#)

Genus Ceratomia

- [Ceratomia amyntor](#)
- [Ceratomia catalpae](#)
- [Ceratomia hageni](#)
- [Ceratomia hoffmanni](#)
- [Ceratomia igualana](#)
- [Ceratomia sonorensis](#)
- [Ceratomia undulosa](#)

Genus Cocytius

- [Cocytius antaeus](#)

Genus Coelonia

- [Coelonia brevis](#)
- [Coelonia fulvinotata](#)
- [Coelonia solani](#)

Genus Dolba

- [Dolba hyloeus](#)

Genus Dolbogene

- [Dolbogene hartwegii](#)

Genus Dovania

- [Dovania dargei](#)
- [Dovania mirei](#)
- [Dovania neumanni](#)
- [Dovania poecila](#)

Genus Ellenbeckia

- [Ellenbeckia monospila](#)

Genus Euryglottis

- [Euryglottis albstigmata](#)
- [Euryglottis aper](#)
- [Euryglottis davidianus](#)
- [Euryglottis dognini](#)
- [Euryglottis guttiventris](#)
- [Euryglottis johannes](#)
- [Euryglottis oliver](#)

Genus Hoplistopus

- [Hoplistopus butti](#)
- [Hoplistopus penricei](#)

Genus Isoparce

- [Isoparce broui](#)
- [Isoparce cupressi](#)

Genus Lapara

- [Lapara bombycoides](#)
- [Lapara coniferarum](#)
- [Lapara halicarnie](#)
- [Lapara phaeobrachycerous](#)

Genus Leucomonia

- [Leucomonia bethia](#)

Genus Lintneria

- [Lintneria arthuri](#)
- [Lintneria aurigutta](#)
- [Lintneria balsae](#)
- [Lintneria biolleyi](#)
- [Lintneria eremitoides](#)
- [Lintneria eremitus](#)
- [Lintneria geminus](#)
- [Lintneria istar](#)
- [Lintneria justiciae](#)
- [Lintneria lugens](#)
- [Lintneria maura](#)
- [Lintneria merops](#)
- [Lintneria phalerata](#)
- [Lintneria pitzahuac](#)
- [Lintneria porioni](#)
- [Lintneria praelongus](#)
- [Lintneria pseudostigmatica](#)
- [Lintneria separatus](#)
- [Lintneria smithi](#)
- [Lintneria tricolor](#)
- [Lintneria xantus](#)

Genus **Litosphingia**

- [Litosphingia corticea](#)
- [Litosphingia minettii](#)

Genus **Lomocyma**

- [Lomocyma oegrapha](#)

Genus **Macropoliana**

- [Macropoliana afarorum](#)
- [Macropoliana asirensis](#)
- [Macropoliana cadioui](#)
- [Macropoliana ferax](#)
- [Macropoliana gessi](#)
- [Macropoliana natalensis](#)
- [Macropoliana scheveni](#)

Genus **Manduca**

- [Manduca afflicta](#)
- [Manduca albiplaga](#)
- [Manduca albolineata](#)
- [Manduca andicola](#)
- [Manduca armatipes](#)
- [Manduca aztecus](#)
- [Manduca barnesi](#)
- [Manduca bergarmatipes](#)
- [Manduca bergi](#)
- [Manduca blackburni](#)
- [Manduca boliviana](#)
- [Manduca brasilensis](#)
- [Manduca brontes](#)
- [Manduca brunalba](#)
- [Manduca camposi](#)
- [Manduca caribbeus](#)
- [Manduca chinchilla](#)
- [Manduca clarki](#)
- [Manduca contracta](#)
- [Manduca corallina](#)
- [Manduca corumbensis](#)
- [Manduca dalica](#)
- [Manduca diffissa](#)
- [Manduca dilucida](#)

- [Manduca duquefi](#)
- [Manduca empusa](#)
- [Manduca extrema](#)
- [Manduca feronia](#)
- [Manduca florestan](#)
- [Manduca fosteri](#)
- [Manduca franciscae](#)
- [Manduca gloriosa](#)
- [Manduca gueneei](#)
- [Manduca hannibal](#)
- [Manduca huascara](#)
- [Manduca incisa](#)
- [Manduca janira](#)
- [Manduca jasminearum](#)
- [Manduca johanni](#)
- [Manduca jordani](#)
- [Manduca kuschei](#)
- [Manduca lamasi](#)
- [Manduca lanuginosa](#)
- [Manduca lefeburii](#)
- [Manduca leucospila](#)
- [Manduca lichenea](#)
- [Manduca lucetius](#)
- [Manduca manducoides](#)
- [Manduca morelia](#)
- [Manduca mossi](#)
- [Manduca muscosa](#)
- [Manduca neglecta](#)
- [Manduca occulta](#)
- [Manduca ochus](#)
- [Manduca pellenia](#)
- [Manduca prestoni](#)
- [Manduca quinquemaculata](#)
- [Manduca reducta](#)
- [Manduca rustica](#)
- [Manduca schausi](#)
- [Manduca scutata](#)
- [Manduca sesquiplea](#)
- [Manduca sexta](#)
- [Manduca stuarti](#)
- [Manduca trimacula](#)
- [Manduca tucumana](#)

- [Manduca undata](#)
- [Manduca vestalis](#)
- [Manduca violaalba](#)
- [Manduca wellingi](#)

Genus [Megacorma](#)

- [Megacorma hoffmani](#)
- [Megacorma iorioi](#)
- [Megacorma obliqua](#)
- [Megacorma remota](#)
- [Megacorma schroederi](#)

Genus [Meganoton](#)

- [Meganoton analis](#)
- [Meganoton hyloicoides](#)
- [Meganoton loeffleri](#)
- [Meganoton nyctiphanes](#)
- [Meganoton rubescens](#)
- [Meganoton yunnanfuana](#)

Genus [Morcocytius](#)

- [Morcocytius mortuorum](#)

Genus [Nannoparce](#)

- [Nannoparce balsa](#)
- [Nannoparce poeyi](#)

Genus [Neococytius](#)

- [Neococytius cluentius](#)

Genus [Neogene](#)

- [Neogene albescens](#)
- [Neogene carrerasi](#)
- [Neogene corumbensis](#)
- [Neogene curitiba](#)
- [Neogene dynaeus](#)
- [Neogene intermedia](#)
- [Neogene pictus](#)
- [Neogene reevei](#)
- [Neogene steinbachi](#)

Genus Oligographa

- [Oligographa juniperi](#)

Genus Panogena

- [Panogena jasmini](#)
- [Panogena lingens](#)

Genus Pantophaea

- [Pantophaea favillacea](#)
- [Pantophaea jordani](#)
- [Pantophaea oneili](#)

Genus Paratrea

- [Paratrea plebeja](#)

Genus Poliana

- [Poliana albescens](#)
- [Poliana buchholzi](#)
- [Poliana leucomelas](#)
- [Poliana micra](#)
- [Poliana wintgensii](#)

Genus Praedora

- [Praedora leucophaea](#)
- [Praedora marshalli](#)
- [Praedora plagiata](#)
- [Praedora puchneri](#)
- [Praedora tropicalis](#)

Genus Pseudococytius

- [Pseudococytius beelzebuth](#)

Genus Pseudodolbina

- [Pseudodolbina aequalis](#)
- [Pseudodolbina fo](#)

Genus Psilogramma

- [Psilogramma andamanica](#)
- [Psilogramma angelika](#)
- [Psilogramma anne](#)

- [*Psilogramma argos*](#)
- [*Psilogramma bartschereri*](#)
- [*Psilogramma baueri*](#)
- [*Psilogramma casuarinae*](#)
- [*Psilogramma choui*](#)
- [*Psilogramma danneri*](#)
- [*Psilogramma dantchenkoi*](#)
- [*Psilogramma dillerorum*](#)
- [*Psilogramma discistriga*](#)
- [*Psilogramma edii*](#)
- [*Psilogramma exigua*](#)
- [*Psilogramma floresica*](#)
- [*Psilogramma frankenbachii*](#)
- [*Psilogramma gerstmeieri*](#)
- [*Psilogramma gloriosa*](#)
- [*Psilogramma hainanensis*](#)
- [*Psilogramma hauensteini*](#)
- [*Psilogramma hayati*](#)
- [*Psilogramma increta*](#)
- [*Psilogramma japonica*](#)
- [*Psilogramma joachimi*](#)
- [*Psilogramma jordana*](#)
- [*Psilogramma kitchingi*](#)
- [*Psilogramma kleineri*](#)
- [*Psilogramma koalae*](#)
- [*Psilogramma lifuense*](#)
- [*Psilogramma lukhtanovi*](#)
- [*Psilogramma macromera*](#)
- [*Psilogramma makirae*](#)
- [*Psilogramma mandarina*](#)
- [*Psilogramma manusensis*](#)
- [*Psilogramma maxmouldsi*](#)
- [*Psilogramma mediciei*](#)
- [*Psilogramma menephron*](#)
- [*Psilogramma monasteryskii*](#)
- [*Psilogramma nebulosa*](#)
- [*Psilogramma orientalis*](#)
- [*Psilogramma papuensis*](#)
- [*Psilogramma paukstadorum*](#)
- [*Psilogramma penumbra*](#)
- [*Psilogramma reinhardti*](#)
- [*Psilogramma renneri*](#)

- [*Psilogramma rupprechtorum*](#)
- [*Psilogramma salomonis*](#)
- [*Psilogramma stameri*](#)
- [*Psilogramma sulawesica*](#)
- [*Psilogramma sundana*](#)
- [*Psilogramma surholti*](#)
- [*Psilogramma tanimbarica*](#)
- [*Psilogramma timorica*](#)
- [*Psilogramma ulrichroesleri*](#)
- [*Psilogramma vanuatu*](#)
- [*Psilogramma vates*](#)
- [*Psilogramma villani*](#)
- [*Psilogramma wannanensis*](#)
- [*Psilogramma wernerbacki*](#)
- [*Psilogramma wetarensis*](#)
- [*Psilogramma yilingae*](#)

Genus **Sagenosoma**

- [*Sagenosoma elsa*](#)

Genus **Sphingidites**

- [*Sphingidites weidneri*](#)

Genus **Sphinx**

- [*Sphinx adumbrata*](#)
- [*Sphinx asellus*](#)
- [*Sphinx caligineus*](#)
- [*Sphinx canadensis*](#)
- [*Sphinx centrosinaria*](#)
- [*Sphinx chersis*](#)
- [*Sphinx chisoya*](#)
- [*Sphinx constricta*](#)
- [*Sphinx crassistriga*](#)
- [*Sphinx dollii*](#)
- [*Sphinx drupiferarum*](#)
- [*Sphinx formosana*](#)
- [*Sphinx franckii*](#)
- [*Sphinx gordius*](#)
- [*Sphinx kalmiae*](#)
- [*Sphinx leucophaeata*](#)
- [*Sphinx libocedrus*](#)
- [*Sphinx ligustri*](#)

- [*Sphinx luscitiosa*](#)
- [*Sphinx maurorum*](#)
- [*Sphinx morio*](#)
- [*Sphinx nogueirai*](#)
- [*Sphinx oberthueri*](#)
- [*Sphinx perelegans*](#)
- [*Sphinx pinastri*](#)
- [*Sphinx poecila*](#)
- [*Sphinx sequoiae*](#)
- [*Sphinx vashti*](#)

Genus [*Thamnoecha*](#)

- [*Thamnoecha uniformis*](#)

Genus [*Xanthopan*](#)

- [*Xanthopan morgani*](#)

References

- [Sphingidae of the World Checklist](#), All-Leps Barcode of Life

This is a list of 109 species in [*Sobarocephala*](#), a genus of flies in the family [Clusiidae](#).^{[1][2][3][4]}

Sobarocephala species

- [*Sobarocephala affinis*](#) (Johnson, 1913)^{i c g}
- [*Sobarocephala albitarsis*](#) Czerny, 1929^{c g}
- [*Sobarocephala albiventris*](#) Soos, 1962^{c g}
- [*Sobarocephala albomaculata*](#) Soos, 1965^{c g}
- [*Sobarocephala annulata*](#) Melander & Argo, 1924^{c g}
- [*Sobarocephala anonymos*](#)^g
- [*Sobarocephala apoxys*](#)^g
- [*Sobarocephala atricornis*](#) Sabrosky, 1974^{i c g b}
- [*Sobarocephala atrifacies*](#) Sabrosky, 1974^{i c g}
- [*Sobarocephala baculigera*](#) Sasakawa^g
- [*Sobarocephala beckeri*](#) Hennig, 1956^{c g}
- [*Sobarocephala bistrigata*](#) Kertész, 1903^{c g}
- [*Sobarocephala bivittata*](#) Melander & Argo, 1924^{c g}

- [*Sobarocephala boliviana*](#) Soos, 1963 ^{c g}
- [*Sobarocephala brasiliensis*](#) Soos, 1965 ^{c g}
- [*Sobarocephala columbiensis*](#) Soos, 1962 ^{c g}
- [*Sobarocephala cruciger*](#) Sabrosky, 1974 ^{i c g b}
- [*Sobarocephala cyclops*](#) ^g
- [*Sobarocephala discolor*](#) Soos, 1964 ^{c g}
- [*Sobarocephala distincta*](#) Soos, 1965 ^{c g}
- [*Sobarocephala diversa*](#) Soos, 1965 ^{c g}
- [*Sobarocephala diversipes*](#) Curran, 1939 ^{c g}
- [*Sobarocephala dives*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala dorsata*](#) Czerny, 1903 ^{c g}
- [*Sobarocephala doryphoros*](#) ^g
- [*Sobarocephala dreisbachi*](#) Sabrosky, 1974 ^{i c g}
- [*Sobarocephala dudichi*](#) Soos, 1963 ^{c g}
- [*Sobarocephala elegans*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala eurystylis*](#) Sasakawa ^g
- [*Sobarocephala fascipennis*](#) Melander, 1924 ^{c g}
- [*Sobarocephala ferruginea*](#) Czerny, 1903 ^{c g}
- [*Sobarocephala festiva*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala finnilaei*](#) Frey, 1918 ^{c g}
- [*Sobarocephala flava*](#) Melander & Argo, 1924 ^{i c g b}
- [*Sobarocephala flaviseta*](#) (Johnson, 1913) ^{i c g b}
- [*Sobarocephala fumipennis*](#) Soos, 1963 ^{c g}
- [*Sobarocephala fuscifacies*](#) Sasakawa ^g
- [*Sobarocephala geniculata*](#) Sasakawa ^g
- [*Sobarocephala guianica*](#) Curran, 1934 ^{c g}
- [*Sobarocephala hirsutiseta*](#) Frey ^g
- [*Sobarocephala humeralis*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala hypopygialis*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala imitans*](#) Curran, 1934 ^{c g}
- [*Sobarocephala insolata*](#) ^g
- [*Sobarocephala interrupta*](#) Sabrosky, 1974 ^{i c g b}
- [*Sobarocephala isla*](#) Curran, 1939 ^{c g}
- [*Sobarocephala kapnikos*](#) ^g
- [*Sobarocephala lachnosternum*](#) Melander & Argo, 1924 ^{i c g b}
- [*Sobarocephala lanei*](#) Curran, 1939 ^{c g}

- [*Sobarocephala laticrinis*](#) ^g
- [*Sobarocephala latifacies*](#) Sabrosky & Steyskal, 1974 ^{i c g b}
- [*Sobarocephala latifrons*](#) (Loew, 1860) ^{i c g b}
- [*Sobarocephala latipennis*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala latipennoides*](#) Soos, 1965 ^{c g}
- [*Sobarocephala liturata*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala lumbalis*](#) Williston, 1896 ^{c g}
- [*Sobarocephala macalpinei*](#) Soos, 1964 ^{c g}
- [*Sobarocephala magna*](#) ^g
- [*Sobarocephala medinai*](#) Steyskal, 1973 ^{c g}
- [*Sobarocephala megastylis*](#) Sasakawa ^g
- [*Sobarocephala melanderi*](#) Soos, 1965 ^{c g}
- [*Sobarocephala melanopyga*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala milangensis*](#) Stuckenberg, 1973 ^{c g}
- [*Sobarocephala mitsuii*](#) Sasakawa, 1995 ^{c g}
- [*Sobarocephala muesebecki*](#) Sabrosky, 1974 ^{i c g}
- [*Sobarocephala myllolabis*](#) ^g
- [*Sobarocephala nebulosa*](#) ^g
- [*Sobarocephala nepalensis*](#) Sasakawa, 1979 ^{c g}
- [*Sobarocephala nigroantennata*](#) Soos, 1962 ^{c g}
- [*Sobarocephala nigrofacies*](#) Soos, 1962 ^{c g}
- [*Sobarocephala nigrohumeralis*](#) Curran, 1928 ^{c g}
- [*Sobarocephala nigronota*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala nimbipennis*](#) ^g
- [*Sobarocephala orientalis*](#) ^g
- [*Sobarocephala paksana*](#) ^g
- [*Sobarocephala pallidor*](#) Steyskal, 1973 ^{c g}
- [*Sobarocephala panamaensis*](#) Soos, 1965 ^{c g}
- [*Sobarocephala pengellyi*](#) Lonsdale & Marshall, 2007 ^{c g}
- [*Sobarocephala peruana*](#) Soos, 1965 ^{c g}
- [*Sobarocephala picta*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala pictipennis*](#) Kertész, 1903 ^{c g}
- [*Sobarocephala plumata*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala plumatella*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala plumicornis*](#) Lamb, 1914 ^{c g}
- [*Sobarocephala pruinosa*](#) Soos, 1962 ^{c g}

- [*Sobarocephala quadrimaculata*](#) Soos, 1963 ^{i c g b}
- [*Sobarocephala quadrivittata*](#) Czerny, 1929 ^{c g}
- [*Sobarocephala recava*](#) ^g
- [*Sobarocephala reducta*](#) Soos, 1965 ^{c g}
- [*Sobarocephala ruebsaameni*](#) Czerny, 1903 ^{c g}
- [*Sobarocephala sabroskyi*](#) Soos, 1963 ^{c g}
- [*Sobarocephala secaperas*](#) ^g
- [*Sobarocephala setipes*](#) Melander & Argo, 1924 ^{i c g b}
- [*Sobarocephala sexvittata*](#) Soos, 1964 ^{c g}
- [*Sobarocephala soosi*](#) Steyskal, 1973 ^{c g}
- [*Sobarocephala steyskali*](#) Soos, 1963 ^{c g}
- [*Sobarocephala strigata*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala subfasciata*](#) Curran, 1939 ^{c g}
- [*Sobarocephala texensis*](#) Sabrosky, 1974 ^{i c g}
- [*Sobarocephala triangula*](#) ^g
- [*Sobarocephala uncinata*](#) Sueyoshi, 2006 ^{c g}
- [*Sobarocephala valida*](#) Williston, 1896 ^{c g}
- [*Sobarocephala variegata*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala vittatifrons*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala vockerothi*](#) Sasakawa, 1993 ^{c g}
- [*Sobarocephala wirthi*](#) Lonsdale & Marshall, 2007 ^{c g}
- [*Sobarocephala xanthomelana*](#) Melander & Argo, 1924 ^{c g}
- [*Sobarocephala zeugma*](#) Hennig, 1938 ^{c g}
- [*Sobarocephala zuluensis*](#) Stuckenberg, 1973 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 225 species belong to [*Smicronyx*](#), a genus of true weevils in the family [Curculionidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Smicronyx* species**

- [*Smicronyx abnormis*](#) Dietz, 1894
- [*Smicronyx adjamati*](#) Haran, 2018
- [*Smicronyx albidosquamosus*](#) Klima, 1934

- [*Smicronyx albofasciatus*](#) Chevrolat, 1879
- [*Smicronyx albonotatus*](#) Anderson, 1962
- [*Smicronyx albopictus*](#) Faust, 1882
- [*Smicronyx albosignatus*](#) Suffrian, 1871
- [*Smicronyx albosquamosus*](#) Wollaston, 1854
- [*Smicronyx albovariegatus*](#) Faust, 1891
- [*Smicronyx alfieri*](#) Pic, 1913
- [*Smicronyx amoenus*](#) (Say, T., 1832)
- [*Smicronyx angolanus*](#) Hustache, 1936
- [*Smicronyx angusticollis*](#) Fairmaire, 1875
- [*Smicronyx angustus*](#) Fairmaire, 1875
- [*Smicronyx anthracinus*](#) Faust, 1898
- [*Smicronyx apionides*](#) Casey, 1892
- [*Smicronyx argentinensis*](#) Hustache, 1939
- [*Smicronyx armipes*](#) Voss, 1962
- [*Smicronyx atratus*](#) Dietz, 1894
- [*Smicronyx australis*](#) Haran, 2021
- [*Smicronyx balassogloi*](#) Faust, 1885
- [*Smicronyx basalis*](#) Schultze, 1897
- [*Smicronyx bipunctatus*](#) Karasjov & Okrajko, 1998
- [*Smicronyx bisignatus*](#) Hoffmann, 1968
- [*Smicronyx bituberculatus*](#) Faust, 1898
- [*Smicronyx brenskei*](#) Faust, 1887
- [*Smicronyx brevicornis*](#) Solari, 1953
- [*Smicronyx buchnerae*](#) Haran, 2018
- [*Smicronyx caecus*](#) Schoenherr, 1843
- [*Smicronyx californicus*](#) Dietz, 1894
- [*Smicronyx caseyi*](#) Blatchley, 1916
- [*Smicronyx cataphractus*](#) Champion, 1902
- [*Smicronyx centralis*](#) Anderson, 1962
- [*Smicronyx centropustulatus*](#) Faust, 1891
- [*Smicronyx championi*](#) Fowler, 1890
- [*Smicronyx chilensis*](#) Kuschel, 1952
- [*Smicronyx cicur*](#)
- [*Smicronyx cinerascens*](#) Dietz, 1894
- [*Smicronyx cinereus*](#) Motschulsky, 1845
- [*Smicronyx clavofulva*](#) Hoffmann, 1962
- [*Smicronyx coecus*](#) (Reich, G.C., 1797)
- [*Smicronyx cognatus*](#) Dietz, 1894
- [*Smicronyx columbianus*](#) Dietz, 1894
- [*Smicronyx commixtus*](#) Dietz, 1894
- [*Smicronyx compar*](#) Anderson, 1962

- [*Smicronyx congestus*](#) Casey, 1892
- [*Smicronyx connivens*](#) Casey, 1892
- [*Smicronyx conspersus*](#) Dejean, 1836
- [*Smicronyx constrictus*](#) (Say, T., 1824)
- [*Smicronyx convexus*](#) Anderson, 1962
- [*Smicronyx corniculatus*](#) LeConte, 1876
- [*Smicronyx corpulentus*](#) LeConte, 1876
- [*Smicronyx corsicus*](#) Fairmaire, 1861
- [*Smicronyx crassithorax*](#) Haran, 2018
- [*Smicronyx cretaceus*](#) Tournier, 1874
- [*Smicronyx cuscutae*](#) Marshall, 1922
- [*Smicronyx cuscutiflorae*](#) Pierce, 1939
- [*Smicronyx cyaneus*](#) Schoenherr, 1843
- [*Smicronyx defricans*](#) Casey, 1892
- [*Smicronyx dentirostris*](#) Morimoto & Lee, 1992
- [*Smicronyx desbrochersi*](#) Klima, 1934
- [*Smicronyx dietzi*](#) Klima, 1934
- [*Smicronyx discoideus*](#) Casey, 1892
- [*Smicronyx dorsomaculatus*](#) Cox in Anderson & Cox, 1997
- [*Smicronyx drakensbergensis*](#) Haran, 2021
- [*Smicronyx erichsonii*](#) Hochhuth, 1847
- [*Smicronyx fallaciosus*](#) Klima, 1934
- [*Smicronyx fallax*](#) Dietz, 1894
- [*Smicronyx fasciatus*](#) Desbrochers, 1896
- [*Smicronyx fiducialis*](#) Casey, 1892
- [*Smicronyx flavicans*](#) LeConte, 1876
- [*Smicronyx floridanus*](#) Anderson, 1962
- [*Smicronyx fraterculus*](#) Dietz, 1894
- [*Smicronyx fulvipes*](#) Reiche, 1858
- [*Smicronyx fulvus*](#) LeConte, 1876
- [*Smicronyx funebris*](#) Tournier, 1874
- [*Smicronyx gentianae*](#) Morimoto & Kojima, 2007
- [*Smicronyx ghanii*](#) Anderson, 1974
- [*Smicronyx gibbistrostris*](#) Casey, 1892
- [*Smicronyx giganteus*](#) Hustache, 1935
- [*Smicronyx gossypii*](#) Marshall, 1942
- [*Smicronyx gracilipes*](#) Haran, 2021
- [*Smicronyx graciosus*](#) Solari, 1953
- [*Smicronyx griseus*](#) LeConte, 1876
- [*Smicronyx guineanus*](#) Voss, 1956
- [*Smicronyx halophilus*](#) Blatchley, 1920
- [*Smicronyx helenae*](#) Karasjov & Okrajko, 1998

- [*Smicronyx humilis*](#) Anderson, 1962
- [*Smicronyx imbricatus*](#) Casey, 1892
- [*Smicronyx immaculatus*](#) Anderson, 1962
- [*Smicronyx impressirostris*](#) Dietz, 1894
- [*Smicronyx incertus*](#) Anderson, 1962
- [*Smicronyx inornatus*](#) Anderson, 1974
- [*Smicronyx instabilis*](#) Casey, 1892
- [*Smicronyx interruptus*](#) Blatchley & Leng, 1916
- [*Smicronyx intricatus*](#) Casey, 1892
- [*Smicronyx italica*](#) Voss, 1953
- [*Smicronyx japonicus*](#) Morimoto & Matoba, 2009
- [*Smicronyx jordanicus*](#)
- [*Smicronyx jungermanniae*](#) (Reich, G.C., 1797)
- [*Smicronyx kenyanus*](#) Haran, 2018
- [*Smicronyx kiboanus*](#) Voss, 1971
- [*Smicronyx kiesenwetteri*](#) Tournier, 1874
- [*Smicronyx krausei*](#) Karasjov & Okrajko, 1998
- [*Smicronyx kubanicus*](#) Reitter, 1888
- [*Smicronyx languidulus*](#) Dietz, 1894
- [*Smicronyx lanuginosus*](#) Dietz, 1894
- [*Smicronyx latisquamis*](#) Champion, 1910
- [*Smicronyx leonardii*](#) Karasjov & Okrajko, 1998
- [*Smicronyx lepidus*](#) Dietz, 1894
- [*Smicronyx lineolatus*](#) Casey, 1892
- [*Smicronyx longinotus*](#) Karasjov & Okrajko, 1998
- [*Smicronyx longitarsis*](#) Haran
- [*Smicronyx loricatus*](#) Champion, 1902
- [*Smicronyx lutulentus*](#) Dietz, 1894
- [*Smicronyx mackenziei*](#) Sleeper, 1955
- [*Smicronyx maculatus*](#) Dietz, 1894
- [*Smicronyx madaranus*](#) Kôno, 1930
- [*Smicronyx maerens*](#) Marshall, 1940
- [*Smicronyx marmoratus*](#) Rey, 1893
- [*Smicronyx menozzii*](#) Solari, 1953
- [*Smicronyx metallescens*](#) Caldara, 1990
- [*Smicronyx minutissimus*](#) Blatchley, 1928
- [*Smicronyx modestus*](#) Tournier, 1874
- [*Smicronyx morio*](#) Dietz, 1894
- [*Smicronyx mucidus*](#) Dietz, 1894
- [*Smicronyx namibicus*](#) Haran, 2018
- [*Smicronyx nebulosus*](#) Tournier, 1874
- [*Smicronyx nubilus*](#) Dietz, 1894

- [*Smicronyx obrieni*](#) Anderson, Korotyaev & Lingafelter, 2006
- [*Smicronyx obscurus*](#) Anderson, 1962
- [*Smicronyx obtectus*](#) LeConte, 1876
- [*Smicronyx opacus*](#) Brisout Ch., 1860
- [*Smicronyx orientalis*](#) Karasjov & Okrajko, 1998
- [*Smicronyx ornatipennis*](#) Dietz, 1894
- [*Smicronyx ovipennis*](#) LeConte, 1876
- [*Smicronyx pacificus*](#) Anderson, 1962
- [*Smicronyx pallidus*](#) Anderson, 1962
- [*Smicronyx parafasciatus*](#) Anderson, 1974
- [*Smicronyx parvus*](#) Dietz, 1894
- [*Smicronyx paucisquamis*](#) Haran, 2021
- [*Smicronyx pauperculus*](#) Wollaston, 1864
- [*Smicronyx perfidus*](#) Dietz, 1894
- [*Smicronyx perplexus*](#) Dietz, 1894
- [*Smicronyx perpusillus*](#) Casey, 1892
- [*Smicronyx picipes*](#) Dietz, 1894
- [*Smicronyx pinguis*](#) Blatchley & Leng, 1916
- [*Smicronyx pleuralis*](#) Casey, 1892
- [*Smicronyx politus*](#) Boheman, 1843
- [*Smicronyx porrectus*](#) (Boheman, 1843)
- [*Smicronyx posticus*](#) Dietz, 1894
- [*Smicronyx praecox*](#) Faust, 1885
- [*Smicronyx profusus*](#) Casey, 1892
- [*Smicronyx pseudocoecus*](#) Haran, 2021
- [*Smicronyx punctatus*](#) Desbrochers, 1896
- [*Smicronyx puncticollis*](#) Tournier, 1874
- [*Smicronyx pusillus*](#) Dietz, 1894
- [*Smicronyx pusio*](#) LeConte, 1876
- [*Smicronyx quadrifer*](#) Casey, 1892
- [*Smicronyx quadrituberculatus*](#) Hustache, 1936
- [*Smicronyx rectirostris*](#) Blatchley, 1922
- [*Smicronyx reichei*](#) Schoenherr, 1843
- [*Smicronyx reichii*](#) Gyllenhal, 1835
- [*Smicronyx remaudierei*](#) Hoffmann, 1954
- [*Smicronyx resplendens*](#) Dietz, 1894
- [*Smicronyx revelierei*](#) Tournier, 1874
- [*Smicronyx rhodopus*](#) Dietz, 1894
- [*Smicronyx robustus*](#) Faust, 1885
- [*Smicronyx roridus*](#) Marshall, 1952
- [*Smicronyx rubricatus*](#) Kôno, 1930
- [*Smicronyx rudicollis*](#) Fairmaire, 1875

- [*Smicronyx rufipennis*](#) Tournier, 1874
- [*Smicronyx rufipes*](#) Kiesenwetter, 1864
- [*Smicronyx rufovittatus*](#) Anderson, 1974
- [*Smicronyx rufulus*](#) Dietz, 1894
- [*Smicronyx rufus*](#) Haran, 2018
- [*Smicronyx rugicollis*](#) Rey, 1893
- [*Smicronyx rusticus*](#) Dietz, 1894
- [*Smicronyx sagittatus*](#) Casey, 1892
- [*Smicronyx san*](#) Haran, 2021
- [*Smicronyx scalator*](#) Dietz, 1894
- [*Smicronyx scapalis*](#) (LeConte, 1876)
- [*Smicronyx scops*](#) Tournier, 1874
- [*Smicronyx sculpticollis*](#) Casey, 1892
- [*Smicronyx seriatus*](#) LeConte, 1876
- [*Smicronyx seriepilosus*](#) Tournier, 1874
- [*Smicronyx setulosus*](#) Dietz, 1894
- [*Smicronyx silaceus*](#) Casey, 1892
- [*Smicronyx similis*](#) Haran, 2021
- [*Smicronyx smreczynskii*](#) Solari, 1953
- [*Smicronyx sopubiae*](#) Marshall, 1940
- [*Smicronyx sordidus*](#) LeConte, 1876
- [*Smicronyx sparsus*](#) Casey, 1892
- [*Smicronyx spretus*](#) Dietz, 1894
- [*Smicronyx spureus*](#) Casey, 1892
- [*Smicronyx squalidus*](#) Casey, 1892
- [*Smicronyx squamulatus*](#) LeConte, 1876
- [*Smicronyx striatipennis*](#) Tournier, 1874
- [*Smicronyx swertiae*](#) Voss, 1953
- [*Smicronyx syriacus*](#) Faust, 1887
- [*Smicronyx tardus*](#) Dietz, 1894
- [*Smicronyx tataricus*](#) Faust, 1886
- [*Smicronyx tectus*](#) Champion, 1902
- [*Smicronyx tenuirostris*](#) Champion, 1902
- [*Smicronyx tenuisquamis*](#) Champion, 1902
- [*Smicronyx teselatus*](#) Dietz, 1894
- [*Smicronyx tessellatus*](#) Klima, 1934
- [*Smicronyx texana*](#) Blatchley, 1916
- [*Smicronyx thoracatus*](#) Champion, 1902
- [*Smicronyx triangularis*](#) (Dietz, 1894)
- [*Smicronyx tunicensis*](#) Desbrochers, 1898
- [*Smicronyx turkestanicus*](#) Karasyov, 1995
- [*Smicronyx tychioides*](#) LeConte, 1876

- [*Smicronyx umbrinus*](#) Hustache, 1947
- [*Smicronyx ushoensis*](#) Anderson, 1974
- [*Smicronyx utilis*](#) Buchanan, 1941
- [*Smicronyx vallium*](#) Kuschel, 1949
- [*Smicronyx variegatus*](#) Schoenherr, 1843
- [*Smicronyx varipilis*](#) Fairmaire, 1875
- [*Smicronyx vestitus*](#) Casey, 1892
- [*Smicronyx vitiosus*](#) Dietz, 1894
- [*Smicronyx zambianus*](#) Haran, 2018
- [*Smicronyx zherichini*](#) Karasjov & Okrajko, 1998
- [*Smicronyx zonatus*](#) Haran, 2018
- † [*Smicronyx antiquus*](#) Foerster, B., 1891

This is a list of 180 species in [*Smicridea*](#), a genus of net-spinning caddisflies in the family [*Hydropsychidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Smicridea* species**

- [*Smicridea abrupta*](#) Flint, 1974 ^{i c g}
- [*Smicridea acuminata*](#) Flint, 1974 ^{i c g}
- [*Smicridea aequalis*](#) Banks, 1920 ^{i c g}
- [*Smicridea albifrontalis*](#) Martynov, 1912 ^{i c g}
- [*Smicridea albosignata*](#) Ulmer, 1907 ^{i c g}
- [*Smicridea alticola*](#) Flint, 1964 ^{i c g}
- [*Smicridea amplispina*](#) Flint, 1981 ^{i c g}
- [*Smicridea anaticula*](#) Flint, 1981 ^{i c g}
- [*Smicridea andicola*](#) Flint, 1991 ^{i c g}
- [*Smicridea annulicornis*](#) (Blanchard in Gay, 1851) ^{i c g}
- [*Smicridea anomala*](#) Flint & Denning, 1989 ^{i c g}
- [*Smicridea anticura*](#) Flint & Denning, 1989 ^{i c g}
- [*Smicridea appendicula*](#) Flint, 1974 ^{i c g}
- [*Smicridea appendiculata*](#) Flint, 1972 ^{i c g}
- [*Smicridea araguaiense*](#) ^g
- [*Smicridea argentina*](#) (Navas, 1918) ^{i c g}
- [*Smicridea aries*](#) Blahnik, 1995 ^{i c g}
- [*Smicridea arizonensis*](#) Flint, 1974 ^{i c g}
- [*Smicridea astarte*](#) Malicky, 1980 ^{i c g}

- [Smicridea aterrima](#) Ulmer, 1911^{i c g}
- [Smicridea atrobasis](#) Flint, 1983^{i c g}
- [Smicridea aurra](#) Flint, 1991^{i c g}
- [Smicridea australis](#) Ulmer, 1908^{i c g}
- [Smicridea banksi](#) Flint, 1967^{i c g}
- [Smicridea bicornuta](#)^g
- [Smicridea bidactyla](#) Flint & Reyes-Arrunategui, 1991^{i c g}
- [Smicridea bidentata](#) Martynov, 1912^{i c g}
- [Smicridea bifasciata](#)^g
- [Smicridea bifurcata](#) Flint, 1974^{i c g}
- [Smicridea biserrulata](#) Flint, 1991^{i c g}
- [Smicridea bivittata](#) (Hagen, 1861)^{i c g}
- [Smicridea brasiliانا](#) (Ulmer, 1905)^{i c g}
- [Smicridea breviuncata](#) Flint, 1974^{i c g}
- [Smicridea bulara](#) Flint & Denning, 1989^{i c g}
- [Smicridea bulbosa](#) Flint, 1974^{i c g}
- [Smicridea caldwelli](#) Ross, 1947^{i c g}
- [Smicridea caligata](#) Flint, 1974^{i c g}
- [Smicridea calopa](#) Flint, 1974^{i c g}
- [Smicridea campana](#) Flint, 1974^{i c g}
- [Smicridea cariba](#) Flint, 1968^{i c g}
- [Smicridea cartiensis](#) Flint & Denning, 1989^{i c g}
- [Smicridea catherinae](#) Blahnik, 1995^{i c g}
- [Smicridea chicoana](#) Flint, 1983^{i c g}
- [Smicridea cholta](#) Flint, 1974^{i c g}
- [Smicridea circinata](#) Flint & Denning, 1989^{i c g}
- [Smicridea columbiana](#) (Ulmer, 1905)^{i c}
- [Smicridea comma](#) Banks, 1924^{i c g}
- [Smicridea completa](#) Banks, 1941^{i c g}
- [Smicridea complicatissima](#) Flint & Denning, 1989^{i c g}
- [Smicridea compostela](#) Bueno-Soria, 1986^{i c g}
- [Smicridea conjuncta](#) Flint, 1991^{i c g}
- [Smicridea cornuta](#) Flint, 1974^{i c g}
- [Smicridea coronata](#) Flint, 1980^{i c g}
- [Smicridea corralita](#) Flint & Denning, 1989^{i c g}
- [Smicridea cubana](#) Kumanski, 1987^{i c g}

- [Smicridea cuna](#) Flint, 1974^{i c g}
- [Smicridea curvipenis](#) Flint, 1991^{i c g}
- [Smicridea dampfi](#) Flint, 1974^{i c g}
- [Smicridea decora](#) (Navás, 1930)^{i c}
- [Smicridea dentifera](#) Flint, 1983^{i c g}
- [Smicridea dentisserrata](#)^g
- [Smicridea discalis](#) Flint, 1972^{i c g}
- [Smicridea dispar](#) (Banks, 1905)^{i c g b}
- [Smicridea dithyra](#) Flint, 1974^{i c g}
- [Smicridea ephippifera](#) Flint, 1978^{i c g}
- [Smicridea erecta](#) Flint, 1974^{i c g}
- [Smicridea exu](#) Bonfá-Neto, Desidério & Salles 2025[5]
- [Smicridea fasciatella](#) McLachlan, 1871^{i c g}
- [Smicridea filicata](#) Flint & Denning, 1989^{i c g}
- [Smicridea flinti](#)^g
- [Smicridea forcipata](#) Flint, 1983^{i c g}
- [Smicridea franciscana](#)^g
- [Smicridea frequens](#) (Navás, 1930)^{i c g}
- [Smicridea fuscifurca](#) Botosaneanu, 1998^{i c g}
- [Smicridea gemina](#) Blahnik, 1995^{i c g}
- [Smicridea gladiator](#) Flint, 1978^{i c g}
- [Smicridea gomezi](#) Blahnik, 1995^{i c g}
- [Smicridea gomphotheria](#) Blahnik, 1995^{i c g}
- [Smicridea grandis](#) Flint, 1968^{i c g}
- [Smicridea grandisaccata](#) Flint, 1991^{i c g}
- [Smicridea grenadensis](#) Flint, 1968^{i c g}
- [Smicridea helenae](#) Albino & Pes, 2011^g
- [Smicridea holzenthali](#) Flint & Denning, 1989^{i c g}
- [Smicridea hybrida](#) Blahnik, 1995^{i c g}
- [Smicridea iguazu](#) Flint, 1983^{i c g}
- [Smicridea inaequispina](#) Flint, 1974^{i c g}
- [Smicridea inarmata](#) Flint, 1974^{i c g}
- [Smicridea jamaicensis](#) Flint, 1968^{i c g}
- [Smicridea jundiai](#) Almeida & Flint, 2002^g
- [Smicridea karukerae](#) Botosaneanu, 1994^{i c g}
- [Smicridea lacanja](#) Bueno-Soria & Hamilton, 1986^{i c g}

- [Smicridea latipala](#) Flint & Denning, 1989^{i c g}
- [Smicridea lobata](#) (Ulmer, 1909)^{i c g}
- [Smicridea magdalenae](#) Flint, 1991^{i c g}
- [Smicridea magnipinnata](#) Flint, 1991^{i c g}
- [Smicridea manzanara](#) Flint & Denning, 1989^{i c g}
- [Smicridea marlieri](#) Flint, 1978^{i c g}
- [Smicridea marua](#) Flint, 1978^{i c g}
- [Smicridea matagalpa](#) Flint, 1974^{i c g}
- [Smicridea matancilla](#) Flint & Denning, 1989^{i c g}
- [Smicridea meridensis](#) Botosaneanu & Flint, 1982^{i c g}
- [Smicridea mesembrina](#) (Navas, 1918)^{i c g}
- [Smicridea microsaccata](#) Flint, 1991^{i c g}
- [Smicridea minima](#) Flint, 1968^{i c g}
- [Smicridea minuscula](#) Flint, 1973^{i c g}
- [Smicridea mirama](#) Flint & Denning, 1989^{i c g}
- [Smicridea mucronata](#) Flint & Denning, 1989^{i c g}
- [Smicridea multidens](#) Flint & Denning, 1989^{i c g}
- [Smicridea murina](#) McLachlan, 1871^{i c g}
- [Smicridea nahuatl](#) Flint, 1974^{i c g}
- [Smicridea nanda](#) Flint, 1983^{i c g}
- [Smicridea necator](#)^g
- [Smicridea nemorosa](#) Holzenthal & Blahnik, 1995^{i c g}
- [Smicridea nigerrima](#) Flint, 1983^{i c g}
- [Smicridea nigricans](#) Flint, 1991^{i c g}
- [Smicridea nigripennis](#) Banks, 1920^{i c g}
- [Smicridea obesa](#) Banks, 1938^{i c g}
- [Smicridea obliqua](#) Flint, 1974^{i c g}
- [Smicridea octospina](#) Flint, 1974^{i c g}
- [Smicridea olivacea](#) Flint, 1983^{i c g}
- [Smicridea palifera](#) Flint, 1981^{i c g}
- [Smicridea pallidivittata](#) Flint, 1972^{i c g}
- [Smicridea palmar](#) Sganga, 2005^g
- [Smicridea pampena](#) Flint, 1980^{i c g}
- [Smicridea paranensis](#) Flint, 1983^{i c g}
- [Smicridea parva](#) Banks, 1939^{i c g}
- [Smicridea parvula](#) Mosely in Mosely & Kimmins, 1953^{i c g}

- [Smicridea penai](#) Flint & Denning, 1989^{i c g}
- [Smicridea peruana](#) (Martynov, 1912)^{i c g}
- [Smicridea petasata](#) Flint, 1981^{i c g}
- [Smicridea pipila](#) Flint, 1974^{i c g}
- [Smicridea piraya](#) Flint, 1983^{i c g}
- [Smicridea polyfasciata](#) Martynov, 1912^{i c g}
- [Smicridea probolophora](#) Flint, 1991^{i c g}
- [Smicridea prorigera](#) Flint, 1991^{i c g}
- [Smicridea protera](#) (Denning, 1948)^{i c g}
- [Smicridea pseudolobata](#) Flint, 1978^{i c g}
- [Smicridea pseudoradula](#) Flint, 1991^{i c g}
- [Smicridea pucara](#) Flint & Denning, 1989^{i c g}
- [Smicridea radula](#) Flint, 1974^{i c g}
- [Smicridea rara](#) Bueno-Soria, 1979^{i c g}
- [Smicridea redunca](#) Flint & Denning, 1989^{i c g}
- [Smicridea reinerti](#) Flint, 1978^{i c g}
- [Smicridea riita](#) Flint, 1981^{i c g}
- [Smicridea roraimense](#) Albino & Pes, 2011^g
- [Smicridea ruginasa](#) Flint, 1991^{i c g}
- [Smicridea salta](#) Flint, 1974^{i c g}
- [Smicridea sattleri](#) Denning & Sykora, 1968^{i c g}
- [Smicridea saucia](#) McLachlan, 1871^{i c g}
- [Smicridea scutellaria](#) Flint, 1974^{i c g}
- [Smicridea sepala](#)^g
- [Smicridea sexspinosa](#) Flint, 1978^{i c g}
- [Smicridea signata](#) (Banks, 1903)^{i c g b}
- [Smicridea simmonsii](#) Flint, 1968^{i c g}
- [Smicridea singri](#) Holzenthal & Blahnik, 1995^{i c g}
- [Smicridea sirena](#) Bueno-Soria, 1986^{i c g}
- [Smicridea smilodon](#) Flint & Denning, 1989^{i c g}
- [Smicridea soyatepecana](#) Bueno-Soria, 1986^{i c g}
- [Smicridea spinulosa](#) Flint, 1972^{i c g}
- [Smicridea talamanca](#) Flint, 1974^{i c g}
- [Smicridea tapanti](#) Holzenthal & Blahnik, 1995^{i c g}
- [Smicridea tarasca](#) Flint, 1974^{i c g}
- [Smicridea titschacki](#) Flint, 1975^{i c g}

- [*Smicridea tobada*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea tregala*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea truncata*](#) Flint, 1974^{i c g}
- [*Smicridea turgida*](#) Flint & Denning, 1989^{i c g}
- [*Smicridea turrialbana*](#) Flint, 1974^{i c g}
- [*Smicridea ulmeri*](#) Banks, 1939^{i c g}
- [*Smicridea ulva*](#) Flint, 1974^{i c g}
- [*Smicridea unguiculata*](#) Flint, 1983^{i c g}
- [*Smicridea unicolor*](#) (Banks, 1901)^{i c g}
- [*Smicridea urra*](#) Flint, 1991^{i c g}
- [*Smicridea varia*](#) (Banks, 1913)^{i c g}
- [*Smicridea ventridenticulata*](#) Flint, 1991^{i c g}
- [*Smicridea veracruzensis*](#) Flint, 1974^{i c g}
- [*Smicridea vermiculata*](#) Flint, 1978^{i c g}
- [*Smicridea vilela*](#) Flint, 1978^{i c g}
- [*Smicridea villarricensis*](#) Flint, 1983^{i c g}
- [*Smicridea voluta*](#) Flint, 1978^{i c g}
- [*Smicridea weidneri*](#) Flint, 1972^{i c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 1778 species in [*Simulium*](#), a genus of black flies in the family [*Simuliidae*](#).^{[1][2][3][4]}

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)

- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [References](#)

***Simulium* species**

A

- [*Simulium abadii*](#) Takaoka, 2003 ^{c g}
- [*Simulium abatanense*](#) Takaoka, 1983 ^{c g}
- [*Simulium abberrans*](#) Delfinado, 1969 ^{c g}
- [*Simulium abbreviatum*](#) Rubtsov, 1957 ^{c g}
- [*Simulium acarayense*](#) Coscaron, Wygodzinsky, 1972 ^{i c g}
- [*Simulium acmeria*](#) (Ono, 1978) ^{c g}
- [*Simulium acotum*](#) Chen, Zhang & Huang, 2005 ^{c g}
- [*Simulium acostai*](#) Takaoka, 1983 ^{c g}
- [*Simulium acrotrichum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium acutum*](#) (Patrusheva, 1971) ^{c g}
- [*Simulium adamsoni*](#) Edwards, 1932 ^{c g}
- [*Simulium adelaideae*](#) Craig, 2004 ^{c g}
- [*Simulium adersi*](#) Pomeroy, 1922 ^{c g}
- [*Simulium adleri*](#) Jitklang & Kuvangkadilok, 2008 ^{c g}
- [*Simulium admixtum*](#) Craig, 1987 ^{c g}
- [*Simulium admixum*](#) Craig, 1987 ^g
- [*Simulium adolfoluzzi*](#) Wygodzinsky, 1951 ^{c g}
- [*Simulium adornatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium adsonense*](#) Craig, 2006 ^{c g}
- [*Simulium adventicium*](#) Datta, 1985 ^{c g}
- [*Simulium aemulum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium aeneifacies*](#) Edwards, 1933 ^{c g}
- [*Simulium aequifurcatum*](#) Lutz, 1910 ^{c g}

- [*Simulium aestivum*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium africanum*](#) Gibbins, 1934 ^{c g}
- [*Simulium afronuri*](#) Lewis & Disney, 1970 ^{c g}
- [*Simulium akopi*](#) Chubareva & Kachvoryan, 2000 ^{c g}
- [*Simulium akouense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium alajense*](#) (Rubtsov, 1972) ^{c g}
- [*Simulium alatum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium albanense*](#) Coscaron, 1991 ^{c g}
- [*Simulium albellum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium alberti*](#) Takaoka, 2008 ^{c g}
- [*Simulium albicinctum*](#) (Enderlein, 1933) ^{i c g}
- [*Simulium albineatum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium albivirgulatum*](#) Wanson & Henrard, 1944 ^{c g}
- [*Simulium albopictum*](#) Lane and Porto, 1940 ^{i c g}
- [*Simulium alcocki*](#) Pomeroy, 1922 ^{c g}
- [*Simulium alfarensis*](#) Takaoka, 2003 ^{c g}
- [*Simulium alidae*](#) Pilaka & Elouard, 1997 ^{c g}
- [*Simulium alienigenum*](#) Takaoka, 1983 ^{c g}
- [*Simulium alirioi*](#) Perez and Vulcano, 1973 ^{i c g}
- [*Simulium alizadei*](#) Dzhaferov, 1954 ^{c g}
- [*Simulium allaeri*](#) Wanson, 1947 ^{c g}
- [*Simulium almae*](#) Yankovsky & Koshkimbaev, 1988 ^{c g}
- [*Simulium alpinum*](#) (Rubtsov, 1947) ^{c g}
- [*Simulium altayense*](#) Cai, 2005 ^{c g}
- [*Simulium amazonicum*](#) Goeldi, 1905 ^{i c g}
- [*Simulium ambigens*](#) Definado, 1969 ^{c g}
- [*Simulium ambiguum*](#) Shiraki, 1935 ^{c g}
- [*Simulium ambonense*](#) Takaoka, 2003 ^{c g}
- [*Simulium ambositrae*](#) Grenier & Grjebine, 1959 ^{c g}
- [*Simulium ammosovi*](#) (Vorobets, 1984) ^{c g}
- [*Simulium amurense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium anaimense*](#) Coscaron & Munoz de Hoyos, 1995 ^{c g}
- [*Simulium anamariae*](#) Vulcano, 1962 ^{i c g}
- [*Simulium anatinum*](#) Wood, 1963 ^{i c g}
- [*Simulium anatolicum*](#) Craig, 1987 ^{c g}
- [*Simulium anchistinum*](#) Moulton & Adler, 1995 ^{c g}

- [*Simulium anduzei*](#) Vargas & Diaz Najera, 1948 ^{c g}
- [*Simulium anggiense*](#) Takaoka, 2003 ^{c g}
- [*Simulium angrense*](#) Pinto, 1931 ^{i c g}
- [*Simulium angulistylum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium angustatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium angusticorne*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium angustifilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium angustifrons*](#) (Enderlein, 1921) ^c
- [*Simulium angustifurca*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium angustipes*](#) Edwards, 1915 ^{c g}
- [*Simulium angustitarse*](#) (Lundstrom, 1911) ^{c g}
- [*Simulium annae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium annulatum*](#) Philippi, 1865 ^{c g}
- [*Simulium annuliforme*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium annulitarse*](#) (Zetterstedt, 1838) ^{c g}
- [*Simulium annulum*](#) (Lundstrom, 1911) ^{c g}
- [*Simulium annulus*](#) (Lundstrom, 1911) ^b (loon blackfly)
- [*Simulium antenusi*](#) (Lane & Porto, 1940) ^{c g}
- [*Simulium antibrachium*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium antillarum*](#) Jennings, 1915 ^{i c g}
- [*Simulium antlerum*](#) Chen, 2001 ^{c g}
- [*Simulium antonii*](#) Wygodzinsky, 1953 ^{i c g}
- [*Simulium antunesi*](#) Lane and Porto, 1940 ^{i g}
- [*Simulium aokii*](#) (Takahasi, 1941) ^{c g}
- [*Simulium apoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium appalachiense*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium apricarium*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium arabicum*](#) Crosskey, 1982 ^{c g}
- [*Simulium arakawae*](#) Matsumura, 1921 ^{c g}
- [*Simulium aranti*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium arboreum*](#) Takaoka, 2006 ^{c g}
- [*Simulium arcabucense*](#) Coscaron, 1991 ^{c g}
- [*Simulium arcticum*](#) Malloch, 1914 ^{i c g}
- [*Simulium arctium*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium arenicola*](#) Liu, Gong, Zhang, Luo & An, 2003 ^{c g}
- [*Simulium arfakense*](#) Takaoka, 2003 ^{c g}

- [*Simulium argentatum*](#) Enderlein, 1936 ^{i c g}
- [*Simulium argenteostriatum*](#) Strobl, 1898 ^{c g}
- [*Simulium argentipes*](#) Edwards, 1928 ^{c g}
- [*Simulium argentipectus*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium argentiscutum*](#) Shelley & Luna Dias, 1980 ^{c g}
- [*Simulium argus*](#) Williston, 1893 ^{i c g}
- [*Simulium argyreatum*](#) (Meigen, 1838) ^{c g}
- [*Simulium argyrocinctum*](#) Meijere, 1913 ^{c g}
- [*Simulium arisanum*](#) Shiraki, 1935 ^{c g}
- [*Simulium arlecchinum*](#) Craig, 1987 ^{c g}
- [*Simulium armeniacum*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium armoricanum*](#) Doby & David, 1961 ^{c g}
- [*Simulium arnoldi*](#) Gibbins, 1937 ^{c g}
- [*Simulium aropaense*](#) Takaoka, 1995 ^{c g}
- [*Simulium arpiense*](#) (Terteryan & Kachvoryan, 1982) ^{c g}
- [*Simulium arpiensis*](#) Terteryan & Kachvoryan, 1982 ^{c g}
- [*Simulium artum*](#) Sato, Takaoka & Saito, 2005 ^{c g}
- [*Simulium asakoe*](#) Takaoka & Davies, 1995 ^g
- [*Simulium asishi*](#) Datta, 1988 ^{c g}
- [*Simulium aspericorne*](#) Fain & Bafort, 1976 ^{c g}
- [*Simulium asperum*](#) Takaoka, 2003 ^{c g}
- [*Simulium assadovi*](#) (Dzhafarov, 1956) ^{c g}
- [*Simulium asulcatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium atipornae*](#) Takaoka, Srisuka & Choochote, 2014 ^g
- [*Simulium atlanticum*](#) Crosskey, 1969 ^{c g}
- [*Simulium atlasicum*](#) Giudicelli & Bouzidi, 1989 ^{c g}
- [*Simulium atratoides*](#) Takaoka & Davies, 1996 ^{c g}
- [*Simulium atratum*](#) Meijere, 1913 ^{c g}
- [*Simulium atrum*](#) Delfinado, 1969 ^{c g}
- [*Simulium atyophilum*](#) Lewis & Disney, 1969 ^{c g}
- [*Simulium audreyae*](#) Garms & Disney, 1974 ^{c g}
- [*Simulium aureliani*](#) Fain, 1950 ^{c g}
- [*Simulium aureofulgens*](#) Terteryan, 1949 ^{c g}
- [*Simulium aureohirtum*](#) Brunetti, 1911 ^{c g}
- [*Simulium aureonigrum*](#) Mackerras & Mackerras, 1950 ^{c g}
- [*Simulium aureosimile*](#) Pomeroy, 1920 ^{c g}

- [Simulium aureum](#) Fries, 1824 ^{i c g}
- [Simulium auricoma](#) (Meigen, 1818) ^{c g}
- [Simulium auripellitum](#) Enderlein, 1933 ^{i c g}
- [Simulium auristriatum](#) Lutz, 1910 ^{i c g}
- [Simulium australe](#) (Rubtsov, 1955) ^{c g}
- [Simulium avilae](#) Smart & Clifford, 1965 ^{c g}
- [Simulium awashense](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [Simulium ayrozai](#) Vargas, 1945 ^{c g}
- [Simulium azerbaijanicum](#) (Dzhafarov, 1953) ^{c g}
- [Simulium azorense](#) (Carlsson, 1963) ^{c g}

B

- [Simulium baatori](#) (Rubtsov, 1967) ^{c g}
- [Simulium babai](#) Takaoka & Aoki, 2007 ^{c g}
- [Simulium babuyanense](#) Takaoka & Tenedero, 2007 ^{c g}
- [Simulium bachmaense](#) Takaoka & Sofian-Azirun ^g
- [Simulium bachmanni](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [Simulium baetiphilum](#) Lewis & Disney, 1972 ^{c g}
- [Simulium baffinense](#) Twinn, 1936 ^{i c g}
- [Simulium baforti](#) Fain & Dujardin, 1983 ^{c g}
- [Simulium bagmaticum](#) Markey, 1985 ^{c g}
- [Simulium bahense](#) Chen, 2003 ^{c g}
- [Simulium baiense](#) Pinto, 1931 ^{i g}
- [Simulium baiensis](#) Pinto, 1932 ^{c g}
- [Simulium baimaii](#) Takaoka & Kuvangkadilok, 1999 ^{c g}
- [Simulium baisasae](#) Delfinado, 1962 ^{c g}
- [Simulium balcanicum](#) (Enderlein, 1924) ^{c g}
- [Simulium baliemense](#) Takaoka, 2003 ^{c g}
- [Simulium baltazarae](#) Delfinado, 1962 ^{c g}
- [Simulium balteatum](#) Adler, Currie & Wood, 2004 ^{c g}
- [Simulium banahauense](#) Takaoka, 2006 ^{c g}
- [Simulium banaticum](#) Dinulescu, 1966 ^{c g}
- [Simulium banauense](#) Takaoka, 1983 ^{c g}
- [Simulium banksi](#) Craig, 2006 ^{c g}
- [Simulium banluangense](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [Simulium bannaense](#) Chen & Zhang, 2003 ^{c g}

- [*Simulium bansonae*](#) Takaoka, 1983 ^{c g}
- [*Simulium barabense*](#) (Rubtsov, 1973) ^{c g}
- [*Simulium baracorne*](#) Smart, 1944 ^{c g}
- [*Simulium barbatipes*](#) Enderlein, 1933 ^{i c g}
- [*Simulium barnesi*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium barraudi*](#) Puri, 1932 ^{c g}
- [*Simulium barretti*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium bartangum*](#) Chubareva, 2000 ^{c g}
- [*Simulium bataksense*](#) Takaoka & Tenedero, 2007 ^{c g}
- [*Simulium batoense*](#) Edwards, 1934 ^{c g}
- [*Simulium bayakorum*](#) Fain & Elsen, 1974 ^{c g}
- [*Simulium beaupertuyi*](#) Perez, Rassi, Ramirez, 1977 ^{i c g}
- [*Simulium beiwanense*](#) Guo, Zhang, An, Zhang, Zhang, Dong, & Zhao, 2008 ^{c g}
- [*Simulium beltukovae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium benjamini*](#) Dalamt, 1952 ^{c g}
- [*Simulium benquetense*](#) Takaoka, 1983 ^{c g}
- [*Simulium bequaerti*](#) Gibbins, 1936 ^{c g}
- [*Simulium berberum*](#) Giudicelli & Bouzidi, 1989 ^{c g}
- [*Simulium berchtesgadense*](#) ^g
- [*Simulium berghei*](#) Fain, 1949 ^{c g}
- [*Simulium bergi*](#) Rubtsov, 1956 ^{c g}
- [*Simulium beringovi*](#) Bodrova, 1988 ^{c g}
- [*Simulium berneri*](#) Freeman, 1954 ^{c g}
- [*Simulium bertrandi*](#) Grenier & Dorier, 1959 ^{c g}
- [*Simulium bezzii*](#) Corti, 1914 ^{c g}
- [*Simulium biakense*](#) Takaoka, 2003 ^{c g}
- [*Simulium biancoi*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium bicolense*](#) Takaoka, 1983 ^{c g}
- [*Simulium bicoloratum*](#) Malloch, 1913 ^{i g}
- [*Simulium bicorne*](#) Dorog., Rubtsov, and Vlasenko, 1935 ^{i c g}
- [*Simulium bicornutum*](#) Wygodzinsky & Coscaron, 1982 ^{c g}
- [*Simulium bidentatum*](#) (Shiraki, 1935) ^{c g}
- [*Simulium bifenestratum*](#) Hamada & Pepinelli, 2004 ^{c g}
- [*Simulium bifila*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium biforaminiferum*](#) Datta, 1974 ^{c g}
- [*Simulium bifurcatum*](#) Takaoka, 2003 ^{c g}

- [*Simulium bimaculatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium binuanense*](#) Takaoka, 2008 ^{c g}
- [*Simulium bipunctatum*](#) Malloch, 1912 ^{c g}
- [*Simulium biseriatum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium bisnovem*](#) Gibbins, 1938 ^{c g}
- [*Simulium biuxinisa*](#) Coscaron & Ibanez Bernal, 1994 ^{c g}
- [*Simulium bivittatum*](#) Malloch, 1914 ^{i c g}
- [*Simulium blacklocki*](#) Meillon, 1930 ^{c g}
- [*Simulium blancasi*](#) Wygodzinsky, Coscaron, 1070 ^{i c g}
- [*Simulium blantoni*](#) Field, 1967 ^{c g}
- [*Simulium bobpetersoni*](#) Coscaron, Ibanez-Bernal & Coscaron-Arias, 1996 ^{c g}
- [*Simulium bogusium*](#) Craig, 1997 ^{c g}
- [*Simulium boldstemta*](#) (Ono, 1978) ^{c g}
- [*Simulium bonaerense*](#) Coscaron & Wygodzinsky, 1984 ^{c g}
- [*Simulium bonninense*](#) (Shiraki, 1935) ^{c g}
- [*Simulium bordai*](#) Coscaron, Wygodzinsky, 1910 ^{i c g}
- [*Simulium borneoense*](#) Takaoka, 2001 ^{c g}
- [*Simulium borunicornutum*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium botulibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium botulus*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium bovis*](#) Meillon, 1930 ^{c g}
- [*Simulium brachium*](#) Gibbins, 1936 ^{c g}
- [*Simulium brachyantherum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium brachyarthrum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium brachycladum*](#) Lutz, Pinto, 1931 ^{i c g}
- [*Simulium brachystylum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium bracteatum*](#) Coquillett, 1898 ^{i c g}
- [*Simulium brandti*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium bravermani*](#) [Beaucournu-Saguez](#), 1986 ^{c g}
- [*Simulium brevicorne*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium brevidens*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium brevifile*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium breviflagellum*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium brevifurcatum*](#) Lutz, 1910 ^{i c g}
- [*Simulium brevilabrum*](#) Takaoka, 2006 ^{c g}
- [*Simulium brevitarse*](#) (Rubtsov, 1976) ^{c g}

- [*Simulium brevitrunctatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium bricenoi*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium brinchangense*](#) Takaoka, Sofian-Azirun & Hashim ^g
- [*Simulium bronchiale*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium brunhesi*](#) Elouard & Ranaivoharindriaka, 1996 ^{c g}
- [*Simulium brunneum*](#) (Yankovsky, 1977) ^{c g}
- [*Simulium bryopodium*](#) Delfinado, 1971 ^{c g}
- [*Simulium buckleyi*](#) Meillon, 1944 ^{c g}
- [*Simulium bucolicum*](#) Datta, 1975 ^{c g}
- [*Simulium buettikeri*](#) Crosskey & Roberts, 1994 ^{c g}
- [*Simulium buisseti*](#) Fain & Elsen, 1980 ^{c g}
- [*Simulium buissoni*](#) Roubaud, 1906 ^{c g}
- [*Simulium bujakovi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium bukovskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium bulbiferum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium bulbosum*](#) Lewis, 1973 ^{c g}
- [*Simulium bulla*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium bullatum*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium burchi*](#) Dalmat, 1951 ^{c g}
- [*Simulium burgeri*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium burmense*](#) Takaoka, 1989 ^{c g}
- [*Simulium bustosi*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium buxtoni*](#) Austen, 1923 ^{c g}
- [*Simulium bwambanum*](#) ^g

C

- [*Simulium cabrerai*](#) Takaoka, 1983 ^{c g}
- [*Simulium caesariatum*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium cagayanense*](#) Takaoka, 2005 ^{c g}
- [*Simulium caledonense*](#) Adler and Currie, 1986 ^{i c g}
- [*Simulium callidum*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium callipygium*](#) Craig, 2006 ^{c g}
- [*Simulium canadense*](#) Hearle, 1932 ^{i c g}
- [*Simulium candelabrum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium canescens*](#) Breme, 1842 ^{c g}
- [*Simulium cangshanense*](#) Xue, 1993 ^{c g}

- [*Simulium canlaonense*](#) Delfinado, 1969 ^{c g}
- [*Simulium canonicola*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium caohaiense*](#) Chen & Zhang, 1997 ^{c g}
- [*Simulium capricorne*](#) Leon, 1945 ^{c g}
- [*Simulium caprii*](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [*Simulium carbunculum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium carinatum*](#) Delfinado, 1969 ^{c g}
- [*Simulium carolinae*](#) Leon, 1945 ^{c g}
- [*Simulium carpathicum*](#) (Knoz, 1961) ^{c g}
- [*Simulium carthusiense*](#) Grenier & Dorier, 1959 ^{c g}
- [*Simulium castaneum*](#) Craig, 1987 ^{c g}
- [*Simulium cataractarum*](#) Craig, 1987 ^{c g}
- [*Simulium catariense*](#) Pinto, 1932 ^{c g}
- [*Simulium catarinense*](#) Pinto, 1931 ^{i g}
- [*Simulium catleyi*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium caucasicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium cauchense*](#) Floch, Abonnenc, 1946 ^{i c g}
- [*Simulium cauveryense*](#) Anbalagan ^g
- [*Simulium cavum*](#) Gibbins, 1938 ^{c g}
- [*Simulium celebesense*](#) Takaoka, 2003 ^{c g}
- [*Simulium celsum*](#) Takaoka & Davies, 1996 ^{c g}
- [*Simulium centrale*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium cerqueira*](#) Almeida, 1974 ^{i g}
- [*Simulium cerqueirai*](#) Barbosa de Almeida, 1979 ^{c g}
- [*Simulium cerradense*](#) Coscaron, de Cerqueira, Schumaker & La Salvia, 1992 ^{c g}
- [*Simulium cervicornutum*](#) Pomeroy, 1920 ^{c g}
- [*Simulium cervus*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium ceylonicum*](#) (Enderlein, 1921) ^{c g}
- [*Simulium chainarongi*](#) Takaoka & Kuvangkadilok, 1999 ^{c g}
- [*Simulium chairuddini*](#) Takaoka, 2003 ^{c g}
- [*Simulium chalcocoma*](#) Knab, 1914 ⁱ
- [*Simulium chaliowae*](#) Takaoka & Kuvangkadilok, 1999 ^{c g}
- [*Simulium chamlongi*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium chaowaense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium chaquense*](#) Coscaron, 1971 ^{c g}
- [*Simulium chaudinhense*](#) Takaoka & Sofian-Azirun ^g

- [*Simulium cheedhangi*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium cheesmanae*](#) Edwards, 1927 ^{c g}
- [*Simulium chelevini*](#) (Ivashchenko, 1968) ^{c g}
- [*Simulium cheni*](#) Xue, 1993 ^{c g}
- [*Simulium chenzhouense*](#) Chen, Zhang & Bi, 2004 ^{c g}
- [*Simulium Chiangmaiense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium chiharuae*](#) Takaoka, Otsuka & Fukuda, 2007 ^{c g}
- [*Simulium chilianum*](#) Rondani, 1863 ^{c g}
- [*Simulium chimquazaense*](#) ^g
- [*Simulium chiriquiense*](#) Field, 1967 ^{c g}
- [*Simulium chitoense*](#) Takaoka, 1979 ^{c g}
- [*Simulium chlorum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium cholodkovskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium chomustachi*](#) (Vorobets, 1977) ^{c g}
- [*Simulium chongqingense*](#) Zhu & Wang, 1995 ^{c g}
- [*Simulium chongqingensis*](#) Zhu & Wang, 1995 ^{c g}
- [*Simulium choochotei*](#) Takaoka & Choochote, 2002 ^{c g}
- [*Simulium chovdica*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium chowettani*](#) Yankovsky, 1996 ^{c g}
- [*Simulium chowi*](#) Takaoka, 1979 ^{c g}
- [*Simulium christophersi*](#) Puri, 1932 ^{c g}
- [*Simulium chromatinum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium chromocentrum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium chubarevae*](#) (Kachvoryan & Terteryan, 1981) ^{c g}
- [*Simulium chungi*](#) Takaoka & Huang, 2006 ^{c g}
- [*Simulium chutteri*](#) Lewis, 1965 ^{c g}
- [*Simulium claricentrum*](#) Adler, 1990 ^{c g}
- [*Simulium clarkei*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium clarki*](#) Fairchild, 1940 ^{i c g}
- [*Simulium clarum*](#) (Dyar & Shannon, 1927) ^{c g}
- [*Simulium clathrinum*](#) Mackerras & Mackerras, 1948 ^{c g}
- [*Simulium clavibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium clavum*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium clibanarium*](#) Craig, 1997 ^{c g}
- [*Simulium coalitum*](#) Pomeroy, 1922 ^{c g}
- [*Simulium coarctatum*](#) Rubtsov, 1940 ^{c g}

- [*Simulium codreanui*](#) (Sherban, 1958) ^{c g}
- [*Simulium colasbelcouri*](#) Grenier & Ovazza, 1951 ^{c g}
- [*Simulium colombaschense*](#) (Scopoli, 1780) ^{c g}
- [*Simulium concavustylum*](#) Deng, Zhang & Chen, 1995 ^{c g}
- [*Simulium concludium*](#) Craig, 1997 ^{c g}
- [*Simulium confertum*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium confusum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium congareenarum*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium congi*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium congonse*](#) Gouteux, 1977 ^{c g}
- [*Simulium conicum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium connae*](#) Craig, 1997 ^{c g}
- [*Simulium consimile*](#) Puri, 1932 ^{c g}
- [*Simulium continii*](#) (Rivosecchi & Cardinali, 1975) ^{c g}
- [*Simulium contractum*](#) Takaoka, 2003 ^{c g}
- [*Simulium contrerense*](#) Najera & Vulcano, 1962 ^{c g}
- [*Simulium conundrum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium conviti*](#) Perez and Vulcano, 1973 ⁱ
- [*Simulium copleyi*](#) Gibbins, 1941 ^{c g}
- [*Simulium corbis*](#) Twinn, 1936 ^{i c g}
- [*Simulium cormonsi*](#) Wygodzinsky, 1971 ^{i c g}
- [*Simulium corniferum*](#) (Yankovsky, 1979) ^{c g}
- [*Simulium corpulentum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium coscaroni*](#) Nascimento, Hamada & Adler, 2017 ^g
- [*Simulium costalimai*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium costaricense*](#) Smart, 1944 ^{i c g}
- [*Simulium costatum*](#) Friederichs, 1920 ^{c g}
- [*Simulium cotabatoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium cotopaxi*](#) Wygodzinsky and Coscaron, 1979 ^{i c g}
- [*Simulium courtneyi*](#) Takaoka & Adler, 1997 ^{c g}
- [*Simulium couverti*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium covagarciai*](#) Perez, Yarzabal & Tada, 1984 ^{c g}
- [*Simulium craigi*](#) Adler and Currie, 1986 ^{i c g}
- [*Simulium crassicaulum*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium crassifilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium crassimanum*](#) Edwards, 1933 ^{c g}

- [*Simulium crassum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium cremnosi*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium crenobium*](#) (Knoz, 1961) ^{c g}
- [*Simulium criniferum*](#) Nascimento, Hamada, Andrade-Souza & Adler, 2017 ^g
- [*Simulium cristalinum*](#) Coscaron & Py-Daniel, 1989 ^{c g}
- [*Simulium cristatum*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium croaticum*](#) (Baranov, 1937) ^{c g}
- [*Simulium crocinum*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium crosskeyi*](#) Lewis & Disney, 1970 ^{c g}
- [*Simulium croxtoni*](#) Nicholson and Mickel, 1950 ^{i c g}
- [*Simulium cruszi*](#) Davies & Gyorkos, 1992 ^{c g}
- [*Simulium cryophilum*](#) (Rubtsov, 1959) ^{c g}
- [*Simulium cuasiexiguum*](#) Shelley, Luna Dias, Maia-Herzog, Lowry, Garritano, Penn & Camargo, 2001 ^{c g}
- [*Simulium cuasisanguineum*](#) Perez & Yarzabal, 1982 ^{c g}
- [*Simulium cuneatum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium curriei*](#) Adler & Wood, 1991 ^{c g}
- [*Simulium curtatum*](#) ^g
- [*Simulium curvans*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium curvastylum*](#) Chen & Zhang, 2001 ^{c g}
- [*Simulium curvistylus*](#) Rubtsov, 1957 ^{c g}
- [*Simulium curvitarise*](#) Rubtsov, 1940 ^{c g}
- [*Simulium curvum*](#) Takaoka, 2003 ^{c g}

D

- [*Simulium dachaisense*](#) Takaoka & Lau, 2015 ^g
- [*Simulium dahestanicum*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium daisense*](#) (Takahasi, 1950) ^{c g}
- [*Simulium dalmati*](#) Vargas & Najera, 1948 ^{c g}
- [*Simulium daltanhani*](#) Hamada & Adler, 1998 ^{c g}
- [*Simulium damascenoi*](#) Py-Daniel, 1988 ^{c g}
- [*Simulium damingense*](#) Chen, Zhang & Zhang, 2007 ^{c g}
- [*Simulium damnosum*](#) Theobald, 1903 ^{c g}
- [*Simulium dandrettai*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium danense*](#) Gouteux, 1979 ^{c g}
- [*Simulium danijari*](#) Chubareva & Ismagulov, 1992 ^{c g}
- [*Simulium darjeelingense*](#) Datta, 1973 ^{c g}

- [*Simulium dasguptai*](#) Datta, 1974 ^{c g}
- [*Simulium davaoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium dawaense*](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [*Simulium deagostinii*](#) Coscaron & Wygodzinsky, 1962 ^{c g}
- [*Simulium debaccli*](#) (Terteryan, 1952) ^{c g}
- [*Simulium debegene*](#) Meillon, 1934 ^{c g}
- [*Simulium decafile*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium decafilium*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium decimatum*](#) Dorogostaisky & Vlasenko, 1935 ^{c g}
- [*Simulium decimfilium*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium decollectum*](#) Adler and Currie, 1986 ^{i c g}
- [*Simulium decolletum*](#) Adler & Currie, 1986 ^{c g}
- [*Simulium decorum*](#) Walker, 1848 ^{i c g}
- [*Simulium decuplum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium definitum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium defoliarti*](#) Stone and Peterson, 1958 ^{i c g}
- [*Simulium degrangei*](#) Dorier & Grenier, 1960 ^{c g}
- [*Simulium dehnei*](#) Field, 1969 ^{c g}
- [*Simulium dekeyseri*](#) Shelley & Py-Daniel, 1981 ^{c g}
- [*Simulium delatorrei*](#) Dalmat, 1950 ^{c g}
- [*Simulium delfinadoae*](#) Takaoka, 1983 ^{c g}
- [*Simulium delizhanense*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium delponteianum*](#) Wygoszinsky, 1961 ^{c g}
- [*Simulium demutaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium dendrofilum*](#) (Patrusheva, 1962) ^{c g}
- [*Simulium dentatum*](#) Puri, 1932 ^{c g}
- [*Simulium dentatura*](#) (Vorobets, 1984) ^{c g}
- [*Simulium dentistylum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium dentulosum*](#) Roubaud, 1915 ^{c g}
- [*Simulium deserticola*](#) Rubtsov, 1940 ^{c g}
- [*Simulium desertorum*](#) Rubtsov, 1938 ^{c g}
- [*Simulium desirei*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium diamantinum*](#) Coscaron & Coscaron-Arias, 1996 ^{c g}
- [*Simulium diaznajerai*](#) Vargas, 1943 ^{c g}
- [*Simulium diceros*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium dieguerense*](#) Vajime & Dunbar, 1975 ^{c g}

- [*Simulium digitatum*](#) Puri, 1932 ^{c g}
- [*Simulium digrammicum*](#) Edwards, 1928 ^{c g}
- [*Simulium dinakarani*](#) Anbalagan, Vijayan, Balachandran, Thiyonila & Surya, 2020 ^g
- [*Simulium dinellii*](#) Joan, 1912 ^{i c g}
- [*Simulium discrepans*](#) Delfinado, 1969 ^{c g}
- [*Simulium disneyi*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium distinctum*](#) Lutz, 1910 ^{c g}
- [*Simulium diversibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium diversifurcatum*](#) Lutz, 1910 ⁱ
- [*Simulium dixiense*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium djafarovi*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium djallonense*](#) Roubaud & Grenier, 1943 ^{c g}
- [*Simulium djebaglense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium dogieli*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium doipuiense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium doisaketense*](#) ^g
- [*Simulium dojeycorium*](#) Craig, 1997 ^{c g}
- [*Simulium dola*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium dolini*](#) Usova & Sukhomlin, 1989 ^{c g}
- [*Simulium dolomitense*](#) (Rivosecchi, 1971) ^{c g}
- [*Simulium donovani*](#) Vargas, 1943 ^{c g}
- [*Simulium downsi*](#) Vargas, Palacio, Nayera, 1946 ^{i c g}
- [*Simulium dubitskii*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium duboisi*](#) Fain, 1950 ^{c g}
- [*Simulium dudgeoni*](#) Takaoka & Davies, 1995 ^{c g}
- [*Simulium dugesi*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium dukei*](#) Lewis, Disney & Crosskey, 1969 ^{c g}
- [*Simulium dumogaense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium dunfellense*](#) (Davies, 1966) ^{c g}
- [*Simulium dunhuangense*](#) Liu & An, 2004 ^{c g}
- [*Simulium duodecimcornutum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium duodecimum*](#) Gibbins, 1936 ^{c g}
- [*Simulium duodenicornium*](#) Pipinelli, Hamada & Trivinho-Strixino, 2005 ^{c g}
- [*Simulium duolongum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium duplex*](#) Shewell and Fredeen, 1958 ^{i c g}
- [*Simulium dureti*](#) Wygodzinsky, Coscaron, 1967 ^{i c g}

- [*Simulium dussertorum*](#) Craig, 1997 ^{c g}
- [*Simulium dycei*](#) Colbo, 1976 ^{c g}

E

- [*Simulium earlei*](#) Vargas & Najera, 1946 ^{c g}
- [*Simulium ecuadoriense*](#) Enderlein, 1934 ^{i g}
- [*Simulium edwardsi*](#) (Enderlein, 1934) ^{c g}
- [*Simulium egregium*](#) Seguy, 1930 ^{c g}
- [*Simulium ekomei*](#) Lewis & Disney, 1972 ^{c g}
- [*Simulium ela*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium elatum*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium elburnum*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium elongatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium emarginatum*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium emiliae*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium empascae*](#) Py-Daniel & Moreira, 1988 ^{c g}
- [*Simulium empopomae*](#) Meillon, 1937 ^{c g}
- [*Simulium enciso*](#) Vargas and Diaz Najera, 1949 ^{i c g}
- [*Simulium englund*](#) Craig, 2004 ^{c g}
- [*Simulium eouzani*](#) Germain & Grenier, 1970 ^{c g}
- [*Simulium ephemerophilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium ephippio*](#) Chen & Wen, 1999 ^{c g}
- [*Simulium epistum*](#) Delfinado, 1971 ^{c g}
- [*Simulium equinum*](#) (Linnaeus, 1758) ^{c g}
- [*Simulium erectum*](#) (Rubtsov, 1959) ^{c g}
- [*Simulium erimoense*](#) (Ono, 1980) ^{c g}
- [*Simulium erythrocephalum*](#) (De Geer, 1776) ^{c g}
- [*Simulium escomeli*](#) Roubaud, 1909 ^{i c g}
- [*Simulium estevezi*](#) Vargas, 1945 ^{c g}
- [*Simulium ethelae*](#) Dalmat, 1950 ^{i c g}
- [*Simulium ethiopiense*](#) Fain & Oomen, 1968 ^{c g}
- [*Simulium euryadminiculum*](#) Davies, 1949 ^{i c g}
- [*Simulium euryplatamus*](#) Sun & Song, 1995 ^{c g}
- [*Simulium evelynae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium evenhuisi*](#) Craig, 1997 ^{c g}
- [*Simulium evillense*](#) Fain, Hallot & Bafort, 1966 ^{c g}

- [*Simulium exasperans*](#) Craig, 1987 ^{c g}
- [*Simulium excisum*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium exiguum*](#) Roubaud, 1906 ^{i c g}
- [*Simulium exile*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium eximium*](#) Meijere, 1913 ^{c g}
- [*Simulium exulatum*](#) Adler, Currie & Wood, 2004 ^{c g}

F

- [*Simulium faheyi*](#) Taylor, 1927 ^{c g}
- [*Simulium falcoe*](#) (Shiraki, 1935) ^{c g}
- [*Simulium falculatum*](#) (Enderlein, 1929) ^{c g}
- [*Simulium fallisi*](#) (Golini, 1975) ^{c g}
- [*Simulium fangense*](#) Takaoka, 2006 ^{c g}
- [*Simulium fanjingshanense*](#) Chen, Zhang & Wen, 2000 ^{c g}
- [*Simulium fararae*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium farciminis*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium fenestratum*](#) Edwards, 1934 ^{c g}
- [*Simulium ferganicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium feuerborni*](#) Edwards, 1934 ^{c g}
- [*Simulium fibrinflatum*](#) Twinn, 1936 ^{i c g b} (inflated gnat)
- [*Simulium fidum*](#) Datta, 1975 ^{c g}
- [*Simulium fimbriatum*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium fionae*](#) Adler, 1990 ^{c g}
- [*Simulium flaveolum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium flavicans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium flavidum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium flavifemur*](#) Enderlein, 1921 ^{i g}
- [*Simulium flavigaster*](#) Rubtsov, 1969 ^{c g}
- [*Simulium flavinotatum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium flavipes*](#) Austen, 1921 ^{c g}
- [*Simulium flavipictum*](#) Knab, 1914 ^{i c g}
- [*Simulium flavoantennatum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium flavocinctum*](#) Edwards, 1934 ^{c g}
- [*Simulium flavopubescens*](#) Lutz, 1910 ⁱ
- [*Simulium flavum*](#) Takaoka, 2003 ^{c g}
- [*Simulium flexibranchium*](#) Crosskey, 2001 ^{c g}

- [*Simulium florae*](#) (Dzhafarov, 1954) ^{c g}
- [*Simulium floresense*](#) Takaoka, 2006 ^{c g}
- [*Simulium fluviatile*](#) Radzivilovskaya, 1948 ^{c g}
- [*Simulium fontanum*](#) Terteryan, 1952 ^{c g}
- [*Simulium fontinale*](#) Radzivilovskaya, 1948 ^{c g}
- [*Simulium fontium*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium forcipatum*](#) Delfinado, 1969 ^{c g}
- [*Simulium fossatae*](#) Craig, 1997 ^{c g}
- [*Simulium fragai*](#) Abreu, 1960 ^{c g}
- [*Simulium freemani*](#) Vargas & Najera, 1949 ^{c g}
- [*Simulium friederichsi*](#) Edwards, 1934 ^{c g}
- [*Simulium friedlanderi*](#) Py-Daniel, 1987 ^{c g}
- [*Simulium frigidum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium fucense*](#) (Rivosecchi, 1962) ^{c g}
- [*Simulium fujianense*](#) Zhang-tao & Wang, 1991 ^{c g}
- [*Simulium fuliginis*](#) Field, 1969 ^{c g}
- [*Simulium fulvibnotum*](#) Cerqueira and Mello, 1968 ^{i g}
- [*Simulium fulvipes*](#) (Ono, 1978) ^{c g}
- [*Simulium furcillatum*](#) Wygodzinsky & Coscaron, 1982 ^{c g}
- [*Simulium furculatum*](#) (Shewell, 1952) ^{i c g}
- [*Simulium fuscatum*](#) Yankovsky, 1996 ^{c g}
- [*Simulium fuscicorne*](#) Fain, 1950 ^{c g}
- [*Simulium fuscidorsum*](#) Takaoka ^g
- [*Simulium fuscinervis*](#) Edwards, 1933 ^{c g}
- [*Simulium fuscitarse*](#) Takaoka, 2003 ^{c g}
- [*Simulium fuscopilosum*](#) Edwards, 1928 ^{c g}
- [*Simulium fuscum*](#) (Rubtsov, 1963) ^{c g}
- [*Simulium futaense*](#) Garms & Post, 1966 ^{c g}
- [*Simulium fuzhouense*](#) Zhang & Wang, 1991 ^{c g}

G

- [*Simulium gabaldoni*](#) Perez, 1971 ^{i c g}
- [*Simulium gabovae*](#) (Rubtsov, 1966) ^{c g}
- [*Simulium gagiduense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium gallinum*](#) Edwards, 1932 ^{c g}
- [*Simulium galloprovinciale*](#) Giuducelli, 1963 ^{c g}

- [*Simulium ganalesense*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium gariepsense*](#) Meillon, 1953 ^{c g}
- [*Simulium garmsi*](#) Crosskey, 1969 ^{c g}
- [*Simulium garniense*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium gatchaliani*](#) Takaoka, 1983 ^{c g}
- [*Simulium gaudeatum*](#) Knab, 1914 ^{i g}
- [*Simulium gaurani*](#) Coscaron and Wygodzinsky, 1972 ^{i g}
- [*Simulium geigyi*](#) Garms & Hausermann, 1968 ^{c g}
- [*Simulium geigelense*](#) (Dzhafarov, 1954) ^{c g}
- [*Simulium germuense*](#) Liu, Gong, Zhang, Luo & An, 2003 ^{c g}
- [*Simulium ghoomense*](#) Datta, 1975 ^{c g}
- [*Simulium gibense*](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [*Simulium giganteum*](#) Rubtzov, 1940 ^{i c g}
- [*Simulium gilleti*](#) Fain & Hallot, 1964 ^{c g}
- [*Simulium gimpuense*](#) Takaoka, 2003 ^{c g}
- [*Simulium glatthaari*](#) Takaoka & Davies, 1995 ^{c g}
- [*Simulium globosum*](#) Takaoka, 2003 ^{c g}
- [*Simulium goeldi*](#) Cerqueira and Mello, 1967 ⁱ
- [*Simulium goeldii*](#) Cerqueira & Mello, 1967 ^{c g}
- [*Simulium goinyi*](#) Lewis & Hanney, 1965 ^{c g}
- [*Simulium golani*](#) (Beaucornu-Saguez, 1977) ^{c g}
- [*Simulium gombakense*](#) Takaoka & Davies, 1995 ^g
- [*Simulium gomphocorne*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium gonzalezherrejon*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium gonzalezi*](#) Vargas & Díaz Nájera, 1953 ^{c g}
- [*Simulium gorokae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium gouldingi*](#) Stone, 1952 ^{i c g}
- [*Simulium gracile*](#) Datta, 1973 ^{c g}
- [*Simulium gracilipes*](#) Edwards, 1921 ^{c g}
- [*Simulium gravelyi*](#) Puri, 1933 ^{c g}
- [*Simulium grenieri*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium grerreroi*](#) Perez, 1071 ^{i g}
- [*Simulium gribae*](#) Rubtsov, 1956 ^{c g}
- [*Simulium griseicolle*](#) Becker, 1903 ^{c g}
- [*Simulium griseifrons*](#) Brunetti, 1911 ^{c g}
- [*Simulium grisescens*](#) Brunetti, 1911 ^{c g}

- [*Simulium griseum*](#) Coquillett, 1898 ^{i c g}
- [*Simulium griveaudi*](#) Ovazzar & Ovazza, 1970 ^{c g}
- [*Simulium grossifilum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium guamense*](#) Stone, 1964 ^{c g}
- [*Simulium guaporense*](#) Py-Daniel, 1989 ^{c g}
- [*Simulium guerrenense*](#) Vargas & Najera, 1956 ^{c g}
- [*Simulium guerreroi*](#) Ramirez-Perez, 1971 ^{c g}
- [*Simulium guianense*](#) Wise, 1911 ^{i c g}
- [*Simulium guimari*](#) Becker, 1908 ^{c g}
- [*Simulium guniki*](#) Takaoka, 2001 ^{c g}
- [*Simulium gurneyae*](#) Senior-White, 1922 ^{c g}
- [*Simulium gusevi*](#) Rubtsov, 1976 ^{c g}
- [*Simulium gutsevitshi*](#) (Yankovsky, 1978) ^{c g}
- [*Simulium guttatum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium gviletense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium gyas*](#) Meillon, 1951 ^{c g}
- [*Simulium gyorkosae*](#) Takaoka & Davies, 1996 ^{c g}

H

- [*Simulium hackeri*](#) Edwards, 1929 ^{c g}
- [*Simulium hadiae*](#) Takaoka, 2003 ^{c g}
- [*Simulium haematopotum*](#) Malloch, 1914 ^{i c g}
- [*Simulium haematoptum*](#) Malloch ^{i g}
- [*Simulium hagai*](#) Takaoka, 2003 ^{c g}
- [*Simulium haiduanens*](#) Takaoka, Low & Huang, 2018 ^g
- [*Simulium hailuogouense*](#) Chen, Huang & Zhang, 2005 ^{c g}
- [*Simulium halmaheraense*](#) Takaoka, 2003 ^{c g}
- [*Simulium hargreavesi*](#) Gibbins, 1934 ^{c g}
- [*Simulium harrisoni*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium haysi*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium hechti*](#) Vargas, Martinez Palacios & Diaz Najera, 1946 ^{c g}
- [*Simulium hectorvargasi*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium heishuiense*](#) Wen & Chen, 2006 ^{c g}
- [*Simulium heldsbachense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium hematophilum*](#) Laboulbene, 1882 ^{c g}
- [*Simulium hemicyclium*](#) Smart & Clifford, 1965 ^{c g}

- [*Simulium henanense*](#) Wen & Chen, 2007 ^{c g}
- [*Simulium hengshanense*](#) Bi & Chen, 2004 ^{c g}
- [*Simulium heptapotamicum*](#) (Rubtsov, 1940) ^{c g}
- [*Simulium heptaspicae*](#) Gouteux, 1977 ^{c g}
- [*Simulium herreri*](#) Wygodzinsky and Coscaron, 1967 ^{i c g}
- [*Simulium hessei*](#) Gibbins, 1941 ^{c g}
- [*Simulium hibernale*](#) (Rubtsov, 1967) ^{c g}
- [*Simulium hiemale*](#) Rubtsov, 1956 ^{c g}
- [*Simulium hieroglyphicum*](#) Peterson, Vargas & Ramirez-Perez, 1988 ^{c g}
- [*Simulium hightoni*](#) Lewis, 1961 ^{c g}
- [*Simulium himalayense*](#) Puri, 1932 ^{c g}
- [*Simulium hinmani*](#) Vargas & Najera, 1946 ^{c g}
- [*Simulium hiroshii*](#) Takaoka, 1994 ^{c g}
- [*Simulium hiroyukii*](#) ^g
- [*Simulium hirsutilateris*](#) Meillon, 1937 ^{c g}
- [*Simulium hirsutum*](#) Pomeroy, 1922 ^{c g}
- [*Simulium hirticranioum*](#) Craig & Joy, 2000 ^g
- [*Simulium hirticranium*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium hirtinervis*](#) Edwards, 1928 ^{c g}
- [*Simulium hirtipannus*](#) Puri, 1932 ^{c g}
- [*Simulium hirtipupa*](#) Lutz, 1910 ^{i c g}
- [*Simulium hispaniola*](#) Grenier & Bertrand, 1954 ^{c g}
- [*Simulium hispidum*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium hissetteum*](#) Gibbins, 1936 ^{c g}
- [*Simulium hmongense*](#) Takaoka ^g
- [*Simulium hoffmanni*](#) Vargas, 1943 ^{i c g}
- [*Simulium hoiseni*](#) Takaoka, 2008 ^{c g}
- [*Simulium hongpingense*](#) Cheng, Luo & Yang, 2006 ^{c g}
- [*Simulium hongthaii*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium horacioi*](#) Okazawa & Onishi, 1980 ^{c g}
- [*Simulium horocochuspi*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium horokaense*](#) Ono, 1980 ^{c g}
- [*Simulium horvathi*](#) (Enderlein, 1922) ^{c g}
- [*Simulium howletti*](#) Puri, 1932 ^{c g}
- [*Simulium huaimoreense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium huairayacu*](#) Wygodzinsky, 1953 ^{c g}

- [*Simulium huangi*](#) Huang, 2017 ^g
- [*Simulium huemul*](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [*Simulium huense*](#) Takaoka ^g
- [*Simulium hukaense*](#) Sechan, 1983 ^{c g}
- [*Simulium humerosum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium hunanense*](#) Zhang & Chen, 2004 ^{c g}
- [*Simulium hunteri*](#) Malloch, 1914 ^{i c g}

I

- [*Simulium ibarakiense*](#) Takaoka & Saito, 2007 ^{c g}
- [*Simulium ibariense*](#) Zivkovic & Grenier, 1959 ^{c g}
- [*Simulium ibericum*](#) Crosskey & Santos Gracio, 1985 ^{c g}
- [*Simulium ibleum*](#) (Rivosecchi, 1966) ^{c g}
- [*Simulium ichnusae*](#) (Rivosecchi, 1993) ^{c g}
- [*Simulium ifugaoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium ignacioi*](#) Perez and Vulcano, 1973 ⁱ
- [*Simulium ignescens*](#) Roubaud, 1906 ^{i c g}
- [*Simulium iguazuense*](#) Coscaron, 1976 ^{c g}
- [*Simulium imerinae*](#) Roubaud, 1905 ^{c g}
- [*Simulium immortalis*](#) Cai, An, Li & Yan, 2004 ^{c g}
- [*Simulium impar*](#) Davies, Peterson and Wood, 1962 ^{i c g}
- [*Simulium impukane*](#) Meillon, 1936 ^{c g}
- [*Simulium inaequale*](#) Paterson and Shannon, 1927 ^{i c g}
- [*Simulium incanum*](#) (Loew, 1840) ^{c g}
- [*Simulium incertum*](#) Lutz, 1910 ^{i c g}
- [*Simulium incognitum*](#) Adler & Mason, 1997 ^{c g}
- [*Simulium incrustatum*](#) Lutz, 1910 ^{i c g}
- [*Simulium indica*](#) Singh Sidhu, 2005 ^{c g}
- [*Simulium indicum*](#) Becher, 1885 ^{c g}
- [*Simulium inermum*](#) Takaoka, 2003 ^{c g}
- [*Simulium inexorabile*](#) Schrottky, 1909 ⁱ
- [*Simulium infenestrum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium infernale*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium inflatum*](#) (Rubtsov, 1951) ^{c g}
- [*Simulium innocens*](#) (Shewell, 1952) ^{i c g}
- [*Simulium inornatum*](#) Mackerras & Mackerras, 1950 ^{c g}

- [*Simulium intermedium*](#) Roubaud, 1906 ^{c g}
- [*Simulium inthanonense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium inuitkiense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium iphias*](#) Meillon, 1951 ^{c g}
- [*Simulium iracouboense*](#) Floch and Abonnenc, 1946 ^{i c g}
- [*Simulium irayense*](#) Takaoka, 2003 ^{c g}
- [*Simulium irianense*](#) Takaoka, 2003 ^{c g}
- [*Simulium iridescens*](#) Meijere, 1913 ^{c g}
- [*Simulium itaunense*](#) D'andretta and Gonzalez, 1964 ^{i c g}
- [*Simulium itelmenica*](#) (Chubareva & Yankovsky, 2006) ^{c g}
- [*Simulium ituriense*](#) Fain, 1951 ^{c g}
- [*Simulium itwariense*](#) ^g
- [*Simulium ivashchenkoi*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium ivdelensis*](#) Yankovsky, 2000 ^{c g}
- [*Simulium iwahigense*](#) Takaoka, 1983 ^{c g}
- [*Simulium iwatense*](#) (Shiraki, 1935) ^{c g}
- [*Simulium izuense*](#) Takaoka & Saito, 2005 ^{c g}

J

- [*Simulium jacobsi*](#) Dalmat, 1953 ^{c g}
- [*Simulium jacumbae*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium jacuticum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium jaimeramirezi*](#) Wygodzinsky, 1971 ^{i c g}
- [*Simulium jani*](#) Lewis, 1973 ^{c g}
- [*Simulium janzeni*](#) Enderlein, 1922 ^{c g}
- [*Simulium janzi*](#) Abreu, 1961 ^{c g}
- [*Simulium japonicum*](#) Matsumura, 1931 ^{c g}
- [*Simulium jasnulemum*](#) Chubareva, 2000 ^{c g}
- [*Simulium jayapuraense*](#) Takaoka, 2003 ^{c g}
- [*Simulium jefersoni*](#) Hamada, Hernandez, Luz & Pepinelli, 2006 ^{c g}
- [*Simulium jeffreyi*](#) Takaoka & Davies, 1995 ^g
- [*Simulium jenningsi*](#) Malloch, 1914 ^{i c g}
- [*Simulium jerantutense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium jerezense*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium jeteri*](#) Py-Daniel, 2005 ^{c g}
- [*Simulium jianjinshanense*](#) Zhang & Chen, 2006 ^{c g}

- [*Simulium jieyangense*](#) An, Yan & Yang, 1994 ^{c g}
- [*Simulium jilinense*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium jilinensis*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium jimmaense*](#) Uemoto, Ogata & Mebrahtu, 1977 ^{c g}
- [*Simulium jinbianense*](#) Zhang & Chen, 2004 ^{c g}
- [*Simulium jnabsium*](#) Craig, 1997 ^{c g}
- [*Simulium jobbinsi*](#) Vargas & Palacios, 1946 ^{c g}
- [*Simulium jocular*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium johannae*](#) Wanson, 1947 ^{c g}
- [*Simulium johannseni*](#) Hart, 1912 ^{i c g}
- [*Simulium johnfrumi*](#) Craig, 2006 ^{c g}
- [*Simulium johnsoni*](#) Vargas & Najera, 1957 ^{c g}
- [*Simulium jolyi*](#) Roubaud, 1906 ^{c g}
- [*Simulium jonesi*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium josephi*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium joyae*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium juarezi*](#) Vargas & Najera, 1957 ^{c g}
- [*Simulium jugatum*](#) Boldarueva, 1979 ^{c g}
- [*Simulium jujuyense*](#) Paterson and Shannon, 1927 ^{i c g}
- [*Simulium jundiaiense*](#) D'andretta and Gonzalez, 1964 ⁱ
- [*Simulium junkumae*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium juxtacrenobium*](#) Bass & Brockhouse, 1990 ^{c g}
- [*Simulium juxtadamnosum*](#) Gouteux, 1978 ^{c g}

K

- [*Simulium kabanayense*](#) Perez and Volcano, 1973 ^{i c g}
- [*Simulium kachvorjanae*](#) Ussova, 1991 ^{c g}
- [*Simulium kaffaense*](#) Hadis, Wilson, Cobblah & Boakye, 2005 ^{c g}
- [*Simulium kainantuense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kaiti*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kalimerahense*](#) Takaoka, 2003 ^{c g}
- [*Simulium kambaitense*](#) Takaoka, 1989 ^{c g}
- [*Simulium kamimurai*](#) Takaoka, 2003 ^{c g}
- [*Simulium kamtshadalicum*](#) Yankovsky, 1996 ^{c g}
- [*Simulium kamtshaticum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium kanchaveli*](#) (Machavariani, 1966) ^{c g}

- [*Simulium kapuri*](#) Datta, 1975 ^{c g}
- [*Simulium karasuae*](#) Panchenko, 1998 ^{c g}
- [*Simulium karavalliense*](#) Anbalagan, Rekha, Balachandran, Dinakaran & Krishnan, 2020 ^g
- [*Simulium karenkoense*](#) (Shiraki, 1935) ^{c g}
- [*Simulium kariyai*](#) (Takahasi, 1940) ^{c g}
- [*Simulium karzhantavicum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kaszabi*](#) (Rubtsov, 1969) ^{c g}
- [*Simulium katangae*](#) Fain, 1951 ^{c g}
- [*Simulium katoj*](#) Shiraki, 1935 ^{c g}
- [*Simulium kauntzeum*](#) Gibbins, 1938 ^{c g}
- [*Simulium kawagishii*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium kawamurae*](#) Matsummura, 1931 ^{c g}
- [*Simulium kazahstanicum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium keenani*](#) Field, 1969 ^{c g}
- [*Simulium keiseri*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium keningauense*](#) Takaoka, 2008 ^{c g}
- [*Simulium kenyae*](#) Meillon, 1940 ^{c g}
- [*Simulium keravatense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kerei*](#) Takaoka & Suzuki, 1994 ^{c g}
- [*Simulium kerisorum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kerzhneri*](#) (Rubtsov, 1975) ^{c g}
- [*Simulium khunklangense*](#) Takaoka & Srisuka ^g
- [*Simulium kiangaraense*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium kietaense*](#) Takaoka, 1995 ^{c g}
- [*Simulium kiewfinense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium kiewmaepanense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium kilibanum*](#) Gouteux, 1977 ^{c g}
- [*Simulium kinabaluense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium kingundense*](#) Fain & Elsen, 1974 ^{c g}
- [*Simulium kipengere*](#) Krueger, 2006 ^{c g}
- [*Simulium kirgisorum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kiritshenkoi*](#) (Rubtsov, 1940) ^{c g}
- [*Simulium kisoense*](#) Uemoto, Onishi & Orii, 1974 ^{c g}
- [*Simulium kitetense*](#) Elsen & Post, 1989 ^{c g}
- [*Simulium kivuense*](#) Gouteux, 1978 ^{c g}
- [*Simulium klonglanense*](#) Takaoka, Srisuka & Saeung, 2020 ^g

- [*Simulium knidirii*](#) Giudicelli & Thiery, 1985 ^{c g}
- [*Simulium kobayashii*](#) Okamoto, Sato & Shogaki, 1958 ^{c g}
- [*Simulium koidzumii*](#) (Tashasi, 1940) ^{c g}
- [*Simulium kokodae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kolakaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium kompi*](#) Dalmat, 1951 ^{c g}
- [*Simulium konakovi*](#) Rubtsov, 1956 ^{c g}
- [*Simulium konkourense*](#) Boakye, Post, Mosha & Quillevere, 1993 ^{c g}
- [*Simulium konoj*](#) (Takashasi, 1950) ^{c g}
- [*Simulium kozlovi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium krebsorum*](#) Moulton & Adler, 1992 ^{c g}
- [*Simulium krishnani*](#) Anbalagan, Vijayan, Balachandran, Thiyonila & Surya, 2020 ^g
- [*Simulium krombeini*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium krymense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kuandianense*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium kuandianensis*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium kugartsuense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kugitangi*](#) Yankovsky & Shinkovsky, 1992 ^{c g}
- [*Simulium kuingingiense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium kumbakkaraiense*](#) Anbalagan, Vijayan, Dinakaran & Krishnan, 2019 ^g
- [*Simulium kumboense*](#) Grenier & Germain, 1966 ^{c g}
- [*Simulium kurense*](#) Rubtsov & Dzhafarov, 1951 ^{c g}
- [*Simulium kurganense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium kurilense*](#) Rubtsov, 1956 ^{c g}
- [*Simulium kuznetzovi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium kwangoense*](#) Fain & Elsen, 1974 ^{c g}
- [*Simulium kyushuense*](#) Takaoka, 1978 ^{c g}

L

- [*Simulium labellei*](#) Peterson, 1993 ^{c g}
- [*Simulium lacduongense*](#) Takaoka ^g
- [*Simulium laciniatum*](#) Edwards, 1924 ^{c g}
- [*Simulium lagunaense*](#) Takaoka, 1983 ^{c g}
- [*Simulium lahillei*](#) Paterson and Shannon, 1927 ^{i c g}
- [*Simulium lakei*](#) Snoddy, 1976 ^{i c g}
- [*Simulium lalokiense*](#) Smart & Clifford, 1965 ^{c g}

- [*Simulium lama*](#) Rubtsov, 1940 ^{c g}
- [*Simulium lamachi*](#) Doby & David, 1960 ^{c g}
- [*Simulium lamdongense*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium lampangense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium landonoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium laneportoi*](#) Vargas, 1941 ^{i c g}
- [*Simulium langbiangense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium languidum*](#) Davies & Gyorkos, 1988 ^{c g}
- [*Simulium laosense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium laoshanstum*](#) Ren, An & Kang, 1998 ^{c g}
- [*Simulium laplandica*](#) Chubareva & Yankovsky, 1992 ^{c g}
- [*Simulium lardizabala*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium larvipilosum*](#) Okazawa, 1984 ^{c g}
- [*Simulium larvispinosum*](#) Leon, 1948 ^{c g}
- [*Simulium lassmanni*](#) Vergas, Martinez, 1946 ^{i c g}
- [*Simulium laterale*](#) Edwards, 1933 ^{c g}
- [*Simulium laticax*](#) Enderlein, 1933 ^{i g}
- [*Simulium latidigitus*](#) Enderlein, 1936 ^{i g}
- [*Simulium latifile*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium latigonium*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium latilobus*](#) Rubtsov, 1973 ^{c g}
- [*Simulium latimentum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium latipes*](#) Meigen, 1804 ^{i c g}
- [*Simulium latipollex*](#) (Enderlein, 1936) ^{c g}
- [*Simulium latistylum*](#) Takaoka, 1983 ^{c g}
- [*Simulium latitarsus*](#) Rubtsov, 1971 ^{c g}
- [*Simulium laui*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium lawnhillense*](#) Colbo, 1976 ^{c g}
- [*Simulium laxum*](#) Takaoka, 2003 ^{c g}
- [*Simulium leberrei*](#) Grenier & Germain, 1966 ^{c g}
- [*Simulium ledangense*](#) ^g
- [*Simulium ledongense*](#) Yang & Chen, 2001 ^{c g}
- [*Simulium lehi*](#) Takaoka, 2001 ^{c g}
- [*Simulium leigongshanense*](#) Chen & Zhang, 1997 ^{c g}
- [*Simulium lemboreense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium leonense*](#) Boakye, Post & Mosha, 1993 ^{c g}

- [*Simulium leopoldense*](#) Strieder & Py-Daniel, 2000 ^{c g}
- [*Simulium lepnevae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium letabum*](#) Meillon, 1935 ^{c g}
- [*Simulium letrasense*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium lewisi*](#) Perez, 1971 ^{i c g}
- [*Simulium leytense*](#) Takaoka, 1983 ^{c g}
- [*Simulium liberiense*](#) Garms, 1973 ^{c g}
- [*Simulium lidiae*](#) (Semushin & Usova, 1983) ^{c g}
- [*Simulium lididae*](#) Semushin & Usova, 1983 ^{c g}
- [*Simulium lilianae*](#) Takaoka, 2000 ^{c g}
- [*Simulium liliwense*](#) Takaoka, 1983 ^{c g}
- [*Simulium lilotense*](#) (Rubtsov, 1971) ^{c g}
- [*Simulium limay*](#) Wygodzinsky, 1958 ^{c g}
- [*Simulium limbatum*](#) Knab, 1915 ^{i c g}
- [*Simulium linduense*](#) Takaoka, 2003 ^{c g}
- [*Simulium lineatum*](#) (Meigen, 1804) ^{c g}
- [*Simulium lineothorax*](#) Puri, 1932 ^{c g}
- [*Simulium lingziense*](#) Deng, Zhang & Chen, 1995 ^{c g}
- [*Simulium liriense*](#) Rivosecchi, 1961 ^{c g}
- [*Simulium litobrachium*](#) Hamada, Pepinelli, Mattos-Gloria & Luz ^g
- [*Simulium litoreum*](#) Datta, 1975 ^{c g}
- [*Simulium litshkense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium littopyga*](#) Evenhuis, 2017 ^g
- [*Simulium littosocius*](#) Evenhuis, 2017 ^g
- [*Simulium littosodalis*](#) Evenhuis, 2017 ^g
- [*Simulium lividum*](#) (Schellenberg, 1803) ^{c g}
- [*Simulium llutense*](#) Coscaron & Matta, 1982 ^{c g}
- [*Simulium lobatoi*](#) Dias, Hernandez, Maia-Herzog & Shelley, 2004 ^{c g}
- [*Simulium loeiense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium loerchae*](#) Adler, 1987 ^{c g}
- [*Simulium lonchatum*](#) Chen, Zhang & Huang, 2005 ^{c g}
- [*Simulium lonckei*](#) Craig, 1997 ^{c g}
- [*Simulium longifiliatum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium longipalpe*](#) Beltyukova, 1955 ^{c g}
- [*Simulium longipes*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium longirostre*](#) Smart, 1972 ^{c g}

- [*Simulium longistylatum*](#) Shewell, 1959 ^{i c g}
- [*Simulium longitarse*](#) (Rubtsov & Violovich, 1965) ^{c g}
- [*Simulium longithallum*](#) Diaz Najera & Vulcano, 1962 ^{c g}
- [*Simulium longitruncum*](#) Zhang & Chen, 2003 ^{c g}
- [*Simulium longlanhense*](#) Takaoka ^g
- [*Simulium longshengense*](#) Chen, Zhang & Zhang, 2007 ^{c g}
- [*Simulium longtanstunum*](#) Ren Bing, An & Kang, 1998 ^{c g}
- [*Simulium loreense*](#) Takaoka, 2003 ^{c g}
- [*Simulium lotii*](#) Craig, 1987 ^{c g}
- [*Simulium lourencoi*](#) Py-Daniel, 1988 ^{c g}
- [*Simulium loutetense*](#) Grenier & Ovazza, 1951 ^{c g}
- [*Simulium loveridgei*](#) Crosskey, 1965 ^{c g}
- [*Simulium lowi*](#) Takaoka & Adler, 2017 ^g
- [*Simulium luadiense*](#) Elsen, Fain & Boeck, 1983 ^{c g}
- [*Simulium luchoi*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium lucyae*](#) Craig, 2006 ^{c g}
- [*Simulium ludingens*](#) Chen, Zhang & Huang, 2005 ^{c g}
- [*Simulium lugense*](#) Yankovsky, 1996 ^{c g}
- [*Simulium luggeri*](#) Nicholson and Mickel, 1950 ^{i c g}
- [*Simulium luliangense*](#) Chen & Lian ^g
- [*Simulium lumbwanum*](#) Meillon, 1944 ^{c g}
- [*Simulium lundstromi*](#) (Enderlein, 1921) ^{c g}
- [*Simulium lunduense*](#) Takaoka, 2008 ^{c g}
- [*Simulium luppovae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium luridum*](#) Takaoka, 2003 ^{c g}
- [*Simulium lurybayae*](#) Smart, 1944 ^{i c g}
- [*Simulium lushanense*](#) Chen, Kang & Zhang, 2007 ^{c g}
- [*Simulium lutzi*](#) Knab, 1913 ^{c g}
- [*Simulium lutzianum*](#) Pinto, 1931 ^{i c g}
- [*Simulium luzonicum*](#) Takaoka, 1983 ^{c g}

M

- [*Simulium macca*](#) (Enderlein, 1934) ^{c g}
- [*Simulium machadoallisoni*](#) Vulcano, 1981 ⁱ
- [*Simulium machadoi*](#) Luna de Carvalho, 1962 ^{c g}
- [*Simulium machetorum*](#) ^g

- [*Simulium mackerrasorum*](#) Colbo, 1976 ^{c g}
- [*Simulium maculatum*](#) (Meigen, 1804) ^{c g}
- [*Simulium maehongsonense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium maelanoiense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium maenoi*](#) Takaoka & Choochote, 2002 ^{c g}
- [*Simulium maertensi*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium maewongense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium mafuluense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium magnum*](#) Lane & Porto, 1940 ^{c g}
- [*Simulium mainitense*](#) Takaoka, Tenedero, 2019 ^g
- [*Simulium major*](#) Lane and Porto, 1940 ^{i g}
- [*Simulium makartshenkovi*](#) Bodrova, 1987 ^{c g}
- [*Simulium makilingense*](#) Takaoka, 1983 ^{c g}
- [*Simulium maklarini*](#) Takaoka, 2007 ^{c g}
- [*Simulium malaibaense*](#) Takaoka & Tenedero, 2007 ^{c g}
- [*Simulium malardei*](#) Craig, 1987 ^{c g}
- [*Simulium malayense*](#) Takaoka & Davies, 1995 ^g
- [*Simulium malinoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium malukuense*](#) Takaoka, 2003 ^{c g}
- [*Simulium malyschevi*](#) Dorog., Rubtsov, and Vlasenko, 1935 ^{i c g}
- [*Simulium mamasaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium manadoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium manbucalense*](#) Takaoka, 1983 ^{c g}
- [*Simulium manense*](#) Elsen & Escaffre, 1976 ^{c g}
- [*Simulium mangabeirai*](#) Vargas, 1945 ^{c g}
- [*Simulium mangasepi*](#) Takaoka, 1983 ^{c g}
- [*Simulium manicatum*](#) Enderlein, 1933 ^{i g}
- [*Simulium manokwariense*](#) Takaoka, 2003 ^{c g}
- [*Simulium manooni*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium manuselaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium maraense*](#) Craig, 1997 ^{c g}
- [*Simulium maranguapense*](#) Pessoa, Rios-Velasquez & Py-Daniel, 2005 ^{c g}
- [*Simulium marathrumi*](#) Fairchild, 1940 ^{c g}
- [*Simulium margaritae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium margaritatum*](#) Pepinelli, Hamada & Luz, 2006 ^{c g}
- [*Simulium mariavulcanoae*](#) Coscaron & Wygodzinsky, 1984 ^{c g}

- [*Simulium maritimum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium marlieri*](#) Grenier, 1950 ^{c g}
- [*Simulium marocanum*](#) Bouzidi & Giudicelli, 1988 ^{c g}
- [*Simulium maroniense*](#) Floch and Abonnenc, 1946 ^{i g}
- [*Simulium marosense*](#) Takaoka, Sofian-Azirun & Suana, 2019 ^g
- [*Simulium marquezi*](#) Vargas & Diaz Najera, 1957 ^{c g}
- [*Simulium marsicanum*](#) (Rivosecchi, 1962) ^{c g}
- [*Simulium masabae*](#) Gibbins, 1934 ^{c g}
- [*Simulium masilauense*](#) Takaoka, 2008 ^{c g}
- [*Simulium mataverense*](#) Craig & Craig, 1987 ^{c g}
- [*Simulium matokoense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium matteabanchia*](#) Anduze, 1947 ⁱ
- [*Simulium matteabanchium*](#) Anduze, 1947 ^{c g}
- [*Simulium mauense*](#) Nunes de Mello, 1974 ^{c g}
- [*Simulium maximum*](#) (Knoz, 1961) ^{c g}
- [*Simulium mayuchuspi*](#) Coscaron, 1990 ^{c g}
- [*Simulium mayumbense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium mazzottii*](#) Diaz Najera, 1981 ^{c g}
- [*Simulium mbarigui*](#) Coscaron and Wygodzinsky, 1973 ⁱ
- [*Simulium mcmahoni*](#) Meillon, 1940 ^{c g}
- [*Simulium meadowi*](#) Mahe, Ma & An, 2003 ^{c g}
- [*Simulium mediaxisus*](#) An, Guo & Xu, 1995 ^{c g}
- [*Simulium mediocoloratum*](#) Takaoka, 2006 ^{c g}
- [*Simulium mediodentatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium mediovittatum*](#) Knab, 1916 ^{i c g}
- [*Simulium medusaeforme*](#) Pomeroy, 1920 ^{c g}
- [*Simulium meigeni*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium melanocephalum*](#) Gouteux, 1978 ^{c g}
- [*Simulium melanopus*](#) Edwards, 1929 ^{c g}
- [*Simulium melatum*](#) Wharton, 1949 ^{c g}
- [*Simulium mellah*](#) Giudicelli, Bouzidi & Ait Abdelaali, 2000 ^{c g}
- [*Simulium menchacai*](#) Vargas & Najera, 1957 ^{c g}
- [*Simulium mendiense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium mengense*](#) Vajime & Dunbar, 1979 ^{c g}
- [*Simulium mengi*](#) Chen, Zhang & Wen, 2000 ^{c g}
- [*Simulium menglaense*](#) Chen, 2003 ^{c g}

- [*Simulium merga*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium meridionale*](#) Riley, 1887 ^{i c g}
- [*Simulium merops*](#) Meillon, 1950 ^{c g}
- [*Simulium merritti*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium meruoca*](#) Mello, Almeida, Dellome, 1973 ⁱ
- [*Simulium mesasiaticum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium mesodontium*](#) Craig, 1987 ^{c g}
- [*Simulium metallicum*](#) Bellardi, 1859 ^{i c g}
- [*Simulium metatrsale*](#) Brunetti, 1911 ^{c g}
- [*Simulium metecontae*](#) Elouard & Pilaka, 1996 ^{c g}
- [*Simulium mexicanum*](#) Bellardi, 1862 ⁱ
- [*Simulium meyeræ*](#) Moulton & Adler, 2002 ^{c g}
- [*Simulium miblosi*](#) Takaoka, 1983 ^{c g}
- [*Simulium microbranchium*](#) Dalmat, 1949 ^{c g}
- [*Simulium microlepidum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium middlemissae*](#) Craig, 1997 ^{c g}
- [*Simulium mie*](#) Ogata & Sasa, 1954 ^{c g}
- [*Simulium milloti*](#) Grenier & Doucet, 1949 ^{c g}
- [*Simulium minahasaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium minangkabaum*](#) Takaoka & Sigit, 1997 ^{c g}
- [*Simulium mindanaoense*](#) Takaoka, 1983 ^{c g}
- [*Simulium mindoroense*](#) Takaoka & Tenedero, 2007 ^{c g}
- [*Simulium minji*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium minuanum*](#) Strieder & Coscaron, 2000 ^{c g}
- [*Simulium minus*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium minusculum*](#) Lutz ^{i c g}
- [*Simulium minuticorpus*](#) (Yankovsky, 1996) ^{c g}
- [*Simulium minutum*](#) (Rubtsov, 1959) ^c
- [*Simulium miyagii*](#) Takaoka, 2003 ^{c g}
- [*Simulium modicum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium mogii*](#) Takaoka, 2003 ^{c g}
- [*Simulium molliculum*](#) Takaoka, 2003 ^{c g}
- [*Simulium mongolense*](#) Yankovsky, 1996 ^{c g}
- [*Simulium mongolicum*](#) (Rubtsov, 1969) ^{c g}
- [*Simulium montiblense*](#) Takaoka, 1983 ^{c g}
- [*Simulium monticola*](#) Friederichs, 1920 ^{c g}

- [*Simulium monticoloides*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium montium*](#) (Rubtsov, 1947) ^{c g}
- [*Simulium montshadskii*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium morae*](#) Perez, Rassi, Ramirez, 1977 ^{i c g}
- [*Simulium morisonoi*](#) Takaoka, 1973 ^{c g}
- [*Simulium morsitans*](#) Edwards, 1915 ^{c g}
- [*Simulium motoyukii*](#) Takaoka, 2003 ^{c g}
- [*Simulium moucheti*](#) Gouteux, 1977 ^{c g}
- [*Simulium moultoni*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium moxiense*](#) Chen, Huang & Zhang, 2005 ^{c g}
- [*Simulium muangpanense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium multiclavulatum*](#) Fain, Elsen & Dujardin, 1989 ^{c g}
- [*Simulium multidentatum*](#) Bodrova, 1988 ^{c g}
- [*Simulium multifurcatum*](#) Zhang, 1991 ^{c g}
- [*Simulium multistriatum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium mumfordi*](#) Edwards, 1932 ^{c g}
- [*Simulium munumense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium murvanidzei*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium mussauense*](#) Delfinado, 1971 ^{c g}
- [*Simulium mutucuna*](#) Mello and Silva, 1974 ^{i c g}
- [*Simulium myanmarensense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium mysterium*](#) Adler, Currie & Wood, 2004 ^{c g}

N

- [*Simulium nacojapi*](#) Smart, 1944 ^{c g}
- [*Simulium nahimi*](#) Py-Daniel, 1984 ^{c g}
- [*Simulium nakhonense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium nakkhoense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium namdanense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium namense*](#) Takaoka, 1989 ^{c g}
- [*Simulium nami*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium nanoiense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium nanthaburiense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium nanum*](#) Zetterstedt, 1838 ^{c g}
- [*Simulium napuense*](#) Takaoka, 2003 ^{c g}
- [*Simulium narcaeum*](#) Meillon, 1950 ^{c g}

- [*Simulium natalense*](#) Meillon, 1950 ^{c g}
- [*Simulium naturale*](#) Davies, 1966 ^{c g}
- [*Simulium neavei*](#) Roubaud, 1915 ^{c g}
- [*Simulium nebulicola*](#) Edwards, 1934 ^{c g}
- [*Simulium nebulosum*](#) Currie and Adler, 1986 ^{i c g}
- [*Simulium negativum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium neireti*](#) Roubaud, 1905 ^{c g}
- [*Simulium nemorale*](#) Edwards, 1931 ^{c g}
- [*Simulium nemorivagum*](#) Datta, 1973 ^{c g}
- [*Simulium nemuroense*](#) Takaoka & Saito, 2002 ^{c g}
- [*Simulium neornatipes*](#) Dumbleton, 1969 ^{c g}
- [*Simulium neoviceps*](#) Craig, 1987 ^{c g}
- [*Simulium nepalense*](#) Lewis, 1964 ^{c g}
- [*Simulium netteli*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium ngabogei*](#) Fain, 1950 ^{c g}
- [*Simulium nganganum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium ngaoense*](#) Takaoka, Srisuka & Saeung, 2018 ^g
- [*Simulium ngouense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium nicholsoni*](#) Mackerras & Mackerras, 1948 ^{c g}
- [*Simulium nigricorne*](#) Dalmat, 1950 ^{c g}
- [*Simulium nigricoxum*](#) Stone, 1950 ^{i c g}
- [*Simulium nigrifacies*](#) Datta, 1974 ^{c g}
- [*Simulium nigrifemur*](#) (Enderlein, 1936) ^{c g}
- [*Simulium nigrimanum*](#) Macquart, 1838 ^{c g}
- [*Simulium nigripilosum*](#) Edwards, 1933 ^{c g}
- [*Simulium nigristrigatum*](#) (Enderlein, 1930) ^{c g}
- [*Simulium nigritarse*](#) Coquillett, 1902 ^{c g}
- [*Simulium nigrofemoralum*](#) Chen & Zhang, 2001 ^{c g}
- [*Simulium nigrofilum*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium nigrofuscipes*](#) Rubtsov, 1947 ^{c g}
- [*Simulium nigrogilvum*](#) Summers, 1911 ^{c g}
- [*Simulium nigrum*](#) (Meigen, 1804) ^{c g}
- [*Simulium niha*](#) Giuducelli & Dia, 1986 ^{c g}
- [*Simulium nikkoense*](#) Shiraki, 1935 ^{c g}
- [*Simulium nilesi*](#) Rambajan, 1979 ^{c g}
- [*Simulium nilgircum*](#) Puri, 1932 ^{c g}

- [*Simulium nili*](#) Gibbins, 1934 ^{c g}
- [*Simulium nishijimai*](#) (Ono, 1978) ^{c g}
- [*Simulium nitidithorax*](#) Puri, 1932 ^{c g}
- [*Simulium nobile*](#) Meijere, 1907 ^{c g}
- [*Simulium nodosum*](#) Puri, 1933 ^{c g}
- [*Simulium noelleri*](#) Friederichs, 1920 ^{c g}
- [*Simulium noqueirai*](#) D'andretta and Gonzalez, 1964 ⁱ
- [*Simulium noquerai*](#) d'Andretta & Gonzalez, 1964 ^{c g}
- [*Simulium norfolkense*](#) Dumbleton, 1969 ^{c g}
- [*Simulium norforense*](#) Takaoka, 2003 ^{c g}
- [*Simulium noroense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium notatum*](#) Adams, 1904 ^{i c g}
- [*Simulium notiale*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium novemarticulatum*](#) Takaoka & Davies, 1995 ^g
- [*Simulium novigracilis*](#) Deng, Zhang & Xue, 1996 ^{c g}
- [*Simulium novolineatum*](#) Puri, 1933 ^{c g}
- [*Simulium nubis*](#) Davies & Gyorkos, 1987 ^{c g}
- [*Simulium nudifrons*](#) Takaoka, 2003 ^{c g}
- [*Simulium nudipes*](#) Takaoka, 2003 ^{c g}
- [*Simulium nujiangense*](#) Xue, 1993 ^{c g}
- [*Simulium nunesdemelloi*](#) Hamada, Pepinelli & Hernandez, 2006 ^{c g}
- [*Simulium nunestovari*](#) Perez, Rassi, and Ramirez, 1977 ^{i g}
- [*Simulium nuneztovari*](#) Perez, Rassi & Ramirez, 1977 ^{c g}
- [*Simulium nyaense*](#) Gouteux, 1977 ^{c g}
- [*Simulium nyanzense*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium nysalandicum*](#) Meillon, 1930 ^{c g}
- [*Simulium nyssa*](#) Stone and Snoddy, 1969 ^{i c g}

O

- [*Simulium obesum*](#) Vulcano, 1959 ^{i c g}
- [*Simulium obichingoum*](#) Chubareva, 2000 ^{c g}
- [*Simulium obikumbense*](#) (Rubtsov, 1972) ^{c g}
- [*Simulium oblongum*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium ochoai*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium ochraceum*](#) Walker, 1861 ^{i c g}
- [*Simulium ochreacum*](#) Walker, 1861 ^g

- [*Simulium ochrescentipes*](#) Enderlein, 1921 ^{c g}
- [*Simulium ocreastylum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium octofiliatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium octospicae*](#) Gibbins, 1937 ^{c g}
- [*Simulium oculatum*](#) (Enderlein, 1936) ^{c g}
- [*Simulium odontostylum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium ogatai*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium ogonukii*](#) Takaoka, 1983 ^{c g}
- [*Simulium uguamai*](#) Lewis & Disney, 1972 ^{c g}
- [*Simulium oitanum*](#) (Shiraki, 1935) ^{c g}
- [*Simulium okinawaense*](#) Takaoka, 1976 ^{c g}
- [*Simulium oligotuberculatum*](#) (Knoz, 1965) ^{c g}
- [*Simulium olimpicum*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium olonicum*](#) (Usova, 1961) ^{c g}
- [*Simulium omorii*](#) (Takahasi, 1942) ^{c g}
- [*Simulium omutaense*](#) Ogata & Sasa, 1954 ^{c g}
- [*Simulium onoi*](#) Yankovsky, 1996 ^{c g}
- [*Simulium onum*](#) Bodrova, 1988 ^{c g}
- [*Simulium opalinifrons*](#) Enderlein, 1934 ^{i g}
- [*Simulium opunohuense*](#) Craig, 1987 ^{c g}
- [*Simulium orbitale*](#) Lutz, 1910 ^{i c g}
- [*Simulium oresti*](#) Vorobets, 1984 ^{c g}
- [*Simulium ornatipes*](#) Skuse, 1890 ^{c g}
- [*Simulium ornatum*](#) (Meigen, 1818) ^{c g}
- [*Simulium orsovae*](#) Smart, 1944 ^{c g}
- [*Simulium ortizi*](#) Perez, 1971 ^{i g}
- [*Simulium oshimaense*](#) Ono, 1989 ^{c g}
- [*Simulium oshimanum*](#) Shiraki, 1935 ^{c g}
- [*Simulium ovazzae*](#) Grenier & Mouchet, 1959 ^{c g}
- [*Simulium oviceps*](#) Edwards, 1933 ^{c g}
- [*Simulium oviedoii*](#) Perez, 1971 ^{i c g}
- [*Simulium oyapockense*](#) Floch and Abonnenc, 1946 ^{i c g}
- [*Simulium ozarkense*](#) Moulton & Adler, 1995 ^{c g}

P

- [*Simulium padangense*](#) Takaoka & Sigit, 1997 ^{c g}

- [*Simulium pahangense*](#) Takaoka & Davies, 1995 ^{c g}
- [*Simulium palauense*](#) Stone, 1964 ^{c g}
- [*Simulium palawanense*](#) Delfinado, 1971 ^{c g}
- [*Simulium pallidicranium*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium pallidofemur*](#) Deng, Zhang & Xue, 1994 ^{c g}
- [*Simulium pallidum*](#) Puri, 1932 ^{c g}
- [*Simulium palmatum*](#) Puri, 1932 ^{c g}
- [*Simulium palmeri*](#) Pomeroy, 1922 ^{c g}
- [*Simulium palniense*](#) Puri, 1933 ^{c g}
- [*Simulium palopoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium palustre*](#) Rubtsov, 1956 ^{c g}
- [*Simulium pamahaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium panamense*](#) Fairchild, 1940 ^{c g}
- [*Simulium pandanophilum*](#) Kruger, Nurmi & Garms, 1998 ^{c g}
- [*Simulium pangunaense*](#) Takaoka, 1995 ^{c g}
- [*Simulium pankumuense*](#) Craig, 2006 ^{c g}
- [*Simulium papaveroi*](#) Coscaron, 1982 ^{c g}
- [*Simulium papuense*](#) Wharton, 1948 ^{c g}
- [*Simulium paracarolinae*](#) Coscaron, 2004 ^{c g}
- [*Simulium paracorniferum*](#) (Yankovsky, 1979) ^{c g}
- [*Simulium paradisium*](#) Craig, 2006 ^{c g}
- [*Simulium paraequinum*](#) Puri, 1933 ^{c g}
- [*Simulium paraguayense*](#) Schrottky, 1909 ^{i c g}
- [*Simulium parahiyangum*](#) Takaoka & Sigit, 1992 ^{c g}
- [*Simulium paralongipalpe*](#) Worobez, 1987 ^{c g}
- [*Simulium paraloutetense*](#) Crosskey, 1988 ^{c g}
- [*Simulium paramorsitans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium paranense*](#) Schrottky, 1909 ^{i c g}
- [*Simulium paranubis*](#) Davies & Gyorkos, 1992 ^{c g}
- [*Simulium parapusillum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium parargyreatum*](#) Rubtsov, 1979 ^{c g}
- [*Simulium parawaterfallum*](#) Zhang, Yang & Chen, 2003 ^{c g}
- [*Simulium parimaensis*](#) Perez, Yarzabal & Takaoka, 1986 ^{c g}
- [*Simulium parmatum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium parnassum*](#) Malloch, 1914 ^{i c g}
- [*Simulium parrai*](#) Vargas & Palacios, 1946 ^{c g}

- [*Simulium parvulum*](#) Takaoka, 2003 ^{c g}
- [*Simulium parvum*](#) Enderlein, 1921 ^{c g}
- [*Simulium pathrushevae*](#) (Boldarueva, 1979) ^{c g}
- [*Simulium patrushevae*](#) (Ivashchenko, 1978) ^c
- [*Simulium pattoni*](#) Senior-White, 1922 ^{c g}
- [*Simulium patzicianense*](#) Takaoka & Takahasi, 1982 ^{c g}
- [*Simulium paucicuspis*](#) (Rubtsov, 1947) ^{c g}
- [*Simulium pauliani*](#) Grenier & Doucet, 1949 ^{c g}
- [*Simulium pautense*](#) Coscaron & Takaoka, 1989 ^{c g}
- [*Simulium pavlovskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium paynei*](#) Vargas, 1942 ^{i c g}
- [*Simulium pegalanense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium peggyae*](#) Takaoka, 1995 ^{c g}
- [*Simulium pekingense*](#) Sun, 1999 ^{c g}
- [*Simulium penai*](#) Wygodzinsky & Coscaron, 1970 ^{c g}
- [*Simulium penobscotensis*](#) Snoddy and Bauer, 1978 ^{i c g}
- [*Simulium pentaceros*](#) Grenier & Brunhes, 1972 ^{c g}
- [*Simulium perakense*](#) Takaoka, Ya'cob & Sofian-Azirun, 2018 ^g
- [*Simulium peregrinum*](#) Mackerras & Mackerras, 1950 ^{c g}
- [*Simulium perflavum*](#) Roubaud, 1906 ^{i c g}
- [*Simulium perforatum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium perlucidulum*](#) Takaoka, 1983 ^{c g}
- [*Simulium perplexum*](#) Shelley, Maia-Herzog & Luna Dias, 1989 ^{c g}
- [*Simulium pertinax*](#) Kollar, 1832 ^{i c g}
- [*Simulium peskovi*](#) Ismagulov & Koshkimbaev, 1996 ^{c g}
- [*Simulium peteri*](#) Anbalagan ^g
- [*Simulium petersoni*](#) Stone and Defoliart, 1959 ^{i c g}
- [*Simulium petricolum*](#) (Rivosecchi, 1963) ^g
- [*Simulium petropoliense*](#) Coscaron, 1981 ^{c g}
- [*Simulium phami*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium phapeungense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium phayaoense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium philippianum*](#) Pinto, 1932 ^{c g}
- [*Simulium philippii*](#) Coscaron, 1976 ^{c g}
- [*Simulium philipponi*](#) Elouard & Pilaka, 1997 ^{c g}
- [*Simulium phluktinae*](#) Pilaka & Elouard, 1999 ^{c g}

- [*Simulium phraense*](#) Takaoka, Srisuka & Saeung, 2018 ^g
- [*Simulium phulocense*](#) Takaoka & Chen, 2015 ^g
- [*Simulium phurueaense*](#) Tangkawanit, Wongpakam & Pramual, 2018 ^g
- [*Simulium pichi*](#) Wygodzinsky & Coscaron, 1967 ^{c g}
- [*Simulium pichoni*](#) Craig, Fossati & Sechan, 1995 ^{c g}
- [*Simulium pictipes*](#) Hagen, 1880 ^{i c g}
- [*Simulium pifanoi*](#) Perez, 1971 ^{i c g}
- [*Simulium pilosum*](#) (Knowlton and Rowe, 1934) ^{i c g}
- [*Simulium pindiensis*](#) Khatoon & Hasan, 1996 ^{c g}
- [*Simulium pingtungense*](#) Huang & Takaoka, 2008 ^g
- [*Simulium pinhaoi*](#) Santos Gracio, 1985 ^g
- [*Simulium pinto*](#) D'andretta and D'andretta, 1946 ^{i c g}
- [*Simulium piperi*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium piscicidium*](#) Riley, 1870 ^{c g}
- [*Simulium pitasawatae*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium pitense*](#) Carlsson, 1962 ^{c g}
- [*Simulium planipuparium*](#) Rubtsov, 1947 ^{c g}
- [*Simulium platytarse*](#) (Yankovsky, 1977) ^{c g}
- [*Simulium plumbeum*](#) Krueger, 2006 ^{c g}
- [*Simulium podostemi*](#) Snoddy, 1971 ^{i c g}
- [*Simulium pohaense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium polare*](#) Rubtsov, 1940 ^{c g}
- [*Simulium politum*](#) Crosskey, 1977 ^{c g}
- [*Simulium polyprominulum*](#) Chen & Lian ^g
- [*Simulium pontinum*](#) Rivoecchi, 1960 ^{c g}
- [*Simulium popowae*](#) Rubtsov, 1940 ^{c g}
- [*Simulium posticatum*](#) (Meigen, 1838) ^{c g}
- [*Simulium praelargum*](#) Datta, 1973 ^{c g}
- [*Simulium prafiense*](#) Takaoka, 2003 ^{c g}
- [*Simulium prayongi*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium proctorae*](#) Craig, 1997 ^{c g}
- [*Simulium prodexargenteum*](#) (Enderlein, 1936) ^{i c g}
- [*Simulium prominentum*](#) Chen & Zhang, 2002 ^{c g}
- [*Simulium promorsitans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium pruinosum*](#) Lutz, 1910 ⁱ
- [*Simulium prumirimense*](#) Corcaron, 1981 ^{c g}

- [*Simulium pseudequinum*](#) Seguy, 1921 ^{c g}
- [*Simulium pseudoamazonicum*](#) Perez & Peterson, 1981 ^{c g}
- [*Simulium pseudoantillarum*](#) Ramirez-Perez & Vulcano, 1973 ^{c g}
- [*Simulium pseudocallidum*](#) Diaz Najera, 1965 ^{c g}
- [*Simulium pseudocorium*](#) Craig & Joy, 2000 ^{c g}
- [*Simulium pseudoexiguum*](#) Mello and Almeida, 1974 ^{i c g}
- [*Simulium pseudonearcticum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium pseudopusillum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium puaense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium pufauense*](#) Craig, 1997 ^{c g}
- [*Simulium pugetense*](#) (Dyar and Shannon, 1927) ^{i c g}
- [*Simulium puigi*](#) Vargas & Palacios, 1945 ^{c g}
- [*Simulium pukaengense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium pulanotum*](#) An, Guo & Xu, 1995 ^{c g}
- [*Simulium pulchripes*](#) Austen, 1925 ^{c g}
- [*Simulium pulchrum*](#) Philippi, 1865 ^{c g}
- [*Simulium puliense*](#) Takaoka, 1979 ^{c g}
- [*Simulium pullus*](#) Rubtsov, 1956 ^{c g}
- [*Simulium pulverulentum*](#) Knab, 1914 ^{i c g}
- [*Simulium purii*](#) Datta, 1973 ^{c g}
- [*Simulium purosae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium pusillum*](#) Fries, 1824 ^{c g}
- [*Simulium putre*](#) Coscaron & Matta, 1982 ^{c g}

Q

- [*Simulium qianense*](#) Chen & Chen, 2001 ^{c g}
- [*Simulium qiaolaoense*](#) Chen, 2001 ^{c g}
- [*Simulium qinghaiense*](#) Liu, Gong, Zhang, Luo & An, 2003 ^{c g}
- [*Simulium qingshuiense*](#) Chen, 2001 ^{c g}
- [*Simulium qingxilingense*](#) Cai & An, 2005 ^{c g}
- [*Simulium qini*](#) Cao, Wang & Chen, 1993 ^{c g}
- [*Simulium qiongzhouense*](#) Chen, Zhang & Yang, 2003 ^{c g}
- [*Simulium quadratum*](#) (Stains & Knowlton, 1943) ^{c g}
- [*Simulium quadrifidum*](#) Lutz, 1917 ^{i c g}
- [*Simulium quadrifila*](#) (Grenier, Faure & Laurent, 1957) ^{c g}
- [*Simulium quadristrigatum*](#) Enderlein, 1933 ^{i c g}

- [*Simulium quadrivittatum*](#) Loew ^{i c g}
- [*Simulium quasidecolletum*](#) Crosskey, 1988 ^{c g}
- [*Simulium quasifrenum*](#) Delfinado, 1971 ^{c g}
- [*Simulium quattuordecimfiliatum*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium quattuordecimfilum*](#) Rubtsov, 1947 ^{c g}
- [*Simulium quebecense*](#) Twinn, 1936 ^{i c g}
- [*Simulium quechuanum*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium quilleverei*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium quimbayium*](#) ^g
- [*Simulium quinquefiliatum*](#) Takaoka, 2003 ^{c g}
- [*Simulium quinquestriatum*](#) (Shiraki, 1935) ^{c g}
- [*Simulium quychauense*](#) Takaoka & Chen ^g

R

- [*Simulium racenisi*](#) Perez, 1971 ^{i c g}
- [*Simulium raivavaense*](#) Craig & Porph ^g
- [*Simulium ramosum*](#) Puri, 1932 ^{c g}
- [*Simulium ramulosum*](#) Chen, 2000 ^{c g}
- [*Simulium ranauense*](#) Takaoka, 2006 ^{c g}
- [*Simulium rangeli*](#) Perez, 1977 ^{i c g}
- [*Simulium rangiferinum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium ransikiense*](#) Takaoka, 2003 ^{c g}
- [*Simulium raohense*](#) Cai & Yao, 2006 ^{c g}
- [*Simulium rappae*](#) Py-Daniel & Coscaron, 1982 ^{c g}
- [*Simulium rashidi*](#) Lewis, 1973 ^{c g}
- [*Simulium rasyani*](#) Garms, Kerner & Meredith, 1988 ^{c g}
- [*Simulium raunsimnae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium raybouldi*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium rayohense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium rebunense*](#) (Ono, 1979) ^{c g}
- [*Simulium recurvum*](#) Takaoka, 1983 ^{c g}
- [*Simulium reginae*](#) Terteryan, 1949 ^{c g}
- [*Simulium remissum*](#) Moulton & Adler, 1995 ^{c g}
- [*Simulium remotum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium rendalense*](#) (Golini, 1975) ^{c g}
- [*Simulium repertum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}

- [*Simulium reptans*](#) (Linnaeus, 1758) ^{c g}
- [*Simulium resimum*](#) Takaoka, 1983 ^{c g}
- [*Simulium retusum*](#) Delfinado, 1971 ^{c g}
- [*Simulium rezvoi*](#) Rubtsov, 1956 ^{c g}
- [*Simulium rheophilum*](#) Tan & Chow, 1976 ^{c g}
- [*Simulium rhodesinense*](#) Meillon, 1942 ^{c g}
- [*Simulium rhopaloides*](#) Craig, Englund & Takaoka, 2006 ^{c g}
- [*Simulium rickenbachi*](#) Germain & Mouchet, 1966 ^{c g}
- [*Simulium riograndense*](#) Py-Daniel, Souza & Caldas, 1988 ^{c g}
- [*Simulium rithrogenophila*](#) Konurbayev, 1984 ^c
- [*Simulium rithrogenophilum*](#) Konurbayev, 1984 ^{c g}
- [*Simulium rivasi*](#) Perez, 1971 ^{i c g}
- [*Simulium riverai*](#) Takaoka, 1983 ^{c g}
- [*Simulium rivi*](#) (Ivashchenko, 1970) ^g
- [*Simulium rivierei*](#) Craig, Fossati & Sechan, 1995 ^{c g}
- [*Simulium rivosecchii*](#) (Contini, 1965) ^{c g}
- [*Simulium rivuli*](#) Twinn, 1936 ^{i g}
- [*Simulium robynae*](#) Peterson, 1993 ^{c g}
- [*Simulium rodhaini*](#) Fain, 1950 ^{c g}
- [*Simulium romanai*](#) Wygodzinsky, 1951 ^{c g}
- [*Simulium roquemayu*](#) Coscaron, 1985 ^{c g}
- [*Simulium roraimense*](#) Nunes de Mello, 1974 ^{c g}
- [*Simulium rorotaense*](#) Floch and Abonnenc, 1946 ^{i c g}
- [*Simulium rosemaryae*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium rothfelsi*](#) Adler, Brockhouse & Currie, 2003 ^{c g}
- [*Simulium rotifilis*](#) Chen & Zhang, 1998 ^{c g}
- [*Simulium rotundatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium rotundum*](#) Gibbins, 1936 ^{c g}
- [*Simulium rounae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium ruandae*](#) Fain, 1950 ^{c g}
- [*Simulium rubescens*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium rubicundulum*](#) Knab, 1915 ^{c g}
- [*Simulium rubiginosum*](#) Enderlein, 1933 ^{i c g}
- [*Simulium rubrithorax*](#) Lutz, 1909 ^{i c g}
- [*Simulium rubroflavifemur*](#) Rubtsov, 1940 ^{c g}
- [*Simulium rubtzovi*](#) Smart, 1945 ^{i c g}

- [*Simulium rubzovianum*](#) Sherban, 1961 ^g
- [*Simulium rubzovium*](#) (Ivashchenko, 1978) ^{c g}
- [*Simulium rufibasis*](#) Brunetti, 1911 ^{c g}
- [*Simulium ruficorne*](#) Macquart, 1838 ^{c g}
- [*Simulium rufithorax*](#) Brunetti, 1911 ^{c g}
- [*Simulium rugglesi*](#) Nicholson and Mickel, 1950 ^{i c g}
- [*Simulium ruizi*](#) Vargas & Najera, 1948 ^{c g}
- [*Simulium rurutuense*](#) Craig, 1997 ^{c g}
- [*Simulium rutherfordi*](#) Meillon, 1937 ^{c g}

S

- [*Simulium sabahense*](#) Smart & Clifford, 1969 ^{c g}
- [*Simulium saccai*](#) (Rivosecchi, 1967) ^{c g}
- [*Simulium saccatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium sacculiferum*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium saeungae*](#) Takaoka & Srisuka, 2018 ^g
- [*Simulium saihoense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium sakhalinum*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium sakishimaense*](#) Takaoka, 1977 ^{c g}
- [*Simulium salazarae*](#) Takaoka, 1983 ^{c g}
- [*Simulium salebrosum*](#) Takaoka, 1983 ^{c g}
- [*Simulium saliceti*](#) (Rubtsov, 1971) ^{c g}
- [*Simulium salinum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium samarkandica*](#) Yankovsky, 2000 ^{c g}
- [*Simulium samboni*](#) Jennings, 1915 ^{i c g}
- [*Simulium sanctipauli*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium sandyi*](#) Coscaron, Ibanez-Bernal & Coscaron-Arias, 1999 ^{c g}
- [*Simulium sangrense*](#) (Rivosecchi, 1967) ^{c g}
- [*Simulium sanguineum*](#) Knab, 1915 ^{i c g}
- [*Simulium sansahoense*](#) Takaoka & Chen ^g
- [*Simulium santomi*](#) Mustapha, 2004 ^{c g}
- [*Simulium saradzhovense*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium sarawakense*](#) Takaoka, 2001 ^{c g}
- [*Simulium sasai*](#) (Rubstov, 1962) ^{c g}
- [*Simulium sastscheri*](#) Machavariani, 1966 ^{c g}
- [*Simulium satsumense*](#) Takaoka, 1976 ^{c g}

- [*Simulium savici*](#) (Baranov, 1937) ^{c g}
- [*Simulium saxosum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium sazalyi*](#) Takaoka, Ya'cob & Low, 2018 ^g
- [*Simulium schamili*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium schevyakovi*](#) Dorogostaisky & Rubtsov, 1935 ^{c g}
- [*Simulium schizolomum*](#) Deng, Zhang & Chen, 1995 ^{c g}
- [*Simulium schizostylum*](#) Chen & Zhang ^g
- [*Simulium schmidtummi*](#) Wygodzinsky, 1973 ^{i c g}
- [*Simulium schoenemanni*](#) Enderlein, 1934 ^{c g}
- [*Simulium schoutedeni*](#) Wanson, 1947 ^{c g}
- [*Simulium schwetzi*](#) Wanson, 1947 ^{c g}
- [*Simulium scutellatum*](#) (Lane & Porto, 1940) ^{c g}
- [*Simulium scutistriatum*](#) Lutz, 1909 ^{i c g}
- [*Simulium sechani*](#) Craig & Fossati, 1995 ^{c g}
- [*Simulium segusina*](#) (Couvert, 1968) ^{c g}
- [*Simulium selewynense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium selwynense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium semushini*](#) Usova & Zinchenko, 1992 ^{c g}
- [*Simulium senile*](#) Brunetti, 1911 ^{c g}
- [*Simulium septentrionale*](#) (Tan & Chow, 1976) ^{c g}
- [*Simulium seramense*](#) Takaoka, 2003 ^{c g}
- [*Simulium serenum*](#) Huang & Takaoka, 2009 ^g
- [*Simulium sergenti*](#) Edwards, 1923 ^{c g}
- [*Simulium seriatum*](#) Knab, 1914 ⁱ
- [*Simulium serranus*](#) Coscaron, 1981 ^{c g}
- [*Simulium serratum*](#) Takaoka, 2003 ^{c g}
- [*Simulium setsukoae*](#) Takaoka & Choochote, 2004 ^{c g}
- [*Simulium sexafila*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium sexiense*](#) Meillon, 1944 ^{c g}
- [*Simulium shadini*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium shandongense*](#) Sun & Li, 2000 ^{c g}
- [*Simulium shangchuanense*](#) An & Hao, 1998 ^{c g}
- [*Simulium shannonae*](#) Craig, 1997 ^{c g}
- [*Simulium shanxiense*](#) Cai, An, Li & Yan, 2004 ^{c g}
- [*Simulium sheilae*](#) Takaoka & Davies, 1995 ^g
- [*Simulium shennongjiaense*](#) Yang, Luo & Chen, 2005 ^{c g}

- [*Simulium sherwoodi*](#) Stone & Maffi, 1971 ^{c g}
- [*Simulium sheveligiense*](#) (Rubtsov & Violovich, 1965) ^{c g}
- [*Simulium shevtshenkovae*](#) Rubtsov, 1965 ^{c g}
- [*Simulium shewellianum*](#) Coscaron, 1985 ^{c g}
- [*Simulium shiraki*](#) Kono & Takahasi, 1940 ^{c g}
- [*Simulium shoae*](#) Grenier & Ovazza, 1956 ^{c g}
- [*Simulium shogakii*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium siamense*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium sicuani*](#) Smart, 1944 ^{i c g}
- [*Simulium silvaticum*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium silvestre*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium simianshanensis*](#) Wang, Li & Sun, 1996 ^{c g}
- [*Simulium simile*](#) Silva Figueroa, 1917 ^{c g}
- [*Simulium simplex*](#) Gibbins, 1936 ^{c g}
- [*Simulium simplicicolor*](#) Lutz, 1910 ⁱ
- [*Simulium simulacrum*](#) Delfinado, 1969 ^{c g}
- [*Simulium simulans*](#) Rubtsov, 1956 ^{c g}
- [*Simulium sinense*](#) (Enderlein, 1934) ^{c g}
- [*Simulium singgihi*](#) Takaoka, 2003 ^{c g}
- [*Simulium singtamense*](#) Datta & Pal, 1975 ^{c g}
- [*Simulium siolii*](#) Py-Daniel, 1988 ^{c g}
- [*Simulium sirbanum*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium sirimonense*](#) Fain & Dujardin, 1983 ^{c g}
- [*Simulium slossonae*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium smarti*](#) Vargas, 1946 ^{c g}
- [*Simulium snowi*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium solarii*](#) Stone, 1948 ^{i c g}
- [*Simulium solomonense*](#) Takaoka & Suzuki, 1995 ^{c g}
- [*Simulium songense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium sonkulense*](#) Yankovsky, 2000 ^{c g}
- [*Simulium sorongense*](#) Takaoka, 2003 ^{c g}
- [*Simulium soubrense*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium souzalopesi*](#) Coscaron, 1981 ^{c g}
- [*Simulium spadacidorsum*](#) (Enderlein, 1934) ⁱ
- [*Simulium speculiventre*](#) Enderlein, 1914 ^{c g}
- [*Simulium spilmani*](#) Stone, 1969 ^{c g}

- [*Simulium spinibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium spinifer*](#) Knab, 1914 ^{i c g}
- [*Simulium spinosibranchium*](#) Takaoka, 1983 ^{c g}
- [*Simulium spinulicorne*](#) Fain & Elsen, 1980 ^{c g}
- [*Simulium spiroi*](#) Craig, Currie & Hunter, 2006 ^{c g}
- [*Simulium splendidum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium spoonatum*](#) An & Yan, 1998 ^{c g}
- [*Simulium squamosum*](#) (Enderlein, 1921) ^{c g}
- [*Simulium srisukai*](#) Takaoka & Saeung, 2017 ^g
- [*Simulium stackelbergi*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium standfasti*](#) Colbo, 1976 ^{c g}
- [*Simulium starmuhlneri*](#) Grenier & Grjebine, 1964 ^{c g}
- [*Simulium steatopygium*](#) Craig, 2006 ^{c g}
- [*Simulium stellatum*](#) Gil-Azevedo, Figueiro & Maia-Herzog, 2005 ^{c g}
- [*Simulium stelliferum*](#) Coscaron & Wygodzinsky, 1972 ^{c g}
- [*Simulium stenophallum*](#) Terteryan, 1952 ^{c g}
- [*Simulium stevensoni*](#) Edwards, 1927 ^{c g}
- [*Simulium strelkovi*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium striatum*](#) Brunetti, 1912 ^{c g}
- [*Simulium strigatum*](#) (Enderlein, 1933) ⁱ
- [*Simulium strigidorsum*](#) (Enderlein, 1933) ^{i c g}
- [*Simulium striginotum*](#) (Enderlein, 1933) ^{i c g}
- [*Simulium suarezi*](#) Perez, Rassi and Ramirez, 1977 ^{i c g}
- [*Simulium subatrum*](#) Takaoka, 1983 ^{c g}
- [*Simulium subclavibranchium*](#) Lutz, 1910 ^{i c g}
- [*Simulium subcostatum*](#) (Takahasi, 1950) ^{c g}
- [*Simulium subexiguum*](#) Field, 1967 ^{c g}
- [*Simulium subgriseum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium sublonckei*](#) Craig, 2004 ^{c g}
- [*Simulium subnigrum*](#) Lutz, 1910 ^{i c g}
- [*Simulium subornatoides*](#) Rubtsov, 1947 ^{c g}
- [*Simulium subpallidum*](#) Lutz, 1910 ^{i c g}
- [*Simulium subpalmatum*](#) Davies & Gyorkos, 1992 ^{c g}
- [*Simulium subparadisium*](#) Craig, 2006 ^{c g}
- [*Simulium subpusillum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium subratai*](#) ^g

- [*Simulium subtile*](#) Rubtsov, 1956 ^{c g}
- [*Simulium subvariegatum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium suchariti*](#) Takaoka & Choochote, 2004 ^{c g}
- [*Simulium sulawesiense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium sumapazense*](#) Coscaron & Py-Daniel, 1989 ^{c g}
- [*Simulium sumatraense*](#) Takaoka & Sigit, 1997 ^{c g}
- [*Simulium sundaicum*](#) Edwards, 1934 ^{c g}
- [*Simulium supercilium*](#) Craig, 2006 ^{c g}
- [*Simulium suplidoi*](#) Takaoka, 1983 ^{c g}
- [*Simulium surachaii*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium sutebense*](#) Takaoka, 2003 ^{c g}
- [*Simulium suthpepuense*](#) Takaoka, Srisuka & Saeung, 2020 ^g
- [*Simulium suzukii*](#) Rubtsov, 1963 ^{c g}
- [*Simulium syafruddini*](#) Takaoka, 2003 ^{c g}
- [*Simulium synanceium*](#) Chen & Cao, 1983 ^{c g}
- [*Simulium syriacum*](#) Roubaud, 1909 ^{c g}
- [*Simulium sytshevskiae*](#) (Rubtsov, 1967) ^{c g}
- [*Simulium syuhaiense*](#) Huang & Takaoka, 2008 ^g

T

- [*Simulium taalense*](#) Takaoka, 1983 ^{c g}
- [*Simulium tachengense*](#) An & Maha, 1994 ^{c g}
- [*Simulium tafae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium tafulaense*](#) Takaoka, 2003 ^{c g}
- [*Simulium tahitiense*](#) Edwards, 1927 ^{c g}
- [*Simulium taichungense*](#) Takaoka & Huang, 2018 ^g
- [*Simulium taipei*](#) (Shiraki, 1935) ^{c g}
- [*Simulium taipokauense*](#) Takaoka, Davies & Dudgeon, 1995 ^{c g}
- [*Simulium taishanense*](#) Sun & Li, 2000 ^{c g}
- [*Simulium taitungense*](#) Huang & Takaoka, 2011 ^g
- [*Simulium taiwanicum*](#) Takaoka, 1979 ^{c g}
- [*Simulium takae*](#) Takaoka, 2003 ^{c g}
- [*Simulium takahasii*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium takaokai*](#) Anbalagan ^g
- [*Simulium takense*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium talassicum*](#) (Yankovsky, 1984) ^{c g}

- [*Simulium tallaferroae*](#) Perez, 1971 ^{i c g}
- [*Simulium tamdaoense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium tanae*](#) Xue, 1992 ^{c g}
- [*Simulium tanahrataense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium tandrokum*](#) Pilaka & Elouard, 1999 ^{c g}
- [*Simulium tanetchowi*](#) Yankovsky, 1996 ^{c g}
- [*Simulium tani*](#) Takaoka & Davies, 1995 ^g
- [*Simulium tarbagataicum*](#) (Rubtsov, 1967) ^{c g}
- [*Simulium tarnogradskii*](#) Rubtsov, 1940 ^{c g}
- [*Simulium tarsale*](#) Williston, 1896 ^{i c g}
- [*Simulium tarsatum*](#) Macquart, 1847 ^{i c g}
- [*Simulium tashikulganense*](#) Mahe, Ma & An, 2003 ^{c g}
- [*Simulium tatianae*](#) (Bodrova, 1981) ^{c g}
- [*Simulium taulingense*](#) Takaoka, 1979 ^{c g}
- [*Simulium tauricum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium taxodium*](#) Snoddy and Beshear, 1968 ^{i c g}
- [*Simulium taylori*](#) Gibbins, 1938 ^{c g}
- [*Simulium taythienense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium teerachanense*](#) Takaoka, Srisuka & Fukuda, 2020 ^g
- [*Simulium tekamense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium temascalense*](#) Najera & Vulcano, 1962 ^{c g}
- [*Simulium tenebrosum*](#) Takaoka, Srisuka & Saeung, 2018 ^g
- [*Simulium tenerificum*](#) Crosskey, 1988 ^{c g}
- [*Simulium tentaculum*](#) Gibbins, 1936 ^{c g}
- [*Simulium tenuatum*](#) Chen, 2000 ^{c g}
- [*Simulium tenuipes*](#) Knab, 1914 ^{c g}
- [*Simulium tenuistylum*](#) Datta, 1973 ^{c g}
- [*Simulium tenuitarsus*](#) (Rubtsov, 1969) ^{c g}
- [*Simulium tergospinosum*](#) Hamada, 2000 ^{c g}
- [*Simulium teruamanga*](#) Craig & Craig, 1987 ^{c g}
- [*Simulium tesorum*](#) Stone and Boreham, 1965 ^{i c g}
- [*Simulium thailandicum*](#) Takaoka & Suzuki, 1984 ^{c g}
- [*Simulium thienemanni*](#) Edwards, 1934 ^{c g}
- [*Simulium thituyenae*](#) Takaoka & Pham, 2015 ^g
- [*Simulium thuathienense*](#) Takaoka & Sofian-Azirun, 2015 ^g
- [*Simulium thungchangense*](#) Takaoka, Srisuka & Saeung, 2020 ^g

- [*Simulium thyolense*](#) Vajime, Tambala, Kruger & Post, 2000 ^{c g}
- [*Simulium tianchi*](#) Chen, Zhang & Yang, 2003 ^{c g}
- [*Simulium timondavidi*](#) Giudicelli, 1961 ^{c g}
- [*Simulium timorensense*](#) Takaoka, 2006 ^{c g}
- [*Simulium timpohonense*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium tjanschanicum*](#) Rubtsov, 1963 ^{c g}
- [*Simulium tjidodense*](#) Edwards, 1934 ^{c g}
- [*Simulium tobetsuense*](#) Ono, 1977 ^{c g}
- [*Simulium tokachiense*](#) Takaoka, 2006 ^{c g}
- [*Simulium tokarensense*](#) Takaoka, 1973 ^{c g}
- [*Simulium tolimaense*](#) Coscaron, 1985 ^{c g}
- [*Simulium tolongoinae*](#) Grenier & Brunhes, 1972 ^{c g}
- [*Simulium tomae*](#) Takaoka, 2003 ^{c g}
- [*Simulium tomentosum*](#) Delfinado, 1969 ^{c g}
- [*Simulium tomohonense*](#) Takaoka, 2003 ^{c g}
- [*Simulium tondewandouense*](#) Fain & Elsen, 1973 ^{c g}
- [*Simulium tongbaishanense*](#) Chen, 2006 ^{c g}
- [*Simulium torautense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium tormentor*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium torresianum*](#) Mackerras & Mackerras, 1955 ^{c g}
- [*Simulium tosariense*](#) Edwards, 1934 ^{c g}
- [*Simulium toubkal*](#) Bouzidi & Giudicelli, 1986 ^{c g}
- [*Simulium touffeum*](#) Gibbins, 1937 ^{c g}
- [*Simulium townsendi*](#) Malloch, 1912 ^{i c g}
- [*Simulium trangense*](#) ^g
- [*Simulium transbaikalicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium transcaspicum*](#) Enderlein, 1921 ^{c g}
- [*Simulium transiens*](#) Rubtzov, 1940 ^{i c g}
- [*Simulium travassosi*](#) D'andretta and D'andretta, 1947 ^{i c g}
- [*Simulium travisi*](#) Vargas, Vargas & Ramirez-Perez, 1993 ^{c g}
- [*Simulium triangustum*](#) An, Guo & Xu, 1995 ^{c g}
- [*Simulium tricornis*](#) Leon, 1945 ^{c g}
- [*Simulium tricrenum*](#) (Rubtsov & Carlsson, 1965) ^{c g}
- [*Simulium tridens*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium trifasciatum*](#) Curtis, 1839 ^{c g}
- [*Simulium triglobus*](#) Takaoka & Kuvangkadilok, 1999 ^{c g}

- [*Simulium trilineatum*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium trirugosum*](#) Davies & Gyorkos, 1988 ^{c g}
- [*Simulium trisphaerae*](#) Wanson & Henrard, 1944 ^{c g}
- [*Simulium trivittatum*](#) Malloch, 1914 ^{i c g}
- [*Simulium trombetense*](#) Hamada, Py-Daniel & Adler, 1998 ^{c g}
- [*Simulium trukense*](#) Stone, 1964 ^{c g}
- [*Simulium truncata*](#) (Lundstrom, 1911) ⁱ
- [*Simulium truncatum*](#) (Lundstrom, 1911) ^{c g}
- [*Simulium tsharae*](#) (Yankovsky, 1982) ^{c g}
- [*Simulium tsheburovae*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium tshernovskii*](#) (Rubtsov, 1956) ^{c g}
- [*Simulium tshuni*](#) Yankovsky, 2006 ^{c g}
- [*Simulium tuberculum*](#) Craig, 2006 ^{c g}
- [*Simulium tuberosum*](#) (Lundstrom, 1911) ^{i c g b} (Twinn's black fly)
- [*Simulium tuenense*](#) Takaoka, 1979 ^{c g}
- [*Simulium tukorongense*](#) Takaoka & Tenedero, 2019 ^g
- [*Simulium tumidum*](#) Takaoka, 2003 ^{c g}
- [*Simulium tumninum*](#) Bodrova, 1989 ^{c g}
- [*Simulium tumpaense*](#) Takaoka & Roberts, 1988 ^{c g}
- [*Simulium tumulosum*](#) Rubtsov, 1956 ^{c g}
- [*Simulium tumum*](#) Chen & Zhang, 2001 ^{c g}
- [*Simulium tunja*](#) Coscaron, 1991 ^{c g}
- [*Simulium turgaicum*](#) Rubtsov, 1940 ^{c g}
- [*Simulium tuyense*](#) Takaoka, 1983 ^{c g}

U-V

- [*Simulium uaense*](#) Sechan, 1983 ^{c g}
- [*Simulium ubiquitous*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium uchidai*](#) (Takahasi, 1950) ^{c g}
- [*Simulium udomi*](#) Takaoka & Choochote, 2006 ^{c g}
- [*Simulium uemotoi*](#) Sato, Takaoka & Fukuda, 2004 ^{c g}
- [*Simulium ufengense*](#) Takaoka, 1979 ^{c g}
- [*Simulium ulyssesi*](#) Py-Daniel & Coscaron, 2001 ^{c g}
- [*Simulium umphangense*](#) Takaoka, Srisuka & Saeung, 2017 ^g
- [*Simulium uncum*](#) Zhang & Chen, 2001 ^{c g}
- [*Simulium undecimum*](#) Takaoka, Srisuka & Saeung, 2018 ^g

- [*Simulium underhilli*](#) Stone and Snoddy, 1969 ^{i c g}
- [*Simulium undulatum*](#) Craig, 2006 ^{c g}
- [*Simulium unicornutum*](#) Pomeroy, 1920 ^{c g}
- [*Simulium unii*](#) Takaoka & Pham ^g
- [*Simulium unum*](#) Datta, 1975 ^{c g}
- [*Simulium upikae*](#) Takaoka & Davies, 1996 ^{c g}
- [*Simulium urbanum*](#) Davies, 1966 ^{c g}
- [*Simulium urubambanum*](#) Enderlein, 1933 ^{i c g}
- [*Simulium urundiense*](#) Fain, 1950 ^{c g}
- [*Simulium usovae*](#) (Golini, 1987) ^c
- [*Simulium ussovae*](#) Bodrova, 1989 ^{c g}
- [*Simulium vampirum*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium vamprium*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium vangilsi*](#) Wanson, 1947 ^{c g}
- [*Simulium vanluni*](#) Ya'cob, Takaoka & Sofian-Azirun, 2017 ^g
- [*Simulium vantshi*](#) (Petrova, 1983) ^{c g}
- [*Simulium vantshum*](#) Chubareva, 2000 ^{c g}
- [*Simulium varians*](#) Lutz, 1909 ^{i c g}
- [*Simulium varicorne*](#) Edwards, 1925 ^{c g}
- [*Simulium variegatum*](#) (Meigen, 1818) ^{c g}
- [*Simulium veltistshevi*](#) Rubtsov, 1940 ^{c g}
- [*Simulium velutinum*](#) (Santos Abreu, 1922) ^{c g}
- [*Simulium venator*](#) Dyar and Shannon, 1927 ^{i c g}
- [*Simulium venezuelense*](#) Perez & Peterson, 1981 ^{c g}
- [*Simulium venustum*](#) Say, 1823 ^{i c g}
- [*Simulium veracruzianum*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium verecundum*](#) Stone and Jamnback, 1955 ^{i c g}
- [*Simulium verum*](#) (Macquart, 1826) ^{i c g}
- [*Simulium vershini*](#) Yankovsky, 1979 ^{c g}
- [*Simulium versicolor*](#) Lutz and Tovar, 1928 ^{i c g}
- [*Simulium vidanoi*](#) (Rubtsov, 1964) ^{c g}
- [*Simulium vietnamense*](#) Takaoka, Sofian-Azirun & Chen, 2014 ^g
- [*Simulium vigintifile*](#) (Dinulescu, 1966) ^{c g}
- [*Simulium vilhenai*](#) Luna de Carvalho, 1962 ^{c g}
- [*Simulium violacescens*](#) Enderlein, 1933 ^{i c g}
- [*Simulium violator*](#) Adler, Currie & Wood, 2004 ^{c g}

- [*Simulium violovitshi*](#) (Rubtsov, 1962) ^{c g}
- [*Simulium virgatum*](#) Coquillett, 1902 ^{i c g}
- [*Simulium visayaense*](#) Takaoka, 1983 ^{c g}
- [*Simulium vischarvi*](#) Chubareva, 1996 ^{c g}
- [*Simulium visuti*](#) Takaoka & Choochote, 2006 ^{c g}
- [*Simulium vitile*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium vittatum*](#) (Zetterstedt, 1838) ^{i c g}
- [*Simulium voilense*](#) Sherban, 1960 ^{c g}
- [*Simulium volhynicum*](#) (Usova & Sukhomlin, 1990) ^g
- [*Simulium voltae*](#) Grenier & Ovazza, 1960 ^{c g}
- [*Simulium vorax*](#) Pomeroy, 1922 ^{c g}
- [*Simulium vulcanoae*](#) Diaz Najera, 1969 ^{c g}
- [*Simulium vulgare*](#) Dorogostaisky & Rubtsov, 1935 ^{c g}

W-Z

- [*Simulium wakrisense*](#) Takaoka, 2003 ^{c g}
- [*Simulium walterwittmeri*](#) Wygodzinsky, 1958 ^{c g}
- [*Simulium wambanum*](#) Elsen, Fain & de Boeck, 1983 ^{c g}
- [*Simulium wamenae*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium wanchaii*](#) Takaoka, 2006 ^{c g}
- [*Simulium wangxianense*](#) Chen, Zhang & Bi, 2004 ^{c g}
- [*Simulium wantoatense*](#) Smart & Clifford, 1965 ^{c g}
- [*Simulium watanabei*](#) Takaoka, 2003 ^{c g}
- [*Simulium waterfallum*](#) Zhang, Yang & Chen, 2003 ^{c g}
- [*Simulium watetoense*](#) Takaoka, 2003 ^{c g}
- [*Simulium weiningense*](#) Chen & Zhang, 1997 ^{c g}
- [*Simulium weisiense*](#) Deng, 2005 ^{c g}
- [*Simulium weiji*](#) Takaoka, 2001 ^{c g}
- [*Simulium wellmanni*](#) Roubaud, 1906 ^{c g}
- [*Simulium weyeri*](#) Garms & Hausermann, 1968 ^{c g}
- [*Simulium wilhelmlandae*](#) Smart, 1944 ^{c g}
- [*Simulium wirthi*](#) Peterson & Craig, 1997 ^{c g}
- [*Simulium wolffhuegeli*](#) (Enderlein, 1922) ^{c g}
- [*Simulium woodi*](#) Meillon, 1930 ^{c g}
- [*Simulium wuayaraka*](#) Ortiz, 1957 ⁱ
- [*Simulium wulaofengense*](#) Chen & Zhang ^g

- [*Simulium wulindongense*](#) An, 2006 ^{c g}
- [*Simulium wutaishanense*](#) An & Ge, 2003 ^{c g}
- [*Simulium wuzhishanense*](#) Chen, 2003 ^{c g}
- [*Simulium wygodzinskyorum*](#) Coscaron & Py-Daniel, 1989 ^{c g}
- [*Simulium wygoi*](#) Coscaron, Ibanez-Bernal & Coscaron-Arias, 1999 ^{c g}
- [*Simulium wyomingense*](#) (Stone and De Foliart, 1959) ^{i c g}
- [*Simulium xanthinum*](#) Edwards, 1933 ^{c g}
- [*Simulium xanthogastrum*](#) Rubtsov, 1951 ^{c g}
- [*Simulium xiaodaoense*](#) Liu, Shi & An, 2004 ^{c g}
- [*Simulium xiaolongtanense*](#) Cheng, Luo & Yang, 2006 ^{c g}
- [*Simulium xinbinense*](#) (Chen & Cao, 1983) ^{c g}
- [*Simulium xingyiense*](#) Chen & Zhang, 1998 ^{c g}
- [*Simulium xinzhouense*](#) Chen & Zhang ^g
- [*Simulium xuandai*](#) Takaoka & Sofian-Azirun ^g
- [*Simulium xuandei*](#) Takaoka & Pham, 2015 ^g
- [*Simulium yacuchuspi*](#) Wygodzinsky and Coscaron, 1967 ^{i c g}
- [*Simulium yadongense*](#) Deng & Chen, 1993 ^{c g}
- [*Simulium yaeyamaense*](#) Takaoka, 1991 ^{c g}
- [*Simulium yahense*](#) Vajime & Dunbar, 1975 ^{c g}
- [*Simulium yamayaense*](#) Ogata & Sasa, 1954 ^{c g}
- [*Simulium yanaense*](#) Anbalagan, Vijayan, Balachandran & Dinakaran, 2019 ^g
- [*Simulium yemenense*](#) Crosskey & Garms, 1982 ^{c g}
- [*Simulium yepocapense*](#) Dalmat, 1949 ^{c g}
- [*Simulium yokotense*](#) Shiraki, 1935 ^{c g}
- [*Simulium yonagoense*](#) Okamoto, 1958 ^{c g}
- [*Simulium yonakuniense*](#) Takaoka, 1972 ^{c g}
- [*Simulium yongi*](#) Takaoka & Davies, 1997 ^{c g}
- [*Simulium yuanbaoshanense*](#) Chen, Zhang & Zhang, 2007 ^{c g}
- [*Simulium yuleae*](#) Takaoka, 1995 ^{c g}
- [*Simulium yunnanense*](#) Chen & Zhang, 2004 ^{c g}
- [*Simulium yuntaiense*](#) Chen, Wen & Wei, 2006 ^{c g}
- [*Simulium yuphae*](#) Takaoka & Choochote, 2005 ^{c g}
- [*Simulium yushangense*](#) Takaoka, 1979 ^{c g}
- [*Simulium yvonneae*](#) Takaoka & Low, 2018 ^g
- [*Simulium zakhariense*](#) (Rubtsov, 1955) ^{c g}
- [*Simulium zaporojae*](#) Pavlichenko, 1986 ^{c g}

- [*Simulium zempoalense*](#) Vargas, Palacios & Najera, 1946 ^{c g}
- [*Simulium zephyrus*](#) Adler, Currie & Wood, 2004 ^{c g}
- [*Simulium zetterstedti*](#) Carlsson, 1962 ^{c g}
- [*Simulium zhangjiajiense*](#) Chen, Zhang & Bi, 2004 ^{c g}
- [*Simulium zhiltzovae*](#) (Rubtsov, 1976) ^{c g}
- [*Simulium zinadae*](#) Crosskey, 1997 ^{c g}
- [*Simulium zombaense*](#) Freeman & Meillon, 1953 ^{c g}
- [*Simulium zonatum*](#) Edwards, 1934 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 221 species in [*Setodes*](#), a genus of long-horned caddisflies in the family [*Leptoceridae*](#).
[1][2][3][4]

Setodes species

- [*Setodes abbreviatus*](#) Scudder, 1890 ^{i c g}
- [*Setodes abhichobhita*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhirakta*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhiramika*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhirupa*](#) Schmid, 1987 ^{i c g}
- [*Setodes abhrayita*](#) Schmid, 1987 ^{i c g}
- [*Setodes acchidra*](#) Schmid, 1987 ^{i c g}
- [*Setodes acutus*](#) Navás, 1936 ^{i c g}
- [*Setodes adusita*](#) Schmid, 1987 ^{i c g}
- [*Setodes aethiopicus*](#) Kimmins, 1963 ^{i c g}
- [*Setodes affinis*](#) Jacquemart, 1961 ^{i c g}
- [*Setodes agarhita*](#) Schmid, 1987 ^{i c g}
- [*Setodes akalanka*](#) Schmid, 1987 ^{i c g}
- [*Setodes akchepana*](#) Schmid, 1987 ^{i c g}
- [*Setodes akilbicha*](#) Schmid, 1987 ^{i c g}
- [*Setodes akrura*](#) Gordon & Schmid in Schmid, 1987 ^{i c g}
- [*Setodes akunchita*](#) Schmid, 1987 ^{i c g}
- [*Setodes akutila*](#) Schmid, 1987 ^{i c g}
- [*Setodes akutsita*](#) Schmid, 1987 ^{i c g}
- [*Setodes alalus*](#) Mosely, 1948 ^{i c g}

- [Setodes alampata](#) Schmid, 1987^{i c g}
- [Setodes alukcha](#) Schmid, 1987^{i c g}
- [Setodes amurensis](#) Martynov, 1935^{i c g}
- [Setodes anaticus](#) Schmid, 1964^{i c g}
- [Setodes ancala](#) Yang & Morse, 1989^{i c g}
- [Setodes angulatus](#) Chen & Morse^g
- [Setodes antardhana](#) Schmid, 1987^{i c g}
- [Setodes aparimeya](#) Schmid, 1987^{i c g}
- [Setodes apinchanga](#) Schmid, 1987^{i c g}
- [Setodes apitayati](#) Schmid, 1987^{i c g}
- [Setodes arenatus](#) Holzenthal, 1982^{i c g}
- [Setodes argentatus](#) Matsumura, 1906^{i c g}
- [Setodes argentiiferus](#) McLachlan, 1871^{i c g}
- [Setodes argenticuttatus](#) Gordon & Schmid, 1987^{i c g}
- [Setodes argentipunctellus](#) McLachlan, 1877^{i c g}
- [Setodes argentivarius](#) Kimmins, 1963^{i c g}
- [Setodes argentoaureus](#) Ulmer, 1915^{i c g}
- [Setodes asadharana](#) Schmid, 1987^{i c g}
- [Setodes asammuaddha](#) Schmid, 1987^{i c g}
- [Setodes atiguna](#) Schmid, 1987^{i c g}
- [Setodes atiloma](#) Schmid, 1987^{i c g}
- [Setodes atipunya](#) Schmid, 1987^{i c g}
- [Setodes atisubhaga](#) Schmid, 1987^{i c g}
- [Setodes atitejas](#) Schmid, 1987^{i c g}
- [Setodes atymanjula](#) Schmid, 1987^{i c g}
- [Setodes atyutkata](#) Schmid, 1987^{i c g}
- [Setodes aureomicans](#) Schmid, 1987^{i c g}
- [Setodes aureonitens](#) Schmid, 1987^{i c g}
- [Setodes baccatus](#) Kimmins, 1957^{i c g}
- [Setodes barnardi](#) Scott, 1961^{i c g}
- [Setodes bhimachringa](#) Schmid, 1987^{i c g}
- [Setodes bispinus](#) Yang & Morse, 1989^{i c g}
- [Setodes bracteatus](#) Neboiss, 1982^{i c g}
- [Setodes brevicaudatus](#) Yang & Morse, 1989^{i c g}
- [Setodes bulgaricus](#) Kumanski & Malicky, 1976^{i c g}
- [Setodes carinatus](#) Yang & Morse, 1989^{i c g}

- [Setodes chandrakita](#) Schmid, 1987^{i c g}
- [Setodes chandravarana](#) Schmid, 1987^{i c g}
- [Setodes cheni](#) Yang & Morse, 2000^{i c g}
- [Setodes chlorinus](#) Yang & Morse, 1997^{i c g}
- [Setodes chrysoplitis](#) Mey, 1998^{i c g}
- [Setodes chubhamyu](#) Schmid, 1987^{i c g}
- [Setodes crossotus](#) Martynov, 1935^{i c g}
- [Setodes curvisetus](#) Kobayashi, 1959^{i c g}
- [Setodes dantavarana](#) Schmid, 1987^{i c g}
- [Setodes dehensurae](#) Cakin & Malicky, 1983^{i c g}
- [Setodes dhanavridha](#) Schmid, 1987^{i c g}
- [Setodes dhanika](#) Schmid, 1987^{i c g}
- [Setodes dissobolus](#) Mey, 1998^{i c g}
- [Setodes distinctus](#) Yang & Morse, 1989^{i c g}
- [Setodes diversus](#) Yang & Morse, 1989^{i c g}
- [Setodes divyarupa](#) Schmid, 1987^{i c g}
- [Setodes dixiensis](#) Holzenthal, 1982^{i c g}
- [Setodes drangianicus](#) Schmid, 1959^{i c g}
- [Setodes dundoensis](#) Marlier, 1965^{i c g}
- [Setodes egregius](#) Mey, 1998^{i c g}
- [Setodes ekachringa](#) Schmid, 1987^{i c g}
- [Setodes ekapita](#) Schmid, 1987^{i c g}
- [Setodes endymion](#) Malicky & Chantaramongkol in Malicky, 2000^{i c g}
- [Setodes epicampes](#) Edwards, 1956^{i c g}
- [Setodes excisus](#) Kimmins, 1956^{i c g}
- [Setodes exposita](#) Kimmins, 1963^{i c g}
- [Setodes falcatus](#) Ulmer, 1930^{i c g}
- [Setodes flagellatus](#) Gibbs, 1973^{i c g}
- [Setodes flavipennis](#) Banks, 1937^{i c g}
- [Setodes fluvialis](#) Kimmins, 1963^{i c g}
- [Setodes fluviovivens](#) Mey, 1989^{i c g}
- [Setodes forcipatus](#) Kimmins, 1963^{i c g}
- [Setodes fragilis](#) Olah, 1985^{i c g}
- [Setodes furcatulus](#) Martynov, 1935^{i c g}
- [Setodes furcatus](#) Navás, 1932^{i c g}
- [Setodes gangaja](#) Gordon & Schmid, 1987^{i c g}

- [Setodes gaurichachringa](#) Schmid, 1987^{i c g}
- [Setodes geminispinus](#) Yang & Morse, 2000^{i c g}
- [Setodes gherni](#) Schmid, 1987^{i c g}
- [Setodes gona](#) Mosely, 1939^{i c g}
- [Setodes guptapara](#) Malicky, 1979^{i c g}
- [Setodes gutika](#) Schmid, 1987^{i c g}
- [Setodes gutividdha](#) Schmid, 1987^{i c g}
- [Setodes guttatus](#) (Banks, 1900)^{i c g}
- [Setodes gyrosus](#) Yang & Morse, 2000^{i c g}
- [Setodes hainanensis](#) Yang & Morse, 1989^{i c g}
- [Setodes himaruna](#) Schmid, 1987^{i c g}
- [Setodes holocercus](#) Navas, 1923^{i c g}
- [Setodes hungaricus](#) Ulmer, 1908^{i c g}
- [Setodes ifugella](#) Mey, 1995^{i c g}
- [Setodes incertus](#) (Walker, 1852)^{i c g b}
- [Setodes iris](#) Hagen, 1858^{i c g}
- [Setodes jatisampanna](#) Schmid, 1987^{i c g}
- [Setodes kadrava](#) Schmid, 1987^{i c g}
- [Setodes kalyana](#) Schmid, 1987^{i c g}
- [Setodes kantyamrita](#) Schmid, 1987^{i c g}
- [Setodes kapchajalaja](#) Schmid, 1987^{i c g}
- [Setodes karnyi](#) Ulmer, 1930^{i c g}
- [Setodes khechara](#) Schmid, 1987^{i c g}
- [Setodes kimminsi](#) Jacquemart, 1961^{i c g}
- [Setodes klakahanus](#) Ulmer, 1951^{i c g}
- [Setodes kuehbandneri](#) Malicky in Sipahiler & Malicky, 1987^{i c g}
- [Setodes kugleri](#) Botosaneanu & Gasith, 1971^{i c g}
- [Setodes kumara](#) Schmid, 1987^{i c g}
- [Setodes lamellatus](#) Yang & Morse, 2000^{i c g}
- [Setodes lineatus](#) Banks, 1913^{i c g}
- [Setodes longicaudatus](#) Yang & Morse, 1989^{i c g}
- [Setodes madhuvarna](#) Schmid, 1987^{i c g}
- [Setodes mahabichu](#) Schmid, 1987^{i c g}
- [Setodes manimekhala](#) Schmid, 1987^{i c g}
- [Setodes manivridha](#) Schmid, 1987^{i c g}
- [Setodes martini](#) Navas, 1933^{i c g}

- [Setodes mauktikavridha](#) Schmid, 1987^{i c g}
- [Setodes meghavarna](#) Schmid, 1987^{i c g}
- [Setodes miloi](#) Gibon, 1986^{i c g}
- [Setodes minutus](#) Tsuda, 1942^{i c g}
- [Setodes monicae](#) Schmid, 1987^{i c g}
- [Setodes muglaensis](#) Sipahiler, 1989^{i c g}
- [Setodes nagarjouna](#) Schmid, 1961^{i c g}
- [Setodes navanita](#) Schmid, 1987^{i c g}
- [Setodes nigroochraceus](#) Mosely, 1951^{i c g}
- [Setodes nirmala](#) Schmid, 1987^{i c g}
- [Setodes niveogrammicus](#) Schmid, 1987^{i c g}
- [Setodes niveolineatus](#) Kimmins, 1962^{i c g}
- [Setodes njala](#) Kimmins, 1962^{i c g}
- [Setodes nyuna](#) Schmid, 1987^{i c g}
- [Setodes obscurus](#) Schmid & Levanidova, 1986^{i c g}
- [Setodes oligius](#) (Ross, 1938)^{i c g}
- [Setodes orthocladus](#) Yang & Morse, 2000^{i c g}
- [Setodes oxapius](#) (Ross, 1938)^{i c g}
- [Setodes paghbahani](#) Mey, 1995^{i c g}
- [Setodes pallidus](#) Kimmins, 1963^{i c g}
- [Setodes pandara](#) Schmid, 1987^{i c g}
- [Setodes papuanus](#) Kimmins, 1962^{i c g}
- [Setodes paribhuchita](#) Schmid, 1987^{i c g}
- [Setodes parichkrita](#) Schmid, 1987^{i c g}
- [Setodes parilaghu](#) Schmid, 1987^{i c g}
- [Setodes parisamchuddha](#) Schmid, 1987^{i c g}
- [Setodes pellucidulus](#) Schmid, 1987^{i c g}
- [Setodes peniculus](#) Yang & Morse, 2000^{i c g}
- [Setodes perpendicularis](#) Chen & Morce^g
- [Setodes platecladus](#) Yang & Morse, 2000^{i c g}
- [Setodes prabhatajalaja](#) Schmid, 1987^{i c g}
- [Setodes pratachandradynti](#) Schmid, 1987^{i c g}
- [Setodes priyadarcha](#) Schmid, 1987^{i c g}
- [Setodes puchkaraja](#) Schmid, 1987^{i c g}
- [Setodes pulcher](#) Martynov, 1910^{i c g}
- [Setodes punctatus](#) (Fabricius, 1793)^{i c g}

- [Setodes puruchringa](#) Schmid, 1987^{i c g}
- [Setodes quadratus](#) Yang & Morse, 1989^{i c g}
- [Setodes reclinatus](#) Yang & Morse, 2000^{i c g}
- [Setodes retinaculus](#) Marlier, 1965^{i c g}
- [Setodes sachrika](#) Schmid, 1987^{i c g}
- [Setodes salweenensis](#)^g
- [Setodes samphulla](#) Schmid, 1987^{i c g}
- [Setodes samprabhinna](#) Schmid, 1987^{i c g}
- [Setodes sarvapunya](#) Schmid, 1987^{i c g}
- [Setodes satichaya](#) Schmid, 1987^{i c g}
- [Setodes savibhrama](#) Schmid, 1987^{i c g}
- [Setodes schmidi](#) Yang & Morse, 1989^{i c g}
- [Setodes scleroideus](#) Yang & Morse, 2000^{i c g}
- [Setodes shirasensis](#) Kobayashi, 1984^{i c g}
- [Setodes sinuatus](#) Yang & Morse, 2000^{i c g}
- [Setodes siribumrungsukhai](#)^g
- [Setodes spineus](#) Yang & Morse, 2000^{i c g}
- [Setodes spinosellus](#) Ulmer, 1930^{i c g}
- [Setodes squamosus](#) Mosely, 1931^{i c g}
- [Setodes stehri](#) (Ross, 1941)^{i c g}
- [Setodes sternalis](#) Martynov, 1936^{i c g}
- [Setodes subhachita](#) Schmid, 1987^{i c g}
- [Setodes sucharu](#) Schmid, 1987^{i c g}
- [Setodes sugdeni](#) Malicky, 1986^{i c g}
- [Setodes supattra](#) Schmid, 1987^{i c g}
- [Setodes sypharus](#) Yang & Morse, 2000^{i c g}
- [Setodes tarpaka](#) Gordon & Schmid, 1987^{i c g}
- [Setodes tcharurupa](#) Schmid, 1987^{i c g}
- [Setodes tchaturdanta](#) Schmid, 1987^{i c g}
- [Setodes tectorius](#) Yang & Morse, 2000^{i c g}
- [Setodes tejasvin](#) Schmid, 1987^{i c g}
- [Setodes tenuifalcatus](#) Martynov, 1936^{i c g}
- [Setodes terminalis](#) Banks, 1920^{i c g}
- [Setodes tilakita](#) Schmid, 1987^{i c g}
- [Setodes transvaalensis](#) (Jacquemart, 1963)^{i c g}
- [Setodes tridanta](#) Schmid, 1987^{i c g}

- [*Setodes trifidus*](#) Kimmins, 1957^{i c g}
- [*Setodes trikantayudha*](#) Schmid, 1987^{i c g}
- [*Setodes trilobatus*](#) Yang & Morse, 1989^{i c g}
- [*Setodes uchita*](#) Schmid, 1987^{i c g}
- [*Setodes uddharcha*](#) Schmid, 1987^{i c g}
- [*Setodes udghona*](#) Schmid, 1987^{i c g}
- [*Setodes ujiensis*](#) (Akagi, 1960)^{i c}
- [*Setodes uncinatus*](#) Ulmer, 1913^{i c g}
- [*Setodes urania*](#) Navas, 1916^{i c g}
- [*Setodes uttamavarna*](#) Schmid, 1987^{i c g}
- [*Setodes varians*](#) Yang & Morse, 2000^{i c g}
- [*Setodes vartianorum*](#) Malicky, 1986^{i c g}
- [*Setodes venustus*](#) Ulmer, 1951^{i c g}
- [*Setodes vichitrita*](#) Schmid, 1987^{i c g}
- [*Setodes viridellus*](#) Navás, 1932^{i c g}
- [*Setodes viridis*](#) (Fourcroy, 1785)^{i c g}
- [*Setodes vitanka*](#) Schmid, 1987^{i c g}
- [*Setodes vratachakora*](#) Schmid, 1987^{i c g}
- [*Setodes yatharupa*](#) Schmid, 1987^{i c g}
- [*Setodes yunnanensis*](#) Yang & Morse, 1989^{i c g}
- [*Setodes zerroukii*](#) Dakki, 1981^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of all species of May beetles and Junebugs within the genus [*Serica*](#), which is in the family Scarabaeidae.[1][2][3][4]

Subgenus *Serica*

- [*Serica abdita*](#) Dawson, 1921
- [*Serica acicula*](#) Dawson, 1932
- [*Serica acontia*](#) Dawson, 1933
- [*Serica adspersa*](#) Frey, 1972
- [*Serica adungana*](#) Ahrens, 1999
- [*Serica adversa*](#) Dawson, 1967
- [*Serica aemula*](#) Dawson, 1947

- [*Serica alabama*](#) Dawson, 1967
- [*Serica albisetis*](#) Ahrens, 2005
- [*Serica alleni*](#) Saylor, 1939
- [*Serica almorae*](#) Ahrens, 1999
- [*Serica alternata*](#) LeConte, 1856
- [*Serica ammomenisco*](#) Hardy, 1987
- [*Serica angustatotibialis*](#) Ahrens, 1999
- [*Serica anomala*](#) Arrow, 1946
- [*Serica anthracina*](#) LeConte, 1856
- [*Serica apatela*](#) Dawson, 1922
- [*Serica arborea*](#) Ahrens, 1999
- [*Serica arkansana*](#) Dawson, 1947
- [*Serica aspera*](#) Dawson, 1922
- [*Serica asperula*](#) Fairmaire, 1898
- [*Serica assequens*](#) Ahrens & Fabrizi, 2009
- [*Serica assingi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica atracapilla*](#) (Kirby, 1837)
- [*Serica atratula*](#) LeConte, 1856
- [*Serica aviceps*](#) Dawson, 1967
- [*Serica baiyungshanica*](#) Ahrens, 2005
- [*Serica barri*](#) Dawson, 1967
- [*Serica basantapurensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Serica basumtsoensis*](#) Ahrens, 2005
- [*Serica becvari*](#) Ahrens, 2005
- [*Serica behluddinensis*](#) Ahrens, 2005
- [*Serica benesi*](#) Ahrens, 2005
- [*Serica bhaktai*](#) Ahrens, 1999
- [*Serica bicornis*](#) Ahrens, 2005
- [*Serica bidentata*](#) Ahrens, 1999
- [*Serica bidigitata*](#) Ahrens, 2000
- [*Serica blatchleyi*](#) Dawson, 1932
- [*Serica bolm*](#) Ahrens, 2005
- [*Serica bomi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica boops*](#) Waterhouse, 1875
- [*Serica brevitarsis*](#) Nomura, 1972
- [*Serica bruneri*](#) Dawson, 1967
- [*Serica brunnea*](#) (Linnaeus, 1758)
- [*Serica caliginosa*](#) Dawson, 1932
- [*Serica campestris*](#) Dawson, 1919
- [*Serica carbonaria*](#) Fairmaire, 1898
- [*Serica carolina*](#) Dawson, 1920
- [*Serica catalina*](#) Dawson, 1947

- [*Serica chaetosoma*](#) Dawson, 1932
- [*Serica chasilakhae*](#) Ahrens, 1999
- [*Serica chautarana*](#) Ahrens, 2005
- [*Serica chicoensis*](#) Saylor, 1939
- [*Serica chingkinyui*](#) Kobayashi, 1993
- [*Serica chinhillensis*](#) Ahrens & Fabrizi, 2011
- [*Serica christophreuteri*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica chuttana*](#) Ahrens, 1999
- [*Serica clypealis*](#) Fairmaire, 1899
- [*Serica coalinga*](#) Dawson, 1952
- [*Serica concinna*](#) Dawson, 1947
- [*Serica contorta*](#) Dawson, 1947
- [*Serica craighead*](#) Saylor, 1939
- [*Serica cribripennis*](#) Fairmaire, 1898
- [*Serica cruzi*](#) Saylor, 1939
- [*Serica cuona*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica curtipennis*](#) Fairmaire, 1901
- [*Serica curvata*](#) LeConte, 1856
- [*Serica cuyamaca*](#) Saylor, 1939
- [*Serica cyclonotus*](#) (Thomson, 1858)
- [*Serica daliangshanica*](#) Ahrens, 2005
- [*Serica daliensis*](#) Ahrens, 2005
- [*Serica dathei*](#) Ahrens, 2005
- [*Serica davidkrali*](#) Ahrens & Fabrizi, 2011
- [*Serica degenensis*](#) Ahrens, 2005
- [*Serica deserticola*](#) Dawson, 1952
- [*Serica devei*](#) Ahrens, 2005
- [*Serica diablo*](#) Dawson, 1967
- [*Serica doiinthanonensis*](#) Ahrens, 2005
- [*Serica dolens*](#) Ahrens, 2005
- [*Serica duplex*](#) Sharp, 1876
- [*Serica eberlei*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Serica eberti*](#) (Frey, 1965)
- [*Serica echigoana*](#) (Nakane & Baba, 1960)
- [*Serica egregia*](#) Dawson, 1921
- [*Serica elmontea*](#) Saylor, 1939
- [*Serica elongatula*](#) Horn, 1870
- [*Serica elusa*](#) Dawson, 1919
- [*Serica emeishanica*](#) Ahrens, 2005
- [*Serica ensinada*](#) Saylor, 1948
- [*Serica evidens*](#) Blatchley, 1919
- [*Serica excisa*](#) (Frey, 1972)

- [*Serica exhausta*](#) Ahrens & Fabrizi, 2011
- [*Serica falcata*](#) Dawson, 1933
- [*Serica falcifera*](#) Ahrens & Fabrizi, 2009
- [*Serica falli*](#) Dawson, 1932
- [*Serica fansipan*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica fashengi*](#) Liu & Ahrens, 2014
- [*Serica feisintsiensis*](#) Ahrens, 2007
- [*Serica feresegregata*](#) Ahrens & Fabrizi, 2016
- [*Serica filitarsata*](#) Ahrens, 1999
- [*Serica fimbriata*](#) LeConte, 1856
- [*Serica floridana*](#) Dawson, 1967
- [*Serica foobowana*](#) Sawada, 1937
- [*Serica formosana*](#) Moser, 1915
- [*Serica frolovi*](#) Ahrens, 2021
- [*Serica frosti*](#) Dawson, 1967
- [*Serica fulvopubens*](#) (Reitter, 1896)
- [*Serica furcata*](#) Ahrens, 2005
- [*Serica fusa*](#) Brenske, 1898
- [*Serica fusciceps*](#) Fairmaire, 1897
- [*Serica fusifemorata*](#) Nomura, 1974
- [*Serica georgiana*](#) Leng, 1911
- [*Serica gonggashanica*](#) Ahrens, 2005
- [*Serica gongtonggouensis*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica gracilicornis*](#) Arrow, 1946
- [*Serica gracilipes*](#) Moser, 1915
- [*Serica grahami*](#) Ahrens, 2005
- [*Serica granulosa*](#) (Blanchard, 1850)
- [*Serica quangxiensis*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica guidoi*](#) Ahrens, 1999
- [*Serica gwangjuensis*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica hamifera*](#) (Walker, 1859)
- [*Serica heishuiensis*](#) Ahrens, 2005
- [*Serica heteracantha*](#) Dawson, 1967
- [*Serica heydeni*](#) (Reitter, 1896)
- [*Serica hirsuta*](#) Kim & Kim, 2003
- [*Serica hirtella*](#) Ahrens, 2005
- [*Serica hongyii*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica horrida*](#) Ahrens, 2007
- [*Serica howdeni*](#) Dawson, 1967
- [*Serica humboldti*](#) Gordon, 1975
- [*Serica imitans*](#) Chapin, 1931
- [*Serica inaequalis*](#) Ahrens, 2007

- [*Serica incognita*](#) Ahrens, 1999
- [*Serica incurvata*](#) (Nomura, 1971)
- [*Serica inexpectata*](#) (Kontkanen, 1956)
- [*Serica intermixta*](#) Blatchley, 1910
- [*Serica iricolor*](#) (Say, 1824)
- [*Serica jaegeri*](#) Ahrens, 1999
- [*Serica jiangda*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica jindrai*](#) Ahrens, 2007
- [*Serica jiulaoci*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica kalabi*](#) Ahrens, 2005
- [*Serica kangdingensis*](#) Ahrens, 2005
- [*Serica karafutoensis*](#) Nijima & Kinoshita, 1923
- [*Serica khajiaris*](#) Mittal, 1988
- [*Serica khasiana*](#) (Moser, 1918)
- [*Serica kingdoni*](#) Ahrens, 1999
- [*Serica kitulgalana*](#) Fabrizi & Ahrens, 2014
- [*Serica klapperichi*](#) (Frey, 1972)
- [*Serica kumaonensis*](#) Ahrens, 1999
- [*Serica lagoi*](#) Ahrens, 2007
- [*Serica laguna*](#) Saylor, 1935
- [*Serica lalashana*](#) Kobayashi, 1983
- [*Serica lama*](#) Ahrens, 1999
- [*Serica langeri*](#) Ahrens & Fabrizi, 2011
- [*Serica latesquamata*](#) Ahrens, 2007
- [*Serica leigongshanica*](#) Ahrens, 2005
- [*Serica lepidula*](#) Ahrens, 2005
- [*Serica ligulata*](#) Dawson, 1932
- [*Serica lijiangensis*](#) Ahrens, 2005
- [*Serica litangensis*](#) Ahrens, 2005
- [*Serica liyitengi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica lodingi*](#) Dawson, 1952
- [*Serica longula*](#) Frey, 1972
- [*Serica loxia*](#) Dawson, 1920
- [*Serica lupina*](#) Arrow, 1945
- [*Serica lurida*](#) Brenske, 1898
- [*Serica lushui*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica maculosa*](#) Moser, 1915
- [*Serica mahakaliensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Serica mckenziei*](#) Saylor, 1935
- [*Serica meiguensis*](#) Ahrens, 2005
- [*Serica mianningensis*](#) Ahrens, 2005
- [*Serica micans*](#) (Fabricius, 1801)

- [*Serica minshanica*](#) Ahrens, 2005
- [*Serica mixta*](#) LeConte, 1856
- [*Serica montreuili*](#) Ahrens, 2005
- [*Serica moupinensis*](#) (Fairmaire, 1889)
- [*Serica muliensis*](#) Ahrens, 2005
- [*Serica mureensis*](#) Ahrens, 1999
- [*Serica mystaca*](#) Dawson, 1922
- [*Serica nagana*](#) Brenske, 1899
- [*Serica nana*](#) Brenske, 1898
- [*Serica nanjiangana*](#) Ahrens, 2005
- [*Serica narya*](#) Ahrens, 1999
- [*Serica nebulosa*](#) Ahrens, 1999
- [*Serica nepalensis*](#) (Frey, 1969)
- [*Serica nigricans*](#) Brenske, 1894
- [*Serica nigroguttata*](#) Brenske, 1897
- [*Serica nigroguttulata*](#) Von Dalle Torre, 1912
- [*Serica nigromaculosa*](#) Fairmaire, 1891
- [*Serica nigrovariata*](#) Lewis, 1895
- [*Serica nipponica*](#) (Nomura, 1959)
- [*Serica nitididorsis*](#) (Nomura, 1971)
- [*Serica ochrosoma*](#) Dawson, 1919
- [*Serica olivacea*](#) Brenske, 1896
- [*Serica oliver*](#) Saylor, 1939
- [*Serica opaciclypealis*](#) Ahrens, 1999
- [*Serica opacithorax*](#) Nomura, 1974
- [*Serica opposita*](#) Dawson, 1921
- [*Serica ovata*](#) (Nomura, 1974)
- [*Serica palaea*](#) Ahrens, 2004
- [*Serica pallipes*](#) Fairmaire, 1900
- [*Serica panchaseana*](#) Ahrens, 2004
- [*Serica panda*](#) Dawson, 1952
- [*Serica panwarensis*](#) Ahrens & Fabrizi, 2011
- [*Serica parallela*](#) Casey, 1884
- [*Serica parasquamosa*](#) Ahrens, 2007
- [*Serica parvula*](#) (Blanchard, 1850)
- [*Serica pavonia*](#) Dawson, 1932
- [*Serica pelega*](#) Dawson, 1952
- [*Serica pelelaensis*](#) Ahrens & Fabrizi, 2011
- [*Serica perigonia*](#) Dawson, 1920
- [*Serica pigrans*](#) Ahrens & Fabrizi, 2009
- [*Serica pilifera*](#) Horn, 1894
- [*Serica pilumna*](#) Ahrens & Fabrizi, 2009

- [*Serica planifrons*](#) (Nomura, 1972)
- [*Serica plutenkoi*](#) Ahrens, 2005
- [*Serica polita*](#) (Gebler, 1832)
- [*Serica pommeranzi*](#) Ahrens, 1999
- [*Serica porcula*](#) Casey, 1884
- [*Serica prava*](#) Dawson, 1933
- [*Serica proclivis*](#) Ahrens, 1999
- [*Serica prunipennis*](#) Saylor, 1936
- [*Serica psammobuna*](#) Hardy, 1987
- [*Serica puetzi*](#) Ahrens, 2005
- [*Serica pullata*](#) Dawson, 1967
- [*Serica pulvinosa*](#) Frey, 1972
- [*Serica pusilla*](#) Dawson, 1922
- [*Serica qinlingshanica*](#) Ahrens, 2005
- [*Serica qizhihaoi*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica ramosa*](#) Ahrens, 1999
- [*Serica ratcliffei*](#) Ahrens, 2005
- [*Serica rectidens*](#) Ahrens & Fabrizi, 2009
- [*Serica regia*](#) Brenske, 1894
- [*Serica repanda*](#) Dawson, 1933
- [*Serica rhypha*](#) Dawson, 1952
- [*Serica ribbei*](#) Ahrens, 1999
- [*Serica rosinae*](#) Pic, 1904
- [*Serica rossi*](#) Saylor, 1948
- [*Serica rubricollis*](#) (Blanchard, 1850)
- [*Serica rufoguttata*](#) Fairmaire, 1901
- [*Serica sandiegensis*](#) Saylor, 1939
- [*Serica satrapa*](#) Dawson, 1947
- [*Serica scaphia*](#) Dawson, 1952
- [*Serica schoenmanni*](#) Ahrens, 2005
- [*Serica sculptilis*](#) Dawson, 1922
- [*Serica scutellaris*](#) Arrow, 1946
- [*Serica segregata*](#) Arrow, 1946
- [*Serica semicincta*](#) (Walker, 1859)
- [*Serica semicribrosa*](#) Fairmaire, 1886
- [*Serica senta*](#) Dawson, 1933
- [*Serica septemfoliata*](#) (Frey, 1972)
- [*Serica septentrionalis*](#) Murayama, 1935
- [*Serica serensia*](#) Saylor, 1948
- [*Serica sericea*](#) (Illiger, 1802)
- [*Serica sericeoides*](#) Dawson, 1967
- [*Serica serotina*](#) LeConte, 1856

- [*Serica setiensis*](#) Rana, Fabrizi & Ahrens, 2017
- [*Serica shaanxiensis*](#) Ahrens, 2005
- [*Serica sherpa*](#) (Sabatinelli & Migliaccio, 1982)
- [*Serica shokhini*](#) Ahrens, 2005
- [*Serica silviae*](#) Ahrens, 2009
- [*Serica sinuaticeps*](#) Moser, 1915
- [*Serica solita*](#) Dawson, 1922
- [*Serica solivaga*](#) Brenske, 1898
- [*Serica sparsa*](#) Arrow, 1946
- [*Serica sphaerica*](#) Burmeister, 1855
- [*Serica spicula*](#) Dawson, 1921
- [*Serica sponsa*](#) Dawson, 1919
- [*Serica squamosa*](#) Ahrens, 2007
- [*Serica sticta*](#) Ahrens & Fabrizi, 2009
- [*Serica stygia*](#) Dawson, 1933
- [*Serica subglobosa*](#) Nonfried, 1892
- [*Serica subnisa*](#) Dawson, 1947
- [*Serica subpilosa*](#) Ahrens, 2007
- [*Serica sudhausi*](#) Ahrens, 2005
- [*Serica taibashanica*](#) Ahrens, 2005
- [*Serica takagii*](#) Sawada, 1937
- [*Serica tantula*](#) Dawson, 1922
- [*Serica tashigaonensis*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Serica tayanpingensis*](#) Ahrens, 2005
- [*Serica texana*](#) LeConte, 1856
- [*Serica therathumensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Serica thibetana*](#) Brenske, 1897
- [*Serica tokejii*](#) (Nomura, 1959)
- [*Serica tomiensis*](#) Ahrens & Fabrizi, 2009
- [*Serica tongluana*](#) Ahrens, 1999
- [*Serica trapezicollis*](#) Ahrens, 2005
- [*Serica trichofemorata*](#) (Nomura, 1959)
- [*Serica tristis*](#) LeConte, 1850
- [*Serica trociformis*](#) Burmeister, 1844
- [*Serica tropdeana*](#) Ahrens, 1999
- [*Serica tryznai*](#) Ahrens, 2007
- [*Serica tukucheana*](#) Ahrens, 1999
- [*Serica umbrosa*](#) Fairmaire, 1868
- [*Serica unicolor*](#) Nonfried, 1894
- [*Serica variolosa*](#) Motschulsky, 1863
- [*Serica velutina*](#) Arrow, 1946
- [*Serica ventrituberculata*](#) Ahrens, Fabrizi & Liu, 2022

- [*Serica ventura*](#) Dawson, 1932
- [*Serica vespertina*](#) (Gyllenhal, 1817)
- [*Serica watson*](#) Saylor, 1939
- [*Serica weiperti*](#) Ahrens, 2004
- [*Serica werner*](#) Ahrens, 2007
- [*Serica wrasei*](#) Ahrens, 2007
- [*Serica wrzecionkoi*](#) Ahrens & Fabrizi, 2009
- [*Serica xichangensis*](#) Ahrens, 2005
- [*Serica xizang*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yaogiensis*](#) Ahrens, 2005
- [*Serica yoshidai*](#) (Nomura, 1959)
- [*Serica yulongshanica*](#) Ahrens, 2005
- [*Serica zerchei*](#) Ahrens, 2005
- [*Serica zhamu*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica zianii*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018

Subgenus ***Taiwanoserica*** Nomura, 1974

- [*Serica anmashana*](#) (Kobayashi, 1993)
- [*Serica bihluhensis*](#) (Kobayashi, 2000)
- [*Serica chengtuensis*](#) Ahrens, 2009
- [*Serica chunlinlii*](#) (Ahrens, 2002)
- [*Serica elongata*](#) (Nomura, 1974)
- [*Serica gracilipes*](#) (Nomura, 1974)
- [*Serica kubotai*](#) (Kobayashi, 1983)
- [*Serica liboyani*](#) Zhao & Ahrens, 2023
- [*Serica lishana*](#) (Nomura, 1974)
- [*Serica monticola*](#) (Kobayashi, 2000)
- [*Serica niitakana*](#) (Sawada, 1939)
- [*Serica nitidipes*](#) (Nomura, 1974)
- [*Serica pubisterna*](#) (Nomura, 1974)
- [*Serica shinanshana*](#) (Kobayashi, 1988)
- [*Serica sigipinensis*](#) Ahrens, 2009
- [*Serica simillima*](#) (Kobayashi, 1983)
- [*Serica sinuosa*](#) (Kobayashi, 2000)
- [*Serica suturalis*](#) (Nomura, 1974)
- [*Serica suzukii*](#) (Kobayashi, 1983)
- [*Serica taiyal*](#) (Kobayashi, 2000)
- [*Serica variegata*](#) (Nomura, 1974)
- [*Serica wenchuanensis*](#) Ahrens, 2009
- [*Serica yangzaichuni*](#) Zhao & Ahrens, 2023
- [*Serica yexiaohani*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yui*](#) (Kobayashi, 1993)

Unplaced

- [*Serica allolongipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica allonanhua*](#) Liu, Ahrens, Li & Su, 2023
- [*Serica allotengchongana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica anhua*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica babaoshanensis*](#) Zhao & Ahrens, 2023
- [*Serica baishuitaiensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica baoshan*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica breviantennalis*](#) Liu, Ahrens, Li & Su, 2023
- [*Serica caiyiyiae*](#) Zhao & Ahrens, 2023
- [*Serica callosericoides*](#) Zhao & Ahrens, 2023
- [*Serica camura*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica daqiaoana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica dissimillima*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica emaw*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica fengensis*](#) Liu, Ahrens, Li & Su, 2023
- [*Serica fengxue*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica gaoligong*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica guangnanensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica hailuogou*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica huangbaiyuanensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica huangjing*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jani*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jaroslavi*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jiankouensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica jicaiyanae*](#) Zhao & Ahrens, 2023
- [*Serica jirii*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica kuankuoshuiensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica limbourgi*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica longidentata*](#) Zhao & Ahrens, 2023
- [*Serica longipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica longwang*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica mengsongana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica nanhua*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica nhiae*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica pangwa*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica paracallosericoides*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica paralongipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica paralupina*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica pseudogracilipes*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica shengtangshan*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica shiduensis*](#) Ahrens, Fabrizi & Liu, 2022

- [*Serica smetanai*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica subansiriensis*](#) Gupta, Bhunia, Ahrens & Chandra, 2025
- [*Serica taishun*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica taythien*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica tengchongana*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica tianmushan*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica tianpingshanensis*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica wuyishan*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yini*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica yuechengling*](#) Ahrens, Zhao, Pham & Liu, 2024
- [*Serica yuheba*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica zhangyaonani*](#) Zhao & Ahrens, 2023
- [*Serica zhenba*](#) Ahrens, Fabrizi & Liu, 2022
- [*Serica ziqing*](#) Ahrens, Fabrizi & Liu, 2022

Fossil species

- †*Serica antediluviana* Wickham, 1912
- †*Serica cockerelli* Wickham, 1914
- †*Serica kanakoffi* Pierce, 1946 (California)
- †*Serica minutula* Heer, 1862

Selected former species

- [*Serica delicata*](#) Dawson, 1922
- [*Serica niijima*](#) (Kontkanen, 1956)

This is a list of 85 species in [*Sciapus*](#), a genus of long-legged flies in the family [*Dolichopodidae*](#).^{[1][2][3][4][5]}

Sciapus species

- [*Sciapus aberrans*](#) Becker, 1918^[6]
- [*Sciapus adana*](#) Grichanov & Negrobov, 2014^[5]
- [*Sciapus adumbratus*](#) (Becker, 1902)^[7]
- [*Sciapus albifrons*](#) (Meigen, 1830)^[8]
- [*Sciapus albobittatus*](#) Strobl, 1909^[9]
- [*Sciapus algirus*](#) Macquart, 1849^[10]
- [*Sciapus arctus*](#) Becker, 1922^[11]
- [*Sciapus basarukini*](#) Grichanov & Selivanova, 2022^[12]
- [*Sciapus basavandae*](#) Grichanov & Gilasian, 2023^[13]

- [*Sciapus basilicus*](#) Meuffels & Grootaert, 1990[14]
- [*Sciapus bellus*](#) (Loew, 1873)[15]
- [*Sciapus calceolatus*](#) (Loew, 1859)[16]
- [*Sciapus canariensis*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus collucens*](#) (Walker, 1856)[17]
- [†*Sciapus combaluzieri*](#) Timon-David, 1944[18]
- [*Sciapus contristans*](#) (Wiedemann, 1817)[19]
- [*Sciapus corsicanus*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus costae*](#) (Mik, 1890)[20]
- [*Sciapus delicatus*](#) (Walker, 1849)[21]
- [*Sciapus discretus*](#) Parent, 1926[22]
- [*Sciapus dytei*](#) Negrobov, Maslova & Selivanova, 2012[23]
- [*Sciapus endrogyi*](#) Grichanov, 1997[24]
- [†*Sciapus erasmius*](#) Meuffels & Grootaert, 1999[25]
- [*Sciapus euchromus*](#) (Loew, 1857)[26]
- [*Sciapus euzonus*](#) (Loew, 1859)[16]
- [*Sciapus evanidus*](#) Bezzi, 1898[27]
- [*Sciapus filipes*](#) (Loew, 1861)[28]
- [*Sciapus flavicinctus*](#) (Loew, 1857)[26]
- [*Sciapus flexicornis*](#) Parent, 1944[29]
- [*Sciapus frater*](#) (Parent, 1927)[30]
- [*Sciapus freidbergi*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus glaucescens*](#) (Loew, 1856)[31]
- [*Sciapus gracilipes*](#) (Loew, 1871)[32]
- [*Sciapus heteropygus*](#) Parent, 1926[22]
- [*Sciapus hirtiventris*](#) (De Meijere, 1924)[33]
- [*Sciapus holoxanthos*](#) Parent, 1926[22]
- [*Sciapus incognitus*](#) Negrobov & Shamshev, 1986[34]
- [*Sciapus iranicus*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus judaeus*](#) Parent, 1932[35]
- [*Sciapus khuzestanicus*](#) Grichanov & Gilasian, 2023[13]
- [*Sciapus laetus*](#) (Meigen, 1838)[36]
- [*Sciapus lesinensis*](#) (Mik, 1889)[37]
- [*Sciapus litoralis*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus lobipes*](#) (Meigen, 1824)[38]
- [*Sciapus longimanus*](#) Becker, 1907[39]
- [*Sciapus longitarsis*](#) Grichanov & Negrobov, 2014[5]
- [*Sciapus longulus*](#) (Fallén, 1823)[40]
- [*Sciapus maritimus*](#) Becker, 1918[6]
- [*Sciapus matilei*](#) Negrobov, 1973[41]
- [*Sciapus maurus*](#) Parent, 1930[42]
- [*Sciapus medvedevi*](#) Negrobov & Selivanova, 2009[43]

- [*Sciapus mitis* Parent, 1925\[44\]](#)
- [*Sciapus montium* Becker, 1908\[45\]](#)
- [*Sciapus nebraskaensis* \(Harmston & Rapp, 1968\)\[46\]](#)
- [*Sciapus negrobovi* Naglis & Bartak, 2015\[47\]](#)
- [*Sciapus nervosus* \(Lehmann, 1822\)\[48\]](#)
- [*Sciapus nigricornis* \(Loew, 1869\)\[49\]](#)
- [*Sciapus occidasiaticus* Grichanov & Negrobov, 2014\[5\]](#)
- [*Sciapus oldenbergi* Parent, 1932\[35\]](#)
- [*Sciapus opacus* \(Loew, 1866\)\[50\]](#)
- [*Sciapus pallens* \(Wiedemann, 1830\)\[51\]](#)
- [*Sciapus palmipes* Collin, 1966\[52\]](#)
- [*Sciapus paradoxus* Negrobov & Shamshev, 1986\[34\]](#)
 - [*Sciapus paradoxus paradoxus* Negrobov & Shamshev, 1986\[34\]](#)
 - [*Sciapus paradoxus sachalinensis* Negrobov & Shamshev, 1986](#)
- [*Sciapus platypterus* \(Fabricius, 1805\)\[53\]](#)
- [*Sciapus polozhentsevi* Negrobov, 1977\[54\]](#)
- [*Sciapus pseudobellus* Grichanov & Negrobov, 2014\[5\]](#)
- [*Sciapus richterae* Negrobov & Grichanov, 2010\[55\]](#)
- [*Sciapus roderi* Parent, 1929\[56\]](#)
- [*†Sciapus rottensis* Statz, 1940\[57\]](#)
- [*Sciapus rutilus* \(Van Duzee, 1914\)\[58\]](#)
- [*Sciapus sibiricus* Negrobov & Shamshev, 1986\[34\]](#)
- [*Sciapus spiniger* \(Zetterstedt, 1859\)\[59\]](#)
- [*Sciapus spinosus* Parent, 1929\[56\]](#)
- [*Sciapus subvicinus* Grichanov, 2007\[60\]](#)
- [*Sciapus sylvaticus* Becker, 1907\[39\]](#)
- [*Sciapus talebii* Kazerani & Grichanov in Kazerani, Khaghaninia, Talebi & Grichanov, 2015\[61\]](#)
- [*Sciapus tener* \(Loew, 1862\)\[62\]](#)
- [*Sciapus tenuinervis* \(Loew, 1857\)\[26\]](#)
- [*Sciapus vanharteni* Naglis & Bickel, 2017\[63\]](#)
- [*Sciapus venetus* Meuffels, 1977\[64\]](#)
- [*Sciapus vicinus* Parent, 1925\[44\]](#)
- [*Sciapus vladimiri* Grichanov & Negrobov, 2014\[5\]](#)
- [*Sciapus wiedemanni* \(Fallen, 1823\)\[40\]](#)
- [*Sciapus zewoiensus* Tang, Zhu & Yang, 2019\[65\]](#)
- [*Sciapus zonatulus* \(Zetterstedt, 1843\)\[66\]](#)

The following additional species are listed for the genus by online databases:

- *Sciapus ukrainensis* Pollet, 2003^g

Unrecognised species:

- *Sciapus aequalis* Becker, 1922[11]
- *Sciapus clarus* (Walker, 1857)[26]

- *Sciapus derelictus* (Walker, 1856)[17]
- *Sciapus dialithus* (Bigot, 1890)[67]
- *Sciapus illiciens* (Walker, 1856)[17]
- *Sciapus leiopus* (Doleschall, 1856) ^{c g}
- *Sciapus nitidus* (Walker, 1852)[68]
- *Sciapus palmetorum* (Doleschall, 1858) ^{c g}
- *Sciapus pellucens* (De Meijere, 1913) ^{c g}
- *Sciapus piger* Becker, 1922[11]
- *Sciapus posticus* (Walker, 1857)[26]
- *Sciapus subnotatus* (Walker, 1857)[26]
- *Sciapus tardus* Becker, 1922[11]
- *Sciapus viridicollis* (Frey, 1917) ^{c g}

Synonyms:

- *Sciapus adhaerens* Becker, 1922: ^{c g}[11] Moved to *Heteropsilopus*
- *Sciapus aestimatus* (Walker, 1859): ^{c g} Moved to *Chrysosoma*
- *Sciapus albifacies* Parent, 1931: ^{c g} Moved to *Amblypsilopus*
- *Sciapus albimanus* Becker, 1918:[6] Synonym of *Sciapus algirus* Macquart, 1849[10]
- †*Sciapus amabilis* Statz, 1940:[57] Renamed to *Sciapus erasmus* Meuffels & Grootaert, 1999[25]
- *Sciapus amplicaudatus* (Lamb, 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus angelicus* Parent, 1930:[42] Synonym of *Amblypsilopus uncinatus* (Van Duzee, 1927)
- *Sciapus angustifrons* Parent, 1929: ^{c g} Moved to *Amblypsilopus*
- *Sciapus antennatus* Becker, 1922:[11] Moved to *Amblypsilopus*
- *Sciapus arduus* Parent, 1936: ^{c g} Moved to *Chrysosoma*
- *Sciapus auresi* Vaillant, 1952: ^{c g} Var. of *Sciapus euzonus* (Loew, 1859)[16]
- *Sciapus aurichalceus* Becker, 1922:[11] Moved to *Amblypsilopus*
- *Sciapus australensis* (Schiner, 1868): ^{c g} Moved to *Negrobovia*
- *Sciapus badjavensis* Dyte, 1975: ^{c g} Synonym of *Amblypsilopus flavipes* (De Meijere, 1910)
- *Sciapus barbipalpis* Parent, 1937: ^{c g} Synonym of *Amblypsilopus lenga* (Curran, 1929)
- *Sciapus basilewskyi* Vanschuytbroeck, 1960: ^{c g} Moved to *Amblypsilopus*
- *Sciapus bellimanus* (Van Duzee, 1927): ^{c g} Moved to *Amblypsilopus*
- *Sciapus bicalcaratus* Parent, 1933: ^{c g} Moved to *Ethiosciapus*
- *Sciapus bilobatus* (Lamb, 1922): ^{c g} Moved to *Ethiosciapus*
- *Sciapus bilobus* (Van Duzee, 1929): ^{c g} Moved to *Amblypsilopus*
- *Sciapus bipectinatus* Parent, 1934: ^{c g} Moved to *Amblypsilopus*
- *Sciapus bredini* Robinson, 1975: Moved to *Amblypsilopus*
- *Sciapus brevitarsis* Parent, 1932: ^{c g} Synonym of *Amblypsilopus flaviappendiculatus* (De Meijere, 1910)
- *Sciapus brionii* (Becker, 1918): ^{c g} Synonym of *Sciapus glaucescens* (Loew, 1856)[31]

- *Sciapus californicus* Steyskal, 1966: ⁱ Moved to [Amblypsilopus](#)
- *Sciapus capillimanus* (Enderlein, 1912): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus carboneus* Parent, 1932: ^{c g} Synonym of [Krakatauia anthracoides](#) (Van der Wulp, 1896)
- *Sciapus castus* (Loew, 1866):[50] Moved to [Amblypsilopus](#)
- *Sciapus cilicostatus* (Van Duzee, 1927): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus cilipennis* (Aldrich, 1901): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus coalescens* Parent, 1934: ^{c g} Synonym of [Bickeliolus haemorhoidalis](#) (Becker, 1923)
- *Sciapus connexus* (Walker, 1835): ⁱ Moved to [Austrosciapus](#)
- *Sciapus cuthbertsoni* Parent, 1937: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus decoripes* Robinson, 1975: Moved to [Amblypsilopus](#)
- *Sciapus delectabilis* Parent, 1932: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus difficilis* (Parent, 1932): ^{c g} Moved to [Narrabeenia](#)
- *Sciapus digitatus* Van Duzee, 1914: ^{c g} Synonym of [Condyllostylus quadricolor](#) (Walker, 1849)[21]
- *Sciapus dimidiatus* (Loew, 1862):[62] Moved to [Amblypsilopus](#)
- *Sciapus dolichoenemis* (Frey, 1925): ^{c g} Synonym of [Amblypsilopus flaviappendiculatus](#) (De Meijere, 1910)
- *Sciapus duplicatus* Parent, 1932: ^{c g} Moved to [Mascaromyia](#)
- *Sciapus elegans* (Walker, 1852):[68] Moved to [Amblypsilopus](#)
- *Sciapus ellisi* Hollis, 1964: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus eutarsus* Schiner, 1860: Synonym of [Sciapus euzonus](#) (Loew, 1859)[16]
- *Sciapus evulgatus* Becker, 1922:[11] Moved to [Krakatauia](#)
- *Sciapus exarmatus* Parent, 1933: ^{c g} Moved to [Ethiosciapus](#)
- *Sciapus eximius* (Costa, 1886): Renamed to [Sciapus costae](#) (Mik, 1890)[20]
- *Sciapus exul* (Parent, 1932): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus filitarsis* Parent, 1935: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flabellifer* Becker, 1923: Moved to [Amblypsilopus](#)
- *Sciapus flagellaris* (Frey, 1925): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flaviannulatus* (Van Duzee, 1929): ^{c g} Synonym of [Amblypsilopus unicinctus](#) (Van Duzee, 1927)
- *Sciapus flaviappendiculatus* (De Meijere, 1910): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flavicornis* (Aldrich, 1896): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flavidus* (Aldrich, 1896): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flavipes* (De Meijere, 1910): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus flaviventris* Bezzi, 1905: Synonym of [Ethiosciapus flavirostris](#) (Loew, 1858)
- *Sciapus flavomaculatus* Ringdahl, 1949: Synonym of [Sciapus maritimus](#) Becker, 1918
- *Sciapus flexus* Loew, 1869:[49] Synonym of [Sciapus contristans](#) (Wiedemann, 1817)
- *Sciapus floridanus* Harmston, 1971: ⁱ Moved to [Amblypsilopus](#)
- *Sciapus fruticosus* Becker, 1922:[11] Moved to [Amblypsilopus](#)

- *Sciapus fulgens* [von Roser](#), 1840: Synonym of *Sciapus laetus* ([Meigen](#), 1838)[36]
- *Sciapus fuscinervis* ([Van Duzee](#), 1926): ⁱ Moved to *Amblypsilopus*
- *Sciapus gemmatus* ([Walker](#), 1849): ^{c g} Moved to *Parentia*
- *Sciapus gilvipes* ([Enderlein](#), 1912): ^c Moved to *Amblypsilopus*
- *Sciapus grandicaudatus* ([Lamb](#), 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus graciosus* [Becker](#), 1922:[11] Synonym of *Austrosciapus connexus* ([Walker](#), 1835)
- *Sciapus gravipes* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus haemorrhoidalis* [Becker](#), 1923: Moved to *Bickeliolus*
- *Sciapus inaequalis* ([Van Duzee](#), 1927): ^{c g} Moved to *Amblypsilopus*
- *Sciapus indistinctus* ([Lamb](#), 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus infans* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus inflexus* [Becker](#), 1923: Moved to *Ethiosciapus*
- *Sciapus infumatus* ([Aldrich](#), 1901): ⁱ Moved to *Amblypsilopus*
- *Sciapus ingruo* ([Harris](#), 1780): ^{c g} Synonym of *Sciapus platypterus* ([Fabricius](#), 1805)[53]
- *Sciapus innoxius* [Parent](#), 1934: Synonym of *Amblypsilopus cilipennis* ([Aldrich](#), 1901)
- *Sciapus integer* [Becker](#), 1923: Moved to *Ethiosciapus*
- *Sciapus interdictus* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus lamellatus* [Parent](#), 1935: ^{c g} Moved to *Bickeliolus*
- *Sciapus latifacies* ([Van Duzee](#), 1934): ^c Moved to *Amblypsilopus*
- *Sciapus latilamellatus* [Parent](#), 1934: ^{c g} Moved to *Amblypsilopus*
- *Sciapus latitarsis* [Becker](#), 1922:[11] Moved to *Condylostylus*
- *Sciapus lectus* [Becker](#), 1922:[11] Synonym of *Austrosciapus discretifasciatus* ([Macquart](#), 1849)
- *Sciapus lenga* [Curran](#), 1929: Moved to *Amblypsilopus*
- *Sciapus longipes* ([Van Duzee](#), 1929): ^{c g} Moved to *Amblypsilopus*
- *Sciapus luteus* [Robinson](#), 1975: Moved to *Amblypsilopus*
- *Sciapus macrodactylus* [Becker](#), 1918:[6] Synonym of *Sciapus evanidus* [Bezzi](#), 1898[27]
- *Sciapus macula* ([Wiedemann](#), 1830):[51] Moved to *Amblypsilopus*
- *Sciapus magnicaudatus* ([Lamb](#), 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus mauritiensis* [Parent](#), 1939: ^{c g} Moved to *Mascaromyia*
- *Sciapus medianus* ([Becker](#), 1922): ^{c g} Moved to *Amblypsilopus*
- *Sciapus mediterraneus* [Bulli & Negrobov](#), 1987: ^{c g} Renamed to *Sciapus subvicinus* [Grichanov](#), 2007
- *Sciapus mexicanus* ([Aldrich](#), 1901): ^{c g} Moved to *Amblypsilopus*
- *Sciapus mutatus* [Becker](#), 1922: ^g Moved to *Amblypsilopus*
- *Sciapus nanus* [Parent](#), 1929: ^{c g} Moved to *Amblypsilopus*
- *Sciapus neoparvus* [Dyde](#), 1975: ^{c g} Moved to *Amblypsilopus*
- *Sciapus nigrimanus* [Van Duzee](#), 1914: ^{c g} Moved to *Amblypsilopus*
- *Sciapus nitidifacies* [Parent](#), 1934: ^{c g} Moved to *Krakatauia*
- *Sciapus noditarsis* [Becker](#), 1922:[11] Moved to *Amblypsilopus*

- *Sciapus nubilipennis* (Van Duzee, 1927): ^{c g} Synonym of *Amblypsilopus macula* ([Wiedemann](#), 1830) [51]
- *Sciapus occultus* (Santos Abreu, 1929): ^{c g} Var. of *Sciapus glaucescens* ([Loew](#), 1856)[31]
- *Sciapus oldroydi* Haider, 1957: ^{c g} Moved to *Amblypsilopus* (unrecognised)
- *Sciapus oscillans* [Parent](#), 1935: ^{c g} Moved to *Amblypsilopus*
- *Sciapus paracarboneus* Hollis, 1964: ^{c g} Moved to *Krakatauia*
- *Sciapus parrai* Milward de Azevedo, 1985: ^{c g} Moved to *Amblypsilopus*
- *Sciapus parvus* Van Duzee, 1933: ^{c g} Moved to *Amblypsilopus*
- *Sciapus pectinatus* ([De Meijere](#), 1910): ^{c g} Moved to *Amblypsilopus*
- *Sciapus pectoralis* Van Duzee, 1931: Synonym of *Amblypsilopus parvus* (Van Duzee, 1933)
- *Sciapus pediformis* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus penicillatus* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus peringueyi* [Curran](#), 1926: Synonym of *Amblypsilopus rosaceus* ([Wiedemann](#), 1824)
- *Sciapus planipes* (Van Duzee, 1929): ^{c g} Moved to *Amblypsilopus*
- *Sciapus pollicifer* (Lamb, 1922): ^{c g} Moved to *Mascaromyia*
- *Sciapus pollinosus* Van Duzee, 1915: ⁱ Moved to *Amblypsilopus*
- *Sciapus praecipuus* Milward de Azevedo, 1985: ^{c g} Moved to *Amblypsilopus*
- *Sciapus pressipes* [Parent](#), 1929: ⁱ Synonym of *Krakatauia evulgata* ([Becker](#), 1922)
- *Sciapus prolectans* ([Walker](#), 1856):[17] Moved to *Chrysosoma* (unrecognised)
- *Sciapus pruinus* [Coquillett](#), 1904: ⁱ Moved to *Condyllostylus*
- *Sciapus psittacinus* ([Loew](#), 1861):[28] ⁱ Moved to *Amblypsilopus*
- *Sciapus rectus* ([Wiedemann](#), 1830):[51] Moved to *Krakatauia*
- *Sciapus rectangularis* [Parent](#), 1937: ^{c g} Moved to *Amblypsilopus*
- *Sciapus renschi* [Parent](#), 1932: ^{c g} Moved to *Amblypsilopus*
- *Sciapus restrictus* (Hutton, 1901): ^{c g} Moved to *Parentia*
- *Sciapus rezendei* Milward de Azevedo, 1985: ^{c g} Moved to *Amblypsilopus*
- *Sciapus rosaceus* ([Wiedemann](#), 1824): ^{c g} Moved to *Amblypsilopus*
- *Sciapus rotundiceps* ([Aldrich](#), 1904): ⁱ Moved to *Amblypsilopus*
- *Sciapus sachalinensis* [Negrobov](#) & Shamshev, 1986: ^{c g} Subspecies of *Sciapus paradoxus* [Negrobov](#) & Shamshev, 1986
- *Sciapus scintillans* ([Loew](#), 1861):[28] ⁱ Moved to *Amblypsilopus*
- *Sciapus sericeus* ([De Meijere](#), 1913): ^{c g} Moved to *Krakatauia*
- *Sciapus setifrons* [Parent](#), 1937: ^{c g} Synonym of *Ethiosciapus bicalcaratus* ([Parent](#), 1933)
- *Sciapus sordidus* ([Parent](#), 1928): ^{c g} Moved to *Dytomyia*
- *Sciapus spinimanus* (Van Duzee, 1927): ^{c g} Synonym of *Amblypsilopus bellimanus* (Van Duzee, 1927)
- *Sciapus striaticollis* [Becker](#), 1922:[11] Moved to *Amblypsilopus*
- *Sciapus stuckenbergi* Vanschuytbroeck, 1957: ^{c g}[69] Moved to *Amblypsilopus*
- *Sciapus subfascipennis* [Curran](#), 1926: Moved to *Amblypsilopus*

- *Sciapus subtilis* [Becker](#), 1924: Moved to [Amblypsilopus](#)
- *Sciapus sudanensis* [Parent](#), 1939: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus svenhedini* [Parent](#), 1936: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus tabulina* [Becker](#), 1922:[11] Moved to [Krakatauia](#)
- *Sciapus tenuicauda* [Parent](#), 1936: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus trahens* ([Frey](#), 1925): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus trisetosus* Van Duzee, 1932: ^{i g} Synonym of [Condyllostylus scaber](#) ([Loew](#), 1861)[28]
- *Sciapus tropicalis* [Parent](#), 1933: ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus turbidus* [Becker](#), 1922:[11] Moved to [Amblypsilopus](#)
- *Sciapus unicoiensis* [Robinson](#), 1964: ⁱ Moved to [Amblypsilopus](#)
- *Sciapus unifasciatus* ([Say](#), 1823): ⁱ Moved to [Amblypsilopus](#)
- *Sciapus unitus* [Parent](#), 1928: Synonym of [Krakatauia recta](#) ([Wiedemann](#), 1830)[51]
- *Sciapus vagabundus* [Bezzi](#) & [Lamb](#), 1926 ^{c g} Moved to [Mascaromyia](#)
- *Sciapus variabilis* ([De Meijere](#), 1913): ^{c g} Moved to [Amblypsilopus](#)
- *Sciapus variegatus* ([Loew](#), 1861):[28] ⁱ Moved to [Amblypsilopus](#)
- *Sciapus vialis* ([Raddatz](#), 1873): ^{c g} Synonym of [Sciapus contristans](#) ([Wiedemann](#), 1817)
- *Sciapus villeneuvei* [Parent](#), 1927:[70] Renamed to [Amblypsilopus josephi](#) [Meuffels](#) & [Grootaert](#), 1999
- *Sciapus viridivittatus* ([Robinson](#), 1960): ⁱ Synonym of [Amblypsilopus dorsalis](#) ([Loew](#), 1866)[50]
- *Sciapus zucchini* [Milward de Azevedo](#), 1885: ^{c g} Moved to [Amblypsilopus](#)

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 244 species in [Scelio](#), a genus of parasitoid wasps in the family [Platygastridae](#). [1][2][3][4]

Scelio species

- [Scelio acontes](#) [Kozlov & Lê](#), 1988 ^{i c g}
- [Scelio acte](#) [Walker](#), 1846 ^{i c g}
- [Scelio aegyptiacus](#) [Priesner](#), 1951 ^{i c g}
- [Scelio afer](#) [Kieffer](#), 1905 ^{i c g}
- [Scelio africanus](#) [Risbec](#), 1950 ^{i c g}
- [Scelio alfierii](#) [Priesner](#), 1951 ^{i c g}
- [Scelio amoenus](#) [Dodd](#), 1927 ^{i c g}
- [Scelio ancilla](#) [Kozlov & Lê](#), 1988 ^{i c g}
- [Scelio anmarae](#) [Dangerfield & Austin](#), 2001 ^{i c g}

- [Scelio annae](#) Dangerfield & Austin, 2001 ^{i c g}
- [Scelio antorides](#) Nixon, 1958 ^{i c g}
- [Scelio anyirambo](#) Dangerfield & Austin, 2001 ^{i c g}
- [Scelio apo](#) Kozlov & Lê, 1988 ^{i c g}
- [Scelio approbatus](#) Kozlov & Kononova, 1990 ^{i c g}
- [Scelio aratigena](#) Kieffer, 1913 ^{i c g}
- [Scelio arion](#) Kozlov & Lê, 1988 ^{i c g}
- [Scelio asperatus](#) Dodd, 1927 ^{i c g}
- [Scelio auronitens](#) Kieffer, 1910 ^{i c g}
- [Scelio aurosparsus](#) Kieffer, 1910 ^{i c g}
- [Scelio australiensis](#) Kieffer, 1905 ^{i c g}
- [Scelio bakeri](#) Kieffer, 1908 ^{i c g}
- [Scelio baoli](#) Risbec, 1950 ^{i c g}
- [Scelio bengalensis](#) Mukerjee, 1979 ^{i c g}
- [Scelio bicolor](#) Fouts, 1930 ^{i c g}
- [Scelio bipartitus](#) Kieffer, 1907 ^{i c g}
- [Scelio bisectus](#) Kieffer, 1914 ^{i c g}
- [Scelio borrooolensis](#) Dangerfield & Austin, 2001 ^{i c g}
- [Scelio brasiliensis](#) Kieffer, 1910 ^{i c g}
- [Scelio bronae](#) Dangerfield & Austin, 2001 ^{i c g}
- [Scelio cahirensis](#) Priesner, 1951 ^{i c g}
- [Scelio calcuttaensis](#) Mani, 1936 ^{i c g}
- [Scelio callimone](#) Kozlov & Lê, 1988 ^{i c g}
- [Scelio caloptenorum](#) Riley, 1886 ^{i c g}
- [Scelio calopterus](#) Kieffer, 1909 ^{i c g}
- [Scelio cellularis](#) Kieffer, 1916 ^{i c g}
- [Scelio ceto](#) Kozlov & Lê, 1988 ^{i c g}
- [Scelio chapmanni](#) Nixon, 1958 ^{i c g}
- [Scelio cheops](#) Nixon, 1958 ^{i c g}
- [Scelio chortoicetes](#) Froggatt, 1910 ^{i c g}
- [Scelio cinctus](#) Kozlov & Kononova, 1990 ^{i c g}
- [Scelio clarus](#) Fouts, 1934 ^{i c g}
- [Scelio commixtus](#) Muesebeck, 1972 ^{i c g}
- [Scelio concinnus](#) Dodd, 1927 ^{i c g}
- [Scelio conformis](#) Muesebeck, 1972 ^{i c g}
- [Scelio conon](#) Kozlov & Lê, 1988 ^{i c g}

- [Scelio consobrinus](#) Kieffer, 1913^{i c g}
- [Scelio contractus](#) Dodd, 1927^{i c g}
- [Scelio coriaceiventris](#) Kieffer, 1908^{i c g}
- [Scelio coriaceus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio corion](#) Nixon, 1958^{i c g}
- [Scelio correctus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio crassellus](#) Dodd, 1920^{i c g}
- [Scelio crassiceps](#) Priesner, 1951^{i c g}
- [Scelio croces](#) Kozlov & Lê, 1988^{i c g}
- [Scelio cruentatus](#) Dodd, 1914^{i c g}
- [Scelio desinens](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio dhupgarhi](#) Mukerjee, 1979^{i c g}
- [Scelio dichropli](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio diemenensis](#) Dodd, 1914^{i c g}
- [Scelio difficilis](#) Priesner, 1951^{i c g}
- [Scelio dion](#) Kozlov & Lê, 1988^{i c g}
- [Scelio doddi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio dodes](#) Kozlov & Lê, 1988^{i c g}
- [Scelio donez](#) Kozlov & Lê, 1988^{i c g}
- [Scelio elongatus](#) Kieffer, 1908^{i c g}
- [Scelio ernstii](#) Riley, 1886^{i c g}
- [Scelio erythrogaster](#) Kieffer, 1908^{i c g}
- [Scelio erythropoda](#) Cameron, 1888^{i c g}
- [Scelio erythropus](#) Dodd, 1920^{i c g}
- [Scelio evanescens](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio exaratus](#) (Kieffer, 1910)^{i c g}
- [Scelio facialis](#) Kieffer, 1916^{i c g}
- [Scelio festivus](#) Kieffer, 1910^{i c g}
- [Scelio flavibarbis](#) (Marshall, 1874)^{i c g}
- [Scelio flavicornis](#) Dodd, 1913^{i c g}
- [Scelio flavicoxis](#) Kieffer, 1905^{i c g}
- [Scelio flavigaster](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio flavocinctus](#) Kieffer, 1910^{i c g}
- [Scelio floridanus](#) Ashmead, 1893^{i c g b}
- [Scelio floridus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio fomes](#) Kozlov & Lê, 1988^{i c g}

- [Scelio fritzi](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio fulgidus](#) Crawford, 1911^{i c g}
- [Scelio fulvipes](#) Förster, 1856^{i c g}
- [Scelio fulvithorax](#) Dodd, 1927^{i c g}
- [Scelio furcatus](#) Kieffer, 1909^{i c g}
- [Scelio fuscicoxis](#) Kieffer, 1905^{i c g}
- [Scelio gallowayi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio gaudens](#) Nixon, 1958^{i c g}
- [Scelio gobar](#) Walker, 1839^{i c g}
- [Scelio goron](#) Kozlov & Lê, 1988^{i c g}
- [Scelio gracilis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio grbini](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio grongtes](#) Kozlov & Lê, 1988^{i c g}
- [Scelio guatemalensis](#) Kieffer, 1906^{i c g}
- [Scelio habilis](#) Nixon, 1958^{i c g}
- [Scelio hieroglyphi](#) Timberlake, 1932^{i c g}
- [Scelio hilaris](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio homona](#) Kozlov & Lê, 1988^{i c g}
- [Scelio horai](#) Mani, 1936^{i c g}
- [Scelio howardi](#) Crawford, 1910^{i c g}
- [Scelio husseini](#) Priesner, 1951^{i c g}
- [Scelio hyalinipennis](#) Ashmead, 1887^{i c g}
- [Scelio hypena](#) Kozlov & Lê, 1988^{i c g}
- [Scelio ignobilis](#) Dodd, 1927^{i c g}
- [Scelio improcerus](#) Dodd, 1927^{i c g}
- [Scelio incertus](#) Muesebeck, 1972^{i c g}
- [Scelio inermis](#) (Zetterstedt, 1840)^{i c g}
- [Scelio insolitus](#) Muesebeck, 1972^{i c g}
- [Scelio integer](#) Kieffer, 1908^{i c g}
- [Scelio javanicus](#) Roepke, 1916^{i c g}
- [Scelio jokentae](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio joni](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio levifrons](#) Kieffer, 1908^{i c g}
- [Scelio lineolatus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio littoralis](#) Dodd, 1927^{i c g}
- [Scelio locustae](#) Dodd, 1914^{i c g}

- [Scelio longiventris](#) Kieffer, 1908^{i c g}
- [Scelio loretanus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio lugens](#) Kieffer, 1910^{i c g}
- [Scelio luzonicus](#) Kieffer, 1914^{i c g}
- [Scelio macrotomus](#) Kieffer, 1916^{i c g}
- [Scelio magnus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio mallapura](#) Mukerjee, 1979^{i c g}
- [Scelio mannesi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio marbis](#) Nixon, 1958^{i c g}
- [Scelio mareebaensis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio maritimus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio matthewsi](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio mauritanicus](#) Risbec, 1950^{i c g}
- [Scelio meridionalis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio microcerus](#) Kieffer, 1916^{i c g}
- [Scelio miki](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio mimaces](#) Kozlov & Lê, 1988^{i c g}
- [Scelio munnaricus](#) Mukerjee, 1979^{i c g}
- [Scelio muraii](#) Watanabe, 1955^{i c g}
- [Scelio nakhlensis](#) Priesner, 1951^{i c g}
- [Scelio nanocuspis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio naumanni](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio nerion](#) Kozlov & Lê, 1988^{i c g}
- [Scelio nigricornis](#) Dodd, 1913^{i c g}
- [Scelio nigricoxa](#) Dodd, 1914^{i c g}
- [Scelio nigriscutellum](#) Dodd, 1913^{i c g}
- [Scelio nigrobrunneus](#) Dodd, 1927^{i c g}
- [Scelio nikolskyi](#) Ogloblin, 1927^{i c g}
- [Scelio nilamburensis](#) Mukerjee, 1979^{i c g}
- [Scelio nisa](#) Kozlov, 1972^{i c g}
- [Scelio nitens](#) Brues, 1906^{i c g}
- [Scelio noancilla](#) Kozlov & Lê, 2000^{i c g}
- [Scelio notabilis](#) Dodd, 1927^{i c g}
- [Scelio odites](#) Kozlov & Lê, 1988^{i c g}
- [Scelio oedipodae](#) Ashmead, 1893^{i c g}
- [Scelio opacus](#) (Provancher, 1887)^{i c g}

- [Scelio orientalis](#) Dodd, 1915^{i c g}
- [Scelio oviphagus](#) Mukerji, 1953^{i c g}
- [Scelio ovivorus](#) (Riley, 1878)^{i c g}
- [Scelio oxyae](#) Timberlake, 1932^{i c g}
- [Scelio paivai](#) Mani, 1936^{i c g}
- [Scelio pakistanensis](#) Siddiqui et al., 1983^{i c g}
- [Scelio pakistanicus](#) Mahmood et al., 1988^{i c g}
- [Scelio pallidipes](#) Ashmead, 1893^{i c g}
- [Scelio paracroces](#) Kozlov & Lê, 2000^{i c g}
- [Scelio paraensis](#) Kieffer, 1910^{i c g}
- [Scelio paraspinifera](#) Kozlov & Lê, 1988^{i c g}
- [Scelio parvicornis](#) Dodd, 1914^{i c g}
- [Scelio pembertoni](#) Timberlake, 1932^{i c g}
- [Scelio perspicuus](#) Dodd, 1927^{i c g}
- [Scelio petilus](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio philippinensis](#) Ashmead, 1905^{i c g}
- [Scelio pigotti](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio pilosifrons](#) Dodd, 1927^{i c g}
- [Scelio pilosus](#) Dodd, 1913^{i c g}
- [Scelio planithorax](#) Dodd, 1927^{i c g}
- [Scelio plasticus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio poecilopterus](#) Priesner, 1951^{i c g}
- [Scelio popovi](#) Nixon, 1958^{i c g}
- [Scelio princeps](#) Nixon, 1958^{i c g}
- [Scelio psenes](#) Kozlov & Lê, 1988^{i c g}
- [Scelio pseudaustralis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio pulchripennis](#) Brues, 1906^{i c g}
- [Scelio pumilus](#) Muesebeck, 1972^{i c g}
- [Scelio punctaticeps](#) Dodd, 1914^{i c g}
- [Scelio remaudierei](#) Ferrière, 1952^{i c g}
- [Scelio reticulatum](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio rubripes](#) Kieffer, 1908^{i c g}
- [Scelio rufiventris](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio rufonotatus](#) Kieffer, 1906^{i c g}
- [Scelio rufulus](#) Muesebeck, 1972^{i c g}
- [Scelio rugosulus](#) Latreille, 1805^{i c g}

- [Scelio rugosus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio rusticus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio ruticulus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio rutilus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio satpurus](#) Mukerjee, 1979^{i c g}
- [Scelio schmelio](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio scottusae](#) Ogloblin, 1965^{i c g}
- [Scelio scyllinopsi](#) Ogloblin, 1965^{i c g}
- [Scelio sectigena](#) Kieffer, 1908^{i c g}
- [Scelio semiatratus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio semirufus](#) Muesebeck, 1972^{i c g}
- [Scelio semisanguineus](#) Girault, 1914^{i c g}
- [Scelio serdangensis](#) Timberlake, 1932^{i c g}
- [Scelio setafascis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio setiger](#) Brues, 1918^{i c g}
- [Scelio similis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio singularis](#) Muesebeck, 1972^{i c g}
- [Scelio solus](#) Muesebeck, 1972^{i c g}
- [Scelio spinifera](#) Mukerjee, 1979^{i c g}
- [Scelio splendidus](#) Kieffer, 1910^{i c g}
- [Scelio squamosus](#) Muesebeck, 1972^{i c g}
- [Scelio striatifacies](#) Dodd, 1914^{i c g}
- [Scelio striatiscutum](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio striativentris](#) Kieffer, 1908^{i c g}
- [Scelio striatus](#) Priesner, 1951^{i c g}
- [Scelio subpolitus](#) Dodd, 1920^{i c g}
- [Scelio sudanensis](#) Ferrière, 1952^{i c g}
- [Scelio sulcaticeps](#) Dodd, 1927^{i c g}
- [Scelio tasmaniensis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio taylori](#) Nixon, 1958^{i c g}
- [Scelio tenuipilosus](#) De Santis & Loiacono, 1993^{i c g}
- [Scelio thomsoni](#) Kieffer, 1913^{i c g}
- [Scelio transversalis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio travancoricus](#) Mukerjee, 1979^{i c g}
- [Scelio tripartitus](#) Kieffer, 1906^{i c g}
- [Scelio trisectus](#) Kieffer, 1908^{i c g}

- [Scelio tristis](#) Nixon, 1958^{i c g}
- [Scelio tsuruokensis](#) Watanabe, 1955^{i c g}
- [Scelio unidentis](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio urgo](#) Kozlov & Lê, 1988^{i c g}
- [Scelio uvarovi](#) Ogloblin, 1927^{i c g}
- [Scelio vallecularis](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio variegatus](#) Kozlov & Kononova, 1990^{i c g}
- [Scelio variicornis](#) Kieffer, 1913^{i c g}
- [Scelio variipennis](#) Kieffer, 1916^{i c g}
- [Scelio varipunctatus](#) Dodd, 1915^{i c g}
- [Scelio venatus](#) Brues, 1906^{i c g}
- [Scelio vulgaris](#) Kieffer, 1908^{i c g}
- [Scelio walkeri](#) Kieffer, 1913^{i c g}
- [Scelio wallacei](#) Dodd, 1920^{i c g}
- [Scelio wittmeri](#) Priesner, 1951^{i c g}
- [Scelio xanthopterus](#) Kieffer, 1916^{i c g}
- [Scelio zafari](#) Mahmood et al., 1988^{i c g}
- [Scelio zborowskii](#) Dangerfield & Austin, 2001^{i c g}
- [Scelio zolotarevskyi](#) Ferrière, 1930^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Scelio Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-04-29.
 - ["Browse Scelio"](#). *Catalogue of Life*. Retrieved 2018-04-29.
 - ["Scelio"](#). *GBIF*. Retrieved 2018-04-29.
 -
4. ["Scelio Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-29.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 144 species in the genus [Scatella](#), shore flies in the family [Ephydriidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Scatella species

- [S. abbreviata](#) Harrison, 1976 ^{c g}
- [S. acutipennis](#) Harrison, 1964 ^{c g}
- [S. aeneiventris](#) ([Macquart](#), 1835) ^{c g}
- [S. albilutea](#) Mathis & Wirth, 1981 ^{c g}
- [S. alticeps](#) [Malloch](#), 1925 ^{c g}
- [S. amnica](#) (Tenorio, 1980) ^{c g}
- [S. angustipennis](#) Wirth, 1955 ^{c g}
- [S. apicalis](#) Wirth, 1957 ^{c g}
- [S. argentea](#) [Hendel](#), 1930 ^{c g}
- [S. argentifacies](#) Wirth, 1955 ^{c g}
- [S. arizonensis](#) [Cresson](#), 1935 ^{i c g}
- [S. atra](#) ([Malloch](#), 1933) ^{c g}
- [S. aurulenta](#) Giordani Soika, 1956 ^{c g}
- [S. australiae](#) [Malloch](#), 1925 ^{c g}
- [S. australis](#) [Zatwarnicki](#) & [Irwin](#), 1853 ^g
- [S. austrina](#) Mathis & Wirth, 1981 ^{c g}
- [S. balioptera](#) (Mathis & [Shewell](#), 1978) ^c
- [S. bicolor](#) Mathis & Wirth, 1981 ^{c g}
- [S. brachyptera](#) Wirth, 1955 ^{c g}
- [S. brevis](#) Harrison, 1964 ^{c g}
- [S. bronneci](#) ([Malloch](#), 1934) ^{c g}
- [S. brunnea](#) Wirth, 1957 ^{c g}
- [S. bryani](#) [Cresson](#), 1926 ^{c g}
- [S. bullacosta](#) [Cresson](#), 1934 ^{c g}
- [S. calida](#) [Matsumura](#), 1915 ^{c g}
- [S. callosicosta](#) [Bezzi](#), 1895 ^{c g}
- [S. catalogana](#) Mathis & [Zatwarnicki](#), 1995 ^{c g}
- [S. cauta](#) [Cresson](#), 1931 ^{c g}
- [S. cheesmanae](#) ([Malloch](#), 1934) ^{c g}

- [*S. ciliata*](#) Collin, 1930 ^{c g}
- [*S. cilipes*](#) (Wirth, 1948) ^{c g}
- [*S. cinerea*](#) Robineau-Desvoidy, 1830 ^{c g}
- [*S. cinereifacies*](#) (Tenorio, 1980) ^{c g}
- [*S. clavipes*](#) (Wirth, 1948) ^{c g}
- [*S. costalis*](#) Hendel, 1932 ^{c g}
- [*S. crassicosta*](#) Becker, 1896 ^{i c g}
- [*S. curtipennis*](#) (Becker, 1905) ^{c g}
- [*S. decemguttata*](#) Wirth, 1955 ^{c g}
- [*S. discalis*](#) Wirth, 1955 ^{c g}
- [*S. ecuadorensis*](#) (Mathis, 1979) ^{c g}
- [*S. edwardsi*](#) Cresson, 1931 ^{c g}
- [*S. favillacea*](#) Loew, 1862 ^{i c g}
- [*S. femoralis*](#) (Tenorio, 1980) ^{c g}
- [*S. fernandezensis*](#) Wirth, 1955 ^{c g}
- [*S. fluvialis*](#) (Tenorio, 1980) ^{c g}
- [*S. furens*](#) Cresson, 1931 ^{c g}
- [*S. fusca*](#) (Macquart, 1835) ^{c g}
- [*S. fuscivenosa*](#) Wirth, 1957 ^{c g}
- [*S. galapagensis*](#) Curran, 1934 ^{c g}
- [*S. gea*](#) Canzoneri & Meneghini, 1979 ^{c g}
- [*S. gestiens*](#) Cresson, 1931 ^{c g}
- [*S. glabra*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. gratiellae*](#) Canzoneri & Raffone, 1987 ^{c g}
- [*S. gregaria*](#) Cresson, 1931 ^{c g}
- [*S. guttata*](#) Zatwarnicki & Irwin, 2018 ^g
- [*S. guttipennis*](#) (Bigot, 1888) ^{c g}
- [*S. hawaiiensis*](#) Grimshaw, 1901 ^{c g}
- [*S. henanensis*](#) Zhang & Yang, 2005 ^{c g}
- [*S. hirticrus*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. ignara*](#) Cresson, 1931 ^{c g}
- [*S. immaculata*](#) Malloch, 1925 ^{c g}
- [*S. indistincta*](#) Becker, 1896 ^{c g}
- [*S. insularis*](#) Mathis & Wirth, 1981 ^{c g}
- [*S. irrorata*](#) (Macquart, 1835) ^{c g}
- [*S. kauaiensis*](#) (Wirth, 1948) ^{c g}

- [*S. kuscheli*](#) Wirth, 1955 ^{c g}
- [*S. lacustris*](#) Meigen, 1830 ^g
- [*S. lanicrus*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. laxa*](#) Cresson, 1933 ^{i c g}
- [*S. lindbergi*](#) Dahl, 1959 ^{c g}
- [*S. lutea*](#) Wirth, 1955 ^{c g}
- [*S. lutosa*](#) (Haliday, 1833) ^{c g}
- [*S. maculosa*](#) Canzoneri & Menghini, 1969 ^{c g}
- [*S. major*](#) Becker, 1908 ^{c g}
- [*S. marginalis*](#) Wirth, 1955 ^{c g}
- [*S. marinensis*](#) (Cresson, 1935) ^{i c g}
- [*S. masatierrensis*](#) Wirth, 1955 ^{c g}
- [*S. mauiensis*](#) (Wirth, 1948) ^{c g}
- [*S. megastoma*](#) (Zetterstedt, 1855) ^{c g}
- [*S. melanderi*](#) (Cresson, 1935) ^{i c g}
- [*S. minima*](#) Wirth, 1955 ^{c g}
- [*S. nanoptera*](#) Wirth, 1955 ^{c g}
- [*S. neglecta*](#) (Lamb, 1917) ^{c g}
- [*S. nelsoni*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. nipponica*](#) Miyagi, 1977 ^{c g}
- [*S. nitidithorax*](#) Malloch, 1925 ^{c g}
- [*S. norrisi*](#) Mathis & Wirth, 1981 ^{c g}
- [*S. notabilis*](#) Cresson, 1934 ^{c g}
- [*S. nubeculosa*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. oahuense*](#) Williams, 1938 ^{c g}
- [*S. obscura*](#) Williston, 1896 ^{i c g}
- [*S. obscurella*](#) Hendel, 1930 ^{c g}
- [*S. obscuriceps*](#) Cresson, 1915 ^{i c g}
- [*S. obsoleta*](#) Loew, 1861 ^{i c g}
- [*S. pallida*](#) Wirth, 1955 ^{c g}
- [*S. paludum*](#) (Meigen, 1830) ^{i c g}
- [*S. penai*](#) (Mathis & Shewell, 1978) ^c
- [*S. pentastigma*](#) (Thomson, 1869) ^{i c g}
- [*S. picea*](#) (Walker, 1849) ^{i c g b}
- [*S. pilifera*](#) Cresson, 1931 ^{c g}
- [*S. pilimana*](#) Wirth, 1955 ^{c g}

- [*S. pruinosa*](#) Dahl, 1961 ^{c g}
- [*S. pulla*](#) Cresson, 1931 ^{c g}
- [*S. quadrinotata*](#) Cresson, 1933 ^{i c g}
- [*S. rivalis*](#) Miyagi, 1977 ^{c g}
- [*S. rufipes*](#) Strobl, 1906 ^{c g}
- [*S. sanctipauli*](#) Schiner, 1868 ^{c g}
- [*S. savegre*](#) Mathis & Zumbado, 2005 ^{c g}
- [*S. semicinerea*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. semipolita*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. septemfenestrata*](#) Lamb, 1912 ^{c g}
- [*S. septempunctata*](#) Malloch, 1933 ^{c g}
- [*S. setosa*](#) Coquillett, 1900 ^{i c g}
- [*S. sexnotata*](#) Cresson, 1926 ^{c g}
- [*S. sexpunctata*](#) Malloch, 1933 ^{c g}
- [*S. shewelli*](#) Mathis & Zartwarnicki, 1995 ^{c g}
- [*S. silacea*](#) Loew, 1860 ^{c g}
- [*S. skottsbergi*](#) Wirth, 1957 ^{c g}
- [*S. spangleri*](#) (Mathis, 1979) ^{c g}
- [*S. spinicrus*](#) (Mathis & Shewell, 1978) ^{c g}
- [*S. stagnalis*](#) (Fallén, 1813) ^{i c g}
- [*S. stenoptera*](#) Wirth, 1955 ^{c g}
- [*S. stuckenbergi*](#) (Wirth, 1956)[5]
- [*S. sturdeeanus*](#) (Lamb, 1917) ^{c g}
- [*S. subguttata*](#) (Meigen, 1830) ^{c g}
- [*S. subvittata*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. tasmaniae*](#) Mathis & Wirth, 1981 ^{c g}
- [*S. tenuicosta*](#) Collin, 1930 ^{c g}
- [*S. terryi*](#) Cresson, 1926 ^{c g}
- [*S. thermarum*](#) Collin, 1930 ^{i c g}
- [*S. tonnoiri*](#) Hendel, 1931 ^{c g}
- [*S. triseta*](#) Coquillett, 1902 ^{i c g}
- [*S. troi*](#) Cresson, 1933 ^{i c g}
- [*S. unguiculata*](#) Tonnoir & Malloch, 1926 ^{c g}
- [*S. unguiculosa*](#) (Mathis, 1934) ^{c g}
- [*S. variofemorata*](#) Becker, 1903 ^{c g}
- [*S. varipennis*](#) Malloch, 1933 ^{c g}

- [*S. victoria*](#) (Cresson, 1935) ^c
- [*S. vittata*](#) Wirth, 1955 ^{c g}
- [*S. vittithorax*](#) Malloch, 1925 ^{c g}
- [*S. vulgata*](#) Cresson, 1931 ^{c g}
- [*S. warreni*](#) Cresson, 1926 ^{c g}
- [*S. williamsi*](#) (Wirth, 1948) ^{c g}
- [*S. wirthi*](#) Hardy, 1965 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 199 species in [*Scarites*](#), a genus of ground beetles in the family [*Carabidae*](#).[\[1\]\[2\]\[3\]\[4\]\[5\]](#)

***Scarites* species**

Subgenus *Orientolobus* Dostal, 1996

- [*Scarites beelsoni*](#) Andrewes, 1929
- [*Scarites birmanicus*](#) (Bates, 1892)
- [*Scarites lucidus*](#) (Chaudoir, 1881)
- [*Scarites modestus*](#) (Chaudoir, 1881)
- [*Scarites sexualis*](#) Bänninger, 1938
- [*Scarites stygicus*](#) (Chaudoir, 1881)
- [*Scarites vilhenai*](#) (Basilewsky, 1955)
- [*Scarites wittei*](#) (Bänninger, 1933)

Subgenus *Parallelomorphus* Motschulsky, 1849

- [*Scarites acutidens*](#) Chaudoir, 1855
- [*Scarites aterrimus*](#) A.Morawitz, 1863
- [*Scarites cultripalpis*](#) Quedenfeldt, 1883
- [*Scarites discoidalis*](#) Bänninger, 1938
- [*Scarites inconspicuus*](#) Chaudoir, 1855
- [*Scarites indus*](#) Olivier, 1795
- [*Scarites laevigatus*](#) Fabricius, 1792
- [*Scarites mandli*](#) Jedlicka, 1963
- [*Scarites nitidulus*](#) Klug, 1862
- [*Scarites punctum*](#) Wiedemann, 1823
- [*Scarites quadripunctatus*](#) Dejean, 1825
- [*Scarites semicircularis*](#) W.S.MacLeay, 1825
- [*Scarites subcylindricus*](#) Chaudoir, 1843
- [*Scarites subnitens*](#) Chaudoir, 1855
- [*Scarites terricola*](#) Bonelli, 1813

Subgenus *Scarites* Fabricius, 1775

- [*Scarites abbreviatus*](#) Dejean, 1825

[Scarites aestuans](#) Klug, 1853
[Scarites afghanus](#) Jedlicka, 1967
[Scarites angulifrons](#) Chaudoir, 1881
[Scarites angustesulcatus](#) Baehr, 2002
[Scarites angustus](#) (Chaudoir, 1855)
[Scarites anomalus](#) Andrewes, 1930
[Scarites anthracinus](#) Dejean, 1831
[Scarites atronitens](#) Fairmaire, 1887
[Scarites baenningeri](#) Emden, 1932
[Scarites barbarus](#) Dejean, 1825
[Scarites basiplicatus](#) Heyden, 1884
[Scarites batesi](#) Andrewes, 1929
[Scarites bengalensis](#) Dejean, 1826
[Scarites biangulatus](#) Fairmaire, 1898
[Scarites bokalensis](#) Bänninger, 1932
[Scarites bottegoi](#) Bänninger, 1937
[Scarites boucardi](#) Chaudoir, 1881
[Scarites bruchi](#) Bänninger, 1932
[Scarites bucida](#) (Pallas, 1776)
[Scarites buparius](#) (Forster, 1771)
[Scarites cayennensis](#) Dejean, 1825
[Scarites ceylonicus](#) Chaudoir, 1881
[Scarites colossus](#) Csiki, 1927
[Scarites comoricus](#) Alluaud, 1932
[Scarites corbetti](#) Andrewes, 1929
[Scarites cormoides](#) Andrewes, 1929
[Scarites costipennis](#) Péringuey, 1896
[Scarites crassus](#) Andrewes, 1929
[Scarites cycloderus](#) Chaudoir, 1881
[Scarites cyclops](#) Crotch, 1871
[Scarites cylindriciformis](#) Bänninger, 1933
[Scarites cylindronotus](#) Faldermann, 1836
[Scarites defletus](#) Bänninger, 1933
[Scarites denticulatus](#) Chaudoir, 1881
[Scarites derogatus](#) Andrewes, 1929
[Scarites distinguendus](#) Chaudoir, 1855
[Scarites doguereau](#) Gory, 1833
[Scarites dubiosus](#) Andrewes, 1929
[Scarites dyschromus](#) Chaudoir, 1855
[Scarites edentatus](#) Bänninger, 1932
[Scarites emarginatus](#) Herbst, 1806
[Scarites epaphius](#) Chaudoir, 1881
[Scarites estriatus](#) Fairmaire, 1887
[Scarites exaratus](#) Dejean, 1825
[Scarites excavatus](#) Kirby, 1819
[Scarites fairmairei](#) Bänninger, 1933
[Scarites fatuus](#) Karsch, 1881
[Scarites feanus](#) Bänninger, 1937
[Scarites ferus](#) Bänninger, 1933

[Scarites fletcheri](#) Andrewes, 1929
[Scarites granulatus](#) Andrewes, 1929
[Scarites guineensis](#) Dejean, 1831
[Scarites heterogrammus](#) Perty, 1830
[Scarites hypsipus](#) Alluaud, 1917
[Scarites illustris](#) Chaudoir, 1881
[Scarites impressus](#) Fabricius, 1801
[Scarites inaequalis](#) Fairmaire, 1893
[Scarites jakli](#) Bulirsch, 2017
[Scarites kabakovi](#) (Dostal, 1997)
[Scarites klapperichi](#) Bänninger, 1956
[Scarites limitaneus](#) Andrewes, 1932
[Scarites linearis](#) Boheman, 1848
[Scarites liopterus](#) Chaudoir, 1881
[Scarites liostracus](#) Alluaud, 1930
[Scarites lissopterus](#) Chaudoir, 1881
[Scarites lomaensis](#) Basilewsky, 1972
[Scarites longiusculus](#) Chaudoir, 1881
[Scarites lubricipennis](#) Minowa, 1932
[Scarites lunicollis](#) Bänninger, 1933
[Scarites madagascariensis](#) Dejean, 1831
[Scarites malangensis](#) Quedenfeldt, 1883
[Scarites mandarinus](#) Bänninger, 1928
[Scarites mandibularis](#) Andrewes, 1929
[Scarites marinus](#) Nichols, 1986
[Scarites mayumbensis](#) Bänninger, 1933
[Scarites melanarius](#) Dejean, 1831
[Scarites migiurtinus](#) G.Müller, 1944
[Scarites minowai](#) Habu, 1947
[Scarites natalensis](#) Boheman, 1848
[Scarites nigritus](#) Boheman, 1848
[Scarites nitens](#) Andrewes, 1929
[Scarites nitidiceps](#) Baehr, 2002
[Scarites ocalensis](#) Nichols, 1986
[Scarites orthomus](#) Chaudoir, 1855
[Scarites palawanensis](#) Bulirsch, 2017
[Scarites paraguayensis](#) Bänninger, 1928
[Scarites parallelus](#) Dejean, 1825
[Scarites passaloides](#) Quedenfeldt, 1883
[Scarites patroclus](#) Murray, 1857
[Scarites patruelis](#) LeConte, 1845
[Scarites perplexus](#) Dejean, 1825
[Scarites pinguis](#) Andrewes, 1929
[Scarites politus](#) Bonelli, 1813
[Scarites polyphemus](#) Herbst, 1806
[Scarites praedator](#) Chaudoir, 1881
[Scarites procerus](#) Dejean, 1825
[Scarites productus](#) Bänninger, 1933
[Scarites quadratus](#) Fabricius, 1801

[Scarites quadriceps](#) Chaudoir, 1843
[Scarites quadricostis](#) Chaudoir, 1881
[Scarites raptor](#) Andrewes, 1932
[Scarites reductus](#) Bänninger, 1933
[Scarites retusus](#) Andrewes, 1929
[Scarites richteri](#) Chaudoir, 1847
[Scarites rugiceps](#) Wiedemann, 1823
[Scarites rugosus](#) Wiedemann, 1821
[Scarites salinus](#) Dejean, 1825
[Scarites saxicola](#) Bonelli, 1813
[Scarites scaevus](#) Andrewes, 1929
[Scarites selene](#) Schmidt-Goebel, 1846
[Scarites senegalensis](#) Dejean, 1825
[Scarites similis](#) Chaudoir, 1881
[Scarites simogonus](#) Chaudoir, 1881
[Scarites stenodes](#) Andrewes, 1929
[Scarites stenops](#) Bousquet & Skelley, 2010
[Scarites striatus](#) Dejean, 1825
[Scarites strigifrons](#) Baehr, 2002
[Scarites subpatroclus](#) Basilewsky, 1972
[Scarites subrugatus](#) Chaudoir, 1881
[Scarites subterraneus](#) Fabricius, 1775
[Scarites sulcatus](#) Olivier, 1795
[Scarites tauropus](#) Andrewes, 1929
[Scarites tenebricosus](#) Dejean, 1831
[Scarites texanus](#) Chaudoir, 1881
[Scarites timorensis](#) Bänninger, 1949
[Scarites trachydermon](#) Andrewes, 1936
[Scarites turkestanicus](#) Heyden, 1884
[Scarites unicus](#) Minowa, 1932
[Scarites urbanus](#) Minowa, 1932
[Scarites vicinus](#) Chaudoir, 1843
[Scarites zambo](#) Steinheil, 1875

Subgenus *Taeniolobus* Chaudoir, 1855

[Scarites aberrans](#) Bänninger, 1941
[Scarites bonariensis](#) (Chaudoir, 1881)
[Scarites carinatus](#) Dejean, 1825
[Scarites convexipennis](#) Fairmaire, 1869
[Scarites convexusculus](#) (Chaudoir, 1881)
[Scarites corvinus](#) Dejean, 1831
[Scarites cubanus](#) (Bänninger, 1937)
[Scarites deplanatus](#) (Bänninger, 1937)
[Scarites dubius](#) Bänninger, 1941
[Scarites ecuadorensis](#) Bänninger, 1941
[Scarites furcatus](#) Bänninger, 1941
[Scarites giachinoi](#) (Bulirsch, 2019)
[Scarites gratus](#) (Chaudoir, 1855)

[*Scarites guerini*](#) (Chaudoir, 1855)
[*Scarites holcocranius*](#) (Chaudoir, 1881)
[*Scarites interpositus*](#) (Bänninger, 1933)
[*Scarites lebasii*](#) (Chaudoir, 1855)
[*Scarites meridionalis*](#) Bänninger, 1941
[*Scarites moreti*](#) (Bulirsch, 2021)
[*Scarites multisetosus*](#) Bänninger, 1941
[*Scarites oberthueri*](#) Bänninger, 1938
[*Scarites obliterated*](#) Bänninger, 1941
[*Scarites onorei*](#) (Bulirsch, 2019)
[*Scarites planatus*](#) Dejean, 1831
[*Scarites planiusculus*](#) (Chaudoir, 1855)
[*Scarites pronotalis*](#) Bänninger, 1941
[*Scarites reichei*](#) (Chaudoir, 1881)
[*Scarites rugatus*](#) (Chaudoir, 1881)
[*Scarites rugicollis*](#) Dejean, 1825
[*Scarites schubarti*](#) Bänninger, 1939
[*Scarites seriepunctatus*](#) (Bänninger, 1933)
[*Scarites setosus*](#) Bänninger, 1941
[*Scarites silvestris*](#) Laporte, 1835
[*Scarites spectabilis*](#) (Chaudoir, 1881)
[*Scarites subcostatus*](#) (Chaudoir, 1881)
[*Scarites subsulcatus*](#) Dejean, 1831
[*Scarites sulciceps*](#) (Chaudoir, 1855)
[*Scarites sulcifrons*](#) (Chaudoir, 1855)
[*Scarites thiemei*](#) (Bänninger, 1933)
[*Scarites vilcanotanus*](#) (Bänninger, 1932)
[*Scarites zikani*](#) Bänninger, 1941

Extinct, not assigned to subgenus

- †[*Scarites haidingeri*](#) Heer, 1861
- †[*Scarites mancus*](#) Zhang; Liu & Shangguan, 1989
- †[*Scarites robustiventris*](#) Theobald, 1937

References

This is a list of 270 species in [*Scaptomyza*](#), a genus of vinegar flies in the family [*Drosophilidae*](#).^{[1][2][3][4]}

Scaptomyza species

- [*Scaptomyza aberrans*](#) Hardy, 1965^{i c g}
- [*Scaptomyza abrupta*](#) Hackman^{i c g}

- [Scaptomyza acronastes](#) Hardy, 1965 ^{i c g}
- [Scaptomyza acuta](#) Nishiharu, 1979 ^{c g}
- [Scaptomyza adunca](#) Hardy, 1965 ^{i c g}
- [Scaptomyza adusta](#) (Loew, 1862) ^{i c g b}
- [Scaptomyza affinicuspidata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza albovittata](#) (Malloch) ^{i c g}
- [Scaptomyza aloha](#) Hackman ^{i c g}
- [Scaptomyza amplialata](#) Takada, Beppu & Toda, 1979 ^{c g}
- [Scaptomyza ampliloba](#) (Hardy, 1967) ^{c g}
- [Scaptomyza andina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza anechocerca](#) Hardy, 1965 ^{i c g}
- [Scaptomyza angustipennis](#) (Frey, 1954) ^{c g}
- [Scaptomyza anomala](#) Hardy, 1965 ^{i c g}
- [Scaptomyza apicata](#) (Thomson, 1969) ^{i c g}
- [Scaptomyza apiciguttula](#) Hardy, 1965 ⁱ
- [Scaptomyza apicigutulla](#) Hardy, 1965 ^{c g}
- [Scaptomyza apicipuncta](#) Malloch, 1934 ^{c g}
- [Scaptomyza apponopusilla](#) Hardy, 1965 ^{c g}
- [Scaptomyza apponpusilla](#) Hardy, 1965 ^{i g}
- [Scaptomyza argentifrons](#) Hardy, 1965 ^{i c g}
- [Scaptomyza articulata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza atahualpa](#) Hackman, 1959 ^{c g}
- [Scaptomyza atlantica](#) Hackman, 1955 ^{c g}
- [Scaptomyza australis](#) Malloch, 1923 ^{c g}
- [Scaptomyza baechlii](#) Sidorenko, 1993 ^{c g}
- [Scaptomyza basiloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza bicolor](#) Malloch, 1934 ^{c g}
- [Scaptomyza bilobata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza bipars](#) Hardy, 1965 ^{i c g}
- [Scaptomyza bipunctipennis](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza biseta](#) Malloch, 1932 ^{c g}
- [Scaptomyza bogotae](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza boninensis](#) Okada, 1973 ^{c g}
- [Scaptomyza brachycerca](#) Hardy, 1965 ^{i c g}
- [Scaptomyza brevilamellata](#) (Frey, 1954) ^{c g}
- [Scaptomyza brunnimaculata](#) Hardy, 1965 ^{i c g}

- [Scaptomyza bryani](#) (Wirth, 1952) ^{c g}
- [Scaptomyza bryanti](#) Hackman ^{i c g}
- [Scaptomyza buccata](#) Hackman ^{i c g}
- [Scaptomyza budnikae](#) Brncic, 1983 ^{c g}
- [Scaptomyza caliginosa](#) Hardy, 1967 ^{c g}
- [Scaptomyza camptochaetes](#) Hardy, 1965 ^{i c g}
- [Scaptomyza carinata](#) Okada, 1973 ^{c g}
- [Scaptomyza cerina](#) Hardy, 1965 ^{i c g}
- [Scaptomyza chauliodon](#) (Hardy, 1965) ^{c g}
- [Scaptomyza choi](#) Kang, Lee & Bahng, 1965 ^{c g}
- [Scaptomyza chylizosoma](#) (Seguy, 1938) ^{c g}
- [Scaptomyza clavata](#) Okada, 1973 ^{c g}
- [Scaptomyza clavifera](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza cnecosoma](#) Hardy, 1965 ^{i c g}
- [Scaptomyza cochleata](#) Burla, 1957 ^{c g}
- [Scaptomyza concinna](#) Hardy, 1965 ^{i c g}
- [Scaptomyza confusa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza connata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza consimilis](#) Hackman, 1955 ^{c g}
- [Scaptomyza contestata](#) (Hardy, 1967) ^{c g}
- [Scaptomyza coquilletti](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza cornuta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza crassifemur](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza cryptoloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza ctenophora](#) Hardy, 1965 ^{i c g}
- [Scaptomyza cuspidata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza cyrandraea](#) Hardy, 1965 ^{i g}
- [Scaptomyza cyrtandrae](#) Hardy, 1965 ^{c g}
- [Scaptomyza dankoi](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza decepta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza deemingi](#) Tsacas, 1972 ^{c g}
- [Scaptomyza deludens](#) Hardy, 1967 ^{c g}
- [Scaptomyza dentata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza denticauda](#) Malloch, 1934 ^{c g}
- [Scaptomyza devexa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza diaphorocerca](#) Hardy, 1965 ^{i c g}

- [Scaptomyza domita](#) Hardy, 1965 ^{i c g}
- [Scaptomyza dorsalis](#) Seguy, 1938 ^{c g}
- [Scaptomyza dubautiae](#) Hardy, 1965 ^{i c g}
- [Scaptomyza dubia](#) Hardy, 1965 ^{i c g}
- [Scaptomyza elmoi](#) Takada, 1970 ^{c g}
- [Scaptomyza eurystylata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza evexa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza exigua](#) (Grimshaw) ^{i c g}
- [Scaptomyza exilis](#) McEvey, 1990 ^{c g}
- [Scaptomyza fastigata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza finitima](#) Hardy, 1965 ^{i c g}
- [Scaptomyza flava](#) Fallen, 1823 ^{i c g b}
- [Scaptomyza flavella](#) Harrison, 1959 ^{c g}
- [Scaptomyza flavida](#) Hardy, 1965 ^{i c g}
- [Scaptomyza flavifacies](#) (Malloch, 1932) ^{c g}
- [Scaptomyza flaviventris](#) Hackman, 1959 ^{i c g}
- [Scaptomyza freyi](#) Hackman, 1959 ^{c g}
- [Scaptomyza frustulifera](#) (Frey, 1954) ^{c g}
- [Scaptomyza fuscifrons](#) Hackman ^{i c g}
- [Scaptomyza fuscinervis](#) Malloch, 1924 ^{c g}
- [Scaptomyza fuscitarsis](#) Harrison, 1959 ^{c g}
- [Scaptomyza gilvivilia](#) Hardy, 1965 ^{i g}
- [Scaptomyza gilvivilia](#) Hardy, 1965 ^{c g}
- [Scaptomyza glauca](#) (Hardy, 1965) ^{c g}
- [Scaptomyza gracilis](#) (Walker, 1853) ^{c g}
- [Scaptomyza grahami](#) Hackman, 1959 ^{c g}
- [Scaptomyza graminum](#) (Fallen, 1823) ^{i c g}
- [Scaptomyza griseola](#) (Zetterstedt, 1847) ^{c g}
- [Scaptomyza hackmani](#) Hardy, 1965 ^{i c g}
- [Scaptomyza hamata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza hardyi](#) Hackman ^{i c g}
- [Scaptomyza heedi](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza helvola](#) (Frey, 1954) ^{c g}
- [Scaptomyza hennigi](#) Hackman, 1959 ^{c g}
- [Scaptomyza hexasticha](#) Okada, 1973 ^{c g}
- [Scaptomyza himalayana](#) Takada, 1970 ^{c g}

- [Scaptomyza hirsuta](#) Wheeler, 1949^{i c g}
- [Scaptomyza horaeoptera](#) Tsacas & Cogan, 1976^{c g}
- [Scaptomyza horrida](#) (Frey, 1954)^{c g}
- [Scaptomyza hsui](#) Hackman, 1955^{i c g}
- [Scaptomyza ichneumon](#) (Knab, 1914)^{c g}
- [Scaptomyza impunctata](#) (Frey, 1945)^{c g}
- [Scaptomyza inaequalis](#) (Grimshaw)^{i c g}
- [Scaptomyza incerta](#) (Frey, 1954)^{c g}
- [Scaptomyza inermis](#) Hardy, 1965^{i c g}
- [Scaptomyza inflatus](#) (Kaneshiro, 1969)^{c g}
- [Scaptomyza infurcula](#) Hardy, 1965^{i c g}
- [Scaptomyza innotabilis](#) Hardy, 1965^{i c g}
- [Scaptomyza intermedia](#) (Duda, 1927)^c
- [Scaptomyza intricata](#) Hardy, 1965^{i c g}
- [Scaptomyza isopedon](#) Hardy, 1965^{i c g}
- [Scaptomyza kaavae](#) (Malloch, 1934)^{c g}
- [Scaptomyza kauaiensis](#) Hackman^{i c g}
- [Scaptomyza kilembea](#) Tsacas, 1972^{c g}
- [Scaptomyza latifrons](#) Malloch, 1932^{c g}
- [Scaptomyza latitergum](#) Hardy, 1965^{i c g}
- [Scaptomyza levata](#) Hardy, 1965^{i c g}
- [Scaptomyza lobifera](#) Hardy, 1965^{i c g}
- [Scaptomyza lonchoptera](#) (Hardy, 1965)^{c g}
- [Scaptomyza longipecten](#) Hackman^{i c g}
- [Scaptomyza longipennis](#) Seguy, 1938^{c g}
- [Scaptomyza longisetosa](#) Hackman^{i c g}
- [Scaptomyza macroptera](#) Wheeler & Takada, 1966^{c g}
- [Scaptomyza maculifera](#) Becker, 1919^{i c g}
- [Scaptomyza malada](#) Wheeler and Takada, 1966^{i c g}
- [Scaptomyza mateolata](#) McEvey, 1990^{c g}
- [Scaptomyza mauiensis](#) (Grimshaw)^{i c g}
- [Scaptomyza mecocera](#) Hardy, 1965^{i g}
- [Scaptomyza mecocerca](#) Hardy, 1965^{c g}
- [Scaptomyza mediana](#) Hardy, 1965^{i c g}
- [Scaptomyza mediopallens](#) Hackman^{i c g}
- [Scaptomyza melancholica](#) (Duda, 1927)^{c g}

- [Scaptomyza melanissima](#) Okada, 1966 ^{c g}
- [Scaptomyza meocerca](#) Hardy, 1965 ^{c g}
- [Scaptomyza merina](#) McEvey, 1990 ^{c g}
- [Scaptomyza mimitantalia](#) Tsacas & Cogan, 1976 ^{c g}
- [Scaptomyza mimula](#) Hardy, 1965 ^{i c g}
- [Scaptomyza mitchelli](#) Hackman ^{i c g}
- [Scaptomyza molokaiensis](#) Hardy, 1967 ^{c g}
- [Scaptomyza montana](#) Wheeler, 1949 ^{i g}
- [Scaptomyza monticola](#) (Grimshaw) ^{i c g}
- [Scaptomyza multidentata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza multispinosa](#) Malloch, 1934 ^{c g}
- [Scaptomyza mumfordi](#) Malloch, 1933 ^{c g}
- [Scaptomyza mutica](#) Hardy, 1965 ^{i c g}
- [Scaptomyza nasalis](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza neoandina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza neocyrtandrae](#) Burgunder, Rampasso, & O'Grady, 2022[5]
- [Scaptomyza neoevexa](#) O'Grady, Bonacum, Desalle & Val, 2003 ^{c g}
- [Scaptomyza neokauaiensis](#) O'Grady, Bonacum, Desalle & Val, 2003 ^{c g}
- [Scaptomyza neosilvicola](#) O'Grady, Bonacum, Desalle & Val, 2003 ^{c g}
- [Scaptomyza nigricosta](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza nigripalpis](#) Malloch, 1924 ^{c g}
- [Scaptomyza nigrita](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza nigrocella](#) Wheeler, 1949 ^{i c g}
- [Scaptomyza nigrosignata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza noei](#) Brncic, 1955 ^{c g}
- [Scaptomyza oahuensis](#) Hardy, 1967 ^{c g}
- [Scaptomyza obscuricornis](#) (Grimshaw) ^{i c g}
- [Scaptomyza obscurifrons](#) (Grimshaw) ^{i c g}
- [Scaptomyza ochromata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza okadai](#) Hackman, 1959 ^{c g}
- [Scaptomyza ostensa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza oxyphallus](#) Tsacas, 1990 ^{c g}
- [Scaptomyza palata](#) (Hardy, 1965) ^{c g}
- [Scaptomyza pallida](#) (Zetterstedt, 1847) ^{i c g b}
- [Scaptomyza pallifrons](#) Hackman ^{i c g}
- [Scaptomyza palmae](#) Hardy, 1965 ^{i c g}

- [Scaptomyza paradusta](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza paralobae](#) Hardy, 1965 ^{i c g}
- [Scaptomyza parandina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza parasplendens](#) Okada, 1966 ^{c g}
- [Scaptomyza paravittata](#) Wheeler, 1952 ^{i c g}
- [Scaptomyza parva](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza pectinifera](#) (Frey, 1954) ^{c g}
- [Scaptomyza penicula](#) Hardy, 1965 ^{i c g}
- [Scaptomyza perkinsi](#) (Grimshaw, 1901) ^{c g}
- [Scaptomyza personata](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza philipensis](#) Bock, 1986 ^{c g}
- [Scaptomyza photophilia](#) Hardy, 1965 ^{i c g}
- [Scaptomyza phryxothrix](#) Hardy, 1965 ^{i c g}
- [Scaptomyza picifemorata](#) Hackman, 1959 ^{c g}
- [Scaptomyza platyrhina](#) Hardy, 1967 ^{c g}
- [Scaptomyza pleurolineata](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza polygonia](#) Okada, 1956 ^{c g}
- [Scaptomyza protensa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza prunctivena](#) Hardy, 1965 ^{i g}
- [Scaptomyza pseudovittata](#) Brncic, 1955 ^{c g}
- [Scaptomyza punctivena](#) Hardy, 1965 ^{c g}
- [Scaptomyza pusilla](#) (Grimshaw) ^{i c g}
- [Scaptomyza pygaea](#) Tsacas, 1990 ^{c g}
- [Scaptomyza quadridentata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza quadriseriata](#) Malloch, 1934 ^{c g}
- [Scaptomyza quadruangulata](#) Singh & Dash, 1993 ^{c g}
- [Scaptomyza recava](#) Hardy, 1965 ^{i c g}
- [Scaptomyza recta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza reducta](#) (Hardy, 1965) ^{c g}
- [Scaptomyza remota](#) (Walker, 1849) ^{c g}
- [Scaptomyza retusa](#) Hardy, 1965 ^{i c g}
- [Scaptomyza robusta](#) Hardy, 1965 ^{i c g}
- [Scaptomyza rostrata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza rotundiloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza ruficornis](#) (Meigen, 1838) ^{c g}
- [Scaptomyza salvadorae](#) Wheeler & Takada, 1966 ^{c g}

- [Scaptomyza samurai](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza santacruz](#) Val, 1983 ^{c g}
- [Scaptomyza santahelenica](#) Tsacas & Cogan, 1976 ^{c g}
- [Scaptomyza scoliops](#) Hardy, 1965 ^{i c g}
- [Scaptomyza scoloplichas](#) Hardy, 1965 ^{i c g}
- [Scaptomyza semiflava](#) Hardy, 1965 ^{i c g}
- [Scaptomyza setiger](#) Hardy, 1965 ^{i c g}
- [Scaptomyza setosa](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza setosiloba](#) Hardy, 1965 ^{i c g}
- [Scaptomyza setosiscutellum](#) (Hardy, 1965) ^{c g}
- [Scaptomyza sichuanica](#) Sidorenko, 1995 ^{c g}
- [Scaptomyza silvata](#) Okada, 1966 ^{c g}
- [Scaptomyza silvicola](#) Hardy, 1965 ^{i c g}
- [Scaptomyza sinica](#) Lin & Ting, 1971 ^{c g}
- [Scaptomyza spiculipennis](#) Takada & Momma, 1975 ^{c g}
- [Scaptomyza spilota](#) Hardy, 1965 ^{i c g}
- [Scaptomyza spinipalpis](#) Seguy, 1934 ^{c g}
- [Scaptomyza stamineifrons](#) Hackman ^{i g}
- [Scaptomyza stramineifrons](#) Hackman, 1962 ^{c g}
- [Scaptomyza stratifrons](#) Hackman ^{i g}
- [Scaptomyza striaticeps](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza striatifrons](#) Hackman, 1959 ^{c g}
- [Scaptomyza subandina](#) Wheeler & Takada, 1966 ^{c g}
- [Scaptomyza subsplendens](#) (Duda, 1935) ^{c g}
- [Scaptomyza substrigata](#) Meijere, 1914 ^{c g}
- [Scaptomyza subvittata](#) Hackman, 1959 ^{c g}
- [Scaptomyza swezeyi](#) (Wirth, 1952) ^{c g}
- [Scaptomyza taigensis](#) Sidorenko & Toda, 1996 ^{c g}
- [Scaptomyza taiwanica](#) Lin & Ting, 1971 ^{c g}
- [Scaptomyza teinoptera](#) Hackman, 1955 ^{i c g}
- [Scaptomyza tenuata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza terminalis](#) (Loew, 1863) ^{i c g}
- [Scaptomyza throcmortoni](#) Hardy, 1967 ^{c g}
- [Scaptomyza tistai](#) Kumar & Gupta, 1991 ^{c g}
- [Scaptomyza trivittata](#) Hardy, 1965 ^{i c g}
- [Scaptomyza trochanterata](#) Collin, 1953 ^{i c g}

- [*Scaptomyza tumidula*](#) Hardy, 1965^{i c g}
- [*Scaptomyza uliginosa*](#) Hardy, 1965^{i c g}
- [*Scaptomyza umbrosa*](#) Hardy, 1965^{i c g}
- [*Scaptomyza undulata*](#) (Grimshaw, 1901)^{c g}
- [*Scaptomyza unipunctum*](#) (Zetterstedt, 1847)^{i c g}
- [*Scaptomyza univitta*](#) Hardy, 1965^{i c g}
- [*Scaptomyza vagabunda*](#) Hardy, 1965^{i c g}
- [*Scaptomyza varia*](#) Hardy, 1965^{i c g}
- [*Scaptomyza varifrons*](#) (Grimshaw)^{i c g}
- [*Scaptomyza varipicta*](#) Hardy, 1965^{i c g}
- [*Scaptomyza villosa*](#) Hardy, 1965^{i c g}
- [*Scaptomyza vittata*](#) (Coquillett, 1895)^{i c g}
- [*Scaptomyza vittiger*](#) (Hardy, 1965)^{c g}
- [*Scaptomyza waialealeae*](#) Hardy, 1965^{i c g}
- [*Scaptomyza wheeleri*](#) Hackman, 1959^{i c g b}
- [*Scaptomyza xanthopleura*](#) Hardy, 1965^{i c g}
- [*Scaptomyza yakutica*](#) Sidorenko & Toda, 1996^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 175 species in [*Scaphytopius*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3][4]}

***Scaphytopius* species**

- [*Scaphytopius abbreviatus*](#) DeLong 1916^{c g}
- [*Scaphytopius abutus*](#) DeLong 1980^{c g}
- [*Scaphytopius acuminatus*](#) DeLong 1943^{c g}
- [*Scaphytopius acutus*](#) (Say, 1830)^{c g b} (sharp-nosed leafhopper)
- [*Scaphytopius aequinoctialis*](#) Van Duzee 1933^{c g}
- [*Scaphytopius aequus*](#) DeLong 1943^{c g}
- [*Scaphytopius alas*](#) DeLong 1943^{c g}
- [*Scaphytopius albascutellus*](#) Caldwell 1952^{c g}
- [*Scaphytopius albifrons*](#) Hepner 1946^{c g}
- [*Scaphytopius albocephalus*](#) DeLong 1943^{c g}
- [*Scaphytopius albocinctus*](#) DeLong 1943^{c g}

- [Scaphytopius albolutescens](#) Zanol 2000 ^{c g}
- [Scaphytopius albomarginatus](#) DeLong 1943 ^{c g}
- [Scaphytopius altus](#) DeLong 1944 ^{c g}
- [Scaphytopius amazonicus](#) Zanol 2000 ^{c g}
- [Scaphytopius amplinotus](#) Hepner 1946 ^{c g}
- [Scaphytopius anadamus](#) DeLong 1943 ^{c g}
- [Scaphytopius analis](#) Van Duzee 1923 ^{c g}
- [Scaphytopius andromus](#) Ball 1931 ^{c g}
- [Scaphytopius angustatus](#) (Osborn, 1905) ^{c g b}
- [Scaphytopius anisacanus](#) Ball 1931 ^{c g}
- [Scaphytopius anticus](#) Stål 1862 ^{c g}
- [Scaphytopius apertus](#) DeLong 1943 ^{c g}
- [Scaphytopius appendiculatus](#) Zanol 2000 ^{c g}
- [Scaphytopius arcuatus](#) DeLong 1944 ^{c g}
- [Scaphytopius argutus](#) (DeLong, 1945) ^{c g b}
- [Scaphytopius atrafrons](#) DeLong 1943 ^{c g}
- [Scaphytopius atrifrons](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius barroensis](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius bifidellus](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius biflavus](#) Cwikla & Freytag 1982 ^{c g}
- [Scaphytopius bolivianus](#) Oman 1938 ^{c g}
- [Scaphytopius brevis](#) Van Duzee 1907 ^{c g}
- [Scaphytopius brunneus](#) Hepner 1946 ^{c g}
- [Scaphytopius caldwelli](#) DeLong 1943 ^{c g}
- [Scaphytopius californiensis](#) Hepner 1946 ^{c g}
- [Scaphytopius calliandrus](#) Ball 1931 ^{c g}
- [Scaphytopius campester](#) DeLong 1943 ^{c g}
- [Scaphytopius canus](#) Hepner 1946 ^{c g}
- [Scaphytopius carasensis](#) Linnavuori & Heller 1961 ^{c g}
- [Scaphytopius carenatus](#) Zanol 2000 ^{c g}
- [Scaphytopius celtidis](#) Ball 1931 ^{c g}
- [Scaphytopius chiquitanus](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius cinctus](#) DeLong 1943 ^{c g}
- [Scaphytopius cinereus](#) Osborn & Ball 1897 ^{c g}
- [Scaphytopius cinnamoneus](#) (Osborn, 1915) ^b
- [Scaphytopius collaris](#) Sanders & DeLong 1919 ^{c g}

- [Scaphytopius contractus](#) Hepner 1946 ^{c g}
- [Scaphytopius cornutus](#) DeLong 1944 ^{c g}
- [Scaphytopius cruzianus](#) Metcalf 1967 ^{c g}
- [Scaphytopius cumbresus](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius curtus](#) DeLong 1944 ^{c g}
- [Scaphytopius delongi](#) McKamey & Hicks 2007 ^{c g}
- [Scaphytopius deltensis](#) Hepner 1946 ^{c g}
- [Scaphytopius desertanus](#) Ball, 1931 ^{c g b}
- [Scaphytopius diabolus](#) Van Duzee 1925 ^{c g}
- [Scaphytopius dilatus](#) DeLong 1944 ^{c g}
- [Scaphytopius divisus](#) DeLong 1944 ^{c g}
- [Scaphytopius dodonanus](#) Ball 1931 ^{c g}
- [Scaphytopius dorsalis](#) Ball 1909 ^{c g}
- [Scaphytopius dubius](#) Van Duzee 1910 ^{c g}
- [Scaphytopius duocolorus](#) DeLong 1943 ^{c g}
- [Scaphytopius eburneus](#) Zanol 2000 ^{c g}
- [Scaphytopius elegans](#) ^b
- [Scaphytopius elongatus](#) DeLong 1944 ^{c g}
- [Scaphytopius expansus](#) Linnavuori & Heller 1961 ^{c g}
- [Scaphytopius falcatus](#) DeLong 1943 ^{c g}
- [Scaphytopius fasciatus](#) DeLong 1944 ^{c g}
- [Scaphytopius ferruginosus](#) Zanol 2000 ^{c g}
- [Scaphytopius flavens](#) DeLong 1943 ^{c g}
- [Scaphytopius flavifrons](#) Hepner 1946 ^{c g}
- [Scaphytopius fluxus](#) DeLong 1943 ^{c g}
- [Scaphytopius frontalis](#) Van Duzee, 1890 ^{c g b} (yellowfaced leafhopper)
- [Scaphytopius fuliginosus](#) Osborn 1923 ^{c g}
- [Scaphytopius fulvostriatus](#) Linnavuori 1959 ^{c g}
- [Scaphytopius fulvus](#) (Osborn, 1905) ^{c g b}
- [Scaphytopius furcifer](#) Linnavuori 1959 ^{c g}
- [Scaphytopius fuscicephalus](#) Hepner 1946 ^{c g}
- [Scaphytopius fuscifrons](#) Van Duzee 1894 ^{c g}
- [Scaphytopius goodi](#) DeLong 1943 ^{c g}
- [Scaphytopius graneticus](#) Ball 1931 ^{c g}
- [Scaphytopius guterranus](#) Ball 1931 ^{c g}
- [Scaphytopius hambletoni](#) DeLong 1944 ^{c g}

- [Scaphytopius hebatus](#) DeLong 1943 ^{c g}
- [Scaphytopius heldoranus](#) Ball 1931 ^{c g}
- [Scaphytopius hilaris](#) Linnavuori 1959 ^{c g}
- [Scaphytopius hymenocleae](#) Van Duzee 1923 ^{c g}
- [Scaphytopius iadmon](#) Linnavuori 1973 ^{c g}
- [Scaphytopius insolitus](#) Hepner 1946 ^{c g}
- [Scaphytopius irroratus](#) Van Duzee 1910 ^{c g}
- [Scaphytopius irrorellus](#) DeLong 1944 ^{c g}
- [Scaphytopius isabellinus](#) Zanol 2000 ^{c g}
- [Scaphytopius jandacephalus](#) Caldwell 1952 ^{c g}
- [Scaphytopius jocosus](#) Van Duzee 1923 ^{c g}
- [Scaphytopius labellus](#) DeLong 1980 ^{c g}
- [Scaphytopius latens](#) DeLong 1943 ^{c g}
- [Scaphytopius latidens](#) DeLong 1944 ^{c g}
- [Scaphytopius latus](#) (Baker, 1900) ^{c g b}
- [Scaphytopius limbatus](#) Osborn 1926 ^{c g}
- [Scaphytopius limbramentus](#) DeLong 1943 ^{c g}
- [Scaphytopius lineacephalus](#) Caldwell 1952 ^{c g}
- [Scaphytopius lineafrons](#) DeLong 1943 ^{c g}
- [Scaphytopius lineus](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius linnavuorii](#) McKamey&Hicks2007 ^{c g}
- [Scaphytopius loricatus](#) (Van Duzee, 1894) ^{i c g}
- [Scaphytopius lumenotus](#) DeLong 1943 ^{c g}
- [Scaphytopius luteus](#) DeLong 1944 ^{c g}
- [Scaphytopius maculosus](#) DeLong 1944 ^{c g}
- [Scaphytopius magdalenensis](#) Provancher, 1889 ^{c g b} (blueberry leafhopper)
- [Scaphytopius majestus](#) (Ball, 1909) ^b
- [Scaphytopius marginelineatus](#) Stål 1859 ^{c g}
- [Scaphytopius marginellus](#) DeLong 1944 ^{c g}
- [Scaphytopius marginifrons](#) DeLong 1943 ^{c g}
- [Scaphytopius meridianus](#) Hepner 1946 ^{c g}
- [Scaphytopius modicus](#) Hepner 1946 ^{c g}
- [Scaphytopius monticolus](#) DeLong 1944 ^{c g}
- [Scaphytopius nanus](#) Van Duzee 1907 ^{c g}
- [Scaphytopius nasutus](#) Van Duzee 1907 ^{c g}
- [Scaphytopius neloricatus](#) Caldwell 1952 ^{c g}

- [Scaphytopius nigricollis](#) Ball, 1916 ^{c g b}
- [Scaphytopius nigrifrons](#) DeLong, 1923 ^{c g b}
- [Scaphytopius nigrinotus](#) Caldwell 1952 ^{c g}
- [Scaphytopius nigriviridis](#) Ball 1909 ^{c g}
- [Scaphytopius nitridus](#) DeLong 1943 ^{c g}
- [Scaphytopius obajuba](#) Zanol 2000 ^{c g}
- [Scaphytopius obatubira](#) Zanol 2000 ^{c g}
- [Scaphytopius oinomaos](#) Linnavuori 1973 ^{c g}
- [Scaphytopius oregonensis](#) (Baker, 1900) ^{c g b}
- [Scaphytopius osborni](#) Van Duzee 1910 ^{c g}
- [Scaphytopius pallescens](#) Linnavuori & DeLong 1979 ^{c g}
- [Scaphytopius pallidicapitatus](#) Hepner 1946 ^{c g}
- [Scaphytopius pallidiscutus](#) Hepner 1946 ^{c g}
- [Scaphytopius pallidus](#) DeLong 1944 ^{c g}
- [Scaphytopius paraguayensis](#) Cheng 1980 ^{c g}
- [Scaphytopius parallelus](#) DeLong 1943 ^{c g}
- [Scaphytopius paulistanus](#) Zanol 2000 ^{c g}
- [Scaphytopius pennatus](#) Hepner 1946 ^{c g}
- [Scaphytopius peruigua](#) Zanol 2000 ^{c g}
- [Scaphytopius picturata](#) Osborn 1924 ^{c g}
- [Scaphytopius piperatus](#) DeLong 1943 ^{c g}
- [Scaphytopius plummeri](#) DeLong 1943 ^{c g}
- [Scaphytopius quinquenotus](#) DeLong 1943 ^{c g}
- [Scaphytopius radiatus](#) Hepner 1946 ^{c g}
- [Scaphytopius retusus](#) Van Duzee 1937 ^{c g}
- [Scaphytopius rotundiceps](#) Linnavuori 1959 ^{c g}
- [Scaphytopius rubellus](#) Sanders & DeLong, 1919 ^{c g b}
- [Scaphytopius rubidus](#) DeLong 1980 ^{c g}
- [Scaphytopius rubranotus](#) DeLong 1944 ^{c g}
- [Scaphytopius saginatus](#) Linnavuori 1959 ^{c g}
- [Scaphytopius schuezi](#) Linnavuori & Heller 1961 ^{c g}
- [Scaphytopius scriptus](#) Ball 1909 ^{c g}
- [Scaphytopius scutellatus](#) Van Duzee 1923 ^{c g}
- [Scaphytopius serratus](#) DeLong 1943 ^{c g}
- [Scaphytopius serrellus](#) DeLong 1944 ^{c g}
- [Scaphytopius slossoni](#) Van Duzee 1910 ^{c g}

- [Scaphytopius spadix](#) DeLong 1943 ^{c g}
- [Scaphytopius speciosus](#) Van Duzee 1923 ^{c g}
- [Scaphytopius spinosus](#) DeLong & Linnavuori 1978 ^{c g}
- [Scaphytopius stonei](#) DeLong 1943 ^{c g}
- [Scaphytopius subniger](#) DeLong 1943 ^{c g}
- [Scaphytopius sulphureus](#) Osborn 1923 ^{c g}
- [Scaphytopius thea](#) Linnavuori & DeLong 1979 ^{c g}
- [Scaphytopius torridus](#) Ball 1916 ^{c g}
- [Scaphytopius transversalis](#) Linnavuori 1959 ^{c g}
- [Scaphytopius triangularis](#) DeLong, 1945 ^{c g b}
- [Scaphytopius trilineatus](#) Ball 1916 ^{c g}
- [Scaphytopius tripunctatus](#) DeLong 1943 ^{c g}
- [Scaphytopius utahensis](#) Hepner 1946 ^{c g}
- [Scaphytopius verecundus](#) Van Duzee, 1910 ^{c g b}
- [Scaphytopius vermiculatus](#) DeLong 1943 ^{c g}
- [Scaphytopius vinculatus](#) Linnavuori & DeLong 1978 ^{c g}
- [Scaphytopius vinculus](#) DeLong 1943 ^{c g}
- [Scaphytopius virescens](#) Zanol 2000 ^{c g}
- [Scaphytopius viridicephalus](#) Hepner 1946 ^{c g}
- [Scaphytopius vittifrons](#) Hepner 1946 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 126 species in [Saropogon](#), a genus of robber flies in the family [Asilidae](#).^{[1][2][3][4]}

Saropogon species

- [Saropogon abbreviatus](#) Johnson, 1903 ^{i g b}
- [Saropogon aberrans](#) Loew, 1857 ^{c g}
- [Saropogon albicans](#) Janssens, 1961 ^{c g}
- [Saropogon albifrons](#) Back, 1904 ^{i c g}
- [Saropogon alternatus](#) Loew, 1873 ^{c g}
- [Saropogon antipodus](#) Schiner, 1868 ^{c g}
- [Saropogon aretalogus](#) Seguy, 1953 ^{c g}
- [Saropogon atricolor](#) Loew, 1857 ^{c g}
- [Saropogon aurifrons](#) (Macquart, 1849) ^{c g}

- [*Saropogon axillaris*](#) Loew, 1851 ^{c g}
- [*Saropogon beckeri*](#) Villeneuve, 1922 ^{c g}
- [*Saropogon bijani*](#) Abbassian-Lintzen, 1964 ^{c g}
- [*Saropogon birdi*](#) Curran, 1931 ^{i c g}
- [*Saropogon bryanti*](#) Wilcox, 1966 ^{i c g b}
- [*Saropogon castaneicornis*](#) (Macquart, 1838) ^{c g}
- [*Saropogon celaenopterus*](#) Janssens, 1968 ^{c g}
- [*Saropogon chathamensis*](#) Hutton, 1901 ^{c g}
- [*Saropogon clarkii*](#) Hutton, 1901 ^{c g}
- [*Saropogon clausus*](#) Becker, 1906 ^{c g}
- [*Saropogon combustus*](#) Loew, 1874 ^{i c g}
- [*Saropogon comosus*](#) Loew, 1869 ^{c g}
- [*Saropogon coquilletti*](#) Back, 1909 ^{c g b}
- [*Saropogon coquillettii*](#) Back, 1909 ⁱ
- [*Saropogon dasynotus*](#) Loew, 1871 ^{c g}
- [*Saropogon discus*](#) (Walker, 1849) ^{c g}
- [*Saropogon dispar*](#) Coquillett, 1902 ^{i c g b}
- [*Saropogon dissimulans*](#) White, 1918 ^{c g}
- [*Saropogon distinctus*](#) Becker, 1906 ^{c g}
- [*Saropogon dubiosus*](#) Theodor, 1980 ^{c g}
- [*Saropogon ehrenbergii*](#) Loew, 1851 ^{c g}
- [*Saropogon elbaiensis*](#) Efflatoun, 1937 ^{c g}
- [*Saropogon eucerus*](#) (Loew, 1847) ^{c g}
- [*Saropogon extenuatus*](#) Hutton, 1901 ^{c g}
- [*Saropogon fascipes*](#) Hutton, 1902 ^{c g}
- [*Saropogon flavicinctus*](#) (Wiedemann, 1820) ^{c g}
- [*Saropogon flavofacialis*](#) Hull, 1956 ^{c g}
- [*Saropogon fletcheri*](#) Bromley, 1934 ^{i c g}
- [*Saropogon frontalis*](#) Loew, 1869 ^{c g}
- [*Saropogon fucatus*](#) Loew, 1869 ^{c g}
- [*Saropogon fugiens*](#) Hutton, 1901 ^{c g}
- [*Saropogon fulvicornis*](#) (Macquart, 1850) ^c
- [*Saropogon fulvus*](#) Theodor, 1980 ^{c g}
- [*Saropogon galilaeus*](#) Theodor, 1980 ^{c g}
- [*Saropogon geniculatus*](#) Loew, 1869 ^{c g}
- [*Saropogon gigas*](#) Becker & Stein, 1913 ^{c g}

- [*Saropogon greatheadi*](#) Londt, 1997 ^{c g}
- [*Saropogon hispanicus*](#) Strobl, 1906 ^{c g}
- [*Saropogon hudsoni*](#) Hutton, 1901 ^{c g}
- [*Saropogon hulli*](#) Joseph & Parui, 1981 ^{c g}
- [*Saropogon hyalinus*](#) Coquillett, 1904 ^{i c g}
- [*Saropogon hypomelas*](#) (Loew, 1866) ^{i c g b}
- [*Saropogon incisuratus*](#) Wulp, 1899 ^{c g}
- [*Saropogon jucundus*](#) (Wulp, 1872) ^{c g}
- [*Saropogon jugulum*](#) (Loew, 1847) ^{c g}
- [*Saropogon kenyensis*](#) Londt, 1997 ^{c g}
- [*Saropogon lamperti*](#) Becker, 1906 ^{c g}
- [*Saropogon laparoides*](#) Bromley, 1951 ^{i c g}
- [*Saropogon latecinctus*](#) Becker, 1906 ^{c g}
- [*Saropogon leucocephalus*](#) (Meigen, 1820) ^{c g}
- [*Saropogon leucogenus*](#) Seguy, 1953 ^{c g}
- [*Saropogon lhoti*](#) Seguy, 1938 ^{c g}
- [*Saropogon limbinevris*](#) (Macquart, 1855) ^{c g}
- [*Saropogon londti*](#) Parui, 1999 ^{c g}
- [*Saropogon longicornis*](#) (Macquart, 1838) ^{c g}
- [*Saropogon luctuosus*](#) (Wiedemann, 1820) ^{c g}
- [*Saropogon luteus*](#) Coquillett, 1904 ^{i c g b}
- [*Saropogon maculipennis*](#) (Brunetti, 1928) ^{c g}
- [*Saropogon maroccanus*](#) Seguy, 1930 ^{c g}
- [*Saropogon meghalayensis*](#) Parui, 1999 ^{c g}
- [*Saropogon megriensis*](#) Richter, 1966 ^{c g}
- [*Saropogon melampygius*](#) (Loew, 1851) ^{c g}
- [*Saropogon melanophrus*](#) Bigot, 1878 ^{c g}
- [*Saropogon mellipes*](#) Bromley, 1934 ^{c g}
- [*Saropogon mofidii*](#) Abbassian-Lintzen, 1964 ^{c g}
- [*Saropogon mohawki*](#) Wilcox, 1966 ^{i c g b}
- [*Saropogon monachus*](#) Janssens, 1960 ^{c g}
- [*Saropogon nepalensis*](#) Parui, 1999 ^{c g}
- [*Saropogon nigratarsus*](#) Hull, 1956 ^{c g}
- [*Saropogon nigriventris*](#) Frey, 1958 ^{c g}
- [*Saropogon nigronasutum*](#) Bigot, 1878 ^{c g}
- [*Saropogon nitidus*](#) Wilcox, 1966 ^{i c g b}

- [*Saropogon notatus*](#) Loew, 1869 ^{c g}
- [*Saropogon obesulus*](#) Loew, 1869 ^{c g}
- [*Saropogon obscuripennis*](#) (Macquart, 1849) ^{c g}
- [*Saropogon olivierii*](#) (Macquart, 1838) ^c
- [*Saropogon perlatus*](#) Costa, 1884 ^{c g}
- [*Saropogon philocalus*](#) Seguy, 1941 ^{c g}
- [*Saropogon pittoproctus*](#) Loew, 1873 ^{c g}
- [*Saropogon platynotus*](#) (Loew, 1847) ^{c g}
- [*Saropogon pollinosus*](#) Loew, 1869 ^{c g}
- [*Saropogon pritchardi*](#) Bromley, 1934 ^{i c g b}
- [*Saropogon proximus*](#) Hutton, 1901 ^{c g}
- [*Saropogon pseudojugulum*](#) Theodor, 1980 ^{c g}
- [*Saropogon pulcherimus*](#) Williston, 1901 ^{c g}
- [*Saropogon pulverulentus*](#) Wulp, 1899 ^{c g}
- [*Saropogon punctipennis*](#) Frey, 1958 ^{c g}
- [*Saropogon purus*](#) Curran, 1930 ^{i c g b}
- [*Saropogon revivensis*](#) Theodor, 1980 ^{c g}
- [*Saropogon rubricosus*](#) Bezzi, 1916 ^{c g}
- [*Saropogon rubriventris*](#) Wulp, 1899 ^{c g}
- [*Saropogon rufipes*](#) (Gimmerthal, 1847) ^{c g}
- [*Saropogon scalaris*](#) Bigot, 1878 ^{c g}
- [*Saropogon semirubra*](#) Meijere, 1914 ^{c g}
- [*Saropogon semiustus*](#) Coquillett, 1904 ^{i c g}
- [*Saropogon senex*](#) Osten Sacken, 1887 ^{i c g}
- [*Saropogon sodalis*](#) Loew, 1869 ^{c g}
- [*Saropogon solus*](#) Bromley, 1951 ^{i c g}
- [*Saropogon specularis*](#) Bezzi, 1916 ^{c g}
- [*Saropogon srilankaensis*](#) Joseph & Parui, 1995 ^{c g}
- [*Saropogon subauratus*](#) (Walker, 1854) ^{c g}
- [*Saropogon tassilaensis*](#) Seguy, 1953 ^{c g}
- [*Saropogon thailandensis*](#) Tomasovic & Grootaert, 2003 ^{c g}
- [*Saropogon tiberiadis*](#) Theodor, 1980 ^{c g}
- [*Saropogon ticinense*](#) Bezzi, 1892 ^{c g}
- [*Saropogon tigris*](#) Parui, 1999 ^{c g}
- [*Saropogon treibensis*](#) Theodor, 1980 ^{c g}
- [*Saropogon trispiculum*](#) Tomasovic, 2005 ^{c g}

- [*Saropogon varians*](#) Bigot, 1888 ^{c g}
- [*Saropogon velutinus*](#) Carrera & Papavero, 1962 ^{c g}
- [*Saropogon verticalis*](#) Oldroyd, 1958 ^{c g}
- [*Saropogon vestitus*](#) (Wiedemann, 1828) ^{c g}
- [*Saropogon viduus*](#) (Walker, 1849) ^{c g}
- [*Saropogon weissii*](#) Bezzi, 1910 ^{c g}
- [*Saropogon wilcoxi*](#) Papavero, 1971 ^{c g}
- [*Saropogon zinidi*](#) Londt, 1997 ^{c g}
- [*Saropogon zopheropterus*](#) Janssens, 1969 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Saropogon Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-21.
 - ["Browse Saropogon"](#). Catalogue of Life. Retrieved 2018-04-21.
 - ["Saropogon"](#). GBIF. Retrieved 2018-04-21.
 -
4. ["Saropogon Genus Information"](#). BugGuide.net. Retrieved 2018-04-21.

Categories:

- [Asilidae](#)
- [Lists of insect species](#)
- [Lists of flies](#)
-

This is a list of species in [Sargus](#), a genus of soldier flies in the family [Stratiomyidae](#).^[1]

Sargus species

- [Sargus albibarbus](#) Loew, 1855^[2]
- [Sargus albopilosus](#) Meijere, 1906
- [Sargus alchidas](#) Walker, 1849^[3]
- [Sargus analis](#) (Williston, 1888)^[4]
- [Sargus atrobasis](#) (James, 1941)

- [*Sargus aureopilosus*](#) McFadden, 1982[5]
- [*Sargus aurora*](#) (Lindner, 1935)[6]
- [*Sargus baculventerus*](#) Yang & Chen, 1993
- [*Sargus bagosas*](#) Walker, 1849[3]
- [*Sargus beppui*](#) Nagatomi, 1990
- [*Sargus bipunctatus*](#) (Scopoli, 1763)[7]
- [*Sargus brasiliensis*](#) Wiedemann, 1830[8]
- [*Sargus brevis*](#) Yang, Zhang & Li, 2014[9]
- [*Sargus caeruleapex*](#) McFadden, 1982
- [*Sargus chrysis*](#) Loew, 1855[2]
- [*Sargus circumcinctus*](#) (James, 1941)
- [*Sargus cirrhosus*](#) McFadden, 1982
- [*Sargus citrinellus*](#) (Lindner, 1949)[10]
- [*Sargus clavatus*](#) Walker, 1854[11]
- [*Sargus claviventris*](#) Rondani, 1850[12]
- [*Sargus concisus*](#) Walker, 1861[13]
- [*Sargus congoense*](#) (Lindner, 1965)
- [*Sargus contractus*](#) Walker, 1854[11]
- [*Sargus cuprarius*](#) (Linnaeus, 1758)[14]
- [*Sargus cyaneus*](#) (Brunetti, 1912)[15]
- [*Sargus darius*](#) Hardy, 1932
- [*Sargus decorus*](#) Say, 1824[16]
- [*Sargus elegans*](#) Loew, 1866[17]
- [*Sargus elongatulus*](#) McFadden, 1982[5]
- [*Sargus evansi*](#) McFadden, 1982[5]
- [*Sargus fasciatus*](#) Fabricius, 1805[18]
- [*Sargus festivus*](#) Jaennicke, 1867[19]
- [*Sargus flavilatus*](#) James, 1973
- [*Sargus flavipes*](#) (Lindner, 1966)[20]
- [*Sargus flavipes*](#) Meigen, 1822[21]
- [*Sargus flavopilosus*](#) (Bigot, 1879)[22]
- [*Sargus gemmifer*](#) Walker, 1849[3]
- [*Sargus goliath*](#) (Curran, 1927)
- [*Sargus grandis*](#) (Ôuchi, 1938)[23]
- [*Sargus gselli*](#) Hill, 1919[24]
- [*Sargus huangshanensis*](#) Yang, Yu & Yang, 2012
- [*Sargus illuminata*](#) (Lindner, 1949)[10]
- [*Sargus inactus*](#) Walker, 1859[25]
- [*Sargus inficitus*](#) Walker, 1861[13]
- [*Sargus iridatus*](#) (Scopoli, 1763)[7]
- [*Sargus isthmi*](#) James, 1982
- [*Sargus jaennickei*](#) Woodley, 2001[1]

- [*Sargus jamesi* \(Lindner, 1966\)\[20\]](#)
- [*Sargus jucundus* Walker, 1850\[26\]](#)
- [*Sargus laetus* Wulp, 1885\[27\]](#)
- [*Sargus lateralis* Macquart, 1834\[28\]](#)
- [*Sargus lateropictus* James, 1982](#)
- [*Sargus latifrons* Yang, Zhang & Li, 2014\[9\]](#)
- [*Sargus latipennis* \(Brunetti, 1923\)\[29\]](#)
- [*Sargus latus* Bellardi, 1859\[30\]](#)
- [*Sargus lii* Chen, Liang & Yang, 2010\[31\]](#)
- [*Sargus limbatus* Macquart, 1838\[32\]](#)
- [*Sargus linearis* Walker, 1854\[11\]](#)
- [*Sargus lucidus* \(Lindner, 1949\)\[10\]](#)
- [*Sargus luctuosus* \(Lindner, 1938\)\[33\]](#)
- [*Sargus macquartii* Perty, 1833\[34\]](#)
- [*Sargus mactans* Walker, 1859\[25\]](#)
- [*Sargus maculatus* \(Lindner, 1936\)\[35\]](#)
- [*Sargus mandarinus* Schiner, 1868\[36\]](#)
- [*Sargus melleus* Rondani, 1848\[37\]](#)
- [*Sargus meracus* Nagatomi, 1975\[38\]](#)
- [*Sargus meridionalis* White, 1916](#)
- [*Sargus metallinus* Fabricius, 1805\[18\]](#)
- [*Sargus molliculus* \(Nagatomi, 1975\)\[38\]](#)
- [*Sargus multicolor* \(Lindner, 1949\)\[10\]](#)
- [*Sargus nigricoxa* Yang, Zhang & Li, 2014\[9\]](#)
- [*Sargus nigrifacies* Yang, Zhang & Li, 2014\[9\]](#)
- [*Sargus nigripes* \(Lindner, 1955\)](#)
- [*Sargus nipponensis* Bigot, 1879\[22\]](#)
- [*Sargus opulentum* \(Grünberg, 1915\)\[39\]](#)
- [*Sargus opulentus* Walker, 1854\[11\]](#)
- [*Sargus pallidiventris* \(Brunetti, 1926\)](#)
- [*Sargus parastenus* James, 1982](#)
- [*Sargus pavo* \(Lindner, 1965\)](#)
- [*Sargus persimilis* McFadden, 1982](#)
- [*Sargus petersoni* McFadden, 1982](#)
- [*Sargus pleuriticus* Loew, 1866\[17\]](#)
- [*Sargus polychromus* James, 1982](#)
- [*Sargus pseudoptecticus* James, 1982](#)
- [*Sargus ptecticoides* \(Lindner, 1935\)](#)
- [*Sargus ptecticoideum* \(Lindner, 1966\)\[20\]](#)
- [*Sargus pubescens* Wulp, 1885\[27\]](#)
- [*Sargus punctatus* McFadden, 1982](#)
- [*Sargus purpuratus* Lindner, 1972\[40\]](#)

- [*Sargus purpureus*](#) (Walker, 1860)[41]
- [*Sargus rufibasis*](#) (Bigot, 1879)[22]
- [*Sargus ruficornis*](#) Macquart, 1846[42]
- [*Sargus rufifrons*](#) (Pleske, 1926)
- [*Sargus rufipes*](#) Wahlberg, 1854[43]
- [*Sargus rufitarsis*](#) (Macquart, 1846)[42]
- [*Sargus schaeuffelei*](#) Lindner, 1972[40]
- [*Sargus seychellensis*](#) Kertész, 1972
- [*Sargus sichuanensis*](#) Yang, Zhang & Li, 2014[9]
- [*Sargus speciosus*](#) Macquart, 1846[42]
- [*Sargus splendidus*](#) Brunetti, 1925[44]
- [*Sargus stenus*](#) James, 1982
- [*Sargus stuckenbergi*](#) (Lindner, 1961)[45]
- [*Sargus tenuis*](#) (Lindner, 1938)[33]
- [*Sargus tenuiventris*](#) (Bigot, 1879)[22]
- [*Sargus thoracicus*](#) Macquart, 1834[28]
- [*Sargus transversus*](#) McFadden, 1982[5]
- [*Sargus tricolor*](#) Yang, Zhang & Li, 2014[9]
- [*Sargus tuberculatus*](#) Loew, 1855[2]
- [*Sargus vandykei*](#) James, 1941
- [*Sargus vetus*](#) Cockerell, 1921
- [*Sargus viridiceps*](#) Macquart, 1855[46]
- [*Sargus viridis*](#) Say, 1823[47]
- [*Sargus viridistima*](#) (Brunetti, 1926)
- [*Sargus yerbabuena*](#) Woodley, 2001[1]

This is a list of 1013 species in 184 subgenera of the genus [*Sarcophaga*](#), common flesh flies.
(Catalogue of Life and Systema Dipterorum, 2024.)[1][2]

***Sarcophaga* species**

Genus [*Sarcophaga*](#) Meigen, 1824

Subgenus Aethianella Zumpt, 1972

[*Sarcophaga edwardsiana*](#) (Zumpt, 1972)

Subgenus Aethiopisca Rohdendorf, 1963

[*Sarcophaga currani*](#) (Verves, 1989)

Subgenus Afropierretia Verves, 1997

[*Sarcophaga dingaani*](#) Zumpt, 1950

Subgenus Afrosarcophaga

[*Sarcophaga booersiana*](#) Engel, 1925

Subgenus *Afrothyrsoecema* Rohdendorf, 1963

- [*Sarcophaga adusta*](#) Engel, 1938
- [*Sarcophaga castellana*](#) Zumpt, 1972
- [*Sarcophaga demeilloni*](#) Zumpt, 1950
- [*Sarcophaga globicauda*](#) Rohdendorf, 1931
- [*Sarcophaga ingwavumae*](#) Zumpt, 1972
- [*Sarcophaga montivaga*](#) Zumpt, 1961
- [*Sarcophaga sakharovae*](#) (Verves, 1985)
- [*Sarcophaga seychellica*](#) (Verves, 1986)
- [*Sarcophaga subdistinguenda*](#) Zumpt, 1950
- [*Sarcophaga vansoni*](#) Zumpt, 1950
- [*Sarcophaga zuluensis*](#) Zumpt, 1950

Subgenus *Alisarcophaga* Fan & Chen, 1981

- [*Sarcophaga gressitti*](#) Hall & Bohart, 1948 - (Flesh fly)
- [*Sarcophaga sawainensis*](#) (Nandi, 1989)

Subgenus *Amamia*

- [*Sarcophaga kanekoi*](#) (Kano & Field, 1964)

Subgenus *Amharomyia*

- [*Sarcophaga maculigaster*](#) Verves, 1984
- [*Sarcophaga tavanola*](#) (Lehrer, 2013)

Subgenus *Anthostilophalla* Lehrer, 1993

- [*Sarcophaga klinzigi*](#) Lehrer, 1993
- [*Sarcophaga menelika*](#) (Lehrer, 2005)
- [*Sarcophaga pennopluma*](#) Zumpt, 1972

Subgenus *Arachnidomyia*

- [*Sarcophaga davidsonii*](#) Coquillett, 1892
- [*Sarcophaga lindae*](#) (Lopes, 1990)
- [*Sarcophaga travassosi*](#) (Tibana & Mello, 1992)

Subgenus *Asceloctella* Enderlein, 1928

- [*Sarcophaga australis*](#) (Johnston & Tiegs, 1921)

Subgenus *Asiopierettia*

Subgenus *Asiopierettia* Rohdendorf, 1965

- [*Sarcophaga kayaensis*](#) Park, 1962
- [*Sarcophaga ugamskii*](#) (Rohdendorf, 1937)

Subgenus *Baliisca* Verves, 1980

- [*Sarcophaga souzalopesi*](#) Pape, 1996

Subgenus *Baranovisca* Lopes, 1985

- [*Sarcophaga arachnivora*](#) (Lopes, 1985)
- [*Sarcophaga banksi*](#) Senior-White, 1924
- [*Sarcophaga cantrelli*](#) (Verves, 1992)
- [*Sarcophaga cyrtophorae*](#) (Cantrell, 1986)
- [*Sarcophaga praelibera*](#) (Lopes, 1959)
- [*Sarcophaga reposita*](#) (Lopes, 1959)

Subgenus *Batissophalla* Rohdendorf, 1963

- [*Sarcophaga batissa*](#) Curran, 1934
- [*Sarcophaga galaniella*](#) (Lehrer, 2009)
- [*Sarcophaga siganella*](#) (Lehrer, 2005)
- [*Sarcophaga uamensis*](#) Zumpt, 1951

Subgenus *Bellieriomima* Rohdendorf, 1937

[*Sarcophaga baoxingensis*](#) (Feng & Ye, 1987)
[*Sarcophaga diminuta*](#) Thomas, 1949
[*Sarcophaga genuforceps*](#) Thomas, 1949
[*Sarcophaga graciliforceps*](#) Thomas, 1949
[*Sarcophaga horii*](#) Kano, 1953
[*Sarcophaga josephi*](#) Böttcher, 1912
[*Sarcophaga kagaensis*](#) Hori, 1954
[*Sarcophaga lini*](#) Sugiyama, 1987
[*Sarcophaga noonganensis*](#) Shinonaga, 2004
[*Sarcophaga pseudosubulata*](#) (Kano & Field, 1963)
[*Sarcophaga pterygota*](#) Thomas, 1949
[*Sarcophaga shuxia*](#) (Feng & Qiao, 2003)
[*Sarcophaga situliformis*](#) (Zhong, Wu & Fan, 1981)
[*Sarcophaga spatuliformis*](#) (Ye, 1980)
[*Sarcophaga stackelbergi*](#) (Rohdendorf, 1937)
[*Sarcophaga subulata*](#) Pandellé, 1896
[*Sarcophaga takahasii*](#) Kano & Okazaki, 1956
[*Sarcophaga tenuicornis*](#) (Rohdendorf, 1937)
[*Sarcophaga uniseta*](#) Baranov, 1939
[*Sarcophaga yaanensis*](#) (Feng, 1986)
[*Sarcophaga zhouquensis*](#) (Ye & Liu, 1981)

Subgenus *Bercaea* Robineau-Desvoidy, 1863

[*Sarcophaga africa*](#) (Wiedemann, 1824) - (Flesh fly)
[*Sarcophaga arno*](#) Curran, 1934
[*Sarcophaga burungae*](#) Curran, 1934
[*Sarcophaga inaequalis*](#) Austen, 1909
[*Sarcophaga parasurcoufi*](#) Zumpt, 1972

Subgenus *Bercaeopsis* Townsend, 1917

[*Sarcophaga acadiana*](#) Reinhard, 1947
[*Sarcophaga acrophila*](#) (Dodge, 1956)
[*Sarcophaga beameri*](#) (Dodge, 1956)
[*Sarcophaga bicolor*](#) (Dodge, 1956)
[*Sarcophaga carinata*](#) (Dodge, 1956)
[*Sarcophaga elanis*](#) Reinhard, 1947
[*Sarcophaga epitheca*](#) Reinhard, 1952
[*Sarcophaga fattigi*](#) (Dodge, 1956)
[*Sarcophaga footei*](#) Dodge, 1964
[*Sarcophaga fortisa*](#) Reinhard, 1947
[*Sarcophaga helicivora*](#) (Dodge, 1956)
[*Sarcophaga hesterna*](#) Reinhard, 1947
[*Sarcophaga idonea*](#) Aldrich, 1916
[*Sarcophaga louisianensis*](#) (Dodge, 1956)
[*Sarcophaga mimoris*](#) Reinhard, 1947
[*Sarcophaga morosa*](#) Aldrich, 1925
[*Sarcophaga ontariensis*](#) Hall, 1932
[*Sarcophaga parallela*](#) Aldrich, 1916
[*Sarcophaga paulina*](#) Hall, 1937
[*Sarcophaga pleomenda*](#) Reinhard, 1953
[*Sarcophaga pratti*](#) (Dodge, 1956)

[*Sarcophaga rabunensis*](#) (Dodge, 1956)

[*Sarcophaga sabroskyi*](#) (Dodge, 1956)

[*Sarcophaga sarraceniae*](#) Riley, 1874

[*Sarcophaga seagoi*](#) (Dodge, 1956)

[*Sarcophaga sima*](#) Aldrich, 1916

[*Sarcophaga smithi*](#) (Dodge, 1956)

[*Sarcophaga snyderi*](#) (Dodge, 1956)

[*Sarcophaga sudiai*](#) (Dodge, 1956)

[*Sarcophaga sutilis*](#) Reinhard, 1952

[*Sarcophaga tarsata*](#) Aldrich, 1916

[*Sarcophaga tetona*](#) Reinhard, 1952

[*Sarcophaga tetra*](#) Aldrich, 1916

Subgenus *Beziella* Enderlein, 1937

[*Sarcophaga alina*](#) Curran, 1934

[*Sarcophaga batissoides*](#) Zumpt, 1972

[*Sarcophaga erecta*](#) Engel, 1925

[*Sarcophaga freedmani*](#) Zumpt, 1956

[*Sarcophaga kadeisi*](#) Salem, 1938

[*Sarcophaga mefouensis*](#) Rickenbach, 1977

[*Sarcophaga pomeroyi*](#) Zumpt, 1962

[*Sarcophaga pudongensis*](#) (Fan, Chen & Lu, 2003)

[*Sarcophaga rageaui*](#) Rickenbach, 1966

[*Sarcophaga shenzhenensis*](#) (Fan, 2002)

[*Sarcophaga spangleri*](#) Reed, 1973

[*Sarcophaga stygia*](#) Zumpt, 1951

[*Sarcophaga vicaria*](#) Curran, 1934

Subgenus *Bilenemyia* Verves, 1989

[*Sarcophaga limpopoensis*](#) Zumpt, 1956

Subgenus *Boettcherella*

[*Sarcophaga galmuda*](#) (Lehrer, 1998)

Subgenus *Boettcherisca* Rohdendorf, 1937

[*Sarcophaga cabrerai*](#) (Kano & Sugiyama, 1983)

[*Sarcophaga formosensis*](#) (Kirner & Lopes, 1961)

[*Sarcophaga highlandica*](#) (Kurahashi & Tan, 2009)

[*Sarcophaga invaria*](#) Walker, 1859

[*Sarcophaga javanica*](#) (Lopes, 1961)

[*Sarcophaga karnyi*](#) Hardy, 1927

[*Sarcophaga koimani*](#) (Kano & Shinonaga, 1977)

[*Sarcophaga krathonmai*](#) Pape & Bänziger, 2000

[*Sarcophaga nathani*](#) (Lopes, 1961)

[*Sarcophaga peregrina*](#) (Robineau-Desvoidy, 1830) - (Flesh fly)

[*Sarcophaga septentrionalis*](#) (Rohdendorf, 1937)

[*Sarcophaga talomoensis*](#) Magpayo & Kano, 1986

[*Sarcophaga timorensis*](#) (Kano & Shinonaga, 1977)

[*Sarcophaga zuli*](#) (Kurahashi, Tan & Leh, 2015)

Subgenus *Brasia* Strand, 1932

[*Sarcophaga yadvashemia*](#) (Lehrer, 1996)

Subgenus *Bulbostyla* Giroux & Wheeler, 2010

[*Sarcophaga airosalis*](#) Giroux & Wheeler, 2010

[*Sarcophaga cadyi*](#) Giroux & Wheeler, 2010
[*Sarcophaga cuautla*](#) Giroux & Wheeler, 2010
[*Sarcophaga fattigina*](#) Giroux & Wheeler, 2010
[*Sarcophaga ironalis*](#) Giroux & Wheeler, 2010
 Subgenus Caledonicesa Koçak & Kemal, 2010
 Subgenus Callostuckenbergia Lehrer & Lehrer, 1992
 Subgenus Ceratophalla
 Subgenus Cercosarcophaga Zumpt, 1972
[*Sarcophaga preussi*](#) Zumpt, 1951
[*Sarcophaga swahilia*](#) (Lehrer, 2009)
 Subgenus Chaetophalla Rohdendorf, 1963
[*Sarcophaga villa*](#) Curran, 1934
 Subgenus Chrysosarcophaga Townsend, 1933
[*Sarcophaga superba*](#) (Townsend, 1933)
 Subgenus Cornexcisia Fan & Kano, 2000
[*Sarcophaga cygnocerca*](#) (Xue, Verves & Du, 2011)
[*Sarcophaga longicornuta*](#) (Fan & Kano, 2000)
[*Sarcophaga suthep*](#) Pape & Bänziger, 2003
 Subgenus Curranea
[*Sarcophaga tibialis*](#) Macquart, 1851
 Subgenus Curranisca Rohdendorf, 1963
[*Sarcophaga reedi*](#) (Lehrer, 2005)
 Subgenus Curtophalla Lehrer, 1994
[*Sarcophaga geari*](#) Zumpt, 1972
 Subgenus Cyclophalla Rohdendorf, 1963
[*Sarcophaga basuto*](#) Zumpt, 1951
 Subgenus Danbeckia Lehrer, 1994
[*Sarcophaga paralina*](#) Zumpt, 1967
 Subgenus Dasysceloctis Enderlein, 1928
[*Sarcophaga longanota*](#) (Lehrer, 2005)
[*Sarcophaga maculipennis*](#) (Enderlein, 1928)
 Subgenus Deconinckia Lehrer, 2003
 Subgenus Dinemomyia Chen, 1975
[*Sarcophaga nigrbasicosta*](#) (Chen, 1975)
 Subgenus Diplonophalla Lehrer, 1994
[*Sarcophaga hautieri*](#) (Lehrer, 2003)
[*Sarcophaga weyeri*](#) Zumpt, 1972
 Subgenus Dolichophalla Rohdendorf, 1963
[*Sarcophaga marcadita*](#) (Lehrer, 2013)
[*Sarcophaga sudanica*](#) Zumpt, 1951
 Subgenus Dovporiella Lehrer, 2003
[*Sarcophaga curva*](#) Reed, 1974
 Subgenus Draculana Lehrer, 2002
[*Sarcophaga momba*](#) Curran, 1934
 Subgenus Dravidia Lehrer, 2010
[*Sarcophaga cavangarei*](#) (Nandi, 1988)
 Subgenus Durbanella Lehrer, 1994
[*Sarcophaga vockerothi*](#) (Lehrer, 1994)
 Subgenus Fanimyia Verves, 1997

[*Sarcophaga globovesica*](#) (Ye, 1980)
 Subgenus Fanzidella Lehrer, 2003
 [*Sarcophaga erzulia*](#) (Lehrer, 2013)
 [*Sarcophaga furcadorsalis*](#) Rohdendorf, 1931
 Subgenus Fengia Rohdendorf, 1964
 [*Sarcophaga kaimaraensis*](#) (Nandi, 1992)
 [*Sarcophaga ostindicae*](#) Senior-White, 1924
 Subgenus Fergusonimyia Lopes, 1958
 [*Sarcophaga bancroftorum*](#) Johnston & Tiegs, 1921
 Subgenus Fijimyia Lopes & Kano, 1971
 [*Sarcophaga ganura*](#) Bezzi, 1927
 [*Sarcophaga tephrrura*](#) Bezzi, 1927
 Subgenus Grimaldiomyia
 [*Sarcophaga gnu*](#) Curran, 1934
 Subgenus Gujaratophalla
 [*Sarcophaga girnarensis*](#) (Nandi, 1992)
 Subgenus Hadashophalla
 [*Sarcophaga tautella*](#) (Lehrer, 1996)
 Subgenus Hadroxena Whitmore, Buenaventure & Pape, 2018
 [*Sarcophaga karakoncolos*](#) Whitmore, Buenaventura & Pape, 2018
 Subgenus Hardyella Lopes, 1959
 [*Sarcophaga littoralis*](#) Johnston & Tiegs, 1922
 Subgenus Harpagophalla Rohdendorf, 1937
 [*Sarcophaga kempi*](#) Senior-White, 1924
 [*Sarcophaga talonata*](#) Senior-White, 1925
 Subgenus Harpagophylloides
 [*Sarcophaga opata*](#) Zumpt, 1972
 [*Sarcophaga theseus*](#) Zumpt, 1951
 Subgenus Helicophagella Enderlein, 1928
 [*Sarcophaga agnata*](#) Rondani, 1861
 [*Sarcophaga altitudinis*](#) Sugiyama, 1989
 [*Sarcophaga bellae*](#) (Lehrer, 2000)
 [*Sarcophaga bodenheimeri*](#) (Lehrer, 2001)
 [*Sarcophaga carlestolrai*](#) Pape, 2023
 [*Sarcophaga crassimargo*](#) Pandellé, 1896
 [*Sarcophaga dreyfusi*](#) (Lehrer, 1994)
 [*Sarcophaga gorodkovi*](#) (Grunin, 1964)
 [*Sarcophaga hirticrus*](#) Pandellé, 1896
 [*Sarcophaga hortobagyensis*](#) (Mihályi, 1979)
 [*Sarcophaga inopinata*](#) (Rohdendorf, 1937)
 [*Sarcophaga keresophalla*](#) (Lehrer, 2001)
 [*Sarcophaga macrura*](#) (Rohdendorf, 1937)
 [*Sarcophaga maculata*](#) Meigen, 1835
 [*Sarcophaga melanura*](#) Meigen, 1826
 [*Sarcophaga mishnania*](#) (Lehrer, 2001)
 [*Sarcophaga novella*](#) Baranov, 1929
 [*Sarcophaga noverca*](#) Rondani, 1861
 [*Sarcophaga novercoides*](#) Böttcher, 1913
 [*Sarcophaga okaliana*](#) (Lehrer, 1975)

[*Sarcophaga ora*](#) Blackith, Blackith & Pape, 1997

[*Sarcophaga pachyura*](#) (Rohdendorf, 1937)

[*Sarcophaga reicostae*](#) (Povolný, 1999)

[*Sarcophaga rosellei*](#) Böttcher, 1912

[*Sarcophaga sarezia*](#) (Lehrer, 2006)

Subgenus *Heteronychia* Brauer & Bergenstamm, 1889

[*Sarcophaga abramovi*](#) (Rohdendorf, 1938)

[*Sarcophaga amita*](#) Rondani, 1861

[*Sarcophaga amputata*](#) Pape, 1990

[*Sarcophaga anatolica*](#) Whitmore, 2011

[*Sarcophaga ancilla*](#) Rondani, 1865

[*Sarcophaga ancilloides*](#) Baranov, 1927

[*Sarcophaga angelicae*](#) Engel, 1925

[*Sarcophaga arcipes*](#) Pandellé, 1896

[*Sarcophaga ardua*](#) (Peris, González-Mora & Mingo-Pérez, 1996)

[*Sarcophaga armenica*](#) (Rohdendorf, 1937)

[*Sarcophaga atavina*](#) (Enderlein, 1928)

[*Sarcophaga autochtona*](#) (Verves, 2020)

[*Sarcophaga bajkalensis*](#) Rohdendorf, 1925

[*Sarcophaga balanina*](#) Pandellé, 1896

[*Sarcophaga belanovskyi*](#) (Verves, 1973)

[*Sarcophaga benaci*](#) Böttcher, 1913

[*Sarcophaga bezziana*](#) Böttcher, 1913

[*Sarcophaga boettcheri*](#) Villeneuve, 1912

[*Sarcophaga bulgarica*](#) (Enderlein, 1936)

[*Sarcophaga chaetoneura*](#) (Brauer & Bergenstamm, 1889)

[*Sarcophaga chapini*](#) Curran, 1934

[*Sarcophaga chiquita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)

[*Sarcophaga clarahenae*](#) (Lehrer, 1999)

[*Sarcophaga consanguinea*](#) Rondani, 1861

[*Sarcophaga croca*](#) Pape, 1996

[*Sarcophaga cucullans*](#) Pandellé, 1896

[*Sarcophaga curvifemoralis*](#) (Li, 1980)

[*Sarcophaga depressifrons*](#) Zetterstedt, 1845

[*Sarcophaga desertorum*](#) Salem, 1935

[*Sarcophaga dissimilis*](#) Meigen, 1826

[*Sarcophaga enderleini*](#) Jacentkovský, 1937

[*Sarcophaga esthera*](#) (Lehrer, 2006)

[*Sarcophaga evagorata*](#) Zumpt, 1956

[*Sarcophaga ferox*](#) Villeneuve, 1908

[*Sarcophaga filia*](#) Rondani, 1861

[*Sarcophaga filiola*](#) (Rohdendorf, 1937)

[*Sarcophaga gabrielei*](#) Whitmore, 2009

[*Sarcophaga gallica*](#) Whitmore, Richet, Pape & Blackith, 2009

[*Sarcophaga gigantea*](#) Pape, 1996

[*Sarcophaga gomezbustilloi*](#) (Lehrer & Báez, 1986)

[*Sarcophaga graeca*](#) (Rohdendorf, 1937)

[*Sarcophaga grenieri*](#) Rickenbach, 1965

[*Sarcophaga guoi*](#) (Wei & Yang, 2005)

[*Sarcophaga haemorrhoa*](#) Meigen, 1826
[*Sarcophaga haemorrhoides*](#) Böttcher, 1913
[*Sarcophaga helenae*](#) (Trofimov, 1948)
[*Sarcophaga hellenica*](#) Whitmore, 2011
[*Sarcophaga heptapotamica*](#) (Rohdendorf, 1937)
[*Sarcophaga infixa*](#) Böttcher, 1913
[*Sarcophaga javita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)
[*Sarcophaga kaplani*](#) Lehrer, 1999
[*Sarcophaga kataphygionis*](#) (Povolný, 1999)
[*Sarcophaga kerteszi*](#) Villeneuve, 1912
[*Sarcophaga kobachidzei*](#) (Guzhabidze, 1965)
[*Sarcophaga kovalae*](#) (Verves, 1979)
[*Sarcophaga kozlovi*](#) (Rohdendorf, 1937)
[*Sarcophaga kunonis*](#) (Pape, 1986)
[*Sarcophaga lacrymans*](#) Villeneuve, 1912
[*Sarcophaga langestylata*](#) Lehrer, 2013
[*Sarcophaga lederbergi*](#) (Lehrer, 1995)
[*Sarcophaga lejlekensis*](#) Whitmore, 2011
[*Sarcophaga limbata*](#) (Reed, 1973)
[*Sarcophaga longestilatus*](#) Lehrer, 2013
[*Sarcophaga longestylata*](#) Strobl, 1906
[*Sarcophaga macromembrana*](#) (Ye, 1980)
[*Sarcophaga maritima*](#) Povolný, 1994
[*Sarcophaga markevitchi*](#) (Verves, 1975)
[*Sarcophaga mazurmovitchi*](#) (Verves, 1979)
[*Sarcophaga mcgoughi*](#) (Zumpt, 1972)
[*Sarcophaga mediterranea*](#) Whitmore, 2011
[*Sarcophaga metopina*](#) Villeneuve, 1908
[*Sarcophaga minima*](#) Rondani, 1862
[*Sarcophaga monspellensia*](#) Böttcher, 1913
[*Sarcophaga morenita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)
[*Sarcophaga moronita*](#) (Peris, González-Mora & Mingo-Pérez, 1998)
[*Sarcophaga mossambica*](#) Zumpt, 1951
[*Sarcophaga mousseti*](#) Lehrer, 1976
[*Sarcophaga mutila*](#) Villeneuve, 1912
[*Sarcophaga nanula*](#) (Povolný, 1999)
[*Sarcophaga nigracauda*](#) (Verves & Khrokalo, 2020)
[*Sarcophaga nigricaudata*](#) (Povolný & Slamečková, 1982)
[*Sarcophaga nipponensis*](#) (Shinonaga & Matsudaira, 1970)
[*Sarcophaga nostalgica*](#) (Lehrer, 2000)
[*Sarcophaga oastensacken*](#) (Lehrer, 2012)
[*Sarcophaga obvia*](#) (Povolný, 2004)
[*Sarcophaga ostensacken*](#) (Lehrer, 2012)
[*Sarcophaga pandellei*](#) (Rohdendorf, 1937)
[*Sarcophaga pauciseta*](#) Pandellé, 1896
[*Sarcophaga penicillata*](#) Villeneuve, 1907
[*Sarcophaga petrovae*](#) (Artamonov, 1980)
[*Sarcophaga plotnikovi*](#) Rohdendorf, 1925
[*Sarcophaga pontica*](#) (Rohdendorf, 1937)

[*Sarcophaga porrecta*](#) Böttcher, 1913
[*Sarcophaga proxima*](#) Rondani, 1861
[*Sarcophaga pseudobenaci*](#) (Baranov, 1942)
[*Sarcophaga pumila*](#) Meigen, 1826
[*Sarcophaga quinquestrigata*](#) (Enderlein, 1934)
[*Sarcophaga recta*](#) (Rohdendorf, 1937)
[*Sarcophaga rondaniana*](#) (Rohdendorf, 1937)
[*Sarcophaga rosellensis*](#) Whitmore, 2011
[*Sarcophaga salerensis*](#) (Lehrer, 1978)
[*Sarcophaga santospintosi*](#) (Lehrer & Báez, 1986)
[*Sarcophaga schineri*](#) Bezzi, 1891
[*Sarcophaga schnabli*](#) Villeneuve, 1911
[*Sarcophaga setinervis*](#) Rondani, 1861
[*Sarcophaga shnitnikovi*](#) (Rohdendorf, 1937)
[*Sarcophaga sicilia*](#) Pape, 1996
[*Sarcophaga siciliana*](#) (Enderlein, 1928)
[*Sarcophaga siciliensis*](#) Böttcher, 1913
[*Sarcophaga slovac*](#) (Povolný & Slamečková, 1967)
[*Sarcophaga smirnovi*](#) Rohdendorf, 1925
[*Sarcophaga strenua*](#) (Robineau-Desvoidy, 1863)
[*Sarcophaga tangerensis*](#) Whitmore, 2011
[*Sarcophaga telengai*](#) (Verves, 1973)
[*Sarcophaga tetrax*](#) Whitmore, 2011
[*Sarcophaga thirionae*](#) (Lehrer, 1976)
[*Sarcophaga tricolor*](#) Villeneuve, 1908
[*Sarcophaga tsinanensis*](#) (Fan, 1964)
[*Sarcophaga tunisiae*](#) Whitmore, 2011
[*Sarcophaga turana*](#) (Rohdendorf, 1937)
[*Sarcophaga uncicurva*](#) Pandellé, 1896
[*Sarcophaga vagans*](#) Meigen, 1826
[*Sarcophaga vicina*](#) Macquart, 1835
[*Sarcophaga villeneuveana*](#) (Enderlein, 1928)
[*Sarcophaga violovitshi*](#) (Rohdendorf & Verves, 1979)
[*Sarcophaga wahisi*](#) (Lehrer, 1976)

Subgenus Hoa Rohdendorf, 1937

[*Sarcophaga flexuosa*](#) Ho, 1934
[*Sarcophaga membranijuxta*](#) Wang, Hue, Zhang & Pape, 2020

Subgenus Hochiella Lehrer, 2005

[*Sarcophaga pongola*](#) (Lehrer, 2005)

Subgenus Horiisca Rohdendorf, 1965

[*Sarcophaga hozawai*](#) Hori, 1954

Subgenus Hosarcophaga Shinonaga & Tumrasvin, 1979

[*Sarcophaga serrata*](#) Ho, 1938

Subgenus Hyperacanthisca Rohdendorf, 1963

[*Sarcophaga bellowi*](#) (Lehrer, 1996)
[*Sarcophaga susteriana*](#) (Lehrer, 2003)
[*Sarcophaga zumpti*](#) Engel, 1938

Subgenus Ihosyia Verves, 1989

[*Sarcophaga nomita*](#) Zumpt, 1964

Subgenus Iranihindia Rohdendorf, 1961

[*Sarcophaga futilis*](#) Senior-White, 1924

[*Sarcophaga jamesi*](#) (Nandi, 1979)

[*Sarcophaga martellata*](#) Senior-White, 1924

[*Sarcophaga martellatoides*](#) Baranov, 1931

[*Sarcophaga nepalensis*](#) (Kano & Shinonaga, 1969)

[*Sarcophaga persica*](#) (Rohdendorf, 1961)

[*Sarcophaga zaitzevi*](#) (Verves, 1989)

Subgenus Johnsonimima Kano & Lopes, 1971

[*Sarcophaga aurora*](#) Pape, 1996

[*Sarcophaga bivittata*](#) (Kano & Lopes, 1971)

Subgenus Johnstonimyia Lopes, 1959

[*Sarcophaga fatua*](#) (Lopes, 1967)

[*Sarcophaga gorokaensis*](#) Sugiyama, Shinonaga & Kano, 1988

[*Sarcophaga kappa*](#) Johnston & Tiegs, 1921

[*Sarcophaga lincta*](#) (Lopes, 1959)

Subgenus Kalshovenella Baranov, 1941

[*Sarcophaga otiophalla*](#) (Fan & Chen, 1981)

Subgenus Kanoa Rohdendorf, 1965

[*Sarcophaga okazakii*](#) Kano, 1953

Subgenus Kanomyia Shinonaga & Tumrasvin, 1979

[*Sarcophaga bangkokensis*](#) (Shinonaga & Tumrasvin, 1979)

Subgenus Karnataka

Subgenus Kenyophga

[*Sarcophaga klinzigiana*](#) (Lehrer, 2005)

Subgenus Komisca Kurahashi & Samerjai, 2018

[*Sarcophaga nanensis*](#) Chaiwong, Sukontason & Sukontason, 2009

Subgenus Kozlovea Rohdendorf, 1937

[*Sarcophaga cetu*](#) (Chao & Chan, 1978)

[*Sarcophaga lothianensis*](#) (Sinha & Nandi, 2002)

[*Sarcophaga peshelcis*](#) Senior-White, 1930

[*Sarcophaga tshernovi*](#) (Rohdendorf, 1937)

Subgenus Kramerea Rohdendorf, 1937

[*Sarcophaga schuetzei*](#) Kramer, 1909

Subgenus Kramerella

[*Sarcophaga slameckovae*](#) (Lehrer, 1976)

Subgenus Krameromyia Verves, 1982

[*Sarcophaga anaces*](#) Walker, 1849

[*Sarcophaga sirinia*](#) (Lehrer, 2008)

Subgenus Latistyla Strukan, 1970

[*Sarcophaga czernyi*](#) Böttcher, 1912

Subgenus Lehreria

[*Sarcophaga keiseri*](#) Zumpt, 1964

Subgenus Leucomyia Brauer & Bergenstamm, 1891

[*Sarcophaga alba*](#) (Schiner, 1868)

[*Sarcophaga dukoicus*](#) (Zhang & Chao, 1988)

Subgenus Lioplacella Enderlein, 1928

[*Sarcophaga mauritana*](#) Zumpt, 1953

Subgenus Lioproctia Enderlein, 1928

[*Sarcophaga alcicornis*](#) Hardy, 1932
[*Sarcophaga annandalei*](#) Senior-White, 1924
[*Sarcophaga aurescens*](#) (Lopes, 1967)
[*Sarcophaga basiseta*](#) Baranov, 1931
[*Sarcophaga besoni*](#) Senior-White, 1924
[*Sarcophaga imita*](#) Pape, 1996
[*Sarcophaga mailansis*](#) Mumar, Bala & Abd Al Galil, 2023
[*Sarcophaga midnaporensis*](#) (Nandi, 1978)
[*Sarcophaga multicolor*](#) Johnston & Tiegs, 1922
[*Sarcophaga notabilis*](#) (Kano & Lopes, 1969)
[*Sarcophaga paineiana*](#) (Baranov, 1934)
[*Sarcophaga proballiina*](#) Baranov, 1931
[*Sarcophaga spinifera*](#) Hardy, 1932
[*Sarcophaga sumbaensis*](#) Shinonaga, 2004
[*Sarcophaga taiwanensis*](#) (Kano & Lopes, 1969)
[*Sarcophaga torvida*](#) (Lopes, 1959)

Subgenus *Liopygia* Enderlein, 1928

[*Sarcophaga argyrostoma*](#) (Robineau-Desvoidy, 1830) - (Flesh fly)
[*Sarcophaga crassipalpis*](#) Macquart, 1839
[*Sarcophaga cultellata*](#) Pandellé, 1896
[*Sarcophaga flavibarbis*](#) Engel, 1925
[*Sarcophaga par*](#) Zumpt, 1954
[*Sarcophaga ruficornis*](#) (Fabricius, 1794) - (Flesh fly)
[*Sarcophaga sabiensis*](#) Zumpt, 1953
[*Sarcophaga santosdiasi*](#) Zumpt, 1951
[*Sarcophaga surcoufi*](#) Villeneuve, 1913

Subgenus *Liopygiopsis* Verves, 1997

[*Sarcophaga juliaetta*](#) Aldrich, 1916

Subgenus *Liosarcophaga* Enderlein, 1928

[*Sarcophaga adhamae*](#) (Lehrer & Abou-Zied, 2008)
[*Sarcophaga adzhatica*](#) (Rohdendorf, 1937)
[*Sarcophaga aegyptica*](#) Salem, 1935
[*Sarcophaga allisoni*](#) Sugiyama, Shinonaga & Kano, 1988
[*Sarcophaga amplicercus*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga angarosinica*](#) (Rohdendorf, 1937)
[*Sarcophaga auricauda*](#) Ho, 1938
[*Sarcophaga bartaki*](#) (Verves, Radchenko & Khrokalo, 2017)
[*Sarcophaga bechuanae*](#) Zumpt, 1972
[*Sarcophaga brevicornis*](#) Ho, 1934
[*Sarcophaga bushmenia*](#) (Lehrer, 2005)
[*Sarcophaga catalunya*](#) (Lehrer, 2008)
[*Sarcophaga choudhuryi*](#) Sinha & Nandi, 2002
[*Sarcophaga cognata*](#) (Robineau-Desvoidy, 1830)
[*Sarcophaga dahiana*](#) (Lehrer, 2013)
[*Sarcophaga darshania*](#) (Lehrer, 2008)
[*Sarcophaga deviedmai*](#) (Lehrer & Báez, 1986)
[*Sarcophaga dux*](#) Thomson, 1869 - (Flesh fly)
[*Sarcophaga edrossi*](#) (Lehrer, 2009)
[*Sarcophaga emdeni*](#) (Rohdendorf, 1969)

[*Sarcophaga emmrichiana*](#) (Lehrer, 2002)
[*Sarcophaga eta*](#) Johnston & Tiegs, 1921
[*Sarcophaga evelynae*](#) Zumpt, 1964
[*Sarcophaga evenhuisi*](#) (Lehrer, 2005)
[*Sarcophaga exuberans*](#) Pandellé, 1896
[*Sarcophaga feralis*](#) Pape, 1996
[*Sarcophaga fimbricauda*](#) (Verves & Xue, 2016)
[*Sarcophaga forceps*](#) Blackith & Blackith, 1988
[*Sarcophaga gallinara*](#) (Lehrer, 2013)
[*Sarcophaga gambiensis*](#) Zumpt, 1972
[*Sarcophaga garbo*](#) Curran, 1934
[*Sarcophaga goodhopeia*](#) (Lehrer, 2005)
[*Sarcophaga hamoni*](#) Rickenbach, 1965
[*Sarcophaga harpax*](#) Pandellé, 1896
[*Sarcophaga hinglungensis*](#) (Fan, 1964)
[*Sarcophaga hunti*](#) (Lehrer, 1996)
[*Sarcophaga idmais*](#) Séguy, 1934
[*Sarcophaga inhacaensis*](#) Zumpt, 1972
[*Sarcophaga inzi*](#) Curran, 1934
[*Sarcophaga inzoides*](#) Zumpt, 1972
[*Sarcophaga jacobi*](#) (Lehrer, 1994)
[*Sarcophaga jacobsoni*](#) (Rohdendorf, 1937)
[*Sarcophaga jaipurensis*](#) (Nandi, 1990)
[*Sarcophaga jaroschevskyi*](#) (Rohdendorf, 1937)
[*Sarcophaga josephi*](#) (Nandi, 2002)
[*Sarcophaga juncta*](#) (Lopes, 1967)
[*Sarcophaga kanoi*](#) Park, 1962
[*Sarcophaga kanoiana*](#) (Lehrer, 1994)
[*Sarcophaga kirgizica*](#) (Rohdendorf, 1969)
[*Sarcophaga kitaharai*](#) Miyazaki, 1958
[*Sarcophaga kobayashii*](#) Hori, 1954
[*Sarcophaga kohla*](#) Johnston & Hardy, 1923
[*Sarcophaga kovatschevitchi*](#) (Strukan, 1970)
[*Sarcophaga liui*](#) (Ye & Zhang, 1989)
[*Sarcophaga liukuensis*](#) (Fan, 1964)
[*Sarcophaga londtiana*](#) (Lehrer, 1996)
[*Sarcophaga luabae*](#) Zumpt, 1972
[*Sarcophaga luzonensis*](#) Parker, 1919
[*Sarcophaga lypai*](#) (Verves, 1977)
[*Sarcophaga mababiensis*](#) Zumpt, 1972
[*Sarcophaga madeirensis*](#) (Schiner, 1868)
[*Sarcophaga marcosgarciae*](#) (Lehrer & Martínez-Sánchez, 2000)
[*Sarcophaga maritima*](#) Engel, 1925
[*Sarcophaga marshalli*](#) Parker, 1923
[*Sarcophaga masaiana*](#) (Lehrer, 2005)
[*Sarcophaga mazuela*](#) (Lehrer & Wei, 2011)
[*Sarcophaga monodia*](#) (Lehrer, 2006)
[*Sarcophaga monospila*](#) (Bezzi, 1908)
[*Sarcophaga monserrati*](#) (Peris, González-Mora & Mingo-Pérez, 1999)

[*Sarcophaga moucheti*](#) Rickenbach, 1977
[*Sarcophaga mulaba*](#) Curran, 1934
[*Sarcophaga namibia*](#) Reed, 1974
[*Sarcophaga nanpingensis*](#) (Ye, 1980)
[*Sarcophaga natalensis*](#) Zumpt, 1951
[*Sarcophaga neuweileri*](#) (Lehrer, 2002)
[*Sarcophaga nodosa*](#) Engel, 1925
[*Sarcophaga nubica*](#) Jaennicke, 1867
[*Sarcophaga palestinensis*](#) (Lehrer, 1998)
[*Sarcophaga paramulaba*](#) Zumpt, 1972
[*Sarcophaga phallosoma*](#) Zumpt, 1972
[*Sarcophaga pharaonis*](#) Rohdendorf, 1934
[*Sarcophaga pleskei*](#) (Rohdendorf, 1937)
[*Sarcophaga portschinskyi*](#) (Rohdendorf, 1937)
[*Sarcophaga promiscua*](#) (Lopes, 1967)
[*Sarcophaga pyrrhopoda*](#) Bezzi, 1923
[*Sarcophaga redux*](#) Walker, 1849
[*Sarcophaga rohdendorfi*](#) Salem, 1936
[*Sarcophaga sabae*](#) (Lehrer, 1995)
[*Sarcophaga salemiana*](#) (Lehrer, 1995)
[*Sarcophaga salkhit*](#) Pape, 1996
[*Sarcophaga sarracenioides*](#) Aldrich, 1916
[*Sarcophaga sarupi*](#) (Nandi, 1979)
[*Sarcophaga sayersi*](#) Salem, 1946
[*Sarcophaga semimarginalis*](#) Hall, 1931
[*Sarcophaga shermani*](#) Parker, 1923
[*Sarcophaga shimbana*](#) (Lehrer, 2006)
[*Sarcophaga shiritakaensis*](#) Hori, 1954
[*Sarcophaga shoniella*](#) (Lehrer, 2005)
[*Sarcophaga sigma*](#) Johnston & Tiegs, 1921
[*Sarcophaga simulatrix*](#) (Povolný, 2000)
[*Sarcophaga solomonica*](#) (Verves, 1982)
[*Sarcophaga spilargyra*](#) Bezzi, 1923
[*Sarcophaga sternalis*](#) (Reinhard, 1939)
[*Sarcophaga strumiana*](#) (Lehrer, 1996)
[*Sarcophaga subdiscalis*](#) Aldrich, 1916
[*Sarcophaga subharpax*](#) (Rohdendorf, 1969)
[*Sarcophaga symphaestria*](#) Zumpt, 1964
[*Sarcophaga teretirostris*](#) Pandellé, 1896
[*Sarcophaga tritrixa*](#) (Lehrer, 2008)
[*Sarcophaga tsushima*](#) Senior-White, 1924
[*Sarcophaga tuberosa*](#) Pandellé, 1896
[*Sarcophaga uliginosa*](#) Kramer, 1908
[*Sarcophaga ussuriensis*](#) (Kolomiets & Artamonov, 1981)
[*Sarcophaga vadoni*](#) Zumpt, 1969
[*Sarcophaga vanriebeecki*](#) Zumpt, 1953
[*Sarcophaga vietnamica*](#) (Verves, 1980)
[*Sarcophaga voluptus*](#) (Verves, 1986)
[*Sarcophaga wagneri*](#) Kano & Zumpt, 1968

[*Sarcophaga walshi*](#) Ho, 1938
[*Sarcophaga wetzeli*](#) Kano & Zumpt, 1968
[*Sarcophaga wysokii*](#) (Lehrer, 2008)
[*Sarcophaga yorkii*](#) Parker, 1919
[*Sarcophaga yvorei*](#) Rickenbach, 1977
 Subgenus Livingstonelia Lehrer, 2003
[*Sarcophaga gertrudae*](#) Zumpt, 1953
 Subgenus Lucyphalla Lehrer, 2005
[*Sarcophaga nuzzacii*](#) (Lehrer, 2005)
 Subgenus Macabiella
 Subgenus Magnicauda
[*Sarcophaga linjiangensis*](#) (Wei, 2005)
 Subgenus Malliophalla Lehrer, 1994
[*Sarcophaga optata*](#) (Zumpt, 1972)
 Subgenus Mandalania Lehrer, 1994
[*Sarcophaga teskeyi*](#) (Lehrer, 1994)
 Subgenus Mauritiella Verves, 1989
[*Sarcophaga kikuyana*](#) (Lehrer, 2006)
[*Sarcophaga mutesa*](#) (Lehrer, 2005)
[*Sarcophaga rayssae*](#) (Lehrer, 1993)
[*Sarcophaga sachsaе*](#) (Lehrer, 1993)
[*Sarcophaga sukumaia*](#) (Lehrer, 2010)
[*Sarcophaga transvaalensis*](#) Zumpt, 1950
 Subgenus Mehria Enderlein, 1928
[*Sarcophaga cockerellae*](#) Aldrich, 1916
[*Sarcophaga guyanensis*](#) (Lopes, 1946)
[*Sarcophaga hineii*](#) Hall, 1929
[*Sarcophaga houghi*](#) Aldrich, 1916
[*Sarcophaga insularis*](#) Lopes, 1946
[*Sarcophaga lanna*](#) Pape & Bänziger, 2003
[*Sarcophaga litsingeri*](#) (Shinonaga & Barrion, 1980)
[*Sarcophaga lorosa*](#) Hall, 1937
[*Sarcophaga minutissima*](#) Hall, 1929
[*Sarcophaga nemoralis*](#) Kramer, 1908
[*Sarcophaga olsouffjevi*](#) (Rohdendorf, 1937)
[*Sarcophaga sexpunctata*](#) (Fabricius, 1805)
[*Sarcophaga silbergliedi*](#) (Lopes, 1981)
[*Sarcophaga subaenescens*](#) Aldrich, 1925
[*Sarcophaga tsintaoensis*](#) (Ye, 1965)
 Subgenus Membranophalla Verves, 1997
[*Sarcophaga membranocorporis*](#) Sugiyama, 1987
 Subgenus Mimarhopocnemis Rohdendorf, 1937
[*Sarcophaga granulata*](#) Kramer, 1908
 Subgenus Mindanaoa
[*Sarcophaga villipes*](#) (Lopes & Kano, 1979)
 Subgenus Mitumbana Lehrer, 2003
[*Sarcophaga kisangani*](#) Curran, 1934
[*Sarcophaga lubaia*](#) (Lehrer, 2005)
 Subgenus Montagnieria Lehrer, 2005

[*Sarcophaga loandania*](#) (Lehrer, 2009)
[*Sarcophaga todiscoae*](#) (Lehrer, 2005)
 Subgenus Mufindia Verves, 1990
 [*Sarcophaga tanzaniae*](#) Zumpt, 1972
 Subgenus Myorhina Robineau-Desvoidy, 1830
 [*Sarcophaga asahinai*](#) Kano, 1962
 [*Sarcophaga iulicida*](#) Pape, 1990
 [*Sarcophaga keziviana*](#) (Lehrer, 2009)
 [*Sarcophaga lageniharpes*](#) (Xue & Feng, 1989)
 [*Sarcophaga lunigera*](#) Böttcher, 1914
 [*Sarcophaga nigriventris*](#) Meigen, 1826
 [*Sarcophaga recurvata*](#) (Chen & Yao, 1985)
 [*Sarcophaga socrus*](#) Rondani, 1861
 [*Sarcophaga soror*](#) Rondani, 1861
 [*Sarcophaga sororcula*](#) Rohdendorf, 1937
 [*Sarcophaga villeneuvei*](#) Böttcher, 1912
 Subgenus Nagpuria Verves, 1997
 [*Sarcophaga vervesi*](#) (Nandi, 1993)
 Subgenus Nandimyia Verves, 1997
 [*Sarcophaga panchganiensis*](#) (Nandi, 1993)
 Subgenus Neobellieria Blanchard, 1939
 [*Sarcophaga bullata*](#) Parker, 1916 - (grey fleshfly)
 [*Sarcophaga citellivora*](#) Shewell, 1950
 [*Sarcophaga cooleyi*](#) Parker, 1914
 [*Sarcophaga libera*](#) Aldrich, 1916
 [*Sarcophaga longisterna*](#) Giroux & Wheeler, 2009
 [*Sarcophaga offecta*](#) Lopes, 1938
 [*Sarcophaga polistensis*](#) Hall, 1933
 [*Sarcophaga triplasia*](#) Wulp, 1896
 Subgenus Neosarcophaga Shewell, 1996
 [*Sarcophaga canadensis*](#) Hall, 1929
 [*Sarcophaga elongata*](#) Aldrich, 1916
 [*Sarcophaga gracilis*](#) Aldrich, 1916
 [*Sarcophaga occidentalis*](#) Aldrich, 1916
 [*Sarcophaga perissa*](#) Reinhard, 1952
 [*Sarcophaga perspicax*](#) Aldrich, 1916
 [*Sarcophaga pubicornis*](#) (Coquillett, 1902)
 [*Sarcophaga statuta*](#) Reinhard, 1952
 [*Sarcophaga thatuna*](#) Aldrich, 1916
 [*Sarcophaga vancouverensis*](#) Parker, 1918
 [*Sarcophaga wrangeliensis*](#) Parker, 1920
 Subgenus Nesbittia Verves, 1989
 [*Sarcophaga bergsoni*](#) (Lehrer, 1993)
 [*Sarcophaga dysderci*](#) Villeneuve, 1936
 [*Sarcophaga etoshana*](#) (Lehrer, 2005)
 [*Sarcophaga guillarmodi*](#) Zumpt, 1950
 [*Sarcophaga munronis*](#) Pape, 1996
 [*Sarcophaga wieseli*](#) (Lehrer, 1993)
 Subgenus Nihonea Rohdendorf, 1965

- [*Sarcophaga hokurikuensis*](#) Hori, 1955
- Subgenus Nudicerca Rohdendorf, 1965
- [*Sarcophaga furutonensis*](#) Kano & Okazaki, 1956
- Subgenus Nuzzaciella Lehrer, 1994
- [*Sarcophaga londti*](#) (Lehrer, 1994)
- Subgenus Nyikamyia Lehrer, 1994
- [*Sarcophaga barracloughiana*](#) (Lehrer, 1994)
- Subgenus Pandelleana Rohdendorf, 1937
- [*Sarcophaga andaluciana*](#) (Lehrer, 2004)
- [*Sarcophaga insularis*](#) (Povolný, 1997)
- [*Sarcophaga kugleri*](#) (Lehrer, 2004)
- [*Sarcophaga myceniana*](#) (Lehrer, 2009)
- [*Sarcophaga protuberans*](#) Pandellé, 1896 - (Pandelleana protuberans)
- [*Sarcophaga siciliae*](#) (Povolný, 1998)
- [*Sarcophaga struthioides*](#) (Xue, Feng & Liu, 1986)
- [*Sarcophaga tanita*](#) (Lehrer, 2013)
- Subgenus Pandelleisca Rohdendorf, 1937
- [*Sarcophaga assamensis*](#) (Nandi & Ray, 1982)
- [*Sarcophaga bainbriggei*](#) Senior-White, 1925
- [*Sarcophaga ballardi*](#) Senior-White, 1924
- [*Sarcophaga baudeti*](#) (Lehrer, 1998)
- [*Sarcophaga curvata*](#) (Nandi, 1989)
- [*Sarcophaga gresiventris*](#) Salem, 1946
- [*Sarcophaga hui*](#) Ho, 1936
- [*Sarcophaga insula*](#) Pape, 1996
- [*Sarcophaga iwuensis*](#) Ho, 1934
- [*Sarcophaga kawayuensis*](#) Kano, 1950
- [*Sarcophaga kurahashii*](#) Nandi, 1992
- [*Sarcophaga lorengauensis*](#) (Lopes, 1967)
- [*Sarcophaga pingi*](#) Ho, 1934
- [*Sarcophaga polystylata*](#) Ho, 1934
- [*Sarcophaga scopariiformis*](#) Senior-White, 1927
- [*Sarcophaga similis*](#) Meade, 1876
- [*Sarcophaga taka*](#) Pape, 1996
- [*Sarcophaga theodori*](#) (Lehrer, 1998)
- [*Sarcophaga tristylata*](#) Böttcher, 1912
- Subgenus Pandelleola Rohdendorf, 1937
- [*Sarcophaga hanita*](#) (Lehrer, 2008)
- [*Sarcophaga immortalis*](#) (Lehrer, 2013)
- [*Sarcophaga karmelina*](#) (Lehrer, 2013)
- [*Sarcophaga lunzeria*](#) (Lehrer, 2012)
- [*Sarcophaga pieriana*](#) (Lehrer, 2012)
- Subgenus Papesarcophaga Kurahashi & Kakinuma, 2015
- [*Sarcophaga kisarazuensis*](#) (Kurahashi & Kakinuma, 2015)
- [*Sarcophaga tainanensis*](#) (Kurahashi, Yang & Kakinuma, 2017)
- Subgenus Paraethiopisca Zumpt, 1972
- [*Sarcophaga dewulfi*](#) Zumpt, 1967
- Subgenus Parasarcophaga Johnston & Tiegs, 1921
- [*Sarcophaga abaensis*](#) (Feng & Qiao, 2003)

[*Sarcophaga albiceps*](#) Meigen, 1826 - (Flesh fly)
[*Sarcophaga aliena*](#) Walker, 1856
[*Sarcophaga balayana*](#) (Lehrer, 2008)
[*Sarcophaga bohboti*](#) (Lehrer, 2000)
[*Sarcophaga brevis*](#) Walker, 1864
[*Sarcophaga faenionota*](#) Kano et al., 2000
[*Sarcophaga flavifemorata*](#) Macquart, 1851
[*Sarcophaga flavipalpis*](#) Senior-White, 1924
[*Sarcophaga hirtipes*](#) Wiedemann, 1830
[*Sarcophaga knabi*](#) Parker, 1917
[*Sarcophaga knadi*](#) Quo, 1952
[*Sarcophaga lekebai*](#) Shinonaga, 2004
[*Sarcophaga macroauriculata*](#) Ho, 1932
[*Sarcophaga misera*](#) Walker, 1849 - (Flesh fly)
[*Sarcophaga omega*](#) Johnston & Tieg, 1921
[*Sarcophaga taenionota*](#) (Wiedemann, 1819)
[*Sarcophaga tupada*](#) (Lehrer, 2008)
[*Sarcophaga unguetigris*](#) (Rohdendorf, 1938)
 Subgenus *Perisimyia* Xue & Verves, 2009
[*Sarcophaga perisi*](#) (Xue & Verves, 2009)
 Subgenus *Petuniophalla* Lehrer, 1994
[*Sarcophaga stuckenbergiana*](#) (Lehrer, 1994)
 Subgenus *Phalacrodiscus* Enderlein, 1928
[*Sarcophaga dahliana*](#) (Enderlein, 1928)
 Subgenus *Phallantha* Rohdendorf, 1938
[*Sarcophaga keegani*](#) Kano & Shinonaga, 1964
[*Sarcophaga sichotealini*](#) (Rohdendorf, 1938)
 Subgenus *Phallanthisca* Rohdendorf, 1965
[*Sarcophaga magensi*](#) Kano, 1957
[*Sarcophaga shirakii*](#) (Kano & Field, 1963)
 Subgenus *Phallocheira* Rohdendorf, 1937
[*Sarcophaga minor*](#) (Rohdendorf, 1937)
 Subgenus *Phallonychia* Verves, 1982
[*Sarcophaga oshimensis*](#) (Kano & Field, 1964)
 Subgenus *Phallosarcophaga*
[*Sarcophaga cutbertsoni*](#) (Lehrer, 2006)
 Subgenus *Phallosphaera* Rohdendorf, 1938
[*Sarcophaga amica*](#) (Ma, 1964)
[*Sarcophaga amicoides*](#) (Kurahashi & Tan, 2012)
[*Sarcophaga barioensis*](#) (Kurahashi & Tan, 2012)
[*Sarcophaga gravelyi*](#) Senior-White, 1924
[*Sarcophaga konakovi*](#) (Rohdendorf, 1938)
[*Sarcophaga kurahashii*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga metzgeri*](#) (Kano & Shinonaga, 1964)
[*Sarcophaga yelanghiops*](#) (Lehrer & Wei, 2011)
 Subgenus *Pharaonops* Lehrer, 2003
[*Sarcophaga tewfiki*](#) Salem, 1940
 Subgenus *Philiphaga* Lehrer, 2008
[*Sarcophaga batangomyia*](#) Lehrer, 2008

Subgenus Phytosarcophaga Rohdendorf, 1937
[*Sarcophaga destructor*](#) Malloch, 1929
[*Sarcophaga dialensis*](#) Mawlood, 2006

Subgenus Pierretia
[*Sarcophaga thinhi*](#) (Kano & Kurahashi, 2000)

Subgenus Poecilometopa Villeneuve, 1913
[*Sarcophaga dimidiatipes*](#) (Villeneuve, 1913)
[*Sarcophaga flavibasis*](#) Malloch, 1928
[*Sarcophaga kericho*](#) Pape, 1996
[*Sarcophaga nitidiventris*](#) Malloch, 1928
[*Sarcophaga octomaculata*](#) Jaennicke, 1867
[*Sarcophaga punctipennis*](#) Malloch, 1928
[*Sarcophaga spilogaster*](#) (Wiedemann, 1824)

Subgenus Poseidonimyia Verves, 1997
[*Sarcophaga simplex*](#) (Lopes, 1967)

Subgenus Povolnomyia Verves, 1997
[*Sarcophaga lingulata*](#) (Ye, 1980)

Subgenus Prionophalla Rohdendorf, 1963
[*Sarcophaga braunsi*](#) Engel, 1925
[*Sarcophaga freyi*](#) Zumpt, 1953
[*Sarcophaga goergeni*](#) (Lehrer, 2005)
[*Sarcophaga langi*](#) Curran, 1934
[*Sarcophaga leechi*](#) Zumpt, 1967
[*Sarcophaga lomagundica*](#) (Rohdendorf, 1963)
[*Sarcophaga namaquensis*](#) Zumpt, 1951
[*Sarcophaga praerupta*](#) Villeneuve, 1930
[*Sarcophaga silvai*](#) Zumpt, 1952

Subgenus Pseudaethiopisca Verves, 1989
[*Sarcophaga dinuzului*](#) Zumpt, 1972

Subgenus Pseudodiscachaeta
[*Sarcophaga imbecilla*](#) Karsch, 1886

Subgenus Pseudothyrsocnema Rohdendorf, 1937
[*Sarcophaga borneensis*](#) (Shinonaga & Lopes, 1975)
[*Sarcophaga caudagalli*](#) Böttcher, 1912
[*Sarcophaga crinitula*](#) Quo, 1952
[*Sarcophaga indica*](#) (Shinonaga & Lopes, 1975)
[*Sarcophaga kairatuensis*](#) Shinonaga, 2004
[*Sarcophaga lhasae*](#) (Fan, 1964)
[*Sarcophaga longistylata*](#) (Shinonaga & Lopes, 1975)
[*Sarcophaga nicobarensis*](#) (Nandi, 1989)
[*Sarcophaga panaya*](#) (Lehrer, 2008)
[*Sarcophaga spinosa*](#) Villeneuve, 1912

Subgenus Pterolobomyia Lehrer, 1993
[*Sarcophaga einsteiniella*](#) (Lehrer, 1993)
[*Sarcophaga kalahariana*](#) (Lehrer, 2005)
[*Sarcophaga turkanella*](#) (Lehrer, 2005)

Subgenus Pterophalla Rohdendorf, 1955
[*Sarcophaga oitana*](#) Hori, 1955

Subgenus Pterosarcophaga Ye, 1981

[*Sarcophaga emeishanensis*](#) (Ye & Ni, 1981)

Subgenus Ranavalona Lehrer, 2003

[*Sarcophaga stuckenbergi*](#) Zumpt, 1964

Subgenus Robertiana

Subgenus Robineauella Enderlein, 1928

[*Sarcophaga anchoriformis*](#) (Fan, 1964)

[*Sarcophaga caerulescens*](#) Zetterstedt, 1838

[*Sarcophaga carpatina*](#) (Lehrer, 2008)

[*Sarcophaga coei*](#) (Rohdendorf, 1966)

[*Sarcophaga daurica*](#) (Grunin, 1964)

[*Sarcophaga djakonovi*](#) (Rohdendorf, 1937)

[*Sarcophaga grunini*](#) (Rohdendorf, 1938)

[*Sarcophaga huangshanensis*](#) (Fan, 1964)

[*Sarcophaga japonica*](#) Hori, 1954

[*Sarcophaga javana*](#) Macquart, 1851

[*Sarcophaga kopetdaghica*](#) (Verves, 1979)

[*Sarcophaga mendeliana*](#) (Lehrer, 2008)

[*Sarcophaga nearctica*](#) Parker, 1916

[*Sarcophaga picibasicosta*](#) Pape, 1996

[*Sarcophaga pseudoscopia*](#) Kramer, 1911

[*Sarcophaga rohdendorfiana*](#) (Trofimov, 1948)

[*Sarcophaga simultaneousa*](#) (Wei & Yang, 2007)

[*Sarcophaga thailandica*](#) (Kurahashi & Chaiwong, 2013)

[*Sarcophaga uemotoi*](#) (Kano & Field, 1964)

[*Sarcophaga walayari*](#) Senior-White, 1924

Subgenus Rohdendorfisca Grunin, 1964

[*Sarcophaga flagellifera*](#) (Grunin, 1964)

Subgenus Rosellea Rohdendorf, 1937

[*Sarcophaga aratrix*](#) Pandellé, 1896

[*Sarcophaga beckiana*](#) (Lehrer, 1996)

[*Sarcophaga gigas*](#) Thomas, 1949

[*Sarcophaga hainanna*](#) (Xue & Zhang, 2004)

[*Sarcophaga khasiensis*](#) Senior-White, 1924

[*Sarcophaga naumanni*](#) (Lehrer & Martínez-Sánchez, 2000)

Subgenus Rossikenya

Subgenus Sabakia Lehrer, 2005

[*Sarcophaga tanzaniella*](#) (Lehrer, 2005)

Subgenus Sabiella Verves, 1990

[*Sarcophaga mandelania*](#) (Lehrer, 2005)

Subgenus Salemmia Verves, 2001

[*Sarcophaga austenii*](#) Salem, 1938

Subgenus Saputaramia Verves, 2001

[*Sarcophaga saputaraensis*](#) (Nandi, 1992)

Subgenus Sarconandia Lehrer, 2005

[*Sarcophaga madrasiola*](#) (Lehrer, 2005)

Subgenus Sarcophaga Meigen, 1824

[*Sarcophaga adriatica*](#) Böttcher, 1913

[*Sarcophaga apsuarum*](#) Rohdendorf, 1937

[*Sarcophaga bachmayeri*](#) Lehrer, 1978

[*Sarcophaga baranoffi*](#) Rohdendorf, 1937
[*Sarcophaga bergi*](#) Rohdendorf, 1937
[*Sarcophaga carnaria*](#) (Linnaeus, 1758) - (camouflaged flesh fly)
[*Sarcophaga congesta*](#) Lehrer, 1967
[*Sarcophaga croatica*](#) Baranov, 1941
[*Sarcophaga disputata*](#) Lehrer, 1967
[*Sarcophaga hennigi*](#) Lehrer, 1978
[*Sarcophaga jeanleclercqi*](#) Lehrer, 1975
[*Sarcophaga jupalnica*](#) Lehrer, 1967
[*Sarcophaga kaplani*](#) Lehrer, 1999
[*Sarcophaga lehmanni*](#) Müller, 1922
[*Sarcophaga marcelleclercqi*](#) Lehrer, 1975
[*Sarcophaga matilei*](#) Blackith, Richet, Pape & Andreï-Ruiz, 2001
[*Sarcophaga moldavica*](#) Rohdendorf, 1937
[*Sarcophaga moravica*](#) Povolný, 1986
[*Sarcophaga mouchajosefi*](#) Lehrer, 1978
[*Sarcophaga ornatijuxta*](#) Richet, Pape & Blackith, 1995
[*Sarcophaga pagensis*](#) Baranov, 1939
[*Sarcophaga pyrenaica*](#) Séguy, 1941
[*Sarcophaga romanica*](#) Lehrer, 1967
[*Sarcophaga schusteri*](#) Lehrer, 1959
[*Sarcophaga serbica*](#) Baranov, 1930
[*Sarcophaga subvicina*](#) Rohdendorf, 1937
[*Sarcophaga trabzonensis*](#) Pekbey, Hayat, Richet & Blackith, 2011
[*Sarcophaga ukrainica*](#) Rohdendorf, 1937
[*Sarcophaga variegata*](#) (Scopoli, 1763)
[*Sarcophaga wallenbergi*](#) Lehrer, 1989
[*Sarcophaga zumptiana*](#) Lehrer, 1959

Subgenus *Sarcorohdendorfia* Baranov, 1938

[*Sarcophaga alpha*](#) Johnston & Tiegs, 1921
[*Sarcophaga antilope*](#) Böttcher, 1913
[*Sarcophaga assimilis*](#) Macquart, 1851
[*Sarcophaga aureifacies*](#) (Lopes, 1967)
[*Sarcophaga aureolata*](#) Pape & Kurahashi, 2000
[*Sarcophaga beta*](#) Johnston & Tiegs, 1921
[*Sarcophaga bidentata*](#) (Lopes, 1953)
[*Sarcophaga bifrons*](#) Walker, 1853
[*Sarcophaga braueri*](#) Salem, 1946
[*Sarcophaga cirrhura*](#) Bezzi, 1927
[*Sarcophaga clavus*](#) Meiklejohn, Wallman & Pape, 2013
[*Sarcophaga confusio*](#) Geisler & Pape, 2023
[*Sarcophaga darwiniana*](#) (Kano & Lopes, 1979)
[*Sarcophaga desaii*](#) (Nandi, 1978)
[*Sarcophaga emuensis*](#) (Lopes & Kano, 1979)
[*Sarcophaga fergusonina*](#) Hardy, 1940
[*Sarcophaga froggatti*](#) Taylor, 1917
[*Sarcophaga furcata*](#) Hardy, 1932
[*Sarcophaga ghaiae*](#) (Nandi, 1979)
[*Sarcophaga henryi*](#) Senior-White, 1924

[*Sarcophaga hiromui*](#) Kano, 1994
[*Sarcophaga hollandia*](#) Roback, 1952
[*Sarcophaga horti*](#) Blackith & Blackith, 1988
[*Sarcophaga howensis*](#) Johnston & Hardy, 1923
[*Sarcophaga ikat*](#) Pape & Kurahashi, 2004
[*Sarcophaga ikedai*](#) Shinonaga, 2004
[*Sarcophaga impatiens*](#) Walker, 1849
[*Sarcophaga indusa*](#) (Curran, 1936)
[*Sarcophaga inextricata*](#) Walker, 1859
[*Sarcophaga irrequieta*](#) Walker, 1849
[*Sarcophaga longifilia*](#) Salem, 1946
[*Sarcophaga magnifica*](#) (Baranov, 1936)
[*Sarcophaga maxima*](#) Meiklejohn, Pape, Wallman & Dowton, 2017
[*Sarcophaga megafilosia*](#) Pape, McKillup & McKillup, 2000
[*Sarcophaga meiofilosia*](#) Pape, McKillup & McKillup, 2000
[*Sarcophaga mimobasalis*](#) (Ma, 1964)
[*Sarcophaga mont*](#) Pape, 1996
[*Sarcophaga multivillosa*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga narabondxii*](#) Geisler & Pape, 2023
[*Sarcophaga omikron*](#) Johnston & Tiegs, 1921
[*Sarcophaga pattoni*](#) Senior-White, 1924
[*Sarcophaga piciventris*](#) Pape, 1996
[*Sarcophaga piva*](#) Roback, 1952
[*Sarcophaga praedatrix*](#) Walker, 1849
[*Sarcophaga pusana*](#) Senior-White, 1924
[*Sarcophaga rhynchura*](#) Bezzi, 1927
[*Sarcophaga saprianovae*](#) Pape & Bänziger, 2000
[*Sarcophaga seniorwhitei*](#) Ho, 1938
[*Sarcophaga separata*](#) (Lopes, 1967)
[*Sarcophaga serratocudo*](#) Pape & Kurahashi, 2004
[*Sarcophaga spinigera*](#) (Lopes, 1953)
[*Sarcophaga stylata*](#) Pape, 1996
[*Sarcophaga sundaensis*](#) Shinonaga, 2004
[*Sarcophaga triplex*](#) Hardy, 1943
[*Sarcophaga uncus*](#) Pape & Kurahashi, 2004
[*Sarcophaga urceola*](#) (Shinonaga & Beaver, 1979)
[*Sarcophaga variabilis*](#) (Lopes, 1958)
[*Sarcophaga villisterna*](#) Salem, 1946
[*Sarcophaga whitneyi*](#) (Curran, 1936)
[*Sarcophaga wujiangiana*](#) (Lehrer & Wei, 2011)
[*Sarcophaga wumengia*](#) (Lehrer & Wei, 2011)
[*Sarcophaga zeta*](#) Johnston & Tiegs, 1921

Subgenus *Sarcosolomonina* Baranov, 1938

[*Sarcophaga andamanensis*](#) (Nandi, 1989)
[*Sarcophaga arabari*](#) Pape, 1996
[*Sarcophaga aureomarginata*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga baranovi*](#) (Lopes, 1967)
[*Sarcophaga buxtoni*](#) Salem, 1946
[*Sarcophaga carolinensis*](#) (Lopes, 1958)

[*Sarcophaga chalcura*](#) Bezzi, 1927
[*Sarcophaga chambaensis*](#) (Nandi, 1989)
[*Sarcophaga circa*](#) Pape & Bänziger, 2003
[*Sarcophaga collessi*](#) Meiklejohn, Wallman & Pape, 2013
[*Sarcophaga confusa*](#) (Lopes, 1967)
[*Sarcophaga crinita*](#) Parker, 1917
[*Sarcophaga fabea*](#) (Lopes, 1959)
[*Sarcophaga guanyina*](#) (Lehrer & Wei, 2010)
[*Sarcophaga hai*](#) (Kano & Kurahashi, 2000)
[*Sarcophaga harinasutai*](#) (Kano & Sooksri, 1977)
[*Sarcophaga hongheensis*](#) (Li & Ye, 1992)
[*Sarcophaga kaushanensis*](#) (Nandi, 1990)
[*Sarcophaga kupangensis*](#) Shinonaga, 2004
[*Sarcophaga lombokensis*](#) Shinonaga, 2004
[*Sarcophaga lopesi*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga maai*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga occulta*](#) (Lopes & Kano, 1969)
[*Sarcophaga papuensis*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga rohdendorfia*](#) Pape, 1996
[*Sarcophaga sedlaceki*](#) (Shinonaga & Kurahashi, 1969)
[*Sarcophaga setifacies*](#) (Lopes, 1967)
[*Sarcophaga shinonagai*](#) (Kano & Sooksri, 1977)
[*Sarcophaga shresthai*](#) (Kano & Shinonaga, 1969)
[*Sarcophaga stricklandi*](#) Hall & Bohart, 1948
[*Sarcophaga sumunensis*](#) (Lopes, 1967)
[*Sarcophaga susainathani*](#) Pape, 1996
[*Sarcophaga synia*](#) Johnston & Hardy, 1923
[*Sarcophaga trifulcata*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga tulagiensis*](#) (Baranov, 1938)
[*Sarcophaga versatilis*](#) (Lopes, 1959)

Subgenus *Sarcotachinella* Townsend, 1892

[*Sarcophaga sinuata*](#) Meigen, 1826

Subgenus *Scotathysia* Enderlein, 1937

[*Sarcophaga cuthbertsoni*](#) (Lehrer, 2003)

[*Sarcophaga liberia*](#) Curran, 1934

[*Sarcophaga notatipennis*](#) Austen, 1909

[*Sarcophaga samia*](#) Curran, 1934

Subgenus *Seniorwhitea* Rohdendorf, 1937

[*Sarcophaga mantiae*](#) (Nandi, 2002)

[*Sarcophaga orientalis*](#) Parker, 1917

[*Sarcophaga phoenicopterus*](#) Böttcher, 1913

[*Sarcophaga princeps*](#) Wiedemann, 1830 - (Flesh fly)

[*Sarcophaga schoemani*](#) Zumpt, 1951

Subgenus *Seselwana* Lehrer, 2003

[*Sarcophaga aldabrae*](#) Zumpt, 1973

Subgenus *Sinonipponia* Rohdendorf, 1965

[*Sarcophaga aniyai*](#) Kano, 1957

[*Sarcophaga bengalensis*](#) (Nandi, 1977)

[*Sarcophaga cheesmanae*](#) Salem, 1946

[*Sarcophaga concreata*](#) Séguy, 1934
[*Sarcophaga hainanensis*](#) Ho, 1936
[*Sarcophaga hervebazini*](#) Séguy, 1934
[*Sarcophaga javi*](#) Salem, 1946
[*Sarcophaga komi*](#) (Kurahashi & Sukontason, 2004)
[*Sarcophaga musashinensis*](#) Kano & Okazaki, 1956
[*Sarcophaga papaii*](#) (Nandi, 1988)
[*Sarcophaga smarti*](#) (Nandi, 1991)
 Subgenus Sinopierretia Verves, 1997
 [*Sarcophaga bihami*](#) (Qian & Fan, 1981)
 Subgenus Sisyhelicobia Zumpt, 1972
 [*Sarcophaga sisypheus*](#) Zumpt, 1952
 Subgenus Sokotriella Lehrer, 2005
 [*Sarcophaga jamila*](#) (Lehrer, 2005)
 Subgenus Stackelbergeola Rohdendorf, 1937
 [*Sarcophaga fedtshenkoi*](#) (Rohdendorf, 1937)
 [*Sarcophaga galileana*](#) (Lehrer, 1999)
 [*Sarcophaga grueti*](#) (Lehrer, 1999)
 [*Sarcophaga mehadiensis*](#) Böttcher, 1912
 [*Sarcophaga paramonovi*](#) (Rohdendorf, 1937)
 [*Sarcophaga sushkini*](#) (Rohdendorf, 1937)
 [*Sarcophaga zarudnyi*](#) (Rohdendorf, 1937)
 Subgenus Sugiyamamyia Verves, 1997
 [*Sarcophaga tsengi*](#) Sugiyama, 1987
 Subgenus Takanoa
 [*Sarcophaga hakusana*](#) Hori, 1954
 [*Sarcophaga rugosa*](#) (Rohdendorf, 1969)
 Subgenus Takaraia Kano & Field, 1963
 [*Sarcophaga yonahaensis*](#) (Kano & Field, 1963)
 Subgenus Taylorimyia Lopes, 1959
 [*Sarcophaga aurifrons*](#) Macquart, 1846
 Subgenus Thyrsoenema Enderlein, 1928
 [*Sarcophaga belgiana*](#) (Lehrer, 1976)
 [*Sarcophaga corsicana*](#) Villeneuve, 1911
 [*Sarcophaga dasguptai*](#) (Nandi, 1979)
 [*Sarcophaga incisilobata*](#) Pandellé, 1896
 [*Sarcophaga kentejana*](#) (Rohdendorf, 1937)
 [*Sarcophaga lushainensis*](#) (Nandi, 1992)
 [*Sarcophaga niculescui*](#) (Lehrer, 1994)
 [*Sarcophaga platariae*](#) (Povolný, 1992)
 [*Sarcophaga pulla*](#) Aldrich, 1916
 [*Sarcophaga solitaria*](#) (Povolný, 1998)
 [*Sarcophaga transpyrenaica*](#) (Povolný, 1995)
 Subgenus Tolucamyia Dodge, 1965
 [*Sarcophaga cavagnaroi*](#) (Dodge, 1965)
 [*Sarcophaga schrameli*](#) Dodge, 1967
 [*Sarcophaga sigilla*](#) Reinhard, 1947
 Subgenus Torgopampa Lopes, 1975
 Subgenus Transvaalomyia Lehrer, 1992

[*Sarcophaga erlangeri*](#) (Lehrer & Lehrer, 1992)
[*Sarcophaga somalica*](#) Rudzinski & Baumjohann, 2009
 Subgenus Tuberomembrana Fan, 1981
 [*Sarcophaga xizangensis*](#) (Fan, 1981)
 Subgenus Uroxanthisca Rohdendorf, 1963
 [*Sarcophaga absurda*](#) (Lehrer, 2000)
 [*Sarcophaga benefactor*](#) Malloch, 1929
 [*Sarcophaga calicifera*](#) Böttcher, 1912
 [*Sarcophaga dispessa*](#) Villeneuve, 1936
 [*Sarcophaga eos*](#) Zumpt, 1955
 [*Sarcophaga furcoides*](#) Zumpt, 1967
 [*Sarcophaga germaini*](#) Rickenbach, 1977
 [*Sarcophaga inducta*](#) Curran, 1934
 [*Sarcophaga liberiphaga*](#) (Lehrer, 2005)
 [*Sarcophaga lindneriana*](#) Zumpt, 1954
 [*Sarcophaga malgache*](#) Zumpt, 1964
 [*Sarcophaga plutus*](#) Zumpt, 1954
 [*Sarcophaga selene*](#) (Curran, 1934)
 Subgenus Variosellea Xue, 1979
 [*Sarcophaga aldrichi*](#) Parker, 1916
 Subgenus Virugana
 [*Sarcophaga musitali*](#) Curran, 1934
 Subgenus Wittemyia
 [*Sarcophaga turkanella*](#) Lehrer, 2008
 Subgenus Wohlfahrtiopsis Townsend, 1917
 [*Sarcophaga beeri*](#) Dodge, 1966
 [*Sarcophaga bishoppi*](#) Aldrich, 1916
 [*Sarcophaga georgiana*](#) Dodge, 1966
 [*Sarcophaga johnsoni*](#) Aldrich, 1916
 [*Sarcophaga kesseli*](#) Dodge, 1966
 [*Sarcophaga utilis*](#) Aldrich, 1915
 Subgenus Xanthopterisca Rohdendorf, 1963
 [*Sarcophaga aheria*](#) (Lehrer, 1996)
 [*Sarcophaga condona*](#) (Curran, 1934)
 [*Sarcophaga dromaficana*](#) (Lehrer, 2001)
 [*Sarcophaga elegantipes*](#) Villeneuve, 1921
 [*Sarcophaga freidbergi*](#) (Lehrer, 2001)
 [*Sarcophaga gadiriana*](#) (Lehrer, 1996)
 [*Sarcophaga mazaliana*](#) (Lehrer, 1996)
 [*Sarcophaga nihbadella*](#) (Lehrer, 1996)
 [*Sarcophaga regularis*](#) Wiedemann, 1830
 [*Sarcophaga ziegleri*](#) (Lehrer, 2005)
 [*Sarcophaga zulunata*](#) (Lehrer, 2005)
 Subgenus Yemeniella Lehrer, 2005
 [*Sarcophaga friedmani*](#) (Lehrer, 2008)
 [*Sarcophaga suhaylia*](#) (Lehrer, 2005)
 Subgenus Yunnanisca Verves, 1997
 [*Sarcophaga fani*](#) (Li & Ye, 1985)
 Subgenus Ziminisca Rohdendorf, 1965

[*Sarcophaga semenovi*](#) Rohdendorf, 1925

Subgenus Zombanella Lehrer, 1993

[*Sarcophaga ehrlichi*](#) (Lehrer, 1993)

Subgenus Zumptiopsis Lehrer, 1992

[*Sarcophaga hera*](#) Zumpt, 1972

[*Sarcophaga sapitwana*](#) (Lehrer, 2011)

[*Sarcophaga surda*](#) Curran, 1934

Subgenus Zumptisca Rohdendorf, 1963

[*Sarcophaga bulamatadi*](#) Curran, 1934

[*Sarcophaga oharai*](#) (Lehrer, 1994)

[*Sarcophaga retrostylata*](#) (Lehrer, 2009)

Subgenus not assigned

[*Sarcophaga aenigmoides*](#) Povolný, 1987

[*Sarcophaga agrestis*](#) (Robineau-Desvoidy, 1863)

[*Sarcophaga ambon*](#) Pape, 1995

[*Sarcophaga baruai*](#) Sugiyama, Shinonaga & Kano, 1988

[*Sarcophaga beninella*](#) (Lehrer, 2003)

[*Sarcophaga berberina*](#) (Lehrer, 2003)

[*Sarcophaga birganjensis*](#) Sugiyama, 1988

[*Sarcophaga borodorf*](#) Pape, 1996

[*Sarcophaga brachiata*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga caledonia*](#) Pape, 1996

[*Sarcophaga claviger*](#) Blackith & Blackith, 1988

[*Sarcophaga curvicercus*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga daciana*](#) Lehrer, 2008

[*Sarcophaga dawahi*](#) Deeming, 2024

[*Sarcophaga diatraeae*](#) (Brèthes, 1927)

[*Sarcophaga discifera*](#) Pandellé, 1896

[*Sarcophaga disneyi*](#) Blackith & Blackith, 1988

[*Sarcophaga distincta*](#) Salem, 1946

[*Sarcophaga diurpaneia*](#) Lehrer, 2008

[*Sarcophaga dumoga*](#) Sugiyama & Kurahashi, 1988

[*Sarcophaga fenchihuensis*](#) Sugiyama, 1987

[*Sarcophaga hirsuta*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga hugoi*](#) Pape, 1996

[*Sarcophaga isorokui*](#) Shinonaga & Kano, 1993

[*Sarcophaga karachiensis*](#) Bilqees, Ali & Khan, 1984

[*Sarcophaga karna*](#) Pape, 1996

[*Sarcophaga kartabo*](#) Curran & Walley, 1934

[*Sarcophaga kiyokoae*](#) Chaiwong, Sukontason & Sukontason, 2009

[*Sarcophaga limbatella*](#) (Bezzi, 1928)

[*Sarcophaga malaitensis*](#) Shinonaga & Kano, 1993

[*Sarcophaga maramureshana*](#) Lehrer, 2008

[*Sarcophaga mariobezzi*](#) Pape, 1991

[*Sarcophaga melania*](#) (Shinonaga & Tumrasvin, 1979)

[*Sarcophaga menadensis*](#) Shinonaga, 2004

[*Sarcophaga mersinensis*](#) Pekbey, 2020

[*Sarcophaga mimobrevicornis*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga montiblensis*](#) Sugiyama, Shinonaga & Kano, 1990

[*Sarcophaga nigradorsalis*](#) Shinonaga & Kano, 1993
[*Sarcophaga omari*](#) (Kurahashi & Leh, 2007)
[*Sarcophaga palavae*](#) Povolný, 1993
[*Sarcophaga pandifera*](#) Blackith & Pape, 1999
[*Sarcophaga panormi*](#) Povolný, 1998
[*Sarcophaga polita*](#) Malloch, 1929
[*Sarcophaga quinquerosa*](#) Sugiyama, Shinonaga & Kano, 1990
[*Sarcophaga robustispinosa*](#) Sugiyama, Shinonaga & Kano, 1990
[*Sarcophaga rozkosnyi*](#) Povolný, 2001
[*Sarcophaga smithiana*](#) Pape, 1996
[*Sarcophaga sorrow*](#) Pape, 1995
[*Sarcophaga spinipenis*](#) (Shinonaga & Tumrasvin, 1979)
[*Sarcophaga suffa*](#) Pape, 1996
[*Sarcophaga tephroides*](#) Shinonaga & Kano, 1993
[*Sarcophaga vanuatu*](#) Pape, 1991
[*Sarcophaga vitilevensis*](#) Shinonaga & Kano, 1993
[*Sarcophaga wiesenthalii*](#) Lehrer, 1989
[*Sarcophaga wyatti*](#) (Nandi, 1994)
[*Sarcophaga yuwanensis*](#) Sugiyama, 1991
[*Sarcophaga zimba*](#) Pape, 1996

This is a list of 339 species in [*Sapromyza*](#), a genus of flies in the family [*Lauxaniidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Sapromyza* species**

- [*Sapromyza abhorens*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza acrostichalis*](#) Sasakawa, 2001 ^{c g}
- [*Sapromyza adriani*](#) Baez, 2000 ^{c g}
- [*Sapromyza affra*](#) Rondani, 1863 ^{c g}
- [*Sapromyza afghanica*](#) Papp, 1979 ^{c g}
- [*Sapromyza agromyzina*](#) (Kertész, 1913) ^{c g}
- [*Sapromyza alazonica*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza albibasis*](#) Sasakawa, 1995 ^{c g}
- [*Sapromyza albiceps*](#) Fallén, 1820
- [*Sapromyza albicincta*](#) (Meijere, 1916) ^{c g}
- [*Sapromyza albifacies*](#) Czerny, 1932 ^{c g}
- [*Sapromyza albipes*](#) Coquillett, 1904 ^{c g}
- [*Sapromyza albitarsis*](#) (Meigen, 1826) ^{c g}
- [*Sapromyza alboatra*](#) Malloch, 1926 ^{c g}
- [*Sapromyza albuliceps*](#) Czerny, 1932

- [Sapromyza alpina](#) Merz, 2007 ^{c g}
- [Sapromyza amabilis](#) Frey, 1930
- [Sapromyza amphibola](#) Shatalkin, 1993 ^{c g}
- [Sapromyza analis](#) Macquart, 1846 ^{c g}
- [Sapromyza annulifera](#) Malloch, 1929 ^{c g}
- [Sapromyza annulipes](#) Macquart, 1851 ^{c g}
- [Sapromyza antennata](#) Becker, 1895 ^{c g}
- [Sapromyza apicalis](#) Loew, 1847
- [Sapromyza appula](#) (Walker, 1849) ^{c g}
- [Sapromyza arctophila](#) Shatalkin, 1993 ^{c g}
- [Sapromyza ardesiaca](#) Shatalkin, 1993 ^{c g}
- [Sapromyza arenaria](#) Tonnoir & Malloch, 1926 ^{c g}
- [Sapromyza argus](#) Macquart, 1846 ^{c g}
- [Sapromyza arkitana](#) Shatalkin, 1999 ^{c g}
- [Sapromyza atrimana](#) Malloch, 1928 ^{c g}
- [Sapromyza atripes](#) (Meigen, 1838) ^{c g}
- [Sapromyza atrivena](#) Shewell, 1971 ^{c g}
- [Sapromyza aureocapitata](#) Malloch, 1926 ^{c g}
- [Sapromyza avicola](#) Malloch, 1927 ^{c g}
- [Sapromyza basalis](#) Zetterstedt, 1847
- [Sapromyza basipunctata](#) Kertész, 1900 ^{c g}
- [Sapromyza beccarii](#) Kertész, 1900 ^{c g}
- [Sapromyza beckeriana](#) Baez, 2000 ^{c g}
- [Sapromyza bergenstammi](#) (Czerny, 1932) ^{c g}
- [Sapromyza bergi](#) Shatalkin, 1993 ^{c g}
- [Sapromyza binotata](#) Macquart, 1835 ^{c g}
- [Sapromyza biordinata](#) Czerny, 1932 ^{c g}
- [Sapromyza bipunctata](#) Say, 1829 ^{c g}
- [Sapromyza biscoitoi](#) Baez, 2001 ^{c g}
- [Sapromyza bisigillata](#) Rondani, 1868
- [Sapromyza blanchardi](#) Malloch, 1933 ^{c g}
- [Sapromyza brachysoma](#) Coquillett, 1898 ^{i c g b}
- [Sapromyza brasiliensis](#) Walker, 1853 ^{c g}
- [Sapromyza brunneovittata](#) Malloch, 1926 ^{c g}
- [Sapromyza brunnitarsis](#) Macquart, 1835 ^{c g}
- [Sapromyza cabrilsensis](#) Carles-Tolra, 1993 ^{c g}
- [Sapromyza caeruleophthalmica](#) (Scopoli, 1763) ^{c g}

- [*Sapromyza carinatula*](#) Shatalkin, 1992 ^{c g}
- [*Sapromyza cerata*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza chiloensis*](#) Malloch, 1933 ^{c g}
- [*Sapromyza chlorophthalma*](#) Zetterstedt, 1838 ^{c g}
- [*Sapromyza cincitventris*](#) Czerny, 1932 ^{c g}
- [*Sapromyza cinctipes*](#) (Meijere, 1910) ^{c g}
- [*Sapromyza cinerea*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza citrina*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza citrinella*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza claripennis*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza clathrata*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza columbi*](#) Frey, 1936
- [*Sapromyza connexa*](#) (Say, 1829) ^{c g}
- [*Sapromyza conspicua*](#) Malloch, 1929 ^{c g}
- [*Sapromyza ctenophora*](#) Sasakawa, 2001 ^{c g}
- [*Sapromyza cyclops*](#) Melander, 1913 ^{i c g}
- [*Sapromyza delicatula*](#) Blanchard, 1852 ^{c g}
- [*Sapromyza dichromata*](#) Walker, 1849 ^{c g}
- [*Sapromyza dichromocera*](#) Czerny, 1933 ^{c g}
- [*Sapromyza discontinua*](#) Bezzi, 1928 ^{c g}
- [*Sapromyza dispersa*](#) (Pandelle, 1902) ^{c g}
- [*Sapromyza dorsalis*](#) Macquart, 1835 ^{c g}
- [*Sapromyza drahamensis*](#) Villeneuve, 1921 ^{c g}
- [*Sapromyza dubiella*](#) Evenhuis, 1989 ^{c g}
- [*Sapromyza duodecimvittata*](#) (Frey, 1918) ^{c g}
- [*Sapromyza edwardsi*](#) Malloch, 1933 ^{c g}
- [*Sapromyza elegans*](#) Kertész, 1900 ^{c g}
- [*Sapromyza emmesa*](#) Malloch, 1933 ^{c g}
- [*Sapromyza erimae*](#) Kertész, 1900 ^{c g}
- [*Sapromyza eronis*](#) Curran, 1934 ^{c g}
- [*Sapromyza exul*](#) Williston, 1896 ^{c g}
- [*Sapromyza faciatifrons*](#) (Kertész, 1913) ^g
- [*Sapromyza fasciatifrons*](#) (Kertész, 1913) ^{c g}
- [*Sapromyza femoralis*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza ferdinandi*](#) (Frey, 1919) ^{c g}
- [*Sapromyza ferganica*](#) Shatalkin, 1996 ^{c g}

- [*Sapromyza ferruginea*](#) (Macquart, 1848) ^{c g}
- [*Sapromyza flava*](#) (Robineau-Desvoidy, 1830) ^c
- [*Sapromyza flavimana*](#) Malloch, 1926 ^{c g}
- [*Sapromyza flavipes*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza flavodorsalis*](#) Malloch, 1927 ^{c g}
- [*Sapromyza flavopleura*](#) Malloch, 1927 ^{c g}
- [*Sapromyza freidbergi*](#) Yarom, 1990 ^{c g}
- [*Sapromyza frontalis*](#) Macquart, 1843 ^{c g}
- [*Sapromyza fulvicornis*](#) Malloch, 1933 ^{c g}
- [*Sapromyza fuscidula*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza fuscocostata*](#) Malloch, 1925 ^{c g}
- [*Sapromyza fuscolimbata*](#) Malloch, 1926 ^{c g}
- [*Sapromyza fuscotestacea*](#) Zetterstedt, 1849 ^{c g}
- [*Sapromyza geniculata*](#) Macquart, 1843 ^{c g}
- [*Sapromyza gestroi*](#) Kertész, 1900 ^{c g}
- [*Sapromyza gibbosa*](#) Thomson, 1869 ^{c g}
- [*Sapromyza gomerensis*](#) Baez, 2000 ^{c g}
- [*Sapromyza gozmanyi*](#) Papp, 1981 ^{c g}
- [*Sapromyza griseadorsalis*](#) Malloch, 1926 ^{c g}
- [*Sapromyza grossipes*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza guttulata*](#) Macquart, 1846 ^{c g}
- [*Sapromyza halidayi*](#) Shatalkin, 2000 ^{c g}
- [*Sapromyza hardii*](#) Lower, 1953 ^{c g}
- [*Sapromyza helomyzoides*](#) Becker, 1919 ^{c g}
- [*Sapromyza hermonensis*](#) Yarom, 1990 ^{c g}
- [*Sapromyza hieroglyphica*](#) Malloch, 1927 ^{c g}
- [*Sapromyza hierrensis*](#) Baez, 2000 ^{c g}
- [*Sapromyza hirtiloba*](#) Frey, 1949
- [*Sapromyza hissarica*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza hyalinata*](#) (Meigen, 1826)
- [*Sapromyza hyalipennis*](#) (Meijere, 1914) ^{c g}
- [*Sapromyza hypocrita*](#) Kertész, 1900 ^{c g}
- [*Sapromyza imitans*](#) Baez, 2001 ^{c g}
- [*Sapromyza immaculipes*](#) Malloch, 1926 ^{c g}
- [*Sapromyza impar*](#) Kertész, 1900 ^{c g}
- [*Sapromyza impunctata*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza incidens*](#) Curran, 1934 ^{c g}

- [*Sapromyza inconspicua*](#) Baez, 2001 ^{c g}
- [*Sapromyza indigena*](#) Becker, 1908
- [*Sapromyza infumata*](#) Becker, 1908
- [*Sapromyza ingrata*](#) Williston, 1896 ^{c g}
- [*Sapromyza innuba*](#) Giglio-Tos, 1893 ^{c g}
- [*Sapromyza insolita*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza insularis*](#) (Schiner, 1868) ^{c g}
- [*Sapromyza interiecta*](#) Walker, 1849 ^{c g}
- [*Sapromyza interjecta*](#) (Walker, 1849) ^c
- [*Sapromyza intonsa*](#) Loew, 1847
- [*Sapromyza intonsina*](#) Yarom, 1990 ^{c g}
- [*Sapromyza inversa*](#) Malloch, 1929 ^{c g}
- [*Sapromyza invertebrata*](#) Bezzi, 1928 ^{c g}
- [*Sapromyza israelis*](#) Yarom, 1990 ^{c g}
- [*Sapromyza kabuli*](#) Papp, 1979 ^{c g}
- [*Sapromyza krivosheinae*](#) Shatalkin, 1999 ^{c g}
- [*Sapromyza laevatrispina*](#) Carles-Tolra, 1992 ^{c g}
- [*Sapromyza lancifera*](#) Malloch, 1926 ^{c g}
- [*Sapromyza laszlopappi*](#) Merz, 2007 ^{c g}
- [*Sapromyza latelimbata*](#) Macquart, 1855 ^{c g}
- [*Sapromyza lateralis*](#) Walker, 1853 ^{c g}
- [*Sapromyza lateritia*](#) Rondani, 1863 ^{c g}
- [*Sapromyza laticincta*](#) Shatalkin, 1999 ^{c g}
- [*Sapromyza laurisilvae*](#) Baez, 2001 ^{c g}
- [*Sapromyza lebasii*](#) Macquart, 1843 ^{c g}
- [*Sapromyza leptoptera*](#) (Frey, 1919) ^{c g}
- [*Sapromyza lichtwardti*](#) Malloch, 1930 ^{c g}
- [*Sapromyza limbinerva*](#) Rondani, 1848 ^{c g}
- [*Sapromyza lineata*](#) (Walker, 1853) ^{c g}
- [*Sapromyza lineatocollis*](#) Blanchard, 1852 ^{c g}
- [*Sapromyza lineatus*](#) Williston, 1896 ^c
- [*Sapromyza longimentula*](#) Sasakawa, 2001 ^{c g}
- [*Sapromyza lopesi*](#) Shewell, 1989 ^{c g}
- [*Sapromyza lorentzi*](#) (Meijere, 1913) ^{c g}
- [*Sapromyza loriae*](#) Kertész, 1900 ^{c g}
- [*Sapromyza lupulinoides*](#) Williston, 1897 ^{c g}
- [*Sapromyza macrochaeta*](#) Shatalkin, 1999 ^{c g}

- [Sapromyza maculipennis](#) Loew, 1847 ^{c g}
- [Sapromyza madeirensis](#) Frey, 1949
- [Sapromyza maghrebi](#) Papp, 1981 ^{c g}
- [Sapromyza magnifica](#) Malloch, 1926 ^{c g}
- [Sapromyza mallochi](#) (Hendel, 1932) ^{c g}
- [Sapromyza mallochiana](#) Evenhuis & Okadome, 1989 ^{c g}
- [Sapromyza maquilingensis](#) Malloch, 1929 ^{c g}
- [Sapromyza marginalis](#) (Walker, 1858) ^{c g}
- [Sapromyza mariae](#) Malloch, 1927 ^{c g}
- [Sapromyza mauli](#) Baez, 2001 ^{c g}
- [Sapromyza melanocephala](#) (Kertész, 1915) ^{c g}
- [Sapromyza melanura](#) Zetterstedt, 1847 ^{c g}
- [Sapromyza metallica](#) Walker, 1853 ^{c g}
- [Sapromyza micropyga](#) Malloch, 1933 ^{c g}
- [Sapromyza mikii](#) Strobl, 1892
- [Sapromyza minuta](#) Kertész, 1900 ^{c g}
- [Sapromyza mollis](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza mongolorum](#) Remm & El'berg, 1980 ^{c g}
- [Sapromyza monticola](#) Melander, 1913 ^{i c g}
- [Sapromyza montis](#) Becker, 1914 ^{c g}
- [Sapromyza morokana](#) Kertész, 1900 ^{c g}
- [Sapromyza multimaculata](#) Yarom, 1990 ^{c g}
- [Sapromyza multiseriata](#) Czerny, 1932
- [Sapromyza neozelandica](#) Tonnoir & Malloch, 1926
- [Sapromyza nigerrima](#) Becker, 1919 ^{c g}
- [Sapromyza nigrans](#) (Melander, 1913) ^{i c g}
- [Sapromyza nigriceps](#) Macquart, 1851 ^{c g}
- [Sapromyza nigricornis](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza nigrifrontata](#) Becker, 1919 ^{c g}
- [Sapromyza nigripalpus](#) (Walker, 1849) ^{i c g}
- [Sapromyza nigripes](#) Macquart, 1843 ^{c g}
- [Sapromyza nigriventris](#) Blanchard, 1852 ^{c g}
- [Sapromyza nigroapicata](#) Malloch, 1926 ^{c g}
- [Sapromyza nitida](#) Czerny, 1932
- [Sapromyza novempunctata](#) Gimmerthal, 1847 ^{c g}
- [Sapromyza nudiseta](#) Shatalkin, 1999 ^{c g}
- [Sapromyza nudiuscula](#) Lamb, 1912 ^{c g}

- [Sapromyza obesa](#) Zetterstedt, 1847
- [Sapromyza obscuripennis](#) Loew, 1847 ^{c g}
- [Sapromyza obsoleta](#) Fallén, 1820
- [Sapromyza obscuripennis](#) Loew, 1847
- [Sapromyza occipitalis](#) Malloch, 1926 ^{c g}
- [Sapromyza octopuncta](#) Wiedemann, 1830 ^{c g}
- [Sapromyza oestrachion](#) Schiner, 1868 ^{c g}
- [Sapromyza ombriosa](#) Baez, 2000 ^{c g}
- [Sapromyza opaca](#) Becker, 1895
- [Sapromyza ornata](#) Schiner, 1868 ^{c g}
- [Sapromyza pallens](#) Blanchard, 1852 ^{c g}
- [Sapromyza pallida](#) Fallén, 1820 ^{c g}
- [Sapromyza pallidicornis](#) Loew, 1857 ^{c g}
- [Sapromyza palmensis](#) Baez, 2000 ^{c g}
- [Sapromyza palpella](#) Rondani, 1868
- [Sapromyza palustris](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza parallela](#) Carles-Tolra, 1992 ^{c g}
- [Sapromyza paramerata](#) Shatalkin, 1993 ^{c g}
- [Sapromyza parviceps](#) Malloch, 1926 ^{c g}
- [Sapromyza parvula](#) Blanchard, 1852 ^{c g}
- [Sapromyza pellopleura](#) Sasakawa, 2001 ^{c g}
- [Sapromyza persica](#) Shatalkin, 1996 ^{c g}
- [Sapromyza persimillima](#) Harrison, 1959 ^{c g}
- [Sapromyza peterseni](#) Malloch, 1927 ^{c g}
- [Sapromyza picea](#) Shatalkin, 1996 ^{c g}
- [Sapromyza picrula](#) Williston, 1897 ^{c g}
- [Sapromyza picticornis](#) (Curran, 1942) ^{c g}
- [Sapromyza pictigera](#) Malloch, 1935 ^{c g}
- [Sapromyza pilifrons](#) Malloch, 1926 ^{c g}
- [Sapromyza pistaciphila](#) Shatalkin, 1993 ^{c g}
- [Sapromyza placida](#) Meigen, 1830 ^{c g}
- [Sapromyza plana](#) (Curran, 1942) ^{c g}
- [Sapromyza plantaris](#) Thomson, 1869 ^{c g}
- [Sapromyza pleuralis](#) (Kertész, 1913) ^{c g}
- [Sapromyza plumiseta](#) Malloch, 1927 ^{c g}
- [Sapromyza poecilogastra](#) (Meijere, 1916) ^{c g}
- [Sapromyza pollinifrons](#) Malloch, 1927 ^{c g}

- [*Sapromyza pseudohyalinata*](#) Papp, 2004 ^{c g}
- [*Sapromyza pseudopaca*](#) Shatalkin, 1993 ^{c g}
- [*Sapromyza pseudovirilis*](#) Shewell, 1971 ^{c g}
- [*Sapromyza puella*](#) Williston, 1896 ^{c g}
- [*Sapromyza pulchripennis*](#) Kertész, 1900 ^{c g}
- [*Sapromyza punctata*](#) (Robineau-Desvoidy, 1830) ^{c g}
- [*Sapromyza punctigera*](#) (Doleschall, 1858) ^g
- [*Sapromyza punctiseta*](#) Malloch, 1925 ^{c g}
- [*Sapromyza punctulata*](#) Kertész, 1900 ^{c g}
- [*Sapromyza pusillima*](#) (Meijere, 1914) ^{c g}
- [*Sapromyza quadrangulata*](#) (Meijere, 1924) ^{c g}
- [*Sapromyza quadrata*](#) Bezzi, 1908 ^{c g}
- [*Sapromyza quadricincta*](#) Becker, 1895 ^{c g}
- [*Sapromyza quadridentata*](#) Sasakawa, 2001 ^{c g}
- [*Sapromyza quadripunctata*](#) (Linnaeus, 1767) ^{c g}
- [*Sapromyza quadristrigata*](#) Kertész, 1900 ^{c g}
- [*Sapromyza quichuana*](#) Brèthes, 1922 ^{c g}
- [*Sapromyza quinquepunctata*](#) Kertész, 1900 ^{c g}
- [*Sapromyza quyanensis*](#) Macquart, 1843 ^{c g}
- [*Sapromyza ratzii*](#) Kertész, 1900 ^{c g}
- [*Sapromyza ravidata*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza recurrens*](#) (Meijere, 1913) ^{c g}
- [*Sapromyza regalis*](#) Malloch, 1926 ^{c g}
- [*Sapromyza remmae*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza remota*](#) Thomson, 1869 ^{c g}
- [*Sapromyza rhodesiella*](#) Curran, 1938 ^{c g}
- [*Sapromyza ringens*](#) Loew, 1862 ^{c g}
- [*Sapromyza riparia*](#) Malloch, 1927 ^{c g}
- [*Sapromyza roberti*](#) Meigen, 1838 ^{c g}
- [*Sapromyza romanovi*](#) Shatalkin, 1996 ^{c g}
- [*Sapromyza rotundicornis*](#) Loew, 1863 ^{i c g b}
- [*Sapromyza rubescens*](#) Macquart, 1843 ^{c g}
- [*Sapromyza rubricornis*](#) Becker, 1907 ^{c g}
- [*Sapromyza rufifrons*](#) (Walker, 1853) ^{c g}
- [*Sapromyza schnabli*](#) Papp, 1987 ^{c g}
- [*Sapromyza schwarzi*](#) Malloch, 1928 ^{c g}

- [Sapromyza sciomyzina](#) Schiner, 1868 ^{c g}
- [Sapromyza scutellaris](#) (Williston, 1896) ^{c g}
- [Sapromyza semiatra](#) Malloch, 1933 ^{c g}
- [Sapromyza septemnotata](#) Sasakawa, 2001 ^{c g}
- [Sapromyza setiventris](#) Zetterstedt, 1847
- [Sapromyza setosa](#) Thomson, 1869 ^{c g}
- [Sapromyza sexlitoris](#) Shatalkin, 1993 ^{c g}
- [Sapromyza sexmaculata](#) Sasakawa, 2001 ^{c g}
- [Sapromyza sexnotata](#) Zetterstedt, 1847 ^{c g}
- [Sapromyza sexpunctata](#) Meigen, 1826
- [Sapromyza shannoni](#) Malloch, 1933 ^{c g}
- [Sapromyza shewelli](#) Evenhuis, 1989 ^{c g}
- [Sapromyza sicca](#) Becker, 1914 ^{c g}
- [Sapromyza simillima](#) Tonnoir & Malloch, 1926 ^{c g}
- [Sapromyza simplicior](#) Hendel, 1908
- [Sapromyza simplicipes](#) Czerny, 1932 ^{c g}
- [Sapromyza sonax](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza sordida](#) Haliday, 1833 ^{c g}
- [Sapromyza sororia](#) Williston, 1896 ^{i c g}
- [Sapromyza sorosia](#) Williston, 1896 ^{c g}
- [Sapromyza speciosa](#) Remm & El'berg, 1980 ^{c g}
- [Sapromyza spinigera](#) Malloch, 1933 ^{c g}
- [Sapromyza stata](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza stigmatica](#) Malloch, 1926 ^{c g}
- [Sapromyza strahani](#) Malloch, 1927 ^{c g}
- [Sapromyza strigillifera](#) Shatalkin, 1993 ^{c g}
- [Sapromyza stroblii](#) Kertész, 1900 ^{c g}
- [Sapromyza suavis](#) Loew, 1847 ^{c g}
- [Sapromyza suffusa](#) Malloch, 1926 ^{c g}
- [Sapromyza takagii](#) Elberg, 1993 ^{c g}
- [Sapromyza talyshensis](#) Shatalkin, 1999 ^{c g}
- [Sapromyza tarsella](#) Zetterstedt, 1847 ^{c g}
- [Sapromyza tenebricosa](#) Lindner, 1956 ^{c g}
- [Sapromyza teneriffensis](#) Frey, 1936
- [Sapromyza ternatensis](#) Kertész, 1900 ^{c g}
- [Sapromyza thoracica](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza tinguarrea](#) Frey, 1936

- [Sapromyza tonnoiri](#) Malloch, 1927 ^{c g}
- [Sapromyza transcaspica](#) Shatalkin, 2000 ^{c g}
- [Sapromyza transcaucasica](#) Czerny, 1932 ^{c g}
- [Sapromyza transformata](#) Becker, 1908
- [Sapromyza triloba](#) Malloch, 1933 ^{c g}
- [Sapromyza trinotata](#) Costa, 1844 ^{c g}
- [Sapromyza triseriata](#) Coquillett, 1904 ^{c g}
- [Sapromyza tuberculosa](#) Becker, 1895
- [Sapromyza ultima](#) Baez, 2001 ^{c g}
- [Sapromyza umbraculata](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Sapromyza undulata](#) Merz, 2007 ^{c g}
- [Sapromyza unicolorata](#) Malloch, 1926 ^{c g}
- [Sapromyza unizona](#) Hendel, 1908
- [Sapromyza urbana](#) Malloch, 1927 ^{c g}
- [Sapromyza variventris](#) Malloch, 1926 ^{c g}
- [Sapromyza venusta](#) Williston, 1896 ^{c g}
- [Sapromyza verena](#) Becker, 1919 ^{c g}
- [Sapromyza viciespunctata](#) Czerny, 1932
- [Sapromyza vicina](#) Meijere, 1907 ^{c g}
- [Sapromyza vicispunctata](#) Czerny, 1932 ^{c g}
- [Sapromyza victoriae](#) Malloch, 1925 ^{c g}
- [Sapromyza vinnula](#) Giglio-Tos, 1893 ^{c g}
- [Sapromyza virescens](#) (Macquart, 1851) ^{c g}
- [Sapromyza vittata](#) (Frey, 1917) ^{c g}
- [Sapromyza vumbella](#) Curran, 1938 ^{c g}
- [Sapromyza xanthiceps](#) Williston, 1897 ^{c g}
- [Sapromyza xenia](#) Malloch, 1935 ^{c g}
- [Sapromyza zebra](#) (Kertész, 1913) ^{c g}
- [Sapromyza zetterstedti](#) Hendel, 1908
- [Sapromyza ziminae](#) Shatalkin, 1996 ^{c g}
- [Sapromyza zlobini](#) Shatalkin, 1999 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 112 species in [*Saldula*](#), a genus of shore bugs in the family [*Saldidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Saldula species

- [*Saldula ablusa*](#) Drake & Hottes, 1954 ^{i c g b}
- [*Saldula ambigua*](#) Lindskog, 1985 ^{i c g}
- [*Saldula amoena*](#) (Reuter, 1876) ^{i c g}
- [*Saldula amplicollis*](#) (Reuter, 1891) ^{i c g}
- [*Saldula andrei*](#) Drake, 1949 ^{i c g}
- [*Saldula arenicola*](#) (Scholtz, 1847) ^{i c g}
- [*Saldula arsenjevi*](#) Vinokurov, 1981 ^{i c g}
- [*Saldula balli*](#) Drake, 1950 ^{i c g}
- [*Saldula basingeri*](#) Drake, 1949 ^{i c g}
- [*Saldula bengali*](#) Cobben, 1986 ^{i c g}
- [*Saldula boninana*](#) Drake, 1961 ^{i c g}
- [*Saldula bouchervillei*](#) (Provancher, 1872) ^{i c g}
- [*Saldula brevicornis*](#) Rimes, 1951 ^{i c g}
- [*Saldula burmanica*](#) Lindskog, 1975 ^{i c g}
- [*Saldula c-album*](#) (Fieber, 1859) ^{i c g}
- [*Saldula chartoscirtoides*](#) Cobben, 1986 ^{i c g}
- [*Saldula comata*](#) (Champion, 1900) ^{i c g}
- [*Saldula comatula*](#) Parshley, 1923 ^{i c g}
- [*Saldula confluenta*](#) (Say, 1832) ^{i c g}
- [*Saldula connemarae*](#) Walton, 1986 ^{i c g}
- [*Saldula coorongensis*](#) Rimes, 1951 ^{i c g}
- [*Saldula coxalis*](#) (Stål, 1873) ^{i c g}
- [*Saldula cygni*](#) (Kirkaldy, 1899) ^{i c g}
- [*Saldula dentulata*](#) (Hodgden, 1949) ^{i c g}
- [*Saldula differata*](#) Drake and Carvalho, 1948 ^{i c g}
- [*Saldula dispersa*](#) (Uhler, 1893) ^{i c g}
- [*Saldula durangoana*](#) J. Polhemus, 1972 ^{i c g}
- [*Saldula explanata*](#) (Uhler, 1893) ^{i c g}
- [*Saldula exulans*](#) (White, 1878) ^{i c g}
- [*Saldula filippii*](#) Cobben, 1987 ^{i c g}
- [*Saldula fucicola*](#) (Sahlberg, 1871) ^{i c g}
- [*Saldula fukiens*](#) Drake and Maa, 1954 ^{i c g}
- [*Saldula galapagosana*](#) J. Polhemus, 1968 ^{i c g}

- [*Saldula gidshaensis*](#) Cobben, 1987^{i c g}
- [*Saldula gilloglyi*](#) J. Polhemus and D. Polhemus, 2006^{i c g}
- [*Saldula guamensis*](#) Drake and Hottes, 1950^{i c g}
- [*Saldula hasegawai*](#) Cobben, 1985^{i c g}
- [*Saldula inconspicua*](#) Cobben, 1987^{i c g}
- [*Saldula inoana*](#) Drake, 1961^{i c g}
- [*Saldula intermedia*](#) Cobben, 1980^{i c g}
- [*Saldula javanica*](#) (Jaczewski, 1935)^{i c g}
- [*Saldula katonai*](#) Drake and Hoberlandt, 1950^{i c g}
- [*Saldula kauaiensis*](#) Cobben, 1980^{i c g}
- [*Saldula kurentzovi*](#) Vinokurov, 1979^{i c g}
- [*Saldula laevis*](#) (Champion, 1900)^{i c g}
- [*Saldula laticollis*](#) (Reuter, 1875)^{i c g}
- [*Saldula lattini*](#) Chapman and J. Polhemus, 1965^{i c g}
- [*Saldula lindbergi*](#) Lindskog, 1975^{i c g}
- [*Saldula lindskogi*](#) Vinokurov, 2004^{i c g}
- [*Saldula lita*](#) Drake, 1961^{i c g}
- [*Saldula lomata*](#) J. Polhemus, 1985^{i c g b}
- [*Saldula longicornis*](#) Cobben, 1980^{i c g}
- [*Saldula luctuosa*](#) (Stål, 1859)^{i c g}
- [*Saldula luteola*](#) Lindskog and J. Polhemus, 1992^{i c g}
- [*Saldula madagascariensis*](#) Cobben, 1987^{i c g}
- [*Saldula mariae*](#) Vinokurov, 1978^{i c g}
- [*Saldula melanoscela*](#) (Fieber, 1859)^{i c g}
- [*Saldula misis*](#) Seidenstücker, 1964^{i c g}
- [*Saldula montana*](#) Cobben and J. Polhemus, 1966^{i c g}
- [*Saldula montensis*](#) Cobben, 1987^{i c g}
- [*Saldula montigena*](#) Cobben, 1987^{i c g}
- [*Saldula montivaga*](#) Cobben, 1987^{i c g}
- [*Saldula nicholsoni*](#) (Hale, 1924)^{i c g}
- [*Saldula nigrita*](#) Parshley, 1921^{i c g}
- [*Saldula nitidula*](#) (Puton, 1880)^g
- [*Saldula niveolimbata*](#) (Reuter, 1900)^{i c g}
- [*Saldula nobilis*](#) (Horváth, 1883)^{i c g}
- [*Saldula notalis*](#) Drake, 1950^g
- [*Saldula notera*](#) Drake, 1963^{i c g}

- [*Saldula nubigena*](#) (Kirkaldy, 1908) ^{i c g}
- [*Saldula oahuensis*](#) (Blackburn, 1888) ^{i c g}
- [*Saldula opacula*](#) (Zetterstedt, 1838) ^{i c g b}
- [*Saldula piparia*](#) Drake and Hottes, 1955 ^{i c g}
- [*Saldula orbiculata*](#) (Uhler, 1877) ^{i c g b}
- [*Saldula orthochila*](#) (Fieber, 1859) ^{i c g}
- [*Saldula palauana*](#) Drake, 1961 ^{i c g}
- [*Saldula pallipes*](#) (Fabricius, 1794) ^{i c g b}
- [*Saldula palustris*](#) (Douglas, 1874) ^{i c g}
- [*Saldula parens*](#) Cobben, 1986 ^{i c g}
- [*Saldula penningtoni*](#) Drake and Carvalho, 1948 ^{i c g}
- [*Saldula pericarti*](#) Vinokurov, 2012 ^{i c g}
- [*Saldula pexa*](#) Drake, 1950 ^{i c g}
- [*Saldula pilosella*](#) (Thomson, 1871) ^{i c g}
- [*Saldula procellaris*](#) (Kirkaldy, 1908) ^{i c g}
- [*Saldula pruinosa*](#) Cobben, 1987 ^{i c g}
- [*Saldula psammobia*](#) Rimes, 1951 ^{i c g}
- [*Saldula quadrilineata*](#) (Jakovlev, 1865) ^{i c g}
- [*Saldula recticollis*](#) (Horváth, 1899) ^{i c g}
- [*Saldula reuteriella*](#) (Kirkaldy, 1899) ^{i c g}
- [*Saldula robertusingeri*](#) Cobben, 1982 ^{i c g}
- [*Saldula saltatoria*](#) (Linnaeus, 1758) ^{i c g b} (common shorebug)
- [*Saldula sardoa*](#) Filippi, 1957 ^{i c g}
- [*Saldula scitula*](#) Drake and Hottes, 1950 ^{i c g}
- [*Saldula setulosa*](#) (Puton, 1880) ^{i c g}
- [*Saldula severini*](#) Harris, 1943 ^{i c g}
- [*Saldula sibiricola*](#) Cobben, 1985 ^{i c g}
- [*Saldula solomonensis*](#) Cobben, 1986 ^{i c g}
- [*Saldula sonneveldti*](#) Blöte, 1947 ^{i c g}
- [*Saldula subcarinata*](#) (China, 1924) ^{i c g}
- [*Saldula subsolans*](#) Drake and Hottes, 1950 ^{i c g}
- [*Saldula sulcicollis*](#) (Champion, 1900) ^{i c g}
- [*Saldula tahitiensis*](#) Cobben, 1961 ^{i c g}
- [*Saldula taiwanensis*](#) Cobben, 1985 ^{i c g}
- [*Saldula tuberculata*](#) Cobben, 1987 ^{i c g}
- [*Saldula uichancoi*](#) Drake and Viado, 1951 ^{i c g}

- [*Saldula usingeri*](#) J. Polhemus, 1967^{i c g}
- [*Saldula villosa*](#) (Hodgden, 1949)^{i c g}
- [*Saldula waltoni*](#) Cobben and J. Polhemus, 1966^{i c g}
- [*Saldula xanthoa*](#) Cobben, 1987^{i c g}
- [*Saldula xanthochila*](#) (Fieber, 1859)^{i c g}
- [*Saldula zairensis*](#) Cobben, 1987^{i c g}
- [*Saldula zena*](#) J. Polhemus, 1985^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 107 species in [*Rogas*](#), a genus of wasp in the family [*Braconidae*](#).^{[1][2][3]}

***Rogas* species**

- [*Rogas abraxas*](#) Bano, 2001^{c g}
- [*Rogas aequalis*](#) (Szepligeti, 1914)^{c g}
- [*Rogas annulifemur*](#) (Enderlein, 1920)^{c g}
- [*Rogas areatus*](#) (Enderlein, 1920)^{c g}
- [*Rogas areolatus*](#) (Szepligeti, 1914)^{c g}
- [*Rogas ashmeadi*](#) Watanabe, 1957^{c g}
- [*Rogas asmaranus*](#) (Enderlein, 1920)^{c g}
- [*Rogas atripes*](#) (Szepligeti, 1914)^{c g}
- [*Rogas baguioensis*](#) Shenefelt, 1975^{c g}
- [*Rogas banksi*](#) (Baker, 1917)^{c g}
- [*Rogas benguetensis*](#) (Baker, 1917)^{c g}
- [*Rogas bevisi*](#) (Brues, 1926)^c
- [*Rogas bicolor*](#) (Schrottky, 1915)^{c g}
- [*Rogas bicoloratus*](#) (Enderlein, 1920)^{c g}
- [*Rogas breviventris*](#) (Enderlein, 1912)^{c g}
- [*Rogas brownii*](#) (Baker, 1917)^{c g}
- [*Rogas capensis*](#) (Cameron, 1905)^{c g}
- [*Rogas cerurae*](#) (Ashmead, 1889)^{c g}
- [*Rogas ceylonicus*](#) (Enderlein, 1912)^c
- [*Rogas citernii*](#) (Mantero, 1904)^{c g}
- [*Rogas coloratus*](#) Motschoulsky, 1863^{c g}

- [*Rogas crassipalpus*](#) (Enderlein, 1912) ^{c g}
- [*Rogas desertus*](#) (Telenga, 1941) ^c
- [*Rogas ecuadoriensis*](#) (Brues, 1926) ^{c g}
- [*Rogas elongatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas erythroderus*](#) (Spinola, 1851) ^{c g}
- [*Rogas eupoeyiae*](#) (Ashmead, 1897) ^{c g}
- [*Rogas fascipennis*](#) (Cresson, 1869) ^{c g}
- [*Rogas festivus*](#) (Statz, 1938) ^{c g}
- [*Rogas flavomarginatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas flavus*](#) (Baker, 1917) ^{c g}
- [*Rogas fritschii*](#) (Brues, 1933) ^{c g}
- [*Rogas fulvinervis*](#) (Cameron, 1911) ^{c g}
- [*Rogas fusciceps*](#) (Cresson, 1869) ^{c g}
- [*Rogas fuscovarius*](#) (Cresson, 1865) ^{c g}
- [*Rogas grandimaculatus*](#) (Cameron, 1910) ^{c g}
- [*Rogas hova*](#) (Granger, 1949) ^c
- [*Rogas iliganensis*](#) Shenefelt, 1975 ^{c g}
- [*Rogas inaequalis*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas indianensis*](#) Muesebeck & Walkley, 1951 ^{c g}
- [*Rogas indicus*](#) (Cameron, 1910) ^c
- [*Rogas insignicornis*](#) (Granger, 1949) ^{c g}
- [*Rogas insignis*](#) (Brues, 1926) ^{c g}
- [*Rogas kanpurensis*](#) (Pant, 1960) ^{c g}
- [*Rogas lateralis*](#) (Cameron, 1905) ^{c g}
- [*Rogas longicollis*](#) (Baker, 1917) ^{c g}
- [*Rogas luteus*](#) Nees, 1834 ^{c g}
- [*Rogas luzonensis*](#) (Baker, 1917) ^{c g}
- [*Rogas maculicornis*](#) (Brues, 1926) ^{c g}
- [*Rogas melanocephalus*](#) (Cameron, 1887) ^c
- [*Rogas melanocerus*](#) (Cameron, 1906) ^{c g}
- [*Rogas melanosoma*](#) (Ashmead, 1905) ^{c g}
- [*Rogas melanospilus*](#) (Cameron, 1911) ^c
- [*Rogas melleus*](#) (Cresson, 1896) ^{c g}
- [*Rogas meridianus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas mimeuri*](#) (Ferriere, 1925) ^{c g}
- [*Rogas mimicus*](#) (Baker, 1917) ^{c g}

- [*Rogas modestus*](#) (Baker, 1917) ^{c g}
- [*Rogas nigricans*](#) Chen & He, 1997 ^{c g}
- [*Rogas nigricarpus*](#) (Szepligeti, 1907) ^c
- [*Rogas nigriceps*](#) (Brèthes, 1909) ^{c g}
- [*Rogas nigradorsum*](#) Belokobylskij, 1996 ^{c g}
- [*Rogas nigristigma*](#) Chen & He, 1997 ^{c g}
- [*Rogas nigronotatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas nigroornatus*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas nigrovenosus*](#) (Vojnovskaja-Krieger, 1935) ^{c g}
- [*Rogas orientalis*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas ornatus*](#) (Cresson, 1869) ^{c g}
- [*Rogas oyeyamensis*](#) (Watanabe, 1937) ^{c g}
- [*Rogas palavanicus*](#) (Baker, 1917) ^{c g}
- [*Rogas pallidipalpis*](#) (Cameron, 1911) ^{c g}
- [*Rogas pictipennis*](#) (Brues, 1924) ^c
- [*Rogas pilosus*](#) (Cameron, 1910) ^{c g}
- [*Rogas plecopterae*](#) (Chatterjee, 1943) ^{c g}
- [*Rogas praeustus*](#) (Fahringer, 1941) ^{c g}
- [*Rogas punctipleuris*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas pygmaeus*](#) (Enderlein, 1920) ^c
- [*Rogas roonensis*](#) (Cameron, 1910) ^{c g}
- [*Rogas roxanus*](#) (Telenga, 1941) ^{c g}
- [*Rogas rufifemur*](#) (Szepligeti, 1914) ^{c g}
- [*Rogas ruspolii*](#) (Mantero, 1904) ^{c g}
- [*Rogas sanchezi*](#) (Baker, 1917) ^{c g}
- [*Rogas saturatus*](#) (Brues, 1926) ^{c g}
- [*Rogas scioensis*](#) (Mantero, 1904) ^{c g}
- [*Rogas semiluteus*](#) (Szepligeti, 1911) ^c
- [*Rogas semirufus*](#) (Szepligeti, 1911) ^{c g}
- [*Rogas separatus*](#) (Baker, 1917) ^{c g}
- [*Rogas siccitesta*](#) (Morley, 1937) ^{c g}
- [*Rogas signaticornis*](#) (Enderlein, 1920) ^{c g}
- [*Rogas signativena*](#) (Enderlein, 1920) ^{c g}
- [*Rogas somaliensis*](#) (Szepligeti, 1914) ^c
- [*Rogas speciosicornis*](#) (Granger, 1949) ^c
- [*Rogas steinbachi*](#) Mathur, 1957 ^{c g}

- [*Rogas striatifrons*](#) (Cameron, 1911) ^{c g}
- [*Rogas subquadratus*](#) (Baker, 1917) ^{c g}
- [*Rogas surrogatus*](#) (Schulz, 1907) ^{c g}
- [*Rogas tertarius*](#) (Brues, 1906) ^{c g}
- [*Rogas testaceicollis*](#) (Cameron, 1910) ^{c g}
- [*Rogas transvaalensis*](#) (Cameron, 1911) ^c
- [*Rogas tricolor*](#) (Enderlein, 1912) ^{c g}
- [*Rogas unicarinatus*](#) (Holmgren, 1868) ^{c g}
- [*Rogas varicarinatus*](#) (Cameron, 1911) ^{c g}
- [*Rogas varinervis*](#) (Cameron, 1911) ^{c g}
- [*Rogas ventrimacula*](#) (Enderlein, 1920) ^{c g}
- [*Rogas vestitor*](#) (Say, 1936) ^{c g}
- [*Rogas vollenhoveni*](#) Gribodo, 1881 ^{c g}
- [*Rogas yanagiharai*](#) (Sonan, 1940) ^c

This is a list of 107 species in [*Rogas*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]} Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

This is a list of 189 species in [*Rhyssomatus*](#), a genus of true weevils in the family [Curculionidae](#).^{[1][2][3][4]}

***Rhyssomatus* species**

- [*Rhyssomatus aciculaticollis*](#) Boheman, 1837 ^c
- [*Rhyssomatus acutecostatus*](#) Champion, 1904 ^{i c}
- [*Rhyssomatus aequalis*](#) Horn, 1873 ^{i c b}
- [*Rhyssomatus aethiops*](#) Kirsch, 1875 ^c
- [*Rhyssomatus alternans*](#) Champion, 1904 ^c
- [*Rhyssomatus amibinus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus angustulus*](#) Faust, 1893 ^c
- [*Rhyssomatus annectans*](#) Casey, 1895 ^c
- [*Rhyssomatus annectens*](#) (Casey, 1895) ^{i g b}
- [*Rhyssomatus arizonicus*](#) (Van Dyke, 1930) ^{i c}
- [*Rhyssomatus ater*](#) Philippi, 1864 ^c
- [*Rhyssomatus aterrimus*](#) Fiedler, 1937 ^c

- [*Rhyssomatus atrolucens*](#) Fiedler, 1937 ^C
- [*Rhyssomatus atronitens*](#) Fiedler, 1937 ^C
- [*Rhyssomatus atropiceus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus atrorubens*](#) Fiedler, 1937 ^C
- [*Rhyssomatus auropilosus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus auroscutosus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus barioides*](#) Fiedler, 1937 ^C
- [*Rhyssomatus beutenmuelleri*](#) (Van Dyke, 1930) ^{i C}
- [*Rhyssomatus bicolor*](#) Fiedler, 1937 ^C
- [*Rhyssomatus bicoloratus*](#) Boheman, 1845 ^C
- [*Rhyssomatus bicoloripennis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus bifasciatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus biseriatus*](#) Champion, 1904 ^C
- [*Rhyssomatus brevis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus breyeri*](#) Brèthes, 1910 ^C
- [*Rhyssomatus brunneipennis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus brunnescens*](#) Fiedler, 1942 ^C
- [*Rhyssomatus calcarifer*](#) Fiedler, 1937 ^C
- [*Rhyssomatus canaliculatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus carbonarius*](#) Fiedler, 1939 ^C
- [*Rhyssomatus championi*](#) Blackwelder, 1947 ^C
- [*Rhyssomatus chrysocephalus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus compertus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus contractirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus convexus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus crassicollis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus crassirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus crenatus*](#) Champion, 1904 ^C
- [*Rhyssomatus crenulatus*](#) Blanchard, 1851 ^C
- [*Rhyssomatus crispicollis*](#) Boheman, 1837 ^C
- [*Rhyssomatus curvatirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus debilis*](#) Champion, 1904 ^C
- [*Rhyssomatus difficilis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus dilaticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus discoideus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus diversicollis*](#) Heller, 1921 ^C

- [*Rhyssomatus diversirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus dumosus*](#) Kuschel, 1955 ^C
- [*Rhyssomatus ebeninus*](#) Suffrian, 1872 ^C
- [*Rhyssomatus elongatulus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus erythrinus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus erythropterus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus exaratus*](#) Blanchard, 1851 ^C
- [*Rhyssomatus extensus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fausti*](#) Blackwelder, 1947 ^C
- [*Rhyssomatus ferruginipes*](#) Fiedler, 1937 ^C
- [*Rhyssomatus filirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus fissilis*](#) Burke, 1961 ^{i c b}
- [*Rhyssomatus flavosparsus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus fortirostris*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fulvicornis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fulvomixtus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus fulvopilosus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus fulvosparsus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus gracilirostris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus granatensis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus grandicollis*](#) (Casey, 1895) ^{i c}
- [*Rhyssomatus griseofasciatus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus haemopterus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus impolitus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus impressicollis*](#) Fiedler, 1942 ^C
- [*Rhyssomatus incertus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus iners*](#) Fiedler, 1939 ^C
- [*Rhyssomatus inflexirostris*](#) Fiedler, 1939 ^C
- [*Rhyssomatus landeiroi*](#) Bondar, 1942 ^C
- [*Rhyssomatus languidus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus laticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus latipennis*](#) Champion, 1904 ^C
- [*Rhyssomatus latovalis*](#) Fiedler, 1942 ^C
- [*Rhyssomatus latus*](#) Champion, 1904 ^C
- [*Rhyssomatus lineaticollis*](#) (Say, 1824) ^{i c b} (milkweed stem weevil)
- [*Rhyssomatus lineatifrons*](#) Fiedler, 1942 ^C

- [*Rhyssomatus longirostris*](#) Chevrolat, ^C
- [*Rhyssomatus macilentus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus marginatus*](#) Fåhræus, 1837 ^C
- [*Rhyssomatus medialis*](#) (Casey, 1895) ^{i c b}
- [*Rhyssomatus minutus*](#) Kirsch, 1875 ^C
- [*Rhyssomatus morio*](#) Rosenschold, 1837 ^C
- [*Rhyssomatus nigerrimus*](#) Fåhræus, 1837 ^C
- [*Rhyssomatus nigriventris*](#) Fiedler, 1937 ^C
- [*Rhyssomatus nigropiceus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus nigrosignatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus nitidus*](#) Champion, 1904 ^C
- [*Rhyssomatus notabilis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus novalis*](#) Schoenherr, 1837 ^C
- [*Rhyssomatus obliquefasciatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus oblongovalis*](#) Fiedler, 1942 ^C
- [*Rhyssomatus obtusus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus ochraceus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus oculatus*](#) (Schaeffer, 1909) ^{i c}
- [*Rhyssomatus opacus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus opimus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus oriformis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus ovalis*](#) (Casey, 1892) ^{i c b}
- [*Rhyssomatus ovatulus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus oviformis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus ovipennis*](#) Fiedler, 1939 ^C
- [*Rhyssomatus palmacollis*](#) (Say, 1831) ^{i c b}
- [*Rhyssomatus parvidens*](#) Fiedler, 1942 ^C
- [*Rhyssomatus parvulus*](#) (Casey, 1895) ^{i c b}
- [*Rhyssomatus patinacollis*](#) ^C
- [*Rhyssomatus paululus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus perparvulus*](#) Hustache, 1936 ^C
- [*Rhyssomatus peruvianus*](#) Kirsch, 1875 ^C
- [*Rhyssomatus picinus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus pilosipes*](#) Heller, 1921 ^C
- [*Rhyssomatus pilosus*](#) Kissinger, 1962 ^C
- [*Rhyssomatus pinguis*](#) Fiedler, 1937 ^C

- [*Rhyssomatus polycoccus*](#) Fåhraeus, 1837 ^C
- [*Rhyssomatus productus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus pruinus*](#) (Boheman, 1845) ^{i c b}
- [*Rhyssomatus psidii*](#) Marshall, 1929 ^C
- [*Rhyssomatus pubescens*](#) Horn, 1873 ^{i c b}
- [*Rhyssomatus pullus*](#) Hustache, 1924 ^C
- [*Rhyssomatus punctatosulcatus*](#) Champion, 1904 ^C
- [*Rhyssomatus puncticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus pupillatus*](#) Suffrian, 1872 ^C
- [*Rhyssomatus pusillus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rectirostris*](#) Fiedler, 1942 ^C
- [*Rhyssomatus robustus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus rubidus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubripennis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubrocostatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubrofasciatus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rubromixtus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus rubropiceus*](#) Fiedler, 1939 ^C
- [*Rhyssomatus rubrovarius*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rudicollis*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rufescens*](#) Champion, 1904 ^C
- [*Rhyssomatus rufinus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rufipennis*](#) Kirsch, 1875 ^C
- [*Rhyssomatus rufitarsis*](#) Roelofs, 1875 ^C
- [*Rhyssomatus rufulus*](#) Fiedler, 1937 ^C
- [*Rhyssomatus rufus*](#) Fåhraeus, 1837 ^C
- [*Rhyssomatus rugosus*](#) Champion, 1904 ^C
- [*Rhyssomatus rugulipennis*](#) Champion, 1904 ^{i c}
- [*Rhyssomatus sculpticollis*](#) Champion, 1904 ^C
- [*Rhyssomatus sculpturatus*](#) Champion, 1904 ^C
- [*Rhyssomatus sculpturatus*](#) ? Champion, 1902-06 (0 ^C
- [*Rhyssomatus scupticollis*](#) Champion, 1902-06 (0 ^C
- [*Rhyssomatus scutellaris*](#) Fiedler, 1939 ^C
- [*Rhyssomatus semicostatus*](#) Boheman, 1845 ^C
- [*Rhyssomatus semistriatus*](#) Fiedler, 1942 ^C
- [*Rhyssomatus seriepilosus*](#) Fiedler, 1937 ^C

- [*Rhyssomatus sexcostatus*](#) Champion, 1910 ^c
- [*Rhyssomatus spectatus*](#) Faust, 1893 ^c
- [*Rhyssomatus strangulatus*](#) Gyllenhal, 1837 ^c
- [*Rhyssomatus striatellus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus strigicollis*](#) Schoenherr, 1837 ^c
- [*Rhyssomatus strigosus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus striolatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus subcostatus*](#) Fåhræus, 1837 ^c
- [*Rhyssomatus subfasciatus*](#) Faust, 1893 ^c
- [*Rhyssomatus subovalis*](#) Fiedler, 1937 ^c
- [*Rhyssomatus subrhomboidalis*](#) Fiedler, 1939 ^c
- [*Rhyssomatus subrufus*](#) Champion, 1904 ^c
- [*Rhyssomatus substrigosus*](#) Fiedler, 1939 ^c
- [*Rhyssomatus subtilis*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tabescens*](#) Scudder, 1893 ^c
- [*Rhyssomatus tenellus*](#) Fiedler, 1942 ^c
- [*Rhyssomatus tenuifasciatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tenuirostris*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tenuistrigatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus texanus*](#) (Sleeper, 1954) ^{i g b}
- [*Rhyssomatus thoracicus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tomentosus*](#) Fiedler, 1939 ^c
- [*Rhyssomatus totostriatus*](#) Fiedler, 1942 ^c
- [*Rhyssomatus trifasciatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus tuberculirostris*](#) Fiedler, 1942 ^c
- [*Rhyssomatus umbrinus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus vacillatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus variegatus*](#) Fiedler, 1937 ^c
- [*Rhyssomatus variipennis*](#) Fiedler, 1937 ^c
- [*Rhyssomatus vehemens*](#) Boheman, 1845 ^c
- [*Rhyssomatus vestitus*](#) Fiedler, 1942 ^c
- [*Rhyssomatus viridipes*](#) Fåhræus, 1837 ^c
- [*Rhyssomatus yucatanus*](#) Champion, 1904 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 167 species in [Rhyssemus](#), a genus of aphodiine dung beetles in the family [Scarabaeidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Rhyssemus species

- [Rhyssemus africanus](#) Petrovitz, 1963 ^{c g}
- [Rhyssemus ahrensi](#) Rakovic & Kral, 2001 ^{c g}
- [Rhyssemus algericus](#) Lucas, 1846 ^{c g}
- [Rhyssemus alluaudi](#) Clouet, 1901 ^{c g}
- [Rhyssemus ambovombensis](#) Pittino, 1990 ^{c g}
- [Rhyssemus amplicolis](#) Pittino, 1984 ^{c g}
- [Rhyssemus andreinii](#) Pittino, 1984 ^{c g}
- [Rhyssemus annaedicatus](#) Pierotti, 1980 ^{c g}
- [Rhyssemus archambaulti](#) Bénard, 1929 ^{c g}
- [Rhyssemus aspericollis](#) Petrovitz, 1965 ^{c g}
- [Rhyssemus asperocostatus](#) Fairmaire, 1892 ^{c g}
- [Rhyssemus atramentarius](#) Péringuey, 1901 ^{c g}
- [Rhyssemus aurivillii](#) Clouet, 1901 ^{c g}
- [Rhyssemus bacchusi](#) Pittino, 1984 ^{c g}
- [Rhyssemus balteatus](#) Petrovitz, 1966 ^{c g}
- [Rhyssemus bechuanus](#) Petrovitz, 1956 ^{c g}
- [Rhyssemus bedeli](#) Clouet, 1901 ^{c g}
- [Rhyssemus berytensis](#) Marseul, 1878 ^{c g}
- [Rhyssemus bilyi](#) Rakovic, 2001 ^{c g}
- [Rhyssemus biovatus](#) Clouet, 1901 ^{c g}
- [Rhyssemus birmensis](#) Clouet, 1901 ^{c g}
- [Rhyssemus blackburnei](#) Clouet, 1901 ^{c g}
- [Rhyssemus bordati](#) Pittino, 1984 ^{c g}
- [Rhyssemus brevis](#) Pittino, 1990 ^{c g}
- [Rhyssemus brevitaris](#) Pittino, 1984 ^{c g}
- [Rhyssemus brownwoodi](#) Gordon and Cartwright, 1980 ^{i c g}
- [Rhyssemus bucciarellii](#) Pittino, 1990 ^{c g}
- [Rhyssemus buettikeri](#) Pittino, 1984 ^{c g}

- [*Rhysssemus bufonis*](#) Boucomont, 1935 ^{c g}
- [*Rhysssemus californicus*](#) Horn, 1871 ^{i c g}
- [*Rhysssemus canaliculatus*](#) Clement, 1969 ^{c g}
- [*Rhysssemus cantabricus*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus capensis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus carinatipennis*](#) Péringuey, 1901 ^{c g}
- [*Rhysssemus carinatus*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus chinensis*](#) Pittino, 1996 ^{c g}
- [*Rhysssemus convexus*](#) Bénard, 1911 ^{c g}
- [*Rhysssemus crispus*](#) Schmidt, 1916 ^{c g}
- [*Rhysssemus decellei*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus descarpentriesi*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus dispar*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus endroedyyoungai*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus evae*](#) Endrödi, 1964 ^{c g}
- [*Rhysssemus exaratus*](#) Marseul, 1878 ^{c g}
- [*Rhysssemus fairmairei*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus falcatus*](#) Petrovitz, 1961 ^{c g}
- [*Rhysssemus feae*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus ferenczi*](#) Endrödi, 1976 ^{c g}
- [*Rhysssemus frankenbergeri*](#) Balthasar, 1942 ^{c g}
- [*Rhysssemus franzi*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus freudei*](#) Balthasar, 1960 ^{c g}
- [*Rhysssemus freyi*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus germanus*](#) (Linnaeus, 1767) ^{i c g b}
- [*Rhysssemus gestroi*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus ghanaensis*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus goudoti*](#) Harold, 1868 ^{c g}
- [*Rhysssemus granosus*](#) (Klug & Erichson, 1842) ^{c g}
- [*Rhysssemus granulosocostatus*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus granulosus*](#) Ballion, 1871 ^{c g}
- [*Rhysssemus grossepunctatus*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus guineensis*](#) Petrovitz, 1969 ^{c g}
- [*Rhysssemus haafi*](#) Petrovitz, 1964 ^{c g}
- [*Rhysssemus hamatus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus haroldi*](#) Clouet, 1901 ^{c g}

- [*Rhysssemus hauseri*](#) Balthasar, 1933 ^{c g}
- [*Rhysssemus helenae*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus histrio*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus histrioides*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus horni*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus hottentottus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus imitator*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus indicus*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus inermis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus infidus*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus inscitus*](#) (Walker, 1858) ^{c g}
- [*Rhysssemus insularis*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus interruptus*](#) Reitter, 1892 ^{c g}
- [*Rhysssemus karnatakaensis*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus keisseri*](#) Bénard, 1910 ^{c g}
- [*Rhysssemus koreanus*](#) Stebnicka, 1980 ^{c g}
- [*Rhysssemus laevinasus*](#) Petrovitz, 1964 ^{c g}
- [*Rhysssemus lamyensis*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus laoticus*](#) Pittino, Rakovic & Mencl, 2013 ^{c g}
- [*Rhysssemus limbolaris*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus linnavuorii*](#) Balthasar, 1972 ^{c g}
- [*Rhysssemus loebli*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus macedonicus*](#) Bénard, 1923 ^{c g}
- [*Rhysssemus madagassus*](#) Harold, 1879 ^{c g}
- [*Rhysssemus maximus*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus mayeti*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus meridionalis*](#) Reitter, 1890 ^{c g}
- [*Rhysssemus meruensis*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus mesopotamicus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus mexicanus*](#) Hinton, 1934 ^{c g}
- [*Rhysssemus mimus*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus mirus*](#) Petrovitz, 1967 ^{c g}
- [*Rhysssemus morgani*](#) Bénard, 1911 ^{c g}
- [*Rhysssemus murghabensis*](#) (Balthasar, 1967) ^{c g}
- [*Rhysssemus namorokae*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus nanshanchicus*](#) Masumoto, 1977 ^{c g}

- [*Rhysssemus neglectus*](#) Brown, 1929 ^{i c g}
- [*Rhysssemus nitidus*](#) Petrovitz, 1972 ^{c g}
- [*Rhysssemus obliviosus*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus olympiae*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus osmanlis*](#) Koshantschikov, 1916 ^{c g}
- [*Rhysssemus parallelcollis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus parallelus*](#) Reitter, 1892 ^{c g}
- [*Rhysssemus pauliani*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus pectoralis*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus perissinottoi*](#) Pittino, 1983 ^{c g}
- [*Rhysssemus perlatus*](#) Petrovitz, 1975 ^{c g}
- [*Rhysssemus pertinax*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus peyrierasi*](#) Pittino, 1990 ^{c g}
- [*Rhysssemus pfefferi*](#) Balthasar, 1972 ^{c g}
- [*Rhysssemus plicatus*](#) (Germar, 1817) ^{c g}
- [*Rhysssemus polycolpus*](#) Fairmaire, 1886 ^{c g}
- [*Rhysssemus pondoensis*](#) Petrovitz, 1967 ^{c g}
- [*Rhysssemus ponticus*](#) Petrovitz, 1962 ^{c g}
- [*Rhysssemus procerus*](#) Petrovitz, 1973 ^{c g}
- [*Rhysssemus promontorii*](#) Péringuey, 1901 ^{c g}
- [*Rhysssemus propinquus*](#) Petrovitz, 1964 ^{c g}
- [*Rhysssemus psammobiiformis*](#) Petrovitz, 1963 ^{c g}
- [*Rhysssemus punctatissimus*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus puncticollis*](#) Brown, 1929 ^{c g}
- [*Rhysssemus punctiventris*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus purkynei*](#) Balthasar, 1961 ^{c g}
- [*Rhysssemus rajasthanii*](#) Rakovic, Mencl & Kral, 2017 ^{c g}
- [*Rhysssemus relegatus*](#) Balthasar, 1965 ^{c g}
- [*Rhysssemus resslī*](#) Petrovitz, 1965 ^{c g}
- [*Rhysssemus ritsemae*](#) Clouet, 1901 ^{c g}
- [*Rhysssemus rohani*](#) Bénard, 1920 ^{c g}
- [*Rhysssemus rotschildi*](#) Bénard, 1909 ^{c g}
- [*Rhysssemus rubeolus*](#) Harold, 1871 ^{c g}
- [*Rhysssemus saldaitisi*](#) Rakovic, Kral & Mencl, 2016 ^{c g}
- [*Rhysssemus saoudi*](#) Pittino, 1984 ^{c g}
- [*Rhysssemus sardous*](#) Pierotti, 1980 ^{c g}

- [*Rhyssemus scaber*](#) Haldeman, 1848^{i c g b}
- [*Rhyssemus scabrosus*](#) Pittino, 1990^{c g}
- [*Rhyssemus schaeuffelei*](#) Petrovitz, 1964^{c g}
- [*Rhyssemus sculptilipennis*](#) Schmidt, 1916^{c g}
- [*Rhyssemus seineri*](#) Petrovitz, 1969^{c g}
- [*Rhyssemus senegalensis*](#) Petrovitz, 1972^{c g}
- [*Rhyssemus sexcostatus*](#) Schmidt, 1909^{c g}
- [*Rhyssemus similis*](#) Petrovitz, 1963^{c g}
- [*Rhyssemus sinuaticollis*](#) Pittino, 1984^{c g}
- [*Rhyssemus sonatus*](#) LeConte, 1881^{i c g b}
- [*Rhyssemus spangleri*](#) Gordon & Cartwright, 1980^{c g}
- [*Rhyssemus spiniger*](#) Pittino, 1983^{c g}
- [*Rhyssemus subdolus*](#) Balthasar, 1961^{c g}
- [*Rhyssemus sulcatus*](#) (Olivier, 1789)^{c g}
- [*Rhyssemus syriacus*](#) Petrovitz, 1971^{c g}
- [*Rhyssemus testudo*](#) Pittino, 1990^{c g}
- [*Rhyssemus thailandicus*](#) Pittino, 1996^{c g}
- [*Rhyssemus thomasi*](#) Endrödi, 1964^{c g}
- [*Rhyssemus tristis*](#) Petrovitz, 1969^{c g}
- [*Rhyssemus trisulcatus*](#) Petrovitz, 1956^{c g}
- [*Rhyssemus tschadensis*](#) Petrovitz, 1963^{c g}
- [*Rhyssemus tsihombensis*](#) Pittino, 1990^{c g}
- [*Rhyssemus tuberculicollis*](#) Petrovitz, 1965^{c g}
- [*Rhyssemus uncispinis*](#) Pittino, 1984^{c g}
- [*Rhyssemus vaulozeri*](#) Clouet, 1901^{c g}
- [*Rhyssemus verrucosus*](#) Mulsant, 1842^{c g}
- [*Rhyssemus villosus*](#) Pittino, 1990^{c g}
- [*Rhyssemus vinodolensis*](#) Petrovitz, 1963^{c g}
- [*Rhyssemus waboniensis*](#) Petrovitz, 1964^{c g}
- [*Rhyssemus xerxes*](#) Pittino, 1983^{c g}
- [*Rhyssemus zumpti*](#) Petrovitz, 1956^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 149 species in [Rhyncolus](#), a genus of true weevils in the family [Curculionidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Rhyncolus species

- [Rhyncolus affinis](#) Wollaston, T.V., 1861 ^C
- [Rhyncolus angularis](#) LeConte, 1858 ^{i C}
- [Rhyncolus angustatus](#) Boheman, 1838 ^C
- [Rhyncolus angusticollis](#) Reitter, E., 1896 ^C
- [Rhyncolus angustus](#) Fairmaire, L., 1859 ^C
- [Rhyncolus appenhageni](#) Uyttenboogaart, D.L., 1930 ^C
- [Rhyncolus asperipennis](#) Hustache, 1936 ^C
- [Rhyncolus ater](#) Motschulsky, V. de, 1866 ^C
- [Rhyncolus australis](#) Erichson, 1842 ^C
- [Rhyncolus bhutanensis](#) Osella, 1989 ^C
- [Rhyncolus bonnairei](#) Hoffmann, 1938 ^C
- [Rhyncolus brachyrhinus](#) Montrouzier, X., 1860 ^C
- [Rhyncolus brevicornis](#) Wollaston, T.V., 1873 ^C
- [Rhyncolus brevis](#) Boheman, 1845 ^C
- [Rhyncolus brunneus](#) Mannerheim, 1843 ^{i C b}
- [Rhyncolus burgeoni](#) Hustache, 1934 ^C
- [Rhyncolus californicus](#) Wollaston, T.V., 1873 ^{C b}
- [Rhyncolus calvus](#) Wollaston, T.V., 1860 ^C
- [Rhyncolus capitulus](#) Wollaston, T.V., 1858 ^C
- [Rhyncolus carinatus](#) Blatchley & Leng, 1916 ^C
- [Rhyncolus castaneipennis](#) Voss, 1956 ^C
- [Rhyncolus caulium](#) Wollaston, T.V., 1861 ^C
- [Rhyncolus cercocarpus](#) (Thatcher, 1940) ^{i g b}
- [Rhyncolus chinensis](#) Voss, 1953 ^C
- [Rhyncolus chiriquensis](#) Champion, G.C., 1909 ^C
- [Rhyncolus chloropus](#) Dejean, 1821 ^C
- [Rhyncolus cloropus](#) Germar, 1817 ^C
- [Rhyncolus compressus](#) Wollaston, T.V., 1860 ^C
- [Rhyncolus corticalis](#) Boheman, 1845 ^C
- [Rhyncolus cossonoides](#) Csiki, E., 1936 ^C
- [Rhyncolus crassirostris](#) Dejean, 1821 ^C
- [Rhyncolus cribripennis](#) Gräells, 1858 ^C

- [*Rhyncolus culinaris*](#) Dejean, 1821 ^C
- [*Rhyncolus curvistriatus*](#) Zherikhin in Zherikhin & Egorov, 1990 ^C
- [*Rhyncolus cylindricollis*](#) Wollaston, 1873 ^{i c b}
- [*Rhyncolus cylindricus*](#) Boheman, 1838 ^C
- [*Rhyncolus cylindrirostris*](#) Dejean, 1821 ^C
- [*Rhyncolus cylindrus*](#) Boheman, 1838 ^C
- [*Rhyncolus dalmatinus*](#) Desbr., 1892 ^C
- [*Rhyncolus depressus*](#) Csiki, E., 1936 ^C
- [*Rhyncolus dilatatus*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus dilucidus*](#) Voss, 1953 ^C
- [*Rhyncolus discors*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus dorsalis*](#) LeConte, 1858 ^{i c}
- [*Rhyncolus dufau*](#) Hustache, 1932 ^C
- [*Rhyncolus ebeninus*](#) Csiki, E., 1936 ^C
- [*Rhyncolus elongatus*](#) Dejean, 1821 ^{c g}
- [*Rhyncolus elumbis*](#) Boheman, 1838 ^C
- [*Rhyncolus encaustes*](#) Boheman, C.H. in Schönherr, C.J., 1838 ^C
- [*Rhyncolus encaustus*](#) Boheman, 1838 ^C
- [*Rhyncolus euphorbium*](#) Wollaston, T.V., 1867 ^C
- [*Rhyncolus exiguus*](#) Boheman, 1838 ^C
- [*Rhyncolus fallax*](#) Csiki, E., 1936 ^C
- [*Rhyncolus falsosus*](#) Hoffmann, 1965 ^C
- [*Rhyncolus ferrugineus*](#) Walzl, 1839 ^C
- [*Rhyncolus filiformis*](#) Boheman, 1838 ^C
- [*Rhyncolus filum*](#) Chevrolat, L.A.A., 1880 ^C
- [*Rhyncolus fuscicollis*](#) Marshall, 1931 ^C
- [*Rhyncolus fusiformis*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus globulipennis*](#) Chevrolat, ^C
- [*Rhyncolus gracilis*](#) Rosensch., 1856 ^C
- [*Rhyncolus grandicollis*](#) Ch. Bris. In Grenier, 1863 ^C
- [*Rhyncolus hervei*](#) Allard, 1868 ^C
- [*Rhyncolus himalayensis*](#) Stebbing, 1914 ^C
- [*Rhyncolus hispidulus*](#) Fairmaire, 1849 ^C
- [*Rhyncolus hispidus*](#) Csiki, E., 1936 ^C
- [*Rhyncolus hopffgarteni*](#) Stierlin, W.G., 1884 ^C
- [*Rhyncolus hustachei*](#) Csiki, E., 1936 ^C

- [*Rhyncolus incertus*](#) Osella, 1989 ^c
- [*Rhyncolus kathrynae*](#) Sleeper, 1968 ^c
- [*Rhyncolus kenya*](#) Hustache, 1929 ^c
- [*Rhyncolus kivuanus*](#) Hustache, 1934 ^c
- [*Rhyncolus knowltoni*](#) (Thatcher, 1940) ^{i g}
- [*Rhyncolus laevis*](#) Hoffmann, 1965 ^c
- [*Rhyncolus laeviusculus*](#) Wollaston, T.V., 1873 ^c
- [*Rhyncolus latinasus*](#) Say, T., 1831 ^c
- [*Rhyncolus latitarsis*](#) Thomson, C.G., 1886 ^c
- [*Rhyncolus lauri*](#) Gyllenhal, 1838 ^c
- [*Rhyncolus laurineus*](#) Wollaston, T.V., 1861 ^c
- [*Rhyncolus lignarius*](#) Stephens, 1829 ^c
- [*Rhyncolus linearis*](#) Boheman, 1845 ^c
- [*Rhyncolus longicollis*](#) Boheman, 1838 ^c
- [*Rhyncolus longulus*](#) Boheman, C.H., 1859 ^c
- [*Rhyncolus macrops*](#) Buchanan, 1946 ^{i c b}
- [*Rhyncolus marginalis*](#) Csiki, E., 1936 ^c
- [*Rhyncolus maynei*](#) Hustache, 1934 ^c
- [*Rhyncolus meruensis*](#) Hoffmann, 1965 ^c
- [*Rhyncolus minor*](#) ^b
- [*Rhyncolus minutulus*](#) Hoffmann, 1965 ^c
- [*Rhyncolus montivagus*](#) Champion, G.C., 1909 ^c
- [*Rhyncolus nigripes*](#) Reitter, E., 1901 ^c
- [*Rhyncolus nimius*](#) Casey, 1892 ^{i c}
- [*Rhyncolus nitidulus*](#) Boheman, 1838 ^c
- [*Rhyncolus nossibianus*](#) Hustache, 1922 ^c
- [*Rhyncolus obesulus*](#) Wollaston, T.V., 1867 ^c
- [*Rhyncolus obsoletus*](#) Fauv., ^c
- [*Rhyncolus opacus*](#) Karsch, 1881 ^{i c}
- [*Rhyncolus oregonensis*](#) Horn, 1873 ^{i c b}
- [*Rhyncolus oryzae*](#) Gyllenhal, 1838 ^c
- [*Rhyncolus pallens*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus persimilis*](#) Hustache, 1933 ^c
- [*Rhyncolus piceus*](#) Stephens, 1831 ^c
- [*Rhyncolus plebejus*](#) Boheman, 1838 ^c
- [*Rhyncolus porcatus*](#) Schoenherr, 1838 ^c

- [*Rhyncolus praeustus*](#) Boheman, 1838 ^C
- [*Rhyncolus procer*](#) Boheman, 1838 ^C
- [*Rhyncolus protensus*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus protractus*](#) Horn, G.H., 1873 ^C
- [*Rhyncolus pulvereus*](#) LeConte, 1850 ^C
- [*Rhyncolus punctatulus*](#) Dejean, 1821 ^C
- [*Rhyncolus punctatus*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus puncticollis*](#) Dejean, 1821 ^C
- [*Rhyncolus punctulatus*](#) Lea, A.M., 1896 ^C
- [*Rhyncolus pyrenaeus*](#) Dufour, 1843 ^C
- [*Rhyncolus quercicolus*](#) Boheman, 1845 ^C
- [*Rhyncolus reflexus*](#) Boheman, 1838 ^C
- [*Rhyncolus regularis*](#) Hustache, 1932 ^C
- [*Rhyncolus relictus*](#) Casey, T.L., 1892 ^C
- [*Rhyncolus rufipennis*](#) Montrouzier, X., 1860 ^C
- [*Rhyncolus samoanus*](#) Marshall, 1931 ^C
- [*Rhyncolus schoenherri*](#) Hochhuth, 1847 ^C
- [*Rhyncolus schönherri*](#) Hochhuth, I.H., 1847 ^C
- [*Rhyncolus sculpturatus*](#) Walzl, 1839 ^C
- [*Rhyncolus similis*](#) Wollaston, T.V., 1873 ^C
- [*Rhyncolus simplicipes*](#) Wollaston, T.V., 1861 ^C
- [*Rhyncolus simulans*](#) Hoffmann, 1965 ^C
- [*Rhyncolus sitoniformis*](#) Zherikhin, 1992 ^C
- [*Rhyncolus spretus*](#) Casey, 1892 ^{i c b}
- [*Rhyncolus stacesmithi*](#) Sleeper, 1953 ^{i c b}
- [*Rhyncolus stlembus*](#) Schoenherr, ^C
- [*Rhyncolus strangulatus*](#) Perris, 1852 ^g
- [*Rhyncolus submuricatus*](#) Schoenherr, 1832 ^C
- [*Rhyncolus sulcatus*](#) Dejean, 1821 ^C
- [*Rhyncolus sulcipennis*](#) Wollaston, T.V., 1854 ^C
- [*Rhyncolus sulcirostris*](#) Dejean, 1821 ^C
- [*Rhyncolus syriacus*](#) Desbr., 1892 ^C
- [*Rhyncolus taciturnus*](#) Motschulsky, V. de, 1866 ^C
- [*Rhyncolus tenuirostris*](#) Creutzer, ^C
- [*Rhyncolus tenuis*](#) Gemminger, M., 1871 ^C
- [*Rhyncolus teretirostris*](#) Klug, 1834 ^C

- [*Rhyncolus thomsoni*](#) Grill, 1896 ^c
- [*Rhyncolus trivialis*](#) Boheman, 1838 ^c
- [*Rhyncolus troglodytes*](#) Boheman, 1838 ^c
- [*Rhyncolus truncorum*](#) Stephens, 1831 ^c
- [*Rhyncolus turbatus*](#) Reitter, E., 1887 ^c
- [*Rhyncolus ulkei*](#) Horn, G.H., 1873 ^c
- [*Rhyncolus usambaricus*](#) Voss, E., 1934 ^c
- [*Rhyncolus velutinus*](#) Dejean, 1821 ^c
- [*Rhyncolus winkleri*](#) Formánek, 1912 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Rhyncolus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-29.
 - ["Browse Rhyncolus"](#). Catalogue of Life. Retrieved 2018-04-29.[[dead link](#)]
 - ["Rhyncolus"](#). GBIF. Retrieved 2018-04-29.
 -
4. ["Rhyncolus Genus Information"](#). BugGuide.net. Retrieved 2018-04-29.

Categories:

- [Cossoninae](#)
- [Lists of insect species](#)
-

The following species in the insect genus [*Rhotana*](#) (family [Derbidae](#), tribe [Rhotanini](#)) are recognized as of 2026.[1][2][3] [Basionyms](#) are given in square brackets.

- [*Rhotana aequa*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana albata*](#) Melichar 1903 (Sri Lanka, rare)[4]
- [*Rhotana aperta*](#) Zelazny 2011 (Borneo, uncommon)[1]
- [*Rhotana argus*](#) Zelazny 2011 (Sulawesi, rare)[1]
- *Rhotana biermani* (Schmidt 1926) [*Decora biermani*] (Buru Isl., Indonesia, rare)[5]
- [*Rhotana brendelli*](#) Zelazny 2011 (Sulawesi, rare)[1]
- [*Rhotana concolor*](#) Zelazny 1981 (southern Philippines and Borneo, uncommon)[6]
- [*Rhotana crassa*](#) Zelazny 2011 (North Borneo, rare)[1]

- [*Rhotana cribraria*](#) Zelazny 2011 (North Borneo, uncommon)[1]
- [*Rhotana dammermani*](#) (Schmidt 1926) [*Decora dammermani*] (Buru Isl., Indonesia, rare)[5]
- [*Rhotana deminuta*](#) Zelazny 2011 (New Caledonia, uncommon)[1]
- [*Rhotana dentata*](#) Zelazny 2011 (New Guinea, rare)[1]
- [*Rhotana dextra*](#) Zelazny 2011 (New Britain, Papua New Guinea, uncommon)[1]
- [*Rhotana dohertyi*](#) Zelazny 2011 (north-eastern India, uncommon)[1]
- [*Rhotana excelsa*](#) Melichar 1914 (Philippines, moderately common)[7]
- [*Rhotana fera*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana fordi*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana formosana*](#) Matsumura 1914 (Taiwan, Vietnam, uncommon)[8]
- [*Rhotana fuscofasciata*](#) Distant 1906 (Sri Lanka, rare)[9]
- [*Rhotana globosa*](#) Zelazny 2011 (western New Guinea, rare)[1]
- [*Rhotana gracilis*](#) Zelazny 2011 (New Guinea, rare)[1]
- [*Rhotana gressittorum*](#) Zelazny 2011 (eastern Australia, uncommon)[1]
- [*Rhotana haematoneura*](#) Kirkaldy 1906 (north-eastern Australia, rare)[10]
- [*Rhotana hirashimai*](#) Zelazny 2011 (North Borneo, uncommon)[1]
- [*Rhotana holtmanni*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana inoptata*](#) Yang & Wu 1993 (Taiwan, uncommon)[11]
- *Rhotana inorata* Yang & Wu 1993 (Taiwan, uncommon)[11]
- [*Rhotana jacobsoni*](#) Zelazny 2011 (Sumatra and West Malaysia, rare)[1]
- [*Rhotana kuncheriai*](#) Zelazny 2011 (North Borneo and West Malaysia, uncommon)[1]
- *Rhotana lalage* (Fennah 1969) [*Decora lalage*] (New Caledonia, rare)[12]
- [*Rhotana latipennis*](#) Walker 1857 (North Borneo, rare)[13]
- [*Rhotana luteola*](#) Zelazny 2011 (New Ireland, Papua New Guinea, rare)[1]
- [*Rhotana maculata*](#) Matsumura 1914 (Taiwan and southern Japan, uncommon)[8]
- [*Rhotana magna*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana marmorata*](#) Zelazny 1981 (southern Philippines, Borneo, Sumatra, Sulawesi, Singapore, West Malaysia, moderately common)[6]
- [*Rhotana melichari*](#) Zelazny 2011 (New Guinea Isl., uncommon)[1]
- [*Rhotana mendax*](#) Zelazny 2011 (north-eastern Australia, rare)[1]
- [*Rhotana miles*](#) Zelazny 2011 (North Borneo, Palawan Isl., Philippines, uncommon)[1]
- [*Rhotana mindanaoensis*](#) Zelazny 1981 (Mindanao Isl., Philippines, uncommon)[6]
- [*Rhotana novahiberniensis*](#) Zelazny 2011 (New Ireland, Papua New Guinea, rare)[1]
- [*Rhotana obaerata*](#) Yang & Wu 1993 (Taiwan, uncommon)[11]
- [*Rhotana ornata*](#) Zelazny 1981 (Mindanao Isl., Philippines, uncommon)[6]
- [*Rhotana pacata*](#) Zelazny 2011 (North Borneo, uncommon)[1]
- [*Rhotana panthera*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana papuensis*](#) Zelazny 2011 (Papua New Guinea, rare)[1]
- [*Rhotana pavo*](#) (Bierman 1910) [*Decora pavo*] (Sumatra, Borneo, uncommon)[14]
- [*Rhotana pallax*](#) Fennah 1967 (Samoa, rare)[15]
- [*Rhotana quadrimaculata*](#) Distant 1907 (Queensland, Australia, uncommon)[16]
- [*Rhotana ramentosa*](#) Distant 1907 (Queensland, Australia, uncommon)[16]

- [*Rhotana ramosa*](#) Zelazny 2011 (Sumatra, Indonesia, uncommon)[1]
- [*Rhotana reticulata*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana rubifasciata*](#) Zelazny 2011 (New Ireland, Papua New Guinea, rare)[1]
- [*Rhotana sabaea*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana satsumana*](#) Matsumura 1914 (southern Japan, China, Taiwan, uncommon)[8]
- [*Rhotana sectator*](#) Zelazny 2011 (Papua New Guinea, uncommon)[1]
- [*Rhotana semiopalina*](#) Muir 1926 (Borneo, Java, Mentawai Isl., moderately common)[17]
- [*Rhotana septemmaculata*](#) Distant 1907 (Queensland, Australia, rare)[16]
- [*Rhotana similis*](#) Zelazny 2011 (western New Guinea, rare)[1]
- [*Rhotana spenceri*](#) Zelazny 2011 (Vietnam, rare)[1]
- [*Rhotana stali*](#) Zelazny 2011 (Sri Lanka, rare)[1]
- [*Rhotana stigmosa*](#) Zelazny 1981 (Luzon Isl., Philippines, rare)[6]
- [*Rhotana suttoni*](#) Zelazny 2011 (North Borneo, Brunei, rare)[1]
- [*Rhotana torrevillasi*](#) Zelazny 1981 (Mindanao Isl., Philippines, uncommon)[6]
- [*Rhotana transversolinea*](#) Melichar 1914 (Java, Mentawai Isl., Borneo, West Malaysia, uncommon)[18]
- [*Rhotana tridentata*](#) Zelazny 2011 (North Borneo, West Malaysia, rare)[1]
- [*Rhotana trimaculata*](#) Distant 1906 (Sri Lanka, rare)[9]
- [*Rhotana triplex*](#) Zelazny 2011 (New Guinea, Biak Isl., rare)[1]
- [*Rhotana truncata*](#) Zelazny 2011 (North Borneo, rare)[1]
- [*Rhotana unca*](#) Zelazny 2011 (Papua New Guinea, uncommon)[1]
- [*Rhotana venosa*](#) Distant 1906 (Myanmar, West Malaysia, Laos, Vietnam, Borneo, Verlaten Isl. in Indonesia, common)[9]
- [*Rhotana vitriceps*](#) (Stål 1858) [*Genestia vitriceps*] (Sri Lanka, uncommon)[19]
- [*Rhotana wallacei*](#) Zelazny 2011 (North Sulawesi, Indonesia, rare)[1]

The following species in the insect genus [*Levu*](#) (family [*Derbidae*](#), tribe [*Rhotanini*](#)) are recognized as of 2026.[1][2][3] [Basionyms](#) are given in square brackets.

- [*Levu amboinensis*](#) Muir 1913 (Ambon Isl., Indonesia, rare)[4]
- [*Levu apiatus*](#) Zelazny 2011 (New Guinea, moderately common)[1]
- [*Levu apicalis*](#) Zelazny 2011 (Laos, rare)[1]
- [*Levu bicolensis*](#) Zelazny, 1981 (Albay Prov., Philippines, rare)[5]
- [*Levu candidus*](#) Zelazny 2011 (Papua New Guinea, uncommon)[1]
- [*Levu confinis*](#) Zelazny 2011 (Vietnam, rare)[1]
- [*Levu echinus*](#) Zelazny 2011 (New Guinea Island, uncommon)[1]
- [*Levu elmohardyi*](#) Zelazny 2011 (New Guinea, uncommon)[1]
- [*Levu elongatus*](#) Zelazny 1981 (Mindanao Isl. and Basilan Isl., Philippines, uncommon)[5]
- [*Levu erraticus*](#) Zelazny 2011 (New Guinea, New Ireland, Vanuatu, moderately common)[1]

- [*Levu haedulus*](#) Fennah 1956 [*Levu pallescens haedulus*] (Truk Islands, Micronesia, uncommon)[6][1]
- [*Levu halosydne*](#) (Kirkaldy 1907) [*Rhotana halosydne*] (Fiji Islands, rare)[7][4]
- [*Levu immaculatus*](#) Zelazny, 2011 (Vanuatu Islands, uncommon)[1]
- [*Levu kirkaldyi*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu knighti*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu kraussi*](#) Zelazny 2011 (Tonga Islands, rare)[1]
- [*Levu lactineus*](#) Fennah 1956 [*Levu pallescens lactinea*] (Palau Islands, moderately common)[6][1]
- [*Levu muiri*](#) Zelazny 1981 (Laguna Prov., Philippines, uncommon)[5]
- [*Levu nocturnus*](#) Zelazny 2011 (Vanuatu Islands, uncommon)[1]
- [*Levu paganus*](#) Fennah 1956 [*Levu pallescens pagana*] (Ponape Islands, moderately common)[6][1]
- [*Levu pallescens*](#) (Metcalf 1946) [*Muiralyricen pallescens*] (Guam and Yap Islands, uncommon)[8][6]
- [*Levu patolai*](#) Zelazny 1981 (Luzon Isl., Philippines, uncommon)[5]
- *Levu penarius* Yang & Wu 1993 [*Levu penaria*] (Taiwan, uncommon)[9][10]
- [*Levu psittacus*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu pudens*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu rubrofrontalis*](#) Zelazny 1981 (Luzon Isl., Philippines, uncommon)[5]
- [*Levu rubropleuralis*](#) Zelazny 1981 (Philippines, moderately common)[5]
- [*Levu rufigena*](#) Zelazny 2011 (Solomon Islands, rare)[1]
- [*Levu rufulus*](#) Muir 1927 (Samoan Islands, Guam, uncommon)[11]
- [*Levu samoensis*](#) Muir 1927 (Samoan Islands, moderately common)[11]
- [*Levu shanahani*](#) Zelazny 2011 (Solomon Islands, uncommon)[1]
- [*Levu simplissimus*](#) Zelazny 2011 (New Guinea, rare)[1]
- [*Levu triangularis*](#) Zelazny 2011 (New Guinea and New Ireland, uncommon)[1]
- [*Levu vitiensis*](#) Kirkaldy 1906 (Fiji, south-western Pacific islands and eastern Australia, moderately common, common in some areas)[12]

References

1.
 - Zelazny, B.; Webb, M.D. (2011). "Revision of the planthopper tribe Rhotanini (Hemiptera: Auchenorrhyncha: Derbidae)". *Zootaxa*. **3071**: 1–307. doi:[10.11646/zootaxa.3071.1.1](https://doi.org/10.11646/zootaxa.3071.1.1).
 - "[Levu Kirkaldy, 1906](#)". GBIF Global Biodiversity Information Facility. Retrieved 2 May 2026.
 - "[Levu Kirkaldy, 1906](#)". World Auchenorrhyncha Database (WAD). Retrieved 2 May 2026.
 - Muir, F. (1913). "[On some new species of leaf-hoppers. Part II. Derbidae](#)". Hawaiian Sugar Planters Association, Division of Entomology, Bulletin. **12**: 28–92.
 - Zelazny, B. (1981). "[The Philippines species of Rhotanini \(Homoptera: Derbidae\) and their distribution outside the Philippines](#)" (PDF). *Pacific Insects*. **23**: 213–285.
 - Fennah, R.G. (1956). "Homoptera: Fulgoroidea". *Insect of Micronesia, Vol. 6 No. 3* (PDF). Honolulu, U.S.A.: Bernice P. Bishop Museum. pp. 1–211 [174].

- Kirkaldy, G.W. (1907). [*"Leaf-hoppers - Supplement \(Hemiptera\)"*](#). Hawaiian Sugar Planters Association, Division of Entomology, Bulletin. **III**: 1–185 [169].
 - Metcalf, Z.P. (1946). [*"Homoptera - Fulgoroidea and Jassoidea of Guam In: Insects of Guam II"*](#) (PDF). Bulletin of the Bernice P. Bishop Museum. **189**: 105–148 [116].
 - Yang, Chung Tu; Wu, Rong Hwa (1993). *Derbidae of Taiwan (Homoptera: Fulgoroidea)*. Taiwan: Ching Chung Book Co Ltd. pp. 1–230. [ISBN](#) .
 - [*"Levu penarius"*](#). iNaturalist. Retrieved 11 May 2026.
 - Muir, F. (1927). [*Insects of Samoa, Part II., Fasc. 1., Hemiptera, Fulgoroidea*](#). London, U.K.: British Museum of Natural History. pp. 1–45 [21, 22].
 -
12. Kirkaldy, G.W. (1906). [*"Leaf-hoppers and their natural enemies \(Part IX. Leaf-Hoppers - Hemiptera\)"*](#) (PDF). Hawaiian Sugar Planters Association, Division of Entomology, Bulletin. **1**: 1–479 [434].

Categories:

- [Lists of insect species](#)
- [Rhotanini](#)
- [Hemiptera of Asia](#)
-

Rhithrogena is a genus of flatheaded mayflies in the family [Heptageniidae](#). There are 153 species in *Rhithrogena*.[\[1\]\[2\]\[3\]\[4\]\[5\]](#)



[*Rhithrogena germanica subimago*](#)

Species

- [*Rhithrogena adrianae*](#) Belfiore, 1983 ^{c g}
- [*Rhithrogena allobrogica*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena alpestris*](#) Eaton, 1885 ^{c g}
- [*Rhithrogena amica*](#) Traver, 1935 ^{i c g}
- [*Rhithrogena ampla*](#) Kang & Yang, 1994 ^{c g}

- [*Rhithrogena amseli*](#) (Demoulin, 1964) ^{c g}
- [*Rhithrogena anatolica*](#) Kazanci, 1985 ^{c g}
- [*Rhithrogena anomala*](#) McDunnough, 1928 ^{i c g}
- [*Rhithrogena austriaca*](#) Sowa & Weichselbaumer, 1988 ^{c g}
- [*Rhithrogena ayadi*](#) Dakki & Thomas, 1986 ^{c g}
- [*Rhithrogena bajkovae*](#) Sowa, 1973 ^{c g}
- [*Rhithrogena basiri*](#) Ali, 1971 ^{c g}
- [*Rhithrogena beskidensis*](#) Alba-Tercedor & Sowa, 1987 ^{c g}
- [*Rhithrogena binervis*](#) Kluge, 1987 ^{c g}
- [*Rhithrogena bogoesculi*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena braaschi*](#) Jacob, 1974 ^{c g}
- [*Rhithrogena brodskyi*](#) Kustareva, 1976 ^{c g}
- [*Rhithrogena brunneotincta*](#) McDunnough, 1933 ^{i c g b}
- [*Rhithrogena bulgarica*](#) Braasch, Soldán & Sowa, 1985 ^{c g}
- [*Rhithrogena buresi*](#) Sowa, 1973 ^{c g}
- [*Rhithrogena carpatoalpina*](#) Klonowska, Olechowska, Sartori & Weichselbaumer, 1987 ^{c g}
- [*Rhithrogena castellana*](#) Navás, 1927 ^{c g}
- [*Rhithrogena catalaunica*](#) Navas, 1916 ^g
- [*Rhithrogena caucasica*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena cincta*](#) Navás, 1921 ^{c g}
- [*Rhithrogena circumtatica*](#) Sowa & Soldán, 1986 ^{c g}
- [*Rhithrogena colmarsensis*](#) Sowa, 1984 ^{c g}
- [*Rhithrogena corcontica*](#) Sowa & Soldán, 1986 ^{c g}
- [*Rhithrogena dagestanica*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena daterrai*](#) Sowa, 1984 ^{c g}
- [*Rhithrogena decolorata*](#) Sinitshenkova, 1973 ^{c g}
- [*Rhithrogena decora*](#) Day, 1954 ^{i c g}
- [*Rhithrogena degrangei*](#) Sowa, 1969 ^{c g}
- [*Rhithrogena delphinensis*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena diaphana*](#) Navás, 1917 ^{c g}
- [*Rhithrogena diensis*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena dorieri*](#) Sowa, 1971 ^{c g}
- [*Rhithrogena eatoni*](#) Esben-Petersen, 1912 ^{c g}
- [*Rhithrogena endenensis*](#) Metzler, Tomka & Zurwerra, 1985 ^{c g}
- [*Rhithrogena eugeniae*](#) Kluge, 1983 ^{c g}
- [*Rhithrogena excisa*](#) Sinitshenkova, 1979 ^{c g}

- [*Rhithrogena exilis*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena expectata*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena fasciata*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena ferruginea*](#) Navás, 1905 ^{c g}
- [*Rhithrogena fiorii*](#) Grandi, 1953 ^{c g}
- [*Rhithrogena flavianula*](#) (McDunnough, 1924) ^{i c g b}
- [*Rhithrogena fonticola*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena fuscifrons*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena futilis*](#) McDunnough, 1934 ^{i c g}
- [*Rhithrogena gaspeensis*](#) McDunnough, 1933 ^{i c g}
- [*Rhithrogena germanica*](#) Eaton, 1885 ^{c g}
- [*Rhithrogena giudicelliorum*](#) Thomas & Bouzidi, 1986 ^{c g}
- [*Rhithrogena goeldini*](#) Sartori & Sowa, 1988 ^{c g}
- [*Rhithrogena gorganica*](#) Klapálek, 1907 ^{c g}
- [*Rhithrogena gorrizi*](#) Navás, 1913 ^{c g}
- [*Rhithrogena gratianopolitana*](#) Sowa, Degrange & Sartori, 1986 ^{c g}
- [*Rhithrogena grischuna*](#) Sartori & Oswald, 1988 ^{c g}
- [*Rhithrogena hageni*](#) Eaton, 1885 ^{i c g}
- [*Rhithrogena henschi*](#) Klapálek, 1906 ^{c g}
- [*Rhithrogena hercegovina*](#) Tanasijevic, 1984 ^{c g}
- [*Rhithrogena hercynia*](#) Landa, 1970 ^{c g}
- [*Rhithrogena hybrida*](#) Eaton, 1885 ^{c g}
- [*Rhithrogena impersonata*](#) (McDunnough, 1925) ^{i c g b}
- [*Rhithrogena ingalik*](#) Randolph and McCafferty, 2005 ^{i c g}
- [*Rhithrogena insularis*](#) Esben-Petersen, 1913 ^{c g}
- [*Rhithrogena iranica*](#) Braasch, 1983 ^{c g}
- [*Rhithrogena iridina*](#) (Kolenati, 1859) ^{c g}
- [*Rhithrogena jacobi*](#) Braasch & Soldán, 1988 ^{c g}
- [*Rhithrogena jahorinensis*](#) Tanasijevic, 1985 ^{c g}
- [*Rhithrogena japonica*](#) Uéno, 1928 ^{c g}
- [*Rhithrogena jejuna*](#) Eaton, 1885 ^{i c g}
- [*Rhithrogena johanni*](#) Belfiore, 1990 ^{c g}
- [*Rhithrogena joostiana*](#) Sowa, 1976 ^{c g}
- [*Rhithrogena kashmiriensis*](#) (Braasch & Soldán, 1982) ^{c g}
- [*Rhithrogena kimminsi*](#) Thomas, 1970 ^{c g}
- [*Rhithrogena klausnitzeriana*](#) Braasch, 1979 ^{c g}

- [*Rhithrogena klugei*](#) Tiunova, 2010 ^{c g}
- [*Rhithrogena laciniosa*](#) Sinitshenkova, 1979 ^{c g}
- [*Rhithrogena landai*](#) Sowa & Soldán, 1984 ^{c g}
- [*Rhithrogena lepnevae*](#) Brodsky, 1930 ^{c g}
- [*Rhithrogena lisettae*](#) Bauernfeind, 2003 ^{c g}
- [*Rhithrogena loyolaea*](#) Navás, 1922 ^{c g}
- [*Rhithrogena lucida*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena manifesta*](#) Eaton, 1885 ^{i c g}
- [*Rhithrogena marcosi*](#) Alba-Tercedor & Sowa, 1987 ^{c g}
- [*Rhithrogena mariaae*](#) Vitte, 1991 ^{c g}
- [*Rhithrogena mariaedominicae*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena marinkovici*](#) Tanasijevic, 1985 ^{c g}
- [*Rhithrogena minazuki*](#) Imanishi, 1936 ^{c g}
- [*Rhithrogena minima*](#) Sinitshenkova, 1973 ^{c g}
- [*Rhithrogena monserati*](#) Alba-Tercedor & Sowa, 1986 ^{c g}
- [*Rhithrogena morrisoni*](#) (Banks, 1924) ^{i c g}
- [*Rhithrogena nepalensis*](#) Braasch, 1984 ^{c g}
- [*Rhithrogena neretvana*](#) Tanasijevic, 1984 ^{c g}
- [*Rhithrogena nivata*](#) (Eaton, 1871) ^{c g}
- [*Rhithrogena notialis*](#) Allen and Cohen, 1977 ^{i c g}
- [*Rhithrogena nuragica*](#) Belfiore, 1987 ^{c g}
- [*Rhithrogena orientalis*](#) You, 1990 ^{c g}
- [*Rhithrogena ornata*](#) (Ulmer, 1939) ^{c g}
- [*Rhithrogena oscensis*](#) Navás, 1927 ^{c g}
- [*Rhithrogena ourika*](#) Thomas & Mohati, 1985 ^{c g}
- [*Rhithrogena parva*](#) (Ulmer, 1912) ^{c g}
- [*Rhithrogena paulinae*](#) Sartori & Sowa, 1992 ^{c g}
- [*Rhithrogena picteti*](#) Sowa, 1971 ^{c g}
- [*Rhithrogena piechockii*](#) Braasch, 1977 ^{c g}
- [*Rhithrogena plana*](#) Allen and Chao, 1978 ^{i c g}
- [*Rhithrogena podhalensis*](#) Sowa & Soldán, 1986 ^{c g}
- [*Rhithrogena pontica*](#) Sowa, Soldán, Kazanci & Braasch, 1986 ^{c g}
- [*Rhithrogena potamalis*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena puthzi*](#) Sowa, 1984 ^{c g}
- [*Rhithrogena puytoraci*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena reatina*](#) Sowa & Belfiore, 1984 ^{c g}

- [*Rhithrogena robusta*](#) Dodds, 1923 ^{i c g}
- [*Rhithrogena rolandi*](#) Weichselbaumer, 1995 ^{c g}
- [*Rhithrogena rubicunda*](#) Traver, 1937 ^{i c g}
- [*Rhithrogena ryszardi*](#) Thomas, 1987 ^{c g}
- [*Rhithrogena sartorii*](#) Zrelli & Boumaiza, 2011 ^{c g}
- [*Rhithrogena savoienensis*](#) Alba-Tercedor & Sowa, 1987 ^{c g}
- [*Rhithrogena semicolorata*](#) (Curtis, 1834) ^{c g}
- [*Rhithrogena siamensis*](#) Braasch & Boonsoong, 2009 ^{c g}
- [*Rhithrogena sibillina*](#) Metzler, Tomka & Zurwerra, 1985 ^{c g}
- [*Rhithrogena sibirica*](#) Brodsky, 1930 ^{c g}
- [*Rhithrogena siciliana*](#) Braasch, 1989 ^{c g}
- [*Rhithrogena soteria*](#) Navás, 1917 ^{c g}
- [*Rhithrogena sowai*](#) Puthz, 1972 ^{c g}
- [*Rhithrogena stackelbergi*](#) Sinitshenkova, 1973 ^{c g}
- [*Rhithrogena strenua*](#) Thomas, 1982 ^{c g}
- [*Rhithrogena subangulata*](#) Braasch, 1984 ^{c g}
- [*Rhithrogena sublineata*](#) Kazanci & Braasch, 1988 ^{c g}
- [*Rhithrogena tateyamana*](#) Imanishi, 1936 ^{c g}
- [*Rhithrogena taurisca*](#) Bauernfeind, 1992 ^{c g}
- [*Rhithrogena teberdensis*](#) Zimmermann, 1977 ^{c g}
- [*Rhithrogena tetrapunctigera*](#) Matsumura, 1931 ^{c g}
- [*Rhithrogena theischingeri*](#) Braasch, 1981 ^{c g}
- [*Rhithrogena thomasi*](#) Alba-Tercedor & Sowa, 1986 ^{c g}
- [*Rhithrogena thracica*](#) Sowa, Soldán & Braasch, 1988 ^{c g}
- [*Rhithrogena tianshanica*](#) Brodsky, 1930 ^{c g}
- [*Rhithrogena tibialis*](#) (Ulmer, 1920) ^c
- [*Rhithrogena trispina*](#) Zhou & Zheng, 2000 ^{c g}
- [*Rhithrogena uhari*](#) Traver, 1933 ^{i c g}
- [*Rhithrogena umbrosa*](#) Braasch, 1979 ^{c g}
- [*Rhithrogena undulata*](#) (Banks, 1924) ^{i c g}
- [*Rhithrogena unica*](#) Zhou & Peters, 2004 ^{c g}
- [*Rhithrogena uzbekistanicus*](#) (Braasch & Soldán, 1982) ^{c g}
- [*Rhithrogena vaillanti*](#) Sowa & Degrange, 1987 ^{c g}
- [*Rhithrogena virilis*](#) McDunnough, 1934 ^{i c g}
- [*Rhithrogena wolosatkae*](#) Klonowska, 1987 ^{c g}
- [*Rhithrogena wuyiensis*](#) (Gui, Zhou & Su, 1999) ^{c g}

- [*Rhithrogena zelinkai*](#) Sowa & Soldán, 1984 ^{c g}
- [*Rhithrogena zernyi*](#) Bauernfeind, 1991 ^{c g}
- [*Rhithrogena zhiltzovae*](#) Sinitschenkova, 1979 ^{c g}
- [*Rhithrogena znojko*](#) (Tshernova, 1938) ^{c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

References

1.
 - ["Rhithrogena Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-05.
 - ["Browse Rhithrogena"](#). Catalogue of Life. Archived from [the original](#) on 2018-05-06. Retrieved 2018-05-05.
 - ["Rhithrogena"](#). GBIF. Retrieved 2018-05-05.
 - ["Rhithrogena Genus Information"](#). BugGuide.net. Retrieved 2018-05-05.
5. ["Mayfly Central"](#). Retrieved 2018-05-05.
- Chinery, Michael (1986). *Collins Guide to the Insects of Britain and Western Europe*. London: Collins. [ISBN](#) .

Further reading

- Arnett, Ross H. Jr. (2000). [American Insects: A Handbook of the Insects of America North of Mexico](#) (2nd ed.). CRC Press. [ISBN](#) .
- Barber-James, Helen M.; Gattolliat, Jean-Luc; Sartori, Michel; Hubbard, Michael D. (2008). "Global diversity of mayflies (Ephemeroptera, Insecta) in freshwater". *Freshwater Animal Diversity Assessment*. **595** (1). Springer: 339–350. doi:[10.1007/978-1-4020-8259-7_37](#).
- Barber-James, H.; Sartori, M.; Gattolliat, J-L.; Webb, J. (2013). ["World checklist of freshwater Ephemeroptera species"](#). The Catalogue of Life Partnership. doi:[10.15468/wrzznv](#). Retrieved 2018-05-05. {{cite journal}}: Cite journal requires |journal= (help)
- Campbell, Ian C., ed. (1990). *Mayflies and stoneflies: Life histories and biology*. Springer. doi:[10.1007/978-94-009-2397-3](#). ISBN . S2CID [39201439](#).
- Edmunds Jr., George F. (1972). "Biogeography and evolution of Ephemeroptera". *Annual Review of Entomology*. **17** (1). Annual Reviews: 21–42. doi:[10.1146/annurev.en.17.010172.000321](#).
- Kluge, Nikita (2013). *The phylogenetic system of Ephemeroptera*. Springer Science & Business Media. doi:[10.1007/978-94-007-0872-3](#). ISBN . S2CID [39671739](#).

External links

-  Media related to [Rhithrogena](#) at Wikimedia Commons

Taxon identifiers

Rhithrogena

- [Wikidata: Q3429517](#)
- [Wikispecies: Rhithrogena](#)
- [ADW: Rhithrogena](#)
- [BioLib: 97181](#)
- [BOLD: 96004](#)
- [BugGuide: 50753](#)
- [CoL: 78W9](#)
- [EoL: 2762790](#)
- [Fauna Europaea: 193374](#)
- [Fauna Europaea \(new\): 8a59ed7e-c43a-4c02-922c-218390286a2a](#)
- [GBIF: 1408385](#)
- [iNaturalist: 211724](#)
- [IRMNG: 1059040](#)
- [ITIS: 100572](#)
- [NBN: NHMSYS00000066955](#)
- [NCBI: 307890](#)
- [Open Tree of Life: 525130](#)
- [Paleobiology Database: 195398](#)
- [Plazi: D297CEBA-00C2-8532-30F1-8A3CADCB31D4](#)



This [mayfly](#) related article is a [stub](#). You can help Wikipedia by [adding missing information](#).

Categories:

- [Mayflies](#)
- [Lists of insect species](#)
- [Mayfly genera](#)
- [Mayfly stubs](#)
-

This is a list of 620 species in [Rhamphomyia](#), a genus of dance flies in the family [Empididae](#).^{[1][2][3]}

***Rhamphomyia* species**

- [Rhamphomyia acuta](#) Bartak, 2002^{c g}

- [*Rhamphomyia adversa*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia aethiops*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia agasciles*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia alameda*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia albata*](#) Coquillett, 1902 ^{i c g}
- [*Rhamphomyia albibasis*](#) Frey, 1935 ^{c g}
- [*Rhamphomyia albidipennis*](#) Malloch, 1930 ^{c g}
- [*Rhamphomyia albidiventris*](#) Strobl, 1898 ^{c g}
- [*Rhamphomyia albipennis*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia albissima*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia albitarsis*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia albogeniculata*](#) Roser, 1840 ^{c g}
- [*Rhamphomyia albohirta*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia albonigra*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia albopilosa*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia albosegmentata*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia alpina*](#) (Zetterstedt, 1838) ^{c g}
- [*Rhamphomyia alpiniformis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia ambocnema*](#) Chillcott, 1959 ^{i c g}
- [*Rhamphomyia americana*](#) Wiedemann, 1830 ^{i c g}
- [*Rhamphomyia amoena*](#) Loew, 1840 ^{c g}
- [*Rhamphomyia ampla*](#) Frey, 1952 ^{c g}
- [*Rhamphomyia amplicella*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia amplipedis*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia andalusiaca*](#) Strobl, 1899 ^{c g}
- [*Rhamphomyia anfractuosa*](#) Bezzi, 1904 ^{c g}
- [*Rhamphomyia angulifera*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia angustifacies*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia angustipennis*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia anomala*](#) Oldenberg, 1915 ^{c g}
- [*Rhamphomyia anomalina*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia anomalipennis*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia antennata*](#) Frey, 1915 ^{c g}
- [*Rhamphomyia anthracina*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia anthracinella*](#) Strobl, 1898 ^{c g}
- [*Rhamphomyia anthracodes*](#) Coquillett, 1900 ^{i c g}

- [*Rhamphomyia aperta*](#) Loew^{i c g}
- [*Rhamphomyia appendens*](#) Bartak, 2002^{c g}
- [*Rhamphomyia appendiculata*](#) Macquart, 1827^{c g}
- [*Rhamphomyia aprilis*](#) White, 1916^{c g}
- [*Rhamphomyia aquaria*](#) Bartak, 2002^{c g}
- [*Rhamphomyia arakawae*](#) Matsumura, 1915^{c g}
- [*Rhamphomyia araneipes*](#) Frey, 1951^{c g}
- [*Rhamphomyia arctotibia*](#) Chillcott, 1959^{i c g}
- [*Rhamphomyia arcuata*](#) Coquillett, 1895^{i c g}
- [*Rhamphomyia argentata*](#) Roder, 1887^{c g}
- [*Rhamphomyia argyrina*](#) Bezzi, 1909^{c g}
- [*Rhamphomyia argyrosoma*](#) Saigusa, 1963^{c g}
- [*Rhamphomyia ariiorum*](#) Saigusa, 1964^{c g}
- [*Rhamphomyia armata*](#) Becker, 1915^{c g}
- [*Rhamphomyia armimana*](#) Oldenberg, 1910^{c g}
- [*Rhamphomyia armipes*](#) Sack, 1923^{c g}
- [*Rhamphomyia arnaudorum*](#) Bartak, 2002^{c g}
- [*Rhamphomyia articularis*](#) Bartak, 2002^{c g}
- [*Rhamphomyia astragala*](#) Bartak, 2002^{c g}
- [*Rhamphomyia aterrima*](#) Frey, 1922^{c g}
- [*Rhamphomyia atra*](#) Meigen, 1822^{c g}
- [*Rhamphomyia atrata*](#) Coquillett, 1900^{i c g}
- [*Rhamphomyia aucta*](#) Oldenberg, 1917^{c g}
- [*Rhamphomyia auricoma*](#) Bartak, 2002^{c g}
- [*Rhamphomyia auripilosa*](#) Saigusa, 1964^{c g}
- [*Rhamphomyia australis*](#) Frey, 1922^{c g}
- [*Rhamphomyia aversa*](#) Frey, 1950^{c g}
- [*Rhamphomyia azauensis*](#) Bartak, 1983^{c g}
- [*Rhamphomyia baicalensis*](#) Frey, 1950^{c g}
- [*Rhamphomyia barbata*](#) (Macquart, 1823)^{c g}
- [*Rhamphomyia barbipalpis*](#) Frey, 1950^{c g}
- [*Rhamphomyia barypoda*](#) Coquillett, 1900^{i c g}
- [*Rhamphomyia basalis*](#) Loew, 1864^{i c g}
- [*Rhamphomyia basisetosa*](#) Saigusa, 1966^{c g}
- [*Rhamphomyia basispinosa*](#) Frey, 1950^{c g}
- [*Rhamphomyia batylimensis*](#) Frey, 1922^{c g}

- [*Rhamphomyia beckeriella*](#) Chvala, 1985 ^{c g}
- [*Rhamphomyia bellinsetosa*](#) Bartak, 2007 ^{c g}
- [*Rhamphomyia bergrothi*](#) (Kieffer, 1923) ^{c g}
- [*Rhamphomyia bernhardi*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia bicalaris*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia bicolor*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia bicoloripes*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia bifasciata*](#) (Rossi, 1794) ^{c g}
- [*Rhamphomyia bifilata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia bigelowi*](#) Walley, 1927 ^{i c g}
- [*Rhamphomyia bilineata*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia bipila*](#) Strobl, 1909 ^{c g}
- [*Rhamphomyia birdi*](#) Curran, 1929 ^{i c g}
- [*Rhamphomyia biro*](#) Bezzi, 1908 ^{c g}
- [*Rhamphomyia biserialis*](#) (Collin, 1960) ^{c g}
- [*Rhamphomyia bistriata*](#) Strobl, 1910 ^{c g}
- [*Rhamphomyia boliviana*](#) Bezzi, 1905 ^{c g}
- [*Rhamphomyia borealis*](#) (Fabricius, 1780) ^{i c g}
- [*Rhamphomyia boreoitalica*](#) Bartak, 2006 ^{c g}
- [*Rhamphomyia brevicellula*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia brevipila*](#) Oldenberg, 1922 ^{c g}
- [*Rhamphomyia brevis*](#) Loew, 1861 ^{i c g b}
- [*Rhamphomyia brevistylata*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia breviventris*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia brunneostriata*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia brussnewi*](#) Frey, 1915 ^{c g}
- [*Rhamphomyia bryanti*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia caeca*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia caesia*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia calcarifera*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia californica*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia caliginosa*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia calimenda*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia calvimontis*](#) Cockerell, 1916 ^{i c g}
- [*Rhamphomyia cana*](#) Zetterstedt, 1849 ^{c g}
- [*Rhamphomyia candicans*](#) Loew, 1864 ^{i c g}

- [Rhamphomyia candidula](#) Collin, 1933 ^{c g}
- [Rhamphomyia canella](#) Bartak, 2002 ^{c g}
- [Rhamphomyia carbonaria](#) Wiedemann, 1822 ^{c g}
- [Rhamphomyia carenifera](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia carrerai](#) Smith, 1962 ^{c g}
- [Rhamphomyia catarinae](#) Smith, 1962 ^{c g}
- [Rhamphomyia caucasica](#) Frey, 1953 ^{c g}
- [Rhamphomyia caudata](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia cavicornuta](#) Bartak, 2002 ^{c g}
- [Rhamphomyia cervi](#) Bartak, 2006 ^{c g}
- [Rhamphomyia chibinensis](#) Frey, 1922 ^{c g}
- [Rhamphomyia chimganensis](#) Bartak, 2000 ^{c g}
- [Rhamphomyia chinoptera](#) Bezzi, 1904 ^{c g}
- [Rhamphomyia chionoptera](#) Bezzi, 1904 ^g
- [Rhamphomyia chrysodactyla](#) Frey, 1950 ^{c g}
- [Rhamphomyia chvalai](#) Bartak, 2000 ^{c g}
- [Rhamphomyia ciliata](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia ciliatopoda](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia cilipes](#) (Say, 1823) ^{i c g}
- [Rhamphomyia cimrmani](#) Bartak, 2006 ^{c g}
- [Rhamphomyia cinefacta](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia cineracea](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia cinerascens](#) (Meigen, 1804) ^{c g}
- [Rhamphomyia cinerea](#) (Fabricius, 1775) ^{c g}
- [Rhamphomyia claripennis](#) Oldenberg, 1922 ^{c g}
- [Rhamphomyia clariventris](#) Okada, 1941 ^{c g}
- [Rhamphomyia clauda](#) Coquillett, 1901 ^{i c g}
- [Rhamphomyia clavator](#) Coquillett, 1901 ^{i c g}
- [Rhamphomyia clavigera](#) Loew, 1861 ^{i c g}
- [Rhamphomyia clypeata](#) Macquart, 1834 ^{c g}
- [Rhamphomyia collini](#) Smith, 1971 ^{c g}
- [Rhamphomyia colorata](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia comosa](#) Bartak, 2002 ^{c g}
- [Rhamphomyia complicans](#) Frey, 1953 ^{c g}
- [Rhamphomyia compta](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia confinis](#) Zetterstedt, 1852 ^{c g}

- [Rhamphomyia conjuncta](#) Loew, 1861 ^{i c g}
- [Rhamphomyia contracta](#) Bartak, 2002 ^{c g}
- [Rhamphomyia cophas](#) Walker, 1849 ^{i c g}
- [Rhamphomyia coracina](#) Zetterstedt, 1849 ^{c g}
- [Rhamphomyia corvina](#) Loew, 1861 ^{c g}
- [Rhamphomyia crassicauda](#) Strobl, 1893 ^{c g}
- [Rhamphomyia crassimana](#) Strobl, 1898 ^{c g}
- [Rhamphomyia crassirostris](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia cribrata](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia cribrata](#) Oldenberg, 1927 ^g
- [Rhamphomyia crinita](#) Becker, 1887 ^{c g}
- [Rhamphomyia culicina](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia cummingi](#) Bartak, 2002 ^{c g}
- [Rhamphomyia curicauda](#) Frey, 1949 ^g
- [Rhamphomyia currani](#) Steyskal, 1964 ^{i c g}
- [Rhamphomyia curvicauda](#) Frey, 1949 ^{c g}
- [Rhamphomyia curvinervis](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia curvipes](#) Coquillett, 1904 ^{i c g}
- [Rhamphomyia curvitibia](#) Saigusa, 1965 ^{c g}
- [Rhamphomyia curvula](#) Frey, 1913 ^{c g}
- [Rhamphomyia cyanogaster](#) Wheeler & Melander, 1901 ^{c g}
- [Rhamphomyia cymbella](#) Frey, 1950 ^{c g}
- [Rhamphomyia czizeki](#) Bartak, 1982 ^{c g}
- [Rhamphomyia dalmatica](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia dana](#) Walker, 1849 ^{i c g}
- [Rhamphomyia daria](#) Walker, 1849 ^{i c g}
- [Rhamphomyia dasyncnema](#) Bartak, 2002 ^{c g}
- [Rhamphomyia dasypoda](#) Steyskal, 1964 ^{i c g}
- [Rhamphomyia debilis](#) Loew, 1861 ^{i c g}
- [Rhamphomyia deformata](#) Frey, 1950 ^{c g}
- [Rhamphomyia deformatella](#) Bartak, 2000 ^{c g}
- [Rhamphomyia deformicauda](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia deformipes](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia dentata](#) Oldenberg, 1910 ^{c g}
- [Rhamphomyia dimidiata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia discoidalis](#) Becker, 1889 ^{c g}

- [*Rhamphomyia disconcerta*](#) Curran, 1930 ^{i c g}
- [*Rhamphomyia disconnecta*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia disparilis*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia distincta*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia diversa*](#) Coquillett, 1901 ^{i c g}
- [*Rhamphomyia diversipennis*](#) Becker, 1900 ^{c g}
- [*Rhamphomyia dombai*](#) Bartak, 1983 ^{c g}
- [*Rhamphomyia dorsata*](#) Becker, 1915 ^{c g}
- [*Rhamphomyia drahomirae*](#) Bartak, 1983 ^{c g}
- [*Rhamphomyia dudai*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia duplicis*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia ecetra*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia effera*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia eminens*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia empidiformis*](#) Becker, 1909 ^{c g}
- [*Rhamphomyia enupta*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia erecta*](#) Bartak, 1998 ^{c g}
- [*Rhamphomyia erinacioides*](#) Malloch, 1919 ^{i c g}
- [*Rhamphomyia erythrohptalma*](#) Meigen, 1830 ^g
- [*Rhamphomyia erythrophthalma*](#) Meigen, 1830 ^{c g}
- [*Rhamphomyia eupterota*](#) Loew, 1873 ^{c g}
- [*Rhamphomyia exigua*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia facipennis*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia falcipedia*](#) Chillcott, 1959 ^{i c g}
- [*Rhamphomyia fascipennis*](#) Zetterstedt, 1838 ^g
- [*Rhamphomyia filicauda*](#) Henriksen and Lundbeck, 1917 ^{i c g}
- [*Rhamphomyia filicaudula*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia filipjefi*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia fimbriata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia fixus*](#) (Harris, 1776) ^{c g}
- [*Rhamphomyia flava*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia flavipes*](#) Matsumura, 1911 ^{c g}
- [*Rhamphomyia flavirostris*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia flaviventris*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia flavobasalis*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia flexuosa*](#) Coquillett, 1895 ^{i c g}

- [Rhamphomyia formidabilis](#) Frey, 1951 ^{c g}
- [Rhamphomyia formosula](#) Melander, 1965 ^{i c g}
- [Rhamphomyia fortis](#) Bartak, 2002 ^{c g}
- [Rhamphomyia foveata](#) Frey, 1950 ^{c g}
- [Rhamphomyia freyi](#) Bartak, 1985 ^{c g}
- [Rhamphomyia fridolini](#) Frey, 1950 ^{c g}
- [Rhamphomyia frontalis](#) Loew, 1862 ^{i c g}
- [Rhamphomyia fulvirostris](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia fulvolanata](#) Frey, 1922 ^{c g}
- [Rhamphomyia fumosa](#) Loew, 1861 ^{i c g}
- [Rhamphomyia furcifer](#) Wheeler & Melander, 1901 ^{c g}
- [Rhamphomyia fuscipicis](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia fuscipennis](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia fuscula](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia galactodes](#) Bezzi, 1909 ^{c g}
- [Rhamphomyia galactoptera](#) Strobl, 1893 ^{c g}
- [Rhamphomyia galbanata](#) Collin, 1933 ^{c g}
- [Rhamphomyia geisha](#) Frey, 1952 ^{c g}
- [Rhamphomyia geniculata](#) Meigen, 1830 ^{c g}
- [Rhamphomyia gibba](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia gibbifera](#) Strobl, 1906 ^{c g}
- [Rhamphomyia gilvipes](#) Loew, 1861 ^{i c g}
- [Rhamphomyia gilvipilosa](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia glabra](#) Loew, 1861 ^{i c g}
- [Rhamphomyia glauca](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia gracilis](#) Walker, 1849 ^b
- [Rhamphomyia gracilitarsis](#) Frey, 1950 ^{c g}
- [Rhamphomyia grammoptera](#) Frey, 1922 ^{c g}
- [Rhamphomyia granadensis](#) Chvala, 1981 ^{c g}
- [Rhamphomyia gripha](#) Frey, 1935 ^{c g}
- [Rhamphomyia griseola](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia griseonigra](#) Brunetti, 1913 ^{c g}
- [Rhamphomyia gufitar](#) Frey, 1922 ^{c g}
- [Rhamphomyia hagogromo](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia hambergi](#) Frey, 1916 ^{c g}
- [Rhamphomyia harpago](#) Frey, 1952 ^{c g}

- [*Rhamphomyia helleni*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia hercynica*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia herschelli*](#) Malloch, 1919 ^{i c g}
- [*Rhamphomyia heterochroma*](#) Bezzi, 1898 ^{c g}
- [*Rhamphomyia heterogyna*](#) Frey, 1952 ^{c g}
- [*Rhamphomyia hilariformis*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia himalayana*](#) Brunetti, 1913 ^{c g}
- [*Rhamphomyia hirsutipes*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia hirticula*](#) Collin, 1937 ^{i c g}
- [*Rhamphomyia hirtimana*](#) Oldenberg, 1922 ^{c g}
- [*Rhamphomyia hirtipes*](#) Loew, 1864 ^{i c g}
- [*Rhamphomyia hirtula*](#) Zetterstedt, 1842 ^{i c g}
- [*Rhamphomyia hoeli*](#) Frey, 1950 ^{i c g}
- [*Rhamphomyia horitropha*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia hovgaardii*](#) Holmgren, 1880 ^{i c g}
- [*Rhamphomyia hungarica*](#) (Weber, 1969) ^{c g}
- [*Rhamphomyia hyalina*](#) Brullé, 1833 ^{c g}
- [*Rhamphomyia hybotina*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia ideii*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia idonea*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia ignobilis*](#) Zetterstedt, 1859 ^{c g}
- [*Rhamphomyia impedita*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia improbula*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia incompleta*](#) Loew, 1863 ^{i c g}
- [*Rhamphomyia insecta*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia insignis*](#) Loew, 1871 ^{c g}
- [*Rhamphomyia intercedens*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia interserta*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia intersita*](#) Collin, 1960 ^{c g}
- [*Rhamphomyia intonsa*](#) Steyskal, 1964 ^{i c g}
- [*Rhamphomyia inyoca*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia ise*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia issikii*](#) Ito, 1961 ^{c g}
- [*Rhamphomyia itoi*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia janoensis*](#) Bartak, 1981 ^{c g}
- [*Rhamphomyia janovensis*](#) Bartak, 1981 ^{c g}

- [Rhamphomyia japonica](#) Frey, 1950 ^{c g}
- [Rhamphomyia jaroslavi](#) Bartak, 2002 ^{c g}
- [Rhamphomyia jesonensis](#) Matsumura, 1915 ^{c g}
- [Rhamphomyia jubata](#) Chillcott, 1959 ^{i c g}
- [Rhamphomyia kamenuschka](#) Bartak, 2003 ^{c g}
- [Rhamphomyia kamtschatica](#) Frey, 1922 ^{c g}
- [Rhamphomyia kaninensis](#) Frey, 1913 ^{c g}
- [Rhamphomyia karamanensis](#) Bartak, Ciftci & Hasbenli, 2007 ^{c g}
- [Rhamphomyia kashiiensis](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia kerteszi](#) Oldenberg, 1927 ^{c g}
- [Rhamphomyia kjellmanii](#) Holmgren, 1880 ^{c g}
- [Rhamphomyia klapperichi](#) Frey, 1953 ^{c g}
- [Rhamphomyia knutsoni](#) Bartak, 2002 ^{c g}
- [Rhamphomyia koreana](#) Bartak, 1997 ^{c g}
- [Rhamphomyia kovalevi](#) Bartak, 2004 ^{c g}
- [Rhamphomyia kozaneki](#) Bartak, 1997 ^{c g}
- [Rhamphomyia kreischi](#) Bartak, 1998 ^{c g}
- [Rhamphomyia kubiki](#) Bartak, 2002 ^{c g}
- [Rhamphomyia ladas](#) Frey, 1955 ^{c g}
- [Rhamphomyia laevigata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia laevipes](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia lamellata](#) Collin, 1926[4] ^{c g}
- [Rhamphomyia lamelliseta](#) Ringdahl, 1928 ^{c g}
- [Rhamphomyia lammifera](#) Saigusa, 1963 ^{c g}
- [Rhamphomyia lamniferella](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia lapponica](#) Frey, 1955 ^{c g}
- [Rhamphomyia latifrons](#) Frey, 1913 ^{c g}
- [Rhamphomyia latilobata](#) Bartak, 2002 ^{c g}
- [Rhamphomyia latiscaura](#) Bartak, 2002 ^{c g}
- [Rhamphomyia latistriata](#) Frey, 1953 ^{c g}
- [Rhamphomyia lautereri](#) Bartak, 1981 ^{c g}
- [Rhamphomyia leptidiformis](#) Frey, 1950 ^{c g}
- [Rhamphomyia leptopus](#) Loew, 1873 ^{c g}
- [Rhamphomyia leucophenga](#) Bezzi, 1905 ^{c g}
- [Rhamphomyia leucoptera](#) Loew, 1861 ^{i c g}
- [Rhamphomyia leucopterella](#) Saigusa, 1964 ^{c g}

- [Rhamphomyia limata](#) Coquillett, 1900 ^{i c g}
- [Rhamphomyia limbata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia lindneri](#) Bartak, 1998 ^{c g}
- [Rhamphomyia litoralis](#) Saigusa, 1994 ^{c g}
- [Rhamphomyia lividiventris](#) Zetterstedt, 1838 ^{c g}
- [Rhamphomyia loewi](#) Nowicki, 1868 ^{c g}
- [Rhamphomyia longefilata](#) Strobl, 1906 ^{c g}
- [Rhamphomyia longicauda](#) Loew, 1861 ^{i c g b} (long-tailed dance fly)
- [Rhamphomyia longicornis](#) Loew, 1861 ^{i c g}
- [Rhamphomyia longidiscalis](#) Bartak, 2002 ^{c g}
- [Rhamphomyia longipennis](#) Loew, 1861 ^{i c g}
- [Rhamphomyia longipes](#) (Meigen, 1804) ^{c g}
- [Rhamphomyia longirostris](#) (Lindner, 1972) ^{c g}
- [Rhamphomyia longiseta](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia longistigma](#) Frey, 1953 ^{c g}
- [Rhamphomyia loripedis](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia lucidula](#) Zetterstedt, 1842 ^{c g}
- [Rhamphomyia luctifera](#) Loew, 1861 ^{i c g}
- [Rhamphomyia luctuosa](#) Loew, 1872 ^{i g}
- [Rhamphomyia luridipennis](#) Nowicki, 1868 ^{c g}
- [Rhamphomyia luteicoxa](#) Frey, 1953 ^{c g}
- [Rhamphomyia luteiventer](#) Curran, 1929 ^{i g}
- [Rhamphomyia luteiventris](#) Loew, 1864 ^{i c g}
- [Rhamphomyia maai](#) Saigusa, 1966 ^{c g}
- [Rhamphomyia macilenta](#) Loew, 1864 ^{i c g}
- [Rhamphomyia macrura](#) Loew, 1871 ^{c g}
- [Rhamphomyia maculipennis](#) Zetterstedt, 1842 ^{c g}
- [Rhamphomyia magellensis](#) Frey, 1922 ^{c g}
- [Rhamphomyia malaisei](#) Frey, 1935 ^{c g}
- [Rhamphomyia mallos](#) Walker, 1849 ^{i c g}
- [Rhamphomyia manca](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia marginata](#) (Fabricius, 1787) ^{c g}
- [Rhamphomyia mariobezzi](#) Bartak, 2001 ^{c g}
- [Rhamphomyia maroccana](#) Collin, 1953 ^{c g}
- [Rhamphomyia melania](#) Becker, 1887 ^{c g}
- [Rhamphomyia mendicula](#) Frey, 1950 ^{c g}

- [*Rhamphomyia merzi*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia micans*](#) Oldenberg, 1915 ^{c g}
- [*Rhamphomyia micrargyra*](#) Bezzi, 1909 ^{c g}
- [*Rhamphomyia micropyga*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia minor*](#) Oldenberg, 1922 ^{c g}
- [*Rhamphomyia minutiforceps*](#) Bartak & Kubik, 2008 ^{c g}
- [*Rhamphomyia minutiforcipella*](#) Bartak & Kubik, 2008 ^{c g}
- [*Rhamphomyia minutissima*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia minytus*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia mirabilis*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia mirifica*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia modesta*](#) Wahlberg, 1844 ^{c g}
- [*Rhamphomyia mollipes*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia mollis*](#) Collin, 1933 ^{c g}
- [*Rhamphomyia monacha*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia monstrosa*](#) Bezzi, 1909 ^{c g}
- [*Rhamphomyia montana*](#) Oldenberg, 1915 ^{c g}
- [*Rhamphomyia morenae*](#) Strobl, 1899 ^{c g}
- [*Rhamphomyia morio*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia multicolor*](#) Frey, 1952 ^{c g}
- [*Rhamphomyia multisinuosa*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia murina*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia mutabilis*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia naias*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia nakasujii*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia nana*](#) Loew, 1861 ^{i c g b}
- [*Rhamphomyia nasoni*](#) Coquillett, 1895 ^{i c g b}
- [*Rhamphomyia nevadensis*](#) Lindner, 1962 ^{c g}
- [*Rhamphomyia nigraccipitrina*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia nigricans*](#) Loew, 1864 ^{i c g}
- [*Rhamphomyia nigricauda*](#) Becker, 1907 ^{c g}
- [*Rhamphomyia nigrifemina*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia nigripennis*](#) (Fabricius, 1794) ^{c g}
- [*Rhamphomyia nigripes*](#) Strobl, 1898 ^{c g}
- [*Rhamphomyia nigrita*](#) Zetterstedt, 1838 ^{i c g}
- [*Rhamphomyia nigromaculata*](#) Roser, 1840 ^{c g}

- [*Rhamphomyia nipponalpina*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia nipponensis*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia nitida*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia nitidifrons*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia nitidistriata*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia nitidivittata*](#) Macquart, 1846 ^{i c g}
- [*Rhamphomyia nitidolineata*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia nitidula*](#) Zetterstedt, 1842 ^{c g}
- [*Rhamphomyia niveipennis*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia nodipes*](#) Fallen, 1816 ^{c g}
- [*Rhamphomyia nordqvisti*](#) Holmgren, 1880 ^{c g}
- [*Rhamphomyia novecarolina*](#) Beutenmuller, 1913 ^{i c g}
- [*Rhamphomyia nox*](#) Oldenberg, 1917 ^{c g}
- [*Rhamphomyia nubes*](#) (Collin, 1969) ^{c g}
- [*Rhamphomyia nubigena*](#) Bezzi, 1904 ^{c g}
- [*Rhamphomyia nudipes*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia obscura*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia obscurella*](#) Zetterstedt, 1842 ^{c g}
- [*Rhamphomyia obscuripennis*](#) Meigen, 1830 ^{c g}
- [*Rhamphomyia oedimana*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia olympiana*](#) Bartak, 1999 ^{c g}
- [*Rhamphomyia omissinervis*](#) Becker, 1900 ^{c g}
- [*Rhamphomyia omogoensis*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia opacithorax*](#) Malloch, 1923 ^{i c g}
- [*Rhamphomyia optimalis*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia ornithorhampha*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia otiosa*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia ozernajensis*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia ozerovi*](#) Bartak, 2003 ^{c g}
- [*Rhamphomyia pachymera*](#) Bigot, 1887 ^{i c g}
- [*Rhamphomyia pachymeriae*](#) Bartak & Kubik, 2009 ^{c g}
- [*Rhamphomyia pallistigma*](#) Roser, 1840 ^{c g}
- [*Rhamphomyia palmeni*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia paradoxa*](#) Wahlberg, 1844 ^{c g}
- [*Rhamphomyia paragramma*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia paraleucoptera*](#) Frey, 1950 ^{c g}

- [*Rhamphomyia parva*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia parvicellulata*](#) Frey, 1922 ^g
- [*Rhamphomyia parvicellutata*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia parvisinuata*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia parvula*](#) Frey, 1955 ^{c g}
- [*Rhamphomyia pectinata*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia pectoris*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia pendella*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia pendens*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia penicillata*](#) Bezzi, 1909 ^{c g}
- [*Rhamphomyia phemius*](#) Walker, 1849 ^{i c g}
- [*Rhamphomyia physoprocta*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia piedmontensis*](#) Bartak, 2007 ^{c g}
- [*Rhamphomyia pilifer*](#) Meigen, 1838 ^{c g}
- [*Rhamphomyia piligeronis*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia pilimanicula*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia pilosifacies*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia pilostibia*](#) Bartak & Kubik, 2009 ^{c g}
- [*Rhamphomyia pkoronyi*](#) Bezzi, 1904 ^{c g}
- [*Rhamphomyia platycnemis*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia pleciaeformis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia plumifera*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia plumipes*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia poissoni*](#) (Trehen, 1966) ^{c g}
- [*Rhamphomyia pokorny*](#) Bezzi, 1904 ^g
- [*Rhamphomyia polita*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia politella*](#) Malloch, 1931 ^{c g}
- [*Rhamphomyia ponti*](#) Bartak, 2007 ^{c g}
- [*Rhamphomyia poplitea*](#) Wahlberg, 1844 ^{c g}
- [*Rhamphomyia porteri*](#) Brèthes, 1924 ^{c g}
- [*Rhamphomyia powelli*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia praecellens*](#) Frey, 1952 ^{c g}
- [*Rhamphomyia praecipua*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia praestans*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia praeterita*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia prava*](#) Chillcott, 1959 ^{i c g}

- [*Rhamphomyia pretiosa*](#) Frey, 1953 ^{c g}
- [*Rhamphomyia priapulus*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia proclinata*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia prodroma*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia pseudocrinita*](#) Strobl, 1909 ^{c g}
- [*Rhamphomyia pseudogibba*](#) Strobl, 1910 ^{c g}
- [*Rhamphomyia psychomorpha*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia pteropyga*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia pulla*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia pusilla*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia pusio*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia pyctes*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia quinquelineata*](#) (Say, 1823) ^{i c g}
- [*Rhamphomyia rampazzii*](#) Bartak, 2006 ^{c g}
- [*Rhamphomyia rava*](#) Loew, 1962 ^{i c g}
- [*Rhamphomyia ravida*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia reflexa*](#) Zetterstedt, 1838 ^{c g}
- [*Rhamphomyia retortus*](#) Frey, 1955 ^{c g}
- [*Rhamphomyia rhodesiensis*](#) Collin, 1938 ^{c g}
- [*Rhamphomyia rhythmica*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia ringens*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia rivalis*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia robustior*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia rogersi*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia rostrifera*](#) Bezzi, 1912 ^{c g}
- [*Rhamphomyia rotundicauda*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia rufipes*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia rufirostris*](#) Say, 1829 ^{i c g}
- [*Rhamphomyia rupestris*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia ryongaksanensis*](#) Bartak, 1997 ^{c g}
- [*Rhamphomyia saintbaumensis*](#) Bartak, 2007 ^{c g}
- [*Rhamphomyia samarkandensis*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia sanctimauroi*](#) Becker, 1887 ^{c g}
- [*Rhamphomyia sapporensis*](#) Matsumura, 1915 ^{c g}
- [*Rhamphomyia sareptana*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia sauteri*](#) Bezzi, 1912 ^{c g}

- [Rhamphomyia scaura](#) Bartak, 2002 ^{c g}
- [Rhamphomyia scaurissima](#) Wheeler, 1896 ^{i c g}
- [Rhamphomyia sciarina](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia scitula](#) Frey, 1922 ^{c g}
- [Rhamphomyia scolopacea](#) (Say, 1823) ^{i c g}
- [Rhamphomyia scopifer](#) Bartak, 2002 ^{c g}
- [Rhamphomyia scutellaris](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia sellacrinata](#) Bartak, 2007 ^{c g}
- [Rhamphomyia sellaensis](#) Bartak, 1999 ^{c g}
- [Rhamphomyia sellata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia semipellucida](#) Frey, 1950 ^{c g}
- [Rhamphomyia seposita](#) Collin, 1933 ^{c g}
- [Rhamphomyia septembris](#) White, 1916 ^{c g}
- [Rhamphomyia serpentata](#) Loew, 1856 ^{c g}
- [Rhamphomyia setitibia](#) Frey, 1950 ^{c g}
- [Rhamphomyia setosa](#) Coquillett, 1895 ^{i c g}
- [Rhamphomyia setulosa](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia shirayuki](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia siebecki](#) Strobl, 1898 ^{c g}
- [Rhamphomyia similata](#) Malloch, 1919 ^{i c g}
- [Rhamphomyia simplex](#) Zetterstedt, 1849 ^{c g}
- [Rhamphomyia slovaki](#) Bartak, 1997 ^{c g}
- [Rhamphomyia soccata](#) Loew, 1861 ^{i c g}
- [Rhamphomyia sociabilis](#) (Williston, 1893) ^{i c g}
- [Rhamphomyia soleata](#) Melander, 1965 ^{i c g}
- [Rhamphomyia sordida](#) Loew, 1861 ^{i c g}
- [Rhamphomyia sororia](#) Frey, 1953 ^{c g}
- [Rhamphomyia spatenkai](#) Bartak, 2000 ^{c g}
- [Rhamphomyia spectabilis](#) Frey, 1922 ^{c g}
- [Rhamphomyia speighti](#) Bartak, 2006 ^{c g}
- [Rhamphomyia sphaerophora](#) Frey, 1950 ^{c g}
- [Rhamphomyia sphenoptera](#) Loew, 1873 ^{c g}
- [Rhamphomyia spinipes](#) (Fallen, 1816) ^{c g}
- [Rhamphomyia spiniventris](#) Saigusa, 1964 ^{c g}
- [Rhamphomyia spinosipes](#) Oldenberg, 1915 ^{c g}
- [Rhamphomyia spirifera](#) Frey, 1955 ^{c g}

- [*Rhamphomyia stackelbergi*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia stigmosa*](#) Macquart, 1827 ^{c g}
- [*Rhamphomyia strobli*](#) Bartak, 1985 ^{c g}
- [*Rhamphomyia stylata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia subacuta*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia subcinarescens*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia subdolomitica*](#) Bartak, 1981 ^{c g}
- [*Rhamphomyia subglaucella*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia subpusilla*](#) Frey, 1951 ^{c g}
- [*Rhamphomyia subsultans*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia sudigeronis*](#) Coquillett, 1895 ^{i c g b}
- [*Rhamphomyia sulcata*](#) (Meigen, 1804) ^{c g}
- [*Rhamphomyia sulcatella*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia sulcatina*](#) Collin, 1926[4] ^{c g}
- [*Rhamphomyia sutibialis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia tachulanensis*](#) Saigusa, 1966 ^{c g}
- [*Rhamphomyia taenia*](#) Ito & Saigusa, 1967 ^{c g}
- [*Rhamphomyia taimyrensis*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia takagii*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia takahashii*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia tarsata*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia taylori*](#) Smith, 1971 ^{c g}
- [*Rhamphomyia teberdana*](#) Bartak, 1983 ^{c g}
- [*Rhamphomyia tenuipes*](#) Becker, 1907 ^{c g}
- [*Rhamphomyia tenuiterfilata*](#) Becker, 1900 ^{c g}
- [*Rhamphomyia tersa*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia testacea*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia thaiciliata*](#) Bartak & Kubik, 2008 ^{c g}
- [*Rhamphomyia tibialis*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia tibiella*](#) Zetterstedt, 1842 ^{c g}
- [*Rhamphomyia tienshanensis*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia tipularia*](#) Fallen, 1816 ^{c g}
- [*Rhamphomyia tolteca*](#) Wheeler & Melander, 1901 ^{c g}
- [*Rhamphomyia tonsa*](#) Loew, 1871 ^{c g}
- [*Rhamphomyia transversipyga*](#) Frey, 1950 ^{c g}
- [*Rhamphomyia triangulifera*](#) Bartak, 2002 ^{c g}

- [*Rhamphomyia trichopleura*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia trigemina*](#) Oldenberg, 1927 ^{c g}
- [*Rhamphomyia trilineata*](#) Zetterstedt, 1859 ^{c g}
- [*Rhamphomyia trimaculata*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia triseta*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia tristis*](#) Walker, 1857 ^{i c g}
- [*Rhamphomyia tristiolata*](#) Nowicki, 1868 ^{c g}
- [*Rhamphomyia truncata*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia tuberifemur*](#) Bartak, 2004 ^{c g}
- [*Rhamphomyia tumiditarsis*](#) Oldenberg, 1917 ^{c g}
- [*Rhamphomyia turneri*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia tympanica*](#) Bezzi, 1909 ^{c g}
- [*Rhamphomyia umbilicata*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia umbripennis*](#) Meigen, 1822 ^{c g}
- [*Rhamphomyia umbripes*](#) Becker, 1887 ^{c g}
- [*Rhamphomyia umbrosa*](#) Loew, 1864 ^{i c g}
- [*Rhamphomyia unguiculata*](#) Frey, 1913 ^{c g}
- [*Rhamphomyia ungulata*](#) Loew, 1861 ^{i g}
- [*Rhamphomyia unimaculata*](#) Loew, 1862 ^{i c g}
- [*Rhamphomyia uralensis*](#) Becker, 1915 ^{c g}
- [*Rhamphomyia ursina*](#) Oldenberg, 1915 ^{c g}
- [*Rhamphomyia ursinella*](#) Melander, 1927 ^{i c g}
- [*Rhamphomyia uzbekistanica*](#) Bartak, 2000 ^{c g}
- [*Rhamphomyia valga*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia vara*](#) Loew, 1861 ^{i c g}
- [*Rhamphomyia variabilis*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia verae*](#) Smith, 1962 ^{c g}
- [*Rhamphomyia vernalis*](#) Saigusa, 1964 ^{c g}
- [*Rhamphomyia versicolor*](#) Chillcott, 1959 ^{i c g}
- [*Rhamphomyia vesiculosa*](#) (Fallen, 1816) ^{c g}
- [*Rhamphomyia vicana*](#) (Harris, 1780) ^{c g}
- [*Rhamphomyia villipes*](#) Coquillett, 1900 ^{i c g}
- [*Rhamphomyia villosella*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia villosipes*](#) Bezzi, 1905 ^{c g}
- [*Rhamphomyia virgata*](#) Coquillett, 1895 ^{i c g}
- [*Rhamphomyia vittata*](#) Loew, 1862 ^{i c g}

- [*Rhamphomyia vockerothi*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia wagneri*](#) Bartak, 1998 ^{c g}
- [*Rhamphomyia weedii*](#) Coquillett ^{i c g}
- [*Rhamphomyia wuroentausi*](#) Frey, 1922 ^{c g}
- [*Rhamphomyia xanthomera*](#) Bartak, 2002 ^{c g}
- [*Rhamphomyia yasumatsui*](#) Saigusa, 1963 ^{c g}
- [*Rhamphomyia zaitsevi*](#) Becker, 1915 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[5] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Rhamphomyia Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-23.
 - ["Rhamphomyia"](#). GBIF. Retrieved 2018-04-23.
 - ["Rhamphomyia Genus Information"](#). BugGuide.net. Retrieved 2018-04-23.
 - Collin, James Edward (1926). "Notes on the Empididae (Diptera), with additions and corrections to the British list". *The Entomologist's Monthly Magazine*. **62**: 146–159, 185–190, 213–219, 231–237.
 -
5. ["Catalogue of Life"](#). Retrieved 2018-04-23.

Categories:

- [Lists of insect species](#)
- [Rhamphomyia](#)
-

This is a list of 396 species in [Rhagovelia](#), a genus of smaller water striders in the family [Veliidae](#).^{[1][2][3][4]}

Rhagovelia species

- [Rhagovelia abalienata](#) Hoberlandt, 1951 ^{i c g}
- [Rhagovelia aberrans](#) Andersen, 1965 ^{i c g}
- [Rhagovelia abra](#) Nieser, Zettel and Chen, 1997 ^{i c g}

- [*Rhagovelia abrupta*](#) Gould, 1934^{i c g}
- [*Rhagovelia acapulcana*](#) Drake, 1953^{i c g}
- [*Rhagovelia accedens*](#) Drake, 1957^{i c g}
- [*Rhagovelia achna*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia acuminata*](#) Bacon, 1956^{i c g}
- [*Rhagovelia adrienneaebrasili*](#) Poisson, 1945^{i c g}
- [*Rhagovelia aeneipes*](#) Haglund, 1895^{i c g}
- [*Rhagovelia aestiva*](#) J. Polhemus, 1980^{i c g}
- [*Rhagovelia agilis*](#) J. Polhemus, 1976^{i c g}
- [*Rhagovelia agra*](#) Drake, 1957^{i c g}
- [*Rhagovelia aguacilara*](#) Padilla-Gil, 2010^{i c g}
- [*Rhagovelia ainsliei*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia aiuruoca*](#) Moreira and Ribeiro, 2009^{i c g}
- [*Rhagovelia akrita*](#) J. Polhemus in J. Polhemus and Reisen, 1976^{i c g}
- [*Rhagovelia amazonensis*](#) Gould, 1931^{i c g}
- [*Rhagovelia ambonensis*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia ambra*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia amnica*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia andaman*](#) J. Polhemus, 1990^{i c g}
- [*Rhagovelia anderseni*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia andringitrae*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia angulata*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia angustipes*](#) Uhler, 1894^{i c g}
- [*Rhagovelia antilleana*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia antioquiae*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia aquacola*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia arcuata*](#) (J. Polhemus and Manzano, 1992)^{i c g}
- [*Rhagovelia armata*](#) (Burmeister, 1835)^{i c g}
- [*Rhagovelia atrispina*](#) J. Polhemus, 1977^{i c g}
- [*Rhagovelia aureospicata*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia australica*](#) Kirkaldy, 1908^{i c g}
- [*Rhagovelia azulita*](#) Padilla-Gil, 2009^{i c g} [5]
- [*Rhagovelia bacanensis*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia baconi*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia bakeri*](#) Bergroth, 1914^{i c g}
- [*Rhagovelia barbacoensis*](#)^g

- [*Rhagovelia batantana*](#) D. Polhemus and J. Polhemus, 2011 ^{i c g}
- [*Rhagovelia beangonyi*](#) Poisson, 1952 ^{i c g}
- [*Rhagovelia becki*](#) Drake and Harris, 1936 ^{i c g}
- [*Rhagovelia bicolorana*](#) Zettel, 2014 ^{i c g}
- [*Rhagovelia bipennicillata*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia biroi*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia bisignata*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia blogiokommene*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia bocaina*](#) Moreira and Ribeiro, 2009 ^{i c g}
- [*Rhagovelia boliviana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia borneensis*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia brincki*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia browni*](#) Lansbury, 1993 ^{i c g}
- [*Rhagovelia brunae*](#) Magalhães and Moreira in Magalhães et al., 2016 ^{i c g}
- [*Rhagovelia brunipes*](#) Zettel, 2006 ^{i c g}
- [*Rhagovelia buesaquensis*](#) Padilla-Gil, 2009 ^{i c g}
- [*Rhagovelia cachipai*](#) Padilla-Gil, 2011 ^{i c g} [6]
- [*Rhagovelia caesia*](#) Lansbury, 1993 ^{i c g}
- [*Rhagovelia calcarea*](#) D. Polhemus and J. Polhemus, 2011 ^{i c g}
- [*Rhagovelia calcaris*](#) Drake and Harris, 1935 ^{i c g}
- [*Rhagovelia calceola*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia cali*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia callida*](#) Drake and Harris, 1935 ^{i c g}
- [*Rhagovelia calopa*](#) Drake and Harris, 1927 ^{i c g}
- [*Rhagovelia camiguinana*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia canlaonensis*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia cardia*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia caribbeana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia carina*](#) ^g
- [*Rhagovelia castanea*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia catemaco*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia cauca*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia caunapi*](#) ^g
- [*Rhagovelia celebensis*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia cenizae*](#) Zettel, 2007 ^{i c g}
- [*Rhagovelia cephalo*](#) Padilla-Gil, 2009 ^{i c g}

- [*Rhagovelia ceylanica*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia chac*](#) D. Polhemus and Chordas, 2010 ^{i c g}
- [*Rhagovelia chiapensis*](#) J. Polhemus, 1980 ^{i c g}
- [*Rhagovelia chiriqui*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia choreutes*](#) Hussey, 1925 ^{i c g b}
- [*Rhagovelia christenseni*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia chrysomalla*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia cimarrona*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia citata*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia collaris*](#) (Burmeister, 1835) ^{i c g}
- [*Rhagovelia colombiana*](#) (J. Polhemus and Manzano, 1992) ^{i c g}
- [*Rhagovelia compacta*](#) D. Polhemus and Andersen, 2010 ^{i c g}
- [*Rhagovelia cotabatoensis*](#) Hungerford and Matsuda, 1961 ^{i c g}
- [*Rhagovelia crassipes*](#) Champion, 1898 ^{i c g}
- [*Rhagovelia crinita*](#) Lansbury, 1993 ^{i c g}
- [*Rhagovelia cubana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia culebrana*](#) Drake and Maldonado-Capriles, 1952 ^{i c g}
- [*Rhagovelia cuspidis*](#) Drake and Harris, 1933 ^{i c g}
- [*Rhagovelia cylindros*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia daktylophora*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia danpolhemi*](#) Moreira, Pacheco-Chaves and Cordeiro in Moreira et al., 2015 ^{i c g}
- [*Rhagovelia deigmena*](#) Padilla-Gil, 2009 ^{i c g}
- [*Rhagovelia deminuta*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia diabolica*](#) Poisson, 1951 ^{i c g}
- [*Rhagovelia dilatissima*](#) Sallier Dupin, 1976 ^{i c g}
- [*Rhagovelia distincta*](#) Champion, 1898 ^{i c g b}
- [*Rhagovelia divisoensis*](#) Padilla-Gil, 2012 ^{i c g} [7]
- [*Rhagovelia dostali*](#) Zettel, 2009 ^{i c g}
- [*Rhagovelia doveri*](#) Lundblad, 1933 ^{i c g}
- [*Rhagovelia drakei*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia elegans*](#) Uhler, 1894 ^{i c g}
- [*Rhagovelia encelli*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia ephydros*](#) (Drake and Van Doesburg, 1966) ^{i c g}
- [*Rhagovelia equatoria*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia esakii*](#) Lundblad, 1937 ^{i c g}
- [*Rhagovelia espriella*](#) Padilla-Gil, 2011 ^{i c g}

- [*Rhagovelia estrella*](#) Zettel, 1994^{i c g}
- [*Rhagovelia evidis*](#) Bacon, 1948^{i c g}
- [*Rhagovelia faratsihoi*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia femoralis*](#) Champion, 1898^{i c g}
- [*Rhagovelia femorata*](#) Dover, 1928^{i c g}
- [*Rhagovelia festae*](#) Kirkaldy, 1899^{i c g}
- [*Rhagovelia fischeri*](#) Zettel, 1999^{i c g}
- [*Rhagovelia fontanalis*](#) Bacon, 1948^{i c g}
- [*Rhagovelia formosa*](#) Bacon, 1956^{i c g}
- [*Rhagovelia froeschneri*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia fulva*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia gaigei*](#) Drake and Hussey, 1957^{i c g}
- [*Rhagovelia gastrotricha*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia gorgona*](#) Manzano, Nieser and Caicedo, 1995^{i c g}
- [*Rhagovelia graindli*](#) Zettel, 2012^{i c g}
- [*Rhagovelia grandis*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia grayi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia gregalis*](#) Drake and Harris, 1927^{i c g}
- [*Rhagovelia guentheri*](#) Zettel, 2007^{i c g}
- [*Rhagovelia guianana*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia gyrista*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia hambletoni*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia hamdjahi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia heissi*](#) Zettel and Bongo, 2006^{i c g}
- [*Rhagovelia henryi*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia herzogensis*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia hirsuta*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia hirtipes*](#) Drake and Harris, 1927^{i c g}
- [*Rhagovelia hirtipoides*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia hoogstraali*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia horaia*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia hovana*](#) Hoberlandt, 1941^{i c g}
- [*Rhagovelia huila*](#) Padilla-Gil, 2009^{i c g}[\[5\]](#)
- [*Rhagovelia humboldti*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia hutchinsoni*](#) Lundblad, 1933^{i c g}
- [*Rhagovelia hynesi*](#) Poisson, 1949^{i c g}

- [*Rhagovelia ignota*](#) Drake and Harris, 1933 ^{i c g}
- [*Rhagovelia imitatrix*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia impensa*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia imperatrix*](#) Padilla-Gil, 2011 ^{i c g} [6]
- [*Rhagovelia incognita*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia inexpectata*](#) Zettel, 2000 ^{i c g}
- [*Rhagovelia infernalis*](#) (Butler, 1876) ^{i c g}
- [*Rhagoveliaingleae*](#) Zettel, 2012 ^{i c g}
- [*Rhagovelia itatiaiana*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia itremoi*](#) Poisson, 1952 ^{i c g}
- [*Rhagovelia jagua*](#) ^g
- [*Rhagovelia jaliscoana*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia janeira*](#) Drake, 1953 ^{i c g}
- [*Rhagovelia johnpolhemi*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia jubata*](#) Bacon, 1948 ^{i c g}
- [*Rhagovelia kalami*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia kararao*](#) Burguez Floriano and Moreira, 2015 ^{i c g}
- [*Rhagovelia karunaratnei*](#) J. Polhemus, 1979 ^{i c g}
- [*Rhagovelia kastanoparuphe*](#) Nieser and Chen, 1993 ^{i c g}
- [*Rhagovelia kawakamii*](#) (Matsumura, 1913) ^{i c g}
- [*Rhagovelia knighti*](#) Drake and Harris, 1927 ^{i c g}
- [*Rhagovelia krama*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia lansburyi*](#) Zettel, 1995 ^{i c g}
- [*Rhagovelia leyteensis*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia linnavuorii*](#) Sallier Dupin, 1979 ^{i c g}
- [*Rhagovelia longipes*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia lorelinduana*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia lucida*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia lugubris*](#) Lundblad, 1933 ^{i c g}
- [*Rhagovelia lundbladi*](#) Hungerford and Matsuda, 1961 ^{i c g}
- [*Rhagovelia luzonica*](#) Lundblad, 1937 ^{i c g}
- [*Rhagovelia macarena*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia macta*](#) Drake and Carvalho, 1955 ^{i c g}
- [*Rhagovelia maculata*](#) Distant, 1903 ^{i c g}
- [*Rhagovelia madagascariensis*](#) Hoberlandt, 1941 ^{i c g}
- [*Rhagovelia madari*](#) Hoberlandt, 1941 ^{i c g}

- [*Rhagovelia madecassa*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia magdalena*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia malkini*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia manamboloi*](#) Poisson, 1952^{i c g}
- [*Rhagovelia manankazo*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia mancinii*](#) Poisson, 1955^{i c g}
- [*Rhagovelia mandraka*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia manga*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia mangaratiba*](#) Moreira, Barbosa and Ribeiro, 2012^{i c g}
- [*Rhagovelia mangle*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010^{i c g}
- [*Rhagovelia manzanoi*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia marinduquensis*](#) Zettel, 2012^{i c g}
- [*Rhagovelia maya*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia meikdelyi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia melanopsis*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia merga*](#) Bacon, 1956^{i c g}
- [*Rhagovelia milloti*](#) Poisson, 1948^{i c g}
- [*Rhagovelia minahasa*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia mindanaoensis*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia mindoroensis*](#) Zettel, 1994^{i c g}
- [*Rhagovelia minuta*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia minutissima*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia mira*](#) Drake and Harris, 1938^{i c g}
- [*Rhagovelia misoolana*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia mixteca*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia mocoa*](#)^g
- [*Rhagovelia modesta*](#) Bacon, 1956^{i c g}
- [*Rhagovelia mohelii*](#) Poisson, 1959^{i c g}
- [*Rhagovelia mondena*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia narinensis*](#) Padilla-Gil, 2011^{i c g} [6]
- [*Rhagovelia negrosensis*](#) Zettel, 1995^{i c g}
- [*Rhagovelia nicolai*](#) Padilla-Gil, 2011^{i c g} [6]
- [*Rhagovelia nieseri*](#) Zettel, 1995^{i c g}
- [*Rhagovelia nigra*](#) Hungerford, 1933^{i c g}
- [*Rhagovelia nigranota*](#) D. Polhemus and Chordas, 2003^{i c g}
- [*Rhagovelia nigricans*](#) (Burmeister, 1835)^{i c g}

- [*Rhagovelia nilgiriensis*](#) Thirumalai, 1994^{i c g}
- [*Rhagovelia nitida*](#) Bacon, 1948^{i c g}
- [*Rhagovelia novacaledonica*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia novahispaniae*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia novana*](#) Drake, 1953^{i c g}
- [*Rhagovelia oaxtepec*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia obesa*](#) Uhler, 1871^{i c g b}
- [*Rhagovelia obi*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia occulcata*](#) Drake, 1959^{i c g}
- [*Rhagovelia ochra*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia ochroischion*](#) Nieser and D. Polhemus, 1999^{i c g}
- [*Rhagovelia oporapa*](#) Padilla-Gil, 2009^{i c g}[5]
- [*Rhagovelia oriander*](#) Parshley, 1922^{i c g}
- [*Rhagovelia orientalis*](#) Lundblad, 1937^{i c g}
- [*Rhagovelia orientaloides*](#) Zettel, 1995^{i c g}
- [*Rhagovelia origami*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia ornata*](#) Bacon, 1948^{i c g}
- [*Rhagovelia pacayana*](#) Drake and Carvalho, 1955^{i c g}
- [*Rhagovelia pacifica*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia palawanensis*](#) Zettel, 1994^{i c g}
- [*Rhagovelia palea*](#) Bacon, 1956^{i c g}
- [*Rhagovelia pallida*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia panamensis*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia panayensis*](#) Zettel, 1995^{i c g}
- [*Rhagovelia panda*](#) Drake and Harris, 1935^{i c g}
- [*Rhagovelia papuensis*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia paulana*](#) Drake, 1953^{i c g}
- [*Rhagovelia pediformis*](#) Padilla-Gil, 2010^{i c g}
- [*Rhagovelia peggiae*](#) Kirkaldy, 1901^{i c g}
- [*Rhagovelia penta*](#)^g
- [*Rhagovelia perfecta*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia perija*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia pexa*](#) Hoberlandt, 1941^{i c g}
- [*Rhagovelia philippina*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia phoretica*](#) D. Polhemus, 1995^{i c g}
- [*Rhagovelia pidaxa*](#) J. Polhemus and Herring, 1970^{i c g}

- [Rhagovelia plana](#) Drake and Harris, 1933^{i c g}
- [Rhagovelia planipes](#) Gould, 1931^{i c g}
- [Rhagovelia plaumanni](#) D. Polhemus, 1997^{i c g}
- [Rhagovelia plumbea](#) Uhler, 1894^{i c g b}
- [Rhagovelia plyphona](#) Nieser, Zettel and Chen, 1997^{i c g}
- [Rhagovelia polhemi](#) Y. C. Gupta and Khandelwal, 2004^{i c g}
- [Rhagovelia polymorpha](#) Zettel and Tran, 2004^{i c g}
- [Rhagovelia potamophila](#) Zettel, 1996^{i c g}
- [Rhagovelia priori](#) Lansbury, 1993^{i c g}
- [Rhagovelia problematica](#) Zettel, 2006^{i c g}
- [Rhagovelia pruinosa](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [Rhagovelia pseudocelebensis](#) Nieser and Chen, 1993^{i c g}
- [Rhagovelia pseudotijuca](#) Moreira and Barbosa, 2011^{i c g}
- [Rhagovelia pulchra](#) Gould, 1931^{i c g}
- [Rhagovelia quilichaensis](#) Padilla-Gil, 2011^{i c g}[8]
- [Rhagovelia raddai](#) Zettel, 1994^{i c g}
- [Rhagovelia rajana](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [Rhagovelia ramphus](#) Padilla-Gil, 2009^{i c g}
- [Rhagovelia ranau](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [Rhagovelia ravana](#) Kirkaldy, 1902^{i c g}
- [Rhagovelia raymondi](#) Zettel, 1995^{i c g}
- [Rhagovelia reclusa](#) D. Polhemus, 1997^{i c g}
- [Rhagovelia regalis](#) Drake and Harris, 1927^{i c g}
- [Rhagovelia reitteri](#) Reuter, 1882^{i c g}
- [Rhagovelia relict](#) Gould, 1931^{i c g}
- [Rhagovelia reuteri](#) Hoberlandt, 1951^{i c g}
- [Rhagovelia ridicula](#) D. Polhemus, 1995^{i c g}
- [Rhagovelia rigovae](#) Zettel, 2012^{i c g}
- [Rhagovelia rioana](#) Drake, 1953^{i c g}
- [Rhagovelia ripithes](#) D. Polhemus, 1997^{i c g}
- [Rhagovelia rivale](#) Torre-bueno, 1924^{i c g b}
- [Rhagovelia rivulosa](#) J. Polhemus and D. Polhemus, 1985^{i c g}
- [Rhagovelia robina](#) Nieser and Chen, 1993^{i c g}
- [Rhagovelia robusta](#) Gould, 1931^{i c g}
- [Rhagovelia roldani](#) D. Polhemus, 1997^{i c g}
- [Rhagovelia rosarensis](#) Padilla-Gil, 2010^{i c g}

- [*Rhagovelia rosensis*](#) Padilla-Gil, 2011 ^{i c g}
- [*Rhagovelia rubra*](#) D. Polhemus, 1997 ^{i c g}
- [*Rhagovelia rudischuhi*](#) Zettel, 1993 ^{i c g}
- [*Rhagovelia rufescens*](#) Zettel, 2012 ^{i c g}
- [*Rhagovelia sabela*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sabrina*](#) Drake, 1958 ^{i c g}
- [*Rhagovelia sahabe*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia salawati*](#) D. Polhemus and J. Polhemus, 2011 ^{i c g}
- [*Rhagovelia salina*](#) (Champion, 1898) ^{i c g}
- [*Rhagovelia sallyae*](#) Zettel, 2003 ^{i c g}
- [*Rhagovelia samardaca*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia samarinda*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sandoka*](#) D. Polhemus and Andersen, 2015 ^{i c g}
- [*Rhagovelia santanderi*](#) ^g
- [*Rhagovelia saotomae*](#) (Sallier Dupin, 1976) ^{i c g}
- [*Rhagovelia sarawakensis*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sbolos*](#) Nieser and D. Polhemus, 1999 ^{i c g}
- [*Rhagovelia scabra*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia schoedli*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia scitula*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia sculpturata*](#) D. Polhemus and Andersen, 2010 ^{i c g}
- [*Rhagovelia secluda*](#) Drake and Maldonado-Capriles, 1956 ^{i c g}
- [*Rhagovelia sehnali*](#) Buzzetti and Zettel, 2007 ^{i c g}
- [*Rhagovelia seychellensis*](#) Lundblad, 1936 ^{i c g}
- [*Rhagovelia seyferti*](#) Zettel, 1995 ^{i c g}
- [*Rhagovelia sibuyana*](#) Zettel, 1996 ^{i c g}
- [*Rhagovelia silau*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia simulata*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia singaporensis*](#) Yang and D. Polhemus, 1994 ^{i c g}
- [*Rhagovelia sinuata*](#) Gould, 1931 ^{i c g}
- [*Rhagovelia skoura*](#) Nieser, Zettel and Chen, 1997 ^{i c g}
- [*Rhagovelia solida*](#) Bacon, 1956 ^{i c g}
- [*Rhagovelia sondaica*](#) J. Polhemus and D. Polhemus, 1988 ^{i c g}
- [*Rhagovelia sooretama*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010 ^{i c g}
- [*Rhagovelia sorsogonensis*](#) Zettel, 2014 ^{i c g}
- [*Rhagovelia spinigera*](#) Champion, 1898 ^{i c g}

- [*Rhagovelia spinosa*](#) Gould, 1931^{i c g}
- [*Rhagovelia springerae*](#) Moreira, Pacheco-Chaves and Cordeiro in Moreira et al., 2015^{i c g}
- [*Rhagovelia starmuehlneri*](#) J. Polhemus, 1990^{i c g}
- [*Rhagovelia sterea*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia stibea*](#) Drake, 1958^{i c g}
- [*Rhagovelia styx*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia suarezensis*](#) D. Polhemus and Andersen, 2010^{i c g}
- [*Rhagovelia sulawesiana*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia sumaldei*](#) Zettel, 2012^{i c g}
- [*Rhagovelia sumatrensis*](#) Lundblad, 1933^{i c g}
- [*Rhagovelia tablasensis*](#) Zettel, 1996^{i c g}
- [*Rhagovelia takona*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia tansiongcoi*](#) Zettel, 1995^{i c g}
- [*Rhagovelia tantilla*](#) Drake and Harris, 1933^{i c g}
- [*Rhagovelia tarahumara*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia tawau*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia tayloriella*](#) Kirkaldy, 1900^{i c g}
- [*Rhagovelia tebakang*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia tenuipes*](#) Champion, 1898^{i c g}
- [*Rhagovelia teresa*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010^{i c g}
- [*Rhagovelia tesari*](#) Hoberlandt, 1941^{i c g}
- [*Rhagovelia thaumana*](#) Drake, 1958^{i c g}
- [*Rhagovelia thysanotos*](#) Lansbury, 1993^{i c g}
- [*Rhagovelia tibialis*](#) Lundblad, 1936^{i c g}
- [*Rhagovelia tijuca*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia torquata*](#) Bacon, 1948^{i c g}
- [*Rhagovelia torreyana*](#) Bacon, 1956^{i c g}
- [*Rhagovelia tozeur*](#) Baena, Nieser and Gallardo, 1994^{i c g}
- [*Rhagovelia traili*](#) (Buchanan-White, 1879)^{i c g}
- [*Rhagovelia transbintuni*](#) D. Polhemus and J. Polhemus, 2011^{i c g}
- [*Rhagovelia trepida*](#) Bacon, 1948^{i c g}
- [*Rhagovelia triangula*](#) Drake, 1953^{i c g}
- [*Rhagovelia trianguloides*](#) Nieser and D. Polhemus, 1999^{i c g}
- [*Rhagovelia trichota*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia tricoma*](#)^g
- [*Rhagovelia trista*](#) Gould, 1931^{i c g}

- [*Rhagovelia tropidata*](#) Nieser and Chen, 1993^{i c g}
- [*Rhagovelia tsaratananae*](#) Poisson, 1952^{i c g}
- [*Rhagovelia tsecuri*](#) Padilla-Gil, 2009^{i c g}
- [*Rhagovelia tsouloufi*](#) Nieser, Zettel and Chen, 1997^{i c g}
- [*Rhagovelia tumaquensis*](#)^g
- [*Rhagovelia turmalis*](#) Nieser and D. Polhemus, 1999^{i c g}
- [*Rhagovelia ullrichi*](#) Zettel, 2001^{i c g}
- [*Rhagovelia umbria*](#)^g
- [*Rhagovelia uncinata*](#) Champion, 1898^{i c g}
- [*Rhagovelia unica*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia usingeri*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia vaninia*](#) Moreira, Nessimian and Rúdio in Moreira et al., 2010^{i c g}
- [*Rhagovelia varipes*](#) Champion, 1898^{i c g}
- [*Rhagovelia vega*](#) Padilla-Gil, 2011^{i c g}
- [*Rhagovelia vegana*](#) Drake and Maldonado-Capriles, 1956^{i c g}
- [*Rhagovelia velocis*](#) Drake and Harris, 1935^{i c g}
- [*Rhagovelia venezuelana*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia versuta*](#) Drake and Harris, 1935^{i c g}
- [*Rhagovelia victoria*](#) Padilla-Gil, 2012^{i c g}[7]
- [*Rhagovelia viriosa*](#) Bacon, 1956^{i c g}
- [*Rhagovelia vivata*](#) Bacon, 1948^{i c g}
- [*Rhagovelia vonprahli*](#) Manzano, Nieser and Caicedo, 1995^{i c g}
- [*Rhagovelia wallacei*](#) J. Polhemus and D. Polhemus, 1988^{i c g}
- [*Rhagovelia wenzeli*](#) D. Polhemus and Andersen, 2015^{i c g}
- [*Rhagovelia weneri*](#) Hungerford and Matsuda, 1961^{i c g}
- [*Rhagovelia whitei*](#) (Breddin, 1898)^{i c g}
- [*Rhagovelia williamsi*](#) Gould, 1931^{i c g}
- [*Rhagovelia yacuivana*](#) Drake, 1958^{i c g}
- [*Rhagovelia yangae*](#) Zettel and Tran, 2004^{i c g}
- [*Rhagovelia yanomamo*](#) D. Polhemus, 1997^{i c g}
- [*Rhagovelia zecai*](#) Moreira and Barbosa, 2014^{i c g}
- [*Rhagovelia zela*](#) Drake, 1959^{i c g}
- [*Rhagovelia zeteki*](#) Drake, 1953^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 145 species in [*Rhagonycha*](#), a genus of soldier beetles in the family [Cantharidae](#).^{[1][2][3]}

***Rhagonycha* species**

- [*Rhagonycha addenda*](#) Dahlgren, 1972
- [*Rhagonycha aetolica*](#) (Kiesenwetter, 1852) ^g
- [*Rhagonycha alaskensis*](#) Fender, 1972 ^{i g}
- [*Rhagonycha aliena*](#) Dahlgren, 1972 ^g
- [*Rhagonycha andalusica*](#) Dahlgren, 1975 ^g
- [*Rhagonycha angulata*](#) (Say, 1823) ^{i g b}
- [*Rhagonycha angulatocollis*](#) Costa, 1858 ^g
- [*Rhagonycha antennata*](#) (Green, 1941) ^{i g}
- [*Rhagonycha anthracina*](#) Mannerheim, 1853 ^{i g}
- [*Rhagonycha approximana*](#) (Fairmaire, 1884) ^g
- [*Rhagonycha atra*](#) (Linnaeus, 1767) ^g
- [*Rhagonycha balcanica*](#) Pic, 1901 ^g
- [*Rhagonycha bohaci*](#) Svihla, 1990 ^g
- [*Rhagonycha campestris*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha carpathica*](#) Ganglbauer, 1896 ^g
- [*Rhagonycha cartwrighti*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha caspica*](#) Wittmer, 1972 ^g
- [*Rhagonycha chevrolati*](#) Marseul, 1864 ^g
- [*Rhagonycha chlorotica*](#) (Gené, 1839) ^g
- [*Rhagonycha cloughi*](#) (Miskimen, 1956) ^{i g}
- [*Rhagonycha coloradensis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha complicans*](#) Dahlgren, 1979 ^g
- [*Rhagonycha confusa*](#) Dahlgren, 1975 ^g
- [*Rhagonycha corcyrea*](#) Pic, 1901 ^g
- [*Rhagonycha costipennis*](#) (LeConte, 1884) ^{i g}
- [*Rhagonycha cruentata*](#) (Reiche, 1862) ^g
- [*Rhagonycha cruralis*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha decorata*](#) Pic, 1912 ^g
- [*Rhagonycha degener*](#) (Blatchley, 1928) ^{i g}
- [*Rhagonycha delagrangei*](#) Pic, 1898 ^g
- [*Rhagonycha dichroa*](#) LeConte, 1851 ^{g b}

- [*Rhagonycha diversipes*](#) Pic, 1905
- [*Rhagonycha divisa*](#) Dahlgren, 1972 ^g
- [*Rhagonycha drienensis*](#) Dahlgren, 1978 ^g
- [*Rhagonycha elbursiaca*](#) Wittmer, 1972 ^g
- [*Rhagonycha elongata*](#) (Fallén, 1807) ^g
- [*Rhagonycha esfandiarii*](#) Wittmer, 1972 ^g
- [*Rhagonycha excavata*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha falcifera*](#) Dahlgren, 1972 ^g
- [*Rhagonycha femoralis*](#) (Brulle, 1832) ^g
- [*Rhagonycha fenderi*](#) (Miskimen, 1956) ^{i g}
- [*Rhagonycha fraxini*](#) (Say, 1823) ^{i g b}
- [*Rhagonycha fugax*](#) Mannerheim, 1843 ^g
- [*Rhagonycha fulva*](#) (Scopoli, 1763) ^{i g b} (common red soldier beetle)
- [*Rhagonycha fulvaliena*](#) Svihla, 1995 ^g
- [*Rhagonycha fuscitibia*](#) Rey, 1891 ^g
- [*Rhagonycha galiciana*](#) Gougelet, 1859
- [*Rhagonycha gallica*](#) Pic, 1923 ^g
- [*Rhagonycha genistae*](#) Kiesenwetter, 1865 ^g
- [*Rhagonycha ghilanensis*](#) Dahlgren, 1985 ^g
- [*Rhagonycha gilvipennis*](#) (Rosenhauer, 1856) ^g
- [*Rhagonycha gilvipes*](#) (Gemminger, 1870) ^{i g}
- [*Rhagonycha greeni*](#) (Fall, 1936) ^{i g b}
- [*Rhagonycha helleni*](#) Dahlgren, 1968 ^g
- [*Rhagonycha herbea*](#) Marseul, 1864 ^g
- [*Rhagonycha hesperica*](#) Baudi, 1859 ^g
- [*Rhagonycha heterodoxa*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha hirticula*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha hispanica*](#) Pic, 1932 ^g
- [*Rhagonycha hyrcana*](#) Svihla, 2002 ^g
- [*Rhagonycha iberica*](#) Dahlgren, 1975 ^g
- [*Rhagonycha imbecillis*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha impar*](#) (LeConte, 1881) ^{i g}
- [*Rhagonycha interposita*](#) Dahlgren, 1978 ^g
- [*Rhagonycha iranica*](#) Wittmer, 1972 ^g
- [*Rhagonycha karsensis*](#) Svihla, 1995 ^g
- [*Rhagonycha kefallinica*](#) Dahlgren, 1975 ^g
- [*Rhagonycha kiesenwetteri*](#) (Marseul, 1864) ^g

- [*Rhagonycha kubanensis*](#) Pic, 1900 ^g
- [*Rhagonycha kuleghana*](#) (Marseul, 1868) ^g
- [*Rhagonycha kurdistan*](#) Svihla, 1983 ^g
- [*Rhagonycha lencoranica*](#) Kazantsev, 1992 ^g
- [*Rhagonycha lignosa*](#) (Müller, 1764) ^g
- [*Rhagonycha limbata*](#) Thomson, 1864 ^g
- [*Rhagonycha lineola*](#) (Fabricius, 1792) ^{i g b}
- [*Rhagonycha longula*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha luristana*](#) Svihla, 1995 ^g
- [*Rhagonycha lutea*](#) (Müller, 1764) ^g
- [*Rhagonycha luteicollis*](#) (Germar, 1824) ^{i g b}
- [*Rhagonycha macedonica*](#) Dahlgren, 1985 ^g
- [*Rhagonycha machulkai*](#) Svihla, 1993 ^g
- [*Rhagonycha maculicollis*](#) Märkel, 1852 ^g
- [*Rhagonycha mandibularis*](#) (Kirby in Richards, 1837) ^{i g b}
- [*Rhagonycha martini*](#) Pic, 1908 ^g
- [*Rhagonycha meridionalis*](#) Dahlgren, 1975 ^g
- [*Rhagonycha micheli*](#) Okushima & Yang, 2013 ^g
- [*Rhagonycha milleri*](#) Kiesenwetter, 1860 ^g
- [*Rhagonycha mimetica*](#) (Green, 1941) ^{i g}
- [*Rhagonycha mollis*](#) (Fall, 1936) ^{i b}
- [*Rhagonycha morio*](#) Kiesenwetter, 1852 ^g
- [*Rhagonycha morvani*](#) Wittmer, 1974 ^g
- [*Rhagonycha nanula*](#) (LeConte, 1881) ^{i g b}
- [*Rhagonycha neglecta*](#) Dahlgren, 1975 ^g
- [*Rhagonycha nevadensis*](#) Svihla, 1995 ^g
- [*Rhagonycha nigriceps*](#) (Waltl, 1838) ^g
- [*Rhagonycha nigricollis*](#) Motschulsky, 1849 ^g
- [*Rhagonycha nigripes*](#) Redtenbacher, 1842 ^g
- [*Rhagonycha nigratarsis*](#) Brulle, 1832 ^g
- [*Rhagonycha nigriventris*](#) Motschulsky, 1860 ^g
- [*Rhagonycha nigrohumeralis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha nigrosuta*](#) Fiori, 1899 ^g
- [*Rhagonycha nitida*](#) Baudi, 1859 ^g
- [*Rhagonycha notaticollis*](#) Rosenhauer, 1856 ^g
- [*Rhagonycha opaca*](#) Mulsant, 1862 ^g

- [*Rhagonycha oriflava*](#) (LeConte, 1874) ^{i g b}
- [*Rhagonycha ornaticollis*](#) Marseul, 1864 ^g
- [*Rhagonycha parvicollis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha patricia*](#) Kiesenwetter, 1865 ^g
- [*Rhagonycha pedemontana*](#) Baudi di Selve, 1872 ^g
- [*Rhagonycha persica*](#) Pic, 1933 ^g
- [*Rhagonycha picticornis*](#) (Green, 1941) ^{i g}
- [*Rhagonycha plagiella*](#) Marseul, 1864 ^g
- [*Rhagonycha proxima*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha quadricollis*](#) Kiesenwetter, 1852 ^g
- [*Rhagonycha querceti*](#) Kiesenwetter, 1865 ^g
- [*Rhagonycha rambouseki*](#) Svihla, 1993 ^g
- [*Rhagonycha recta*](#) (Melsheimer, 1846) ^{i g b}
- [*Rhagonycha richteri*](#) Wittmer, 1972 ^g
- [*Rhagonycha rorida*](#) Kiesenwetter, 1867 ^g
- [*Rhagonycha rufithorax*](#) (Pic, 1906) ^{i g}
- [*Rhagonycha sareptana*](#) Marseul, 1868 ^g
- [*Rhagonycha scitula*](#) (Say, 1825) ^{i g b}
- [*Rhagonycha seiberti*](#) (Miskimen, 1956) ^{i g}
- [*Rhagonycha septentrionis*](#) (Green, 1941) ^{i g}
- [*Rhagonycha similata*](#) Dahlgren, 1976 ^g
- [*Rhagonycha straminea*](#) Kiesenwetter, 1859 ^g
- [*Rhagonycha striatofrons*](#) Dahlgren, 1972 ^g
- [*Rhagonycha sylvatica*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha taiwanonigra*](#) Wittmer, 1982 ^g
- [*Rhagonycha talyschensis*](#) Yablokov-Khnzorian, 1959 ^g
- [*Rhagonycha tantilla*](#) (LeConte, 1881) ^{i g b}
- [*Rhagonycha tenuis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha testacea*](#) (Linnaeus, 1758) ^g
- [*Rhagonycha translucida*](#) (Krynicky, 1832) ^g
- [*Rhagonycha triangulifera*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha tripunctata*](#) (Reiche, 1857) ^g
- [*Rhagonycha umbrina*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha varians*](#) (Rosenhauer, 1856)
- [*Rhagonycha vestigialis*](#) (Green, 1941) ^{i g b}
- [*Rhagonycha vicina*](#) Baudi, 1871 ^g

- [*Rhagonycha viduata*](#) (Kuester, 1854) ^g
- [*Rhagonycha vilis*](#) (LeConte, 1851) ^{i g b}
- [*Rhagonycha vitticollis*](#) Menetries, 1832 ^g
- [*Rhagonycha walshi*](#) (LeConte, 1881) ^{i g b}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[4] g = GBIF,^[2] b = Bugguide.net^[3]

References

1.
 - ["Rhagonycha Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-27.
 - ["Rhagonycha"](#). GBIF. Retrieved 2018-03-27.
 - ["Rhagonycha Genus Information"](#). BugGuide.net. Retrieved 2018-03-27.
 -
4. ["Catalogue of Life"](#). Retrieved 2018-03-27.

Categories:

- [Cantharidae](#)
- [Lists of insect species](#)
-

This is a list of species of the [tephritid](#) fruit fly genus [Rhagoletis](#). As of 2006, 70 species have been described.

- [Rhagoletis acuticornis](#) (Steyskal)
- [Rhagoletis adusta](#) Foote
- [Rhagoletis almatensis](#) Rohdendorf
- [Rhagoletis alternata](#) (Fallén)
- [Rhagoletis bagheera](#) Richter & Kandybina
- [Rhagoletis basiola](#) (Osten Sacken)
- [Rhagoletis basiola](#) Osten Sacken
- [Rhagoletis batava](#) Hering
- [Rhagoletis berberidis](#) Jermy
- [Rhagoletis berberis](#) Curran
- [Rhagoletis bezziana](#) (Hendel)
- [Rhagoletis blanchardi](#) Aczél
- [Rhagoletis boycei](#) Cresson
- [Rhagoletis caucasica](#) Kandybina & Richter

- *[Rhagoletis cerasi](#)* (Linnaeus) [cherry](#) fruit fly
- *[Rhagoletis chionanthi](#)* Bush
- *[Rhagoletis chumsanica](#)* (Rohdendorf)
- *[Rhagoletis cingulata](#)* (Loew) eastern [cherry](#) fruit fly
- *[Rhagoletis completa](#)* (Cresson) [Walnut](#) Husk Fly
- *[Rhagoletis conversa](#)* (Brèthes)
- *[Rhagoletis cornivora](#)* Bush
- *[Rhagoletis ebbettsi](#)* Bush
- *[Rhagoletis electromorpha](#)* Berlocher
- *[Rhagoletis emiliae](#)* Richter
- *[Rhagoletis fausta](#)* (Osten Sacken)
- *[Rhagoletis ferruginea](#)* Hendel
- *[Rhagoletis flavicincta](#)* Enderlein
- *[Rhagoletis flavigenualis](#)* Hering
- *[Rhagoletis indifferens](#)* (Curran) [cherry](#) fruit fly
- *[Rhagoletis jamaicensis](#)* Foote
- *[Rhagoletis juglandis](#)* (Cresson) walnut-husk-infesting fly
- *[Rhagoletis juniperina](#)* Marcovitch
- *[Rhagoletis kurentsovi](#)* (Rohdendorf)
- *[Rhagoletis lycopersella](#)* Smyth
- *[Rhagoletis macquartii](#)* (Loew)
- *[Rhagoletis magniterebra](#)* (Rohdendorf)
- *[Rhagoletis meigenii](#)* (Loew)
- *[Rhagoletis mendax](#)* (Curran) [blueberry](#) maggot
- *[Rhagoletis metallica](#)* (Schiner)
- *[Rhagoletis mongolica](#)* Kandybina
- *[Rhagoletis nicaraguensis](#)* Hernández-Ortiz & Frías
- *[Rhagoletis nigripes](#)* Rohdendorf
- *[Rhagoletis nova](#)* (Schiner)
- *[Rhagoletis ochraspis](#)* (Wiedemann)
- *[Rhagoletis osmanthi](#)* Bush
- *[Rhagoletis penela](#)* Foote
- *[Rhagoletis persimilis](#)* Bush
- *[Rhagoletis pomonella](#)* (Walsh) [apple](#) maggot fly, railroad worm
- *[Rhagoletis psalida](#)* Hendel
- *[Rhagoletis ramosae](#)* Hernández-Ortiz
- *[Rhagoletis reducta](#)* Hering
- *[Rhagoletis rhytida](#)* Hendel
- *[Rhagoletis ribicola](#)* Doane
- *[Rhagoletis rohdendorfi](#)* Korneyev & Merz
- *[Rhagoletis rumpomaculata](#)* Hardy
- *[Rhagoletis samojlovitshae](#)* (Rohdendorf)

- [*Rhagoletis scutellata*](#) Zia
- [*Rhagoletis solanophaga*](#) Hernández-Ortiz & Frías
- [*Rhagoletis stepanae*](#) Te Tit Hermanandante
- [*Rhagoletis striatella*](#) Wulp
- [*Rhagoletis suavis*](#) (Loew) [Walnut](#) Husk Maggot
- [*Rhagoletis tabellaria*](#) (Fitch)
- [*Rhagoletis tomatitis*](#) Foote
- [*Rhagoletis triangularis*](#) Hernández-Ortiz & Frías
- [*Rhagoletis turanica*](#) (Rohdendorf)
- [*Rhagoletis turpiniae*](#) Hernández-Ortiz
- [*Rhagoletis willinki*](#) Aczél
- [*Rhagoletis zephyria*](#) Snow
- [*Rhagoletis zernyi*](#) Hendel
- [*Rhagoletis zoqui*](#) Bush

References

- after [Fruit Fly \(Diptera: Tephritidae\) Species Database](#) from 2006-12-22

Categories:

- [Rhagoletis](#)
- [Lists of insect species](#)
-

This is a list of 112 species in [Puliciphora](#), a genus of scuttle flies in the family [Phoridae](#).

***Puliciphora* species**

- [Puliciphora anceps](#) Schmitz, 1915[1]
- [Puliciphora beaveri](#) Disney, 1988[2]
- [Puliciphora beckeri](#) Meijere, 1907[3]
- [Puliciphora boltoni](#) Disney, 1988[2]
- [Puliciphora borinquenensis](#) Wheeler, 1906[4]
- [Puliciphora brachymyrmecis](#) (Silvestri, 1911)[5]
- [Puliciphora browni](#) Disney, 2020[6]
- [Puliciphora cacaulandiae](#) Disney, 2003[7]
- [Puliciphora calva](#) Schmitz, 1951[8]

- [*Puliciphora cloveri*](#) (Disney, 1989)[9]
- [*Puliciphora collinsi*](#) Disney, 1988[2]
- [*Puliciphora convexa*](#) Borgmeier, 1960[10]
- [*Puliciphora coprophila*](#) Borgmeier, 1960[11]
- [*Puliciphora coptotermitem*](#) Disney, 1989[9]
- [*Puliciphora cubensis*](#) (Brues, 1932)[12]
- [*Puliciphora decachete*](#) Schmitz, 1958[13]
- [*Puliciphora destituta*](#) Disney, 1999[14]
- [*Puliciphora ecitophila*](#) Disney, 2004[15]
- [*Puliciphora edaphomyia*](#) Disney, 2005[16]
- [*Puliciphora epichaeta*](#) (Borgmeier, 1960)[11]
- [*Puliciphora etiamodesta*](#) Disney, 2005[16]
- [*Puliciphora exachatina*](#) Disney, 1988[2]
- [*Puliciphora fenestrata*](#) Borgmeier, 1960[11]
- [*Puliciphora flava*](#) Malloch, 1914[17]
- [*Puliciphora fosteri*](#) Disney, 1999[14]
- [*Puliciphora frivola*](#) Borgmeier, 1960[11]
- [*Puliciphora fungicola*](#) Yang & Wang, 1993[18]
- [*Puliciphora glacialis*](#) Malloch, 1912[19]
- [*Puliciphora gracilis*](#) Borgmeier, 1960[11]
- [*Puliciphora grandicoxa*](#) Colyer, 1967[20]
- [*Puliciphora hancocki*](#) Disney, 2005[21]
- [*Puliciphora haplopyga*](#) (Borgmeier, 1969)[22]
- [*Puliciphora haplpyga*](#) (Borgmeier, 1969)[22]
- [*Puliciphora hirta*](#) (Schmitz, 1951)[8]
- [*Puliciphora ibadanensis*](#) Disney, 2002[23]
- [*Puliciphora imbecilla*](#) Borgmeier, 1960[11]
- [*Puliciphora imitata*](#) Disney, 2008[24]
- [*Puliciphora interrupta*](#) Borgmeier, 1960[11]
- [*Puliciphora jacobsoni*](#) Schmitz, 1925[25]
- [*Puliciphora jacobsonorum*](#) Disney, 1989[9]
- [*Puliciphora jacquemarti*](#) Disney, 2005[16]
- [*Puliciphora jeanssoni*](#) (Trägårdh, 1909)[26]
- [*Puliciphora karensis*](#) Disney, 1998[27]
- [*Puliciphora kerteszi*](#) Brues, 1911[28]
- [*Puliciphora kistneri*](#) Disney, 1998[27]
- [*Puliciphora knighti*](#) Disney, 1988[2]
- [*Puliciphora koghiensis*](#) Disney, 2003[7]
- [*Puliciphora laranjae*](#) Disney, 2003[7]
- [*Puliciphora legionis*](#) Borgmeier, 1960[11]
- [*Puliciphora longipes*](#) Schmitz & Mjoberg, 1925[29]
- [*Puliciphora longitergum*](#) Disney, 2003[7]

- [*Puliciphora lucifera*](#) Dahl, 1897[30]
- [*Puliciphora lunaris*](#) Borgmeier, 1960[11]
- [*Puliciphora macrolunarum*](#) Disney, 2003[7]
- [*Puliciphora malae*](#) Disney, 1990[31]
- [*Puliciphora malaysiae*](#) Disney, 1988[2]
- [*Puliciphora matheranensis*](#) Brues, 1907[32]
- [*Puliciphora melanis*](#) Schmitz, 1951[8]
- [*Puliciphora meneghettii*](#) Schmitz, 1951[8]
- [*Puliciphora mexicanae*](#) Disney, 2003[7]
- [*Puliciphora microphthalma*](#) Schmitz & Mjoberg, 1924[29]
- [*Puliciphora modesta*](#) (Borgmeier, 1960)[11]
- [*Puliciphora myrmecophila*](#) Brues, 1925[33]
- [*Puliciphora nigeriae*](#) Disney, 2002[23]
- [*Puliciphora nigroflava*](#) (Borgmeier, 1958)[34]
- [*Puliciphora nudipalpis*](#) Malloch, 1912[19]
- [*Puliciphora nuttingi*](#) Disney, 1998[27]
- [*Puliciphora obtecta*](#) Meijere, 1912[35]
- [*Puliciphora occidentalis*](#) (Melander and Brues, 1903)[36]
- [*Puliciphora omnivora*](#) Mikhailovskaya, 1993[37]
- [*Puliciphora opuntiae*](#) Paulian, 1950[38]
- [*Puliciphora pallicauda*](#) Schmitz, 1934[39]
- [*Puliciphora papillata*](#) Borgmeier, 1960[11]
- [*Puliciphora parsetosa*](#) Disney, 2003[7]
- [*Puliciphora parvula*](#) Borgmeier, 1969[22]
- [*Puliciphora parvulunarum*](#) Disney, 2002[23]
- [*Puliciphora pauxilla*](#) (Borgmeier, 1960)[11]
- [*Puliciphora penangensis*](#) Disney, 1988[2]
- [*Puliciphora placida*](#) Borgmeier, 1960[11]
- [*Puliciphora profana*](#) Borgmeier, 1960[11]
- [*Puliciphora puerilis*](#) (Becker, 1908)[40]
- [*Puliciphora pulex*](#) Dahl, 1898[41]
- [*Puliciphora pygmaea*](#) (Borgmeier, 1960)[11]
- [*Puliciphora qianana*](#) Yang & Wang, 1993[18]
- [*Puliciphora rata*](#) Borgmeier, 1960[11]
- [*Puliciphora reevesi*](#) Disney, 2003[7]
- [*Puliciphora rhodesiana*](#) Schmitz, 1934[39]
- [*Puliciphora rosei*](#) Disney, 1988[2]
- [*Puliciphora rufipes*](#) Silva Figueroa, 1916[42]
- [*Puliciphora russellsmithi*](#) Disney, 2002[23]
- [*Puliciphora secosexergum*](#) Disney, 2008[43]
- [*Puliciphora sedecimsetarum*](#) Schmitz, 1958[13] 1916
- [*Puliciphora semicimex*](#) (Schmitz, 1951)[8]

- [*Puliciphora seriata* Borgmeier, 1960\[11\]](#)
- [*Puliciphora setosa* Borgmeier, 1960\[11\]](#)
- [*Puliciphora sobria* Borgmeier, 1960\[11\]](#)
- [*Puliciphora spirapenis* Disney & Mikhailovskaya, 2001\[44\]](#)
- [*Puliciphora stuckenbergi* Disney, 1988\[2\]](#)
- [*Puliciphora suavis* Borgmeier, 1963\[45\]](#)
- [*Puliciphora subconvexa* Borgmeier, 1960\[11\]](#)
- [*Puliciphora sulcimanae* Disney, 1998\[27\]](#)
- [*Puliciphora sumatrae* Disney, 1999\[14\]](#)
- [*Puliciphora sylvatica* Brues, 1909\[46\]](#)
- [*Puliciphora taigae* Disney & Mikhailovskaya, 2001\[44\]](#)
- [*Puliciphora tambopata* Disney, 1989\[9\]](#)
- [*Puliciphora termitum* Schmitz, 1926\[47\]](#)
- [*Puliciphora togata* Schmitz, 1925\[25\]](#)
- [*Puliciphora tokyoensis* Kinoshita, 1918\[48\]](#)
- [*Puliciphora triangularis* \(Borgmeier, 1960\)\[11\]](#)
- [*Puliciphora trisclerita* Senior-White, 1924](#)
- [*Puliciphora velocipes* \(Schmitz, 1913\)\[49\]](#)
- [*Puliciphora vicinalis* Borgmeier, 1960\[11\]](#)
- [*Puliciphora viklundi* Disney, 2003\[7\]](#)
- [*Puliciphora virginiensis* Malloch, 1912\[19\]](#)

This is a list of 157 species in [*Ptycta*](#), a genus of common barklice in the family [*Psocidae*](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Ptycta* species**

- [*Ptycta aaroni* Thornton, 1984^{c g}](#)
- [*Ptycta afasciata* Endang, Thornton & New, 2002^{c g}](#)
- [*Ptycta anacantha* Badonnel, 1967^{c g}](#)
- [*Ptycta angulata* Thornton, S. S. Lee & Chui, 1972^{c g}](#)
- [*Ptycta angustifrons* \(Enderlein, 1931\)^{c g}](#)
- [*Ptycta apicalis* Broadhead & Alison Richards, 1980^{c g}](#)
- [*Ptycta apicantha* Thornton, 1984^{c g}](#)
- [*Ptycta apicanthoides* Thornton, 1984^{c g}](#)
- [*Ptycta arandae* Baz, 1990^{c g}](#)
- [*Ptycta aschekei* Turner, B. D., 1976^{c g}](#)
- [*Ptycta australis* Schmidt, E. R. & Thornton, 1993^{c g}](#)
- [*Ptycta badonneli* \(Roesler, 1943\)^{c g}](#)

- [*Ptycta bebea*](#) Thornton, 1981 ^{c g}
- [*Ptycta biloba*](#) Smithers, Courtenay, 1999 ^{c g}
- [*Ptycta blanci*](#) Badonnel, 1976 ^{c g}
- [*Ptycta breuschi*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta buettikeri*](#) Badonnel, 1982 ^{c g}
- [*Ptycta bulbosa*](#) Badonnel, 1969 ^{c g}
- [*Ptycta caboverdensis*](#) Meinander, 1966 ^{c g}
- [*Ptycta campbelli*](#) Schmidt, E. R. & Thornton, 1993 ^{c g}
- [*Ptycta chekei*](#) Turner, B. D., 1976 ^{c g}
- [*Ptycta cogani*](#) New, 1977 ^{c g}
- [*Ptycta colei*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Ptycta cruciata*](#) Badonnel, 1979 ^{c g}
- [*Ptycta curvata*](#) Li, Fasheng, 2002 ^{c g}
- [*Ptycta curviclava*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta deltoides*](#) Li, Fasheng, 1992 ^{c g}
- [*Ptycta descarpentriesi*](#) Badonnel, 1976 ^{c g}
- [*Ptycta diacantha*](#) Thornton, 1984 ^{c g}
- [*Ptycta diadela*](#) Thornton, 1984 ^{c g}
- [*Ptycta diastema*](#) Thornton, 1984 ^{c g}
- [*Ptycta dichotoma*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta dicrosa*](#) Thornton, 1984 ^{c g}
- [*Ptycta disclera*](#) Thornton, 1984 ^{c g}
- [*Ptycta distincta*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta distinguenda*](#) (Perkins, 1899) ^{c g}
- [*Ptycta drepana*](#) Thornton, 1984 ^{c g}
- [*Ptycta elegantula*](#) Li, Fasheng, 1999 ^{c g}
- [*Ptycta elena*](#) New & Thornton, 1975 ^{c g}
- [*Ptycta emarginata*](#) New, 1974 ^{c g}
- [*Ptycta enderleini*](#) (Roesler, 1943) ^{c g}
- [*Ptycta episcia*](#) Thornton, 1984 ^{c g}
- [*Ptycta flavipalpi*](#) Li, Fasheng & Chikun Yang, 1987 ^{c g}
- [*Ptycta floresensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta frayorgensis*](#) New & Thornton, 1981 ^{c g}
- [*Ptycta freycineti*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Ptycta frogneri*](#) Thornton, 1984 ^{c g}
- [*Ptycta frontalis*](#) Thornton, 1984 ^{c g}

- [*Ptycta furcata*](#) Li, Fasheng, 1993 ^{c g}
- [*Ptycta giffardi*](#) Thornton, 1984 ^{c g}
- [*Ptycta glossoptera*](#) New, 1974 ^{c g}
- [*Ptycta grucheti*](#) Turner, B. D., 1976 ^{c g}
- [*Ptycta gynegonia*](#) Thornton, 1984 ^{c g}
- [*Ptycta gyroflexa*](#) Li, Fasheng, 2001 ^{c g}
- [*Ptycta haleakalae*](#) (Perkins, 1899) ^{c g}
- [*Ptycta hardyi*](#) Thornton, 1984 ^{c g}
- [*Ptycta hawaiiensis*](#) Thornton, 1984 ^{c g}
- [*Ptycta heterogamias*](#) (Perkins, 1899) ^{c g}
- [*Ptycta hollowayae*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Ptycta iaoensis*](#) Thornton, 1984 ^{c g}
- [*Ptycta improcera*](#) New, 1974 ^{c g}
- [*Ptycta incerta*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta incurvata*](#) Thornton, 1960 ^{c g}
- [*Ptycta isabelae*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta johnsoni*](#) Bess, E. C. & Yoshizawa, 2007 ^{c g}
- [*Ptycta kaala*](#) Thornton, 1984 ^{c g}
- [*Ptycta kauaiensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta kenyensis*](#) New, 1975 ^{c g}
- [*Ptycta kiboschoensis*](#) (Enderlein, 1907) ^{c g}
- [*Ptycta krakatau*](#) Cole, New & Thornton, 1989 ^{c g}
- [*Ptycta laevidorsum*](#) (Enderlein, 1931) ^{c g}
- [*Ptycta lanaiensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta lemniscata*](#) (Smithers, Courtenay, 1964) ^{c g}
- [*Ptycta leucothorax*](#) Thornton, 1984 ^{c g}
- [*Ptycta lineata*](#) Mockford, 1974 ^{i c g}
- [*Ptycta lobata*](#) (Badonnel, 1955) ^{c g}
- [*Ptycta lobophora*](#) Thornton, 1984 ^{i c g}
- [*Ptycta longicaulis*](#) Li, Fasheng, 1992 ^{c g}
- [*Ptycta longipennis*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Ptycta longispinosa*](#) (Smithers, Courtenay, 1964) ^{c g}
- [*Ptycta lugosensis*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta lunulata*](#) New, 1972 ^{c g}
- [*Ptycta maculata*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta maculifrons*](#) Thornton, 1984 ^{c g}

- [*Ptycta maculosa*](#) Badonnel, 1967 ^{c g}
- [*Ptycta marianensis*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta marta*](#) Thornton & A. K. T. Woo, 1973 ^{c g}
- [*Ptycta merapiensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta microctena*](#) Thornton, 1984 ^{c g}
- [*Ptycta microglena*](#) Thornton, 1984 ^{c g}
- [*Ptycta micromaculata*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta molokaiensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta monticola*](#) (Perkins, 1899) ^{c g}
- [*Ptycta muogamarra*](#) Smithers, Courtenay, 1977 ^{c g}
- [*Ptycta nadleri*](#) Galil, 1981 ^{c g}
- [*Ptycta nitens*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta novohibernica*](#) Smithers, Courtenay & Thornton, 1990 ^{c g}
- [*Ptycta oahuensis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta obscura*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta oceanica*](#) New, 1977 ^{c g}
- [*Ptycta oligocantha*](#) Thornton, 1984 ^{c g}
- [*Ptycta palikea*](#) Thornton, 1984 ^{c g}
- [*Ptycta pallawahensis*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Ptycta pallida*](#) Badonnel, 1967 ^{c g}
- [*Ptycta paralobata*](#) New, 1975 ^{c g}
- [*Ptycta pardenae*](#) Thornton, 1984 ^{c g}
- [*Ptycta parvidentata*](#) Tsutsumi, 1964 ^{c g}
- [*Ptycta parvula*](#) Thornton, S. S. Lee & Chui, 1972 ^{c g}
- [*Ptycta pauliani*](#) Badonnel, 1967 ^{c g}
- [*Ptycta pearmani*](#) New, 1972 ^{c g}
- [*Ptycta pedina*](#) Thornton, 1984 ^{c g}
- [*Ptycta peleae*](#) Thornton, 1984 ^{c g}
- [*Ptycta perkinsi*](#) Thornton, 1984 ^{c g}
- [*Ptycta persimilis*](#) Thornton, 1984 ^{c g}
- [*Ptycta picta*](#) New, 1974 ^{c g}
- [*Ptycta pikeloi*](#) Thornton, 1984 ^{c g}
- [*Ptycta pitallo*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta placophora*](#) Thornton, 1984 ^{c g}
- [*Ptycta platyclava*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Ptycta polluta*](#) (Walsh, 1862) ^{i c g b}

- [*Ptycta polyacantha*](#) Badonnel, 1967 ^{c g}
- [*Ptycta precincta*](#) Thornton, 1984 ^{c g}
- [*Ptycta prosta*](#) Schmidt, E. R. & Thornton, 1993 ^{c g}
- [*Ptycta pulchra*](#) Turner, B. D., 1976 ^{c g}
- [*Ptycta pupukea*](#) Thornton, 1984 ^{c g}
- [*Ptycta quadrimaculata*](#) (Smithers, Courtenay, 1964) ^{c g}
- [*Ptycta recava*](#) Bess, E. C. & Yoshizawa, 2007 ^{c g}
- [*Ptycta reticulata*](#) New, 1972 ^{c g}
- [*Ptycta revoluta*](#) Li, Fasheng, 2002 ^{c g}
- [*Ptycta rhina*](#) Thornton, 1984 ^{c g}
- [*Ptycta sardjani*](#) Endang & Thornton, 1992 ^{c g}
- [*Ptycta schillei*](#) (Enderlein, 1906) ^{c g}
- [*Ptycta schisma*](#) Thornton, 1984 ^{c g}
- [*Ptycta schneideri*](#) Badonnel, 1981 ^{c g}
- [*Ptycta serrata*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta seyrigi*](#) (Badonnel, 1935) ^{c g}
- [*Ptycta simulator*](#) (Perkins, 1899) ^{c g}
- [*Ptycta stena*](#) Thornton, 1984 ^{c g}
- [*Ptycta stenomedia*](#) Thornton, 1984 ^{c g}
- [*Ptycta striatoptera*](#) New, 1975 ^{c g}
- [*Ptycta swezeyi*](#) Thornton, 1984 ^{c g}
- [*Ptycta sylvestris*](#) (Perkins, 1899) ^{c g}
- [*Ptycta tachardiae*](#) Badonnel, 1967 ^{c g}
- [*Ptycta tapensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta telma*](#) Thornton, 1984 ^{c g}
- [*Ptycta tikala*](#) (Mockford, 1957) ^{c g}
- [*Ptycta timorensis*](#) Endang, Thornton & New, 2002 ^{c g}
- [*Ptycta trullifera*](#) Smithers, Courtenay, 1998 ^{c g}
- [*Ptycta tsutsumii*](#) New & Thornton, 1976 ^{c g}
- [*Ptycta umbrata*](#) New, 1974 ^{c g}
- [*Ptycta unica*](#) (Perkins, 1899) ^{c g}
- [*Ptycta vaga*](#) New, 1975 ^{c g}
- [*Ptycta verticalis*](#) Vaughan, Thornton & New, 1991 ^{c g}
- [*Ptycta vittipennis*](#) (Perkins, 1899) ^{c g}
- [*Ptycta williamsorum*](#) Smithers, Courtenay, 1997 ^{c g}
- [*Ptycta ypsilon*](#) Broadhead & Alison Richards, 1980 ^{c g}

- [Ptycta zimmermani](#) Thornton, 1984 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Ptycta Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-05-05.
 - ["Browse Ptycta"](#). *Catalogue of Life*. Retrieved 2018-05-05.
 - ["Ptycta"](#). *GBIF*. Retrieved 2018-05-05.
 -
4. ["Ptycta Genus Information"](#). *BugGuide.net*. Retrieved 2018-05-05.

Categories:

- [Psocidae](#)
- [Lists of insect species](#)
-

These 107 species are members of [Ptinus](#), a genus of spider beetles in the family [Ptinidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Ptinus species

- [Ptinus affinis](#) Desbrochers des Loges, 1871 ^g
- [Ptinus agnatus](#) Fall, 1905 ^{i c g}
- [Ptinus alternatus](#) Fall, 1905 ^{i c g}
- [Ptinus antennatus](#) Pic, 1896 ^g
- [Ptinus argolisanus](#) (Reitter, 1884) ^g
- [Ptinus arragonicus](#) (Brenske & Reitter, 1884) ^g
- [Ptinus atricapillus](#) Kiesenwetter, 1877 ^g
- [Ptinus aubei](#) Boieldieu, 1854 ^g
- [Ptinus auberti](#) Abeille de Perrin, 1869 ^g
- [Ptinus barberi](#) Fisher, 1919 ^{i c g}
- [Ptinus barrosi](#) Pic, 1905 ^g
- [Ptinus bertranpetiti](#)[\[5\]](#)
- [Ptinus bicinctus](#) Sturm, 1837 ^{i c g}

- [*Ptinus bidens*](#) Olivier, 1790 ^g
- [*Ptinus biformis*](#) Reitter, 1880 ^g
- [*Ptinus bimaculatus*](#) Melsheimer, 1845 ^{i c g b}
- [*Ptinus brevivittis*](#) Reitter, 1881 ^g
- [*Ptinus caelebs*](#) Fall, 1905 ^{i c g b}
- [*Ptinus calcaratus*](#) Kiesenwetter, 1877 ^g
- [*Ptinus calcarifer*](#) (Reitter, 1888) ^g
- [*Ptinus californicus*](#) Pic, 1900 ^{i c g b}
- [*Ptinus capellae*](#) Reitter, 1880 ^g
- [*Ptinus catalonicus*](#) Bellés, 2002 ^g
- [*Ptinus clavipes*](#) Panzer, 1792 ^{i c g}
- [*Ptinus coarcticollis*](#) Sturm, 1837 ^g
- [*Ptinus cognatus*](#) Fall, 1905 ^{i c g}
- [*Ptinus concurrens*](#) Fall, 1905 ^{i c g b}
- [*Ptinus constrictus*](#) Blatchley, 1922 ^{i c g}
- [*Ptinus corsicus*](#) Kiesenwetter, 1877 ^g
- [*Ptinus crassicornis*](#) Kiesenwetter, 1877 ^g
- [*Ptinus cumaniensis*](#) Pic, 1896 ^g
- [*Ptinus dubius*](#) Sturm, 1837 ^g
- [*Ptinus dufawi*](#) Pic, 1906 ^g
- [*Ptinus ellipticus*](#) (Reitter, 1894) ^g
- [*Ptinus eximius*](#) Fall, 1905 ^{i c g}
- [*Ptinus explanatus*](#) Fauvel, 1891 ^g
- [*Ptinus exulans*](#) Erichson, 1842 ^g
- [*Ptinus fallax*](#) Fall, 1905 ^{i c g b}
- [*Ptinus falli*](#) Pic, 1904 ^{i c g b}
- [*Ptinus feminalis*](#) Fall, 1905 ^{i c g}
- [*Ptinus femoralis*](#) (Reitter, 1884) ^g
- [*Ptinus fur*](#) (Linnaeus, 1758) ^{i c g b} (whitemarked spider beetle)
- [*Ptinus gandolphei*](#) Pic, 1904 ^{i c g b}
- [*Ptinus gylippus*](#) Reitter, 1906 ^g
- [*Ptinus hirticornis*](#) Kiesenwetter, 1867 ^g
- [*Ptinus hispaniolaensis*](#)[6]
- [*Ptinus hystrix*](#) Fall, 1905 ^{i c g b}
- [*Ptinus insularis*](#) Boheman, 1858 ^g
- [*Ptinus interruptus*](#) LeConte, 1857 ^{i c g b}

- [*Ptinus italicus*](#) Aragona, 1830 ^g
- [*Ptinus ivanensis*](#) (Reitter, 1902) ^g
- [*Ptinus japonicus*](#)
- [*Ptinus kiesenwetteri*](#) (Reitter, 1884) ^g
- [*Ptinus kruperi*](#) Pic, 1929 ^g
- [*Ptinus kutzschenbachi*](#) Reitter, 1878 ^g
- [*Ptinus latro*](#) Fabricius, 1775 ^{i c g b} (brown spider beetle)
- [*Ptinus leprieuri*](#) Pic, 1896 ^g
- [*Ptinus lichenum*](#) Marsham, 1802 ^g
- [*Ptinus longivestis*](#) Fall, 1905 ^{i c g}
- [*Ptinus maculosus*](#) Abeille de Perrin, 1895 ^g
- [*Ptinus madoni*](#) Pic, 1932 ^g
- [*Ptinus mediterraneus*](#)[7]
- [*Ptinus mitchelli*](#) Fisher, 1919 ^{i c g}
- [*Ptinus nigripennis*](#) Comolli, 1837 ^g
- [*Ptinus nikitanus*](#) (Brenske & Reitter, 1884) ^g
- [*Ptinus obesus*](#) P.H.Lucas, 1846 ^g
- [*Ptinus oertzeni*](#) (Reitter, 1888) ^g
- [*Ptinus palliatus*](#) (Perris, 1847) ^g
- [*Ptinus paulonotatus*](#) Pic, 1904 ^{i c g b}
- [*Ptinus pellitus*](#) Desbrochers des Loges, 1875 ^g
- [*Ptinus perplexus*](#) Mulsant & Rey, 1868 ^g
- [*Ptinus perrini*](#) (Reitter, 1884) ^g
- [*Ptinus phlomidis*](#) Boieldieu, 1854 ^g
- [*Ptinus pilosus*](#) Müller, 1821 ^g
- [*Ptinus podolicus*](#) Iablokoff-Khnzorian & Karapetian, 1991 ^g
- [*Ptinus prolixus*](#) Fall, 1905 ^{i c g}
- [*Ptinus pusillus*](#) Sturm, 1837 ^g
- [*Ptinus pyrenaeus*](#) Pic, 1897 ^g
- [*Ptinus quadrimaculatus*](#) Melsheimer, 1846 ^{i c g}
- [*Ptinus raptor*](#) Sturm, 1837 ^{i c g b} (eastern spider beetle)
- [*Ptinus reitteri*](#) Pic, 1894 ^g
- [*Ptinus rufipes*](#) Olivier, 1790 ^g
- [*Ptinus rufolimbatus*](#) Pic, 1908 ^g
- [*Ptinus rufus*](#) Brulle, 1832 ^g
- [*Ptinus rugosicollis*](#) (Desbrochers des Loges, 1875) ^g
- [*Ptinus salvatori*](#) Pic, 1901 ^g

- [*Ptinus schatzmayeri*](#) Pic, 1934 ^g
- [*Ptinus schlerethi*](#) (Reitter, 1884) ^g
- [*Ptinus sexpunctatus*](#) Panzer, 1795 ^{g b}
- [*Ptinus spissicornis*](#) Abeille de Perrin, 1894 ^g
- [*Ptinus spitzyi*](#) A.Villa & G.B.Villa, 1838 ^g
- [*Ptinus strangulatus*](#) Fall, 1905 ^{i c g b}
- [*Ptinus subaeneus*](#) (Reitter, 1884) ^g
- [*Ptinus subpillosus*](#) Sturm, 1837 ^g
- [*Ptinus subroseus*](#) Reitter, 1888 ^g
- [*Ptinus tarsalis*](#) (Reitter, 1884) ^g
- [*Ptinus tauricus*](#) (Brenske & Reitter, 1884) ^g
- [*Ptinus tectus*](#) Boieldieu, 1856 ^{i c g b} (Australian spider beetle)
- [*Ptinus texanus*](#) Pic, 1903 ^{i c g b}
- [*Ptinus timidus*](#) Brisout de Barneville, 1866 ^g
- [*Ptinus torretassoi*](#) Pic, 1934 ^g
- [*Ptinus tuberculatus*](#) Blatchley, 1920 ^{i c g}
- [*Ptinus tumidus*](#) Fall, 1905 ^{i c g b}
- [*Ptinus variegatus*](#) Rossi, 1794 ^{i c g}
- [*Ptinus vegrandis*](#) Fall, 1905 ^{i c g}
- [*Ptinus verticalis*](#) LeConte, 1859 ^{i c g b}
- [*Ptinus villiger*](#) (Reitter, 1884) ^{i c g b} (hairy spider beetle)

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 432 species in [*Pteromalus*](#), a genus of pteromalid wasps in the family [*Pteromalidae*](#).^[1]
^[2]^[3]

***Pteromalus* species**

- [*Pteromalus aartseni*](#) (Gijswijt, 1972) ^{c g}
- [*Pteromalus abdominalis*](#) Statz, 1938 ^{c g}
- [*Pteromalus aberrans*](#) Forster, 1841 ^g
- [*Pteromalus abieticola*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus achillei*](#) Janzon, 1984 ^{c g}
- [*Pteromalus acicularis*](#) Forster, 1841 ^g
- [*Pteromalus actinopterae*](#) (Hedqvist, 1977) ^{c g}

- [*Pteromalus acuminatus*](#) Forster, 1841 ^g
- [*Pteromalus aeneus*](#) Fonscolombe, 1832 ^{c g}
- [*Pteromalus aerosus*](#) Statz, 1938 ^{c g}
- [*Pteromalus aeson*](#) Walker, 1848 ^{c g}
- [*Pteromalus agilis*](#) Forster, 1841 ^g
- [*Pteromalus albescens*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus albidovenosus*](#) Walker, 1874 ^{c g}
- [*Pteromalus albipennis*](#) Walker, 1835 ^{c g}
- [*Pteromalus albitarsis*](#) De Stefani, 1907 ^{c g}
- [*Pteromalus almeriensis*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus alternans*](#) Forster, 1841 ^g
- [*Pteromalus alternipes*](#) Walker, 1872 ^{c g}
- [*Pteromalus altus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus amabilis*](#) Walker, 1836 ^{c g}
- [*Pteromalus amage*](#) (Walker, 1849) ^{c g}
- [*Pteromalus ambiguus*](#) Forster, 1841 ^g
- [*Pteromalus amerinae*](#) Swederus, 1795 ^{c g}
- [*Pteromalus ametrus*](#) Graham, 1981 ^g
- [*Pteromalus amyntor*](#) Walker, 1846 ^{c g}
- [*Pteromalus anaxis*](#) Walker, 1849 ^{c g}
- [*Pteromalus angustus*](#) Forster, 1841 ^g
- [*Pteromalus annae*](#) Janzon, 1984 ^{c g}
- [*Pteromalus anomalipes*](#) Forster, 1841 ^g
- [*Pteromalus antheraecola*](#) Amerling & Kirchner, 1860 ^{c g}
- [*Pteromalus apantelesi*](#) Risbec, 1952 ^{c g}
- [*Pteromalus apantelophagus*](#) (Crawford, 1910) ^{c g}
- [*Pteromalus apicalis*](#) Nees, 1834 ^{c g}
- [*Pteromalus apionis*](#) (Goureau, 1847) ^{c g}
- [*Pteromalus apum*](#) (Retzius, 1783) ^{c g}
- [*Pteromalus arborivagus*](#) Forster, 1841 ^g
- [*Pteromalus archia*](#) Walker, 1843 ^{c g}
- [*Pteromalus arnicae*](#) Janzon, 1984 ^{c g}
- [*Pteromalus atomos*](#) Fonscolombe, 1832 ^{c g}
- [*Pteromalus atomus*](#) Statz, 1938 ^{c g}
- [*Pteromalus atra*](#) Statz, 1938 ^{c g}
- [*Pteromalus atramentarius*](#) Forster, 1841 ^g

- [*Pteromalus aurantiacus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus auratus*](#) Swederus, 1795 ^{c g}
- [*Pteromalus aureolus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus aurifacies*](#) Forster, 1841 ^g
- [*Pteromalus aurinitens*](#) Forster, 1841 ^g
- [*Pteromalus barycerus*](#) Forster, 1841 ^g
- [*Pteromalus baton*](#) Walker, 1839 ^{c g}
- [*Pteromalus bedeguaris*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus bekiliensis*](#) Risbec, 1952 ^{c g}
- [*Pteromalus berylli*](#) Walker, 1835 ^{c g}
- [*Pteromalus bienna*](#) Walker, 1848 ^{c g}
- [*Pteromalus bifoveolatus*](#) Förster, 1861 ^g
- [*Pteromalus blandus*](#) Forster, 1841 ^g
- [*Pteromalus bottnicus*](#) Vikberg, 1979 ^{c g}
- [*Pteromalus brachygaster*](#) (Graham, 1969) ^{c g}
- [*Pteromalus breviscapus*](#) Forster, 1841 ^g
- [*Pteromalus brunnicans*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus bryce*](#) Walker, 1842 ^{c g}
- [*Pteromalus calenus*](#) Walker, 1843 ^{c g}
- [*Pteromalus canariensis*](#) (Janzon, 1977) ^{c g}
- [*Pteromalus capreae*](#) (Linnaeus, 1761) ^{c g}
- [*Pteromalus cardui*](#) (Erdos, 1953) ^g
- [*Pteromalus carinatus*](#) Forster, 1841 ^g
- [*Pteromalus cassotis*](#) Walker, 1847 ^{c g b}
- [*Pteromalus caudiger*](#) (Graham, 1969) ^{c g}
- [*Pteromalus cerealellae*](#) (Ashmead, 1902) ^{c g}
- [*Pteromalus cerinopus*](#) Forster, 1841 ^g
- [*Pteromalus chalybaeus*](#) Nees, 1834 ^{c g}
- [*Pteromalus chlorogaster*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus chlorospilus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus chrysis*](#) Forster, 1841 ^g
- [*Pteromalus chrysos*](#) Walker, 1836 ^{c g}
- [*Pteromalus ciliatus*](#) Walker, 1795 ^{c g}
- [*Pteromalus cioni*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus cionobius*](#) (Erdos, 1953) ^g
- [*Pteromalus clavicornis*](#) Swederus, 1795 ^{c g}

- [*Pteromalus clavipes*](#) Forster, 1841 ^g
- [*Pteromalus cleophanes*](#) Walker, 1839 ^{c g}
- [*Pteromalus coeruleiventris*](#) (Ashmead, 1888) ^{c g}
- [*Pteromalus coerulescens*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus coeruleus*](#) Forster, 1841 ^g
- [*Pteromalus coloradensis*](#) (Ashmead, 1890) ^{c g}
- [*Pteromalus colosseus*](#) Forster, 1841 ^g
- [*Pteromalus compactus*](#) Forster, 1841 ^g
- [*Pteromalus compos*](#) Forster, 1841 ^g
- [*Pteromalus concinnus*](#) Forster, 1841 ^g
- [*Pteromalus conformis*](#) (Graham, 1969) ^{c g}
- [*Pteromalus conoideus*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus conopidarum*](#) (Boucek, 1961) ^{c g}
- [*Pteromalus cosis*](#) Walker, 1839 ^{c g}
- [*Pteromalus costulata*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus couridae*](#) Cameron, 1913 ^{c g}
- [*Pteromalus crassicapitatus*](#) Statz, 1938 ^{c g}
- [*Pteromalus crassicornis*](#) Zetterstedt, 1838 ^{c g}
- [*Pteromalus crassinervis*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus crassus*](#) Forster, 1841 ^g
- [*Pteromalus cryptocephali*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus cubocephalus*](#) Forster, 1841 ^g
- [*Pteromalus cupreus*](#) Nees, 1834 ^{c g}
- [*Pteromalus curculionoides*](#) (Bouché, 1834) ^g
- [*Pteromalus cylindraceus*](#) Forster, 1841 ^g
- [*Pteromalus cyniphidis*](#) (Linnaeus, 1758) ^g
- [*Pteromalus dahlbomi*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus dalmanni*](#) Forster, 1841 ^g
- [*Pteromalus damo*](#) Walker, 1847 ^{c g}
- [*Pteromalus decipiens*](#) (Graham, 1969) ^c
- [*Pteromalus defossus*](#) Statz, 1938 ^{c g}
- [*Pteromalus delvarei*](#) Vago, 2002 ^{c g}
- [*Pteromalus dendrolimi*](#) Matsumura, 1926 ^{c g}
- [*Pteromalus depressus*](#) Forster, 1841 ^g
- [*Pteromalus devorator*](#) Forster, 1841 ^g
- [*Pteromalus diadema*](#) Ratzeburg, 1852 ^{c g}

- [*Pteromalus diatatus*](#) Schmidt, 1851 ^{c g}
- [*Pteromalus difficilis*](#) Forster, 1841 ^g
- [*Pteromalus dimiduis*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus diminuator*](#) Forster, 1841 ^g
- [*Pteromalus dirutor*](#) Forster, 1841 ^g
- [*Pteromalus discors*](#) Graham, 1992 ^{c g}
- [*Pteromalus discrepans*](#) Forster, 1861 ^g
- [*Pteromalus dispar*](#) (Curtis, 1827) ^{c g}
- [*Pteromalus divitissimus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus dolichurus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus doryssus*](#) Walker, 1847 ^{c g}
- [*Pteromalus doumeti*](#) Fairmaire, 1879 ^{c g}
- [*Pteromalus driopides*](#) Walker, 1839 ^{c g}
- [*Pteromalus ecarinatus*](#) Forster, 1841 ^g
- [*Pteromalus egregius*](#) Forster, 1841 ^g
- [*Pteromalus elatus*](#) Forster, 1841 ^g
- [*Pteromalus elevatus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus ellisorum*](#) Gijswijt, 1984 ^{c g}
- [*Pteromalus elongatus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus elpinice*](#) Walker, 1839 ^{c g}
- [*Pteromalus eminens*](#) Forster, 1841 ^g
- [*Pteromalus epicles*](#) Walker, 1847 ^{c g}
- [*Pteromalus epimelas*](#) Walker, 1836 ^{c g}
- [*Pteromalus esuriens*](#) Forster, 1841 ^g
- [*Pteromalus eurymi*](#) Gahan, 1913 ^{c g}
- [*Pteromalus euthymus*](#) Walker, 1847 ^{c g}
- [*Pteromalus euurae*](#) Askew, 1995 ^{c g}
- [*Pteromalus exanimis*](#) Brues, 1910 ^{c g}
- [*Pteromalus exiguus*](#) Forster, 1841 ^g
- [*Pteromalus exoletus*](#) Forster, 1841 ^g
- [*Pteromalus exsertus*](#) Forster, 1841 ^g
- [*Pteromalus extensus*](#) Forster, 1841 ^g
- [*Pteromalus fabia*](#) Walker, 1839 ^{c g}
- [*Pteromalus facilis*](#) Forster, 1841 ^g
- [*Pteromalus fagi*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus fasciatus*](#) (Thomson, 1878) ^c

- [*Pteromalus faunigena*](#) Forster, 1841 ^g
- [*Pteromalus felginas*](#) Walker, 1842 ^{c g}
- [*Pteromalus fenomenalis*](#) (Domenichini, 1958) ^g
- [*Pteromalus ferox*](#) Forster, 1841 ^g
- [*Pteromalus fervidus*](#) Forster, 1841 ^g
- [*Pteromalus festivus*](#) Forster, 1841 ^g
- [*Pteromalus flavicornis*](#) (Girault & Dodd, 1915) ^{c g}
- [*Pteromalus flavipalpis*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus flaviscapus*](#) Rudow, 1886 ^{c g}
- [*Pteromalus flaviventris*](#) Rudow, 1886 ^{c g}
- [*Pteromalus foersteri*](#) Dalla Torre, 1898 ^g
- [*Pteromalus fugax*](#) Forster, 1841 ^g
- [*Pteromalus furtivus*](#) Forster, 1841 ^g
- [*Pteromalus fuscipennis*](#) (Walker, 1834) ^{c g}
- [*Pteromalus fuscipes*](#) (Provancher, 1881) ^{c g}
- [*Pteromalus fuscitarsis*](#) Ashmead, 1901 ^{c g}
- [*Pteromalus fuscopalpus*](#) Forster, 1841 ^g
- [*Pteromalus gallicolus*](#) Doganlar, 1980 ^{c g}
- [*Pteromalus garibaldius*](#) (Girault, 1938) ^{c g}
- [*Pteromalus genuinus*](#) Forster, 1841 ^g
- [*Pteromalus glabriculus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus gnavis*](#) Forster, 1841 ^g
- [*Pteromalus gracillimus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus gratiosus*](#) Forster, 1841 ^g
- [*Pteromalus grisselli*](#) ^g
- [*Pteromalus gryneus*](#) Walker, 1842 ^{c g}
- [*Pteromalus guttula*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus habilis*](#) Forster, 1841 ^g
- [*Pteromalus hedymeles*](#) Walker, 1839 ^{c g}
- [*Pteromalus helenomus*](#) (Graham, 1969) ^{c g}
- [*Pteromalus hemileucae*](#) Gahan, 1917 ^{c g}
- [*Pteromalus herbaceus*](#) Forster, 1841 ^g
- [*Pteromalus hercyniae*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus hesus*](#) Walker, 1839 ^{c g}
- [*Pteromalus hieracii*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus hirtipes*](#) Statz, 1938 ^{c g}

- [*Pteromalus holmgrenii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus honestus*](#) Forster, 1841 ^g
- [*Pteromalus hunteri*](#) (Crawford, 1908) ^{c g}
- [*Pteromalus hyalopterus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus hypocyaneus*](#) Forster, 1841 ^g
- [*Pteromalus hyponomeutae*](#) (Masi, 1909) ^g
- [*Pteromalus ignobilis*](#) Forster, 1861 ^g
- [*Pteromalus illustratus*](#) Forster, 1841 ^g
- [*Pteromalus immundus*](#) Forster, 1841 ^g
- [*Pteromalus impeditus*](#) Walker, 1835 ^{c g}
- [*Pteromalus impressifrons*](#) Forster, 1841 ^g
- [*Pteromalus inanis*](#) Forster, 1841 ^g
- [*Pteromalus incertus*](#) Forster, 1841 ^g
- [*Pteromalus inclytus*](#) Forster, 1841 ^g
- [*Pteromalus inconspicuus*](#) Forster, 1841 ^g
- [*Pteromalus inermis*](#) Forster, 1841 ^g
- [*Pteromalus infelix*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus infestus*](#) Forster, 1841 ^g
- [*Pteromalus infinitus*](#) Forster, 1841 ^g
- [*Pteromalus inquilinus*](#) Forster, 1841 ^g
- [*Pteromalus insignis*](#) Forster, 1841 ^g
- [*Pteromalus integer*](#) Walker, 1872 ^{c g}
- [*Pteromalus intermedius*](#) (Walker, 1834) ^{c g}
- [*Pteromalus ipsea*](#) Walker, 1839 ^{c g}
- [*Pteromalus isarchus*](#) Walker, 1839 ^{c g}
- [*Pteromalus ivondroi*](#) Risbec, 1952 ^{c g}
- [*Pteromalus janssoni*](#) (Graham, 1969) ^{c g}
- [*Pteromalus jejunos*](#) Forster, 1841 ^g
- [*Pteromalus keralensis*](#) Sureshan, 2001 ^{c g}
- [*Pteromalus kuwayamae*](#) Matsumura, 1926 ^{c g}
- [*Pteromalus lactucae*](#) (Szelenyi & Erdos, 1953) ^g
- [*Pteromalus laetus*](#) Forster, 1841 ^g
- [*Pteromalus laevis*](#) Forster, 1841 ^g
- [*Pteromalus laricinellae*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus larymna*](#) Walker, 1848 ^{c g}
- [*Pteromalus larzacensis*](#) Graham, 1984 ^{c g}

- [*Pteromalus latipennatus*](#) Statz, 1938 ^{c g}
- [*Pteromalus latreillei*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus lazulinus*](#) Forster, 1841 ^g
- [*Pteromalus lepidotus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus leptogaster*](#) Forster, 1841 ^g
- [*Pteromalus leptostictus*](#) Forster, 1841 ^g
- [*Pteromalus leucanthemi*](#) Janzon, 1980 ^{c g}
- [*Pteromalus limbatus*](#) Forster, 1841 ^g
- [*Pteromalus lineolatus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus lixi*](#) (Sarrazin, 1924) ^g
- [*Pteromalus longicornis*](#) Statz, 1938 ^{c g}
- [*Pteromalus lugens*](#) Forster, 1841 ^g
- [*Pteromalus lutulentus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus luzonensis*](#) Gahan, 1925 ^{c g}
- [*Pteromalus macrocerus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus macronychivorus*](#) Perez, 1864 ^{c g}
- [*Pteromalus maculiscapus*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus mandibulatus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus marellii*](#) De Santis, 1998 ^{c g}
- [*Pteromalus mariae*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus matsuyadorii*](#) Matsumura, 1926 ^{c g}
- [*Pteromalus maurus*](#) Forster, 1841 ^g
- [*Pteromalus mediocris*](#) Walker, 1835 ^{c g}
- [*Pteromalus megareus*](#) Walker, 1842 ^{c g}
- [*Pteromalus melancholicus*](#) Forster, 1841 ^g
- [*Pteromalus melanocerus*](#) Forster, 1841 ^g
- [*Pteromalus melanochlorus*](#) Forster, 1841 ^g
- [*Pteromalus meridionalis*](#) Risbec, 1952 ^{c g}
- [*Pteromalus metallicus*](#) Sureshan, 2001 ^{c g}
- [*Pteromalus metallifemur*](#) (Bukovskii, 1938) ^g
- [*Pteromalus microgastris*](#) (Kurdjumov, 1912) ^g
- [*Pteromalus microneurus*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus microps*](#) (Graham, 1969) ^{c g}
- [*Pteromalus micros*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus mixtus*](#) Forster, 1841 ^g
- [*Pteromalus mobilis*](#) Forster, 1841 ^g

- [*Pteromalus molestus*](#) Forster, 1841 ^g
- [*Pteromalus monochrous*](#) Forster, 1841 ^g
- [*Pteromalus moravicus*](#) Graham, 1984 ^{c g}
- [*Pteromalus musaeus*](#) Walker, 1844 ^{c g}
- [*Pteromalus mutia*](#) Walker, 1839 ^{c g}
- [*Pteromalus mydon*](#) Walker, 1839 ^{c g}
- [*Pteromalus myopitae*](#) (Graham, 1969) ^{c g}
- [*Pteromalus myopites*](#) De Stefani Perez, 1901 ^{c g}
- [*Pteromalus nanulus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus napaeus*](#) Forster, 1841 ^g
- [*Pteromalus naucus*](#) Forster, 1841 ^g
- [*Pteromalus navis*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus nebulosus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus neesii*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus neglectus*](#) Forster, 1841 ^g
- [*Pteromalus niger*](#) (Fonscolombe, 1832) ^{c g}
- [*Pteromalus nigricans*](#) Forster, 1841 ^g
- [*Pteromalus nigrus*](#) Sureshan, 2001 ^{c g}
- [*Pteromalus niphe*](#) Walker, 1839 ^{c g}
- [*Pteromalus nodulosus*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus nuperus*](#) Forster, 1841 ^g
- [*Pteromalus obductus*](#) Forster, 1841 ^g
- [*Pteromalus obscurus*](#) Nees, 1834 ^c
- [*Pteromalus obvolitans*](#) Forster, 1841 ^g
- [*Pteromalus ochrocerus*](#) (Thomson, 1878) ^{c g}
- [*Pteromalus oenoe*](#) Walker, 1843 ^{c g}
- [*Pteromalus onerati*](#) Fitch, 1859 ^{c g}
- [*Pteromalus opacus*](#) Forster, 1841 ^g
- [*Pteromalus opimus*](#) Forster, 1841 ^g
- [*Pteromalus ormenus*](#) Walker, 1839 ^{c g}
- [*Pteromalus ornatus*](#) Forster, 1841 ^g
- [*Pteromalus ortalus*](#) Walker, 1839 ^{c g}
- [*Pteromalus osmiae*](#) Hedqvist, 1979 ^{c g}
- [*Pteromalus oxynthes*](#) Walker, 1843 ^{c g}
- [*Pteromalus pachygaster*](#) Forster, 1841 ^g
- [*Pteromalus pachymerus*](#) Forster, 1841 ^g

- [*Pteromalus pallipes*](#) (Spinola, 1808) ^{c g}
- [*Pteromalus paludicola*](#) Boucek, 1972 ^{c g}
- [*Pteromalus papaveris*](#) Forster, 1841 ^g
- [*Pteromalus parietinae*](#) (Graham, 1969) ^{c g}
- [*Pteromalus patro*](#) Walker, 1848 ^{c g}
- [*Pteromalus pellucidiventris*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus pellucidus*](#) Forster, 1841 ^g
- [*Pteromalus phycidis*](#) (Ashmead, 1898) ^{c g}
- [*Pteromalus picinus*](#) Forster, 1841 ^g
- [*Pteromalus pilosellae*](#) Janzon, 1984 ^{c g}
- [*Pteromalus pilosellus*](#) Forster, 1841 ^g
- [*Pteromalus planiusculus*](#) Forster, 1841 ^g
- [*Pteromalus platyphilus*](#) Walker, 1874 ^{c g}
- [*Pteromalus pogonochoeri*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus poisoensis*](#) Graham, 1983 ^{c g}
- [*Pteromalus polychlori*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus polycyclus*](#) Forster, 1841 ^g
- [*Pteromalus pomacearum*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus pontaniae*](#) Askew, 1985 ^{c g}
- [*Pteromalus praeceps*](#) Forster, 1841 ^g
- [*Pteromalus praecocellae*](#) (Boucek, 1967) ^{c g}
- [*Pteromalus praelongus*](#) Forster, 1841 ^g
- [*Pteromalus praepes*](#) Forster, 1841 ^g
- [*Pteromalus praepotens*](#) Forster, 1841 ^g
- [*Pteromalus princeps*](#) Forster, 1841 ^g
- [*Pteromalus procerus*](#) Graham, 1969 ^{c g}
- [*Pteromalus propinquus*](#) Forster, 1841 ^g
- [*Pteromalus proprius*](#) Walker, 1874 ^{c g}
- [*Pteromalus provincialis*](#) Graham, 1984 ^g
- [*Pteromalus psyllus*](#) Forster, 1841 ^g
- [*Pteromalus pulchellus*](#) Statz, 1938 ^{c g}
- [*Pteromalus pullus*](#) Forster, 1841 ^g
- [*Pteromalus punctum*](#) Forster, 1841 ^g
- [*Pteromalus pungens*](#) Forster, 1841 ^g
- [*Pteromalus puparum*](#) (Linnaeus, 1758) ^{c g}
- [*Pteromalus purpureiventris*](#) (Ashmead, 1888) ^{c g}

- [*Pteromalus pygmaeanae*](#) Ratzeburg, 1844 ^{c g}
- [*Pteromalus pygmaeolus*](#) Statz, 1938 ^{c g}
- [*Pteromalus pygmaeus*](#) Forster, 1841 ^g
- [*Pteromalus qinghaiensis*](#) Liao, 1987 ^{c g}
- [*Pteromalus questionis*](#) Forster, 1841 ^g
- [*Pteromalus racemosi*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus ramulorum*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus rapax*](#) Forster, 1841 ^g
- [*Pteromalus ratzeburgii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus rectispinus*](#) Statz, 1938 ^{c g}
- [*Pteromalus regius*](#) Forster, 1841 ^g
- [*Pteromalus relevatus*](#) Forster, 1841 ^g
- [*Pteromalus rhinthon*](#) Walker, 1844 ^{c g}
- [*Pteromalus rhoebus*](#) Walker, 1843 ^{c g}
- [*Pteromalus rhombicus*](#) Forster, 1841 ^g
- [*Pteromalus ridens*](#) Vago, 2002 ^{c g}
- [*Pteromalus rondanii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus rottensis*](#) Statz, 1938 ^{c g}
- [*Pteromalus rudowii*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus ruficornis*](#) Rudow, 1886 ^{c g}
- [*Pteromalus saltatorius*](#) Forster, 1841 ^g
- [*Pteromalus sapphireus*](#) Forster, 1841 ^g
- [*Pteromalus scandiae*](#) (Graham, 1969) ^{c g}
- [*Pteromalus semotus*](#) (Walker, 1834) ^{c g}
- [*Pteromalus senegalensis*](#) Risbec, 1951 ^{c g}
- [*Pteromalus sequester*](#) Walker, 1835 ^{c g}
- [*Pteromalus serratae*](#) Graham, 1984 ^{c g}
- [*Pteromalus sestius*](#) Walker, 1843 ^{c g}
- [*Pteromalus shanxiensis*](#) Huang, 1987 ^{c g}
- [*Pteromalus similis*](#) Forster, 1841 ^g
- [*Pteromalus simplex*](#) Forster, 1841 ^g
- [*Pteromalus sincerus*](#) Forster, 1841 ^g
- [*Pteromalus singularis*](#) Forster, 1841 ^g
- [*Pteromalus smaragdinus*](#) Forster, 1841 ^g
- [*Pteromalus smaragdus*](#) Graham, 1969 ^{c g}
- [*Pteromalus solidaginis*](#) Graham & Gijswijt, 1991 ^{c g}

- [*Pteromalus solidus*](#) Forster, 1841 ^g
- [*Pteromalus sonchi*](#) Janzon, 1983 ^{c g}
- [*Pteromalus sophax*](#) Walker, 1839 ^{c g}
- [*Pteromalus sparsus*](#) Forster, 1841 ^g
- [*Pteromalus specularis*](#) Graham, 1981 ^{c g}
- [*Pteromalus sphaerogaster*](#) Forster, 1841 ^g
- [*Pteromalus sphegigaster*](#) De Stefani, 1886 ^{c g}
- [*Pteromalus spilocerus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus splendidus*](#) Forster, 1841 ^g
- [*Pteromalus spoliator*](#) Forster, 1861 ^g
- [*Pteromalus squamifer*](#) Thomson, 1878 ^{c g}
- [*Pteromalus strobilobius*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus subaequalis*](#) Forster, 1841 ^g
- [*Pteromalus sublaevis*](#) Forster, 1841 ^g
- [*Pteromalus subpunctatus*](#) Forster, 1841 ^g
- [*Pteromalus subterraneus*](#) Forster, 1841 ^g
- [*Pteromalus sua*](#) Walker, 1848 ^{c g}
- [*Pteromalus sulphuripes*](#) Forster, 1841 ^g
- [*Pteromalus sybarita*](#) Forster, 1841 ^g
- [*Pteromalus sylvarum*](#) Forster, 1841 ^g
- [*Pteromalus sylveni*](#) Hedqvist, 1979 ^{c g}
- [*Pteromalus syntomus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus syrphi*](#) Dalman, 1820 ^{c g}
- [*Pteromalus tananarivensis*](#) Risbec, 1952 ^{c g}
- [*Pteromalus temporalis*](#) (Graham, 1969) ^{c g}
- [*Pteromalus terebrans*](#) Forster, 1841 ^g
- [*Pteromalus tereus*](#) Walker, 1839 ^{c g}
- [*Pteromalus tessellatus*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus tethys*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus tibialis*](#) Nees, 1834 ^{c g}
- [*Pteromalus tibiellus*](#) Zetterstedt, 1838 ^{c g}
- [*Pteromalus tiburtus*](#) Walker, 1839 ^{c g}
- [*Pteromalus timidus*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus tortricis*](#) (Schrank, 1781) ^{c g}
- [*Pteromalus townsendi*](#) (Crawford, 1912) ^{c g}
- [*Pteromalus toxus*](#) Walker, 1843 ^{c g}

- [*Pteromalus tricollis*](#) Forster, 1841 ^g
- [*Pteromalus tripolii*](#) (Graham, 1969) ^{c g}
- [*Pteromalus troglodytes*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus unca*](#) Walker, 1839 ^{c g}
- [*Pteromalus unicolor*](#) Forster, 1841 ^g
- [*Pteromalus vaginatus*](#) Forster, 1841 ^g
- [*Pteromalus vaginulae*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus vallatus*](#) Forster, 1841 ^g
- [*Pteromalus vallecule*](#) Ratzeburg, 1848 ^{c g}
- [*Pteromalus vanessae*](#) Howard, 1889 ^{c g}
- [*Pteromalus varians*](#) (Spinola, 1808) ^{c g}
- [*Pteromalus variolosus*](#) Forster, 1841 ^g
- [*Pteromalus vectensis*](#) Cockerell, 1921 ^{c g}
- [*Pteromalus velox*](#) Forster, 1841 ^g
- [*Pteromalus veneris*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus ventricosus*](#) Forster, 1841 ^g
- [*Pteromalus venustus*](#) Statz, 1938 ^{c g}
- [*Pteromalus verticalis*](#) Forster, 1841 ^g
- [*Pteromalus vibulenus*](#) (Walker, 1839) ^{c g}
- [*Pteromalus vicarius*](#) Ratzeburg, 1852 ^{c g}
- [*Pteromalus vicinus*](#) Forster, 1841 ^g
- [*Pteromalus villosae*](#) Gijswijt, 1999 ^{c g}
- [*Pteromalus violarum*](#) Dalla Torre, 1898 ^{c g}
- [*Pteromalus viridicans*](#) Forster, 1841 ^g
- [*Pteromalus vitula*](#) Walker, 1843 ^{c g}
- [*Pteromalus vopiscus*](#) Walker, 1839 ^{c g}
- [*Pteromalus vorax*](#) Forster, 1841 ^g
- [*Pteromalus vulgaris*](#) (Ashmead, 1894) ^{c g}
- [*Pteromalus vulso*](#) Walker, 1839 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of species in the genus [*Ptecticus*](#).^[1]

***Ptecticus* species**

- [*Ptecticus aculeatus* James, 1952\[2\]](#)
- [*Ptecticus adustus* Lindner, 1949\[3\]](#)
- [*Ptecticus aeneithorax* Meijere, 1919\[4\]](#)
- [*Ptecticus alticola* McFadden, 1982\[5\]](#)
- [*Ptecticus amapanus* Leal, 1977](#)
- [*Ptecticus annulipes* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus anomalopyga* James, 1982\[5\]](#)
- [*Ptecticus archboldi* Lindner, 1957\[7\]](#)
- [*Ptecticus artocarpophilus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus assamensis* Brunetti, 1923\[9\]](#)
- [*Ptecticus aurifer* \(Walker, 1854\)\[10\]](#)
- [*Ptecticus aurobrunneus* Brunetti, 1920\[11\]](#)
- [*Ptecticus australis* Schiner, 1868\[12\]](#)
- [*Ptecticus bannapensis* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus benecki* Torres-Toro, Pujol-Luz & Wolff, 2022\[13\]](#)
- [*Ptecticus bequaerti* James, 1952\[2\]](#)
- [*Ptecticus bicolor* Yang, Zhang & Li, 2014\[14\]](#)
- [*Ptecticus bifidus* Rozkošný & Kovac, 1998\[15\]](#)
- [*Ptecticus bilobatus* Rozkošný & Kovac, 1998\[15\]](#)
- [*Ptecticus brevipennis* \(Rondani, 1875\)\[16\]](#)
- [*Ptecticus brevispinus* Yang, Chen & Yang, 2015\[17\]](#)
- [*Ptecticus breviunguis* Lindner, 1966\[18\]](#)
- [*Ptecticus briani* McFadden, 1982\[5\]](#)
- [*Ptecticus brunescens* Ôuchi, 1938\[19\]](#)
- [*Ptecticus ciliatus* James, 1941](#)
- [*Ptecticus cingulatus* Loew, 1855\[20\]](#)
- [*Ptecticus complens* \(Walker, 1858\)\[21\]](#)
- [*Ptecticus comstocki* McFadden, 1982\[5\]](#)
- [*Ptecticus concinnus* Williston, 1900\[22\]](#)
- [*Ptecticus confusus* McFadden, 1982\[5\]](#)
- [*Ptecticus connectens* Brunetti, 1923\[9\]](#)
- [*Ptecticus conopsoides* Schiner, 1868\[12\]](#)
- [*Ptecticus costaricensis* James, 1982\[5\]](#)
- [*Ptecticus cyanifrons* \(Rondani, 1848\)\[23\]](#)
- [*Ptecticus danielsi* Rozkošný & Jong, 2003\[24\]](#)
- [*Ptecticus elegans* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus elongatus* Yang, Zhang & Li, 2014\[14\]](#)
- [*Ptecticus erectus* Rozkošný & Kovac, 2000\[25\]](#)
- [*Ptecticus evansi* McFadden, 1982\[5\]](#)
- [*Ptecticus eximius* Daniels, 1979\[26\]](#)
- [*Ptecticus extensipes* James, 1982\[5\]](#)

- [*Ptecticus ferrugineus* \(Doleschall, 1858\)\[27\]](#)
- [*Ptecticus ficulinus* Lindner, 1940](#)
- [*Ptecticus figlinus* Osten Sacken, 1886\[28\]](#)
- [*Ptecticus flaviceps* Bigot, 1879\[29\]](#)
- [*Ptecticus flavifemoratus* Rozkošný & Kovac, 1996\[30\]](#)
- [*Ptecticus fukienensis* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus fumipennis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus furcatus* McFadden, 1982\[5\]](#)
- [*Ptecticus fuscipennis* McFadden, 1982\[5\]](#)
- [*Ptecticus gigliotosi* McFadden, 1971\[31\]](#)
- [*Ptecticus gilvus* Daniels, 1979\[26\]](#)
- [*Ptecticus glaucus* \(Bigot, 1859\)\[32\]](#)
- [*Ptecticus quangxiensis* Yang, Chen & Yang, 2015\[17\]](#)
- [*Ptecticus hansonii* James, 1982\[5\]](#)
- [*Ptecticus helvolus* Daniels, 1979\[26\]](#)
- [*Ptecticus histrio* Meijere, 1933](#)
- [*Ptecticus illustris* Schiner, 1868\[12\]](#)
- [*Ptecticus immaculatus* McFadden, 1982\[5\]](#)
- [*Ptecticus indicus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus infuscatus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus inops* Lindner, 1949\[3\]](#)
- [*Ptecticus insularis* James, 1972](#)
- [*Ptecticus intensivus* Brunetti, 1927\[33\]](#)
- [*Ptecticus inversus* Curran, 1934\[34\]](#)
- [*Ptecticus isabelensis* Lindner, 1937\[35\]](#)
- [*Ptecticus jamesi* McFadden, 1982\[5\]](#)
- [*Ptecticus japonicus* \(Thunberg, 1789\)\[36\]](#)
- [*Ptecticus kambangensis* Meijere, 1914](#)
- [*Ptecticus kerteszi* Meijere, 1924\[37\]](#)
- [*Ptecticus kovaci* Hauser & Rozkošný, 2007\[38\]](#)
- [*Ptecticus kraussi* James, 1982\[5\]](#)
- [*Ptecticus kubani* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus lanei* James, 1941](#)
- [*Ptecticus lateritius* \(Rondani, 1863\)\[39\]](#)
- [*Ptecticus linearis* McFadden, 1982\[5\]](#)
- [*Ptecticus longipennis* \(Wiedemann, 1824\)\[40\]](#)
- [*Ptecticus longipes* \(Walker, 1861\)\[41\]](#)
- [*Ptecticus longispinus* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus maculatus* Williston, 1900\[22\]](#)
- [*Ptecticus malayensis* Rozkošný & Kovac, 1994](#)
- [*Ptecticus matsumurae* Lindner, 1936\[42\]](#)
- [*Ptecticus melanurus* \(Walker, 1848\)\[43\]](#)

- [*Ptecticus mesoxanthus* Grünberg, 1915](#)
- [*Ptecticus mexicanus* James, 1982\[5\]](#)
- [*Ptecticus minimus* Rozkošný & Kovac, 1997](#)
- [*Ptecticus mirabilis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus nebulifer* James, 1941](#)
- [*Ptecticus neoaffinis* Woodley, 2001\[1\]](#)
- [*Ptecticus niger* Lindner, 1955\[44\]](#)
- [*Ptecticus nigritarsis* McFadden, 1971\[45\]](#)
- [*Ptecticus nigropygialis* Lindner, 1931](#)
- [*Ptecticus nitidipennis* Loew, 1855\[20\]](#)
- [*Ptecticus okinawae* James, 1950\[46\]](#)
- [*Ptecticus palpalis* Leal, 1977](#)
- [*Ptecticus pangmapensis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus papuanus* \(Bigot, 1879\)\[29\]](#)
- [*Ptecticus perochreus* James, 1982\[5\]](#)
- [*Ptecticus pseudospatulatus* Torres-Toro, Pujol-Luz & Wolff, 2022\[13\]](#)
- [*Ptecticus petersoni* McFadden, 1982\[5\]](#)
- [*Ptecticus petiolatus* \(Macquart, 1838\)\[47\]](#)
- [*Ptecticus philippinensis* Rozkošný & Kovac, 2003\[6\]](#)
- [*Ptecticus polyxanthus* Speiser, 1908\[48\]](#)
- [*Ptecticus posticus* \(Wiedemann, 1830\)\[49\]](#)
- [*Ptecticus proximus* Rozkošný & Kovac, 1996\[30\]](#)
- [*Ptecticus pseudohistrio* Rozkošný & Hauser, 2001\[50\]](#)
- [*Ptecticus quadrifasciatus* \(Walker, 1860\)\[51\]](#)
- [*Ptecticus remeans* \(Walker, 1859\)\[52\]](#)
- [*Ptecticus rhodesiae* James, 1952\[2\]](#)
- [*Ptecticus rogans* \(Walker, 1858\)\[21\]](#)
- [*Ptecticus rufipes* Lindner, 1939\[53\]](#)
- [*Ptecticus rufus* \(Doleschall, 1858\)\[27\]](#)
- [*Ptecticus sackenii* Williston, 1885\[54\]](#)
- [*Ptecticus sarawakensis* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus semimetallicus* Rozkošný & Hauser, 2009\[8\]](#)
- [*Ptecticus septentrionalis* McFadden, 1982\[5\]](#)
- [*Ptecticus serranus* Leal, 1977](#)
- [*Ptecticus shirakii* Nagatomi, 1975\[55\]](#)
- [*Ptecticus siamensis* Rozkošný & Kovac, 1998\[15\]](#)
- [*Ptecticus simplex* James, 1982\[5\]](#)
- [*Ptecticus sinchangensis* Ôuchi, 1938\[19\]](#)
- [*Ptecticus somereni* James, 1952\[2\]](#)
- [*Ptecticus spatulatus* McFadden, 1982\[5\]](#)
- [*Ptecticus spatuloides* Daniels, 1979\[26\]](#)
- [*Ptecticus srilankai* Rozkošný & Hauser, 2001\[50\]](#)

- [*Ptecticus subaurifer*](#) Rozkošný & Hauser, 2009[8]
- [*Ptecticus subaustralis*](#) Rozkošný & Kovac, 1998[15]
- [*Ptecticus substitutus*](#) Daniels, 1979[26]
- [*Ptecticus sumatranus*](#) Enderlein, 1914[56]
- [*Ptecticus temasekianus*](#) Rozkošný & Kovac, 2003[6]
- [*Ptecticus tenebrifer*](#) (Walker, 1849)[57]
- [*Ptecticus tenuis*](#) Schiner, 1868[12]
- [*Ptecticus terminalis*](#) James, 1938
- [*Ptecticus testaceus*](#) (Fabricius, 1805[58]
- [*Ptecticus thailandicus*](#) Rozkošný & Courtney, 2005[59]
- [*Ptecticus tricolor*](#) Wulp, 1904[60]
- [*Ptecticus trivittatus*](#) (Say, 1829)[61][62]
- [*Ptecticus violaceus*](#) Enderlein, 1914[56]
- [*Ptecticus vitalisi*](#) Brunetti, 1924[63]
- [*Ptecticus vulpianus*](#) (Enderlein, 1914)[56]
- [*Ptecticus woodleyi*](#) James, 1982[5]
- [*Ptecticus wulpji*](#) Brunetti, 1907[64]
- [*Ptecticus xanthipes*](#) Blanchard, 1938

The following species belong to [*Psylla*](#), a genus of plant-parasitic hemipterans in the family [*Psyllidae*](#).
[1][2][3]

***Psylla* species**

1. [*Psylla aceris*](#) Loginova, 1964 ^{c g}
2. [*Psylla aili*](#) Yang & Li, 1984 ^{c g}
3. [*Psylla alni*](#) (Linné, 1758) ^{c g}
4. [*Psylla alnicola*](#) Li, 1992 ^{c g}
5. [*Psylla alnifasciata*](#) Li, 2011 ^{c g}
6. [*Psylla alniformosanaesuga*](#) Lauterer, Yang & Fang, 1988 ^{c g}
7. [*Psylla alpina*](#) Foerster, 1848 ^{c g}
8. [*Psylla ancylocaula*](#) Li, 2011 ^{c g}
9. [*Psylla aranetae*](#) Miyatake, 1972 ^{c g}
10. [*Psylla arisana*](#) Kuwayama, 1908 ^{c g}
11. [*Psylla aurea*](#) Li, 2011 ^{c g}
12. [*Psylla aureicapita*](#) Li, 2011 ^{c g}
13. [*Psylla bakeri*](#) Crawford, 1919 ^{c g}
14. [*Psylla baphicacanthi*](#) Yang, 1984 ^{c g}

15. [*Psylla betulae*](#) (Linné, 1758) ^{c g}
16. [*Psylla betulaenanae*](#) Ossiannilsson, 1970 ^{c g b} (dwarf birch psyllid)
17. [*Psylla betulibetuliae*](#) Li, 2011 ^{c g}
18. [*Psylla borealis*](#) Horvath, 1908 ^{c g}
19. [*Psylla buxi*](#) (Linné, 1758) ^{c g b} (boxwood psyllid)
20. [*Psylla capricornis*](#) Li, 2005 ^{c g}
21. [*Psylla carpinicola*](#) Crawford, 1914 ^{c g b}
22. [*Psylla caudata*](#) Crawford, 1914 ^{c g}
23. [*Psylla cedrelae*](#) Kieffer, 1905 ^{c g}
24. [*Psylla chaenomelei*](#) Yang & Li, 1984 ^{c g}
25. [*Psylla changli*](#) Yang & Li, 1981 ^{c g}
26. [*Psylla chujoi*](#) Miyatake, 1982 ^{c g}
27. [*Psylla colorada*](#) Crawford, 1917 ^{c g}
28. [*Psylla compta*](#) Crawford, 1919 ^{c g}
29. [*Psylla cordata*](#) Tamanini, 1977 ^{c g}
30. [*Psylla cotoneastericola*](#) Li, 2005 ^{c g}
31. [*Psylla crenata*](#) Crawford, 1917 ^{c g}
32. [*Psylla cunashiri*](#) Konovalova, 1981 ^{c g}
33. [*Psylla curticapita*](#) Li, 2011 ^{c g}
34. [*Psylla deflua*](#) Yang, 1984 ^{c g}
35. [*Psylla dianli*](#) Yang & Li, 1984 ^{c g}
36. [*Psylla distincta*](#) Pettey, 1933 ^{c g}
37. [*Psylla eastopi*](#) Mathur, 1975 ^{c g}
38. [*Psylla eriobotryacola*](#) Yang, 1984 ^{c g}
39. [*Psylla eriobotryae*](#) Yang, 1984 ^{c g}
40. [*Psylla floccosa*](#) Patch, 1909 ^{c g b} (cottony alder psyllid)
41. [*Psylla formosana*](#) Yang, 1984 ^{c g}
42. [*Psylla fumosa*](#) Crawford, 1919 ^{c g}
43. [*Psylla fusca*](#) (Zetterstedt, 1828) ^{c g}
44. [*Psylla fuscinodulus*](#) Enderlein, 1918 ^{c g}
45. [*Psylla grata*](#) Yang, 1984 ^{c g}
46. [*Psylla hippophae*](#) Li, 2011 ^{c g}
47. [*Psylla huabeialnia*](#) Li, 2011 ^{c g}
48. [*Psylla hyalina*](#) Mathur, 1975 ^{c g}
49. [*Psylla ignescens*](#) Li & Yang, 1984 ^{c g}
50. [*Psylla ileicis*](#) Li, 2011 ^{c g}

51. [Psylla indica](#) (Yang, 1984) ^{c g}
52. [Psylla indicata](#) Yang, 1984 ^{c g}
53. [Psylla infesta](#) Yang, 1984 ^{c g}
54. [Psylla ingae](#) Tuthill, 1959 ^{c g}
55. [Psylla juiliensis](#) Yang, 1984 ^{c g}
56. [Psylla kilimandjaroensis](#) Enderlein, 1910 ^{c g}
57. [Psylla kotejai](#) Drohojowska & Klimaszewski, 2006 ^{c g}
58. [Psylla lanceolata](#) Yang, 1984 ^{c g}
59. [Psylla leprosa](#) Crawford, 1919 ^{c g}
60. [Psylla litchi](#) Giard, 1893 ^{c g}
61. [Psylla liuheica](#) Li, 2011 ^{c g}
62. [Psylla longicauda](#) Konovalova, 1986 ^{c g}
63. [Psylla longigena](#) Mathur, 1975 ^{c g}
64. [Psylla loranhi](#) Capener, 1973 ^{c g}
65. [Psylla magnifera](#) Kuwayama, 1908 ^{c g}
66. [Psylla mala](#) Yang, 1984 ^{c g}
67. [Psylla mecoura](#) Li, 2011 ^{c g}
68. [Psylla minima](#) Konovalova, 1979 ^{c g}
69. [Psylla minutiforma](#) Caldwell, 1944 ^{c g}
70. [Psylla montanica](#) Gegechkori, 1981 ^{c g}
71. [Psylla morimotoi](#) Miyatake, 1963 ^{c g}
72. [Psylla muiri](#) Crawford, 1919 ^{c g}
73. [Psylla multipunctata](#) Miyatake, 1964 ^{c g}
74. [Psylla murrayi](#) Mathur, 1975 ^{c g}
75. [Psylla neolitseae](#) Miyatake, 1981 ^{c g}
76. [Psylla nigella](#) Konovalova, 1979 ^{c g}
77. [Psylla obliqua](#) (Thomson, 1877) ^{c g}
78. [Psylla oblonga](#) Mathur, 1975 ^{c g}
79. [Psylla octomaculata](#) Konovalova, 1980 ^{c g}
80. [Psylla omogoensis](#) Miyatake, 1963 ^{c g}
81. [Psylla opulenta](#) Yang, 1984 ^{c g}
82. [Psylla pamirica](#) Baeva, 1966 ^{c g}
83. [Psylla picciconica](#) Li, 2011 ^{c g}
84. [Psylla plagiosticta](#) Li, 2011 ^{c g}
85. [Psylla praevia](#) Loginova, 1964 ^{c g}
86. [Psylla prima](#) Fang & Yang, 1986 ^g

87. [*Psylla pulla*](#) Yang, 1984 ^{c g}
88. [*Psylla quianli*](#) Yang & Li, 1984 ^{c g}
89. [*Psylla ribicola*](#) Loginova, 1964 ^{c g}
90. [*Psylla rigida*](#) Yang, 1984 ^{c g}
91. [*Psylla rubescens*](#) Li & Yang, 1984 ^{c g}
92. [*Psylla sanguinea*](#) (Provancher, 1872) ^{c g b}
93. [*Psylla santali*](#) Mathur, 1975 ^{c g}
94. [*Psylla sarcospermae*](#) (Li, 2011) ^{c g}
95. [*Psylla sibirica*](#) Loginova, 1966 ^{c g}
96. [*Psylla simaoli*](#) Yang & Li, 1984 ^{c g}
97. [*Psylla simlae*](#) Crawford, 1912 ^{c g}
98. [*Psylla spadica*](#) Kuwayama, 1908 ^{c g}
99. [*Psylla stranvaesia*](#) Yang, 1984 ^{c g}
100. [*Psylla sulcata*](#) Mathur, 1973 ^{c g}
101. [*Psylla tayulinensis*](#) Yang, 1984 ^{c g}
102. [*Psylla tetrapanaxae*](#) Yang, 1984 ^{c g}
103. [*Psylla torrida*](#) Crawford, 1914 ^{c g}
104. [*Psylla unica*](#) Bajeva, 1978 ^{c g}
105. [*Psylla viciifoliae*](#) Yang & Li, 1984 ^{c g}
106. [*Psylla viridescens*](#) (Provancher, 1872) ^{c g b}
107. [*Psylla vulpis*](#) Loginova, 1964 ^{c g}
108. [*Psylla winkleri*](#) Rübsaamen, 1910 ^{c g}
109. [*Psylla yasumatsui*](#) Miyatake, 1963 ^{c g}
110. [*Psylla yunli*](#) Yang & Li, 1984 ^{c g}
111. [*Psylla ziozankeana*](#) Kuwayama, 1908 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

These 392 species belong to [*Psychoda*](#), a genus of moth flies in the family [*Psychodidae*](#).^{[1][2][3][4]}

***Psychoda* species**

- [*Psychoda aberrans*](#) Tonnoir, 1922
- [*Psychoda ablucens*](#) Quate & Quate, 1967
- [*Psychoda absidata*](#) Quate & Quate, 1967
- [*Psychoda acanthostyla*](#) Tokunaga, 1957
- [*Psychoda aculeata*](#) Quate, 1996

- [*Psychoda acuta* Tonnoir, 1939](#)
- [*Psychoda acutilamina* Quate, 1959](#)
- [*Psychoda acutipennis* Tonnoir, 1920](#)
- [*Psychoda aderces* Quate, 1962](#)
- [*Psychoda adumbrata* Satchell, 1953](#)
- [*Psychoda adunca* Wagner & Andersen, 2007](#)
- [*Psychoda adyscheres* Quate, 1959](#)
- [*Psychoda aitkeni* Quate, 1959](#)
- [*Psychoda alabangensis* Del Rosario, 1936](#)
- [*Psychoda albescens* Quate & Quate, 1967](#)
- [*Psychoda albida* Tonnoir, 1939](#)
- [*Psychoda albidonigra* Tonnoir, 1939](#)
- [*Psychoda albipennis* Zetterstedt, 1850](#)
- [*Psychoda albopicta* Brunetti, 1911](#)
- [*Psychoda alia* Quate, 1962](#)
- [*Psychoda allodapa* Quate, 1959](#)
- [*Psychoda alternata* Williston, 1824](#)
- [*Psychoda alternicula* Quate, 1955](#)
- [*Psychoda alticola* Vaillant, 1973](#)
- [*Psychoda alveata* Quate & Quate, 1967](#)
- [*Psychoda amazonensis* Cordeiro, 2008](#)
- [*Psychoda amphorica* Tonnoir, 1939](#)
- [*Psychoda angustisternata* Satchell, 1955](#)
- [*Psychoda annectans* Quate & Quate, 1967](#)
- [*Psychoda apennata* Satchell, 1953](#)
- [*Psychoda aponesos* Quate, 1959](#)
- [*Psychoda apparitia* Quate, 1996](#)
- [*Psychoda arcuata* Satchell, 1953](#)
- [*Psychoda armillariphila* Vaillant, 1988](#)
- [*Psychoda articaula* Quate, 1996](#)
- [*Psychoda articuliga* Quate, 1965](#)
- [*Psychoda atlantica* Cordeiro, Bravo & Carvalho, 2011](#)
- [*Psychoda bahiensis* Cordeiro, Bravo & Carvalho, 2011](#)
- [*Psychoda balaenica* Quate, 1996](#)
- [*Psychoda barbigera* Quate & Quate, 1967](#)
- [*Psychoda bicordata* Quate, 1996](#)
- [*Psychoda bidigitalis* Quate, 1965](#)
- [*Psychoda bifurcata* Tokunaga, 1958](#)
- [*Psychoda bilobata* Tonnoir, 1939](#)
- [*Psychoda biretinaculata* Wagner, 1978](#)
- [*Psychoda bisacula* Quate, 1996](#)
- [*Psychoda bitrunculens* Quate & Quate, 1967](#)

- [*Psychoda blandita*](#) Quate & Quate, 1967
- [*Psychoda bogotensis*](#) Wagner & Joost, 1994
- [*Psychoda bojata*](#) Quate & Quate, 1967
- [*Psychoda brachyptera*](#) Quate, 1964
- [*Psychoda brassi*](#) Quate & Quate, 1967
- [*Psychoda brevicerca*](#) Huang & Chen, 1992
- [*Psychoda brevicornis*](#) Tonnoir, 1940
- [*Psychoda bulbosa*](#) (Ježek & Harten, 2006)
- [*Psychoda buxoides*](#) Quate, 1996
- [*Psychoda buxtoni*](#) Withers, 1988
- [*Psychoda byblis*](#) Quate, 1962
- [*Psychoda calceata*](#) Meigen, 1818
- [*Psychoda calva*](#) Satchell, 1955
- [*Psychoda campbellica*](#) Quate, 1964
- [*Psychoda canalis*](#) Quate, 1999
- [*Psychoda canlaones*](#) Quate, 1965
- [*Psychoda capitipenis*](#) Ibáñez-Bernal, 1991
- [*Psychoda caudata*](#) Quate, 1962
- [*Psychoda celebris*](#) Quate, 1962
- [*Psychoda cetreta*](#) Quate & Quate, 1967
- [*Psychoda cicii*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda cinerea*](#) Banks, 1894
- [*Psychoda cochlearia*](#) Satchell, 1950
- [*Psychoda collina*](#) Quate, 1965
- [*Psychoda complexa*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda concavula*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda concinna*](#) Quate & Quate, 1967
- [*Psychoda congruens*](#) Satchell, 1955
- [*Psychoda consobrina*](#) Satchell, 1955
- [*Psychoda contigua*](#) Quate, 1966
- [*Psychoda contortula*](#) Satchell, 1955
- [*Psychoda cordiforma*](#) Quate, 1996
- [*Psychoda crassipenis*](#) Tonnoir, 1940
- [*Psychoda crenula*](#) Quate, 1962
- [*Psychoda cristata*](#) Duckhouse, 1966
- [*Psychoda cristula*](#) Quate, 1965
- [*Psychoda cultella*](#) Salmela, Kvifte & More, 2012
- [*Psychoda cylindrica*](#) Wagner, 1989
- [*Psychoda dantilandensis*](#) Bravo, Cordeiro & Chagas, 2006
- [*Psychoda debilis*](#) Quate & Quate, 1967
- [*Psychoda degenera*](#) Walker, 1848
- [*Psychoda delicata*](#) Quate, 1965

- [*Psychoda dennesi*](#) Satchell, 1953
- [*Psychoda dentata*](#) Tonnoir, 1939
- [*Psychoda despicata*](#) Wagner, 1978
- [*Psychoda deviata*](#) Tonnoir, 1939
- [*Psychoda dewulfi*](#) Satchell, 1955
- [*Psychoda disacca*](#) Duckhouse, 1966
- [*Psychoda dissidens*](#) Quate & Quate, 1967
- [*Psychoda divaricata*](#) Duckhouse, 1968
- [*Psychoda dolomitica*](#) Salamanna & Sarà, 1980
- [*Psychoda domestica*](#) Haseman, 1908
- [*Psychoda duaspica*](#) Quate & Quate, 1967
- [*Psychoda duplilamnata*](#) Tokunaga, 1957
- [*Psychoda echinata*](#) Quate & Quate, 1967
- [*Psychoda efflatouni*](#) Tonnoir, 1922
- [*Psychoda elegans*](#) Kincaid, 1897
- [*Psychoda entolopha*](#) Quate, 1996
- [*Psychoda eremita*](#) Quate, 1964
- [*Psychoda erminea*](#) Eaton, 1893
- [*Psychoda erratilis*](#) Quate & Quate, 1967
- [*Psychoda esakii*](#) Tokunaga, 1958
- [*Psychoda esfahanica*](#) (Ježek, 1990)
- [*Psychoda euboana*](#) Vaillant, 1988
- [*Psychoda exigua*](#) Quate & Quate, 1967
- [*Psychoda exilis*](#) Quate & Quate, 1967
- [*Psychoda fasciata*](#) Quate, 1965
- [*Psychoda felina*](#) Quate, 1965
- [*Psychoda filipenis*](#) Satchell, 1955
- [*Psychoda fimbriatissima*](#) Blanchard, 1852
- [*Psychoda flagellata*](#) Quate, 1996
- [*Psychoda flava*](#) Edwards, 1927
- [*Psychoda flexichela*](#) Quate, 1965
- [*Psychoda flexistyla*](#) Satchell, 1955
- [*Psychoda floropsis*](#) Quate & Quate, 1967
- [*Psychoda floscula*](#) Quate, 1962
- [*Psychoda formosa*](#) Satchell, 1954
- [*Psychoda formosana*](#) Tokunaga, 1957
- [*Psychoda formosensis*](#) Tokunaga, 1957
- [*Psychoda formosiensis*](#) Tokunaga, 1957
- [*Psychoda frivola*](#) Quate, 1965
- [*Psychoda fucastra*](#) Quate, 1962
- [*Psychoda fucosa*](#) Quate, 1962
- [*Psychoda fulvohirta*](#) Brunetti, 1911

- [*Psychoda fumetaria*](#) Vaillant, 1988
- [*Psychoda fungicola*](#) Tokunaga, 1953
- [*Psychoda furcillata*](#) Quate & Quate, 1967
- [*Psychoda fusticola*](#) Quate, 1965
- [*Psychoda gehrkeae*](#) Quate, 1959
- [*Psychoda gemella*](#) Quate & Quate, 1967
- [*Psychoda gemina*](#) (Eaton, 1904)
- [*Psychoda geniculata*](#) Brunetti, 1911
- [*Psychoda gilvipes*](#) Brunetti, 1908
- [*Psychoda glamocensis*](#) Wagner, 2020
- [*Psychoda gracicaulis*](#) Quate & Quate, 1967
- [*Psychoda gracilipenis*](#) Duckhouse, 1966
- [*Psychoda gressitti*](#) Quate, 1959
- [*Psychoda griseescens*](#) Tonnoir, 1922
- [*Psychoda guamensis*](#) Quate, 1959
- [*Psychoda hamatospicula*](#) Satchell, 1955
- [*Psychoda harrisi*](#) Satchell, 1950
- [*Psychoda hastata*](#) Quate & Quate, 1967
- [*Psychoda helotes*](#) Quate, 1962
- [*Psychoda hemicorcula*](#) Quate, 1959
- [*Psychoda hespera*](#) Quate, 1959
- [*Psychoda hirsutaria*](#) Audinet-Serville, 1828
- [*Psychoda inaequalis*](#) Satchell, 1950
- [*Psychoda incompta*](#) Quate, 1996
- [*Psychoda indica*](#) Vaillant, 1965
- [*Psychoda innotabilis*](#) Quate, 1962
- [*Psychoda inornata*](#) Grimshaw, 1901
- [*Psychoda itoco*](#) Tokunaga & Komyo, 1955
- [*Psychoda ituberanensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda iucunda*](#) Wagner, Andrade & Gonsalves, 2022
- [*Psychoda jezeki*](#) Withers, 1988
- [*Psychoda johnsoni*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda jucunda*](#) Quate, 1962
- [*Psychoda juliae*](#) Wagner & Masteller, 1996
- [*Psychoda kalabanica*](#) Quate, 1962
- [*Psychoda kea*](#) Quate, 1962
- [*Psychoda khoralkhwaiensis*](#) (Ježek & Harten, 2006)
- [*Psychoda kishorei*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda lamina*](#) Quate & Quate, 1967
- [*Psychoda laticaula*](#) Quate, 1996
- [*Psychoda laticeps*](#) Quate, 1996
- [*Psychoda latipennis*](#) Tonnoir, 1939

- [*Psychoda latisternata*](#) Tonnoir, 1939
- [*Psychoda lativentris*](#) Berdén, 1952
- [*Psychoda lebanica*](#) Vaillant & Moubayed
- [*Psychoda limicola*](#) Vaillant, 1973
- [*Psychoda litotes*](#) Quate, 1996
- [*Psychoda lloydi*](#) Satchell, 1950
- [*Psychoda lobata*](#) Tonnoir, 1940
- [*Psychoda longifringa*](#) Haseman, 1907
- [*Psychoda longiseta*](#) Tokunaga & Komyo, 1955
- [*Psychoda longivirga*](#) Huang & Chen, 1992
- [*Psychoda lucubrans*](#) Quate, 1959
- [*Psychoda lusca*](#) Quate, 1965
- [*Psychoda lusitanica*](#) Vaillant & Terra, 1987
- [*Psychoda lutea*](#) Quate, 1962
- [*Psychoda luzonica*](#) Quate, 1965
- [*Psychoda macispina*](#) Quate & Quate, 1967
- [*Psychoda maculipennis*](#) Brunetti, 1911
- [*Psychoda magna*](#) Vaillant, 1965
- [*Psychoda magnipalpus*](#) Quate, 1960
- [*Psychoda makati*](#) Del Rosario, 1936
- [*Psychoda malayica*](#) Quate, 1962
- [*Psychoda malickyi*](#) Vaillant, 1988
- [*Psychoda malleola*](#) Tokunaga & Komyo, 1955
- [*Psychoda malleopenis*](#) Satchell, 1953
- [*Psychoda manaliensis*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda martini*](#) Hogue, 1970
- [*Psychoda masatierrensis*](#) Satchell, 1952
- [*Psychoda matogrossensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda maxima*](#) Tonnoir, 1939
- [*Psychoda mediocris*](#) Quate, 1959
- [*Psychoda megale*](#) Quate, 1957
- [*Psychoda meyi*](#) Wagner, 2003
- [*Psychoda mimica*](#) Quate, 1996
- [*Psychoda minuta*](#) Banks, 1894
- [*Psychoda mirabilis*](#) Quate & Quate, 1967
- [*Psychoda miyatakei*](#) Tokunaga, 1958
- [*Psychoda modesta*](#) Tonnoir, 1939
- [*Psychoda moleva*](#) Quate, 1965
- [*Psychoda montana*](#) Wagner, 2000
- [*Psychoda monticola*](#) Quate & Quate, 1967
- [*Psychoda moravica*](#) Vaillant, 1966
- [*Psychoda morogorica*](#) Wagner & Andersen, 2007

- [*Psychoda motoharui*](#) Tokunaga & Komyo, 1955
- [*Psychoda mundula*](#) Duckhouse, 1966
- [*Psychoda musae*](#) Del Rosario, 1936
- [*Psychoda muscicola*](#) Vaillant, 1963
- [*Psychoda mycophila*](#) Vaillant, 1988
- [*Psychoda neoformosana*](#) Duckhouse, 1966
- [*Psychoda nigripennis*](#) Brunetti, 1908
- [*Psychoda nigriventris*](#) Tokunaga, 1958
- [*Psychoda nikhilii*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda nilgiriensis*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda nolana*](#) Quate & Quate, 1967
- [*Psychoda notatipennis*](#) Brunetti, 1913
- [*Psychoda novaezealandica*](#) Satchell, 1950
- [*Psychoda nugatrix*](#) Báez & Vaillant, 1991
- [*Psychoda nya*](#) Quate, 1962
- [*Psychoda obeliske*](#) Quate, 1996
- [*Psychoda obscuripennis*](#) (Ježek & Harten, 2006)
- [*Psychoda occulta*](#) Quate & Quate, 1967
- [*Psychoda ocellata*](#) Quate, 1962
- [*Psychoda ochra*](#) Quate, 1959
- [*Psychoda oculifera*](#) Quate & Quate, 1967
- [*Psychoda orbicularis*](#) Brunetti, 1911
- [*Psychoda orientalis*](#) Wagner, 1978
- [*Psychoda pacilens*](#) Quate & Quate, 1967
- [*Psychoda pala*](#) Quate & Quate, 1967
- [*Psychoda panajiensis*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda paraderces*](#) Quate, 1962
- [*Psychoda paraguadens*](#) Quate & Quate, 1967
- [*Psychoda paraloba*](#) Quate & Quate, 1967
- [*Psychoda paranaensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda parsivena*](#) Quate, 1959
- [*Psychoda parthenogenetica*](#) Tonnoir, 1940
- [*Psychoda pedunculata*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda pellucida*](#) Quate, 1962
- [*Psychoda penicillata*](#) Satchell, 1950
- [*Psychoda pentagona*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda perlonga*](#) Satchell, 1955
- [*Psychoda phalaenoides*](#) (Linnaeus, 1758)
- [*Psychoda phalanga*](#) Quate, 1965
- [*Psychoda phratra*](#) Quate, 1996
- [*Psychoda pinguicula*](#) Quate & Quate, 1967
- [*Psychoda pitilla*](#) Quate, 1996

- [*Psychoda plaesia*](#) Quate, 1959
- [*Psychoda platalea*](#) Quate, 1965
- [*Psychoda platilobata*](#) Tokunaga, 1957
- [*Psychoda plumbea*](#) Ibáñez-Bernal, 1991
- [*Psychoda plumosa*](#) Tonnoir, 1939
- [*Psychoda plutea*](#) Quate & Quate, 1967
- [*Psychoda pontina*](#) Sarà, 1953
- [*Psychoda prolarta*](#) Quate, 1965
- [*Psychoda pseudalternata*](#) Williams, 1946
- [*Psychoda pseudalternicula*](#) Salamanna, 1975
- [*Psychoda pseudoalbipennis*](#) Santos Abreu, 1930
- [*Psychoda pseudobrevicornis*](#) Tokunaga, 1957
- [*Psychoda pseudocanescens*](#) Santos Abreu, 1930
- [*Psychoda pseudocompar*](#) Tonnoir, 1929
- [*Psychoda pseudomaxima*](#) Tonnoir, 1939
- [*Psychoda pseudominuta*](#) Wagner, 1978
- [*Psychoda psilotes*](#) Quate, 1996
- [*Psychoda puertoricana*](#) Wagner & Masteller, 1996
- [*Psychoda pulchrima*](#) Satchell, 1954
- [*Psychoda pusilla*](#) Tonnoir, 1922
- [*Psychoda quadrata*](#) Quate & Quate, 1967
- [*Psychoda quadricornis*](#) Quate & Quate, 1967
- [*Psychoda quadrifilis*](#) Edwards, 1928
- [*Psychoda quadrilosa*](#) Quate & Quate, 1967
- [*Psychoda quadropsis*](#) Quate & Quate, 1967
- [*Psychoda quasisetigera*](#) Ibáñez-Bernal, 2008
- [*Psychoda quatei*](#) Sarà & Salamanna, 1967
- [*Psychoda quiniversa*](#) Quate, 1996
- [*Psychoda reducta*](#) Tonnoir, 1939
- [*Psychoda reevesi*](#) Quate, 2000
- [*Psychoda remata*](#) Quate & Quate, 1967
- [*Psychoda rhinocera*](#) Quate & Quate, 1967
- [*Psychoda rhipsalis*](#) Quate & Quate, 1967
- [*Psychoda rhis*](#) Quate, 1996
- [*Psychoda rosetta*](#) Quate & Quate, 1967
- [*Psychoda rujumensis*](#) (Ježek & Harten, 2006)
- [*Psychoda saites*](#) Quate, 1965
- [*Psychoda salicornia*](#) Quate, 1954
- [*Psychoda sanctijohani*](#) Ipe, Ipe & Kishore, 1986
- [*Psychoda sanfilippoi*](#) Salamanna, 1980
- [*Psychoda sarcophila*](#) Vaillant, 1988
- [*Psychoda satchelli*](#) Quate, 1955

- [*Psychoda savaiiensis*](#) Edwards, 1928
- [*Psychoda scotina*](#) Quate, 1959
- [*Psychoda scuticopenis*](#) Satchell, 1955
- [*Psychoda sectiga*](#) Quate & Quate, 1967
- [*Psychoda selangoriana*](#) Satchell, 1958
- [*Psychoda semberiaca*](#) Krek, 1980
- [*Psychoda semberica*](#) Krek, 1979
- [*Psychoda seorsa*](#) Quate, 1966
- [*Psychoda serpentina*](#) Quate, 1965
- [*Psychoda serrana*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda serraorobonensis*](#) Bravo, Cordeiro & Chagas, 2006
- [*Psychoda serrata*](#) Wagner, 1989
- [*Psychoda setigera*](#) Tonnoir, 1922
- [*Psychoda setistyla*](#) Satchell, 1950
- [*Psychoda severini*](#) Tonnoir, 1922
- [*Psychoda sibilica*](#) Quate & Quate, 1967
- [*Psychoda sigma*](#) Kincaid, 1899
- [*Psychoda silvensis*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda simillima*](#) Tonnoir, 1929
- [*Psychoda simplex*](#) Satchell, 1954
- [*Psychoda sinuosa*](#) Wagner, 1978
- [*Psychoda solangensis*](#) Kaul, 1971
- [*Psychoda solitaria*](#) Eaton, 1913
- [*Psychoda solivaga*](#) Duckhouse, 1971
- [*Psychoda spectabilis*](#) Quate & Quate, 1967
- [*Psychoda speculata*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda sphelata*](#) Quate & Quate, 1967
- [*Psychoda spicula*](#) Quate & Quate, 1967
- [*Psychoda spinacia*](#) Quate & Quate, 1967
- [*Psychoda spinipelata*](#) Quate & Quate, 1967
- [*Psychoda spondea*](#) Quate, 1996
- [*Psychoda squamata*](#) Satchell, 1953
- [*Psychoda squamipleuris*](#) Satchell, 1953
- [*Psychoda squamulata*](#) Satchell, 1950
- [*Psychoda stenostypis*](#) Quate, 1996
- [*Psychoda subinflata*](#) Satchell, 1955
- [*Psychoda subpennata*](#) Satchell, 1953
- [*Psychoda subquadrilobata*](#) Tokunaga, 1957
- [*Psychoda surcoufi*](#) Tonnoir, 1922
- [*Psychoda symmetrica*](#) Vaillant, 1973
- [*Psychoda talamanca*](#) Quate, 1996
- [*Psychoda terlinoculata*](#) Quate, 1965

- [*Psychoda terskolina*](#) Vaillant & Joost, 1983
- [*Psychoda thrinax*](#) Quate, 1955
- [*Psychoda tiencensis*](#) Wagner, 2003
- [*Psychoda torquata*](#) Quate, 1962
- [*Psychoda tothastica*](#) Quate, 1955
- [*Psychoda transversa*](#) Brunetti, 1911
- [*Psychoda triaciculata*](#) Satchell, 1950
- [*Psychoda tridens*](#) Satchell, 1954
- [*Psychoda tridentata*](#) Sarà & Salamanna, 1967
- [*Psychoda trifida*](#) Wagner, 1979
- [*Psychoda trilobata*](#) Tokunaga, 1958
- [*Psychoda trilobatula*](#) Cordeiro, Bravo & Carvalho, 2011
- [*Psychoda trinodulosa*](#) Tonnoir, 1922
- [*Psychoda truncata*](#) Satchell, 1953
- [*Psychoda trunculens*](#) Quate, 1965
- [*Psychoda tumorosa*](#) Quate & Quate, 1967
- [*Psychoda turgida*](#) Quate, 1965
- [*Psychoda umbracula*](#) Quate, 1955
- [*Psychoda umbratica*](#) Quate, 1965
- [*Psychoda uncinula*](#) Quate, 1954
- [*Psychoda undulata*](#) Tonnoir, 1939
- [*Psychoda unicinula*](#) Quate
- [*Psychoda uniformata*](#) Haseman, 1907
- [*Psychoda unioculata*](#) Quate, 1965
- [*Psychoda vagabunda*](#) Quate, 1962
- [*Psychoda vaillanti*](#) Sarà & Salamanna, 1967
- [*Psychoda vanga*](#) Quate, 1962
- [*Psychoda varablanca*](#) Quate, 1996
- [*Psychoda velita*](#) Ibáñez-Bernal, 1993
- [*Psychoda verrucosa*](#) (Ježek & Harten, 2006)
- [*Psychoda vesca*](#) Quate & Quate, 1967
- [*Psychoda villosa*](#) Salamanna & Raggio, 1985
- [*Psychoda virgo*](#) Vaillant, 1988
- [*Psychoda vittata*](#) Brunetti, 1908
- [*Psychoda wattsi*](#) Duckhouse, 1966
- [*Psychoda williamsi*](#) Quate, 1954
- [*Psychoda wilsoni*](#) Quate & Quate, 1967
- [*Psychoda wirthi*](#) Quate, 1954
- [*Psychoda yama*](#) Quate, 1966
- [*Psychoda yapensis*](#) Quate, 1959
- [*Psychoda ypsylon*](#) Satchell, 1953
- [*Psychoda zetoscota*](#) Quate, 1959

- [*Psychoda zetterstedti*](#) (Ježek, 1983)
- [*Psychoda zigzagensis*](#) Del Rosario, 1936
- [*Psychoda zonata*](#) Satchell, 1950
- † [*Psychoda bulbifera*](#) Meunier, 1899
- † [*Psychoda eocenica*](#) Meunier, 1905
- † [*Psychoda oxyptera*](#) Loew, 1850
- † [*Psychoda rusti*](#) Stebner & Solórzano-Kraemer, 2014
- † [*Psychoda tzotzili*](#) Stebner & Solórzano-Kraemer, 2014
- † [*Psychoda usitata*](#) Quate, 1963

References

1.
 - ["Psychoda"](#). GBIF. Retrieved 2024-01-12.
 - ["Psychoda genus Information"](#). BugGuide.net. Retrieved 2024-01-12.
 - ["Psychoda Latreille, 1796"](#). Catalogue of Life. Retrieved 2024-01-12.
 -
4. ["Psychoda Report"](#). Integrated Taxonomic Information System. Retrieved 2024-01-12.

Categories:

- [Psychodidae](#)
- [Lists of insect species](#)
-

This is a list of 32 species in [Pseudopanurgus](#), a subgenus of mining bees in the family [Andrenidae](#).^{[1][2][3][4]}

Pseudopanurgus species

- [Protandrena aethiops](#) Linnaeus, 1758 ^{i c g b}
- [Protandrena cameroni](#) (Baker, 1906) ^{i c g}
- [Protandrena cazieri](#) Timberlake, 1973 ^{i c g}
- [Protandrena compacta](#) Timberlake, 1973 ^{i c g}
- [Protandrena crenulata](#) (Cockerell, 1905) ^{i c g}
- [Protandrena dicksoni](#) Timberlake, 1967 ^{i c g}
- [Protandrena fratercula](#) (Cockerell, 1896) ^{i c g b}
- [Protandrena fuliginosa](#) Timberlake, 1973 ^{i c g}
- [Protandrena fulvicornis](#) Timberlake, 1973 ^{i c g}

- [*Protandrena fuscicornis*](#) Timberlake, 1973^{i c g}
- [*Protandrena mexicana*](#) (Cresson, 1878)^{i c g}
- [*Protandrena opacella*](#) (Cockerell, 1949)^{i c g}
- [*Protandrena pectidella*](#) Cockerell, 1904^{i c g}
- [*Protandrena pectiphila*](#) (Cockerell, 1913)^{i c g}
- [*Protandrena perarmata*](#) Timberlake, 1967^{i c g}
- [*Protandrena perpunctata*](#) Timberlake, 1973^{i c g}
- [*Protandrena rufosignata*](#) Cockerell, 1949^{i c g}
- [*Protandrena rugosa*](#) (Robertson, 1895)^{i c}
- [*Protandrena scaber*](#) (Fox, 1894)^{i c g}
- [*Protandrena semilevis*](#) Timberlake, 1973^{i c g}
- [*Protandrena subrugosa*](#) Timberlake, 1973^{i c g}
- [*Protandrena tomentosa*](#) Timberlake, 1973^{i c g}
- [*Protandrena townsendi*](#) (Cockerell, 1897)^{i c}
- [*Protandrena tridecis*](#) (Timberlake, 1975)^{i c g}
- [*Protandrena trifasciata*](#) Timberlake, 1973^{i c g}
- [*Protandrena trimaculata*](#) Timberlake, 1973^{i c g}
- [*Protandrena tripogandrae*](#) (Timberlake, 1975)^{i c g}
- [*Protandrena tuberala*](#) Timberlake, 1973^{i c g}
- [*Protandrena velutina*](#) Timberlake, 1973^{i c g}
- [*Protandrena ventralis*](#) (Timberlake, 1975)^{i c g}
- [*Protandrena verticalis*](#) Timberlake, 1967^{i c g}
- [*Protandrena virginica*](#) (Cockerell, 1907)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[5]

Formerly treated as *Pseudopanurgus*

Transferred to *Protandrena* (*Anthemurgus*)

- [*Protandrena passiflorae*](#) (Robertson, 1902)^{i c g}

Transferred to *Protandrena* (*Heterosarus*)

- [*Protandrena adjuncta*](#) Timberlake, 1975^{i c}
- [*Protandrena amplipennis*](#) Timberlake, 1975)^{i c}
- [*Protandrena arctiventris*](#) Timberlake, 1975^{i c g}
- [*Protandrena aristata*](#) Timberlake, 1975^{i c g}
- [*Protandrena asperata*](#) Timberlake, 1975^{i c g}

- [*Protandrena bakeri*](#) Cockerell, 1896 ^{i c g}
- [*Protandrena brevis*](#) Timberlake, 1975 ^{i c g}
- [*Protandrena chemsaki*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena clypeata*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena congener*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena consors*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena creper*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena dakotensis*](#) (Timberlake, 1977) ^{i c g}
- [*Protandrena dawsoni*](#) Timberlake, 1964 ^{i c g}
- [*Protandrena diparilis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena dreisbachi*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena elongata*](#) (Friese, 1917) ^{i c g}
- [*Protandrena eurycephala*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena flavotincta*](#) (Cockerell, 1898) ^{i c g}
- [*Protandrena fuscitarsis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena globiceps*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena gracilis*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena humilis*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena illinoiensis*](#) (Cresson, 1878) ^{i c g}
- [*Protandrena inornata*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena levis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena leviventris*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena lopeziae*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena lugubris*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena margaritensis*](#) (Fox, 1893) ^{i c g}
- [*Protandrena munda*](#) (Timberlake, 1975) ^{i c}
- [*Protandrena nanula*](#) Timberlake, 1964 ^{i c g}
- [*Protandrena neomexicana*](#) (Cockerell, 1898) ^{i c g}
- [*Protandrena nitens*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena opacula*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena parva*](#) (Robertson, 1892) ^{i c g b}
- [*Protandrena parvula*](#) (Friese, 1917) ^{i c g}
- [*Protandrena pauper*](#) (Cresson, 1878) ^{i c g}
- [*Protandrena pernitens*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena platycephala*](#) (Ruz, 1990) ^{i c g}
- [*Protandrena pleuralis*](#) (Timberlake, 1975) ^{i c g}

- [*Protandrena pulchricornis*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena readioi*](#) (Michener, 1952) ^{i c g}
- [*Protandrena sculleni*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena setigera*](#) (Timberlake, 1977) ^{i c g}
- [*Protandrena subglaber*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena sublevis*](#) (Timberlake, 1975) ^{i c g}
- [*Protandrena subopaca*](#) Timberlake, 1964 ^{i c g}
- [*Protandrena succincta*](#) (Timberlake, 1975) ^{i c g}

Transferred to *Protandrena (Pterosarus)*

- [*Protandrena aestivalis*](#) Provancher, 1882 ^{i c g}
- [*Protandrena albitarsis*](#) Zetterstedt, 1838 ^{i c g b}
- [*Protandrena altissima*](#) Cockerell, 1922) ^{i c g}
- [*Protandrena andrenoides*](#) Spinola, 1808 ^{i c g b}
- [*Protandrena atricornis*](#) Grote, 1874 ^{i c g b}
- [*Protandrena aurifodinae*](#) Michener, 1937 ^{i c g}
- [*Protandrena barberi*](#) Cockerell, 1899 ^{i c}
- [*Protandrena bidentis*](#) Cockerell, 1896 ^{i c g}
- [*Protandrena boylei*](#) Cockerell, 1896 ^{i c g}
- [*Protandrena californica*](#) Cresson, 1878 ^{i c g}
- [*Protandrena citrinifrons*](#) (Viereck, 1903) ^{i c g}
- [*Protandrena citripes*](#) (Ashmead, 1890) ^{i c g}
- [*Protandrena compositarum*](#) (Robertson, 1893) ^{i c g b}
- [*Protandrena concinna*](#) (Fox, 1894) ^{i c g}
- [*Protandrena didirupa*](#) (Cockerell, 1908) ^{i c g}
- [*Protandrena expallida*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena friesei*](#) Timberlake, 1973 ^{i c g}
- [*Protandrena helianthi*](#) Mitchell, 1960 ^{i c g}
- [*Protandrena horizontalis*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena illustris*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena innupta*](#) (Cockerell, 1896) ^{i c g}
- [*Protandrena irregularis*](#) (Cockerell, 1922) ^{i c g}
- [*Protandrena labrosa*](#) (Robertson, 1895) ^{i c g}
- [*Protandrena labrosiformis*](#) (Robertson, 1898) ^{i c g}
- [*Protandrena leucoptera*](#) (Cockerell, 1923) ^{i c g}
- [*Protandrena nitescens*](#) (Cockerell, 1918) ^{i c g}

- [*Protandrena nubis*](#) (Cockerell, 1913) ^{i c g}
- [*Protandrena occidua*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena ornatipes*](#) (Cresson, 1872) ^{i c g}
- [*Protandrena pecki*](#) (Cockerell, 1937) ^{i c g}
- [*Protandrena perlaevis*](#) (Cockerell, 1896) ^{i c g}
- [*Protandrena piercei*](#) (Crawford, 1903) ^{i c g}
- [*Protandrena planata*](#) (Cockerell, 1918) ^{i c g}
- [*Protandrena porterae*](#) (Cockerell, 1900) ^{i c}
- [*Protandrena renimaculata*](#) (Cockerell, 1896) ^{i c g}
- [*Protandrena rudbeckiae*](#) (Robertson, 1895) ^{i c}
- [*Protandrena simulans*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena solidaginis*](#) (Robertson, 1893) ^{i c g}
- [*Protandrena stathamae*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena stigmalis*](#) (Swenk & Cockerell, 1907) ^{i c g}
- [*Protandrena vicina*](#) Timberlake, 1967 ^{i c g}
- [*Protandrena ximenesiae*](#) (Cockerell, 1913) ^{i c g}
- [*Protandrena zamoranica*](#) (Cockerell, 1949) ^{i c g}

This is a list of species in [*Pseudobaris*](#), a genus of flower weevils in the family [Curculionidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)
[\[4\]](#)

***Pseudobaris* species**

- [*Pseudobaris abrupta*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris acutipennis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris angusta*](#) (LeConte, 1868) ^{i c b}
- [*Pseudobaris angustula*](#) LeConte, J.L., 1876 ^c
- [*Pseudobaris anthracina*](#) Casey, T.L., 1892 ^c
- [*Pseudobaris apicalis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris atitlana*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris biguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris binotata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris biolleyi*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris boliviana*](#) Hustache, A., 1924 ^c

- [*Pseudobaris brevior*](#) Casey, 1920 ^{i c}
- [*Pseudobaris caelata*](#) Casey, 1892 ^{i c}
- [*Pseudobaris californica*](#) Casey, 1920 ^{i c}
- [*Pseudobaris callosipennis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris carinipectus*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris carolinae*](#) Casey, 1920 ^{i c}
- [*Pseudobaris conica*](#) Hustache, 1951 ^c
- [*Pseudobaris connectans*](#) Blatchley, 1920 ^{i c}
- [*Pseudobaris corvina*](#) (Kirsch, T., 1875) ^c
- [*Pseudobaris costaricensis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris costirostris*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris cribripennis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris cuprea*](#) Hustache, 1951 ^c
- [*Pseudobaris curvipes*](#) Hustache, 1951 ^c
- [*Pseudobaris cylindricollis*](#) Casey, 1922 ^c
- [*Pseudobaris dentipes*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris discreta*](#) Casey, 1892 ^{i c}
- [*Pseudobaris disparilis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris diversa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris dividua*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris farcta*](#) (LeConte, 1868) ^{i c b}
- [*Pseudobaris fasciculata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris fausta*](#) Casey, 1892 ^{i c}
- [*Pseudobaris femoralis*](#) Hustache, 1951 ^c
- [*Pseudobaris fraterculus*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris gibbicollis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris gibbirostris*](#) Casey, 1920 ^{i c}
- [*Pseudobaris gigantea*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris glabripennis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris grandis*](#) Hustache, 1951 ^c
- [*Pseudobaris guttifer*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris ibaguena*](#) Hustache, 1951 ^c
- [*Pseudobaris illini*](#) Casey, 1920 ^{i c}
- [*Pseudobaris irregularis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris kansana*](#) Casey, 1920 ^{i c}
- [*Pseudobaris kirschi*](#) Hustache, 1951 ^c

- [*Pseudobaris leucostigma*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris levettei*](#) Casey, 1920 ^{i c}
- [*Pseudobaris longicollis*](#) Hustache, 1951 ^c
- [*Pseudobaris lucens*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris lucida*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris luctuosa*](#) Casey, 1892 ^{i c}
- [*Pseudobaris lugubris*](#) Casey, 1892 ^{i g}
- [*Pseudobaris lustrans*](#) Casey, 1920 ^c
- [*Pseudobaris minuscula*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris minuta*](#) Hustache, 1924 ^c
- [*Pseudobaris missouriana*](#) Casey, 1920 ^{i c}
- [*Pseudobaris multiguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris mutabilis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris naevius*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris nigrina*](#) (Say, 1831) ^{i c b}
- [*Pseudobaris niveoguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris notata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris ocellata*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris octonotata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris oscillans*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris oscitans*](#) Casey, 1920 ^{i c}
- [*Pseudobaris ovalipennis*](#) Hustache, 1924 ^c
- [*Pseudobaris parallelipennis*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris pectoralis*](#) LeConte, 1876 ^{i c b}
- [*Pseudobaris perexigua*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris plicata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris porcina*](#) Casey, 1920 ^{i c}
- [*Pseudobaris providens*](#) Casey, 1920 ^{i c}
- [*Pseudobaris puncticollis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris pusilla*](#) LeConte, J.L., 1876 ^c
- [*Pseudobaris rabida*](#) Casey, 1920 ^{i c}
- [*Pseudobaris rugipennis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris santacrucis*](#) Hustache, 1924 ^c
- [*Pseudobaris satyrica*](#) Casey, 1920 ^{i c}
- [*Pseudobaris scabrida*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris scaeva*](#) Casey, 1920 ^{i c}

- [*Pseudobaris senescens*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sexguttata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sinuosa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sobrina*](#) Blatchley, 1916 ^{i c b}
- [*Pseudobaris sonomae*](#) Casey, 1920 ^{i c}
- [*Pseudobaris stigmatica*](#) Solari & Solari, 1906 ^c
- [*Pseudobaris subcaudata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris sublineata*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris subopaca*](#) Hustache, 1951 ^c
- [*Pseudobaris subparallela*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris subrugosa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris subscabrosa*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris suturalis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris tibialis*](#) Champion, G.C., 1909 ^c
- [*Pseudobaris tradita*](#) Casey, 1920 ^{i c}
- [*Pseudobaris undulata*](#) Casey, 1922 ^c
- [*Pseudobaris vacunalis*](#) Casey, 1920 ^{i c}
- [*Pseudobaris vafra*](#) Casey, 1920 ^{i c}
- [*Pseudobaris verecunda*](#) Casey, 1920 ^{i c}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pseudobaris Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-12.
 - ["Browse Pseudobaris"](#). Catalogue of Life. Retrieved 2018-04-12.
 - ["Pseudobaris"](#). GBIF. Retrieved 2018-04-12.
 -
4. ["Pseudobaris Genus Information"](#). BugGuide.net. Retrieved 2018-04-12.

Categories:

- [Baridinae](#)
- [Lists of insect species](#)
-

This is a list of 162 species in [*Psallus*](#), a genus of plant bugs in the family [Miridae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Psallus* species**

- [*Psallus aethiops*](#) (Zetterstedt, 1840) ⁱ ^c ^g
- [*Psallus aetnicola*](#) Wagner, 1955 ^c ^g
- [*Psallus albicinctus*](#) (Kirschbaum, 1856) ^c ^g
- [*Psallus aldanensis*](#) Vinokurov, 1985 ^c ^g
- [*Psallus ambiguus*](#) (Fallén, 1807) ^c ^g
- [*Psallus amoenus*](#) Josifov, 1983 ^c ^g
- [*Psallus amygdali*](#) Linnavuori, 1998 ^c ^g
- [*Psallus anaemicus*](#) Seidenstucker, 1966 ^c ^g
- [*Psallus anatolicus*](#) Wagner, 1963 ^c ^g
- [*Psallus anticus*](#) (Reuter, 1876) ^c ^g
- [*Psallus apoplecticus*](#) Seidenstucker, 1966 ^c ^g
- [*Psallus argyrotrichus*](#) Fieber, 1861 ^c ^g
- [*Psallus asperus*](#) Van Duzee, 1923 ⁱ ^g
- [*Psallus assimilis*](#) Stichel, 1956 ^c ^g
- [*Psallus asthenicus*](#) Seidenstucker, 1966 ^c ^g
- [*Psallus ater*](#) Josifov, 1983 ^c ^g
- [*Psallus aterrimus*](#) Yasunaga and Vinokurov, 2000 ^c ^g
- [*Psallus atratus*](#) Josifov, 1983 ^c ^g
- [*Psallus aurora*](#) (Mulsant and Rey, 1852) ^c ^g
- [*Psallus bagjonicus*](#) Josifov, 1983 ^c ^g
- [*Psallus balcanicus*](#) Josifov, 1969 ^c ^g
- [*Psallus bernardi*](#) Wagner, 1958 ^c ^g
- [*Psallus betuleti*](#) (Fallén, 1829) ⁱ ^c ^g
- [*Psallus bivitreus*](#) (Mulsant and Rey, 1852) ^c ^g
- [*Psallus brachycerus*](#) Reuter, 1904 ^c ^g
- [*Psallus breviceps*](#) Reuter, 1909 ⁱ ^c ^g
- [*Psallus buddha*](#) Yasunaga, 2010 ^c ^g
- [*Psallus calliprinoi*](#) Carapezza, 2002 ^c ^g
- [*Psallus callunae*](#) Reuter, 1878 ^c ^g
- [*Psallus castaneae*](#) Josifov, 1983 ^c ^g
- [*Psallus catalanicus*](#) Wagner, 1965 ^c ^g

- [*Psallus cerridis*](#) Wagner, 1971 ^{c g}
- [*Psallus chrysopsilus*](#) Reuter, 1878 ^{c g}
- [*Psallus cinnabarinus*](#) Kerzhner, 1979 ^{c g}
- [*Psallus clarus*](#) Kerzhner, 1988 ^{c g}
- [*Psallus collaris*](#) (Wagner, 1975) ^c
- [*Psallus confusus*](#) Rieger, 1981 ^{c g}
- [*Psallus crataegi*](#) Kulik, 1973 ^{c g}
- [*Psallus criocoroides*](#) Reuter, 1879 ^{c g}
- [*Psallus cruentatus*](#) (Mulsant and Rey, 1852) ^{c g}
- [*Psallus cyprius*](#) Wagner, 1977 ^{c g}
- [*Psallus dichrous*](#) Kerzhner, 1962 ^{c g}
- [*Psallus difficilis*](#) Odhiambo, 1959 ^{c g}
- [*Psallus dilutipes*](#) Reuter, 1907 ^{c g}
- [*Psallus dilutus*](#) Fieber, 1858 ^{c g}
- [*Psallus divergens*](#) Reuter, 1899 ^{c g}
- [*Psallus drosopoulozi*](#) Linnavuori, 1992 ^{c g}
- [*Psallus edoensis*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus ericetorum*](#) Reuter, 1899 ^{c g}
- [*Psallus ermolenkoi*](#) Kerzhner, 1979 ^{c g}
- [*Psallus ernesti*](#) Duwal & Lee, 2012 ^g
- [*Psallus eximius*](#) Reuter, 1904 ^{c g}
- [*Psallus fagi*](#) Drapolyuk, 1990 ^{c g}
- [*Psallus falleni*](#) Reuter, 1883 ^{i c g b}
- [*Psallus faniae*](#) Josifov, 1974 ^{c g}
- [*Psallus flavellus*](#) Stichel, 1933 ^{i c g}
- [*Psallus flavescens*](#) Kerzhner, 1988 ^{c g}
- [*Psallus flavipes*](#) (Reuter, 1899) ^{c g}
- [*Psallus fokkeri*](#) Reuter, 1899 ^{c g}
- [*Psallus fortis*](#) Li and Liu, 2007 ^{c g}
- [*Psallus fukienanus*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus fuscatus*](#) Knight, 1923 ^{i g}
- [*Psallus fuscopunctatus*](#) Knight, 1930 ⁱ
- [*Psallus galilaeus*](#) Linnavuori, 1965 ^{c g}
- [*Psallus georgicus*](#) Zaitzeva, 1968 ^{c g}
- [*Psallus gidajatovi*](#) Drapolyuk, 1987 ^{c g}
- [*Psallus graminicola*](#) (Zetterstedt, 1828) ^{c g}

- [*Psallus guttatus*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus haematodes*](#) (Gmelin, 1788) ^{c g b}
- [*Psallus halidi*](#) Drapolyuk, 1991 ^{c g}
- [*Psallus hani*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus hartigi*](#) Wagner, 1970 ^{c g}
- [*Psallus hastatus*](#) Carapezza, 2002 ^{c g}
- [*Psallus helenae*](#) Josifov, 1969 ^{c g}
- [*Psallus henanensis*](#) Li and Liu, 2007 ^{c g}
- [*Psallus henschii*](#) Reuter, 1888 ^{c g}
- [*Psallus holomelas*](#) Reuter, 1906 ^{c g}
- [*Psallus injensis*](#) Duwal ^g
- [*Psallus jeitensis*](#) Wagner, 1963 ^{c g}
- [*Psallus jungaricus*](#) Vinokurov and Luo, 2012 ^{c g}
- [*Psallus jurorum*](#) Linnavuori, 1975 ^{c g}
- [*Psallus karakardes*](#) Seidenstucker, 1959 ^{c g}
- [*Psallus kerzhneri*](#) Josifov, 1992 ^{c g}
- [*Psallus kiritshenkoi*](#) Zaitzeva, 1968 ^{c g}
- [*Psallus koreanus*](#) Josifov, 1983 ^{c g}
- [*Psallus kurseongensis*](#) Distant, 1910 ^{c g}
- [*Psallus lapponicus*](#) Reuter, 1874 ^{c g}
- [*Psallus laricinus*](#) Vinokurov, 1982 ^{c g}
- [*Psallus laticeps*](#) Reuter, 1878 ^{c g}
- [*Psallus lentigo*](#) Seidenstucker, 1972 ^{c g}
- [*Psallus lepidus*](#) Fieber, 1858 ^{i c g}
- [*Psallus loginovae*](#) Kerzhner, 1988 ^{c g}
- [*Psallus lucanicus*](#) Wagner, 1968 ^{c g}
- [*Psallus luridus*](#) Reuter, 1878 ^{c g}
- [*Psallus luteicornis*](#) (Villers, 1789) ^{c g}
- [*Psallus maculosus*](#) Knight, 1925 ⁱ
- [*Psallus mali*](#) Zheng and H. Li., 1990 ^{c g}
- [*Psallus melpomene*](#) (Linnavuori, 1989) ^{c g}
- [*Psallus michaili*](#) Kerzhner and Schuh, 1995 ^{c g}
- [*Psallus milenae*](#) Josifov, 1974 ^{c g}
- [*Psallus minusculus*](#) Zaitzeva, 1968 ^{c g}
- [*Psallus miyamotoi*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus mollis*](#) (Mulsant and Rey, 1852) ^{c g}

- [*Psallus montanus*](#) Josifov, 1973 ^{c g}
- [*Psallus nigricornis*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus nigripilis*](#) (Reuter, 1888) ^{c g}
- [*Psallus ninurta*](#) (Linnavuori, 1984) ^{c g}
- [*Psallus nipponicus*](#) Vinokurov, 1998 ^{c g}
- [*Psallus ocularis*](#) (Mulsant and Rey, 1852) ^{c g}
- [*Psallus oenderi*](#) Wagner, 1976 ^{c g}
- [*Psallus oleae*](#) Wagner, 1963 ^{c g}
- [*Psallus orni*](#) Wagner, 1968 ^{c g}
- [*Psallus oyashimanus*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus pardalis*](#) Seidenstucker, 1966 ^{c g}
- [*Psallus perrisi*](#) (Mulsant and Rey, 1852) ^{c g}
- [*Psallus piceae*](#) Reuter, 1878 ^{c g}
- [*Psallus pinicola*](#) Reuter, 1875 ^{c g}
- [*Psallus pseudoambiguus*](#) Wagner, 1970 ^{c g}
- [*Psallus pseudoplatani*](#) Reichling, 1984 ^{c g}
- [*Psallus pseudopunctulatus*](#) Linnavuori, 1984 ^{c g}
- [*Psallus pseudoquercus*](#) Josifov, 1974 ^{c g}
- [*Psallus pullus*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus punctulatus*](#) Puton, 1874 ^{c g}
- [*Psallus quercicola*](#) (Reuter, 1904) ^{c g}
- [*Psallus quercus*](#) (Kirschbaum, 1856) ^{c g}
- [*Psallus roseoguttatus*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus roseus*](#) (Fabricius, 1777) ⁱ
- [*Psallus rubinicterus*](#) Seidenstucker, 1966 ^{c g}
- [*Psallus rubromaculosus*](#) Knight, 1935 ^{c g}
- [*Psallus sachaensis*](#) Vinokurov, 1998 ^{c g}
- [*Psallus salicicola*](#) Schwartz and Kelton, 1990 ⁱ
- [*Psallus salicis*](#) (Kirschbaum, 1856) ^{c g}
- [*Psallus samdzijonicus*](#) Josifov, 1983 ^{c g}
- [*Psallus samedovi*](#) Drapolyuk, 1991 ^{c g}
- [*Psallus samoanus*](#) Knight, 1935 ^{c g}
- [*Psallus sanguinarius*](#) Kerzhner and Josifov, 1999 ^{c g}
- [*Psallus shulsangaricus*](#) Linnavuori, 2010 ^{c g}
- [*Psallus sículus*](#) Reuter, 1875 ^{c g}
- [*Psallus skylla*](#) Linnavuori, 1994 ^{c g}

- [*Psallus sorbi*](#) Wagner, 1970 ^{c g}
- [*Psallus stackelbergi*](#) Kerzhner, 1988 ^{c g}
- [*Psallus svidae*](#) Drapolyuk, 1991 ^{c g}
- [*Psallus syriacus*](#) (Reuter, 1883) ^{c g}
- [*Psallus taehwana*](#) Duwal ^g
- [*Psallus takaii*](#) Yasunaga and Vinokurov, 2000 ^{c g}
- [*Psallus tesongsanicus*](#) Josifov, 1983 ^{c g}
- [*Psallus tibialis*](#) Reuter, 1894 ^{c g}
- [*Psallus tonnaichanus*](#) Muramoto, 1973 ^{c g}
- [*Psallus transcaucasicus*](#) Zaitzeva, 1966 ^{c g}
- [*Psallus tristis*](#) (Blanchard, 1852) ^{c g}
- [*Psallus turcicus*](#) Wagner, 1971 ^{c g}
- [*Psallus ulmi*](#) Kerzhner and Josifov, 1966 ^{c g}
- [*Psallus ussuriensis*](#) Kerzhner, 1979 ^{c g}
- [*Psallus vaccinicola*](#) Knight, 1930 ⁱ
- [*Psallus variabilis*](#) (Fallén, 1807) ^{i c g b}
- [*Psallus varians*](#) (Herrich-Schaeffer, 1841) ^{c g}
- [*Psallus vicinus*](#) Reuter, 1899 ^{c g}
- [*Psallus vittatus*](#) (Fieber, 1861) ^{c g}
- [*Psallus wagneri*](#) Ossiannilsson, 1953 ^{c g}
- [*Psallus yasunagai*](#) Vinokurov, 1998 ^{c g}
- [*Psallus yongdaeri*](#) Duwal ^g
- [*Psallus zakatalensis*](#) Drapolyuk, 1991 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Protoneuridae was formerly considered a [family](#) of [damselflies](#). Recent taxonomic revisions have classified the species previously placed in Protoneuridae into two existing families - [Coenagrionidae](#) and [Platycnemididae](#), both in the superfamily [Coenagrionoidea](#).

[New World](#) Protoneuridae are now sunk in [Coenagrionidae](#) and [Old World](#) Protoneuridae in [Platycnemididae](#).^[1]

Species of damselfly, formerly in Protoneuridae:

- [*Arabineura khalidi*](#)

- [*Caconeura gomphoides*](#)
- [*Caconeura obscura*](#)
- [*Caconeura ramburi*](#)
- [*Caconeura risi*](#)
- [*Caconeura t-coerulea*](#)
- [*Chlorocnemis abbotti*](#)
- [*Chlorocnemis contraria*](#)
- [*Chlorocnemis eisentrauti*](#)
- [*Chlorocnemis elongata*](#)
- [*Chlorocnemis flavipennis*](#)
- [*Chlorocnemis interrupta*](#)
- [*Chlorocnemis marshali*](#)
- [*Chlorocnemis montana*](#)
- [*Chlorocnemis nigripes*](#)
- [*Chlorocnemis nublilipennis*](#)
- [*Chlorocnemis pauli*](#)
- [*Chlorocnemis wittei*](#)
- [*Disparoneura apicalis*](#)
- [*Disparoneura canningi*](#)
- [*Disparoneura quadrimaculata*](#)
- [*Disparoneura ramajana*](#)
- [*Drepanoneura donnellyi*](#)
- [*Drepanoneura janirae*](#)
- [*Drepanoneura letitia*](#)
- [*Drepanoneura loutoni*](#)
- [*Drepanoneura muzoni*](#)
- [*Drepanoneura peruviansis*](#)
- [*Drepanoneura tennesse*](#)
- [*Elattoneura acuta*](#)
- [*Elattoneura analis*](#)
- [*Elattoneura atkinsoni*](#)
- [*Elattoneura aurantiaca*](#)
- [*Elattoneura balli*](#)
- [*Elattoneura bigemmata*](#)
- [*Elattoneura caesia*](#)
- [*Elattoneura campioni*](#)
- [*Elattoneura centrafricana*](#)
- [*Elattoneura centralis*](#)
- [*Elattoneura coomansi*](#)
- [*Elattoneura dorsalis*](#)
- [*Elattoneura erythromma*](#)
- [*Elattoneura frenulata*](#)

- [Elattoneura girardi](#)
- [Elattoneura glauca](#)
- [Elattoneura josemorai](#)
- [Elattoneura leucostigma](#)
- [Elattoneura lliba](#)
- [Elattoneura longispina](#)
- [Elattoneura mayombensis](#)
- [Elattoneura morini](#)
- [Elattoneura nigerrima](#)
- [Elattoneura nigra](#)
- [Elattoneura nihari](#)
- [Elattoneura pasquinii](#)
- [Elattoneura pluotae](#)
- [Elattoneura pruinosa](#)
- [Elattoneura souteri](#)
- [Elattoneura tenax](#)
- [Elattoneura tetrica](#)
- [Elattoneura tropicalis](#)
- [Elattoneura vrijdaghi](#)
- [Epipleoneura albuquerquei](#)
- [Epipleoneura capilliformis](#)
- [Epipleoneura demarmelsi](#)
- [Epipleoneura fernandezi](#)
- [Epipleoneura fuscaenea](#)
- [Epipleoneura haroldoi](#)
- [Epipleoneura humeralis](#)
- [Epipleoneura janirae](#)
- [Epipleoneura kaxuriana](#)
- [Epipleoneura lamina](#)
- [Epipleoneura machadoi](#)
- [Epipleoneura manauensis](#)
- [Epipleoneura metallica](#)
- [Epipleoneura ocuene](#)
- [Epipleoneura pallida](#)
- [Epipleoneura pereirai](#)
- [Epipleoneura protostictoides](#)
- [Epipleoneura solitaria](#)
- [Epipleoneura spatulata](#)
- [Epipleoneura tariana](#)
- [Epipleoneura uncinata](#)
- [Epipleoneura venezuelensis](#)
- [Epipleoneura waiwaiana](#)

- [Epipleoneura westfalli](#)
- [Epipleoneura williamsoni](#)
- [Epipotoneura machadoi](#)
- [Epipotoneura nehalennia](#)
- [Esme cyaneovittata](#)
- [Esme longistyla](#)
- [Esme mudiensis](#)
- [Forcepsioneura ephippigera](#)
- [Forcepsioneura garrisoni](#)
- [Forcepsioneura grossiorum](#)
- [Forcepsioneura haerteli](#)
- [Forcepsioneura itatiaiae](#)
- [Forcepsioneura juruaensis](#)
- [Forcepsioneura lucia](#)
- [Forcepsioneura sancta](#)
- [Forcepsioneura westfalli](#)
- [Idioneura ancilla](#)
- [Idioneura celioi](#)
- [Isomecocnemis cellularis](#)
- [Isomecocnemis cyanura](#)
- [Isomecocnemis subnodalis](#)
- [Junix elumbis](#)
- [Lamproneura lucerna](#)
- [Melanoneura bilineata](#)
- [Neoneura aaroni](#)
- [Neoneura amelia](#)
- [Neoneura anaclara](#)
- [Neoneura angelensis](#)
- [Neoneura bilinearis](#)
- [Neoneura carnatica](#)
- [Neoneura cristina](#)
- [Neoneura denticulata](#)
- [Neoneura desana](#)
- [Neoneura esthera](#)
- [Neoneura ethela](#)
- [Neoneura fluvicollis](#)
- [Neoneura gaida](#)
- [Neoneura joana](#)
- [Neoneura jurzitzai](#)
- [Neoneura kiautai](#)
- [Neoneura leonardo](#)
- [Neoneura lucas](#)

- [Neoneura luzmarina](#)
- [Neoneura maria](#)
- [Neoneura mariana](#)
- [Neoneura moorei](#)
- [Neoneura myrthea](#)
- [Neoneura paya](#)
- [Neoneura rubriventris](#)
- [Neoneura rufithorax](#)
- [Neoneura schreiberi](#)
- [Neoneura sylvatica](#)
- [Neoneura waltheri](#)
- [Nososticta africana](#)
- [Nososticta astrolabica](#)
- [Nososticta atrocyana](#)
- [Nososticta aurantiaca](#)
- [Nososticta baroalba](#)
- [Nososticta beatrix](#)
- [Nososticta callisphaena](#)
- [Nososticta chalybeostoma](#)
- [Nososticta circumscripta](#)
- [Nososticta coelestna](#)
- [Nososticta commutata](#)
- [Nososticta cyanura](#)
- [Nososticta diadesma](#)
- [Nososticta dorsonigra](#)
- [Nososticta eburnea](#)
- [Nososticta egregia](#)
- [Nososticta emphyla](#)
- [Nososticta erythroprocta](#)
- [Nososticta erythrura](#)
- [Nososticta evelynae](#)
- [Nososticta exul](#)
- [Nososticta flavipennis](#)
- [Nososticta fonticola](#)
- [Nososticta fraterna](#)
- [Nososticta insignis](#)
- [Nososticta irene](#)
- [Nososticta kalumburu](#)
- [Nososticta koolpinyah](#)
- [Nososticta koongarra](#)
- [Nososticta liveringa](#)
- [Nososticta lorentzi](#)

- [Nososticta marina](#)
- [Nososticta melanoxantha](#)
- [Nososticta moluccensis](#)
- [Nososticta nigrifrons](#)
- [Nososticta nigrofasciata](#)
- [Nososticta phoenissa](#)
- [Nososticta pilbara](#)
- [Nososticta plagiata](#)
- [Nososticta plagioxantha](#)
- [Nososticta pseudexul](#)
- [Nososticta pyroprocta](#)
- [Nososticta rangifera](#)
- [Nososticta rosea](#)
- [Nososticta salomonis](#)
- [Nososticta selysi](#)
- [Nososticta silvicola](#)
- [Nososticta solida](#)
- [Nososticta solitaria](#)
- [Nososticta tarcumbi](#)
- [Nososticta thalassina](#)
- [Nososticta wallacii](#)
- [Nososticta xanthe](#)
- [Peristicta aeneoviridis](#)
- [Peristicta forceps](#)
- [Peristicta gauchae](#)
- [Peristicta jalmosi](#)
- [Peristicta janiceae](#)
- [Peristicta lizeria](#)
- [Peristicta muzoni](#)
- [Phasmoneura exigua](#)
- [Phasmoneura janirae](#)
- [Phylloneura westermanni](#)
- [Prodasineura abbreviata](#)
- [Prodasineura auricolor](#)
- [Prodasineura autumnalis](#)
- [Prodasineura coerulescens](#)
- [Prodasineura collaris](#)
- [Prodasineura croconota](#)
- [Prodasineura delicatula](#)
- [Prodasineura doisuthensis](#)
- [Prodasineura dorsalis](#)
- [Prodasineura flammula](#)

- [Prodasineura flavifacies](#)
- [Prodasineura gracillima](#)
- [Prodasineura haematostoma](#)
- [Prodasineura hanzhongensis](#)
- [Prodasineura hosei](#)
- [Prodasineura hyperythra](#)
- [Prodasineura incerta](#)
- [Prodasineura integra](#)
- [Prodasineura interrupta](#)
- [Prodasineura laidlawii](#)
- [Prodasineura lansbergei](#)
- [Prodasineura longjingensis](#)
- [Prodasineura nigra](#)
- [Prodasineura notostigma](#)
- [Prodasineura obsoleta](#)
- [Prodasineura odoneli](#)
- [Prodasineura odzala](#)
- [Prodasineura palawana](#)
- [Prodasineura peramoena](#)
- [Prodasineura perisi](#)
- [Prodasineura quadristigma](#)
- [Prodasineura sita](#)
- [Prodasineura tenebricosa](#)
- [Prodasineura theebawi](#)
- [Prodasineura verticalis](#)
- [Prodasineura villiersi](#)
- [Prodasineura vittata](#)
- [Proneura prolongata](#)
- [Protoneura ailsa](#)
- [Protoneura amatoria](#)
- [Protoneura aurantiaca](#)
- [Protoneura calverti](#)
- [Protoneura capillaris](#)
- [Protoneura cara](#)
- [Protoneura corculum](#)
- [Protoneura cupida](#)
- [Protoneura dunklei](#)
- [Protoneura klugi](#)
- [Protoneura macintyre](#)
- [Protoneura paucinervis](#)
- [Protoneura peramans](#)
- [Protoneura rojiza](#)

- [*Protoneura romanae*](#)
- [*Protoneura sanguinipes*](#)
- [*Protoneura scintilla*](#)
- [*Protoneura sulfurata*](#)
- [*Protoneura tenuis*](#)
- [*Protoneura viridis*](#)
- [*Protoneura woytkowskii*](#)
- [*Psaironeura bifurcata*](#)
- [*Psaironeura remissa*](#)
- [*Psaironeura selvatica*](#)
- [*Psaironeura tenuissima*](#)
- [*Roppaneura beckeri*](#)

This is a list of 249 species in the genus [*Promachus*](#), giant robber flies. [\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Promachus* species**

- [*Promachus abdominalis*](#) Ricardo, 1920 ^{c g}
- [*Promachus aberrans*](#) Paramonov, 1931 ^{c g}
- [*Promachus absterrens*](#) Oldroyd, 1960 ^{c g}
- [*Promachus acuminatus*](#) (Hobby, 1936) ^{c g}
- [*Promachus adamsii*](#) Ricardo, 1920 [= apicalis Adams, 1905 (Homonym)] ^{c g}
- [*Promachus addens*](#) (Walker, 1861) ^{c g}
- [*Promachus aedithus*](#) (Walker, 1849) ^{c g}
- [*Promachus aegyptiacus*](#) Efflatoun, 1929 ^{c g}
- [*Promachus aequalis*](#) Loew, 1858 ^{c g}
- [*Promachus albicauda*](#) Wulp, 1872 ^{c g}
- [*Promachus albicinctus*](#) Ricardo, 1900 ^{c g}
- [*Promachus albifacies*](#) Williston, 1885 ^{i c g b}
- [*Promachus albitarsatus*](#) (Macquart, 1834) ^{c g}
- [*Promachus albopilosus*](#) (Macquart, 1855) ^{c g}
- [*Promachus aldrichii*](#) Hine, 1911 ^{i c g b}
- [*Promachus amastrus*](#) (Walker, 1849) ^{c g}
- [*Promachus amorges*](#) (Walker, 1849) ^{c g}
- [*Promachus anceps*](#) Osten Sacken, 1887 ^{c g}
- [*Promachus anicius*](#) (Walker, 1849) ^{c g}

- [Promachus annularis](#) (Fabricius, 1805) ^{c g}
- [Promachus apicalis](#) (Macquart, 1838)
- [Promachus apivorus](#) (Walker, 1860) ^{c g}
- [Promachus argentipennis](#) Efflatoun, 1929 ^{c g}
- [Promachus argentipes](#) Meijere, 1913 ^{c g}
- [Promachus argyropus](#) Bezzi, 1906 ^{c g}
- [Promachus ater](#) Coquillett, 1898 ^{c g}
- [Promachus atrox](#) Bromley, 1940 ^{i c g b}
- [Promachus aurulans](#) Lindner, 1955 ^{c g}
- [Promachus barbatus](#) (Doleschall, 1857) ^{c g}
- [Promachus bastardii](#) (Macquart, 1838) ^{i c g b} (false bee-killer)
- [Promachus beelsoni](#) Ricardo, 1921 ^{c g}
- [Promachus bellaridi](#) Martin, 1965 ^{c g}
- [Promachus bifasciatus](#) (Macquart, 1838) ^{c g}
- [Promachus binghamensis](#) Ricardo, 1921 ^{c g}
- [Promachus binucleatus](#) Bezzi, 1908 ^{c g}
- [Promachus bomensis](#) Curran, 1927 ^{c g}
- [Promachus bottegoi](#) Corti, 1895 ^{c g}
- [Promachus brevipennis](#) Ricardo, 1920 ^{c g}
- [Promachus brevisculus](#) Walker, 1855 ^{c g}
- [Promachus breviventris](#) Ricardo, 1920 ^{c g}
- [Promachus caffer](#) (Macquart, 1846) ^{c g}
- [Promachus calanus](#) (Walker, 1851) ^{c g}
- [Promachus calcaratus](#) (Hobby, 1936) ^{c g}
- [Promachus calorificus](#) (Walker, 1859) ^{c g}
- [Promachus canus](#) (Wiedemann, 1818) ^{c g}
- [Promachus captans](#) (Walker, 1851) ^{c g}
- [Promachus carpenteri](#) (Hobby, 1936) ^{c g}
- [Promachus ceylanicus](#) (Macquart, 1838) ^{c g}
- [Promachus chalcops](#) Speiser, 1910 ^{c g}
- [Promachus chinensis](#) Ricardo, 1920 ^{c g}
- [Promachus cinctus](#) Bellardi, 1861 ^{c g}
- [Promachus cinereus](#) Ricardo, 1925 ^{c g}
- [Promachus clausus](#) (Macquart, 1846) ^{c g}
- [Promachus clavigerus](#) Bromley, 1931 ^{c g}
- [Promachus complens](#) (Walker, 1861) ^c

- [Promachus condanguineus](#) (Macquart, 1838) ^{c g}
- [Promachus conradti](#) (Hobby, 1936) ^{c g}
- [Promachus consanguineus](#) (Macquart, 1838) ^g
- [Promachus contractus](#) (Walker, 1851) ^{c g}
- [Promachus contradicens](#) (Walker, 1858) ^{c g}
- [Promachus cornutus](#) (Hobby, 1936) ^{c g}
- [Promachus cothurnatus](#) (Bigot, 1859) ^{c g}
- [Promachus crassifemoratus](#) (Hobby, 1936) ^{c g}
- [Promachus cristatus](#) Oldroyd, 1960 ^{c g}
- [Promachus cypricus](#) (Rondani, 1856) ^{c g}
- [Promachus desmopygus](#) Meijere, 1914 ^{c g}
- [Promachus dimidiatus](#) Curran, 1927 ^{i c g}
- [Promachus djanetianus](#) Seguy, 1938 ^{c g}
- [Promachus doddi](#) Ricardo, 1913 ^{c g}
- [Promachus duvaucelii](#) (Macquart, 1838) ^c
- [Promachus entebbensis](#) (Hobby, 1936) ^{c g}
- [Promachus enucleatus](#) Karsch, 1888 ^{c g}
- [Promachus erythroscelus](#) (Hobby, 1936) ^{c g}
- [Promachus fasciatus](#) (Fabricius, 1775) ^{c g}
- [Promachus felinus](#) Wulp, 1872 ^{c g}
- [Promachus fitchii](#) Osten Sacken, 1878 ^{i c g b}
- [Promachus flavifasciatus](#) (Macquart, 1838) ^{c g}
- [Promachus flavopilosus](#) Ricardo, 1920 ^{c g}
- [Promachus floccosus](#) Kirby, 1884 ^{c g}
- [Promachus forcipatus](#) Schiner, 1868 ^{c g}
- [Promachus forfex](#) Osten Sacken, 1887 ^{c g}
- [Promachus formosanus](#) Matsumura, 1916 ^{c g}
- [Promachus foromosanus](#) Matsumura, 1916 ^g
- [Promachus fraterculus](#) (Walker, 1855) ^{c g}
- [Promachus fulvipes](#) (Macquart, 1838) ^c
- [Promachus fulviventris](#) (Becker, 1925) ^{c g}
- [Promachus fuscifemoratus](#) Joseph & Parui, 1981 ^{c g}
- [Promachus fuscipennis](#) (Macquart, 1846) ^c
- [Promachus fusiformis](#) (Walker, 1856) ^{c g}
- [Promachus genitalis](#) Joseph & Parui, 1987 ^{c g}
- [Promachus ghumtiensis](#) Bromley, 1935 ^{c g}

- [Promachus giganteus](#) Hine, 1911 ^{i c g b}
- [Promachus gomeræ](#) Frey, 1936 ^{c g}
- [Promachus gossypiatu](#)s Speiser, 1910 ^{c g}
- [Promachus gracilis](#) (Macquart, 1838) ^{c g}
- [Promachus graeffi](#) Schmeltz, 1866 ^{c g}
- [Promachus grandis](#) (Macquart, 1838) ^{c g}
- [Promachus griseiventris](#) Becker & Stein, 1913 ^{c g}
- [Promachus grisiventris](#) Becker, 1913 ^{c g}
- [Promachus guineensis](#) (Wiedemann, 1824) ^{c g}
- [Promachus hastatus](#) (Hobby, 1936) ^{c g}
- [Promachus heteropterus](#) (Macquart, 1838) ^c
- [Promachus hinei](#) Bromley, 1931 ^{i c g b}
- [Promachus hirsutus](#) Ricardo, 1925 ^{c g}
- [Promachus hirtiventris](#) (Macquart, 1850) ^c
- [Promachus horichanus](#) Matsumura, 1916 ^g
- [Promachus horishanus](#) Matsumura, 1916 ^{c g}
- [Promachus horni](#) Bromley, 1935 ^{c g}
- [Promachus hypocaustus](#) Oldroyd, 1972 ^{c g}
- [Promachus incisuralis](#) (Macquart, 1838) ^{c g}
- [Promachus indicus](#) Joseph & Parui, 1987 ^{c g}
- [Promachus indigenus](#) (Becker, 1925) ^{c g}
- [Promachus inoratus](#) Wulp, 1872 ^{c g}
- [Promachus inornatus](#) Wulp, 1872 ^{c g}
- [Promachus jabalpurensis](#) Joseph & Parui, 1981 ^{c g}
- [Promachus knutsoni](#) Joseph & Parui, 1987 ^{c g}
- [Promachus laciniosus](#) Becker, 1907 ^{c g}
- [Promachus lateralis](#) (Walker, 1860) ^{c g}
- [Promachus latitarsatus](#) (Macquart & Berthelot, 1839) ^{c g}
- [Promachus lehri](#) Joseph & Parui, 1987 ^{c g}
- [Promachus lemur](#) Bromley, 1931 ^{c g}
- [Promachus leoninus](#) Loew, 1848 ^{c g}
- [Promachus leontochlaenus](#) Loew, 1871 ^{c g}
- [Promachus leucopareus](#) Wulp, 1872 ^{c g}
- [Promachus leucopygus](#) (Walker, 1857) ^{c g}
- [Promachus leucotrichodes](#) Bigot, 1892 ^{c g}
- [Promachus lineosus](#) (Walker, 1857) ^{c g}

- [Promachus longius](#) (Chou & Lee, 1991) ^g
- [Promachus macquartii](#) (Rondani, 1848) ^c
- [Promachus maculatus](#) (Fabricius, 1775) ^{c g}
- [Promachus maculosus](#) (Macquart, 1834) ^{c g}
- [Promachus madagascarensis](#) Bromley, 1942 ^{c g}
- [Promachus magnus](#) Bellardi, 1861 ^{i c g}
- [Promachus manilliensis](#) (Macquart, 1838) ^{c g}
- [Promachus marcii](#) (Macquart, 1838) ^{c g}
- [Promachus mediospinosus](#) Speiser, 1913 ^{c g}
- [Promachus melampygyus](#) Wulp, 1872 ^{c g}
- [Promachus mesacanthus](#) (Hobby, 1936) ^{c g}
- [Promachus mesorrhachis](#) (Hobby, 1936) ^{c g}
- [Promachus metoxus](#) (Oldroyd, 1939) ^{c g}
- [Promachus microlabis](#) Loew, 1857 ^{c g}
- [Promachus minusculus](#) Hine, 1911 ^{i c g}
- [Promachus mitescens](#) (Walker, 1851) ^{c g}
- [Promachus mixtus](#) (Hobby, 1936) ^{c g}
- [Promachus mustela](#) Loew, 1854 ^{c g}
- [Promachus neavei](#) (Hobby, 1936) ^{c g}
- [Promachus negligens](#) Adams, 1905 ^{c g}
- [Promachus nicobarensis](#) Schiner, 1868 ^{c g}
- [Promachus nigrbarbatus](#) (Becker, 1925) ^g
- [Promachus nigrialbus](#) Martin, 1970 ^{i c g b}
- [Promachus nigribarbatus](#) (Becker, 1925) ^{c g}
- [Promachus nigripes](#) (Fabricius, 1787) ^{c g}
- [Promachus nigropennipes](#) Hobby, 1933 ^{c g}
- [Promachus nigropilosus](#) Schaeffer, 1916 ^{i g}
- [Promachus niveicinctus](#) (Hobby, 1936) ^{c g}
- [Promachus nobilis](#) Osten Sacken, 1887 ^{c g}
- [Promachus noninterponens](#) Ricardo, 1920 ^{c g}
- [Promachus noscibilis](#) Austen, 1915 ^{c g}
- [Promachus nussus](#) Oldroyd, 1972 ^{c g}
- [Promachus obscuripes](#) Ricardo, 1920 ^{c g}
- [Promachus obscurus](#) Joseph & Parui, 1987 ^{c g}
- [Promachus oklahomensis](#) Pritchard, 1935 ^{i c g}
- [Promachus opacus](#) Becker, 1925 ^{c g}

- [Promachus orientalis](#) (Macquart, 1838) ^{c g}
- [Promachus ovatus](#) Martin, 1967 ^{c g}
- [Promachus painteri](#) Bromley, 1934 ^{i c g b}
- [Promachus pallidus](#) Ricardo, 1921 ^{c g}
- [Promachus pallipennis](#) (Macquart, 1855) ^{c g}
- [Promachus palmensis](#) Frey, 1936 ^{c g}
- [Promachus parvus](#) Bromley, 1931 ^{c g}
- [Promachus perfectus](#) (Walker, 1851) ^{c g}
- [Promachus perpusilla](#) (Walker, 1851) ^{c g}
- [Promachus philipinus](#) Ricardo, 1920 ^{c g}
- [Promachus pictus](#) Meigen, 1820
- [Promachus plutonicus](#) (Walker, 1861) ^{c g}
- [Promachus poeinus](#) (Walker, 1849) ^{c g}
- [Promachus pontifex](#) Karsch, 1888 ^{c g}
- [Promachus princeps](#) Williston, 1885 ^{i c g b}
- [Promachus productus](#) (Walker, 1851) ^{c g}
- [Promachus promiscuus](#) (Hobby, 1936) ^{c g}
- [Promachus pseudocontractus](#) Joseph & Parui, 1993 ^{c g}
- [Promachus pseudomaculatus](#) Ricardo, 1920 ^{c g}
- [Promachus pulchellus](#) Bellardi, 1861 ^{c g}
- [Promachus punctatostriata](#) (Schrank, 1803) ^g
- [Promachus quadratus](#) (Wiedemann, 1821) ^{i c b}
- [Promachus quatuorlineatus](#) (Macquart, 1838) ^{c g}
- [Promachus ramakrishnai](#) Bromley, 1939 ^{c g}
- [Promachus rapax](#) Gerstaecker, 1871 ^{c g}
- [Promachus raptor](#) Austen, 1915 ^{c g}
- [Promachus rectangularis](#) Loew, 1854 ^{c g}
- [Promachus rex](#) Karsch, 1888 ^{c g}
- [Promachus robertii](#) (Macquart, 1838) ^{c g}
- [Promachus rondanii](#) Oldroyd, 1975 ^{c g}
- [Promachus rubripes](#) (Macquart, 1834) ^c
- [Promachus rueppelli](#) Loew, 1854 ^c
- [Promachus rufescens](#) Ricardo, 1920 ^{c g}
- [Promachus rufibarbis](#) (Macquart, 1848) ^c
- [Promachus rufihumeralis](#) Hobby, 1933 ^{c g}
- [Promachus rufimystaceus](#) (Macquart, 1850) ^{c g}

- [Promachus rufipes](#) (Fabricius, 1775) ^{i c g b} (red-footed cannibalfly)
- [Promachus rufoangulatus](#) (Macquart, 1838) ^{c g}
- [Promachus rufotibialis](#) (Hobby, 1936) ^{c g}
- [Promachus sackeni](#) Hine, 1911 ^{i c g b}
- [Promachus scalaris](#) Loew, 1858 ^{c g}
- [Promachus scotti](#) (Oldroyd, 1940) ^{c g}
- [Promachus scutellatus](#) (Macquart, 1834) ^c
- [Promachus senegalensis](#) (Macquart, 1838) ^{c g}
- [Promachus simpsoni](#) Ricardo, 1920 ^{c g}
- [Promachus sinaiticus](#) Efflatoun, 1934 ^{c g}
- [Promachus smithi](#) Parui & Joseph, 1994 ^{c g}
- [Promachus snowi](#) (Hobby, 1940) ^{c g}
- [Promachus sokotrae](#) Ricardo, 1903 ^{c g}
- [Promachus speiseri](#) (Hobby, 1936) ^c
- [Promachus spissibarbis](#) (Macquart, 1846) ^{c g}
- [Promachus subtitula](#) (Walker, 1851) ^{c g}
- [Promachus subtilis](#) Bromley, 1935 ^{c g}
- [Promachus superfluous](#) Oldroyd, 1972 ^{c g}
- [Promachus taiwanensis](#) (Chou & Lee, 1991) ^g
- [Promachus tasmanensis](#) (Macquart, 1847) ^{c g}
- [Promachus testacipes](#) (Macquart, 1855) ^{c g}
- [Promachus tewfiki](#) Efflatoun, 1929 ^{c g}
- [Promachus tewfikis](#) Efflatoun, 1929 ^{c g}
- [Promachus texanus](#) Bromley, 1934 ^{i c g}
- [Promachus titan](#) (Carrera, 1959) ^{c g}
- [Promachus transactus](#) (Walker, 1864) ^{c g}
- [Promachus transvaalensis](#) Hobby, 1933 ^{c g}
- [Promachus trichonotus](#) (Wiedemann, 1828) ^{c g}
- [Promachus trichozonus](#) Loew, 1858 ^{c g}
- [Promachus triflagellatus](#) Frey, 1923 ^{c g}
- [Promachus tristis](#) Bigot, 1892 ^{c g}
- [Promachus truquii](#) Bellardi, 1861 ^{i c g b}
- [Promachus turinus](#) (Walker, 1849) ^{c g}
- [Promachus ugandiensis](#) Ricardo, 1920 ^{c g}
- [Promachus varipes](#) (Macquart, 1838) ^c
- [Promachus venatrix](#) (Hobby, 1936) ^{c g}

- [*Promachus venustus*](#) Carrera & Andretta, 1950 ^{c g}
- [*Promachus versicolor*](#) (Hobby, 1936) ^{c g}
- [*Promachus vertebratus*](#) (Say, 1823) ^{i c g b}
- [*Promachus vexator*](#) Becker, 1908 ^{c g}
- [*Promachus viridiventris*](#) (Macquart, 1855) ^{c g}
- [*Promachus westermanni*](#) (Macquart, 1838) ^{c g}
- [*Promachus wiedemanni*](#) Schiner, 1867 ^{c g}
- [*Promachus wollastoni*](#) (Hobby, 1936) ^{c g}
- [*Promachus xanthostoma*](#) Wulp, 1872 ^{c g}
- [*Promachus xanthotrichus*](#) Bezzi, 1908 ^{c g}
- [*Promachus yepezi*](#) (Carrera & Machado-Allison, 1963) ^{c g}
- [*Promachus yerburiensis*](#) Ricardo, 1920 ^{c g}
- [*Promachus yesonicus*](#) Bigot, 1887 ^{c g}
- [*Promachus zenkeri*](#) (Hobby, 1936) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

These 134 species belong to [*Pristiphora*](#), a genus of common sawflies in the family [*Tenthredinidae*](#).^{[1][2][3][4]}

Pristiphora species

- [*Pristiphora abbreviata*](#) (Hartig) ^{i c g}
- [*Pristiphora abietina*](#) (Christ, 1791) ^g
- [*Pristiphora affinis*](#) (Lindqvist, 1952) ^g
- [*Pristiphora albilabris*](#) (Boheman, 1852) ^g
- [*Pristiphora albitibia*](#) (Costa, 1859) ^g
- [*Pristiphora alpestris*](#) (Konow, 1903) ^g
- [*Pristiphora anderschi*](#) (Zaddach, 1876) ^g
- [*Pristiphora angulata*](#) Lindqvist, 1974 ^g
- [*Pristiphora aphantoneura*](#) (Foerster, 1854) ^g
- [*Pristiphora appendiculata*](#) (Hartig, 1837) ^{g b} (green currantworm)
- [*Pristiphora aquilegiae*](#) (Vollenhoven, 1866) ^g
- [*Pristiphora armata*](#) (Thomson, 1862) ^g

- [*Pristiphora astragali*](#) Vikberg, 1978 ^g
- [*Pristiphora atlantica*](#) Malaise, 1939 ^g
- [*Pristiphora atripes*](#) (Lindqvist, 1952) ^g
- [*Pristiphora banksi*](#) ^b
- [*Pristiphora beaumonti*](#) Zirngiebl, 1957 ^g
- [*Pristiphora bensoni*](#) Lindqvist, 1953 ^g
- [*Pristiphora bifida*](#) (Hellén, 1948) ^g
- [*Pristiphora biscalis*](#) (Foerster, 1854) ^g
- [*Pristiphora bivittata*](#) (Norton, 1861) ^b
- [*Pristiphora borea*](#) (Konow, 1904) ^g
- [*Pristiphora borneensis*](#) Forsius ^g
- [*Pristiphora breadalbanensis*](#) (Cameron, 1882) ^g
- [*Pristiphora brevis*](#) (Hartig, 1837) ^g
- [*Pristiphora brunniapex*](#) Lindqvist, 1960 ^g
- [*Pristiphora bufo*](#) (Brischke, 1883) ^g
- [*Pristiphora cadma*](#) Wong & Ross, 1960 ^g
- [*Pristiphora camtschatcalis*](#) (Enslin, 1927) ^g
- [*Pristiphora carinata*](#) (Hartig, 1837) ^g
- [*Pristiphora carpathiensis*](#) Haris, 2001 ^g
- [*Pristiphora chalybeata*](#) Benson ^g
- [*Pristiphora chlorea*](#) (Norton) ^b
- [*Pristiphora cincta*](#) Newman, 1837 ^{g b}
- [*Pristiphora coactula*](#) (Ruthe, 1859) ^g
- [*Pristiphora compressa*](#) (Hartig, 1837) ^g
- [*Pristiphora concolor*](#) (Lindqvist, 1952) ^g
- [*Pristiphora condei*](#) Lindqvist, 1955 ^g
- [*Pristiphora confusa*](#) Lindqvist, 1955 ^g
- [*Pristiphora congener*](#) (W.F.Kirby, 1882) ^g
- [*Pristiphora coniceps*](#) Lindqvist, 1955 ^g
- [*Pristiphora conjugata*](#) (Dahlbom, 1835) ^g
- [*Pristiphora crassicornis*](#) (Hartig, 1837) ^g
- [*Pristiphora cretica*](#) W.Schedl, 1981 ^g
- [*Pristiphora dasiphorae*](#) Zinovjev, 1993 ^g
- [*Pristiphora decipiens*](#) (Enslin, 1916) ^g
- [*Pristiphora denudata*](#) Konow, 1902 ^g
- [*Pristiphora depressa*](#) Hartig, 1840 ^g

- [*Pristiphora dissimilis*](#) Lindqvist, 1971 ^g
- [*Pristiphora dochmocera*](#) (Thomson, 1871) ^g
- [*Pristiphora erichsonii*](#) (Hartig) ^{i c g b} (larch sawfly)
- [*Pristiphora exigua*](#) (Lindqvist, 1956) ^g
- [*Pristiphora fausta*](#) (Hartig, 1837) ^g
- [*Pristiphora formosana*](#) Rohwer, 1916 ^g
- [*Pristiphora forsiusi*](#) Enslin, 1916 ^g
- [*Pristiphora friesei*](#) (Konow, 1904) ^g
- [*Pristiphora frigida*](#) (Boheman, 1865) ^g
- [*Pristiphora fulvipes*](#) (Fallén, 1808) ^g
- [*Pristiphora gaunitzi*](#) Lindqvist, 1968 ^g
- [*Pristiphora geniculata*](#) (Hartig) ^{i c g b} (mountain ash sawfly)
- [*Pristiphora gerula*](#) (Konow, 1904) ^g
- [*Pristiphora glauca*](#) Benson, 1954 ^g
- [*Pristiphora groenblomi*](#) (Lindqvist, 1952) ^g
- [*Pristiphora hoverlaensis*](#) Haris, 2001 ^g
- [*Pristiphora hyperborea*](#) Malaise, 1921 ^g
- [*Pristiphora idiota*](#) Norton, 1867 ^g
- [*Pristiphora insularis*](#) Rohwer, 1910 ^g
- [*Pristiphora kamtchatica*](#) Malaise, 1931 ^g
- [*Pristiphora karvoneni*](#) (Lindqvist, 1952) ^g
- [*Pristiphora kontuniemii*](#) (Lindqvist, 1952) ^g
- [*Pristiphora kuznetzovorum*](#) (Enslin, 1919) ^g
- [*Pristiphora lanifica*](#) (Zaddach, 1883) ^g
- [*Pristiphora laricis*](#) (Hartig, 1837) ^g
- [*Pristiphora lativentris*](#) (Thomson, 1871) ^g
- [*Pristiphora leucopodia*](#) (Hartig, 1837) ^g
- [*Pristiphora leucopus*](#) Hellén, 1948 ^g
- [*Pristiphora listoni*](#) Lacourt, 1998 ^g
- [*Pristiphora luteipes*](#) Lindqvist, 1955 ^g
- [*Pristiphora maesta*](#) (Zaddach, 1876) ^g
- [*Pristiphora malaisei*](#) (Lindqvist, 1952) ^g
- [*Pristiphora melanocarpa*](#) (Hartig, 1840) ^g
- [*Pristiphora micronematica*](#) Malaise, 1931 ^g
- [*Pristiphora mollis*](#) (Hartig, 1837) ^{g b}
- [*Pristiphora monogyniae*](#) (Hartig, 1840) ^g

- [*Pristiphora moravica*](#) Gregor, 1940 ^g
- [*Pristiphora murielae*](#) Lacourt, 1995 ^g
- [*Pristiphora nievesi*](#) Haris, 2004 ^g
- [*Pristiphora nigricans*](#) Eversmann, 1847 ^g
- [*Pristiphora nigriceps*](#) (Hartig, 1840) ^g
- [*Pristiphora nordmani*](#) (Lindqvist, 1949) ^g
- [*Pristiphora normani*](#) (Lindqvist, 1949) ^g
- [*Pristiphora opaca*](#) Lindqvist, 1955 ^g
- [*Pristiphora paedida*](#) (Konow, 1904) ^g
- [*Pristiphora pallida*](#) (Konow, 1904) ^g
- [*Pristiphora pallidiventris*](#) (Fallén, 1808) ^g
- [*Pristiphora pallipes*](#) Serville, 1823 ^g
- [*Pristiphora paralella*](#) Hartig, 1840 ^g
- [*Pristiphora parnasia*](#) Konow, 1902 ^g
- [*Pristiphora piceae*](#) (Zhelochovtsev, 1988) ^g
- [*Pristiphora pseudocoactula*](#) (Lindqvist, 1952) ^g
- [*Pristiphora pseudodecipiens*](#) Beneš & Krístek, 1976 ^g
- [*Pristiphora pseudogeniculata*](#) Lindqvist, 1969 ^g
- [*Pristiphora punctifrons*](#) (Thomson, 1871) ^g
- [*Pristiphora pusilla*](#) Malaise, 1921 ^g
- [*Pristiphora pygmaea*](#) Lindqvist, 1964 ^g
- [*Pristiphora quercus*](#) (Hartig, 1837) ^g
- [*Pristiphora retusa*](#) (Thomson, 1871) ^g
- [*Pristiphora reuteri*](#) (Lindqvist, 1960) ^g
- [*Pristiphora robusta*](#) (Konow, 1895) ^g
- [*Pristiphora ruficornis*](#) (Olivier, 1811) ^g
- [*Pristiphora rufipes*](#) Lepeletier, 1823 ^{g b} (columbine sawfly)
- [*Pristiphora saliciphilus*](#) (Liston, 2007) ^g
- [*Pristiphora sareptana*](#) Kuznetzov-Ugamskij, 1924 ^g
- [*Pristiphora sauteri*](#) Rohwer, 1916 ^g
- [*Pristiphora saxesenii*](#) (Hartig, 1837) ^g
- [*Pristiphora schedli*](#) Liston & Späth, 2008 ^g
- [*Pristiphora sermola*](#) Liston, 1993 ^g
- [*Pristiphora sinensis*](#) Wong ^g
- [*Pristiphora sootryeni*](#) Lindqvist, 1955 ^g
- [*Pristiphora staudingeri*](#) (Ruthe, 1859) ^g

- [*Pristiphora subarctica*](#) (Forsslund, 1936) ^g
- [*Pristiphora subbifida*](#) (Thomson, 1871) ^g
- [*Pristiphora subopaca*](#) Lindqvist, 1955 ^g
- [*Pristiphora tenuicornis*](#) (Lindqvist, 1955) ^g
- [*Pristiphora tenuiserra*](#) (Lindqvist, 1958) ^g
- [*Pristiphora testacea*](#) (Jurine, 1807) ^g
- [*Pristiphora tetrica*](#) (Zaddach, 1883) ^g
- [*Pristiphora thalictri*](#) (Kriechbaumer, 1884) ^g
- [*Pristiphora thalictrivora*](#) Lindqvist, 1962 ^g
- [*Pristiphora thomsoni*](#) Lindqvist, 1953 ^g
- [*Pristiphora trochanterica*](#) (Lindqvist, 1952) ^g
- [*Pristiphora vicina*](#) (Lepeletier, 1823) ^g
- [*Pristiphora viridana*](#) Konow, 1902 ^g
- [*Pristiphora wesmaeli*](#) (Tischbein, 1853) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 132 species in [*Pristaulacus*](#), a genus of aulacid wasps in the [hymenopteran](#) family [Aulacidae](#). [1][2][3][4]

***Pristaulacus* species**

- [*Pristaulacus absens*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus acutipennis*](#) Kieffer, 1910 ^{i c g}
- [*Pristaulacus africanus*](#) (Brues, 1924) ^{i c g}
- [*Pristaulacus albitarsatus*](#) Sun & Sheng, 2007 ^g
- [*Pristaulacus albosignatus*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus ambiguus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus angularis*](#) (Crosskey, 1953) ^{i c g}
- [*Pristaulacus anijimensis*](#) ^g
- [*Pristaulacus annulatus*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus arcuatus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus arizonicus*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus arozaenae*](#) Ortega & Baez, 1985 ^{i c g}
- [*Pristaulacus asiaticus*](#) Turrisi & Smith, 2011 ^g

- [*Pristaulacus barbeyi*](#) (Ferrière, 1933) ^{i c g}
- [*Pristaulacus bicornutus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus bilobatus*](#) (Provancher, 1878) ^{i c g}
- [*Pristaulacus boninensis*](#) Konishi, 1989 ^{i c g}
- [*Pristaulacus bradleyi*](#) (Brues, 1910) ^{i c g}
- [*Pristaulacus brasiliensis*](#) (Kieffer, 1911) ^{i c g}
- [*Pristaulacus californicus*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus canadensis*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus capitalis*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus caudatus*](#) Szépligeti, 1903 ^{i c g}
- [*Pristaulacus chlapowskii*](#) Kieffer, 1900 ^{i c g}
- [*Pristaulacus cingulatus*](#) (Westwood, 1841) ^{i c g}
- [*Pristaulacus colombianus*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus compressus*](#) (Spinola, 1808) ^{i c g}
- [*Pristaulacus comptipennis*](#) Enderlein, 1912 ^{i c g}
- [*Pristaulacus concolor*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus cordatus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus cordiformis*](#) (Crosskey, 1953) ^{i c g}
- [*Pristaulacus curryi*](#) Jennings, Austin & Stevens, 2004 ^{i c g}
- [*Pristaulacus davisii*](#) Jennings, Austin & Stevens, 2004 ^{i c g}
- [*Pristaulacus decemdentatus*](#) Kieffer, 1906 ^{i c g}
- [*Pristaulacus disjunctus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus duporti*](#) Kieffer, 1921 ^{i c g}
- [*Pristaulacus editus*](#) (Cresson, 1880) ^{i c g b}
- [*Pristaulacus emarginaticeps*](#) Turner, 1922 ^{i c g}
- [*Pristaulacus erythrocephalus*](#) Cameron, 1905 ^{i c g}
- [*Pristaulacus excisus*](#) (Turner, 1922) ^{i c g}
- [*Pristaulacus fasciatipennis*](#) Cameron, 1906 ^{i c g}
- [*Pristaulacus fasciatus*](#) (Say, 1829) ^{i c g b}
- [*Pristaulacus femurrubrum*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus fiebrigi*](#) Brèthes, 1909 ^{i c g}
- [*Pristaulacus flavicrurus*](#) (Bradley, 1901) ^{i c g b}
- [*Pristaulacus flavipennis*](#) (Cameron, 1887) ^{i c g}
- [*Pristaulacus flavoguttatus*](#) (Westwood, 1851) ^{i c g}
- [*Pristaulacus formosus*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus foxleei*](#) (Townes, 1950) ^{i c g b}

- [*Pristaulacus fulvus*](#) (Turner, 1918)^{i c g}
- [*Pristaulacus fuscocostalis*](#) Turner, 1918^{i c g}
- [*Pristaulacus galitae*](#) (Gribodo, 1879)^{i c g}
- [*Pristaulacus gibbator*](#) (Thunberg, 1822)^{i c g}
- [*Pristaulacus gloriator*](#) (Fabricius, 1804)^{i c g}
- [*Pristaulacus guerini*](#) (Westwood, 1851)^{i c g}
- [*Pristaulacus haemorrhoidalis*](#) (Westwood, 1851)^{i c g}
- [*Pristaulacus haemorrhoidellus*](#) (Westwood, 1868)^{i c g}
- [*Pristaulacus holtzi*](#) (Schulz, 1906)^{i c g}
- [*Pristaulacus holzschuhi*](#) Madl, 1990^{i c g}
- [*Pristaulacus immaculatus*](#) Kieffer, 1904^{i c g}
- [*Pristaulacus insularis*](#) Konishi, 1990^{i c g}
- [*Pristaulacus intermedius*](#) Uchida, 1932^{i c g}
- [*Pristaulacus iosephi*](#) Turrisi & Madl, 2013^g
- [*Pristaulacus iridipennis*](#) (Cameron, 1900)^{i c g}
- [*Pristaulacus japonicus*](#) Turrisi & Watanabe^g
- [*Pristaulacus karinulus*](#) Smith, 2001^{i c g}
- [*Pristaulacus kiunga*](#) Jennings & Austin^g
- [*Pristaulacus kostylevi*](#) (Alekseev, 1986)^{i c g}
- [*Pristaulacus krombeini*](#) Smith, 1997^{i c g}
- [*Pristaulacus laloki*](#) Jennings & Austin^g
- [*Pristaulacus lateritius*](#) (Shuckard, 1841)^{i c g}
- [*Pristaulacus leviceps*](#) (Kieffer, 1911)^{i c g}
- [*Pristaulacus lindae*](#) Turrisi, 2000^{i c g}
- [*Pristaulacus longicornis*](#) Kieffer, 1911^{i c g}
- [*Pristaulacus maculatus*](#) (Schletterer, 1890)^{i c g}
- [*Pristaulacus major*](#) Szépligeti, 1903^{i c g}
- [*Pristaulacus mandibularis*](#) Brues, 1933^{i c g}
- [*Pristaulacus melleus*](#) (Cresson, 1879)^{i c g b}
- [*Pristaulacus memnonius*](#) Sun & Sheng, 2007^g
- [*Pristaulacus minor*](#) (Cresson, 1880)^{i c g b}
- [*Pristaulacus montanus*](#) (Cresson, 1879)^{i c g b}
- [*Pristaulacus morawitzi*](#) (Semenow, 1892)^{i c g}
- [*Pristaulacus mouldsi*](#) Jennings, Austin & Stevens, 2004^{i c g}
- [*Pristaulacus mourguesi*](#) Maneval, 1935^{i c g}
- [*Pristaulacus muticus*](#) Kieffer, 1904^{i c g}

- [*Pristaulacus niger*](#) (Shuckard, 1841) ^{i c g b}
- [*Pristaulacus nigripes*](#) Kieffer, 1911 ^{i c g}
- [*Pristaulacus nobilei*](#) Turrisi & Smith, 2011 ^g
- [*Pristaulacus nobilis*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus occidentalis*](#) (Cresson, 1879) ^{i c g b}
- [*Pristaulacus oregonus*](#) (Townes, 1950) ^{i c g}
- [*Pristaulacus ornatus*](#) Kieffer, 1913 ^{i c g}
- [*Pristaulacus pacificus*](#) (Cresson, 1879) ^{i c g}
- [*Pristaulacus patrati*](#) (Audinet-Serville, 1833) ^{i c g}
- [*Pristaulacus pieli*](#) Kieffer, 1924 ^{i c g}
- [*Pristaulacus polychromus*](#) Kieffer, 1906 ^{i c g}
- [*Pristaulacus porcatus*](#) Sun & Sheng, 2007 ^g
- [*Pristaulacus praevolans*](#) (Brues, 1923) ^{i c g}
- [*Pristaulacus proximus*](#) Kieffer, 1906 ^{i c g}
- [*Pristaulacus punctatus*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus resutorivorus*](#) (Westwood, 1851) ^{i c g b}
- [*Pristaulacus rohweri*](#) Brues, 1910 ^{i c g}
- [*Pristaulacus rubidus*](#) (Schletterer, 1890) ^{i c g}
- [*Pristaulacus rubriventer*](#) (Philippi, 1873) ^{i c g}
- [*Pristaulacus ruficeps*](#) (Westwood, 1851) ^{i c g}
- [*Pristaulacus ruficollis*](#) (Cameron, 1887) ^{i c g}
- [*Pristaulacus rufipes*](#) Enderlein, 1912 ^{i c g}
- [*Pristaulacus rufipilosus*](#) Uchida, 1932 ^{i c g}
- [*Pristaulacus rufitarsis*](#) (Cresson, 1864) ^{i c g b}
- [*Pristaulacus rufobalteatus*](#) (Cameron, 1907) ^{i c g}
- [*Pristaulacus rufus*](#) (Westwood, 1841) ^{i c g}
- [*Pristaulacus ryukyuiensis*](#) Konishi, 1990 ^{i c g}
- [*Pristaulacus secundus*](#) (Cockerell, 1916) ^{i c g}
- [*Pristaulacus sexdentatus*](#) Kieffer, 1904 ^{i c g}
- [*Pristaulacus sibiricola*](#) (Semenow, 1892) ^{i c g}
- [*Pristaulacus signatus*](#) (Shuckard, 1841) ^{i c g}
- [*Pristaulacus spinifer*](#) (Westwood, 1868) ^{i c g}
- [*Pristaulacus stephanoides*](#) (Westwood, 1841) ^{i c g}
- [*Pristaulacus stigmaterus*](#) (Cresson, 1864) ^{i c g}
- [*Pristaulacus stigmaticus*](#) (Westwood, 1868) ^{i c g b}
- [*Pristaulacus strangaliae*](#) Rohwer, 1917 ^{i c g b}

- [*Pristaulacus superbis*](#) Turrisi & Konishi ^g
- [*Pristaulacus takakuwai*](#) Turrisi & Watanabe ^g
- [*Pristaulacus tonkinensis*](#) (Turner, 1919) ^{i c g}
- [*Pristaulacus torridus*](#) (Bradley, 1908) ^{i c g}
- [*Pristaulacus tricolor*](#) Szépligeti, 1903 ^{i c g}
- [*Pristaulacus tridentatus*](#) Smith, 2005 ^{i c g}
- [*Pristaulacus tuberculiceps*](#) Turner, 1919 ^{i c g}
- [*Pristaulacus variegatus*](#) (Shuckard, 1841) ^{i c g}
- [*Pristaulacus violaceus*](#) (Bradley, 1905) ^{i c g}
- [*Pristaulacus zhejiangensis*](#) He & Ma, 2002 ^{i c g}
- [*Pristaulacus zonatipennis*](#) Roman, 1917 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 198 species in [*Prepops*](#), a genus of plant bugs in the family [*Miridae*](#).^{[1][2][3][4]}

***Prepops* species**

- [*Prepops accinctus*](#) (Distant, 1893) ^{c g}
- [*Prepops adluteiceps*](#) Carvalho, 1988 ^{c g}
- [*Prepops albomarginatus*](#) (Reuter, 1910) ^{c g}
- [*Prepops alienus*](#) (Reuter, 1910) ^{c g}
- [*Prepops anasueliae*](#) Carvalho and Fontes, 1970 ^{c g}
- [*Prepops areatus*](#) (Reuter, 1910) ^{c g}
- [*Prepops atratus*](#) (Distant, 1883) ^{c g}
- [*Prepops atripennis*](#) (Reuter, 1876) ^{i c g}
- [*Prepops atroluteus*](#) (Walker, 1873) ^{c g}
- [*Prepops bachmanni*](#) Carvalho and Carpintero, 1990 ^{c g}
- [*Prepops bahiensis*](#) Carvalho, 1975 ^{c g}
- [*Prepops banosus*](#) Carvalho, 1988 ^{c g}
- [*Prepops barueriensis*](#) Carvalho, 1988 ^{c g}
- [*Prepops bastensis*](#) Carvalho and Costa, 1991 ^{c g}
- [*Prepops bechynei*](#) Carvalho, 1988 ^{c g}
- [*Prepops beniensis*](#) Carvalho, 1988 ^{c g}
- [*Prepops bicolor*](#) (Distant, 1883) ^c

- [Prepops bicoloroides](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops bivittatus](#) (Stål, 1860) ^{c g}
- [Prepops bivittis](#) (Stål, 1862) ^{i c g b}
- [Prepops bolivianus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops borealis](#) (Knight, 1923) ^{i c g b}
- [Prepops caatinganus](#) Carvalho, 1988 ^{c g}
- [Prepops cajuruensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops caliensis](#) Carvalho, 1989 ^{c g}
- [Prepops candelariensis](#) Hernandez and Henry, 2010 ^{c g}
- [Prepops canelae](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops caracensis](#) Carvalho, 1974 ^{c g}
- [Prepops carioca](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops casualis](#) Carvalho, 1988 ^{c g}
- [Prepops catamarcanus](#) Carvalho, 1988 ^{c g}
- [Prepops catarinensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops championi](#) (Carvalho, 1952) ^{c g}
- [Prepops chanchamaianus](#) Carvalho, 1988 ^{c g}
- [Prepops circumcinctus](#) (Say, 1832) ^{i c g b}
- [Prepops circummaculatus](#) (Stål, 1854) ^{c g}
- [Prepops columbiensis](#) (Carvalho and Fontes, 1972) ^{c g}
- [Prepops comarapanus](#) Carvalho, 1988 ^{c g}
- [Prepops commissuralis](#) (Reuter, 1910) ^{c g}
- [Prepops concinnoides](#) Carvalho, 1988 ^{c g}
- [Prepops concinnus](#) (Stål, 1860) ^{c g}
- [Prepops concisus](#) (Knight, 1929) ^{i c g}
- [Prepops confraternus](#) (Uhler, 1872) ^{i c g}
- [Prepops cordobanus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops correntinoides](#) Carvalho and Carpintero, 1987 ^{c g}
- [Prepops costalis](#) (Stål, 1860) ^{c g}
- [Prepops crassicornis](#) (Reuter, 1910) ^{c g}
- [Prepops cruciferoides](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops crucifera](#) (Berg, 1879) ^{i c g}
- [Prepops cruxnigra](#) (Reuter, 1910) ^{c g}
- [Prepops cubanus](#) Carvalho and Schaffner, 1974 ^{c g}
- [Prepops cuzcoensis](#) Carvalho, 1988 ^{c g}
- [Prepops decoratus](#) (Reuter, 1910) ^{c g}

- [*Prepops diamantinensis*](#) Carvalho, 1984 ^{c g}
- [*Prepops diminutus*](#) Carvalho and Fontes, 1973 ^{i c g}
- [*Prepops dissociatus*](#) (Berg, 1892) ^{c g}
- [*Prepops divisus*](#) (Herrich-Schaeffer, 1850) ^{i c g}
- [*Prepops englemanii*](#) Carvalho and Schaffner, 1987 ^{c g}
- [*Prepops entrerianus*](#) Carvalho and Carpintero, 1987 ^{c g}
- [*Prepops eremicola*](#) (Knight, 1929) ^{i c g}
- [*Prepops erubescens*](#) (Distant, 1883) ^{c g}
- [*Prepops falloui*](#) (Bergroth, 1898) ^{c g}
- [*Prepops fernandopolis*](#) Carvalho, 1988 ^{c g}
- [*Prepops fiuzai*](#) Carvalho and Fontes, 1973 ^{c g}
- [*Prepops flavicostus*](#) (Berg, 1884) ^{c g}
- [*Prepops flavoniger*](#) (Stål, 1860) ^{c g}
- [*Prepops flavovarius*](#) (Reuter, 1910) ^{c g}
- [*Prepops fragosoi*](#) Carvalho, 1988 ^{c g}
- [*Prepops fraterculus*](#) (Knight, 1923) ^{i c g}
- [*Prepops fraternus*](#) (Knight, 1923) ^{i c g b}
- [*Prepops frontalis*](#) (Reuter, 1905) ^{i c g}
- [*Prepops goianus*](#) Carvalho and Costa, 1992 ^{c g}
- [*Prepops gracilis*](#) (Reuter, 1910) ^{c g}
- [*Prepops guanduensis*](#) Carvalho and Costa, 1991 ^{c g}
- [*Prepops guaranianus*](#) Carvalho and Fontes, 1970 ^{c g}
- [*Prepops guttaticeps*](#) (Reuter, 1910) ^{c g}
- [*Prepops hambletoni*](#) Carvalho, 1988 ^{c g}
- [*Prepops hogbergi*](#) (Stål, 1862) ^{c g}
- [*Prepops horvathi*](#) (Reuter, 1910) ^{c g}
- [*Prepops howardi*](#) (Reuter, 1910) ^{c g}
- [*Prepops huanucanus*](#) Carvalho, 1974 ^{c g}
- [*Prepops huascaraiensis*](#) Carvalho, 1988 ^{c g}
- [*Prepops iconnicoffi*](#) (Reuter, 1910) ^{c g}
- [*Prepops iguazuensis*](#) Carvalho and Carpintero, 1987 ^{c g}
- [*Prepops imperatrizensis*](#) Carvalho and Costa, 1991 ^{c g}
- [*Prepops insignis*](#) (Say, 1832) ^{i c g}
- [*Prepops insitivoides*](#) Carvalho and Fontes, 1969 ^{c g}
- [*Prepops insitivus*](#) (Say, 1832) ^{i c g b}
- [*Prepops interpunctus*](#) (Distant, 1883) ^{c g}

- [Prepops itatiaiensis](#) Carvalho and Fontes, 1968 ^{c g}
- [Prepops jamaicensis](#) (Walker, 1873) ^{c g}
- [Prepops koschevnikovi](#) (Reuter, 1910) ^{c g}
- [Prepops latipennis](#) (Stål, 1862) ^{c g}
- [Prepops liliae](#) Carvalho, 1988 ^{c g}
- [Prepops limbicollis](#) (Reuter, 1910) ^{c g}
- [Prepops lineatus](#) Carvalho, 1975 ^{c g}
- [Prepops lopesi](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops luteiceps](#) (Stål, 1859) ^{c g}
- [Prepops luteofasciatus](#) (Distant, 1883) ^{c g}
- [Prepops maldonadoi](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops malkini](#) Carvalho, 1988 ^{c g}
- [Prepops marginalis](#) (Reuter, 1910) ^{c g}
- [Prepops mariliensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops meinerti](#) (Reuter, 1905) ^{c g}
- [Prepops mielkei](#) Carvalho, 1988 ^{c g}
- [Prepops mimosus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops minensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops minutulus](#) (Reuter, 1910) ^{c g}
- [Prepops missiones](#) Carvalho, 1988 ^{c g}
- [Prepops montevidensis](#) (Berg, 1883) ^{c g}
- [Prepops montivagus](#) (Distant, 1883) ^{c g}
- [Prepops nicaraguensis](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops nigricollis](#) (Reuter, 1876) ^{i c g}
- [Prepops nigripennis](#) (Stål, 1860) ^{c g}
- [Prepops nigripilus](#) (Knight, 1929) ^{i c g b}
- [Prepops nigritus](#) Carvalho, 1988 ^{c g}
- [Prepops nigroscutellatus](#) (Knight, 1923) ^{i c g}
- [Prepops nigrus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops nitidipennis](#) (Reuter, 1910) ^{c g}
- [Prepops nobilis](#) (Reuter, 1910) ^{c g}
- [Prepops notaticollis](#) (Reuter, 1910) ^{c g}
- [Prepops nuevoleonensis](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops oaxacaenus](#) Carvalho and Schaffner, 1974 ^{c g}
- [Prepops obscurans](#) (Distant, 1883) ^{c g}
- [Prepops olmosensis](#) Carvalho, 1988 ^{c g}

- [Prepops omphalophorus](#) (Reuter, 1910) ^{c g}
- [Prepops palatanganus](#) Carvalho, 1988 ^{c g}
- [Prepops paraensis](#) Carvalho and Fontes, 1971 ^{c g}
- [Prepops paraguayiensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops paranaensis](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops patricius](#) (Reuter, 1910) ^{c g}
- [Prepops paulistanus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops pauloi](#) Carvalho, 1988 ^{c g}
- [Prepops pentheri](#) (Reuter, 1907) ^{c g}
- [Prepops persignandus](#) (Distant, 1883) ^{i c g}
- [Prepops persimilis](#) (Reuter, 1907) ^{c g}
- [Prepops peruvianus](#) (Reuter, 1910) ^{c g}
- [Prepops piraporanus](#) Carvalho, 1988 ^{c g}
- [Prepops platensis](#) (Berg, 1878) ^{c g}
- [Prepops plaumann](#) Carvalho, 1989 ^{c g}
- [Prepops plenus](#) (Distant, 1883) ^{c g}
- [Prepops poppii](#) (Bergroth, 1910) ^{c g}
- [Prepops prepopsoides](#) Carvalho, 1974 ^{c g}
- [Prepops procorrentinus](#) Carvalho and Carpintero, 1992 ^{c g}
- [Prepops quadriguttatus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops riodocensis](#) Carvalho, 1988 ^{c g}
- [Prepops robustus](#) (Reuter, 1913) ⁱ
- [Prepops rollei](#) (Reuter, 1910) ^{c g}
- [Prepops rondoniensis](#) Carvalho, 1988 ^{c g}
- [Prepops roppai](#) Carvalho, 1974 ^{c g}
- [Prepops rubellicollis](#) (Knight, 1923) ^{i c g}
- [Prepops rubroscutellatus](#) (Knight, 1929) ^{i c g b}
- [Prepops rubrovittatus](#) (Stål, 1862) ^{i c g b}
- [Prepops rufocapitis](#) Carvalho and Fontes, 1971 ^{c g}
- [Prepops rurrenabaquensis](#) Carvalho and Costa, 1991 ^{c g}
- [Prepops saltensis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops santiagoensis](#) Hernandez and Henry, 2010 ^{c g}
- [Prepops schaffneri](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops semifemoratus](#) Carvalho and Costa, 1992 ^{c g}
- [Prepops seminiger](#) (Stål, 1860) ^{c g}
- [Prepops serranus](#) Carvalho and Fontes, 1969 ^{c g}

- [Prepops setosipes](#) (Reuter, 1910) ^{c g}
- [Prepops signifer](#) (Reuter, 1910) ^{c g}
- [Prepops similaris](#) Carvalho and Fontes, 1973 ^{c g}
- [Prepops simplex](#) (Kuhlgatz, 1902) ^{c g}
- [Prepops stricturalis](#) (Reuter, 1910) ^{c g}
- [Prepops subandinus](#) Carvalho and Wallerstein, 1978 ^{c g}
- [Prepops subannulatus](#) (Stål, 1860) ^{c g}
- [Prepops subsimilis](#) (Reuter, 1907) ^{c g}
- [Prepops teapensis](#) (Distant, 1893) ^{c g}
- [Prepops teutonianus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops teutoniensis](#) Carvalho, 1993 ^{c g}
- [Prepops thoracicus](#) (Distant, 1883) ^{c g}
- [Prepops tingoensis](#) Carvalho, 1988 ^{c g}
- [Prepops tiquiensis](#) Carvalho, 1988 ^{c g}
- [Prepops trilineatus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops tristicolor](#) (Reuter, 1910) ^{c g}
- [Prepops trivittatus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops trujilloi](#) (Distant, 1893) ^{c g}
- [Prepops tucumanensis](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops tupianus](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops turrialbanus](#) Carvalho and Schaffner, 1974 ^{c g}
- [Prepops ubirajarai](#) Carvalho, 1989 ^{c g}
- [Prepops univittatoides](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops univittatus](#) (Berg, 1878) ^{c g}
- [Prepops uruguayensis](#) (Berg, 1883) ^{c g}
- [Prepops variabilis](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops vianai](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops vissosensis](#) Carvalho, 1988 ^{c g}
- [Prepops vittatus](#) Carvalho and Schaffner, 1987 ^{c g}
- [Prepops vitticollis](#) (Reuter, 1910) ^{c g}
- [Prepops vittifrons](#) (Stål, 1862) ^{c g}
- [Prepops wallersteini](#) Carvalho and Fontes, 1970 ^{c g}
- [Prepops wanderbilti](#) Carvalho, 1988 ^{c g}
- [Prepops xavantinooides](#) Carvalho and Fontes, 1972 ^{c g}
- [Prepops xavantinus](#) Carvalho and Fontes, 1969 ^{c g}
- [Prepops zetterstedti](#) (Stål, 1860) ^{c g}

- [*Prepops zonatus*](#) (Knight, 1926)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Prepops Report"*](#). Integrated Taxonomic Information System. Retrieved 2018-03-18.
 - [*"Browse Prepops"*](#). Catalogue of Life. Retrieved 2018-03-18.
 - [*"Prepops"*](#). GBIF. Retrieved 2018-03-18.
 -
4. [*"Prepops Genus Information"*](#). BugGuide.net. Retrieved 2018-03-18.

Categories:

- [Restheniini](#)
- [Lists of insect species](#)
-

These species belong to [Ponana](#), a genus of leafhoppers in the family [Cicadellidae](#).^{[1][2]}

Ponana species

- [Ponana aenea](#)
- [Ponana albosignata](#)
- [Ponana amana](#) DeLong, [Wolda](#) & Estribi, 1983
- [Ponana ampa](#) DeLong, 1977
- [Ponana anela](#) DeLong & Freytag, 1967
- [Ponana anepa](#) DeLong & Freytag, 1967
- [Ponana aquila](#)
- [Ponana areya](#) DeLong, 1981
- [Ponana atea](#) DeLong & Freytag, 1967
- [Ponana aurata](#) DeLong & Freytag, 1967
- [Ponana avena](#) DeLong & Freytag, 1967
- [Ponana balloui](#) DeLong, 1981
- [Ponana bera](#) DeLong & Freytag, 1967
- [Ponana berta](#) DeLong & Freytag, 1967
- [Ponana bisignata](#) Fowler, 1903
- [Ponana bola](#) DeLong & Freytag, 1967

- [*Ponana boquetea*](#) DeLong, Wolda & Estribi, 1983
- [*Ponana cacozeia*](#)
- [*Ponana candida*](#)
- [*Ponana cephalata*](#) DeLong, 1977
- [*Ponana cerella*](#) DeLong & Freytag, 1967
- [*Ponana cerosa*](#) DeLong & Freytag, 1967
- [*Ponana cesta*](#) DeLong & Freytag, 1967
- [*Ponana chiapa*](#) DeLong & Freytag, 1967
- [*Ponana cincta*](#) DeLong & Freytag, 1967
- [*Ponana citrina*](#) (Spangberg, 1878)
- [*Ponana clavella*](#) DeLong, Wolda & Estribi, 1983
- [*Ponana clea*](#) DeLong & Freytag, 1967
- [*Ponana conspersa*](#) Spångberg, 1878
- [*Ponana curiata*](#) Gibson, 1919
- [*Ponana dana*](#) DeLong & Freytag, 1967
- [*Ponana demela*](#) DeLong & Freytag, 1967
- [*Ponana distortia*](#) DeLong & Freytag, 1967
- [*Ponana divergens*](#) DeLong & Freytag, 1967
- [*Ponana divisa*](#) DeLong & Cwikla, 1988
- [*Ponana dohrni*](#)
- [*Ponana dulera*](#) DeLong & Freytag, 1967
- [*Ponana extensa*](#) DeLong, 1942
- [*Ponana fastosa*](#) Metcalf & Bruner, 1949
- [*Ponana floridana*](#)
- [*Ponana fortina*](#) DeLong & Freytag, 1967
- [*Ponana fuscara*](#) DeLong & Martinson, 1980
- [*Ponana guatama*](#) DeLong & Freytag, 1967
- [*Ponana hieroglyphica*](#) Fowler, 1903
- [*Ponana hilara*](#) DeLong & Martinson, 1973
- [*Ponana inflata*](#) DeLong, 1942
- [*Ponana integra*](#) DeLong, 1942
- [*Ponana irheae*](#) DeLong, Wolda & Estribi, 1983
- [*Ponana limbatipennis*](#)
- [*Ponana limonea*](#)
- [*Ponana magna*](#) Caldwell, 1952
- [*Ponana meadi*](#) DeLong & Martinson, 1980
- [*Ponana mexella*](#) DeLong & Freytag, 1967
- [*Ponana modesta*](#) Spångberg, 1883
- [*Ponana notula*](#) Fowler, 1903
- [*Ponana occlusa*](#)
- [*Ponana ornatata*](#) DeLong & Kolbe, 1974
- [*Ponana ornatella*](#) DeLong, 1981

- [Ponana ortha](#) DeLong, Wolda & Estribi, 1983
- [Ponana pamana](#) DeLong & Freytag, 1967
- [Ponana pana](#) DeLong & Freytag, 1967
- [Ponana panera](#) DeLong & Martinson, 1973
- [Ponana pauperata](#)
- [Ponana pectoralis](#) (Spangberg, 1878)
- [Ponana pertenua](#) DeLong, 1977
- [Ponana perusana](#) DeLong, 1980
- [Ponana propior](#)
- [Ponana puertoricensis](#) Caldwell, 1952
- [Ponana punctatella](#)
- [Ponana puncticollis](#) (Spangberg, 1878)
- [Ponana punctipennis](#)
- [Ponana pura](#) DeLong, 1942
- [Ponana quadralaba](#) DeLong, 1942
- [Ponana quadriproba](#) DeLong, Wolda & Estribi, 1983
- [Ponana reservanda](#) Fowler, 1903
- [Ponana rubida](#) DeLong, 1942
- [Ponana rubrapuncta](#)
- [Ponana sandersi](#) DeLong, 1977
- [Ponana scarlatina](#) (Fitch, 1851)
- [Ponana sena](#) DeLong & Martinson, 1973
- [Ponana seresa](#) DeLong & Martinson, 1973
- [Ponana serrella](#) DeLong & Martinson, 1973
- [Ponana serrens](#) DeLong, 1977
- [Ponana sonora](#) Ball
- [Ponana sparsa](#)
- [Ponana tabula](#) DeLong & Martinson, 1973
- [Ponana tama](#) DeLong & Freytag, 1967
- [Ponana tamala](#) DeLong & Freytag, 1967
- [Ponana tena](#) DeLong & Freytag, 1967
- [Ponana tresa](#) DeLong & Freytag, 1967
- [Ponana tura](#) DeLong & Freytag, 1967
- [Ponana valeda](#) DeLong & Freytag, 1967
- [Ponana vandera](#) DeLong & Freytag, 1967
- [Ponana vebera](#) DeLong & Freytag, 1967
- [Ponana vedala](#) DeLong & Freytag, 1967
- [Ponana velora](#) DeLong & Freytag, 1967
- [Ponana vinula](#) Stål, 1864
- [Ponana virga](#) DeLong, Wolda & Estribi, 1983
- [Ponana volara](#) DeLong & Freytag, 1967
- [Ponana vulana](#) DeLong & Freytag, 1967

- [*Ponana woodruffi*](#) DeLong & Martinson, 1980
- [*Ponana xarela*](#) DeLong & Freytag, 1967
- [*Ponana xella*](#) DeLong & Freytag, 1967
- [*Ponana xena*](#) DeLong & Freytag, 1967
- [*Ponana xila*](#) DeLong & Freytag, 1967
- [*Ponana xola*](#) DeLong & Freytag, 1967
- [*Ponana yena*](#) DeLong & Freytag, 1967
- [*Ponana yera*](#) DeLong & Freytag, 1967
- [*Ponana yura*](#) DeLong & Freytag, 1967

References

1.
 - [*"Ponana"*](#). GBIF. Retrieved 2020-11-02.
 -
2. [*"Ponana genus Information"*](#). BugGuide.net. Retrieved 2020-11-02.

Categories:

- [Cicadellidae](#)
- [Lists of insect species](#)
-

From Wikipedia, the free encyclopedia

Polyrhachis is a large [genus](#) of [formicine ants](#) found in the [Old World](#). As of 2026, it comprises 712 [species](#) and numerous [subspecies](#). One species, *[Polyrhachis annosa](#)*, is extinct. This list of species is based on AntCat.^{[\[1\]](#)}

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)

- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)
- [See also](#)
- [References](#)

A

- [*Polyrhachis abbreviata*](#) Kohout, 2006
- [*Polyrhachis abdita*](#) Kohout, 2007
- [*Polyrhachis abdominalis*](#) Smith, F., 1858



P. abdominalis

- [*Polyrhachis aberrans*](#) Kohout, 2008
- [*Polyrhachis abnormis*](#) Donisthorpe, 1948
- [*Polyrhachis abrupta*](#) Mayr, 1867
- [*Polyrhachis achterbergi*](#) Kohout, 2006
- [*Polyrhachis aculeata*](#) Mayr, 1879
- [*Polyrhachis acuminata*](#) Kohout, 2007

- [*Polyrhachis aenescens*](#) Stitz, 1910
- [*Polyrhachis aequalis*](#) Forel, 1910
- [*Polyrhachis aérope*](#) Wheeler, 1922
- [*Polyrhachis agesilas*](#) Forel, 1913
- [*Polyrhachis alata*](#) Forel, 1904
- [*Polyrhachis alatisquamis*](#) Forel, 1893
- [*Polyrhachis albertisi*](#) Emery, 1887
- [*Polyrhachis alexisi*](#) Forel, 1916
- [*Polyrhachis alluaudi*](#) Emery, 1892
- [*Polyrhachis alpea*](#) Smith, 1863
- [*Polyrhachis alphena*](#) Smith, 1860
- [*Polyrhachis amana*](#) Smith, 1861
- [*Polyrhachis ammon*](#) (Fabricius, 1775)



P. ammon

- [*Polyrhachis ammonoeides*](#) Roger, 1863
- [*Polyrhachis anderseni*](#) Kohout, 2013
- [*Polyrhachis andrei*](#) Emery, 1921
- [*Polyrhachis andromache*](#) Roger, 1863
- [*Polyrhachis angusta*](#) Forel, 1902
- [*Polyrhachis annae*](#) Mann, 1919
- [*Polyrhachis annulata*](#) Kohout, 2007
- [*Polyrhachis antennata*](#) Viehmeyer, 1912
- [*Polyrhachis antoniae*](#) Stitz, 1911
- [*Polyrhachis aporema*](#) Kohout, 2006
- [*Polyrhachis appendiculata*](#) Emery, 1893
- [*Polyrhachis arachne*](#) Emery, 1896
- [*Polyrhachis arborea*](#) Kohout, 2006
- [*Polyrhachis archeri*](#) Kohout, 2013
- [*Polyrhachis arcuata*](#) (Le Guillou, 1842)
- [*Polyrhachis argenteosignata*](#) Emery, 1900
- [*Polyrhachis argentosa*](#) Forel, 1902
- [*Polyrhachis armata*](#) (Le Guillou, 1842)



P. armata

- [*Polyrhachis arnoldi*](#) Forel, 1914
- [*Polyrhachis aruensis*](#) Viehmeyer, 1912
- [*Polyrhachis asomaningi*](#) Bolton, 1973
- [*Polyrhachis aspasia*](#) Forel, 1911
- [*Polyrhachis atossa*](#) Forel, 1913
- [*Polyrhachis atropos*](#) Smith, 1860
- [*Polyrhachis atrovirens*](#) Emery, 1900
- [*Polyrhachis aurea*](#) Mayr, 1876



P. aurea

- [*Polyrhachis aureovestita*](#) Donisthorpe, 1937
- [*Polyrhachis auriformis*](#) Donisthorpe, 1943
- [*Polyrhachis aurita*](#) Emery, 1911
- [*Polyrhachis aurora*](#) Kohout, 2013
- [*Polyrhachis australis*](#) Mayr, 1870



P. australis

B

- [*Polyrhachis baca*](#) Sorger & Zettel, 2010
- [*Polyrhachis bakana*](#) Xu, 1998
- [*Polyrhachis bakeri*](#) Viehmeyer, 1916
- [*Polyrhachis bamaga*](#) Kohout, 1990
- [*Polyrhachis banghaasi*](#) Viehmeyer, 1922
- [*Polyrhachis barretti*](#) Clark, 1928
- [*Polyrhachis barryi*](#) Kohout, 2006
- [*Polyrhachis basirufa*](#) Emery, 1900
- [*Polyrhachis batesi*](#) Forel, 1911
- [*Polyrhachis beauforti*](#) Emery, 1911
- [*Polyrhachis beccarii*](#) Mayr, 1872
- [*Polyrhachis becvari*](#) Zettel & Ockermüller, 2023
- [*Polyrhachis bedeloweryi*](#) Kohout, 2006
- [*Polyrhachis bedoti*](#) Forel, 1902
- [*Polyrhachis bellicosa*](#) Smith, 1859
- [*Polyrhachis bicolor*](#) Smith, 1858



P. bicolor

- [*Polyrhachis bihamata*](#) (Drury, 1773)



P. bihamata

- [*Polyrhachis binghamii*](#) Forel, 1893
- [*Polyrhachis bismarckensis*](#) Forel, 1901
- [*Polyrhachis bispinosa*](#) Kohout, 2013
- [*Polyrhachis bohemia*](#) Kohout, 2013
- [*Polyrhachis boltoni*](#) Dorow & Kohout, 1995
- [*Polyrhachis bosi*](#) Kohout, 2008

- [*Polyrhachis bouvieri*](#) Santschi, 1928
- [*Polyrhachis brachyspina*](#) Kohout, 2008
- [*Polyrhachis braxa*](#) Bolton, 1973
- [*Polyrhachis brendelli*](#) Kohout, 2008
- [*Polyrhachis breviata*](#) Kohout, 2007
- [*Polyrhachis brevicorpa*](#) Xu, 2002
- [*Polyrhachis brevinoda*](#) Kohout, 2006
- [*Polyrhachis breviorspinosa*](#) Donisthorpe, 1947
- [*Polyrhachis brevopilosa*](#) Rigato, 2016
- [*Polyrhachis brisbanensis*](#) Kohout, 2013



P. brisbanensis

- [*Polyrhachis browni*](#) Kohout, 2008
- [*Polyrhachis bruehli*](#) Kohout, 2006
- [*Polyrhachis brutella*](#) Kohout, 2013
- [*Polyrhachis bubastes*](#) Smith, 1863
- [*Polyrhachis bugnioni*](#) Forel, 1908
- [*Polyrhachis burmanensis*](#) Donisthorpe, 1938
- [*Polyrhachis burwelli*](#) Kohout, 2013
- [*Polyrhachis busiris*](#) Smith, 1860

C

- [*Polyrhachis caeciliae*](#) Forel, 1912
- [*Polyrhachis callima*](#) Kohout, 2013
- [*Polyrhachis calliope*](#) Emery, 1900
- [*Polyrhachis calypso*](#) Forel, 1911
- [*Polyrhachis campbelli*](#) Mann, 1919
- [*Polyrhachis capeyorkensis*](#) Kohout, 2013
- [*Polyrhachis capillata*](#) Kohout, 2013
- [*Polyrhachis captiva*](#) Kohout, 2013
- [*Polyrhachis carbonaria*](#) Smith, 1857
- [*Polyrhachis carinata*](#) Fabricius, 1804
- [*Polyrhachis castaneiventris*](#) Smith, 1858
- [*Polyrhachis caulomma*](#) Viehmeyer, 1914
- [*Polyrhachis cedarensis*](#) Forel, 1915

- [*Polyrhachis celebensis*](#) Viehmeyer, 1913
- [*Polyrhachis cephalotes*](#) Emery, 1893
- [*Polyrhachis ceramensis*](#) Mayr, 1883
- [*Polyrhachis chaita*](#) Kohout, 2008
- [*Polyrhachis chalybea*](#) Smith, 1857



P. chalybea

- [*Polyrhachis chapmani*](#) Kohout, 2006
- [*Polyrhachis charaxa*](#) Smith, 1860
- [*Polyrhachis chartifex*](#) Emery, 1900
- [*Polyrhachis cheesmanae*](#) Donisthorpe, 1937
- [*Polyrhachis cincta*](#) Viehmeyer, 1913
- [*Polyrhachis cingula*](#) Donisthorpe, 1947
- [*Polyrhachis circumdata*](#) Viehmeyer, 1913
- [*Polyrhachis clarkei*](#) Donisthorpe, 1949
- [*Polyrhachis clarki*](#) Kohout, 2013
- [*Polyrhachis cleopatra*](#) Forel, 1902



P. cleopatra

- [*Polyrhachis cleophanes*](#) Smith, 1861

- [*Polyrhachis clio*](#) Forel, 1902



P. clio

- [*Polyrhachis clotho*](#) Forel, 1902
- [*Polyrhachis coerulescens*](#) Emery, 1897
- [*Polyrhachis cognata*](#) Kohout, 2008
- [*Polyrhachis compressicornis*](#) Smith, 1860
- [*Polyrhachis concava*](#) Andre, 1889
- [*Polyrhachis conciliata*](#) Kohout, 2013
- [*Polyrhachis confusa*](#) Wong & Guénard, 2020
- [*Polyrhachis conops*](#) Forel, 1901
- [*Polyrhachis consimilis*](#) Smith, 1858
- [*Polyrhachis conspicua*](#) Kohout, 2006
- [*Polyrhachis constricta*](#) Emery, 1897
- [*Polyrhachis constructor*](#) Smith, 1857
- [*Polyrhachis contemta*](#) Mayr, 1876
- [*Polyrhachis continua*](#) Emery, 1887
- [*Polyrhachis convexa*](#) Roger, 1863
- [*Polyrhachis cornihumera*](#) Xu, 2002
- [*Polyrhachis cornuhumera*](#) Zhou & Huang, 2002
- [*Polyrhachis cornuta*](#) Stitz, 1910
- [*Polyrhachis corporaali*](#) Santschi, 1928
- [*Polyrhachis costulata*](#) Emery, 1897
- [*Polyrhachis cracentia*](#) Kohout, 2013
- [*Polyrhachis craddocki*](#) Bingham, 1903
- [*Polyrhachis crassispinosa*](#) Viehmeyer, 1914
- [*Polyrhachis crawleyi*](#) Forel, 1916
- [*Polyrhachis creusa*](#) Emery, 1897
- [*Polyrhachis croceiventris*](#) Emery, 1900
- [*Polyrhachis cryptoceroides*](#) Emery, 1887
- [*Polyrhachis cubaensis*](#) Mayr, 1862
- [*Polyrhachis cupreata*](#) Emery, 1895



P. cupreata

- [*Polyrhachis curta*](#) Emery, 1890
- [*Polyrhachis curvispina*](#) Forel, 1908
- [*Polyrhachis cyaniventris*](#) Smith, 1858
- [*Polyrhachis cybele*](#) Wheeler, 1919
- [*Polyrhachis cydista*](#) Kohout, 2008
- [*Polyrhachis cyphonota*](#) Xu, 1998
- [*Polyrhachis cyrus*](#) Forel, 1901



P. cyrus

D

- [*Polyrhachis daemeli*](#) Mayr, 1876



P. daemeli

- [*Polyrhachis dahlui*](#) Forel, 1901
- [*Polyrhachis danum*](#) Kohout, 2006
- [*Polyrhachis daphne*](#) Wheeler, 1919
- [*Polyrhachis darlingtoni*](#) Kohout, 2013
- [*Polyrhachis davydovi*](#) Karavaiev, 1927

- [*Polyrhachis debilis*](#) Emery, 1887
- [*Polyrhachis decellei*](#) Bolton, 1973
- [*Polyrhachis decemdentata*](#) Andre, 1889
- [*Polyrhachis deceptor*](#) Kohout, 2008
- [*Polyrhachis decipiens*](#) Roger, 1863
- [*Polyrhachis decora*](#) Kohout, 2007
- [*Polyrhachis decumbens*](#) Kohout, 2006
- [*Polyrhachis delecta*](#) Kohout, 2006
- [*Polyrhachis delicata*](#) Crawley, 1915
- [*Polyrhachis demangei*](#) Santschi, 1910



P. demangei

- [*Polyrhachis denselineata*](#) Viehmeyer, 1914
- [*Polyrhachis dentata*](#) Donisthorpe, 1947
- [*Polyrhachis denticulata*](#) Karavaiev, 1927
- [*Polyrhachis dentihumera*](#) Xu, 2002
- [*Polyrhachis derecyna*](#) Smith, 1871
- [*Polyrhachis diana*](#) Wheeler, 1909
- [*Polyrhachis diaphanta*](#) Smith, 1861
- [*Polyrhachis dimoculata*](#) Kohout, 2013
- [*Polyrhachis diotima*](#) Forel, 1911
- [*Polyrhachis dispar*](#) Kohout, 2010
- [*Polyrhachis diversa*](#) Kohout, 2013
- [*Polyrhachis dives*](#) Smith, 1857
- [*Polyrhachis dohrni*](#) Forel, 1901
- [*Polyrhachis dolomedes*](#) Smith, 1863
- [*Polyrhachis dorowi*](#) Kohout, 2009
- [*Polyrhachis dorsena*](#) Kohout, 2006
- [*Polyrhachis dostali*](#) Zettel, 2019
- [*Polyrhachis doudou*](#) Rigato, 2016
- [*Polyrhachis dougcooki*](#) Kohout, 2013

- [*Polyrhachis dubia*](#) Rigato, 2016
- [*Polyrhachis durbanensis*](#) Forel, 1914
- [*Polyrhachis durvillei*](#) Donisthorpe, 1938

E

- [*Polyrhachis edentula*](#) Emery, 1900
- [*Polyrhachis edwardi*](#) Donisthorpe, 1948
- [*Polyrhachis electra*](#) Kohout, 2013
- [*Polyrhachis elegantula*](#) Kohout, 2013
- [*Polyrhachis elii*](#) Emery, 1900
- [*Polyrhachis emeryana*](#) Mann, 1919
- [*Polyrhachis emmae*](#) Santschi, 1920
- [*Polyrhachis empesoi*](#) Kohout, 2006
- [*Polyrhachis enigma*](#) Kohout, 2006
- [*Polyrhachis epinotalis*](#) Santschi, 1924
- [*Polyrhachis equina*](#) Smith, 1857
- [*Polyrhachis erato*](#) Forel, 1902



P. erato

- [*Polyrhachis eremita*](#) Kohout, 1990
- [*Polyrhachis erosispina*](#) Emery, 1900
- [*Polyrhachis esarata*](#) Bolton, 1973
- [*Polyrhachis escherichi*](#) Viehmeyer, 1914
- [*Polyrhachis esuriens*](#) Emery, 1897
- [*Polyrhachis etheli*](#) Chapman, 1963
- [*Polyrhachis eureka*](#) Kohout, 2013
- [*Polyrhachis euryala*](#) Smith, 1863
- [*Polyrhachis eurynota*](#) Emery, 1897
- [*Polyrhachis euterpe*](#) Forel, 1902
- [*Polyrhachis euthiacaena*](#) Zhou & Zheng, 1997
- [*Polyrhachis exarata*](#) Emery, 1887
- [*Polyrhachis excellens*](#) Viehmeyer, 1912
- [*Polyrhachis excisa*](#) Mayr, 1867
- [*Polyrhachis excitata*](#) Viehmeyer, 1913
- [*Polyrhachis exercita*](#) (Walker, 1859)

- [*Polyrhachis exotica*](#) Kohout, 1987
- [*Polyrhachis expressa*](#) Kohout, 2006

F

- [*Polyrhachis feehani*](#) Kohout, 2013
- [*Polyrhachis fellowesi*](#) Wong & Guénard, 2020
- [*Polyrhachis femorata*](#) Smith, 1858



P. femorata

- [*Polyrhachis fervens*](#) Smith, 1860
- [*Polyrhachis festina*](#) Kohout, 2008
- [*Polyrhachis fisheri*](#) Rigato, 2016
- [*Polyrhachis fissa*](#) Mayr, 1902
- [*Polyrhachis flavibasis*](#) Clark, 1930



P. flavibasis

- [*Polyrhachis flavicornis*](#) Smith, 1857
- [*Polyrhachis flavoflagellata*](#) Karavaiev, 1927
- [*Polyrhachis follicula*](#) Menozzi, 1926
- [*Polyrhachis foreli*](#) Kohout, 1989



P. foreli

- [*Polyrhachis fornicata*](#) Emery, 1900
- [*Polyrhachis fortis*](#) Emery, 1893
- [*Polyrhachis frauenfeldi*](#) Mayr, 1862
- [*Polyrhachis fruhstorferi*](#) Emery, 1898



P. f. varicolor

- [*Polyrhachis fulakora*](#) Mann, 1919
- [*Polyrhachis fulgens*](#) Viehmeyer, 1912
- [*Polyrhachis furcata*](#) Smith, 1858
- [*Polyrhachis furcula*](#) Emery, 1911
- [*Polyrhachis fuscipes*](#) Mayr, 1862

G

- [*Polyrhachis gab*](#) Forel, 1879
- [*Polyrhachis gagates*](#) Smith, 1858



P. gagates

- [*Polyrhachis gamaii*](#) Santschi, 1917

- [*Polyrhachis garbhangaensis*](#) Sharma et al., 2026
- [*Polyrhachis gazelle*](#) Kohout, 2013
- [*Polyrhachis geminata*](#) Mann, 1919
- [*Polyrhachis gentilis*](#) Kohout, 2007
- [*Polyrhachis geometrica*](#) Smith, 1859
- [*Polyrhachis gerstaeckeri*](#) Forel, 1886
- [*Polyrhachis gestroi*](#) Emery, 1900
- [*Polyrhachis gibba*](#) Emery, 1901
- [*Polyrhachis gibbosa*](#) Forel, 1908
- [*Polyrhachis gibbula*](#) Rigato, 2016
- [*Polyrhachis glabrinota*](#) Clark, 1930
- [*Polyrhachis glykera*](#) Forel, 1912
- [*Polyrhachis gobini*](#) Kohout, 2008
- [*Polyrhachis goramensis*](#) Emery, 1887
- [*Polyrhachis gracilior*](#) Forel, 1893
- [*Polyrhachis grandis*](#) Donisthorpe, 1949
- [*Polyrhachis gravis*](#) Clark, 1930
- [*Polyrhachis greensladei*](#) Kohout, 1990
- [*Polyrhachis gressitti*](#) Kohout, 2007
- [*Polyrhachis gribodoi*](#) Emery, 1887
- [*Polyrhachis grisescens*](#) Emery, 1895
- [*Polyrhachis guerini*](#) Roger, 1863

H

- [*Polyrhachis halidayi*](#) Emery, 1889
- [*Polyrhachis hashimotoi*](#) Kohout, 2007
- [*Polyrhachis hastata*](#) (Latreille, 1802)
- [*Polyrhachis hauxwelli*](#) Bingham, 1903
- [*Polyrhachis hector*](#) Smith, 1857
- [*Polyrhachis heinlethii*](#) Forel, 1895
- [*Polyrhachis hemiopticoides*](#) Mukerjee, 1930
- [*Polyrhachis hera*](#) Forel, 1911
- [*Polyrhachis hermione*](#) Emery, 1895
- [*Polyrhachis hespera*](#) Kohout, 2013
- [*Polyrhachis hexacantha*](#) (Erichson, 1842)
- [*Polyrhachis hilaris*](#) Kohout, 2008
- [*Polyrhachis hippomanes*](#) Smith, 1861
- [*Polyrhachis hirsuta*](#) Mayr, 1876



P. hirsuta

- [*Polyrhachis hirta*](#) Viehmeyer, 1914
- [*Polyrhachis hispida*](#) Kohout, 2008
- [*Polyrhachis hodgsoni*](#) Forel, 1902
- [*Polyrhachis hoelldobleri*](#) Kohout, 2006
- [*Polyrhachis hoffmanni*](#) Kohout, 2013
- [*Polyrhachis hookeri*](#) Lowne, 1865



P. hookeri

- [*Polyrhachis horacei*](#) Hung, 1967
- [*Polyrhachis horni*](#) Emery, 1901
- [*Polyrhachis hosei*](#) Donisthorpe, 1942
- [*Polyrhachis hortensis*](#) Forel, 1913
- [*Polyrhachis hostilis*](#) Smith, 1859
- [*Polyrhachis hunggeuk*](#) Wong & Guénard, 2020
- [*Polyrhachis hungi*](#) Emery, 1901
- [*Polyrhachis hybosa*](#) Kohout, 2006

I

- [*Polyrhachis ignota*](#) Kohout, 1987
- [*Polyrhachis illaudata*](#) Walker, 1859
- [*Polyrhachis imitator*](#) Kohout, 2008
- [*Polyrhachis impressa*](#) Kohout, 2007
- [*Polyrhachis incerta*](#) Kohout, 2008
- [*Polyrhachis inclusa*](#) Viehmeyer, 1912
- [*Polyrhachis incognita*](#) Kohout, 2008
- [*Polyrhachis inconspicua*](#) Emery, 1887

- [*Polyrhachis inducta*](#) Kohout, 2006
- [*Polyrhachis inermis*](#) Smith, 1858
- [*Polyrhachis inflata*](#) Kohout, 2006
- [*Polyrhachis injinooi*](#) Kohout, 2013
- [*Polyrhachis insularis*](#) Emery, 1887
- [*Polyrhachis integra*](#) Kohout, 2006
- [*Polyrhachis inusitata*](#) Kohout, 1989
- [*Polyrhachis io*](#) Forel, 1915
- [*Polyrhachis isacantha*](#) Emery, 1887
- [*Polyrhachis isolata*](#) Kohout, 2013
- [*Polyrhachis ithona*](#) Smith, 1860

J

- [*Polyrhachis jacksoniana*](#) Roger, 1863
- [*Polyrhachis jacobsoni*](#) Forel, 1909
- [*Polyrhachis javanica*](#) Mayr, 1867
- [*Polyrhachis jerdonii*](#) Forel, 1892
- [*Polyrhachis jianghuaensis*](#) Wang & Wu, 1991
- [*Polyrhachis johnsoni*](#) Mann, 1919
- [*Polyrhachis jurii*](#) Karavaiev, 1935

K

- [*Polyrhachis kaipi*](#) Mann, 1919
- [*Polyrhachis kazuoi*](#) Kohout, 2008
- [*Polyrhachis kebunraya*](#) Kohout, 2013
- [*Polyrhachis keratifera*](#) Karavaiev, 1927
- [*Polyrhachis khepra*](#) Bolton, 1973
- [*Polyrhachis kohli*](#) Forel, 1916
- [*Polyrhachis kohouti*](#) Hoffmann, 2015
- [*Polyrhachis kokoda*](#) Kohout, 2007
- [*Polyrhachis kubani*](#) Zettel & Ockermüller, 2023
- [*Polyrhachis kyawthani*](#) Kohout, 2006

L

- [*Polyrhachis labella*](#) Smith, 1860
- [*Polyrhachis laboriosa*](#) Smith, 1858



P. laboriosa

- [*Polyrhachis lachesis*](#) Forel, 1897
- [*Polyrhachis laciniata*](#) Emery, 1900
- [*Polyrhachis lacroixi*](#) Zettel, 2019
- [*Polyrhachis lacteipennis*](#) Smith, 1858
- [*Polyrhachis laevigata*](#) Smith, 1857
- [*Polyrhachis laevissima*](#) Smith, 1858



P. laevissima

- [*Polyrhachis lama*](#) Kohout, 1994
- [*Polyrhachis lamellidens*](#) Smith, 1874
- [*Polyrhachis laminata*](#) Mayr, 1867
- [*Polyrhachis lanuginosa*](#) Santschi, 1910
- [*Polyrhachis lao*](#) Jaitrong & Yamane, 2023
- [*Polyrhachis lata*](#) Emery, 1895
- [*Polyrhachis latharis*](#) Bolton, 1973
- [*Polyrhachis latinota*](#) Viehmeyer, 1912
- [*Polyrhachis latispina*](#) Emery, 1925
- [*Polyrhachis latona*](#) Wheeler, 1909
- [*Polyrhachis lauta*](#) Santschi, 1910
- [*Polyrhachis leae*](#) Forel, 1913



P. leae

- [*Polyrhachis leonidas*](#) Forel, 1901
- [*Polyrhachis leopoldi*](#) Santschi, 1932
- [*Polyrhachis lepida*](#) Kohout, 2006
- [*Polyrhachis lestoni*](#) Bolton, 1973
- [*Polyrhachis levior*](#) Roger, 1863
- [*Polyrhachis leviuscula*](#) Viehmeyer, 1916
- [*Polyrhachis lilianae*](#) Forel, 1911
- [*Polyrhachis limbata*](#) Emery, 1897



P. limbata

- [*Polyrhachis limitis*](#) Santschi, 1939
- [*Polyrhachis liniae*](#) Donisthorpe, 1938
- [*Polyrhachis litigiosa*](#) Emery, 1897
- [*Polyrhachis lombokensis*](#) Emery, 1898
- [*Polyrhachis longipes*](#) Smith, 1859
- [*Polyrhachis longiseta*](#) Rigato, 2016
- [*Polyrhachis lorlai*](#) Emery, 1897
- [*Polyrhachis loweryi*](#) Kohout, 1990
- [*Polyrhachis lownei*](#) Forel, 1895
- [*Polyrhachis lucidula*](#) Emery, 1893
- [*Polyrhachis luctuosa*](#) Emery, 1921

- [*Polyrhachis lugens*](#) Mayr, 1867
- [*Polyrhachis lumi*](#) Kohout, 2007
- [*Polyrhachis luteipes*](#) Rigato, 2016
- [*Polyrhachis luteogaster*](#) Kohout, 2012
- [*Polyrhachis lydiae*](#) Forel, 1902

M

- [*Polyrhachis maai*](#) Kohout, 2007
- [*Polyrhachis machaon*](#) Santschi, 1920



P. machaon

- [*Polyrhachis mackayi*](#) Donisthorpe, 1938



P. mackayi

- [*Polyrhachis macropus*](#) Wheeler, 1916
- [*Polyrhachis maculata*](#) Forel, 1915



P. maculata

- [*Polyrhachis magnifica*](#) Menozzi, 1926
- [*Polyrhachis malaensis*](#) Mann, 1919
- [*Polyrhachis maliau*](#) Kohout, 2014
- [*Polyrhachis mamba*](#) Kohout, 2007

- [*Polyrhachis manni*](#) Kohout, 2008
- [*Polyrhachis manusensis*](#) Kohout, 2013
- [*Polyrhachis marginata*](#) Smith, 1859
- [*Polyrhachis maryatiaae*](#) Kohout, 2007
- [*Polyrhachis masaokai*](#) Kohout, 2008
- [*Polyrhachis medusa*](#) Forel, 1897



P. medusa

- [*Polyrhachis melanura*](#) Kohout, 2013
- [*Polyrhachis mellita*](#) Kohout, 2008
- [*Polyrhachis melpomene*](#) Emery, 1897
- [*Polyrhachis menelas*](#) Forel, 1904
- [*Polyrhachis menozzii*](#) Karavaiev, 1927
- [*Polyrhachis mentor*](#) Forel, 1901
- [*Polyrhachis metella*](#) Smith, 1860



P. metella

- [*Polyrhachis micans*](#) Mayr, 1876
- [*Polyrhachis militaris*](#) Fabricius, 1782



P. militaris

- [*Polyrhachis mindanaensis*](#) Emery, 1923
- [*Polyrhachis minima*](#) Kohout, 2007
- [*Polyrhachis mitrata*](#) Menozzi, 1932
- [*Polyrhachis mjobergi*](#) Forel, 1915



P. mjobergi

- [*Polyrhachis mkomaziae*](#) Taylor & McGavin, 2020
- [*Polyrhachis modesta*](#) Smith, 1857
- [*Polyrhachis moeschi*](#) Forel, 1912
- [*Polyrhachis moesta*](#) Emery, 1887



P. moesta

- [*Polyrhachis mondoi*](#) Donisthorpe, 1938
- [*Polyrhachis monista*](#) Santschi, 1910
- [*Polyrhachis montana*](#) Hung, 1970
- [*Polyrhachis monteithi*](#) Kohout, 2006



P. monteithi

- [*Polyrhachis monticola*](#) Kohout, 2007
- [*Polyrhachis muara*](#) Kohout, 2008
- [*Polyrhachis mucronata*](#) Smith, 1859
- [*Polyrhachis muelleri*](#) Forel, 1893
- [*Polyrhachis murina*](#) Emery, 1893
- [*Polyrhachis mutata*](#) Smith, 1858

N

- [*Polyrhachis narendrani*](#) Karmaly, 2004
- [*Polyrhachis neglecta*](#) Kohout, 2008
- [*Polyrhachis nepenthicola*](#) Kohout, 2013
- [*Polyrhachis neptunus*](#) Smith, 1865
- [*Polyrhachis neuguinensis*](#) Kohout, 2013
- [*Polyrhachis nidificans*](#) (Jerdon, 1851)
- [*Polyrhachis nigra*](#) Mayr, 1862
- [*Polyrhachis nigrescens*](#) Karavaiev, 1927
- [*Polyrhachis nigriceps*](#) Smith, 1863
- [*Polyrhachis nigripes*](#) Emery, 1897
- [*Polyrhachis nigrita*](#) Mayr, 1895
- [*Polyrhachis nigropilosa*](#) Mayr, 1872
- [*Polyrhachis nitens*](#) Donisthorpe, 1943
- [*Polyrhachis nitida*](#) Smith, 1857
- [*Polyrhachis noesaensis*](#) Forel, 1915
- [*Polyrhachis nofra*](#) Bolton, 1975
- [*Polyrhachis nomo*](#) Donisthorpe, 1941
- [*Polyrhachis noonananti*](#) Kohout, 2013
- [*Polyrhachis nourlangie*](#) Kohout, 2013
- [*Polyrhachis nudata*](#) Smith, 1860
- [*Polyrhachis numeria*](#) Smith, 1861

O

- [*Polyrhachis obesior*](#) Viehmeyer, 1916

- [Polyrhachis obliqua](#) Stitz, 1911
- [Polyrhachis obscura](#) Forel, 1895
- [Polyrhachis obtusa](#) Emery, 1897
- [Polyrhachis ochracea](#) Karavaiev, 1927
- [Polyrhachis oedacantha](#) Wheeler, 1919
- [Polyrhachis oedipus](#) Forel, 1893
- [Polyrhachis ogatai](#) Kohout, 2008
- [Polyrhachis olena](#) Smith, 1861
- [Polyrhachis olybria](#) Forel, 1912



P. olybria

- [Polyrhachis omissa](#) Rigato, 2016
- [Polyrhachis omyrmex](#) Donisthorpe, 1938
- [Polyrhachis opacita](#) Kohout, 2013
- [Polyrhachis opalescens](#) Clark, 1930
- [Polyrhachis ops](#) Forel, 1907
- [Polyrhachis orbihumera](#) Xu, 2002
- [Polyrhachis ornata](#) Mayr, 1876



P. ornata

- [Polyrhachis orokana](#) Kohout, 2007
- [Polyrhachis orpheus](#) Forel, 1911
- [Polyrhachis orsylla](#) Smith, 1861
- [Polyrhachis osae](#) Mann, 1919
- [Polyrhachis osiris](#) Bolton, 1975
- [Polyrhachis otleti](#) Forel, 1916

P

- [*Polyrhachis pacifica*](#) Kohout, 2006
- [*Polyrhachis pagana*](#) Santschi, 1928
- [*Polyrhachis palaeartica*](#) Dietrich, 2004
- [*Polyrhachis palawanensis*](#) Kohout, 2013
- [*Polyrhachis pallescens*](#) Mayr, 1876
- [*Polyrhachis pallipes*](#) Donisthorpe, 1948
- [*Polyrhachis palmerae*](#) Kohout, 2013
- [*Polyrhachis parabiatica*](#) Chapman, 1963
- [*Polyrhachis paracamponota*](#) Wang & Wu, 1991
- [*Polyrhachis paromala*](#) Smith, 1863
- [*Polyrhachis parva*](#) Kohout, 2007
- [*Polyrhachis patiens*](#) Santschi, 1920
- [*Polyrhachis paxilla*](#) Smith, 1863
- [*Polyrhachis peetersi*](#) Wong & Guénard, 2020
- [*Polyrhachis pelecta*](#) Kohout, 2007
- [*Polyrhachis pellita*](#) Menozzi, 1922
- [*Polyrhachis penelope*](#) Forel, 1895
- [*Polyrhachis peregrina*](#) Smith, 1860
- [*Polyrhachis personata*](#) Wheeler, 1919
- [*Polyrhachis phalerata*](#) Menozzi, 1926
- [*Polyrhachis phidias*](#) Forel, 1910
- [*Polyrhachis philippinensis*](#) Smith, 1858
- [*Polyrhachis phryne*](#) Forel, 1907



P. phryne

- [*Polyrhachis pilbara*](#) Kohout, 2013
- [*Polyrhachis pilosa*](#) Donisthorpe, 1938



P. pilosa

- [*Polyrhachis pirata*](#) Sorger & Zettel, 2009
- [*Polyrhachis placida*](#) Kohout, 2013
- [*Polyrhachis planata*](#) Kohout, 2007
- [*Polyrhachis planoculata*](#) Kohout, 2013
- [*Polyrhachis plato*](#) Forel, 1911
- [*Polyrhachis platynota*](#) Stitz, 1933
- [*Polyrhachis platyomma*](#) Emery, 1921
- [*Polyrhachis polymnia*](#) Forel, 1902
- [*Polyrhachis porcata*](#) Emery, 1921
- [*Polyrhachis pressa*](#) Mayr, 1862
- [*Polyrhachis procera*](#) Emery, 1897
- [*Polyrhachis prometheus*](#) Santschi, 1920
- [*Polyrhachis proxima*](#) Roger, 1863
- [*Polyrhachis pruinosa*](#) Mayr, 1872
- [*Polyrhachis pseudothrinax*](#) Hung, 1967
- [*Polyrhachis pubescens*](#) Mayr, 1879
- [*Polyrhachis pulleni*](#) Kohout, 2013
- [*Polyrhachis punctillata*](#) Roger, 1863
- [*Polyrhachis punctiventris*](#) Mayr, 1876



P. punctiventris

- [*Polyrhachis punjabi*](#) Bharti, 2003
- [*Polyrhachis pyrrhus*](#) Forel, 1910

Q

- [*Polyrhachis quadrispinosa*](#) Jaitrong & Noon-Anant, 2023
- [*Polyrhachis queenslandica*](#) Forel, 1901

R

- [*Polyrhachis radicolica*](#) Dahl, 1901
- [*Polyrhachis ralumensis*](#) Forel, 1901
- [*Polyrhachis rastellata*](#) Latreille, 1802
- [*Polyrhachis reclinata*](#) Emery, 1887
- [*Polyrhachis regesa*](#) Bolton, 1973
- [*Polyrhachis regularis*](#) Mayr, 1867
- [*Polyrhachis relucens*](#) Latreille, 1802
- [*Polyrhachis rere*](#) Mann, 1919
- [*Polyrhachis retrorsa*](#) Emery, 1900
- [*Polyrhachis retusa*](#) Kohout, 2007
- [*Polyrhachis revoili*](#) Andre, 1887
- [*Polyrhachis rhea*](#) Forel, 1911
- [*Polyrhachis ridleyi*](#) Forel, 1912
- [*Polyrhachis rixosa*](#) Smith, 1858
- [*Polyrhachis roberti*](#) Kohout, 2007
- [*Polyrhachis robsoni*](#) Kohout, 2006



P. robsoni

- [*Polyrhachis robusta*](#) Kohout, 2013
- [*Polyrhachis romanovi*](#) Santschi, 1928
- [*Polyrhachis roomi*](#) Kohout, 2007
- [*Polyrhachis rossi*](#) Donisthorpe, 1948
- [*Polyrhachis rotoccipita*](#) Xu, 2002
- [*Polyrhachis rotumana*](#) Wilson & Taylor, 1967
- [*Polyrhachis rowlandi*](#) Forel, 1910
- [*Polyrhachis rubigastrica*](#) Wu & Wang, 1991
- [*Polyrhachis ruficornis*](#) Smith, 1857
- [*Polyrhachis rufifemur*](#) Forel, 1907



P. rufifemur

- [*Polyrhachis rufipalpis*](#) Santschi, 1910
- [*Polyrhachis rufipes*](#) Smith, 1858



P. rufipes

- [*Polyrhachis rufofemorata*](#) Smith, 1859
- [*Polyrhachis rugifrons*](#) Smith, 1860
- [*Polyrhachis rupicapra*](#) Roger, 1863
- [*Polyrhachis rustica*](#) Kohout, 1990
- [*Polyrhachis rutila*](#) Kohout, 2006

S

- [*Polyrhachis saevissima*](#) Smith, 1860
- [*Polyrhachis saigonensis*](#) Forel, 1886
- [*Polyrhachis salebrosa*](#) Kohout, 2008
- [*Polyrhachis salomo*](#) Forel, 1910
- [*Polyrhachis santschii*](#) Mann, 1919
- [*Polyrhachis scabra*](#) Kohout, 1987
- [*Polyrhachis scapulata*](#) Santschi, 1932
- [*Polyrhachis schang*](#) Forel, 1879

- [*Polyrhachis schellerichae*](#) Dorow, 1996
- [*Polyrhachis schenckii*](#) Forel, 1886
- [*Polyrhachis schistacea*](#) Gerstaecker, 1859



P. schistacea

- [*Polyrhachis schlueteri*](#) Forel, 1886



P. schlueteri

- [*Polyrhachis schoopae*](#) Forel, 1902



P. schoopae

- [*Polyrhachis schwiedlandi*](#) Forel, 1902
- [*Polyrhachis scissa*](#) Roger, 1862
- [*Polyrhachis sculpta*](#) Emery, 1887
- [*Polyrhachis sculpturata*](#) Smith, 1860
- [*Polyrhachis scutulata*](#) Smith, 1859
- [*Polyrhachis sedlaceki*](#) Kohout, 2006
- [*Polyrhachis seducta*](#) Kohout, 2013
- [*Polyrhachis selecta*](#) Forel, 1911

- [*Polyrhachis semiaurata*](#) Mayr, 1876



P. semiaurata

- [*Polyrhachis semiinermis*](#) Donisthorpe, 1941
- [*Polyrhachis semiobscura*](#) Donisthorpe, 1944
- [*Polyrhachis semipolita*](#) Andre, 1896
- [*Polyrhachis semitestacea*](#) Emery, 1900
- [*Polyrhachis senilis*](#) Forel, 1902



P. senilis

- [*Polyrhachis sericata*](#) Guérin-Meneville, 1831



P. sericata

- [*Polyrhachis sericeopubescens*](#) Donisthorpe, 1941
- [*Polyrhachis setosa*](#) Kohout, 2006
- [*Polyrhachis sexspinosa*](#) Latreille, 1802
- [*Polyrhachis shattucki*](#) Kohout, 2013
- [*Polyrhachis shixingensis*](#) Wu & Wang, 1995
- [*Polyrhachis sidnica*](#) Mayr, 1866

- [*Polyrhachis similis*](#) Viehmeyer, 1912
- [*Polyrhachis simillima*](#) Emery, 1900
- [*Polyrhachis simpla*](#) Santschi, 1928
- [*Polyrhachis simulans*](#) Kohout, 2007
- [*Polyrhachis sinuata*](#) Kohout, 2013
- [*Polyrhachis smithersi*](#) Kohout, 2012
- [*Polyrhachis smithi*](#) Emery, 1901
- [*Polyrhachis snellingi*](#) Kohout, 2007
- [*Polyrhachis sokolova*](#) Forel, 1902
- [*Polyrhachis solivaga*](#) Menozzi, 1926
- [*Polyrhachis solmsi*](#) Emery, 1887
- [*Polyrhachis sophocles*](#) Forel, 1908
- [*Polyrhachis sparaxes*](#) Smith, 1863
- [*Polyrhachis spengeli*](#) Forel, 1912
- [*Polyrhachis spinicola*](#) Forel, 1894
- [*Polyrhachis spinifera*](#) Stitz, 1911
- [*Polyrhachis spinigera*](#) Mayr, 1879
- [*Polyrhachis spinosa*](#) Mayr, 1867
- [*Polyrhachis spitteleri*](#) Forel, 1916
- [*Polyrhachis splendens*](#) Santschi, 1932
- [*Polyrhachis starri*](#) Kohout, 2013
- [*Polyrhachis stigmatifera*](#) Kohout, 1990
- [*Polyrhachis stitzi*](#) Santschi, 1928
- [*Polyrhachis storki*](#) Kohout, 2008
- [*Polyrhachis striata*](#) Mayr, 1862
- [*Polyrhachis striatorugosa*](#) Mayr, 1862
- [*Polyrhachis stricta*](#) Kohout, 2013
- [*Polyrhachis strictifrons*](#) Emery, 1898
- [*Polyrhachis strumosa*](#) Kohout, 2006
- [*Polyrhachis stylifera*](#) Karavaiev, 1935
- [*Polyrhachis subaenescens*](#) Viehmeyer, 1912
- [*Polyrhachis subcyanea*](#) Emery, 1897
- [*Polyrhachis subfossa*](#) Viehmeyer, 1913
- [*Polyrhachis subfossoides*](#) Karavaiev, 1927
- [*Polyrhachis submarginata*](#) Rigato, 2016
- [*Polyrhachis subpilosa*](#) Emery, 1895
- [*Polyrhachis subtridens*](#) Emery, 1900
- [*Polyrhachis sukarmani*](#) Kohout, 2007
- [*Polyrhachis sulang*](#) Kohout, 2006
- [*Polyrhachis sulawesiensis*](#) Kohout, 2008
- [*Polyrhachis sulcata*](#) Andre, 1895
- [*Polyrhachis sulcifera*](#) Kohout, 2007

- [*Polyrhachis sylvicola*](#) Jerdon, 1851

T

- [*Polyrhachis tambourinensis*](#) Forel, 1915
- [*Polyrhachis tanami*](#) Kohout, 2013
- [*Polyrhachis tapini*](#) Kohout, 2013
- [*Polyrhachis taylori*](#) Kohout, 1988
- [*Polyrhachis templi*](#) Forel, 1902



P. templi

- [*Polyrhachis tenebra*](#) Kohout, 2013
- [*Polyrhachis terminata*](#) Rigato, 2016
- [*Polyrhachis tersa*](#) Viehmeyer, 1914
- [*Polyrhachis terpsichore*](#) Forel, 1893
- [*Polyrhachis textor*](#) Smith, 1857
- [*Polyrhachis thailandica*](#) Kohout, 2006
- [*Polyrhachis thais*](#) Forel, 1910
- [*Polyrhachis thompsoni*](#) Bingham, 1903
- [*Polyrhachis thrinax*](#) Roger, 1863
- [*Polyrhachis thusnelda*](#) Forel, 1902



P. thusnelda

- [*Polyrhachis tianjingshanensis*](#) Qian & Zhou, 2008
- [*Polyrhachis tibialis*](#) Smith, 1858
- [*Polyrhachis tonsilis*](#) Santschi, 1928
- [*Polyrhachis tragos*](#) Stitz, 1925

- [*Polyrhachis transiens*](#) Bolton, 1973
- [*Polyrhachis trapezoidea*](#) Mayr, 1876



P. trapezoidea

- [*Polyrhachis triaena*](#) Wheeler, 1919
- [*Polyrhachis tricuspis*](#) Andre, 1887
- [*Polyrhachis trina*](#) Donisthorpe, 1944
- [*Polyrhachis trispinosa*](#) Smith, 1861
- [*Polyrhachis tristis*](#) Mayr, 1867
- [*Polyrhachis trophima*](#) Smith, 1863
- [*Polyrhachis tschu*](#) Forel, 1879
- [*Polyrhachis tubericeps*](#) Forel, 1893



P. tubericeps

- [*Polyrhachis tuberosa*](#) Kohout, 2006
- [*Polyrhachis thusnelda*](#) Forel, 1902
- [*Polyrhachis tubifera*](#) Forel, 1902



P. tubifera

- [*Polyrhachis tubifex*](#) Karavaiev, 1926
- [*Polyrhachis turneri*](#) Forel, 1895
- [*Polyrhachis tyrannica*](#) Smith, 1858

U

- [*Polyrhachis ugiensis*](#) Mann, 1919
- [*Polyrhachis ulysses*](#) Forel, 1910
- [*Polyrhachis umboi*](#) Kohout, 2007
- [*Polyrhachis uncaria*](#) Kohout, 2013
- [*Polyrhachis undulata*](#) Kohout, 2006
- [*Polyrhachis unicornis*](#) Kohout, 2013
- [*Polyrhachis unicuspis*](#) Emery, 1898

V

- [*Polyrhachis vanachterbergi*](#) Kohout, 2008
- [*Polyrhachis varicolor*](#) Viehmeyer, 1916
- [*Polyrhachis variegata*](#) Kohout, 2007
- [*Polyrhachis venus*](#) Forel, 1893




P. venus

- [*Polyrhachis vermiculosa*](#) Mayr, 1876



P. vermiculosa

- [*Polyrhachis vernoni*](#) Kohout, 2013
- [*Polyrhachis vestita*](#) Smith, 1860
- [*Polyrhachis viehmeyeri*](#) Emery, 1921
- [*Polyrhachis vigilans*](#) Smith, 1858



P. vigilans

- [*Polyrhachis villipes*](#) Smith, 1857

- [*Polyrhachis villosa*](#) Emery, 1897
- [*Polyrhachis vindex*](#) Smith, 1857
- [*Polyrhachis viola*](#) Zettel, 2013
- [*Polyrhachis violaceonigra*](#) Viehmeyer, 1914
- [*Polyrhachis viscosa*](#) Smith, 1858
- [*Polyrhachis vitalisi*](#) Santschi, 1920
- [*Polyrhachis volkarti*](#) Forel, 1916

W

- [*Polyrhachis wagneri*](#) Viehmeyer, 1914
- [*Polyrhachis waigeuensis*](#) Donisthorpe, 1943
- [*Polyrhachis wallacei*](#) Emery, 1887
- [*Polyrhachis wamuki*](#) Kohout, 2007
- [*Polyrhachis wardi*](#) Kohout, 2007
- [*Polyrhachis watanasiti*](#) Kohout, 2013
- [*Polyrhachis weiri*](#) Kohout, 2013
- [*Polyrhachis weissii*](#) Santschi, 1910
- [*Polyrhachis wellmani*](#) Forel, 1909
- [*Polyrhachis wheeleri*](#) Mann, 1919
- [*Polyrhachis widodoi*](#) Kohout, 2006
- [*Polyrhachis wilmsi*](#) Forel, 1910
- [*Polyrhachis wilsoni*](#) Kohout, 2007
- [*Polyrhachis wolffi*](#) Forel, 1912



P. wolffi

- [*Polyrhachis wroughtonii*](#) Forel, 1894

X

- [*Polyrhachis xanthippe*](#) Forel, 1911
- [*Polyrhachis xiphias*](#) Smith, 1863

Y

- [*Polyrhachis yarrabahensis*](#) Forel, 1915
- [*Polyrhachis yerburyi*](#) Forel, 1893

- [*Polyrhachis yorkana*](#) Forel, 1915
- [*Polyrhachis ypsilon*](#) Emery, 1887

Z

- [*Polyrhachis zhengi*](#) Zhou & Huang, 2002
- [*Polyrhachis zhoui*](#) Chen & Guénard, 2025
- [*Polyrhachis zimmerae*](#) Clark, 1941
- [*Polyrhachis zopyra*](#) Smith, 1861

Extinct

- †[*Polyrhachis annosa*](#) Wappler et al., 2009



Fossil of *P. annosa*

Unidentifiable

A number of species tentatively placed within the genus have subsequently been determined as unidentifiable to the species level, although they technically remain [valid](#) binomen.[\[1\]](#)

- [*Polyrhachis eudora*](#) Smith, 1860
- [*Polyrhachis latreillii*](#) (Guérin-Méneville, 1838)

References

1.

[Bolton, B.](#) (2026). "[Polyrhachis](#)". *AntCat*. Retrieved 12 February 2026.

This is a list of 545 species in [Polypedilum](#), a genus of midges in the family [Chironomidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Polypedilum* species**

- [*Polypedilum aberufobrunneum*](#) Niitsuma, 1996 ^{c g}
- [*Polypedilum absensilobum*](#) Zhang & Wang ^g
- [*Polypedilum abyssiniae*](#) Kieffer, 1918 ^{c g}
- [*Polypedilum acifer*](#) Townes, 1945 ^{i c g}
- [*Polypedilum acristylum*](#) ^g
- [*Polypedilum acutulum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum acutum*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum aegyptium*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum aequabe*](#) Zhang & Wang, 2007 ^{c g}
- [*Polypedilum aethiopis*](#) Lehmann, 1979 ^{c g}
- [*Polypedilum aferum*](#) Lehmann, 1981 ^{c g}
- [*Polypedilum akani*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum akipulcher*](#) Kawai, Okamoto & Imabayashi, 2002 ^{c g}
- [*Polypedilum akisplendens*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum albiceps*](#) (Johannsen, 1932) ^c
- [*Polypedilum albicollum*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum albicorne*](#) (Meigen, 1838) ^{c g}
- [*Polypedilum albicarpus*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum albimanus*](#) ^{i g}
- [*Polypedilum albinodus*](#) Townes, 1945 ^{i c g}
- [*Polypedilum albipalpus*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum albiventrtris*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum alboguttatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum albonotatum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum albosignatum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum albulum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum allansoni*](#) Freeman, 1958 ^{c g}
- [*Polypedilum alternans*](#) Forsyth, 1971 ^{c g}
- [*Polypedilum alticola*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum amataura*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum amoenum*](#) Goetghebuer, 1930 ^{c g}
- [*Polypedilum amplificatus*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum amputatum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum anderseni*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum angulum*](#) Maschwitz ^{i c g}

- [*Polypedilum angustifoceps*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum angustum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum anjarum*](#) Moubayed, 1989 ^{c g}
- [*Polypedilum annulatipes*](#) (Kieffer, 1910) ^{c g}
- [*Polypedilum annulatum*](#) Freeman, 1954 ^{c g}
- [*Polypedilum aparai*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum apfelbecki*](#) (Strobl, 1900) ^{c g}
- [*Polypedilum apiaka*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum apicale*](#) (Kieffer, 1917) ^{c g}
- [*Polypedilum apicatum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum apiculusetosum*](#) Zhang & Wang ^g
- [*Polypedilum appendiculatum*](#) Goetghebuer, 1939 ^{c g}
- [*Polypedilum arara*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum arcuatum*](#) Zhang & Wang ^g
- [*Polypedilum argentiniense*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum aripuana*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum artifer*](#) (Curran, 1930) ^{i c g}
- [*Polypedilum arua*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum aruakan*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum arudinetum*](#) (Goetghebuer, 1921) ^{c g}
- [*Polypedilum arundineti*](#) (Goetghebuer, 1921) ^g
- [*Polypedilum asakawaense*](#) Sasa, 1980 ^{c g}
- [*Polypedilum ascium*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum asoprimum*](#) Bidawid & Fittkau, 1995 ^g
- [*Polypedilum astictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum asurini*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum atrichon*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum atrinerve*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum atroari*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum australotropicus*](#) Cranston, 2000 ^{c g}
- [*Polypedilum aviceps*](#) Townes, 1945 ^{i c g}
- [*Polypedilum bakairi*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum baniva*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum barboyoni*](#) Serra-Tosio, 1981 ^{c g}
- [*Polypedilum basilarum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum bellipes*](#) Kieffer, 1922 ^{c g}

- [*Polypedilum benokiense*](#) Sasa & Hasegawa, 1988 ^{c g}
- [*Polypedilum bergi*](#) Maschwitz ^{i c g}
- [*Polypedilum bicoloratum*](#) Freeman, 1961 ^{c g}
- [*Polypedilum bicrenatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum bifalcatum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum bifurcatum*](#) Cranston, 1989 ^{c g}
- [*Polypedilum bilamella*](#) Zhang & Wang ^g
- [*Polypedilum bingoparadoxum*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum bipustulatum*](#) Freeman, 1958 ^{c g}
- [*Polypedilum bisetosum*](#) Wang, 1995 ^{c g}
- [*Polypedilum bispinum*](#) Zhang & Wang, 2007 ^{c g}
- [*Polypedilum branquinho*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum braseniae*](#) (Leathers, 1922) ^{i c g b}
- [*Polypedilum brevipalpe*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum brevipilumsum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum brumale*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum brunneicorne*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum brunneofasciatum*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum buettikeri*](#) Cranston, 1989 ^{c g}
- [*Polypedilum bulbocaudatum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum bullum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum californicum*](#) Sublette, 1960 ^{i c g}
- [*Polypedilum callimorphus*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum canoeiro*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum canum*](#) Freeman, 1959 ^{c g}
- [*Polypedilum carib*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum carijona*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum castornama*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum caudocula*](#) Kawai, 1991 ^{c g}
- [*Polypedilum ceciliaeformis*](#) (Chernovskij, 1949) ^{c g}
- [*Polypedilum centisetum*](#) Hazra, Mazumdar & Chaudhuri, 2003 ^{c g}
- [*Polypedilum centralis*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum chaudhurii*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum chelum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum chiriguano*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum chubetuabeum*](#) Sasa & Suzuki, 2001 ^{c g}

- [*Polypedilum chubetubeceum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum chubetuceum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum chubetudeum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum chatteri*](#) Harrison, 2001 ^{c g}
- [*Polypedilum ciliatum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum cinctum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum circulum*](#) Chaudhuri & Chattopadhyay, 1990 ^{c g}
- [*Polypedilum clavatum*](#) Kieffer, 1917 ^{c g}
- [*Polypedilum clavigerum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum clavistylus*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum coalitum*](#) Zhang & Wang, 2008 ^{c g}
- [*Polypedilum cocama*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum cochlearum*](#) Zhang & Wang, 2005 ^g
- [*Polypedilum concomitatum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum conghuaense*](#) Zhang & Wang ^g
- [*Polypedilum consobrinum*](#) Kieffer, 1916 ^{c g}
- [*Polypedilum convexum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum convictum*](#) (Walker, 1856) ^{i c g}
- [*Polypedilum corniger*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum crassiglobum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum crassistyla*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum crassum*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum crenulosum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum cultellatum*](#) Goetghebuer, 1931 ^{i c g}
- [*Polypedilum cumperi*](#) Freeman, 1959 ^{c g}
- [*Polypedilum cyclus*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum cypellum*](#) Qi, Shi, Zhang & Wang, 2014 ^g
- [*Polypedilum czernyi*](#) Vimmer, 1934 ^{c g}
- [*Polypedilum dagombae*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum daitoneoum*](#) Sasa & Suzuki, 2001 ^{c g}
- [*Polypedilum dangsanense*](#) Bjorlo, 2002 ^g
- [*Polypedilum decematoguttatum*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum decemmaculatum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum declive*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum deletum*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum dengae*](#) Zhang & Wang ^g

- [*Polypedilum depile*](#) Zhang & Wang, 2008 ^{c g}
- [*Polypedilum dewulfi*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum dickebuschense*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum digitifer*](#) Townes, 1945 ^{i c g}
- [*Polypedilum digitulum*](#) Freeman, 1959 ^{c g}
- [*Polypedilum dilatatum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum dimidiatum*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum dissimilum*](#) ^g
- [*Polypedilum distans*](#) (Kieffer, 1921) ^c
- [*Polypedilum dossenudum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum dubium*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum dudichi*](#) Berczik, 1957 ^{c g}
- [*Polypedilum dybasi*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum edense*](#) Ree, 1981 ^{c g}
- [*Polypedilum edensis*](#) Han Il Ree & Hoon Soo Kim, 1981 ^{c g}
- [*Polypedilum elgonatum*](#) Albu, 1980 ^{c g}
- [*Polypedilum elongatum*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum enshiense*](#) Song & Wang ^g
- [*Polypedilum ephippium*](#) Freeman, 1958 ^{c g}
- [*Polypedilum epleri*](#) Oyewo & Jacobsen, 2007 ^{c g}
- [*Polypedilum epomis*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum esakii*](#) (Tokunaga, 1964) ^{c g}
- [*Polypedilum ewei*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum exilicaudatum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum exsectum*](#) (Kieffer, 1916) ^c
- [*Polypedilum falcatum*](#) Zhang, Song, Wang & Wang, 2015 ^g
- [*Polypedilum falciforme*](#) Maschwitz ^{i c g}
- [*Polypedilum fallax*](#) (Johannsen, 1905) ^{i c g}
- [*Polypedilum fanjingensis*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum fasciatipennis*](#) (Kieffer, 1910) ^c
- [*Polypedilum feridae*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum festivipenne*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum flagellatum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum flavescens*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum flaviscapus*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum flavoviride*](#) Goetghebuer, 1939 ^{c g}

- [Polypedilum floridense](#) Townes, 1945 ^{i c g}
- [Polypedilum fodiens](#) (Kieffer, 1916) ^c
- [Polypedilum freemani](#) Oyewo & Saether, 1998 ^{c g}
- [Polypedilum fulgidum](#) Kieffer, 1921 ^{c g}
- [Polypedilum fuscipenne](#) (Meigen, 1818) ^{i c g}
- [Polypedilum fuscovittatum](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [Polypedilum fuscum](#) Freeman, 1954 ^{c g}
- [Polypedilum ge](#) Bidawid & Fittkau, 1996 ^{c g}
- [Polypedilum genesareth](#) Kieffer, 1915 ^{c g}
- [Polypedilum genpeiense](#) Niitsuma, 1996 ^{c g}
- [Polypedilum ginzangeheum](#) Sasa & Suzuki, 2001 ^{c g}
- [Polypedilum ginzanheium](#) Sasa & Suzuki, 2001 ^{c g}
- [Polypedilum ginzanijeum](#) Sasa & Suzuki, 2001 ^{c g}
- [Polypedilum ginzanprimum](#) Sasa & Suzuki, 1998 ^{c g}
- [Polypedilum ginzansecundum](#) Sasa & Suzuki, 1998 ^{c g}
- [Polypedilum ginzantertium](#) Sasa & Suzuki, 1998 ^{c g}
- [Polypedilum glabripenne](#) (Kieffer, 1911) ^{c g}
- [Polypedilum gladysae](#) Oyewo & Saether, 1998 ^{c g}
- [Polypedilum gomphus](#) Townes, 1945 ^{i c g}
- [Polypedilum griseistriatum](#) (Edwards, 1931) ^{c g}
- [Polypedilum griseoguttatum](#) Kieffer, 1921 ^{c g}
- [Polypedilum griseopunctatum](#) (Malloch, 1915) ^{i c g}
- [Polypedilum guarani](#) Bidawid, 1996 ^{c g}
- [Polypedilum guato](#) ^g
- [Polypedilum hainanense](#) Zhang & Wang, 2008 ^{c g}
- [Polypedilum halterale](#) (Coquillett, 1901) ^{i c g}
- [Polypedilum hamigerum](#) Kieffer, 1925 ^{c g}
- [Polypedilum harrisi](#) Freeman, 1959 ^{c g}
- [Polypedilum harrisoni](#) Oyewo & Saether, 1998 ^{c g}
- [Polypedilum harteni](#) Andersen & Mendes, 2010 ^{c g}
- [Polypedilum hastaferum](#) Harrison, 2001 ^{c g}
- [Polypedilum henicurum](#) Wang, 1995 ^{c g}
- [Polypedilum heptasticum](#) Kieffer, 1922 ^{c g}
- [Polypedilum heptatomum](#) Kieffer, 1920 ^{c g}
- [Polypedilum hexastictum](#) Kieffer, 1920 ^{c g}
- [Polypedilum hiroshimaense](#) Kawai & Sasa, 1985 ^{c g}

- [*Polypedilum hirticoxa*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum hirtiforceps*](#) (Kieffer, 1926) ^{c g}
- [*Polypedilum hirtimanum*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum humile*](#) Kieffer, 1924 ^{c g}
- [*Polypedilum illinoense*](#) (Malloch, 1915) ^{i c g}
- [*Polypedilum inawageheum*](#) Andersen & Mendes, 2010 ^g
- [*Polypedilum incoloripenne*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum infundibulum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum insolitum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum insulanum*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum integrum*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum intermedium*](#) Albu, 1966 ^{c g}
- [*Polypedilum irapirapi*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum iricolor*](#) Kieffer, 1916 ^{c g}
- [*Polypedilum iridis*](#) (Kieffer, 1911) ^c
- [*Polypedilum iriofegeum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum irioegeum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum isigabeceum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum isocerus*](#) Townes, 1945 ^{i c g}
- [*Polypedilum japonicum*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum javanum*](#) Kruseman, 1939 ^{c g}
- [*Polypedilum jawaperi*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum jianfengense*](#) Song & Wang ^g
- [*Polypedilum jii*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum johannseni*](#) Sublette & Sublette, 1973 ^{c g}
- [*Polypedilum jurana*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum juruna*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum kadiweu*](#) Bidawid-Kafka, 1996 ^g
- [*Polypedilum kajapo*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kakumense*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum kamajura*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum karaja*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum karyana*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kaxuyana*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kempi*](#) (Kieffer, 1913) ^{c g}
- [*Polypedilum kibatiense*](#) Goetghebuer, 1936 ^{c g}

- [*Polypedilum kobotokense*](#) Sasa, 1981 ^{c g}
- [*Polypedilum kuikuro*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum kunigamiense*](#) Sasa & Hasegawa, 1988 ^{c g}
- [*Polypedilum kyotoense*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum labeculosum*](#) (Mitchell, 1908) ^{i c g}
- [*Polypedilum laetipenne*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum laetum*](#) (Meigen, 1818) ^{i c g}
- [*Polypedilum laterale*](#) Goetghebuer, 1936 ^{c g}
- [*Polypedilum lateralum*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum leei*](#) Freeman, 1961 ^{c g}
- [*Polypedilum lehmanni*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum lene*](#) (Becker, 1908) ^{c g}
- [*Polypedilum leopoldi*](#) Goetghebuer, 1932 ^{c g}
- [*Polypedilum leptovolsellae*](#) Ree, 2009 ^g
- [*Polypedilum leucolabis*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum leucopterum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum lichuanensis*](#) Wang, 1994 ^{c g}
- [*Polypedilum limnophilum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum limpidum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum lineatum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum litoralis*](#) (Chernovskij, 1949) ^{c g}
- [*Polypedilum lobiferum*](#) Freeman, 1954 ^{c g}
- [*Polypedilum longicrus*](#) Kieffer, 1921 ^{c g}
- [*Polypedilum longinerve*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum longisetum*](#) Moubayed, 1992 ^{c g}
- [*Polypedilum lotensis*](#) Moubayed-Breil, 2007 ^{c g}
- [*Polypedilum lucidum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum lumiense*](#) (Kieffer, 1913) ^{c g}
- [*Polypedilum luteopedis*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum luteum*](#) Forsyth, 1971 ^{c g}
- [*Polypedilum macrotrichum*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum maculatum*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum maculipes*](#) Goethghebuer, 1933 ^{c g}
- [*Polypedilum majiis*](#) Lehmann, 1979 ^{c g}
- [*Polypedilum majus*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum malickianum*](#) Cranston, 1989 ^{c g}

- [*Polypedilum marauia*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum marcondesi*](#) Pinho & Mendes ^g
- [*Polypedilum marsafae*](#) Ghonaim, Ali & Osheibah, 2005 ^{c g}
- [*Polypedilum masoni*](#) Sublette ^{i g}
- [*Polypedilum masudai*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum medium*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum medivittatum*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum mehinaku*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum melanophilum*](#) (Kieffer, 1911) ^{c g}
- [*Polypedilum mellense*](#) (Goetghebuer, 1942) ^{c g}
- [*Polypedilum mengmanense*](#) Zhang & Wang ^g
- [*Polypedilum miagense*](#) Niitsuma, 1991 ^{c g}
- [*Polypedilum microzoster*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum milnei*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum misumaiquartum*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum misumaitertium*](#) Sasa & Suzuki, 1998 ^{c g}
- [*Polypedilum miyakoense*](#) Hasegawa & Sasa, 1987 ^{c g}
- [*Polypedilum mongollemus*](#) Sasa & Suzuki, 1997 ^{c g}
- [*Polypedilum monodontatum*](#) Konstantnivo, 1948 ^{c g}
- [*Polypedilum monostictum*](#) Kieffer, 1916 ^{c g}
- [*Polypedilum moubayedbreili*](#) Ashe & O Connor, 2015 ^g
- [*Polypedilum multiannulatum*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum mundurucu*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum nahukuwa*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum nanulus*](#) (Kieffer, 1916) ^{c g}
- [*Polypedilum napahaiense*](#) ^g
- [*Polypedilum natalense*](#) (Kieffer, 1918) ^{c g}
- [*Polypedilum neoperturbans*](#) Ree, 2009 ^g
- [*Polypedilum nigribasale*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum nigrinum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum nodosum*](#) Johannsen, 1932 ^g
- [*Polypedilum novemmaculatum*](#) Hardy, 1960 ⁱ
- [*Polypedilum nubeculosum*](#) (Meigen, 1804) ^{i c g}
- [*Polypedilum nubens*](#) (Edwards, 1929) ^{c g}
- [*Polypedilum nubifer*](#) Skuse, 1889 ^{c g}
- [*Polypedilum nubiferum*](#) (Skuse, 1889) ^{i c g}

- [*Polypedilum nudiceps*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum nudifer*](#) Skuse, 1889 ^g
- [*Polypedilum nudimanum*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum nudiprostatum*](#) Zhang, Wang & Saether, 2006 ^g
- [*Polypedilum numerus*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum nymphaeorum*](#) Maschwitz ^{i c g}
- [*Polypedilum nymphella*](#) (Kieffer, 1921) ^c
- [*Polypedilum obelos*](#) Sublette & Sasa, 1994 ^{c g}
- [*Polypedilum oblitteratum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum obscurum*](#) Guha & Chaudhuri, 1982 ^{c g}
- [*Polypedilum obtusum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum octosema*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum ogoouense*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum okiflavum*](#) Sasa, 1991 ^{c g}
- [*Polypedilum okiharaki*](#) Sasa, 1991 ^{c g}
- [*Polypedilum okipallidum*](#) Sasa, 1991 ^{c g}
- [*Polypedilum okueima*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum ontario*](#) (Walley, 1926) ^{i c g b}
- [*Polypedilum opacum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum ophioides*](#) Townes, 1945 ^{i c g}
- [*Polypedilum opimum*](#) (Hutton, 1902) ^{c g}
- [*Polypedilum oresitrophum*](#) (Skuse, 1889) ^{c g}
- [*Polypedilum ornatipennis*](#) (Kieffer, 1918) ^{c g}
- [*Polypedilum ornatipes*](#) Kieffer, 1924 ^{c g}
- [*Polypedilum palauense*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum palliventre*](#) Freeman, 1961 ^{c g}
- [*Polypedilum paludosum*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum panacu*](#) ^g
- [*Polypedilum paraconvexum*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum paraconvictum*](#) Yamamoto, Yamamoto & Hirowatari ^g
- [*Polypedilum parallelum*](#) Zhang & Wang ^g
- [*Polypedilum paranigrum*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum parapicatum*](#) Niitsuma, 1991 ^{c g}
- [*Polypedilum parascalaenum*](#) Beck, 1962 ^{i c g}
- [*Polypedilum paraviceps*](#) Niitsuma, 1992 ^{c g}
- [*Polypedilum pardus*](#) Townes, 1945 ^{i c g}

- [*Polypedilum parthenogeneticum*](#) Donato & Paggi, 2008 ^{c g}
- [*Polypedilum parviacumen*](#) Kawai & Sasa, 1985 ^{c g}
- [*Polypedilum parvum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum patulum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum paucisetum*](#) Zhang, Wang & Saether, 2006 ^{c g}
- [*Polypedilum paulusi*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum pavidum*](#) (Hutton, 1902) ^{c g}
- [*Polypedilum pedatum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum pedestre*](#) (Meigen, 1830) ^{c g}
- [*Polypedilum perturbans*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum phre*](#) Kieffer, 1925 ^{c g}
- [*Polypedilum plautum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum ploenense*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum pollicium*](#) Zhang & Wang ^g
- [*Polypedilum ponapense*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum praegnans*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum prasiogaster*](#) Freeman, 1961 ^{c g}
- [*Polypedilum procerum*](#) Zhang, Song, Wang & Wang, 2015 ^g
- [*Polypedilum prolixipartum*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum prominens*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum pruina*](#) Freeman, 1954 ^{c g}
- [*Polypedilum pseudacifer*](#) Zorina & Makarchenko, 2000 ^{c g}
- [*Polypedilum pseudamoenum*](#) Moubayed, 1992 ^{c g}
- [*Polypedilum pseudoconvictum*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum pseudoflagellatum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum pseudoiris*](#) Gromov, 1951 ^{c g}
- [*Polypedilum pseudomasudai*](#) Kawai, Inoue & Imabayashi, 1998 ^{c g}
- [*Polypedilum pseudoscalaenum*](#) Vimmer, 1934 ^{c g}
- [*Polypedilum pseudosordens*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum pterosopilus*](#) Townes, 1945 ^{i g}
- [*Polypedilum pterospilus*](#) Townes, 1945 ^{c g}
- [*Polypedilum pulchripes*](#) (Meijere, 1924) ^{c g}
- [*Polypedilum pulchrum*](#) Albu, 1980 ^{c g}
- [*Polypedilum pulchum*](#) Townes, 1945 ^g
- [*Polypedilum pullum*](#) (Zetterstedt, 1838) ^{c g}
- [*Polypedilum pumilio*](#) (Kieffer, 1921) ^{c g}

- [Polypedilum puri](#) ^g
- [Polypedilum purimanus](#) Kieffer, 1913 ^{c g}
- [Polypedilum purus](#) Bidawid, 1996 ^{c g}
- [Polypedilum pygmaeum](#) (Kieffer, 1921) ^c
- [Polypedilum quadrifarum](#) (Kieffer, 1922) ^{c g}
- [Polypedilum quadriguttatum](#) Kieffer, 1921 ^{c g}
- [Polypedilum quadrimaculatum](#) (Meigen, 1838) ^{c g}
- [Polypedilum quinqueguttatum](#) Kieffer, 1921 ^{c g}
- [Polypedilum quinquesetosum](#) (Edwards, 1931) ^{c g}
- [Polypedilum ramiferum](#) Kieffer, 1921 ^{c g}
- [Polypedilum rissi](#) Edwards, 1931 ^g
- [Polypedilum rohneri](#) Edwards, 1931 ^g
- [Polypedilum rufomarginalis](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [Polypedilum sabbuhi](#) Bidawid, 1996 ^{c g}
- [Polypedilum saetheri](#) Moubayed-Breil, 2007 ^{c g}
- [Polypedilum saetosum](#) Lehmann, 1981 ^{c g}
- [Polypedilum sagittiferum](#) (Tokunaga, 1938) ^{c g}
- [Polypedilum sahariense](#) Kieffer, 1926 ^{c g}
- [Polypedilum salavoni](#) Bidawid, 1996 ^{c g}
- [Polypedilum salwiti](#) Bidawid, 1996 ^{c g}
- [Polypedilum sate](#) Kieffer, 1925 ^{c g}
- [Polypedilum sauteri](#) Kieffer, 1921 ^{c g}
- [Polypedilum scalaenulus](#) (Edwards, 1932) ^{c g}
- [Polypedilum scalaenum](#) (Schränk, 1803) ^{i c g b}
- [Polypedilum scharfi](#) von Schränk, 1803 ^g
- [Polypedilum scirpicola](#) (Kieffer, 1921) ^{c g}
- [Polypedilum scutellare](#) Kieffer, 1922 ^{c g}
- [Polypedilum seorsum](#) (Skuse, 1889) ^{c g}
- [Polypedilum shangujuensis](#) Wang, 1994 ^{c g}
- [Polypedilum shirokanense](#) (Sasa, 1979) ^{c g}
- [Polypedilum siamensis](#) Moubayed, 1989 ^{c g}
- [Polypedilum sibadeeum](#) Sasa, Sumita & Suzuki, 1999 ^{c g}
- [Polypedilum sibiricum](#) Goetghebuer, 1933 ^{c g}
- [Polypedilum sidoniensis](#) Moubayed, 1989 ^{c g}
- [Polypedilum silhouettarium](#) Saether, 2004 ^{c g}
- [Polypedilum simantoheium](#) Sasa, Suzuki & Sakai, 1998 ^{c g}

- [*Polypedilum simantoijeum*](#) Sasa, Suzuki & Sakai, 1998 ^{c g}
- [*Polypedilum simantokeleum*](#) Sasa, Suzuki & Sakai, 1998 ^{c g}
- [*Polypedilum simantomaculatum*](#) Sasa, Suzuki & Sakai, 1998 ^{c g}
- [*Polypedilum simulans*](#) Townes, 1945 ^{i c g}
- [*Polypedilum simulator*](#) Kieffer, 1917 ^{c g}
- [*Polypedilum solimoes*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum sordens*](#) (Wulp, 1874) ^{i c g b}
- [*Polypedilum spadix*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum sparganii*](#) (Kieffer, 1913) ^c
- [*Polypedilum spathum*](#) Zhang & Wang, 2007 ^{c g}
- [*Polypedilum spiesi*](#) Zhang & Wang, 2007 ^g
- [*Polypedilum spinalveum*](#) Vardal, Bjorlo & Saether, 2002 ^{c g}
- [*Polypedilum spinibojum*](#) Oyewo & Saether, 1998 ^{c g}
- [*Polypedilum stephani*](#) Lehmann, 1981 ^{c g}
- [*Polypedilum stictopternum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum stictopterus*](#) (Kieffer, 1921) ^c
- [*Polypedilum stratiotis*](#) (Kieffer, 1909) ^c
- [*Polypedilum stuckenbergi*](#) Freeman, 1961 ^{c g}
- [*Polypedilum subconfluens*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum subovatum*](#) Freeman, 1958 ^{c g}
- [*Polypedilum subscultellatum*](#) Sublette, 1960 ^{i c g}
- [*Polypedilum subulatum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum suliceps*](#) Townes, 1945 ^{i c g}
- [*Polypedilum surugense*](#) Niitsuma, 1992 ^{c g}
- [*Polypedilum suturalis*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum takaoense*](#) Sasa, 1980 ^{c g}
- [*Polypedilum tamagohanum*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamagoryoense*](#) Sasa, 1980 ^{c g}
- [*Polypedilum tamahamurai*](#) (Sasa, 1983) ^{c g}
- [*Polypedilum tamaharaki*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamahinoense*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamahosohige*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamanigrum*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tamasemusi*](#) Sasa, 1983 ^{c g}
- [*Polypedilum tana*](#) Cranston & Judd, 1989 ^{c g}
- [*Polypedilum tananense*](#) Sasa & Hasegawa, 1988 ^{c g}

- [*Polypedilum tenue*](#) (Kieffer, 1921) ^{c g}
- [*Polypedilum tenuis*](#) Zhang & Wang, 2005 ^{c g}
- [*Polypedilum tenuitarse*](#) (Kieffer, 1922) ^{c g}
- [*Polypedilum tesfayi*](#) Harrison, 1996 ^{c g}
- [*Polypedilum tetrachaetum*](#) (Goetghebuer, 1919) ^{c g}
- [*Polypedilum tetracrenatum*](#) Hirvenoja, 1962 ^{c g}
- [*Polypedilum tetrasema*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum tetrastictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum tiberiadis*](#) Kieffer, 1915 ^{c g}
- [*Polypedilum tigrinum*](#) (Hashimoto, 1983) ^{c g}
- [*Polypedilum tirio*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum titicacae*](#) Roback & Coffman, 1983 ^{c g}
- [*Polypedilum tobadecima*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobanona*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobaoctavum*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobaseptimum*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tobaundecima*](#) Kikuchi & Sasa, 1990 ^{c g}
- [*Polypedilum tochibicolor*](#) Niitsuma, 1991 ^{c g}
- [*Polypedilum togapallidum*](#) Kikuchi & Sasa, 1990 ^g
- [*Polypedilum tokaraheium*](#) Sasa & Suzuki, 1995 ^{c g}
- [*Polypedilum tokaraijeum*](#) Sasa & Suzuki, 1995 ^{c g}
- [*Polypedilum tokunagai*](#) Sasa & Suzuki, 1995 ^g
- [*Polypedilum tonnoiri*](#) Freeman, 1961 ^{c g}
- [*Polypedilum trapezium*](#) Zhang & Wang ^g
- [*Polypedilum tridens*](#) Freeman, 1955 ^{c g}
- [*Polypedilum tridentatum*](#) Konstantinov, 1952 ^{c g}
- [*Polypedilum trigonum*](#) Townes, 1945 ^{i c g}
- [*Polypedilum trigonus*](#) ^b
- [*Polypedilum trinimaculum*](#) (Tokunaga, 1940) ^{c g}
- [*Polypedilum tripunctum*](#) Chaudhuri, Guha & Gupta, 1981 ^{c g}
- [*Polypedilum tristictum*](#) Kieffer, 1920 ^{c g}
- [*Polypedilum tritum*](#) (Walker, 1856) ^{i c g b}
- [*Polypedilum trombetas*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum tropicum*](#) Kieffer, 1913 ^{c g}
- [*Polypedilum trukense*](#) (Tokunaga, 1940) ^{c g}
- [*Polypedilum tsukubaense*](#) Sasa, 1979 ^g

- [*Polypedilum tuberculatum*](#) (Tokunaga, 1940) ^{c g}
- [*Polypedilum tuberculum*](#) Maschwitz, 2000 ^{c g}
- [*Polypedilum tuburcinatum*](#) Andersen & Bello Gonzalez ^g
- [*Polypedilum tupi*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum tusimageheum*](#) Sasa & Suzuki, 1999 ^{c g}
- [*Polypedilum tusimaheium*](#) Sasa & Suzuki, 1999 ^{c g}
- [*Polypedilum tusimaijeum*](#) Sasa & Suzuki, 1999 ^{c g}
- [*Polypedilum txicao*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum udominutum*](#) Niitsuma, 1992 ^{c g}
- [*Polypedilum umayo*](#) Roback & Coffman, 1983 ^{c g}
- [*Polypedilum unagiquartum*](#) Sasa, 1985 ^{c g}
- [*Polypedilum uncinatum*](#) (Goetghebuer, 1921) ^{c g}
- [*Polypedilum unifasciatum*](#) Kieffer, 1922 ^{c g}
- [*Polypedilum unifascium*](#) (Tokunaga, 1938) ^{c g}
- [*Polypedilum vanderplanki*](#) Hinton, 1951 ^{c g}
- [*Polypedilum variegatum*](#) Goetghebuer, 1931 ^{c g}
- [*Polypedilum vectum*](#) (Johannsen, 1932) ^{c g}
- [*Polypedilum vespertinum*](#) (Skuse, 1889) ^{c g}
- [*Polypedilum vibex*](#) Townes, 1945 ^{i c g}
- [*Polypedilum villcanota*](#) Roback & Coffman, 1983 ^{c g}
- [*Polypedilum vogesiaceum*](#) Goetghebuer, 1944 ^{c g}
- [*Polypedilum volselligum*](#) Saether & Sundal, 1999 ^{c g}
- [*Polypedilum walleyi*](#) Townes, 1945 ^{i c g}
- [*Polypedilum watsoni*](#) Freeman, 1961 ^{c g}
- [*Polypedilum wayana*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum wirthi*](#) Freeman, 1961 ^{c g}
- [*Polypedilum xamatar*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum xavante*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum xiborena*](#) Bidawid, 1996 ^{c g}
- [*Polypedilum xuei*](#) Zhang & Wang, 2004 ^{c g}
- [*Polypedilum yakubeceum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum yakucedum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum yakudeeum*](#) Sasa & Suzuki, 2000 ^{c g}
- [*Polypedilum yamasinense*](#) Tokunaga, 1940 ^g
- [*Polypedilum yammounei*](#) Moubayed, 1992 ^{c g}
- [*Polypedilum yanomami*](#) Bidawid & Fittkau, 1996 ^{c g}

- [*Polypedilum yapense*](#) Tokunaga, 1964 ^{c g}
- [*Polypedilum yaumounei*](#) Bidawid & Fittkau, 1995 ^g
- [*Polypedilum yavalapiti*](#) Bidawid & Fittkau, 1996 ^{c g}
- [*Polypedilum yongsanense*](#) Ree, 1981 ^{c g}
- [*Polypedilum youngsanensis*](#) Han Il Ree & Hoon Soo Kim, 1981 ^{c g}
- [*Polypedilum zavreli*](#) (Kieffer, 1922) ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 100 species in [*Polymerus*](#), a genus of plant bugs in the family [*Miridae*](#).^{[1][2][3][4]}

***Polymerus* species**

- [*Polymerus amazonicus*](#) Carvalho, 1976 ^{c g}
- [*Polymerus americanus*](#) (Reuter, 1876) ^{i c g}
- [*Polymerus amurensis*](#) Kerzhner, 1988 ^{c g}
- [*Polymerus andinus*](#) Carvalho and Carpintero, 1989 ^{c g}
- [*Polymerus aristaeae*](#) Ferreira, 1979 ^{c g}
- [*Polymerus asperulae*](#) (Fieber, 1861) ^{c g}
- [*Polymerus atacamensis*](#) Carvalho and Carpintero, 1986 ^{c g}
- [*Polymerus aureus*](#) (Ballard, 1927) ^{c g}
- [*Polymerus balli*](#) Knight, 1925 ^{i c g}
- [*Polymerus basalis*](#) (Reuter, 1876) ^{i c g b} (red-spotted aster mirid)
- [*Polymerus basivittis*](#) (Reuter, 1909) ^{i c g}
- [*Polymerus bimaculatus*](#) (Poppius, 1910) ^{c g}
- [*Polymerus brevicornis*](#) (Reuter, 1879) ^{c g}
- [*Polymerus brevirostris*](#) Knight, 1925 ^{i c g}
- [*Polymerus brevis*](#) Knight, 1925 ^{i c g}
- [*Polymerus caligatus*](#) (Stål, 1860) ^{c g}
- [*Polymerus carpathicus*](#) (Horvath, 1882) ^{c g}
- [*Polymerus carpintero*](#) Carvalho and Wallerstein, 1978 ^{c g}
- [*Polymerus castilleja*](#) Schwartz, 1989 ^{i c g}
- [*Polymerus chilensis*](#) Carvalho and Gomes, 1969 ^{c g}
- [*Polymerus chrysopsis*](#) Knight, 1925 ^{i c g}
- [*Polymerus coccineus*](#) (Spinola, 1852) ^{c g}
- [*Polymerus cognatus*](#) (Fieber, 1858) ^{i c g}

- [*Polymerus consanguineus*](#) (Distant, 1904) ^{c g}
- [*Polymerus costalis*](#) Knight, 1943 ^{i c g}
- [*Polymerus cunealis*](#) (Reuter, 1907) ^c
- [*Polymerus cuneatus*](#) (Distant, 1893) ^c
- [*Polymerus delongi*](#) Knight, 1925 ^{i c g}
- [*Polymerus diffusus*](#) (Uhler, 1872) ^{i c g}
- [*Polymerus dissimilis*](#) (Reuter, 1896) ^{c g}
- [*Polymerus ecuadorensis*](#) Carvalho and Gomes, 1968 ^{c g}
- [*Polymerus elegans*](#) (Reuter, 1909) ^{i c g}
- [*Polymerus fasciolus*](#) Knight, 1943 ^{i c g}
- [*Polymerus flaviloris*](#) Knight, 1925 ^{i c g}
- [*Polymerus flavipes*](#) (Distant, 1904) ^{c g}
- [*Polymerus flavocostatus*](#) Knight, 1926 ^{i c g}
- [*Polymerus forughae*](#) Linnavuori and Hosseini, 2000 ^{c g}
- [*Polymerus froeschneri*](#) Knight, 1923 ^{i c g}
- [*Polymerus fulvipes*](#) Knight, 1923 ^{i c g b}
- [*Polymerus funestus*](#) (Reuter, 1906) ^{c g}
- [*Polymerus gerhardi*](#) Knight, 1923 ^{i c g}
- [*Polymerus gracilentus*](#) Knight, 1925 ^{i c g}
- [*Polymerus hirtulus*](#) Wagner, 1959 ^{c g}
- [*Polymerus hirtus*](#) Knight, 1943 ^{i c g}
- [*Polymerus holosericeus*](#) Hahn, 1831 ^{i c g}
- [*Polymerus illini*](#) Knight, 1941 ^{i c g}
- [*Polymerus lammesi*](#) Rinne, 1989 ^{c g}
- [*Polymerus lanuginosus*](#) (Distant, 1893) ^c
- [*Polymerus longirostris*](#) (Reuter, 1905) ^{c g}
- [*Polymerus madagascariensis*](#) (Poppius, 1914) ^{c g}
- [*Polymerus microphthalmus*](#) (Wagner, 1951) ^{c g}
- [*Polymerus minutus*](#) Ferreira, 1979 ^{c g}
- [*Polymerus modestus*](#) (Blanchard, 1852) ^{c g}
- [*Polymerus nigrigulis*](#) Knight, 1926 ^{i c g}
- [*Polymerus nigrinus*](#) (Fallén, 1807) ^{c g}
- [*Polymerus nigropallidus*](#) Knight, 1923 ^{i c g}
- [*Polymerus nitidus*](#) (Odhiambo, 1960) ^{c g}
- [*Polymerus nubilipes*](#) Knight, 1925 ^{i c g}
- [*Polymerus obscuratus*](#) (Poppius, 1914) ^{c g}

- [*Polymerus ocellatus*](#) (V. Signoret, 1864) ^{c g}
- [*Polymerus opacus*](#) Knight, 1923 ^{i c g b}
- [*Polymerus ornatifrons*](#) Odhiambo, 1959 ^{c g}
- [*Polymerus pallescens*](#) (Walker, 1873) ^{i c g}
- [*Polymerus pallidus*](#) Maldonado, 1969 ^{c g}
- [*Polymerus palustris*](#) (Reuter, 1905) ^{c g}
- [*Polymerus pekinensis*](#) Horváth, 1901 ^{c g}
- [*Polymerus peruanus*](#) Carvalho and Melendez, 1986 ^{c g}
- [*Polymerus proximus*](#) Knight, 1923 ^{i c g b}
- [*Polymerus punctipes*](#) Knight, 1923 ^{i c g}
- [*Polymerus relativus*](#) Knight, 1926 ^{i c g}
- [*Polymerus robustus*](#) Henry, 1978 ^{i c g}
- [*Polymerus rostratus*](#) T. Henry, 1978 ^{c g}
- [*Polymerus rubescens*](#) Carvalho and Schaffner, 1973 ^{c g}
- [*Polymerus rubidus*](#) (Reuter, 1896) ^{c g}
- [*Polymerus rubrocuneatus*](#) Knight, 1925 ^{i c g b} (red-cuneus plant bug)
- [*Polymerus rubroornatus*](#) Knight, 1926 ^{c g}
- [*Polymerus rufipes*](#) Knight, 1926 ^{i c g}
- [*Polymerus rugulus*](#) (Ballard, 1927) ^{c g}
- [*Polymerus sculleni*](#) Knight, 1943 ^{i c g}
- [*Polymerus severini*](#) Knight, 1925 ^{i c g}
- [*Polymerus shawi*](#) Knight, 1943 ^{i c g}
- [*Polymerus solitus*](#) (Walker, 1873) ^{c g}
- [*Polymerus standishi*](#) Knight, 1943 ^{i c g}
- [*Polymerus sticticus*](#) (Stål, 1860) ^{c g}
- [*Polymerus tepastus*](#) Rinne, 1989 ^{c g}
- [*Polymerus testaceipes*](#) (Stål, 1860) ^{i c g b}
- [*Polymerus tinctipes*](#) Knight, 1923 ^{i c g}
- [*Polymerus tomentosus*](#) Villers, 1789 ^{c g}
- [*Polymerus tumidifrons*](#) Knight, 1925 ^{i c g}
- [*Polymerus uhleri*](#) (Van Duzee, 1914) ^{i c g}
- [*Polymerus unifasciatus*](#) (Fabricius, 1794) ^{i c g b}
- [*Polymerus vegatus*](#) (Van Duzee, 1933) ^{c g}
- [*Polymerus venaticus*](#) (Uhler, 1872) ^{i c g b}
- [*Polymerus venustus*](#) ^b
- [*Polymerus venustus*](#) Knight, 1923 ^{i c g}

- [*Polymerus vittatipennis*](#) Knight, 1943 ^{i c g}
- [*Polymerus voelzkovi*](#) (Reuter, 1907) ^{c g}
- [*Polymerus vulneratus*](#) (Wolff, 1801) ^{i c g}
- [*Polymerus wheeleri*](#) Henry, 1979 ^{i c g}
- [*Polymerus xerophilus*](#) Linnavuori, 1975 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 225 species in [*Polydrusus*](#), a genus of broad-nosed weevils in the family [*Curculionidae*](#).
[1][2][3][4]

***Polydrusus* species**

- [*Polydrusus abbreviatus*](#) Desbrochers, 1871 ^g
- [*Polydrusus abeillei*](#) Desbrochers des Loges, 1869 ^{c g}
- [*Polydrusus acuminatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus aeratus*](#) (Gravenhorst, 1807) ^{c g}
- [*Polydrusus alaiensis*](#) (Faust, 1891) ^{c g}
- [*Polydrusus alchemillae*](#) (Hustache, 1929) ^{c g}
- [*Polydrusus alveolus*](#) Desbrochers, 1869
- [*Polydrusus americanus*](#) (Gyllenhal, 1834) ^{i c g b}
- [*Polydrusus amoenus*](#) (Germar, 1824) ^{c g}
- [*Polydrusus amplipennis*](#) Desbrochers des Loges, 1902 ^{c g}
- [*Polydrusus amplipennis*](#) Champion, 1911 ^{c g}
- [*Polydrusus analis*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus anchoralifer*](#) (Chevrolat, 1859) ^{c g}
- [*Polydrusus andalusicus*](#) Solari, 1954
- [*Polydrusus angustus*](#) (Lucas, 1854) ^{c g}
- [*Polydrusus apfelbecki*](#) Solari, 1926
- [*Polydrusus archaetypus*](#) (Zherikhin, 1971) ^{c g}
- [*Polydrusus armipes*](#) Brullé, 1832 ^{c g}
- [*Polydrusus asniensis*](#) (Hustache, 1933) ^{c g}
- [*Polydrusus astutus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus atlasicus*](#) (Kocher, 1961) ^{c g}
- [*Polydrusus augustalisi*](#) (Pic, 1910) ^{c g}
- [*Polydrusus aurocupreus*](#) Gandhi & Pajni, 1984 ^{c g}
- [*Polydrusus auronitens*](#) (D'Amore-Fracassi, 1906) ^{c g}

- [*Polydrusus balearicus*](#) (Voss, 1936)
- [*Polydrusus bardus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus bartolii*](#) Pesarini, 1975 ^{c g}
- [*Polydrusus baudii*](#) (Faust, 1889) ^{c g}
- [*Polydrusus bedeli*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus biovatus*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus bisphaericus*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus bodemeyeri*](#) (Reitter, 1903) ^{c g}
- [*Polydrusus bohemani*](#) Kiesenwetter, 1852 ^{c g}
- [*Polydrusus brevicollis*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Polydrusus brevipes*](#) (Kiesenwetter, 1864) ^{c g}
- [*Polydrusus bulgaricus*](#) (Leonhard, 1912) ^{c g}
- [*Polydrusus calabricus*](#) (Faust, 1890) ^{c g}
- [*Polydrusus carpathicus*](#) Brancsik, 1874 ^{c g}
- [*Polydrusus castilianus*](#) K. Daniel & J. Daniel, 1898 ^{c g}
- [*Polydrusus caucasicus*](#) (Desbrochers des Loges, 1872) ^{c g}
- [*Polydrusus cephalonicus*](#) Apfelbeck, 1922 ^{c g}
- [*Polydrusus cephalotes*](#) (Desbrochers des Loges, 1872) ^{c g}
- [*Polydrusus cervinus*](#) (Linnaeus, 1758)
- [*Polydrusus chilensis*](#) Kuschel, 1950 ^{c g}
- [*Polydrusus chinensis*](#) (Kono & Morimoto, 1960) ^{c g}
- [*Polydrusus chlorogaster*](#) Champion, 1911 ^{c g}
- [*Polydrusus chrysocephalodes*](#) Hustache, 1946 ^{c g}
- [*Polydrusus chrysocephalus*](#) (Chevrolat, 1859) ^{c g}
- [*Polydrusus chrysomela*](#) (Olivier, 1807) ^{c g}
- [*Polydrusus clermonti*](#) (Pic, 1919) ^{c g}
- [*Polydrusus cocciferae*](#) Kiesenwetter, 1864 ^{c g}
- [*Polydrusus confluens*](#) Stephens, 1831
- [*Polydrusus constellatus*](#) (Voss, 1959) ^{c g}
- [*Polydrusus corruscus*](#) Germar, 1824 ^{c g}
- [*Polydrusus cressius*](#) Pic, 1904 ^{c g}
- [*Polydrusus crinipes*](#) Germann, 2018 ^c
- [*Polydrusus cylindrithorax*](#) Desbrochers, 1900
- [*Polydrusus davatchii*](#) (Hoffmann, 1956) ^{c g}
- [*Polydrusus decoratus*](#) Woodruff, 1923 ^{i c g}
- [*Polydrusus delicatulus*](#) Horn, 1894 ^{c g}
- [*Polydrusus demoflysi*](#) Normand, 1951 ^{c g}

- [*Polydrusus deplanatus*](#) (Schilsky, 1910) ^{c g}
- [*Polydrusus derosasi*](#) Zumpt, 1933 ^{c g}
- [*Polydrusus desbrochersi*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus dilutus*](#) Motschulsky, 1849 ^{c g}
- [*Polydrusus djarkentensis*](#) (Voss, 1940) ^{c g}
- [*Polydrusus dohrni*](#) (Faust, 1882) ^{c g}
- [*Polydrusus elegans*](#) Reitter, 1887
- [*Polydrusus elegantulus*](#) (Boheman, 1840) ^{c g}
- [*Polydrusus emmae*](#) J. Müller, 1925 ^{c g}
- [*Polydrusus eusomoides*](#) (Desbrochers des Loges, 1899) ^{c g}
- [*Polydrusus faillai*](#) Desbrochers, 1889 ^g
- [*Polydrusus falsosus*](#) (Hoffmann, 1963) ^{c g}
- [*Polydrusus femoratus*](#) (Stierlin, 1888) ^g
- [*Polydrusus ferrugineus*](#) (Boheman, 1840) ^{c g}
- [*Polydrusus festae*](#) (F. Solari, 1925) ^{c g}
- [*Polydrusus flavipes*](#) (De Geer, 1775)
- [*Polydrusus flavonotatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus formosus*](#) (Mayer, 1779) ^{c g b} (green immigrant leaf weevil)
- [*Polydrusus frater*](#) (Rottenberg, 1871) ^{c g}
- [*Polydrusus freyi*](#) (Zumpt, 1933) ^{c g}
- [*Polydrusus fulvicornis*](#) (Fabricius, 1792) ^{c g}
- [*Polydrusus fusciclava*](#) (Desbrochers des Loges, 1908) ^{c g}
- [*Polydrusus fuscofasciatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus fuscoroseus*](#) Desbrochers, 1871
- [*Polydrusus fuscus*](#) (Marshall, 1953) ^{c g}
- [*Polydrusus gemmifer*](#) (Guillebeau, 1897) ^{c g}
- [*Polydrusus glabratus*](#) (Gyllenhal, 1834) ^{c g}
- [*Polydrusus gracilicornis*](#) Kiesenwetter, 1864 ^g
- [*Polydrusus grandiceps*](#) (Desbrochers des Loges, 1875) ^{c g}
- [*Polydrusus griseomaculatus*](#) Desbrochers des Loges, 1869 ^{c g}
- [*Polydrusus guadelupensis*](#) Hustache, 1929 ^{c g}
- [*Polydrusus hassayampus*](#) Sleeper, 1957 ^{i c g b}
- [*Polydrusus henoni*](#) (Allard, 1869) ^{c g}
- [*Polydrusus hirsutipennis*](#) (Pic, 1908) ^{c g}
- [*Polydrusus hoppei*](#) (Apfelbeck, 1922) ^{c g}
- [*Polydrusus ibericus*](#) Stierlin, 1884 ^{c g}
- [*Polydrusus iliensis*](#) (Bajtenov, 1974) ^{c g}

- [*Polydrusus immaculatus*](#) Champion, 1911 ^{c g}
- [*Polydrusus impar*](#) Gozis, 1882 ^{c g}
- [*Polydrusus impressifrons*](#) (Gyllenhal, 1834) ^{i c g b} (pale green weevil)
- [*Polydrusus inopinatus*](#) (Binaghi, 1968) ^{c g}
- [*Polydrusus interstitialis*](#) Perris, 1864 ^{c g}
- [*Polydrusus inustus*](#) Germar, 1824 ^{c g}
- [*Polydrusus ischnotracheloides*](#) (Hustache, 1939) ^{c g}
- [*Polydrusus isshikii*](#) (Kono, 1930) ^{c g}
- [*Polydrusus japonicus*](#) (Hustache, 1920) ^{c g}
- [*Polydrusus jucundus*](#) Miller, 1862 ^{c g}
- [*Polydrusus julianus*](#) (Reitter, 1916) ^{c g}
- [*Polydrusus juniperi*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Polydrusus kadleci*](#) Borovec & Germann, 2013 ^{c g}
- [*Polydrusus kahri*](#) Kirsch, 1865 ^{c g}
- [*Polydrusus kiesenwetteri*](#) (Faust, 1887) ^{c g}
- [*Polydrusus korbi*](#) (Stierlin, 1888) ^{c g}
- [*Polydrusus lateralis*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus latitarsis*](#) Hustache, 1929 ^{c g}
- [*Polydrusus lepineyi*](#) Hustache, 1946 ^{c g}
- [*Polydrusus leucaspis*](#) Boheman, 1840 ^{c g}
- [*Polydrusus longiceps*](#) (Schilsky, 1912) ^{c g}
- [*Polydrusus longicornis*](#) Champion, 1911 ^{c g}
- [*Polydrusus longus*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus lopatini*](#) Meleshko & Korotyaev, 2005 ^{c g}
- [*Polydrusus lucianae*](#) Francia, 1985 ^{c g}
- [*Polydrusus luctuosus*](#) (Desbrochers des Loges, 1875) ^{c g}
- [*Polydrusus lusitanicus*](#) (Chevrolat, 1879) ^{c g}
- [*Polydrusus macrocephalus*](#) Champion, 1911 ^{c g}
- [*Polydrusus manteroi*](#) (Solari & Solari, 1903) ^{c g}
- [*Polydrusus marcidus*](#) Kiesenwetter, 1864 ^{c g}
- [*Polydrusus marginatus*](#) (Stephens, 1831) ^{c g}
- [*Polydrusus mariae*](#) (Faust, 1882) ^{c g}
- [*Polydrusus maurus*](#) (Peyerimhoff, 1925) ^{c g}
- [*Polydrusus mecedanus*](#) Reitter, 1908 ^{c g}
- [*Polydrusus minutus*](#) (Stierlin, 1884) ^{c g}
- [*Polydrusus modestus*](#) (Stierlin, 1864) ^{c g}

- [*Polydrusus mogadoricus*](#) (Escalera, 1914) ^{c g}
- [*Polydrusus mollicomus*](#) (Peyerimhoff, 1920) ^{c g}
- [*Polydrusus mollis*](#) (Stroem, 1768) ^{c g}
- [*Polydrusus moricei*](#) Pic, 1903 ^{c g}
- [*Polydrusus mutabilis*](#) Champion, 1911 ^{c g}
- [*Polydrusus nadaii*](#) Meleshko & Korotyaev, 2005 ^{c g}
- [*Polydrusus neapolitanus*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Polydrusus nothofagi*](#) Kuschel, 1950 ^{c g}
- [*Polydrusus obesulus*](#) Faust, 1882 ^{c g}
- [*Polydrusus obliquatus*](#) (Faust, 1884) ^{c g}
- [*Polydrusus obrieni*](#) Korotyaev, Ismailova & Meleshko, 2003 ^{c g}
- [*Polydrusus ochreus*](#) (Fall, 1907) ^{i c g b}
- [*Polydrusus pallidisetis*](#) Champion, 1911 ^{c g}
- [*Polydrusus pallidus*](#) (Gyllenhal, 1834) ^g
- [*Polydrusus pallipes*](#) (Lucas, 1849) ^{c g}
- [*Polydrusus paradoxus*](#) Stierlin, 1859 ^{c g}
- [*Polydrusus parallelus*](#) (Chevrolat, 1860) ^{c g}
- [*Polydrusus partitus*](#) Champion, 1911 ^{c g}
- [*Polydrusus pauper*](#) (Stierlin, 1890) ^{c g}
- [*Polydrusus pedemontanus*](#) (Chevrolat, 1869) ^{c g}
- [*Polydrusus peninsularis*](#) Horn, 1894 ^{c g}
- [*Polydrusus pici*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus picus*](#) (Fabricius, 1792) ^{c g}
- [*Polydrusus piliferus*](#) Hochhuth, 1847 ^{c g}
- [*Polydrusus piligerus*](#) Stierlin, 1884 ^{c g}
- [*Polydrusus pilosulus*](#) Chevrolat, 1865 ^{c g}
- [*Polydrusus pilosus*](#) Gredler, 1866 ^{c g}
- [*Polydrusus pirazzolii*](#) Stierlin, 1857 ^{c g}
- [*Polydrusus pistaciae*](#) (Kiesenwetter, 1864) ^{c g}
- [*Polydrusus planifrons*](#) (Gyllenhal, 1834) ^{c g}
- [*Polydrusus ponticus*](#) Faust, 1888 ^{c g}
- [*Polydrusus prasinus*](#) Olivier, 1790
- [*Polydrusus privatus*](#) (Normand, 1949) ^{c g}
- [*Polydrusus pterygomalis*](#) (Boheman, 1840) ^{c g}
- [*Polydrusus pulchellus*](#) Stephens, 1831
- [*Polydrusus pyrenaeus*](#) Tempère, 1976
- [*Polydrusus quadraticollis*](#) (Desbrochers des Loges, 1902) ^g

- [*Polydrusus raverae*](#) Solari & Solari, 1903 ^{c g}
- [*Polydrusus reitteri*](#) Stierlin, 1884 ^c
- [*Polydrusus rhodiaceus*](#) Schilsky, 1912 ^{c g}
- [*Polydrusus roseiceps*](#) Pesarini, 1975 ^{c g}
- [*Polydrusus roseus*](#) (Blanchard, 1831) ^{c g}
- [*Polydrusus rubicundus*](#) Pesarini, 1973 ^{c g}
- [*Polydrusus rufulus*](#) (Hochhuth, 1847) ^{c g}
- [*Polydrusus scapularis*](#) Pesarini, 1975 ^{c g}
- [*Polydrusus schwiegeri*](#) Reitter, 1908 ^{c g}
- [*Polydrusus sciaphiliformis*](#) Apfelbeck, 1898 ^{c g}
- [*Polydrusus scutellaris*](#) (Chevrolat, 1860) ^{c g}
- [*Polydrusus seidlitzi*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus senex*](#) Chevrolat, 1866 ^{c g}
- [*Polydrusus sericeus*](#) (Schaller, 1783) ⁱ
- [*Polydrusus setifrons*](#) (Jacquelin du Val, 1852) ^{c g}
- [*Polydrusus sicanus*](#) Chevrolat, 1860 ^{c g}
- [*Polydrusus sichuanicus*](#) Korotyaev & Meleshko, 1997 ^{c g}
- [*Polydrusus siculus*](#) Desbrochers des Loges, 1872 ^g
- [*Polydrusus sirdariensis*](#) (Bajtenov, 1974) ^{c g}
- [*Polydrusus smaragdulus*](#) (Fairmaire, 1859)
- [*Polydrusus solarii*](#) Pesarini, 1975 ^c
- [*Polydrusus sparsus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus spiniger*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus splendens*](#) F. Solari, 1909 ^{c g}
- [*Polydrusus stierlini*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus subalpinus*](#) Petri, 1912 ^{c g}
- [*Polydrusus subcyaneus*](#) (Desbrochers des Loges, 1872) ^{c g}
- [*Polydrusus subglaber*](#) (Desbrochers des Loges, 1870) ^{c g}
- [*Polydrusus subnotatus*](#) Schilsky, 1910 ^{c g}
- [*Polydrusus talamellii*](#) Pesarini, 1999 ^{c g}
- [*Polydrusus tereticollis*](#) (De Geer, 1775) ^{c g}
- [*Polydrusus tibialis*](#) (Gyllenhal, 1834) ^{c g}
- [*Polydrusus tinauti*](#) Alonso-Zarazaga, 2013 ^{c g}
- [*Polydrusus tonsus*](#) (Desbrochers des Loges, 1897) ^{c g}
- [*Polydrusus transalpinus*](#) K. Daniel & J. Daniel, 1906 ^{c g}
- [*Polydrusus transjordanus*](#) Germann, 2018 ^c

- [*Polydrusus tscharynensis*](#) (Bajtenov, 1971) ^{c g}
- [*Polydrusus turanensis*](#) (Faust, 1891) ^{c g}
- [*Polydrusus turcicus*](#) Meleshko & Korotyaev, 2003 ^{c g}
- [*Polydrusus vagepictus*](#) (Desbrochers des Loges, 1892) ^{c g}
- [*Polydrusus variegatus*](#) Desbrochers, 1870 ^g
- [*Polydrusus villosithorax*](#) Apfelbeck, 1922 ^{c g}
- [*Polydrusus virbius*](#) (Reitter, 1899) ^{c g}
- [*Polydrusus virens*](#) Kiesenwetter, 1864
- [*Polydrusus virginalis*](#) (Faust, 1888) ^{c g}
- [*Polydrusus viridicinctus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus viridimarginalis*](#) Hustache, 1946 ^{c g}
- [*Polydrusus vodozi*](#) (Desbrochers des Loges, 1903) ^g
- [*Polydrusus vulpeculus*](#) Hustache, 1946 ^{c g}
- [*Polydrusus wymanni*](#) Borovec & Germann, 2013 ^{c g}
- [*Polydrusus xanthopus*](#) Gyllenhal, 1834 ^{c g}
- [*Polydrusus yunakovi*](#) Alonso- Zarazaga, 2013 ^{c g}
- [*Polydrusus zumpti*](#) Voss, 1958 ^{c g}
- [*Polydrusus zurcheri*](#) (Schilsky, 1912) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 169 species belong to [*Polycyrtus*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#). [1] [2] [3]

***Polycyrtus* species**

- [*Polycyrtus accuratus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus acerbus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus albiniclavus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus albispina*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus alboannulatus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus albocinctus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus albolineatus*](#) Cameron, 1911 ^c
- [*Polycyrtus alei*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus alexisi*](#) Zuniga, 2004 ^{c g}

- [Polycyrtus alterator](#) (Trentepohl, 1829) ^{c g}
- [Polycyrtus amoenus](#) (Viereck, 1913) ^{c g}
- [Polycyrtus areolaris](#) Cushman, 1931 ^{c g}
- [Polycyrtus areolatus](#) Cushman, 1931 ^{c g}
- [Polycyrtus atriceps](#) (Cresson, 1874) ^c
- [Polycyrtus avilae](#) Zuniga, 2004 ^{c g}
- [Polycyrtus barrientosi](#) Zuniga, 2004 ^{c g}
- [Polycyrtus bicarinatus](#) Cushman, 1931 ^{c g}
- [Polycyrtus bicolor](#) Zuniga, 2004 ^{c g}
- [Polycyrtus boliviensis](#) Cushman, 1931 ^{c g}
- [Polycyrtus brevigenalis](#) Cushman, 1931 ^{c g}
- [Polycyrtus brunneator](#) (Fabricius, 1798) ^{c g}
- [Polycyrtus bulbosus](#) Cushman, 1931 ^{c g}
- [Polycyrtus burgosi](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus buscki](#) Cushman, 1931 ^{c g}
- [Polycyrtus calii](#) Zuniga, 2004 ^{c g}
- [Polycyrtus capitator](#) (Fabricius, 1804) ^{c g}
- [Polycyrtus carinispinis](#) Cushman, 1931 ^{c g}
- [Polycyrtus carmenae](#) Zuniga, 2004 ^{c g}
- [Polycyrtus caudatus](#) Szepligeti, 1916 ^{c g}
- [Polycyrtus cedrella](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [Polycyrtus chalmersi](#) Zuniga, 2004 ^{c g}
- [Polycyrtus chiriquensis](#) Cameron, 1886 ^{c g}
- [Polycyrtus circumfluens](#) Cushman, 1931 ^{c g}
- [Polycyrtus clausus](#) Zuniga, 2004 ^{c g}
- [Polycyrtus clavator](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus cockerellae](#) Viereck, 1912 ^{c g}
- [Polycyrtus comma](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus condylobus](#) Zuniga, 2004 ^{c g}
- [Polycyrtus confusus](#) Cushman, 1931 ^{c g}
- [Polycyrtus constricticlavus](#) Cushman, 1931 ^{c g}
- [Polycyrtus convergens](#) Cushman, 1931 ^{c g}
- [Polycyrtus copiosus](#) (Cresson, 1874) ^{c g}
- [Polycyrtus copularis](#) Zuniga, 2004 ^{c g}
- [Polycyrtus crespoi](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [Polycyrtus curtispina](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}

- [*Polycyrtus curvispina*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus curviventris*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus dahianae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus delphini*](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [*Polycyrtus dentatorius*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus donzoi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus duplaris*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus duplicatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus elegans*](#) (Provancher, 1888) ^{c g}
- [*Polycyrtus eliethae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus elviae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus emaculatus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus emarginatus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus eneyae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus enriquei*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus epimeron*](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [*Polycyrtus erythrosterneus*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus femoratus*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus ferox*](#) (Cresson, 1873) ^{c g}
- [*Polycyrtus fonsecai*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus furvus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus gauldi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus giacomellii*](#) Schrottky, 1911 ^{c g}
- [*Polycyrtus gibbulus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus gynnae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus hernandezi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus herrerae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus hidalgoi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus hilaris*](#) (Kasparyan & Ruiz-Cancino, 2003) ^{c g}
- [*Polycyrtus histrio*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus humerosus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus iconicus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus impressus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus inca*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus inezae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus infractus*](#) Cushman, 1931 ^{c g}

- [*Polycyrtus inquinatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus isidro*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus isthmus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus javieri*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus josei*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus juani*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus juanmii*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus junceus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus kattyae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus latigulus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus leprieurii*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus leucopus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus leucostomus*](#) (Taschenberg, 1876) ^{c g}
- [*Polycyrtus lidiae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus lindhae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus lituratus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus lovejoyi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus lucidator*](#) Erichson, 1848 ^{c g}
- [*Polycyrtus luisi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus macer*](#) (Cresson, 1874) ^c
- [*Polycyrtus maculatus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus major*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus mancus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus manni*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus marcoi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus martini*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus medialbus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus mediotinctus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus melanocephalus*](#) Cameron, 1911 ^{c g}
- [*Polycyrtus melanoleucus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus minutus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus nanii*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus neglectus*](#) Cushman, 1926 ^{c g b}
- [*Polycyrtus nigriceps*](#) (Brulle, 1846) ^c
- [*Polycyrtus nigriclypeatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus nigroscutellatus*](#) (Brulle, 1846) ^{c g}

- [*Polycyrtus nigrotibialis*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus nudus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus obtusispina*](#) Cameron, 1885 ^{c g}
- [*Polycyrtus ornatifrons*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus pallidibalteatus*](#) Cameron, 1885 ^{c g}
- [*Polycyrtus pallidus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus paranensis*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus parmenioi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus parviclavus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus patriciae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus paululus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus perditor*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus prominens*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus proximannulatus*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus quadrisulcatus*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus raveni*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus rebecae*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus retusus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus riojanus*](#) Brèthes, 1916 ^{c g}
- [*Polycyrtus rufiventris*](#) Spinola, 1840 ^{c g}
- [*Polycyrtus rugulosus*](#) Szepligeti, 1916 ^{c g}
- [*Polycyrtus sartor*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus semialbus*](#) (Cresson, 1865) ^{c g}
- [*Polycyrtus semirufus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus sigillatus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus similis*](#) Szepligeti, 1916 ^c
- [*Polycyrtus solisi*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus soniae*](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}
- [*Polycyrtus spinatorius*](#) (Fabricius, 1804) ^{c g}
- [*Polycyrtus subtenuis*](#) (Cresson, 1865) ^c
- [*Polycyrtus superbus*](#) (Provancher, 1888) ^{c g}
- [*Polycyrtus surinamensis*](#) Szepligeti, 1916 ^c
- [*Polycyrtus suturalis*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus testaceus*](#) (Taschenberg, 1876) ^c
- [*Polycyrtus texanus*](#) (Porter, 1977) ^{c g}
- [*Polycyrtus thoracicus*](#) Tzankov & Alayo, 1974 ^{c g}

- [*Polycyrtus tigrinus*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus tinctipennis*](#) Cameron, 1886 ^{c g}
- [*Polycyrtus triangularis*](#) Cushman, 1931 ^{c g}
- [*Polycyrtus trichromus*](#) (Spinola, 1851) ^{c g}
- [*Polycyrtus tricolor*](#) (Brulle, 1846) ^c
- [*Polycyrtus trilineatus*](#) (Brulle, 1846) ^c
- [*Polycyrtus trochanteratus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus tuberculatus*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus tubulifer*](#) (Viereck, 1913) ^{c g}
- [*Polycyrtus univittatus*](#) (Cresson, 1874) ^{c g}
- [*Polycyrtus vierecki*](#) Townes, 1966 ^{c g}
- [*Polycyrtus wilsoni*](#) Zuniga, 2004 ^{c g}
- [*Polycyrtus xanthocarpus*](#) Szepligeti, 1916 ^c
- [*Polycyrtus xanthopus*](#) (Brulle, 1846) ^c
- [*Polycyrtus xanthothorax*](#) (Brulle, 1846) ^{c g}
- [*Polycyrtus yucatan*](#) Kasparyan & Ruiz-Cancino, 2003 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 161 species in [*Polycentropus*](#), a genus of tube maker caddisflies in the family [*Polycentropodidae*](#).^{[1][2][3][4]}

***Polycentropus* species**

- [*Polycentropus acanthogaster*](#) Flint, 1981 ^{i c g}
- [*Polycentropus africanus*](#) Marlier, 1956 ^{i c g}
- [*Polycentropus alabamensis*](#) Hamilton, Harris & Lago, 1990 ^{i c g}
- [*Polycentropus alatus*](#) Flint, 1981 ^{i c g}
- [*Polycentropus albipunctus*](#) (Banks, 1930) ^{i c g}
- [*Polycentropus almanzor*](#) Schmid, 1952 ^{i c g}
- [*Polycentropus altmani*](#) Yamamoto, 1967 ^{i c g}
- [*Polycentropus apsyrtos*](#) Malicky, 1999 ^{i c g}
- [*Polycentropus aquilonius*](#) Martynov, 1926 ^{i c g}
- [*Polycentropus ariensis*](#) Denning & Sykora, 1966 ^{i c g}
- [*Polycentropus arizonensis*](#) Banks, 1905 ^{i c g}
- [*Polycentropus armeniacus*](#) Martynov, 1934 ^{i c g}

- [*Polycentropus aspinosus*](#) Schmid, 1964^{i c g}
- [*Polycentropus auricollis*](#) Kimmins, 1962^{i c g}
- [*Polycentropus auriculatus*](#) Martynov, 1926^{i c g}
- [*Polycentropus australis*](#) Ulmer, 1915^{i c g}
- [*Polycentropus aztecus*](#) Flint, 1967^{i c g}
- [*Polycentropus azulus*](#) Flint, 1981^{i c g}
- [*Polycentropus barri*](#) Ross & Yamamoto^{i c g}
- [*Polycentropus bartolus*](#) Denning, 1962^{i c g}
- [*Polycentropus bellus*](#) Flint, 1981^{i c g}
- [*Polycentropus biappendiculatus*](#) Flint, 1974^{i c g}
- [*Polycentropus blicklei*](#) Ross & Yamamoto^{i c g}
- [*Polycentropus bonus*](#) Flint, 1981^{i c g}
- [*Polycentropus brevicornutus*](#)^g
- [*Polycentropus brongus*](#) Gibbs, 1973^{i c g}
- [*Polycentropus carlsoni*](#) Morse, 1971^{i c g}
- [*Polycentropus carolinensis*](#) Banks, 1905^{i c g}
- [*Polycentropus casicus*](#) Denning in Denning & Sykora, 1966^{i c g}
- [*Polycentropus ceciliae*](#) Flint, 1991^{i c g}
- [*Polycentropus centralis*](#) Banks, 1914^{i c g}
- [*Polycentropus chelatus*](#) Ross & Yamamoto^{i c g}
- [*Polycentropus chellus*](#) Denning, 1964^{i c g}
- [*Polycentropus chilensis*](#) Yamamoto, 1966^{i c g}
- [*Polycentropus cianficconiae*](#) De Pietro, 2000^{i c g}
- [*Polycentropus clarus*](#) Flint, 1981^{i c g}
- [*Polycentropus colei*](#) Ross, 1941^{i c g}
- [*Polycentropus confusus*](#) Hagen, 1861^{i c g}
- [*Polycentropus connatus*](#) Flint, 1981^{i c g}
- [*Polycentropus corniger*](#) McLachlan, 1884^{i c g}
- [*Polycentropus corsicus*](#) Mosely, 1931^{i c g}
- [*Polycentropus costaricensis*](#) Flint, 1967^{i c g}
- [*Polycentropus cressae*](#) Hamilton & Holzenthal^g
- [*Polycentropus criollo*](#) Botosaneanu, 1980^{i c g}
- [*Polycentropus cuspidatus*](#) Flint, 1981^{i c g}
- [*Polycentropus deltoides*](#) Yamamoto, 1967^{i c g}
- [*Polycentropus denningi*](#) Smith, 1962^{i c g b}
- [*Polycentropus devetaki*](#) Krusnik & Malicky, 1992^{i c g}

- [*Polycentropus digitus*](#) Yamamoto, 1967^{i c g}
- [*Polycentropus divergens*](#) Mosely, 1930^{i c g}
- [*Polycentropus djaman*](#) Martynov, 1927^{i c g}
- [*Polycentropus domingensis*](#) Banks, 1941^{i c g}
- [*Polycentropus doronca*](#) Denning & Sykora, 1966^{i c g}
- [*Polycentropus drahamensis*](#) Malicky, 1982^{i c g}
- [*Polycentropus elarus*](#) Ross, 1944^{i c g}
- [*Polycentropus elegans*](#) Kumanski, 1979^{i c g}
- [*Polycentropus encera*](#) Denning, 1968^{i c g}
- [*Polycentropus excisus*](#) Klapalek, 1894^{i c g}
- [*Polycentropus exsertus*](#) Flint, 1981^{i c g}
- [*Polycentropus fasthi*](#) Holzenthal & Hamilton, 1988^{i c g}
- [*Polycentropus flavomaculatus*](#) (Pictet, 1834)^{i c g}
- [*Polycentropus flavostictus*](#) Hagen, 1865^{i c g}
- [*Polycentropus flavus*](#)^{i c}
- [*Polycentropus floridensis*](#) Lago & Harris, 1983^{i c g}
- [*Polycentropus formosanus*](#)^g
- [*Polycentropus fortispinus*](#) Holzenthal & Hamilton, 1988^{i c g}
- [*Polycentropus fortunei*](#) Flint, 1981^{i c g}
- [*Polycentropus francavillensis*](#) Malicky, 1981^{i c g}
- [*Polycentropus gertschi*](#) Denning, 1950^{i c g}
- [*Polycentropus grandis*](#) Kimmins, 1962^{i c g}
- [*Polycentropus guatemalensis*](#) Flint, 1967^{i c g}
- [*Polycentropus halidus*](#) Milne, 1936^{i c g}
- [*Polycentropus hamiferus*](#) Flint, 1981^{i c g}
- [*Polycentropus harpi*](#) Moulton & Stewart, 1993^{i c g}
- [*Polycentropus hebraeus*](#) Botosaneanu & Gasith, 1971^{i c g}
- [*Polycentropus holzenthali*](#) Bueno-Soria & Hamilton, 1986^{i c g}
- [*Polycentropus ichnusa*](#) Malicky, 1974^{i c g}
- [*Polycentropus iculus*](#) Ross, 1941^{i c g}
- [*Polycentropus ierapetra*](#) Malicky, 1972^{i c g}
- [*Polycentropus inaequalis*](#)^g
- [*Polycentropus insularis*](#) Banks, 1938^{i c g}
- [*Polycentropus interruptus*](#) (Banks, 1914)^{i c}
- [*Polycentropus intricatus*](#) Morton, 1910^{i c g}
- [*Polycentropus jamaicensis*](#) Flint, 1968^{i c g}

- [*Polycentropus jeldesi*](#) Flint, 1976^{i c g}
- [*Polycentropus jenula*](#) Denning in Denning & Sykora, 1966^{i c g}
- [*Polycentropus joergenseni*](#) Ulmer, 1909^{i c g}
- [*Polycentropus kapchajalaja*](#) Schmid, 1975^{i c g}
- [*Polycentropus kenampi*](#) (Korboot, 1964)^{i c g}
- [*Polycentropus kingi*](#) McLachlan, 1881^{i c g}
- [*Polycentropus lepidius*](#) Navas, 1920^{i c g}
- [*Polycentropus lingulatus*](#) Flint, 1981^{i c g}
- [*Polycentropus longispinosus*](#) Schmid, 1958^{i c g}
- [*Polycentropus maculatus*](#) Banks, 1908^{i c g b}
- [*Polycentropus malickyi*](#) Moretti, 1981^{i c g}
- [*Polycentropus marcanoi*](#) Flint, 1976^{i c g}
- [*Polycentropus masi*](#) Navas, 1916^{i c g}
- [*Polycentropus mathisi*](#) Hamilton, 1986^{i c g}
- [*Polycentropus mayanus*](#) Flint, 1981^{i c g}
- [*Polycentropus mazdacus*](#) Schmid, 1959^{i c g}
- [*Polycentropus meridiensis*](#) Flint, 1981^{i c g}
- [*Polycentropus metirensis*](#) Malicky, 1982^{i c g}
- [*Polycentropus mexicanus*](#) (Banks, 1901)^{i c g}
- [*Polycentropus milaca*](#) Etnier, 1968^{i c g}
- [*Polycentropus milikuri*](#) Malicky, 1975^{i c g}
- [*Polycentropus morettii*](#) Malicky, 1977^{i c g}
- [*Polycentropus mortoni*](#) Mosely, 1930^{i c g}
- [*Polycentropus moselyi*](#) Kimmins, 1962^{i c g}
- [*Polycentropus mounthageni*](#) Kumanski, 1979^{i c g}
- [*Polycentropus nascotius*](#) Ross, 1941^{i c g}
- [*Polycentropus nebulosus*](#) Holzenthal & Hamilton, 1988^{i c g}
- [*Polycentropus neiswanderi*](#) Ross, 1947^{i c g}
- [*Polycentropus nigriceps*](#) Banks, 1938^{i c g}
- [*Polycentropus nigrospinus*](#) Hsu & Chen, 1996^{i c g}
- [*Polycentropus obtusus*](#) (Schmid, 1955)^{i c g}
- [*Polycentropus palmitus*](#) Flint, 1967^{i c g}
- [*Polycentropus pentus*](#) Ross, 1941^{i c g}
- [*Polycentropus picana*](#) Ross, 1947^{i c g}
- [*Polycentropus piceus*](#) Kimmins, 1962^{i c g}
- [*Polycentropus pilosa*](#)^g

- [*Polycentropus pirisinui*](#) Malicky, 1981^{i c g}
- [*Polycentropus pixi*](#) Ross, 1944^{i c g}
- [*Polycentropus plicatus*](#) Navas, 1916^{i c g}
- [*Polycentropus quadriappendiculatus*](#) Schmid, 1964^{i c g}
- [*Polycentropus quadrispinosus*](#) Schmid, 1964^{i c g}
- [*Polycentropus radaukles*](#) Malicky, 1977^{i c g}
- [*Polycentropus rickeri*](#) Yamamoto, 1966^{i c g}
- [*Polycentropus rosselinus*](#) Navas, 1924^{i c g}
- [*Polycentropus sabulosus*](#) Leonard & Leonard, 1949^{i c g}
- [*Polycentropus sarandi*](#) Angrisano, 1994^{i c g}
- [*Polycentropus sardous*](#) Moretti, 1981^{i c g}
- [*Polycentropus schmidi*](#) Novak & Botosaneanu, 1965^{i c g}
- [*Polycentropus segregatus*](#) Mey & Joost, 1982^{i c g}
- [*Polycentropus similis*](#) Kimmins, 1962^{i c g}
- [*Polycentropus sinuosus*](#) Kimmins, 1962^{i c g}
- [*Polycentropus smithae*](#) Denning, 1949^{i c g}
- [*Polycentropus spicatus*](#) Yamamoto, 1967^{i c g}
- [*Polycentropus stephani*](#) Bowles, Mathis, & Hamilton, 1993^{i c g}
- [*Polycentropus surinamensis*](#) Flint, 1974^{i c g}
- [*Polycentropus telifer*](#) McLachlan, 1884^{i c g}
- [*Polycentropus tenerifensis*](#) Malicky, 1999^{i c g}
- [*Polycentropus terrai*](#) Malicky, 1980^{i c g}
- [*Polycentropus thaxtoni*](#) Hamilton & Holzenthal, 1986^{i c g}
- [*Polycentropus timesis*](#) (Denning, 1948)^{i c g}
- [*Polycentropus tuberculatus*](#) Flint, 1983^{i c g}
- [*Polycentropus turquino*](#) Botosaneanu, 1980^{i c g}
- [*Polycentropus unicus*](#) Hsu & Chen, 1996^{i c g}
- [*Polycentropus unispina*](#) Flint, 1991^{i c g}
- [*Polycentropus valdiviensis*](#) Flint, 1983^{i c g}
- [*Polycentropus vanachakuni*](#) Schmid & Denning, 1979^{i c g}
- [*Polycentropus vanderpooli*](#) Flint, 1976^{i c g}
- [*Polycentropus variatus*](#) Navas, 1917^{i c g}
- [*Polycentropus variegatus*](#) (Banks, 1900)^b
- [*Polycentropus veracruzensis*](#) Flint, 1981^{i c g}
- [*Polycentropus vernus*](#) Hamilton, Harris & Lago, 1990^{i c g}
- [*Polycentropus volcano*](#) Holzenthal & Hamilton, 1988^{i c g}

- [*Polycentropus weedi*](#) Bickel & Morse, 1955^{i c g}
- [*Polycentropus yuecelcaglari*](#) Sipahiler, 1999^{i c g}
- [*Polycentropus zancus*](#) Flint, 1981^{i c g}
- [*Polycentropus zaneta*](#) Denning, 1948^{i c g}
- [*Polycentropus zurqui*](#) Holzenthal & Hamilton, 1988^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 143 species in [*Polana*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3]}

***Polana* species**

- [*Polana agrilla*](#) DeLong & Freytag 1972^{c g}
- [*Polana alata*](#) DeLong & Freytag 1972^{c g}
- [*Polana alia*](#) DeLong & Freytag 1972^{c g}
- [*Polana alitera*](#) DeLong & Freytag 1972^{c g}
- [*Polana amapaensis*](#) Coelho 1991^{c g}
- [*Polana ancistra*](#) Freytag 2007^{c g}
- [*Polana aneza*](#) DeLong & Freytag 1972^{c g}
- [*Polana ardua*](#) DeLong & Freytag 1972^{c g}
- [*Polana aspersa*](#) DeLong & Freytag 1972^{c g}
- [*Polana assula*](#) DeLong & Freytag 1972^{c g}
- [*Polana belema*](#) DeLong 1984^{c g}
- [*Polana bena*](#) DeLong & Freytag 1972^{c g}
- [*Polana bicolor*](#) Spångberg 1878^{c g}
- [*Polana bidens*](#) DeLong & Freytag 1972^{c g}
- [*Polana bitubera*](#) DeLong & Foster 1982^{c g}
- [*Polana bohemani*](#) Stål 1864^{c g}
- [*Polana boquetea*](#) DeLong & Wolda 1984^{c g}
- [*Polana brevis*](#) Freytag 2007^{c g}
- [*Polana bruneola*](#) Osborn 1938^{c g}
- [*Polana bulba*](#) DeLong & Freytag 1972^{c g}
- [*Polana calvanoa*](#) DeLong & Wolda 1984^{c g}
- [*Polana caputa*](#) DeLong 1980^{c g}
- [*Polana carla*](#) DeLong 1980^{c g}
- [*Polana celata*](#) Fowler 1903^{c g}

- [Polana celsa](#) DeLong & Freytag 1972 ^{c g}
- [Polana censora](#) DeLong & Wolda 1984 ^{c g}
- [Polana chelata](#) DeLong & Freytag 1972 ^{c g}
- [Polana chena](#) DeLong & Wolda 1978 ^{c g}
- [Polana chifama](#) DeLong & Freytag 1972 ^{c g}
- [Polana clarita](#) DeLong & Wolda 1982 ^{c g}
- [Polana clavata](#) DeLong & Wolda 1984 ^{c g}
- [Polana cochlea](#) DeLong 1980 ^{c g}
- [Polana concinna](#) Stål 1862 ^{c g}
- [Polana confusa](#) DeLong 1984 ^{c g}
- [Polana coresa](#) DeLong & Freytag 1972 ^{c g}
- [Polana coverra](#) DeLong 1979 ^{c g}
- [Polana cumbresa](#) DeLong & Wolda 1984 ^{c g}
- [Polana cupida](#) DeLong & Freytag 1972 ^{c g}
- [Polana danesa](#) DeLong & Freytag 1972 ^{c g}
- [Polana declivata](#) Freytag 2007 ^{c g}
- [Polana desela](#) DeLong 1979 ^{c g}
- [Polana dispara](#) DeLong & Freytag 1972 ^{c g}
- [Polana diversita](#) DeLong & Wolda 1982 ^{c g}
- [Polana docera](#) DeLong & Wolda 1982 ^{c g}
- [Polana elabora](#) DeLong & Freytag 1972 ^{c g}
- [Polana elera](#) DeLong & Freytag 1972 ^{c g}
- [Polana exornata](#) Fowler 1903 ^{c g}
- [Polana extranea](#) Fowler 1903 ^{c g}
- [Polana falsa](#) DeLong & Freytag 1972 ^{c g}
- [Polana fenestra](#) DeLong 1984 ^{c g}
- [Polana fetera](#) DeLong & Freytag 1972 ^{c g}
- [Polana fina](#) DeLong & Freytag 1972 ^{c g}
- [Polana flectara](#) DeLong & Freytag 1972 ^{c g}
- [Polana fusconotata](#) Osborn 1938 ^{c g}
- [Polana gatunana](#) DeLong & Wolda 1984 ^{c g}
- [Polana gelera](#) DeLong & Freytag 1972 ^{c g}
- [Polana gomezi](#) DeLong 1979 ^{c g}
- [Polana gracilis](#) Spångberg 1883 ^{c g}
- [Polana helara](#) DeLong & Freytag 1972 ^{c g}
- [Polana helvola](#) DeLong 1979 ^{c g}

- [Polana icara](#) DeLong & Freytag 1972 ^{c g}
- [Polana inclinata](#) DeLong & Freytag 1972 ^{c g}
- [Polana inimica](#) DeLong & Freytag 1972 ^{c g}
- [Polana insulana](#) Freytag & Cwikla 1982 ^{c g}
- [Polana insulia](#) DeLong 1984 ^{c g}
- [Polana intricata](#) ^g
- [Polana julna](#) DeLong & Wolda 1982 ^{c g}
- [Polana laca](#) DeLong & Freytag 1972 ^{c g}
- [Polana lamina](#) DeLong 1979 ^{c g}
- [Polana lanara](#) DeLong & Freytag 1972 ^{c g}
- [Polana lerana](#) DeLong & Triplehorn 1979 ^{c g}
- [Polana luteonota](#) DeLong 1979 ^{c g}
- [Polana macuella](#) DeLong & Freytag 1972 ^{c g}
- [Polana macula](#) DeLong & Freytag 1972 ^{c g}
- [Polana mala](#) DeLong & Freytag 1972 ^{c g}
- [Polana melalbida](#) DeLong 1979 ^{c g}
- [Polana melella](#) DeLong 1979 ^{c g}
- [Polana mella](#) DeLong & Freytag 1972 ^{c g}
- [Polana merga](#) DeLong & Freytag 1972 ^{c g}
- [Polana minima](#) Freytag 2007 ^{c g}
- [Polana miramara](#) DeLong & Wolda 1984 ^{c g}
- [Polana naja](#) ^g
- [Polana nebulosa](#) Stål 1862 ^{c g}
- [Polana nida](#) DeLong & Freytag 1972 ^{c g}
- [Polana nidula](#) DeLong & Freytag 1972 ^{c g}
- [Polana nigrolabes](#) DeLong & Wolda 1978 ^{c g}
- [Polana nisa](#) DeLong & Freytag 1972 ^{c g}
- [Polana obliqua](#) DeLong & Freytag 1972 ^{c g}
- [Polana obtecta](#) DeLong & Freytag 1972 ^{c g}
- [Polana obtusa](#) Spångberg 1878 ^{c g}
- [Polana ocellata](#) Spångberg 1878 ^{c g}
- [Polana onara](#) DeLong & Triplehorn 1979 ^{c g}
- [Polana optata](#) DeLong & Freytag 1972 ^{c g}
- [Polana orbita](#) DeLong & Freytag 1972 ^{c g}
- [Polana orcula](#) DeLong & Foster 1982 ^{c g}
- [Polana ordinaria](#) Freytag 2007 ^{c g}

- [Polana pandara](#) DeLong & Freytag 1972 ^{c g}
- [Polana papillata](#) Freytag & Cwikla 1982 ^{c g}
- [Polana parca](#) DeLong & Freytag 1972 ^{c g}
- [Polana parvula](#) DeLong & Freytag 1972 ^{c g}
- [Polana peda](#) DeLong & Freytag 1972 ^{c g}
- [Polana pendula](#) DeLong & Freytag 1972 ^{c g}
- [Polana pensa](#) DeLong & Freytag 1972 ^{c g}
- [Polana piceata](#) Osborn 1938 ^{c g}
- [Polana plumea](#) DeLong & Freytag 1972 ^{c g}
- [Polana portochuela](#) DeLong & Foster 1982 ^{c g}
- [Polana praeusta](#) Stål 1854 ^{c g}
- [Polana pressa](#) DeLong & Freytag 1972 ^{c g}
- [Polana principia](#) DeLong & Freytag 1972 ^{c g}
- [Polana putara](#) DeLong 1979 ^{c g}
- [Polana quadrilabes](#) DeLong & Freytag 1972 ^{c g}
- [Polana quadrina](#) DeLong 1979 ^{c g}
- [Polana quadrinotata](#) (Spangberg, 1878) ^{c g b}
- [Polana quadripunctata](#) Stål 1862 ^{c g}
- [Polana quatara](#) DeLong & Freytag 1972 ^{c g}
- [Polana randa](#) DeLong & Freytag 1972 ^{c g}
- [Polana raseca](#) DeLong & Triplehorn 1979 ^{c g}
- [Polana resilara](#) DeLong & Freytag 1972 ^{c g}
- [Polana resupina](#) DeLong & Freytag 1972 ^{c g}
- [Polana retenta](#) DeLong & Freytag 1972 ^{c g}
- [Polana rixa](#) DeLong & Freytag 1972 ^{c g}
- [Polana robusta](#) DeLong 1980 ^{c g}
- [Polana ruppeli](#) DeLong & Freytag 1972 ^{c g}
- [Polana sana](#) DeLong 1979 ^{c g}
- [Polana scela](#) DeLong & Freytag 1972 ^{c g}
- [Polana scina](#) DeLong & Freytag 1972 ^{c g}
- [Polana scruta](#) DeLong & Freytag 1972 ^{c g}
- [Polana sereta](#) DeLong & Freytag 1972 ^{c g}
- [Polana solida](#) DeLong 1979 ^{c g}
- [Polana spindella](#) DeLong & Freytag 1972 ^{c g}
- [Polana squalera](#) DeLong & Freytag 1972 ^{c g}
- [Polana thugana](#) DeLong & Triplehorn 1979 ^{c g}

- [*Polana tinae*](#) DeLong & Wolda 1982 ^{c g}
- [*Polana tortora*](#) DeLong 1980 ^{c g}
- [*Polana tropica*](#) DeLong & Triplehorn 1979 ^{c g}
- [*Polana truncata*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana tuberana*](#) DeLong & Foster 1982 ^{c g}
- [*Polana tulara*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana unca*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana vana*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana venosa*](#) Stål 1854 ^{c g}
- [*Polana villa*](#) DeLong & Freytag 1972 ^{c g}
- [*Polana villara*](#) DeLong 1979 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 110 species in [*Podabrus*](#), a genus of soldier beetles in the family [*Cantharidae*](#).^{[1][2][3]}

***Podabrus* species**

- [*Podabrus alexanderi*](#) Fender, 1953 ^{i g}
- [*Podabrus alpinus*](#) (Paykull, 1798) ^g
- [*Podabrus altus*](#) Fall, 1928 ^{i g}
- [*Podabrus ambiguus*](#) Fall, 1928 ^{i g}
- [*Podabrus appendiculatus*](#) Fall, 1928 ^{i g b}
- [*Podabrus basilaris*](#) (Say, 1823) ^{i g}
- [*Podabrus basillaris*](#) ^b
- [*Podabrus binotatus*](#) LeConte, 1881 ^{i g}
- [*Podabrus bolteri*](#) LeConte, 1881 ^{i g}
- [*Podabrus brevicollis*](#) Fall, 1928 ^{i g b}
- [*Podabrus brevipennis*](#) LeConte, 1878 ^{i g}
- [*Podabrus brimleyi*](#) Green, 1947 ^{i g b}
- [*Podabrus brunneus*](#) Fender, 1943 ^{i g}
- [*Podabrus brunnicollis*](#) (Fabricius, 1801) ^{i g b}
- [*Podabrus californicus*](#) Fender, 1948 ^{i g}
- [*Podabrus carmelensis*](#) Fender, 1948 ^{i g}
- [*Podabrus cascadenis*](#) Fender, 1943 ^{i g b}
- [*Podabrus cavicollis*](#) LeConte, 1851 ^{i g b}

- [Podabrus cinctipennis](#) LeConte, 1866 ⁱ
- [Podabrus citrinus](#) Fall, 1928 ^{i g}
- [Podabrus confraternus](#) Fall, 1928 ^{i g}
- [Podabrus conspiratus](#) Fall, 1926 ^{i g b}
- [Podabrus corneus](#) LeConte, 1861 ^{i g}
- [Podabrus danielsi](#) Fender, 1943 ^{i g}
- [Podabrus deceptus](#) Brown, 1940 ⁱ
- [Podabrus diadema](#) (Fabricius, 1798) ^{i g b}
- [Podabrus dietrichi](#) Green, 1947 ^{i g}
- [Podabrus dreisbachi](#) Green, 1948 ^{i g b}
- [Podabrus edmundsae](#) Fender, 1953 ^{i g b}
- [Podabrus excursus](#) Fall, 1928 ^{i g}
- [Podabrus extremus](#) LeConte, 1881 ⁱ
- [Podabrus extricatus](#) Fall, 1928 ^{i g}
- [Podabrus falli](#) Hopping, 1929 ^{i g b}
- [Podabrus fayi](#) LeConte, 1866 ^{i g b}
- [Podabrus fenestratus](#) Fall, 1928 ^{i g}
- [Podabrus fissilis](#) Fall, 1926 ⁱ
- [Podabrus fissus](#) LeConte, 1881 ^{i g}
- [Podabrus flavicollis](#) LeConte, 1851 ^{i g b}
- [Podabrus frater](#) LeConte, 1851 ^{i g b}
- [Podabrus frosti](#) Fender, 1946 ^{i g}
- [Podabrus fulvus](#) Fall, 1928 ^{i g}
- [Podabrus fumiganus](#) Green, 1948 ⁱ
- [Podabrus furtivus](#) Fall, 1928 ⁱ
- [Podabrus gracilis](#) Fall, 1928 ^{i g}
- [Podabrus hackerae](#) Fender in Hatch, 1962 ⁱ
- [Podabrus heteronychus](#) Fall, 1928 ⁱ
- [Podabrus illex](#) Fall, 1928 ^{i g}
- [Podabrus infumatus](#) Green, 1949 ^{i g}
- [Podabrus instabilis](#) Fall, 1928 ⁱ
- [Podabrus intrusus](#) Green, 1947 ^{i g b}
- [Podabrus knobeli](#) Fall, 1928 ^{i g}
- [Podabrus knowltoni](#) Fender, 1948 ^{i g}
- [Podabrus laevicollis](#) (Kirby in Richards, 1837) ⁱ
- [Podabrus lapponicus](#) (Gyllenhal, 1810) ^g

- [Podabrus lateralis](#) LeConte in Wheeler, 1876^{i g}
- [Podabrus latimanus](#) (Motschulsky, 1860)^{i g b}
- [Podabrus limatus](#) Fall, 1928^{i g}
- [Podabrus limbellus](#) LeConte, 1881ⁱ
- [Podabrus longicornis](#) Fall, 1928^{i g}
- [Podabrus lucidatus](#) Fender, 1948^{i g}
- [Podabrus lutosus](#) LeConte, 1881ⁱ
- [Podabrus lygarius](#) Fender in Hatch, 1962ⁱ
- [Podabrus macer](#) LeConte, 1861ⁱ
- [Podabrus malheurensis](#) Fender in Hatch, 1962^{i g}
- [Podabrus mellitus](#) LeConte, 1881^{i g}
- [Podabrus melvillei](#) Fender in Hatch, 1962ⁱ
- [Podabrus modestus](#) (Say, 1823)^{i g b}
- [Podabrus modulatus](#) Fall, 1928^{i g}
- [Podabrus moestus](#) Fall, 1928^{i g}
- [Podabrus muliebris](#) Fall, 1928^{i g}
- [Podabrus nothoides](#) LeConte, 1881^{i g b}
- [Podabrus obscurevittatus](#) Fall, 1928ⁱ
- [Podabrus obscuripes](#) J.Sahlberg, 1871^g
- [Podabrus occipitalis](#) Fall, 1928^{i g}
- [Podabrus ochocensis](#) Fender, 1953ⁱ
- [Podabrus pattoni](#) LeConte, 1866ⁱ
- [Podabrus perplexus](#) Brown, 1940ⁱ
- [Podabrus piceatus](#) Fender, 1953ⁱ
- [Podabrus piniphilus](#) (Eschscholtz, 1830)ⁱ
- [Podabrus planulus](#) Green, 1947^{i g b}
- [Podabrus probus](#) Fall, 1928ⁱ
- [Podabrus protensus](#) LeConte, 1866^{i g b}
- [Podabrus pruinosus](#) LeConte, 1851^{i b} (downy leather-winged beetle)
- [Podabrus puberulus](#) LeConte in Agassiz, 1850ⁱ
- [Podabrus punctatus](#) LeConte in Agassiz, 1850ⁱ
- [Podabrus puncticollis](#) (Kirby in Richards, 1837)ⁱ
- [Podabrus punctulatus](#) LeConte, 1859^{i g b}
- [Podabrus pustulatus](#) Fender in Hatch, 1962ⁱ
- [Podabrus pygmaeus](#) Green, 1948^{i g b}
- [Podabrus quadratus](#) LeConte, 1881^{i g}

- [Podabrus rossi](#) Fender, 1948ⁱ
- [Podabrus rugosulus](#) LeConte in Agassiz, 1850^{i g b}
- [Podabrus scaber](#) LeConte, 1861ⁱ
- [Podabrus schuhi](#) Fender in Hatch, 1962^{i g}
- [Podabrus secretus](#) Brown, 1940ⁱ
- [Podabrus sericatus](#) (Mannerheim, 1846)^{i g}
- [Podabrus sierrae](#) Fall, 1928^{i g}
- [Podabrus simplex](#) Couper, 1865ⁱ
- [Podabrus smithi](#) Fender, 1948ⁱ
- [Podabrus stehri](#) Miskimen, 1956^{i g}
- [Podabrus tejonicus](#) LeConte, 1859^{i g}
- [Podabrus tenuis](#) Fall, 1928^{i g}
- [Podabrus tetragonoderus](#) Fall, 1926^{i b}
- [Podabrus tomentosus](#) (Say, 1825)^{i g b}
- [Podabrus tricoloratus](#) (Say, 1835)^{i g b}
- [Podabrus vandykei](#) Fender, 1949^{i g}
- [Podabrus vernalis](#) Green, 1948^{i g b}
- [Podabrus viduus](#) Fall, 1928^{i g}
- [Podabrus xanthoderus](#) LeConte, 1881^{i g}
- [Podabrus youngi](#) Fender, 1979^{i g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[4] g = GBIF,[2] b = Bugguide.net[3]

References

Lygaeoidea Species File lists these 98 species in [Plinthisus](#), a genus of dirt-colored seed bugs in the family [Rhyparochromidae](#).^[1]

Plinthisus species

- [Plinthisus acanthothorax](#) Kiritschenko, 1931
- [Plinthisus acrocephalus](#) Slater & Sweet, 1977
- [Plinthisus afer](#) Horvath, 1906
- [Plinthisus alpinus](#) Linnavuori, 1978
- [Plinthisus americanus](#) Van Duzee, 1910
- [Plinthisus andalusicus](#) Wagner, 1963
- [Plinthisus angulatus](#) Horvath, 1876

- [*Plinthisus australiensis*](#) Slater & Sweet, 1977
- [*Plinthisus basilewskyi*](#) Scudder, 1962
- [*Plinthisus bassianus*](#) Slater & Sweet, 1977
- [*Plinthisus bembidioides*](#) Josifov & Kerzhner, 1978
- [*Plinthisus beniamaricus*](#) Linnavuori, 1978
- [*Plinthisus brachyoccus*](#) Sweet & Slater, 2004
- [*Plinthisus brevipennis*](#) (Latreille, 1807)
- [*Plinthisus brunneus*](#) (Distant, 1918)
- [*Plinthisus canariensis*](#) Wagner, 1963
- [*Plinthisus cautus*](#) Popov, 1965
- [*Plinthisus cerinus*](#) Putschkov, 1976
- [*Plinthisus chilensis*](#) Slater, 1971
- [*Plinthisus compactus*](#) (Uhler, 1904)
- [*Plinthisus convexus*](#) Fieber, 1864
- [*Plinthisus coracinus*](#) Horvath, 1876
- [*Plinthisus dampieris*](#) Slater & Sweet, 1977
- [*Plinthisus daneghanus*](#) Linnavuori & van Harten, 2000
- [*Plinthisus debaroensis*](#) Linnavuori, 1989
- [*Plinthisus drakensbergensis*](#) Sweet & Slater, 2004
- [*Plinthisus ericae*](#) Sweet & Slater, 2004
- [*Plinthisus fasciatus*](#) Horvath, 1882
- [*Plinthisus flavipes*](#) Fieber, 1861
- [*Plinthisus flindersi*](#) (Slater & Sweet, 1977)
- [*Plinthisus fynbosi*](#) Sweet & Slater, 2004
- [*Plinthisus grossi*](#) (Slater & Sweet, 1977)
- [*Plinthisus hebeiensis*](#) Zheng, 1981
- [*Plinthisus herbarum*](#) Lindberg, 1958
- [*Plinthisus heteroclitus*](#) Matocq & Pluot-Sigwalt, 2013
- [*Plinthisus himyaritus*](#) Linnavuori, 1978
- [*Plinthisus hirsutus*](#) Slater, 1964
- [*Plinthisus hirtus*](#) Zheng, 1981
- [*Plinthisus indentatus*](#) Barber, 1918
- [*Plinthisus japonicus*](#) (Hidaka, 1962)
- [*Plinthisus jordiribesi*](#) Rieger & Pagola-Carte, 2011
- [*Plinthisus kangarooensis*](#) Slater & Sweet, 1977
- [*Plinthisus kanyukovae*](#) Vinokurov, 1981
- [*Plinthisus kilimensis*](#) Horvath, 1906
- [*Plinthisus laevigatus*](#) Puton, 1884
- [*Plinthisus laevis*](#) Linnavuori, 1978
- [*Plinthisus lamprus*](#) Sweet & Slater, 2004
- [*Plinthisus lativentris*](#) Horvath, 1906
- [*Plinthisus lepinyei*](#) Vidal, 1940

- [*Plinthisus longicollis*](#) Fieber, 1861
- [*Plinthisus longisetosus*](#) Barber, 1918
- [*Plinthisus lucidus*](#) Linnavuori, 1978
- [*Plinthisus maculatus*](#) (Kiritshenko, 1931)
- [*Plinthisus magnieni*](#) Pericart & Ribes, 1994
- [*Plinthisus major*](#) Horvath, 1876
- [*Plinthisus marginatus*](#) Ferrari, 1874
- [*Plinthisus martini*](#) Van Duzee, 1921
- [*Plinthisus megacephalus*](#) Horvath, 1876
- [*Plinthisus mehadiensis*](#) Horvath, 1882
- [*Plinthisus minutissimus*](#) (Fieber, 1864)
- [*Plinthisus mixtus*](#) Kiritshenko, 1951
- [*Plinthisus mullewa*](#) Slater & Sweet, 1977
- [*Plinthisus muticus*](#) Slater, 1964
- [*Plinthisus neotropicalis*](#) Slater, 1971
- [*Plinthisus noctivagus*](#) (Linnavuori, 1978)
- [*Plinthisus nudus*](#) Slater & Sweet, 1977
- [*Plinthisus obsoletus*](#) Horvath, 1886
- [*Plinthisus otini*](#) Vidal, 1951
- [*Plinthisus pallens*](#) Linnavuori, 1978
- [*Plinthisus pallidus*](#) Barber, 1918
- [*Plinthisus parviceps*](#) (Wagner, 1961)
- [*Plinthisus parvioculatus*](#) Slater, 1971
- [*Plinthisus patruelis*](#) Horvath, 1914
- [*Plinthisus peninsularis*](#) Sweet & Slater, 2004
- [*Plinthisus perpusillus*](#) Wagner, 1963
- [*Plinthisus pilosellus*](#) Horvath, 1876
- [*Plinthisus platycephalus*](#) Slater & Sweet, 1977
- [*Plinthisus proteus*](#) Scudder, 1962
- [*Plinthisus ptilioides*](#) Puton, 1874
- [*Plinthisus pulchellus*](#) Sweet & Slater, 2004
- [*Plinthisus pusillus*](#) (Scholtz, 1847)
- [*Plinthisus putoni*](#) Horvath, 1876
- [*Plinthisus pygmaeus*](#) Horvath, 1882
- [*Plinthisus reticulatus*](#) Slater & Sweet, 1977
- [*Plinthisus reyi*](#) Puton, 1882
- [*Plinthisus rudebecki*](#) Slater, 1964
- [*Plinthisus saundersi*](#) Horvath, 1893
- [*Plinthisus scutellatus*](#) Zheng, 1981
- [*Plinthisus sericeus*](#) Slater & Sweet, 1977
- [*Plinthisus soongoricus*](#) Kerzhner, 1962
- [*Plinthisus subtilis*](#) Horvath, 1882

- [*Plinthisus tasmaniensis*](#) Slater & Sweet, 1977
- [*Plinthisus tindalis*](#) (Slater & Sweet, 1977)
- [*Plinthisus tineoides*](#) (Distant, 1901)
- [*Plinthisus vestitus*](#) Jakovlev, 1889
- [*Plinthisus woodwardi*](#) Slater & Sweet, 1977
- [*Plinthisus yunnanus*](#) Zheng, 1981
- [*Plinthisus zuurbergi*](#) Sweet & Slater, 2004

References

This is a list of 362 species in [*Plectris*](#), a genus of May beetles and Junebugs in the family [*Scarabaeidae*](#).^{[1][2][3][4]}

Plectris species

- [*Plectris abdominalis*](#) Frey, 1967 ^{c g}
- [*Plectris aberrans*](#) Frey, 1964 ^{c g}
- [*Plectris abnormalis*](#) (Moser, 1919) ^{c g}
- [*Plectris acrensis*](#) Frey, 1973 ^{c g}
- [*Plectris acutesetosa*](#) Frey, 1974 ^{c g}
- [*Plectris aenea*](#) Blanchard, 1851 ^{c g}
- [*Plectris aeneicollis*](#) (Moser, 1918) ^c
- [*Plectris aeneofusca*](#) (Moser, 1918) ^c
- [*Plectris aeneomicans*](#) Frey, 1967 ^{c g}
- [*Plectris aeneorufa*](#) (Moser, 1918) ^{c g}
- [*Plectris aenescens*](#) (Moser, 1918) ^c
- [*Plectris aequatorialis*](#) (Moser, 1921) ^{c g}
- [*Plectris aerata*](#) Burmeister, 1855 ^{c g}
- [*Plectris afflicta*](#) Blanchard, 1850 ^{c g}
- [*Plectris ahena*](#) Burmeister, 1855 ^{c g}
- [*Plectris alboscutata*](#) Frey, 1967 ^{c g}
- [*Plectris albovittata*](#) Frey, 1967 ^{c g}
- [*Plectris aliena*](#) Chapin, 1934 ^{i c g b}
- [*Plectris alternata*](#) Frey, 1967 ^{c g}
- [*Plectris alvarengai*](#) Frey, 1967 ^{c g}
- [*Plectris amabilis*](#) Frey, 1967 ^{c g}

- [*Plectris ambigua*](#) Frey, 1967 ^{c g}
- [*Plectris ambitiosa*](#) (Blanchard, 1850) ^{c g}
- [*Plectris amoena*](#) Frey, 1973 ^{c g}
- [*Plectris andicola*](#) Frey, 1969 ^{c g}
- [*Plectris andina*](#) Frey, 1967 ^{c g}
- [*Plectris angerona*](#) Blanchard, 1850 ^{c g}
- [*Plectris angusta*](#) Frey, 1974 ^{c g}
- [*Plectris anomala*](#) (Kirsch, 1885) ^{c g}
- [*Plectris antennalis*](#) (Moser, 1924) ^{c g}
- [*Plectris antennata*](#) Frey, 1969 ^{c g}
- [*Plectris apicalis*](#) (Moser, 1921) ^c
- [*Plectris archidonensis*](#) (Moser, 1924) ^{c g}
- [*Plectris argentata*](#) Frey, 1967 ^{c g}
- [*Plectris argentina*](#) (Bruch, 1909) ^{c g}
- [*Plectris atubana*](#) Frey, 1972 ^{c g}
- [*Plectris aulai*](#) (Bruch, 1909) ^{c g}
- [*Plectris bahiensis*](#) Frey, 1975 ^{c g}
- [*Plectris balthasari*](#) Frey, 1967 ^{c g}
- [*Plectris baraudi*](#) Frey, 1967 ^{c g}
- [*Plectris barbitarsis*](#) (Moser, 1919) ^{c g}
- [*Plectris barda*](#) Blanchard, 1850 ^{c g}
- [*Plectris bicolor*](#) Frey, 1967 ^{c g}
- [*Plectris bilobata*](#) (Moser, 1921) ^{c g}
- [*Plectris binotata*](#) Blanchard, 1850 ^{c g}
- [*Plectris blanchardi*](#) Frey, 1967 ^{c g}
- [*Plectris boliviensis*](#) (Moser, 1921) ^{c g}
- [*Plectris bonariensis*](#) (Bruch, 1909) ^{c g}
- [*Plectris breiti*](#) Frey, 1967 ^{c g}
- [*Plectris breviceps*](#) Frey, 1967 ^{c g}
- [*Plectris brevicollis*](#) (Moser, 1919) ^{c g}
- [*Plectris brevipes*](#) (Blanchard, 1850) ^{c g}
- [*Plectris brevipilosa*](#) Moser, 1924 ^{c g}
- [*Plectris brevis*](#) Blanchard, 1851 ^{c g}
- [*Plectris brevisetosa*](#) Moser, 1918 ^{c g}
- [*Plectris brevitarsis*](#) (Blanchard, 1850) ^{c g}
- [*Plectris brittoni*](#) Frey, 1967 ^{c g}

- [Plectris bruchi](#) Moser, 1924 ^{c g}
- [Plectris burmeisteri](#) (Kirsch, 1871) ^{c g}
- [Plectris calcarata](#) Frey, 1967 ^{c g}
- [Plectris caliginosa](#) Blanchard, 1850 ^{c g}
- [Plectris calva](#) Frey, 1969 ^{c g}
- [Plectris candezei](#) Frey, 1967 ^{c g}
- [Plectris caniventris](#) (Burmeister, 1855) ^{c g}
- [Plectris castaneipennis](#) (Moser, 1921) ^{c g}
- [Plectris cayennensis](#) (Moser, 1921) ^c
- [Plectris centralis](#) (Bruch, 1909) ^{c g}
- [Plectris ceylanica](#) (Nonfried, 1894) ^{c g}
- [Plectris ciliata](#) Frey, 1967 ^{c g}
- [Plectris cinerascens](#) (Blanchard, 1850) ^c
- [Plectris cinereopilosa](#) (Moser, 1924) ^{c g}
- [Plectris clypealis](#) Frey, 1975 ^{c g}
- [Plectris clypeata](#) Burmeister, 1855 ^{c g}
- [Plectris collarti](#) Frey, 1967 ^{c g}
- [Plectris comata](#) (Blanchard, 1850) ^{c g}
- [Plectris conformis](#) Frey, 1967 ^{c g}
- [Plectris contaminata](#) Blanchard, 1850 ^{c g}
- [Plectris cordobana](#) (Moser, 1924) ^c
- [Plectris corrientensis](#) (Moser, 1919) ^{c g}
- [Plectris corumbana](#) Moser, 1921 ^{c g}
- [Plectris corvicoana](#) (Moser, 1919) ^{c g}
- [Plectris costulata](#) Frey, 1967 ^{c g}
- [Plectris coxalis](#) (Moser, 1921) ^{c g}
- [Plectris crassa](#) Blanchard, 1850 ^{c g}
- [Plectris crassesetosa](#) Frey, 1967 ^{c g}
- [Plectris cucullata](#) Burmeister, 1855 ^{c g}
- [Plectris curta](#) Burmeister, 1855 ^{c g}
- [Plectris curticollis](#) Frey, 1967 ^{c g}
- [Plectris curtipilis](#) Frey, 1967 ^{c g}
- [Plectris curtisetis](#) Frey, 1969 ^{c g}
- [Plectris cuyana](#) (Bruch, 1909) ^{c g}
- [Plectris cylindrica](#) Burmeister, 1855 ^{c g}
- [Plectris cylindriformis](#) Frey, 1967 ^{c g}

- [*Plectris decipiens*](#) Burmeister, 1855 ^{c g}
- [*Plectris decolorata*](#) Blanchard, 1850 ^{c g}
- [*Plectris delicatula*](#) (Blanchard, 1850) ^{c g}
- [*Plectris denominata*](#) Frey, 1967 ^{c g}
- [*Plectris densaticollis*](#) Frey, 1967 ^{c g}
- [*Plectris densehirsuta*](#) Frey, 1967 ^{c g}
- [*Plectris densevestita*](#) (Moser, 1924) ^{c g}
- [*Plectris depressicollis*](#) Frey, 1967 ^{c g}
- [*Plectris desiderata*](#) Evans, 2003 ^{c g}
- [*Plectris devillei*](#) Frey, 1967 ^{c g}
- [*Plectris difformis*](#) Frey, 1973 ^{c g}
- [*Plectris dimorpha*](#) Frey, 1976 ^{c g}
- [*Plectris distincta*](#) (Bruch, 1909) ^{c g}
- [*Plectris duplopilosa*](#) (Moser, 1921) ^{c g}
- [*Plectris elongata*](#) Burmeister, 1855 ^{c g}
- [*Plectris emarginata*](#) (Moser, 1921) ^{c g}
- [*Plectris endroedii*](#) Frey, 1967 ^{c g}
- [*Plectris eucalypti*](#) Frey, 1973 ^{c g}
- [*Plectris eusquamosa*](#) Frey, 1975 ^{c g}
- [*Plectris evansi*](#) Smith, 2008 ^{c g}
- [*Plectris excisiceps*](#) (Moser, 1921) ^c
- [*Plectris exigua*](#) Frey, 1973 ^{c g}
- [*Plectris fallax*](#) (Blanchard, 1850) ^{c g}
- [*Plectris farinosa*](#) Burmeister, 1855 ^{c g}
- [*Plectris fassli*](#) (Moser, 1919) ^c
- [*Plectris festiva*](#) (Burmeister, 1855) ^c
- [*Plectris flavicornis*](#) (Burmeister, 1855) ^c
- [*Plectris flavohirta*](#) Blanchard, 1851 ^{c g}
- [*Plectris fulgida*](#) Frey, 1973 ^{c g}
- [*Plectris fulva*](#) Blanchard, 1851 ^{c g}
- [*Plectris fungicola*](#) Arrow, 1900 ^{c g}
- [*Plectris fusca*](#) Moser, 1918 ^{c g}
- [*Plectris fuscoaenea*](#) Moser, 1921 ^{c g}
- [*Plectris fuscoviridis*](#) (Moser, 1918) ^{c g}
- [*Plectris fuscula*](#) (Moser, 1918) ^{c g}
- [*Plectris gaudichaudi*](#) (Blanchard, 1851) ^{c g}

- [*Plectris gebieni*](#) (Moser, 1921) ^{c g}
- [*Plectris glabrata*](#) Frey, 1967 ^{c g}
- [*Plectris glabripennis*](#) Frey, 1967 ^{c g}
- [*Plectris globulicollis*](#) Frey, 1973 ^{c g}
- [*Plectris goetzi*](#) Frey, 1967 ^{c g}
- [*Plectris gracilicornis*](#) Moser, 1918 ^{c g}
- [*Plectris grisea*](#) Moser, 1921 ^{c g}
- [*Plectris griseohirta*](#) Frey, 1967 ^{c g}
- [*Plectris griseopilosa*](#) (Moser, 1921) ^c
- [*Plectris griseosetosa*](#) (Moser, 1924) ^{c g}
- [*Plectris griseovestita*](#) Moser, 1921 ^{c g}
- [*Plectris guayrana*](#) Frey, 1967 ^{c g}
- [*Plectris gutierrezii*](#) Frey, 1967 ^{c g}
- [*Plectris hellmichi*](#) Frey, 1967 ^{c g}
- [*Plectris herteli*](#) Frey, 1967 ^{c g}
- [*Plectris hispidula*](#) Frey, 1974 ^{c g}
- [*Plectris huedepohli*](#) Frey, 1967 ^{c g}
- [*Plectris imitans*](#) Frey, 1967 ^{c g}
- [*Plectris incana*](#) (Burmeister, 1855) ^{c g}
- [*Plectris indigens*](#) Blanchard, 1850 ^{c g}
- [*Plectris inopinata*](#) Frey, 1973 ^{c g}
- [*Plectris integrata*](#) (Bates, 1887) ^{c g}
- [*Plectris intermixta*](#) Frey, 1967 ^{c g}
- [*Plectris juengeri*](#) Frey, 1969 ^{c g}
- [*Plectris juncea*](#) (Burmeister, 1855) ^{c g}
- [*Plectris junceana*](#) Frey, 1969 ^{c g}
- [*Plectris katovichi*](#) Smith, 2008 ^{c g}
- [*Plectris kirschi*](#) Frey, 1967 ^{c g}
- [*Plectris kochi*](#) Frey, 1967 ^{c g}
- [*Plectris kriegii*](#) Frey, 1973 ^{c g}
- [*Plectris kulzeri*](#) Frey, 1967 ^{c g}
- [*Plectris kuntzeni*](#) Moser, 1921 ^{c g}
- [*Plectris laevipennis*](#) Frey, 1967 ^{c g}
- [*Plectris laevis*](#) Frey, 1967 ^{c g}
- [*Plectris laeviscutata*](#) (Moser, 1918) ^c
- [*Plectris lanata*](#) Frey, 1964 ^{c g}

- [Plectris laticeps](#) Blanchard, 1850 ^{c g}
- [Plectris lepida](#) (Burmeister, 1855) ^{c g}
- [Plectris lignicola](#) Arrow, 1900 ^{c g}
- [Plectris lignicolor](#) Blanchard, 1850 ^{c g}
- [Plectris ligulata](#) Frey, 1969 ^{c g}
- [Plectris lindneri](#) Frey, 1967 ^{c g}
- [Plectris lineatocollis](#) (Blanchard, 1850) ^{c g}
- [Plectris lobaticeps](#) Frey, 1967 ^{c g}
- [Plectris lobaticollis](#) Frey, 1967 ^{c g}
- [Plectris lojana](#) (Moser, 1924) ^{c g}
- [Plectris longeantennata](#) Frey, 1967 ^{c g}
- [Plectris longiclava](#) Frey, 1976 ^{c g}
- [Plectris longicornis](#) (Burmeister, 1855) ^{c g}
- [Plectris longitarsis](#) (Bates, 1887) ^{c g}
- [Plectris longula](#) Moser, 1918 ^{c g}
- [Plectris luctuosa](#) Frey, 1967 ^{c g}
- [Plectris maculata](#) (Moser, 1919) ^c
- [Plectris maculicollis](#) (Arrow, 1925) ^{c g}
- [Plectris maculifera](#) Frey, 1976 ^{c g}
- [Plectris maculipennis](#) (Moser, 1918) ^{c g}
- [Plectris maculipyga](#) Moser, 1918 ^{c g}
- [Plectris maculosa](#) (Moser, 1918) ^c
- [Plectris magdalenae](#) Frey, 1967 ^{c g}
- [Plectris mandli](#) Frey, 1967 ^{c g}
- [Plectris marmorea](#) (Guérin-Méneville, 1830) ^{c g}
- [Plectris martinezi](#) Frey, 1967 ^{c g}
- [Plectris martinicensis](#) Chalumeau, 1982 ^{c g}
- [Plectris meridana](#) (Moser, 1918) ^c
- [Plectris metallica](#) (Moser, 1918) ^{c g}
- [Plectris micans](#) (Kirsch, 1885) ^{c g}
- [Plectris minuta](#) (Moser, 1920) ^{c g}
- [Plectris molesta](#) (Kirsch, 1873) ^{c g}
- [Plectris montana](#) Frey, 1967 ^{c g}
- [Plectris moseri](#) Saylor, 1935 ^{c g}
- [Plectris murina](#) (Blanchard, 1850) ^c
- [Plectris mus](#) Blanchard, 1851 ^{c g}

- [*Plectris muscula*](#) Frey, 1967 ^{c g}
- [*Plectris neglecta*](#) Blanchard, 1850 ^{c g}
- [*Plectris nigrata*](#) Moser, 1918 ^{c g}
- [*Plectris nigratula*](#) (Moser, 1918) ^c
- [*Plectris nitidicollis*](#) Frey, 1967 ^{c g}
- [*Plectris niveoscutata*](#) Moser, 1918 ^{c g}
- [*Plectris nuda*](#) Frey, 1967 ^{c g}
- [*Plectris nudicollis*](#) Frey, 1967 ^{c g}
- [*Plectris obsoleta*](#) Blanchard, 1850 ^{c g}
- [*Plectris obtusa*](#) (Burmeister, 1855) ^{c g}
- [*Plectris obtusoides*](#) Frey, 1967 ^{c g}
- [*Plectris obtusior*](#) Frey, 1967 ^{c g}
- [*Plectris ocularis*](#) Frey, 1967 ^{c g}
- [*Plectris ohausi*](#) (Bruch, 1909) ^{c g}
- [*Plectris ohausiana*](#) (Moser, 1921) ^{c g}
- [*Plectris ohausiella*](#) Frey, 1967 ^{c g}
- [*Plectris olivierai*](#) Frey, 1974 ^{c g}
- [*Plectris opacula*](#) Moser, 1918 ^{c g}
- [*Plectris ophthalmica*](#) Frey, 1967 ^{c g}
- [*Plectris ornaticeps*](#) Frey, 1967 ^{c g}
- [*Plectris ornatipennis*](#) (Moser, 1921) ^c
- [*Plectris orocuensis*](#) Frey, 1967 ^{c g}
- [*Plectris palpalis*](#) (Moser, 1918) ^c
- [*Plectris panamaensis*](#) Frey, 1967 ^{c g}
- [*Plectris paraensis*](#) Frey, 1967 ^{c g}
- [*Plectris paraguayensis*](#) (Moser, 1921) ^c
- [*Plectris parallela*](#) Frey, 1976 ^{c g}
- [*Plectris paranensis*](#) (Moser, 1921) ^{c g}
- [*Plectris parcesetosa*](#) Frey, 1976 ^{c g}
- [*Plectris parumsetosa*](#) Frey, 1969 ^{c g}
- [*Plectris pauloana*](#) Moser, 1924 ^{c g}
- [*Plectris pavidata*](#) (Burmeister, 1855) ^{c g}
- [*Plectris pedestris*](#) Frey, 1967 ^{c g}
- [*Plectris pelliculata*](#) (Perty, 1830) ^{c g}
- [*Plectris penaella*](#) Frey, 1967 ^{c g}
- [*Plectris penai*](#) Frey, 1967 ^{c g}

- [*Plectris pentaphylla*](#) (Moser, 1918) ^c
- [*Plectris pereirai*](#) Frey, 1967 ^{c g}
- [*Plectris perplexa*](#) Blanchard, 1850 ^{c g}
- [*Plectris pexa*](#) (Germar, 1824) ^{c g}
- [*Plectris picea*](#) Evans, 2003 ^{c g}
- [*Plectris pilicollis*](#) (Moser, 1921) ^{c g}
- [*Plectris pilifera*](#) (Moser, 1919) ^c
- [*Plectris pilosa*](#) (Moser, 1921) ^c
- [*Plectris pilosula*](#) (Moser, 1921) ^c
- [*Plectris pinsdorfi*](#) Frey, 1967 ^{c g}
- [*Plectris piottii*](#) (Bruch, 1909) ^{c g}
- [*Plectris plaumanni*](#) Frey, 1967 ^{c g}
- [*Plectris plaumanniella*](#) Frey, 1967 ^{c g}
- [*Plectris podicalis*](#) Moser, 1921 ^{c g}
- [*Plectris postnotata*](#) Frey, 1967 ^{c g}
- [*Plectris praecellens*](#) Frey, 1969 ^{c g}
- [*Plectris primaria*](#) (Burmeister, 1855) ^c
- [*Plectris prolata*](#) Evans, 2003 ^{c g}
- [*Plectris pruina*](#) (Burmeister, 1855) ^{c g}
- [*Plectris pubens*](#) (Moser, 1921) ^{c g}
- [*Plectris pubera*](#) (Burmeister, 1855) ^c
- [*Plectris puberoides*](#) Frey, 1976 ^{c g}
- [*Plectris pubescens*](#) Blanchard, 1850 ^{c g}
- [*Plectris pusio*](#) Frey, 1967 ^{c g}
- [*Plectris putida*](#) Frey, 1967 ^{c g}
- [*Plectris pygmaea*](#) Frey, 1973 ^{c g}
- [*Plectris quinqueflabellata*](#) (Moser, 1926) ^c
- [*Plectris reitteri*](#) Frey, 1967 ^{c g}
- [*Plectris reticulata*](#) Frey, 1967 ^{c g}
- [*Plectris riodejaneiroensis*](#) Evans, 2003 ^{c g}
- [*Plectris riveti*](#) Frey, 1967 ^{c g}
- [*Plectris roeri*](#) Frey, 1967 ^{c g}
- [*Plectris rorida*](#) (Burmeister, 1855) ^c
- [*Plectris rubescens*](#) Blanchard, 1850 ^{c g}
- [*Plectris ruffoi*](#) Frey, 1972 ^{c g}
- [*Plectris ruficollis*](#) Frey, 1976 ^{c g}

- [Plectris rufina](#) (Moser, 1926) ^{c g}
- [Plectris rugiceps](#) (Moser, 1921) ^{c g}
- [Plectris rugipennis](#) (Moser, 1921) ^c
- [Plectris rugulosa](#) Blanchard, 1850 ^{c g}
- [Plectris rugulosipennis](#) Blanchard, 1851 ^{c g}
- [Plectris santaecrucis](#) Frey, 1972 ^{c g}
- [Plectris santosana](#) Frey, 1967 ^{c g}
- [Plectris sarana](#) (Moser, 1921) ^{c g}
- [Plectris schereri](#) Frey, 1967 ^{c g}
- [Plectris schneblei](#) Frey, 1967 ^{c g}
- [Plectris schoolmeestersi](#) Smith, 2015 ^{c g}
- [Plectris scopulata](#) (Burmeister, 1855) ^{c g}
- [Plectris sculpturata](#) Frey, 1967 ^{c g}
- [Plectris sculptipennis](#) Frey, 1974 ^{c g}
- [Plectris scutalis](#) Blanchard, 1850 ^{c g}
- [Plectris scutellaris](#) Blanchard, 1850 ^{c g}
- [Plectris sequela](#) Evans, 2003 ^{c g}
- [Plectris sericea](#) (Moser, 1921) ^{c g}
- [Plectris setifera](#) Burmeister, 1855 ^{c g}
- [Plectris setisparsa](#) (Bates, 1887) ^{c g}
- [Plectris setiventris](#) Moser, 1918 ^{c g}
- [Plectris setosa](#) Moser, 1924 ^{c g}
- [Plectris setosella](#) (Moser, 1919) ^{c g}
- [Plectris setulifera](#) (Moser, 1919) ^{c g}
- [Plectris signaticollis](#) Frey, 1974 ^{c g}
- [Plectris signativentris](#) Moser, 1918 ^{c g}
- [Plectris similis](#) Frey, 1973 ^{c g}
- [Plectris sinuaticeps](#) (Moser, 1921) ^{c g}
- [Plectris sordida](#) (Burmeister, 1855) ^c
- [Plectris sororia](#) (Moser, 1919) ^{c g}
- [Plectris sparsecrinita](#) Frey, 1976 ^{c g}
- [Plectris sparsepilosa](#) Frey, 1967 ^{c g}
- [Plectris sparsepunctata](#) Frey, 1967 ^{c g}
- [Plectris sparsesetosa](#) (Moser, 1924) ^{c g}
- [Plectris spatulata](#) Frey, 1967 ^{c g}
- [Plectris splendens](#) Frey, 1967 ^{c g}

- [*Plectris splendida*](#) Frey, 1967 ^{c g}
- [*Plectris squalida*](#) Frey, 1967 ^{c g}
- [*Plectris squamiger*](#) Frey, 1967 ^{c g}
- [*Plectris squamisetis*](#) Frey, 1967 ^{c g}
- [*Plectris subaenea*](#) Moser, 1918 ^{c g}
- [*Plectris subcarinata*](#) Frey, 1967 ^{c g}
- [*Plectris subcostata*](#) Blanchard, 1850 ^{c g}
- [*Plectris subdepressa*](#) Blanchard, 1850 ^{c g}
- [*Plectris subglabra*](#) (Moser, 1918) ^{c g}
- [*Plectris sulcicollis*](#) (Moser, 1919) ^c
- [*Plectris suturalis*](#) Burmeister, 1855 ^{c g}
- [*Plectris tacoma*](#) Smith, 2008 ^{c g}
- [*Plectris talinay*](#) Mondaca, 2010 ^{c g}
- [*Plectris tarsalis*](#) (Moser, 1919) ^{c g}
- [*Plectris tenebrosa*](#) Frey, 1967 ^{c g}
- [*Plectris tenueclava*](#) Frey, 1976 ^{c g}
- [*Plectris tenuevestita*](#) Frey, 1967 ^{c g}
- [*Plectris tessellata*](#) Burmeister, 1855 ^{c g}
- [*Plectris tetraphylla*](#) Frey, 1967 ^{c g}
- [*Plectris teutoniensis*](#) Frey, 1969 ^{c g}
- [*Plectris tolimana*](#) (Moser, 1921) ^c
- [*Plectris tomentosa*](#) Serville, 1825 ^{c g}
- [*Plectris tricastata*](#) (Burmeister, 1855) ^{c g}
- [*Plectris tristis*](#) Frey, 1967 ^{c g}
- [*Plectris truncata*](#) (Blanchard, 1850) ^c
- [*Plectris tuberculata*](#) (Moser, 1919) ^c
- [*Plectris tucumana*](#) (Bruch, 1909) ^{c g}
- [*Plectris umbilicata*](#) Frey, 1967 ^{c g}
- [*Plectris umbrata*](#) Frey, 1967 ^{c g}
- [*Plectris unidens*](#) Frey, 1967 ^{c g}
- [*Plectris validior*](#) Burmeister, 1855 ^{c g}
- [*Plectris variegata*](#) (Moser, 1919) ^{c g}
- [*Plectris variipennis*](#) Moser, 1921 ^{c g}
- [*Plectris vauriella*](#) Frey, 1967 ^{c g}
- [*Plectris vestita*](#) (Burmeister, 1855) ^c
- [*Plectris vicina*](#) Frey, 1967 ^{c g}

- [*Plectris vilis*](#) (Burmeister, 1855) ^{c g}
- [*Plectris villiersi*](#) Frey, 1967 ^{c g}
- [*Plectris violascens*](#) Blanchard, 1851 ^{c g}
- [*Plectris virescens*](#) (Blanchard, 1846) ^{c g}
- [*Plectris viridifusca*](#) (Moser, 1918) ^c
- [*Plectris viridimicans*](#) (Moser, 1918) ^c
- [*Plectris vitticollis*](#) Moser, 1918 ^{c g}
- [*Plectris vittipennis*](#) Frey, 1972 ^{c g}
- [*Plectris vonvolxemi*](#) Frey, 1967 ^{c g}
- [*Plectris wittmeri*](#) Frey, 1967 ^{c g}
- [*Plectris witzgalli*](#) Frey, 1973 ^{c g}
- [*Plectris wolfrumi*](#) Frey, 1969 ^{c g}
- [*Plectris yungasa*](#) Frey, 1975 ^{c g}
- [*Plectris zikani*](#) (Moser, 1924) ^c
- [*Plectris zischkaella*](#) Frey, 1967 ^{c g}
- [*Plectris zischkai*](#) Frey, 1967 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Selected former species

- [*Plectris metallescens*](#) (Moser, 1918) ^c

References

1.
 - ["Plectris Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-30.
 - ["Browse Plectris"](#). Catalogue of Life. Retrieved 2018-04-30.
 - ["Plectris"](#). GBIF. Retrieved 2018-04-30.
 -
4. ["Plectris Genus Information"](#). BugGuide.net. Retrieved 2018-04-30.

Categories:

- [Plectris](#)
- [Lists of insect species](#)
-

This is a list of 580 species in the genus [*Platypalpus*](#).

***Platypalpus* species**

- [*Platypalpus abagoensis*](#) Kustov, Shamshev & Grootaert, 2014[1]
- [*Platypalpus academicus*](#) Barták & Kubík, 2018[2]
- [*Platypalpus achlytarsis*](#) Chillcott, 1962[3]
- [*Platypalpus aciculatus*](#) (Smith, 1967)[4]
- [*Platypalpus acuminatus*](#) Saigusa & Yang, 2003[5]
- [*Platypalpus acutatus*](#) Yang & Li, 2005[6]
- [*Platypalpus acuticornis*](#) (Collin, 1960)
- [*Platypalpus aeneus*](#) (Macquart, 1823)[7]
- [*Platypalpus aequalis*](#) Loew, 1864[8]
- [*Platypalpus aequicornis*](#) Melander, 1928[9]
- [*Platypalpus aerivagus*](#) (Séguy, 1941)[10]
- [*Platypalpus agilis*](#) (Meigen, 1822)[11]
- [*Platypalpus agnitus*](#) (Collin, 1960)
- [*Platypalpus akhunensis*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus alamaculatus*](#) Yang & Merz, 2005[13]
- [*Platypalpus albescens*](#) (Collin, 1941)[14]
- [*Platypalpus albicornis*](#) (Zetterstedt, 1842)[15]
- [*Platypalpus albidifacies*](#) Chvála, 1975
- [*Platypalpus albifacies*](#) (Collin, 1926)
- [*Platypalpus albiseta*](#) (Meigen, 1806)[16]
- [*Platypalpus albistylus*](#) Chvála, 1989
- [*Platypalpus albocapillatus*](#) (Fallén, 1815)[17]
- [*Platypalpus albomicans*](#) (Bezzi, 1892)[18]
- [*Platypalpus alexippus*](#) Walker, 1849[19]
- [*Platypalpus algirus*](#) Macquart, 1847[20]
- [*Platypalpus aliterolamellatus*](#) Kovalev, 1971
- [*Platypalpus alluaudi*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus alpigenus*](#) (Strobl, 1893)[22]
- [*Platypalpus alpinus*](#) Chvála, 1971[23]
- [*Platypalpus alter*](#) (Collin, 1961)
- [*Platypalpus altuum*](#) Frey, 1958
- [*Platypalpus alumnus*](#) Melander, 1928[9]
- [*Platypalpus amankutanensis*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus analis*](#) (Meigen, 1830)[25]
- [*Platypalpus anatolicus*](#) Chillcott, 1962[3]
- [*Platypalpus andalusiacus*](#) (Strobl, 1899)[26]
- [*Platypalpus angustifrons*](#) Frey, 1943

- [*Platypalpus annularis* Bezzi, 1909\[27\]](#)
- [*Platypalpus annulatus* \(Fallén, 1815\)\[17\]](#)
- [*Platypalpus annulipes* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus annulitarsis* Kovalev, 1978](#)
- [*Platypalpus anomalicerus* \(Becker, 1902\)\[28\]](#)
- [*Platypalpus anomalinervis* Chvála, 1971\[23\]](#)
- [*Platypalpus anomalitarsis* Chvála & Kovalev, 1974](#)
- [*Platypalpus anomalus* Barták & Kubík, 2018\[2\]](#)
- [*Platypalpus antennalis* Smith, 1962\[29\]](#)
- [*Platypalpus apicalis* Loew, 1864\[8\]](#)
- [*Platypalpus apiciflavus* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus apiciniger* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus approximatus* \(Becker, 1902\)\[28\]](#)
- [*Platypalpus arcticus* Melander, 1928\[9\]](#)
- [*Platypalpus argenteomicans* \(Becker, 1908\)\[30\]](#)
- [*Platypalpus argenticapillatus* Kovalev, 1978](#)
- [*Platypalpus argenticeps* \(Meijere, 1914\)](#)
- [*Platypalpus argeniseta* \(Collin, 1969\)](#)
- [*Platypalpus argyroceratus* \(Collin, 1960\)](#)
- [*Platypalpus aristatus* \(Collin, 1926\)](#)
- [*Platypalpus armillatus* Melander, 1928\[9\]](#)
- [*Platypalpus arnaudi* \(Melander, 1960\)\[31\]](#)
- [*Platypalpus articulatoides* \(Frey, 1918\)](#)
- [*Platypalpus articulatus* Macquart, 1828\[32\]](#)
- [*Platypalpus arzanovi* Kustov, Shamshev & Grootaert, 2014\[1\]](#)
- [*Platypalpus asniensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus ater* \(Wahlberg, 1844\)\[33\]](#)
- [*Platypalpus aurantiacus* \(Collin, 1926\)](#)
- [*Platypalpus australis* Grootaert, 1995](#)
- [*Platypalpus australominutus* Grootaert, 1989](#)
- [*Platypalpus awarensis* Grootaert, 1984](#)
- [*Platypalpus baechlii* Grootaert, 1992](#)
- [*Platypalpus baezi* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus baldensis* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus ballistrarius* Melander, 1928\[9\]](#)
- [*Platypalpus ballucatus* Melander, 1928\[9\]](#)
- [*Platypalpus balticus* Kovalev, 1971](#)
- [*Platypalpus baotianmanensis* Yang, An & Gao, 2002\[34\]](#)
- [*Platypalpus barotsei* Smith, 1969\[35\]](#)
- [*Platypalpus bartaki* Chvála, 1989](#)
- [*Platypalpus basiflavus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus beijingensis* Yang & Yu, 2005\[37\]](#)

- [*Platypalpus bellatulus*](#) Yang & Yang, 1989[36]
- [*Platypalpus bequaerti*](#) Grootaert & [Chvála](#), 1992[21]
- [*Platypalpus bequaertoides*](#) Grootaert, 1995
- [*Platypalpus biapicalis*](#) Weber, 1972
- [*Platypalpus bicoloratus*](#) [Chvála](#), 1981
- [*Platypalpus bicornis*](#) [Melander](#), 1928[9]
- [*Platypalpus bilobatus*](#) Weber, 1972
- [*Platypalpus bimaculatus*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus bipunctatus*](#) Kovalev, 1978
- [*Platypalpus blascoi*](#) Grootaert, 1995
- [*Platypalpus bohousi*](#) Barták & Kubík, 2018[2]
- [*Platypalpus bolikoi*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus bomiensis*](#) Yang & Yang, 1989[36]
- [*Platypalpus boreoalpinus*](#) [Frey](#), 1943
- [*Platypalpus brachystylus*](#) ([Bezzi](#), 1892)[18]
- [*Platypalpus breviarista*](#) Li, Gao, Lin, Chen & Yang, 2021[40]
- [*Platypalpus brevicornis*](#) ([Zetterstedt](#), 1842)[15]
- [*Platypalpus breviprocerus*](#) Yang, Wang & Zhang, 2018[41]
- [*Platypalpus brevis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus breviseta*](#) Li, Chang, Zhang & Yang, 2019[42]
- [*Platypalpus brunettii*](#) [Melander](#), 1928[9]
- [*Platypalpus calceatus*](#) ([Meigen](#), 1822)[11]
- [*Platypalpus caligaris*](#) [Melander](#), 1928[9]
- [*Platypalpus caligatus*](#) [Melander](#), 1902[43]
- [*Platypalpus callithrix*](#) [Melander](#), 1928[9]
- [*Platypalpus canariensis*](#) Grootaert & [Chvála](#), 1992[21]
- [*Platypalpus candicans*](#) ([Fallén](#), 1815)[17]
- [*Platypalpus candidiseta*](#) ([Bezzi](#), 1912)[44]
- [*Platypalpus canus*](#) [Melander](#), 1902[43]
- [*Platypalpus capensis*](#) [Smith](#), 1967[45]
- [*Platypalpus carectorum*](#) [Chillcott](#), 1962[3]
- [*Platypalpus carlestolrai*](#) Grootaert & [Chvála](#), 1992[21]
- [*Platypalpus caroli*](#) Grootaert, 1987
- [*Platypalpus carpathicus*](#) Kovalev & [Chvála](#), 1985
- [*Platypalpus carteri*](#) ([Collin](#), 1926)
- [*Platypalpus caucasicus*](#) Kovalev, 1967
- [*Platypalpus cellarius*](#) [Melander](#), 1928[9]
- [*Platypalpus ceylonensis*](#) [Melander](#), 1928[9]
- [*Platypalpus chilensis*](#) [Philippi](#), 1865[46]
- [*Platypalpus chillcotti*](#) [Chvála](#), 1981
- [*Platypalpus chilllocotti*](#) [Chvála](#), 1981
- [*Platypalpus chimganensis*](#) Barták & Shamshev, 2015[24]

- [*Platypalpus chionochaeta* \(Bezzi, 1904\)\[47\]](#)
- [*Platypalpus chishuiensis* Yang, Zhu & An, 2006\[48\]](#)
- [*Platypalpus chrysonotus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus churchillensis* Chillcott, 1962\[3\]](#)
- [*Platypalpus ciliaris* \(Fallén, 1816\)\[17\]](#)
- [*Platypalpus cilitarsis* Frey, 1943](#)
- [*Platypalpus cinereovittatus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus clarandus* \(Collin, 1926\)](#)
- [*Platypalpus clypeatus* Kovalev, 1973](#)
- [*Platypalpus coarctatiformis* Frey, 1943\[49\]](#)
- [*Platypalpus coei* Bequaert, 1962](#)
- [*Platypalpus cognatus* \(Collin, 1949\)](#)
- [*Platypalpus collini* \(Chvála, 1966\)\[50\]](#)
- [*Platypalpus commendatus* \(Becker, 1914\)](#)
- [*Platypalpus commutatus* \(Strobl, 1893\)\[22\]](#)
- [*Platypalpus commutitoides* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus concavus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus concitatus* Meunier, 1908\[51\]](#)
- [*Platypalpus confiformis* Chvála, 1971\[23\]](#)
- [*Platypalpus confinis* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus continguus* Melander, 1928\[9\]](#)
- [*Platypalpus convergens* Yang, Merz & Grootaert, 2006\[52\]](#)
- [*Platypalpus coquilletti* Melander, 1924\[53\]](#)
- [*Platypalpus cothurnatus* Macquart, 1828\[32\]](#)
- [*Platypalpus crassifemoris* \(Fitch, 1856\)\[54\]](#)
- [*Platypalpus crassifemur* Li, Chang, Zhang & Yang, 2019\[42\]](#)
- [*Platypalpus crassipes* Chvála, 1975](#)
- [*Platypalpus crassiseta* \(Strobl, 1906\)\[55\]](#)
- [*Platypalpus crepodarius* Melander, 1928\[9\]](#)
- [*Platypalpus croatiensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus cruralis* \(Collin, 1961\)](#)
- [*Platypalpus cryptospina* \(Frey, 1909\)\[56\]](#)
- [*Platypalpus cubanicus* Stark, 1993](#)
- [*Platypalpus cuipennis* Melander, 1924\[53\]](#)
- [*Platypalpus cummingi* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus cursitans* \(Fabricius, 1775\)\[58\]](#)
- [*Platypalpus curvispinus* Yang & Yang, 2003\[59\]](#)
- [*Platypalpus cylleneus* Grootaert & Alexiou, 2020\[60\]](#)
- [*Platypalpus dalmatinus* \(Strobl, 1902\)\[61\]](#)
- [*Platypalpus dalongtanus* Yang & Li, 2011\[62\]](#)
- [*Platypalpus debilis* Loew, 1863\[63\]](#)
- [*Platypalpus decolor* Melander, 1928\[9\]](#)

- [*Platypalpus desertorum*](#) (Becker, 1907)
- [*Platypalpus dessarti*](#) Grootaert, 1983
- [*Platypalpus didymus*](#) Huo, Zhang & Yang, 2010[64]
- [*Platypalpus digitatus*](#) Yang, An & Gao, 2002[34]
- [*Platypalpus dilatovittatus*](#) (Strobl, 1910)[65]
- [*Platypalpus diminuticornis*](#) Barták & Kubík, 2018[2]
- [*Platypalpus direptor*](#) Melander, 1928[9]
- [*Platypalpus discifer*](#) Loew, 1863[63]
- [*Platypalpus dissimilipes*](#) Melander, 1928[9]
- [*Platypalpus distichus*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus diversipes*](#) Coquillett, 1900[66]
- [*Platypalpus divisus*](#) Walker, 1852[67]
- [*Platypalpus dolichopeza*](#) Frey, 1943
- [*Platypalpus dongae*](#) Li, Chang, Zhang & Yang, 2019[42]
- [*Platypalpus dursuni*](#) Barták & Kubík, 2018[2]
- [*Platypalpus ecalceatus*](#) (Zetterstedt, 1838)[68]
- [*Platypalpus ementitus*](#) (Collin, 1928)[69]
- [*Platypalpus enervatus*](#) Melander, 1928[9]
- [*Platypalpus engadinicus*](#) (Mik, 1896)[70]
- [*Platypalpus eshowensis*](#) Smith, 1969[35]
- [*Platypalpus eumelaenus*](#) (Mik, 1884)[71]
- [*Platypalpus eumerus*](#) Bezzi, 1909[27]
- [*Platypalpus euneurus*](#) Yang & Yang, 1989[36]
- [*Platypalpus eversoris*](#) Meunier, 1908[51]
- [*Platypalpus excavatus*](#) Yang & Yao, 2007[72]
- [*Platypalpus exilis*](#) (Meigen, 1822)[11]
- [*Platypalpus eximius*](#) (Oldenberg, 1924)[73]
- [*Platypalpus fai*](#) Grootaert & Shamshev, 2006
- [*Platypalpus falleni*](#) Chvála, 1981
- [*Platypalpus farabiensis*](#) Shamshev, 1998
- [*Platypalpus fasciatus*](#) (Meigen, 1822)[11]
- [*Platypalpus fasciventris*](#) Melander, 1928[9]
- [*Platypalpus fenestella*](#) Kovalev, 1971
- [*Platypalpus ferrugineus*](#) Brunetti, 1913[74]
- [*Platypalpus firensis*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus flammifer*](#) Melander, 1924[53]
- [*Platypalpus flavicornis*](#) (Meigen, 1822)[11]
- [*Platypalpus flavicoxis*](#) (Becker, 1907)
- [*Platypalpus flavidorsalis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus flavilateralis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus flavirostris*](#) Loew, 1864[8]
- [*Platypalpus flavirostris*](#) var. *dilutior* Melander, 1928[9]

- [*Platypalpus flaviseta* Chvála, 1973](#)
- [*Platypalpus flavisetosus* Li, Chang, Zhang & Yang, 2019\[42\]](#)
- [*Platypalpus formosanus* Frey, 1943](#)
- [*Platypalpus fratercula* Smith, 1969\[35\]](#)
- [*Platypalpus fuscicornis* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus fuscohalteratus* Melander, 1924\[53\]](#)
- [*Platypalpus fusicnemis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus gaemluang* Grootaert & Shamshev, 2006](#)
- [*Platypalpus gatti* Grootaert, 1995](#)
- [*Platypalpus gazaryani* Kustov, Shamshev & Grootaert, 2014\[1\]](#)
- [*Platypalpus gentilis* Brunetti, 1913\[74\]](#)
- [*Platypalpus gesticolor* Melander, 1928\[9\]](#)
- [*Platypalpus glacialis* Melander, 1928\[9\]](#)
- [*Platypalpus gracilipes* Smith, 1967\[45\]](#)
- [*Platypalpus graecoides* Barták & Kubík, 2015\[75\]](#)
- [*Platypalpus graecus* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus granadensis* Chvála, 1981](#)
- [*Platypalpus grandensis* Chvála, 1981](#)
- [*Platypalpus gravidus* Melander, 1902\[43\]](#)
- [*Platypalpus grilloi* Stark, 1993](#)
- [*Platypalpus guangdongensis* Yang, Merz & Grootaert, 2006\[52\]](#)
- [*Platypalpus quangxiensis* Yang & Yang, 1992\[76\]](#)
- [*Platypalpus guanshanus* Yang, Wang, Zhu & Zhang, 2010\[38\]](#)
- [*Platypalpus hackmani* Chvála, 1972](#)
- [*Platypalpus hallensis* Grootaert & Stark, 1997](#)
- [*Platypalpus halli* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus hamulatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus harpestylis* Chillcott, 1962\[3\]](#)
- [*Platypalpus harpiger* Melander, 1924\[53\]](#)
- [*Platypalpus hastatus* Melander, 1902\[43\]](#)
- [*Platypalpus hebeiensis* Yang & Weihai, 2005\[6\]](#)
- [*Platypalpus hemispinosus* Grootaert, 1995](#)
- [*Platypalpus henanensis* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus hians* Melander, 1902\[43\]](#)
- [*Platypalpus hirsutus* \(Collin, 1941\)\[14\]](#)
- [*Platypalpus hispanicus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus holosericus* Melander, 1924\[53\]](#)
- [*Platypalpus hualuang* Grootaert & Shamshev, 2006](#)
- [*Platypalpus hubeiensis* Yang & Yang, 1997\[77\]](#)
- [*Platypalpus hui* Yang, An & Gao, 2002\[34\]](#)
- [*Platypalpus hyaenoides* Melander, 1928\[9\]](#)
- [*Platypalpus ibericus* Barták & Kubík, 2016\[78\]](#)

- [*Platypalpus ikoso*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus immaculatus*](#) (Becker, 1902)[28]
- [*Platypalpus impexus*](#) Melander, 1902[43]
- [*Platypalpus impololoi*](#) Smith, 1969[35]
- [*Platypalpus incertoides*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus incertus*](#) (Collin, 1926)
- [*Platypalpus incurvus*](#) Melander, 1902[43]
- [*Platypalpus inermifemur*](#) Smith, 1969[35]
- [*Platypalpus inexpectatus*](#) Smith & Chvála, 1976[79]
- [*Platypalpus infectus*](#) (Collin, 1926)
- [*Platypalpus inferialis*](#) Melander, 1928[9]
- [*Platypalpus ingenuus*](#) (Collin, 1926)
- [*Platypalpus innocuus*](#) Smith, 1967[45]
- [*Platypalpus inops*](#) Melander, 1902[43]
- [*Platypalpus insperatus*](#) Kovalev, 1971
- [*Platypalpus interfectoris*](#) Meunier, 1908[51]
- [*Platypalpus interstinctus*](#) (Collin, 1926)
- [*Platypalpus isaanensis*](#) Grootaert & Shamshev, 2006
- [*Platypalpus isabellae*](#) Grootaert, 1984
- [*Platypalpus itoi*](#) Frey, 1955
- [*Platypalpus javieri*](#) Grootaert, 1995
- [*Platypalpus juvenis*](#) Melander, 1928[9]
- [*Platypalpus kamtschaticus*](#) Frey, 1943
- [*Platypalpus kamyshanovensis*](#) Kustov, Shamshev & Grootaert, 2014[1]
- [*Platypalpus kandybinae*](#) Shamshev & Grootaert, 2003[80]
- [*Platypalpus kasparyani*](#) Shamshev, 1999
- [*Platypalpus kaszabi*](#) Kovalev, 1978
- [*Platypalpus kintrishiensis*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus kirtlingensis*](#) Grootaert, 1986
- [*Platypalpus kosi*](#) (Smith, 1965)[81]
- [*Platypalpus kovalevi*](#) Chvála, 1988
- [*Platypalpus krisi*](#) Grootaert & Van de Velde, 1988
- [*Platypalpus kurilensis*](#) Shamshev, 1999
- [*Platypalpus lacertosus*](#) Melander, 1928[9]
- [*Platypalpus lacteiseta*](#) (Collin, 1922)
- [*Platypalpus laestadianorum*](#) (Frey, 1913)
- [*Platypalpus laetabilis*](#) Melander, 1928[9]
- [*Platypalpus laetus*](#) Loew, 1864[8]
- [*Platypalpus lantsovi*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus laohegouanus*](#) Li, Chang, Zhang & Yang, 2019[42]
- [*Platypalpus lapponicus*](#) Frey, 1943
- [*Platypalpus latemi*](#) Grootaert, 1983

- [*Platypalpus lateralis* Loew, 1864\[8\]](#)
- [*Platypalpus latericius* \(Becker, 1914\)](#)
- [*Platypalpus laticinctus* Walker, 1852\[67\]](#)
- [*Platypalpus latistrigata* \(Meijere, 1924\)\[82\]](#)
- [*Platypalpus layiaphilus* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus leleji* Shamshev, 1999](#)
- [*Platypalpus lesinensis* \(Strobl, 1893\)\[83\]](#)
- [*Platypalpus leucarista* Kovalev, 1978](#)
- [*Platypalpus leucocephalus* \(Roser, 1840\)\[84\]](#)
- [*Platypalpus leucothrix* \(Strobl, 1910\)\[65\]](#)
- [*Platypalpus lhasaensis* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus lii* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus loewi* Smith, 1969\[35\]](#)
- [*Platypalpus lokonda* Grootaert & Shamshev, 2014\[39\]](#)
- [*Platypalpus longicauda* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus longicornioides* Chvála, 1972](#)
- [*Platypalpus longicornis* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus longimanus* \(Corti, 1907\)](#)
- [*Platypalpus longirostris* \(Bezzi, 1912\)\[44\]](#)
- [*Platypalpus longiseta* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus luctator* Melander, 1928\[9\]](#)
- [*Platypalpus lupatus* Melander, 1902\[43\]](#)
- [*Platypalpus luteicornis* \(Meigen, 1838\)\[85\]](#)
- [*Platypalpus luteipes* Zuskova, 1966](#)
- [*Platypalpus luteoloides* Grootaert, 1983](#)
- [*Platypalpus luteolus* \(Collin, 1926\)](#)
- [*Platypalpus lutescens* \(Collin, 1941\)\[14\]](#)
- [*Platypalpus luteus* \(Meigen, 1804\)\[86\]](#)
- [*Platypalpus lyneborgi* Chvála, 1981](#)
- [*Platypalpus lyristes* Melander, 1928\[9\]](#)
- [*Platypalpus macropalpus* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus macropygus* Frey, 1943](#)
- [*Platypalpus macula* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus maculifemoratus* Melander, 1928\[9\]](#)
- [*Platypalpus maculifemur* \(Meijere, 1913\)](#)
- [*Platypalpus maculipes* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus major* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus makoensis* Smith, 1967\[45\]](#)
- [*Platypalpus malagonensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus malokurilensis* Shamshev, 1999](#)
- [*Platypalpus malotiensis* Smith, 1969\[35\]](#)
- [*Platypalpus maltensis* Grootaert & Chvála, 1992\[21\]](#)

- [*Platypalpus manjano*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus mankoosi*](#) Smith, 1969[35]
- [*Platypalpus manni*](#) Chillcott, 1962[3]
- [*Platypalpus maoershanensis*](#) Yang & Merz, 2005[13]
- [*Platypalpus marcosbaezi*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus masoni*](#) Chillcott, 1962[3]
- [*Platypalpus medialis*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus melancholicus*](#) (Collin, 1961)
- [*Platypalpus melanocerus*](#) Melander, 1928[9]
- [*Platypalpus melanogaster*](#) Melander, 1928[9]
- [*Platypalpus melleus*](#) Melander, 1928[9]
- [*Platypalpus mesogrammus*](#) Loew, 1863[63]
- [*Platypalpus microcerus*](#) Melander, 1928[9]
- [*Platypalpus microphona*](#) (Melander, 1928)[9]
- [*Platypalpus mikii*](#) (Becker, 1890)[87]
- [*Platypalpus minus*](#) Melander, 1928[9]
- [*Platypalpus minor*](#) Li, Gao, Lin, Chen & Yang, 2021[40]
- [*Platypalpus minutimontanus*](#) Smith, 1969[35]
- [*Platypalpus minutissimus*](#) (Strobl, 1899)[26]
- [*Platypalpus minutus*](#) (Meigen, 1804)[86]
- [*Platypalpus moceki*](#) Barták & Kubík, 2018[2]
- [*Platypalpus mollis*](#) Melander, 1928[9]
- [*Platypalpus mollitus*](#) Collin, 1933[88]
- [*Platypalpus monegrensis*](#) Grootaert, 1995
- [*Platypalpus montenegrensis*](#) Bequaert, 1962
- [*Platypalpus monticola*](#) Melander, 1902[43]
- [*Platypalpus morgei*](#) Chvála, 1981
- [*Platypalpus mosticensis*](#) Barták & Kubík, 2016[78]
- [*Platypalpus msingi*](#) Smith, 1967[45]
- [*Platypalpus multisetosus*](#) (Bezzi, 1899)[89]
- [*Platypalpus murphyi*](#) Chillcott, 1962[3]
- [*Platypalpus nanus*](#) (Oldenberg, 1924)[90]
- [*Platypalpus narangi*](#) (Smith, 1965)[81]
- [*Platypalpus neberdzaensis*](#) Kustov, Shamshev & Grootaert, 2014[1]
- [*Platypalpus negrobovi*](#) Grootaert, Kustov & Shamshev, 2012[91]
- [*Platypalpus neixiangensis*](#) Yang, An & Gao, 2002[34]
- [*Platypalpus ngomensis*](#) Smith, 1969[35]
- [*Platypalpus nigellus*](#) (Collin, 1969)
- [*Platypalpus niger*](#) (Meigen, 1804)[86]
- [*Platypalpus nigricolor*](#) Merz & Chvála, 1998
- [*Platypalpus nigricoxa*](#) (Mik, 1884)[71]
- [*Platypalpus nigrimanus*](#) Strobl, 1880[92]

- [*Platypalpus nigrinus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus nigritarsis* \(Fallén, 1816\)\[17\]](#)
- [*Platypalpus nigrosetosus* \(Strobl, 1893\)\[22\]](#)
- [*Platypalpus nitidipleura* Melander, 1928\[9\]](#)
- [*Platypalpus niveiseta* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus niveisetoides* Chvála, 1973](#)
- [*Platypalpus niveocapillatus* Chvála, 1973](#)
- [*Platypalpus niyazovi* Shamshev, 1998](#)
- [*Platypalpus nonstriatus* \(Strobl, 1900\)\[93\]](#)
- [*Platypalpus norvegicus* Grootaert & Jonassen, 1991](#)
- [*Platypalpus notatus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus novakii* \(Strobl, 1893\)\[83\]](#)
- [*Platypalpus nuadkhao* Grootaert & Shamshev, 2006](#)
- [*Platypalpus nudithorax* Chvála, 1975](#)
- [*Platypalpus obscuratoides* \(Engel, 1939\)](#)
- [*Platypalpus obscuripes* \(Strobl, 1899\)\[26\]](#)
- [*Platypalpus obscuroides* Barták & Grootaert, 2021\[94\]](#)
- [*Platypalpus obscurus* \(Roser, 1840\)\[84\]](#)
- [*Platypalpus ochricollis* Melander, 1928\[9\]](#)
- [*Platypalpus ochrocera* \(Collin, 1961\)](#)
- [*Platypalpus oculatus* Melander, 1928\[9\]](#)
- [*Platypalpus odintsovi* Kustov, Shamshev & Grootaert, 2014\[1\]](#)
- [*Platypalpus optivus* \(Collin, 1926\)](#)
- [*Platypalpus oribiensis* Smith, 1969\[35\]](#)
- [*Platypalpus oriens* Melander, 1928\[9\]](#)
- [*Platypalpus orientalis* Brunetti, 1913\[74\]](#)
- [*Platypalpus ornatipes* \(Bigot, 1891\)\[95\]](#)
- [*Platypalpus orphnus* Collin, 1933\[88\]](#)
- [*Platypalpus ostiorum* \(Becker, 1902\)\[28\]](#)
- [*Platypalpus ozerovi* Shamshev, 1999](#)
- [*Platypalpus pachycera* \(Collin, 1949\)](#)
- [*Platypalpus pachycnemus* Loew, 1864\[8\]](#)
- [*Platypalpus palavensis* Chvála, 1989](#)
- [*Platypalpus pallescens* Kovalev, 1979](#)
- [*Platypalpus pallidicornis* \(Collin, 1926\)](#)
- [*Platypalpus pallidicoxa* \(Frey, 1913\)](#)
- [*Platypalpus pallidiseta* Kovalev, 1978](#)
- [*Platypalpus palliditibiae* Brunetti, 1913\[74\]](#)
- [*Platypalpus pallidiventrus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus pallipes* \(Fallén, 1815\)\[17\]](#)
- [*Platypalpus pallipilosus* Saigusa & Yang, 2003\[5\]](#)
- [*Platypalpus palmeni* Frey, 1943](#)

- [*Platypalpus paluster*](#) Chillcott, 1962[3]
- [*Platypalpus papillatus*](#) Collin, 1933[88]
- [*Platypalpus parvicauda*](#) (Collin, 1926)
- [*Platypalpus paulseni*](#) Philippi, 1865[46]
- [*Platypalpus pectinator*](#) Melander, 1924[53]
- [*Platypalpus pectoralis*](#) (Fallén, 1815)[17]
- [*Platypalpus pedestris*](#) (Becker, 1907)
- [*Platypalpus penesmirnovi*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus perimerus*](#) Melander, 1928[9]
- [*Platypalpus persephone*](#) Collin, 1933[88]
- [*Platypalpus perspiquus*](#) (Collin, 1960)
- [*Platypalpus phomyaaw*](#) Grootaert & Shamshev, 2006
- [*Platypalpus pictipennis*](#) Bezzi, 1909[27]
- [*Platypalpus pictitarsis*](#) (Becker, 1902)[28]
- [*Platypalpus pilatus*](#) Melander, 1928[9]
- [*Platypalpus pilifer*](#) Grootaert & Weele, 2020[96]
- [*Platypalpus pilosus*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus pingqianus*](#) Yang & Li, 2011[62]
- [*Platypalpus planti*](#) Grootaert, 1995
- [*Platypalpus pluto*](#) Melander, 1902[43]
- [*Platypalpus podocarp*](#) (Becker, 1914)
- [*Platypalpus politellus*](#) Melander, 1928[9]
- [*Platypalpus politus*](#) (Collin, 1926)
- [*Platypalpus politus*](#) var. nitens Melander, 1928[9]
- [*Platypalpus porrectus*](#) Melander, 1924[53]
- [*Platypalpus postpositus*](#) Melander, 1928[9]
- [*Platypalpus praecinctus*](#) (Collin, 1926)
- [*Platypalpus pragensis*](#) Chvála, 1989
- [*Platypalpus preagilis*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus predatoris*](#) Meunier, 1908[51]
- [*Platypalpus prorsus*](#) Melander, 1928[9]
- [*Platypalpus proserpina*](#) Bezzi, 1909[27]
- [*Platypalpus pseudoalter*](#) Raffone, 2005[97]
- [*Platypalpus pseudobicolor*](#) (Strobl, 1910)[65]
- [*Platypalpus pseudociliaris*](#) (Strobl, 1910)[65]
- [*Platypalpus pseudoexiguus*](#) (Strobl, 1909)[98]
- [*Platypalpus pseudofulvipes*](#) (Frey, 1909)[56]
- [*Platypalpus pseudomaculipes*](#) (Strobl, 1899)[26]
- [*Platypalpus pseudorapidus*](#) Kovalev, 1971
- [*Platypalpus pseudosilvahumidus*](#) Kusov, Shamshev & Grootaert, 2015[12]
- [*Platypalpus pseudounguiculatus*](#) (Strobl, 1909)[98]
- [*Platypalpus pubescens*](#) Melander, 1928[9]

- [*Platypalpus pudens* Melander, 1928\[9\]](#)
- [*Platypalpus puerinus* Melander, 1928\[9\]](#)
- [*Platypalpus pulicarius* \(Meigen, 1830\)\[25\]](#)
- [*Platypalpus pulverulentus* Melander, 1928\[9\]](#)
- [*Platypalpus pygialis* Chvála, 1973](#)
- [*Platypalpus pyrenaicus* \(Séguy, 1941\)](#)
- [*Platypalpus pyreneensis* Barták & Kubík, 2015\[75\]](#)
- [*Platypalpus quadrimaculatus* Smith, 1962\[29\]](#)
- [*Platypalpus quadriseta* Collin, 1933\[88\]](#)
- [*Platypalpus quinlani* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus rapidoides* Chvála, 1975](#)
- [*Platypalpus rapidus* \(Meigen, 1822\)\[11\]](#)
- [*Platypalpus recurvus* Melander, 1928\[9\]](#)
- [*Platypalpus rhodesiensis* Smith, 1969\[35\]](#)
- [*Platypalpus rhodosensis* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus richardsi* Chillcott, 1962\[3\]](#)
- [*Platypalpus ringdahli* \(Chvála, 1975\)](#)
- [*Platypalpus riojaensis* Chvála, 1981](#)
- [*Platypalpus rossicus* Kovalev, 1977](#)
- [*Platypalpus rubefactus* Melander, 1928\[9\]](#)
- [*Platypalpus ruficornis* \(Roser, 1840\)\[84\]](#)
- [*Platypalpus rufiventris* Melander, 1902\[43\]](#)
- [*Platypalpus saffradi* Grootaert & Shamshev, 2014\[39\]](#)
- [*Platypalpus sagma* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus sahlbergi* \(Frey, 1909\)\[56\]](#)
- [*Platypalpus samarkandensis* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus sanguensis* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus sasaphilus* Shamshev, 1999](#)
- [*Platypalpus satyriacus* Melander, 1928\[9\]](#)
- [*Platypalpus scambus* \(Collin, 1928\)\[69\]](#)
- [*Platypalpus scandinavicus* Chvála, 1972](#)
- [*Platypalpus seedam* Grootaert & Shamshev, 2006](#)
- [*Platypalpus seeluang* Grootaert & Shamshev, 2006](#)
- [*Platypalpus sejunctus* \(Collin, 1949\)](#)
- [*Platypalpus septentrionalis* Shamshev & Sinclair, 2010\[99\]](#)
- [*Platypalpus sericatus* Melander, 1928\[9\]](#)
- [*Platypalpus seticauda* Barták & Kubík, 2018\[2\]](#)
- [*Platypalpus shealsi* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus shirozui* \(Saigusa, 1965\)](#)
- [*Platypalpus siamensis* Grootaert & Shamshev, 2006](#)
- [*Platypalpus sichuanensis* Yang & Yang, 1993\[100\]](#)
- [*Platypalpus silvahumidus* Barták & Kubík, 2015\[75\]](#)

- [*Platypalpus similis* Smith, 1969\[35\]](#)
- [*Platypalpus simplicipes* Melander, 1928\[9\]](#)
- [*Platypalpus simplicitarsis* Chvála & Kovalev, 1974](#)
- [*Platypalpus sinevi* Kusov, Shamshev & Grootaert, 2015\[12\]](#)
- [*Platypalpus singaporensis* Grootaert & Shamshev, 2012\[101\]](#)
- [*Platypalpus singularis* \(Collin, 1960\)](#)
- [*Platypalpus sloveniensis* Bequaert, 1962](#)
- [*Platypalpus smirnovi* Kovalev, 1978](#)
- [*Platypalpus smithi* Kovalev & Tokarczyk, 1988](#)
- [*Platypalpus soccatus* Melander, 1928\[9\]](#)
- [*Platypalpus soosi* Chvála, 1989](#)
- [*Platypalpus sordidus* \(Zetterstedt, 1838\)\[68\]](#)
- [*Platypalpus soror* Smith, 1969\[35\]](#)
- [*Platypalpus spatenkai* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus spatiosus* \(Collin, 1928\)\[69\]](#)
- [*Platypalpus spinicercus* Chvála, 1981](#)
- [*Platypalpus spinosus* Melander, 1928\[9\]](#)
- [*Platypalpus splendens* Melander, 1928\[9\]](#)
- [*Platypalpus stabilis* \(Collin, 1961\)](#)
- [*Platypalpus stackelbergi* Kovalev, 1971](#)
- [*Platypalpus stigma* \(Collin, 1926\)](#)
- [*Platypalpus stigmatelloides* Grootaert & Chvála, 1988\[21\]](#)
- [*Platypalpus stigmatellus* \(Zetterstedt, 1842\)\[15\]](#)
- [*Platypalpus strakai* Chvála, 1989](#)
- [*Platypalpus striatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus strigifrons* \(Zetterstedt, 1849\)\[102\]](#)
- [*Platypalpus stroblii* \(Mik, 1900\)\[103\]](#)
- [*Platypalpus styloformis* Weber, 1972](#)
- [*Platypalpus subbrevis* \(Frey, 1913\)](#)
- [*Platypalpus subcaucasicus* Kusov, Shamshev & Grootaert, 2015\[12\]](#)
- [*Platypalpus subinfectus* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus sublutescens* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus submicans* Frey, 1958](#)
- [*Platypalpus submicrophona* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus subnigrinus* Chvála, 1975](#)
- [*Platypalpus subtectifrons* Shamshev & Sinclair, 2010\[99\]](#)
- [*Platypalpus subtilis* \(Collin, 1926\)](#)
- [*Platypalpus subulifer* \(Meijere, 1914\)](#)
- [*Platypalpus suffasciatus* Melander, 1928\[9\]](#)
- [*Platypalpus sulcolanatus* Smith, 1967\[45\]](#)
- [*Platypalpus sutor* Melander, 1924\[53\]](#)
- [*Platypalpus syletor* \(Melander, 1928\)\[9\]](#)

- [*Platypalpus sylvicola* \(Collin, 1926\)](#)
- [*Platypalpus tachistiformis* Melander, 1928\[9\]](#)
- [*Platypalpus talaris* Melander, 1928\[9\]](#)
- [*Platypalpus tanbarkiensis* Shamshev & Grootaert, 2012\[57\]](#)
- [*Platypalpus tapa* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus taplejungensis* \(Smith, 1965\)\[81\]](#)
- [*Platypalpus teberdaensis* Kusov, Shamshev & Grootaert, 2015\[12\]](#)
- [*Platypalpus tectifrons* \(Becker, 1907\)\[104\]](#)
- [*Platypalpus tenax* Melander, 1928\[9\]](#)
- [*Platypalpus tenellus* Melander, 1902\[43\]](#)
- [*Platypalpus teneriffensis* \(Becker, 1908\)\[30\]](#)
- [*Platypalpus tenuis* Melander, 1928\[9\]](#)
- [*Platypalpus tergestinoides* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus tergestinus* Egger, 1860\[105\]](#)
- [*Platypalpus tersus* Coquillett, 1895\[106\]](#)
- [*Platypalpus testaceus* Philippi, 1865\[46\]](#)
- [*Platypalpus thaicus* Grootaert & Shamshev, 2006](#)
- [*Platypalpus thymis* \(Séguy, 1942\)](#)
- [*Platypalpus tonsus* \(Collin, 1961\)](#)
- [*Platypalpus triangulatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus trivialis* Loew, 1864\[8\]](#)
- [*Platypalpus truncatus* Chillcott, 1962\[3\]](#)
- [*Platypalpus tsitsikama* Smith, 1969\[35\]](#)
- [*Platypalpus tumidiarista* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus tuomikoskii* Chvála, 1972](#)
- [*Platypalpus turgidus* \(Becker, 1907\)](#)
- [*Platypalpus uncinatus* Melander, 1928\[9\]](#)
- [*Platypalpus unguiculatus* \(Zetterstedt, 1838\)\[68\]](#)
- [*Platypalpus unguiger* Kovalev & Chvála, 1985](#)
- [*Platypalpus unicus* \(Collin, 1961\)](#)
- [*Platypalpus univittatus* Loew, 1858\[107\]](#)
- [*Platypalpus uzbekistanicus* Barták & Shamshev, 2015\[24\]](#)
- [*Platypalpus valens* Melander, 1928\[9\]](#)
- [*Platypalpus valgus* Melander, 1928\[9\]](#)
- [*Platypalpus variegatus* Yang & Yang, 1989\[36\]](#)
- [*Platypalpus vegetus* Frey, 1943](#)
- [*Platypalpus vegrandis* Frey, 1943](#)
- [*Platypalpus velocipes* Frey, 1943](#)
- [*Platypalpus velox* Melander, 1928\[9\]](#)
- [*Platypalpus venaticus* Melander, 1928\[9\]](#)
- [*Platypalpus verbekei* Grootaert & Chvála, 1992\[21\]](#)
- [*Platypalpus verpus* Melander, 1928\[9\]](#)

- [*Platypalpus verralli*](#) (Collin, 1926)
- [*Platypalpus versipes*](#) Melander, 1928[9]
- [*Platypalpus versutus*](#) Melander, 1924[53]
- [*Platypalpus vicarius*](#) Walker, 1857[108]
- [*Platypalpus vicinus*](#) Smith, 1969[35]
- [*Platypalpus vierecki*](#) Melander, 1902[43]
- [*Platypalpus villeneuvi*](#) (Becker, 1910)[109]
- [*Platypalpus virgatus*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus vittatus*](#) Melander, 1928[9]
- [*Platypalpus vittiger*](#) Melander, 1928[9]
- [*Platypalpus vividus*](#) (Meigen, 1838)[85]
- [*Platypalpus vockerothi*](#) Chvála, 1981
- [*Platypalpus vulcanicus*](#) Frey, 1958
- [*Platypalpus vulnificus*](#) Melander, 1928[9]
- [*Platypalpus w-maculatus*](#) Smith, 1962[29]
- [*Platypalpus wagneri*](#) Grootaert & Chvála, 1992[21]
- [*Platypalpus wangwushanus*](#) Yang, Wang, Zhu & Zhang, 2010[38]
- [*Platypalpus weberi*](#) Chvála, 1989
- [*Platypalpus wuorentausi*](#) Frey, 1943
- [*Platypalpus xanthochiton*](#) Melander, 1928[9]
- [*Platypalpus xanthodes*](#) Yang & Merz, 2005[13]
- [*Platypalpus xanthopodus*](#) Melander, 1928[9]
- [*Platypalpus xanthopus*](#) (Bezzi, 1914)[110]
- [*Platypalpus xiaowutaiensis*](#) Yang & Li, 2005[6]
- [*Platypalpus xizangenicus*](#) Yang & Yang, 1989[36]
- [*Platypalpus yadinganus*](#) Li, Gao, Lin, Chen & Yang, 2021[40]
- [*Platypalpus yadongensis*](#) Yang & Yang, 1989[36]
- [*Platypalpus yangambensis*](#) Grootaert & Shamshev, 2014[39]
- [*Platypalpus yugoslavensis*](#) Bequaert, 1962
- [*Platypalpus yunnanensis*](#) Yang & Yang, 1990[111]
- [*Platypalpus zeravshanensis*](#) Barták & Shamshev, 2015[24]
- [*Platypalpus zernyi*](#) Chvála, 1975
- [*Platypalpus zetterstedti*](#) Chvála, 1971[23]
- [*Platypalpus zeylanicus*](#) (Senior-White, 1922)
- [*Platypalpus zhangae*](#) Yang, Merz & Grootaert, 2006[52]

This is a list of species in the genus [*Platylomalus*](#). [1][2]

***Platylomalus* species**

- [*Platylomalus acisternus*](#) (Desbordes, 1914)
- [*Platylomalus aequalis*](#) (Say, 1825)
- [*Platylomalus alluaudi*](#) (Schmidt, 1893)
- [*Platylomalus arrowi*](#) Gomy, 1983
- [*Platylomalus bavicola*](#) Cooman, 1948
- [*Platylomalus biarculus*](#) (Marseul, 1870)
- [*Platylomalus bicavatus*](#) Cooman, 1955
- [*Platylomalus biellipticus*](#) Vienna, 1983
- [*Platylomalus calcuttanus*](#) Ôhara, 1989
- [*Platylomalus carinipygus*](#) Cooman, 1955
- [*Platylomalus ceylanicus*](#) (Motschulsky, 1863)
- [*Platylomalus cincticauda*](#) (Cooman, 1937)
- [*Platylomalus clavis*](#) (Marseul, 1879)
- [*Platylomalus complanatus*](#) (Panzer, 1797)
- [*Platylomalus cribratus*](#) (Lea, 1925)
- [*Platylomalus derasus*](#) (Schmidt, 1897)
- [*Platylomalus digitatus*](#) (Wollaston, 1867)
- [*Platylomalus erythraeus*](#) (G. Müller, 1938)
- [*Platylomalus evanescens*](#) (Marseul, 1879)
- [*Platylomalus exiguus*](#) (Fahraeus in Boheman, 1851)
- [*Platylomalus feae*](#) (Lewis, 1888)
- [*Platylomalus forestieri*](#) (Marseul, 1870)
- [*Platylomalus fossisternus*](#) (Cooman, 1936)
- [*Platylomalus fujisanus*](#) (Lewis, 1892)
- [*Platylomalus gardineri*](#) (Scott, 1913)
- [*Platylomalus goliath*](#) (Lewis, 1891)
- [*Platylomalus horni*](#) (Cooman, 1935)
- [*Platylomalus indicus*](#) (Lewis, 1892)
- [*Platylomalus inflexus*](#) Zhang and Zhou, 2007
- [*Platylomalus instabilis*](#) Vienna, 1983
- [*Platylomalus kabakovi*](#) Kryzhanovskij in Kryzhanovskij and Reichardt, 1976
- [*Platylomalus kusuii*](#) Ôhara, 1994
- [*Platylomalus lenticula*](#) (Schmidt, 1893)
- [*Platylomalus longicornis*](#) (Lewis, 1905)
- [*Platylomalus mendicus*](#) (Lewis, 1892)
- [*Platylomalus modiglianii*](#) (Schmidt, 1897)
- [*Platylomalus musicus*](#) (Marseul, 1864)
- [*Platylomalus niponensis*](#) (Lewis, 1899)
- [*Platylomalus nudipectus*](#) (Cooman, 1937)
- [*Platylomalus oceanitis*](#) (Marseul, 1855)
- [*Platylomalus osellai*](#) Vienna, 1983

- [*Platylomalus parvopunctatus*](#) (Lea, 1925)
- [*Platylomalus persimilis*](#) (Lewis, 1888)
- [*Platylomalus pseudosuturalis*](#) (Cooman, 1937)
- [*Platylomalus saucius*](#) (Blackburn, 1903)
- [*Platylomalus sauteri*](#) (Bickhardt, 1912)
- [*Platylomalus schultheissi*](#) (Schmidt, 1897)
- [*Platylomalus sinuaticeps*](#) (Cooman, 1937)
- [*Platylomalus submetallicus*](#) (Lewis, 1892)
- [*Platylomalus tcibodae*](#) (Marseul, 1879)
- [*Platylomalus terraereginae*](#) (Blackburn, 1903)
- [*Platylomalus therondi*](#) Vienna, 1983
- [*Platylomalus tonkinensis*](#) (Cooman, 1937)
- [*Platylomalus umbilicatus*](#) (Marseul, 1870)
- [*Platylomalus varionotus*](#) Vienna, 1983
- [*Platylomalus venator*](#) (Cooman, 1941)
- [*Platylomalus viaticus*](#) (Lewis, 1892)
- [*Platylomalus victoriae*](#) (Marseul, 1870)
- [*Platylomalus vittula*](#) (Marseul, 1879)
- [*Platylomalus zypi*](#) (Cooman, 1937)

These 561 species belong to the genus [*Platygaster*](#), platygastriids.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Platygaster* species**

- [*Platygaster aberrans*](#) Buhl, 1998
- [*Platygaster abia*](#) Walker, 1836
- [*Platygaster abicollis*](#) MacGown & Osgood, 1971
- [*Platygaster abisares*](#) Walker, 1836
- [*Platygaster aboriginalis*](#) Buhl, 2004
- [*Platygaster abrupta*](#) Buhl, 1994
- [*Platygaster acciculusis*](#) Drake, 1970
- [*Platygaster aciculata*](#) Ashmead, 1893
- [*Platygaster acrisius*](#) Walker, 1836
- [*Platygaster actinomeridis*](#) (Ashmead, 1893)
- [*Platygaster acuticlava*](#) Buhl, 1998
- [*Platygaster acutocularis*](#) Buhl, 1998
- [*Platygaster aebeloeensis*](#) Buhl, 2001
- [*Platygaster aegeus*](#) Walker, 1836
- [*Platygaster affinis*](#) Fouts, 1925
- [*Platygaster alnicola*](#) (Ashmead, 1893)
- [*Platygaster alticola*](#) Kieffer, 1910
- [*Platygaster ambositrensis*](#) Risbec, 1955

- [*Platygaster americana*](#) (Ashmead, 1887)
- [*Platygaster aneurus*](#) (Provancher, 1887)
- [*Platygaster angulata*](#) (Ashmead, 1893)
- [*Platygaster angustula*](#) (Thomson, 1859)
- [*Platygaster anopediana*](#) Buhl, 2005
- [*Platygaster anormis*](#) (Brues, 1910)
- [*Platygaster antennariae*](#) (Ashmead, 1893)
- [*Platygaster anura*](#) Fouts, 1925
- [*Platygaster aphidis*](#) Ashmead, 1893
- [*Platygaster apicalis*](#) Thomson, 1859
- [*Platygaster applanata*](#) Buhl, 2001
- [*Platygaster appropinquata*](#) Buhl, 2006
- [*Platygaster aptera*](#) Nees, 1834
- [*Platygaster armata*](#) Buhl, 2017
- [*Platygaster artemisiae*](#) (Ashmead, 1893)
- [*Platygaster ashmeadiana*](#) Huggert, 1973
- [*Platygaster asiatica*](#) Buhl, 2004
- [*Platygaster astericola*](#) (Ashmead, 1893)
- [*Platygaster asynaptae*](#) (Ashmead, 1893)
- [*Platygaster ater*](#) Buhl, 2011
- [*Platygaster athamas*](#) Walker, 1836
- [*Platygaster atrae*](#) Fouts, 1924
- [*Platygaster atriplicis*](#) (Ashmead, 1893)
- [*Platygaster attenuata*](#) Walker, 1836
- [*Platygaster australis*](#) (Dodd, 1916)
- [*Platygaster automenes*](#) Walker, 1839
- [*Platygaster baccharicola*](#) (Ashmead, 1887)
- [*Platygaster baccharidis*](#) Kieffer & Jörgensen, 1910
- [*Platygaster baezi*](#) Buhl, 2003
- [*Platygaster baloghi*](#) Buhl, 2004
- [*Platygaster basi*](#) Vlug, 1995
- [*Platygaster beneficiens*](#) MacGown, 1979
- [*Platygaster betulae*](#) (Kieffer, 1916)
- [*Platygaster betularia*](#) Kieffer, 1916
- [*Platygaster biroi*](#) Buhl, 2004
- [*Platygaster blascozumetae*](#) Buhl, 1998
- [*Platygaster bonessi*](#) Buhl, 2000
- [*Platygaster boneti*](#) Buhl, 2006
- [*Platygaster borealis*](#) Buhl, 1998
- [*Platygaster brachyptera*](#) Buhl, 2004
- [*Platygaster brevicornis*](#) Förster, 1861
- [*Platygaster brevipetiolata*](#) Buhl, 2004

- [*Platygaster brevistriata*](#) Kieffer, 1916
- [*Platygaster bucolion*](#) Walker, 1836
- [*Platygaster bureschi*](#) Szabó, 1959
- [*Platygaster burkei*](#) (Rohwer, 1917)
- [*Platygaster californica*](#) (Ashmead, 1893)
- [*Platygaster canestrinii*](#) (Rondani, 1866)
- [*Platygaster caninifrons*](#) (Brues, 1910)
- [*Platygaster caryae*](#) Ashmead, 1893
- [*Platygaster caulicola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster cebes*](#) Walker, 1836
- [*Platygaster cecconii*](#) Kieffer, 1913
- [*Platygaster cecidomyiae*](#) Ratzeburg, 1852
- [*Platygaster cenone*](#) Fouts
- [*Platygaster chaos*](#) [4]
- [*Platygaster chilensis*](#) (Brèthes, 1915)
- [*Platygaster chloropus*](#) Thomson, 1859
- [*Platygaster chrysippus*](#) Walker, 1836
- [*Platygaster ciliata*](#) Buhl & Choi, 2006
- [*Platygaster clavata*](#) Buhl, 1994
- [*Platygaster cochleata*](#) Walker, 1836
- [*Platygaster coloradensis*](#) (Ashmead, 1893)
- [*Platygaster columbiana*](#) Fouts, 1924
- [*Platygaster compressa*](#) Fouts, 1934
- [*Platygaster compressicornis*](#) (Thomson, 1859)
- [*Platygaster compressiventris*](#) (Ashmead, 1893)
- [*Platygaster confinis*](#) Thomson, 1859
- [*Platygaster consobrina*](#) Kieffer, 1913
- [*Platygaster contorticornis*](#) Ratzeburg, 1844
- [*Platygaster convergens*](#) Kieffer, 1913
- [*Platygaster coorgensis*](#) (Mukerjee, 1978)
- [*Platygaster corcyrana*](#) Buhl, 1996
- [*Platygaster corni*](#) Kieffer, 1916
- [*Platygaster coronata*](#) (Brues, 1910)
- [*Platygaster corvina*](#) Förster, 1861
- [*Platygaster costaricae*](#) Buhl, 2003
- [*Platygaster cotei*](#) Kieffer, 1913
- [*Platygaster crassa*](#) (Kryger & Schmiedeknecht, 1938)
- [*Platygaster crassicornis*](#) Buhl, 1998
- [*Platygaster crenulata*](#) Buhl, 2004
- [*Platygaster cruciferarum*](#) Kieffer, 1916
- [*Platygaster csoszi*](#) Buhl, 2004
- [*Platygaster cuspidata*](#) Buhl, 2005

- [*Platygaster cynipicola*](#) (Ashmead, 1893)
- [*Platygaster cyrsilus*](#) Walker, 1836
- [*Platygaster dalgaardi*](#) Buhl, 2006
- [*Platygaster damokles*](#) Buhl, 1998
- [*Platygaster danica*](#) Buhl, 1999
- [*Platygaster danielssoni*](#) Buhl, 1998
- [*Platygaster danyiensis*](#) Buhl, 2014
- [*Platygaster davei*](#) Buhl, 2010
- [*Platygaster deipyla*](#) Walker, 1836
- [*Platygaster delyi*](#) Buhl, 2006
- [*Platygaster demades*](#) Walker, 1836
- [*Platygaster dentata*](#) Buhl, 2001
- [*Platygaster denticulata*](#) Buhl, 2001
- [*Platygaster depressiventris*](#) Thomson, 1859
- [*Platygaster dictys*](#) Walker, 1836
- [*Platygaster dilata*](#) Buhl, 2001
- [*Platygaster diplosidis*](#) (Ashmead, 1893)
- [*Platygaster diplosisae*](#) Risbec, 1956
- [*Platygaster disincta*](#) Fouts
- [*Platygaster distincta*](#) Fouts, 1926
- [*Platygaster dombeyae*](#) Risbec, 1953
- [*Platygaster draskovitsi*](#) Buhl, 2006
- [*Platygaster dryomiae*](#) Dieuzeide, 1927
- [*Platygaster dryope*](#) Walker, 1836
- [*Platygaster dubia*](#) (Ashmead, 1894)
- [*Platygaster elissa*](#) Walker, 1839
- [*Platygaster elongata*](#) Haliday, 1833
- [*Platygaster ennius*](#) Walker, 1836
- [*Platygaster ensifer*](#) (Westwood, 1833)
- [*Platygaster entwistlei*](#) Buhl, 1997
- [*Platygaster equestris*](#) Spittler, 1969
- [*Platygaster ericeti*](#) Rondani, 1877
- [*Platygaster eriphyle*](#) Walker, 1836
- [*Platygaster errans*](#) Fouts, 1924
- [*Platygaster eryngii*](#) Kieffer, 1916
- [*Platygaster estonica*](#) Buhl, 2004
- [*Platygaster ethiopica*](#) Buhl, 2004
- [*Platygaster etsuhoae*](#) Buhl, 1998
- [*Platygaster eucalyptodiplosisae*](#) Buhl, 2017
- [*Platygaster euhemerus*](#) Walker, 1836
- [*Platygaster eurotiae*](#) (Ashmead, 1893)
- [*Platygaster euurae*](#) (Ashmead, 1893)

- [*Platygaster euxestonotoides*](#) Buhl, 1998
- [*Platygaster exiguae*](#) Fouts, 1926
- [*Platygaster felti*](#) Fouts, 1920
- [*Platygaster fennica*](#) Buhl, 2003
- [*Platygaster filicaudis*](#) Fouts, 1925
- [*Platygaster filicornis*](#) Walker, 1836
- [*Platygaster flabellata*](#) Buhl, 2003
- [*Platygaster flagellata*](#) Buhl, 2003
- [*Platygaster flavifemorata*](#) Buhl & Choi, 2006
- [*Platygaster flavitarsis*](#) Fouts, 1926
- [*Platygaster floridensis*](#) Ashmead, 1887
- [*Platygaster foersteri*](#) (Gahan, 1919)
- [*Platygaster formicarum*](#) Kieffer, 1916
- [*Platygaster forshagei*](#) Buhl, 2006
- [*Platygaster foutsii*](#) Huggert, 1973
- [*Platygaster frater*](#) Buhl, 2006
- [*Platygaster fumipennis*](#) Fouts, 1924
- [*Platygaster funesta*](#) Motschulsky, 1852
- [*Platygaster fungicola*](#) Kieffer, 1916
- [*Platygaster fusca*](#) Buhl, 2004
- [*Platygaster fuscalis*](#) Buhl, 2011
- [*Platygaster fuscipennis*](#) Fouts, 1924
- [*Platygaster gahani*](#) Fouts, 1924
- [*Platygaster gaia*](#) Buhl, 2004
- [*Platygaster galbus*](#) Ushakumari, 2004
- [*Platygaster galenus*](#) Walker, 1836
- [*Platygaster gambiana*](#) Buhl, 2006
- [*Platygaster genata*](#) Buhl, 1998
- [*Platygaster generalii*](#) Rondani, 1866
- [*Platygaster germanica*](#) Buhl, 1998
- [*Platygaster gifuensis*](#) (Ashmead, 1904)
- [*Platygaster glemhornae*](#) Buhl, 2010
- [*Platygaster globicola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster gorge*](#) Walker, 1836
- [*Platygaster gorgo*](#) Walker, 1839
- [*Platygaster gracilicornis*](#) (Ashmead, 1894)
- [*Platygaster gracilipes*](#) Huggert, 1975
- [*Platygaster gracilis*](#) Ashmead
- [*Platygaster gyge*](#) Walker, 1836
- [*Platygaster gyrone*](#) Szelényi, 1958
- [*Platygaster hanseni*](#) Buhl, 2006
- [*Platygaster hanssoniana*](#) Buhl, 2003

- [*Platygaster harpagoceras*](#)
- [*Platygaster henkvlugi*](#) Buhl, 1996
- [*Platygaster hera*](#) Buhl, 1998
- [*Platygaster herricki*](#) Packard, 1880
- [*Platygaster heterothalami*](#) Kieffer & Jörgensen, 1910
- [*Platygaster hiemalis*](#) Forbes, 1888
- [*Platygaster hoffmeyer*](#) Buhl, 2006
- [*Platygaster hovmoelleri*](#) Buhl, 2006
- [*Platygaster huachucae*](#) (Ashmead, 1893)
- [*Platygaster huggerti*](#) Buhl, 2001
- [*Platygaster hyalinata*](#) (Thomson, 1859)
- [*Platygaster hyalinipennis*](#) (Ashmead, 1887)
- [*Platygaster hybrida*](#) Buhl, 1994
- [*Platygaster hyemalis*](#) Curtis, 1830
- [*Platygaster hygrophila*](#) Kieffer, 1916
- [*Platygaster iberica*](#) Buhl, 1998
- [*Platygaster ilona*](#) Szabó, 1976
- [*Platygaster imlaci*](#) Buhl, 1997
- [*Platygaster inconspicua*](#) Buhl, 1999
- [*Platygaster indefinita*](#) Buhl, 2006
- [*Platygaster inderdaadi*](#) Vlug, 1995
- [*Platygaster indica*](#) Mukerjee, 1978
- [*Platygaster inermis*](#) Walker, 1836
- [*Platygaster ingeniosus*](#) Matsuo & Yamagishi, 2018
- [*Platygaster insularis*](#) (Ashmead, 1894)
- [*Platygaster intermedia*](#) Buhl, 2006
- [*Platygaster intermedius*](#) Ushakumari, 2004
- [*Platygaster iolas*](#) Walker, 1836
- [*Platygaster iteocrypta*](#) Kieffer, 1916
- [*Platygaster iteophila*](#) (Kieffer, 1916)
- [*Platygaster javieri*](#) Buhl, 1998
- [*Platygaster juniperella*](#) MacGown, 1979
- [*Platygaster juniperi*](#) MacGown, 1979
- [*Platygaster juniperina*](#) MacGown, 1979
- [*Platygaster jutlandica*](#) Buhl, 2006
- [*Platygaster kalmiae*](#) Fouts, 1925
- [*Platygaster karlssoni*](#) Buhl, 2010
- [*Platygaster kaszabi*](#) Buhl, 2004
- [*Platygaster kenya*](#) Buhl, 2004
- [*Platygaster keralicus*](#) Ushakumari, 2004
- [*Platygaster kimballi*](#) MacGown, 1974
- [*Platygaster komugi*](#) Ishii, 1953

- [*Platygaster koponeni*](#) Buhl, 2003
- [*Platygaster koreana*](#) Buhl, 2006
- [*Platygaster krarupi*](#) Buhl, 1995
- [*Platygaster kui*](#) Choi & Buhl, 2006
- [*Platygaster laevicollis*](#) (Ashmead, 1893)
- [*Platygaster laevifrons*](#) Buhl, 2002
- [*Platygaster laeviventris*](#) Thomson, 1859
- [*Platygaster lamelliformis*](#) Huggert, 1973
- [*Platygaster lampronota*](#) Fouts, 1924
- [*Platygaster lanceolata*](#) Buhl, 1996
- [*Platygaster lapponica*](#) Thomson, 1859
- [*Platygaster laricis*](#) Haliday, 1836
- [*Platygaster lasiopterae*](#) Kieffer & Jörgensen, 1910
- [*Platygaster lasiorum*](#) Kieffer, 1916
- [*Platygaster lata*](#) Förster, 1861
- [*Platygaster latescens*](#) (Brues, 1910)
- [*Platygaster laticeps*](#) Thomson, 1859
- [*Platygaster laticlavus*](#) (Ashmead, 1894)
- [*Platygaster laticornis*](#) Buhl, 2004
- [*Platygaster latifrons*](#) Huggert, 1973
- [*Platygaster latiptera*](#) Buhl, 2010
- [*Platygaster leguminicolae*](#) Fouts, 1920
- [*Platygaster leileri*](#) Buhl, 2007
- [*Platygaster leptines*](#) Walker, 1836
- [*Platygaster leptoptera*](#) Buhl, 1998
- [*Platygaster leptosoma*](#) Buhl, 2006
- [*Platygaster leucanthemi*](#) (Kieffer, 1916)
- [*Platygaster libocedri*](#) MacGown, 1974
- [*Platygaster liga*](#) Buhl, 2014
- [*Platygaster linearis*](#) Fouts, 1924
- [*Platygaster lineaticeps*](#) Buhl, 1994
- [*Platygaster litoralis*](#) Buhl, 1998
- [*Platygaster lobata*](#) Buhl, 2014
- [*Platygaster longestriata*](#) Kieffer, 1916
- [*Platygaster longestriolata*](#) Thomson, 1859
- [*Platygaster longicaudata*](#) Kieffer, 1906
- [*Platygaster lubomasneri*](#) Buhl, 1995
- [*Platygaster lucida*](#) Fouts, 1924
- [*Platygaster luctuosa*](#) Kieffer & Herbst, 1911
- [*Platygaster lugens*](#) Kieffer, 1926
- [*Platygaster lundensis*](#) Buhl, 1997
- [*Platygaster lupinicola*](#) (Ashmead, 1893)

- [*Platygaster luteocoxalis*](#) (Kozlov, 1966)
- [*Platygaster lyciicola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster lyneborgi*](#) Buhl, 1998
- [*Platygaster lysicles*](#) Walker, 1836
- [*Platygaster maarteni*](#) Vlug, 1995
- [*Platygaster macgowni*](#) Buhl, 2001
- [*Platygaster macroptera*](#) Buhl, 2004
- [*Platygaster mahensis*](#) Kieffer, 1912
- [*Platygaster mainensis*](#) MacGown & Osgood, 1971
- [*Platygaster malabarica*](#) (Mukerjee, 1978)
- [*Platygaster malaisei*](#) Buhl, 2005
- [*Platygaster malpighii*](#) Kieffer, 1916
- [*Platygaster mandrakae*](#) Risbec, 1955
- [*Platygaster manto*](#) Walker, 1836
- [*Platygaster marchali*](#) Kieffer, 1906
- [*Platygaster marginata*](#) Thomson, 1859
- [*Platygaster martikaineni*](#) Buhl, 2003
- [*Platygaster martii*](#) Buhl, 2003
- [*Platygaster marylandica*](#) Fouts, 1924
- [*Platygaster masneri*](#) Huggert, 1975
- [*Platygaster matsutama*](#) Yoshida & Hirashima, 1979
- [*Platygaster matuschanskavaskyi*](#) Buhl, 2003
- [*Platygaster mayetiolae*](#) Kieffer, 1916
- [*Platygaster mayi*](#) Buhl, 2017
- [*Platygaster mediocris*](#) (Brues, 1910)
- [*Platygaster meduxnekeagensis*](#) Buhl, 2006
- [*Platygaster melanocera*](#) (Ashmead, 1887)
- [*Platygaster melliscapus*](#) (Ashmead, 1893)
- [*Platygaster meridionalis*](#) (Ashmead, 1894)
- [*Platygaster micromma*](#) Buhl, 2010
- [*Platygaster microsculpturata*](#) Buhl, 1999
- [*Platygaster minima*](#) (Mukerjee, 1978)
- [*Platygaster minthe*](#) Walker, 1836
- [*Platygaster minuta*](#) Zetterstedt, 1840
- [*Platygaster minutissima*](#) Fouts, 1925
- [*Platygaster minutula*](#) Dalla Torre, 1898
- [*Platygaster mirabilis*](#) (Ashmead, 1893)
- [*Platygaster misella*](#) Buhl, 2006
- [*Platygaster moczari*](#) Szabó, 1976
- [*Platygaster modesta*](#) Buhl, 1998
- [*Platygaster molsensis*](#) Buhl, 1995
- [*Platygaster mongolica*](#) Buhl, 2004

- [*Platygaster mumfordi*](#) Fouts, 1934
- [*Platygaster munita*](#) Walker, 1836
- [*Platygaster munki*](#) Buhl, 1994
- [*Platygaster muscivora*](#) Risbec, 1950
- [*Platygaster myrmecobia*](#) Kieffer, 1913
- [*Platygaster narendrani*](#) Ushakumari, 2004
- [*Platygaster nashi*](#) Buhl & O'Connor, 2011
- [*Platygaster natalensis*](#) Buhl, 2003
- [*Platygaster nigeriana*](#) Buhl, 2004
- [*Platygaster nigerrimus*](#) (Kieffer, 1926)
- [*Platygaster nigra*](#) Nees von Esenbeck, 1834
- [*Platygaster nigricoxa*](#) Fouts, 1925
- [*Platygaster nigrifemur*](#) (Ashmead, 1890)
- [*Platygaster nigripes*](#) Ratzeburg, 1852
- [*Platygaster nigrita*](#) Buhl, 2004
- [*Platygaster nigrocoxatus*](#) Ushakumari, 2004
- [*Platygaster nisus*](#) Walker, 1836
- [*Platygaster nodicola*](#) (Kieffer, 1916)
- [*Platygaster noonae*](#) Buhl, 1995
- [*Platygaster norvegica*](#) Kieffer, 1913
- [*Platygaster nottoni*](#) Buhl, 1995
- [*Platygaster novaezealandiae*](#) Buhl, 2011
- [*Platygaster noveboracensis*](#) (Brues, 1910)
- [*Platygaster oblonga*](#) Buhl, 2005
- [*Platygaster obscura*](#) Nees von Esenbeck, 1834
- [*Platygaster obscuripennis*](#) Ashmead, 1893
- [*Platygaster oculata*](#) Buhl, 2004
- [*Platygaster oebalus*](#) Walker, 1836
- [*Platygaster oeclus*](#) Walker, 1836
- [*Platygaster oenone*](#) Fouts, 1925
- [*Platygaster oleae*](#) Szelényi, 1940
- [*Platygaster opaca*](#) Ruthe, 1859
- [*Platygaster orcus*](#) Walker, 1836
- [*Platygaster ornata*](#) Kieffer, 1906
- [*Platygaster orus*](#) Walker, 1836
- [*Platygaster oryzae*](#) Cameron, 1891
- [*Platygaster oscus*](#) Walker, 1836
- [*Platygaster otandjoboliensis*](#) Buhl, 2014
- [*Platygaster otanes*](#) Walker, 1836
- [*Platygaster oviventris*](#) Buhl, 2004
- [*Platygaster paches*](#) Walker, 1842
- [*Platygaster pallida*](#) Fouts, 1925

- [*Platygaster pallidicoxalis*](#) (Ashmead, 1894)
- [*Platygaster pallipes*](#) (Ashmead, 1890)
- [*Platygaster panamaensis*](#) Buhl, 2002
- [*Platygaster panchganii*](#) Mani, 1975
- [*Platygaster pappi*](#) Buhl, 2004
- [*Platygaster parallela*](#) Walker, 1835
- [*Platygaster parvula*](#) Zetterstedt, 1840
- [*Platygaster pauliani*](#) Risbec, 1953
- [*Platygaster pedasus*](#) Walker, 1836
- [*Platygaster pedestris*](#) Buhl, 2004
- [*Platygaster pelias*](#) Walker, 1836
- [*Platygaster pentatoma*](#) (Ashmead, 1893)
- [*Platygaster perineti*](#) Risbec, 1953
- [*Platygaster perplexa*](#) Fouts, 1925
- [*Platygaster persicariae*](#) Kieffer, 1906
- [*Platygaster philinna*](#) Walker, 1836
- [*Platygaster philippiae*](#) Risbec, 1953
- [*Platygaster phragmitiphila*](#) Buhl, 2006
- [*Platygaster phragmitis*](#) (Schränk, 1781)
- [*Platygaster picipes*](#) Förster, 1861
- [*Platygaster pilco*](#) Sundholm, 1970
- [*Platygaster pinaensis*](#) Buhl, 1998
- [*Platygaster pini*](#) Fouts
- [*Platygaster pinicola*](#) (Ashmead, 1893)
- [*Platygaster piniphila*](#) MacGown, 1979
- [*Platygaster pinyonicola*](#) MacGown, 1979
- [*Platygaster piso*](#) Sundholm, 1970
- [*Platygaster plana*](#) Buhl, 1994
- [*Platygaster planivertex*](#) Buhl, 2014
- [*Platygaster planoides*](#) Buhl, 1995
- [*Platygaster platyptera*](#) Buhl, 2005
- [*Platygaster pleuron*](#) Walker, 1836
- [*Platygaster plotina*](#) Walker, 1836
- [*Platygaster pluto*](#) (Ashmead, 1887)
- [*Platygaster podocarp*](#) Buhl, 2015
- [*Platygaster polaszeki*](#) Buhl, 2004
- [*Platygaster polita*](#) Thomson, 1859
- [*Platygaster politiceps*](#) Buhl, 2013
- [*Platygaster ponderosae*](#) MacGown, 1979
- [*Platygaster praecox*](#) Buhl, 1999
- [*Platygaster producta*](#) MacGown, 1979
- [*Platygaster prolata*](#) MacGown, 1971

- [Platygaster propucta](#) Macgown
- [Platygaster proxima](#) (Ashmead, 1893)
- [Platygaster pruni](#)
- [Platygaster pseudotsugae](#) MacGown, 1979
- [Platygaster pubiventris](#) Buhl, 2005
- [Platygaster puccinii](#) Vlug, 1995
- [Platygaster punctiventris](#) Buhl, 2006
- [Platygaster pygmaea](#) Kieffer, 1913
- [Platygaster pyramidalis](#) Nees von Esenbeck, 1834
- [Platygaster quadriceps](#) Buhl, 2006
- [Platygaster quadrifarius](#) (Kieffer, 1916)
- [Platygaster ramachandrai](#) (Rao, 1950)
- [Platygaster relativa](#) Fouts, 1924
- [Platygaster resinosae](#) MacGown, 1979
- [Platygaster retuertae](#) Buhl, 1998
- [Platygaster reyi](#) Buhl, 2001
- [Platygaster rhabdophagae](#) MacGown, 1979
- [Platygaster riparia](#) Yamagishi, 1980
- [Platygaster robertensis](#) Buhl, 2017
- [Platygaster robiniae](#) Buhl & Duso, 2008
- [Platygaster rohweri](#) Fouts, 1924
- [Platygaster romanica](#) Popovici & Buhl, 2005
- [Platygaster rossinii](#) Vlug, 1995
- [Platygaster rubi](#) (Ashmead, 1893)
- [Platygaster ruficornis](#) (Latreille, 1805)
- [Platygaster rufidens](#) Fouts, 1925
- [Platygaster rufitibia](#) Buhl, 1999
- [Platygaster rugosiceps](#) Buhl, 1994
- [Platygaster rutilipes](#) Buhl, 1997
- [Platygaster rutubus](#) Walker, 1836
- [Platygaster rwankwiensis](#) Risbec, 1958
- [Platygaster sagana](#) Walker, 1836
- [Platygaster salicicola](#) (Ashmead, 1893)
- [Platygaster saliciperdae](#) Kieffer, 1913
- [Platygaster salvadorae](#) Rao, 1950
- [Platygaster sambuci](#) (Kieffer, 1916)
- [Platygaster sasii](#) Ushakumari, 2004
- [Platygaster satara](#) Mani, 1975
- [Platygaster scorpoides](#) Muesebeck & Walkley, 1951
- [Platygaster scotica](#) Kieffer, 1913
- [Platygaster scrophulariae](#) (Kieffer, 1916)
- [Platygaster sculptiventris](#) Buhl, 2007

- [*Platygaster scutellator*](#) Fouts, 1925
- [*Platygaster semiflava*](#) Buhl, 2006
- [*Platygaster semiglabra*](#) (Girault, 1920)
- [*Platygaster setosa*](#) Buhl, 2003
- [*Platygaster shastensis*](#) Fouts, 1924
- [*Platygaster signata*](#) (Förster, 1861)
- [*Platygaster signe*](#) Buhl, 2006
- [*Platygaster similis*](#) MacGown, 1974
- [*Platygaster simplex*](#) (Brues, 1922)
- [*Platygaster singularis*](#) Buhl, 2006
- [*Platygaster sinica*](#) Buhl, 1996
- [*Platygaster sociabilis*](#) Kieffer & Jörgensen, 1910
- [*Platygaster soederlundii*](#) Buhl, 1998
- [*Platygaster solidaginis*](#) (Ashmead, 1887)
- [*Platygaster solodovnikovi*](#) Buhl, 2011
- [*Platygaster sonchis*](#) Walker, 1836
- [*Platygaster sophianae*](#) Szabó, 1976
- [*Platygaster specularis*](#) Buhl, 1998
- [*Platygaster spiniger*](#) Nees, 1834
- [*Platygaster spinigera*](#) Nees von Esenbeck, 1834
- [*Platygaster splendens*](#) Sundholm, 1970
- [*Platygaster splendidula*](#) Ruthe, 1859
- [*Platygaster srilankensis*](#) Buhl, 2003
- [*Platygaster stachydis*](#) (Kieffer, 1916)
- [*Platygaster stefaniellae*](#) Buhl, 2000
- [*Platygaster stefaniolae*](#) Buhl, 1998
- [*Platygaster sterope*](#) Walker, 1836
- [*Platygaster stimulator*](#) Yamagishi, 1980
- [*Platygaster strato*](#) Walker, 1836
- [*Platygaster striaticeps*](#) (Ashmead, 1893)
- [*Platygaster striaticollis*](#) (Ashmead, 1893)
- [*Platygaster striatidorsum*](#) Buhl, 1998
- [*Platygaster striatifacies*](#) Buhl, 1996
- [*Platygaster striatifrons*](#) Fouts, 1925
- [*Platygaster striatipleura*](#) Buhl, 2004
- [*Platygaster striatitergitis*](#) Buhl, 1995
- [*Platygaster striatithorax*](#) Buhl, 1994
- [*Platygaster striolata*](#) Nees von Esenbeck, 1834
- [*Platygaster stylata*](#) Huggert, 1980
- [*Platygaster subanguliceps*](#) Buhl, 2014
- [*Platygaster subapicalis*](#) Buhl, 2006
- [*Platygaster subfilicornis*](#) Buhl, 2006

- [*Platygaster subparallela*](#) Buhl, 2017
- [*Platygaster subplana*](#) Buhl, 2005
- [*Platygaster subterranea*](#) (Kieffer, 1916)
- [*Platygaster subtilis*](#) Förster, 1861
- [*Platygaster subuliformis*](#) Kieffer, 1926
- [*Platygaster suecica*](#) (Kieffer, 1926)
- [*Platygaster sugitama*](#) Yoshida & Hirashima, 1979
- [*Platygaster sylea*](#) Walker, 1843
- [*Platygaster sylveni*](#) Buhl, 2009
- [*Platygaster szelenyii*](#) Huggert, 1975
- [*Platygaster tacita*](#) Fouts, 1925
- [*Platygaster tanus*](#) Ushakumari, 2004
- [*Platygaster taras*](#) Walker, 1836
- [*Platygaster taylori*](#) MacGown, 1974
- [*Platygaster tenerifensis*](#) Buhl, 2001
- [*Platygaster tengoei*](#) Buhl, 2010
- [*Platygaster tenuicornis*](#) Förster, 1861
- [*Platygaster tephrosiae*](#)
- [*Platygaster terco*](#) Sundholm, 1970
- [*Platygaster texana*](#) Fouts, 1924
- [*Platygaster tibialis*](#) Kieffer, 1905
- [*Platygaster tisas*](#) Walker, 1836
- [*Platygaster topali*](#) Buhl, 2004
- [*Platygaster topaliana*](#) Buhl, 2004
- [*Platygaster transsylvanica*](#) (Szelényi, 1958)
- [*Platygaster transversiceps*](#) Buhl, 1998
- [*Platygaster tricarinata*](#) Buhl, 2014
- [*Platygaster tripotini*](#) Buhl & Choi, 2006
- [*Platygaster truncata*](#) Buhl, 2004
- [*Platygaster tschirnhausi*](#) Buhl, 2014
- [*Platygaster tsitsikamensis*](#) Buhl, 2005
- [*Platygaster tuberata*](#) Kieffer, 1916
- [*Platygaster tuberculatrix*](#) Buhl, 2011
- [*Platygaster tuberculi*](#) (Kieffer, 1916)
- [*Platygaster tuberosa*](#) Nees von Esenbeck, 1834
- [*Platygaster tuberosula*](#) Kieffer, 1926
- [*Platygaster tubulosa*](#) Brues, 1922
- [*Platygaster tumida*](#) (Ashmead, 1893)
- [*Platygaster tumoricola*](#) Kieffer & Jörgensen, 1910
- [*Platygaster ulmicola*](#) Kieffer, 1916
- [*Platygaster ungeri*](#) Buhl, 1999
- [*Platygaster uniformis*](#) Buhl, 2006

- [*Platygaster urnicola*](#) Yamagishi, 1980
- [*Platygaster urniphila*](#) Matsuo & Yamagishi, 2018
- [*Platygaster utahensis*](#) (Ashmead, 1893)
- [*Platygaster uvulariae*](#)
- [*Platygaster vaccinii*](#)
- [*Platygaster vaenia*](#) Walker, 1836
- [*Platygaster vancouverensis*](#) (Ashmead, 1893)
- [*Platygaster variabilis*](#) Fouts, 1924
- [*Platygaster variarilis*](#) Fouts
- [*Platygaster varicornis*](#) Buhl, 1999
- [*Platygaster vedresi*](#) Szabó, 1977
- [*Platygaster vera*](#) Buhl, 1998
- [*Platygaster verdii*](#) Vlug, 1995
- [*Platygaster vernalis*](#) (Myers, 1917)
- [*Platygaster vernoniae*](#) (Ashmead, 1893)
- [*Platygaster verrucosa*](#) Kieffer, 1916
- [*Platygaster verticalis*](#) Buhl, 2003
- [*Platygaster vestina*](#) Walker, 1836
- [*Platygaster viburni*](#) Kieffer, 1916
- [*Platygaster victoriae*](#) MacGown, 1979
- [*Platygaster vintheri*](#) Buhl, 1994
- [*Platygaster virgo*](#) Day, 1971
- [*Platygaster viticola*](#) (Ashmead, 1893)
- [*Platygaster vitisiellae*](#)
- [*Platygaster vitreus*](#) Buhl, 1997
- [*Platygaster vulgaris*](#) Buhl, 1998
- [*Platygaster walkerae*](#) Buhl, 2017
- [*Platygaster warda*](#) Buhl, 2004
- [*Platygaster websteri*](#) Fouts, 1924
- [*Platygaster xeneus*](#) Walker, 1838
- [*Platygaster yunnanensis*](#) Buhl, 2007
- [*Platygaster zambiana*](#) Buhl, 2007
- [*Platygaster zangherii*](#) Szelényi, 1955
- [*Platygaster zantanus*](#) Ushakumari, 2004
- [*Platygaster zaragozana*](#) Buhl, 1998
- [*Platygaster zavchanensis*](#) Buhl, 2004
- [*Platygaster zethus*](#) Walker, 1839
- [*Platygaster zosine*](#) Walker, 1836
- [*Polygnotus marchali*](#)

These 287 species belong to the genus of rove beetles, [Platydracus](#).^{[1][2]}

Platydracus species

- [Platydracus acupunctipennis](#) (Bernhauer, 1907)
- [Platydracus aeneipennis](#) (Cameron, 1930)
- [Platydracus aeneoacreus](#) (Cameron, 1930)
- [Platydracus aeneoniger](#) (Bernhauer, 1933)
- [Platydracus afer](#) (Erichson, 1839)
- [Platydracus affinis](#) (Solsky, 1868)
- [Platydracus allardi](#) Levasseur, 1967
- [Platydracus alluaudi](#) (Fauvel, 1905)
- [Platydracus amamiensis](#) Ito & T., 1982
- [Platydracus amazonicus](#) (Sharp, 1876)
- [Platydracus angusticeps](#) (Sharp, 1884)
- [Platydracus antiquus](#) (Nordmann, 1837)
- [Platydracus apicipennis](#) (Sharp, 1884)
- [Platydracus asemus](#) (Kraatz, 1859)
- [Platydracus associatus](#) (Cameron, 1937)
- [Platydracus aureofasciatus](#) (Motschulsky, 1861)
- [Platydracus aurichalceus](#) (Cameron, 1941)
- [Platydracus auricomus](#) (Cameron, 1929)
- [Platydracus aurifluus](#) (Erichson, 1839)
- [Platydracus auroaeneus](#) (Cameron, 1938)
- [Platydracus auronotatus](#) (Fauvel, 1895)
- [Platydracus auropubescens](#) (Cameron, 1930)
- [Platydracus bakeri](#) (Bernhauer, 1915)
- [Platydracus basicornis](#) (Fauvel, 1895)
- [Platydracus becquarti](#) (Bernhauer, 1938)
- [Platydracus belti](#) (Sharp, 1884)
- [Platydracus bengalensis](#) (Bernhauer, 1914)
- [Platydracus biguttatus](#) (Bernhauer, 1937)
- [Platydracus birmanus](#) (Fauvel, 1895)
- [Platydracus biseriatus](#) (Sharp, 1884)
- [Platydracus bocandei](#) (Fagel, 1951)
- [Platydracus bodongi](#) (Bernhauer, 1906)
- [Platydracus bolivianus](#) (Bernhauer, 1908)
- [Platydracus borneensis](#) Rougemont, 2015
- [Platydracus brachycerus](#) Smetana & Davies, 2000
- [Platydracus bredoi](#) (Fagel, 1950)
- [Platydracus brevicornis](#) (Motschulsky, 1861)

- [*Platydracus brevipennis*](#) Smetana & Davies, 2000
- [*Platydracus brincki*](#) (Scheerpeltz, 1974)
- [*Platydracus bruchi*](#) (Bernhauer, 1934)
- [*Platydracus bryanti*](#) (Cameron, 1918)
- [*Platydracus buquetii*](#) (Laporte de Castelnau, 1835)
- [*Platydracus burgeoni*](#) (Bernhauer, 1932)
- [*Platydracus caffer*](#) (Boheman, 1848)
- [*Platydracus caliginosus*](#)
- [*Platydracus campestris*](#) Coiffait, 1977
- [*Platydracus cantharophagus*](#) (Fagel, 1950)
- [*Platydracus castaneus*](#) (Nordmann, 1837)
- [*Platydracus catalonicus*](#) Coiffait, 1967
- [*Platydracus centralis*](#) (Sharp, 1884)
- [*Platydracus cerdo*](#) (Gerstaecker, 1867)
- [*Platydracus cervinipennis*](#) (G.Quedenfeldt, 1888)
- [*Platydracus chalcescens*](#) (Sharp, 1889)
- [*Platydracus chalceus*](#) (Bernhauer, 1911)
- [*Platydracus chalcocephalus*](#) (Fabricius, 1801)
- [*Platydracus championi*](#) (Sharp, 1884)
- [*Platydracus chinensis*](#) (Bernhauer, 1914)
- [*Platydracus chiriquensis*](#) (Sharp, 1884)
- [*Platydracus chrysaster*](#) (Erichson, 1839)
- [*Platydracus chrysis*](#) (Bernhauer, 1936)
- [*Platydracus chrysotrichopterus*](#) (Scheerpeltz, 1933)
- [*Platydracus cincticollis*](#) (Cameron, 1951)
- [*Platydracus cinnamopterus*](#) (Gravenhorst, 1802)
- [*Platydracus circumcinctus*](#) (Bernhauer, 1914)
- [*Platydracus coeruleipennis*](#) Coiffait, 1983
- [*Platydracus collaris*](#) Coiffait, 1977
- [*Platydracus comes*](#) (LeConte & J.L., 1863)
- [*Platydracus consularis*](#) (Bernhauer, 1915)
- [*Platydracus contiguus*](#) (Cameron, 1938)
- [*Platydracus cordilleranus*](#) (Bernhauer, 1917)
- [*Platydracus costaricensis*](#) (Bernhauer, 1917)
- [*Platydracus cribratipennis*](#) (É.Blanchard, 1842)
- [*Platydracus cupreicollis*](#) (Nordmann, 1837)
- [*Platydracus curticornis*](#) (Fauvel, 1895)
- [*Platydracus cyaneus*](#) (Sharp, 1884)
- [*Platydracus cyanomelas*](#) (Erichson, 1839)
- [*Platydracus darfourensis*](#) Levasseur, 1967
- [*Platydracus dauricus*](#) (Mannerheim, 1830)
- [*Platydracus decipiens*](#) (Kraatz, 1859)

- [*Platydracus demissus*](#) (G.Müller, 1925)
- [*Platydracus dimidiatus*](#) (Laporte de Castelnau, 1835)
- [*Platydracus discretus*](#) (Sharp, 1884)
- [*Platydracus dispersus*](#) (Fauvel, 1907)
- [*Platydracus dohertyi*](#) (Cameron, 1932)
- [*Platydracus donnyi*](#) Rougemont, 2015
- [*Platydracus drescheri*](#) (Cameron, 1937)
- [*Platydracus dudgeoni*](#) (Cameron, 1932)
- [*Platydracus emeritus*](#) (Herman, 2001)
- [*Platydracus erichsoni*](#) (Boheman, 1848)
- [*Platydracus ertli*](#) (Bernhauer, 1908)
- [*Platydracus erythrocnemus*](#) (Nordmann, 1837)
- [*Platydracus evansi*](#) (Bernhauer, 1936)
- [*Platydracus exulans*](#) (Erichson, 1839)
- [*Platydracus falcimaculatus*](#) (Bernhauer, 1937)
- [*Platydracus fassli*](#) (Bernhauer, 1908)
- [*Platydracus fauvelianus*](#) (Fagel, 1950)
- [*Platydracus fauvelides*](#) Newton, 2017
- [*Platydracus feae*](#) (Bernhauer, 1915)
- [*Platydracus femoratus*](#) (Fabricius, 1801)
- [*Platydracus ferox*](#) (Nordmann, 1837)
- [*Platydracus fervidus*](#) (Sharp, 1884)
- [*Platydracus flavopilosus*](#) (Cameron, 1932)
- [*Platydracus flavopunctatus*](#) (Latreille, 1804)
- [*Platydracus formosae*](#) (Bernhauer, 1933)
- [*Platydracus fossator*](#) (Gravenhorst, 1802) (red-spotted rove beetle)
- [*Platydracus fraternus*](#) (Bernhauer, 1915)
- [*Platydracus fulvipes*](#) (Scopoli, 1763)
- [*Platydracus fulvomaculatus*](#) (Nordmann, 1837)
- [*Platydracus funebris*](#) (Sharp, 1884)
- [*Platydracus fuscolineatus*](#) (Bernhauer, 1934)
- [*Platydracus fuscomaculatus*](#) (Laporte de Castelnau, 1835)
- [*Platydracus gabiruensis*](#) (Bernhauer, 1934)
- [*Platydracus gemmatus*](#) (Fauvel, 1895)
- [*Platydracus gentilis*](#) (Erichson, 1839)
- [*Platydracus gerardi*](#) (Bondroit, 1913)
- [*Platydracus giganteus*](#) (Kraatz, 1899)
- [*Platydracus girardi*](#) Levasseur, 1980
- [*Platydracus gmelini*](#) (Blackwelder, 1944)
- [*Platydracus goliathus*](#) (Bernhauer, 1912)
- [*Platydracus goryi*](#) (Laporte de Castelnau, 1835)
- [*Platydracus gracilipes*](#) (Sharp, 1884)

- [*Platydracus graciosus*](#) (Sharp, 1876)
- [*Platydracus gratus*](#) (Sharp, 1876)
- [*Platydracus gravenhorsti*](#) (Blackwelder, 1944)
- [*Platydracus guineensis*](#) (Cameron, 1950)
- [*Platydracus hauserianus*](#) (Bernhauer, 1933)
- [*Platydracus hewitti*](#) (Bernhauer, 1914)
- [*Platydracus hypocrita*](#) (G.Müller, 1925)
- [*Platydracus immaculatus*](#) (Mannerheim, 1830)
- [*Platydracus imperatorius*](#) (Bernhauer, 1916)
- [*Platydracus impotens*](#) (Eppelsheim, 1889)
- [*Platydracus incognitus*](#) (Sharp, 1884)
- [*Platydracus inornatus*](#) (Sharp, 1874)
- [*Platydracus insolitus*](#) (Sharp, 1884)
- [*Platydracus insularis*](#) (Cameron, 1941)
- [*Platydracus iridiventrīs*](#) (Bernhauer, 1936)
- [*Platydracus iringanus*](#) (Bernhauer, 1937)
- [*Platydracus javanus*](#) (Bernhauer, 1934)
- [*Platydracus jeanneli*](#) (Chapman, 1939)
- [*Platydracus juang*](#) Smetana, 2005
- [*Platydracus kalisi*](#) (Bernhauer, 1934)
- [*Platydracus kamerunensis*](#) (Bernhauer, 1912)
- [*Platydracus kasyi*](#) (Scheerpeltz, 1962)
- [*Platydracus kiulungensis*](#) (Bernhauer, 1933)
- [*Platydracus kiushiuiensis*](#) (Bernhauer, 1939)
- [*Platydracus kraatzi*](#) (Bernhauer, 1906)
- [*Platydracus krejci*](#) (Coiffait, 1984)
- [*Platydracus kristenseni*](#) (Bernhauer, 1915)
- [*Platydracus lamottei*](#) Levasseur, 1967
- [*Platydracus lamtoensis*](#) Levasseur, 1967
- [*Platydracus langei*](#) (Bernhauer, 1904)
- [*Platydracus latebricola*](#) (Gravenhorst, 1806)
- [*Platydracus latecarinatus*](#) (Bernhauer, 1937)
- [*Platydracus latro*](#) (Erichson, 1839)
- [*Platydracus lecordieri*](#) Levasseur, 1980
- [*Platydracus lefevrei*](#) (Bernhauer, 1936)
- [*Platydracus leleupi*](#) Fagel, 1957
- [*Platydracus lewisi*](#) (Cameron, 1932)
- [*Platydracus lomii*](#) (Cerruti, 1951)
- [*Platydracus luzonicus*](#) (Fauvel, 1886)
- [*Platydracus maculicollis*](#) (Fauvel, 1895)
- [*Platydracus maculipennis*](#) (Kraatz, 1859)
- [*Platydracus maculosus*](#) (Gravenhorst, 1802)

- [*Platydracus marginatus*](#) (Cameron, 1944)
- [*Platydracus marmorellus*](#) (Fauvel, 1895)
- [*Platydracus masumotoi*](#) Y.Hayashi, 2011
- [*Platydracus mendicus*](#) (Sharp, 1884)
- [*Platydracus meridionalis*](#) (Rosenhauer, 1847)
- [*Platydracus methneri*](#) (Bernhauer, 1915)
- [*Platydracus methnerianus*](#) (Bernhauer, 1936)
- [*Platydracus mexicanus*](#) (Sharp, 1884)
- [*Platydracus mimeticus*](#) (Bernhauer, 1917)
- [*Platydracus mirandus*](#) (Bernhauer, 1934)
- [*Platydracus mongendensis*](#) (Bernhauer, 1929)
- [*Platydracus montanides*](#) Newton, 2015
- [*Platydracus montanus*](#) (Cameron, 1942)
- [*Platydracus mortuorum*](#) (Bernhauer, 1912)
- [*Platydracus muellerianus*](#) (Scheerpeltz, 1933)
- [*Platydracus musonoiensis*](#) Levasseur, 1967
- [*Platydracus mysticus*](#) (Erichson, 1840)
- [*Platydracus nepalensis*](#) (Scheerpeltz, 1976)
- [*Platydracus nigripennis*](#) (Cameron, 1941)
- [*Platydracus nigriventris*](#) (Boheman, 1848)
- [*Platydracus nobilis*](#) (Nordmann, 1837)
- [*Platydracus notativentris*](#) (Fauvel, 1905)
- [*Platydracus notatus*](#) (Solsky, 1872)
- [*Platydracus nudicollis*](#) (Sharp, 1887)
- [*Platydracus oblongopunctatus*](#) Rougemont, 2015
- [*Platydracus obsoleticornis*](#) (Bernhauer, 1911)
- [*Platydracus ochropygus*](#) (Nordmann, 1837)
- [*Platydracus oculosus*](#) Smetana & Davies, 2000
- [*Platydracus opaciceps*](#) (Scheerpeltz, 1976)
- [*Platydracus opacus*](#) (Roth, 1851)
- [*Platydracus optatus*](#) (Sharp, 1884)
- [*Platydracus orizabae*](#) (Bernhauer, 1917)
- [*Platydracus osculatii*](#) (Guérin-Méneville, 1855)
- [*Platydracus pallidipes*](#) (Bernhauer, 1917)
- [*Platydracus panamensis*](#) (Bernhauer & K.Schubert, 1914)
- [*Platydracus parviceps*](#) (Sharp, 1876)
- [*Platydracus parvulus*](#) Smetana & Davies, 2000
- [*Platydracus patricius*](#) (Bernhauer, 1915)
- [*Platydracus perniger*](#) (Scheerpeltz, 1976)
- [*Platydracus perreai*](#) Coiffait, 1984
- [*Platydracus peyrierasi*](#) Jarrige, 1972
- [*Platydracus philippinus*](#) (Cameron, 1941)

- [*Platydracus phoenicurus*](#) (Nordmann, 1837)
- [*Platydracus pictus*](#) (Boheman, 1860)
- [*Platydracus pinorum*](#) (Casey, 1915)
- [*Platydracus plagiicollis*](#) (Fairmaire, 1891)
- [*Platydracus plebejus*](#) (Bernhauer, 1915)
- [*Platydracus praelongus*](#) (Mannerheim, 1830)
- [*Platydracus praetermissus*](#) Newton, 2011
- [*Platydracus prasinivariiegatus*](#) (Bernhauer, 1921)
- [*Platydracus pratti*](#) (Scheerpeltz, 1962)
- [*Platydracus preangeranus*](#) (Cameron, 1937)
- [*Platydracus procerus*](#) (Gahan, 1893)
- [*Platydracus pseudopaganus*](#) (Bernhauer, 1914)
- [*Platydracus pulcherrimus*](#) (Bernhauer, 1915)
- [*Platydracus purpurascens*](#) (Cameron, 1920)
- [*Platydracus purpureoaureus*](#) (Bernhauer, 1915)
- [*Platydracus raffrayi*](#) (Fauvel, 1907)
- [*Platydracus reitterianus*](#) (Bernhauer, 1933)
- [*Platydracus rhodesianus*](#) (Cameron, 1951)
- [*Platydracus riojanus*](#) Hozman, 1977
- [*Platydracus ruandae*](#) (Bernhauer, 1934)
- [*Platydracus rufipennis*](#) (Cameron, 1930)
- [*Platydracus rufulus*](#) Rougemont, 2015
- [*Platydracus rugosipennis*](#) (K.Schubert, 1911)
- [*Platydracus rutilicauda*](#) (Horn, 1879)
- [*Platydracus sachalinensis*](#) (Matsumura, 1911)
- [*Platydracus sallaei*](#) (Sharp, 1884)
- [*Platydracus santacoffiensis*](#) Levasseur, 1968
- [*Platydracus scabrosus*](#) (Curtis, 1839)
- [*Platydracus schultzei*](#) (Bernhauer, 1915)
- [*Platydracus scriptus*](#) (Nordmann, 1837)
- [*Platydracus semiauratus*](#) (K.Schubert, 1911)
- [*Platydracus semicyaneus*](#) (Bernhauer, 1915)
- [*Platydracus semipurpureus*](#) (Kraatz, 1859)
- [*Platydracus semiviolaceus*](#) (Cameron, 1932)
- [*Platydracus semotus*](#) (Herman, 2001)
- [*Platydracus sepulchralis*](#) (Erichson, 1839)
- [*Platydracus sharpi*](#) (Fauvel, 1901)
- [*Platydracus sjostedti*](#) (Fauvel, 1903)
- [*Platydracus sladeae*](#) Rougemont, 2015
- [*Platydracus solwezianus*](#) (Cameron, 1951)
- [*Platydracus sparsus*](#) (Cameron, 1932)
- [*Platydracus speculifrons*](#) (Bernhauer, 1939)

- [*Platydracus stercorarius*](#) (Olivier & A.G., 1795)
- [*Platydracus subaeneipennis*](#) (Scheerpeltz, 1976)
- [*Platydracus subaeneus*](#) (Roth, 1851)
- [*Platydracus subauronotatus*](#) Coiffait, 1977
- [*Platydracus subchalceus*](#) (Cameron, 1930)
- [*Platydracus subirideus*](#) (Kraatz, 1859)
- [*Platydracus submarmorellus*](#) (K.Schubert, 1908)
- [*Platydracus subtilicornis*](#) Fagel, 1957
- [*Platydracus subviridis*](#) (Bernhauer, 1933)
- [*Platydracus sumakowi*](#) (Bernhauer, 1911)
- [*Platydracus surdus*](#) Fagel, 1957
- [*Platydracus suspectus*](#) (Fauvel, 1904)
- [*Platydracus suspiciosus*](#) (Cameron, 1937)
- [*Platydracus tanalensis*](#) (Fauvel, 1905)
- [*Platydracus tarsalis*](#) (Mannerheim, 1843)
- [*Platydracus temporalis*](#) (Casey, 1915)
- [*Platydracus tomentosus*](#)
- [*Platydracus toumodiensis*](#) Levasseur, 1967
- [*Platydracus trimaculatus*](#) (Fauvel, 1895)
- [*Platydracus uheheanus*](#) (Bernhauer, 1937)
- [*Platydracus ussuriensis*](#) (Solsky, 1871)
- [*Platydracus vestitus*](#) (Sharp, 1884)
- [*Platydracus vetustus*](#) (Sharp, 1876)
- [*Platydracus vicarius*](#) (Sharp, 1889)
- [*Platydracus villanuevai*](#) Rougemont, 2015
- [*Platydracus violaceovirens*](#) (Fauvel, 1905)
- [*Platydracus violaceus*](#)
- [*Platydracus virgulatus*](#) (Fauvel, 1895)
- [*Platydracus viridanus*](#) (Horn, 1879)
- [*Platydracus vittatus*](#)
- [*Platydracus vividus*](#) (Sharp, 1884)
- [*Platydracus weingaertneri*](#) (Bernhauer, 1927)
- [*Platydracus wittei*](#) (Fagel, 1950)
- [*Platydracus wittmeri*](#) Coiffait, 1977
- [*Platydracus yolensis*](#) (Cerruti, 1951)
- [*Platydracus yunnanensis*](#) (Bernhauer, 1933)
- [*Platydracus yunnanicus*](#) Smetana & Davies, 2000
- [*Platydracus zavattarii*](#) (Gridelli, 1939)
- [*Platydracus zonatus*](#) (Gravenhorst, 1802)
- † [*Platydracus breviantennatus*](#) Cai, Chenyang, Newton, Diying Huang & Liang Tang, 2014

References

1.
 - [*"Platydracus"*](#). GBIF. Retrieved 2020-03-19.
 -
2. [*"Platydracus genus Information"*](#). BugGuide.net. Retrieved 2020-03-19.

Categories:

- [Staphylininae](#)
- [Lists of insect species](#)
-

This is a list of 545 species in [*Pityophthorus*](#), a genus of typical bark beetles in the family [*Curculionidae*](#).^{[1][2][3][4]}

***Pityophthorus* species**

- [*Pityophthorus abbreviatus*](#) Schedl, 1972g ^C
- [*Pityophthorus abiegnus*](#) Wood, 1964 ^C
- [*Pityophthorus abietinus*](#) Wood, 1989 ^C
- [*Pityophthorus abietis*](#) Blackman, 1928b ^C
- [*Pityophthorus ablusus*](#) Bright, 1985b ^C
- [*Pityophthorus abnormalis*](#) Bright, 1972d ^C
- [*Pityophthorus absonus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus abstrusus*](#) Bright, 1976c ^C
- [*Pityophthorus acceptus*](#) Bright, 1981d ^C
- [*Pityophthorus acerini*](#) Blackman, 1928b ^C
- [*Pityophthorus aciculatus*](#) Bright, 1977 ^C
- [*Pityophthorus acuminatus*](#) Bright, 1981d ^C
- [*Pityophthorus acutus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus africanulus*](#) Wood, 1992a ^C
- [*Pityophthorus africanus*](#) Eggers, 1927a ^C
- [*Pityophthorus agnatus*](#) Blackman, 1928b ^C
- [*Pityophthorus albertensis*](#) Blackman, 1928b ^C
- [*Pityophthorus alienus*](#) Eichhoff, 1872a ^C

- [*Pityophthorus alni*](#) Blackman, 1942a ^c
- [*Pityophthorus alnicolens*](#) Wood, 1977b ^c
- [*Pityophthorus alpinensis*](#) Hopping, 1960 ^{i c}
- [*Pityophthorus alvarengai*](#) Schedl, 1972g ^c
- [*Pityophthorus amicus*](#) Wood, 1975b ^c
- [*Pityophthorus amoenus*](#) Blandford, 1904 ^c
- [*Pityophthorus amplus*](#) (Blackman, 1928) ^{i c}
- [*Pityophthorus anacardii*](#) Wood, 2007 ^c
- [*Pityophthorus anceps*](#) Blackman, 1928b ^c
- [*Pityophthorus angeri*](#) Pfeffer, 1927 ^c
- [*Pityophthorus angustus*](#) Blackman, 1928b ^c
- [*Pityophthorus annectens*](#) LeConte, 1878 ^{i c b}
- [*Pityophthorus anthracinus*](#) Bright, 1976c ^c
- [*Pityophthorus anticus*](#) Schedl, 1976a ^c
- [*Pityophthorus antillicus*](#) Bright, 1981c ^c
- [*Pityophthorus antiquarius*](#) Bright & Poinar, 1994 ^c
- [*Pityophthorus apachae*](#) Bright, 1977 ^c
- [*Pityophthorus apache*](#) Bright, 1977 ^{i g}
- [*Pityophthorus aphelofacies*](#) Bright & Poinar, 1994 ^c
- [*Pityophthorus apicenotatus*](#) Schedl, 1976a ^c
- [*Pityophthorus apicipennis*](#) Schedl, 1976a ^c
- [*Pityophthorus apiculatus*](#) Schedl, 1937h ^c
- [*Pityophthorus aplanatus*](#) Schedl, 1930 ^c
- [*Pityophthorus aquilonius*](#) Bright, 1968c ^c
- [*Pityophthorus aquilus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus arakii*](#) Bright, 1977 ^c
- [*Pityophthorus arcanus*](#) Bright, 1976 ^{i c}
- [*Pityophthorus arceuthobii*](#) Wood, 1971 ^c
- [*Pityophthorus argentinensis*](#) Eggers, 1951 ^c
- [*Pityophthorus argentiniae*](#) Wood & Bright, 1992 ^c
- [*Pityophthorus aristatae*](#) Bright, 1964 ^c
- [*Pityophthorus artifex*](#) Blackman, 1928b ^c
- [*Pityophthorus ascendens*](#) Schedl, 1972g ^c
- [*Pityophthorus ashanti*](#) Schedl, 1972e ^c
- [*Pityophthorus assitus*](#) Wood, 1977b ^c
- [*Pityophthorus aterrimus*](#) Eggers, 1931b ^c

- [*Pityophthorus atkinsoni*](#) Bright, 1985a ^C
- [*Pityophthorus atomus*](#) Wood, 1964 ^C
- [*Pityophthorus atratulus*](#) LeConte, 1868 ^C
- [*Pityophthorus attenuatus*](#) Blackman, 1942a ^C
- [*Pityophthorus auctor*](#) Blackman, 1942a ^C
- [*Pityophthorus aurulentus*](#) Bright, 1966b ^C
- [*Pityophthorus australis*](#) Blackman, 1928b ^C
- [*Pityophthorus aztecus*](#) Bright, 1977 ^C
- [*Pityophthorus bahiae*](#) Wood, 2007 ^C
- [*Pityophthorus balcanicus*](#) Pfeffer, 1940b ^C
- [*Pityophthorus balsameus*](#) Blackman, 1922 ^{i C}
- [*Pityophthorus barberi*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus barbifer*](#) Schedl, 1964j ^C
- [*Pityophthorus barbosai*](#) Wood, 2007 ^C
- [*Pityophthorus bassetti*](#) Blackman, 1920 ^{i C}
- [*Pityophthorus bellus*](#) Blackman, 1928b ^C
- [*Pityophthorus bibractensis*](#) Balachowsky, 1949a ^C
- [*Pityophthorus biovalis*](#) Blackman, 1922 ^{i C}
- [*Pityophthorus bisulcatus*](#) Eichhoff, 1869a ^C
- [*Pityophthorus blackmani*](#) Wood, 1986a ^C
- [*Pityophthorus blandulus*](#) Schedl, 1955g ^C
- [*Pityophthorus blandus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus bolivianus*](#) Eggers, 1943a ^C
- [*Pityophthorus borrichiae*](#) Wood, 1964 ⁱ
- [*Pityophthorus borrichiae*](#) Wood, 1964 ^C
- [*Pityophthorus boycei*](#) Swaine, 1925 ^{i C}
- [*Pityophthorus brasiliensis*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus bravoii*](#) Bright, 1986b ^C
- [*Pityophthorus brevicomatus*](#) Bright, 1976c ^C
- [*Pityophthorus brevis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus brevisetosus*](#) Eggers, 1933b ^C
- [*Pityophthorus brighti*](#) Wood, 1989 ^C
- [*Pityophthorus briscoei*](#) Blackman, 1922 ^{i C}
- [*Pityophthorus brucki*](#) Bright, 1971b ^C
- [*Pityophthorus burkei*](#) Blackman, 1928b ^C
- [*Pityophthorus burserae*](#) Wood, 1976a ^C

- [*Pityophthorus busseae*](#) Schedl, 1962h ^C
- [*Pityophthorus buyssoni*](#) Reitter, 1901a ^C
- [*Pityophthorus cacuminatus*](#) Blandford, 1904 ^C
- [*Pityophthorus caelator*](#) Blackman, 1928b ^C
- [*Pityophthorus californicus*](#) Bright, 1976 ^{i C}
- [*Pityophthorus camerunus*](#) Eggers, 1920 ^C
- [*Pityophthorus canadensis*](#) Swaine, J.M., 1917 ^C
- [*Pityophthorus carinatus*](#) Bright, 1978 ^{i C}
- [*Pityophthorus cariniceps*](#) LeConte, 1876 ^{i C}
- [*Pityophthorus carinifrons*](#) Blandford, 1904 ^C
- [*Pityophthorus carinulatus*](#) Swaine, 1925 ^{i C}
- [*Pityophthorus carmeli*](#) Swaine, 1918 ^{i C}
- [*Pityophthorus carniolicus*](#) Wichmann, H.E., 1910a ^C
- [*Pityophthorus cascoensis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus catulus*](#) Blackman, 1928b ^C
- [*Pityophthorus cavatus*](#) Bright, 1978 ^{i C}
- [*Pityophthorus cedri*](#) Wood, 1989 ^C
- [*Pityophthorus celatus*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus cephalonicae*](#) Pfeffer, 1940b ^C
- [*Pityophthorus chalcoensis*](#) Hopkins, 1905b ^C
- [*Pityophthorus chiapensis*](#) Bright, 1977 ^C
- [*Pityophthorus chilgoza*](#) Wood, 1989 ^C
- [*Pityophthorus chir*](#) Beeson, 1961 ^C
- [*Pityophthorus ciliatus*](#) Blackman, 1942a ^C
- [*Pityophthorus cincinnatus*](#) Blandford, 1904 ^C
- [*Pityophthorus citus*](#) Blackman, 1928b ^C
- [*Pityophthorus clarus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus clivus*](#) Bright, 1977 ^C
- [*Pityophthorus cognatus*](#) Blackman, 1928b ^C
- [*Pityophthorus collaris*](#) Schedl, 1965c ^C
- [*Pityophthorus collinus*](#) Bright, 1968c ^C
- [*Pityophthorus comosus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus comptus*](#) Blackman, 1928b ^C
- [*Pityophthorus concavus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus concentralis*](#) Eichhoff, 1878 ^{i C}
- [*Pityophthorus concinnus*](#) Wood, 1977b ^C

- [*Pityophthorus confertus*](#) Swaine, 1917^{i c}
- [*Pityophthorus confinis*](#) LeConte, 1876^{i c}
- [*Pityophthorus confractus*](#) Bright, 1985c^c
- [*Pityophthorus confusus*](#) Blandford, 1904^{i c}
- [*Pityophthorus congonus*](#) Eggers, 1927a^c
- [*Pityophthorus coniferae*](#) Stebbing, E.P., 1909b^c
- [*Pityophthorus coniperda*](#) Schwarz, E.A., 1895a^c
- [*Pityophthorus conscriptus*](#) Bright, 1986b^c
- [*Pityophthorus consimilis*](#) LeConte, 1878^{i c b}
- [*Pityophthorus conspectus*](#) Wood, 1976a^c
- [*Pityophthorus convexicollis*](#) Bright & Torres, 2006^c
- [*Pityophthorus coronarius*](#) Blackman, 1942a^c
- [*Pityophthorus corruptus*](#) Wood, 1976a^c
- [*Pityophthorus cortezi*](#) Bright, 1977^c
- [*Pityophthorus corticalis*](#) Eichhoff, 1872a^c
- [*Pityophthorus costabilis*](#) Wood, 1976a^c
- [*Pityophthorus costalimai*](#) Blackman, 1942a^c
- [*Pityophthorus costatulus*](#) Wood, 1976a^c
- [*Pityophthorus costatus*](#) Wood, 1975b^c
- [*Pityophthorus costifera*](#) Bright, 1985b^c
- [*Pityophthorus cracentis*](#) Bright, 1985b^c
- [*Pityophthorus crassus*](#) Blackman, 1928^{i c}
- [*Pityophthorus cribratus*](#) Pfeffer, 1940b^c
- [*Pityophthorus cribripennis*](#) Eichhoff, 1869a^c
- [*Pityophthorus crinalis*](#) Blackman, 1928^{i c}
- [*Pityophthorus cristatus*](#) Wood, 1964^{i c}
- [*Pityophthorus crotonis*](#) Wood, 1977d^c
- [*Pityophthorus cubensis*](#) Schedl, 1972g^c
- [*Pityophthorus culminicolae*](#) Bright, 1977^c
- [*Pityophthorus curtulus*](#) Sokanovskii, B.V., 1954^c
- [*Pityophthorus cuspidatus*](#) Blackman, 1942a^c
- [*Pityophthorus cutleri*](#) Swaine, J.M., 1925b^c
- [*Pityophthorus debilis*](#) Wood, 1976a^c
- [*Pityophthorus declivisetosus*](#) Bright, 1977^c
- [*Pityophthorus degener*](#) Wood, 1975b^c
- [*Pityophthorus deleoni*](#) Bright, 1976c^c

- [*Pityophthorus deletus*](#) LeConte, 1879^{i c}
- [*Pityophthorus delicatus*](#) Wood, 1978b^c
- [*Pityophthorus demissus*](#) Blackman, 1928b^c
- [*Pityophthorus denticulatus*](#) Wood & Bright, 1992^c
- [*Pityophthorus dentifrons*](#) Blackman, 1922^{i c}
- [*Pityophthorus deodara*](#) Wood & Bright, 1992^c
- [*Pityophthorus deprecator*](#) Schaufuss, C.F.C., 1891^c
- [*Pityophthorus depygis*](#) Blackman, 1928^{i c}
- [*Pityophthorus desultorius*](#) Bright, 1985b^c
- [*Pityophthorus detectus*](#) Schedl, 1972g^c
- [*Pityophthorus detentus*](#) Wood, 1976a^c
- [*Pityophthorus deyrollei*](#) Blandford, 1904^c
- [*Pityophthorus digestus*](#) (LeConte, 1874)^{i c}
- [*Pityophthorus diglyphus*](#) Blandford, 1904^c
- [*Pityophthorus diligens*](#) Wood, 1976a^c
- [*Pityophthorus dimidiatus*](#) Blackman, 1942a^c
- [*Pityophthorus diminutivus*](#) Bright, 1985a^c
- [*Pityophthorus dimorphus*](#) Schedl, 1959m^c
- [*Pityophthorus discretus*](#) Wood, 1977c^c
- [*Pityophthorus dispar*](#) Bright, 1976c^c
- [*Pityophthorus dissolutus*](#) Wood, 1975b^c
- [*Pityophthorus diversus*](#) Bright, 1972d^c
- [*Pityophthorus djuguensis*](#) Eggers, 1940b^c
- [*Pityophthorus dolus*](#) Wood, 1964^c
- [*Pityophthorus dorsalis*](#) Schedl, 1953d^c
- [*Pityophthorus durus*](#) Blackman, 1928^{i c}
- [*Pityophthorus edulis*](#) Blackman, 1928b^c
- [*Pityophthorus eggersi*](#) Schedl, 1952d^c
- [*Pityophthorus eggersianus*](#) Schedl, 1958k^c
- [*Pityophthorus elatinus*](#) Wood, 1964^c
- [*Pityophthorus electus*](#) Blackman, 1928^{i c}
- [*Pityophthorus elegans*](#) Schedl, 1938a^c
- [*Pityophthorus elimatus*](#) Bright, 1976c^c
- [*Pityophthorus elongatulus*](#) Schedl, 1976a^c
- [*Pityophthorus elongatus*](#) Swaine, J.M., 1925b^c
- [*Pityophthorus epistomalis*](#) Schedl, 1961i^c

- [*Pityophthorus equihuai*](#) Bright, 1985a ^C
- [*Pityophthorus erraticus*](#) Schedl, 1976a ^C
- [*Pityophthorus espinosai*](#) Brèthes, 1925 ^C
- [*Pityophthorus eucracens*](#) Wood, 2007 ^C
- [*Pityophthorus euterpes*](#) Bright, 1978 ^C
- [*Pityophthorus excellens*](#) Schedl, 1972g ^C
- [*Pityophthorus exiguus*](#) Blackman, 1928b ^C
- [*Pityophthorus exilis*](#) Swaine, J.M., 1925b ^C
- [*Pityophthorus eximius*](#) Schedl, 1938a ^C
- [*Pityophthorus explicitus*](#) Wood, 1975b ^C
- [*Pityophthorus exquisitus*](#) Bright, 1981d ^C
- [*Pityophthorus exsculptus*](#) Eichhoff, 1864b ^C
- [*Pityophthorus exsectus*](#) Schedl, 1972g ^C
- [*Pityophthorus fallax*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus fennicus*](#) Eggers, 1914 ^C
- [*Pityophthorus festus*](#) Wood, 1967 ^{i C}
- [*Pityophthorus flavimaculatus*](#) Murayama, 1963c ^C
- [*Pityophthorus foratus*](#) Wood, 1967d ^C
- [*Pityophthorus formosus*](#) Bright, 1972d ^C
- [*Pityophthorus fortis*](#) Blackman, 1928b ^C
- [*Pityophthorus fossifrons*](#) Leconte, 1876 ^C
- [*Pityophthorus franseriae*](#) Wood, 1971 ^{i C}
- [*Pityophthorus frontalis*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus fulgens*](#) Schedl, 1965c ^C
- [*Pityophthorus furnissi*](#) Bright, 1976c ^C
- [*Pityophthorus fuscus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus galeritus*](#) Wood, 1976a ^C
- [*Pityophthorus gentilis*](#) Schedl, 1961i ^C
- [*Pityophthorus germanus*](#) Bright, 1976c ^C
- [*Pityophthorus ghanaensis*](#) Schedl, 1972k ^C
- [*Pityophthorus glaber*](#) Schedl (Eggers in), 1951m ^C
- [*Pityophthorus glabratus*](#) Bright, 1976b ^C
- [*Pityophthorus glabratus*](#) Eichhoff, 1878b ^C
- [*Pityophthorus glutae*](#) Wood, 1989 ^C
- [*Pityophthorus gracilis*](#) Swaine, J.M., 1925b ^C
- [*Pityophthorus grandis*](#) Blackman, 1928 ^{i C}

- [*Pityophthorus granulatus*](#) Swaine, J.M., 1917 ^C
- [*Pityophthorus granulicauda*](#) Schedl, 1979c ^C
- [*Pityophthorus granulipennis*](#) Schedl, 1966f ^C
- [*Pityophthorus guadeloupensis*](#) Nunberg, 1956d ^C
- [*Pityophthorus guatemalensis*](#) Blandford, 1904 ^C
- [*Pityophthorus gunneri*](#) Schedl, 1970f ^C
- [*Pityophthorus hamamelidis*](#) Blackman, 1928b ^C
- [*Pityophthorus henscheli*](#) Seitner, M., 1887 ^C
- [*Pityophthorus hermosus*](#) Wood, 1976a ^C
- [*Pityophthorus herrarai*](#) Hopkins, 1905b ^C
- [*Pityophthorus hesperius*](#) Bright, 1978 ^C
- [*Pityophthorus hidalgoensis*](#) Blackman, 1942a ^C
- [*Pityophthorus hintzi*](#) Schedl, 1938h ^C
- [*Pityophthorus hirticeps*](#) LeConte, 1878b ^C
- [*Pityophthorus hispaniolus*](#) Bright, 1985c ^C
- [*Pityophthorus hopkinsi*](#) Blackman, 1928b ^C
- [*Pityophthorus hubbardi*](#) Blackman, 1928b ^C
- [*Pityophthorus hylocuroides*](#) Wood, 1964 ^C
- [*Pityophthorus icicae*](#) Wood, 2007 ^C
- [*Pityophthorus idoneus*](#) Blackman, 1928b ^C
- [*Pityophthorus ignotus*](#) Schedl, 1961e ^C
- [*Pityophthorus ikelaensis*](#) Nunberg, 1967b ^C
- [*Pityophthorus imbellis*](#) Wood, 2007 ^C
- [*Pityophthorus immanis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus impexus*](#) Bright, 1978 ^C
- [*Pityophthorus inaequidens*](#) Schedl, 1976a ^C
- [*Pityophthorus inceptis*](#) Wood, 1975b ^C
- [*Pityophthorus incommodus*](#) Blandford, 1904 ^C
- [*Pityophthorus incompositus*](#) Blandford, 1904 ^C
- [*Pityophthorus indefessus*](#) Bright, 1986a ^C
- [*Pityophthorus indigens*](#) Wood, 1976a ^C
- [*Pityophthorus indigus*](#) Wood, 1978 ^{i C}
- [*Pityophthorus ineditus*](#) Bright, 1976c ^C
- [*Pityophthorus infans*](#) Eichhoff, 1872a ^C
- [*Pityophthorus infimus*](#) Schedl, 1972g ^C
- [*Pityophthorus infulatus*](#) Blackman, 1928 ^{i C}

- [*Pityophthorus ingens*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus inhabilis*](#) Bright, 1986a ^c
- [*Pityophthorus iniquus*](#) Blackman, 1928b ^c
- [*Pityophthorus inops*](#) Wood, 1976a ^c
- [*Pityophthorus inquietus*](#) Blackman, 1928b ^c
- [*Pityophthorus insuetus*](#) Bright, 1985b ^c
- [*Pityophthorus intentus*](#) Bright, 1978 ^{i c}
- [*Pityophthorus intextus*](#) Swaine, 1917 ^{i c}
- [*Pityophthorus inyoensis*](#) Bright, 1971b ^c
- [*Pityophthorus irregularis*](#) Eggers, 1931b ^c
- [*Pityophthorus irritans*](#) Schedl, 1979j ^c
- [*Pityophthorus islas*](#) Wood, 1962 ^c
- [*Pityophthorus ituriensis*](#) Eggers, 1940b ^c
- [*Pityophthorus jeffreyi*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus joveri*](#) Schedl, 1954d ^c
- [*Pityophthorus jucundus*](#) Blandford, 1894d ^c
- [*Pityophthorus juglandis*](#) Blackman, 1928 ^{i c b} (walnut twig beetle)
- [*Pityophthorus keeni*](#) (Blackman, 1928) ⁱ
- [*Pityophthorus kenti*](#) Blackman, 1928b ^c
- [*Pityophthorus kenyae*](#) Schedl, 1955i ^c
- [*Pityophthorus kirgicus*](#) Pjatnitskii, 1931 ^c
- [*Pityophthorus kivuensis*](#) Schedl, 1957d ^c
- [*Pityophthorus knoteki*](#) Reitter, 1898b ^c
- [*Pityophthorus kurentzovi*](#) Krivolutskaya, 1996a ^c
- [*Pityophthorus kuscheli*](#) Schedl, 1951d ^c
- [*Pityophthorus laetus*](#) Wood, 1976a ^c
- [*Pityophthorus laevigatus*](#) Eggers, 1933b ^c
- [*Pityophthorus languidus*](#) Eichhoff, 1878b ^c
- [*Pityophthorus lapponicus*](#) Stark, V.N., 1952 ^c
- [*Pityophthorus lateralis*](#) Swaine, J.M., 1917 ^c
- [*Pityophthorus laticeps*](#) Bright, 1978 ^c
- [*Pityophthorus lautus*](#) Eichhoff, 1872 ^{i c}
- [*Pityophthorus lecontei*](#) Bright, 1977 ^{i c}
- [*Pityophthorus leechi*](#) Wood, 1977 ^{i c}
- [*Pityophthorus leiophyllae*](#) Blackman, 1942a ^c
- [*Pityophthorus lenis*](#) Wood, 1976a ^c

- [*Pityophthorus lepidus*](#) Bright, 1977 ^c
- [*Pityophthorus levis*](#) Wood, 1986 ^{i c}
- [*Pityophthorus lichtensteini*](#) Eichhoff, 1864b ^c
- [*Pityophthorus limatus*](#) Wood, 1964 ^c
- [*Pityophthorus liquidambarus*](#) Blackman, 1921 ^{i c}
- [*Pityophthorus litos*](#) Bright, 1976c ^c
- [*Pityophthorus longipilus*](#) Schedl, 1951m ^c
- [*Pityophthorus longulus*](#) Sokanovskii, B.V., 1954 ^c
- [*Pityophthorus macrographus*](#) Eichhoff, 1880a ^c
- [*Pityophthorus madagascariensis*](#) Schedl, 1951j ^c
- [*Pityophthorus malleatus*](#) Bright, 1978 ^c
- [*Pityophthorus mandibularis*](#) Schedl, 1951m ^c
- [*Pityophthorus maritimus*](#) Stark, V.N., 1952 ^c
- [*Pityophthorus maroantsetrae*](#) Schedl, 1965c ^c
- [*Pityophthorus mauretanicus*](#) Peyerimhoff, 1930 ^c
- [*Pityophthorus medialis*](#) Wood, 1976a ^c
- [*Pityophthorus megas*](#) Bright, 1976c ^c
- [*Pityophthorus melanurus*](#) Wood, 1976a ^c
- [*Pityophthorus mendosus*](#) Wood, 1975b ^c
- [*Pityophthorus mesembria*](#) Bright, 1978 ^c
- [*Pityophthorus mexicanus*](#) Blackman, 1928b ^c
- [*Pityophthorus micans*](#) Bright, 1981d ^c
- [*Pityophthorus micrographus*](#) (Linnaeus, C., 1758) ^{c g}
- [*Pityophthorus micrograptinus*](#) Wood, 1989 ^c
- [*Pityophthorus miniatus*](#) Bright, 1981d ^c
- [*Pityophthorus minimus*](#) Bright, 1976 ^{i c g}
- [*Pityophthorus minus*](#) Bright, 1976c ^c
- [*Pityophthorus minutalis*](#) Wood, 1976a ^c
- [*Pityophthorus minutus*](#) Schedl, 1963d ^c
- [*Pityophthorus modicus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus molestus*](#) Wood, 1976a ^c
- [*Pityophthorus mollis*](#) Blackman, 1928b ^c
- [*Pityophthorus monophyllae*](#) Blackman, 1928b ^c
- [*Pityophthorus montezumae*](#) Bright, 1978 ^c
- [*Pityophthorus monticolae*](#) Bright, 1978 ^c
- [*Pityophthorus montivagus*](#) Bright, 1977 ^c

- [*Pityophthorus moritzi*](#) Wood, 2007 ^c
- [*Pityophthorus mormon*](#) Bright, 1977 ^{i c}
- [*Pityophthorus morosovi*](#) Spessivtsev, P., 1926b ^c
- [*Pityophthorus morosus*](#) Wood, 1976a ^c
- [*Pityophthorus mpossae*](#) Schedl, 1957d ^c
- [*Pityophthorus muluensis*](#) Bright, 2000 ^c
- [*Pityophthorus mulungensis*](#) Schedl, 1957d ^c
- [*Pityophthorus mundus*](#) Blackman, 1928b ^c
- [*Pityophthorus murrayanae*](#) Blackman, 1922 ^{i c}
- [*Pityophthorus nanus*](#) Wood, 1964 ^c
- [*Pityophthorus natalis*](#) Blackman, 1921 ^c
- [*Pityophthorus navus*](#) Blackman, 1928b ^c
- [*Pityophthorus nebulosus*](#) Wood, 1976a ^c
- [*Pityophthorus nectandrae*](#) Wood, 2007 ^c
- [*Pityophthorus nemoralis*](#) Wood, 1976a ^c
- [*Pityophthorus niger*](#) Schedl, 1938a ^c
- [*Pityophthorus nigricans*](#) Blandford, 1904 ^c
- [*Pityophthorus nigriceps*](#) Wood, 2007 ^c
- [*Pityophthorus nitellus*](#) Browne, 1973a ^c
- [*Pityophthorus nitidicollis*](#) Blackman, 1928b ^c
- [*Pityophthorus nitidulus*](#) (Mannerheim, 1843) ⁱ
- [*Pityophthorus nitidus*](#) Swaine, 1917 ^{i c}
- [*Pityophthorus nocturnus*](#) Schedl, 1938a ^c
- [*Pityophthorus novateutonicus*](#) Schedl, 1964b ^c
- [*Pityophthorus novellus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus nudus*](#) Swaine, J.M., 1917 ^c
- [*Pityophthorus nugalus*](#) Wood, 1976a ^c
- [*Pityophthorus obliquus*](#) LeConte, 1878a ^c
- [*Pityophthorus obsoletus*](#) Blandford, 1904 ^c
- [*Pityophthorus obtusipennis*](#) Blandford, 1904 ^c
- [*Pityophthorus obtusus*](#) Schaufuss, C.F.C., 1891 ^c
- [*Pityophthorus occidentalis*](#) Blackman, 1920 ^{i c}
- [*Pityophthorus occlusus*](#) Bright, 1976c ^c
- [*Pityophthorus olivierai*](#) Schedl, 1972g ^c
- [*Pityophthorus opacifrons*](#) Wood, 2007 ^c
- [*Pityophthorus opaculus*](#) LeConte, 1878 ^{i c}

- [*Pityophthorus opimus*](#) Blackman, 1928b ^C
- [*Pityophthorus orarius*](#) Bright, 1968 ^{i C}
- [*Pityophthorus ornatus*](#) Blackman, 1928b ^C
- [*Pityophthorus ostryacolens*](#) Bright, 1986b ^C
- [*Pityophthorus pampasae*](#) Schedl, 1970e ^C
- [*Pityophthorus parfentievi*](#) Pjatnitskii, 1931 ^C
- [*Pityophthorus parilis*](#) Wood, 1976a ^C
- [*Pityophthorus patchi*](#) Blackman, 1922c ^C
- [*Pityophthorus paulus*](#) Wood, 1964 ^C
- [*Pityophthorus pecki*](#) Atkinson, 1993b ^C
- [*Pityophthorus pellitus*](#) Schedl, 1955g ^C
- [*Pityophthorus pentaclethrae*](#) Schedl, 1957d ^C
- [*Pityophthorus peregrinus*](#) Eichhoff, 1878b ^C
- [*Pityophthorus perexiguus*](#) Wood, 1976a ^C
- [*Pityophthorus perotei*](#) Blackman, 1942a ^C
- [*Pityophthorus philippinensis*](#) Schedl, 1936h ^C
- [*Pityophthorus piceae*](#) Blackman, 1928b ^C
- [*Pityophthorus piceus*](#) Bright, 1966b ^C
- [*Pityophthorus pilifer*](#) Schedl, 1931b ^C
- [*Pityophthorus pinavorus*](#) Bright, 1985 ^{i C}
- [*Pityophthorus pindrow*](#) Beeson, 1961 ^C
- [*Pityophthorus pinguus*](#) (Blackman, 1928) ^{i g}
- [*Pityophthorus pini*](#) Kurenzov, 1941a ^C
- [*Pityophthorus pinsapo*](#) Pfeffer, 1982b ^C
- [*Pityophthorus podocarp*](#) Wood, 2007 ^C
- [*Pityophthorus politus*](#) Blandford, 1904 ^C
- [*Pityophthorus polonicus*](#) Karpinski, 1949 ^C
- [*Pityophthorus ponderosae*](#) Blackman, 1928b ^C
- [*Pityophthorus poricollis*](#) Blandford, 1904 ^C
- [*Pityophthorus praealtus*](#) Bright, 1966b ^C
- [*Pityophthorus pruinus*](#) Eichhoff, 1878b ^C
- [*Pityophthorus pseudotsugae*](#) Swaine, 1918 ^{i g}
- [*Pityophthorus puberulus*](#) (LeConte, 1868) ⁱ
- [*Pityophthorus pubifrons*](#) Bright, 1981d ^C
- [*Pityophthorus pudicus*](#) Blackman, 1942a ^C
- [*Pityophthorus pulchellus*](#) Eichhoff, 1869 ^{i C}

- [*Pityophthorus pulicarius*](#) (Zimmermann, 1868)ⁱ
- [*Pityophthorus pullus*](#) (Zimmermann, 1868)ⁱ
- [*Pityophthorus punctatus*](#) Eggers, 1940a^c
- [*Pityophthorus puncticollis*](#) LeConte, 1874a^c
- [*Pityophthorus punctifrons*](#) Bright, 1966^{i c}
- [*Pityophthorus punctiger*](#) Wood & Bright, 1992^c
- [*Pityophthorus pusillus*](#) Wood, 1964^c
- [*Pityophthorus pusio*](#) LeConte, 1878b^c
- [*Pityophthorus pygmaeolus*](#) Schedl, 1970e^c
- [*Pityophthorus pygmaeus*](#) Schedl, 1931b^c
- [*Pityophthorus quadrispinatus*](#) Schedl, 1966f^c
- [*Pityophthorus quercinus*](#) Wood, 1967d^c
- [*Pityophthorus querciperda*](#) Schwarz, E.A., 1888a^c
- [*Pityophthorus ramiperda*](#) Swaine, 1917^{i c}
- [*Pityophthorus ramulorum*](#) Perris, 1856a^c
- [*Pityophthorus recens*](#) Bright, 1977^{i g}
- [*Pityophthorus regularis*](#) Blackman, 1942a^c
- [*Pityophthorus repens*](#) Bright, 1976c^c
- [*Pityophthorus reticulatus*](#) Wood, 2007^c
- [*Pityophthorus retifrons*](#) Wood, 2007^c
- [*Pityophthorus rhois*](#) Swaine, J.M., 1917^c
- [*Pityophthorus robai*](#) Wood, 1977b^c
- [*Pityophthorus robustus*](#) Pfeffer, 1940b^c
- [*Pityophthorus roppae*](#) Schedl, 1976a^c
- [*Pityophthorus rossicus*](#) Eggers, 1915b^c
- [*Pityophthorus rubidus*](#) Wood, 1978^{i c}
- [*Pityophthorus rubripes*](#) Eggers, 1943a^c
- [*Pityophthorus rudis*](#) Blackman, 1942a^c
- [*Pityophthorus rugicollis*](#) Swaine, J.M., 1925b^c
- [*Pityophthorus sachalinensis*](#) Krivolutskaya, 1956^c
- [*Pityophthorus sambuci*](#) Blackman, 1942a^c
- [*Pityophthorus sampsoni*](#) Stebbing, E.P., 1914^c
- [*Pityophthorus sapineus*](#) Bright, 1981d^c
- [*Pityophthorus scabridus*](#) Schedl, 1955g^c
- [*Pityophthorus scalptor*](#) Blackman, 1928^{i c}
- [*Pityophthorus scalptus*](#) Bright, 1978^{i c}

- [*Pityophthorus schrenkianae*](#) Pjatnitskii, 1931 ^C
- [*Pityophthorus schwarzi*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus schwerdtfegeri*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus schwerdtfegeri*](#) (Schedl, 1955) ^{i g}
- [*Pityophthorus scitulus*](#) Wood, 1976a ^C
- [*Pityophthorus scriptor*](#) Blackman, 1921 ^{i C}
- [*Pityophthorus segnis*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus seiryuensis*](#) Murayama, 1963c ^C
- [*Pityophthorus semiermis*](#) Nunberg, 1963c ^C
- [*Pityophthorus senex*](#) Wichmann, H.E., 1913d ^C
- [*Pityophthorus separatus*](#) Bright, 1977 ^{i C}
- [*Pityophthorus seriatus*](#) LeConte, 1878a ^C
- [*Pityophthorus serratus*](#) Swaine, 1918 ^{i C}
- [*Pityophthorus setifer*](#) Browne, 1965a ^C
- [*Pityophthorus setosus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus sextuberculatus*](#) Eggers, 1933b ^C
- [*Pityophthorus shannoni*](#) Blackman, 1942a ^C
- [*Pityophthorus shepardi*](#) Blackman, 1922c ^C
- [*Pityophthorus sibiricus*](#) Nunberg, 1956d ^C
- [*Pityophthorus sichotensis*](#) Kurenzov, 1941a ^C
- [*Pityophthorus sierrensis*](#) Bright, 1971 ^{i C}
- [*Pityophthorus signatifrons*](#) Browne, 1975a ^C
- [*Pityophthorus similis*](#) Wood, 2007 ^C
- [*Pityophthorus similis*](#) Eichhoff, 1869a ^C
- [*Pityophthorus simplicis*](#) Wood, 2007 ^C
- [*Pityophthorus singularis*](#) Bright, 1966b ^C
- [*Pityophthorus sinopae*](#) Schedl, 1976a ^C
- [*Pityophthorus siouxensis*](#) Bright, 1977 ^C
- [*Pityophthorus smithi*](#) Schedl, 1931b ^C
- [*Pityophthorus sobrinus*](#) Wood, 1976a ^C
- [*Pityophthorus socius*](#) Blackman, 1928b ^C
- [*Pityophthorus solatus*](#) Wood, 1977b ^C
- [*Pityophthorus solers*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus solus*](#) Blackman, 1928 ^{i C}
- [*Pityophthorus spadix*](#) Blackman, 1942a ^C
- [*Pityophthorus sparsepilosus*](#) Wood, 1975b ^C

- [*Pityophthorus speciosus*](#) Wood, 1977b ^C
- [*Pityophthorus speculum*](#) Bright, 1976c ^C
- [*Pityophthorus splendens*](#) Wood, 2007 ^C
- [*Pityophthorus strictus*](#) Wood, 1976a ^C
- [*Pityophthorus subconcentralis*](#) Schedl, 1938a ^C
- [*Pityophthorus subcibratus*](#) Schedl, 1937h ^C
- [*Pityophthorus subimpressus*](#) Bright, 1976c ^C
- [*Pityophthorus subopacus*](#) Blackman, 1942a ^C
- [*Pityophthorus subsimilans*](#) Wood, 1989 ^C
- [*Pityophthorus subsimilis*](#) Schedl, 1955g ^C
- [*Pityophthorus subsulcatus*](#) Wood & Bright, 1992 ^C
- [*Pityophthorus sulcatus*](#) Bright, 1977 ^{i C}
- [*Pityophthorus surinamensis*](#) Schedl, 1961i ^C
- [*Pityophthorus suspiciosus*](#) Bright, 1972d ^C
- [*Pityophthorus suturalis*](#) Eggers, 1932d ^C
- [*Pityophthorus swaini*](#) Blackman, 1928b ^C
- [*Pityophthorus temporarius*](#) Bright & Poinar, 1994 ^C
- [*Pityophthorus tenax*](#) Wood, 1976a ^C
- [*Pityophthorus tenuis*](#) Swaine, J.M., 1925b ^C
- [*Pityophthorus terebrans*](#) Schedl, 1970i ^C
- [*Pityophthorus thamnus*](#) Bright, 1985a ^C
- [*Pityophthorus thatcheri*](#) Bright, 1976c ^C
- [*Pityophthorus thomasi*](#) Bright, 1976c ^C
- [*Pityophthorus timidulus*](#) Wood, 1975b ^C
- [*Pityophthorus timidus*](#) Blandford, 1904 ^C
- [*Pityophthorus togonus*](#) Eggers, 1920 ^C
- [*Pityophthorus tomentosus*](#) Eichhoff, 1878b ^C
- [*Pityophthorus tonsus*](#) Blackman, 1928b ^C
- [*Pityophthorus toralis*](#) Wood, 1964 ^{i C}
- [*Pityophthorus torreyanae*](#) Swaine, J.M., 1918a ^C
- [*Pityophthorus torridus*](#) Wood, 1971 ^{i C}
- [*Pityophthorus traeghardi*](#) Spessivtseff, 1921 ^g
- [*Pityophthorus tragardi*](#) Spessivtsev, P., 1921a ^C
- [*Pityophthorus treculiae*](#) Schedl, 1962k ^C
- [*Pityophthorus trepidus*](#) Bright, 1978 ^{i C}
- [*Pityophthorus trunculus*](#) Bright, 1985a ^C

- [*Pityophthorus tuberculatus*](#) Eichhoff, 1878b ^c
- [*Pityophthorus tucumanensis*](#) Wood, 2007 ^c
- [*Pityophthorus tumidus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus turbiculus*](#) Schedl, 1938a ^c
- [*Pityophthorus tutulus*](#) Bright, 1986a ^c
- [*Pityophthorus varians*](#) Schedl, 1930 ^c
- [*Pityophthorus vegrandis*](#) Bright, 1986a ^c
- [*Pityophthorus venezuelensis*](#) Schedl, 1935d ^c
- [*Pityophthorus venustus*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus vesculus*](#) Wood, 1978b ^c
- [*Pityophthorus vescus*](#) Wood, 2007 ^c
- [*Pityophthorus vespertinus*](#) Bright, 1978 ^c
- [*Pityophthorus viminalis*](#) Bright, 1977 ^c
- [*Pityophthorus virilis*](#) Blackman, 1928 ^{i c}
- [*Pityophthorus virtus*](#) Schedl, 1938a ^c
- [*Pityophthorus volvulus*](#) Schedl, 1965f ^c
- [*Pityophthorus vrydaghi*](#) Nunberg, 1973 ^c
- [*Pityophthorus watsoni*](#) Schedl, 1930 ^c
- [*Pityophthorus woodi*](#) Bright, 1977 ^{i c}
- [*Pityophthorus xylotrupes*](#) Eichhoff, 1872a ^c
- [*Pityophthorus zeteki*](#) Blackman, 1942a ^c
- [*Pityophthorus zexmenivora*](#) Bright, 1985a ^c
- [*Pityophthorus zonalis*](#) Bright, 1976 ^{i c}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pityophthorus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-28.
 - ["Browse Pityophthorus"](#). Catalogue of Life. Retrieved 2018-04-28.[[dead link](#)]
 - ["Pityophthorus"](#). GBIF. Retrieved 2018-04-28.
 -
4. ["Pityophthorus Genus Information"](#). BugGuide.net. Retrieved 2018-04-28.

Categories:

- [Scolytinae](#)

- [Lists of insect species](#)
-

This is a list of 140 species in the genus [Pissodes](#), conifer weevils. [\[1\]\[2\]\[3\]\[4\]](#)

***Pissodes* species**

- [Pissodes abietis](#) Ratzeburg, 1837 ^c
- [Pissodes affinis](#) Randall, 1838 ^{i c b}
- [Pissodes alascensis](#) Hopkins, 1911 ^c
- [Pissodes albosignatus](#) Dejean, 1821 ^c
- [Pissodes annulatus](#) Dejean, 1821 ^c
- [Pissodes apiatus](#) Dejean, 1821 ^c
- [Pissodes approximatus](#) Hopkins, 1911 ^{i c b} (northern pine weevil)
- [Pissodes araliae](#) Montrouzier, 1860 ^c
- [Pissodes argus](#) Sturm, 1826 ^c
- [Pissodes armatus](#) Sturm, 1826 ^c
- [Pissodes barberi](#) Hopkins, 1911 ^{i c}
- [Pissodes bellicosus](#) Sturm, 1826 ^c
- [Pissodes bimaculatus](#) Sturm, 1826 ^c
- [Pissodes brasiliensis](#) Cristofori & Jan, 1832 ^c
- [Pissodes brunneus](#) Dalla Torre & Schenkling, 1932 ^c
- [Pissodes bufo](#) Germar, 1817 ^c
- [Pissodes burkei](#) Hopkins, 1911 ^{i c}
- [Pissodes californicus](#) Hopkins, 1911 ^{i c}
- [Pissodes canadensis](#) Hopkins, 1911 ^c
- [Pissodes castaneus](#) (DeGeer, C., 1775) ^{c g}
- [Pissodes caucasicus](#) Roubal, 1923 ^c
- [Pissodes cembrae](#) Motschulsky, V. de, 1860 ^c
- [Pissodes championi](#) O'Brien, 1989 ^c
- [Pissodes cheni](#) Lu, Zhang & Langor, 2007 ^c
- [Pissodes cibriani](#) O'Brien, 1989 ^c
- [Pissodes circularis](#) Sturm, 1826 ^c
- [Pissodes collaris](#) Sturm, 1826 ^c
- [Pissodes coloradensis](#) Hopkins, 1911 ^{i c}

- [*Pissodes conspersus*](#) Dejean, 1821 ^c
- [*Pissodes coronatus*](#) Dejean, 1821 ^c
- [*Pissodes costatus*](#) Mannerheim, 1852 ^{i c}
- [*Pissodes creutzeri*](#) Germar, E.F., 1824 ^c
- [*Pissodes cribrosus*](#) Sturm, 1826 ^c
- [*Pissodes curriei*](#) Hopkins, 1911 ^c
- [*Pissodes cylindricus*](#) Sturm, 1826 ^c
- [*Pissodes dealbatus*](#) Sturm, 1826 ^c
- [*Pissodes deodarae*](#) Hopkins, 1911 ^c
- [*Pissodes dubius*](#) Randall, 1838 ^c
- [*Pissodes echinatus*](#) Sturm, 1826 ^c
- [*Pissodes effossus*](#) Heyden, C. von, 1858 ^{c g}
- [*Pissodes engelmanni*](#) Hopkins, 1911 ^c
- [*Pissodes erythrocephalus*](#) Sturm, 1826 ^c
- [*Pissodes erythrorhynchus*](#) Germar, 1824 ^c
- [*Pissodes fabricii*](#) Stephens, 1829 ^c
- [*Pissodes fasciatus*](#) LeConte, 1876 ^{i c}
- [*Pissodes femoratus*](#) Sturm, 1826 ^c
- [*Pissodes ferrugineus*](#) Rey, C., 1895 ^c
- [*Pissodes fiskei*](#) Hopkins, 1911 ^{i c}
- [*Pissodes flammiger*](#) Germar, 1824 ^c
- [*Pissodes fraseri*](#) Hopkins, 1911 ^c
- [*Pissodes galloisi*](#) Kôno, 1928 ^c
- [*Pissodes guatemaltecus*](#) Voss, 1955 ^c
- [*Pissodes gyllenhalii*](#) Gyllenhal, L. in Schönherr, C.J., 1836 ^c
- [*Pissodes gyllenhalii*](#) Gyllenhal, 1835 ^c
- [*Pissodes harcyniae*](#) (Herbst, J.F.W., 1795) ^{c g}
- [*Pissodes henningseni*](#) Voss, 1972 ^c
- [*Pissodes hercyniae*](#) Dejean, 1821 ^c
- [*Pissodes hispidus*](#) Sturm, 1826 ^c
- [*Pissodes insignatus*](#) Boheman, 1843 ^c
- [*Pissodes interruptus*](#) Pic, 1937 ^c
- [*Pissodes interstitiosus*](#) Dalla Torre & Schenkling, 1932 ^c
- [*Pissodes irroratus*](#) Reitter, E., 1899 ^c
- [*Pissodes japonicus*](#) Niishima, 1915 ^c
- [*Pissodes juniperi*](#) Dejean, 1821 ^c

- [*Pissodes laevigatus*](#) Sturm, 1826 ^c
- [*Pissodes laricinus*](#) Motschulsky, V. de, 1860 ^c
- [*Pissodes macellus*](#) Germar, 1824 ^c
- [*Pissodes marginalis*](#) Dejean, 1821 ^c
- [*Pissodes marmoreus*](#) Dejean, 1821 ^c
- [*Pissodes mexicanus*](#) O'Brien, 1989 ^c
- [*Pissodes multiguttatus*](#) Dejean, 1821 ^c
- [*Pissodes multisignatus*](#) Dejean, 1821 ^c
- [*Pissodes murrayanae*](#) Hopkins, 1911 ^{i c}
- [*Pissodes myops*](#) Cristofori & Jan, 1832 ^c
- [*Pissodes nebulosus*](#) Sturm, 1826 ^c
- [*Pissodes nemorensis*](#) Germar, 1824 ^{i c b} (eastern pine weevil)
- [*Pissodes nigrae*](#) Hopkins, 1911 ^c
- [*Pissodes nitidus*](#) Roelofs, W., 1874 ^c
- [*Pissodes notatus*](#) Sturm, 1826 ^c
- [*Pissodes obscurus*](#) Dejean, 1821 ^c
- [*Pissodes obsoletus*](#) Sturm, 1826 ^c
- [*Pissodes ocellatus*](#) Dejean, 1821 ^c
- [*Pissodes ochraceus*](#) Van Dyke, 1927 ^{i c}
- [*Pissodes oculatus*](#) Dejean, 1821 ^c
- [*Pissodes onychinus*](#) Germar, 1824 ^c
- [*Pissodes ornatus*](#) Sturm, 1826 ^c
- [*Pissodes palmeri*](#) Dalla Torre & Schenkling, 1932 ^c
- [*Pissodes piceae*](#) Schoenherr, 1825 ^c
- [*Pissodes picturatus*](#) Germar, 1824 ^c
- [*Pissodes pilatsquamosus*](#) Lu, Zhang & Langor, 2007 ^c
- [*Pissodes pini*](#) (Linnaeus, C., 1758) ^{c g}
- [*Pissodes piniphilus*](#) Billberg, 1820 ^{c g}
- [*Pissodes piperi*](#) Hopkins, 1911 ^c
- [*Pissodes planatus*](#) Foerster, B., 1891 ^{c g}
- [*Pissodes polymitus*](#) Germar, 1824 ^c
- [*Pissodes prodigialis*](#) Germar, 1824 ^c
- [*Pissodes ptinicornis*](#) Sturm, 1826 ^c
- [*Pissodes pulverosus*](#) Dejean, 1821 ^c
- [*Pissodes pulverulentus*](#) Sturm, 1826 ^c
- [*Pissodes punctatus*](#) Langor & Zhang in Langor, Situ & Zhang, 1999 ^c

- [*Pissodes puncticollis*](#) Hopkins, 1911 ^{i c}
- [*Pissodes punctum*](#) Sturm, 1826 ^c
- [*Pissodes pupillatus*](#) Dejean, 1821 ^c
- [*Pissodes pygmaeus*](#) Curtis, 1840 ^c
- [*Pissodes quadrinotatus*](#) Sturm, J., 1826 ^c
- [*Pissodes radiatae*](#) Hopkins, 1911 ^{i c}
- [*Pissodes robustus*](#) Van Dyke, 1927 ^{i c}
- [*Pissodes rotundatus*](#) LeConte, 1876 ^{i c b} (small spruce weevil)
- [*Pissodes rotundicollis*](#) Desbrochers, J., 1870 ^c
- [*Pissodes rufitarsis*](#) Dejean, 1821 ^c
- [*Pissodes scabricollis*](#) Miller, L., 1859 ^c
- [*Pissodes schwarzi*](#) Hopkins, 1911 ^{i c b} (Yosemite bark weevil)
- [*Pissodes scutellaris*](#) Sturm, 1826 ^c
- [*Pissodes sericeus*](#) Sturm, 1826 ^c
- [*Pissodes setosus*](#) Sturm, 1826 ^c
- [*Pissodes silvaticus*](#) Voss, 1956 ^c
- [*Pissodes similis*](#) Hopkins, 1911 ^{i c b}
- [*Pissodes sitchensis*](#) Hopkins, 1911 ^c
- [*Pissodes spinosus*](#) Dejean, 1821 ^c
- [*Pissodes squamosus*](#) LeConte J E, 1824 ^c
- [*Pissodes striatulus*](#) (Fabricius, 1775) ^{i c g b} (balsam bark weevil)
- [*Pissodes strobi*](#) (Peck, 1817) ^{i c b} (white pine weevil)
- [*Pissodes strobili*](#) Redtenbacher, L., 1849 ^c
- [*Pissodes strobyli*](#) Redtenbacher, 1849 ^c
- [*Pissodes terminalis*](#) Hopping, 1920 ^{i c}
- [*Pissodes terribilis*](#) Sturm, 1826 ^c
- [*Pissodes tessellatus*](#) Dejean, 1821 ^c
- [*Pissodes tribulus*](#) Sturm, 1826 ^c
- [*Pissodes tuberculatus*](#) Dejean, 1821 ^c
- [*Pissodes umbrosus*](#) Sturm, 1826 ^c
- [*Pissodes undabundus*](#) Sturm, 1826 ^c
- [*Pissodes undatus*](#) Dejean, 1821 ^c
- [*Pissodes utahensis*](#) Hopkins, 1911 ^c
- [*Pissodes validirostris*](#) Gyllenhal, 1835 ^c
- [*Pissodes variabilis*](#) Sturm, 1826 ^c
- [*Pissodes verrucosus*](#) Sturm, 1826 ^c

- [*Pissodes webbi*](#) Hopkins, 1911^{i c}
- [*Pissodes yosemite*](#) Hopkins, 1911^c
- [*Pissodes yunnanensis*](#) Langor & Zhang in Langor, Situ & Zhang, 1999^c
- [*Pissodes zitacuarensis*](#) Sleeper, 1969^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 201 species belong to [*Pimpla*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^{[1][2][3]}

***Pimpla* species**

- [*Pimpla acutula*](#) (Momoi, 1973)^c
- [*Pimpla aeola*](#) (Porter, 1970)^{c g}
- [*Pimpla aequalis*](#) Provancher, 1880^{c b}
- [*Pimpla aethiops*](#) Curtis, 1828^{c g}
- [*Pimpla albipalpis*](#) Cameron, 1905^{c g}
- [*Pimpla alboannulata*](#) Uchida, 1928^{c g}
- [*Pimpla albociliata*](#) Kasparyan, 1974^{c g}
- [*Pimpla albomarginata*](#) Cameron, 1886^{c g}
- [*Pimpla alishanensis*](#) (Kusigemati, 1985)^{c g}
- [*Pimpla alnorum*](#) (Porter, 1970)^{c g}
- [*Pimpla amamiensis*](#) (Momoi, 1970)^{c g}
- [*Pimpla amplifemura*](#) Lin, 1988^{c g}
- [*Pimpla annulipes*](#) Brullé, 1846^{c g b}
- [*Pimpla anomalensis*](#) Theobald, 1937^{c g}
- [*Pimpla apollyon*](#) Morley, 1913^{c g}
- [*Pimpla appendigera*](#) Brues, 1906^{c g}
- [*Pimpla apricaria*](#) Costa, 1885^{c g}
- [*Pimpla aquensis*](#) Theobald, 1937^{c g}
- [*Pimpla aquilonia*](#) Cresson, 1870^{c g b}
- [*Pimpla arayai*](#) Gauld, 1991^{c g}
- [*Pimpla arcadica*](#) Kasparyan, 1973^{c g}
- [*Pimpla arctica*](#) Zetterstedt, 1838^{c g}
- [*Pimpla arisana*](#) (Sonan, 1936)^g
- [*Pimpla arjuna*](#) (Gupta & Saxena, 1987)^{c g}

- [*Pimpla arnoldi*](#) Benoit, 1953 ^{c g}
- [*Pimpla artemonis*](#) Kasparyan, 1973 ^{c g}
- [*Pimpla asiatica*](#) Kasparyan, 1973 ^{c g}
- [*Pimpla aurimicans*](#) (Enderlein, 1921) ^{c g}
- [*Pimpla aviancae*](#) (Porter, 1970) ^{c g}
- [*Pimpla azteca*](#) Cresson, 1874 ^{c g}
- [*Pimpla bactriana*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla bicolor*](#) Brullé, 1846 ^{c g}
- [*Pimpla bilineata*](#) (Cameron, 1900) ^{c g}
- [*Pimpla bistricta*](#) Morley, 1916 ^{c g}
- [*Pimpla bolivari*](#) (Porter, 1970) ^{c g}
- [*Pimpla brithys*](#) (Porter, 1970) ^{c g}
- [*Pimpla brumha*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla brunnea*](#) (Gupta & Saxena, 1987) ^c
- [*Pimpla burgeoni*](#) Seyrig, 1937 ^{c g}
- [*Pimpla burmensis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla caerulea*](#) Brullé, 1846 ^{c g}
- [*Pimpla caeruleata*](#) Cresson, 1874 ^{c g}
- [*Pimpla calliphora*](#) Morley, 1914 ^{c g}
- [*Pimpla cameronii*](#) Dalla Torre, 1901 ^{c g}
- [*Pimpla canaliculata*](#) Forster, 1888 ^{c g}
- [*Pimpla carinifrons*](#) Cameron, 1899 ^{c g}
- [*Pimpla carlosi*](#) Gauld, Ugalde & Hanson, 1998 ^{c g}
- [*Pimpla caucasica*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla conchyliata*](#) Tosquinet, 1896 ^{c g}
- [*Pimpla contemplator*](#) (Müller, 1776) ^{c g}
- [*Pimpla cossivora*](#) Curtis, 1826 ^{c g}
- [*Pimpla crocata*](#) Tosquinet, 1896 ^{c g}
- [*Pimpla croceipes*](#) Cresson, 1874 ^{c g}
- [*Pimpla croceiventris*](#) (Cresson, 1868) ^{c g}
- [*Pimpla curiosa*](#) Forster, 1888 ^{c g}
- [*Pimpla curta*](#) (Momi, 1973) ^{c g}
- [*Pimpla cyanator*](#) Morley, 1914 ^{c g}
- [*Pimpla cyanea*](#) Szépligeti, 1908 ^{c g}
- [*Pimpla cyanipennis*](#) Brullé, 1846 ^c
- [*Pimpla cyclostigmata*](#) Statz, 1936 ^{c g}

- [*Pimpla daitojimana*](#) Sonan, 1940 ^{c g}
- [*Pimpla decaryi*](#) Seyrig, 1932 ^{c g}
- [*Pimpla decessa*](#) Scudder, 1878 ^{c g}
- [*Pimpla dimidiata*](#) (Townes, 1960) ^{c g}
- [*Pimpla disparis*](#) Viereck, 1911 ^c
- [*Pimpla distincta*](#) (Momoi, 1971) ^{c g}
- [*Pimpla dohrnii*](#) Ratzeburg, 1847 ^{c g}
- [*Pimpla dorsata*](#) (Dalla Torre, 1901) ^{c g}
- [*Pimpla dravida*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla elegantissima*](#) Szepligeti, 1922 ^{c g}
- [*Pimpla ellopiae*](#) Harrington, 1892 ^{c g}
- [*Pimpla eocenica*](#) Cockerell, 1919 ^{c g}
- [*Pimpla ereba*](#) Cameron, 1899 ^{c g}
- [*Pimpla erythema*](#) (Porter, 1970) ^{c g}
- [*Pimpla erythromera*](#) (Momoi, 1971) ^c
- [*Pimpla exapta*](#) Forster, 1888 ^{c g}
- [*Pimpla experiens*](#) Forster, 1888 ^{c g}
- [*Pimpla exstirpator*](#) Forster, 1888 ^{c g}
- [*Pimpla fatua*](#) De Stefani, 1887 ^{c g}
- [*Pimpla femorella*](#) Kasparian, 1974 ^{c g}
- [*Pimpla flavicoxis*](#) Thomson, 1877 ^{c g}
- [*Pimpla flavipalpis*](#) Cameron, 1899 ^{c g}
- [*Pimpla flavipennis*](#) (Enderlein, 1919) ^{c g}
- [*Pimpla fraudator*](#) Forster, 1888 ^{c g}
- [*Pimpla fuscipes*](#) Brullé, 1846 ^{c g}
- [*Pimpla garuda*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla glandaria*](#) Costa, 1886 ^{c g}
- [*Pimpla golbachii*](#) (Porter, 1970) ^{c g}
- [*Pimpla hesperus*](#) (Townes, 1960) ^{c g}
- [*Pimpla himalayensis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla hostifera*](#) Forster, 1888 ^{c g}
- [*Pimpla hova*](#) Seyrig, 1932 ^{c g}
- [*Pimpla hubendickae*](#) Gauld, 1991 ^{c g}
- [*Pimpla ichneumoniformis*](#) Cresson, 1874 ^{c g}
- [*Pimpla illecebrator*](#) (Villers, 1789) ^{c g}
- [*Pimpla imitata*](#) Forster, 1888 ^{c g}

- [*Pimpla impuncta*](#) Lin, 1988 ^{c g}
- [*Pimpla indra*](#) Cameron, 1899 ^{c g}
- [*Pimpla indura*](#) Theobald, 1937 ^{c g}
- [*Pimpla inopinata*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla insignatoria*](#) (Gravenhorst, 1807) ^{c g}
- [*Pimpla instigator*](#) (Miller, 1759) ^b
- [*Pimpla iothales*](#) (Porter, 1970) ^{c g}
- [*Pimpla isidroï*](#) Gauld, Ugalde & Hanson, 1998 ^{c g}
- [*Pimpla jakulicai*](#) (Porter, 1972) ^{c g}
- [*Pimpla javensis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla karakurti*](#) Rossikov, 1904 ^{c g}
- [*Pimpla kaszabi*](#) (Momoi, 1973) ^{c g}
- [*Pimpla laevifrons*](#) Forster, 1888 ^{c g}
- [*Pimpla lamprotes*](#) (Porter, 1970) ^{c g}
- [*Pimpla laothoe*](#) Cameron, 1897 ^{c g}
- [*Pimpla lasallei*](#) Diaz, 2000 ^{c g}
- [*Pimpla latistigma*](#) (Momoi, 1973) ^{c g}
- [*Pimpla lignicola*](#) Ratzeburg, 1852 ^{c g}
- [*Pimpla limitata*](#) Forster, 1888 ^{c g}
- [*Pimpla luctuosa*](#) Smith, 1874 ^{c g}
- [*Pimpla maculiscaposa*](#) Seyrig, 1932 ^{c g}
- [*Pimpla madecassa*](#) (Saussure, 1892) ^{c g}
- [*Pimpla mahalensis*](#) Gribodo, 1879 ^{c g}
- [*Pimpla marginella*](#) Brullé, 1846 ^{c g b}
- [*Pimpla maura*](#) Cresson, 1870 ^{c g b}
- [*Pimpla melanacrias*](#) Perkins, 1941 ^{c g}
- [*Pimpla meridionalis*](#) Benoit, 1956 ^{c g}
- [*Pimpla mitchelli*](#) Diaz, 2000 ^{c g}
- [*Pimpla morticina*](#) Brues, 1910 ^{c g}
- [*Pimpla murinanae*](#) Fahringer, 1943 ^c
- [*Pimpla nigricolor*](#) Tosquinet, 1903 ^{c g}
- [*Pimpla nigroaenea*](#) (Cushman, 1927) ^{c g}
- [*Pimpla nigrohirsuta*](#) Strobl, 1902 ^{c g}
- [*Pimpla nipponica*](#) Uchida, 1928 ^{c g}
- [*Pimpla nuda*](#) Townes, 1940 ^{c g}
- [*Pimpla oehlkei*](#) (Momoi, 1973) ^{c g}

- [*Pimpla orbitalis*](#) Ratzeburg, 1852 ^{c g}
- [*Pimpla oropha*](#) (Porter, 1970) ^{c g}
- [*Pimpla pamirica*](#) Kasparyan, 1974 ^{c g}
- [*Pimpla parva*](#) (Momoi, 1973) ^c
- [*Pimpla pedalis*](#) Cresson, 1865 ^{c g b}
- [*Pimpla pepsoides*](#) (Porter, 1970) ^{c g}
- [*Pimpla perssoni*](#) Gauld, 1991 ^{c g}
- [*Pimpla picea*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla platysma*](#) (Porter, 1970) ^{c g}
- [*Pimpla pluto*](#) Ashmead, 1906 ^{c g}
- [*Pimpla polychroma*](#) (Cushman, 1927) ^{c g}
- [*Pimpla praesecta*](#) Forster, 1888 ^{c g}
- [*Pimpla processioneae*](#) Ratzeburg, 1849 ^{c g}
- [*Pimpla punicipes*](#) Cresson, 1874 ^{c g b}
- [*Pimpla pyramis*](#) (Porter, 1970) ^{c g}
- [*Pimpla ramirezi*](#) (Porter, 1970) ^{c g}
- [*Pimpla rasilis*](#) (Momoi, 1973) ^{c g}
- [*Pimpla rediviva*](#) Brues, 1910 ^{c g}
- [*Pimpla renevieri*](#) Meunier, 1903 ^{c g}
- [*Pimpla revelata*](#) Brues, 1910 ^{c g}
- [*Pimpla rojasi*](#) Gauld, 1991 ^{c g}
- [*Pimpla romeroi*](#) Gauld, 1991 ^{c g}
- [*Pimpla rubripes*](#) Holmgren, 1868 ^c
- [*Pimpla rufonigra*](#) Cresson, 1865 ^{c g}
- [*Pimpla russula*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla sanguinipes*](#) Cresson, 1872 ^{c g b}
- [*Pimpla saussurei*](#) Heer, 1856 ^{c g}
- [*Pimpla sedula*](#) Cameron, 1886 ^{c g}
- [*Pimpla segnestami*](#) Gauld, 1991 ^{c g}
- [*Pimpla semirufa*](#) Brullé, 1846 ^{c g}
- [*Pimpla semitibialis*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla senecta*](#) Scudder, 1878 ^{c g}
- [*Pimpla senilis*](#) Brues, 1910 ^{c g}
- [*Pimpla seyrigi*](#) Theobald, 1937 ^{c g}
- [*Pimpla shiva*](#) (Gupta & Saxena, 1987) ^{c g}
- [*Pimpla silvicola*](#) Walley, 1941 ^{c g}

- [*Pimpla sodalis*](#) Ruthe, 1859 ^{c g b}
- [*Pimpla sondrae*](#) Gauld, Ugalde & Hanson, 1998 ^{c g}
- [*Pimpla sordidella*](#) Holmgren, 1868 ^{c g}
- [*Pimpla sparsa*](#) (Porter, 1970) ^{c g}
- [*Pimpla spectabilis*](#) Szépligeti, 1908 ^{c g}
- [*Pimpla specularis*](#) Forster, 1888 ^{c g}
- [*Pimpla spilopteris*](#) (Momoi, 1973) ^{c g}
- [*Pimpla spuria*](#) Gravenhorst, 1829 ^{c g}
- [*Pimpla stangei*](#) (Porter, 1970) ^{c g}
- [*Pimpla stigmatica*](#) Henriksen, 1922 ^{c g}
- [*Pimpla stricklandi*](#) (Townes, 1960) ^c
- [*Pimpla strigipleuris*](#) Thomson, 1877 ^{c g}
- [*Pimpla succini*](#) Giebel, 1856 ^{c g}
- [*Pimpla sumichrasti*](#) Cresson, 1874 ^{c g}
- [*Pimpla tafiae*](#) (Porter, 1970) ^{c g}
- [*Pimpla taihokensis*](#) Uchida, 1930 ^{c g}
- [*Pimpla taprobanae*](#) Cameron, 1897 ^{c g}
- [*Pimpla tarapacae*](#) (Porter, 1970) ^{c g}
- [*Pimpla tenuicornis*](#) Cresson, 1865 ^{c g}
- [*Pimpla thoracica*](#) Morley, 1914 ^{c g}
- [*Pimpla tomyris*](#) Schrottky, 1902 ^{c g}
- [*Pimpla trichroa*](#) (Porter, 1970) ^{c g}
- [*Pimpla tuberculata*](#) Morley, 1914 ^c
- [*Pimpla turionellae*](#) (Linnaeus, 1758) ^{c g b}
- [*Pimpla vangeli*](#) Diaz, 2000 ^{c g}
- [*Pimpla varians*](#) (Townes, 1960) ^{c g}
- [*Pimpla varipes*](#) (Porter, 1970) ^{c g}
- [*Pimpla vayonae*](#) Diaz, 2000 ^{c g}
- [*Pimpla viridescens*](#) Morley, 1914 ^{c g}
- [*Pimpla vumbana*](#) Benoit, 1953 ^{c g}
- [*Pimpla waterloti*](#) Seyrig, 1932 ^{c g}
- [*Pimpla wilchristi*](#) Fitton, Shaw & Gauld, 1988 ^{c g}
- [*Pimpla yungarum*](#) (Porter, 1970) ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is the list of species in the genus [*Phyllotreta*](#), of which there are over 300 species worldwide.[\[1\]](#)

- [*Phyllotreta acutecarinata*](#) Heikertinger, 1941
- [*Phyllotreta aeneicollis*](#) (Crotch, 1873)
- [*Phyllotreta aerea*](#) Allard, 1859
- [*Phyllotreta alberta*](#) Chittenden, 1927
- [*Phyllotreta albionica*](#) (LeConte, 1857)
- [*Phyllotreta arcuata*](#) E.Smith, 1985
- [*Phyllotreta armoraciae*](#) (Koch, 1803)
- [*Phyllotreta astrachanica*](#) Lopatin, 1977
- [*Phyllotreta asturica*](#) Heikertinger, 1941
- [*Phyllotreta atra*](#) (Fabricius, 1775)
- [*Phyllotreta attenuata*](#) E.Smith, 1985
- [*Phyllotreta austriaca*](#) Heikertinger, 1909
- [*Phyllotreta balcanica*](#) Heikertinger, 1909
- [*Phyllotreta bipustulata*](#) (Fabricius, 1801)
- [*Phyllotreta bisinuata*](#) E.Smith, 1985
- [*Phyllotreta brevipennis*](#) Chittenden, 1927
- [*Phyllotreta bulgarica*](#) Gruev, 1977
- [*Phyllotreta chalybeipennis*](#) (Crotch, 1873)
- [*Phyllotreta chotanica*](#) Duvivier, 1892
- [*Phyllotreta christinae*](#) Heikertinger, 1941
- [*Phyllotreta conjuncta*](#) Gentner, 1924
- [*Phyllotreta consobrina*](#) (Curtis, 1837)
- [*Phyllotreta constricta*](#) E.H.Smith, 1985
- [*Phyllotreta corrugata*](#) Reiche & Saulcy, 1858
- [*Phyllotreta crassicornis*](#) Allard, 1866
- [*Phyllotreta cruciferae*](#) (Goeze, 1777)
- [*Phyllotreta cruralis*](#) Abeille, 1895
- [*Phyllotreta dacica*](#) Heikertinger, 1941
- [*Phyllotreta decipiens*](#) Horn, 1889
- [*Phyllotreta denticornis*](#) Horn, 1889
- [*Phyllotreta diademata*](#)
- [*Phyllotreta dilatata*](#) Thomson, 1866
- [*Phyllotreta distincta*](#) Monnot, 1914
- [*Phyllotreta dolichophalla*](#) E.Smith, 1985
- [*Phyllotreta emarginata*](#) E.Smith, 1985
- [*Phyllotreta erysimi*](#) Weise, 1900
- [*Phyllotreta exclamationis*](#) (Thunberg, 1784)
- [*Phyllotreta fallaciosa*](#) Heikertinger, 1941

- [*Phyllotreta flavoguttata*](#) Kutschera, 1860
- [*Phyllotreta flexuosa*](#) (Illiger, 1794)
- [*Phyllotreta foudrasi*](#) Brisout de Barneville, 1873
- [*Phyllotreta fulgida*](#) Chittenden, 1927
- [*Phyllotreta gallica*](#) C.Brisout de Barneville, 1892
- [*Phyllotreta ganglbaueri*](#) Heikertinger, 1909
- [*Phyllotreta gillerforsi*](#) Biondi, 1991
- [*Phyllotreta gloriae*](#) Biondi, 1994
- [*Phyllotreta hemipoda*](#) Abeille, 1909
- [*Phyllotreta herbacea*](#) Chittenden, 1927
- [*Phyllotreta hispanica*](#) Pic, 1903
- [*Phyllotreta hochetlingeri*](#) Fleischer, 1917
- [*Phyllotreta iberica*](#) Heikertinger, 1911
- [*Phyllotreta inconspicua*](#) Chittenden, 1927
- [*Phyllotreta inordinata*](#) Chittenden, 1927
- [*Phyllotreta insularis*](#) Heikertinger, 1942
- [*Phyllotreta ispartaensis*](#) Gok, 2005
- [*Phyllotreta judaea*](#) Pic, 1901
- [*Phyllotreta lacerta*](#) Heikertinger, 1941
- [*Phyllotreta laticornis*](#) Chittenden, 1927
- [*Phyllotreta lativittata*](#) Kutschera, 1860
- [*Phyllotreta lepidula*](#) (J.L.LeConte, 1857)
- [*Phyllotreta lewisii*](#) (Crotch, 1873)
- [*Phyllotreta liebecki*](#) C.Schaeffer, 1919
- [*Phyllotreta lindahli*](#) Dury, 1906
- [*Phyllotreta melichari*](#) Heikertinger, 1941
- [*Phyllotreta nemorum*](#) (Linnaeus, 1758)
- [*Phyllotreta nigripes*](#) (Fabricius, 1775)
- [*Phyllotreta nitidicollis*](#) Weise, 1888
- [*Phyllotreta nodicornis*](#) (Marsham, 1802)
- [*Phyllotreta oblonga*](#) Chittenden, 1927
- [*Phyllotreta obtusa*](#) Chittenden, 1927
- [*Phyllotreta ochripes*](#) (Curtis, 1837)
- [*Phyllotreta ogloblini*](#) Shapiro, 1960
- [*Phyllotreta oregonensis*](#) (Crotch, 1873)
- [*Phyllotreta pallidipennis*](#) Reitter, 1891
- [*Phyllotreta parallela*](#) (Boieldieu, 1859)
- [*Phyllotreta perspicua*](#) Chittenden, 1927
- [*Phyllotreta polita*](#) Chittenden, 1927
- [*Phyllotreta pontaegeica*](#) Gruev, 1982
- [*Phyllotreta prasina*](#) Chittenden, 1927
- [*Phyllotreta praticola*](#) Weise, 1887

- [*Phyllotreta procera*](#) (Redtenbacher, 1849)
- [*Phyllotreta punctulata*](#) (Marsham, 1802)
- [*Phyllotreta pusilla*](#) Horn, 1889
- [*Phyllotreta ramosa*](#) (Crotch, 1874)
- [*Phyllotreta ramosoides*](#) E.H.Smith, 1985
- [*Phyllotreta randoniae*](#) Peyerimhoff, 1920
- [*Phyllotreta reitteri*](#) Heikertinger, 1911
- [*Phyllotreta robusta*](#) LeConte, 1878
- [*Phyllotreta rufitarsis*](#) Allard, 1859
- [*Phyllotreta rugifrons*](#) Küster, 1849
- [*Phyllotreta scheuchi*](#) Heikertinger, 1941
- [*Phyllotreta sholaksori*](#) Konstantinov & Moseyko, 2019
- [*Phyllotreta spatulata*](#) E.Smith, 1985
- [*Phyllotreta striolata*](#) (Fabricius, 1803)
- [*Phyllotreta subnitida*](#) Chittenden, 1927
- [*Phyllotreta temperei*](#) Doguet, 1974
- [*Phyllotreta tetrastigma*](#) (Comolli, 1837)
- [*Phyllotreta transversovalis*](#) Chittenden, 1927
- [*Phyllotreta ulkei*](#) Horn, 1889
- [*Phyllotreta undulata*](#) Kutschera, 1860
- [*Phyllotreta utana*](#) Chittenden, 1920
- [*Phyllotreta utanula*](#) E.H.Smith, 1985
- [*Phyllotreta variipennis*](#) (Boieldieu, 1859)
- [*Phyllotreta vilis*](#) Weise, 1888
- [*Phyllotreta viridicyanea*](#) Chittenden, 1927
- [*Phyllotreta vittigera*](#) Broun, 1893
- [*Phyllotreta vittula*](#) (Redtenbacher, 1849)
- [*Phyllotreta wiseana*](#) Jacobson, 1901
- [*Phyllotreta zerchei*](#) Doberl, 1998
- [*Phyllotreta zieglerei*](#) Lohse, 1980
- [*Phyllotreta zimmermanni*](#) (Crotch, 1873)

This is a list of 905 species in the genus [*Phyllophaga*](#), May beetles.[\[1\]](#)[\[2\]](#)[\[3\]](#)

Contents

- [A](#)
- [B](#)
- [C](#)
- [D–F](#)

- [G-I](#)
- [J-L](#)
- [M](#)
- [N-O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-Z](#)
- [References](#)

***Phyllophaga* species**

A

- [*Phyllophaga abcea*](#) Saylor, 1940
- [*Phyllophaga abdominalis*](#) (Moser, 1921)
- [*Phyllophaga abudantuni*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga acacoyahuana*](#) Morón & Blas, 2005
- [*Phyllophaga acapulca*](#) Saylor, 1943
- [*Phyllophaga acatlanensis*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga aceitillar*](#) Woodruff, 2005
- [*Phyllophaga acinosa*](#) (Arrow, 1920)
- [*Phyllophaga acunai*](#) Chapin, 1937
- [*Phyllophaga adjuntas*](#) Saylor, 1940
- [*Phyllophaga adoretoides*](#) (Von Dalle Torre, 1912)
- [*Phyllophaga aegrotus*](#) (Bates, 1887)
- [*Phyllophaga aemula*](#) (Horn, 1887)
- [*Phyllophaga aenea*](#) (Moser, 1921)
- [*Phyllophaga aeneotincta*](#) Chapin, 1932
- [*Phyllophaga aequalis*](#) (LeConte, 1854)
- [*Phyllophaga aequata*](#) Bates, 1887
- [*Phyllophaga aequatorialis*](#) (Moser, 1921)
- [*Phyllophaga aeruginosa*](#) (Burmeister, 1855)
- [*Phyllophaga affabilis*](#) (Horn, 1887)
- [*Phyllophaga afflicta*](#) (Blanchard, 1851)
- [*Phyllophaga aguadita*](#) (Saylor, 1942)
- [*Phyllophaga ahlbrandti*](#) Garcia-Vidal, 1988
- [*Phyllophaga alayoi*](#) Garcia-Vidal, 1978
- [*Phyllophaga albina*](#) (Burmeister, 1855)
- [*Phyllophaga alcoa*](#) Woodruff, 2005
- [*Phyllophaga aliada*](#) Sanderson, 1951

- [*Phyllophaga aliciae*](#) Morón & Rivera-Cervantes, 2005
- [*Phyllophaga almada*](#) Saylor, 1941
- [*Phyllophaga alquizara*](#) Chapin, 1932
- [*Phyllophaga alvareztoroi*](#) Morón & Blas, 2005
- [*Phyllophaga amazonica*](#) (Moser, 1918)
- [*Phyllophaga amplicornis*](#) (Reinhard, 1939)
- [*Phyllophaga analis*](#) (Burmeister, 1855)
- [*Phyllophaga andersoni*](#) Smith & Paulsen, 2015
- [*Phyllophaga androw*](#) Woodruff, 2005
- [*Phyllophaga angulicollis*](#) (Bates, 1887)
- [*Phyllophaga angusta*](#) (Blanchard, 1851)
- [*Phyllophaga anolaminata*](#) (Moser, 1921)
- [*Phyllophaga anomaloides*](#) (Bates, 1888)
- [*Phyllophaga antennalis*](#) (Moser, 1921)
- [*Phyllophaga antennata*](#) (Smith, 1889)
- [*Phyllophaga antiquae*](#) (Arrow, 1920)
- [*Phyllophaga anxia*](#) (LeConte, 1850) (cranberry white grub)
- [*Phyllophaga apicalis*](#) (Blanchard, 1851)
- [*Phyllophaga apicata*](#) Reinhard, 1939
- [*Phyllophaga apolinari*](#) Saylor, 1940
- [*Phyllophaga apolinaria*](#) Saylor, 1942
- [*Phyllophaga approxima*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga aragoni*](#) Morón, 2013
- [*Phyllophaga arcta*](#) (Horn, 1887)
- [*Phyllophaga ardara*](#) Saylor, 1943
- [*Phyllophaga arenicola*](#) Howden, 1960
- [*Phyllophaga arizona*](#) Saylor, 1940
- [*Phyllophaga arkansana*](#) (Schaeffer, 1906)
- [*Phyllophaga arribans*](#) Saylor, 1943
- [*Phyllophaga arrowi*](#) Saylor, 1935
- [*Phyllophaga assmani*](#) Saylor, 1936
- [*Phyllophaga atra*](#) (Moser, 1918)
- [*Phyllophaga atrata*](#) (Moser, 1918)
- [*Phyllophaga atratoides*](#) Morón, 2003
- [*Phyllophaga audanti*](#) Wolcott, 1928
- [*Phyllophaga aurea*](#) Luginbill and Painter, 1941
- [*Phyllophaga austera*](#) (Erichson, 1847)
- [*Phyllophaga avus*](#) (Cockerell, 1922)

B

- [*Phyllophaga babicora*](#) Morón, 2004
- [*Phyllophaga babys*](#) Saylor, 1943

- [*Phyllophaga bahiana*](#) (Saylor, 1935)
- [*Phyllophaga balacachiana*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga balia*](#) (Say, 1825)
- [*Phyllophaga balli*](#) Morón & Woodruff, 2008
- [*Phyllophaga balsana*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga baneta*](#) Saylor, 1943
- [*Phyllophaga baoruco*](#) Woodruff, 2005
- [*Phyllophaga baracoana*](#) Chapin, 1932
- [*Phyllophaga baraguensis*](#) Chapin, 1932
- [*Phyllophaga barda*](#) (Horn, 1887)
- [*Phyllophaga baroni*](#) (Bates, 1889)
- [*Phyllophaga barrerana*](#) Aragon & Morón, 2003
- [*Phyllophaga barrosa*](#) Sanderson, 1951
- [*Phyllophaga batillifer*](#) (Bates, 1887)
- [*Phyllophaga beameri*](#) Sanderson, 1958
- [*Phyllophaga beckeri*](#) (Moser, 1921)
- [*Phyllophaga bellamyi*](#) Warner and Morón, 1992
- [*Phyllophaga benexonana*](#) Morón, 2000
- [*Phyllophaga bicavifrons*](#) Chapin, 1932
- [*Phyllophaga bicolor*](#) (Moser, 1921)
- [*Phyllophaga bilobatata*](#) Saylor, 1939
- [*Phyllophaga bilyi*](#) Chalumeau, 1989
- [*Phyllophaga bimaculata*](#) Garcia-Vidal, 1984
- [*Phyllophaga bimammifrons*](#) Saylor, 1940
- [*Phyllophaga bipartita*](#) (Horn, 1887)
- [*Phyllophaga blackwelderi*](#) Saylor, 1940
- [*Phyllophaga blanchardi*](#) (Arrow, 1933)
- [*Phyllophaga blanda*](#) Sanderson, 1958
- [*Phyllophaga bolacoides*](#) (Bates, 1887)
- [*Phyllophaga boliviensis*](#) (Blanchard, 1851)
- [*Phyllophaga bonfils*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga boruca*](#) Morón, 2003
- [*Phyllophaga bottimeri*](#) Reinhard, 1950
- [*Phyllophaga bowditchi*](#) Saylor, 1938
- [*Phyllophaga brama*](#) Saylor, 1943
- [*Phyllophaga bretti*](#) Smith & Paulsen, 2015
- [*Phyllophaga brevicornis*](#) Garcia-Vidal, 1988
- [*Phyllophaga brevidens*](#) (Bates, 1888)
- [*Phyllophaga brevipilosa*](#) (Moser, 1918)
- [*Phyllophaga brownella*](#) Saylor, 1942
- [*Phyllophaga bruneri*](#) Chapin, 1932 (Cuban May beetle)
- [*Phyllophaga buapae*](#) Morón, 2013

- [*Phyllophaga bucephala*](#) (Bates, 1887)
- [*Phyllophaga bueta*](#) Saylor, 1940

C

- [*Phyllophaga caanchaki*](#) Morón, 1998
- [*Phyllophaga cahitana*](#) Morón, 2001
- [*Phyllophaga calai*](#) Smith & Paulsen, 2015
- [*Phyllophaga calceata*](#) (LeConte, 1856)
- [*Phyllophaga calculiventris*](#) Saylor, 1935
- [*Phyllophaga calderasa*](#) (Saylor, 1937)
- [*Phyllophaga callosiventris*](#) (Moser, 1921)
- [*Phyllophaga cambeforti*](#) Cartwright & Chalumeau, 1977
- [*Phyllophaga campana*](#) Morón & Riley, 2005
- [*Phyllophaga caneyensis*](#) Garcia-Vidal, 1984
- [*Phyllophaga canipolea*](#) Saylor, 1948
- [*Phyllophaga canoa*](#) Sanderson, 1951
- [*Phyllophaga canoana*](#) Morón, 2003
- [*Phyllophaga capillata*](#) (Blanchard, 1851)
- [*Phyllophaga caraga*](#) Saylor, 1943
- [*Phyllophaga cardini*](#) Chapin, 1932
- [*Phyllophaga carminator*](#) (Horn, 1894)
- [*Phyllophaga carnegie*](#) Woodruff, 2005
- [*Phyllophaga cartaba*](#) Sanderson, 1951
- [*Phyllophaga castaniella*](#) (Bates, 1887)
- [*Phyllophaga castineirasi*](#) Garcia-Vidal, 1978
- [*Phyllophaga catemacoana*](#) Morón, 2003
- [*Phyllophaga cavata*](#) (Bates, 1888)
- [*Phyllophaga caviceps*](#) (Moser, 1918)
- [*Phyllophaga cayennensis*](#) (Moser, 1918)
- [*Phyllophaga caymanensis*](#) Sanderson, 1939
- [*Phyllophaga cazahuata*](#) Morón, 2013
- [*Phyllophaga cazieriana*](#) Saylor, 1938
- [*Phyllophaga cececpana*](#) Morón, 2016
- [*Phyllophaga centralis*](#) (Nonfried, 1894)
- [*Phyllophaga certanca*](#) Saylor, 1943
- [*Phyllophaga chada*](#) Saylor, 1948
- [*Phyllophaga chalumeau*](#) Garcia-Vidal, 1984
- [*Phyllophaga chamacayoca*](#) Morón, 1992
- [*Phyllophaga chamula*](#) Morón, 1999
- [*Phyllophaga changuena*](#) Morón, 2003
- [*Phyllophaga chapini*](#) Saylor, 1940
- [*Phyllophaga chiapas*](#) Saylor, 1943

- [*Phyllophaga chiapensis*](#) Chapin, 1935
- [*Phyllophaga chiblacana*](#) Morón, 2003
- [*Phyllophaga chimoxtila*](#) Morón, 2003
- [*Phyllophaga chippewa*](#) Saylor, 1939
- [*Phyllophaga chiriquina*](#) (Bates, 1887)
- [*Phyllophaga chlaenobiana*](#) Saylor, 1936
- [*Phyllophaga choixiana*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga cholana*](#) Morón, 2003
- [*Phyllophaga chortiana*](#) Morón, 2003
- [*Phyllophaga ciliatipes*](#) Blanchard, 1850
- [*Phyllophaga cinnamomea*](#) (Blanchard, 1851)
- [*Phyllophaga citarae*](#) Morón & Neita-Moreno, 2014
- [*Phyllophaga ciudadensis*](#) (Bates, 1888)
- [*Phyllophaga clavijeroi*](#) Morón, 2015
- [*Phyllophaga clemens*](#) (Horn, 1887)
- [*Phyllophaga clypeata*](#) (Horn, 1887)
- [*Phyllophaga cneda*](#) Saylor, 1940
- [*Phyllophaga coahuayana*](#) Morón, 2006
- [*Phyllophaga cochisa*](#) Saylor, 1940
- [*Phyllophaga cocleana*](#) Morón, 2013
- [*Phyllophaga colima*](#) Saylor, 1943
- [*Phyllophaga colimana*](#) (Moser, 1921)
- [*Phyllophaga collaris*](#) (Moser, 1921)
- [*Phyllophaga collaroides*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga columbiana*](#) (Blanchard, 1851)
- [*Phyllophaga comaltepecana*](#) Morón, 2003
- [*Phyllophaga cometes*](#) (Bates, 1887)
- [*Phyllophaga complexipennis*](#) Garcia-Vidal, 1984
- [*Phyllophaga conformis*](#) (Blanchard, 1851)
- [*Phyllophaga congrua*](#) (LeConte, 1856)
- [*Phyllophaga conicariana*](#) Morón, 2006
- [*Phyllophaga contaminata*](#) Fall, 1932
- [*Phyllophaga coronadis*](#) Saylor, 1941
- [*Phyllophaga corrosa*](#) (LeConte, 1856)
- [*Phyllophaga costaricensis*](#) (Moser, 1918)
- [*Phyllophaga costura*](#) Sanderson, 1951
- [*Phyllophaga crassa*](#) (Burmeister, 1855)
- [*Phyllophaga crassissima*](#) (Blanchard, 1851)
- [*Phyllophaga crena*](#) Saylor, 1941
- [*Phyllophaga crenaticollis*](#) (Blanchard, 1851)
- [*Phyllophaga crenonycha*](#) Saylor, 1943
- [*Phyllophaga crenulata*](#) (Frölich, 1792)

- [*Phyllophaga cribrosa*](#) (LeConte, 1853)
- [*Phyllophaga crinipennis*](#) (Bates, 1889)
- [*Phyllophaga crinita*](#) (Burmeister, 1855)
- [*Phyllophaga crinitissima*](#) Wolcott, 1924
- [*Phyllophaga cristagalli*](#) (Arrow, 1933)
- [*Phyllophaga cristobala*](#) Saylor, 1942
- [*Phyllophaga cruces*](#) Morón & Riley, 2005
- [*Phyllophaga cubana*](#) Chapin, 1932
- [*Phyllophaga cuicateca*](#) Morón & Aragon, 1997
- [*Phyllophaga culminata*](#) Bates, 1887
- [*Phyllophaga cupuliformis*](#) Langston, 1924
- [*Phyllophaga curialis*](#) Reinhard, 1939
- [*Phyllophaga cushmani*](#) Saylor, 1940
- [*Phyllophaga cuyabana*](#) (Moser, 1918)
- [*Phyllophaga cylindrica*](#) (Burmeister, 1855)

D–F

- [*Phyllophaga darlingtoni*](#) Sanderson, 1940
- [*Phyllophaga dasypoda*](#) (Bates, 1887)
- [*Phyllophaga davidsoni*](#) Woodruff, 2005
- [*Phyllophaga davisi*](#) Langston, 1927
- [*Phyllophaga debilis*](#) (LeConte, 1856)
- [*Phyllophaga delata*](#) (Horn, 1887)
- [*Phyllophaga deleri*](#) Smith & Paulsen, 2015
- [*Phyllophaga delphinicauda*](#) Androw, 2016
- [*Phyllophaga delplanquei*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga densata*](#) (Moser, 1918)
- [*Phyllophaga densepunctata*](#) (Moser, 1918)
- [*Phyllophaga densicollis*](#) (LeConte, 1863)
- [*Phyllophaga dentex*](#) (Bates, 1888)
- [*Phyllophaga denticulata*](#) (Blanchard, 1851)
- [*Phyllophaga dieteriana*](#) Deloya & Morón, 1998
- [*Phyllophaga diffinis*](#) (Blanchard, 1851)
- [*Phyllophaga diminuta*](#) Evans, 2003
- [*Phyllophaga disca*](#) Saylor, 1943
- [*Phyllophaga discalis*](#) Chapin, 1935
- [*Phyllophaga dispar*](#) (Burmeister, 1855)
- [*Phyllophaga disparilis*](#) (Horn, 1878)
- [*Phyllophaga disrupta*](#) Cockerell, 1927
- [*Phyllophaga dissimilis*](#) (Chevrolat, 1865)
- [*Phyllophaga divertens*](#) (Bates, 1888)
- [*Phyllophaga dominicensis*](#) Cartwright & Chalumeau, 1977

- [*Phyllophaga drakii*](#) (Kirby, 1837)
- [*Phyllophaga dsaimana*](#) Morón, 2003
- [*Phyllophaga dubitata*](#) Garcia-Vidal, 1978
- [*Phyllophaga duenas*](#) Saylor, 1941
- [*Phyllophaga dugesiana*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga dulcis*](#) (Bates, 1887)
- [*Phyllophaga duncani*](#) (Barrett, 1933)
- [*Phyllophaga durango*](#) Saylor, 1940
- [*Phyllophaga durangoana*](#) (Moser, 1921)
- [*Phyllophaga durangosa*](#) Saylor, 1943
- [*Phyllophaga ecostata*](#) (Horn, 1887)
- [*Phyllophaga ecuadorae*](#) Blackwelder, 1944
- [*Phyllophaga edrileyi*](#) Morón, 2015
- [*Phyllophaga eladio*](#) Woodruff, 2005
- [*Phyllophaga elegans*](#) (Nonfried, 1891)
- [*Phyllophaga elenans*](#) Saylor, 1938
- [*Phyllophaga eligia*](#) Sanderson, 1958
- [*Phyllophaga elizoria*](#) Saylor, 1937
- [*Phyllophaga elongata*](#) (Linell, 1896)
- [*Phyllophaga emberae*](#) Morón, 2015
- [*Phyllophaga emburyi*](#) Saylor, 1938
- [*Phyllophaga eniba*](#) Saylor, 1943
- [*Phyllophaga ephilida*](#) (Say, 1825)
- [*Phyllophaga epigaea*](#) (Wickham, 1903)
- [*Phyllophaga epulara*](#) Sanderson, 1958
- [*Phyllophaga erota*](#) (Saylor, 1942)
- [*Phyllophaga errans*](#) (LeConte, 1860)
- [*Phyllophaga espina*](#) Sanderson, 1951
- [*Phyllophaga esquinada*](#) Sanderson, 1951
- [*Phyllophaga estacea*](#) Saylor, 1943
- [*Phyllophaga etabatesiana*](#) Morón, 1992
- [*Phyllophaga euryaspis*](#) (Bates, 1887)
- [*Phyllophaga exorata*](#) (Horn, 1887)
- [*Phyllophaga expansa*](#) Chapin, 1932
- [*Phyllophaga explanicollis*](#) Chapin, 1935
- [*Phyllophaga extincta*](#) (Wickham, 1916)
- [*Phyllophaga falcata*](#) Smith & Paulsen, 2015
- [*Phyllophaga falsa*](#) (LeConte, 1856)
- [*Phyllophaga falta*](#) (LeConte, 1856)
- [*Phyllophaga farcta*](#) (LeConte, 1856)
- [*Phyllophaga favosa*](#) Saylor, 1941
- [*Phyllophaga ferrugata*](#) (Moser, 1918)

- [*Phyllophaga ferruginea*](#) (Moser, 1918)
- [*Phyllophaga ferupilis*](#) Saylor, 1941
- [*Phyllophaga fervida*](#) (Fabricius, 1775)
- [*Phyllophaga fesina*](#) Saylor, 1948
- [*Phyllophaga fimbriata*](#) Chapin, 1932
- [*Phyllophaga fimbripes*](#) (LeConte, 1856)
- [*Phyllophaga fissilabris*](#) (Bates, 1887)
- [*Phyllophaga flavidopilosa*](#) (Moser, 1921)
- [*Phyllophaga flavipennis*](#) (Horn, 1885)
- [*Phyllophaga floridana*](#) Robinson, 1938
- [*Phyllophaga foralita*](#) Saylor, 1938
- [*Phyllophaga forbesi*](#) Glasgow, 1916
- [*Phyllophaga forcipata*](#) (Burmeister, 1855)
- [*Phyllophaga forsteri*](#) (Burmeister, 1855)
- [*Phyllophaga fossoria*](#) Sanderson, 1951
- [*Phyllophaga foveicollis*](#) (Bates, 1887)
- [*Phyllophaga foxii*](#) Davis, 1920
- [*Phyllophaga fragilipennis*](#) (Blanchard, 1851)
- [*Phyllophaga franciscana*](#) Garcia-Vidal, 1984
- [*Phyllophaga fraterna*](#) Harris, 1842
- [*Phyllophaga fraternaria*](#) Cano & Morón, 2002
- [*Phyllophaga freeborni*](#) Saylor, 1937
- [*Phyllophaga fucata*](#) (Horn, 1887)
- [*Phyllophaga fulvipennis*](#) (Blanchard, 1851)
- [*Phyllophaga fulviventris*](#) (Moser, 1918)
- [*Phyllophaga fusca*](#) (Frölich, 1792) (northern June beetle)
- [*Phyllophaga fuscipennis*](#) (Moser, 1918)
- [*Phyllophaga futilis*](#) (LeConte, 1850) (lesser June beetle)

G–I

- [*Phyllophaga gaigei*](#) Sanderson, 1948
- [*Phyllophaga galeanae*](#) Saylor, 1943
- [*Phyllophaga garrota*](#) Sanderson, 1951
- [*Phyllophaga gastonguzmani*](#) Morón, 2016
- [*Phyllophaga gaumeri*](#) (Bates, 1889)
- [*Phyllophaga gentryi*](#) (Saylor, 1936)
- [*Phyllophaga georgiana*](#) (Horn, 1885)
- [*Phyllophaga ghentata*](#) (Saylor, 1937)
- [*Phyllophaga gigantissima*](#) Saylor, 1935
- [*Phyllophaga ginigra*](#) Saylor, 1940
- [*Phyllophaga glaberrima*](#) (Blanchard, 1851)
- [*Phyllophaga glabricula*](#) (LeConte, 1856)

- [*Phyllophaga glorieae*](#) Morón, 2013
- [*Phyllophaga godwini*](#) Morón & Riley, 2005
- [*Phyllophaga gonzalffteri*](#) Morón, 2012
- [*Phyllophaga gracilis*](#) (Burmeister, 1855)
- [*Phyllophaga gracillima*](#) (Von Dalle Torre, 1912)
- [*Phyllophaga gramma*](#) Morón & Woodruff, 2014
- [*Phyllophaga grancha*](#) Saylor, 1948
- [*Phyllophaga granti*](#) Saylor, 1940
- [*Phyllophaga gravidula*](#) (Moser, 1921)
- [*Phyllophaga grossepunctata*](#) (Moser, 1918)
- [*Phyllophaga guanacasteca*](#) Morón & Solis, 2000
- [*Phyllophaga guanicana*](#) Smyth, 1917
- [*Phyllophaga guapilana*](#) Saylor, 1935
- [*Phyllophaga guapiles*](#) Saylor, 1941
- [*Phyllophaga guapilesea*](#) Saylor, 1941
- [*Phyllophaga guapoloides*](#) Morón & Solis, 2001
- [*Phyllophaga guatemala*](#) (Saylor, 1940)
- [*Phyllophaga guerrocans*](#) Saylor, 1938
- [*Phyllophaga haagi*](#) Saylor, 1943
- [*Phyllophaga haitiensis*](#) Woodruff, 2005
- [*Phyllophaga halffteriana*](#) Morón, 1992
- [*Phyllophaga hamata*](#) (Horn, 1887)
- [*Phyllophaga hardyi*](#) Garcia-Vidal, 1984
- [*Phyllophaga hemilissa*](#) (Bates, 1887)
- [*Phyllophaga herminiae*](#) Hernández-Cruz, Morón & Sánchez-García, 2015
- [*Phyllophaga hernandezi*](#) Garcia-Vidal, 1984
- [*Phyllophaga herrerana*](#) Morón, 2017
- [*Phyllophaga heteroclita*](#) (Burmeister, 1855)
- [*Phyllophaga heteronycha*](#) (Bates, 1887)
- [*Phyllophaga hidalgoana*](#) Saylor, 1943
- [*Phyllophaga hintonella*](#) Saylor, 1941
- [*Phyllophaga hintoni*](#) Saylor, 1935
- [*Phyllophaga hirsuta*](#) (Knoch, 1801)
- [*Phyllophaga hirticollis*](#) (Moser, 1921)
- [*Phyllophaga hirticula*](#) (Knoch, 1801)
- [*Phyllophaga hirtifrons*](#) (Moser, 1921)
- [*Phyllophaga hirtiventris*](#) (Horn, 1887)
- [*Phyllophaga hoegei*](#) (Bates, 1887)
- [*Phyllophaga hoegella*](#) Saylor, 1943
- [*Phyllophaga hoffmanitae*](#) Morón, 1996
- [*Phyllophaga hogardi*](#) (Blanchard, 1851)
- [*Phyllophaga holguinensis*](#) Smith & Paulsen, 2015

- [*Phyllophaga hondura*](#) Saylor, 1943
- [*Phyllophaga hondurasana*](#) (Moser, 1921)
- [*Phyllophaga hoogstraali*](#) Saylor, 1943
- [*Phyllophaga hornii*](#) (Smith, 1889)
- [*Phyllophaga howdeniana*](#) Morón, 1992
- [*Phyllophaga howdenryi*](#) Morón & Maes, 2014
- [*Phyllophaga huachuca*](#) Saylor, 1940
- [*Phyllophaga hubbelli*](#) Cartwright, 1946
- [*Phyllophaga huiteaca*](#) Morón, 2006
- [*Phyllophaga humboldtiana*](#) Morón, 2003
- [*Phyllophaga idonea*](#) Sanderson, 1948
- [*Phyllophaga ignava*](#) (Horn, 1887)
- [*Phyllophaga ilicis*](#) (Knoch, 1801)
- [*Phyllophaga imeldae*](#) Morón, 2017
- [*Phyllophaga imitans*](#) Frey, 1975
- [*Phyllophaga imitatrix*](#) Chapin, 1932
- [*Phyllophaga impar*](#) Davis, 1920
- [*Phyllophaga implicita*](#) (Horn, 1887)
- [*Phyllophaga impressipyga*](#) Frey, 1975
- [*Phyllophaga imprima*](#) Sanderson, 1951
- [*Phyllophaga incuria*](#) Sanderson, 1942
- [*Phyllophaga independentista*](#) Garcia-Vidal, 1984
- [*Phyllophaga inepta*](#) (Horn, 1887)
- [*Phyllophaga infidelis*](#) (Horn, 1887)
- [*Phyllophaga inflativentris*](#) (Moser, 1918)
- [*Phyllophaga inflexa*](#) Barrett, 1935
- [*Phyllophaga instabilis*](#) Blackwelder, 1944
- [*Phyllophaga insulaepinora*](#) Garcia-Vidal, 1978
- [*Phyllophaga insulana*](#) (Moser, 1918)
- [*Phyllophaga insularis*](#) Smyth, 1917
- [*Phyllophaga integra*](#) (Say, 1835)
- [*Phyllophaga integriceps*](#) (Moser, 1918)
- [*Phyllophaga inversa*](#) (Horn, 1887)
- [*Phyllophaga invisa*](#) Riley & Wolfe, 1997
- [*Phyllophaga irazuana*](#) Saylor, 1936
- [*Phyllophaga isabellae*](#) Morón & Rivera, 2001
- [*Phyllophaga itsmica*](#) Morón, 2000
- [*Phyllophaga iviei*](#) Chalumeau, 1985
- [*Phyllophaga izabalana*](#) Morón, 2003
- [*Phyllophaga izucarana*](#) Morón & Aragon, 1997

J–L

- [*Phyllophaga jalisciensis*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga jamaicana*](#) (Moser, 1918)
- [*Phyllophaga janzeniana*](#) Morón & Solis, 2000
- [*Phyllophaga jaragua*](#) Woodruff, 2005
- [*Phyllophaga jaronua*](#) Chapin, 1932
- [*Phyllophaga javepacuana*](#) Morón, 2003
- [*Phyllophaga jeanmathieui*](#) Morón & Woodruff, 2014
- [*Phyllophaga jiminezi*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga jorgevaldezi*](#) Hernández-Cruz, Morón & Sánchez-García, 2015
- [*Phyllophaga josepalaciosi*](#) Morón & Nogueira, 2012
- [*Phyllophaga jovelana*](#) Morón & Cano, 2000
- [*Phyllophaga joyana*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga jumberea*](#) (Saylor, 1942)
- [*Phyllophaga juquilana*](#) Morón, 2000
- [*Phyllophaga juvenilis*](#) (Fall, 1932)
- [*Phyllophaga karlsioei*](#) (Linell, 1898)
- [*Phyllophaga kayaumariana*](#) Morón & Nogueira, 2014
- [*Phyllophaga kenscoffi*](#) Wolcott, 1928
- [*Phyllophaga kentuckiana*](#) Ritcher, 1937
- [*Phyllophaga knausi*](#) (Schaeffer, 1907)
- [*Phyllophaga knausii*](#) (Schaeffer, 1907)
- [*Phyllophaga knochi*](#) (Gyllenhal, 1817)
- [*Phyllophaga knochii*](#) (Schönherr and Gyllenhal, 1817)
- [*Phyllophaga koehleriana*](#) Saylor, 1940
- [*Phyllophaga kohlmanniana*](#) Morón & Solis, 2000
- [*Phyllophaga kulzeri*](#) Frey, 1975
- [*Phyllophaga kuntzeni*](#) (Moser, 1921)
- [*Phyllophaga laboriosa*](#) Garcia-Vidal, 1988
- [*Phyllophaga labrata*](#) Chapin, 1932
- [*Phyllophaga lacroixi*](#) Paulian, 1947
- [*Phyllophaga laevigata*](#) Blanchard, 1851
- [*Phyllophaga lalanza*](#) Saylor, 1941
- [*Phyllophaga laminata*](#) (Moser, 1921)
- [*Phyllophaga lanata*](#) (Blanchard, 1851)
- [*Phyllophaga lanceolata*](#) (Say, 1824)
- [*Phyllophaga lanepta*](#) (Saylor, 1937)
- [*Phyllophaga laportaei*](#) (Blanchard, 1851)
- [*Phyllophaga laportei*](#) Blanchard, 1851
- [*Phyllophaga larimar*](#) Woodruff, 2005
- [*Phyllophaga latefissa*](#) (Moser, 1918)
- [*Phyllophaga latens*](#) (Arrow, 1900)

- [*Phyllophaga latidens*](#) (Schaeffer, 1906)
- [*Phyllophaga latifrons*](#) (LeConte, 1856)
- [*Phyllophaga latipes*](#) Bates, 1887
- [*Phyllophaga latiungula*](#) Wolcott, 1928
- [*Phyllophaga lebasii*](#) (Blanchard, 1851)
- [*Phyllophaga lempira*](#) Morón & Robbins, 2004
- [*Phyllophaga lenis*](#) (Horn, 1887)
- [*Phyllophaga leonilae*](#) Morón, 1995
- [*Phyllophaga leonina*](#) (Bates, 1887)
- [*Phyllophaga leporina*](#) (Erichson, 1848)
- [*Phyllophaga leprieuri*](#) (Blanchard, 1851)
- [*Phyllophaga leptospica*](#) Sanderson, 1951
- [*Phyllophaga lineata*](#) (Bates, 1887)
- [*Phyllophaga lineatoides*](#) Morón, 2000
- [*Phyllophaga linharesensis*](#) Frey, 1975
- [*Phyllophaga lobata*](#) (Fall, 1908)
- [*Phyllophaga lodingi*](#) Sanderson, 1939
- [*Phyllophaga longicornis*](#) (Blanchard, 1851)
- [*Phyllophaga longifoliata*](#) (Moser, 1921)
- [*Phyllophaga longispina*](#) (Smith, 1889)
- [*Phyllophaga longitarsa*](#) (Say, 1824)
- [*Phyllophaga lorencita*](#) Morón & Solis, 2001
- [*Phyllophaga lota*](#) Luginbill, 1928
- [*Phyllophaga loxichana*](#) Morón, 2017
- [*Phyllophaga luctuosa*](#) (Horn, 1887)
- [*Phyllophaga luginbilli*](#) Saylor, 1941
- [*Phyllophaga lulaana*](#) Morón, 2000
- [*Phyllophaga luridipennis*](#) (Moser, 1918)

M

- [*Phyllophaga macasana*](#) (Moser, 1921)
- [*Phyllophaga macgregori*](#) Morón, 2004
- [*Phyllophaga macmurryi*](#) Saylor, 1940
- [*Phyllophaga macrocera*](#) (Bates, 1887)
- [*Phyllophaga macrophylla*](#) (Bates, 1887)
- [*Phyllophaga maculicollis*](#) (LeConte, 1863)
- [*Phyllophaga maestrensis*](#) Garcia-Vidal, 1984
- [*Phyllophaga magnicornis*](#) (Moser, 1921)
- [*Phyllophaga mali*](#) Wolcott, 1928
- [*Phyllophaga manantleca*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga manaosana*](#) (Moser, 1924)
- [*Phyllophaga manchesterea*](#) Saylor, 1940

- [*Phyllophaga mandevillea*](#) Saylor, 1940
- [*Phyllophaga manibota*](#) Smith & Paulsen, 2015
- [*Phyllophaga marcano*](#) Woodruff, 2005
- [*Phyllophaga marcapatana*](#) (Moser, 1918)
- [*Phyllophaga marginalis*](#) (LeConte, 1856)
- [*Phyllophaga mariaegalante*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga mariana*](#) Fall, 1929
- [*Phyllophaga marilucasana*](#) Cano & Morón, 2002
- [*Phyllophaga marina*](#) Garcia-Vidal, 1987
- [*Phyllophaga martiana*](#) Saylor, 1943
- [*Phyllophaga martincampoi*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga martinezi*](#) Frey, 1975
- [*Phyllophaga martinezpalaciosi*](#) Morón, 1989
- [*Phyllophaga matacapana*](#) Morón, 2003
- [*Phyllophaga maxima*](#) Bates, 1887
- [*Phyllophaga meadei*](#) Saylor, 1940
- [*Phyllophaga mella*](#) Sanderson, 1951
- [*Phyllophaga menetriesi*](#) (Blanchard, 1851)
- [*Phyllophaga mentalis*](#) Saylor, 1941
- [*Phyllophaga mesophylla*](#) Morón & Rivera, 1992
- [*Phyllophaga mexicana*](#) (Blanchard, 1851)
- [*Phyllophaga micans*](#) (Knoch, 1801)
- [*Phyllophaga michelbacheri*](#) Saylor, 1940
- [*Phyllophaga microcera*](#) (Arrow, 1933)
- [*Phyllophaga microcerus*](#) (Arrow, 1933)
- [*Phyllophaga microchaeta*](#) (Moser, 1924)
- [*Phyllophaga microphylla*](#) (Moser, 1918)
- [*Phyllophaga micros*](#) (Bates, 1888)
- [*Phyllophaga microsoma*](#) Chapin, 1932
- [*Phyllophaga migratoria*](#) Garcia-Vidal, 1984
- [*Phyllophaga mimicana*](#) Saylor, 1938
- [*Phyllophaga minutissima*](#) Wolcott, 1928
- [*Phyllophaga miraflora*](#) Saylor, 1940
- [*Phyllophaga misteca*](#) (Bates, 1888)
- [*Phyllophaga mitlana*](#) Saylor, 1943
- [*Phyllophaga moei*](#) Saylor, 1938
- [*Phyllophaga molopia*](#) (Bates, 1888)
- [*Phyllophaga monana*](#) (Moser, 1921)
- [*Phyllophaga monrosi*](#) Frey, 1975
- [*Phyllophaga monstrosa*](#) (Saylor, 1935)
- [*Phyllophaga montserratensis*](#) (Arrow, 1920)
- [*Phyllophaga morganella*](#) Saylor, 1942

- [*Phyllophaga morgani*](#) Saylor, 1938
- [*Phyllophaga moserella*](#) Morón, 2016
- [*Phyllophaga moseri*](#) Frey, 1965
- [*Phyllophaga mucorea*](#) (LeConte, 1856)
- [*Phyllophaga munizi*](#) Morón, 2008
- [*Phyllophaga murina*](#) (Burmeister, 1855)
- [*Phyllophaga muwieriana*](#) Morón & Nogueira, 2014

N–O

- [*Phyllophaga nahui*](#) Morón & Solis, 1994
- [*Phyllophaga nandalumia*](#) Morón & Riley, 2005
- [*Phyllophaga naranjina*](#) Morón & Solis, 2001
- [*Phyllophaga nasalis*](#) Chapin, 1935
- [*Phyllophaga navassa*](#) (Woodruff & Steiner, 2011)
- [*Phyllophaga navidad*](#) Morón & Woodruff, 2008
- [*Phyllophaga nebulosa*](#) Polihronakis, 2007
- [*Phyllophaga necaxa*](#) Saylor, 1943
- [*Phyllophaga neglecta*](#) (Blanchard, 1851)
- [*Phyllophaga neomexicana*](#) Saylor, 1940
- [*Phyllophaga nepida*](#) Saylor, 1941
- [*Phyllophaga nevermannea*](#) Saylor, 1941
- [*Phyllophaga nevermanni*](#) Saylor, 1935
- [*Phyllophaga nevomeana*](#) Morón, 2006
- [*Phyllophaga nigerrima*](#) (Bates, 1887)
- [*Phyllophaga nigrita*](#) (Moser, 1918)
- [*Phyllophaga nigropicea*](#) (Walker, 1866)
- [*Phyllophaga niquirana*](#) Moron, 1990
- [*Phyllophaga nisuens*](#) (Saylor, 1937)
- [*Phyllophaga nitida*](#) (LeConte, 1856)
- [*Phyllophaga nitidicauda*](#) (Arrow, 1913)
- [*Phyllophaga nitidicollis*](#) (Blanchard, 1851)
- [*Phyllophaga nitididorsis*](#) Frey, 1975
- [*Phyllophaga nogales*](#) Saylor, 1940
- [*Phyllophaga nogueirana*](#) Morón, 2002
- [*Phyllophaga nosa*](#) Blackwelder, 1944
- [*Phyllophaga nubipennis*](#) Bates, 1887
- [*Phyllophaga nuda*](#) (Moser, 1918)
- [*Phyllophaga nudipennis*](#) Frey, 1975
- [*Phyllophaga nunezi*](#) Woodruff, 2005
- [*Phyllophaga oaxaca*](#) Saylor, 1940
- [*Phyllophaga oaxena*](#) Saylor, 1940
- [*Phyllophaga obliquestriata*](#) Saylor, 1938

- [*Phyllophaga oblongula*](#) Bates, 1887
- [*Phyllophaga obsoleta*](#) (Blanchard, 1851)
- [*Phyllophaga ocozocuana*](#) Morón, 2003
- [*Phyllophaga odomi*](#) Saylor, 1943
- [*Phyllophaga ohausi*](#) (Moser, 1921)
- [*Phyllophaga okeechobea*](#) Robinson, 1948
- [*Phyllophaga omani*](#) Sanderson, 1937
- [*Phyllophaga ome*](#) Morón, 1991
- [*Phyllophaga omitemia*](#) Bates, 1889
- [*Phyllophaga onchophora*](#) Chapin, 1932
- [*Phyllophaga onita*](#) Saylor, 1941
- [*Phyllophaga onoreana*](#) Morón, 2003
- [*Phyllophaga opaca*](#) (Moser, 1918)
- [*Phyllophaga opacicollis*](#) (Horn, 1878)
- [*Phyllophaga orosina*](#) (Moser, 1918)
- [*Phyllophaga ortizi*](#) Woodruff, 2005
- [*Phyllophaga ovalis*](#) (Cartwright, 1939)

P

- [*Phyllophaga pachuca*](#) Saylor, 1943
- [*Phyllophaga pachypyga*](#) (Burmeister, 1855)
- [*Phyllophaga pallida*](#) (Horn, 1885)
- [*Phyllophaga pallidicornis*](#) (Moser, 1921)
- [*Phyllophaga pameana*](#) Morón, 2000
- [*Phyllophaga panamana*](#) Chapin, 1935
- [*Phyllophaga panamensis*](#) (Moser, 1921)
- [*Phyllophaga panicula*](#) Sanderson, 1951
- [*Phyllophaga panorpa*](#) Sanderson, 1950
- [*Phyllophaga papaloana*](#) Morón, 2001
- [*Phyllophaga paraguayana*](#) (Moser, 1921)
- [*Phyllophaga paraguayensis*](#) (Moser, 1918)
- [*Phyllophaga parallela*](#) (Blanchard, 1851)
- [*Phyllophaga parcesetifera*](#) Chapin, 1935
- [*Phyllophaga parilis*](#) (Bates, 1888)
- [*Phyllophaga parumpunctata*](#) (Bates, 1887)
- [*Phyllophaga parvicornis*](#) (Moser, 1924)
- [*Phyllophaga parvidens*](#) (LeConte, 1856)
- [*Phyllophaga parvisetis*](#) (Bates, 1887)
- [*Phyllophaga pastassana*](#) (Moser, 1924)
- [*Phyllophaga paternoi*](#) Glasgow, 1925
- [*Phyllophaga patruelis*](#) (Chevrolat, 1865)
- [*Phyllophaga patrueloides*](#) Paulian, 1947

- [*Phyllophaga pauliani*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga pauloensis*](#) Frey, 1975
- [*Phyllophaga pearliae*](#) Davis, 1920
- [*Phyllophaga peccata*](#) Blackwelder, 1944
- [*Phyllophaga pectoralis*](#) (Blanchard, 1851)
- [*Phyllophaga pedernales*](#) Woodruff, 2005
- [*Phyllophaga penaella*](#) Frey, 1975
- [*Phyllophaga peninsulana*](#) (Moser, 1918)
- [*Phyllophaga peninsularis*](#) Saylor, 1940
- [*Phyllophaga pentaphylla*](#) (Bates, 1888)
- [*Phyllophaga perfidia*](#) Smith & Paulsen, 2015
- [*Phyllophaga perlonga*](#) Davis, 1920
- [*Phyllophaga permagna*](#) (Moser, 1918)
- [*Phyllophaga persimilis*](#) Chapin, 1935
- [*Phyllophaga personata*](#) Chapin, 1935
- [*Phyllophaga peruana*](#) (Moser, 1918)
- [*Phyllophaga picadoana*](#) Morón & Solis, 2000
- [*Phyllophaga picea*](#) (Blanchard, 1851)
- [*Phyllophaga piceola*](#) (Bates, 1887)
- [*Phyllophaga picipennis*](#) (Moser, 1918)
- [*Phyllophaga piligera*](#) (Moser, 1918)
- [*Phyllophaga piliventris*](#) (Moser, 1918)
- [*Phyllophaga pilosipes*](#) Saylor, 1940
- [*Phyllophaga pilositaris*](#) Blackwelder, 1944
- [*Phyllophaga pilosula*](#) (Moser, 1918)
- [*Phyllophaga pilotoensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga pilula*](#) (Moser, 1921)
- [*Phyllophaga pinophilus*](#) Morón & Woodruff, 2014
- [*Phyllophaga plaei*](#) (Blanchard, 1851)
- [*Phyllophaga plairi*](#) (Saylor, 1937)
- [*Phyllophaga planeta*](#) Reinhard, 1950
- [*Phyllophaga platti*](#) Saylor, 1935
- [*Phyllophaga platyrhina*](#) (Bates, 1887)
- [*Phyllophaga plena*](#) (Fall, 1932)
- [*Phyllophaga pleroma*](#) Reinhard, 1940
- [*Phyllophaga poculifer*](#) (Bates, 1887)
- [*Phyllophaga pokornyiana*](#) Morón, 1995
- [*Phyllophaga polita*](#) (Harold, 1869)
- [*Phyllophaga polyphylla*](#) (Bates, 1887)
- [*Phyllophaga postrema*](#) (Horn, 1887)
- [*Phyllophaga poterillosa*](#) Saylor, 1942
- [*Phyllophaga potosisalta*](#) Morón & Woodruff, 2008

- [*Phyllophaga potrerillo*](#) Garcia-Vidal, 1987
- [*Phyllophaga praesidii*](#) (Bates, 1888)
- [*Phyllophaga praetermissa*](#) (Horn, 1887)
- [*Phyllophaga probaporra*](#) Sanderson, 1951
- [*Phyllophaga profunda*](#) (Blanchard, 1851)
- [*Phyllophaga proluxa*](#) (Bates, 1887)
- [*Phyllophaga propinqua*](#) (Moser, 1918)
- [*Phyllophaga pruinipennis*](#) (Moser, 1918)
- [*Phyllophaga pruinosa*](#) (Blanchard, 1851)
- [*Phyllophaga prunina*](#) (LeConte, 1856)
- [*Phyllophaga prununculina*](#) (Burmeister, 1855)
- [*Phyllophaga pseudoatra*](#) Morón, 2003
- [*Phyllophaga pseudocalcaris*](#) Saylor, 1940
- [*Phyllophaga pseudocarus*](#) Morón, 1999
- [*Phyllophaga pseudofloridana*](#) Woodruff and Beck, 1989
- [*Phyllophaga pseudomicans*](#) Chapin, 1935
- [*Phyllophaga psiloptera*](#) Sanderson, 1939
- [*Phyllophaga puberea*](#) (Mannerheim, 1829)
- [*Phyllophaga puberula*](#) (Jacquelin Du Val, 1856)
- [*Phyllophaga pubescens*](#) (Burmeister, 1855)
- [*Phyllophaga pubicauda*](#) (Bates, 1887)
- [*Phyllophaga pubicollis*](#) (Blanchard, 1851)
- [*Phyllophaga pudorosa*](#) Reinhard, 1939
- [*Phyllophaga puerilis*](#) Wickham, 1914
- [*Phyllophaga pulcher*](#) (Linell, 1896)
- [*Phyllophaga punctipennis*](#) (Blanchard, 1851)
- [*Phyllophaga punctulata*](#) (Blanchard, 1851)
- [*Phyllophaga punctuliceps*](#) Bates, 1887
- [*Phyllophaga punctulicollis*](#) (Bates, 1887)
- [*Phyllophaga puntarenosa*](#) Morón & Solis, 2001
- [*Phyllophaga pusillidens*](#) Fall, 1937

Q–R

- [*Phyllophaga quadriphylla*](#) Saylor, 1943
- [*Phyllophaga quercus*](#) (Knoch, 1801)
- [*Phyllophaga quercus*](#) (Knoch, 1801)
- [*Phyllophaga quetzala*](#) Morón, 2001
- [*Phyllophaga quetzaloides*](#) Morón, 2001
- [*Phyllophaga quetzalpoa*](#) Morón, 2015
- [*Phyllophaga quiana*](#) Morón, 2003
- [*Phyllophaga quituana*](#) Morón, 2015
- [*Phyllophaga rafaellamothei*](#) Morón, 2016

- [*Phyllophaga rangelana*](#) Chapin, 1935
- [*Phyllophaga ratcliffeiana*](#) Morón, 1992
- [*Phyllophaga ravidia*](#) (Blanchard, 1851)
- [*Phyllophaga rawlinsi*](#) Woodruff, 2005
- [*Phyllophaga raydoma*](#) (Saylor, 1943)
- [*Phyllophaga recorta*](#) Sanderson, 1951
- [*Phyllophaga reevesi*](#) Saylor, 1939
- [*Phyllophaga regiomontana*](#) Morón, 2001
- [*Phyllophaga reinhardi*](#) Saylor, 1940
- [*Phyllophaga renodis*](#) Reinhard, 1939
- [*Phyllophaga reticulata*](#) Frey, 1975
- [*Phyllophaga reventazona*](#) Saylor, 1936
- [*Phyllophaga rex*](#) Woodruff & Sanderson, 2005
- [*Phyllophaga reyescastilloi*](#) Morón, 2013
- [*Phyllophaga reyesiana*](#) Morón, 1992
- [*Phyllophaga reyesolivasi*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga riverana*](#) Morón, 2004
- [*Phyllophaga riviera*](#) Reinhard, 1950
- [*Phyllophaga roberterroni*](#) Morón, 2017
- [*Phyllophaga rodriguezi*](#) Bates, 1889
- [*Phyllophaga rolbakeri*](#) Saylor, 1940
- [*Phyllophaga rolstoni*](#) Riley & Wolfe, 1997
- [*Phyllophaga romana*](#) Saylor, 1946
- [*Phyllophaga rorida*](#) (Burmeister, 1855)
- [*Phyllophaga rorulenta*](#) (Burmeister, 1855)
- [*Phyllophaga roscida*](#) (Burmeister, 1855)
- [*Phyllophaga rossi*](#) Saylor, 1939
- [*Phyllophaga rostrypyga*](#) (Bates, 1888)
- [*Phyllophaga rubiginosa*](#) (LeConte, 1856)
- [*Phyllophaga rubricosa*](#) Reinhard, 1939
- [*Phyllophaga ruficollis*](#) (Moser, 1915)
- [*Phyllophaga rufipes*](#) (Moser, 1924)
- [*Phyllophaga rufithorax*](#) (Moser, 1921)
- [*Phyllophaga rufiventris*](#) (Kirsch, 1885)
- [*Phyllophaga rufotestacea*](#) (Moser, 1918)
- [*Phyllophaga rugicollis*](#) (Bates, 1887)
- [*Phyllophaga rugipennis*](#) (Schaufuss, 1858)
- [*Phyllophaga rugithorax*](#) Saylor, 1938
- [*Phyllophaga rugosa*](#) (Melsheimer, 1845) (rugose June beetle)
- [*Phyllophaga rugulosa*](#) (Blanchard, 1851)
- [*Phyllophaga rustica*](#) Woodruff, 2005
- [*Phyllophaga rzedowskiana*](#) Aragon & Morón, 2003

S

- [*Phyllophaga sacoma*](#) Reinhard, 1939
- [*Phyllophaga saginata*](#) (Mannerheim, 1829)
- [*Phyllophaga sahadundinoi*](#) Morón, 2015
- [*Phyllophaga saltana*](#) Frey, 1975
- [*Phyllophaga sanbarthensis*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga sanctipauli*](#) (Blanchard, 1851)
- [*Phyllophaga sandersoni*](#) Garcia-Vidal, 1988
- [*Phyllophaga sandersoniana*](#) Morón, 1992
- [*Phyllophaga sandersoniella*](#) Chalumeau & Gruner, 1976
- [*Phyllophaga santachloe*](#) Woodruff, 2005
- [*Phyllophaga santaclarae*](#) Chapin, 1932
- [*Phyllophaga santiagozai*](#) Morón, 2011
- [*Phyllophaga santiaguensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga sarlacca*](#) Smith & Paulsen, 2015
- [*Phyllophaga saylori*](#) Sanderson, 1965
- [*Phyllophaga sayloriana*](#) Morón & Rivera & Lopez, 2001
- [*Phyllophaga scabrifrons*](#) (Bates, 1887)
- [*Phyllophaga scabripygma*](#) Bates, 1887
- [*Phyllophaga scaramuzzai*](#) Garcia-Vidal, 1988
- [*Phyllophaga schaefferi*](#) Saylor, 1937
- [*Phyllophaga schenklingi*](#) Moser, 1918
- [*Phyllophaga schizorhina*](#) (Bates, 1887)
- [*Phyllophaga schizorhinoides*](#) Morón, 2003
- [*Phyllophaga schneblei*](#) Frey, 1975
- [*Phyllophaga schusteriana*](#) (Cano & Morón, 2002)
- [*Phyllophaga schwarzi*](#) Chapin, 1932
- [*Phyllophaga sciassa*](#) (Bates, 1887)
- [*Phyllophaga scitula*](#) (Horn, 1887)
- [*Phyllophaga scoparia*](#) (LeConte, 1856)
- [*Phyllophaga scuticeps*](#) (Bates, 1888)
- [*Phyllophaga secessicola*](#) Smith & Paulsen, 2015
- [*Phyllophaga segregans*](#) (Bates, 1888)
- [*Phyllophaga senex*](#) (Horn, 1878)
- [*Phyllophaga senicula*](#) (Bates, 1887)
- [*Phyllophaga sequoiana*](#) Saylor, 1936
- [*Phyllophaga sericata*](#) (Erichson, 1848)
- [*Phyllophaga serrana*](#) Morón & Cano, 2000
- [*Phyllophaga serratipes*](#) Morón & Cano, 2000
- [*Phyllophaga setifera*](#) (Burmeister, 1855)
- [*Phyllophaga sibonyensis*](#) Garcia-Vidal, 1988
- [*Phyllophaga signaticollis*](#) (Burmeister, 1855)

- [*Phyllophaga sinaloana*](#) Saylor, 1935
- [*Phyllophaga sinicollis*](#) Saylor, 1943
- [*Phyllophaga sinuaticeps*](#) (Moser, 1921)
- [*Phyllophaga skelleyi*](#) Woodruff and Beck, 1989
- [*Phyllophaga smithi*](#) (Arrow, 1912)
- [*Phyllophaga snowi*](#) Saylor, 1940
- [*Phyllophaga sociata*](#) (Horn, 1878)
- [*Phyllophaga sodalis*](#) Reinhard, 1940
- [*Phyllophaga sodialis*](#) Reinhard, 1940
- [*Phyllophaga solanophaga*](#) Morón, 1988
- [*Phyllophaga solavegana*](#) Morón, 2000
- [*Phyllophaga solisiana*](#) Morón, 2003
- [*Phyllophaga sonora*](#) Saylor, 1939
- [*Phyllophaga soror*](#) Davis, 1920
- [*Phyllophaga spaethi*](#) (Nonfried, 1891)
- [*Phyllophaga speculifera*](#) (Chevrolat, 1865)
- [*Phyllophaga spinicola*](#) Garcia-Vidal, 1984
- [*Phyllophaga spinifemora*](#) Saylor, 1940
- [*Phyllophaga spinitarsis*](#) (Moser, 1921)
- [*Phyllophaga spreta*](#) (Horn, 1887)
- [*Phyllophaga squamifera*](#) Frey, 1976
- [*Phyllophaga squamipilosa*](#) Saylor, 1937
- [*Phyllophaga stehlei*](#) Chalumeau, 1985
- [*Phyllophaga stipitalis*](#) (Blanchard, 1851)
- [*Phyllophaga stohleri*](#) Saylor, 1938
- [*Phyllophaga straminea*](#) (Bates, 1887)
- [*Phyllophaga sturmi*](#) (Bates, 1887)
- [*Phyllophaga stzotzilana*](#) Morón, 2001
- [*Phyllophaga submetallica*](#) (Bates, 1887)
- [*Phyllophaga submucida*](#) (LeConte, 1856)
- [*Phyllophaga subnitida*](#) (Moser, 1918)
- [*Phyllophaga subopaca*](#) (Moser, 1918)
- [*Phyllophaga subpruinosa*](#) (Casey, 1884)
- [*Phyllophaga subrugosa*](#) (Moser, 1924)
- [*Phyllophaga subspinosa*](#) (Harris, 1826)
- [*Phyllophaga subtonsa*](#) (LeConte, 1856)
- [*Phyllophaga suriana*](#) Morón, 2002
- [*Phyllophaga suttonana*](#) Reinhard, 1939
- [*Phyllophaga suturalis*](#) (Chevrolat, 1865)
- [*Phyllophaga sylvatica*](#) Sanderson, 1942

T

- [*Phyllophaga tajimaroana*](#) Morón, 2000
- [*Phyllophaga talamancana*](#) Morón & Solis, 2001
- [*Phyllophaga tamatziana*](#) Morón & Nogueira, 2014
- [*Phyllophaga tancitara*](#) Saylor, 1943
- [*Phyllophaga tapantina*](#) Morón & Solis, 2001
- [*Phyllophaga tarsalis*](#) (Schaeffer, 1908)
- [*Phyllophaga tascatensis*](#) Morón, Lugo-García & Aragón-García, 2015
- [*Phyllophaga taxodii*](#) Langston, 1924
- [*Phyllophaga tecta*](#) Cartwright, 1944
- [*Phyllophaga tegenara*](#) Saylor, 1935
- [*Phyllophaga tegulicollis*](#) Saylor, 1934
- [*Phyllophaga tejupana*](#) Morón, 2000
- [*Phyllophaga tejupilcas*](#) Saylor, 1943
- [*Phyllophaga temascalis*](#) Saylor, 1941
- [*Phyllophaga temascaltepeca*](#) Saylor, 1934
- [*Phyllophaga temaxa*](#) Saylor, 1940
- [*Phyllophaga temora*](#) Saylor, 1943
- [*Phyllophaga tenuipilis*](#) (Bates, 1887)
- [*Phyllophaga teosinteophaga*](#) Morón & Rivera, 1992
- [*Phyllophaga tepanana*](#) Saylor, 1938
- [*Phyllophaga tepequetzala*](#) Morón, 2015
- [*Phyllophaga terezinae*](#) Frey, 1965
- [*Phyllophaga terminalis*](#) Saylor, 1935
- [*Phyllophaga tesorito*](#) Vallejo & Wolff, 2013
- [*Phyllophaga tetracera*](#) Chapin, 1932
- [*Phyllophaga tetraphylla*](#) (Moser, 1918)
- [*Phyllophaga texensis*](#) Saylor, 1940
- [*Phyllophaga thoracica*](#) (Burmeister, 1855)
- [*Phyllophaga tilarana*](#) Morón & Solis, 2001
- [*Phyllophaga timida*](#) (Horn, 1878)
- [*Phyllophaga tlamana*](#) Morón, 2016
- [*Phyllophaga tlanchinolensis*](#) Morón, 2000
- [*Phyllophaga tojolabala*](#) Morón, 1999
- [*Phyllophaga toni*](#) Woodruff, 2005
- [*Phyllophaga torta*](#) (LeConte, 1856)
- [*Phyllophaga totonis*](#) Saylor, 1941
- [*Phyllophaga totoreana*](#) Morón, 2006
- [*Phyllophaga trichoderma*](#) (Moser, 1921)
- [*Phyllophaga trichodes*](#) (Bates, 1890)
- [*Phyllophaga tridens*](#) (Bates, 1887)
- [*Phyllophaga tridilonycha*](#) Saylor, 1943

- [*Phyllophaga trinitariensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga tristis*](#) (Fabricius, 1781)
- [*Phyllophaga triticophaga*](#) Morón & Salvadori, 1998
- [*Phyllophaga trochanter*](#) Saylor, 1940
- [*Phyllophaga tsajumiana*](#) Morón, 2001
- [*Phyllophaga tuberculifrons*](#) (Chevrolat, 1865)
- [*Phyllophaga tumulosa*](#) Bates, 1887
- [*Phyllophaga tusa*](#) (Horn, 1887)
- [*Phyllophaga tuxtleca*](#) Morón, 2003
- [*Phyllophaga tzintzontliana*](#) Morón, 1992

U–Z

- [*Phyllophaga ueiacayoca*](#) Morón, 1992
- [*Phyllophaga ulkei*](#) (Smith, 1889)
- [*Phyllophaga umbrosa*](#) (Erichson, 1847)
- [*Phyllophaga uniformis*](#) (Blanchard, 1851)
- [*Phyllophaga uruguayana*](#) (Saylor, 1935)
- [*Phyllophaga valeriana*](#) Saylor, 1934
- [*Phyllophaga valia*](#) Saylor, 1940
- [*Phyllophaga vallendensis*](#) Morón, 2013
- [*Phyllophaga vandinei*](#) Smyth, 1917
- [*Phyllophaga vandykei*](#) Saylor, 1935
- [*Phyllophaga varohiana*](#) Morón, 2006
- [*Phyllophaga vazquezae*](#) Morón, 1995
- [*Phyllophaga vehemens*](#) (Horn, 1887)
- [*Phyllophaga velezangeli*](#) Morón & Neita-Moreno, 2014
- [*Phyllophaga venodiola*](#) Saylor, 1948
- [*Phyllophaga vermiculata*](#) Chapin, 1932
- [*Phyllophaga verruciventrifrons*](#) (Moser, 1918)
- [*Phyllophaga vestita*](#) (Moser, 1918)
- [*Phyllophaga vetula*](#) (Horn, 1887)
- [*Phyllophaga vexata*](#) (Horn, 1885)
- [*Phyllophaga vicina*](#) (Moser, 1918)
- [*Phyllophaga vilifrons*](#) (LeConte, 1856)
- [*Phyllophaga villaclarensis*](#) Garcia-Vidal, 1987
- [*Phyllophaga villardoi*](#) Morón & Ordóñez-Reséndiz, 2015
- [*Phyllophaga villifrons*](#) (LeConte, 1856)
- [*Phyllophaga violetae*](#) Morón & Aragon-Garcia, 2012
- [*Phyllophaga vulpes*](#) (Arrow, 1913)
- [*Phyllophaga wickhami*](#) Saylor, 1940
- [*Phyllophaga wittkugeli*](#) (Nonfried, 1891)
- [*Phyllophaga wolcotti*](#) Saylor, 1940

- [*Phyllophaga xalacoatepecana*](#) Morón, 2015
- [*Phyllophaga xanthe*](#) (Bates, 1888)
- [*Phyllophaga xanthocoma*](#) (Bates, 1887)
- [*Phyllophaga xerophila*](#) Saylor, 1939
- [*Phyllophaga xkumuka*](#) Morón, 1999
- [*Phyllophaga yaqui*](#) Saylor, 1940
- [*Phyllophaga yaxbitana*](#) Morón, 2000
- [*Phyllophaga yei*](#) Morón, 1991
- [*Phyllophaga yemasseei*](#) Cartwright, 1944
- [*Phyllophaga yoloxana*](#) Morón, 2003
- [*Phyllophaga youngi*](#) Cartwright, 1935
- [*Phyllophaga yucana*](#) Saylor, 1937
- [*Phyllophaga yunqueana*](#) Chapin, 1935
- [*Phyllophaga zacaquetzala*](#) Morón, 2015
- [*Phyllophaga zaragozana*](#) Morón, 2003
- [*Phyllophaga zarcoana*](#) Morón, 2003
- [*Phyllophaga zavalana*](#) Reinhard, 1946
- [*Phyllophaga zayasi*](#) Garcia-Vidal, 1978
- [*Phyllophaga zeteki*](#) Saylor, 1942
- [*Phyllophaga zunilensis*](#) Bates, 1887
- [*Phyllophaga zunimarioi*](#) Morón & Maes, 2014

This is a list of 164 species in [*Phyllobius*](#), a genus of broad-nosed weevils in the family [*Curculionidae*](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Phyllobius* species**

- [*Phyllobius achardi*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius aetolicus*](#) Apfelbeck, 1901 ^{c g}
- [*Phyllobius alpinus*](#) Stierlin, 1859 ^{c g}
- [*Phyllobius altaicus*](#) Gebler, 1833 ^{c g}
- [*Phyllobius alternans*](#) Bajtenov, 1974 ^{c g}
- [*Phyllobius annectens*](#) Sharp, 1896 ^{c g}
- [*Phyllobius arborator*](#) (Herbst, 1797) ^{c g}
- [*Phyllobius argentatus*](#) Linnaeus, 1758 ^{c g}
- [*Phyllobius armatus*](#) Roelofs, 1876 ^{c g}
- [*Phyllobius armeniacus*](#) Kirsch, 1878 ^{c g}

- [*Phyllobius atlasticus*](#) Hustache, 1933 ^{c g}
- [*Phyllobius baicalicus*](#) Korotyaev, 1979 ^{c g}
- [*Phyllobius ballionis*](#) Stark, 1889 ^{c g}
- [*Phyllobius banghaasi*](#) Schilsky, 1908 ^{c g}
- [*Phyllobius betulinus*](#) Bechstein & Scharfenberg, 1805 ^{c g}
- [*Phyllobius brenskei*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius brevis*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius bulgaricus*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius cambyses*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius canus*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius cervinus*](#) Hochhuth, 1847 ^{c g}
- [*Phyllobius cinerascens*](#) (Fabricius, 1792) ^g
- [*Phyllobius circassicus*](#) Reitter, 1888 ^{c g}
- [*Phyllobius claviger*](#) Faust, 1889 ^{c g}
- [*Phyllobius confusus*](#) Schilsky, 1912 ^{c g}
- [*Phyllobius contemptus*](#) Schoenherr, 1832 ^{c g}
- [*Phyllobius crassipes*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius crassus*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius cupreoaureus*](#) Stierlin, 1861 ^{c g}
- [*Phyllobius cylindricollis*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius dahli*](#) Korotyaev, 1984 ^{c g}
- [*Phyllobius dalabanus*](#) Voss, 1956 ^{c g}
- [*Phyllobius delagrangei*](#) Desbrochers des Loges, 1892 ^{c g}
- [*Phyllobius derjugini*](#) Smirnov, 1913 ^{c g}
- [*Phyllobius deyrollei*](#) Tournier, 1877 ^{c g}
- [*Phyllobius dispar*](#) Redtenbacher, 1849 ^{c g}
- [*Phyllobius emeryi*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius emgei*](#) Stierlin, 1887 ^{c g}
- [*Phyllobius emmrichi*](#) Bajtenov, 1980 ^{c g}
- [*Phyllobius eques*](#) Reitter, 1913 ^{c g}
- [*Phyllobius etruscus*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Phyllobius euchromus*](#) Reitter, 1885 ^{c g}
- [*Phyllobius exaequatus*](#) Faust, 1885 ^{c g}
- [*Phyllobius farinosus*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius femoralis*](#) Boheman, 1842 ^{c g}
- [*Phyllobius fessus*](#) Boheman, 1843 ^g

- [*Phyllobius festae*](#) F. Solari, 1925 ^{c g}
- [*Phyllobius flecki*](#) Reitter, 1906 ^{c g}
- [*Phyllobius fulvago*](#) (Gyllenhal, 1834) ^{c g}
- [*Phyllobius fulvagoides*](#) Reitter, 1885 ^{c g}
- [*Phyllobius fumigatus*](#) Boheman, 1843 ^{c g}
- [*Phyllobius ganglbaueri*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius glaucus*](#) (Scopoli, 1763) ^{i c g}
- [*Phyllobius globicollis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius gomadanensis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius granicollis*](#) Pesarini, 1970 ^{c g}
- [*Phyllobius grubovi*](#) Korotyaev, 1984 ^{c g}
- [*Phyllobius grunini*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius haberhaueri*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius harlachingensis*](#) Gistel, 1857 ^{c g}
- [*Phyllobius helenae*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius hirtipennis*](#) (Hustache, 1921) ^{c g}
- [*Phyllobius hiurai*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius hochhuthi*](#) Faust, 1883 ^{c g}
- [*Phyllobius ichihashii*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius incomptus*](#) Sharp, 1896 ^{c g}
- [*Phyllobius insidiosus*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius insulanus*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius intrusus*](#) Kono, 1948 ^{i b} (arborvitae weevil)
- [*Phyllobius italicus*](#) A. Solari & F. Solari, 1904 ^{c g}
- [*Phyllobius jacobsoni*](#) Smirnov, 1913 ^{c g}
- [*Phyllobius japonicus*](#) Faust, 1889 ^{c g}
- [*Phyllobius kajigamori*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius kantoensis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius karamanensis*](#) Voss, 1964 ^{c g}
- [*Phyllobius kaszabi*](#) L. Arnoldi & Korotyaev, 1977 ^{c g}
- [*Phyllobius kerzhneri*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius kolyomensis*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius korbi*](#) Schilsky, 1908 ^{c g}
- [*Phyllobius kozlovi*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius kuldzhanus*](#) Suvorov, 1915 ^{c g}
- [*Phyllobius kumanoensis*](#) Morimoto & Miyakawa, 2006 ^{c g}

- [*Phyllobius kurosonensis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius lateralis*](#) Reiche, 1857 ^{c g}
- [*Phyllobius lederi*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius lenkoranus*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius leonhardi*](#) Schilsky, 1908 ^{c g}
- [*Phyllobius leonisi*](#) Pic, 1902 ^{c g}
- [*Phyllobius lewisi*](#) (Sharp, 1896) ^{c g}
- [*Phyllobius litoralis*](#) Faust, 1887 ^{c g}
- [*Phyllobius lodosi*](#) Pesarini, 1975 ^{c g}
- [*Phyllobius logunovi*](#) Korotyaev, 1995 ^{c g}
- [*Phyllobius longipilis*](#) Boheman, 1842 ^{c g}
- [*Phyllobius lukjanovitshi*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius maculicornis*](#) Germar, 1824 ^{c g}
- [*Phyllobius maculosus*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius mediatus*](#) Reitter, 1888 ^{c g}
- [*Phyllobius meschniggi*](#) F. Solari, 1938 ^{c g}
- [*Phyllobius mixtus*](#) Hochhuth, 1847 ^{c g}
- [*Phyllobius mongolicus*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius montanus*](#) Miller, 1862 ^{c g}
- [*Phyllobius nigrofasciatus*](#) Pesarini, 1974 ^{c g}
- [*Phyllobius noesskei*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius nudiamplus*](#) Reitter, 1916 ^{c g}
- [*Phyllobius oblongus*](#) (Linnaeus, 1758) ^{i c g b} (European snout beetle)
- [*Phyllobius obovatus*](#) Gebler, 1834 ^{c g}
- [*Phyllobius obscuripes*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius occidentalis*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius pallidipennis*](#) Hochhuth, 1847 ^{c g}
- [*Phyllobius pallidus*](#) (Fabricius, 1792) ^{c g}
- [*Phyllobius parvus*](#) Voss, 1956 ^{c g}
- [*Phyllobius parviceps*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius parvicollis*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius pellitus*](#) Boheman, 1842 ^{c g}
- [*Phyllobius peneckeii*](#) F. Solari, 1931 ^{c g}
- [*Phyllobius perspicillatus*](#) Pesarini, 1971 ^{c g}
- [*Phyllobius pesarinii*](#) Borovec & Magnano, 2004 ^{c g}
- [*Phyllobius picipes*](#) Motschulsky, 1861 ^{c g}

- [*Phyllobius pilicornis*](#) Desbrochers des Loges, 1873 ^{c g}
- [*Phyllobius pilidorsum*](#) Desbrochers des Loges, 1895 ^{c g}
- [*Phyllobius pilipes*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Phyllobius pomaceus*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius potanini*](#) Korotyaev, 1979 ^{c g}
- [*Phyllobius profanus*](#) Faust, 1881 ^{c g}
- [*Phyllobius prolongatus*](#) Motschulsky, 1860 ^{c g}
- [*Phyllobius przewalskii*](#) Korotyaev, 1979 ^{c g}
- [*Phyllobius pubipennis*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius pyri*](#) Linnaeus, 1758 ^{c g}
- [*Phyllobius quercicola*](#) Apfelbeck, 1916 ^{c g}
- [*Phyllobius raveræ*](#) A. Solari & F. Solari, 1903 ^{c g}
- [*Phyllobius reicheidius*](#) Desbrochers des Loges, 1872 ^{c g}
- [*Phyllobius rhodopensis*](#) Apfelbeck, 1898 ^{c g}
- [*Phyllobius roboretanus*](#) Gredler, 1882 ^{c g}
- [*Phyllobius rochatii*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius romanus*](#) Faust, 1890 ^{c g}
- [*Phyllobius roseipennis*](#) Pesarini, 1973 ^{c g}
- [*Phyllobius rotundicollis*](#) Roelofs, 1873 ^{c g}
- [*Phyllobius ruscicus*](#) Stierlin, 1884 ^{c g}
- [*Phyllobius sahlbergi*](#) Faust, 1890 ^{c g}
- [*Phyllobius sauricus*](#) Korotyaev & Egorov, 1977 ^{c g}
- [*Phyllobius schatzmayri*](#) Pesarini, 1981 ^{c g}
- [*Phyllobius scutellaris*](#) Redtenbacher, 1849 ^g
- [*Phyllobius seladonius*](#) Brullé, 1832 ^{c g}
- [*Phyllobius shigematsui*](#) Morimoto & Miyakawa, 2006 ^{c g}
- [*Phyllobius solarii*](#) Schilsky, 1911 ^{c g}
- [*Phyllobius solskyi*](#) Faust, 1885 ^{c g}
- [*Phyllobius squamosus*](#) C.N.F. Brisout de Barneville, 1866 ^{c g}
- [*Phyllobius subdentatus*](#) Boheman, 1842 ^{c g}
- [*Phyllobius subnudus*](#) Kôno, 1928 ^{c g}
- [*Phyllobius thalassinus*](#) Gyllenhal, 1834 ^{c g}
- [*Phyllobius transsylvanicus*](#) Stierlin, 1894 ^{c g}
- [*Phyllobius tridentinus*](#) Stierlin, 1894 ^{c g}
- [*Phyllobius tuberculifer*](#) Chevrolat, 1866 ^{c g}
- [*Phyllobius tuvensis*](#) Korotyaev & Egorov, 1977 ^{c g}

- [*Phyllobius valonensis*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius verae*](#) Korotyaev, 1984 ^{c g}
- [*Phyllobius versipellis*](#) Apfelbeck, 1915 ^{c g}
- [*Phyllobius vespertinus*](#) (Fabricius, 1792) ^{c g}
- [*Phyllobius virens*](#) Faust, 1890 ^{c g}
- [*Phyllobius virideaeris*](#) (Laicharting, 1781) ^{c g}
- [*Phyllobius viridicollis*](#) (Fabricius, 1792) ^{c g}
- [*Phyllobius wittmeri*](#) Pesarini, 1971 ^{c g}
- [*Phyllobius xanthocnemus*](#) Kiesenwetter, 1852 ^{c g}
- [*Phyllobius zherichini*](#) Korotyaev & Egorov, 1977 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 147 species in [*Phloeotribus*](#), a genus of crenulate bark beetles in the family [Curculionidae](#). [1][2][3][4]

***Phloeotribus* species**

- [*Phloeotribus acaciae*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus americanus*](#) Dejean, 1837 ^c
- [*Phloeotribus amplus*](#) Wood, 1977c ^c
- [*Phloeotribus antiquus*](#) Bright & Poinar, 1994 ^c
- [*Phloeotribus argentinae*](#) Blackman, 1943c ^c
- [*Phloeotribus argentinensis*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus armatus*](#) Blandford, 1897a ^c
- [*Phloeotribus asiaticus*](#) Pjatnitskii, 1934 ^c
- [*Phloeotribus asperatus*](#) Blandford, 1897a ^c
- [*Phloeotribus asperulus*](#) Eggers, 1943a ^c
- [*Phloeotribus atavus*](#) Wood, 1969b ^c
- [*Phloeotribus atlanticus*](#) Schedl, 1951m ^c
- [*Phloeotribus australis*](#) Schedl, 1953f ^c
- [*Phloeotribus biguttatus*](#) Blandford, 1897a ^c
- [*Phloeotribus boliviae*](#) Blackman, 1943c ^c
- [*Phloeotribus bolivianus*](#) Eggers, 1933b ^c
- [*Phloeotribus brasiliensis*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus brevicollis*](#) Wood & Bright, 1992 ^{c g}

- [*Phloeotribus carinatus*](#) Burgos-Solorio & Equihua in Burgos-Solorio, Equihua Martínez, González Hernández, Carrillo Sánchez & ^C
- [*Phloeotribus caucasicus*](#) Reitter, 1891a ^C
- [*Phloeotribus championi*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus chiliensis*](#) Eggers, 1942a ^C
- [*Phloeotribus collaris*](#) Chapuis, 1869 ^C
- [*Phloeotribus contortus*](#) Schedl, 1973d ^C
- [*Phloeotribus contractus*](#) Chapuis, 1869 ^C
- [*Phloeotribus corsicus*](#) Guillebeau, 1893 ^C
- [*Phloeotribus crenatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus cristatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus cylindricus*](#) Schedl, 1951m ^C
- [*Phloeotribus dalmatinus*](#) Schedl (Eggers in), 1979j ^C
- [*Phloeotribus demessus*](#) Blandford, 1897a ^C
- [*Phloeotribus dentifrons*](#) (Blackman, 1921) ^{i c g b}
- [*Phloeotribus despectus*](#) Schedl, 1966f ^C
- [*Phloeotribus destructor*](#) Wood, 1969b ^C
- [*Phloeotribus discrepans*](#) Blandford, 1897a ^C
- [*Phloeotribus dubius*](#) Eichhoff, 1868c ^C
- [*Phloeotribus eggersi*](#) Schedl, 1962q ^C
- [*Phloeotribus erinaceus*](#) Schedl, 1973d ^C
- [*Phloeotribus erosus*](#) Schedl, 1951m ^C
- [*Phloeotribus fici*](#) Wood, 1977c ^C
- [*Phloeotribus fraxini*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus frontalis*](#) (Olivier, 1795) ^{i c g b}
- [*Phloeotribus furvus*](#) Wood, 1969b ^C
- [*Phloeotribus geminus*](#) Wood, 1983a ^C
- [*Phloeotribus harringtoni*](#) Blackman, 1943a ^C
- [*Phloeotribus hebes*](#) Schedl, 1978c ^C
- [*Phloeotribus hercegovinensis*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus hirtellus*](#) Schedl, 1966f ^C
- [*Phloeotribus hirticulus*](#) Wood, 2007 ^C
- [*Phloeotribus hirtus*](#) Wood, 1977c ^C
- [*Phloeotribus hispidulus*](#) Eggers, 1934a ^C
- [*Phloeotribus huapiae*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus hylurgulus*](#) Schedl, 1959i ^C

- [*Phloeotribus hystrix*](#) Wood, 1969b ^C
- [*Phloeotribus incanus*](#) Wood, 2007 ^C
- [*Phloeotribus ingae*](#) Wood, 1977c ^C
- [*Phloeotribus insularis*](#) Eggers, 1940a ^C
- [*Phloeotribus jujuya*](#) Blackman, 1943c ^C
- [*Phloeotribus lecontei*](#) Schedl, 1962 ^{i c b}
- [*Phloeotribus levis*](#) Wood, 1977c ^C
- [*Phloeotribus liminaris*](#) (Harris, 1852) ^{i c g b} (peach bark beetle)
- [*Phloeotribus lineatus*](#) Eggers, 1951 ^C
- [*Phloeotribus lineigera*](#) Guillebeau, 1893 ^C
- [*Phloeotribus longipilus*](#) Eggers, 1943a ^C
- [*Phloeotribus major*](#) Stebbing, E.P., 1907a ^C
- [*Phloeotribus manni*](#) Blackman, 1943c ^C
- [*Phloeotribus marginatus*](#) Eggers, 1933a ^C
- [*Phloeotribus maroccanus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus maurus*](#) Wood, 1969b ^C
- [*Phloeotribus mayeti*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus mexicanus*](#) Lacordaire, 1866 ^C
- [*Phloeotribus minor*](#) Wood, 1977c ^C
- [*Phloeotribus mixtecus*](#) Bright, 1972b ^C
- [*Phloeotribus muricatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus nahueliae*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus nanus*](#) Wood, 1974a ^C
- [*Phloeotribus nebulosus*](#) Wood, 1977c ^C
- [*Phloeotribus neglectus*](#) Schedl, 1964m ^C
- [*Phloeotribus nitidicollis*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus novateutonicus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus nubilus*](#) Blandford, 1897a ^C
- [*Phloeotribus obesus*](#) Kirsch, 1875 ^C
- [*Phloeotribus obliquus*](#) Chapuis, 1869 ^C
- [*Phloeotribus occidentalis*](#) Balachowsky (Bedel in), 1949a ^C
- [*Phloeotribus oleae*](#) ^C
- [*Phloeotribus oleiphilus*](#) Del Guercio, 1925a ^C
- [*Phloeotribus opacicollis*](#) Eggers, 1943a ^C
- [*Phloeotribus opimus*](#) Wood, 1969b ^C
- [*Phloeotribus ovatus*](#) Wood & Bright, 1992 ^C

- [*Phloeotribus pacificus*](#) Bright, 1982a ^C
- [*Phloeotribus pectinicornis*](#) Balachowsky, 1949a ^C
- [*Phloeotribus perfoliatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus perniciosus*](#) Wood, 1982a ^C
- [*Phloeotribus peruensis*](#) Schedl, 1942 ^C
- [*Phloeotribus peyerimhoffi*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus piceae*](#) Swaine, 1911 ^{i c b}
- [*Phloeotribus picipennis*](#) Eggers, 1943a ^C
- [*Phloeotribus pilifer*](#) Wood, 2007 ^C
- [*Phloeotribus pilula*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus pistaciae*](#) Pfeffer (Wichmann, H.E. in), 1972b ^C
- [*Phloeotribus porteri*](#) Bruch, 1914b ^C
- [*Phloeotribus profanus*](#) Schedl, 1963d ^C
- [*Phloeotribus pruni*](#) Wood, 1956 ^{i c}
- [*Phloeotribus pseudocristatus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus pseudoscabricollis*](#) Atkinson, 1989 ^{i c b}
- [*Phloeotribus puberulus*](#) Wood & Bright, 1992 ^C
- [*Phloeotribus pubifrons*](#) Guillebeau, 1893 ^C
- [*Phloeotribus puncticollis*](#) Chapuis, 1869 ^C
- [*Phloeotribus quercinus*](#) Wood, 1969b ^C
- [*Phloeotribus remorsus*](#) Wood, 1977c ^C
- [*Phloeotribus rhododactylus*](#) Wood & Bright, 1992 ^{C g}
- [*Phloeotribus rudis*](#) Eichhoff, 1868c ^C
- [*Phloeotribus rugulosus*](#) Eggers, 1951 ^C
- [*Phloeotribus scabratus*](#) Blandford, 1897a ^C
- [*Phloeotribus scabricollis*](#) (Hopkins, 1916) ^{i c g}
- [*Phloeotribus scaraboeoides*](#) (Bernard, P.-J., 1788) ^{C g}
- [*Phloeotribus schedli*](#) Wood, 2007 ^C
- [*Phloeotribus schoenbachi*](#) Kirsch, 1866 ^C
- [*Phloeotribus serratus*](#) Eggers, 1943a ^C
- [*Phloeotribus setulosus*](#) Eichhoff, 1868c ^C
- [*Phloeotribus sharpi*](#) Guillebeau, 1893 ^C
- [*Phloeotribus simplex*](#) Wood, 1967b ^C
- [*Phloeotribus simplicidens*](#) Wood, 1977c ^C
- [*Phloeotribus sodalis*](#) Blandford, 1897a ^C
- [*Phloeotribus spinipennis*](#) Eggers, 1930a ^C

- [*Phloeotribus spinulosus*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus squamatus*](#) Wood, 1969b ^c
- [*Phloeotribus squamiger*](#) Wood, 1977c ^c
- [*Phloeotribus striatus*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus subcostatus*](#) Eggers, 1943a ^c
- [*Phloeotribus subovatus*](#) Blandford, 1987a ^c
- [*Phloeotribus sulcifrons*](#) Blandford, 1897a ^c
- [*Phloeotribus suturalis*](#) Eggers, 1943a ^c
- [*Phloeotribus tetricus*](#) Wood, 1977c ^c
- [*Phloeotribus texanus*](#) Schaeffer, 1908 ^{i c b}
- [*Phloeotribus transversus*](#) Chapuis, 1869 ^c
- [*Phloeotribus truncatus*](#) Wood, 2007 ^c
- [*Phloeotribus tuberculatus*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus uniseriatus*](#) Eggers, 1943a ^c
- [*Phloeotribus venezuelensis*](#) Wood & Bright, 1992 ^c
- [*Phloeotribus vesculus*](#) Wood, 1977c ^c
- [*Phloeotribus vestitus*](#) Eggers, 1943a ^c
- [*Phloeotribus villosulus*](#) Lacordaire, 1866 ^c
- [*Phloeotribus vinogradovi*](#) Semenov, 1902 ^g
- [*Phloeotribus willei*](#) Schedl, 1937g ^c
- [*Phloeotribus woytkowskii*](#) Wood, 2007 ^c
- [*Phloeotribus zimmermanni*](#) Wickham, H.F., 1916 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 251 species in [*Philonthus*](#), a genus of large rove beetles in the family [*Staphylinidae*](#). [1] [2] [3] [4]

***Philonthus* species**

- [*Philonthus aberrans*](#) Cameron, 1932 ^g
- [*Philonthus acromyrmecis*](#) Scheerpeltz, 1976 ^g
- [*Philonthus aculeatus*](#) Coiffait, 1963 ^g
- [*Philonthus addendus*](#) Sharp, 1867 ^g
- [*Philonthus aeneipennis*](#) Boheman ^g
- [*Philonthus aequalis*](#) Horn, 1884 ^g

- [*Philonthus aerosus*](#) Kiesenwetter, 1851 ^g
- [*Philonthus alberti*](#) Schillhammer, 2000 ^g
- [*Philonthus albipes*](#) (Gravenhorst, 1802) ^g
- [*Philonthus alcyoneus*](#) Erichson, 1840 ^g
- [*Philonthus alpinus*](#) Eppelsheim, 1875 ^g
- [*Philonthus alterius*](#) Cameron, 1951 ^g
- [*Philonthus amnicola*](#) Gistel, 1857 ^g
- [*Philonthus analis*](#) Erichson, 1840 ^g
- [*Philonthus anguinus*](#) Fauvel, 1874 ^g
- [*Philonthus antipodum*](#) Fauvel, 1877 ^g
- [*Philonthus aprilinus*](#) Gistel, 1857 ^g
- [*Philonthus archangelicus*](#) Poppius, 1908 ^g
- [*Philonthus argus*](#) Herman ^g
- [*Philonthus asper*](#) Horn, 1884 ^{g b}
- [*Philonthus assimilis*](#) Nordmann, 1837 ^g
- [*Philonthus atratoides*](#) Coiffait, 1963 ^g
- [*Philonthus atratus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus aurulentus*](#) Horn, 1884 ^{g b}
- [*Philonthus australis*](#) Cameron, 1943 ^g
- [*Philonthus bicolor*](#) Fauvel, 1903 ^g
- [*Philonthus bicoloristylus*](#) Chani-Posse ^g
- [*Philonthus biskrensis*](#) Fagel, 1957 ^g
- [*Philonthus blossius*](#) Smetana, 1995 ^g
- [*Philonthus bonariensis*](#) Bernhauer, 1909 ^g
- [*Philonthus boreas*](#) Smetana, 1995 ^{g b}
- [*Philonthus brachypterus*](#) Solsky, 1872 ^g
- [*Philonthus bruchianus*](#) Chani-Posse ^g
- [*Philonthus busiris*](#) Smetana, 1995 ^g
- [*Philonthus caeruleipennis*](#) ^{g b}
- [*Philonthus caerulescens*](#) (Lacordaire, 1835) ^g
- [*Philonthus carbonarius*](#) (Gravenhorst, 1802) ^g
- [*Philonthus caucasicus*](#) Nordmann, 1837 ^{g b}
- [*Philonthus caurinus*](#) Horn, 1884 ^g
- [*Philonthus cautus*](#) ^b
- [*Philonthus cerambus*](#) Smetana, 1995 ^g
- [*Philonthus chalceus*](#) Stephens, 1832 ^g

- [*Philonthus chopardi*](#) Cameron, 1950 ^g
- [*Philonthus cochleatus*](#) Scheerpeltz, 1937 ^g
- [*Philonthus coenicola*](#) Gistel, 1857 ^g
- [*Philonthus cognatus*](#) Stephens, 1832 ^{g b}
- [*Philonthus confinis*](#) Strand, 1941 ^g
- [*Philonthus coprophilus*](#) Jarrige, 1949 ^g
- [*Philonthus coracion*](#) Peyerimhoff, 1902 ^g
- [*Philonthus corruscus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus corvinus*](#) Erichson, 1839 ^g
- [*Philonthus couleensis*](#) Hatch, 1957 ^{g b}
- [*Philonthus crassicornis*](#) Fauvel, 1895 ^g
- [*Philonthus cribriventris*](#) Bernhauer, 1912 ^g
- [*Philonthus crotchi*](#) Horn, 1884 ^g
- [*Philonthus cruentatus*](#) (Gmelin, 1790) ^{g b}
- [*Philonthus cunctans*](#) Horn, 1884 ^g
- [*Philonthus cunicularius*](#) Gistel, 1857 ^g
- [*Philonthus cyanipennis*](#) (Fabricius, 1793) ^g
- [*Philonthus davus*](#) Smetana, 1995 ^g
- [*Philonthus debilis*](#) (Gravenhorst, 1802) ^{g b}
- [*Philonthus decorus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus delicatulus*](#) Boheman, 1858 ^g
- [*Philonthus derennei*](#) Drugmand, 1987 ^g
- [*Philonthus dilutipes*](#) Fauvel, 1898 ^g
- [*Philonthus dimidiatipennis*](#) Erichson, 1840 ^g
- [*Philonthus discoideus*](#) (Gravenhorst, 1802) ^{i c g}
- [*Philonthus distans*](#) Horn, 1884 ^g
- [*Philonthus duplicatus*](#) Bernhauer & Schubert, 1914 ^g
- [*Philonthus ebeninus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus ephippium*](#) Nordmann, 1837 ^g
- [*Philonthus eremus*](#) Gistel, 1857 ^g
- [*Philonthus erraticus*](#) Nordmann, 1837 ^g
- [*Philonthus eustilbus*](#) Kraat, 1859 ^g
- [*Philonthus explorator*](#) Cameron, 1932 ^g
- [*Philonthus fauvelianus*](#) Bernhauer ^g
- [*Philonthus fenestratus*](#) Fauvel, 1872 ^g
- [*Philonthus ferreipennis*](#) Horn, 1884 ^g

- [*Philonthus figulus*](#) Erichson, 1840 ^g
- [*Philonthus flavibasis*](#) Casey, 1915 ^g
- [*Philonthus flavipes*](#) Kraatz, 1859 ^g
- [*Philonthus flavocinctus*](#) Motschulsky, 1858 ^g
- [*Philonthus flavolimbatus*](#) Erichson, 1840 ^g
- [*Philonthus flumineus*](#) Casey, 1915 ^{g b}
- [*Philonthus foetidus*](#) Cameron, 1932 ^g
- [*Philonthus formosae*](#) Bernhauer ^g
- [*Philonthus frigidus*](#) Märkel & Kiesenwetter, 1848 ^g
- [*Philonthus fulcinus*](#) Smetana, 1995 ^g
- [*Philonthus fumarius*](#) (Gravenhorst, 1806) ^g
- [*Philonthus furcifer*](#) Renkonen, 1937 ^g
- [*Philonthus furvus*](#) Nordmann, 1837 ^g
- [*Philonthus fusiformis*](#) Melsheimer, 1844 ^g
- [*Philonthus gagates*](#) Mulsant & Rey, 1876 ^g
- [*Philonthus gaudens*](#) Tottenham, 1939 ^g
- [*Philonthus gemellus*](#) Kraatz, 1859 ^g
- [*Philonthus gopheri*](#) Hubbard, 1894 ^b (gopher tortoise rove beetle)
- [*Philonthus gracilior*](#) Casey, 1915 ^g
- [*Philonthus grandicollis*](#) Horn, 1884 ^g
- [*Philonthus gratus*](#) Cameron, 1943 ^g
- [*Philonthus gyllenhali*](#) Gistel, 1857 ^g
- [*Philonthus haddeni*](#) Bierig, 1932 ^{i c g}
- [*Philonthus haemorrhoidalis*](#) MacLeay, 1873 ^g
- [*Philonthus heinlii*](#) Gistel, 1857 ^g
- [*Philonthus hepaticus*](#) Er. ^{i c g b}
- [*Philonthus heterodoxus*](#) Mulsant & Rey, 1876 ^g
- [*Philonthus hudsonicus*](#) Horn, 1884 ^g
- [*Philonthus humilis*](#) Erichson, 1840 ^g
- [*Philonthus hybridus*](#) Cameron, 1930 ^g
- [*Philonthus hyperboreus*](#) ^g
- [*Philonthus intermedius*](#) (Lacordaire, 1835) ^g
- [*Philonthus janus*](#) Smetana, 1995 ^g
- [*Philonthus japonicus*](#) Sharp, 1874 ^g
- [*Philonthus jurecekianus*](#) Bohac & Hromadka, 1980 ^g
- [*Philonthus jurgans*](#) Tottenham, 1937 ^g

- [*Philonthus juvenilis*](#) Peyron, 1858 ^g
- [*Philonthus kaszabi*](#) Smetana, 1967 ^g
- [*Philonthus kiyoyamai*](#) Hayashi, 1993b ^g
- [*Philonthus laetus*](#) Heer, 1839 ^g
- [*Philonthus laevicollis*](#) (Lacordaire, 1835) ^g
- [*Philonthus laminatus*](#) (Creutzer, 1799) ^g
- [*Philonthus lecontei*](#) Horn, 1884 ^g
- [*Philonthus lederi*](#) Eppelsheim, 1893 ^g
- [*Philonthus leechensis*](#) Hatch, 1957 ^g
- [*Philonthus lepidus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus lewisius*](#) Sharp, 1974 ^g
- [*Philonthus lindbergi*](#) Scheerpeltz, 1958 ^g
- [*Philonthus lindrothi*](#) Smetana, 1965 ^g
- [*Philonthus linki*](#) Solsky, 1866 ^g
- [*Philonthus littorinus*](#) Gistel, 1857 ^g
- [*Philonthus lomatus*](#) Erichson, 1840 ^{g b}
- [*Philonthus longicornis*](#) Stephens, 1832 ^{i c g}
- [*Philonthus luxurians*](#) Erichson, 1840 ^g
- [*Philonthus madurensis*](#) Bernhauer ^g
- [*Philonthus maindroni*](#) Fauvel, 1903 ^g
- [*Philonthus mannerheimi*](#) Fauvel, 1868 ^g
- [*Philonthus marcidus*](#) Wollaston, 1864 ^g
- [*Philonthus mareki*](#) Coiffait, 1967 ^g
- [*Philonthus merops*](#) Smetana, 1963 ^g
- [*Philonthus micans*](#) (Gravenhorst, 1802) ^g
- [*Philonthus micantoides*](#) Benick & Lohse, 1956 ^g
- [*Philonthus mimus*](#) Smetana, 1959 ^g
- [*Philonthus minutus*](#) Boheman ^g
- [*Philonthus moldavicus*](#) Wendeler, 1924 ^g
- [*Philonthus monaeses*](#) Smetana, 1995 ^{g b}
- [*Philonthus montanus*](#) Bernhauer, 1934 ^g
- [*Philonthus montivagus*](#) Heer, 1839 ^g
- [*Philonthus morosus*](#) Casey, 1915 ^g
- [*Philonthus nemorosus*](#) Gistel, 1857 ^g
- [*Philonthus neonatus*](#) Smetana, 1965 ^g
- [*Philonthus nigriceps*](#) Eppelsheim, 1885 ^g

- [*Philonthus nigrita*](#) (Gravenhorst, 1806) ^g
- [*Philonthus nimbicola*](#) Fauvel, 1874 ^g
- [*Philonthus nitidicollis*](#) (Lacordaire, 1835) ^g
- [*Philonthus nitidus*](#) (Fabricius, 1787) ^g
- [*Philonthus notabilis*](#) Kraatz ^g
- [*Philonthus nudus*](#) Sharp, 1874 ^g
- [*Philonthus oblitus*](#) Jarrige, 1951 ^g
- [*Philonthus obscurus*](#) Gravenhorst, 1802 ^g
- [*Philonthus occidentalis*](#) Horn, 1884 ^g
- [*Philonthus olfactorius*](#) Gistel, 1857 ^g
- [*Philonthus onthomanes*](#) Gistel, 1857 ^g
- [*Philonthus opacipennis*](#) Notman, 1919 ^g
- [*Philonthus paederoides*](#) (Motschulsky, 1858) ^g
- [*Philonthus paganettii*](#) Linke, 1915 ^g
- [*Philonthus palliatus*](#) (Gravenhorst, 1806) ^{g b}
- [*Philonthus pallipes*](#) Blanchard, 1842 ^g
- [*Philonthus palustris*](#) C.Brisout de Barneville, 1860 ^g
- [*Philonthus parvicornis*](#) (Gravenhorst, 1802) ^g
- [*Philonthus peliomerus*](#) Kraatz, 1859 ^g
- [*Philonthus peregrinus*](#) Fauvel, 1866 ^g
- [*Philonthus perversus*](#) Horn, 1884 ^g
- [*Philonthus pettiti*](#) Horn, 1884 ^g
- [*Philonthus picipennis*](#) Heer, 1839 ^g
- [*Philonthus picnocara*](#) Gistel, 1857 ^g
- [*Philonthus politus*](#) (Linnaeus, 1758) ^{g b}
- [*Philonthus pollens*](#) Marquez & Asiain, 2010 ^g
- [*Philonthus productus*](#) Kraatz, 1859 ^g
- [*Philonthus prolatus*](#) Sharp, 1874 ^{i c g}
- [*Philonthus propinquus*](#) Sharp, 1876 ^g
- [*Philonthus pseudolodes*](#) Smetana, 1996 ^g
- [*Philonthus pseudolus*](#) Smetana, 1995 ^g
- [*Philonthus pseudovarians*](#) Strand, 1941 ^g
- [*Philonthus puberulus*](#) Horn, 1884 ^g
- [*Philonthus pubes*](#) Horn, 1884 ^g
- [*Philonthus punctatellus*](#) Heer, 1839 ^g
- [*Philonthus puncticollis*](#) Stephens, 1832 ^g

- [*Philonthus punctus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus putridarius*](#) Gistel, 1857 ^g
- [*Philonthus pyrenaeus*](#) Kiesenwetter, 1850 ^g
- [*Philonthus quadraticeps*](#) Boheman, 1858 ^g
- [*Philonthus quadricollis*](#) Horn, 1884 ^{g b}
- [*Philonthus quadrulus*](#) Horn, 1884 ^g
- [*Philonthus quisquiliarius*](#) (Gyllenhal, 1810) ^g
- [*Philonthus rectangulus*](#) Sharp, 1874 ^{g b}
- [*Philonthus retangulus*](#) Sharp, 1874 ^{i c g}
- [*Philonthus rivularis*](#) Kiesenwetter, 1858 ^g
- [*Philonthus rotundicollis*](#) (Ménétriés, 1832) ^g
- [*Philonthus rubripennis*](#) Stephens, 1832 ^g
- [*Philonthus rufimanus*](#) Erichson, 1840 ^g
- [*Philonthus rufipes*](#) (Stephens, 1832) ^g
- [*Philonthus rufulus*](#) Horn, 1884 ^{g b}
- [*Philonthus salinus*](#) Kiesenwetter, 1844 ^g
- [*Philonthus sanguinolentus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus scansor*](#) Gistel, 1857 ^g
- [*Philonthus schwarzi*](#) Horn, 1884 ^g
- [*Philonthus scybalarius*](#) Nordmann, 1837 ^{i c g}
- [*Philonthus semiruber*](#) Horn, 1884 ^g
- [*Philonthus sericans*](#) (Gravenhorst, 1802) ^{g b}
- [*Philonthus sericeus*](#) Stephens, 1832 ^g
- [*Philonthus sericinus*](#) Horn, 1884 ^{g b}
- [*Philonthus sessor*](#) Smetana, 1965 ^g
- [*Philonthus siculus*](#) Gridelli, 1923 ^g
- [*Philonthus simpliciventris*](#) Bernhauer, 1933 ^g
- [*Philonthus smetanai*](#) Schillhammer, 2003 ^g
- [*Philonthus sospitalis*](#) Gistel, 1857 ^g
- [*Philonthus speculum*](#) Lokay, 1919 ^g
- [*Philonthus sphagnorum*](#) Smetana, 1995 ^g
- [*Philonthus spiniformis*](#) Hatch, 1957 ^g
- [*Philonthus spinipes*](#) Sharp, 1874 ^g
- [*Philonthus stictus*](#) Hausen, 1891 ^g
- [*Philonthus stragulatus*](#) Erichson, 1840 ^g
- [*Philonthus suavis*](#) Brisout de Barneville, 1867 ^g

- [*Philonthus suavus*](#) Brisout de Barneville, 1867 ^g
- [*Philonthus subnivalis*](#) Gistel, 1857 ^g
- [*Philonthus subvirescens*](#) C.G.Thomson, 1884 ^g
- [*Philonthus succicola*](#) Thomson, 1860 ^g
- [*Philonthus tahitiensis*](#) Coiffait, 1977 ^g
- [*Philonthus taiwanensis*](#) Shibata, 1993 ^g
- [*Philonthus tardus*](#) Kraatz ^g
- [*Philonthus temporalis*](#) Mulsant & Rey, 1853 ^g
- [*Philonthus tenuicornis*](#) Mulsant & Rey, 1853 ^g
- [*Philonthus tillius*](#) Smetana, 1995 ^g
- [*Philonthus triangulum*](#) Horn, 1884 ^{g b}
- [*Philonthus tumulinus*](#) Tottenham, 1955 ^g
- [*Philonthus turbatus*](#) Erichson, 1840 ^g
- [*Philonthus turbidus*](#) Erichson, 1839 ^{i c g}
- [*Philonthus turbo*](#) Smetana, 1995 ^g
- [*Philonthus umbratilis*](#) (Gravenhorst, 1802) ^g
- [*Philonthus umbrinoides*](#) Smetana, 1995 ^g
- [*Philonthus umbrinus*](#) (Gravenhorst, 1802) ^g
- [*Philonthus validus*](#) Casey, 1915 ^g
- [*Philonthus varians*](#) (Paykull, 1789) ^g
- [*Philonthus varro*](#) Smetana, 1995 ^g
- [*Philonthus ventralis*](#) Grav. ^{i c g}
- [*Philonthus vesubiensis*](#) Coiffait, 1967 ^g
- [*Philonthus viduus*](#) Erichson, 1840 ^g
- [*Philonthus virgo*](#) (Gravenhorst, 1802) ^g
- [*Philonthus viridipennis*](#) Fauvel, 1875 ^g
- [*Philonthus vulgatus*](#) Casey, 1915 ^{g b}
- [*Philonthus wollastoni*](#) Scheerpeltz, 1933 ^g
- [*Philonthus zhuk*](#) Gusarov, 1995 ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species of concealer moths belong to the genus [*Philobota*](#). [1][2]

***Philobota* species**

- [*Philobota abductella*](#) (Walker, 1864)
- [*Philobota aceraea*](#) (Meyrick, 1883)
- [*Philobota acerba*](#) (Turner, 1939)
- [*Philobota achranta*](#) (Turner, 1917)
- [*Philobota acompsa*](#) (Turner, 1939)
- [*Philobota acropola*](#) Meyrick, 1884
- [*Philobota actias*](#) (Lower, 1899)
- [*Philobota aedophanes*](#) Turner, 1944
- [*Philobota aethalea*](#) (Meyrick, 1883)
- [*Philobota agnesella*](#) (Newman, 1856)
- [*Philobota agrapha*](#) Turner, 1917
- [*Philobota amblopiis*](#) Turner, 1944
- [*Philobota amblys*](#) Turner, 1944
- [*Philobota ameles*](#) Turner, 1944
- [*Philobota ancylotoxa*](#) Meyrick, 1884
- [*Philobota angustella*](#) (Walker, 1864)
- [*Philobota apora*](#) (Meyrick, 1883)
- [*Philobota arabella*](#) (Newman, 1856)
- [*Philobota archepeda*](#) (Meyrick, 1888)
- [*Philobota argotoxa*](#) Meyrick, 1889
- [*Philobota asemantica*](#) (Turner, 1944)
- [*Philobota atmobola*](#) Meyrick, 1884
- [*Philobota atmopis*](#) (Meyrick, 1889)
- [*Philobota atrisignis*](#) (Lower, 1900)
- [*Philobota austalea*](#) (Meyrick, 1884)
- [*Philobota auxolyca*](#) Meyrick, 1889
- [*Philobota baryptera*](#) (Turner, 1896)
- [*Philobota barysoma*](#) (Meyrick, 1883)
- [*Philobota basicapna*](#) (Turner, 1937)
- [*Philobota basiphaia*](#) Common, 1996
- [*Philobota bathrogramma*](#) (Turner, 1916)
- [*Philobota bathrophaea*](#) (Turner, 1914)
- [*Philobota biophora*](#) Meyrick, 1884
- [*Philobota brachystoma*](#) (Meyrick, 1915)
- [*Philobota byrsochra*](#) (Meyrick, 1915)
- [*Philobota calamaea*](#) Meyrick, 1884
- [*Philobota callistis*](#) (Meyrick, 1889)
- [*Philobota candida*](#) (Turner, 1898)
- [*Philobota capnonota*](#) (Turner, 1938)
- [*Philobota carinaria*](#) Meyrick, 1913
- [*Philobota catharopa*](#) Turner, 1944

- [*Philobota celaenopa*](#) (Turner, 1936)
- [*Philobota centromita*](#) Turner, 1944
- [*Philobota cephalochrysa*](#) (Lower, 1894)
- [*Philobota chionoptera*](#) Meyrick, 1884
- [*Philobota chlorella*](#) (Meyrick, 1883)
- [*Philobota chrysopotama*](#) Meyrick, 1884
- [*Philobota cirrhocephala*](#) (Turner, 1917)
- [*Philobota cirrhopepla*](#) (Turner, 1916)
- [*Philobota clastosticha*](#) (Turner, 1939)
- [*Philobota cnecopasta*](#) (Turner, 1937)
- [*Philobota comarcha*](#) (Meyrick, 1920)
- [*Philobota cosmocrates*](#) Meyrick, 1889
- [*Philobota crassinervis*](#) (Lower, 1900)
- [*Philobota cretacea*](#) Meyrick, 1884
- [*Philobota crocopleura*](#) Turner, 1944
- [*Philobota crossoxantha*](#) (Lower, 1907)
- [*Philobota crypsichola*](#) Meyrick, 1884
- [*Philobota cryptea*](#) (Turner, 1938)
- [*Philobota curvilinea*](#) (Turner, 1896)
- [*Philobota cyphocentra*](#) (Meyrick, 1922)
- [*Philobota dedecorata*](#) Meyrick, 1915
- [*Philobota delochorda*](#) (Turner, 1917)
- [*Philobota delosema*](#) Turner, 1917
- [*Philobota delosticha*](#) (Lower, 1915)
- [*Philobota deltoloma*](#) (Lower, 1923)
- [*Philobota diaereta*](#) Turner, 1917
- [*Philobota dichotoma*](#) (Turner, 1941)
- [*Philobota dictyodes*](#) (Meyrick, 1889)
- [*Philobota dysphorata*](#) (Turner, 1938)
- [*Philobota egena*](#) (Turner, 1940)
- [*Philobota ellenella*](#) (Newman, 1856)
- [*Philobota embologramma*](#) (Turner, 1916)
- [*Philobota enchalca*](#) Turner, 1917
- [*Philobota ennephela*](#) (Meyrick, 1883)
- [*Philobota epibosca*](#) (Turner, 1937)
- [*Philobota epipercna*](#) (Turner, 1917)
- [*Philobota erebodes*](#) Meyrick, 1884
- [*Philobota eremosema*](#) Lower, 1915
- [*Philobota eremotropha*](#) (Turner, 1938)
- [*Philobota euageta*](#) Turner, 1944
- [*Philobota euarmosta*](#) Turner, 1944
- [*Philobota euchlora*](#) (Turner, 1896)

- [*Philobota euethira*](#) (Turner, 1944)
- [*Philobota euzancla*](#) (Turner, 1938)
- [*Philobota foedatella*](#) (Walker, 1864)
- [*Philobota fumifera*](#) (Turner, 1939)
- [*Philobota futilis*](#) Meyrick, 1920
- [*Philobota glaucoptera*](#) Meyrick, 1884
- [*Philobota gonostrophia*](#) Lower, 1896
- [*Philobota grammatica*](#) (Meyrick, 1883)
- [*Philobota haplogramma*](#) (Turner, 1917)
- [*Philobota haplostola*](#) (Turner, 1937)
- [*Philobota hemera*](#) (Meyrick, 1886)
- [*Philobota hemeris*](#) Meyrick, 1915
- [*Philobota hemichrysa*](#) (Lower, 1916)
- [*Philobota heptasticta*](#) (Turner, 1937)
- [*Philobota heterophaea*](#) Turner, 1944
- [*Philobota hexasticta*](#) (Turner, 1937)
- [*Philobota hiracistis*](#) Meyrick, 1889
- [*Philobota homochroa*](#) (Turner, 1916)
- [*Philobota homophyla*](#) (Turner, 1937)
- [*Philobota humerella*](#) (Walker, 1863)
- [*Philobota hydara*](#) Meyrick, 1884
- [*Philobota hylophila*](#) (Turner, 1917)
- [*Philobota hypocausta*](#) Meyrick, 1884
- [*Philobota hypopolia*](#) (Turner, 1917)
- [*Philobota ignava*](#) Meyrick, 1913
- [*Philobota immemor*](#) (Meyrick, 1913)
- [*Philobota impletella*](#) (Walker, 1869)
- [*Philobota incompta*](#) Turner, 1944
- [*Philobota iphigenes*](#) Meyrick, 1889
- [*Philobota ischnodes*](#) (Meyrick, 1902)
- [*Philobota ischnophanes*](#) (Turner, 1937)
- [*Philobota isomora*](#) Turner, 1915
- [*Philobota isonoma*](#) Common, 1996
- [*Philobota latifissella*](#) (Walker, 1864)
- [*Philobota laxeuta*](#) (Meyrick, 1913)
- [*Philobota leptochorda*](#) (Turner, 1916)
- [*Philobota leucodelta*](#) (Turner, 1938)
- [*Philobota limenarcha*](#) Meyrick, 1913
- [*Philobota lochmaula*](#) (Turner, 1917)
- [*Philobota lonchota*](#) Turner, 1896
- [*Philobota lutulenta*](#) (Meyrick, 1913)
- [*Philobota lysizona*](#) Meyrick, 1889

- [*Philobota macrostola*](#) (Turner, 1938)
- [*Philobota marcens*](#) Meyrick, 1914
- [*Philobota mathematica*](#) (Meyrick, 1883)
- [*Philobota melanoglypta*](#) Meyrick, 1889
- [*Philobota melanogypsa*](#) (Turner, 1938)
- [*Philobota melanoxantha*](#) Meyrick, 1889
- [*Philobota melanthus*](#) (Lower, 1899)
- [*Philobota meraca*](#) (Turner, 1937)
- [*Philobota metaxantha*](#) (Turner, 1941)
- [*Philobota microxantha*](#) Meyrick, 1889
- [*Philobota moestella*](#) (Walker, 1864)
- [*Philobota monogramma*](#) Meyrick, 1884
- [*Philobota monoides*](#) (Turner, 1917)
- [*Philobota monospila*](#) (Turner, 1937)
- [*Philobota mucida*](#) (Turner, 1938)
- [*Philobota myrochrsta*](#) (Meyrick, 1920)
- [*Philobota napaea*](#) (Turner, 1917)
- [*Philobota nephelarcha*](#) Meyrick, 1884
- [*Philobota nephelota*](#) Turner, 1944
- [*Philobota obliviosa*](#) Meyrick, 1913
- [*Philobota ochlophila*](#) (Turner, 1938)
- [*Philobota olympias*](#) Meyrick, 1889
- [*Philobota omotypa*](#) Turner, 1944
- [*Philobota orecta*](#) (Turner, 1938)
- [*Philobota orescoa*](#) (Meyrick, 1883)
- [*Philobota orinoma*](#) Meyrick, 1884
- [*Philobota ortholoma*](#) (Turner, 1937)
- [*Philobota orthomita*](#) Turner, 1917
- [*Philobota orthotoma*](#) Turner, 1917
- [*Philobota oxyptila*](#) (Turner, 1937)
- [*Philobota pachychorda*](#) (Turner, 1937)
- [*Philobota pacifera*](#) (Meyrick, 1914)
- [*Philobota paragypsa*](#) Lower, 1900
- [*Philobota partitella*](#) (Walker, 1864)
- [*Philobota pasteoptera*](#) (Turner, 1937)
- [*Philobota pedetis*](#) Meyrick, 1884
- [*Philobota perangusta*](#) (Turner, 1936)
- [*Philobota perioeca*](#) (Turner, 1937)
- [*Philobota perixantha*](#) Turner, 1896
- [*Philobota perpetua*](#) (Meyrick, 1913)
- [*Philobota petrinodes*](#) (Lower, 1901)
- [*Philobota phaeodelta*](#) (Turner, 1937)

- [*Philobota philostaura*](#) (Meyrick, 1883)
- [*Philobota phlaura*](#) (Turner, 1938)
- [*Philobota physaula*](#) Meyrick, 1914
- [*Philobota pilidiota*](#) (Turner, 1917)
- [*Philobota pilipes*](#) (Butler, 1882)
- [*Philobota placophaea*](#) (Turner, 1937)
- [*Philobota plesiosperma*](#) (Turner, 1937)
- [*Philobota pleurosticha*](#) (Turner, 1936)
- [*Philobota plicilinea*](#) (Turner, 1938)
- [*Philobota polypenthes*](#) (Turner, 1939)
- [*Philobota prepodes*](#) (Turner, 1937)
- [*Philobota productella*](#) (Walker, 1864)
- [*Philobota profuga*](#) (Meyrick, 1913)
- [*Philobota proscedes*](#) (Turner, 1936)
- [*Philobota protecta*](#) Meyrick, 1920
- [*Philobota protorthra*](#) (Meyrick, 1883)
- [*Philobota psacasta*](#) (Meyrick, 1883)
- [*Philobota psammochroa*](#) (Lower, 1894)
- [*Philobota publicana*](#) (Meyrick, 1914)
- [*Philobota pulvifera*](#) (Turner, 1937)
- [*Philobota pycnoda*](#) (Lower, 1907)
- [*Philobota pyrota*](#) (Meyrick, 1889)
- [*Philobota rhadinosticha*](#) (Turner, 1938)
- [*Philobota rhipidura*](#) (Meyrick, 1913)
- [*Philobota ruinosq*](#) (Meyrick, 1913)
- [*Philobota scieropa*](#) Meyrick, 1889
- [*Philobota scioessa*](#) (Turner, 1938)
- [*Philobota scitula*](#) (Turner, 1917)
- [*Philobota semantica*](#) (Turner, 1916)
- [*Philobota silignias*](#) (Lower, 1899)
- [*Philobota similis*](#) (Turner, 1937)
- [*Philobota sophia*](#) Turner, 1896
- [*Philobota sordidella*](#) (Walker, 1864)
- [*Philobota sphenoleuca*](#) Lower, 1907
- [*Philobota spodotis*](#) Turner, 1944
- [*Philobota stella*](#) (Newman, 1856)
- [*Philobota stenophylla*](#) (Turner, 1939)
- [*Philobota stenotypa*](#) (Turner, 1917)
- [*Philobota sthenopis*](#) Turner, 1927
- [*Philobota stictoloma*](#) (Turner, 1944)
- [*Philobota stramentaria*](#) (Turner, 1916)
- [*Philobota strigatella*](#) (Donovan, 1805)

- [*Philobota strongyla*](#) (Turner, 1936)
- [*Philobota susanae*](#) (Lower, 1900)
- [*Philobota syncolla*](#) (Turner, 1917)
- [*Philobota syneches*](#) (Turner, 1914)
- [*Philobota synnephes*](#) (Turner, 1937)
- [*Philobota tanyscia*](#) (Meyrick, 1883)
- [*Philobota thiobaphes*](#) (Turner, 1937)
- [*Philobota thiocrossa*](#) (Turner, 1917)
- [*Philobota thiogramma*](#) Meyrick, 1889
- [*Philobota tranquilla*](#) (Turner, 1937)
- [*Philobota transversella*](#) (Walker, 1864)
- [*Philobota trigonosema*](#) (Turner, 1937)
- [*Philobota xanthastis*](#) (Meyrick, 1889)
- [*Philobota xanthodisca*](#) Turner, 1944
- [*Philobota xanthopolia*](#) (Turner, 1941)
- [*Philobota xanthoprepes*](#) Turner, 1917
- [*Philobota xerodes*](#) (Lower, 1900)
- [*Philobota xiphères*](#) Turner, 1896
- [*Philobota xiphopepla*](#) (Lower, 1920)
- [*Philobota xiphostola*](#) Meyrick, 1884
- [*Philobota xuthocrana*](#) (Turner, 1937)
- [*Philobota xylochroa*](#) (Lower, 1893)
- [*Philobota zalias*](#) (Lower, 1899)

References

1.
 - ["Philobota"](#). GBIF. Retrieved 2019-12-26.
 -
2. ["Australian Biological Resources Study, Australian Faunal Directory"](#). Retrieved 2019-12-26.

Categories:

- [Oecophoridae](#)
- [Lists of insect species](#)
-

This is a list of 137 species in the genus [Philanthus](#), beewolves.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Philanthus* species**

- [*Philanthus adamsoni*](#) Arnold, 1952 ^{i c g}
- [*Philanthus albopictus*](#) Taschenberg, 1880 ^{i c g}
- [*Philanthus albopilosus*](#) Cresson, 1865 ^{i c g}
- [*Philanthus amabilis*](#) Arnold, 1946 ^{i c g}
- [*Philanthus ammochrysus*](#) W. Schulz, 1905 ^{i c g}
- [*Philanthus arizonicus*](#) R. Bohart, 1972 ^{i c g}
- [*Philanthus arnoldi*](#) Berland, 1936 ^{i c g}
- [*Philanthus asmarensis*](#) Giordani Soika, 1939 ^{i c g}
- [*Philanthus avidus*](#) Bingham, 1896 ^{i c g}
- [*Philanthus banabacoa*](#) Alayo Dalmau, 1968 ^{i c g}
- [*Philanthus barbatus*](#) F. Smith, 1856 ^{i c g}
- [*Philanthus barbigus*](#) Mickel, 1916 ^{i c g}
- [*Philanthus basalis*](#) F. Smith, 1856 ^{i c g}
- [*Philanthus basilaris*](#) Cresson, 1880 ^{i c g}
- [*Philanthus basilewskyi*](#) Leclercq, 1955 ^{i c g}
- [*Philanthus bicinctus*](#) (Mickel, 1916) ^{i c g b} (bumble bee wolf)
- [*Philanthus bilineatus*](#) Gravenhorst, 1807 ^{i c g}
- [*Philanthus bilunatus*](#) Cresson, 1865 ^{i c g b}
- [*Philanthus bimaculatus*](#) de Saussure, 1891 ^{i c g}
- [*Philanthus boharti*](#) G. Ferguson, 1983 ^{i c g}
- [*Philanthus bredoi*](#) Arnold, 1946 ^{i c g}
- [*Philanthus brevicornis*](#) Guichard, 1994 ^{i c g}
- [*Philanthus bucephalus*](#) F. Smith, 1856 ^{i c}
- [*Philanthus camerunensis*](#) Tullgren, 1904 ^{i c g}
- [*Philanthus capensis*](#) Dahlbom, 1845 ^{i c g}
- [*Philanthus coarctatus*](#) Spinola, 1839 ^{i c}
- [*Philanthus coronatus*](#) (Thunberg, 1784) ^{i c g}
- [*Philanthus crabroniformis*](#) F. Smith, 1856 ^{i c g b}
- [*Philanthus crotoniphilus*](#) Viereck and Cockerell, 1904 ^{i c g}
- [*Philanthus curvimaculatus*](#) (Cameron, 1910) ^{i c g}
- [*Philanthus decemmaculatus*](#) Eversmann, 1849 ^{i c g}
- [*Philanthus dentatus*](#) Cameron, 1902 ^{i c g}
- [*Philanthus depredator*](#) F. Smith, 1856 ^{i c g}
- [*Philanthus desertorum*](#) (F. Morawitz, 1890) ^{i c g}
- [*Philanthus dichrous*](#) Kohl, 1894 ^{i c g}

- [*Philanthus dimidiatus*](#) Klug, 1845^{i c g}
- [*Philanthus dufouri*](#) Lucas, 1849^{c g}
- [*Philanthus dufourii*](#) Lucas, 1849ⁱ
- [*Philanthus elegantissimus*](#) Dalla Torre, 1897^{i c g}
- [*Philanthus femoralis*](#) Arnold, 1946^{i c g}
- [*Philanthus flagellarius*](#) R. Turner, 1918^{i c g}
- [*Philanthus flavipes*](#) Arnold, 1949^{i c g}
- [*Philanthus fossulatus*](#) R. Turner, 1918^{i c g}
- [*Philanthus foveatus*](#) Arnold, 1933^{i c g}
- [*Philanthus fuscipennis*](#) Guérin-Méneville, 1844^{i c g}
- [*Philanthus genalis*](#) Kohl, 1891^{i c g}
- [*Philanthus gibbosus*](#) (Fabricius, 1775)^{i c g b}
- [*Philanthus glaber*](#) Kohl, 1891^{i c g}
- [*Philanthus gloriosus*](#) Cresson, 1865^{i c g}
- [*Philanthus gwaaiensis*](#) Arnold, 1929^{i c g}
- [*Philanthus hellmanni*](#) (Eversmann, 1849)^{i c g}
- [*Philanthus histrio*](#) Fabricius, 1804^{i c g}
- [*Philanthus impatiens*](#) Kohl, 1891^{i c g}
- [*Philanthus inversus*](#) Patton, 1879^{i c g}
- [*Philanthus kaszabi*](#) Tsuneki, 1971^{i c g}
- [*Philanthus kohlii*](#) F. Morawitz, 1890^{i c g}
- [*Philanthus kokandicus*](#) Radoszkowski, 1877^{i c g}
- [*Philanthus komarowi*](#) F. Morawitz, 1890^{i c g}
- [*Philanthus laticeps*](#) Arnold, 1925^{i c g}
- [*Philanthus lepidus*](#) Cresson, 1865^{i c g b}
- [*Philanthus levini*](#) R. Bohart, 1972^{i c g}
- [*Philanthus limatus*](#) Bingham, 1909^{i c g}
- [*Philanthus lingyuanensis*](#) Yasumatsu, 1935^{i c g}
- [*Philanthus loeflingi*](#) Dahlbom, 1845^{i c g}
- [*Philanthus madagascariensis*](#) Brèthes, 1910^{i c g}
- [*Philanthus major*](#) Kohl, 1891^{i c g}
- [*Philanthus melanderi*](#) Arnold, 1925^{i c g}
- [*Philanthus michelbacheri*](#) R. Bohart, 1972^{i c g}
- [*Philanthus minor*](#) Kohl, 1891^{i c g}
- [*Philanthus mongolicus*](#) F. Morawitz, 1889^{i c g}
- [*Philanthus multimaculatus*](#) Cameron, 1891^{i c g b}

- [*Philanthus namaqua*](#) Arnold, 1925^{i c g}
- [*Philanthus nasalis*](#) R. Bohart, 1972^{i c g b}
- [*Philanthus natalensis*](#) Arnold, 1925^{i c g}
- [*Philanthus neomexicanus*](#) Strandtmann, 1946^{i c g}
- [*Philanthus nepalensis*](#) Bingham, 1908^{i c g}
- [*Philanthus nigritus*](#) Gravenhorst, 1807^{i c g}
- [*Philanthus nigrohirtus*](#) R. Turner, 1918^{i c g}
- [*Philanthus nitidus*](#) Magretti, 1884^{i c g}
- [*Philanthus nobilis*](#) Kohl, 1891^{i c g}
- [*Philanthus notatulus*](#) F. Smith, 1862^{i c g}
- [*Philanthus nursei*](#) (Bingham, 1898)^{i c g}
- [*Philanthus occidentalis*](#) Strandtmann, 1946^{i c g}
- [*Philanthus oraniensis*](#) Arnold, 1925^{i c g}
- [*Philanthus ordinarius*](#) Bingham, 1896^{i c g}
- [*Philanthus pacificus*](#) Cresson, 1880^{i c g b}
- [*Philanthus pallidus*](#) Klug, 1845^{i c g}
- [*Philanthus parkeri*](#) G. Ferguson, 1983^{i c g}
- [*Philanthus pilifrons*](#) Cameron, 1908^{i c g}
- [*Philanthus politus*](#) Say, 1824^{i c g b}
- [*Philanthus promontorii*](#) Arnold, 1925^{i c g}
- [*Philanthus psyche*](#) Dunning, 1896^{i c g}
- [*Philanthus pulchellus*](#) Spinola, 1843^{i c g}
- [*Philanthus pulcher*](#) Dalla Torre, 1897^{i c g}
- [*Philanthus pulcherrimus*](#) F. Smith, 1856^{i c g}
- [*Philanthus punjabensis*](#) Nurse, 1902^{i c g}
- [*Philanthus radamae*](#) Arnold, 1945^{i c g}
- [*Philanthus ramakrishnae*](#) R. Turner, 1918^{i c g}
- [*Philanthus reinigi*](#) Bischoff, 1930^{i c g}
- [*Philanthus rubidus*](#) Arnold, 1946^{i c g}
- [*Philanthus rubriventris*](#) Kazenas, 1970^{i c g}
- [*Philanthus rugosifrons*](#) Arnold, 1949^{i c g}
- [*Philanthus rugosus*](#) Kohl, 1891^{i c g}
- [*Philanthus rutilus*](#) Spinola, 1839^{i c g}
- [*Philanthus sanbornii*](#) Cresson, 1865^{i c g b}
- [*Philanthus schulthessi*](#) Maidl, 1924^{i c g}
- [*Philanthus schusteri*](#) R. Bohart, 1972^{i c g}

- [*Philanthus scrutator*](#) Nurse, 1902^{i c g}
- [*Philanthus sculpturatus*](#) Gayubo, 1991^{i c g}
- [*Philanthus serrulatae*](#) Dunning, 1898^{i c g}
- [*Philanthus sicarius*](#) F. Smith, 1856^{i c g}
- [*Philanthus soikai*](#) de Beaumont, 1961^{i c g}
- [*Philanthus solivagus*](#) Say, 1837^{i c g b}
- [*Philanthus sparsipunctatus*](#) Arnold, 1946^{i c g}
- [*Philanthus spiniger*](#) Thunberg, 1815^{i c g}
- [*Philanthus stecki*](#) W. Schulz, 1906^{i c g}
- [*Philanthus strigosus*](#) R. Turner, 1918^{i c g}
- [*Philanthus stygius*](#) Gerstäcker, 1858^{i c g}
- [*Philanthus subconcolor*](#) (Bingham, 1898)^{i c g}
- [*Philanthus sulphureus*](#) F. Smith, 1856^{i c g}
- [*Philanthus sumptuosus*](#) R. Turner, 1917^{i c g}
- [*Philanthus taantes*](#) Gribodo, 1895^{i c g}
- [*Philanthus tarsatus*](#) H. Smith, 1908^{i c g}
- [*Philanthus tenellus*](#) Arnold, 1925^{i c g}
- [*Philanthus triangulum*](#) (Fabricius, 1775)^{i c g}
- [*Philanthus tricinctus*](#) Gimmerthal, 1836^{i c g}
- [*Philanthus tricolor*](#) Fairmaire, 1858^{i c g}
- [*Philanthus turneri*](#) Arnold, 1925^{i c g}
- [*Philanthus variegatus*](#) Spinola, 1839^{i c g}
- [*Philanthus variolosus*](#) Arnold, 1932^{i c g}
- [*Philanthus ventilabris*](#) Fabricius, 1798^{i c g b}
- [*Philanthus ventralis*](#) (Mickel, 1918)^{i c g}
- [*Philanthus venustus*](#) (Rossi, 1790)^{i c g}
- [*Philanthus walteri*](#) Kohl, 1891^{i c g}
- [*Philanthus weneri*](#) Maidl, 1933^{i c g}
- [*Philanthus yerburyi*](#) Bingham, 1898^{i c g}
- [*Philanthus zebratus*](#) Cresson, 1880^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 180 species in [*Phenacoccus*](#), a genus of mealybugs in the family [*Pseudococcidae*](#).[\[1\]\[2\]](#)
[\[3\]\[4\]](#)

***Phenacoccus* species**

- [*Phenacoccus abditus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus acericola*](#) King, 1902 ^{c g}
- [*Phenacoccus aceris*](#) (Signoret, 1875) ^{c g b} (apple mealybug)
- [*Phenacoccus affinis*](#) Ter-Grigorian, 1963 ^{c g}
- [*Phenacoccus alibotush*](#) Gavrilov ^g
- [*Phenacoccus alienus*](#) De Lotto, 1961 ^{c g}
- [*Phenacoccus alleni*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus alonim*](#) Ben-Dov, 1991 ^{c g}
- [*Phenacoccus alticola*](#) Bazarov, 1967 ^{c g}
- [*Phenacoccus americanus*](#) King & Cockerell, 1897 ^{c g}
- [*Phenacoccus angophorae*](#) Williams, 1985 ^{c g}
- [*Phenacoccus angustatus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus arambourgi*](#) Balachowsky, 1954 ^{c g}
- [*Phenacoccus arctophilus*](#) (Wang, 1979) ^{c g}
- [*Phenacoccus artemisiae*](#) Ehrhorn, 1900 ^{c g}
- [*Phenacoccus arthropityi*](#) Archangelskaya, 1930 ^{c g}
- [*Phenacoccus asphodeli*](#) Goux, 1942 ^{c g}
- [*Phenacoccus asteri*](#) Takahashi, 1932 ^{c g}
- [*Phenacoccus avenae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus avetianae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus azaleae*](#) Kuwana, 1914 ^{c g}
- [*Phenacoccus baccharidis*](#) Williams, 1987 ^{c g}
- [*Phenacoccus balachowskyi*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus balagnus*](#) Balachowsky, 1933 ^{c g}
- [*Phenacoccus basorae*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus bazarovi*](#) Ben-Dov, 1994 ^{c g}
- [*Phenacoccus betae*](#) Moghaddam ^g
- [*Phenacoccus bicerarius*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus borchsenii*](#) (Matesova, 1957) ^{c g}
- [*Phenacoccus brachipodi*](#) (Savescu, 1985) ^{c g}
- [*Phenacoccus caillardi*](#) (Balachowsky, 1930) ^{c g}
- [*Phenacoccus cajonensis*](#) McKenzie, 1967 ^{c g}

- [*Phenacoccus capensis*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus cassiniae*](#) Williams, 1985 ^{c g}
- [*Phenacoccus celtisifoliae*](#) Hollinger, 1917 ^{c g}
- [*Phenacoccus cerasi*](#) Savescu, 1985 ^{c g}
- [*Phenacoccus colemani*](#) Ehrhorn, 1906 ^{c g}
- [*Phenacoccus convolvuli*](#) Savescu, 1985 ^{c g}
- [*Phenacoccus cotyledonis*](#) De Lotto, 1964 ^{c g}
- [*Phenacoccus crassus*](#) Granara de Willink, 1983 ^{c g}
- [*Phenacoccus cynodontis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus cyrenaicus*](#) Ferris, 1922 ^{c g}
- [*Phenacoccus dearnessi*](#) King, 1901 ^{c g}
- [*Phenacoccus defectus*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus desertus*](#) Bazarov & Nurmamatov ^g
- [*Phenacoccus destitutus*](#) McKenzie, 1967 ^{c g}
- [*Phenacoccus dicoriae*](#) McKenzie, 1961 ^{c g}
- [*Phenacoccus discadenatus*](#) Danzig, 1978 ^{c g}
- [*Phenacoccus echeveriae*](#) McKenzie, 1960 ^{c g}
- [*Phenacoccus ejinensis*](#) Tang in Tang & Li, 1988 ^{c g}
- [*Phenacoccus eleabius*](#) Silvestri, 1915 ^{c g}
- [*Phenacoccus elongatus*](#) Kanda, 1943 ^{c g}
- [*Phenacoccus emansor*](#) Williams & Kozarzhevskaya, 1988 ^{c g}
- [*Phenacoccus eremicus*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus eriogoni*](#) Ferris, 1918 ^{c g}
- [*Phenacoccus eschscholtziae*](#) McKenzie, 1961 ^{c g}
- [*Phenacoccus eugeniae*](#) Takahashi, 1942 ^{c g}
- [*Phenacoccus eurotiae*](#) Danzig, 1975 ^{c g}
- [*Phenacoccus evelinae*](#) (Tereznikova, 1968) ^{c g}
- [*Phenacoccus ferulae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus fici*](#) Takahashi, 1940 ^{c g}
- [*Phenacoccus formicarum*](#) Leonardi, 1908 ^{c g}
- [*Phenacoccus franseriae*](#) Ferris, 1921 ^{c g}
- [*Phenacoccus fraxinus*](#) Tang, 1977 ^{c g}
- [*Phenacoccus giganteus*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus gobicus*](#) Danzig, 1987 ^{c g}
- [*Phenacoccus gorgasalicus*](#) Hadzibejli, 1960 ^{c g}
- [*Phenacoccus gossypii*](#) Townsend & Cockerell, 1898 ^{c g}

- [*Phenacoccus graminicola*](#) Leonardi, 1908 ^{c g}
- [*Phenacoccus grandicarpus*](#) Hollinger, 1917 ^{c g}
- [*Phenacoccus gregosus*](#) Williams & Granara de Willink, 1992 ^{c g}
- [*Phenacoccus gypsophilae*](#) Hall, 1927 ^{c g}
- [*Phenacoccus hakeae*](#) Williams, 1985 ^{c g}
- [*Phenacoccus halimiphylli*](#) Danzig, 1968 ^{c g}
- [*Phenacoccus halli*](#) Ezzat, 1962 ^{c g}
- [*Phenacoccus hargreavesi*](#) (Laing, 1925) ^{c g}
- [*Phenacoccus helianthi*](#) (Cockerell, 1893) ^{c g}
- [*Phenacoccus herbaceus*](#) Borchsenius, 1962 ^{c g}
- [*Phenacoccus herreni*](#) Cox & Williams, 1981 ^{c g}
- [*Phenacoccus hordei*](#) (Reuter, 1904) ^{c g}
- [*Phenacoccus hortorum*](#) Brachman & Kosztarab in Kosztarab, 1996 ^{c g}
- [*Phenacoccus hurdi*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus hystrix*](#) (Baerensprung, 1849) ^{c g}
- [*Phenacoccus incertus*](#) (Kiritshenko, 1940) ^{c g}
- [*Phenacoccus incomptus*](#) McKenzie, 1964 ^{c g}
- [*Phenacoccus indicus*](#) (Avasthi & Shafee, 1980) ^{c g}
- [*Phenacoccus infernalis*](#) McKenzie, 1962 ^{c g}
- [*Phenacoccus insularis*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus interruptus*](#) Green, 1923 ^{c g}
- [*Phenacoccus iranica*](#) Moghaddam ^g
- [*Phenacoccus isadenatus*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus juniperi*](#) Ter-Grigorian, 1964 ^{c g}
- [*Phenacoccus kaplini*](#) Danzig, 1983 ^{c g}
- [*Phenacoccus karabardi*](#) Borchsenius & Ter-Grigorian, 1956 ^{c g}
- [*Phenacoccus kareliniae*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus karkasicus*](#) Moghaddam ^g
- [*Phenacoccus kokandicus*](#) Nurmamatov, 1986 ^{c g}
- [*Phenacoccus larvalis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus latipes*](#) Green, 1923 ^{c g}
- [*Phenacoccus longoi*](#) Russo, 1994 ^{c g}
- [*Phenacoccus lotearum*](#) McKenzie, 1960 ^{c g}
- [*Phenacoccus lycii*](#) (Ferris, 1919) ^{c g}
- [*Phenacoccus madeirensis*](#) Green, 1925 ^{i c g}
- [*Phenacoccus manihoti*](#) Matile-Ferrero, 1977 ^{c g}

- [*Phenacoccus maritimus*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus matricariae*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus megaulus*](#) McKenzie, 1967 ^{c g}
- [*Phenacoccus memorabilis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus menieri*](#) Matile-Ferrero & Balachowsky, 1972 ^{c g}
- [*Phenacoccus meridionalis*](#) Gómez-Menor Ortega, 1948 ^{c g}
- [*Phenacoccus mexicanus*](#) (Miller & McKenzie, 1971) ^{c g}
- [*Phenacoccus meymeryani*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus minimus*](#) Tinsley, 1898 ^{c g}
- [*Phenacoccus monieri*](#) Balachowsky, 1939 ^{c g}
- [*Phenacoccus montanus*](#) (Hadzibejli, 1959) ^{c g}
- [*Phenacoccus multisetosus*](#) McKenzie, 1967 ^{c g}
- [*Phenacoccus neohordei*](#) Marotta, 1992 ^{c g}
- [*Phenacoccus nephelii*](#) Takahashi, 1939 ^{c g}
- [*Phenacoccus nurmamatovi*](#) Bazarov, 1979 ^{c g}
- [*Phenacoccus orcinus*](#) De Lotto, 1964 ^{c g}
- [*Phenacoccus parietariae*](#) (Lichtenstein, 1881) ^{c g}
- [*Phenacoccus parietaricola*](#) Goux, 1938 ^{c g}
- [*Phenacoccus parvus*](#) Morrison, 1924 ^{i c g}
- [*Phenacoccus pauculus*](#) De Lotto, 1964 ^{c g}
- [*Phenacoccus pauperatus*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus pergandei*](#) Cockerell, 1896 ^{c g}
- [*Phenacoccus perillustris*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus persimplex*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus peruvianus*](#) Granara de Willink, 2007 ^g
- [*Phenacoccus phenacoccoides*](#) (Kiritschenko, 1932) ^g
- [*Phenacoccus piceae*](#) (Löw, 1883) ^{c g}
- [*Phenacoccus poriferus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus pratti*](#) Takahashi, 1951 ^{c g}
- [*Phenacoccus prodigialis*](#) Ferris, 1950 ^{c g}
- [*Phenacoccus prosopidis*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus proximus*](#) De Lotto, 1974 ^{c g}
- [*Phenacoccus prunispinosi*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus pseudopumilus*](#) Hadzibejli, 1960 ^{c g}
- [*Phenacoccus psidiarum*](#) Cockerell, 1903 ^{c g}
- [*Phenacoccus pumilus*](#) Kiritschenko, 1936 ^{c g}

- [*Phenacoccus pyramidensis*](#) Ezzat, 1960 ^{c g}
- [*Phenacoccus quadricaudata*](#) (Signoret, 1875) ^{c g}
- [*Phenacoccus querculus*](#) (Borchsenius, 1949) ^{c g}
- [*Phenacoccus radii*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus rehaceki*](#) Savescu, 1984 ^{c g}
- [*Phenacoccus rotundus*](#) Kanda, 1943 ^{c g}
- [*Phenacoccus rubivorus*](#) Cockerell, 1901 ^{c g}
- [*Phenacoccus sakai*](#) (Takahashi, 1951) ^{c g}
- [*Phenacoccus salsolae*](#) Danzig, 1975 ^{c g}
- [*Phenacoccus salviacus*](#) Moghaddam ^g
- [*Phenacoccus schmelevi*](#) Bazarov, 1980 ^{c g}
- [*Phenacoccus segnis*](#) (Brain, 1915) ^{c g}
- [*Phenacoccus setiger*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus sherbinovskyi*](#) Bodenheimer, 1943 ^{c g}
- [*Phenacoccus shutovae*](#) Danzig, 1971 ^{c g}
- [*Phenacoccus silvanae*](#) Longo & Russo in Longo et al., 1989 ^{c g}
- [*Phenacoccus similis*](#) Granara de Willink, 1983 ^{c g}
- [*Phenacoccus sogdianicus*](#) Nurmamatov & Bazarov, 1987 ^{c g}
- [*Phenacoccus solani*](#) Ferris, 1918 ^{i c g b} (solanum mealybug)
- [*Phenacoccus solenopsis*](#) Tinsley, 1898 ^{c g}
- [*Phenacoccus specificus*](#) Matesova, 1960 ^{c g}
- [*Phenacoccus sphaeralceae*](#) Williams, 1987 ^{c g}
- [*Phenacoccus sphagni*](#) (Green, 1915) ^{c g}
- [*Phenacoccus stelli*](#) (Brain, 1915) ^{c g}
- [*Phenacoccus stipae*](#) Nurmamatov, 1986 ^{c g}
- [*Phenacoccus strigosus*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus subdeserticus*](#) Vayssi re, 1932 ^{c g}
- [*Phenacoccus surinamensis*](#) ⁱ
- [*Phenacoccus tataricus*](#) Matesova, 1960 ^{c g}
- [*Phenacoccus tergrigorianae*](#) Borchsenius in Borchsenius & Ter-Grigorian, 1956 ^{c g}
- [*Phenacoccus tibialis*](#) Borchsenius, 1949 ^{c g}
- [*Phenacoccus transcaucasicus*](#) Hadzibejli, 1960 ^{c g}
- [*Phenacoccus transvcaucasicus*](#) Hadzibejli, 1960 ^g
- [*Phenacoccus trichonotus*](#) (Danzig, 1971) ^{c g}
- [*Phenacoccus tucumanus*](#) Granara de Willink, 1983 ^{c g}
- [*Phenacoccus ulmi*](#) (Savescu, 1985) ^{c g}

- [*Phenacoccus vaccinii*](#) (Danzig, 1960) ^c ^g
- [*Phenacoccus viburnae*](#) Kanda, 1931 ^c ^g
- [*Phenacoccus wilmattae*](#) Cockerell, 1901 ^c ^g
- [*Phenacoccus yerushalmi*](#) Ben-Dov, 1985 ^c ^g

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 197 species in [*Phanerotoma*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]}

***Phanerotoma* species**

- [*Phanerotoma acara*](#) van Achterberg, 1990 ^c ^g
- [*Phanerotoma acuminata*](#) Szépligeti, 1908 ^c ^g
- [*Phanerotoma agarwali*](#) Varshney & Shuja-Uddin, 1999 ^c ^g
- [*Phanerotoma alagoasensis*](#) Zettel, 1992 ^c ^g
- [*Phanerotoma analis*](#) Zettel, 1990 ^c ^g
- [*Phanerotoma andamanensis*](#) Gupta ^g
- [*Phanerotoma annulata*](#) Zettel, 1989 ^c ^g
- [*Phanerotoma aperta*](#) Szépligeti, 1908 ^c ^g
- [*Phanerotoma arakakii*](#) Zettel, 1990 ^c ^g
- [*Phanerotoma atra*](#) Snoflak, 1951 ^c ^g
- [*Phanerotoma atriceps*](#) Zettel, 1992 ^c ^g
- [*Phanerotoma attenuata*](#) Zettel, 1989 ^c ^g
- [*Phanerotoma australiensis*](#) Ashmead, 1900 ^c ^g
- [*Phanerotoma aviculus*](#) Saussure, 1892 ^c ^g
- [*Phanerotoma baltica*](#) Brues, 1933 ^c ^g
- [*Phanerotoma bannensis*](#) Masi, 1944 ^c ^g
- [*Phanerotoma behriae*](#) Zettel, 1988 ^c ^g
- [*Phanerotoma bekilyensis*](#) Granger, 1949 ^c ^g
- [*Phanerotoma bennetti*](#) Muesebeck, 1955 ^c ^g
- [*Phanerotoma bicolor*](#) Sonan, 1932 ^c ^g
- [*Phanerotoma bidentula*](#) Zettel, 1992 ^c ^g
- [*Phanerotoma bilinea*](#) Lyle, 1924 ^c ^g
- [*Phanerotoma bouceki*](#) van Achterberg, 1990 ^c ^g
- [*Phanerotoma brasiliensis*](#) Zettel, 1989 ^c ^g
- [*Phanerotoma brendelli*](#) Zettel, 1990 ^c ^g

- [*Phanerotoma brevis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma buchneri*](#) Fahringer, 1932 ^{c g}
- [*Phanerotoma caltagironei*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma capeki*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma caudalis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma caudata*](#) Granger, 1949 ^{c g}
- [*Phanerotoma circumscripta*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma coccinellae*](#) Girault, 1924 ^{c g}
- [*Phanerotoma conopomorphae*](#) Tsang & You ^g
- [*Phanerotoma crabbi*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma crocea*](#) (Cameron, 1887) ^{c g}
- [*Phanerotoma curvicarinata*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma curvimaculata*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma curvinervis*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma cyrenaica*](#) Masi, 1932 ^{c g}
- [*Phanerotoma decorata*](#) Szepligeti, 1914 ^{c g}
- [*Phanerotoma decticauda*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma dentata*](#) (Panzer, 1805) ^{c g}
- [*Phanerotoma divergens*](#) van Achterberg, 2009 ^{c g}
- [*Phanerotoma diversa*](#) (Walker, 1874) ^{c g}
- [*Phanerotoma ebneri*](#) Fahringer, 1924 ^{c g}
- [*Phanerotoma ejuncida*](#) Chen & Ji, 2003 ^{c g}
- [*Phanerotoma erythrocephala*](#) Rohwer, 1917 ^{c g}
- [*Phanerotoma exigua*](#) Zettel, 1991 ^{c g}
- [*Phanerotoma extensa*](#) Brues, 1933 ^{c g}
- [*Phanerotoma fasciata*](#) Provancher, 1881 ^{c g}
- [*Phanerotoma fasciatipennis*](#) Granger, 1949 ^{c g}
- [*Phanerotoma fastigata*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma filicornis*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma flava*](#) Ashmead, 1906 ^{c g}
- [*Phanerotoma flavida*](#) Enderlein, 1912 ^{c g}
- [*Phanerotoma floridana*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma formosana*](#) Rohwer, 1934 ^{c g}
- [*Phanerotoma fracta*](#) Kokujev, 1903 ^{c g}
- [*Phanerotoma franklini*](#) Gahan, 1917 ^{c g}
- [*Phanerotoma fusca*](#) Zettel, 1992 ^{c g}

- [*Phanerotoma fuscovaria*](#) Ashmead, 1894 ^{c g}
- [*Phanerotoma ghesquierei*](#) de Saeger, 1948 ^{c g}
- [*Phanerotoma gigantea*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma gijswijti*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma glabra*](#) Telenga, 1941 ^{c g}
- [*Phanerotoma gracilipes*](#) (Szepligeti, 1914) ^{c g}
- [*Phanerotoma gracilis*](#) Tobias, 1970 ^{c g}
- [*Phanerotoma gracilisoma*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma graciloides*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma graeca*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma grapholithae*](#) Muesebeck, 1933 ^{c g}
- [*Phanerotoma hapaliae*](#) de Saeger, 1948 ^{c g}
- [*Phanerotoma hayati*](#) Ahmad & Shuja-Uddin, 2004 ^{c g}
- [*Phanerotoma hendecasisella*](#) Cameron, 1905 ^{c g}
- [*Phanerotoma hispanica*](#) Kokujev, 1899 ^{c g}
- [*Phanerotoma honiarana*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma humeralis*](#) Ashmead, 1894 ^{c g}
- [*Phanerotoma ichneutiptera*](#) (Vachal, 1907) ^{c g}
- [*Phanerotoma improvisa*](#) Zettel, 1991 ^{c g}
- [*Phanerotoma indica*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma inopinata*](#) Caltagirone, 1965 ^{c g}
- [*Phanerotoma intermedia*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma interstitialis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma iturica*](#) de Saeger, 1942 ^{c g}
- [*Phanerotoma kamtshatica*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma kasachstanica*](#) Tobias, 1964 ^{c g}
- [*Phanerotoma katkowi*](#) Kokujev, 1900 ^{c g}
- [*Phanerotoma kobdensis*](#) Tobias, 1972 ^{c g}
- [*Phanerotoma kotenkoi*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma kozlovi*](#) Shestakov, 1930 ^{c g}
- [*Phanerotoma laspeyresia*](#) Rohwer, 1915 ^{c g}
- [*Phanerotoma leeuwinensis*](#) Turner, 1917 ^{c g}
- [*Phanerotoma lepida*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma leucobasis*](#) Kriechbaumer, 1894 ^{c g}
- [*Phanerotoma lissonota*](#) Tobias, 1972 ^{c g}
- [*Phanerotoma longicauda*](#) Walley, 1951 ^{c g}

- [*Phanerotoma longiradialis*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma longiterebra*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma maculata*](#) (Wollaston, 1858) ^{c g}
- [*Phanerotoma marshalli*](#) (Buysson, 1897) ^{c g}
- [*Phanerotoma masiana*](#) Fahringer, 1934 ^{c g}
- [*Phanerotoma melanocephala*](#) Fullaway, 1913 ^{c g}
- [*Phanerotoma melanura*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma mellina*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma meridionalis*](#) Ashmead, 1894 ^{c g}
- [*Phanerotoma minuta*](#) Kokujev, 1903 ^{c g}
- [*Phanerotoma mirabilis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma modesta*](#) Masi, 1944 ^{c g}
- [*Phanerotoma moniliata*](#) Ji & Chen, 2003 ^{c g}
- [*Phanerotoma moravica*](#) Snoflak, 1951 ^{c g}
- [*Phanerotoma myeloisae*](#) Fullaway, 1956 ^{c g}
- [*Phanerotoma nathani*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma nepalensis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma nigricephala*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma nigriceps*](#) Szepligeti, 1914 ^{c g}
- [*Phanerotoma nigripelta*](#) Muesebeck, 1955 ^{c g}
- [*Phanerotoma nigroscutis*](#) Cameron, 1905 ^{c g}
- [*Phanerotoma nigrotibialis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma nitidiventris*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma nocturna*](#) Tobias, 1967 ^{c g}
- [*Phanerotoma notabilis*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma novacaledoniensis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma novaehebridensis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma novaguineensis*](#) Szepligeti, 1900 ^{c g}
- [*Phanerotoma novateutonica*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma noyesi*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma obscura*](#) Snoflak, 1951 ^{c g}
- [*Phanerotoma offensa*](#) Papp, 1989 ^{c g}
- [*Phanerotoma orientalis*](#) Szepligeti, 1902 ^{c g}
- [*Phanerotoma ornatula*](#) Brues, 1926 ^{c g}
- [*Phanerotoma pacifica*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma pallida*](#) Cameron, 1911 ^{c g}

- [*Phanerotoma pallidipes*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma pallidula*](#) Masi, 1945 ^{c g}
- [*Phanerotoma panamana*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma pappi*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma parastigmalis*](#) Tobias, 2000 ^{c g}
- [*Phanerotoma parva*](#) Kokujev, 1903 ^{c g}
- [*Phanerotoma pedra*](#) Papp, 1989 ^{c g}
- [*Phanerotoma pellucida*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma permixtella*](#) Fischer, 1968 ^{c g}
- [*Phanerotoma persa*](#) Shestakov, 1930 ^{c g}
- [*Phanerotoma phycitina*](#) de Saeger, 1942 ^{c g}
- [*Phanerotoma planifrons*](#) (Nees, 1816) ^{c g}
- [*Phanerotoma plaumanni*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma popovi*](#) Telenga, 1941 ^{c g}
- [*Phanerotoma potanini*](#) Kokujev, 1895 ^{c g}
- [*Phanerotoma producta*](#) Watanabe, 1937 ^{c g}
- [*Phanerotoma puchneriana*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma pygmaea*](#) Szepligeti, 1913 ^{c g}
- [*Phanerotoma pyrodercis*](#) Fischer, 1962 ^{c g}
- [*Phanerotoma recurvariae*](#) Cushman, 1914 ^{c g}
- [*Phanerotoma rhyacioniae*](#) Cushman, 1927 ^{c g}
- [*Phanerotoma robusta*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma rufescens*](#) (Latreille, 1809) ^{c g}
- [*Phanerotoma ruficornis*](#) Granger, 1949 ^{c g}
- [*Phanerotoma rufotestacea*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma samoana*](#) Fullaway, 1940 ^{c g}
- [*Phanerotoma sardiana*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma saussurei*](#) Kohl, 1906 ^{c g}
- [*Phanerotoma sculptifrons*](#) Tobias, 1970 ^{c g}
- [*Phanerotoma semenowi*](#) Kokujev, 1900 ^{c g}
- [*Phanerotoma somaliae*](#) Masi, 1943 ^{c g}
- [*Phanerotoma somalica*](#) Paoli, 1934 ^{c g}
- [*Phanerotoma soror*](#) van Achterberg, 1990 ^{c g}
- [*Phanerotoma spilaspis*](#) Cameron, 1911 ^{c g}
- [*Phanerotoma sponsa*](#) Ji & Chen, 2002 ^{c g}
- [*Phanerotoma straminea*](#) Viereck, 1913 ^{c g}

- [*Phanerotoma subexigua*](#) Zettel, 1991 ^{c g}
- [*Phanerotoma subpygmaea*](#) Granger, 1949 ^{c g}
- [*Phanerotoma sulcus*](#) Chen & Ji, 2003 ^{c g}
- [*Phanerotoma syedi*](#) Ahmad & Shuja-Uddin, 2004 ^{c g}
- [*Phanerotoma syleptae*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma terebralis*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma texana*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma tibialis*](#) (Haldeman, 1849) ^{c g}
- [*Phanerotoma toreutae*](#) Caltagirone, 1967 ^{c g}
- [*Phanerotoma transcaspica*](#) Kokujev, 1902 ^{c g}
- [*Phanerotoma tricolorata*](#) Zettel, 1988 ^{c g}
- [*Phanerotoma tridentati*](#) Ji & Chen, 2003 ^{c g}
- [*Phanerotoma tritoma*](#) (Marshall, 1898) ^{c g}
- [*Phanerotoma trivittata*](#) Brues, 1912 ^{c g}
- [*Phanerotoma trivittatoides*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma tropicana*](#) Zettel, 1989 ^{c g}
- [*Phanerotoma uniformis*](#) Brues, 1926 ^{c g}
- [*Phanerotoma unipunctata*](#) Cushman, 1922 ^{c g}
- [*Phanerotoma upoluensis*](#) Zettel, 1990 ^{c g}
- [*Phanerotoma valentina*](#) Moreno & Jimenez, 1992 ^{c g}
- [*Phanerotoma vana*](#) de Saeger, 1948 ^{c g}
- [*Phanerotoma variegata*](#) Szepligeti, 1914 ^{c g}
- [*Phanerotoma vidua*](#) De Santis, 1975 ^{c g}
- [*Phanerotoma wahlbergianae*](#) Fischer, 1963 ^{c g}
- [*Phanerotoma waitzbaueri*](#) Zettel, 1987 ^{c g}
- [*Phanerotoma zebripes*](#) Chen & Ji, 2003 ^{c g}
- [*Phanerotoma zelleriae*](#) Zettel, 1992 ^{c g}
- [*Phanerotoma zinovjevi*](#) Tobias, 2000 ^{c g}

This is a list of 197 species in [*Phanerotoma*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]} Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

References

1.
 - ["Browse *Phanerotoma*".](#) *Catalogue of Life*. Archived from [the original](#) on 2018-04-07. Retrieved 2018-04-06.
 - ["*Phanerotoma*".](#) *GBIF*. Retrieved 2018-04-06.

- ["Phanerotoma Genus Information"](#). BugGuide.net. Retrieved 2018-04-06.
-
- 4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-06.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 203 species in [Peromyia](#), a genus of wood midges in the family [Cecidomyiidae](#).^[1]

Peromyia species

- [Peromyia abdita](#) Jaschhof, 2009
- [Peromyia aberrans](#) Mamaev, 1963
- [Peromyia abnormis](#) Mamaev & Berest, 1990
- [Peromyia acuminata](#) Jaschhof, 2017
- [Peromyia acutula](#) Jaschhof, 2001
- [Peromyia aeratipennis](#) (Skuse, 1888)
- [Peromyia albicornis](#) (Meigen, 1830)
- [Peromyia aleemkhani](#) Jaschhof, 2001
- [Peromyia ampla](#) Jaschhof, 2001
- [Peromyia anatina](#) Mamaev & Berest, 1990
- [Peromyia angellifera](#) Jaschhof, 1997
- [Peromyia angulata](#) Jaschhof, 2001
- [Peromyia angulosa](#) Jaschhof, 2017
- [Peromyia angustior](#) Jaschhof, 2017
- [Peromyia anisotoma](#) Mamaev, 1994
- [Peromyia anocellata](#) Jaschhof, 2001
- [Peromyia apposita](#) Jaschhof, 1997
- [Peromyia appositoides](#) Jaschhof, 2017
- [Peromyia assimilis](#) Jaschhof, 2020
- [Peromyia aurantiaca](#) (Kieffer, 1894)
- [Peromyia austrina](#) Jaschhof, 2001
- [Peromyia autumnalis](#) Jaschhof, 2001
- [Peromyia avia](#) Jaschhof, 2001
- [Peromyia ayaensis](#) Jaschhof, 2001

- [*Peromyia bashfordi*](#) Jaschhof, 2010
- [*Peromyia bavarica*](#) Jaschhof, 2009
- [*Peromyia bengalensis*](#) Kieffer, 1905
- [*Peromyia bertviklundi*](#) Jaschhof, 2009
- [*Peromyia bicolor*](#) Edwards, 1938
- [*Peromyia bidentata*](#) Berest, 1988
- [*Peromyia bihamata*](#) Mamaev & Zaitzev, 1997
- [*Peromyia borealis*](#) (Felt, 1920)
- [*Peromyia boreojaponica*](#) Jaschhof, 2001
- [*Peromyia boreophila*](#) Jaschhof, 2001
- [*Peromyia brandenburgensis*](#) Jaschhof, 2017
- [*Peromyia brevispina*](#) Yukawa, 1967
- [*Peromyia brutostylata*](#) Jaschhof, 2017
- [*Peromyia capitata*](#) Jaschhof, 2001
- [*Peromyia caricis*](#) (Kieffer, 1901)
- [*Peromyia carinata*](#) Jaschhof, 2001
- [*Peromyia cassa*](#) Jaschhof, 2001
- [*Peromyia clandestina*](#) Jaschhof, 2004
- [*Peromyia centrosa*](#) Jaschhof, 2001
- [*Peromyia cinalata*](#) Jaschhof, 2010
- [*Peromyia clancula*](#) Jaschhof, 2009
- [*Peromyia clavata*](#) Jaschhof, 2017
- [*Peromyia cognata*](#) Jaschhof, 2017
- [*Peromyia composita*](#) Jaschhof, 1997
- [*Peromyia concitata*](#) Mamaev & Berest, 1994
- [*Peromyia consimilis*](#) Jaschhof, 2017
- [*Peromyia constricta*](#) Jaschhof, 2017
- [*Peromyia cornuta*](#) (Edwards, 1938)
- [*Peromyia culta*](#) Jaschhof, 2004
- [*Peromyia curta*](#) Jaschhof, 1997
- [*Peromyia curvostylata*](#) Jaschhof, 2017
- [*Peromyia debilis*](#) Jaschhof, 2010
- [*Peromyia denotata*](#) Jaschhof, 2009
- [*Peromyia derupta*](#) Jaschhof, 2004
- [*Peromyia despecta*](#) Jaschhof, 2010
- [*Peromyia devia*](#) Jaschhof, 2017
- [*Peromyia diadema*](#) Mamaev, 1963
- [*Peromyia didhami*](#) Jaschhof, 2004
- [*Peromyia directa*](#) Jaschhof, 1997
- [*Peromyia discreta*](#) Jaschhof, 1997
- [*Peromyia dissona*](#) Jaschhof, 2004
- [*Peromyia docī*](#) Jaschhof, 2004

- [Peromyia dupla](#) Jaschhof, 2017
- [Peromyia edwardsi](#) Berest, 1994
- [Peromyia elongatula](#) Jaschhof & Jaschhof, 2020
- [Peromyia extensa](#) Berest, 1991
- [Peromyia fagiphila](#) Jaschhof, 1997
- [Peromyia fibyensis](#) Jaschhof, 2009
- [Peromyia fujiensis](#) Jaschhof, 2001
- [Peromyia fungicola](#) (Kieffer, 1898)
- [Peromyia galapagensis](#) Jaschhof, 2004
- [Peromyia gemella](#) Jaschhof, 2001
- [Peromyia gotohi](#) Jaschhof, 2001
- [Peromyia gracilostylata](#) Jaschhof, 2017
- [Peromyia grovei](#) Jaschhof, 2010
- [Peromyia gryphiswaldensis](#) Jaschhof, 1997
- [Peromyia horridula](#) Jaschhof, 1997
- [Peromyia hyalina](#) Jaschhof, 2017
- [Peromyia ibarakiensis](#) Jaschhof, 2001
- [Peromyia imperatoria](#) Jaschhof, 2001
- [Peromyia impexa](#) (Skuse, 1888)
- [Peromyia indecorata](#) Jaschhof, 2010
- [Peromyia indica](#) Grover, 1970
- [Peromyia inflata](#) Jaschhof, 2017
- [Peromyia insueta](#) Jaschhof, 2004
- [Peromyia intecta](#) Jaschhof, 2004
- [Peromyia intermedia](#) (Kieffer, 1895)
- [Peromyia intonsa](#) Jaschhof, 2004
- [Peromyia iuxtatruncata](#) Jaschhof, 2017
- [Peromyia karstroemi](#) Jaschhof, 2017
- [Peromyia katieae](#) Jaschhof, 2004
- [Peromyia lapponica](#) Jaschhof, 2017
- [Peromyia latebrosa](#) Jaschhof, 2004
- [Peromyia leveillei](#) Kieffer, 1894
- [Peromyia lindstroemi](#) Jaschhof & Jaschhof, 2020
- [Peromyia lippertae](#) Jaschhof, 2017
- [Peromyia lisatengoe](#) Jaschhof, 2017
- [Peromyia lobata](#) Yukawa, 1971
- [Peromyia lobuscorum](#) Jaschhof, 2001
- [Peromyia longistylata](#) Jaschhof, 2017
- [Peromyia maetoi](#) Jaschhof, 2001
- [Peromyia manca](#) Jaschhof, 2017
- [Peromyia mediterranea](#) Mamaev, 1998
- [Peromyia memoranda](#) Jaschhof, 2004

- [*Peromyia menzeli*](#) Jaschhof, 2009
- [*Peromyia mica*](#) Mamaev & Zaitzev, 1998
- [*Peromyia minutissima*](#) Mamaev, 1963
- [*Peromyia mitrata*](#) Jaschhof, 1997
- [*Peromyia miyazakiensis*](#) Jaschhof, 2001
- [*Peromyia modesta*](#) (Felt, 1907)
- †[*Peromyia monilifera*](#) (Meunier, 1904)
- [*Peromyia monilis*](#) Mamaev, 1965
- [*Peromyia monticorvina*](#) Jaschhof, 2017
- [*Peromyia montivaga*](#) Jaschhof, 2001
- [*Peromyia mountalbertiensis*](#) Jaschhof, 2004
- [*Peromyia multifurcata*](#) Jaschhof, 2004
- [*Peromyia neglecta*](#) Jaschhof, 2017
- [*Peromyia nemorum*](#) (Edwards, 1938)
- [*Peromyia neomexicana*](#) (Felt, 1913)
- [*Peromyia niederhofensis*](#) Jaschhof, 2017
- [*Peromyia nitoda*](#) Jaschhof, 2010
- [*Peromyia novaezelandiae*](#) Jaschhof, 2004
- [*Peromyia obesa*](#) Jaschhof, 2001
- [*Peromyia obunca*](#) Jaschhof, 2004
- [*Peromyia oelandica*](#) Jaschhof, 2017
- [*Peromyia ogawaensis*](#) Jaschhof, 2001
- [*Peromyia okochii*](#) Jaschhof, 2001
- [*Peromyia ombergensis*](#) Jaschhof, 2017
- [*Peromyia orientalis*](#) Grover, 1964
- [*Peromyia ornata*](#) Jaschhof, 2001
- [*Peromyia ovalis*](#) (Edwards, 1938)
- [*Peromyia penicillata*](#) Jaschhof, 1997
- [*Peromyia perardua*](#) Jaschhof, 2004
- [*Peromyia perpusilla*](#) (Winnterz, 1870)
- [*Peromyia pertrita*](#) Jaschhof, 2004
- [*Peromyia photophila*](#) (Felt, 1907)
- [*Peromyia pilosa*](#) Jaschhof, 2001
- [*Peromyia plena*](#) Jaschhof, 2004
- [*Peromyia praeclara*](#) Jaschhof, 2004
- [*Peromyia prominens*](#) Yukawa, 1967
- [*Peromyia pseudoborealis*](#) Jaschhof, 2017
- [*Peromyia pumila*](#) Jaschhof, 2001
- [*Peromyia pumiloides*](#) Jaschhof, 2017
- [*Peromyia puncta*](#) Jaschhof, 2001
- [*Peromyia quercinophila*](#) Jaschhof, 2017
- [*Peromyia ramosa*](#) (Edwards, 1938)

- [*Peromyia ramosoides*](#) Jaschhof, 2009
- [*Peromyia rara*](#) Jaschhof, 2004
- [*Peromyia revelata*](#) Mamaev & Berest, 1990
- [*Peromyia rhombica*](#) Jaschhof, 2001
- [*Peromyia rotoitiensis*](#) Jaschhof, 2004
- [*Peromyia ryukyuensis*](#) Jaschhof, 2001
- [*Peromyia sacculiformia*](#) Mamaev & Berest, 1990
- [*Peromyia sanguinea*](#) (Kieffer, 1894)
- [*Peromyia scirrhosa*](#) Jaschhof, 2009
- [*Peromyia scutellata*](#) Mamaev, 1990
- [*Peromyia semota*](#) Jaschhof, 2001
- [*Peromyia semotoides*](#) Jaschhof, 2009
- [*Peromyia sera*](#) Jaschhof, 2004
- [*Peromyia serrata*](#) Jaschhof, 2004
- [*Peromyia setosa*](#) Jaschhof, 2004
- [*Peromyia seychellensis*](#) (Kieffer, 1911)
- [*Peromyia simpla*](#) Jaschhof, 2001
- [*Peromyia simulans*](#) Jaschhof, 2017
- [*Peromyia sinuosa*](#) Jaschhof, 2004
- [*Peromyia sofielundensis*](#) Jaschhof & Jaschhof, 2020
- [*Peromyia sororia*](#) Jaschhof & Jaschhof, 2017
- [*Peromyia sphenoides*](#) Jaschhof, 2001
- [*Peromyia spinigera*](#) Jaschhof, 2004
- [*Peromyia spinosa*](#) Jaschhof, 2001
- [*Peromyia squamigera*](#) Jaschhof, 2004
- [*Peromyia stenshuvudensis*](#) Jaschhof, 2017
- [*Peromyia subanatina*](#) Mamaev & Zaitzev, 1997
- [*Peromyia subbicolor*](#) Jaschhof, 2009
- [*Peromyia subborealis*](#) Jaschhof, 1997
- [*Peromyia subcurta*](#) Jaschhof, 2001
- [*Peromyia suberis*](#) Jaschhof, 1997
- [*Peromyia syltefjordensis*](#) Jaschhof, 1996
- [*Peromyia tasmanica*](#) Jaschhof, 2010
- [*Peromyia tecta*](#) Jaschhof, 2004
- [*Peromyia tenella*](#) Jaschhof, 2001
- [*Peromyia trifida*](#) Jaschhof, 2001
- [*Peromyia trifidoides*](#) Jaschhof, 2017
- [*Peromyia trimera*](#) (Edwards, 1938)
- [*Peromyia tripuncta*](#) Jaschhof, 2001
- [*Peromyia truncata*](#) Yukawa, 1967
- [*Peromyia tschirnhausi*](#) Jaschhof, 1996
- [*Peromyia tsukubasanensis*](#) Jaschhof, 2001

- [*Peromyia tumida*](#) Jaschhof, 2004
- [*Peromyia tundrae*](#) Jaschhof, 1996
- [*Peromyia uleforsi*](#) Jaschhof, 2017
- [*Peromyia uniseriata*](#) Jaschhof, 2017
- [*Peromyia upupoides*](#) Jaschhof, 1997
- [*Peromyia valens*](#) Jaschhof, 2001
- [*Peromyia vernalis*](#) Jaschhof, 2001
- [*Peromyia viklundi*](#) Jaschhof, 1997
- [*Peromyia warraensis*](#) Jaschhof, 2010
- [*Peromyia yezoensis*](#) Jaschhof, 2001

References

1.

1. [R.J. Gagne](#); M. Jaschhof (2021). *A Catalog of the Cecidomyiidae (Diptera) of the World* (5th ed.). ISBN . Wikidata [Q109561625](#).

Categories:

- [Cecidomyiidae](#)
- [Lists of insect species](#)
-

This is a list of 251 species in [Peripsocus](#), a genus of stout barklice in the family [Peripsocidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Peripsocus species

- [Peripsocus acuminatus](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Peripsocus africanus](#) Enderlein, 1902 ^{c g}
- [Peripsocus alachuae](#) Mockford, 1971 ^{i c g b}
- [Peripsocus alboguttatus](#) (Dalman, 1823) ^{i c g}
- [Peripsocus ammonus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus angolensis](#) Smithers, Courtenay, 1959 ^{c g}

- [*Peripsocus annectens*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus annulatus*](#) Badonnel, 1967 ^{c g}
- [*Peripsocus anura*](#) Vaughan, Thornton & New, 1991 ^{c g}
- [*Peripsocus apicatus*](#) Cole, New & Thornton, 1989 ^{c g}
- [*Peripsocus apiculatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus attenuatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus australis*](#) Mockford, 1971 ^{c g}
- [*Peripsocus badimaculatus*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus baishanzuicus*](#) Li, Fasheng, 1995 ^{c g}
- [*Peripsocus baiyunshanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus balli*](#) Badonnel, 1948 ^{c g}
- [*Peripsocus barunus*](#) Vaughan, Thornton & New, 1991 ^{c g}
- [*Peripsocus beijingensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus bhaktai*](#) Badonnel, 1981 ^{c g}
- [*Peripsocus biacanthus*](#) Li, Fasheng & Chikun Yang, 1988 ^{c g}
- [*Peripsocus bifasciarius*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus bifasciatus*](#) Schmidt, E. R. & Thornton, 1993 ^{c g}
- [*Peripsocus bifidus*](#) Thornton, 1984 ^{c g}
- [*Peripsocus bilobatus*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Peripsocus bonnieae*](#) Thornton, 1990 ^{c g}
- [*Peripsocus brachyura*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus brinchangensis*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus brunneus*](#) Datta, 1965 ^{c g}
- [*Peripsocus bucephalus*](#) Li, Fasheng, 1992 ^{c g}
- [*Peripsocus bucerus*](#) Li, Fasheng, 1992 ^{c g}
- [*Peripsocus bulbosus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus camerunus*](#) Badonnel, 1943 ^{c g}
- [*Peripsocus cassideus*](#) Li, Fasheng, 1999 ^{c g}
- [*Peripsocus caudatus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus chamelanus*](#) Badonnel, 1986 ^{c g}
- [*Peripsocus changbaishanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus chekei*](#) Turner, B. D., 1975 ^{c g}
- [*Peripsocus circinus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus coccophagus*](#) Badonnel, 1935 ^{c g}
- [*Peripsocus cochleus*](#) Schmidt, E. R. & New, 2008 ^{c g}
- [*Peripsocus conoidalis*](#) Li, Fasheng, 2002 ^{c g}

- [*Peripsocus consobrinus*](#) Pearman, J. V., 1951 ^{c g}
- [*Peripsocus constrictus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus corollaris*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus crassicosta*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus crenulatus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus curvicalvus*](#) Broadhead & Alison Richards, 1980 ^{c g}
- [*Peripsocus cylindratus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus decellei*](#) Badonnel, 1976 ^{c g}
- [*Peripsocus decurvatus*](#) Li, Fasheng, 1995 ^{c g}
- [*Peripsocus denticulatus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus didymus*](#) Roesler, 1939 ^{c g}
- [*Peripsocus disdentus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus dolichophallus*](#) Badonnel, 1986 ^{c g}
- [*Peripsocus dongbeiensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus duodecimidentus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus elongatus*](#) New & Thornton, 1976 ^{c g}
- [*Peripsocus equispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus exilis*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus falsipictus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus ferrugineus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus fici*](#) Smithers, Courtenay, 1984 ^{c g}
- [*Peripsocus forcipatus*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus forficatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus fornicalis*](#) Li, Fasheng, 1999 ^{c g}
- [*Peripsocus frimensis*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus fulvescens*](#) Navás, 1920 ^{c g}
- [*Peripsocus furcellatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus ghesquierei*](#) Badonnel, 1948 ^{c g}
- [*Peripsocus golubae*](#) Lienhard, 2006 ^{c g}
- [*Peripsocus grandispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus guandishanicus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus guttulatus*](#) Badonnel, 1967 ^{c g}
- [*Peripsocus hainanensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus hamiltonae*](#) Smithers, Courtenay, 1977 ^{c g}
- [*Peripsocus haplacanthus*](#) Li, Fasheng, 1993 ^{c g}
- [*Peripsocus hedinianus*](#) Enderlein, 1934 ^{c g}

- [Peripsocus helenae](#) Lienhard, 2011 ^{c g}
- [Peripsocus hickmani](#) New, 1973 ^{c g}
- [Peripsocus hinduensis](#) Garcia Aldrete, 1999 ^{c g}
- [Peripsocus hollowayi](#) Smithers, Courtenay, 1984 ^{c g}
- [Peripsocus hongkongensis](#) Thornton & Wong, 1968 ^{c g}
- [Peripsocus huashanensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus hutsoni](#) New, 1977 ^{c g}
- [Peripsocus hyalinus](#) Enderlein, 1903 ^{c g}
- [Peripsocus ignis](#) Okamoto, 1910 ^{c g}
- [Peripsocus incertus](#) Badonnel, 1986 ^{c g}
- [Peripsocus incoloratus](#) Turner, B. D., 1975 ^{c g}
- [Peripsocus inflatus](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus intricatus](#) Smithers, Courtenay, 1964 ^{c g}
- [Peripsocus jianfenglingicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus jiangxiensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus jilinicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus jinggangshanicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus jinshaanensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus jinxiuensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus juniperi](#) Turner, B. D., 1975 ^{c g}
- [Peripsocus kashmirensis](#) Badonnel, 1981 ^{c g}
- [Peripsocus keniensis](#) Broadhead & Alison Richards, 1980 ^{c g}
- [Peripsocus kunmingiensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus laoshanicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus laricis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus latispineus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus leptorrhizus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus lifashengi](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus limi](#) New & Thornton, 1976 ^{c g}
- [Peripsocus longifurcus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus longivalvus](#) Badonnel, 1986 ^{c g}
- [Peripsocus louguantaiensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus lunaris](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus luotongshanicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus machadoi](#) Badonnel, 1955 ^{c g}
- [Peripsocus macrosiphus](#) Li, Fasheng, 1993 ^{c g}

- [Peripsocus maculosus](#) Mockford, 1971 ^{i c g b}
- [Peripsocus madecassus](#) Badonnel, 1967 ^{c g}
- [Peripsocus madescens](#) (Walsh, 1863) ^{i c g b}
- [Peripsocus madidus](#) (Hagen, 1861) ^{i c g b}
- [Peripsocus magnimammus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus maoricus](#) (Tillyard, 1923) ^{c g}
- [Peripsocus marginatus](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [Peripsocus medifasciarius](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus medimacularis](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus medispineus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus megalophus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus melaleucae](#) New, 1971 ^{c g}
- [Peripsocus menieri](#) Badonnel, 1984 ^{c g}
- [Peripsocus meridionalis](#) Li, Fasheng, 1999 ^{c g}
- [Peripsocus microcheilius](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus microcheilus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus milleri](#) (Tillyard, 1923) ^{i c g}
- [Peripsocus milloti](#) Badonnel, 1969 ^{c g}
- [Peripsocus mingshanicus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus minimus](#) Mockford, 1971 ^{i c g b}
- [Peripsocus minutus](#) Banks, N., 1924 ^{c g}
- [Peripsocus mirabilis](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus mokotensis](#) Badonnel, 1948 ^{c g}
- [Peripsocus monticola](#) Mockford, 1971 ^{c g}
- [Peripsocus morulops](#) (Tillyard, 1923) ^{c g}
- [Peripsocus mutilatus](#) Badonnel, 1986 ^{c g}
- [Peripsocus nanjingensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus nanus](#) Navás, 1922 ^{c g}
- [Peripsocus nasutus](#) Badonnel, 1976 ^{c g}
- [Peripsocus nebulosus](#) Navás, 1932 ^{c g}
- [Peripsocus neglectus](#) Mockford, 1996 ^{c g}
- [Peripsocus nigrescens](#) Williner, 1949 ^{c g}
- [Peripsocus notialis](#) Smithers, Courtenay, 1984 ^{c g}
- [Peripsocus nubifer](#) Mockford, 1991 ^{c g}
- [Peripsocus octoidentus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus oculatus](#) Enderlein, 1926 ^{c g}

- [Peripsocus oculimaculatus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus odontopetalus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus oligodontus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus optimalis](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus orbiculatus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus orebius](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus orientalis](#) Garcia Aldrete, 1999 ^{c g}
- [Peripsocus oxydontus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus pallidus](#) Broadhead & Alison Richards, 1980 ^{c g}
- [Peripsocus pamae](#) Schmidt, E. R. & New, 2008 ^{c g}
- [Peripsocus papillatus](#) Cole, New & Thornton, 1989 ^{c g}
- [Peripsocus parareichertii](#) Cole, New & Thornton, 1989 ^{c g}
- [Peripsocus paraspinosus](#) New & S. S. Lee, 1991 ^{c g}
- [Peripsocus parvulus](#) Kolbe, 1880 ^{c g}
- [Peripsocus parvus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus pauliani](#) Badonnel, 1949 ^{i c g}
- [Peripsocus pediformis](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus pembanus](#) Enderlein, 1908 ^{c g}
- [Peripsocus peruanus](#) Banks, N., 1920 ^{c g}
- [Peripsocus phacellodomi](#) New, 1972 ^{c g}
- [Peripsocus phaeochilus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus phaeopterus](#) (Stephens, 1836) ^{i c g}
- [Peripsocus pictus](#) Thornton, 1962 ^{c g}
- [Peripsocus placidus](#) Mockford, 1991 ^{c g}
- [Peripsocus plagiotropus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus platyopterus](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus plstylpus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus plurimaculatus](#) Li, Fasheng, 1992 ^{c g}
- [Peripsocus polygonalis](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus polyoacanthus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus potosi](#) Mockford, 1971 ^{i c g}
- [Peripsocus pseudoquercicola](#) Thornton, 1962 ^{c g}
- [Peripsocus pumilus](#) Enderlein, 1907 ^{c g}
- [Peripsocus qingchengshanicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus qingdaoensis](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus quadratidentalis](#) Li, Fasheng, 2002 ^{c g}

- [Peripsocus quadratiprocessus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus quadripunctatus](#) Badonnel, 1955 ^{c g}
- [Peripsocus quattuordecimus](#) Li, Fasheng, 1995 ^{c g}
- [Peripsocus quercicola](#) Enderlein, 1906 ^{c g}
- [Peripsocus reduncus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus reflexibilis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus reicherti](#) Enderlein, 1903 ^{c g}
- [Peripsocus rhombicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus rhomboacanthus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus roseus](#) Smithers, Courtenay, 1977 ^{c g}
- [Peripsocus scalpratus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus scapiformis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus sclerotus](#) Thornton & Wong, 1966 ^{c g}
- [Peripsocus sedcimidentalis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus sedecimidentalis](#) Li, Fasheng, 1997 ^{c g}
- [Peripsocus setosus](#) Smithers, Courtenay, 1960 ^{c g}
- [Peripsocus sexidentus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus shilinensis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus siculiformis](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus similis](#) Enderlein, 1903 ^{c g}
- [Peripsocus spinosus](#) Thornton, 1959 ^{c g}
- [Peripsocus spissospilus](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus stagnivagus](#) Chapman, 1930 ^{i c g b}
- [Peripsocus stegeri](#) Thornton, 1990 ^{c g}
- [Peripsocus stenopterus](#) Thornton & Wong, 1968 ^{c g}
- [Peripsocus stigmatus](#) Thornton & Wong, 1968 ^{c g}
- [Peripsocus stigmatismus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus stiptatus](#) Li, Fasheng, 1993 ^{c g}
- [Peripsocus subfasciatus](#) (Rambur, 1842) ^{i c g b}
- [Peripsocus subtilis](#) Li, Fasheng, 2001 ^{c g}
- [Peripsocus subtristis](#) Mockford, 1991 ^{c g}
- [Peripsocus suffitus](#) Enderlein, 1903 ^{c g}
- [Peripsocus suoxiyuicus](#) Li, Fasheng, 2002 ^{c g}
- [Peripsocus sydneyensis](#) Enderlein, 1903 ^{c g}
- [Peripsocus taipingensis](#) New & S. S. Lee, 1991 ^{c g}
- [Peripsocus terricolis](#) Badonnel, 1986 ^{c g}

- [*Peripsocus teutonicus*](#) Mockford, 1971 ^{c g}
- [*Peripsocus tillyardi*](#) New, 1973 ^{c g}
- [*Peripsocus tinctus*](#) Cole, New & Thornton, 1989 ^{c g}
- [*Peripsocus togoensis*](#) Turner, B. D. & Cheke, 1983 ^{c g}
- [*Peripsocus transivenus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus tredecimus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus trigonoispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus tristis*](#) Mockford, 1991 ^{c g}
- [*Peripsocus umbrosus*](#) Navás, 1911 ^{c g}
- [*Peripsocus uncinatus*](#) New, 1977 ^{c g}
- [*Peripsocus undecimidentus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus undulatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus uniformis*](#) New & Thornton, 1976 ^{c g}
- [*Peripsocus vacoasensis*](#) Turner, B. D., 1976 ^{c g}
- [*Peripsocus valvulus*](#) Thornton & Wong, 1968 ^{c g}
- [*Peripsocus variatus*](#) Soehardjan & Hamann, 1959 ^{c g}
- [*Peripsocus varidentatus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus vescus*](#) Li, Fasheng, 1997 ^{c g}
- [*Peripsocus viriosus*](#) Li, Fasheng, 1995 ^{c g}
- [*Peripsocus weinigeri*](#) Turner, B. D., 1975 ^{c g}
- [*Peripsocus wuhoi*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus wuyishanicus*](#) Li, Fasheng, 1999 ^{c g}
- [*Peripsocus xanthochilus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus xihuensis*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus yongqi*](#) New & S. S. Lee, 1991 ^{c g}
- [*Peripsocus yuleki*](#) Galil & Halperin, 1983 ^{c g}
- [*Peripsocus zhangispineus*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus zhangliani*](#) Li, Fasheng, 2002 ^{c g}
- [*Peripsocus ziguiensis*](#) Li, Fasheng, 1997 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 191 species in [*Pericoma*](#), a genus of moth flies in the family [*Psychodidae*](#). [1][2][3][4]

***Pericoma* species**

- [*Pericoma acuminata*](#) Strobl, 1901 ^{c g}
- [*Pericoma affinis*](#) Krek, 1985 ^{c g}
- [*Pericoma agreste*](#) Quate & Quate, 1967 ^{c g}
- [*Pericoma alaeoensis*](#) Kaul, 1971 ^{c g}
- [*Pericoma alba*](#) (Sara, 1952) ^{c g}
- [*Pericoma albipes*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma albitarsis*](#) (Banks, 2895) ^{i c g}
- [*Pericoma alfaroana*](#) (Dyar, 1926) ^{c g}
- [*Pericoma alhambrana*](#) Vaillant, 1978 ^{c g}
- [*Pericoma alticola*](#) Vaillant, 1955 ^{c g}
- [*Pericoma americana*](#) Kincaid, 1901 ^{i c g}
- [*Pericoma amplipenna*](#) (Knab, 1914) ^{c g}
- [*Pericoma ancyla*](#) Quate, 1955 ^{i c g}
- [*Pericoma anderssoni*](#) (Nielsen, 1965) ^{c g}
- [*Pericoma antennata*](#) Krek, 1983 ^g
- [*Pericoma arvernica*](#) Vaillant, 1978 ^{c g}
- [*Pericoma aterrima*](#) (Banks, 1914) ^{i c g}
- [*Pericoma atlantica*](#) (Satchell, 1955) ^{c g}
- [*Pericoma attenuata*](#) Vaillant, 1978 ^{c g}
- [*Pericoma balcanica*](#) Krek, 1985 ^{c g}
- [*Pericoma bancrofti*](#) Tonnoir, 1920 ^{c g}
- [*Pericoma barbarica*](#) Vaillant, 1955 ^{c g}
- [*Pericoma barbata*](#) Satchell, 1954 ^{c g}
- [*Pericoma barremica*](#) Vaillant & Withers, 1993 ^{c g}
- [*Pericoma bavarica*](#) Wagner, 1981 ^{c g}
- [*Pericoma becharreense*](#) Wagner, 1980 ^{c g}
- [*Pericoma bessophila*](#) Quate, 1955 ⁱ
- [*Pericoma bifalcata*](#) Satchell, 1950 ^{c g}
- [*Pericoma bilobata*](#) Satchell, 1954 ^{c g}
- [*Pericoma bipunctata*](#) Kincaid, 1899 ^{i c g}
- [*Pericoma biramus*](#) Quate, 1955 ^{i c g}
- [*Pericoma blandula*](#) Eaton, 1893 ^{c g}
- [*Pericoma bosnica*](#) Krek, 1967 ^{c g}
- [*Pericoma brasilensis*](#) Duckhouse, 1968 ^{c g}
- [*Pericoma bunae*](#) Krek, 1979 ^{c g}

- [Pericoma busckana](#) (Dyar, 1926) ^{c g}
- [Pericoma calcifera](#) Vaillant & Withers, 1993 ^{c g}
- [Pericoma calcilega](#) Feuerborn, 1923 ^{c g}
- [Pericoma californica](#) Kincaid, 1901 ^{i c g}
- [Pericoma carolina](#) Banks, 1931 ^{i c g}
- [Pericoma chilensis](#) Tonnoir, 1929 ^{c g}
- [Pericoma chlifasica](#) Vaillant & Moubayed, 1987 ^{c g}
- [Pericoma clarkei](#) Satchell, 1954 ^{c g}
- [Pericoma claviatum](#) Satchell, 1950 ^{c g}
- [Pericoma coei](#) Vaillant, 1965 ^{c g}
- [Pericoma complexa](#) Quate, 1955 ^{i c g}
- [Pericoma complicata](#) Tonnoir, 1929 ^{c g}
- [Pericoma confusa](#) Satchell, 1953 ^{c g}
- [Pericoma consigilana](#) Sara, 1953 ^{c g}
- [Pericoma contigua](#) Tonnoir, 1929 ^{c g}
- [Pericoma coracina](#) Duckhouse, 1966 ^{c g}
- [Pericoma corsicana](#) Vaillant, 1955 ^{c g}
- [Pericoma crenophila](#) Wagner & Schrankel, 2005 ^{c g}
- [Pericoma deceptrix](#) Quate & Brown, 2004 ^{c g}
- [Pericoma decoricornis](#) Tokunaga, 1961 ^{c g}
- [Pericoma denticulatistylata](#) Tokunaga & Kyoto, 1956 ^{c g}
- [Pericoma diffusa](#) Satchell, 1954 ^{c g}
- [Pericoma diversa](#) Tonnoir, 1919 ^{c g}
- [Pericoma dlabolai](#) Jezek, 1990 ^{c g}
- [Pericoma drepanatum](#) Satchell, 1950 ^{c g}
- [Pericoma drepanopenis](#) Duckhouse, 1975 ^{c g}
- [Pericoma edwardsi](#) Tonnoir, 1929 ^{c g}
- [Pericoma egeica](#) Vaillant, 1979 ^{c g}
- [Pericoma equalis](#) Tonnoir, 1934 ^{c g}
- [Pericoma exquisita](#) Eaton, 1893 ^g
- [Pericoma exquisita](#) Eaton, 1893 ^{c g}
- [Pericoma fallax](#) Eaton, 1893 ^{c g}
- [Pericoma fenestrata](#) Tonnoir, 1929 ^{c g}
- [Pericoma fluviatilis](#) Dyar, 1926 ^{i c g}
- [Pericoma fo-no](#) Tokunaga, 1957 ^g
- [Pericoma formosa](#) Nielsen, 1964 ^{c g}

- [Pericoma funebris](#) Hutton, 1902 ^{c g}
- [Pericoma gourlayi](#) Satchell, 1950 ^{c g}
- [Pericoma grabhamana](#) (Dyar, 1926) ^{c g}
- [Pericoma gracecica](#) Vaillant, 1978 ^{c g}
- [Pericoma graecica](#) Vaillant, 1978 ^{c g}
- [Pericoma granadica](#) Vaillant, 1978 ^{c g}
- [Pericoma hakkariae](#) Wagner, 1986 ^{c g}
- [Pericoma hamtensis](#) Kaul, 1971 ^{c g}
- [Pericoma hansonii](#) Quate, 1996 ^{c g}
- [Pericoma hespenheidei](#) Quate, 1996 ^{c g}
- [Pericoma hiera](#) Quate, 1955 ^{i c g}
- [Pericoma hygropetrica](#) Wagner, 1993 ^{c g}
- [Pericoma illustrata](#) Tonnoir, 1953 ^{c g}
- [Pericoma improvisa](#) Wagner & Baez, 1993 ^{c g}
- [Pericoma incompleta](#) (Knab, 1914) ^{c g}
- [Pericoma incrustans](#) Vaillant, 1978 ^{c g}
- [Pericoma inornata](#) Tonnoir, 1929 ^{c g}
- [Pericoma insularis](#) Wagner & Salamanna, 1984 ^{c g}
- [Pericoma intricatoria](#) Tonnoir, 1953 ^{c g}
- [Pericoma isabellae](#) Wagner, 2005 ^{c g}
- [Pericoma kabulica](#) Wagner, 1979 ^{c g}
- [Pericoma kariana](#) Vaillant, 1978 ^{c g}
- [Pericoma kincaidi](#) Quate, 1955 ⁱ
- [Pericoma kugleri](#) Wagner, 1984 ^{c g}
- [Pericoma lassenicalassenica](#) Quate, 1955 ^{c g}
- [Pericoma latina](#) Sara, 1954 ^{c g}
- [Pericoma limicola](#) Vaillant, 1961 ^{c g}
- [Pericoma litanica](#) Vaillant & Moubayed, 1987 ^{c g}
- [Pericoma ljubiliensis](#) Krek, 1967 ^{c g}
- [Pericoma lobisternum](#) Satchell, 1950 ^{c g}
- [Pericoma longicellata](#) Tokunaga & Komyo, 1956 ^{c g}
- [Pericoma longipennis](#) Kaul, 1971 ^{c g}
- [Pericoma ludificata](#) Quate, 1955 ^{i c g}
- [Pericoma maculosa](#) Wagner, 1979 ^{c g}
- [Pericoma marginalis](#) (Banks, 1984) ^{i c g}
- [Pericoma margininotata](#) Brunetti, 1908 ^{c g}

- [Pericoma maroccana](#) Vaillant, 1955 ^{c g}
- [Pericoma maurum](#) Satchell, 1950 ^{c g}
- [Pericoma melanderi](#) Quate, 1955 ^{i c g}
- [Pericoma metatarsalis](#) Brunetti, 1911 ^{c g}
- [Pericoma mixta](#) Brunetti, 1911 ^{c g}
- [Pericoma modesta](#) Tonnoir, 1922 ^{c g}
- [Pericoma mollis](#) (Satchell, 1955) ^{c g}
- [Pericoma motasi](#) Vaillant, 1978 ^{c g}
- [Pericoma multimaculata](#) Satchell, 1950 ^{c g}
- [Pericoma nemorosa](#) Duckhouse, 1966 ^{c g}
- [Pericoma neoblandula](#) Duckhouse, 1962 ^{c g}
- [Pericoma neretvana](#) Krek, 1972 ^g
- [Pericoma nielsenii](#) Kvifte, 2010 ^g
- [Pericoma nigricauda](#) (Tonnoir, 1919) ^{c g}
- [Pericoma nigropunctata](#) (Schiner, 1868) ^{c g}
- [Pericoma niveopunctata](#) Tonnoir, 1929 ^{c g}
- [Pericoma notata](#) Duckhouse, 1966 ^{c g}
- [Pericoma orientalis](#) Wagner, 1986 ^{c g}
- [Pericoma ottwayensis](#) Duckhouse, 1966 ^{c g}
- [Pericoma paghmanica](#) Wagner, 1979 ^{c g}
- [Pericoma pallida](#) Vaillant, 1978 ^{c g}
- [Pericoma pallidula](#) Tonnoir, 1929 ^{c g}
- [Pericoma pannonica](#) Szabo, 1960 ^{c g}
- [Pericoma peregrinum](#) Quate & Quate, 1967 ^{c g}
- [Pericoma pericoma](#) ^{i g}
- [Pericoma pictipennis](#) Tonnoir, 1920 ^{c g}
- [Pericoma pingarestica](#) Vaillant, 1978 ^{c g}
- [Pericoma platystyla](#) Wagner, 1986 ^{c g}
- [Pericoma pseudoalbipes](#) Satchell, 1953 ^{c g}
- [Pericoma pseudocalcilega](#) Krek, 1972 ^{c g}
- [Pericoma pseudoexquisita](#) Tonnoir, 1940 ^{c g}
- [Pericoma punctulatum](#) Tonnoir, 1953 ^{c g}
- [Pericoma pyramidon](#) Quate & Brown, 2004 ^{c g}
- [Pericoma remulum](#) Quate & Brown, 2004 ^{c g}
- [Pericoma restonicana](#) Vaillant, 1978 ^{c g}
- [Pericoma reticulatipennis](#) Tokunaga & Komyo, 1956 ^{c g}

- [*Pericoma rivularis*](#) Berden, 1954 ^{c g}
- [*Pericoma rotundipennis*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma salfii*](#) (Sara, 1951) ^{c g}
- [*Pericoma sasakawai*](#) Tokunaga et Komyo, 1955 ^{c g}
- [*Pericoma satchell*](#) Duckhouse, 1966 ^{c g}
- [*Pericoma schumanni*](#) Jezek, 1994 ^{c g}
- [*Pericoma scotiae*](#) (Curran, 1924) ^{i c g}
- [*Pericoma segregata*](#) Vaillant, 1978 ^{c g}
- [*Pericoma serratipenis*](#) Satchell, 1950 ^{c g}
- [*Pericoma servadeii*](#) Salamanna, 1982 ^{c g}
- [*Pericoma shikokuensis*](#) Tokunaga et Komyo, 1955 ^{c g}
- [*Pericoma sicula*](#) Quate, 1955 ^{i c g}
- [*Pericoma signata*](#) (Banks, 1901) ^{i c g b}
- [*Pericoma simplex*](#) Tonnoir, 1929 ^{c g}
- [*Pericoma simulata*](#) Duckhouse, 1966 ^{c g}
- [*Pericoma singularis*](#) Quate, 1962 ^{c g}
- [*Pericoma sinica*](#) Wagner, 2003 ^{c g}
- [*Pericoma sitchana*](#) Kincaid, 1899 ^{i c g}
- [*Pericoma slossonae*](#) (Williston, 1893) ^{i c g}
- [*Pericoma solangensis*](#) Kaul, 1971 ^{c g}
- [*Pericoma soleata*](#) (Haliday, 1856) ^{c g}
- [*Pericoma solitaria*](#) Wagner & Salamanna, 1984 ^{c g}
- [*Pericoma solitarium*](#) Satchell, 1954 ^{c g}
- [*Pericoma spiralifera*](#) Satchell, 1950 ^{c g}
- [*Pericoma squamitarsis*](#) Tonnoir, 1929 ^{c g}
- [*Pericoma steffani*](#) Quate & Quate, 1967 ^{c g}
- [*Pericoma stuckenbergi*](#) Duckhouse, 1975 ^{c g}
- [*Pericoma subillustrata*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma symphyllia*](#) Quate, 1999 ^{c g}
- [*Pericoma tasmaniae*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma tatrlica*](#) Szabo, 1960 ^{c g}
- [*Pericoma taurica*](#) Jezek, 1990 ^{c g}
- [*Pericoma tenerifensis*](#) Satchell, 1955 ^{c g}
- [*Pericoma tenuistylis*](#) Vaillant, 1978 ^{c g}
- [*Pericoma tienshanensis*](#) Jezek, 1994 ^{c g}
- [*Pericoma tonnoiri*](#) Vaillant, 1978 ^{c g}

- [*Pericoma tricolor*](#) (Knab, 1914) ^{c g}
- [*Pericoma trifasciata*](#) (Meigen, 1818) ^{c g}
- [*Pericoma triuncinatum*](#) Satchell, 1950 ^{c g}
- [*Pericoma truncata*](#) Kincaid, 1899 ^{i c g}
- [*Pericoma uniformatum*](#) Tonnoir, 1953 ^{c g}
- [*Pericoma usingeri*](#) Quate, 1955 ^{i c g}
- [*Pericoma vestita*](#) Vaillant & Withers, 1993 ^{c g}
- [*Pericoma viduata*](#) Tonnoir, 1929 ^{c g}
- [*Pericoma viperina*](#) Vaillant, 1961 ^{c g}
- [*Pericoma volpina*](#) Vaillant, 1978 ^{c g}
- [*Pericoma wirthi*](#) Quate, 1955 ⁱ
- [*Pericoma zumbadoi*](#) Quate, 1996 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Pericoma Report"](#). Integrated Taxonomic Information System. Retrieved 2018-05-04.
 - ["Browse Pericoma"](#). Catalogue of Life. Retrieved 2018-05-04.[[dead link](#)]
 - ["Pericoma"](#). GBIF. Retrieved 2018-05-04.
 -
4. ["Pericoma Genus Information"](#). BugGuide.net. Retrieved 2018-05-04.

Categories:

- [Psychodidae](#)
- [Lists of insect species](#)
-

This is a partial list of species in the genus [Perdita](#).^{[1][2][3][4]}

Perdita species

- [Perdita abbreviata](#) Timberlake, 1980
- [Perdita abdominalis](#) Timberlake, 1960
- [Perdita abducta](#) Timberlake, 1980
- [Perdita acaciae](#) Timberlake, 1962

- [*Perdita acapulcona*](#) Timberlake, 1954
- [*Perdita accepta*](#) Timberlake, 1958
- [*Perdita aculeata*](#) Timberlake, 1968
- [*Perdita adjuncta*](#) Timberlake, 1958
- [*Perdita adustiventris*](#) Timberlake, 1964
- [*Perdita aemula*](#) Timberlake, 1958
- [*Perdita affecta*](#) Timberlake, 1971
- [*Perdita affinis*](#) Cresson, 1878
- [*Perdita agasta*](#) Timberlake, 1958
- [*Perdita ainsliei*](#) Crawford, 1932
- [*Perdita albata*](#) Timberlake, 1968
- [*Perdita albescens*](#) Timberlake, 1980
- [*Perdita albihirta*](#) Timberlake, 1954
- [*Perdita albipennis*](#) Cresson, 1868 – shiny green miner bee[5]
- [*Perdita albipes*](#) Timberlake, 1962
- [*Perdita albiventris*](#) Timberlake, 1964
- [*Perdita albofasciata*](#) Timberlake, 1968
- [*Perdita albomaculata*](#) Timberlake, 1980
- [*Perdita albomarginata*](#) Timberlake, 1980
- [*Perdita albonotata*](#) Timberlake, 1954
- [*Perdita albopicta*](#) Timberlake, 1958
- [*Perdita albovittata*](#) Cockerell, 1895
- [*Perdita alexi*](#) Timberlake, 1968
- [*Perdita algodones*](#) Timberlake, 1980
- [*Perdita ambigua*](#) Timberlake, 1964
- [*Perdita amacula*](#) Timberlake, 1964
- [*Perdita amoena*](#) Timberlake, 1956
- [*Perdita ampla*](#) Timberlake, 1971
- [*Perdita amplipennis*](#) Timberlake, 1962
- [*Perdita ancoralis*](#) Timberlake, 1968
- [*Perdita angellata*](#) Griswold, 1993
- [*Perdita annectens*](#) Timberlake, 1968
- [*Perdita annexa*](#) Timberlake, 1960
- [*Perdita apacheorum*](#) Timberlake, 1960
- [*Perdita aperta*](#) Timberlake, 1968
- [*Perdita apicalis*](#) Timberlake, 1977
- [*Perdita aplopappi*](#) Timberlake, 1960
- [*Perdita arenaria*](#) Timberlake, 1954
- [*Perdita argemones*](#) Timberlake, 1956
- [*Perdita aridella*](#) Timberlake, 1960
- [*Perdita arizonica*](#) Timberlake, 1956
- [*Perdita arnaudi*](#) Timberlake, 1958

- [*Perdita ashmeadi*](#) Cockerell, 1899
- [*Perdita assimilis*](#) Timberlake, 1964
- [*Perdita associata*](#) Timberlake, 1968
- [*Perdita asteris*](#) Cockerell, 1896
- [*Perdita atrata*](#) Timberlake, 1964
- [*Perdita atriventris*](#) Timberlake, 1960
- [*Perdita atrovirens*](#) Timberlake, 1968
- [*Perdita aureovittata*](#) Cockerell, 1916
- [*Perdita austini*](#) Cockerell, 1895
- [*Perdita autumnalis*](#) Timberlake, 1977
- [*Perdita baccharidis*](#) Cockerell, 1900
- [*Perdita barri*](#) Timberlake, 1964
- [*Perdita basinicola*](#) Timberlake, 1968
- [*Perdita beameri*](#) Timberlake, 1964
- [*Perdita beata*](#) Cockerell, 1895
- [*Perdita beatula*](#) Timberlake, 1960
- [*Perdita bebbiae*](#) Timberlake, 1956
- [*Perdita bellula*](#) Timberlake, 1954
- [*Perdita bequaerti*](#) Viereck, 1917 – Bequaert's miner bee[\[5\]](#)
- [*Perdita bequaertiana*](#) Cockerell, 1951
- [*Perdita bicuspidariae*](#) Timberlake, 1962
- [*Perdita bidentata*](#) Timberlake, 1956
- [*Perdita bifasciata*](#) Timberlake, 1977
- [*Perdita bigeloviae*](#) Cockerell, 1896
- [*Perdita biguttata*](#) Timberlake, 1962
- [*Perdita bilobata*](#) Timberlake, 1956
- [*Perdita binotata*](#) Timberlake, 1954
- [*Perdita biornata*](#) Timberlake, 1980
- [*Perdita biparticeps*](#) Cockerell, 1896
- [*Perdita bishoppi*](#) Cockerell, 1906
- [*Perdita bispinata*](#) Timberlake, 1956
- [*Perdita blaisdelli*](#) Timberlake, 1954
- [*Perdita blanda*](#) Timberlake, 1958
- [*Perdita blatchleyi*](#) Timberlake, 1952
- [*Perdita boharti*](#) Portman & Griswold, 2016
- [*Perdita boltoniae*](#) (Robertson, 1902)
- [*Perdita brachyglossa*](#) Timberlake, 1971
- [*Perdita bradleyana*](#) Timberlake, 1954
- [*Perdita bradleyi*](#) Viereck, 1907
- [*Perdita brevicornis*](#) Timberlake, 1980
- [*Perdita brevihirta*](#) Timberlake, 1962
- [*Perdita bridwelli*](#) Timberlake, 1960

- [*Perdita bruneri*](#) Cockerell, 1897 – Bruner's miner bee[5]
- [*Perdita butleri*](#) Timberlake, 1960
- [*Perdita caerulescens*](#) Timberlake, 1964
- [*Perdita californica*](#) (Cresson, 1878)
- [*Perdita callicerata*](#) Cockerell, 1897
- [*Perdita calloleuca*](#) Cockerell, 1922
- [*Perdita calochorti*](#) Timberlake, 1956
- [*Perdita cambarella*](#) Cockerell, 1906
- [*Perdita cara*](#) Timberlake, 1958
- [*Perdita cazieri*](#) Timberlake, 1960
- [*Perdita celadona*](#) Griswold & Miller, 2010
- [*Perdita cephalotes*](#) (Cresson, 1878)
- [*Perdita chamaesarachae*](#) Cockerell, 1896
- [*Perdita chemsaki*](#) Timberlake, 1980
- [*Perdita chihuahua*](#) Timberlake, 1964
- [*Perdita chionostoma*](#) Timberlake, 1964
- [*Perdita chloris*](#) Timberlake, 1960
- [*Perdita chrysophila*](#) Cockerell, 1896
- [*Perdita chrysothamni*](#) Timberlake, 1958
- [*Perdita ciliata*](#) Timberlake, 1958
- [*Perdita cinctiventris*](#) Timberlake, 1977
- [*Perdita cingulata*](#) Timberlake, 1980
- [*Perdita cladothercis*](#) Cockerell, 1896
- [*Perdita clarifacies*](#) Cockerell, 1923
- [*Perdita claripennis*](#) Timberlake, 1968
- [*Perdita claypolei*](#) Cockerell, 1901
- [*Perdita cleomellae*](#) Cockerell, 1925
- [*Perdita clypeata*](#) Timberlake, 1962
- [*Perdita coahuilensis*](#) Timberlake, 1954
- [*Perdita coalingensis*](#) Timberlake, 1956
- [*Perdita cochiseana*](#) Timberlake, 1971
- [*Perdita cognata*](#) Timberlake, 1960
- [*Perdita coldeniae*](#) Timberlake, 1954
- [*Perdita colei*](#) Timberlake, 1962
- [*Perdita compacta*](#) Timberlake, 1971
- [*Perdita compactilis*](#) Timberlake, 1980
- [*Perdita compta*](#) Timberlake, 1964
- [*Perdita concolor*](#) Timberlake, 1968
- [*Perdita concors*](#) Timberlake, 1958
- [*Perdita confinis*](#) Timberlake, 1971
- [*Perdita confusa*](#) Timberlake, 1964
- [*Perdita congrua*](#) Timberlake, 1971

- [*Perdita consimilis*](#) Timberlake, 1968
- [*Perdita consobrina*](#) Timberlake, 1928
- [*Perdita coreopsidis*](#) Cockerell, 1906
- [*Perdita cornishiana*](#) Timberlake, 1977
- [*Perdita covilleae*](#) Timberlake, 1958
- [*Perdita cowaniae*](#) Timberlake, 1956
- [*Perdita cracens*](#) Timberlake, 1980
- [*Perdita crandalli*](#) Timberlake, 1962
- [*Perdita crassihirta*](#) Timberlake, 1968
- [*Perdita crassula*](#) Timberlake, 1958
- [*Perdita craterognatha*](#) Timberlake, 1968
- [*Perdita croceipes*](#) Timberlake, 1960
- [*Perdita crotonis*](#) Cockerell, 1896
- [*Perdita cruciferarum*](#) Timberlake, 1968
- [*Perdita cushmani*](#) Timberlake, 1964
- [*Perdita cuspidata*](#) Timberlake, 1964
- [*Perdita dalyi*](#) Timberlake, 1960
- [*Perdita dammersi*](#) Timberlake, 1964
- [*Perdita dasyliirii*](#) Cockerell, 1907
- [*Perdita davidsoni*](#) Timberlake, 1964
- [*Perdita debilis*](#) Timberlake, 1968
- [*Perdita decemnotata*](#) Timberlake, 1962
- [*Perdita deltophora*](#) Timberlake, 1964
- [*Perdita dentata*](#) Timberlake, 1964
- [*Perdita depressa*](#) Timberlake, 1968
- [*Perdita desdemona*](#) Portman, 2016
- [*Perdita dichroa*](#) Timberlake, 1958
- [*Perdita dicksoni*](#) Timberlake, 1958
- [*Perdita differens*](#) Timberlake, 1964
- [*Perdita difficilis*](#) Timberlake, 1964
- [*Perdita digna*](#) Timberlake, 1964
- [*Perdita digressa*](#) Timberlake, 1968
- [*Perdita dimidiata*](#) Timberlake, 1962
- [*Perdita diminutiva*](#) Timberlake, 1977
- [*Perdita discors*](#) Timberlake, 1964
- [*Perdita discreta*](#) Timberlake, 1954
- [*Perdita dispar*](#) Timberlake, 1964
- [*Perdita dispilota*](#) Timberlake, 1968
- [*Perdita dissimulans*](#) Timberlake, 1954
- [*Perdita distans*](#) Timberlake, 1962
- [*Perdita distincta*](#) Timberlake, 1964
- [*Perdita distropica*](#) Timberlake, 1956

- [*Perdita divaricata*](#) Timberlake, 1968
- [*Perdita diversa*](#) Timberlake, 1954
- [*Perdita dolanensis*](#) Neff, 2003
- [*Perdita dolichocephala*](#) Swenk & Cockerell, 1907
- [*Perdita dreisbachi*](#) Timberlake, 1964
- [*Perdita drymariae*](#) Timberlake, 1960
- [*Perdita dubia*](#) Cockerell, 1896
- [*Perdita duplicata*](#) Timberlake, 1964
- [*Perdita duplonotata*](#) Timberlake, 1956
- [*Perdita durangoensis*](#) Timberlake, 1960
- [*Perdita eickworti*](#) Timberlake, 1977
- [*Perdita electa*](#) Timberlake, 1960
- [*Perdita elegans*](#) Timberlake, 1960
- [*Perdita elimata*](#) Timberlake, 1964
- [*Perdita emarginata*](#) Timberlake, 1964
- [*Perdita ensenadensis*](#) Timberlake, 1960
- [*Perdita eremica*](#) Timberlake, 1964
- [*Perdita eremophila*](#) Timberlake, 1964
- [*Perdita eriastri*](#) Timberlake, 1964
- [*Perdita ericameriae*](#) Timberlake, 1958
- [*Perdita eriogoni*](#) Cockerell, 1925
- [*Perdita erudita*](#) Cockerell, 1923
- [*Perdita erythropyga*](#) Timberlake, 1962
- [*Perdita esmeraldensis*](#) Timberlake, 1977
- [*Perdita eucnides*](#) Timberlake, 1964
- [*Perdita euphorbiae*](#) Timberlake, 1954
- [*Perdita euzonata*](#) Timberlake, 1964
- [*Perdita evansi*](#) Timberlake, 1964
- [*Perdita ewarti*](#) Timberlake, 1971
- [*Perdita excellens*](#) Timberlake, 1958
- [*Perdita exclamans*](#) Cockerell, 1895
- [*Perdita exigua*](#) Timberlake, 1964
- [*Perdita exilis*](#) Timberlake, 1962
- [*Perdita eximia*](#) Timberlake, 1964
- [*Perdita exusta*](#) Portman & Griswold, 2016
- [*Perdita eysenhardtiae*](#) Timberlake, 1964
- [*Perdita falcata*](#) Timberlake, 1964
- [*Perdita fallax*](#) Cockerell, 1896 – deceptive miner bee[5]
- [*Perdita fallugiae*](#) Timberlake, 1956
- [*Perdita fasciatella*](#) Timberlake, 1980
- [*Perdita fedorensis*](#) Cockerell, 1916
- [*Perdita festiva*](#) Timberlake, 1958

- [*Perdita fidissima*](#) Timberlake, 1968
- [*Perdita fieldi*](#) Timberlake, 1956
- [*Perdita flavicauda*](#) Timberlake, 1960
- [*Perdita flaviceps*](#) Timberlake, 1960
- [*Perdita flavicornis*](#) Timberlake, 1980
- [*Perdita flavifrons*](#) Timberlake, 1968
- [*Perdita flavipes*](#) Timberlake, 1964
- [*Perdita flaviventris*](#) Timberlake, 1980
- [*Perdita floridensis*](#) Timberlake, 1928
- [*Perdita florissantella*](#) Cockerell, 1906
- [*Perdita foleyi*](#) Timberlake, 1958
- [*Perdita fortis*](#) Timberlake, 1971
- [*Perdita foveata*](#) Timberlake, 1956
- [*Perdita foxi*](#) Cockerell, 1895
- [*Perdita fracticineta*](#) Timberlake, 1953
- [*Perdita frontalis*](#) Timberlake, 1968
- [*Perdita fulvescens*](#) Timberlake, 1980
- [*Perdita fulvicauda*](#) Timberlake, 1962
- [*Perdita fulviventris*](#) Timberlake, 1980
- [*Perdita fumipennis*](#) Timberlake, 1964
- [*Perdita fuscipes*](#) Timberlake, 1968
- [*Perdita gemella*](#) Timberlake, 1964
- [*Perdita geminata*](#) Timberlake, 1964
- [*Perdita genalis*](#) Timberlake, 1964
- [*Perdita gentilis*](#) Timberlake, 1962
- [*Perdita georgica*](#) Timberlake, 1928
- [*Perdita gerardiae*](#) Crawford, 1932
- [*Perdita gerhardi*](#) Viereck, 1904
- [*Perdita gertschi*](#) Timberlake, 1958
- [*Perdita giliae*](#) Timberlake, 1954
- [*Perdita gillaspyi*](#) Timberlake, 1980
- [*Perdita glabrella*](#) Timberlake, 1968
- [*Perdita glabrescens*](#) Timberlake, 1962
- [*Perdita glamis*](#) Timberlake, 1980
- [*Perdita gracilior*](#) Timberlake, 1977
- [*Perdita gracilis*](#) Timberlake, 1964
- [*Perdita graenicheri*](#) Timberlake, 1947
- [*Perdita grandiceps*](#) Cockerell, 1896
- [*Perdita gratiosa*](#) Timberlake, 1971
- [*Perdita greggiae*](#) Timberlake, 1968
- [*Perdita guerreroensis*](#) Timberlake, 1964
- [*Perdita gutierreziae*](#) Cockerell, 1896

- [*Perdita haigi*](#) Timberlake, 1962
- [*Perdita halictoides*](#) Smith, 1853 – sweatbee-like miner bee[\[5\]](#)
- [*Perdita halli*](#) Timberlake, 1960
- [*Perdita heliophila*](#) Cockerell, 1916
- [*Perdita heliotropii*](#) Cockerell, 1900
- [*Perdita heterothecae*](#) Cockerell, 1900
- [*Perdita hidalgoensis*](#) Timberlake, 1968
- [*Perdita hiemalis*](#) Timberlake, 1980
- [*Perdita hilaris*](#) Timberlake, 1968
- [*Perdita hippolyta*](#) Portman & Griswold, 2016
- [*Perdita hirsuta*](#) Cockerell, 1896
- [*Perdita hirtella*](#) Timberlake, 1968
- [*Perdita hirticeps*](#) Timberlake, 1960
- [*Perdita hirtuosa*](#) Timberlake, 1980
- [*Perdita holoxantha*](#) Timberlake, 1962
- [*Perdita hooki*](#) Portman & Neff, 2016
- [*Perdita hubbelli*](#) Timberlake, 1980
- [*Perdita humilis*](#) Timberlake, 1968
- [*Perdita hurdi*](#) Timberlake, 1956
- [*Perdita idahoensis*](#) Timberlake, 1958
- [*Perdita idonea*](#) Timberlake, 1968
- [*Perdita ignota*](#) Cockerell, 1896
- [*Perdita imbellis*](#) Timberlake, 1968
- [*Perdita imberbis*](#) Timberlake, 1968
- [*Perdita impar*](#) Timberlake, 1980
- [*Perdita impigra*](#) Timberlake, 1968
- [*Perdita impressa*](#) Timberlake, 1968
- [*Perdita impunctifrons*](#) Timberlake, 1958
- [*Perdita incana*](#) Timberlake, 1958
- [*Perdita incompta*](#) Timberlake, 1964
- [*Perdita indioensis*](#) Timberlake, 1960
- [*Perdita infelix*](#) Timberlake, 1964
- [*Perdita inflexa*](#) Timberlake, 1956
- [*Perdita infuscata*](#) Timberlake, 1977
- [*Perdita innotata*](#) Timberlake, 1964
- [*Perdita inornata*](#) Timberlake, 1962
- [*Perdita insequens*](#) Timberlake, 1968
- [*Perdita interrupta*](#) Cresson, 1878
- [*Perdita interserta*](#) Cockerell, 1922
- [*Perdita inyoensis*](#) Timberlake, 1977
- [*Perdita irregularis*](#) Timberlake, 1971
- [*Perdita irwini*](#) Timberlake, 1968

- [*Perdita isocomae*](#) Timberlake, 1958
- [*Perdita janzeni*](#) Timberlake, 1980
- [*Perdita jonesi*](#) Cockerell, 1906
- [*Perdita jucunda*](#) Timberlake, 1962
- [*Perdita kanabensis*](#) Timberlake, 1971
- [*Perdita keiferi*](#) Timberlake, 1928
- [*Perdita kiowi*](#) Griswold, 1988
- [*Perdita knowltoni*](#) Timberlake, 1960
- [*Perdita koebelei*](#) Timberlake, 1964
- [*Perdita krombeini*](#) Timberlake, 1960
- [*Perdita labergei*](#) Timberlake, 1960
- [*Perdita labrata*](#) Timberlake, 1962
- [*Perdita labrosa*](#) Timberlake, 1980
- [*Perdita larreae*](#) Cockerell, 1896
- [*Perdita lasiogastra*](#) Timberlake, 1929
- [*Perdita lateralis*](#) Timberlake, 1962
- [*Perdita laticincta*](#) Swenk & Cockerell, 1907
- [*Perdita layiae*](#) Cockerell, 1938
- [*Perdita leechi*](#) Timberlake, 1968
- [*Perdita lenis*](#) Timberlake, 1958
- [*Perdita lepachidis*](#) Cockerell, 1896
- [*Perdita lepidosparti*](#) Timberlake, 1958
- [*Perdita leucogastra*](#) Timberlake, 1964
- [*Perdita leucophylli*](#) Timberlake, 1964
- [*Perdita leucosticta*](#) Timberlake, 1964
- [*Perdita leucostoma*](#) Timberlake, 1956
- [*Perdita levigata*](#) Timberlake, 1968
- [*Perdita levissima*](#) Timberlake, 1964
- [*Perdita lingualis*](#) Cockerell, 1896
- [*Perdita linsleyi*](#) Timberlake, 1964
- [*Perdita lipovskyi*](#) Timberlake, 1964
- [*Perdita lompocensis*](#) Timberlake, 1958
- [*Perdita lucens*](#) Timberlake, 1962
- [*Perdita luciae*](#) Cockerell, 1899
- [*Perdita lucidella*](#) Timberlake, 1964
- [*Perdita luculenta*](#) Timberlake, 1968
- [*Perdita lunulata*](#) Timberlake, 1962
- [*Perdita lustrans*](#) Timberlake, 1964
- [*Perdita luteiceps*](#) Cockerell, 1896
- [*Perdita luteola*](#) Cockerell, 1894
- [*Perdita lycii*](#) Timberlake, 1964
- [*Perdita macneilli*](#) Timberlake, 1964

- [*Perdita macrostoma*](#) Cockerell, 1922
- [*Perdita macswaini*](#) Timberlake, 1964
- [*Perdita maculigera*](#) Cockerell, 1896 – black-spotted miner bee[5]
- [*Perdita maculipes*](#) Cockerell, 1896
- [*Perdita maculosa*](#) Timberlake, 1958
- [*Perdita maerens*](#) Timberlake, 1964
- [*Perdita maesta*](#) Timberlake, 1964
- [*Perdita malacothricis*](#) Timberlake, 1956
- [*Perdita mandibularis*](#) Timberlake, 1954
- [*Perdita marcialis*](#) Cockerell, 1896
- [*Perdita marginata*](#) Timberlake, 1964
- [*Perdita maritima*](#) Timberlake, 1954
- [*Perdita martini*](#) Cockerell, 1895
- [*Perdita mazatlanica*](#) Timberlake, 1980
- [*Perdita meconis*](#) Griswold, 1993
- [*Perdita media*](#) Timberlake, 1960
- [*Perdita medialis*](#) Timberlake, 1977
- [*Perdita megapyga*](#) Timberlake, 1954
- [*Perdita melanderi*](#) Timberlake, 1968
- [*Perdita melanochlora*](#) Cockerell, 1922
- [*Perdita melanogastra*](#) Timberlake, 1964
- [*Perdita melanops*](#) Timberlake, 1968
- [*Perdita melanostoma*](#) Swenk & Cockerell, 1907
- [*Perdita melanura*](#) Timberlake, 1962
- [*Perdita mentzeliae*](#) Cockerell, 1896
- [*Perdita mentzeliarum*](#) Cockerell, 1897
- [*Perdita mesillensis*](#) Timberlake, 1968
- [*Perdita mexicanorum*](#) Cockerell, 1896
- [*Perdita micans*](#) Timberlake, 1971
- [*Perdita michelbacheri*](#) Timberlake, 1962
- [*Perdita micheneri*](#) Timberlake, 1956
- [*Perdita microsticta*](#) Timberlake, 1960
- [*Perdita mimosae*](#) Timberlake, 1964
- [*Perdita mimula*](#) Timberlake, 1960
- [*Perdita minima*](#) Cockerell, 1923
- [*Perdita minuta*](#) Timberlake, 1980
- [*Perdita missionis*](#) Timberlake, 1958
- [*Perdita mitchelli*](#) Timberlake, 1947
- [*Perdita mitis*](#) Timberlake, 1971
- [*Perdita moabensis*](#) Timberlake, 1971
- [*Perdita modestissima*](#) Timberlake, 1968
- [*Perdita mohavensis*](#) Timberlake, 1956

- [*Perdita moldenkei*](#) Timberlake, 1980
- [*Perdita montereyensis*](#) Timberlake, 1956
- [*Perdita morelosana*](#) Timberlake, 1968
- [*Perdita mormonica*](#) Timberlake, 1956
- [*Perdita morula*](#) Timberlake, 1980
- [*Perdita mucronata*](#) Timberlake, 1956
- [*Perdita multiflorae*](#) Parker, 1988
- [*Perdita munda*](#) Timberlake, 1958
- [*Perdita munita*](#) Timberlake, 1964
- [*Perdita namatophila*](#) Timberlake, 1954
- [*Perdita nanula*](#) Timberlake, 1960
- [*Perdita nasuta*](#) Timberlake, 1962
- [*Perdita navarretiae*](#) Timberlake, 1958
- [*Perdita nayaritensis*](#) Timberlake, 1980
- [*Perdita nebrascensis*](#) Swenk & Cockerell, 1907
- [*Perdita neffi*](#) Timberlake, 1980
- [*Perdita nevadensis*](#) Cockerell, 1896 – Nevada miner bee[5]
- [*Perdita nevadiana*](#) Timberlake, 1980
- [*Perdita nigricornis*](#) Timberlake, 1964
- [*Perdita nigridia*](#) Timberlake, 1962
- [*Perdita nigriventris*](#) Timberlake, 1954
- [*Perdita nigroaenea*](#) Timberlake, 1968
- [*Perdita nigrocaerulea*](#) Timberlake, 1954
- [*Perdita nigrocincta*](#) Timberlake, 1958
- [*Perdita nigroclypeata*](#) Timberlake, 1964
- [*Perdita nigronotata*](#) Timberlake, 1964
- [*Perdita nigroviridis*](#) Timberlake, 1954
- [*Perdita nitens*](#) Timberlake, 1956
- [*Perdita nodosicornia*](#) Timberlake, 1968
- [*Perdita novaeangliae*](#) Viereck, 1907
- [*Perdita novoleona*](#) Timberlake, 1971
- [*Perdita nubila*](#) Timberlake, 1958
- [*Perdita nuda*](#) Cockerell, 1896
- [*Perdita numerata*](#) Cockerell, 1895
- [*Perdita nuttalliae*](#) Portman, 2016
- [*Perdita oaxacana*](#) Timberlake, 1964
- [*Perdita obispoensis*](#) Timberlake, 1958
- [*Perdita obliqua*](#) Timberlake, 1928
- [*Perdita obliquenotata*](#) Timberlake, 1968
- [*Perdita obscurata*](#) Cresson, 1878
- [*Perdita obscurella*](#) Timberlake, 1964
- [*Perdita obscurifascies*](#) Timberlake, 1968

- [*Perdita obscuripennis*](#) Timberlake, 1954
- [*Perdita obtusa*](#) Timberlake, 1968
- [*Perdita occidua*](#) Timberlake, 1960
- [*Perdita occlusa*](#) Timberlake, 1968
- [*Perdita octomaculata*](#) (Say, 1824) – eight-spotted miner bee[5]
- [*Perdita omani*](#) Timberlake, 1964
- [*Perdita optiva*](#) Timberlake, 1954
- [*Perdita ordinata*](#) Timberlake, 1962
- [*Perdita oregonensis*](#) Timberlake, 1929
- [*Perdita oreophila*](#) Timberlake, 1964
- [*Perdita otiosa*](#) Timberlake, 1971
- [*Perdita ovaliceps*](#) Timberlake, 1964
- [*Perdita pachygnatha*](#) Timberlake, 1977
- [*Perdita pallida*](#) Timberlake, 1954
- [*Perdita pallidipes*](#) Timberlake, 1964
- [*Perdita pallidiventrīs*](#) Timberlake, 1962
- [*Perdita panocheana*](#) Timberlake, 1964
- [*Perdita paroselae*](#) Timberlake, 1960
- [*Perdita parryellae*](#) Timberlake, 1971
- [*Perdita paula*](#) Timberlake, 1968
- [*Perdita pauliana*](#) Timberlake, 1977
- [*Perdita pauxilla*](#) Timberlake, 1980
- [*Perdita pectidis*](#) Cockerell, 1896
- [*Perdita pectoralis*](#) Timberlake, 1968
- [*Perdita peculiaris*](#) Timberlake, 1953
- [*Perdita pedernalensis*](#) Neff, 2010
- [*Perdita pelargoides*](#) (Cockerell, 1916)
- [*Perdita percincta*](#) Timberlake, 1968
- [*Perdita perixantha*](#) Timberlake, 1960
- [*Perdita perlucens*](#) Timberlake, 1977
- [*Perdita pernitens*](#) Timberlake, 1980
- [*Perdita perpallida*](#) Cockerell, 1901 – pale miner bee[5]
- [*Perdita perplexa*](#) Timberlake, 1962
- [*Perdita perpulchra*](#) Cockerell, 1896
- [*Perdita phymatae*](#) Cockerell, 1895
- [*Perdita physalidis*](#) Timberlake, 1958
- [*Perdita picturata*](#) Timberlake, 1960
- [*Perdita pilonotata*](#) Timberlake, 1980
- [*Perdita pinguis*](#) Timberlake, 1980
- [*Perdita placens*](#) Timberlake, 1968
- [*Perdita placida*](#) Timberlake, 1958
- [*Perdita planifrons*](#) Timberlake, 1968

- [*Perdita plucheae*](#) Timberlake, 1960
- [*Perdita polita*](#) Timberlake, 1958
- [*Perdita politissima*](#) Timberlake, 1980
- [*Perdita polycarpae*](#) Timberlake, 1954
- [*Perdita polygonellae*](#) Timberlake, 1954
- [*Perdita polytropica*](#) Timberlake, 1962
- [*Perdita pratensis*](#) Timberlake, 1980
- [*Perdita pratti*](#) Cockerell, 1906
- [*Perdita pretiosa*](#) Timberlake, 1980 – precious miner bee[5]
- [*Perdita primula*](#) Timberlake, 1958
- [*Perdita prionopsidis*](#) Timberlake, 1960
- [*Perdita prodigiosa*](#) Portman & Griswold, 2016
- [*Perdita propinqua*](#) Timberlake, 1964
- [*Perdita propodealis*](#) Timberlake, 1954
- [*Perdita prosopidis*](#) Timberlake, 1964
- [*Perdita proxima*](#) Timberlake, 1958
- [*Perdita pubescens*](#) Timberlake, 1968
- [*Perdita pueblana*](#) Timberlake, 1964
- [*Perdita pulchella*](#) Timberlake, 1954
- [*Perdita pulliventris*](#) Timberlake, 1968
- [*Perdita pumila*](#) Timberlake, 1964
- [*Perdita puncticeps*](#) Timberlake, 1971
- [*Perdita punctifera*](#) Cockerell, 1914
- [*Perdita punctifrons*](#) Timberlake, 1958
- [*Perdita punctosignata*](#) Cockerell, 1895
- [*Perdita punctulata*](#) Timberlake, 1958
- [*Perdita purpurascens*](#) Timberlake, 1956
- [*Perdita pusilla*](#) Timberlake, 1964
- [*Perdita pusillissima*](#) Timberlake, 1977
- [*Perdita pygidialis*](#) Timberlake, 1980
- [*Perdita pyrifer*](#) Cockerell, 1925
- [*Perdita quadraticeps*](#) Timberlake, 1964
- [*Perdita quadrinotata*](#) Timberlake, 1968
- [*Perdita quadrisignata*](#) Timberlake, 1956
- [*Perdita quinquebalteata*](#) Timberlake, 1960
- [*Perdita rectangulata*](#) Cockerell, 1896
- [*Perdita recticincta*](#) Timberlake, 1980
- [*Perdita rehni*](#) Cockerell, 1907
- [*Perdita repens*](#) Timberlake, 1971
- [*Perdita reperta*](#) Timberlake, 1968
- [*Perdita replicans*](#) Timberlake, 1968
- [*Perdita retusa*](#) Timberlake, 1960

- [*Perdita rhodogastra*](#) Timberlake, 1954
- [*Perdita rhodura*](#) Cockerell, 1897
- [*Perdita rhois*](#) Cockerell, 1901
- [*Perdita rhondae*](#) Griswold, 2010
- [*Perdita richardsi*](#) Timberlake, 1964
- [*Perdita rivalis*](#) Timberlake, 1958
- [*Perdita robustula*](#) Timberlake, 1956
- [*Perdita rossi*](#) Timberlake, 1956
- [*Perdita rozeni*](#) Timberlake, 1968
- [*Perdita rudei*](#) Timberlake, 1980
- [*Perdita rufescens*](#) Timberlake, 1968
- [*Perdita rufiventris*](#) (Friese, 1917)
- [*Perdita salicis*](#) Cockerell, 1896
- [*Perdita salviae*](#) Timberlake, 1964
- [*Perdita sandhouseae*](#) Timberlake, 1964
- [*Perdita santaclarensis*](#) Timberlake, 1956
- [*Perdita schlingeri*](#) Timberlake, 1964
- [*Perdita schwartzi*](#) Timberlake, 1968
- [*Perdita scitula*](#) Timberlake, 1960
- [*Perdita scopata*](#) Timberlake, 1953
- [*Perdita scotti*](#) Timberlake, 1958
- [*Perdita scutellaris*](#) Timberlake, 1962
- [*Perdita sedulosa*](#) Timberlake, 1971
- [*Perdita sejuncta*](#) Timberlake, 1968
- [*Perdita semicaerulea*](#) Cockerell, 1896
- [*Perdita semicrocea*](#) Cockerell, 1895
- [*Perdita semilutea*](#) Timberlake, 1962
- [*Perdita senecionis*](#) Cockerell, 1896
- [*Perdita separata*](#) Timberlake, 1960
- [*Perdita sexfasciata*](#) Timberlake, 1954
- [*Perdita sexmaculata*](#) Cockerell, 1895
- [*Perdita sexnotata*](#) Timberlake, 1964
- [*Perdita shinnersi*](#) Timberlake, 1956
- [*Perdita sidae*](#) Cockerell, 1897
- [*Perdita similis*](#) Timberlake, 1958
- [*Perdita snellingi*](#) Timberlake, 1962
- [*Perdita snowii*](#) Cockerell, 1896
- [*Perdita socia*](#) Timberlake, 1968
- [*Perdita solidaginis*](#) Cockerell, 1922
- [*Perdita sonorensis*](#) Cockerell, 1899
- [*Perdita sparsa*](#) Fox, 1893
- [*Perdita speciosa*](#) Timberlake, 1971

- [*Perdita sphaeralceae*](#) Cockerell, 1896
- [*Perdita stabilis*](#) Timberlake, 1968
- [*Perdita stagei*](#) Timberlake, 1968
- [*Perdita stathamae*](#) Timberlake, 1964
- [*Perdita stenopyga*](#) Timberlake, 1964
- [*Perdita stephanomeriae*](#) Timberlake, 1954
- [*Perdita stepheni*](#) Timberlake, 1960
- [*Perdita sternalis*](#) Timberlake, 1964
- [*Perdita stigmatalis*](#) Timberlake, 1971
- [*Perdita stottleri*](#) Cockerell, 1896 – Stottler's miner bee[5]
- [*Perdita suavis*](#) Timberlake, 1980
- [*Perdita subfasciata*](#) Cockerell, 1897
- [*Perdita subglabra*](#) Timberlake, 1971
- [*Perdita submaerens*](#) Timberlake, 1980
- [*Perdita submedia*](#) Timberlake, 1971
- [*Perdita subrufiventris*](#) Timberlake, 1980
- [*Perdita subvestita*](#) Timberlake, 1968
- [*Perdita sulphuripes*](#) Timberlake, 1964
- [*Perdita supranitens*](#) Timberlake, 1964
- [*Perdita swenki*](#) Crawford, 1915 – Swenk's miner bee[5]
- [*Perdita swezeyi*](#) Timberlake, 1958
- [*Perdita sycorax*](#) Portman, 2016
- [*Perdita tacita*](#) Timberlake, 1968
- [*Perdita taeniata*](#) Timberlake, 1971
- [*Perdita tarda*](#) Cockerell, 1896
- [*Perdita tenebrosa*](#) Timberlake, 1968
- [*Perdita tessellata*](#) Timberlake, 1964
- [*Perdita thelypodii*](#) Timberlake, 1958
- [*Perdita thermophila*](#) Timberlake, 1962
- [*Perdita timberlakei*](#) Cockerell, 1925
- [*Perdita titania*](#) Portman, 2016
- [*Perdita torchioi*](#) Timberlake, 1980
- [*Perdita tortifoliae*](#) Cockerell, 1906
- [*Perdita toschiae*](#) Timberlake, 1968
- [*Perdita townesi*](#) Timberlake, 1968
- [*Perdita townsendi*](#) Cockerell, 1896
- [*Perdita translineata*](#) Timberlake, 1960
- [*Perdita transversa*](#) Timberlake, 1956
- [*Perdita triangulifera*](#) Timberlake, 1964
- [*Perdita tricincta*](#) Timberlake, 1953
- [*Perdita tridentata*](#) Stevens, 1919
- [*Perdita trifasciata*](#) Timberlake, 1953

- [Perdita trifida](#) Timberlake, 1960
- [Perdita trimaculata](#) Timberlake, 1960
- [Perdita trinotata](#) Timberlake, 1964
- [Perdita trisignata](#) Cockerell, 1896
- [Perdita tristissima](#) Timberlake, 1968
- [Perdita tropicalis](#) Cockerell, 1912
- [Perdita truncatella](#) Timberlake, 1968
- [Perdita tularensis](#) Timberlake, 1956
- [Perdita tumida](#) Timberlake, 1980
- [Perdita turgiceps](#) Timberlake, 1954
- [Perdita umbrata](#) Timberlake, 1971
- [Perdita utahensis](#) Cockerell, 1896
- [Perdita ute](#) Griswold, 1993
- [Perdita valida](#) Timberlake, 1962
- [Perdita vanduzeei](#) Cockerell, 1923
- [Perdita vandykei](#) Timberlake, 1956
- [Perdita variegata](#) Timberlake, 1960
- [Perdita varleyi](#) Timberlake, 1962
- [Perdita ventralis](#) Fox, 1893
- [Perdita venustella](#) Timberlake, 1980
- [Perdita verbessinae](#) Cockerell, 1896
- [Perdita veris](#) Timberlake, 1968
- [Perdita versuta](#) Timberlake, 1962
- [Perdita vesca](#) Timberlake, 1968
- [Perdita vespertina](#) Griswold & Miller, 2010
- [Perdita vestita](#) Timberlake, 1958
- [Perdita vicina](#) Timberlake, 1962
- [Perdita vidua](#) Timberlake, 1964
- [Perdita viridicollis](#) Timberlake, 1971
- [Perdita vittata](#) Cockerell, 1923
- [Perdita wasbaueri](#) Timberlake, 1960
- [Perdita washingtoniae](#) Timberlake, 1971
- [Perdita wernerii](#) Timberlake, 1968
- [Perdita wheeleri](#) Timberlake, 1928
- [Perdita willcoxiana](#) Timberlake, 1977
- [Perdita williamsi](#) Timberlake, 1962
- [Perdita wilmattae](#) Cockerell, 1906
- [Perdita wislizeniae](#) Timberlake, 1964
- [Perdita wootonae](#) Cockerell, 1898
- [Perdita wyomingensis](#) Cockerell, 1922
- [Perdita xanthisma](#) Cockerell, 1905
- [Perdita xanthochroa](#) Timberlake, 1960

- [*Perdita xanthodes*](#) Timberlake, 1960
- [*Perdita xanthops*](#) Timberlake, 1971
- [*Perdita xanthoxyli*](#) Timberlake, 1968
- [*Perdita xerophila*](#) Timberlake, 1962
- [*Perdita yanegai*](#) Portman, 2016
- [*Perdita yosemitensis*](#) Timberlake, 1962
- [*Perdita zavortinki*](#) Timberlake, 1977
- [*Perdita zebrata*](#) Cresson, 1878
- [*Perdita zonalis*](#) Cresson, 1879

This is a list of 106 species in [*Pedicia*](#), a genus of hairy-eyed crane flies in the family [*Pediciidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Pedicia* species**

- [*Pedicia aethiops*](#) Alexander, 1955ⁱ
- [*Pedicia albivitta*](#) Walker, 1848^{i c g b} (giant eastern crane fly)
- [*Pedicia albivittata*](#)^{i g}
- [*Pedicia ampla*](#) Doane, 1900ⁱ
- [*Pedicia aperta*](#) (Coquillett, 1905)ⁱ
- [*Pedicia apusenica*](#) Ujvarosi and Stary, 2003^{c g}
- [*Pedicia arctica*](#) Frey, 1921^{c g}
- [*Pedicia aspidoptera*](#) (Coquillett, 1905)ⁱ
- [*Pedicia auripennis*](#) (Osten Sacken, 1859)^{i b}
- [*Pedicia autumnalis*](#) (Alexander, 1917)^{i b}
- [*Pedicia baikalica*](#) (Alexander, 1930)^{c g}
- [*Pedicia bellamyana*](#) Alexander, 1964^{i c g}
- [*Pedicia bianchii*](#) Alexander, 1966ⁱ
- [*Pedicia bicomata*](#) Alexander, 1943ⁱ
- [*Pedicia bidentifera*](#) Alexander, 1950ⁱ
- [*Pedicia brachycera*](#) Alexander, 1933^{c g}
- [*Pedicia brevifurcata*](#) (Alexander, 1919)ⁱ
- [*Pedicia calcar*](#) (Osten Sacken, 1859)ⁱ
- [*Pedicia cascadiensis*](#) Alexander, 1954ⁱ
- [*Pedicia cervina*](#) (Alexander, 1917)ⁱ
- [*Pedicia cinereicolor*](#) Alexander, 1958^{i g}
- [*Pedicia claggi*](#) (Alexander, 1930)ⁱ

- [*Pedicia cockerelli*](#) Alexander, 1925 ^{c g}
- [*Pedicia constans*](#) (Doane, 1900) ⁱ
- [*Pedicia contermina*](#) Walker, 1848 ^{i c g b}
- [*Pedicia cubitalis*](#) Alexander, 1933 ^{c g}
- [*Pedicia daimio*](#) (Matsumura, 1916) ^{c g}
- [*Pedicia debilis*](#) (Williston, 1893) ^{i g}
- [*Pedicia degenerata*](#) (Alexander, 1917) ⁱ
- [*Pedicia depressiloba*](#) Alexander, 1945 ^{c g}
- [*Pedicia diaphana*](#) (Doane, 1900) ^{i g}
- [*Pedicia dispar*](#) Savchenko, 1978 ^{c g}
- [*Pedicia ericarum*](#) Alexander, 1966 ^{c g}
- [*Pedicia euryptera*](#) Alexander, 1949 ^{i g}
- [*Pedicia exoloma*](#) (Doane, 1900) ⁱ
- [*Pedicia falcifera*](#) Alexander, 1941 ^{i c g}
- [*Pedicia fenderiana*](#) Alexander, 1954 ⁱ
- [*Pedicia fimbriatula*](#) Alexander, 1953 ^{c g}
- [*Pedicia frigida*](#) (Alexander, 1919) ⁱ
- [*Pedicia fulvicolor*](#) Alexander, 1945 ⁱ
- [*Pedicia fusca*](#) Ujvarosi and Balint, 2012 ^{c g}
- [*Pedicia gaudens*](#) (Alexander, 1925) ^{c g}
- [*Pedicia gifuensis*](#) Kariya, 1934 ^{c g}
- [*Pedicia gigantea*](#) Alexander, 1940 ⁱ
- [*Pedicia glacialis*](#) (Alexander, 1917) ⁱ
- [*Pedicia goldsworthyi*](#) Petersen, 2006 ^{c g}
- [*Pedicia grandior*](#) (Alexander, 1923) ^{c g}
- [*Pedicia huffae*](#) Alexander, 1940 ⁱ
- [*Pedicia hynesiana*](#) Alexander, 1961 ⁱ
- [*Pedicia inconstans*](#) (Osten Sacken, 1859) ^{i b}
- [*Pedicia issikiella*](#) Alexander, 1953 ^{c g}
- [*Pedicia johnsoni*](#) (Alexander, 1930) ⁱ
- [*Pedicia katahdin*](#) (Alexander, 1914) ⁱ
- [*Pedicia kuwayamai*](#) Alexander, 1966 ^{c g}
- [*Pedicia laetabilis*](#) Alexander, 1938 ^{c g}
- [*Pedicia lewisiana*](#) Alexander, 1958 ^{i c g}
- [*Pedicia littoralis*](#) (Meigen, 1804) ^{c g}
- [*Pedicia lobifera*](#) Savchenko, 1986 ^{c g}

- [*Pedicia macatee*](#) (Alexander, 1919) ⁱ
- [*Pedicia magnifica*](#) (Hine, 1903) ^{i c g}
- [*Pedicia margarita*](#) Alexander, 1929 ^{i c g}
- [*Pedicia monophilus*](#) ^{i g}
- [*Pedicia nawai*](#) Kariya, 1934 ^{c g}
- [*Pedicia nielsen*](#) (Slipka, 1955) ^{c g}
- [*Pedicia norikurae*](#) Alexander, 1958 ^{c g}
- [*Pedicia obtusa*](#) Osten Sacken, 1877 ^{i c g}
- [*Pedicia occulta*](#) (Meigen, 1830) ^{c g}
- [*Pedicia pahasapa*](#) Alexander, 1958 ⁱ
- [*Pedicia pallens*](#) Savchenko, 1978 ^{c g}
- [*Pedicia pallida*](#) Savchenko, 1976 ^{c g}
- [*Pedicia paludicola*](#) (Alexander, 1916) ⁱ
- [*Pedicia parvicellula*](#) Alexander, 1938 ^{i c g b}
- [*Pedicia patens*](#) Alexander, 1938 ^{c g}
- [*Pedicia perangusta*](#) Alexander, 1958 ^{i g}
- [*Pedicia persica*](#) Alexander, 1975 ^{c g}
- [*Pedicia procteriana*](#) Alexander, 1939 ^{i c g b}
- [*Pedicia protea*](#) (Alexander, 1918) ⁱ
- [*Pedicia pumila*](#) Alexander, 1942 ⁱ
- [*Pedicia rainieria*](#) (Alexander, 1924) ⁱ
- [*Pedicia riedeli*](#) (Lackschewitz, 1940) ^{c g}
- [*Pedicia rivosa*](#) (Linnaeus, 1758) ^{c g}
- [*Pedicia rubiginosa*](#) (Alexander, 1931) ⁱ
- [*Pedicia savtshenkoi*](#) Paramonov, 2009 ^{c g}
- [*Pedicia semireducta*](#) Savchenko, 1978 ^{c g}
- [*Pedicia septentrionalis*](#) ^{i g}
- [*Pedicia seticauda*](#) (Alexander, 1924) ^{c g}
- [*Pedicia setipennis*](#) (Alexander, 1931) ^{c g}
- [*Pedicia shastensis*](#) Alexander, 1958 ⁱ
- [*Pedicia simplicistyla*](#) (Alexander, 1930) ⁱ
- [*Pedicia simulata*](#) Alexander, 1938 ^{c g}
- [*Pedicia smithae*](#) Alexander, 1941 ⁱ
- [*Pedicia spinifera*](#) Stary, 1974 ^{c g}
- [*Pedicia staryi*](#) Savchenko, 1978 ^{c g}
- [*Pedicia straminea*](#) (Meigen, 1838) ^{c g}

- [*Pedicia subfalcata*](#) Alexander, 1941 ^{c g}
- [*Pedicia subobtusa*](#) Alexander, 1949 ^{i c g}
- [*Pedicia subtransversa*](#) Alexander, 1933 ^{c g}
- [*Pedicia tacoma*](#) Alexander, 1949 ⁱ
- [*Pedicia tenuiloba*](#) Alexander, 1957 ^{c g}
- [*Pedicia tjederi*](#) Mendl, 1974 ^{c g}
- [*Pedicia truncata*](#) Alexander, 1941 ^{i g}
- [*Pedicia unigera*](#) Alexander, 1949 ⁱ
- [*Pedicia vernalis*](#) Osten Sacken ⁱ
- [*Pedicia vetusta*](#) (Alexander, 1913) ^{c g}
- [*Pedicia zangheriana*](#) Nielsen, 1950 ^{c g}
- [*Pedicia zernyi*](#) (Lackschewitz, 1940) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Pedicia Report"*](#). Integrated Taxonomic Information System. Retrieved 2018-04-30.
 - [*"Browse Pedicia"*](#). Catalogue of Life. Retrieved 2018-04-30.
 - [*"Pedicia"*](#). GBIF. Retrieved 2018-04-30.
 -
4. [*"Pedicia Genus Information"*](#). BugGuide.net. Retrieved 2018-04-30.

Categories:

- [Pediidae](#)
- [Lists of insect species](#)
-

These 368 species belong to [*Paussus*](#), a genus of ground beetles in the family [*Carabidae*](#).^[1]

Paussus species

- [*Paussus abditus*](#) Nagel, 2018
- [*Paussus acuminicoxis*](#) Kolbe, 1896

- [*Paussus adamsoni*](#) Fowler, 1912
- [*Paussus adeptus*](#) Kolbe, 1929
- [*Paussus adinventus*](#) C.A.Dohrn, 1888
- [*Paussus adjunctus*](#) Reichensperger, 1936
- [*Paussus aenigma*](#) Reichensperger, 1954
- [*Paussus aethiops*](#) Blanchard, 1845
- [*Paussus affinis*](#) Westwood, 1833
- [*Paussus affulgens*](#) Reichensperger, 1954
- [*Paussus afraequatorialis*](#) Luna de Carvalho, 1963
- [*Paussus africanus*](#) Luna de Carvalho, 1958
- [*Paussus afzelii*](#) Westwood, 1855
- [*Paussus aldrovandii*](#) Gestro, 1901
- [*Paussus alienus*](#) Reichensperger, 1950
- [*Paussus alluaudi*](#) Reichensperger, 1936
- [*Paussus ambiguus*](#) Reichensperger, 1938
- [*Paussus americanus*](#) Kolbe, 1920
- [*Paussus andreae*](#) Ritsema, 1879
- [*Paussus angustulus*](#) Wasmann, 1922
- [*Paussus antinorii*](#) Gestro, 1881
- [*Paussus anxius*](#) Reichensperger, 1913
- [*Paussus arabicus*](#) Raffray, 1885
- [*Paussus araneans*](#) Luna de Carvalho, 1968
- [*Paussus arduus*](#) Péringuey, 1896
- [*Paussus aristoteli*](#) J.Thomson, 1858
- [*Paussus armatus*](#) Westwood, 1833
- [*Paussus armicollis*](#) Fairmaire, 1899
- [*Paussus asperulus*](#) Fairmaire, 1898
- [*Paussus assmuthi*](#) Wasmann, 1904
- [*Paussus atheruri*](#) Luna de Carvalho, 1960
- [*Paussus audouinii*](#) Westwood, 1852
- [*Paussus aureofimbriatus*](#) Wasmann, 1904
- [*Paussus aureovellus*](#) Reichensperger, 1922
- [*Paussus avunculus*](#) Reichensperger, 1925
- [*Paussus barkeri*](#) Péringuey, 1896
- [*Paussus basilewskyi*](#) Reichensperger, 1952
- [*Paussus bastinae*](#) Luna de Carvalho, 1963
- [*Paussus batillarius*](#) Reichensperger, 1933
- [*Paussus bayonii*](#) Gestro, 1910
- [*Paussus bekilyanus*](#) Jeannel, 1946
- [*Paussus benoiti*](#) Janssens, 1956
- [*Paussus bicolor*](#) Raffray, 1886
- [*Paussus bicoloricornis*](#) Luna de Carvalho, 1963

- [*Paussus bicornis*](#) Wasmann, 1904
- [*Paussus biflagellatus*](#) Luna de Carvalho, 1973
- [*Paussus bituberculatus*](#) Kolbe, 1896
- [*Paussus blanchardi*](#) (Raffray, 1882)
- [*Paussus bohemani*](#) Westwood, 1855
- [*Paussus borneensis*](#) Gestro, 1919
- [*Paussus bowringii*](#) Westwood, 1850
- [*Paussus boysii*](#) Westwood, 1845
- [*Paussus brancuccii*](#) Nagel, 2016
- [*Paussus braunsi*](#) Péringuey, 1897
- [*Paussus brevicornutus*](#) Luna de Carvalho, 1968
- [*Paussus brincki*](#) Reichensperger, 1958
- [*Paussus brittoni*](#) Reichensperger, 1957
- [*Paussus bucephalus*](#) Gyllenhal, 1817
- [*Paussus buettikeri*](#) Nagel, 2006
- [*Paussus burchelianus*](#) Westwood, 1869
- [*Paussus burgeoni*](#) Reichensperger, 1925
- [*Paussus burmeisteri*](#) Westwood, 1838
- [*Paussus camaxilensis*](#) Luna de Carvalho, 1963
- [*Paussus canaliculatus*](#) Wasmann, 1919
- [*Paussus canteloubei*](#) Luna de Carvalho, 1962
- [*Paussus capillaceus*](#) Reichensperger, 1937
- [*Paussus capreolus*](#) Reichensperger, 1913
- [*Paussus cardoni*](#) Wasmann, 1904
- [*Paussus caroli*](#) (Reichensperger, 1913)
- [*Paussus catalai*](#) Jeannel, 1946
- [*Paussus catoxanthus*](#) Gestro, 1923
- [*Paussus celisi*](#) Janssens, 1956
- [*Paussus centurio*](#) C.A.Dohrn, 1881
- [*Paussus cephalotes*](#) Raffray, 1885
- [*Paussus cerambyx*](#) Wasmann, 1904
- [*Paussus ceratoderinus*](#) Luna de Carvalho, 1963
- [*Paussus cervinus*](#) Kraatz, 1892
- [*Paussus chappuisi*](#) Reichensperger, 1938
- [*Paussus cilipes*](#) Westwood, 1845
- [*Paussus cirenaicus*](#) A.Fiori, 1914
- [*Paussus citernii*](#) Gestro, 1912
- [*Paussus clarkei*](#) Luna de Carvalho, 1974
- [*Paussus cochlearius*](#) Westwood, 1838
- [*Paussus cognatus*](#) Westwood, 1842
- [*Paussus colasi*](#) (Antoine, 1952)
- [*Paussus collarti*](#) Reichensperger, 1932

- [*Paussus comptus*](#) Péringuey, 1898
- [*Paussus concinnus*](#) Péringuey, 1896
- [*Paussus conradti*](#) Kolbe, 1896
- [*Paussus cornutus*](#) Chevrolat, 1833
- [*Paussus coronatus*](#) Reichensperger, 1935
- [*Paussus corporaali*](#) Reichensperger, 1927
- [*Paussus crenaticornis*](#) Raffray, 1885
- [*Paussus crepidulae*](#) Luna de Carvalho, 1967
- [*Paussus cridae*](#) Gestro, 1917
- [*Paussus cucullatus*](#) Westwood, 1850
- [*Paussus cultratus*](#) Westwood, 1850
- [*Paussus curtisii*](#) Westwood, 1864
- [*Paussus cuypersi*](#) Luna de Carvalho, 1976
- [*Paussus cyathiger*](#) Raffray, 1885
- [*Paussus cylindricollis*](#) Wasmann, 1922
- [*Paussus cylindricornis*](#) Péringuey, 1885
- [*Paussus dama*](#) H.Dohrn, 1890
- [*Paussus damarinus*](#) Westwood, 1874
- [*Paussus darlingtoni*](#) Reichensperger, 1951
- [*Paussus decellei*](#) Luna de Carvalho, 1980
- [*Paussus decipiens*](#) Reichensperger, 1951
- [*Paussus dedyckeri*](#) Luna de Carvalho, 1976
- [*Paussus degeeri*](#) Westwood, 1855
- [*Paussus denticulatus*](#) Westwood, 1845
- [*Paussus desneuxi*](#) Fowler, 1912
- [*Paussus dichrous*](#) Janssens, 1950
- [*Paussus dissidens*](#) Péringuey, 1898
- [*Paussus dissimulator*](#) Reichensperger, 1928
- [*Paussus distinguendus*](#) Reichensperger, 1925
- [*Paussus dohrnii*](#) Westwood, 1852
- [*Paussus dollmani*](#) Wasmann, 1922
- [*Paussus donisthorpei*](#) Wasmann, 1922
- [*Paussus drescheri*](#) Reichensperger, 1935
- [*Paussus drumonti*](#) Maruyama, 2014
- [*Paussus eisentrauti*](#) Nagel, 1982
- [*Paussus elaphus*](#) H.Dohrn, 1890
- [*Paussus elizabethae*](#) Péringuey, 1897
- [*Paussus elongatus*](#) Kano, 1930
- [*Paussus escherichi*](#) Wasmann, 1911
- [*Paussus excavatus*](#) Westwood, 1833
- [*Paussus exiguus*](#) Reichensperger, 1929
- [*Paussus fairmairei*](#) Raffray, 1886

- [*Paussus fallax*](#) Péringuey, 1892
- [*Paussus favieri*](#) Fairmaire, 1851
- [*Paussus fichtelii*](#) Donovan, 1804
- [*Paussus fissifrons*](#) Fairmaire, 1902
- [*Paussus fletcheri*](#) Fowler, 1912
- [*Paussus formosus*](#) Wasmann, 1912
- [*Paussus foveifrons*](#) Reichensperger, 1926
- [*Paussus fulvus*](#) Westwood, 1842
- [*Paussus gazella*](#) Reichensperger, 1925
- [*Paussus germari*](#) Westwood, 1852
- [*Paussus ghanensis*](#) Luna de Carvalho, 1973
- [*Paussus glabripennis*](#) (Jeannel, 1946)
- [*Paussus globiceps*](#) Reichensperger, 1913
- [*Paussus goetzei*](#) Kolbe, 1926
- [*Paussus gracilis*](#) (Reichensperger, 1930)
- [*Paussus granulatus*](#) Westwood, 1850
- [*Paussus hardwickii*](#) Hope, 1831
- [*Paussus hasinae*](#) Maruyama, 2016
- [*Paussus hearseyanus*](#) Westwood, 1842
- [*Paussus heinrichi*](#) Luna de Carvalho, 1959
- [*Paussus henningsi*](#) Reichensperger, 1929
- [*Paussus hirsutus*](#) Raffray, 1886
- [*Paussus hisamatsui*](#) Maruyama & Ito, 2016
- [*Paussus horikawae*](#) Kano, 1930
- [*Paussus horni*](#) Wasmann, 1902
- [*Paussus hottentotta*](#) (Westwood, 1874)
- [*Paussus howa*](#) C.A.Dohrn, 1881
- [*Paussus huamboensis*](#) Schüle & Bednarik, 2015
- [*Paussus hughscotti*](#) Reichensperger, 1938
- [*Paussus humbloti*](#) Raffray, 1886
- [*Paussus humboldtii*](#) Westwood, 1852
- [*Paussus hystrix*](#) Westwood, 1850
- [*Paussus incultus*](#) Reichensperger, 1926
- [*Paussus inermis*](#) Gerstaecker, 1855
- [*Paussus inexpectatus*](#) Fairmaire, 1899
- [*Paussus intermedius*](#) Reichensperger, 1957
- [*Paussus intuitivus*](#) Kolbe, 1935
- [*Paussus jacobsoni*](#) Wasmann, 1928
- [*Paussus janssensi*](#) Luna de Carvalho, 1956
- [*Paussus javanus*](#) Wasmann, 1899
- [*Paussus jeanneli*](#) Reichensperger, 1936
- [*Paussus jeannelianus*](#) Basilewsky, 1957

- [*Paussus jengi*](#) Maruyama, 2016
- [*Paussus jerdani*](#) Westwood, 1847
- [*Paussus jousseleinii*](#) Guérin-Méneville, 1836
- [*Paussus kanaoi*](#) Maruyama, 2016
- [*Paussus kannegieteri*](#) Wasmann, 1896
- [*Paussus kecil*](#) Maruyama, 2016
- [*Paussus kjellanderi*](#) Luna de Carvalho, 1965
- [*Paussus klugii*](#) Westwood, 1838
- [*Paussus kochi*](#) Reichensperger, 1953
- [*Paussus kohli*](#) Wasmann, 1907
- [*Paussus kolbei*](#) Reichensperger, 1925
- [*Paussus komatsui*](#) Maruyama, 2016
- [*Paussus krelli*](#) Kaupp & Rödel, 1997
- [*Paussus kristenseni*](#) Reichensperger, 1913
- [*Paussus lacrimans*](#) Reichensperger, 1925
- [*Paussus laetus*](#) Gerstaecker, 1867
- [*Paussus laevifrons*](#) (Westwood, 1833)
- [*Paussus lamottei*](#) Luna de Carvalho, 1968
- [*Paussus lanxangensis*](#) Nagel, 2009
- [*Paussus laosensis*](#) Maruyama & Nagel, 2016
- [*Paussus laticollis*](#) Raffray, 1886
- [*Paussus latidens*](#) Kolbe, 1935
- [*Paussus latreillei*](#) Westwood, 1845
- [*Paussus leechi*](#) Luna de Carvalho, 1968
- [*Paussus leleupi*](#) Luna de Carvalho, 1968
- [*Paussus leroyi*](#) Wasmann, 1899
- [*Paussus liber*](#) Wasmann, 1899
- [*Paussus lineatus*](#) Thunberg, 1781
- [*Paussus linnaei*](#) Westwood, 1833
- [*Paussus linnavuori*](#) Luna de Carvalho, 1969
- [*Paussus lucasseni*](#) Wasmann, 1896
- [*Paussus ludekingii*](#) Snellen van Vollenhoven, 1872
- [*Paussus lusotropicalis*](#) Luna de Carvalho, 1963
- [*Paussus madurensis*](#) Wasmann, 1913
- [*Paussus malayanus*](#) Maruyama, 2016
- [*Paussus manicanus*](#) Péringuey, 1896
- [*Paussus manni*](#) Reichensperger, 1925
- [*Paussus marshalli*](#) Péringuey, 1896
- [*Paussus masaoi*](#) Maruyama, 2014
- [*Paussus massarti*](#) Reichensperger, 1933
- [*Paussus mata*](#) Maruyama, 2016
- [*Paussus medleri*](#) Luna de Carvalho, 1980

- [*Paussus mendesi*](#) (Luna de Carvalho, 2001)
- [*Paussus microcephalus*](#) Linnaeus, 1775
- [*Paussus milloti*](#) Jeannel, 1955
- [*Paussus milneedwardsi*](#) Raffray, 1885
- [*Paussus mimus*](#) Péringuey, 1897
- [*Paussus minor*](#) Shiraki, 1907
- [*Paussus minutulus*](#) Nagel & Rasool, 2019
- [*Paussus mirei*](#) Luna de Carvalho, 1957
- [*Paussus modestus*](#) Reichensperger, 1913
- [*Paussus moltonii*](#) Luna de Carvalho, 1959
- [*Paussus moreirai*](#) Luna de Carvalho, 1971
- [*Paussus mucius*](#) C.A.Dohrn, 1884
- [*Paussus multisetosus*](#) Maruyama, 2016
- [*Paussus murrayi*](#) Westwood, 1857
- [*Paussus nagahatai*](#) Maruyama, 2016
- [*Paussus nageli*](#) Luna de Carvalho, 1980
- [*Paussus nakasei*](#) Maruyama, 2016
- [*Paussus natalis*](#) Péringuey, 1898
- [*Paussus nauceras*](#) Benson, 1846
- [*Paussus nigrita*](#) Wasmann, 1904
- [*Paussus nobilis*](#) Wasmann, 1930
- [*Paussus nomurai*](#) Maruyama, 2016
- [*Paussus nudus*](#) Nagel, 1980
- [*Paussus oberthueri*](#) Wasmann, 1899
- [*Paussus obscurus*](#) Nagel, 1977
- [*Paussus occlusus*](#) Darlington, 1950
- [*Paussus oertzeni*](#) Kolbe, 1896
- [*Paussus olcesii*](#) Fairmaire, 1856
- [*Paussus opacus*](#) Kraatz, 1892
- [*Paussus orientalis*](#) Nagel, 1986
- [*Paussus overlaeti*](#) Reichensperger, 1937
- [*Paussus pacificus*](#) Westwood, 1855
- [*Paussus pallidefulvus*](#) Wasmann, 1899
- [*Paussus pandamanus*](#) Wasmann, 1904
- [*Paussus passosi*](#) Luna de Carvalho, 1963
- [*Paussus pasteuri*](#) Wasmann, 1896
- [*Paussus patrizii*](#) Gestro, 1923
- [*Paussus paulmuelleri*](#) Nagel, 1983
- [*Paussus penicillatus*](#) Raffray, 1886
- [*Paussus permutatus*](#) Reichensperger, 1937
- [*Paussus perrieri*](#) Fairmaire, 1898
- [*Paussus perroti*](#) Wasmann, 1899

- [*Paussus pierronii*](#) Fairmaire, 1880
- [*Paussus pilicornis*](#) Donovan, 1804
- [*Paussus pilosus*](#) Reichensperger, 1957
- [*Paussus piochardi*](#) Saulcy, 1874
- [*Paussus pipitzi*](#) C.A.Dohrn, 1884
- [*Paussus planicollis*](#) Raffray, 1885
- [*Paussus planicornis*](#) Wasmann, 1922
- [*Paussus planifrons*](#) Fairmaire, 1899
- [*Paussus ploiophorus*](#) Benson, 1846
- [*Paussus politus*](#) Westwood, 1850
- [*Paussus prestesjoannesi*](#) Luna de Carvalho, 1974
- [*Paussus pretoriensis*](#) Brauns, 1925
- [*Paussus procerus*](#) Gerstaecker, 1867
- [*Paussus propinquus*](#) Péringuey, 1888
- [*Paussus pseudocucullatus*](#) Nagel, 1983
- [*Paussus pseudoklugi*](#) Luna de Carvalho, 1963
- [*Paussus pseudosetosus*](#) Nagel, 1977
- [*Paussus quadratidens*](#) Wasmann, 1904
- [*Paussus quadricornis*](#) Wasmann, 1899
- [*Paussus raffrayi*](#) Péringuey, 1896
- [*Paussus rawlinsi*](#) Nagel, 2006
- [*Paussus recarpus*](#) Nagel, 1986
- [*Paussus recticornis*](#) Raffray, 1886
- [*Paussus reductus*](#) Reichensperger, 1937
- [*Paussus reichenspergeri*](#) (Luna de Carvalho, 1959)
- [*Paussus ricardojorgei*](#) Luna de Carvalho, 1951
- [*Paussus ritsemae*](#) Wasmann, 1896
- [*Paussus roeri*](#) (Luna de Carvalho, 1989)
- [*Paussus rosliei*](#) Maruyama, 2016
- [*Paussus rougemonti*](#) Luna de Carvalho, 1974
- [*Paussus rougemontianus*](#) Lorenz, 1998
- [*Paussus ruber*](#) Thunberg, 1781
- [*Paussus rufitarsis*](#) Westwood, 1833
- [*Paussus rugiceps*](#) Péringuey, 1888
- [*Paussus rugosus*](#) Raffray, 1886
- [*Paussus rusticus*](#) Péringuey, 1885
- [*Paussus sankuruensis*](#) Reichensperger, 1930
- [*Paussus saundersii*](#) Westwood, 1841
- [*Paussus sauteri*](#) Wasmann, 1912
- [*Paussus scaliger*](#) Reichensperger, 1926
- [*Paussus schaumii*](#) Westwood, 1852
- [*Paussus schiodtii*](#) Westwood, 1874

- [*Paussus schoutedeni*](#) Reichensperger, 1933
- [*Paussus scorteccii*](#) Luna de Carvalho, 1959
- [*Paussus scyphus*](#) Raffray, 1886
- [*Paussus sebakuanus*](#) (Péringuey, 1904)
- [*Paussus semicucullatus*](#) Brauns, 1899
- [*Paussus semilineatus*](#) Wasmann, 1899
- [*Paussus semirufus*](#) Wasmann, 1899
- [*Paussus seriesetosus*](#) Wasmann, 1904
- [*Paussus serraticornis*](#) Nagel & Bednarik, 2013
- [*Paussus serratulus*](#) Reichensperger, 1927
- [*Paussus sesquisulcatus*](#) Wasmann, 1899
- [*Paussus setosus*](#) Westwood, 1850
- [*Paussus sewelli*](#) Ribeiro, 1930
- [*Paussus seydeli*](#) Reichensperger, 1937
- [*Paussus seyriganus*](#) Jeannel, 1946
- [*Paussus seyrigi*](#) Reichensperger, 1936
- [*Paussus shuckardi*](#) Westwood, 1838
- [*Paussus siamensis*](#) Maruyama, 2016
- [*Paussus sicardi*](#) Jeannel, 1946
- [*Paussus signatipennis*](#) Péringuey, 1885
- [*Paussus sikoranus*](#) C.A.Dohrn, 1890
- [*Paussus simplicissimus*](#) Janssens, 1956
- [*Paussus soleatus*](#) Wasmann, 1894
- [*Paussus solidus*](#) Reichensperger, 1936
- [*Paussus somaliae*](#) Reichensperger, 1953
- [*Paussus spencii*](#) Westwood, 1864
- [*Paussus sphaerocerus*](#) Afzelius, 1798
- [*Paussus spiniceps*](#) Wasmann, 1904
- [*Paussus spinicola*](#) Wasmann, 1892
- [*Paussus spinicoxis*](#) Westwood, 1850
- [*Paussus spinolae*](#) Gestro, 1901
- [*Paussus squamicornis*](#) Wasmann, 1922
- [*Paussus stevensianus*](#) Westwood, 1842
- [*Paussus stolzi*](#) Kolbe, 1926
- [*Paussus striaticornis*](#) Luna de Carvalho, 1966
- [*Paussus suahelinus*](#) Reichensperger, 1930
- [*Paussus suavis*](#) Wasmann, 1894
- [*Paussus subarcuatus*](#) Reichensperger, 1932
- [*Paussus subglaber*](#) Maruyama, 2016
- [*Paussus sumateranus*](#) Maruyama, 2016
- [*Paussus tagalicus*](#) Gestro, 1919
- [*Paussus tchadensis*](#) Luna de Carvalho, 1957

- [*Paussus telescopifer*](#) Wasmann, 1922
- [*Paussus tenuiculus*](#) Luna de Carvalho, 1959
- [*Paussus tenuis*](#) Reichensperger, 1925
- [*Paussus testaceus*](#) Fowler, 1912
- [*Paussus thomsonii*](#) Reiche, 1860
- [*Paussus thoracicus*](#) Donovan, 1804
- [*Paussus tibialis*](#) Westwood, 1841
- [*Paussus tigrinus*](#) Gestro, 1901
- [*Paussus tristis*](#) Wasmann, 1912
- [*Paussus tununguensis*](#) Reichensperger, 1933
- [*Paussus turcicus*](#) I.Frivaldszky von Frivald, 1835
- [*Paussus uelensis*](#) (Reichensperger, 1925)
- [*Paussus upembanus*](#) Janssens, 1951
- [*Paussus vadoni*](#) Jeannel, 1946
- [*Paussus vanrooni*](#) Wasmann, 1922
- [*Paussus verticalis*](#) Reiche, 1847
- [*Paussus vexator*](#) Péringuey, 1898
- [*Paussus viator*](#) Péringuey, 1896
- [*Paussus vollenhovii*](#) Westwood, 1874
- [*Paussus wasmanni*](#) Kraatz, 1894
- [*Paussus watarui*](#) Maruyama, 2016
- [*Paussus waterhousei*](#) Westwood, 1874
- [*Paussus wellmani*](#) Wasmann, 1907
- [*Paussus wittei*](#) Maruyama, 2016
- [*Paussus woerdeni*](#) Ritsema, 1876
- [*Paussus wroughtoni*](#) Wasmann, 1894
- [*Paussus yasutoshii*](#) Maruyama, 2016
- [*Paussus ypsilopilos*](#) Luna de Carvalho, 1966
- [*Paussus yubaki*](#) Nagel, 2018
- [*Paussus zhouchaoi*](#) Wang, 2017

This is a list of 75 species in the genus [*Parthenicus*](#).^{[1][2]}

***Parthenicus* species**

- [*Parthenicus accumulul*](#) Knight, 1968
- [*Parthenicus albellus*](#) Knight, 1925
- [*Parthenicus aridus*](#) Knight, 1918
- [*Parthenicus atriplicis*](#) Knight, 1968
- [*Parthenicus aureosquamis*](#) Knight, 1925
- [*Parthenicus baccharidis*](#) Knight, 1925
- [*Parthenicus basicornis*](#) Knight, 1968

- [*Parthenicus becki*](#) Knight, 1968
- [*Parthenicus boutelouae*](#) Knight, 1968
- [*Parthenicus brevicornis*](#) Knight, 1968
- [*Parthenicus brindleyi*](#) Knight, 1968
- [*Parthenicus brooksi*](#) Kelton, 1980
- [*Parthenicus brunneus*](#) Van Duzee, 1925
- [*Parthenicus candidus*](#) Van Duzee, 1918
- [*Parthenicus cercocarpi*](#) Knight, 1968
- [*Parthenicus condensus*](#) Knight, 1968
- [*Parthenicus consperus*](#) Knight, 1968
- [*Parthenicus covilleae*](#) Van Duzee, 1918
- [*Parthenicus cowaniae*](#) Knight, 1968
- [*Parthenicus cuneotinctus*](#) Knight, 1925
- [*Parthenicus davisii*](#) Knight, 1968
- [*Parthenicus deleticus*](#) Knight, 1968
- [*Parthenicus desertus*](#) Knight, 1968
- [*Parthenicus discalis*](#) Van Duzee, 1925
- [*Parthenicus femoratus*](#) (Van Duzee, 1925)
- [*Parthenicus furcatus*](#) Knight, 1968
- [*Parthenicus fuscipilus*](#) Knight, 1968
- [*Parthenicus fuscus*](#) Knight, 1968
- [*Parthenicus giffardi*](#) Van Duzee, 1917
- [*Parthenicus grex*](#) Van Duzee, 1925
- [*Parthenicus incurvus*](#) Knight, 1968
- [*Parthenicus irroratus*](#) Knight, 1968
- [*Parthenicus juniperi*](#) (Heidemann, 1892)
- [*Parthenicus knighti*](#) Henry, 1982
- [*Parthenicus merinoi*](#) Knight, 1968
- [*Parthenicus micans*](#) Knight, 1925
- [*Parthenicus miniopunctatus*](#) Knight, 1968
- [*Parthenicus muchmorei*](#) Knight, 1968
- [*Parthenicus multipunctatus*](#) Knight, 1968
- [*Parthenicus mundus*](#) Van Duzee, 1923
- [*Parthenicus nevadensis*](#) Knight, 1968
- [*Parthenicus nicholellus*](#) Knight, 1968
- [*Parthenicus nicholi*](#) Knight, 1925
- [*Parthenicus nigripunctus*](#) Knight, 1968
- [*Parthenicus obsoletus*](#) Knight, 1968
- [*Parthenicus oreades*](#) Knight, 1925
- [*Parthenicus pallidicollis*](#) Van Duzee, 1925
- [*Parthenicus pallipes*](#) Knight, 1968
- [*Parthenicus peregrinus*](#) (Van Duzee, 1918)

- [*Parthenicus picicollis*](#) Van Duzee, 1918
- [*Parthenicus pictus*](#) Knight, 1925
- [*Parthenicus pilipes*](#) Knight, 1968
- [*Parthenicus pinicola*](#) Knight, 1968
- [*Parthenicus psalliodes*](#) Reuter, 1876
- [*Parthenicus ribesi*](#) Knight, 1968
- [*Parthenicus ruber*](#) Van Duzee, 1917
- [*Parthenicus rubrinervis*](#) Knight, 1925
- [*Parthenicus rubromaculosus*](#) Knight, 1968
- [*Parthenicus rubropunctipes*](#) Knight, 1968
- [*Parthenicus rubrosignatus*](#) Knight, 1968
- [*Parthenicus rufiguttatus*](#) Knight, 1968
- [*Parthenicus rufivenosus*](#) Knight, 1925
- [*Parthenicus rufus*](#) Henry, 1982
- [*Parthenicus rufusculus*](#) Knight, 1925
- [*Parthenicus sabulosus*](#) Van Duzee, 1925
- [*Parthenicus selectus*](#) Knight, 1925
- [*Parthenicus soror*](#) (Van Duzee, 1917)
- [*Parthenicus taxodii*](#) Knight, 1941
- [*Parthenicus tenuis*](#) Knight, 1968
- [*Parthenicus thibodeau*](#) Schwartz and Scudder, 2003
- [*Parthenicus trispinosus*](#) Knight, 1968
- [*Parthenicus utahensis*](#) Knight, 1968
- [*Parthenicus vaccini*](#) (Van Duzee, 1915)
- [*Parthenicus weemsi*](#) Henry, 1982
- [*Parthenicus wheeleri*](#) Henry, 2007

these 111 species belong to [*Parancistrocerus*](#), a genus of potter and mason wasps in the family [*Vespidae*](#).^{[1][2][3]}

***Parancistrocerus* species**

- [*Parancistrocerus acarigaster*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus acarophilus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus acarophorus*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus acclivus*](#) Gusenleitner 2007 ^{c g}
- [*Parancistrocerus algidus*](#) (Schrottky, 1909) ^{c g}
- [*Parancistrocerus androcles*](#) (Meade-Waldo, 1910) ^{c g}
- [*Parancistrocerus areatus*](#) (Fox, 1902) ^{c g}

- [*Parancistrocerus assamensis*](#) (Meade-Waldo, 1910) ^{c g}
- [*Parancistrocerus assumptionis*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus atkinsi*](#) Bequard & Salt, 1931 ^{c g}
- [*Parancistrocerus austrinus*](#) (Cresson, 1872) ^{c g}
- [*Parancistrocerus bacu*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus bacuensis*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus bicornis*](#) (Roberts, 1901) ^{c g b}
- [*Parancistrocerus binotatus*](#) (Fabricius, 1804) ^{c g}
- [*Parancistrocerus bonariensis*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus bravo*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus capocacciai*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus chiricahuae*](#) (Bohart, 1949) ^{c g}
- [*Parancistrocerus citropictus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus concavus*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus coronado*](#) (Bohart, 1949) ^{c g}
- [*Parancistrocerus cotti*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus cucullatus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus cylindricus*](#) (de Saussure, 1862) ^{c g}
- [*Parancistrocerus cylindroides*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus declivatus*](#) (Bohart, 1948) ^{c g b}
- [*Parancistrocerus declivus*](#) (Brethes, 1903) ^{c g}
- [*Parancistrocerus decollatus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus dejectus*](#) (Cresson, 1865) ^{c g}
- [*Parancistrocerus difformis*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus dorsonotatus*](#) (Fox, 1902) ^{c g}
- [*Parancistrocerus dux*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus enyo*](#) (Lepeletier, 1841) ^c
- [*Parancistrocerus farias*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus feai*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus foveolatus*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus fulvipes*](#) (de Saussure, 1856) ^{c g b}
- [*Parancistrocerus gracilior*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus guzmani*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus herbertii*](#) (Fox, 1902) ^{c g}
- [*Parancistrocerus histrio*](#) (Lepeletier, 1841) ^{c g b}
- [*Parancistrocerus holmbergi*](#) (Brethes, 1906) ^c

- [*Parancistrocerus holmbergii*](#) (Brèthes 1906) ^{c g}
- [*Parancistrocerus holzschuhi*](#) Gusenleitner, 1987 ^{c g}
- [*Parancistrocerus hongkongensis*](#) Gusenleitner, 2002 ^{c g}
- [*Parancistrocerus ignotus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus incommodus*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus inconstans*](#) (de Saussure) ^{c g}
- [*Parancistrocerus incorruptus*](#) Giordani Soika, 1972 ^{c g}
- [*Parancistrocerus inflaticeps*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus inornatus*](#) (Zavattari, 1912) ^c
- [*Parancistrocerus intermediatus*](#) (Sonan 1939) ^c
- [*Parancistrocerus invisibilis*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus irritatus*](#) Giordani Soika, 1972 ^{c g}
- [*Parancistrocerus kennethianus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus kolambuganensis*](#) Schulthess, 1934 ^{c g}
- [*Parancistrocerus kuraruensis*](#) (Sonan 1939) ^c
- [*Parancistrocerus leionotus*](#) (Viereck, 1906) ^{c g b}
- [*Parancistrocerus longicornutus*](#) (Dalla Torre, 1904) ^{c g}
- [*Parancistrocerus lutzi*](#) Bequard & Salt, 1931 ^{c g}
- [*Parancistrocerus luzonicola*](#) Vecht, 1981 ^{c g}
- [*Parancistrocerus lynchii*](#) (Brèthes, 1903) ^{c g}
- [*Parancistrocerus macfarlandi*](#) (Cameron, 1909) ^{c g}
- [*Parancistrocerus makilingi*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus malayanus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus mcclayi*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus microsynoeca*](#) (Schrottky, 1909) ^{c g}
- [*Parancistrocerus minimoferus*](#) (Bohart, 1949) ^{c g b}
- [*Parancistrocerus nigriventris*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus nitobei*](#) (Sonan, 1939) ^{c g}
- [*Parancistrocerus obliquus*](#) (Cresson, 1865) ^{c g}
- [*Parancistrocerus olseni*](#) Bequard & Salt, 1931 ^{c g}
- [*Parancistrocerus parapedestris*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus paulensis*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus pedestris*](#) (de Saussure, 1856) ^{c g b}
- [*Parancistrocerus pennsylvanicus*](#) (de Saussure, 1856) ^{c g b}
- [*Parancistrocerus perennis*](#) (de Saussure, 1857) ^{c g b}
- [*Parancistrocerus polingi*](#) (Bohart, 1949) ^{c g}

- [*Parancistrocerus productus*](#) (Smith, 1862) ^{c g}
- [*Parancistrocerus pruinosus*](#) (Smith, 1857) ^{c g}
- [*Parancistrocerus pseudallodynerus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus pseudodynerus*](#) (Dalla Torre, 1889) ^{c g}
- [*Parancistrocerus rectangulis*](#) (Viereck, 1908) ^{c g}
- [*Parancistrocerus rhipheus*](#) (Cameron, 1904) ^{c g}
- [*Parancistrocerus robertianus*](#) (Cameron) ^{c g}
- [*Parancistrocerus saecularis*](#) (de Saussure, 1852) ^{c g}
- [*Parancistrocerus salcularis*](#) ^b
- [*Parancistrocerus saltensis*](#) (Brethes, 1906) ^{c g}
- [*Parancistrocerus samarensis*](#) (Schulthess, 1934) ^{c g}
- [*Parancistrocerus scapultatus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus siamensis*](#) Gusenleitner, 2003 ^{c g}
- [*Parancistrocerus siccus*](#) (Bohart, 1952) ^{c g}
- [*Parancistrocerus striatus*](#) (Fox, 1902) ^{c g}
- [*Parancistrocerus subcyaneus*](#) (Brèthes, 1909) ^{c g}
- [*Parancistrocerus subtoltecus*](#) (Viereck, 1906) ^{c g}
- [*Parancistrocerus sulcatus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus sumichrasti*](#) (de Saussure, 1857) ^{c g}
- [*Parancistrocerus taihorinensis*](#) (Schulthess, 1934) ^{c g}
- [*Parancistrocerus taihorinshoensis*](#) (Schulthess, 1934) ^{c g}
- [*Parancistrocerus taikonus*](#) (Sonan 1939) ^{c g}
- [*Parancistrocerus texensis*](#) Saussure, 1871 ^{c g b}
- [*Parancistrocerus toltecus*](#) (de Saussure, 1857) ^{c b}
- [*Parancistrocerus trepidus*](#) (Zavattari, 1912) ^{c g}
- [*Parancistrocerus triconcavus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus ussuriensis*](#) Kurzenko, 1981 ^{c g}
- [*Parancistrocerus vagus*](#) (de Saussure, 1857) ^{c g b}
- [*Parancistrocerus vicinus*](#) Giordani Soika, 1995 ^{c g}
- [*Parancistrocerus vogti*](#) Kromb., 1962 ^{c g}
- [*Parancistrocerus yachowensis*](#) Giordani Soika, 1986 ^{c g}
- [*Parancistrocerus yamanei*](#) Gusenleitner, 2000 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

this is a list of former species in the butterfly genus [Papilio](#), with the current species name.

Selected former species include:

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- *P. accius* Smith, 1797 - transferred to [Lerema accius](#) (Smith, 1797)
- *P. aracinthus* Fabricius, 1777 - synonymized with [Heteropterus morpheus](#) (Pallas, 1771)
- *P. asychis* Stoll, [1780] - transferred to [Chiothion asychis](#) (Stoll, [1780])

B

- *P. broteas* Cramer, 1780 - transferred to [*Nascus busirus*](#) (Cramer, 1780)
- *P. busirus* Cramer, [1779] - transferred to [*Achlyodes busirus*](#) (Cramer, [1779])

C

- *P. cebrenus* Cramer, 1777 - transferred to [*Euriphellus cebrenus*](#) (Cramer, 1777)
- *P. comma* Linnaeus, 1758 - transferred to [*Hesperia comma*](#) (Linnaeus, 1758)
- *P. coridon* Fabricius, 1775 - synonymized with [*Perichares philetus*](#) (Gmelin, [1790])

E

- *P. edipus* Stoll, [1781] - transferred to [*Pardaleodes edipus*](#) (Stoll, [1781])
- *P. eligius* Stoll, [1781] - transferred to [*Celaenorrhinus eligius*](#) (Stoll, [1781])
- *P. ethlius* Stoll, 1782 - transferred to [*Calpodes ethlius*](#) (Stoll, 1782)
- *P. euribates* Stoll, 1782 - transferred to [*Euriphellus euribates*](#) (Stoll, 1782)

F

- *P. flesus* Stoll, [1790] - transferred to [*Tagiades flesus*](#) (Fabricius, 1781])
- *P. folus* Cramer, 1775 - transferred to [*Udaspes folus*](#) (Cramer, 1775)

H

- *P. helirius* Cramer, 1775 - transferred to [*Chaetocneme helirius*](#) (Cramer, 1775)
- *P. hylaspes* Stoll, 1781 - transferred to [*Synale folus*](#) (Stoll, 1781)

J

- *P. japetus* Stoll, [1781] - transferred to [*Tagiades japetus*](#) (Stoll, [1781])
- *P. jolus* Stoll, [1782] - transferred to [*Carystus jolus*](#) (Stoll, [1782])
- *P. jovianus* Stoll, 1782 - transferred to [*Pythonides jovianus*](#) (Stoll, 1782)

M

- *P. menes* Stoll, 1782 - transferred to [*Apaustus menes*](#) (Stoll, 1782)
- *P. midas* Cramer, 1775 - transferred to [*Bungalotis midas*](#) (Cramer, 1775)
- *P. metis* Linnaeus, 1764 - transferred to [*Metisella metis*](#) (Linnaeus, 1764)
- *P. morpheus* Pallas, 1771 - transferred to [*Heteropterus morpheus*](#) (Pallas, 1771)

N

- *P. nothus* Fabricius, 1787 - transferred to [*Ceratrachia nothus*](#) (Fabricius, 1787)

O

- *P. ophion* Stoll, [1790] - synonymized with [Tagiades flesus](#) (Fabricius, 1781))
- *P. orchamus* Cramer, [1777] - transferred to [Xeniades orchamus](#) (Cramer, [1777])

P

- *P. paullinae* Sepp, [1842] - transferred to [Nascus paullinae](#) (Sepp, [1842])
- *P. pertinax* Stoll, [1781] - transferred to [Phlebodes pertinax](#) (Stoll, [1781])
- *P. phidon* Cramer, 1779 - transferred to [Thracides phidon](#) (Cramer, 1779)
- *P. philetes* Gmelin, [1790] - transferred to [Perichares philetes](#) (Gmelin, [1790])
- *P. phocaeus* Cramer, 1777 - transferred to [Ceratrichia phocion](#) (Fabricius, 1781)
- *P. phocion* Fabricius, 1781 - synonymized to [Ceratrichia phocion](#) (Fabricius, 1781)
- *P. phocus* Cramer, 1777 - transferred to [Nascus phocus](#) (Cramer, [1777])
- *P. phyllus* Cramer, [1777] - transferred to [Vettius phyllus](#) (Cramer, [1777])

S

- *P. salatis* Stoll, 1782 - transferred to [Salatis salatis](#) (Stoll, 1782)
- *P. salius* Cramer, 1775 - transferred to [Calpodes salius](#) (Cramer, 1775)
- *P. saturnus* Fabricius, 1787 - transferred to [Saturnus saturnus](#) (Fabricius, 1787)
- *P. sebalus* Stoll, 1781 - transferred to [Dyscophellus sebalus](#) (Stoll, 1781)

T

- *P. tryxus* Stoll, 1780 - transferred to [Xenophanes tryxus](#) (Stoll, 1780)

V

- *P. virbius* Cramer, 1777 - transferred to [Cobalus virbius](#) (Cramer, 1777)

This is a list of 109 species in [Pachytychius](#), a genus of true weevils in the family [Curculionidae](#).^{[1][2][3][4]}

Pachytychius species

- [Pachytychius abeillei](#) Desbrochers, 1892 ^C
- [Pachytychius aethiopicus](#) Caldara, 2000 ^C
- [Pachytychius albomaculatus](#) Pic, 1905 ^C
- [Pachytychius albosparsus](#) Caldara, 1989 ^C

- [*Pachytychius alepensis*](#) Hoffmann, 1958 ^C
- [*Pachytychius amoenus*](#) Leconte, 1876 ^C
- [*Pachytychius ancora*](#) Tournier, 1873 ^C
- [*Pachytychius antoinei*](#) Hoffmann, 1944 ^C
- [*Pachytychius aridicola*](#) Caldara, 1984 ^C
- [*Pachytychius asperatus*](#) Bedel, 1884 ^C
- [*Pachytychius auricollis*](#) Tournier, 1873 ^C
- [*Pachytychius avulsus*](#) Faust, 1885 ^C
- [*Pachytychius baeticus*](#) Kirsch, 1870 ^C
- [*Pachytychius basimaculata*](#) Voss, 1964 ^C
- [*Pachytychius beardae*](#) Caldara, 2000 ^C
- [*Pachytychius bedeli*](#) Chevrolat, 1881 ^C
- [*Pachytychius behnei*](#) Caldara, 1988 ^C
- [*Pachytychius bifascithorax*](#) Escalera, 1914 ^C
- [*Pachytychius bugnioni*](#) Stierlin, 1894 ^C
- [*Pachytychius cognatus*](#) Caldara, 2000 ^C
- [*Pachytychius congoanus*](#) Hustache, 1923 ^C
- [*Pachytychius curvirostris*](#) Hoffmann, 1944 ^C
- [*Pachytychius deplanatus*](#) Desbrochers, 1898 ^C
- [*Pachytychius difficilis*](#) Caldara, 1978 ^C
- [*Pachytychius discithorax*](#) Desbrochers, 1873 ^C
- [*Pachytychius discoideus*](#) Leconte, 1876 ^C
- [*Pachytychius echidna*](#) Caldara, 1978 ^C
- [*Pachytychius eldae*](#) Caldara, 1978 ^C
- [*Pachytychius elephas*](#) Kraatz, 1862 ^C
- [*Pachytychius erythreensis*](#) Hustache, 1932 ^C
- [*Pachytychius erythropterus*](#) Chevrolat, 1879 ^C
- [*Pachytychius fairmairei*](#) Tournier, 1873 ^C
- [*Pachytychius grandicollis*](#) Caldara, 2010 ^C
- [*Pachytychius granicollis*](#) Reitter, 1883 ^C
- [*Pachytychius granulicollis*](#) Tournier, 1874 ^C
- [*Pachytychius haematocephalus*](#) (Gyllenhal, 1836) ^{i c b} (gilkicker weevil)
- [*Pachytychius hierosolymus*](#) Desbrochers, 1900 ^C
- [*Pachytychius hirtipes*](#) Hustache, 1939 ^C
- [*Pachytychius hirtulus*](#) Chevrolat, 1879 ^C
- [*Pachytychius hispidulus*](#) Solari, 1932 ^C

- [*Pachytychius hypocrita*](#) Tournier, 1873 ^C
- [*Pachytychius illectus*](#) Faust, 1889 ^C
- [*Pachytychius indicus*](#) Tournier, 1873 ^C
- [*Pachytychius insularis*](#) Chevrolat, 1875 ^C
- [*Pachytychius jakobsoni*](#) Legalov, 2007 ^C
- [*Pachytychius kirschi*](#) Tournier, 1873 ^C
- [*Pachytychius krugeri*](#) Solari, 1939 ^C
- [*Pachytychius lacordairei*](#) Tournier, 1873 ^C
- [*Pachytychius laticollis*](#) Desbrochers, 1898 ^C
- [*Pachytychius latithorax*](#) Pic, 1902 ^C
- [*Pachytychius latus*](#) Jekel, 1861 ^C
- [*Pachytychius letourneuxi*](#) Desbrochers, 1891 ^C
- [*Pachytychius leucoloma*](#) Jekel, H., 1861 ^C
- [*Pachytychius lineipennis*](#) Klima, 1934 ^C
- [*Pachytychius longipilis*](#) Reitter, 1909 ^C
- [*Pachytychius lostiae*](#) Solari, 1939 ^C
- [*Pachytychius lucasi*](#) Jekel, 1861 ^C
- [*Pachytychius lyali*](#) Caldara, 2000 ^C
- [*Pachytychius maculosus*](#) Klima, 1934 ^{C g}
- [*Pachytychius marmoreus*](#) Desbrochers, 1895 ^C
- [*Pachytychius mazaganicus*](#) Escalera, 1914 ^C
- [*Pachytychius melillensis*](#) Escalera, 1914 ^C
- [*Pachytychius mungonis*](#) Marshall, 1915 ^C
- [*Pachytychius nivalis*](#) Korotyaev, 1987 ^C
- [*Pachytychius oberprieleri*](#) Caldara, 2000 ^C
- [*Pachytychius obscuricollis*](#) Voss, 1960 ^C
- [*Pachytychius obsoletus*](#) Desbrochers, 1898 ^C
- [*Pachytychius pachyderus*](#) Fairmaire, 1870 ^C
- [*Pachytychius pardoii*](#) Hoffmann, 1952 ^C
- [*Pachytychius phytonomoides*](#) Escalera, 1914 ^C
- [*Pachytychius picteti*](#) Tournier, 1873 ^C
- [*Pachytychius puncticollis*](#) Reitter, 1873 ^C
- [*Pachytychius quadrifasciatipennis*](#) Escalera, 1914 ^C
- [*Pachytychius rifensis*](#) Hustache, 1936 ^C
- [*Pachytychius robustus*](#) Wollaston, 1854 ^C
- [*Pachytychius rotroi*](#) Pic, 1925 ^C

- [*Pachytychius rotundicollis*](#) Desbrochers, 1896 ^c
- [*Pachytychius rubriceps*](#) Rosenhauer, 1856 ^c
- [*Pachytychius scabricollis*](#) Rosenhauer, 1856 ^c
- [*Pachytychius schusteri*](#) Reitter, 1909 ^c
- [*Pachytychius scrobiculatus*](#) Rosenhauer, 1856 ^c
- [*Pachytychius sellatus*](#) (Lucas, H., 1846) ^{c g}
- [*Pachytychius setosus*](#) Marshall, 1950 ^c
- [*Pachytychius sculus*](#) Desbrochers, 1891 ^c
- [*Pachytychius simillimus*](#) Desbrochers, 1891 ^c
- [*Pachytychius simulans*](#) Caldara, 2010 ^c
- [*Pachytychius sinaiticus*](#) Caldara, 2010 ^c
- [*Pachytychius smyrnensis*](#) Desbrochers, 1891 ^c
- [*Pachytychius sobrinus*](#) Tournier, 1873 ^c
- [*Pachytychius solidus*](#) Faust, 1885 ^c
- [*Pachytychius sparsutus*](#) Jekel, 1861 ^c
- [*Pachytychius squamosus*](#) Acloque, 1896 ^c
- [*Pachytychius striatellus*](#) Caldara, 2000 ^c
- [*Pachytychius strumarius*](#) Tournier, 1873 ^c
- [*Pachytychius subasper*](#) Fairmaire, 1870 ^c
- [*Pachytychius subcordatus*](#) Desbrochers, 1894 ^c
- [*Pachytychius subcostatus*](#) Kol., 1858 ^c
- [*Pachytychius subcylindricus*](#) Reitter, 1890 ^c
- [*Pachytychius summorum*](#) Peyerimhoff, 1943 ^c
- [*Pachytychius talgarensis*](#) Legalov, 2007 ^c
- [*Pachytychius transcaucasicus*](#) Pic, 1913 ^c
- [*Pachytychius transmutatus*](#) Voss, 1962 ^c
- [*Pachytychius transversicollis*](#) Fairmaire, 1877 ^c
- [*Pachytychius trapezicollis*](#) Tournier, 1873 ^c
- [*Pachytychius trimacula*](#) Rosenhauer, 1856 ^c
- [*Pachytychius tuberculatus*](#) Caldara, 2000 ^c
- [*Pachytychius tychioides*](#) Desbrochers, 1900 ^c
- [*Pachytychius undulatus*](#) Desbrochers, 1873 ^c
- [*Pachytychius viciae*](#) Marshall, 1938 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 238 species belong to the genus [*Pachybrachis*](#), scriptured leaf beetles.[\[1\]\[2\]\[3\]](#)

***Pachybrachis* species**

- [*Pachybrachis abdominalis*](#) (Bloch & Schneider, 1801)
- [*Pachybrachis adspersa*](#) Suffrian, 1866
- [*Pachybrachis alacris*](#) Fall, 1915
- [*Pachybrachis alpinus*](#) Rapilly, 1982
- [*Pachybrachis alticola*](#) Fall, 1915
- [*Pachybrachis analis*](#) (Bloch, 1787)
- [*Pachybrachis anoguttatus*](#) Suffrian, 1866
- [*Pachybrachis antigae*](#) Weise, 1900
- [*Pachybrachis aquilonis*](#)
- [*Pachybrachis aragonicus*](#) Tempere & Rapilly, 1981
- [*Pachybrachis archboldi*](#) Barney, 2016
- [*Pachybrachis arizonensis*](#) Bowditch, 1909
- [*Pachybrachis assiettae*](#) Burlini, 1968
- [*Pachybrachis atomarius*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis azureus*](#) Suffrian, 1848
- [*Pachybrachis badius*](#) Fall, 1915
- [*Pachybrachis baeticus*](#) Weise, 1882
- [*Pachybrachis bajulus*](#) Suffrian, 1852
- [*Pachybrachis balsas*](#) Bowditch, 1909
- [*Pachybrachis bifasciatus*](#) Jacoby, 1880
- [*Pachybrachis bivittatus*](#) LINNAEUS, 1758
- [*Pachybrachis bloxham*](#) (A. Bloxam, 1827)
- [*Pachybrachis brevicollis*](#) J. L. LeConte, 1880
- [*Pachybrachis brevicornis*](#) Fall, 1915
- [*Pachybrachis brunneus*](#) (Günther, 1870)
- [*Pachybrachis bullatus*](#) Fall, 1915 (bubble-banded pachy)
- [*Pachybrachis burlinii*](#) Daccordi & Ruffo, 1971
- [*Pachybrachis caelatus*](#) (Valenciennes, 1840)
- [*Pachybrachis calcaratus*](#) Fall, 1915
- [*Pachybrachis calidus*](#) Fall, 1915
- [*Pachybrachis californicus*](#) Fall, 1915
- [*Pachybrachis canigouensis*](#) Lambelet, 2005
- [*Pachybrachis carolinensis*](#) Bowditch, 1910
- [*Pachybrachis carpathicus*](#) Rey, 1883
- [*Pachybrachis catalonicus*](#) Burlini, 1968
- [*Pachybrachis cephalicus*](#) Fall, 1915
- [*Pachybrachis chaoticus*](#) Fall, 1915

- [*Pachybrachis chester*](#)
- [*Pachybrachis cinctus*](#) Suffrian, 1848
- [*Pachybrachis circumcinctus*](#) (Schreber, 1775)
- [*Pachybrachis coloradensis*](#) Bowditch, 1909
- [*Pachybrachis confederatus*](#) Fall, 1915
- [*Pachybrachis conformis*](#) Suffrian, 1852
- [*Pachybrachis confusus*](#) Bowditch, 1909
- [*Pachybrachis congener*](#) Suffrian, 1866
- [*Pachybrachis connexus*](#) Fall, 1915
- [*Pachybrachis consimilis*](#) Fall, 1915
- [*Pachybrachis conspirator*](#) Fall, 1915
- [*Pachybrachis contractifrons*](#) Fall, 1915
- [*Pachybrachis convictus*](#) GÜNTHER, 1864
- [*Pachybrachis crassus*](#) Bowditch, 1909
- [*Pachybrachis creticus*](#) Weise, 1886
- [*Pachybrachis cribricollis*](#) Pic, 1907
- [*Pachybrachis croftus*](#) Bowditch, 1909
- [*Pachybrachis cruentus*](#) J. L. LeConte, 1880
- [*Pachybrachis cylindricus*](#) Bowditch, 1909
- [*Pachybrachis danieli*](#) Burlini, 1968
- [*Pachybrachis deceptor*](#) Riley & Barney, 2015
- [*Pachybrachis delumbis*](#) Fall, 1915
- [*Pachybrachis densus*](#) Bowditch, 1909
- [*Pachybrachis desertus*](#) Fall, 1915
- [*Pachybrachis deyrupi*](#) Barney, 2016
- [*Pachybrachis dilatatus*](#) Suffrian, 1852
- [*Pachybrachis discoideus*](#) Bowditch, 1909
- [*Pachybrachis diversus*](#) Allen & Randall, 1993
- [*Pachybrachis donneri*](#) Gosse, 1851
- [*Pachybrachis dubiosus*](#) (Cuvier, 1830)
- [*Pachybrachis durangoensis*](#) Jacoby, 1889
- [*Pachybrachis duryi*](#) Fall, 1915
- [*Pachybrachis eburifer*](#) Suffrian, 1866
- [*Pachybrachis elegans*](#) Graells, 1851
- [*Pachybrachis excisus*](#) Weise, 1897
- [*Pachybrachis exclusus*](#) Rey, 1883
- [*Pachybrachis femoratus*](#) (Olivier, 1808)
- [*Pachybrachis fimbriolatus*](#) Suffrian, 1848
- [*Pachybrachis flavescens*](#) Jacoby, 1889
- [*Pachybrachis flexuosus*](#) Weise, 1882
- [*Pachybrachis forreri*](#) Jacoby, 1889
- [*Pachybrachis fortis*](#) Fall, 1915

- [*Pachybrachis fractus*](#) Fall, 1915
- [*Pachybrachis fraudulentus*](#) G.Muller, 1955
- [*Pachybrachis freyi*](#) Burlini, 1957
- [*Pachybrachis fulvipes*](#) Suffrian, 1848
- [*Pachybrachis fuscipes*](#) Fall, 1915
- [*Pachybrachis gracilipes*](#) Fall, 1915
- [*Pachybrachis haematodes*](#) Suffrian, 1852 (bloody pachy)
- [*Pachybrachis hector*](#) Fall, 1915
- [*Pachybrachis hepaticus*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis hieroglyphicus*](#) Laicharting, 1781
- [*Pachybrachis hippophaes*](#) Suffrian, 1848
- [*Pachybrachis holerorum*](#) Montagna & Sassi
- [*Pachybrachis hybridus*](#) Suffrian, 1852
- [*Pachybrachis illectus*](#) Fall, 1915
- [*Pachybrachis immaculatus*](#) (Bloch & Schneider, 1801)
- [*Pachybrachis impurus*](#) Suffrian, 1852
- [*Pachybrachis inclusa*](#) Jacoby, 1889
- [*Pachybrachis insidiosus*](#) Fall, 1915
- [*Pachybrachis integratus*](#) Fall, 1915
- [*Pachybrachis jacobyi*](#) Soto-Adames & Taylor
- [*Pachybrachis juquilensis*](#) Jacoby, 1889
- [*Pachybrachis karamani*](#) Weise, 1893
- [*Pachybrachis kentuckyensis*](#) Riley & Barney, 2015
- [*Pachybrachis korbi*](#) Weise, 1891
- [*Pachybrachis kraatzi*](#) Weise, 1882
- [*Pachybrachis lachrymosus*](#) Fall, 1915
- [*Pachybrachis laetificus*](#) Marseul, 1875
- [*Pachybrachis laevis*](#) Bowditch, 1909
- [*Pachybrachis laticollis*](#) Suffrian, 1860
- [*Pachybrachis latithorax*](#) Clavareau, 1913
- [*Pachybrachis leonardii*](#) Sassi & Scholler, 2003
- [*Pachybrachis liebecki*](#) Fall, 1915
- [*Pachybrachis limbatus*](#) (Menetries, 1836)
- [*Pachybrachis lindbergi*](#) Burlini, 1963
- [*Pachybrachis lineolatus*](#) Suffrian, 1848
- [*Pachybrachis litigiosus*](#) Suffrian, 1852
- [*Pachybrachis livens*](#) J. L. LeConte, 1858
- [*Pachybrachis lodingi*](#) Bowditch, 1909
- [*Pachybrachis longus*](#) Bowditch, 1909
- [*Pachybrachis luctuosus*](#) Suffrian, 1858
- [*Pachybrachis luridus*](#) (Fabricius, 1798)
- [*Pachybrachis lustrans*](#) J. L. LeConte, 1880

- [*Pachybrachis macronychus*](#) (Germar, 1824)
- [*Pachybrachis maculicollis*](#) Jacoby, 1889
- [*Pachybrachis marginatus*](#) Bowditch, 1909
- [*Pachybrachis marginipennis*](#) Bowditch, 1909
- [*Pachybrachis marmoratus*](#) Jacoby, 1889
- [*Pachybrachis melanostictus*](#) Suffrian, 1852
- [*Pachybrachis mellitus*](#) Trewavas, 1935
- [*Pachybrachis mercurialis*](#) Fall, 1915
- [*Pachybrachis microps*](#) Fall, 1915
- [*Pachybrachis minor*](#) Bowditch, 1909
- [*Pachybrachis minutus*](#) Jacoby, 1889
- [*Pachybrachis mitis*](#) Fall, 1915
- [*Pachybrachis m-nigrum*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis mobilis*](#) Fall, 1915
- [*Pachybrachis morosus*](#) Simon, 1886
- [*Pachybrachis nero*](#) (Cuvier, 1832)
- [*Pachybrachis nigricornis*](#) (Say, 1824)
- [*Pachybrachis nigropunctatus*](#) Suffrian, 1854
- [*Pachybrachis nobilis*](#) Fall, 1915
- [*Pachybrachis nogalicus*](#) Fall, 1915
- [*Pachybrachis notatus*](#) Bowditch, 1910
- [*Pachybrachis nubigenus*](#) Fall, 1915
- [*Pachybrachis nubilis*](#) Bowditch, 1909
- [*Pachybrachis nunenmacheri*](#) Fall, 1915
- [*Pachybrachis obfuscatus*](#) Fall, 1915
- [*Pachybrachis obsoletus*](#) Suffrian, 1852
- [*Pachybrachis osceola*](#) Fall, 1915
- [*Pachybrachis osellai*](#) Daccordi & Ruffo, 1975
- [*Pachybrachis othonus*](#) (Say, 1825)
- [*Pachybrachis pagana*](#) Olivier, 1808
- [*Pachybrachis pallidulus*](#) Suffrian, 1851
- [*Pachybrachis parvinotatus*](#) Fall, 1915
- [*Pachybrachis pawnee*](#) Bloch & Schneider, 1801
- [*Pachybrachis peccans*](#) Suffrian, 1852
- [*Pachybrachis pectoralis*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis petitpierrei*](#) Daccordi, 1976
- [*Pachybrachis petronius*](#) Fall, 1915
- [*Pachybrachis picturatus*](#) (Ayres, 1855)
- [*Pachybrachis picus*](#) Weise, 1882
- [*Pachybrachis pinguescens*](#) Fall, 1915
- [*Pachybrachis pinicola*](#) Medvedev in Rouse and Medvedev, 1972
- [*Pachybrachis placidus*](#) Fall, 1915

- [*Pachybrachis planifrons*](#) Wagner, 1927
- [*Pachybrachis pluripunctatus*](#) Fall, 1915
- [*Pachybrachis postfasciatus*](#) Fall, 1915
- [*Pachybrachis posticus*](#) Suffrian, 1852
- [*Pachybrachis pradensis*](#) Marseul, 1875
- [*Pachybrachis praeclarus*](#) Weise, 1913
- [*Pachybrachis precarius*](#) Fall, 1915
- [*Pachybrachis prosopis*](#) Fall, 1915
- [*Pachybrachis proximus*](#) Bowditch, 1909
- [*Pachybrachis pteromelas*](#) Graells, 1858
- [*Pachybrachis pulvinatus*](#) Suffrian, 1852
- [*Pachybrachis punctatus*](#) Bowditch, 1909
- [*Pachybrachis puncticollis*](#) Bowditch, 1909
- [*Pachybrachis punicus*](#) Fall, 1915
- [*Pachybrachis purus*](#) Fall, 1915
- [*Pachybrachis pusillus*](#) Bowditch, 1909
- [*Pachybrachis quadratus*](#) Fall, 1915
- [*Pachybrachis quadricollis*](#) Suffrian, 1866
- [*Pachybrachis quadrioculatus*](#) Fall, 1915
- [*Pachybrachis regius*](#) Schaufuss, 1862
- [*Pachybrachis relictus*](#) Fall, 1915
- [*Pachybrachis rondanus*](#) Burlini, 1968
- [*Pachybrachis ruffoi*](#) Burlini, 1956
- [*Pachybrachis rugifer*](#) Abeille de Perrin, 1905
- [*Pachybrachis salfi*](#) Burlini, 1957
- [*Pachybrachis sallaei*](#) Jacoby, 1889
- [*Pachybrachis sanrita*](#) Bowditch, 1909
- [*Pachybrachis scripticollis*](#) Faldermann, 1837
- [*Pachybrachis scriptidorsum*](#) Marseul, 1875
- [*Pachybrachis scriptus*](#) Herrich-Schäffer, 1838
- [*Pachybrachis sículus*](#) Weise, 1891
- [*Pachybrachis signatifrons*](#) Mannerheim, 1843
- [*Pachybrachis signatus*](#) Bowditch, 1909
- [*Pachybrachis simius*](#) Marseul, 1875
- [*Pachybrachis sinuatus*](#) Mulsant & Rey, 1859
- [*Pachybrachis snowi*](#) Bowditch, 1909
- [*Pachybrachis sonorensis*](#) Jacoby, 1889
- [*Pachybrachis spumarius*](#) Suffrian, 1852
- [*Pachybrachis stygicus*](#) Fall, 1915
- [*Pachybrachis subfasciatus*](#) (J. E. LeConte, 1824)
- [*Pachybrachis sublimatus*](#) Fall, 1915
- [*Pachybrachis subvittatus*](#) J. L. LeConte, 1880

- [*Pachybrachis suffrianii*](#) Schaufuss, 1862
- [*Pachybrachis suturalis*](#) (Weise, 1882)
- [*Pachybrachis tacitus*](#) Moore, 1988
- [*Pachybrachis terminalis*](#) Suffrian, 1849
- [*Pachybrachis tessellatus*](#) (Olivier, 1791)
- [*Pachybrachis testaceus*](#) Perris, 1865
- [*Pachybrachis texanus*](#) Bowditch, 1909
- [*Pachybrachis thoracicus*](#) Linnaeus, 1758
- [*Pachybrachis tridens*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis trinotatus*](#) (F. E. Melsheimer, 1847)
- [*Pachybrachis trivittatus*](#) Bowditch, 1910
- [*Pachybrachis truncatus*](#) Bowditch, 1909
- [*Pachybrachis tumidus*](#) Bowditch, 1909
- [*Pachybrachis turbidus*](#)
- [*Pachybrachis turgidicollis*](#) Fall, 1915
- [*Pachybrachis tybeensis*](#) Fall, 1915
- [*Pachybrachis umbraculatus*](#) Guenée, 1868
- [*Pachybrachis uncinatus*](#) Fall, 1915
- [*Pachybrachis uteanus*](#) Dejean
- [*Pachybrachis vacillatus*](#) Fall, 1915
- [*Pachybrachis varians*](#) Bowditch, 1909
- [*Pachybrachis varicolor*](#) Suffrian, 1852
- [*Pachybrachis vau*](#) Denis & Schiffermüller, 1775
- [*Pachybrachis vermicularis*](#) Suffrian, 1854
- [*Pachybrachis vestigialis*](#) Fall, 1915
- [*Pachybrachis viduatus*](#) (Zetterstedt, 1838)
- [*Pachybrachis viedmai*](#) Burlini, 1968
- [*Pachybrachis virgatus*](#) Kunth
- [*Pachybrachis vulnerosus*](#) Fall, 1915
- [*Pachybrachis wenzeli*](#) Fall, 1915
- [*Pachybrachis wickhami*](#) Bowditch, 1909
- [*Pachybrachis xantholucens*](#) Fall, 1915
- [*Pachybrachis xanti*](#) Gill, 1860

Next up is O to A

This is a list of 197 species in [*Oxyethira*](#), a genus of microcaddisflies in the family [*Hydroptilidae*](#).[\[1\]\[2\]](#)
[\[3\]\[4\]](#)

***Oxyethira* species**

- [*Oxyethira abacatia*](#) Denning, 1947^{i c g}
- [*Oxyethira absona*](#) Flint, 1991^{i c g}
- [*Oxyethira acegua*](#) Angrisano, 1995^{i c g}
- [*Oxyethira aculea*](#) Ross, 1941^{i c g}
- [*Oxyethira acuta*](#) Kobayashi, 1977^{i c g}
- [*Oxyethira aeola*](#) Ross, 1938^{i c g}
- [*Oxyethira ahipara*](#) Wise, 1998^{i c g}
- [*Oxyethira alaluz*](#) Botosaneanu, 1980^{i c g}
- [*Oxyethira albaeaguae*](#) Botosaneanu, 1995^{i c g}
- [*Oxyethira albiceps*](#) (McLachlan, 1862)^{i c g}
- [*Oxyethira allagashensis*](#) Blickle, 1963^{i c g}
- [*Oxyethira anabola*](#) Blickle, 1966^{i c g}
- [*Oxyethira andina*](#) Kelley, 1983^{i c g}
- [*Oxyethira angustella*](#) Martynov, 1933^{i c g}
- [*Oxyethira apinolada*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira araya*](#) Ross, 1941^{i c g}
- [*Oxyethira archaica*](#) Malicky, 1975^{i c g}
- [*Oxyethira arctodactyla*](#) Kelley, 1983^{i c g}
- [*Oxyethira argentinensis*](#) Flint, 1982^{i c g}
- [*Oxyethira arizona*](#) Ross, 1948^{i c g}
- [*Oxyethira artuvillosus*](#) (Wells, 1981)^{i c g}
- [*Oxyethira aspera*](#) Yang & Kelley in Yang, Kelley & Morse, 1997^{i c g}
- [*Oxyethira assia*](#) Botosaneanu & Moubayed, 1985^{i c g}
- [*Oxyethira azteca*](#) (Mosely, 1937)^{i c g}
- [*Oxyethira bamaga*](#)^g
- [*Oxyethira baritu*](#) Angrisano, 1995^{i c g}
- [*Oxyethira bicornuta*](#) Kelley, 1983^{i c g}
- [*Oxyethira bidentata*](#) Mosely, 1934^{i c g}
- [*Oxyethira bifurcata*](#) Yang & Kelley in Yang, Kelley & Morse, 1997^{i c g}
- [*Oxyethira bogambara*](#) Schmid, 1958^{i c g}
- [*Oxyethira boreella*](#) Svensson & Tjeder, 1975^{i c g}
- [*Oxyethira braziliensis*](#) Kelley, 1983^{i c g}

- [*Oxyethira brevis*](#) Wells, 1981^{i c g}
- [*Oxyethira burkina*](#) Gibon, Guenda & Coulibaly, 1994^{i c g}
- [*Oxyethira caledoniensis*](#) Kelley, 1989^{i c g}
- [*Oxyethira calori*](#)^g
- [*Oxyethira campanula*](#) Botosaneanu, 1970^{i c g}
- [*Oxyethira campesina*](#) Botosaneanu, 1977^{i c g}
- [*Oxyethira circarverna*](#) Kelley, 1983^g
- [*Oxyethira circaverna*](#) Kelley, 1983^{i c g}
- [*Oxyethira coercens*](#) Morton, 1905^{i c g}
- [*Oxyethira colombiensis*](#) Kelley, 1983^{i c g}
- [*Oxyethira columba*](#) (Neboiss, 1977)^{i c g}
- [*Oxyethira complicata*](#) Wells, 1990^{i c g}
- [*Oxyethira copina*](#) Angrisano, 1995^{i c g}
- [*Oxyethira cornuta*](#) Wells, 1990^{i c g}
- [*Oxyethira costaricensis*](#) Kelley, 1983^{i c g}
- [*Oxyethira cotula*](#) Wells & Dudgeon, 1990^{i c g}
- [*Oxyethira cuernuda*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira culebra*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira dactylonedys*](#) Kelley, 1983^{i c g}
- [*Oxyethira dalmeria*](#) (Mosely, 1937)^{i c g}
- [*Oxyethira datra*](#) Olah, 1989^{i c g}
- [*Oxyethira delcourti*](#) Jacquemart, 1973^{i c g}
- [*Oxyethira desadorna*](#) Moulton & Harris, 1997^{i c g}
- [*Oxyethira discaelata*](#) Kelley, 1983^{i c g}
- [*Oxyethira distinctella*](#) McLachlan, 1880^{i c g}
- [*Oxyethira dorsennus*](#) Kelley, 1989^{i c g}
- [*Oxyethira dualis*](#) Morton, 1905^{i c g}
- [*Oxyethira dunbartonensis*](#) Kelley, 1981^{i c g}
- [*Oxyethira ecornuta*](#) Morton, 1893^{i c g}
- [*Oxyethira efatensis*](#) Kelley, 1989^{i c g}
- [*Oxyethira elerobi*](#) (Blickle, 1961)^{i c g}
- [*Oxyethira espinada*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira ezoensis*](#) Kobayashi, 1977^{i c g}
- [*Oxyethira falcata*](#) Morton, 1893^{i c g}
- [*Oxyethira fijiensis*](#) Kelley, 1989^{i c g}
- [*Oxyethira flagellata*](#) Jacquemart, 1963^{i c g}

- [*Oxyethira flavicornis*](#) (Pictet, 1834)^{i c g}
- [*Oxyethira florida*](#) Denning, 1947^{i c g}
- [*Oxyethira forcipata*](#) Mosely, 1934^{i c g b}
- [*Oxyethira frici*](#) Klapalek, 1891^{i c g}
- [*Oxyethira galekoluma*](#) Schmid, 1958^{i c g}
- [*Oxyethira garifosa*](#) Moulton & Harris, 1997^{i c g}
- [*Oxyethira glasa*](#) (Ross, 1941)^{i c g}
- [*Oxyethira gomera*](#) Kelley, 1984^{i c g}
- [*Oxyethira graciliano*](#)^g
- [*Oxyethira grisea*](#) Betten, 1934^{i c g}
- [*Oxyethira guariba*](#)^g
- [*Oxyethira hainanensis*](#) Yang & Xue, 1992^{i c g}
- [*Oxyethira harpagella*](#) Kimmins, 1951^{i c g}
- [*Oxyethira harpeodes*](#) Yang & Kelley in Yang, Kelley & Morse, 1997^{i c g}
- [*Oxyethira hartigi*](#) Moretti, 1981^{i c g}
- [*Oxyethira hilosa*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira hozosa*](#) Harris & Davenport, 1999^{i c g}
- [*Oxyethira hyalina*](#) (Mueller, 1879)^{i c g}
- [*Oxyethira iannuzzae*](#)^g
- [*Oxyethira iglesias*](#) Gonzalez & Terra, 1982^{i c g}
- [*Oxyethira ikal*](#) Wells & Huisman, 1992^{i c g}
- [*Oxyethira inaequispina*](#) Flint, 1990^{i c g}
- [*Oxyethira incana*](#) Ulmer, 1906^{i c g}
- [*Oxyethira indorsennus*](#) Kelley, 1989^{i c g}
- [*Oxyethira insularis*](#) Kelley, 1989^{i c g}
- [*Oxyethira itasca*](#) Monson & Holzenthal, 1993^{i c g}
- [*Oxyethira jamaicensis*](#) Flint, 1968^{i c g}
- [*Oxyethira janella*](#) Denning, 1948^{i c g}
- [*Oxyethira josifovi*](#) Kumanski, 1990^{i c g}
- [*Oxyethira kelleyi*](#) Harris in Harris & Armitage, 1987^{i c g}
- [*Oxyethira kingi*](#) Holzenthal & Kelley, 1983^{i c g}
- [*Oxyethira klingstedti*](#) Nybom, 1982^{i c g}
- [*Oxyethira lagunita*](#) Flint, 1982^{i c g}
- [*Oxyethira lobophora*](#) Mey, 1998^{i c g}
- [*Oxyethira longipenis*](#)^g
- [*Oxyethira longispinosa*](#) Kumanski, 1987^{i c g}

- [*Oxyethira longissima*](#) Flint, 1974^{i c g}
- [*Oxyethira luanae*](#)^g
- [*Oxyethira lumipollex*](#) Kelley & Harris, 1983^{i c g}
- [*Oxyethira lumosa*](#) Ross, 1948^{i c g}
- [*Oxyethira macrosterna*](#) Flint, 1974^{i c g}
- [*Oxyethira maryae*](#) Kelley, 1983^{i c g}
- [*Oxyethira matadero*](#) Harper & Turcotte, 1985^{i c g}
- [*Oxyethira maya*](#) Denning, 1947^{i c g}
- [*Oxyethira melasma*](#) Kelley, 1989^{i c g}
- [*Oxyethira merga*](#) Kelley, 1983^{i c g}
- [*Oxyethira michiganensis*](#) Mosely, 1934^{i c g}
- [*Oxyethira mienica*](#) Wells, 1981^{i c g}
- [*Oxyethira minima*](#) (Kimmins, 1951)^{i c g}
- [*Oxyethira mirabilis*](#) Morton, 1904^{i c g}
- [*Oxyethira mirebalina*](#) Botosaneanu, 1991^{i c g}
- [*Oxyethira misionensis*](#) Angrisano, 1995^{i c g}
- [*Oxyethira mithi*](#) Malicky, 1974^{i c g}
- [*Oxyethira mocoï*](#) Angrisano, 1995^{i c g}
- [*Oxyethira novasota*](#) Ross, 1944^{i c g}
- [*Oxyethira obscura*](#) Flint, 1974^{i c g}
- [*Oxyethira obtatus*](#) Denning, 1947^{i c g}
- [*Oxyethira orellanai*](#) Harris & Davenport, 1992^{i c g}
- [*Oxyethira oropedion*](#) Kelley, 1989^{i c g}
- [*Oxyethira ortizorum*](#) Botosaneanu, 1995^{i c g}
- [*Oxyethira pallida*](#) (Banks, 1904)^{i c g b}
- [*Oxyethira paramartha*](#) Schmid, 1960^{i c g}
- [*Oxyethira parazteca*](#) Kelley, 1983^{i c g}
- [*Oxyethira parce*](#) (Edwards & Arnold, 1961)^{i c g}
- [*Oxyethira paritentacula*](#) Kelley, 1983^{i c g}
- [*Oxyethira peruviana*](#) Harris & Davenport, 1999^{i c g}
- [*Oxyethira petei*](#) Angrisano, 1995^{i c g}
- [*Oxyethira picita*](#) Harris & Davenport, 1999^{i c g}
- [*Oxyethira pirisinui*](#) Moretti, 1981^{i c g}
- [*Oxyethira plumosa*](#) (Wells, 1981)^{i c}
- [*Oxyethira presilla*](#) Harris & Davenport, 1999^{i c g}
- [*Oxyethira pseudofalcata*](#) Ivanov, 1992^{i c g}

- [*Oxyethira puertoricensis*](#) Flint, 1964^{i c g}
- [*Oxyethira quinquaginta*](#) Kelley, 1983^{i c g}
- [*Oxyethira rachanee*](#) Chantaramongkol & Malicky, 1986^{i c g}
- [*Oxyethira ramosa*](#) Martynov, 1935^{i c g}
- [*Oxyethira rareza*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira retracta*](#) Wells, 1981^{i c g}
- [*Oxyethira retrosa*](#)^g
- [*Oxyethira ritae*](#) Angrisano, 1995^{i c g}
- [*Oxyethira rivicola*](#) Blickle & Morse, 1954^{i c g}
- [*Oxyethira roberti*](#) Harper & Roy, 1980^{i c g}
- [*Oxyethira rossi*](#) Blickle & Morse, 1957^{i c g}
- [*Oxyethira sagittifera*](#) Ris, 1897^{i c g}
- [*Oxyethira santiagensis*](#) Flint, 1982^{i c g}
- [*Oxyethira savanniensis*](#) Kelley & Harris, 1983^{i c g}
- [*Oxyethira scaeodactyla*](#) Kelley, 1983^{i c g}
- [*Oxyethira scutica*](#) Kelley, 1989^{i c g}
- [*Oxyethira sechellensis*](#) Malicky, 1993^{i c g}
- [*Oxyethira sencilla*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira septentrionalis*](#)^g
- [*Oxyethira serrata*](#) Ross, 1938^{i c g}
- [*Oxyethira setosa*](#) Denning, 1947^{i c g}
- [*Oxyethira sichuanensis*](#) Yang & Kelley in Yang, Kelley & Morse, 1997^{i c g}
- [*Oxyethira sida*](#) Blickle & Morse, 1954^{i c g}
- [*Oxyethira sierruca*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira simplex*](#) Ris, 1897^{i c g}
- [*Oxyethira simulatrix*](#) Flint, 1968^{i c g}
- [*Oxyethira singularis*](#)^g
- [*Oxyethira sininsigne*](#) Kelley, 1981^{i c g}
- [*Oxyethira sinistra*](#)^g
- [*Oxyethira smolpela*](#) Wells, 1991^{i c g}
- [*Oxyethira spinosella*](#) McLachlan, 1884^{i c g}
- [*Oxyethira spirogyrae*](#) (Mueller, 1879)^{i c g}
- [*Oxyethira spissa*](#) Kelley, 1983^{i c g}
- [*Oxyethira tamperensis*](#) Malicky, 1999^{i c g}
- [*Oxyethira tasmaniensis*](#) Wells, 1998^{i c g}
- [*Oxyethira tega*](#) Flint, 1968^{i c g}

- [*Oxyethira teixeirai*](#) Harris & Davenport, 1992^{i c g}
- [*Oxyethira tenei*](#) Gibon, Guenda & Coulibaly, 1994^{i c g}
- [*Oxyethira tenuella*](#) Martynov, 1924^{i c g}
- [*Oxyethira tica*](#) Holzenthal & Harris, 1992^{i c g}
- [*Oxyethira torresiana*](#)^g
- [*Oxyethira touba*](#) Gibon, 1988^{i c g}
- [*Oxyethira triangulata*](#) Wells, 1981^{i c g}
- [*Oxyethira tristella*](#) Klapalek, 1895^{i c g}
- [*Oxyethira tropis*](#) Yang & Kelley in Yang, Kelley & Morse, 1997^{i c g}
- [*Oxyethira ulmeri*](#) Mosely, 1937^{i c g}
- [*Oxyethira unidentata*](#) McLachlan, 1884^{i c g}
- [*Oxyethira unispina*](#) Flint, 1974^{i c g}
- [*Oxyethira vaina*](#) Harris & Davenport, 1999^{i c g}
- [*Oxyethira velocipes*](#) (Barnard, 1934)^{i c g}
- [*Oxyethira verna*](#) Ross, 1938^{i c g}
- [*Oxyethira vipera*](#) Kelley, 1983^{i c g}
- [*Oxyethira volsella*](#) Yang & Kelley in Yang, Kelley & Morse, 1997^{i c g}
- [*Oxyethira waipoua*](#) Wise, 1998^{i c g}
- [*Oxyethira warramunga*](#) Wells, 1985^{i c g}
- [*Oxyethira zeronia*](#) Ross, 1941^{i c g b}
- [*Oxyethira zilaba*](#) (Mosely, 1939)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 268 species in [*Oxybelus*](#), a genus of square-headed wasps in the family [*Crabronidae*](#).^{[1][2][3][4]}

***Oxybelus* species**

- [*Oxybelus abdominalis*](#) C. Baker, 1896^{i c g}
- [*Oxybelus acutissimus*](#) Bischoff, 1912^{i c g}
- [*Oxybelus adductus*](#) Kazenas, 1994^{i c g}
- [*Oxybelus admissus*](#) Kazenas, 1990^{i c g}
- [*Oxybelus aestuosus*](#) Bingham, 1897^{i c g}
- [*Oxybelus aethiopicus*](#) Cameron, 1906^{i c g}

- [*Oxybelus aganis*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus agilis*](#) F. Smith, 1856 ^{i c g}
- [*Oxybelus albipes*](#) F. Morawitz, 1894 ^{i c g}
- [*Oxybelus albofasciatus*](#) Kazenas, 2001 ^{i c g}
- [*Oxybelus albopictus*](#) Radoszkowski, 1877 ^{i c g}
- [*Oxybelus alexanderi*](#) Kazenas, 2004 ^{i c g}
- [*Oxybelus alhumdalilleri*](#) Guichard, 1990 ^{i c g}
- [*Oxybelus americanus*](#) Spinola, 1842 ^{i c g}
- [*Oxybelus amoenus*](#) Kazenas, 1994 ^{i c g}
- [*Oxybelus analis*](#) Cresson, 1865 ^{i c g}
- [*Oxybelus andinus*](#) Brèthes, 1913 ^{i c g}
- [*Oxybelus angustus*](#) de Saussure, 1892 ^{i c g}
- [*Oxybelus antropovi*](#) Kazenas, 2004 ^{i c g}
- [*Oxybelus arabicus*](#) Guichard, 1990 ^{i c g}
- [*Oxybelus argentatus*](#) Curtis, 1833 ^{i c g}
- [*Oxybelus argenteopilosus*](#) Cameron, 1891 ^{i c g}
- [*Oxybelus argentinus*](#) Brèthes, 1913 ^{i c g}
- [*Oxybelus argypheus*](#) R. Bohart and Schlinger, 1956 ^{i c g}
- [*Oxybelus arnoldi*](#) Benoît, 1951 ^{i c g}
- [*Oxybelus aurantiacus*](#) Mocsáry, 1883 ^{i c g}
- [*Oxybelus aurifrons*](#) F. Smith, 1856 ^{i c g}
- [*Oxybelus ayuttayanus*](#) Tsuneki, 1974 ^{i c g}
- [*Oxybelus aztecus*](#) Cameron, 1891 ^{i c g}
- [*Oxybelus bareii*](#) Radoszkowski, 1893 ^{i c g}
- [*Oxybelus bechuanae*](#) Arnold, 1936 ^{i c g}
- [*Oxybelus bicornutus*](#) Arnold, 1929 ^{i c g}
- [*Oxybelus bipunctatus*](#) Olivier, 1812 ^{i c g b}
- [*Oxybelus braunsi*](#) Arnold, 1927 ^{i c g}
- [*Oxybelus brethesi*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus californicus*](#) R. Bohart and Schlinger, 1956 ^{i c g}
- [*Oxybelus callani*](#) Pate, 1943 ^{i c g}
- [*Oxybelus canaliculatus*](#) Radoszkowski, 1877 ^{i c g}
- [*Oxybelus canalis*](#) R. Bohart and Schlinger, 1956 ^{i c g}
- [*Oxybelus canescens*](#) Cameron, 1890 ^{i c g}
- [*Oxybelus carinatus*](#) Gussakovskij, 1933 ^{i c g}
- [*Oxybelus catamarcensis*](#) (Schrottky, 1909) ^{i c g}

- [*Oxybelus caucasicus*](#) Radoszkowski, 1893^{i c g}
- [*Oxybelus chilensis*](#) Reed, 1894^{i c g}
- [*Oxybelus cinemucro*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus citrinulus*](#) Gussakovskij, 1952^{i c g}
- [*Oxybelus citrinus*](#) Radoszkowski, 1893^{i c g}
- [*Oxybelus clandestinus*](#) Kohl, 1905^{i c g}
- [*Oxybelus cocacolae*](#) P. Verhoeff, 1968^{i c g}
- [*Oxybelus cochise*](#) Pate, 1943^{i c g}
- [*Oxybelus cocopa*](#) Pate, 1943^{i c g}
- [*Oxybelus collaris*](#) Kohl, 1884^{i c g}
- [*Oxybelus coloratus*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus concinnus*](#) Stephens, 1829^{i c g}
- [*Oxybelus confusus*](#) Alayo Dalmau, 1968^{i c g}
- [*Oxybelus congophilus*](#) Benoit, 1951^{i c g}
- [*Oxybelus coniferus*](#) Arnold, 1951^{i c g}
- [*Oxybelus continuus*](#) Dahlbom, 1845^{i c g}
- [*Oxybelus cordatus*](#) Spinola, 1851^{i c g}
- [*Oxybelus cordiformis*](#) Gussakovskij, 1952^{i c g}
- [*Oxybelus cornutus*](#) C. Robertson, 1889^{i c g}
- [*Oxybelus crandalli*](#) R. Bohart and Schlinger, 1956^{i c g}
- [*Oxybelus cressonii*](#) C. Robertson, 1889^{i c g b}
- [*Oxybelus cristatus*](#) de Saussure, 1892^{i c g}
- [*Oxybelus curviscutis*](#) Arnold, 1927^{i c g}
- [*Oxybelus cyaneus*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus decoris*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus decorosus*](#) (Mickel, 1916)^{i c g}
- [*Oxybelus diphyllus*](#) (A. Costa, 1882)^{i c g}
- [*Oxybelus dissectus*](#) Dahlbom, 1845^{i c g}
- [*Oxybelus dissimilis*](#) Arnold, 1934^{i c g}
- [*Oxybelus dusmeti*](#) Mingo Pérez, 1966^{i c g}
- [*Oxybelus eburneoguttatus*](#) Arnold, 1952^{i c g}
- [*Oxybelus eburneus*](#) Radoszkowski, 1877^{i c g}
- [*Oxybelus elongatus*](#) Radoszkowski, 1877^{i c g}
- [*Oxybelus emarginatus*](#) Say, 1837^{i c g b}
- [*Oxybelus exclamans*](#) Viereck, 1906^{i c g}
- [*Oxybelus eximius*](#) Spinola, 1894^{i c g}

- [*Oxybelus fedtschenkoi*](#) Radoszkowski, 1877 ^{i c g}
- [*Oxybelus fischeri*](#) Spinola, 1839 ^{i c g}
- [*Oxybelus fissus*](#) Lepeletier de Saint Fargeau, 1845 ^{c g}
- [*Oxybelus flagellifoveolalis*](#) X. Li and Q. Li, 2010 ^{i g}
- [*Oxybelus flagellifoveolaris*](#) X. Li and Q. Li, 2010 ^{c g}
- [*Oxybelus flavicornis*](#) Arnold, 1927 ^{i c g}
- [*Oxybelus flavigaster*](#) Kazenas, 2002 ^{i c g}
- [*Oxybelus flavipes*](#) Cameron, 1890 ^{i c g}
- [*Oxybelus flaviventris*](#) Arnold, 1927 ^{i c g}
- [*Oxybelus fossor*](#) Rohwer and Cockerell, 1908 ^{i c g}
- [*Oxybelus fraternus*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus fraudulentus*](#) Arnold, 1940 ^{i c g}
- [*Oxybelus fritzi*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus frontis*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus fulvicaudis*](#) Cameron, 1908 ^{i c g}
- [*Oxybelus fulvopilosus*](#) Cameron, 1890 ^{i c}
- [*Oxybelus funereus*](#) Krombein, 1982 ^{i c g}
- [*Oxybelus furcifer*](#) R. Turner, 1917 ^{i c g}
- [*Oxybelus furculatus*](#) Manikandan, Dey and Farooqi, 1998 ^{i c g}
- [*Oxybelus fuscohirtus*](#) Gussakovskij, 1930 ^{i c g}
- [*Oxybelus fuscus*](#) Krombein, 2001 ^{i c g}
- [*Oxybelus genisei*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus glasunowi*](#) F. Morawitz, 1894 ^{i c g}
- [*Oxybelus gobiensis*](#) Tsuneki, 1972 ^{i c g}
- [*Oxybelus gracilissimus*](#) Kazenas, 1990 ^{i c g}
- [*Oxybelus guichardi*](#) de Beaumont, 1950 ^{i c g}
- [*Oxybelus haemorrhoidalis*](#) Olivier, 1812 ^{i c g}
- [*Oxybelus harraricus*](#) Arnold, 1927 ^{i c g}
- [*Oxybelus hastatus*](#) Fabricius, 1804 ^{i c g}
- [*Oxybelus hessei*](#) Arnold, 1929 ^{i c g}
- [*Oxybelus huae*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus hurdi*](#) R. Bohart and Schlinger, 1956 ^{i c g}
- [*Oxybelus imperialis*](#) Gerstaecker, 1867 ^{i c g}
- [*Oxybelus inornatus*](#) (C. Robertson, 1901) ^{i c g}
- [*Oxybelus insularis*](#) Kohl, 1884 ^{i c g}
- [*Oxybelus irwini*](#) R. Bohart, 1993 ^{i c g}

- [*Oxybelus iwatai*](#) Tsuneki, 1976^{i c g}
- [*Oxybelus jamaicae*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus kirgisicus*](#) Radoszkowski, 1893^{i c g}
- [*Oxybelus kizilkumii*](#) Radoszkowski, 1877^{i c g}
- [*Oxybelus koreanus*](#) Tsuneki, 1974^{i c g}
- [*Oxybelus krombeini*](#) R. Bohart and Schlinger, 1956^{i c g}
- [*Oxybelus laetus*](#) Say, 1837^{i c g}
- [*Oxybelus lamellatus*](#) Olivier, 1811^{i c g}
- [*Oxybelus lanceolatus*](#) Gerstaecker, 1867^{i c g}
- [*Oxybelus latidens*](#) Gerstaecker, 1867^g
- [*Oxybelus latifrons*](#) Kohl, 1892^{i c g}
- [*Oxybelus latilineatus*](#) Cameron, 1908^{i c g}
- [*Oxybelus latro*](#) Olivier, 1812^{i c g}
- [*Oxybelus lepturus*](#) Arnold, 1927^{i c g}
- [*Oxybelus lewisi*](#) Cameron, 1890^{i c g}
- [*Oxybelus limatus*](#) Arnold, 1927^{i c g}
- [*Oxybelus lineatus*](#) (Fabricius, 1787)^{i c g}
- [*Oxybelus linguifer*](#) R. Turner, 1917^{i c g}
- [*Oxybelus lingula*](#) Gerstaecker, 1867^{i c g}
- [*Oxybelus linsleyi*](#) R. Bohart and Schlinger, 1956^{i c g}
- [*Oxybelus lubricus*](#) de Beaumont, 1950^{i c g}
- [*Oxybelus macswaini*](#) R. Bohart and Schlinger, 1956^{i c g}
- [*Oxybelus maculipes*](#) F. Smith, 1856^{i c g}
- [*Oxybelus maidlii*](#) Kohl, 1924^{i c g}
- [*Oxybelus major*](#) Mickel, 1916^{i c g}
- [*Oxybelus malaysianus*](#) Tsuneki, 1974^{i c g}
- [*Oxybelus manaliensis*](#) Manikandan, Dey and Farooqi, 1999ⁱ
- [*Oxybelus mandibularis*](#) Dahlbom, 1845^{i c g}
- [*Oxybelus maracandicus*](#) Radoszkowski, 1877^{i c g}
- [*Oxybelus marginatus*](#) F. Smith, 1856^{i c g}
- [*Oxybelus marginellus*](#) Spinola, 1851^{i c g}
- [*Oxybelus marginicollis*](#) Gussakovskij, 1933^{i c g}
- [*Oxybelus matabele*](#) Arnold, 1927^{i c g}
- [*Oxybelus melanitus*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus mendozae*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus menoni*](#) Manikandan, Dey and Farooqi, 1998^{i c g}

- [*Oxybelus merwensis*](#) Radoszkowski, 1893^{i c g}
- [*Oxybelus metopias*](#) Kohl, 1894^{i c g}
- [*Oxybelus mexicanus*](#) C. Robertson, 1889^{i c g}
- [*Oxybelus mimeticus*](#) R. Bohart, 1992^{i c g}
- [*Oxybelus minutissimus*](#) F. Morawitz, 1892^{i c g}
- [*Oxybelus moczari*](#) Tsuneki, 1972^{i c g}
- [*Oxybelus morrisoni*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus mucronatus*](#) (Fabricius, 1793)^{i c g}
- [*Oxybelus nanus*](#) Bingham, 1897^{i c g}
- [*Oxybelus napoensis*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus nasutus*](#) Bischoff, 1913^{i c g}
- [*Oxybelus natalensis*](#) Arnold, 1927^{i c g}
- [*Oxybelus neuvillei*](#) Magretti, 1908^{i c g}
- [*Oxybelus niger*](#) C. Robertson, 1889^{i c g}
- [*Oxybelus nigrilamellatus*](#) X. Li and Q. Li, 2008^{i c g}
- [*Oxybelus nigritulus*](#) R. Turner, 1917^{i c g}
- [*Oxybelus nipponicus*](#) Tsuneki, 1966^{i c g}
- [*Oxybelus oasicola*](#) Tsuneki, 1972^{i c g}
- [*Oxybelus occitanicus*](#) Marquet, 1896^{i c g}
- [*Oxybelus osteni*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus packardii*](#) C. Robertson, 1889^{i c g}
- [*Oxybelus paenemarginatus*](#) (Viereck, 1906)^{i c g}
- [*Oxybelus pallens*](#) Kazenas, 1990^{i c g}
- [*Oxybelus pallidus*](#) Arnold, 1927^{i c g}
- [*Oxybelus palmetorum*](#) de Beaumont, 1950^{i c g}
- [*Oxybelus paraagilis*](#) Manikandan, Dey and Farooqi, 1999^{i c g}
- [*Oxybelus paracochise*](#) R. Bohart and Schlinger, 1956^{i c g}
- [*Oxybelus paraguayensis*](#) Brèthes, 1909^{i c g}
- [*Oxybelus paramenoni*](#) Manikandan, Dey and Farooqi, 1998^{i c g}
- [*Oxybelus paratrasiens*](#) Manikandan, Dey and Farooqi, 1999^{i c g}
- [*Oxybelus paratridentatus*](#) Manikandan, Dey and Farooqi, 1999^{i c g}
- [*Oxybelus parvus*](#) Cresson, 1865^{i c g}
- [*Oxybelus paucipunctatus*](#) Arnold, 1927^{i c g}
- [*Oxybelus pectoralis*](#) F. Morawitz, 1893^{i c g}
- [*Oxybelus penai*](#) R. Bohart, 1992^{i c g}
- [*Oxybelus peringueyi*](#) de Saussure, 1892^{i c g}

- [*Oxybelus perornatus*](#) Arnold, 1945^{i c g}
- [*Oxybelus peruensis*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus peruvicus*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus philippinensis*](#) Pate, 1938^{i c g}
- [*Oxybelus phyllophorus*](#) Kohl, 1898^{i c g}
- [*Oxybelus pictisensis*](#) Cameron, 1908^{i c g}
- [*Oxybelus pictus*](#) Arnold, 1927^{i c g}
- [*Oxybelus pilosus*](#) Arnold, 1927^{i c g}
- [*Oxybelus pitanta*](#) Pate, 1943^{i c g}
- [*Oxybelus platensis*](#) Brèthes, 1901^{i c g}
- [*Oxybelus plaumanni*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus polyacanthus*](#) A. Costa, 1882^{i c g}
- [*Oxybelus polyceros*](#) Pate, 1943^{i c g}
- [*Oxybelus propodealis*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus pulawskii*](#) Tsuneki, 1972^{i c g}
- [*Oxybelus pygidialis*](#) Gussakovskij, 1952^{i c g}
- [*Oxybelus pyrura*](#) (Rohwer, 1914)^{c g}
- [*Oxybelus pyrurus*](#) (Rohwer, 1914)ⁱ
- [*Oxybelus quatuordecimnotatus*](#) Jurine, 1807^{i c g}
- [*Oxybelus rancocas*](#) Pate, 1943^{i c g}
- [*Oxybelus rejectus*](#) C. Baker, 1896^{i c g}
- [*Oxybelus rhodopyga*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus robertsonii*](#) C. Baker, 1896^{i c g}
- [*Oxybelus robustus*](#) Cameron, 1890^{i c g}
- [*Oxybelus romingeri*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus roraimae*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus rubrocaudatus*](#) Arnold, 1927^{i c g}
- [*Oxybelus ruficaudis*](#) Cameron, 1905^{i c g}
- [*Oxybelus ruficornis*](#) F. Smith, 1856^{i c}
- [*Oxybelus rufopictus*](#) F. Morawitz, 1892^{i c g}
- [*Oxybelus sarafschani*](#) Radoszkowski, 1877^{i c g}
- [*Oxybelus schlingeri*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus schusteri*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus scutellatus*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus sericeus*](#) C. Robertson, 1889^{i c g}
- [*Oxybelus similis*](#) Cresson, 1865^{i c g}

- [*Oxybelus slanskyae*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus solitarius*](#) Arnold, 1927 ^{i c g}
- [*Oxybelus sparideus*](#) Cockerell, 1895 ^{i c g}
- [*Oxybelus spectabilis*](#) Gerstaecker, 1867 ^{i c g}
- [*Oxybelus spinulosus*](#) Gussakovskij, 1935 ^{i c g}
- [*Oxybelus stangei*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus stevensoni*](#) Arnold, 1927 ^{i c g}
- [*Oxybelus strandi*](#) Yasumatsu, 1935 ^{i c g}
- [*Oxybelus subcornutus*](#) Cockerell, 1895 ^{i c g}
- [*Oxybelus subcristatus*](#) de Saussure, 1892 ^{i c g}
- [*Oxybelus subspinosus*](#) Klug in Walzl, 1835 ^{i c g}
- [*Oxybelus subtilis*](#) Gussakovskij, 1935 ^{i c g}
- [*Oxybelus subulatus*](#) C. Robertson, 1889 ^{i c g}
- [*Oxybelus suluensis*](#) Pate, 1938 ^{i c g}
- [*Oxybelus taenigaster*](#) (Viereck, 1906) ^{i c g}
- [*Oxybelus taprobanensis*](#) Pate, 1930 ^{i c g}
- [*Oxybelus tarapacae*](#) R. Bohart, 1992 ^{i c g}
- [*Oxybelus tartagalae*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus taschenbergi*](#) Kohl, 1884 ^{i c g}
- [*Oxybelus tengu*](#) Tsuneki, 1972 ^{i c g}
- [*Oxybelus thailanditus*](#) Tsuneki, 1974 ^{i c g}
- [*Oxybelus timberlakei*](#) R. Bohart and Schlinger, 1956 ^{i c g}
- [*Oxybelus tinklyi*](#) Guichard, 1990 ^{i c g}
- [*Oxybelus toroi*](#) R. Bohart, 1992 ^{i c g}
- [*Oxybelus transcaspicus*](#) Radoszkowski, 1888 ^{i c g}
- [*Oxybelus transiens*](#) R. Turner, 1917 ^{i c g}
- [*Oxybelus tricolor*](#) Gussakovskij, 1952 ^{i c g}
- [*Oxybelus tridentatus*](#) F. Smith, 1856 ^{i c g}
- [*Oxybelus trispinosus*](#) (Fabricius, 1787) ^{i c g}
- [*Oxybelus tshardarensis*](#) Kazenas, 1994 ^{i c g}
- [*Oxybelus uniglumis*](#) (Linnaeus, 1758) ^{i c g b}
- [*Oxybelus uralensis*](#) Tsuneki, 1976 ^{i c g}
- [*Oxybelus uturoae*](#) Cheesman, 1928 ^{i c g}
- [*Oxybelus vardy*](#) R. Bohart, 1993 ^{i c g}
- [*Oxybelus varians*](#) F. Morawitz, 1891 ^{i c g}
- [*Oxybelus variegatus*](#) Wesmael, 1852 ^{i c g}

- [*Oxybelus ventralis*](#) W. Fox, 1894^{i c g}
- [*Oxybelus verhoeffi*](#) de Beaumont, 1950^{i c g}
- [*Oxybelus wasbaueri*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus willinki*](#) R. Bohart, 1993^{i c g}
- [*Oxybelus willowmorensis*](#) Arnold, 1927^{i c g}
- [*Oxybelus woosnami*](#) Arnold, 1927^{i c g}
- [*Oxybelus xanthogaster*](#) Pate, 1938^{i c g}
- [*Oxybelus xerophilus*](#) R. Bohart and Schlinger, 1956^{i c g}
- [*Oxybelus zavattarii*](#) Guiglia, 1943^{i c g}
- [*Oxybelus zohnsteini*](#) Kazenas, 2004^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Oxybelus Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-03-26.
 - ["Browse Oxybelus"](#). *Catalogue of Life*. Retrieved 2018-03-26.
 - ["Oxybelus"](#). *GBIF*. Retrieved 2018-03-26.
 -
4. ["Oxybelus Genus Information"](#). *BugGuide.net*. Retrieved 2018-03-26.

Categories:

- [Crabronidae](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 106 species in [*Osbornellus*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3]}

***Osbornellus* species**

- [*Osbornellus aculeus*](#) DeLong & Martinson 1976^{c g}
- [*Osbornellus acuminatus*](#) DeLong 1942^{c g}
- [*Osbornellus affinis*](#) Osborn 1923^{c g}
- [*Osbornellus alatus*](#) Beamer, 1937^{c g b}

- [Osbornellus alaudus](#) DeLong 1942 ^{c g}
- [Osbornellus albocinctus](#) DeLong 1941 ^{c g}
- [Osbornellus albolineus](#) DeLong 1941 ^{c g}
- [Osbornellus alveus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus amplus](#) DeLong 1982 ^{c g}
- [Osbornellus angustatus](#) DeLong 1976 ^{c g}
- [Osbornellus anonae](#) Linnavuori 1959 ^{c g}
- [Osbornellus antlerus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus appressus](#) DeLong 1942 ^{c g}
- [Osbornellus arabicus](#) Dlabola 1987 ^{c g}
- [Osbornellus arboropictus](#) Dlabola 1984 ^{c g}
- [Osbornellus arcus](#) Freytag 2008 ^{c g}
- [Osbornellus asperus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus ater](#) Beamer 1937 ^{c g}
- [Osbornellus auronitens](#) (Provancher, 1889) ^{c g b}
- [Osbornellus bellus](#) Freytag 2008 ^{c g}
- [Osbornellus bergi](#) Metcalf 1955 ^{c g}
- [Osbornellus bifasciatus](#) Beamer 1937 ^{c g}
- [Osbornellus bimarginatus](#) DeLong 1923 ^{c g}
- [Osbornellus blantoni](#) Linnavuori 1959 ^{c g}
- [Osbornellus borealis](#) DeLong & Mohr, 1936 ^{c g b}
- [Osbornellus brevitubus](#) Freytag 2008 ^{c g}
- [Osbornellus candaceae](#) Zanol 2005 ^{c g}
- [Osbornellus capitatus](#) DeLong & Knull 1941 ^{c g}
- [Osbornellus cibus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus circulus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus clarus](#) Beamer, 1937 ^{c g b}
- [Osbornellus coloritubus](#) Freytag 2008 ^{c g}
- [Osbornellus compressus](#) Linnavuori 1959 ^{c g}
- [Osbornellus concentricus](#) DeLong 1942 ^{c g}
- [Osbornellus consors](#) (Uhler, 1889) ^{c g b}
- [Osbornellus corniger](#) Beamer 1937 ^{c g}
- [Osbornellus curvatus](#) Beamer 1937 ^{c g}
- [Osbornellus dabeki](#) Ghauri 1980 ^{c g}
- [Osbornellus decorus](#) Beamer 1937 ^{c g}
- [Osbornellus deviaticus](#) Dlabola, 1974 ^g

- [Osbornellus dicellus](#) Freytag 2008 ^{c g}
- [Osbornellus dicerus](#) DeLong 1976 ^{c g}
- [Osbornellus digitus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus dipilus](#) Freytag 2008 ^{c g}
- [Osbornellus eccritus](#) Freytag 2008 ^{c g}
- [Osbornellus ecuadoricus](#) Linnavuori 1959 ^{c g}
- [Osbornellus eratus](#) Freytag 2008 ^{c g}
- [Osbornellus excavatus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus fasciatus](#) Metcalf 1954 ^{c g}
- [Osbornellus filamenta](#) DeLong & Beery 1937 ^{c g}
- [Osbornellus fulvomaculatus](#) Osborn 1923 ^{c g}
- [Osbornellus fumidus](#) Beamer 1937 ^{c g}
- [Osbornellus furcillatus](#) DeLong 1941 ^{c g}
- [Osbornellus grandis](#) DeLong 1942 ^{c g}
- [Osbornellus hamatus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus hispanus](#) Freytag 2008 ^{c g}
- [Osbornellus horvathi](#) Matsumura 1908 ^{c g}
- [Osbornellus hyalinus](#) Osborn 1923 ^{c g}
- [Osbornellus ignavus](#) Ball 1936 ^{c g}
- [Osbornellus infuscatus](#) Linnavuori 1955 ^{c g}
- [Osbornellus knulli](#) DeLong & Beery 1937 ^{c g}
- [Osbornellus lacunis](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus lamellaris](#) Linnavuori 1959 ^{c g}
- [Osbornellus libratus](#) DeLong 1941 ^{c g}
- [Osbornellus limosus](#) DeLong, 1941 ^{c g b}
- [Osbornellus lineatus](#) Beamer 1937 ^{c g}
- [Osbornellus lunus](#) DeLong 1976 ^{c g}
- [Osbornellus macchiaie](#) Lindberg 1948 ^{c g}
- [Osbornellus mexicanus](#) Osborn 1900 ^{c g}
- [Osbornellus nigrocinctus](#) DeLong 1942 ^{c g}
- [Osbornellus omani](#) Beamer 1937 ^{c g}
- [Osbornellus pallidus](#) Beamer 1937 ^{c g}
- [Osbornellus pandus](#) DeLong 1941 ^{c g}
- [Osbornellus parallelus](#) DeLong & Knull 1941 ^{c g}
- [Osbornellus parvus](#) Freytag 2008 ^{c g}
- [Osbornellus proximus](#) Freytag 2008 ^{c g}

- [Osbornellus puniceus](#) DeLong 1941 ^{c g}
- [Osbornellus rarus](#) DeLong 1941 ^{c g}
- [Osbornellus remotus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus respublicanus](#) Berg 1879 ^{c g}
- [Osbornellus reversus](#) DeLong 1942 ^{c g}
- [Osbornellus ritanus](#) Ball 1932 ^{c g}
- [Osbornellus rostratus](#) DeLong 1982 ^{c g}
- [Osbornellus rotundus](#) Beamer, 1937 ^{c g b}
- [Osbornellus rubellus](#) DeLong 1941 ^{c g}
- [Osbornellus rurrens](#) DeLong 1941 ^{c g}
- [Osbornellus sagarus](#) Freytag 2008 ^{c g}
- [Osbornellus salsus](#) DeLong 1942 ^{c g}
- [Osbornellus sanderanus](#) Dlabola 1987 ^{c g}
- [Osbornellus scalaris](#) (Van Duzee, 1890) ^{c g b}
- [Osbornellus separatus](#) DeLong 1942 ^{c g}
- [Osbornellus spicatus](#) Beamer 1937 ^{c g}
- [Osbornellus spinellus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus spiniloba](#) Linnavuori & Heller 1961 ^{c g}
- [Osbornellus spinosus](#) DeLong 1942 ^{c g}
- [Osbornellus tenuis](#) Beamer 1937 ^{c g}
- [Osbornellus tetrus](#) Freytag 2008 ^{c g}
- [Osbornellus torresicus](#) Dlabola 1967 ^{c g}
- [Osbornellus trifrustus](#) DeLong & Martinson 1976 ^{c g}
- [Osbornellus trimaculatus](#) DeLong 1942 ^{c g}
- [Osbornellus tripartitus](#) DeLong 1941 ^{c g}
- [Osbornellus tubus](#) Freytag 2008 ^{c g}
- [Osbornellus tumidus](#) DeLong 1942 ^{c g}
- [Osbornellus unicolor](#) Osborn, 1900 ^{c g b}
- [Osbornellus venustus](#) Freytag 2008 ^{c g}
- [Osbornellus vicinus](#) Linnavuori & Heller 1961 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 381 species in [Orthotylus](#), a genus of plant bugs in the family [Miridae](#).^{[1][2][3][4]}

Orthotylus species

- [Orthotylus acacicola](#) Lindberg, 1958 ^{c g}
- [Orthotylus aceris](#) Lindberg, 1940 ^{c g}
- [Orthotylus achilleae](#) Putshkov and Putshkov, 1979 ^{c g}
- [Orthotylus adenocarp](#) (Perris, 1857) ^{c g}
- [Orthotylus aesculicola](#) Blinn, 1987 ^{c g}
- [Orthotylus affinis](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus aineias](#) Linnavuori, 1994 ^{c g}
- [Orthotylus akastos](#) Linnavuori, 1994 ^{c g}
- [Orthotylus akheloos](#) Linnavuori, 1994 ^{c g}
- [Orthotylus alaiensis](#) Reuter, 1883 ^{c g}
- [Orthotylus albocostatus](#) Van Duzee, 1918 ^{c g b}
- [Orthotylus albovittatus](#) Reuter, 1901 ^{c g}
- [Orthotylus alni](#) Knight, 1923 ^{i c g}
- [Orthotylus althaia](#) Linnavuori, 1994 ^{c g}
- [Orthotylus angeloi](#) Carvalho, 1986 ^{c g}
- [Orthotylus angulatus](#) (Uhler, 1895) ^{i c g}
- [Orthotylus anjuanensis](#) Carvalho, 1985 ^{c g}
- [Orthotylus antidesmae](#) Polhemus, 2005 ^{c g}
- [Orthotylus antidesmoides](#) Polhemus, 2011 ^{c g}
- [Orthotylus apodiensis](#) Carvalho and Costa, 1990 ^{c g}
- [Orthotylus arabicus](#) Wagner, 1962 ^{c g}
- [Orthotylus aragarssanus](#) Carvalho and Costa, 1990 ^{c g}
- [Orthotylus argentinus](#) (Carvalho, 1985) ^{c g}
- [Orthotylus armoricanus](#) Ehanho and Matocq, 1990 ^{c g}
- [Orthotylus arthropityi](#) Wagner, 1969 ^{c g}
- [Orthotylus asper](#) Linnavuori, 1975 ^{c g}
- [Orthotylus atriplicis](#) (Knight, 1968) ^{c g}
- [Orthotylus attali](#) Morkel and Wyniger, 2009 ^{c g}
- [Orthotylus aureopubescens](#) (Carvalho and Schaffner, 1973) ^{c g}
- [Orthotylus azalais](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus bahianus](#) Carvalho, 1976 ^{c g}
- [Orthotylus basicornis](#) Knight, 1923 ^{i c g}
- [Orthotylus beieri](#) Wagner, 1942 ^{c g}
- [Orthotylus bilineatus](#) (Fallén, 1807) ^{c g}
- [Orthotylus blascoi](#) Ribes, 1991 ^{c g}

- [Orthotylus bobo](#) Linnavuori, 1994 ^{c g}
- [Orthotylus bonaerensis](#) (Carvalho and Carpintero, 1986) ^{c g}
- [Orthotylus boreellus](#) (Zetterstedt, 1828) ^{c g}
- [Orthotylus boydi](#) (Schwartz and Wall, 2001) ^{c g}
- [Orthotylus brasiliensis](#) (Carvalho and Schaffner, 1973) ^{c g}
- [Orthotylus brevirostris](#) (Knight, 1968) ^{c g}
- [Orthotylus brindleyi](#) (Knight, 1968) ^{c g}
- [Orthotylus brunneus](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus bureschi](#) Josifov, 1969 ^{c g}
- [Orthotylus calderensis](#) (Carvalho and Carpintero, 1991) ^{c g}
- [Orthotylus calichi](#) Tamanini, 1980 ^{c g}
- [Orthotylus callitris](#) Lindberg, 1940 ^{c g}
- [Orthotylus candidatus](#) Van Duzee, 1916 ^{i c g b}
- [Orthotylus caprai](#) Wagner, 1955 ^{c g}
- [Orthotylus carinatus](#) Wagner, 1968 ^{c g}
- [Orthotylus carioca](#) Carvalho, 1990 ^{c g}
- [Orthotylus castaneus](#) Carvalho and Costa, 1990 ^{c g}
- [Orthotylus catarinensis](#) Carvalho, 1985 ^{c g}
- [Orthotylus catulus](#) Van Duzee, 1916 ^{c g}
- [Orthotylus caviceps](#) Wagner, 1971 ^{c g}
- [Orthotylus celtidis](#) Henry, 1979 ^{i c g}
- [Orthotylus ceratoides](#) Muminov, 1990 ^{c g}
- [Orthotylus chapadensis](#) Carvalho, 1985 ^{c g}
- [Orthotylus chilensis](#) Carvalho and Fontes, 1973 ^{c g}
- [Orthotylus choii](#) Josifov, 1976 ^{c g}
- [Orthotylus chullan](#) Forero, 2009 ^{c g}
- [Orthotylus clarensis](#) Carvalho and Costa, 1990 ^{c g}
- [Orthotylus clermontiae](#) Polhemus, 2002 ^{c g}
- [Orthotylus clermonticola](#) Polhemus, 2005 ^{c g}
- [Orthotylus clermontiella](#) Polhemus, 2005 ^{c g}
- [Orthotylus clermontioides](#) Polhemus, 2005 ^{c g}
- [Orthotylus clermontiopsis](#) Polhemus, 2011 ^{c g}
- [Orthotylus coagulatus](#) (Uhler, 1877) ^{c g b}
- [Orthotylus compactus](#) Linnavuori, 1975 ^{c g}
- [Orthotylus concolor](#) (Kirschbaum, 1856) ^{c g}
- [Orthotylus contrarius](#) Wagner, 1953 ^{c g}

- [Orthotylus contrastus](#) Van Duzee, 1925 ^{i c g}
- [Orthotylus coprosmae](#) Polhemus, 2002 ^{c g}
- [Orthotylus coprosmaphagus](#) Polhemus, 2011 ^{c g}
- [Orthotylus coprosmaphila](#) Polhemus, 2005 ^{c g}
- [Orthotylus coprosmicola](#) Polhemus, 2005 ^{c g}
- [Orthotylus coprosmivorus](#) Polhemus, 2011 ^{c g}
- [Orthotylus coprosmoides](#) Polhemus, 2002 ^{c g}
- [Orthotylus coprosmopsis](#) Polhemus, 2005 ^{c g}
- [Orthotylus cornichus](#) Wagner, 1969 ^{c g}
- [Orthotylus cornupunctus](#) Ghauri, 1972 ^{c g}
- [Orthotylus costai](#) Kerzhner and Schuh, 1995 ^{c g}
- [Orthotylus creticus](#) Wagner, 1977 ^{c g}
- [Orthotylus cruciatus](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus cuneatus](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus cupressi](#) Reuter, 1883 ^{c g}
- [Orthotylus curvipennis](#) Reuter, 1875 ^{c g}
- [Orthotylus custeri](#) (Knight, 1968) ^{c g}
- [Orthotylus cyanescens](#) Carvalho and Ferreira, 1986 ^{c g}
- [Orthotylus daphne](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus diamantinus](#) Carvalho, 1984 ^{c g}
- [Orthotylus digitus](#) Carapezza, 1997 ^{c g}
- [Orthotylus dimorphus](#) Wagner, 1958 ^{c g}
- [Orthotylus diospyri](#) Polhemus, 2002 ^{c g}
- [Orthotylus diospyricola](#) Polhemus, 2005 ^{c g}
- [Orthotylus diospyroides](#) Polhemus, 2005 ^{c g}
- [Orthotylus diospyropsis](#) Polhemus, 2005 ^{c g}
- [Orthotylus diospyvivorus](#) Polhemus, 2011 ^{c g}
- [Orthotylus divisus](#) Linnavuori, 1961 ^{c g}
- [Orthotylus dodgei](#) Van Duzee, 1921 ^{i c g}
- [Orthotylus dorsalis](#) (Provancher, 1872) ^{i c g b}
- [Orthotylus dubautiae](#) Polhemus, 2011 ^{c g}
- [Orthotylus dubauticola](#) Polhemus, 2011 ^{c g}
- [Orthotylus dumosus](#) Seidenstucker, 1971 ^{c g}
- [Orthotylus elaeocarpi](#) Polhemus, 2011 ^{c g}
- [Orthotylus eleagni](#) Jakovlev, 1881 ^{c g}
- [Orthotylus elongatus](#) Wagner, 1965 ^{c g}

- [Orthotylus empetri](#) Wagner, 1977 ^{c g}
- [Orthotylus ericetorum](#) (Fallén, 1807) ^{c g}
- [Orthotylus ericinellae](#) Poppius, 1910 ^{c g}
- [Orthotylus erinaceae](#) Wagner, 1977 ^{c g}
- [Orthotylus esavianus](#) Carvalho and Ferreira, 1986 ^{c g}
- [Orthotylus euchloris](#) Reuter, 1908 ^{c g}
- [Orthotylus eurotiae](#) (Knight, 1968) ^{c g}
- [Orthotylus farcha](#) Linnavuori, 1994 ^{c g}
- [Orthotylus fieberi](#) Frey-Gessner, 1864 ^{c g}
- [Orthotylus flaviceps](#) Wagner, 1974 ^{c g}
- [Orthotylus flavinervis](#) (Kirschbaum, 1856) ^{c g}
- [Orthotylus flavosparsus](#) (Sahlberg, 1842) ^{i c g b}
- [Orthotylus flemingi](#) Schwartz and Scudder, 2003 ^{i c g}
- [Orthotylus formosus](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus fraternus](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus fuscescens](#) (Kirschbaum, 1856) ^{c g}
- [Orthotylus fuscicornis](#) Knight, 1927 ^{i c g}
- [Orthotylus fuscipennis](#) Yasunaga, 1999 ^{c g}
- [Orthotylus gemmae](#) Gesse and Goula, 2003 ^{c g}
- [Orthotylus genisticola](#) Carapezza, 1997 ^{c g}
- [Orthotylus globiceps](#) Wagner, 1976 ^{c g}
- [Orthotylus gotohi](#) Yasunaga, 1993 ^{c g}
- [Orthotylus gracilis](#) Reuter, 1900 ^{c g}
- [Orthotylus guaranianus](#) Carvalho and Fontes, 1973 ^{c g}
- [Orthotylus halaibicus](#) Linnavuori, 1975 ^{c g}
- [Orthotylus halophilus](#) Lindberg, 1953 ^{c g}
- [Orthotylus hamatus](#) Van Duzee, 1918 ^{i c g}
- [Orthotylus harryi](#) Kerzhner and Schuh, 1995 ^{c g}
- [Orthotylus hazeltoni](#) Kerzhner and Schuh, 1995 ^{c g}
- [Orthotylus hedyoti](#) Polhemus, 2002 ^{c g}
- [Orthotylus hedyoticola](#) Polhemus, 2002 ^{c g}
- [Orthotylus hedyotiella](#) Polhemus, 2005 ^{c g}
- [Orthotylus hedyotioides](#) Polhemus, 2005 ^{c g}
- [Orthotylus hedyotiopsis](#) Polhemus, 2002 ^{c g}
- [Orthotylus hedyotiphila](#) Polhemus, 2005 ^{c g}
- [Orthotylus hedyotivorus](#) Polhemus, 2005 ^{c g}

- [Orthotylus hibisci](#) Polhemus, 2002 ^{c g}
- [Orthotylus hirtulus](#) Wagner, 1951 ^{c g}
- [Orthotylus hodiernus](#) Linnavuori, 1961 ^{c g}
- [Orthotylus ife](#) Linnavuori, 1994 ^{c g}
- [Orthotylus ilicis](#) Polhemus, 2002 ^{c g}
- [Orthotylus indigoferae](#) Linnavuori, 1975 ^{c g}
- [Orthotylus interpositus](#) K. Schmidt, 1938 ^{c g}
- [Orthotylus intricatus](#) Wagner, 1975 ^{c g}
- [Orthotylus iolani](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus japonicus](#) Yasunaga, 1999 ^{c g}
- [Orthotylus joacemensis](#) (Carvalho and Costa, 1992) ^{c g}
- [Orthotylus jordii](#) Pagola-Carte and Zabalegui, 2006 ^{c g}
- [Orthotylus josei](#) Kerzhner and Schuh, 1995 ^{c g}
- [Orthotylus josifovi](#) Wagner, 1959 ^{c g}
- [Orthotylus juglandis](#) Henry, 1979 ^{i c g}
- [Orthotylus junipericola](#) Linnavuori, 1965 ^{c g}
- [Orthotylus kakan](#) Forero, 2009 ^{c g}
- [Orthotylus kanakanus](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus kara](#) Polhemus, 2005 ^{c g}
- [Orthotylus kassandra](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus kassandroides](#) Polhemus, 2005 ^{c g}
- [Orthotylus kassandropsis](#) Polhemus, 2005 ^{c g}
- [Orthotylus katmai](#) (Knight, 1921) ^{i c g}
- [Orthotylus kekele](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus kenamuke](#) Linnavuori, 1975 ^{c g}
- [Orthotylus kikin](#) Forero, 2009 ^{c g}
- [Orthotylus knighti](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus kogurjonicus](#) Josifov, 1992 ^{c g}
- [Orthotylus kopiko](#) Polhemus, 2005 ^{c g}
- [Orthotylus kopikocola](#) Polhemus, 2011 ^{c g}
- [Orthotylus kopikoides](#) Polhemus, 2011 ^{c g}
- [Orthotylus kopikopsis](#) Polhemus, 2011 ^{c g}
- [Orthotylus kopikovorus](#) Polhemus, 2011 ^{c g}
- [Orthotylus korbanus](#) Wagner, 1977 ^{c g}
- [Orthotylus kurilensis](#) Kerzhner, 1997 ^{c g}
- [Orthotylus kymgangsanicus](#) Josifov, 1987 ^{c g}

- [*Orthotylus languidus*](#) Van Duzee, 1916 ^{i c g}
- [*Orthotylus lateralis*](#) Van Duzee, 1916 ^{i c g}
- [*Orthotylus leokhares*](#) Linnavuori, 1990 ^{c g}
- [*Orthotylus leonardi*](#) Kerzhner and Schuh, 1995 ^{c g}
- [*Orthotylus lesbicus*](#) Wagner, 1975 ^{c g}
- [*Orthotylus lethierryi*](#) Reuter, 1875 ^{c g}
- [*Orthotylus leviculus*](#) (Knight, 1927) ^{c g}
- [*Orthotylus mafraq*](#) Linnavuori and Al-Safadi, 1993 ^{c g}
- [*Orthotylus major*](#) (Wagner, 1969) ^{c g}
- [*Orthotylus manauensis*](#) Carvalho, 1983 ^{c g}
- [*Orthotylus manoniella*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus manono*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus manonocola*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus manonoides*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus manonophagus*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus manonophila*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus manonovorus*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus marginalis*](#) Reuter, 1883 ^{c g}
- [*Orthotylus marginatus*](#) (Uhler, 1895) ^{i c}
- [*Orthotylus mariagratiae*](#) Carapezza, 1984 ^{c g}
- [*Orthotylus martini*](#) Puton, 1887 ^{c g}
- [*Orthotylus massawanus*](#) Linnavuori, 1975 ^{c g}
- [*Orthotylus masutti*](#) Linnavuori, 1977 ^{c g}
- [*Orthotylus matocqi*](#) Carapezza, 1997 ^{c g}
- [*Orthotylus matogrossensis*](#) Carvalho, 1985 ^{c g}
- [*Orthotylus maurus*](#) Wagner, 1969 ^{c g}
- [*Orthotylus mayrii*](#) V. Signoret, 1880 ^{c g}
- [*Orthotylus melanotylus*](#) Kerzhner, 1962 ^{c g}
- [*Orthotylus melicopi*](#) Polhemus, 2005 ^{c g}
- [*Orthotylus melicopoides*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus membraneus*](#) Lindberg, 1940 ^{c g}
- [*Orthotylus membranosus*](#) (Carvalho and Costa, 1992) ^{c g}
- [*Orthotylus mentor*](#) Linnavuori, 1994 ^{c g}
- [*Orthotylus metrosideri*](#) Polhemus, 2005 ^{c g}
- [*Orthotylus metrosideropsis*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus mimus*](#) (Knight, 1927) ^{c g}

- [Orthotylus minensis](#) (Carvalho, 1985) ^{c g}
- [Orthotylus minuendus](#) Knight, 1925 ^{i c g}
- [Orthotylus minutus](#) Jakovlev, 1877 ^{c g}
- [Orthotylus missionensis](#) Carvalho, 1985 ^{c g}
- [Orthotylus mistus](#) Knight, 1925 ^{c g}
- [Orthotylus modestus](#) Van Duzee, 1916 ^{i c g b}
- [Orthotylus molliculus](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus mollis](#) Linnavuori, 1975 ^{c g}
- [Orthotylus moncreaffi](#) (Douglas and Scott, 1874) ^{c g}
- [Orthotylus monticalus](#) Linnavuori, 1975 ^{c g}
- [Orthotylus mourei](#) Carvalho, 1985 ^{c g}
- [Orthotylus mundricus](#) Linnavuori, 1994 ^{c g}
- [Orthotylus nassatus](#) (Fabricius, 1787) ^{i c g}
- [Orthotylus necopinus](#) Van Duzee, 1916 ^{i c g b}
- [Orthotylus neglectus](#) Knight, 1923 ^{i c g}
- [Orthotylus neocoprosmæ](#) Polhemus, 2002 ^{c g}
- [Orthotylus neoilicis](#) Polhemus, 2002 ^{c g}
- [Orthotylus neopsychotriæ](#) Polhemus, 2005 ^{c g}
- [Orthotylus neopsychotricus](#) Polhemus, 2011 ^{c g}
- [Orthotylus neopsychotrioides](#) Polhemus, 2005 ^{c g}
- [Orthotylus neopsychotriopsis](#) Polhemus, 2011 ^{c g}
- [Orthotylus nestegiae](#) Polhemus, 2005 ^{c g}
- [Orthotylus nigricollis](#) Wagner, 1962 ^{c g}
- [Orthotylus nigroluteus](#) Carvalho and Ferreira, 1986 ^{c g}
- [Orthotylus nocturnus](#) Linnavuori, 1974 ^{c g}
- [Orthotylus notabilis](#) Knight, 1927 ^{i c g}
- [Orthotylus nubaensis](#) Linnavuori, 1975 ^{c g}
- [Orthotylus nyctalis](#) Knight, 1927 ^{i c g}
- [Orthotylus nymphias](#) Linnavuori, 1974 ^{c g}
- [Orthotylus obscurus](#) Reuter, 1875 ^{c g}
- [Orthotylus ochrotrichus](#) Fieber, 1864 ^{i c g}
- [Orthotylus ohia](#) Polhemus, 2011 ^{c g}
- [Orthotylus olapa](#) Polhemus, 2011 ^{c g}
- [Orthotylus orientalis](#) Poppius, 1915 ^{c g}
- [Orthotylus ornatus](#) Van Duzee, 1916 ^{i c g b}
- [Orthotylus oschanini](#) Reuter, 1883 ^{c g}

- [Orthotylus pacificus](#) Van Duzee, 1919 ^{i c g}
- [Orthotylus pallens](#) (Matsumura, 1911) ^{c g}
- [Orthotylus pallidulus](#) Reuter, 1904 ^{c g}
- [Orthotylus palustris](#) Reuter, 1888 ^{c g}
- [Orthotylus paraguayensis](#) Carvalho and Costa, 1991 ^{c g}
- [Orthotylus parvistylus](#) Wagner, 1971 ^{c g}
- [Orthotylus parvulus](#) Reuter, 1879 ^{c g}
- [Orthotylus paulinoi](#) Reuter, 1885 ^{c g}
- [Orthotylus pelagicus](#) (Kirkaldy, 1909) ^{c g}
- [Orthotylus pennsylvanicus](#) Henry, 1979 ^{i c g}
- [Orthotylus perkinsi](#) Kirkaldy, 1902 ^{i c g}
- [Orthotylus perrottetiae](#) Polhemus, 2005 ^{c g}
- [Orthotylus perrotteticola](#) Polhemus, 2011 ^{c g}
- [Orthotylus perrottetiopsis](#) Polhemus, 2005 ^{c g}
- [Orthotylus pilo](#) Polhemus, 2005 ^{c g}
- [Orthotylus pipturi](#) Polhemus, 2002 ^{c g}
- [Orthotylus pipturicola](#) Polhemus, 2011 ^{c g}
- [Orthotylus pipturiphila](#) Polhemus, 2011 ^{c g}
- [Orthotylus pipturoides](#) Polhemus, 2002 ^{c g}
- [Orthotylus pisoniacola](#) Polhemus, 2011 ^{c g}
- [Orthotylus pisoniae](#) Polhemus, 2002 ^{c g}
- [Orthotylus pisonioides](#) Polhemus, 2002 ^{c g}
- [Orthotylus pisoniopsis](#) Polhemus, 2005 ^{c g}
- [Orthotylus platensis](#) Carvalho and Fontes, 1973 ^{c g}
- [Orthotylus plucheae](#) Van Duzee, 1925 ^{i c g}
- [Orthotylus polemon](#) Linnavuori, 1975 ^{c g}
- [Orthotylus populi](#) Drapolyuk, 1991 ^{c g}
- [Orthotylus prasinus](#) (Fallén, 1826) ^{c g}
- [Orthotylus priesneri](#) K. Schmidt, 1939 ^{c g}
- [Orthotylus problematicus](#) Linnavuori, 1953 ^{c g}
- [Orthotylus prunicola](#) Linnavuori, 1984 ^{c g}
- [Orthotylus psalloides](#) Wagner, 1959 ^{c g}
- [Orthotylus pseudotantali](#) Polhemus, 2002 ^{c g}
- [Orthotylus psychotriae](#) Polhemus, 2002 ^{c g}
- [Orthotylus psychotricola](#) Polhemus, 2002 ^{c g}
- [Orthotylus psychotrioides](#) Polhemus, 2002 ^{c g}

- [*Orthotylus pullatus*](#) Van Duzee, 1916 ^{i c g}
- [*Orthotylus pusillus*](#) Reuter, 1883 ^{c g}
- [*Orthotylus putshkovi*](#) Josifov, 1974 ^{c g}
- [*Orthotylus quercicola*](#) Reuter, 1885 ^{c g}
- [*Orthotylus ramus*](#) Knight, 1927 ^{i c g}
- [*Orthotylus repandus*](#) Linnavuori, 1975 ^{c g}
- [*Orthotylus ribesi*](#) Wagner, 1976 ^{c g}
- [*Orthotylus ricardoi*](#) Carvalho, 1988 ^{c g}
- [*Orthotylus riegeri*](#) Heckman, 2000 ^{c g}
- [*Orthotylus riodocensis*](#) Carvalho, 1986 ^{c g}
- [*Orthotylus riparius*](#) Kulik, 1973 ^{c g}
- [*Orthotylus robineaui*](#) Schwartz and Scudder, 2003 ^{c g}
- [*Orthotylus robiniae*](#) Johnston, 1935 ^{i c g}
- [*Orthotylus roppai*](#) Carvalho, 1985 ^{c g}
- [*Orthotylus roseipennis*](#) Reuter, 1905 ^{c g}
- [*Orthotylus rossi*](#) Knight, 1941 ^{i c g}
- [*Orthotylus rubidus*](#) (Puton, 1874) ^{c g}
- [*Orthotylus rubrocuneatus*](#) Linnavuori, 1975 ^{c g}
- [*Orthotylus salicis*](#) Jakovlev, 1893 ^{c g}
- [*Orthotylus salicorniae*](#) Lindberg, 1953 ^{c g}
- [*Orthotylus salsolae*](#) Reuter, 1875 ^{c g}
- [*Orthotylus saltensis*](#) (Carvalho, 1985) ^{c g}
- [*Orthotylus schoberiae*](#) Reuter, 1876 ^{c g}
- [*Orthotylus seabrai*](#) Carvalho, 1985 ^{c g}
- [*Orthotylus selene*](#) Linnavuori, 1994 ^{c g}
- [*Orthotylus senectus*](#) Van Duzee, 1916 ^{c g}
- [*Orthotylus serus*](#) Van Duzee, 1921 ^{i c g}
- [*Orthotylus sicilianus*](#) Wagner, 1954 ^{c g}
- [*Orthotylus sidnicus*](#) (Stal, 1859) ^{c g}
- [*Orthotylus singularis*](#) Carvalho and Carpintero, 1992 ^{c g}
- [*Orthotylus sinopensis*](#) Carvalho and Costa, 1990 ^{c g}
- [*Orthotylus siuranus*](#) Wagner, 1964 ^{c g}
- [*Orthotylus smaragdinus*](#) Liu, 2009 ^{c g}
- [*Orthotylus sophorae*](#) Josifov, 1976 ^{c g}
- [*Orthotylus sophoricola*](#) Polhemus, 2011 ^{c g}
- [*Orthotylus sophoroides*](#) Polhemus, 2005 ^{c g}

- [*Orthotylus spartiicola*](#) Reuter, 1904 ^{c g}
- [*Orthotylus spinosus*](#) Knight, 1925 ⁱ
- [*Orthotylus stanleyae*](#) (Knight, 1968) ^{c g}
- [*Orthotylus stitti*](#) (Knight, 1968) ^{c g}
- [*Orthotylus stratensis*](#) Wagner, 1963 ^{c g}
- [*Orthotylus strigilifer*](#) Linnavuori, 1975 ^{c g}
- [*Orthotylus stysi*](#) Koziskova, 1967 ^{c g}
- [*Orthotylus submarginatus*](#) (Say, 1832) ^{i c g b}
- [*Orthotylus subtropicalis*](#) Kerzhner and Schuh, 1995 ^{c g}
- [*Orthotylus sulinus*](#) Carvalho and Wallerstein, 1978 ^{c g}
- [*Orthotylus sumaloensis*](#) (Carvalho and Carpintero, 1992) ^{c g}
- [*Orthotylus symphoricarpi*](#) (Knight, 1968) ^{c g}
- [*Orthotylus tabescens*](#) (Stal, 1858) ^{c g}
- [*Orthotylus tafoensis*](#) Kerzhner and Schuh, 1995 ^{c g}
- [*Orthotylus taksini*](#) Yasunaga and Yamada, 2009 ^{c g}
- [*Orthotylus tamarindi*](#) Linnavuori, 1975 ^{c g}
- [*Orthotylus tantali*](#) (Perkins, 1912) ^{i c g}
- [*Orthotylus tantanus*](#) Wagner, 1971 ^{c g}
- [*Orthotylus taxodii*](#) Knight, 1941 ^{c g}
- [*Orthotylus tenellus*](#) (Fallén, 1807) ^{c g}
- [*Orthotylus teutonianus*](#) Carvalho and Costa, 1992 ^{c g}
- [*Orthotylus thaleia*](#) Linnavuori, 1999 ^{c g}
- [*Orthotylus thymelaeae*](#) Eckerlein and Wagner, 1965 ^{c g}
- [*Orthotylus tijucanus*](#) Carvalho and Costa, 1990 ^{c g}
- [*Orthotylus troodensis*](#) Wagner, 1961 ^{c g}
- [*Orthotylus turanicus*](#) Reuter, 1883 ^{c g}
- [*Orthotylus turcmenorum*](#) V. Putshkov, 1976 ^{c g}
- [*Orthotylus ulaula*](#) Polhemus, 2005 ^{c g}
- [*Orthotylus uniformis*](#) Van Duzee, 1916 ^{i c}
- [*Orthotylus urerae*](#) Polhemus, 2002 ^{c g}
- [*Orthotylus ureraphila*](#) Polhemus, 2005 ^{c g}
- [*Orthotylus urericola*](#) Polhemus, 2005 ^{c g}
- [*Orthotylus utahensis*](#) (Knight, 1968) ^{c g}
- [*Orthotylus ute*](#) Knight, 1927 ^{i c g b}
- [*Orthotylus vanduzeei*](#) Carvalho, 1955 ⁱ
- [*Orthotylus vanettii*](#) Carvalho and Ferreira, 1986 ^{c g}

- [Orthotylus veraensis](#) Carvalho, 1990 ^{c g}
- [Orthotylus vermelhensis](#) (Carvalho and Costa, 1992) ^{c g}
- [Orthotylus verticatus](#) Wagner, 1958 ^{c g}
- [Orthotylus vestitus](#) (Uhler, 1890) ^{c g}
- [Orthotylus vianai](#) Carvalho and Carpintero, 1992 ^{c g}
- [Orthotylus virens](#) (Fallén, 1807) ^{c g}
- [Orthotylus virescens](#) (Douglas & Scott, 1865) ^{c g b}
- [Orthotylus viridinervis](#) (Kirschbaum, 1856) ^{i c g}
- [Orthotylus viridis](#) Van Duzee, 1916 ^{i c g}
- [Orthotylus viridissimus](#) Linnavuori, 1961 ^{c g}
- [Orthotylus viridulus](#) (Knight, 1928) ^{c g}
- [Orthotylus vittiger](#) Linnavuori, 1975 ^{c g}
- [Orthotylus wallisi](#) (Kelton, 1980) ^{c g}
- [Orthotylus whiteheadi](#) (T. Henry, 1991) ^{c g}
- [Orthotylus wileyae](#) (Knight, 1927) ^{c g}
- [Orthotylus xanthopoda](#) Yasunaga, 1999 ^{c g}
- [Orthotylus xavantinus](#) Carvalho and Costa, 1990 ^{c g}
- [Orthotylus xylosmae](#) Polhemus, 2002 ^{c g}
- [Orthotylus xylosmicola](#) Polhemus, 2005 ^{c g}
- [Orthotylus xylosmoides](#) Polhemus, 2005 ^{c g}
- [Orthotylus zorensis](#) Wagner, 1975 ^{c g}
- [Orthotylus taxodii](#) Knight, 1925 ^{i g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Orthotylus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-25.
 - ["Browse Orthotylus"](#). Catalogue of Life. Retrieved 2018-04-25.
 - ["Orthotylus"](#). GBIF. Retrieved 2018-04-25.
 -
4. ["Orthotylus Genus Information"](#). BugGuide.net. Retrieved 2018-04-25.

Categories:

- [Orthotylus](#)
- [Lists of insect species](#)

•

This is a list of 132 species in [Ormyrus](#), a genus of chalcid wasps in the family [Ormyridae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

Ormyrus species

- [Ormyrus absonus](#) Narendran, 1999 ^{c g}
- [Ormyrus acylus](#) Hanson, 1992 ^{c g}
- [Ormyrus aeros](#) Narendran, 1999 ^{c g}
- [Ormyrus alus](#) Narendran, 1999 ^{c g}
- [Ormyrus ardahanensis](#) (Doganlar, 1991) ^{c g}
- [Ormyrus aridus](#) Zerova, 2005 ^{c g}
- [Ormyrus asiaticus](#) Narendran, 1999 ^{c g}
- [Ormyrus australiensis](#) Girault, 1915 ^{c g}
- [Ormyrus australis](#) Risbec, 1957 ^{c g}
- [Ormyrus badius](#) De Stefani, 1898 ^{c g}
- [Ormyrus bellbowl](#) Nastasi, Alcorn, & Davis, 2025 ^z
- [Ormyrus benazeer](#) Narendran, 1999 ^{c g}
- [Ormyrus benaminae](#) Narendran, 1999 ^{c g}
- [Ormyrus bicarinatus](#) Girault, 1915 ^{c g}
- [Ormyrus bicolor](#) Zerova, 2006 ^{c g}
- [Ormyrus bicoloripes](#) Girault, 1915 ^{c g}
- [Ormyrus bingoeliensis](#) Doganlar, 1991 ^{c g}
- [Ormyrus borneanus](#) Narendran, 1999 ^{c g}
- [Ormyrus bouceki](#) Narendran, 1999 ^{c g}
- [Ormyrus brasiliensis](#) Ashmead, 1904 ^{c g}
- [Ormyrus bucharicus](#) Zerova, 1985 ^{c g}
- [Ormyrus burwelli](#) Narendran, 1999 ^{c g}
- [Ormyrus caeruleus](#) Walker, 1850 ^{c g}
- [Ormyrus calycopteridis](#) Narendran, 1999 ^{c g}
- [Ormyrus capsalis](#) Askew, 1994 ^{c g}
- [Ormyrus carinativentris](#) Girault, 1915 ^{c g}
- [Ormyrus chalybeus](#) (Ratzeburg, 1844) ^{c g}
- [Ormyrus chevalieri](#) (Risbec, 1955) ^{c g}
- [Ormyrus cingulatus](#) (Forster, 1860) ^g

- [Ormyrus classeyi](#) Narendran, 1999 ^{c g}
- [Ormyrus cosmozonus](#) Forster, 1860 ^g
- [Ormyrus crassus](#) Hanson, 1992 ^{c g}
- [Ormyrus cubitalis](#) Narendran, 1999 ^{c g}
- [Ormyrus cupreus](#) Askew, 1998 ^{c g}
- [Ormyrus curiosus](#) Narendran, 1999 ^{c g}
- [Ormyrus dahmsi](#) Narendran, 1999 ^{c g}
- [Ormyrus desertus](#) Zerova & Dawah, 2003 ^{c g}
- [Ormyrus destefanii](#) Mayr, 1904 ^{c g}
- [Ormyrus diffinis](#) (Fonscolombe, 1832) ^{c g}
- [Ormyrus discolor](#) Zerova, 2005 ^{c g}
- [Ormyrus distinctus](#) Fullaway, 1912 ^{c g}
- [Ormyrus diversus](#) Narendran, 1999 ^{c g}
- [Ormyrus dryorhizoxeni](#) Ashmead, 1885 ^{c g}
- [Ormyrus ermolenkoi](#) Zerova, 2006 ^{c g}
- [Ormyrus eugeniae](#) Risbec, 1955 ^{c g}
- [Ormyrus fesus](#) Narendran, 1999 ^{c g}
- [Ormyrus fernandinus](#) Nieves-Aldrey, Hernández & Gómez, 2007
- [Ormyrus flavipes](#) Boucek, 1981 ^{c g}
- [Ormyrus flavitibialis](#) Yasumatsu & Kamijo, 1979 ^{c g}
- [Ormyrus gopii](#) Narendran, 1999 ^{c g}
- [Ormyrus gratiosus](#) (Forster, 1860) ^g
- [Ormyrus halimodendri](#) Zerova, 1985 ^{c g}
- [Ormyrus hansonii](#) Narendran, 1999 ^{c g}
- [Ormyrus harithus](#) Narendran, 1999 ^{c g}
- [Ormyrus hebridensis](#) Narendran, 1999 ^{c g}
- [Ormyrus hegeli](#) (Girault, 1917) ^{c g}
- [Ormyrus hongkongensis](#) Narendran, 1999 ^{c g}
- [Ormyrus ibaraki](#) Zerova, 2006 ^{c g}
- [Ormyrus ignotus](#) Narendran, 1999 ^{c g}
- [Ormyrus kalabak](#) Narendran, 1999 ^{c g}
- [Ormyrus kama](#) Narendran, 1999 ^{c g}
- [Ormyrus kamijoi](#) Narendran, 1999 ^{c g}
- [Ormyrus keralensis](#) Narendran & Abdurahiman, 1990 ^{c g}
- [Ormyrus labotus](#) Walker, 1843 ^{c g}
- [Ormyrus laccatus](#) Zerova, 1985 ^{c g}

- [Ormyrus lanatus](#) Zerova, 1985 ^{c g}
- [Ormyrus langlandi](#) Girault, 1920 ^{c g}
- [Ormyrus laosensis](#) Narendran, 1999 ^{c g}
- [Ormyrus lepidus](#) Narendran, 1999 ^{c g}
- [Ormyrus lini](#) Chen, 1999 ^{c g}
- [Ormyrus longicaudus](#) Narendran, 1999 ^{c g}
- [Ormyrus longicornis](#) Boucek, 1969 ^{c g}
- [Ormyrus maai](#) Narendran, 1999 ^{c g}
- [Ormyrus macaoensis](#) Narendran, 1999 ^{c g}
- [Ormyrus malabaricus](#) Narendran, 1999 ^{c g}
- [Ormyrus mareebensis](#) Narendran, 2001 ^{c g}
- [Ormyrus monegricus](#) Askew, 1994 ^{c g}
- [Ormyrus myrae](#) Nastasi, Alcorn, & Davis, 2025 ^z
- [Ormyrus negriensis](#) Narendran, 1999 ^{c g}
- [Ormyrus nishidai](#) Narendran, 1999 ^{c g}
- [Ormyrus nitidulus](#) (Fabricius, 1804) ^{c g}
- [Ormyrus nkoloensis](#) Rasplus ^g
- [Ormyrus novus](#) Zerova, 2012
- [Ormyrus noyesi](#) Narendran, 1999 ^{c g}
- [Ormyrus orientalis](#) Walker, 1871 ^{c g}
- [Ormyrus orupol](#) Narendran, 1999 ^{c g}
- [Ormyrus pallens](#) Lotfalizadeh & Askew ^g
- [Ormyrus papaveris](#) (Perris, 1840) ^{c g}
- [Ormyrus papuanicus](#) Narendran, 1999 ^{c g}
- [Ormyrus parvulus](#) Zerova, 1985 ^{c g}
- [Ormyrus philippinensis](#) Hedqvist, 1968 ^{c g}
- [Ormyrus pomaceus](#) (Geoffroy, 1785) ^{c g}
- [Ormyrus punctellus](#) Zerova, 2012
- [Ormyrus punctulatus](#) (Forster, 1860) ^g
- [Ormyrus qurrayahi](#) Zerova, 2012
- [Ormyrus reticulatus](#) Hanson, 1992 ^{c g}
- [Ormyrus retusae](#) Narendran, 1999 ^{c g}
- [Ormyrus rosae](#) Ashmead, 1885 ^{c g}
- [Ormyrus rufimanus](#) Mayr, 1904 ^{c g}
- [Ormyrus salmanticus](#) Nieves-Aldrey, 1984 ^{c g}
- [Ormyrus sculptilis](#) Crosby, 1909 ^{c g}
- [Ormyrus secus](#) Narendran, 1999 ^{c g}

- [Ormyrus sedlaceki](#) Narendran, 1999 ^{c g}
- [Ormyrus setosus](#) Hanson, 1992 ^{c g}
- [Ormyrus sheelae](#) Narendran, 1999 ^{c g}
- [Ormyrus shonus](#) Narendran, 1999 ^{c g}
- [Ormyrus silvae](#) Girault, 1925 ^{c g}
- [Ormyrus similis](#) Zerova, 1985 ^{c g}
- [Ormyrus solitarius](#) (Olivier, 1791) ^g
- [Ormyrus speculifer](#) Erdos, 1946 ^g
- [Ormyrus stom](#) Narendran, 1999 ^{c g}
- [Ormyrus striatus](#) Cameron, 1907 ^{c g}
- [Ormyrus subconicus](#) Boucek, 1981 ^{c g}
- [Ormyrus sydneyensis](#) Narendran, 1999 ^{c g}
- [Ormyrus tanus](#) Narendran, 1999 ^{c g}
- [Ormyrus tenompokus](#) Narendran, 1999 ^{c g}
- [Ormyrus tenuis](#) Hanson, 1992 ^{c g}
- [Ormyrus thymus](#) Girault, 1917 ^{c g}
- [Ormyrus tschami](#) (Doganlar, 1991) ^{c g}
- [Ormyrus turio](#) Hanson, 1992 ^{c g}
- [Ormyrus unfasciatipennis](#) Girault, 1917 ^{c g}
- [Ormyrus unimaculatipennis](#) Girault, 1916 ^{c g}
- [Ormyrus vacciniicola](#) Ashmead, 1887 ^{c g b}
- [Ormyrus venustus](#) Hanson, 1992 ^{c g b}
- [Ormyrus versicolor](#) Forster, 1860 ^g
- [Ormyrus violaceus](#) Forster, 1860 ^g
- [Ormyrus wachtli](#) Mayr, 1904 ^{c g}
- [Ormyrus watshami](#) Boucek, 1981 ^{c g}
- [Ormyrus williamsi](#) Narendran, 1999 ^{c g}
- [Ormyrus zamooini](#) Narendran, 1999 ^{c g}
- [Ormyrus zandanus](#) Narendran, 1999 ^{c g}
- [Ormyrus zoeae](#) Zerova, 2005 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3] z = Zootaxa[5]

This is a list of 2257 species in the genus [Onthophagus](#). The species and subgenera reflect the Catalog of Life and the World Scarabaeidae Database (2023).[\[1\]](#)

Onthophagus species

Genus [Onthophagus](#) Latreille, 1802

Subgenus [Afrostrandius](#) Moretto, 2009

[Onthophagus adspersus](#) Orbigny, 1908
[Onthophagus bimetallicus](#) Orbigny, 1907
[Onthophagus demeyeri](#) Moretto, 2009
[Onthophagus granulipennis](#) Lansberge, 1886
[Onthophagus loxodontaphilus](#) Moretto, 2009
[Onthophagus plebejus](#) Klug, 1855
[Onthophagus pseudoplebejus](#) Moretto, 2009
[Onthophagus tigrinus](#) Orbigny, 1908

Subgenus [Altonthophagus](#) Kabakov, 1990

[Onthophagus cervenkai](#) Kabakov, 2008
[Onthophagus concolor](#) Sharp, 1878
[Onthophagus cupreiceps](#) Arrow, 1907
[Onthophagus inelegans](#) Balthasar, 1935
[Onthophagus kozlovi](#) Kabakov, 1990
[Onthophagus kukunorensis](#) Kabakov, 1990
[Onthophagus marmotae](#) Kabakov, 1990
[Onthophagus sibiricus](#) Harold, 1877
[Onthophagus tibetanus](#) Arrow, 1907
[Onthophagus turpidoides](#) Kabakov, 2008
[Onthophagus turpidus](#) Reitter, 1887
[Onthophagus uniformis](#) Heyden, 1886

Subgenus [Amphionthophagus](#) Martín-Piera & Zunino, 1983

[Onthophagus falzonii](#) Goidanich, 1926
[Onthophagus melitaeus](#) (Fabricius, 1798)
[Onthophagus numidicus](#) Orbigny, 1908

Subgenus [Bicornonthophagus](#) Tagliaferri & Moretto, 2012

[Onthophagus auriculatus](#) Klug, 1855
[Onthophagus beiranus](#) Péringuey, 1908
[Onthophagus cornifrons](#) Thomson, 1858
[Onthophagus decorsei](#) Orbigny, 1908
[Onthophagus emeritus](#) Péringuey, 1901
[Onthophagus latestriatus](#) Orbigny, 1908
[Onthophagus reticulatus](#) Orbigny, 1902
[Onthophagus rotundibasis](#) Orbigny, 1902

Subgenus [Colobonthophagus](#) Balthasar, 1935

[Onthophagus aenescens](#) (Wiedemann, 1823)
[Onthophagus agnus](#) Gillet, 1925
[Onthophagus armatus](#) Blanchard, 1853
[Onthophagus arunensis](#) Scheuern, 1995
[Onthophagus bengalensis](#) Harold, 1886
[Onthophagus bison](#) Boucomont, 1919
[Onthophagus caprai](#) Frey, 1956
[Onthophagus dama](#) (Fabricius, 1798)
[Onthophagus ephippioderus](#) Arrow, 1907
[Onthophagus hindu](#) Arrow, 1931
[Onthophagus lahorensis](#) Kabakov, 2008
[Onthophagus lunatus](#) Harold, 1868
[Onthophagus metalliceus](#) Arrow, 1931
[Onthophagus nagasawai](#) Matsumura, 1938
[Onthophagus neocolobus](#) Scheuern, 1996
[Onthophagus occipitalis](#) Lansberge, 1885
[Onthophagus paliceps](#) Arrow, 1931
[Onthophagus pardalis](#) (Fabricius, 1798)
[Onthophagus piceorufus](#) Kabakov, 1994
[Onthophagus piffli](#) Petrovitz, 1961
[Onthophagus poggii](#) Scheuern, 1996
[Onthophagus quadridentatus](#) (Fabricius, 1798)
[Onthophagus ramosellus](#) Bates, 1891
[Onthophagus ramosus](#) (Wiedemann, 1823)
[Onthophagus shillongensis](#) Scheuern, 1995
[Onthophagus thai](#) Kabakov, 1994
[Onthophagus tragoides](#) Boucomont, 1914
[Onthophagus tragus](#) (Fabricius, 1792)
[Onthophagus transquadridentatus](#) Scheuern, 1995
[Onthophagus triceratops](#) Arrow, 1913
[Onthophagus urellus](#) Boucomont, 1919

Subgenus [Cryptonthophagus](#) Dierkens, 2022

[Onthophagus convexipennis](#) Dierkens, 2022
[Onthophagus flavipleurus](#) Dierkens, 2022
[Onthophagus granulopygus](#) Dierkens, 2022
[Onthophagus iringaensis](#) Dierkens, 2022
[Onthophagus kapangaensis](#) Dierkens, 2022
[Onthophagus lilongweensis](#) Dierkens, 2022
[Onthophagus mwenseensis](#) Dierkens, 2022
[Onthophagus planidorsis](#) Dierkens, 2022
[Onthophagus ugandaensis](#) Dierkens, 2022

Subgenus [Drepanonthophagus](#) Dierkens, 2022

[Onthophagus bellus](#) Orbigny, 1905
[Onthophagus gradivus](#) Balthasar, 1966
[Onthophagus renejeanneli](#) Dierkens, 2022

Subgenus [Endrodium](#) Balthasar, 1959

[*Onthophagus baeri*](#) Boucomont, 1914
[*Onthophagus gaesatus*](#) Boucomont, 1925
[*Onthophagus praedatus*](#) Harold, 1862

Subgenus [*Eremonthophagus*](#) Zunino, 1979
[*Onthophagus abeillei*](#) Orbigny, 1897
[*Onthophagus heydeni*](#) Harold, 1875
[*Onthophagus infuscatus*](#) Klug, 1845
[*Onthophagus oberthueri*](#) Orbigny, 1898
[*Onthophagus semicinctus*](#) Orbigny, 1897
[*Onthophagus sticticus*](#) Harold, 1867
[*Onthophagus transcaspicus*](#) Koenig, 1889

Subgenus [*Exonthophagus*](#) Kabakov, 2006
[*Onthophagus haroldi*](#) Ballion, 1871
[*Onthophagus viriditinctus*](#) Reitter, 1892

Subgenus [*Furconthophagus*](#) Zunino, 1979

[*Onthophagus aethiopicus*](#) Orbigny, 1902
[*Onthophagus amicus*](#) (Gillet, 1925)
[*Onthophagus boucomonti*](#) Paulian, 1931
[*Onthophagus dapcauensis*](#) Boucomont, 1921
[*Onthophagus flaviclava*](#) Orbigny, 1902
[*Onthophagus frontalis*](#) Raffray, 1877
[*Onthophagus furcatoides*](#) Lansberge, 1886
[*Onthophagus furcatus*](#) (Fabricius, 1781)
[*Onthophagus karenensis*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus khonkaenus*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus lamelliger*](#) Gerstaecker, 1871
[*Onthophagus liwondeensis*](#) Josso, 2019
[*Onthophagus monforti*](#) Josso & Prévost, 2006
[*Onthophagus papulatorius*](#) Kabakov, 2008
[*Onthophagus papulatus*](#) Boucomont, 1914
[*Onthophagus parvulus*](#) (Fabricius, 1798)
[*Onthophagus promontorii*](#) Boucomont, 1924
[*Onthophagus rugulipennis*](#) Fairmaire, 1887
[*Onthophagus schoolmeestersi*](#) Ochi & Kon, 2007
[*Onthophagus sellatus*](#) Klug, 1845
[*Onthophagus shaykh*](#) Montanaro & Ziani, 2022
[*Onthophagus suffusus*](#) Klug, 1855
[*Onthophagus sugillatus*](#) Klug, 1855
[*Onthophagus troglodyta*](#) (Wiedemann, 1823)
[*Onthophagus ulula*](#) Balthasar, 1966
[*Onthophagus valentineae*](#) Josso, 2019
[*Onthophagus variegatus*](#) (Fabricius, 1798)
[*Onthophagus verae*](#) Josso, 2013
[*Onthophagus versutus*](#) Péringuey, 1901

Subgenus [*Gibbonthophagus*](#) Balthasar, 1935

[*Onthophagus amamiensis*](#) Nomura, 1965

[*Onthophagus apicetinctus*](#) Orbigny, 1898
[*Onthophagus asiaticus*](#) Endrödi, 1973
[*Onthophagus aripennisi*](#) Waterhouse, 1875
[*Onthophagus balthasari*](#) Všečeka, 1939
[*Onthophagus bisscrutator*](#) Krikken & Huijbregts, 2017
[*Onthophagus cervicapra*](#) Boucomont, 1914
[*Onthophagus chineicus*](#) Kabakov, 1998
[*Onthophagus denticornis*](#) Boucomont, 1914
[*Onthophagus dubernardi*](#) Boucomont, 1914
[*Onthophagus duporti*](#) Boucomont, 1914
[*Onthophagus euryceros*](#) Kabakov, 1998
[*Onthophagus fujii*](#) Ochi & Kon, 1995
[*Onthophagus hiabunicus*](#) Kabakov, 1998
[*Onthophagus incollaris*](#) Kabakov, 2008
[*Onthophagus kentingensis*](#) Nomura, 1973
[*Onthophagus kimioi*](#) Ochi, Kon & Kawahara, 2011
[*Onthophagus kiyoshii*](#) Ochi & Kon, 2007
[*Onthophagus laichauensis*](#) Ochi, Kon & Pham, 2021
[*Onthophagus lenis*](#) Kabakov, 1998
[*Onthophagus limbatus*](#) (Herbst, 1789)
[*Onthophagus luridipennis*](#) Boheman, 1858
[*Onthophagus nasalis*](#) Arrow, 1931
[*Onthophagus nigriobscurior*](#) Ochi, Kon & Tsubaki, 2009
[*Onthophagus obscurior*](#) Boucomont, 1914
[*Onthophagus palawanicus*](#) Ochi & Kon, 2004
[*Onthophagus parviobscurior*](#) Ochi, Kon & Tsubaki, 2009
[*Onthophagus penmani*](#) Masumoto, Ochi & Hanboonsong, 2002
[*Onthophagus privus*](#) Kabakov, 1998
[*Onthophagus proletarius*](#) Harold, 1875
[*Onthophagus quangnamensis*](#) Ochi, Kon & Pham, 2021
[*Onthophagus rectecornutus*](#) Lansberge, 1883
[*Onthophagus remotus*](#) Harold, 1879
[*Onthophagus rufiobscurior*](#) Ochi, Kon & Tsubaki, 2009
[*Onthophagus sasajii*](#) Ochi & Kon, 2001
[*Onthophagus schillhammeri*](#) Kabakov, 2006
[*Onthophagus scrutator*](#) Harold, 1877
[*Onthophagus semipersonatus*](#) Ochi, Kon & Tsubaki, 2009
[*Onthophagus solivagus*](#) Harold, 1886
[*Onthophagus subcornutus*](#) Boucomont, 1914
[*Onthophagus sunantae*](#) Masumoto, 1989
[*Onthophagus susterai*](#) Balthasar, 1952
[*Onthophagus taeniatus*](#) Boucomont, 1914
[*Onthophagus taurinus*](#) White, 1844
[*Onthophagus viduus*](#) Harold, 1875
[*Onthophagus viridicervicapra*](#) Ochi, Kon & Tsubaki, 2009

Subgenus [*Gonocyphus*](#) Lansberge, 1885

[*Onthophagus obliquus*](#) (Olivier, 1789)
[*Onthophagus shimba*](#) Cambefort, 1980

Subgenus Hikidaeus Ochi & Kon, 2016

Onthophagus azusae Ochi & Kon, 2006
Onthophagus cupreopastillatus Ochi & Kon, 2006
Onthophagus kanyaayonus Masumoto, 1992
Onthophagus leknamnaous Masumoto & Ochi, 2015
Onthophagus pastillatus Boucomont, 1919
Onthophagus peninsularis Boucomont, 1914
Onthophagus sauteri Gillet, 1924
Onthophagus shirakii Nakane, 1960
Onthophagus simboroni Ochi & Kon, 2006
Onthophagus singhaakhomus Masumoto, 1992
Onthophagus tsutomui Ochi & Kon, 2016
Onthophagus yangmunensis Masumoto & Ochi, 2015

Subgenus Indachorius Balthasar, 1941

Onthophagus aereopictus Boucomont, 1914
Onthophagus arai Masumoto, 1989
Onthophagus baenzigeri Masumoto, Ochi & Hanboonsong, 2007
Onthophagus baykanus Kabakov, 1994
Onthophagus bonengus Kabakov, 1994
Onthophagus chetroiensis Masumoto, Ochi & Sakchoowong, 2012
Onthophagus cheyi Ochi & Kon, 2006
Onthophagus chinbucephalus Ochi & Kon, 2018
Onthophagus chinensis (Balthasar, 1952)
Onthophagus chumphonensis Masumoto, Ochi & Hanboonsong, 2008
Onthophagus clermonti Paulian, 1931
Onthophagus danumensis Ochi, Kon & Barclay, 2009
Onthophagus doisuthepensis Masumoto, 1989
Onthophagus heterorrhinus Lansberge, 1885
Onthophagus hikidai Ochi & Kon, 2006
Onthophagus hsui Masumoto, Chen & Ochi, 2004
Onthophagus jingping Masumoto, Ochi & Hanboonsong, 2007
Onthophagus koshunensis Balthasar, 1941
Onthophagus kyokoae Masumoto & Ochi, 2015
Onthophagus lamyi Paulian, 1945
Onthophagus lannamiibun Masumoto, Ochi & Hanboonsong, 2002
Onthophagus lekmaengtibanphrao Masumoto & Ochi, 2015
Onthophagus liwagensis Ochi & Kon, 2006
Onthophagus maephaluangus Masumoto, Ochi & Hanboonsong, 2007
Onthophagus maesaensis Masumoto, Ochi & Hanboonsong, 2002
Onthophagus magnini Paulian, 1933
Onthophagus maruchanus Masumoto, Ochi & Sakchoowong, 2012
Onthophagus maruyamai Ochi, Kon & Masumoto, 2014
Onthophagus masaoi Ochi, 1992
Onthophagus mendeli Ochi, Kon & Barclay, 2009
Onthophagus mongkhoni Masumoto, Hanboonsong & Ochi, 2002
Onthophagus namnaonus Masumoto, Ochi & Higurashi, 2020

[Onthophagus nefarius](#) Balthasar, 1963
[Onthophagus nongkaiensis](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus octonaevus](#) Kabakov, 1994
[Onthophagus paramasaoi](#) Ochi, Kon & Barclay, 2009
[Onthophagus perakensis](#) Ochi, Kon & Masumoto, 2014
[Onthophagus phahompokus](#) Masumoto & Ochi, 2015
[Onthophagus phakuaiensis](#) Masumoto, Ochi & Hanboonsong, 2013
[Onthophagus phetchabunensis](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus phuquoci](#) Paulian, 1945
[Onthophagus platypus](#) Zhang, 1997
[Onthophagus pseudoarai](#) Ochi & Kon, 2018
[Onthophagus pseudoworoae](#) Ochi, Kon & Barclay, 2009
[Onthophagus pumilus](#) Kabakov, 2014
[Onthophagus ranongensis](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus sabai](#) Masumoto, Ochi & Sakchoowong, 2012
[Onthophagus scotti](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus semiaereopictus](#) Ochi, Kawahara & Cabras, 2021
[Onthophagus semidanumensis](#) Ochi, Kon & Barclay, 2009
[Onthophagus semiperakensis](#) Ochi, Kon & Masumoto, 2014
[Onthophagus semiworoae](#) Ochi, Kon & Masumoto, 2014
[Onthophagus spathatus](#) Boucomont, 1914
[Onthophagus subsapaensis](#) Kabakov, 1994
[Onthophagus suginoi](#) Ochi, 1984
[Onthophagus thungphraensis](#) Masumoto, Ochi & Higurashi, 2020
[Onthophagus tiamicus](#) Kabakov, 1994
[Onthophagus tongbantumi](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus trochilus](#) Arrow, 1931
[Onthophagus uedai](#) Ochi & Kon, 2006
[Onthophagus ulugombakensis](#) Ochi, Kon & Masumoto, 2014
[Onthophagus viridiperakensis](#) Ochi, Kon & Masumoto, 2014
[Onthophagus wangtaichieni](#) Masumoto, Ochi & Higurashi, 2020
[Onthophagus woroae](#) Ochi & Kon, 2006
[Onthophagus yaoi](#) Masumoto, Ochi & Lee, 2014
[Onthophagus yumotoi](#) Ochi & Kon, 2006

Subgenus [Indonthophagus](#) Kabakov, 2006

[Onthophagus ensifer](#) Boucomont, 1914
[Onthophagus hastifer](#) Lansberge, 1885
[Onthophagus mopsus](#) (Fabricius, 1792)
[Onthophagus nitidulus](#) Klug, 1845
[Onthophagus turbatus](#) Walker, 1858

Subgenus [Macronthophagus](#) Ochi, 2003

[Onthophagus cludtsi](#) Ochi, 2003
[Onthophagus curvicarinatus](#) Boucomont, 1914
[Onthophagus diabolicus](#) Harold, 1877
[Onthophagus manipurensis](#) Arrow, 1907
[Onthophagus menieri](#) Ochi, 2003
[Onthophagus nilgirensis](#) Gillet, 1922

[*Onthophagus rubricollis*](#) Hope, 1831
[*Onthophagus shinichii*](#) Ochi & Kon, 2018
[*Onthophagus uenoi*](#) Ochi, 1995

Subgenus [*Matashia*](#) Matsumura, 1938

[*Onthophagus apomontanus*](#) Ochi, Kon & Cabras, 2023
[*Onthophagus fossor*](#) Arrow, 1931
[*Onthophagus galeatus*](#) Boucomont, 1919
[*Onthophagus gracilipes*](#) Boucomont, 1914
[*Onthophagus kuluensis*](#) Bates, 1891
[*Onthophagus lutosopictus*](#) Fairmaire, 1897
[*Onthophagus negrosensis*](#) Ochi, Kon & Cabras, 2023
[*Onthophagus ohbayashii*](#) Nomura, 1939
[*Onthophagus samarensis*](#) Ochi, Kon & Cabras, 2023
[*Onthophagus troniceki*](#) Balthasar, 1933
[*Onthophagus yubarinus*](#) Matsumura, 1937

Subgenus [*Micronthophagus*](#) Balthasar, 1963

[*Onthophagus arayai*](#) Ochi & Kon, 2007
[*Onthophagus cavia*](#) Boucomont, 1914
[*Onthophagus chinvigilans*](#) Ochi & Kon, 2018
[*Onthophagus collinsi*](#) Krikken & Huijbregts, 1987
[*Onthophagus depressipennis*](#) Cambefort, 1975
[*Onthophagus drescheri*](#) Paulian, 1939
[*Onthophagus falsivigilans*](#) Masumoto, 1995
[*Onthophagus fukuyamai*](#) Ochi, Kon & Ueda, 2018
[*Onthophagus gigantivigilans*](#) Masumoto, Hanboonsong & Ochi, 2002
[*Onthophagus gulo*](#) Arrow, 1931
[*Onthophagus hystrix*](#) Boucomont, 1914
[*Onthophagus incertus*](#) Orbigny, 1897
[*Onthophagus konoï*](#) Matsumura, 1938
[*Onthophagus liui*](#) Masumoto, Ochi & Lee, 2014
[*Onthophagus melanocephalus*](#) Klug, 1845
[*Onthophagus mogo*](#) Krikken & Huijbregts, 2008
[*Onthophagus ochreatus*](#) Orbigny, 1897
[*Onthophagus oculatus*](#) Arrow, 1931
[*Onthophagus paroculus*](#) Krikken & Huijbregts, 1987
[*Onthophagus phillippsorum*](#) Krikken & Huijbregts, 1987
[*Onthophagus rotundicollis*](#) Lansberge, 1883
[*Onthophagus setoculus*](#) Krikken & Huijbregts, 1987
[*Onthophagus sideki*](#) Krikken & Huijbregts, 1987
[*Onthophagus sinagai*](#) Krikken & Huijbregts, 2008
[*Onthophagus taoi*](#) Ochi & Kon, 2006
[*Onthophagus vanasseni*](#) Krikken & Huijbregts, 2008
[*Onthophagus vanderblomi*](#) Krikken & Huijbregts, 2008
[*Onthophagus vanofwegeni*](#) Krikken & Huijbregts, 2008
[*Onthophagus vigilans*](#) Boucomont, 1921

Onthophagus wangi Masumoto, Chen & Ochi, 2004
Onthophagus watuwila Krikken & Huijbregts, 2008

Subgenus *Onthophagiellus* Balthasar, 1935

Onthophagus abei Ochi & Kon, 2015
Onthophagus andonarensis Boucomont, 1914
Onthophagus andreji Prokofiev, 2014
Onthophagus crassicollis Boucomont, 1913
Onthophagus deliensis Lansberge, 1885
Onthophagus falculatus Boucomont, 1914
Onthophagus hanboonsongae Masumoto, Ochi & Higurashi, 2021
Onthophagus hidakai Ochi & Kon, 1995
Onthophagus inermivertex Boucomont, 1921
Onthophagus jugicola Orbigny, 1902
Onthophagus kangeanus Paulian, 1936
Onthophagus kapitensis Frey, 1971
Onthophagus kawaharai Ochi & Kon, 2007
Onthophagus kondaoensis Kabakov, 1994
Onthophagus millingeni Orbigny, 1898
Onthophagus opacifalculatus Ochi, Kon & Tsubaki, 2009
Onthophagus parafalculatus Ochi, Kon & Tsubaki, 2009
Onthophagus popovi Kabakov, 1983
Onthophagus solmani Stebnicka, 1975
Onthophagus suginokoichii Ochi & Kon, 2008
Onthophagus sumatramontanus Ochi & Kon, 2008
Onthophagus taiyaruensis Masumoto, 1977
Onthophagus thanwaakhomus Masumoto, 1992
Onthophagus tridentitibialis Ochi & Kon, 2008
Onthophagus unguiculatus Kabakov, 1994

Subgenus *Onthophagus* Latreille, 1802

Onthophagus abas Balthasar, 1946
Onthophagus abmisibilus Krikken & Huijbregts, 2012
Onthophagus abreui Arrow, 1931
Onthophagus abruptus Orbigny, 1913
Onthophagus absyrtus Balthasar, 1946
Onthophagus abyssinicus Gillet, 1925
Onthophagus academus Balthasar, 1946
Onthophagus acernorus Moctezuma, Hernández & Sánchez-Huerta, 2021
Onthophagus aceroides Krikken & Huijbregts, 2013
Onthophagus acerus Gillet, 1930
Onthophagus aciculatulus Blatchley, 1928
Onthophagus acrisius Balthasar, 1946
Onthophagus acuminatus Harold, 1880
Onthophagus adelaidae Hope, 1846
Onthophagus adelphus Gillet, 1930
Onthophagus admetus Balthasar, 1946

[*Onthophagus adornatus*](#) Orbigny, 1904
[*Onthophagus aegrotus*](#) Balthasar, 1967
[*Onthophagus aemulus*](#) Gillet, 1930
[*Onthophagus aeneoniger*](#) Orbigny, 1913
[*Onthophagus aeneopiceus*](#) Orbigny, 1902
[*Onthophagus aequepubens*](#) Orbigny, 1905
[*Onthophagus aereidorsis*](#) Orbigny, 1902
[*Onthophagus aeremicans*](#) Orbigny, 1904
[*Onthophagus aereomaculatus*](#) Boucomont, 1914
[*Onthophagus aerestriatus*](#) Orbigny, 1913
[*Onthophagus aeruginosus*](#) Roth, 1851
[*Onthophagus aesopus*](#) Lansberge, 1882
[*Onthophagus affinis*](#) Gillet, 1930
[*Onthophagus africanus*](#) Lansberge, 1886
[*Onthophagus agaricophilus*](#) Arrow, 1931
[*Onthophagus ahenicollis*](#) Orbigny, 1902
[*Onthophagus ahenomicans*](#) Orbigny, 1902
[*Onthophagus akamineae*](#) Moretto & Génier, 2020
[*Onthophagus akhaus*](#) Masumoto, Ochi & Hanboonsong, 2007
[*Onthophagus alaindrumonti*](#) Krikken & Huijbregts, 2012
[*Onthophagus alainmonforti*](#) Josso, 2022
[*Onthophagus albicomus*](#) Orbigny, 1908
[*Onthophagus albicornis*](#) (Palisot de Beauvois, 1805)
[*Onthophagus albipennis*](#) Péringuey, 1908
[*Onthophagus albipodex*](#) Orbigny, 1902
[*Onthophagus alfuricus*](#) Huijbregts & Krikken, 2012
[*Onthophagus alicae*](#) Josso, 2019
[*Onthophagus alienus*](#) Frey, 1958
[*Onthophagus allojavanus*](#) Huijbregts & Krikken, 2011
[*Onthophagus alluaudi*](#) Orbigny, 1902
[*Onthophagus alluvius*](#) Howden & Cartwright, 1963
[*Onthophagus aloysiellus*](#) Zunino, 1977
[*Onthophagus alquirta*](#) Matthews, 1972
[*Onthophagus alternans*](#) Raffray, 1877
[*Onthophagus altilamina*](#) Orbigny, 1905
[*Onthophagus altivagans*](#) Howden & Génier, 2004
[*Onthophagus ambang*](#) Krikken & Huijbregts, 2011
[*Onthophagus amoenus*](#) Orbigny, 1908
[*Onthophagus ampicoma*](#) Boucomont, 1914
[*Onthophagus amphinassus*](#) Arrow, 1931
[*Onthophagus amphioxus*](#) Arrow, 1933
[*Onthophagus amplipennis*](#) Orbigny, 1905
[*Onthophagus amycoides*](#) Kabakov, 2014
[*Onthophagus anchommatus*](#) Lea, 1923
[*Onthophagus andersoni*](#) Howden & Gill, 1987
[*Onthophagus andrewesi*](#) Arrow, 1931
[*Onthophagus andrewsmithi*](#) Krikken & Huijbregts, 2012
[*Onthophagus androgynus*](#) Orbigny, 1905
[*Onthophagus anewtoni*](#) Howden & Génier, 2004

[*Onthophagus angolensis*](#) Paulian, 1937
[*Onthophagus angularis*](#) Orbigny, 1908
[*Onthophagus angulicornis*](#) Orbigny, 1908
[*Onthophagus anisocerus*](#) Erichson, 1842
[*Onthophagus annoyeri*](#) Moretto, 2010
[*Onthophagus annulopunctatus*](#) Krikken & Huijbregts, 2017
[*Onthophagus anogeissii*](#) Cambefort, 1984
[*Onthophagus anomalicollis*](#) Frey, 1973
[*Onthophagus anomalipes*](#) Orbigny, 1902
[*Onthophagus antecornutus*](#) Josso, 2019
[*Onthophagus antennalis*](#) Frey, 1961
[*Onthophagus anthracinus*](#) Harold, 1873
[*Onthophagus antillarum*](#) Arrow, 1903
[*Onthophagus antilocapra*](#) Balthasar, 1937
[*Onthophagus antoinei*](#) Walter, 1990
[*Onthophagus antoineianus*](#) Josso, 2022
[*Onthophagus aphodioides*](#) Lansberge, 1883
[*Onthophagus apiciosus*](#) Orbigny, 1902
[*Onthophagus apterus*](#) Matthews, 1972
[*Onthophagus apunnea*](#) Masumoto, Ochi & Hanboonsong, 2007
[*Onthophagus arboreus*](#) Arrow, 1931
[*Onthophagus arcifer*](#) Orbigny, 1904
[*Onthophagus areolatus*](#) Orbigny, 1905
[*Onthophagus arkoola*](#) Storey & Weir, 1990
[*Onthophagus arnetti*](#) Howden & Cartwright, 1963
[*Onthophagus arrilla*](#) Matthews, 1972
[*Onthophagus arunachalensis*](#) Biswas & Chatterjee, 1985
[*Onthophagus aschenborni*](#) Frey, 1975
[*Onthophagus ashanticola*](#) Frey, 1973
[*Onthophagus asimilis*](#) Péringuey, 1901
[*Onthophagus asper*](#) MacLeay, 1864
[*Onthophagus aspericeps*](#) Orbigny, 1908
[*Onthophagus aspericollis*](#) Lansberge, 1885
[*Onthophagus asperipennis*](#) Orbigny, 1902
[*Onthophagus aspernatus*](#) Orbigny, 1907
[*Onthophagus asperodorsatus*](#) Howden & Gill, 1993
[*Onthophagus asperulus*](#) Orbigny, 1905
[*Onthophagus astigma*](#) Orbigny, 1904
[*Onthophagus athiensis*](#) Orbigny, 1913
[*Onthophagus atricolor*](#) Orbigny, 1907
[*Onthophagus atridorsis*](#) Orbigny, 1902
[*Onthophagus atriglabus*](#) Howden & Gill, 1987
[*Onthophagus atrofasciatus*](#) Orbigny, 1905
[*Onthophagus atronitidus*](#) Orbigny, 1902
[*Onthophagus atrosericeus*](#) Boucomont, 1932
[*Onthophagus atosplendens*](#) Moretto, 2017
[*Onthophagus atrostriatus*](#) Orbigny, 1913
[*Onthophagus atrovirens*](#) Orbigny, 1905
[*Onthophagus atrox*](#) Harold, 1867

[*Onthophagus aureofuscus*](#) Bates, 1887
[*Onthophagus aureopilosus*](#) Boucomont, 1914
[*Onthophagus auritus*](#) Erichson, 1842
[*Onthophagus australis*](#) Guérin-Méneville, 1830 - (Southern Dung Beetle)
[*Onthophagus axillaris*](#) Boheman, 1860
[*Onthophagus aztecus*](#) Zunino & Halffter, 1988
[*Onthophagus babaulti*](#) Orbigny, 1915
[*Onthophagus babirusa*](#) (Eschscholtz, 1822)
[*Onthophagus baiyericus*](#) Krikken & Huijbregts, 2013
[*Onthophagus bajacalifornianus*](#) Moctezuma & Halffter, 2019
[*Onthophagus bakweri*](#) Moretto, 2014
[*Onthophagus balawaicus*](#) Scheuern, 1995
[*Onthophagus baloghi*](#) Balthasar, 1967
[*Onthophagus bambra*](#) Matthews, 1972
[*Onthophagus bandamai*](#) Cambefort, 1984
[*Onthophagus baoule*](#) Cambefort, 1984
[*Onthophagus barretti*](#) Génier & Howden, 1999
[*Onthophagus barriorum*](#) Walter, 1990
[*Onthophagus bartosi*](#) Balthasar, 1966
[*Onthophagus basakata*](#) Walter & Cambefort, 1977
[*Onthophagus basicarinatus*](#) Rossini, Vaz-de-Mello & Zunino, 2018
[*Onthophagus basilewskyi*](#) Frey, 1961
[*Onthophagus bassariscus*](#) Zunino & Halffter, 1988
[*Onthophagus bateke*](#) Walter & Cambefort, 1977
[*Onthophagus batesi*](#) Howden & Cartwright, 1963
[*Onthophagus batillifer*](#) Harold, 1875
[*Onthophagus batui*](#) Huijbregts & Krikken, 2009
[*Onthophagus bayeri*](#) Balthasar, 1942
[*Onthophagus bechynei*](#) Frey, 1953
[*Onthophagus beelarong*](#) Storey & Weir, 1990
[*Onthophagus beelsoni*](#) Arrow, 1931
[*Onthophagus begoniophilus*](#) Krikken & Huijbregts, 2017
[*Onthophagus belinga*](#) Walter, 1989
[*Onthophagus belorhinus*](#) Bates, 1887
[*Onthophagus benedictorum*](#) Walter & Cambefort, 1977
[*Onthophagus bengali*](#) Gordon & Oppenheimer, 1977
[*Onthophagus benguellianus*](#) Paulian, 1937
[*Onthophagus bennigseni*](#) Paulian, 1937
[*Onthophagus bequaerti*](#) Orbigny, 1915
[*Onthophagus bergeri*](#) Frey, 1975
[*Onthophagus bernaudi*](#) Cambefort & Nicolas, 1991
[*Onthophagus betschuanus*](#) Frey, 1975
[*Onthophagus bicallifrons*](#) Orbigny, 1902
[*Onthophagus bicarinaticeps*](#) Lea, 1923
[*Onthophagus bicarinatus*](#) Gomes Alves, 1944
[*Onthophagus bicavicollis*](#) Lea, 1923
[*Onthophagus bicavifrons*](#) Orbigny, 1902
[*Onthophagus bicolensis*](#) Ochi & Kon, 2006
[*Onthophagus bicolor*](#) Raffray, 1877

[*Onthophagus biconifer*](#) Orbigny, 1905
[*Onthophagus bicristatus*](#) Orbigny, 1905
[*Onthophagus bicristiger*](#) Orbigny, 1913
[*Onthophagus bicuneus*](#) Kabakov, 2008
[*Onthophagus bidens*](#) (Olivier, 1789)
[*Onthophagus bidentatus*](#) Drapiez, 1819
[*Onthophagus bidentifrons*](#) Orbigny, 1902
[*Onthophagus bifidicornis*](#) Orbigny, 1902
[*Onthophagus bifidus*](#) Reiche, 1850
[*Onthophagus bifrons*](#) Orbigny, 1905
[*Onthophagus bilingula*](#) Balthasar, 1965
[*Onthophagus bimarginatus*](#) Orbigny, 1902
[*Onthophagus bindaree*](#) Storey & Weir, 1990
[*Onthophagus binodis*](#) (Thunberg, 1818) - (Humpbacked Dung Beetle)
[*Onthophagus binodosus*](#) Orbigny, 1908
[*Onthophagus binodulus*](#) Orbigny, 1913
[*Onthophagus binyana*](#) Storey & Weir, 1990
[*Onthophagus biplagiatus*](#) Thomson, 1858
[*Onthophagus birugatus*](#) Orbigny, 1902
[*Onthophagus birugifer*](#) Orbigny, 1908
[*Onthophagus bisbicornis*](#) Orbigny, 1909
[*Onthophagus biscarinulatus*](#) Huijbregts & Krikken, 2012
[*Onthophagus bisectus*](#) Arrow, 1931
[*Onthophagus bisignatus*](#) Orbigny, 1913
[*Onthophagus bistiniocelloides*](#) Krikken, 1986
[*Onthophagus bituberans*](#) Orbigny, 1905
[*Onthophagus bituberifrons*](#) Josso, 2018
[*Onthophagus bituberoculus*](#) Krikken & Huijbregts, 2013
[*Onthophagus bivertex*](#) Heyden, 1887
[*Onthophagus blackburni*](#) Shipp, 1895
[*Onthophagus blackwoodensis*](#) Blackburn, 1892
[*Onthophagus blanchardi*](#) Harold, 1869
[*Onthophagus bocandei*](#) Orbigny, 1904
[*Onthophagus bokiaunus*](#) Masumoto, 1995
[*Onthophagus bolivari*](#) Moctezuma, Rossini & Zunino, 2016
[*Onthophagus bomberaianus*](#) Balthasar, 1969
[*Onthophagus bongkudai*](#) Krikken & Huijbregts, 2017
[*Onthophagus bonorae*](#) Zunino, 1976
[*Onthophagus boops*](#) Orbigny, 1905
[*Onthophagus borassi*](#) Cambefort, 1984
[*Onthophagus bordati*](#) Moretto, 2014
[*Onthophagus borneensis*](#) Harold, 1877
[*Onthophagus bornemisszai*](#) Matthews, 1972
[*Onthophagus bornemisszanus*](#) Matthews, 1972
[*Onthophagus boucomontianus*](#) Balthasar, 1935
[*Onthophagus bourgognei*](#) Paulian, 1945
[*Onthophagus bovinus*](#) Péringuey, 1892
[*Onthophagus brachypterus*](#) Zunino & Halffter, 1997
[*Onthophagus brazzavillianus*](#) Balthasar, 1974

[Onthophagus breviceps](#) Orbigny, 1902
[Onthophagus brevicollis](#) Arrow, 1907
[Onthophagus breviconus](#) Génier & Howden, 1999
[Onthophagus brevifrons](#) Horn, 1881
[Onthophagus brevigena](#) Orbigny, 1902
[Onthophagus brevipennis](#) Orbigny, 1902
[Onthophagus brevisetis](#) Orbigny, 1915
[Onthophagus brittoni](#) Paulian, 1948
[Onthophagus brivioi](#) Frey, 1973
[Onthophagus bronzeus](#) Arrow, 1907
[Onthophagus brooksi](#) Matthews, 1972
[Onthophagus browni](#) Howden & Cartwright, 1963
[Onthophagus brunellii](#) Müller, 1942
[Onthophagus brutus](#) Arrow, 1931
[Onthophagus buculus](#) Mannerheim, 1828
[Onthophagus bufonidius](#) Josso, 2019
[Onthophagus bufulus](#) Arrow, 1941
[Onthophagus bulga](#) Reid & Runagall-McNaull, 2022
[Onthophagus bunamin](#) Matthews, 1972
[Onthophagus bundara](#) Storey & Weir, 1990
[Onthophagus burchelli](#) Orbigny, 1908
[Onthophagus busiris](#) Balthasar, 1969
[Onthophagus caelator](#) Balthasar, 1967
[Onthophagus caesariatus](#) Boucomont, 1921
[Onthophagus calamophilus](#) Krikken, 1977
[Onthophagus calcaratus](#) Boucomont, 1919
[Onthophagus calchas](#) Balthasar, 1967
[Onthophagus calliger](#) Orbigny, 1913
[Onthophagus callosipennis](#) Boucomont, 1930
[Onthophagus cambrai](#) Delgado & Curoe, 2014
[Onthophagus camerunicus](#) Orbigny, 1905
[Onthophagus camilleae](#) Josso, 2022
[Onthophagus campestris](#) Masumoto, Kiuchi & Ho, 2018
[Onthophagus cancer](#) Lansberge, 1886
[Onthophagus canelasensis](#) Howden & Génier, 2004
[Onthophagus canescens](#) Zunino & Halffter, 1988
[Onthophagus capella](#) Kirby, 1818
[Onthophagus capelliformis](#) Gillet, 1925
[Onthophagus capellinus](#) Frey, 1963
[Onthophagus capitatus](#) Castelnau, 1840
[Onthophagus capitosus](#) Harold, 1867
[Onthophagus carayoni](#) Cambefort, 1986
[Onthophagus carcharias](#) Harold, 1875
[Onthophagus carinicollis](#) Raffray, 1877
[Onthophagus carinidorsis](#) Orbigny, 1908
[Onthophagus carinulatus](#) Harold, 1877
[Onthophagus carmodensis](#) Blackburn, 1907
[Onthophagus carpophilus](#) Pereira & Halffter, 1961
[Onthophagus cartwrighti](#) Howden, 1973

[*Onthophagus castetsi*](#) Lansberge, 1887
[*Onthophagus catenatus*](#) Lansberge, 1883
[*Onthophagus catharinensis*](#) Paulian, 1936
[*Onthophagus catherineae*](#) Josso, 2022
[*Onthophagus cavernicollis*](#) Howden & Cartwright, 1963
[*Onthophagus caviceps*](#) Frey, 1962
[*Onthophagus cavifrons*](#) Harold, 1886
[*Onthophagus cavivertex*](#) Orbigny, 1913
[*Onthophagus centricornis*](#) (Fabricius, 1798)
[*Onthophagus centurio*](#) Lansberge, 1885
[*Onthophagus cephalophi*](#) Cambefort, 1984
[*Onthophagus cervus*](#) (Fabricius, 1798)
[*Onthophagus ceylonicus*](#) Harold, 1859
[*Onthophagus chacoensis*](#) Rossini, Vaz-de-Mello & Zunino, 2018
[*Onthophagus chaiyaphumensis*](#) Masumoto, Ochi & Hanboonsong, 2002
[*Onthophagus championi*](#) Bates, 1887
[*Onthophagus chebaicus*](#) Boucomont, 1919
[*Onthophagus cheesmanae*](#) Arrow, 1941
[*Onthophagus chepara*](#) Matthews, 1972
[*Onthophagus chevrolati*](#) Harold, 1869
[*Onthophagus Chiangdaolekus*](#) Masumoto, Ochi & Higurashi, 2020
[*Onthophagus chiapanecus*](#) Zunino & Halffter, 1988
[*Onthophagus chilapensis*](#) Gasca-Álvarez, Zunino & Deloya, 2018
[*Onthophagus chimalapensis*](#) Delgado & Mora-Aguilar, 2019
[*Onthophagus chinantecus*](#) Moctezuma & Halffter, 2019
[*Onthophagus chirindaensis*](#) Josso, 2022
[*Onthophagus chirindanus*](#) Orbigny, 1913
[*Onthophagus chitipaensis*](#) Josso, 2019
[*Onthophagus chlorophanus*](#) Orbigny, 1902
[*Onthophagus choanicus*](#) Orbigny, 1904
[*Onthophagus chremes*](#) Balthasar, 1969
[*Onthophagus chryses*](#) Bates, 1887
[*Onthophagus chrysurus*](#) Arrow, 1931
[*Onthophagus cicer*](#) Balthasar, 1964
[*Onthophagus cincticollis*](#) Orbigny, 1902
[*Onthophagus cinctifrons*](#) Orbigny, 1902
[*Onthophagus cinctipennis*](#) Quedenfeldt, 1884
[*Onthophagus cineraceus*](#) Orbigny, 1902
[*Onthophagus circulator*](#) Reitter, 1891
[*Onthophagus circulifer*](#) Arrow, 1931
[*Onthophagus circumdatus*](#) Orbigny, 1913
[*Onthophagus citreum*](#) Boucomont, 1919
[*Onthophagus civettae*](#) Cambefort, 1984
[*Onthophagus civitasorum*](#) Moctezuma & Halffter, 2020
[*Onthophagus clavijeroi*](#) Moctezuma, Rossini & Zunino, 2016
[*Onthophagus clavisetis*](#) Orbigny, 1905
[*Onthophagus clitellarius*](#) Orbigny, 1908
[*Onthophagus clivimerus*](#) Huijbregts & Krikken, 2011
[*Onthophagus clusifrons*](#) Orbigny, 1905

[*Onthophagus clypealis*](#) Lea, 1923
[*Onthophagus clypeatus*](#) Blanchard, 1845
[*Onthophagus coahuilae*](#) Zunino & Halffter, 1988
[*Onthophagus cochisus*](#) Brown, 1927
[*Onthophagus coeruleicollis*](#) Arrow, 1907
[*Onthophagus cognatus*](#) Boucomont, 1921
[*Onthophagus coiffaiti*](#) Frey, 1970
[*Onthophagus colasi*](#) Paulian, 1937
[*Onthophagus colffsi*](#) Lansberge, 1883
[*Onthophagus collaris*](#) Kabakov, 1983
[*Onthophagus comatulus*](#) Orbigny, 1905
[*Onthophagus compactus*](#) Arrow, 1933
[*Onthophagus comperei*](#) Blackburn, 1903
[*Onthophagus compositus*](#) Lea, 1923
[*Onthophagus compressus*](#) Guérin-Méneville, 1855
[*Onthophagus concinnus*](#) Castelnau, 1840
[*Onthophagus confertus*](#) Péringuey, 1908
[*Onthophagus confluens*](#) Orbigny, 1902
[*Onthophagus confusus*](#) Boucomont, 1932
[*Onthophagus conradsi*](#) Balthasar, 1937
[*Onthophagus consentaneus*](#) Harold, 1867 - (Comon Northern Dung Beetle)
[*Onthophagus conspicuus*](#) MacLeay, 1864
[*Onthophagus contiguicornis*](#) Orbigny, 1913
[*Onthophagus contrapositus*](#) Génier, 2017
[*Onthophagus convexicollis*](#) Boheman, 1858
[*Onthophagus convexus*](#) Orbigny, 1908
[*Onthophagus cooloola*](#) Storey & Weir, 1990
[*Onthophagus coomani*](#) Paulian, 1931
[*Onthophagus coorgensis*](#) Arrow, 1931
[*Onthophagus coprimorphoides*](#) Huijbregts & Krikken, 2012
[*Onthophagus coprimorphus*](#) Gillet, 1930
[*Onthophagus coproides*](#) Horn, 1881
[*Onthophagus coptorhinodes*](#) Péringuey, 1901
[*Onthophagus coracinoides*](#) Kabakov, 1983
[*Onthophagus coracinus*](#) Boucomont, 1914
[*Onthophagus coriaceoumbrosus*](#) Kohlmann & Solis, 2001
[*Onthophagus corniculiger*](#) Orbigny, 1913
[*Onthophagus cornutus*](#) Ferreira, 1971
[*Onthophagus coronatus*](#) Orbigny, 1902
[*Onthophagus corrosus*](#) Bates, 1887
[*Onthophagus coscineus*](#) Bates, 1887
[*Onthophagus costatus*](#) Orbigny, 1913
[*Onthophagus costifer*](#) Gillet, 1930
[*Onthophagus costiger*](#) Orbigny, 1915
[*Onthophagus costilatus*](#) Orbigny, 1910
[*Onthophagus costulicollis*](#) Frey, 1975
[*Onthophagus crantor*](#) Balthasar, 1967
[*Onthophagus cratippus*](#) Balthasar, 1969
[*Onthophagus creber*](#) Orbigny, 1905

[Onthophagus cretus](#) Péringuey, 1901
[Onthophagus cribellum](#) Orbigny, 1902
[Onthophagus cribratus](#) Lansberge, 1883
[Onthophagus cribripennis](#) Orbigny, 1902
[Onthophagus criniger](#) Orbigny, 1904
[Onthophagus crinitus](#) Harold, 1869
[Onthophagus cristatus](#) Orbigny, 1905
[Onthophagus croesulus](#) Bates, 1888
[Onthophagus crotchi](#) Harold, 1871
[Onthophagus cruceotatus](#) Orbigny, 1905
[Onthophagus cruciger](#) MacLeay, 1888
[Onthophagus cruentatus](#) Klug, 1855
[Onthophagus cryptodicranus](#) Kohlmann & Solis, 2001
[Onthophagus cryptogenus](#) Boucomont, 1914
[Onthophagus cuboidalis](#) Bates, 1887
[Onthophagus cuevensis](#) Howden, 1973
[Onthophagus cuneus](#) Boucomont, 1924
[Onthophagus cuniculus](#) MacLeay, 1864
[Onthophagus cupreopinguis](#) Josso, 2022
[Onthophagus cupreovirens](#) Orbigny, 1904
[Onthophagus cupreus](#) Harold, 1880
[Onthophagus cupricollis](#) Péringuey, 1888
[Onthophagus curtulus](#) Frey, 1961
[Onthophagus curvicornis](#) Latreille, 1812
[Onthophagus curvifrons](#) Orbigny, 1906
[Onthophagus curvilamina](#) Müller, 1942
[Onthophagus curvispina](#) Reitter, 1892
[Onthophagus cyaneiceps](#) Orbigny, 1913
[Onthophagus cyanellus](#) Bates, 1887
[Onthophagus cyaneoniger](#) Orbigny, 1902
[Onthophagus cyanochlorus](#) Orbigny, 1902
[Onthophagus cyclographus](#) Bates, 1887
[Onthophagus cynomysi](#) Brown, 1927
[Onthophagus cyobioides](#) Boucomont, 1921
[Onthophagus dandalu](#) Matthews, 1972
[Onthophagus danumicus](#) Huijbregts & Krikken, 2012
[Onthophagus dapitanensis](#) Boucomont, 1919
[Onthophagus darlingtoni](#) Matthews, 1972
[Onthophagus davisii](#) Frey, 1975
[Onthophagus dayacus](#) Boucomont, 1914
[Onthophagus daymanus](#) Krikken & Huijbregts, 2013
[Onthophagus debilis](#) Orbigny, 1905
[Onthophagus deccanensis](#) Frey, 1962
[Onthophagus decedens](#) Péringuey, 1904
[Onthophagus decens](#) Balthasar, 1964
[Onthophagus declivicollis](#) Orbigny, 1902
[Onthophagus declivis](#) Harold, 1869
[Onthophagus decolor](#) Orbigny, 1902
[Onthophagus decoratus](#) Orbigny, 1905

[Onthophagus dedecor](#) Wallengren, 1881
[Onthophagus deflexicollis](#) Lansberge, 1883
[Onthophagus deflexus](#) Orbigny, 1908
[Onthophagus delicatulus](#) Raffray, 1877
[Onthophagus delicatus](#) Orbigny, 1915
[Onthophagus delphinensis](#) Orbigny, 1913
[Onthophagus demarzi](#) Frey, 1959
[Onthophagus densatus](#) Frey, 1963
[Onthophagus densepunctatus](#) Frey, 1963
[Onthophagus densipilis](#) Orbigny, 1902
[Onthophagus denticollis](#) Lansberge, 1883
[Onthophagus denticulatus](#) Orbigny, 1902
[Onthophagus denudatus](#) Orbigny, 1902
[Onthophagus depilatus](#) Orbigny, 1913
[Onthophagus depilis](#) Orbigny, 1902
[Onthophagus deplanatus](#) Lansberge, 1883
[Onthophagus depressicollis](#) Boucomont, 1914
[Onthophagus depressifrons](#) Orbigny, 1915
[Onthophagus derasus](#) Orbigny, 1902
[Onthophagus desaegeri](#) Frey, 1961
[Onthophagus desectus](#) MacLeay, 1871
[Onthophagus deterrens](#) Péringuey, 1901
[Onthophagus devagiriensis](#) Schoolmeesters & Thomas, 2006
[Onthophagus devexicornis](#) Gillet, 1930
[Onthophagus devexus](#) MacLeay, 1888
[Onthophagus dhanjuricus](#) Frey, 1973
[Onthophagus diadematus](#) Orbigny, 1902
[Onthophagus dicax](#) Balthasar, 1966
[Onthophagus dicella](#) Bates, 1888
[Onthophagus dicranius](#) Bates, 1887
[Onthophagus dicranocerus](#) Gillet, 1925
[Onthophagus dicranoides](#) Balthasar, 1939
[Onthophagus difficilis](#) Le Guillou, 1844
[Onthophagus digitifer](#) Boucomont, 1932
[Onthophagus dignus](#) Gillet, 1930
[Onthophagus dilutus](#) Orbigny, 1905
[Onthophagus dinjeera](#) Storey & Weir, 1990
[Onthophagus dinoderus](#) Orbigny, 1913
[Onthophagus discolor](#) Hope, 1841
[Onthophagus discovirens](#) Orbigny, 1902
[Onthophagus discretus](#) Péringuey, 1901
[Onthophagus dissentaneus](#) Balthasar, 1964
[Onthophagus dissidentatus](#) Krikken & Huijbregts, 2013
[Onthophagus distichus](#) Roth, 1851
[Onthophagus ditus](#) Péringuey, 1901
[Onthophagus diversus](#) Reiche, 1850
[Onthophagus dlabolai](#) Balthasar, 1964
[Onthophagus dohertyi](#) Orbigny, 1902
[Onthophagus doiinthanonensis](#) Masumoto, 1989

[*Onthophagus doipuiensis*](#) Masumoto, 1989
[*Onthophagus doitungensis*](#) Masumoto, Ochi & Hanboonsong, 2002
[*Onthophagus doriae*](#) Harold, 1877
[*Onthophagus dorsipilulus*](#) Howden & Gill, 1987
[*Onthophagus dorsuosus*](#) Orbigny, 1902
[*Onthophagus drumonti*](#) Moretto & Génier, 2020
[*Onthophagus dryander*](#) Monteith & Storey, 2013
[*Onthophagus dubitabilis*](#) Howden & Génier, 2004
[*Onthophagus duboulayi*](#) Waterhouse, 1894
[*Onthophagus ducorpsi*](#) Orbigny, 1913
[*Onthophagus dudleyianus*](#) Josso, 2019
[*Onthophagus dummali*](#) Matthews, 1972
[*Onthophagus dunningi*](#) Harold, 1869
[*Onthophagus durangoensis*](#) Balthasar, 1939
[*Onthophagus duvivieri*](#) Orbigny, 1904
[*Onthophagus ebenicolor*](#) Orbigny, 1902
[*Onthophagus eburneus*](#) Orbigny, 1913
[*Onthophagus echinus*](#) Boucomont, 1914
[*Onthophagus ecopas*](#) Josso & Prévost, 2006
[*Onthophagus egenus*](#) Harold, 1877
[*Onthophagus elegans*](#) Klug, 1834
[*Onthophagus eliptaminus*](#) Balthasar, 1969
[*Onthophagus elongatus*](#) Frey, 1954
[*Onthophagus embersoni*](#) Masumoto, Hanboonsong & Ochi, 2002
[*Onthophagus embrikianus*](#) Paulian, 1936
[*Onthophagus endota*](#) Matthews, 1972
[*Onthophagus endroedeanus*](#) Walter & Cambefort, 1977
[*Onthophagus enuguensis*](#) Frey, 1975
[*Onthophagus epilamprus*](#) Bates, 1888
[*Onthophagus erectinasus*](#) Orbigny, 1902
[*Onthophagus erichsoni*](#) Hope, 1841
[*Onthophagus escalerae*](#) Orbigny, 1902
[*Onthophagus eschscholtzi*](#) Boucomont, 1924
[*Onthophagus estelleae*](#) Josso, 2022
[*Onthophagus etlaensis*](#) Kohlmann, Escobar-Hernández & Arriaga-Jiménez, 2019
[*Onthophagus eulophus*](#) Bates, 1887
[*Onthophagus euzeti*](#) Walter & Cambefort, 1977
[*Onthophagus evae*](#) Balthasar, 1944
[*Onthophagus evanidus*](#) Harold, 1869
[*Onthophagus exasperatus*](#) Gerstaecker, 1871
[*Onthophagus excisiceps*](#) Orbigny, 1902
[*Onthophagus exiguus*](#) Raffray, 1877
[*Onthophagus exilis*](#) Orbigny, 1913
[*Onthophagus expansicornis*](#) Bates, 1891
[*Onthophagus exquisitus*](#) Arrow, 1931
[*Onthophagus extensicollis*](#) Orbigny, 1907
[*Onthophagus extraneus*](#) Josso, 2021
[*Onthophagus fabricianus*](#) Goidanich, 1926
[*Onthophagus fabricii*](#) Waterhouse, 1894

[*Onthophagus falcarius*](#) Balthasar, 1966
[*Onthophagus falcifer*](#) Harold, 1880
[*Onthophagus fallaciosus*](#) Raffray, 1877
[*Onthophagus falsus*](#) Gillet, 1925
[*Onthophagus fasciatus*](#) Boucomont, 1914
[*Onthophagus fasciculiger*](#) Orbigny, 1902
[*Onthophagus fasciolatus*](#) Boucomont, 1924
[*Onthophagus favrei*](#) Boucomont, 1914
[*Onthophagus feai*](#) Orbigny, 1905
[*Onthophagus felix*](#) Arrow, 1931
[*Onthophagus ferox*](#) Harold, 1867 - (Western Dung Beetle)
[*Onthophagus ferrari*](#) Matthews, 1972
[*Onthophagus filicornis*](#) Harold, 1873
[*Onthophagus fimetarius*](#) Roth, 1851
[*Onthophagus fissiceps*](#) MacLeay, 1888
[*Onthophagus fitiniensis*](#) Cambefort, 1984
[*Onthophagus flavibasis*](#) Orbigny, 1904
[*Onthophagus flavicornis*](#) Germar, 1823
[*Onthophagus flavipennis*](#) Orbigny, 1905
[*Onthophagus flavoapicalis*](#) Lea, 1923
[*Onthophagus flavocinctus*](#) Frey, 1975
[*Onthophagus flavolimbatus*](#) Klug, 1855
[*Onthophagus flavomaculatus*](#) Gillet, 1930
[*Onthophagus flavorufus*](#) Orbigny, 1904
[*Onthophagus fletcheri*](#) Blackburn, 1903
[*Onthophagus flexifrons*](#) Orbigny, 1908
[*Onthophagus foedus*](#) Boucomont, 1914
[*Onthophagus foliaceus*](#) Lansberge, 1886 - (Scarab beetle)
[*Onthophagus foliiceps*](#) Quedenfeldt, 1884
[*Onthophagus foraminosus*](#) Orbigny, 1902
[*Onthophagus fossibasis*](#) Orbigny, 1910
[*Onthophagus fossifrons*](#) Orbigny, 1902
[*Onthophagus fossulatus*](#) Orbigny, 1908
[*Onthophagus foulliouxi*](#) Cambefort, 1971
[*Onthophagus foveatus*](#) Frey, 1957
[*Onthophagus foveicollis*](#) Boucomont, 1930
[*Onthophagus fradei*](#) Gomes Alves, 1956
[*Onthophagus fragosus*](#) Génier & Howden, 2014
[*Onthophagus francoisgenieri*](#) Krikken & Huijbregts, 2012
[*Onthophagus francoisi*](#) Josso, 2013
[*Onthophagus frankenbergeri*](#) Balthasar, 1933
[*Onthophagus frankrozendaali*](#) Huijbregts & Krikken, 2012
[*Onthophagus frenchi*](#) Blackburn, 1903
[*Onthophagus fritschi*](#) Orbigny, 1902
[*Onthophagus froggattellus*](#) Monteith & Rossini, 2017
[*Onthophagus fugitivus*](#) Péringuey, 1901
[*Onthophagus fuliginosus*](#) Erichson, 1842
[*Onthophagus fulvocinctus*](#) Orbigny, 1902
[*Onthophagus fulvus*](#) Sharp, 1875

[Onthophagus funestus](#) Moretto & Génier, 2010
[Onthophagus fungicola](#) Orbigny, 1908
[Onthophagus fungus](#) Josso, 2022
[Onthophagus furcaticeps](#) Masters, 1886
[Onthophagus furcicollis](#) Arrow, 1931
[Onthophagus furcillifer](#) Bates, 1891
[Onthophagus furculifer](#) Orbigny, 1905
[Onthophagus furculus](#) (Fabricius, 1798)
[Onthophagus fuscatus](#) Orbigny, 1908
[Onthophagus fuscidorsis](#) Orbigny, 1902
[Onthophagus fuscivestis](#) Orbigny, 1902
[Onthophagus fuscopunctatus](#) (Fabricius, 1798)
[Onthophagus fuscostriatus](#) Boucomont, 1914
[Onthophagus fuscus](#) Boucomont, 1932
[Onthophagus gabonensis](#) Walter, 1989
[Onthophagus gagatinus](#) Gillet, 1930
[Onthophagus gaillardi](#) Orbigny, 1911
[Onthophagus gajo](#) Krikken, 1977
[Onthophagus ganalensis](#) Gestro, 1895
[Onthophagus gandju](#) Matthews, 1972
[Onthophagus gangeticus](#) Gillet, 1925
[Onthophagus gangulu](#) Matthews, 1972
[Onthophagus garambae](#) Frey, 1961
[Onthophagus gazellinus](#) Bates, 1887
[Onthophagus geelongensis](#) Blackburn, 1892
[Onthophagus gemellatus](#) Raffray, 1877
[Onthophagus geminatus](#) Orbigny, 1907
[Onthophagus geminifrons](#) Orbigny, 1905
[Onthophagus gemma](#) (Sharp, 1875)
[Onthophagus genuinus](#) Kohlmann & Solis, 2001
[Onthophagus georgwernerii](#) Josso, 2022
[Onthophagus germanus](#) Gillet, 1927
[Onthophagus geryon](#) Balthasar, 1969
[Onthophagus gestroi](#) Harold, 1877
[Onthophagus ghanensis](#) Balthasar, 1966
[Onthophagus gibbidorsis](#) Orbigny, 1902
[Onthophagus gibbifrons](#) Orbigny, 1902
[Onthophagus gibbus](#) Orbigny, 1913
[Onthophagus gibsoni](#) Howden & Génier, 2004
[Onthophagus gidju](#) Matthews, 1972
[Onthophagus gilli](#) Delgado & Howden, 2000
[Onthophagus giraffa](#) (Hausmann, 1807)
[Onthophagus girardinae](#) Walter, 1989
[Onthophagus giuseppicarpanetoi](#) Tagliaferri & Moretto, 2012
[Onthophagus glabratus](#) Hope, 1841
[Onthophagus glaucinus](#) Gillet, 1930
[Onthophagus gnu](#) Frey, 1955
[Onthophagus godarra](#) Storey & Weir, 1990
[Onthophagus gonipa](#) Krikken & Huijbregts, 2011

[Onthophagus gonopygus](#) Orbigny, 1902
[Onthophagus gonzaloi](#) Moctezuma, Hernández & Sánchez-Huerta, 2022
[Onthophagus gorochovi](#) Kabakov, 1998
[Onthophagus gorokae](#) Paulian, 1972
[Onthophagus gothicus](#) Gillet, 1930
[Onthophagus grandidorsis](#) Orbigny, 1913
[Onthophagus grandifrons](#) Orbigny, 1907
[Onthophagus grandivigilans](#) Masumoto, 1995
[Onthophagus graniceps](#) Orbigny, 1908
[Onthophagus granosus](#) Orbigny, 1913
[Onthophagus granulatus](#) Boheman, 1858 - (Granulose Dung Beetle)
[Onthophagus granulifer](#) Harold, 1886
[Onthophagus granulifrons](#) Frey, 1961
[Onthophagus granulum](#) Orbigny, 1904
[Onthophagus granum](#) Lansberge, 1885
[Onthophagus grassei](#) Walter, 1989
[Onthophagus grataehelenae](#) Kohlmann & Solis, 2001
[Onthophagus gratus](#) Arrow, 1931
[Onthophagus gravearmatus](#) Balthasar, 1944
[Onthophagus gravis](#) Walker, 1858
[Onthophagus gravoti](#) Orbigny, 1908
[Onthophagus griseoaeneus](#) Lansberge, 1885
[Onthophagus griseosetosus](#) Arrow, 1931
[Onthophagus guatemalensis](#) Bates, 1887
[Onthophagus gulmarri](#) Matthews, 1972
[Onthophagus gurburra](#) Storey & Weir, 1990
[Onthophagus guttatus](#) Boheman, 1860
[Onthophagus guttiger](#) Orbigny, 1905
[Onthophagus haafi](#) Frey, 1963
[Onthophagus haagi](#) Harold, 1867
[Onthophagus haematopus](#) Harold, 1875
[Onthophagus hageni](#) Lansberge, 1883
[Onthophagus hagenmontis](#) Krikken & Huijbregts, 2012
[Onthophagus hajime](#) Masumoto, 1984
[Onthophagus halffteri](#) Zunino, 1981
[Onthophagus hamaticeps](#) Arrow, 1931
[Onthophagus hamaticornis](#) Gillet, 1930
[Onthophagus hartiniae](#) Ochi & Kon, 2009
[Onthophagus hayashii](#) Masumoto, 1991
[Onthophagus hecate](#) (Panzer, 1794)
[Onthophagus helciatus](#) Harold, 1871
[Onthophagus hemichalceus](#) Orbigny, 1915
[Onthophagus hemipygus](#) Frey, 1964
[Onthophagus hericiniformis](#) Moretto, 2010
[Onthophagus hericius](#) Orbigny, 1908
[Onthophagus herus](#) Péringuey, 1901
[Onthophagus heteroclitus](#) Orbigny, 1911
[Onthophagus heurni](#) Gillet, 1930
[Onthophagus heyrovskyi](#) Všecká, 1943

[*Onthophagus hidalgus*](#) Zunino & Halffter, 1988
[*Onthophagus hielkema*](#) Krikken & Huijbregts, 2011
[*Onthophagus hilaridis*](#) Cambefort, 1984
[*Onthophagus hilaris*](#) Orbigny, 1905
[*Onthophagus hildebrandti*](#) Harold, 1878
[*Onthophagus hippopotamus*](#) Harold, 1869
[*Onthophagus hircus*](#) Billberg, 1815
[*Onthophagus hirsutulus*](#) Lansberge, 1883
[*Onthophagus hirsutus*](#) Orbigny, 1902
[*Onthophagus hirtellus*](#) Frey, 1957
[*Onthophagus hirticulus*](#) Orbigny, 1915
[*Onthophagus hirtipodex*](#) Orbigny, 1904
[*Onthophagus hirtuosus*](#) Gillet, 1930
[*Onthophagus histeriformis*](#) Boucomont, 1914
[*Onthophagus histrio*](#) Orbigny, 1902
[*Onthophagus hoberlandti*](#) Balthasar, 1966
[*Onthophagus hoepfneri*](#) Harold, 1869
[*Onthophagus hollowayi*](#) Krikken & Huijbregts, 2017
[*Onthophagus holosericus*](#) Harold, 1877
[*Onthophagus holzi*](#) Boucomont, 1914
[*Onthophagus hoogstraali*](#) Saylor, 1943
[*Onthophagus hoplocerus*](#) Lea, 1923
[*Onthophagus hoplothorax*](#) Gillet, 1930
[*Onthophagus horii*](#) Ochi, Kon & Tsubaki, 2009
[*Onthophagus horrens*](#) Orbigny, 1908
[*Onthophagus horribilis*](#) Balthasar, 1969
[*Onthophagus horridus*](#) Orbigny, 1908
[*Onthophagus hosomai*](#) Ochi & Kon, 2014
[*Onthophagus howdeni*](#) Zunino & Halffter, 1988
[*Onthophagus howdenorum*](#) Zunino & Halffter, 1988
[*Onthophagus hulstaerti*](#) Boucomont, 1932
[*Onthophagus humboldti*](#) Kohlmann, Solis & Alvarado, 2019
[*Onthophagus humpatensis*](#) Lansberge, 1886
[*Onthophagus hyaena*](#) (Fabricius, 1801)
[*Onthophagus ibex*](#) (Fabricius, 1792)
[*Onthophagus ieti*](#) Cambefort, 1984
[*Onthophagus ifugaoensis*](#) Ochi & Kon, 2006
[*Onthophagus igualensis*](#) Bates, 1887
[*Onthophagus ikelengeensis*](#) Josso, 2018
[*Onthophagus illotus*](#) Péringuey, 1901
[*Onthophagus illyricus*](#) (Scopoli, 1763)
[*Onthophagus imberbis*](#) Orbigny, 1902
[*Onthophagus imbutus*](#) Sharp, 1875
[*Onthophagus immundus*](#) Boheman, 1858
[*Onthophagus importunus*](#) Péringuey, 1901
[*Onthophagus impressicollis*](#) Boheman, 1860
[*Onthophagus impunctatus*](#) Orbigny, 1904
[*Onthophagus impurus*](#) Harold, 1868
[*Onthophagus inaequalis*](#) Orbigny, 1902

[*Onthophagus incantatus*](#) Balthasar, 1967
[*Onthophagus incanus*](#) MacLeay, 1888
[*Onthophagus incensus*](#) Say, 1835 - (Scarab beetle)
[*Onthophagus incisus*](#) Harold, 1877
[*Onthophagus includens*](#) Orbigny, 1905
[*Onthophagus inclusus*](#) Orbigny, 1905
[*Onthophagus incornutus*](#) MacLeay, 1871
[*Onthophagus indigus*](#) Péringuey, 1901
[*Onthophagus indosinicus*](#) Boucomont, 1921
[*Onthophagus indutus*](#) Orbigny, 1902
[*Onthophagus inecolorum*](#) Moctezuma & Halffter, 2020
[*Onthophagus inediapterus*](#) Kohlmann & Solis, 2001
[*Onthophagus ineptus*](#) Harold, 1871
[*Onthophagus inermiceps*](#) Orbigny, 1905
[*Onthophagus inermicollis*](#) Orbigny, 1908
[*Onthophagus infaustus*](#) Cambefort, 1984
[*Onthophagus inflaticollis*](#) Bates, 1889
[*Onthophagus inflatus*](#) Walter & Cambefort, 1977
[*Onthophagus infucatus*](#) Harold, 1877
[*Onthophagus insignis*](#) Péringuey, 1896
[*Onthophagus insularis*](#) Boheman, 1858
[*Onthophagus insulindicus*](#) Boucomont, 1914
[*Onthophagus insulsus*](#) Péringuey, 1901
[*Onthophagus intermixtus*](#) Orbigny, 1902
[*Onthophagus interruptus*](#) Raffray, 1877
[*Onthophagus interstitialis*](#) Fåhræus, 1857
[*Onthophagus intonsus*](#) Orbigny, 1913
[*Onthophagus intricatus*](#) Moretto, 2010
[*Onthophagus investigator*](#) Lansberge, 1885
[*Onthophagus investis*](#) Orbigny, 1904
[*Onthophagus iodiellus*](#) Bates, 1887
[*Onthophagus ioramaculatus*](#) Krikken & Huijbregts, 2012
[*Onthophagus ioranus*](#) Krikken & Huijbregts, 2012
[*Onthophagus irianus*](#) Balthasar, 1969
[*Onthophagus iris*](#) Sharp, 1875
[*Onthophagus isanus*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus ishiii*](#) Ochi & Kon, 1995
[*Onthophagus istmenus*](#) Moctezuma, Sánchez-Huerta & Halffter, 2020
[*Onthophagus itonoborui*](#) Masumoto, Ochi & Sakchoowong, 2012
[*Onthophagus iulicola*](#) Cambefort, 1984
[*Onthophagus iumienus*](#) Masumoto, Ochi & Hanboonsong, 2007
[*Onthophagus ixtepecorum*](#) Moctezuma & Halffter, 2020
[*Onthophagus ixtlanensis*](#) Moctezuma & Halffter, 2020
[*Onthophagus iyengari*](#) Arrow, 1931
[*Onthophagus jacksoni*](#) Orbigny, 1913
[*Onthophagus jacobus*](#) Boucomont, 1924
[*Onthophagus jalamari*](#) Matthews, 1972
[*Onthophagus jalapensis*](#) Balthasar, 1939
[*Onthophagus jaliscensis*](#) Zunino & Halffter, 1988

[Onthophagus jangga](#) Matthews, 1972
[Onthophagus janssensi](#) Frey, 1958
[Onthophagus janthinus](#) Harold, 1875
[Onthophagus javaecola](#) Balthasar, 1959
[Onthophagus javanensis](#) Balthasar, 1963
[Onthophagus javanoides](#) Huijbregts & Krikken, 2011
[Onthophagus jocquei](#) Josso, 2019
[Onthophagus joliveti](#) Paulian, 1972
[Onthophagus jonathani](#) Moretto & Génier, 2020
[Onthophagus jubatus](#) Harold, 1869
[Onthophagus juheli](#) Josso, 2022
[Onthophagus juncticornis](#) Orbigny, 1908
[Onthophagus juniperensis](#) Josso, 2019
[Onthophagus justei](#) Walter, 1989
[Onthophagus jwala](#) Karimbumkara & Priyadarsanan, 2016
[Onthophagus kachinicus](#) Kabakov, 2006
[Onthophagus kakadu](#) Storey & Weir, 1990
[Onthophagus kanarensis](#) Arrow, 1931
[Onthophagus kaomaensis](#) Josso, 2022
[Onthophagus kaosoidowensis](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus kapuri](#) Endrödi, 1974
[Onthophagus karlwerneri](#) Josso, 2022
[Onthophagus kashizakii](#) Kon & Ochi, 2005
[Onthophagus kashmirensis](#) Balthasar, 1966
[Onthophagus kassaicus](#) Orbigny, 1908
[Onthophagus katangensis](#) Frey, 1961
[Onthophagus kavirondus](#) Orbigny, 1915
[Onthophagus kchatriya](#) Boucomont, 1914
[Onthophagus keikoe](#) Ochi & Kon, 2014
[Onthophagus keiseri](#) Frey, 1956
[Onthophagus keralensis](#) Frey, 1975
[Onthophagus keralicus](#) Biswas & Chatterjee, 1986
[Onthophagus kiambram](#) Storey, 1977
[Onthophagus kindianus](#) Frey, 1953
[Onthophagus kingstoni](#) Cambefort, 1980
[Onthophagus kinhthaicus](#) Kabakov, 1998
[Onthophagus kirki](#) Frey, 1975
[Onthophagus kirokanus](#) Frey, 1975
[Onthophagus kiuchii](#) Masumoto, 1995
[Onthophagus kivuensis](#) Walter, 2018
[Onthophagus kleinei](#) Balthasar, 1935
[Onthophagus knapperti](#) Krikken, 1981
[Onthophagus knausi](#) Brown, 1927
[Onthophagus koebelei](#) Blackburn, 1903
[Onthophagus koechlei](#) Masumoto, Ochi & Kon, 2011
[Onthophagus kohlmanni](#) Génier, 2017
[Onthophagus kokereka](#) Matthews, 1972
[Onthophagus kokocellosus](#) Krikken & Huijbregts, 2013
[Onthophagus kokodanus](#) Krikken & Huijbregts, 2012

[*Onthophagus kokodentatus*](#) Krikken & Huijbregts, 2013
[*Onthophagus kokoiorus*](#) Krikken & Huijbregts, 2012
[*Onthophagus kokopygus*](#) Krikken & Huijbregts, 2013
[*Onthophagus kokosquamatus*](#) Krikken & Huijbregts, 2012
[*Onthophagus kolaka*](#) Huijbregts & Krikken, 2009
[*Onthophagus koma*](#) Matsumura, 1937
[*Onthophagus komareki*](#) Balthasar, 1935
[*Onthophagus kongkaewensis*](#) Masumoto, Ochi & Sakchoowong, 2012
[*Onthophagus konsarnensis*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus kontumicus*](#) Kabakov, 1983
[*Onthophagus kora*](#) Storey, 1977
[*Onthophagus kouassii*](#) Cambefort, 1984
[*Onthophagus kraatzeanus*](#) Lansberge, 1883
[*Onthophagus krakadaakhomus*](#) Masumoto, 1992
[*Onthophagus kudrnaianus*](#) Josso, 2022
[*Onthophagus kukali*](#) Krikken & Huijbregts, 2013
[*Onthophagus kulti*](#) Balthasar, 1952
[*Onthophagus kulzeri*](#) Frey, 1958
[*Onthophagus kumaonensis*](#) Arrow, 1931
[*Onthophagus kumbaingeri*](#) Matthews, 1972
[*Onthophagus kyleensis*](#) Frey, 1975
[*Onthophagus labdacus*](#) Balthasar, 1969
[*Onthophagus laborans*](#) Arrow, 1931
[*Onthophagus lacustris*](#) Harold, 1877
[*Onthophagus laetus*](#) Orbigny, 1913
[*Onthophagus laeviceps*](#) Orbigny, 1902
[*Onthophagus laevidorsis*](#) Orbigny, 1907
[*Onthophagus laevigatus*](#) (Fabricius, 1798)
[*Onthophagus laevisimus*](#) Orbigny, 1905
[*Onthophagus lagnyi*](#) Paulian, 1937
[*Onthophagus lamellicornis*](#) Frey, 1953
[*Onthophagus lamgalio*](#) Matthews, 1972
[*Onthophagus laminatus*](#) MacLeay, 1864
[*Onthophagus laminicornis*](#) Lansberge, 1886
[*Onthophagus laminidorsis*](#) Orbigny, 1902
[*Onthophagus laminosus*](#) Orbigny, 1905
[*Onthophagus lamnifer*](#) Orbigny, 1902
[*Onthophagus lamotellus*](#) Cambefort, 1980
[*Onthophagus lamottei*](#) Frey, 1962
[*Onthophagus lamtoi*](#) Cambefort, 1980
[*Onthophagus landolti*](#) Harold, 1880
[*Onthophagus langkawiensis*](#) Ochi & Kon, 2015
[*Onthophagus lapillus*](#) Arrow, 1931
[*Onthophagus laratinus*](#) Arrow, 1916
[*Onthophagus lassulus*](#) Balthasar, 1964
[*Onthophagus latenasutus*](#) Arrow, 1941
[*Onthophagus latepunctatus*](#) Orbigny, 1913
[*Onthophagus latevittatus*](#) Orbigny, 1905
[*Onthophagus latigibber*](#) Orbigny, 1902

[*Onthophagus latipennis*](#) Orbigny, 1897
[*Onthophagus latissimus*](#) Orbigny, 1902
[*Onthophagus latro*](#) Harold, 1877
[*Onthophagus leai*](#) Blackburn, 1895
[*Onthophagus leanus*](#) Goidanich, 1926
[*Onthophagus lebasi*](#) Boucomont, 1932
[*Onthophagus lecontei*](#) Harold, 1871
[*Onthophagus lefebvrei*](#) Orbigny, 1913
[*Onthophagus lefiniensis*](#) Balthasar, 1967
[*Onthophagus legendrei*](#) Walter & Cambefort, 1977
[*Onthophagus leichhardti*](#) Monteith & Storey, 2013
[*Onthophagus lemagneni*](#) Orbigny, 1902
[*Onthophagus lemekensis*](#) Orbigny, 1915
[*Onthophagus lemniscatus*](#) Gillet, 1924
[*Onthophagus leomontanus*](#) Boucomont, 1914
[*Onthophagus leroyi*](#) Orbigny, 1902
[*Onthophagus leucopygus*](#) Harold, 1867
[*Onthophagus leusermontis*](#) Huijbregts & Krikken, 2011
[*Onthophagus limonensis*](#) Kohlmann & Solis, 2001
[*Onthophagus lindae*](#) Masumoto, 1989
[*Onthophagus lindu*](#) Huijbregts & Krikken, 2009
[*Onthophagus liodermus*](#) Orbigny, 1913
[*Onthophagus lioides*](#) Orbigny, 1902
[*Onthophagus liopterus*](#) Harold, 1880
[*Onthophagus liothorax*](#) Koshantschikov, 1894
[*Onthophagus lituratus*](#) Roth, 1851
[*Onthophagus lobi*](#) Cambefort, 1984
[*Onthophagus lojanus*](#) Balthasar, 1939
[*Onthophagus lomii*](#) Müller, 1942
[*Onthophagus longecarinatus*](#) Zunino & Halfpeter, 1988
[*Onthophagus longegranus*](#) Frey, 1957
[*Onthophagus longiceps*](#) Orbigny, 1904
[*Onthophagus longimanus*](#) Bates, 1887
[*Onthophagus longipes*](#) Paulian, 1937
[*Onthophagus longipilis*](#) Orbigny, 1905
[*Onthophagus lopeensis*](#) Josso, 2022
[*Onthophagus lore*](#) Huijbregts & Krikken, 2009
[*Onthophagus lorianus*](#) Gillet, 1930
[*Onthophagus loro*](#) Balthasar, 1941
[*Onthophagus loudetiae*](#) Cambefort, 1984
[*Onthophagus loxodontae*](#) Cambefort, 1984
[*Onthophagus luctuosus*](#) Boucomont, 1914
[*Onthophagus ludicrus*](#) Balthasar, 1969
[*Onthophagus ludio*](#) Boucomont, 1914
[*Onthophagus lugens*](#) Fåhræus, 1857
[*Onthophagus lugubris*](#) Fåhræus, 1857
[*Onthophagus luismargaritorum*](#) Delgado, 1995
[*Onthophagus lumareti*](#) Walter & Cambefort, 1977
[*Onthophagus lunulifer*](#) Boucomont, 1914

[*Onthophagus lutaticollis*](#) Orbigny, 1907
[*Onthophagus luteosignatus*](#) Lansberge, 1883
[*Onthophagus luzonwallacei*](#) Ochi, Kawahara & Cabras, 2021
[*Onthophagus mabuensis*](#) Daniel, Strümpher & Josso, 2023
[*Onthophagus macleayi*](#) Blackburn, 1903
[*Onthophagus macrocephalus*](#) Kirby, 1818
[*Onthophagus macrothorax*](#) Orbigny, 1902
[*Onthophagus maculosipennis*](#) Gillet, 1930
[*Onthophagus maculosus*](#) Orbigny, 1908
[*Onthophagus madoqua*](#) Arrow, 1931
[*Onthophagus magniocolus*](#) Ochi & Kon, 2006
[*Onthophagus magnipygus*](#) Boucomont, 1914
[*Onthophagus makokou*](#) Walter, 1989
[*Onthophagus malabarensis*](#) Boucomont, 1919
[*Onthophagus malangensis*](#) Boucomont, 1914
[*Onthophagus malasiacus*](#) Gillet, 1927
[*Onthophagus maleengnaafon*](#) Masumoto, 1990
[*Onthophagus maleengnoi*](#) Masumoto, 1990
[*Onthophagus malevolus*](#) Balthasar, 1964
[*Onthophagus malthinus*](#) Gillet, 1930
[*Onthophagus mamillatus*](#) Lea, 1923
[*Onthophagus manantlanensis*](#) Sánchez-Huerta, Moctezuma & Hernández, 2021
[*Onthophagus manguliensis*](#) Boucomont, 1914
[*Onthophagus maniti*](#) Masumoto, 1989
[*Onthophagus mankonoensis*](#) Balthasar, 1966
[*Onthophagus manya*](#) Matthews, 1972
[*Onthophagus marahouensis*](#) Cambefort, 1984
[*Onthophagus margaretensis*](#) Blackburn, 1903
[*Onthophagus margaritifera*](#) Orbigny, 1898
[*Onthophagus marginatus*](#) Castelnau, 1840
[*Onthophagus marginicollis*](#) Harold, 1880
[*Onthophagus marginifer*](#) Frey, 1953
[*Onthophagus marginipennis*](#) Josso, 2018
[*Onthophagus mariozuninoi*](#) Delgado, Navarrete & Blackaller-Bages, 1993
[*Onthophagus marshalli*](#) Orbigny, 1908
[*Onthophagus martellii*](#) Frey, 1972
[*Onthophagus martialis*](#) Boucomont, 1914
[*Onthophagus martinpierai*](#) Moctezuma, Rossini & Zunino, 2016
[*Onthophagus masaicus*](#) Orbigny, 1905
[*Onthophagus masumotoi*](#) Ochi, 1985
[*Onthophagus matae*](#) Cambefort, 1984
[*Onthophagus matanyo*](#) Huijbregts & Krikken, 2009
[*Onthophagus mateui*](#) Moctezuma & Halffter, 2020
[*Onthophagus matsudai*](#) Ochi & Kon, 2004
[*Onthophagus matsuii*](#) Ochi & Kon, 2006
[*Onthophagus mauritii*](#) Boucomont, 1919
[*Onthophagus maxwellianus*](#) Moretto, 2013
[*Onthophagus maya*](#) Zunino, 1981
[*Onthophagus mayeri*](#) Harold, 1876

[*Onthophagus mcclevei*](#) Howden & Génier, 2004
[*Onthophagus medorensis*](#) Brown, 1929
[*Onthophagus megapacificus*](#) Ochi & Kon, 2006
[*Onthophagus megathorax*](#) Gillet, 1921
[*Onthophagus mekara*](#) Huijbregts & Krikken, 2009
[*Onthophagus mendicus*](#) Gillet, 1924
[*Onthophagus menkaoensis*](#) Walter & Cambefort, 1977
[*Onthophagus merdrignaci*](#) Walter & Cambefort, 1977
[*Onthophagus meruanus*](#) Orbigny, 1910
[*Onthophagus merus*](#) Péringuey, 1901
[*Onthophagus metalliger*](#) Orbigny, 1913
[*Onthophagus mexicanus*](#) Bates, 1887
[*Onthophagus mextexus*](#) Howden & Cartwright, 1970
[*Onthophagus micropterus*](#) Zunino & Halffter, 1981
[*Onthophagus micros*](#) Orbigny, 1902
[*Onthophagus mije*](#) Storey & Weir, 1990
[*Onthophagus miles*](#) Orbigny, 1905
[*Onthophagus militaris*](#) Boucomont, 1914
[*Onthophagus millamilla*](#) Matthews, 1972
[*Onthophagus mimikanus*](#) Balthasar, 1969
[*Onthophagus mimus*](#) Orbigny, 1913
[*Onthophagus minettianus*](#) Josso, 2019
[*Onthophagus minotaurus*](#) Arrow, 1941
[*Onthophagus minutissimus*](#) Orbigny, 1908
[*Onthophagus minutulus*](#) Harold, 1875
[*Onthophagus minutus*](#) (Hausmann, 1807)
[*Onthophagus mirabilis*](#) Bates, 1887
[*Onthophagus mirandus*](#) Arrow, 1931
[*Onthophagus miricollis*](#) Frey, 1962
[*Onthophagus miricornis*](#) Orbigny, 1902
[*Onthophagus mirifrons*](#) Orbigny, 1905
[*Onthophagus miscellaneous*](#) Orbigny, 1908
[*Onthophagus miscellus*](#) Orbigny, 1905
[*Onthophagus misellus*](#) Orbigny, 1907
[*Onthophagus mixticeps*](#) Orbigny, 1905
[*Onthophagus mixtidorsis*](#) Orbigny, 1905
[*Onthophagus mjobergi*](#) Gillet, 1925
[*Onthophagus mniszechi*](#) Harold, 1869 - (Threehorned Dung Beetle)
[*Onthophagus moajat*](#) Huijbregts & Krikken, 2009
[*Onthophagus mocquerysi*](#) Orbigny, 1902
[*Onthophagus modestus*](#) Harold, 1862
[*Onthophagus mokwamensis*](#) Krikken & Huijbregts, 2012
[*Onthophagus monardi*](#) Boucomont, 1936
[*Onthophagus monardiellus*](#) Frey, 1963
[*Onthophagus mongana*](#) Storey & Weir, 1990
[*Onthophagus monodon*](#) Fåhraeus, 1857
[*Onthophagus monteithi*](#) Matthews, 1972
[*Onthophagus montishannoniae*](#) Krikken & Huijbregts, 2008
[*Onthophagus montivagus*](#) Orbigny, 1902

[Onthophagus montreuili](#) Moretto & Génier, 2010
[Onthophagus mordindangus](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus moreleti](#) Baraud, 1980
[Onthophagus morenoi](#) Moretto, 2013
[Onthophagus moretto](#) Josso, 2022
[Onthophagus moroni](#) Zunino & Halffter, 1988
[Onthophagus morosus](#) Gerstaecker, 1871
[Onthophagus mpassa](#) Walter, 1982
[Onthophagus mucronatus](#) Thomson, 1858
[Onthophagus mucronifer](#) Orbigny, 1905
[Onthophagus mugheseensis](#) Josso, 2019
[Onthophagus mulgravei](#) Paulian, 1937
[Onthophagus multipunctatus](#) Boucomont, 1914
[Onthophagus mundill](#) Matthews, 1972
[Onthophagus murchisoni](#) Blackburn, 1892
[Onthophagus murgon](#) Monteith & Storey, 2013
[Onthophagus murphyi](#) Josso, 2019
[Onthophagus musculus](#) Frey, 1963
[Onthophagus mutatus](#) Harold, 1859
[Onthophagus muticus](#) MacLeay, 1864
[Onthophagus mycetorum](#) Zunino & Halffter, 1988
[Onthophagus naaroon](#) Masumoto, 1990
[Onthophagus naevuliger](#) Orbigny, 1908
[Onthophagus nagpurensis](#) Arrow, 1931
[Onthophagus nammuldi](#) Matthews, 1972
[Onthophagus namnaoensis](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus namnaolekus](#) Masumoto, Ochi & Higurashi, 2020
[Onthophagus namnaous](#) Masumoto, Ochi & Hanboonsong, 2013
[Onthophagus nanus](#) Harold, 1878
[Onthophagus nasicornis](#) Harold, 1869
[Onthophagus nasicus](#) Gillet, 1930
[Onthophagus naso](#) Fåhræus, 1857
[Onthophagus nasonis](#) Kabakov, 1998
[Onthophagus nasutus](#) Guérin-Méneville, 1855
[Onthophagus natronis](#) Cambefort, 1984
[Onthophagus navarretorum](#) Delgado & Capistan, 1996
[Onthophagus nchilaensis](#) Josso, 2022
[Onthophagus nevoissi](#) Frey, 1970
[Onthophagus necrophagus](#) Arrow, 1931
[Onthophagus neervoorti](#) Boucomont, 1914
[Onthophagus negligens](#) Walker, 1858
[Onthophagus nemorivagus](#) Kohlmann & Solis, 2001
[Onthophagus neofurcatus](#) Goidanich, 1926
[Onthophagus neofuscus](#) Moctezuma & Halffter, 2020
[Onthophagus neomirabilis](#) Howden, 1973
[Onthophagus neostenocerus](#) Goidanich, 1926
[Onthophagus neyo](#) Moretto, 2013
[Onthophagus nicobaricus](#) Biswas, Chatterjee & Sengupta, 1999
[Onthophagus nigerianus](#) Orbigny, 1913

[*Onthophagus nigriceps*](#) Raffray, 1877
[*Onthophagus nigrinus*](#) Paulian, 1937
[*Onthophagus nigripennis*](#) Orbigny, 1908
[*Onthophagus nigriventris*](#) Orbigny, 1902 - (Coastal Dung Beetle)
[*Onthophagus nigrivestis*](#) Orbigny, 1902
[*Onthophagus nigroflavus*](#) Josso, 2022
[*Onthophagus nilicola*](#) Orbigny, 1902
[*Onthophagus niloticus*](#) Harold, 1879
[*Onthophagus nimbatus*](#) Orbigny, 1905
[*Onthophagus niokolokoba*](#) Moretto, 2007
[*Onthophagus nitefactus*](#) Harold, 1877
[*Onthophagus nitidifrons*](#) Orbigny, 1905
[*Onthophagus nitidior*](#) Bates, 1887
[*Onthophagus nodieri*](#) Orbigny, 1908
[*Onthophagus nodulifer*](#) Harold, 1867
[*Onthophagus nonstriatus*](#) Orbigny, 1905
[*Onthophagus notatus*](#) Orbigny, 1902
[*Onthophagus notiodes*](#) Solis & Kohlmann, 2003
[*Onthophagus novaeirlandiae*](#) Balthasar, 1969
[*Onthophagus nubilus*](#) Kohlmann & Solis, 2001
[*Onthophagus nudatus*](#) Orbigny, 1913
[*Onthophagus nudifrons*](#) Balthasar, 1939
[*Onthophagus nudus*](#) Orbigny, 1908
[*Onthophagus nummelini*](#) Moretto & Génier, 2020
[*Onthophagus nurubuan*](#) Matthews, 1972
[*Onthophagus nyctopus*](#) Bates, 1887
[*Onthophagus nyikaensis*](#) Josso, 2018
[*Onthophagus nymani*](#) Gillet, 1930
[*Onthophagus oaxacanus*](#) Zunino & Halffter, 1988
[*Onthophagus obliviosus*](#) Balthasar, 1935
[*Onthophagus obtusicornis*](#) Fåhræus, 1857
[*Onthophagus obtutus*](#) Péringuey, 1901
[*Onthophagus ocellidorsis*](#) Orbigny, 1915
[*Onthophagus ocellifer*](#) Orbigny, 1902
[*Onthophagus ocelliger*](#) Harold, 1877
[*Onthophagus ochii*](#) Masumoto, 1988
[*Onthophagus ochromerus*](#) Harold, 1877
[*Onthophagus ochropygus*](#) Orbigny, 1902
[*Onthophagus octogonus*](#) Frey, 1962
[*Onthophagus ofianus*](#) Krikken & Huijbregts, 2013
[*Onthophagus ohkuboi*](#) Ochi & Kon, 2006
[*Onthophagus okahandjanus*](#) Balthasar, 1974
[*Onthophagus oklahomensis*](#) Brown, 1927 - (Scarab beetle)
[*Onthophagus olidus*](#) Balthasar, 1964
[*Onthophagus omiltemius*](#) Bates, 1889
[*Onthophagus omostigma*](#) Orbigny, 1902
[*Onthophagus onorei*](#) Zunino & Halffter, 1997
[*Onthophagus onthochromus*](#) Arrow, 1913
[*Onthophagus ontosatu*](#) Huijbregts & Krikken, 2012

[*Onthophagus opacihartinae*](#) Ochi & Kon, 2015
[*Onthophagus opacotaurus*](#) Krikken & Huijbregts, 2012
[*Onthophagus ophion*](#) Erichson, 1847
[*Onthophagus ophtalmicus*](#) Frey, 1958
[*Onthophagus orbicularis*](#) Lansberge, 1885
[*Onthophagus orbus*](#) Boucomont, 1924
[*Onthophagus orientalis*](#) Harold, 1868
[*Onthophagus orissanus*](#) Arrow, 1931
[*Onthophagus orizabensis*](#) Moctezuma, Joaqui & Sánchez-Huerta, 2019
[*Onthophagus ornaticollis*](#) Gillet, 1930
[*Onthophagus ornatulus*](#) Orbigny, 1908
[*Onthophagus orpheus*](#) (Panzer, 1794)
[*Onthophagus orphnoides*](#) Bates, 1887
[*Onthophagus orthocerus*](#) Thomson, 1858
[*Onthophagus osculatii*](#) Guérin-Méneville, 1855
[*Onthophagus otai*](#) Ochi & Kon, 2006
[*Onthophagus otjivarongus*](#) Balthasar, 1967
[*Onthophagus ouratita*](#) Matthews, 1972
[*Onthophagus ovigranosus*](#) Frey, 1971
[*Onthophagus ovulum*](#) Gerstaecker, 1871
[*Onthophagus pacificus*](#) Lansberge, 1885
[*Onthophagus padrinoi*](#) Delgado, 1999
[*Onthophagus palamoui*](#) Biswas & Chatterjee, 1986
[*Onthophagus palatus*](#) Boucomont, 1914
[*Onthophagus palavanus*](#) Balthasar, 1959
[*Onthophagus pallidipennis*](#) Fåhræus, 1857
[*Onthophagus pallidus*](#) Orbigny, 1905
[*Onthophagus paluma*](#) Matthews, 1972
[*Onthophagus pangmaphanus*](#) Masumoto, Ochi & Higurashi, 2022
[*Onthophagus papuater*](#) Krikken & Huijbregts, 2012
[*Onthophagus papuensis*](#) Harold, 1877
[*Onthophagus papuplicatus*](#) Krikken & Huijbregts, 2012
[*Onthophagus papurugosus*](#) Krikken & Huijbregts, 2012
[*Onthophagus paracentricornis*](#) Ochi & Kon, 2014
[*Onthophagus parafasciatus*](#) Balthasar, 1974
[*Onthophagus parafuscus*](#) Zunino & Halfpter, 2005
[*Onthophagus parallelicornis*](#) MacLeay, 1887
[*Onthophagus parapalatus*](#) Krikken & Huijbregts, 1988
[*Onthophagus parapedisequus*](#) Balthasar, 1969
[*Onthophagus paravinctus*](#) Tagliaferri & Moretto, 2012
[*Onthophagus parceguttatus*](#) Orbigny, 1902
[*Onthophagus parcepictus*](#) Orbigny, 1908
[*Onthophagus parcepilosus*](#) Balthasar, 1966
[*Onthophagus parenthesis*](#) Boucomont, 1913
[*Onthophagus parisii*](#) Balthasar, 1941
[*Onthophagus parrumbal*](#) Matthews, 1972
[*Onthophagus parryi*](#) Harold, 1869
[*Onthophagus parumnotatus*](#) Fåhræus, 1857
[*Onthophagus parvus*](#) Blanchard, 1853

[Onthophagus paucigranosus](#) Lansberge, 1886
[Onthophagus paulianellus](#) Frey, 1958
[Onthophagus pauliani](#) Balthasar, 1937
[Onthophagus pauper](#) Boucomont, 1914
[Onthophagus pauxillus](#) Orbigny, 1902
[Onthophagus pavidus](#) Harold, 1877
[Onthophagus pedator](#) Sharp, 1875
[Onthophagus pedester](#) Howden & Génier, 2004
[Onthophagus pedisequus](#) Balthasar, 1969
[Onthophagus penedwardsae](#) Monteith & Storey, 2013
[Onthophagus peninsulomerus](#) Huijbregts & Krikken, 2011
[Onthophagus pennsylvanicus](#) Harold, 1871
[Onthophagus pentacanthus](#) Harold, 1867 - (Fivehorned Dung Beetle)
[Onthophagus peotoxus](#) Krikken & Huijbregts, 2012
[Onthophagus peramelinus](#) (Lea, 1923)
[Onthophagus peringueyi](#) Shipp, 1895
[Onthophagus perniger](#) Boucomont, 1930
[Onthophagus perpilosus](#) MacLeay, 1871
[Onthophagus personatus](#) Boucomont, 1914
[Onthophagus petenensis](#) Howden & Gill, 1993
[Onthophagus pexatus](#) Harold, 1869
[Onthophagus peyrierasi](#) Paulian, 1985
[Onthophagus phanaeomorphus](#) Janssens, 1954
[Onthophagus phatoensis](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus philippemorettoi](#) Josso, 2022
[Onthophagus philippinensis](#) Boucomont, 1919
[Onthophagus phoenicocerus](#) Lea, 1923
[Onthophagus phrixus](#) Balthasar, 1969
[Onthophagus phrutsaphaakhomus](#) Masumoto, 1992
[Onthophagus phukhieoensis](#) Masumoto, Ochi & Hanboonsong, 2007
[Onthophagus picatus](#) Orbigny, 1902
[Onthophagus piceiceps](#) Orbigny, 1904
[Onthophagus picipennis](#) Hope, 1841
[Onthophagus pictipennis](#) Orbigny, 1913
[Onthophagus pictipodex](#) Orbigny, 1902
[Onthophagus picturatus](#) Orbigny, 1908
[Onthophagus pictus](#) Reitter, 1892
[Onthophagus pierreii](#) Josso, 2022
[Onthophagus pilicollis](#) Orbigny, 1902
[Onthophagus pilipodex](#) Orbigny, 1913
[Onthophagus pillara](#) Matthews, 1972
[Onthophagus pilosus](#) Fähræus, 1857
[Onthophagus pimpasaleei](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus pinaroo](#) Storey & Weir, 1990
[Onthophagus pinguis](#) Gerstaecker, 1871
[Onthophagus pipitzi](#) Ancey, 1883
[Onthophagus pisciphagus](#) Walter & Cambefort, 1977
[Onthophagus pithankithae](#) Karimbumkara & Priyadarsanan, 2016
[Onthophagus placens](#) Péringuey, 1904

[Onthophagus planaticeps](#) Orbigny, 1913
[Onthophagus planiceps](#) MacLeay, 1886
[Onthophagus planicollis](#) Harold, 1880
[Onthophagus planifrons](#) Frey, 1962
[Onthophagus platalea](#) Arrow, 1941
[Onthophagus pleurogonus](#) Orbigny, 1913
[Onthophagus plicatifrons](#) Orbigny, 1908
[Onthophagus politus](#) (Fabricius, 1798)
[Onthophagus pollicatus](#) Harold, 1879
[Onthophagus polyedrus](#) Orbigny, 1905
[Onthophagus polyodon](#) Orbigny, 1913
[Onthophagus polyphemi](#) Hubbard, 1894 - (Onthophagus tortoise commensal scarab)
[Onthophagus polystigma](#) Orbigny, 1902
[Onthophagus pooensis](#) Cambefort & Nicolas, 1991
[Onthophagus porcus](#) Arrow, 1931
[Onthophagus possoi](#) Walter, 1982
[Onthophagus posticicornis](#) Orbigny, 1913
[Onthophagus posticus](#) Erichson, 1842
[Onthophagus potosinus](#) Moctezuma & Halffter, 2020
[Onthophagus praecellens](#) Bates, 1887
[Onthophagus praelaminatus](#) Frey, 1957
[Onthophagus praestans](#) Péringuey, 1901
[Onthophagus prehensilis](#) (Arrow, 1920)
[Onthophagus probus](#) Péringuey, 1901
[Onthophagus profanus](#) Frey, 1958
[Onthophagus pronocarinatus](#) Josso, 2019
[Onthophagus pronus](#) Erichson, 1842
[Onthophagus propinquus](#) MacLeay, 1888
[Onthophagus propraecellens](#) Howden & Gill, 1987
[Onthophagus proteus](#) Orbigny, 1902
[Onthophagus proximus](#) Orbigny, 1908
[Onthophagus pseudoaeneus](#) Orbigny, 1908
[Onthophagus pseudobidens](#) Orbigny, 1915
[Onthophagus pseudobrutus](#) Kabakov, 1983
[Onthophagus pseudobufonidius](#) Josso, 2019
[Onthophagus pseudoconvexicollis](#) Bai & Yang, 2016
[Onthophagus pseudocoracinus](#) Kabakov, 1983
[Onthophagus pseudocostifer](#) Krikken & Huijbregts, 2012
[Onthophagus pseudocribripennis](#) Josso, 2019
[Onthophagus pseudofimetarius](#) Balthasar, 1946
[Onthophagus pseudofuscus](#) Zunino & Halffter, 1988
[Onthophagus pseudoguatemalensis](#) Moctezuma & Halffter, 2021
[Onthophagus pseudohystrix](#) Masumoto, 1995
[Onthophagus pseudopilosus](#) Frey, 1958
[Onthophagus pseudosanguineus](#) Walter & Cambefort, 1977
[Onthophagus pseudosellatus](#) Balthasar, 1964
[Onthophagus pseudoundulans](#) Zunino & Halffter, 1988
[Onthophagus pseudovinctus](#) Tagliaferri & Moretto, 2012
[Onthophagus ptox](#) Erichson, 1847

[Onthophagus puberulus](#) Orbigny, 1902
[Onthophagus pugionatus](#) Fåhraeus, 1857
[Onthophagus pugnacior](#) Blackburn, 1903
[Onthophagus pugnax](#) Harold, 1868
[Onthophagus pulchellus](#) Orbigny, 1905
[Onthophagus pullatus](#) Orbigny, 1905
[Onthophagus pullus](#) Roth, 1851
[Onthophagus punthari](#) Storey, 1977
[Onthophagus pupillatus](#) Kolbe, 1886
[Onthophagus purifrons](#) Orbigny, 1908
[Onthophagus purpurascens](#) Boucomont, 1914
[Onthophagus purpureicollis](#) MacLeay, 1864
[Onthophagus pusillus](#) (Fabricius, 1798)
[Onthophagus pusio](#) Fåhraeus, 1857
[Onthophagus pygidialis](#) Lansberge, 1883
[Onthophagus pygmaeus](#) (Schaller, 1783)
[Onthophagus quadricallus](#) Orbigny, 1902
[Onthophagus quadrilunatus](#) Orbigny, 1902
[Onthophagus quadrimaculatus](#) Raffray, 1877
[Onthophagus quadrinodosus](#) Fåhraeus, 1857
[Onthophagus quadrinotatus](#) Orbigny, 1905
[Onthophagus quadripustulatus](#) (Fabricius, 1775)
[Onthophagus queenslandicus](#) Blackburn, 1903
[Onthophagus quetzalis](#) Howden & Gill, 1993
[Onthophagus quinquetuberculatus](#) MacLeay, 1871
[Onthophagus quioproquo](#) Moretto & Génier, 2010
[Onthophagus ragazzii](#) Orbigny, 1904
[Onthophagus rana](#) Arrow, 1931
[Onthophagus ranunculus](#) Arrow, 1913
[Onthophagus rasipennis](#) Orbigny, 1908
[Onthophagus ratchasimaensis](#) Masumoto, Hanboonsong & Ochi, 2002
[Onthophagus ratchataniensis](#) Masumoto, Ochi & Hanboonsong, 2013
[Onthophagus rectestriatus](#) Orbigny, 1915
[Onthophagus rectilamina](#) Orbigny, 1902
[Onthophagus rectorispauliani](#) Cambefort, 1980
[Onthophagus refulgens](#) Arrow, 1931
[Onthophagus regalis](#) Arrow, 1907
[Onthophagus reticollis](#) MacLeay, 1886
[Onthophagus reticuliger](#) Frey, 1960
[Onthophagus reticulundaticeps](#) Josso, 2022
[Onthophagus retusus](#) Harold, 1869
[Onthophagus reyesi](#) Zunino & Halffter, 1988
[Onthophagus rhinocerus](#) Gomes Alves, 1944
[Onthophagus rhinolophus](#) Harold, 1869
[Onthophagus rhinophyllus](#) Harold, 1868
[Onthophagus rhodesianus](#) Frey, 1975
[Onthophagus rhynchophorus](#) Péringuey, 1904
[Onthophagus riparius](#) Lansberge, 1885
[Onthophagus rizali](#) Ochi, Kawahara & Cabras, 2021

[*Onthophagus robertminettii*](#) Josso, 2022
[*Onthophagus robertopoggii*](#) Ochi & Kon, 2006
[*Onthophagus rohwedderi*](#) Moretto, 2017
[*Onthophagus rojkoffianus*](#) Josso, 2018
[*Onthophagus rorarius*](#) Harold, 1877
[*Onthophagus rosemarieae*](#) Josso, 2022
[*Onthophagus rosenbergi*](#) Krikken & Huijbregts, 2011
[*Onthophagus rosettae*](#) Frey, 1958
[*Onthophagus rostratus*](#) Harold, 1869
[*Onthophagus rotundatus*](#) Orbigny, 1905
[*Onthophagus roubali*](#) Balthasar, 1935
[*Onthophagus rouyeri*](#) Boucomont, 1914
[*Onthophagus royi*](#) Biswas & Chatterjee, 1985
[*Onthophagus ruandanus*](#) Frey, 1971
[*Onthophagus rubefactus*](#) Orbigny, 1913
[*Onthophagus rubellus*](#) Orbigny, 1908
[*Onthophagus rubens*](#) Orbigny, 1902
[*Onthophagus rubenticollis*](#) Orbigny, 1902
[*Onthophagus rubescens*](#) MacLeay, 1888
[*Onthophagus rubicundulus*](#) MacLeay, 1871
[*Onthophagus rubidus*](#) Orbigny, 1913
[*Onthophagus rubrescens*](#) Blanchard, 1845
[*Onthophagus rubricatus*](#) Orbigny, 1902
[*Onthophagus rubrimaculatus*](#) MacLeay, 1864
[*Onthophagus rubripennis*](#) Arrow, 1907
[*Onthophagus rufescens*](#) Bates, 1887
[*Onthophagus ruficauda*](#) Arrow, 1931
[*Onthophagus rufipodex*](#) Orbigny, 1913
[*Onthophagus rufocastaneus*](#) Fairmaire, 1887
[*Onthophagus rufolimbatus*](#) Orbigny, 1913
[*Onthophagus rufonotatus*](#) Orbigny, 1902
[*Onthophagus rufosignatus*](#) MacLeay, 1864
[*Onthophagus rufovirens*](#) Orbigny, 1904
[*Onthophagus rugicollis*](#) Harold, 1880
[*Onthophagus rugidorsis*](#) Orbigny, 1913
[*Onthophagus rugosicollis*](#) Gillet, 1925
[*Onthophagus rugosipennis*](#) Frey, 1973
[*Onthophagus rugosissimus*](#) Orbigny, 1913
[*Onthophagus rupicapra*](#) Waterhouse, 1894
[*Onthophagus rutilans*](#) Sharp, 1875
[*Onthophagus rutriceps*](#) Krikken & Huijbregts, 2012
[*Onthophagus sabahensis*](#) Ochi & Kon, 2006
[*Onthophagus sahai*](#) Biswas & Chatterjee, 1986
[*Onthophagus saigonensis*](#) Boucomont, 1924
[*Onthophagus sakaeratensis*](#) Masumoto, Hanboonsong & Ochi, 2002
[*Onthophagus sakainoi*](#) Masumoto, 1991
[*Onthophagus salebrosus*](#) MacLeay, 1888
[*Onthophagus saleyeri*](#) Lansberge, 1883
[*Onthophagus salvadorensis*](#) Zunino & Halfpeter, 1988

[*Onthophagus salvazai*](#) Paulian, 1978
[*Onthophagus samoengus*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus sancristobalensis*](#) Moctezuma & Halffter, 2020
[*Onthophagus sanggona*](#) Huijbregts & Krikken, 2009
[*Onthophagus sangirensis*](#) Boucomont, 1914
[*Onthophagus sanguineus*](#) Orbigny, 1902
[*Onthophagus sanguinolentus*](#) Orbigny, 1908
[*Onthophagus sangwalus*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus sanpabloetlorum*](#) Moctezuma & Halffter, 2020
[*Onthophagus sansibaricus*](#) Harold, 1878
[*Onthophagus santamariensis*](#) Moctezuma, Sánchez-Huerta & Halffter, 2020
[*Onthophagus sarasinorum*](#) Krikken & Huijbregts, 2011
[*Onthophagus savanicola*](#) Cambefort, 1984
[*Onthophagus scaber*](#) Roth, 1851
[*Onthophagus scapularis*](#) Orbigny, 1902
[*Onthophagus sceptrifer*](#) Boucomont, 1924
[*Onthophagus schaefferi*](#) Howden & Cartwright, 1963
[*Onthophagus schawalleri*](#) Scheuern, 1996
[*Onthophagus schuncke*](#) Paulian, 1936
[*Onthophagus sciron*](#) Balthasar, 1969
[*Onthophagus sculptilis*](#) Gerstaecker, 1871
[*Onthophagus seabrai*](#) Gomes Alves, 1944
[*Onthophagus secundarius*](#) Roth, 1851
[*Onthophagus sellatulus*](#) Orbigny, 1902
[*Onthophagus sembeli*](#) Krikken & Huijbregts, 2008
[*Onthophagus semiaratus*](#) Orbigny, 1902
[*Onthophagus semiasper*](#) Orbigny, 1902
[*Onthophagus semicroceus*](#) Orbigny, 1915
[*Onthophagus semiflavus*](#) Boheman, 1860
[*Onthophagus semigraniger*](#) Orbigny, 1905
[*Onthophagus semigranosus*](#) Lansberge, 1883
[*Onthophagus semilaevis*](#) Orbigny, 1913
[*Onthophagus semimetallicus*](#) Lea, 1923
[*Onthophagus seminitens*](#) Orbigny, 1902
[*Onthophagus seminitidus*](#) Orbigny, 1908
[*Onthophagus semiopacus*](#) Harold, 1869
[*Onthophagus semipacificus*](#) Ochi & Kon, 2006
[*Onthophagus semivestitus*](#) Paulian, 1937
[*Onthophagus semivirescens*](#) Orbigny, 1902
[*Onthophagus semiviridis*](#) Orbigny, 1904
[*Onthophagus senegalensis*](#) Orbigny, 1902
[*Onthophagus senescens*](#) Péringuey, 1908
[*Onthophagus sepilokensis*](#) Ochi & Kon, 2006
[*Onthophagus seramicus*](#) Huijbregts & Krikken, 2012
[*Onthophagus serdangensis*](#) Lansberge, 1886
[*Onthophagus sericans*](#) Frey, 1975
[*Onthophagus sericeicollis*](#) Boucomont, 1928
[*Onthophagus serienotatus*](#) Orbigny, 1902
[*Onthophagus seseba*](#) Krikken & Huijbregts, 2017

[Onthophagus setchan](#) Masumoto, 1984
[Onthophagus setosus](#) Fåhraeus, 1857
[Onthophagus sexdentatus](#) Boucomont, 1919
[Onthophagus sexstriatus](#) Montrouzier, 1855
[Onthophagus sharpi](#) Harold, 1875
[Onthophagus sibela](#) Huijbregts & Krikken, 2012
[Onthophagus sibuyanus](#) Boucomont, 1924
[Onthophagus sidama](#) Gestro, 1895
[Onthophagus sidangeaus](#) Masumoto, Ochi & Higurashi, 2021
[Onthophagus signaticollis](#) Frey, 1970
[Onthophagus signifer](#) Harold, 1877
[Onthophagus sihkahonoi](#) Huijbregts & Krikken, 2009
[Onthophagus sikkimensis](#) Gillet, 1925
[Onthophagus simillimus](#) Orbigny, 1913
[Onthophagus simius](#) Reitter, 1892
[Onthophagus simoni](#) Orbigny, 1902
[Onthophagus simplex](#) Raffray, 1877
[Onthophagus simplicifrons](#) Reitter, 1892
[Onthophagus simulator](#) Orbigny, 1905
[Onthophagus singulariformis](#) Kohlmann & Solis, 2001
[Onthophagus sinicus](#) Hope, 1842
[Onthophagus sinuosicollis](#) Orbigny, 1905
[Onthophagus sinuosus](#) Orbigny, 1913
[Onthophagus sipilouensis](#) Cambefort, 1984
[Onthophagus sisypoides](#) Krikken, 1977
[Onthophagus sjoestethi](#) Orbigny, 1904
[Onthophagus skelleyi](#) Sánchez-Huerta, Zunino & Halfpter, 2018
[Onthophagus sloanei](#) Blackburn, 1903
[Onthophagus smeenki](#) Cambefort, 1980
[Onthophagus smetanai](#) Balthasar, 1952
[Onthophagus snoflaki](#) Balthasar, 1944
[Onthophagus socialis](#) Arrow, 1931
[Onthophagus solidus](#) Gillet, 1927
[Onthophagus solisi](#) Howden & Gill, 1993
[Onthophagus solomonensis](#) Krikken & Huijbregts, 2012
[Onthophagus somalicola](#) Balthasar, 1941
[Onthophagus songsokensis](#) Biswas & Chatterjee, 1985
[Onthophagus sophiae](#) Nicolas, 2006
[Onthophagus sopu](#) Krikken & Huijbregts, 2017
[Onthophagus sparsepunctatus](#) Frey, 1956
[Onthophagus sparsulus](#) Reitter, 1892
[Onthophagus spiculatus](#) Boucomont, 1914
[Onthophagus spinicornis](#) Gillet, 1930
[Onthophagus spinifex](#) (Fabricius, 1781)
[Onthophagus splendidoides](#) Joso, 2013
[Onthophagus splendidus](#) Boucomont, 1932
[Onthophagus spurcatus](#) Orbigny, 1905
[Onthophagus squalidus](#) Lea, 1923
[Onthophagus stanleyi](#) Moretto & Génier, 2010

[Onthophagus stehliki](#) Balthasar, 1966
[Onthophagus steinheili](#) Harold, 1880
[Onthophagus stellio](#) Erichson, 1843
[Onthophagus stenocerus](#) Harold, 1867
[Onthophagus sternalis](#) Arrow, 1931
[Onthophagus sternax](#) Balthasar, 1959
[Onthophagus stictus](#) Orbigny, 1913
[Onthophagus stigmosus](#) Orbigny, 1902
[Onthophagus stillatus](#) Orbigny, 1904
[Onthophagus stockwelli](#) Howden & Young, 1981
[Onthophagus stomachosus](#) Krell, 2009
[Onthophagus striatulus](#) (Palisot de Beauvois, 1809)
[Onthophagus strictestriatus](#) Orbigny, 1913
[Onthophagus stuhlmanni](#) Orbigny, 1908
[Onthophagus subaeneus](#) (Palisot de Beauvois, 1811)
[Onthophagus subalternans](#) Orbigny, 1902
[Onthophagus subcancer](#) Howden, 1973
[Onthophagus subcinctus](#) Orbigny, 1913
[Onthophagus subdivisus](#) Orbigny, 1908
[Onthophagus subhumeralis](#) Orbigny, 1902
[Onthophagus subnudus](#) Orbigny, 1902
[Onthophagus subocellatus](#) Orbigny, 1905
[Onthophagus subocelliger](#) Blackburn, 1903
[Onthophagus subopacus](#) Robinson, 1940
[Onthophagus subplanus](#) Orbigny, 1902
[Onthophagus subrugosus](#) Orbigny, 1905
[Onthophagus subsulcatus](#) Orbigny, 1908
[Onthophagus subtropicus](#) Howden & Cartwright, 1963
[Onthophagus subulifer](#) Orbigny, 1908
[Onthophagus suillus](#) Arrow, 1931
[Onthophagus sulawesiensis](#) Krikken & Huijbregts, 2011
[Onthophagus sulcatulus](#) Orbigny, 1907
[Onthophagus sulci](#) Balthasar, 1935
[Onthophagus sulcipennis](#) Orbigny, 1902
[Onthophagus sumbavensis](#) Boucomont, 1914
[Onthophagus sumptuosus](#) Paulian, 1937
[Onthophagus sundanensis](#) Lansberge, 1883
[Onthophagus surdus](#) Boucomont, 1925
[Onthophagus sutiliceps](#) Orbigny, 1902
[Onthophagus sydneyensis](#) Blackburn, 1903
[Onthophagus sylvestris](#) Walter & Cambefort, 1977
[Onthophagus sylvipapuanus](#) Krikken & Huijbregts, 2012
[Onthophagus symbioticus](#) (Arrow, 1920)
[Onthophagus synceri](#) Cambefort, 1984
[Onthophagus taayai](#) Masumoto, 1995
[Onthophagus tabellicornis](#) MacLeay, 1864
[Onthophagus tabellifer](#) Gillet, 1927
[Onthophagus tabidus](#) Balthasar, 1935
[Onthophagus taboranus](#) Orbigny, 1902

[*Onthophagus tacanensis*](#) Chamé-Vázquez & Sánchez-Hernández, 2022
[*Onthophagus taiensis*](#) Cambefort, 1984
[*Onthophagus takaoi*](#) Ochi & Kon, 2014
[*Onthophagus talpa*](#) Fåhræus, 1857
[*Onthophagus tambing*](#) Krikken & Huijbregts, 2011
[*Onthophagus tamworthi*](#) Blackburn, 1903
[*Onthophagus tanguanus*](#) Orbigny, 1913
[*Onthophagus tapirus*](#) Sharp, 1877
[*Onthophagus taprobanus*](#) Arrow, 1931
[*Onthophagus tarascus*](#) Zunino & Halfpeter, 1988
[*Onthophagus tarasovi*](#) Krikken & Huijbregts, 2012
[*Onthophagus tarsius*](#) Arrow, 1941
[*Onthophagus tatsienluensis*](#) Balthasar, 1942
[*Onthophagus tauroides*](#) Gillet, 1930
[*Onthophagus taurus*](#) (Schreber, 1759) - (Scarab beetle)
[*Onthophagus taxillus*](#) Balthasar, 1969
[*Onthophagus teitanicus*](#) Orbigny, 1902
[*Onthophagus telegonus*](#) Balthasar, 1969
[*Onthophagus telephus*](#) Balthasar, 1969
[*Onthophagus temporalis*](#) Orbigny, 1902
[*Onthophagus tenax*](#) Balthasar, 1964
[*Onthophagus tenebrosus*](#) Harold, 1871
[*Onthophagus tenuigraniger*](#) Orbigny, 1913
[*Onthophagus tenuistriatus*](#) Orbigny, 1905
[*Onthophagus terminatus*](#) (Eschscholtz, 1822)
[*Onthophagus terrara*](#) Storey, 1977
[*Onthophagus tersicollis*](#) Müller, 1947
[*Onthophagus tersipennis*](#) Orbigny, 1902
[*Onthophagus tersus*](#) Orbigny, 1913
[*Onthophagus tesseratus*](#) Orbigny, 1908
[*Onthophagus tessulatus*](#) Harold, 1871
[*Onthophagus testaceoviolaceus*](#) Paulian, 1937
[*Onthophagus tetricus*](#) Harold, 1877
[*Onthophagus thainuaensis*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus tharalithae*](#) Karimbumkara & Priyadarsanan, 2016
[*Onthophagus tholaayi*](#) Masumoto, 1990
[*Onthophagus thoreyi*](#) Harold, 1868
[*Onthophagus timorensis*](#) Boucomont, 1914
[*Onthophagus tiniocelloides*](#) Boucomont, 1925
[*Onthophagus tirapensis*](#) Biswas & Chatterjee, 1985
[*Onthophagus tnai*](#) Nithya & Sabu, 2012
[*Onthophagus togeman*](#) Matthews, 1972
[*Onthophagus tonsus*](#) Orbigny, 1902
[*Onthophagus tonywhitteni*](#) Krikken & Huijbregts, 2011
[*Onthophagus toopi*](#) Monteith & Storey, 2013
[*Onthophagus toraut*](#) Krikken & Huijbregts, 2011
[*Onthophagus totonacus*](#) Moctezuma & Halfpeter, 2021
[*Onthophagus totonicapamus*](#) Bates, 1887
[*Onthophagus toxopeus*](#) Krikken & Huijbregts, 2012

[Onthophagus tragus](#) Frey, 1972
[Onthophagus transisthmus](#) Howden & Young, 1981
[Onthophagus transvestitus](#) Huijbregts & Krikken, 2009
[Onthophagus trapezicornis](#) Orbigny, 1902
[Onthophagus traversii](#) Orbigny, 1904
[Onthophagus trawalla](#) Storey & Weir, 1990
[Onthophagus tricariniger](#) Orbigny, 1902
[Onthophagus tricavicollis](#) Lea, 1923
[Onthophagus trichopygus](#) Orbigny, 1905
[Onthophagus tricolor](#) Boucomont, 1914
[Onthophagus tricorniger](#) Boheman, 1860
[Onthophagus tridenticeps](#) Orbigny, 1902
[Onthophagus trifidisetis](#) Orbigny, 1905
[Onthophagus triimpressus](#) Orbigny, 1905
[Onthophagus trinodosus](#) Fåhræus, 1857
[Onthophagus trinominatus](#) Goidanich, 1926
[Onthophagus tripartitus](#) Orbigny, 1902
[Onthophagus tripolitanus](#) Heyden, 1890
[Onthophagus triptolemus](#) Balthasar, 1969
[Onthophagus tristis](#) Harold, 1873
[Onthophagus tritinctus](#) Boucomont, 1914
[Onthophagus triundulatus](#) Balthasar, 1964
[Onthophagus truncaticornis](#) (Schaller, 1783)
[Onthophagus tschadensis](#) Balthasar, 1963
[Onthophagus tschoffeni](#) Orbigny, 1904
[Onthophagus tshuapae](#) Balthasar, 1964
[Onthophagus tsubakii](#) Ochi & Kon, 2009
[Onthophagus tuberculifrons](#) Harold, 1871 - (Scarab beetle)
[Onthophagus tubericollis](#) Raffray, 1877
[Onthophagus tuckonie](#) Matthews, 1972
[Onthophagus tumami](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus tumidulus](#) Gerstaecker, 1871
[Onthophagus tungkamangensis](#) Masumoto, Ochi & Hanboonsong, 2007
[Onthophagus tungkamungensis](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus turfanicus](#) Balthasar, 1971
[Onthophagus turgidus](#) Kohlmann & Solís, 2012
[Onthophagus turneri](#) Boucomont, 1936
[Onthophagus turrbal](#) Matthews, 1972
[Onthophagus tuzetae](#) Walter & Cambefort, 1977
[Onthophagus tweedensis](#) Blackburn, 1903
[Onthophagus ubaidillahi](#) Krikken & Huijbregts, 2012
[Onthophagus uelensis](#) Frey, 1960
[Onthophagus ugoi](#) Moretto & Génier, 2020
[Onthophagus ukerewensis](#) Balthasar, 1937
[Onthophagus umbilicatus](#) Orbigny, 1908
[Onthophagus umbratus](#) Orbigny, 1902
[Onthophagus undulans](#) Bates, 1889
[Onthophagus unidentatus](#) Boucomont, 1927
[Onthophagus unifasciatus](#) (Schaller, 1783)

[Onthophagus ursinus](#) Orbigny, 1902
[Onthophagus ursus](#) Boucomont, 1926
[Onthophagus usambaricus](#) Paulian, 1937
[Onthophagus vaneyeni](#) Frey, 1960
[Onthophagus varianus](#) Lea, 1923
[Onthophagus variatus](#) Orbigny, 1902
[Onthophagus variegranosus](#) Orbigny, 1905
[Onthophagus variolaris](#) Lansberge, 1883
[Onthophagus variolicollis](#) Lea, 1923
[Onthophagus variolosus](#) Orbigny, 1902
[Onthophagus varius](#) Orbigny, 1913
[Onthophagus vassei](#) Orbigny, 1908
[Onthophagus vatovai](#) Müller, 1942
[Onthophagus velliger](#) Orbigny, 1907
[Onthophagus velutinus](#) Horn, 1875
[Onthophagus ventralis](#) Lansberge, 1883
[Onthophagus ventrosus](#) Orbigny, 1905
[Onthophagus veracruzensis](#) Delgado & Pensado, 1998
[Onthophagus vermiculatus](#) Frey, 1970
[Onthophagus verrucosus](#) Orbigny, 1902
[Onthophagus vesanus](#) Balthasar, 1967
[Onthophagus vespertilio](#) Howden, Cartwright & Hallfater, 1956
[Onthophagus vestitus](#) Orbigny, 1902
[Onthophagus vethi](#) Krikken, 1977
[Onthophagus vicinus](#) Harold, 1886
[Onthophagus victoriensis](#) Blackburn, 1903
[Onthophagus vigens](#) Péringuey, 1901
[Onthophagus vilis](#) Harold, 1877
[Onthophagus villanuevai](#) Delgado & Deloya, 1990
[Onthophagus villosus](#) MacLeay, 1888
[Onthophagus vinctoides](#) Frey, 1957
[Onthophagus vinctus](#) Erichson, 1843
[Onthophagus violaceotinctus](#) Gillet, 1925
[Onthophagus violaceoviridis](#) Paulian, 1937
[Onthophagus violetae](#) Zunino & Halfpter, 1997
[Onthophagus virescens](#) Harold, 1867
[Onthophagus viridicatus](#) Orbigny, 1902
[Onthophagus viridichevrolati](#) Moctezuma & Halfpter, 2020
[Onthophagus viridivinosus](#) Kohlmann & Solis, 2001
[Onthophagus viviensis](#) Orbigny, 1905
[Onthophagus vladimiri](#) Frey, 1957
[Onthophagus volsellatus](#) Boucomont, 1920
[Onthophagus vuattouxi](#) Cambefort, 1984
[Onthophagus vulpes](#) Harold, 1877
[Onthophagus vulpinaris](#) Schönfeldt, 1906
[Onthophagus vulpinus](#) Arrow, 1931
[Onthophagus vultuosus](#) Orbigny, 1902
[Onthophagus vultur](#) Arrow, 1931
[Onthophagus vylderi](#) Orbigny, 1913

[Onthophagus wagamen](#) Matthews, 1972
[Onthophagus wakelbura](#) Matthews, 1972
[Onthophagus walteri](#) MacLeay, 1887
[Onthophagus waminda](#) Matthews, 1972
[Onthophagus wanappe](#) Storey, 1977
[Onthophagus wangnamkhieoensis](#) Masumoto, Hanboonsong & Ochi, 2002
[Onthophagus wangnamkieous](#) Masumoto, Ochi & Hanboonsong, 2008
[Onthophagus waterloti](#) Orbigny, 1908
[Onthophagus waterstradi](#) Boucomont, 1914
[Onthophagus wayaua](#) Huijbregts & Krikken, 2012
[Onthophagus wensis](#) Josso & Prévost, 2006
[Onthophagus weringerong](#) Storey & Weir, 1990
[Onthophagus wiebesi](#) Krikken, 1977
[Onthophagus wigmungan](#) Matthews, 1972
[Onthophagus wilgi](#) Matthews, 1972
[Onthophagus willameorum](#) Walter & Cambefort, 1977
[Onthophagus williamsi](#) Storey & Weir, 1990
[Onthophagus witteianus](#) Krell, 2009
[Onthophagus wombalano](#) Matthews, 1972
[Onthophagus worooa](#) Storey & Weir, 1990
[Onthophagus xanthochlorus](#) Walter & Cambefort, 1977
[Onthophagus xanthomerus](#) Bates, 1887
[Onthophagus xanthopterus](#) Orbigny, 1908
[Onthophagus xanthopygus](#) Orbigny, 1910
[Onthophagus yackatoon](#) Storey & Weir, 1990
[Onthophagus yamaokai](#) Masumoto, Ochi & Hanboonsong, 2002
[Onthophagus yangi](#) Masumoto, Tsai & Ochi, 2006
[Onthophagus yanoi](#) Matsumura, 1938
[Onthophagus yaran](#) Storey & Weir, 1990
[Onthophagus yarrumba](#) Storey, 1977
[Onthophagus yasuhikoi](#) Masumoto, Ochi & Sakchoowong, 2012
[Onthophagus yescaensis](#) Moctezuma, Hernández & Sánchez-Huerta, 2022
[Onthophagus yeyeko](#) Matthews, 1972
[Onthophagus yifer](#) Krikken & Huijbregts, 2012
[Onthophagus yiryoront](#) Matthews, 1972
[Onthophagus yourula](#) Storey & Weir, 1990
[Onthophagus yucatanus](#) Delgado-Castillo, Peraza & Deloya, 2006
[Onthophagus yungaburra](#) Matthews, 1972
[Onthophagus yunkara](#) Matthews, 1972
[Onthophagus zairensis](#) Walter & Cambefort, 1977
[Onthophagus zambundaticeps](#) Josso, 2022
[Onthophagus zapotecus](#) Zunino & Halffter, 1988
[Onthophagus zebra](#) Arrow, 1931
[Onthophagus zebu](#) Boucomont, 1921
[Onthophagus zicsii](#) Balthasar, 1967
[Onthophagus zimmermanni](#) Balthasar, 1959
[Onthophagus zinovskiyi](#) Qaryagdy, 1939
[Onthophagus zumpti](#) Frey, 1954
[Onthophagus zymoticus](#) Moxey, 1963

†[*Onthophagus bisoninus*](#) Heer, 1862
†[*Onthophagus crassus*](#) Heer, 1862
†[*Onthophagus everestae*](#) Pierce, 1946
†[*Onthophagus luteus*](#) Oustalet, 1874
†[*Onthophagus ovatulus*](#) Heer, 1847
†[*Onthophagus pilauco*](#) Tello, Verdú, Rossini & Zunino, 2021
†[*Onthophagus prodromus*](#) Heer, 1862
†[*Onthophagus spitsbergeniensis*](#) Krell, 2010
†[*Onthophagus statzi*](#) Krell, 1990
†[*Onthophagus urusheeri*](#) Krell, 2000

Subgenus [*Palaeonthophagus*](#) Zunino, 1979

[*Onthophagus aerarius*](#) Reitter, 1892
[*Onthophagus afghanus*](#) Petrovitz, 1961
[*Onthophagus akinini*](#) Koenig, 1889
[*Onthophagus albarracinus*](#) Baraud, 1979
[*Onthophagus aleppensis*](#) Redtenbacher, 1843
[*Onthophagus amirus*](#) Kabakov, 1982
[*Onthophagus anatolicus*](#) Petrovitz, 1962
[*Onthophagus andalusicus*](#) Walzl, 1835
[*Onthophagus angorensis*](#) Petrovitz, 1963
[*Onthophagus arnoldii*](#) Kabakov, 1982
[*Onthophagus baraudi*](#) Nicolas, 1964
[*Onthophagus basipustulatus*](#) Heyden, 1889
[*Onthophagus bonsae*](#) Zunino, 1976
[*Onthophagus bytinskii*](#) Balthasar, 1960
[*Onthophagus carpanetoi*](#) Pittino, 1982
[*Onthophagus clitellifer*](#) Reitter, 1894
[*Onthophagus coenobita*](#) (Herbst, 1783)
[*Onthophagus conspersus*](#) Reitter, 1892
[*Onthophagus cruciatus*](#) Ménétériés, 1832
[*Onthophagus dacatrai*](#) Pittino, 2004
[*Onthophagus dellacasai*](#) Pittino & Mariani, 1981
[*Onthophagus dorsosignatus*](#) Orbigny, 1898
[*Onthophagus eulaminicornis*](#) Pittino, 2006
[*Onthophagus excisus*](#) Reiche & Saulcy, 1856
[*Onthophagus excubitor*](#) Ziani & Gudenzi, 2006
[*Onthophagus finschi*](#) Harold, 1877
[*Onthophagus fissicornis*](#) (Steven, 1809)
[*Onthophagus fissinasus*](#) Fairmaire, 1895
[*Onthophagus flagrans*](#) Reitter, 1892
[*Onthophagus formaneki*](#) Reitter, 1897
[*Onthophagus fortigibber*](#) Reitter, 1909
[*Onthophagus fracticornis*](#) (Preyssler, 1790)
[*Onthophagus furciceps*](#) Marseul, 1869
[*Onthophagus gibbulus*](#) (Pallas, 1781)
[*Onthophagus glasunowi*](#) Koshantschikov, 1894
[*Onthophagus gorodinskii*](#) Kabakov, 2008

[Onthophagus grossepunctatus](#) Reitter, 1905
[Onthophagus hermonensis](#) Baraud, 1982
[Onthophagus hissariensis](#) Kabakov, 2006
[Onthophagus isikdagensis](#) Pittino, 2004
[Onthophagus jiupengensis](#) Masumoto, Lan & Kiuchi, 2017
[Onthophagus joannae](#) Goljan, 1953
[Onthophagus kindermanni](#) Harold, 1877
[Onthophagus kolenatii](#) Reitter, 1892
[Onthophagus koryoensis](#) Kim, 1985
[Onthophagus laticornis](#) Gebler, 1823
[Onthophagus latigena](#) Orbigny, 1897
[Onthophagus lemur](#) (Fabricius, 1781)
[Onthophagus lemuroides](#) Orbigny, 1898
[Onthophagus leucostigma](#) (Steven, 1812)
[Onthophagus lucidus](#) (Illiger, 1800)
[Onthophagus marginalis](#) (Gebler, 1817)
[Onthophagus massai](#) Baraud, 1975
[Onthophagus medius](#) (Kugelann, 1792)
[Onthophagus medvedevi](#) Kabakov, 1982
[Onthophagus merdarius](#) Chevrolat, 1865
[Onthophagus muelleri](#) Novak, 1921
[Onthophagus nebulosus](#) Reiche, 1864
[Onthophagus necessarius](#) Reitter, 1892
[Onthophagus nikolajevi](#) Kabakov, 2006
[Onthophagus nuchicornis](#) (Linnaeus, 1758) - (Scarab beetle)
[Onthophagus nurestanicus](#) Kabakov, 1982
[Onthophagus ocellatopunctatus](#) Waterhouse, 1875
[Onthophagus olsoufieffi](#) Boucomont, 1924
[Onthophagus opacicollis](#) Reitter, 1892
[Onthophagus osellai](#) Pittino, 1982
[Onthophagus ovatus](#) (Linnaeus, 1767)
[Onthophagus panici](#) Petrovitz, 1964
[Onthophagus parmatius](#) Reitter, 1892
[Onthophagus petrovitzianus](#) Pittino, 2006
[Onthophagus pljushtchi](#) Ivanova, 2012
[Onthophagus ponticus](#) Harold, 1883
[Onthophagus pseudocaccobius](#) Reitter, 1889
[Onthophagus psychopompus](#) Ziani & Garakhloo, 2010
[Onthophagus pygargus](#) Motschulsky, 1845
[Onthophagus quadrinodus](#) Reitter, 1896
[Onthophagus rachelis](#) Martín-Piera, 1985
[Onthophagus rakovici](#) Pittino, 2004
[Onthophagus rodentium](#) Pittino, 2004
[Onthophagus roessneri](#) Ziani, 2016
[Onthophagus ruficapillus](#) Brullé, 1832
[Onthophagus rufimanus](#) Kabakov, 1982
[Onthophagus sacharovskii](#) Olsoufieff, 1918
[Onthophagus samai](#) Ziani, 2011
[Onthophagus scabriusculus](#) Harold, 1873

[*Onthophagus semicornis*](#) (Panzer, 1798)
[*Onthophagus sericatus*](#) Reitter, 1892
[*Onthophagus shapovalovi*](#) Gusakov, 2012
[*Onthophagus silus*](#) Balthasar, 1960
[*Onthophagus similis*](#) (Scriba, 1790)
[*Onthophagus specularifer*](#) Solsky, 1876
[*Onthophagus strabo*](#) Reitter, 1892
[*Onthophagus stylocerus*](#) Graëlls, 1851
[*Onthophagus suermelii*](#) Petrovitz, 1963
[*Onthophagus sutleinensis*](#) Splichal, 1910
[*Onthophagus suturellus*](#) Brullé, 1832
[*Onthophagus tesquorum*](#) Semenov & Medvedev, 1927
[*Onthophagus trigibber*](#) Reitter, 1892
[*Onthophagus trispinus*](#) Reitter, 1892
[*Onthophagus truchmenus*](#) Kolenati, 1846
[*Onthophagus vacca*](#) (Linnaeus, 1767)
[*Onthophagus verticicornis*](#) (Laicharting, 1781)
[*Onthophagus viridis*](#) Ménétriés, 1832
[*Onthophagus vitulus*](#) (Fabricius, 1776)
[*Onthophagus vlasovi*](#) Medvedev, 1958
[*Onthophagus zuninoi*](#) Martín-Piera, 1985
[*Onthophagus zuvandi*](#) Qaryagdy, 1939

Subgenus [*Paraphanaeomorphus*](#) Balthasar, 1959

[*Onthophagus acuticornis*](#) Endrödi, 1973
[*Onthophagus argyropygus*](#) Gillet, 1927
[*Onthophagus barbieri*](#) Paulian, 1978
[*Onthophagus bifasciatus*](#) (Fabricius, 1781)
[*Onthophagus carinensis*](#) Boucomont, 1914
[*Onthophagus comottoi*](#) Lansberge, 1885
[*Onthophagus comottoides*](#) Kabakov, 1998
[*Onthophagus cyaneus*](#) Kabakov, 2006
[*Onthophagus frugivorus*](#) Arrow, 1931
[*Onthophagus hiranoyasutoshii*](#) Ochi & Kon, 2018
[*Onthophagus insignicollis*](#) Frey, 1954
[*Onthophagus itoianus*](#) Masumoto, Ochi & Higurashi, 2022
[*Onthophagus janushevi*](#) Kabakov, 1983
[*Onthophagus jeannelianus*](#) Paulian, 1945
[*Onthophagus miichunus*](#) Masumoto, Ochi & Higurashi, 2020
[*Onthophagus morimotoi*](#) Masumoto, Ochi & Higurashi, 2021
[*Onthophagus napolovi*](#) Kabakov, 1998
[*Onthophagus phanaeicollis*](#) Lansberge, 1883
[*Onthophagus phanaeides*](#) Frey, 1956
[*Onthophagus phanaeiformis*](#) Boucomont, 1914
[*Onthophagus pseudojavanus*](#) Paulian, 1931
[*Onthophagus punneeae*](#) Masumoto, 1989
[*Onthophagus quadricolor*](#) Kabakov, 1983
[*Onthophagus saksphus*](#) Masumoto, Ochi & Higurashi, 2021

[*Onthophagus semipiceus*](#) Kabakov, 1998
[*Onthophagus shunichii*](#) Ochi, Kon & Masumoto, 2021
[*Onthophagus sobrius*](#) Balthasar, 1959
[*Onthophagus strnadi*](#) Kabakov, 1998
[*Onthophagus trituber*](#) (Wiedemann, 1823)
[*Onthophagus vaulogerii*](#) Boucomont, 1923
[*Onthophagus yujii*](#) Masumoto, Ochi & Sakchoowong, 2012

Subgenus [*Parentius*](#) Zunino, 1979

[*Onthophagus atricapillus*](#) Orbigny, 1908
[*Onthophagus emarginatus*](#) Mulsant, 1842
[*Onthophagus hispanicus*](#) Baraud, 1963
[*Onthophagus kabakovi*](#) Martín-Piera, 1985
[*Onthophagus lilliputanus*](#) Lansberge, 1883
[*Onthophagus nigellus*](#) (Illiger, 1803)
[*Onthophagus punctator*](#) Reitter, 1892
[*Onthophagus punctatus*](#) (Illiger, 1803)
[*Onthophagus zagrosicus*](#) (Kabakov, 2006)

Subgenus [*Phanaeomorphus*](#) Balthasar, 1935

[*Onthophagus ater*](#) Waterhouse, 1875
[*Onthophagus bakeri*](#) Boucomont, 1919
[*Onthophagus batanensis*](#) Ochi, Kawahara & Cabras, 2021
[*Onthophagus cernyi*](#) Balthasar, 1935
[*Onthophagus dorsofasciatus*](#) Fairmaire, 1893
[*Onthophagus fodiens*](#) Waterhouse, 1875
[*Onthophagus gagates*](#) Hope, 1831
[*Onthophagus gagatoides*](#) Kabakov, 2006
[*Onthophagus ginyunensis*](#) Všečeka, 1942
[*Onthophagus hingstoni*](#) Arrow, 1931
[*Onthophagus mindanaoensis*](#) Frey, 1971
[*Onthophagus potanini*](#) Kabakov, 1979
[*Onthophagus procurvus*](#) Balthasar, 1935
[*Onthophagus pseudojaponicus*](#) Balthasar, 1941
[*Onthophagus schaefernai*](#) Balthasar, 1935
[*Onthophagus strandi*](#) Balthasar, 1935
[*Onthophagus sycophanta*](#) Fairmaire, 1887
[*Onthophagus taiwanus*](#) Nomura, 1973
[*Onthophagus zavreli*](#) Balthasar, 1935
[*Onthophagus zetteli*](#) Masumoto, Ochi & Hanboonsong, 2002

Subgenus [*Pseudophanaeomorphus*](#) Ochi, 2007

[*Onthophagus bangueyensis*](#) Boucomont, 1914
[*Onthophagus baramtagal*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus borneotagal*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus chandrai*](#) Ochi, 2007

[*Onthophagus cupreotagal*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus hiroyukii*](#) Ochi, 2007
[*Onthophagus johkii*](#) Ochi & Kon, 1994
[*Onthophagus koni*](#) Ochi, 2007
[*Onthophagus maryatiaae*](#) Ochi & Kon, 2005
[*Onthophagus mentaveiensis*](#) Boucomont, 1914
[*Onthophagus mulutagal*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus palawantagal*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus parachandrai*](#) Ochi, Kon & Tsubaki, 2009
[*Onthophagus pasotagal*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus quasijohkii*](#) Ochi & Kon, 2005
[*Onthophagus quasitagal*](#) Ochi & Kon, 2005
[*Onthophagus ranongjohkii*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus sugihartoi*](#) Ochi, 2007
[*Onthophagus sulawesijohkii*](#) Ochi, Kon & Barclay, 2016
[*Onthophagus tagal*](#) Boucomont, 1924

Subgenus [*Serrophorus*](#) Balthasar, 1935

[*Onthophagus atropolitus*](#) Orbigny, 1902
[*Onthophagus axanicus*](#) Ochi, Kon & Pham, 2021
[*Onthophagus baolocensis*](#) Ochi & Kon, 2015
[*Onthophagus laevis*](#) Harold, 1880
[*Onthophagus mulleri*](#) Lansberge, 1883
[*Onthophagus oblongus*](#) Zhang, 1997
[*Onthophagus sagittarius*](#) (Fabricius, 1775) - (Sri Lankan Dung Beetle)
[*Onthophagus senex*](#) Boucomont, 1914
[*Onthophagus seniculus*](#) (Fabricius, 1781)
[*Onthophagus thailaevis*](#) Masumoto, Ochi & Hanboonsong, 2008

Subgenus [*Sinonthophagus*](#) Kabakov, 2006

[*Onthophagus angkhanensis*](#) Masumoto, Ochi & Hanboonsong, 2013
[*Onthophagus angustatus*](#) Boucomont, 1914
[*Onthophagus katayamai*](#) Masumoto, Ochi & Sakchoowong, 2012
[*Onthophagus nampatensis*](#) Tarasov & Kabakov, 2010
[*Onthophagus nigropubens*](#) Orbigny, 1908
[*Onthophagus poeophagus*](#) Kabakov, 1979
[*Onthophagus productus*](#) Arrow, 1907
[*Onthophagus rugulosus*](#) Harold, 1886
[*Onthophagus sumatranus*](#) Lansberge, 1883

Subgenus [*Strandius*](#) Balthasar, 1935

[*Onthophagus changshouensis*](#) Zhang, 1997
[*Onthophagus gibbicollis*](#) Lansberge, 1885
[*Onthophagus japonicus*](#) Harold, 1875
[*Onthophagus kuraruanus*](#) Matsumura, 1938
[*Onthophagus lenzii*](#) Harold, 1875

[*Onthophagus oshimanus*](#) Nakane, 1960
[*Onthophagus subansiriensis*](#) Biswas, 1979
[*Onthophagus tonkineus*](#) Gillet, 1921
[*Onthophagus yakuinsulanus*](#) Nakane, 1984

Subgenus [*Sunenaga*](#) Ochi, 2003

[*Onthophagus anguliceps*](#) Boucomont, 1914
[*Onthophagus avocetta*](#) Arrow, 1933
[*Onthophagus avocettoides*](#) (Kabakov, 1983)
[*Onthophagus blumei*](#) Lansberge, 1883
[*Onthophagus cameloides*](#) Orbigny, 1900
[*Onthophagus digitatus*](#) Arrow, 1931
[*Onthophagus kaengkrachangus*](#) Masumoto, Ochi & Hanboonsong, 2008
[*Onthophagus maesalongensis*](#) Masumoto, Ochi & Hanboonsong, 2013
[*Onthophagus mindanaensis*](#) Boucomont, 1914
[*Onthophagus ribbei*](#) Boucomont, 1914
[*Onthophagus streltsovi*](#) Tarasov & Kabakov, 2010
[*Onthophagus wallacei*](#) Harold, 1871

Subgenus [*Trichonthophagus*](#) Zunino, 1979

[*Onthophagus corniculatus*](#) Reiche, 1850
[*Onthophagus dynastoides*](#) Arrow, 1931
[*Onthophagus fumatus*](#) Orbigny, 1913
[*Onthophagus hirtus*](#) (Illiger, 1803)
[*Onthophagus juvenicus*](#) Klug, 1835
[*Onthophagus loveni*](#) Gillet, 1928
[*Onthophagus maki*](#) (Illiger, 1803)
[*Onthophagus mediofuscatus*](#) Orbigny, 1908
[*Onthophagus producticollis*](#) Orbigny, 1908
[*Onthophagus quadricuspis*](#) Orbigny, 1908
[*Onthophagus sprecheri*](#) Moretto, 2013
[*Onthophagus tarandus*](#) (Fabricius, 1792)
[*Onthophagus triacanthus*](#) Castelnau, 1840
[*Onthophagus verticalis*](#) Fåhræus, 1857
[*Onthophagus aries*](#) Kirby, 1825

These 209 species belong to [*Oncocephalus*](#), a genus of assassin bugs in the family [*Reduviidae*](#).[\[1\]\[2\]](#)
[\[3\]\[4\]](#)

Oncocephalus species

- [Oncocephalus acutangulus](#) Reuter, 1882 (Africa and Europe & Northern Asia)
- [Oncocephalus afghanus](#) Hoberlandt, 1961 (Europe & Northern Asia)
- [Oncocephalus alberti](#) Schouteden, 1931 (Africa)
- [Oncocephalus albicostatus](#) Kiritschenko, 1914 (Europe & Northern Asia)
- [Oncocephalus albosetosus](#) Villiers, 1971 (Africa)
- [Oncocephalus amen](#) Kirkaldy, 1905 (Australia)
- [Oncocephalus angolensis](#) Villiers, 1960 (Africa)
- [Oncocephalus angulatus](#) Reuter, 1882 (Africa)
- [Oncocephalus angustatus](#) Horváth, 1892 (Africa)
- [Oncocephalus anniei](#) Ambrose & Vennison, 1989 (Southern Asia)
- [Oncocephalus annulipes](#) Stål, 1855 (Africa and Southern Asia)
- [Oncocephalus annulirostris](#) Reuter, 1882 (Africa)
- [Oncocephalus antipodus](#) Reuter, 1882 (the Caribbean Sea and South America)
- [Oncocephalus apiculatus](#) Reuter, 1882 (North America)
- [Oncocephalus armipes](#) Herrich-Schaeffer, 1850 (Africa)
- [Oncocephalus asiranus](#) Miller, 1954 (Europe & Northern Asia)
- [Oncocephalus asper](#) Miller, 1957 (Southern Asia)
- [Oncocephalus aspericollis](#) Reuter, 1882 (Europe & Northern Asia)
- [Oncocephalus assimilis](#) Reuter, 1882 (Southern Asia and temperate Asia)
- [Oncocephalus astridae](#) Schouteden, 1929 (Africa)
- [Oncocephalus astutus](#) Zhang et al., 1994
- [Oncocephalus aterrimus](#) Distant, 1909 (Southern Asia)
- [Oncocephalus aurivillii](#) Reuter, 1882 (Africa)
- [Oncocephalus baghdadus](#) Linnavuori, 1986 (Europe & Northern Asia)
- [Oncocephalus baramensis](#) Miller, 1940 (Southern Asia)
- [Oncocephalus bastardi](#) Villiers, 1948 (Africa)
- [Oncocephalus bengalensis](#) Y. C. Gupta & Kauntey, 2005 (Southern Asia)
- [Oncocephalus beylensis](#) Villiers, 1965 (Africa)
- [Oncocephalus biclavatus](#) Dispos, 1972 (Africa)
- [Oncocephalus biguttula](#) Horváth, 1901 (Europe & Northern Asia)
- [Oncocephalus bipartitus](#) Horváth, 1911 (Europe & Northern Asia)
- [Oncocephalus bipunctatus](#) Villiers, 1952 (Africa)
- [Oncocephalus borneensis](#) Miller, 1940 (Southern Asia)
- [Oncocephalus bos](#) Miller, 1940 (Southern Asia)
- [Oncocephalus brachymerus](#) Reuter, 1882 (Europe & Northern Asia)
- [Oncocephalus breddini](#) Miller, 1957 (Southern Asia)
- [Oncocephalus breviscutum](#) Reuter, 1882 (Southern Asia)
- [Oncocephalus buruensis](#) Miller, 1954 (Southern Asia)
- [Oncocephalus calcaratus](#) Dispos, 1972 (Africa)
- [Oncocephalus celator](#) Miller, 1948 (Southern Asia)
- [Oncocephalus chamundcus](#) Livingstone & Ravichandran, 1989 (Southern Asia)

- [*Oncocephalus cincticrus*](#) Reuter, 1882 (Africa)
- [*Oncocephalus cingalensis*](#) Walker, 1873 (Southern Asia)
- [*Oncocephalus clairi*](#) Schouteden, 1951 (Africa)
- [*Oncocephalus clavipes*](#) Hesse, 1925 (Africa)
- [*Oncocephalus cliens*](#) Miller, 1956 (Africa)
- [*Oncocephalus coartatus*](#) Dispons, 1972 (Africa)
- [*Oncocephalus collarti*](#) Schouteden, 1931 (Africa)
- [*Oncocephalus confusus*](#) Reuter, 1882 (Australia)
- [*Oncocephalus crassus*](#) Dispons, 1972 (Africa)
- [*Oncocephalus curvirostris*](#) Moulet, 2003 (Europe & Northern Asia)
- [*Oncocephalus curvispina*](#) Reuter, 1882 (Australia)
- [*Oncocephalus dasyncnemis*](#) Reuter, 1882 (Africa)
- [*Oncocephalus demangei*](#) Villiers, 1968 (Africa)
- [*Oncocephalus dilatatus*](#) Reuter, 1882 (Africa)
- [*Oncocephalus disparilis*](#) Miller, 1948 (Southern Asia)
- [*Oncocephalus dubius*](#) Miller, 1957 (Southern Asia)
- [*Oncocephalus duvivieri*](#) Schouteden, 1913 (Africa)
- [*Oncocephalus electissimus*](#) Dispons, 1972 (Africa)
- [*Oncocephalus elegans*](#) Villiers, 1948 (Africa)
- [*Oncocephalus emmerizi*](#) Villiers, 1961 (Africa)
- [*Oncocephalus enallus*](#) Swanson, 2017 (Southern Asia)
- [*Oncocephalus erectus*](#) Van Duzee, 1923 (Central America)
- [*Oncocephalus felix*](#) Miller, 1956 (Africa)
- [*Oncocephalus femoratus*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus fleutiauxi*](#) Villiers, 1948 (Africa)
- [*Oncocephalus fokkeri*](#) Horváth, 1896 (Africa and Europe & Northern Asia)
- [*Oncocephalus funeralis*](#) Distant, 1919 (Southern Asia)
- [*Oncocephalus fuscescens*](#) Reuter, 1882 (Africa)
- [*Oncocephalus fuscicornis*](#) Reuter, 1882 (Australia)
- [*Oncocephalus fuscinotum*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus fuscipes*](#) Reuter, 1882 (Australia)
- [*Oncocephalus fuscirostris*](#) Stål, 1874 (Australia)
- [*Oncocephalus ganalsensis*](#) Schouteden, 1906 (Australia)
- [*Oncocephalus gedrosiae*](#) Dispons, 1964 (Europe & Northern Asia)
- [*Oncocephalus geniculatus*](#) (Stål, 1872) (Central America and North America)
- [*Oncocephalus germari*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus gilloniae*](#) Villiers, 1965 (Africa)
- [*Oncocephalus gilvostriatus*](#) Moulet, 2005 (Europe & Northern Asia)
- [*Oncocephalus gryps*](#) Miller, 1948 (Southern Asia)
- [*Oncocephalus gularis*](#) Reuter, 1882 (Europe & Northern Asia)
- [*Oncocephalus gutturosus*](#) Dispons, 1965 (Europe & Northern Asia)
- [*Oncocephalus heissi*](#) Ishikawa, Cai & Tomokuni, 2006 (Southern Asia)

- [*Oncocephalus herzi*](#) (Jakovlev, 1893) (Europe & Northern Asia)
- [*Oncocephalus hierosolymensis*](#) Moulet, 2001 (Europe & Northern Asia)
- [*Oncocephalus hirsutus*](#) Giacchi, 1984 (South America)
- [*Oncocephalus ifanus*](#) Villiers, 1963 (Africa)
- [*Oncocephalus iguchii*](#) Iguchi, 1908 (Southern Asia)
- [*Oncocephalus impavidus*](#) Miller, 1948 (Southern Asia)
- [*Oncocephalus impexus*](#) Miller, 1948 (Southern Asia)
- [*Oncocephalus impictipes*](#) Jakovlev, 1885 (Europe & Northern Asia)
- [*Oncocephalus impudicus*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus impurus*](#) Hsiao, 1977 (Southern Asia)
- [*Oncocephalus infuscatus*](#) Giacchi, 1984 (South America)
- [*Oncocephalus insignis*](#) Gerstaecker, 1892 (Africa)
- [*Oncocephalus internuntius*](#) Giacchi, 1984 (Central America)
- [*Oncocephalus israelensis*](#) Moulet, 2001 (Europe & Northern Asia)
- [*Oncocephalus jakowleffi*](#) Bergroth, 1890 (Europe & Northern Asia)
- [*Oncocephalus kerkvoordeae*](#) Schouteden, 1951 (Africa)
- [*Oncocephalus klugi*](#) Distant, 1904 (Southern Asia)
- [*Oncocephalus lagaei*](#) Schouteden, 1951 (Africa)
- [*Oncocephalus langkawiensis*](#) Miller, 1940 (Southern Asia)
- [*Oncocephalus larvaeformis*](#) Villiers, 1964 (Africa)
- [*Oncocephalus leopoldi*](#) Schouteden, 1929 (Africa)
- [*Oncocephalus lineosus*](#) Distant, 1904 (Southern Asia)
- [*Oncocephalus linnavuorii*](#) Moulet, 2001 (Europe & Northern Asia)
- [*Oncocephalus luluae*](#) Schouteden, 1951 (Africa)
- [*Oncocephalus lutulentus*](#) Miller, 1956 (Africa)
- [*Oncocephalus magnus*](#) Moulet, 2003 (Europe & Northern Asia)
- [*Oncocephalus maiusculus*](#) Giacchi, 1984 (South America)
- [*Oncocephalus maroccanus*](#) Wagner, 1961 (Africa)
- [*Oncocephalus mesopotamicus*](#) Dispos, 1970 (Europe & Northern Asia)
- [*Oncocephalus micropterus*](#) Horváth, 1889 (Southern Asia)
- [*Oncocephalus milleri*](#) Lindberg, 1953 (Africa)
- [*Oncocephalus milloti*](#) Villiers, 1948 (Africa)
- [*Oncocephalus minimus*](#) Miller, 1950 (Africa)
- [*Oncocephalus mirei*](#) Villiers, 1960 (Africa and Europe & Northern Asia)
- [*Oncocephalus misellus*](#) Dispos, 1968 (Southern Asia)
- [*Oncocephalus mitis*](#) Ren, 1985 (Southern Asia)
- [*Oncocephalus mochis*](#) Maldonado, 1995 (Central America)
- [*Oncocephalus modestus*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus montalbanus*](#) Miller, 1948 (Southern Asia)
- [*Oncocephalus morosus*](#) Distant, 1904 (Southern Asia)
- [*Oncocephalus muelleri*](#) Mancini, 1946 (Africa)
- [*Oncocephalus mygdonius*](#) Dispos, 1968 (Europe & Northern Asia)

- [*Oncocephalus naboides*](#) Walker, 1873 (Southern Asia)
- [*Oncocephalus nigricollis*](#) Horváth, 1911 (Africa)
- [*Oncocephalus nigricornis*](#) Linnavuori, 1986 (Europe & Northern Asia)
- [*Oncocephalus nigrispinus*](#) Stål, 1870 (Southern Asia)
- [*Oncocephalus nimbensis*](#) Villiers, 1948 (Africa)
- [*Oncocephalus notatus*](#) (Klug, 1830) (Africa, Europe & Asia)
- [*Oncocephalus nubilus*](#) Van Duzee, 1914 (Central America and North America)
- [*Oncocephalus obscurus*](#) Reuter, 1882 (Africa)
- [*Oncocephalus obsoletus*](#) (Klug, 1830) (Africa and Europe & Northern Asia)
- [*Oncocephalus ocularis*](#) Horváth, 1898 (Europe & Northern Asia)
- [*Oncocephalus ovatus*](#) Villiers, 1961 (Africa)
- [*Oncocephalus pacificus*](#) Kirkaldy, 1908 (Assassin bug) (Oceania)
- [*Oncocephalus paganus*](#) Miller, 1957 (Southern Asia)
- [*Oncocephalus painei*](#) Miller, 1940 (Southern Asia)
- [*Oncocephalus parvulus*](#) Reuter, 1882 (Africa)
- [*Oncocephalus paternus*](#) P. Putshkov, 1984 (Europe & Northern Asia)
- [*Oncocephalus pauliani*](#) Villiers, 1961 (Africa)
- [*Oncocephalus pauper*](#) Schouteden, 1913 (Africa)
- [*Oncocephalus peninsularis*](#) Maldonado, 1995 (Central America)
- [*Oncocephalus pennatulus*](#) Dispons, 1962 (Europe & Northern Asia)
- [*Oncocephalus pericarti*](#) Moulet, 2001 (Europe & Northern Asia)
- [*Oncocephalus philippinus*](#) Lethierry, 1877 (Southern Asia and temperate Asia)
- [*Oncocephalus picturatus*](#) Distant, 1904 (Southern Asia)
- [*Oncocephalus pilicornis*](#) Reuter, 1882 (Africa and Europe & Northern Asia)
- [*Oncocephalus pilosulus*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus plumicornis*](#) (Germar, 1822) (Europe & Northern Asia)
- [*Oncocephalus plumipes*](#) Puton, 1884 (Africa)
- [*Oncocephalus posthi*](#) Villiers, 1948 (Africa)
- [*Oncocephalus pubiventris*](#) Miller, 1950 (Africa)
- [*Oncocephalus pudicus*](#) Hsiao, 1977 (Southern Asia)
- [*Oncocephalus purus*](#) Hsiao, 1977 (Southern Asia)
- [*Oncocephalus pusillus*](#) Miller, 1956 (Africa)
- [*Oncocephalus putoni*](#) Reuter, 1882 (Africa and Europe & Northern Asia)
- [*Oncocephalus quadrivittatus*](#) Giacchi & Maldonado, 1983 (Central America)
- [*Oncocephalus quinquedecimspinosus*](#) Reuter, 1882 (Africa)
- [*Oncocephalus quotidianus*](#) Bergroth, 1916 (Australia)
- [*Oncocephalus regulus*](#) Miller, 1956 (Africa)
- [*Oncocephalus remaudierei*](#) Villiers, 1954 (Africa)
- [*Oncocephalus ribesi*](#) Moulet, 2011 (Europe & Northern Asia)
- [*Oncocephalus rodhaini*](#) Schouteden, 1931 (Africa)
- [*Oncocephalus rutshuricus*](#) Schouteden, 1944 (Africa)
- [*Oncocephalus sahelensis*](#) Villiers, 1948 (Africa)

- [*Oncocephalus sarawakensis*](#) Miller, 1940 (Southern Asia)
- [*Oncocephalus scaber*](#) Miller, 1948 (Southern Asia)
- [*Oncocephalus schioedtei*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus schmitzi*](#) Villiers, 1972 (Africa)
- [*Oncocephalus schoutedeni*](#) Villiers, 1960 (Africa)
- [*Oncocephalus scutellaris*](#) Reuter, 1882 (Southern Asia)
- [*Oncocephalus semiramidae*](#) Kirkaldy, 1910 (Southern Asia)
- [*Oncocephalus signoreti*](#) Reuter, 1882 (Africa)
- [*Oncocephalus simillimus*](#) Reuter, 1888 (Europe & Northern Asia and Southern Asia)
- [*Oncocephalus sordidus*](#) Stål, 1855 (Africa)
- [*Oncocephalus spec*](#) Horvath, 1893
- [*Oncocephalus squalidus*](#) (Rossi, 1790) (Africa and Europe & Northern Asia)
- [*Oncocephalus stalii*](#) Wallengren, 1875 (Africa)
- [*Oncocephalus straeleni*](#) Villiers, 1954 (Africa)
- [*Oncocephalus striaticollis*](#) Villiers, 1964 (Africa)
- [*Oncocephalus striatus*](#) Villiers, 1960 (Africa)
- [*Oncocephalus stysi*](#) Moulet, 2008 (Europe & Northern Asia)
- [*Oncocephalus subangulatus*](#) Villiers, 1961 (Africa)
- [*Oncocephalus subspinus*](#) (Amyot & Serville, 1843) (Africa)
- [*Oncocephalus sufflavus*](#) Villiers, 1952 (Africa)
- [*Oncocephalus taurus*](#) Miller, 1940 (Southern Asia)
- [*Oncocephalus termezanus*](#) Kiritshenko, 1914 (Europe & Northern Asia)
- [*Oncocephalus thoracatus*](#) Dispons, 1972 (Africa)
- [*Oncocephalus thoracicus*](#) Fieber, 1861 (Europe & Northern Asia)
- [*Oncocephalus tibialis*](#) Reuter, 1882 (Australia)
- [*Oncocephalus trichocnemis*](#) Horváth, 1911 (Europe & Northern Asia)
- [*Oncocephalus trochantericus*](#) Bergroth, 1914 (Africa)
- [*Oncocephalus validispinis*](#) Reuter, 1882 (the Caribbean Sea, North America, and South America)
- [*Oncocephalus vaneyeni*](#) Schouteden, 1951 (Africa)
- [*Oncocephalus variabilis*](#) Maldonado, 1995 (North America)
- [*Oncocephalus variegatus*](#) Reuter, 1882 (Africa)
- [*Oncocephalus vaulogeri*](#) Montandon, 1892 (Africa and Europe & Northern Asia)
- [*Oncocephalus velutinus*](#) (Montandon, 1865) (Australia)
- [*Oncocephalus ventralis*](#) Walker, 1873 (the Caribbean Sea)
- [*Oncocephalus vescerae*](#) Dispons, 1965 (Africa and Europe & Northern Asia)
- [*Oncocephalus viator*](#) Miller, 1950 (Africa)
- [*Oncocephalus vicinalis*](#) Dispons, 1968 (Africa)
- [*Oncocephalus wangi*](#) (Ren, 1992) (Southern Asia)
- [*Oncocephalus wittei*](#) Schouteden, 1944 (Africa)
- [*Oncocephalus yashpali*](#) Livingstone & Ravichandran, 1989 (Southern Asia)
- [*Oncocephalus zavattarii*](#) Mancini, 1939 (Africa)
- [*Oncocephalus zumpti*](#) Schouteden, 1943 (Africa)

This is a list of 135 species in [Olesicampe](#), a genus of ichneumon wasps in the family [Ichneumonidae](#).
[\[1\]\[2\]\[3\]](#)

Olesicampe species

- [Olesicampe abnormis](#) (Brischke, 1880) ^{c g}
- [Olesicampe affinis](#) (Parfitt, 1882) ^{c g}
- [Olesicampe alaskensis](#) (Ashmead, 1902) ^{c g}
- [Olesicampe albispina](#) (Cameron, 1886) ^c
- [Olesicampe alboplica](#) (Thomson, 1887) ^{c g}
- [Olesicampe alpestris](#) (Cameron, 1886) ^{c g}
- [Olesicampe alpina](#) (Strobl, 1904) ^{c g}
- [Olesicampe annulata](#) (Provancher, 1879) ^{c g}
- [Olesicampe annulitarsis](#) (Thomson, 1887) ^{c g}
- [Olesicampe argentata](#) (Gravenhorst, 1829) ^{c g}
- [Olesicampe atypica](#) (Viereck, 1925) ^c
- [Olesicampe auctor](#) (Gravenhorst, 1829) ^{c g}
- [Olesicampe banffensis](#) (Viereck, 1925) ^{c g}
- [Olesicampe barbata](#) (Provancher, 1886) ^{c g}
- [Olesicampe basalis](#) (Thomson, 1887) ^{c g}
- [Olesicampe beginii](#) (Ashmead, 1896) ^{c g}
- [Olesicampe benefactor](#) (Thomson, 1887) ^b
- [Olesicampe bimaculata](#) (Gravenhorst, 1829) ^c
- [Olesicampe binotata](#) (Thomson, 1887) ^c
- [Olesicampe brachyura](#) (Ashmead, 1890) ^{c g}
- [Olesicampe breviseta](#) (Brischke, 1880) ^{c g}
- [Olesicampe buccata](#) (Thomson, 1887) ^{c g}
- [Olesicampe californica](#) (Cresson, 1879) ^{c g}
- [Olesicampe canaliculata](#) (Gravenhorst, 1829) ^{c g}
- [Olesicampe cavigena](#) (Thomson, 1887) ^{c g}
- [Olesicampe clandestina](#) (Holmgren, 1860) ^{c g}
- [Olesicampe clypearis](#) (Brischke, 1880) ^{c g}
- [Olesicampe cognata](#) (Brischke, 1880) ^c
- [Olesicampe confinis](#) (Holmgren, 1858) ^{c g}
- [Olesicampe conformis](#) (Ratzeburg, 1848) ^{c g}

- [*Olesicampe conglomerata*](#) Hedwig, 1956 ^C ^g
- [*Olesicampe consobrina*](#) (Holmgren, 1860) ^C ^g
- [*Olesicampe consueta*](#) (Brues, 1910) ^C ^g
- [*Olesicampe crassitarsis*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe curtigena*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe cushmani*](#) (Viereck, 1926) ^C ^g
- [*Olesicampe decora*](#) (Viereck, 1925) ^C
- [*Olesicampe delicata*](#) (Viereck, 1925) ^C ^g
- [*Olesicampe dentata*](#) (Provancher, 1874) ^C ^g
- [*Olesicampe deposita*](#) (Brues, 1910) ^C ^g
- [*Olesicampe depressa*](#) (Brischke, 1880) ^C ^g
- [*Olesicampe egregia*](#) (Viereck, 1925) ^C
- [*Olesicampe elongata*](#) (Brischke, 1880) ^C ^g
- [*Olesicampe errans*](#) (Holmgren, 1860) ^C ^g
- [*Olesicampe erythropyga*](#) (Holmgren, 1860) ^C
- [*Olesicampe extrema*](#) (Holmgren, 1872) ^C ^g
- [*Olesicampe femorella*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe flaveolata*](#) (de Stefani, 1894) ^C ^g
- [*Olesicampe flaviclypeus*](#) (Viereck, 1921) ^C ^g
- [*Olesicampe flavicornis*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe flavifacies*](#) Kasparyan, 1976 ^C ^g
- [*Olesicampe flaviricta*](#) (Cresson, 1864) ^C ^g
- [*Olesicampe forticostata*](#) (Schmiedeknecht, 1909) ^C ^g
- [*Olesicampe fossata*](#) (Viereck, 1925) ^C ^g
- [*Olesicampe fulcrans*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe fulviventrīs*](#) (Gmelin, 1790) ^C ^g
- [*Olesicampe gallicator*](#) (Aubert, 1964) ^C ^g
- [*Olesicampe genalis*](#) Horstmann & Yu, 1999 ^C ^g
- [*Olesicampe geniculata*](#) (Uchida, 1932) ^C
- [*Olesicampe geniculatae*](#) Quednau & Lim, 1983 ^C ^g
- [*Olesicampe geniculella*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe genuicincta*](#) (Hedwig, 1932) ^C ^g
- [*Olesicampe gibba*](#) (Brischke, 1880) ^C ^g
- [*Olesicampe gracilipes*](#) (Thomson, 1887) ^C
- [*Olesicampe heterogaster*](#) (Thomson, 1887) ^C ^g
- [*Olesicampe illepida*](#) (Cresson, 1872) ^C ^g

- [Olesicampe incompleta](#) (Brischke, 1880) ^{c g}
- [Olesicampe insidiator](#) (Gravenhorst, 1829) ^{c g}
- [Olesicampe johnsoni](#) (Viereck, 1925) ^{c g}
- [Olesicampe kincaidi](#) (Davis, 1898) ^{c g}
- [Olesicampe lata](#) (Viereck, 1925) ^c
- [Olesicampe laticeps](#) (Brischke, 1880) ^{c g}
- [Olesicampe longicornis](#) (Brischke, 1880) ^{c g}
- [Olesicampe longipes](#) (Müller, 1776) ^{c g}
- [Olesicampe lophyri](#) (Riley, 1877) ^{c g}
- [Olesicampe lucida](#) Szepligeti, 1916 ^{c g}
- [Olesicampe macellator](#) (Thunberg, 1822) ^{c g}
- [Olesicampe melanogaster](#) (Thomson, 1887) ^{c g}
- [Olesicampe mimetica](#) (Viereck, 1925) ^c
- [Olesicampe montezuma](#) (Cameron, 1886) ^c
- [Olesicampe monticola](#) (Hedwig, 1938) ^{c g}
- [Olesicampe nematicida](#) (Viereck, 1925) ^{c g}
- [Olesicampe nematorum](#) (Tschek, 1871) ^{c g}
- [Olesicampe nigricoxa](#) (Thomson, 1887) ^c
- [Olesicampe nigradorsis](#) (Viereck, 1925) ^{c g}
- [Olesicampe nigrifemur](#) (Szépligeti, 1901) ^{c g}
- [Olesicampe nigroplica](#) (Thomson, 1887) ^{c g}
- [Olesicampe obscura](#) (Roman, 1923) ^{c g}
- [Olesicampe obscuripes](#) (Viereck, 1903) ^{c g}
- [Olesicampe ocellata](#) (Viereck, 1925) ^c
- [Olesicampe pagana](#) (Holmgren, 1860) ^{c g}
- [Olesicampe pallidipes](#) (Roman, 1926) ^{c g}
- [Olesicampe paludicola](#) (Holmgren, 1860) ^{c g}
- [Olesicampe patellana](#) (Thomson, 1887) ^{c g}
- [Olesicampe patula](#) (Viereck, 1925) ^{c g}
- [Olesicampe peraffinis](#) (Ashmead, 1890) ^{c g}
- [Olesicampe peregrina](#) (Brischke, 1880) ^{c g}
- [Olesicampe petiolata](#) (Viereck, 1925) ^c
- [Olesicampe pikonemae](#) Walley, 1942 ^{c g}
- [Olesicampe plena](#) (Brues, 1910) ^{c g}
- [Olesicampe praecox](#) (Holmgren, 1860) ^{c g}
- [Olesicampe praeoccupator](#) (Aubert, 1974) ^{c g}

- [Olesicampe proterva](#) (Brischke, 1880) ^{c g}
- [Olesicampe prussica](#) (Brischke, 1880) ^{c g}
- [Olesicampe pteronideae](#) (Rohwer, 1915) ^{c g}
- [Olesicampe pubescens](#) (Ratzeburg, 1844) ^{c g}
- [Olesicampe punctitarsis](#) (Thomson, 1887) ^{c g}
- [Olesicampe radiella](#) (Thomson, 1885) ^{c g}
- [Olesicampe ratzeburgi](#) (Tschek, 1871) ^{c g}
- [Olesicampe retusa](#) (Thomson, 1887) ^{c g}
- [Olesicampe ruficornis](#) (Provancher, 1875) ^c
- [Olesicampe rugulosa](#) (Brischke, 1880) ^{c g}
- [Olesicampe sericea](#) (Holmgren, 1856) ^{c g}
- [Olesicampe signata](#) (Brischke, 1880) ^{c g}
- [Olesicampe sinuata](#) (Thomson, 1887) ^{c g}
- [Olesicampe sordidella](#) (Holmgren, 1860) ^{c g}
- [Olesicampe spireae](#) (Thomson, 1887) ^{c g}
- [Olesicampe sternella](#) (Thomson, 1887) ^{c g}
- [Olesicampe stigmatica](#) (Brischke, 1880) ^c
- [Olesicampe tarsata](#) (Brischke, 1880) ^g
- [Olesicampe tarsator](#) (Thomson, 1887) ^{c g}
- [Olesicampe tecta](#) (Brues, 1910) ^{c g}
- [Olesicampe terebrator](#) Hinz, 1975 ^{c g}
- [Olesicampe teutonum](#) (Dalla Torre, 1901) ^{c g}
- [Olesicampe thapsicola](#) Seyrig, 1927 ^{c g}
- [Olesicampe thoracica](#) (Brischke, 1880) ^{c g}
- [Olesicampe tianschanica](#) (Kokujev, 1915) ^{c g}
- [Olesicampe transiens](#) (Ratzeburg, 1848) ^{c g}
- [Olesicampe typica](#) (Viereck, 1925) ^{c g}
- [Olesicampe umbrata](#) (Brischke, 1880) ^c
- [Olesicampe vetula](#) (Holmgren, 1860) ^{c g}
- [Olesicampe vetusta](#) (Brues, 1910) ^{c g}
- [Olesicampe vexata](#) (Holmgren, 1860) ^{c g}
- [Olesicampe virginensis](#) (Viereck, 1921) ^{c g}
- [Olesicampe vitripennis](#) (Holmgren, 1860) ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

This is a list of 360 species in [Oecetis](#), a genus of long-horned caddisflies in the family [Leptoceridae](#).
[\[1\]\[2\]\[3\]\[4\]](#)

Oecetis species

- [Oecetis abhinagupta](#) Schmid, 1995 ^{i c g}
- [Oecetis absimilis](#) Kimmins, 1962 ^{i c g}
- [Oecetis accola](#) Neboiss, 1989 ^{i c g}
- [Oecetis acuminata](#) Kimmins, 1962 ^{i c g}
- [Oecetis acuta](#) Ulmer, 1931 ^{i c g}
- [Oecetis adanis](#) Kobayashi, 1987 ^{i c g}
- [Oecetis adelaidica](#) Wells, 2000 ^{i c g}
- [Oecetis aeoloptera](#) Kimmins in Mosely & Kimmins, 1953 ^{i c g}
- [Oecetis aequatorialis](#) Marlier, 1958 ^{i c g}
- [Oecetis afra](#) Mosely, 1934 ^{i c g}
- [Oecetis africana](#) Kimmins, 1957 ^{i c g}
- [Oecetis agenda](#) Mosely, 1936 ^{i c g}
- [Oecetis akimi](#) Gibbs, 1973 ^{i c g}
- [Oecetis albescens](#) Mosely, 1930 ^{i c g}
- [Oecetis albicornis](#) Martin, 1931 ^{i c g}
- [Oecetis albopunctata](#) (Lestage, 1919) ^{i c g}
- [Oecetis alexanderi](#) Kumanski in Kumanski & Malicky, 1976 ^{i c g}
- [Oecetis alticolaria](#) Mey, 1998 ^{i c g}
- [Oecetis amazonica](#) (Banks, 1924) ^{i c g}
- [Oecetis ancylocerca](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis angelae](#) ^g
- [Oecetis angirasa](#) Schmid, 1995 ^{i c g}
- [Oecetis angulata](#) Kimmins, 1963 ^{i c g}
- [Oecetis angusta](#) (Banks, 1920) ^{i c}
- [Oecetis angustipennis](#) (Martynov, 1936) ^{i c g}
- [Oecetis aniruddha](#) Schmid, 1995 ^{i c g}
- [Oecetis anomala](#) Marlier, 1943 ^{i c g}
- [Oecetis antennata](#) (Martynov, 1935) ^{i c g}

- [Oecetis apicipennis](#) (Banks, 1913)^{i c g}
- [Oecetis appendiculata](#) Ulmer, 1923^{i c g}
- [Oecetis arawana](#) Neboiss, 1989^{i c g}
- [Oecetis arcada](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Oecetis arctipennis](#) Kimmins, 1962^{i c g}
- [Oecetis arizonica](#) Denning, 1951^{i c g}
- [Oecetis asciata](#) Gibbs, 1973^{i c g}
- [Oecetis asmada](#) Malicky, 1979^{i c g}
- [Oecetis asmanista](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Oecetis assamensis](#) Kimmins, 1963^{i c g}
- [Oecetis asymmetrica](#) Kimmins, 1962^{i c g}
- [Oecetis atarpa](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Oecetis atpomarus](#) Malicky, 1992^{i c g}
- [Oecetis australis](#) (Banks, 1920)^{i c g}
- [Oecetis avara](#) (Banks, 1895)^{i c g}
- [Oecetis barbarae](#) Neboiss, 1989^{i c g}
- [Oecetis belihuloya](#) Malicky, 1973^{i c g}
- [Oecetis bellula](#) Yang & Morse, 2000^{i c g}
- [Oecetis bengalica](#) Martynov, 1936^{i c g}
- [Oecetis berneri](#) Kimmins, 1957^{i c g}
- [Oecetis bhairava](#) Schmid, 1995^{i c g}
- [Oecetis bhavabhuti](#) Schmid, 1995^{i c g}
- [Oecetis bicaudata](#) Navás, 1931^{i c g}
- [Oecetis bicuspidata](#) Gibbs, 1973^{i c g}
- [Oecetis bilobosa](#) Flint, 1974^{i c g}
- [Oecetis biramosa](#) Martynov, 1936^{i c g}
- [Oecetis blythi](#) Wells, 2000^{i c g}
- [Oecetis brachyura](#) Yang & Morse, 1997^{i c g}
- [Oecetis brevis](#) Kimmins, 1963^{i c g}
- [Oecetis brignolii](#) Malicky, 1981^{i c g}
- [Oecetis brunnescens](#) (Ulmer, 1923)^{i c g}
- [Oecetis buitenzorgensis](#) Ulmer, 1951^{i c g}
- [Oecetis bullata](#) Yang & Morse, 1997^{i c g}
- [Oecetis burtoni](#) Neboiss, 1978^{i c g}
- [Oecetis caelum](#) Chen & Morce, 1992^g
- [Oecetis canariensis](#) Brauer, 1900^{i c g}

- [Oecetis carlibanezae](#) ^g
- [Oecetis carvalhoi](#) Marlier, 1965 ^{i c g}
- [Oecetis catenulata](#) Neboiss, 1989 ^{i c g}
- [Oecetis caucula](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis caudata](#) Navás, 1936 ^{i c g}
- [Oecetis ceylanica](#) (Ulmer, 1915) ^{i c g}
- [Oecetis chathamensis](#) Tillyard, 1925 ^{i c g}
- [Oecetis chipiriri](#) ^g
- [Oecetis cinerascens](#) (Hagen, 1861) ^{i c g b}
- [Oecetis circinata](#) Gibbs, 1973 ^{i c g}
- [Oecetis claggi](#) Banks, 1937 ^{i c g}
- [Oecetis clavata](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis cochleata](#) Marlier, 1956 ^{i c g}
- [Oecetis cohaesa](#) Mey, 1998 ^{i c g}
- [Oecetis comalis](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis complex](#) Hwang, 1957 ^{i c g}
- [Oecetis complexa](#) Kimmins in Mosely & Kimmins, 1953 ^{i c g}
- [Oecetis connata](#) Flint, 1974 ^{i c g}
- [Oecetis coomana](#) Navás, 1932 ^{i c g}
- [Oecetis cornuata](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis crassicornis](#) Ulmer, 1930 ^{i c g}
- [Oecetis cristata](#) Kimmins, 1963 ^{i c g}
- [Oecetis cymula](#) Neboiss, 1982 ^{i c g}
- [Oecetis cyrtocercis](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis dakchineswara](#) Schmid, 1995 ^{i c g}
- [Oecetis danielae](#) ^g
- [Oecetis daytona](#) Ross, 1947 ^{i c g}
- [Oecetis decora](#) Kimmins, 1957 ^{i c g}
- [Oecetis desaegeri](#) Jacquemart, 1967 ^{i c g}
- [Oecetis devakiputra](#) Schmid, 1995 ^{i c g}
- [Oecetis dhatusena](#) Schmid, 1958 ^{i c g}
- [Oecetis diclava](#) Mey, 1998 ^{i c g}
- [Oecetis dilata](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis disjuncta](#) (Banks, 1920) ^{i c g}
- [Oecetis ditissa](#) Ross, 1966 ^{i c g}
- [Oecetis doesburgi](#) Flint, 1974 ^{i c g}

- [*Oecetis dominguezi*](#) Rueda Martin & al., 2011 ^g
- [*Oecetis dvichakha*](#) Schmid, 1975 ^{i c g}
- [*Oecetis eburnea*](#) Schmid, 1961 ^{i c g}
- [*Oecetis eddlestoni*](#) Ross, 1938 ^{i c g}
- [*Oecetis elata*](#) Denning & Sykora, 1966 ^{i c g}
- [*Oecetis elouardi*](#) Gibon & Randriamasimanana in Randriamasimanana & Gibon, 1998 ^{i c g}
- [*Oecetis empusa*](#) Malicky & Chaibu in Malicky, 2000 ^{i c g}
- [*Oecetis epekeina*](#) Neboiss, 1989 ^{i c g}
- [*Oecetis evigra*](#) Chen & Morce, 1992 ^g
- [*Oecetis excisa*](#) Ulmer, 1907 ^{i c g}
- [*Oecetis fahieni*](#) Schmid, 1958 ^{i c g}
- [*Oecetis falcia*](#) Denning in Denning & Sykora, 1966 ^{i c g}
- [*Oecetis fasciata*](#) Lestage, 1919 ^{i c g}
- [*Oecetis fimbriata*](#) Navás, 1935 ^{i c g}
- [*Oecetis flavicoma*](#) Mey, 1998 ^{i c g}
- [*Oecetis fletcheri*](#) Kimmins, 1963 ^{i c g}
- [*Oecetis floridanus*](#) (Banks, 1905) ^{i c}
- [*Oecetis forcipata*](#) Kimmins, 1961 ^{i c g}
- [*Oecetis furva*](#) (Rambur, 1842) ^{i c g}
- [*Oecetis fuscata*](#) Kimmins, 1956 ^{i c g}
- [*Oecetis georgia*](#) Ross, 1941 ^{i c g}
- [*Oecetis ghibensis*](#) Kimmins, 1963 ^{i c g}
- [*Oecetis glebula*](#) Wells, 2000 ^{i c g}
- [*Oecetis goodmani*](#) Randriamasimanana & Gibon, 1998 ^{i c g}
- [*Oecetis goraknata*](#) Schmid, 1995 ^{i c g}
- [*Oecetis gradata*](#) Ulmer, 1923 ^{i c g}
- [*Oecetis granulosa*](#) Jacquemart, 1961 ^{i c g}
- [*Oecetis graphata*](#) Mey, 1998 ^{i c g}
- [*Oecetis grazalemae*](#) Gonzalez & Iglesias, 1989 ^{i c g}
- [*Oecetis guamana*](#) (Fischer, 1970) ^{i c g}
- [*Oecetis gunapatya*](#) Schmid, 1995 ^{i c g}
- [*Oecetis hamata*](#) (Ulmer, 1915) ^{i c g}
- [*Oecetis hamochiensis*](#) Kobayashi, 1984 ^{i c g}
- [*Oecetis harivamsa*](#) Schmid, 1995 ^{i c g}
- [*Oecetis hayagriva*](#) Schmid, 1995 ^{i c g}
- [*Oecetis hemerobioides*](#) (McLachlan, 1866) ^{i c g}

- [*Oecetis hertui*](#) Randriamasimanana & Gibon, 1999^{i c g}
- [*Oecetis hiranyakachipu*](#) Schmid, 1995^{i c g}
- [*Oecetis hiranyaksa*](#) Schmid, 1995^{i c g}
- [*Oecetis hoelzeli*](#) Malicky, 1983^{i c g}
- [*Oecetis hulstaerti*](#) Navás, 1931^{i c g}
- [*Oecetis iara*](#)^g
- [*Oecetis ichtadevata*](#) Schmid, 1995^{i c g}
- [*Oecetis ichtadvaraka*](#) Schmid, 1995^{i c g}
- [*Oecetis ichtasurama*](#) Schmid, 1995^{i c g}
- [*Oecetis ichvara*](#) Schmid, 1995^{i c g}
- [*Oecetis iguazu*](#) Flint, 1983^{i c g}
- [*Oecetis immobilis*](#) (Hagen, 1861)^{i c g}
- [*Oecetis inconspicua*](#) (Walker, 1852)^{i c g b}
- [*Oecetis indivisa*](#) (Martynov, 1936)^{i c g}
- [*Oecetis inflata*](#) Flint, 1974^{i c g}
- [*Oecetis inscripta*](#) Kimmins in Mosely & Kimmins, 1953^{i c g}
- [*Oecetis insignis*](#) (Banks, 1911)^{i c g}
- [*Oecetis insymmetrica*](#) Mey, 1998^{i c g}
- [*Oecetis intima*](#) McLachlan, 1877^{i c g}
- [*Oecetis intramontana*](#) Mey, 1998^{i c g}
- [*Oecetis iti*](#) McFarlane, 1964^{i c g}
- [*Oecetis jacobsoni*](#) Ulmer, 1930^{i c g}
- [*Oecetis janseni*](#) Navás, 1931^{i c g}
- [*Oecetis jasikana*](#) Gibbs, 1973^{i c g}
- [*Oecetis jayadeva*](#) Schmid, 1995^{i c g}
- [*Oecetis kagerana*](#) (Kimmins, 1956)^{i c g}
- [*Oecetis kakaduensis*](#) Neboiss, 1989^{i c g}
- [*Oecetis kalidasa*](#) Schmid, 1995^{i c g}
- [*Oecetis kalyuga*](#) Schmid, 1995^{i c g}
- [*Oecetis kambaitensis*](#) Kimmins, 1963^{i c g}
- [*Oecetis kartavirya*](#) Schmid, 1995^{i c g}
- [*Oecetis karttikeya*](#) Schmid, 1995^{i c g}
- [*Oecetis kasenyii*](#) Jacquemart, 1959^{i c g}
- [*Oecetis kathia*](#) Mosely, 1939^{i c g}
- [*Oecetis keraia*](#) Neboiss, 1989^{i c g}
- [*Oecetis kimminsi*](#) Kumanski, 1979^{i c g}

- [*Oecetis knutsoni*](#) Flint, 1981^{i c g}
- [*Oecetis kolobota*](#) Neboiss, 1989^{i c g}
- [*Oecetis koyana*](#) Kimmins, 1955^{i c g}
- [*Oecetis kpanduna*](#) Gibbs, 1973^{i c g}
- [*Oecetis kulasekhara*](#) Schmid, 1995^{i c g}
- [*Oecetis kunenensis*](#) Barnard, 1934^{i c g}
- [*Oecetis kurukchetra*](#) Schmid, 1995^{i c g}
- [*Oecetis lacustris*](#) (Pictet, 1834)^{i c g}
- [*Oecetis laevis*](#) Marlier, 1965^{i c g}
- [*Oecetis lais*](#) (Hagen, 1859)^{i c g}
- [*Oecetis laminata*](#) (Hwang, 1957)^{i c g}
- [*Oecetis lantoyae*](#) Randriamasimanana & Gibon, 1998^{i c g}
- [*Oecetis lanuginosa*](#) (McLachlan, 1875)^{i c g}
- [*Oecetis laustra*](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [*Oecetis legrandi*](#) Randriamasimanana & Gibon, 1998^{i c g}
- [*Oecetis lilliput*](#) Marlier, 1965^{i c g}
- [*Oecetis lingua*](#) Schmid, 1958^{i c g}
- [*Oecetis lokapala*](#) Schmid, 1995^{i c g}
- [*Oecetis londuca*](#) Marlier, 1965^{i c g}
- [*Oecetis longiterga*](#) Kimmins, 1962^{i c g}
- [*Oecetis lucipetens*](#) Barnard, 1940^{i c g}
- [*Oecetis luenae*](#) Marlier, 1965^{i c g}
- [*Oecetis lurida*](#) Kimmins in Mosely & Kimmins, 1953^{i c g}
- [*Oecetis machadoi*](#) Marlier, 1965^{i c g}
- [*Oecetis maculata*](#) Kimmins, 1956^{i c g}
- [*Oecetis maculipennis*](#) Ulmer, 1922^{i c g}
- [*Oecetis mahadeva*](#) (Banks, 1913)^{i c g}
- [*Oecetis malighawa*](#) Schmid, 1958^{i c g}
- [*Oecetis mambia*](#) Kimmins, 1962^{i c g}
- [*Oecetis marginata*](#) Kimmins, 1962^{i c g}
- [*Oecetis marojejyensis*](#) Randriamasimanana & Gibon, 1999^{i c g}
- [*Oecetis marquesi*](#) Bueno-Soria, 1981^{i c g}
- [*Oecetis maspeluda*](#) Botosaneanu, 1977^{i c g}
- [*Oecetis mbeloae*](#) Randriamasimanana & Gibon, 1998^{i c g}
- [*Oecetis meghadouta*](#) Schmid, 1958^{i c g}
- [*Oecetis mekana*](#) Kimmins, 1963^{i c g}

- [Oecetis metlacensis](#) Bueno-Soria, 1981^{i c g}
- [Oecetis michaeli](#) Malicky, 1999^{i c g}
- [Oecetis minasata](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Oecetis minuscula](#) Yang & Morse, 2000^{i c g}
- [Oecetis minuta](#) Martynov, 1935^{i c g}
- [Oecetis mirabilis](#) Yang & Morse, 2000^{i c g}
- [Oecetis modesta](#) (Barnard, 1934)^{i c g}
- [Oecetis molecul](#)^g
- [Oecetis montana](#) Ulmer, 1930^{i c g}
- [Oecetis morii](#) Tsuda, 1942^{i c g}
- [Oecetis morsei](#) Bueno-Soria, 1981^{i c g}
- [Oecetis moureaui](#) Marlier, 1958^{i c g}
- [Oecetis multipunctata](#) Ulmer, 1916^{i c g}
- [Oecetis multispinosa](#) Kimmins, 1963^{i c g}
- [Oecetis narasimha](#) Schmid, 1995^{i c g}
- [Oecetis naravitta](#) Schmid, 1958^{i c g}
- [Oecetis nerviciliata](#) (Schmid, 1958)^{i c g}
- [Oecetis nervisquamosa](#) (Schmid, 1958)^{i c g}
- [Oecetis nigropunctata](#) Ulmer, 1908^{i c g}
- [Oecetis nocturna](#) Ross, 1966^{i c g}
- [Oecetis notata](#) (Rambur, 1842)^{i c g}
- [Oecetis oberdorffi](#)^g
- [Oecetis obliqua](#) Wells, 2000^{i c g}
- [Oecetis ocellata](#) Jacquemart, 1959^{i c g}
- [Oecetis ochracea](#) (Curtis, 1825)^{i c g}
- [Oecetis ochromelas](#) Jacquemart, 1957^{i c g}
- [Oecetis octophora](#) Mey, 1998^{i c g}
- [Oecetis odanis](#) Kobayashi, 1987^{i c g}
- [Oecetis oecetinellae](#) Mey, 1990^{i c g}
- [Oecetis olgae](#) Gibon & Randriamasimanana in Randriamasimanana & Gibon, 1998^{i c g}
- [Oecetis oliae](#) Gibon & Randriamasimanana in Randriamasimanana & Gibon, 1999^{i c g}
- [Oecetis oresbiosa](#) Neboiss, 1989^{i c g}
- [Oecetis orientalis](#) Navas, 1921^{i c g}
- [Oecetis ornata](#) Kimmins, 1962^{i c g}
- [Oecetis osteni](#) Milne, 1934^{i c g b}
- [Oecetis ouachita](#) Moulton & Stewart, 1993^{i c g}

- [Oecetis ovampoensis](#) Barnard, 1934^{i c g}
- [Oecetis ozarkensis](#) Moulton & Stewart, 1993^{i c g}
- [Oecetis panayensis](#) Mey, 1998^{i c g}
- [Oecetis pancharatra](#) Schmid, 1995^{i c g}
- [Oecetis pangana](#) Navas, 1930^{i c g}
- [Oecetis paracomplexa](#) Wells, 2000^{i c g}
- [Oecetis parallela](#) Wells, 2000^{i c g}
- [Oecetis paranensis](#) Flint, 1982^{i c g}
- [Oecetis parka](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Oecetis parmata](#) Neboiss, 1989^{i c g}
- [Oecetis parva](#) (Banks, 1907)^{i c g}
- [Oecetis paula](#) (McLachlan, 1875)^{i c g}
- [Oecetis paxilla](#) Yang & Morse, 2000^{i c g}
- [Oecetis pechana](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Oecetis pelengensis](#) Jacquemart, 1961^{i c g}
- [Oecetis pencillata](#) Kimmins, 1963^{i c g}
- [Oecetis pentafurcata](#) Mey, 1995^{i c g}
- [Oecetis persimilis](#) (Banks, 1907)^{i c g}
- [Oecetis peruviana](#) (Banks, 1924)^{i c g}
- [Oecetis peterseni](#) Mey, 1998^{i c g}
- [Oecetis pilakai](#) Randriamasimanana & Gibon, 1998^{i c g}
- [Oecetis pilosa](#) Banks, 1937^{i c g}
- [Oecetis piptona](#) Neboiss, 1989^{i c g}
- [Oecetis portalensis](#) Mosely, 1939^{i c g}
- [Oecetis porteri](#) Ross, 1947^{i c g}
- [Oecetis prahlada](#) Schmid, 1995^{i c g}
- [Oecetis pratelia](#) Denning, 1948^{i c g}
- [Oecetis pratti](#) Denning, 1948^{i c g}
- [Oecetis pretakalpa](#) Schmid, 1995^{i c g}
- [Oecetis pretiosa](#) (Banks, 1913)^{i c g}
- [Oecetis prolixus](#) Chen & Morce, 1992^g
- [Oecetis prolongata](#) Flint, 1981^{i c g}
- [Oecetis pryadyumna](#) Schmid, 1995^{i c g}
- [Oecetis pseudoamazonica](#)^g
- [Oecetis pseudoinconspicua](#) Bueno-Soria, 1981^{i c g}
- [Oecetis pulchella](#) (Banks, 1936)^{i c g}

- [Oecetis punctata](#) (Navas, 1924) ^{i c g}
- [Oecetis punctatissima](#) (Schmid, 1958) ^{i c g}
- [Oecetis punctipennis](#) (Ulmer, 1905) ^{i c g}
- [Oecetis punctulata](#) Navás, 1932 ^{i c g}
- [Oecetis purucha](#) Schmid, 1995 ^{i c g}
- [Oecetis purusamedha](#) Schmid, 1995 ^{i c g}
- [Oecetis quadrofurcata](#) Mey, 1998 ^{i c g}
- [Oecetis rafaeli](#) Flint, 1991 ^{i c g}
- [Oecetis raghava](#) Schmid, 1995 ^{i c g}
- [Oecetis rajasimha](#) Schmid, 1995 ^{i c g}
- [Oecetis rama](#) Mosely, 1948 ^{i c g}
- [Oecetis rectangula](#) Kimmins, 1963 ^{i c g}
- [Oecetis reticulata](#) Kimmins, 1957 ^{i c g}
- [Oecetis reticulatella](#) Kimmins, 1957 ^{i c g}
- [Oecetis royi](#) Kimmins, 1961 ^{i c g}
- [Oecetis rufescens](#) Navás, 1932 ^{i c g}
- [Oecetis satyagraha](#) Schmid, 1995 ^{i c g}
- [Oecetis scala](#) Milne, 1934 ^{i c g}
- [Oecetis scirpicula](#) Neboiss, 1977 ^{i c g}
- [Oecetis scoparia](#) Flint, 1974 ^{i c g}
- [Oecetis scorpius](#) Marlier, 1965 ^{i c g}
- [Oecetis scutata](#) Ulmer, 1930 ^{i c g}
- [Oecetis scutulata](#) Martynov, 1936 ^{i c g}
- [Oecetis selene](#) Marlier, 1965 ^{i c g}
- [Oecetis semissalis](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis separata](#) Banks, 1937 ^{i c g}
- [Oecetis setifera](#) Ulmer, 1922 ^{i c g}
- [Oecetis sibayiensis](#) Scott, 1968 ^{i c g}
- [Oecetis sricula](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis silvestris](#) Gibbs, 1973 ^{i c g}
- [Oecetis silviae](#) Bueno-Soria, 1981 ^{i c g}
- [Oecetis simplex](#) Marlier, 1956 ^{i c g}
- [Oecetis singularis](#) (Ulmer, 1930) ^{i c g}
- [Oecetis sinuata](#) Kimmins, 1963 ^{i c g}
- [Oecetis spatula](#) Chen in Yang & Morse, 2000 ^{i c g}
- [Oecetis sphyra](#) Ross, 1941 ^{i c g}

- [Oecetis spinifera](#) Gibon & Randriamasimanana in Randriamasimanana & Gibon, 1998 ^{i c g}
- [Oecetis spinosus](#) Chen & Morce, 1992 ^g
- [Oecetis squamosa](#) Kimmins, 1962 ^{i c g}
- [Oecetis stepheni](#) Randriamasimanana & Gibon, 1999 ^{i c g}
- [Oecetis striata](#) (Kimmins, 1956) ^{i c g}
- [Oecetis struckii](#) Klapalek, 1903 ^{i c g}
- [Oecetis submaculosa](#) Kimmins, 1963 ^{i c g}
- [Oecetis sumanasara](#) Schmid, 1958 ^{i c g}
- [Oecetis sunyani](#) Gibbs, 1973 ^{i c g}
- [Oecetis sylveri](#) Randriamasimanana & Gibon, 1998 ^{i c g}
- [Oecetis symoensi](#) Marlier, 1981 ^{i c g}
- [Oecetis taenia](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis tafo](#) Gibbs, 1973 ^{i c g}
- [Oecetis tampoloensis](#) Randriamasimanana & Gibon, 1999 ^{i c g}
- [Oecetis tenuis](#) (Martynov, 1936) ^{i c g}
- [Oecetis terraesanctae](#) (Botosaneanu & Gasith, 1971) ^{i c g}
- [Oecetis testacea](#) (Curtis, 1834) ^{i c g}
- [Oecetis tetragona](#) Marlier, 1965 ^{i c g}
- [Oecetis thikanensis](#) Mosely, 1939 ^{i c g}
- [Oecetis tjonnelandi](#) Kimmins, 1963 ^{i c g}
- [Oecetis townesorum](#) Morse, 1974 ^{i c g}
- [Oecetis traini](#) ^g
- [Oecetis tripunctata](#) (Fabricius, 1793) ^{i c g}
- [Oecetis tsudai](#) Fischer, 1970 ^{i c g}
- [Oecetis udayakara](#) Schmid, 1995 ^{i c g}
- [Oecetis umbra](#) Neboiss, 1977 ^{i c g}
- [Oecetis unicolor](#) (McLachlan, 1868) ^{i c g}
- [Oecetis uniforma](#) Yang & Morse, 2000 ^{i c g}
- [Oecetis upadana](#) Schmid, 1995 ^{i c g}
- [Oecetis uptoni](#) Wells, 2000 ^{i c g}
- [Oecetis uyulala](#) Malicky & Lounaci, 1987 ^{i c g}
- [Oecetis vanaprachta](#) Schmid, 1995 ^{i c g}
- [Oecetis vasugupta](#) Schmid, 1995 ^{i c g}
- [Oecetis vidhyadara](#) Schmid, 1995 ^{i c g}
- [Oecetis vijayaditya](#) Schmid, 1995 ^{i c g}
- [Oecetis vikramaditya](#) Schmid, 1995 ^{i c g}

- [Oecetis villosa](#) Kimmins, 1963^{i c g}
- [Oecetis virgata](#) Ulmer, 1908^{i c g}
- [Oecetis vrindawama](#) Schmid, 1995^{i c g}
- [Oecetis vulgata](#) (Marlier, 1956)^{i c g}
- [Oecetis walpolica](#) Neboiss, 1982^{i c g}
- [Oecetis xaniona](#) Neboiss, 1989^{i c g}
- [Oecetis yogechwara](#) Schmid, 1995^{i c g}
- [Oecetis yukii](#) Tsuda, 1942^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Oecetis Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-28.
 - ["Browse Oecetis"](#). Catalogue of Life. Retrieved 2018-04-28.
 - ["Oecetis"](#). GBIF. Retrieved 2018-04-28.
 -
4. ["Oecetis Genus Information"](#). BugGuide.net. Retrieved 2018-04-28.

Categories:

- [Caddisflies](#)
- [Lists of insect species](#)
-

This is a list of species in [Odontomyia](#), a genus of soldier flies in the family [Stratiomyidae](#).^{[1][2][3]}

Odontomyia species

- [Odontomyia adusta](#) Loew, 1857^[4]
- [Odontomyia aequalis](#) (Walker, 1861)^[5]
- [Odontomyia africana](#) (Lindner, 1943)^[6]
- [Odontomyia albigenata](#) (Lindner, 1935)^[7]
- [Odontomyia albomaculata](#) Macquart, 1838^[8]
- [Odontomyia aldrichi](#) Johnson, 1895^[9]
- [Odontomyia alini](#) Lindner, 1955^[10]
- [Odontomyia alolena](#) (Séguy, 1930)^[11]

- [*Odontomyia altifrons* Wulp, 1888\[12\]](#)
- [*Odontomyia americana* Day, 1882\[13\]](#)
- [*Odontomyia amyris* Walker, 1849\[14\]](#)
- [*Odontomyia anchorata* Bigot, 1879\[15\]](#)
- [*Odontomyia angulata* \(Panzer, 1798\)\[16\]](#)
- [*Odontomyia angusta* Walker, 1854\[17\]](#)
- [*Odontomyia angustilimbata* Brunetti, 1923\[18\]](#)
- [*Odontomyia annulata* \(Meigen, 1822\)\[19\]](#)
- [*Odontomyia annulipes* Macquart, 1850\[20\]](#)
- [*Odontomyia araneifera* Schiner, 1868\[21\]](#)
- [*Odontomyia arcuata* Loew, 1872\[22\]](#)
- [*Odontomyia argentata* \(Fabricius, 1794\)\[23\]](#)
- [*Odontomyia aterrima* Walker, 1856\[24\]](#)
- [*Odontomyia atraria* \(Walker, 1865\)\[25\]](#)
- [*Odontomyia atrodorsalis* James, 1941](#)
- [*Odontomyia atrovirens* Bigot, 1879\[15\]](#)
- [*Odontomyia aurata* Meijere, 1911\[26\]](#)
- [*Odontomyia aureovestis* \(James, 1948\)\[27\]](#)
- [*Odontomyia aureovittata* Curran, 1928](#)
- [*Odontomyia australensis* Schiner, 1868\[21\]](#)
- [*Odontomyia azurea* Becker, 1909\[28\]](#)
- [*Odontomyia bahamensis* \(James, 1953\)\[29\]](#)
- [*Odontomyia barbata* \(Lindner, 1940\)\[30\]](#)
- [*Odontomyia bekily* Woodley, 2001\[2\]](#)
- [*Odontomyia bermudensis* Johnson, 1914\[31\]](#)
- [*Odontomyia bifascia* \(Walker, 1861\)\[32\]](#)
- [*Odontomyia bimaculata* Yang, 1995\[33\]](#)
- [*Odontomyia bipunctata* Bigot, 1859\[34\]](#)
- [*Odontomyia bipunctifacies* \(Lindner, 1951\)](#)
- [*Odontomyia blastulaefrons* \(Lindner, 1939\)\[35\]](#)
- [*Odontomyia boharti* \(James, 1948\)\[27\]](#)
- [*Odontomyia borealis* James, 1936](#)
- [*Odontomyia brodiei* \(Cockerell, 1915\)\[36\]](#)
- [*Odontomyia bulbifrons* \(James, 1950\)](#)
- [*Odontomyia calva* Lindner, 1972](#)
- [*Odontomyia carinata* Macquart, 1846\[37\]](#)
- [*Odontomyia carinifacies* Macquart, 1850\[20\]](#)
- [*Odontomyia carinifacies* var. *grandimaculata* Hardy, 1920](#)
- [*Odontomyia carnifacies* var. *minima* Hardy, 1920](#)
- [*Odontomyia carnifex* \(Gerstaecker, 1857\)\[38\]](#)
- [*Odontomyia chathamensis* Hutton, 1901\[39\]](#)
- [*Odontomyia chloris* \(Walker, 1854\)\[17\]](#)

- [*Odontomyia chrysaner*](#) (James, 1948)[27]
- [*Odontomyia cincta*](#) Olivier, 1811[40]
- [*Odontomyia cinctilinea*](#) (Walker, 1861)[41]
- [*Odontomyia clarifrons*](#) Lindner, 1972[42]
- [*Odontomyia claripennis*](#) Thomson, 1869[43]
- [*Odontomyia cohaerens*](#) Brunetti, 1923[18]
- [*Odontomyia colei*](#) James, 1936
- [*Odontomyia collarti*](#) (Lindner, 1938)[44]
- [*Odontomyia collina*](#) Hutton, 1901[39]
- [*Odontomyia confertissima*](#) (Walker, 1858)[45]
- [*Odontomyia confusa*](#) (Rossi, 1794)[46]
- [*Odontomyia consobrina*](#) Macquart, 1848[47]
- [*Odontomyia coreana*](#) (Pleske, 1928)
- [*Odontomyia cuthbertsoni*](#) (Lindner, 1937)
- [*Odontomyia cyanea*](#) Brunetti, 1920[48]
- [*Odontomyia damascena*](#) Villeneuve, 1912
- [*Odontomyia decipiens*](#) (Guerin-Meneville, 1838)[49]
- [*Odontomyia disciclara*](#) (Séguy, 1929)
- [*Odontomyia discolor*](#) Loew, 1846[50]
- [*Odontomyia discolorata*](#) James, 1936
- [*Odontomyia disparina*](#) (Lindner, 1935)[7]
- [*Odontomyia elisabethae*](#) Lindner, 1966[51]
- [*Odontomyia emarginata*](#) Macquart, 1838[8]
- [*Odontomyia evansi*](#) (James, 1957)
- [*Odontomyia excocta*](#) Walker, 1851[52]
- [*Odontomyia exigua*](#) (Lindner, 1937)[53]
- [*Odontomyia fangchengensis*](#) Yang, Gao & An, 2004[54]
- [*Odontomyia fasciata*](#) Macquart, 1834[55]
- [*Odontomyia fascipes*](#) Brunetti, 1923[18]
- [*Odontomyia fastuosa*](#) (Bigot, 1884)[56]
- [*Odontomyia fiebrigi*](#) (Lindner, 1976)
- [*Odontomyia filipjewi*](#) (Pleske, 1928)
- [*Odontomyia finalis*](#) (Walker, 1859)[57]
- [*Odontomyia flava*](#) Day, 1882[13]
- [*Odontomyia flavissima*](#) (Rossi, 1790)[58]
- [*Odontomyia foveifrons*](#) Thomson, 1869[43]
- [*Odontomyia frontalis*](#) Macquart, 1838[8]
- [*Odontomyia fulminans*](#) Bezzi, 1928[59]
- [*Odontomyia fulviceps*](#) (Walker, 1854)[17]
- [*Odontomyia gagathina*](#) Bezzi, 1928[59]
- [*Odontomyia garatas*](#) Walker, 1849[14]
- [*Odontomyia guianae*](#) (Lindner, 1949)[60]

- [*Odontomyia guizhouensis*](#) Yang, 1995[33]
- [*Odontomyia halophila*](#) Wang, Perng & Ueng, 2007
- [*Odontomyia halophila*](#) Wang, Perng & Ueng, 2007[61]
- [*Odontomyia herbacea*](#) Lindner, 1966[51]
- [*Odontomyia herichsonii*](#) Hope, 1847[62]
- [*Odontomyia heterogastra*](#) Bezzi, 1928[59]
- [*Odontomyia hirayamae*](#) Matsumura, 1916[63]
- [*Odontomyia hirtocculata*](#) James, 1936[64]
- [*Odontomyia hoodiana*](#) Bigot, 1887[65]
- [*Odontomyia hunteri*](#) (MacLeay, 1826)[66]
- [*Odontomyia hydroleon*](#) (Linnaeus, 1758)[67]
- [*Odontomyia hydroleonoides*](#) Johnson, 1895[9]
- [*Odontomyia ialemus*](#) Walker, 1849[14]
- [*Odontomyia icae*](#) (Lindner, 1941)[68]
- [*Odontomyia idahoensis*](#) James, 1932
- [*Odontomyia immiscens*](#) (Walker, 1859)[57]
- [*Odontomyia inaequalis*](#) Loew, 1866[69]
- [*Odontomyia inanimis*](#) (Walker, 1857)[70]
- [*Odontomyia interrupta*](#) Olivier, 1811[40]
- [*Odontomyia jamesi*](#) Lindner, 1968[71]
- [*Odontomyia kamande*](#) Woodley, 2001[2]
- [*Odontomyia kashmirensis*](#) Brunetti, 1920[48]
- [*Odontomyia kirchneri*](#) Jaennicke, 1867[72]
- [*Odontomyia kiricenkoi*](#) (Pleske, 1922)[73]
- [*Odontomyia lamborni*](#) (Lindner, 1937)
- [*Odontomyia lateremaculata*](#) Macquart, 1850[20]
- [*Odontomyia limae*](#) Guerin, 1831[74]
- [*Odontomyia limbata*](#) (Meigen & Wiedemann, 1822)[19]
- [*Odontomyia limbata*](#) var. *cephalonica* Strobl, 1898[75]
- [*Odontomyia limbifacies*](#) Bigot, 1859[34]
- [*Odontomyia lineata*](#) Meijere, 1913
- [*Odontomyia longicornis*](#) Lindner, 1966[51]
- [*Odontomyia lutatius*](#) Walker, 1849[14]
- [*Odontomyia luteiceps*](#) Meijere, 1911[26]
- [*Odontomyia maculata*](#) Meijere, 1907[76]
- [*Odontomyia magnificus*](#) Lachaise & Lindner, 1973
- [*Odontomyia marginella*](#) Macquart, 1850[20]
- [*Odontomyia masaica*](#) (Lindner, 1953)[77]
- [*Odontomyia megacephala*](#) Olivier, 1811
- [*Odontomyia microcera*](#) (Séguy, 1930)[11]
- [*Odontomyia microleon*](#) (Linnaeus, 1758)[67]
- [*Odontomyia microstoma*](#) Loew, 1866[69]

- [*Odontomyia mutica* Wulp, 1885\[78\]](#)
- [*Odontomyia neodorsalis* Miller, 1950](#)
- [*Odontomyia nexura* \(Walker, 1858\)\[45\]](#)
- [*Odontomyia nigerrima* Loew, 1872\[22\]](#)
- [*Odontomyia nigrinervis* Bezzi, 1926\[79\]](#)
- [*Odontomyia nitidiceps* Wulp, 1888\[12\]](#)
- [*Odontomyia nitidissima* \(James, 1950\)\[80\]](#)
- [*Odontomyia notatifrons* Brunetti, 1923\[18\]](#)
- [*Odontomyia novaecaledoniae* \(Lindner, 1937\)\[53\]](#)
- [*Odontomyia novaeguineensis* \(Lindner, 1957\)\[81\]](#)
- [*Odontomyia nyassica* \(Lindner, 1943\)\[6\]](#)
- [*Odontomyia obscuripes* Thomson, 1869\[43\]](#)
- [*Odontomyia ochropa* Thomson, 1869\[43\]](#)
- [*Odontomyia okinawae* Nagatomi, 1977](#)
- [*Odontomyia opertanea* White, 1916](#)
- [*Odontomyia ophrydifera* \(Lindner, 1935\)\[7\]](#)
- [*Odontomyia ornata* \(Meigen, 1822\)\[19\]](#)
- [*Odontomyia pachycephala* Schiner, 1868\[21\]](#)
- [*Odontomyia pachycephs* Bigot, 1879\[15\]](#)
- [*Odontomyia painteri* James, 1936](#)
- [*Odontomyia pallida* Hill, 1919\[82\]](#)
- [*Odontomyia parallela* \(Walker, 1865\)\[25\]](#)
- [*Odontomyia parallelina* Bezzi, 1928\[59\]](#)
- [*Odontomyia pauliani* James, 1975](#)
- [*Odontomyia pectoralis* Thomson, 1869\[43\]](#)
- [*Odontomyia periscelis* Loew, 1873\[83\]](#)
- [*Odontomyia peruviana* Macquart, 1855\[84\]](#)
- [*Odontomyia picea* Walker, 1851\[52\]](#)
- [*Odontomyia picta* \(Pleske, 1922\)\[73\]](#)
- [*Odontomyia pictifrons* Loew, 1854\[85\]](#)
- [*Odontomyia pilimanus* Loew, 1866\[69\]](#)
- [*Odontomyia pilosus* Day, 1882\[13\]](#)
- [*Odontomyia plebeja* Loew, 1872\[22\]](#)
- [*Odontomyia poecilopoda* Bezzi, 1906\[86\]](#)
- [*Odontomyia polycedes* \(Speiser, 1910\)\[87\]](#)
- [*Odontomyia proba* \(Lindner, 1957\)\[81\]](#)
- [*Odontomyia profusca* Steyskal, 1938\[88\]](#)
- [*Odontomyia pubescens* Day, 1882\[13\]](#)
- [*Odontomyia pulcherrima* Brunetti, 1920\[48\]](#)
- [*Odontomyia quadrata* \(Lindner, 1937\)\[53\]](#)
- [*Odontomyia quadrinotata* Loew, 1857\[4\]](#)
- [*Odontomyia rectifasciata* Macquart, 1838\[8\]](#)

- [*Odontomyia regisgeorgii* Macquart, 1838\[8\]](#)
- [*Odontomyia restricta* \(Walker, 1864\)\[89\]](#)
- [*Odontomyia rhodaspis* James, 1980](#)
- [*Odontomyia rufifacies* Macquart, 1850\[20\]](#)
- [*Odontomyia rufipes* Loew, 1866\[69\]](#)
- [*Odontomyia rufiventris* \(Lindner, 1966\)\[90\]](#)
- [*Odontomyia rufocera* Woodley, 2001\[2\]](#)
- [*Odontomyia rufoscutellata* Brunetti, 1926](#)
- [*Odontomyia saphyrina* Lindner, 1968\[71\]](#)
- [*Odontomyia schoutedeni* \(Lindner, 1938\)\[44\]](#)
- [*Odontomyia scutellata* Macquart, 1846\[37\]](#)
- [*Odontomyia seyrigi* Lindner, 1968\[71\]](#)
- [*Odontomyia shikokuana* \(Nagatomi, 1977\)](#)
- [*Odontomyia siderogaster* \(Wiedemann, 1824\)\[91\]](#)
- [*Odontomyia sidneyensis* Schiner, 1868\[21\]](#)
- [*Odontomyia simplex* \(Bigot, 1887\)\[65\]](#)
- [*Odontomyia sinica* Yang, 1995\[33\]](#)
- [*Odontomyia smaragdifera* \(Lindner, 1938\)\[92\]](#)
- [*Odontomyia solennis* Walker, 1851\[52\]](#)
- [*Odontomyia stigmatalis* Thomson, 1869\[43\]](#)
- [*Odontomyia stricta* Erichson, 1842\[93\]](#)
- [*Odontomyia stylata* Macquart, 1847\[94\]](#)
- [*Odontomyia subdentata* Macquart, 1850\[20\]](#)
- [*Odontomyia subobscura* \(James, 1948\)\[27\]](#)
- [*Odontomyia subpicta* \(James, 1957\)](#)
- [*Odontomyia thula* Woodley, 2001\[2\]](#)
- [*Odontomyia tigrina* \(Fabricius, 1775\)\[95\]](#)
- [*Odontomyia timorensis* \(Lindner, 1951\)](#)
- [*Odontomyia toxopeusi* \(Lindner, 1957\)\[81\]](#)
- [*Odontomyia transversa* Brunetti, 1920\[48\]](#)
- [*Odontomyia triangulifera* Becker, 1913](#)
- [*Odontomyia tumida* Banks, 1926\[96\]](#)
- [*Odontomyia uninigra* Yang, 1995\[33\]](#)
- [*Odontomyia vanderwulpiana* Brèthes, 1907](#)
- [*Odontomyia vicina* Macquart, 1838\[8\]](#)
- [*Odontomyia virgo* \(Wiedemann, 1830\)\[97\]](#)
- [*Odontomyia viridana* \(Wiedemann, 1824\)\[91\]](#)
- [*Odontomyia vittata* Macquart, 1850\[20\]](#)
- [*Odontomyia xanthopus* Bezzi, 1906\[86\]](#)
- [*Odontomyia yangi* Yang, 1995\[33\]](#)

There are 57 recorded [species](#) of [Odonata](#) in [Britain](#), made up of 21 [damselflies](#) (suborder Zygoptera) and 36 [dragonflies](#) (suborder Anisoptera). Of these, 42 species (17 damselflies and 25 dragonflies) are [resident](#) breeders, and the remainder are either [regionally extinct](#) species, or [vagrants](#) - in respect of the latter, this list follows the decisions of the [Odonata Records Committee](#).

Some of these rare species have not been seen since the 19th Century; however, the British Odonata list is also currently undergoing a period of unprecedented change, as new species are being discovered for the first time, some going on to become breeding species.

This list is based on the following principal references:

- Merritt, R., N. W. Moore and B. C. Eversham (1996), [Atlas of the dragonflies of Britain and Ireland](#), HMSO (ISBN)[\[1\]](#)
- Parr, A. J. (1996), Dragonfly movement and migration in Britain and Ireland, [Journal of the British Dragonfly Society](#) Vol. 12 No. 2 pp. 33–50[\[2\]](#)
- Parr, Adrian (2000a), An Annotated List of the Odonata of Britain and Ireland, [Atropos](#) No. 11 pp. 10–20[\[3\]](#)
- British Dragonfly Society website (for the most recent distribution updates)[\[4\]](#)

A number of other references were used to provide information on specific topics, including rare vagrants, post-1990 additions, predictions, species claimed but not accepted/species of uncertain provenance, non-natives, taxonomic matters and species found only in the [Channel Islands](#).

[Ireland](#)'s Odonata fauna is quite different from that of Britain, with many fewer breeding species, but one additional species not found in Britain, [Irish Damselfly](#) *Coenagrion lunulatum* – see [List of Odonata species of Ireland](#) for more information.

New species since 1990

After a period in which the British Odonata list had been relatively static, many new species have been found since 1990 and some have gone on to become regular breeding species. In chronological order of their first record, these new species are:

- **Scarlet dragonfly**, first recorded at [Hayle Kimbro Pool](#), [The Lizard](#), [Cornwall](#) on 7 August 1995 (Jones 1996[\[5\]](#)), with a small number of further records at scattered locations throughout Britain
- **Banded darter** (*Sympetrum pedemontanum*), recorded just once to date, near [Tredegar](#), [Monmouthshire](#) on 16 August 1995, although a darter seen on 29 July 2003 at [Hickling Broad](#), [Norfolk](#), which had dark bands on its wings, may have been this species
- **Lesser emperor**, first recorded at [Cinderford](#), in the [Forest of Dean](#), [Gloucestershire](#) on 13 June 1996 (Phillips 1997a,[\[6\]](#) 1997b[\[7\]](#)) and now occurring annually; breeding evidence was found at Hayle Kimbro Pool (Jones 2000[\[8\]](#)) and also at [Bake Fishing Lakes](#), Cornwall (Pellow 2000[\[9\]](#)) in 1999, and the species appears to be resident at [Dungeness](#), [Kent](#)

- **Green darner**, first recorded at Penlee Battery, Cornwall on 9 September 1998; the first record for Europe of this North American species (Pellow 1999a,[10] 1999b[11]), with several other records in South West England that autumn, but none since to date
- **Small red-eyed damselfly**, first recorded in Essex on 17 July 1999; (Dewick and Gerussi 2000[12]) now a well-established breeding species across most of England
- **Southern emerald damselfly**, first recorded at Winterton Dunes, Norfolk on 30 July 2002 (Nobes 2003[13]); in 2003 & 2004, the species was again seen here and at Sandwich Bay, Kent (Forrest 2005[14]), but there have been no subsequent sightings at either location.
- **Common winter damselfly**, first recorded at Tonna, Neath in South Wales in December 2008. [15]
- **Yellow-spotted emerald**, first (and only) record at Carlton Marshes, Suffolk, in July 2018.[16]

Many British Odonata enthusiasts expect further species to be added to the list in the near future. The list below is up to date as of the end of the 2005 breeding season.

Extinct species and casual breeders

While most species on the list below are either extant established breeding species or rare vagrants, some do not fall into these two categories. The following species bred in the past but are now extinct in Britain:

- **Dainty damselfly** – only ever known from marshes along the Thames Estuary in Essex, first recorded in 1946, and last recorded in 1952. Rediscovered 2010.[17]
- **Norfolk damselfly** – only ever known from the Norfolk Broads between 1902 and 1957
- **Orange-spotted emerald** – only ever known from two areas in southern England, one around the River Stour and Moors River in east Dorset, where the species was recorded from 1820 to 1963, and the other on the River Tamar in Devon where the species was recorded in 1946 only.

The following species are sporadic or casual breeders:

- **Yellow-winged darter** – this species has a pattern of establishing small breeding colonies following influxes, but none of these have become permanently established
- **Red-veined darter** – following influxes in previous years, this species, like the yellow-winged darter, has formed temporary breeding colonies. However, since the mid-1990s, the number of these colonies has increased and many have continued to be present from year-to-year, so this species is now better regarded as a successful colonist.

Non-native introductions

Records of non-native Odonata species in Britain have been confined to individuals found within heated greenhouses associated with nurseries for aquatic plants. None of these species have been recorded in wild situations or gone on to establish populations in the wild. Details of species which have occurred in such circumstances can be found in Agassiz 1981,[18] Brooks 1988,[19] and Parr 2000a.[3]

The list

The list is in [taxonomic order](#). The [English name](#) of each species is given, followed by its [scientific name](#), details of the [range countries](#) for each breeding species, and an overall status code for species which are not long-established extant breeding species.

The following abbreviations are used to give country-by-country distribution information for the breeding species:

- **Eng** to indicate that the species' [breeding range](#) includes [England](#)
- **Scot** to indicate that the species' breeding range includes [Scotland](#)
- **Wales** to indicate that the species' breeding range includes [Wales](#)

The following codes are used to give status details for those species which are not long-established extant breeding species:

- **Ex** to indicate a former breeding species, now [extinct](#) in Britain (with the year of the last record in brackets)
- **RC** to indicate that the species is a recent (i.e. post-1990) [colonist](#) (with the year of the first British record in brackets, except for Red-veined Darter which has occurred as a migrant and sporadic breeder for many decades)
- **V** to indicate a species only recorded as a [vagrant](#) (with the year of the first record in brackets, except for species with long histories as visitors to Britain)

Suborder [Zygoptera \(damselflies\)](#)

Family [Calopterygidae](#) (demoiselles)



[Banded demoiselle](#)

Species	Scientific name	Range countries	Status code
Banded demoiselle	<i>Calopteryx splendens</i>	Eng/Scot/Wales	
Beautiful demoiselle	<i>Calopteryx virgo</i>	Eng/Scot/Wales	

Family [Lestidae](#) (emerald damselflies)



[Emerald damselfly](#), female

Species	Scientific name	Range countries	Status code
Willow emerald damselfly ^[A]	<i>Chalcolestes viridis</i>		V (1899) RC (2007)
Scarce emerald damselfly	<i>Lestes dryas</i>	Eng	
Emerald damselfly	<i>Lestes sponsa</i>	Eng/Scot/Wales	
Southern emerald damselfly	<i>Lestes barbarus</i>	Eng	V (2002)
Common winter damselfly	<i>Sympecma fusca</i>		V (2008)

Family [Coenagrionidae](#) (blue, blue-tailed, and red damselflies)



[Azure damselfly](#) male



[Small red](#)



[damselfly](#)

[Large red damselfly](#) male



[Red-eyed damselfly](#) male



[Small red-eyed damselfly](#) male, at its current

northern limit in southern Northumberland
female



[Blue-tailed damselfly](#)

Species	Scientific name	Range countries	Status code
Small red damselfly	<i>Ceriagrion tenellum</i>	Eng/Wales	

Norfolk damselfly	<i>Coenagrion armatum</i>		Ex (1957)
Northern damselfly	<i>Coenagrion hastulatum</i>	Scot	
Southern damselfly	<i>Coenagrion mercuriale</i>	Eng/Wales	
Azure damselfly	<i>Coenagrion puella</i>	Eng/Scot/Wales	
Variable damselfly	<i>Coenagrion pulchellum</i>	Eng/Scot/Wales	
Dainty damselfly	<i>Coenagrion scitulum</i>	Eng	RC (2010)
Common blue damselfly	<i>Enallagma cyathigerum</i>	Eng/Scot/Wales	
Red-eyed damselfly	<i>Erythromma najas</i>	Eng/Wales	
Small red-eyed damselfly	<i>Erythromma viridulum</i>	Eng/Wales	RC (1999)
Blue-tailed damselfly	<i>Ischnura elegans</i>	Eng/Scot/Wales	
Scarce blue-tailed damselfly	<i>Ischnura pumilio</i>	Eng/Wales	
Large red damselfly	<i>Pyrrhosoma nymphula</i>	Eng/Scot/Wales	

Family [Platynemididae](#) (white-legged damselflies)

Species	Scientific name	Range countries	Status code
White-legged damselfly	<i>Platynemis pennipes</i>	Eng/Wales	

Suborder [Anisoptera](#) (dragonflies)

Family [Gomphidae](#) (club-tailed dragonflies)

Species	Scientific name	Range countries	Status Code
Common clubtail[B]	<i>Gomphus vulgatissimus</i>	Eng/Wales	
Yellow-legged dragonfly[C]	<i>Gomphus flavipes</i>		V (1818)

Family [Aeshnidae](#) (hawkers and emperors)



Species	Scientific name	Range countries	Status code
Southern hawker	<i>Aeshna cyanea</i>	Eng/Scot/Wales	
Brown hawker	<i>Aeshna grandis</i>	Eng/Wales (Scot, V)	
Norfolk hawker	<i>Aeshna isosceles</i>	Eng[K]	
Azure hawker	<i>Aeshna caerulea</i>	Scot	
Common hawker	<i>Aeshna juncea</i>	Eng/Scot/Wales	
Migrant hawker	<i>Aeshna mixta</i>	Eng/Scot/Wales	
Southern migrant hawker[D]	<i>Aeshna affinis</i>		V (1952)

?RC (2012)

Emperor	<i>Anax imperator</i>	Eng/Scot/Wales	
Lesser emperor	<i>Anax parthenope</i>	Eng (Scot/Wales, V)	RC (1996)
Green darner	<i>Anax junius</i>		V (1998)
Hairy dragonfly	<i>Brachytron pratense</i>	Eng/Scot/Wales	
Vagrant emperor[E]	<i>Hemianax ephippiger</i>		V (1903)

Family **[Cordulegastridae](#)** (golden-ringed dragonflies)



Species	Scientific name	Range countries	Status code
Golden-ringed dragonfly	<i>Cordulegaster boltonii</i>	Eng/Scot/Wales	

Family **[Corduliidae](#)** (emerald dragonflies)

Species	Scientific name	Range countries	Status code
Downy emerald	<i>Cordulia aenea</i>	Eng/Scot/Wales	
Brilliant emerald	<i>Somatochlora metallica</i>	Eng/Scot	
Yellow-spotted emerald	<i>Somatochlora flavomaculata</i>		V (2018)
Northern emerald	<i>Somatochlora arctica</i>	Scot	
Orange-spotted emerald	<i>Oxygastra curtisii</i>		Ex (1963)

Family **[Libellulidae](#)** (chasers, skimmers, and darters)



[Broad-bodied chaser](#)



[Four-spotted](#)



[Black-tailed skimmer](#)



[Common](#)

[chaser](#)
[darter](#)

Species	Scientific name	Range countries	Status code
---------	-----------------	-----------------	-------------

Broad-bodied chaser	<i>Libellula depressa</i>	Eng/Scot/Wales	
Scarce chaser	<i>Libellula fulva</i>	Eng/Wales	
Four-spotted chaser	<i>Libellula quadrimaculata</i>	Eng/Scot/Wales	
Black-tailed skimmer	<i>Orthetrum cancellatum</i>	Eng/Scot/Wales	
Keeled skimmer	<i>Orthetrum coerulescens</i>	Eng/Scot/Wales	
Scarlet dragonfly	<i>Crocothemis erythraea</i>		V (1995)
Black darter	<i>Sympetrum danae</i>	Eng/Scot/Wales	
Yellow-winged darter [F]	<i>Sympetrum flaveolum</i>		V
Red-veined darter	<i>Sympetrum fonscolombei</i>	Eng/Wales (Scot, V)	RC
Ruddy darter	<i>Sympetrum sanguineum</i>	Eng/Wales (Scot, V)	
Common darter [G]	<i>Sympetrum striolatum</i>	Eng/Scot/Wales	
Highland darter [G]	<i>Sympetrum striolatum nigrescens</i>	Scot	
Vagrant darter	<i>Sympetrum vulgatum</i>		V
Banded darter	<i>Sympetrum pedemontanum</i>		V (1995)
White-faced darter	<i>Leucorrhinia dubia</i>	Eng/Scot/Wales	
Large white-faced darter [H]	<i>Leucorrhinia pectoralis</i>		V (1859)
Wandering glider [I][J]	<i>Pantala flavescens</i>		V (1823)

Notes

^A Willow emerald damselfly, since 2007 this species is established and spreading in south-east England, especially Suffolk and Essex. It was previously only known from a single record from [Hertfordshire](#) in 1899 (although this record is based on a specimen regarded by some as perhaps not of British origin, see Gladwin 1997[20]) and a single [exuvia](#) collected in [Kent](#) in 1992 (Brook & Brook 2002,[21] 2004[22]).

^B Common clubtail was formerly known as club-tailed dragonfly.

^C Yellow-legged dragonfly is known from just a single record, in [Sussex](#) in 1818.

^D Southern migrant hawkmer was known from just a single record, in Kent in 1952, although an [Aeshna](#) seen in 1992 on the outskirts of [Bristol](#) may have been this species (Holmes 1993[23]), and the species has been recorded twice in [Jersey](#) since 1998 (Long 2000,[24] Parr 2005[25]). However in 2006 four specimens were seen: In the Adur valley in West Sussex on 13 July [website of reporter with photo Archived](#) 2 March 2007 at the [Wayback Machine](#); Grimstone Warren, Norfolk on 21 July; Little Wootton Inclosure New Forest (SZ 227 987) on 6 August; And at the mouth of the Beaulieu River in Hampshire on 10 August. Since 2012 it has probably become established as a breeding species in the Thames Estuary area.

^E Vagrant emperor records taken from Silsby (1993).[26]

^F Yellow-winged darter is listed as a vagrant, but is occasionally subject to large influxes e.g. in 1995.

^G Highland darter and common darter may be [conspecific](#) (see Merritt & Vick 1983[27]).

^H Large white-faced darter has been recorded only once, at [Sheerness, Kent](#) in 1859.

^I Wandering glider has been recorded only three times – at [Horning, Norfolk](#) in 1823, [Bolton, Lancashire](#) in 1951 and in [Kent](#) in 1989, although the two 20th Century records may result from accidental introductions.

^J Wandering glider was formerly known as globe skimmer.

K Habitat limited to Eastern England and particularly [East Anglia](#).

Rejected species, species of uncertain provenance, predictions and Channel Islands species

1. The following species have been claimed but not accepted by the Odonata Records Committee:

- [Two-spotted dragonfly](#) (*Epitheca bimaculata*) was reported from [Leicestershire](#) in 2002 – see Parr (2003).[\[28\]](#)

2. The following species have been recorded, and their *identification* accepted, but the circumstances surrounding the records and/or specimens cast doubt on their natural occurrence, and they are not included in the official British list:

- [Blue dasher](#) (*Pachydiplax longipennis*), which was found dead on the Sedco 706 oil rig in the [North Sea](#) off the [Shetland Isles](#) in early September 1999 (Parr 2000b[\[29\]](#)). It was not accepted as the species is not a strong migrant and the rig receives weekly supplies from [Texas](#).
- [Southern darter](#) (*Sympetrum meridionale*), only known from old specimens with vague data (but recorded from the [Channel Islands](#)).
- [Alpine emerald](#) (*Somatochlora alpestris*), only known from a single specimen labelled as having been collected by [K. J. Morton](#) in [Inverness](#) in 1926; however Morton was travelling in continental Europe on the date in question.

3. The following is a list of species which have previously been predicted to occur in Britain but have not yet been recorded (see Merritt, Moore & Eversham 1996[\[1\]](#) pp. 113–114 and Parr 1998,[\[30\]](#) 1999[\[31\]](#)): [subarctic darner](#) (*Aeshna subarctica*), [northern white-faced darter](#) (*Leucorrhina rubicunda*) and [small emerald damselfly](#) (*Lestes virens*).

4. In addition to the species listed above, [southern skimmer](#) (*Orthetrum brunneum*) and [southern darter](#) (*Sympetrum meridionale*) have been recorded in the [Channel Islands](#) (Parr 2000a).[\[3\]](#)

The following is a **list of [Odonata](#) species recorded in [Ireland](#)**. [Common names](#) are those given in the standard literature; where a different name has been given in *The Natural History of Ireland's Dragonflies*, this is given in brackets.[\[1\]](#) Most of these species are resident, others are [vagrants](#) and some have not been recorded since the nineteenth century.[\[2\]](#)

Suborder Zygoptera (damselflies)



banded demoiselles (*Calopteryx splendens*) mating.

Family Calopterygidae (demoiselles)

- Banded demoiselle (banded jewelwing) – *Calopteryx splendens*
- Beautiful demoiselle – *Calopteryx virgo*

Family Lestidae (emerald damselflies)

- Scarce emerald damselfly (turlough spreadwing) – *Lestes dryas*
- Emerald damselfly (common spreadwing) – *Lestes sponsa*

Family Coenagrionidae (blue, blue-tailed, and red damselflies)



Irish damselfly (*Coenagrion lunulatum*) is found in Ireland but not in Great Britain.

- Irish damselfly (Irish bluet) – *Coenagrion lunulatum*. The common name comes from the fact that it is found in Ireland but not in Britain.

- [Azure damselfly](#) (azure bluet) – *Coenagrion puella*
- [Variable damselfly](#) (variable bluet) – *Coenagrion pulchellum*
- [Common blue damselfly](#) (common bluet) – *Enallagma cyathigerum*
- [Blue-tailed damselfly](#) (common bluetip) – *Ischnura elegans*
- [Scarce blue-tailed damselfly](#) (small bluetip) – *Ischnura pumilio*
- [Large red damselfly](#) (spring redtail) – *Pyrrhosoma nymphula*

Suborder [Anisoptera](#) (dragonflies)

Family [Gomphidae](#) (club-tailed dragonflies)

- [Common clubtail](#) (club-tailed dragonfly) – *Gomphus vulgatissimus*. No modern records.

Family [Aeshnidae](#) (hawkers and emperors)



[Hairy dragonfly](#) (*Brachytron pratense*)

- [Southern hawker](#) – *Aeshna cyanea*. Vagrant.
- [Brown hawker](#) (amber-winged hawker) – *Aeshna grandis*
- [Common hawker](#) (moorland hawker) – *Aeshna juncea*
- [Migrant hawker](#) (autumn hawker) – *Aeshna mixta*. Recent colonist.
- [Emperor](#) (blue emperor) – *Anax imperator*. Recent colonist.
- [Lesser emperor](#) (yellow-ringed emperor) – *Anax parthenope*. Vagrant.
- [Hairy dragonfly](#) (spring hawker) – *Aeshna grandis*
- [Vagrant emperor](#) – *Hemianax ephippiger*. Vagrant.

Family [Corduliidae](#) (emerald dragonflies)

- [Downy emerald](#) – *Cordulia aenea*
- [Northern emerald](#) (moorland emerald) – *Somatochlora arctica*

Family [Libellulidae](#) (chasers, skimmers, and darters)



[Keeled skimmer](#) (*Orthetrum coerulescens*). This species is common in [wetlands](#), especially in Counties Galway, Kerry and Louth.

- [Broad-bodied chaser](#) – *Libellula depressa*. No modern records.
- [Scarce chaser](#) – *Libellula fulva*. No modern records.
- [Four-spotted chaser](#) – *Libellula quadrimaculata*
- [Black-tailed skimmer](#) – *Orthetrum cancellatum*
- [Keeled skimmer](#) (heathland skimmer) – *Orthetrum coerulescens*
- [Black darter](#) – *Sympetrum danae*
- [Yellow-winged darter](#) – *Sympetrum flaveolum*. Vagrant.
- [Red-veined darter](#) – *Sympetrum fonscolombii*. Status unknown.
- [Ruddy darter](#) – *Sympetrum sanguineum*
- [Common darter](#) – *Sympetrum striolatum*

Discounted records

The following species have been included in previous lists of Irish dragonflies, but are no longer regarded as having been reliably recorded:

- [Willow emerald damselfly](#)
- [Small red damselfly](#)
- [Red-eyed damselfly](#)
- [Golden-ringed dragonfly](#)

See also

- [List of Odonata species of Great Britain](#)
- Lt-Col. [F. C. Fraser](#), 1956 [Handbooks](#) For The Identification of British Insects: Vol 1 Part 10. Odonata. Royal Entomological Society.[online as pdf](#)

References

- 1.

- Brian Nelson, Robert Thompson (2004). *The Natural History of Ireland's Dragonflies*. Ulster Museum. [ISBN](#) .
- 2. ["Species list for Odonata"](#). www.habitas.org.uk. Retrieved 18 March 2021.

External links

- [Dragonfly Ireland](#)

•

Fauna of Ireland

Invertebrates:

- [Arachnids](#)
- [Beetles](#)
- [Bryozoa](#)
- [Butterflies](#)
- [Cnidarians](#)
- [Annelida](#)
- [Nemertea](#)
- [Tunicates](#)
- [Crustaceans](#)
- [Echinoderms](#)
- [Moths](#)
- [Centipedes and millipedes](#)
- [Damselflies and dragonflies](#)
- [Grasshoppers and bush-crickets](#)
- [Non-marine molluscs](#)
- [Marine molluscs](#)
- [Two-winged flies](#)
- [Sponges](#)
- [Bees and wasps](#)
- [Bugs](#)

Vertebrates:

- [Amphibians](#)
- [Birds](#)
- [Fish](#)
- [Mammals](#)
- [Reptiles](#)
- [Endemic species of Britain & Ireland](#)

Categories:

- [Lists of Odonata by location](#)
- [Dragonflies of Europe](#)
- [Lists of insect species](#)
- [Lists of invertebrates of Europe](#)
- [Lists of biota of Ireland](#)
-

This partial list comprises some of the [Odonata](#) species which occur in [Morais Natura 2000 Site](#) (PTCON0023) located in the northeast of [Portugal](#).^{[1][2]}

The list is in [taxonomic order](#). The [common name](#) of each species is given, followed by its [scientific name](#).^{[3][4][5][6]}

List

Suborder [Zygoptera](#) (damselflies)

Family [Calopterygidae](#) (demoiselles)

Species	Scientific name
Copper demoiselle	<i>Calopteryx haemorrhoidalis</i>
Beautiful demoiselle	<i>Calopteryx virgo</i>

Family [Lestidae](#) (emerald damselflies)

Species	Scientific name
Willow emerald damselfly	<i>Lestes viridis</i>
Scarce emerald damselfly	<i>Lestes dryas</i>
Southern emerald damselfly	<i>Lestes barbarus</i>

Family [Coenagrionidae](#) (blue, blue-tailed, and red damselflies)

Species	Scientific name
Variable damselfly	<i>Coenagrion pulchellum</i>
Iberian bluetail	<i>Ischnura graellsii</i>
Scarce blue-tailed damselfly	<i>Ischnura pumilio</i>
Large red damselfly	<i>Pyrrhosoma nymphula</i>

Suborder **Anisoptera (dragonflies)**

Family **Gomphidae** (club-tailed dragonflies)

Species	Scientific name
<u>Western clubtail</u>	<i>Gomphus pulchellus</i>
<u>Large pincertail</u>	<i>Onychogomphus uncatus</i>

Family **Aeshnidae** (hawkers and emperors)

Species	Scientific name
<u>Emperor</u>	<i>Anax imperator</i>
<u>Hairy dragonfly</u>	<i>Brachytron pratense</i>
	<i>Boyeria irene</i>

Family **Cordulegastridae** (golden-ringed dragonflies)

Species	Scientific name
<u>Golden-ringed dragonfly</u>	<i>Cordulegaster boltonii</i>

Family **Libellulidae** (chasers, skimmers, and darters)

Species	Scientific name
<u>Broad-bodied chaser</u>	<i>Libellula depressa</i>
<u>Black-tailed skimmer</u>	<i>Orthetrum cancellatum</i>
<u>Scarlet dragonfly</u>	<i>Crocothemis erythraea</i>
<u>Yellow-winged darter</u> [F]	<i>Sympetrum flaveolum</i>
<u>Ruddy darter</u>	<i>Sympetrum sanguineum</i>
<u>Violet dropwing</u>	<i>Trithemis annulata</i>

This is a list of species in Ocyptamus, a genus of syrphid flies in the family Syrphidae.^{[1][2][3][4]}

Ocyptamus species

- *O. abata* (Curran, 1938) ^{c g}
- *O. ada* (Curran, 1941) ^{c g}
- *O. adspersus* (Fabricius, 1805) ^{c g}
- *O. aeneus* (Williston, 1891) ^{c g}
- *O. aeolus* (Hull, 1943) ^c
- *O. amabilis* (Hull, 1943) ^{c g}
- *O. anona* (Hull, 1943) ^{c g}
- *O. anthinone* (Hull, 1949) ^{c g}

- [*O. antiphates*](#) ([Walker](#), 1849) ^{i c g b}
- [*O. arabella*](#) ([Hull](#), 1947) ^{c g}
- [*O. arethusa*](#) ([Hull](#), 1949) ^c
- [*O. argentinus*](#) ([Curran](#), 1939) ^{c g}
- [*O. ariela*](#) ([Hull](#), 1944) ^{c g}
- [*O. aster*](#) ([Curran](#), 1941) ^c
- [*O. attenuatus*](#) ([Williston](#), 1891) ^{c g}
- [*O. aurora*](#) ([Hull](#), 1943) ^{c g}
- [*O. banksi*](#) ([Hull](#), 1941) ^{c g}
- [*O. bassleri*](#) ([Curran](#), 1939) ^c
- [*O. bonariensis*](#) ([Brethes](#), 1905) ^{c g}
- [*O. braziliensis*](#) ([Curran](#), 1939) ^{c g}
- [*O. brevipennis*](#) ([Schiner](#), 1868) ^{c g}
- [*O. bromleyi*](#) ([Curran](#), 1929) ^{c g}
- [*O. calla*](#) ([Curran](#), 1941) ^{c g}
- [*O. callidus*](#) ([Hine](#), 1914) ^{c g}
- [*O. capitatus*](#) ([Loew](#), 1863) ^{c g}
- [*O. cecrops*](#) ([Hull](#), 1958) ^{c g}
- [*O. chapadensis*](#) ([Curran](#), 1930) ^{c g}
- [*O. colombianus*](#) ([Curran](#), 1941) ^{c g}
- [*O. confusus*](#) ([Goot](#), 1964) ^{c g}
- [*O. conjunctus*](#) ([Wiedemann](#), 1830) ^{c g}
- [*O. cordelia*](#) ([Hull](#), 1949) ^{c g}
- [*O. coreopsis*](#) ([Hull](#), 1944) ^{c g}
- [*O. crassus*](#) ([Walker](#), 1852) ^{c g}
- [*O. crocatus*](#) ([Austen](#), 1893) ^{c g}
- [*O. croceus*](#) ([Austen](#), 1893) ^{c g}
- [*O. cubanus*](#) ([Hull](#), 1943) ^{i c g b}
- [*O. cultratus*](#) ([Austen](#), 1893) ^{c g}
- [*O. cultrinus*](#) ([Curran](#), 1939) ^{c g}
- [*O. cybele*](#) ([Hull](#), 1947) ^{c g}
- [*O. cyclops*](#) ([Hull](#), 1947) ^{c g}
- [*O. cylindricus*](#) ([Fabricius](#), 1781) ^{c g}
- [*O. cymbellina*](#) ([Hull](#), 1944) ^{c g}
- [*O. debasa*](#) ([Curran](#), 1941) ^{c g}
- [*O. deceptor*](#) ([Curran](#), 1930) ^{c g}

- [*O. delicatissimus*](#) (Hull, 1943) ^{c g}
- [*O. diffusus*](#) (Curran, 1939) ^{c g}
- [*O. dimidiatus*](#) Fabricius, 1781 ^{i c g}
- [*O. dryope*](#) (Hull, 1958) ^{c g}
- [*O. eblis*](#) (Hull, 1943) ^{c g}
- [*O. elnora*](#) (Shannon, 1927) ^{c g}
- [*O. erebus*](#) (Hull, 1943) ^{c g}
- [*O. exiguus*](#) (Williston, 1888) ^{c g}
- [*O. fasciatus*](#) Roeder, 1885 ^{c g}
- [*O. fascipennis*](#) (Wiedemann, 1830) ^{c g b}
- [*O. ferrugineus*](#) Thompson, 1981 ^{c g}
- [*O. fervidus*](#) (Austen, 1893) ^{c g}
- [*O. fiametta*](#) (Hull, 1943) ^{c g}
- [*O. filii*](#) (Doesburg, 1966) ^{c g}
- [*O. filiola*](#) (Shannon, 1927) ^{c g}
- [*O. filissimus*](#) (Hull, 1943) ^{c g}
- [*O. flavens*](#) (Austen, 1893) ^{c g}
- [*O. flukiella*](#) (Curran, 1941) ^{c g}
- [*O. funebris*](#) Macquart, 1834 ^{i c g}
- [*O. fuscicolor*](#) (Bigot, 1884) ^{c g}
- [*O. fuscipennis*](#) (Macquart, 1834) ^{i c g b}
- [*O. gastrostactus*](#) (Wiedemann, 1830) ^{i c g}
- [*O. geijskesi*](#) (Doesburg, 1966) ^c
- [*O. giganteus*](#) (Schiner, 1868) ^{c g}
- [*O. gilvus*](#) (Austen, 1893) ^{c g}
- [*O. globiceps*](#) (Hull, 1937) ^{c g}
- [*O. gratus*](#) (Curran, 1941) ^{c g}
- [*O. halcyone*](#) (Hull, 1949) ^{c g}
- [*O. harlequinus*](#) (Hull, 1948) ^c
- [*O. hippolyte*](#) (Hull, 1957) ^{c g}
- [*O. hirtus*](#) (Shannon, 1927) ^{c g}
- [*O. hyacinthia*](#) (Hull, 1947) ^{c g}
- [*O. hyalipennis*](#) (Curran, 1930) ^{c g}
- [*O. immaculatus*](#) (Macquart, 1842) ^{c g}
- [*O. inca*](#) (Curran, 1939) ^{c g}
- [*O. infanta*](#) (Hull, 1943) ^{c g}

- [*O. infuscatus*](#) Bigot, 1884 ^{c g}
- [*O. inornatus*](#) (Walker, 1836) ^{c g}
- [*O. io*](#) (Hull, 1944) ^{c g}
- [*O. iona*](#) (Curran, 1941) ^{c g}
- [*O. iris*](#) (Austen, 1893) ^{c g}
- [*O. isthmus*](#) Thompson, 1976 ^{c g}
- [*O. johnsoni*](#) (Curran, 1934) ^{c g}
- [*O. laudabilis*](#) (Williston, 1891) ^{c g}
- [*O. lemur*](#) (Osten Sacken, 1877) ^{i c g b}
- [*O. lepidus*](#) (Macquart, 1842) ^{c g}
- [*O. leucopodus*](#) (Hull, 1948) ^{c g}
- [*O. levissimus*](#) (Austen, 1893) ^{c g}
- [*O. limpidapex*](#) (Curran, 1941) ^{c g}
- [*O. lucretia*](#) (Hull, 1949) ^{c g}
- [*O. luctuosus*](#) (Bigot, 1884) ^{c g}
- [*O. lugubris*](#) (Philippi, 1865) ^{c g}
- [*O. macer*](#) (Curran, 1930) ^{c g}
- [*O. mara*](#) (Curran, 1941) ^{c g}
- [*O. martorelli*](#) (Telford, 1973) ^{c g}
- [*O. medina*](#) (Telford, 1973) ^{c g}
- [*O. melanorrhinus*](#) (Philippi, 1865) ^{c g}
- [*O. mentor*](#) (Curran, 1930) ^{c g}
- [*O. micropelecinus*](#) (Shannon, 1927) ^{c g}
- [*O. micropyga*](#) (Curran, 1941) ^{c g}
- [*O. mima*](#) (Hull, 1949) ^{c g}
- [*O. minimus*](#) (Hull, 1943) ^{c g}
- [*O. murinus*](#) (Curran, 1930) ^{c g}
- [*O. nasutus*](#) (Williston, 1891) ^{c g}
- [*O. neoparvicornis*](#) (Telford, 1973) ^{c g}
- [*O. neptunus*](#) (Hull, 1943) ^{c g}
- [*O. nerissa*](#) (Hull, 1943) ^{c g}
- [*O. nero*](#) (Curran, 1939) ^{c g}
- [*O. neuralis*](#) (Curran, 1934) ^{c g}
- [*O. nigrocilia*](#) (Hull, 1943) ^{c g}
- [*O. niobe*](#) (Hull, 1943) ^{c g}
- [*O. nitidulus*](#) (Curran, 1930) ^c

- [O. nora](#) (Curran, 1941) ^{c g}
- [O. nymphaea](#) (Hull, 1943) ^{c g}
- [O. obliquus](#) (Curran, 1941) ^{c g}
- [O. oblongus](#) (Walker, 1852) ^{c g}
- [O. octomaculatus](#) Thompson, 1976 ^{c g}
- [O. oenone](#) (Hull, 1949) ^{c g}
- [O. oriel](#) (Hull, 1942) ^{c g}
- [O. ornatipes](#) (Curran, 1927) ^{c g}
- [O. oviphorus](#) (Hull, 1943) ^{c g}
- [O. ovipositorius](#) (Hull, 1943) ^{c g}
- [O. panamensis](#) (Curran, 1930) ^{c g}
- [O. pandora](#) (Hull, 1942) ^{c g}
- [O. papilionarius](#) (Hull, 1943) ^{c g}
- [O. para](#) (Curran, 1941) ^{c g}
- [O. parvicornis](#) (Loew, 1861) ^{i c g b}
- [O. peri](#) (Hull, 1943) ^{c g}
- [O. philippianus](#) (Enderlein, 1938) ^{c g}
- [O. philodice](#) (Hull, 1950) ^{c g}
- [O. plutonia](#) (Hull, 1948) ^{c g}
- [O. pola](#) (Curran, 1939) ^{c g}
- [O. potentilla](#) (Hull, 1942) ^{c g}
- [O. prenes](#) (Curran, 1930) ^{c g}
- [O. princeps](#) (Hull, 1944) ^{c g}
- [O. provocans](#) (Curran, 1939) ^{c g}
- [O. prudens](#) (Curran, 1934) ^{c g}
- [O. pullus](#) (Sack, 1921) ^{c g}
- [O. pumilus](#) (Austen, 1893) ^{c g}
- [O. punctifrons](#) (Williston, 1891) ^{c g}
- [O. pyxia](#) (Hull, 1943) ^{c g}
- [O. rugosifrons](#) (Schiner, 1868) ^{c g}
- [O. saffrona](#) (Hull, 1943) ^{c g}
- [O. sagittiferus](#) (Austen, 1893) ^{c g}
- [O. salpa](#) (Hull, 1944) ^{c g}
- [O. sappho](#) (Hull, 1943) ^{c g}
- [O. sargoides](#) (Macquart, 1850) ^{c g}
- [O. sativus](#) (Curran, 1941) ^{c g}

- [*O. satyrus*](#) (Hull, 1943) ^{c g}
- [*O. schwarzi*](#) (Curran, 1939) ^{c g}
- [*O. scintillans*](#) (Hull, 1943) ^{c g}
- [*O. selene*](#) (Hull, 1949) ^{c g}
- [*O. shropshirei*](#) (Curran, 1930) ^{c g}
- [*O. signiferus*](#) (Austen, 1893) ^{c g}
- [*O. simulatus*](#) (Curran, 1939) ^{c g}
- [*O. smarti*](#) (Curran, 1939) ^{c g}
- [*O. spatulatus*](#) (Giglio-Tos, 1892) ^{c g}
- [*O. stenogaster*](#) (Williston, 1888) ^c
- [*O. stipa*](#) (Hull, 1949) ^{c g}
- [*O. stolo*](#) (Walker, 1852) ^{c g}
- [*O. striatus*](#) (Walker, 1852) ^{c g}
- [*O. subchalybeus*](#) (Walker, 1857) ^{c g}
- [*O. summus*](#) (Fluke, 1936) ^{c g}
- [*O. susio*](#) (Hull, 1941) ^{c g}
- [*O. tarsalis*](#) (Walker, 1836) ^{c g}
- [*O. tenuis*](#) (Walker, 1852) ^{c g}
- [*O. tiarella*](#) (Hull, 1944) ^{c g}
- [*O. titania*](#) (Hull, 1943) ^{c g}
- [*O. trilobus*](#) (Hull, 1944) ^{c g}
- [*O. trinidadensis*](#) (Curran, 1939) ^{c g}
- [*O. tristani*](#) Zumbado, 2000 ^{c g}
- [*O. urania*](#) (Hull, 1949) ^{c g}
- [*O. vanda*](#) (Hull, 1943) ^{c g}
- [*O. vanessa*](#) (Hull, 1949) ^c
- [*O. variegatus*](#) (Macquart, 1842) ^{c g}
- [*O. vera*](#) (Hull, 1943) ^{c g}
- [*O. verona*](#) (Curran, 1941) ^{c g}
- [*O. victoria*](#) (Hull, 1941) ^{c g}
- [*O. vierecki*](#) (Curran, 1930) ^{c g}
- [*O. virgilio*](#) (Hull, 1942) ^{c g}
- [*O. wilhelmina*](#) (Doesburg, 1962) ^{c g}
- [*O. willistoni*](#) Thompson, 1976 ^{c g}
- [*O. wulpianus*](#) (Lynch Arribalzaga, 1891) ^{c g}
- [*O. xanthopterus*](#) (Wiedemann, 1830) ^{c g}

- [*O. xantippe*](#) (Hull, 1949) ^{c g}
- [*O. zenilla*](#) (Hull, 1943) ^{c g}
- [*O. zenillia*](#) (Curran, 1941) ^{c g}
- [*O. zephyreus*](#) (Hull, 1947) ^{c g}
- [*O. zerene*](#) (Hull, 1949) ^{c g}
- [*O. zeteki*](#) (Curran, 1930) ^{c g}
- [*O. zilla*](#) (Hull, 1943) ^{c g}
- [*O. zita*](#) (Curran, 1941) ^{c g}
- [*O. zobeide*](#) (Hull, 1943) ^{c g}
- [*O. zoroaster*](#) (Hull, 1943) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 452 species in [*Ochthebius*](#), a genus of minute moss beetles in the family [*Hydraenidae*](#).
[1][2][3][4]

***Ochthebius* species**

- [*Ochthebius abeillei*](#) Guillebeau, 1896 ^{i c g}
- [*Ochthebius adriaticus*](#) Reitter, 1886 ^{i c g}
- [*Ochthebius adventicius*](#) Jäch, 1990 ^{i c g}
- [*Ochthebius aeneus*](#) Stephens, 1835 ^{i c g}
- [*Ochthebius afghanicus*](#) Jäch, 1991 ^{i c g}
- [*Ochthebius aguilerai*](#) Ribera, Castro and Hernando, 2010 ^{i c g}
- [*Ochthebius ahni*](#) Jäch and Delgado, 2014 ^{i c g}
- [*Ochthebius akbuluti*](#) Jäch, Kasapoglu and Erman, 2003 ^{i c g}
- [*Ochthebius albacetinus*](#) Ferro, 1984 ^{i c g}
- [*Ochthebius albanicus*](#) (Orchymont, 1941) ^{i c g}
- [*Ochthebius algicola*](#) Wollaston, 1871 ^{i c g}
- [*Ochthebius alluaudi*](#) Régimbart, 1903 ^{i c g}
- [*Ochthebius almorenis*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius alphei*](#) Janssens, 1959 ^{i c g}
- [*Ochthebius alpinopetrus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius alpinus*](#) (Ienistea, 1979) ^{i c g}
- [*Ochthebius amami*](#) Yoshitomi and Satô, 2001 ^{i c g}
- [*Ochthebius amplicollis*](#) Champion, 1925 ^{i c g}

- [Ochthebius amrishi](#) Makhan, 2004^{i c g}
- [Ochthebius anatolicus](#) (Janssens, 1963)^{i c g}
- [Ochthebius anaxagoras](#) Jäch, 1999^{i c g}
- [Ochthebius anchorus](#) Perkins, 2011^{i c g}
- [Ochthebius andalusicus](#) Jäch and Castro, 1999^{i c g}
- [Ochthebius andraei](#) Breit, 1920^{i c g}
- [Ochthebius andreasi](#) Jäch, 2003^{i c g}
- [Ochthebius andreasoides](#) Jäch, 2003^{i c g}
- [Ochthebius andreinii](#) Régimbart, 1905^{i c g}
- [Ochthebius andronicus](#) Orchymont, 1948^g
- [Ochthebius andronius](#) Orchymont, 1948^{i c g}
- [Ochthebius angelinii](#) Ferro, 2008^{i c g}
- [Ochthebius angularidus](#) Perkins, 1980^{i c g}
- [Ochthebius angusi](#) Jäch, 1994^{i c g}
- [Ochthebius annae](#) Ferro, 1979^{i c g}
- [Ochthebius anxifer](#) Balfour-Browne, 1978^{i c g}
- [Ochthebius apache](#) Perkins, 1980^{i c g}
- [Ochthebius apicalis](#) Sharp, 1882^{i c g}
- [Ochthebius arabicus](#) Jäch, 1992^{i c g}
- [Ochthebius arator](#) Ertorun and Jäch, 2014^{i c g}
- [Ochthebius arefniae](#) Jäch and Delgado, 2008^{i c g}
- [Ochthebius arenicolus](#) Perkins, 1980^{i c g}
- [Ochthebius argentatus](#) Jäch, 2003^{i c g}
- [Ochthebius aristoteles](#) Jäch, 1999^{i c g}
- [Ochthebius arizonicus](#) Perkins, 1980^{i c g}
- [Ochthebius asanoae](#) Jäch and Delgado, 2014^{i c g}
- [Ochthebius asiobatoides](#) Jäch, 2003^{i c g}
- [Ochthebius asperatus](#) Jäch, 2003^{i c g}
- [Ochthebius atratulus](#) Régimbart, 1905^{i c g}
- [Ochthebius atricapillus](#) Reitter, 1901^{i c g}
- [Ochthebius atriceps](#) Fairmaire, 1879^{i c g}
- [Ochthebius attritus](#) LeConte, 1878^{i c g}
- [Ochthebius auriculatus](#) Rey, 1886^{i c g}
- [Ochthebius auropallens](#) Fairmaire, 1879^{i c g}
- [Ochthebius avdati](#) Delgado and Jäch, 2007^{i c g}
- [Ochthebius aztecus](#) Sharp, 1887^{i c g}

- [*Ochthebius bactrianus*](#) Janssens, 1962 ^{i c g}
- [*Ochthebius balcanicus*](#) (Ienistea, 1988) ^{i c g}
- [*Ochthebius balfourbrownei*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius basilicatus*](#) Fiori, 1915 ^{i c g}
- [*Ochthebius batesoni*](#) Blair, 1933 ^{i c g}
- [*Ochthebius bellieri*](#) Kuwert, 1887 ^{i c g}
- [*Ochthebius bellstedti*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius belucistanicus*](#) Ferro, 1984 ^{i c g}
- [*Ochthebius benefossus*](#) LeConte, 1878 ^{i c g}
- [*Ochthebius bernhardi*](#) Jäch and Delgado, 2008 ^{i c g}
- [*Ochthebius bicolon*](#) Germar, 1824 ^{i c g}
- [*Ochthebius bicomis*](#) Perkins, 2011 ^{i c g}
- [*Ochthebius bifoveolatus*](#) Walzl, 1835 ^{i c g}
- [*Ochthebius biincisus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius bisinuatus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius boeotianus*](#) (Ienistea, 1988) ^{i c g}
- [*Ochthebius bonnairei*](#) Guillebeau, 1896 ^{i c g}
- [*Ochthebius borealis*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius brevicollis*](#) (Baudi, 1864) ^{i c g}
- [*Ochthebius brevipennis*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius browni*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius bupunctus*](#) Perkins, 2011 ^{i c g}
- [*Ochthebius caesaraugustae*](#) Jäch, Ribera and Aguilera, 1998 ^{i c g}
- [*Ochthebius californicus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius caligatus*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius cameroni*](#) Balfour-Browne, 1951 ^{i c g}
- [*Ochthebius cantabricus*](#) Balfour-Browne, 1978 ^{i c g}
- [*Ochthebius capicola*](#) (Péringuey, 1892) ^{i c g}
- [*Ochthebius caspius*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius castellanus*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius caucasicus*](#) Kuwert, 1887 ^{i c g}
- [*Ochthebius caudatus*](#) Frivaldszky, 1883 ^{i c g}
- [*Ochthebius celatus*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius championi*](#) (Jäch, 1989) ^{i c g}
- [*Ochthebius chappuisi*](#) Orchymont, 1948 ^{i c g}
- [*Ochthebius ciffidilis*](#) Ferro, 1984 ^{i c g}

- [*Ochthebius ciliciae*](#) Jäch, 1989^{i c g}
- [*Ochthebius colchicus*](#) Janssens, 1963^{i c g}
- [*Ochthebius colveranus*](#) (Ferro, 1979)^{i c g}
- [*Ochthebius confusus*](#) Ferro, 1990^{i c g}
- [*Ochthebius coomani*](#) Orchymont, 1925^{i c g}
- [*Ochthebius corcyraeus*](#) Jäch, 1990^{i c g}
- [*Ochthebius corrugatus*](#) Rosenhauer, 1856^{i c g}
- [*Ochthebius corsicus*](#) Sainte-Claire Deville, 1908^{i c g}
- [*Ochthebius costatellus*](#) Reitter, 1897^{i c g}
- [*Ochthebius costipennis*](#) Fall, 1901^{i c g}
- [*Ochthebius crassalus*](#) Perkins, 1980^{i c g}
- [*Ochthebius crenatus*](#) Hatch, 1965^{i c g}
- [*Ochthebius crenulatus*](#) Mulsant and Rey, 1850^{i c g}
- [*Ochthebius cribricollis*](#) LeConte, 1850^{i c g}
- [*Ochthebius cuprescens*](#) Guillebeau, 1893^{i c g}
- [*Ochthebius cupricollis*](#) Sahlberg, 1903^{i c g}
- [*Ochthebius cyprensis*](#) Kuwert, 1890^{i c g}
- [*Ochthebius cyrenaesus*](#) Ferro, 1985^{i c g}
- [*Ochthebius czwalinae*](#) Kuwert, 1887^{i c g}
- [*Ochthebius czwalinai*](#) Kuwert, 1887^g
- [*Ochthebius dalmatinus*](#) Ganglbauer, 1904^{i c g}
- [*Ochthebius danjo*](#) Nakane, 1990^{i c g}
- [*Ochthebius darius*](#) Balfour-Browne, 1979^{i c g}
- [*Ochthebius decianus*](#) Orchymont, 1942^{i c g}
- [*Ochthebius delgadoi*](#) Jäch, 1994^{i c g}
- [*Ochthebius delhiensis*](#) Jäch, 1992^{i c g}
- [*Ochthebius delyi*](#) (Hebauer, 1990)^{i c g}
- [*Ochthebius dentifer*](#) Rey, 1885^{i c g}
- [*Ochthebius depressionis*](#) Jäch, 1991^{i c g}
- [*Ochthebius depressus*](#) Sahlberg, 1900^{i c g}
- [*Ochthebius diazi*](#) Jäch, 1999^{i c g}
- [*Ochthebius difficilis*](#) Mulsant, 1844^{i c g}
- [*Ochthebius dilatatus*](#) Stephens, 1829^{i c g}
- [*Ochthebius dilucidus*](#) Orchymont, 1940^{i c g}
- [*Ochthebius discretus*](#) LeConte, 1878^{i c g}
- [*Ochthebius eburneus*](#) Sahlberg, 1900^{i c g}

- [*Ochthebius elburzi*](#) Ferro, 1987^{i c g}
- [*Ochthebius elisae*](#) Sahlberg, 1900^{i c g}
- [*Ochthebius emilianus*](#) (Ienistea, 1988)^{i c g}
- [*Ochthebius empedocles*](#) Jäch, 1999^{i c g}
- [*Ochthebius endroedyi*](#) Perkins, 2011^{i c g}
- [*Ochthebius enicoceroides*](#) Jäch, 2003^{i c g}
- [*Ochthebius erzerumi*](#) Kuwert, 1887^{i c g}
- [*Ochthebius evanescens*](#) Sahlberg, 1875^{i c g}
- [*Ochthebius exiguus*](#) Jäch, 2003^{i c g}
- [*Ochthebius exsculptus*](#) (Germar, 1824)^{i c g}
- [*Ochthebius extremus*](#) (Péringuey, 1892)^{i c g}
- [*Ochthebius eyrei*](#) Jäch, 1990^{i c g}
- [*Ochthebius falcatus*](#) Jäch, 1991^{i c g}
- [*Ochthebius fallacioviridis*](#) Ienistea, 1988^{i c g}
- [*Ochthebius fausti*](#) Sharp, 1887^{i c g}
- [*Ochthebius faustinus*](#) Orchymont, 1940^{i c g}
- [*Ochthebius ferganensis*](#) Jäch, 1990^{i c g}
- [*Ochthebius ferroi*](#) Fresneda, Lagar & Hernando, 1993^g
- [*Ochthebius figueroi*](#) Garrido Gonzalez, Valladares Diez and Régil Cueto, 1991^{i c g}
- [*Ochthebius fissicollis*](#) Janssens, 1969^{i c g}
- [*Ochthebius flagellifer*](#) Jäch, 2003^{i c g}
- [*Ochthebius flavipes*](#) Dalla Torre, 1877^{i c g}
- [*Ochthebius flexus*](#) Pu, 1958^{i c g}
- [*Ochthebius flumineus*](#) Orchymont, 1937^{i c g}
- [*Ochthebius formosanus*](#) Jäch, 1998^{i c g}
- [*Ochthebius fossulatus*](#) Mulsant, 1844^{i c g}
- [*Ochthebius foveolatus*](#) Germar, 1824^{i c g}
- [*Ochthebius freyi*](#) Orchymont, 1940^{i c g}
- [*Ochthebius fujianensis*](#) Jäch, 2003^{i c g}
- [*Ochthebius furcatus*](#) Pu, 1958^{i c g}
- [*Ochthebius gagliardii*](#) Orchymont, 1940^{i c g}
- [*Ochthebius gauthieri*](#) Peyerimhoff, 1924^{i c g}
- [*Ochthebius gayosoi*](#) Jach, 2001^g
- [*Ochthebius gerecke*](#) Jäch, 1993^{i c g}
- [*Ochthebius gestroi*](#) Gridelli, 1926^g
- [*Ochthebius gibbosus*](#) (Germar, 1824)^{i c g}

- [*Ochthebius glaber*](#) Montes and Soler, 1988 ^{i c g}
- [*Ochthebius gonggashanensis*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius grandipennis*](#) Fairmaire, 1879 ^{i c g}
- [*Ochthebius granulatus*](#) (Mulsant, 1844) ^{i c g}
- [*Ochthebius granulinus*](#) Perkins, 2011 ^{i c g}
- [*Ochthebius granulatus*](#) Jäch and Delgado, 2014 ^{i c g}
- [*Ochthebius gruwelli*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius guangdongensis*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius haberfelneri*](#) Reitter, 1890 ^{i c g}
- [*Ochthebius haelii*](#) Ferro, 1983 ^{i c g}
- [*Ochthebius hainanensis*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius hajeki*](#) Jäch and Delgado, 2014 ^{i c g}
- [*Ochthebius halbherri*](#) (Reitter, 1890) ^{i c g}
- [*Ochthebius halophilus*](#) Ertorun and Jäch, 2014 ^{i c g}
- [*Ochthebius hanshebaueri*](#) Jäch, 1994 ^{i c g}
- [*Ochthebius hasegawai*](#) Nakane and Matsui, 1986 ^{i c g}
- [*Ochthebius hatayensis*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius hauseri*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius hayashii*](#) Jäch and Delgado, 2014 ^{i c g}
- [*Ochthebius hebaueri*](#) Jäch, 1983 ^{i c g}
- [*Ochthebius heeri*](#) (Wollaston, 1854) ^{i c g}
- [*Ochthebius hellenicus*](#) (Ienistea, 1988) ^{i c g}
- [*Ochthebius hesperides*](#) Balfour-Browne, 1976 ^{i c g}
- [*Ochthebius heydeni*](#) Kuwert, 1887 ^{i c g}
- [*Ochthebius hibernus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius himalayae*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius hivae*](#) Jäch, Irani and Delgado, 2013 ^{i c g}
- [*Ochthebius hofratvukovitsi*](#) Jäch, 1994 ^{i c g}
- [*Ochthebius hokkaidensis*](#) Jäch, 1998 ^{i c g}
- [*Ochthebius huberti*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius hungaricus*](#) Endrödy-Younga, 1967 ^{i c g}
- [*Ochthebius hyblaemajoris*](#) Ferro, 1986 ^{i c g}
- [*Ochthebius ilanensis*](#) Jäch, 1998 ^{i c g}
- [*Ochthebius imbensimbi*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius immaculatus*](#) Breit, 1908 ^{i c g}
- [*Ochthebius impressipennis*](#) Rey, 1886 ^{i c g}

- [*Ochthebius inconspicuus*](#) Jäch, 1991^{i c g}
- [*Ochthebius indicus*](#) (Ienistea, 1988)^{i c g}
- [*Ochthebius inelegans*](#) Jäch, 2002^{i c g}
- [*Ochthebius inermis*](#) Sharp, 1884^{i c g}
- [*Ochthebius innexus*](#) Balfour-Browne, 1951^{i c g}
- [*Ochthebius insidiosus*](#) Jäch, 1999^{i c g}
- [*Ochthebius interruptus*](#) LeConte, 1852^{i c g}
- [*Ochthebius involatus*](#) Perkins, 2011^{i c g}
- [*Ochthebius iranicus*](#) Balfour-Browne, 1979^{i c g}
- [*Ochthebius irenae*](#) Ribera and Millán, 1999^{i c g}
- [*Ochthebius italicus*](#) Jäch, 1990^{i c g}
- [*Ochthebius iternuptialis*](#) Jäch, 2001^g
- [*Ochthebius izmiranus*](#) (Ienistea, 1988)^{i c g}
- [*Ochthebius jaime*](#) Delgado and Jäch, 2007^{i c g}
- [*Ochthebius janssensi*](#) Ferro, 1983^{i c g}
- [*Ochthebius japonicus*](#) Jäch, 1998^{i c g}
- [*Ochthebius javieri*](#) Jäch, 2000^{i c g}
- [*Ochthebius jengi*](#) Jäch, 1998^{i c g}
- [*Ochthebius jermakovi*](#) Orchymont, 1933^{i c g}
- [*Ochthebius jilanzhui*](#) Jäch, 2003^{i c g}
- [*Ochthebius joosti*](#) Jäch, 1992^{i c g}
- [*Ochthebius judemaesi*](#) Delgado and Jäch, 2007^{i c g}
- [*Ochthebius kaninensis*](#) Poppius, 1909^{i c g}
- [*Ochthebius karasui*](#) Ferro, 1986^{i c g}
- [*Ochthebius khnzoriani*](#) Janssens, 1974^{i c g}
- [*Ochthebius khuzestanicus*](#) Ferro, 1982^{i c g}
- [*Ochthebius kieneri*](#) Jäch, 1999^{i c g}
- [*Ochthebius kiesenwetteri*](#) Kuwert, 1887^{i c g}
- [*Ochthebius kirschenhoferi*](#) Jäch, 1994^{i c g}
- [*Ochthebius klapperichi*](#) Jäch, 1989^{i c g}
- [*Ochthebius kosiensis*](#) Champion, 1920^{i c g}
- [*Ochthebius kurdistanicus*](#) Jäch, 1989^{i c g}
- [*Ochthebius kuwerti*](#) Reitter, 1897^{i c g}
- [*Ochthebius lacustatta*](#) Jäch, 1991^{i c g}
- [*Ochthebius laevisculptus*](#) Reitter, 1901^{i c g}
- [*Ochthebius lanarotis*](#) Ferro, 1985^{i c g}

- [*Ochthebius lanuginosus*](#) Reiche and Saulcy, 1856 ^{i c g}
- [*Ochthebius lapidicola*](#) Wollaston, 1864 ^{i c g}
- [*Ochthebius laticollis*](#) Pankow, 1986 ^{i c g}
- [*Ochthebius latinorum*](#) (Ienistea, 1988) ^{i c g}
- [*Ochthebius lecontei*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius lederi*](#) Jäch, 1990 ^{i c g}
- [*Ochthebius leechi*](#) Wood and Perkins, 1978 ^{i c g}
- [*Ochthebius legionensis*](#) (Hebauer and Valladares Diez, 1985) ^{i c g}
- [*Ochthebius lejolisii*](#) Mulsant and Rey, 1861 ^{i c g}
- [*Ochthebius lenensis*](#) Poppius, 1907 ^{i c g}
- [*Ochthebius lenkoranus*](#) Reitter, 1885 ^{i c g}
- [*Ochthebius levantinus*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius libanus*](#) Jäch and Díaz, 1992 ^{i c g}
- [*Ochthebius limbicollis*](#) Reitter, 1885 ^{i c g}
- [*Ochthebius lineatus*](#) LeConte, 1852 ^{i c g b}
- [*Ochthebius lividipennis*](#) Peyron, 1858 ^{i c g}
- [*Ochthebius lobatus*](#) Pu, 1958 ^{i c g}
- [*Ochthebius lobicollis*](#) Rey, 1885 ^{i c g}
- [*Ochthebius lucanus*](#) Ferro, 1990 ^{i c g}
- [*Ochthebius lurugosus*](#) Jäch, 1998 ^{i c g}
- [*Ochthebius maculatus*](#) Reiche, 1869 ^{i c g}
- [*Ochthebius madli*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius madrensis*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius magnannulatus*](#) Delgado and Jäch, 2009 ^{i c g}
- [*Ochthebius malaganus*](#) Ienistea, 1988 ^{i c g}
- [*Ochthebius mamagri*](#) (Shatrovskiy, 1989) ^{i c g}
- [*Ochthebius marginalis*](#) Rey, 1886 ^{i c g}
- [*Ochthebius marijanmatoki*](#) Jäch and Delgado, 2015 ^{i c g}
- [*Ochthebius marinus*](#) (Paykull, 1798) ^{i c g b} (marine moss beetle)
- [*Ochthebius maroccanus*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius martini*](#) Fall, 1919 ^{i c g}
- [*Ochthebius masatakasatoi*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius matsudae*](#) Jäch and Delgado, 2014 ^{i c g}
- [*Ochthebius mauretanicus*](#) Jäch, 1990 ^{i c g}
- [*Ochthebius maxfischeri*](#) Jäch, 1999 ^{i c g}
- [*Ochthebius mediterraneus*](#) (Ienistea, 1988) ^{i c g}

- [*Ochthebius melanescens*](#) (Dalla Torre, 1877) ^{i c g}
- [*Ochthebius meridionalis*](#) Rey, 1885 ^{i c g}
- [*Ochthebius merinidicus*](#) Ferro, 1985 ^{i c g}
- [*Ochthebius mesoamericanus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius metallescens*](#) Rosenhauer, 1847 ^{i c g}
- [*Ochthebius metallicus*](#) Orchymont, 1942 ^{i c g}
- [*Ochthebius metarius*](#) Orchymont, 1942 ^{i c g}
- [*Ochthebius metellus*](#) Orchymont, 1942 ^{i c g}
- [*Ochthebius mexcavatus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius mexicanus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius micans*](#) Balfour-Browne, 1951 ^{i c g}
- [*Ochthebius mimicus*](#) Brown, 1933 ^{i c g}
- [*Ochthebius minabensis*](#) Ferro, 1983 ^{i c g}
- [*Ochthebius minervius*](#) Orchymont, 1940 ^{i c g}
- [*Ochthebius minimus*](#) (Fabricius, 1792) ^{i c g}
- [*Ochthebius mongolensis*](#) Janssens, 1967 ^{i c g}
- [*Ochthebius mongolicus*](#) Janssens, 1967 ^{i c g}
- [*Ochthebius montanus*](#) Frivaldszky, 1881 ^{i c g}
- [*Ochthebius montenegrinus*](#) (Ganglbauer, 1901) ^{i c g}
- [*Ochthebius montesi*](#) Ferro, 1984 ^{i c g}
- [*Ochthebius monticola*](#) Orchymont, 1948 ^{i c g}
- [*Ochthebius monychus*](#) Orchymont, 1941 ^{i c g}
- [*Ochthebius morettii*](#) Pirisinu, 1974 ^{i c g}
- [*Ochthebius mutatus*](#) Jäch, 1991 ^{i c g}
- [*Ochthebius nakanei*](#) Matsui, 1986 ^{i c g}
- [*Ochthebius namibiensis*](#) Perkins and Balfour-Browne, 1994 ^{i c g}
- [*Ochthebius nanus*](#) Stephens, 1829 ^{i c g}
- [*Ochthebius naxianus*](#) (Ienistea, 1988) ^{i c g}
- [*Ochthebius nepalensis*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius nigrasperulus*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius nilssoni*](#) Hebauer, 1986 ^{i c g}
- [*Ochthebius nipponicus*](#) Jäch, 1998 ^{i c g}
- [*Ochthebius nitidipennis*](#) (Champion, 1920) ^{i c g}
- [*Ochthebius nobilis*](#) Villa and Villa, 1835 ^{i c g}
- [*Ochthebius nonaginta*](#) Jäch, 1998 ^{i c g}
- [*Ochthebius normandi*](#) Jäch, 1992 ^{i c g}

- [*Ochthebius notabilis*](#) Rosenhauer, 1856^{i c g}
- [*Ochthebius obesus*](#) Jäch, 2003^{i c g}
- [*Ochthebius obscurometallescens*](#) Ienistea, 1988^{i c g}
- [*Ochthebius octofoveatus*](#) Pu, 1958^{i c g}
- [*Ochthebius oezkani*](#) Jäch, Kasapoglu and Erman, 2003^{i c g}
- [*Ochthebius olicinium*](#) Jäch, 1990^{i c g}
- [*Ochthebius opacipennis*](#) Champion, 1920^{i c g}
- [*Ochthebius opacus*](#) Baudi, 1882^{i c g}
- [*Ochthebius orbus*](#) Perkins, 1980^{i c g}
- [*Ochthebius orientalis*](#) Janssens, 1962^{i c g}
- [*Ochthebius otavalensis*](#) Anderson, 1983^{i c g}
- [*Ochthebius ovatus*](#) Jäch, 1989^{i c g}
- [*Ochthebius pacificus*](#) Perkins, 1980^{i c g}
- [*Ochthebius pagotrichus*](#) Perkins and Balfour-Browne, 1994^{i c g}
- [*Ochthebius pakistanicus*](#) Delgado and Jäch, 2009^{i c g}
- [*Ochthebius pallidulus*](#) Kuwert, 1887^{i c g}
- [*Ochthebius parki*](#) Jäch and Delgado, 2014^{i c g}
- [*Ochthebius parvannulatus*](#) Delgado and Jäch, 2009^{i c g}
- [*Ochthebius pauli*](#) Perkins, 1980^{i c g}
- [*Ochthebius pedalis*](#) Balfour-Browne, 1954^{i c g}
- [*Ochthebius pedicularius*](#) Kuwert, 1887^{i c g}
- [*Ochthebius pedroi*](#) Jäch, 2000^{i c g}
- [*Ochthebius peisonis*](#) Ganglbauer, 1901^{i c g}
- [*Ochthebius perdurus*](#) Reitter, 1899^{i c g}
- [*Ochthebius peregrinus*](#) Orchymont, 1941^{i c g}
- [*Ochthebius perkinsi*](#) Pankow, 1986^{i c g}
- [*Ochthebius perpusillus*](#) Ferro, 1985^{i c g}
- [*Ochthebius pierottii*](#) Ferro, 1979^{i c g}
- [*Ochthebius pilosus*](#) Walzl, 1835^{i c g}
- [*Ochthebius pliginskiyi*](#) Jäch, 1990^{i c g}
- [*Ochthebius ponticus*](#) Ienistea, 1956^{i c g}
- [*Ochthebius poweri*](#) Rye, 1869^{i c g}
- [*Ochthebius praetermissus*](#) Jäch, 1991^{i c g}
- [*Ochthebius preissi*](#) Jäch, 2001^g
- [*Ochthebius pretneri*](#) Jäch, 1999^{i c g}
- [*Ochthebius pseudoviridis*](#) Ienistea, 1988^{i c g}

- [*Ochthebius puberulus*](#) Reitter, 1885^{i c g}
- [*Ochthebius pudilaceris*](#) Ferro, 1982^{i c g}
- [*Ochthebius pui*](#) Perkins, 1979^{i c g}
- [*Ochthebius punctatoides*](#) Jäch, 1994^{i c g}
- [*Ochthebius punctatus*](#) Stephens, 1829^{i c g}
- [*Ochthebius puncticollis*](#) LeConte, 1852^{i c g b}
- [*Ochthebius pusillus*](#) Stephens, 1835^{i c g}
- [*Ochthebius putnamensis*](#) Blatchley, 1910^{i c g}
- [*Ochthebius quadricollis*](#) Mulsant, 1844^{i c g}
- [*Ochthebius quadrifossulatus*](#) Walzl, 1835^{i c g}
- [*Ochthebius quadrifoveolatus*](#) Wollaston, 1854^{i c g}
- [*Ochthebius queenslandicus*](#) Hansen, 1998^{i c g}
- [*Ochthebius ragusae*](#) Kuwert, 1887^{i c g}
- [*Ochthebius recticulus*](#) Perkins, 1980^{i c g}
- [*Ochthebius rectilobus*](#) Jäch, 1989^{i c g}
- [*Ochthebius rectus*](#) LeConte, 1878^{i c g}
- [*Ochthebius rectusalsus*](#) Perkins, 1980^{i c g}
- [*Ochthebius recurvatus*](#) Jäch, 1991^{i c g}
- [*Ochthebius regimbarti*](#) Knisch, 1924^{i c g}
- [*Ochthebius remotus*](#) Reitter, 1885^{i c g}
- [*Ochthebius reticulocostus*](#) Perkins, 1980^{i c g}
- [*Ochthebius richmondi*](#) Perkins, 1980^{i c g}
- [*Ochthebius rivalis*](#) Champion, 1920^{i c g}
- [*Ochthebius rivibelli*](#) Jäch, 1990^{i c g}
- [*Ochthebius romanicus*](#) Ienistea, 1968^{i c g}
- [*Ochthebius rotundatus*](#) Jäch, 2003^{i c g}
- [*Ochthebius rubripes*](#) Boheman, 1860^{i c g}
- [*Ochthebius rugulosus*](#) Wollaston, 1857^{i c g}
- [*Ochthebius saboorii*](#) Skale and Jäch, 2009^{i c g}
- [*Ochthebius salebrosus*](#) Pu, 1958^{i c g}
- [*Ochthebius salinarius*](#) Balfour-Browne, 1954^{i c g}
- [*Ochthebius salinator*](#) Peyerimhoff, 1924^{i c g}
- [*Ochthebius sanabrensis*](#) Valladares and Jäch, 2008^{i c g}
- [*Ochthebius sardus*](#) Jäch, 1990^{i c g}
- [*Ochthebius satoi*](#) Nakane, 1965^{i c g}
- [*Ochthebius sattmanni*](#) (Jäch, 1992)^{i c g}

- [*Ochthebius schneideri*](#) Kuwert, 1887^{i c g}
- [*Ochthebius schoedli*](#) Jäch, 1999^{i c g}
- [*Ochthebius schuberti*](#) Jäch, 1999^{i c g}
- [*Ochthebius scintillans*](#) Champion, 1920^{i c g}
- [*Ochthebius scitulus*](#) Ferro, 1982^{i c g}
- [*Ochthebius sculptoides*](#) Perkins, 1980^{i c g}
- [*Ochthebius sculpturatus*](#) Sahlberg, 1900^{i c g}
- [*Ochthebius sculptus*](#) LeConte, 1878^{i c g}
- [*Ochthebius semisericeus*](#) Sainte-Claire Deville, 1914^{i c g}
- [*Ochthebius semotus*](#) d'Orchymont, 1942^g
- [*Ochthebius sempronius*](#) Orchymont, 1942^{i c g}
- [*Ochthebius sennius*](#) d'Orchymont, 1942^g
- [*Ochthebius serpentinus*](#) Jäch, 1989^{i c g}
- [*Ochthebius serratus*](#) Rosenhauer, 1856^{i c g}
- [*Ochthebius sexfoveatus*](#) Champion, 1920^{i c g}
- [*Ochthebius sharpi*](#) Jäch, 1992^{i c g}
- [*Ochthebius sichuanensis*](#) Jäch, 2003^{i c g}
- [*Ochthebius siculus*](#) Kuwert, 1887^{i c g}
- [*Ochthebius sidanus*](#) Orchymont, 1942^{i c g}
- [*Ochthebius sierrensis*](#) Perkins, 1980^{i c g}
- [*Ochthebius silfverbergi*](#) Jäch, 1992^{i c g}
- [*Ochthebius similis*](#) Sharp, 1882^{i c g}
- [*Ochthebius sitiensis*](#) Perkins, 2011^{i c g}
- [*Ochthebius smyrnensis*](#) Sahlberg, 1908^{i c g}
- [*Ochthebius spanglerorum*](#) Wood and Perkins, 1978^{i c g}
- [*Ochthebius spatulus*](#) Balfour-Browne, 1954^{i c g}
- [*Ochthebius speculator*](#) Jäch, 1991^{i c g}
- [*Ochthebius spinasus*](#) Perkins and Balfour-Browne, 1994^{i c g}
- [*Ochthebius stastnyi*](#) Jäch, 2003^{i c g}
- [*Ochthebius striatus*](#) (Castelnau, 1840)^{i c g}
- [*Ochthebius strigoides*](#) Jäch, 1998^{i c g}
- [*Ochthebius strigosus*](#) Champion, 1921^{i c g}
- [*Ochthebius stygialis*](#) Orchymont, 1937^{i c g}
- [*Ochthebius subaeneus*](#) Janssens, 1967^{i c g}
- [*Ochthebius subinteger*](#) Mulsant and Rey, 1861^{i c g}
- [*Ochthebius subopacus*](#) Reitter, 1885^{i c g}

- [*Ochthebius subpictus*](#) Wollaston, 1857 ^{i c g}
- [*Ochthebius subviridis*](#) Ienistea, 1988 ^{i c g}
- [*Ochthebius sulphuris*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius sumatrensis*](#) Jäch, 2001 ^{i c g}
- [*Ochthebius tacapasensis*](#) Ferro, 1983 ^{i c g}
- [*Ochthebius tadilatus*](#) Jäch, 1990 ^{i c g}
- [*Ochthebius thermalis*](#) Janssens, 1965 ^{i c g}
- [*Ochthebius thraciae*](#) Jäch, 1990 ^{i c g}
- [*Ochthebius tivelunus*](#) Ferro, 1984 ^{i c g}
- [*Ochthebius trapezuntinus*](#) Jäch, 1999 ^{i c g}
- [*Ochthebius tubus*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius tudmirensis*](#) Jäch, 1997 ^{i c g}
- [*Ochthebius tunisicus*](#) Jäch, 1997 ^{i c g}
- [*Ochthebius turcicus*](#) Jäch, 1989 ^{i c g}
- [*Ochthebius turcmeniae*](#) Jäch, 1990 ^{i c g}
- [*Ochthebius turkestanus*](#) Kuwert, 1892 ^{i c g}
- [*Ochthebius uniformis*](#) Perkins, 1980 ^{i c g}
- [*Ochthebius unimaculatus*](#) Pu, 1958 ^{i c g}
- [*Ochthebius urbanelliae*](#) (Audisio et al., 2009) ^{i c g}
- [*Ochthebius uskubensis*](#) Hebauer, 1986 ^{i c g}
- [*Ochthebius ustaoglu*](#) Topkara, Jäch and Kasapoglu, 2011 ^{i c g}
- [*Ochthebius vedovai*](#) Ferro, 1987 ^{i c g}
- [*Ochthebius velutinus*](#) Fairmaire, 1883 ^{i c g}
- [*Ochthebius verrucosus*](#) Pu, 1942 ^{i c g}
- [*Ochthebius viganoi*](#) Pirisinu, 1974 ^{i c g}
- [*Ochthebius virens*](#) Jäch, 1992 ^{i c g}
- [*Ochthebius virgula*](#) Ferro, 1986 ^{i c g}
- [*Ochthebius viridescens*](#) Ienistea, 1988 ^{i c g}
- [*Ochthebius viridis*](#) Peyron, 1858 ^{i c g}
- [*Ochthebius wangmiao*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius wewalkai*](#) Jäch, 1984 ^{i c g}
- [*Ochthebius wuzhishanensis*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius yaanensis*](#) Jäch, 2003 ^{i c g}
- [*Ochthebius yoshitomi*](#) Jäch and Delgado, 2014 ^{i c g}
- [*Ochthebius yumiae*](#) Matsui and Delgado, 1997 ^{i c g}
- [*Ochthebius yunnanensis*](#) Orchymont, 1925 ^{i c g}

- [*Ochthebius zugmayeri*](#) Kniz, 1909^{i c g}
- [*Ochthebius zulu*](#) Perkins, 2011^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 327 species in [*Oberea*](#), a genus of flat-faced longhorns in the family [*Cerambycidae*](#).^[1]
^{[2][3][4]}

***Oberea* species**

- [*Oberea abdominalis*](#) Jordan, 1894^{c g}
- [*Oberea acuta*](#) Gressitt, 1951^{c g}
- [*Oberea adumbrata*](#) (Tippmann, 1958)^{c g}
- [*Oberea affinis*](#) Leng & Hamilton, 1896^{i c g b} (raspberry cane borer)
- [*Oberea alexandrovi*](#) Plavilstshikov, 1921
- [*Oberea andamana*](#) Breuning, 1962^{c g}
- [*Oberea andamanica*](#) Breuning, 1962^{c g}
- [*Oberea angolana*](#) Breuning, 1962^{c g}
- [*Oberea angolensis*](#) Breuning, 1950^{c g}
- [*Oberea anguina*](#) Pascoe, 1867^{c g}
- [*Oberea angustata*](#) Pic, 1923^{c g}
- [*Oberea annamensis*](#) Breuning, 1969^{c g}
- [*Oberea annulicornis*](#) Pascoe, 1858^{c g}
- [*Oberea antennata*](#) Franz, 1972^{c g}
- [*Oberea anterufa*](#) Breuning, 1962^{c g}
- [*Oberea apicenigrita*](#) Breuning, 1962^{c g}
- [*Oberea artocarp*](#) Gardner, 1941^{c g}
- [*Oberea assamensis*](#) Breuning, 1982^{c g}
- [*Oberea aterrima*](#) Breuning, 1962^{c g}
- [*Oberea atricilla*](#) Fairmaire, 1893^{c g}
- [*Oberea atricilloides*](#) Breuning, 1964^{c g}
- [*Oberea atroantennalis*](#) Breuning, 1962^{c g}
- [*Oberea atropunctata*](#) Pic, 1916^{c g}
- [*Oberea auricollis*](#) Aurivillius, 1922^{c g}
- [*Oberea auriventris*](#) Breuning, 1962^{c g}
- [*Oberea baliana*](#) Breuning, 1962^{c g}

- [Oberea balineae](#) Heller, 1915 ^{c g}
- [Oberea banguayensis](#) Breuning, 1950 ^{c g}
- [Oberea baramensis](#) Heyden, 1897 ^{c g}
- [Oberea batoensis](#) Breuning, 1951 ^{c g}
- [Oberea bicallosicollis](#) Pic, 1933 ^{c g}
- [Oberea bicoloricornis](#) Pic, 1915 ^{c g}
- [Oberea bicoloripennis](#) Breuning, 1950 ^{c g}
- [Oberea bimaculata](#) (Olivier, 1795) ^c
- [Oberea bimaculicollis](#) Breuning, 1962 ^{c g}
- [Oberea binotaticollis](#) Pic, 1915 ^{c g}
- [Oberea birmanica](#) Gahan, 1895
- [Oberea bisbimaculata](#) Breuning, 1962 ^{c g}
- [Oberea bisbipunctata](#) Pic, 1916 ^{c g}
- [Oberea bisbipunctulata](#) Breuning, 1962 ^{c g}
- [Oberea bivittata](#) Aurivillius, 1911 ^{c g}
- [Oberea bootangensis](#) Breuning, 1962 ^{c g}
- [Oberea brevantennalis](#) Kurihara & N. Ohbayashi, 2006 ^{c g}
- [Oberea brevithorax](#) Gressitt, 1936 ^{c g}
- [Oberea callosicollis](#) Breuning, 1962 ^{c g}
- [Oberea cariniscapus](#) Breuning, 1956 ^{c g}
- [Oberea caseyi](#) Plavilstshikov, 1926 ^{c g}
- [Oberea ceylonica](#) Aurivillius, 1921 ^{c g}
- [Oberea chapaensis](#) Pic, 1928 ^{c g}
- [Oberea cingulata](#) (Aurivillius, 1914) ^{c g}
- [Oberea circumscutellaris](#) Breuning, 1962 ^{c g}
- [Oberea clara](#) Pascoe, 1866 ^{c g}
- [Oberea compta](#) Pascoe, 1867 ^{c g}
- [Oberea conicus](#) Wang, Chiang & Zheng, 2002 ^{c g}
- [Oberea consentanea](#) Pascoe, 1867 ^{c g}
- [Oberea coxalis](#) Gressitt, 1940 ^{c g}
- [Oberea curialis](#) Pascoe, 1866 ^{c g}
- [Oberea curticollis](#) (Pic, 1928) ^{c g}
- [Oberea curtilineata](#) Pic, 1915 ^{c g}
- [Oberea davaoensis](#) Breuning, 1962 ^{c g}
- [Oberea deficiens](#) Casey, 1924 ^{c g b}
- [Oberea delongi](#) Knull, 1928 ^{i c g b} (poplar twig borer)

- [Oberea demissa](#) (Newman, 1842) ^{c g}
- [Oberea denominata](#) Plavilstshikov, 1926 ^{c g}
- [Oberea densepilosa](#) Breuning, 1955 ^{c g}
- [Oberea densepunctata](#) Breuning, 1954 ^{c g}
- [Oberea densepunctipennis](#) Breuning, 1962 ^{c g}
- [Oberea depressa](#) (Gebler, 1825) ^{c g}
- [Oberea difformis](#) Jordan, 1894 ^{c g}
- [Oberea discoidalis](#) (Jordan, 1894) ^{c g}
- [Oberea distinctipennis](#) Pic, 1902 ^{c g}
- [Oberea diversimembris](#) Pic, 1923 ^{c g}
- [Oberea doncceeli](#) Pic, 1907 ^{c g}
- [Oberea elegantula](#) (Kolbe, 1894) ^{c g}
- [Oberea elongaticollis](#) Breuning, 1962 ^{c g}
- [Oberea elongatipennis](#) Pic, 1940 ^{c g}
- [Oberea erythrocephala](#) (Schrank, 1776) ^{i c g b} (leafy spurge stem boring beetle)
- [Oberea erythrostoma](#) Heller, 1915 ^{c g}
- [Oberea euphorbiae](#) (Germar, 1813) ^{c g}
- [Oberea ferruginea](#) Thunberg, 1787 ^{c g}
- [Oberea flava](#) Breuning, 1962 ^{c g}
- [Oberea flavipennis](#) Kurihara & N. Ohbayashi, 2007 ^{c g}
- [Oberea flavipes](#) Haldeman, 1847 ^{i c g b}
- [Oberea flavoantennalis](#) Breuning, 1962 ^{c g}
- [Oberea flavoantennata](#) Breuning, 1962 ^{c g}
- [Oberea flavodiscalis](#) Breuning, 1982
- [Oberea flavotrigonalis](#) Breuning, 1950 ^{c g}
- [Oberea florensis](#) Breuning, 1962 ^{c g}
- [Oberea floresica](#) Breuning, 1962 ^{c g}
- [Oberea formosana](#) Pic, 1911 ^{c g}
- [Oberea formososylvia](#) Kurihara & N. Ohbayashi, 2007 ^{c g}
- [Oberea fulviceps](#) Breuning, 1950 ^{c g}
- [Oberea fuscicollis](#) Breuning, 1962 ^{c g}
- [Oberea fuscipennis](#) (Chevrolat, 1852) ^{c g}
- [Oberea fusciventris](#) Fairmaire, 1895 ^{c g}
- [Oberea gabunensis](#) Breuning, 1950 ^{c g}
- [Oberea gracilis](#) (Fabricius, 1801) ^{i c g b} (oak sprout oberea)
- [Oberea gracillima](#) Pascoe, 1867 ^{c g}
- [Oberea griseopennis](#) Schwarzer, 1925

- [Oberea grossepunctata](#) Breuning, 1947 ^{c g}
- [Oberea hanoiensis](#) Pic, 1923 ^{c g}
- [Oberea hebescens](#) Bates, 1873 ^{c g}
- [Oberea herzi](#) Ganglbauer, 1887 ^{c g}
- [Oberea heudei](#) Pic, 1936 ^{c g}
- [Oberea heyrovskyi](#) Pic, 1927 ^{c g}
- [Oberea himalayana](#) Breuning, 1971 ^{c g}
- [Oberea histrionis](#) Pic, 1917 ^{c g}
- [Oberea holatripennis](#) Breuning, 1982
- [Oberea holatripenoides](#) (Löbl & Smetana, 2010) ^{c g}
- [Oberea holonigra](#) Breuning, 1962 ^{c g}
- [Oberea humeralis](#) Gressitt, 1939 ^{c g}
- [Oberea humilis](#) (Fairmaire, 1894) ^{c g}
- [Oberea inclusa](#) Pascoe, 1858 ^{c g}
- [Oberea incompleta](#) Fairmaire, 1897 ^{c g}
- [Oberea infragrisea](#) Breuning, 1978 ^{c g}
- [Oberea infranigra](#) Breuning, 1962 ^{c g}
- [Oberea infranigrescens](#) Breuning, 1947 ^{c g}
- [Oberea infrasericea](#) Breuning, 1951 ^{c g}
- [Oberea insoluta](#) Pascoe, 1867 ^{c g}
- [Oberea insperans](#) Pascoe, 1867 ^{c g}
- [Oberea isigakiana](#) Matsushita, 1941 ^{c g}
- [Oberea japonica](#) (Thunberg, 1787) ^{c g}
- [Oberea javana](#) Breuning, 1962 ^{c g}
- [Oberea javanicola](#) Breuning, 1950 ^{c g}
- [Oberea jordani](#) Aurivillius, 1923 ^{c g}
- [Oberea kanarensis](#) Breuning, 1950 ^{c g}
- [Oberea kandyana](#) Breuning, 1962 ^{c g}
- [Oberea kangeana](#) Breuning, 1969 ^{c g}
- [Oberea keyensis](#) Breuning, 1962 ^{c g}
- [Oberea komiyai](#) Kurihara & Ohbayashi, 2006
- [Oberea kostini](#) Danilevsky, 1988 ^{c g}
- [Oberea kualabokensis](#) Hayashi, 1976 ^{c g}
- [Oberea kunbirensis](#) Breuning, 1953 ^{c g}
- [Oberea lacana](#) Pic, 1923 ^{c g}
- [Oberea laetifica](#) Pascoe, 1867 ^{c g}
- [Oberea lama](#) Gressitt, 1942 ^{c g}

- [Oberea laosensis](#) Breuning, 1963 ^{c g}
- [Oberea lateapicalis](#) Pic, 1939 ^{c g}
- [Oberea latericollis](#) Breuning, 1962 ^{c g}
- [Oberea laterinigracollis](#) Breuning, 1976 ^{c g}
- [Oberea latipenne](#) Gressitt, 1939 ^{c g}
- [Oberea lepesmiana](#) Breuning, 1956 ^{c g}
- [Oberea leucothrix](#) Toyoshima, 1982 ^{c g}
- [Oberea linearis](#) (Linné, 1761) ^{c g}
- [Oberea longissima](#) Aurivillius, 1907 ^{c g}
- [Oberea luluensis](#) Breuning, 1950 ^{c g}
- [Oberea lutea](#) (Thunberg, 1787) ^{c g}
- [Oberea lyncea](#) Pascoe, 1867 ^{c g}
- [Oberea macilenta](#) (Newman, 1842) ^{c g}
- [Oberea maculicollis](#) Lucas, 1842 ^{c g}
- [Oberea mangalorensis](#) Gardner, 1941
- [Oberea manipurensis](#) Breuning, 1962 ^{c g}
- [Oberea matangensis](#) Breuning, 1962 ^{c g}
- [Oberea mauritanica](#) Lucas, 1888
- [Oberea medioflavoantennalis](#) Breuning, 1962 ^{c g}
- [Oberea mediofusciventris](#) Breuning, 1962 ^{c g}
- [Oberea melanocephala](#) (Aurivillius, 1914) ^{c g}
- [Oberea melanostoma](#) Heller, 1915 ^{c g}
- [Oberea mentaweiensis](#) Breuning, 1962 ^{c g}
- [Oberea meridionalis](#) Breuning, 1962 ^{c g}
- [Oberea micholitzii](#) Heller, 1915 ^{c g}
- [Oberea mimetica](#) Heller, 1915 ^{c g}
- [Oberea mixta](#) Bates, 1873 ^{c g}
- [Oberea monticola](#) Fisher, 1935 ^{c g}
- [Oberea morio](#) Kraatz, 1879 ^{c g}
- [Oberea morosa](#) Pascoe, 1867 ^{c g}
- [Oberea mundula](#) Pascoe, 1867
- [Oberea mutata](#) Pascoe, 1867 ^{c g}
- [Oberea myops](#) Haldeman, 1847 ^{i c g b} (rhododendron stem borer)
- [Oberea neavei](#) (Aurivillius, 1914) ^{c g}
- [Oberea nefasta](#) Pascoe, 1867 ^{c g}
- [Oberea neptis](#) Pascoe, 1867 ^{c g}
- [Oberea neutralis](#) Pascoe, 1867 ^{c g}

- [Oberea nigerrima](#) Breuning, 1950 ^{c g}
- [Oberea nigrescens](#) Breuning, 1962 ^{c g}
- [Oberea nigriceps](#) (White, 1844) ^{c g}
- [Oberea nigripennis](#) Breuning, 1950 ^{c g}
- [Oberea nigripes](#) Breuning, 1950 ^{c g}
- [Oberea nigriventris](#) Bates, 1873
- [Oberea nigroapiciventris](#) Breuning, 1962 ^{c g}
- [Oberea nigrobasipennis](#) Breuning, 1950 ^{c g}
- [Oberea nigrocincta](#) (Aurivillius, 1907) ^{c g}
- [Oberea nigrofemoralis](#) Breuning, 1950 ^{c g}
- [Oberea nigrolateralis](#) Breuning, 1950 ^{c g}
- [Oberea nigrolineata](#) (Aurivillius, 1916) ^{c g}
- [Oberea nigrolineatipennis](#) Breuning, 1970 ^{c g}
- [Oberea nigrotibialis](#) Breuning, 1972 ^{c g}
- [Oberea notata](#) Pic, 1936 ^{c g}
- [Oberea nyassana](#) Breuning, 1956
- [Oberea ocellata](#) Haldeman, 1847 ^{i c g b} (sumac stem borer)
- [Oberea octava](#) Schwarzer, 1927 ^{c g}
- [Oberea oculata](#) (Linné, 1758) ^{c g}
- [Oberea oculaticollis](#) (Say, 1824) ^{i c g}
- [Oberea ohbayashii](#) Kurihara, 2009 ^{c g}
- [Oberea okinawana](#) Kusakabe, 1992 ^{c g}
- [Oberea opaca](#) Gahan, 1907 ^{c g}
- [Oberea opacipennis](#) Breuning, 1962 ^{c g}
- [Oberea ophidiana](#) Pascoe, 1858 ^{c g}
- [Oberea ornativentris](#) Breuning, 1962 ^{c g}
- [Oberea orothi](#) Breuning, 1962 ^{c g}
- [Oberea pagana](#) Harold, 1880 ^{c g}
- [Oberea palawanensis](#) Breuning, 1962 ^{c g}
- [Oberea pallida](#) Casey, 1913 ^{c g}
- [Oberea pallidula](#) Gerstäcker, 1855
- [Oberea paraneavei](#) Breuning, 1976 ^{c g}
- [Oberea pararubetra](#) Breuning, 1965 ^{c g}
- [Oberea parteflavoantennalis](#) Breuning, 1962 ^{c g}
- [Oberea partenigricollis](#) Breuning, 1962 ^{c g}
- [Oberea pedemontana](#) Chevrolat, 1856 ^{c g}
- [Oberea perspicillata](#) Haldeman, 1847 ^{i c g b} (raspberry cane borer)

- [*Oberea philippinensis*](#) Breuning, 1962 ^{c g}
- [*Oberea phungi*](#) Breuning, 1967 ^{c g}
- [*Oberea pictipes*](#) Pascoe, 1867 ^{c g}
- [*Oberea pigra*](#) (Newman, 1851) ^{c g}
- [*Oberea pontianakensis*](#) Breuning, 1962 ^{c g}
- [*Oberea postbrunnea*](#) Breuning, 1977 ^{c g}
- [*Oberea posticata*](#) Gahan, 1895
- [*Oberea praedita*](#) Pascoe, 1867 ^{c g}
- [*Oberea praelonga*](#) Casey, 1913 ^{i c g b}
- [*Oberea praemortua*](#) Heyden, 1862 †
- [*Oberea prateflavoantennalis*](#) Breuning, 1961
- [*Oberea protensa*](#) Pascoe, 1867 ^{c g}
- [*Oberea pruinosa*](#) Casey, 1913 ^{c g b}
- [*Oberea pseudannulicornis*](#) Breuning, 1982 ^{c g}
- [*Oberea pseudobalineae*](#) Breuning, 1955 ^{c g}
- [*Oberea pseudolacana*](#) Breuning, 1956 ^{c g}
- [*Oberea pseudoneavei*](#) Breuning, 1976 ^{c g}
- [*Oberea pseudonigrocincta*](#) Breuning, 1962 ^{c g}
- [*Oberea pseudopascoe*](#) Breuning, 1950 ^{c g}
- [*Oberea pseudopictipes*](#) Breuning, 1962 ^{c g}
- [*Oberea pseudoposticata*](#) Breuning, 1962 ^{c g}
- [*Oberea pseudovaricornis*](#) Hunt & Breuning, 1956 ^{c g}
- [*Oberea puncticollis*](#) Breuning, 1962 ^{c g}
- [*Oberea punctiventris*](#) Heller, 1915 ^{c g}
- [*Oberea pupillata*](#) (Gyllenhal, 1817) ^{c g}
- [*Oberea quadricallusa*](#) LeConte, 1874 ^{i c g b} (western poplar branch borer)
- [*Oberea quianga*](#) Heller, 1915 ^{c g}
- [*Oberea reductesignata*](#) Pic, 1916 ^{c g}
- [*Oberea reimschi*](#) Breuning, 1962 ^{c g}
- [*Oberea ressl*](#) Demelt, 1963 ^{c g}
- [*Oberea rhodesica*](#) Breuning, 1953 ^{c g}
- [*Oberea rondoni*](#) Breuning, 1965 ^{c g}
- [*Oberea rotundipennis*](#) Breuning, 1956 ^{c g}
- [*Oberea rubetra*](#) Pascoe, 1858 ^{c g}
- [*Oberea ruficeps*](#) Fischer, 1842 ^{c g}
- [*Oberea ruficollis*](#) (Fabricius, 1792) ^{i c g b} (sassafras borer)
- [*Oberea ruficornis*](#) Breuning, 1956 ^{c g}

- [Oberea rufiniventris](#) Breuning, 1968 ^{c g}
- [Oberea rufiventris](#) Aurivillius, 1914 ^{c g}
- [Oberea rufoantennalis](#) Breuning, 1962 ^{c g}
- [Oberea rufomaculata](#) Kono & Tamanuki, 1924
- [Oberea rufosternalis](#) Breuning, 1962 ^{c g}
- [Oberea rufotrigonalis](#) Breuning, 1950 ^{c g}
- [Oberea sanghirica](#) Breuning, 1962 ^{c g}
- [Oberea sanguinalis](#) (Kolbe, 1893) ^{c g}
- [Oberea sansibarica](#) Harold, 1880 ^{c g}
- [Oberea satoi](#) Kurihara, 2009 ^{c g}
- [Oberea savioi](#) Pic, 1924
- [Oberea schaumii](#) LeConte, 1852 ⁱ
- [Oberea schaumii](#) LeConte, 1852 ^{c g b} (poplar branch borer)
- [Oberea scutellaris](#) Gerstäcker, 1855
- [Oberea scutellaroides](#) Breuning, 1947 ^{c g}
- [Oberea semifusca](#) Breuning, 1962 ^{c g}
- [Oberea semifuscipennis](#) Breuning, 1950 ^{c g}
- [Oberea semimaura](#) Pascoe, 1867 ^{c g}
- [Oberea seminigra](#) Chevrolat, 1841 ^{c g}
- [Oberea semiorbifera](#) (Aurivillius, 1914) ^{c g}
- [Oberea semirubra](#) Breuning, 1962 ^{c g}
- [Oberea senegalensis](#) Breuning, 1962 ^{c g}
- [Oberea sericeiventris](#) Breuning, 1950 ^{c g}
- [Oberea shibatai](#) Hayashi, 1962 ^{c g}
- [Oberea shimomurai](#) Kurihara & N. Ohbayashi, 2007 ^{c g}
- [Oberea shirahatai](#) Ohbayashi, 1956 ^{c g}
- [Oberea shirakii](#) Hayashi, 1963 ^{c g}
- [Oberea silhetica](#) Breuning, 1962 ^{c g}
- [Oberea sinense](#) Pic, 1902 ^{c g}
- [Oberea sobosana](#) Ohbayashi, 1956 ^{c g}
- [Oberea sobrina](#) (Boisduval, 1835) ^{c g}
- [Oberea strigicollis](#) Gressitt, 1942 ^{c g}
- [Oberea subabdominalis](#) Breuning, 1962 ^{c g}
- [Oberea subannulicornis](#) Pic, 1916
- [Oberea subbasalis](#) Breuning, 1950 ^{c g}
- [Oberea subdiscoidalis](#) Lepesme & Breuning, 1952 ^{c g}
- [Oberea subelongatipennis](#) Breuning, 1955 ^{c g}

- [*Oberea subferruginea*](#) Breuning, 1965 ^{c g}
- [*Oberea subneavei*](#) Breuning, 1962 ^{c g}
- [*Oberea subnigrocincta*](#) Breuning, 1950 ^{c g}
- [*Oberea subsericea*](#) Breuning, 1962 ^{c g}
- [*Oberea subsuturalis*](#) Breuning, 1954 ^{c g}
- [*Oberea subtenuata*](#) Breuning, 1968 ^{c g}
- [*Oberea subteraurea*](#) Breuning, 1962 ^{c g}
- [*Oberea subtrigonifera*](#) Breuning, 1958 ^{c g}
- [*Oberea subvaricornis*](#) Breuning, 1962 ^{c g}
- [*Oberea subviparina*](#) Breuning, 1960 ^{c g}
- [*Oberea sumbana*](#) Breuning, 1962 ^{c g}
- [*Oberea sumbawana*](#) Breuning, 1962 ^{c g}
- [*Oberea sumbawanica*](#) Breuning, 1962 ^{c g}
- [*Oberea sumbawensis*](#) Breuning, 1962 ^{c g}
- [*Oberea taihokensis*](#) Breuning, 1961 ^g
- [*Oberea taihokuensis*](#) Breuning, 1962 ^{c g}
- [*Oberea taiwana*](#) Matsushita, 1933 ^{c g}
- [*Oberea tatsienlui*](#) Breuning, 1947 ^{c g}
- [*Oberea taygetana*](#) Pic, 1901 ^{c g}
- [*Oberea tenggeriana*](#) Breuning, 1963 ^{c g}
- [*Oberea tenuata*](#) Pascoe, 1866 ^{c g}
- [*Oberea tetrastigma*](#) Gressitt, 1951
- [*Oberea travancorensis*](#) Breuning, 1962 ^{c g}
- [*Oberea tricolor*](#) Aurivillius, 1924 ^{c g}
- [*Oberea tricoloricornis*](#) Breuning, 1961 ^{c g}
- [*Oberea trigonalis*](#) Breuning, 1950 ^{c g}
- [*Oberea trilineata*](#) (Chevrolat, 1858) ^{c g}
- [*Oberea tripunctata*](#) (Swederus, 1787) ^{i c g b} (dogwood twig borer)
- [*Oberea truncatipennis*](#) Breuning, 1962 ^{c g}
- [*Oberea tsuyukii*](#) Kurihara & N. Ohbayashi, 2007 ^{c g}
- [*Oberea ulmicola*](#) Chittenden, 1904 ^{c g}
- [*Oberea umebayashii*](#) Ohbayashi, 1964 ^{c g}
- [*Oberea unimaculicollis*](#) Breuning, 1962 ^{c g}
- [*Oberea uninotaticollis*](#) Pic, 1939 ^{c g}
- [*Oberea unipunctata*](#) Gressitt, 1939
- [*Oberea viparina*](#) Pascoe, 1858 ^{c g}
- [*Oberea vittata*](#) Blessig, 1873

- [*Oberea walkeri*](#) Gahan, 1894 ^{c g}
- [*Oberea wittei*](#) Breuning, 1954 ^{c g}
- [*Oberea yaoshana*](#) Gressitt, 1942 ^{c g}
- [*Oberea yasuhikoi*](#) Kusakabe, 2001 ^{c g}
- [*Oberea yunnana*](#) Pic, 1926 ^{c g}
- [*Oberea yunnanensis*](#) Breuning, 1947 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Oberea Report"*](#). *Integrated Taxonomic Information System*. Retrieved 2018-04-26.
 - [*"Browse Oberea"*](#). *Catalogue of Life*. Retrieved 2018-04-26.
 - [*"Oberea"*](#). *GBIF*. Retrieved 2018-04-26.
 -
4. [*"Oberea Genus Information"*](#). *BugGuide.net*. Retrieved 2018-04-26.

Categories:

- [Oberea](#)
- [Lists of insect species](#)
-

This is a list of 103 species in [Nysson](#), a genus of hymenopterans in the family [Bembicidae](#).^{[1][2][3][4]}

Nysson species

- [*Nysson aequalis*](#) Vahl ^{i c g b}
- [*Nysson alicantinus*](#) Mercet, 1909 ^{i c g}
- [*Nysson amurensis*](#) Nemkov, 1990 ^{i c g}
- [*Nysson argenteofasciatus*](#) Radoszkowski, 1877 ^{i c g}
- [*Nysson argenticus*](#) R. Bohart, 1968 ^{i c g}
- [*Nysson aridulus*](#) R. Bohart, 1968 ^{i c g}
- [*Nysson aurinotus*](#) Say, 1837 ^{i c g}
- [*Nysson bakeri*](#) R. Bohart, 1968 ^{i c g}
- [*Nysson barreii*](#) Radoszkowski, 1893 ^{i c g}

- [Nysson basalis](#) F. Smith, 1856 ^{c g}
- [Nysson braunsii](#) Handlirsch, 1900 ^{i c g}
- [Nysson carinifrons](#) Nemkov, 1995 ^{i c g}
- [Nysson castaneus](#) Radoszkowski, 1877 ^{i c g}
- [Nysson castellanus](#) Mercet, 1909 ^{i c g}
- [Nysson chevrieri](#) Kohl, 1879 ^{i c g}
- [Nysson chiengmaiensis](#) Tsuneki, 1963 ^{i c g}
- [Nysson chumash](#) Pate, 1940 ^{i c g}
- [Nysson compactus](#) Cresson, 1882 ^{i c g}
- [Nysson costae](#) Handlirsch, 1901 ^{i c g}
- [Nysson daeckei](#) Viereck, 1904 ^{i c g}
- [Nysson decemmaculatus](#) Spinola, 1807 ^{i c g}
- [Nysson dimidiatus](#) Jurine, 1807 ^{i c g}
- [Nysson doriae](#) Gribodo, 1884 ^{i c g}
- [Nysson dubius](#) Olivier, 1812 ^{i c g}
- [Nysson dusmeti](#) Mercet, 1909 ^{i c g}
- [Nysson dutti](#) R. Turner, 1917 ^{i c g}
- [Nysson epeoliformis](#) F. Smith, 1856 ^{i c g}
- [Nysson erythropoda](#) Cameron, 1890 ^{i c g}
- [Nysson euphorbiae](#) R. Bohart, 1968 ^{i c g}
- [Nysson excavatus](#) R. Turner, 1914 ^{i c g}
- [Nysson fidelis](#) Cresson, 1882 ^{i c g}
- [Nysson fraternus](#) Mercet, 1909 ^{i c g}
- [Nysson freyigessneri](#) ^b
- [Nysson fulvipes](#) A. Costa, 1859 ^{i c g}
- [Nysson fulviventrtris](#) Tsuneki, 1971 ^{i c g}
- [Nysson gagates](#) Bradley, 1920 ^{i c g}
- [Nysson ganglbaueri](#) Kohl, 1912 ^{i c g}
- [Nysson gerstaeckeri](#) Handlirsch, 1887 ^{i c g}
- [Nysson grandissimus](#) Radoszkowski, 1877 ^{i c g}
- [Nysson guichardi](#) de Beaumont, 1967 ^{i c g}
- [Nysson handlirschi](#) Schmiedeknecht, 1896 ^{i c g}
- [Nysson harveyi](#) de Beaumont, 1967 ^{i c g}
- [Nysson hesperus](#) R. Bohart, 1968 ^{i c g}
- [Nysson hrubanti](#) Balthasar, 1972 ^{i c g}
- [Nysson humilis](#) Handlirsch, 1895 ^{i c g}

- [Nysson ibericus](#) Handlirsch, 1895^{i c g}
- [Nysson inornatus](#) de Beaumont, 1967^{i c g}
- [Nysson intermedius](#) Viereck, 1908^{i c g}
- [Nysson interruptus](#) (Fabricius, 1798)^{i c g}
- [Nysson kazenasi](#) Nemkov and Gayubo, 2003^{i c g}
- [Nysson kolazyi](#) Handlirsch, 1887^{i c g}
- [Nysson konowi](#) Mercet, 1909^{i c g}
- [Nysson laevis](#) Pulawski, 1964^{i c g}
- [Nysson lapillus](#) de Beaumont, 1965^{i c g}
- [Nysson lateralis](#) Packard, 1867^{i c g b}
- [Nysson laufferi](#) Mercet, 1904^{i c g}
- [Nysson maculosus](#) (Gmelin, 1790)^{i c g}
- [Nysson maderae](#) (R. Bohart, 1968)^{i c g}
- [Nysson miegi](#) Mercet, 1909^{i c g}
- [Nysson militaris](#) Gerstäcker, 1867^{i c g}
- [Nysson mimulus](#) Valkeila, 1964^{i c g}
- [Nysson minutus](#) Arnold, 1929^{i c g}
- [Nysson monachus](#) Mercet, 1909^{i c g}
- [Nysson nanus](#) Handlirsch, 1898^{i c g}
- [Nysson neorusticus](#) R. Bohart, 1968^{i c g}
- [Nysson niger](#) Chevrier, 1868^{i c g}
- [Nysson ohli](#) (Schmid-Egger, 2011)^{i c g}
- [Nysson paralias](#) Standfuss, 2010^{i c g}
- [Nysson parietalis](#) Mercet, 1909^{i c g}
- [Nysson plagiatu](#) Günther, 1861^{i c g b}
- [Nysson pratensis](#) Mercet, 1909^{i c g}
- [Nysson pumilus](#) Cresson, 1882^{i c g}
- [Nysson pusillus](#) de Beaumont, 1953^{i c g}
- [Nysson quadricolor](#) Arnold, 1951^{i c g}
- [Nysson quadriguttatus](#) Spinola, 1807^{i c g}
- [Nysson recticornis](#) Bradley, 1920^{i c g b}
- [Nysson roubali](#) Zavadil, 1937^{i c g}
- [Nysson rufiventris](#) Cresson, 1882^{i c g}
- [Nysson rufoflavus](#) R. Bohart, 1968^{i c g}
- [Nysson rufoniger](#) R. Turner, 1912^{i c g}
- [Nysson rufopictus](#) F. Smith, 1856^{i c g}

- [Nysson rufus](#) Handlirsch, 1895^{i c g}
- [Nysson rugosus](#) Cameron, 1890^{i c g}
- [Nysson ruspolii](#) von Schulthess, 1893^{i c g}
- [Nysson rusticus](#) Cresson, 1882^{i c g b}
- [Nysson ruthenicus](#) Birula, 1912^{i c g}
- [Nysson schlingeri](#) R. Bohart, 1968^{i c g}
- [Nysson schmiedeknechtii](#) Handlirsch, 1900^{i c g}
- [Nysson semenovi](#) (Nemkov, 2001)^{i c g}
- [Nysson sexguttatus](#) Gussakovskij, 1952^{i c g}
- [Nysson simplicicornis](#) W. Fox, 1896^{i c g}
- [Nysson spinosus](#) (J. Forster, 1771)^{i c g}
- [Nysson subtilis](#) W. Fox, 1896^{i c g b}
- [Nysson timberlakei](#) R. Bohart, 1968^{i c g}
- [Nysson trichopygus](#) de Beaumont, 1967^{i c g}
- [Nysson trichrus](#) (Mickel, 1916)^{i c g}
- [Nysson tridens](#) Gerstäcker, 1867^{i c g}
- [Nysson trimaculatus](#) (Rossi, 1790)^{i c g}
- [Nysson tristis](#) Cresson, 1882^{i c g b}
- [Nysson uniformis](#) Pérez, 1895^{i c g}
- [Nysson varelai](#) Mercet, 1909^{i c g}
- [Nysson variabilis](#) Chevrier, 1867^{i c g}
- [Nysson willowmorensis](#) Brauns, 1911^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 101 species in the genus [Nysius](#), the false chinch bugs:[1]

[Nysius aa](#) Polhemus, 1998
[Nysius abnormis](#) Usinger, 1942
[Nysius albipennis](#) Distant, 1913
[Nysius angustatus](#) Uhler, 1872
[Nysius angustellus](#) (Blanchard, 1852)
[Nysius atlantidum](#) Horvath, 1890
[Nysius baeckstroemi](#) Bergroth, 1923
[Nysius beardsleyi](#) Ashlock, 1966
[Nysius blackburni](#) White, 1881
[Nysius caledoniae](#) Distant, 1920

[Nysius cargadosensis](#) Distant, 1909
[Nysius ceylanicus](#) (Motschulsky, 1863)
[Nysius chenopodii](#) Usinger, 1942
[Nysius coenosulus](#) Stal, 1859
[Nysius communis](#) Usinger, 1942
[Nysius contiguus](#) Walker, 1872
[Nysius convexus](#) (Usinger, 1942)
[Nysius cymoides](#) (Spinola, 1837)
[Nysius dallasi](#) White, 1878
[Nysius delectulus](#) Perkins, 1912
[Nysius delectus](#) White, 1878
[Nysius dohertyi](#) Distant, 1904
[Nysius ephippiatus](#) (Spinola, 1852)
[Nysius ericae](#) (Schilling, 1829)
[Nysius erythynus](#) Fernando, 1960
[Nysius euphorbiae](#) Horvath, 1910
[Nysius eximius](#) Stal, 1858
[Nysius expressus](#) Distant, 1883
[Nysius femoratus](#) Van Duzee, 1940
[Nysius feuerborni](#) China, 1935
[Nysius frigatensis](#) Usinger, 1942
[Nysius fucatus](#) Usinger, 1942
[Nysius fullawayi](#) Usinger, 1942
[Nysius fuscovittatus](#) Barber, 1958
[Nysius gloriae](#) Baena & Garcia, 1999
[Nysius graminicola](#) (Kolenati, 1845)
[Nysius grandis](#) Baker, 1906
[Nysius groenlandicus](#) (Zetterstedt, 1840)
[Nysius haeckeli](#) (Leon *, 1890)
[Nysius hardyi](#) Ashlock, 1966
[Nysius helveticus](#) (Herrich-Schaeffer, 1850)
[Nysius hidakai](#) Nakatani, 2015
[Nysius huttoni](#) White, 1878 (wheat bug)
[Nysius immunis](#) (Walker, 1872)
[Nysius inconspicuus](#) Distant, 1904
[Nysius insoletus](#) Barber, 1947
[Nysius irroratus](#) (Spinola, 1852)
[Nysius kinbergi](#) Usinger, 1959
[Nysius lacustrinus](#) Distant, 1909
[Nysius lichenicola](#) Kirkaldy, 1910
[Nysius liliputanus](#) Eyles & Ashlock, 1969
[Nysius longicollis](#) Blackburn, 1889
[Nysius melanicus](#) Distant, 1909
[Nysius minor](#) Distant, 1909
[Nysius mixtus](#) Usinger, 1942
[Nysius monticola](#) Distant, 1893
[Nysius neckerensis](#) Usinger, 1942
[Nysius nemorivagus](#) White, 1881
[Nysius niger](#) Baker, 1906 (northern false chinch bug)

[Nysius nigricornis](#) Kerzhner, 1979
[Nysius nihoae](#) Usinger, 1942
[Nysius nubilus](#) Dallas, 1852
[Nysius oceanicus](#) Usinger, 1937
[Nysius orarius](#) Malipatil, 2005
[Nysius pallipennis](#) Walker, 1872
[Nysius palor](#) Ashlock, 1963
[Nysius paludicola](#) Barber, 1949
[Nysius picipes](#) Usinger, 1937
[Nysius pilosulus](#) Horvath, 1904
[Nysius plebeius](#) Distant, 1883
[Nysius procerus](#) Distant, 1893
[Nysius puberulus](#) Berg, 1895
[Nysius pulchellus](#) Stal, 1859
[Nysius punctipes](#) Stal, 1856
[Nysius raphanus](#) Howard, 1872 (false chinch bug)
[Nysius rhyparus](#) Stal, 1859
[Nysius rubescens](#) White, 1881
[Nysius salti](#) Usinger, 1952
[Nysius sanctaehelenae](#) White, 1877
[Nysius scutellatus](#) Dallas, 1852
[Nysius senecionis](#) (Schilling, 1829)
[Nysius simulans](#) Stal, 1859
[Nysius spectabilis](#) Distant, 1901
[Nysius steeleae](#) China, 1934
[Nysius subcinctus](#) Walker, 1872
[Nysius sublittoralis](#) Perkins, 1912
[Nysius suffusus](#) Usinger, 1942
[Nysius tasmaniensis](#) Malipatil, 2005
[Nysius tenellus](#) Barber, 1947
[Nysius terrestris](#) Usinger, 1942
[Nysius thymi](#) (Wolff, 1804)
[Nysius transcaspicus](#) Wagner, 1958
[Nysius usitatus](#) Ashlock, 1972
[Nysius vinitor](#) Bergroth, 1891 (Rutherglen bug)
[Nysius vulcanorum](#) Lindberg, 1958
[Nysius wekiuicola](#) Ashlock & Gagne, 1983
† [Nysius stratus](#) Scudder, 1890
† [Nysius terrae](#) Scudder, 1890
† [Nysius tritus](#) Scudder, 1890
† [Nysius vecula](#) Scudder, 1890
† [Nysius vinctus](#) Scudder, 1890

This is a list of 163 species in [Notiphila](#), a genus of shore flies in the family [Ephydriidae](#).[\[1\]](#)

***Notiphila* species**

- [*N. abdita*](#) Cogan, 1968[2]
- [*N. adusta*](#) Mathis, 1979[3]
- [*N. aenea*](#) Waltl, 1837[4]
- [*N. affinis*](#) Waltl, 1837[4]
- [*N. albiventris*](#) (Wiedemann, 1824)[5]
- [*N. alboclavata*](#) Bigot, 1888[6]
- [*N. ambata*](#) Cogan, 1968[2]
- [*N. ancudensis*](#) Cresson, 1931[7]
- [*N. andrana*](#) Cogan, 1968[2]
- [*N. annulata*](#) Fallén, 1813[8]
- [*N. annulipes*](#) Stenhammar, 1844[9]
- [*N. aquatica*](#) Becker, 1896[10]
- [*N. asiatica*](#) Krivosheina, 1998[11]
- [*N. atrata*](#) Mathis, 1979[3]
- [*N. aripes*](#) Cresson, 1917[12]
- [*N. australis*](#) Loew, 1860[13]
- [*N. avia*](#) Loew, 1878[14]
- [*N. bella*](#) Loew, 1862[15]
- [*N. bicolor*](#) Waltl, 1837[4]
- [*N. bicornuta*](#) Bock, 1988[16]
- [*N. bipunctata*](#) Loew, 1862[17]
- [*N. biseriata*](#) Cresson, 1917[12]
- [*N. bispinosa*](#) Cresson, 1917[12]
- [*N. bivittata*](#) Cogan, 1968[2]
- [*N. brasiliensis*](#) Walker, 1856[18]
- [*N. brunnipes*](#) (Robineau-Desvoidy, 1830)[19]
- [*N. cana*](#) Cresson, 1947[20]
- [*N. canescens*](#) Miyagi, 1966[21]
- [*N. carbonaria*](#) Walker, 1865[22]
- [*N. carinata*](#) Loew, 1862[15]
- [*N. caudata*](#) Fallén, 1813[8]
- [*N. cinerea*](#) Fallén, 1813[8]
- [*N. cogani*](#) Canzoneri & Meneghini, 1979[3]
- [*N. cressoni*](#) Mathis, 1979[3]
- [*N. decorata*](#) Williston, 1896[23]
- [*N. decoris*](#) Williston, 1893
- [*N. deonieri*](#) Mathis, 1979[3]
- [*N. deserta*](#) Mathis, 1979[3]
- [*N. dimidiaticornis*](#) Giordani Soika, 1956[24]
- [*N. dorsata*](#) Stenhammar, 1844[9]
- [*N. dorsopunctata*](#) Wiedemann, 1824[5]

- [*N. eleomyia*](#) Mathis, 1979[3]
- [*N. elophila*](#) Mathis, 1979[3]
- [*N. erythrocer*](#) Loew, 1878[14]
- [*N. exotica*](#) Wiedemann, 1830[25]
- [*N. ezoensis*](#) Miyagi, 1966[21]
- [*N. fasciata*](#) (Wiedemann, 1824)[5]
- [*N. flava*](#) Dahl, 1973[26]
- [*N. flavoantennata*](#) Krivosheina, 1998[11]
- [*N. floridensis*](#) Cresson, 1917[12]
- [*N. footei*](#) Mathis, 1979[3]
- [*N. freyi*](#) Krivosheina, 2001[27]
- [*N. frigidicola*](#) Cogan, 1968[2]
- [*N. frontalis*](#) Coquillett, 1904[28]
- [*N. fulvimana*](#) Cresson, 1917[12]
- [*N. furcata*](#) (Coquillett, 1902)[29]
- [*N. fuscimana*](#) Malloch, 1925[30]
- [*N. fuscofacies*](#) Cogan, 1968[2]
- [*N. graecula*](#) Becker, 1926
- [*N. hamifera*](#) Wheeler, 1961[31]
- [*N. ignobilis*](#) Loew, 1862[17]
- [*N. imperomana*](#) Mathis, 1995[1]
- [*N. impunctata*](#) Meijere, 1908[32]
- [*N. indica*](#) Krivosheina, 2001[27]
- [*N. indistincta*](#) Krivosheina, 2001[27]
- [*N. insularis*](#) Grimshaw, 1901[33]
- [*N. iranica*](#) Canzoneri & Meneghini, 1979[3]
- [*N. irrorata*](#) Cogan, 1968[2]
- [*N. juncea*](#) Dahl, 1973[26]
- [*N. kentensis*](#) Hurn, 1987
- [*N. kenyaensis*](#) Cresson, 1947[20]
- [*N. latelimbata*](#) Curran, 1930
- [*N. latigena*](#) Mathis, 1979[3]
- [*N. latigenis*](#) Hendel, 1914[34]
- [*N. lenae*](#) Krivosheina, 1998[11]
- [*N. lineata*](#) Giordani Soika, 1956[35]
- [*N. littorea*](#) Waltl, 1837[4]
- [*N. loewi*](#) Cresson, 1917[12]
- [*N. lunicornis*](#) Giordani Soika, 1956[35]
- [*N. lyalli*](#) Cogan, 1968[2]
- [*N. lyra*](#) Krivosheina, 1998[11]
- [*N. macrochaeta*](#) Loew, 1878[14]
- [*N. maculata*](#) Stenhammar, 1844[9]

- [*N. major*](#) Stenhammar, 1844[9]
- [*N. maritima*](#) Krivosheina, 1998[11]
- [*N. mathisi*](#) Huryn, 1984
- [*N. meridionalis*](#) (Rondani, 1856)[36]
- [*N. microscopa*](#) Cogan, 1968[2]
- [*N. mima*](#) Canzoneri & Meneghini, 1979[3]
- [*N. minima*](#) Cresson, 1917[12]
- [*N. montalentii*](#) Canzoneri & Rampini, 1994[37]
- [*N. montana*](#) Cogan, 1968[2]
- [*N. nanosoma*](#) Mathis, 1979[3]
- [*N. nigra*](#) (Robineau-Desvoidy, 1830)[19]
- [*N. nigricornis*](#) Stenhammar, 1844[9]
- [*N. nigrina*](#) Krivosheina, 2001[27]
- [*N. nigripes*](#) Waltl, 1837[4]
- [*N. nosata*](#) Krivosheina, 2001[27]
- [*N. nubila*](#) Dahl, 1973[26]
- [*N. nudipes*](#) Cresson, 1917[12]
- [*N. obscuricornis*](#) Loew, 1862[17]
- [*N. oksanae*](#) Krivosheina & Ozerov, 2015
- [*N. olivacea*](#) Cresson, 1917[12]
- [*N. omercooperi*](#) Cogan, 1968[2]
- [*N. oriens*](#) Mathis, 1979[3]
- [*N. pallicornis*](#) Mathis, 1979[3]
- [*N. pallidipalpis*](#) Cresson, 1940[38]
- [*N. paludia*](#) Mathis, 1979[3]
- [*N. paouroura*](#) Mathis, 1979[3]
- [*N. phaea*](#) Hendel, 1914[34]
- [*N. phaeopsis*](#) Mathis, 1979[3]
- [*N. philippinensis*](#) Cresson, 1948
- [*N. picta*](#) Fallén, 1813[8]
- [*N. pokuma*](#) Cresson, 1947[20]
- [*N. poliosoma*](#) Mathis, 1979[3]
- [*N. pollinosa*](#) Krivosheina, 1998[11]
- [*N. posticata*](#) Meigen, 1830[39]
- [*N. pseudobscuricornis*](#) Giordani Soika, 1956[35]
- [*N. pseudodimiatricornis*](#) Giordani Soika, 1956[35]
- [*N. puberula*](#) Krivosheina, 2001[27]
- [*N. pulchra*](#) Mathis, 1979[3]
- [*N. pulchrifrons*](#) Loew, 1872[40]
- [*N. puncta*](#) Meijere, 1911
- [*N. quadrimaculata*](#) Dahl, 1973[26]
- [*N. quadrisetosa*](#) Thomson, 1869[41]

- [*N. riparia* Meigen, 1830\[39\]](#)
- [*N. robusta* Mathis, 1979\[3\]](#)
- [*N. rufitarsis* Macquart, 1851](#)
- [*N. scalaris* Loew, 1862\[15\]](#)
- [*N. scoliochaeta* Mathis, 1979\[3\]](#)
- [*N. scutellata* Krivosheina, 2001\[27\]](#)
- [*N. sekiyai* Koizumi, 1949](#)
- [*N. semimaculata* Becker, 1926](#)
- [*N. setigera* Becker, 1903](#)
- [*N. setosa* Krivosheina, 2001\[27\]](#)
- [*N. shewelli* Mathis, 1979\[3\]](#)
- [*N. sicca* Cresson, 1940\[38\]](#)
- [*N. simalurensis* Meijere, 1916](#)
- [*N. similis* Meijere, 1908\[32\]](#)
- [*N. solita* Walker, 1853](#)
- [*N. spinosa* Cresson, 1948](#)
- [*N. splendens* Macquart, 1851](#)
- [*N. stagnicola* \(Robineau-Desvoidy, 1830\)\[19\]](#)
- [*N. sternalis* Thomson, 1869\[41\]](#)
- [*N. striata* Williston, 1897\[42\]](#)
- [*N. stuckenbergi* Cogan, 1968\[2\]](#)
- [*N. subnigra* Krivosheina, 1998\[11\]](#)
- [*N. supposita* Collin, 1911](#)
- [*N. swarabica* Cogan, 1968\[2\]](#)
- [*N. taenia* Mathis, 1979\[3\]](#)
- [*N. teres* Cresson, 1931\[7\]](#)
- [*N. theonae* Hury, 1984](#)
- [*N. transversa* Walker, 1853](#)
- [*N. triangulifera* Schiner, 1868](#)
- [*N. tschungseni* Canzoneri, 1993](#)
- [*N. uliginosa* Haliday, 1839](#)
- [*N. umbrosa* Drake, 2001](#)
- [*N. unicolor* Loew, 1862\[15\]](#)
- [*N. unilineata* Walker, 1865\[22\]](#)
- [*N. venusta* Loew, 1856](#)
- [*N. virgata* Coquillett, 1900](#)

This is a list of species in the bee genus *Nomia*.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)[\[5\]](#)

Nomia species

- [Nomia albofasciata](#) Smith, 1875
- [Nomia alluaudi](#) (Pauly, 2000)
- [Nomia amabilis](#) Cockerell, 1908
- [Nomia amboinensis](#) Cockerell, 1907
- [Nomia ampliata](#) Vachal, 1903
- [Nomia angustitibialis](#) Ribble, 1965
- [Nomia antecedens](#) Cockerell, 1931
- [Nomia anthracoptera](#) Cockerell, 1918
- [Nomia apicalis](#) Friese, 1941
- [Nomia ardjuna](#) Cockerell, 1911
- [Nomia atripes](#) Friese, 1909
- [Nomia aurantifer](#) Cockerell, 1910
- [Nomia aurata](#) Bingham, 1897
- [Nomia austrovagans](#) Cockerell, 1905
- [Nomia bicoloripes](#) Walker, 1871
- [Nomia bongo](#) (Pauly, 2000)
- [Nomia borneana](#) Cameron, 1902
- [Nomia bouyssoui](#) Vachal, 1903
- [Nomia brevipes](#) Friese, 1914
- [Nomia brothersi](#) (Pauly, 2000)
- [Nomia buddha](#) Westwood, 1875
- [Nomia callichlora](#) Cockerell, 1911
- [Nomia camerunensis](#) (Pauly, 1990)
- [Nomia candida](#) Smith, 1875
- [Nomia capitata](#) Smith, 1875
- [Nomia carinata](#) Smith, 1875
- [Nomia chalybeata](#) Smith, 1875
- [Nomia chandleri](#) (Ashmead, 1899)
- [Nomia clavicauda](#) Cockerell, 1947
- [Nomia clypeonitida](#) (Pauly, 2000)
- [Nomia crassipes](#) (Fabricius, 1789)
- [Nomia crassiuscula](#) Friese, 1913
- [Nomia crocisaeformis](#) Bingham, 1903
- [Nomia cuneata](#) Saussure, 1890
- [Nomia curvipes](#) (Fabricius, 1793)
- [Nomia darwinorum](#) Cockerell, 1910
- [Nomia dayi](#) (Pauly, 1997)
- [Nomia dimidiata](#) Vachal, 1897
- [Nomia eburneifrons](#) Walker, 1871
- [Nomia elegans](#) Smith, 1857
- [Nomia elegantula](#) Friese, 1913

- [Nomia elephas](#) Strand, 1911
- [Nomia ellioti](#) Smith, 1875
- [Nomia epileuca](#) Cockerell, 1939
- [Nomia ethiopica](#) (Pauly, 2000)
- [Nomia expulsa](#) Cockerell, 1918
- [Nomia fedorensis](#) Cockerell, 1910
- [Nomia felina](#) Cockerell, 1947
- [Nomia ferruginipennis](#) Cockerell, 1947
- [Nomia ferruginipes](#) Cockerell, 1947
- [Nomia flavipennis](#) Friese, 1909
- [Nomia forbesii](#) (W. F. Kirby, 1900)
- [Nomia formosa](#) Smith, 1858
- [Nomia foxii](#) Dalla Torre, 1896
- [Nomia froggatti](#) Cockerell, 1911
- [Nomia fulvata](#) (Fabricius, 1804)
- [Nomia fuscipennis](#) Smith, 1875
- [Nomia garambensis](#) (Pauly, 2000)
- [Nomia gorytoides](#) Strand, 1911
- [Nomia granulata](#) Vachal, 1903
- [Nomia quangxiensis](#) Wu, 1983
- [Nomia howardi](#) Crawford, 1911
- [Nomia incerta](#) Gribodo, 1894
- [Nomia iridescens](#) Smith, 1853
- [Nomia ivoirensis](#) (Pauly, 1990)
- [Nomia kinduna](#) Strand, 1920
- [Nomia laevidorsata](#) Benoist, 1962
- [Nomia lusoria](#) Cockerell, 1919
- [Nomia lutea](#) Warncke, 1976
- [Nomia lyonsiae](#) Cockerell, 1912
- [Nomia maculata](#) Friese, 1904
- [Nomia maneei](#) Cockerell, 1910
- [Nomia marana](#) Cockerell, 1941
- [Nomia marginata](#) (Pauly, 1990)
- [Nomia maturans](#) Cockerell, 1912
- [Nomia mcgregori](#) Cockerell, 1920
- [Nomia medionitens](#) Cockerell, 1947
- [Nomia medogensis](#) Wu, 1988
- [Nomia megasoma](#) Cockerell, 1912
- [Nomia melanderi](#) Cockerell, 1906 (alkali bee)
- [Nomia microlutea](#) (Pauly, 2000)
- [Nomia mimosae](#) Cockerell, 1925
- [Nomia mirabilis](#) Friese, 1910

- [*Nomia mlanjensis*](#) (Pauly, 2000)
- [*Nomia montana*](#) Friese, 1941
- [*Nomia montivaga*](#) Friese, 1941
- [*Nomia nasicana*](#) Cockerell, 1911
- [*Nomia nigrociliata*](#) Cockerell, 1932
- [*Nomia nilssoni*](#) (Pauly, 1991)
- [*Nomia nitens*](#) Cockerell, 1931
- [*Nomia nortoni*](#) Cresson, 1868
- [*Nomia omanica*](#) (Pauly, 2000)
- [*Nomia opulenta*](#) Smith, 1864
- [*Nomia oryzae*](#) Cockerell, 1929
- [*Nomia papuana*](#) Cockerell, 1929
- [*Nomia parvula*](#) Friese, 1909
- [*Nomia pavonura*](#) Cockerell, 1912
- [*Nomia penangensis*](#) Cockerell, 1920
- [*Nomia perconcinna*](#) Cockerell, 1920
- [*Nomia philippina*](#) Vachal, 1897
- [*Nomia planiventris*](#) Friese, 1910
- [*Nomia postscutellaris*](#) Strand, 1914
- [*Nomia pretoriensis*](#) Cockerell, 1947
- [*Nomia proxima*](#) Friese, 1910
- [*Nomia pulawskii*](#) (Pauly, 1997)
- [*Nomia pulchribalteata*](#) Cameron, 1901
- [*Nomia punctulata*](#) Dalla Torre, 1896
- [*Nomia puttalama*](#) Strand, 1913
- [*Nomia quadridentata*](#) Smith, 1875
- [*Nomia quadrifasciata*](#) Ashmead, 1904
- [*Nomia quadrituberculata*](#) (Cameron, 1905)
- [*Nomia ranavalona*](#) (Pauly, 1991)
- [*Nomia recessa*](#) Cockerell, 1919
- [*Nomia ridleyi*](#) Cockerell, 1910
- [*Nomia robinsoni*](#) Cresson, 1865
- [*Nomia robusta*](#) Cameron, 1902
- [*Nomia rozeni*](#) (Pauly, 2000)
- [*Nomia rubroviridis*](#) Cockerell, 1905
- [*Nomia rufa*](#) Friese, 1918
- [*Nomia rufitarsis*](#) Smith, 1875
- [*Nomia rufocaudata*](#) Wu, 1988
- [*Nomia rufoclypeata*](#) Wu, 1983
- [*Nomia rufosuffusa*](#) Cockerell, 1935
- [*Nomia scitula*](#) Bingham, 1903
- [*Nomia scutellaris*](#) Saussure, 1890

- [Nomia selangorensis](#) Cockerell, 1920
- [Nomia senticosa](#) Vachal, 1897
- [Nomia seyrigi](#) Benoist, 1964
- [Nomia simplicipes](#) Friese, 1897
- [Nomia somalica](#) Friese, 1908
- [Nomia spinosipes](#) Cockerell, 1947
- [Nomia stageri](#) (Pauly, 2000)
- [Nomia starkei](#) (Pauly, 2000)
- [Nomia strigata](#) (Fabricius, 1793)
- [Nomia subpurpurea](#) Cockerell, 1920
- [Nomia swainsoniae](#) Cockerell, 1921
- [Nomia terminata](#) Smith, 1876
- [Nomia tetrazonata](#) Cockerell, 1910
- [Nomia theryi](#) Gribodo, 1894
- [Nomia thoracica](#) Smith, 1875
- [Nomia tibiaplumosa](#) (Pauly, 2000)
- [Nomia trichonota](#) Cockerell, 1939
- [Nomia universitatis](#) Cockerell, 1908
- [Nomia vassei](#) (Pauly, 2000)
- [Nomia vespoides](#) Walker, 1871
- [Nomia viridicincta](#) Meade-Waldo, 1916
- [Nomia viridicinctula](#) Cockerell, 1931
- [Nomia viridilimbata](#) Saussure, 1890
- [Nomia westwoodi](#) Gribodo, 1894
- [Nomia whiteana](#) (Cameron, 1905)
- [Nomia yunnanensis](#) Wu, 1983
- [Nomia zonaria](#) Walker, 1871

References

1.
 - ["Nomia"](#). *discoverlife.org. Discover Life*. Retrieved 2018-11-20.
 - ["Nomia Genus Information"](#). *BugGuide.net*. Retrieved 2018-02-27.
 - ["Nomia Report"](#). *Integrated Taxonomic Information System*. Retrieved 2018-02-27.
 - ["Nomia Overview"](#). *Encyclopedia of Life*. Retrieved 2018-02-27.
 -
5. ["Browse Nomia"](#). *Catalogue of Life*. Retrieved 2018-02-27.

[Categories:](#)

- [Nomia \(bee\)](#)
- [Lists of insect species](#)
- [Lists of bees](#)
-

Below is a list of species in the large [bee](#) genus [Nomada](#).

- [Nomada abnormis](#) Duce, 1912
- [Nomada abtana](#) Tsuneki, 1973
- [Nomada abyssinica](#) Meade-Waldo, 1913
- [Nomada accentifera](#) Pérez, 1895
- [Nomada accepta](#) Cresson, 1878
- [Nomada acutilabris](#) Schwarz, 1990
- [Nomada adducta](#) Cresson, 1878
- [Nomada adusta](#) Smith, 1875
- [Nomada advena](#) Smith, 1860
- [Nomada aethiopica](#) Eardley & Schwarz, 1991
- [Nomada affabilis](#) Cresson, 1878
- [Nomada africana](#) Friese, 1911
- [Nomada agrestis](#) Fabricius, 1787
- [Nomada albidemaculata](#) Lozinski, 1922
- [Nomada alboguttata](#) Herrich-Schäffer, 1839
- [Nomada alboscuteolata](#) Schwarz, 1990
- [Nomada aldrichi](#) Cockerell, 1910
- [Nomada algira](#) Mocsáry, 1883
- [Nomada alpha](#) Cockerell, 1905
- [Nomada alpigena](#) Schwarz, Gusenleitner & Mazzucco, 1999
- [Nomada amabilis](#) Radoszkowski, 1876
- [Nomada amamiensis](#) Hirashima, 1960
- [Nomada amoena](#) Cresson, 1863
- [Nomada amorphae](#) Swenk, 1913
- [Nomada amurensis](#) Radoszkowski, 1876
- [Nomada angelarum](#) Cockerell, 1903
- [Nomada angulata](#) Swenk, 1913
- [Nomada annulata](#) Smith, 1854
- [Nomada anpingensis](#) Strand, 1913
- [Nomada antennata](#) Meade-Waldo, 1913
- [Nomada aprilina](#) Swenk, 1913
- [Nomada aquilarum](#) Cockerell, 1903
- [Nomada arasiana](#) Tsuneki, 1973
- [Nomada arenicola](#) Swenk, 1913
- [Nomada argentata](#) Herrich-Schäffer, 1839

- [Nomada argentea](#) (Schwarz, 1966)
- [Nomada ariasi](#) Dusmet y Alonso, 1913
- [Nomada arizonica](#) Cockerell, 1911
- [Nomada armata](#) Herrich-Schäffer, 1839
- [Nomada armatella](#) Cockerell, 1903
- [Nomada arrogans](#) Schmiedeknecht, 1882
- [Nomada articulata](#) Smith, 1854
- [Nomada ashabadensis](#) Schwarz, 1987
- [Nomada ashmeadi](#) Cockerell, 1903
- [Nomada asozuana](#) Tsuneki, 1975
- [Nomada asteris](#) Swenk, 1913
- [Nomada astori](#) Cockerell, 1903
- [Nomada aswensis](#) Tsuneki, 1973
- [Nomada atrocincta](#) Friese, 1920
- [Nomada agynia](#) Cockerell, 1905
- [Nomada atrof frontata](#) Cockerell, 1903
- [Nomada atrohirta](#) Friese, 1923
- [Nomada atroscutellaris](#) Strand, 1921
- [Nomada attenuata](#) Cockerell, 1929
- [Nomada attrita](#) Cockerell, 1919
- [Nomada augustiana](#) Mitchell, 1962
- [Nomada aurantifascia](#) Eardley & Schwarz, 1991
- [Nomada australensis](#) Perkins, 1912
- [Nomada australis](#) Mitchell, 1962
- [Nomada austriaca](#) Schmiedeknecht, 1882
- [Nomada autumnalis](#) Mitchell, 1962
- [Nomada avalonica](#) Cockerell, 1938
- [Nomada azaleae](#) Mitchell, 1962
- [Nomada aztecorum](#) Cockerell, 1903
- [Nomada babai](#) Tsuneki, 1986
- [Nomada babi yi](#) Schwarz & Standfuss, 2007
- [Nomada baccata](#) Smith, 1844
- [Nomada bakeri](#) Cockerell, 1915
- [Nomada baldiniana](#) Benzi, 1892
- [Nomada banahaonis](#) Cockerell, 1915
- [Nomada banksi](#) Cockerell, 1907
- [Nomada barbilabris](#) Pérez, 1895
- [Nomada barcelonensis](#) Cockerell, 1917
- [Nomada basalis](#) Herrich-Schäffer, 1839
- [Nomada beaumonti](#) Schwarz, 1967
- [Nomada belfragei](#) Cresson, 1878
- [Nomada bella](#) Cresson, 1863

- [Nomada besseyi](#) Swenk, 1913
- [Nomada bethunei](#) Cockerell, 1903
- [Nomada beulahensis](#) Cockerell, 1903
- [Nomada bicellula](#) Schwarz, 1990
- [Nomada bicellularis](#) Ducke, 1908
- [Nomada bicrista](#) Swenk, 1913
- [Nomada bifasciata](#) Olivier, 1811
- [Nomada bifurcata](#) Cockerell, 1903
- [Nomada biguttata](#) Friese, 1909
- [Nomada biroi](#) Friese, 1909
- [Nomada bisetosa](#) Swenk, 1913
- [Nomada bisignata](#) Say, 1824
- [Nomada bispinosa](#) Mocsáry, 1883
- [Nomada blepharipes](#) Schmiedeknecht, 1882
- [Nomada bluethgeni](#) Stoeckhert, 1943
- [Nomada bohartorum](#) Moalif, 1988
- [Nomada bolivari](#) Dusmet y Alonso, 1913
- [Nomada bonaerensis](#) Holmberg, 1886
- [Nomada bouceki](#) Kocourek, 1985
- [Nomada braunsiana](#) Schmiedeknecht, 1882
- [Nomada brevis](#) Saunders, 1908
- [Nomada breviscula](#) Schwarz, 1990
- [Nomada brewsterae](#) Broemeling, 1989
- [Nomada californiae](#) Cockerell, 1903
- [Nomada calimorpha](#) Schmiedeknecht, 1882
- [Nomada calloptera](#) Cockerell, 1918
- [Nomada calloxantha](#) Cockerell, 1921
- [Nomada capillata](#) Mitchell, 1962
- [Nomada carinicauda](#) Cockerell, 1921
- [Nomada carnifex](#) Mocsáry, 1883
- [Nomada carthaginensis](#) Dusmet y Alonso, 1932
- [Nomada caspia](#) Morawitz, 1895
- [Nomada castellana](#) Dusmet y Alonso, 1913
- [Nomada ceanothi](#) Cockerell, 1907
- [Nomada centenarii](#) Dusmet y Alonso, 1932
- [Nomada ceylonica](#) Cameron, 1897
- [Nomada cherkesiana](#) Mavromoustakis, 1955
- [Nomada chrysopyga](#) Morawitz, 1871
- [Nomada citrina](#) Cresson, 1878
- [Nomada civilis](#) Cresson, 1878
- [Nomada clarescens](#) Cockerell, 1921
- [Nomada clarkii](#) Cockerell, 1903

- [Nomada cleopatra](#) Schwarz, 1989
- [Nomada collarae](#) Schwarz, 1964
- [Nomada collinsiana](#) Cockerell, 1905
- [Nomada coloradella](#) Cockerell, 1905
- [Nomada coloradensis](#) Cockerell, 1903
- [Nomada comparata](#) Cockerell, 1911
- [Nomada composita](#) Mitchell, 1962
- [Nomada concessa](#) Cockerell, 1919
- [Nomada concinnula](#) Cockerell, 1921
- [Nomada concolor](#) Schmiedeknecht, 1882
- [Nomada confinis](#) Schmiedeknecht, 1882
- [Nomada confusa](#) Schwarz & Gusenleitner, 2004
- [Nomada conjungens](#) Herrich-Schäffer, 1839
- [Nomada connectens](#) Pérez, 1884
- [Nomada consobrina](#) Dufour, 1841
- [Nomada conspicua](#) Smith, 1864
- [Nomada coquilletti](#) Cockerell, 1903
- [Nomada corcyraea](#) Schmiedeknecht, 1882
- [Nomada cordilabris](#) Schwarz, 1990
- [Nomada cordillera](#) Eardley & Schwarz, 1991
- [Nomada cordleyi](#) Cockerell, 1903
- [Nomada coronata](#) Pérez, 1896
- [Nomada corvallisensis](#) Cockerell, 1903
- [Nomada costalis](#) Brèthes, 1909
- [Nomada costaricensis](#) Schrottky, 1920
- [Nomada coxalis](#) Morawitz, 1877
- [Nomada crawfordi](#) Cockerell, 1905
- [Nomada cressonii](#) Robertson, 1893
- [Nomada cristata](#) Pérez, 1896
- [Nomada crotchii](#) Cresson, 1878
- [Nomada crucis](#) Cockerell, 1903
- [Nomada crudelis](#) Cresson, 1878
- [Nomada cruenta](#) Schmiedeknecht, 1882
- [Nomada cubensis](#) Cresson, 1865
- [Nomada cuneata](#) (Robertson, 1903)
- [Nomada curvispinosa](#) Schwarz, 1981
- [Nomada custeriana](#) Cockerell, 1911
- [Nomada cymbalariae](#) Cockerell, 1906
- [Nomada cypriaca](#) Schwarz, 1999
- [Nomada cypricola](#) Mavromoustakis, 1955
- [Nomada dahl](#) Friese, 1912
- [Nomada davidsoni](#) Cockerell, 1903

- [Nomada debilis](#) Timberlake, 1954
- [Nomada decempunctata](#) Cockerell, 1903
- [Nomada decepta](#) Mitchell, 1962
- [Nomada dentariae](#) (Robertson, 1903)
- [Nomada denticulata](#) Robertson, 1902
- [Nomada depressa](#) Cresson, 1863
- [Nomada detrita](#) Mitchell, 1962
- [Nomada diacantha](#) Schwarz, 1981
- [Nomada dilucida](#) Cresson, 1878
- [Nomada dira](#) Schmiedeknecht, 1882
- [Nomada discedens](#) Pérez, 1884
- [Nomada discicollis](#) Morawitz, 1875
- [Nomada discrepans](#) Schmiedeknecht, 1882
- [Nomada dissessa](#) Cockerell, 1920
- [Nomada distinguenda](#) Morawitz, 1874
- [Nomada dives](#) Erichson, 1849
- [Nomada dolosa](#) Mocsáry, 1883
- [Nomada dreisbachi](#) Mitchell, 1962
- [Nomada dreisbachorum](#) Moalif, 1988
- [Nomada dubia](#) Eversmann, 1852
- [Nomada duplex](#) Smith, 1854
- [Nomada durangoae](#) Broemeling, 1989
- [Nomada dybovskij](#) Radoszkowski, 1876
- [Nomada ecarinata](#) Morawitz, 1888
- [Nomada ednae](#) Cockerell, 1907
- [Nomada edwardsii](#) Cresson, 1878
- [Nomada electa](#) Cresson, 1863
- [Nomada electella](#) Cockerell, 1903
- [Nomada elegantula](#) Cockerell, 1903
- [Nomada elrodi](#) Cockerell, 1903
- [Nomada emarginata](#) Morawitz, 1877
- [Nomada eos](#) Schmiedeknecht, 1882
- [Nomada erigeronis](#) Robertson, 1897
- [Nomada errans](#) Lepeletier, 1841
- [Nomada erythra](#) Mitai, Hirashima & Tadauchi, 2007
- [Nomada erythraea](#) Dalla Torre, 1896
- [Nomada erythrocephala](#) Morawitz, 1870
- [Nomada erythrochroa](#) Cockerell, 1903
- [Nomada erythrospila](#) Cockerell, 1916
- [Nomada esana](#) Tsuneki, 1973
- [Nomada exheredans](#) Cockerell, 1919
- [Nomada eximia](#) Eardley & Schwarz, 1991

- [Nomada fabriciana](#) (Linné, 1767)
- [Nomada facilis](#) Schwarz, 1967
- [Nomada fallax](#) Pérez, 1913
- [Nomada fedtschenkoi](#) Morawitz, 1875
- [Nomada felici](#) Schwarz, 1977
- [Nomada femoralis](#) Morawitz, 1869
- [Nomada fenestrata](#) Lepeletier, 1841
- [Nomada ferghanica](#) Morawitz, 1875
- [Nomada ferruginata](#) (Linné, 1767)
- [Nomada fervens](#) Smith, 1873
- [Nomada fervida](#) Smith, 1854
- [Nomada festiva](#) Cresson, 1863
- [Nomada flammigera](#) Cockerell, 1906
- [Nomada flava](#) Panzer, 1798
- [Nomada flavescens](#) Friese, 1917
- [Nomada flaviceps](#) Cresson, 1865
- [Nomada flavigenis](#) Schwarz & Standfuss, 2007
- [Nomada flavilabris](#) Morawitz, 1875
- [Nomada flavinervis](#) Brullé, 1832
- [Nomada flavoguttata](#) (Kirby, 1802)
- [Nomada flavopicta](#) (Kirby, 1802)
- [Nomada flavozonata](#) Nurse, 1902
- [Nomada florilega](#) Lovell & Cockerell, 1905
- [Nomada fontis](#) Cockerell, 1910
- [Nomada formula](#) Viereck, 1902
- [Nomada fragariae](#) Mitchell, 1962
- [Nomada fragilis](#) Cresson, 1878
- [Nomada frankei](#) Cockerell, 1929
- [Nomada frieseana](#) Cockerell, 1904
- [Nomada fucata](#) Panzer, 1798
- [Nomada fukuiana](#) Tsuneki, 1973
- [Nomada fulvicornis](#) Fabricius, 1793
- [Nomada furva](#) Panzer, 1798
- [Nomada furvoides](#) Stoeckhert, 1944
- [Nomada fusca](#) Schwarz, 1986
- [Nomada fuscicincta](#) Swenk, 1915
- [Nomada fuscicornis](#) Nylander, 1848
- [Nomada fuscipennis](#) Lepeletier, 1841
- [Nomada galloisi](#) Yasumatsu & Hirashima, 1953
- [Nomada garciana](#) Cockerell, 1907
- [Nomada gibbosa](#) Viereck, 1905
- [Nomada gigas](#) Friese, 1905

- [Nomada gillettei](#) Cockerell, 1905
- [Nomada ginran](#) Tsuneki, 1973
- [Nomada glaberrima](#) Schmiedeknecht, 1882
- [Nomada glabriventris](#) Schwarz, 1990
- [Nomada glaucopis](#) Pérez, 1890
- [Nomada goodeniana](#) (Kirby, 1802)
- [Nomada gracilicornis](#) Morawitz, 1895
- [Nomada gracilis](#) Cresson, 1863
- [Nomada graenicheri](#) Cockerell, 1905
- [Nomada grandior](#) Friese, 1921
- [Nomada grandis](#) Cresson, 1875
- [Nomada gransassoi](#) Schwarz, 1986
- [Nomada grayi](#) Cockerell, 1903
- [Nomada gribodoi](#) Schmiedeknecht, 1882
- [Nomada gruenwaldti](#) Schwarz, 1979
- [Nomada guichardi](#) Schwarz, 1981
- [Nomada guichardiana](#) Eardley & Schwarz, 1991
- [Nomada gusenleitneri](#) Schwarz, 1981
- [Nomada gutierreziae](#) Cockerell, 1896
- [Nomada guttulata](#) Schenck, 1861
- [Nomada gyangensis](#) Cockerell, 1911
- [Nomada hackoda](#) Tsuneki, 1973
- [Nomada hakonensis](#) Cockerell, 1911
- [Nomada hakuana](#) Tsuneki, 1973
- [Nomada hammarstroemi](#) Morawitz, 1888
- [Nomada hararensis](#) Meade-Waldo, 1913
- [Nomada harimensis](#) Cockerell, 1914
- [Nomada heiligbrodtii](#) Cresson, 1878
- [Nomada hemphilli](#) Cockerell, 1903
- [Nomada henningeri](#) Evans, 1972
- [Nomada hera](#) Schwarz, 1965
- [Nomada hesperia](#) Cockerell, 1903
- [Nomada heterosticta](#) Cockerell, 1921
- [Nomada hirticeps](#) Pérez, 1895
- [Nomada hirtipes](#) Pérez, 1884
- [Nomada hirtiventris](#) Schwarz, 1990
- [Nomada hispanica](#) Dusmet y Alonso, 1913
- [Nomada hondurasica](#) Cockerell, 1949
- [Nomada hoodiana](#) Cockerell, 1903
- [Nomada hummeli](#) Alfken, 1936
- [Nomada hungarica](#) Dalla Torre & Friese, 1894
- [Nomada hurdi](#) Evans, 1972

- [Nomada hydrophylli](#) Swenk, 1915
- [Nomada ibanezi](#) Dusmet y Alonso, 1915
- [Nomada icazti](#) Tsuneki, 1976
- [Nomada idahoensis](#) Swenk, 1913
- [Nomada illinoensis](#) Robertson, 1900
- [Nomada illustris](#) Schmiedeknecht, 1882
- [Nomada imbricata](#) Smith, 1854
- [Nomada immaculata](#) Morawitz, 1874
- [Nomada imperialis](#) Schmiedeknecht, 1882
- [Nomada incisa](#) Schmiedeknecht, 1882
- [Nomada indusata](#) Mitchell, 1962
- [Nomada inepta](#) Mitchell, 1962
- [Nomada inermis](#) Pérez, 1895
- [Nomada infrequens](#) Smith, 1879
- [Nomada insignipes](#) Schmiedeknecht, 1882
- [Nomada insularis](#) Smith, 1864
- [Nomada integerrima](#) Dalla Torre, 1896
- [Nomada integra](#) Brullé, 1832
- [Nomada interruptella](#) Fowler, 1902
- [Nomada issikii](#) Yasumatsu, 1939
- [Nomada italica](#) Dalla Torre & Friese, 1894
- [Nomada itamera](#) Cockerell, 1910
- [Nomada jamaicensis](#) Cockerell, 1912
- [Nomada jammuensis](#) Schwarz, 1990
- [Nomada japonica](#) Smith, 1873
- [Nomada jaramense](#) Dusmet y Alonso, 1913
- [Nomada javaensis](#) Schwarz & Gusenleitner, 2004
- [Nomada javanica](#) Friese, 1909
- [Nomada jennei](#) Cockerell, 1906
- [Nomada jocularis](#) Cresson, 1879
- [Nomada kaguya](#) Hirashima, 1953
- [Nomada keroanensis](#) Pérez, 1895
- [Nomada kervilleana](#) Pérez, 1913
- [Nomada kincaidiana](#) Cockerell, 1903
- [Nomada kingstonensis](#) Mitchell, 1962
- [Nomada kinosukei](#) Tsuneki, 1973
- [Nomada klamathensis](#) Fox, 1926
- [Nomada kocourecki](#) Schwarz, 1987
- [Nomada kohli](#) Schmiedeknecht, 1882
- [Nomada koikensis](#) Tsuneki, 1973
- [Nomada komarowi](#) Radoszkowski, 1893
- [Nomada koreana](#) Cockerell, 1926

- [Nomada kornosica](#) Mavromoustakis, 1958
- [Nomada krombeini](#) Schwarz, 1966
- [Nomada krugii](#) Cresson, 1878
- [Nomada kusdasi](#) Schwarz, 1981
- [Nomada ladakhiensis](#) Schwarz, 1990
- [Nomada lagrecai](#) Noble, 1990
- [Nomada lamarensis](#) Cockerell, 1905
- [Nomada lamellata](#) Schwarz, 1977
- [Nomada laramiensis](#) Swenk, 1913
- [Nomada lateritia](#) Mocsáry, 1883
- [Nomada lathburiana](#) (Kirby, 1802)
- [Nomada laticrus](#) Mocsáry, 1883
- [Nomada latifrons](#) Cockerell, 1903
- [Nomada lehighensis](#) Cockerell, 1903
- [Nomada lepida](#) Cresson, 1863
- [Nomada leucophthalma](#) (Kirby, 1802)
- [Nomada leucotricha](#) Strand, 1914
- [Nomada leucozona](#) Rodeck, 1931
- [Nomada lewisi](#) Cockerell, 1903
- [Nomada libata](#) Cresson, 1878
- [Nomada limassolica](#) Mavromoustakis, 1955
- [Nomada limata](#) Cresson, 1878
- [Nomada linsenmaieri](#) Schwarz, 1974
- [Nomada linsleyi](#) Evans, 1972
- [Nomada lippiae](#) Cockerell, 1903
- [Nomada litigiosa](#) Gribodo, 1893
- [Nomada longicornis](#) Friese, 1920
- [Nomada louisianae](#) Cockerell, 1903
- [Nomada lucidula](#) Schwarz, 1967
- [Nomada lucilla](#) Nurse, 1902
- [Nomada lusca](#) Smith, 1854
- [Nomada lutea](#) Eversmann, 1852
- [Nomada luteola](#) Olivier, 1811
- [Nomada luteoloides](#) Robertson, 1895
- [Nomada luteopicta](#) Cockerell, 1905
- [Nomada maculata](#) Cresson, 1863
- [Nomada maculicornis](#) Pérez, 1884
- [Nomada maculifrons](#) Smith, 1869
- [Nomada maculipennis](#) (Cameron, 1902)
- [Nomada maculiventer](#) Swenk, 1915
- [Nomada makilingensis](#) Cockerell, 1915
- [Nomada malayana](#) Cameron, 1909

- [Nomada malonella](#) Cockerell, 1910
- [Nomada malonina](#) Cockerell, 1910
- [Nomada margelanica](#) Schwarz, 1987
- [Nomada marginella](#) Cockerell, 1903
- [Nomada marshamella](#) (Kirby, 1802)
- [Nomada martinella](#) Cockerell, 1903
- [Nomada mauritanica](#) Lepeletier, 1841
- [Nomada mavromoustakisi](#) Schwarz & Standfuss, 2007
- [Nomada mckenziei](#) Timberlake & Cockerell, 1937
- [Nomada media](#) Mitchell, 1962
- [Nomada mediana](#) Swenk, 1913
- [Nomada melanoptera](#) Cockerell, 1921
- [Nomada melanopyga](#) Schmiedeknecht, 1882
- [Nomada melanosoma](#) Cockerell, 1916
- [Nomada melanura](#) Mocsáry, 1883
- [Nomada melathoracica](#) Imhoff, 1834
- [Nomada melliventris](#) Cresson, 1878
- [Nomada mendica](#) Mitchell, 1962
- [Nomada merceti](#) Alfken, 1909
- [Nomada mexicana](#) Cresson, 1878
- [Nomada micheneri](#) Schwarz & Gusenleitner, 2004
- [Nomada micronycha](#) Pérez, 1902
- [Nomada mimus](#) (Cockerell, 1916)
- [Nomada mindanaonis](#) Cockerell, 1915
- [Nomada miniata](#) Smith, 1854
- [Nomada minima](#) Mitchell, 1962
- [Nomada minor](#) Gmelin, 1790
- [Nomada mitchelli](#) Cockerell, 1911
- [Nomada mocsaryi](#) Schmiedeknecht, 1882
- [Nomada moeschleri](#) Alfken, 1913
- [Nomada monozana](#) Friese, 1920
- [Nomada montezumia](#) Smith, 1879
- [Nomada montverna](#) Tsuneki, 1973
- [Nomada moravitzii](#) Radoszkowski, 1876
- [Nomada moricei](#) Friese, 1899
- [Nomada morrisoni](#) Cresson, 1878
- [Nomada multicolor](#) Ducke, 1911
- [Nomada munakatai](#) Tsuneki, 1973
- [Nomada munda](#) Cresson, 1878
- [Nomada mutabilis](#) Morawitz, 1870
- [Nomada mutans](#) Cockerell, 1910
- [Nomada mutica](#) Morawitz, 1872

- [Nomada nausicaa](#) Schmiedeknecht, 1882
- [Nomada navasi](#) Dusmet y Alonso, 1913
- [Nomada neomexicana](#) Cockerell, 1903
- [Nomada nepalensis](#) Schwarz, 1990
- [Nomada nesiotica](#) Mavromoustakis, 1958
- [Nomada nigrescens](#) Friese, 1921
- [Nomada nigrociliata](#) Swenk, 1913
- [Nomada nigrocincta](#) Smith, 1879
- [Nomada nigrofasciata](#) Swenk, 1913
- [Nomada nigroflavida](#) Gribodo, 1894
- [Nomada nigrovaria](#) Pérez, 1896
- [Nomada nipponica](#) Yasumatsu & Hirashima, 1951
- [Nomada nitida](#) Schwarz, 1977
- [Nomada nitidiceps](#) Cockerell, 1931
- [Nomada nobilis](#) Herrich-Schäffer, 1839
- [Nomada noskiewiczii](#) Schwarz, 1966
- [Nomada numida](#) Lepeletier, 1841
- [Nomada nuptura](#) Dusmet y Alonso, 1913
- [Nomada obliquella](#) Fowler, 1902
- [Nomada obliterated](#) Cresson, 1863
- [Nomada obscura](#) Zetterstedt, 1838
- [Nomada obscurella](#) Fowler, 1902
- [Nomada obscuriventris](#) Schwarz, 1990
- [Nomada obtusata](#) Swenk, 1915
- [Nomada obtusifrons](#) Nylander, 1848
- [Nomada ochlerata](#) Mitchell, 1962
- [Nomada ochrohirta](#) Swenk, 1913
- [Nomada oculata](#) Friese, 1921
- [Nomada odontocera](#) Cockerell, 1916
- [Nomada odontophora](#) Kohl, 1905
- [Nomada okamotonis](#) Matsumura, 1912
- [Nomada okubira](#) Tsuneki, 1973
- [Nomada opaca](#) Alfken, 1913
- [Nomada opacella](#) Timberlake, 1954
- [Nomada opposita](#) Cresson, 1878
- [Nomada oralis](#) Schwarz, 1981
- [Nomada orba](#) Mitchell, 1962
- [Nomada orbitalis](#) Pérez, 1913
- [Nomada orcusella](#) Cockerell, 1910
- [Nomada oregonica](#) Cockerell, 1903
- [Nomada ornithica](#) Cockerell, 1906
- [Nomada orophila](#) Cockerell, 1921

- [Nomada ortegai](#) Dusmet y Alonso, 1915
- [Nomada osborni](#) Cockerell, 1911
- [Nomada ovaliceps](#) Schwarz, 1981
- [Nomada ovata](#) (Robertson, 1903)
- [Nomada pacifica](#) Tsuneki, 1973
- [Nomada packardiella](#) Cockerell, 1906
- [Nomada palavanica](#) Cockerell, 1919
- [Nomada pallidella](#) Cockerell, 1905
- [Nomada pallidelutea](#) Swenk, 1915
- [Nomada pallidenotata](#) Schmiedeknecht, 1882
- [Nomada pallidipicta](#) Swenk, 1913
- [Nomada pallispinosa](#) Schwarz, 1967
- [Nomada palmeni](#) Morawitz, 1888
- [Nomada pampicola](#) Holmberg, 1886
- [Nomada panamensis](#) Michener, 1954
- [Nomada panurgina](#) Morawitz, 1869
- [Nomada panurginoides](#) Saunders, 1908
- [Nomada panzeri](#) Lepeletier, 1841
- [Nomada papuana](#) Cockerell, 1933
- [Nomada parallela](#) Swenk, 1913
- [Nomada parata](#) Cresson, 1878
- [Nomada parkeri](#) Evans, 1972
- [Nomada parva](#) Robertson, 1900
- [Nomada pascoensis](#) Cockerell, 1903
- [Nomada pastoralis](#) Schmiedeknecht, 1882
- [Nomada pecosensis](#) Cockerell, 1903
- [Nomada pectoralis](#) Morawitz, 1877
- [Nomada pekingensis](#) Tsuneki, 1986
- [Nomada penangensis](#) Cockerell, 1920
- [Nomada perbella](#) (Viereck, 1905)
- [Nomada perezi](#) Dusmet y Alonso, 1913
- [Nomada perivincta](#) Cockerell, 1905
- [Nomada perplexa](#) Cresson, 1863
- [Nomada perplexans](#) Cockerell, 1910
- [Nomada pervasor](#) Cockerell, 1919
- [Nomada pesenkoi](#) Schwarz, 1987
- [Nomada physura](#) Cockerell, 1903
- [Nomada piccioliana](#) Magretti, 1883
- [Nomada picticauda](#) Cockerell, 1929
- [Nomada pictiscutum](#) Alfken, 1927
- [Nomada pilipes](#) (Cresson, 1865)
- [Nomada piliventris](#) Morawitz, 1877

- [Nomada placida](#) Cresson, 1863
- [Nomada placitensis](#) Cockerell, 1903
- [Nomada platythorax](#) Schwarz, 1981
- [Nomada pleurosticta](#) Herrich-Schäffer, 1839
- [Nomada plumosa](#) Gribodo, 1894
- [Nomada podagrica](#) Gribodo, 1894
- [Nomada polemediana](#) Mavromoustakis, 1957
- [Nomada polyacantha](#) Pérez, 1895
- [Nomada polybioides](#) Ducke, 1908
- [Nomada polyodonta](#) Cockerell, 1920
- [Nomada portalensis](#) Broemeling, 1989
- [Nomada posthuma](#) Blüthgen, 1949
- [Nomada priesneri](#) Schwarz, 1965
- [Nomada priscilla](#) Nurse, 1902
- [Nomada propinqua](#) Schmiedeknecht, 1882
- [Nomada proxima](#) Cresson, 1863
- [Nomada pruinosa](#) Pérez, 1895
- [Nomada pseudops](#) Cockerell, 1905
- [Nomada psilocera](#) Kohl, 1908
- [Nomada pulawskii](#) Tsuneki, 1973
- [Nomada pulchra](#) Arnold, 1888
- [Nomada pulsatillae](#) Cockerell, 1906
- [Nomada pusilla](#) Lepeletier, 1841
- [Nomada putnami](#) Cresson, 1876
- [Nomada pygidialis](#) Schwarz, 1981
- [Nomada pygmaea](#) Cresson, 1863
- [Nomada pyrifera](#) Cockerell, 1918
- [Nomada pyrrha](#) Cockerell, 1916
- [Nomada quadrifasciata](#) Schwarz, 1981
- [Nomada quinquefasciata](#) Schwarz, 1981
- [Nomada radoszkowskii](#) Lozinski, 1922
- [Nomada rhenana](#) Morawitz, 1872
- [Nomada rhinula](#) Strand, 1914
- [Nomada rhodalis](#) Cockerell, 1903
- [Nomada rhodomelas](#) Cockerell, 1903
- [Nomada rhodosoma](#) Cockerell, 1903
- [Nomada rhodotricha](#) Cockerell, 1903
- [Nomada rhodoxantha](#) Cockerell, 1905
- [Nomada ridingsii](#) Cresson, 1878
- [Nomada rivalis](#) Cresson, 1878
- [Nomada roberjeotiana](#) Panzer, 1799
- [Nomada robertsonella](#) Cockerell, 1903

- [Nomada rodecki](#) Mitchell, 1962
- [Nomada rohweri](#) Cockerell, 1906
- [Nomada rostrata](#) Herrich-Schäffer, 1839
- [Nomada rubi](#) Swenk, 1915
- [Nomada rubicunda](#) Olivier, 1811
- [Nomada rubiginosa](#) Pérez, 1884
- [Nomada rubinii](#) (Rayment, 1930)
- [Nomada rubra](#) Smith, 1849
- [Nomada rubrella](#) Cockerell, 1905
- [Nomada rubrica](#) Provancher, 1896
- [Nomada rubricollis](#) Schwarz, 1967
- [Nomada rubricosa](#) Eversmann, 1852
- [Nomada rubricoxa](#) Schwarz, 1977
- [Nomada rubriventris](#) Schwarz, 1981
- [Nomada ruficollis](#) Morawitz, 1875
- [Nomada ruficornis](#) (Linnaeus, 1758)
- [Nomada rufipes](#) Fabricius, 1793
- [Nomada rufoabdominalis](#) Schwarz, 1963
- [Nomada rugicollis](#) Friese, 1917
- [Nomada ruidosensis](#) Cockerell, 1903
- [Nomada sabaensis](#) Tsuneki, 1973
- [Nomada sabulosa](#) Radoszkowski, 1876
- [Nomada salicicola](#) Swenk, 1913
- [Nomada salicis](#) Robertson, 1900
- [Nomada saltillo](#) Broemeling, 1988
- [Nomada sanctaecrucis](#) Cockerell, 1903
- [Nomada sandacana](#) Cockerell, 1920
- [Nomada sanguinea](#) Smith, 1854
- [Nomada sarta](#) Morawitz, 1875
- [Nomada sayi](#) Robertson, 1893
- [Nomada scheuchli](#) Schwarz & Standfuss, 2007
- [Nomada schulthessi](#) Schwarz, 1999
- [Nomada schwarzi](#) Cockerell, 1903
- [Nomada scita](#) Cresson, 1878
- [Nomada scitiformis](#) Cockerell, 1903
- [Nomada secessa](#) Cockerell, 1911
- [Nomada sedi](#) Cockerell, 1919
- [Nomada semirugosa](#) Cockerell, 1929
- [Nomada semiscita](#) Cockerell, 1904
- [Nomada semisuavis](#) Cockerell, 1910
- [Nomada sempiterna](#) Morawitz, 1894
- [Nomada seneciophila](#) Mitchell, 1962

- [Nomada serricornis](#) Pérez, 1884
- [Nomada sexfasciata](#) Panzer, 1799
- [Nomada sheppardana](#) (Kirby, 1802)
- [Nomada shirakii](#) Yasumatsu & Hirashima, 1951
- [Nomada shoyozana](#) Tsuneki, 1986
- [Nomada siccorum](#) Cockerell, 1919
- [Nomada siciliensis](#) Dalla Torre & Friese, 1894
- [Nomada sricula](#) Schwarz, 1974
- [Nomada signata](#) Jurine, 1807
- [Nomada silvicola](#) Tsuneki, 1973
- [Nomada similis](#) Morawitz, 1872
- [Nomada simplicicoxa](#) Swenk, 1915
- [Nomada siouxensis](#) Swenk, 1913
- [Nomada skinneri](#) Cockerell, 1908
- [Nomada snowii](#) Cresson, 1878
- [Nomada sobrina](#) Mitchell, 1962
- [Nomada solitaria](#) Smith, 1854
- [Nomada sophiarum](#) Cockerell, 1903
- [Nomada sphaerogaster](#) Cockerell, 1903
- [Nomada spinicoxa](#) Schwarz, 1987
- [Nomada standfussi](#) Schwarz, 2007
- [Nomada sternalis](#) Pérez, 1902
- [Nomada stigma](#) Fabricius, 1804
- [Nomada stoeckherti](#) Pittioni, 1951
- [Nomada striata](#) Fabricius, 1793
- [Nomada suavis](#) Cresson, 1878
- [Nomada subaccepta](#) Cockerell, 1907
- [Nomada subangusta](#) Cockerell, 1903
- [Nomada subgracilis](#) Cockerell, 1903
- [Nomada subnigrocincta](#) Swenk, 1915
- [Nomada subpacata](#) Swenk, 1913
- [Nomada subpetiolata](#) Smith, 1879
- [Nomada subrubi](#) Swenk, 1915
- [Nomada subrutila](#) Lovell & Cockerell, 1905
- [Nomada subscopifera](#) Dücke, 1908
- [Nomada subsimilis](#) Cockerell, 1903
- [Nomada subvicinalis](#) Cockerell, 1903
- [Nomada subvirescens](#) Morawitz, 1875
- [Nomada succincta](#) Panzer, 1798
- [Nomada suda](#) Cresson, 1879
- [Nomada suffossa](#) Cockerell, 1922
- [Nomada sulphurata](#) Smith, 1854

- [Nomada superba](#) Cresson, 1863
- [Nomada sutepensis](#) Cockerell, 1929
- [Nomada swenki](#) Schwarz, 1966
- [Nomada sybarita](#) Schmiedeknecht, 1882
- [Nomada symphyti](#) Stoeckhert, 1930
- [Nomada taicho](#) Tsuneki, 1973
- [Nomada taraxacella](#) Cockerell, 1903
- [Nomada temmasana](#) Tsuneki, 1986
- [Nomada tenella](#) Mocsáry, 1883
- [Nomada tenuicornis](#) Cockerell, 1949
- [Nomada tepoztlan](#) Moalif, 1988
- [Nomada tesaceobalteata](#) Cameron, 1910
- [Nomada texana](#) Cresson, 1872
- [Nomada thersites](#) Schmiedeknecht, 1882
- [Nomada tibialis](#) Cresson, 1865
- [Nomada tiendang](#) Tsuneki, 1986
- [Nomada timberlakei](#) Broemeling, 1989
- [Nomada tintinnabulum](#) Cockerell, 1903
- [Nomada towada](#) Tsuneki, 1973
- [Nomada townesi](#) Mitchell, 1962
- [Nomada transitoria](#) Schmiedeknecht, 1882
- [Nomada trapeziformis](#) Schmiedeknecht, 1882
- [Nomada trapidoi](#) Michener, 1954
- [Nomada tricurta](#) Swenk, 1915
- [Nomada tridentirostris](#) Dours, 1873
- [Nomada trispinosa](#) Schmiedeknecht, 1882
- [Nomada truttarum](#) Cockerell, 1909
- [Nomada tsunekiana](#) Schwarz, 1999
- [Nomada turneri](#) Meade-Waldo, 1913
- [Nomada tyrrellensis](#) Mitchell, 1962
- [Nomada uhleri](#) Cockerell, 1905
- [Nomada ulsterensis](#) Mitchell, 1962
- [Nomada ultima](#) Cockerell, 1903
- [Nomada ultimella](#) Cockerell, 1903
- [Nomada undulaticornis](#) Cockerell, 1906
- [Nomada unispinosa](#) Schwarz, 1981
- [Nomada utahensis](#) Moalif, 1988
- [Nomada utensis](#) Swenk, 1913
- [Nomada valida](#) Smith, 1854
- [Nomada vallesina](#) Cockerell, 1906
- [Nomada vegana](#) Cockerell, 1903
- [Nomada velutina](#) Swenk, 1913

- [Nomada verecunda](#) Cresson, 1879
- [Nomada verna](#) Schmiedeknecht, 1882
- [Nomada vernonensis](#) Cockerell, 1916
- [Nomada vexator](#) Cockerell, 1909
- [Nomada vicina](#) Cresson, 1863
- [Nomada vicinalis](#) Cresson, 1878
- [Nomada victrix](#) Cockerell, 1911
- [Nomada vierecki](#) Cockerell, 1903
- [Nomada villosa](#) Thomson, 1870
- [Nomada vincta](#) Say, 1837
- [Nomada vitticollis](#) Cresson, 1878
- [Nomada vulpis](#) Cockerell, 1921
- [Nomada waltoni](#) Cockerell, 1910
- [Nomada washingtoni](#) Cockerell, 1903
- [Nomada wheeleri](#) Cockerell, 1903
- [Nomada whiteheadi](#) Eardley & Schwarz, 1991
- [Nomada wickwari](#) Meade-Waldo, 1913
- [Nomada wisconsinensis](#) Graenicher, 1911
- [Nomada wootonella](#) Cockerell, 1909
- [Nomada wyomingensis](#) Swenk, 1913
- [Nomada xantha](#) Mitai, Hirashima & Tadauchi, 2007
- [Nomada xantholepis](#) Cockerell, 1911
- [Nomada xanthophila](#) Cockerell, 1900
- [Nomada xanthopoda](#) Schwarz, 1990
- [Nomada xanthopus](#) Friese, 1921
- [Nomada xanthura](#) Cockerell, 1908
- [Nomada yagensis](#) Tsuneki, 1973
- [Nomada yakushimensis](#) Mitai, Ikudome & Tadauchi, 2007
- [Nomada yanoi](#) Tsuneki, 1973
- [Nomada yarrowi](#) Schwarz, 1981
- [Nomada yasha](#) Tsuneki, 1986
- [Nomada zamoranica](#) Cockerell, 1949
- [Nomada zebrata](#) Cresson, 1878
- [Nomada ziziae](#) Swenk, 1915
- [Nomada zonalis](#) Schwarz, 1990
- [Nomada zonata](#) Panzer, 1798

There are over 330 species in the genus [Netelia](#).^[1]

Species (335)

Subgenus *Amebachia*

- [*Netelia baibarana*](#) Uchida, 1928[1]
- [*Netelia fulvistigma*](#) Konishi, 2010[1]
- [*Netelia laevis*](#) (Cameron, 1905) ^{c g}
- [*Netelia rasilella*](#) Konishi, 2010[1]
- [*Netelia vicinalis*](#) Konishi, 2010[1]
- [*Netelia yoshimatsui*](#) Konishi, 2010[1]

Subgenus *Apatagium*

- [*Netelia coreana*](#) (Uchida, 1928)
- [*Netelia dayaoshanensis*](#) He & Chen, 1996 ^{c g}
- [*Netelia harmani*](#) Gauld, 1983 ^{c g}
- [*Netelia inaequalis*](#) (Uchida, 1934) ^{c g}
- [*Netelia labi*](#) Gauld, 1983 ^{c g}
- [*Netelia longicauda*](#) Konishi, 1986 ^{c g}
- [*Netelia macrostigma*](#) (Enderlein, 1912) ^{c g}
- [*Netelia obesis*](#) Gauld, 1983 ^{c g}
- [*Netelia okinawana*](#) Konishi, 1996 ^{c g}
- [*Netelia pagoni*](#) Gauld, 1983 ^{c g}
- [*Netelia retaki*](#) Gauld, 1983 ^{c g}
- [*Netelia smithii*](#) (Dalla Torre, 1901) ^{c b}
- [*Netelia tristrigata*](#) (Enderlein, 1912) ^{c g}
- [*Netelia vulgaris*](#) Konishi, 1986 ^{c g}
- [*Netelia zhejiangensis*](#) He & Chen, 1996 ^{c g}

Subgenus *Bessobates*

- [*Netelia comitor*](#) Tolkanitz, 1974 ^{c g}
- [*Netelia coreensis*](#) Cha & Lee, 1988 ^{c g}
- [*Netelia cristata*](#) (Thomson, 1888) ^{c g}
- [*Netelia deceptor*](#) (Morley, 1913) ^{c g b}
- [*Netelia frankii*](#) (Brauns, 1889) ^{c g}
- [*Netelia frenata*](#) Tolkanitz, 1981 ^{c g}
- [*Netelia gansuana*](#) (Kokujev, 1906) ^c
- [*Netelia kiuhabona*](#) (Uchida, 1928) ^{c g}
- [*Netelia latungula*](#) (Thomson, 1888) ^{c g b}

- [*Netelia longipad*](#) Konishi, 2014 ^g
- [*Netelia longipalpus*](#) Townes 1939[2]
- [*Netelia maculifemorata*](#) (Uchida, 1928) ^{c g}
- [*Netelia nanaki*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia nigradorsalis*](#) Konishi, 2014 ^g
- [*Netelia nodai*](#) Konishi, 2014 ^g
- [*Netelia pallescens*](#) (Schmiedeknecht, 1910) ^{c g}
- [*Netelia rogersi*](#) Townes, 1939 ^{c g b}
- [*Netelia sinus*](#) Townes, 1939 ^{c g b}
- [*Netelia uncata*](#) Townes, 1939 ^{c g b}
- [*Netelia virgata*](#) (Geoffroy, 1785) ^{c g}
- [*Netelia yakushimensis*](#) Konishi, 2014 ^g
- [*Netelia yamatoensis*](#) (Uchida, 1934) ^{c g}

Subgenus *Longiterebates*

- [*Netelia auberti*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia grandis*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia himalayensis*](#) Kaur & Jonathan, 1976 ^{c g}
- [*Netelia interstitialis*](#) (Cameron, 1899) ^{c g}
- [*Netelia longitibiata*](#) Lee & Cha, 1996 ^{c g}
- [*Netelia reclivousa*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia turgida*](#) Kaur & Jonathan, 1979 ^{c g}

Subgenus *Monomacrodon*

- [*Netelia bicolor*](#) (Cushman, 1934) ^c
- [*Netelia elumbis*](#) (Tosquinet, 1903) ^{c g}

Subgenus *Netelia*

- [*Netelia aberrans*](#) Townes, Townes & Gupta, 1961 ^{c g}
- [*Netelia acuminata*](#) Townes, 1939 ^{c g b}
- [*Netelia aequora*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia aethiopica*](#) (Szepligeti, 1907) ^c
- [*Netelia affinis*](#) Townes, 1939 ^{c g b}
- [*Netelia alpina*](#) (Rudow, 1886) ^c
- [*Netelia amamiensis*](#) Konishi, 2005 ^{c g}
- [*Netelia antipodum*](#) (Vachal, 1907) ^{c g}
- [*Netelia appendiculata*](#) (Provancher, 1874) ^{c g b}

- [Netelia areator](#) (Schiodte, 1839) ^{c g}
- [Netelia areoleta](#) Nikam & Rao, 1972 ^{c g}
- [Netelia armeniaca](#) Tolkanitz, 1971 ^{c g}
- [Netelia aspera](#) (Enderlein, 1912) ^{c g}
- [Netelia atlantor](#) Aubert, 1971 ^{c g}
- [Netelia arabs](#) (Strand, 1911) ^{c g}
- [Netelia atra](#) Tolkanitz, 1999 ^{c g}
- [Netelia basirufa](#) (Strand, 1911) ^{c g}
- [Netelia blantoni](#) Townes, 1939 ^{c g b}
- [Netelia brasiliensis](#) (Szepligeti, 1906) ^c
- [Netelia brevicornis](#) (Cushman, 1924) ^{c b}
- [Netelia brunnea](#) Townes, 1939 ^{c g b}
- [Netelia californica](#) (Cushman, 1924) ^{c g b}
- [Netelia calva](#) Townes, 1939 ^{c g b}
- [Netelia capensis](#) (Holmgren, 1868) ^{c g}
- [Netelia carmichaeli](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia cascadica](#) Townes, 1939 ^{c g b}
- [Netelia caudata](#) Townes, 1939 ^{c g b}
- [Netelia celebensis](#) (Szepligeti, 1906) ^c
- [Netelia ceylonica](#) (Cameron, 1897) ^c
- [Netelia chloris](#) (Olivier, 1811) ^{c g b}
- [Netelia cockerelli](#) (Cushman, 1924) ^{c g b}
- [Netelia columbiana](#) (Enderlein, 1912) ^{c g}
- [Netelia constricta](#) (Morley, 1913) ^{c g}
- [Netelia contraria](#) (Morley, 1913) ^{c g}
- [Netelia coriaria](#) (Enderlein, 1912) ^{c g}
- [Netelia corrugata](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia cushmani](#) Townes, 1939 ^{c g b}
- [Netelia delicata](#) Townes, 1939 ^{c g b}
- [Netelia densa](#) Townes, 1939 ^{c g b}
- [Netelia denticulator](#) Aubert, 1969 ^{c g}
- [Netelia dilatata](#) (Thomson, 1888) ^{c g}
- [Netelia dimidiata](#) (Morley, 1913) ^c
- [Netelia dolabra](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia ehilis](#) (Cheesman, 1936) ^{c g}
- [Netelia emorsa](#) Townes, 1939 ^{c g b}

- [Netelia ephippiata](#) (Smith, 1876) ^{c g}
- [Netelia errans](#) (Tosquinet, 1896) ^{c g}
- [Netelia exareolata](#) (Meyer, 1933) ^{c g}
- [Netelia facialis](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia falcata](#) Townes, 1939 ^{c g b}
- [Netelia felix](#) (Strand, 1911) ^{c g}
- [Netelia fijiensis](#) (Brues, 1922) ^{c g}
- [Netelia flavitarsis](#) (Enderlein, 1912) ^{c g}
- [Netelia formosana](#) (Matsumura, 1912) ^{c g}
- [Netelia fractivena](#) (Enderlein, 1912) ^{c g}
- [Netelia fulvator](#) Delrio, 1971 ^{c g}
- [Netelia fumosa](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia fuscicarpus](#) (Kokujev, 1899)[3]
- [Netelia fuscicornis](#) (Holmgren, 1860) ^{c g}
- [Netelia gerlingi](#) (Schrottky, 1902) ^{c g}
- [Netelia gigantia](#) Nikam, 1973 ^{c g}
- [Netelia gotoi](#) Konishi, 2005 ^{c g}
- [Netelia gracilis](#) (Morley, 1913) ^{c g}
- [Netelia grumi](#) (Kokujev, 1906)[4]
- [Netelia herero](#) (Enderlein, 1914) ^c
- [Netelia heroica](#) Townes, 1939 ^{c g b}
- [Netelia idioctenus](#) Townes, 1939 ^{c g b}
- [Netelia ignota](#) (Morley, 1913) ^{c g}
- [Netelia imitatrix](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia incommunis](#) (Szepligeti, 1906) ^{c g}
- [Netelia indica](#) (Rao & Grover, 1960) ^c
- [Netelia indicata](#) Gupta, 1987 ^{c g}
- [Netelia inepta](#) Townes, 1939 ^{c g b}
- [Netelia infractor](#) Delrio, 1971 ^{c g}
- [Netelia ingrata](#) Townes, 1939 ^{c g b}
- [Netelia insulicola](#) (Morley, 1913) ^{c g}
- [Netelia intermedia](#) (Cameron, 1905) ^{c g}
- [Netelia kashmirensis](#) (Cameron, 1906) ^{c g}
- [Netelia kusigematii](#) Konishi, 2005 ^{c g}
- [Netelia kyushuensis](#) Konishi, 2005 ^{c g}
- [Netelia lativectis](#) Townes, 1939 ^{c g b}
- [Netelia leo](#) (Cushman, 1924) ^{c g b}

- [Netelia levisulca](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia ligata](#) Townes, 1939 ^{c g b}
- [Netelia lineata](#) (Brulle, 1846) ^c
- [Netelia liopleuris](#) (Szepligeti, 1906) ^{c g}
- [Netelia lobata](#) Townes, 1973 ^{c g}
- [Netelia lucens](#) Townes, 1939 ^{c g b}
- [Netelia lucidula](#) (Szepligeti, 1906) ^{c g}
- [Netelia luteola](#) (Tosquinet, 1896) ^c
- [Netelia luteostigma](#) (Strand, 1911) ^{c g}
- [Netelia macra](#) Townes, 1939 ^{c g b}
- [Netelia madagascariensis](#) (Enderlein, 1912) ^c
- [Netelia media](#) (Ashmead, 1894) ^{c g}
- [Netelia melanogaster](#) (Cameron, 1906) ^{c g}
- [Netelia melanopus](#) (Brulle, 1846) ^{c g}
- [Netelia melanostigma](#) (Cameron, 1886) ^c
- [Netelia melanura](#) (Thomson, 1888) ^{c g}
- [Netelia meridionator](#) Aubert, 1960 ^{c g}
- [Netelia microdon](#) Townes, 1939 ^{c g b}
- [Netelia microtylus](#) Townes, 1939 ^{c g b}
- [Netelia mirabilis](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia mombasica](#) (Strand, 1911) ^{c g}
- [Netelia morleyi](#) Townes, Townes & Gupta, 1962 ^{c g}
- [Netelia moschiana](#) (Strand, 1911) ^{c g}
- [Netelia mustela](#) Townes, 1939 ^{c g b}
- [Netelia nanutor](#) Aubert & Shaumar, 1978 ^{c g}
- [Netelia natalensis](#) (Cameron, 1911) ^{c g}
- [Netelia neotropica](#) (Brethes, 1927) ^{c g}
- [Netelia nigricornis](#) Horstmann, 1981 ^{c g}
- [Netelia nigrinota](#) (Uchida, 1928) ^{c g}
- [Netelia nigripectus](#) (Ashmead, 1890) ^{c g b}
- [Netelia nigratarsalis](#) Konishi, 2005 ^{c g}
- [Netelia nigriventris](#) (Brulle, 1846) ^{c g}
- [Netelia nigroeandis](#) (Cameron, 1911) ^{c g}
- [Netelia nigrostigma](#) (Strand, 1911) ^{c g}
- [Netelia nitida](#) Townes, 1939 ^{c g b}
- [Netelia nodulosa](#) (Morley, 1913) ^{c g}

- [Netelia nomurai](#) Konishi, 2005 ^{c g}
- [Netelia nubigenus](#) (Roman, 1924) ^c
- [Netelia nyassica](#) (Strand, 1911) ^{c g}
- [Netelia obliquetransversalis](#) (Enderlein, 1912) ^{c g}
- [Netelia obrepta](#) Townes, 1939 ^{c g b}
- [Netelia ocellaris](#) (Thomson, 1888) ^{c g}
- [Netelia ocellata](#) (Viereck, 1909) ^{c b}
- [Netelia ocelliger](#) (Strand, 1915) ^{c g}
- [Netelia oeceticola](#) (Blanchard, 1941) ^c
- [Netelia oharai](#) Konishi, 2005 ^{c g}
- [Netelia opacula](#) (Thomson, 1888) ^{c g}
- [Netelia orba](#) Townes, 1939 ^{c g b}
- [Netelia orientalis](#) (Cameron, 1905) ^{c g}
- [Netelia ovalis](#) Townes, 1939 ^{c g b}
- [Netelia pallens](#) (Cushman, 1924) ^{c g b}
- [Netelia pallida](#) (Tosquinet, 1896) ^{c g}
- [Netelia pallidilutea](#) (Strand, 1911) ^{c g}
- [Netelia palpalis](#) Townes, 1939 ^{c g b}
- [Netelia parca](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia paramelanura](#) Tolkanitz, 1981 ^{c g}
- [Netelia pardalis](#) (Cushman, 1924) ^{c g b}
- [Netelia parva](#) (Szépligeti, 1908) ^c
- [Netelia parviareolata](#) (Enderlein, 1912) ^{c g}
- [Netelia pectinia](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia pengalengana](#) (Enderlein, 1912) ^{c g}
- [Netelia percurrans](#) Townes, 1939 ^{c g b}
- [Netelia perforata](#) (Schulz, 1906) ^{c g}
- [Netelia planipes](#) (Tosquinet, 1896) ^{c g}
- [Netelia platypes](#) (Cushman, 1930) ^{c b}
- [Netelia pluridens](#) Townes, 1939 ^{c g b}
- [Netelia praevalvator](#) Delrio, 1971 ^{c g}
- [Netelia producta](#) (Brulle, 1846) ^{c g}
- [Netelia punctata](#) Townes, 1939 ^{c g b}
- [Netelia radialis](#) (Morley, 1916) ^{c g}
- [Netelia rapida](#) Tolkanitz, 1981 ^{c g}
- [Netelia recta](#) Townes, 1939 ^{c g b}

- [Netelia rectifascia](#) Townes, 1939 ^{c g b}
- [Netelia rectivena](#) (Enderlein, 1912) ^{c g}
- [Netelia reflexa](#) Townes, 1939 ^{c g b}
- [Netelia rimosa](#) (Enderlein, 1912) ^{c g}
- [Netelia rotunda](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia rufa](#) (Brulle, 1846) ^c
- [Netelia rufescens](#) (Tosquinet, 1896) ^c
- [Netelia rufoculata](#) (Strand, 1911) ^{c g}
- [Netelia rugosa](#) (Cushman, 1924) ^c
- [Netelia rukmaniae](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia sayi](#) (Cushman, 1924) ^{c g b}
- [Netelia scissulata](#) (Enderlein, 1912) ^{c g}
- [Netelia semenowi](#) (Kokujev, 1899) ^{c g}
- [Netelia semirufa](#) (Holmgren, 1868) ^{c g}
- [Netelia setosa](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia shopar](#) Cheesman, 1953 ^{c g}
- [Netelia silantjewi](#) (Kokujev, 1899) ^{c g}
- [Netelia siva](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia solus](#) Townes, 1958 ^{c g}
- [Netelia spinipes](#) (Cushman, 1924) ^{c g b}
- [Netelia stigmata](#) Townes, 1939 ^{c g b}
- [Netelia striata](#) Nikam, 1973 ^{c g}
- [Netelia strigata](#) (Enderlein, 1912) ^{c g}
- [Netelia strigilobus](#) Townes, 1939 ^{c g b}
- [Netelia subfusca](#) (Cresson, 1865) ^c
- [Netelia szepligetii](#) (Schulz, 1907) ^{c g}
- [Netelia takaozana](#) (Uchida, 1928) ^{c g}
- [Netelia tamis](#) (Cheesman, 1936) ^{c g}
- [Netelia terebrica](#) Nikam, 1973 ^{c g}
- [Netelia testacea](#) (Gravenhorst, 1829) ^{c g}
- [Netelia testaceinervis](#) (Cameron, 1912) ^{c g}
- [Netelia thoracica](#) (Woldstedt, 1880) ^{c g}
- [Netelia tinctipennis](#) (Cameron, 1886) ^c
- [Netelia togoana](#) (Strand, 1911) ^{c g}
- [Netelia townesi](#) (Uchida, 1940) ^{c b}
- [Netelia townsendi](#) (Cushman, 1924) ^{c g b}

- [*Netelia trituberculata*](#) (Cushman, 1924) ^{c g b}
- [*Netelia truncativenosa*](#) (Enderlein, 1912) ^{c g}
- [*Netelia turbans*](#) Townes, 1939 ^{c g b}
- [*Netelia umbone*](#) Townes, 1939 ^{c g b}
- [*Netelia unguicularis*](#) (Cushman, 1924) ^{c g b}
- [*Netelia unicolor*](#) (Smith, 1874) ^{c g}
- [*Netelia valvator*](#) Aubert, 1968[5]
- [*Netelia vegeta*](#) Tolkanitz, 1981 ^{c g}
- [*Netelia veronesii*](#) Blanchard, 1960 ^{c g}
- [*Netelia vinulae*](#) (Scopoli, 1763) ^{c g}
- [*Netelia woris*](#) (Cheesman, 1936) ^{c g}

Subgenus *Parabates*

- [*Netelia foersteri*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia fusca*](#) Konishi, 1985 ^{c g}
- [*Netelia fuscipicalis*](#) Pham, Chen & Konishi, 2021[6]
- [*Netelia ishiharai*](#) Uchida, 1953 ^{c g}
- [*Netelia johnsoni*](#) (Ashmead, 1900) ^{c g b}
- †[*Netelia memorialis*](#) (Brues, 1910) ^{c g}
- [*Netelia nigricarpa*](#) (Thomson, 1888) ^{c g}

Subgenus *Paropheltes*

- [*Netelia albipicta*](#) (Tosquinet, 1896) ^c
- [*Netelia alaskensis*](#) (Ashmead, 1902) ^{c g b}
- [*Netelia albovariegata*](#) (Provancher, 1874) ^{c g b}
- [*Netelia arabator*](#) Delrio, 1971 ^{c g}
- [*Netelia arcanus*](#) Tolkanitz, 1980 ^{c g}
- [*Netelia barberi*](#) (Cushman, 1924) ^{c g b}
- [*Netelia basilewskyi*](#) Benoit, 1955 ^{c g}
- [*Netelia beschkovi*](#) Kolarov, 1994 ^{c g}
- [*Netelia caucasica*](#) (Kokujev, 1899) ^{c g}
- [*Netelia ciliata*](#) Townes, 1939 ^{c g b}
- [*Netelia contiguator*](#) Delrio, 1975 ^{c g}
- [*Netelia decorator*](#) (Seyrig, 1927) ^{c g}
- [*Netelia dhruvi*](#) Kaur & Jonathan, 1979 ^{c g}
- [*Netelia elegans*](#) (Szepligeti, 1905) ^{c g}
- [*Netelia elevator*](#) Aubert, 1971 ^{c g}

- [Netelia ermolenkoi](#) Tolkanitz, 1981 ^{c g}
- [Netelia flavolineata](#) (Cameron, 1907) ^c
- [Netelia fuliginosa](#) Konishi, 1996 ^{c g}
- [Netelia guptai](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia hottentota](#) (Strand, 1911) ^{c g}
- [Netelia incognitor](#) Delrio, 1971 ^{c g}
- [Netelia inedita](#) (Kokujev, 1899)[3]
- [Netelia interstitinervis](#) (Strand, 1911) ^{c g}
- [Netelia laticeps](#) Townes, 1939 ^{c g b}
- [Netelia lineolata](#) (Costa, 1883) ^{c g}
- [Netelia longipes](#) (Brauns, 1889) ^{c g}
- [Netelia macroglossa](#) Townes, 1939 ^{c g b}
- [Netelia maculiventris](#) (Kokujev, 1915) ^{c g}
- [Netelia millieratae](#) (Kriechbaumer, 1897) ^{c g}
- [Netelia nervulator](#) Aubert, 1971 ^{c g}
- [Netelia nomas](#) (Kokujev, 1899) ^{c g}
- [Netelia novoguineensis](#) (Szepligeti, 1906) ^c
- [Netelia ornata](#) (Vollenhoven, 1873) ^{c g}
- [Netelia parvula](#) (Meyer, 1927) ^c
- [Netelia pharaonum](#) (Schmiedeknecht, 1910) ^{c g}
- [Netelia picta](#) Townes, 1939 ^{c g b}
- [Netelia radiata](#) Townes, 1939 ^{c g b}
- [Netelia rimata](#) Townes, 1939 ^{c g b}
- [Netelia savchenkoi](#) Tolkanitz, 1981 ^{c g}
- [Netelia serrata](#) Townes, 1939 ^{c g b}
- [Netelia sikkimensis](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia strigosa](#) Konishi, 1996 ^{c g}
- [Netelia tarsata](#) (Brischke, 1880) ^{c g b}
- [Netelia terebrator](#) (Ulbricht, 1922) ^{c g}
- [Netelia thomsonii](#) (Brauns, 1889) ^{c g}
- [Netelia turanica](#) (Kokujev, 1899) ^{c g}
- [Netelia yui](#) Konishi, 2000 ^{c g}
- [Netelia zaydamensis](#) (Kokujev, 1915) ^c

Subgenus *Prosthodocis*

- [Netelia aestiva](#) Konishi, 1991 ^{c g}
- [Netelia antefurcalis](#) (Szépligeti, 1908) ^{c g}

- [Netelia australis](#) Konishi, 1991 ^{c g}
- [Netelia baibarensis](#) (Uchida, 1928) ^c
- [Netelia borealis](#) Konishi, 1991 ^{c g}
- [Netelia exserta](#) (Cushman, 1924) ^{c g b}
- [Netelia hikosana](#) Konishi, 1991 ^{c g}
- [Netelia japonica](#) (Uchida, 1928) ^{c g}
- [Netelia kodai](#) Konishi, 1991 ^{c g}
- [Netelia major](#) Konishi, 1991 ^{c g}
- [Netelia scabiosa](#) (Enderlein, 1912) ^{c g}
- [Netelia sobaekensis](#) Lee & Cha, 1996 ^{c g}
- [Netelia uchidai](#) Kaur & Jonathan, 1979 ^{c g}
- [Netelia whymperei](#) (Cameron, 1903) ^{c g}

Subgenus *Protonetelia*

- [Netelia hirashimai](#) Konishi, 1986 ^{c g}
- [Netelia tadauchii](#) Konishi, 2012[7]

Subgenus *Toxochiloides*

- [Netelia hayashii](#) Konishi, 1996 ^{c g}
- [Netelia krishtali](#) Tolkanitz, 1971 ^{c g}
- [Netelia latro](#) (Holmgren, 1868) ^{c g}
- [Netelia punctator](#) Delrio, 1971 ^{c g}
- [Netelia tunetana](#) (Habermehl, 1923) ^c

Subgenus *Toxochilus*

- [Netelia caviverticalis](#) (Cushman, 1924) ^{c g b}
- [Netelia clypeata](#) (Cushman, 1924) ^{c b}
- [Netelia glabra](#) Townes, 1939 ^{c g b}
- [Netelia magniceps](#) Townes, 1939 ^{c g b}
- [Netelia mystace](#) Townes, 1939 ^{c g b}
- [Netelia pulchra](#) (Cushman, 1924) ^{c b}
- [Netelia ultima](#) Townes, 1939 ^{c g b}

Data sources: i = ITIS,[8] c = Catalogue of Life,[9] g = GBIF,[10] b = Bugguide.net[11]

This is a list of 267 species in [Neoperla](#), a genus of common stoneflies in the family [Perlidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Neoperla species

- [Neoperla adamantea](#) Murányi & Weihai Li, 2015 ^{c g}
- [Neoperla aeripennis](#) (Enderlein, 1909) ^{c g}
- [Neoperla aestiva](#) Uchida, 1990 ^{c g}
- [Neoperla affinis](#) Zwick, P., 1983 ^{c g}
- [Neoperla africana](#) Klapálek, 1909 ^{c g}
- [Neoperla agtouganon](#) Sivec & Stark, 2011 ^{c g}
- [Neoperla agumbe](#) Stark & Sivec, 2015 ^{c g}
- [Neoperla agusani](#) Sivec, 1984 ^{c g}
- [Neoperla alboguttata](#) Zwick, P., 1986 ^{c g}
- [Neoperla aliqua](#) Zwick, P., 1973 ^{c g}
- [Neoperla andreas](#) Sivec & Stark, 2011 ^{c g}
- [Neoperla angulata](#) (Walker, F., 1852) ^{c g}
- [Neoperla angustilobata](#) Zwick, P., 1988 ^{c g}
- [Neoperla anjiensis](#) Yang, D. & C. Yang, 1998 ^{c g}
- [Neoperla asperata](#) Zwick, P., 1988 ^{c g}
- [Neoperla asperipennis](#) Zwick, P., 1980 ^{c g}
- [Neoperla atropennis](#) Banks, 1924 ^{c g}
- [Neoperla baisha](#) Kong & Weihai Li, 2014 ^{c g}
- [Neoperla baishuijiangensis](#) Du, Y., 2005 ^{c g}
- [Neoperla banksi](#) Illies, 1966 ^{c g}
- [Neoperla baotianmana](#) Li, Weihai & R. Wang, 2011 ^{c g}
- [Neoperla bicolor](#) Yang, Juan, S. Zhang & Weihai Li, 2017 ^{c g}
- [Neoperla bicornua](#) Wu, C.F., 1973 ^{c g}
- [Neoperla bicornuta](#) Yang, D. & C. Yang, 1995 ^{c g}
- [Neoperla bicoronata](#) Zwick, P., 1986 ^{c g}
- [Neoperla bicurvata](#) Kong & Weihai Li, 2014 ^{c g}
- [Neoperla bilineata](#) Wu, C.F. & Claassen, 1934 ^{c g}
- [Neoperla bilobata](#) Zwick, P., 1986 ^{c g}
- [Neoperla binodosa](#) (Wu, C.F., 1973) ^{c g}
- [Neoperla biprojecta](#) Du, Y., 2001 ^{c g}
- [Neoperla biseriata](#) Zwick, P. & Anbalagan, 2007 ^{c g}
- [Neoperla bituberculata](#) Du, Y., 2000 ^{c g}

- [*Neoperla borneensis*](#) (Enderlein, 1909) ^{c g}
- [*Neoperla bredoana*](#) Navás, 1932 ^{c g}
- [*Neoperla breviscrotata*](#) Du, Y., 1999 ^{c g}
- [*Neoperla brevistyla*](#) Li, Weihai & Murányi, 2013 ^{c g}
- [*Neoperla caii*](#) Li, Weihai, Ying Wang & R. Wang, 2017 ^{c g}
- [*Neoperla caligata*](#) (Burmeister, 1839) ^{c g}
- [*Neoperla cameronis*](#) Zwick, P., 1988 ^{c g}
- [*Neoperla carlsoni*](#) Stark and Baumann, 1978 ^{i c g}
- [*Neoperla catharae*](#) Stark and Baumann, 1978 ^{i c g}
- [*Neoperla cavaleriei*](#) (Navas, 1922) ^{c g}
- [*Neoperla cavalerieri*](#) Navas ^g
- [*Neoperla chebalinga*](#) Chen & Y. Du, 2016 ^{c g}
- [*Neoperla choctaw*](#) Stark and Baumann, 1978 ^{i c g}
- [*Neoperla chui*](#) Wu, C.F. & Claassen, 1934 ^{c g}
- [*Neoperla clara*](#) Stark & Sivec, 2008 ^{c g}
- [*Neoperla clymene*](#) (Newman, 1839) ^{i c g b} (coastal stone)
- [*Neoperla connectens*](#) Zwick, P., 1986 ^{c g}
- [*Neoperla coosa*](#) Smith & Stark, 1998 ^{i c g b} (coosa stone)
- [*Neoperla coralliata*](#) Uchida, 1990 ^{c g}
- [*Neoperla coreensis*](#) Ra, Kim, Kang & Ham, 1994 ^{c g}
- [*Neoperla coronata*](#) Zwick, P., 1988 ^{c g}
- [*Neoperla costalis*](#) (Klapálek, 1913) ^{c g}
- [*Neoperla coxi*](#) Stark, 1995 ^{i c g}
- [*Neoperla curvispina*](#) Wu, C.F., 1948 ^{c g}
- [*Neoperla daklak*](#) Stark & Sivec, 2008 ^{c g}
- [*Neoperla dao*](#) Stark & Sivec, 2008 ^{c g}
- [*Neoperla darlingi*](#) Stark & Sivec, 2007 ^{c g}
- [*Neoperla dashahena*](#) Du, Y., 2005 ^{c g}
- [*Neoperla dayak*](#) Zwick, P., 1986 ^{c g}
- [*Neoperla dentata*](#) Sivec, 1984 ^{c g}
- [*Neoperla diehli*](#) Sivec, 1985 ^{c g}
- [*Neoperla distincta*](#) Zwick, P., 1983 ^{c g}
- [*Neoperla divergens*](#) Zwick, P., 1986 ^{c g}
- [*Neoperla dolichocephala*](#) Klapálek, 1909 ^{c g}
- [*Neoperla dorsispina*](#) Yang, D. & C. Yang, 1996 ^{c g}
- [*Neoperla duratubulata*](#) Du, Y., 1999 ^{c g}

- [Neoperla edmundsi](#) Stark, 1983 ^{c g}
- [Neoperla emarginata](#) Stark & Sivec, 2015 ^{c g}
- [Neoperla emeishana](#) Li, Weihai, Ying Wang & R. Wang, 2017 ^{c g}
- [Neoperla erecta](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla falayah](#) Stark and Lentz, 1988 ^{i c g}
- [Neoperla fallax](#) Klapálek, 1910 ^{c g}
- [Neoperla fanjingshana](#) Yang, D. & Jikun Yang, 1992 ^{c g}
- [Neoperla flagellata](#) Li, Weihai & Murányi, 2012 ^{c g}
- [Neoperla flavescens](#) Chu, 1929 ^{c g}
- [Neoperla flavicincta](#) Zwick, P., 1985 ^{c g}
- [Neoperla flexiscrotata](#) Du, Y., 2000 ^{c g}
- [Neoperla flinti](#) Sivec, 1984 ^{c g}
- [Neoperla forcipata](#) Yang, D. & Jikun Yang, 1992 ^{c g}
- [Neoperla formosana](#) Okamoto, 1912 ^{c g}
- [Neoperla foveolata](#) Klapálek, 1921 ^{c g}
- [Neoperla furcata](#) Zwick, P., 1986 ^{c g}
- [Neoperla furcifera](#) Klapálek, 1909 ^{c g}
- [Neoperla furcomaculata](#) Kong & Weihai Li, 2016 ^{c g}
- [Neoperla furcostyla](#) Li, Weihai & Qin, 2013 ^{c g}
- [Neoperla gaufini](#) Stark and Baumann, 1978 ^{i c g}
- [Neoperla geniculata](#) (Pictet, F.J., 1841) ^{c g}
- [Neoperla geniculatella](#) Okamoto, 1912 ^{c g}
- [Neoperla goguryeo](#) Murányi & Weihai Li, 2015 ^{c g}
- [Neoperla gordonae](#) Stark, 1983 ^{c g}
- [Neoperla grafei](#) Stark & Sheldon, 2009 ^{c g}
- [Neoperla guangxiensis](#) Du, Y. & Sivec, 2004 ^{c g}
- [Neoperla hainanensis](#) Yang, D. & C. Yang, 1995 ^{c g}
- [Neoperla hamata](#) Jewett, 1975 ^{c g}
- [Neoperla han](#) Stark, 1987 ^{c g}
- [Neoperla harina](#) Navás, 1929 ^{c g}
- [Neoperla harperi](#) Zwick, P., 1980 ^{c g}
- [Neoperla harpi](#) Ernst and Stewart, 1986 ^{i c g}
- [Neoperla harrisi](#) Stark and Lentz, 1988 ^{i c g}
- [Neoperla hatakeyamae](#) Okamoto, 1912 ^{c g}
- [Neoperla henana](#) Li, Weihai, L. Wu & H. Zhang, 2011 ^{c g}
- [Neoperla hermosa](#) Banks, 1924 ^{c g}

- [Neoperla hoabinhica](#) Navás, 1932 ^{c g}
- [Neoperla hubbsi](#) Ricker, 1952 ^{c g}
- [Neoperla hubeiensis](#) Li, Weihai & G. Wang, 2012 ^{c g}
- [Neoperla hubleyi](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla idella](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla ignacsiveci](#) Li, Weihai & X. Li, 2013 ^{c g}
- [Neoperla illiesi](#) Zwick, P., 1983 ^{c g}
- [Neoperla indica](#) Needham, 1909 ^{c g}
- [Neoperla inexpectata](#) Zwick, P., 1980 ^{c g}
- [Neoperla infuscata](#) Wu, C.F., 1935 ^{c g}
- [Neoperla jacobsoni](#) Klapálek, 1910 ^{c g}
- [Neoperla jewetti](#) Sivec, 1984 ^{c g}
- [Neoperla jiangsuensis](#) Chen & Y. Du, 2015 ^{c g}
- [Neoperla jigongshana](#) Li & Li ^g
- [Neoperla jigonshana](#) Li, Weihai & S. Li, 2014 ^{c g}
- [Neoperla katmanduana](#) Harper, P.P., 1977 ^{c g}
- [Neoperla klapaleki](#) Banks, 1937 ^{c g}
- [Neoperla kunenensis](#) (Barnard, 1934) ^{c g}
- [Neoperla lahu](#) Stark, 1983 ^{c g}
- [Neoperla laotica](#) Zwick, P., 1988 ^{c g}
- [Neoperla latamaculata](#) Du, Y., 2005 ^{c g}
- [Neoperla latispina](#) Wang, G. & Weihai Li, 2013 ^{c g}
- [Neoperla leigongshana](#) Du, Y. & Z. Wang, 2007 ^{c g}
- [Neoperla leptacantha](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla leptophallus](#) Zwick, P., 1988 ^{c g}
- [Neoperla leroiana](#) Klapálek, 1911 ^{c g}
- [Neoperla lieftincki](#) Zwick, P., 1983 ^{c g}
- [Neoperla lihuae](#) Li, Weihai & Murányi, 2014 ^{c g}
- [Neoperla lii](#) Du, Y., 1999 ^{c g}
- [Neoperla limbatella](#) Navás, 1933 ^{c g}
- [Neoperla longispina](#) Wu, C.F., 1937 ^{c g}
- [Neoperla longwangshana](#) Yang, D. & C. Yang, 1998 ^{c g}
- [Neoperla lui](#) Du, Y. & Sivec, 2004 ^{c g}
- [Neoperla lushana](#) Wu, C.F., 1935 ^{c g}
- [Neoperla luteola](#) (Burmeister, 1839) ^{c g}
- [Neoperla magisterchoui](#) Du, Y., 2000 ^{c g}

- [Neoperla mainensis](#) Banks, 1948^{i c g b} (Maine stone)
- [Neoperla malleus](#) Zwick, P., 1988^{c g}
- [Neoperla maolanensis](#) Yang, D. & Jikun Yang, 1993^{c g}
- [Neoperla melanocephala](#) Navás, 1931^{c g}
- [Neoperla mesospina](#) Li, Weihai & G. Wang, 2013^{c g}
- [Neoperla mesostyla](#) Li, Weihai & G. Wang, 2013^{c g}
- [Neoperla microtumida](#) Wu, C.F. & Claassen, 1934^{c g}
- [Neoperla mindoroensis](#) Pelingen AL, Freitag H, 2020[5]
- [Neoperla minor](#) Chu, 1929^{c g}
- [Neoperla minuta](#) Du, Y. & Chen, 2016^{c g}
- [Neoperla mnong](#) Stark, 1987^{c g}
- [Neoperla moesta](#) Banks, 1939^{c g}
- [Neoperla monacha](#) Stark & Sivec, 2008^{c g}
- [Neoperla montivaga](#) Zwick, P., 1977^{c g}
- [Neoperla multilobata](#) Zwick, P., 1986^{c g}
- [Neoperla multispinosa](#) Stark & Sivec, 2008^{c g}
- [Neoperla muranyi](#) Yang, Juan, S. Zhang & Weihai Li, 2017^{c g}
- [Neoperla naviculata](#) Klapálek, 1909^{c g}
- [Neoperla nebulosa](#) Stark & Sivec, 2008^{c g}
- [Neoperla nigra](#) Sivec, 1984^{c g}
- [Neoperla nigromarginata](#) Li, Weihai & S. Q. Zhang, 2014^{c g}
- [Neoperla niponensis](#) (McLachlan, 1875)^{c g}
- [Neoperla nishidai](#) Sivec, 1984^{c g}
- [Neoperla nitida](#) Kimmins, 1950^{c g}
- [Neoperla nova](#) Zwick, P., 1988^{c g}
- [Neoperla obliqua](#) Banks, 1913^{c g}
- [Neoperla obscura](#) Zwick, P., 1981^{c g}
- [Neoperla obscurolfulva](#) (Wu, C.F., 1962)^{c g}
- [Neoperla occipitalis](#) (Pictet, 1841)^{i c g}
- [Neoperla ochracea](#) Zwick, P., 1981^{c g}
- [Neoperla oculata](#) Banks, 1924^{c g}
- [Neoperla orissa](#) Stark & Sivec, 2015^{c g}
- [Neoperla osage](#) Stark and Lentz, 1988^{i c g}
- [Neoperla palawan](#) Sivec & Stark, 2011^{c g}
- [Neoperla pallescens](#) Banks, 1937^{c g}
- [Neoperla pallicornis](#) Banks, 1937^{c g}

- [Neoperla pani](#) Chen & Y. Du, 2016 ^{c g}
- [Neoperla parva](#) Banks, 1939 ^{c g}
- [Neoperla paucispinosa](#) Zwick, P., 1986 ^{c g}
- [Neoperla perspicillata](#) Zwick, P., 1980 ^{c g}
- [Neoperla peterzwicki](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla philippina](#) Sivec, 1984 ^{c g}
- [Neoperla pilosella](#) Klapalek, 1905 ^{c g}
- [Neoperla pluvia](#) Uchida, 1990 ^{c g}
- [Neoperla primitiva](#) Geijskes, 1952 ^{c g}
- [Neoperla propinqua](#) Zwick, P., 1983 ^{c g}
- [Neoperla pseudorecta](#) Sivec, 1984 ^{c g}
- [Neoperla punan](#) Zwick, P., 1986 ^{c g}
- [Neoperla qinglingensis](#) Du, Y., 2005 ^{c g}
- [Neoperla qingyuanensis](#) Yang, D. & C. Yang, 1995 ^{c g}
- [Neoperla quadrata](#) Wu, C.F. & Claassen, 1934 ^{c g}
- [Neoperla ramosa](#) (Navás, 1919) ^{c g}
- [Neoperla recta](#) Banks, 1913 ^{c g}
- [Neoperla reticulata](#) Zwick, P., 1986 ^{c g}
- [Neoperla rigidipenis](#) Zwick, P., 1983 ^{c g}
- [Neoperla robisoni](#) Poulton and Stewart, 1986 ^{i c g}
- [Neoperla rotunda](#) Wu, C.F., 1948 ^{c g}
- [Neoperla rougemonti](#) Zwick, P., 1986 ^{c g}
- [Neoperla sabah](#) Zwick, P., 1986 ^{c g}
- [Neoperla sabang](#) Sivec & Stark, 2011 ^{c g}
- [Neoperla salakot](#) Sivec & Stark, 2011 ^{c g}
- [Neoperla saraburi](#) Zwick, P., 1988 ^{c g}
- [Neoperla sarawak](#) Zwick, P., 1986 ^{c g}
- [Neoperla sauteri](#) Klapálek, 1912 ^{c g}
- [Neoperla schlitzi](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla schmidi](#) Aubert, 1959 ^{c g}
- [Neoperla schmidiana](#) Zwick, P., 1981 ^{c g}
- [Neoperla securifera](#) Zwick, P., 1986 ^{c g}
- [Neoperla separanda](#) Zwick, P., 1983 ^{c g}
- [Neoperla seriespinosa](#) Zwick, P., 1986 ^{c g}
- [Neoperla serrata](#) Zwick, P., 1988 ^{c g}
- [Neoperla sexlobata](#) Chen & Y. Du, 2016 ^{c g}

- [Neoperla signatalis](#) Banks, 1937 ^{c g}
- [Neoperla silvaeae](#) Zwick, P., 1986 ^{c g}
- [Neoperla similidella](#) Li, Weihai & G. Wang, 2013 ^{c g}
- [Neoperla similiflavescens](#) Li, Weihai & S. Q. Zhang, 2014 ^{c g}
- [Neoperla similiserecta](#) Wang, G. & Weihai Li, 2012 ^{c g}
- [Neoperla simplicior](#) Navás, 1932 ^{c g}
- [Neoperla sinensis](#) Chu, 1928 ^{c g}
- [Neoperla sinuata](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla sitahoanensis](#) Sivec, 1985 ^{c g}
- [Neoperla siveci](#) Zwick, P., 1980 ^{c g}
- [Neoperla song](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla spinaloba](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla spinosa](#) Zwick, P., 1986 ^{c g}
- [Neoperla spio](#) (Newman, 1839) ^{c g}
- [Neoperla starki](#) Zwick, P., 1986 ^{c g}
- [Neoperla stewarti](#) Stark and Baumann, 1978 ^{i c g}
- [Neoperla stueberae](#) Zwick, P., 1983 ^{c g}
- [Neoperla sumatrana](#) (Enderlein, 1909) ^{c g}
- [Neoperla sungi](#) Cao, T.K.T. & Bae, 2007 ^{c g}
- [Neoperla tadpolata](#) Li & Muranyi ^g
- [Neoperla taibaina](#) Du, Y., 2005 ^{c g}
- [Neoperla taihorinensis](#) (Klapálek, 1913) ^{c g}
- [Neoperla taiwanica](#) Sivec & P. Zwick, 1987 ^{c g}
- [Neoperla tamdao](#) Cao, T.K.T. & Bae, 2007 ^{c g}
- [Neoperla tenuispina](#) Klapálek, 1921 ^{c g}
- [Neoperla teresa](#) Stark & Sivec, 2008 ^{c g}
- [Neoperla tetrapoda](#) Zwick, P., 1986 ^{c g}
- [Neoperla thai](#) Stark, 1983 ^{c g}
- [Neoperla theobromae](#) Zwick, P., 1986 ^{c g}
- [Neoperla tingwushanensis](#) Wu, C.F., 1935 ^{c g}
- [Neoperla tortipenis](#) Zwick, P., 1980 ^{c g}
- [Neoperla transversprojecta](#) Du, Y. & Sivec, 2004 ^{c g}
- [Neoperla triangulata](#) Kawai, 1975 ^{c g}
- [Neoperla truncata](#) Wu, C.F., 1948 ^{c g}
- [Neoperla tuberculata](#) Wu, C.F., 1937 ^{c g}
- [Neoperla unicolor](#) Zwick, P., 1986 ^{c g}

- [*Neoperla uniformis*](#) Banks, 1937 ^{c g}
- [*Neoperla ussurica*](#) Sivec & Zhiltzova, 1996 ^{c g}
- [*Neoperla vallis*](#) Uchida, 1990 ^{c g}
- [*Neoperla variegata*](#) Klapálek, 1909 ^{c g}
- [*Neoperla venosa*](#) Kimmins, 1950 ^{c g}
- [*Neoperla verna*](#) Uchida, 1990 ^{c g}
- [*Neoperla vesperi*](#) Zwick, P., 1983 ^{c g}
- [*Neoperla wagneri*](#) Sivec, 1984 ^{c g}
- [*Neoperla wui*](#) Yang, C. & D. Yang, 1990 ^{c g}
- [*Neoperla wuzhishana*](#) Chen & Y. Du, 2016 ^{c g}
- [*Neoperla xuansongae*](#) Li, Weihai & Wenliang Li, 2013 ^{c g}
- [*Neoperla yanlii*](#) Li, Weihai & R. Wang, 2014 ^{c g}
- [*Neoperla yao*](#) Stark, 1987 ^{c g}
- [*Neoperla yaoshana*](#) Li, Weihai, H. Wang & W. Lu, 2011 ^{c g}
- [*Neoperla yentu*](#) Cao, T.K.T. & Bae, 2007 ^{c g}
- [*Neoperla yingshana*](#) Chen & Du, 2017 ^g
- [*Neoperla yunnana*](#) Li & Wang ^g
- [*Neoperla zhiltzovae*](#) Teslenko, 2012 ^{c g}
- [*Neoperla zonata*](#) Stark & Sivec, 2008 ^{c g}
- [*Neoperla zwicki*](#) Sivec, 1984 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 141 species in [*Neomochtherus*](#), a genus of robber flies in the family [*Asilidae*](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Neomochtherus* species**

- [*Neomochtherus acratulus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus aegaeus*](#) Tsacas, 1965 ^{c g}
- [*Neomochtherus aegyptius*](#) (Macquart, 1838) ^{c g}
- [*Neomochtherus aerifacies*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus africanus*](#) (Ricardo, 1919) ^c
- [*Neomochtherus alaicus*](#) Lehr, 1996 ^{c g}
- [*Neomochtherus albicans*](#) (Loew, 1849) ^{c g}

- [Neomochtherus albicomus](#) (Hine, 1909) ^{i c g}
- [Neomochtherus analis](#) (Macquart, 1838) ^{c g}
- [Neomochtherus angustipennis](#) (Hine, 1909) ^{i c g}
- [Neomochtherus annulitarsis](#) (Loew, 1858) ^{c g}
- [Neomochtherus aquitanus](#) Tsacas, 1964 ^{c g}
- [Neomochtherus arabicus](#) (Macquart, 1838) ^{c g}
- [Neomochtherus atripes](#) Oldroyd, 1958 ^{c g}
- [Neomochtherus atrox](#) Tsacas, 1969 ^{c g}
- [Neomochtherus auratus](#) Janssens, 1968 ^{c g}
- [Neomochtherus auricomus](#) (Hine, 1909) ^{i c g b}
- [Neomochtherus blandus](#) Tsacas, 1969 ^{c g}
- [Neomochtherus brevipennis](#) Seguy, 1932 ^{c g}
- [Neomochtherus californicus](#) (Hine, 1909) ^{i c g b}
- [Neomochtherus callipygus](#) Tsacas, 1969 ^{c g}
- [Neomochtherus candidus](#) (Becker, 1923) ^{c g}
- [Neomochtherus carthaginiis](#) (Becker, 1915) ^{c g}
- [Neomochtherus catharius](#) Tsacas, 1968 ^{c g}
- [Neomochtherus caucasicus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus clypeatus](#) (Becker, 1915) ^{c g}
- [Neomochtherus comosus](#) (Hine, 1918) ^{i c g b}
- [Neomochtherus confusus](#) Tsacas, 1965 ^{c g}
- [Neomochtherus congedus](#) (Walker, 1851) ^{c g}
- [Neomochtherus corcyraeus](#) Tsacas, 1965 ^{c g}
- [Neomochtherus cypreus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus cythereius](#) Tsacas, 1965 ^{c g}
- [Neomochtherus debilis](#) Tsacas, 1969 ^{c g}
- [Neomochtherus deserticolus](#) (Karsch, 1888) ^{c g}
- [Neomochtherus desertorum](#) Lehr, 1958 ^{c g}
- [Neomochtherus detorsus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus dichromopygus](#) Tsacas, 1965 ^{c g}
- [Neomochtherus disjunctus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus distans](#) Tsacas, 1968 ^{c g}
- [Neomochtherus eulabes](#) (Loew, 1871) ^{c g}
- [Neomochtherus europaeus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus exilis](#) Tsacas, 1969 ^{c g}
- [Neomochtherus farinosus](#) (Loew, 1871) ^{c g}

- [Neomochtherus firmus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus flavicornis](#) (Ruthe, 1831) ^{c g}
- [Neomochtherus flavipes](#) (Meigen, 1820) ^{c g}
- [Neomochtherus fulvipes](#) (Meigen, 1820) ^{c g}
- [Neomochtherus fuscifemoratus](#) (Macquart, 1838) ^{c g}
- [Neomochtherus fuscipennis](#) Tsacas, 1968 ^{c g}
- [Neomochtherus futilis](#) Tsacas, 1969 ^{c g}
- [Neomochtherus genialis](#) Tsacas, 1969 ^{c g}
- [Neomochtherus geniculatus](#) (Meigen, 1820) ^g
- [Neomochtherus genitalis](#) Parui, Kaur & Kapoor, 1999 ^{c g}
- [Neomochtherus gnavus](#) (Wulp, 1872) ^{c g}
- [Neomochtherus gomerae](#) Weinberg & Baez, 1989 ^{c g}
- [Neomochtherus grandicollis](#) (Becker, 1913) ^{c g}
- [Neomochtherus granitis](#) Tsacas, 1963 ^{c g}
- [Neomochtherus grisescens](#) Tsacas, 1968 ^{c g}
- [Neomochtherus hauseri](#) Engel, 1927 ^{c g}
- [Neomochtherus helictus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus hermonensis](#) Theodor, 1980 ^{c g}
- [Neomochtherus himalayensis](#) Joseph & Parui, 1987 ^{c g}
- [Neomochtherus hungaricus](#) Engel, 1927 ^{c g}
- [Neomochtherus hybopygus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus hypopygialis](#) (Schaeffer, 1916) ^{i c g}
- [Neomochtherus idahoae](#) (Martin, 1975) ^{i c g}
- [Neomochtherus illustris](#) (Schiner, 1867) ^c
- [Neomochtherus indianus](#) (Ricardo, 1919) ^c
- [Neomochtherus instabilis](#) Tsacas, 1969 ^{c g}
- [Neomochtherus jucundus](#) Lehr, 1964 ^{c g}
- [Neomochtherus kaszabi](#) Lehr, 1975 ^{c g}
- [Neomochtherus kivuensis](#) Tsacas, 1969 ^{c g}
- [Neomochtherus kozlovi](#) Lehr, 1972 ^{c g}
- [Neomochtherus lanzarotae](#) Weinberg & Baez, 1989 ^{c g}
- [Neomochtherus lassenae](#) Martin, 1975 ^{i c g}
- [Neomochtherus latipennis](#) (Hine, 1909) ^{i c g b}
- [Neomochtherus leclercqi](#) Janssens, 1968 ^{c g}
- [Neomochtherus leclerqi](#) Janssens, 1968 ^g
- [Neomochtherus lepidus](#) (Hine, 1909) ^{i c g}

- [*Neomochtherus leucophorus*](#) Tsacas, 1963 ^{c g}
- [*Neomochtherus libanonensis*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus macropygus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus maikovskii*](#) Lehr, 1958 ^{c g}
- [*Neomochtherus maroccanus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus mendax*](#) Tsacas, 1969 ^{c g}
- [*Neomochtherus mesopotamicus*](#) Janssens, 1961 ^{c g}
- [*Neomochtherus micrasiaticus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus monobius*](#) (Speiser, 1910) ^{c g}
- [*Neomochtherus montanus*](#) (Hine, 1909) ^{i c g}
- [*Neomochtherus mundus*](#) (Loew, 1849) ^{c g}
- [*Neomochtherus nairicus*](#) Richter, 1962 ^{c g}
- [*Neomochtherus natalensis*](#) (Ricardo, 1919) ^{c g}
- [*Neomochtherus notatus*](#) Tsacas, 1969 ^{c g}
- [*Neomochtherus nudus*](#) (Bezzi, 1906) ^c
- [*Neomochtherus oblitus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus ochrapes*](#) Hull, 1967 ^{c g}
- [*Neomochtherus ochriventris*](#) (Loew, 1854) ^{c g}
- [*Neomochtherus oliverii*](#) (Macquart, 1838) ^{c g}
- [*Neomochtherus orientalis*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus pallipes*](#) (MEIGEN, 1820) ^{c g b} (devon red-legged robber fly)
- [*Neomochtherus pamphylius*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus patruelis*](#) (Wulp, 1872) ^{c g}
- [*Neomochtherus peloponnesius*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus perplexus*](#) (Becker, 1923) ^{c g}
- [*Neomochtherus petrishtshevae*](#) Stackelberg, 1937 ^{c g}
- [*Neomochtherus piceus*](#) (Hine, 1909) ^{i c g}
- [*Neomochtherus platypygus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus promiscus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus psathyrus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus pubescens*](#) Lehr, 1996 ^{c g}
- [*Neomochtherus pygaeus*](#) Tsacas, 1963 ^{c g}
- [*Neomochtherus quettanus*](#) Tsacas, 1968 ^{c g}
- [*Neomochtherus rhogmopygus*](#) Tsacas, 1965 ^{c g}
- [*Neomochtherus rossicus*](#) Engel, 1927 ^{c g}
- [*Neomochtherus rothkirchii*](#) (Speiser, 1913) ^{c g}

- [Neomochtherus rubipygus](#) Lehr, 1972 ^{c g}
- [Neomochtherus rutilans](#) (Wulp, 1898) ^{c g}
- [Neomochtherus sahariensis](#) Tsacas, 1968 ^{c g}
- [Neomochtherus sanguensis](#) Oldroyd, 1964 ^{c g}
- [Neomochtherus sardus](#) Tsacas, 1965 ^{c g}
- [Neomochtherus schineri](#) (Egger, 1855) ^{c g}
- [Neomochtherus schistaceus](#) (Becker, 1908) ^{c g}
- [Neomochtherus sercove](#) Lehr, 1964 ^{c g}
- [Neomochtherus sculus](#) (Macquart, 1834) ^{c g}
- [Neomochtherus signatipes](#) Lindner, 1955 ^{c g}
- [Neomochtherus sinensis](#) Ricardo, 1919 ^{c g}
- [Neomochtherus sinuatus](#) (Loew, 1858) ^{c g}
- [Neomochtherus soleus](#) Tsacas, 1968 ^{c g}
- [Neomochtherus sphaeristes](#) Tsacas, 1963 ^{c g}
- [Neomochtherus stackelbergi](#) Lehr, 1958 ^{c g}
- [Neomochtherus striatipes](#) (Loew, 1849) ^{c g}
- [Neomochtherus striatus](#) (Wulp, 1891) ^{c g}
- [Neomochtherus tenius](#) Tsacas, 1968 ^{c g}
- [Neomochtherus thrax](#) Tsacas, 1968 ^{c g}
- [Neomochtherus tricuspidatus](#) Engel, 1927 ^{c g}
- [Neomochtherus trisignatus](#) (Ricardo, 1922) ^{c g}
- [Neomochtherus unctus](#) Oldroyd, 1939 ^{c g}
- [Neomochtherus uratorum](#) Richter, 1960 ^{c g}
- [Neomochtherus willistoni](#) (Hine, 1909) ^{i c g b}
- [Neomochtherus yasya](#) Lehr, 1996 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 114 species in [Neolygus](#), a genus of plant bugs in the family [Miridae](#).^{[1][2][3]}

Neolygus species

- [Neolygus aceris](#) (Kerzhner, 1988) ^{c g}
- [Neolygus aesculi](#) Knight, 1953 ^{c g}
- [Neolygus alni](#) (Knight, 1917) ^{c g}
- [Neolygus angustiverticis](#) Lu and Zheng, 2004 ^{c g}

- [Neolygus atricallus](#) (Kelton, 1971) ^{c g}
- [Neolygus atrinotatus](#) (Knight, 1917) ^{c g}
- [Neolygus atritylus](#) (Knight, 1917) ^{c g}
- [Neolygus belfragii](#) (Reuter, 1876) ^{c g}
- [Neolygus betulae](#) Knight, 1953 ^{c g}
- [Neolygus bimaculatus](#) (Lu and Zheng, 1996) ^c
- [Neolygus bipuncticollis](#) (Poppius, 1915) ^c
- [Neolygus bui](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus canadensis](#) (Knight, 1917) ^{c g}
- [Neolygus carpini](#) Knight, 1939 ^{c g}
- [Neolygus carvalhoi](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus caryae](#) (Knight, 1917) ^{c g b} (hickory plant bug)
- [Neolygus chinensis](#) (Lu and Yasunaga, 1994) ^{c g}
- [Neolygus clavigenitalis](#) (Knight, 1917) ^{c g}
- [Neolygus communis](#) (Knight, 1916) ^{c g b} (pear plant bug)
- [Neolygus contaminatus](#) (Fallén, 1807) ^{c g}
- [Neolygus coryli](#) (Kulik, 1965) ^{c g}
- [Neolygus crataegi](#) Henry, 2007 ^{c g}
- [Neolygus disciger](#) (Poppius, 1915) ^{c g}
- [Neolygus elaeagni](#) (Yasunaga, 1999) ^{c g}
- [Neolygus esakii](#) (Yasunaga, 1991) ^{c g}
- [Neolygus fagi](#) (Knight, 1917) ^{c g}
- [Neolygus fanjingensis](#) Zheng, 2004 ^{c g}
- [Neolygus flaviceps](#) (Yasunaga, 1991) ^{c g}
- [Neolygus flavoviridis](#) (Yasunaga, 1991) ^{c g}
- [Neolygus fraxini](#) (Kerzhner, 1988) ^{c g}
- [Neolygus gansuensis](#) (Lu and H. Wang, 1996) ^{c g}
- [Neolygus geminus](#) Knight, 1941 ^{c g}
- [Neolygus geneseensis](#) (Knight, 1917) ^{c g}
- [Neolygus hakusanensis](#) (Yasunaga, 1991) ^{c g}
- [Neolygus hani](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus hebeiensis](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus hirticulus](#) (Van Duzee, 1916) ^{c g b}
- [Neolygus hoerlandti](#) (Kulik, 1965) ^{c g}
- [Neolygus honshuensis](#) (Linnavuori, 1961) ^{c g}
- [Neolygus ichitai](#) (Yasunaga, 1991) ^{c g}

- [*Neolygus inconspicuus*](#) (Knight, 1917) ^{c g b}
- [*Neolygus indicus*](#) (Poppius, 1914) ^c
- [*Neolygus invitus*](#) (Say, 1832) ^{c g}
- [*Neolygus johnsoni*](#) (Knight, 1917) ^{c g}
- [*Neolygus juglandis*](#) (Kerzhner, 1988) ^{c g}
- [*Neolygus kawasawai*](#) Yasunaga and Schwartz, 2005 ^{c g}
- [*Neolygus keltoni*](#) (Lu and Zheng, 1998) ^{c g}
- [*Neolygus knighti*](#) (Kelton, 1971) ^{c g}
- [*Neolygus kyushensis*](#) (Yasunaga, 1991) ^{c g}
- [*Neolygus lativerticis*](#) (Lu and Y. Wang, 1997) ^{c g}
- [*Neolygus laureae*](#) (Knight, 1917) ^{c g b}
- [*Neolygus liui*](#) Lu and Zheng, 2004 ^{c g}
- [*Neolygus lobatus*](#) (Linnavuori, 1963) ^{c g}
- [*Neolygus longiusculus*](#) (Kulik, 1965) ^{c g}
- [*Neolygus machanensis*](#) Yasunaga, Duwal, and Schwartz, 2012 ^{c g}
- [*Neolygus majusculus*](#) (Yasunaga, 1999) ^{c g}
- [*Neolygus makiharai*](#) (Yasunaga, 1992) ^{c g}
- [*Neolygus matsumurae*](#) (Poppius, 1915) ^{c g}
- [*Neolygus meridionalis*](#) Lu and Zheng, 2004 ^{c g}
- [*Neolygus miyamotoi*](#) (Yasunaga, 1991) ^{c g}
- [*Neolygus mjohjangsanicus*](#) (Josifov, 1992) ^{c g}
- [*Neolygus monticola*](#) Lu and Zheng, 2004 ^{c g}
- [*Neolygus nakatanii*](#) (Yasunaga, 1999) ^{c g}
- [*Neolygus neglectus*](#) (Knight, 1917) ^{c g}
- [*Neolygus nemoralis*](#) (Kulik, 1965) ^{c g}
- [*Neolygus nigriscutellaris*](#) Lu & Zheng, 2004 ^g
- [*Neolygus nigroscutellaris*](#) Lu and Zheng, 2004 ^{c g}
- [*Neolygus nipponicus*](#) (Yasunaga, 1991) ^{c g}
- [*Neolygus nyssae*](#) (Knight, 1918) ^{c g}
- [*Neolygus obesus*](#) (Yasunaga, 1991) ^{c g}
- [*Neolygus omnivagus*](#) (Knight, 1917) ^{c g}
- [*Neolygus ostryae*](#) (Knight, 1917) ^{c g}
- [*Neolygus parrotti*](#) (Knight, 1919) ^{c g}
- [*Neolygus parshleyi*](#) (Knight, 1917) ^{c g}
- [*Neolygus partitus*](#) (Walker, 1873) ^{c g}
- [*Neolygus philyrinus*](#) (Kerzhner, 1988) ^{c g}

- [Neolygus piceicola](#) (Kelton, 1971) ^{c g}
- [Neolygus pictus](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus populi](#) (Leston, 1957) ^{c g}
- [Neolygus pteleinus](#) (Kerzhner, 1977) ^{c g}
- [Neolygus quercalbae](#) (Knight, 1917) ^{c g}
- [Neolygus renae](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus roseus](#) (Yasunaga, 1991) ^{c g}
- [Neolygus rufilorum](#) (Lu and Zheng, 1998) ^{c g}
- [Neolygus rufostriatus](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus ryoma](#) Yasunaga and Schwartz, 2005 ^{c g}
- [Neolygus salicicola](#) (Lu and Zheng, 1998) ^{c g}
- [Neolygus semivittatus](#) (Knight, 1917) ^{c g}
- [Neolygus shennongensis](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus similis](#) (Yasunaga, 1992) ^{c g}
- [Neolygus simillimus](#) (Lu and Zheng, 1998) ^{c g}
- [Neolygus sondaicus](#) (Poppius, 1914) ^{c g}
- [Neolygus subrufilori](#) Lu and Zheng, 2004 ^{c g}
- [Neolygus sylvaticus](#) (Josifov, 1992) ^{c g}
- [Neolygus tiliae](#) (Knight, 1917) ^{c g b}
- [Neolygus tilianus](#) (Lu and Zheng, 1996) ^{c g}
- [Neolygus tiliicola](#) (Kulik, 1965) ^{c g}
- [Neolygus tinctus](#) Knight, 1941 ^{c g b}
- [Neolygus tokaraensis](#) (Yasunaga, 1991) ^{c g}
- [Neolygus tomokunii](#) (Yasunaga, 1991) ^{c g}
- [Neolygus tsugaruensis](#) (Yasunaga, 1992) ^{c g}
- [Neolygus univittatus](#) (Knight, 1917) ^{c g}
- [Neolygus viburni](#) (Knight, 1917) ^{c g}
- [Neolygus viridis](#) (Fallén, 1807) ^{c g}
- [Neolygus vitticollis](#) (Reuter, 1876) ^{c g b}
- [Neolygus vityazi](#) (Kerzhner, 1988) ^{c g}
- [Neolygus walleyi](#) (Kelton, 1971) ^{c g}
- [Neolygus wuyiensis](#) (Lu and Zheng, 1998) ^{c g}
- [Neolygus xizangensis](#) (Lu and Zheng, 1998) ^{c g}
- [Neolygus yamatoensis](#) (Yasunaga, 1999) ^{c g}
- [Neolygus yulongensis](#) (Lu and Zheng, 1998) ^{c g}
- [Neolygus zebei](#) Gunther, 1997 ^g

- [*Neolygus zhengi*](#) (Lu and Yasunaga, 1994) ^{c g}
- [*Neolygus zhupei*](#) (Yasunaga, 1991) ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Browse Neolygus"](#). Catalogue of Life. Retrieved 2018-04-06.
 - ["Neolygus"](#). GBIF. Retrieved 2018-04-06.
 - ["Neolygus Genus Information"](#). BugGuide.net. Retrieved 2018-04-06.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-06.

Categories:

- [Mirinae](#)
- [Lists of insect species](#)
- [Mirini](#)
-

This is a list of 134 species in [Neolasioptera](#), a genus of gall midges in the family [Cecidomyiidae](#).^{[1][2][3][4]}

Neolasioptera species

- [Neolasioptera aeshynomensis](#) Br Fthes, 1918 ^{c g}
- [Neolasioptera albipes](#) Felt, 1918 ^{i c g}
- [Neolasioptera albitarsis](#) (Felt, 1907) ^{i c g}
- [Neolasioptera albolineata](#) Felt, 1908 ^{i c g}
- [Neolasioptera allioniae](#) (Felt, 1911) ^{i c g b}
- [Neolasioptera amaranthi](#) Mohn, 1964 ^{c g}
- [Neolasioptera ambrosiae](#) Felt, 1909 ^{i c g}
- [Neolasioptera angelicae](#) (Beutenmuller, 1908) ^{i c g}
- [Neolasioptera aphelandrae](#) Mohn, 1964 ^{c g}
- [Neolasioptera apocyni](#) (Felt, 1921) ^{i c g}
- [Neolasioptera argentata](#) Brèthes, 1917 ^{c g}

- [Neolasioptera argentsquama](#) (Felt, 1908) ^{i c g}
- [Neolasioptera asclepieae](#) Felt, 1908 ^{i c g}
- [Neolasioptera baccharicola](#) Gagne, 1971 ^{i c g}
- [Neolasioptera baezi](#) Brèthes, 1922 ^{c g}
- [Neolasioptera boehmeriae](#) (Beutenmuller, 1908) ^{i c g b}
- [Neolasioptera borrieriae](#) Mohn, 1964 ^{c g}
- [Neolasioptera brevis](#) Gagne, 1984 ^{i c g}
- [Neolasioptera brickelliae](#) Mohn, 1964 ^{c g}
- [Neolasioptera caleae](#) Mohn, 1964 ^{c g}
- [Neolasioptera camarae](#) Mohn, 1964 ^{c g}
- [Neolasioptera capsici](#) Mohn, 1964 ^{c g}
- [Neolasioptera cassiae](#) (Felt, 1909) ^{i c g}
- [Neolasioptera caulicola](#) (Felt, 1907) ^{i c g}
- [Neolasioptera celastri](#) Felt, 1908 ^{i c g}
- [Neolasioptera celtis](#) Mohn, 1964 ^{c g}
- [Neolasioptera cestri](#) Mohn, 1964 ^{c g}
- [Neolasioptera cimmaronensis](#) Mohn, 1975 ^{c g}
- [Neolasioptera cinerea](#) (Felt, 1907) ^{i c g}
- [Neolasioptera cissampeli](#) Mohn, 1964 ^{c g}
- [Neolasioptera clematicola](#) Mohn, 1964 ^{c g}
- [Neolasioptera clematidis](#) (Felt, 1907) ^{i c g b}
- [Neolasioptera combreti](#) Mohn, 1964 ^{c g}
- [Neolasioptera compositarum](#) Mohn, 1964 ^{c g}
- [Neolasioptera compostarum](#) Mohn, 1964 ^{c g}
- [Neolasioptera convolvuli](#) (Felt, 1907) ^{i c g b}
- [Neolasioptera cordiae](#) Mohn, 1964 ^{c g}
- [Neolasioptera cornicola](#) (Beutenmuller, 1907) ^{i c g b}
- [Neolasioptera crotalariae](#) (Stebbins, 1910) ^{i c g}
- [Neolasioptera cruttwellae](#) Gagne, 1977 ^{c g}
- [Neolasioptera cuphae](#) Gagne, 1998 ^{c g}
- [Neolasioptera cupheae](#) Gagne, 1998 ^{c g}
- [Neolasioptera cusani](#) Wunsch, 1979 ^{c g}
- [Neolasioptera dentata](#) Mohn, 1964 ^{c g}
- [Neolasioptera desmodii](#) (Felt, 1907) ^{i c g b}
- [Neolasioptera diclipterae](#) Wunsch, 1979 ^{c g}
- [Neolasioptera diplaci](#) (Felt, 1912) ^{i c g}

- [Neolasioptera donamae](#) Wunsch, 1979 ^{c g}
- [Neolasioptera eregeroni](#) (Brodie, 1894) ^{i c g}
- [Neolasioptera erigeroni](#) Brodie, 1894 ^{c g}
- [Neolasioptera erigerontis](#) (Felt, 1907) ^{i c}
- [Neolasioptera erythroxyli](#) Mohn, 1964 ^{c g}
- [Neolasioptera eugeniae](#) Maia, 1993 ^{c g}
- [Neolasioptera eupatoriflorae](#) (Felt, 1907) ^{i c g}
- [Neolasioptera eupatorii](#) (Felt, 1907) ^{i c g b}
- [Neolasioptera exeupatorii](#) Gagne, 1994 ^{c g}
- [Neolasioptera exigua](#) Mohn, 1964 ^{c g}
- [Neolasioptera fariae](#) (Tavares, 1922) ^{c g}
- [Neolasioptera farinosa](#) (Osten Sacken, 1862) ^{i c g b}
- [Neolasioptera ferrata](#) Mohn, 1964 ^{c g}
- [Neolasioptera flavomaculata](#) Felt, 1908 ^{i c g}
- [Neolasioptera fontagrensis](#) Gagne ^{i c g}
- [Neolasioptera fraxinifolia](#) (Felt, 1908) ^{i c g}
- [Neolasioptera frugivora](#) Gagne, 1977 ^{c g}
- [Neolasioptera galeopsidis](#) (Felt, 1909) ^{i c g}
- [Neolasioptera grandis](#) Mohn, 1964 ^{c g}
- [Neolasioptera hamamelidis](#) (Felt, 1907) ^{i c g}
- [Neolasioptera helianthi](#) (Felt, 1907) ^{i c g}
- [Neolasioptera heliocarpi](#) Mohn, 1964 ^{c g}
- [Neolasioptera hibisci](#) (Felt, 1907) ^{i c g}
- [Neolasioptera hirsuta](#) Felt, 1908 ^{i c g}
- [Neolasioptera hyptis](#) Mohn, 1964 ^{c g}
- [Neolasioptera impatientifolia](#) (Felt, 1907) ^{i c g b}
- [Neolasioptera incisa](#) Plakidas, 1994 ^{c g b}
- [Neolasioptera indigoferae](#) Mohn, 1964 ^{c g}
- [Neolasioptera ingae](#) Mohn, 1964 ^{c g}
- [Neolasioptera iresinis](#) Mohn, 1964 ^{c g}
- [Neolasioptera lantanae](#) (Tavares, 1922) ^{c g}
- [Neolasioptera lapalmae](#) Mohn, 1964 ^{c g}
- [Neolasioptera lathamii](#) Gagne, 1971 ^{i c g}
- [Neolasioptera linderae](#) (Beutenmuller, 1907) ^{i c g}
- [Neolasioptera lupini](#) (Felt, 1908) ^{i c g}
- [Neolasioptera lycopi](#) (Felt, 1907) ^{i c g b}

- [Neolasioptera major](#) Felt, 1918^{i c g}
- [Neolasioptera malvavisci](#) Mohn, 1975^{c g}
- [Neolasioptera martelli](#) Nijveldt, 1967^{i c g}
- [Neolasioptera melantherae](#) Mohn, 1964^{c g}
- [Neolasioptera menthae](#) Felt, 1909^{i c g}
- [Neolasioptera merremiae](#) Mohn, 1964^{c g}
- [Neolasioptera mimuli](#) Felt, 1908^{i c g}
- [Neolasioptera mincae](#) Wunsch, 1979^{c g}
- [Neolasioptera mitchellae](#) (Felt, 1908)^{i c g}
- [Neolasioptera monardi](#) (Brodie, 1894)^{i c g b}
- [Neolasioptera murtfeldtiana](#)^{i g}
- [Neolasioptera neofusca](#) (Felt, 1908)^{i c g}
- [Neolasioptera nodulosa](#) (Beutenmuller, 1907)^{i c g b} (nodular stem gall midge)
- [Neolasioptera odontonemae](#) Mohn, 1964^{c g}
- [Neolasioptera olivae](#) Wunsch, 1979^{c g}
- [Neolasioptera palmeri](#) (Felt, 1925)^{i c g}
- [Neolasioptera palustris](#) (Felt, 1907)^{i c g}
- [Neolasioptera parvula](#) Mohn, 1964^{c g}
- [Neolasioptera perfoliata](#) (Felt, 1907)^{i c g b}
- [Neolasioptera phaseoli](#) Mohn, 1975^{c g}
- [Neolasioptera pierrei](#) Gagne, 1972^{i c g}
- [Neolasioptera portulacae](#) (Cook, 1906)ⁱ
- [Neolasioptera potentillaecaulis](#) (Stebbins, 1910)^{i g}
- [Neolasioptera psederiae](#) (Felt, 1934)ⁱ
- [Neolasioptera pseudocalymmae](#) Mohn, 1964^{c g}
- [Neolasioptera punicea](#) (Brodie, 1909)^{i c g}
- [Neolasioptera quercina](#) (Felt, 1907)^{i c g}
- [Neolasioptera ramuscula](#) (Beutenmuller, 1907)^{i c g}
- [Neolasioptera riparia](#) (Felt, 1909)^{c g}
- [Neolasioptera rostrata](#) Gagne, 1989^{i c g}
- [Neolasioptera rudbeckiae](#) (Felt, 1908)^{i c g}
- [Neolasioptera salvadorensis](#) Mohn, 1964^{c g}
- [Neolasioptera salviae](#) Mohn, 1964^{c g}
- [Neolasioptera samariae](#) Wunsch, 1979^{c g}
- [Neolasioptera senecionis](#) Mohn, 1964^{c g}
- [Neolasioptera serrata](#) Mohn, 1964^{c g}

- [*Neolasioptera sidae*](#) Mohn, 1964 ^{c g}
- [*Neolasioptera spinulae*](#) (Felt, 1908) ^{i c g}
- [*Neolasioptera tertia*](#) (Cockerell, 1898) ^{i c g}
- [*Neolasioptera thurstoni*](#) (Brodie, 1894) ^{i c g}
- [*Neolasioptera tournefortiae*](#) Mohn, 1964 ^{c g}
- [*Neolasioptera triadenii*](#) (Beutenmuller, 1908) ^{i c g}
- [*Neolasioptera tribulae*](#) Wunsch, 1979 ^{c g}
- [*Neolasioptera variipalpus*](#) (Mani, 1937) ^{c g}
- [*Neolasioptera verbenae*](#) (Feltm, 1912) ^{i c g}
- [*Neolasioptera verbesinae*](#) Mohn, 1964 ^{c g}
- [*Neolasioptera vernoniae*](#) (Beutenmuller, 1907) ^{i c g b}
- [*Neolasioptera vernoniensis*](#) Mohn, 1964 ^{c g}
- [*Neolasioptera viburnicola*](#) (Beutenmuller, 1907) ^{i c g}
- [*Neolasioptera vitinea*](#) (Felt, 1907) ^{i c g b}
- [*Neolasioptera willistoni*](#) (Cockerell, 1898) ^{i c g b}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Neolasioptera Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-27.
 - ["Browse Neolasioptera"](#). Catalogue of Life. Archived from [the original](#) on 2018-03-07. Retrieved 2018-03-27.
 - ["Neolasioptera"](#). GBIF. Retrieved 2018-03-27.
 -
4. ["Neolasioptera Genus Information"](#). BugGuide.net. Retrieved 2018-03-27.

Categories:

- [Cecidomyiinae](#)
- [Lists of insect species](#)
-

This is a list of 147 species in [Neoempheria](#), a genus of fungus gnats in the family [Mycetophilidae](#).^{[1][2][3][4]}

***Neoempheria* species**

- [*Neoempheria acracanthia*](#) Wu & Yang, 1995 ^{c g}
- [*Neoempheria amphiphaea*](#) Speiser, 1909 ^{c g}
- [*Neoempheria amurensis*](#) Zaitzev, 1994 ^{c g}
- [*Neoempheria anjouana*](#) Matile, 1979 ^{c g}
- [*Neoempheria aperta*](#) Zaitzev & Menzel, 1996 ^{c g}
- [*Neoempheria apicalis*](#) Kertesz, 1909 ^{c g}
- [*Neoempheria appendiculata*](#) Matile, 1973 ^{c g}
- [*Neoempheria balioptera*](#) (Loew, 1869) ^{i c g b}
- [*Neoempheria basalis*](#) (Brunetti, 1912) ^{c g}
- [*Neoempheria beijingana*](#) Wu & Yang, 1993 ^{c g}
- [*Neoempheria biceltisuta*](#) ^g
- [*Neoempheria bidentata*](#) Coher, 1959 ^{c g}
- [*Neoempheria bifascipennis*](#) (Brunetti, 1912) ^{c g}
- [*Neoempheria bifida*](#) Coher, 1959 ^{c g}
- [*Neoempheria biflagellata*](#) Edwards, 1940 ^{c g}
- [*Neoempheria bifurcata*](#) ^g
- [*Neoempheria bilobata*](#) Edwards, 1940 ^{c g}
- [*Neoempheria bimaculata*](#) (Roser, 1840) ^{c g}
- [*Neoempheria bipectinata*](#) Edwards, 1940 ^{c g}
- [*Neoempheria bisecuriata*](#) ^g
- [*Neoempheria bispinosa*](#) Sasakawa, 2005 ^{c g}
- [*Neoempheria borgmeieri*](#) Edwards, 1940 ^{c g}
- [*Neoempheria boubya*](#) Matile, 1973 ^{c g}
- [*Neoempheria bradleyi*](#) Edwards, 1940 ^{c g}
- [*Neoempheria brasiliensis*](#) Coher, 1959 ^{c g}
- [*Neoempheria brevicauda*](#) Edwards, 1940 ^{c g}
- [*Neoempheria brevilineata*](#) Okada, 1939 ^{c g}
- [*Neoempheria brevispathulata*](#) ^g
- [*Neoempheria carinata*](#) ^g
- [*Neoempheria caudalis*](#) (Edwards, 1931) ^{c g}
- [*Neoempheria cincta*](#) Shaw, 1940 ^{c g}
- [*Neoempheria comes*](#) Coher, 1959 ^{c g}
- [*Neoempheria costalimai*](#) Edwards, 1940 ^{c g}
- [*Neoempheria costaricensis*](#) Coher, 1959 ^{c g}
- [*Neoempheria cotyla*](#) Sasakawa, 2005 ^{c g}

- [Neoempheria cuneata](#) ^g
- [Neoempheria cyphia](#) Wu & Yang, 1995 ^{c g}
- [Neoempheria defectiva](#) (Edwards, 1931) ^{c g}
- [Neoempheria defleta](#) Coher, 1959 ^{c g}
- [Neoempheria denticulata](#) ^g
- [Neoempheria didyma](#) Loew, 1869 ^{i c g}
- [Neoempheria dilatata](#) ^g
- [Neoempheria dizonalis](#) (Edwards, 1931) ^{c g}
- [Neoempheria donskoffi](#) Matile, 1973 ^{c g}
- [Neoempheria dziedickii](#) Coher, 1959 ^{c g}
- [Neoempheria echinata](#) Wu & Yang, 1995 ^{c g}
- [Neoempheria ecuadorensis](#) Coher, 1959 ^{c g}
- [Neoempheria ediya](#) Matile, 1973 ^{c g}
- [Neoempheria enderleini](#) Edwards, 1940 ^{c g}
- [Neoempheria evanescens](#) Enderlein, 1910 ^{c g}
- [Neoempheria faceta](#) Coher, 1959 ^{c g}
- [Neoempheria fallax](#) Coher, 1959 ^{c g}
- [Neoempheria ferruginea](#) (Brunetti, 1912) ^c
- [Neoempheria flavicornis](#) Edwards, 1940 ^{c g}
- [Neoempheria flavicoxa](#) Edwards, 1940 ^{c g}
- [Neoempheria flavida](#) Matile, 1973 ^{c g}
- [Neoempheria forficulata](#) ^g
- [Neoempheria formosensis](#) Lynch Arribalzaga, 1892 ^{c g}
- [Neoempheria fujiana](#) Yang & Wu, 1991 ^{c g}
- [Neoempheria gainesvillensis](#) Khalaf, 1971 ^{i c g}
- [Neoempheria glochis](#) Coher, 1959 ^{c g}
- [Neoempheria goiana](#) Coher, 1959 ^{c g}
- [Neoempheria griseipennis](#) Strobl, 1910 ^{c g}
- [Neoempheria horrens](#) Coher, 1959 ^{c g}
- [Neoempheria illustris](#) Johannsen, 1910 ^{i c g b}
- [Neoempheria impatiens](#) Johannsen, 1910 ^{i c g}
- [Neoempheria indulgens](#) Johannsen, 1910 ^{i c g}
- [Neoempheria insignis](#) (Winnertz, 1863) ^{c g}
- [Neoempheria jamaicensis](#) Coher, 1961 ^{c g}
- [Neoempheria jeanneli](#) Edwards, 1914 ^{c g}
- [Neoempheria jilinana](#) Wu & Yang, 1993 ^{c g}

- [Neoempheria johannseni](#) (Enderlein, 1910) ^{c g}
- [Neoempheria jugalis](#) Coher, 1959 ^{c g}
- [Neoempheria kaestneri](#) Edwards, 1940 ^{c g}
- [Neoempheria lanei](#) Edwards, 1940 ^{c g}
- [Neoempheria larifuga](#) Coher, 1959 ^{c g}
- [Neoempheria latisternata](#) ^g
- [Neoempheria levir](#) Coher, 1959 ^{c g}
- [Neoempheria lindneri](#) Edwards, 1940 ^{c g}
- [Neoempheria lineola](#) (Meigen, 1818) ^{c g}
- [Neoempheria longiseta](#) Coher, 1959 ^{c g}
- [Neoempheria luederwaldti](#) Edwards, 1940 ^{c g}
- [Neoempheria lutzi](#) Edwards, 1940 ^{c g}
- [Neoempheria macularis](#) Johannsen, 1910 ^{i c g b}
- [Neoempheria maculipennis](#) Williston, 1896 ^{c g}
- [Neoempheria magna](#) Wu & Yang, 1993 ^{c g}
- [Neoempheria medialis](#) (Edwards, 1931) ^{c g}
- [Neoempheria merogena](#) Yang & Wu, 1993 ^{c g}
- [Neoempheria mirabila](#) Wu & Yang, 1995 ^{c g}
- [Neoempheria moheliana](#) Matile, 1979 ^{c g}
- [Neoempheria monticola](#) Wu, 1999 ^{c g}
- [Neoempheria muelleri](#) Edwards, 1940 ^{c g}
- [Neoempheria muticata](#) ^g
- [Neoempheria neivai](#) Edwards, 1940 ^{c g}
- [Neoempheria nepticula](#) (Loew, 1869) ^{i c g}
- [Neoempheria ombrophila](#) Matile & Delobel, 1976 ^{c g}
- [Neoempheria ornata](#) Okada, 1938 ^{c g}
- [Neoempheria ornatipennis](#) (Enderlein, 1910) ^{c g}
- [Neoempheria panamensis](#) Coher, 1959 ^{c g}
- [Neoempheria paulensis](#) Coher, 1959 ^{c g}
- [Neoempheria pereirai](#) Edwards, 1940 ^{c g}
- [Neoempheria pervulgata](#) Wu, 1995 ^{c g}
- [Neoempheria philipsi](#) Shaw, 1951 ^{c g}
- [Neoempheria pictipennis](#) (Haliday, 1833) ^{c g}
- [Neoempheria pilosa](#) Edwards, 1940 ^{c g}
- [Neoempheria platycera](#) Wu, 1995 ^{c g}
- [Neoempheria plaumanni](#) Edwards, 1940 ^{c g}

- [*Neoempheria pleurotivora*](#) Sasakawa, 1979 ^{c g}
- [*Neoempheria portoricensis*](#) Coher, 1959 ^{c g}
- [*Neoempheria propinqua*](#) (Meijere, 1907) ^{c g}
- [*Neoempheria proxima*](#) (Winnertz, 1863) ^{c g}
- [*Neoempheria puncticoxa*](#) Edwards, 1940 ^{c g}
- [*Neoempheria rabelloi*](#) Coher, 1959 ^{c g}
- [*Neoempheria rostrata*](#) Edwards, 1940 ^{c g}
- [*Neoempheria sakhalinensis*](#) Zaitzev, 2001 ^{c g}
- [*Neoempheria separata*](#) Coher, 1959 ^{c g}
- [*Neoempheria setulosa*](#) Wu, 1999 ^{c g}
- [*Neoempheria shannoni*](#) Edwards, 1940 ^{c g}
- [*Neoempheria signifera*](#) Skuse, 1890 ^{c g}
- [*Neoempheria simplex*](#) Edwards, 1940 ^{c g}
- [*Neoempheria sinica*](#) Wu & Yang, 1993 ^{c g}
- [*Neoempheria smarti*](#) Edwards, 1940 ^{c g}
- [*Neoempheria socia*](#) Coher, 1959 ^{c g}
- [*Neoempheria spinosa*](#) Edwards, 1940 ^{c g}
- [*Neoempheria striata*](#) (Meigen, 1818) ^{c g}
- [*Neoempheria stubbsi*](#) Sevcik & Papp, 2003 ^{c g}
- [*Neoempheria subclavata*](#) Edwards, 1940 ^{c g}
- [*Neoempheria subfallax*](#) Coher, 1959 ^{c g}
- [*Neoempheria subhorrens*](#) Coher, 1959 ^{c g}
- [*Neoempheria sublevir*](#) Coher, 1959 ^{c g}
- [*Neoempheria subproxima*](#) Zaitzev, 2001 ^{c g}
- [*Neoempheria subulata*](#) Wu & Yang, 1995 ^{c g}
- [*Neoempheria tarsata*](#) (Winnertz, 1863) ^{c g}
- [*Neoempheria tetraphaea*](#) Shaw, 1940 ^{c g}
- [*Neoempheria tinctipennis*](#) (Brunetti, 1912) ^{c g}
- [*Neoempheria transvaalensis*](#) Vaisanen, 1994 ^{c g}
- [*Neoempheria triloba*](#) Wu & Yang, 1995 ^{c g}
- [*Neoempheria tropica*](#) (Doleschall, 1857) ^{c g}
- [*Neoempheria tuomikoskii*](#) Vaisanen, 1982 ^{c g}
- [*Neoempheria unifascipennis*](#) (Senior-White, 1922) ^{c g}
- [*Neoempheria unispinosa*](#) Edwards, 1940 ^{c g}
- [*Neoempheria varipennis*](#) Lynch Arribalzaga, 1892 ^{c g}
- [*Neoempheria vicina*](#) Colless, 1966 ^{c g}

- [*Neoempheria vogeli*](#) Edwards, 1940 ^c ^g
- [*Neoempheria wangi*](#) Yang & Wu, 1993 ^c ^g
- [*Neoempheria winnertzi*](#) Edwards, 1913 ^c ^g
- [*Neoempheria zeteki*](#) Coher, 1959 ^c ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Neoempheria Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-30.
 - ["Browse Neoempheria"](#). Catalogue of Life. Retrieved 2018-04-30.
 - ["Neoempheria"](#). GBIF. Retrieved 2018-04-30.
 -
4. ["Neoempheria Genus Information"](#). BugGuide.net. Retrieved 2018-04-30.

Categories:

- [Mycetophilidae](#)
- [Lists of insect species](#)
-

This is a list of 193 species in the genus [Nemoura](#), a genus of spring stoneflies in the family [Nemouridae](#).^{[1][2][3][4]}

Nemoura species

- [Nemoura abscissa](#) Zwick, P., 1977 ^c ^g
- [Nemoura aetolica](#) Zwick, P., 1978 ^c ^g
- [Nemoura akagii](#) Kawai, 1960 ^c ^g
- [Nemoura alaica](#) Zhiltzova, 1976 ^c ^g
- [Nemoura almaatensis](#) Zhiltzova, 1979 ^c ^g
- [Nemoura anas](#) Murányi, 2007 ^c ^g
- [Nemoura anguiculus](#) Shimizu, 1997 ^c ^g
- [Nemoura apicalis](#) Sivec & Stark, 2010 ^c ^g
- [Nemoura apollo](#) Zwick, P., 1978 ^c ^g
- [Nemoura aquila](#) Murányi, 2011 ^c ^g

- [Nemoura arctica](#) Esben-Petersen, 1910 ^{i c g}
- [Nemoura arlingtoni](#) Wu, C.F., 1939 ^{c g}
- [Nemoura asceta](#) Murányi, 2007 ^{c g}
- [Nemoura atristrigata](#) Li, Weihai & D. Yang, 2007 ^{c g}
- [Nemoura auberti](#) Zwick, P., 1977 ^{c g}
- [Nemoura avicularis](#) Morton, 1894 ^{c g}
- [Nemoura babai](#) Kawai, 1966 ^{c g}
- [Nemoura babiagorensis](#) Sowa, 1964 ^{c g}
- [Nemoura baiyunshana](#) Li, Weihai, G. Wang & D. Yang, 2012 ^{c g}
- [Nemoura basispina](#) Li, Weihai & D. Yang, 2006 ^{c g}
- [Nemoura bituberculata](#) Kimmins, 1950 ^{c g}
- [Nemoura bokhari](#) Aubert, 1967 ^{c g}
- [Nemoura braaschi](#) Joost, 1970 ^{c g}
- [Nemoura brachiptilus](#) Motschulsky, 1853 ^{c g}
- [Nemoura brevicauda](#) Zwick, P., 1980 ^{c g}
- [Nemoura brevilobata](#) (Klapálek, 1912) ^{c g}
- [Nemoura brevipennis](#) Martynov, 1928 ^{c g}
- [Nemoura bulgarica](#) Raušer, 1962 ^{c g}
- [Nemoura caligula](#) Zwick, P., 1978 ^{c g}
- [Nemoura cambrica](#) Stephens, 1836 ^{c g}
- [Nemoura carpathica](#) Illies, 1963 ^{c g}
- [Nemoura caspica](#) Aubert, 1964 ^{c g}
- [Nemoura ceciliae](#) Aubert, 1956 ^{c g}
- [Nemoura cercispinosa](#) Kawai, 1960 ^{c g}
- [Nemoura chattriki](#) Aubert, 1967 ^{c g}
- [Nemoura chinonis](#) Okamoto, 1922 ^{c g}
- [Nemoura chugi](#) Aubert, 1967 ^{c g}
- [Nemoura cinerea](#) (Retzius, 1783) ^{i c g}
- [Nemoura clavaloba](#) Sivec & Stark, 2010 ^{c g}
- [Nemoura cochleocercia](#) Wu, C.F., 1962 ^{c g}
- [Nemoura concava](#) Li, Weihai & D. Yang, 2008 ^{c g}
- [Nemoura confusa](#) Zwick, P., 1970 ^{c g}
- [Nemoura dentata](#) Shimizu, 1997 ^{c g}
- [Nemoura dentigera](#) Shimizu, 1997 ^{c g}
- [Nemoura despinosa](#) Zhiltzova, 1977 ^{c g}
- [Nemoura dromokeryx](#) Theischinger, 1976 ^{c g}

- [Nemoura dubitans](#) Morton, 1894 ^{c g}
- [Nemoura dulkeiti](#) Zapekina-Dulkeit, 1975 ^{c g}
- [Nemoura elegantula](#) Martynov, 1928 ^{c g}
- [Nemoura erratica](#) Claassen, 1936 ^{c g}
- [Nemoura espera](#) Ham & Lee, 1999 ^{c g}
- [Nemoura flaviscapa](#) Aubert, 1956 ^{c g}
- [Nemoura flexuosa](#) Aubert, 1949 ^{c g}
- [Nemoura floralis](#) Li, Weihai & D. Yang, 2006 ^{c g}
- [Nemoura formosana](#) Shimizu, 1997 ^{c g}
- [Nemoura fulva](#) (Šámal, 1921) ^{c g}
- [Nemoura fulviceps](#) Klapalek, 1902 ^{c g}
- [Nemoura furcocauda](#) Wu, C.F., 1973 ^{c g}
- [Nemoura fusca](#) Kis, 1963 ^{c g}
- [Nemoura fusiformis](#) Chen & Y. Du, 2017 ^{c g}
- [Nemoura geei](#) Wu, C.F., 1929 ^{c g}
- [Nemoura gemma](#) Ham & Lee, 1998 ^{c g}
- [Nemoura genei](#) Rambur, 1842 ^{c g}
- [Nemoura gladiata](#) Uéno, 1929 ^{c g}
- [Nemoura guangdongensis](#) Li, Weihai & D. Yang, 2006 ^{c g}
- [Nemoura hamata](#) Kis, 1965 ^{c g}
- [Nemoura hamulata](#) Zhiltzova, 1971 ^{c g}
- [Nemoura hangchowensis](#) Chu, 1928 ^{c g}
- [Nemoura hesperiae](#) Consiglio, 1960 ^{c g}
- [Nemoura hikosan](#) Shimizu, 2016 ^{c g}
- [Nemoura illiesi](#) Mendl, H., 1968 ^{c g}
- [Nemoura indica](#) (Needham, 1909) ^{c g}
- [Nemoura irani](#) Aubert, 1964 ^{c g}
- [Nemoura janeti](#) Wu, C.F., 1938 ^{c g}
- [Nemoura jejudoensis](#) Zwick, P. & Baumann, 2011 ^{c g}
- [Nemoura jezoensis](#) Okamoto, 1922 ^{c g}
- [Nemoura jilinensis](#) Zhu, F. & D. Yang, 2003 ^{c g}
- [Nemoura junhuae](#) Li, Weihai & D. Yang, 2008 ^{c g}
- [Nemoura khasanensis](#) Teslenko, 2015 ^{c g}
- [Nemoura khasii](#) Aubert, 1967 ^{c g}
- [Nemoura klapperichi](#) Sivec, 1981 ^{c g}
- [Nemoura kontumensis](#) Fochetti & Ceci, 2017 ^{c g}

- [*Nemoura kopetdaghi*](#) Zhiltzova, 1976 ^{c g}
- [*Nemoura kownackorum*](#) Sowa, 1970 ^{c g}
- [*Nemoura kuhleni*](#) Aubert, 1967 ^{c g}
- [*Nemoura kuwayamai*](#) Kawai, 1966 ^{c g}
- [*Nemoura lacustris*](#) Pictet, A.E., 1865 ^{c g}
- [*Nemoura lahkipuri*](#) Aubert, 1967 ^{c g}
- [*Nemoura latilongispina*](#) Qian, Xiao, Chen & Du, 2018 ^g
- [*Nemoura lazoensis*](#) Zwick, P., 2010 ^{c g}
- [*Nemoura lepnevae*](#) Zhiltzova, 1971 ^{c g}
- [*Nemoura linguata*](#) Navás, 1918 ^{c g}
- [*Nemoura longicauda*](#) Kis, 1964 ^{c g}
- [*Nemoura longicercia*](#) Okamoto, 1922 ^{c g}
- [*Nemoura longilobata*](#) Shimizu, 1997 ^{c g}
- [*Nemoura lucana*](#) Nicolai & Fochetti, 1991 ^{c g}
- [*Nemoura lui*](#) Du, Y. & P. Zhou, 2008 ^{c g}
- [*Nemoura luteicornis*](#) Stephens, 1836 ^{c g}
- [*Nemoura magnicauda*](#) Zwick, P., 1980 ^{c g}
- [*Nemoura magniseta*](#) Sivec & Stark, 2010 ^{c g}
- [*Nemoura manchuriana*](#) Uéno, 1941 ^{c g}
- [*Nemoura marginata*](#) Pictet, 1836 ^{i c g}
- [*Nemoura martynovia*](#) Claassen, 1936 ^{c g}
- [*Nemoura masuensis*](#) (Li, Weihai & D. Yang, 2005) ^{c g}
- [*Nemoura matangshanensis*](#) Wu, C.F., 1935 ^{c g}
- [*Nemoura mawlangi*](#) Aubert, 1967 ^{c g}
- [*Nemoura meniscata*](#) Li, Weihai & D. Yang, 2007 ^{c g}
- [*Nemoura mesospina*](#) Li, Weihai & D. Yang, 2008 ^{c g}
- [*Nemoura miaofengshanensis*](#) Zhu, F. & D. Yang, 2003 ^{c g}
- [*Nemoura minima*](#) Aubert, 1946 ^{c g}
- [*Nemoura monae*](#) Joost, 1977 ^{c g}
- [*Nemoura monticola*](#) Raušer, 1965 ^{c g}
- [*Nemoura mortoni*](#) Ris, 1902 ^{c g}
- [*Nemoura moselyi*](#) Despax, 1934 ^{c g}
- [*Nemoura mucronata*](#) Li, Weihai & D. Yang, 2008 ^{c g}
- [*Nemoura nankinensis*](#) Wu, C.F., 1926 ^{c g}
- [*Nemoura naraiensis*](#) Kawai, 1954 ^{c g}
- [*Nemoura needhamia*](#) Wu, C.F., 1927 ^{c g}

- [Nemoura neospiniloba](#) Sivec & Stark, 2010 ^{c g}
- [Nemoura nepalensis](#) Zwick, P., 1980 ^{c g}
- [Nemoura nervosa](#) Pictet, F.J., 1836 ^{c g}
- [Nemoura nigratarsis](#) Pictet, F.J., 1836 ^{c g}
- [Nemoura nigrodentata](#) Zhiltzova, 1980 ^{c g}
- [Nemoura normani](#) Ricker, 1952 ^{i c g}
- [Nemoura obtusa](#) Ris, 1902 ^{c g}
- [Nemoura oculata](#) Wang, Z. & Y. Du, 2006 ^{c g}
- [Nemoura oropensis](#) Ravizza, C. & Ravizza Dematteis, 1980 ^{c g}
- [Nemoura ovocercia](#) Kawai, 1960 ^{c g}
- [Nemoura ovoidalis](#) Kis, 1965 ^{c g}
- [Nemoura palliventris](#) Aubert, 1953 ^{c g}
- [Nemoura papilla](#) Okamoto, 1922 ^{c g}
- [Nemoura parafulva](#) Zhiltzova, 1981 ^{c g}
- [Nemoura perforata](#) Li, Weihai & D. Yang, 2006 ^{c g}
- [Nemoura peristeri](#) Aubert, 1963 ^{c g}
- [Nemoura persica](#) Zwick, P., 1980 ^{c g}
- [Nemoura pesarinii](#) Ravizza, C. & Ravizza Dematteis, 1979 ^{c g}
- [Nemoura petegariensis](#) Kawai, 1971 ^{c g}
- [Nemoura phasianusa](#) Ham, 2009 ^{c g}
- [Nemoura pirinensis](#) Raušer, 1962 ^{c g}
- [Nemoura pseudoerratica](#) Vinçon & Pardo, 2003 ^{c g}
- [Nemoura pygmaea](#) Braasch & Joost, 1972 ^{c g}
- [Nemoura quadrituberata](#) Shimizu, 1997 ^{c g}
- [Nemoura rahlae](#) Jewett, 1958 ^{c g}
- [Nemoura raptoraloba](#) Sivec & Stark, 2010 ^{c g}
- [Nemoura redimiculum](#) Kawai, 1966 ^{c g}
- [Nemoura remota](#) Banks, 1920 ^{c g}
- [Nemoura rickeri](#) Jewett, 1971 ^{i c g}
- [Nemoura rifensis](#) Aubert, 1960 ^{c g}
- [Nemoura rivorum](#) Ravizza, C. & Ravizza Dematteis, 1995 ^{c g}
- [Nemoura rotundprojecta](#) Du, Y. & P. Zhou, 2008 ^{c g}
- [Nemoura rugosa](#) Zwick, P., 2010 ^{c g}
- [Nemoura sabina](#) Fochetti & Vinçon, 2009 ^{c g}
- [Nemoura sachalinensis](#) Matsumura, 1911 ^{c g}
- [Nemoura saetifera](#) Shimizu, 1997 ^{c g}

- [Nemoura sahlbergi](#) Morton, 1896 ^{c g}
- [Nemoura sciurus](#) Aubert, 1949 ^{c g}
- [Nemoura securigera](#) Klapálek, 1908 ^{c g}
- [Nemoura serrarimi](#) Aubert, 1967 ^{c g}
- [Nemoura sichuanensis](#) Li, Weihai & D. Yang, 2006 ^{c g}
- [Nemoura sinuata](#) Ris, 1902 ^{c g}
- [Nemoura speustica](#) Newman, 1851 ^{c g}
- [Nemoura spinacerca](#) Sivec & Stark, 2010 ^{c g}
- [Nemoura spiniloba](#) Jewett, 1954 ^{i c g}
- [Nemoura spinosa](#) Wu, C.F., 1939 ^{c g}
- [Nemoura stellata](#) Li, Weihai & D. Yang, 2008 ^{c g}
- [Nemoura stratum](#) Kawai, 1966 ^{c g}
- [Nemoura stylocerca](#) Sivec & Stark, 2010 ^{c g}
- [Nemoura subtilis](#) Klapálek, 1896 ^{c g}
- [Nemoura taihangshana](#) Wang, H., Weihai Li & D. Yang, 2013 ^{c g}
- [Nemoura tamangi](#) Sivec, 1980 ^{c g}
- [Nemoura tau](#) Zwick, P., 1973 ^{c g}
- [Nemoura taurica](#) Zhiltzova, 1967 ^{c g}
- [Nemoura tenuiloba](#) Sivec & Stark, 2010 ^{c g}
- [Nemoura transsylvanica](#) Kis, 1963 ^{c g}
- [Nemoura transversospinosa](#) Zhiltzova, 1979 ^{c g}
- [Nemoura triangulifera](#) Zwick, P., 1980 ^{c g}
- [Nemoura tridenticula](#) Li, Weihai, G. Wang & D. Yang, 2012 ^{c g}
- [Nemoura tripotini](#) Zwick, P., 2010 ^{c g}
- [Nemoura trivittata](#) Shimizu, 1997 ^{c g}
- [Nemoura turcica](#) Zwick, P., 1972 ^{c g}
- [Nemoura uenoi](#) Kawai, 1954 ^{c g}
- [Nemoura uncinata](#) Despax, 1934 ^{c g}
- [Nemoura undulata](#) Ris, 1902 ^{c g}
- [Nemoura unicornis](#) Jewett, 1975 ^{c g}
- [Nemoura ussuriensis](#) Zhiltzova, 1997 ^{c g}
- [Nemoura viki](#) Lillehammer, 1972 ^{c g}
- [Nemoura vinconi](#) Murányi, 2007 ^{c g}
- [Nemoura wangi](#) Li, Weihai & D. Yang, 2008 ^{c g}
- [Nemoura wittmeri](#) Zwick, P., 1975 ^{c g}
- [Nemoura xistralensis](#) Vinçon & Pardo, 2003 ^{c g}

- [*Nemoura yunnanensis*](#) Wu, C.F., 1939 ^{c g}
- [*Nemoura zaohensis*](#) Shimizu, 1997 ^{c g}
- [*Nemoura zwicki*](#) Sivec, 1980 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 193 species in [*Nemotelus*](#), a genus of soldier flies in the family [*Stratiomyidae*](#).^{[1][2][3]}

***Nemotelus* species**

- [*Nemotelus abdominalis*](#) Adams, 1903^[4]
- [*Nemotelus acutirostris*](#) Loew, 1863^[5]
- [*Nemotelus aerosus*](#) Gimmerthal, 1847^[6]
- [*Nemotelus albimarginatus*](#) James, 1936
- [*Nemotelus albirostris*](#) Macquart, 1850^[7]
- [*Nemotelus albitarsis*](#) Lindner, 1965^[8]
- [*Nemotelus albiventris*](#) Thomson, 1869
- [*Nemotelus aldrichi*](#) (Williston, 1917)^[9]
- [*Nemotelus alida*](#) Lindner, 1966^[10]
- [*Nemotelus anchora*](#) Loew, 1846^[11]
- [*Nemotelus angustemarginatus*](#) Pleske, 1937
- [*Nemotelus annulipes*](#) Pleske, 1937
- [*Nemotelus arabistanicus*](#) Pleske, 1937
- [*Nemotelus arator*](#) Melander, 1903^[12]
- [*Nemotelus argentifer*](#) Loew, 1846^[11]
- [*Nemotelus aridus*](#) Hanson, 1963
- [*Nemotelus armeniacus*](#) Pleske, 1937
- [*Nemotelus aschuricus*](#) Pleske, 1937
- [*Nemotelus atbassaricus*](#) Pleske, 1937
- [*Nemotelus atriceps*](#) Loew, 1856
- [*Nemotelus aureus*](#) Lindner, 1966^[10]
- [*Nemotelus aviceps*](#) James, 1974
- [*Nemotelus barracloughi*](#) (Mason, 1997)
- [*Nemotelus basilaris*](#) Woodley, 2001^[1]
- [*Nemotelus beameri*](#) James, 1933
- [*Nemotelus beckeri*](#) Hauser, 1998
- [*Nemotelus bellulus*](#) Melander, 1903^[12]
- [*Nemotelus biondii*](#) Mason, 1997
- [*Nemotelus bipunctatus*](#) Loew, 1846^[11]
- [*Nemotelus bomynensis*](#) Pleske, 1937

- [*Nemotelus bonnarius* Johnson, 1912\[13\]](#)
- [*Nemotelus brevirostris* Meigen, 1822\[14\]](#)
- [*Nemotelus bruesii* Melander, 1903\[12\]](#)
- [*Nemotelus canadensis* Loew, 1863\[5\]](#)
- [*Nemotelus candidus* Becker, 1906](#)
- [*Nemotelus capensis* Walker, 1851\[15\]](#)
- [*Nemotelus carthagini* Becker, 1906](#)
- [*Nemotelus catharistis* Lindner, 1930](#)
- [*Nemotelus centralis* Hanson, 1958](#)
- [*Nemotelus chainei* Mason, 1997](#)
- [*Nemotelus chilensis* James, 1974](#)
- [*Nemotelus chlorhimas* James, 1974](#)
- [*Nemotelus cingulatus* Dufour, 1852\[16\]](#)
- [*Nemotelus clunipes* Lindner, 1960\[17\]](#)
- [*Nemotelus cochranee* Mason, 1997](#)
- [*Nemotelus communis* Hanson, 1958](#)
- [*Nemotelus congruens* Kertész, 1914\[18\]](#)
- [*Nemotelus consentiens* Lindner, 1959\[19\]](#)
- [*Nemotelus convexiceps* James, 1974](#)
- [*Nemotelus crenatus* Egger, 1859\[20\]](#)
- [*Nemotelus crinitus* Hanson, 1963](#)
- [*Nemotelus curdistanus* Szilády, 1941\[21\]](#)
- [*Nemotelus cylindricornis* Rozkošný, 1977](#)
- [*Nemotelus cypriacus* Lindner, 1937\[22\]](#)
- [*Nemotelus dampfi* James, 1941](#)
- [*Nemotelus danielssoni* Mason, 1989](#)
- [*Nemotelus dentatus* Becker, 1902\[23\]](#)
- [*Nemotelus diehli* Lindner, 1941\[24\]](#)
- [*Nemotelus dimidiatus* Lindner, 1935\[25\]](#)
- [*Nemotelus dissitus* Cui, Zhang & Yang, 2009\[26\]](#)
- [*Nemotelus eburneopictus* James, 1974](#)
- [*Nemotelus exsul* James, 1960](#)
- [*Nemotelus exul* \(Walker, 1851\)\[15\]](#)
- [*Nemotelus faciflavus* Cui, Zhang & Yang, 2009\[27\]](#)
- [*Nemotelus fasciventris* Becker, 1913](#)
- [*Nemotelus flavicornis* Johnson, 1894\[28\]](#)
- [*Nemotelus flavocingulatus* Kertész, 1914\[18\]](#)
- [*Nemotelus fozzeri* Mason, 1997](#)
- [*Nemotelus frontosus* \(Hine, 1901\)\[29\]](#)
- [*Nemotelus fuegensis* James, 1974](#)
- [*Nemotelus glaber* Loew, 1872\[30\]](#)
- [*Nemotelus gobiensis* Pleske, 1937](#)

- [Nemotelus grootaerti](#) Mason, 1997
- [Nemotelus haemorrhous](#) Loew, 1857[31]
- [Nemotelus halophilus](#) Hanson, 1958
- [Nemotelus hansonii](#) Mason, 1997
- [Nemotelus heptapotamicus](#) Pleske, 1937
- [Nemotelus hirsutissimus](#) James, 1974
- [Nemotelus hirtulus](#) Bigot, 1879[32]
- [Nemotelus hyalinibasis](#) Lindner, 1966[10]
- [Nemotelus ilensis](#) Pleske, 1937
- [Nemotelus imitator](#) (Kertész, 1923)[33]
- [Nemotelus immaculatus](#) Johnson, 1895[34]
- [Nemotelus inconspicuus](#) Pleske, 1933
- [Nemotelus incurvatus](#) James, 1974
- [Nemotelus insularis](#) Becker, 1908[35]
- [Nemotelus irwinorum](#) Mason, 1997
- [Nemotelus jakowlewi](#) Pleske, 1937
- [Nemotelus jamesi](#) Hanson, 1958
- [Nemotelus kansensis](#) Adams, 1903[4]
- [Nemotelus knowltoni](#) James, 1936
- [Nemotelus kugleri](#) Lindner, 1974[36]
- [Nemotelus lanatus](#) James, 1974
- [Nemotelus lasiops](#) Loew, 1846[11]
- [Nemotelus latemarginatus](#) Pleske, 1937
- [Nemotelus latiusculus](#) Loew, 1871[37]
- [Nemotelus lativentris](#) Pleske, 1937
- [Nemotelus londtorum](#) Mason, 1997
- [Nemotelus longirostris](#) Wiedemann, 1824[38]
- [Nemotelus maculatus](#) Kertész, 1914[18]
- [Nemotelus maculiventris](#) Bigot, 1860[39]
- [Nemotelus madagascarensis](#) James, 1975
- [Nemotelus magellanicus](#) James, 1974
- [Nemotelus mandshuricus](#) Pleske, 1937
- [Nemotelus marinus](#) Becker, 1902[23]
- [Nemotelus matilei](#) Mason, 1997
- [Nemotelus matrouhensis](#) Mohammad, Fadl, Gadalla & Badrawy, 2009[40]
- [Nemotelus megarhynchus](#) Pleske, 1937
- [Nemotelus melanderi](#) Banks, 1920
- [Nemotelus mersinae](#) Becker, 1915
- [Nemotelus monensis](#) Curran, 1928[41]
- [Nemotelus mongolia](#) Woodley, 2001[1]
- [Nemotelus montanus](#) James, 1936
- [Nemotelus nanshanicus](#) Pleske, 1937

- [Nemotelus nartshukae](#) Rozkošný & Vanhara, 2018[42]
- [Nemotelus neotropicus](#) Curran, 1925
- [Nemotelus neuquenensis](#) Kertész, 1914[18]
- [Nemotelus nevadensis](#) Hanson, 1963
- [Nemotelus niger](#) Bigot, 1879[32]
- [Nemotelus nigribasis](#) Lindner, 1965[8]
- [Nemotelus nigricornis](#) Kertész, 1914[18]
- [Nemotelus nigrifrons](#) Loew, 1846[11]
- [Nemotelus nigrimana](#) Lindner, 1966[10]
- [Nemotelus nigrinus](#) Fallén, 1817
- [Nemotelus notatus](#) Zetterstedt, 1842[43]
- [Nemotelus nudus](#) Kertész, 1914[18]
- [Nemotelus obscuripes](#) Loew, 1871[37]
- [Nemotelus obtusirostris](#) Lindner, 1943
- [Nemotelus pallipes](#) Say, 1823[44]
- [Nemotelus pantherina](#) (Linnaeus, 1758)[45]
- [Nemotelus pappi](#) Rozkošný, 1982
- [Nemotelus penai](#) James, 1974
- [Nemotelus personatus](#) Pleske, 1937
- [Nemotelus peruvianus](#) Kertész, 1914[18]
- [Nemotelus picinus](#) Hanson, 1958
- [Nemotelus planifrons](#) Lindner, 1972
- [Nemotelus poecilohimas](#) James, 1974
- [Nemotelus poecilorhynchus](#) Pleske, 1937
- [Nemotelus politus](#) Hanson, 1958
- [Nemotelus polyposus](#) Say, 1829[46][47]
- [Nemotelus proboscideus](#) Loew, 1846[11]
- [Nemotelus przewalskii](#) Pleske, 1937
- [Nemotelus psilonotus](#) Hanson, 1963
- [Nemotelus pulchricornis](#) James, 1974
- [Nemotelus pullus](#) Loew, 1871[37]
- [Nemotelus pumilus](#) Hanson, 1963
- [Nemotelus punctifacies](#) Becker, 1913
- [Nemotelus quadrinotatus](#) Johnson, 1913[48]
- [Nemotelus robertsonae](#) Mason, 1997
- [Nemotelus roedingeri](#) Lindner, 1941[24]
- [Nemotelus rudifraci](#) (Berezovsky & Nartshuk, 1993)
- [Nemotelus ruficornis](#) Bigot, 1879[32]
- [Nemotelus rufiventris](#) Portschiński, 1887[49]
- [Nemotelus rufoabdominalis](#) Cole, 1923[50]
- [Nemotelus rugosus](#) James, 1941
- [Nemotelus rumelicus](#) Beschovski & Manasieva, 1996

- [*Nemotelus sabroskyi*](#) Hanson, 1958
- [*Nemotelus shannoni*](#) James, 1974
- [*Nemotelus signatus*](#) Frivaldszky, 1855[51]
- [*Nemotelus slossonae*](#) Johnson, 1895[34]
- [*Nemotelus sordidus*](#) Kertész, 1914[18]
- [*Nemotelus stuckenbergi*](#) Lindner, 1965[8]
- [*Nemotelus subuliginosus*](#) Rozkošný, 1974
- [*Nemotelus svenhedini*](#) Lindner, 1933[52]
- [*Nemotelus syriacus*](#) Lindner, 1937[22]
- [*Nemotelus tenuistylus*](#) Hanson, 1958
- [*Nemotelus tenuivena*](#) James, 1974
- [*Nemotelus thomae*](#) Curran, 1928[41]
- [*Nemotelus titschacki*](#) Lindner, 1941[24]
- [*Nemotelus transsylvanicus*](#) (Kertész, 1923)[33]
- [*Nemotelus tristis*](#) Bigot, 1887[53]
- [*Nemotelus tschorsnigi*](#) (Mason, 1997)
- [*Nemotelus turkestanicus*](#) Pleske, 1937
- [*Nemotelus uliginosus*](#) (Linnaeus, 1767)[54]
- [*Nemotelus variabilis*](#) Hanson, 1958
- [*Nemotelus vertebratus*](#) James, 1974
- [*Nemotelus victoriskusnezowi*](#) Pleske, 1937
- [*Nemotelus wilfordhansonii*](#) Woodley, 2001[1]
- [*Nemotelus xinjiangensis*](#) Cui, Zhang & Yang, 2009[27]
- [*Nemotelus zichyi*](#) Kertész, 1901[55]

This is a list of 156 species in the genus [*Nematus*](#), willow sawflies. [1][2][3][4]

***Nematus* species**

- [*Nematus abbotii*](#) (Kirby, 1882)^b
- [*Nematus absconditus*](#) (Lindqvist, 1949)^g
- [*Nematus acuminalis*](#) Vikberg, 1982^g
- [*Nematus alberich*](#) Benson, 1934^g
- [*Nematus amaurus*](#) Vikberg, 1982^g
- [*Nematus angustiserra*](#) (Lindqvist, 1969)^g
- [*Nematus appalachia*](#) Smith, 2004^b
- [*Nematus asper*](#) (Lindqvist, 1959)^g
- [*Nematus aurantiacus*](#) Hartig, 1837^g
- [*Nematus bergamnni*](#) Dahlbom, 1835^g

- [Nematus bergmanni](#) Dahlbom, 1835 ^g
- [Nematus bibartitus](#) Serville, 1823 ^g
- [Nematus bipartitus](#) Serville, 1823 ^g
- [Nematus bohemani](#) Thomson, 1871 ^g
- [Nematus boreophilus](#) (Lindqvist, 1971) ^g
- [Nematus breviseta](#) (Lindqvist, 1949) ^g
- [Nematus brevivalvis](#) Thomson, 1871 ^g
- [Nematus brunneus](#) (Lindqvist, 1971) ^g
- [Nematus cadderensis](#) Cameron, 1875 ^g
- [Nematus caeruleocarpus](#) Hartig, 1837 ^g
- [Nematus calais](#) ^b
- [Nematus capito](#) (Konow, 1903) ^g
- [Nematus carelicus](#) Hellén, 1948 ^g
- [Nematus caudalis](#) (Lindqvist, 1968) ^g
- [Nematus clavicercus](#) (Lindqvist, 1958) ^g
- [Nematus coeruleus](#) Zinovjev, 1978 ^g
- [Nematus connectus](#) (Lindqvist, 1957) ^g
- [Nematus crassus](#) (Fallén, 1808) ^g
- [Nematus curticornis](#) (Lindqvist, 1969) ^g
- [Nematus dispar](#) Zaddach, 1876 ^g
- [Nematus disparoides](#) (Lindqvist, 1969) ^g
- [Nematus dissimilis](#) Foerster, 1854 ^g
- [Nematus doebelii](#) (Konow, 1904) ^g
- [Nematus dorsatus](#) Cameron, 1876 ^g
- [Nematus epimeris](#) (Lindqvist, 1969) ^g
- [Nematus facialis](#) (Lindqvist, 1969) ^g
- [Nematus fagi](#) Zaddach, 1876 ^g
- [Nematus fahraei](#) Thomson, 1863 ^g
- [Nematus ferrugineus](#) Foerster, 1854 ^g
- [Nematus flavescens](#) Stephens, 1835 ^g
- [Nematus flavominutissimus](#) Haris, 2001 ^g
- [Nematus frenalis](#) Thomson, 1888 ^g
- [Nematus fulvescens](#) (Lindqvist, 1949) ^g
- [Nematus fulviventris](#) (Lindqvist, 1957) ^g
- [Nematus fumosus](#) Lacourt, 1991 ^g
- [Nematus fuscomaculatus](#) Foerster, 1854 ^g

- [*Nematus fuscus*](#) (Lindqvist, 1957) ^g
- [*Nematus glaphyropus*](#) Dalla Torre, 1882 ^g
- [*Nematus gracilidentatus*](#) (Viitasaari, 1980) ^g
- [*Nematus holmgreni*](#) (Lindqvist, 1968) ^g
- [*Nematus hypoxanthus*](#) Foerster, 1854 ^g
- [*Nematus incompletus*](#) Foerster, 1854 ^g
- [*Nematus iridescens*](#) ^b
- [*Nematus jugicola*](#) Thomson ^g
- [*Nematus kangasi*](#) (Lindqvist, 1964) ^g
- [*Nematus latibasis*](#) (Lindqvist, 1949) ^g
- [*Nematus lauroi*](#) (Lindqvist, 1960) ^g
- [*Nematus leachii*](#) Dahlbom, 1835 ^g
- [*Nematus leionotus*](#) (Benson, 1933) ^g
- [*Nematus leptcephalus*](#) Thomson, 1862 ^g
- [*Nematus leptostigma*](#) (Lindqvist, 1957) ^g
- [*Nematus leucopyga*](#) (Lindqvist, 1949) ^g
- [*Nematus leucotrochus*](#) Hartig, 1837 ^g
- [*Nematus lientericus*](#) Holmgren, 1883 ^g
- [*Nematus lindbergi*](#) (Lindqvist, 1957) ^g
- [*Nematus lipovskyi*](#) ^b (azalea sawfly)
- [*Nematus longispinis*](#) Kriechbaumer, 1885 ^g
- [*Nematus lonicerae*](#) (Weiffenbach, 1957) ^g
- [*Nematus lucens*](#) (Enslin, 1918) ^g
- [*Nematus lucidus*](#) Panzer, 1801 ^g
- [*Nematus maculifrons*](#) (Lindqvist, 1960) ^g
- [*Nematus majusculus*](#) Lacourt, 1991 ^g
- [*Nematus melanaspis*](#) Hartig, 1840 ^g
- [*Nematus melanocephalus*](#) Hartig, 1837 ^g
- [*Nematus melanochrous*](#) (Lindqvist, 1969) ^g
- [*Nematus microserratus*](#) (Lindqvist, 1941) ^g
- [*Nematus miliaris*](#) (Panzer, 1797) ^g
- [*Nematus mimus*](#) (Konow, 1903) ^g
- [*Nematus monticola*](#) Thomson, 1871 ^g
- [*Nematus mucronatus*](#) Hartig, 1837 ^g
- [*Nematus myosotidis*](#) (Fabricius, 1804) ^g
- [*Nematus nigirtus*](#) (Lindqvist, 1957) ^g

- [Nematus nigricornis](#) Serville, 1823 ^g
- [Nematus nigritus](#) (Lindqvist, 1957) ^g
- [Nematus nigriventris](#) Holmgren, 1883 ^g
- [Nematus nigrtus](#) (Lindqvist, 1957) ^g
- [Nematus nitidus](#) (Lindqvist, 1969) ^g
- [Nematus notabilis](#) (Konow, 1903) ^g
- [Nematus nubium](#) (Benson, 1935) ^g
- [Nematus nuortevai](#) (Lindqvist, 1957) ^g
- [Nematus olfaciens](#) Benson, 1953 ^g
- [Nematus oligospilus](#) Foerster, 1854 ^{g b}
- [Nematus ostryae](#) ^b
- [Nematus pallens](#) (Konow, 1903) ^g
- [Nematus pallidinervis](#) (Hellén, 1951) ^g
- [Nematus palliditarsis](#) Vameron, 1875 ^g
- [Nematus papillosus](#) (Retzius, 1783) ^g
- [Nematus parviserratus](#) (Lindqvist, 1944) ^g
- [Nematus parvulus](#) Holmgren, 1883 ^g
- [Nematus pavidus](#) Serville, 1823 ^g
- [Nematus peltoneni](#) (Lindqvist, 1969) ^g
- [Nematus platystigma](#) (Lindqvist, 1949) ^g
- [Nematus pleurosticta](#) (Förster, 1854) ^g
- [Nematus poecilonotus](#) Zaddach, 1876 ^g
- [Nematus polaris](#) Holmgren, 1883 ^g
- [Nematus politus](#) (Lindqvis, 1974) ^g
- [Nematus pravus](#) (Konow, 1895) ^g
- [Nematus princeps](#) Zaddach, 1876 ^g
- [Nematus pseudodispar](#) (Lindqvist, 1969) ^g
- [Nematus putoni](#) (Konow, 1903) ^g
- [Nematus quietus](#) Eversmann, 1847 ^g
- [Nematus renei](#) (Lindqvist, 1957) ^g
- [Nematus respondens](#) Foerster, 1854 ^g
- [Nematus reticulatus](#) Holmgren, 1883 ^g
- [Nematus ribesicola](#) (Lindqvist, 1949) ^g
- [Nematus ribesii](#) (Scopoli) ^{i c g b} (imported currantworm)
- [Nematus rutilipes](#) (Lindqvist, 1959) ^g
- [Nematus salicis](#) (Linnaeus, 1758) ^g

- [Nematus scotonotus](#) Foerster, 1854 ^g
- [Nematus semiopacus](#) (Lindqvist, 1957) ^g
- [Nematus semipunctatus](#) (Lindqvist, 1957) ^g
- [Nematus seriepunctatus](#) (Malaise, 1921) ^g
- [Nematus similator](#) Foerster, 1854 ^g
- [Nematus sordiapex](#) (Lindqvist, 1959) ^g
- [Nematus sordidiapex](#) (Lindqvist, 1959) ^g
- [Nematus spiraeae](#) Zaddach, 1883 ^g
- [Nematus stichi](#) (Enslin, 1913) ^g
- [Nematus stramineipes](#) (Lindqvist, 1957) ^g
- [Nematus striatipleuris](#) (Lindqvist, 1957) ^g
- [Nematus subflavus](#) (Lindqvist, 1957) ^g
- [Nematus sylvestris](#) Cameron, 1884 ^g
- [Nematus tataricus](#) Zinovjev, 1978 ^g
- [Nematus tegularis](#) (Lindqvist, 1969) ^g
- [Nematus tenuitarsis](#) (Konow, 1901) ^g
- [Nematus thunebergi](#) (Lindqvist, 1959) ^g
- [Nematus tibialis](#) Newman, 1837 ^{g b} (locust sawfly)
- [Nematus togatus](#) Zaddach, 1876 ^g
- [Nematus torneensis](#) (Malaise, 1920) ^g
- [Nematus trisignatus](#) Förster, 1854 ^g
- [Nematus truncus](#) Vikberg, 1982 ^g
- [Nematus tulunensis](#) Vikberg, 1972 ^g
- [Nematus umbratus](#) Thomson, 1871 ^g
- [Nematus vaccinii](#) (Lindqvist, 1964) ^g
- [Nematus variegatus](#) (Lindqvist, 1957) ^g
- [Nematus vastatrix](#) (Zhelochovtsev, 1935) ^g
- [Nematus ventralis](#) Say ^{i c g b} (willow sawfly)
- [Nematus verticalis](#) (Lindqvist, 1957) ^g
- [Nematus vicinus](#) Serville, 1823 ^g
- [Nematus villosus](#) Thomson, 1862 ^g
- [Nematus viridis](#) Stephens, 1835 ^g
- [Nematus viridissimus](#) Möller, 1882 ^g
- [Nematus wahlbergi](#) Thomson, 1871 ^g
- [Nematus wolteri](#) (Lindqvist, 1957) ^g
- [Nematus woollatti](#) (Lindqvist, 1971) ^g

- [*Nematus xanthogaster*](#) Förster, 1854 ^g
- [*Nematus zaddachi*](#) (Enslin, 1916) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 510 species belong to [*Nebria*](#), a genus of ground beetles in the family [*Carabidae*](#).^[1]

Subgenus *Alpaeonebria* Csiki, 1946

[*Nebria bisсенica*](#) E.A.Bielz, 1887 - Romania
[*Nebria bosnica*](#) Ganglbauer, 1889 - Europe
[*Nebria carpathica*](#) E.A.Bielz, 1850 - Romania
[*Nebria crenatostriata*](#) Bassi, 1834 - Switzerland, Italy
[*Nebria currax*](#) Wollaston, 1864 - Canary Islands
[*Nebria dilatata*](#) Dejean, 1831 - Canary Islands
[*Nebria exul*](#) Peyerimhoff, 1910 - Algeria
[*Nebria fasciatopunctata*](#) L.Miller, 1850 - Austria, Slovenia, Croatia
[*Nebria fuscipes*](#) Fuss, 1849 - Europe
[*Nebria ganglbaueri*](#) Apfelbeck, 1905 - Europe
[*Nebria germarii*](#) Heer, 1837 - Europe
[*Nebria hybrida*](#) Rottenberg, 1874 - Bulgaria
[*Nebria kocheri*](#) Verdier, 1953 - Morocco
[*Nebria merditana*](#) Apfelbeck, 1906 - Albania
[*Nebria quezeli*](#) Verdier, 1953 - Morocco
[*Nebria reichii*](#) Dejean, 1826 - Ukraine, Romania
[*Nebria reitteri*](#) Rybinski, 1902 - Ukraine, Romania
[*Nebria rhilensis*](#) J.Frivaldszky, 1879 - Bulgaria
[*Nebria velebiticola*](#) Reitter, 1902 - Croatia

Subgenus *Archastes* Jedlicka, 1935

[*Nebria altitudinis*](#) (Ledoux & Roux, 1996) - China
[*Nebria anonyma*](#) (Ledoux & Roux, 1995) - China
[*Nebria berezovskii*](#) (Shilenkov, 1984) - China
[*Nebria boulbeni*](#) (Ledoux & Roux, 1998) - China
[*Nebria cenobita*](#) (Ledoux & Roux, 1999) - China
[*Nebria corpulenta*](#) (Ledoux & Roux, 2009) - China
[*Nebria deuvei*](#) (Ledoux & Roux, 1989) - China
[*Nebria dubitata*](#) (Ledoux & Roux, 2012) - China
[*Nebria expansicollis*](#) (Ledoux, 1989) - China
[*Nebria explanata*](#) (Ledoux & Roux, 1995) - China

[*Nebria gansuensis*](#) (Ledoux & Roux, 1998) - China
[*Nebria giachinoi*](#) (Ledoux & Roux, 2012) - China
[*Nebria glabra*](#) (Ledoux & Roux, 1995) - China
[*Nebria haeckeli*](#) (Farkac, 1995) - China
[*Nebria hajeki*](#) (Ledoux & Roux, 2009) - China
[*Nebria hwangtienyuni*](#) (Shilenkov & Kryzhanovskij, 1983) - China
[*Nebria incidata*](#) (Ledoux & Roux, 1995) - China
[*Nebria janfarkaci*](#) (Ledoux & Roux, 1997) - China
[*Nebria lamarckiana*](#) (Ledoux & Roux, 2009) - China
[*Nebria micropora*](#) (Ledoux & Roux, 1998) - China
[*Nebria mingyii*](#) (Ledoux & Roux, 2012) - China
[*Nebria nigrescens*](#) (Ledoux & Roux, 1995) - China
[*Nebria orbiculata*](#) (Ledoux & Roux, 1998) - China
[*Nebria politissima*](#) (Ledoux & Roux, 2012) - China
[*Nebria producta*](#) (Ledoux & Roux, 2009) - China
[*Nebria purkynei*](#) (Jedlicka, 1946) - China
[*Nebria rotundata*](#) (Ledoux, 1989) - China
[*Nebria serissima*](#) (Ledoux & Roux, 2009) - China
[*Nebria setifera*](#) (Shilenkov, 1984) - China
[*Nebria similis*](#) (Ledoux & Roux, 2012) - China
[*Nebria simplex*](#) (Ledoux & Roux, 2012) - China
[*Nebria solitaria*](#) (Ledoux & Roux, 1999) - China
[*Nebria sphaerithorax*](#) (Ledoux & Roux, 1999) - China
[*Nebria sterbai*](#) (Jedlicka, 1935) - China
[*Nebria subquadrata*](#) (Ledoux & Roux, 1998) - China
[*Nebria thierryi*](#) (Ledoux & Roux, 1995) - China
[*Nebria triangula*](#) (Ledoux & Roux, 1995) - China
[*Nebria tronqueti*](#) (Ledoux & Roux, 1995) - China
[*Nebria yuae*](#) (Ledoux & Roux, 1995) - China

Subgenus *Boreonebria* Jeannel, 1937

[*Nebria baicalica*](#) Motschulsky, 1844 - Russia
[*Nebria bargusinica*](#) Shilenkov, 1999 - Russia
[*Nebria bellorum*](#) Kavanaugh, 1979 - United States
[*Nebria biseriata*](#) Lutshnik, 1915 - China, North Korea, Russia
[*Nebria chaslui*](#) Fairmaire, 1886 - China
[*Nebria crassicornis*](#) Van Dyke, 1925 - United States, Canada
[*Nebria daisetsuzana*](#) Ueno, 1952 - Japan
[*Nebria dekraatzi*](#) Oberthür, 1883 - China
[*Nebria dolicapax*](#) Ledoux & Roux, 1992 - China
[*Nebria fallaciosa*](#) Ledoux & Roux, 1992 - China
[*Nebria frigida*](#) R.F.Sahlberg, 1844 - United States, Canada, Russia, Alaska
[*Nebria genei*](#) Gené, 1839 - Sardinia, Italy
[*Nebria gouleti*](#) Kavanaugh, 1979 - United States, Canada
[*Nebria heegeri*](#) Dejean, 1826 - Ukraine, Romania
[*Nebria hudsonica*](#) LeConte, 1863 - United States, Canada
[*Nebria kaszabi*](#) Shilenkov, 1982 - Kazakhstan, Russia, Mongolia

[*Nebria kerzhneri*](#) Shilenkov, 1982 - Mongolia
[*Nebria klapperichi*](#) Bänninger, 1956 - Afghanistan
[*Nebria lacustris*](#) Casey, 1913 - United States, Canada
[*Nebria latior*](#) Ledoux & Roux, 1992 - Kazakhstan
[*Nebria liae*](#) Ledoux & Roux, 2007 - China
[*Nebria marginata*](#) Ledoux & Roux, 1995 - Kazakhstan, China
[*Nebria mathildae*](#) Ledoux & Roux, 2001 - China
[*Nebria medvedevi*](#) Shilenkov, 1982 - Russia, Mongolia
[*Nebria mingyii*](#) Ledoux & Roux, 2014 - China
[*Nebria murzini*](#) Ledoux & Roux, 2000 - China
[*Nebria nivalis*](#) (Paykull, 1790) - North America, Palearctic]]
[*Nebria pawlowskii*](#) Shilenkov, 1983 - North Korea
[*Nebria pazi*](#) Seidlitz, 1867 - Spain
[*Nebria rubrofemorata*](#) Shilenkov, 1975 - Russia
[*Nebria rufescens*](#) (Ström, 1768) - Holarctic]]
[*Nebria sajanica*](#) Bänninger, 1932 - Russia
[*Nebria saurica*](#) Shilenkov, 1976 - Kazakhstan
[*Nebria schrenkii*](#) Gebler, 1843 - Kazakhstan, China
[*Nebria semenoviana*](#) Shilenkov, 1976 - China
[*Nebria setulata*](#) Ledoux & Roux, 1995 - China
[*Nebria simulator*](#) Bänninger, 1933 - North Korea
[*Nebria sochondensis*](#) Shilenkov, 1999 - Russia, Mongolia
[*Nebria stanislavi*](#) Dudko & Matalin, 2002 - Russia
[*Nebria subaerea*](#) Breit, 1914 - Kazakhstan, Kyrgyzstan, China
[*Nebria subdilata*](#) Motschulsky, 1844 - Asia
[*Nebria suvorovi*](#) Shilenkov, 1976 - Kazakhstan, Kyrgyzstan
[*Nebria tekesensis*](#) Ledoux & Roux, 2005 - China
[*Nebria tsambagarov*](#) C.Huber & Schnitter, 2020 - Mongolia
[*Nebria tyschkanica*](#) Kryzhanovskij & Shilenkov, 1976 - Kazakhstan
[*Nebria uralensis*](#) Glasunov, 1901 - Russia
[*Nebria wutaishanensis*](#) Shilenkov & Dostal, 1983 - China

Subgenus *Catonebria* Shilenkov, 1975

[*Nebria aenea*](#) Gebler, 1825 - Kazakhstan, China, Russia, Mongolia
[*Nebria baicalopacifica*](#) Dudko & Shilenkov, 2006 - Russia
[*Nebria banksi*](#) Crotch, 1871 - North Korea, Russia
[*Nebria baumanni*](#) Kavanaugh, 2015 - United States
[*Nebria calva*](#) Kavanaugh, 1984 - United States
[*Nebria catenata*](#) Casey, 1913 - United States
[*Nebria catenulata*](#) Fischer von Waldheim, 1820 - China, North Korea, Russia
[*Nebria coloradensis*](#) Van Dyke, 1943 - United States
[*Nebria fulgida*](#) Gebler, 1847 - Russia
[*Nebria gebleri*](#) Dejean, 1831 - North America
[*Nebria giulianii*](#) Kavanaugh, 1981 - United States
[*Nebria holzunensis*](#) Dudko & Shilenkov, 2006 - Kazakhstan, Mongolia
[*Nebria ingens*](#) G.Horn, 1870 - United States
[*Nebria labonte*](#) Kavanaugh, 1984 - United States

[*Nebria lamarckensis*](#) Kavanaugh, 1979 - United States
[*Nebria meanyi*](#) Van Dyke, 1925 - North America
[*Nebria metallica*](#) Fischer von Waldheim, 1820 - North America
[*Nebria pektusanica*](#) Horvatovich, 1973 - North Korea
[*Nebria piperi*](#) Van Dyke, 1925 - North America
[*Nebria piute*](#) Erwin & Ball, 1972 - United States
[*Nebria praedicta*](#) Kavanaugh & Schoville, 2009 - United States
[*Nebria purpurata*](#) LeConte, 1878 - United States, Canada
[*Nebria scaphelytra*](#) Kavanaugh & Shilenkov, 1996 - North Korea
[*Nebria schwarzi*](#) Van Dyke, 1925 - United States, Canada
[*Nebria sierrablancae*](#) Kavanaugh, 1984 - United States
[*Nebria splendida*](#) Fischer von Waldheim, 1844 - Kazakhstan
[*Nebria steensensis*](#) Kavanaugh, 1984 - United States
[*Nebria suenisoni*](#) Shilenkov & Dostal, 1983 - China
[*Nebria sylvatica*](#) Kavanaugh, 1979 - United States, Canada
[*Nebria trifaria*](#) LeConte, 1878 - United States
[*Nebria vandykei*](#) Bänninger, 1928 - United States

Subgenus *Eonebria* Semenov & Znojko, 1928

[*Nebria agilis*](#) Ledoux & Roux, 1996 - China
[*Nebria amabilis*](#) Ledoux; Roux & Sawada, 1991 - China
[*Nebria archastoides*](#) Ledoux & Roux, 1997 - China
[*Nebria armata*](#) Ledoux & Roux, 1999 - China
[*Nebria augustini*](#) Ledoux & Roux, 2000 - China
[*Nebria bodpaica*](#) Ledoux & Roux, 1998 - China
[*Nebria bowashanensis*](#) Janata & Mikyska, 2009 - China
[*Nebria cathaica*](#) Sciaky & Pavesi, 1994 - China
[*Nebria cavazzutii*](#) Ledoux & Roux, 2005 - China
[*Nebria celata*](#) Ledoux & Roux, 1999 - China
[*Nebria civilis*](#) Ledoux & Roux, 1998 - China
[*Nebria compacta*](#) Ledoux & Roux, 1999 - China
[*Nebria conjuncta*](#) Ledoux & Roux, 1996 - China
[*Nebria coruscans*](#) Ledoux & Roux, 2005 - China
[*Nebria cursitans*](#) Ledoux & Roux, 1998 - China
[*Nebria delectabilis*](#) Ledoux & Roux, 1995 - China
[*Nebria delineata*](#) Ledoux & Roux, 1998 - China
[*Nebria djakonovi*](#) Semenov & Znojko, 1928 - Russia
[*Nebria fairmairei*](#) Ledoux & Roux, 1992 - China
[*Nebria flexuosa*](#) Ledoux & Roux, 1995 - China
[*Nebria funerea*](#) Ledoux & Roux, 1992 - China
[*Nebria gemina*](#) Ledoux; Roux & Wrase, 1996 - China
[*Nebria globulosa*](#) Ledoux & Roux, 1996 - China
[*Nebria gratiosa*](#) Ledoux & Roux, 1998 - China
[*Nebria guttulata*](#) Ledoux & Roux, 2000 - China
[*Nebria heishuiensis*](#) Ledoux & Roux, 2008 - China
[*Nebria helianta*](#) Ledoux & Roux, 2001 - China
[*Nebria hollandaei*](#) Ledoux & Roux, 1993 - China

[*Nebria inexpectata*](#) Ledoux & Roux, 2006 - China
[*Nebria irrorata*](#) Ledoux & Roux, 1995 - China
[*Nebria jugosa*](#) Ledoux & Roux, 1998 - China
[*Nebria komarovi*](#) Semenov & Znojko, 1928 - North Korea, Russia
[*Nebria kryzhanovskii*](#) Shilenkov, 1982 - China
[*Nebria kubaniana*](#) Ledoux & Roux, 1998 - China
[*Nebria kurentzovi*](#) Lafer, 1989 - Russia
[*Nebria lenis*](#) Ledoux & Roux, 1995 - China
[*Nebria lingulata*](#) Janata & Mikyska, 2009 - China
[*Nebria longilingua*](#) Ledoux & Roux, 1991 - China
[*Nebria lucidissima*](#) Sciaky & Pavesi, 1994 - China
[*Nebria lucifer*](#) Ledoux & Roux, 1998 - China
[*Nebria meissonnieri*](#) Ledoux & Roux, 2008 - China
[*Nebria memorabilis*](#) Ledoux & Roux, 1992 - China
[*Nebria micans*](#) Ledoux & Roux, 1998 - China
[*Nebria microphthalmia*](#) Ledoux & Roux, 1998 - China
[*Nebria mirkae*](#) Janata & Mikyska, 2009 - China
[*Nebria mucronata*](#) Ledoux & Roux, 1999 - China
[*Nebria neglecta*](#) Ledoux & Roux, 2008 - China
[*Nebria negrei*](#) Ledoux & Roux, 1992 - China
[*Nebria nigricans*](#) Ledoux & Roux, 2000 - China
[*Nebria obscura*](#) Ledoux & Roux, 2012 - China
[*Nebria parvulissima*](#) Ledoux & Roux, 1998 - China
[*Nebria persimilis*](#) Ledoux & Roux, 2012 - China
[*Nebria pilipila*](#) Ledoux & Roux, 2006 - China
[*Nebria plicata*](#) Ledoux & Roux, 1992 - China
[*Nebria polita*](#) Ledoux, 1989 - China
[*Nebria puella*](#) Ledoux & Roux, 1998 - China
[*Nebria sciakyi*](#) Ledoux & Roux, 1996 - China
[*Nebria setosa*](#) Ledoux & Roux, 1995 - China
[*Nebria shatanica*](#) Ledoux & Roux, 2005 - China
[*Nebria sifanica*](#) Semenov & Znojko, 1928 - China
[*Nebria simplex*](#) Ledoux & Roux, 1996 - China
[*Nebria simulatoria*](#) Ledoux & Roux, 1993 - China
[*Nebria spinosa*](#) Ledoux & Roux, 1995 - China
[*Nebria stricta*](#) Ledoux & Roux, 1991 - China
[*Nebria suavis*](#) Ledoux & Roux, 1996 - China
[*Nebria ultima*](#) Ledoux & Roux, 1998 - China
[*Nebria valida*](#) Ledoux & Roux, 1996 - China
[*Nebria vicina*](#) Ledoux & Roux, 1999 - China
[*Nebria vladiae*](#) Ledoux & Roux, 2005 - China
[*Nebria wraseiana*](#) Ledoux & Roux, 1996 - China
[*Nebria xiangchengica*](#) Janata & Mikyska, 2009 - China

Subgenus *Epinebriola* K.Daniel in K. & J.Daniel, 1904

[*Nebria assidua*](#) C.Huber & J.Schmidt, 2009 - Nepal
[*Nebria barbata*](#) Andrewes, 1929 - Pakistan, India

[*Nebria businskyorum*](#) Ledoux & Roux, 1997 - China
[*Nebria capillosa*](#) Ledoux & Roux, 1992 - Nepal, India
[*Nebria chitralensis*](#) Shilenkov & Heinz, 1988 - Pakistan
[*Nebria christinae*](#) C.Huber & J.Schmidt, 2007 - Nepal
[*Nebria desgodinsi*](#) Oberthür, 1883 - Nepal, India
[*Nebria elegans*](#) Andrewes, 1925 - India
[*Nebria ganeshi*](#) Ledoux, 1984 - India
[*Nebria hiekeiana*](#) C.Huber & Baur, 2016 - Pakistan
[*Nebria himalayica*](#) Bates, 1889 - Afghanistan, China, Pakistan, India
[*Nebria impunctata*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria incarinata*](#) C.Huber & J.Schmidt, 2017 - India
[*Nebria incognita*](#) C.Huber & Baur, 2016 - Afghanistan, Pakistan, Nepal, India
[*Nebria kabakovi*](#) Shilenkov, 1982 - Afghanistan
[*Nebria kagmara*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria laevistriata*](#) Ledoux & Roux, 1998 - China
[*Nebria livida*](#) (Linnaeus, 1758) - Palearctic
[*Nebria macrogona*](#) Bates, 1873 - Japan
[*Nebria martensi*](#) C.Huber & J.Schmidt, 2012 - Nepal
[*Nebria masrina*](#) Andrewes, 1924 - Pakistan, India
[*Nebria megalops*](#) C.Huber & Geiser, 2012 - China
[*Nebria meurguesae*](#) Ledoux, 1985 - Afghanistan
[*Nebria molendai*](#) C.Huber & J.Schmidt, 2007 - Nepal
[*Nebria montisanimae*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria nouristanensis*](#) Ledoux, 1985 - Afghanistan, Pakistan
[*Nebria numburica*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria orestias*](#) Andrewes, 1932 - India
[*Nebria oxyptera*](#) K.Daniel in K. & J.Daniel, 1904 - China
[*Nebria paropamisos*](#) C.Huber; J.Schmidt & Baur, 2013 - Afghanistan, Pakistan
[*Nebria pertinax*](#) C.Huber & J.Schmidt, 2009 - Nepal
[*Nebria pindarica*](#) Andrewes, 1925 - India
[*Nebria poplii*](#) Ledoux, 1984 - India
[*Nebria praelonga*](#) Ledoux, 1985 - Afghanistan
[*Nebria pseudorestias*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria rasa*](#) Andrewes, 1936 - India
[*Nebria restricta*](#) Ledoux & Roux, 2005 - India
[*Nebria rotundicollis*](#) Heinz & Ledoux, 1990 - Pakistan
[*Nebria rubostipes*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria rupina*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria schawalleri*](#) Shilenkov, 1998 - Nepal
[*Nebria tangjelaensis*](#) Shilenkov, 1998 - Nepal
[*Nebria tenuisulcata*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria triseriata*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria tuberculata*](#) C.Huber & J.Schmidt, 2017 - Nepal
[*Nebria zayula*](#) Andrewes, 1936 - China

Subgenus *Epispadias* Ledoux & Roux, 1999

[*Nebria janschneideri*](#) Ledoux & Roux, 1999 - China

Subgenus *Erwinebria* Kavanaugh, 2021

[*Nebria acuta*](#) Lindroth, 1961 - North America
[*Nebria arkansana*](#) Casey, 1913 - United States, Canada
[*Nebria charlottae*](#) Lindroth, 1961 - Canada
[*Nebria danmanni*](#) Kavanaugh, 1981 - United States
[*Nebria gregaria*](#) Fischer von Waldheim, 1820 - United States, Alaska
[*Nebria haida*](#) Kavanaugh, 1984 - Canada
[*Nebria jeffreyi*](#) Kavanaugh, 1984 - United States
[*Nebria lituyae*](#) Kavanaugh, 1979 - North America
[*Nebria louiseae*](#) Kavanaugh, 1984 - Canada
[*Nebria lyelli*](#) Van Dyke, 1925 - United States
[*Nebria sahlbergii*](#) Fischer von Waldheim, 1828 - North America
[*Nebria wallowae*](#) Kavanaugh, 1984 - United States
[*Nebria zioni*](#) Van Dyke, 1943 - United States

Subgenus *Eunebria* Jeannel, 1937

[*Nebria aborana*](#) Andrewes, 1925 - China, India
[*Nebria ambigua*](#) Glasunov, 1902 - Tadzhikistan
[*Nebria boiteli*](#) Alluaud, 1932 - Morocco
[*Nebria cameroni*](#) Andrewes, 1925 - Pakistan, Nepal, India
[*Nebria cinctella*](#) Andrewes, 1925 - India
[*Nebria composita*](#) Ledoux & Roux, 1993 - China
[*Nebria dacatrai*](#) Ledoux & Roux, 1996 - China
[*Nebria davatchii*](#) Morvan, 1974 - Iran
[*Nebria ferganensis*](#) Shilenkov, 1982 - Kyrgyzstan
[*Nebria fongondi*](#) Ledoux, 1981 - Pakistan
[*Nebria grombczewskii*](#) Semenov, 1891 - China
[*Nebria grumi*](#) Glasunov, 1902 - Asia
[*Nebria haberhaueri*](#) Heyden, 1889 - Asia
[*Nebria jarrigei*](#) Ledoux & Roux, 1991 - Turkey, Georgia, Russia
[*Nebria jockischii*](#) Sturm, 1815 - Europe
[*Nebria kirgisica*](#) Shilenkov, 1982 - Kyrgyzstan
[*Nebria kyanjinica*](#) C.Huber & J.Schmidt, 2018 - Nepal
[*Nebria lewisi*](#) Bates, 1874 - Japan
[*Nebria limbigera*](#) Solsky, 1874 - Asia
[*Nebria mnischechii*](#) Chaudoir, 1854 - Georgia, Russia
[*Nebria morvani*](#) Ledoux & Roux, 1999 - Nepal
[*Nebria nana*](#) Ledoux & Roux, 1996 - China
[*Nebria nanshanica*](#) Shilenkov, 1982 - China
[*Nebria nataliae*](#) Kabak & Putschkov, 1996 - Kyrgyzstan
[*Nebria nigerrima*](#) Chaudoir, 1846 - Palearctic
[*Nebria oberthuri*](#) Ledoux & Roux, 1991 - China
[*Nebria panshiri*](#) Ledoux & Roux, 1997 - Afghanistan
[*Nebria pashupati*](#) C.Huber & J.Schmidt, 2018 - Nepal
[*Nebria perlonga*](#) Heyden, 1885 - Tadzhikistan
[*Nebria picicornis*](#) (Fabricius, 1792) - Palearctic

[*Nebria picta*](#) Semenov, 1891 - Tadzhikistan, Afghanistan, Pakistan
[*Nebria plagiata*](#) Bänninger, 1923 - China
[*Nebria przewalskii*](#) Semenov, 1889 - China
[*Nebria psammodes*](#) (P.Rossi, 1792) - Europe
[*Nebria psammophila*](#) Solsky, 1874 - Asia
[*Nebria pulcherrima*](#) Bates, 1873 - China, Japan
[*Nebria pulchrior*](#) Maindron, 1906 - China
[*Nebria sublivida*](#) Semenov, 1889 - China
[*Nebria talassica*](#) Shilenkov, 1982 - Kazakhstan, Uzbekistan, Kyrgyzstan
[*Nebria tetungi*](#) Shilenkov, 1982 - China
[*Nebria torosa*](#) Ledoux; Roux & Sciaky, 1994 - China
[*Nebria tshatkatica*](#) Kabak & Shilenkov in Kabak, 2001 - Kyrgyzstan
[*Nebria uenoiana*](#) Habu, 1972 - Taiwan
[*Nebria xanthacra*](#) Chaudoir, 1850 - Asia
[*Nebria yunnana*](#) Bänninger, 1928 - China

Subgenus *Eurynebria* Ganglbauer, 1891

[*Nebria complanata*](#) (Linnaeus, 1767) - Europe, Near East]]

Subgenus *Falcinebria* Ledoux & Roux, 2005

[*Nebria bousqueti*](#) Ledoux, 1993 - Taiwan
[*Nebria chugokuensis*](#) Sasakawa, 2020 - Japan
[*Nebria dichotoma*](#) Sasakawa, 2020 - Japan
[*Nebria formosana*](#) Habu, 1972 - Taiwan
[*Nebria furcata*](#) Sasakawa, 2020 - Japan
[*Nebria iidesana*](#) Sasakawa, 2020 - Japan
[*Nebria kuragadakensis*](#) Sasakawa, 2020 - Japan
[*Nebria nakanei*](#) Ueno, 1953 - Japan
[*Nebria niohozana*](#) Bates, 1883 - Japan
[*Nebria pisciformis*](#) Sasakawa, 2020 - Japan
[*Nebria reflexa*](#) Bates, 1883 - Japan
[*Nebria rougemonti*](#) Ledoux & Roux, 1988 - China
[*Nebria sagittata*](#) Sasakawa, 2020 - Japan
[*Nebria tiani*](#) Ledoux & Roux, 2003 - China
[*Nebria uenoi*](#) Nakane, 1963 - Japan

Subgenus *Insulanebria* Kavanaugh, 2021

[*Nebria carbonaria*](#) Eschscholtz, 1829 - Russia
[*Nebria snowi*](#) Bates, 1883 - Russia

Subgenus *Nakanebria* Ledoux & Roux, 2005

[*Nebria gibbulosa*](#) Motschulsky, 1860 - Russia

[*Nebria kumgangi*](#) Shilenkov, 1983 - North Korea
[*Nebria kurosawai*](#) Nakane, 1960 - Japan
[*Nebria shibanaii*](#) Ueno, 1955 - Japan, Russia

Subgenus *Neaptenonebria* Kavanaugh, 2021

[*Nebria carri*](#) Kavanaugh, 1979 - United States
[*Nebria kincaidi*](#) Schwarz, 1900 - North America
[*Nebria ovipennis*](#) LeConte, 1878 - United States
[*Nebria spatulata*](#) Van Dyke, 1925 - United States

Subgenus *Nebria* Latreille, 1802

[*Nebria adjarica*](#) Shilenkov, 1983 - Turkey, Georgia
[*Nebria aetolica*](#) Apfelbeck, 1901 - Greece
[*Nebria alpicola*](#) (Motschulsky, 1866) - Turkey
[*Nebria andalusia*](#) Rambur, 1837 - Europe, North Africa
[*Nebria andarensis*](#) Bolivar y Peltain, 1923 - Spain
[*Nebria araschinica*](#) Reitter, 1892 - Turkey, Armenia
[*Nebria arcensis*](#) Ledoux & Roux, 1990 - Turkey
[*Nebria asturiensis*](#) Bruneau de Miré, 1964 - Spain
[*Nebria atlantica*](#) Oberthür, 1883 - Morocco
[*Nebria attemsi*](#) Apfelbeck, 1908 - Europe
[*Nebria azarbayanei*](#) Muilwijk, 2015 - Iran
[*Nebria belloti*](#) Franz, 1954 - Spain
[*Nebria bonellii*](#) (M.Adams, 1817) - Turkey, Georgia, Russia
[*Nebria brevicollis*](#) (Fabricius, 1792) - Holarctic
[*Nebria caucasica*](#) Ménétériés, 1832 - Russia
[*Nebria chelmosensis*](#) Maran, 1944 - Greece
[*Nebria commixta*](#) Chaudoir, 1850 - Georgia, Armenia, Russia
[*Nebria dahlii*](#) (Duftschmid, 1812) - Europe
[*Nebria dejeanii*](#) Dejean, 1826 - Austria
[*Nebria deuveiana*](#) Ledoux & Roux, 1990 - Turkey
[*Nebria elbursiaca*](#) Bodemeyer, 1927 - Iran
[*Nebria elliptipennis*](#) Bates, 1874 - Turkey
[*Nebria fageticola*](#) C.Huber & Marggi, 2009 - Greece
[*Nebria faldermanni*](#) Ménétériés, 1832 - Azerbaijan
[*Nebria femoralis*](#) Chaudoir, 1843 - Romania
[*Nebria finissima*](#) Ledoux & Roux, 1990 - Turkey
[*Nebria fischeri*](#) Faldermann, 1836 - Turkey, Georgia
[*Nebria georgesi*](#) Roux & Wrase, 2007 - Turkey
[*Nebria glaciala*](#) Ledoux & Roux, 2001 - Turkey
[*Nebria gotschii*](#) Chaudoir, 1846 - Turkey, Armenia
[*Nebria hellwigii*](#) (Panzer, 1802) - Germany, Austria, Italy
[*Nebria hemprichi*](#) Klug, 1832 - Middle East
[*Nebria heydenii*](#) Dejean, 1831 - Greece
[*Nebria irregularis*](#) Jedlicka, 1965 - Turkey

[*Nebria korgei*](#) Jedlicka, 1965 - Turkey
[*Nebria kratteri*](#) Dejean, 1831 - Europe
[*Nebria lafresnayei*](#) Audinet-Serville, 1821 - France, Spain
[*Nebria leonensis*](#) Assmann; Wrase & Zaballo, 2000 - Spain
[*Nebria macedonica*](#) Maran, 1938 - North Macedonia, Albania, Greece
[*Nebria mandibularis*](#) Bates, 1872 - Turkey, Iran
[*Nebria mirabilis*](#) Ledoux & Roux, 1990 - Turkey
[*Nebria motschulskyi*](#) Chaudoir, 1846 - Azerbaijan, Russia
[*Nebria olivieri*](#) Dejean, 1826 - France, Spain
[*Nebria olympica*](#) Maran, 1938 - Greece
[*Nebria patruelis*](#) Chaudoir, 1846 - Georgia
[*Nebria peristerica*](#) Apfelbeck, 1901 - Greece
[*Nebria pontica*](#) Ledoux & Roux, 1990 - Turkey
[*Nebria posthuma*](#) K. & J.Daniel, 1891 - Italy
[*Nebria punctatostriata*](#) L.Schaufuss, 1876 - Portugal
[*Nebria retrospinosa*](#) Heyden, 1885 - Georgia, Russia
[*Nebria rousseleti*](#) Ledoux & Roux, 1988 - France
[*Nebria rubripes*](#) Audinet-Serville, 1821 - France
[*Nebria salina*](#) Fairmaire & Laboulbène, 1854 - Europe
[*Nebria schlegelmilchi*](#) (M.Adams, 1817) - Iran, Georgia, Armenia
[*Nebria sevanensis*](#) Shilenkov, 1983 - Armenia
[*Nebria sitiens*](#) Antoine, 1937 - Morocco
[*Nebria sobrina*](#) L.Schaufuss, 1862 - Spain
[*Nebria speiseri*](#) Ganglbauer, 1891 - Europe
[*Nebria storkani*](#) Maran, 1939 - Albania, Greece
[*Nebria tatrica*](#) L.Miller, 1859 - Slovakia, Poland
[*Nebria taygetana*](#) Rottenberg, 1874 - Greece
[*Nebria tenella*](#) Motschulsky, 1850 - Georgia, Russia
[*Nebria thonitida*](#) Ledoux & Roux, 1990 - Turkey
[*Nebria tibialis*](#) (Bonelli, 1810) - Italy
[*Nebria transsylvanica*](#) Germar, 1823 - Ukraine, Romania, Moldova
[*Nebria tristicula*](#) Reitter, 1888 - Georgia, Russia
[*Nebria turcica*](#) Chaudoir, 1843 - Turkey
[*Nebria urbionensis*](#) Arribas, 1991 - Spain
[*Nebria verticalis*](#) Fischer von Waldheim, 1828 - Georgia, Azerbaijan
[*Nebria viridipennis*](#) Reitter, 1885 - Georgia, Russia
[*Nebria vseteckai*](#) Maran, 1938 - Greece
[*Nebria vuillefroyi*](#) Chaudoir, 1866 - Spain
[*Nebria walterheinzi*](#) Ledoux & Roux, 1990 - Turkey

Subgenus *Nebriola* K.Daniel, 1903

[*Nebria casalei*](#) Giachino, 2013 - Italy
[*Nebria cordicollis*](#) Chaudoir, 1837 - Switzerland, Italy
[*Nebria fontinalis*](#) K. & J.Daniel, 1890 - Switzerland, Italy
[*Nebria gosteliae*](#) C.Huber, 2010 - Italy
[*Nebria heeri*](#) K.Daniel, 1903 - Germany, Switzerland
[*Nebria lariollei*](#) Germeny, 1865 - France

[Nebria laticollis](#) Dejean, 1826 - France, Switzerland, Italy
[Nebria morula](#) K. & J.Daniel, 1891 - France, Italy
[Nebria pictiventris](#) Fauvel, 1888 - France, Italy

Subgenus *Nivalonebria* Kavanaugh, 2021

[Nebria paradisi](#) Darlington, 1931 - United States, Canada
[Nebria turmaduodecima](#) Kavanaugh, 1981 - United States

Subgenus *Oreonebria* K.Daniel, 1903

[Nebria angustata](#) Dejean, 1831 - Switzerland, Italy
[Nebria angusticollis](#) (Bonelli, 1810) - France, Switzerland, Italy
[Nebria atrata](#) Dejean, 1826 - Austria
[Nebria austriaca](#) Ganglbauer, 1889 - Germany, Austria, Italy
[Nebria bluemlisalpicola](#) (Szallies & C.Huber, 2014) - Switzerland
[Nebria boschi](#) (Winkler in Horion, 1949) - Germany
[Nebria breinii](#) Germar, 1831 - Germany, Switzerland, Austria
[Nebria castanea](#) (Bonelli, 1810) - Europe
[Nebria diaphana](#) K. & J.Daniel, 1890 - Europe
[Nebria gagates](#) (Bonelli, 1810) - France, Italy
[Nebria ligurica](#) K.Daniel, 1903 - France, Italy
[Nebria lombarda](#) K. & J.Daniel, 1890 - Italy
[Nebria macrodera](#) K.Daniel, 1903 - France, Italy
[Nebria mondini](#) Sciaky; Magrini & Mondin, 2020 - Italy
[Nebria picea](#) Dejean, 1826 - Europe
[Nebria raetzeri](#) Bänninger, 1932 - France, Switzerland
[Nebria schusteri](#) Ganglbauer, 1889 - Austria
[Nebria soror](#) K.Daniel, 1903 - Italy

Subgenus *Orientonebria* Shilenkov, 1975

[Nebria coreica](#) Solsky, 1875 - North Korea, Japan, Russia

Subgenus *Palaptenonebria* Kavanaugh, 2021

[Nebria arinae](#) Dudko & Shilenkov, 2001 - Kazakhstan, Russia
[Nebria baenningeri](#) Dudko & Shilenkov, 2001 - Kazakhstan, Russia
[Nebria lyubechanskii](#) Dudko, 2008 - Russia
[Nebria mellyi](#) Gebler, 1847 - Russia
[Nebria roddi](#) Dudko & Shilenkov, 2001 - Kazakhstan, Russia
[Nebria sajana](#) Dudko & Shilenkov, 2001 - Russia

Subgenus *Parepinebriola* Kavanaugh, 2021

[*Nebria delicata*](#) C.Huber & J.Schmidt, 2017 - China

[*Nebria retingensis*](#) C.Huber & J.Schmidt, 2017 - China

Subgenus *Psilonebria* Andrewes, 1923

[*Nebria hiekei*](#) Shilenkov, 1982 - China

[*Nebria ledouxii*](#) Roux, 2021 - China

[*Nebria lhachenica*](#) C.Huber & J.Schmidt, 2018 - China

[*Nebria loebliana*](#) C.Huber & J.Schmidt, 2018 - China

[*Nebria mentoincisa*](#) C.Huber & J.Schmidt, 2013 - China

[*Nebria orientalis*](#) Bänninger, 1949 - China

[*Nebria pharina*](#) Andrewes, 1929 - China

[*Nebria roborowskii*](#) Semenov, 1889 - China

[*Nebria superna*](#) Andrewes, 1923 - China, Nepal

[*Nebria unguinosa*](#) Ledoux; Roux & Sciaky, 1994 - China

Subgenus *Reductonebria* Shilenkov, 1975

[*Nebria angustula*](#) Motschulsky, 1866 - Russia

[*Nebria appalachia*](#) Darlington, 1932 - United States

[*Nebria darlingtoni*](#) Kavanaugh, 1979 - United States

[*Nebria desolata*](#) Kavanaugh, 1971 - United States

[*Nebria diversa*](#) LeConte, 1863 - United States, Canada

[*Nebria eschscholtzii*](#) Ménériés, 1843 - North America

[*Nebria georgei*](#) Kavanaugh, 2006 - United States

[*Nebria mannerheimii*](#) Fischer von Waldheim, 1828 - North America

[*Nebria navajo*](#) Kavanaugh, 1979 - United States

[*Nebria nicolasi*](#) Ledoux & Roux, 2006 - China

[*Nebria obliqua*](#) LeConte, 1867 - North America

[*Nebria ochotica*](#) R.F.Sahlberg, 1844 - Asia

[*Nebria pallipes*](#) Say, 1823 - United States, Canada

[*Nebria suturalis*](#) LeConte, 1850 - United States, Canada

Subgenus *Sadonebria* Ledoux & Roux, 2005

[*Nebria asahina*](#) Sasakawa, 2009 - Japan

[*Nebria chichibuensis*](#) Sasakawa, 2010 - Japan

[*Nebria chinensis*](#) Bates, 1872 - Asia

[*Nebria jakuchisana*](#) Sasakawa, 2009 - Japan

[*Nebria kiso*](#) Sasakawa, 2009 - Japan

[*Nebria mikawa*](#) Sasakawa, 2009 - Japan

[*Nebria nasuensis*](#) Sasakawa, 2009 - Japan

[*Nebria niitakana*](#) Kano, 1930 - Taiwan

[*Nebria quinquelobata*](#) Sasakawa, 2016 - Japan

[*Nebria sadona*](#) Bates, 1883 - Japan

[*Nebria saevi*](#) Bates, 1883 - Japan
[*Nebria shikokuensis*](#) Sasakawa, 2011 - Japan
[*Nebria tenuicaulis*](#) Sasakawa & Kubota, 2006 - Japan
[*Nebria trifida*](#) Sasakawa, 2008 - Japan
[*Nebria yatsugatakensis*](#) Sasakawa, 2016 - Japan

Subgenus *Spelaeonebria* Peyerimhoff, 1911

[*Nebria nudicollis*](#) Peyerimhoff, 1911 - Algeria

Subgenus *Tyrrhenia* Ledoux & Roux, 2005

[*Nebria apuana*](#) Busi & Rivalta, 1980 - Italy
[*Nebria coiffaiti*](#) Ledoux, 1983 - Turkey
[*Nebria eugeniae*](#) K.Daniel, 1903 - Bulgaria
[*Nebria fulviventr*](#) Bassi, 1834 - Italy
[*Nebria holtzi*](#) K.Daniel, 1903 - Greece
[*Nebria lareynii*](#) Fairmaire, 1858 - France, Corse
[*Nebria oramarensis*](#) Shilenkov & Heinz, 1984 - Turkey
[*Nebria orsinii*](#) A. & G.B.Villa, 1839 - Italy
[*Nebria pennisii*](#) Magrini, 1987 - Italy
[*Nebria peyerimhoffi*](#) Alluaud, 1923 - Morocco
[*Nebria reymondi*](#) Antoine, 1951 - Morocco
[*Nebria rubicunda*](#) (Quensel, 1806) - Spain, North Africa
[*Nebria testacea*](#) Olivier, 1811 - Greece, Turkey
[*Nebria uluderensis*](#) Shilenkov & Heinz, 1984 - Turkey
[*Nebria vanvolxemi*](#) Putzeys, 1874 - Portugal

Incertae sedis fossil taxa

†[*Nebria abstracta*](#) Scudder, 1900
†[*Nebria dobbertinensis*](#) Geinitz, 1894
†[*Nebria fossilis*](#) Piton & Theobald, 1935
†[*Nebria nitens*](#) Geinitz, 1894
†[*Nebria occlusa*](#) Scudder, 1900
†[*Nebria paleomelas*](#) Scudder, 1879
†[*Nebria pluto*](#) Heer, 1862
†[*Nebria scudderi*](#) Geinitz, 1894
†[*Nebria trisiphone*](#) Oustalet, 1874

These 236 species belong to the genus [*Naupactus*](#), white-fringed weevils.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Naupactus* species**

- [*Naupactus acerbus*](#) Boheman, 1840 ^{c g}
- [*Naupactus aerosus*](#) Boheman, 1840 ^{c g}
- [*Naupactus agglomeratus*](#) Hustache, 1938 ^{c g}
- [*Naupactus albidiventris*](#) Hustache, 1947 ^{c g}
- [*Naupactus albidus*](#) Perroud, 1853 ^{c g}
- [*Naupactus albolateralis*](#) Hustache, 1947 ^{c g}
- [*Naupactus albopunctatus*](#) Boheman, 1840 ^{c g}
- [*Naupactus albovittatus*](#) Voss, 1932 ^{c g}
- [*Naupactus albulus*](#) Boheman, 1833 ^{c g}
- [*Naupactus alternevittatus*](#) Hustache, 1947 ^{c g}
- [*Naupactus ambiguus*](#) Boheman, 1840 ^{c g}
- [*Naupactus ambitiotus*](#) Boheman, 1833 ^{c g}
- [*Naupactus amens*](#) Boheman, 1833 ^{c g}
- [*Naupactus anceps*](#) Boheman, 1833 ^{c g}
- [*Naupactus ancora*](#) Marshall, 1949 ^{c g}
- [*Naupactus angulithorax*](#) Hustache, 1947 ^{c g}
- [*Naupactus annae*](#) Bordon, 1997 ^{c g}
- [*Naupactus anthribiformis*](#) Boheman, 1833 ^{c g}
- [*Naupactus aptus*](#) Boheman, 1840 ^{c g}
- [*Naupactus argentatus*](#) Hustache, 1947 ^{c g}
- [*Naupactus argenteus*](#) Hustache, 1947 ^{c g}
- [*Naupactus argentinensis*](#) Hustache, 1926 ^{c g}
- [*Naupactus argyrostomus*](#) Boheman, 1840 ^{c g}
- [*Naupactus aulacus*](#) Germar, 1824 ^{c g}
- [*Naupactus aurichalceus*](#) Boheman, 1833 ^{c g}
- [*Naupactus auricinctus*](#) Boheman, 1833 ^{c g}
- [*Naupactus auripes*](#) (Hustache, 1947) ^{c g}
- [*Naupactus aurolimbatus*](#) Boheman, 1840 ^{c g}
- [*Naupactus balteus*](#) Voss, 1934 ^{c g}
- [*Naupactus barbicauda*](#) Boheman, 1840 ^{c g}
- [*Naupactus basalis*](#) Hustache, 1947 ^{c g}
- [*Naupactus basilicus*](#) Germar, 1824 ^{c g}
- [*Naupactus bellus*](#) Boheman, 1833 ^{c g}
- [*Naupactus bipes*](#) (Germar, 1824) ^{c g}
- [*Naupactus bipunctatus*](#) Boheman, 1833 ^{c g}

- [Naupactus bohumilae](#) Bordon, 1997 ^{c g}
- [Naupactus bondari](#) Marshall, 1937 ^{c g}
- [Naupactus bosqi](#) Hustache, 1947 ^{c g}
- [Naupactus brevicrinitus](#) Hustache, 1947 ^{c g}
- [Naupactus breviscapus](#) Hustache, 1947 ^{c g}
- [Naupactus bridgesii](#) C. R. Waterhouse, 1844 ^{c g}
- [Naupactus bruchi](#) (Heller, 1921) ^{c g}
- [Naupactus brunneus](#) (Hustache, 1947) ^{c g}
- [Naupactus calumuchitanensis](#) Hustache, 1947 ^{c g}
- [Naupactus camachoi](#) Bordon, 1997 ^{c g}
- [Naupactus carinirostris](#) (Hustache, 1947) ^{c g}
- [Naupactus caroli](#) Hustache, 1947 ^{c g}
- [Naupactus castaneus](#) Hustache, 1947 ^{c g}
- [Naupactus celator](#) Boheman, 1833 ^g
- [Naupactus celutor](#) Boheman, 1833 ^{c g}
- [Naupactus cephalotes](#) (Hustache, 1947) ^{c g}
- [Naupactus cervinus](#) Boheman, 1840 ^{c g b} (Fuller rose beetle)
- [Naupactus chaconi](#) Bordon, 1997 ^{c g}
- [Naupactus chalybeipes](#) Boheman, 1840 ^{c g}
- [Naupactus chedasi](#) Bordon, 1997 ^{c g}
- [Naupactus chevrolati](#) Boheman, 1833 ^{c g}
- [Naupactus chloraspis](#) Erichson, 1847 ^{c g}
- [Naupactus chloris](#) Hustache, 1947 ^{c g}
- [Naupactus chloropleurus](#) Pascoe, 1881 ^{c g}
- [Naupactus chordinus](#) Boheman, 1833 ^{c g}
- [Naupactus cinerascens](#) Perroud, 1853 ^{c g}
- [Naupactus cinereidorsum](#) Hustache, 1947 ^{c g}
- [Naupactus cinerosus](#) Boheman, 1833 ^{c g}
- [Naupactus clavijoi](#) Bordon, 1997 ^{c g}
- [Naupactus concinnus](#) Boheman, 1840 ^{c g}
- [Naupactus condecoratus](#) Boheman, 1840 ^{c g}
- [Naupactus cupreus](#) Bordon, 1997 ^{c g}
- [Naupactus curialis](#) Germar, 1824 ^{c g}
- [Naupactus curtus](#) Boheman, 1833 ^{c g}
- [Naupactus curvilineus](#) Boheman, 1840 ^{c g}
- [Naupactus cyphoides](#) Heller, 1921 ^{c g}

- [Naupactus dapsilis](#) Perty, 1832 ^{c g}
- [Naupactus decorus](#) (Fabricius, 1775) ^{c g}
- [Naupactus delicatulus](#) Hustache, 1947 ^{c g}
- [Naupactus denudatus](#) Hustache, 1923 ^{c g}
- [Naupactus deplorabundus](#) Boheman, 1833 ^{c g}
- [Naupactus deses](#) Schoenherr, 1840 ^{c g}
- [Naupactus dissimilis](#) Hustache, 1947 ^{c g}
- [Naupactus dissimulator](#) Boheman, 1840 ^{c g}
- [Naupactus dives](#) Klug, 1829 ^{c g}
- [Naupactus faldermanni](#) Boheman, 1840 ^{c g}
- [Naupactus fatuus](#) Boheman, 1833 ^{c g}
- [Naupactus fernandezi](#) Hustache, 1947 ^{c g}
- [Naupactus fulgerens](#) Lucas, 1857 ^{c g}
- [Naupactus fulvus](#) (Hustache, 1947) ^{c g}
- [Naupactus fuscus](#) Boheman, 1840 ^{c g}
- [Naupactus glaucus](#) Perty, 1832 ^{c g}
- [Naupactus godmani](#) (Crotch, 1867) ^g (syn. *N. cervinus*) (Fuller rose beetle)[5]
- [Naupactus habenatus](#) Marshall, 1949 ^{c g}
- [Naupactus hirsuticeps](#) (Hustache, 1947) ^{c g}
- [Naupactus hirsutus](#) Hustache, 1947 ^{c g}
- [Naupactus hirtellus](#) (Voss, 1932) ^{c g}
- [Naupactus humilis](#) (Hustache, 1947) ^{c g}
- [Naupactus hypocrita](#) Germar, 1824 ^{c g}
- [Naupactus illotus](#) Germar, 1824 ^{c g}
- [Naupactus imbellis](#) Hustache, 1947 ^{c g}
- [Naupactus imbutus](#) Pascoe, 1881 ^{c g}
- [Naupactus impurus](#) Boheman, 1833 ^{c g}
- [Naupactus inermis](#) Hustache, 1947 ^{c g}
- [Naupactus insignis](#) Boheman, 1840 ^{c g}
- [Naupactus instabilis](#) Boheman, 1840 ^{c g}
- [Naupactus institor](#) Boheman, 1833 ^{c g}
- [Naupactus interruptus](#) Hustache, 1947 ^{c g}
- [Naupactus jacobi](#) Hustache, 1947 ^{c g}
- [Naupactus jekelii](#) Kirsch, 1874 ^{c g}
- [Naupactus jimbriatus](#) Hustache, 1938 ^{c g}
- [Naupactus jolyi](#) Bordon, 1997 ^{c g}

- [Naupactus lar](#) Germar, 1824 ^{c g}
- [Naupactus laticeps](#) Champion, 1911 ^{c g}
- [Naupactus laticollis](#) Hustache, 1947 ^{c g}
- [Naupactus latifrons](#) Boheman, 1833 ^{c g}
- [Naupactus lattkei](#) Bordon, 1997 ^{c g}
- [Naupactus leucogaster](#) Perty, 1832 ^{c g}
- [Naupactus leucographus](#) Boheman, 1840 ^{c g}
- [Naupactus leucoloma](#) Boh. in Schoenh., 1840 ^{c g b}
- [Naupactus leucophaeus](#) Boheman, 1833 ^{c g}
- [Naupactus lineatus](#) Boheman, 1840 ^{c g}
- [Naupactus litoris](#) Bordon, 1997 ^{c g}
- [Naupactus lizeri](#) Hustache, 1923 ^{c g}
- [Naupactus llanensis](#) Bordon, 1997 ^{c g}
- [Naupactus longimanus](#) (Fabricius, 1775) ^{c g}
- [Naupactus loripes](#) (Germar, 1824) ^{c g}
- [Naupactus luteipes](#) (Hustache, 1947) ^{c g}
- [Naupactus mariaeloisiae](#) Bordon, 1997 ^{c g}
- [Naupactus maritimus](#) Bordon, 1997 ^{c g}
- [Naupactus martinezi](#) Bordon, 1997 ^{c g}
- [Naupactus mimicus](#) Hustache, 1938 ^{c g}
- [Naupactus minor](#) Buchanan, 1942 ^{c g}
- [Naupactus minutellus](#) Wibmer & O'Brien, 1986 ^{c g}
- [Naupactus minutus](#) Hustache, 1938 ^{c g}
- [Naupactus morio](#) Boheman, 1833 ^{c g}
- [Naupactus mulsanti](#) Perroud, 1853 ^{c g}
- [Naupactus navicularis](#) Boheman, 1840 ^{c g}
- [Naupactus navus](#) Marshall, 1949 ^{c g}
- [Naupactus nubilosus](#) Boheman, 1840 ^{c g}
- [Naupactus obsoletus](#) Kirsch, 1874 ^{c g}
- [Naupactus ocami](#) Bordon, 1997 ^{c g}
- [Naupactus ochreonotatus](#) Voss, 1934 ^{c g}
- [Naupactus optatus](#) (Herbst, 1797) ^{c g}
- [Naupactus opulentus](#) Voss, 1940 ^{c g}
- [Naupactus ornatus](#) Pascoe, 1879 ^{c g}
- [Naupactus ovatus](#) (Hustache, 1947) ^{c g}
- [Naupactus pallidulus](#) ^b

- [Naupactus pallidus](#)^b
- [Naupactus parallelus](#) Hustache, 1947^{c g}
- [Naupactus pedestris](#) Voss, 1934^{c g}
- [Naupactus penai](#) Bordon, 1997^{c g}
- [Naupactus peregrinus](#) (Buchanan, 1939)^{c g b}
- [Naupactus peruvianus](#) Hustache, 1938^{c g}
- [Naupactus pictus](#) Boheman, 1840^{c g}
- [Naupactus pilipes](#) Hustache, 1947^{c g}
- [Naupactus pithecius](#) Germar, 1824^{c g}
- [Naupactus plagiatus](#) Lucas, 1857^{c g}
- [Naupactus polliger](#) Boheman, 1833^{c g}
- [Naupactus postfasciatus](#) (Hustache, 1947)^{c g}
- [Naupactus postsignatus](#) Voss, 1940^{c g}
- [Naupactus praedatus](#) Erichson, 1847^{c g}
- [Naupactus prasinus](#) (Hustache, 1947)^{c g}
- [Naupactus prasnus](#) Hustache, 1947^{c g}
- [Naupactus proximus](#) Voss, 1934^{c g}
- [Naupactus pulchellus](#) Kuschel, 1958^{c g}
- [Naupactus pupulus](#) Boheman, 1840^{c g}
- [Naupactus purpureoviolaceus](#) Hustache, 1947^{c g}
- [Naupactus rivulosus](#) (Olivier, 1790)^{i c g}
- [Naupactus rnaclentus](#) Boheman, 1833^{c g}
- [Naupactus roborosus](#) Germar, 1824^{c g}
- [Naupactus romeroi](#) Bordon, 1997^{c g}
- [Naupactus rosalesi](#) Bordon, 1997^{c g}
- [Naupactus roscidus](#) Erichson, 1848^{c g}
- [Naupactus rubiginosus](#) (Fabricius, 1801)^{c g}
- [Naupactus ruficornis](#) Boheman, 1840^{c g}
- [Naupactus rugosus](#) Hustache, 1947^{c g}
- [Naupactus ruizi](#) Brèthes, 1925^{c g}
- [Naupactus sahlbergi](#) Boheman, 1840^{c g}
- [Naupactus sanamnsis](#) Bordon, 1997^{c g}
- [Naupactus sanfilippoi](#) Bordon, 1997^{c g}
- [Naupactus sanguinipes](#) Hustache, 1938^{c g}
- [Naupactus santanae](#) Bordon, 1997^{c g}
- [Naupactus scelestus](#) Boheman, 1833^{c g}

- [*Naupactus schapleri*](#) Hustache, 1947 ^{c g}
- [*Naupactus schnusei*](#) Voss, 1954 ^{c g}
- [*Naupactus sellatus*](#) Boheman, 1840 ^{c g}
- [*Naupactus serenus*](#) Pascoe, 1881 ^{c g}
- [*Naupactus sericellus*](#) Hustache, 1947 ^{c g}
- [*Naupactus sericeus*](#) Hustache, 1947 ^{c g}
- [*Naupactus serieguttatus*](#) Rheinheimer, 2008 ^g
- [*Naupactus setarius*](#) Boheman, 1833 ^{c g}
- [*Naupactus sexmaculatus*](#) Lucas, 1857 ^{c g}
- [*Naupactus signatus*](#) Blanchard, 1847 ^{c g}
- [*Naupactus signipennis*](#) Boheman, 1840 ^{c g}
- [*Naupactus similis*](#) (Hustache, 1947) ^{c g}
- [*Naupactus simulator*](#) Voss, 1954 ^{c g}
- [*Naupactus sommeri*](#) Boheman, 1840 ^{c g}
- [*Naupactus sparsus*](#) Boheman, 1840 ^{c g}
- [*Naupactus stauropterus*](#) Germar, 1824 ^{c g}
- [*Naupactus stigmaticus*](#) Boheman, 1840 ^{c g}
- [*Naupactus subacutus*](#) Boheman, 1840 ^{c g}
- [*Naupactus submaculatus*](#) Hustache, 1947 ^{c g}
- [*Naupactus sulcipes*](#) Hustache, 1947 ^{c g}
- [*Naupactus sulfuratus*](#) Champion, 1911 ^{c g}
- [*Naupactus sulphureoviridis*](#) Hustache, 1938 ^{c g}
- [*Naupactus sulphurfer*](#) Pascoe, 1881 ^{c g}
- [*Naupactus suturalis*](#) Boheman, 1840 ^{c g}
- [*Naupactus tachirensis*](#) Bordon, 1997 ^{c g}
- [*Naupactus tarsalis*](#) Boheman, 1840 ^{c g}
- [*Naupactus tessellatus*](#) ^b
- [*Naupactus transversus*](#) Boheman, 1840 ^{c g}
- [*Naupactus tremolerasi*](#) Hustache, 1947 ^{c g}
- [*Naupactus tucumanensis*](#) Hustache, 1947 ^{c g}
- [*Naupactus umbrinus*](#) Hustache, 1947 ^{c g}
- [*Naupactus univittatus*](#) Boheman, 1833 ^{c g}
- [*Naupactus variegatus*](#) Hustache, 1938 ^{c g}
- [*Naupactus variesignatus*](#) Voss, 1951 ^{c g}
- [*Naupactus velox*](#) (Fabricius, 1787) ^{c g}
- [*Naupactus venezolanus*](#) Hustache, 1938 ^{c g}

- [*Naupactus verecundus*](#) Hustache, 1947 ^c ^g
- [*Naupactus versatilis*](#) Hustache, 1947 ^c ^g
- [*Naupactus vianai*](#) Hustache, 1947 ^c ^g
- [*Naupactus viduatus*](#) Boheman, 1840 ^c ^g
- [*Naupactus vilme*](#) Bordon, 1997 ^c ^g
- [*Naupactus viloriui*](#) Bordon, 1997 ^c ^g
- [*Naupactus virens*](#) Boheman, 1840 ^c ^g
- [*Naupactus virescens*](#) Champion, 1911 ^c ^g
- [*Naupactus viridepunctatus*](#) Rheinheimer, 2011 ^c ^g
- [*Naupactus viridicinctus*](#) Boheman, 1833 ^c ^g
- [*Naupactus viridicyaneus*](#) Hustache, 1947 ^c ^g
- [*Naupactus viridimarginalis*](#) Hustache, 1947 ^c ^g
- [*Naupactus viridimicans*](#) Hustache, 1923 ^c ^g
- [*Naupactus viridinitens*](#) Hustache, 1947 ^c ^g
- [*Naupactus viridiplaptus*](#) Boheman, 1840 ^c ^g
- [*Naupactus viridisquamosus*](#) Boheman, 1840 ^c ^g
- [*Naupactus viridissimus*](#) (Hustache, 1919) ^c ^g
- [*Naupactus viridulus*](#) Hustache, 1947 ^c ^g
- [*Naupactus vossi*](#) Morrone, 1997 ^c ^g
- [*Naupactus xanthographus*](#) (Germar, 1824) ^c ^g
- [*Naupactus zoilsoni*](#) Boheman, 1840 ^c ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 331 species in [*Mylocherus*](#), a genus of oriental broad-nosed weevils in the family [Curculionidae](#).^[1]^[2]^[3]^[4]

***Mylocherus* species**

- [*Mylocherus abstersus*](#) (Pascoe, 1870) ^c ^g
- [*Mylocherus abyssinicus*](#) Hustache, 1922 ^c ^g
- [*Mylocherus acaciae*](#) Hoffmann, 1961 ^c ^g
- [*Mylocherus aeruginosus*](#) Lea, 1925 ^c ^g
- [*Mylocherus aidebus*](#) Hustache, 1934 ^c ^g
- [*Mylocherus alboscuteallatus*](#) Hustache, 1934 ^c ^g
- [*Mylocherus alternans*](#) Voss, 1932 ^c ^g

- [*Mylocerus amblyrhinus*](#) Lea, 1905 ^{c g}
- [*Mylocerus anamalainus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus andrewesi*](#) Marshall, 1916 ^{c g}
- [*Mylocerus angolanus*](#) Hustache, 1923 ^{c g}
- [*Mylocerus angulatipes*](#) Marshall, 1916 ^{c g}
- [*Mylocerus angustibasis*](#) Lea, 1914 ^{c g}
- [*Mylocerus anoplus*](#) Lea, 1915 ^{c g}
- [*Mylocerus aphthosus*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus aristatus*](#) Boheman, 1834 ^{c g}
- [*Mylocerus armipectus*](#) Lea, 1914 ^{c g}
- [*Mylocerus armipes*](#) Lea, 1925 ^{c g}
- [*Mylocerus ashi*](#) Lea, 1917 ^{c g}
- [*Mylocerus athianus*](#) Marshall, 1944 ^{c g}
- [*Mylocerus atjehensis*](#) Ritsema, 1876 ^{c g}
- [*Mylocerus auriceps*](#) Fåhræus, 1871 ^{c g}
- [*Mylocerus aurifex*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus australis*](#) Boisduval, 1835 ^{c g}
- [*Mylocerus bacchus*](#) Voss, 1949 ^{c g}
- [*Mylocerus baeodontomerus*](#) Lea, 1915 ^{c g}
- [*Mylocerus basicollis*](#) Lea, 1911 ^{c g}
- [*Mylocerus bayeri*](#) Hustache, 1924 ^{c g}
- [*Mylocerus bechynei*](#) (Voss, 1956) ^{c g}
- [*Mylocerus benignus*](#) Faust, 1892 ^{c g}
- [*Mylocerus bhutanensis*](#) Nathan, 1992 ^{c g}
- [*Mylocerus bidentatus*](#) Pic, 1926 ^{c g}
- [*Mylocerus bifasciatipennis*](#) Lea, 1925 ^{c g}
- [*Mylocerus bilineater*](#) Lea, 1915 ^{c g}
- [*Mylocerus blandus*](#) Faust, 1894 ^{c g}
- [*Mylocerus boranus*](#) Gestro, 1895 ^{c g}
- [*Mylocerus boviei*](#) Marshall, 1916 ^{c g}
- [*Mylocerus bozasi*](#) Hustache, 1922 ^{c g}
- [*Mylocerus brevicollis*](#) Boheman, 1842 ^{c g}
- [*Mylocerus brevirostris*](#) Marshall, 1941 ^{c g}
- [*Mylocerus brunneus*](#) Matsumura, 1910 ^{c g}
- [*Mylocerus calosicollis*](#) Hustache, 1934 ^{c g}
- [*Mylocerus camerunensis*](#) Hustache, 1932 ^{c g}

- [*Mylocerus canalicornis*](#) Lea, 1909 ^{c g}
- [*Mylocerus canaliculatus*](#) Boheman, 1843 ^{c g}
- [*Mylocerus canalistriatus*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus canoxoides*](#) Kono, 1930 ^{c g}
- [*Mylocerus cardoni*](#) Marshall, 1916 ^{c g}
- [*Mylocerus carinatus*](#) Lea, 1904 ^{c g}
- [*Mylocerus caspius*](#) Stierlin, 1883 ^{c g}
- [*Mylocerus castor*](#) Lea, 1909 ^{c g}
- [*Mylocerus catechu*](#) Marshall, 1913 ^{c g}
- [*Mylocerus celatus*](#) (Voss, 1974) ^{c g}
- [*Mylocerus cephalotes*](#) Hustache, 1924 ^{c g}
- [*Mylocerus championi*](#) Ramamurthy & Ghai, 1998 ^{c g}
- [*Mylocerus chaunoderus*](#) Lea, 1925 ^{c g}
- [*Mylocerus chevalieri*](#) Hustache, 1921 ^{c g}
- [*Mylocerus chobauti*](#) Desbrochers des Loges, 1897 ^{c g}
- [*Mylocerus cinerascens*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus cinereidorsum*](#) Desbrochers des Loges, 1903 ^{c g}
- [*Mylocerus circumcinctus*](#) Hustache, 1922 ^{c g}
- [*Mylocerus clanculus*](#) Voss, 1962 ^{c g}
- [*Mylocerus coimbatorensis*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus confinis*](#) Lea, 1914 ^{c g}
- [*Mylocerus congoanus*](#) Hustache, 1921 ^{c g}
- [*Mylocerus conoixoides*](#) Kono, 1930 ^{c g}
- [*Mylocerus conradti*](#) Hustache, 1932 ^{c g}
- [*Mylocerus consocius*](#) Marshall, 1916 ^{c g}
- [*Mylocerus conspersus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus constricticollis*](#) Lea, 1914 ^{c g}
- [*Mylocerus corycaeus*](#) Boheman, 1843 ^{c g}
- [*Mylocerus crinitus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus curtipennis*](#) Pic, 1903 ^{c g}
- [*Mylocerus curvicornis*](#) (Fabricius, 1792) ^{c g}
- [*Mylocerus cyrtops*](#) Lea, 1914 ^{c g}
- [*Mylocerus dalbergiae*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus damascenus*](#) Miller, 1861 ^{c g}
- [*Mylocerus darwini*](#) Blackburn, 1889 ^{c g}
- [*Mylocerus debilis*](#) Fairmaire, 1892 ^{c g}

- [*Mylocerus decipiens*](#) Lea, 1925 ^{c g}
- [*Mylocerus decorsei*](#) Hustache, 1920 ^{c g}
- [*Mylocerus decretus*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus delicatulus*](#) (Fåhræus, 1871) ^{c g}
- [*Mylocerus denigrator*](#) Hustache, 1936 ^{c g}
- [*Mylocerus dentifer*](#) (Fabricius, 1792) ^{c g}
- [*Mylocerus desquamatus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus discolor*](#) Boheman, 1834 ^{c g}
- [*Mylocerus doddi*](#) Lea, 1914 ^{c g}
- [*Mylocerus dohrni*](#) Faust, 1890 ^{c g}
- [*Mylocerus dorsatus*](#) (Fabricius, 1798) ^{c g}
- [*Mylocerus dorsocinnamomeus*](#) (Voss, 1962) ^{c g}
- [*Mylocerus durus*](#) (Voss, 1937) ^{c g}
- [*Mylocerus echinarius*](#) Marshall, 1916 ^{c g}
- [*Mylocerus echinatus*](#) Lea, 1905 ^{c g}
- [*Mylocerus ekonaensis*](#) Hustache, 1938 ^{c g}
- [*Mylocerus elegans*](#) Lea, 1905 ^{c g}
- [*Mylocerus elendeensis*](#) Hustache, 1935 ^{c g}
- [*Mylocerus equinus*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus erinaceus*](#) (Faust, 1892) ^{c g}
- [*Mylocerus erlangeri*](#) (Voss, 1949) ^{c g}
- [*Mylocerus evasus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus exilis*](#) Lea, 1905 ^{c g}
- [*Mylocerus eximius*](#) Boheman, 1834 ^{c g}
- [*Mylocerus exoletus*](#) (Voss, 1958) ^{c g}
- [*Mylocerus fabricii*](#) Guérin-Meneville, 1843 ^{c g}
- [*Mylocerus fallaciosus*](#) (Voss, 1958) ^{c g}
- [*Mylocerus fotedari*](#) Ahmad, 1974 ^{c g}
- [*Mylocerus foveiceps*](#) Lea, 1909 ^{c g}
- [*Mylocerus foveicollis*](#) Voss, 1932 ^{c g}
- [*Mylocerus foveifrons*](#) Lea, 1911 ^{c g}
- [*Mylocerus fringilla*](#) Faust, 1897 ^{c g}
- [*Mylocerus fugitivus*](#) Lea, 1914 ^{c g}
- [*Mylocerus fuscomaculatus*](#) Lea, 1915 ^{c g}
- [*Mylocerus ganalsensis*](#) Gestro, 1895 ^{c g}
- [*Mylocerus ginfushanensis*](#) Voss, 1933 ^{c g}

- [*Mylocerus glaucinus*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus gracilis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus grahami*](#) Ramamurthy & Ghai, 1998 ^{c g}
- [*Mylocerus guineaensis*](#) (Voss, 1949) ^{c g}
- [*Mylocerus guttulus*](#) Matsumura, 1910 ^{c g}
- [*Mylocerus hampsoni*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus herbaceus*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus herbivorus*](#) Lea, 1925 ^{c g}
- [*Mylocerus hilleri*](#) Faust, 1889 ⁱ
- [*Mylocerus hilli*](#) Lea, 1914 ^{c g}
- [*Mylocerus hinnulus*](#) Faust, 1894 ^{c g}
- [*Mylocerus hispidus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus horridulus*](#) Marshall, 1944 ^{c g}
- [*Mylocerus hustachei*](#) Lona, 1936 ^{c g}
- [*Mylocerus ignavus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus impallescens*](#) Marshall, 1916 ^{c g}
- [*Mylocerus impeditus*](#) Hustache, 1932 ^{c g}
- [*Mylocerus impressicollis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus impressithorax*](#) Hustache, 1924 ^{c g}
- [*Mylocerus improvidus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus incanus*](#) Voss, 1956 ^{c g}
- [*Mylocerus incertus*](#) Marshall, 1947 ^{c g}
- [*Mylocerus incisicollis*](#) (Lea, 1909) ^{c g}
- [*Mylocerus indigoferae*](#) Hoffmann, 1962 ^{c g}
- [*Mylocerus ineptus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus inermipes*](#) Lea, 1929 ^{c g}
- [*Mylocerus inermis*](#) Aurivillius, 1913 ^{c g}
- [*Mylocerus infaustus*](#) Marshall, 1946 ^{c g}
- [*Mylocerus inflatus*](#) (Voss, 1937) ^{c g}
- [*Mylocerus inquietus*](#) Voss, 1937 ^{c g}
- [*Mylocerus intercoxalis*](#) Lea, 1914 ^{c g}
- [*Mylocerus interruptus*](#) Faust, 1895 ^{c g}
- [*Mylocerus kaeshoveni*](#) Marshall, 1926 ^{c g}
- [*Mylocerus kalukembensis*](#) Hustache, 1935 ^{c g}
- [*Mylocerus kankundanus*](#) (Voss, 1962) ^{c g}
- [*Mylocerus kashmirensis*](#) Marshall, 1916 ^{c g}

- [*Mylocerus katanganus*](#) Hustache, 1934 ^{c g}
- [*Mylocerus khayesicus*](#) Hustache, 1932 ^{c g}
- [*Mylocerus laetivirens*](#) Marshall, 1916 ^{c g}
- [*Mylocerus lateralis*](#) Chevrolat, 1882 ^{c g}
- [*Mylocerus latibasis*](#) Lea, 1914 ^{c g}
- [*Mylocerus laticollis*](#) Lea, 1905 ^{c g}
- [*Mylocerus lecideosus*](#) (Pascoe, 1870) ^{c g}
- [*Mylocerus lefroyi*](#) Marshall, 1916 ^{c g}
- [*Mylocerus liesenfeldti*](#) Voss, 1959 ^{c g}
- [*Mylocerus lineaticollis*](#) (Boheman, 1843) ^{c g}
- [*Mylocerus lineatus*](#) (Marshall, 1941) ^{c g}
- [*Mylocerus lodosi*](#) Osella, 1977 ^{c g}
- [*Mylocerus longicornis*](#) (Pascoe, 1869) ^{c g}
- [*Mylocerus longipilis*](#) Hustache, 1922 ^{c g}
- [*Mylocerus longus*](#) Lea, 1914 ^{c g}
- [*Mylocerus lucens*](#) Marshall, 1943 ^{c g}
- [*Mylocerus luctuosus*](#) Desbrochers, 1891 ^{c g}
- [*Mylocerus luridus*](#) (Voss, 1949) ^{c g}
- [*Mylocerus maculatus*](#) (Blackburn, 1892) ^{c g}
- [*Mylocerus madurensis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus magnificus*](#) Hustache, 1924 ^{c g}
- [*Mylocerus manipurensis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus marshalli*](#) Lona, 1936 ^{c g}
- [*Mylocerus massaicus*](#) Hustache, 1921 ^{c g}
- [*Mylocerus mastersi*](#) Lea, 1911 ^{c g}
- [*Mylocerus mateui*](#) Hoffmann, 1964 ^{c g}
- [*Mylocerus mayarami*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus melvillensis*](#) Lea, 1914 ^{c g}
- [*Mylocerus menoni*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus methneri*](#) (Voss, 1949) ^{c g}
- [*Mylocerus micros*](#) Hustache, 1934 ^{c g}
- [*Mylocerus minusculus*](#) Lea, 1914 ^{c g}
- [*Mylocerus mirabilis*](#) Lea, 1911 ^{c g}
- [*Mylocerus morio*](#) Boheman, 1834 ^{c g}
- [*Mylocerus multimaculatus*](#) Lea, 1911 ^{c g}
- [*Mylocerus mundus*](#) Voss, 1932 ^{c g}

- [*Mylocerus mystacinus*](#) Marshall, 1944 ^{c g}
- [*Mylocerus nasutus*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus necopinus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus nemorosus*](#) Hustache, 1924 ^{c g}
- [*Mylocerus neosordidus*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus nepalensis*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus niger*](#) Aurivillius, 1912 ^{c g}
- [*Mylocerus nigrosuturatus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus niveus*](#) Lea, 1905 ^{c g}
- [*Mylocerus nodicollis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus nuristanicus*](#) Voss, 1959 ^{c g}
- [*Mylocerus obliquifasciatus*](#) Lea, 1917 ^{c g}
- [*Mylocerus obockianus*](#) Reitter, 1906 ^{c g}
- [*Mylocerus obscurus*](#) Lea, 1925 ^{c g}
- [*Mylocerus ochraceus*](#) Magnano, 2009 ^{c g}
- [*Mylocerus paetus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus pallidicolor*](#) Hustache, 1934 ^{c g}
- [*Mylocerus parvicollis*](#) Voss, 1949 ^{c g}
- [*Mylocerus pauculus*](#) Voss, 1934 ^{c g}
- [*Mylocerus pauper*](#) Faust, 1897 ^{c g}
- [*Mylocerus pennatus*](#) Formánek, 1922 ^{c g}
- [*Mylocerus perarmatus*](#) Lea, 1929 ^{c g}
- [*Mylocerus perilis*](#) Voss, 1965 ^{c g}
- [*Mylocerus persimilis*](#) Hustache, 1921 ^{c g}
- [*Mylocerus perversus*](#) Hustache, 1921 ^{c g}
- [*Mylocerus phariseus*](#) Hustache, 1922 ^{c g}
- [*Mylocerus pictus*](#) Lea, 1925 ^{c g}
- [*Mylocerus pilifer*](#) Faust, 1897 ^{c g}
- [*Mylocerus planoculis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus plebejus*](#) Hartmann, 1904 ^{c g}
- [*Mylocerus plutus*](#) Voss, 1958 ^{c g}
- [*Mylocerus pollux*](#) Lea, 1909 ^{c g}
- [*Mylocerus polylineatus*](#) Hustache, 1921 ^{c g}
- [*Mylocerus postfasciatus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus posthi*](#) (Hustache, 1921) ^{c g}
- [*Mylocerus posttibialis*](#) Voss, 1962 ^{c g}

- [*Mylocerus pracuae*](#) Faust, 1891 ^{c g}
- [*Mylocerus pretiosus*](#) Faust, 1897 ^{c g}
- [*Mylocerus procerus*](#) Faust, 1897 ^{c g}
- [*Mylocerus prosabulosus*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus prosternalis*](#) Lea, 1914 ^{c g}
- [*Mylocerus proteus*](#) Hustache, 1929 ^{c g}
- [*Mylocerus pruinus*](#) Blanchard, 1853 ^{c g}
- [*Mylocerus pteroderes*](#) Lea, 1929 ^{c g}
- [*Mylocerus pubescens*](#) Faust, 1894 ^{c g}
- [*Mylocerus pulchellus*](#) Formánek, 1922 ^{c g}
- [*Mylocerus pumilus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus quadricolor*](#) Lea, 1917 ^{c g}
- [*Mylocerus raddensis*](#) Pic, 1904 ^{c g}
- [*Mylocerus ravillus*](#) Voss, 1961 ^{c g}
- [*Mylocerus reitteri*](#) Kirsch, 1879 ^{c g}
- [*Mylocerus retratiens*](#) Walker, 1859 ^{c g}
- [*Mylocerus richardi*](#) Nathan in Ramamurthy et al., 1992 ^{c g}
- [*Mylocerus robusticeps*](#) Pic, 1903 ^{c g}
- [*Mylocerus rodhaini*](#) Hustache, 1924 ^{c g}
- [*Mylocerus rosae*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus roscidus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus roseus*](#) Hustache, 1922 ^{c g}
- [*Mylocerus ruandanus*](#) Hustache, 1934 ^{c g}
- [*Mylocerus rubiginosus*](#) Hustache, 1922 ^{c g}
- [*Mylocerus rufescens*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus rugicollis*](#) Lea, 1905 ^{c g}
- [*Mylocerus rusticus*](#) Pascoe, 1869 ^{c g}
- [*Mylocerus sabulosus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus salemensis*](#) Marshall, 1943 ^{c g}
- [*Mylocerus satunini*](#) Suvorov, 1915 ^{c g}
- [*Mylocerus scapularis*](#) Roelofs, 1880 ^{c g}
- [*Mylocerus schimperi*](#) Hustache, 1936 ^{c g}
- [*Mylocerus scitulus*](#) Lea, 1925 ^{c g}
- [*Mylocerus sericeus*](#) Faust, 1897 ^{c g}
- [*Mylocerus setistriatus*](#) Lea, 1914 ^{c g}
- [*Mylocerus setosus*](#) Kono, 1930 ^{c g}

- [*Mylocerus setulifer*](#) Desbrochers des Loges, 1899 ^{c g}
- [*Mylocerus severini*](#) Marshall, 1916 ^{c g}
- [*Mylocerus seydeli*](#) Voss, 1949 ^{c g}
- [*Mylocerus sibiricus*](#) Tournier, 1879 ^{c g}
- [*Mylocerus simplex*](#) Faust, 1897 ^{c g}
- [*Mylocerus singularis*](#) (Voss, 1949) ^{c g}
- [*Mylocerus sitonoides*](#) Hoffmann, 1963 ^{c g}
- [*Mylocerus smaragdinus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus sordidus*](#) Lea, 1905 ^{c g}
- [*Mylocerus speciosus*](#) Blackburn, 1894 ^{c g}
- [*Mylocerus spectator*](#) Marshall, 1916 ^{c g}
- [*Mylocerus spinicollis*](#) Marshall, 1941 ^{c g}
- [*Mylocerus spurius*](#) Faust, 1895 ^{c g}
- [*Mylocerus squamicornis*](#) Lea, 1914 ^{c g}
- [*Mylocerus stolzi*](#) Voss, 1949 ^{c g}
- [*Mylocerus strangulaticollis*](#) Magnano, 2009 ^{c g}
- [*Mylocerus striatifrons*](#) Marshall, 1941 ^{c g}
- [*Mylocerus strigilatus*](#) (Voss, 1937) ^{c g}
- [*Mylocerus suavis*](#) Faust, 1897 ^{c g}
- [*Mylocerus subcostatus*](#) Kolenati, 1858 ^{c g}
- [*Mylocerus subcruciatus*](#) Voss, 1934 ^{c g}
- [*Mylocerus subglaber*](#) Faust, 1897 ^{c g}
- [*Mylocerus subglaucus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus subnubilis*](#) (Voss, 1952) ^{c g}
- [*Mylocerus subrostralis*](#) Lea, 1914 ^{c g}
- [*Mylocerus sulcicornis*](#) Lea, 1915 ^{c g}
- [*Mylocerus superelegans*](#) Hustache, 1932 ^{c g}
- [*Mylocerus susainathani*](#) Nathan in Ramamurthy et al., 1992 ^{c g}
- [*Mylocerus suspiciens*](#) Marshall, 1916 ^{c g}
- [*Mylocerus suturalis*](#) Lea, 1905 ^{c g}
- [*Mylocerus suturellus*](#) (Voss, 1949) ^{c g}
- [*Mylocerus szetschuanus*](#) Voss, 1933 ^{c g}
- [*Mylocerus tatei*](#) Blackburn, 1896 ^{c g}
- [*Mylocerus tavetanus*](#) Hustache, 1929 ^{c g}
- [*Mylocerus taylori*](#) Lea, 1909 ^{c g}
- [*Mylocerus terreus*](#) (Pascoe, 1869) ^{c g}

- [*Mylocerus tessellatus*](#) Aurivillius, 1912 ^{c g}
- [*Mylocerus thandiyaniensis*](#) Rizvi, Ahmed et Naz, 2002 ^{c g}
- [*Mylocerus thompsoni*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus tibialis*](#) (Voss, 1949) ^{c g}
- [*Mylocerus togoensis*](#) (Voss, 1949) ^{c g}
- [*Mylocerus torridus*](#) Blackburn, 1894 ^{c g}
- [*Mylocerus transmarinus*](#) (Herbst, 1795) ^{c g}
- [*Mylocerus trepidus*](#) Pascoe, 1885 ^{c g}
- [*Mylocerus tricarinirostris*](#) Lea, 1925 ^{c g}
- [*Mylocerus trifasciatus*](#) Voss, 1932 ^{c g}
- [*Mylocerus trifolii*](#) Hoffmann, 1964 ^{c g}
- [*Mylocerus trilineatus*](#) Lea, 1905 ^{c g}
- [*Mylocerus trisinuatus*](#) Lea, 1929 ^{c g}
- [*Mylocerus tristis*](#) Lea, 1914 ^{c g}
- [*Mylocerus tusicollis*](#) Marshall, 1916 ^{c g}
- [*Mylocerus uamensis*](#) (Voss, 1949) ^{c g}
- [*Mylocerus undatus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus undecimpustulatus*](#) Faust, J., 1891 ^{c g b} (sri lanka weevil)
- [*Mylocerus uniformis*](#) (Voss, 1949) ^{c g}
- [*Mylocerus upembaensis*](#) Voss, 1962 ^{c g}
- [*Mylocerus usitatus*](#) Lea, 1904 ^{c g}
- [*Mylocerus valparensis*](#) Ramamurthy & Ghai, 1988 ^{c g}
- [*Mylocerus vanderijsti*](#) Hustache, 1924 ^{c g}
- [*Mylocerus varius*](#) Lea, 1914 ^{c g}
- [*Mylocerus veterator*](#) Hustache, 1936 ^{c g}
- [*Mylocerus villosipennis*](#) Lea, 1917 ^{c g}
- [*Mylocerus virens*](#) Voss, 1949 ^{c g}
- [*Mylocerus viridanus*](#) (Fabricius, 1775) ^{c g}
- [*Mylocerus viridimicans*](#) Lea, 1917 ^{c g}
- [*Mylocerus viridiornatus*](#) Voss, 1934 ^{c g}
- [*Mylocerus viridipictus*](#) (Lea, 1909) ^{c g}
- [*Mylocerus viridis*](#) Aurivillius, 1912 ^{c g}
- [*Mylocerus vonguensis*](#) Hustache, 1932 ^{c g}
- [*Mylocerus yeboensis*](#) Hustache, 1934 ^{c g}
- [*Mylocerus zeylanicus*](#) Marshall, 1916 ^{c g}
- [*Mylocerus zopherus*](#) Lea, 1917 ^{c g}

This is a list of 402 species in [Mycomya](#), a genus of fungus gnats in the family [Mycetophilidae](#). [1][2][3][4]

Mycomya species

- [Mycomya abegena](#) Vaisanen, 1984^{i c g}
- [Mycomya accrescens](#) Vaisanen, 1984^{i c g}
- [Mycomya aequa](#) Plassmann, 1987^{c g}
- [Mycomya aestiva](#) (Wulp, 1877)^{c g}
- [Mycomya affinis](#) Staeger, 1840^{i c}
- [Mycomya alexanderi](#) Coher, 1950^{c g}
- [Mycomya alluaudi](#) Edwards, 1914^{c g}
- [Mycomya alpina](#) Matile, 1972^{c g}
- [Mycomya altaica](#) Vaisanen, 1984^{c g}
- [Mycomya alticola](#)^g
- [Mycomya aluco](#) Vaisanen, 1984^{i c g}
- [Mycomya amgulata](#) (Adams, 1903)^{i c g}
- [Mycomya amica](#) Vaisanen, 1984^{i c g}
- [Mycomya ampla](#) Garrett, 1924^{i c g}
- [Mycomya amurensis](#) Vaisanen, 1984^{c g}
- [Mycomya andreinii](#) (Bezzi, 1906)^{c g}
- [Mycomya aneura](#) Vaisanen, 1984^{i c g}
- [Mycomya anneliae](#) Vaisanen, 1996^{c g}
- [Mycomya annulata](#) (Meigen, 1818)^{c g}
- [Mycomya ansata](#) Freeman, 1951^{c g}
- [Mycomya aonyx](#)^g
- [Mycomya apoensis](#)^g
- [Mycomya arcuata](#) Vaisanen, 1984^{i c g}
- [Mycomya arethusa](#) Coher, 1952^{c g}
- [Mycomya arnaudi](#) Vaisanen, 1984^{i c g}
- [Mycomya ata](#) Garrett, 1924^{i c g}
- [Mycomya aureola](#) Wu, 1995^{c g}

- [*Mycomya austrobligua*](#) Coher, 1959 ^{c g}
- [*Mycomya autumnalis*](#) Garrett, 1924 ^{i c g}
- [*Mycomya avala*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya banteng*](#) ^g
- [*Mycomya baotianmana*](#) Wu, Zheng & Xu, 2001 ^{c g}
- [*Mycomya basinerva*](#) Freeman, 1951 ^{c g}
- [*Mycomya bequaerti*](#) Coher, 1950 ^{c g}
- [*Mycomya bialorussica*](#) Landrock, 1925 ^g
- [*Mycomya bialourssica*](#) (Landrock, 1925) ^{c g}
- [*Mycomya bicolor*](#) (Dziedzicki, 1885) ^{i c g}
- [*Mycomya bifida*](#) Freeman, 1951 ^{c g}
- [*Mycomya binturong*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya biseriata*](#) (Loew, 1869) ^{i c g}
- [*Mycomya bisulca*](#) (Lackschewitz, 1937) ^{c g}
- [*Mycomya boracensis*](#) Coher, 1959 ^{c g}
- [*Mycomya borinquensis*](#) Coher, 1959 ^{c g}
- [*Mycomya bowiei*](#) Omad, Pessacq & Anjos-Santos, 2017 ^g
- [*Mycomya branderi*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya brevifurcata*](#) Enderlein, 1910 ^{c g}
- [*Mycomya breviseta*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya britteni*](#) Kidd, 1955 ^g
- [*Mycomya brontes*](#) Coher, 1952 ^{c g}
- [*Mycomya brunnea*](#) (Dziedzicki, 1885) ^{c g}
- [*Mycomya bryanti*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya byersi*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya calcarata*](#) (Coquillett, 1904) ^{i c g}
- [*Mycomya campestra*](#) Coher, 1959 ^{c g}
- [*Mycomya canariornata*](#) Chandler & Ribeiro, 1995 ^{c g}
- [*Mycomya canoak*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya capra*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya carpinea*](#) Plassmann & Vogel, 1990 ^{c g}
- [*Mycomya carrerai*](#) Coher, 1950 ^{c g}
- [*Mycomya chemodanensis*](#) Maximova, 2001 ^{c g}
- [*Mycomya chilensis*](#) Blanchard, 1852 ^{c g}
- [*Mycomya chloratica*](#) Johannsen, 1910 ^{c g}
- [*Mycomya cinerascens*](#) (Macquart, 1826) ^{i c g}

- [*Mycomya cingulata*](#) (Meigen, 1804) ^{c g}
- [*Mycomya circumdata*](#) (Staeger, 1840) ^{c g}
- [*Mycomya cissa*](#) ^g
- [*Mycomya citrina*](#) Shaw, 1940 ^{c g}
- [*Mycomya clavata*](#) (Lynch Arribalzaga, 1892) ^{c g}
- [*Mycomya clavicera*](#) (Lundstrom, 1912) ^{c g}
- [*Mycomya cleta*](#) Coher, 1952 ^{c g}
- [*Mycomya coeles*](#) Chandler, 1994 ^{c g}
- [*Mycomya collini*](#) (Edwards, 1941) ^{c g}
- [*Mycomya comesa*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya confusa*](#) Vaisanen, 1979 ^{c g}
- [*Mycomya connecta*](#) Coher, 1959 ^{c g}
- [*Mycomya corcyrensis*](#) (Lundstrom, 1912) ^{c g}
- [*Mycomya coxalis*](#) Freeman, 1951 ^{c g}
- [*Mycomya cramptoni*](#) Coher, 1950 ^{c g}
- [*Mycomya cranbrooki*](#) Garrett, 1924 ^{i c g}
- [*Mycomya cuon*](#) ^g
- [*Mycomya curvata*](#) (Fisher, 1937) ^{c g}
- [*Mycomya curvilinea*](#) Brunetti, 1912 ^{c g}
- [*Mycomya cylindrica*](#) Freeman, 1951 ^{c g}
- [*Mycomya danielae*](#) Matile, 1972 ^{i c g}
- [*Mycomya decorosa*](#) (Winnertz, 1863) ^{c g}
- [*Mycomya denmax*](#) Vaisanen, 1979 ^{i c g}
- [*Mycomya dentata*](#) Fisher, 1937 ^{i c g}
- [*Mycomya dictyaeta*](#) Fisher, 1937 ^{i c g b}
- [*Mycomya dictyophila*](#) Wu, Zheng & Xu, 2001 ^{c g}
- [*Mycomya difficilis*](#) Garrett, 1924 ^{i c g}
- [*Mycomya digitifera*](#) (Edwards, 1925) ^{c g}
- [*Mycomya dilatata*](#) (Ostroverkhova, 1979) ^{c g}
- [*Mycomya diluta*](#) (Zetterstedt, 1860) ^{c g}
- [*Mycomya disa*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya divisa*](#) Freeman, 1951 ^{c g}
- [*Mycomya dorsimacula*](#) Enderlein, 1910 ^{c g}
- [*Mycomya dryope*](#) Coher, 1952 ^{c g}
- [*Mycomya dryophila*](#) (Ostroverkhova, 1979) ^{c g}
- [*Mycomya ducula*](#) ^g

- [Mycomya dumeta](#) Coher, 1959 ^{c g}
- [Mycomya duplicata](#) (Edwards, 1925) ^{c g}
- [Mycomya dura](#) Garrett, 1924 ^{i c g}
- [Mycomya dziedzicki](#) Vaisanen, 1981 ^{c g}
- [Mycomya echinata](#) Garrett, 1924 ^{i c g}
- [Mycomya edra](#) Vaisanen, 1994 ^{c g}
- [Mycomya edwardsi](#) Coher, 1950 ^{c g}
- [Mycomya egregia](#) (Dziedzicki, 1885) ^{c g}
- [Mycomya electa](#) Vaisanen, 1984 ^{i c g}
- [Mycomya elephas](#) Vaisanen, 1984 ^{i c g}
- [Mycomya emotoi](#) Vaisanen, 1996 ^{c g}
- [Mycomya epacra](#) Coher, 1959 ^{c g}
- [Mycomya esox](#) Vaisanen, 1984 ^{i c g}
- [Mycomya excerpta](#) Coher, 1959 ^{c g}
- [Mycomya exigua](#) (Winnertz, 1863) ^{c g}
- [Mycomya falcifera](#) Freeman, 1951 ^{c g}
- [Mycomya fasciata](#) Zetterstedt ^{i c g}
- [Mycomya fasriata](#) (Zetterstedt, 1838) ^{i c g}
- [Mycomya fenestralis](#) (Philippi, 1865) ^{c g}
- [Mycomya fennica](#) Vaisanen, 1979 ^{c g}
- [Mycomya ferruginea](#) (Meigen, 1818) ^{c g}
- [Mycomya ferrzai](#) Coher, 1950 ^{c g}
- [Mycomya festivalis](#) Vaisanen, 1984 ^{c g}
- [Mycomya fimbriata](#) (Meigen, 1818) ^{i c g}
- [Mycomya fissa](#) (Lundstrom, 1911) ^{c g}
- [Mycomya flabellata](#) (Lackschewitz, 1937) ^{c g}
- [Mycomya flava](#) (Winnertz, 1863) ^{c g}
- [Mycomya flavescens](#) Freeman, 1951 ^{c g}
- [Mycomya flavicollis](#) (Zetterstedt, 1852) ^{c g}
- [Mycomya flavilatera](#) Tonnoir & Edwards, 1927 ^{c g}
- [Mycomya flaviventris](#) Brunetti, 1912 ^{c g}
- [Mycomya forcipata](#) Freeman, 1951 ^{c g}
- [Mycomya forestaria](#) (Plassmann, 1978) ^{c g}
- [Mycomya fornicata](#) (Lundstrom, 1911) ^{c g}
- [Mycomya fragilis](#) (Loew, 1869) ^{i c g}
- [Mycomya freemani](#) Coher, 1950 ^{c g}

- [*Mycomya frequens*](#) Johannsen, 1910^{i c g}
- [*Mycomya frigida*](#) (Plassmann, 1978)^{c g}
- [*Mycomya funebris*](#) Freeman, 1951^{c g}
- [*Mycomya furcata*](#) Tonnoir & Edwards, 1927^{c g}
- [*Mycomya fusca*](#) (Meigen, 1818)^{c g}
- [*Mycomya fuscata*](#) Winnertz^{i c g}
- [*Mycomya fuscicornis*](#) Freeman, 1951^{c g}
- [*Mycomya fuscipalpis*](#) Van Duzee, 1928^{i c g}
- [*Mycomya galeapectinata*](#) Chandler, 1994^{c g}
- [*Mycomya ganglioneuse*](#) Wu, Zheng & Xu, 2001^{c g}
- [*Mycomya geei*](#) Vaisanen, 1996^{c g}
- [*Mycomya gimmerthali*](#) (Landrock, 1925)^{c g}
- [*Mycomya goethalsi*](#) Vaisanen, 1981^{c g}
- [*Mycomya goral*](#)^g
- [*Mycomya griseovittata*](#) (Zetterstedt, 1852)^{c g}
- [*Mycomya guandiana*](#) Wu & Yang, 1995^{c g}
- [*Mycomya gutianshana*](#) Wu & Yang, 1994^{c g}
- [*Mycomya hackmani*](#) Vaisanen, 1984^{c g}
- [*Mycomya hamadryas*](#) Coher, 1952^{c g}
- [*Mycomya hansonii*](#) Coher, 1950^{c g}
- [*Mycomya hebrardi*](#) (Vaisanen & Matile, 1980)^{c g}
- [*Mycomya helobia*](#) (Ostroverkhova, 1979)^{c g}
- [*Mycomya hengshana*](#) Wu & Yang, 1995^{c g}
- [*Mycomya heydeni*](#) (Plassmann, 1970)^{c g}
- [*Mycomya hians*](#) (Lundstrom, 1912)^{c g}
- [*Mycomya hiisi*](#) Vaisanen, 1979^{c g}
- [*Mycomya himiti*](#) (Vanschuytbroeck, 1965)^{c g}
- [*Mycomya hirticollis*](#) (Say, 1824)^{i c g}
- [*Mycomya humeralis*](#) (Skuse, 1890)^{c g}
- [*Mycomya humida*](#) Garrett, 1924^{i c g}
- [*Mycomya hyalinata*](#) (Meigen, 1830)^{c g}
- [*Mycomya hystrix*](#) Vaisanen, 1996^{c g}
- [*Mycomya ibex*](#) Vaisanen, 1996^{c g}
- [*Mycomya ikar*](#) Vaisanen, 1996^{c g}
- [*Mycomya imitans*](#) Johannsen, 1910^{i c g b}
- [*Mycomya imperatrix*](#) Vaisanen, 1984^{i c g}

- [Mycomya incerta](#) (Brunetti, 1912) ^c
- [Mycomya incisurata](#) (Zetterstedt, 1838) ^{c g}
- [Mycomya indefinita](#) Brunetti, 1912 ^{c g}
- [Mycomya indica](#) Brunetti, 1912 ^{c g}
- [Mycomya indistincta](#) Polevoi, 1995 ^{c g}
- [Mycomya inflata](#) (Ostroverkhova, 1979) ^{c g}
- [Mycomya infuscata](#) Freeman, 1951 ^{c g}
- [Mycomya insulana](#) Vaisanen, 1984 ^{c g}
- [Mycomya intermissa](#) (Plassmann, 1984) ^{c g}
- [Mycomya interposita](#) (Ostroverkhova, 1979) ^{c g}
- [Mycomya iphis](#) Coher, 1952 ^{c g}
- [Mycomya irena](#) ^g
- [Mycomya irene](#) Coher, 1952 ^{c g}
- [Mycomya islandica](#) Vaisanen, 1984 ^{i c g}
- [Mycomya jaffuelensis](#) Freeman, 1951 ^{c g}
- [Mycomya jeti](#) ^g
- [Mycomya kaa](#) ^g
- [Mycomya kambaitiensis](#) ^g
- [Mycomya karelica](#) Vaisanen, 1979 ^{c g}
- [Mycomya kaurii](#) Vaisanen, 1984 ^{i c g}
- [Mycomya ketupa](#) Vaisanen, 1996 ^{c g}
- [Mycomya kiamichii](#) Shaw, 1940 ^{i c g}
- [Mycomya kiboensis](#) Lindner, 1958 ^{c g}
- [Mycomya kingi](#) (Edwards, 1941) ^{c g}
- [Mycomya klossi](#) Edwards, 1931 ^{c g}
- [Mycomya kurildisa](#) Vaisanen, 1984 ^{c g}
- [Mycomya kuusamoensis](#) Vaisanen, 1979 ^{c g}
- [Mycomya kyan](#) Vaisanen, 1996 ^{c g}
- [Mycomya lambi](#) Edwards, 1941 ^{i c g}
- [Mycomya lamellata](#) Freeman, 1951 ^{c g}
- [Mycomya lanei](#) Coher, 1950 ^{c g}
- [Mycomya lenticulata](#) (Ostroverkhova, 1979) ^{c g}
- [Mycomya leporina](#) Vaisanen, 1984 ^{i c g}
- [Mycomya levis](#) Dziedzicki ^{i c g}
- [Mycomya libentia](#) Plassmann & Vogel, 1990 ^{c g}
- [Mycomya lightfooti](#) Edwards, 1925 ^{c g}

- [*Mycomya lindrothi*](#) (Plassmann, 1981) ^{c g}
- [*Mycomya littoralis*](#) (Say, 1824) ^{i c g}
- [*Mycomya livida*](#) (Dziedzicki, 1885) ^{c g}
- [*Mycomya lividella*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya londti*](#) Vaisanen, 1994 ^{c g}
- [*Mycomya longdeana*](#) Wu & Yang, 1994 ^{c g}
- [*Mycomya longistila*](#) Freeman, 1951 ^{c g}
- [*Mycomya lutea*](#) Enderlein, 1910 ^{c g}
- [*Mycomya lutealis*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya macaca*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya macatee*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya maccoyi*](#) (Skuse, 1890) ^{c g}
- [*Mycomya maculata*](#) (Meigen, 1804) ^{i c g}
- [*Mycomya magna*](#) Wu & Yang, 1993 ^{c g}
- [*Mycomya magnifica*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya malaisei*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya malkini*](#) Vaisanen, 1983 ^{c g}
- [*Mycomya malvinensis*](#) Vogel & Plassmann, 1985 ^{c g}
- [*Mycomya manis*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya manteri*](#) Coher, 1950 ^{c g}
- [*Mycomya maoershana*](#) Wu & Yang, 1994 ^{c g}
- [*Mycomya marginalis*](#) Johannsen, 1910 ^{i c g}
- [*Mycomya marginata*](#) (Meigen, 1818) ^{c g}
- [*Mycomya marmota*](#) ^g
- [*Mycomya mathesoni*](#) Coher, 1950 ^{c g}
- [*Mycomya matilei*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya matrona*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya maura*](#) (Walker, 1856) ^{c g}
- [*Mycomya melania*](#) (Winnertz, 1863) ^{c g}
- [*Mycomya melanoceras*](#) (Edwards, 1925) ^{c g}
- [*Mycomya melanogaster*](#) (Zetterstedt, 1852) ^{c g}
- [*Mycomya mendax*](#) Johannsen, 1910 ^{i c g}
- [*Mycomya meridionalis*](#) Johannsen, 1909 ^{c g}
- [*Mycomya midas*](#) Coher, 1952 ^{c g}
- [*Mycomya midea*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya minla*](#) Vaisanen, 1996 ^{c g}

- [*Mycomya minuscula*](#) Matile, 1991 ^{c g}
- [*Mycomya minutata*](#) Edwards, 1931 ^{c g}
- [*Mycomya mituda*](#) Vaisanen, 1980 ^{c g}
- [*Mycomya monosta*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya montalba*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya montforti*](#) Chandler, 1994 ^{c g}
- [*Mycomya multiseta*](#) Coher, 1959 ^{c g}
- [*Mycomya munda*](#) (Winnertz, 1863) ^{c g}
- [*Mycomya muscovita*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya mutabilis*](#) Sherman, 1921 ^{i c g}
- [*Mycomya naja*](#) ^g
- [*Mycomya nakanishii*](#) ^g
- [*Mycomya natalensis*](#) Vaisanen, 1994 ^{c g}
- [*Mycomya nava*](#) (Plassmann, 1977) ^{c g}
- [*Mycomya neimongana*](#) Wu, 1991 ^{c g}
- [*Mycomya neodentata*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya neohyalinata*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya neolittoralis*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya nicothoe*](#) Coher, 1952 ^{c g}
- [*Mycomya nigricauda*](#) (Adams, 1903) ^{i c g}
- [*Mycomya nigriceps*](#) (Loew, 1873) ^{c g}
- [*Mycomya nigricornis*](#) Zetterstedt, 1852 ^{i c g}
- [*Mycomya nipalensis*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya nitida*](#) (Zetterstedt, 1852) ^{i c g}
- [*Mycomya noctivaga*](#) (Plassmann, 1972) ^{c g}
- [*Mycomya norna*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya notabilis*](#) (Staeger, 1840) ^{c g}
- [*Mycomya notata*](#) (Zetterstedt, 1860) ^{c g}
- [*Mycomya novagallica*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya obliqua*](#) (Say, 1824) ^{i c g}
- [*Mycomya occultans*](#) (Winnertz, 1863) ^{c g}
- [*Mycomya ochracea*](#) Freeman, 1951 ^{c g}
- [*Mycomya onusta*](#) (Loew, 1969) ^{i c g}
- [*Mycomya oreades*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya ornata*](#) Meigen ^{i c g}
- [*Mycomya ostensackeni*](#) (Vaisanen, 1984) ^{i c g}

- [*Mycomya paguma*](#) ^g
- [*Mycomya pallens*](#) (Loew, 1873) ^{c g}
- [*Mycomya pallida*](#) (Winnertz, 1863) ^{c g}
- [*Mycomya panthera*](#) ^g
- [*Mycomya par*](#) (Walker, 1856) ^{c g}
- [*Mycomya paradentata*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya paradisa*](#) Wu, 1995 ^{c g}
- [*Mycomya paraklossi*](#) ^g
- [*Mycomya parva*](#) (Dziedzicki, 1885) ^{c g}
- [*Mycomya paupercula*](#) Coher, 1959 ^{c g}
- [*Mycomya pectinata*](#) Freeman, 1951 ^{c g}
- [*Mycomya pectinifera*](#) (Edwards, 1925) ^{c g}
- [*Mycomya penicillata*](#) (Dziedzicki, 1885) ^{c g}
- [*Mycomya permixta*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya perparva*](#) Matile, 1991 ^{c g}
- [*Mycomya peruviana*](#) Edwards, 1931 ^{c g}
- [*Mycomya pictithorax*](#) (Skuse, 1890) ^{c g}
- [*Mycomya pini*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya pitta*](#) ^g
- [*Mycomya plagiata*](#) (Tonnoir & Edwards, 1927) ^{c g}
- [*Mycomya polleni*](#) Garrett, 1924 ^{i c g}
- [*Mycomya pongo*](#) ^g
- [*Mycomya pontis*](#) Coher, 1959 ^{c g}
- [*Mycomya portoblast*](#) Coher, 1959 ^{c g}
- [*Mycomya praeda*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya prominens*](#) (Lundstrom, 1913) ^{c g}
- [*Mycomya pseudoapicalis*](#) (Landrock, 1925) ^{c g}
- [*Mycomya pseudocurvata*](#) Vaisanen, 1979 ^{c g}
- [*Mycomya pseudopulchella*](#) (Ostroverkhova, 1979) ^{c g}
- [*Mycomya pseudoultima*](#) Zaitzev, 1994 ^{c g}
- [*Mycomya pulchella*](#) (Dziedzicki, 1885) ^{c g}
- [*Mycomya punctata*](#) (Meigen, 1804) ^{c g}
- [*Mycomya pura*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya pygmalion*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya pyriformis*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya qingchengana*](#) Wu & Yang, 1995 ^{c g}

- [*Mycomya quadrimaculata*](#) Kerr, Thompson & Kerr, 2023 ^{c g}
- [*Mycomya ratufa*](#) ^g
- [*Mycomya rebellicosa*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya recondita*](#) (Ostroverkhova, 1979) ^{c g}
- [*Mycomya recurva*](#) Johannsen, 1910 ^{i c g}
- [*Mycomya recurvata*](#) Wu, 1995 ^{c g}
- [*Mycomya richmondensis*](#) (Skuse, 1890) ^{c g}
- [*Mycomya rivalis*](#) (Santos Abreu, 1920) ^{c g}
- [*Mycomya rosalba*](#) Hutson, 1979 ^{c g}
- [*Mycomya ruficollis*](#) Zetterstedt ^{i c g}
- [*Mycomya rufonigra*](#) Matile, 1991 ^{c g}
- [*Mycomya sachalinensis*](#) Zaitzev, 1994 ^{c g}
- [*Mycomya safena*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya saga*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya samesteri*](#) Coher, 1950 ^{c g}
- [*Mycomya schmidi*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya scopula*](#) Fisher, 1937 ^{i c g}
- [*Mycomya setifera*](#) Freeman, 1951 ^{c g}
- [*Mycomya shannoni*](#) Coher, 1950 ^{c g}
- [*Mycomya shawi*](#) Coher, 1950 ^{c g}
- [*Mycomya shermani*](#) Garrett, 1924 ^{i c g}
- [*Mycomya shewelli*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya shimai*](#) ^g
- [*Mycomya siebecki*](#) (Landrock, 1912) ^{c g}
- [*Mycomya sieberti*](#) (Landrock, 1930) ^{c g}
- [*Mycomya sigma*](#) Johannsen, 1910 ^{i c g}
- [*Mycomya simillima*](#) Freeman, 1951 ^{c g}
- [*Mycomya simpla*](#) Coher, 1959 ^{c g}
- [*Mycomya simplex*](#) (Coquillett, 1905) ^{i c g}
- [*Mycomya simulans*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya sororcula*](#) (Zetterstedt, 1852) ^{c g}
- [*Mycomya sphagnicola*](#) Shaw, 1941 ^{i c g}
- [*Mycomya spinicoxa*](#) (Vaisanen, 1979) ^{c g}
- [*Mycomya spinifera*](#) Freeman, 1951 ^{c g}
- [*Mycomya spinosa*](#) Freeman, 1951 ^{c g}
- [*Mycomya stares*](#) Vaisanen, 1984 ^{i c g}

- [Mycomya storai](#) Vaisanen, 1979 ^{c g}
- [Mycomya storai](#) Vaisanen, 1979 ^{c g}
- [Mycomya strombuliforma](#) Wu & Yang, 1993 ^{c g}
- [Mycomya subarctica](#) Vaisanen, 1979 ^{i c g}
- [Mycomya subepacra](#) Coher, 1959 ^{c g}
- [Mycomya subfusca](#) Freeman, 1951 ^{c g}
- [Mycomya sublittoralis](#) Shaw, 1941 ^{i c g}
- [Mycomya sus](#) Vaisanen, 1996 ^{c g}
- [Mycomya sylvicola](#) (Skuse, 1890) ^{c g}
- [Mycomya tamerlani](#) Vaisanen, 1984 ^{c g}
- [Mycomya tantalos](#) Coher, 1959 ^{c g}
- [Mycomya tantilla](#) (Loew, 1869) ^{i c g}
- [Mycomya taurica](#) (Strobl, 1898) ^{c g}
- [Mycomya taurus](#) Freeman, 1951 ^{c g}
- [Mycomya tenuis](#) (Walker, 1856) ^{i c}
- [Mycomya terminata](#) Garrett, 1924 ^{i c g}
- [Mycomya theobaldi](#) Coher, 1959 ^{c g}
- [Mycomya thrakis](#) Chandler, 2006 ^{c g}
- [Mycomya thula](#) Vaisanen, 1984 ^{i c g}
- [Mycomya tigrina](#) Vaisanen, 1996 ^{c g}
- [Mycomya tolteca](#) Vaisanen, 1984 ^{c g}
- [Mycomya traveri](#) Coher, 1950 ^{c g}
- [Mycomya triacantha](#) Shaw, 1941 ^{i c g}
- [Mycomya tricamata](#) Wu & Yang, 1996 ^{c g}
- [Mycomya trichops](#) Freeman, 1951 ^{c g}
- [Mycomya tridens](#) (Lundstrom, 1911) ^{c g}
- [Mycomya trifida](#) (Ostroverkhova, 1979) ^{c g}
- [Mycomya trilineata](#) (Zetterstedt, 1838) ^{c g}
- [Mycomya trivittata](#) (Zetterstedt, 1838) ^{i c g}
- [Mycomya tumida](#) (Winnertz, 1863) ^{c g}
- [Mycomya tungusica](#) (Ostroverkhova, 1979) ^{c g}
- [Mycomya turnix](#) Vaisanen, 1996 ^{c g}
- [Mycomya ultima](#) Vaisanen, 1984 ^{i c g}
- [Mycomya unicolor](#) (Walker, 1848) ^{i c g}
- [Mycomya unipectinata](#) Edwards, 1927 ^{c g}
- [Mycomya univittata](#) (Zetterstedt, 1838) ^{c g}

- [*Mycomya vaisaneni*](#) Wu & Yang, 1994 ^{c g}
- [*Mycomya vittiventris*](#) (Zetterstedt, 1852) ^{c g}
- [*Mycomya viverra*](#) Vaisanen, 1996 ^{c g}
- [*Mycomya wankowiczii*](#) Dzeidzicki ^{i c g}
- [*Mycomya winnertzi*](#) (Dziedzicki, 1885) ^{i c g}
- [*Mycomya wirthi*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya woodi*](#) Vaisanen, 1984 ^{i c g}
- [*Mycomya wrzesniowskii*](#) (Dziedzicki, 1885) ^{c g}
- [*Mycomya wuorentausi*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya wuyishana*](#) Yang & Wu, 1993 ^{c g}
- [*Mycomya yatai*](#) ^g
- [*Mycomya yoshimotoi*](#) Matile, 1991 ^{c g}
- [*Mycomya yunga*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya zaitsevi*](#) Vaisanen, 1984 ^{c g}
- [*Mycomya zig*](#) Vaisanen, 1996 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 127 species in [*Mycodrosophila*](#), a genus of vinegar flies in the family [*Drosophilidae*](#). [1] [2] [3] [4]

Mycodrosophila species

- [*Mycodrosophila aciliata*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila adyala*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila albicornis*](#) (Meijere, 1916) ^{c g}
- [*Mycodrosophila alienata*](#) Duda, 1926 ^{c g}
- [*Mycodrosophila amabilis*](#) (Meijere, 1911) ^{c g}
- [*Mycodrosophila ampularia*](#) Chen, Shao & Fan, 1989 ^{c g}
- [*Mycodrosophila angularis*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila annulata*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila annulipes*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila aqua*](#) Bock, 1980 ^{c g}

- [*Mycodrosophila argentifrons*](#) Malloch, 1927 ^{c g}
- [*Mycodrosophila atie*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila atrithorax*](#) Okada, 1968 ^{c g}
- [*Mycodrosophila barracoughi*](#) Chassagnard & Tsacas, 1998 ^{c g}
- [*Mycodrosophila basalis*](#) Okada, 1956 ^{c g}
- [*Mycodrosophila biceps*](#) Kang, Lee & Bahng, 1966 ^{c g}
- [*Mycodrosophila bicolor*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila bifibulata*](#) Takada, 1968 ^{c g}
- [*Mycodrosophila biroï*](#) Duda, 1923 ^{c g}
- [*Mycodrosophila boudinoti*](#) Tsacas & Chassagnard, 1991 ^{c g}
- [*Mycodrosophila brunnescens*](#) Wheeler & Takada, 1963 ^{c g}
- [*Mycodrosophila buxtoni*](#) Malloch, 1934 ^{c g}
- [*Mycodrosophila caesia*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila calceus*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila carinata*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila carola*](#) Wheeler & Takada, 1964 ^{c g}
- [*Mycodrosophila celesta*](#) Sidorenko, 1992 ^{c g}
- [*Mycodrosophila chazeauï*](#) Tsacas & Chassagnard, 1991 ^{c g}
- [*Mycodrosophila ciliatipes*](#) Duda, 1923 ^{c g}
- [*Mycodrosophila ciliophora*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila claudensis*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila claytonae*](#) Wheeler & Takada, 1963 ^{i c g b}
- [*Mycodrosophila compacta*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila coralloides*](#) Chen, Shao & Fan, 1989 ^{c g}
- [*Mycodrosophila cornea*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila costata*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila delta*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila dianaë*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila dimidiata*](#) (Loew, 1862) ^{i c g b}
- [*Mycodrosophila ditan*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila diversa*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila dudleyi*](#) Chassagnard & Tsacas, 1997 ^{c g}
- [*Mycodrosophila echinacea*](#) Chen, Shao & Fan, 1989 ^{c g}
- [*Mycodrosophila elegans*](#) Wheeler & Takada, 1963 ^{c g}
- [*Mycodrosophila erecta*](#) Okada, 1968 ^{c g}
- [*Mycodrosophila esakii*](#) Wheeler & Takada, 1964 ^{c g}

- [*Mycodrosophila fascinata*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila flavilumbus*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila fracticosta*](#) (Lamb, 1914) ^{c g}
- [*Mycodrosophila fumusala*](#) Lin & Ting, 1971 ^{c g}
- [*Mycodrosophila gaku*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila gordonii*](#) McEvey & Bock, 1982 ^{c g}
- [*Mycodrosophila gracilis*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila grandifrons*](#) McEvey & Bock, 1982 ^{c g}
- [*Mycodrosophila gratiosa*](#) (Meijere, 1911) ^{c g}
- [*Mycodrosophila gressitti*](#) Wheeler & Takada, 1964 ^{c g}
- [*Mycodrosophila halterata*](#) Malloch, 1930 ^{c g}
- [*Mycodrosophila helenae*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila heterothrix*](#) McEvey & Bock, 1982 ^{c g}
- [*Mycodrosophila huangshanensis*](#) Chen & Toda, 1994 ^{c g}
- [*Mycodrosophila japonica*](#) Okada, 1956 ^{c g}
- [*Mycodrosophila joalahae*](#) Bock, 1982 ^{c g}
- [*Mycodrosophila kabakolo*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila kitagawai*](#) Wynn & Toda, 1990 ^{c g}
- [*Mycodrosophila koreana*](#) Lee & Takada, 1959 ^{c g}
- [*Mycodrosophila kuntii*](#) Kumar & Gupta, 1992 ^{c g}
- [*Mycodrosophila legrandi*](#) Tsacas & Chassagnard, 1991 ^{c g}
- [*Mycodrosophila longicornis*](#) Seguy, 1933 ^{c g}
- [*Mycodrosophila malayana*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila margoae*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila marksae*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila matilei*](#) Chassagnard & Lachaise, 2000 ^{c g}
- [*Mycodrosophila melaniae*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila melanophaea*](#) Tsacas, 1990 ^{c g}
- [*Mycodrosophila melanopleura*](#) Sundaran & Gupta, 1991 ^{c g}
- [*Mycodrosophila minor*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila missima*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila mulgravensis*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila multidentata*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila neoprojectans*](#) Wheeler & Takada, 1963 ^{c g}
- [*Mycodrosophila nigerrima*](#) (Lamb, 1914) ^{c g}
- [*Mycodrosophila nigrans*](#) Chassagnard & Tsacas, 1997 ^{c g}

- [*Mycodrosophila nigrithorax*](#) Malloch, 1934 ^{c g}
- [*Mycodrosophila nigrobrunnea*](#) (Lamb, 1914) ^{c g}
- [*Mycodrosophila nigropleura*](#) Wheeler & Takada, 1963 ^{c g}
- [*Mycodrosophila nigropleurata*](#) Takada & Momma, 1975 ^{c g}
- [*Mycodrosophila nigropteropleura*](#) Kang, Lee & Bahng, 1965 ^{c g}
- [*Mycodrosophila ocellata*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila ohbai*](#) Wynn & Toda, 1990 ^{c g}
- [*Mycodrosophila palmata*](#) Okada, 1956 ^{c g}
- [*Mycodrosophila palpalis*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila papuana*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila parallelinervis*](#) Duda, 1926 ^{c g}
- [*Mycodrosophila penihispidus*](#) Sundaran & Gupta, 1991 ^{c g}
- [*Mycodrosophila planata*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila planipalpis*](#) Kang, Lee & Bahng, 1966 ^{c g}
- [*Mycodrosophila poecilogastra*](#) (Loew, 1874) ^{c g}
- [*Mycodrosophila ponapeae*](#) Wheeler & Takada, 1964 ^{c g}
- [*Mycodrosophila projectans*](#) (Sturtevant, 1916) ^{c g}
- [*Mycodrosophila pseudoprojectans*](#) Wheeler & Takada, 1963 ^{c g}
- [*Mycodrosophila punctata*](#) Tsacas, 1990 ^{c g}
- [*Mycodrosophila quadrata*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila rayi*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila recula*](#) Wheeler & Kambysellis, 1966 ^{c g}
- [*Mycodrosophila rika*](#) Sidorenko, 1999 ^{c g}
- [*Mycodrosophila rosemaryae*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila scotos*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila separata*](#) (Meijere, 1911) ^{c g}
- [*Mycodrosophila serrata*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila setipalpis*](#) Okada, 1956 ^{c g}
- [*Mycodrosophila shikokuana*](#) Okada, 1956 ^{c g}
- [*Mycodrosophila simplex*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila spinata*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila stalker*](#) Wheeler and Takada, 1963 ^{i c g}
- [*Mycodrosophila stigma*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila stylaria*](#) Chen & Okada, 1989 ^{c g}
- [*Mycodrosophila subciliatipes*](#) Okada, 1986 ^{c g}
- [*Mycodrosophila subgratiosa*](#) Okada, 1965 ^{c g}

- [*Mycodrosophila suluma*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila sunguru*](#) Burla, 1954 ^{c g}
- [*Mycodrosophila takachihonis*](#) Okada, 1956 ^{c g}
- [*Mycodrosophila tillieri*](#) Tsacas & Chassagnard, 1991 ^{c g}
- [*Mycodrosophila umbra*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila vannuatae*](#) McEvey, 2005 ^{c g}
- [*Mycodrosophila variata*](#) Bock, 1980 ^{c g}
- [*Mycodrosophila wassermani*](#) Wheeler & Takada, 1964 ^{c g}
- [*Mycodrosophila xanthopleura*](#) Sundaran & Gupta, 1991 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 742 species in [*Mycetophila*](#), a genus of fungus gnats in the family [*Mycetophilidae*](#). [1] [2] [3]

***Mycetophila* species**

- [*Mycetophila abbreviata*](#) Landrock, 1914 ^{c g}
- [*Mycetophila abdominale*](#) (Staeger, 1840) ^{c g}
- [*Mycetophila abiecta*](#) (Lastovka, 1963) ^{c g}
- [*Mycetophila absqua*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila acarensis*](#) Lane, 1952 ^{c g}
- [*Mycetophila acarisi*](#) Lane, 1958 ^{c g}
- [*Mycetophila adumbrata*](#) Mik, 1884 ^{c g}
- [*Mycetophila aequalis*](#) Walker, 1856 ^{c g}
- [*Mycetophila aequilonga*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila aguilaensis*](#) Duret, 1983 ^{c g}
- [*Mycetophila alacalufesi*](#) Duret, 1980 ^{c g}
- [*Mycetophila alata*](#) Guthrie, 1917 ^{i c g}
- [*Mycetophila alberta*](#) Curran, 1927 ^{i c g}
- [*Mycetophila alea*](#) Laffoon, 1965 ^{i c g}
- [*Mycetophila alexanderi*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila aliciae*](#) Duret, 1981 ^{c g}
- [*Mycetophila altensis*](#) Duret, 1980 ^{c g}
- [*Mycetophila amoena*](#) (Winnertz, 1863) ^{c g}

- [*Mycetophila amplicercis*](#) Duret, 1989 ^{c g}
- [*Mycetophila amplipennis*](#) Freeman, 1951 ^{c g}
- [*Mycetophila amplocercis*](#) Duret, 1991 ^{c g}
- [*Mycetophila analis*](#) (Coquillett, 1901) ^{i c g}
- [*Mycetophila ancyloformans*](#) (Holmgren, 1907) ^{c g}
- [*Mycetophila andina*](#) Duret, 1983 ^{c g}
- [*Mycetophila andinensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila angularisa*](#) Wu, 1997 ^{c g}
- [*Mycetophila angustifurca*](#) Enderlein, 1938 ^{c g}
- [*Mycetophila anhangensis*](#) Lane, 1961 ^{c g}
- [*Mycetophila anivensis*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila annulara*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila apicalis*](#) Freeman, 1951 ^{c g}
- [*Mycetophila apicata*](#) Philippi, 1865 ^{c g}
- [*Mycetophila aracanensis*](#) Duret, 1985 ^{c g}
- [*Mycetophila arancanensis*](#) Duret, 1985 ^{c g}
- [*Mycetophila arauasi*](#) Lane, 1958 ^{c g}
- [*Mycetophila araucana*](#) Lane, 1962 ^{c g}
- [*Mycetophila arcuata*](#) Meigen, 1818 ^{c g}
- [*Mycetophila arecunai*](#) Lane, 1955 ^{c g}
- [*Mycetophila argentina*](#) Lane, 1958 ^{c g}
- [*Mycetophila argentinensis*](#) Duret, 1986 ^{c g}
- [*Mycetophila armatura*](#) Freeman, 1951 ^{c g}
- [*Mycetophila arnaudi*](#) (Lafoon, 1957) ^{i c g}
- [*Mycetophila arribalzagai*](#) Duret, 1981 ^{c g}
- [*Mycetophila artigasi*](#) Duret, 1980 ^{c g}
- [*Mycetophila artyomi*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila asiatica*](#) (Okada, 1939) ^{c g}
- [*Mycetophila assimilis*](#) Matile, 1967 ^{c g}
- [*Mycetophila atlantica*](#) Nielsen, 1966 ^g
- [*Mycetophila atra*](#) (Macquart, 1834) ^{c g}
- [*Mycetophila atricornis*](#) Philippi, 1865 ^{c g}
- [*Mycetophila attenuata*](#) Wiedemann, 1818 ^{c g}
- [*Mycetophila attonsa*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila autumnalis*](#) Lundstrom, 1909 ^{c g}
- [*Mycetophila avicularia*](#) Freeman, 1951 ^{c g}

- [*Mycetophila axeli*](#) Duret, 1985 ^{c g}
- [*Mycetophila bachmanni*](#) Duret, 1980 ^{c g}
- [*Mycetophila banhumai*](#) Lane, 1952 ^{c g}
- [*Mycetophila barrettoi*](#) Lane, 1947 ^{c g}
- [*Mycetophila bartaki*](#) Sevcik, 2004 ^{c g}
- [*Mycetophila basalis*](#) Freeman, 1951 ^{c g}
- [*Mycetophila bejaranoi*](#) Duret, 1981 ^{c g}
- [*Mycetophila bentincki*](#) (Laffoon, 1957) ^{i g}
- [*Mycetophila bertae*](#) Duret, 1979 ^{c g}
- [*Mycetophila bialorussica*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila bifida*](#) Freeman, 1954 ^{c g}
- [*Mycetophila bifila*](#) Freeman, 1951 ^{c g}
- [*Mycetophila biflagellata*](#) Duret, 1991 ^{c g}
- [*Mycetophila biformata*](#) Duret, 1986 ^{c g}
- [*Mycetophila biformis*](#) Duret, 1992 ^{c g}
- [*Mycetophila binotata*](#) Walker, 1856 ^{c g}
- [*Mycetophila bipunctata*](#) Loew, 1869 ^{i c g}
- [*Mycetophila bisetosa*](#) Freeman, 1951 ^{c g}
- [*Mycetophila biusta*](#) Wiedemann, 1818 ^{c g}
- [*Mycetophila bivittata*](#) (Strobl, 1880) ^{c g}
- [*Mycetophila blagoderovi*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila blanchardi*](#) Enderlein, 1910 ^{c g}
- [*Mycetophila blanda*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila bohartorum*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila bohémica*](#) (Lastovka, 1963) ^{c g}
- [*Mycetophila bolbachiensis*](#) Duret, 1987 ^{c g}
- [*Mycetophila boracensis*](#) Lane, 1948 ^{c g}
- [*Mycetophila boreocruciator*](#) Sevcik, 2003 ^{c g}
- [*Mycetophila borgmeieri*](#) Edwards, 1932 ^{c g}
- [*Mycetophila borneana*](#) Edwards, 1933 ^{c g}
- [*Mycetophila brachypoda*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila brachyptera*](#) Duret, 1989 ^{c g}
- [*Mycetophila brasiliensis*](#) (Enderlein, 1910) ^{c g}
- [*Mycetophila brethesi*](#) Duret, 1981 ^{c g}
- [*Mycetophila brevicornis*](#) (Meigen, 1838) ^{c g}
- [*Mycetophila brevifurcata*](#) Freeman, 1951 ^{c g}

- [*Mycetophila brevitarsata*](#) (Lastovka, 1963) ^{c g}
- [*Mycetophila breyeri*](#) Duret, 1981 ^{c g}
- [*Mycetophila bridgesi*](#) Lane, 1963 ^{c g}
- [*Mycetophila britannica*](#) Lastovka & Kidd, 1975 ^{c g}
- [*Mycetophila browningi*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila bruchi*](#) Duret, 1981 ^{c g}
- [*Mycetophila brunnescens*](#) Freeman, 1951 ^{c g}
- [*Mycetophila byersi*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila calvuscuta*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila campbellensis*](#) Harrison, 1964 ^{c g}
- [*Mycetophila canicula*](#) Freeman, 1951 ^{c g}
- [*Mycetophila capreolata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila caprii*](#) Duret, 1981 ^{c g}
- [*Mycetophila caribai*](#) Lane, 1955 ^{c g}
- [*Mycetophila caripunai*](#) Lane, 1955 ^{c g}
- [*Mycetophila carpintero*](#) Duret, 1980 ^{c g}
- [*Mycetophila carrerai*](#) Lane, 1958 ^{c g}
- [*Mycetophila carruthi*](#) Shaw, 1951 ^{i c g}
- [*Mycetophila catharinae*](#) Edwards, 1932 ^{c g}
- [*Mycetophila caudata*](#) Staeger, 1840 ^{i c g}
- [*Mycetophila caudatusaceus*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila caurina*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila cavalierii*](#) Duret, 1981 ^{c g}
- [*Mycetophila cavillator*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila cayuensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila cekalovici*](#) Duret, 1980 ^{c g}
- [*Mycetophila celator*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila chamberlini*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila chandleri*](#) Wu, 1997 ^{c g}
- [*Mycetophila chaoi*](#) Wu & He, 1997 ^{c g}
- [*Mycetophila chilena*](#) Duret, 1979 ^{c g}
- [*Mycetophila chilenensis*](#) Duret, 1985 ^{c g}
- [*Mycetophila chillanensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila chiloensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila chinguensis*](#) Duret, 1985 ^{c g}
- [*Mycetophila chlorochroa*](#) Freeman, 1951 ^{c g}

- [*Mycetophila chubutensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila cingulum*](#) Meigen, 1830 ^{i c g}
- [*Mycetophila clara*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila clarovittata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila clavata*](#) Van Duzee, 1928 ^{i g}
- [*Mycetophila clavigera*](#) Freeman, 1951 ^{c g}
- [*Mycetophila clydeae*](#) Duret, 1986 ^{c g}
- [*Mycetophila clypeata*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila coenosa*](#) Wu, 1997 ^{c g}
- [*Mycetophila cognata*](#) Philippi, 1865 ^{c g}
- [*Mycetophila collineola*](#) (Speiser, 1909) ^{c g}
- [*Mycetophila colorata*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila comata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila concinna*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila confluens*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila confusa*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila conica*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila conifera*](#) Freeman, 1951 ^{c g}
- [*Mycetophila conjuncta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila consobrina*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila consonans*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila constricta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila contigua*](#) Walker, 1848 ^{i c g}
- [*Mycetophila continens*](#) Becker, 1908 ^{c g}
- [*Mycetophila cordillerana*](#) Duret, 1985 ^{c g}
- [*Mycetophila cornuta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila corsica*](#) Edwards, 1928 ^{c g}
- [*Mycetophila coscaroni*](#) Duret, 1980 ^{c g}
- [*Mycetophila costaricensis*](#) Lane, 1958 ^{c g}
- [*Mycetophila coxiponesi*](#) Lane, 1958 ^{c g}
- [*Mycetophila crassicornis*](#) (Roser, 1840) ^{c g}
- [*Mycetophila crassiseta*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila crassitarsis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila cruciator*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila curiaensis*](#) Lane, 1952 ^{c g}
- [*Mycetophila curtisi*](#) Tonnoir & Edwards, 1927 ^{c g}

- [*Mycetophila curvicaudata*](#) Wu, 1997 ^{c g}
- [*Mycetophila curvilinea*](#) Brunetti, 1912 ^{c g}
- [*Mycetophila curviseta*](#) Lundstrom, 1911 ^{c g}
- [*Mycetophila czizeki*](#) Landrock, 1911 ^{c g}
- [*Mycetophila dalcahuensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila decarloi*](#) Duret, 1983 ^{c g}
- [*Mycetophila deceitensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila deflexa*](#) Chandler, 2001 ^{c g}
- [*Mycetophila delgadoi*](#) Duret, 1981 ^{c g}
- [*Mycetophila demacuri*](#) Lane, 1955 ^{c g}
- [*Mycetophila dentata*](#) Lundstrom, 1913 ^{i c g}
- [*Mycetophila desantisi*](#) Duret, 1981 ^{c g}
- [*Mycetophila devia*](#) (Laffoon, 1957) ^{i g}
- [*Mycetophila devioides*](#) Bechev, 1988 ^{c g}
- [*Mycetophila dictaeta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila difficilis*](#) (Bukowski, 1934) ^{c g}
- [*Mycetophila diffusa*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila digna*](#) Plassmann & Vogel, 1990 ^{c g}
- [*Mycetophila digtalis*](#) Freeman, 1951 ^{c g}
- [*Mycetophila dilatata*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila diligens*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila discors*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila disparata*](#) Plassmann & Schacht, 1990 ^{c g}
- [*Mycetophila distigma*](#) Meigen, 1830 ^{c g}
- [*Mycetophila distincta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila dististylata*](#) (Sasakawa, 1964) ^{c g}
- [*Mycetophila dolichocenta*](#) Wu & He, 1997 ^{c g}
- [*Mycetophila dollyae*](#) Duret, 1979 ^{c g}
- [*Mycetophila dollylanfrancoae*](#) Duret, 1983 ^{c g}
- [*Mycetophila dolosa*](#) Williston, 1896 ^{c g}
- [*Mycetophila dominica*](#) Curran, 1927 ^{c g}
- [*Mycetophila drepana*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila duodevia*](#) Plassmann & Schacht, 2002 ^{c g}
- [*Mycetophila dziedzickii*](#) Chandler, 1977 ^{c g}
- [*Mycetophila edura*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila edwardsi*](#) Lundstrom, 1913 ^{c g}

- [*Mycetophila elegans*](#) Tonnoir & Edwards, 1927 ^g
- [*Mycetophila elongata*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila enthea*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila eppingensis*](#) Chandler, 2001 ^{c g}
- [*Mycetophila eramanensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila erecta*](#) Duret, 1992 ^{c g}
- [*Mycetophila estonica*](#) Kurina, 1992 ^{c g}
- [*Mycetophila evanida*](#) Lastovka, 1972 ^{c g}
- [*Mycetophila extincta*](#) Loew, 1869 ^{i c g}
- [*Mycetophila faceta*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila fagi*](#) Marshall, 1896 ^{c g}
- [*Mycetophila fagnanoensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila falcata*](#) Johannsen, 1912 ^{i g}
- [*Mycetophila fasciata*](#) Meigen, 1804 ^g
- [*Mycetophila fascinator*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila fascipennis*](#) Philippi, 1865 ^{c g}
- [*Mycetophila fatua*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila favonica*](#) Chandler, 1993 ^{c g}
- [*Mycetophila fenestratula*](#) Becker, 1908 ^{c g}
- [*Mycetophila fereina*](#) Plassmann & Schacht, 2002 ^{c g}
- [*Mycetophila fernandezi*](#) Duret, 1981 ^{c g}
- [*Mycetophila ferrazi*](#) Lane, 1955 ^{c g}
- [*Mycetophila ferruginea*](#) (Walker, 1836) ^{c g}
- [*Mycetophila filiae*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila filicronis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila finlandica*](#) Edwards, 1913 ^{i c g}
- [*Mycetophila fisherae*](#) (Laffoon, 1957) ^{i c g b}
- [*Mycetophila flabellifera*](#) Freeman, 1951 ^{c g}
- [*Mycetophila flava*](#) Winnertz, 1863 ^g
- [*Mycetophila flavipes*](#) (Macquart, 1826) ^{c g}
- [*Mycetophila flavithorax*](#) Freeman, 1951 ^{c g}
- [*Mycetophila flavoconjuncta*](#) Duret, 1987 ^{c g}
- [*Mycetophila flavolineata*](#) (Bukowski, 1934) ^{c g}
- [*Mycetophila flavolunata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila flexiseta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila fluctata*](#) Becker, 1908 ^{c g}

- [*Mycetophila foecunda*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila forattinii*](#) Lane, 1955 ^{c g}
- [*Mycetophila forcipata*](#) Lundstrom, 1913 ^{c g}
- [*Mycetophila formosa*](#) Lundstrom, 1911 ^{c g}
- [*Mycetophila fortisa*](#) Wu, 1997 ^{c g}
- [*Mycetophila franzi*](#) Plassmann, 1977 ^{c g}
- [*Mycetophila fraterna*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila freemani*](#) Lane, 1948 ^{c g}
- [*Mycetophila freyi*](#) Lundstrom, 1909 ^{c g}
- [*Mycetophila fritzi*](#) Duret, 1980 ^{c g}
- [*Mycetophila frustrator*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila fueguina*](#) Duret, 1980 ^{c g}
- [*Mycetophila fulva*](#) (Winnertz, 1863) ^{c g}
- [*Mycetophila fulvicollis*](#) (Stannius, 1831) ^{c g}
- [*Mycetophila fulvithorax*](#) (Strobl, 1910) ^{c g}
- [*Mycetophila fumosa*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila funerea*](#) Freeman, 1951 ^{c g}
- [*Mycetophila fungorum*](#) (De Geer, 1776) ^{i c g}
- [*Mycetophila furtiva*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila furvusa*](#) Wu, 1997 ^{c g}
- [*Mycetophila fusconitens*](#) Becker, 1908 ^{c g}
- [*Mycetophila galibisi*](#) Lane, 1955 ^{c g}
- [*Mycetophila garciai*](#) Duret, 1981 ^{c g}
- [*Mycetophila garridoi*](#) Duret, 1980 ^{c g}
- [*Mycetophila gentilicia*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila gentilii*](#) Duret, 1980 ^{c g}
- [*Mycetophila genuflexuosa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila ghanii*](#) Shaw, 1951 ^{i c g}
- [*Mycetophila gibbula*](#) Edwards, 1925 ^{c g}
- [*Mycetophila glabra*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila golbachi*](#) Lane, 1958 ^{c g}
- [*Mycetophila golbachiani*](#) Duret, 1987 ^{c g}
- [*Mycetophila gradata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila grandis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila grata*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila gratiosa*](#) Winnertz, 1863 ^{c g}

- [*Mycetophila griseofusca*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila grisescens*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila guanasi*](#) Lane, 1958 ^{c g}
- [*Mycetophila guaraiasi*](#) Lane, 1952 ^{c g}
- [*Mycetophila guatensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila hamata*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila harrisi*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila haruspica*](#) Plassmann, 1990 ^{c g}
- [*Mycetophila hepperi*](#) Duret, 1981 ^{c g}
- [*Mycetophila hermani*](#) Duret, 1985 ^{c g}
- [*Mycetophila heterochaeta*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila heteroneura*](#) Philippi, 1865 ^{c g}
- [*Mycetophila hetschkoi*](#) Landrock, 1918 ^{c g}
- [*Mycetophila hilaris*](#) (Dufour, 1839) ^{c g}
- [*Mycetophila hilversidae*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila hiulca*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila hormosensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila horrida*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila howletti*](#) Marshall, 1896 ^{c g}
- [*Mycetophila humboldti*](#) Lane, 1948 ^{c g}
- [*Mycetophila hutsoni*](#) Duret, 1981 ^{c g}
- [*Mycetophila hyrcania*](#) Lastovka & Matile, 1969 ^{c g}
- [*Mycetophila ibarragrasso*](#) Duret, 1986 ^{c g}
- [*Mycetophila ibarrai*](#) Duret, 1981 ^{c g}
- [*Mycetophila ichneumonea*](#) Say, 1823 ^{i c g}
- [*Mycetophila icosi*](#) Lane, 1958 ^{c g}
- [*Mycetophila idonea*](#) Lastovka, 1972 ^{c g}
- [*Mycetophila iheringi*](#) Lane, 1948 ^{c g}
- [*Mycetophila illita*](#) Freeman, 1951 ^{c g}
- [*Mycetophila illudens*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila immaculata*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila impeccabilis*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila impellans*](#) (Johannsen, 1912) ^{i c g}
- [*Mycetophila impunctata*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila incompleta*](#) (Macquart, 1826) ^{c g}
- [*Mycetophila indecisa*](#) Duret, 1985 ^{c g}

- [*Mycetophila indiana*](#) Duret, 1986 ^{c g}
- [*Mycetophila indigena*](#) Duret, 1986 ^{c g}
- [*Mycetophila inermis*](#) Dufour, 1839 ^{c g}
- [*Mycetophila inquisita*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila insecta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila insipiens*](#) (Williston, 1896) ^{c g}
- [*Mycetophila integra*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila intermedia*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila interrta*](#) Plassmann & Vogel, 1990 ^{c g}
- [*Mycetophila interrupta*](#) Becker, 1908 ^{c g}
- [*Mycetophila intortusa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila irregularis*](#) Kallweit, 1995 ^{c g}
- [*Mycetophila isabelae*](#) Duret, 1981 ^{c g}
- [*Mycetophila ishiharai*](#) Sasakawa, 1994 ^{c g}
- [*Mycetophila itascaae*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila javaesi*](#) Lane, 1955 ^{c g}
- [*Mycetophila josepastranai*](#) Duret, 1991 ^{c g}
- [*Mycetophila jucunda*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila jugata*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila juinensis*](#) Lane, 1952 ^{c g}
- [*Mycetophila juri*](#) Lane, 1955 ^{c g}
- [*Mycetophila jurunensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila kaingangi*](#) Lane, 1956 ^{c g}
- [*Mycetophila karpathica*](#) Landrock, 1925 ^{c g}
- [*Mycetophila karthalaee*](#) Matile, 1979 ^{c g}
- [*Mycetophila kunasensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila lacuna*](#) Freeman, 1951 ^{c g}
- [*Mycetophila laeta*](#) Walker, 1848 ^{i c g}
- [*Mycetophila laffooni*](#) Lastkova, 1972 ^{i c g}
- [*Mycetophila laianasi*](#) Lane, 1958 ^{c g}
- [*Mycetophila lamellata*](#) Lundstrom, 1911 ^{c g}
- [*Mycetophila lanfrancoae*](#) Duret, 1977 ^{c g}
- [*Mycetophila laninae*](#) Duret, 1992 ^{c g}
- [*Mycetophila laninensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila lapponica*](#) Lundstrom, 1906 ^{c g}
- [*Mycetophila lastovkai*](#) Caspers, 1984 ^{c g}

- [*Mycetophila lateralis*](#) Meigen, 1818 ^{c g}
- [*Mycetophila latichaeta*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila latifascia*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila lativitta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila lenis*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila lenta*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila leonyivoffi*](#) Duret, 1991 ^{c g}
- [*Mycetophila limata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila limbata*](#) Lundstrom, 1911 ^{c g}
- [*Mycetophila lineicoxa*](#) Edwards, 1928 ^{c g}
- [*Mycetophila lineola*](#) Meigen, 1818 ^{c g}
- [*Mycetophila lobulata*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila lomodensis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila longiseta*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila longwangshana*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila lonquimayensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila lubomirskii*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila lucidithorax*](#) (Bukowski, 1934) ^{c g}
- [*Mycetophila luctuosa*](#) Meigen, 1830 ^{i c g}
- [*Mycetophila luederwaldti*](#) (Enderlein, 1910) ^{c g}
- [*Mycetophila luispenai*](#) Duret, 1980 ^{c g}
- [*Mycetophila lunata*](#) Meigen, 1804 ^{c g}
- [*Mycetophila lurida*](#) Meigen, 1818 ^{c g}
- [*Mycetophila luteolateralis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila macrocephala*](#) Duret, 1986 ^{c g}
- [*Mycetophila maculata*](#) (Macquart, 1834) ^g
- [*Mycetophila madocella*](#) Chandler & Ribeiro, 1995 ^{c g}
- [*Mycetophila magallanensis*](#) Duret, 1986 ^{c g}
- [*Mycetophila magallanica*](#) Duret, 1977 ^{c g}
- [*Mycetophila magnicauda*](#) Strobl, 1895 ^{c g}
- [*Mycetophila mallecoana*](#) Duret, 1991 ^{c g}
- [*Mycetophila mallecoensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila mapuchesii*](#) Duret, 1986 ^{c g}
- [*Mycetophila margaritae*](#) Duret, 1981 ^{c g}
- [*Mycetophila marginata*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila marginepunctata*](#) Tonnoir & Edwards, 1927 ^{c g}

- [*Mycetophila marginisetosa*](#) Sasakawa, 2005 ^{c g}
- [*Mycetophila mariluisi*](#) Duret, 1981 ^{c g}
- [*Mycetophila marshalli*](#) Enderlein, 1910 ^{c g}
- [*Mycetophila martinezi*](#) Duret, 1980 ^{c g}
- [*Mycetophila martinici*](#) Duret, 1979 ^{c g}
- [*Mycetophila mathesoni*](#) Lane, 1948 ^{c g}
- [*Mycetophila matsumurai*](#) Lastovka, 1972 ^{c g}
- [*Mycetophila maurii*](#) Duret, 1981 ^{c g}
- [*Mycetophila media*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila merdigera*](#) Knab & Zwaluwenburg, 1918 ^{c g}
- [*Mycetophila meridionalisa*](#) Wu, 1997 ^{c g}
- [*Mycetophila mesorphina*](#) Speiser, 1911 ^{c g}
- [*Mycetophila mikii*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila minima*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila minuta*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila mitis*](#) (Johannsen, 1912) ^{i c g}
- [*Mycetophila mohilevensis*](#) Dziedzicki, 1884 ^g
- [*Mycetophila mohilivensis*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila monostigma*](#) Wiedemann, 1818 ^{c g}
- [*Mycetophila monstera*](#) Maximova, 2002 ^{c g}
- [*Mycetophila montana*](#) Landrock, 1925 ^{c g}
- [*Mycetophila montealtensis*](#) Duret, 1979 ^{c g}
- [*Mycetophila morata*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila moravica*](#) Landrock, 1925 ^{i c g}
- [*Mycetophila morosa*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila multiplex*](#) Freeman, 1951 ^{c g}
- [*Mycetophila nahuelbutaensis*](#) Duret, 1983 ^{c g}
- [*Mycetophila nahuelhuapi*](#) Duret, 1985 ^{c g}
- [*Mycetophila nana*](#) (Macquart, 1826) ^{c g}
- [*Mycetophila napaea*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila naratakevora*](#) (Okada, 1939) ^{c g}
- [*Mycetophila naumanni*](#) Duret, 1992 ^{c g}
- [*Mycetophila nebulosa*](#) (Stannius, 1831) ^{c g}
- [*Mycetophila nemorivaga*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila neoclavigera*](#) Duret, 1986 ^{c g}
- [*Mycetophila neoconifera*](#) Duret, 1985 ^{c g}

- [*Mycetophila neoconjuncta*](#) Duret, 1987 ^{c g}
- [*Mycetophila neoconstricta*](#) Duret, 1992 ^{c g}
- [*Mycetophila neoflavithorax*](#) Duret, 1992 ^{c g}
- [*Mycetophila neofunerea*](#) Duret, 1992 ^{c g}
- [*Mycetophila neofungorum*](#) Chandler, 1993 ^{c g}
- [*Mycetophila neolorigera*](#) Duret, 1991 ^{c g}
- [*Mycetophila neomacrocephala*](#) Duret, 1991 ^{c g}
- [*Mycetophila neomapuches*](#) Duret, 1986 ^{c g}
- [*Mycetophila neoparapicalis*](#) Duret, 1986 ^{c g}
- [*Mycetophila neopucatrihuana*](#) Duret, 1992 ^{c g}
- [*Mycetophila neotriangulifera*](#) Duret, 1991 ^{c g}
- [*Mycetophila nervitacta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila neuquina*](#) Duret, 1981 ^{c g}
- [*Mycetophila neuquinensis*](#) Duret, 1985 ^{c g}
- [*Mycetophila nigrescens*](#) Freeman, 1951 ^{c g}
- [*Mycetophila nigricans*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila nigricincta*](#) (Stannius, 1831) ^{c g}
- [*Mycetophila nigripalpis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila nigriventris*](#) Philippi, 1865 ^g
- [*Mycetophila nigrofusca*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila nigromadera*](#) Chandler & Ribeiro, 1995 ^{c g}
- [*Mycetophila nitens*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila nitidula*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila nodulosa*](#) Williston, 1896 ^{c g}
- [*Mycetophila notata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila nubila*](#) (Say, 1829) ^{c g}
- [*Mycetophila nublensis*](#) Lane, 1962 ^{c g}
- [*Mycetophila obscura*](#) (Walker, 1848) ^{c g}
- [*Mycetophila obscuripennis*](#) Blanchard, 1852 ^{c g}
- [*Mycetophila obsoleta*](#) (Zetterstedt, 1852) ^{c g}
- [*Mycetophila ocellus*](#) Walker, 1848 ^{i c g}
- [*Mycetophila ocultans*](#) Lundstrom, 1913 ^{c g}
- [*Mycetophila oligodona*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila oligoneura*](#) (Stannius, 1831) ^{c g}
- [*Mycetophila olivae*](#) Duret, 1983 ^{c g}
- [*Mycetophila onasi*](#) Duret, 1980 ^{c g}

- [*Mycetophila oratorila*](#) Wu & Yang, 1997 ^{c g}
- [*Mycetophila ordinseta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila ornata*](#) Stephens, 1829 ^{c g}
- [*Mycetophila ornatidorsum*](#) (Enderlein, 1910) ^{c g}
- [*Mycetophila ornatipennis*](#) Blanchard, 1852 ^{c g}
- [*Mycetophila ornatissima*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila osornoana*](#) Duret, 1991 ^{c g}
- [*Mycetophila osornoensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila ostensackenii*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila ostentanea*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila palaciosi*](#) Duret, 1981 ^{c g}
- [*Mycetophila pallida*](#) (Bukowski, 1934) ^g
- [*Mycetophila pallidicornis*](#) (Macquart, 1826) ^{c g}
- [*Mycetophila pallipes*](#) (Meigen, 1838) ^{c g}
- [*Mycetophila paracapitata*](#) Duret, 1991 ^{c g}
- [*Mycetophila paraconifera*](#) Duret, 1985 ^{c g}
- [*Mycetophila paraconjuncta*](#) Duret, 1987 ^{c g}
- [*Mycetophila paraconstricta*](#) Duret, 1981 ^{c g}
- [*Mycetophila paracruciator*](#) Lastovka & Matile, 1974 ^{c g}
- [*Mycetophila paradisa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila parafunerea*](#) Duret, 1992 ^{c g}
- [*Mycetophila paralativitta*](#) Duret, 1991 ^{c g}
- [*Mycetophila paranervitacta*](#) Duret, 1987 ^{c g}
- [*Mycetophila paranotata*](#) Freeman, 1954 ^{c g}
- [*Mycetophila paraonasi*](#) Duret, 1980 ^{c g}
- [*Mycetophila paraordiniseta*](#) Duret, 1979 ^{c g}
- [*Mycetophila parapellucida*](#) Duret, 1981 ^{c g}
- [*Mycetophila parapicalis*](#) Freeman, 1954 ^{c g}
- [*Mycetophila parapucatrihuana*](#) Duret, 1992 ^{c g}
- [*Mycetophila parasubfusca*](#) Duret, 1981 ^{c g}
- [*Mycetophila parata*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila paratehuechesi*](#) Duret, 1991 ^{c g}
- [*Mycetophila paraunicornuta*](#) Duret, 1991 ^{c g}
- [*Mycetophila parawillineri*](#) Duret, 1992 ^{c g}
- [*Mycetophila parva*](#) Walker, 1848 ^{i c g}
- [*Mycetophila parvifasciata*](#) (Santos Abreu, 1920) ^{c g}

- [*Mycetophila parvimaculata*](#) Van Duzee, 1928 ^{i c g}
- [*Mycetophila parvula*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila passei*](#) Lane, 1952 ^{c g}
- [*Mycetophila pastranai*](#) Duret, 1981 ^{c g}
- [*Mycetophila patagoiensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila patagonesi*](#) Lane, 1958 ^{c g}
- [*Mycetophila patagonica*](#) Duret, 1979 ^{c g}
- [*Mycetophila patagoniensis*](#) Duret, 1989 ^{c g}
- [*Mycetophila paula*](#) (Loew, 1869) ^{i c g}
- [*Mycetophila paxillata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila pecinai*](#) (Lastovka, 1963) ^{c g}
- [*Mycetophila pectinata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila pectita*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila pellucida*](#) Freeman, 1951 ^{c g}
- [*Mycetophila penai*](#) Duret, 1981 ^{c g}
- [*Mycetophila penicillata*](#) Sasakawa, 2005 ^{c g}
- [*Mycetophila peniculata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila percura*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila perita*](#) Johannsen, 1912 ^{i c g}
- [*Mycetophila perpallida*](#) Chandler, 1993 ^{c g}
- [*Mycetophila perpauca*](#) Lastovka, 1972 ^{c g}
- [*Mycetophila petulca*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila philomyces*](#) Wu, 1997 ^{c g}
- [*Mycetophila phyllura*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila picea*](#) Freeman, 1951 ^{c g}
- [*Mycetophila picta*](#) (Macquart, 1834) ^g
- [*Mycetophila pictula*](#) Meigen, 1830 ^{i c g}
- [*Mycetophila pinarensis*](#) Duret, 1986 ^{c g}
- [*Mycetophila pinguis*](#) Loew, 1869 ^{i c g}
- [*Mycetophila piranoi*](#) Duret, 1981 ^{c g}
- [*Mycetophila pirapesi*](#) Lane, 1958 ^{c g}
- [*Mycetophila placata*](#) Plassmann & Vogel, 1990 ^{c g}
- [*Mycetophila plaumanni*](#) Lane, 1958 ^{c g}
- [*Mycetophila plotnikovae*](#) Zaitzev, 2004 ^g
- [*Mycetophila pollicata*](#) Edwards, 1927 ^{c g}
- [*Mycetophila poloninensis*](#) Sevcik, 2004 ^{c g}

- [*Mycetophila porteri*](#) Duret, 1981 ^{c g}
- [*Mycetophila prionoda*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila procera*](#) Loew, 1869 ^{i c g}
- [*Mycetophila propinqua*](#) Walker, 1848 ^{i c g}
- [*Mycetophila propria*](#) Skuse, 1888 ^{c g}
- [*Mycetophila proseni*](#) Duret, 1981 ^{c g}
- [*Mycetophila pseudoaltensis*](#) Duret, 1980 ^{c g}
- [*Mycetophila pseudoaraucana*](#) Duret, 1986 ^{c g}
- [*Mycetophila pseudoclavigera*](#) Duret, 1985 ^{c g}
- [*Mycetophila pseudoconifera*](#) Duret, 1985 ^{c g}
- [*Mycetophila pseudodigitalis*](#) Duret, 1991 ^{c g}
- [*Mycetophila pseudoforcipata*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila pseudofunerea*](#) Duret, 1992 ^{c g}
- [*Mycetophila pseudommarshalli*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila pseudonervitacta*](#) Duret, 1987 ^{c g}
- [*Mycetophila pseudopellucida*](#) Duret, 1981 ^{c g}
- [*Mycetophila pseudopenai*](#) Duret, 1981 ^{c g}
- [*Mycetophila pseudopicea*](#) Duret, 1983 ^{c g}
- [*Mycetophila pseudoquadra*](#) (Bukowski, 1934) ^{c g}
- [*Mycetophila pseudoquadroides*](#) Matile, 1967 ^{c g}
- [*Mycetophila pseudoviridipes*](#) Duret, 1980 ^{c g}
- [*Mycetophila pucara*](#) Duret, 1986 ^{c g}
- [*Mycetophila pucaraensis*](#) Duret, 1973 ^{c g}
- [*Mycetophila pucarani*](#) Duret, 1985 ^{c g}
- [*Mycetophila pucarensis*](#) Duret, 1973 ^{c g}
- [*Mycetophila pucatrihuana*](#) Duret, 1992 ^{c g}
- [*Mycetophila pucatrihuensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila puelchesi*](#) Duret, 1986 ^{c g}
- [*Mycetophila pumila*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila punctipennis*](#) (Stannius, 1831) ^{c g}
- [*Mycetophila punensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila puyehuensis*](#) Duret, 1991 ^{c g}
- [*Mycetophila pygmaea*](#) (Macquart, 1826) ^{c g}
- [*Mycetophila pyrenaica*](#) Matile, 1967 ^{c g}
- [*Mycetophila quadra*](#) Lundstrom, 1909 ^{c g}
- [*Mycetophila quadrifasciata*](#) (Brunetti, 1912) ^{c g}

- [*Mycetophila quadrimaculata*](#) (Bukowski, 1934) ^{c g}
- [*Mycetophila ramosa*](#) Freeman, 1951 ^{c g}
- [*Mycetophila recta*](#) (Johannsen, 1912) ^{i g}
- [*Mycetophila recula*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila reversa*](#) Edwards, 1931 ^{c g}
- [*Mycetophila riparia*](#) Chandler, 1993 ^{c g}
- [*Mycetophila ronderosi*](#) Duret, 1981 ^{c g}
- [*Mycetophila rosularia*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila rubensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila rudis*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila ruficollis*](#) Meigen, 1818 ^{i g}
- [*Mycetophila russata*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila saltanensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila santosiana*](#) Stora, 1936 ^{c g}
- [*Mycetophila scalprata*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila schajovskoyi*](#) Duret, 1980 ^{c g}
- [*Mycetophila schistocauda*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila schnablii*](#) (Dziedzicki, 1884) ^{c g}
- [*Mycetophila scitula*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila scopata*](#) Wu, 2001 ^g
- [*Mycetophila scotica*](#) Edwards, 1941 ^{i c g}
- [*Mycetophila scourfieldi*](#) Duret, 1986 ^{c g}
- [*Mycetophila scutata*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila seclusa*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila semifusca*](#) Meigen, 1818 ^{c g}
- [*Mycetophila senticosa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila septemtrionalis*](#) (Okada, 1939) ^{c g}
- [*Mycetophila sepulta*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila sequestra*](#) Plassmann, 1976 ^{c g}
- [*Mycetophila sergioi*](#) Duret, 1973 ^{c g}
- [*Mycetophila sericea*](#) (Macquart, 1826) ^{c g}
- [*Mycetophila sertata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila setifera*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila shawi*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila sheni*](#) Wu & Yang, 1997 ^{c g}
- [*Mycetophila sibirica*](#) (Plotnikova, 1962) ^{c g}

- [*Mycetophila sicyoideusa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila sierrae*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila sigillata*](#) Dziedzicki, 1884 ^{i c g}
- [*Mycetophila sigmoides*](#) Loew, 1869 ^{i c g b}
- [*Mycetophila signata*](#) Meigen, 1830 ^{c g}
- [*Mycetophila signatoides*](#) Dziedzicki, 1884 ^{i c g}
- [*Mycetophila similis*](#) (Santos Abreu, 1920) ^{c g}
- [*Mycetophila simplex*](#) Freeman, 1951 ^{c g}
- [*Mycetophila simplicistila*](#) Freeman, 1951 ^{c g}
- [*Mycetophila sinuata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila sinuosa*](#) Plassmann & Schacht, 1999 ^{c g}
- [*Mycetophila solita*](#) Freeman, 1951 ^{c g}
- [*Mycetophila solitaris*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila sollistima*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila sordens*](#) (Wiedemann, 1817) ^{c g}
- [*Mycetophila sordida*](#) Wulp, 1874 ^{i c g}
- [*Mycetophila sordida van-der*](#) Wulp, 1874 ^g
- [*Mycetophila sororia*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila spatiosa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila spectabilis*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila spinigera*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila spinilineata*](#) Sasakawa, 2005 ^{c g}
- [*Mycetophila spinipes*](#) Freeman, 1951 ^{c g}
- [*Mycetophila spinosa*](#) Freeman, 1951 ^{c g}
- [*Mycetophila splendida*](#) Lane, 1948 ^{c g}
- [*Mycetophila spleniata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila stolidia*](#) Walker, 1856 ^{i c g}
- [*Mycetophila stonei*](#) Lane, 1952 ^{c g}
- [*Mycetophila storai*](#) Chandler & Ribeiro, 1995 ^{c g}
- [*Mycetophila stricklandi*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila strigata*](#) Staeger, 1840 ^{i c g}
- [*Mycetophila strigatoides*](#) (Lundrock, 1927) ^{i c g}
- [*Mycetophila strikeri*](#) Duret, 1981 ^{c g}
- [*Mycetophila strobli*](#) Lastovka, 1972 ^{c g}
- [*Mycetophila stupposa*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila stylata*](#) (Dziedzicki, 1884) ^{c g}

- [*Mycetophila stylatiformis*](#) Landrock, 1925 ^{c g}
- [*Mycetophila subbrevitarsata*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila subcapitata*](#) Freeman, 1954 ^{c g}
- [*Mycetophila subconstricta*](#) Duret, 1981 ^{c g}
- [*Mycetophila subfumosa*](#) Freeman, 1954 ^{c g}
- [*Mycetophila subfunerea*](#) Duret, 1992 ^{c g}
- [*Mycetophila subfusca*](#) Freeman, 1951 ^{c g}
- [*Mycetophila subita*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila sublaninensis*](#) Duret, 1981 ^{c g}
- [*Mycetophila sublunata*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila submarshalli*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila subnigrofusca*](#) Zaitzev, 1998 ^{c g}
- [*Mycetophila subnitens*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila subrecta*](#) Freeman, 1954 ^{c g}
- [*Mycetophila subrunnea*](#) Freeman, 1951 ^{c g}
- [*Mycetophila subscutellaris*](#) (Lindner, 1958) ^{c g}
- [*Mycetophila subsigillata*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila subspinigera*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila subtenebrosa*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila subtillis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila suburbana*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila subvittata*](#) Freeman, 1954 ^{c g}
- [*Mycetophila suffusa*](#) Brunetti, 1912 ^{c g}
- [*Mycetophila suffusala*](#) Chandler & Ribeiro, 1995 ^{c g}
- [*Mycetophila sumavica*](#) (Lastovka, 1963) ^{c g}
- [*Mycetophila sylvatica*](#) Marshall, 1896 ^g
- [*Mycetophila tacuensis*](#) Lane, 1952 ^{c g}
- [*Mycetophila talaris*](#) Freeman, 1951 ^{c g}
- [*Mycetophila tantula*](#) Plassmann & Vogel, 1990 ^{c g}
- [*Mycetophila tapinirai*](#) Lane, 1955 ^{c g}
- [*Mycetophila taplejungensis*](#) Kallweit, 1995 ^{c g}
- [*Mycetophila tapleyi*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila tapuii*](#) Lane, 1958 ^{c g}
- [*Mycetophila tehuelchesi*](#) Duret, 1979 ^{c g}
- [*Mycetophila telei*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila temucoensis*](#) Duret, 1986 ^{c g}

- [*Mycetophila tenebrosa*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila theresae*](#) Edwards, 1932 ^{c g}
- [*Mycetophila thioptera*](#) Shaw, 1940 ^{i c g}
- [*Mycetophila tiefii*](#) Strobl, 1901 ^{c g}
- [*Mycetophila tobasi*](#) Lane, 1958 ^{c g}
- [*Mycetophila tolhuacaensis*](#) Duret, 1983 ^{c g}
- [*Mycetophila tomensis*](#) Plotnikova, 1962 ^g
- [*Mycetophila tonnoiri*](#) Matile, 1989 ^{c g}
- [*Mycetophila trancasensis*](#) Duret, 1992 ^{c g}
- [*Mycetophila triaculeata*](#) Ostroverkhova, 1977 ^{c g}
- [*Mycetophila triangularis*](#) Lundstrom, 1912 ^{c g}
- [*Mycetophila triangulata*](#) Dziedzicki, 1884 ^{c g}
- [*Mycetophila triangulifera*](#) Freeman, 1951 ^{c g}
- [*Mycetophila triappendiculata*](#) Duret, 1985 ^{c g}
- [*Mycetophila tridentata*](#) Lundstrom, 1911 ^{c g}
- [*Mycetophila trimacula*](#) Edwards, 1928 ^{c g}
- [*Mycetophila trinotata*](#) Staeger, 1840 ^{i c g}
- [*Mycetophila triordinata*](#) Freeman, 1954 ^{c g}
- [*Mycetophila triseriata*](#) (Bukowski, 1949) ^{c g}
- [*Mycetophila trispinosa*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila trivittata*](#) Freeman, 1951 ^{c g}
- [*Mycetophila tuberosa*](#) Lundstrom, 1911 ^{c g}
- [*Mycetophila tucumana*](#) Lane, 1958 ^{c g}
- [*Mycetophila tucunensis*](#) (Lane, 1955) ^{c g}
- [*Mycetophila tungusica*](#) Ostroverkhova, 1979 ^{c g}
- [*Mycetophila tupanensis*](#) Lane, 1961 ^{c g}
- [*Mycetophila uacupisi*](#) Lane, 1958 ^{c g}
- [*Mycetophila uaianai*](#) Lane, 1952 ^{c g}
- [*Mycetophila uaicensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila uboyasi*](#) Lane, 1955 ^{c g}
- [*Mycetophila uliginosa*](#) Chandler, 1988 ^{c g}
- [*Mycetophila unca*](#) Zaitzev, 1999 ^{c g}
- [*Mycetophila uncinata*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila uncta*](#) Plassmann, 1999 ^{c g}
- [*Mycetophila unguiculata*](#) Lundstrom, 1913 ^{c g}
- [*Mycetophila unicolor*](#) Stannius, 1831 ^{c g}

- [*Mycetophila unicornuta*](#) Freeman, 1951 ^{c g}
- [*Mycetophila uninotata*](#) Zetterstedt, 1852 ^{c g}
- [*Mycetophila unipunctata*](#) Meigen, 1818 ^{i c g b}
- [*Mycetophila uniseries*](#) Freeman, 1951 ^{c g}
- [*Mycetophila unispinosa*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila variable*](#) Duret, 1986 ^{c g}
- [*Mycetophila vaurasi*](#) Lane, 1958 ^{c g}
- [*Mycetophila vegeta*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila veligera*](#) Freeman, 1951 ^{c g}
- [*Mycetophila venusta*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila verberifera*](#) Freeman, 1951 ^{c g}
- [*Mycetophila verecunda*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila vesca*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila vianai*](#) Duret, 1981 ^{c g}
- [*Mycetophila victoriaensis*](#) Duret, 1983 ^{c g}
- [*Mycetophila vigena*](#) Wu, He & Yang, 1998 ^{c g}
- [*Mycetophila virgata*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila viridipes*](#) Freeman, 1951 ^{c g}
- [*Mycetophila viridis*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila viticollis*](#) Blanchard, 1852 ^{c g}
- [*Mycetophila vitipennis*](#) Freeman, 1951 ^{c g}
- [*Mycetophila vittipes*](#) Zetterstedt, 1852 ^{c g}
- [*Mycetophila vivida*](#) Plassmann & Schacht, 1999 ^{c g}
- [*Mycetophila v-nigrum*](#) Lundstrom, 1913 ^{c g}
- [*Mycetophila volitans*](#) Lynch Arribalzaga, 1892 ^{c g}
- [*Mycetophila vulgaris*](#) Tonnoir & Edwards, 1927 ^{c g}
- [*Mycetophila willineri*](#) Duret, 1981 ^{c g}
- [*Mycetophila willinki*](#) Duret, 1981 ^{c g}
- [*Mycetophila winnertzi*](#) Lane, 1948 ^{c g}
- [*Mycetophila wirthi*](#) (Laffoon, 1957) ^{i c g}
- [*Mycetophila wygodzinskyi*](#) Lane, 1947 ^{c g}
- [*Mycetophila xamasensis*](#) Lane, 1955 ^{c g}
- [*Mycetophila xanthopyga*](#) Winnertz, 1863 ^{c g}
- [*Mycetophila xanthotricha*](#) Mik, 1884 ^{c g}
- [*Mycetophila yaganesi*](#) Duret, 1980 ^{c g}
- [*Mycetophila yamanasi*](#) Duret, 1986 ^{c g}

- [*Mycetophila yivoffi*](#) Duret, 1981 ^{c g}
- [*Mycetophila yuriamuesi*](#) Lane, 1955 ^{c g}
- [*Mycetophila zetterstedtii*](#) Lundstrom, 1906 ^{c g}
- [*Mycetophila zieglerei*](#) Kurina, 2008 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[4] g = GBIF,[2] b = Bugguide.net[3]

These species belong to [*Miscophus*](#), a genus of square-headed wasps in the family [*Crabronidae*](#). [1][2][3][4]

***Miscophus* species**

- [*Miscophus absconditus*](#) de Andrade, 1960 ^{i c g}
- [*Miscophus aegyptius*](#) Morice, 1897 ^{i c g}
- [*Miscophus aenescens*](#) (Bridwell, 1920) ^{i c g}
- [*Miscophus aeneus*](#) Lomholdt, 1985 ^{i c g}
- [*Miscophus aenigma*](#) Honoré, 1944 ^{i c g}
- [*Miscophus affinis*](#) Pulawski, 1964 ^{i c g}
- [*Miscophus agadiriensis*](#) de Andrade, 1954 ^{i c g}
- [*Miscophus akrofisianus*](#) Balthasar, 1954 ^{i c g}
- [*Miscophus albomaculatus*](#) de Andrade, 1960 ^{i c g}
- [*Miscophus albufeirae*](#) de Andrade, 1952 ^{i c g}
- [*Miscophus alfierii*](#) Honoré, 1944 ^{i c g}
- [*Miscophus americanus*](#) W. Fox, 1890 ^{i c g b}
- [*Miscophus andradei*](#) P. Verhoeff, 1955 ^{i c g}
- [*Miscophus angolensis*](#) Lomholdt, 1985 ^{i c g}
- [*Miscophus antares*](#) de Andrade, 1956 ^{i c g}
- [*Miscophus arenarum*](#) Cockerell, 1898 ^{i c g}
- [*Miscophus ater*](#) Lepeletier de Saint Fargeau, 1845 ^{i c g}
- [*Miscophus atlanteus*](#) de Andrade, 1956 ^{i c g}
- [*Miscophus atrescens*](#) Lomholdt, 1985 ^{i c g}
- [*Miscophus aurulentus*](#) Lomholdt, 1985 ^{i c g}
- [*Miscophus bellulus*](#) Arnold, 1924 ^{i c g}
- [*Miscophus belveriensis*](#) de Andrade, 1960 ^{i c g}
- [*Miscophus benidormicus*](#) P. Verhoeff, 1955 ^{i c g}

- [Miscophus berlandi](#) de Andrade, 1956 ^{i c g}
- [Miscophus betpakdalensis](#) Kazenas, 1992 ^{i c g}
- [Miscophus bicolor](#) Jurine, 1807 ^{i c g}
- [Miscophus bonifaciensis](#) Ferton, 1896 ^{i c g}
- [Miscophus botswanaensis](#) Lomholdt, 1985 ^{i c g}
- [Miscophus bridwelli](#) Lomholdt, 1985 ^{i c g}
- [Miscophus bytinskii](#) P. Verhoeff, 1955 ^{i c g}
- [Miscophus californicus](#) (Ashmead, 1898) ^{i c g}
- [Miscophus canariensis](#) de Beaumont, 1968 ^{i c g}
- [Miscophus caninus](#) de Andrade, 1953 ^{i c g}
- [Miscophus carolinae](#) Schmid-Egger, 2002 ^{i c g}
- [Miscophus ceballosi](#) de Andrade, 1954 ^{i c g}
- [Miscophus chrysis](#) Kohl, 1894 ^{i c g}
- [Miscophus clypearis](#) Honoré, 1944 ^{i c g}
- [Miscophus coerulescens](#) Arnold, 1923 ⁱ
- [Miscophus collaris](#) Honoré, 1944 ^{i c g}
- [Miscophus concolor](#) Dahlbom, 1844 ^{i c g}
- [Miscophus corsicus](#) de Andrade, 1960 ^{i c g}
- [Miscophus crassipes](#) Lomholdt, 1985 ^{i c g}
- [Miscophus ctenopus](#) Kohl, 1884 ^{i c g}
- [Miscophus cyanescens](#) R. Turner, 1917 ^{i c g}
- [Miscophus cyanurus](#) (Rohwer, 1909) ^{i c g}
- [Miscophus deserti](#) Berland, 1943 ^{c g}
- [Miscophus deserticolus](#) R. Turner, 1929 ^{i c g}
- [Miscophus desertorum](#) Kazenas, 1978 ^{i c g}
- [Miscophus difficilis](#) Nurse, 1903 ^{i c g}
- [Miscophus dispersus](#) de Andrade, 1954 ^{i c g}
- [Miscophus eatoni](#) E. Saunders, 1903 ^{i c g}
- [Miscophus eburneus](#) Simon Thomas, 1995 ^{i c g}
- [Miscophus elegans](#) de Andrade, 1960 ^{i c g}
- [Miscophus evansi](#) (Krombein, 1963) ^{i c g}
- [Miscophus eximius](#) Gussakovskij, 1934 ^{i c g}
- [Miscophus exoticus](#) Taschenberg, 1870 ^{i c g}
- [Miscophus fasciatus](#) Lomholdt, 1985 ^{i c g}
- [Miscophus flavopictus](#) Pulawski, 1964 ^{i c g}
- [Miscophus fluviatilis](#) Lomholdt, 1985 ^{i c g}

- [Miscophus funebris](#) Honoré, 1944^{i c g}
- [Miscophus galei](#) (Rohwer, 1909)^{i c g}
- [Miscophus garianensis](#) de Andrade, 1956^{i c g}
- [Miscophus gegensumus](#) Tsuneki, 1971^{i c g}
- [Miscophus gibbicollis](#) Giner Marí, 1945^{i c g}
- [Miscophus gineri](#) P. Verhoeff, 1955^{i c g}
- [Miscophus gobiensis](#) Tsuneki, 1972^{i c g}
- [Miscophus grangeri](#) de Beaumont, 1968^{i c g}
- [Miscophus graciosus](#) de Andrade, 1960^{i c g}
- [Miscophus gratuitus](#) de Andrade, 1954^{i c g}
- [Miscophus guichardi](#) de Beaumont, 1968^{i c g}
- [Miscophus gussakovskiji](#) de Andrade, 1954^{i c g}
- [Miscophus handlirschi](#) Kohl, 1892^{i c g}
- [Miscophus hebraeus](#) de Andrade, 1954^{i c g}
- [Miscophus heliophilus](#) Pulawski, 1968^{i c g}
- [Miscophus helveticus](#) Kohl, 1883^{i c g}
- [Miscophus hissaricus](#) Gussakovskij, 1935^{i c g}
- [Miscophus histrionicus](#) Balthasar, 1954^{i c g}
- [Miscophus ichneumonoides](#) Arnold, 1929^{i c g}
- [Miscophus iliensis](#) Kazenas, 1992^{i c g}
- [Miscophus imitans](#) Giner Marí, 1945^{i c g}
- [Miscophus impressifrons](#) Lomholdt, 1985^{i c g}
- [Miscophus impudens](#) de Andrade, 1960^{i c g}
- [Miscophus inconspicuus](#) de Andrade, 1960^{i c g}
- [Miscophus infernalis](#) Arnold, 1929^{i c g}
- [Miscophus insolitus](#) de Andrade, 1953^{i c g}
- [Miscophus insulicola](#) Balthasar, 1954^{i c g}
- [Miscophus italicus](#) A. Costa, 1867^{i c g}
- [Miscophus johnei](#) Mokrousov, 2004^{i c g}
- [Miscophus kansensis](#) (Slansky, 1969)^{i c g}
- [Miscophus karrooensis](#) Arnold, 1923^{i c g}
- [Miscophus kohlii](#) Brauns, 1899^{i c g}
- [Miscophus kriechbaumeri](#) Brauns, 1899^{i c g}
- [Miscophus krunki](#) Lomholdt, 1985^{i c g}
- [Miscophus laticeps](#) (Ashmead, 1898)^{i c g}
- [Miscophus levantinus](#) Balthasar, 1954^{i c g}

- [Miscophus lissonotus](#) Lomholdt, 1985 ^{i c g}
- [Miscophus littoreus](#) de Andrade, 1960 ^{i c g}
- [Miscophus luctuosus](#) de Andrade, 1960 ^{i c g}
- [Miscophus lugubris](#) Arnold, 1929 ^{i c g}
- [Miscophus lusitanicus](#) de Andrade, 1952 ^{i c g}
- [Miscophus maculipes](#) Arnold, 1945 ^{i c g}
- [Miscophus magnus](#) Kazenas, 1992 ^{i c g}
- [Miscophus maurus](#) (Rohwer, 1909) ^{i c g}
- [Miscophus mavromoustakisi](#) de Andrade, 1953 ^{i c g}
- [Miscophus merceti](#) de Andrade, 1952 ^{i c g}
- [Miscophus mimeticus](#) Honoré, 1944 ^{i c g}
- [Miscophus minutus](#) de Andrade, 1953 ^{i c g}
- [Miscophus mochii](#) Arnold, 1940 ^{i c g}
- [Miscophus modestus](#) Arnold, 1929 ^{i c g}
- [Miscophus mongolicus](#) Tsuneki, 1972 ^{i c g}
- [Miscophus montanus](#) Gussakovskij, 1935 ^{i c g}
- [Miscophus nevesi](#) de Andrade, 1952 ^{i c g}
- [Miscophus nicolai](#) Ferton, 1896 ^{i c g}
- [Miscophus niger](#) Dahlbom, 1844 ^{i c g}
- [Miscophus nigrescens](#) (Rohwer, 1909) ^{i c g}
- [Miscophus nigricans](#) Cameron, 1907 ^{i c g}
- [Miscophus nigriceps](#) (Rohwer, 1911) ^{i c g}
- [Miscophus nigripes](#) Honoré, 1944 ^{i c g}
- [Miscophus nigriventris](#) Kazenas, 1992 ^{i c g}
- [Miscophus niloticus](#) Honoré, 1944 ^{i c g}
- [Miscophus nitidior](#) de Beaumont, 1968 ^{i c g}
- [Miscophus nobilis](#) de Andrade, 1960 ^{i c g}
- [Miscophus numidus](#) de Beaumont, 1968 ^{i c g}
- [Miscophus obscuritarsis](#) Pulawski, 1964 ^{i c g}
- [Miscophus occidentalis](#) de Andrade, 1960 ^{i c g}
- [Miscophus oraniensis](#) Brauns, 1906 ^{i c g}
- [Miscophus othello](#) Balthasar, 1954 ^{i c g}
- [Miscophus paolorosai](#) Schmid-Egger, 2011 ^{i c g}
- [Miscophus papyrus](#) de Andrade, 1954 ^{i c g}
- [Miscophus pardoi](#) de Andrade, 1954 ^{i c g}
- [Miscophus percitus](#) Mokrousov, 2004 ^{i c g}

- [Miscophus pharaonis](#) Arnold, 1940^{i c g}
- [Miscophus portoi](#) de Andrade, 1956^{i c g}
- [Miscophus postumus](#) Bischoff, 1921^{i c g}
- [Miscophus pretiosus](#) Kohl, 1884^{i c g}
- [Miscophus primogeniti](#) de Andrade, 1954^{i c g}
- [Miscophus pseudochrysis](#) (Simon Thomas, 1995)^{i c g}
- [Miscophus pseudomimeticus](#) de Andrade, 1960^{i c g}
- [Miscophus pseudonotogonia](#) Brauns, 1899^{i c g}
- [Miscophus pulcher](#) de Andrade, 1953^{i c g}
- [Miscophus pulcherrimus](#) Lomholdt, 1985^{i c g}
- [Miscophus punctatissimus](#) Lomholdt, 1985^{i c g}
- [Miscophus punicus](#) de Andrade, 1954^{i c g}
- [Miscophus quettaensis](#) Nurse, 1903^{i c g}
- [Miscophus rasilis](#) Kazenas, 1993^{i c g}
- [Miscophus repetekus](#) Kazenas, 1993^{i c g}
- [Miscophus reticulatus](#) Schmid-Egger, 2014^{i g}
- [Miscophus rothneyi](#) Bingham, 1897^{i c g}
- [Miscophus rufigaster](#) Simon Thomas, 1995^{i c g}
- [Miscophus rufiventris](#) Tsuneki, 1972^{i c g}
- [Miscophus sabulosus](#) Lomholdt, 1985^{i c g}
- [Miscophus sallitus](#) de Andrade, 1960^{i c g}
- [Miscophus scintillans](#) de Andrade, 1956^{i c g}
- [Miscophus sericeus](#) Radoszkowski, 1876^{i c g}
- [Miscophus seyrigi](#) Arnold, 1945^{i c g}
- [Miscophus similis](#) F. Morawitz, 1897^{i c g}
- [Miscophus sirius](#) de Andrade, 1956^{i c g}
- [Miscophus slossonae](#) (Ashmead in Kohl, 1897)^{i c g}
- [Miscophus soikai](#) de Beaumont, 1952^{i c g}
- [Miscophus sordidatus](#) Arnold, 1945^{i c g}
- [Miscophus specularis](#) de Andrade, 1960^{i c g}
- [Miscophus spinifer](#) Lomholdt, 1985^{i c g}
- [Miscophus spurius](#) (Dahlbom, 1832)^{i c g}
- [Miscophus stevensoni](#) Arnold, 1923^{i c g}
- [Miscophus susterai](#) Balthasar, 1954^{i c g}
- [Miscophus syriacus](#) de Andrade, 1960^{i c g}
- [Miscophus tagiurae](#) de Andrade, 1954^{i c g}

- [Miscophus temperatus](#) Balthasar, 1954^{i c g}
- [Miscophus texanus](#) (Ashmead, 1898)^{i c g}
- [Miscophus timberlakei](#) (Bridwell, 1920)^{i c g}
- [Miscophus tinctus](#) de Andrade, 1956^{i c g}
- [Miscophus transcaspicus](#) de Andrade, 1960^{i c g}
- [Miscophus tricolor](#) Kazenas, 1992^{i c g}
- [Miscophus tshardarensis](#) Kazenas, 1992^{i c g}
- [Miscophus turanicus](#) Kazenas, 1992^{i c g}
- [Miscophus turkmenicus](#) Kazenas, 1993^{i c g}
- [Miscophus turneri](#) Lomholdt, 1985^{i c g}
- [Miscophus unigena](#) Balthasar, 1954^{i c g}
- [Miscophus venustus](#) de Beaumont, 1969^{i c g}
- [Miscophus verecundus](#) Arnold, 1924^{i c g}
- [Miscophus verhoeffi](#) de Andrade, 1952^{i c g}
- [Miscophus wieringi](#) Simon Thomas, 1995^{i c g}
- [Miscophus yermasoyensis](#) Balthasar, 1954^{i c g}
- [Miscophus zakakiensis](#) Balthasar, 1954^{i c g}
- [Miscophus zergericus](#) Kazenas, 1993^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 122 species in [Minettia](#), a genus of flies in the family [Lauxaniidae](#).^{[1][2][3][4]}

Minettia species

- [Minettia aberrans](#) (Malloch, 1925)^{c g}
- [Minettia acuminata](#) Sasakawa, 1985^{c g}
- [Minettia albibasis](#) Malloch, 1933^{c g}
- [Minettia albomarginata](#) Malloch, 1933^{c g}
- [Minettia albonito](#) Curran, 1926^{c g}
- [Minettia americanella](#) Shewell, 1938^{i c g}
- [Minettia andalusiaca](#) (Strobl, 1899)^{c g}
- [Minettia argentiventris](#) Malloch, 1928^{c g}
- [Minettia assimilis](#) Malloch, 1926^{c g}
- [Minettia atrata](#) (Meijere, 1910)^{c g}
- [Minettia atratula](#) (Meijere, 1924)^{c g}

- [Minettia austriaca](#) Hennig, 1951 ^{c g}
- [Minettia biseriata](#) (Loew, 1847) ^{c g}
- [Minettia buchanani](#) Malloch, 1924 ^{i c g}
- [Minettia bulgarica](#) Papp, 1981 ^{c g}
- [Minettia caesia](#) (Coquillett, 1904) ^{i c g b}
- [Minettia cana](#) Melander, 1913 ^{i c g}
- [Minettia cantolraensis](#) Carles-Tolra, 1998 ^{c g}
- [Minettia caucasica](#) Shatalkin, 1998 ^{c g}
- [Minettia centralis](#) Malloch, 1933 ^{c g}
- [Minettia chilensis](#) (Schiner, 1868) ^{c g}
- [Minettia coracina](#) Shatalkin, 1993 ^{c g}
- [Minettia crassulata](#) Shatalkin, 1998 ^{c g}
- [Minettia cypriota](#) Papp, 1981 ^{c g}
- [Minettia czernyi](#) Freidberg, 1990 ^{c g}
- [Minettia dedecor](#) (Loew, 1873) ^{c g}
- [Minettia desmometopa](#) (de Meijere, 1907) ^g
- [Minettia dichroa](#) Malloch, 1933 ^{c g}
- [Minettia dissimilis](#) Collin, 1966 ^{c g}
- [Minettia divaricata](#) Sasakawa, 1985 ^{c g}
- [Minettia duplicata](#) (Lynch Arribalzaga, 1893) ^{c g}
- [Minettia elbergi](#) Shatalkin, 1996 ^{c g}
- [Minettia eoa](#) Shatalkin, 1992 ^{c g}
- [Minettia evittata](#) Malloch, 1926 ^{c g}
- [Minettia fasciata](#) (Fallén, 1826) ^{c g b}
- [Minettia filia](#) (Becker, 1895) ^{c g}
- [Minettia filippovi](#) Shatalkin, 1998 ^{c g}
- [Minettia flaveola](#) (Coquillett, 1898) ^{i c g b}
- [Minettia flavipalpis](#) (Loew, 1847) ^{c g}
- [Minettia flaviventris](#) (Costa, 1844) ^{c g}
- [Minettia fulvicornis](#) Malloch, 1933 ^{c g}
- [Minettia fumipennis](#) Melander, 1913 ^{i c g}
- [Minettia fuscescens](#) Shatalkin, 1998 ^{c g}
- [Minettia fuscofasciata](#) (Meijere, 1910) ^{c g}
- [Minettia galil](#) Freidberg, 1991 ^{c g}
- [Minettia gemina](#) Shatalkin, 1992 ^{c g}
- [Minettia gemmata](#) Shatalkin, 1992 ^{c g}

- [Minettia glauca](#) (Coquillett, 1902) ^{i c g}
- [Minettia graeca](#) Papp, 1981 ^{c g}
- [Minettia helva](#) Czerny, 1932 ^{c g}
- [Minettia helvola](#) (Becker, 1895) ^{c g}
- [Minettia hoozanensis](#) Malloch, 1927 ^g
- [Minettia hoozanesis](#) Malloch, 1927 ^{c g}
- [Minettia hubbardii](#) (Coquillett, 1898) ^{i c g}
- [Minettia hyrcanica](#) Shatalkin, 1999 ^{c g}
- [Minettia ignobilis](#) Malloch, 1933 ^{c g}
- [Minettia imparispinosa](#) Sasakawa, 2001 ^{c g}
- [Minettia infraseta](#) Malloch, 1933 ^{c g}
- [Minettia infuscata](#) Malloch, 1928 ^{c g}
- [Minettia inusta](#) (Meigen, 1826) ^{c g}
- [Minettia japonica](#) Sasakawa, 1995 ^{c g}
- [Minettia kimi](#) Sasakawa & Kozanek, 1995 ^{c g}
- [Minettia kunashirica](#) Shatalkin, 1992 ^{c g}
- [Minettia linguifera](#) Sasakawa & Kozanek, 1995 ^{c g}
- [Minettia lobata](#) Shewell, 1938 ^{i c g b}
- [Minettia loewi](#) (Schiner, 1864) ^g
- [Minettia longipennis](#) (Fabricius, 1794) ^{c g}
- [Minettia longiseta](#) (Loew, 1847) ^{c g}
- [Minettia longistylis](#) Sasakawa, 2002 ^{c g}
- [Minettia lupulina](#) (Fabricius, 1787) ^{i c g b}
- [Minettia luteitarsis](#) (Meijere, 1916) ^{c g}
- [Minettia lyraformis](#) Shewell, 1938 ^{i c g}
- [Minettia maculithorax](#) (Malloch, 1926) ^{c g}
- [Minettia magna](#) (Coquillett, 1898) ^{i c g b}
- [Minettia martineki](#) Ceianu, 1991 ^{c g}
- [Minettia maura](#) (Walker, 1853) ^{c g}
- [Minettia mona](#) Curran, 1926 ^{c g}
- [Minettia multisetosa](#) (Kertész, 1915) ^{c g}
- [Minettia muricata](#) (Becker, 1895) ^{c g}
- [Minettia nigratarsis](#) Shatalkin, 1998 ^{c g}
- [Minettia nigriventris](#) (Czerny, 1932) ^{c g}
- [Minettia nigrohalterata](#) Malloch, 1927 ^{c g}
- [Minettia nigropunctata](#) Malloch, 1928 ^{c g}

- [Minettia nitidiventris](#) Malloch, 1935 ^{c g}
- [Minettia obscura](#) (Loew, 1861) ^{i c g}
- [Minettia obscurata](#) Shewell, 1977 ^{c g}
- [Minettia omei](#) Shatalkin, 1998 ^{c g}
- [Minettia palaestinensis](#) Papp, 1981 ^{c g}
- [Minettia philippinensis](#) Malloch, 1929 ^{c g}
- [Minettia pirioni](#) Malloch, 1933 ^{c g}
- [Minettia plumicheta](#) (Rondani, 1868) ^{c g}
- [Minettia plumicornis](#) (Fallen, 1820) ^{c g}
- [Minettia punctata](#) Sasakawa, 1985 ^{c g}
- [Minettia punctiventris](#) (Rondani, 1868) ^{c g}
- [Minettia quadrisetosa](#) (Becker, 1907) ^{c g}
- [Minettia quadrispinosa](#) Malloch, 1927 ^{c g}
- [Minettia rivosia](#) (Meigen, 1826) ⁱ
- [Minettia rufiventris](#) (Macquart, 1848) ^c
- [Minettia ryukyuensis](#) Sasakawa, 2002 ^{c g}
- [Minettia sasakawai](#) Shi, Wang & Yang, 2011 ^g
- [Minettia sbitinctiventris](#) Papp, 1981 ^{c g}
- [Minettia semifulva](#) Malloch, 1933 ^{c g}
- [Minettia seminigra](#) Malloch, 1933 ^{c g}
- [Minettia shewelli](#) Steyskal, 1971 ^{i c g b}
- [Minettia styriaca](#) (Strobl, 1892) ^{c g}
- [Minettia subtinctiventris](#) Papp, 1981 ^{c g}
- [Minettia subvittata](#) (Loew, 1847) ^{c g}
- [Minettia suillorum](#) (Robineau-Desvoidy, 1830) ^{c g}
- [Minettia tabidiventris](#) (Papp, 1877) ^{c g}
- [Minettia tarsata](#) Sasakawa & Kozanek, 1995 ^{c g}
- [Minettia tenebrica](#) Shatalkin, 1992 ^{c g}
- [Minettia tetrachaeta](#) (Loew, 1873) ^{c g}
- [Minettia thomsoni](#) (Lynch Arribalzaga, 1893) ^{c g}
- [Minettia tinctiventris](#) (Rondani, 1868) ^{c g}
- [Minettia tubifer](#) (Meigen, 1826) ^{c g}
- [Minettia tubifera](#) Malloch, 1927 ^{c g}
- [Minettia tucumanensis](#) Malloch, 1928 ^{c g}
- [Minettia tunisica](#) Papp, 1981 ^{c g}
- [Minettia univittata](#) (Coquillett, 1904) ^{i c g}

- [*Minettia verticalis*](#) Malloch, 1928 ^{c g}
- [*Minettia vockerothi*](#) Sasakawa, 1998 ^{c g}
- [*Minettia zuercheri*](#) (Hendel, 1933) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 234 species in [*Microvelia*](#), a genus of smaller water striders in the family [*Veliidae*](#). [1] [2] [3] [4]

***Microvelia* species**

- [*Microvelia acantha*](#) (Padilla-Gil, 2013) ^{i c g}
- [*Microvelia addisi*](#) Poisson, 1949 ^{i c g}
- [*Microvelia adrienneae*](#) Poisson, 1942 ^{i c g}
- [*Microvelia albolineolata*](#) Torre-Bueno, 1927 ^{i c g}
- [*Microvelia albomaculata*](#) Distant, 1909 ^{i c g}
- [*Microvelia albonotata*](#) Champion, 1898 ^{i c g}
- [*Microvelia alisonae*](#) Andersen and Weir, 2003 ^{i c g}
- [*Microvelia americana*](#) (Uhler, 1884) ^{i c g b}
- [*Microvelia ancona*](#) Drake and Chapman, 1954 ^{i c g}
- [*Microvelia andringitrae*](#) Poisson, 1952 ^{i c g}
- [*Microvelia angelesi*](#) Andersen and Weir, 2003 ^{i c g}
- [*Microvelia angolensis*](#) Hoberlandt, 1951 ^{i c g}
- [*Microvelia ankavandrae*](#) Poisson, 1952 ^{i c g}
- [*Microvelia annandalei*](#) Distant, 1909 ^{i c g}
- [*Microvelia annemariaeae*](#) Andersen and Weir, 2003 ^{i c g}
- [*Microvelia apunctata*](#) Andersen and Weir, 2003 ^{i c g}
- [*Microvelia arabica*](#) Brown, 1951 ^{i c g}
- [*Microvelia arca*](#) Drake, 1958 ^{i c g}
- [*Microvelia argentata*](#) Nieser and Alkins-Koo, 1991 ^{i c g}
- [*Microvelia argusta*](#) Drake and Maldonado-Capriles, 1954 ^{i c g}
- [*Microvelia arussii*](#) Poisson, 1955 ^{i c g}
- [*Microvelia aschnakiranae*](#) Makhan, 2014 ^{i c g}
- [*Microvelia ashlocki*](#) J. Polhemus, 1968 ^{i c g}
- [*Microvelia atrata*](#) Torre-Bueno, 1916 ^{i c g}

- [Microvelia atroelegans](#) Zettel and Gapud, 1999^{i c g}
- [Microvelia atromaculata](#) Paiva, 1919^{i c g}
- [Microvelia australiensis](#) Andersen and Weir, 2003^{i c g}
- [Microvelia austrina](#) Torre-Bueno, 1924^{i c g}
- [Microvelia awasai](#) Poisson, 1951^{i c g}
- [Microvelia ayacuchana](#) Drake and Maldonado-Capriles, 1952^{i c g}
- [Microvelia ayos](#) Linnavuori, 1977^{i c g}
- [Microvelia barbifer](#) Andersen and Weir, 2003^{i c g}
- [Microvelia beameri](#) McKinstry, 1937^{i c g}
- [Microvelia bossangoa](#) Linnavuori, 1977^{i c g}
- [Microvelia bourbonensis](#) Poisson, 1957^{i c g}
- [Microvelia braziliensis](#) McKinstry, 1937^{i c g}
- [Microvelia briseis](#) Kirkaldy, 1900^{i c g}
- [Microvelia buenoi](#) Drake, 1920^{i c g b}
- [Microvelia bulckeii](#) Poisson, 1957^{i c g}
- [Microvelia burmanica](#) Paiva, 1918^{i c g}
- [Microvelia californiensis](#) McKinstry, 1937^{i c g}
- [Microvelia cameron](#) Andersen, Yang and Zettel, 2002^{i c g}
- [Microvelia carinata](#) Linnavuori, 1977^{i c g}
- [Microvelia carnarvon](#) Andersen and Weir, 2003^{i c g}
- [Microvelia cassisi](#) Andersen and Weir, 2003^{i c g}
- [Microvelia cavernula](#) J. Polhemus, 1972^{i c g}
- [Microvelia cavicola](#) J. Polhemus, 1999^{i c g}[5]
- [Microvelia cerifera](#) McKinstry, 1937^{i c g}
- [Microvelia chanita](#) J. Polhemus and Hogue, 1972^{i c g}
- [Microvelia childi](#) Andersen, 1969^{i c g}
- [Microvelia chilena](#) Drake and Hussey, 1955^{i c g}
- [Microvelia cinchonana](#) Drake and Hussey, 1954^{i c g}
- [Microvelia circumcincta](#) Champion, 1898^{i c g}
- [Microvelia costaiana](#) Drake and Hussey, 1951^{i c g}
- [Microvelia crassipes](#) Lundblad, 1933^{i c g}
- [Microvelia crinata](#) Drake, 1951^{i c g}
- [Microvelia cubana](#) Drake, 1951^{i c g}
- [Microvelia dalawa](#) Zettel, 2014^{i c g}
- [Microvelia depressa](#) J. Polhemus, 1974^{i c g}
- [Microvelia distantii](#) Lundblad, 1933^{i c g}

- [Microvelia distincta](#) Malipatil, 1980 ^{i c g}
- [Microvelia douglasi](#) Scott, 1874 ^{i c g}
- [Microvelia duidana](#) Drake and Maldonado-Capriles, 1952 ^{i c g}
- [Microvelia eborensis](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia electra](#) Andersen, 2001 ^{i c g}
- [Microvelia falcifer](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia fanera](#) (Padilla-Gil, 2013) ^{i c g}
- [Microvelia fasciculifera](#) McKinstry, 1937 ^{i c g}
- [Microvelia flavipes](#) Champion, 1898 ^{i c g}
- [Microvelia fluvialis](#) Malipatil, 1980 ^{i c g}
- [Microvelia fontinalis](#) Torre-Bueno, 1916 ^{i c g}
- [Microvelia fosoana](#) Linnavuori, 1977 ^{i c g}
- [Microvelia gapudi](#) Zettel, 2012 ^{i c g}
- [Microvelia genitalis](#) Lundblad, 1933 ^{i c g}
- [Microvelia gerhardi](#) Hussey, 1924 ^{i c g}
- [Microvelia gestroi](#) Kirkaldy, 1901 ^{i c g}
- [Microvelia glabrosulcata](#) J. Polhemus, 1974 ^{i c g}
- [Microvelia gracillima](#) Reuter, 1883 ^{i c g}
- [Microvelia grimaldii](#) Andersen, 2001 ^{i c g}
- [Microvelia hambletoni](#) Drake, 1951 ^{i c g}
- [Microvelia herberti](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia hidalgoi](#) McKinstry, 1937 ^{i c g}
- [Microvelia hinei](#) Drake, 1920 ^{i c g}
- [Microvelia horvathi](#) Lundblad, 1933 ^{i c g}
- [Microvelia hozari](#) Hoberlandt, 1948 ^{i c g}
- [Microvelia hungerfordi](#) McKinstry, 1937 ^{i c g}
- [Microvelia hynesi](#) Poisson, 1949 ^{i c g}
- [Microvelia hypipamee](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia inannana](#) Drake and Hottes, 1952 ^{i c g}
- [Microvelia inguapi](#) Padilla-Gil and Moreira, 2013 ^{i c g}
- [Microvelia inquilina](#) J. Polhemus and Hogue, 1972 ^{i c g}
- [Microvelia insignis](#) (Distant, 1903) ^{i c g}
- [Microvelia intonsa](#) Drake, 1951 ^{i c g}
- [Microvelia ioana](#) Drake and Hottes, 1952 ^{i c g}
- [Microvelia irrasa](#) Drake and Harris, 1928 ^{i c g}
- [Microvelia isa](#) Zettel, 2012 ^{i c g}

- [Microvelia isabelae](#) Bachmann, 1979 ^{i c g}
- [Microvelia itremoi](#) Poisson, 1952 ^{i c g}
- [Microvelia jaechi](#) Zettel and Gapud, 1999 ^{i c g}
- [Microvelia japonica](#) Esaki and Miyamoto, 1955 ^{i c g}
- [Microvelia javadiensis](#) Thirumalai, 1989 ^{i c g}
- [Microvelia justi](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia kakadu](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia kamassanguensis](#) Hoberlandt, 1951 ^{i c g}
- [Microvelia karunaratnei](#) J. Polhemus, 1999 ^{i c g}
- [Microvelia kijabiensis](#) Poisson, 1941 ^{i c g}
- [Microvelia kipopoella](#) Linnavuori, 1973 ^{i c g}
- [Microvelia kyushuensis](#) Esaki and Miyamoto, 1955 ^{i c g}
- [Microvelia laesslei](#) Drake and Hussey, 1954 ^{i c g}
- [Microvelia lakatomivolae](#) Poisson, 1957 ^{i c g}
- [Microvelia leavipleura](#) J. Polhemus, 1974 ^{i c g}
- [Microvelia legorskyi](#) Zettel, 2012 ^{i c g}
- [Microvelia leptotmema](#) Nieser and Alkins-Koo, 1991 ^{i c g}
- [Microvelia leucothea](#) J. Polhemus and Manzano, 1992 ^{i c g}
- [Microvelia leveillei](#) (Lethierry, 1877) ^{i c g}
- [Microvelia lilliput](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia limaiana](#) Drake, 1951 ^{i c g}
- [Microvelia lineatipes](#) Paiva, 1919 ^{i c g}
- [Microvelia lokobei](#) Poisson, 1951 ^{i c g}
- [Microvelia longicornis](#) Torre-Bueno, 1925 ^{i c g}
- [Microvelia longipes](#) Uhler, 1894 ^{i c g}
- [Microvelia loriae](#) Kirkaldy, 1901 ^{i c g}
- [Microvelia lujanana](#) Drake, 1951 ^{i c g}
- [Microvelia lundbladi](#) Y. C. Gupta and Khandelwal, 2002 ^{i c g}
- [Microvelia macani](#) Brown, 1953 ^{i c g}
- [Microvelia macgregori](#) (Kirkaldy, 1899) ^{i c g}
- [Microvelia magnifica](#) Lundblad, 1933 ^{i c g}
- [Microvelia malipatili](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia margaretae](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia marginata](#) Uhler, 1893 ^{i c g}
- [Microvelia maromandiae](#) Poisson, 1951 ^{i c g}
- [Microvelia mbanga](#) Linnavuori, 1977 ^{i c g}

- [Microvelia milleri](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia mimula](#) White, 1879 ^{i c g}
- [Microvelia minima](#) Drake, 1952 ^{i c g}
- [Microvelia minutissima](#) Zettel and Tran, 2009 ^{i c g}
- [Microvelia mitohoi](#) Poisson, 1951 ^{i c g}
- [Microvelia miyamoti](#) Y. C. Gupta and Y. K. Gupta, 2008 ^{i c g}
- [Microvelia mjobergi](#) Hale, 1925 ^{i c g}
- [Microvelia monteithi](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia morimotoi](#) Miyamoto, 1964 ^{i c g}
- [Microvelia mossman](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia munda](#) Drake, 1951 ^{i c g}
- [Microvelia myorensis](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia negusi](#) Poisson, 1955 ^{i c g}
- [Microvelia nelsoni](#) Moreira, Barbosa and Ribeiro, 2012 ^{i c g}
- [Microvelia nessimiani](#) Moreira and Rúdio in Rúdio and Moreira, 2011 ^{i c g}
- [Microvelia niangbo](#) Linnavuori, 1977 ^{i c g}
- [Microvelia noeli](#) Poisson, 1951 ^{i c g}
- [Microvelia novana](#) Drake and Plaumann, 1955 ^{i c g}
- [Microvelia oaxacana](#) Drake, 1951 ^{i c g}
- [Microvelia oceanica](#) Distant, 1914 ^{i c g}
- [Microvelia odontogaster](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia oraria](#) Drake, 1952 ^{i c g}
- [Microvelia pacifica](#) Kirkaldy, 1908 ^{i c g}
- [Microvelia paludicola](#) Champion, 1898 ^{i c g}
- [Microvelia panamensis](#) Champion, 1898 ^{i c g}
- [Microvelia parallela](#) Blatchley, 1925 ^{i c g}
- [Microvelia paramega](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia parana](#) Drake and Carvalho, 1954 ^{i c g}
- [Microvelia pauliani](#) Poisson, 1951 ^{i c g}
- [Microvelia paura](#) J. Polhemus, 1974 ^{i c g}
- [Microvelia pennicilla](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia peramoena](#) Hale, 1925 ^{i c g}
- [Microvelia pererai](#) J. Polhemus, 1979 ^{i c g}
- [Microvelia peruviensis](#) McKinsty, 1937 ^{i c g}
- [Microvelia petraea](#) Andersen, Yang and Zettel, 2002 ^{i c g}
- [Microvelia pexa](#) Drake and Hussey, 1951 ^{i c g}

- [Microvelia picinguaba](#) Moreira and Barbosa, 2011 ^{i c g}
- [Microvelia piedrancha](#) Padilla-Gil and Moreira, 2013 ^{i c g}
- [Microvelia plumbea](#) Lundblad, 1933 ^{i c g}
- [Microvelia polhemi](#) Andersen, 2000 ^{i c g}
- [Microvelia popovi](#) Brown, 1951 ^{i c g}
- [Microvelia portoricensis](#) Drake, 1951 ^{i c g}
- [Microvelia potama](#) Drake, 1958 ^{i c g}
- [Microvelia prompta](#) Cheesman, 1926 ^{i c g}
- [Microvelia pronotalis](#) (Distant, 1913) ^{i c g}
- [Microvelia pseudomarginata](#) Nieser and Alkins-Koo, 1991 ^{i c g}
- [Microvelia psilonota](#) J. Polhemus, 1974 ^{i c g}
- [Microvelia pudoris](#) Drake and Harris, 1936 ^{i c g}
- [Microvelia pueblana](#) Drake and Hottes, 1952 ^{i c g}
- [Microvelia pulchella](#) Westwood, 1834 ^{i c g b}
- [Microvelia pygmaea](#) (Dufour, 1833) ^{i c g}
- [Microvelia queenslandiae](#) Andersen and Weir, 2003 ^{i c g}
- [Microvelia quieta](#) Drake and Carvalho, 1954 ^{i c g}
- [Microvelia rasilis](#) Drake, 1951 ^{i c g}
- [Microvelia recifana](#) Drake, 1951 ^{i c g}
- [Microvelia reflexa](#) J. Polhemus, 1974 ^{i c g}
- [Microvelia rennellsensis](#) Brown, 1968 ^{i c g}
- [Microvelia reticulata](#) (Burmeister, 1835) ^{i c g}
- [Microvelia rishwani](#) Makhan, 2014 ^{i c g}
- [Microvelia rouwenzoriana](#) Poisson, 1941 ^{i c g}
- [Microvelia royi](#) Poisson, 1954 ^{i c g}
- [Microvelia rufescens](#) Champion, 1898 ^{i c g}
- [Microvelia sambiranoi](#) Poisson, 1951 ^{i c g}
- [Microvelia santala](#) Hafiz and Ribeiro, 1939 ^{i c g}
- [Microvelia sarpta](#) Drake and Harris, 1936 ^{i c g}
- [Microvelia schmidtii](#) McKinstry, 1937 ^{i c g}
- [Microvelia setipes](#) Champion, 1898 ^{i c g}
- [Microvelia seyfertii](#) Zettel, 2014 ^{i c g}
- [Microvelia signata](#) Uhler, 1894 ^{i c g}
- [Microvelia silvestris](#) Hoberlandt, 1951 ^{i c g}
- [Microvelia somnokrene](#) Zettel and Gapud, 1999 ^{i c g}
- [Microvelia spurgeon](#) Andersen and Weir, 2003 ^{i c g}

- [Microvelia starmuehlneri](#) J. Polhemus and Herring, 1970^{i c g}
- [Microvelia stellata](#) Kirkaldy, 1902^{i c g}
- [Microvelia summersi](#) Drake and Harris, 1928^{i c g}
- [Microvelia takiyae](#) Moreira, Barbosa and Ribeiro, 2012^{i c g}
- [Microvelia tasmaniensis](#) Andersen and Weir, 2003^{i c g}
- [Microvelia tateiana](#) Drake, 1951^{i c g}
- [Microvelia timida](#) Drake and Roze, 1958^{i c g}
- [Microvelia torquata](#) Champion, 1898^{i c g}
- [Microvelia torresiana](#) Andersen and Weir, 2003^{i c g}
- [Microvelia trichota](#) Nieser and Chen, 2005^{i c g}
- [Microvelia trinitatis](#) China, 1943^{i c g}
- [Microvelia tsaratananae](#) Poisson, 1952^{i c g}
- [Microvelia tshingandana](#) Linnavuori and Weber, 1974^{i c g}
- [Microvelia tuberculata](#) Andersen and Weir, 2003^{i c g}
- [Microvelia ubatuba](#) Moreira and Barbosa, 2011^{i c g}
- [Microvelia uenoi](#) Miyamoto, 1964^{i c g}
- [Microvelia undata](#) Poisson, 1964^{i c g}
- [Microvelia urucara](#) Moreira, Barbosa and Nessimian, 2011^{i c g}
- [Microvelia urundii](#) Poisson, 1955^{i c g}
- [Microvelia vagans](#) White, 1878^{i c g}
- [Microvelia ventrospinosa](#) Andersen and Weir, 2003^{i c g}
- [Microvelia venustatis](#) Drake and Harris, 1933^{i c g}
- [Microvelia venustissima](#) Poisson, 1941^{i c g}
- [Microvelia verana](#) Drake and Hottes, 1952^{i c g}
- [Microvelia vilhenai](#) Hoberlandt, 1951^{i c g}
- [Microvelia villosula](#) Torre-Bueno, 1927^{i c g}
- [Microvelia waelbroecki](#) Kirkaldy, 1900^{i c g}
- [Microvelia wala](#) Zettel, 2012^{i c g}
- [Microvelia woodwardi](#) Andersen and Weir, 2003^{i c g}
- [Microvelia zillana](#) Drake and Hottes, 1952^{i c g}

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

This is a list of 135 species in [Microstylum](#), a genus of robber flies in the family [Asilidae](#).^{[1][2][3][4]}

Microstylum species

- [Microstylum acutirostre](#) Loew, 1852 ^{c g}
- [Microstylum albimystaecum](#) Macquart, 1855 ^{c g}
- [Microstylum albolimbatum](#) Wulp, 1898 ^{c g}
- [Microstylum amoyense](#) Bigot, 1878 ^{c g}
- [Microstylum ananthakrishnani](#) Joseph & Parui, 1984 ^{c g}
- [Microstylum anovense](#) Oldroyd, 1980 ^{c g}
- [Microstylum apicale](#) (Wiedemann, 1821) ^{c g}
- [Microstylum apiforme](#) (Walker, 1851) ^{c g}
- [Microstylum appendiculatum](#) Macquart, 1847 ^{c g}
- [Microstylum atrorubens](#) Timon-David, 1952 ^{c g}
- [Microstylum balbillus](#) (Walker, 1849) ^{c g}
- [Microstylum barbarosa](#) (Wiedemann, 1828) ^{c g}
- [Microstylum basalis](#) Brunetti, 1928 ^{c g}
- [Microstylum basirufum](#) Bigot, 1878 ^{c g}
- [Microstylum bhattacharyai](#) Joseph & Parui, 1984 ^{c g}
- [Microstylum bicolor](#) Macquart, 1850 ^{c g}
- [Microstylum biggsi](#) Oldroyd, 1960 ^{c g}
- [Microstylum bloesum](#) (Walker, 1849) ^{c g}
- [Microstylum braunsi](#) Engel, 1932 ^{c g}
- [Microstylum brevipennatum](#) Bigot, 1878 ^{c g}
- [Microstylum bromleyi](#) Timon-David, 1952 ^{c g}
- [Microstylum brunnipenne](#) Macquart, 1850 ^{c g}
- [Microstylum capense](#) (Fabricius, 1805) ^{c g}
- [Microstylum capucinum](#) Bigot, 1878 ^{c g}
- [Microstylum catastygnum](#) Papavero, 1971 ^{c g}
- [Microstylum cilipes](#) Macquart, 1838 ^{c g}
- [Microstylum cinctum](#) Bromley, 1931 ^{c g}
- [Microstylum coimbatorensis](#) Joseph & Parui, 1987 ^{c g}
- [Microstylum decretus](#) (Walker, 1860) ^{c g}
- [Microstylum difficile](#) (Wiedemann, 1828) ^{c g}
- [Microstylum dispar](#) Loew, 1858 ^{c g}
- [Microstylum dux](#) (Wiedemann, 1828) ^{c g}
- [Microstylum elongatum](#) Bigot, 1878 ^{c g}
- [Microstylum erythropygum](#) Bigot, 1878 ^{c g}
- [Microstylum eximiun](#) Bigot, 1878 ^{c g}

- [Microstylum fafner](#) (Enderlein, 1914) ^{c g}
- [Microstylum fenestratum](#) (Wiedemann, 1828) ^{c g}
- [Microstylum flavipenne](#) Macquart, 1846 ^{c g}
- [Microstylum flaviventre](#) Macquart, 1850 ^{c g}
- [Microstylum fulvicaudatum](#) Bigot, 1878 ^{c g}
- [Microstylum fulviventre](#) Wulp, 1898 ^{c g}
- [Microstylum galactodes](#) Loew, 1866 ^{i c g b}
- [Microstylum gigas](#) (Wiedemann, 1821) ^{c g}
- [Microstylum gladiator](#) Bromley, 1927 ^{c g}
- [Microstylum griseum](#) Bromley, 1927 ^{c g}
- [Microstylum gulosum](#) Loew, 1858 ^{c g}
- [Microstylum haemorrhoidale](#) Bigot, 1878 ^{c g}
- [Microstylum helenae](#) Bezzi, 1914 ^{c g}
- [Microstylum hermanni](#) Ricardo, 1925 ^{c g}
- [Microstylum hirtipes](#) Ricardo, 1925 ^{c g}
- [Microstylum hobbyi](#) Bromley, 1947 ^{c g}
- [Microstylum imbutum](#) (Walker, 1851) ^{c g}
- [Microstylum incomptum](#) (Walker, 1856) ^{c g}
- [Microstylum indutum](#) Rondani, 1875 ^{c g}
- [Microstylum insigne](#) Bromley, 1927 ^{c g}
- [Microstylum lacteipenne](#) (Wiedemann, 1828) ^{c g}
- [Microstylum lambertoni](#) Bromley, 1931 ^{c g}
- [Microstylum leucacanthum](#) Bezzi, 1908 ^{c g}
- [Microstylum libo](#) Walker, 1849 ^{c g}
- [Microstylum lituratum](#) Loew, 1863 ^{c g}
- [Microstylum luciferoides](#) Bromley, 1942 ^{c g}
- [Microstylum luciferum](#) Bromley, 1931 ^{c g}
- [Microstylum lugubre](#) (Wiedemann, 1828) ^{c g}
- [Microstylum magnum](#) Bromley, 1927 ^{c g}
- [Microstylum marudamalaiensis](#) Joseph & Parui, 1987 ^{c g}
- [Microstylum melanomystax](#) Enderlein, 1914 ^{c g}
- [Microstylum mexicanus](#) Martin, 1960 ^{c g}
- [Microstylum miles](#) Karsch, 1879 ^{c g}
- [Microstylum morosum](#) Loew, 1872 ^{i c g b}
- [Microstylum mydas](#) Engel, 1932 ^{c g}
- [Microstylum nigrescens](#) Ricardo, 1900 ^{c g}

- [Microstylum nigribarbatum](#) Bigot, 1878 ^{c g}
- [Microstylum nigricauda](#) (Wiedemann, 1824) ^{c g}
- [Microstylum nigricorne](#) Enderlein, 1914 ^{c g}
- [Microstylum nigricuada](#) (Wiedemann, 1824) ^{c g}
- [Microstylum nigrimystaceum](#) Ricardo, 1925 ^{c g}
- [Microstylum nigrinum](#) Enderlein, 1914 ^{c g}
- [Microstylum nigrisetosum](#) Efflatoun, 1937 ^{c g}
- [Microstylum nigritarse](#) Bromley, 1927 ^{c g}
- [Microstylum nigrostriatum](#) Hobby, 1933 ^{c g}
- [Microstylum nigrum](#) Bigot, 1859 ^{c g}
- [Microstylum nitidiventre](#) Bigot, 1878 ^{c g}
- [Microstylum oberthurii](#) Wulp, 1896 ^{c g}
- [Microstylum otacilius](#) (Walker, 1849) ^{c g}
- [Microstylum parcum](#) Karsch, 1888 ^{c g}
- [Microstylum partitum](#) (Walker, 1856) ^c
- [Microstylum pauliani](#) Timon-David, 1952 ^{c g}
- [Microstylum pica](#) Macquart, 1846 ^{c g}
- [Microstylum pollex](#) Oldroyd, 1970 ^{c g}
- [Microstylum polygnotus](#) (Walker, 1849) ^{c g}
- [Microstylum proclive](#) (Walker, 1860) ^{c g}
- [Microstylum proximum](#) Oldroyd, 1960 ^{c g}
- [Microstylum pseudoananthakrishnani](#) Joseph & Parui, 1989 ^{c g}
- [Microstylum pulchrum](#) Bromley, 1927 ^{c g}
- [Microstylum rabodae](#) Karsch, 1884 ^{c g}
- [Microstylum radamae](#) Karsch, 1884 ^{c g}
- [Microstylum remicorne](#) Loew, 1863 ^{c g}
- [Microstylum rhypae](#) (Walker, 1849) ^{c g}
- [Microstylum ricardoe](#) Oldroyd, 1970 ^{c g}
- [Microstylum rubigenis](#) Bromley, 1927 ^{c g}
- [Microstylum rubripes](#) Macquart, 1838 ^{c g}
- [Microstylum rufianale](#) (Macquart, 1850) ^{c g}
- [Microstylum rufinevrum](#) Macquart, 1855 ^{c g}
- [Microstylum rufoabdominalis](#) Brunetti, 1928 ^{c g}
- [Microstylum rufum](#) Ricardo, 1925 ^{c g}
- [Microstylum sagitta](#) Bigot, 1878 ^{c g}
- [Microstylum saverrio](#) (Walker, 1849) ^{c g}

- [Microstylum scython](#) (Walker, 1849) ^{c g}
- [Microstylum seguyi](#) Timon-David, 1952 ^{c g}
- [Microstylum sessile](#) Bezzi, 1908 ^{c g}
- [Microstylum simplicissimum](#) Loew, 1852 ^{c g}
- [Microstylum sordidum](#) Walker, 1854 ^{c g}
- [Microstylum spectrum](#) (Wiedemann, 1828) ^{c g}
- [Microstylum spinipes](#) Ricardo, 1925 ^{c g}
- [Microstylum spurinum](#) (Walker, 1849) ^{c g}
- [Microstylum strigatum](#) Enderlein, 1914 ^{c g}
- [Microstylum sumatranum](#) Enderlein, 1914 ^{c g}
- [Microstylum sura](#) (Walker, 1849) ^{c g}
- [Microstylum taeniatum](#) (Wiedemann, 1828) ^{c g}
- [Microstylum tananarivense](#) Bromley, 1931 ^{c g}
- [Microstylum testaceum](#) (Macquart, 1846) ^c
- [Microstylum trimelas](#) (Walker, 1851) ^{c g}
- [Microstylum umbrosum](#) Bromley, 1931 ^{c g}
- [Microstylum unicolor](#) Ricardo, 1925 ^{c g}
- [Microstylum ustulatum](#) Engel & Cuthbertson, 1938 ^{c g}
- [Microstylum validum](#) Loew, 1858 ^{c g}
- [Microstylum varipennatum](#) Bigot, 1878 ^{c g}
- [Microstylum varshneyi](#) Joseph & Parui, 1984 ^{c g}
- [Microstylum venosum](#) (Wiedemann, 1821) ^{c g}
- [Microstylum vespertilio](#) Engel, 1932 ^{c g}
- [Microstylum vestitum](#) Rondani, 1875 ^{c g}
- [Microstylum vica](#) (Walker, 1849) ^{c g}
- [Microstylum villosum](#) Bigot, 1878 ^{c g}
- [Microstylum vulcan](#) Bromley, 1928 ^{c g}
- [Microstylum whitei](#) Brunetti, 1928 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 195 species belong to the genus [Microplitis](#), braconid wasps.[1]

Microplitis species

- [Microplitis abrs](#) Austin & Dangerfield, 1993

- [*Microplitis adelaidensis*](#) Austin & Dangerfield, 1993
- [*Microplitis adisurae*](#) (Subba Rao & Sharma, 1960)
- [*Microplitis adrianguadamuzi*](#) Fernandez-Triana & Whitfield, 2015
- [*Microplitis aduncus*](#) (Ruthe, 1860)
- [*Microplitis ajmerensis*](#) Rao & Kurian, 1950
- [*Microplitis alajensis*](#) Telenga, 1955
- [*Microplitis alaskensis*](#) Ashmead, 1902
- [*Microplitis albipennis*](#) Abdinbekova, 1969
- [*Microplitis albotibialis*](#) Telenga, 1955
- [*Microplitis alexanderrojasi*](#) Fernandez-Triana & Whitfield, 2015
- [*Microplitis altissimus*](#) Fernandez-Triana, 2018
- [*Microplitis amplitergius*](#) Xu & He, 2002
- [*Microplitis aprilae*](#) Austin & Dangerfield, 1993
- [*Microplitis areyongensis*](#) Austin & Dangerfield, 1993
- [*Microplitis ariatus*](#) Papp, 1979
- [*Microplitis atamiensis*](#) Ashmead, 1906
- [*Microplitis autographae*](#) Muesebeck, 1922
- [*Microplitis bamagensis*](#) Austin & Dangerfield, 1993
- [*Microplitis basalis*](#) (Bingham, 1906)
- [*Microplitis basipallescens*](#) Song & Chen, 2008
- [*Microplitis beyarslani*](#) Inanç, 2002
- [*Microplitis bicoloratus*](#) Xu & He, 2003
- [*Microplitis blascoi*](#) Papp & Shaw, 2001
- [*Microplitis bomiensis*](#) Zhang, 2019
- [*Microplitis borealis*](#) Xu & He, 2000
- [*Microplitis bradleyi*](#) Muesebeck, 1922
- [*Microplitis brassicae*](#) Muesebeck, 1922
- [*Microplitis brevispina*](#) Song & Chen, 2008
- [*Microplitis capeki*](#) Nixon, 1970
- [*Microplitis carinatus*](#) Song & Chen, 2008
- [*Microplitis carinicornis*](#) (Cameron, 1905)
- [*Microplitis carteri*](#) Walley, 1932
- [*Microplitis cebes*](#) Nixon, 1970
- [*Microplitis ceratoniae*](#) Riley, 1881
- [*Microplitis chacoensis*](#) (Cameron, 1908)
- [*Microplitis changbaishanus*](#) Song & Chen, 2008
- [*Microplitis chivensis*](#) Telenga, 1955
- [*Microplitis choui*](#) Xu & He, 2000
- [*Microplitis chrysostigma*](#) Tobias, 1964
- [*Microplitis chui*](#) Xu & He, 2002
- [*Microplitis coactus*](#) (Lundbeck, 1896)
- [*Microplitis combinatus*](#) (Papp, 1984)

- [*Microplitis confusus*](#) Muesebeck, 1922
- [*Microplitis crassiantenna*](#) Song & Chen, 2008
- [*Microplitis crassifemoralis*](#) Alexeev, 1971
- [*Microplitis crenulatus*](#) (Provancher, 1888)
- [*Microplitis croceipes*](#) (Cresson, 1872)
- [*Microplitis cubitellanus*](#) Xu & He, 2000
- [*Microplitis daitojimensis*](#) Sonan, 1940
- [*Microplitis decens*](#) Tobias, 1964
- [*Microplitis decipiens*](#) Prell, 1925
- [*Microplitis demolitor*](#) Wilkinson, 1934
- [*Microplitis deprimator*](#) (Fabricius, 1798)
- [*Microplitis desertorum*](#) Telenga, 1955
- [*Microplitis desertus*](#) Alexeev, 1977
- [*Microplitis docilis*](#) Nixon, 1970
- [*Microplitis dornator*](#) (Papp, 1987)
- [*Microplitis eminius*](#) (Papp, 1987)
- [*Microplitis eremitus*](#) Reinhard, 1880
- [*Microplitis erythrogaster*](#) Abdinbekova, 1969
- [*Microplitis espinachi*](#) Walker, 2003
- [*Microplitis excisus*](#) Telenga, 1955
- [*Microplitis feltiae*](#) Muesebeck, 1922
- [*Microplitis figueresi*](#) Walker, 2003
- [*Microplitis flavipalpis*](#) (Brullé, 1832)
- [*Microplitis fordi*](#) Nixon, 1970
- [*Microplitis francopupulini*](#) Fernandez-Triana & Whitfield, 2015
- [*Microplitis fraudulentus*](#) (Papp, 1984)
- [*Microplitis fujianicus*](#) Song & Zhang, 2017
- [*Microplitis fulvicornis*](#) (Wesmael, 1837)
- [*Microplitis galinarius*](#) Kotenko, 2007
- [*Microplitis gerulus*](#) Papp, 1980
- [*Microplitis gidjus*](#) Austin & Dangerfield, 1993
- [*Microplitis glabrior*](#) Alexeev, 1971
- [*Microplitis gortynae*](#) Riley, 1881
- [*Microplitis goughi*](#) Austin & Dangerfield, 1993
- [*Microplitis hebertbakeri*](#) Fernandez-Triana & Whitfield, 2015
- [*Microplitis helicoverpae*](#) Xu & He, 2000
- [*Microplitis heterocerus*](#) (Ruthe, 1860)
- [*Microplitis hirtifacialis*](#) Song & You, 2008
- [*Microplitis hispalensis*](#) Marshall, 1898
- [*Microplitis hova*](#) Granger, 1949
- [*Microplitis hyalinipennis*](#) Alexeev, 1971
- [*Microplitis hyphantriae*](#) Ashmead, 1898

- [Microplitis idia](#) Nixon, 1970
- [Microplitis impressus](#) (Wesmael, 1837)
- [Microplitis improvisus](#) (Papp, 1984)
- [Microplitis incurvatus](#) Xu & He, 2002
- [Microplitis indicus](#) Marsh, 1978
- [Microplitis infula](#) (Kotenko, 1994)
- [Microplitis jamesi](#) Austin & Dangerfield, 1993
- [Microplitis jiangsuensis](#) Xu & He, 2000
- [Microplitis jorgehernandezi](#) Fernandez-Triana & Whitfield, 2015
- [Microplitis jorgeluisi](#) Fernandez-Triana, 2018
- [Microplitis juanmanueli](#) Fernandez-Triana, 2018
- [Microplitis julioalbertoi](#) Fernandez-Triana, 2018
- [Microplitis karakurti](#) Rossikov, 1904
- [Microplitis kaszabi](#) Papp, 1980
- [Microplitis kewleyi](#) Muesebeck, 1922
- [Microplitis kurandensis](#) Austin & Dangerfield, 1993
- [Microplitis lacteus](#) Austin & Dangerfield, 1993
- [Microplitis laticinctus](#) Muesebeck, 1922
- [Microplitis latistigmus](#) Muesebeck, 1922
- [Microplitis leoniae](#) Niezabitowski, 1910
- [Microplitis leucaniae](#) Xu & He, 2002
- [Microplitis lineatus](#) Austin & Dangerfield, 1993
- [Microplitis longicaudus](#) Muesebeck, 1922
- [Microplitis longiradiusis](#) Xu & He, 2003
- [Microplitis longwangshanus](#) Xu & He, 2000
- [Microplitis lugubris](#) (Ruthe, 1860)
- [Microplitis lugubroides](#) van Achterberg, 2006
- [Microplitis mahunkai](#) (Papp, 1979)
- [Microplitis malimba](#) (Papp, 1984)
- [Microplitis mamestrae](#) Weed, 1887
- [Microplitis mandibularis](#) (Thomson, 1895)
- [Microplitis manilae](#) Ashmead, 1904
- [Microplitis mariamargaritae](#) Fernandez-Triana, 2018
- [Microplitis marini](#) Whitfield, 2003
- [Microplitis marshallii](#) Kokujev, 1898
- [Microplitis masneri](#) Austin & Dangerfield, 1993
- [Microplitis matorus](#) Weed, 1888
- [Microplitis mediator](#) (Haliday, 1834)
- [Microplitis melianae](#) Viereck, 1911
- [Microplitis mencianus](#) Xu & He, 1999
- [Microplitis mexicanus](#) (Cameron, 1887)
- [Microplitis minutus](#) Alexeev, 1977

- [Microplitis moestus](#) (Ratzeburg, 1852)
- [Microplitis mongolicus](#) Papp, 1967
- [Microplitis montanus](#) Muesebeck, 1922
- [Microplitis murkyi](#) Gupta, 2013
- [Microplitis murrayi](#) Austin & Dangerfield, 1993
- [Microplitis naenia](#) Nixon, 1970
- [Microplitis narendrani](#) Ranjith & Nasser, 2015
- [Microplitis necopinatus](#) (Papp, 1984)
- [Microplitis newguineaensis](#) Austin & Dangerfield, 1993
- [Microplitis nielsenii](#) Austin & Dangerfield, 1993
- [Microplitis nigrifemur](#) Xu & He, 2006
- [Microplitis nigrinus](#) Muesebeck, 1922
- [Microplitis obscuripennatus](#) Xu & He, 1999
- [Microplitis ocellatae](#) (Bouché, 1834)
- [Microplitis ochraceus](#) Szépligeti, 1896
- [Microplitis paizhensis](#) Zhang, 2019
- [Microplitis pallidipennis](#) Tobias, 1964
- [Microplitis pallidipes](#) Szépligeti, 1902
- [Microplitis pellucidus](#) Telenga, 1955
- [Microplitis pennatulae](#) Ranjith & Nasser, 2015
- [Microplitis perelegans](#) (Bingham, 1906)
- [Microplitis pipus](#) Austin & Dangerfield, 1993
- [Microplitis plutellae](#) Muesebeck, 1922
- [Microplitis prodeniae](#) Rao & Kurian, 1950
- [Microplitis pseudomurinus](#) Abdinbekova, 1969
- [Microplitis pseudoochraceus](#) Alexeev, 1977
- [Microplitis quadridentatus](#) (Provancher, 1886)
- [Microplitis quintilis](#) Viereck, 1917
- [Microplitis ratzeburgii](#) (Ruthe, 1858)
- [Microplitis retentus](#) (Papp, 1984)
- [Microplitis rufipes](#) Dutu-Lacatusu, 1961
- [Microplitis rufiventris](#) Kokujev, 1914
- [Microplitis schmidtii](#) Austin & Dangerfield, 1993
- [Microplitis scrophulariae](#) Szépligeti, 1898
- [Microplitis scutellatus](#) Muesebeck, 1922
- [Microplitis semicircularis](#) (Ratzeburg, 1844)
- [Microplitis similis](#) Lyle, 1921
- [Microplitis sofron](#) Nixon, 1970
- [Microplitis sordipes](#) (Ziegler, 1834)
- [Microplitis spectabilis](#) (Haliday, 1834)
- [Microplitis spinolae](#) (Nees, 1834)
- [Microplitis spodopterae](#) Rao & Kurian, 1950

- [*Microplitis steinbergi*](#) Tobias, 1964
- [*Microplitis stigmaticus*](#) (Ratzeburg, 1844)
- [*Microplitis storeyi*](#) Austin & Dangerfield, 1993
- [*Microplitis strenuus*](#) Reinhard, 1880
- [*Microplitis suavis*](#) Alexeev, 1971
- [*Microplitis subsulcatus*](#) Granger, 1949
- [*Microplitis tadhicus*](#) Telenga, 1949
- [*Microplitis taptor*](#) (Papp, 1987)
- [*Microplitis tasmaniensis*](#) Austin & Dangerfield, 1993
- [*Microplitis taylori*](#) Austin & Dangerfield, 1993
- [*Microplitis teba*](#) (Kotenko, 1994)
- [*Microplitis testaceicornis*](#) Niezabitowski, 1910
- [*Microplitis tobiasi*](#) Kotenko, 2007
- [*Microplitis tristis*](#) (Nees, 1834)
- [*Microplitis tuberculatus*](#) (Bouché, 1834)
- [*Microplitis tuberculifer*](#) (Wesmael, 1837)
- [*Microplitis tunetensis*](#) Marshall, 1901
- [*Microplitis varicolor*](#) Viereck, 1917
- [*Microplitis varipes*](#) (Ruthe, 1860)
- [*Microplitis viduus*](#) (Ruthe, 1860)
- [*Microplitis vitobiasi*](#) Fernandez-Triana, 2019
- [*Microplitis xanthopus*](#) (Ruthe, 1860)
- [*Microplitis zhaoi*](#) Xu & He, 2000
- † [*Microplitis elegans*](#) Timon-David, 1944
- † [*Microplitis primordialis*](#) (Brues, 1906)
- † [*Microplitis vesperus*](#) Brues, 1910

These 104 species belong to the genus [*Microgaster*](#), braconid wasps.[\[1\]](#)

***Microgaster* species**

- [*Microgaster acilius*](#) Nixon, 1968
- [*Microgaster albomarginata*](#) Fahringer, 1935
- [*Microgaster alebion*](#) Nixon, 1968
- [*Microgaster archboldensis*](#) Fernandez-Triana, 2018
- [*Microgaster arctostaphylica*](#) Shaw, 2012
- [*Microgaster areolaris*](#) Thomson, 1895
- [*Microgaster asramenes*](#) Nixon, 1968
- [*Microgaster atropa*](#) de Saeger, 1944
- [*Microgaster auriculata*](#) (Fabricius, 1804)

- [*Microgaster australis*](#) Thomson, 1895
- [*Microgaster balearica*](#) Marshall, 1898
- [*Microgaster biaca*](#) Xu & He, 1998
- [*Microgaster breviterebrae*](#) Xu & He, 2003
- [*Microgaster brittoni*](#) Viereck, 1917
- [*Microgaster campestris*](#) Tobias, 1964
- [*Microgaster canadensis*](#) Muesebeck, 1922
- [*Microgaster caris*](#) Nixon, 1968
- [*Microgaster chrysosternis*](#) (Tobias, 1986)
- [*Microgaster congregatiformis*](#) Viereck, 1917
- [*Microgaster consors*](#) Nixon, 1968
- [*Microgaster crassicornis*](#) Ruthe, 1860
- [*Microgaster debilitata*](#) Papp, 1976
- [*Microgaster deceptor*](#) Nixon, 1968
- [*Microgaster deductor*](#) Nixon, 1968
- [*Microgaster discoidus*](#) Xu & He, 2000
- [*Microgaster ductilis*](#) Nixon, 1968
- [*Microgaster dudichi*](#) Papp, 1961
- [*Microgaster elegans*](#) Herrich-Schäffer, 1838
- [*Microgaster epagoges*](#) Gahan, 1917
- [*Microgaster erro*](#) Nixon, 1968
- [*Microgaster eupolis*](#) Nixon, 1968
- [*Microgaster famula*](#) Nixon, 1968
- [*Microgaster femoralamericana*](#) Shenefelt, 1973
- [*Microgaster ferruginea*](#) Xu & He, 2000
- [*Microgaster filizinancae*](#) Koçak & Kemal, 2013
- [*Microgaster fischeri*](#) Papp, 1960
- [*Microgaster flaviventris*](#) Xu & He, 2002
- [*Microgaster fulvicrus*](#) Thomson, 1895
- [*Microgaster fusca*](#) Papp, 1959
- [*Microgaster gelechiaae*](#) Riley, 1869
- [*Microgaster glabritergites*](#) Xu & He, 2000
- [*Microgaster godzilla*](#) Fernandez-Triana & Kamino, 2020
- [*Microgaster gregaria*](#) (Schränk, 1781)
- [*Microgaster harnedi*](#) Muesebeck, 1922
- [*Microgaster himalayensis*](#) Cameron, 1910
- [*Microgaster hospes*](#) Marshall, 1885
- [*Microgaster hungarica*](#) Szépligeti, 1896
- [*Microgaster hyalina*](#) Cresson, 1865
- [*Microgaster intercus*](#) (Schränk, 1781)
- [*Microgaster kuchingensis*](#) Wilkinson, 1927
- [*Microgaster latitergum*](#) Song & Chen, 2004

- [*Microgaster leechi*](#) Walley, 1935
- [*Microgaster longicalcar*](#) Xu & He, 2003
- [*Microgaster longicaudata*](#) Xu & He, 2000
- [*Microgaster longiterebra*](#) Xu & He, 2000
- [*Microgaster luctuosa*](#) Haliday, 1834
- [*Microgaster magnifica*](#) Wilkinson, 1929
- [*Microgaster memorata*](#) Papp, 1971
- [*Microgaster meridiana*](#) Haliday, 1834
- [*Microgaster messoria*](#) Haliday, 1834
- [*Microgaster nerione*](#) Nixon, 1968
- [*Microgaster nigricans*](#) Nees, 1834
- [*Microgaster nitidula*](#) Wesmael, 1837
- [*Microgaster nixalebion*](#) Shaw, 2004
- [*Microgaster nixonii*](#) Austin & Dangerfield, 1992
- [*Microgaster nobilis*](#) Reinhard, 1880
- [*Microgaster novicia*](#) Marshall, 1885
- [*Microgaster noxia*](#) Papp, 1976
- [*Microgaster obscuripennata*](#) You & Xia, 1992
- [*Microgaster opheltes*](#) Nixon, 1968
- [*Microgaster ostrinae*](#) Xu & He, 2000
- [*Microgaster pantographae*](#) Muesebeck, 1922
- [*Microgaster parvistriga*](#) Thomson, 1895
- [*Microgaster peroneae*](#) Walley, 1935
- [*Microgaster phthorimaeae*](#) Muesebeck, 1922
- [*Microgaster planiabdominalis*](#) You, 2002
- [*Microgaster polita*](#) Marshall, 1885
- [*Microgaster postica*](#) Nees, 1834
- [*Microgaster procera*](#) Ruthe, 1860
- [*Microgaster pseudotibialis*](#) Fahringer, 1937
- [*Microgaster punctithorax*](#) Xu & He, 2000
- [*Microgaster raschkiellae*](#) Shaw, 2012
- [*Microgaster rava*](#) You & Zhou, 1996
- [*Microgaster reticulata*](#) Shestakov, 1940
- [*Microgaster rubricollis*](#) Spinola, 1851
- [*Microgaster rufipes*](#) Nees, 1834
- [*Microgaster ruralis*](#) Xu & He, 1998
- [*Microgaster scopelosomae*](#) Muesebeck, 1926
- [*Microgaster shennongjiaensis*](#) Xu & He, 2001
- [*Microgaster stictica*](#) Ruthe, 1858
- [*Microgaster subcompleta*](#) Nees, 1834
- [*Microgaster subtilipunctata*](#) Papp, 1959
- [*Microgaster syntopic*](#) Fernandez-Triana, 2018

- [*Microgaster szelenyii*](#) Papp, 1974
- [*Microgaster taishana*](#) Xu, He & Chen, 1998
- [*Microgaster tianmushana*](#) Xu & He, 2001
- [*Microgaster tjibodas*](#) Wilkinson, 1927
- [*Microgaster tortricis*](#) (Schrank, 1781)
- [*Microgaster tremenda*](#) Papp, 1971
- [*Microgaster uliginosa*](#) Thomson, 1895
- [*Microgaster utibilis*](#) Papp, 1976
- [*Microgaster varicornis*](#) Rondani, 1872
- [*Microgaster yichunensis*](#) Xu & Chen, 2002
- [*Microgaster yunnanensis*](#) Xu & He, 1999
- [*Microgaster zhaoi*](#) Xu & He, 1997

References

1.

1. Fernandez-Triana, Jose; Shaw, Mark R.; Boudreault, Caroline; Beaudin, Melanie; et al. (2020). "[Annotated and illustrated world checklist of Microgastrinae parasitoid wasps \(Hymenoptera, Braconidae\)](#)". *ZooKeys* (920): 1–1089. *Bibcode*:2020ZooK..920....1F. *doi*:10.3897/zookeys.920.39128. *PMC* 7197271. *PMID* 32390740.

Categories:

- [Microgastrinae](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 110 species in [Microtenochira](#), a genus of tortoise beetles in the family [Chrysomelidae](#).
[\[1\]\[2\]\[3\]\[4\]](#)

Microtenochira species

- [Microtenochira aberrata](#) (Weise, 1904)^{i c g}
- [Microtenochira achardi](#) (Spaeth, 1926)^{i c}
- [Microtenochira aciculata](#) (Boheman, 1855)^{i c g}
- [Microtenochira annulata](#) (Spaeth, 1926)^{i c}
- [Microtenochira anxia](#) (Boheman, 1855)^{i c g}

- [Microtenochira arcana](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira aspersa](#) (Champion, 1894) ^{i c g}
- [Microtenochira belizensis](#) Borowiec, 2007 ^{i c g}
- [Microtenochira bifenestrata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira bilobata](#) (Boheman, 1855) ^{i c}
- [Microtenochira biolleyi](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira bipellucida](#) (Boheman, 1855) ^{i c g}
- [Microtenochira bogotana](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira bonvouloiri](#) (Boheman, 1855) ^{i c g b}
- [Microtenochira brasiliensis](#) Swietojanska and Borowiec, 1999 ^{i c g}
- [Microtenochira championi](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira chapada](#) Swietojanska and Borowiec, 1995 ^{i c g}
- [Microtenochira chryseis](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira circinaria](#) (Erichson, 1847) ^{i c g}
- [Microtenochira circumcincta](#) (Boheman, 1855) ^{i c g}
- [Microtenochira conscripta](#) (Boheman, 1855) ^{i c g}
- [Microtenochira coronata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira costaricensis](#) (Spaeth, 1909) ^{i c g}
- [Microtenochira cruxflava](#) (Champion, 1894) ^{i c g}
- [Microtenochira cumulata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira danielssoni](#) Borowiec, 1995 ^{i c g}
- [Microtenochira decora](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira diabolica](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira difficilis](#) (Boheman, 1855) ^{i c g}
- [Microtenochira diffinis](#) (Boheman, 1855) ^{i c g}
- [Microtenochira diophthalma](#) (Champion, 1894) ^{i c g}
- [Microtenochira discrepans](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira discreta](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira dissimilis](#) (Boheman, 1855) ^{i c g}
- [Microtenochira dissoluta](#) (Spaeth, 1901) ^{i c g}
- [Microtenochira divulsa](#) (Boheman, 1855) ^{i c g}
- [Microtenochira excelsa](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira excurrens](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira fairmairei](#) (Boheman, 1855) ^{i c g}
- [Microtenochira ferranti](#) (Spaeth, 1926) ^{i c}
- [Microtenochira flavonotata](#) (Boheman, 1855) ^{i c}

- [Microtenochira fraterna](#) (Boheman, 1855) ^{i c g}
- [Microtenochira freyi](#) (Boheman, 1862) ^{i c g}
- [Microtenochira gagatina](#) (Spaeth, 1902) ^{i c g}
- [Microtenochira gemina](#) (Boheman, 1855) ^{i c g}
- [Microtenochira gemonia](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira gnata](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira guttula](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira hectica](#) (Boheman, 1855) ^{i c g}
- [Microtenochira hieroglyphica](#) (Boheman, 1855) ^{i c g}
- [Microtenochira hypocrita](#) (Boheman, 1855) ^{i c g}
- [Microtenochira impolluta](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira infantula](#) (Boheman, 1862) ^{i c g}
- [Microtenochira insuperata](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira jousselini](#) (Boheman, 1855) ^{i c g}
- [Microtenochira libidinosa](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira lindigi](#) (Kirsch, 1865) ^{i c g}
- [Microtenochira liquidata](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira lugubris](#) (Boheman, 1862) ^{i c g}
- [Microtenochira mapiriensis](#) Borowiec, 2002 ^{i c g}
- [Microtenochira marginata](#) (Spaeth, 1909) ^{i c g}
- [Microtenochira media](#) (Boheman, 1855) ^{i c g}
- [Microtenochira melanota](#) (Boheman, 1855) ^{i c g}
- [Microtenochira minax](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira mucuryensis](#) (Spaeth, 1932) ^{i c g}
- [Microtenochira mystica](#) (Boheman, 1855) ^{i c g}
- [Microtenochira napaea](#) (Boheman, 1862) ^{i c g}
- [Microtenochira nigrocincta](#) (Wagener, 1877) ^{i c g}
- [Microtenochira nigroplagiata](#) (Spaeth, 1932) ^{i c g}
- [Microtenochira obscurata](#) Swietojanska and Borowiec, 1999 ^{i c g}
- [Microtenochira optata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira ornatocollis](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira palmata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira panamensis](#) Swietojanska and Borowiec, 1999 ^{i c g}
- [Microtenochira papulosa](#) (Boheman, 1855) ^{i c g}
- [Microtenochira patruelis](#) (Boheman, 1855) ^{i c g}
- [Microtenochira peltata](#) (Boheman, 1855) ^{i c g}

- [Microtenochira plagifera](#) (Boheman, 1855) ^{i c g}
- [Microtenochira plebeja](#) (Boheman, 1855) ^{i c g}
- [Microtenochira plicata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira porosa](#) (Boheman, 1855) ^{i c g}
- [Microtenochira pumicosa](#) (Boheman, 1862) ^{i c g}
- [Microtenochira punicea](#) (Boheman, 1855) ^{i c g}
- [Microtenochira quadrata](#) (De Geer, 1775) ^{i c g}
- [Microtenochira reticularis](#) (De Geer, 1775) ^{i c g}
- [Microtenochira rubrocincta](#) (Boheman, 1855) ^{i c}
- [Microtenochira sagulata](#) (Boheman, 1862) ^{i c g}
- [Microtenochira salebrata](#) (Boheman, 1862) ^{i c g}
- [Microtenochira sanguinidorsis](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira scabra](#) (Boheman, 1855) ^{i c g}
- [Microtenochira scopus](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira semifasciata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira semilobata](#) (Wagener, 1877) ^{i c g}
- [Microtenochira semilunaris](#) (Boheman, 1862) ^{i c g}
- [Microtenochira sepulchralis](#) (Boheman, 1855) ^{i c g}
- [Microtenochira sertata](#) (Erichson, 1847) ^{i c g}
- [Microtenochira servula](#) (Boheman, 1855) ^{i c g}
- [Microtenochira severa](#) (Boheman, 1855) ^{i c g}
- [Microtenochira signaticollis](#) (Boheman, 1855) ^{i c g}
- [Microtenochira similata](#) (Boheman, 1855) ^{i c g}
- [Microtenochira soleifera](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira stali](#) (Boheman, 1862) ^{i c g}
- [Microtenochira stigmatica](#) (Boheman, 1855) ^{i c g}
- [Microtenochira tabida](#) (Boheman, 1855) ^{i c g}
- [Microtenochira trepida](#) (Boheman, 1855) ^{i c g}
- [Microtenochira triplagiata](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira varicornis](#) (Spaeth, 1926) ^{i c g}
- [Microtenochira villica](#) (Boheman, 1855) ^{i c g}
- [Microtenochira vivida](#) (Boheman, 1855) ^{i c g}
- [Microtenochira waterhousei](#) (Boheman, 1855) ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 122 species in the genus [Metamasius](#), bromeliad weevils. [\[1\]\[2\]\[3\]\[4\]](#)

Metamasius species

- [Metamasius alterans](#) Hustache, 1936 ^c
- [Metamasius alveolus](#) Vaurie, 1968 ^c
- [Metamasius ambiguus](#) Csiki, E., 1936 ^c
- [Metamasius amplicolis](#) Hustache, 1936 ^c
- [Metamasius annulatus](#) Vaurie, 1967 ^c
- [Metamasius applicatus](#) Hustache, 1938 ^c
- [Metamasius atwoodi](#) Anderson, 2002 ^{i g}
- [Metamasius aurocinctus](#) Vaurie, 1967 ^c
- [Metamasius barbatulus](#) Vaurie, 1968 ^c
- [Metamasius basilaris](#) Vaurie, 1967 ^c
- [Metamasius bellorum](#) Anderson, 2002 ^{i g}
- [Metamasius benoisti](#) Hustache, 1936 ^c
- [Metamasius bigeminatus](#) Champion, 1910 ^c
- [Metamasius biguttatus](#) Champion, 1910 ^c
- [Metamasius bilobus](#) Hustache, 1936 ^c
- [Metamasius bisignatus](#) Hustache, 1932 ^c
- [Metamasius bolivari](#) Vaurie, 1967 ^c
- [Metamasius brevinasus](#) Hustache, 1936 ^c
- [Metamasius bromeliadicola](#) Champion, 1913 ^c
- [Metamasius bruneri](#) Buchanan, 1942 ^c
- [Metamasius burcheri](#) Anderson, 2002 ^{i g}
- [Metamasius callizona](#) Champion, G.C., 1910 ^{c b} (Mexican bromeliad weevil)
- [Metamasius carbonarius](#) Champion, G.C., 1910 ^c
- [Metamasius carinipyga](#) Vaurie, 1967 ^c
- [Metamasius cerasinus](#) Vaurie, 1967 ^c
- [Metamasius ciliatus](#) Vaurie, 1967 ^c
- [Metamasius cincinnatus](#) Champion, 1910 ^c
- [Metamasius cinnamomeus](#) Gemminger, M. & Harold, E. von q., 1871 ^c
- [Metamasius cinnamominus](#) Champion, G.C., 1910 ^c
- [Metamasius circumdatus](#) Vaurie, 1967 ^c
- [Metamasius circumjectus](#) Vaurie, 1967 ^c
- [Metamasius condylus](#) Vaurie, 1967 ^c

- [Metamasius conicicollis](#) Hustache, 1936 ^c
- [Metamasius connexus](#) Champion, 1910 ^c
- [Metamasius consimilis](#) Voss, 1954 ^c
- [Metamasius consularis](#) Günther, 1941 ^c
- [Metamasius crinitus](#) Vaurie, 1971 ^c
- [Metamasius crustosus](#) Vaurie, 1967 ^c
- [Metamasius dasyncnemis](#) Günther, 1936 ^c
- [Metamasius dasyurus](#) Champion, 1910 ^c
- [Metamasius decoratus](#) Csiki, E., 1936 ^c
- [Metamasius dentirostris](#) Hustache, 1936 ^c
- [Metamasius difficilis](#) Günther, 1941 ^c
- [Metamasius dimidiatipennis](#) Champion, G.C., 1910 ^c
- [Metamasius dimidiatus](#) Csiki, E., 1936 ^c
- [Metamasius dispar](#) Gyllenhal, L. in Schönherr, C.J., 1838 ^c
- [Metamasius distorta](#) Günther, 1941 ^c
- [Metamasius duplocinctus](#) Vaurie, 1967 ^c
- [Metamasius elegantulus](#) Hustache, 1936 ^c
- [Metamasius ensirostris](#) Champion, G.C., 1910 ^c
- [Metamasius fasciatus](#) Champion, G.C., 1910 ^c
- [Metamasius foveolatus](#) Vaurie, 1967 ^c
- [Metamasius fractelineatus](#) Hustache, 1936 ^c
- [Metamasius gallettae](#) Anderson, 2002 ^{i g}
- [Metamasius graphipterus](#) Vaurie, 1967 ^c
- [Metamasius guentheri](#) Vaurie, 1967 ^c
- [Metamasius hebetatus](#) Champion, 1910 ^c
- [Metamasius hemipterus](#) Champion, G.C., 1910 ^{c b} (silky cane weevil)
- [Metamasius hooveri](#) Anderson, 2002 ^{i g}
- [Metamasius hoppi](#) Voss, 1954 ^c
- [Metamasius illusionis](#) Vaurie, 1968 ^c
- [Metamasius imitator](#) Vaurie, 1967 ^c
- [Metamasius incisus](#) Vaurie, 1967 ^c
- [Metamasius inscriptus](#) Csiki, E., 1936 ^c
- [Metamasius laticrus](#) Vaurie, 1967 ^c
- [Metamasius leopardinus](#) Anderson, 2002 ^{i g}
- [Metamasius limulus](#) Vaurie, 1967 ^c
- [Metamasius lyratus](#) Günther, 1941 ^c

- [Metamasius maculiventris](#) Champion, 1910 ^c
- [Metamasius melancholicus](#) Champion, G.C., 1910 ^c
- [Metamasius mesomelas](#) Vaurie, 1967 ^c
- [Metamasius monilis](#) Vaurie, 1967 ^c
- [Metamasius mosieri](#) Barber, 1920 ^{i c b}
- [Metamasius murdiei](#) Anderson, 2002 ^{i g}
- [Metamasius nigerrimus](#) Csiki, E., 1936 ^c
- [Metamasius nigromaculatus](#) Voss, 1954 ^c
- [Metamasius nudiventris](#) Champion, 1910 ^c
- [Metamasius obsoletus](#) Champion, G.C., 1936 ^c
- [Metamasius ochreofasciatus](#) Champion, 1910 ^c
- [Metamasius octonotatus](#) Champion, 1910 ^c
- [Metamasius ornatus](#) Vaurie, 1967 ^c
- [Metamasius pallisteri](#) Vaurie, 1967 ^c
- [Metamasius personatus](#) Vaurie, 1967 ^c
- [Metamasius peruanus](#) Hustache, 1936 ^c
- [Metamasius planatus](#) Anderson, 2013 ^{c g}
- [Metamasius polygrammus](#) Champion, G.C., 1910 ^c
- [Metamasius pruinus](#) Vaurie, 1967 ^c
- [Metamasius puncticeps](#) Hustache, 1936 ^c
- [Metamasius purpurascens](#) (Panzer, G.W.F., 1798) ^{c g}
- [Metamasius pygidialis](#) Günther, 1935 ^c
- [Metamasius quadrilineatus](#) Champion, 1910 ^c
- [Metamasius quadrisignatus](#) Csiki, E., 1936 ^c
- [Metamasius rectistriatus](#) Vaurie, 1967 ^c
- [Metamasius richdeboeri](#) Anderson, 2002 ^{i g}
- [Metamasius rimoratus](#) Csiki, E., 1936 ^c
- [Metamasius ritchiei](#) Marshall, 1916 ^c
- [Metamasius rubetra](#) (Olivier, 1790) ^g
- [Metamasius rufofasciatus](#) Csiki, E., 1936 ^c
- [Metamasius sacchari](#) Csiki, E., 1936 ^c
- [Metamasius saecularis](#) Janczyk, 1976 ^c
- [Metamasius scutatus](#) Champion, 1910 ^c
- [Metamasius scutellatus](#) Hustache, 1936 ^c
- [Metamasius scutiger](#) Champion, 1910 ^c
- [Metamasius sellatus](#) Champion, 1910 ^c

- [*Metamasius semirubripes*](#) Hustache, 1936 ^c
- [*Metamasius sericeus*](#) Kuschel, 1956 ^c
- [*Metamasius shchepaneki*](#) Anderson, 2002 ^{i g}
- [*Metamasius signiventris*](#) Kirsch, T., 1888-89 ^c
- [*Metamasius sinuatus*](#) Vaurie, 1967 ^c
- [*Metamasius spinolae*](#) (Gyllenhal, 1838) ⁱ
- [*Metamasius spurius*](#) Vaurie, 1967 ^c
- [*Metamasius submaculatus*](#) Champion, G.C., 1910 ^c
- [*Metamasius sulcirostris*](#) Champion, 1910 ^c
- [*Metamasius tectus*](#) Vaurie, 1967 ^c
- [*Metamasius touroulti*](#) Rheinheimer, 2015 ^g
- [*Metamasius tuberculipectus*](#) Hustache, 1936 ^c
- [*Metamasius variegatus*](#) Csiki, E., 1936 ^c
- [*Metamasius vaurieae*](#) Anderson, 2002 ^{i g}
- [*Metamasius vicarius*](#) Vaurie, 1967 ^c
- [*Metamasius vicinus*](#) Hustache, 1936 ^c
- [*Metamasius wolfensohni*](#) Anderson, 2002 ^{i g}
- [*Metamasius yunquensis*](#) Vaurie, 1967 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

This is a list of 161 species in [*Mesoleius*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#). [1] [2] [3]

Mesoleius species

- [*Mesoleius abbreviatus*](#) Brischke, 1871 ^{c g}
- [*Mesoleius abdominalis*](#) Brischke, 1871 ^{c g}
- [*Mesoleius aceris*](#) Kasparyan & Shaw, 2003 ^{c g}
- [*Mesoleius admirabilis*](#) Kasparyan, 2000 ^{c g}
- [*Mesoleius affinis*](#) Brischke, 1892 ^{c g}
- [*Mesoleius agilis*](#) Brischke, 1871 ^{c g}
- [*Mesoleius albopictus*](#) Brischke, 1892 ^{c g}
- [*Mesoleius albotibialis*](#) Strobl, 1903 ^{c g}

- [Mesoleius alekhinoi](#) Kasparyan, 2000 ^{c g}
- [Mesoleius altalpinus](#) Bauer, 1985 ^{c g}
- [Mesoleius altissimus](#) Bauer, 1985 ^{c g}
- [Mesoleius analis](#) Brischke, 1878 ^{c g}
- [Mesoleius annulatus](#) Brischke, 1871 ^c
- [Mesoleius ardonator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius arduus](#) Kasparyan, 2000 ^{c g}
- [Mesoleius armillatorius](#) (Gravenhorst, 1807) ^{c g}
- [Mesoleius articularis](#) Davis, 1897 ^{c g}
- [Mesoleius assiduus](#) Holmgren, 1876 ^{c g}
- [Mesoleius ater](#) Kasparyan, 2001 ^{c g}
- [Mesoleius atratus](#) Kasparyan, 2000 ^{c g}
- [Mesoleius audax](#) Davis, 1897 ^{c g}
- [Mesoleius aulicus](#) (Gravenhorst, 1829) ^{c g}
- [Mesoleius axillaris](#) (Stephens, 1835) ^{c g}
- [Mesoleius balearicus](#) (Kriechbaumer, 1894) ^{c g}
- [Mesoleius bipunctatus](#) Brischke, 1871 ^{c g}
- [Mesoleius bisignatus](#) Costa, 1888 ^{c g}
- [Mesoleius brachyacanthus](#) Parfitt, 1881 ^{c g}
- [Mesoleius breviformis](#) Teunissen, 1945 ^{c g}
- [Mesoleius brevipalpis](#) Thomson, 1894 ^{c g}
- [Mesoleius brevis](#) Brischke, 1871 ^{c g}
- [Mesoleius caninae](#) Bridgman, 1886 ^{c g}
- [Mesoleius castaneus](#) Habermehl, 1925 ^c
- [Mesoleius chicoutimiensis](#) Provancher, 1888 ^{c g}
- [Mesoleius cingulatus](#) Brischke, 1871 ^{c g}
- [Mesoleius clypearis](#) Brischke, 1878 ^{c g}
- [Mesoleius clypeator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius cognatus](#) Brischke, 1871 ^{c g}
- [Mesoleius comeaui](#) Townes, 1945 ^{c g}
- [Mesoleius conformus](#) Davis, 1897 ^{c g}
- [Mesoleius contractus](#) Holmgren, 1857 ^{c g}
- [Mesoleius coriaceus](#) Holmgren, 1857 ^{c g}
- [Mesoleius cressoni](#) (Davis, 1897) ^{c g}
- [Mesoleius dubitator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius dubius](#) Holmgren, 1857 ^{c g}

- [Mesoleius dudinka](#) Kasparyan, 2001 ^{c g}
- [Mesoleius dumeticola](#) Teunissen, 1945 ^{c g}
- [Mesoleius efferus](#) Holmgren, 1876 ^{c g}
- [Mesoleius ephippium](#) Tschek, 1869 ^{c g}
- [Mesoleius euphrosyne](#) Teunissen, 1953 ^{c g}
- [Mesoleius excavatus](#) (Provancher, 1875) ^c
- [Mesoleius exsculptus](#) Brischke, 1871 ^{c g}
- [Mesoleius facialis](#) Brischke, 1878 ^{c g}
- [Mesoleius faciator](#) Kasparyan, 2001 ^{c g}
- [Mesoleius filicornis](#) Holmgren, 1876 ^{c g}
- [Mesoleius flavipes](#) Brischke, 1871 ^{c g}
- [Mesoleius flavoguttatus](#) (Gravenhorst, 1829) ^c
- [Mesoleius flavopictus](#) (Gravenhorst, 1829) ^g
- [Mesoleius frenalis](#) Thomson, 1894 ^{c g}
- [Mesoleius frigidor](#) Kasparyan, 2001 ^{c g}
- [Mesoleius frigidus](#) Holmgren, 1857 ^c
- [Mesoleius frontatus](#) Thomson, 1894 ^{c g}
- [Mesoleius fulvator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius furax](#) Holmgren, 1857 ^g
- [Mesoleius fuscipes](#) Holmgren, 1857 ^{c g}
- [Mesoleius fuscotrochanteratus](#) Strobl, 1903 ^{c g}
- [Mesoleius gelidor](#) Kasparyan, 2000 ^{c g}
- [Mesoleius geniculatus](#) Holmgren, 1857 ^{c g}
- [Mesoleius granulatus](#) Kasparyan, 2000 ^{c g}
- [Mesoleius groenlandicus](#) Roman, 1930 ^{c g}
- [Mesoleius grossulariae](#) (Ratzeburg, 1852) ^{c g}
- [Mesoleius hamulator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius hirtus](#) Rudow, 1882 ^{c g}
- [Mesoleius hypoleucus](#) Teunissen, 1945 ^{c g}
- [Mesoleius implicator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius incisus](#) Thomson, 1894 ^{c g}
- [Mesoleius infuscator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius insidiosus](#) (Cresson, 1868) ^{c g}
- [Mesoleius insularis](#) Roman, 1924 ^{c g}
- [Mesoleius integrator](#) (Müller, 1776) ^{c g}
- [Mesoleius intermedius](#) (Gravenhorst, 1829) ^{c g}

- [Mesoleius irkutensis](#) Kasparyan, 2000 ^{c g}
- [Mesoleius juvenilis](#) Holmgren, 1857 ^{c g}
- [Mesoleius khasura](#) Kasparyan, 2000 ^{c g}
- [Mesoleius kiruna](#) Kasparyan, 2000 ^{c g}
- [Mesoleius kola](#) Kasparyan, 2000 ^{c g}
- [Mesoleius lapponator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius laricis](#) Teunissen, 1953 ^{c g}
- [Mesoleius latipes](#) Brischke, 1871 ^{c g}
- [Mesoleius lautaretor](#) Kasparyan, 2000 ^{c g}
- [Mesoleius leucomelas](#) Habermehl, 1903 ^{c g}
- [Mesoleius lindemansi](#) Teunissen, 1953 ^{c g}
- [Mesoleius londoko](#) Kasparyan, 2000 ^{c g}
- [Mesoleius lunaris](#) Brischke, 1871 ^{c g}
- [Mesoleius maculator](#) Kasparyan, 2001 ^{c g}
- [Mesoleius maculatus](#) Brischke, 1871 ^{c g}
- [Mesoleius melanius](#) Roman, 1909 ^{c g}
- [Mesoleius melanoleucus](#) (Gravenhorst, 1829) ^{c g}
- [Mesoleius melanurus](#) Constantineanu, 1973 ^{c g}
- [Mesoleius mica](#) Kasparyan, 2001 ^{c g}
- [Mesoleius minor](#) (Ashmead, 1902) ^{c g}
- [Mesoleius mollator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius montegratus](#) Bauer, 1985 ^{c g}
- [Mesoleius nigrans](#) Kasparyan, 2001 ^{c g}
- [Mesoleius nigromica](#) Kasparyan, 2001 ^{c g}
- [Mesoleius nigropalpis](#) Brischke, 1871 ^{c g}
- [Mesoleius nimis](#) Heinrich, 1950 ^{c g}
- [Mesoleius nivalis](#) Holmgren, 1857 ^{c g}
- [Mesoleius notator](#) Kasparyan, 2001 ^{c g}
- [Mesoleius obliquus](#) Thomson, 1894 ^{c g}
- [Mesoleius obtusator](#) Kasparyan, 2001 ^{c g}
- [Mesoleius omolon](#) Kasparyan, 2001 ^{c g}
- [Mesoleius opticus](#) (Gravenhorst, 1829) ^{c g}
- [Mesoleius palmeni](#) Woldstedt, 1874 ^{c g}
- [Mesoleius parumpictus](#) Roman, 1909 ^g
- [Mesoleius parvus](#) Holmgren, 1857 ^{c g}
- [Mesoleius perbellus](#) Teunissen, 1945 ^{c g}

- [Mesoleius peronatus](#) (Marshall, 1876) ^{c g}
- [Mesoleius pertaesor](#) Kasparyan, 2001 ^{c g}
- [Mesoleius pertinax](#) Davis, 1897 ^{c g}
- [Mesoleius phyllotomae](#) Cushman, 1933 ^{c g}
- [Mesoleius picticoxa](#) Thomson, 1894 ^{c g}
- [Mesoleius pictus](#) Brischke, 1871 ^{c g}
- [Mesoleius placidus](#) Holmgren, 1857 ^{c g}
- [Mesoleius pulchranotus](#) Davis, 1897 ^{c g}
- [Mesoleius pusio](#) Holmgren, 1857 ^{c g}
- [Mesoleius pyriformis](#) (Ratzeburg, 1852) ^c
- [Mesoleius robustus](#) (Provancher, 1883) ^{c g}
- [Mesoleius roepkei](#) Teunissen, 1945 ^{c g}
- [Mesoleius rufopectus](#) (Provancher, 1888) ^c
- [Mesoleius rugipleuris](#) Heinrich, 1952 ^{c g}
- [Mesoleius saami](#) Kasparyan, 2001 ^{c g}
- [Mesoleius scutellaris](#) Rudow, 1886 ^{c g}
- [Mesoleius seida](#) Kasparyan, 2000 ^{c g}
- [Mesoleius sobicola](#) Kasparyan, 2001 ^{c g}
- [Mesoleius spoliatus](#) Teunissen, 1945 ^{c g}
- [Mesoleius stejnegeri](#) Ashmead, 1899 ^{c g}
- [Mesoleius stenostigma](#) Thomson, 1894 ^{c g}
- [Mesoleius strobli](#) Habermehl, 1925 ^{c g}
- [Mesoleius styriacus](#) Heinrich, 1953 ^{c g}
- [Mesoleius subcoriaceus](#) Strobl, 1903 ^{c g}
- [Mesoleius submarginatus](#) (Cresson, 1864) ^{c g}
- [Mesoleius subroseus](#) Thomson, 1888 ^{c g}
- [Mesoleius tarsalis](#) (Cresson, 1868) ^c
- [Mesoleius tasarensis](#) Kasparyan, 2001 ^{c g}
- [Mesoleius tegulator](#) Kasparyan, 2001 ^{c g}
- [Mesoleius tenthredinis](#) Morley, 1912 ^{c g b}
- [Mesoleius terpeji](#) Kasparyan, 2001 ^{c g}
- [Mesoleius thuringiacus](#) Habermehl, 1925 ^{c g}
- [Mesoleius tibialis](#) Holmgren, 1857 ^{c g}
- [Mesoleius tibiator](#) Kasparyan, 2000 ^{c g}
- [Mesoleius tinctor](#) Kasparyan, 2001 ^{c g}
- [Mesoleius titarensis](#) Kasparyan, 2001 ^{c g}

- [Mesoleius tixi](#) Kasparyan, 2001 ^{c g}
- [Mesoleius tolmachevi](#) Kasparyan, 2001 ^{c g}
- [Mesoleius tornei](#) Kasparyan, 2001 ^{c g}
- [Mesoleius torpescor](#) Kasparyan, 2001 ^{c g}
- [Mesoleius tricoloripes](#) Costa, 1886 ^{c g}
- [Mesoleius trochanteratus](#) Brischke, 1871 ^{c g}
- [Mesoleius urbanus](#) Teunissen, 1945 ^{c g}
- [Mesoleius ussuriensis](#) Kasparyan, 2000 ^{c g}
- [Mesoleius varicoxa](#) Thomson, 1894 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 690 species in [Mesochorus](#), a genus of ichneumon wasps in the family [Ichneumonidae](#).
[1][2][3]

Mesochorus species

- [Mesochorus abolitus](#) Brues, 1910 ^{c g}
- [Mesochorus aboriginalis](#) Brues, 1910 ^{c g}
- [Mesochorus abraxator](#) Schwenke, 1989 ^{c g}
- [Mesochorus abruptus](#) Dasch, 1974 ^{c g}
- [Mesochorus absonus](#) Dasch, 1974 ^{c g}
- [Mesochorus aculeatus](#) Dasch, 1974 ^{c g}
- [Mesochorus aculeus](#) Schwenke, 2002 ^{c g}
- [Mesochorus acuminatus](#) Thomson, 1886 ^{c g}
- [Mesochorus acutus](#) Schwenke, 1999 ^{c g}
- [Mesochorus aestivus](#) Dasch, 1974 ^{c g}
- [Mesochorus aggestus](#) Schwenke, 2002 ^{c g}
- [Mesochorus aggressor](#) Fonscolombe, 1852 ^{c g}
- [Mesochorus agilis](#) Cresson, 1865 ^{c g}
- [Mesochorus agnellonis](#) Schwenke, 1999 ^{c g}
- [Mesochorus alajuelicus](#) Dasch, 1974 ^{c g}
- [Mesochorus alaskensis](#) Dasch, 1971 ^{c g}
- [Mesochorus albarascae](#) Schwenke, 1999 ^{c g}
- [Mesochorus albicinctus](#) Dasch, 1974 ^{c g}
- [Mesochorus albifacies](#) Schwenke, 1999 ^{c g}

- [Mesochorus albionis](#) Schwenke, 1999 ^{c g}
- [Mesochorus albolimbatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus alpestris](#) Dasch, 1974 ^{c g}
- [Mesochorus alpigenus](#) Strobl, 1904 ^{c g}
- [Mesochorus alternus](#) Schwenke, 1999 ^{c g}
- [Mesochorus altissimus](#) Dasch, 1974 ^{c g}
- [Mesochorus alveus](#) Schwenke, 1999 ^{c g}
- [Mesochorus amabilis](#) Dasch, 1974 ^{c g}
- [Mesochorus americanus](#) Cresson, 1872 ^{c g b}
- [Mesochorus amnicolaris](#) Schwenke, 1999 ^{c g}
- [Mesochorus amoenus](#) Dasch, 1974 ^{c g}
- [Mesochorus anglicus](#) Schwenke, 1999 ^{c g}
- [Mesochorus angularis](#) Dasch, 1974 ^{c g}
- [Mesochorus angustatus](#) Thomson, 1886 ^{c g}
- [Mesochorus angustistigmatus](#) Dasch, 1974 ^{c g}
- [Mesochorus anhalthinus](#) Schwenke, 2002 ^{c g}
- [Mesochorus annulatus](#) Dasch, 1974 ^{c g}
- [Mesochorus anomalus](#) Holmgren, 1860 ^{c g}
- [Mesochorus antefurcalis](#) Constantineanu & Voicu, 1975 ^{c g}
- [Mesochorus anthracinus](#) Kriechbaumer, 1890 ^{c g}
- [Mesochorus antilliensis](#) Dasch, 1974 ^{c g}
- [Mesochorus apantelis](#) Dasch, 1971 ^{c g}
- [Mesochorus applanatus](#) Dasch, 1971 ^{c g}
- [Mesochorus aquilonis](#) Schwenke, 1999 ^{c g}
- [Mesochorus aquilus](#) Dasch, 1974 ^{c g}
- [Mesochorus aquoreus](#) Dasch, 1974 ^{c g}
- [Mesochorus aranealis](#) Schwenke, 1999 ^{c g}
- [Mesochorus araneorum](#) Ratzeburg, 1852 ^{c g}
- [Mesochorus araucoensis](#) Dasch, 1974 ^{c g}
- [Mesochorus arcticus](#) Dasch, 1971 ^{c g}
- [Mesochorus arduus](#) Schwenke, 1999 ^{c g}
- [Mesochorus arenarius](#) (Haliday, 1838) ^{c g}
- [Mesochorus areolaris](#) Ratzeburg, 1852 ^{c g}
- [Mesochorus areolatus](#) Provancher, 1883 ^c
- [Mesochorus argentinus](#) Dasch, 1974 ^{c g}
- [Mesochorus argus](#) Schwenke, 1999 ^{c g}

- [Mesochorus argutus](#) Dasch, 1974 ^{c g}
- [Mesochorus arietinus](#) Schwenke, 1999 ^{c g}
- [Mesochorus artus](#) Schwenke, 1999 ^{c g}
- [Mesochorus asperifrons](#) Dasch, 1971 ^{c g}
- [Mesochorus asymmetricus](#) Dasch, 1974 ^{c g}
- [Mesochorus ater](#) Ratzeburg, 1848 ^{c g}
- [Mesochorus atratus](#) Dasch, 1974 ^{c g}
- [Mesochorus atricoxalis](#) Kusigemati, 1985 ^{c g}
- [Mesochorus atriventris](#) Cresson, 1872 ^{c g}
- [Mesochorus attenuatus](#) Dasch, 1974 ^{c g}
- [Mesochorus aulacis](#) Dasch, 1974 ^{c g}
- [Mesochorus aurantiacus](#) Dasch, 1974 ^{c g}
- [Mesochorus aureus](#) Dasch, 1974 ^{c g}
- [Mesochorus bahiae](#) Dasch, 1974 ^{c g}
- [Mesochorus balteatus](#) Dasch, 1971 ^{c g}
- [Mesochorus basalis](#) Curtis, 1833 ^{c g}
- [Mesochorus basilewskyi](#) Benoit, 1955 ^{c g}
- [Mesochorus bavaricus](#) Schwenke, 1999 ^{c g}
- [Mesochorus bellus](#) Dasch, 1971 ^{c g}
- [Mesochorus betuletus](#) Schwenke, 1999 ^{c g}
- [Mesochorus bicinctus](#) Schwenke, 1999 ^{c g}
- [Mesochorus bicolor](#) Schwenke, 1999 ^{c g}
- [Mesochorus bipartitus](#) Schwenke, 1999 ^{c g}
- [Mesochorus bituberculatus](#) Dasch, 1974 ^{c g}
- [Mesochorus blanditus](#) Dasch, 1974 ^{c g}
- [Mesochorus bocainensis](#) Dasch, 1974 ^{c g}
- [Mesochorus boliviensis](#) Dasch, 1974 ^{c g}
- [Mesochorus boreomontanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus boreus](#) Schwenke, 1999 ^{c g}
- [Mesochorus bracatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus brasiliensis](#) Dasch, 1974 ^{c g}
- [Mesochorus brevipetiolatus](#) Ratzeburg, 1844 ^{c g}
- [Mesochorus britannicus](#) Schwenke, 1999 ^{c g}
- [Mesochorus broccus](#) Dasch, 1974 ^{c g}
- [Mesochorus brullei](#) Dasch, 1974 ^{c g}
- [Mesochorus bucculentus](#) Dasch, 1971 ^{c g}

- [Mesochorus bulbosus](#) Dasch, 1974 ^{c g}
- [Mesochorus bulgaricus](#) Schwenke, 1999 ^{c g}
- [Mesochorus bullatus](#) (Dasch, 1974) ^{c g}
- [Mesochorus caccabatus](#) Dasch, 1974 ^{c g}
- [Mesochorus cacuminis](#) Schwenke, 1999 ^{c g}
- [Mesochorus calais](#) Viereck, 1917 ^{c g}
- [Mesochorus calidus](#) Schwenke, 1999 ^{c g}
- [Mesochorus caligator](#) Schwenke, 1999 ^{c g}
- [Mesochorus callidus](#) Dasch, 1974 ^{c g}
- [Mesochorus callis](#) Schwenke, 1999 ^{c g}
- [Mesochorus campestris](#) Schwenke, 1999 ^{c g}
- [Mesochorus canalis](#) Schwenke, 1999 ^{c g}
- [Mesochorus canaveseus](#) Schwenke, 1999 ^{c g}
- [Mesochorus capeki](#) Schwenke, 2002 ^{c g}
- [Mesochorus carceratus](#) Brues, 1910 ^{c g}
- [Mesochorus carinatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus carinifrons](#) Dasch, 1974 ^{c g}
- [Mesochorus carintiacus](#) Schwenke, 2004 ^{c g}
- [Mesochorus carolinensis](#) Dasch, 1971 ^{c g}
- [Mesochorus castaneus](#) Uchida, 1933 ^{c g}
- [Mesochorus castellanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus cataclysmi](#) Brues, 1910 ^{c g}
- [Mesochorus cestus](#) Dasch, 1974 ^{c g}
- [Mesochorus chasseralis](#) Schwenke, 1999 ^{c g}
- [Mesochorus chilensis](#) Dasch, 1974 ^{c g}
- [Mesochorus cholulaensis](#) Dasch, 1974 ^{c g}
- [Mesochorus chrysurus](#) Dasch, 1974 ^{c g}
- [Mesochorus cimbicis](#) Ratzeburg, 1844 ^{c g}
- [Mesochorus cinctus](#) Schwenke, 1999 ^{c g}
- [Mesochorus cingulatus](#) Dasch, 1974 ^{c g}
- [Mesochorus circinus](#) Dasch, 1974 ^{c g}
- [Mesochorus claristigmaticus](#) Morley, 1913 ^{c g}
- [Mesochorus clarus](#) Schwenke, 1999 ^{c g}
- [Mesochorus clinatus](#) Dasch, 1974 ^{c g}
- [Mesochorus coartatus](#) Schwenke, 2002 ^{c g}
- [Mesochorus cognatus](#) Schwenke, 1999 ^{c g}

- [Mesochorus columbiae](#) Dasch, 1974 ^{c g}
- [Mesochorus columbinus](#) Schwenke, 1999 ^{c g}
- [Mesochorus compressus](#) Dasch, 1974 ^{c g}
- [Mesochorus comptus](#) Dasch, 1974 ^{c g}
- [Mesochorus concavus](#) Dasch, 1974 ^{c g}
- [Mesochorus concolor](#) Szepligeti, 1914 ^{c g}
- [Mesochorus conicus](#) Dasch, 1974 ^{c g}
- [Mesochorus conjunctus](#) Dasch, 1974 ^{c g}
- [Mesochorus conspicuus](#) Schwenke, 2002 ^{c g}
- [Mesochorus constrictus](#) Schwenke, 2002 ^{c g}
- [Mesochorus contractus](#) Ratzeburg, 1848 ^{c g}
- [Mesochorus convallis](#) Schwenke, 2002 ^{c g}
- [Mesochorus convexus](#) Dasch, 1974 ^{c g}
- [Mesochorus coreensis](#) Lee & Suh, 1991 ^{c g}
- [Mesochorus coronatus](#) Dasch, 1971 ^{c g}
- [Mesochorus costaricensis](#) Dasch, 1974 ^{c g}
- [Mesochorus cracentis](#) Dasch, 1974 ^{c g}
- [Mesochorus crassimanus](#) Holmgren, 1860 ^{c g}
- [Mesochorus cristatus](#) Dasch, 1974 ^{c g}
- [Mesochorus cubensis](#) Dasch, 1974 ^{c g}
- [Mesochorus culmosus](#) Dasch, 1974 ^{c g}
- [Mesochorus cupreatus](#) Dasch, 1971 ^{c g}
- [Mesochorus curvicauda](#) Thomson, 1886 ^c
- [Mesochorus curvulus](#) Thomson, 1886 ^{c g}
- [Mesochorus cuspidatus](#) Lee & Suh, 1993 ^c
- [Mesochorus cuzcoensis](#) Dasch, 1974 ^{c g}
- [Mesochorus cyparissiae](#) Schwenke, 2002 ^{c g}
- [Mesochorus daedalus](#) Dasch, 1974 ^{c g}
- [Mesochorus debilis](#) Dasch, 1974 ^{c g}
- [Mesochorus deceptus](#) Dasch, 1974 ^{c g}
- [Mesochorus declinans](#) Habermehl, 1922 ^{c g}
- [Mesochorus decoratus](#) Wilkinson, 1927 ^{c g}
- [Mesochorus deficiens](#) Dasch, 1974 ^{c g}
- [Mesochorus deletus](#) Dasch, 1971 ^{c g}
- [Mesochorus dentatus](#) Dasch, 1971 ^{c g}
- [Mesochorus dentus](#) Kusigemati, 1985 ^{c g}

- [Mesochorus depressus](#) (Dasch, 1974) ^{c g}
- [Mesochorus desertorum](#) Dasch, 1974 ^{c g}
- [Mesochorus dessauensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus dilatus](#) Dasch, 1974 ^{c g}
- [Mesochorus dilleri](#) Schwenke, 1999 ^{c g}
- [Mesochorus dilobatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus dilutus](#) Ratzeburg, 1844 ^{c g}
- [Mesochorus diluvius](#) Schwenke, 1999 ^{c g}
- [Mesochorus dimidiator](#) Aubert, 1970 ^{c g}
- [Mesochorus dimidiatus](#) Holmgren, 1860 ^{c g}
- [Mesochorus discitergus](#) (Say, 1835) ^{c g b}
- [Mesochorus discolor](#) Schwenke, 1999 ^{c g}
- [Mesochorus dispar](#) Brischke, 1880 ^{c g}
- [Mesochorus dissimilis](#) Dasch, 1974 ^{c g}
- [Mesochorus dissitus](#) Dasch, 1974 ^{c g}
- [Mesochorus distentus](#) Dasch, 1971 ^{c g}
- [Mesochorus divaricatus](#) Dasch, 1971 ^{c g}
- [Mesochorus divergentus](#) Schwenke, 2002 ^{c g}
- [Mesochorus diversus](#) Dasch, 1974 ^{c g}
- [Mesochorus doleri](#) Schwenke, 1999 ^{c g}
- [Mesochorus dolorosus](#) Marshall, 1877 ^{c g}
- [Mesochorus dolosus](#) Dasch, 1974 ^{c g}
- [Mesochorus dormitorius](#) Brues, 1910 ^{c g}
- [Mesochorus doryssus](#) Dasch, 1974 ^{c g}
- [Mesochorus dreisbachi](#) Dasch, 1971 ^{c g}
- [Mesochorus dumosus](#) Schwenke, 1999 ^{c g}
- [Mesochorus ebenus](#) Dasch, 1974 ^{c g}
- [Mesochorus ecuadorensis](#) Dasch, 1974 ^{c g}
- [Mesochorus eichhorni](#) Schwenke, 1999 ^{c g}
- [Mesochorus ejuncidus](#) Dasch, 1971 ^{c g}
- [Mesochorus elegans](#) Dasch, 1974 ^{c g}
- [Mesochorus elongatus](#) Dasch, 1971 ^{c g}
- [Mesochorus emaciatius](#) Dasch, 1974 ^{c g}
- [Mesochorus ensifer](#) Dasch, 1974 ^{c g}
- [Mesochorus errabundus](#) Hartig, 1838 ^{c g}
- [Mesochorus eruditus](#) Dasch, 1974 ^{c g}

- [Mesochorus erythraeus](#) Dasch, 1971 ^{c g}
- [Mesochorus eusubtilis](#) Schwenke, 2002 ^{c g}
- [Mesochorus eximius](#) Dasch, 1974 ^{c g}
- [Mesochorus expansus](#) Dasch, 1974 ^{c g}
- [Mesochorus exquisitus](#) Schwenke, 1999 ^{c g}
- [Mesochorus exsertus](#) Dasch, 1971 ^{c g}
- [Mesochorus extensator](#) Schwenke, 2002 ^{c g}
- [Mesochorus extensus](#) Dasch, 1974 ^{c g}
- [Mesochorus extraordinarius](#) Schwenke, 1999 ^{c g}
- [Mesochorus extremus](#) Dasch, 1974 ^{c g}
- [Mesochorus facetus](#) Dasch, 1974 ^{c g}
- [Mesochorus faciator](#) Horstmann, 2003 ^{c g}
- [Mesochorus falcatus](#) Dasch, 1974 ^{c g}
- [Mesochorus fallax](#) Dasch, 1974 ^{c g}
- [Mesochorus fastigatus](#) Dasch, 1974 ^{c g}
- [Mesochorus fastuosus](#) Dasch, 1974 ^{c g}
- [Mesochorus femoralis](#) Brischke, 1880 ^{c g}
- [Mesochorus fennicus](#) Schwenke, 1999 ^{c g}
- [Mesochorus ferrugineus](#) Dasch, 1974 ^{c g}
- [Mesochorus filicornis](#) Dasch, 1974 ^{c g}
- [Mesochorus flaemingus](#) Schwenke, 1999 ^{c g}
- [Mesochorus flammeus](#) Dasch, 1974 ^{c g}
- [Mesochorus flavidus](#) Dasch, 1971 ^{c g}
- [Mesochorus flavimaculatus](#) Dasch, 1974 ^{c g}
- [Mesochorus flexus](#) Schwenke, 1999 ^{c g}
- [Mesochorus fluvialis](#) Schwenke, 2002 ^{c g}
- [Mesochorus foersteri](#) Dasch, 1971 ^{c g}
- [Mesochorus fragilis](#) Morley, 1913 ^{c g}
- [Mesochorus fraterculus](#) Schwenke, 1999 ^{c g}
- [Mesochorus fraudulentus](#) Dasch, 1974 ^{c g}
- [Mesochorus frigidus](#) Schwenke, 1999 ^{c g}
- [Mesochorus frondosus](#) Schwenke, 1999 ^{c g}
- [Mesochorus fulgurans](#) Curtis, 1833 ^{c g}
- [Mesochorus fulgurator](#) Horstmann, 2006 ^{c g}
- [Mesochorus fuliginatus](#) Dasch, 1971 ^{c g}
- [Mesochorus fulvipes](#) Schwenke, 1999 ^{c g}

- [Mesochorus funestus](#) Dasch, 1974 ^{c g}
- [Mesochorus furvus](#) Dasch, 1974 ^{c g}
- [Mesochorus fuscicornis](#) Brischke, 1880 ^{c g}
- [Mesochorus fuscus](#) Schwenke, 1999 ^{c g}
- [Mesochorus gallicator](#) Aubert, 1963 ^{c g}
- [Mesochorus gardanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus gelidus](#) Dasch, 1971 ^{c g}
- [Mesochorus gemellus](#) Holmgren, 1860 ^{c g}
- [Mesochorus gemmatus](#) Dasch, 1971 ^{c g}
- [Mesochorus georgievi](#) Schwenke, 2004 ^{c g}
- [Mesochorus giaglioneus](#) Schwenke, 1999 ^{c g}
- [Mesochorus gibbosus](#) Schwenke, 1999 ^{c g}
- [Mesochorus giberius](#) (Thunberg, 1822) ^{c g b}
- [Mesochorus gilvus](#) Schwenke, 1999 ^{c g}
- [Mesochorus gladiator](#) Schwenke, 1999 ^{c g}
- [Mesochorus gladiatus](#) Dasch, 1974 ^{c g}
- [Mesochorus glaucus](#) Dasch, 1974 ^{c g}
- [Mesochorus globulator](#) (Thunberg, 1822) ^{c g}
- [Mesochorus gracilentus](#) Brischke, 1880 ^{c g}
- [Mesochorus gracilis](#) Brischke, 1880 ^{c g}
- [Mesochorus grandidentatus](#) Dasch, 1974 ^{c g}
- [Mesochorus grandisops](#) Dasch, 1971 ^{c g}
- [Mesochorus gravis](#) Schwenke, 1999 ^{c g}
- [Mesochorus grenadensis](#) Ashmead, 1900 ^{c g}
- [Mesochorus haeselbarthi](#) Schwenke, 1999 ^{c g}
- [Mesochorus halticae](#) Schwenke, 1999 ^{c g}
- [Mesochorus hamatus](#) Townes, 1945 ^{c g}
- [Mesochorus hashimotoi](#) Kusigemati, 1985 ^{c g}
- [Mesochorus hastatus](#) Dasch, 1974 ^{c g}
- [Mesochorus hebraicator](#) Aubert, 1970 ^{c g}
- [Mesochorus herero](#) Enderlein, 1914 ^{c g}
- [Mesochorus hesperus](#) Dasch, 1971 ^{c g}
- [Mesochorus heterodon](#) Horstmann, 2006 ^{c g}
- [Mesochorus hidalgoensis](#) Dasch, 1974 ^{c g}
- [Mesochorus hilaris](#) Dasch, 1974 ^{c g}
- [Mesochorus hirticoleus](#) Dasch, 1971 ^{c g}

- [Mesochorus hispidus](#) Dasch, 1974 ^{c g}
- [Mesochorus hollandicus](#) Schwenke, 2004 ^{c g}
- [Mesochorus holmgreni](#) Dasch, 1971 ^{c g}
- [Mesochorus horcomollensis](#) Dasch, 1974 ^{c g}
- [Mesochorus horstmanni](#) Schwenke, 1999 ^{c g}
- [Mesochorus hortensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus hyalinus](#) Dasch, 1974 ^{c g}
- [Mesochorus ibericus](#) Schwenke, 1999 ^{c g}
- [Mesochorus iburganus](#) Schwenke, 1999 ^{c g}
- [Mesochorus ichneutese](#) Uchida, 1955 ^{c g}
- [Mesochorus ignotus](#) Dasch, 1974 ^{c g}
- [Mesochorus illustris](#) Schwenke, 1999 ^{c g}
- [Mesochorus imitatus](#) Dasch, 1971 ^{c g}
- [Mesochorus impiger](#) Tosquinet, 1903 ^{c g}
- [Mesochorus impolitus](#) Dasch, 1974 ^{c g}
- [Mesochorus impunctatus](#) Dasch, 1974 ^{c g}
- [Mesochorus inaequalis](#) Dasch, 1974 ^{c g}
- [Mesochorus inaequidens](#) Dasch, 1971 ^{c g}
- [Mesochorus incae](#) Dasch, 1974 ^{c g}
- [Mesochorus incisus](#) Dasch, 1974 ^{c g}
- [Mesochorus inclusus](#) Schwenke, 2002 ^{c g}
- [Mesochorus incomptus](#) Dasch, 1974 ^{c g}
- [Mesochorus incultus](#) Dasch, 1971 ^{c g}
- [Mesochorus indagator](#) Dasch, 1974 ^{c g}
- [Mesochorus infacetus](#) Dasch, 1974 ^{c g}
- [Mesochorus infensus](#) Dasch, 1974 ^{c g}
- [Mesochorus inflatus](#) Dasch, 1971 ^{c g}
- [Mesochorus infractus](#) Dasch, 1974 ^{c g}
- [Mesochorus infuscatus](#) Dasch, 1971 ^{c g}
- [Mesochorus ingentis](#) Schwenke, 1999 ^{c g}
- [Mesochorus inimicus](#) Dasch, 1974 ^{c g}
- [Mesochorus iniquus](#) Schwenke, 1999 ^{c g}
- [Mesochorus inobseptus](#) Dasch, 1971 ^{c g}
- [Mesochorus insignatus](#) Dasch, 1974 ^{c g}
- [Mesochorus insolitus](#) Dasch, 1974 ^{c g}
- [Mesochorus instriatus](#) Kusigemati, 1985 ^{c g}

- [Mesochorus insularis](#) Schwenke, 1999 ^{c g}
- [Mesochorus integer](#) Dasch, 1974 ^{c g}
- [Mesochorus intermissus](#) Schwenke, 1999 ^{c g}
- [Mesochorus interruptus](#) Kusigemati, 1988 ^{c g}
- [Mesochorus interstitialis](#) Kusigemati, 1985 ^{c g}
- [Mesochorus intonsus](#) Dasch, 1971 ^{c g}
- [Mesochorus inurbanus](#) Dasch, 1974 ^{c g}
- [Mesochorus inversus](#) Schwenke, 1999 ^{c g}
- [Mesochorus iridescens](#) Cresson, 1879 ^{c g}
- [Mesochorus iugosus](#) Schwenke, 2002 ^{c g}
- [Mesochorus jacobus](#) Schwenke, 1999 ^{c g}
- [Mesochorus jamaicae](#) Dasch, 1974 ^{c g}
- [Mesochorus japonicus](#) Kusigemati, 1985 ^{c g}
- [Mesochorus jenensis](#) Schwenke, 2002 ^{c g}
- [Mesochorus jenniferae](#) Schwenke, 2002 ^{c g}
- [Mesochorus jihyetanus](#) Kusigemati, 1985 ^{c g}
- [Mesochorus jucundus](#) Provancher, 1883 ^{c g}
- [Mesochorus jugicola](#) Strobl, 1904 ^{c g}
- [Mesochorus junctus](#) Dasch, 1974 ^{c g}
- [Mesochorus juranus](#) Schwenke, 1999 ^{c g}
- [Mesochorus kamouraskae](#) Dasch, 1971 ^{c g}
- [Mesochorus kansensis](#) Dasch, 1971 ^{c g}
- [Mesochorus kentuckiensis](#) Dasch, 1971 ^{c g}
- [Mesochorus kirunae](#) Schwenke, 1999 ^{c g}
- [Mesochorus kumatai](#) Kusigemati, 1988 ^{c g}
- [Mesochorus kumganensis](#) Lee & Suh, 1993 ^{c g}
- [Mesochorus kuwayamae](#) Matsumura, 1926 ^{c g}
- [Mesochorus laboriosus](#) Dasch, 1974 ^{c g}
- [Mesochorus lacassus](#) Schwenke, 1999 ^{c g}
- [Mesochorus lacus](#) Schwenke, 1999 ^{c g}
- [Mesochorus laevigatus](#) Dasch, 1974 ^{c g}
- [Mesochorus lanceolatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus lapideus](#) Brues, 1910 ^{c g}
- [Mesochorus lapponicus](#) Thomson, 1885 ^{c g}
- [Mesochorus larentiae](#) Schwenke, 1999 ^{c g}
- [Mesochorus laricis](#) Hartig, 1838 ^{c g}

- [Mesochorus lateralis](#) Dasch, 1974 ^{c g}
- [Mesochorus latus](#) Schwenke, 1999 ^{c g}
- [Mesochorus lautus](#) Dasch, 1974 ^{c g}
- [Mesochorus leviculus](#) Dasch, 1974 ^{c g}
- [Mesochorus lilioceriphilus](#) Schwenke, 2000 ^{c g}
- [Mesochorus limae](#) Dasch, 1974 ^{c g}
- [Mesochorus limbatus](#) Dasch, 1974 ^{c g}
- [Mesochorus liquidus](#) Schwenke, 2002 ^{c g}
- [Mesochorus lituratus](#) Dasch, 1974 ^{c g}
- [Mesochorus lobaticola](#) Benoit, 1955 ^{c g}
- [Mesochorus lobatus](#) Dasch, 1974 ^{c g}
- [Mesochorus longicoleus](#) Dasch, 1974 ^{c g}
- [Mesochorus longidens](#) Dasch, 1974 ^{c g}
- [Mesochorus longidentatus](#) Dasch, 1974 ^{c g}
- [Mesochorus longiscutatus](#) Dasch, 1971 ^{c g}
- [Mesochorus longistigma](#) Schwenke, 2002 ^{c g}
- [Mesochorus longurius](#) Schwenke, 1999 ^{c g}
- [Mesochorus luminis](#) Schwenke, 1999 ^{c g}
- [Mesochorus lunarius](#) Schwenke, 1999 ^{c g}
- [Mesochorus luridipes](#) Schwenke, 1999 ^{c g}
- [Mesochorus luteipes](#) Cresson, 1872 ^{c g}
- [Mesochorus luteocinctus](#) Dasch, 1974 ^{c g}
- [Mesochorus luteolus](#) Dasch, 1974 ^{c g}
- [Mesochorus lydae](#) Ratzeburg, 1848 ^{c g}
- [Mesochorus macilentus](#) Dasch, 1974 ^{c g}
- [Mesochorus macrophyae](#) Schwenke, 1999 ^{c g}
- [Mesochorus maculatus](#) Dasch, 1974 ^{c g}
- [Mesochorus maculitibia](#) Costa Lima, 1950 ^{c g}
- [Mesochorus magnicrus](#) Dasch, 1974 ^{c g}
- [Mesochorus magnus](#) Dasch, 1974 ^{c g}
- [Mesochorus malaiseus](#) Schwenke, 1999 ^{c g}
- [Mesochorus maleficus](#) Dasch, 1971 ^{c g}
- [Mesochorus mandibularis](#) Lee & Suh, 1991 ^{c g}
- [Mesochorus marcapatae](#) Dasch, 1974 ^{c g}
- [Mesochorus martinus](#) Schwenke, 1999 ^{c g}
- [Mesochorus marylandicus](#) Dasch, 1971 ^{c g}

- [Mesochorus masoni](#) Dasch, 1971 ^{c g}
- [Mesochorus matucanae](#) Dasch, 1974 ^{c g}
- [Mesochorus maurus](#) Dasch, 1974 ^{c g}
- [Mesochorus maximus](#) Schwenke, 1999 ^{c g}
- [Mesochorus medius](#) Dasch, 1974 ^{c g}
- [Mesochorus melalophacharopse](#) Kusigemati, 1985 ^{c g}
- [Mesochorus melanothorax](#) Wilkinson, 1927 ^{c g}
- [Mesochorus melinus](#) Dasch, 1974 ^{c g}
- [Mesochorus melleus](#) Cresson, 1872 ^{c g}
- [Mesochorus mellis](#) Schwenke, 1999 ^{c g}
- [Mesochorus mellumiensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus meridionator](#) Aubert, 1966 ^{c g}
- [Mesochorus messaureus](#) Schwenke, 1999 ^{c g}
- [Mesochorus microbathros](#) Kusigemati, 1985 ^{c g}
- [Mesochorus miniatus](#) Dasch, 1974 ^{c g}
- [Mesochorus minowai](#) Uchida, 1929 ^{c g}
- [Mesochorus minutulus](#) Schwenke, 1999 ^{c g}
- [Mesochorus mirabilis](#) Schwenke, 1999 ^{c g}
- [Mesochorus mirandae](#) Dasch, 1974 ^{c g}
- [Mesochorus moabae](#) Dasch, 1971 ^{c g}
- [Mesochorus modestus](#) Dasch, 1974 ^{c g}
- [Mesochorus molestus](#) Dasch, 1974 ^{c g}
- [Mesochorus monacensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus monomaculatus](#) Kusigemati, 1985 ^{c g}
- [Mesochorus montanus](#) Dasch, 1974 ^{c g}
- [Mesochorus montis](#) Schwenke, 1999 ^{c g}
- [Mesochorus morenator](#) Schwenke, 1999 ^{c g}
- [Mesochorus moskwanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus mucronatus](#) Dasch, 1974 ^{c g}
- [Mesochorus mulleolus](#) Dasch, 1974 ^{c g}
- [Mesochorus mulleri](#) Schwenke, 1999 ^{c g}
- [Mesochorus multilineatus](#) Dasch, 1974 ^{c g}
- [Mesochorus multipunctatus](#) Dasch, 1974 ^{c g}
- [Mesochorus muscosus](#) Dasch, 1974 ^{c g}
- [Mesochorus myrtilli](#) Schwenke, 1999 ^{c g}
- [Mesochorus naknekensis](#) Dasch, 1971 ^{c g}

- [Mesochorus naturnsis](#) Schwenke, 2002 ^{c g}
- [Mesochorus necatorius](#) Dasch, 1974 ^{c g}
- [Mesochorus neglectus](#) Dasch, 1974 ^{c g}
- [Mesochorus nematus](#) Schwenke, 2004 ^{c g}
- [Mesochorus nemus](#) Schwenke, 2002 ^{c g}
- [Mesochorus nepalensis](#) Kusigemati, 1988 ^{c g}
- [Mesochorus neuquenensis](#) Dasch, 1974 ^{c g}
- [Mesochorus nichelinus](#) Schwenke, 2002 ^{c g}
- [Mesochorus niger](#) (Dasch, 1974) ^{c g}
- [Mesochorus nigrifemoratus](#) Dasch, 1974 ^{c g}
- [Mesochorus nigrithorax](#) Kiss, 1926 ^{c g}
- [Mesochorus nigritulul](#) Dasch, 1974 ^{c g}
- [Mesochorus nikolaus](#) Schwenke, 2004 ^{c g}
- [Mesochorus nitidus](#) Schwenke, 1999 ^{c g}
- [Mesochorus nkulius](#) Benoit, 1955 ^{c g}
- [Mesochorus noctivagus](#) Viereck, 1905 ^{c g}
- [Mesochorus norrbyneus](#) Schwenke, 1999 ^{c g}
- [Mesochorus notialis](#) Dasch, 1974 ^{c g}
- [Mesochorus novateutoniae](#) Dasch, 1974 ^{c g}
- [Mesochorus nox](#) Morley, 1926 ^{c g}
- [Mesochorus noxiosus](#) Dasch, 1974 ^{c g}
- [Mesochorus nuncupator](#) (Panzer, 1800) ^{c g}
- [Mesochorus oaxacae](#) Dasch, 1974 ^{c g}
- [Mesochorus obliterator](#) Aubert, 1965 ^{c g}
- [Mesochorus obliterated](#) Dasch, 1971 ^{c g}
- [Mesochorus oblitus](#) Dasch, 1974 ^{c g}
- [Mesochorus obscurus](#) Dasch, 1974 ^{c g}
- [Mesochorus obsoletus](#) Dasch, 1971 ^{c g}
- [Mesochorus olerum](#) Curtis, 1833 ^{c g}
- [Mesochorus olitorius](#) Schwenke, 1999 ^{c g}
- [Mesochorus ontariensis](#) Dasch, 1971 ^{c g}
- [Mesochorus opacus](#) Schwenke, 1999 ^{c g}
- [Mesochorus oppacheus](#) Schwenke, 1999 ^{c g}
- [Mesochorus oranjeanus](#) Schwenke, 2004 ^{c g}
- [Mesochorus orbis](#) Schwenke, 1999 ^{c g}
- [Mesochorus orbitalis](#) Holmgren, 1860 ^{c g}

- [Mesochorus orestes](#) Dasch, 1974 ^{c g}
- [Mesochorus orientalis](#) (Viereck, 1912) ^{c g}
- [Mesochorus ornatus](#) Wilkinson, 1927 ^{c g}
- [Mesochorus oshobotrianus](#) Schwenke, 2002 ^{c g}
- [Mesochorus ottawaensis](#) (Harrington, 1892) ^{c g}
- [Mesochorus ovimaculatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus owenae](#) Schwenke, 1999 ^{c g}
- [Mesochorus oxfordensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus palanderi](#) Holmgren, 1869 ^{c g}
- [Mesochorus palinensis](#) Dasch, 1974 ^{c g}
- [Mesochorus palliolatus](#) Dasch, 1974 ^{c g}
- [Mesochorus pallipes](#) Brischke, 1880 ^{c g}
- [Mesochorus palmaricus](#) Dasch, 1974 ^{c g}
- [Mesochorus palus](#) Schwenke, 1999 ^{c g}
- [Mesochorus panamensis](#) Dasch, 1974 ^{c g}
- [Mesochorus paraensis](#) Dasch, 1974 ^{c g}
- [Mesochorus parallelus](#) Dasch, 1971 ^{c g}
- [Mesochorus parilis](#) Kusigemati, 1988 ^{c g}
- [Mesochorus parvioculatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus parvus](#) Dasch, 1971 ^{c g}
- [Mesochorus pascuus](#) Schwenke, 1999 ^{c g}
- [Mesochorus paulus](#) Dasch, 1971 ^{c g}
- [Mesochorus pectinatus](#) Szepligeti, 1901 ^{c g}
- [Mesochorus pectinellus](#) Horstmann, 2006 ^{c g}
- [Mesochorus pectinipes](#) Bridgman, 1883 ^{c g}
- [Mesochorus pektusanus](#) Lee & Suh, 1993 ^{c g}
- [Mesochorus peltatus](#) Dasch, 1971 ^{c g}
- [Mesochorus pelvis](#) Schwenke, 2002 ^{c g}
- [Mesochorus pentagonalis](#) Dasch, 1974 ^{c g}
- [Mesochorus peremptor](#) Dasch, 1974 ^{c g}
- [Mesochorus perforatus](#) Schwenke, 2002 ^{c g}
- [Mesochorus perniciosus](#) Viereck, 1911 ^{c g}
- [Mesochorus personatus](#) Dasch, 1971 ^{c g}
- [Mesochorus perticatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus perugianus](#) Schwenke, 1999 ^{c g}
- [Mesochorus peruvianus](#) Dasch, 1974 ^{c g}

- [Mesochorus petilus](#) Dasch, 1974 ^{c g}
- [Mesochorus petiolaris](#) Brischke, 1880 ^{c g}
- [Mesochorus petiolus](#) Schwenke, 2002 ^{c g}
- [Mesochorus pharaonis](#) Schwenke, 1999 ^{c g}
- [Mesochorus philippinensis](#) Ashmead, 1904 ^{c g}
- [Mesochorus phyllodectae](#) Schwenke, 1999 ^{c g}
- [Mesochorus piceanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus piceus](#) Dasch, 1974 ^{c g}
- [Mesochorus picticrus](#) Thomson, 1886 ^c
- [Mesochorus pictilis](#) Holmgren, 1860 ^{c g}
- [Mesochorus piemontensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus pieridicola](#) (Packard, 1881) ^{c g}
- [Mesochorus pilicornis](#) (Cameron, 1907) ^{c g}
- [Mesochorus pilosus](#) Dasch, 1974 ^{c g}
- [Mesochorus pinarae](#) Girault, 1932 ^{c g}
- [Mesochorus pini](#) Schwenke, 1999 ^{c g}
- [Mesochorus pizzighettoneus](#) Schwenke, 1999 ^{c g}
- [Mesochorus placitus](#) Dasch, 1974 ^{c g}
- [Mesochorus planus](#) Dasch, 1974 ^{c g}
- [Mesochorus platygorytos](#) Dasch, 1971 ^{c g}
- [Mesochorus plebejanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus plumosus](#) Dasch, 1971 ^{c g}
- [Mesochorus politus](#) Gravenhorst, 1829 ^{c g}
- [Mesochorus postfurcalis](#) Kokujev, 1927 ^{c g}
- [Mesochorus praeclarus](#) Dasch, 1974 ^{c g}
- [Mesochorus probus](#) Benoit, 1955 ^{c g}
- [Mesochorus procerus](#) Dasch, 1974 ^{c g}
- [Mesochorus prolatus](#) Dasch, 1971 ^{c g}
- [Mesochorus prolixus](#) Dasch, 1974 ^{c g}
- [Mesochorus prominens](#) Dasch, 1974 ^{c g}
- [Mesochorus properatus](#) Dasch, 1974 ^{c g}
- [Mesochorus prothoracicus](#) Schwenke, 1999 ^{c g}
- [Mesochorus provocator](#) Aubert, 1965 ^{c g}
- [Mesochorus pueblicus](#) Dasch, 1974 ^{c g}
- [Mesochorus pullatus](#) Dasch, 1974 ^{c g}
- [Mesochorus pullus](#) Schwenke, 1999 ^{c g}

- [Mesochorus pumilionis](#) Schwenke, 1999 ^{c g}
- [Mesochorus pumilus](#) Dasch, 1974 ^{c g}
- [Mesochorus punctifrons](#) Dasch, 1971 ^{c g}
- [Mesochorus punctipleuris](#) Thomson, 1886 ^{c g}
- [Mesochorus pungens](#) Schwenke, 1999 ^{c g}
- [Mesochorus pusillus](#) Dasch, 1974 ^{c g}
- [Mesochorus puteolus](#) Dasch, 1974 ^{c g}
- [Mesochorus pyramideus](#) Schwenke, 1999 ^{c g}
- [Mesochorus pyrenaeus](#) Schwenke, 1999 ^{c g}
- [Mesochorus quercus](#) Schwenke, 2004 ^{c g}
- [Mesochorus rallus](#) Dasch, 1974 ^{c g}
- [Mesochorus recurvatus](#) Dasch, 1971 ^{c g}
- [Mesochorus reflexus](#) Dasch, 1974 ^{c g}
- [Mesochorus remotus](#) Dasch, 1974 ^{c g}
- [Mesochorus repandus](#) Dasch, 1974 ^{c g}
- [Mesochorus restrictus](#) Dasch, 1971 ^{c g}
- [Mesochorus revocatus](#) Brues, 1910 ^{c g}
- [Mesochorus rhadinus](#) Dasch, 1974 ^{c g}
- [Mesochorus rilaensis](#) Schwenke, 2002 ^{c g}
- [Mesochorus riparius](#) Schwenke, 1999 ^{c g}
- [Mesochorus rivanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus robustus](#) Schwenke, 1999 ^{c g}
- [Mesochorus roccanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus rubeculus](#) Hartig, 1838 ^{c g}
- [Mesochorus rubidus](#) Dasch, 1974 ^{c g}
- [Mesochorus rubranotatus](#) Kusigemati, 1985 ^{c g}
- [Mesochorus rudis](#) Dasch, 1974 ^{c g}
- [Mesochorus ruficornis](#) Brischke, 1880 ^{c g}
- [Mesochorus rufithorax](#) Dasch, 1974 ^{c g}
- [Mesochorus rufoniger](#) Brischke, 1880 ^{c g}
- [Mesochorus rufopetiolatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus rugatus](#) Lee & Suh, 1993 ^{c g}
- [Mesochorus rupesus](#) Schwenke, 1999 ^{c g}
- [Mesochorus russatus](#) Dasch, 1974 ^{c g}
- [Mesochorus rusticus](#) Dasch, 1974 ^{c g}
- [Mesochorus rutilus](#) Schwenke, 2002 ^{c g}

- [Mesochorus sabulosus](#) Dasch, 1971 ^{c g}
- [Mesochorus salicis](#) Thomson, 1886 ^{c g}
- [Mesochorus samarae](#) Schwenke, 1999 ^{c g}
- [Mesochorus sardegnae](#) Schwenke, 1999 ^{c g}
- [Mesochorus savoianus](#) Schwenke, 2004 ^{c g}
- [Mesochorus sawoniewiczzi](#) Schwenke, 1999 ^{c g}
- [Mesochorus scabrosus](#) Dasch, 1971 ^{c g}
- [Mesochorus scandinavicus](#) Schwenke, 1999 ^{c g}
- [Mesochorus scaramozzinoi](#) Schwenke, 1999 ^{c g}
- [Mesochorus schwarzi](#) Schwenke, 1999 ^{c g}
- [Mesochorus scopulus](#) Schwenke, 1999 ^{c g}
- [Mesochorus scorteus](#) Dasch, 1974 ^{c g}
- [Mesochorus scrobiculatus](#) Dasch, 1974 ^{c g}
- [Mesochorus sculpturatus](#) Benoit, 1955 ^{c g}
- [Mesochorus scutellaris](#) Schwenke, 2004 ^{c g}
- [Mesochorus sedis](#) Schwenke, 1999 ^{c g}
- [Mesochorus semirufus](#) Holmgren, 1860 ^{c g}
- [Mesochorus seniculus](#) Dasch, 1974 ^{c g}
- [Mesochorus seorakensis](#) Lee & Suh, 1997 ^{c g}
- [Mesochorus septentrionalis](#) Schwenke, 1999 ^{c g}
- [Mesochorus sicculus](#) Dasch, 1974 ^{c g}
- [Mesochorus similis](#) Dasch, 1974 ^{c g}
- [Mesochorus similis](#) Schwenke, 2002 ^{c g}
- [Mesochorus sinaloensis](#) Dasch, 1974 ^{c g}
- [Mesochorus sincerus](#) Schwenke, 1999 ^{c g}
- [Mesochorus skaneus](#) Schwenke, 1999 ^{c g}
- [Mesochorus slawicus](#) Schwenke, 1999 ^{c g}
- [Mesochorus soderlundi](#) Schwenke, 1999 ^{c g}
- [Mesochorus solidus](#) Dasch, 1971 ^{c g}
- [Mesochorus solitarius](#) Dasch, 1974 ^{c g}
- [Mesochorus solus](#) Schwenke, 1999 ^{c g}
- [Mesochorus sordidus](#) Schwenke, 1999 ^{c g}
- [Mesochorus speciosus](#) Dasch, 1974 ^{c g}
- [Mesochorus spessartaeus](#) Schwenke, 1999 ^{c g}
- [Mesochorus spilotus](#) Dasch, 1974 ^{c g}
- [Mesochorus spinosus](#) Dasch, 1971 ^{c g}

- [Mesochorus stenotus](#) Dasch, 1974 ^{c g}
- [Mesochorus sternalis](#) Schwenke, 1999 ^{c g}
- [Mesochorus stigmator](#) (Thunberg, 1822) ^{c g}
- [Mesochorus stigmatus](#) Kusigemati, 1985 ^{c g}
- [Mesochorus strigosus](#) Dasch, 1974 ^{c g}
- [Mesochorus stubaianus](#) Schwenke, 2004 ^{c g}
- [Mesochorus styriacus](#) Schwenke, 2002 ^{c g}
- [Mesochorus subfuscus](#) Schwenke, 1999 ^{c g}
- [Mesochorus sublimis](#) Schwenke, 1999 ^{c g}
- [Mesochorus subtilis](#) Dasch, 1974 ^{c g}
- [Mesochorus subulatus](#) Dasch, 1974 ^{c g}
- [Mesochorus sufflatus](#) Schwenke, 1999 ^{c g}
- [Mesochorus sulcatus](#) Dasch, 1971 ^{c g}
- [Mesochorus sulcifer](#) Dasch, 1974 ^{c g}
- [Mesochorus sulphuripes](#) Brischke, 1880 ^{c g}
- [Mesochorus suomiensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus superbus](#) Schwenke, 1999 ^{c g}
- [Mesochorus surinamensis](#) Dasch, 1974 ^{c g}
- [Mesochorus svenssoni](#) Schwenke, 1999 ^{c g}
- [Mesochorus tachinae](#) Ashmead, 1898 ^{c g}
- [Mesochorus tachinidaeus](#) Schwenke, 2002 ^{c g}
- [Mesochorus taeniatus](#) Dasch, 1974 ^{c g}
- [Mesochorus taiwanensis](#) Kusigemati, 1985 ^{c g}
- [Mesochorus takizawai](#) Kusigemati, 1985 ^{c g}
- [Mesochorus tantillus](#) Dasch, 1971 ^{c g}
- [Mesochorus tarnabyanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus tattakensis](#) Uchida, 1933 ^{c g}
- [Mesochorus temporalis](#) Thomson, 1886 ^c
- [Mesochorus tenebricosus](#) Dasch, 1974 ^{c g}
- [Mesochorus tenthredinidis](#) Schwenke, 1999 ^{c g}
- [Mesochorus tenuigenae](#) Schwenke, 1999 ^{c g}
- [Mesochorus tenuis](#) Schwenke, 1999 ^{c g}
- [Mesochorus tenuiscapus](#) Thomson, 1886 ^{c g}
- [Mesochorus terebratus](#) Schwenke, 1999 ^{c g}
- [Mesochorus terminalis](#) Dasch, 1974 ^{c g}
- [Mesochorus terrosus](#) Brues, 1910 ^{c g}

- [Mesochorus testaceus](#) Gravenhorst, 1829 ^{c g}
- [Mesochorus tetricus](#) Holmgren, 1860 ^{c g}
- [Mesochorus tibialis](#) Schwenke, 2002 ^{c g}
- [Mesochorus tipularius](#) Gravenhorst, 1829 ^{c g}
- [Mesochorus torosus](#) Dasch, 1974 ^{c g}
- [Mesochorus totonacus](#) Cresson, 1872 ^{c g}
- [Mesochorus townesi](#) Schwenke, 1999 ^{c g}
- [Mesochorus transversus](#) Dasch, 1971 ^{c g}
- [Mesochorus trentinus](#) Schwenke, 1999 ^{c g}
- [Mesochorus triangularis](#) Dasch, 1974 ^{c g}
- [Mesochorus triangulus](#) Schwenke, 1999 ^{c g}
- [Mesochorus trifoveatus](#) Schwenke, 2004 ^{c g}
- [Mesochorus triquetrus](#) Dasch, 1974 ^{c g}
- [Mesochorus trisulcatus](#) Viereck, 1912 ^{c g}
- [Mesochorus trossulus](#) Dasch, 1974 ^{c g}
- [Mesochorus tuberculiger](#) Thomson, 1886 ^{c g}
- [Mesochorus tucumanensis](#) Dasch, 1974 ^{c g}
- [Mesochorus tumidifrons](#) Dasch, 1971 ^{c g}
- [Mesochorus tumidus](#) Dasch, 1974 ^{c g}
- [Mesochorus tundracolus](#) Dasch, 1971 ^{c g}
- [Mesochorus turbidus](#) Schwenke, 1999 ^{c g}
- [Mesochorus turgidus](#) Dasch, 1974 ^{c g}
- [Mesochorus tyroliensis](#) Schwenke, 1999 ^{c g}
- [Mesochorus ukiahensis](#) Dasch, 1971 ^{c g}
- [Mesochorus unicarinatus](#) Dasch, 1971 ^{c g}
- [Mesochorus uniformis](#) Cresson, 1872 ^{c g b}
- [Mesochorus vafer](#) Dasch, 1974 ^{c g}
- [Mesochorus valdierius](#) Schwenke, 1999 ^{c g}
- [Mesochorus validus](#) Dasch, 1971 ^{c g}
- [Mesochorus varianus](#) Dasch, 1971 ^{c g}
- [Mesochorus varius](#) Schwenke, 1999 ^{c g}
- [Mesochorus vejanus](#) Schwenke, 1999 ^{c g}
- [Mesochorus velatus](#) Dasch, 1974 ^{c g}
- [Mesochorus velox](#) Holmgren, 1860 ^{c g}
- [Mesochorus veluminis](#) Schwenke, 1999 ^{c g}
- [Mesochorus venerandus](#) Schwenke, 1999 ^{c g}

- [Mesochorus venustus](#) Dasch, 1974 ^c ^g
- [Mesochorus veracruz](#)i Dasch, 1974 ^c ^g
- [Mesochorus verecundus](#) Dasch, 1974 ^c ^g
- [Mesochorus versicolor](#) Dasch, 1974 ^c ^g
- [Mesochorus versiculus](#) Dasch, 1974 ^c ^g
- [Mesochorus versuratus](#) Schwenke, 1999 ^c ^g
- [Mesochorus versutus](#) Dasch, 1974 ^c ^g
- [Mesochorus vetulus](#) Dasch, 1974 ^c ^g
- [Mesochorus viator](#) Schwenke, 2004 ^c ^g
- [Mesochorus villosus](#) Dasch, 1974 ^c ^g
- [Mesochorus vinnulus](#) Dasch, 1974 ^c ^g
- [Mesochorus virgatus](#) Schwenke, 1999 ^c ^g
- [Mesochorus vittator](#) (Zetterstedt, 1838) ^c ^g
- [Mesochorus vitticollis](#) Holmgren, 1860 ^c ^g
- [Mesochorus windsorians](#) Schwenke, 2004 ^c ^g
- [Mesochorus xanthurus](#) Dasch, 1974 ^c ^g
- [Mesochorus yosemite](#) Dasch, 1971 ^c ^g
- [Mesochorus zoerner](#)i Schwenke, 1999 ^c ^g
- [Mesochorus zonatus](#) Dasch, 1974 ^c ^g
- [Mesochorus zwakhals](#)i Schwenke, 2004 ^c ^g
- [Mesochorus zwettl](#)eus Schwenke, 1999 ^c ^g
- [Mesochorus zygaena](#)e Schwenke, 1999 ^c ^g
- [Mesochorus zyga](#)naus Schwenke, 1999 ^c ^g

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Browse Mesochorus"](#). *Catalogue of Life*. Retrieved 2018-04-05.
 - ["Mesochorus"](#). *GBIF*. Retrieved 2018-04-05.
 - ["Mesochorus Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-05.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-05.

Categories:

- [Parasitoid wasps](#)

- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 145 species in [Merosargus](#), a genus of soldier flies in the family [Stratiomyidae](#).

Merosargus species

- [Merosargus abana](#) [Curran](#), 1932[1]
- [Merosargus acutus](#) [James](#), 1971[2]
- [Merosargus aeneus](#) ([Lindner](#), 1949)[3]
- [Merosargus akrei](#) [James & McFadden](#), 1971[2]
- [Merosargus albidus](#) [McFadden](#), 1971[2]
- [Merosargus albifacies](#) [James](#), 1941[4]
- [Merosargus albopictus](#) [James](#), 1971[2]
- [Merosargus alticola](#) [McFadden](#), 1971[2]
- [Merosargus altifrons](#) [James](#), 1971[2]
- [Merosargus amethystinus](#) ([Lindner](#), 1969)[5]
- [Merosargus ampulla](#) [James](#), 1971[2]
- [Merosargus andinus](#) [James](#), 1971[2]
- [Merosargus angulatus](#) [McFadden](#), 1971[2]
- [Merosargus angustus](#) [James](#), 1971[2]
- [Merosargus antennatus](#) [Schiner](#), 1868[6]
- [Merosargus anticus](#) [Curran](#), 1932[1]
- [Merosargus apicalis](#) [Lindner](#), 1935[7]
- [Merosargus arcuatus](#) [James](#), 1971[2]
- [Merosargus atriannulatus](#) [McFadden](#), 1971[2]
- [Merosargus aureonitens](#) [James](#), 1971[2]
- [Merosargus aurivena](#) [James](#), 1971[2]
- [Merosargus azureus](#) ([Enderlein](#), 1914)[8]
- [Merosargus banksi](#) [James](#), 1936
- [Merosargus barbatus](#) [James](#), 1971[2]
- [Merosargus basalis](#) [James](#), 1971[2]
- [Merosargus beameri](#) [James](#), 1941[4]
- [Merosargus bequaerti](#) [Curran](#), 1928[9]
- [Merosargus bitaeniatus](#) [Lindner](#), 1949[3]
- [Merosargus bituberculatus](#) [Schiner](#), 1868[6]
- [Merosargus bivittatus](#) [James](#), 1971[2]
- [Merosargus brachiatus](#) [James](#), 1971[2]
- [Merosargus brunneus](#) [Lindner](#), 1933

- [*Merosargus brunnipes*](#) McFadden, 1971[2]
- [*Merosargus bulbifrons*](#) Williston, 1900[10]
- [*Merosargus c-nigrum*](#) (Lindner, 1951)[11]
- [*Merosargus caeruleifrons*](#) (Johnson, 1900)[12]
- [*Merosargus calceolatus*](#) Bigot, 1879[13]
- [*Merosargus chalconota*](#) (Brauer, 1882)[14]
- [*Merosargus cingulatus*](#) Schiner, 1868[6]
- [*Merosargus citrinus*](#) James, 1971[2]
- [*Merosargus complicatus*](#) James, 1971[2]
- [*Merosargus concinnatus*](#) Williston, 1900[10]
- [*Merosargus conopsoides*](#) James, 1971[2]
- [*Merosargus contortus*](#) James, 1971[2]
- [*Merosargus coriaceus*](#) Giglio-Tos, 1891[15]
- [*Merosargus coxalis*](#) Lindner, 1949[3]
- [*Merosargus cyaneoscutellatus*](#) (Enderlein, 1914)[8]
- [*Merosargus cyrtometopius*](#) James, 1971[2]
- [*Merosargus degenerata*](#) (Lindner, 1949)[3]
- [*Merosargus dissimilis*](#) Giglio-Tos, 1891[15]
- [*Merosargus divisus*](#) James, 1971[2]
- [*Merosargus dorsalis*](#) Lindner, 1969[5]
- [*Merosargus elatus*](#) Curran, 1932[1]
- [*Merosargus elongatus*](#) James, 1971[2]
- [*Merosargus ethelia*](#) Curran, 1932[1]
- [*Merosargus eunomus*](#) James, 1967[16]
- [*Merosargus festivus*](#) Williston, 1888[17]
- [*Merosargus flaviceps*](#) McFadden, 1971[2]
- [*Merosargus flavissimus*](#) James, 1971[2]
- [*Merosargus flavitarsis*](#) (Lindner, 1969)[5]
- [*Merosargus flaviventris*](#) (Lindner, 1935)[7]
- [*Merosargus fraternus*](#) Bigot, 1879[13]
- [*Merosargus frontatus*](#) Schiner, 1868[6]
- [*Merosargus frosti*](#) James, 1941[4]
- [*Merosargus fumipennis*](#) James, 1971[2]
- [*Merosargus geminatus*](#) James, 1971[2]
- [*Merosargus golbachii*](#) James, 1971[2]
- [*Merosargus gorgona*](#) (Lindner, 1949)[3]
- [*Merosargus gowdeyi*](#) Curran, 1928[9]
- [*Merosargus gracilior*](#) James, 1971[2]
- [*Merosargus gracilis*](#) Williston, 1888[17]
- [*Merosargus granulatus*](#) James, 1971[2]
- [*Merosargus hansonii*](#) James, 1971[2]
- [*Merosargus hoffmanni*](#) Lindner, 1935[7]

- [*Merosargus hyalopterus* Giglio-Tos, 1891](#)[\[15\]](#)
- [*Merosargus insularis* Curran, 1934](#)[\[18\]](#)
- [*Merosargus irwini* James & McFadden, 1971](#)[\[2\]](#)
- [*Merosargus lacrimosus* James, 1971](#)[\[2\]](#)
- [*Merosargus lampronotus* James, 1941](#)[\[4\]](#)
- [*Merosargus laniger* James, 1971](#)[\[2\]](#)
- [*Merosargus lateromaculatus* James, 1971](#)[\[2\]](#)
- [*Merosargus linearis* James, 1971](#)[\[2\]](#)
- [*Merosargus longipes* McFadden, 1971](#)[\[2\]](#)
- [*Merosargus longiventris* \(Enderlein, 1914\)](#)[\[8\]](#)
- [*Merosargus luridus* Loew, 1855](#)[\[19\]](#)
- [*Merosargus lutzi* Curran, 1932](#)[\[1\]](#)
- [*Merosargus lyricus* James & McFadden, 1971](#)[\[2\]](#)
- [*Merosargus megalopyge* James, 1971](#)[\[2\]](#)
- [*Merosargus melanothorax* McFadden, 1971](#)[\[2\]](#)
- [*Merosargus mirabilis* James, 1971](#)[\[2\]](#)
- [*Merosargus nebulifer* James, 1971](#)[\[2\]](#)
- [*Merosargus nigribasis* James, 1971](#)[\[2\]](#)
- [*Merosargus notatus* Lindner, 1949](#)[\[3\]](#)
- [*Merosargus obscurus* \(Wiedemann, 1830\)](#)[\[20\]](#)
- [*Merosargus obtusipennis* \(Lindner, 1949\)](#)[\[3\]](#)
- [*Merosargus opaliger* Lindner, 1931](#)[\[21\]](#)
- [*Merosargus orizabae* Giglio-Tos, 1891](#)[\[15\]](#)
- [*Merosargus pallidus* McFadden, 1971](#)[\[2\]](#)
- [*Merosargus pallifrons* Curran, 1932](#)[\[1\]](#)
- [*Merosargus panamensis* McFadden, 1971](#)[\[2\]](#)
- [*Merosargus par* Curran, 1932](#)[\[1\]](#)
- [*Merosargus penai* James, 1971](#)[\[2\]](#)
- [*Merosargus peruvianus* James, 1971](#)[\[2\]](#)
- [*Merosargus picta* \(Brauer, 1882\)](#)[\[14\]](#)
- [*Merosargus pictipes* James, 1971](#)[\[2\]](#)
- [*Merosargus pictithorax* Curran, 1933](#)[\[22\]](#)
- [*Merosargus productus* James, 1971](#)[\[2\]](#)
- [*Merosargus pseudolyricus* James, 1971](#)[\[2\]](#)
- [*Merosargus pulcher* James, 1971](#)[\[2\]](#)
- [*Merosargus quadratus* James, 1971](#)[\[2\]](#)
- [*Merosargus quadrifasciatus* Lindner, 1941](#)[\[23\]](#)
- [*Merosargus robustus* McFadden, 1971](#)[\[2\]](#)
- [*Merosargus rossi* James, 1971](#)[\[2\]](#)
- [*Merosargus rotundatus* Curran, 1932](#)[\[1\]](#)
- [*Merosargus schildi* James, 1971](#)[\[2\]](#)
- [*Merosargus scrobiculus* McFadden, 1971](#)[\[2\]](#)

- [Merosargus sexmaculatus](#) McFadden, 1971[2]
- [Merosargus sexnotatus](#) James, 1941[4]
- [Merosargus smaragdiferus](#) (Bigot, 1879)[13]
- [Merosargus spatulatus](#) (Williston, 1900)[10]
- [Merosargus stamineus](#) (Fabricius, 1805)[24]
- [Merosargus stigmaticus](#) (Lindner, 1949)[3]
- [Merosargus subinterruptus](#) (Bellardi, 1859)[25]
- [Merosargus subobscurus](#) Lindner, 1969[5]
- [Merosargus supernitens](#) James, 1971[2]
- [Merosargus taeniatus](#) (Wiedemann, 1830)[20]
- [Merosargus tangens](#) James, 1971[2]
- [Merosargus telfordi](#) James, 1971[2]
- [Merosargus tenebricosus](#) Lindner, 1929
- [Merosargus tenuicornis](#) James, 1971[2]
- [Merosargus terminalis](#) James, 1971[2]
- [Merosargus transversus](#) McFadden, 1971[2]
- [Merosargus triangulatus](#) McFadden, 1971[2]
- [Merosargus tripartitus](#) James, 1971[2]
- [Merosargus tristis](#) Loew, 1855[19]
- [Merosargus tritaeniatus](#) Lindner, 1929
- [Merosargus varicornis](#) James, 1971[2]
- [Merosargus varicrus](#) James, 1971[2]
- [Merosargus ventralis](#) McFadden, 1971[2]
- [Merosargus venustulus](#) (Lindner, 1936)[26]
- [Merosargus vertebratus](#) James, 1971[2]
- [Merosargus viridis](#) McFadden, 1971[2]
- [Merosargus zeteki](#) James, 1971[2]

This is a list of species in [Melissodes](#), a genus of long-horned bees in the family [Apidae](#).^[1]

Melissodes species

- [Melissodes ablusus](#) Cockerell, 1926
- [Melissodes agilis](#) Cresson, 1878 (agile long-horned bee)
- [Melissodes apicatus](#) Lovell & Cockerell, 1906 (pickerelweed longhorn bee)
- [Melissodes appressus](#) LaBerge, 1961
- [Melissodes baileyi](#) Cockerell, 1906
- [Melissodes bicoloratus](#) LaBerge, 1961
- [Melissodes bidentis](#) Cockerell, 1914
- [Melissodes bimaculatus](#) Lepeletier, 1825 (two-spotted longhorn)
- [Melissodes bimatrix](#) LaBerge, 1961
- [Melissodes blandus](#) LaBerge, 1956

- [Melissodes boltoniae](#) Robertson, 1905
- [Melissodes brevipygga](#) LaBerge, 1961
- [Melissodes bruneri](#) (Cockerell, 1918)
- [Melissodes cerussatus](#) LaBerge, 1961
- [Melissodes cestus](#) Krombein, 1953
- [Melissodes clarkiae](#) LaBerge, 1961
- [Melissodes colliciatu](#) Cockerell, 1910
- [Melissodes coloradensis](#) Cresson, 1878
- [Melissodes comatus](#) LaBerge, 1961
- [Melissodes communis](#) Cresson, 1878 (common long-horned bee)
- [Melissodes compositus](#) Tucker, 1909
- [Melissodes comptoides](#) Robertson, 1898 (brown-winged long-horned bee)
- [Melissodes confusus](#) Cresson, 1878
- [Melissodes coreopsis](#) Robertson, 1905
- [Melissodes crocinus](#) LaBerge, 1961
- [Melissodes cubensis](#) LaBerge, 1956
- [Melissodes dagosa](#) Cockerell, 1909
- [Melissodes denticulatus](#) Smith, 1854
- [Melissodes dentiventris](#) Smith, 1854
- [Melissodes desponsus](#) Smith, 1854 (thistle long-horned bee)
- [Melissodes druriellus](#) (Kirby, 1802)
- [Melissodes ecuadorius](#) Bertoni & Schrottky, 1910
- [Melissodes elegans](#) LaBerge, 1961
- [Melissodes exilis](#) LaBerge, 1961
- [Melissodes expolitus](#) LaBerge, 1961
- [Melissodes fasciatellus](#) LaBerge, 1961
- [Melissodes fimbriatus](#) Cresson, 1878
- [Melissodes flexus](#) LaBerge, 1956
- [Melissodes floris](#) Cockerell, 1896
- [Melissodes foxi](#) Crawford, 1915
- [Melissodes fumosus](#) LaBerge, 1961
- [Melissodes gelidus](#) LaBerge, 1961
- [Melissodes gilensis](#) Cockerell, 1896
- [Melissodes glenwoodensis](#) Cockerell, 1905
- [Melissodes grindeliae](#) Cockerell, 1898
- [Melissodes haitiensis](#) LaBerge, 1961
- [Melissodes humilior](#) Cockerell, 1903
- [Melissodes hurdi](#) LaBerge, 1961
- [Melissodes hymenoxidis](#) Cockerell, 1906
- [Melissodes illatus](#) Lovell & Cockerell, 1906
- [Melissodes interruptus](#) LaBerge, 1961
- [Melissodes intortus](#) Cresson, 1872

- [Melissodes labiatarum](#) Cockerell, 1896
- [Melissodes lepriouri](#) Blanchard, 1849
- [Melissodes limbus](#) LaBerge, 1961
- [Melissodes lupinus](#) Cresson, 1878
- [Melissodes lustra](#) LaBerge, 1961
- [Melissodes lutulentus](#) LaBerge, 1961
- [Melissodes maestus](#) LaBerge, 1956
- [Melissodes manipularis](#) Smith, 1854
- [Melissodes martinicensis](#) Cockerell, 1917
- [Melissodes melanurus](#) (Cockerell, 1916)
- [Melissodes menuachus](#) Cresson, 1868
- [Melissodes metenua](#) Cockerell, 1924
- [Melissodes micheneri](#) LaBerge, 1961
- [Melissodes microstictus](#) Cockerell, 1905
- [Melissodes mimicus](#) Cresson, 1869
- [Melissodes minusculus](#) LaBerge, 1961
- [Melissodes mitchelli](#) LaBerge, 1956
- [Melissodes monoensis](#) LaBerge, 1961
- [Melissodes montanus](#) Cresson, 1878
- [Melissodes moorei](#) Cockerell, 1926
- [Melissodes morrilli](#) Cockerell, 1918
- [Melissodes negligendus](#) Cockerell, 1949
- [Melissodes nigracauda](#) LaBerge, 1961
- [Melissodes nigroaeneus](#) (Smith, 1854)
- [Melissodes niveus](#) Robertson, 1895
- [Melissodes ochraea](#) LaBerge, 1961
- [Melissodes opuntiellus](#) Cockerell, 1911
- [Melissodes pallidesignatus](#) Cockerell, 1905
- [Melissodes panamensis](#) Cockerell, 1928
- [Melissodes paroselae](#) Cockerell, 1905 (parosela long-horned bee)
- [Melissodes paucipuncta](#) LaBerge, 1961
- [Melissodes paululus](#) LaBerge, 1961
- [Melissodes perlusus](#) Cockerell, 1925
- [Melissodes perpolitus](#) LaBerge, 1961
- [Melissodes persimilis](#) Cockerell, 1949
- [Melissodes personatellus](#) Cockerell, 1901
- [Melissodes pexus](#) LaBerge, 1961
- [Melissodes pilleatus](#) LaBerge, 1961
- [Melissodes plumosus](#) LaBerge, 1961
- [Melissodes pullatellus](#) LaBerge, 1961
- [Melissodes pullatus](#) Cresson, 1865
- [Melissodes raphaelis](#) Cockerell, 1898

- [Melissodes relucens](#) LaBerge, 1961
- [Melissodes rivalis](#) Cresson, 1872 (rival long-horned bee)
- [Melissodes robustior](#) Cockerell, 1915 (robust long-horned bee)
- [Melissodes rufipes](#) LaBerge, 1961
- [Melissodes rufodentatus](#) Smith, 1854
- [Melissodes saponellus](#) Cockerell, 1908
- [Melissodes scotti](#) Cockerell, 1939
- [Melissodes semilupinus](#) Cockerell, 1905
- [Melissodes sexcinctus](#) (Lepeletier, 1841)
- [Melissodes snowii](#) Cresson, 1878
- [Melissodes sonorensis](#) LaBerge, 1963
- [Melissodes sphaeralceae](#) Cockerell, 1896
- [Melissodes stearnsi](#) Cockerell, 1905
- [Melissodes subagilis](#) Cockerell, 1905
- [Melissodes subillatus](#) LaBerge, 1961
- [Melissodes submenuachus](#) Cockerell, 1897
- [Melissodes tepaneca](#) Cresson, 1878 (tepanec long-horned bee)
- [Melissodes tepidus](#) Cresson, 1878
- [Melissodes terminatus](#) LaBerge, 1961
- [Melissodes tescorum](#) LaBerge, 1963
- [Melissodes tessellatus](#) LaBerge, 1956
- [Melissodes thelypodii](#) Cockerell, 1905
- [Melissodes tibialis](#) (Fabricius, 1804)
- [Melissodes tinctus](#) LaBerge, 1961
- [Melissodes tintinnans](#) (Holmberg, 1884)
- [Melissodes tribas](#) LaBerge, 1961
- [Melissodes trifasciatus](#) Cresson, 1878
- [Melissodes trinodis](#) Robertson, 1901
- [Melissodes tristis](#) Cockerell, 1894
- [Melissodes tuckeri](#) Cockerell, 1909
- [Melissodes utahensis](#) LaBerge, 1961
- [Melissodes velutinus](#) (Cockerell, 1916)
- [Melissodes verbesinarum](#) Cockerell, 1905
- [Melissodes vernalis](#) LaBerge, 1961
- [Melissodes vernoniae](#) Robertson, 1902
- [Melissodes wheeleri](#) Cockerell, 1906

This is a list of 1675 species in [Megaselia](#), a genus of scuttle flies in the family [Phoridae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Megaselia species

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J-K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [References](#)

A

- [Megaselia abalienata](#) Beyer, 1965 ^{c g}
- [Megaselia abdita](#) Schmitz, 1959 ^{i c g}
- [Megaselia abdominalis](#) Beyer, 1958 ^{c g}
- [Megaselia abernethae](#) Disney, 1988 ^{c g}
- [Megaselia abludens](#) Schmitz, 1927 ^{c g}
- [Megaselia abstinens](#) Borgmeier, 1967 ^{c g}
- [Megaselia achatinae](#) (Senior-White, 1924) ^{c g}
- [Megaselia aciculata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia aculeata](#) (Schmitz, 1919) ^{i c g}
- [Megaselia acuta](#) Schmitz, 1935 ^{c g}
- [Megaselia acutifurca](#) Borgmeier, 1962 ^{c g}
- [Megaselia acutipennis](#) Bridarolli, 1951 ^{c g}
- [Megaselia adempta](#) Borgmeier, 1969 ^{c g}

- [Megaselia advena](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia aemula](#) ([Brues](#), 1911) ^{c g}
- [Megaselia aequalis](#) ([Wood](#), 1909) ^{i c g}
- [Megaselia aequaliseta](#) ([Borgmeier](#), 1963) ^{i c g}
- [Megaselia aequidistans](#) [Bridarolli](#), 1951 ^{c g}
- [Megaselia aequilateralis](#) [Schmitz](#), 1936 ^{c g}
- [Megaselia aequimarginata](#) [Bridarolli](#), 1951 ^{c g}
- [Megaselia aequiperabilis](#) [Beyer](#), 1959 ^{c g}
- [Megaselia aerivaga](#) [Schmitz](#), 1937 ^{c g}
- [Megaselia aestiva](#) [Beyer](#), 1966 ^{i c g}
- [Megaselia affinis](#) ([Wood](#), 1909) ^{c g}
- [Megaselia afghana](#) [Schmitz](#), 1959 ^{c g}
- [Megaselia africola](#) [Beyer](#), 1965 ^{c g}
- [Megaselia agarici](#) ([Lintner](#), 1895) ^{i c g}
- [Megaselia agnata](#) [Schmitz](#), 1926 ^{c g}
- [Megaselia agnatoides](#) [Beyer](#), 1958 ^{c g}
- [Megaselia alajuelensis](#) ([Malloch](#), 1914) ^{c g}
- [Megaselia alata](#) [Brues](#), 1936 ^{c g}
- [Megaselia albibasis](#) [Borgmeier](#), 1966 ^{i c g}
- [Megaselia albicans](#) ([Wood](#), 1908) ^{c g}
- [Megaselia albicaudata](#) ([Wood](#), 1910) ^{c g}
- [Megaselia albiclava](#) [Schmitz](#), 1926 ^{c g}
- [Megaselia albiclavata](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia albocingulata](#) ([Strobl](#), 1906) ^{c g}
- [Megaselia aldabrae](#) [Disney](#), 2007 ^{c g}
- [Megaselia aldrichi](#) [Borgmeier](#), 1967 ^{i c g}
- [Megaselia aletiae](#) ([Comstock](#), 1880) ^{i c g}
- [Megaselia alisamorum](#) [Disney](#), 2008 ^{c g}
- [Megaselia aliseta](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia alius](#) [Disney](#), 2003 ^{c g}
- [Megaselia allopyga](#) [Borgmeier](#), 1966 ^{i c g}
- [Megaselia alloterga](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia allothrix](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia alpina](#) [Schmitz](#) & [Beyer](#), 1965 ^{c g}
- [Megaselia alsea](#) [Robinson](#), 1983 ^{i c g}
- [Megaselia altezza](#) [Brenner](#), 2004 ^{c g}

- [Megaselia alticolella](#) (Wood, 1909) ^{c g}
- [Megaselia altifrons](#) (Wood, 1909) ^{c g}
- [Megaselia amatorum](#) Disney, 2003 ^{c g}
- [Megaselia amica](#) Borgmeier, 1962 ^{c g}
- [Megaselia amplicornis](#) Borgmeier, 1964 ^{i c g}
- [Megaselia amplicosta](#) Beyer, 1958 ^{c g}
- [Megaselia amplifrons](#) Borgmeier, 1962 ^{c g}
- [Megaselia amplipennis](#) Borgmeier, 1935 ^{c g}
- [Megaselia ampullosa](#) Borgmeier, 1961 ^{c g}
- [Megaselia analis](#) (Lundbeck, 1920) ^{c g}
- [Megaselia andicola](#) Brues, 1944 ^{c g}
- [Megaselia andrenae](#) Disney, Scanni, Scamoni & Andrietti, 1998 ^{c g}
- [Megaselia andrewi](#) Disney, 2003 ^{c g}
- [Megaselia androidea](#) Bridarolli, 1951 ^{c g}
- [Megaselia aneura](#) Malloch, 1935 ^{c g}
- [Megaselia angelicae](#) (Wood, 1910) ^{c g}
- [Megaselia angularis](#) (Schmitz, 1924) ^{c g}
- [Megaselia angulata](#) Gori, 2005 ^{c g}
- [Megaselia angusta](#) (Wood, 1909) ^{c g}
- [Megaselia angustiata](#) Schmitz, 1936 ^{c g}
- [Megaselia angustifrons](#) (Wood, 1912) ^{c g}
- [Megaselia angustifurcata](#) (Enderlein, 1912) ^{c g}
- [Megaselia angustina](#) Schmitz, 1936 ^{c g}
- [Megaselia annulipes](#) (Schmitz, 1921) ^{i c g}
- [Megaselia anomala](#) (Malloch, 1912) ^{i c g}
- [Megaselia anomaliseta](#) Beyer, 1958 ^{c g}
- [Megaselia anomaloterga](#) Disney, 1993 ^{c g}
- [Megaselia antecellens](#) Beyer, 1965 ^{c g}
- [Megaselia antennalis](#) Brues, 1936 ^{c g}
- [Megaselia antennula](#) Beyer, 1965 ^{c g}
- [Megaselia anterodorsalis](#) Borgmeier, 1962 ^{c g}
- [Megaselia anterospinosa](#) Borgmeier, 1962 ^{c g}
- [Megaselia anthracina](#) Borgmeier, 1962 ^{c g}
- [Megaselia antialis](#) Borgmeier, 1967 ^{c g}
- [Megaselia anticheira](#) Disney, 2004 ^{c g}
- [Megaselia anticonigra](#) Beyer, 1958 ^{c g}

- [Megaselia apicalis](#) (Brues, 1905) ^{c g}
- [Megaselia apodicraea](#) Borgmeier, 1971 ^{c g}
- [Megaselia apoensis](#) Brues, 1936 ^{c g}
- [Megaselia apophysata](#) Schmitz, 1940 ^{c g}
- [Megaselia apozona](#) Schmitz, 1936 ^{c g}
- [Megaselia appendiculata](#) Brues, 1936 ^{c g}
- [Megaselia appetens](#) Beyer, 1965 ^{c g}
- [Megaselia apposita](#) Brues, 1936 ^{c g}
- [Megaselia approximata](#) (Brunetti, 1912) ^{c g}
- [Megaselia aquilonia](#) Schmitz, 1958 ^{c g}
- [Megaselia araneivora](#) Goto, 1985 ^{c g}
- [Megaselia arbuciensis](#) Garcia-Romera ^g
- [Megaselia arcticae](#) Disney, 2004 ^{c g}
- [Megaselia arctifurca](#) Borgmeier, 1967 ^{c g}
- [Megaselia arcuata](#) (Malloch, 1912) ^{i c g}
- [Megaselia arcuatilinea](#) Beyer, 1959 ^{c g}
- [Megaselia ardua](#) Schmitz, 1940 ^{c g}
- [Megaselia argentea](#) Borgmeier, 1962 ^{c g}
- [Megaselia argiopephaga](#) Disney, 1982 ^{c g}
- [Megaselia arietina](#) Disney, 1991 ^{c g}
- [Megaselia aristalis](#) (Malloch, 1914) ^{i c g}
- [Megaselia aristata](#) Brues, 1936 ^{c g}
- [Megaselia aristica](#) (Schmitz, 1920)
- [Megaselia aristolochiae](#) Hime & Costa, 1985 ^{c g}
- [Megaselia arizonensis](#) (Malloch, 1912) ^{i c g}
- [Megaselia armata](#) (Wood, 1909) ^{c g}
- [Megaselia armipectus](#) Borgmeier, 1967 ^{c g}
- [Megaselia armstrongorum](#) ^g
- [Megaselia arquata](#) Schmitz, 1935 ^{c g}
- [Megaselia artangula](#) Beyer, 1965 ^{c g}
- [Megaselia ashmolei](#) Disney, 1990 ^{c g}
- [Megaselia asthenichaeta](#) Brues, 1944 ^{c g}
- [Megaselia asymmetrica](#) Beyer, 1959 ^{c g}
- [Megaselia aterrima](#) (Strobl, 1906) ^{c g}
- [Megaselia athesis](#) Brenner, 2006 ^{c g}
- [Megaselia atomella](#) (Malloch, 1912) ^{i c g}

- [Megaselia atratula](#) Borgmeier, 1964 ^{i c g}
- [Megaselia atriclava](#) (Brues, 1911) ^{c g}
- [Megaselia atricolor](#) Borgmeier, 1962 ^{c g}
- [Megaselia atricornis](#) Beyer, 1958 ^{c g}
- [Megaselia atridorsata](#) Malloch, 1935 ^{c g}
- [Megaselia atristola](#) Borgmeier, 1962 ^{c g}
- [Megaselia atrita](#) (Brues, 1915) ^{c g}
- [Megaselia atrosericea](#) Schmitz, 1927 ^{c g}
- [Megaselia atrox](#) Borgmeier, 1968 ^{i c g}
- [Megaselia attenuata](#) Bridarolli, 1951 ^{c g}
- [Megaselia audreyae](#) Disney, 1978 ^{c g}
- [Megaselia aurantiaca](#) Borgmeier, 1971 ^{c g}
- [Megaselia aurea](#) (Aldrich, 1896) ^{i c g b}
- [Megaselia auriclava](#) Beyer, 1958 ^{c g}
- [Megaselia auricoma](#) Schmitz, 1927 ^{c g}
- [Megaselia austera](#) Schmitz, 1929 ^{c g}
- [Megaselia australiae](#) Beyer, 1960 ^{c g}

B

- [Megaselia badia](#) Schmitz, 1938 ^{c g}
- [Megaselia baezi](#) Disney, 1990 ^{c g}
- [Megaselia baileyai](#) Hartop, Brown, & Disney 2016[5]
- [Megaselia baltica](#) (Schmitz, 1924) ^{c g}
- [Megaselia bambootelmatae](#) Disney, 1995 ^{c g}
- [Megaselia barbata](#) Brues, 1936 ^{c g}
- [Megaselia barberi](#) (Malloch, 1912) ^{i c g}
- [Megaselia barbertonia](#) Schmitz, 1929 ^{c g}
- [Megaselia barbicauda](#) Borgmeier, 1967 ^{c g}
- [Megaselia barbimargo](#) Beyer, 1960 ^{c g}
- [Megaselia barbitergata](#) Beyer, 1965 ^{c g}
- [Megaselia barbulata](#) (Wood, 1909) ^{c g}
- [Megaselia baroringensis](#) Brues, 1936 ^{c g}
- [Megaselia barrientosi](#) Garcia-Romera ^g
- [Megaselia barroensis](#) Disney, 2007 ^{c g}
- [Megaselia basicavata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia basichaeta](#) Borgmeier, 1969 ^{c g}
- [Megaselia basicrinalis](#) Schmitz, 1953 ^{c g}

- [Megaselia basipecten](#) Beyer, 1965 ^{c g}
- [Megaselia basiseta](#) Malloch, 1935 ^{c g}
- [Megaselia basispinata](#) Lundbeck, 1920 ^{i c g}
- [Megaselia basitarsalis](#) Beyer, 1964 ^{i c g}
- [Megaselia basitumida](#) Schmitz, 1927 ^{c g}
- [Megaselia basiturgida](#) Disney & Durska, 2011
- [Megaselia basiveluta](#) Schmitz, 1935 ^{c g}
- [Megaselia basseti](#) Disney, 2011
- [Megaselia beatricis](#) Colyer, 1962 ^{c g}
- [Megaselia beckeri](#) (Wood, 1909) ^{i c g}
- [Megaselia bella](#) (Brues, 1905) ^{c g}
- [Megaselia belumensis](#) Disney, 1995 ^{c g}
- [Megaselia benebarbata](#) Beyer, 1965 ^{c g}
- [Megaselia beringensis](#) Borgmeier, 1964 ^{i c g}
- [Megaselia berndeseni](#) (Schmitz, 1919) ^{c g}
- [Megaselia berndseni](#) (Schmitz, 1919) ^g
- [Megaselia beyeri](#) Schmitz, 1965 ^{c g}
- [Megaselia bezziana](#) (Enderlein, 1912) ^{c g}
- [Megaselia biarticulata](#) Disney, 1988 ^{c g}
- [Megaselia bicolor](#) (Meigen, 1830) ^{c g}
- [Megaselia bifida](#) Disney, 1983 ^{c g}
- [Megaselia bifurcata](#) Disney, 1983 ^{c g}
- [Megaselia bihamulata](#) Brues, 1936 ^{c g}
- [Megaselia bilobulus](#) Disney, 2003 ^{c g}
- [Megaselia bimaculata](#) Borgmeier, 1966 ^{i c g}
- [Megaselia bingana](#) Disney, 1991 ^{c g}
- [Megaselia bipunctata](#) Borgmeier, 1963 ^{c g}
- [Megaselia birdensis](#) Disney, 2006 ^{c g}
- [Megaselia bisecta](#) Brues, 1936 ^{c g}
- [Megaselia biseta](#) Beyer, 1960 ^{c g}
- [Megaselia bisetalis](#) Fang & Liu, 2005 ^{c g}
- [Megaselia bisetigera](#) Beyer, 1965 ^{c g}
- [Megaselia bisetulata](#) (Malloch, 1915) ^{i c g}
- [Megaselia bisinuata](#) Borgmeier, 1962 ^{c g}
- [Megaselia bispatulata](#) Bridarolli, 1951 ^{c g}
- [Megaselia bisticta](#) ^g
- [Megaselia bistruncata](#) Schmitz, 1936 ^{c g}

- [Megaselia bivesicata](#) [Schmitz](#), 1931 ^{c g}
- [Megaselia boesii](#) [Disney](#), 2006 ^{c g}
- [Megaselia boliviana](#) ([Enderlein](#), 1912) ^{c g}
- [Megaselia boninensis](#) [Beyer](#), 1967 ^{c g}
- [Megaselia borgmeieri](#) [Beyer](#), 1965 ^{c g}
- [Megaselia bovista](#) ([Gimmerthal](#), 1848) ⁱ
- [Megaselia bowlesi](#) [Disney](#), 1981 ^{c g}
- [Megaselia brachyprocta](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia bradyi](#) ^g
- [Megaselia brejchaorum](#) ^g
- [Megaselia brevibarba](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia brevicauda](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia breviceps](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia breviciliata](#) ([Strobl](#), 1899) ^{c g}
- [Megaselia brevicornis](#) [Schmitz](#), 1938 ^g
- [Megaselia brevicostalis](#) ([Wood](#), 1910) ^{i c g}
- [Megaselia brevifemorata](#) [Schmitz](#), 1926 ^{c g}
- [Megaselia brevifrons](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia brevineura](#) [Brues](#), 1936 ^{c g}
- [Megaselia brevior](#) ([Schmitz](#), 1924) ^{c g}
- [Megaselia brevipes](#) ([Lundbeck](#), 1920) ^{c g}
- [Megaselia brevis](#) ([Collin](#), 1912) ^{c g}
- [Megaselia breviscula](#) ([Brues](#), 1924) ^g
- [Megaselia brevisecta](#) [Brues](#), 1936 ^{c g}
- [Megaselia breviseta](#) ([Wood](#), 1912) ^{c g}
- [Megaselia brevissima](#) ([Schmitz](#), 1924) ^{c g}
- [Megaselia breviterga](#) ([Lundback](#), 1921) ^{i c g}
- [Megaselia breviuscula](#) ([Brues](#), 1924) ^{c g}
- [Megaselia brevivallorum](#) [Disney](#), 2003 ^{c g}
- [Megaselia brianbrowni](#) [Disney](#), 1994 ^{c g}
- [Megaselia bridarollii](#) [Colyer](#), 1952 ^{c g}
- [Megaselia brokawi](#) [Disney](#), 1994 ^{c g}
- [Megaselia bruchiana](#) ([Borgmeier](#) & [Schmitz](#), 1923) ^{c g}
- [Megaselia bruesi](#) [Disney](#), 1986 ^{c g}
- [Megaselia brunnea](#) ([Schmitz](#), 1920) ^{c g}
- [Megaselia brunneicornis](#) ([Schmitz](#), 1920) ^{c g}

- [Megaselia brunneipalpata](#) Beyer, 1964 ^{i c g}
- [Megaselia brunneipennis](#) Costa, 1857 ^{c g}
- [Megaselia brunneoflava](#) Beyer, 1958 ^{c g}
- [Megaselia brunnicans](#) (Brues, 1924) ^{c g}
- [Megaselia brunnipennis](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia brunnipes](#) (Malloch, 1912) ^{i c g}
- [Megaselia buccata](#) Borgmeier, 1969 ^{c g}
- [Megaselia buchsi](#) Disney, 1999 ^{c g}
- [Megaselia bulbicornis](#) Borgmeier, 1962 ^{c g}
- [Megaselia bulbosa](#) Brues, 1936 ^{c g}
- [Megaselia burmensis](#) Beyer, 1958 ^{c g}
- [Megaselia bursaria](#) Borgmeier, 1971 ^{c g}
- [Megaselia bursata](#) Borgmeier, 1966 ^{i g}
- [Megaselia bursella](#) Borgmeier, 1969 ^{c g}
- [Megaselia burselloides](#) Borgmeier, 1969 ^{c g}
- [Megaselia bursifera](#) Borgmeier, 1971 ^{c g}
- [Megaselia buxtoni](#) Colyer, 1954 ^{c g}

C

- [Megaselia cakpoe](#) Disney in Disney, Kurina, Tedersoo & Cakpo, 2013[6]
- [Megaselia caledoniae](#) Borgmeier, 1967 ^{c g}
- [Megaselia californiensis](#) (Malloch, 1912) ^{i c g}
- [Megaselia callunae](#) Garcia-Romera ^g
- [Megaselia calvescens](#) Borgmeier, 1962 ^{c g}
- [Megaselia camariana](#) (Coquerel, 1848) ^{c g}
- [Megaselia camilla](#) Borgmeier, 1964 ^{i g}
- [Megaselia campestris](#) (Wood, 1908) ^{c g}
- [Megaselia canaliculata](#) (Brues, 1915) ^{c g}
- [Megaselia canariensis](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia canaryae](#) Disney, 1990 ^{c g}
- [Megaselia capensis](#) Beyer, 1959 ^{c g}
- [Megaselia capillicauda](#) Borgmeier, 1964 ^{i c g}
- [Megaselia capillipes](#) Schmitz, 1929 ^{c g}
- [Megaselia capronata](#) Schmitz, 1940 ^{c g}
- [Megaselia capta](#) Borgmeier, 1964 ^{i c g}
- [Megaselia carinata](#) Borgmeier, 1967 ^{c g}
- [Megaselia carlynensis](#) (Malloch, 1912) ^{i c g}

- [Megaselia carminis](#) Garcia-Romera ^g
- [Megaselia carola](#) Robinson, 1981 ^{i c g}
- [Megaselia carthayensis](#) ^g
- [Megaselia cassandra](#) Borgmeier, 1971 ^{c g}
- [Megaselia castanea](#) Bridarolli, 1937 ^{c g}
- [Megaselia castaneipleura](#) Borgmeier, 1969 ^{c g}
- [Megaselia caudalis](#) Beyer, 1959 ^{c g}
- [Megaselia caudifera](#) Beyer, 1965 ^{c g}
- [Megaselia cavernicola](#) (Brues, 1906)[7]
- [Megaselia cavifemur](#) Borgmeier, 1964 ^{i c g}
- [Megaselia cavifrons](#) Schmitz, 1929 ^{c g}
- [Megaselia cavimargo](#) Borgmeier, 1962 ^{c g}
- [Megaselia cercaria](#) Borgmeier, 1969 ^{c g}
- [Megaselia cercisetaria](#) Disney, 2003 ^{c g}
- [Megaselia chaetocera](#) Borgmeier, 1964 ^{i c g}
- [Megaselia chaetogaster](#) Borgmeier, 1971 ^{c g}
- [Megaselia chaetoneura](#) (Malloch, 1912) ^{i c g}
- [Megaselia chaetopyga](#) (Lundbeck, 1921) ^{c g}
- [Megaselia chaetorhoea](#) Beyer, 1966 ^{c g}
- [Megaselia chainensis](#) Disney, 1985 ^{i c g}
- [Megaselia chapmani](#) Borgmeier, 1967 ^{c g}
- [Megaselia chilochaeta](#) Borgmeier, 1962 ^{c g}
- [Megaselia chiloensis](#) Schmitz, 1929 ^{c g}
- [Megaselia chinganica](#) Naumov, 1992 ^{c g}
- [Megaselia chinyeroensis](#) Disney, 2010
- [Megaselia chipensis](#) (Brues, 1911) ^{c g}
- [Megaselia chlorocera](#) Borgmeier, 1968 ^{c g}
- [Megaselia chlumetiae](#) Disney, 1992 ^{c g}
- [Megaselia chorogi](#) Naumov, 1979 ^{c g}
- [Megaselia chrysophora](#) Beyer, 1967 ^{c g}
- [Megaselia chrysopyge](#) Beyer, 1965 ^{c g}
- [Megaselia ciancii](#) ^g
- [Megaselia ciliata](#) (Zetterstedt, 1848) ^{c g}
- [Megaselia ciliatula](#) Schmitz, 1957 ^{c g}
- [Megaselia cilipes](#) (Brues, 1907) ^{c g}
- [Megaselia cilla](#) Borgmeier, 1962 ^{c g}
- [Megaselia cinerascens](#) Borgmeier, 1962 ^{c g}

- [Megaselia cinerea](#) Schmitz, 1938 ^{c g}
- [Megaselia cinereifrons](#) (Strobl, 1910) ^{c g}
- [Megaselia cirratula](#) Schmitz, 1948 ^{c g}
- [Megaselia cirricauda](#) Colyer, 1962 ^{c g}
- [Megaselia cirripes](#) Borgmeier, 1964 ^{i c g}
- [Megaselia cirripyga](#) Borgmeier, 1964 ^{i c g}
- [Megaselia cirriventris](#) Schmitz, 1929 ^{i c g}
- [Megaselia citrinella](#) Buck & Disney, 2001 ^{c g}
- [Megaselia claggi](#) Brues, 1936 ^{c g}
- [Megaselia clara](#) (Schmitz, 1921) ^{i c g}
- [Megaselia claricornis](#) Colyer, 1962 ^{c g}
- [Megaselia claripennis](#) Bridarolli, 1951 ^{c g}
- [Megaselia claudia](#) Borgmeier, 1967 ^{c g}
- [Megaselia clavipedella](#) Brues, 1936 ^{c g}
- [Megaselia clementsi](#) Disney, 1978 ^{c g}
- [Megaselia clemonsi](#) Disney, 1984 ^{c g}
- [Megaselia coacta](#) (Lundbeck, 1920) ^{c g}
- [Megaselia coetanea](#) Schmitz, 1929 ^{c g}
- [Megaselia coalescens](#) Borgmeier, 1962 ^{c g}
- [Megaselia coarctipennis](#) Borgmeier, 1962 ^{c g}
- [Megaselia coccyx](#) Schmitz, 1965 ^{i c g}
- [Megaselia cochlophila](#) Borgmeier, 1967 ^{c g}
- [Megaselia coei](#) Schmitz, 1938 ^{c g}
- [Megaselia cognoscibilis](#) Beyer, 1958 ^{c g}
- [Megaselia collini](#) (Wood, 1909) ^{c g}
- [Megaselia colyeri](#) (Beyer, 1966) ^{c g}
- [Megaselia comfurcula](#) Beyer, 1965 ^{c g}
- [Megaselia communiformis](#) (Schmitz, 1918) ^{c g}
- [Megaselia communis](#) Borgmeier, 1962 ^{c g}
- [Megaselia comorosensis](#) Disney, 2005 ^{c g}
- [Megaselia comosa](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia compacta](#) Schmitz, 1940 ^{c g}
- [Megaselia compacticeps](#) Borgmeier, 1964 ^{c g}
- [Megaselia compactipes](#) Borgmeier, 1964 ^{i g}
- [Megaselia compar](#) Beyer, 1958 ^{c g}
- [Megaselia comparabilis](#) Bridarolli, 1951 ^{c g}

- [Megaselia compressa](#) [Borgmeier](#), 1966 ^{i c g}
- [Megaselia concava](#) ([Borgmeier](#), 1925) ^{c g}
- [Megaselia confirmata](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia conflugens](#) [Borgmeier](#), 1964 ^{c g}
- [Megaselia conformipar](#) [Schmitz](#), 1958 ^{c g}
- [Megaselia conformis](#) ([Wood](#), 1909) ^{c g}
- [Megaselia confortata](#) [Schmitz](#), 1929 ^{c g}
- [Megaselia conglomerata](#) ([Malloch](#), 1912) ^{i c g}
- [Megaselia congrex](#) [Beyer](#), 1965 ^{c g}
- [Megaselia congrua](#) [Schmitz](#), 1926 ^{c g}
- [Megaselia conifera](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia connexa](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia consetigera](#) ([Schmitz](#), 1925) ^{c g}
- [Megaselia consimilis](#) ([Lundbeck](#), 1920) ^{c g}
- [Megaselia consobrina](#) [Beyer](#), 1958 ^{c g}
- [Megaselia conspicua](#) [Brues](#), 1936 ^{c g}
- [Megaselia conspicalis](#) ([Malloch](#), 1912) ^{i c g}
- [Megaselia constricta](#) [Colyer](#), 1962 ^{c g}
- [Megaselia constrictior](#) [Schmitz](#), 1929 ^{c g}
- [Megaselia consueta](#) ([Collin](#), 1912) ^{c g}
- [Megaselia continuata](#) [Bridarolli](#), 1951 ^{c g}
- [Megaselia copalina](#) ([Meunier](#), 1905) ^{c g}
- [Megaselia copiosa](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia cordobensis](#) ([Malloch](#), 1912) ^{c g}
- [Megaselia corkerae](#) [Disney](#), 1981 ^{c g}
- [Megaselia cornipalpis](#) ^g
- [Megaselia correlata](#) ([Schmitz](#), 1918) ^g
- [Megaselia costalis](#) ([Roser](#), 1840) ^{c g}
- [Megaselia costella](#) [Beyer](#), 1965 ^{i c g}
- [Megaselia costipennis](#) [Brues](#), 1936 ^{c g}
- [Megaselia cothurnata](#) ([Schmitz](#), 1919) ^{c g}
- [Megaselia coulsoni](#) [Disney](#), 1987 ^{c g}
- [Megaselia crassicosta](#) ([Strobl](#), 1892) ^{c g}
- [Megaselia crassicostata](#) [Beyer](#), 1965 ^{c g}
- [Megaselia crassilla](#) [Schmitz](#), 1926 ^{c g}
- [Megaselia crassimana](#) ([Brues](#), 1905) ^{c g}

- [Megaselia crassipes](#) (Wood, 1909) ^{i c g}
- [Megaselia crassirostris](#) Borgmeier, 1962 ^{c g}
- [Megaselia crassitarsalis](#) Borgmeier, 1931 ^{c g}
- [Megaselia crassivenia](#) Schmitz, 1927 ^{c g}
- [Megaselia creasoni](#) ^g
- [Megaselia crellini](#) Disney, 2011
- [Megaselia crepidata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia cribella](#) Borgmeier, 1964 ^{i c g}
- [Megaselia crinellicosta](#) (Enderlein, 1912) ^{c g}
- [Megaselia crinellifemur](#) Borgmeier, 1969 ^{c g}
- [Megaselia crinifrons](#) Borgmeier, 1966 ^{i c g}
- [Megaselia criniloba](#) Beyer, 1966 ^{c g}
- [Megaselia crinipyga](#) Borgmeier, 1969 ^{c g}
- [Megaselia crinita](#) Schmitz, 1939 ^{c g}
- [Megaselia criniticauda](#) Colyer, 1962 ^{c g}
- [Megaselia criniventris](#) Borgmeier, 1958 ^{c g}
- [Megaselia cristicincta](#) Beyer, 1965 ^{c g}
- [Megaselia crocea](#) Borgmeier, 1967 ^{c g}
- [Megaselia croceifascia](#) Borgmeier, 1962 ^{c g}
- [Megaselia croceiventris](#) Borgmeier, 1971 ^{c g}
- [Megaselia crocicornis](#) Borgmeier, 1962 ^{c g}
- [Megaselia croeciclava](#) Borgmeier, 1964 ^{i c g}
- [Megaselia crosskeyi](#) Beyer, 1965 ^{c g}
- [Megaselia ctenophora](#) Beyer, 1965 ^{c g}
- [Megaselia cuneata](#) Borgmeier, 1962 ^{i c g}
- [Megaselia curtibarba](#) Beyer, 1964 ^{i c g}
- [Megaselia curticauda](#) Borgmeier, 1967 ^{c g}
- [Megaselia curticiliata](#) Borgmeier, 1967 ^{c g}
- [Megaselia curticosta](#) Borgmeier, 1966 ^{i c g}
- [Megaselia curtifrons](#) (Brues, 1915) ^{c g}
- [Megaselia curtineura](#) (Brues, 1909) ^{c g}
- [Megaselia curtinoides](#) Disney, 1991 ^{c g}
- [Megaselia curtispinosa](#) Disney, 1991 ^{c g}
- [Megaselia curtissima](#) Beyer, 1967 ^{c g}
- [Megaselia curva](#) (Brues, 1911) ^{c g}
- [Megaselia curvata](#) Bridarolli, 1951 ^{c g}

- [Megaselia curvicapilla](#) [Schmitz](#), 1947 ^{c g}
- [Megaselia curvitibia](#) [Beyer](#), 1965 ^{c g}
- [Megaselia curvivenia](#) [Schmitz](#), 1928 ^{c g}
- [Megaselia cybele](#) [Borgmeier](#), 1962 ^{c g}

D

- [Megaselia daemon](#) [Bridarolli](#), 1951 ^{c g}
- [Megaselia dahli](#) ([Becker](#), 1901) ^{c g}
- [Megaselia damasi](#) [Disney](#), 1985 ^{c g}
- [Megaselia daphne](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia darlingtonae](#) [Disney](#), 1995 ^{c g}
- [Megaselia dawahi](#) [Disney](#), 2006 ^{c g}
- [Megaselia debilis](#) ([Brues](#), 1905) ^{c g}
- [Megaselia debilitata](#) [Brues](#), 1936 ^{c g}
- [Megaselia decepatrix](#) [Beyer](#), 1966 ^{c g}
- [Megaselia decipiens](#) ([Meijere](#), 1910) ^{c g}
- [Megaselia decora](#) [Robinson](#), 1978 ^{i c g}
- [Megaselia decussata](#) [Borgmeier](#), 1966 ^{i c g}
- [Megaselia defecta](#) [Borgmeier](#), 1969 ^{c g}
- [Megaselia defibaughorum](#) ^g
- [Megaselia deficiens](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia definita](#) [Borgmeier](#), 1969 ^{c g}
- [Megaselia deflexilinea](#) [Beyer](#), 1958 ^{c g}
- [Megaselia delicatula](#) ([Brues](#), 1905) ^{c g}
- [Megaselia deltofemoralis](#) [Disney](#), 2011 ^g
- [Megaselia deltoides](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia deltomera](#) ([Schmitz](#), 1924) ^{c g}
- [Megaselia deltomima](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia deningi](#) [Disney](#), 1981 ^{c g}
- [Megaselia dennerti](#) [Disney & Beyer](#), 2005 ^{c g}
- [Megaselia densa](#) [Bridarolli](#), 1951 ^{c g}
- [Megaselia densior](#) [Schmitz](#), 1927 ^{c g}
- [Megaselia dentata](#) [Disney](#), 1991 ^{c g}
- [Megaselia depililobulus](#) [Disney & Durska](#), 2011
- [Megaselia deprivata](#) [Borgmeier](#), 1969 ^{c g}
- [Megaselia destituta](#) [Beyer](#), 1965 ^{c g}
- [Megaselia destructor](#) ([Malloch](#), 1915) ^{c g}

- [Megaselia deuteromegas](#) Borgmeier, 1969 ^{c g}
- [Megaselia devia](#) Schmitz, 1936 ^{c g}
- [Megaselia dewittei](#) Beyer, 1965 ^{c g}
- [Megaselia dewittensis](#) Disney, 2003 ^{c g}
- [Megaselia dewulfi](#) Bridarolli, 1951 ^{c g}
- [Megaselia diana](#) Borgmeier, 1951 ^{c g}
- [Megaselia dichroma](#) Beyer, 1958 ^{c g}
- [Megaselia dickoni](#) Wakeford, 1994 ^{c g}
- [Megaselia differens](#) Schmitz, 1948 ^{c g}
- [Megaselia difficilis](#) (Malloch, 1912) ^{i c g}
- [Megaselia digitalis](#) Schmitz, 1957 ^{c g}
- [Megaselia digiturgida](#) Disney, 2008 ^{c g}
- [Megaselia digressa](#) Brues, 1936 ^{c g}
- [Megaselia dilatata](#) (Brues, 1919) ^{i c g}
- [Megaselia dilatimana](#) Disney, 2006 ^{c g}
- [Megaselia dimidata](#) Brues, 1936 ^{c g}
- [Megaselia dimidia](#) Schmitz, 1926 ^{c g}
- [Megaselia diminuta](#) Borgmeier, 1962 ^{c g}
- [Megaselia dimorphica](#) Disney, 1997 ^{c g}
- [Megaselia dinacantha](#) Borgmeier, 1967 ^{c g}
- [Megaselia dinda](#) Borgmeier, 1962 ^{c g}
- [Megaselia diplochaeta](#) Borgmeier, 1969 ^{c g}
- [Megaselia diplothrix](#) Borgmeier, 1964 ^{i c g}
- [Megaselia dipsacosa](#) Smith, 1977 ^g
- [Megaselia directa](#) Brues, 1936 ^{c g}
- [Megaselia discolor](#) Beyer, 1958 ^{c g}
- [Megaselia discrepans](#) Borgmeier, 1971 ^{c g}
- [Megaselia discreta](#) (Wood, 1909) ^{c g}
- [Megaselia disiuncta](#) Borgmeier, 1958 ^{c g}
- [Megaselia disneyella](#) Brenner, 2006 ^{c g}
- [Megaselia disparifemur](#) Borgmeier, 1962 ^{c g}
- [Megaselia disparipennis](#) Borgmeier, 1962 ^{c g}
- [Megaselia dispariseta](#) Borgmeier, 1962 ^{c g}
- [Megaselia dispariterga](#) Borgmeier, 1971 ^{c g}
- [Megaselia dissita](#) Borgmeier, 1967 ^{c g}
- [Megaselia divergens](#) (Malloch, 1912) ^{i c g}

- [Megaselia diversa](#) (Wood, 1909) ^{c g}
- [Megaselia dolichoptera](#) Bridarolli, 1937 ^{c g}
- [Megaselia donahuei](#) ^g
- [Megaselia doryphora](#) Schmitz, 1957 ^{c g}
- [Megaselia drakei](#) Disney, 1984 ^{c g}
- [Megaselia dreisbachi](#) Borgmeier, 1964 ^{i c g}
- [Megaselia dubitalis](#) (Wood, 1908) ^{c g}
- [Megaselia dubitata](#) (Malloch, 1912) ^{i c g}
- [Megaselia dupliciseta](#) Bridarolli, 1937 ^{c g}
- [Megaselia durskae](#) Disney, 1989 ^{c g}

E

- [Megaselia ebejeri](#) Disney, 2006 ^{c g}
- [Megaselia eccoptomera](#) Schmitz, 1927 ^{i c g}
- [Megaselia ectopia](#) Borgmeier, 1964 ^{i c g}
- [Megaselia edenensis](#) Disney, 2008 ^{c g}
- [Megaselia egena](#) (Collin, 1912) ^{c g}
- [Megaselia eisfelderae](#) Schmitz, 1948 ^{i c g}
- [Megaselia elegantula](#) Borgmeier, 1969 ^{c g}
- [Megaselia eleuthera](#) Borgmeier, 1964 ^{i c g}
- [Megaselia elongata](#) (Wood, 1914) ^{c g}
- [Megaselia emarginata](#) (Wood, 1908) ^{c g}
- [Megaselia eminens](#) Schmitz, 1953 ^{c g}
- [Megaselia enderleini](#) (Brues, 1912) ^{c g}
- [Megaselia epanquadrata](#) Disney, 2004 ^{c g}
- [Megaselia equisecta](#) Brues, 1936 ^{c g}
- [Megaselia erecta](#) (Wood, 1910) ^{i c g}
- [Megaselia errata](#) (Wood, 1912) ^{c g}
- [Megaselia ethiopia](#) (Meunier, 1905) ^{c g}
- [Megaselia eupygis](#) Schmitz, 1929 ^{c g}
- [Megaselia euryprocta](#) Schmitz, 1957 ^{c g}
- [Megaselia evaginata](#) Beyer, 1965 ^{c g}
- [Megaselia evoluta](#) Bridarolli, 1951 ^{c g}
- [Megaselia exaltata](#) (Malloch, 1914) ^{c g}
- [Megaselia exangulata](#) Schmitz, 1947 ^{c g}
- [Megaselia exarcuata](#) Schmitz, 1927 ^{c g}

- [Megaselia excavata](#) [Schmitz](#), 1927 ^{c g}
- [Megaselia excisa](#) [Beyer](#), 1966 ^{c g}
- [Megaselia excisoides](#) [Beyer](#), 1966 ^{c g}
- [Megaselia excorticata](#) [Disney](#), 2009
- [Megaselia exiens](#) [Borgmeier](#), 1971 ^{c g}
- [Megaselia exquisita](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia exsecta](#) [Schmitz](#), 1957 ^{c g}
- [Megaselia exsertacosta](#) [Disney](#), 1995 ^{c g}
- [Megaselia extans](#) ([Collin](#), 1912) ^{c g}
- [Megaselia extensicosta](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia extensifrons](#) [Brues](#), 1936 ^{c g}
- [Megaselia exuberans](#) [Borgmeier](#), 1967 ^{c g}

F

- [Megaselia falciphalli](#) [Disney](#), 2003 ^{c g}
- [Megaselia falklandensis](#) [Disney](#), 1989 ^{c g}
- [Megaselia fallobreviseta](#) [Disney](#), 2011
- [Megaselia falloconsueta](#) [Disney](#), 2006 ^{c g}
- [Megaselia falsoluta](#) [Disney](#), 2006 ^{c g}
- [Megaselia fasciiventris](#) ([Enderlein](#), 1912) ^{c g}
- [Megaselia fasciventris](#) ([Becker](#), 1914) ^{c g}
- [Megaselia fastigiicola](#) [Beyer](#), 1959 ^{c g}
- [Megaselia fausta](#) [Borgmeier](#), 1969 ^{c g}
- [Megaselia femoralis](#) ([Enderlein](#), 1912) ^{i c g}
- [Megaselia fenestralis](#) ([Schmitz](#), 1919)
- [Megaselia fenestrata](#) ([Malloch](#), 1912) ^{i c g}
- [Megaselia fennicola](#) ([Beyer](#), 1958)
- [Megaselia ferimpariseta](#) [Disney](#), 2003 ^{c g}
- [Megaselia feronia](#) [Schmitz](#), 1934 ^{c g}
- [Megaselia ferruginosa](#) ([Brues](#), 1912) ^{c g}
- [Megaselia feshiensis](#) [Disney](#), 1987 ^{c g}
- [Megaselia ficaria](#) [Disney](#), 1991 ^{c g}
- [Megaselia filamentosa](#) [Schmitz](#), 1958 ^{c g}
- [Megaselia filiciarboris](#) [Disney](#), 2003 ^{c g}
- [Megaselia fimbriata](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia finitima](#) [Beyer](#), 1965 ^{c g}
- [Megaselia fisheri](#) ([Malloch](#), 1912) ^{i c g} [\[8\]](#)

- [Megaselia flammula](#) [Schmitz](#), 1928 ^{c g}
- [Megaselia flava](#) (Fallen, 1823) ^{i c g}
- [Megaselia flavescens](#) (Wood, 1909) ^{c g}
- [Megaselia flavibasis](#) Beyer, 1958 ^{c g}
- [Megaselia flavicans](#) [Schmitz](#), 1935 ^{c g}
- [Megaselia flavicoxa](#) (Zetterstedt, 1848) ^{c g}
- [Megaselia flavidula](#) Beyer, 1958 ^{c g}
- [Megaselia flavifacies](#) (Brunetti, 1912) ^{c g}
- [Megaselia flavifacioides](#) (Senior-White, 1922) ^{c g}
- [Megaselia flavifrons](#) Beyer, 1958 ^{c g}
- [Megaselia flavipes](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia flaviscutellata](#) Beyer, 1960 ^{c g}
- [Megaselia flavistola](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia flaviventris](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia flavohalterata](#) (Enderlein, 1912) ^{c g}
- [Megaselia flavopleura](#) (Malloch, 1914) ^{c g}
- [Megaselia flexivena](#) [Borgmeier](#), 1971 ^{c g}
- [Megaselia floccicauda](#) Disney, 2006 ^{c g}
- [Megaselia floricola](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia foederalis](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia fomitopsis](#) Naumov, 1992 ^{c g}
- [Megaselia formosana](#) (Brues, 1924) ^{c g}
- [Megaselia forntinervis](#) [Schmitz](#), 1926 ^g
- [Megaselia forticosta](#) Beyer, 1958 ^{c g}
- [Megaselia fortinervis](#) [Schmitz](#), 1926 ^{c g}
- [Megaselia fortipes](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia fortirostris](#) [Borgmeier](#), 1969 ^{c g}
- [Megaselia fortiuscula](#) (Brues, 1915) ^{c g}
- [Megaselia frameata](#) [Schmitz](#), 1927 ^{c g}
- [Megaselia francoae](#) ^g
- [Megaselia franconiensis](#) (Malloch, 1912) ^{i c g}
- [Megaselia fratercula](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia fraudulatrix](#) Beyer, 1958 ^{c g}
- [Megaselia friedrichae](#) Hartop, Brown, & Disney 2016 [5]
- [Megaselia frontalis](#) (Wood, 1909) ^{c g}
- [Megaselia frontata](#) (Collin, 1912) ^{c g}

- [Megaselia frontella](#) Beyer, 1966 ^{c g}
- [Megaselia fujiokai](#) ^g
- [Megaselia fulminifacies](#) Beyer, 1965 ^{c g}
- [Megaselia fulvicauda](#) Brues, 1936 ^{c g}
- [Megaselia fulviobscura](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia fulvipalpis](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia fumata](#) (Malloch, 1909) ^{c g}
- [Megaselia fumipennis](#) (Brues, 1907) ^{c g}
- [Megaselia funeralis](#) Schmitz, 1928 ^{c g}
- [Megaselia funesta](#) Schmitz, 1935
- [Megaselia fungicola](#) (Coquillett, 1895) ^{i c g}
- [Megaselia fungivora](#) (Wood, 1909) ^{i c g}
- [Megaselia furcatilis](#) Beyer, 1964 ^{i c g}
- [Megaselia furcatipennis](#) Schmitz, 1934 ^{c g}
- [Megaselia furcella](#) (Enderlein, 1912) ^{c g}
- [Megaselia furcellans](#) Beyer, 1966 ^{c g}
- [Megaselia furcilla](#) Schmitz, 1957 ^g
- [Megaselia furcipriva](#) Borgmeier, 1963 ^{c g}
- [Megaselia furculae](#) Disney, 2006 ^{c g}
- [Megaselia furtiva](#) (Aldrich, 1896) ^{c g}
- [Megaselia furukawae](#) Disney, 1989 ^{c g}
- [Megaselia furva](#) Schmitz, 1929 ^{c g}
- [Megaselia furvicolor](#) Beyer, 1959 ^{c g}
- [Megaselia fusca](#) (Wood, 1909) ^{c g}
- [Megaselia fuscamplicosta](#) Disney, 2006 ^{c g}
- [Megaselia fusciclava](#) Schmitz, 1935 ^{c g}
- [Megaselia fuscilobulorum](#) Disney in Disney, Kurina, Tedersoo & Cakpo, 2013[6]
- [Megaselia fuscinervis](#) (Wood, 1908) ^{c g}
- [Megaselia fuscinula](#) (Schmitz, 1926) ^{c g}
- [Megaselia fuscipalpis](#) (Lundbeck, 1920) ^{c g}
- [Megaselia fuscipleura](#) Borgmeier, 1962 ^{c g}
- [Megaselia fuscivertex](#) (Enderlein, 1912) ^{c g}
- [Megaselia fuscoides](#) Schmitz, 1934 ^{c g}
- [Megaselia fuscomaculata](#) Borgmeier, 1958 ^{c g}
- [Megaselia fuscopleuralis](#) Schmitz, 1929 ^{c g}
- [Megaselia fuscovariana](#) Schmitz, 1933 ^{c g}
- [Megaselia fuscula](#) Borgmeier, 1962 ^{c g}

- [Megaselia fusipalpis](#) [Borgmeier](#), 1966 ^{i c g}

G

- [Megaselia gallagheri](#) [Disney](#), 2006 ^{c g}
- [Megaselia galogensis](#) [Brues](#), 1936 ^{c g}
- [Megaselia gargarans](#) [Schmitz](#), 1948 ^{c g}
- [Megaselia gartensis](#) [Disney](#), 1985 ^{i c g}
- [Megaselia gemella](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia gemellima](#) [Beyer](#), 1965 ^{c g}
- [Megaselia genuina](#) ([Strobl](#), 1894) ^{c g}
- [Megaselia georgiae](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia gerlachi](#) [Disney](#), 2005 ^{c g}
- [Megaselia gigantea](#) [Brenner](#), 2004 ^{c g}
- [Megaselia gilvivitta](#) [Beyer](#), 1965 ^{c g}
- [Megaselia giraudii](#) ([Egger](#), 1862) ⁱ
- [Megaselia glabrifrons](#) ([Wood](#), 1909) ^{i c g}
- [Megaselia glabrimargo](#) [Buck & Disney](#), 2001 ^{c g}
- [Megaselia glandularis](#) [Borgmeier](#), 1958 ^{c g}
- [Megaselia globicornis](#) [Schmitz](#), 1948 ^{c g}
- [Megaselia globipyga](#) [Borgmeier](#), 1966 ^{i c g b}
- [Megaselia globulosa](#) [Beyer](#), 1965 ^{c g}
- [Megaselia gloriosa](#) [Borgmeier](#), 1958 ^{c g}
- [Megaselia goidanichi](#) [Schmitz](#), 1927 ^{c g}
- [Megaselia gombakensis](#) [Disney](#), 1993 ^{c g}
- [Megaselia goniata](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia gotoi](#) [Disney](#), 1989 ^{c g}
- [Megaselia gouteuxi](#) [Disney](#), 2004 ^{c g}
- [Megaselia gracilipalpis](#) [Borgmeier](#), 1969 ^{c g}
- [Megaselia gracilipes](#) [Borgmeier](#), 1964 ^{i c g}
- [Megaselia gradualis](#) [Borgmeier](#), 1971 ^{c g}
- [Megaselia grandantennata](#) [Beyer](#), 1966 ^{c g}
- [Megaselia grandicosta](#) [Borgmeier](#), 1958 ^{c g}
- [Megaselia grandifurca](#) [Borgmeier](#), 1958 ^{c g}
- [Megaselia grandipennis](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia grandlabella](#) [Disney](#), 2003 ^{c g}
- [Megaselia gratiosa](#) [Schmitz](#), 1939 ^{c g}

- [Megaselia gravis](#) Borgmeier, 1964^{i c g}
- [Megaselia gregaria](#) (Wood, 1910)^{c g}
- [Megaselia gressitti](#) Beyer, 1967^{c g}
- [Megaselia grisaria](#) Schmitz, 1933^{c g}
- [Megaselia griseifrons](#) (Lundbeck, 1920)^{c g}
- [Megaselia griseipennis](#) (Santos Abreu, 1921)^{c g}
- [Megaselia groenlandica](#) (Lundbeck, 1901)^{i c g}
- [Megaselia guentermuelleri](#) Mostovski, 2015[9]

H

- [Megaselia halterata](#) (Wood, 1910)^{i c g}
- [Megaselia hamaticauda](#) Borgmeier, 1969^{c g}
- [Megaselia hansenii](#) Disney, 2006^{c g}
- [Megaselia hapalogaster](#) Borgmeier, 1971^{c g}
- [Megaselia haraldlundii](#) Disney, 1995^{c g}
- [Megaselia haranti](#) Delage & Lauraire, 1970^g
- [Megaselia hardingorum](#)^g
- [Megaselia harteni](#) Disney, 1991^{c g}
- [Megaselia hartfordensis](#) Disney, 1983^{c g}
- [Megaselia hauclaudia](#) Disney, 2003^{c g}
- [Megaselia hayleyensis](#) Disney, 1987^{c g}
- [Megaselia hebblewhitei](#) Disney, 2003^{c g}
- [Megaselia hebetifrons](#) Beyer, 1959^{c g}
- [Megaselia hectochaeta](#) Schmitz & Beyer, 1965^{c g}
- [Megaselia heini](#)^g
- [Megaselia hemicyclia](#) Beyer, 1965^{c g}
- [Megaselia hendersoni](#) Disney, 1979^{c g}
- [Megaselia henrydisneyi](#) Durska, 1998^{c g}
- [Megaselia hentschkeae](#)^g
- [Megaselia hepworthae](#) Disney, 1981^{c g}
- [Megaselia hesperia](#) Borgmeier, 1966^{i c g}
- [Megaselia heterochaeta](#) Beyer, 1966^{c g}
- [Megaselia heterodactyla](#) Beyer, 1964^{i c g}
- [Megaselia hexacantha](#) Borgmeier, 1971^{c g}
- [Megaselia hexachaeta](#) Borgmeier, 1962^{c g}
- [Megaselia hexamegas](#) Borgmeier, 1962^{c g}
- [Megaselia hexanophila](#) Buck & Disney, 2001^{c g}

- [Megaselia hibernans](#) Schmitz, 1934 ^{c g}
- [Megaselia hibernica](#) Schmitz, 1938 ^{c g}
- [Megaselia hilaris](#) Schmitz, 1927 ^{c g}
- [Megaselia hirsuta](#) (Wood, 1910) ^{c g}
- [Megaselia hirticaudata](#) (Wood, 1910) ^{c g}
- [Megaselia hirticrus](#) (Schmitz, 1918) ^{c g}
- [Megaselia hirtitarsalis](#) Beyer, 1966 ^{c g}
- [Megaselia hirtiventris](#) (Wood, 1909) ^{c g}
- [Megaselia hispida](#) Borgmeier, 1966 ^{i c g}
- [Megaselia hoffmanorum](#) ^g
- [Megaselia hoggorum](#) ^g
- [Megaselia hoguei](#) ^g
- [Megaselia holosericea](#) Disney & Brown, 2003 ^{c g}
- [Megaselia horsfieldi](#) Disney, 1986 ^{c g}
- [Megaselia hortensis](#) (Wood, 1909) ^{c g}
- [Megaselia horticola](#) Borgmeier, 1962 ^{c g}
- [Megaselia huachuca](#) Borgmeier, 1966 ^{i c g}
- [Megaselia humeralis](#) (Zetterstedt, 1836) ^{i c g}
- [Megaselia humida](#) Disney, 1991 ^{c g}
- [Megaselia hyalipennis](#) (Wood, 1912) ^{c g}
- [Megaselia hybrida](#) Schmitz, 1939 ^{c g}
- [Megaselia hypochaeta](#) Borgmeier, 1969 ^{c g}
- [Megaselia hypochondrica](#) Borgmeier, 1966 ^{i c g}
- [Megaselia hypopygialis](#) (Lundbeck, 1920) ^{c g}

I

- [Megaselia iberiensis](#) Disney, 1999 ^{c g}
- [Megaselia ignicornis](#) Borgmeier, 1962 ^{c g}
- [Megaselia ignobilis](#) (Schmitz, 1919) ^{c g}
- [Megaselia ilca](#) Borgmeier, 1964 ^{i c g}
- [Megaselia imbricata](#) Borgmeier, 1961 ^{c g}
- [Megaselia imitatrix](#) Borgmeier, 1969 ^{c g}
- [Megaselia immaculipes](#) (Enderlein, 1912) ^{c g}
- [Megaselia immodensior](#) Buck & Disney, 2001 ^{c g}
- [Megaselia immodesta](#) Beyer, 1965 ^{c g}
- [Megaselia impariseta](#) Bridarolli, 1937 ^{c g}

- [Megaselia imperfecta](#) Borgmeier, 1967 ^{c g}
- [Megaselia impinguata](#) Schmitz, 1935 ^{c g}
- [Megaselia impressa](#) Borgmeier, 1962 ^{c g}
- [Megaselia inaequalis](#) (Brunetti, 1912) ^{c g}
- [Megaselia incarum](#) (Brues, 1915) ^{c g}
- [Megaselia incisa](#) (Malloch, 1912) ^{c g}
- [Megaselia inclinata](#) Borgmeier, 1971 ^{c g}
- [Megaselia incompleta](#) Brues, 1936 ^{c g}
- [Megaselia incompressa](#) Beyer, 1965 ^{c g}
- [Megaselia incongruens](#) Schmitz, 1940 ^{c g}
- [Megaselia inconspicua](#) Borgmeier, 1967 ^{c g}
- [Megaselia incontaminata](#) (Schmitz, 1926) ^{c g}
- [Megaselia incostans](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia incrassata](#) (Schmitz, 1920) ^{i c g}
- [Megaselia incrassaticosta](#) Bridarolli, 1951 ^{c g}
- [Megaselia indifferens](#) (Lundbeck, 1920) ^{c g}
- [Megaselia indigesta](#) (Schmitz, 1920) ^{c g}
- [Megaselia indistincta](#) De Meijere, 1929 ^g
- [Megaselia inflaticornis](#) Brues, 1936 ^{c g}
- [Megaselia inflatipes](#) Brues, 1936 ^{c g}
- [Megaselia infracta](#) Beyer, 1965 ^{c g}
- [Megaselia infraposita](#) (Wood, 1909) ^{c g}
- [Megaselia infumata](#) (Malloch, 1912) ^{i c g}
- [Megaselia innocens](#) (Collin, 1912) ^{c g}
- [Megaselia innotata](#) Beyer, 1958 ^{c g}
- [Megaselia inornata](#) (Malloch, 1912) ^{i c g}
- [Megaselia inquinata](#) Schmitz, 1953 ^{c g}
- [Megaselia insecta](#) Schmitz, 1953
- [Megaselia insignicauda](#) Disney, 2008 ^{c g}
- [Megaselia insolens](#) Beyer, 1965 ^{c g}
- [Megaselia insons](#) (Lundbeck, 1920) ^{c g}
- [Megaselia integra](#) Borgmeier, 1964 ^{i c g}
- [Megaselia intercedens](#) Beyer, 1965 ^{c g}
- [Megaselia intercostata](#) (Lundbeck, 1921) ^{c g}
- [Megaselia intergeriva](#) Schmitz, 1948 ^{c g}
- [Megaselia intermedia](#) Santos Abreu, 1921 ^g

- [*Megaselia intersecta*](#) Schmitz, 1935 ^{c g}
- [*Megaselia intonsa*](#) Schmitz, 1948 ^{c g}
- [*Megaselia introlapsa*](#) Schmitz, 1937 ^{c g}
- [*Megaselia invenusta*](#) (Collin, 1912) ^{c g}
- [*Megaselia invernassae*](#) Disney, 1988 ^{c g}
- [*Megaselia involuta*](#) (Wood, 1910) ^{c g}
- [*Megaselia irene*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia iroquoiana*](#) (Malloch, 1912) ^{i c g}
- [*Megaselia irregularis*](#) Beyer, 1958 ^{c g}
- [*Megaselia irwini*](#) Disney, 1979 ^{c g}
- [*Megaselia isaacmajorum*](#) ^g
- [*Megaselia isis*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia ismayi*](#) Disney, 1978 ^{c g}
- [*Megaselia ivanis*](#) Garcia-Romera ^g

J-K

- [*Megaselia jameslamonti*](#) Disney, 1995 ^{c g}
- [*Megaselia jani*](#) Disney, 2012
- [*Megaselia jheringi*](#) (Borgmeier, 1923) ^{c g}
- [*Megaselia joannae*](#) Disney, 1998 ^{c g}
- [*Megaselia jochiana*](#) Schmitz, 1957 ^{c g}
- [*Megaselia johnsoni*](#) (Brues, 1916) ^{i c g}
- [*Megaselia jorgensis*](#) Disney, 1991 ^{c g}
- [*Megaselia juli*](#) (Brues, 1908) ^{i c g}
- [*Megaselia juxtaplantata*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia juxtaposita*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia kanekoi*](#) Disney, 1989 ^{c g}
- [*Megaselia kanoi*](#) Disney, 1989 ^{c g}
- [*Megaselia keiseri*](#) Beyer, 1965 ^{c g}
- [*Megaselia kelleri*](#) ^g
- [*Megaselia killarneyensis*](#) Disney, 1988 ^{c g}
- [*Megaselia kodongi*](#) Disney, 1986 ^{c g}
- [*Megaselia kofferi*](#) Schmitz ^{i g}
- [*Megaselia kolana*](#) Schmitz, 1928 ^{c g}
- [*Megaselia konnovi*](#) Michailovskaya, 2003 ^{c g}
- [*Megaselia kovaci*](#) Disney, 1991 ^{c g}
- [*Megaselia kozlovi*](#) Disney, 2013 ^g

- [*Megaselia krizelji*](#) Delage & Lauraire, 1970 ^g
- [*Megaselia kuenburgi*](#) Schmitz, 1938 ^{c g}
- [*Megaselia kurahashii*](#) Disney, 1985 ^{c g}
- [*Megaselia kurinai*](#) Disney in Disney, Kurina, Tedersoo & Cakpo, 2013[6]

L

- [*Megaselia labellaspinata*](#) Buck & Disney, 2001 ^{c g}
- [*Megaselia labellata*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia labellifera*](#) Borgmeier, 1969 ^{c g}
- [*Megaselia labialis*](#) Brues, 1936 ^{c g}
- [*Megaselia labiata*](#) Borgmeier, 1967 ^{c g}[10]
- [*Megaselia labiella*](#) Beyer, 1965 ^{c g}
- [*Megaselia labrosa*](#) Borgmeier, 1963 ^{c g}
- [*Megaselia lactipennis*](#) (Lundbeck, 1920) ^{c g}
- [*Megaselia lacunitarsalis*](#) ^g
- [*Megaselia lacustris*](#) Borgmeier, 1966 ^{i c g}
- [*Megaselia laeta*](#) (Lundbeck, 1920) ^{c g}
- [*Megaselia laeviceps*](#) Schmitz, 1948 ^{c g}
- [*Megaselia laevigata*](#) Borgmeier, 1971 ^{c g}
- [*Megaselia laevigoides*](#) Borgmeier, 1971 ^{c g}
- [*Megaselia laevubrevis*](#) Disney, 2003 ^{c g}
- [*Megaselia laffooni*](#) Robinson, 1978 ^{i c g}
- [*Megaselia lalunensis*](#) Brues, 1936 ^{c g}
- [*Megaselia lamellicauda*](#) Borgmeier, 1966 ^{i c g}
- [*Megaselia lanata*](#) Robinson, 1981 ^{i c g}
- [*Megaselia lanceata*](#) Borgmeier, 1962 ^{i c g}
- [*Megaselia lanceolata*](#) (Brues, 1924) ^{c g}
- [*Megaselia languescens*](#) (Schmitz, 1924) ^{c g}
- [*Megaselia lapponica*](#) Schmitz, 1928 ^{c g}
- [*Megaselia largifrontalis*](#) Schmitz, 1939 ^{c g}
- [*Megaselia larvivora*](#) Disney in Stoepler & Disney, 2013[11]
- [*Megaselia lata*](#) (Wood, 1910) ^{c g}
- [*Megaselia latangula*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia lateicauda*](#) (Borgmeier, 1925) ^{i g}
- [*Megaselia lateralis*](#) Schmitz, 1926 ^{c g}
- [*Megaselia latericia*](#) Schmitz, 1935 ^{c g}
- [*Megaselia latibasis*](#) Borgmeier, 1964 ^{i c g}

- [Megaselia laticosta](#) Schmitz, 1938 ^{c g}
- [Megaselia laticrus](#) Schmitz, 1927 ^{c g}
- [Megaselia latifasciata](#) (Brunetti, 1912) ^{c g}
- [Megaselia latifemorata](#) (Becker, 1901) ^{c g}
- [Megaselia latifrons](#) (Wood, 1910) ^{c g}
- [Megaselia latifurca](#) Borgmeier, 1967 ^{c g}
- [Megaselia latimanus](#) (Malloch, 1914) ^c
- [Megaselia latinervis](#) (Collin, 1912) ^{c g}
- [Megaselia latior](#) Schmitz, 1936 ^{c g}
- [Megaselia latipalpis](#) (Schmitz, 1921) ^{c g}
- [Megaselia latipennis](#) Borgmeier, 1966 ^{i c g}
- [Megaselia latipes](#) Borgmeier, 1933 ^{c g}
- [Megaselia latirostris](#) Borgmeier, 1962 ^{c g}
- [Megaselia latitarsus](#) Beyer, 1958 ^{c g}
- [Megaselia lavoursensis](#) Disney, 2011 ^g
- [Megaselia laxa](#) Borgmeier, 1967 ^{c g}
- [Megaselia leleupi](#) Beyer, 1960 ^{c g}
- [Megaselia lenis](#) Borgmeier, 1962 ^{c g}
- [Megaselia leptacina](#) Borgmeier, 1969 ^{c g}
- [Megaselia leptofemur](#) Disney, 2007 ^{c g}
- [Megaselia leucopleuralis](#) Disney, 2006 ^{c g}
- [Megaselia leucozona](#) Schmitz, 1930 ^{c g}
- [Megaselia levifrons](#) Borgmeier, 1962 ^{c g}
- [Megaselia lilliput](#) Beyer, 1959 ^{c g}
- [Megaselia limburgensis](#) (Schmitz, 1918) ^b
- [Megaselia limpachensis](#) Rondani, 1856 ^g
- [Megaselia lindbergi](#) Beyer, 1959 ^{c g}
- [Megaselia lindneri](#) Beyer, 1959 ^{c g}
- [Megaselia lineata](#) Borgmeier, 1971 ^{c g}
- [Megaselia lineatipes](#) Borgmeier, 1967 ^{c g}
- [Megaselia linoensis](#) Brues, 1936 ^{c g}
- [Megaselia littoralis](#) (Malloch, 1914) ^{c g}
- [Megaselia llanquihuea](#) Schmitz, 1929 ^{c g}
- [Megaselia lobatafurcae](#) Disney, 2009
- [Megaselia lombardorum](#) ^g
- [Megaselia longianalis](#) Garcia-Romera ^g

- [Megaselia longibarba](#) Beyer, 1964 ^{i c g}
- [Megaselia longicauda](#) Bridarolli, 1951 ^{c g}
- [Megaselia longiciliata](#) (Strobl, 1899) ^{c g}
- [Megaselia longicostalis](#) (Wood, 1912) ^{c g}
- [Megaselia longifurca](#) Lundbeck, 1921
- [Megaselia longinqua](#) Bridarolli, 1937 ^{c g}
- [Megaselia longipalpis](#) (Wood, 1910) ^{c g}
- [Megaselia longipennis](#) (Malloch, 1912) ^{i c g}
- [Megaselia longiseta](#) (Wood, 1909) ^{c g}
- [Megaselia longispina](#) (Silva Figueroa, 1916) ^{c g}
- [Megaselia longistyla](#) Brenner, 2004 ^{c g}
- [Megaselia longula](#) Borgmeier, 1962 ^{c g}
- [Megaselia lucida](#) Bridarolli, 1937 ^{c g}
- [Megaselia lucifrons](#) (Schmitz, 1918) ^{c g}
- [Megaselia lucipleura](#) Borgmeier, 1962 ^{c g}
- [Megaselia luctuosa](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia luederwaldti](#) (Enderlein, 1912) ^{c g}
- [Megaselia lugens](#) Borgmeier, 1962 ^{c g}
- [Megaselia luisieri](#) Schmitz, 1939 ^{c g}
- [Megaselia luminifrons](#) (Schmitz, 1926) ^{c g}
- [Megaselia luminosa](#) Schmitz, 1952 ^{c g}
- [Megaselia lunaris](#) Borgmeier, 1961 ^{c g}
- [Megaselia lutea](#) (Meigen, 1830) ^{i c g}
- [Megaselia luteicauda](#) (Borgmeier, 1925) ^{c g}
- [Megaselia luteiclava](#) Borgmeier, 1967 ^{c g}
- [Megaselia luteicoxa](#) Borgmeier, 1962 ^{c g}
- [Megaselia luteifasciata](#) (Borgmeier, 1925) ^{c g}
- [Megaselia luteipes](#) (Schmitz, 1918) ^{c g}
- [Megaselia luteiventris](#) Borgmeier, 1971 ^{c g}
- [Megaselia lutella](#) Schmitz, 1929 ^{c g}
- [Megaselia luteoides](#) Schmitz, 1926 ^{c g}
- [Megaselia lutescens](#) (Wood, 1910) ^{c g}

M

- [Megaselia macrochaeta](#) (Malloch, 1912) ^{c g}
- [Megaselia maculafemoralis](#) Disney, 2008 ^{c g}
- [Megaselia maculiapex](#) Borgmeier, 1935 ^{c g}

- [Megaselia maculifera](#) Beyer, 1965 ^{c g}
- [Megaselia maculipennis](#) Brues, 1936 ^{c g}
- [Megaselia maculithorax](#) Borgmeier, 1971 ^{c g}
- [Megaselia madeiraensis](#) Disney, 2007 ^{c g}
- [Megaselia magignobilis](#) Disney, 2010
- [Megaselia magna](#) Beyer, 1959 ^{c g}
- [Megaselia magnifica](#) (Lundbeck, 1920) ^{c g}
- [Megaselia mainitensis](#) Brues, 1936 ^{c g}
- [Megaselia major](#) (Wood, 1912) ^{c g}
- [Megaselia malaisei](#) Beyer, 1958 ^{c g}
- [Megaselia malayae](#) Borgmeier, 1967 ^{c g}
- [Megaselia malhamensis](#) Disney, 1986 ^{c g}
- [Megaselia mallochi](#) (Wood, 1909) ^{c g}
- [Megaselia malvinasensis](#) Disney, 1989 ^{c g}
- [Megaselia mammillata](#) Borgmeier, 1959 ^{c g}
- [Megaselia manca](#) (Brues, 1907) ^{c g}
- [Megaselia manicata](#) (Wood, 1910) ^{c g}
- [Megaselia manselli](#) Disney, 1997 ^{c g}
- [Megaselia mantuana](#) Gori, 2005 ^{c g}
- [Megaselia manualis](#) (Malloch, 1912) ^{c g}
- [Megaselia maranguensis](#) Beyer, 1960 ^{c g}
- [Megaselia marekdurskii](#) Disney, 1998 ^{c g}
- [Megaselia marekudurskii](#) Disney, 1998 ^{c g}
- [Megaselia marginalis](#) (Malloch, 1912) ^{i c g}
- [Megaselia marina](#) Schmitz, 1937 ^{c g}
- [Megaselia marklanei](#) Disney, 2001 ^g
- [Megaselia marquezii](#) ^g
- [Megaselia martensi](#) Disney, 1999 ^{c g}
- [Megaselia masatierrana](#) (Enderlein, 1938) ^{c g}
- [Megaselia maura](#) (Wood, 1910) ^{c g}
- [Megaselia mcleani](#) Disney, 1987 ^{c g}
- [Megaselia meconicera](#) (Speiser, 1925) ^{i c g}
- [Megaselia media](#) (Collin, 1912) ^{c g}
- [Megaselia mediata](#) Brues, 1936 ^{c g}
- [Megaselia mediocris](#) Borgmeier, 1967 ^{c g}
- [Megaselia mediocristata](#) Beyer, 1965 ^{c g}

- [Megaselia mediterranea](#) Schmitz, 1935 ^{c g}
- [Megaselia megachaeta](#) Borgmeier, 1971 ^{c g}
- [Megaselia megaglossa](#) Disney, 1982 ^{c g}
- [Megaselia megasetigera](#) Disney, 2003 ^{c g}
- [Megaselia meigeni](#) (Becker, 1901) ^{c g}
- [Megaselia meijerei](#) (Brues, 1915) ^{c g}
- [Megaselia melanderi](#) Borgmeier, 1964 ^{i c g}
- [Megaselia melanocephala](#) (Roser, 1840) ^{c g}
- [Megaselia melanocholica](#) Beyer, 1960 ^{c g}
- [Megaselia melanostola](#) Schmitz, 1942 ^{c g}
- [Megaselia mellea](#) Borgmeier, 1962 ^{c g}
- [Megaselia mendax](#) Borgmeier, 1962 ^{c g}
- [Megaselia mera](#) (Collin, 1912) ^{c g}
- [Megaselia meracula](#) (Brues, 1911) ^{c g}
- [Megaselia meridiana](#) Brenner, 2006 ^{c g}
- [Megaselia meridionalis](#) (Brues, 1907) ^c
- [Megaselia meruensis](#) Beyer, 1960 ^{c g}
- [Megaselia mesochaeta](#) Borgmeier, 1962 ^{c g}
- [Megaselia metatarsalis](#) Borgmeier, 1969 ^{c g}
- [Megaselia metropolitanoensis](#) Disney, 2001 ^{c g}
- [Megaselia micantifrons](#) Beyer, 1965 ^{c g}
- [Megaselia michaelis](#) (Schmitz, 1915) ^{c g}
- [Megaselia michali](#) Disney, 1998 ^{c g}
- [Megaselia microcera](#) Borgmeier, 1962 ^{c g}
- [Megaselia microcurtineura](#) Disney, 1991 ^{c g}
- [Megaselia micronesiae](#) Beyer, 1967 ^{c g}
- [Megaselia miguелensis](#) Disney, 2007 ^{c g}
- [Megaselia mikejohnsoni](#) ^g
- [Megaselia miki](#) Schmitz, 1929 ^{c g}
- [Megaselia mimica](#) Borgmeier, 1962 ^{c g}
- [Megaselia mimodensior](#) Buck & Disney, 2001 ^{c g}
- [Megaselia miniseta](#) Disney, 1991 ^{c g}
- [Megaselia minor](#) (Zetterstedt, 1848) ^{c g}
- [Megaselia minuta](#) (Aldrich, 1892) ^{i c g}
- [Megaselia minutior](#) Borgmeier, 1966 ^{i c g}
- [Megaselia minutissima](#) (Brues, 1905) ^{c g}

- [Megaselia miripyga](#) Borgmeier, 1967 ^{c g}
- [Megaselia miristigma](#) Borgmeier, 1962 ^{c g}
- [Megaselia mixta](#) (Schmitz, 1918) ^{c g}
- [Megaselia mixticolor](#) Beyer, 1958 ^{c g}
- [Megaselia moderata](#) Borgmeier, 1967 ^{c g}
- [Megaselia modesta](#) (Brues, 1919) ^{i c g}
- [Megaselia modica](#) Beyer, 1965 ^{c g}
- [Megaselia modificata](#) Borgmeier, 1962 ^{c g}
- [Megaselia moesta](#) Borgmeier, 1962 ^{c g}
- [Megaselia monochaeta](#) Strobl, 1892 ^g
- [Megaselia monochaetina](#) Borgmeier, 1968 ^{i c g}
- [Megaselia montana](#) Schmitz, 1935 ^{c g}
- [Megaselia monticola](#) (Malloch, 1912) ^{i c g}
- [Megaselia montseniensis](#) Garcia-Romera ^g
- [Megaselia morani](#) Disney, 1982 ^{c g}
- [Megaselia morella](#) Borgmeier, 1967 ^{c g}
- [Megaselia morena](#) Borgmeier, 1962 ^{c g}
- [Megaselia morosa](#) Beyer, 1965 ^{c g}
- [Megaselia mortenseni](#) (Lundbeck, 1920) ^{c g}
- [Megaselia morula](#) Borgmeier, 1962 ^{c g}
- [Megaselia mountfieldensis](#) Disney, 2003 ^{c g}
- [Megaselia mucronifera](#) Borgmeier, 1967 ^{c g}
- [Megaselia multispinulosa](#) Disney, 2003 ^{c g}
- [Megaselia multivesiculae](#) Disney, 2006 ^{c g}
- [Megaselia munita](#) Borgmeier, 1962 ^{c g}
- [Megaselia murakamii](#) Disney, 1989 ^{c g}
- [Megaselia mutata](#) Brues, 1936 ^{c g}
- [Megaselia mutica](#) Borgmeier, 1962 ^{c g}
- [Megaselia mutilata](#) Borgmeier, 1969 ^{c g}

N

- [Megaselia naevia](#) Borgmeier, 1962 ^{c g}
- [Megaselia nana](#) (Brues, 1911) ^{c g}
- [Megaselia nanilla](#) Borgmeier, 1962 ^{c g}
- [Megaselia nantucketensis](#) ^b
- [Megaselia nasoni](#) (Malloch, 1914)
- [Megaselia natalicola](#) Beyer, 1960 ^{c g}

- [Megaselia nebulosa](#) Bridarolli, 1951 ^{c g}
- [Megaselia necmera](#) Disney, 2006 ^{c g}
- [Megaselia necrophaga](#) (Enderlein, 1912) ^{c g}
- [Megaselia necscabra](#) Disney, 2008 ^{c g}
- [Megaselia nectama](#) Disney, 1991 ^{c g}
- [Megaselia nectergata](#) Disney, 1999 ^{c g}
- [Megaselia nefeloptera](#) Bridarolli, 1951 ^{c g}
- [Megaselia neivai](#) (Bridarolli, 1940) ^{c g}
- [Megaselia nemorensis](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia neocorynurae](#) Gonzalez, Brown & Ospina, 2002 ^{c g}
- [Megaselia nepenthina](#) Schmitz, 1955 ^{c g}
- [Megaselia nephelodes](#) Borgmeier, 1962 ^{c g}
- [Megaselia nepos](#) Borgmeier, 1961 ^{c g}
- [Megaselia nesiotica](#) Borgmeier, 1967 ^{c g}
- [Megaselia nestor](#) Borgmeier, 1971 ^{c g}
- [Megaselia nidanurae](#) Disney, 1995 ^{c g}
- [Megaselia nigella](#) Beyer, 1960 ^{c g}
- [Megaselia nigellifrons](#) Borgmeier, 1967 ^{c g}
- [Megaselia nigelloides](#) Borgmeier, 1962 ^{c g}
- [Megaselia nigra](#) (Meigen, 1830) ^{i c g}
- [Megaselia nigrescens](#) (Wood, 1910) ^{c g}
- [Megaselia nigribasis](#) Beyer, 1966 ^{c g}
- [Megaselia nigricauda](#) Beyer, 1965 ^{c g}
- [Megaselia nigricens](#) (Wood, 1910) ^g
- [Megaselia nigriceps](#) (Loew, 1866) ^{i c g}
- [Megaselia nigricia](#) Disney & Durska, 2011
- [Megaselia nigriclava](#) (Strobl, 1909) ^{c g}
- [Megaselia nigricornis](#) Mikhailovskaya, 1991 ^{c g}
- [Megaselia nigricorpus](#) Beyer, 1959 ^{c g}
- [Megaselia nigrifemorata](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia nigripalpis](#) (Lundbeck, 1920) ^{c g}
- [Megaselia nigrita](#) Borgmeier, 1962 ^{c g}
- [Megaselia nigritula](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia nigriventris](#) Bridarolli, 1951 ^{c g}
- [Megaselia nigrofascipes](#) Borgmeier, 1962 ^{c g}
- [Megaselia nitidifrons](#) (Strobl, 1892) ^{c g}

- [Megaselia nitidipennis](#) Bridarolli, 1951 ^{c g}
- [Megaselia nocturnalis](#) Brues, 1936 ^{c g}
- [Megaselia norica](#) Schmitz, 1929 ^{c g}
- [Megaselia notabilis](#) Beyer, 1965 ^{c g}
- [Megaselia notipennis](#) Borgmeier, 1962 ^{c g}
- [Megaselia nubila](#) Colyer, 1952 ^{c g}
- [Megaselia nubilifurca](#) Borgmeier, 1967 ^{c g}
- [Megaselia nubilipennis](#) Schmitz, 1952 ^{i c g}
- [Megaselia nudihalterata](#) Disney, 2006 ^{c g}
- [Megaselia nudilobulus](#) Disney, 2003 ^{c g}
- [Megaselia nudipalpis](#) Borgmeier, 1962 ^{c g}
- [Megaselia nudipleura](#) (Beyer, 1958)
- [Megaselia nussbaumi](#) Disney, 2004 ^{c g}

O

- [Megaselia oblongifrons](#) Schmitz, 1939 ^{c g}
- [Megaselia obscura](#) (Brues, 1904) ^{c g}
- [Megaselia obscurata](#) (Enderlein, 1912) ^{c g}
- [Megaselia obscurella](#) Borgmeier, 1962 ^{c g}
- [Megaselia obscuricauda](#) Beyer, 1966 ^{c g}
- [Megaselia obscuripalpis](#) Borgmeier, 1969 ^{c g}
- [Megaselia obscuripennis](#) (Wood, 1909) ^{c g}
- [Megaselia obscuriterga](#) Beyer, 1958 ^{c g}
- [Megaselia obscuriventris](#) Bridarolli, 1951 ^{c g}
- [Megaselia ochracea](#) (Brues, 1911) ^{c g}
- [Megaselia ochreola](#) Borgmeier, 1962 ^{c g}
- [Megaselia ochripes](#) Schmitz, 1953 ^{c g}
- [Megaselia ocilferia](#) Schmitz, 1939 ^{c g}
- [Megaselia oclifera](#) Schmitz, 1939 ^g
- [Megaselia offuscata](#) (Schmitz, 1921) ^{c g}
- [Megaselia okazakii](#) Disney, 1989 ^{c g}
- [Megaselia oligoseta](#) Disney, 1987 ^{c g}
- [Megaselia onis](#) Mostovski & Disney, 2002 ^{c g}
- [Megaselia opacicornis](#) Schmitz, 1949 ^{c g}
- [Megaselia orbata](#) Borgmeier, 1967 ^{c g}
- [Megaselia orestes](#) Borgmeier, 1966 ^{i c g}
- [Megaselia orgaoa](#) Disney, 1991 ^{c g}

- [Megaselia orientata](#) (Malloch, 1912) ^{c g}
- [Megaselia orthoneura](#) Borgmeier, 1962 ^{c g}
- [Megaselia ostravaensis](#) Disney, 2008 ^{c g}
- [Megaselia oviaraneae](#) Disney, 1999 ^{c g}
- [Megaselia oweni](#) Disney, 1988 ^{c g}
- [Megaselia oxboroughae](#) ^g
- [Megaselia oxybelorum](#) Schmitz, 1928 ^{c g}

P

- [Megaselia pabloi](#) Brown, 1994 ^{c g}
- [Megaselia pachydactyla](#) Schmitz, 1953 ^{c g}
- [Megaselia pagei](#) Disney, 1987 ^{c g}
- [Megaselia pagolacartei](#) Disney, 2012
- [Megaselia palaestinensis](#) (Enderlein, 1933) ^{c g}
- [Megaselia pallicornis](#) (Brunetti, 1912) ^{c g}
- [Megaselia pallidantennata](#) Beyer, 1960 ^{c g}
- [Megaselia pallidicauda](#) Brues, 1936 ^{c g}
- [Megaselia pallidifemur](#) Borgmeier, 1962 ^{c g}
- [Megaselia pallidipalpis](#) Bridarolli, 1951 ^{c g}
- [Megaselia pallidipennis](#) Borgmeier, 1969 ^{c g}
- [Megaselia pallidivena](#) Borgmeier, 1967 ^{c g}
- [Megaselia pallidizona](#) (Lundbeck, 1920) ^{c g}
- [Megaselia palmeni](#) (Becker, 1901) ^{c g}
- [Megaselia palmi](#) Brenner, 2006 ^{c g}
- [Megaselia palpata](#) (Brues, 1919) ^{i c g}
- [Megaselia palpella](#) Beyer, 1967 ^{c g}
- [Megaselia paludosa](#) (Wood, 1908) ^{c g}
- [Megaselia pamirica](#) Naumov, 1979 ^{c g}
- [Megaselia pangmaphae](#) Disney, 2006 ^{c g}
- [Megaselia papayae](#) Borgmeier, 1966 ^{i c g}
- [Megaselia papei](#) Disney, 2006 ^{c g}
- [Megaselia parabasiseta](#) Bohart, 1947 ^{c g}
- [Megaselia parachaeta](#) Borgmeier, 1962 ^{c g}
- [Megaselia paraensis](#) Borgmeier, 1971 ^{c g}
- [Megaselia paraprocta](#) Borgmeier, 1964 ^{i c g}
- [Megaselia parasitica](#) (Malloch, 1915) ^{c g}
- [Megaselia parastigmatica](#) Borgmeier, 1962 ^{c g}

- [Megaselia paricostalis](#) Schmitz, 1929 ^{c g}
- [Megaselia parnassia](#) Disney, 1986 ^{c g}
- [Megaselia parspallida](#) Disney, 2009
- [Megaselia parumhirta](#) Beyer, 1965 ^{c g}
- [Megaselia paruminflata](#) Beyer, 1958 ^{c g}
- [Megaselia parumlevata](#) Schmitz, 1936 ^{c g}
- [Megaselia parva](#) (Wood, 1909) ^{c g}
- [Megaselia parviseta](#) Borgmeier, 1969 ^{c g}
- [Megaselia parvorata](#) Disney, 1991 ^{c g}
- [Megaselia parvula](#) Schmitz, 1930 ^{c g}
- [Megaselia patellata](#) Beyer, 1966 ^{c g}
- [Megaselia patellipes](#) Brues, 1936 ^{c g}
- [Megaselia patellipyga](#) Borgmeier, 1967 ^{c g}
- [Megaselia patula](#) Schmitz, 1936 ^{c g}
- [Megaselia pauculitincta](#) Beyer, 1959 ^{c g}
- [Megaselia paula](#) Borgmeier, 1969 ^{c g}
- [Megaselia paupera](#) (Lundbeck, 1920) ^{c g}
- [Megaselia paupercula](#) Borgmeier, 1962 ^{c g}
- [Megaselia pauxilla](#) (Brues, 1907) ^{c g}
- [Megaselia peckorum](#) Disney, 2008 ^{c g}
- [Megaselia pecten](#) Brenner, 2006 ^{c g}
- [Megaselia pectinifera](#) Schmitz, 1926 ^{c g}
- [Megaselia pectoraliformis](#) Colyer, 1962 ^{c g}
- [Megaselia pectoralis](#) (Wood, 1910) ^{c g}
- [Megaselia pectorella](#) Schmitz, 1929 ^{c g}
- [Megaselia pectunculata](#) Schmitz, 1927 ^{c g}
- [Megaselia pedalis](#) Beyer, 1960 ^{c g}
- [Megaselia pedatella](#) (Schmitz, 1926) ^{c g}
- [Megaselia pedicellata](#) (Brues, 1924) ^{c g}
- [Megaselia penicillata](#) (Borgmeier, 1925) ^c
- [Megaselia peniculifera](#) Beyer, 1965 ^{c g}
- [Megaselia pentagonalifrons](#) Beyer, 1965 ^{c g}
- [Megaselia pentagonalis](#) Bridarolli, 1951 ^{c g}
- [Megaselia peraffinis](#) Beyer, 1958 ^{c g}
- [Megaselia percaeca](#) Beyer, 1965 ^{c g}
- [Megaselia perdistans](#) (Schmitz, 1924) ^{c g}

- [Megaselia perdita](#) (Malloch, 1912) ^{i c g}
- [Megaselia perfraea](#) Schmitz, 1934 ^{c g}
- [Megaselia perfusca](#) Schmitz, 1935 ^{c g}
- [Megaselia perichaeta](#) Borgmeier, 1964 ^{i c g}
- [Megaselia pernigra](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia perplexa](#) (Malloch, 1912) ^{i c g}
- [Megaselia perspicua](#) Borgmeier, 1969 ^{c g}
- [Megaselia perspinosa](#) Brues, 1936 ^{c g}
- [Megaselia pertincta](#) Beyer, 1958 ^{c g}
- [Megaselia perumbrata](#) Brues, 1936 ^{c g}
- [Megaselia peruviana](#) (Brues, 1905) ^{c g}
- [Megaselia peterseni](#) Disney, 1994 ^{c g}
- [Megaselia petraea](#) Schmitz, 1934 ^g
- [Megaselia peyresquensis](#) Delage, 1974 ^{c g}
- [Megaselia phoebe](#) Borgmeier, 1962 ^{c g}
- [Megaselia phoenicura](#) (Schmitz, 1926) ^{c g}
- [Megaselia piccola](#) Borgmeier, 1966 ^{i c g}
- [Megaselia piceata](#) Borgmeier, 1962 ^{c g}
- [Megaselia picta](#) (Lehmann, 1822) ^{i c g}
- [Megaselia pictella](#) Beyer, 1965 ^{c g}
- [Megaselia picticolor](#) Beyer, 1958 ^{c g}
- [Megaselia picticornis](#) Borgmeier, 1962 ^{c g}
- [Megaselia pictoides](#) Beyer, 1965 ^{c g}
- [Megaselia pictorufa](#) (Colyer, 1957)
- [Megaselia piliclasper](#) Borgmeier, 1971 ^{c g}
- [Megaselia pilicrus](#) Borgmeier, 1964 ^{i c g}
- [Megaselia pilifemur](#) (Lundbeck, 1921) ^{c g}
- [Megaselia pilifera](#) Brues, 1936 ^{c g}
- [Megaselia pilifrons](#) (Silva Figueroa, 1916) ^{c g}
- [Megaselia pilipyga](#) Borgmeier, 1964 ^{i c g}
- [Megaselia piliventris](#) Schmitz, 1937 ^{c g}
- [Megaselia pilosella](#) Beyer, 1965 ^{c g}
- [Megaselia pirirostris](#) Borgmeier, 1962 ^{c g}
- [Megaselia pisanoi](#) ^g
- [Megaselia plagiata](#) Borgmeier, 1962 ^{c g}
- [Megaselia planifrons](#) (Brues, 1905) ^{c g}

- [Megaselia planipes](#) (Collin, 1912) ^{c g}
- [Megaselia plaumanni](#) Borgmeier, 1971 ^{c g}
- [Megaselia plebeia](#) (Malloch, 1914) ^{i c g}
- [Megaselia pleuralis](#) (Wood, 1909) ^{i c g}
- [Megaselia pleurochaeta](#) Borgmeier, 1969 ^{c g}
- [Megaselia pleurofascia](#) Borgmeier, 1962 ^{c g}
- [Megaselia pleurota](#) Disney, 1994 ^{c g}
- [Megaselia plurispinulosa](#) (Zetterstedt, 1860) ^{c g}
- [Megaselia plutei](#) Borgmeier, 1971 ^{c g}
- [Megaselia polidorii](#) Disney, 2006 ^{c g}
- [Megaselia polita](#) (Enderlein, 1912) ^{c g}
- [Megaselia politiceps](#) Borgmeier, 1967 ^{c g}
- [Megaselia politifrons](#) Brues, 1936 ^{c g}
- [Megaselia pollex](#) Schmitz, 1937 ^{c g}
- [Megaselia polonica](#) Disney & Durska, 1999 ^{c g}
- [Megaselia polychaeta](#) Borgmeier, 1967 ^{c g}
- [Megaselia polyporicola](#) Borgmeier, 1966 ^{i c g}
- [Megaselia postcrinata](#) Borgmeier, 1966 ^{i c g}
- [Megaselia posticata](#) (Strobl, 1898) ^{c g}
- [Megaselia postorta](#) Borgmeier, 1967 ^{c g}
- [Megaselia prachavali](#) Disney, 2006 ^{c g}
- [Megaselia praeacuta](#) (Schmitz, 1919) ^{c g}
- [Megaselia praedafura](#) Disney, 1997 ^{c g}
- [Megaselia praefulgens](#) Beyer, 1965 ^{c g}
- [Megaselia praeminens](#) Beyer, 1965 ^{c g}
- [Megaselia pressicauda](#) Borgmeier, 1964 ^{i c g}
- [Megaselia pressifrons](#) Schmitz, 1929 ^{c g}
- [Megaselia pristina](#) Borgmeier, 1962 ^{c g}
- [Megaselia privata](#) Borgmeier, 1967 ^{c g}
- [Megaselia procera](#) Borgmeier, 1966 ^{i c g}
- [Megaselia proclinata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia prodroma](#) (Lundbeck, 1921) ^{c g}
- [Megaselia producta](#) (Schmitz, 1921) ^{c g}
- [Megaselia proluxa](#) Borgmeier, 1958 ^{c g}
- [Megaselia prolixifurca](#) Kung & Brown, 2004 ^{c g}
- [Megaselia prolongata](#) Schmitz, 1954 ^{c g}

- [Megaselia propinqua](#) (Wood, 1909) ^{c g}
- [Megaselia propior](#) Colyer, 1956 ^{c g}
- [Megaselia prosthioxantha](#) (Enderlein, 1912) ^{c g}
- [Megaselia protarsalis](#) Schmitz, 1927 ^{c g}
- [Megaselia protarsella](#) Beyer, 1965 ^{c g}
- [Megaselia pruinosa](#) (Malloch, 1914) ^{c g}
- [Megaselia pruinosisfrons](#) Borgmeier, 1962 ^{c g}
- [Megaselia pseudociliata](#) (Strobl, 1910) ^{c g}
- [Megaselia pseudogiraudii](#) (Schmitz, 1920) ^{c g}
- [Megaselia pseudomera](#) Disney, 2006 ^{c g}
- [Megaselia pseudopicta](#) (Lundbeck, 1922) ^{c g}
- [Megaselia pseudoscalaris](#) (Senior-White, 1924) ^{c g}
- [Megaselia pteryacantha](#) (Borgmeier, 1925) ^{c g}
- [Megaselia pubecula](#) Schmitz, 1927 ^{c g}
- [Megaselia pulcherrima](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia pulicaria](#) (Fallen, 1823) ^{i c g}
- [Megaselia pulicaripar](#) Beyer, 1959 ^{c g}
- [Megaselia pulla](#) (Brues, 1919) ^{i c g}
- [Megaselia pulliclava](#) Borgmeier, 1969 ^{c g}
- [Megaselia pullifrons](#) Beyer, 1958 ^{c g}
- [Megaselia pullipalpis](#) Colyer, 1962 ^{c g}
- [Megaselia pulveroboleti](#) Disney, 1998 ^{c g}
- [Megaselia pumila](#) (Meigen, 1830) ^{c g}
- [Megaselia punctata](#) Bridarolli, 1951 ^{c g}
- [Megaselia punctifrons](#) Borgmeier, 1969 ^{c g}
- [Megaselia punctipes](#) Borgmeier, 1962 ^{c g}
- [Megaselia purificata](#) Borgmeier, 1967 ^{c g}
- [Megaselia pusilla](#) (Meigen, 1830) ^{i c g}
- [Megaselia putescavi](#) Disney, 2011 ^g
- [Megaselia pygidialis](#) Beyer, 1965 ^{c g}
- [Megaselia pygmaea](#) (Zetterstedt, 1848) ^{c g}
- [Megaselia pygmaeoides](#) (Lundbeck, 1921) ^{i c g} [12]
- [Megaselia pygmaeola](#) Borgmeier, 1966 ^{i c g}

Q

- [Megaselia quadrata](#) Brues, 1936 ^{c g}

- [Megaselia quadribrevis](#) Disney, 2003 ^{c g}
- [Megaselia quadripunctata](#) (Malloch, 1918) ^{i c g}
- [Megaselia quadriseta](#) Schmitz, 1918 ^{c g}
- [Megaselia quadrispinosa](#) Brues, 1936 ^{c g}
- [Megaselia quadrupliciseta](#) Bridarolli, 1951 ^{c g}
- [Megaselia quartobrevis](#) Beyer, 1965 ^{c g}
- [Megaselia quartobsoleta](#) Borgmeier, 1969 ^{c g}
- [Megaselia quartocurta](#) Borgmeier, 1969 ^{c g}
- [Megaselia quartolutea](#) Borgmeier, 1963 ^{c g}
- [Megaselia quartopallida](#) Beyer, 1965 ^{c g}
- [Megaselia quattuorbrevis](#) Disney, 2008 ^{c g}
- [Megaselia quintincisa](#) Disney, 2006 ^{c g}

R

- [Megaselia raetica](#) Schmitz, 1934 ^{c g}
- [Megaselia ramierzi](#) Bridarolli, 1951 ^{c g}
- [Megaselia rara](#) Colyer, 1962 ^{c g}
- [Megaselia raruvesiculae](#) Buck & Disney, 2001 ^{c g}
- [Megaselia recta](#) (Brues, 1911) ^{c g}
- [Megaselia rectangulata](#) (Malloch, 1914) ^c
- [Megaselia reducta](#) Borgmeier, 1966 ^{i c g}
- [Megaselia relictata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia renata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia renwickorum](#) ^g
- [Megaselia repetenda](#) Brues, 1936 ^{c g}
- [Megaselia retardata](#) (Malloch, 1912) ^{i c g}
- [Megaselia rettenmeyer](#) Disney, 2007 ^{c g}
- [Megaselia reversa](#) Brues, 1936 ^{c g}
- [Megaselia reynoldsi](#) Disney, 1981 ^{c g}
- [Megaselia rhabdopalpis](#) Borgmeier, 1962 ^{c g}
- [Megaselia richardsoni](#) Disney, 2003 ^{c g}
- [Megaselia riefi](#) Brenner, 2006 ^{c g}
- [Megaselia rimacensis](#) Brues, 1944 ^{c g}
- [Megaselia rivalis](#) (Wood, 1909) ^{c g}
- [Megaselia robertsoni](#) Disney, 2008 ^{c g}
- [Megaselia robinsoni](#) Disney, 1981 ^{c g}

- [Megaselia robusta](#) [Schmitz](#), 1928 ^{i c g}
- [Megaselia rodriguezorum](#) ^g
- [Megaselia romeralensis](#) [Disney](#), 2009
- [Megaselia romphaea](#) ([Schmitz](#), 1947)
- [Megaselia rotunda](#) [Robinson](#), 1981 ^{i c g}
- [Megaselia rotundapicis](#) [Disney](#), 1999 ^{c g}
- [Megaselia rotundicauda](#) [Beyer](#), 1965 ^{c g}
- [Megaselia rotundula](#) [Borgmeier](#), 1966 ^{i c g}
- [Megaselia rubella](#) ([Schmitz](#), 1920) ^{c g}
- [Megaselia rubescens](#) ([Wood](#), 1912) ^{c g}
- [Megaselia rubicornis](#) ([Schmitz](#), 1919) ^{c g}
- [Megaselia rubida](#) ([Schmitz](#), 1918) ^{c g}
- [Megaselia rubicornis](#) ([Schmitz](#), 1919) ^g
- [Megaselia rubronigra](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia rudimentalis](#) [Borgmeier](#), 1962 ^{c g}
- [Megaselia rudis](#) ([Wood](#), 1909) ^{c g}
- [Megaselia rufa](#) ([Wood](#), 1908) ^{c g}
- [Megaselia ruficornis](#) ([Meigen](#), 1830) ^{i c g}
- [Megaselia rufifrons](#) ([Wood](#), 1910) ^{c g}
- [Megaselia rufipennis](#) ([Macquart](#), 1835) ^{c g}
- [Megaselia rufipes](#) ([Meigen](#), 1804) ^{i c g b} (coffin fly)
- [Megaselia rupestris](#) [Schmitz](#), 1934 ^{c g}
- [Megaselia ruralis](#) [Schmitz](#), 1937 ^{c g}
- [Megaselia russellensis](#) [Disney](#), 2003 ^{c g}
- [Megaselia rustica](#) ([Brues](#), 1905) ^{c g}
- [Megaselia rutilipes](#) [Beyer](#), 1958 ^{c g}

S

- [Megaselia sacatelensis](#) ^g
- [Megaselia sacculata](#) [Borgmeier](#), 1958 ^{c g}
- [Megaselia sacculifera](#) [Beyer](#), 1965 ^{c g}
- [Megaselia safuneae](#) [Malloch](#), 1935 ^{c g}
- [Megaselia sakaiae](#) [Disney](#), 2001 ^{c g}
- [Megaselia samoana](#) [Borgmeier](#), 1967 ^{c g}
- [Megaselia sandhui](#) [Disney](#), 1981 ^{c g}
- [Megaselia sanguinea](#) ([Schmitz](#), 1922) ^{c g}
- [Megaselia saprophaga](#) [Borgmeier](#), 1934 ^{c g}

- [Megaselia sarae](#) Garcia-Romera ^g
- [Megaselia sauteri](#) (Brues, 1911) ^{c g}
- [Megaselia savannae](#) Disney, 1991 ^{c g}
- [Megaselia scabra](#) Schmitz, 1926 ^{c g}
- [Megaselia scalaris](#) (Loew, 1866) ^{i c g b} [13]
- [Megaselia schildi](#) Borgmeier, 1971 ^{c g}
- [Megaselia schutti](#) Schmitz, 1936 ^{c g}
- [Megaselia schwarzi](#) (Malloch, 1912) ^{i c g}
- [Megaselia sciaricida](#) Schmitz, 1932 ^{c g}
- [Megaselia scissa](#) Borgmeier, 1962 ^{c g}
- [Megaselia scopalis](#) (Brues, 1919) ^{i c g}
- [Megaselia scopifera](#) Brues, 1936 ^{c g}
- [Megaselia scutellariformis](#) Schmitz, 1926 ^{c g}
- [Megaselia scutellaris](#) (Wood, 1909) ^{c g}
- [Megaselia scutelliseta](#) Borgmeier, 1935 ^{c g}
- [Megaselia seaverorum](#) ^g
- [Megaselia seclusa](#) Beyer, 1966 ^{i c g}
- [Megaselia secreta](#) Beyer, 1958 ^{c g}
- [Megaselia sejuncta](#) Beyer, 1967 ^{c g}
- [Megaselia sembeli](#) Disney, 1986 ^{c g}
- [Megaselia semicrocea](#) Borgmeier, 1964 ^{i c g}
- [Megaselia semiferruginea](#) Bridarolli, 1940 ^{c g}
- [Megaselia semihyalina](#) Beyer, 1960 ^{c g}
- [Megaselia semilucens](#) Borgmeier, 1967 ^{c g}
- [Megaselia semilutea](#) Borgmeier, 1962 ^{c g}
- [Megaselia semimollis](#) Borgmeier, 1971 ^{c g}
- [Megaselia semipolita](#) Borgmeier, 1961 ^{c g}
- [Megaselia semota](#) Beyer, 1959 ^{c g}
- [Megaselia senegalensis](#) Disney, 1980 ^{c g}
- [Megaselia septentrionalis](#) (Schmitz, 1919) ^{c g}
- [Megaselia sepulchralis](#) (Lundbeck, 1920) ^{c g}
- [Megaselia sericata](#) Schmitz, 1935 ^{c g}
- [Megaselia serotina](#) Borgmeier, 1962 ^{c g}
- [Megaselia serpentina](#) Borgmeier, 1962 ^{c g}
- [Megaselia serrata](#) (Wood, 1910) ^{c g}
- [Megaselia setacea](#) (Aldrich, 1892) ^{i c g}

- [Megaselia setalis](#) Beyer, 1958 ^{c g}
- [Megaselia setaria](#) (Malloch) ^{i c g}
- [Megaselia setella](#) Beyer, 1966 ^{c g}
- [Megaselia seticauda](#) (Malloch, 1914) ^{i c g}
- [Megaselia seticerca](#) Borgmeier, 1966 ^{i c g}
- [Megaselia seticlasper](#) Borgmeier, 1962 ^{c g}
- [Megaselia seticosta](#) Borgmeier, 1962 ^{c g}
- [Megaselia setifemur](#) Bohart, 1947 ^{c g}
- [Megaselia setifer](#) (Lundbeck, 1920) ^{c g}
- [Megaselia setifimbria](#) Borgmeier, 1971 ^{c g}
- [Megaselia setifrons](#) Brues, 1936 ^{c g}
- [Megaselia setigera](#) (Brues, 1919) ^{c g}
- [Megaselia setimargo](#) (Enderlein, 1912) ^{c g}
- [Megaselia setipectus](#) Borgmeier, 1971 ^{c g}
- [Megaselia setipennis](#) Borgmeier, 1967 ^{c g}
- [Megaselia setiventris](#) Borgmeier, 1962 ^{c g}
- [Megaselia setulipalpis](#) Schmitz, 1938 ^{c g}
- [Megaselia sevciki](#) Disney, 2006 ^{c g}
- [Megaselia sexcrinata](#) Borgmeier, 1962 ^{c g}
- [Megaselia sextaperta](#) Beyer, 1958 ^{c g}
- [Megaselia sextobsoleta](#) Borgmeier, 1971 ^{c g}
- [Megaselia sextohirta](#) Beyer, 1966 ^{c g}
- [Megaselia sextolutea](#) Borgmeier, 1967 ^{c g}
- [Megaselia sextovittata](#) Lee & Disney, 2004 ^{c g}
- [Megaselia seychellesensis](#) Disney, 2006 ^{c g}
- [Megaselia shannoni](#) Borgmeier, 1966 ^{i c g}
- [Megaselia shawi](#) Disney, 2006 ^{c g}
- [Megaselia sheppardi](#) Disney, 1988 ^{c g}
- [Megaselia shiyiluae](#) Disney, Li & Li, 1995 ^{c g}
- [Megaselia siamensis](#) Beyer, 1966 ^{c g}
- [Megaselia sibulanensis](#) Brues, 1936 ^{c g}
- [Megaselia sibylla](#) Borgmeier, 1967 ^{c g}
- [Megaselia sicaria](#) (Colyer, 1962) ^{c g}
- [Megaselia sidneyae](#) ^g
- [Megaselia signabilis](#) Beyer, 1965 ^{c g}
- [Megaselia sihlwaldensis](#) Rondani, 1856 ^g

- [Megaselia silhouettensis](#) Disney, 2005 ^{c g}
- [Megaselia similifrons](#) Schmitz, 1934 ^{c g}
- [Megaselia similis](#) (Silva Figueroa, 1916) ^{c g}
- [Megaselia simiola](#) Borgmeier, 1966 ^{i c g}
- [Megaselia simplex](#) (Wood, 1910) ^{c g}
- [Megaselia simplicior](#) (Brues, 1924) ^{c g}
- [Megaselia simulans](#) (Wood, 1912) ^{c g}
- [Megaselia sinefurca](#) Borgmeier, 1962 ^{c g}
- [Megaselia sinuata](#) Schmitz, 1926 ^{c g}
- [Megaselia sinuosimargo](#) Borgmeier, 1962 ^{c g}
- [Megaselia smirnovi](#) Naumov, 1979 ^{c g}
- [Megaselia sobria](#) Borgmeier, 1967 ^{c g}
- [Megaselia socia](#) Borgmeier, 1962 ^{c g}
- [Megaselia sodalis](#) (Brues, 1905) ^{c g}
- [Megaselia sokotrana](#) Beyer, 1965 ^{c g}
- [Megaselia solita](#) Beyer, 1958 ^{c g}
- [Megaselia solitaria](#) Schmitz, 1934
- [Megaselia soluta](#) (Collin, 1912) ^{c g}
- [Megaselia sordescens](#) Schmitz, 1927 ^{i c g}
- [Megaselia sordida](#) (Zetterstedt, 1838) ^{i c g}
- [Megaselia sororpusilla](#) Disney, 2012
- [Megaselia southwoodi](#) Disney, 1982 ^{c g}
- [Megaselia specularis](#) Schmitz, 1935 ^{c g}
- [Megaselia speculifera](#) Beyer, 1965 ^{c g}
- [Megaselia speculigera](#) Borgmeier, 1962 ^{c g}
- [Megaselia speiseri](#) Schmitz, 1929 ^{c g}
- [Megaselia spelophila](#) Borgmeier, 1966 ^{i c g}
- [Megaselia spelunciphila](#) Disney, 1999 ^{c g}
- [Megaselia sphinx](#) Borgmeier, 1962 ^{i c g}
- [Megaselia spiculata](#) Borgmeier, 1969 ^{c g}
- [Megaselia spinata](#) (Wood, 1910) ^{c g}
- [Megaselia spinicincta](#) (Wood, 1910) ^{c g}
- [Megaselia spiniclasper](#) Borgmeier, 1964 ^{i c g}
- [Megaselia spinigera](#) (Wood, 1908) ^{c g}
- [Megaselia spinipectus](#) Borgmeier, 1971 ^{c g}
- [Megaselia spinipleura](#) (Borgmeier, 1924) ^c
- [Megaselia spinolabella](#) Disney, 1989 ^{c g}

- [Megaselia spinulata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia spiracularis](#) Schmitz, 1938 ^{c g}
- [Megaselia splendens](#) Borgmeier, 1967 ^{c g}
- [Megaselia splendescens](#) Beyer, 1965 ^{c g}
- [Megaselia spodiaca](#) (Schmitz, 1926) ^{c g}
- [Megaselia spoliata](#) Borgmeier, 1967 ^{c g}
- [Megaselia spreta](#) (Collin, 1912) ^{c g}
- [Megaselia stackelbergi](#) Mostovski & Disney, 2003 ^{c g}
- [Megaselia stenoterga](#) Disney, 1988 ^{c g}
- [Megaselia stephanoidea](#) (Borgmeier, 1925) ^{c g}
- [Megaselia steptoeae](#) ^g
- [Megaselia stichata](#) (Lundbeck, 1920) ^{c g}
- [Megaselia stigmatica](#) (Schmitz, 1920) ^{c g}
- [Megaselia stimulata](#) Borgmeier, 1962 ^{c g}
- [Megaselia straminipes](#) (Malloch, 1912) ⁱ
- [Megaselia striativentris](#) Borgmeier, 1962 ^{c g}
- [Megaselia stricta](#) Borgmeier, 1962 ^{c g}
- [Megaselia striolata](#) Schmitz, 1940 ^{c g}
- [Megaselia styloprocta](#) (Schmitz, 1921) ^{c g}
- [Megaselia suates](#) Brenner, 2004 ^{c g}
- [Megaselia subalpina](#) Brenner, 2004 ^{c g}
- [Megaselia subaristalis](#) Borgmeier, 1969 ^{c g}
- [Megaselia subatomella](#) (Malloch, 1912) ^{c g}
- [Megaselia subcarinata](#) Borgmeier, 1962 ^{c g}
- [Megaselia subcarpalis](#) (Lundbeck, 1920) ^{c g}
- [Megaselia subcavata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia subcavifrons](#) Borgmeier, 1971 ^{c g}
- [Megaselia subconvexa](#) (Lundbeck, 1920) ^{c g}
- [Megaselia subcrinosa](#) Borgmeier, 1962 ^{c g}
- [Megaselia subcrocea](#) Borgmeier, 1967 ^{c g}
- [Megaselia subcuneata](#) Borgmeier, 1962 ^{c g}
- [Megaselia subflava](#) (Malloch, 1912) ^{c g}
- [Megaselia subfraudulenta](#) Schmitz, 1933 ^{c g}
- [Megaselia subfuscipes](#) Schmitz, 1935 ^{c g}
- [Megaselia subinflata](#) Borgmeier, 1969 ^{c g}
- [Megaselia sublutea](#) (Malloch, 1912) ^{i c g}

- [*Megaselia submarginalis*](#) (Malloch, 1912) ^{i c g}
- [*Megaselia submimica*](#) Borgmeier, 1969 ^{c g}
- [*Megaselia subnitida*](#) Lundbeck ^g
- [*Megaselia subnudifemur*](#) Borgmeier, 1964 ^{i c g}
- [*Megaselia subnudipennis*](#) (Schmitz, 1919) ^{c g}
- [*Megaselia subnudiseta*](#) Beyer, 1958 ^{c g}
- [*Megaselia subobscurata*](#) (Malloch, 1912) ^{i c g}
- [*Megaselia subpalpalis*](#) (Lundbeck, 1920) ^{c g}
- [*Megaselia subpicta*](#) (Malloch, 1912) ^{i c g}
- [*Megaselia subpleuralis*](#) (Wood, 1909) ^{i c g}
- [*Megaselia subpyricornis*](#) Beyer, 1959 ^{c g}
- [*Megaselia subrecta*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia subscaura*](#) Schmitz, 1932 ^{c g}
- [*Megaselia subsetella*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia substricta*](#) Borgmeier, 1969 ^{c g}
- [*Megaselia subtumida*](#) (Wood, 1909) ^{c g}
- [*Megaselia subulicauda*](#) Schmitz, 1929 ^{c g}
- [*Megaselia subvittata*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia suis*](#) Bohart, 1947 ^{c g}
- [*Megaselia sulcatifrons*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia sulfurella*](#) Schmitz, 1926 ^{c g}
- [*Megaselia sulina*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia sullivani*](#) Disney, 2003 ^{c g}
- [*Megaselia sulphurea*](#) Borgmeier, 1971 ^{c g}
- [*Megaselia sulphuripes*](#) (Meigen, 1830) ^{c g}
- [*Megaselia sulphuriventris*](#) (Borgmeier & Schmitz, 1923) ^{c g}
- [*Megaselia sulphurizona*](#) Borgmeier, 1966 ^{i c g}
- [*Megaselia superans*](#) Borgmeier, 1958 ^{c g}
- [*Megaselia supercilata*](#) (Wood, 1910) ^{c g}
- [*Megaselia superciliata*](#) (Wood, 1910) ^g
- [*Megaselia superfurcata*](#) Schmitz, 1928 ^{c g}
- [*Megaselia superpilosa*](#) Bridarolli, 1951 ^{c g}
- [*Megaselia supina*](#) Borgmeier, 1958 ^{c g}
- [*Megaselia surdifrons*](#) (Wood, 1909) ^{c g}
- [*Megaselia surophila*](#) Disney, 1991 ^{c g}
- [*Megaselia suspicata*](#) Borgmeier, 1967 ^{c g}

- [Megaselia sylvatica](#) (Wood, 1910) ^{c g}
- [Megaselia sylvicola](#) (Malloch, 1914) ^{c g}
- [Megaselia symondsi](#) Disney, 2002 ^{c g}

T

- [Megaselia tabida](#) Colyer, 1956 ^{c g}
- [Megaselia tama](#) (Schmitz, 1926) ^{c g}
- [Megaselia tamanae](#) Disney, 1995 ^{c g}
- [Megaselia tamilnaduensis](#) Disney, 1995 ^{c g}
- [Megaselia tamoides](#) Borgmeier, 1964 ^{i c g}
- [Megaselia tanypalpis](#) Kung & Brown, 2004 ^{c g}
- [Megaselia tarsalis](#) (Wood, 1910) ^{c g}
- [Megaselia tarsella](#) (Lundbeck, 1921) ^{c g}
- [Megaselia tarsicia](#) Schmitz, 1926 ^{c g}
- [Megaselia tarsodes](#) Borgmeier, 1969 ^{c g}
- [Megaselia tasmaniensis](#) (Malloch, 1912) ^{c g}
- [Megaselia tecticauda](#) Borgmeier, 1964 ^{i c g}
- [Megaselia tedersooi](#) Disney in Disney, Kurina, Tedersoo & Cakpo, 2013[6]
- [Megaselia tenebricior](#) Beyer, 1967 ^{c g}
- [Megaselia tenebricola](#) Schmitz, 1934 ^{c g}
- [Megaselia tenericoma](#) Beyer, 1965 ^{c g}
- [Megaselia teneripes](#) Schmitz, 1957 ^{c g}
- [Megaselia tenuibasis](#) Beyer, 1960 ^{c g}
- [Megaselia tenuicoma](#) Beyer, 1960 ^{c g}
- [Megaselia tenuicosta](#) Beyer, 1965 ^{c g}
- [Megaselia tenuiventris](#) Schmitz, 1927 ^{c g}
- [Megaselia teresamajewskae](#) Disney, 1998 ^{c g}
- [Megaselia tergalis](#) Beyer, 1958 ^{c g}
- [Megaselia tergata](#) (Lundbeck, 1920) ^{c g}
- [Megaselia tergatula](#) Beyer, 1965 ^{c g}
- [Megaselia tergitalis](#) Borgmeier, 1961 ^{c g}
- [Megaselia termimycana](#) Disney, 1996 ^{c g}
- [Megaselia termitomyca](#) Disney, 1989 ^{c g}
- [Megaselia termitomycana](#) Disney, 1966 ^g
- [Megaselia testacea](#) Schmitz, 1938 ^{c g}
- [Megaselia testaceicornis](#) Borgmeier, 1967 ^{c g}
- [Megaselia tetrabrevis](#) Disney, 2003 ^{c g}

- [Megaselia tetrachaeta](#) Beyer, 1966 ^{c g}
- [Megaselia tetraseta](#) Disney, 2007 ^{c g}
- [Megaselia tetrica](#) Borgmeier, 1964 ^{i c g}
- [Megaselia tetricifrons](#) Beyer, 1967 ^{c g}
- [Megaselia teutoniae](#) Disney, 1989 ^{c g}
- [Megaselia textilis](#) Brues, 1936 ^{c g}
- [Megaselia thaleri](#) Brenner, 2006 ^{c g}
- [Megaselia thalhammeri](#) Schmitz, 1935 ^{c g}
- [Megaselia tiagoensis](#) Disney, 1991 ^{c g}
- [Megaselia tibialis](#) (Brues, 1905) ^{c g}
- [Megaselia tibiella](#) (Lundbeck, 1920) ^{c g}
- [Megaselia tignorum](#) Disney, 2009
- [Megaselia tinctipennis](#) Brues, 1936 ^{c g}
- [Megaselia tinglei](#) Disney, 1991 ^{c g}
- [Megaselia tinteri](#) Disney, 1998 ^{c g}
- [Megaselia tomatoae](#) Woolf, 1996 ^{c g}
- [Megaselia tomskensis](#) Naumov, 1992 ^{c g}
- [Megaselia tonsipalpis](#) Beyer, 1965 ^{c g}
- [Megaselia tonyirwini](#) Disney, 1988 ^{c g}
- [Megaselia torautensis](#) Disney, 1990 ^{c g}
- [Megaselia totaflava](#) Borgmeier, 1969 ^{c g}
- [Megaselia totanigra](#) Beyer, 1959 ^{c g}
- [Megaselia transcarinata](#) Borgmeier, 1971 ^{c g}
- [Megaselia translocata](#) Brues, 1936 ^{c g}
- [Megaselia translucida](#) Bridarolli, 1951 ^{c g}
- [Megaselia transversalis](#) De Meijere, 1929 ^g
- [Megaselia transversiseta](#) Bridarolli, 1951 ^{c g}
- [Megaselia triapitsyni](#) Michailovskaya, 2003 ^{c g}
- [Megaselia trichopleurophora](#) Beyer, 1960 ^{c g}
- [Megaselia trichorrhoea](#) (Schmitz, 1921) ^{c g}
- [Megaselia trilineata](#) (Brunetti, 1912) ^{c g}
- [Megaselia trimacula](#) ^g
- [Megaselia tripartita](#) Borgmeier, 1961 ^{c g}
- [Megaselia triplicicristae](#) Disney, 2003 ^{c g}
- [Megaselia tripliciseta](#) Bridarolli, 1951 ^{c g}
- [Megaselia triquetra](#) Schmitz, 1927 ^{c g}

- [Megaselia trisecta](#) Brues, 1936 ^{c g}
- [Megaselia tristis](#) (Borgmeier, 1963) ^{i c g}
- [Megaselia tritomegas](#) Borgmeier, 1967 ^{c g}
- [Megaselia trivialis](#) (Brues, 1911) ^{c g}
- [Megaselia trochanteralis](#) Schmitz, 1953 ^{c g}
- [Megaselia trochanterica](#) Schmitz, 1926 ^{c g}
- [Megaselia trochimczuki](#) Disney & Durska, 2011
- [Megaselia trogeri](#) Brenner, 2006 ^{c g}
- [Megaselia troglodytica](#) Schmitz, 1950 ^{c g}
- [Megaselia trojani](#) Disney, 1998 ^{c g}
- [Megaselia trudiæ](#) Disney, 2003 ^{c g}
- [Megaselia tubulifera](#) Borgmeier, 1962 ^{c g}
- [Megaselia tubuliventris](#) Bridarolli, 1951 ^{c g}
- [Megaselia tulearensis](#) Disney, 2005 ^{c g}
- [Megaselia tumida](#) (Wood, 1909) ^{c g}
- [Megaselia tumidicornis](#) Borgmeier, 1962 ^{c g}
- [Megaselia tumidicosta](#) Borgmeier, 1962 ^{c g}
- [Megaselia tumidilla](#) Borgmeier, 1962 ^{c g}
- [Megaselia tumidirostris](#) Borgmeier, 1969 ^{c g}
- [Megaselia tumidula](#) Borgmeier, 1962 ^{c g}
- [Megaselia tumipalpis](#) Bridarolli, 1951 ^{c g}
- [Megaselia turbata](#) Borgmeier, 1967 ^{c g}
- [Megaselia turbidipennis](#) Borgmeier, 1967 ^{c g}
- [Megaselia turgida](#) (Borgmeier, 1925) ^c
- [Megaselia turgidilla](#) Borgmeier, 1967 ^{c g}
- [Megaselia turgipes](#) Borgmeier, 1967 ^{c g}
- [Megaselia tweedensis](#) Disney, 2008 ^{c g}

U-V

- [Megaselia uliginosa](#) (Wood, 1909) ^{c g}
- [Megaselia ultrabrevis](#) Schmitz, 1927
- [Megaselia umbrata](#) Schmitz, 1936 ^{c g}
- [Megaselia umbrosa](#) Brues, 1936 ^{c g}
- [Megaselia undulans](#) Schmitz, 1940 ^{c g}
- [Megaselia unguicularis](#) (Wood, 1909) ^{c g}
- [Megaselia ungulata](#) Robinson, 1981 ^{i c g}
- [Megaselia unichaeta](#) Colyer, 1962 ^{c g}

- [Megaselia unicolor](#) (Schmitz, 1919) ^{c g}
- [Megaselia unisetosa](#) Brues, 1936 ^{c g}
- [Megaselia unwini](#) Disney, 1987 ^{c g}
- [Megaselia ursina](#) (Malloch, 1912) ^{i c g}
- [Megaselia ussuriensis](#) Mikhailovskaya, 1987 ^{c g}
- [Megaselia usticlava](#) Borgmeier, 1967 ^{c g}
- [Megaselia ustipennis](#) Borgmeier, 1967 ^{c g}
- [Megaselia ustulata](#) (Schmitz, 1920) ^{c g}
- [Megaselia ustulithorax](#) Beyer, 1965 ^{c g}
- [Megaselia utingensis](#) Borgmeier, 1971 ^{c g}
- [Megaselia valida](#) (Santos Abreu, 1921) ^{c g}
- [Megaselia valvata](#) Schmitz, 1935 ^{c g}
- [Megaselia vannusetarum](#) Disney, 2006 ^{c g}
- [Megaselia vapidicornis](#) Brues, 1936 ^{c g}
- [Megaselia variana](#) Schmitz, 1926 ^{c g}
- [Megaselia variegata](#) Schmitz, 1937 ^{c g}
- [Megaselia venalis](#) Beyer, 1966 ^{c g}
- [Megaselia ventralis](#) Borgmeier, 1963 ^{i c g}
- [Megaselia verdensis](#) Disney, 1991 ^{c g}
- [Megaselia verna](#) Schmitz, 1932 ^{c g}
- [Megaselia vernalis](#) (Wood, 1909) ^{c g}
- [Megaselia vernicosa](#) Beyer, 1966 ^{c g}
- [Megaselia vernicosior](#) Beyer, 1966 ^{c g}
- [Megaselia verralli](#) (Wood, 1910) ^{c g}
- [Megaselia versicolor](#) Borgmeier, 1967 ^{c g}
- [Megaselia vespertilionis](#) Borgmeier, 1962 ^{c g}
- [Megaselia vestita](#) (Wood, 1914) ^{c g}
- [Megaselia victorovi](#) Mikhailovskaya, 1991 ^{c g}
- [Megaselia viduata](#) (Collin, 1912) ^{c g}
- [Megaselia villicauda](#) Schmitz, 1927 ^{c g}
- [Megaselia villosa](#) Michailovskaya, 2003 ^{c g}
- [Megaselia vinculata](#) Borgmeier, 1964 ^{i c g}
- [Megaselia violata](#) Borgmeier, 1969 ^{c g}
- [Megaselia virescens](#) Bridarolli, 1951 ^{c g}
- [Megaselia virilis](#) (Schmitz, 1919) ^{c g}
- [Megaselia vitiomera](#) Disney, 2006 ^{c g}

- [*Megaselia vittata*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia vorata*](#) Disney, 1991 ^{c g}
- [*Megaselia vulcanica*](#) Bridarolli, 1951 ^{c g}

W-Z

- [*Megaselia waagei*](#) Schmitz, 1935 ^{c g}
- [*Megaselia weissflogi*](#) Disney, 1998 ^{c g}
- [*Megaselia wellingtonensis*](#) Disney, 2003 ^{c g}
- [*Megaselia wheeleri*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia wickenensis*](#) Disney, 2000 ^{c g}
- [*Megaselia wiegmanae*](#) ^g
- [*Megaselia wigtownensis*](#) Disney, 2009
- [*Megaselia winnemana*](#) (Malloch, 1912) ^{i c g}
- [*Megaselia winqvisti*](#) Disney, 2011
- [*Megaselia withersi*](#) Disney, 2008 ^{c g}
- [*Megaselia woodi*](#) (Lundbeck, 1922) ^{c g}
- [*Megaselia wuzhiensis*](#) Fang, 2005 ^{c g}
- [*Megaselia xanthocera*](#) Borgmeier, 1967 ^{c g}
- [*Megaselia xanthogastra*](#) Schmitz, 1940 ^{c g}
- [*Megaselia xanthophila*](#) Buck & Disney, 2001 ^{c g}
- [*Megaselia xanthopus*](#) Beyer, 1965 ^{c g}
- [*Megaselia xanthopyge*](#) Beyer, 1965 ^{c g}
- [*Megaselia xanthozona*](#) (Strobl, 1892) ^{c g}
- [*Megaselia yatesi*](#) Disney, 2002 ^{c g}
- [*Megaselia zaitzevi*](#) Michailovskaya, 1991 ^{c g}
- [*Megaselia zariaensis*](#) Disney, 1989 ^{c g}
- [*Megaselia zebrina*](#) Beyer, 1964 ^{i c g}
- [*Megaselia zeno*](#) Borgmeier, 1962 ^{c g}
- [*Megaselia zeuzerae*](#) Disney, 1997 ^{c g}
- [*Megaselia zonata*](#) (Zetterstedt, 1838) ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This **list of Megachile species** is an almost comprehensive listing of species of the bees belonging to the genus [*Megachile*](#).

Contents

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J-K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [References](#)

A

- [M. abacula](#) Cresson, 1878
- [M. abdominalis](#) Smith, 1853[1]
- [M. abessinica](#) Friese, 1915
- [M. abluta](#) Cockerell, 1911
- [M. abnegatula](#) Cockerell, 1937
- [M. abnormis](#) Mitchell, 1930
- [M. abongana](#) Strand, 1911
- [M. acanthura](#) Cockerell, 1937
- [M. accraensis](#) Friese, 1903
- [M. acculta](#) Cockerell, 1931
- [M. acerba](#) Mitchell, 1930
- [M. acris](#) Mitchell, 1930
- [M. aculeata](#) Vachal, 1910
- [M. acutiventris](#) Friese, 1903
- [M. addenda](#) Cresson, 1878
- [M. addita](#) Pasteels, 1965

- [*M. addubitans* Cockerell](#), 1931
- [*M. adalaidae* Cockerell](#), 1910
- [*M. adeloptera* Schletterer](#), 1891
- [*M. adelphodonta* Cockerell](#), 1924
- [*M. adempta* Cockerell](#), 1931
- [*M. admixta* Cockerell](#), 1931
- [*M. aduaensis* Friese](#), 1909
- [*M. adusta* \(King, 1994\)](#)
- [*M. aequilibra* Vachal](#), 1908
- [*M. aetheria* Mitchell](#), 1930
- [*M. aethiops* Smith, 1853\[1\]](#)
- [*M. affabilis* Mitchell](#), 1930
- [*M. affinis* Brullé](#), 1832
- [*M. afra* Pasteels](#), 1965
- [*M. africanibia* Strand](#), 1912
- [*M. agilis* Smith](#), 1879
- [*M. agnosta* Engel](#), 2017
- [*M. agustini* Cockerell](#), 1905
- [*M. ainu* Hirashima & Maeta](#), 1974
- [*M. akamiella* Pasteels](#), 1965
- [*M. alamosana* Mitchell](#), 1934
- [*M. alani* Cockerell](#), 1929
- [*M. alata* Mitchell](#), 1934
- [*M. albicaudella* Pasteels](#), 1965
- [*M. albiceps* Friese](#), 1903
- [*M. albidula* Alfken](#), 1931
- [*M. albifasciata* Rebmann](#), 1970
- [*M. albifascies* \(Alfken, 1932\)](#)
- [*M. albifrons* Smith, 1853\[1\]](#)
- [*M. albimarginalis* Rebmann](#), 1970
- [*M. albigula* Pérez](#), 1895
- [*M. albiscopa* Saussure](#), 1890
- [*M. albisecta* \(Klug, 1817\)](#)
- [*M. albitarsis* Cresson](#), 1872
- [*M. albobarbata* Cockerell](#), 1915
- [*M. albobasalis* Smith](#), 1879
- [*M. albocincta* Radoszkowski](#) 1874
- [*M. albocristata* Smith, 1853\[1\]](#)
- [*M. albohirsuta* Pasteels](#), 1965
- [*M. albohirta* \(Brullé, 1839\)](#)
- [*M. albolineata* Cameron](#), 1897
- [*M. albomarginata* Smith](#), 1879

- [*M. albonigra*](#) Pasteels, 1973
- [*M. albonotata*](#) Radoszkowski 1886
- [*M. albopilosa*](#) Fries, 1916
- [*M. alboplumula*](#) Wu, 2005
- [*M. albopunctata*](#) Jörgensen, 1909
- [*M. alborufa*](#) Fries, 1911
- [*M. alborufula*](#) Cockerell, 1937
- [*M. alboscopacea*](#) Fries, 1903
- [*M. alleni*](#) Mitchell, 1927
- [*M. alleynae*](#) Rayment, 1935
- [*M. alopecura*](#) Cockerell, 1923
- [*M. alpicola*](#) Alfken, 1924
- [*M. alpigena*](#) Fries, 1925
- [*M. alta*](#) Mitchell, 1930
- [*M. altera*](#) Vachal, 1903[2]
- [*M. alternans*](#) Fries, 1922
- [*M. alticola*](#) (Cameron, 1902)
- [*M. alucaba*](#) (Snelling, 1990)
- [*M. amabilis*](#) Cockerell, 1933
- [*M. ambigua*](#) (Pasteels, 1965)
- [*M. amboinensis*](#) Fries, 1909
- [*M. amica*](#) Cresson, 1872
- [*M. amoena*](#) (Pasteels, 1965)
- [*M. amparo*](#) Gonzalez, 2006
- [*M. amputata*](#) Smith, 1857
- [*M. analis*](#) Nylander, 1852
- [*M. anatolica*](#) Rebmann, 1968
- [*M. angelarum*](#) Cockerell, 1902
- [*M. angolensis*](#) (Cockerell, 1935)
- [*M. angularis*](#) Mitchell, 1930
- [*M. angulata*](#) Smith, 1853[1]
- [*M. angusta*](#) Mitchell, 1930
- [*M. angustistrigata*](#) Alfken, 1924
- [*M. animosa*](#) Cockerell, 1931
- [*M. anodonta*](#) Cockerell, 1927
- [*M. anograe*](#) Cockerell, 1908
- [*M. anomomaculata*](#) (Pasteels, 1965)
- [*M. anthophila*](#) Strand, 1913
- [*M. anthracina*](#) Smith, 1853[1]
- [*M. antinorii*](#) Gribodo, 1879
- [*M. antiqua*](#) Mitchell, 1930
- [*M. antisanellae*](#) Cameron, 1903

- [M. apennina](#) Benoist, 1940
- [M. apicalis](#) Spinola, 1808
- [M. apicata](#) Smith, 1853[1]
- [M. apicipennis](#) Schrottky, 1902
- [M. apoicola](#) (Engel, 2011)
- [M. apora](#) Krombein, 1953
- [M. apostolica](#) Cockerell, 1937
- [M. apposita](#) Rayment, 1939
- [M. arabica](#) Friese, 1901
- [M. architecta](#) Smith, 1857
- [M. arctos](#) Vachal, 1904
- [M. arcuata](#) Cockerell, 1919
- [M. arcus](#) Mitchell, 1930
- [M. ardens](#) Smith, 1879
- [M. ardua](#) Mitchell, 1930
- [M. argentina](#) Friese, 1906
- [M. aricensis](#) Friese, 1904
- [M. aridissima](#) Cockerell, 1937
- [M. armaticeps](#) Cresson, 1869
- [M. armatipes](#) Friese, 1909
- [M. armenia](#) Tkalcu, 1992
- [M. armipygata](#) Strand, 1911
- [M. armstrongi](#) Perkins & Cheesman, 1928
- [M. arnauui](#) Moure, 1948
- [M. arnoldiella](#) (Pasteels, 1965)
- [M. arundinacea](#) Taschenberg, 1872
- [M. asahinai](#) Yasumatsu, 1955
- [M. asiatica](#) Morawitz, 1875
- [M. assumptionis](#) Schrottky, 1908
- [M. asteræ](#) Mitchell, 1943
- [M. astragali](#) Mitchell, 1938
- [M. astridella](#) Pasteels, 1965
- [M. asuncicola](#) Strand, 1910
- [M. asymmetrica](#) (Snelling, 1990)
- [M. atahualpa](#) Schrottky, 1913
- [M. aterrima](#) Smith, 1861
- [M. atlantica](#) Benoist, 1934
- [M. atopognatha](#) Cockerell, 1933
- [M. atrata](#) Smith, 1853[1]
- [M. atratiformis](#) Meade-Waldo, 1914
- [M. atratula](#) Rebmann, 1968
- [M. atrella](#) Cockerell, 1906

- [M. atricoma](#) Vachal, 1908
- [M. atripes](#) Friesse, 1904
- [M. atroalbida](#) Pasteels, 1965
- [M. atrocastanea](#) (Alfken, 1932)
- [M. atropyga](#) (van der Zanden, 1995)
- [M. attenuata](#) Vachal, 1910
- [M. aurantiaca](#) Friesse, 1905
- [M. aurantipennis](#) Cockerell, 1912
- [M. aurata](#) Mitchell, 1930
- [M. aurea](#) Mitchell, 1930
- [M. aureiventris](#) Schrottky, 1902
- [M. auriceps](#) Meade-Waldo, 1914
- [M. auriculata](#) (Gupta, 1989)
- [M. aurifacies](#) Pasteels, 1985
- [M. aurifera](#) Cockerell, 1935
- [M. aurifrons](#) Smith, 1853[1]
- [M. aurilabris](#) Pasteels, 1965
- [M. auripubens](#) Rebmann, 1970
- [M. aurivillii](#) Friesse, 1901
- [M. aureora](#) Friesse, 1917
- [M. aurulenta](#) (Pasteels, 1970)
- [M. austeni](#) Cockerell, 1906
- [M. australasiae](#) Dalla Torre, 1896
- [M. australis](#) H. Lucas, 1876
- [M. axillaris](#) Meade-Waldo, 1915
- [M. axyx](#) (Snelling, 1990)
- [M. azarica](#) Cockerell, 1945
- [M. azteca](#) Cresson, 1878

B

- [M. babylonica](#) Rebmann, 1970
- [M. badia](#) Bingham, 1890
- [M. baeri](#) Vachal, 1904
- [M. baetica](#) (Gerstaecker, 1869)
- [M. bahamensis](#) Mitchell, 1927
- [M. bakeri](#) Cockerell, 1918
- [M. bangana](#) Cockerell, 1931
- [M. banksi](#) Mitchell, 1930
- [M. barbata](#) Smith, 1853[1]
- [M. barbatula](#) Smith, 1879
- [M. barbiellinii](#) Moure, 1944
- [M. barkeri](#) Cockerell, 1920

- [M. barvonensis](#) Cockerell, 1914
- [M. basalis](#) Smith, 1853[1]
- [M. basirubella](#) Pasteels, 1973
- [M. batchelor](#) Cockerell, 1929
- [M. battorensis](#) Meade-Waldo, 1912
- [M. bella](#) Mitchell, 1930
- [M. bellula](#) Bingham, 1897
- [M. benigna](#) Mitchell, 1930
- [M. bentoni](#) Cockerell, 1919
- [M. bernardinensis](#) Strand, 1910
- [M. bertonii](#) Schrottky, 1909
- [M. beutenmulleri](#) Cockerell, 1907
- [M. bhavanae](#) Bingham, 1897
- [M. bicarinis](#) Vachal, 1909
- [M. bicolor](#) (Fabricius, 1781)
- [M. bicornis](#) (King, 1994)
- [M. bicornuta](#) Friese, 1903
- [M. bidentata](#) (Fabricius, 1775)
- [M. bidentis](#) Cockerell, 1896
- [M. biexcisa](#) (Pasteels, 1970)
- [M. bigibbosa](#) Friese, 1908
- [M. biloba](#) Vachal, 1910
- [M. bilobata](#) Friese, 1915
- [M. binghami](#) Meade-Waldo, 1912
- [M. binominata](#) Smith, 1853[1]
- [M. binota](#) Vachal, 1908
- [M. binotulata](#) Dalla Torre, 1896
- [M. bioculata](#) Pérez, 1902
- [M. bipartita](#) Smith, 1879
- [M. bipunctulata](#) (Pasteels, 1965)
- [M. biroï](#) Friese, 1903
- [M. biseta](#) Vachal, 1903[2]
- [M. bisinua](#) Vachal, 1908
- [M. bispinosa](#) Friese, 1921
- [M. bituberculata](#) Ritsema, 1880
- [M. blanda](#) Mitchell, 1930
- [M. boharti](#) Mitchell, 1942
- [M. boliviensis](#) Friese, 1917
- [M. bombiformis](#) Gerstaecker, 1857
- [M. bombycina](#) Radoszkowski 1874
- [M. bomplandensis](#) Durante, 1996
- [M. botanicarum](#) Cockerell, 1923

- [M. botucatuna](#) Schrottky, 1913
- [M. bougainvillei](#) Cockerell, 1911
- [M. brachysoma](#) Cockerell, 1924
- [M. bradleyi](#) Mitchell, 1934
- [M. brasiliensis](#) Dalla Torre, 1896
- [M. bredoi](#) Cockerell, 1935
- [M. brethesi](#) Schrottky, 1909
- [M. breviata](#) Vachal, 1908
- [M. breviceps](#) Friese, 1898
- [M. brevis](#) Say, 1837
- [M. breviuscula](#) Smith, 1879
- [M. bridarollii](#) Moure, 1947
- [M. brimleyi](#) Mitchell, 1926
- [M. brochidens](#) Vachal, 1903[2]
- [M. brooksi](#) Pauly, 2001
- [M. browni](#) Mitchell, 1934
- [M. bruchi](#) Schrottky, 1909
- [M. bruneri](#) Mitchell, 1934
- [M. bruneriella](#) Cockerell, 1917
- [M. brunissima](#) (Pasteels, 1965)
- [M. bucephala](#) (Fabricius, 1793)
- [M. buchwaldi](#) Mitchell, 1943
- [M. buddhae](#) Dalla Torre, 1896
- [M. buehleri](#) Schrottky, 1909
- [M. bukamensis](#) Cockerell, 1935
- [M. bullata](#) Friese, 1911
- [M. burdigalensis](#) Benoist, 1940
- [M. burmeisteri](#) Friese, 1908
- [M. burungana](#) Cockerell, 1931
- [M. butonensis](#) Friese, 1909
- [M. butteli](#) Friese, 1918
- [M. buxtoni](#) Perkins & Cheesman, 1928

C

- [M. caldwelli](#) Cockerell, 1911
- [M. calida](#) Smith, 1879
- [M. callura](#) (Cockerell, 1914)
- [M. campanulae](#) (Robertson, 1903)
- [M. canariensis](#) Pérez, 1902
- [M. canastra](#) Melo & Parizotto, 2015
- [M. candanga](#) Raw, 2006
- [M. candentula](#) Cockerell, 1915

- [M. candida](#) Smith, 1879
- [M. canescens](#) (Brullé, 1832)
- [M. canifrons](#) Smith, 1853[1]
- [M. capitata](#) Smith, 1853[1]
- [M. captionis](#) Cockerell, 1914
- [M. carbonaria](#) Smith, 1853[1]
- [M. caricina](#) Cockerell, 1907
- [M. carinata](#) Radoszkowski 1893
- [M. carinifrons](#) Alfken, 1926
- [M. cartagenensis](#) Mitchell, 1930
- [M. carteri](#) Cockerell, 1929
- [M. casadae](#) Cockerell, 1898
- [M. castaneipes](#) Friese, 1908
- [M. catamarcensis](#) Schrottky, 1908
- [M. catulus](#) (Cockerell, 1910)
- [M. centuncularis](#) (Linnaeus, 1758)
- [M. cephalotes](#) Smith, 1853[1]
- [M. ceratops](#) Engel, 2017
- [M. cestifera](#) Benoist, 1954
- [M. cetera](#) Cockerell, 1912
- [M. ceylonica](#) Bingham, 1896
- [M. chamacoco](#) Schrottky, 1913
- [M. chapini](#) (Cockerell, 1935)
- [M. cheesmanae](#) (Michener, 1965)
- [M. chelostomoides](#) Gribodo, 1894
- [M. Chiangmaiensis](#) Chatthanabun & Warrit, 2020
- [M. chichimeca](#) Cresson, 1878
- [M. chilensis](#) Spinola, 1851
- [M. chilopsidis](#) Cockerell, 1900
- [M. chinensis](#) Radoszkowski 1874
- [M. chlorura](#) Cockerell, 1918
- [M. chomskyi](#) Sheffield, 2013
- [M. chrysognatha](#) Cockerell, 1943
- [M. chrysophila](#) Cockerell, 1896
- [M. chrysopogon](#) Vachal, 1910
- [M. chrysopyga](#) Smith, 1853[1]
- [M. chrysopygopsis](#) Cockerell, 1929
- [M. chrysorrhoea](#) Gerstaecker, 1857
- [M. chyzeri](#) Friese, 1909
- [M. ciliatipes](#) Cockerell, 1921
- [M. cincta](#) (Fabricius, 1781)
- [M. cinctiventris](#) Friese, 1916

- [*M. cincturata* Cockerell](#), 1912
- [*M. cinerea* Friese](#), 1905
- [*M. cingulata* Friese](#), 1903
- [*M. cinnamomea* Alfken](#), 1935
- [*M. circumcincta* \(Kirby, 1802\)](#)
- [*M. clara* Mitchell](#), 1930
- [*M. clariceps* Friese](#), 1917
- [*M. cleomis* Cockerell](#), 1900
- [*M. cliffordi* Rayment](#), 1953
- [*M. clio* Friese](#), 1903
- [*M. clotho* Smith](#), 1861
- [*M. clypeata* Smith](#), 1853[1]
- [*M. clypeosinuata* Pasteels](#), 1985
- [*M. cochisiana* Mitchell](#), 1934
- [*M. cockerelli* Rohwer](#), 1923
- [*M. coelioxoides* Cresson](#), 1878
- [*M. cognata* Smith](#), 1853[1]
- [*M. cognatiforme* \(Pasteels, 1970\)](#)
- [*M. collaris* Friese](#), 1908
- [*M. colombiana* Mitchell](#), 1930
- [*M. coloradensis* Mitchell](#), 1936
- [*M. colorata* Fox](#), 1896
- [*M. comata* Cresson](#), 1872
- [*M. combinata* \(Pasteels, 1965\)](#)
- [*M. commixta* \(Pasteels, 1970\)](#)
- [*M. communis* Morawitz](#), 1875
- [*M. compacta* Smith](#), 1879
- [*M. compta* Vachal](#), 1908
- [*M. conaminis* Cockerell](#), 1926
- [*M. concava* Mitchell](#), 1930
- [*M. concinna* Smith](#), 1879
- [*M. concolor* Friese](#), 1903
- [*M. conferta* Mitchell](#), 1930
- [*M. congruata* Mitchell](#), 1943
- [*M. congruens* Friese](#), 1903
- [*M. coniformis* Friese](#), 1922
- [*M. conjugalis* Mitchell](#), 1930
- [*M. conjuncta* Smith](#), 1853[1]
- [*M. conjunctiformis* Yasumatsu](#), 1938
- [*M. conradsi* Friese](#), 1911
- [*M. constructrix* Smith](#), 1879
- [*M. contempta* Mitchell](#), 1930

- [M. continua](#) Mitchell, 1930
- [M. coquilletti](#) Cockerell, 1915
- [M. coquimbensis](#) Ruiz, 1938
- [M. cordata](#) Smith, 1879
- [M. cordovensis](#) Mitchell, 1930
- [M. corduvensis](#) Schrottky, 1909
- [M. cornigera](#) Friese, 1904
- [M. corsica](#) Benoist, 1935
- [M. costaricensis](#) Friese, 1917
- [M. crabipedes](#) Wu, 2005
- [M. cradockensis](#) Friese, 1909
- [M. crandalli](#) Mitchell, 1957
- [M. crassepunctata](#) Yasumatsu & Hirashima, 1965
- [M. crassipes](#) Smith, 1879
- [M. crassitarsis](#) Cockerell, 1931
- [M. crassula](#) Pérez, 1896
- [M. crenulata](#) Fox, 1896
- [M. cressa](#) (Tkalcu, 1988)
- [M. creusa](#) Bingham, 1898
- [M. creutzburgi](#) (Tkalcu, 2009)
- [M. croceipennis](#) Friese, 1917
- [M. crotalariae](#) (Schwimmer, 1980)
- [M. cruziana](#) Mitchell, 1930
- [M. ctenophora](#) Holmberg, 1886
- [M. cubiceps](#) Friese, 1906
- [M. cupreohirta](#) Cockerell, 1933
- [M. curta](#) Cresson, 1865
- [M. curtilipes](#) Vachal, 1909
- [M. curtula](#) Gerstaecker, 1857
- [M. curtuloides](#) Pasteels, 1973
- [M. curvipes](#) Smith, 1853^[1]
- [M. cyanescens](#) Friese, 1904
- [M. cyanipennis](#) Guérin-Ménéville, 1845
- [M. cygnorum](#) Cockerell, 1906
- [M. cylindrica](#) Friese, 1906
- [M. cypricola](#) Mavromoustakis, 1938

D

- [M. dacica](#) Mocsáry, 1879
- [M. dakotensis](#) Mitchell, 1926
- [M. dalmeidai](#) Moure, 1944
- [M. dampieri](#) Cockerell, 1907

- [*M. danunciae*](#) Melo & Parizotto, 2015
- [*M. dariensis*](#) Pasteels, 1965
- [*M. darwiniana*](#) Cockerell, 1906
- [*M. davaonensis*](#) Cockerell, 1918
- [*M. davidsoni*](#) Cockerell, 1902
- [*M. davis*](#) Mitchell, 1930
- [*M. dawensis*](#) (Pasteels, 1965)
- [*M. deanii*](#) Rayment, 1935
- [*M. decemsignata*](#) Radoszkowski 1881
- [*M. deceptor*](#) Pérez, 1890
- [*M. deceptrix*](#) Smith, 1879
- [*M. deflexa*](#) Cresson, 1878
- [*M. delectus*](#) Mitchell, 1930
- [*M. delphinensis*](#) Benoist, 1962
- [*M. demeter*](#) Cockerell, 1937
- [*M. densa*](#) Mitchell, 1930
- [*M. dentitarsus*](#) Sladen, 1919
- [*M. derasa*](#) Gerstaecker, 1869
- [*M. derelicta*](#) Cockerell, 1913
- [*M. derelictula*](#) Cockerell, 1937
- [*M. desertorum*](#) Morawitz, 1875
- [*M. deter*](#) Cockerell, 1910
- [*M. devadatta*](#) Cockerell, 1907
- [*M. devexa*](#) Vachal, 1903[2]
- [*M. diabolica*](#) Friese, 1898
- [*M. diamontana*](#) Melo & Parizotto, 2015
- [*M. diasi*](#) Raw, 2006
- [*M. difficilis*](#) Morawitz, 1875
- [*M. digiticauda*](#) Cockerell, 1937
- [*M. digna*](#) Mitchell, 1930
- [*M. diligens*](#) Smith, 1879
- [*M. dimidiata*](#) Smith, 1853[1]
- [*M. dinognatha*](#) Cockerell, 1929
- [*M. dinura*](#) Cockerell, 1911
- [*M. diodontura*](#) Cockerell, 1922
- [*M. discolor*](#) Smith, 1853[1]
- [*M. discorhina*](#) Cockerell, 1924
- [*M. discriminata*](#) Rebmann, 1968
- [*M. disjuncta*](#) (Fabricius, 1781)
- [*M. disjunctiformis*](#) Cockerell, 1911
- [*M. disputabilis*](#) Krombein, 1951
- [*M. distinguenda*](#) Ruiz, 1941

- [M. diversa](#) Mitchell, 1930
- [M. doanei](#) Cockerell, 1908
- [M. doddiana](#) Cockerell, 1906
- [M. dohrandti](#) Morawitz, 1880
- [M. doleschalli](#) Cockerell, 1907
- [M. dolichognatha](#) Cockerell, 1931
- [M. dolichosoma](#) Benoist, 1962
- [M. dolichotricha](#) Cockerell, 1927
- [M. donata](#) Mitchell, 1930
- [M. donbakeri](#) (Gonzalez and Engel, 2012)
- [M. dorsalis](#) Pérez, 1879
- [M. dorsata](#) Smith, 1853[1]
- [M. droegei](#) Sheffield & Genaro, 2013
- [M. duala](#) Strand, 1914
- [M. dubiosa](#) Friese, 1909
- [M. duboulaii](#) (Smith, 1865)
- [M. dulciana](#) Mitchell, 1934
- [M. dupla](#) Ritsema, 1880
- [M. durantae](#) Gonzalez, Griswold & Engel, 2018

E

- [M. ebenea](#) (King, 1994)
- [M. eburnipes](#) Vachal, 1904
- [M. eclectica](#) (Snelling, 1990)
- [M. ecuadoria](#) Friese, 1904
- [M. edentata](#) Friese, 1925
- [M. edwardsi](#) Friese, 1922
- [M. edwardsiana](#) Friese, 1925
- [M. electrum](#) Mitchell, 1930
- [M. elizabethae](#) Bingham, 1897
- [M. elongata](#) Smith, 1879
- [M. emexae](#) (King, 1994)
- [M. empeyi](#) (Pasteels, 1970)
- [M. enceliae](#) Cockerell, 1926
- [M. epixanthula](#) Cockerell, 1931
- [M. ericetorum](#) Lepeletier, 1841
- [M. erimae](#) Mocsáry, 1899
- [M. erythropyga](#) Smith, 1853[1]
- [M. erythrura](#) (Pasteels, 1970)
- [M. esakii](#) Yasumatsu, 1935
- [M. esora](#) Cameron, 1903
- [M. essenensis](#) (Pasteels, 1979)

- [M. estebana](#) Cockerell, 1924
- [M. eucalypti](#) Cockerell, 1910
- [M. eulaliae](#) Cockerell, 1917
- [M. eupyrrha](#) Cockerell, 1937
- [M. eurimera](#) Smith, 1854
- [M. eurycephala](#) Wu, 2005
- [M. euzona](#) Pérez, 1899
- [M. exaltata](#) Smith, 1853[1]
- [M. excavata](#) Cockerell, 1937
- [M. exilis](#) Cresson, 1872
- [M. eximia](#) Friese, 1903
- [M. expleta](#) Mitchell, 1930
- [M. exsecta](#) Pasteels, 1965

F

- [M. fabricator](#) Smith, 1868
- [M. faceta](#) Bingham, 1897
- [M. facetula](#) Cockerell, 1918
- [M. facialis](#) Vachal, 1908
- [M. falcidentata](#) Moure & Silveira, 1992
- [M. familiaris](#) Cockerell, 1916
- [M. fasciatella](#) Friese, 1905
- [M. fastidiosa](#) Mitchell, 1930
- [M. fastigiata](#) Vachal, 1910
- [M. feijeni](#) Schulten, 1977
- [M. felicis](#) Mitchell, 1930
- [M. felina](#) Gerstaecker, 1857
- [M. femoratella](#) Cockerell, 1918
- [M. ferox](#) Smith, 1879
- [M. ferruginea](#) Friese, 1903
- [M. ferruginea](#) (King & Exley, 1985) (Homonym)
- [M. ferruginosa](#) Mitchell, 1930
- [M. fertoni](#) Pérez, 1896
- [M. fervida](#) Smith, 1853[1]
- [M. fidelis](#) Cresson, 1878
- [M. fiebrigi](#) Schrottky, 1908
- [M. filicornis](#) Friese, 1908
- [M. fimbriata](#) Smith, 1853[1]
- [M. fimbriventris](#) Friese, 1911
- [M. finschi](#) Friese, 1911
- [M. flabellipes](#) Pérez, 1895
- [M. flammiventris](#) Vachal, 1908

- [M. flavicrinis](#) Vachal, 1908
- [M. flavidula](#) Rebmann, 1970
- [M. flavihirsuta](#) Mitchell, 1930
- [M. flavipennis](#) Smith, 1853[1]
- [M. flavipes](#) Spinola, 1838
- [M. flavofasciata](#) Wu, 1982
- [M. fletcheri](#) Cockerell, 1919
- [M. florensis](#) Mitchell, 1943
- [M. foersteri](#) Gerstaecker, 1869
- [M. foliata](#) Smith, 1861
- [M. forbesii](#) Cockerell, 1937
- [M. formosa](#) (Pasteels, 1970)
- [M. fortis](#) Cresson, 1872
- [M. framea](#) Schrottky, 1913
- [M. franki](#) (Fries, 1920)
- [M. frankieana](#) Raw, 2006
- [M. fraterna](#) Smith, 1853[1]
- [M. friesei](#) Schrottky, 1902
- [M. frigida](#) Smith, 1853[1]
- [M. frontalis](#) (Fabricius, 1804)
- [M. frugalis](#) Cresson, 1872
- [M. fruticosa](#) Mitchell, 1930
- [M. fucata](#) Mitchell, 1934
- [M. fuerteventurae](#) (Tkalcu, 1993)
- [M. fuliginosa](#) Fries, 1925
- [M. fullawayi](#) Cockerell, 1914
- [M. fultoni](#) Cockerell, 1913
- [M. fulva](#) Smith, 1853[1]
- [M. fulvescens](#) Smith, 1853[1]
- [M. fulvifrons](#) Smith, 1858
- [M. fulvimana](#) Eversmann, 1852
- [M. fulvipennis](#) Smith, 1879
- [M. fulvitaris](#) Fries, 1909
- [M. fulvofasciata](#) Radoszkowski 1882
- [M. fulvohirta](#) Fries, 1904
- [M. fulvomarginata](#) Cockerell, 1906
- [M. fumata](#) Mitchell, 1930
- [M. fumipennis](#) Smith, 1868
- [M. funebris](#) Radoszkowski 1874
- [M. funeraria](#) Smith, 1863
- [M. funnelli](#) Cockerell, 1907
- [M. furcata](#) Vachal, 1909

- [*M. fusca* Friese](#), 1903
- [*M. fuscicauda* Cockerell](#), 1933
- [*M. fuscitarsis* Cockerell](#), 1912
- [*M. futilis* Mitchell](#), 1930

G

- [*M. gahani* Cockerell](#), 1906
- [*M. galactogagates* Gribodo](#), 1894
- [*M. gambiensis* Cockerell](#), 1937
- [*M. garambana* Pasteels](#), 1965
- [*M. garleppi* Friese](#), 1904
- [*M. gastracantha* Cockerell](#), 1931
- [*M. gathela* Cameron](#), 1908
- [*M. gemula* Cresson](#), 1878
- [*M. genalis* Morawitz](#), 1880
- [*M. geneana* \(Gribodo\)](#), 1894
- [*M. gentilis* Cresson](#), 1872
- [*M. geoffrei* Cockerell](#), 1920
- [*M. georgica* Cresson](#), 1878
- [*M. gessi* Eardley](#), 2012
- [*M. gessorum* Eardley](#), 2012
- [*M. ghillianii* Spinola](#), 1843
- [*M. gibbidens* Vachal](#), 1910
- [*M. gibboclypearis* Pasteels](#), 1979
- [*M. gibbsi* \(Gonzalez and Engel\)](#), 2012
- [*M. gigantea* Friese](#), 1911
- [*M. gigas* Schrottky](#), 1908
- [*M. gigas* Wu](#), 2005 (Homonym)
- [*M. gilbertiella* Cockerell](#), 1910
- [*M. giliae* Cockerell](#), 1906
- [*M. giraudi* Gerstaecker](#), 1869
- [*M. globiceps* \(Pasteels\)](#), 1970
- [*M. gobabebensis* Eardley](#), 2013
- [*M. godeffroyi* Friese](#), 1911
- [*M. goegabensis* Eardley](#), 2013
- [*M. gomphrenae* Holmberg](#), 1886
- [*M. gomphrenoides* Vachal](#), 1908
- [*M. gordonii* Cockerell](#), 1937
- [*M. gothalauniensis* Pérez](#), 1902
- [*M. gowdeyi* Cockerell](#), 1931
- [*M. gracilis* Schrottky](#), 1902
- [*M. grandibarbis* Pérez](#), 1899

- [M. gravita](#) Mitchell, 1934
- [M. grisea](#) (Fabricius, 1794)
- [M. griseola](#) Cockerell, 1931
- [M. griseopicta](#) Radoszkowski 1882
- [M. grisescens](#) Morawitz, 1875
- [M. guaranitica](#) Schrottky, 1908
- [M. guayaqui](#) Schrottky, 1913
- [M. guineae](#) Strand, 1912

H

- [M. habilis](#) Mitchell, 1930
- [M. habropodoides](#) Meade-Waldo, 1912
- [M. hackeri](#) Cockerell, 1913
- [M. haematogastra](#) Cockerell, 1921
- [M. haematoxylonae](#) Mitchell, 1930
- [M. hamata](#) Mitchell, 1930
- [M. hamatipes](#) Cockerell, 1923
- [M. hampsoni](#) Cockerell, 1906
- [M. hardyi](#) Cockerell, 1929
- [M. harrarensis](#) Friese, 1915
- [M. haryanaensis](#) Rahman & Chopra, 1994
- [M. haryanensis](#) Sharma, Simlote & Gupta, 1993
- [M. hecate](#) Vachal, 1903[2]
- [M. hei](#) Wu, 2005
- [M. heinii](#) Kohl, 1906
- [M. heinrichi](#) (Tkalcu, 1979)
- [M. heliophila](#) Cockerell, 1913
- [M. hemirhodura](#) Cockerell, 1937
- [M. henrici](#) Cockerell, 1907
- [M. hera](#) Bingham, 1897
- [M. heriadiformis](#) Smith, 1853[1]
- [M. hertlei](#) Friese, 1911
- [M. heteroptera](#) Sichel, 1867
- [M. heterotrichia](#) Cameron, 1909
- [M. hieronymi](#) Friese, 1906
- [M. hilata](#) Mitchell, 1934
- [M. hilli](#) Cockerell, 1929
- [M. hirsuta](#) Morawitz, 1893
- [M. hirsutula](#) Pasteels, 1973
- [M. hirticauda](#) Cockerell, 1937
- [M. hisarensis](#) Rahman & Chopra, 1994
- [M. hisarica](#) Engel, 2017

- [*M. hoffmanseggiae*](#) Jörgensen, 1912
- [*M. hohmanni*](#) Tkalcu, 1993
- [*M. holmbergi*](#) Jörgensen, 1912
- [*M. holomelaena*](#) Cockerell, 1917
- [*M. holorhodura*](#) (Cockerell, 1933)
- [*M. holosericea*](#) (Fabricius, 1793)
- [*M. holostoma*](#) Cockerell, 1937
- [*M. hookeri*](#) Cockerell, 1915
- [*M. horatii*](#) Cockerell, 1913
- [*M. horrida*](#) Schulten, 1977
- [*M. huascari*](#) Cockerell, 1912
- [*M. hubeiensis*](#) Wu, 2005
- [*M. humilis*](#) Smith, 1879
- [*M. hungarica*](#) Mocsáry, 1877
- [*M. hypoleuca*](#) Cockerell, 1927
- [*M. hypopyrrha*](#) Cockerell, 1937

I

- [*M. ianthoptera*](#) Smith, 1853[1]
- [*M. ichnusae*](#) Rebmann, 1968
- [*M. ignava*](#) Mitchell, 1930
- [*M. ignescens*](#) Cockerell, 1929
- [*M. igniscopata*](#) Cockerell, 1911
- [*M. ignita*](#) Smith, 1853[1]
- [*M. iheringi*](#) Schrottky, 1913
- [*M. ikuthaensis*](#) Friesse, 1903
- [*M. illustris*](#) Mitchell, 1930
- [*M. imitata*](#) Smith, 1853[1]
- [*M. immanis*](#) Mitchell, 1930
- [*M. impartita*](#) Mitchell, 1934
- [*M. imperialis*](#) Friesse, 1903
- [*M. impressa*](#) Friesse, 1903
- [*M. impudens*](#) Mitchell, 1930
- [*M. incana*](#) Friesse, 1898
- [*M. incerta*](#) Radoszkowski 1876
- [*M. incisa*](#) Smith, 1858
- [*M. indica*](#) (Gupta, 1988)
- [*M. indica*](#) (Gupta, 1990) (Homonym)
- [*M. indigoferae*](#) Mitchell, 1930
- [*M. indonesica*](#) (Engel and Schwarz, 2011)
- [*M. inermis*](#) Provancher, 1888
- [*M. inexpectata*](#) Pasteels, 1973

- [*M. inexpectata*](#) Rebmann, 1968
- [*M. infima*](#) Vachal, 1908
- [*M. infinita*](#) Mitchell, 1930
- [*M. inflaticauda*](#) Cockerell, 1939
- [*M. ingens*](#) Friese, 1903
- [*M. ingenua*](#) Cresson, 1878
- [*M. inimica*](#) Cresson, 1872
- [*M. innupta*](#) Cockerell, 1915
- [*M. inquirenda*](#) Schrottky, 1913
- [*M. inscita*](#) Mitchell, 1930
- [*M. insignis*](#) van der Zanden, 1996
- [*M. insolens*](#) Mitchell, 1930
- [*M. insolita*](#) (Pasteels, 1965)
- [*M. instita*](#) Mitchell, 1934
- [*M. insularis*](#) Smith, 1859
- [*M. integra*](#) Cresson, 1878
- [*M. integrella*](#) Mitchell, 1926
- [*M. intermixta*](#) Gerstaecker, 1869
- [*M. invenita*](#) (Pasteels, 1965)
- [*M. inyoensis*](#) Mitchell, 1942
- [*M. iranica*](#) Rebmann, 1970
- [*M. irritans*](#) Smith, 1879
- [*M. itapuae*](#) Schrottky, 1908
- [*M. ituriana*](#) Cockerell, 1935
- [*M. ituriella*](#) Pasteels, 1965
- [*M. ivonensis*](#) Cockerell, 1927
- [*M. izucara*](#) Cresson, 1878

J-K

- [*M. jakesi*](#) Tkalcu, 1988
- [*M. jamaicae*](#) (Raw, 1984)
- [*M. janthopteriana*](#) Strand, 1911
- [*M. japonibia*](#) Strand, 1910
- [*M. japonica*](#) Alfken, 1903
- [*M. jeanneli*](#) Benoist, 1934
- [*M. jenseni*](#) Friese, 1906
- [*M. jerryrozeni*](#) Genaro, 2003
- [*M. joergenseni*](#) Friese, 1908
- [*M. johannis*](#) Friese, 1922
- [*M. joseana*](#) Friese, 1917
- [*M. judaea*](#) Tkalcu, 1999
- [*M. junodi*](#) Friese, 1904

- [*M. kakadui*](#) (King, 1994)
- [*M. kalina*](#) Gonzalez, Griswold & Engel, 2018
- [*M. kamerunensis*](#) Fries, 1922
- [*M. kandyca*](#) Fries, 1918
- [*M. karatauensis*](#) (Tkalcu, 1988)
- [*M. karooensis*](#) (Brauns, 1912)
- [*M. kartaboensis*](#) Mitchell, 1930
- [*M. kashmirensis*](#) (Tkalcu, 1988)
- [*M. kasiana*](#) (Pasteels, 1965)
- [*M. katonana*](#) Strand, 1911
- [*M. kelnerae*](#) Pasteels, 1978
- [*M. khamana*](#) Cockerell, 1938
- [*M. kigonserana*](#) Fries, 1903
- [*M. kimilolana*](#) Cockerell, 1931
- [*M. kirbiella*](#) Rayment, 1935
- [*M. kirbyana*](#) Cockerell, 1906
- [*M. kobensis*](#) Cockerell, 1918
- [*M. kohtaoensis*](#) Cockerell, 1927
- [*M. kommai*](#) Nagase, 2017
- [*M. konowiana*](#) Fries, 1903
- [*M. kruegeri*](#) Fries, 1923
- [*M. kuehni*](#) Fries, 1903
- [*M. kununurrensis*](#) (King, 1994)
- [*M. kurandensis*](#) Cockerell, 1910
- [*M. kuschei*](#) Cockerell, 1939
- [*M. kyotensis*](#) Alfken, 1931

L

- [*M. labascens*](#) Cockerell, 1925
- [*M. laboriosa*](#) Smith, 1862
- [*M. ladacensis*](#) Cockerell, 1911
- [*M. ladakhensis*](#) (Tkalcu, 1988)
- [*M. laeta*](#) Smith, 1853[1]
- [*M. laevinasis*](#) Vachal, 1904
- [*M. lagopoda*](#) (Linnaeus, 1761)
- [*M. laguniana*](#) Mitchell, 1937
- [*M. laminata*](#) Fries, 1903
- [*M. laminopeds*](#) Wu, 2005
- [*M. lamnula*](#) Vachal, 1908
- [*M. lanata*](#) (Fabricius, 1775)
- [*M. lanigera*](#) Alfken, 1933
- [*M. lapponica*](#) Thomson, 1872

- [M. larochei](#) Tkalcu, 1994
- [M. latericauda](#) Cockerell, 1921
- [M. lateritia](#) Smith, 1858
- [M. laticeps](#) Smith, 1853[1]
- [M. laticincta](#) Cockerell, 1936
- [M. latimanus](#) Say, 1823
- [M. latita](#) Mitchell, 1934
- [M. lativentris](#) Friese, 1903
- [M. latula](#) Vachal, 1908
- [M. laurita](#) Mitchell, 1927
- [M. leachella](#) Curtis, 1828
- [M. leeuwinensis](#) Meade-Waldo, 1915
- [M. lefebvrei](#) (Lepeletier, 1841)
- [M. lefroma](#) Cameron, 1907
- [M. legalis](#) Cresson, 1879
- [M. lenticula](#) Vachal, 1908
- [M. lentifera](#) Vachal, 1909
- [M. leonum](#) Cockerell, 1930
- [M. lerma](#) Cameron, 1908
- [M. leucografa](#) Friese, 1908
- [M. leucomalla](#) Gerstaecker, 1869
- [M. leucopogon](#) Cockerell, 1929
- [M. leucopogonata](#) (Dours, 1873)
- [M. leucopogonites](#) Moure, 1944
- [M. leucopsis](#) Schletterer, 1891
- [M. leucopyga](#) Smith, 1853[1]
- [M. leucospila](#) Cockerell, 1933
- [M. leucostomella](#) Cockerell, 1927
- [M. levilimba](#) Vachal, 1908
- [M. ligniseca](#) (Kirby, 1802)
- [M. limata](#) Vachal, 1908
- [M. lineatipes](#) Cockerell, 1910
- [M. lineatula](#) Cockerell, 1937
- [M. lineofasciata](#) (Pasteels, 1965)
- [M. lingulata](#) Vachal, 1908
- [M. lippiae](#) Cockerell, 1900
- [M. lobatifrons](#) Cockerell, 1924
- [M. lobicauda](#) Cockerell, 1931
- [M. lobitarsis](#) Smith, 1879
- [M. longiceps](#) Meade-Waldo, 1915
- [M. longisetosa](#) Gonzalez & Griswold, 2007
- [M. lorentzi](#) Friese, 1911

- [*M. lorenziensis*](#) Mitchell, 1930
- [*M. louisae*](#) Brauns, 1926
- [*M. luangwae*](#) Meade-Waldo, 1913
- [*M. lucidifrons*](#) Fertton, 1905
- [*M. lucidiventris*](#) [Smith](#), 1853[1]
- [*M. lucifer*](#) Prendergast, 2025[3]
- [*M. luctifera*](#) Spinola, 1841
- [*M. luederwaldti*](#) Schrottky, 1913
- [*M. luteiceps*](#) [Friese](#), 1911
- [*M. luteicornis*](#) Pasteels, 1973
- [*M. luteipes*](#) [Friese](#), 1908
- [*M. luteoalba*](#) Pasteels, 1973
- [*M. luteociliata*](#) Pasteels, 1965
- [*M. luteohirta*](#) Pasteels, 1973
- [*M. lutescens*](#) [Cockerell](#), 1931

M

- [*M. maackii*](#) [Radoszkowski](#) 1874
- [*M. mabirensis*](#) [Cockerell](#), 1937
- [*M. mackayensis*](#) [Cockerell](#), 1910
- [*M. macleayi*](#) [Cockerell](#), 1907
- [*M. macneilli*](#) Mitchell, 1957
- [*M. maculariformis*](#) [Cockerell](#), 1907
- [*M. macularis*](#) Dalla Torre, 1896
- [*M. maculata*](#) [Smith](#), 1853[1]
- [*M. maculosella*](#) Pasteels, 1965
- [*M. magadiensis*](#) [Cockerell](#), 1937
- [*M. malangensis*](#) [Friese](#), 1904
- [*M. malayana*](#) Cameron, 1901
- [*M. malimbana*](#) Strand, 1911
- [*M. manaosensis*](#) Schrottky, 1913
- [*M. manchuriana*](#) Yasumatsu, 1939
- [*M. mandibularis*](#) Morawitz, 1875
- [*M. manguna*](#) Strand, 1911
- [*M. manicata*](#) Giraud, 1861
- [*M. manifesta*](#) [Cresson](#), 1878
- [*M. manni*](#) Mitchell, 1934
- [*M. manyara*](#) Eardley & R. P. Urban, 2006
- [*M. marginata*](#) [Smith](#), 1853[1]
- [*M. marina*](#) [Friese](#), 1911
- [*M. maritima*](#) (Kirby, 1802)
- [*M. marshalli*](#) [Friese](#), 1904

- [M. mastrucatella](#) Strand, 1911
- [M. matsumurai](#) Hirashima & Maeta, 1974
- [M. maurata](#) Mitchell, 1936
- [M. mauritaniae](#) (Tkalcu, 1992)
- [M. mavromoustakisi](#) van der Zanden, 1992
- [M. maxillosa](#) Guérin-Méneville, 1845
- [M. mcnamarae](#) Cockerell, 1929
- [M. meadewaldoi](#) Brauns, 1912
- [M. mediana](#) (Pasteels, 1965)
- [M. mediorufa](#) Cockerell, 1930
- [M. mefistofelica](#) Gribodo, 1894
- [M. megachiloides](#) (Alfken, 1942)
- [M. melancholica](#) Jörgensen, 1912
- [M. melanderi](#) Mitchell, 1944
- [M. melanogaster](#) Eversmann, 1852
- [M. melanophaea](#) Smith, 1853^[1]
- [M. melanops](#) Cockerell, 1937
- [M. melanopyga](#) Costa, 1863
- [M. melanota](#) Pérez, 1895
- [M. melanotricha](#) Spinola, 1851
- [M. mellitarsis](#) Cresson, 1878
- [M. memecylona](#) (Engel, 2011)
- [M. mendanae](#) Cockerell, 1911
- [M. mendica](#) Cresson, 1878
- [M. mendocensis](#) Durante, Abramovich & Lucia, 2006
- [M. mendozana](#) Cockerell, 1907
- [M. meneliki](#) Friese, 1915
- [M. merrilli](#) Cockerell, 1918
- [M. mertoni](#) Friese, 1903
- [M. meruensis](#) Friese, 1909
- [M. metallescens](#) Cockerell, 1918
- [M. michaelis](#) Cockerell, 1931
- [M. micheneri](#) Mitchell, 1936
- [M. micrerythrura](#) Cockerell, 1910
- [M. microdontura](#) Cockerell, 1927
- [M. microsoma](#) Cockerell, 1912
- [M. mimetica](#) Cockerell, 1933
- [M. mimeticana](#) Eardley & R. P. Urban, 2006
- [M. minima](#) Ashmead, 1900
- [M. minor](#) Vachal, 1908
- [M. minutissima](#) Radoszkowski 1876
- [M. minutula](#) Friese, 1911

- [M. minutuloides](#) Alfken, 1936
- [M. miranda](#) Vachal, 1904
- [M. mitchelli](#) Raw, 2004
- [M. mixtura](#) Eardley & R. P. Urban, 2005
- [M. mlanjensis](#) Meade-Waldo, 1913
- [M. mlunguziensis](#) Schulten, 1977
- [M. mobilis](#) Mitchell, 1930
- [M. moderata](#) [Smith](#), 1879
- [M. modesta](#) [Smith](#), 1862
- [M. moelleri](#) Bingham, 1897
- [M. moera](#) Cameron, 1902
- [M. mojavensis](#) Mitchell, 1934
- [M. mongoliae](#) (Tkalcu, 1988)
- [M. mongolica](#) Morawitz, 1890
- [M. monkmani](#) Rayment, 1935
- [M. monstifica](#) Morawitz, 1878
- [M. monstrosa](#) [Smith](#), 1868
- [M. montenegrensis](#) Dours, 1873
- [M. montezuma](#) [Cresson](#), 1878
- [M. montibia](#) Strand, 1911
- [M. monticola](#) [Smith](#), 1853[1]
- [M. montivaga](#) [Cresson](#), 1878
- [M. montonii](#) Gribodo, 1894
- [M. morawitzi](#) [Radoszkowski](#) 1886
- [M. morio](#) [Smith](#), 1853[1]
- [M. morsitans](#) Saussure, 1890
- [M. mortyana](#) Dalla Torre, 1896
- [M. mossambica](#) Gribodo, 1895
- [M. moureana](#) Silveira et al., 2002
- [M. muansae](#) [Friese](#), 1911
- [M. mucida](#) [Cresson](#), 1878
- [M. mucorea](#) [Friese](#), 1898
- [M. mucorosa](#) [Cockerell](#), 1908
- [M. multicens](#) Fox, 1891
- [M. multispinosa](#) Morawitz, 1875
- [M. mundifica](#) [Cockerell](#), 1921
- [M. murina](#) [Friese](#), 1913
- [M. musculus](#) [Friese](#), 1913
- [M. mutala](#) Strand, 1912
- [M. mystacea](#) ([Fabricius](#), 1775)
- [M. mystaceana](#) (Michener, 1962)

N

- [M. naevia](#) Kohl, 1906
- [M. namibensis](#) Eardley, 2012
- [M. nana](#) Bingham, 1897
- [M. nasalis](#) Smith, 1879
- [M. nasica](#) Morawitz, 1880
- [M. nasicornis](#) Friese, 1903
- [M. nasidens](#) Friese, 1898
- [M. natansiella](#) Cockerell, 1944
- [M. navicularis](#) Cockerell, 1918
- [M. neavei](#) Vachal, 1910
- [M. nelsoni](#) Mitchell, 1936
- [M. nematocera](#) Cockerell, 1929
- [M. neoxanthoptera](#) Cockerell, 1933
- [M. neutra](#) Vachal, 1908
- [M. nevadensis](#) Cresson, 1879
- [M. newberryae](#) Cockerell, 1900
- [M. nidulator](#) Smith, 1864
- [M. nigella](#) Vachal, 1908
- [M. nigeriensis](#) Cockerell, 1937
- [M. nigra](#) Schulten, 1977
- [M. nigribarbis](#) Vachal, 1909
- [M. nigricans](#) Cameron, 1898
- [M. nigriceps](#) Friese, 1903
- [M. nigrimanus](#) Schulten, 1977
- [M. nigripennis](#) Spinola, 1841
- [M. nigripes](#) Spinola, 1838
- [M. nigripollex](#) Vachal, 1910
- [M. nigrita](#) Radoszkowski 1876
- [M. nigriventris](#) Schenck, 1870
- [M. nigroalba](#) Friese, 1920
- [M. nigroapicalis](#) Wu, 2005
- [M. nigroaurea](#) Pasteels, 1965
- [M. nigrocaudata](#) Friese, 1903
- [M. nigrofulva](#) Hedicke, 1940
- [M. nigrohirta](#) Friese, 1903
- [M. nigromixta](#) Cockerell, 1919
- [M. nigropectoralis](#) Wu, 2005
- [M. nigropilosa](#) Schrottky, 1902
- [M. nigrorufa](#) Pasteels, 1973
- [M. nigroscopula](#) Wu, 1982
- [M. nigrovittata](#) Cockerell, 1906

- [*M. nipponica*](#) Cockerell, 1914
- [*M. nitidiscutata*](#) Friese, 1920
- [*M. nivalis*](#) Friese, 1903
- [*M. niveicauda*](#) Cockerell, 1931
- [*M. niveofasciata*](#) Friese, 1904
- [*M. nivescens*](#) W. F. Kirby, 1900
- [*M. nudiventris*](#) Smith, 1853[1]
- [*M. numerus*](#) Mitchell, 1930

O

- [*M. obdurata*](#) Mitchell, 1930
- [*M. obliqua*](#) Mitchell, 1930
- [*M. oblita*](#) Vachal, 1908
- [*M. oblonga*](#) Smith, 1879
- [*M. obrepta*](#) Cockerell, 1925
- [*M. obscurior*](#) Jörgensen, 1912
- [*M. obtusa*](#) Smith, 1853[1]
- [*M. occidentalis*](#) Fox, 1894
- [*M. ocellifera*](#) Cockerell, 1918
- [*M. octosignata*](#) Nylander, 1852
- [*M. oculiformis*](#) Rayment, 1956
- [*M. odontophora*](#) (Engel, 2011)
- [*M. odontostoma*](#) Cockerell, 1924
- [*M. oenotherae*](#) (Mitchell, 1924)
- [*M. okinawana*](#) Yasumatsu & Hirashima, 1964
- [*M. opacifrons*](#) Pérez, 1897
- [*M. opaculina*](#) Cockerell, 1937
- [*M. opifex*](#) Smith, 1879
- [*M. opposita*](#) Smith, 1853[1]
- [*M. orba*](#) Schrottky, 1913
- [*M. orbiculata*](#) Mitchell, 1930
- [*M. orcina*](#) Vachal, 1908
- [*M. ordinaria*](#) Smith, 1853[1]
- [*M. orientalis*](#) Morawitz, 1895
- [*M. ornata*](#) Smith, 1853[1]
- [*M. ornaticoxis*](#) Cockerell, 1935
- [*M. ornithica*](#) Cockerell, 1937
- [*M. orthostoma*](#) Cockerell, 1925
- [*M. osea*](#) Cameron, 1902
- [*M. oslari*](#) Mitchell, 1934
- [*M. othona*](#) Cameron, 1901
- [*M. otomita*](#) Cresson, 1878

P

- [*M. pachycephs* Friese, 1922](#)
- [*M. pagosiana* Mitchell, 1934](#)
- [*M. paisa* Gonzalez, Griswold & Engel, 2018](#)
- [*M. palaestina* \(Tkalcu, 1988\)](#)
- [*M. palaonica* Cockerell, 1939](#)
- [*M. pallida* Radoszkowski, 1881](#)
- [*M. pallipes* Smith, 1879](#)
- [*M. pallorea* Vachal, 1903\[2\]](#)
- [*M. palmensis* Mitchell, 1934](#)
- [*M. palmeri* Cresson, 1878](#)
- [*M. pamirensis* Cockerell, 1911](#)
- [*M. pampeana* Vachal, 1908](#)
- [*M. pamperella* Vachal, 1908](#)
- [*M. panda* Cockerell, 1931](#)
- [*M. pankus* Bzdyk, 2012](#)
- [*M. papuae* \(Michener, 1965\)](#)
- [*M. papuana* Cockerell, 1929](#)
- [*M. parabukamensis* \(Pasteels, 1965\)](#)
- [*M. paracallida* Rayment, 1935](#)
- [*M. paracantha* \(Pasteels, 1965\)](#)
- [*M. paraensis* Mocsáry, 1887](#)
- [*M. parallela* Smith, 1853\[1\]](#)
- [*M. parancinnula* Cockerell, 1937](#)
- [*M. pararhodura* Cockerell, 1910](#)
- [*M. parata* Mitchell, 1930](#)
- [*M. paratasmanica* Rayment, 1955](#)
- [*M. paraxanthura* Cockerell, 1914](#)
- [*M. parietina* \(Geoffroy, 1785\)](#)
- [*M. parksii* Mitchell, 1936](#)
- [*M. parornata* Chatthanabun, Warrit & Ascher, 2020](#)
- [*M. parsonsiae* Schrottky, 1913](#)
- [*M. pascoensis* Mitchell, 1934](#)
- [*M. pasteelsi* \(van der Zanden, 1998\)](#)
- [*M. patagonica* Vachal, 1904](#)
- [*M. patellimana* Spinola, 1838](#)
- [*M. patera* \(King, 1994\)](#)
- [*M. paucipunctulata* W. F. Kirby, 1900](#)
- [*M. pauliani* Benoist, 1950](#)
- [*M. paulista* \(Schrottky, 1920\)](#)
- [*M. paulistana* Schrottky, 1902](#)
- [*M. paupera* Pasteels, 1965](#)

- [M. peculiarifera](#) Cockerell, 1919
- [M. pedalis](#) Fox, 1891
- [M. penetrata](#) Smith, 1879
- [M. perezi](#) Mocsáry, 1887
- [M. pereziana](#) Dalla Torre, 1896
- [M. perfimbriata](#) Cockerell, 1931
- [M. perihirta](#) Cockerell, 1898
- [M. permunda](#) Cockerell, 1912
- [M. pernicioso](#) Friese, 1903
- [M. perochracea](#) Cockerell, 1913
- [M. perplexa](#) Smith, 1853[1]
- [M. perpunctata](#) Cockerell, 1896
- [M. persimilis](#) Cockerell, 1937
- [M. perspicua](#) Mitchell, 1930
- [M. peruviana](#) Smith, 1879
- [M. petulans](#) Cresson, 1878
- [M. pexa](#) Rebmman, 1968
- [M. phaola](#) Cameron, 1907
- [M. phaseoli](#) Moure, 1977
- [M. phenacopyga](#) Cockerell, 1910
- [M. philinca](#) Cockerell, 1912
- [M. philippinensis](#) Friese, 1916
- [M. phillipensis](#) Rayment, 1935
- [M. picicaudata](#) Raw, 2007
- [M. picicornis](#) Morawitz, 1853
- [M. pictiventris](#) Smith, 1879
- [M. piliceps](#) Saussure, 1890
- [M. pilicrus](#) Morawitz, 1877
- [M. pilidens](#) Alfken, 1924
- [M. piliventris](#) Morawitz, 1886
- [M. pillaultae](#) Pasteels, 1978
- [M. pilosa](#) Smith, 1879
- [M. pilosella](#) Friese, 1922
- [M. pinguicula](#) Pasteels, 1965
- [M. pinguiventris](#) Pasteels, 1965
- [M. pipunctulata](#) (Pasteels, 1965)
- [M. piurensis](#) Cockerell, 1911
- [M. placida](#) Smith, 1862
- [M. planula](#) Vachal, 1908
- [M. platystoma](#) Pasteels, 1965
- [M. plesiosoma](#) (Cockerell, 1935)
- [M. pleuralis](#) Vachal, 1908

- [*M. plumata*](#) Wu, 2005
- [*M. pluto*](#) Smith, 1860
- [*M. poeyi*](#) Guérin-Méneville, 1845
- [*M. policularis*](#) Say, 1831
- [*M. pollinosa*](#) Spinola, 1851
- [*M. polychroma*](#) Cockerell, 1937
- [*M. pontica*](#) (Alfken, 1933)
- [*M. portalis*](#) Cockerell, 1913
- [*M. portlandiana*](#) Rayment, 1953
- [*M. postnigra*](#) Cockerell, 1937
- [*M. povolnyi*](#) (Tkalcu, 1969)
- [*M. praecipua*](#) Mitchell, 1930
- [*M. praefica*](#) Gribodo, 1894
- [*M. praetexta*](#) Vachal, 1910
- [*M. preissi*](#) Cockerell, 1910
- [*M. pretiosa*](#) Friese, 1909
- [*M. privigna*](#) Rebmann, 1968
- [*M. propinqua*](#) Cockerell, 1913
- [*M. prosopidis*](#) Cockerell, 1900
- [*M. prudens*](#) Mitchell, 1930
- [*M. pruina*](#) Smith, 1853[1]
- [*M. pruinosa*](#) Pérez, 1897
- [*M. psenopogoniaea*](#) Moure, 1948
- [*M. pseudanthidioides*](#) Moure, 1943
- [*M. pseudobrevis*](#) Mitchell, 1936[1]
- [*M. pseudocincta*](#) (Pasteels, 1970)
- [*M. pseudofulva*](#) (Pasteels, 1965)
- [*M. pseudolaminata*](#) (Pasteels, 1965)
- [*M. pseudolegalis*](#) Mitchell, 1957
- [*M. pseudomonticola*](#) Hedicke, 1925
- [*M. pseudonigra*](#) Mitchell, 1927
- [*M. pseudopleuralis*](#) Schrottky, 1913
- [*M. pseudotaraxis*](#) Eardley, 2012
- [*M. pugillatoria*](#) Costa, 1863
- [*M. pugnata*](#) Say, 1837
- [*M. pulchra*](#) Smith, 1879
- [*M. pulchrifrons*](#) Cockerell, 1933
- [*M. pulchriventris*](#) Cockerell, 1923
- [*M. pullata*](#) Smith, 1879
- [*M. pulvinata*](#) Vachal, 1910
- [*M. punctata*](#) Smith, 1853[1]
- [*M. punctatissima*](#) Spinola, 1806

- [*M. puncticollis* Friese](#), 1903
- [*M. punctolineata* Cockerell](#), 1934
- [*M. punctomarginata* Schulten](#), 1977
- [*M. pusilla* Pérez](#), 1884
- [*M. pyrenaea* Pérez](#), 1890
- [*M. pyrenaica* Lepeletier](#), 1841
- [*M. pyrrhogastra* Cockerell](#), 1913
- [*M. pyrrhothorax* Schletterer](#), 1891
- [*M. pyrrotricha* Cockerell](#), 1913

Q

- [*M. quadrata* Vachal](#), 1909
- [*M. quadraticauda* \(Pasteels\)](#), 1965
- [*M. quadridentata* Mitchell](#), 1930
- [*M. quadrispinosella* Strand](#), 1910
- [*M. quartinae* Gribodo](#), 1884
- [*M. quinquelineata* Cockerell](#), 1906

R

- [*M. ramakrishnae* Cockerell](#), 1919
- [*M. rambutan* Cheesman](#), 1936
- [*M. ramera* Cockerell](#), 1918
- [*M. ramulipes* Cockerell](#), 1913
- [*M. rancaguensis* Friese](#), 1905
- [*M. rangii* Cheesman](#), 1936
- [*M. rava* Vachal](#), 1908
- [*M. rawi* Engel](#), 1999
- [*M. recisa* Cockerell](#), 1913
- [*M. recta* Mitchell](#), 1930
- [*M. rectipalma* Vachal](#), 1909
- [*M. redondensis* Mitchell](#), 1930
- [*M. reepeni* Friese](#), 1918
- [*M. reflexa* \(Snelling\)](#), 1990
- [*M. regina* Friese](#), 1903
- [*M. reicherti* Brauns](#), 1929
- [*M. relata* Smith](#), 1879
- [*M. relativa* Cresson](#), 1878
- [*M. relictata* Cockerell](#), 1913
- [*M. remeata* Cockerell](#), 1913
- [*M. remigata* Vachal](#), 1908
- [*M. remota* Smith](#), 1879

- [*M. remotissima* Cockerell](#), 1926
- [*M. remotula* Cockerell](#), 1910
- [*M. resinifera* Meade-Waldo](#), 1915
- [*M. revicta* Cockerell](#), 1913
- [*M. rhinoceros* Mocsáry](#), 1892
- [*M. rhododendri* Cockerell](#), 1927
- [*M. rhodogastra* Cockerell](#), 1910
- [*M. rhodopus* Cockerell](#), 1896
- [*M. rhodosiaca* Rebmann](#), 1972
- [*M. rhodura* Cockerell](#), 1906
- [*M. rhyssalus* Wu](#), 2005
- [*M. richtersveldensis* Eardley](#), 2012
- [*M. riggenbachiana* Strand](#), 1911
- [*M. riojana* Schrottky](#), 1920
- [*M. riojanensis* Mitchell](#), 1930
- [*M. riomii* \(Pasteels, 1970\)](#)
- [*M. rixator* Cockerell](#), 1911
- [*M. riyadhensis* \(Alqarni, Hannan, Gonzalez, and Engel, 2012\)](#)
- [*M. roepkei* Fries](#), 1914
- [*M. roeweri* \(Alfken, 1927\)](#)
- [*M. rosarum* Cockerell](#), 1931
- [*M. rossi* Mitchell](#), 1943
- [*M. rotnestensis* Rayment](#), 1934
- [*M. rotundata* \(Fabricius, 1793\)](#)
- [*M. rotundiceps* Smith](#), 1857
- [*M. rotundipennis* W. F. Kirby](#), 1900
- [*M. rotundiventris* Perris](#), 1852
- [*M. rowlandi* Cockerell](#), 1930
- [*M. rubi* Mitchell](#), 1924
- [*M. rubicunda* Smith](#), 1879
- [*M. rubricata* Smith, 1853](#)^[1]
- [*M. rubricrus* Moure](#), 1948
- [*M. rubrigena* \(Pasteels, 1965\)](#)
- [*M. rubrimana* Morawitz](#), 1893
- [*M. rubripes* Morawitz](#), 1875
- [*M. rubriventris* Smith](#), 1879
- [*M. rubtzovi* Cockerell](#), 1928
- [*M. ruda* \(Pasteels, 1965\)](#)
- [*M. rufa* Fries](#), 1903
- [*M. rufescens* Pérez](#), 1879
- [*M. ruficeps* Fries](#), 1903
- [*M. ruficheloides* Strand](#), 1911

- [M. ruficornis](#) Smith, 1853[1]
- [M. rufigaster](#) Cockerell, 1945
- [M. rufipennis](#) (Fabricius, 1793)
- [M. rufipes](#) (Fabricius, 1781)
- [M. rufiplantis](#) Vachal, 1904
- [M. rufiscopa](#) Saussure, 1890
- [M. rufitarsis](#) (Lepeletier, 1841)
- [M. rufiventris](#) Guérin-Ménéville, 1834
- [M. rufobarbata](#) Cockerell, 1936
- [M. rufocaudata](#) Friese, 1903
- [M. rufofulva](#) Cockerell, 1918
- [M. rufohirtula](#) Cockerell, 1937
- [M. rufolobata](#) Cockerell, 1913
- [M. rufomaculata](#) Rayment, 1935
- [M. rufopilosa](#) Friese, 1911
- [M. rufoscopacaea](#) Friese, 1903
- [M. rufovittata](#) Cockerell, 1911
- [M. rugicollis](#) Friese, 1903
- [M. rugifrons](#) (Smith, 1854)
- [M. rugosa](#) Smith, 1879
- [M. rupshuensis](#) Cockerell, 1911

S

- [M. saba](#) Strand, 1914
- [M. sabinensis](#) Mitchell, 1934
- [M. saganeitana](#) Gribodo, 1894
- [M. saigonensis](#) Cockerell, 1920
- [M. salsburyana](#) Friese, 1922
- [M. sandacana](#) Cockerell, 1919
- [M. santacruzensis](#) Durante, Abramovich & Lucia, 2006
- [M. santaerosae](#) Strand, 1910
- [M. santaremensis](#) Mitchell, 1930
- [M. santiaguensis](#) Durante, 1996
- [M. sarahae](#) Eardley, 2012
- [M. saulcyi](#) Guérin-Ménéville, 1845
- [M. saussurei](#) Radoszkowski 1874
- [M. sauteri](#) Hedicke, 1940
- [M. scheviakovi](#) Cockerell, 1928
- [M. schmidtii](#) Friese, 1917
- [M. schmiedeknechti](#) Costa, 1884
- [M. schulthessi](#) Friese, 1903
- [M. schwimmeri](#) Engel, 2017

- [*M. scindularia*](#) Buysson, 1903
- [*M. sculpturalis*](#) Smith, 1853[1]
- [*M. scutellata*](#) Smith, 1879
- [*M. seducta*](#) Mitchell, 1934
- [*M. sedula*](#) Smith, 1879
- [*M. seewaldi*](#) Strand, 1911
- [*M. sefrensis*](#) Benoist, 1943
- [*M. sejuncta*](#) Cockerell, 1927
- [*M. selenostoma*](#) Cockerell, 1931
- [*M. semibarbata*](#) Cockerell, 1937
- [*M. semicandens*](#) Cockerell, 1910
- [*M. semicircularis*](#) van der Zanden, 1996
- [*M. semiclara*](#) Cockerell, 1929
- [*M. semicognata*](#) Cockerell, 1937
- [*M. semierma*](#) Vachal, 1903[2]
- [*M. semilaurita*](#) Mitchell, 1927
- [*M. semiluctuosa*](#) Smith, 1853[1]
- [*M. semipleta*](#) Cockerell, 1921
- [*M. semirufa*](#) Sichel, 1867
- [*M. semivestita*](#) (Smith, 1853)
- [*M. semota*](#) Cockerell, 1927
- [*M. senex*](#) Smith, 1853[1]
- [*M. septentrionella*](#) Pasteels, 1965
- [*M. sequior*](#) Cockerell, 1910
- [*M. seraxensis*](#) Radoszkowski 1893
- [*M. sericans*](#) Fonscolombe, 1852
- [*M. sericeicauda*](#) Cockerell, 1910
- [*M. serraticauda*](#) Cockerell, 1938
- [*M. serricauda*](#) Cockerell, 1910
- [*M. serrigera*](#) Cockerell, 1937
- [*M. setosa*](#) Vachal, 1909
- [*M. sexmaculata*](#) Smith, 1868
- [*M. seychellensis*](#) Cameron, 1907
- [*M. sheppardi*](#) (Pasteels, 1965)
- [*M. shortlandi*](#) Cockerell, 1911
- [*M. siamensis*](#) Cockerell, 1927
- [*M. sicheli*](#) Friese, 1903
- [*M. sricula*](#) (Rossi, 1792)
- [*M. sidalceae*](#) Cockerell, 1897
- [*M. sikkimi*](#) Radoszkowski 1882
- [*M. sikorae*](#) Friese, 1900
- [*M. silvapis*](#) Wu, 2005

- [*M. silverlocki*](#) Meade-Waldo, 1913
- [*M. silvestris*](#) Rayment, 1951
- [*M. similis*](#) Smith, 1879
- [*M. simillima*](#) Smith, 1853[1]
- [*M. simlaensis*](#) Cameron, 1909
- [*M. simonyi*](#) Fries, 1903
- [*M. simplex*](#) Smith, 1853[1]
- [*M. simpliciformis*](#) Cockerell, 1918
- [*M. simplicipes*](#) Fries, 1921
- [*M. simulator*](#) Cockerell, 1937
- [*M. sinensis*](#) (Wu, 1985)
- [*M. singularis*](#) Cresson, 1865
- [*M. sinuata*](#) Fries, 1903
- [*M. slevini*](#) Cockerell, 1924
- [*M. soledadensis*](#) Cockerell, 1900
- [*M. sonorana*](#) Cockerell, 1924
- [*M. sosia*](#) (Pasteels, 1970)
- [*M. soutpansbergensis*](#) Eardley, 2012
- [*M. speluncarum*](#) Meade-Waldo, 1915
- [*M. sphenapis*](#) Wu, 2005
- [*M. spinosiventris*](#) Pasteels, 1965
- [*M. spinotulata*](#) Mitchell, 1934
- [*M. spissula*](#) Cockerell, 1911
- [*M. squalens*](#) Haliday, 1836
- [*M. squamosa*](#) Rebmann, 1970
- [*M. staudingeri*](#) Fries, 1905
- [*M. stefenellii*](#) Fries, 1903
- [*M. steinbachi*](#) Fries, 1906
- [*M. stenodesma*](#) Schrottky, 1913
- [*M. sterilis*](#) Mitchell, 1930
- [*M. sternintegra*](#) (Pasteels, 1965)
- [*M. stilbonotaspis*](#) Moure, 1945
- [*M. stirostoma*](#) Cameron, 1913
- [*M. stoddardensis*](#) Mitchell, 1957
- [*M. stolzmanni*](#) Radoszkowski 1893
- [*M. stomatura*](#) Cockerell, 1917
- [*M. strandi*](#) (Popov, 1936)
- [*M. strangei*](#) (Gonzalez & Engel, 2012)
- [*M. strenua*](#) Smith, 1879
- [*M. striatella*](#) Rebmann, 1968
- [*M. striatula*](#) (Cockerell, 1931)
- [*M. strigata*](#) Vachal, 1904

- [*M. structilis* Cockerell](#), 1918
- [*M. strupigera* Cockerell](#), 1922
- [*M. stulta* Bingham](#), 1897
- [*M. subalbuta* Yasumatsu](#), 1936
- [*M. subanograe* Mitchell](#), 1934
- [*M. subatrella* Rayment](#), 1939
- [*M. subcingulata* Moure](#), 1945
- [*M. subexilis* Cockerell](#), 1908
- [*M. subferox* Meade-Waldo](#), 1915
- [*M. sublaurita* Mitchell](#), 1927
- [*M. submetallica* Benoist](#), 1955
- [*M. submucida* Alfken](#), 1926
- [*M. subnigra* Cresson](#), 1879
- [*M. subpallens* Vachal](#), 1908
- [*M. subparallela* Mitchell](#), 1944
- [*M. subremotula* Rayment](#), 1934
- [*M. subrixator* Cockerell](#), 1915
- [*M. subsericeicauda* Rayment](#), 1939
- [*M. subserricauda* Rayment](#), 1935
- [*M. subtranquilla* Yasumatsu](#), 1938
- [*M. sudanica* Magretti](#), 1898
- [*M. suffusipennis* Cockerell](#), 1906
- [*M. sumatrana* Friese](#), 1918
- [*M. sumichrasti* Cresson](#), 1878
- [*M. sumizome* Hirashima & Maeta](#), 1974
- [*M. suspecta* Vachal](#), 1909
- [*M. susurrans* Haliday](#), 1836
- [*M. swarbrecki* Rayment](#), 1946
- [*M. syraensis* Radoszkowski](#) 1874
- [*M. szentivanyi* \(Michener, 1965\)](#)

T

- [*M. tabayensis* Schrottky](#), 1920
- [*M. taftanica* Engel](#), 2017
- [*M. taiwanicola* Yasumatsu & Hirashima](#), 1965
- [*M. takaoensis* Cockerell](#), 1911
- [*M. tamilensis* \(Gupta, 1991\)](#)
- [*M. tangensis* Cockerell](#), 1937
- [*M. tantilla* Cockerell](#), 1937
- [*M. tapytensis* Mitchell](#), 1929
- [*M. taraxis* Eardley](#), 2012
- [*M. tarea* Cameron](#), 1902

- [M. tarsatula](#) Cockerell, 1915
- [M. tarsatulata](#) Cockerell, 1916
- [M. tasmanica](#) Cockerell, 1916
- [M. taua](#) Strand, 1911
- [M. tecta](#) Radoszkowski 1888
- [M. temora](#) Cameron, 1905
- [M. tenorai](#) (Tkalcu, 1969)
- [M. tenuicineta](#) Cockerell, 1929
- [M. tenuitarsis](#) Schrottky, 1920
- [M. tepaneca](#) Cresson, 1878
- [M. terminalis](#) Smith, 1858
- [M. terminata](#) Morawitz, 1875
- [M. terrestris](#) Schrottky, 1902
- [M. tertia](#) Dalla Torre, 1896
- [M. tessmanni](#) Pasteels, 1965
- [M. tetracantha](#) Cockerell, 1937
- [M. tetrazona](#) Friese, 1908
- [M. tetrodonta](#) Pasteels, 1965
- [M. texana](#) Cresson, 1878
- [M. texensis](#) Mitchell, 1956
- [M. thoracica](#) Smith, 1853[1]
- [M. thygaterella](#) Schrottky, 1913
- [M. tiburonensis](#) Cockerell, 1924
- [M. timberlakei](#) Cockerell, 1920
- [M. timida](#) Mitchell, 1930
- [M. timorensis](#) Friese, 1918
- [M. tkalcui](#) van der Zanden, 1996
- [M. toluca](#) Cresson, 1878
- [M. tomentosa](#) Friese, 1903
- [M. torrida](#) Smith, 1853[1]
- [M. toscata](#) Mitchell, 1934
- [M. tosticauda](#) Cockerell, 1912
- [M. townsendiana](#) Cockerell, 1898
- [M. toxopei](#) Alfken, 1926
- [M. tranquilla](#) Cockerell, 1911
- [M. transgrediens](#) Rebmann, 1970
- [M. transiens](#) (Pasteels, 1965)
- [M. trapezicauda](#) Pasteels, 1965
- [M. trepida](#) Mitchell, 1930
- [M. tributa](#) Vachal, 1909
- [M. trichorhytisma](#) Engel, 2006
- [M. trichroma](#) Friese, 1922

- [M. trichrootricha](#) [Moure](#), 1953
- [M. tricolor](#) (Pasteels, 1970)
- [M. tridentata](#) Ashmead, 1900
- [M. trigonaspis](#) Schrottky, 1913
- [M. trisecta](#) (Pasteels, 1976)
- [M. tritacantha](#) (Pasteels, 1970)
- [M. trizonata](#) Wu, 2005
- [M. trochantina](#) Vachal, 1909
- [M. troodica](#) Mavromoustakis, 1953
- [M. trucis](#) Mitchell, 1930
- [M. truncata](#) Fries, 1903
- [M. truncaticauda](#) Cockerell, 1933
- [M. truncaticeps](#) Fries, 1909
- [M. trusanica](#) (Engel, 2011)
- [M. tsimbazazae](#) (Pauly, 2001)
- [M. tsingtauensis](#) Strand, 1915
- [M. tsurugensis](#) Cockerell, 1924
- [M. tuberculata](#) Smith, 1857
- [M. tuberculifera](#) Schrottky, 1913
- [M. tuberculosa](#) Dalla Torre, 1896
- [M. tucumana](#) Vachal, 1908
- [M. tulariana](#) Mitchell, 1937
- [M. tupinaquina](#) Schrottky, 1913
- [M. turbulenta](#) Mitchell, 1930
- [M. turneri](#) (Meade-Waldo, 1913)
- [M. turpis](#) Mitchell, 1930
- [M. tutuilae](#) Perkins & Cheesman, 1928

U-V

- [M. uamiella](#) Pasteels, 1965
- [M. ulrica](#) Nurse, 1901
- [M. umatillensis](#) (Mitchell, 1927)
- [M. umbripennis](#) Smith, 1853[1]
- [M. una](#) Vachal, 1909
- [M. uncinata](#) Gonzalez, Griswold & Engel 2018
- [M. ungulata](#) Smith, 1853[1]
- [M. unifasciata](#) Radoszkowski 1881
- [M. urbana](#) Smith, 1879
- [M. ustulata](#) Smith, 1862
- [M. utra](#) Vachal, 1903[2]
- [M. vachali](#) (Pasteels, 1965)
- [M. vagata](#) Vachal, 1908

- [M. valdezi](#) Cockerell, 1916
- [M. valida](#) Smith, 1879
- [M. vandevelddii](#) (Meunier, 1888)
- [M. vanduzeei](#) Cockerell, 1924
- [M. variabilis](#) (King, 1994)
- [M. varipes](#) Vachal, 1908
- [M. variplantis](#) Vachal, 1909
- [M. variscopa](#) Pérez, 1895
- [M. variscopula](#) Cockerell, 1931
- [M. velutina](#) Smith, 1853[1]
- [M. ventralis](#) Smith, 1860
- [M. venusta](#) Smith, 1853[1]
- [M. veraecrucis](#) Cockerell, 1896
- [M. verrucosa](#) Brèthes, 1910
- [M. versicolor](#) Smith, 1844
- [M. vestis](#) Mitchell, 1930
- [M. vestita](#) Smith, 1853[1]
- [M. vestitor](#) Cockerell, 1910
- [M. veterna](#) Vachal, 1908
- [M. vetula](#) Vachal, 1904
- [M. viator](#) Mitchell, 1930
- [M. victoriana](#) Mitchell, 1934
- [M. vigilans](#) Smith, 1878
- [M. villipes](#) Morawitz, 1875
- [M. villosa](#) (Fabricius, 1775)
- [M. virescens](#) Cockerell, 1912
- [M. viridicollis](#) Morawitz, 1875
- [M. viridinitens](#) Cockerell, 1930
- [M. vitraci](#) Pérez, 1884
- [M. voiensis](#) Cockerell, 1937
- [M. vulpina](#) Friese, 1913
- [M. vulpinella](#) Pasteels, 1973

W-Z

- [M. wagenknechti](#) Ruiz, 1936
- [M. wahlbergi](#) Friese, 1901
- [M. walkeri](#) Dalla Torre, 1896
- [M. waterhousei](#) Cockerell, 1906
- [M. wfkirbyi](#) Kohl, 1906
- [M. wheeleri](#) Mitchell, 1927
- [M. whiteana](#) Cameron, 1905
- [M. willowmorensis](#) Brauns, 1926

- [*M. willughbiella*](#) (Kirby, 1802)
- [*M. wilmattae*](#) Cockerell, 1924
- [*M. woodfordi*](#) Cockerell, 1911
- [*M. wyndhamensis*](#) Rayment, 1935
- [*M. wyomingensis*](#) Mitchell, 1934
- [*M. xanthothrix*](#) Yasumatsu & Hirashima, 1964
- [*M. xanthura*](#) Spinola, 1853
- [*M. xerophila*](#) Cockerell, 1933
- [*M. xylocopoides*](#) Smith, 1853^[1]
- [*M. yaeyamaensis*](#) Yasumatsu & Hirashima, 1964
- [*M. yasumatsui*](#) Hirashima, 1974
- [*M. ypiranguensis*](#) Schrottky, 1913
- [*M. yumensis*](#) Mitchell, 1944
- [*M. zambesica*](#) Pasteels, 1965 (Homonym)
- [*M. zapoteca*](#) Cresson, 1878
- [*M. zaptlana*](#) Cresson, 1878
- [*M. zebrella*](#) Pasteels, 1973
- [*M. zernyi*](#) Alfken, 1933
- [*M. zexmeniae*](#) Cockerell, 1912
- [*M. zingowli*](#) Cheesman, 1936
- [*M. zombae*](#) Schulten, 1977
- [*M. zygia*](#) Cameron, 1902

This is a list of 126 species in the genus [*Malthodes*](#).^{[1][2][3]}

***Malthodes* species**

- [*Malthodes abruptus*](#) Fender, 1951
- [*Malthodes aciculatus*](#) Fender, 1972
- [*Malthodes acuticauda*](#) Fender, 1951
- [*Malthodes adoxus*](#) Fender, 1951
- [*Malthodes albimontanus*](#) Fender, 1951
- [*Malthodes alexanderi*](#) Fender, 1949
- [*Malthodes analis*](#) LeConte, 1881
- [*Malthodes anatiformis*](#) Fender, 1951
- [*Malthodes angustifurca*](#) Fender, 1969
- [*Malthodes appendiculatus*](#) Fall, 1919
- [*Malthodes arcifer*](#) LeConte, 1881
- [*Malthodes arieticornus*](#) Fender, 1969
- [*Malthodes arizonensis*](#) Fender, 1951

- [*Malthodes atrocoeruleus*](#) Fender, 1951
- [*Malthodes bakeri*](#) Fender, 1951
- [*Malthodes barri*](#) Fender, 1951
- [*Malthodes basalis*](#) Fall, 1919
- [*Malthodes bicurvatus*](#) Fall, 1919
- [*Malthodes bifurcula*](#) Fender, 1951
- [*Malthodes bisinuat*](#) Fender, 1951
- [*Malthodes bissellarum*](#) Fender, 1969
- [*Malthodes blackwelderi*](#) Fender, 1951
- [*Malthodes californicus*](#) Fender, 1951
- [*Malthodes canadensis*](#) Fender, 1951
- [*Malthodes canaliculatus*](#) Fender, 1951
- [*Malthodes captiosus*](#) LeConte, 1881
- [*Malthodes chapini*](#) Fender, 1951
- [*Malthodes chiricahuae*](#) Fender, 1951
- [*Malthodes columbiensis*](#) Fender, 1951
- [*Malthodes complexipygus*](#) Fender, 1951
- [*Malthodes complexus*](#) Fender, 1951
- [*Malthodes complicatus*](#) Fall, 1919
- [*Malthodes concavus*](#) (LeConte, 1851)
- [*Malthodes congruus*](#) LeConte, 1881
- [*Malthodes contortus*](#) Fender, 1951
- [*Malthodes cordicauda*](#) Fender, 1951
- [*Malthodes curvatus*](#) LeConte, 1881
- [*Malthodes diamondensis*](#) Fender, 1951
- [*Malthodes diegae*](#) Fender, 1951
- [*Malthodes dorotheae*](#) Fender, 1951
- [*Malthodes downiei*](#) Fender, 1951
- [*Malthodes evanidus*](#) Fender, 1951
- [*Malthodes evexus*](#) Fender, 1951
- [*Malthodes exilis*](#) (Melsheimer, 1846)
- [*Malthodes eximius*](#) Fender, 1951
- [*Malthodes flexuosus*](#) Fender, 1951
- [*Malthodes forficatus*](#) Fender, 1951
- [*Malthodes fracidus*](#) Fender, 1951
- [*Malthodes fragilis*](#) (LeConte, 1851)
- [*Malthodes frisoni*](#) Fender, 1946
- [*Malthodes frosti*](#) Fender, 1943
- [*Malthodes fuliginosus*](#) LeConte, 1866
- [*Malthodes furcifer*](#) LeConte, 1881
- [*Malthodes fuscus*](#) (LeConte, 1851)
- [*Malthodes glyphidius*](#) Fender, 1951

- [*Malthodes greeni*](#) Fender, 1949
- [*Malthodes hatcheana*](#) Fender, 1951
- [*Malthodes humidus*](#) Fender, 1943
- [*Malthodes idahoensis*](#) Fender, 1951
- [*Malthodes immodestus*](#) Fender, 1969
- [*Malthodes insipidus*](#) Fender, 1951
- [*Malthodes intermedius*](#) Fender, 1951
- [*Malthodes intricatus*](#) Fender, 1951
- [*Malthodes knowltoni*](#) Fender, 1951
- [*Malthodes knulli*](#) Fender, 1951
- [*Malthodes lattini*](#) Fender, 1964
- [*Malthodes laurae*](#) Fender, 1968
- [*Malthodes lawrencei*](#) Fender, 1951
- [*Malthodes leechi*](#) Fender, 1951
- [*Malthodes ligulifer*](#) Bergroth, 1889
- [*Malthodes longipennis*](#) Fall, 1919
- [*Malthodes mackenziei*](#) Fender, 1951
- [*Malthodes macnabi*](#) Fender, 1946
- [*Malthodes magister*](#) Fall, 1919
- [*Malthodes margaritae*](#) Fender, 1951
- †[*Malthodes markpankowskii*](#) Pankowski & Fanti, 2022
- [*Malthodes mediocidens*](#) Fender, 1951
- [*Malthodes megapygus*](#) Fender, 1951
- [*Malthodes mitificus*](#) Fall, 1919
- [*Malthodes mollis*](#) Fall, 1919
- [*Malthodes neomexicanus*](#) Fender, 1972
- [*Malthodes niger*](#) (LeConte, 1851)
- [*Malthodes obductus*](#) Fall, 1919
- [*Malthodes oregonus*](#) Fender, 1943
- [*Malthodes orovillensis*](#) Fender, 1951
- [*Malthodes ovatus*](#) Fender, 1951
- [*Malthodes parvulus*](#) (LeConte, 1851)
- [*Malthodes piceolus*](#) Fall, 1919
- [*Malthodes pictithorax*](#) Fender, 1951
- [*Malthodes pictus*](#) Fender, 1951
- [*Malthodes piperi*](#) Fender, 1951
- [*Malthodes profusus*](#) Fender, 1951
- [*Malthodes provoensis*](#) Fender, 1951
- [*Malthodes quadricollis*](#) LeConte, 1881
- [*Malthodes ramsbyorum*](#) Fender, 1968
- [*Malthodes rectus*](#) LeConte, 1881
- [*Malthodes rhadinus*](#) Fender, 1963

- [*Malthodes robertae*](#) Fender, 1968
- [*Malthodes rotgeri*](#) Fender, 1946
- [*Malthodes sanbernadensis*](#) Fender, 1966
- [*Malthodes sandersoni*](#) Fender, 1951
- [*Malthodes selmaensis*](#) Fender, 1964
- [*Malthodes sericeiventris*](#) Fall, 1919
- [*Malthodes shenefelti*](#) Fender in Hatch, 1962
- [*Malthodes similis*](#) Fender, 1951
- [*Malthodes singularis*](#) Fender, 1951
- [*Malthodes sinuatus*](#) Fender, 1951
- [*Malthodes siskiyouensis*](#) Fender, 1964
- [*Malthodes spado*](#) LeConte, 1866
- [*Malthodes spinicauda*](#) Fender, 1951
- [*Malthodes stacesmithi*](#) Fender, 1954
- [*Malthodes stephani*](#) Fender, 1972
- [*Malthodes terraenovae*](#) Fender, 1964
- [*Malthodes thedae*](#) Fender, 1968
- [*Malthodes tribulus*](#) Fender, 1951
- [*Malthodes truncatus*](#) Fender, 1951
- [*Malthodes tularensis*](#) Fall, 1919
- [*Malthodes tumidicollis*](#) Fender, 1951
- [*Malthodes ute*](#) Fender, 1951
- [*Malthodes vanduzeeana*](#) Fender, 1951
- [*Malthodes vandykei*](#) Fender, 1951
- [*Malthodes vapidus*](#) Fall, 1919
- [*Malthodes vigilans*](#) Fall, 1919
- [*Malthodes visceratus*](#) Fall, 1919
- [*Malthodes werneri*](#) Fender, 1951
- [*Malthodes whittakeri*](#) Fender, 1951
- [*Malthodes williami*](#) Fender, 1968

References

1.
 - ["Malthodes Genus Information"](#). BugGuide.net. Retrieved 2018-02-11.
 - ["Malthodes Report"](#). Integrated Taxonomic Information System. Retrieved 2018-02-11.
 -
3. ["Malthodes Overview"](#). Encyclopedia of Life. Retrieved 2018-02-11.

[Categories:](#)

- [Cantharidae](#)
- [Lists of insect species](#)
-

This is a list of 144 species in [Malthinus](#), a genus of soldier beetles in the family [Cantharidae](#).^{[1][2][3]}

Malthinus species

- [Malthinus aetolicus](#) Wittmer, 1974 ^g
- [Malthinus alexanderi](#) Fender, 1966 ^{i g}
- [Malthinus armipes](#) Kiesenwetter, 1871 ^g
- [Malthinus aspoecki](#) Wittmer, 1974 ^g
- [Malthinus atripennis](#) LeConte, 1881 ^{i g}
- [Malthinus axillaris](#) Kiesenwetter, 1852 ^g
- [Malthinus balteatus](#) Suffrian, 1851 ^g
- [Malthinus bandamensis](#) Palm, 1975 ^g
- [Malthinus bicolor](#) (LeConte, 1884) ⁱ
- [Malthinus bigliani](#) Fiori, 1915 ^g
- [Malthinus biguttatus](#) (Linnaeus, 1758) ^g
- [Malthinus bilineatus](#) Kiesenwetter, 1852 ^g
- [Malthinus brancuccii](#) Wittmer, 1978 ^g
- [Malthinus bulgaricus](#) Svihla, 1990 ^g
- [Malthinus chisosensis](#) Fender, 1963 ^{i g}
- [Malthinus cincticollis](#) Kiesenwetter, 1865 ^g
- [Malthinus conspicuus](#) ^g
- [Malthinus cordobensis](#) Wittmer, 1971 ^g
- [Malthinus corsicanus](#) Constantin, 1975 ^g
- [Malthinus creticus](#) Wittmer, 1971 ^g
- [Malthinus croceicollis](#) Wollaston, 1862 ^g
- [Malthinus cuspidatus](#) Fender, 1963 ^{i g}
- [Malthinus dalmatinus](#) Pic, 1902 ^g
- [Malthinus danieli](#) (Kuśka & Kania, 2010) ^g
- [Malthinus danielssoni](#) Wittmer, 1995 ^g
- [Malthinus deceptor](#) Baudi, 1893 ^g
- [Malthinus depauperatus](#) Wollaston, 1862 ^g

- [*Malthinus devillei*](#) Abeille de Perrin, 1898 ^g
- [*Malthinus difficilis*](#) LeConte, 1851 ^{i g b}
- [*Malthinus diffusus*](#) Kiesenwetter, 1865 ^g
- [*Malthinus dimorphus*](#) Wittmer, 1935 ^g
- [*Malthinus dromioides*](#) Bourgeois, 1885 ^g
- [*Malthinus dryocoetes*](#) Rottenberg, 1870 ^g
- [*Malthinus elbursensis*](#) Wittmer, 1978 ^g
- [*Malthinus espadanensis*](#) Wittmer, 1981 ^g
- [*Malthinus euboeicus*](#) Wittmer, 1974 ^g
- [*Malthinus expansus*](#) Wittmer, 1986 ^g
- [*Malthinus facialis*](#) Thomson, 1864 ^g
- [*Malthinus fasciatus*](#) (Olivier, 1790) ^g
- [*Malthinus fenchihuensis*](#) Wittmer, 1979 ^g
- [*Malthinus fjellandi*](#) Fender, 1963 ^{i g}
- [*Malthinus flaveolus*](#) (Herbst, 1786) ^g
- [*Malthinus foliiformis*](#) Wittmer, 1975 ^g
- [*Malthinus forcepiformis*](#) Wittmer, 1978 ^g
- [*Malthinus frontalis*](#) (Marsham, 1802) ^g
- [*Malthinus fuerteventurensis*](#) Palm, 1975 ^g
- [*Malthinus ganglbaueri*](#) Wittmer, 1974 ^g
- [*Malthinus garganicus*](#) Fiori, 1915 ^g
- [*Malthinus geigei*](#) Wittmer, 1971 ^g
- [*Malthinus geniculatus*](#) Kiesenwetter, 1859 ^g
- [*Malthinus glabellus*](#) Kiesenwetter, 1852 ^g
- [*Malthinus graecus*](#) Wittmer, 1986 ^g
- [*Malthinus gratiosus*](#) Pic, 1901 ^g
- [*Malthinus huachucae*](#) Fender, 1951 ^{i g}
- [*Malthinus ilisicus*](#) Wittmer, 1974 ^g
- [*Malthinus insignipes*](#) Pic, 1907 ^g
- [*Malthinus ionicus*](#) Pic, 1901 ^g
- [*Malthinus israelsoni*](#) Palm, 1975 ^g
- [*Malthinus kafkai*](#) Svihla, 2002 ^g
- [*Malthinus khuzistanicus*](#) Wittmer, 1972 ^g
- [*Malthinus kiesenwetteri*](#) C.Brisout de Barneville, 1863 ^g
- [*Malthinus knulli*](#) Fender, 1963 ^{i g}
- [*Malthinus kraatzii*](#) Pic, 1900 ^g

- [*Malthinus lacteifrons*](#) Marseul, 1878 ^g
- [*Malthinus laevicollis*](#) Kiesenwetter, 1859 ^g
- [*Malthinus laticollis*](#) Pic, 1900 ^g
- [*Malthinus lindbergi*](#) Palm, 1975 ^g
- [*Malthinus lituratus*](#) Motschulsky, 1853 ^g
- [*Malthinus longicornis*](#) Kiesenwetter, 1865 ^g
- [*Malthinus madoniensis*](#) Svihla, 2002 ^g
- [*Malthinus malkini*](#) Wittmer, 1986 ^g
- [*Malthinus mandli*](#) Wittmer, 1966 ^g
- [*Malthinus marginicollis*](#) Ganglbauer, 1906 ^g
- †[*Malthinus masoni*](#) Pankowski & Fanti, 2022 ^g
- [*Malthinus maspalomensis*](#) Palm, 1975 ^g
- [*Malthinus minimus*](#) Palm, 1975 ^g
- [*Malthinus moravicus*](#) Svihla, 1997 ^g
- [*Malthinus mucoreus*](#) Kiesenwetter, 1879 ^g
- [*Malthinus multinotatus*](#) Pic, 1929 ^g
- [*Malthinus mutabilis*](#) Wollaston, 1862 ^g
- [*Malthinus neapolitanus*](#) Pic, 1905 ^g
- [*Malthinus neglectus*](#) Palm, 1975 ^g
- [*Malthinus nigerrimus*](#) Constantin, 1975 ^g
- [*Malthinus nigrescens*](#) Palm, 1975 ^g
- [*Malthinus notsui*](#) Wittmer, 1984 ^g
- [*Malthinus obscuripes*](#) Kiesenwetter, 1866 ^g
- [*Malthinus occipitalis*](#) LeConte, 1851 ^{i g b} (yellow-tipped soldier beetle)
- [*Malthinus ohbai*](#) Wittmer, 1984 ^g
- [*Malthinus olympiacus*](#) Wittmer, 1974 ^g
- [*Malthinus orbiculatus*](#) N.Takahashi ^g
- [*Malthinus ornatus*](#) Rosenhauer, 1856 ^g
- [*Malthinus palingensis*](#) Wittmer, 1993 ^g
- [*Malthinus pallidipes*](#) Fairmaire, 1884 ^g
- [*Malthinus panachaicus*](#) Wittmer, 1974 ^g
- [*Malthinus parallelus*](#) Wittmer, 1974 ^g
- [*Malthinus parnassicus*](#) Wittmer, 1974 ^g
- [*Malthinus persicus*](#) Pic, 1901 ^g
- [*Malthinus pseudobiguttatus*](#) Constantin, 1975 ^g
- [*Malthinus pseudopersicus*](#) Wittmer, 1972 ^g

- [*Malthinus pseudoreflexus*](#) Svihla, 1994 ^g
- [*Malthinus pseudoscriptus*](#) Wittmer, 1971 ^g
- [*Malthinus punctatus*](#) (Geoffroy, 1785) ^g
- [*Malthinus quadrimaculatus*](#) Fender, 1951 ^{i g}
- [*Malthinus rauschi*](#) Wittmer, 1978 ^g
- [*Malthinus reductelineatus*](#) Pic, 1922 ^g
- [*Malthinus reflexus*](#) Wittmer, 1974 ^g
- [*Malthinus rhapsidiceps*](#) Kiesenwetter, 1852 ^g
- [*Malthinus robustus*](#) Motschulsky, 1853 ^g
- [*Malthinus rothi*](#) Fender, 1972 ^{i g}
- [*Malthinus rubricollis*](#) Baudi di Selve, 1859 ^g
- [*Malthinus rufifrons*](#) (Motschulsky, 1859) ^g
- [*Malthinus sancticatalinus*](#) Fender, 1972 ^{i g}
- [*Malthinus sanpedroensis*](#) Wittmer, 1971 ^g
- [*Malthinus scapularis*](#) Marseul, 1877 ^g
- [*Malthinus schoeni*](#) Svihla, 2002 ^g
- [*Malthinus scriptipennis*](#) Pic, 1900 ^g
- [*Malthinus scriptoides*](#) Wittmer, 1971 ^g
- [*Malthinus scriptus*](#) Kiesenwetter, 1852 ^g
- [*Malthinus scutellaris*](#) Rosenhauer, 1856 ^g
- [*Malthinus seriepunctatus*](#) Kiesenwetter, 1851 ^g
- [*Malthinus serrulatus*](#) N.Takahashi ^g
- [*Malthinus shimomurai*](#) Wittmer, 1984 ^g
- [*Malthinus sicanus*](#) Kiesenwetter, 1871 ^g
- [*Malthinus simplicipes*](#) Pic, 1899 ^g
- [*Malthinus sinensis*](#) Pic, 1910 ^g
- [*Malthinus sordidus*](#) Kiesenwetter, 1871 ^g
- [*Malthinus sowerestanus*](#) Fender, 1972 ^{i g}
- [*Malthinus ssulingensis*](#) Wittmer, 1993 ^g
- [*Malthinus stigmatus*](#) Kiesenwetter, 1866 ^g
- [*Malthinus subcostatus*](#) Schaeffer, 1908 ^{i g}
- [*Malthinus taiwanoniger*](#) Wittmer, 1979 ^g
- [*Malthinus taiwanus*](#) Wittmer, 1984 ^g
- [*Malthinus temperei*](#) Constantin, 1975 ^g
- [*Malthinus texanus*](#) Wittmer, 1981 ^{i g b}
- [*Malthinus tricolor*](#) Fender, 1951 ^{i g}

- [Malthinus trinotaticeps](#) Pic, 1951 ^g
- [Malthinus turcicus](#) Pic, 1899 ^g
- [Malthinus validiceps](#) Pic, 1928 ^g
- [Malthinus vartiani](#) Wittmer, 1966 ^g
- [Malthinus versatilis](#) Delkeskamp, 1939 ^g
- [Malthinus verticalis](#) Pic, 1930 ^g
- [Malthinus vitellinus](#) Kiesenwetter, 1865 ^g
- [Malthinus vixlimbatus](#) Wittmer, 1984 ^g
- [Malthinus wewalkai](#) Wittmer, 1980 ^g
- [Malthinus yangmingensis](#) Wittmer, 1984 ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[4] g = GBIF,[2] b = Bugguide.net[3]

These species belong to [Maladera](#), a genus of May beetles and Junebugs in the family [Scarabaeidae](#).
[1][2][3][4]

Maladera species

- *Amaladera* Reitter, 1896
 - [Maladera cobosi](#) Baraud, 1964
 - [Maladera espanoli](#) Baraud, 1964
 - [Maladera euphorbiae](#) (Burmeister, 1855)
 - [Maladera golovjankoi](#) Medvedev, 1952
 - [Maladera longipennis](#) (Verdu, Mico & Galante, 1997)
- *Aserica* Lewis, 1895
 - [Maladera secreta](#) (Brenske, 1898)
 - [Maladera shaowuensis](#) Ahrens, Fabrizi & Liu, 2021
- *Cycloserica* Reitter, 1896
 - [Maladera arenicola](#) (Solsky, 1876)
 - [Maladera caspia](#) (Faldermann, 1836)
 - [Maladera excisiceps](#) (Reitter, 1896)
 - [Maladera kerleyi](#) Ahrens, 2004
 - [Maladera mechiana](#) Ahrens, 2004
 - [Maladera paraquingidens](#) Ahrens, 2004
 - [Maladera quingidens](#) (Brenske, 1896)
 - [Maladera ustinovi](#) (Gusakov, 2021)
- *Eumaladera* Nomura, 1967
 - [Maladera fencli](#) Ahrens, Fabrizi & Liu, 2021
 - [Maladera fushanica](#) (Ahrens, 2002)

- [Maladera gravida](#) Ahrens, 2006
- [Maladera latitibia](#) Nomura, 1974
- [Maladera loi](#) (Kobayashi, 1991)
- [Maladera nitidiceps](#) Nomura, 1967
- [Maladera nitididorsis](#) Nomura, 1967
- [Maladera opaciventris](#) (Moser, 1915)
- [Maladera paralatitibia](#) (Ahrens, 2002)
- [Maladera planiuscula](#) Nomura, 1974
- [Maladera puliensis](#) (Ahrens, 2002)
- [Maladera robustula](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera subrugata](#) (Moser, 1926)
- [Maladera wipfleri](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera yonaguniensis](#) Kobayashi, Kusui & Imasaka, 2006
- *Eusericula* Reitter, 1902
 - [Maladera ahrensi](#) Keith, 2005
 - [Maladera farsensis](#) Petrovitz, 1980
 - [Maladera frischeri](#) Keith, 2011
 - [Maladera girardi](#) Keith & Ahrens, 2002
 - [Maladera hodkovae](#) Nikodým & Král, 1998
 - [Maladera jiraskovae](#) Sehnal, 2008
 - [Maladera kermanensis](#) Fabrizi, Rößner & Ahrens, 2018
 - [Maladera mirzayansi](#) Montreuil & Keith, 2009
 - [Maladera modesta](#) (Fairmaire, 1881)
 - [Maladera mofidii](#) Montreuil & Keith, 2009
 - [Maladera schnitteri](#) Ahrens, Fabrizi & Rössner, 2016
 - [Maladera sinaica](#) Ahrens, 2000
- *Hemiserica* Brenske, 1894
 - [Maladera armipes](#) (Arrow, 1945)
 - [Maladera ballariensis](#) Ahrens & Fabrizi, 2016
 - [Maladera bilobata](#) (Arrow, 1945)
 - [Maladera brevis](#) (Blanchard, 1850)
 - [Maladera eshanensis](#) Ahrens, Fabrizi & Liu, 2021
 - [Maladera fangchengensis](#) Ahrens, Fabrizi & Liu, 2021
 - [Maladera hsui](#) Ahrens, Fabrizi & Liu, 2021
 - [Maladera lorenzi](#) Ahrens & Fabrizi, 2016
 - [Maladera mutabilis](#) (Fabricius, 1775)
 - [Maladera nasuta](#) (Brenske, 1894)
 - [Maladera nasutella](#) (Ahrens, 2004)
 - [Maladera rufopaca](#) Ahrens, Fabrizi & Liu, 2021
 - [Maladera severini](#) (Brenske, 1896)
 - [Maladera subinaequalis](#) Sreedevi & Ahrens, 2025
 - [Maladera trilobata](#) (Khan & Ghai, 1980)

- *Macroserica* Medvedev, 1952
 - [*Maladera allemandi*](#) Keith, 1998
 - [*Maladera angusta*](#) Baraud, 1990
 - [*Maladera apfelbecki*](#) Petrovitz, 1969
 - [*Maladera armeniaca*](#) Reitter, 1896
 - [*Maladera attaliensis*](#) Petrovitz, 1969
 - [*Maladera baluchestanica*](#) Petrovitz, 1971
 - [*Maladera besucheti*](#) Baraud, 1990
 - [*Maladera bruschii*](#) Sabatinelli, 1977
 - [*Maladera cerrutii*](#) Sabatinelli, 1977
 - [*Maladera dentipenis*](#) Sehnal & Simandl, 2008
 - [*Maladera fusconitens*](#) (Fairmaire, 1892)
 - [*Maladera iraqensis*](#) Keith, 2000
 - [*Maladera kermanica*](#) Montreuil, 2016
 - [*Maladera khuzestanica*](#) Montreuil, 2016
 - [*Maladera krueperi*](#) Petrovitz, 1969
 - [*Maladera lodosi*](#) Baraud, 1975
 - [*Maladera loebli*](#) Baraud, 1990
 - [*Maladera lyciensis*](#) Petrovitz, 1969
 - [*Maladera miliouensis*](#) Keith & Miessen, 2009
 - [*Maladera ollivieri*](#) Keith, 1998
 - [*Maladera phoenicica*](#) Petrovitz, 1969
 - [*Maladera punctatissima*](#) (Faldermann, 1836)
 - [*Maladera rugosa*](#) (Blanchard, 1850)
 - [*Maladera seleuciensis*](#) Petrovitz, 1969
 - [*Maladera syriaca*](#) Petrovitz, 1969
 - [*Maladera taurica*](#) Petrovitz, 1969
 - [*Maladera vignai*](#) Sabatinelli, 1977
 - [*Maladera wewalkai*](#) Petrovitz, 1969
- *Maladera*
 - [*Maladera alibagensis*](#) Ahrens & Fabrizi, 2016
 - [*Maladera allonitens*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera allopruinosa*](#) (Ahrens, 1998)
 - [*Maladera alloservitrita*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
 - [*Maladera amamiana*](#) Nomura, 1959
 - [*Maladera amboliensis*](#) Ahrens & Fabrizi, 2016
 - [*Maladera anaimalaiensis*](#) Ahrens & Fabrizi, 2016
 - [*Maladera analis*](#) (Brenske, 1899)
 - [*Maladera andamana*](#) (Brenske, 1899)
 - [*Maladera anderssoni*](#) Fabrizi & Ahrens, 2014
 - [*Maladera andrewesi*](#) Ahrens & Fabrizi, 2016
 - [*Maladera annamensis*](#) (Moser, 1915)

- [*Maladera antispinosa*](#) Ahrens & Fabrizi, 2016
- [*Maladera apicalis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera aptera*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera assamica*](#) (Moser, 1915)
- [*Maladera aureola*](#) (Murayama, 1938)
- [*Maladera badullana*](#) Fabrizi & Ahrens, 2014
- [*Maladera bagmatiensis*](#) Ahrens, 2004
- [*Maladera baii*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera baishaoensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera bakeri*](#) (Moser, 1915)
- [*Maladera balphakramensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera bandarwelana*](#) Fabrizi & Ahrens, 2014
- [*Maladera bansongchana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera baoxingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera barasingha*](#) Gupta, Bhunia, Ahrens & Chandra, 2025
- [*Maladera basalis*](#) (Moser, 1915)
- [*Maladera bawanglingana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera bawanglingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera beibengensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera beidouensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera bengalensis*](#) (Brenske, 1899)
- [*Maladera bezdeki*](#) Bhunia, Gupta, Sarkar & Ahrens, 2023
- [*Maladera bhutanensis*](#) (Frey, 1975)
- [*Maladera bikouensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera bismarckiana*](#) (Brenske, 1899)
- [*Maladera bisornata*](#) Fabrizi & Ahrens, 2014
- [*Maladera botrytibia*](#) Nomura, 1974
- [*Maladera breviata*](#) (Brenske, 1899)
- [*Maladera breviatella*](#) Fabrizi & Ahrens, 2014
- [*Maladera breviclava*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera brevistylis*](#) Ahrens, 2004
- [*Maladera brincki*](#) Fabrizi & Ahrens, 2014
- [*Maladera brunnescens*](#) (Frey, 1972)
- [*Maladera bubengensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera burmeisteri*](#) (Brenske, 1899)
- [*Maladera calcarata*](#) (Brenske, 1899)
- [*Maladera calicutensis*](#) (Frey, 1972)
- [*Maladera cambodjana*](#) (Frey, 1972)
- [*Maladera cardamomensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera celebensis*](#) (Moser, 1915)
- [*Maladera cervicornis*](#) Ranasinghe, Eberle, Benjamin & Ahrens, 2020
- [*Maladera champhaiensis*](#) Gupta, Bhunia, Ahrens & Chandra, 2025

- [*Maladera chenzhouana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera chinensis*](#) (Moser, 1915)
- [*Maladera chiruwae*](#) Ahrens, 2004
- [*Maladera clavata*](#) (Frey, 1972)
- [*Maladera coimbatorensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera comosa*](#) (Brenske, 1899)
- [*Maladera conspicua*](#) Ahrens, 2004
- [*Maladera constans*](#) Ahrens & Fabrizi, 2016
- [*Maladera constellata*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera consularis*](#) Ahrens & Fabrizi, 2009
- [*Maladera contracta*](#) (Brenske, 1899)
- [*Maladera costigera*](#) (Blanchard, 1850)
- [*Maladera coxalis*](#) (Moser, 1915)
- [*Maladera crenatotibialis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera crenolatipes*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera crinifrons*](#) (Brenske, 1899)
- [*Maladera curtipes*](#) (Moser, 1915)
- [*Maladera daanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera dadongshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera dahanshana*](#) Kobayashi, 2016
- [*Maladera dajuensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera dambullana*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera danfengensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera davaoana*](#) (Moser, 1921)
- [*Maladera dayaoshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera declarata*](#) Ahrens & Fabrizi, 2016
- [*Maladera decolor*](#) Ahrens & Fabrizi, 2016
- [*Maladera deenstana*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera densipilosa*](#) Ahrens & Fabrizi, 2016
- [*Maladera detera*](#) (Erichson, 1834)
- [*Maladera diaolinensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera dimidiata*](#) Ahrens & Fabrizi, 2016
- [*Maladera distincta*](#) (Moser, 1915)
- [*Maladera diyalumana*](#) Fabrizi & Ahrens, 2014
- [*Maladera drescheri*](#) (Moser, 1913)
- [*Maladera dubia*](#) (Arrow, 1916)
- [*Maladera duvivieri*](#) (Brenske, 1896)
- [*Maladera eclogaria*](#) (Brenske, 1899)
- [*Maladera egregia*](#) (Arrow, 1946)
- [*Maladera ejimai*](#) Miyake & Imasaka, 1987
- [*Maladera eluctabilis*](#) (Brenske, 1899)
- [*Maladera emeifengensis*](#) Ahrens, Fabrizi & Liu, 2021

- [*Maladera engana*](#) (Brenske, 1902)
- [*Maladera eremita*](#) (Brenske, 1899)
- [*Maladera erlangshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera eusericina*](#) Ahrens & Fabrizi, 2016
- [*Maladera excisiceps*](#) (Frey, 1972)
- [*Maladera excisilabrata*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera exigua*](#) (Brenske, 1894)
- [*Maladera eximia*](#) (Arrow, 1946)
- [*Maladera fangana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera fasciculata*](#) (Moser, 1922)
- [*Maladera fastuosa*](#) Ahrens & Fabrizi, 2016
- [*Maladera fatigata*](#) Ahrens, 2004
- [*Maladera femorata*](#) (Brenske, 1899)
- [*Maladera fengyangshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera ferekanarana*](#) Ahrens & Fabrizi, 2016
- [*Maladera fereobscurata*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera ferruginea*](#) (Kollar & Redtenbacher, 1848)
- [*Maladera festina*](#) (Brenske, 1899)
- [*Maladera filigraniforceps*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera fistulosa*](#) (Brenske, 1899)
- [*Maladera flammea*](#) (Brenske, 1899)
- [*Maladera flavipennis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera flinti*](#) Fabrizi & Ahrens, 2014
- [*Maladera floresina*](#) (Brenske, 1899)
- [*Maladera freyi*](#) Ahrens & Fabrizi, 2016
- [*Maladera fuanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera fulgida*](#) (Brenske, 1899)
- [*Maladera fuliginosa*](#) (Burmeister, 1855)
- [*Maladera fumosa*](#) (Brenske, 1899)
- [*Maladera fuscescens*](#) (Moser, 1917)
- [*Maladera fuscipes*](#) (Moser, 1915)
- [*Maladera futschauana*](#) (Brenske, 1898)
- [*Maladera galdaththana*](#) Ranasinghe, Eberle, Benjamin & Ahrens, 2020
- [*Maladera ganglbaueri*](#) (Brenske, 1899)
- [*Maladera gansuensis*](#) (Miyake & Yamaya, 2001)
- [*Maladera garoana*](#) Ahrens & Fabrizi, 2016
- [*Maladera geniculata*](#) Ahrens & Fabrizi, 2016
- [*Maladera gibbiventris*](#) (Brenske, 1898)
- [*Maladera gopaldharae*](#) Ahrens, 2004
- [*Maladera gorkhae*](#) Ahrens, 2004
- [*Maladera granigera*](#) Ahrens & Fabrizi, 2016
- [*Maladera granuligera*](#) (Blanchard, 1850)

- [*Maladera guangzhaishanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera guanxianensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera guanxiensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera guomenshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera gusakovi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera guttula*](#) (Sharp, 1876)
- [*Maladera haba*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera habashanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera haldwaniensis*](#) Ahrens, 2004
- [*Maladera hampsoni*](#) Ahrens & Fabrizi, 2016
- [*Maladera haniel*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera hansmalickyi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera harmonica*](#) (Brenske, 1898)
- [*Maladera hastata*](#) Fabrizi & Ahrens, 2014
- [*Maladera hauseri*](#) (Brenske, 1899)
- [*Maladera hayashii*](#) Hirasawa, 1991
- [*Maladera heveli*](#) Fabrizi & Ahrens, 2014
- [*Maladera hiemalis*](#) Kobayashi, 2014
- [*Maladera hiyarensis*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera hmong*](#) Ahrens, 2004
- [*Maladera holosericea*](#) (Scopoli, 1772)
- [*Maladera holzschuhi*](#) Ahrens, 2004
- [*Maladera hongyuanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera horii*](#) (Kobayashi, 2010)
- [*Maladera hortonensis*](#) Fabrizi & Ahrens, 2014
- [*Maladera houzhenziensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera howdeni*](#) Ahrens, 2003
- [*Maladera huanianensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera hubeiensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera hui*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera hunanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera hunliensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera hunuguensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera hutiaoensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera iliganica*](#) (Moser, 1917)
- [*Maladera imasakai*](#) Miyake & Yamaya, 1995
- [*Maladera imbella*](#) Reitter, 1898
- [*Maladera impressithorax*](#) Nomura, 1973
- [*Maladera impubis*](#) Ahrens, 2004
- [*Maladera inadai*](#) (Kobayashi, 2010)
- [*Maladera inaequabilis*](#) (Brenske, 1899)
- [*Maladera indica*](#) (Blanchard, 1850)

- [*Maladera inermis*](#) (Brenske, 1899)
- [*Maladera inimica*](#) (Brenske, 1899)
- [*Maladera initialis*](#) Ahrens & Fabrizi, 2016
- [*Maladera inornata*](#) (Brenske, 1899)
- [*Maladera insularis*](#) (Brenske, 1899)
- [*Maladera invenusta*](#) (Moser, 1918)
- [*Maladera iridicauda*](#) (Fairmaire, 1893)
- [*Maladera irididorsis*](#) Ahrens, 2004
- [*Maladera isarogensis*](#) (Moser, 1922)
- [*Maladera iuga*](#) Fabrizi & Ahrens, 2014
- [*Maladera jaintiaensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera japonica*](#) (Motschulsky, 1860)
- [*Maladera jaroslavi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jatuai*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jiangi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jingdongensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jinggangshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jinghongensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jiucailingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera jizuana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera judithae*](#) Sreedevi & Ahrens, 2025
- [*Maladera kaimurensis*](#) Chandra, Ahrens, Bhunia, Sreedevi & Gupta, 2021
- [*Maladera kalawensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera kallarensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera kamiyai*](#) (Sawada, 1937)
- [*Maladera kanarana*](#) (Moser, 1918)
- [*Maladera kandyensis*](#) Fabrizi & Ahrens, 2014
- [*Maladera kaohsiungensis*](#) Kobayashi, 2023
- [*Maladera karunaratnae*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera kasigurana*](#) (Moser, 1922)
- [*Maladera kawaharai*](#) (Kobayashi, 2010)
- [*Maladera kazirangae*](#) Ahrens, 2004
- [*Maladera keralensis*](#) (Frey, 1972)
- [*Maladera kinabaluensis*](#) (Brenske, 1899)
- [*Maladera kishi*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera kobayashii*](#) Nomura, 1974
- [*Maladera kolasibensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Maladera kolkataensis*](#) Bhunia, Gupta, Sarkar & Ahrens, 2023
- [*Maladera kottagudiensis*](#) Chandra, Ahrens, Bhunia, Sreedevi & Gupta, 2021
- [*Maladera krali*](#) Ahrens, 2004
- [*Maladera kreyenbergi*](#) (Moser, 1918)
- [*Maladera kryshanowskii*](#) Ahrens, Fabrizi & Liu, 2021

- [*Maladera kubeceki*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera kubotai*](#) Nomura & Kobayashi, 1979
- [*Maladera kumilyensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera kunigami*](#) Kobayashi, Kusui & Imasaka, 2006
- [*Maladera kuruwitana*](#) Fabrizi & Ahrens, 2014
- [*Maladera kusuii*](#) Miyake, 1986
- [*Maladera laminifera*](#) (Moser, 1916)
- [*Maladera lanae*](#) Kobayashi, 2012
- [*Maladera laocaiensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera lata*](#) (Brenske, 1902)
- [*Maladera laticrus*](#) (Moser, 1915)
- [*Maladera levis*](#) (Frey, 1972)
- [*Maladera lianxianensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera liaochengensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera lindulana*](#) Fabrizi & Ahrens, 2014
- [*Maladera liwenzhui*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera lonaviaensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera longruiensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera lugubris*](#) (Brenske, 1896)
- [*Maladera lukjanovitschi*](#) (Medvedev, 1966)
- [*Maladera lumlaensis*](#) Gupta, Bhunia, Ahrens & Chandra, 2025
- [*Maladera luoxiangensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera lushanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera lushuiensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera madurensis*](#) (Moser, 1915)
- [*Maladera maedai*](#) Nomura, 1974
- [*Maladera magnicornis*](#) (Moser, 1920)
- [*Maladera magnidentata*](#) Miyake & Yamaguchi, 1998
- [*Maladera maguanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera malabarensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera malangeana*](#) (Brenske, 1902)
- [*Maladera malaya*](#) (Brenske, 1899)
- [*Maladera manipurana*](#) (Brenske, 1899)
- [*Maladera maoershana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera marginella*](#) (Hope, 1831)
- [*Maladera mavilluensis*](#) Fabrizi & Ahrens, 2014
- [*Maladera maxima*](#) (Brenske, 1899)
- [*Maladera mekong*](#) Miyake & Yamaguchi, 1998
- [*Maladera merkli*](#) Ahrens, 2004
- [*Maladera minops*](#) Ahrens & Fabrizi, 2016
- [*Maladera mizoramensis*](#) Sreedevi, Speer, Fabrizi & Ahrens, 2018
- [*Maladera mjobergi*](#) (Moser, 1932)

- [*Maladera modestula*](#) (Brenske, 1902)
- [*Maladera moebiusi*](#) (Brenske, 1899)
- [*Maladera motschulskyi*](#) (Brenske, 1898)
- [*Maladera mupingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera murzini*](#) Ahrens, 2004
- [*Maladera muscula*](#) (Frey, 1972)
- [*Maladera mussardi*](#) Ahrens & Fabrizi, 2016
- [*Maladera mussooriensis*](#) Ahrens, 2004
- [*Maladera mutabilis*](#) (Fabricius, 1781)
- [*Maladera mysoreensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera nabanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera naduvatamensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera namborensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera nanlingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera nanpingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera nantouensis*](#) Kobayashi, 2022
- [*Maladera naveeni*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Maladera neotridentipes*](#) Ahrens & Fabrizi, 2016
- [*Maladera nigrobrunnea*](#) (Moser, 1926)
- [*Maladera nigrolucida*](#) Ahrens & Fabrizi, 2016
- [*Maladera nigromicans*](#) (Frey, 1973)
- [*Maladera nigrorubra*](#) (Brenske, 1894)
- [*Maladera nilaveliensis*](#) Fabrizi & Ahrens, 2014
- [*Maladera ninglangensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera nitens*](#) (Moser, 1915)
- [*Maladera nitidipes*](#) (Moser, 1915)
- [*Maladera nomurai*](#) Hirasawa, 1991
- [*Maladera obscurata*](#) (Moser, 1915)
- [*Maladera okinawaensis*](#) Kobayashi, 1978
- [*Maladera okinoerabuana*](#) Kobayashi, 1978
- [*Maladera onam*](#) Gupta, Bhunia, Ahrens & Chandra, 2025
- [*Maladera opaca*](#) (Moser, 1924)
- [*Maladera opacifrons*](#) (Fairmaire, 1891)
- [*Maladera opima*](#) Nomura, 1967
- [*Maladera ostentatrix*](#) (Brenske, 1899)
- [*Maladera padaviyaensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera pallida*](#) (Burmeister, 1855)
- [*Maladera palona*](#) (Brenske, 1899)
- [*Maladera panyuensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera parabikouensis*](#) Zhao & Ahrens, 2023
- [*Maladera parabrunnescens*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera paradaanensis*](#) Liu, Ahrens, Li & Yang, 2024

- [Maladera paradetersa](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera paranantouensis](#) Kobayashi, 2022
- [Maladera paranitens](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera paraserripes](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera paris](#) Ahrens, 2004
- [Maladera parobscurata](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera parva](#) (Moser, 1908)
- [Maladera pauper](#) Ahrens & Fabrizi, 2016
- [Maladera peguana](#) (Brenske, 1899)
- [Maladera peregoi](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera philippinensis](#) (Blanchard, 1850)
- [Maladera philippinica](#) (Brenske, 1894)
- [Maladera phuntsholingensis](#) Ahrens, 2004
- [Maladera piceola](#) (Moser, 1915)
- [Maladera pieli](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pingchuanensis](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera placida](#) (Frey, 1972)
- [Maladera pokharae](#) Ahrens, 2004
- [Maladera polunini](#) Ahrens, 2004
- [Maladera poonensis](#) (Khan & Ghai, 1980)
- [Maladera poonmudi](#) (Frey, 1975)
- [Maladera poyagana](#) Fabrizi & Ahrens, 2014
- [Maladera praviforceps](#) Ahrens & Fabrizi, 2016
- [Maladera prenatali](#) Ahrens, 2004
- [Maladera profana](#) Ahrens & Fabrizi, 2016
- [Maladera propagator](#) Ahrens & Fabrizi, 2016
- [Maladera proxima](#) (Burmeister, 1855)
- [Maladera pseudoconsularis](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pseudoegregia](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pseudoexima](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pseudofuscipes](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pseudonitens](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pseudosenta](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera pubescens](#) (Arrow, 1916)
- [Maladera pui](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera punctulata](#) (Frey, 1972)
- [Maladera putaodiensis](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera qianqingtangensis](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera queinneci](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera raptiensis](#) Ahrens, 2004
- [Maladera reichenowi](#) (Brenske, 1902)
- [Maladera renardi](#) (Ballion, 1871)

- [Maladera reyaensis](#) Bhunia, Chandra, Gupta & Ahrens, 2021
- [Maladera rolciki](#) Ahrens, 2004
- [Maladera romanoi](#) Fabrizi & Ahrens, 2014
- [Maladera rosettae](#) (Frey, 1972)
- [Maladera rotunda](#) (Arrow, 1946)
- [Maladera rotundata](#) (Walker, 1859)
- [Maladera rubida](#) (Moser, 1915)
- [Maladera rubriventris](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera rudimentalis](#) Ahrens & Fabrizi, 2016
- [Maladera rudis](#) (Brenske, 1899)
- [Maladera rufescens](#) (Nonfried, 1894)
- [Maladera ruficollis](#) (Brenske, 1899)
- [Maladera rufodorsata](#) (Fairmaire, 1888)
- [Maladera rufonitida](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera rufoplagiata](#) (Fairmaire, 1893)
- [Maladera rufotestacea](#) (Moser, 1915)
- [Maladera rustica](#) (Brenske, 1896)
- [Maladera saginata](#) (Brenske, 1899)
- [Maladera sagittula](#) Ahrens & Fabrizi, 2016
- [Maladera saitoi](#) (Nijima & Kinoshita, 1927)
- [Maladera sancta](#) (Brenske, 1899)
- [Maladera sanqingshanica](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera sapitana](#) (Moser, 1916)
- [Maladera satrapa](#) (Brenske, 1899)
- [Maladera schenklingi](#) (Moser, 1918)
- [Maladera schereri](#) (Frey, 1975)
- [Maladera schintlmeisteri](#) Fabrizi & Ahrens, 2014
- [Maladera schoenwitzae](#) Ahrens & Fabrizi, 2016
- [Maladera sedula](#) Ahrens & Fabrizi, 2016
- [Maladera sempiterna](#) (Brenske, 1899)
- [Maladera sempiternella](#) Ahrens & Fabrizi, 2016
- [Maladera senfti](#) Ahrens & Fabrizi, 2016
- [Maladera senta](#) (Brenske, 1898)
- [Maladera seriatoguttata](#) Ahrens & Fabrizi, 2016
- [Maladera sericella](#) (Brenske, 1899)
- [Maladera serratiforceps](#) Ahrens, Fabrizi & Liu, 2021
- [Maladera serripes](#) (Moser, 1915)
- [Maladera servitrita](#) (Brenske, 1899)
- [Maladera setifera](#) (Gyllenhal, 1817)
- [Maladera setosa](#) (Brenske, 1896)
- [Maladera setosiventris](#) (Moser, 1916)
- [Maladera shaluishanica](#) Ahrens, Fabrizi & Liu, 2021

- [*Maladera shangraoensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera shenglongi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera shengqiaoae*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera shihzitouensis*](#) Kobayashi, 2002
- [*Maladera shikengkongensis*](#) Zhao & Ahrens, 2023
- [*Maladera shiruguanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera shiwandashanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera shouchiana*](#) Kobayashi & Yu, 1997
- [*Maladera shoumanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera siamensis*](#) (Nonfried, 1891)
- [*Maladera siargaoensis*](#) (Moser, 1922)
- [*Maladera signatitarsis*](#) (Brenske, 1899)
- [*Maladera significabilis*](#) (Brenske, 1902)
- [*Maladera significans*](#) (Brenske, 1899)
- [*Maladera sikkimensis*](#) (Brenske, 1899)
- [*Maladera silviae*](#) Sreedevi & Ahrens, 2025
- [*Maladera silviafabriziae*](#) Chandra, Ahrens, Bhunia, Sreedevi & Gupta, 2021
- [*Maladera sincera*](#) (Brenske, 1899)
- [*Maladera siniaevi*](#) Ahrens, 2004
- [*Maladera sinica*](#) (Hope, 1842)
- [*Maladera sinistra*](#) (Brenske, 1898)
- [*Maladera sinobiloba*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera sinuosa*](#) (Brenske, 1899)
- [*Maladera siwalikiana*](#) Ahrens, 2004
- [*Maladera snizeki*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera solida*](#) (Brenske, 1899)
- [*Maladera songi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera songsakensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera sordida*](#) (Brenske, 1899)
- [*Maladera sparsesetosa*](#) (Moser, 1922)
- [*Maladera spatulata*](#) Ahrens, 2006
- [*Maladera spei*](#) Ahrens, 2004
- [*Maladera spinifemorata*](#) Kobayashi, 1993
- [*Maladera spinifera*](#) (Brenske, 1899)
- †[*Maladera spinitibialis*](#) Statz, 1952
- [*Maladera spinosa*](#) (Brenske, 1899)
- [*Maladera spiralis*](#) Ahrens, 2003
- [*Maladera spissa*](#) (Brenske, 1899)
- [*Maladera spissigrada*](#) (Brenske, 1898)
- [*Maladera staturosa*](#) (Brenske, 1899)
- [*Maladera stipedosa*](#) (Brenske, 1899)
- [*Maladera stolidia*](#) (Brenske, 1899)

- [*Maladera straba*](#) (Brenske, 1899)
- [*Maladera straminea*](#) (Moser, 1915)
- [*Maladera stricta*](#) (Brenske, 1899)
- [*Maladera stridula*](#) (Brenske, 1898)
- [*Maladera strumina*](#) (Brenske, 1899)
- [*Maladera subaana*](#) (Moser, 1922)
- [*Maladera submucronata*](#) Ahrens & Fabrizi, 2016
- [*Maladera subtruncata*](#) (Fairmaire, 1887)
- [*Maladera sujitrae*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Maladera sumbana*](#) (Moser, 1915)
- [*Maladera sumbawana*](#) (Brenske, 1899)
- [*Maladera sylhetensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera taiheii*](#) Kobayashi, 2016
- [*Maladera taiwana*](#) Nomura, 1974
- [*Maladera taiwanensis*](#) Kobayashi, 2022
- [*Maladera taiyal*](#) Kobayashi, 2002
- [*Maladera taiyangheensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera taoyuanensis*](#) Kobayashi, 1991
- [*Maladera teinzoana*](#) (Brenske, 1899)
- [*Maladera tempestiva*](#) Ahrens & Fabrizi, 2016
- [*Maladera tengchongensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera thandigudiensis*](#) Sreedevi & Ahrens, 2025
- [*Maladera theresae*](#) Ahrens & Fabrizi, 2016
- [*Maladera thirthahalliensis*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Maladera thomsoni*](#) (Brenske, 1894)
- [*Maladera tiachiensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera tiammushanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera tiani*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera tianqiae*](#) Liu, Ahrens, Li & Yang, 2024
- [*Maladera tianzhushanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera tibialis*](#) (Brenske, 1899)
- [*Maladera tienchihna*](#) Kobayashi, 1988
- [*Maladera tienhsiangensis*](#) Kobayashi, 2007
- [*Maladera tokunoshimana*](#) Kobayashi, Kusui & Imasaka, 2006
- [*Maladera tongzhongensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera tranquebarica*](#) (Brenske, 1899)
- [*Maladera trichotibialis*](#) Ahrens, 2004
- [*Maladera tricuspidata*](#) Fabrizi & Ahrens, 2014
- [*Maladera tridentipes*](#) Nomura, 1974
- [*Maladera trifidiforceps*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera tripuraensis*](#) Chandra, Ahrens, Bhunia, Sreedevi & Gupta, 2021
- [*Maladera trivandrumensis*](#) Ahrens & Fabrizi, 2016

- [*Maladera trochaloides*](#) Ahrens & Fabrizi, 2016
- [*Maladera tubulata*](#) Ahrens & Fabrizi, 2016
- [*Maladera tumida*](#) Ahrens, 2004
- [*Maladera uggalkaltotaensis*](#) Fabrizi & Ahrens, 2014
- [*Maladera uhligi*](#) Ahrens, 2004
- [*Maladera ukerewensis*](#) (Moser, 1917)
- [*Maladera umbilicata*](#) (Brenske, 1899)
- [*Maladera umbratica*](#) (Brenske, 1899)
- [*Maladera uncipenis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera unguicularis*](#) (Brenske, 1899)
- [*Maladera utacamanda*](#) (Brenske, 1899)
- [*Maladera varia*](#) (Brenske, 1899)
- [*Maladera ventralis*](#) (Brenske, 1898)
- [*Maladera ventriosa*](#) (Brenske, 1894)
- [*Maladera vernacula*](#) Ahrens & Fabrizi, 2016
- [*Maladera versuta*](#) Ahrens & Fabrizi, 2016
- [*Maladera vethi*](#) (Moser, 1916)
- [*Maladera viraktamathi*](#) Sreedevi, Ranasinghe, Fabrizi & Ahrens, 2019
- [*Maladera wandingana*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera watanabei*](#) Kobayashi, 2002
- [*Maladera weigeli*](#) Ahrens, 2004
- [*Maladera weligamana*](#) (Brenske, 1900)
- [*Maladera windy*](#) Ranasinghe, Eberle, Athukorala, Benjamin & Ahrens, 2022
- [*Maladera wolfgangdierli*](#) Ahrens, 2004
- [*Maladera woodi*](#) Fabrizi & Ahrens, 2014
- [*Maladera wulaoshanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera wupingensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera xanthoptera*](#) Ahrens & Fabrizi, 2016
- [*Maladera xingkeyangi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera xinqiaoensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera xuezhong*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera yaeyamana*](#) Nomura, 1963
- [*Maladera yakouensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera yakushimana*](#) Kobayashi, Kusui & Imasaka, 2006
- [*Maladera yalaensis*](#) Fabrizi & Ahrens, 2014
- [*Maladera yangi*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera yipinglangensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera yongrenensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera yunnanica*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera zeta*](#) (Dalla Torre, 1912)
- [*Maladera zhanchaoi*](#) Zhao & Ahrens, 2023
- [*Maladera zhejiangensis*](#) Ahrens, Fabrizi & Liu, 2021

- *Omaladera* Reitter, 1901
 - [*Maladera affinis*](#) (Blanchard, 1850)
 - [*Maladera allolaterita*](#) Ahrens & Fabrizi, 2016
 - [*Maladera anhuiensis*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera bangaloreensis*](#) Ahrens & Fabrizi, 2016
 - [*Maladera beata*](#) (Brenske, 1902)
 - [*Maladera boettcheri*](#) (Moser, 1926)
 - [*Maladera bombycina*](#) (Karsch, 1882)
 - [*Maladera bombycinoides*](#) Ahrens & Fabrizi, 2016
 - [*Maladera businskyorum*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera caifensis*](#) (Brenske, 1898)
 - [*Maladera cardoni*](#) (Brenske, 1896)
 - [*Maladera cariniceps*](#) (Moser, 1915)
 - [*Maladera carinifrons*](#) (Brenske, 1896)
 - [*Maladera cinnaberina*](#) (Brenske, 1899)
 - [*Maladera clypeata*](#) (Fairmaire, 1887)
 - [*Maladera dahongshanica*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera dierli*](#) (Frey, 1969)
 - [*Maladera diversipes*](#) Moser, 1915
 - [*Maladera dunhindaensis*](#) Ahrens & Fabrizi, 2016
 - [*Maladera ekisi*](#) Fabrizi & Ahrens, 2014
 - [*Maladera emmrichi*](#) Ahrens, 2004
 - [*Maladera enigma*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera faceta*](#) Ahrens & Fabrizi, 2016
 - [*Maladera formosae*](#) (Brenske, 1899)
 - [*Maladera fusca*](#) (Frey, 1972)
 - [*Maladera gardneri*](#) Ahrens, 2004
 - [*Maladera globosa*](#) (Frey, 1972)
 - [*Maladera guangdongana*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera guomenshanensis*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera hajeki*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera hiekei*](#) (Frey, 1972)
 - [*Maladera himalayica*](#) (Brenske, 1896)
 - [*Maladera hongkongica*](#) (Brenske, 1899)
 - [*Maladera ignava*](#) (Brenske, 1894)
 - [*Maladera infuscata*](#) (Moser, 1915)
 - [*Maladera insanabilis*](#) (Brenske, 1894)
 - [*Maladera iridescens*](#) (Blanchard, 1850)
 - [*Maladera joachimi*](#) Ahrens, 2004
 - [*Maladera johannes*](#) Ahrens & Fabrizi, 2016
 - [*Maladera juntongi*](#) Ahrens, Fabrizi & Liu, 2021
 - [*Maladera kawaii*](#) (Kobayashi, 2010)

- [*Maladera kostali*](#) Ahrens & Fabrizi, 2016
- [*Maladera krombeini*](#) Fabrizi & Ahrens, 2014
- [*Maladera kumei*](#) Kobayashi, 1990
- [*Maladera lateritia*](#) (Moser, 1915)
- [*Maladera lignicolor*](#) (Fairmaire, 1887)
- [*Maladera lishana*](#) Miyake, 1989
- [*Maladera longiclava*](#) (Moser, 1926)
- [*Maladera luteola*](#) (Moser, 1918)
- [*Maladera masumotoi*](#) Nomura, 1974
- [*Maladera mollis*](#) (Walker, 1859)
- [*Maladera mulmeina*](#) (Brenske, 1899)
- [*Maladera nagporeana*](#) (Brenske, 1899)
- [*Maladera nakamurai*](#) Miyake, 1991
- [*Maladera nanshanchiana*](#) Nomura, 1974
- [*Maladera nilgirina*](#) (Frey, 1972)
- [*Maladera omanica*](#) (Ahrens, 2000)
- [*Maladera orientalis*](#) (Motschulsky, 1857)
- [*Maladera oshimana*](#) Nomura, 1962
- [*Maladera ovatula*](#) (Fairmaire, 1891)
- [*Maladera paraprabangana*](#) Ahrens & Fabrizi, 2016
- [*Maladera pernicioso*](#) (Brenske, 1899)
- [*Maladera prabangana*](#) (Brenske, 1899)
- [*Maladera pseudohongkongica*](#) Ahrens & Fabrizi, 2016
- [*Maladera pseudomollis*](#) Fabrizi & Ahrens, 2014
- [*Maladera riberai*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera rufocuprea*](#) (Blanchard, 1850)
- [*Maladera satoi*](#) Nomura, 1961
- [*Maladera sauteri*](#) (Moser, 1918)
- [*Maladera shimogana*](#) Ahrens & Fabrizi, 2016
- [*Maladera shiniushanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera shiva*](#) Ahrens & Fabrizi, 2016
- [*Maladera simlana*](#) (Brenske, 1899)
- [*Maladera slateri*](#) Ahrens & Fabrizi, 2016
- [*Maladera sontica*](#) (Brenske, 1899)
- [*Maladera sprecherae*](#) Ahrens, 2004
- [*Maladera stevensi*](#) Ahrens, 2004
- [*Maladera subabbreviata*](#) Ahrens & Fabrizi, 2016
- [*Maladera sunaiensis*](#) Ahrens & Fabrizi, 2016
- [*Maladera tiefermanni*](#) Ahrens & Fabrizi, 2016
- [*Maladera tomentosa*](#) (Frey, 1972)
- [*Maladera tridentata*](#) (Moser, 1918)
- [*Maladera tridenticeps*](#) (Moser, 1915)

- [*Maladera tyrannica*](#) (Brenske, 1894)
- [*Maladera vulpecula*](#) (Arrow, 1946)
- [*Maladera weni*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera westermanni*](#) (Brenske, 1899)
- [*Maladera wuliangshanensis*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera xingkei*](#) Ahrens, Fabrizi & Liu, 2021
- [*Maladera yasutoshii*](#) Nomura, 1974
- [*Maladera yibini*](#) Ahrens, Fabrizi & Liu, 2021
- subgenus unassigned
 - [*Maladera conchinchinae*](#) (Brenske, 1899)
 - [*Maladera laterita*](#) (Moser, 1915)

Selected former species

- [*Maladera distincta*](#) (Moser, 1915) ^c
- [*Maladera insubida*](#) (Brenske, 1898) ^{c g}
- [*Maladera liotibia*](#) Nomura, 1974 ^{c g}
- [*Maladera major*](#) (Arrow, 1946) ^{c g}
- [*Maladera schoenfeldti*](#) (Murayama, 1937) ^{c g}
- [*Maladera subspinoso*](#) (Brenske, 1898) ^{c g}

This is a list of 130 species in [*Macroteleia*](#), a genus of parasitoid wasps in the family [*Platygastridae*](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)[\[5\]](#)

Macroteleia species

- [*Macroteleia absona*](#) Muesebeck, 1977 ^{i c g}
- [*Macroteleia acuta*](#) Kozlov & Kononova, 1987 ^{i c g}
- [*Macroteleia aethiops*](#) Nixon, 1931 ^{i c g}
- [*Macroteleia africana*](#) (Risbec, 1957) ^{i c}
- [*Macroteleia amoena*](#) Muesebeck, 1977 ^{i c g}
- [*Macroteleia angelovi*](#) Petrov, 1994 ^{i c g}
- [*Macroteleia antennalis*](#) Kieffer, 1917 ^{i c g}
- [*Macroteleia arctica*](#) Galloway, 1978 ^{i c g}
- [*Macroteleia atrata*](#) Kozlov & Kononova, 1987 ^{i c g}
- [*Macroteleia aurea*](#) Kozlov & Kononova, 1987 ^{i c g}
- [*Macroteleia banksi*](#) Muesebeck, 1977 ^{i c g}
- [*Macroteleia bicolora*](#) Kieffer, 1908 ^{i c g}

- [Macroteleia boriviliensis](#) Saraswat, 1982 ^{i c g}
- [Macroteleia brevigaster](#) Masner, 1976 ^{i c g}
- [Macroteleia bryani](#) Fullaway, 1939 ^{i c g}
- [Macroteleia carinata](#) Ashmead, 1894 ^{i c g b}
- [Macroteleia cavifrons](#) Kieffer, 1914 ^{i c g}
- [Macroteleia cebes](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia chandelii](#) Sharma, 1980 ^{i c g}
- [Macroteleia cleonymoides](#) Westwood, 1835 ^{i c g}
- [Macroteleia compar](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia concinna](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia coracina](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia cornuta](#) Dodd, 1913 ^{i c g}
- [Macroteleia crates](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia crawfordi](#) Kieffer ^g
- [Macroteleia decaryi](#) Risbec, 1950 ^{i c g}
- [Macroteleia demades](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia densa](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia diegoi](#) Risbec, 1956 ^{i c g}
- [Macroteleia discors](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia dolichopa](#) Sharma, 1980 ^{i c g}
- [Macroteleia donaldsoni](#) Galloway, 1978 ^{i c g}
- [Macroteleia done](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia dores](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia elissa](#) Kozlov & Kononova, 1987 ^{i c g}
- [Macroteleia elongata](#) (Ashmead, 1887) ^{i c}
- [Macroteleia emarginata](#) Dodd, 1920 ^{i c g}
- [Macroteleia eremicola](#) Priesner, 1951 ^{i c g}
- [Macroteleia erythrogaster](#) Ashmead, 1894 ^{i c g}
- [Macroteleia ethiopica](#) Risbec, 1950 ^{i c g}
- [Macroteleia exilis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia eximia](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia famelica](#) (Say, 1836) ^{i c g}
- [Macroteleia flaviceps](#) Kieffer, 1914 ^{i c g}
- [Macroteleia flavigena](#) Kieffer, 1910 ^{i c g}
- [Macroteleia floridana](#) (Ashmead, 1887) ^{i c}
- [Macroteleia foveolata](#) Muesebeck, 1977 ^{i c g}

- [Macroteleia fugacious](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia goldsmithi](#) Girault, 1920 ^{i c g}
- [Macroteleia gracilicornis](#) Dodd, 1920 ^{i c g}
- [Macroteleia graeffei](#) Kieffer, 1908 ^{i c g}
- [Macroteleia grandis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia herbigrada](#) Brues, 1915 ^{i c g}
- [Macroteleia hungarica](#) Szabó, 1966 ^{i c g}
- [Macroteleia indica](#) Sharma, 1978 ^{i c g}
- [Macroteleia inermis](#) Fouts, 1930 ^{i c g}
- [Macroteleia insignis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia insolita](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia insularis](#) (Risbec, 1957) ^{i c g}
- [Macroteleia laevifrons](#) Kozlov, 1971 ^{i c g}
- [Macroteleia lambda](#) Saraswat, 1978 ^{i c g}
- [Macroteleia lambertoni](#) Kieffer, 1917 ^{i c g}
- [Macroteleia larga](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia liebeli](#) Kieffer, 1917 ^{i c g}
- [Macroteleia ligula](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia linearis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia livingstoni](#) Saraswat, 1982 ^{i c g}
- [Macroteleia longissima](#) Risbec, 1950 ^{i c g}
- [Macroteleia macrogaster](#) Ashmead, 1893 ^{i c g}
- [Macroteleia magna](#) Dodd, 1913 ^{i c g}
- [Macroteleia mahensis](#) Kieffer, 1910 ^{i c g}
- [Macroteleia manilensis](#) Ashmead, 1905 ^{i c g}
- [Macroteleia minor](#) Kozlov & Kononova, 1987 ^{i c g}
- [Macroteleia mira](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia mongolica](#) Szabó, 1973 ^{i c g}
- [Macroteleia munda](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia nebrija](#) Nixon, 1931 ^{i c g}
- [Macroteleia neomexicana](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia nigra](#) Risbec, 1950 ^{i c g}
- [Macroteleia nitida](#) Kieffer, 1908 ^{i c g}
- [Macroteleia nixonii](#) Masner, 1965 ^{i c g}
- [Macroteleia occipitalis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia orithyla](#) Nixon, 1931 ^{i c g}

- [Macroteleia pannonica](#) Szabó, 1966 ^{i c g}
- [Macroteleia paraensis](#) Kieffer, 1910 ^{i c g}
- [Macroteleia parilis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia peliades](#) Kozlov & Lê, 2000 ^{i c g}
- [Macroteleia philippinensis](#) Kieffer, 1913 ^{i c g}
- [Macroteleia pilosa](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia platensis](#) Brèthes, 1916 ^{i c g}
- [Macroteleia pulchritinis](#) Kononova, 1992 ^{i c g}
- [Macroteleia punctatifrons](#) Kieffer, 1917 ^{i c g}
- [Macroteleia punctativentris](#) Kieffer, 1908 ^{i c g}
- [Macroteleia punctifrons](#) Kozlov, 1971 ^{i c g}
- [Macroteleia punctulata](#) Kieffer, 1909 ^{i c g}
- [Macroteleia pustacola](#) Szabó, 1966 ^{i c g}
- †[Macroteleia renatae](#) Szabó & Oehlke, 1986 ^{i c g f}
- [Macroteleia rima](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia rossi](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia rubra](#) (Risbec, 1950) ^{i c g}
- [Macroteleia rufa](#) Szelényi, 1938 ^{i c g}
- [Macroteleia rufithorax](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia rufiventris](#) (Szabó, 1957) ^{i c g}
- [Macroteleia rugosa](#) (Provancher, 1881) ^{i c g}
- [Macroteleia rutila](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia sanctivincenti](#) Ashmead, 1894 ^{i c g}
- [Macroteleia secreta](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia simulans](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia spartinae](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia stabilis](#) Nixon, 1931 ^{i c g}
- [Macroteleia striativentris](#) Crawford, 1910 ^{i c g}
- [Macroteleia subtilis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia superans](#) Kieffer, 1914 ^{i c g}
- [Macroteleia surfacei](#) Brues, 1907 ^{i c g}
- [Macroteleia terminalis](#) Fouts, 1930 ^{i c g}
- [Macroteleia testaceinerva](#) Cameron, 1904 ^{i c g}
- [Macroteleia testaceipes](#) Kieffer, 1908 ^{i c g}
- [Macroteleia torresia](#) Dodd, 1913 ^{i c g}
- [Macroteleia townsendi](#) Muesebeck, 1977 ^{i c g}

- [Macroteleia triangularis](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia tuberala](#) Kononova & Petrov, 2003 ^{i c g}
- [Macroteleia tutuilana](#) Fullaway, 1939 ^{i c g}
- [Macroteleia unica](#) Muesebeck, 1977 ^{i c g}
- [Macroteleia upoluensis](#) Fullaway, 1939 ^{i c g}
- [Macroteleia variegata](#) Kozlov & Kononova, 1987 ^{i c g}
- [Macroteleia versicolor](#) Kieffer, 1910 ^{i c g}
- [Macroteleia veterna](#) Cockerell, 1921 ^{i c g}
- [Macroteleia virginensis](#) Ashmead, 1893 ^{i c g}
- [Macroteleia viticola](#) Kononova & Petrov, 2003 ^{i c g}
- †[Macroteleia yaguarum](#) Perrichot & Engel 2014 ^f

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net,[4] f = Fossilworks.org[5]

These 157 species belong to [Macrosiphoniella](#), a genus of aphids in the family [Aphididae](#).^{[1][2][3][4]}

***Macrosiphoniella* species**

- [Macrosiphoniella abrotani](#) (Walker, F., 1852) ^{c g}
- [Macrosiphoniella absinthii](#) (Linnaeus, 1758) ^{c g}
- [Macrosiphoniella achlys](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella aetnensis](#) Barbagallo, 1968 ^{c g}
- [Macrosiphoniella ajaniae](#) Kadyrbekov, 1999 ^{c g}
- [Macrosiphoniella aktaschica](#) ^{c g}
- [Macrosiphoniella aktashica](#) (Nevsky, 1928) ^{c g}
- [Macrosiphoniella alatavica](#) (Nevsky, 1928) ^{c g}
- [Macrosiphoniella albiartemisiae](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella albicola](#) ^{c g}
- [Macrosiphoniella altaica](#) ^{c g}
- [Macrosiphoniella annulata](#) ^{c g}
- [Macrosiphoniella antennata](#) ^{c g}
- [Macrosiphoniella arctica](#) Pashtshenko, 1999 ^{c g}
- [Macrosiphoniella arenariae](#) Bozhko, 1954 ^{c g}
- [Macrosiphoniella artemisiae](#) (Boyer de Fonscolombe, 1841) ^{c g}
- [Macrosiphoniella asteris](#) (Walker, F., 1849) ^{c g}
- [Macrosiphoniella atra](#) (Ferrari, 1872) ^{c g}

- [Macrosiphoniella atrata](#) ^{c g}
- [Macrosiphoniella austriacae](#) Bozhko, 1961 ^{c g}
- [Macrosiphoniella borealis](#) Pashtshenko, 1998 ^{c g}
- [Macrosiphoniella bozhkoae](#) Remaudière, G., 1997 ^{c g}
- [Macrosiphoniella brevisiphona](#) Zhang, Guangxue, 1981 ^{c g}
- [Macrosiphoniella capillaricola](#) Holman, Seungwhan Lee & Jan Havelka, 2006 ^{c g}
- [Macrosiphoniella caucasica](#) ^{c g}
- [Macrosiphoniella cayratiae](#) ^{c g}
- [Macrosiphoniella cegmidi](#) Szelegiewicz, 1963 ^{c g}
- [Macrosiphoniella chaetosiphon](#) Takahashi, R. & Moritsu, 1963 ^{c g}
- [Macrosiphoniella chamaemelifoliae](#) Remaudière, G. & Leclant, 1972 ^{c g}
- [Macrosiphoniella cinerescens](#) Hille Ris Lambers, 1966 ^{c g}
- [Macrosiphoniella confusa](#) Holman, Seungwhan Lee & Jan Havelka, 2006 ^{c g}
- [Macrosiphoniella crassipes](#) ^{c g}
- [Macrosiphoniella crepidis](#) Holman & Szelegiewicz, 1974 ^{c g}
- [Macrosiphoniella cymbariae](#) Bozhko, 1976 ^{c g}
- [Macrosiphoniella davazhamci](#) Holman & Szelegiewicz, 1974 ^{c g}
- [Macrosiphoniella dimidiata](#) Börner, 1942 ^{c g}
- [Macrosiphoniella dracunculi](#) ^{c g}
- [Macrosiphoniella dubia](#) (Ferrari, 1872) ^{c g}
- [Macrosiphoniella elegans](#) Pashtshenko, 1999 ^{c g}
- [Macrosiphoniella elenae](#) Pashtshenko, 1999 ^{c g}
- [Macrosiphoniella erigeronis](#) Nevsky, 1928 ^{c g}
- [Macrosiphoniella erythraea](#) Zhang, Guangxue & Qiao, 1999 ^{c g}
- [Macrosiphoniella femorata](#) Bozhko, 1976 ^{c g}
- [Macrosiphoniella flaviviridis](#) Zhang, Guangxue, 1981 ^{c g}
- [Macrosiphoniella formosartemisia](#) Takahashi, 1921 ^g
- [Macrosiphoniella formosartemisiae](#) Takahashi, R., 1921 ^{c g}
- [Macrosiphoniella frigidae](#) ^{c g}
- [Macrosiphoniella frigidicola](#) Gillette & M.A. Palmer, 1928 ^{c g}
- [Macrosiphoniella frigidivora](#) Holman & Szelegiewicz, 1974 ^{c g}
- [Macrosiphoniella galatellae](#) Bozhko, 1953 ^{c g}
- [Macrosiphoniella gaoloushana](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella glabra](#) (Gillette & Palmer, 1928) ^{c g b}
- [Macrosiphoniella gmelinicola](#) Szelegiewicz, 1980 ^{c g}
- [Macrosiphoniella grandicauda](#) Takahashi, R. & Moritsu, 1963 ^{c g}

- [Macrosiphoniella helichrysi](#) Remaudière, 1952 ^{c g}
- [Macrosiphoniella hikosanensis](#) ^{c g}
- [Macrosiphoniella hillerislambersi](#) Ossiannilsson, 1954 ^{c g}
- [Macrosiphoniella himalayana](#) ^{c g}
- [Macrosiphoniella hofuchui](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella hokkaidensis](#) Miyazaki, 1971 ^{c g}
- [Macrosiphoniella huaidensis](#) Zhang, Guangxue, 1980 ^{c g}
- [Macrosiphoniella huochengensis](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella insignata](#) Kadyrbekov, 1999 ^{c g}
- [Macrosiphoniella iranica](#) Nieto Nafria & Pérez Hidalgo, 2013 ^{c g}
- [Macrosiphoniella ixeridis](#) Holman, Seungwhan Lee & Jan Havelka, 2006 ^{c g}
- [Macrosiphoniella janckei](#) Börner, 1939 ^{c g}
- [Macrosiphoniella jankei](#) Börner, 1939 ^g
- [Macrosiphoniella jaroslavi](#) Stekolshchikov & Khruleva, 2015 ^{c g}
- [Macrosiphoniella kalimpongensis](#) Basu, R.C. & D.N. Raychaudhuri, 1976 ^{c g}
- [Macrosiphoniella karatavica](#) Kadyrbekov, 2015 ^{c g}
- [Macrosiphoniella kareliniae](#) Kadyrbekov, Renxin & Shao, 2002 ^{c g}
- [Macrosiphoniella kaufmanni](#) Börner, 1940 ^{c g}
- [Macrosiphoniella kermanensis](#) Mehrparvar & Rezwani, 2007 ^{c g}
- [Macrosiphoniella kikungshana](#) ^{c g}
- [Macrosiphoniella kirgisica](#) ^{c g}
- [Macrosiphoniella kuwayamai](#) ^{c g}
- [Macrosiphoniella lazoica](#) Pashtshenko, 1999 ^{c g}
- [Macrosiphoniella lena](#) Pashtshenko, 1998 ^{c g}
- [Macrosiphoniella leucanthemi](#) (Ferrari, 1872) ^{c g}
- [Macrosiphoniella lidiae](#) ^{c g}
- [Macrosiphoniella lijiangensis](#) Zhang, Guangxue, Tiesen Zhong & Wanyu Zhang, 1992 ^{c g}
- [Macrosiphoniella linariae](#) (Koch, C.L., 1855) ^{c g}
- [Macrosiphoniella lithospermi](#) Bozhko, 1959 ^{c g}
- [Macrosiphoniella longirostrata](#) Holman & Szelegiewicz, 1974 ^{c g}
- [Macrosiphoniella lopatini](#) ^{c g}
- [Macrosiphoniella ludoviciana](#) (Oestlund, 1886) ^{c g}
- [Macrosiphoniella maculata](#) ^{c g}
- [Macrosiphoniella madeirensis](#) Aguiar & Ilharco, 2005 ^{c g}
- [Macrosiphoniella medvedevi](#) (Bozhko, 1957) ^{c g}
- [Macrosiphoniella miestingeri](#) (Börner, 1950) ^{c g}

- [Macrosiphoniella millefolii](#) (De Geer, 1773) ^{c g b}
- [Macrosiphoniella mutellinae](#) Börner, 1950 ^{c g}
- [Macrosiphoniella myohyangsani](#) Szelegiewicz, 1980 ^{c g}
- [Macrosiphoniella nigropilosa](#) ^{c g}
- [Macrosiphoniella nitida](#) Börner, 1950 ^{c g}
- [Macrosiphoniella oblonga](#) (Mordvilko, 1901) ^{c g}
- [Macrosiphoniella olgae](#) ^{c g}
- [Macrosiphoniella oronensis](#) Szelegiewicz, 1980 ^{c g}
- [Macrosiphoniella pallidipes](#) Holman, Seungwhan Lee & Jan Havelka, 2006 ^{c g}
- [Macrosiphoniella papillata](#) Holman, 1962 ^{c g}
- [Macrosiphoniella paradoxa](#) ^{c g}
- [Macrosiphoniella paraoblonga](#) Basu, R.C. & D.N. Raychaudhuri, 1976 ^{c g}
- [Macrosiphoniella paucisetosa](#) Robinson, 1987 ^{c g}
- [Macrosiphoniella pennsylvanica](#) (Pepper, 1950) ^{c g}
- [Macrosiphoniella persequens](#) (Walker, F., 1852) ^{c g}
- [Macrosiphoniella piceaphis](#) (Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jin ^{c g}
- [Macrosiphoniella procerae](#) Bozhko, 1953 ^{c g}
- [Macrosiphoniella pseudoartemisiae](#) Shinji, 1933 ^{c g}
- [Macrosiphoniella pseudotanacetaria](#) Holman, Seungwhan Lee & Jan Havelka, 2006 ^{c g}
- [Macrosiphoniella ptarmicae](#) Hille Ris Lambers, 1956 ^{c g}
- [Macrosiphoniella pulvera](#) (Walker, F., 1848) ^{c g}
- [Macrosiphoniella quinifontana](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella remaudierei](#) Barbagallo & Nieto Nafria, 2016 ^{c g}
- [Macrosiphoniella riedeli](#) Szelegiewicz, 1963 ^{c g}
- [Macrosiphoniella sachalinensis](#) Pashtshenko, 1998 ^{c g}
- [Macrosiphoniella sanborni](#) (Gillette, 1908) ^{i c g b} (chrysanthemum aphid)
- [Macrosiphoniella santolinifoliae](#) Kadyrbekov, 1999 ^{c g}
- [Macrosiphoniella saussureae](#) ^{c g}
- [Macrosiphoniella scephariae](#) Bozhko, 1959 ^{c g}
- [Macrosiphoniella sejuncta](#) (Walker, F., 1848) ^{c g}
- [Macrosiphoniella seriphidii](#) Kadyrbekov, 2000 ^{c g}
- [Macrosiphoniella sibirica](#) ^{c g}
- [Macrosiphoniella sieversianae](#) Holman & Szelegiewicz, 1974 ^{c g}
- [Macrosiphoniella sikhotealinensis](#) Pashtshenko, 1998 ^{c g}
- [Macrosiphoniella sikkimartemisiae](#) Agarwala & D.N. Raychaudhuri, 1977 ^{c g}
- [Macrosiphoniella silvestrii](#) Roberti, 1954 ^{c g}

- [Macrosiphoniella similioblonga](#) Zhang, Guangxue, 1980 ^{c g}
- [Macrosiphoniella sojaki](#) Holman & Szelegiewicz, 1974 ^{c g}
- [Macrosiphoniella soosi](#) Szelegiewicz, 1966 ^{c g}
- [Macrosiphoniella spinipes](#) Basu, A.N., 1968 ^{c g}
- [Macrosiphoniella staegeri](#) Hille Ris Lambers, 1947 ^{c g}
- [Macrosiphoniella subaequalis](#) Börner, 1942 ^{c g}
- [Macrosiphoniella subterranea](#) (Koch, C.L., 1855) ^{c g}
- [Macrosiphoniella sudhakarisi](#) Banerjee, H., A.K. Ghosh & D.N. Raychaudhuri, 1969 ^{c g}
- [Macrosiphoniella szalaymarzsoi](#) Szelegiewicz, 1978 ^{c g}
- [Macrosiphoniella tadshikana](#) ^{c g}
- [Macrosiphoniella taesongsanensis](#) Szelegiewicz, 1980 ^{c g}
- [Macrosiphoniella tanacetaria](#) (Kaltenbach, 1843) ^{c g b} (tansy aphid)
- [Macrosiphoniella tapuskae](#) (Hottes & Frison, 1931) ^{c g}
- [Macrosiphoniella teriolana](#) Hille Ris Lambers, 1931 ^{c g}
- [Macrosiphoniella terraealbae](#) Kadyrbekov, 2000 ^{c g}
- [Macrosiphoniella tszhongii](#) Zhang, Guangxue, Xiaolin Chen, Tiesen Zhong & Jing ^{c g}
- [Macrosiphoniella tuberculata](#) (Nevsky, 1928) ^{c g}
- [Macrosiphoniella tuberculatumartemisicola](#) Bozhko, 1957 ^{c g}
- [Macrosiphoniella turanica](#) Narzikulov & Umarov, 1969 ^{c g}
- [Macrosiphoniella umarovi](#) ^{c g}
- [Macrosiphoniella usquertensis](#) Hille Ris Lambers, 1935 ^{c g}
- [Macrosiphoniella vallesiaca](#) Jorg & Lampel, 1988 ^{c g}
- [Macrosiphoniella victoriae](#) Kadyrbekov, 1999 ^{c g}
- [Macrosiphoniella xeranthemi](#) Bozhko, 1959 ^{c g}
- [Macrosiphoniella xinjiangica](#) Kadyrbekov, Renxin & Shao, 2002 ^{c g}
- [Macrosiphoniella yangi](#) Takahashi, R., 1937 ^{c g}
- [Macrosiphoniella yomenae](#) (Shinji, 1922) ^{c g}
- [Macrosiphoniella yomogicola](#) (Matsumura, 1917) ^{c g}
- [Macrosiphoniella yomogifoliae](#) (Shinji, 1922) ^{c g}
- [Macrosiphoniella zayuensis](#) Zhang, Guangxue, 1981 ^{c g}
- [Macrosiphoniella zeya](#) Pashtshenko, 1998 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 116 species in the genus [Macrodictylus](#), rose chafers.[1][2][3][4]

Macrodactylus species

- [Macrodactylus aeneicollis](#) Moser, 1918
- [Macrodactylus aeneipes](#) Moser, 1918
- [Macrodactylus aeneus](#) Kirsch, 1885
- [Macrodactylus aequatorialis](#) Moser, 1918
- [Macrodactylus affinis](#) Castelnau, 1840
- [Macrodactylus amoenus](#) Frey, 1975
- [Macrodactylus angustatus](#) (Palisot de Beauvois, 1805)
- [Macrodactylus annulitarsis](#) Blanchard, 1850
- [Macrodactylus argentinus](#) Moser, 1918
- [Macrodactylus batesi](#) Arce-Pérez & Morón, 2000
- [Macrodactylus bicolor](#) Moser, 1921
- [Macrodactylus bilineolatus](#) Moser, 1919
- [Macrodactylus bistriatus](#) Moser, 1919
- [Macrodactylus bolivianus](#) Moser, 1918
- [Macrodactylus brenskei](#) Moser, 1918
- [Macrodactylus carrilloi](#) Arce-Pérez & Morón, 2000
- [Macrodactylus championi](#) Bates, 1887
- [Macrodactylus chilensis](#) Solier, 1851
- [Macrodactylus cinereus](#) Blanchard, 1850
- [Macrodactylus columbianus](#) Von Dalle Torre, 1912
- [Macrodactylus conjunctus](#) Moser, 1921
- [Macrodactylus costaricensis](#) Moser, 1919
- [Macrodactylus costulatus](#) Bates, 1887
- [Macrodactylus cupreus](#) Blanchard, 1850
- [Macrodactylus curtipilis](#) Frey, 1969
- [Macrodactylus cyanonigrus](#) Evans, 2003
- [Macrodactylus dimidiatus](#) Guérin-Méneville, 1844
- [Macrodactylus discicollis](#) Moser, 1919
- [Macrodactylus discipennis](#) Moser, 1918
- [Macrodactylus disparilis](#) Moser, 1919
- [Macrodactylus dorsatus](#) Burmeister, 1855
- [Macrodactylus duckei](#) Ohaus, 1913
- [Macrodactylus elegans](#) Nonfried, 1894
- [Macrodactylus excellens](#) Kirsch, 1865
- [Macrodactylus farinosus](#) Philippi, 1864
- [Macrodactylus felix](#) Kirsch, 1885
- [Macrodactylus fulvescens](#) Bates, 1887
- [Macrodactylus fulvipennis](#) Blanchard, 1850
- [Macrodactylus fulvipes](#) Moser, 1918
- [Macrodactylus gracilis](#) Moser, 1918
- [Macrodactylus griseus](#) Moser, 1918

- [Macrodactylus haenschi](#) Moser, 1919
- [Macrodactylus hondurensis](#) Arce-Pérez & Morón, 2005
- [Macrodactylus howdeni](#) Arce-Pérez & Morón, 2009
- [Macrodactylus impressus](#) Bates, 1887
- [Macrodactylus infuscatus](#) Bates, 1887
- [Macrodactylus limbatus](#) Blanchard, 1850
- [Macrodactylus lineaticollis](#) Bates, 1887
- [Macrodactylus lineatocollis](#) Bates, 1887
- [Macrodactylus lineatus](#) Chevrolat, 1834
- [Macrodactylus longicollis](#) (Latreille, 1812)
- [Macrodactylus longipes](#) Burmeister, 1855
- [Macrodactylus manantlecus](#) Arce-Pérez & Morón, 2000
- [Macrodactylus marginicollis](#) Moser, 1919
- [Macrodactylus marianus](#) Moser, 1924
- [Macrodactylus megaphyllus](#) Arce-Pérez & Morón, 2014
- [Macrodactylus meridanus](#) Moser, 1926
- [Macrodactylus mexicanus](#) Burmeister, 1855
- [Macrodactylus montanus](#) Arce-Pérez & Morón, 2000
- [Macrodactylus murinus](#) Bates, 1887
- [Macrodactylus nigricornis](#) Moser, 1919
- [Macrodactylus nigripes](#) Bates, 1887
- [Macrodactylus nigritarsis](#) Gemminger & Harold, 1869
- [Macrodactylus nigrocyaneus](#) Gemminger & Harold, 1869
- [Macrodactylus nitidicollis](#) Blanchard, 1850
- [Macrodactylus nitididorsis](#) Frey, 1976
- [Macrodactylus nobilis](#) Frey, 1963
- [Macrodactylus noveloi](#) Arce-Pérez & Morón, 2009
- [Macrodactylus obscuritarsis](#) Moser, 1926
- [Macrodactylus ocreatus](#) Bates, 1887
- [Macrodactylus ohausi](#) Moser, 1921
- [Macrodactylus ovaticollis](#) Bates, 1887
- [Macrodactylus pallens](#) Blanchard, 1850
- [Macrodactylus paraguayensis](#) Moser, 1921
- [Macrodactylus penai](#) Frey, 1972
- [Macrodactylus peruanus](#) Moser, 1919
- [Macrodactylus pexus](#) Kirsch, 1865
- [Macrodactylus pluto](#) Wickham, 1912
- [Macrodactylus pokornyanus](#) Arce-Pérez & Morón, 2000
- [Macrodactylus praececellens](#) Moser, 1919
- [Macrodactylus propheticus](#) Wickham, 1912
- [Macrodactylus pulchellus](#) Moser, 1918
- [Macrodactylus pulchripes](#) Blanchard, 1850

- [Macrodactylus pumilio](#) Burmeister, 1855
- [Macrodactylus rufescens](#) Bates, 1887
- [Macrodactylus sapphirinus](#) Moser, 1919
- [Macrodactylus scutellaris](#) Frey, 1972
- [Macrodactylus sericeicollis](#) Bates, 1887
- [Macrodactylus sericinus](#) Bates, 1887
- [Macrodactylus signatipennis](#) Moser, 1919
- [Macrodactylus silaonus](#) Bates, 1887
- [Macrodactylus silarutus](#) Evans, 2003
- [Macrodactylus sparsesetosus](#) Frey, 1969
- [Macrodactylus squamiger](#) Frey, 1963
- [Macrodactylus suavis](#) Bates, 1887
- [Macrodactylus subaeneus](#) Burmeister, 1855
- [Macrodactylus submarginatus](#) Bates, 1887
- [Macrodactylus subspinosus](#) (Fabricius, 1775) (rose chafer)
- [Macrodactylus subvittatus](#) Burmeister, 1855
- [Macrodactylus sulcicollis](#) Moser, 1919
- [Macrodactylus sulphureus](#) Blanchard, 1850
- [Macrodactylus surianus](#) Arce-Pérez & Morón, 2000
- [Macrodactylus suturalis](#) Mannerheim, 1829
- [Macrodactylus sylphis](#) Bates, 1887
- [Macrodactylus tenuilineatus](#) Guérin-Meneville, 1843
- [Macrodactylus thoracicus](#) Kirsch, 1885
- [Macrodactylus tibialis](#) Arce-Pérez & Morón, 2005
- [Macrodactylus uniformis](#) Horn, 1876 (western rose chafer)
- [Macrodactylus variipes](#) Bates, 1887
- [Macrodactylus velutinus](#) Frey, 1976
- [Macrodactylus virens](#) Bates, 1887
- [Macrodactylus vittipennis](#) Moser, 1919
- [Macrodactylus yunganus](#) Arce-Pérez & Morón, 2014
- [Macrodactylus zaragozai](#) Arce-Pérez & Morón, 2011
- [Macrodactylus zischkai](#) Frey, 1966
- [Macrodactylus zunilensis](#) Bates, 1887

This is a list of 196 species in [Macrocera](#), a genus of predatory fungus gnats in the family [Keroplattidae](#).^{[1][2][3][4]}

- [M. abdominalis](#) Okada, 1937^{c g}
- [M. aegaea](#) Matile, 1969^g
- [M. africana](#) Freeman, 1970^{c g}

- [M. alacra](#) Coher, 1988 ^{c g}
- [M. albipunctata](#) Matile, 1973 ^{c g}
- [M. alpicola](#) Winnertz, 1863 ^{c g}
- [M. alpicoloides](#) Okada, 1937 ^{c g}
- [M. altaica](#) Ostroverkhova, 1979 ^{c g}
- [M. alternata](#) Brunetti, 1912 ^{c g}
- [M. americana](#) Lepeletier, 1841 ^g
- [M. anglica](#) Edwards, 1925 ^{c g}
- [M. angulata](#) Meigen, 1818 ^{c g}
- [M. annulata](#) Tonnoir, 1927 ^{c g}
- [M. annuliventris](#) Matile, 1972 ^{c g}
- [M. antennalis](#) Marshall, 1896 ^{c g}
- [M. antennata](#) Freeman, 1951 ^{c g}
- [M. apicalis](#) Hoffmeister, 1844 ^{c g}
- [M. aquabellissima](#) Chandler, 1994 ^{c g}
- [M. aquilonia](#) Stackelberg, 1945 ^{c g}
- [M. arcuata](#) Sasakawa, 1966 ^{c g}
- [M. armata](#) Freeman, 1951 ^{c g}
- [M. aterrima](#) Stackelberg, 1945 ^{c g}
- [M. azorica](#) Stora, 1945 ^g
- [M. basilewskyi](#) Vanschuytbroeck, 1965 ^{c g}
- [M. beringensis](#) Malloch, 1923 ^{i g}
- [M. bicolor](#) Garrett, 1925 ^{i c g}
- [M. bilucida](#) Matile, 1979 ^{c g}
- [M. bipunctata](#) Edwards, 1925 ^{c g}
- [M. breviceps](#) Sasakawa, 1966 ^{c g}
- [M. brunnea](#) Brunetti, 1912 ^{c g}
- [M. buskettina](#) Chandler & Gatt, 2000 ^{c g}
- [M. campbelli](#) Edwards, 1927 ^{c g}
- [M. caudata](#) Matile, 1977 ^{c g}
- [M. centralis](#) Meigen, 1818 ^{c g}
- [M. chilena](#) Lane, 1962 ^{c g}
- [M. clara](#) Loew, 1869 ^{i c g}
- [M. clavinervis](#) Van Duzee, 1928 ^{i c g}
- [M. comosa](#) Ostroverkhova, 1979 ^{c g}
- [M. concinna](#) Williston, 1896 ^{c g}

- [M. coxata](#) Sasakawa, 1966 ^{c g}
- [M. crassicornis](#) Winnertz, 1863 ^{c g}
- [M. critica](#) Chandler, 2006 ^{c g}
- [M. crozetensis](#) Colless, 1970 ^{c g}
- [M. cypriaca](#) Chandler, 2006 ^{c g}
- [M. decorosa](#) Skuse, 1888 ^{c g}
- [M. delicata](#) Skuse, 1888 ^{c g}
- [M. diluta](#) Adams, 1903 ^{i c g}
- [M. distincta](#) Garrett, 1925 ^{i c g}
- [M. districta](#) Coher, 1988 ^{c g}
- [M. diversimaculata](#) Santos Abreu, 1920 ^{c g}
- [M. edwardsi](#) Freeman, 1970 ^{c g}
- [M. egregia](#) Meijere, 1924 ^{c g}
- [M. elegans](#) Brunetti, 1912 ^{c g}
- [M. elegantula](#) Coher, 1988 ^{c g}
- [M. elgonensis](#) Freeman, 1970 ^{c g}
- [M. ephemeraeformis](#) Alexander, 1924 ^{c g}
- [M. estonica](#) Landrock, 1924 ^{c g}
- [M. exilis](#) Matile, 1972 ^{c g}
- [M. ezoensis](#) Okada, 1937 ^{c g}
- [M. fasciata](#) Meigen, 1804 ^{c g}
- [M. fascipennis](#) Staeger, 1840 ^{c g}
- [M. fastuosa](#) Loew, 1869 ^{c g}
- [M. femina](#) Coher, 1963 ^{c g}
- [M. fisherae](#) Shaw, 1935 ^{i c g}
- [M. flavescens](#) Freeman, 1951 ^{c g}
- [M. flavicosta](#) Brunetti, 1912 ^{c g}
- [M. flavithorax](#) Freeman, 1951 ^{c g}
- [M. flavobrunnea](#) Freeman, 1951 ^{c g}
- [M. flexa](#) Ostroverkhova, 1974 ^{c g}
- [M. floridana](#) Johnson, 1926 ^{i c g}
- [M. formosa](#) Loew, 1866 ^{i c g}
- [M. frigida](#) Sack, 1923 ^{c g}
- [M. fryeri](#) Edwards, 1913 ^{c g}
- [M. fumidapex](#) Freeman, 1954 ^{c g}
- [M. fumigata](#) Tallet, 1955 ^{c g}

- [M. funerea](#) Freeman, 1951 ^{c g}
- [M. fusciventris](#) Roser, 1840 ^{c g}
- [M. fuscoides](#) Evenhuis, 2006 ^{c g}
- [M. garretti](#) Evenhuis, 2006 ^{c g}
- [M. gemagea](#) Bechev, 1991 ^{c g}
- [M. geminata](#) Johannsen, 1910 ^{i c g}
- [M. glabrata](#) Tonnoir, 1927 ^{c g}
- [M. gourlayi](#) Tonnoir, 1927 ^{c g}
- [M. grandis](#) Lundstroem, 1912 ^{c g}
- [M. griveaudi](#) Matile, 1972 ^{c g}
- [M. guaianasi](#) Lane, 1950 ^{c g}
- [M. guarani](#) Lane, 1950 ^{c g}
- [M. hermonophila](#) Chandler, 1994 ^{c g}
- [M. hirsuta](#) Loew, 1869 ^{i c g}
- [M. hirtipennis](#) Van Duzee, 1928 ^{i c g}
- [M. horrida](#) Freeman, 1951 ^{c g}
- [M. howletti](#) Marshall, 1896 ^{c g}
- [M. hudsoni](#) Tonnoir, 1927 ^{c g}
- [M. hyalinimculata](#) Santos Abreu, 1920 ^{c g}
- [M. hyalipennis](#) Shaw, 1941 ^{i c g}
- [M. immaculata](#) Johnson, 1902 ^{i c g}
- [M. inaequalis](#) Freeman, 1951 ^{c g}
- [M. incompleta](#) Becker, 1908 ^{c g}
- [M. inconcinna](#) Loew, 1869 ^{c g}
- [M. inconspicua](#) Brunetti, 1912 ^{c g}
- [M. indigena](#) Johannsen, 1910 ^{c g}
- [M. insignis](#) Vockeroth, 1976 ^{c g}
- [M. interrogationis](#) (Speiser, 1913) ^{c g}
- [M. inversa](#) Loew, 1869 ^{c g}
- [M. jonica](#) Martinovsky, 2001 ^{c g}
- [M. kerteszi](#) Lundstroem, 1911 ^{c g}
- [M. klossi](#) Edwards, 1933 ^{c g}
- [M. kraussi](#) Matile, 1988 ^{c g}
- [M. lacustrina](#) Coher, 1988 ^{c g}
- [M. lateralis](#) Freeman, 1970 ^{c g}
- [M. levantina](#) Chandler, 1994 ^{c g}

- [M. longibrachiata](#) Landrock, 1917 ^{c g}
- [M. lutea](#) Meigen, 1804 ^{c g}
- [M. luteobrunnea](#) Matile, 1977 ^{c g}
- [M. maculata](#) Meigen, 1818 ^{c g}
- [M. maculosa](#) Matsumura, 1915 ^{c g}
- [M. mastersi](#) Skuse, 1888 ^{c g}
- [M. matilei](#) Papavero, 1978 ^{c g}
- [M. microsticta](#) Edwards, 1932 ^{c g}
- [M. minima](#) Matile, 1988 ^{c g}
- [M. nana](#) Macquart, 1826 ^g
- [M. nebulosa](#) Coquillett, 1901 ^{i c g}
- [M. neobrunnea](#) Wu & Yang, 1993 ^{c g}
- [M. nepalensis](#) Coher, 1963 ^{c g}
- [M. nephrotoma](#) Matile, 1972 ^{c g}
- [M. ngaireae](#) Edwards, 1927 ^{c g}
- [M. nigricoxa](#) Winnertz, 1863 ^{c g}
- [M. nigropicea](#) Lundstroem, 1906 ^{c g}
- [M. nitens](#) Edwards, 1928 ^{c g}
- [M. nitida](#) Freeman, 1970 ^{c g}
- [M. nobilis](#) Johnson, 1922 ^{i c g}
- [M. obscura](#) Winnertz, 1863 ^{c g}
- [M. obsoleta](#) Edwards, 1927 ^{c g}
- [M. ornata](#) Brunetti, 1912 ^{c g}
- [M. parcehirsuta](#) Becker, 1907 ^{c g}
- [M. parva](#) Lundstroem, 1914 ^{c g}
- [M. penicillata](#) Costa, 1857 ^{c g}
- [M. pensylvanica](#) Lepeletier, 1841 ^g
- [M. perpictula](#) Edwards, 1940 ^{c g}
- [M. phalerata](#) Meigen, 1818 ^{c g}
- [M. philadelphica](#) Lepeletier, 1841 ^g
- [M. picta](#) Freeman, 1951 ^{c g}
- [M. pictipennis](#) Matile, 1969 ^{c g}
- [M. picturata](#) Edwards, 1933 ^{c g}
- [M. pilosa](#) Garrett, 1925 ^{i c g}
- [M. plaumanni](#) Edwards, 1940 ^{c g}
- [M. propleuralis](#) Edwards, 1941 ^{c g}

- [M. pulchra](#) Tonnoir, 1927 ^{c g}
- [M. pumilio](#) Loew, 1869 ^{c g}
- [M. puncticosta](#) Edwards, 1934 ^{c g}
- [M. pusilla](#) Meigen, 1830 ^g
- [M. quinquemaculata](#) Sasakawa, 1966 ^{c g}
- [M. renalifera](#) Matile, 1988 ^{c g}
- [M. ruficollis](#) Edwards, 1927 ^{c g}
- [M. scoparia](#) Marshall, 1896 ^{c g}
- [M. simbhanjangana](#) Coher, 1963 ^{c g}
- [M. similis](#) Garrett, 1925 ^{i c g}
- [M. sinaitica](#) Chandler, 1994 ^{c g}
- [M. smithi](#) (Shaw, 1948) ^{i c g}
- [M. stigma](#) Curtis, 1837 ^{c g}
- [M. stigmatoides](#) Curtis, 1837 ^g
- [M. stigmoides](#) Edwards, 1925 ^{c g}
- [M. straatmani](#) Matile, 1988 ^{c g}
- [M. striatipennis](#) Strobl, 1906 ^{c g}
- [M. sudetica](#) Landrock, 1924 ^{c g}
- [M. summatis](#) Vockeroth, 1976 ^{c g}
- [M. suppositia](#) Tollet, 1955 ^{c g}
- [M. tawnia](#) Wu, 1995 ^{c g}
- [M. testacea](#) Philippi, 1865 ^{c g}
- [M. thomsoni](#) Lynch Arribalzaga, 1882 ^{c g}
- [M. thoracica](#) Matile, 1977 ^{c g}
- [M. tonnoiri](#) Matile, 1989 ^{c g}
- [M. trinubila](#) Edwards, 1933 ^{c g}
- [M. trispina](#) Coher, 1963 ^{c g}
- [M. trivittata](#) Johnson, 1922 ^{i c g}
- [M. tusca](#) Loew, 1869 ^{c g}
- [M. tyrrhenica](#) Edwards, 1928 ^{c g}
- [M. uncinata](#) Ostroverkhova, 1979 ^{c g}
- [M. unica](#) Fisher, 1939 ^{c g}
- [M. unicincata](#) Matile, 1988 ^{c g}
- [M. unicincta](#) Matile, 1988 ^g
- [M. unidens](#) Edwards, 1931 ^{c g}
- [M. unipunctata](#) Tonnoir, 1927 ^{c g}

- [M. unica](#) Garrett, 1925 ^{i c g}
- [M. unispina](#) Freeman, 1970 ^{c g}
- [M. valdiviana](#) Philippi, 1865 ^{c g}
- [M. variegata](#) Ostroverkhova, 1979 ^{c g}
- [M. variola](#) Garrett, 1925 ^{c g}
- [M. vespertina](#) Matile, 1973 ^{c g}
- [M. villosa](#) Garrett, 1925 ^{i c g}
- [M. vishnui](#) Coher, 1963 ^{c g}
- [M. vittata](#) Meigen, 1830 ^{c g}
- [M. vulcania](#) Matile, 1979 ^{c g}
- [M. wanawarica](#) Ostroverkhova & Zaitzeva, 1979 ^{c g}
- [M. wui](#) Evenhuis, 2006 ^{c g}
- [M. zetterstedti](#) Lundstroem, 1914 ^{c g}

This is a list of 189 species in [Macrocentrus](#), a genus of wasp in the family [Braconidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

Macrocentrus species

- [Macrocentrus aegeriae](#) Rohwer, 1915 ^{c g b}
- [Macrocentrus affinis](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus albitarsis](#) Granger, 1949 ^{c g}
- [Macrocentrus alox](#) van Achterberg & Belokobylskij, 1987 ^{c g}
- [Macrocentrus amphigenes](#) Alexeev, 1971 ^{c g}
- [Macrocentrus amploventralis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus ancylivora](#) Rohwer, 1923 ^{c g}
- [Macrocentrus angustatus](#) (Enderlein, 1920) ^{c g}
- [Macrocentrus angustifacialis](#) Granger, 1949 ^{c g}
- [Macrocentrus anjiensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus annulicornis](#) Cameron, 1911 ^c
- [Macrocentrus apicalis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus archipsivorus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus arcipetiolatus](#) Lou & He, 2000 ^{c g}
- [Macrocentrus argyroploceus](#) Fischer, 1964 ^{c g}
- [Macrocentrus asiaticus](#) Belokobylskij, 2000 ^{c g}
- [Macrocentrus atratus](#) Muesebeck, 1932 ^{c g}

- [Macrocentrus austrinus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus baishanzua](#) He & Chen, 2000 ^{c g}
- [Macrocentrus beijingensis](#) Lou & He, 2000 ^{c g}
- [Macrocentrus bengtssoni](#) (Fahringer, 1929) ^{c g}
- [Macrocentrus bicolor](#) Curtis, 1833 ^c
- [Macrocentrus bimaculatus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus blandoides](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus blandus](#) Eady & Clark, 1964 ^{c g}
- [Macrocentrus bradleyi](#) Daniel, 1933 ^{c g}
- [Macrocentrus brevicaudifer](#) van Achterberg, 1979 ^{c g}
- [Macrocentrus brevipalpis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus buolianae](#) Eady & Clark, 1964 ^{c g}
- [Macrocentrus calacte](#) Nixon, 1938 ^{c g}
- [Macrocentrus californiensis](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus canarsiae](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus capensis](#) Cameron, 1906 ^{c g}
- [Macrocentrus carolinensis](#) Watanabe, 1945 ^{c g}
- [Macrocentrus cerasivoranae](#) Viereck, 1912 ^{c g}
- [Macrocentrus ceylonicus](#) Enderlein, 1912 ^{c g}
- [Macrocentrus chasanicus](#) Belokobylskij, 2000 ^{c g}
- [Macrocentrus choui](#) He & Chen, 2000 ^{c g}
- [Macrocentrus chui](#) Lou & He, 2000 ^{c g}
- [Macrocentrus cingulum](#) Brischke, 1882 ^{c g}
- [Macrocentrus citreitarsis](#) (Enderlein, 1920) ^{c g}
- [Macrocentrus clypeatus](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus cnaphalocrocis](#) He & Lou, 1993 ^{c g}
- [Macrocentrus collaris](#) (Spinola, 1808) ^{c g}
- [Macrocentrus coloradensis](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus concentralis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus confusstriatus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus coronarius](#) Lou & He, 2000 ^{c g}
- [Macrocentrus crambi](#) (Ashmead, 1894) ^{c g}
- [Macrocentrus crassinervis](#) Nixon, 1950 ^{c g}
- [Macrocentrus crassipes](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus crassus](#) Eady & Clark, 1964 ^{c g}
- [Macrocentrus crocidophorae](#) Muesebeck, 1932 ^{c g}

- [Macrocentrus cuniculus](#) Walley, 1933 ^{c g}
- [Macrocentrus dushanensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus elongatus](#) Granger, 1949 ^{c g}
- [Macrocentrus equalis](#) Lyle, 1914 ^{c g}
- [Macrocentrus exartemae](#) Walley, 1932 ^{c g}
- [Macrocentrus famelicus](#) (Enderlein, 1920) ^{c g}
- [Macrocentrus flavomaculatus](#) Lou & He, 2000 ^{c g}
- [Macrocentrus flavoorbitalis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus flavus](#) Vollenhoven, 1878 ^{c g}
- [Macrocentrus fossilipetiolatus](#) Lou & He, 2000 ^{c g}
- [Macrocentrus fuscicornis](#) Szepligeti, 1914 ^{c g}
- [Macrocentrus fuscipes](#) Cameron, 1906 ^{c g}
- [Macrocentrus gibber](#) Eady & Clark, 1964 ^{c g}
- [Macrocentrus giganteus](#) Granger, 1949 ^{c g}
- [Macrocentrus gigas](#) Watanabe, 1937 ^{c g}
- [Macrocentrus glabripleuralis](#) Lou & He, 2000 ^{c g}
- [Macrocentrus glabritergitus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus guangxiensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus guizhouensis](#) Lou & He, 2000 ^{c g}
- [Macrocentrus gutianshanensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus hangzhouensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus hemistriolatus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus homonae](#) Nixon, 1938 ^{c g}
- [Macrocentrus huggerti](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus hunanensis](#) He & Lou, 1992 ^{c g}
- [Macrocentrus hungaricus](#) Marshall, 1893 ^{c g}
- [Macrocentrus impressus](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus incompletus](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus infirmus](#) (Nees, 1834) ^c
- [Macrocentrus infumatus](#) Muesebeck, 1938 ^{c g}
- [Macrocentrus infuscatus](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus innuitorum](#) Walley, 1936 ^{c g}
- [Macrocentrus instabilis](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus jacobsoni](#) Szépligeti, 1908 ^{c g}
- [Macrocentrus karafutus](#) Belokobylskij, 2000 ^{c g}
- [Macrocentrus kurnakovi](#) Tobias, 1976 ^{c g}

- [Macrocentrus laevigatus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus latisulcatus](#) Cameron, 1911 ^{c g}
- [Macrocentrus linearis](#) (Nees, 1811) ^{c g}
- [Macrocentrus lishuiensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus longicornutus](#) Haeselbarth, 1978 ^{c g}
- [Macrocentrus longipes](#) Cameron, 1910 ^{c g}
- [Macrocentrus longistigmus](#) He, 1997 ^{c g}
- [Macrocentrus luteus](#) Szepligeti, 1911 ^{c g}
- [Macrocentrus maculistigmus](#) He & Lou, 1992 ^{c g}
- [Macrocentrus madeirensis](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus mainlingensis](#) Wang, 1982 ^{c g}
- [Macrocentrus mandibularis](#) Watanabe, 1967 ^{c g}
- [Macrocentrus maraisi](#) Nixon, 1956 ^{c g}
- [Macrocentrus marginator](#) (Nees, 1811) ^{c g}
- [Macrocentrus marshi](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus maximiliani](#) Haeselbarth, 1994 ^{c g}
- [Macrocentrus melanogaster](#) He & Chen, 2000 ^{c g}
- [Macrocentrus mellicornis](#) van Achterberg & Belokobylskij, 1987 ^{c g}
- [Macrocentrus mellipes](#) Provancher, 1880 ^{c g}
- [Macrocentrus minor](#) Szépligeti, 1908 ^{c g}
- [Macrocentrus muesebecki](#) Costa Lima, 1950 ^{c g}
- [Macrocentrus neomexicanus](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus nidulator](#) (Nees, 1834) ^{c g}
- [Macrocentrus nigriceps](#) Szepligeti, 1914 ^{c g}
- [Macrocentrus nigricoxa](#) He & Chen, 2000 ^{c g}
- [Macrocentrus nigradorsis](#) Viereck, 1924 ^{c g b}
- [Macrocentrus nigrigenus](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus nigripectus](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus nigroornatus](#) Cameron, 1911 ^{c g}
- [Macrocentrus nitidus](#) (Wesmael, 1835) ^{c g}
- [Macrocentrus nixonii](#) Kurhade & Nikam, 1998 ^{c g}
- [Macrocentrus nocarus](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus novaguineensis](#) Szepligeti, 1902 ^{c g}
- [Macrocentrus obliquus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus oculatus](#) Szepligeti, 1914 ^{c g}
- [Macrocentrus oriens](#) van Achterberg & Belokobylskij, 1987 ^{c g}

- [Macrocentrus orientalis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus palliduplus](#) Shenefelt, 1969 ^{c g}
- [Macrocentrus pallidus](#) Fullaway, 1913 ^{c g}
- [Macrocentrus pallipes](#) (Nees, 1811) ^{c g}
- [Macrocentrus pallisteri](#) DeGant, 1930 ^{c g}
- [Macrocentrus papuanus](#) Strand, 1911 ^{c g}
- [Macrocentrus parametriatesivorus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus parki](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus pectoralis](#) Provancher, 1880 ^{c g}
- [Macrocentrus peroneae](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus persephone](#) Nixon, 1950 ^{c g}
- [Macrocentrus pilosus](#) Watanabe, 1967 ^{c g}
- [Macrocentrus planitibiae](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus postfurcalis](#) Strand, 1911 ^{c g}
- [Macrocentrus prolificus](#) Wharton, 1984 ^{c g}
- [Macrocentrus pryeri](#) Song, Cao, Li, Yang & Chen, 2017 ^g
- [Macrocentrus pulchripennis](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus pyraustae](#) Viereck, 1917 ^{c g}
- [Macrocentrus qingyuanensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus radiellanus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus resinellae](#) (Linnaeus, 1758) ^{c g}
- [Macrocentrus reticulatus](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus retusus](#) van Achterberg & Belokobylskij, 1987 ^{c g}
- [Macrocentrus rhyacioniae](#) Watanabe, 1970 ^{c g}
- [Macrocentrus robustus](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus rossemi](#) Haeselbarth & van Achterberg, 1981 ^{c g}
- [Macrocentrus rubromaculatus](#) (Cameron, 1901) ^{c g}
- [Macrocentrus rufotestaceus](#) Cameron, 1906 ^{c g}
- [Macrocentrus rugifacialis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus rugulosus](#) Szepligeti, 1914 ^{c g}
- [Macrocentrus seminiger](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus sesamivorus](#) van Achterberg, 1996 ^{c g}
- [Macrocentrus seyrigi](#) Granger, 1949 ^{c g}
- [Macrocentrus shawi](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus sichuanensis](#) He, 1997 ^{c g}
- [Macrocentrus simingshanus](#) Lou & He, 2000 ^{c g}

- [Macrocentrus sinensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus somaliensis](#) (Szepligeti, 1914) ^{c g}
- [Macrocentrus soniae](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus spilotus](#) van Achterberg & Belokobylskij, 1987 ^{c g}
- [Macrocentrus sulphureus](#) Szepligeti, 1914 ^{c g}
- [Macrocentrus suni](#) He & Chen, 2000 ^{c g}
- [Macrocentrus sylvestrellae](#) van Achterberg, 2001 ^{c g}
- [Macrocentrus tasmanicus](#) (Wilkinson, 1928) ^{c g}
- [Macrocentrus tatshinguanus](#) Belokobylskij, 2000 ^{c g}
- [Macrocentrus terminalis](#) (Ashmead, 1889) ^{c g}
- [Macrocentrus tessulatanae](#) Hedwig, 1959 ^{c g}
- [Macrocentrus testaceiceps](#) Szepligeti, 1914 ^{c g}
- [Macrocentrus theaphilus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus thoracicus](#) (Nees, 1811) ^c
- [Macrocentrus tianmushanus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus townesi](#) van Achterberg & Haeselbarth, 1983 ^{c g}
- [Macrocentrus tricoloratus](#) Turner, 1920 ^{c g}
- [Macrocentrus trimaculatus](#) (Cameron, 1910) ^{c g}
- [Macrocentrus tritergitus](#) He & Chen, 2000 ^{c g}
- [Macrocentrus turkestanicus](#) (Telenga, 1950) ^{c g}
- [Macrocentrus utilis](#) Muesebeck, 1932 ^{c g}
- [Macrocentrus vanachterbergi](#) Ahlstrom, 2005 ^{c g}
- [Macrocentrus wangi](#) He & Chen, 2000 ^{c g}
- [Macrocentrus watanabei](#) van Achterberg, 1993 ^{c g}
- [Macrocentrus xingshanensis](#) He, 1997 ^{c g}
- [Macrocentrus yuanjiangensis](#) He & Chen, 2000 ^{c g}
- [Macrocentrus zhangii](#) He & Chen, 2000 ^{c g}
- [Macrocentrus zhejiangensis](#) He & Chen, 2000 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 160 species in [Lucidota](#), a genus of fireflies in the family [Lampyridae](#).^{[1][2][3][4]}

Lucidota species

- [Lucidota albicollis](#) (Blanchard in Brullé, 1846) ^{i c g}

- [Lucidota albocincta](#) (Pic, 1940) ^{i c g}
- [Lucidota albocornuta](#) (Pic, 1940) ^{i c g}
- [Lucidota amabilis](#) (Gorham, 1880) ^{i c g}
- [Lucidota angustata](#) (Motschulsky, 1854) ^{i c}
- [Lucidota antennata](#) Laporte, 1833 ^{i c g}
- [Lucidota antonioi](#) Pic, 1940 ^{i c g}
- [Lucidota apicalis](#) Gorham, 1880 ^{i c g}
- [Lucidota apicicornis](#) Gorham, 1880 ^{i c g}
- [Lucidota apicipennis](#) (Pic, 1927) ^{i c g}
- [Lucidota appendiculata](#) (Germar, 1824) ^{i c g}
- [Lucidota approximans](#) E. Olivier, 1885 ^{i c g}
- [Lucidota argentina](#) (Pic, 1928) ^{i c g}
- [Lucidota armata](#) (Gorham, 1884) ^{i c g}
- [Lucidota atra](#) (G. Olivier, 1790) ^{i c g b} (black firefly)
- [Lucidota audax](#) E. Olivier, 1896 ^{i c g}
- [Lucidota aurantiaca](#) (Pic, 1929) ^{i c g}
- [Lucidota baeri](#) (Pic, 1927) ^{i c g}
- [Lucidota banghaasi](#) Pic, 1930 ^{i c g}
- [Lucidota banoni](#) Laporte, 1833 ^{i c g}
- [Lucidota basalis](#) Pic, 1930 ^{i c g}
- [Lucidota bella](#) Gorham, 1880 ^{i c g}
- [Lucidota bicellonycha](#) McDermott, 1958 ^{i c g}
- [Lucidota bicolor](#) Kirsch, 1873 ^{i c g}
- [Lucidota binotata](#) (Pic, 1929) ^{i c}
- [Lucidota binotatens](#) McDermott, 1966 ^{i c g}
- [Lucidota bipartita](#) Pic, 1927 ^{i c g}
- [Lucidota blanchardi](#) E. Olivier, 1899 ^{i c g}
- [Lucidota bogotensis](#) (Pic, 1931) ^{i c}
- [Lucidota boliviana](#) (Pic, 1927) ^{i c g}
- [Lucidota bruneri](#) Mutchler, 1923 ^{i c g}
- [Lucidota caucaensis](#) Pic, 1940 ^{i c g}
- [Lucidota chevrolati](#) Mutchler, 1923 ^{i c g}
- [Lucidota chiriquiana](#) Gorham, 1884 ^{i c g}
- [Lucidota cincta](#) (Motschulsky, 1854) ^{i c}
- [Lucidota clermonti](#) Pic, 1940 ^{i c g}
- [Lucidota comitata](#) Gorham, 1884 ^{i c g}

- [Lucidota complanata](#) Gorham, 1884^{i c g}
- [Lucidota compressicornis](#) (Fabricius, 1801)^{i c g}
- [Lucidota concors](#) E. Olivier, 1909^{i c g}
- [Lucidota conformis](#) E. Olivier, 1907^{i c g}
- [Lucidota conradti](#) (Pic, 1940)^{i c}
- [Lucidota costata](#) Pic, 1930^{i c g}
- [Lucidota cucullata](#) E. Olivier, 1896^{i c g}
- [Lucidota dejeani](#) Lucas, 1859^{i c g}
- [Lucidota diaphanura](#) Gorham, 1881^{i c g}
- [Lucidota difformis](#) Gorham, 1884^{i c g}
- [Lucidota dilaticornis](#) (Motschulsky, 1854)^{i c g}
- [Lucidota discivittata](#) Pic, 1943^{i c g}
- [Lucidota discoidea](#) McDermott, 1966^{i c g}
- [Lucidota discolor](#) Gorham, 1881^{i c g}
- [Lucidota dissimilis](#) E. Olivier, 1909^{i c g}
- [Lucidota duplicata](#) E. Olivier, 1910^{i c g}
- [Lucidota elapsa](#) E. Olivier in Wytsman, 1907^{i c g}
- [Lucidota elongata](#) (Blanchard in Brullé, 1846)^{i c g}
- [Lucidota emerita](#) E. Olivier, 1910^{i c g}
- [Lucidota eucera](#) E. Olivier in Wytsman, 1907^{i c g}
- [Lucidota fenestrata](#) Gorham, 1884^{i c g}
- [Lucidota flabellicornis](#) (Fabricius, 1781)^{i c g}
- [Lucidota flavipes](#) (Motschulsky, 1854)^{i c g}
- [Lucidota fraudata](#) E. Olivier, 1908^{i c g}
- [Lucidota fulgurans](#) Gorham, 1880^{i c g}
- [Lucidota fulvotincta](#) Mutchler, 1923^{i c g}
- [Lucidota fuscata](#) Gorham, 1884^{i c g}
- [Lucidota geniculata](#) Pic, 1930^{i c g}
- [Lucidota gownelli](#) (Pic, 1940)^{i c g}
- [Lucidota grandjeani](#) (Pic, 1940)^{i c g}
- [Lucidota heterocera](#) E. Olivier, 1910^{i c g}
- [Lucidota heteroclita](#) E. Olivier in Wytsman, 1907^{i c g}
- [Lucidota heynei](#) Pic, 1941^{i c g}
- [Lucidota hickeri](#) Pic, 1940^{i c g}
- [Lucidota immemor](#) E. Olivier, 1909^{i c g}
- [Lucidota inaperta](#) E. Olivier, 1886^{i c g}

- [Lucidota inapicalis](#) Pic, 1930 ^{i c g}
- [Lucidota incompta](#) Gorham, 1884 ^{i c g}
- [Lucidota ingloria](#) E. Olivier, 1899 ^{i c g}
- [Lucidota insignita](#) E. Olivier, 1911 ^{i c g}
- [Lucidota interrupta](#) (Pic, 1927) ^{i c g}
- [Lucidota invida](#) (E. Olivier, 1910) ^{i c g}
- [Lucidota jucunda](#) (E. Olivier, 1888) ^{i c g}
- [Lucidota klugii](#) (Motschulsky, 1853) ^{i c g}
- [Lucidota latealba](#) (Pic, 1927) ^{i c g}
- [Lucidota laticornis](#) Pic, 1943 ^{i c g}
- [Lucidota latior](#) Pic, 1930 ^{i c g}
- [Lucidota lecontei](#) (Kirsch, 1873) ^{i c}
- [Lucidota limbata](#) Gorham, 1880 ^{i c g}
- [Lucidota liturata](#) E. Olivier, 1907 ^{i c g}
- [Lucidota lunata](#) (Motschulsky, 1854) ^{i c g}
- [Lucidota lunulata](#) (Blanchard in Brullé, 1846) ^{i c}
- [Lucidota luteicollis](#) (LeConte, 1878) ^{i c g b}
- [Lucidota luteohumeralis](#) Pic, 1940 ^{i c g}
- [Lucidota macrescens](#) E. Olivier, 1909 ^{i c g}
- [Lucidota malleri](#) Pic, 1935 ^{i c g}
- [Lucidota marginicollis](#) Lucas, 1859 ^{i c g}
- [Lucidota mellicula](#) E. Olivier in Wytsman, 1907 ^{i c g}
- [Lucidota misera](#) E. Olivier, 1896 ^{i c g}
- [Lucidota monacha](#) E. Olivier, 1911 ^{i c g}
- [Lucidota nobilis](#) E. Olivier in Wytsman, 1907 ^{i c g}
- [Lucidota oblongonotata](#) E. Olivier, 1886 ^{i c g}
- [Lucidota oculata](#) E. Olivier, 1886 ^{i c g}
- [Lucidota olivieri](#) Pic, 1938 ^{i c g}
- [Lucidota ornata](#) E. Olivier, 1909 ^{i c g}
- [Lucidota osculatii](#) (Guérin-Méneville, 1855) ^{i c g}
- [Lucidota pallidicollis](#) (Blanchard in Brullé, 1846) ^{i c g}
- [Lucidota pallipes](#) McDermott, 1966 ^{i c g}
- [Lucidota parallela](#) (Pic, 1927) ^{i c}
- [Lucidota parilis](#) E. Olivier, 1909 ^{i c g}
- [Lucidota parvicollis](#) E. Olivier, 1885 ^{i c g}
- [Lucidota pectinata](#) (Fabricius, 1775) ^{i c g}

- [Lucidota pennata](#) Dejean, 1837^{i c g}
- [Lucidota perpusilla](#) E. Olivier, 1885^{i c g}
- [Lucidota peruviana](#) (Pic, 1927)^{i c g}
- [Lucidota phyllocera](#) (Wiedemann, 1821)^{i c g}
- [Lucidota planicornis](#) (Fabricius, 1801)^{i c g}
- [Lucidota plaumanni](#) Pic, 1939^{i c g}
- [Lucidota premarginalis](#) Pic, 1938^{i c g}
- [Lucidota probata](#) E. Olivier, 1909^{i c g}
- [Lucidota propinqua](#) E. Olivier, 1909^{i c g}
- [Lucidota proscripta](#) E. Olivier, 1906^{i c g}
- [Lucidota proxima](#) Gorham, 1880^{i c g}
- [Lucidota punctata](#) (LeConte, 1852)^{i c g b}
- [Lucidota purulana](#) (Gorham, 1884)^{i c g}
- [Lucidota pygidialis](#) E. Olivier, 1886^{i c g}
- [Lucidota pygmaea](#) E. Olivier in Wytsman, 1907^{i c g}
- [Lucidota quadratifera](#) Lucas, 1859^{i c g}
- [Lucidota quadriguttata](#) Gorham, 1880^{i c g}
- [Lucidota ramicornis](#) Pic, 1932^{i c g}
- [Lucidota reductitincta](#) Pic, 1943^{i c g}
- [Lucidota roseimaculata](#) (Blanchard in Brullé, 1846)^{i c g}
- [Lucidota rufescens](#) Pic, 1935^{i c g}
- [Lucidota ruficollis](#) (Motschulsky, 1854)^{i c g}
- [Lucidota rufithorax](#) (E. Olivier, 1911)^{i c g}
- [Lucidota saepta](#) E. Olivier, 1908^{i c g}
- [Lucidota serricornis](#) E. Olivier, 1909^{i c g}
- [Lucidota severa](#) (E. Olivier, 1911)^{i c g}
- [Lucidota sexguttata](#) E. Olivier, 1886^{i c g}
- [Lucidota signaticollis](#) Pic, 1930^{i c g}
- [Lucidota signaticornis](#) E. Olivier in Wytsman, 1907^{i c g}
- [Lucidota simoni](#) E. Olivier, 1900^{i c g}
- [Lucidota sinuaticollis](#) Gorham, 1884^{i c g}
- [Lucidota sparsicolor](#) E. Olivier, 1913^{i c g}
- [Lucidota subdubitata](#) Mutchler, 1923^{i c g}
- [Lucidota submaculata](#) (Pic, 1940)^{i c g}
- [Lucidota subnigra](#) Pic, 1940^{i c g}
- [Lucidota supplex](#) E. Olivier, 1909^{i c g}

- [Lucidota taciturna](#) E. Olivier, 1906^{i c g}
- [Lucidota tardita](#) E. Olivier, 1896^{i c g}
- [Lucidota tenuecincta](#) E. Olivier, 1911^{i c g}
- [Lucidota tenuis](#) E. Olivier, 1896^{i c g}
- [Lucidota testaceipes](#) (Pic, 1927)^{i c g}
- [Lucidota tincta](#) Gorham, 1884^{i c g}
- [Lucidota tricolor](#) Gorham, 1880^{i c g}
- [Lucidota tricolorata](#) Pic, 1935^{i c g}
- [Lucidota tristicolor](#) E. Olivier, 1909^{i c g}
- [Lucidota tristis](#) (Blanchard in Brullé, 1846)^{i c g}
- [Lucidota uberadana](#) Pic, 1930^{i c g}
- [Lucidota vitricollis](#) Gorham, 1884^{i c g}
- [Lucidota wagneri](#) Pic, 1940^{i c g}
- [Lucidota xanthocera](#) Lucas, 1859^{i c g}
- [Lucidota xanthopleura](#) Gorham, 1884^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a partial list of species in [Longitarsus](#), a genus of flea beetles in the family [Chrysomelidae](#).^[1]
^{[2][3][4]}

Selected species

- [Longitarsus absynthii](#) Kutschera, 1862^g
- [Longitarsus acutipennis](#) Blatchley, 1924^{i c g}
- [Longitarsus aeneicollis](#) (Faldermann, 1837)^g
- [Longitarsus aeneolus](#) Blatchley, 1923^{i c g}
- [Longitarsus aeneus](#) (Kutschera, 1862)^g
- [Longitarsus aeruginosus](#) (Foudras, 1860)
- [Longitarsus agilis](#) (Rye, 1868)^g
- [Longitarsus albineus](#) (Foudras, 1859)
- [Longitarsus albus](#) (Allard, 1866)^g
- [Longitarsus alfieri](#) Pic, 1923^g
- [Longitarsus allotrophus](#)
- [Longitarsus alternatus](#) (Ziegler, 1845)^{i c g}
- [Longitarsus anacardius](#) (Allard, 1866)^g
- [Longitarsus anatolicus](#)

- [Longitarsus anchusae](#) (Paykull, 1799) ^g
- [Longitarsus andalusicus](#) Gruev, 1973 ^g
- [Longitarsus angelikae](#)
- [Longitarsus angorensis](#)
- [Longitarsus apicalis](#) (Beck, 1817) ^g
- [Longitarsus aramaicus](#) Leonardi, 1979 ^g
- [Longitarsus arenaceus](#) Blatchley, 1921 ^{i c g b}
- [Longitarsus arisanus](#) Chujo, 1937 ^g
- [Longitarsus artvinus](#) Gruev & Aslan, 1998
- [Longitarsus atricillus](#) (Linnaeus, 1761) ^g
- [Longitarsus aubozaorum](#)
- [Longitarsus audisioi](#)
- [Longitarsus australis](#) (Mulsant & Rey, 1874)
- [Longitarsus baeticus](#) Leonardi, 1979 ^g
- [Longitarsus ballotae](#) (Marsham, 1802) ^g
- [Longitarsus barbarae](#) Doguet & Bergeal, 2001 ^g
- [Longitarsus bedeli](#) Uhagon, 1887 ^g
- [Longitarsus behnei](#) Gruev & Arnold, 1989 ^g
- [Longitarsus belgaumensis](#) Jacoby
- [Longitarsus bergeali](#) Doguet & Gruev, 1988
- [Longitarsus bertii](#) Leonardi, 1973 ^g
- [Longitarsus bethae](#) ^g
- [Longitarsus bicolor](#) Horn, 1889 ^{i c g}
- [Longitarsus bicoloriceps](#) Chjuo, 1937 ^g
- [Longitarsus bonnairei](#) (Allard, 1866)
- [Longitarsus borisi](#) Konstantinov, 2005
- [Longitarsus brachypterus](#)
- [Longitarsus bremondi](#)
- [Longitarsus brevipennis](#) Wollaston, 1860 ^g
- [Longitarsus brisouti](#) Heikertinger, 1912
- [Longitarsus brunneus](#) (Duftschmid, 1825) ^g
- [Longitarsus bulgaricus](#) Gruev, 1973 ^g
- [Longitarsus bytinskii](#)
- [Longitarsus caroli](#)
- [Longitarsus californicus](#) (Motschulsky, 1845) ^{i c g}
- [Longitarsus callidus](#) Warchalowski, 1967
- [Longitarsus candidulus](#) (Foudras, 1860)
- [Longitarsus celticus](#) Leonardi, 1975
- [Longitarsus cerinthes](#) (Schrank, 1798) ^g

- [Longitarsus chujoi](#) Csiki, 1939 ^g
- [Longitarsus cinerariae](#) Wollaston, 1854 ^g
- [Longitarsus cizeki](#) Döberl, 2004
- [Longitarsus codinai](#) Madar & Madar, 1965 ^g
- [Longitarsus corpulentus](#)
- [Longitarsus corynthius](#) (Reiche & Saulcy, 1858)
- [Longitarsus cotulus](#) Blatchley, 1914 ^{i c g}
- [Longitarsus croaticus](#) Gruev, 1975 ^g
- [Longitarsus curtus](#) (Allard, 1860) ^g
- [Longitarsus cyanipennis](#) Bryant, 1924 ^g
- [Longitarsus danieli](#) Mohr, 1962 ^g
- [Longitarsus danilevskyi](#) Konstantinov, 2005
- [Longitarsus debernardii](#)
- [Longitarsus dlabolai](#)
- [Longitarsus dorsalis](#) (Fabricius, 1781) ^g
- [Longitarsus echii](#) (Koch, 1803) ^g
- [Longitarsus emarginatus](#)
- [Longitarsus eminus](#)
- [Longitarsus eminus](#) Warchałowski, 1967
- [Longitarsus erro](#) Horn, 1889 ^{i c g b}
- [Longitarsus exsoletus](#) (Linnaeus, 1758) ^g
- [Longitarsus fallax](#) Weise, 1888
- [Longitarsus ferrugineus](#) (Foudras in Mulsant, 1859) ^{i c g b}
- [Longitarsus ferruginipennis](#) Fuente, 1910 ^g
- [Longitarsus flavicornis](#) (Stephens, 1831) ^{i c g}
- [Longitarsus formosanus](#) Chujo, 1937 ^g
- [Longitarsus foudrasi](#) Weise, 1893
- [Longitarsus fowleri](#) Allen, 1967 ^g
- [Longitarsus frontosus](#) Normand, 1947 ^g
- [Longitarsus fulgens](#) (Foudras, 1860) ^g
- [Longitarsus fuliginosus](#) (Broun, 1880) ^g
- [Longitarsus fuscicornis](#) Blatchley, 1919 ^{i c g}
- [Longitarsus fuscoaeneus](#) Redtenbacher, 1849 ^g
- [Longitarsus ganglbaueri](#) Heikertinger, 1912 ^{i c g b}
- [Longitarsus gilli](#) Gruev & Askevold
- [Longitarsus girardi](#)
- [Longitarsus gloriae](#)
- [Longitarsus gomerensis](#) Biondi, 1986 ^g

- [Longitarsus gracilis](#) Kutschera, 1864 ^g
- [Longitarsus gruevi](#) Leonardi & Mohr, 1974
- [Longitarsus helvolus](#) Kutschera, 1863 ^g
- [Longitarsus hermonensis](#)
- [Longitarsus hittita](#)
- [Longitarsus hohuanshanus](#) Kimoto, 1970 ^g
- [Longitarsus holsaticus](#) (Linnaeus, 1758) ^g
- [Longitarsus huberi](#) LeSage, 1988 ^{i c g}
- [Longitarsus ibericus](#) Leonardi & Mohr, 1974 ^g
- [Longitarsus iconiensis](#)
- [Longitarsus idilphilus](#)
- [Longitarsus igori](#) Konstantinov, 2005
- [Longitarsus impuncticollis](#) Blatchley, 1923 ^{i c g}
- [Longitarsus inconspicuus](#) Wollaston, 1860 ^g
- [Longitarsus insolens](#) Horn, 1889 ^{i c g}
- [Longitarsus ishikawai](#) Kimoto, 1970 ^g
- [Longitarsus isoplexidis](#) Wollaston, 1854 ^g
- [Longitarsus jacobaeae](#) (Waterhouse, 1858) ^{i c g b} (ragwort flea beetle)
- [Longitarsus jailensis](#) Heikertinger, 1913 ^g
- [Longitarsus jandiensis](#) Biondi, 1986 ^g
- [Longitarsus juncicola](#) (Foudras, 1860)
- [Longitarsus karlheini](#) Warchalowski, 1972 ^g
- [Longitarsus khnsoriani](#)
- [Longitarsus kippenbergi](#)
- [Longitarsus kleiniiperda](#) Wollaston, 1860 ^g
- [Longitarsus kopdagiensis](#)
- [Longitarsus kutscherae](#) (Rye, 1872) ^g
- [Longitarsus languidus](#) Kutschera, 1863 ^g
- [Longitarsus latens](#)
- [Longitarsus lateripunctatus](#) (Rosenhauer, 1856)
- [Longitarsus laureolae](#) Biondi, 1988 ^g
- [Longitarsus lederi](#)
- [Longitarsus ledouxii](#)
- [Longitarsus leonardii](#) Doguet, 1973
- [Longitarsus lewisii](#) Baly, 1874 ^g
- [Longitarsus limnophilae](#) Prathapan & Viraktamath, 2011
- [Longitarsus linnaei](#) (Duftschmid, 1825)
- [Longitarsus liratus](#) Maulik
- [Longitarsus livens](#) J. L. LeConte, 1858 ^{i c g}

- [Longitarsus longipennis](#) Kutschera, 1864 ^g
- [Longitarsus longiseta](#) Weise, 1889 ^g
- [Longitarsus luridus](#) (Scopoli, 1763) ^{i c g b}
- [Longitarsus lycopi](#) (Foudras, 1860) ^g
- [Longitarsus malandensis](#) Weise, 1923
- [Longitarsus mancus](#) J. L. LeConte, 1858 ^{i c g}
- [Longitarsus manfredi](#)
- [Longitarsus medvedevi](#) Shapiro, 1956 ^g
- [Longitarsus melanocephalus](#) (De Geer, 1775) ^g
- [Longitarsus melanurus](#) (F. E. Melsheimer, 1847) ^{i c g b}
- [Longitarsus membranaceus](#) (Foudras, 1860) ^g
- [Longitarsus meridionalis](#)
- [Longitarsus messerschmidtiae](#) Wollaston, 1860 ^g
- [Longitarsus minimus](#) Kutschera, 1863 ^g
- [Longitarsus minusculus](#) (Foudras, 1860) ^g
- [Longitarsus mirei](#)
- [Longitarsus misellus](#) Blatchley, 1921 ^{i c g}
- [Longitarsus monticola](#) Kutschera, 1863 ^g
- [Longitarsus montivagus](#) Horn, 1889 ^{i c g}
- [Longitarsus morrisonus](#) Chujo, 1937 ^g
- [Longitarsus nadiae](#) ^g
- [Longitarsus nakanei](#) Kimoto, 1970 ^g
- [Longitarsus nanus](#) (Foudras, 1860) ^g
- [Longitarsus nasturtii](#) (Fabricius, 1792) ^g
- [Longitarsus nebulosus](#) (Allard, 1866)
- [Longitarsus nemethi](#)
- [Longitarsus nervosus](#) Wollaston, 1854 ^g
- [Longitarsus niger](#) (Koch, 1803) ^g
- [Longitarsus nigerrimus](#) (Gyllenhal, 1827) ^g
- [Longitarsus nigrilividus](#)
- [Longitarsus nigrocephalus](#) R. White, 1985 ^{i c g}
- [Longitarsus nigrocillus](#) (Motschulsky, 1849)
- [Longitarsus nigrofasciatus](#) (Goeze, 1777) ^g
- [Longitarsus nimrodi](#) Furth, 1979 ^g
- [Longitarsus nitidellus](#) Cockerell, 1888 ^{i c g}
- [Longitarsus noricus](#) Leonardi, 1976 ^g
- [Longitarsus nubigena](#) Wollaston, 1854 ^g
- [Longitarsus oblitteratoides](#) Gruev, 1973

- [Longitarsus obliteratus](#) (Rosenhauer, 1847) ^g
- [Longitarsus occidentalis](#) Horn, 1889 ^{i c g}
- [Longitarsus ochroleucus](#) (Marsham, 1802) ^g
- [Longitarsus onosmae](#)
- [Longitarsus ordinatus](#) (Foudras, 1860) ^g
- [Longitarsus oregonensis](#) Horn, 1889 ^{i c g}
- [Longitarsus pallescens](#) Blatchley, 1924 ^{i c g}
- [Longitarsus palliatus](#)
- [Longitarsus pallidicornis](#) Kutschera, 1863
- [Longitarsus pardoii](#) Doguet, 1974
- [Longitarsus parvulus](#) (Paykull, 1799) ^g
- [Longitarsus pellucidus](#) (Foudras in Mulsant, 1859) ^{i c g b}
- [Longitarsus perforatus](#) Horn, 1889 ^{i c g}
- [Longitarsus persimilis](#) Wollaston, 1860 ^g
- [Longitarsus personatus](#) Weise, 1893
- [Longitarsus petitpierreii](#) Bastazo, 1997 ^g
- [Longitarsus peyerimhoffi](#) (Abeille, 1909) ^g
- [Longitarsus picicollis](#) Weise, 1900 ^g
- [Longitarsus pinguis](#) Weise, 1888 ^g
- [Longitarsus plantagomaritimus](#) Dollman, 1912 ^g
- [Longitarsus postremus](#) Horn, 1889 ^{i c g}
- [Longitarsus pratensis](#) (Panzer, 1794) ^{i c g b}
- [Longitarsus pubescens](#)
- [Longitarsus pulmonariae](#) Weise, 1893 ^g
- [Longitarsus pygmaeus](#) Horn, 1889 ^{i c g}
- [Longitarsus quadriguttatus](#) (Pontoppidan, 1763) ^{i c g b}
- [Longitarsus queenslandicus](#) Csiki, 1939
- [Longitarsus rangoonensis](#) Jacoby
- [Longitarsus ratshensis](#)
- [Longitarsus rectilineatus](#) (Foudras, 1860)
- [Longitarsus refugiensis](#) Leonardi & Mohr, 1974 ^g
- [Longitarsus reichei](#) (Allard, 1860) ^g
- [Longitarsus repandus](#) J. L. LeConte, 1858 ^{i c g}
- [Longitarsus rubellus](#) (Foudras, 1860) ^g
- [Longitarsus rubiginosus](#) (Foudras in Mulsant, 1859) ^{i c g b}
- [Longitarsus rufescens](#) Horn, 1889 ^{i c g}
- [Longitarsus rutilus](#) (Illiger, 1807) ^g
- [Longitarsus salarius](#)

- [Longitarsus saltatus](#) Blatchley, 1921 ^{i c g}
- [Longitarsus salviae](#) Gruev, 1975
- [Longitarsus sari](#) Maulik
- [Longitarsus saulicus](#)
- [Longitarsus scaphidioides](#) Abeille, 1896 ^g
- [Longitarsus scrobipennis](#) Heikertinger, 1913 ^g
- [Longitarsus scutellaris](#) (Rey, 1847)
- [Longitarsus sencieri](#) (Allard, 1860) ^g
- [Longitarsus serrulatus](#) ^g
- [Longitarsus solaris](#) Gruev, 1977 ^g
- [Longitarsus solidaginis](#) Horn, 1889 ^{i c g}
- [Longitarsus springeri](#) Leonardi, 1975 ^g
- [Longitarsus stragulatus](#) (Foudras, 1860) ^g
- [Longitarsus strigicollis](#) Wollaston, 1864
- [Longitarsus subcylindricus](#) Blatchley, 1920 ^{i c g}
- [Longitarsus submaculatus](#) Kutschera, 1863 ^g
- [Longitarsus subrufus](#) J. L. LeConte, 1859 ^{i c g b} (marbleseed flea beetle)
- [Longitarsus substriatus](#) Kutschera, 1863 ^g
- [Longitarsus succineus](#) (Foudras in Mulsant, 1859) ^{i c g b}
- [Longitarsus suspectus](#) Blatchley, 1921 ^{i c g b}
- [Longitarsus suturatus](#) (Foudras, 1860)
- [Longitarsus suturellus](#) (Duftschmid, 1825)
- [Longitarsus symphyti](#) Heikertinger, 1912 ^g
- [Longitarsus tabidus](#) (Fabricius, 1775) ^g
- [Longitarsus taiwanicus](#) Chen, 1934 ^g
- [Longitarsus tantulus](#) (Foudras, 1860)
- [Longitarsus tarraconensis](#) Leonardi, 1979 ^g
- [Longitarsus tenuicornis](#) Blatchley, 1923 ^{i c g}
- [Longitarsus testaceus](#) (F. E. Melsheimer, 1847) ^{i c g b}
- [Longitarsus thymalearum](#)
- [Longitarsus tmetopterus](#) Jacobson ^g
- [Longitarsus traductus](#) Horn, 1889 ^{i c g}
- [Longitarsus trepidus](#)
- [Longitarsus tristis](#) Weise, 1888 ^g
- [Longitarsus truncatellus](#) Weise, 1890 ^g
- [Longitarsus tunetanus](#) Csiki, 1940 ^g
- [Longitarsus turbatus](#) Horn, 1889 ^{i c g b}
- [Longitarsus vanus](#) Horn, 1889 ^{i c g}

- [Longitarsus varicornis](#) Suffrian, 1868 ^{i c g b}
- [Longitarsus velai](#) Bastazo, 1997 ^g
- [Longitarsus ventricosus](#)
- [Longitarsus victoriensis](#) Blackburn, 1896
- [Longitarsus vilis](#) Wollaston, 1864 ^g
- [Longitarsus violentoides](#)
- [Longitarsus violentus](#) Weise, 1893 ^g
- [Longitarsus waltherhorni](#) Csiki, 1934 ^g
- [Longitarsus warchalowskianus](#) Furth, 2007 ^g
- [Longitarsus warchalowskii](#) Scherer, 1969 ^g
- [Longitarsus weisei](#)
- [Longitarsus zangherii](#) Warchalowski, 1968 ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list (alphabetized by [binomial](#) species name) of [locust](#) species of the taxonomic family [Acrididae](#) capable of density-dependent phase [polyphenism](#) and [swarming behaviour](#), potentially inflicting massive damage to crops.



[Australian plague locust](#) nymph (fourth [instar](#))



[desert locusts](#)

- [Aiolopus simulatrix](#) – [Sudan plague locust](#) of eastern Sudan
- [Anacridium aegyptium](#) – [Egyptian locust](#) of Europe, northern Africa and Central Asia

- [*Anacridium melanorhodon*](#) – [Sahelian tree locust](#) of Sahel region of Africa
- [*Anacridium wernerellum*](#) – [Sudan tree locust](#) of Sudanese vegetation zone
- [*Austracris guttulosa*](#) – [Spur-throated locust](#) of Australia
- [*Austroicetes cruciata*](#) – [Small plague grasshopper](#) of Australia
- [*Calliptamus italicus*](#) – [Italian locust](#) of semi-deserts and steppes of Morocco, central Europe and Central Asia
- [*Ceracris kiangsu*](#) – [Yellow-spined bamboo locust](#) of Indo-China and southern China
- [*Chortoicetes terminifera*](#) – [Australian plague locust](#) of Australia
- [*Dericorys*](#): two species are called "saxaul locusts" in [Central Asia](#)
- [*Dissosteira longipennis*](#) – [High plains locust](#) of North America (formed large swarms as recently as the 1930s but never since)
- [*Dociostaurus maroccanus*](#) – [Moroccan locust](#) of semi-deserts and steppes of Morocco, North Africa, southern and eastern Europe, Middle East and western Asia
- [*Gastrimargus musicus*](#) – [Yellow-winged locust](#) of Australia
- [*Gomphocerus sibiricus*](#) – [Siberian locust](#) of Siberia and high mountains of Europe
- [*Locusta migratoria*](#) – [Migratory locust](#) of Asia, Africa and eastern Europe
- [*Locustana pardalina*](#) – [Brown locust](#) of Southern Africa
- [*Melanoplus differentialis*](#) – [Differential grasshopper](#) of Northern Mexico, central USA and southern Ontario, Canada
- [*Melanoplus sanguinipes*](#) – [Migratory grasshopper](#) of Caribbean and North America
- [*Melanoplus spretus*](#) – [Rocky Mountain locust](#) of North America (now extinct)
- [*Nomadacris septemfasciata*](#) – [Red locust](#) of southern and south central Africa
- [*Nomadacris succincta*](#) – [Bombay locust](#) of India and Southeast Asia
- [*Oedaleus senegalensis*](#) – [Senegalese grasshopper](#) of Sahel region of Africa, the Canary Islands, Cape Verde Islands and West Asia
- [*Rhammatocerus schistocercoides*](#) – [Mato Grosso locust](#) of Brazil
- [*Schistocerca cancellata*](#) – [South American locust](#) of South America
- [*Schistocerca gregaria*](#) – [Desert locust](#) of deserts of western Africa, northern Africa and western India
- [*Schistocerca piceifrons*](#) – [Central American locust](#) of Central America
- [*Schistocerca interrita*](#) – [Peru locust](#) of western South America
- [*Trimerotropis pallidipennis*](#) – [Pallid-winged grasshopper](#) of western North America

This is a list of 952 species in [Lixus](#), a genus of true weevils in the family [Curculionidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)



Lixus (Eulixus) balazuci holotype, Miocene, France

***Lixus* species**

- [*Lixus abdominalis*](#) Boheman, 1835 ^C
- [*Lixus aberratus*](#) Boheman, 1835 ^C
- [*Lixus achyranthis*](#) Marshall, 1930 ^C
- [*Lixus acicularis*](#) Germar, 1824 ^C
- [*Lixus aciculatirostris*](#) Boheman, 1843 ^C
- [*Lixus acirostris*](#) Chittenden, 1930 ^C
- [*Lixus acuminatus*](#) Boheman, 1835 ^C
- [*Lixus acupictus*](#) Villa & Villa, 1833 ^C
- [*Lixus acutipennis*](#) (Roelofs, 1873)
- [*Lixus acutus*](#) Boheman, 1843 ^C
- [*Lixus adspersus*](#) Boheman, 1836 ^C
- [*Lixus aemulus*](#) Petri, 1928 ^C
- [*Lixus aeneus*](#) Cristofori & Jan, 1832 ^C
- [*Lixus aenigma*](#) Kolbe, 1898 ^C
- [*Lixus aequatorialis*](#) Petri, 1928 ^C
- [*Lixus aeruginosus*](#) Capiomont, 1874 ^C
- [*Lixus aethiopiae*](#) Csiki, 1934 ^C
- [*Lixus aethiopicus*](#) Petri, 1912 ^C
- [*Lixus aethiops*](#) Schoenherr, 1835 ^C
- [*Lixus affinis*](#) Boheman, 1843 ^C
- [*Lixus akonis*](#) Kono, 1929 ^C
- [*Lixus albicornis*](#) Fairmaire, 1904 ^C
- [*Lixus albidus*](#) Latreille, 1804 ^C
- [*Lixus albinae*](#) Formánek, 1925 ^C
- [*Lixus albisetiger*](#) Chittenden, 1930 ^C
- [*Lixus albocinctus*](#) Fåhræus, 1871 ^C
- [*Lixus alboguttatus*](#) Wiedemann, C.R.W., 1821 ^C

- [Lixus albolineatus](#) Lea, 1898 ^C
- [Lixus albomaculatus](#) Pic, 1923 ^C
- [Lixus albomarginatus](#) Boheman, 1843 ^{C g}
- [Lixus albopictus](#) Reitter, 1892 ^C
- [Lixus albostratus](#) Fabricius, J.C., 1801 ^C
- [Lixus albovittatus](#) Pic, 1919 ^C
- [Lixus algiroides](#) Voss, 1962 ^C
- [Lixus algirus](#) Capiomont, 1874 ^C
- [Lixus alpinus](#) Hustache, 1929 ^C
- [Lixus ambositrensis](#) Hustache, 1920 ^C
- [Lixus amitinus](#) Kolbe, 1898 ^C
- [Lixus amoenus](#) Faust, 1888 ^C
- [Lixus amphora](#) Fabricius, J.C., 1801 ^C
- [Lixus amplexus](#) Casey, 1891 ^{i C}
- [Lixus ampliostrois](#) Petri, 1904 ^C
- [Lixus amurensis](#) Faust, 1887 ^C
- [Lixus anguiculus](#) Boheman, 1836 ^C
- [Lixus anguinus](#) (Linnaeus, C., 1767) ^{C g}
- [Lixus angulicollis](#) Faust, 1889 ^C
- [Lixus angustatus](#) Dahl, ^C
- [Lixus angusticollis](#) Boheman, 1836 ^C
- [Lixus angustus](#) (Herbst, 1795) ^{C g}
- [Lixus antennatus](#) Motschulsky, 1853 ^C
- [Lixus anthracinus](#) Faust, 1889 ^C
- [Lixus anthrax](#) Petri, 1928 ^C
- [Lixus antilope](#) Fabricius, J.C., 1801 ^C
- [Lixus antiodontalgicus](#) Illiger, ^C
- [Lixus apfelbecki](#) Petri, 1904 ^C
- [Lixus appendiculatus](#) Boheman, 1843 ^C
- [Lixus apterus](#) Champion, 1902 ^C
- [Lixus arabs](#) Olivier, 1807 ^C
- [Lixus araticollis](#) Marshall, 1940 ^C
- [Lixus arcurostris](#) Petri, 1912 ^C
- [Lixus arnoldiorum](#) Ter-Minasian, 1966 ^C
- [Lixus arundinis](#) Thunberg, 1815 ^C
- [Lixus ascanii](#) (Linnaeus, C., 1767) ^{C g}

- [*Lixus ascanioides*](#) Villa & Villa in Catteneo, 1844 ^C
- [*Lixus ascanoides*](#) Villa & Villa, 1833 ^C
- [*Lixus asiaticus*](#) Petri, 1904 ^C
- [*Lixus asper*](#) LeConte, 1876 ^{i c b}
- [*Lixus aspericollis*](#) Chittenden, 1930 ^{i c}
- [*Lixus assiniensis*](#) Hustache, 1932 ^C
- [*Lixus astrachanicus*](#) Faust, 1883 ^C
- [*Lixus atriplicis*](#) Fabricius, J.C., 1801 ^C
- [*Lixus attenuatus*](#) Ahrens, 1812 ^C
- [*Lixus atticus*](#) Desbrochers, 1893 ^C
- [*Lixus auctus*](#) LeConte, 1857 ^C
- [*Lixus augurius*](#) Boheman, 1835 ^C
- [*Lixus auricillatus*](#) Boheman, 1843 ^C
- [*Lixus auriculatus*](#) Sahlberg, 1823 ^C
- [*Lixus auritus*](#) Boheman, 1836 ^C
- [*Lixus aurivillii*](#) Csiki, 1934 ^C
- [*Lixus australis*](#) Boisduval, 1835 ^C
- [*Lixus avuncularius*](#) Kolbe, 1898 ^C
- [*Lixus babaulti*](#) Hustache, 1936 ^C
- [*Lixus baculiformis*](#) Petri, 1904 ^C
- [*Lixus baculus*](#) Gerstaecker, 1871 ^C
- †[*Lixus balazuci*](#) Voisin & Nel, 1993 ^C
- [*Lixus balcanicus*](#) Petri, 1904 ^C
- [*Lixus bambalio*](#) Germar, 1824 ^C
- [*Lixus barbarus*](#) Olivier, 1807 ^C
- [*Lixus barbiger*](#) Dohrn, 1884 ^C
- [*Lixus barbirostris*](#) Fabricius, J.C., 1801 ^C
- [*Lixus bardanae*](#) (Fabricius, J.C., 1787) ^{C g}
- [*Lixus basilaris*](#) Boheman, 1843 ^C
- [*Lixus beauprei*](#) Pic, 1905 ^C
- [*Lixus biangulifer*](#) Marshall, 1936 ^C
- [*Lixus bicolor*](#) Olivier, 1807 ^C
- [*Lixus bicostalis*](#) Petri, 1912 ^C
- [*Lixus bidens*](#) Capiomont, 1874 ^C
- [*Lixus bidentatus*](#) Donovan, 1805 ^C
- [*Lixus bifasciatus*](#) Petri, 1904 ^C

- [*Lixus bifossatus*](#) Kolbe, 1898 ^C
- [*Lixus bifoveatus*](#) Chevrolat, 1881 ^C
- [*Lixus biimpressus*](#) Gyllenhal, 1836 ^C
- [*Lixus bilineatus*](#) Olivier, 1807 ^C
- [*Lixus bimbiensis*](#) Hustache, 1936 ^C
- [*Lixus binodulus*](#) Boheman, 1836 ^C
- [*Lixus binotatus*](#) Boheman, 1835 ^C
- [*Lixus biplicatus*](#) Chevrolat, 1881 ^C
- [*Lixus bisarmatus*](#) Petri, 1928 ^C
- [*Lixus bischoffi*](#) Fall, 1922 ^C
- [*Lixus bisinuatus*](#) Petri, 1928 ^C
- [*Lixus biskrensis*](#) Capiomont, 1874 ^C
- [*Lixus bisulcatus*](#) Faust, 1896 ^C
- [*Lixus bituberculatus*](#) Smreczynski, 1968 ^g
- [*Lixus bituberosus*](#) Fairmaire, 1904 ^C
- [*Lixus bivirgatus*](#) Desbrochers, 1898 ^C
- [*Lixus blakeae*](#) Chittenden, 1928 ^C
- [*Lixus blatchleyi*](#) Csiki, 1934 ^C
- [*Lixus blondina*](#) ^C
- [*Lixus boehmi*](#) Hartmann, 1909 ^C
- [*Lixus bolivianus*](#) Petri, 1928 ^C
- [*Lixus bonguensis*](#) Hartmann, 1900 ^C
- [*Lixus borneanus*](#) Petri, 1914 ^C
- [*Lixus brachyrhinus*](#) Boheman, 1843 ^C
- [*Lixus brachyrrhinus*](#) Boheman, 1843 ^C
- [*Lixus brachysomus*](#) Petri, 1928 ^C
- [*Lixus brasilianus*](#) Petri, 1928 ^C
- [*Lixus brasiliensis*](#) Dejean, 1821 ^C
- [*Lixus breviatus*](#) Desbrochers, 1891 ^C
- [*Lixus brevicaudatus*](#) Petri, 1912 ^C
- [*Lixus brevicaudis*](#) Kuester, 1849 ^C
- [*Lixus breviculus*](#) Champion, 1910 ^C
- [*Lixus brevipennis*](#) Ruter, 1939 ^C
- [*Lixus brevipes*](#) Brisout, 1866 ^C
- [*Lixus brevirostris*](#) Boheman, 1836 ^C
- [*Lixus brevis*](#) Petri, 1928 ^C

- [*Lixus breweri*](#) Pascoe, 1874 ^C
- [*Lixus brunneus*](#) (Fabricius, J.C., 1781) ^{C g}
- [*Lixus buccinator*](#) Olivier, 1807 ^C
- [*Lixus buchanani*](#) Chittenden, 1930 ^{i C}
- [*Lixus caesareus*](#) Petri, 1914 ^C
- [*Lixus caffer*](#) Gyllenhal, 1836 ^C
- [*Lixus cafferarius*](#) Csiki, 1904 ^C
- [*Lixus calandroides*](#) Randall, 1838 ^C
- [*Lixus californicus*](#) Motschulsky, 1845 ^C
- [*Lixus caliginosus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus callosus*](#) Boheman, 1845 ^C
- [*Lixus camerunus*](#) Petri, 1912 ^C
- [*Lixus canaliculatus*](#) Boheman, 1843 ^C
- [*Lixus candidus*](#) Olivier, 1807 ^C
- [*Lixus canescens*](#) Fischer de Waldheim, 1835 ^{C g}
- [*Lixus canus*](#) Wiedemann, 1823 ^C
- [*Lixus capiomonti*](#) Faust, 1883 ^C
- [*Lixus capitalis*](#) Petri, 1928 ^C
- [*Lixus capitatus*](#) Chittenden, 1930 ^C
- [*Lixus cardui*](#) Olivier, 1807 ^C
- [*Lixus carinatus*](#) Boheman, 1836 ^C
- [*Lixus carinellus*](#) Boheman, 1843 ^C
- [*Lixus carinerostris*](#) Boheman, 1843 ^C
- [*Lixus carinicornis*](#) Boheman, 1843 ^C
- [*Lixus cariniger*](#) Petri, 1912 ^C
- [*Lixus carlinae*](#) Olivier, 1807 ^C
- [*Lixus caroli*](#) Hartmann, 1906 ^C
- [*Lixus carthami*](#) Olivier, 1807 ^C
- [*Lixus castellanus*](#) Chevrolat, 1865 ^C
- [*Lixus catati*](#) Hustache, 1920 ^C
- [*Lixus caucasicus*](#) Petri, 1904 ^C
- [*Lixus caudatus*](#) Champion, 1902 ^C
- [*Lixus caudifer*](#) LeConte, 1876 ^{i C}
- [*Lixus caudiger*](#) Petri, 1928 ^C
- [*Lixus causticus*](#) Faust, 1886 ^C
- [*Lixus cavatus*](#) Petri, 1928 ^C

- [*Lixus cavicollis*](#) Blatchley, 1922 ^C
- [*Lixus cavipennis*](#) Petri, 1928 ^C
- [*Lixus cenobita*](#) Olivier, 1807 ^C
- [*Lixus centaureae*](#) Olivier, 1807 ^C
- [*Lixus centaurii*](#) Olivier, 1807 ^C
- [*Lixus chawneri*](#) Wollaston, 1854 ^C
- [*Lixus cheiranthi*](#) Wollaston, 1854 ^C
- [*Lixus chevrolati*](#) Boheman, 1843 ^C
- [*Lixus christophi*](#) Faust, 1892 ^C
- [*Lixus chullati*](#) Hustache, 1920 ^C
- [*Lixus cinerascens*](#) Boheman, 1836 ^{C g}
- [*Lixus cinereus*](#) Latreille, 1804 ^C
- [*Lixus cinnabarinus*](#) Walzl, 1839 ^C
- [*Lixus circumcinctus*](#) Boheman, 1836 ^C
- [*Lixus circumdatus*](#) Schoenherr, 1835 ^C
- [*Lixus circumscriptus*](#) Petri, 1912 ^C
- [*Lixus clathratus*](#) Schoenherr, 1826 ^C
- [*Lixus clatratus*](#) Olivier, 1807 ^C
- [*Lixus clavipes*](#) Fabricius, J.C., 1801 ^C
- [*Lixus cleoniformis*](#) Petri, 1904 ^C
- [*Lixus cleonoides*](#) Chittenden, 1930 ^C
- [*Lixus coarctatus*](#) Klug, 1834 ^C
- [*Lixus coarcticollis*](#) Boheman, 1843 ^C
- [*Lixus coenobita*](#) Olivier, 1807 ^C
- [*Lixus colchicus*](#) Petri, 1904 ^C
- [*Lixus collaris*](#) Petri, 1928 ^C
- [*Lixus collarti*](#) Hustache, 1934 ^C
- [*Lixus coloradensis*](#) Chittenden, 1930 ^C
- [*Lixus coloratus*](#) Petri, 1904 ^C
- [*Lixus columbianus*](#) Petri, 1928 ^C
- [*Lixus comparabilis*](#) Kolbe, 1898 ^C
- [*Lixus compressicollis*](#) J. Thomson, 1858 ^C
- [*Lixus concavus*](#) Say, 1831 ^{i c b} (rhubarb weevil)
- [*Lixus confinis*](#) Billberg, 1820 ^C
- [*Lixus conformatus*](#) Csiki, 1934 ^C
- [*Lixus conformis*](#) Dejean, 1830 ^C

- [*Lixus confusus*](#) Desbrochers, 1904 ^C
- [*Lixus conicirostris*](#) Olivier, 1807 ^C
- [*Lixus conicollis*](#) Boheman, 1835 ^C
- [*Lixus conicus*](#) Sturm, 1826 ^C
- [*Lixus coniformis*](#) Csiki, 1934 ^C
- [*Lixus connivens*](#) Gyllenhal, 1836 ^C
- [*Lixus consenescens*](#) Boheman, 1835 ^C
- [*Lixus constrictus*](#) Boheman, 1835 ^C
- [*Lixus contractus*](#) Gemminger, 1871 ^{C g}
- [*Lixus convexicollis*](#) Petri, 1904 ^C
- [*Lixus copiosus*](#) Lea, 1899 ^C
- [*Lixus coriaceus*](#) Klug, ^C
- [*Lixus corpulentus*](#) Petri, 1912 ^C
- [*Lixus costalis*](#) Boheman, 1835 ^C
- [*Lixus costatus*](#) Germar, 1824 ^C
- [*Lixus costipennis*](#) Petri, 1912 ^C
- [*Lixus costirostris*](#) Seidlitz, 1891 ^C
- [*Lixus costulatus*](#) Kolbe, 1898 ^C
- [*Lixus cottyi*](#) Desbrochers, 1904 ^C
- [*Lixus coutieri*](#) Hustache, 1920 ^C
- [*Lixus crassipes*](#) Megerle, ^C
- [*Lixus crassipunctatus*](#) Chittenden, 1930 ^C
- [*Lixus crassulus*](#) Notman, 1920 ^C
- [*Lixus cretaceus*](#) Chevrolat, 1866 ^C
- [*Lixus creteopictus*](#) Wollaston, 1867 ^C
- [*Lixus cribricollis*](#) Boheman, 1836 ^C
- [*Lixus criniger*](#) Illiger, ^C
- [*Lixus crinipes*](#) Quedenfeldt, 1888 ^C
- [*Lixus cruciferae*](#) Hoffmann, 1956 ^C
- [*Lixus crux*](#) Petri, 1928 ^C
- [*Lixus cuneiformis*](#) Fåhræus, 1871 ^C
- [*Lixus cuniculinus*](#) Olivier, 1807 ^C
- [*Lixus cuniculus*](#) Olivier, 1807 ^C
- [*Lixus curtipennis*](#) Hustache, 1923 ^C
- [*Lixus curtirostris*](#) Tournier, 1878 ^C
- [*Lixus curtulus*](#) Petri, 1928 ^C

- [*Lixus curvinasus*](#) Kolbe, 1898 ^C
- [*Lixus curvirostris*](#) Capiomont, 1874 ^C
- [*Lixus cylindraceus*](#) Boheman, 1836 ^C
- [*Lixus cylindricus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus cylindroides*](#) Schoenherr, 1836 ^C
- [*Lixus cylindrus*](#) Gültekin, 2010 ^C
- [*Lixus cynarae*](#) Latreille, 1804 ^C
- [*Lixus cynarophilus*](#) Capiomont, 1874 ^C
- [*Lixus davidiani*](#) Gultekin & Korotyaev, 2012 ^C
- [*Lixus deceptus*](#) Blatchley & Leng, 1916 ^C
- [*Lixus declivis*](#) Olivier, 1807 ^C
- [*Lixus decorsei*](#) Hustache, 1920 ^C
- [*Lixus defloratus*](#) Olivier, 1807 ^C
- [*Lixus delatus*](#) Kuschel, 1950 ^C
- [*Lixus denticollis*](#) Petri, 1904 ^C
- [*Lixus dentipes*](#) Dejean, 1821 ^C
- [*Lixus denudatus*](#) Zubkov, 1833 ^C
- [*Lixus depressipennis*](#) Roelofs, 1873 ^C
- [*Lixus depressirostris*](#) Petri, 1914 ^C
- [*Lixus depressus*](#) Boheman, 1843 ^C
- [*Lixus deremius*](#) Kolbe, 1898 ^C
- [*Lixus desbrochersi*](#) Hoffmann, 1957 ^C
- [*Lixus descarpentriesi*](#) Hustache, 1920 ^C
- [*Lixus deserticola*](#) Hoffmann, 1957 ^C
- [*Lixus desertorum*](#) Gebler, 1830 ^C
- [*Lixus devillei*](#) Hoffmann, 1955 ^C
- [*Lixus difficilis*](#) Capiomont, 1874 ^C
- [*Lixus diloris*](#) Germar, 1819 ^C
- [*Lixus discedens*](#) Petri, 1912 ^C
- [*Lixus discolor*](#) Boheman, 1836 ^C
- [*Lixus discrepans*](#) Petri, 1928 ^C
- [*Lixus discretus*](#) Petri, 1928 ^C
- [*Lixus dissimilis*](#) Chittenden, 1930 ^C
- [*Lixus distinctus*](#) Germar, 1824 ^C
- [*Lixus distinguendus*](#) Desbrochers, 1893 ^C
- [*Lixus distortus*](#) Csiki, 1934 ^C

- [*Lixus diutinus*](#) Faust, 1883 ^C
- [*Lixus divaricatus*](#) Motschulsky, 1860 ^C
- [*Lixus dogoanus*](#) Hoffmann, 1954 ^C
- [*Lixus dohrni*](#) Faust, 1889 ^C
- [*Lixus dolus*](#) Faust, 1883 ^C
- [*Lixus dorsalis*](#) Dejean, 1837 ^C
- [*Lixus dorsotinctus*](#) Fairmaire, 1904 ^C
- [*Lixus dregei*](#) Boheman, 1843 ^C
- [*Lixus dubiosus*](#) Petri, 1928 ^C
- [*Lixus dubitabilis*](#) Fairmaire, 1875 ^C
- [*Lixus dubius*](#) Fabricius, J.C., 1801 ^C
- [*Lixus duplicatus*](#) Fremuth, 1983 ^C
- [*Lixus duponti*](#) Schoenherr, 1843 ^C
- [*Lixus elegans*](#) Petri, 1928 ^C
- [*Lixus elegantulus*](#) Boheman, 1843 ^C
- [*Lixus elendeensis*](#) Hustache, 1936 ^C
- [*Lixus elephantulus*](#) Chittenden, 1930 ^C
- [*Lixus elongatulus*](#) Petri, 1928 ^C
- [*Lixus elongatus*](#) Germar, 1824 ^C
- [*Lixus emarginatus*](#) Latreille, 1804 ^C
- [*Lixus emeljanovi*](#) Ter-Minasian, 1973 ^C
- [*Lixus encaustes*](#) Faust, 1890 ^C
- [*Lixus eschscholtzi*](#) Boheman, 1836 ^C
- [*Lixus eschscholtzii*](#) Boheman, 1835 ^C
- [*Lixus eucylindrus*](#) Kolbe, 1898 ^C
- [*Lixus euphorbiae*](#) Capiomont, 1874 ^C
- [*Lixus evanescens*](#) Petri, 1928 ^C
- [*Lixus eversmanni*](#) Hochhuth, 1847 ^C
- [*Lixus ewaldi*](#) Alziar, 1978 ^C
- [*Lixus exaratus*](#) Klug, 1850 ^C
- [*Lixus excavaticollis*](#) Boheman, 1843 ^C
- [*Lixus excelsus*](#) Faust, 1891 ^C
- [*Lixus excoriatus*](#) Illiger, ^C
- [*Lixus eximius*](#) Casey, 1891 ^C
- [*Lixus eylandti*](#) Petri, 1904 ^C
- [*Lixus fahraei*](#) Csiki, 1904 ^C

- [*Lixus fairmairei*](#) Faust, 1890 ^C
- [*Lixus fallax*](#) Boheman, 1843 ^C
- [*Lixus farinifer*](#) Reitter, 1892 ^C
- [*Lixus fariniferus*](#) Desbrochers, 1898 ^C
- [*Lixus farinosulus*](#) Csiki, 1934 ^C
- [*Lixus farinosus*](#) Boisduval, 1835 ^C
- [*Lixus fasciatus*](#) Redtenbacher, 1844 ^C
- [*Lixus fasciculatus*](#) Boheman, 1836 ^C
- [*Lixus fascifarius*](#) Reitter, 1895 ^g
- [*Lixus fastigatus*](#) Petri, 1912 ^C
- [*Lixus faunus*](#) Olivier, 1807 ^C
- [*Lixus fausti*](#) Petri, 1904 ^C
- [*Lixus favens*](#) Boheman, 1835 ^C
- [*Lixus fecundus*](#) Faust, 1892 ^C
- [*Lixus ferrugatus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus ferrugineus*](#) Sturm, 1826 ^C
- [*Lixus ferulae*](#) Ter-Minasian, 1985 ^C
- [*Lixus ferulaginis*](#) Apfelbeck, 1899 ^C
- [*Lixus figuratus*](#) Fåhraeus, 1871 ^C
- [*Lixus filiformis*](#) (Fabricius, J.C., 1781) ^{C g}
- [*Lixus filum*](#) Faust, 1884 ^C
- [*Lixus fimbriolatus*](#) Boheman, 1835 ^C
- [*Lixus fissirostris*](#) Petri, 1912 ^C
- [*Lixus flaveolus*](#) Motschulsky, 1849 ^C
- [*Lixus flavescens*](#) Boheman, 1836 ^C
- [*Lixus flavicornis*](#) Boheman, 1843 ^C
- [*Lixus flavipunctatus*](#) Zumpt, 1936 ^C
- [*Lixus flexipennis*](#) Chittenden, 1930 ^{i C}
- [*Lixus floccosus*](#) Fairmaire, 1904 ^C
- [*Lixus formaneki*](#) Reitter, 1895 ^C
- [*Lixus formosus*](#) Petri, 1928 ^C
- [*Lixus fossus*](#) LeConte, 1876 ^{i C}
- [*Lixus foveatostriatus*](#) Csiki, 1934 ^C
- [*Lixus foveinotus*](#) Petri, 1928 ^C
- [*Lixus foveiventris*](#) Desbrochers, 1904 ^C
- [*Lixus foveolaticollis*](#) Ter-Minasian, 1972 ^C

- [Lixus foveolatus](#) Boheman, 1836 ^C
- [Lixus frater](#) Faust, 1895 ^C
- [Lixus fraternus](#) Petri, 1912 ^C
- [Lixus fumidus](#) Boheman, 1843 ^C
- [Lixus furcatus](#) Olivier, 1807 ^C
- [Lixus gages](#) Fabricius, J.C., 1801 ^C
- [Lixus gandoensis](#) Hustache, 1939 ^C
- [Lixus gazella](#) Fabricius, J.C., 1801 ^C
- [Lixus gemellatus](#) Gyllenhal, 1836 ^C
- [Lixus gemellus](#) Petri, 1928 ^C
- [Lixus geminatus](#) Boheman, 1843 ^C
- [Lixus gemmellatus](#) Gyllenhal, 1836 ^C
- [Lixus germaini](#) Hustache, 1936 ^C
- [Lixus germari](#) Boheman, 1843 ^C
- [Lixus gerstaeckeri](#) Petri, 1912 ^C
- [Lixus ghesquierei](#) Hustache, 1937 ^C
- [Lixus gibbistrostris](#) Petri, 1904 ^C
- [Lixus gibbosus](#) Petri, 1928 ^C
- [Lixus gibbus](#) Cristofori & Jan, 1832 ^C
- [Lixus giganteus](#) Leoni, 1907 ^C
- [Lixus gigas](#) Fairmaire, 1904 ^C
- [Lixus glaucus](#) Latreille, 1804 ^C
- [Lixus globicollis](#) Petri, 1905 ^C
- [Lixus gracilicornis](#) Capiomont, 1874 ^C
- [Lixus gracilis](#) Dejean, 1821 ^C
- [Lixus grammicus](#) Latreille, 1804 ^C
- [Lixus granicollis](#) Aurivillius, 1910 ^C
- [Lixus granulatus](#) Olivier, 1807 ^C
- [Lixus granulicollis](#) Aurivillius, 1910 ^C
- [Lixus gravidus](#) Olivier, 1807 ^C
- [Lixus griseosparsus](#) Voss, 1965 ^C
- [Lixus gurjevae](#) Ter-Minasian, 1968 ^C
- [Lixus guttatus](#) Olivier, 1807 ^C
- [Lixus guttiventris](#) Boheman, 1843 ^C
- [Lixus guttula](#) Olivier, A.G., 1807 ^C
- [Lixus guttulatus](#) Desbrochers, 1899 ^C

- [Lixus habilis](#) Hustache, 1937 ^C
- [Lixus haematocerus](#) Germar, 1817 ^C
- [Lixus haerens](#) Boheman, 1836 ^C
- [Lixus hartmanni](#) Petri, 1912 ^C
- [Lixus hastatus](#) Petri, 1928 ^C
- [Lixus hauseri](#) Voss, 1932 ^C
- [Lixus hebetatus](#) Hustache, 1937 ^C
- [Lixus helenae](#) Hustache, 1923 ^C
- [Lixus helvolus](#) Boheman, 1843 ^C
- [Lixus heydeni](#) Faust, 1891 ^C
- [Lixus hieroglyphicus](#) Olivier, 1807 ^C
- [Lixus hieroglyphus](#) Olivier, 1807 ^C
- [Lixus hildebrandti](#) Harold, 1879 ^C
- [Lixus hirticaudis](#) Germar, 1824 ^C
- [Lixus hirticollis](#) Ménétriés, 1849 ^C
- [Lixus hispaniolus](#) Petri, 1928 ^C
- [Lixus hissaricus](#) Ter-Minasian, 1966 ^C
- [Lixus hottentottus](#) Boheman, 1843 ^C
- [Lixus hottentotus](#) Boheman, 1843 ^C
- [Lixus hovanus](#) Hustache, 1920 ^C
- [Lixus humbloti](#) Hustache, 1920 ^C
- [Lixus humerosus](#) Fairmaire, 1904 ^C
- [Lixus humilis](#) Petri, 1914 ^C
- [Lixus hungarus](#) Petri, 1905 ^C
- [Lixus hybridus](#) Petri, 1928 ^C
- [Lixus hypocrita](#) Chevrolat, 1866 ^C
- [Lixus ibis](#) Petri, 1904 ^C
- [Lixus ignavus](#) J.Thomson, 1858 ^C
- [Lixus illaudatus](#) Hustache, 1937 ^C
- [Lixus imitator](#) Faust, 1892 ^C
- [Lixus imitatus](#) Hustache, 1937 ^C
- [Lixus immundus](#) Boheman, 1859 ^C
- [Lixus impar](#) Desbrochers, 1899 ^C
- [Lixus impexus](#) Voss, 1960 ^C
- [Lixus imponderosus](#) Lea, 1911 ^C
- [Lixus impressicollis](#) Klug, J.C.F., 1829 ^{C g}

- [*Lixus impressifrons*](#) Petri, 1904 ^{c g}
- [*Lixus impressiventris*](#) Petri, 1905 ^c
- [*Lixus impressus*](#) Sahlberg, 1823 ^c
- [*Lixus inaeffectatus*](#) Hustache, 1936 ^c
- [*Lixus incanescens*](#) Boheman, 1836 ^c
- [*Lixus incarnatus*](#) Gyllenhal, 1836 ^c
- [*Lixus incurvinasus*](#) Csiki, 1934 ^c
- [*Lixus inermipennis*](#) Desbrochers, 1904 ^c
- [*Lixus inermipes*](#) Petri, 1928 ^c
- [*Lixus inermis*](#) Champion, 1902 ^c
- [*Lixus inflexofemoratus*](#) Petri, 1928 ^c
- [*Lixus infrequens*](#) Hoffmann, 1954 ^c
- [*Lixus inhumeralis*](#) Hustache, 1938 ^c
- [*Lixus inops*](#) Schoenherr, 1832 ^c
- [*Lixus inquinatus*](#) Boheman, 1835 ^c
- [*Lixus insolens*](#) Faust, 1899 ^c
- [*Lixus insularis*](#) Capiomont, 1874 ^c
- [*Lixus intermedius*](#) Petri, 1912 ^c
- [*Lixus invarius*](#) Walker, 1871 ^c
- [*Lixus iridis*](#) Olivier, 1807 ^{c g}
- [*Lixus irkutensis*](#) Faust, 1894 ^c
- [*Lixus irsectus*](#) Boheman, 1836 ^c
- [*Lixus irroratus*](#) Boheman, 1835 ^c
- [*Lixus isfahanensis*](#) Gültekin, 2010 ^c
- [*Lixus isselii*](#) Gestro, 1889 ^c
- [*Lixus itimbirensis*](#) Duvivier, 1892 ^c
- [*Lixus ivae*](#) Chittenden, 1930 ^c
- [*Lixus jaceae*](#) Latreille, 1804 ^c
- [*Lixus javanus*](#) Faust, 1896 ^c
- [*Lixus jekeli*](#) Desbrochers, 1891 ^c
- [*Lixus jucundus*](#) Faust, 1892 ^c
- [*Lixus julichi*](#) Casey, 1891 ^{i c}
- [*Lixus julliani*](#) Hustache, 1923 ^c
- [*Lixus junci*](#) Boheman, ^c
- [*Lixus juncii*](#) Boheman, 1835 ^c
- [*Lixus kabulensis*](#) Voss, 1961 ^c

- [*Lixus karakumicus*](#) Bajtenov & Soyunov, 1990 ^C
- [*Lixus karelini*](#) Boheman, 1835 ^C
- [*Lixus kasaiensis*](#) Hustache, 1934 ^C
- [*Lixus kazakhstanicus*](#) Ter-Minasian, 1970 ^C
- [*Lixus kenya*](#) Hustache, 1929 ^C
- [*Lixus kilimanus*](#) Kolbe, 1898 ^C
- [*Lixus kiritshenkoi*](#) Ter-Minasian, 1985 ^C
- [*Lixus kolbei*](#) Faust, 1899 ^C
- [*Lixus kolenati*](#) Hochhuth, 1847 ^C
- [*Lixus kolenatii*](#) Hochhuth, 1847 ^C
- [*Lixus korbi*](#) Petri, 1904 ^C
- [*Lixus korotyaevi*](#) Ter-Minasian, 1989 ^C
- [*Lixus kraatzii*](#) Capiomont, 1874 ^C
- [*Lixus kuatunensis*](#) Voss, 1958 ^C
- [*Lixus kulzeri*](#) Zumpt, 1932 ^C
- [*Lixus lacunosus*](#) Petri, 1928 ^C
- [*Lixus laesicollis*](#) LeConte, 1858 ^C
- [*Lixus laevicollis*](#) Petri, 1912 ^C
- [*Lixus languidus*](#) Faust, 1891 ^C
- [*Lixus laramiensis*](#) Casey, 1891 ^{i C}
- [*Lixus larinoides*](#) Petri, 1914 ^C
- [*Lixus lateralis*](#) Say, 1831 ^{i C}
- [*Lixus lateripictus*](#) Fairmaire, 1879 ^C
- [*Lixus laticollis*](#) Petri, 1905 ^C
- [*Lixus latirostris*](#) Latreille, 1804 ^C
- [*Lixus latro*](#) Marshall, 1945 ^C
- [*Lixus laufferi*](#) Petri, 1905 ^C
- [*Lixus lautus*](#) Voss, 1958 ^C
- [*Lixus lecontei*](#) Faust, 1883 ^C
- [*Lixus lefebvrei*](#) Boheman, 1835 ^C
- [*Lixus leleupi*](#) Marshall, 1953 ^C
- [*Lixus leninus*](#) Hustache, 1936 ^C
- [*Lixus lentzi*](#) Hustache, 1924 ^C
- [*Lixus lepidii*](#) Motschulsky, 1860 ^C
- [*Lixus leptosomus*](#) Blatchley, 1914 ^C
- [*Lixus levantinus*](#) Petri, 1904 ^C

- †[*Lixus ligniticus*](#) Piton, 1940 ^C
- [*Lixus likimiensis*](#) Hustache, 1937 ^C
- [*Lixus limbatus*](#) Sturm, 1826 ^C
- [*Lixus limbifer*](#) Petri, 1928 ^C
- [*Lixus lindiensis*](#) Hustache, 1938 ^C
- [*Lixus linearis*](#) Olivier, 1807 ^C
- [*Lixus lineatus*](#) Sturm, 1826 ^C
- [*Lixus lineola*](#) Fabricius, J.C., 1801 ^C
- [*Lixus linnei*](#) Faust, 1888 ^C
- [*Lixus lividus*](#) (Yeats, T.P., 1776) ^{C g}
- [*Lixus lodingi*](#) Chittenden, 1930 ^C
- [*Lixus longicollis*](#) Kolbe, 1898 ^C
- [*Lixus longipennis*](#) Hustache, 1939 ^C
- [*Lixus longulus*](#) Klug, J.C.F., 1829 ^{C g}
- [*Lixus loratus*](#) Germar, 1824 ^C
- [*Lixus loricatus*](#) Schneider, ^C
- [*Lixus luculentus*](#) Casey, 1891 ^C
- [*Lixus lugens*](#) Petri, 1912 ^C
- [*Lixus lukjanovitshi*](#) Ter-Minasian, 1966 ^C
- [*Lixus lupinus*](#) Blatchley, 1914 ^C
- [*Lixus lusingaensis*](#) Voss, 1962 ^C
- [*Lixus lutescens*](#) Capiomont, 1874 ^C
- [*Lixus luzonicus*](#) Faust, 1895 ^C
- [*Lixus lycophoeus*](#) Boheman, 1835 ^C
- [*Lixus lycophorus*](#) Boheman, 1836 ^C
- [*Lixus lymexylon*](#) Fabricius, J.C., 1801 ^C
- [*Lixus macer*](#) LeConte, 1876 ^{i c b}
- [*Lixus macilentus*](#) Olivier, 1807 ^C
- [*Lixus maculatus*](#) Roelofs, 1873 ^C
- [*Lixus maculipennis*](#) Champion, 1902 ^C
- [*Lixus madagassus*](#) Faust, 1889 ^C
- [*Lixus madaranus*](#) Kono, 1929 ^C
- [*Lixus madidus*](#) Olivier, 1807 ^C
- [*Lixus maicopicus*](#) Ter-Minasian, 1966 ^C
- [*Lixus malatianus*](#) Faust, 1890 ^C
- [*Lixus malignus*](#) Faust, 1894 ^C

- [*Lixus manifestus*](#) Kirsch, 1868 ^C
- [*Lixus margaritae*](#) Davidyan in Korotyaev, Ismailova, Arzanov, Davidyan & Prasolov, 1993 ^C
- [*Lixus marginalis*](#) Curtis, 1837 ^C
- [*Lixus marginatus*](#) Say, 1831 ^{i c b}
- [*Lixus marginemaculatus*](#) Bach, 1854 ^C
- [*Lixus maritimus*](#) Fall, 1913 ^{i c}
- [*Lixus marmoratus*](#) Latreille, 1804 ^C
- [*Lixus marqueti*](#) Desbrochers, 1870 ^C
- [*Lixus massaicus*](#) Kolbe, 1898 ^C
- [*Lixus mastersi*](#) Pascoe, 1874 ^C
- [*Lixus maurus*](#) Olivier, 1807 ^C
- [*Lixus melanocephalus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus meles*](#) Boheman, 1836 ^C
- [*Lixus mephitis*](#) Chittenden, 1930 ^C
- [*Lixus meregallii*](#) Fremuth, 1983 ^C
- [*Lixus merula*](#) Suffrian, 1871 ^{i c b}
- [*Lixus mesopotamicus*](#) Olivier, 1807 ^C
- [*Lixus mexicanus*](#) Boheman, 1843 ^C
- [*Lixus miagri*](#) Laporte, 1840 ^C
- [*Lixus microlepis*](#) Ter-Minasian, 1973 ^C
- [*Lixus mimicanus*](#) Marshall, 1915 ^C
- [*Lixus miniatocinctus*](#) Desbrochers, 1866 ^C
- [*Lixus minutus*](#) Escalera, 1914 ^C
- [*Lixus mixtus*](#) Leconte, 1876 ^C
- [*Lixus mocquerysi*](#) Hustache, 1920 ^C
- [*Lixus modestus*](#) Mannerheim, 1843 ^C
- [*Lixus mogadorus*](#) Heyden, 1887 ^C
- [*Lixus moivanus*](#) Kôno, 1928 ^C
- [*Lixus moiwanus*](#) Kôno, 1928 ^C
- [*Lixus montanus*](#) Aurivillius, 1926 ^C
- [*Lixus monticola*](#) Kirsch, 1878 ^C
- [*Lixus morbillosus*](#) Latreille, 1804 ^C
- [*Lixus morettiae*](#) Voss, 1964 ^C
- [*Lixus morosus*](#) Olivier, 1807 ^C
- [*Lixus morulus*](#) Blatchley & Leng, 1916 ^C
- [*Lixus motacilla*](#) Schoenherr, 1832 ^C

- [Lixus mucidus](#) LeConte, 1876^{i c b}
- [Lixus mucoreus](#) Pascoe, 1885^c
- [Lixus mucronatus](#) Fabricius, J.C., 1801^{c g}
- [Lixus muongus](#) Heller, 1922^c
- [Lixus musculus](#) Say, 1831^{i c b}
- [Lixus mutabiis](#) Petri, 1928^c
- [Lixus mutabilis](#) Petri, 1928^c
- [Lixus myagri](#) Olivier, 1807^c
- [Lixus nanus](#) Boheman, 1836^c
- [Lixus nathaliae](#) Hustache, 1956^c
- [Lixus nebulifasciatus](#) Walker, 1859^c
- [Lixus nebulosus](#) Latreille, 1804^c
- [Lixus neglectus](#) Cristofori & Jan, 1832^c
- [Lixus nettadorchinae](#) Friedman & Colonnelli, 2025[5]
- [Lixus niansanus](#) Kolbe, 1898^c
- [Lixus nigricornis](#) Desbrochers, 1893^c
- [Lixus nigrinus](#) Champion, 1902^c
- [Lixus nigripes](#) Hustache, 1933^c
- [Lixus nigratarsis](#) Boheman, 1835^c
- [Lixus nigrolineatus](#) Voss, 1967^c
- [Lixus niloticus](#) Chevrolat, 1873^c
- [Lixus nitidirostris](#) Kolbe, 1898^c
- [Lixus nitidulus](#) Casey, 1891^{i c b}
- [Lixus noctuinus](#) Petri, 1904^c
- [Lixus nordmanni](#) Hochhuth, 1847^c
- [Lixus notatus](#) Fabricius, J.C., 1801^c
- [Lixus novellus](#) Blatchley, 1925^c
- [Lixus nubeculosus](#) Illiger,^c
- [Lixus nubianus](#) Capiomont, 1875^c
- [Lixus nubilosus](#) Boheman, 1835^c
- [Lixus nycterophorus](#) Reiche, 1850^c
- [Lixus obesulus](#) Casey, 1891^{i c}
- [Lixus obesus](#) Petri, 1904^c
- [Lixus obliquenubilus](#) Quedenfeldt, 1888^c
- [Lixus obliquivittis](#) Voss, 1937^c
- [Lixus obliquus](#) Olivier, 1807^c

- [*Lixus oblongus*](#) Petri, 1905 ^c
- [*Lixus obovatus*](#) Hustache, 1933 ^c
- [*Lixus obsoletus*](#) Endrödi, 1959 ^c
- [*Lixus ocellatus*](#) Chittenden, 1930 ^c
- [*Lixus ochraceus*](#) Boheman, 1843 ^c
- [*Lixus octolineatus*](#) (Olivier, A.G., 1791) ^{c g}
- [*Lixus ocularis*](#) Germar, 1819 ^c
- [*Lixus odontalgicus*](#) Olivier, 1807 ^c
- [*Lixus olivieri*](#) Faust, 1891 ^c
- [*Lixus onopordi*](#) Olivier, 1807 ^c
- [*Lixus opacirostris*](#) Hustache, 1939 ^c
- [*Lixus opacus*](#) Petri, 1912 ^c
- [*Lixus operculifer*](#) Petri, 1904 ^c
- [*Lixus ophthalmicus*](#) Latreille, 1804 ^c
- [*Lixus orbitalis*](#) Boheman, 1835 ^c
- [*Lixus ordinatipennis*](#) Chittenden, 1930 ^c
- [*Lixus oregonus*](#) Casey, 1891 ^{i c}
- [*Lixus orientalis*](#) Dejean, 1821 ^c
- [*Lixus overlaeti*](#) Hustache, 1934 ^c
- [*Lixus pacificus*](#) Olivier, 1807 ^c
- [*Lixus pallas*](#)i Faust, 1890 ^c
- [*Lixus pallens*](#) Boheman, 1843 ^c
- [*Lixus pallipes*](#) Zumpt, 1938 ^c
- [*Lixus palmatus*](#) Olivier, 1807 ^c
- [*Lixus palpebratus*](#) Boheman, 1836 ^c
- [*Lixus palumbus*](#) Olivier, 1807 ^c
- [*Lixus papei*](#) Petri, 1912 ^c
- [*Lixus papillifer*](#) Petri, 1912 ^c
- [*Lixus paradoxus*](#) Kolbe, 1898 ^c
- [*Lixus paraguayanus*](#) Petri, 1928 ^c
- [*Lixus parallelus*](#) Dejean, 1830 ^c
- [*Lixus paraplecticus*](#) (Linnaeus, C., 1758) ^{c g}
- [*Lixus parvus*](#) LeConte, 1876 ^{i c b} (knotweed weevil)
- [*Lixus pardalis*](#) Boheman, 1836 ^c
- [*Lixus parilis*](#) Faust, 1899 ^c
- [*Lixus parummaculatus*](#) Voss, 1962 ^c

- [*Lixus paulmeyeri*](#) Petri, 1905 ^C
- [*Lixus paulonotatus*](#) Pic, 1904 ^C
- [*Lixus pedronii*](#) Talamelli, 2008 ^C
- [*Lixus peninsularis*](#) Fall, 1913 ^C
- [*Lixus peraffinis*](#) Hustache, 1939 ^C
- [*Lixus peregrinus*](#) Boheman, 1836 ^C
- [*Lixus perforatus*](#) LeConte, 1876 ^{i c b}
- [*Lixus peristriatus*](#) Chittenden, 1930 ^C
- [*Lixus perjurus*](#) Hustache, 1936 ^C
- [*Lixus perlongus*](#) Fall, 1913 ^{i c}
- [*Lixus perparvulus*](#) Desbrochers, 1870 ^C
- [*Lixus perplexus*](#) Faust, 1888 ^C
- [*Lixus perrieri*](#) Hustache, 1920 ^C
- [*Lixus peruvianus*](#) Petri, 1928 ^C
- [*Lixus pervestitus*](#) Chittenden, 1930 ^{i c b}
- [*Lixus petiolicola*](#) Gultekin & Korotyaev, 2011 ^C
- [*Lixus petrii*](#) Csiki, 1904 ^C
- [*Lixus pica*](#) Fabricius, J.C., 1801 ^C
- [*Lixus piceicornis*](#) Billberg, 1820 ^C
- [*Lixus pictipennis*](#) Hustache, 1934 ^C
- [*Lixus pierreii*](#) Roudier, 1954 ^C
- [*Lixus pilosellus*](#) Petri, 1928 ^C
- [*Lixus pilosulus*](#) Faust, 1895 ^C
- [*Lixus pinguinasus*](#) Petri, 1912 ^C
- [*Lixus pinguistrois*](#) Petri, 1912 ^C
- [*Lixus pinguis*](#) Gerstaecker, 1871 ^C
- [*Lixus pinkeri*](#) Voss, 1965 ^g
- [*Lixus pisanus*](#) Schneider, ^C
- [*Lixus pistrinarius*](#) Boheman, 1835 ^C
- [*Lixus placidus*](#) LeConte, 1876 ^{i c b}
- [*Lixus plagiatus*](#) Fåhræus, 1871 ^C
- [*Lixus planicollis*](#) Chittenden, 1930 ^C
- [*Lixus planifrons*](#) Petri, 1928 ^C
- [*Lixus plicatulus*](#) Petri, 1928 ^C
- [*Lixus plicatus*](#) Latreille, 1804 ^C
- [*Lixus plucheeae*](#) Chittenden, 1930 ^C

- [*Lixus pollinosus*](#) Germar, 1819 ^C
- [*Lixus polylineatus*](#) Petri, 1904 ^C
- [*Lixus porcatus*](#) Boheman, 1843 ^C
- [*Lixus porculus*](#) Latreille, 1804 ^C
- [*Lixus poricollis*](#) Mannerheim, 1843 ^C
- [*Lixus posticus*](#) Faust, 1884 ^C
- [*Lixus pracuae*](#) Faust, 1891 ^C
- [*Lixus praepotens*](#) Boheman, 1836 ^C
- [*Lixus probus*](#) Faust, 1886 ^C
- [*Lixus productus*](#) Stephens, 1829 ^C
- [*Lixus professus*](#) Faust, 1883 ^C
- [*Lixus profundus*](#) Chittenden, 1930 ^C
- [*Lixus propinquus*](#) Petri, 1912 ^C
- [*Lixus pubirostris*](#) Petri, 1904 ^C
- [*Lixus pudens*](#) Fähræus, 1871 ^C
- [*Lixus pulcher*](#) Aurivillius, 1910 ^C
- [*Lixus pulverulentus*](#) Olivier, 1807 ^{C g}
- [*Lixus pulvinatus*](#) Boheman, 1836 ^C
- [*Lixus pulvisculosus*](#) Boheman, 1835 ^C
- [*Lixus punctatulus*](#) Petri, 1914 ^C
- [*Lixus punctatus*](#) Fischer de Waldheim, 1843 ^C
- [*Lixus puncticeps*](#) Hustache, 1939 ^C
- [*Lixus puncticollis*](#) Brisout, 1866 ^C
- [*Lixus punctinasus*](#) LeConte, 1876 ^{i c b}
- [*Lixus punctirostris*](#) Boheman, 1843 ^C
- [*Lixus punctiventris*](#) Germar, 1824 ^C
- [*Lixus punctulatus*](#) (Fabricius, J.C., 1787) ^{C g}
- [*Lixus pungoanus*](#) Harold, 1879 ^C
- [*Lixus purus*](#) Petri, 1914 ^C
- [*Lixus pusio*](#) Blatchley, 1928 ^C
- [*Lixus pygmaeus*](#) Casey, 1891 ^C
- [*Lixus pyrrhocnemis*](#) Boheman, 1843 ^C
- [*Lixus quadraticollis*](#) Desbrochers, 1904 ^C
- [*Lixus quadratipunctatus*](#) Chittenden, 1930 ^C
- [*Lixus quadricollis*](#) Champion, 1902 ^C
- [*Lixus quadrifoveatus*](#) Petri, 1928 ^C

- [*Lixus quadripustulatus*](#) Fabricius, J.C., 1801 ^c
- [*Lixus querulus*](#) Faust, 1899 ^c
- [*Lixus rasilis*](#) Faust, 1899 ^c
- [*Lixus ravicularis*](#) Sturm, 1826 ^c
- [*Lixus ravus*](#) Petri, 1928 ^c
- [*Lixus rectirostris*](#) Desbrochers, 1905 ^c
- [*Lixus rectodorsalis*](#) Petri, 1904 ^c
- [*Lixus rectus*](#) Leconte, 1876 ^c
- [*Lixus recurvatus*](#) Schoenherr, ^c
- [*Lixus recurvus*](#) Olivier, 1807 ^c
- [*Lixus redivivus*](#) Petri, 1914 ^c
- [*Lixus regularipennis*](#) Chittenden, 1930 ^c
- [*Lixus reichei*](#) Capiomont, 1874 ^c
- [*Lixus remaudierei*](#) Hoffmann, 1948 ^c
- [*Lixus reticulatus*](#) Fabricius, J.C., 1801 ^c
- [*Lixus reymondi*](#) Hoffmann, 1954 ^c
- [*Lixus rhombifer*](#) Petri, 1912 ^c
- [*Lixus rhomboidalis*](#) Boheman, 1843 ^c
- [*Lixus rhynchaenus*](#) Petri, 1912 ^c
- [*Lixus ritsemae*](#) Pascoe, 1883 ^c
- [*Lixus roccatii*](#) Camerano, 1907 ^c
- [*Lixus rojasi*](#) Jekel, 1860 ^c
- [*Lixus roreus*](#) Fabricius, J.C., 1801 ^c
- [*Lixus roridus*](#) Latreille, 1804 ^c
- [*Lixus rosenschoeldi*](#) Boheman, 1843 ^c
- [*Lixus rothschildi*](#) Aurivillius, 1912 ^c
- [*Lixus rubellus*](#) Randall, 1838 ^{i c b}
- [*Lixus rubicundus*](#) Dejean, 1821 ^c
- [*Lixus rubiginosus*](#) Dejean, 1821 ^c
- [*Lixus rubripennis*](#) Petri, 1914 ^c
- [*Lixus rubripes*](#) Desbrochers, 1905 ^c
- [*Lixus rubrolateralis*](#) Reitter, 1909 ^c
- [*Lixus rudiculus*](#) Petri, 1912 ^c
- [*Lixus rufescens*](#) Boheman, 1835 ^c
- [*Lixus ruficornis*](#) Boheman, 1836 ^c
- [*Lixus rufitarsis*](#) Boheman, 1835 ^c

- [*Lixus rufotibialis*](#) Csiki, 1934 ^C
- [*Lixus rufulus*](#) Boheman, 1835 ^C
- [*Lixus rugicollis*](#) Boheman, 1836 ^C
- [*Lixus rugifer*](#) Petri, 1905 ^C
- [*Lixus rugulicollis*](#) Petri, 1912 ^C
- [*Lixus rugulirostris*](#) Champion, 1902 ^C
- [*Lixus rumicis*](#) Hoffmann, 1956 ^C
- [*Lixus runzoriensis*](#) Marshall, 1909 ^C
- [*Lixus sabulosus*](#) Dejean, ^C
- [*Lixus sagax*](#) Faust, 1899 ^C
- [*Lixus saintpierrei*](#) Capiomont, 1874 ^C
- [*Lixus salentinus*](#) Costa, 1839 ^C
- [*Lixus salicorniae*](#) Faust, 1888 ^C
- [*Lixus salsolae*](#) Becker, 1867 ^C
- [*Lixus sandoaensis*](#) Hustache, 1934 ^C
- [*Lixus sanghaiensis*](#) Hustache, 1936 ^C
- [*Lixus sanguineus*](#) Schoenherr, 1835 ^C
- [*Lixus sardiniensis*](#) Boheman, 1843 ^C
- [*Lixus scabricollis*](#) Schneider, 1828 ^C
- [*Lixus scapularis*](#) Faust, 1887 ^C
- [*Lixus schach*](#) Faust, 1886 ^C
- [*Lixus schaeferi*](#) Hoffmann, 1950 ^C
- [*Lixus schoenherri*](#) Redtenbacher, 1867 ^C
- [*Lixus schouwiae*](#) Hoffmann, 1962 ^C
- [*Lixus scissifrons*](#) Petri, 1912 ^C
- [*Lixus scolopax*](#) Boheman, 1835 ^{C g}
- [*Lixus scolymi*](#) Olivier, 1807 ^C
- [*Lixus scoparii*](#) Dejean, 1821 ^C
- [*Lixus scrobicollis*](#) Boheman, 1836 ^{i c b} (ragweed weevil)
- [*Lixus scrobirostris*](#) Capiomont, 1874 ^C
- [*Lixus sculptirostris*](#) Petri, 1914 ^C
- [*Lixus sculpturatus*](#) Petri, 1928 ^C
- [*Lixus scutellaris*](#) Petri, 1905 ^C
- [*Lixus scutulatus*](#) Petri, 1905 ^C
- [*Lixus secretus*](#) Faust, 1896 ^C
- [*Lixus sedentarius*](#) Hustache, 1934 ^C

- [*Lixus segnis*](#) Germar, 1824 ^C
- [*Lixus sejugatus*](#) Faust, 1889 ^C
- [*Lixus semilunatus*](#) Petri, 1904 ^C
- [*Lixus semipunctatus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus semivittatus*](#) Casey, 1891 ^{i c b}
- [*Lixus seniculus*](#) Boheman, 1835 ^C
- [*Lixus senilis*](#) Latreille, 1804 ^C
- [*Lixus separabilis*](#) Petri, 1928 ^C
- [*Lixus separatus*](#) Petri, 1914 ^C
- [*Lixus sericatus*](#) Boheman, 1845 ^C
- [*Lixus seriemaclatus*](#) Petri, 1913 ^C
- [*Lixus seriesignatus*](#) Boheman, 1835 ^C
- [*Lixus serripes*](#) Desbrochers, 1898 ^C
- [*Lixus severini*](#) Faust, 1899 ^C
- [*Lixus sexualis*](#) Casey, 1891 ^C
- [*Lixus seydeli*](#) Hustache, 1934 ^C
- [*Lixus siamensis*](#) Desbrochers, 1898 ^C
- [*Lixus sibiricus*](#) Ballion, 1878 ^C
- [*Lixus sicanus*](#) Capiomont, 1874 ^C
- [*Lixus siculus*](#) Boheman, 1836 ^C
- [*Lixus simplex*](#) Boheman, 1843 ^C
- [*Lixus sinuatus*](#) Motschulsky, 1849 ^C
- [*Lixus sitta*](#) Sahlberg, 1823 ^C
- [*Lixus smirnoffi*](#) Hoffmann, 1962 ^C
- [*Lixus snae*](#) Merceron, ??? ^C
- [*Lixus sobrinus*](#) Casey, 1891 ^{i c}
- [*Lixus soror*](#) Casey, 1891 ^C
- [*Lixus spartii*](#) Olivier, 1807 ^C
- [*Lixus spartiiformis*](#) Hoffmann, 1956 ^C
- [*Lixus speciosus*](#) Miller, 1861 ^C
- [*Lixus spectabilis*](#) Boheman, 1836 ^C
- [*Lixus spectabilis*](#) Boheman, 1835 ^C
- [*Lixus spinimanus*](#) Boheman, 1836 ^C
- [*Lixus spinipennis*](#) Petri, 1928 ^C
- [*Lixus staudingeri*](#) Petri, 1912 ^C
- [*Lixus strangulatus*](#) Faust, 1883 ^C

- [*Lixus striatellus*](#) Olivier, 1807 ^C
- [*Lixus striatopunctatus*](#) Desbrochers, 1904 ^C
- [*Lixus stupor*](#) Boheman, 1836 ^C
- [*Lixus sturmi*](#) Boheman, 1836 ^C
- [*Lixus sturmii*](#) Boheman, 1835 ^C
- [*Lixus subacutiformis*](#) Petri, 1928 ^C
- [*Lixus subacutus*](#) Boheman, 1843 ^C
- [*Lixus subangulatus*](#) Motschulsky, 1849 ^C
- [*Lixus subangustatus*](#) Motschulsky, 1849 ^C
- [*Lixus subcalvus*](#) Petri, 1928 ^C
- [*Lixus subcarinicollis*](#) Petri, 1928 ^C
- [*Lixus subcaudatus*](#) Boheman, 1843 ^C
- [*Lixus subconvexus*](#) Petri, 1912 ^C
- [*Lixus subcostatus*](#) Petri, 1912 ^C
- [*Lixus subcuneatus*](#) Faust, 1889 ^C
- [*Lixus subcuspidatus*](#) Voss, 1932 ^C
- [*Lixus subcylindricus*](#) Petri, 1908 ^C
- [*Lixus subdentatus*](#) Petri, 1904 ^C
- [*Lixus subfarinosus*](#) Desbrochers, 1893 ^C
- [*Lixus subfasciatus*](#) Cristofori & Jan, 1832 ^C
- [*Lixus sublimbellus*](#) Voss, 1962 ^C
- [*Lixus sublimis*](#) Petri, 1928 ^C
- [*Lixus sublinearis*](#) Petri, 1928 ^C
- [*Lixus sublobatus*](#) Petri, 1928 ^C
- [*Lixus sublорatus*](#) Petri, 1928 ^C
- [*Lixus submaculatus*](#) Boheman, 1843 ^C
- [*Lixus submucronatus*](#) Petri, 1928 ^C
- [*Lixus subnebulosus*](#) Kolbe, 1883 ^C
- [*Lixus subornatus*](#) Hoffmann, 1962 ^C
- [*Lixus subpruinatus*](#) Petri, 1912 ^C
- [*Lixus subquadratithorax*](#) Desbrochers, 1895 ^C
- [*Lixus subrectinasus*](#) Desbrochers, 1899 ^C
- [*Lixus subsignatus*](#) Fåhræus, 1871 ^C
- [*Lixus subtilis*](#) Sturm, 1826 ^C
- [*Lixus subulatus*](#) Faust, 1891 ^C
- [*Lixus subulipennis*](#) Boheman, 1835 ^C

- [*Lixus suetus*](#) Boheman, 1843 ^C
- [*Lixus suillus*](#) Illiger, ^C
- [*Lixus sulcaticollis*](#) Petri, 1928 ^C
- [*Lixus sulcatus*](#) Kirsch, 1868 ^C
- [*Lixus sulciger*](#) Kolbe, 1898 ^C
- [*Lixus sulcimargo*](#) Champion, 1902 ^C
- [*Lixus sulcinasus*](#) Faust, 1896 ^C
- [*Lixus sulcirostris*](#) Latreille, 1804 ^C
- [*Lixus sulphuratus*](#) Boheman, 1836 ^C
- [*Lixus sulphureovittis*](#) Brancsik, 1900 ^C
- [*Lixus sumatrensis*](#) Petri, 1912 ^C
- [*Lixus superciliosus*](#) Boheman, 1836 ^C
- [*Lixus sylvestris*](#) Marshall, 1941 ^C
- [*Lixus sylvius*](#) Boheman, 1843 ^C
- [*Lixus tabidus*](#) Latreille, 1804 ^C
- [*Lixus taeniatus*](#) Champion, 1902 ^C
- [*Lixus talamellii*](#) Colonnelli in Magnano, Colonnelli & Caldara in van Harten (ed.), 2009 ^C
- [*Lixus talyshensis*](#) Ter-Minasian, 1966 ^C
- [*Lixus tanarivensis*](#) Hustache, 1920 ^C
- [*Lixus tardus*](#) Suffrian, 1871 ^C
- [*Lixus tasmanicus*](#) Germar, 1848 ^C
- [*Lixus tatariae*](#) Steven, 1829 ^C
- [*Lixus tauricus*](#) Petri, 1904 ^C
- [*Lixus temerarius*](#) Petri, 1928 ^C
- [*Lixus temporalis*](#) Hustache, 1939 ^C
- [*Lixus tenellus*](#) Casey, 1891 ^{i c b}
- [*Lixus tenuicollis*](#) Boheman, 1836 ^C
- [*Lixus tenuipes*](#) Hartmann, 1897 ^C
- [*Lixus tenuirostris*](#) Boheman, 1836 ^C
- [*Lixus teretiusculus*](#) Boheman, 1835 ^C
- [*Lixus terminalis*](#) LeConte, 1876 ^{i c b}
- [*Lixus terminatus*](#) Csiki, 1934 ^C
- [*Lixus tibialis*](#) Boheman, 1843 ^C
- [*Lixus tibiellus*](#) Desbrochers, 1904 ^C
- [*Lixus tigrinus*](#) Olivier, 1807 ^C
- [*Lixus titubans*](#) Faust, 1890 ^C

- [*Lixus toltecus*](#) Champion, 1902 ^C
- [*Lixus torvus*](#) Boheman, 1836 ^C
- [*Lixus transsylvanicus*](#) Tournier, ^C
- [*Lixus triangulifer*](#) Petri, 1912 ^C
- [*Lixus tricolor*](#) Sturm, 1826 ^C
- [*Lixus tricostalis*](#) Thunberg, 1815 ^C
- [*Lixus tricristatus*](#) Chittenden, 1930 ^C
- [*Lixus trilineatus*](#) Sturm, 1826 ^C
- [*Lixus trilobus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus trinarius*](#) Petri, 1905 ^C
- [*Lixus tristis*](#) Boheman, 1836 ^C
- [*Lixus trivialis*](#) Fåhræus, 1871 ^C
- [*Lixus trivittatus*](#) Capiomont, 1874 ^C
- [*Lixus truncatellus*](#) Schoenherr, 1826 ^C
- [*Lixus truncatulus*](#) Fabricius, J.C., 1801 ^C
- [*Lixus tschemkenticus*](#) Faust, 1883 ^C
- [*Lixus tubulatus*](#) Petri, 1928 ^C
- [*Lixus tunisiensis*](#) Desbrochers, 1893 ^C
- [*Lixus turanicus*](#) Reitter, 1888 ^C
- [*Lixus turbatus*](#) Dejean, 1821 ^C
- [*Lixus turkestanicus*](#) Desbrochers, 1898 ^C
- [*Lixus tusicollis*](#) Marshall, 1955 ^C
- [*Lixus ukamicus*](#) Faust, 1899 ^C
- [*Lixus ulcerosus*](#) Petri, 1904 ^C
- [*Lixus umbellatarum*](#) (Fabricius, J.C., 1787) ^{C g}
- [*Lixus uncticollis*](#) Petri, 1928 ^C
- [*Lixus uniformis*](#) Boheman, 1843 ^C
- [*Lixus ursus*](#) Latreille, 1804 ^C
- [*Lixus usambicus*](#) Kolbe, 1898 ^C
- [*Lixus vachshensis*](#) Ter-Minasian, 1966 ^C
- [*Lixus vacillatus*](#) Hustache, 1939 ^C
- [*Lixus validirostris*](#) Capiomont, 1874 ^C
- [*Lixus validus*](#) Harold, 1879 ^C
- [*Lixus varicolor*](#) Boheman, 1836 ^C
- [*Lixus vaulogeri*](#) Hustache, 1938 ^C
- [*Lixus vectiformis*](#) Wollaston, 1854 ^C

- [*Lixus ventralis*](#) Winkler, 1932 ^c
- [*Lixus ventriculus*](#) Petri, 1912 ^c
- [*Lixus venustulus*](#) Boheman, 1835 ^c
- [*Lixus vestitus*](#) Dejean, 1830 ^c
- [*Lixus vetula*](#) Matsumura, 1910 ^c
- [*Lixus vibex*](#) Schoenherr, 1835 ^c
- [*Lixus vicinus*](#) Dejean, 1830 ^c
- [*Lixus vilis*](#) (Rossi, P., 1790) ^{c g}
- [*Lixus villosulus*](#) Desbrochers, 1904 ^c
- [*Lixus virens*](#) Boheman, 1835 ^c
- [*Lixus vittatus*](#) Motschulsky, 1845 ^c
- [*Lixus vittiger*](#) Guérin-Meneville, 1833 ^c
- [*Lixus volvulus*](#) Fabricius, J.C., 1801 ^c
- [*Lixus vulneratus*](#) Schoenherr, 1835 ^c
- [*Lixus vulpes*](#) Olivier, 1807 ^c
- [*Lixus vulpinus*](#) Pascoe, 1885 ^c
- [*Lixus vultur*](#) Petri, 1912 ^c
- [*Lixus wahlbergi*](#) Boheman, 1845 ^c
- [*Lixus weisei*](#) Hartmann, 1904 ^c
- [*Lixus xambeui*](#) Hoffmann, 1955 ^c
- [*Lixus xanthocheloides*](#) Hustache, 1936 ^c
- [*Lixus xantusi*](#) Petri, 1904 ^c
- [*Lixus yunnanensis*](#) Voss, 1932 ^c
- [*Lixus zaitzevi*](#) Petri, 1906 ^c
- [*Lixus zoubkoffi*](#) Boheman, 1835 ^c
- [*Lixus zoubkoffi*](#) Boheman, 1836 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Listroderes is a genus of underwater weevils, subfamily [*Cyclominae*](#), in the [beetle](#) family [*Curculionidae*](#). There are more than 184 described species in the genus [*Listroderes*](#).^{[1][2][3][4]}

A

- [*Listroderes abditus*](#) Enderl., 1907

- [Listroderes acutesquamosus](#) Germain, P., 1895
- [Listroderes aequivocus](#) Kuschel, 1946
- [Listroderes affinis](#) Hustache, 1926
- [Listroderes albescens](#) Blanchard, E. in Gay, 1851
- [Listroderes angulipennis](#) Germain, P., 1895
- [Listroderes angusticeps](#) Blanchard, E. in Gay, 1851
- [Listroderes annulipes](#) Blanchard, E. in Gay, 1851
- [Listroderes antarcticus](#) Germain, P., 1895
- [Listroderes apicalis](#) Waterhouse, 1842
- [Listroderes appendiculatus](#) Boheman, 1842
- [Listroderes araucanus](#) Germain, P., 1895
- [Listroderes argentinensis](#) Hustache, 1926
- [Listroderes attenuatus](#) Germain, P., 1895

B

- [Listroderes balfourbrownei](#) Kuschel, 1952
- [Listroderes biangulatus](#) Champion, 1918
- [Listroderes bicallosus](#) Wibmer & O'Brien, 1986
- [Listroderes bicaudatus](#) Enderl., 1907
- [Listroderes bidentatus](#) Kuschel, 1955
- [Listroderes bimaculatus](#) Boheman, 1842
- [Listroderes binodosus](#) Germain, P., 1895
- [Listroderes boliviensis](#) Hustache, 1924
- [Listroderes bracteatus](#) Enderl., 1907
- [Listroderes brevirostris](#) Wibmer & O'Brien, 1986
- [Listroderes brevisetis](#) Hustache, 1926
- [Listroderes bruchi](#) Hustache, 1926

C

- [Listroderes carinicollis](#) Germain, P., 1895
- [Listroderes caudatus](#) Gyllenhal, 1834
- [Listroderes caudiculatus](#) Germain, P., 1895
- [Listroderes chalceatus](#) Blanchard, E. in Gay, 1851
- [Listroderes charybdis](#) Morrone, 1993
- [Listroderes chilensis](#) Germain, P., 1895
- [Listroderes cinerarius](#) Blanchard, E. in Gay, 1851
- [Listroderes cinerascens](#) Blanchard, E. in Gay, 1851
- [Listroderes comatus](#) Erichson, W., 1847
- [Listroderes compressiventris](#) Enderl., 1907
- [Listroderes confusus](#) Hustache, 1926
- [Listroderes corralensis](#) Germain, P., 1895

- [Listroderes costirostris](#) Schoenherr, 1823
- [Listroderes costulatus](#) Germain, P., 1895
- [Listroderes cupreosquamosus](#) Germain, P., 1895
- [Listroderes curvipes](#) Germain, P., 1895
- [Listroderes delaiguei](#) Germain, P., 1895

D–E

- [Listroderes caudatus](#) Gyllenhal, 1834
- [Listroderes dentipennis](#) Germain, P., 1895
- [Listroderes desertorum](#) Germain, P., 1895
- †[Listroderes differens](#) (Wickham, 1912)
- [Listroderes difficilis](#) Germain, P., 1895
- [Listroderes dissimilis](#) Fairmaire, L., 1885
- [Listroderes distinguendus](#) Gyllenhal, 1834
- [Listroderes divaricatus](#) Enderl., 1907
- [Listroderes dubius](#) Germain, P., 1896
- [Listroderes elegans](#) Hustache, 1926
- [Listroderes ellipticus](#) Hustache, 1926
- [Listroderes erinaceus](#) Germain, P., 1895
- †[Listroderes evisceratus](#) (Scudder, 1893)
- [Listroderes exsculpticollis](#) Enderl., 1907

F–G

- [Listroderes falklandicus](#) Enderl., 1907
- [Listroderes fallax](#) Germain, P., 1895
- [Listroderes fasciculiger](#) Blanchard, E. in Gay, 1851
- [Listroderes fascioliger](#) Blanchard, E. in Gay, 1851
- [Listroderes foveatus](#) Kuschel, 1955
- [Listroderes fragariae](#) Schenkling, S. & Marshall, G.A.K., 1931
- [Listroderes frigidus](#) Germain, P., 1896
- [Listroderes fulvicornis](#) Germain, P., 1895
- [Listroderes fulvipes](#) Guérin-Méneville, 1839
- [Listroderes fulvitaris](#) Hustache, 1926
- [Listroderes gibber](#) Enderl., 1907
- [Listroderes gracilicornis](#) Germain, P., 1895
- [Listroderes griseonotatus](#) Champion, 1918
- [Listroderes griseus](#) Germain, P., 1896
- [Listroderes griseus](#) Guérin-Méneville, 1839

H–K

- [*Listroderes hispidus*](#) Germain, P., 1896
- [*Listroderes histrio*](#) Germain, P., 1895
- [*Listroderes hoffmanni*](#) Germain, P., 1895
- [*Listroderes horridus*](#) Germain, P., 18896
- [*Listroderes howdenae*](#) Morrone, 1993
- [*Listroderes humilis*](#) Gyllenhal, 1834
- [*Listroderes hyadesi*](#) Fairmaire, L., 1885
- [*Listroderes hypocritus*](#) Hustache, 1926
- [*Listroderes immundus*](#) Boheman, 1842
- [*Listroderes inaequalipennis*](#) Boheman, 1842
- [*Listroderes inaequalis*](#) Germain, P., 1896
- [*Listroderes inaequatus*](#) Schenkling, S. & Marshall, G.A.K., 1931
- [*Listroderes incanus*](#) Kuschel in Wibmer & O'Brien, 1986
- [*Listroderes incertus*](#) Germain, P., 1896
- [*Listroderes inconspicuus*](#) Olliff, A.S. in Whympers, 1892
- [*Listroderes insquamea*](#) Enderl., 1907
- [*Listroderes insubidus*](#) Schoenherr, 1823
- [*Listroderes katerensis*](#) Champion, 1918

M

- [*Listroderes lacunosus*](#) Fairmaire, L., 1885
- [*Listroderes laevigatus*](#) Germain, P., 1896
- [*Listroderes laevirostris*](#) Germain, P., 1895
- [*Listroderes latiusculus*](#) Boheman, 1842
- [*Listroderes lemniscatus*](#) Champion, G.C., 1918
- [*Listroderes levicula*](#) Kuschel, 1952
- [*Listroderes liliputanus*](#) Germain, P., 1895
- [*Listroderes lineatulus*](#) Say, 1831
- [*Listroderes lugens*](#) Germain, P., 1895
- [*Listroderes lugubris*](#) Germain, P., 1895
- [*Listroderes magellanicus*](#) Germain, P., 1895
- [*Listroderes medianus*](#) Schenkling, S. & Marshall, G.A.K., 1931
- [*Listroderes migropunctatus*](#) Suffrian, 1871
- [*Listroderes montanus*](#) Germain, P., 1895
- [*Listroderes murinus*](#) Germain, P., 1896
- [*Listroderes mus*](#) Germain, P., 1895

N–O

- [*Listroderes nigrinus*](#) Fairmaire, L., 1883

- [Listroderes nigrinus](#) Germain, P., 1896
- [Listroderes nodifer](#) Boheman, 1842
- [Listroderes nordenskiöldi](#) Enderl., 1907
- [Listroderes novicus](#) Schenkling, S. & Marshall, G.A.K., 1931
- [Listroderes obliqua](#) Kuschel, 1950
- [Listroderes obliquus](#) Dejean,
- [Listroderes obliquus](#) Gyllenhal, 1834
- [Listroderes obliquus](#) Klug, J.C.F., 1829
- [Listroderes obrieni](#) Morrone, 1993
- [Listroderes obscurus](#) Germain, P., 1896
- [Listroderes omissa](#) Kuschel, 1952
- [Listroderes oregonensis](#) LeConte, J.L., 1857
- [Listroderes ovatus](#) Boheman, 1842

P

- [Listroderes paranensis](#) Hustache, 1926
- [Listroderes parvulus](#) Germain, P., 1896
- [Listroderes percostatus](#) Fairmaire, L. et Germain, P., 1860
- [Listroderes philippii](#) Germain, P., 1896
- [Listroderes pilosissimus](#) Schenkling, S. & Marshall, G.A.K., 1931
- [Listroderes pilosus](#) Boheman, 1842
- [Listroderes pilosus](#) Waterhouse, 1841
- [Listroderes planicollis](#) Blanchard, E. in Gay, 1851
- [Listroderes planipennis](#) Blanchard, E. in Gay, 1851
- [Listroderes porcellus](#) Gyllenhal, 1834
- [Listroderes porcellus](#) Say, 1831
- [Listroderes praemorsus](#) Schenkling, S. & Marshall, G.A.K., 1931
- [Listroderes proximus](#) Germain, P., 1895
- [Listroderes pubescens](#) Germain, P., 1895
- [Listroderes punctatissimus](#) Olliff, A.S. in Whymper, 1892
- [Listroderes punctiventris](#) Germain, P., 1895
- [Listroderes punicola](#) Kuschel, 1949
- [Listroderes pusillus](#) Hustache, 1926

Q–R

- [Listroderes quadrituberculatus](#) Champion, 1918
- [Listroderes reticulatus](#) Germain, P., 1895
- [Listroderes robustior](#) Schenkling, S. & Marshall, G.A.K., 1931
- [Listroderes robustus](#) Germain, P., 1895
- [Listroderes robustus](#) Waterhouse, 1842
- [Listroderes rugipennis](#) Blanchard, E. in Gay, 1851

S

- [*Listroderes salebrosus*](#) Enderl., 1907
- [*Listroderes scabra*](#) Enderl., 1907
- [*Listroderes schythei*](#) Germain, P., 1895
- [*Listroderes scylla*](#) Morrone, 1993
- [*Listroderes sobrinus*](#) Germain, P., 1896
- [*Listroderes solutus*](#) Boheman, 1842
- [*Listroderes sordidus*](#) Gyllenhal, 1834
- [*Listroderes sparsus*](#) Gyllenhal, 1834
- [*Listroderes sparsus*](#) Say, 1831
- [*Listroderes spoliatus*](#) Germain, P., 1896
- [*Listroderes spurcus*](#) Boheman, 1842
- [*Listroderes squalidus*](#) Gyllenhal, 1834
- [*Listroderes squamiger*](#) Gyllenhal, 1834
- [*Listroderes squamiger*](#) Say, 1831
- [*Listroderes squamirostris*](#) Germain, P., 1896
- [*Listroderes sticticus*](#) Germain, P., 1895
- [*Listroderes subaeneus*](#) Germain, P., 1895
- [*Listroderes subcinctus*](#) Boheman, 1842
- [*Listroderes subcostatus*](#) Waterhouse, 1842
- [*Listroderes superbus*](#) Reed, 1872

T–U

- [*Listroderes teretirostris*](#) LeConte, J.L., 1857
- [*Listroderes thermarum*](#) Germain, P., 1895
- [*Listroderes trichophorus*](#) Philippi, F., 1887
- [*Listroderes tristis*](#) Germain, P., 1895
- [*Listroderes trivialis*](#) Germain, P., 1895
- [*Listroderes tuberculifer*](#) Blanchard, E. in Gay, 1851
- [*Listroderes ursinus*](#) Germain, P., 1896
- [*Listroderes uruguayensis*](#) Kuschel, 1952

V–W

- [*Listroderes v.caudiculatus*](#) Fairmaire, L., 1890
- [*Listroderes varicosus*](#) Blanchard, E. in Gay, 1851
- [*Listroderes verrucosus*](#) Germain, P., 1896
- [*Listroderes vicinus*](#) Hustache, 1926
- [*Listroderes victus*](#) Germain, P., 1896
- [*Listroderes vittatus*](#) Guérin-Méneville, 1839
- [*Listroderes vulgaris*](#) Germain, P., 1896

- [*Listroderes vulsus*](#) Enderl., 1907
- [*Listroderes wagneri*](#) Hustache, 1926
- [*Listroderes wittei*](#) Hustache, 1926

Otiorhynchus is the most speciose genus of [*weevils*](#), comprising over 1500 species in more than 110 subgenera.

Subgenus [*Acunotus*](#)

- [*Otiorhynchus abbazzii*](#) Magnano, 1996 - Italy (Calabria, Tuscany)
- [*Otiorhynchus horridus*](#) Stierlin, 1880 - Croatia, Montenegro
- [*Otiorhynchus ligneoides*](#) Stierlin, 1902 - Italy (Basilicata)
- [*Otiorhynchus lutosus*](#) Stierlin, 1858 - France (mainland), Italy (mainland), Czech Republic, Slovenia, Croatia, Montenegro (?)
- [*Otiorhynchus pseudoligneoides*](#) Magnano, 1996 - Italy (Chieti)

Subgenus [*Aequipennis*](#)

- [*Otiorhynchus aksekius*](#) Magnano, 1977 - Türkiye (Antalya)
- [*Otiorhynchus dorsogranatus*](#) Magnano, 2010 - Türkiye, Lebanon
- [*Otiorhynchus sbordonii*](#) Smreczyński, 1977 - Türkiye (?)
- [*Otiorhynchus spectativus*](#) Białooki, 2017 - Türkiye (Antalya, Konya)

Subgenus [*Aleutinops*](#)

- [*Otiorhynchus crepsensis*](#) J. Müller, 1922 - Croatia
- [*Otiorhynchus elegantulus*](#) Germar, 1823

Subgenus [*Altaivagus*](#)

- [*Otiorhynchus unctuosus*](#) Germar, 1823

Subgenus [*Amosilnus*](#)

- [*Otiorhynchus borshii*](#) Lona, 1922
- [*Otiorhynchus dauricus*](#) Stierlin, 1862
- [*Otiorhynchus fasciculatus*](#) Ménétériés, 1849
- [*Otiorhynchus grandineus*](#) Germar, 1823
- [*Otiorhynchus inductus*](#) Gyllenhal, 1834
- [*Otiorhynchus lavandus*](#) Germar, 1824

- [*Otiorhynchus midas*](#) Reitter, 1914
- [*Otiorhynchus oberti*](#) (Faust, 1887)
- [*Otiorhynchus pretiosus*](#) Stierlin, 1888
- [*Otiorhynchus simulans*](#) Stierlin, 1877
- [*Otiorhynchus subsignatus*](#) Gyllenhal, 1834
- [*Otiorhynchus trigradus*](#) Angelov, 1974

Subgenus [***Anchorrhynchus***](#)

- [*Otiorhynchus beieri*](#) Penecke, 1935
- [*Otiorhynchus bischoffianus*](#) Lona, 1937
- [*Otiorhynchus cypricola*](#) Reiche, 1858 - Cyprus
- [*Otiorhynchus endroedi*](#) Angelov, 1964
- [*Otiorhynchus epiroticus*](#) Apfelbeck, 1901
- [*Otiorhynchus excellens*](#) Kirsch, 1880 - Greece (Peloponnese)
- [*Otiorhynchus lumensis*](#) Apfelbeck, 1908
- [*Otiorhynchus muellerorum*](#) Colonnelli, 2018 - Greece (Thassos Island)
- [*Otiorhynchus munelensis*](#) Apfelbeck, 1907
- [*Otiorhynchus parnassius*](#) Apfelbeck, 1922
- [*Otiorhynchus pelionis*](#) Penecke, 1924
- [*Otiorhynchus pseudalbanicus*](#) Braun, 1990
- [*Otiorhynchus pseudoschlaeflini*](#) Szénási, 2022
- [*Otiorhynchus roznerantii*](#) Szénási, 2022
- [*Otiorhynchus sabbadinii*](#) Pesarini, 1985
- [*Otiorhynchus schlaeflini*](#) Stierlin, 1861
- [*Otiorhynchus solariorum*](#) Lona, 1922
- [*Otiorhynchus subfilum*](#) Reitter, 1884

Subgenus [***Arammichnus***](#)

- [*Otiorhynchus adrianus*](#) Baviera & Magnano, 2010
- [*Otiorhynchus aegatensis*](#) Magnano, 1992
- [*Otiorhynchus apulus*](#) A. Solari & F. Solari, 1913
- [*Otiorhynchus auladalinus*](#) Koch, 1936
- [*Otiorhynchus bagnoli*](#) Stierlin, 1901
- [*Otiorhynchus bullinii*](#) Magnano, 1992
- [*Otiorhynchus calabrensis*](#) Stierlin, 1891
- [*Otiorhynchus calabrolucanus*](#) Lona, 1958
- [*Otiorhynchus catinensis*](#) Magnano, 1993
- [*Otiorhynchus cerigensis*](#) Apfelbeck, 1922
- [*Otiorhynchus championi*](#) Reitter, 1912
- [*Otiorhynchus concavirostris*](#) Boheman, 1842
- [*Otiorhynchus convexicollis*](#) Stierlin, 1861

- [Otiorhynchus cossyrensis](#) Magnano, 1992
- [Otiorhynchus cribricollis](#) Gyllenhal, 1834
- [Otiorhynchus echidna](#) K. Daniel & J. Daniel, 1898
- [Otiorhynchus ferdinandi](#) Reitter, 1914
- [Otiorhynchus ferrarii](#) Miller, 1863
- [Otiorhynchus fiorii](#) Magnano, 1975
- [Otiorhynchus flavimanus](#) Stierlin, 1861
- [Otiorhynchus gravidus](#) Stierlin, 1872
- [Otiorhynchus hellenicus](#) Stierlin, 1872
- [Otiorhynchus hyblaeicus](#) Magnano, 1992
- [Otiorhynchus hystrix](#) Gyllenhal, 1834
- [Otiorhynchus indefinitus](#) Reitter, 1912 - Italy (mainland)
- [Otiorhynchus italicus](#) Stierlin, 1888
- [Otiorhynchus juvencus](#) Gyllenhal, 1834
- [Otiorhynchus kochi](#) F. Solari, 1940
- [Otiorhynchus lacertosus](#) Pesarini, 1975
- [Otiorhynchus linussae](#) A. Solari & F. Solari, 1922
- [Otiorhynchus lopadusae](#) A. Solari & F. Solari, 1922
- [Otiorhynchus lubricus](#) Boheman, 1842
- [Otiorhynchus matutinus](#) Reitter, 1912
- [Otiorhynchus meligunensis](#) Magnano, 1992
- [Otiorhynchus moriger](#) Reitter, 1914
- [Otiorhynchus noesskei](#) Apfelbeck, 1922
- [Otiorhynchus ocellifer](#) Reitter, 1912
- [Otiorhynchus opimus](#) Magnano, 1992
- [Otiorhynchus ovatulus](#) Boheman, 1842
- [Otiorhynchus pelagosanus](#) J. Müller, 1937
- [Otiorhynchus poggii](#) Di Marco, G. Osella & Zuppa, 2002
- [Otiorhynchus proximophthalmus](#) Reitter, 1914
- [Otiorhynchus pseudohellenicus](#) Magnano, 1993
- [Otiorhynchus pseudosetosulus](#) Baviera & Magnano, 2010
- [Otiorhynchus pseudoumbilicatoides](#) Magnano, 1993
- [Otiorhynchus pulchellus](#) Stierlin, 1861
- [Otiorhynchus reticollis](#) Boheman, 1842
- [Otiorhynchus rigidesetosus](#) Magnano, 1996
- [Otiorhynchus scabrosoides](#) Stierlin, 1877
- [Otiorhynchus schembrii](#) Magnano, 1992
- [Otiorhynchus setosulus](#) Stierlin, 1861
- [Otiorhynchus striatosetosus](#) Boheman, 1842
- [Otiorhynchus sulcirostris](#) Boheman, 1842
- [Otiorhynchus torretassoi](#) Koch, 1936
- [Otiorhynchus tuscoinsularis](#) Magnano, 1992

- [*Otiorhynchus umbilicatoides*](#) Reitter, 1912
- [*Otiorhynchus vagans*](#) Baviera & Magnano, 2010
- [*Otiorhynchus valdemosae*](#) (L.W. Schaufuss, 1882)
- [*Otiorhynchus villosus*](#) Stierlin, 1872
- [*Otiorhynchus volturinensis*](#) Magnano, 1999
- [*Otiorhynchus vulturensis*](#) Lona, 1931

Subgenus [*Aranihus*](#)

- [*Otiorhynchus alluaudi*](#) Peyerimhoff, 1925
- [*Otiorhynchus almeriacus*](#) (Magnano, 2009)
- [*Otiorhynchus bialookii*](#) (Magnano, 2009)
- [*Otiorhynchus cobosi*](#) Hoffmann, 1957
- [*Otiorhynchus cobosorum*](#) Alonso-Zarazaga, 1984
- [*Otiorhynchus davidi*](#) Alonso-Zarazaga, 1984
- [*Otiorhynchus deceptorius*](#) Białooki, Germann & Pelletier, 2015
- [*Otiorhynchus decorus*](#) Stierlin, 1875
- [*Otiorhynchus faucium*](#) Colonnelli & Forbicioni, 2014
- [*Otiorhynchus felis*](#) Hustache, 1941
- [*Otiorhynchus frescati*](#) Boheman, 1842 - southern France, Italy, Austria, Bosnia & Herzegovina, Romania
- [*Otiorhynchus guttula*](#) Fairmaire, 1859
- [*Otiorhynchus incisirostris*](#) Białooki, Germann & Pelletier, 2017
- [*Otiorhynchus kaci*](#) (Peyerimhoff, 1908)
- [*Otiorhynchus ketamaensis*](#) Magnano & Germann, 2008
- [*Otiorhynchus kocheri*](#) A. Hoffmann, 1950
- [*Otiorhynchus lecerfi*](#) Hustache, 1941
- [*Otiorhynchus ligneus*](#) (Olivier, 1807)
- [*Otiorhynchus longiusculus*](#) Stierlin, 1888
- [*Otiorhynchus machadoi*](#) (Germann, 2004)
- [*Otiorhynchus maroccanus*](#) (Magnano, 2000)
- [*Otiorhynchus mesatlanticus*](#) Peyerimhoff, 1928
- [*Otiorhynchus misellus*](#) Stierlin, 1861
- [*Otiorhynchus naudinii*](#) P. H. Lucas, 1855
- [*Otiorhynchus nevadensis*](#) Stierlin, 1892
- [*Otiorhynchus parvicollis*](#) Gyllenhal, 1834
- [*Otiorhynchus paulinoi*](#) Stierlin, 1886
- [*Otiorhynchus rudis*](#) Stierlin, 1861
- [*Otiorhynchus schaeferi*](#) Hoffmann, 1961
- [*Otiorhynchus sordidus*](#) Stierlin, 1861
- [*Otiorhynchus spinipennis*](#) (Magnano, 2003)
- [*Otiorhynchus squamifer*](#) Boheman, 1842
- [*Otiorhynchus squamipes*](#) Reitter, 1913

- [*Otiorhynchus stuebeni*](#) Magnano, 2006 - Morocco (High Atlas)
- [*Otiorhynchus tenuicostis*](#) Hustache, 1920
- [*Otiorhynchus vaucheri*](#) Peyerimhoff, 1927
- [*Otiorhynchus venarum*](#) Colonnelli & Casalini, 2014
- [*Otiorhynchus villiersi*](#) Ruter, 1941
- [*Otiorhynchus vitellus*](#) Gyllenhal, 1834

Subgenus **Arnoldinus**

- [*Otiorhynchus ceratoniae*](#) Davidian, L. Gültekin & Korotyaev, 2017 - Türkiye (Antalya)
- [*Otiorhynchus microcornis*](#) Białooki, 2017 - Türkiye (Konya)

Subgenus **Bytosmesus**

- [*Otiorhynchus multicostatus*](#) Stierlin, 1861

Subgenus **Cavernodes**

- [*Otiorhynchus arxfabae*](#) Magrini & Onnis, 2019
- [*Otiorhynchus beppeosellai*](#) Magrini, 2020
- [*Otiorhynchus cesarebelloi*](#) Magrini, 2020
- [*Otiorhynchus curviphallus*](#) Magrini & Fancello, 2021
- [*Otiorhynchus degiovannii*](#) Magrini & Consorti, 2005 - Italy (Sardinia)
- [*Otiorhynchus doderoi*](#) A. Solari & F. Solari, 1904 - Italy (Sardinia)
- [*Otiorhynchus grenieri*](#) (Allard, 1869) - France (Corsica)
- [*Otiorhynchus hyacinthae*](#) Magrini & Onnis, 2019
- [*Otiorhynchus monoecirupis*](#) Lemaire, Ponel & Alziar, 2012 - Monaco
- [*Otiorhynchus nicaeicivis*](#) (Gozis, 1895) - France (Alpes Maritimes)
- [*Otiorhynchus pavesii*](#) Magrini, Magnano & Abbazzi, 2007

Subgenus **Choilisanus**

- [*Otiorhynchus affinis*](#) Hochhuth, 1847
- [*Otiorhynchus analemmus*](#) Białooki, 2016
- [*Otiorhynchus athosiensis*](#) Reitter, 1913
- [*Otiorhynchus aziziyensis*](#) Davidian & L. Gültekin, 2015
- [*Otiorhynchus balcanicus*](#) Stierlin, 1861 - Russia (Krasnodar Krai), southern Ukraine, Slovakia (?), Bulgaria, Greece, Türkiye, Lebanon
- [*Otiorhynchus brunneiformis*](#) Białooki, 2018
- [*Otiorhynchus brunneus*](#) Gyllenhal, 1834
- [*Otiorhynchus constricticollis*](#) Stierlin, 1861
- [*Otiorhynchus convexipterus*](#) Białooki, 2015
- [*Otiorhynchus decussatus*](#) Hochhuth, 1851

- [Otiorhynchus ege](#) Davidian & L. Gültekin, 2015
- [Otiorhynchus elegantinus](#) Angelov, 1974
- [Otiorhynchus formaneki](#) Reitter, 1913
- [Otiorhynchus glebius](#) Davidian & Keskin, 2010
- [Otiorhynchus grandicollis](#) Boheman, 1842
- [Otiorhynchus granicus](#) Białooki, 2015 - Greece (Crete)
- [Otiorhynchus granulatopunctatus](#) Stierlin, 1883
- [Otiorhynchus idhaeus](#) Białooki, 2015
- [Otiorhynchus imperspicabilis](#) Białooki, 2016
- [Otiorhynchus impetrativus](#) Białooki, 2016
- [Otiorhynchus inflatipes](#) Białooki, 2015
- [Otiorhynchus karadeniz](#) Davidian & L. Gültekin, 2015
- [Otiorhynchus laconicus](#) Kirsch, 1880 - Greece (Peloponnese, Thessaly (?), Central Macedonia (?))
- [Otiorhynchus latinasus](#) Reitter, 1898
- [Otiorhynchus lazorun](#) Davidian & Savitsky, 2015
- [Otiorhynchus leuthneri](#) Smreczyński, 1977
- [Otiorhynchus magnicollis](#) Stierlin, 1888
- [Otiorhynchus megapterygus](#) Białooki, 2016
- [Otiorhynchus megareoides](#) Smreczyński, 1977
- [Otiorhynchus megareus](#) Reitter, 1913
- [Otiorhynchus meledanus](#) Reitter, 1900
- [Otiorhynchus mogulonoides](#) Białooki, 2018
- [Otiorhynchus nigrescens](#) Białooki, 2015
- [Otiorhynchus octangularis](#) Białooki, 2016
- [Otiorhynchus pectorosus](#) Białooki, 2016
- [Otiorhynchus pelliceus](#) Boheman, 1842
- [Otiorhynchus petryszaki](#) Mazur, 1983
- [Otiorhynchus pilosus](#) Gyllenhal, 1834 - Moldova, Ukraine, Russia (European Russia including the Caucasus), Türkiye (Samsun, Kavak, Artvin)
- [Otiorhynchus plagigerulus](#) Białooki, 2016
- [Otiorhynchus podlussanyorum](#) Białooki, 2018
- [Otiorhynchus pubifer](#) Boheman, 1842
- [Otiorhynchus pulverulus](#) Boheman, 1842
- [Otiorhynchus raucus](#) (Fabricius, 1777)
- [Otiorhynchus richteri](#) Iablokoff-Khnzorian, 1959
- [Otiorhynchus robustisetis](#) Białooki, 2016
- [Otiorhynchus sculptiventris](#) Białooki, 2016
- [Otiorhynchus sphaerosoma](#) Apfelbeck, 1919
- [Otiorhynchus strix](#) Stierlin, 1891
- [Otiorhynchus terrifer](#) Stierlin, 1884
- [Otiorhynchus theophrastus](#) Białooki & Germann, 2016 - Greece (Lesbos Island)
- [Otiorhynchus thermophilus](#) Białooki, 2016

- [*Otiorhynchus tournierioides*](#) Apfelbeck, 1932
- [*Otiorhynchus tuberculifer*](#) Białooki, 2015
- [*Otiorhynchus umbraticus*](#) Białooki, 2016
- [*Otiorhynchus valerii*](#) Davidian & Savitsky, 2015
- [*Otiorhynchus velutinus*](#) Germar, 1823
- [*Otiorhynchus weisei*](#) Reitter, 1895
- [*Otiorhynchus zhantievi*](#) Korotyaev, 1992

Subgenus **Clypeotiorhynchus**

- [*Otiorhynchus avtandili*](#) Davidian & Yunakov, 2002
- [*Otiorhynchus costulatus*](#) Formánek, 1922
- [*Otiorhynchus gracilipes*](#) Reitter, 1895

Subgenus **Commagenus**

- [*Otiorhynchus svetlanae*](#) Davidian, 2024 - Türkiye (Adıyaman)

Subgenus **Crataegodes**

- [*Otiorhynchus crataegi*](#) Germar, 1823 - Europe, Georgia (Abkhazia), introduced to the United States (Washington, Oregon, Massachusetts, Rhode Island, Connecticut, New York, Pennsylvania, Georgia) and Canada (British Columbia)

Subgenus **Cryphiphoroides**

- [*Otiorhynchus galteri*](#) Apfelbeck, 1918
- [*Otiorhynchus ganglbaueri*](#) Stierlin, 1888
- [*Otiorhynchus imitator*](#) Apfelbeck, 1896
- [*Otiorhynchus korabensis*](#) Lona, 1943
- [*Otiorhynchus koritnicensis*](#) Apfelbeck, 1919
- [*Otiorhynchus mendax*](#) Apfelbeck, 1918
- [*Otiorhynchus molytoides*](#) Reitter, 1901
- [*Otiorhynchus solitarius*](#) Apfelbeck, 1919
- [*Otiorhynchus titan*](#) Apfelbeck, 1907

Subgenus **Cryphiphorus**

- [*Otiorhynchus concors*](#) F. Solari, 1932
- [*Otiorhynchus convexiusculus*](#) F. Solari, 1932
- [*Otiorhynchus depressipennis*](#) F. Solari, 1932
- [*Otiorhynchus dubitabilis*](#) Fairmaire, 1866
- [*Otiorhynchus griseolus*](#) F. Solari, 1932
- [*Otiorhynchus ligustici*](#) (Linnaeus, 1758)

- [*Otiorhynchus ligusticiformis*](#) Formánek, 1926
- [*Otiorhynchus mancinii*](#) F. Solari, 1932
- [*Otiorhynchus nemorosus*](#) Iablokoff-Khnzorian, 1984
- [*Otiorhynchus pindicus*](#) F. Solari, 1932
- [*Otiorhynchus subaequivestis*](#) F. Solari, 1932
- [*Otiorhynchus subcontractus*](#) F. Solari, 1932
- [*Otiorhynchus subrotundatus*](#) Stierlin, 1875
- [*Otiorhynchus subseriatus*](#) F. Solari, 1932
- [*Otiorhynchus turbator*](#) F. Solari, 1932

Subgenus [*Davidianaxius*](#)

- [*Otiorhynchus fulliformis*](#) Reitter, 1914
- [*Otiorhynchus korgei*](#) Smreczyński, 1971 - Türkiye (Tunceli)
- [*Otiorhynchus pastoralis*](#) Davidian & Savitsky, 2005
- [*Otiorhynchus pawlowskii*](#) Mazur, 1983 - northeastern Türkiye
- [*Otiorhynchus ptochoides*](#) Reitter, 1895
- [*Otiorhynchus pulvinatus*](#) Hochhuth, 1847
- [*Otiorhynchus schelkovnikovi*](#) Davidian & Savitsky, 2005
- [*Otiorhynchus sieversi*](#) Faust, 1888 - Georgia, Armenia, Azerbaijan, Iran

Subgenus [*Delenegus*](#)

- [*Otiorhynchus laurenti*](#) Normand, 1953
- [*Otiorhynchus tuniseus*](#) Pic, 1909
- [*Otiorhynchus vaulogeri*](#) Pic, 1900

Subgenus [*Dibredus*](#)

- [*Otiorhynchus faldermanni*](#) Hochhuth, 1847
- [*Otiorhynchus fausti*](#) Stierlin, 1875
- [*Otiorhynchus foveicollis*](#) Hochhuth, 1847
- [*Otiorhynchus laeviusculus*](#) Stierlin, 1861
- [*Otiorhynchus lucidicollis*](#) Smreczyński, 1970
- [*Otiorhynchus nemrutensis*](#) Białooki, 2015
- [*Otiorhynchus nudiformis*](#) Reitter, 1914
- [*Otiorhynchus ortrudheinzae*](#) Braun, 1991
- [*Otiorhynchus phreatus*](#) Reitter, 1914
- [*Otiorhynchus ponticus*](#) Stierlin, 1872
- [*Otiorhynchus rufimanus*](#) Hochhuth, 1851
- [*Otiorhynchus schuberti*](#) Davidian, 2016

Subgenus ***Ditrichosomus***

- *Otiorhynchus improbus* Arnoldi, 1975

Subgenus ***Dorymerus***

- *Otiorhynchus piceus* G. Osella & Zuppa, 1994 - Italy (Marche)
- *Otiorhynchus raffrayanus* F. Solari, 1940
- *Otiorhynchus strigirostris* Boheman, 1843 - Italy (mainland)
- *Otiorhynchus sulcatus* (Fabricius, 1775)
- *Otiorhynchus vignai* G. Osella & Zuppa, 1994 - Italy (Abruzzo, Molise)

Subgenus ***Duphanastus***

- *Otiorhynchus apfelbecki* Stierlin, 1887
- *Otiorhynchus auricomus* Germar, 1823
- *Otiorhynchus aurosparsus* Germar, 1823
- *Otiorhynchus burlinii* F. Solari, 1947
- *Otiorhynchus eremicola* Rosenhauer, 1847
- *Otiorhynchus fraxini* Germar, 1823
- *Otiorhynchus subquadratus* Rosenhauer, 1847

Subgenus ***Edelengus***

- *Otiorhynchus allardi* Stierlin, 1872
- *Otiorhynchus annibali* Stierlin, 1872
- *Otiorhynchus atlasicus* Escalera, 1914
- *Otiorhynchus augusti* Magnano, 2001
- *Otiorhynchus cirtensis* Magnano, 2008
- *Otiorhynchus dyris* Peyerimhoff, 1925
- *Otiorhynchus edelenginus* Reitter, 1913
- *Otiorhynchus gastonis* Fairmaire, 1867
- *Otiorhynchus intrusicollis* Rosenhauer, 1856
- *Otiorhynchus jendoubensis* Magnano, 2008
- *Otiorhynchus nitidiventris* Fairmaire, 1884
- *Otiorhynchus pittinoi* Magnano & Pesarini, 2001
- *Otiorhynchus planithorax* Boheman, 1842
- *Otiorhynchus pseudannibali* Magnano, 2001
- *Otiorhynchus scobinatus* A. Solari & F. Solari, 1905
- *Otiorhynchus torneyi* (Peyerimhoff, 1922)

Subgenus ***Elechranus***

- *Otiorhynchus carnicus* F. Solari, 1947

- [*Otiorhynchus chaldeus*](#) Stierlin, 1861
- [*Otiorhynchus chrysonus*](#) Boheman, 1842
- [*Otiorhynchus densatus*](#) Boheman, 1842
- [*Otiorhynchus ormayi*](#) Stierlin, 1888
- [*Otiorhynchus relictus*](#) Apfelbeck, 1908
- [*Otiorhynchus remotegranulatus*](#) Stierlin, 1891
- [*Otiorhynchus roubali*](#) Penecke, 1931 - Hungary, Romania, and Slovakia
- [*Otiorhynchus splendidus*](#) Reitter, 1913
- [*Otiorhynchus vestitus*](#) Gyllenhal, 1834

Subgenus ***Elendegus***

- [*Otiorhynchus micros*](#) Hustache, 1932

Subgenus ***Elvandrinus***

- [*Otiorhynchus abnormicollis*](#) Reitter, 1912
- [*Otiorhynchus armeniacus*](#) Hochhuth, 1847
- [*Otiorhynchus latithorax*](#) Smreczyński, 1970

Subgenus ***Eprahenus***

- [*Otiorhynchus aksudshabaglinus*](#) Bajtenov, 1974
- [*Otiorhynchus albohirtus*](#) Faust, 1887
- [*Otiorhynchus alibekus*](#) Yunakov & Arzanov, 2002
- [*Otiorhynchus arctos*](#) Reitter, 1914
- [*Otiorhynchus argonauta*](#) Davidian & Savitsky, 2006 - Georgia (Abkhazia, Svaneti)
- [*Otiorhynchus beckeri*](#) Stierlin, 1875 - Russia (Dagestan)
- [*“Otiorhynchus bidentatus”*](#) Stierlin, 1879 - Georgia
- [*Otiorhynchus carcelliformis*](#) Stierlin, 1896 - Georgia (Abkhazia, Mingrelia)
- [*Otiorhynchus conradti*](#) Faust, 1887
- [*Otiorhynchus cooteri*](#) Magnano & Colonnelli, 2014
- [*Otiorhynchus dittae*](#) Davidian & Savitsky, 2016
- [*Otiorhynchus elongatus*](#) Hochhuth, 1847
- [*Otiorhynchus gilgitensis*](#) Braun, 1988
- [*Otiorhynchus gumistiensis*](#) Davidian & Arzanov, 2002
- [*Otiorhynchus haplolophus*](#) Reitter, 1914
- [*Otiorhynchus hebes*](#) Reitter, 1890 - Georgia (Abkhazia)
- [*Otiorhynchus incivilis*](#) Gyllenhal, 1839
- [*Otiorhynchus juldusanus*](#) Reitter, 1914
- [*Otiorhynchus ketmenicus*](#) Bajtenov, 1974
- [*Otiorhynchus khipstensis*](#) Savitsky, 2022
- [*Otiorhynchus laticnemis*](#) Smreczyński, 1970

- [*Otiorhynchus marshalli*](#) F. Solari, 1937
- [*Otiorhynchus mikhaili*](#) (Davidian & Savitsky, 2002)
- [*Otiorhynchus mlokosevitschi*](#) Korotyaev, 2002
- [*Otiorhynchus moestificus*](#) Schoenherr, 1832 - Russia (Karachay-Cherkesia)
- [*Otiorhynchus olgae*](#) Davidian & Savitsky, 2006 - Georgia (Abkhazia)
- [*Otiorhynchus pertinax*](#) Faust, 1887
- [*Otiorhynchus planulus*](#) Braun, 1998
- [*Otiorhynchus pseudobeckeri*](#) Davidian & Savitsky, 2006 - Russia (Caucasus)
- [*Otiorhynchus schmidtianus*](#) Behne, 2003
- [*Otiorhynchus schneideri*](#) Stierlin, 1876
- [*Otiorhynchus segnis*](#) Gyllenhal, 1834
- [*Otiorhynchus subsquamulatus*](#) Stierlin, 1884 - Russia (Karachay-Cherkesia), Georgia (Abkhazia)
- [*Otiorhynchus swaneticus*](#) Reitter, 1883
- [*Otiorhynchus zarioides*](#) Reitter, 1914

Subgenus ***Ergiferanus***

- [*Otiorhynchus coptocnemis*](#) Apfelbeck, 1919
- [*Otiorhynchus kopaonicensis*](#) Apfelbeck, 1912
- [*Otiorhynchus latitarsis*](#) Apfelbeck, 1919
- [*Otiorhynchus liburnicus*](#) Reitter, 1914
- [*Otiorhynchus marmota*](#) Stierlin, 1861
- [*Otiorhynchus monedula*](#) Stierlin, 1861
- [*Otiorhynchus mus*](#) Stierlin, 1862
- [*Otiorhynchus nubilus*](#) Boheman, 1842
- [*Otiorhynchus pedinorrhynchus*](#) Petri, 1928
- [*Otiorhynchus picitarsis*](#) Rosenhauer, 1856
- [*Otiorhynchus pierinus*](#) Reitter, 1914
- [*Otiorhynchus seriatosetulosus*](#) Hänel, 1934
- [*Otiorhynchus subnivalis*](#) Mesaros, 1990
- [*Otiorhynchus tanycerus*](#) Apfelbeck, 1922
- [*Otiorhynchus tener*](#) Stierlin, 1861
- [*Otiorhynchus valvasori*](#) Penecke, 1923
- [*Otiorhynchus velebiticus*](#) Stierlin, 1893
- [*Otiorhynchus vermionensis*](#) Lona, 1943
- [*Otiorhynchus zierisi*](#) Davidian & Savitsky, 2016

Subgenus ***Eunihoides***

- [*Otiorhynchus agilis*](#) Białooki, 2017 - Türkiye (Isparta, Muğla)
- [*Otiorhynchus echinopterus*](#) Białooki, 2017 - Türkiye (Muğla)
- [*Otiorhynchus pisidicus*](#) (Magnano, 2003)
- [*Otiorhynchus rhizophilus*](#) Białooki, 2017 - Türkiye (Tekirdağ)

Subgenus ***Eunihus***

- *Otiorhynchus abruzzensis* Stierlin, 1893
- *Otiorhynchus boroveci* Magnano, 2002
- *Otiorhynchus carpathicus* K. Daniel & J. Daniel, 1898
- *Otiorhynchus globulus* Gredler, 1866
- *Otiorhynchus grischunensis* Germann, 2010
- *Otiorhynchus hypsibatus* Ganglbauer, 1896
- *Otiorhynchus khatiparicus* Davidian & Arzanov, 2006
- *Otiorhynchus leonhardi* Reitter, 1903
- *Otiorhynchus levasseuri* Roudier, 1961
- *Otiorhynchus meoticus* Davidian & Arzanov, 2006
- *Otiorhynchus noskiewiczi* Smreczynski, 1959
- *Otiorhynchus poianae* Penecke, 1927
- *Otiorhynchus praetutiorum* Di Marco & Osella, 1998
- *Otiorhynchus proximus* Stierlin, 1861
- *Otiorhynchus rhilensis* Stierlin, 1888
- *Otiorhynchus salassorum* Magnano, 1979
- *Otiorhynchus uludagicus* Magnano, 2002
- *Otiorhynchus winkelmanni* Magnano, 2004

Subgenus ***Fondajenus***

- *Otiorhynchus amplicornis* Białooki, 2017 - Türkiye (Muğla)
- *Otiorhynchus avgonicus* Białooki, 2023
- *Otiorhynchus crocotillus* Białooki, 2017 - Greece (Central Greece)
- *Otiorhynchus forficulatus* Białooki, 2017 - Türkiye (Muğla)
- *Otiorhynchus forticornis* Stierlin, 1896
- *Otiorhynchus frenifer* Białooki, 2023
- *Otiorhynchus laticornis* Białooki, 2023
- *Otiorhynchus neroponticus* Białooki, 2023
- *Otiorhynchus peristericus* Apfelbeck, 1902
- *Otiorhynchus stierlini* Gemminger, 1871

Subgenus ***Geneledus***

- *Otiorhynchus pici* A. Solari & F. Solari, 1905

Subgenus ***Hanibotus***

- *Otiorhynchus angustifrons* Stierlin, 1883 - Armenia, Azerbaijan (Lankaran-Astara), eastern Türkiye, northern Iran
- *Otiorhynchus longipilis* Smreczyński, 1970 - northeastern and central Türkiye

- [*Otiorhynchus nabozhenkorum*](#) Davidian & Savitsky, 2015
- [*Otiorhynchus subopacus*](#) Petri, 1915
- [*Otiorhynchus sulcibasis*](#) Reitter, 1895
- [*Otiorhynchus zajcevi*](#) Arnoldi, 1964 - Armenia

Subgenus [*Holomrasus*](#)

- [*Otiorhynchus ongon*](#) Alonso-Zarazaga, 2013
- [*Otiorhynchus subocularis*](#) Arnoldi, 1975
- [*Otiorhynchus sushkini*](#) Arnoldi, 1975

Subgenus [*Hygrorhynchus*](#)

- [*Otiorhynchus armicrus*](#) Fairmaire, 1866
- [*Otiorhynchus curvidens*](#) Voss, 1964
- [*Otiorhynchus emirensis*](#) Białooki, 2007

Subgenus [*Italorrhynchus*](#)

- [*Otiorhynchus andreinii*](#) F. Solari, 1932 - Italy (Marche)
- [*Otiorhynchus angelinii*](#) (G. Osella, 1986) - Italy (Abruzzi)
- [*Otiorhynchus aquilanus*](#) (G. Osella, 1977) - Italy (Abruzzi)
- [*Otiorhynchus avoni*](#) Magrini, Bastianini & Abbazzi, 2008 - Italy (Lazio)
- [*Otiorhynchus bartolozzii*](#) Magrini, Meoli, Cirocchi & Abbazzi, 2004 - Italy (Tuscany)
- [*Otiorhynchus bastianinii*](#) Magrini, Meoli & Abbazzi, 2005 - Italy (Lazio)
- [*Otiorhynchus benellii*](#) Magrini, 2015
- [*Otiorhynchus camaldulensis*](#) (Rottenberg, 1870) - Italy (Campania)
- [*Otiorhynchus cirocchii*](#) (G. Osella & Abbazzi, 1985) - Italy (Umbria)
- [*Otiorhynchus consortii*](#) Magrini, Abbazzi & Cirocchi, 2002 - Italy (Sardinia)
- [*Otiorhynchus dauniaae*](#) Magrini & Abbazzi, 2011 - Italy (Apulia)
- [*Otiorhynchus emanuelae*](#) Magrini, Meoli & Abbazzi, 2005 - Italy (Campania)
- [*Otiorhynchus fioronii*](#) Magrini, Meoli, Cirocchi & Abbazzi, 2004 - Italy (Umbria)
- [*Otiorhynchus giaquintoii*](#) F. Solari, 1932 - Italy
- [*Otiorhynchus gigantium*](#) Magrini, Fancello & Petrioli, 2015
- [*Otiorhynchus giuliabenellii*](#) Magrini & Benelli, 2021
- [*Otiorhynchus giustii*](#) (G. Osella, 1981) - Italy (Elba Island)
- [*Otiorhynchus hummleri*](#) Flach, 1899 - Italy (Marche)
- [*Otiorhynchus latellai*](#) G. Osella, Marotta & Silvani, 2006 - Italy (Lazio)
- [*Otiorhynchus latirostris*](#) (Bargagli, 1871) - Italy (Tuscany)
- [*Otiorhynchus laurae*](#) A. Solari & F. Solari, 1907 - Italy (Giglio Island)
- [*Otiorhynchus leonii*](#) A. Solari & F. Solari, 1909 - Italy (Abruzzo)
- [*Otiorhynchus magrinii*](#) (G. Osella, 1979) - Italy (Umbria)
- [*Otiorhynchus majusculus*](#) F. Solari, 1932 - Italy (Campagna di Roma)

- [*Otiorhynchus martinii*](#) (Fairmaire, 1862) - France (Aveyron)
- [*Otiorhynchus mayetii*](#) (Fairmaire, 1878) - France
- [*Otiorhynchus melonii*](#) Magrini, Abbazzi, Leo & Fancello, 2003 - Italy (Sardinia)
- [*Otiorhynchus microphthalmus*](#) A. Solari & F. Solari, 1909 - Italy (Abruzzo)
- [*Otiorhynchus milazzoi*](#) Magrini, Petrioli & Daino, 2011 - Italy (Sicily)
- [*Otiorhynchus monteleonii*](#) (Abbazzi & Osella, 1975) - Italy
- [*Otiorhynchus pacei*](#) (G. Osella, 1977) - Italy (Lazio)
- [*Otiorhynchus paulae*](#) Magrini, Bastianini & Abbazzi, 2008 - Italy (Lazio)
- [*Otiorhynchus pennisii*](#) (G. Osella & Abbazzi, 1985) - Italy (Lazio)
- [*Otiorhynchus petriolii*](#) Magrini & Degiovanni, 2016 - Italy (Lazio)
- [*Otiorhynchus sabinus*](#) Magrini, Meoli & Abbazzi, 2005 - Italy (Lazio)
- [*Otiorhynchus samniticus*](#) (G. Osella, 1977) - Italy (Molise)
- [*Otiorhynchus sardous*](#) F. Solari, 1932 - Italy (Sardinia)
- [*Otiorhynchus sbordonianus*](#) G. Osella, 2008 - Italy (Lazio)
- [*Otiorhynchus stolzi*](#) (Holdhaus, 1908) - Italy (Tuscany)
- [*Otiorhynchus taitii*](#) (Abbazzi, Bartolozzi & G. Osella, 1992) - Italy (Tuscany)
- [*Otiorhynchus terricola*](#) (Linder, 1863) - France and Spain
- [*Otiorhynchus vignolii*](#) Magrini & Petrioli, 2020
- [*Otiorhynchus virginiae*](#) Magrini, Abbazzi & Cirocchi, 2002 - Italy (Umbria)

Subgenus *Jelenantus*

- [*Otiorhynchus affaber*](#) Boheman, 1842
- [*Otiorhynchus avariae*](#) (Español, 1979) - Spain (Valencia)
- [*Otiorhynchus beauprei*](#) A. Solari & F. Solari, 1905
- [*Otiorhynchus hecarti*](#) A. Hoffmann, 1954
- [*Otiorhynchus henonii*](#) Fairmaire, 1867
- [*Otiorhynchus intermedius*](#) (Hustache, 1923) - Morocco
- [*Otiorhynchus mairei*](#) (Peyerimhoff, 1913) - Algeria
- [*Otiorhynchus muricatipennis*](#) (Desbrochers des Loges, 1896)
- [*Otiorhynchus pardoii*](#) A. Hoffmann, 1954
- [*Otiorhynchus planophthalmus*](#) Heyden, 1870
- [*Otiorhynchus pseudaffaber*](#) Reitter, 1913
- [*Otiorhynchus tiaretanus*](#) Reitter, 1913

Subgenus *Kreinidinus*

- [*Otiorhynchus planiceps*](#) K. Daniel & J. Daniel, 1898

Subgenus *Lixorrhynchus*

- [*Otiorhynchus gracilis*](#) Gyllenhal, 1834 - France and Italy
- [*Otiorhynchus gridellii*](#) (Español, 1949) - Spain (Catalonia)

- [*Otiorhynchus hystricis*](#) Casalini & Colonnelli, 2014
- [*Otiorhynchus irenae*](#) (Hoffmann, 1956) - Spain (Extremadura)
- [*Otiorhynchus montigena*](#) Marseul, 1873
- [*Otiorhynchus setiger*](#) (Waltl, 1835)
- [*Otiorhynchus sulcicollis*](#) (Hoffmann, 1956)
- [*Otiorhynchus torressalai*](#) (Español, 1945) - Spain (Valencia)
- [*Otiorhynchus zariquieyi*](#) (Clermont, 1949) - Spain (Girona)

Subgenus ***Lolatismus***

- [*Otiorhynchus antennatus*](#) Stierlin, 1861
- [*Otiorhynchus aratus*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus bohemani*](#) Stierlin, 1877
- [*Otiorhynchus cosmopterus*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus dacicus*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus lasius*](#) (Germar, 1817)
- [*Otiorhynchus manellii*](#) Osella & Zuppa, 1994
- [*Otiorhynchus negoiensis*](#) Lona, 1923
- [*Otiorhynchus pirinicus*](#) Lona, 1939
- [*Otiorhynchus porcatus*](#) (Herbst, 1795)
- [*Otiorhynchus secretus*](#) Reitter, 1913
- [*Otiorhynchus skiperiae*](#) Csiki, 1943
- [*Otiorhynchus troyeri*](#) Stierlin, 1883

Subgenus ***Magnanotius***

- [*Otiorhynchus amplus*](#) Petri, 1902
- [*Otiorhynchus auromaculatus*](#) Formánek, 1927
- [*Otiorhynchus brandisi*](#) Apfelbeck, 1896
- [*Otiorhynchus buchtarmensis*](#) Bajtenov, 1977
- [*Otiorhynchus deubeli*](#) Ganglbauer, 1896
- [*Otiorhynchus equestris*](#) (Richter, 1820)
- [*Otiorhynchus kollari*](#) Gyllenhal, 1834
- [*Otiorhynchus kuenburgi*](#) Stierlin, 1866
- [*Otiorhynchus mehelii*](#) Stierlin, 1895
- [*Otiorhynchus norici*](#) Alonso-Zarazaga, 2013
- [*Otiorhynchus obtusus*](#) Boheman, 1842
- [*Otiorhynchus peneckianus*](#) Smreczyński, 1963
- [*Otiorhynchus primigenius*](#) Apfelbeck, 1928
- [*Otiorhynchus reichei*](#) Stierlin, 1861
- [*Otiorhynchus rhododendroni*](#) Bajtenov, 1977
- [*Otiorhynchus rufomarginatus*](#) Stierlin, 1883
- [*Otiorhynchus schaumii*](#) Stierlin, 1861

- [*Otiorhynchus verrucipes*](#) Apfelbeck, 1899

Subgenus ***Majetnecus***

- [*Otiorhynchus lepidopterus*](#) (Fabricius, 1794)
- [*Otiorhynchus squamulatus*](#) Stierlin, 1861

Subgenus ***Melasemnus***

- [*Otiorhynchus aloysii*](#) Alonso-Zarazaga, 2013
- [*Otiorhynchus apschuanus*](#) Reitter, 1914
- [*Otiorhynchus attenuatus*](#) Stierlin, 1879
- [*Otiorhynchus bisphaericus*](#) Reiche & Saulcy, 1858
- [*Otiorhynchus brevipennis*](#) Stierlin, 1892
- [*Otiorhynchus ceviki*](#) Keskin, 2007 - Türkiye (İzmir, Manisa)
- [*Otiorhynchus cruralis*](#) Stierlin, 1894
- [*Otiorhynchus cukalensis*](#) Apfelbeck, 1919
- [*Otiorhynchus euxinus*](#) Apfelbeck, 1899
- [*Otiorhynchus globipes*](#) Apfelbeck, 1919
- [*Otiorhynchus hindukuschensis*](#) Voss, 1959
- [*Otiorhynchus jugigradens*](#) Hänel, 1934
- [*Otiorhynchus kulzeri*](#) Zumpt, 1933
- [*Otiorhynchus laevipennis*](#) Stierlin, 1888
- [*Otiorhynchus lagenaria*](#) Marseul, 1878
- [*Otiorhynchus mersanicus*](#) (Hustache, 1934)
- [*Otiorhynchus nitidus*](#) Reiche, 1857
- [*Otiorhynchus ovalipennis*](#) Boheman, 1842
- [*Otiorhynchus rufitarsis*](#) Stierlin, 1901
- [*Otiorhynchus spinifer*](#) K. Daniel & J. Daniel, 1902 - Türkiye (Anatolia)
- [*Otiorhynchus steindachneri*](#) Apfelbeck, 1907
- [*Otiorhynchus tetrarchus*](#) Reitter, 1914
- [*Otiorhynchus thaliarchus*](#) Reitter, 1914
- [*Otiorhynchus transsylvanicus*](#) Stierlin, 1861
- [*Otiorhynchus ukrainicus*](#) Korotyaev, 1984

Subgenus ***Meriplodus***

- [*Otiorhynchus alatavicus*](#) Bajtenov, 1974
- [*Otiorhynchus davidiani*](#) Magnano, 2006 - western Kyrgyzstan
- [*Otiorhynchus dshungaricus*](#) Bajtenov, 1974 - southern Kazakhstan
- [*Otiorhynchus duplopilosus*](#) Reitter, 1912 - southern Kazakhstan
- [*Otiorhynchus luigii*](#) Alonso-Zarazaga, 2013
- [*Otiorhynchus manderstjernae*](#) Ballion, 1878

- [*Otiorhynchus marquardtianus*](#) Reitter, 1900 - Kyrgyzstan, southern Kazakhstan
- [*Otiorhynchus mutilatus*](#) Magnano, 2006 - Kazakhstan
- [*Otiorhynchus oldrici*](#) Magnano, 2006 - Kyrgyzstan
- [*Otiorhynchus schawalleri*](#) Magnano, 2006 - Kyrgyzstan
- [*Otiorhynchus supremus*](#) Reitter, 1912 - Russia (Altai)
- [*Otiorhynchus tadjikistanicus*](#) Magnano, 2006 - Tajikistan
- [*Otiorhynchus ugamicus*](#) Bajtenov, 1974 - southern Kazakhstan
- [*Otiorhynchus yarodaricus*](#) Magnano, 2006 - Kyrgyzstan

Subgenus **Mesaniomus**

- [*Otiorhynchus albanicus*](#) Apfelbeck, 1907
- [*Otiorhynchus alphonsi*](#) Lona, 1939
- [*Otiorhynchus cirrhocnemis*](#) Apfelbeck, 1908
- [*Otiorhynchus georgii*](#) Lona, 1922
- [*Otiorhynchus longipennis*](#) Stierlin, 1861
- [*Otiorhynchus microsquamosus*](#) Białooki, 2023
- [*Otiorhynchus planiventris*](#) Białooki, 2023
- [*Otiorhynchus polycoccus*](#) Gyllenhal, 1842
- [*Otiorhynchus prisrensis*](#) Apfelbeck, 1922
- [*Otiorhynchus rolandi*](#) Białooki, 2023
- [*Otiorhynchus skoelsen*](#) Csiki, 1940
- [*Otiorhynchus squamiventris*](#) Białooki, 2023

Subgenus **Metopiorrhynchus**

- [*Otiorhynchus axatensis*](#) A. Hoffmann, 1930
- [*Otiorhynchus breviclavatus*](#) Stierlin, 1883
- [*Otiorhynchus camunus*](#) Magnano, 1973
- [*Otiorhynchus cancellatus*](#) Boheman, 1842
- [*Otiorhynchus carmagolae*](#) (A. Villa & G. B. Villa, 1835)
- [*Otiorhynchus cesaraccioi*](#) G. Osella, Mammoli & Zuppa, 1991
- [*Otiorhynchus claudiae*](#) Perez, Cantot, Rouault & Komez, 2020
- [*Otiorhynchus cornirostris*](#) Reitter, 1914
- [*Otiorhynchus cyclophthalmus*](#) F. Solari, 1946
- [*Otiorhynchus cyclopterus*](#) F. Solari, 1946
- [*Otiorhynchus delicatulus*](#) Marseul, 1873
- [*Otiorhynchus diecki*](#) Stierlin, 1872
- [*Otiorhynchus difficilis*](#) Stierlin, 1858
- [*Otiorhynchus diversicollis*](#) Lona, 1939
- [*Otiorhynchus dolichopterus*](#) Magnano, 1967
- [*Otiorhynchus franciscoloi*](#) F. Solari, 1947
- [*Otiorhynchus frigidus*](#) Mulsant & Rey, 1859

- [Otiorhynchus ianuargenti](#) G. Osella, Mammoli & Zuppa, 1991
- [Otiorhynchus impressiventris](#) Fairmaire, 1859
- [Otiorhynchus insolitus](#) Magnano, 1967
- [Otiorhynchus intrusus](#) Reiche, 1862
- [Otiorhynchus labilis](#) Stierlin, 1883
- [Otiorhynchus litigiosus](#) Magnano, 1967
- [Otiorhynchus lostiai](#) G. Osella, Mammoli & Zuppa, 1991
- [Otiorhynchus nigrinus](#) F. Solari, 1946
- [Otiorhynchus pasubianus](#) F. Solari, 1946
- [Otiorhynchus pignoris](#) Reitter, 1914
- [Otiorhynchus procerus](#) Stierlin, 1875
- [Otiorhynchus pupillatus](#) Gyllenhal, 1834
- [Otiorhynchus pusillus](#) Stierlin, 1861
- [Otiorhynchus respersus](#) Stierlin, 1861
- [Otiorhynchus rhododendri](#) Stierlin, 1861
- [Otiorhynchus rosaemariae](#) Magnano, 1973
- [Otiorhynchus singularis](#) (Linnaeus, 1767)
- [Otiorhynchus teretirostris](#) Stierlin, 1866
- [Otiorhynchus tirolensis](#) Stierlin, 1894
- [Otiorhynchus varius](#) Boheman, 1842
- [Otiorhynchus vernalis](#) Stierlin, 1861
- [Otiorhynchus veterator](#) Uyttenboogaart, 1932

Subgenus **Microhanibotus**

- [Otiorhynchus ghilarovi](#) Davidian & Savitsky, 2015

Subgenus **Mierginus**

- [Otiorhynchus auricapillus](#) Germar, 1823
- [Otiorhynchus clathratus](#) (Germar, 1817)
- [Otiorhynchus montivagus](#) Boheman, 1842

Subgenus **Misenatus**

- [Otiorhynchus biroi](#) Csiki, 1943
- [Otiorhynchus johannae](#) Colonnelli, 2018 - Greece (Crete)
- [Otiorhynchus lugens](#) (Germar, 1817)
- [Otiorhynchus spartanus](#) Kirsch, 1880 - Greece (Peloponnese)
- [Otiorhynchus trojanus](#) Stierlin, 1861

Subgenus ***Mitadileus***

- [*Otiorhynchus euboicus*](#) Apfelbeck, 1922 - Greece (Central Greece)
- [*Otiorhynchus kiesenwetteri*](#) Stierlin, 1861
- [*Otiorhynchus olympicola*](#) Penecke, 1928 - Greece (Central Macedonia, Peloponnese, Thessaly)
- [*Otiorhynchus pachycerus*](#) Csiki, 1943

Subgenus ***Mitomiris***

- [*Otiorhynchus akinini*](#) Stierlin, 1883
- [*Otiorhynchus astutus*](#) (Faust, 1887)
- [*Otiorhynchus esau*](#) Stierlin, 1883
- [*Otiorhynchus furiosus*](#) Reitter, 1916
- [*Otiorhynchus hellerianus*](#) Reitter, 1912
- [*Otiorhynchus inhabilis*](#) Reitter, 1912
- [*Otiorhynchus laniger*](#) Faust, 1887
- [*Otiorhynchus lumenifer*](#) Reitter, 1895
- [*Otiorhynchus maidantalensis*](#) Bajtenov, 1974
- [*Otiorhynchus perlucens*](#) Reitter, 1912
- [*Otiorhynchus psalidiformis*](#) Reitter, 1895
- [*Otiorhynchus refrigeratus*](#) Stierlin, 1883
- [*Otiorhynchus sairamensis*](#) Bajtenov, 1974
- [*Otiorhynchus subsedulus*](#) Bajtenov, 1974
- [*Otiorhynchus tardipes*](#) Reitter, 1912
- [*Otiorhynchus tianschanicus*](#) Bajtenov, 1974
- [*Otiorhynchus zumpti*](#) Lona, 1933

Subgenus ***Mongolorrhynchus***

- [*Otiorhynchus altaipilosus*](#) Legalov, 2021
- [*Otiorhynchus ivanovi*](#) Legalov, 2021
- [*Otiorhynchus mordkovitschi*](#) Arnoldi, 1975
- [*Otiorhynchus populiger*](#) Arnoldi, 1975
- [*Otiorhynchus pupilliger*](#) Arnoldi, 1975
- [*Otiorhynchus rectipilosus*](#) Arnoldi, 1975
- [*Otiorhynchus tuvensis*](#) Korotyaev, 1995

Subgenus ***Motilacanus***

- [*Otiorhynchus conspiciabilis*](#) Gyllenhal, 1839
- [*Otiorhynchus madari*](#) Formánek, 1926
- [*Otiorhynchus titarenkoi*](#) Davidian & Savitsky, 2016
- [*Otiorhynchus validicornis*](#) Gyllenhal, 1839

Subgenus Namertanus

- [Otiorhynchus argus](#) (Reitter, 1896) - Russia (Caucasus), Georgia (Abkhazia) and Türkiye (Artvin)
- [Otiorhynchus glebi](#) Davidian & Savitsky, 2006 - Russia (Krasnodar Krai)
- [Otiorhynchus junco](#) Davidian & Savitsky, 2006
- [Otiorhynchus kurbatovi](#) Davidian & Savitsky, 2006 - Georgia (Abkhazia)
- [Otiorhynchus laminatus](#) Davidian & Savitsky, 2006
- [Otiorhynchus nairicus](#) Iablokoff-Khnzorian, 1957 - Armenia and Azerbaijan
- [Otiorhynchus nasutus](#) Stierlin, 1876
- [Otiorhynchus pseudomeiranella](#) Davidian & Savitsky, 2006
- [Otiorhynchus pseudomias](#) Hochhuth, 1847
- [Otiorhynchus vargovitchi](#) Davidian, 2007 - Russia (Krasnodar Krai)

Subgenus Necotaleus

- [Otiorhynchus contarinii](#) G. Osella & Zuppa, 1994 - Italy (Marche, Abruzzo, Lazio)
- [Otiorhynchus croaticus](#) Stierlin, 1861
- [Otiorhynchus hawelkae](#) Apfelbeck, 1929
- [Otiorhynchus sirentensis](#) D'Amore-Fracassi, 1906 - Italy (Abruzzo, Lazio, Campania, Molise)
- [Otiorhynchus vestinus](#) Magnano, 1977 - Italy (Abruzzo, Lazio, Marche)

Subgenus Nehrodistus

- [Otiorhynchus adspersus](#) Boheman, 1842
- [Otiorhynchus armatus](#) Boheman, 1842
- [Otiorhynchus bruckensis](#) Marseul, 1873
- [Otiorhynchus caviventris](#) Angelov, 1973
- [Otiorhynchus corruptor](#) (Host, 1790)
- [Otiorhynchus gallopavo](#) Pesarini, 1971
- [Otiorhynchus goebli](#) Reitter, 1914
- [Otiorhynchus graecus](#) Stierlin, 1861
- [Otiorhynchus innominatus](#) F. Solari, 1940
- [Otiorhynchus leorum](#) Yunakov, 2001
- [Otiorhynchus obesus](#) Stierlin, 1861
- [Otiorhynchus pesarinii](#) Diotti, 2008
- [Otiorhynchus populeti](#) Boheman, 1842
- [Otiorhynchus rhamni](#) Apfelbeck, 1896
- [Otiorhynchus rhinoceros](#) F. Solari, 1940
- [Otiorhynchus scitoides](#) Pesarini, 1975
- [Otiorhynchus scitus](#) Gyllenhal, 1842
- [Otiorhynchus sorbivorus](#) Reitter, 1914
- [Otiorhynchus tiflensis](#) Reitter, 1915
- [Otiorhynchus turca](#) Boheman, 1842

Subgenus *Neobudemoides*

- [*Otiorhynchus bosdaghensis*](#) Lona, 1937 - Greece (Eastern Macedonia and Thrace)
- [*Otiorhynchus carcelloides*](#) Stierlin, 1888
- [*Otiorhynchus cornacchiai*](#) Magnano, 1996

Subgenus *Nihus*

- [*Otiorhynchus axatensis*](#) Hoffmann, 1930
- [*Otiorhynchus azaleae*](#) Penecke, 1894
- [*Otiorhynchus breviclavatus*](#) Stierlin, 1883
- [*Otiorhynchus camunus*](#) Magnano, 1973
- [*Otiorhynchus cancellatus*](#) Boheman, 1842
- [*Otiorhynchus carinatopunctatus*](#) (Retzius, 1783)
- [*Otiorhynchus carmagnolae*](#) (Villa & Villa, 1835)
- [*Otiorhynchus cesaraccioi*](#) Osella, Mammoli & Zuppa, 1991
- [*Otiorhynchus claudiae*](#) Perez, Cantot, Rouault & Komeza, 2020
- [*Otiorhynchus cornirostris*](#) Reitter, 1914
- [*Otiorhynchus cyclophthalmus*](#) Solari, 1946
- [*Otiorhynchus cyclopterus*](#) Solari, 1946
- [*Otiorhynchus delicatulus*](#) Stierlin, 1872
- [*Otiorhynchus diecki*](#) Stierlin, 1872
- [*Otiorhynchus difficilis*](#) Stierlin, 1858
- [*Otiorhynchus diversicollis*](#) Lona, 1939
- [*Otiorhynchus dolichopterus*](#) Magnano, 1967
- [*Otiorhynchus franciscoloi*](#) Solari, 1947
- [*Otiorhynchus frigidus*](#) Mulsant & Rey, 1859
- [*Otiorhynchus gredleri*](#) J. Daniel & K. Daniel, 1898
- [*Otiorhynchus hypocrita*](#) Rosenhauer, 1847
- [*Otiorhynchus ianuargenti*](#) Osella, Mammoli & Zuppa, 1991
- [*Otiorhynchus impressiventris*](#) Fairmaire, 1859
- [*Otiorhynchus insolitus*](#) Magnano, 1967
- [*Otiorhynchus intrusus*](#) Reiche, 1862
- [*Otiorhynchus labilis*](#) Stierlin, 1883
- [*Otiorhynchus litigiosus*](#) Magnano, 1967
- [*Otiorhynchus lostiai*](#) Osella, Mammoli & Zuppa, 1991
- [*Otiorhynchus muffi*](#) Germann, 2014
- [*Otiorhynchus nigrinus*](#) Solari, 1946
- [*Otiorhynchus pignoris*](#) Reitter, 1914
- [*Otiorhynchus procerus*](#) Stierlin, 1875
- [*Otiorhynchus pupillatus*](#) Gyllenhal, 1834
- [*Otiorhynchus pusillus*](#) Stierlin, 1861
- [*Otiorhynchus respersus*](#) Stierlin, 1861

- [*Otiorhynchus rhododendri*](#) Stierlin, 1861
- [*Otiorhynchus rosaemariae*](#) Magnano, 1973
- [*Otiorhynchus singularis*](#) (Linnaeus, 1767)
- [*Otiorhynchus spaethi*](#) Reitter, 1913
- [*Otiorhynchus subcostatus*](#) Stierlin, 1866
- [*Otiorhynchus subdentatus*](#) Bach, 1854
- [*Otiorhynchus teretirostris*](#) Stierlin, 1866
- [*Otiorhynchus tirolensis*](#) Stierlin, 1894
- [*Otiorhynchus uncinatus*](#) Germar, 1823
- [*Otiorhynchus varius*](#) Boheman, 1842
- [*Otiorhynchus venustus*](#) Stierlin, 1880
- [*Otiorhynchus vernalis*](#) Stierlin, 1861
- [*Otiorhynchus veterator*](#) Uyttenboogaart, 1932 - northeastern Spain, France, Belgium, The Netherlands, Luxembourg, Germany, Switzerland, southern United Kingdom

Subgenus [*Nilepolemis*](#)

- [*Otiorhynchus alpestris*](#) (Comolli, 1837)
- [*Otiorhynchus articulatus*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus breiti*](#) Franz, 1938
- [*Otiorhynchus cadoricus*](#) K. Daniel & J. Daniel, 1891
- [*Otiorhynchus coniceps*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus decipiens*](#) Franz, 1938
- [*Otiorhynchus dieneri*](#) Csiki, 1943
- [*Otiorhynchus distincticornis*](#) Rosenhauer, 1847
- [*Otiorhynchus hadrocerus*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus kuennemanni*](#) Reitter, 1917
- [*Otiorhynchus lessinicus*](#) Franz, 1938
- [*Otiorhynchus lombardus*](#) Stierlin, 1866
- [*Otiorhynchus nocturnus*](#) Reitter, 1913
- [*Otiorhynchus pigrans*](#) Stierlin, 1861
- [*Otiorhynchus schaubergeri*](#) Lona, 1923
- [*Otiorhynchus sulcatellus*](#) K. Daniel & J. Daniel, 1898
- [*Otiorhynchus tagenioides*](#) Stierlin, 1861

Subgenus [*Nubidanops*](#)

- [*Otiorhynchus torosicus*](#) Davidian & L. Gültekin, 2016
- [*Otiorhynchus tumidicollis*](#) Stierlin, 1861

Subgenus [*Nubidanus*](#)

- [*Otiorhynchus atricolor*](#) Reitter, 1912

- [*Otiorhynchus coyei*](#) Marseul, 1868
- [*Otiorhynchus crassiceps*](#) Reitter, 1912
- [*Otiorhynchus densicollis*](#) Reitter, 1912
- [*Otiorhynchus hajastani*](#) Arnoldi, 1967
- [*Otiorhynchus hebraeus*](#) Stierlin, 1861
- [*Otiorhynchus heinzorum*](#) Braun, 2002
- [*Otiorhynchus impexus*](#) Schoenherr, 1832
- [*Otiorhynchus jarpachlinus*](#) Reitter, 1912
- [*Otiorhynchus juvenilis*](#) Schoenherr, 1832
- [*Otiorhynchus marseuli*](#) Stierlin, 1872
- [*Otiorhynchus messenicus*](#) Stierlin, 1872
- [*Otiorhynchus minutus*](#) Stierlin, 1875
- [*Otiorhynchus poricollis*](#) Schoenherr, 1832
- [*Otiorhynchus punctirostris*](#) Stierlin, 1883
- [*Otiorhynchus semigranulatus*](#) Stierlin, 1861
- [*Otiorhynchus semituberculatus*](#) Stierlin, 1872
- [*Otiorhynchus transparens*](#) (Fischer von Waldheim, 1821)

Subgenus ***Obvoderus***

- [*Otiorhynchus abchasicus*](#) Rost, 1892
- [*Otiorhynchus aurosquamulatus*](#) Retowski, 1887
- [*Otiorhynchus romantsovi*](#) Davidian & Savitsky, 2002 - Georgia (Abkhazia)
- [*Otiorhynchus solodovnikovi*](#) Davidian & Savitsky, 2002

Subgenus ***Odelengus***

- [*Otiorhynchus aberrans*](#) Stierlin, 1876
- [*Otiorhynchus agmentosus*](#) Białooki, 2017 - Türkiye (Niğde)
- [*Otiorhynchus angustirostris*](#) Smreczyński, 1977
- [*Otiorhynchus armentalis*](#) Białooki, 2017 - Türkiye (Aksaray, Niğde)
- [*Otiorhynchus cappadocicus*](#) Białooki, 2017 - Türkiye (Niğde, Konya, Aksaray)
- [*Otiorhynchus crepuscularis*](#) Białooki, 2017 - Türkiye (Şanlıurfa, Diyarbakır)
- [*Otiorhynchus dudkoi*](#) Davidian & L. Gültekin, 2016
- [*Otiorhynchus fracticornis*](#) Białooki, 2017 - Türkiye (Konya, Antalya)
- [*Otiorhynchus hebetes*](#) Białooki, 2017 - Türkiye (Adana)
- [*Otiorhynchus heinzi*](#) Smreczyński, 1970
- [*Otiorhynchus judaicus*](#) Stierlin, 1875
- [*Otiorhynchus malinkai*](#) Białooki, 2017 - Türkiye (Niğde)
- [*Otiorhynchus maximi*](#) Davidian & L. Gültekin, 2016
- [*Otiorhynchus phrygius*](#) Reitter, 1912
- [*Otiorhynchus pipitzi*](#) Stierlin, 1884
- [*Otiorhynchus porculus*](#) Białooki, 2017 - Türkiye (Aksaray)

- [*Otiorhynchus vavrai*](#) Białooki, 2017 - Türkiye (Niğde)
- [*Otiorhynchus wanati*](#) Białooki, 2017 - Türkiye (Karaman, Konya)

Subgenus *Osmobodes*

- [*Otiorhynchus angelovi*](#) Bajtenov, 1977
- [*Otiorhynchus beatus*](#) Faust, 1890
- [*Otiorhynchus brevilatus*](#) Arnoldi, 1975
- [*Otiorhynchus confluens*](#) Reitter, 1912
- [*Otiorhynchus cribrosicollis*](#) Boheman, 1842
- [*Otiorhynchus curvimanus*](#) Reitter, 1912
- [*Otiorhynchus emeljanovi*](#) Arnoldi, 1975
- [*Otiorhynchus havtagi*](#) Arnoldi, 1975
- [*Otiorhynchus innocuus*](#) Boheman, 1842
- [*Otiorhynchus kerzhneri*](#) Korotyaev, 1995
- [*Otiorhynchus khentejensis*](#) Arnoldi, 1975
- [*Otiorhynchus kozlovi*](#) Arnoldi, 1975
- [*Otiorhynchus medvedevi*](#) Korotyaev, 1995
- [*Otiorhynchus mongolicus*](#) Reitter, 1912
- [*Otiorhynchus strebloffi*](#) Stierlin, 1880
- [*Otiorhynchus tenuimanus*](#) Faust, 1890
- [*Otiorhynchus venalis*](#) Faust, 1888

Subgenus *Otiolehus*

- [*Otiorhynchus anthracinus*](#) (Scopoli, 1763)
- [*Otiorhynchus bononii*](#) Lona, 1943
- [*Otiorhynchus brasavolae*](#) Lona, 1943
- [*Otiorhynchus etropolensis*](#) Apfelbeck, 1899
- [*Otiorhynchus inunctus*](#) Stierlin, 1861
- [*Otiorhynchus oligolepis*](#) Apfelbeck, 1919
- [*Otiorhynchus plagiator*](#) Apfelbeck, 1919
- [*Otiorhynchus rambouseki*](#) Apfelbeck, 1919
- [*Otiorhynchus rugosogranulatus*](#) Stierlin, 1888
- [*Otiorhynchus schatzmayri*](#) Lona, 1922
- [*Otiorhynchus sculptirostris*](#) Hochhuth, 1847
- [*Otiorhynchus spinidens*](#) Apfelbeck, 1919
- [*Otiorhynchus tristis*](#) (Scopoli, 1763)
- [*Otiorhynchus veluchiensis*](#) Hoffmann, 1957
- [*Otiorhynchus wernerianus*](#) Reitter, 1914

Subgenus Otiomimus

- [Otiorhynchus alemdaghensis](#) Reitter, 1913
- [Otiorhynchus carcelii](#) Gyllenhal, 1842
- [Otiorhynchus cepelarus](#) Angelov, 1974
- [Otiorhynchus desbrochersi](#) Stierlin, 1883
- [Otiorhynchus graniger](#) Reiche & Saulcy, 1858
- [Otiorhynchus setosellus](#) Zumpt, 1936
- [Otiorhynchus subspinosus](#) Stierlin, 1861

Subgenus Otiorhynchus

- [Otiorhynchus aequus](#) Casalini & Magnano, 2005
- [Otiorhynchus amplipennis](#) Fairmaire, 1860
- [Otiorhynchus amputatus](#) Chevrolat, 1872
- [Otiorhynchus angelae](#) Magrini, Abbazzi, Magnano & Baviera, 2007
- [Otiorhynchus armadillo](#) (Rossi, 1792) - Europe, Türkiye (Anatolia), Lebanon
- [Otiorhynchus aurifer](#) Boheman, 1842 - Europe, Türkiye
- [Otiorhynchus auropunctatus](#) Gyllenhal, 1834 - British Isles, France, northeastern Spain
- [Otiorhynchus auropupillatus](#) Stierlin, 1861
- [Otiorhynchus bertarini](#) Stierlin, 1894
- [Otiorhynchus binaghii](#) Luigioni, 1931
- [Otiorhynchus bisulcatus](#) (Fabricius, 1781) - Central Europe, Balkans, northeastern Italy, eastern Ukraine
- [Otiorhynchus brattiensis](#) J. Müller, 1904
- [Otiorhynchus brigantii](#) Pesarini, 1980
- [Otiorhynchus cancasanus](#) Reitter, 1913
- [Otiorhynchus cardiniger](#) (Host, 1789) - northeastern Italy, Slovenia, Hungary, Croatia, Bosnia & Herzegovina, Montenegro, Albania
- [Otiorhynchus carracinorum](#) Colonnelli, 2022
- [Otiorhynchus caudatus](#) (Rossi, 1792) - Italy (mainland, Sicily), Slovenia, Croatia, Montenegro (?)
- [Otiorhynchus civis](#) Stierlin, 1861
- [Otiorhynchus clavipes](#) (Bonsdorff, 1785) - Europe
- [Otiorhynchus coecus](#) Germar, 1824
- [Otiorhynchus coesipes](#) Mulsant & Rey, 1859
- [Otiorhynchus comatus](#) Petri, 1912
- [Otiorhynchus concinnus](#) Gyllenhal, 1834
- [Otiorhynchus corticalis](#) Lucas, 1846
- [Otiorhynchus curlettii](#) Meregalli, 1991
- [Otiorhynchus fagi](#) Gyllenhal, 1834 - Europe and introduced to North America (?)
- [Otiorhynchus fortis](#) Rosenhauer, 1847
- [Otiorhynchus friulicus](#) (Herbst, 1797)
- [Otiorhynchus ghilianii](#) Fairmaire, 1857

- [*Otiorhynchus grouvellei*](#) Stierlin, 1883
- [*Otiorhynchus gylippus*](#) Reitter, 1898
- [*Otiorhynchus hungaricus*](#) Germar, 1823 - Europe
- [*Otiorhynchus insubricus*](#) (Comolli, 1837)
- [*Otiorhynchus issensis*](#) J. Müller, 1916
- [*Otiorhynchus jaenensis*](#) Stierlin, 1874
- [*Otiorhynchus lanuginosus*](#) Boheman, 1842 - The Alps
- [*Otiorhynchus latinus*](#) Casalini & Magnano, 2005
- [*Otiorhynchus lesinicus*](#) Reitter, 1913
- [*Otiorhynchus lirus*](#) Schönherr, 1834 - Europe
- [*Otiorhynchus lugdunensis*](#) Boheman, 1842 - Europe
- [*Otiorhynchus luigionii*](#) A. Solari & F. Solari, 1909
- [*Otiorhynchus margaritifer*](#) Reitter, 1913
- [*Otiorhynchus martinensis*](#) C. Müller, 1898
- [*Otiorhynchus meridionalis*](#) Gyllenhal, 1834
- [*Otiorhynchus mesnili*](#) Hoffmann, 1936 - Spain (Andalusia)
- [*Otiorhynchus metokianus*](#) Apfelbeck, 1896
- [*Otiorhynchus minutesquamosus*](#) A. Solari & F. Solari, 1909
- [*Otiorhynchus mirei*](#) A. Hoffmann, 1964
- [*Otiorhynchus multipunctatus*](#) (Fabricius, 1792) - Central Europe, Balkans, northeastern Italy, eastern Ukraine
- [*Otiorhynchus orientalis*](#) Gyllenhal, 1834
- [*Otiorhynchus osellai*](#) Magnano, 1969
- [*Otiorhynchus pajarensis*](#) Reitter, 1913
- [*Otiorhynchus paradisiacus*](#) Pesarini, 1968
- [*Otiorhynchus prae nestinus*](#) Casalini & Magnano, 2005 - Italy (Lazio)
- [*Otiorhynchus pseudonothus*](#) Apfelbeck, 1897 - Europe
- [*Otiorhynchus pyrenaeus*](#) Gyllenhal, 1834
- [*Otiorhynchus repletus*](#) Boheman, 1842
- [*Otiorhynchus rhacusensis*](#) (Germar, 1822)
- [*Otiorhynchus roudieri*](#) González, 1963
- [*Otiorhynchus ruffoi*](#) Magnano, 1969
- [*Otiorhynchus salinellensis*](#) Casalini & Magnano, 2005
- [*Otiorhynchus scaberrimus*](#) Stierlin, 1861 - Italy (Lazio)
- [*Otiorhynchus sellae*](#) Stierlin, 1881
- [*Otiorhynchus shatorensis*](#) Apfelbeck, 1928
- [*Otiorhynchus sibillanicus*](#) Magnano, 1969
- [*Otiorhynchus spatatensis*](#) Boheman, 1842
- [*Otiorhynchus stomachosus*](#) Gyllenhal, 1834
- [*Otiorhynchus stricticollis*](#) Fairmaire, 1859
- [*Otiorhynchus subauriculus*](#) Reitter, 1913
- [*Otiorhynchus sulcogemmatus*](#) Boheman, 1842

- [Otiorhynchus sulphurifer](#) (Fabricius, 1801)
- [Otiorhynchus tenebricosus](#) (Herbst, 1784)
- [Otiorhynchus transadriaticus](#) Reitter, 1913
- [Otiorhynchus trichophorus](#) Meregalli, 1991
- [Otiorhynchus truncatellus](#) Graells, 1858
- [Otiorhynchus vehemens](#) Boheman, 1842
- [Otiorhynchus voriseki](#) Meregalli, 1991
- [Otiorhynchus wittmeri](#) Legalov, 1999

Subgenus [Otismotilus](#)

- [Otiorhynchus abashae](#) Davidian & Yunakov, 2002
- [Otiorhynchus akibae](#) Davidian & Yunakov, 2002
- [Otiorhynchus auroguttatus](#) Stierlin, 1879
- [Otiorhynchus belousovi](#) Davidian & Yunakov, 2002
- [Otiorhynchus chaudoirii](#) Hochhuth, 1851
- [Otiorhynchus crassiphallicus](#) Białooki, 2017 - Türkiye (Ilgaz Mountains)
- [Otiorhynchus depressus](#) Stierlin, 1875
- [Otiorhynchus digitalis](#) Yunakov & Davidian, 2002
- [Otiorhynchus dvaleticus](#) Davidian & Yunakov, 2002
- [Otiorhynchus granulatostratus](#) Stierlin, 1876
- [Otiorhynchus kataevi](#) Davidian & Yunakov, 2002
- [Otiorhynchus madinae](#) Davidian & Yunakov, 2002
- [Otiorhynchus maganicus](#) Davidian & Yunakov, 2002
- [Otiorhynchus oezbeki](#) Davidian & Yunakov, 2002
- [Otiorhynchus paradigitalis](#) Davidian, 2020
- [Otiorhynchus quadratopunctatus](#) Stierlin, 1884
- [Otiorhynchus svetgaricus](#) Davidian & Yunakov, 2002
- [Otiorhynchus tatyanae](#) Davidian & Yunakov, 2002
- [Otiorhynchus titae](#) Davidian & Yunakov, 2002
- [Otiorhynchus tshistyakovae](#) Davidian & Yunakov, 2002

Subgenus [Padilehus](#)

- [Otiorhynchus hickeri](#) Penecke, 1931
- [Otiorhynchus pinastri](#) (Herbst, 1795)

Subgenus [Panorosemus](#)

- [Otiorhynchus gibbicollis](#) Boheman, 1842
- [Otiorhynchus liebmanni](#) Lona, 1943
- [Otiorhynchus ottomanus](#) Stierlin, 1861 - Türkiye (Bursa)
- [Otiorhynchus porcellus](#) K. Daniel & J. Daniel, 1898

Subgenus *Paracryphiphorus*

- *Otiorhynchus alutaceus* (Germar, 1817) - Albania, Montenegro, Bosnia & Herzegovina, Croatia, Slovenia, Italy (Mainland, Sardinia)
- *Otiorhynchus bicostatus* Boheman, 1842
- *Otiorhynchus carbo* Pesarini, 1980
- *Otiorhynchus catenulatus* (Panzer, 1795)
- *Otiorhynchus droveniki* Braun, 1996
- *Otiorhynchus edentatus* Seidlitz, 1891
- *Otiorhynchus emiliae* Apfelbeck, 1894
- *Otiorhynchus kyllinensis* Apfelbeck, 1922
- *Otiorhynchus liophloeoides* Apfelbeck, 1894
- *Otiorhynchus luteus* Stierlin, 1862
- *Otiorhynchus magnanoi* Keskin, 2007
- *Otiorhynchus modestus* Stierlin, 1875
- *Otiorhynchus montandoni* A. Solari & F. Solari, 1904
- *Otiorhynchus nuncius* Faust, 1890
- *Otiorhynchus petrensis* Boheman, 1842
- *Otiorhynchus picimanus* Stierlin, 1861
- *Otiorhynchus pindicola* Braun, 1996
- *Otiorhynchus strumosus* Heller, 1884
- *Otiorhynchus subnudus* Stierlin, 1888
- *Otiorhynchus wankae* (Reitter, 1909)

Subgenus *Paradoxidis*

- *Otiorhynchus mongolicola* Arnoldi, 1975

Subgenus *Parahanibotus*

- *Otiorhynchus brevinasus* Reitter, 1910 - western Iran
- *Otiorhynchus danilewskii* Davidian & Savitsky, 2006 - southern Azerbaijan
- *Otiorhynchus eques* Reitter, 1895 - Azerbaijan (Nakhchivan)
- *Otiorhynchus glazunovi* Davidian & Savitsky, 2012 - northern Iran
- *Otiorhynchus iranicus* Arnoldi, 1964 - northern Iran
- *Otiorhynchus mazdaranicus* Magnano, 2006 - Iran (Mazdaran)
- *Otiorhynchus pereques* Davidian & Savitsky, 2012 - Armenia (?)
- *Otiorhynchus rebmanni* Zumpt, 1933
- *Otiorhynchus subeques* Reitter, 1912 - Armenia, southern Azerbaijan, northern Iran

Subgenus *Pavesiella*

- *Otiorhynchus aemulus* Marseul, 1878

- [Otiorhynchus caroli](#) Stierlin, 1893
- [Otiorhynchus cataphractus](#) Mazur, 1983
- [Otiorhynchus compressus](#) Stierlin, 1861
- [Otiorhynchus diotus](#) Reitter, 1895
- [Otiorhynchus erivanensis](#) Reitter, 1894
- [Otiorhynchus horasanicus](#) Davidian & L. Gültekin, 2007
- [Otiorhynchus karsavurani](#) Davidian & L. Gültekin, 2006
- [Otiorhynchus lederi](#) Stierlin, 1876
- [Otiorhynchus temeli](#) Davidian & L. Gültekin, 2006
- [Otiorhynchus xenophthalmus](#) (Pesarini, 1996)

Subgenus **Pendragon**

- [Otiorhynchus clemens](#) Gyllenhal, 1834
- [Otiorhynchus desertus](#) Rosenhauer, 1847
- [Otiorhynchus flavopilosus](#) Apfelbeck, 1922
- [Otiorhynchus kuraicus](#) Korotyaev, 1998
- [Otiorhynchus kytherus](#) Reitter, 1914
- [Otiorhynchus merklii](#) Stierlin, 1880
- [Otiorhynchus ovatus](#) (Linnaeus, 1758)
- [Otiorhynchus punctipennis](#) Smreczyński, 1977
- [Otiorhynchus schusteri](#) Stierlin, 1897
- [Otiorhynchus serbicus](#) Apfelbeck, 1922
- [Otiorhynchus serdicanus](#) Apfelbeck, 1922
- [Otiorhynchus subellipticus](#) Apfelbeck, 1922

Subgenus **Phalantorrhynchus**

- [Otiorhynchus allomorphus](#) Meregalli, 1986
- [Otiorhynchus alonsoi](#) Meregalli, 1989
- [Otiorhynchus altaepeniae](#) Meregalli, 1986
- [Otiorhynchus analis](#) A. Solari & F. Solari, 1922
- [Otiorhynchus andarensis](#) Reitter, 1913
- [Otiorhynchus arcticus](#) (Fabricius, 1780)
- [Otiorhynchus baraudi](#) Tempère, 1977
- [Otiorhynchus bigoti](#) Tempère & Ponel, 1983
- [Otiorhynchus caesipes](#) Rey, 1859
- [Otiorhynchus chobauti](#) Hustache, 1920
- [Otiorhynchus coachei](#) Delaunay, 2005
- [Otiorhynchus collectivus](#) Reitter, 1890
- [Otiorhynchus corsicus](#) Fairmaire, 1859
- [Otiorhynchus cupreosparsus](#) Fairmaire, 1859
- [Otiorhynchus daphnes](#) Meregalli, 1986

- [*Otiorhynchus demandae*](#) Meregalli, 1986
- [*Otiorhynchus dentipes*](#) Gräells, 1858
- [*Otiorhynchus ehlersi*](#) Stierlin, 1881
- [*Otiorhynchus fulvipes*](#) Gyllenhal, 1834
- [*Otiorhynchus gertraudae*](#) Zumpt, 1934
- [*Otiorhynchus getschmanni*](#) Stierlin, 1880
- [*Otiorhynchus glabricollis*](#) Boheman, 1842
- [*Otiorhynchus hirticulus*](#) Meregalli, 1992
- [*Otiorhynchus johannis*](#) Stierlin, 1881
- [*Otiorhynchus malefidus*](#) Gyllenhal, 1834
- [*Otiorhynchus melanopus*](#) Zumpt, 1934
- [*Otiorhynchus morio*](#) (Fabricius, 1781)
- [*Otiorhynchus nimius*](#) Meregalli, 1986
- [*Otiorhynchus noui*](#) Fairmaire, 1862
- [*Otiorhynchus oliveri*](#) Meregalli, 1992
- [*Otiorhynchus pascuorum*](#) (Peyerimhoff, 1901)
- [*Otiorhynchus patruelis*](#) Stierlin, 1861
- [*Otiorhynchus peyerimhoffi*](#) Hustache, 1920
- [*Otiorhynchus pourtoyi*](#) Tempère, 1972
- [*Otiorhynchus praecellens*](#) Stierlin, 1886
- [*Otiorhynchus putoni*](#) Stierlin, 1891
- [*Otiorhynchus reynosae*](#) C. N. F. Brisout de Barneville, 1866
- [*Otiorhynchus sagax*](#) Reitter, 1915
- [*Otiorhynchus seriehispidus*](#) Stierlin, 1872
- [*Otiorhynchus simoni*](#) Bedel, 1874
- [*Otiorhynchus sparsiridis*](#) Reitter, 1890
- [*Otiorhynchus sylvestris*](#) Chevrolat, 1866
- [*Otiorhynchus urbionensis*](#) Meregalli, 1989
- [*Otiorhynchus uytenboogaarti*](#) Zumpt, 1936
- [*Otiorhynchus validus*](#) Stierlin, 1881
- [*Otiorhynchus weiratherianus*](#) Lona, 1937

Subgenus ***Pinduchus***

- [*Otiorhynchus kuschakewitschi*](#) Stierlin, 1883
- [*Otiorhynchus tarphiderus*](#) Reitter, 1914

Subgenus ***Pirostovedus***

- [*Otiorhynchus bosnicus*](#) Stierlin, 1888
- [*Otiorhynchus obtusidens*](#) Apfelbeck, 1928
- [*Otiorhynchus retifer*](#) Apfelbeck, 1928

Subgenus ***Pliadonus***

- *Otiorhynchus abagoensis* Reitter, 1888
- *Otiorhynchus brachialis* Boheman, 1842 - Russia (Karachay-Cherkesia, Krasnodar Krai, Adygea)
- *Otiorhynchus ciscaucasicus* Korotyaev, 1992
- *Otiorhynchus decoratus* Stierlin, 1877
- *Otiorhynchus dentitibia* Reitter, 1888
- *Otiorhynchus dispar* Stierlin, 1879 - Caucasus (?)
- *Otiorhynchus dolmenicus* Davidian & Savitsky, 2006 - Russia (Krasnodar Krai)
- *Otiorhynchus frater* Stierlin, 1861
- *Otiorhynchus gajirbeki* Davidian & Savitsky, 2006 - Russia (Ingushetia)
- *Otiorhynchus gegicus* Davidian & Savitsky, 2006 - Georgia (Abkhazia)
- *Otiorhynchus granulatissimus* Reitter, 1914
- *Otiorhynchus helenae* Reitter, 1914
- *Otiorhynchus impressiceps* Reitter, 1888 - Caucasus (?)
- *Otiorhynchus isaevi* Davidian & Geliskhanova, 2006
- *Otiorhynchus longipes* Stierlin, 1872 - Russia (North Osetia-Alania)
- *Otiorhynchus mingrelicus* Davidian & Savitsky, 2006 - Georgia (Abkhazia, Svaneti, Mingrelia)
- *Otiorhynchus omanensis* Magnano, 2002
- *Otiorhynchus osseticus* Korotyaev, 1992
- *Otiorhynchus pseudobrachialis* Reitter, 1914
- *Otiorhynchus reitteri* Stierlin, 1876
- *Otiorhynchus schamylianus* Reitter, 1888 - Western and Central Caucasus
- *Otiorhynchus starcki* Retowski, 1885
- *Otiorhynchus tbatanicus* Reitter, 1914 - Georgia (Kakheti)
- *Otiorhynchus zherikhini* Davidian & Savitsky, 2006

Subgenus ***Pocodalemes***

- *Otiorhynchus brevipilosus* Białooki, 2017 - Türkiye (Karaman, Konya)
- *Otiorhynchus frivaldszkyi* Rosenhauer, 1856
- *Otiorhynchus lilligi* Keskin & Cevik, 2007 - Türkiye (Izmir)
- *Otiorhynchus subbidentatus* Stierlin, 1895 - Georgia (Abkhazia)
- *Otiorhynchus vitis* Gyllenhal, 1834 - Caucasus (?), Ukraine (Crimea) (?)
- *Otiorhynchus yurii* Savitsky & Davidian, 2006 - Russia (Krasnodar Krai)

Subgenus ***Pocusogetus***

- *Otiorhynchus albinae* Formánek, 1922
- *Otiorhynchus fischtenis* Reitter, 1889
- *Otiorhynchus gusakovi* Savitsky & Davidian, 2007
- *Otiorhynchus obsulcatus* Stierlin, 1861
- *Otiorhynchus rosti* Stierlin, 1891

- [*Otiorhynchus schapovalovi*](#) Davidian & Yunakov, 2002

Subgenus ***Podonebistus***

- [*Otiorhynchus acatium*](#) Gyllenhal, 1834
- [*Otiorhynchus alaianus*](#) Stierlin, 1886
- [*Otiorhynchus amissus*](#) Reitter, 1914
- [*Otiorhynchus bardus*](#) Boheman, 1842
- [*Otiorhynchus beroni*](#) (Angelov, 1985) - Greece, Bulgaria (eastern Rhodopes)
- [*Otiorhynchus chalciditanus*](#) Reitter, 1914
- [*Otiorhynchus curiosus*](#) Białooki, 2017 - Greece (Evia Island)
- [*Otiorhynchus discretus*](#) Stierlin, 1861 - western Türkiye
- [*Otiorhynchus gueorgievi*](#) (Angelov, 1985) - Bulgaria (Stara Planina)
- [*Otiorhynchus holdhausi*](#) A. Solari & F. Solari, 1913
- [*Otiorhynchus janovskii*](#) Korotyaev, 1990
- [*Otiorhynchus jovis*](#) Miller, 1862 - Greece (Kefalonia)
- [*Otiorhynchus knutelskii*](#) Legalov, 2021
- [*Otiorhynchus lodosi*](#) A. Hoffmann, 1954
- [*Otiorhynchus pavelangelovi*](#) Guéorguiev & Magnano, 2007 - Bulgaria
- [*Otiorhynchus perdixoides*](#) Reitter, 1914
- [*Otiorhynchus phasma*](#) Rottenberg, 1872
- [*Otiorhynchus prolongatus*](#) Stierlin, 1861
- [*Otiorhynchus prostratus*](#) Heyden, 1886
- [*Otiorhynchus pseudomecops*](#) Reitter, 1914 - Georgia (Samtskhe–Javakheti)
- [*Otiorhynchus rhinorostris*](#) Białooki, 2017 - Greece (Central Greece)
- [*Otiorhynchus schuhmacheri*](#) Stierlin, 1883 - Lebanon, Syria
- [*Otiorhynchus trichopterus*](#) Białooki, 2015 - Greece (Crete)
- [*Otiorhynchus ursus*](#) Gebler, 1844
- [*Otiorhynchus zoiai*](#) Magnano, 2005

Subgenus ***Podorhynchus***

- [*Otiorhynchus cylindricus*](#) Stierlin, 1877 - Georgia (South Osetia)
- [*Otiorhynchus fortiscapus*](#) Arnoldi, 1972 -
- [*Otiorhynchus glolae*](#) Arnoldi, 1972
- [*Otiorhynchus korotyaevi*](#) Davidian & L. Gültekin, 2006
- [*Otiorhynchus ritsae*](#) Arnoldi, 1972
- [*Otiorhynchus subpalleus*](#) Stierlin, 1893 - Georgia (Abkhazia)

Subgenus ***Podoropelmus***

- [*Otiorhynchus albidus*](#) Stierlin, 1861
- [*Otiorhynchus alius*](#) Magnano, 1999

- [*Otiorhynchus coarctatus*](#) Stierlin, 1861
- [*Otiorhynchus crassicollis*](#) Stierlin, 1861
- [*Otiorhynchus diversus*](#) Magnano, 1999
- [*Otiorhynchus fullo*](#) (Schränk, 1781)
- [*Otiorhynchus georgianus*](#) Magnano, 1999
- [*Otiorhynchus gerdi*](#) Colonnelli, 2022
- [*Otiorhynchus goetzi*](#) Angelov, 1964
- [*Otiorhynchus granosus*](#) Magnano, 1999
- [*Otiorhynchus imparisetosus*](#) Smreczyński, 1977
- [*Otiorhynchus incurvipes*](#) Magnano, 1999
- [*Otiorhynchus juglandis*](#) Apfelbeck, 1896
- [*Otiorhynchus korgei*](#) Smreczyński, 1970
- [*Otiorhynchus libertoi*](#) Magnano, 1999
- [*Otiorhynchus metsovensis*](#) Magnano, 1999
- [*Otiorhynchus minutegranulatus*](#) Magnano, 1999
- [*Otiorhynchus pauxillus*](#) Rosenhauer, 1847
- [*Otiorhynchus prioniensis*](#) Magnano, 1999
- [*Otiorhynchus pseudosuramensis*](#) Magnano, 1999
- [*Otiorhynchus rotundus*](#) Marseul, 1873
- [*Otiorhynchus scopularis*](#) Hochhuth, 1847
- [*Otiorhynchus smreczynskii*](#) Cmoluch, 1968
- [*Otiorhynchus suramensisiformis*](#) Magnano, 1999
- [*Otiorhynchus suramensis*](#) Reitter, 1914

Subgenus **Pontotiorhynchus**

- [*Otiorhynchus achaeus*](#) Stierlin, 1861
- [*Otiorhynchus asphaltinus*](#) Germar, 1823
- [*Otiorhynchus atronitens*](#) Formánek, 1925
- [*Otiorhynchus brauneri*](#) Smirnov, 1910
- [*Otiorhynchus edithae*](#) Reitter, 1887
- [*Otiorhynchus peregrinus*](#) Stierlin, 1861

Subgenus **Postaremus**

- [*Otiorhynchus dinaricus*](#) Apfelbeck, 1899
- [*Otiorhynchus necessarius*](#) Stierlin, 1861
- [*Otiorhynchus nodosus*](#) (O. F. Müller, 1764)
- [*Otiorhynchus plebejus*](#) Stierlin, 1861
- [*Otiorhynchus schmidtii*](#) Stierlin, 1861
- [*Otiorhynchus tomentifer*](#) Boheman, 1842

Subgenus ***Postupatus***

- *Otiorhynchus brusinae* Stierlin, 1888

Subgenus ***Presolanus***

- *Otiorhynchus diottii* Pesarini, 2001

Subgenus ***Prilisvanus***

- *Otiorhynchus alpigradus* Miller, 1859
- *Otiorhynchus asplenii* Miller, 1868
- *Otiorhynchus cirrorrhynchoides* Reitter, 1912
- *Otiorhynchus confinis* Frivaldszky, 1875
- *Otiorhynchus corvus* Boheman, 1842
- *Otiorhynchus cymophanus* Germar, 1839
- *Otiorhynchus demirkapensis* Apfelbeck, 1899
- *Otiorhynchus dives* Germar, 1839
- *Otiorhynchus fussianus* Csiki, 1901
- *Otiorhynchus fussii* Küster, 1849
- *Otiorhynchus gemmatus* (Scopoli, 1763)
- *Otiorhynchus germani* Alonso-Zarazaga, 2013
- *Otiorhynchus granicollis* Boheman, 1842
- *Otiorhynchus krattereri* Boheman, 1842
- *Otiorhynchus longiventris* Küster, 1849
- *Otiorhynchus malissorum* Apfelbeck, 1918
- *Otiorhynchus marthae* Reitter, 1889
- *Otiorhynchus millerianus* Reitter, 1914
- *Otiorhynchus mocsaryi* Csiki, 1899
- *Otiorhynchus obliteratedus* F. Solari, 1943
- *Otiorhynchus obsidianus* Boheman, 1842
- *Otiorhynchus opulentus* Germar, 1836
- *Otiorhynchus parreyssii* Stierlin, 1861
- *Otiorhynchus piceus* Stierlin, 1895
- *Otiorhynchus punctifrons* Stierlin, 1888
- *Otiorhynchus riessi* Fuss, 1868
- *Otiorhynchus simplicatus* Stierlin, 1861
- *Otiorhynchus sulcifrons* Gyllenhal, 1834
- *Otiorhynchus treskaensis* Voss, 1964
- *Otiorhynchus wolffi* Braun, 1998

Subgenus **Prodeminus**

- [Otiorhynchus fernandoi](#) Magnano, 2001
- [Otiorhynchus maxillosus](#) Gyllenhal, 1834
- [Otiorhynchus osellanus](#) Smreczyński, 1977
- [Otiorhynchus ropotamus](#) Angelov, 1974

Subgenus **Prohanibotus**

- [Otiorhynchus auripes](#) Stierlin, 1875 - northern Iran (?)

Subgenus **Protarammichnus**

- [Otiorhynchus lindbergi](#) Voss, 1960

Subgenus **Prototis**

- [Otiorhynchus michnoi](#) Korotyaev, 1996
- [Otiorhynchus popovi](#) Faust, 1888

Subgenus **Provalidus**

- [Otiorhynchus alpicola](#) Boheman, 1842
- [Otiorhynchus coriarius](#) Stierlin, 1861
- [Otiorhynchus fagniezi](#) Ruter, 1945
- [Otiorhynchus farinosus](#) Formánek, 1925
- [Otiorhynchus korgei](#) Smreczyński, 1970
- [Otiorhynchus liliputanus](#) Apfelbeck, 1908
- [Otiorhynchus merditanus](#) Apfelbeck, 1907
- [Otiorhynchus moestus](#) Gyllenhal, 1834
- [Otiorhynchus pedemontanus](#) Stierlin, 1861
- [Otiorhynchus piliger](#) Apfelbeck, 1896
- [Otiorhynchus rugifrons](#) (Gyllenhal, 1813)
- [Otiorhynchus sitonoides](#) Apfelbeck, 1907
- [Otiorhynchus trichographus](#) Stierlin, 1861

Subgenus **Pseudocryphiphorus**

- [Otiorhynchus argillosus](#) Hochhuth, 1851
- [Otiorhynchus babughanicus](#) Yunakov, 2003
- [Otiorhynchus chrysostictus](#) Gyllenhal, 1834
- [Otiorhynchus histrio](#) Gyllenhal, 1834
- [Otiorhynchus histrioides](#) Reitter, 1912
- [Otiorhynchus infensus](#) Faust, 1888

- [Otiorhynchus matisi](#) Korotyaev, 2020
- [Otiorhynchus orbicularis](#) (Herbst, 1795)
- [Otiorhynchus pullus](#) Gyllenhal, 1834
- [Otiorhynchus semitarius](#) Reitter, 1913
- [Otiorhynchus zebei](#) Stierlin, 1861

Subgenus [Pseudoprovadilus](#)

- [Otiorhynchus atrohippus](#) Davidian & Yunakov, 2002
- [Otiorhynchus buccatus](#) Davidian & Yunakov, 2002
- [Otiorhynchus carbonarius](#) Hochhuth, 1847
- [Otiorhynchus carbonicolor](#) Reitter, 1914
- [Otiorhynchus gratshevi](#) Savitsky & Davidian, 2006 - Russia (Krasnodar Krai)
- [Otiorhynchus henrici](#) Arzanov, 2004
- [Otiorhynchus obcaecatus](#) Schoenherr, 1832 - Russia (Caucasus), Georgia (?)
- [Otiorhynchus paralleliceps](#) Reitter, 1913
- [Otiorhynchus subcoriaceus](#) Reitter, 1882
- [Otiorhynchus verrucicollis](#) Stierlin, 1861
- [Otiorhynchus viridiporus](#) Davidian & Yunakov, 2002

Subgenus [Pseudotiorhynchus](#)

- [Otiorhynchus arnoldianus](#) Nasreddinov, 1976
- [Otiorhynchus artemisiae](#) Savitsky, 2020
- [Otiorhynchus atamuradovi](#) Davidian & Korotyaev, 2012
- [Otiorhynchus balchaschensis](#) Bajtenov, 1974
- [Otiorhynchus berberidis](#) Savitsky, 2020
- [Otiorhynchus binaludus](#) Savitsky, 2019
- [Otiorhynchus capitatus](#) (Magnano, 2004)
- [Otiorhynchus christophi](#) Stierlin, 1876
- [Otiorhynchus conicirostris](#) Stierlin, 1886
- [Otiorhynchus demavendus](#) Savitsky, 2019
- [Otiorhynchus iranensis](#) Magnano, 2004
- [Otiorhynchus jelineki](#) (Magnano, 2004)
- [Otiorhynchus karagurensis](#) Savitsky, 2020
- [Otiorhynchus karakalensis](#) Davidian & Savitsky, 2015
- [Otiorhynchus khorasanus](#) Savitsky & Davidian, 2015
- [Otiorhynchus khurshedi](#) Davidian & Korotyaev, 2012
- [Otiorhynchus konstantini](#) Davidian & Savitsky, 2015
- [Otiorhynchus kopetdagicus](#) Savitsky & Davidian, 2015
- [Otiorhynchus lukarevskayae](#) Davidian, 2015
- [Otiorhynchus morosus](#) Faust, 1889
- [Otiorhynchus muratovi](#) Savitsky & Davidian, 2015

- [*Otiorhynchus napolovi*](#) Savitsky, 2020
- [*Otiorhynchus olegi*](#) Davidian & Korotyaev, 2012
- [*Otiorhynchus parartemisiae*](#) Savitsky, 2020
- [*Otiorhynchus podlussanyi*](#) (Magnano, 2004)
- [*Otiorhynchus ruminalis*](#) (Faust, 1894)
- [*Otiorhynchus saraevi*](#) Davidian & Korotyaev, 2012
- [*Otiorhynchus schmorli*](#) Stierlin, 1876
- [*Otiorhynchus shakhensis*](#) Savitsky & Davidian, 2015
- [*Otiorhynchus shakhvarensis*](#) Savitsky, 2020

Subgenus [***Pterygodontoides***](#)

- [*Otiorhynchus triantisi*](#) (Alziar & Makris, 2006)

Subgenus [***Pterygodontus***](#)

- [*Otiorhynchus anabolicus*](#) Białooki, 2017 - Türkiye (Antalya, Hatay)
- [*Otiorhynchus atticus*](#) Stierlin, 1887
- [*Otiorhynchus bleusei*](#) Faust, 1899 - Greece (Rhodes)
- [*Otiorhynchus casalinii*](#) Białooki & Kakiopoulos, 2017
- [*Otiorhynchus dawricus*](#) Lona, 1931
- [*Otiorhynchus halimeae*](#) Białooki, Sabancı & Aslan, 2023
- [*Otiorhynchus muglae*](#) Magnano, 2005
- [*Otiorhynchus naldoekensis*](#) Magnano, 2005 - Türkiye (Mersin)
- [*Otiorhynchus nefandus*](#) Faust, 1888 - Ukraine (Crimea), Türkiye (Anatolia)
- [*Otiorhynchus pulcher*](#) Białooki & Fremuth, 2017 - Türkiye (Antalya)

Subgenus [***Rimenostolus***](#)

- [*Otiorhynchus avaricus*](#) Davidian & Savitsky, 2005
- [*Otiorhynchus eugeni*](#) Reitter, 1896
- [*Otiorhynchus gamzatovi*](#) Korotyaev & Davidian, 2005
- [*Otiorhynchus globicollis*](#) Hochhuth, 1847
- [*Otiorhynchus pilifer*](#) Stierlin, 1896
- [*Otiorhynchus semiopacus*](#) Reitter, 1914

Subgenus [***Rosvolestus***](#)

- [*Otiorhynchus globus*](#) Boheman, 1842

Subgenus [***Rusnepranus***](#)

- [*Otiorhynchus bergamascus*](#) Stierlin, 1894
- [*Otiorhynchus heerii*](#) Stierlin, 1858

- [*Otiorhynchus permundus*](#) Reitter, 1913
- [*Otiorhynchus valtellinus*](#) K. Daniel & J. Daniel, 1891

Subgenus [*Satnalistus*](#)

- [*Otiorhynchus duinensis*](#) Germar, 1823
- [*Otiorhynchus novaki*](#) J. Müller, 1922
- [*Otiorhynchus novellae*](#) Lona, 1925
- [*Otiorhynchus paulinus*](#) Lona, 1925
- [*Otiorhynchus rhinocerulus*](#) Penecke, 1928
- [*Otiorhynchus signatipennis*](#) Gyllenhal, 1834
- [*Otiorhynchus stenorostris*](#) Apfelbeck, 1898
- [*Otiorhynchus virginalis*](#) Apfelbeck, 1922

Subgenus [*Spodocellinus*](#)

- [*Otiorhynchus subpubescens*](#) Stierlin, 1894

Subgenus [*Stierlinellus*](#)

- [*Otiorhynchus rotundicollis*](#) Stierlin, 1876

Subgenus [*Stupamacus*](#)

- [*Otiorhynchus angusticollis*](#) Boheman, 1842
- [*Otiorhynchus anomalus*](#) F. Solari, 1937
- [*Otiorhynchus arnoldii*](#) Iablokoff-Khnzorian, 1959
- [*Otiorhynchus biformatus*](#) Mazur, 1993
- [*Otiorhynchus blanchardi*](#) Apfelbeck, 1896
- [*Otiorhynchus clavalis*](#) Apfelbeck, 1922
- [*Otiorhynchus commixtus*](#) Bajtenov, 1974
- [*Otiorhynchus danieli*](#) Apfelbeck, 1896
- [*Otiorhynchus dorymeroides*](#) F. Solari, 1937
- [*Otiorhynchus erroneus*](#) Faust, 1887
- [*Otiorhynchus falsarius*](#) Reitter, 1912
- [*Otiorhynchus fleischeri*](#) Stierlin, 1896
- [*Otiorhynchus fodori*](#) Mesaroš, 1996
- [*Otiorhynchus hospitus*](#) Reitter, 1912
- [*Otiorhynchus jakupicensis*](#) Mesaroš, 1991
- [*Otiorhynchus joakimoffi*](#) Apfelbeck, 1932
- [*Otiorhynchus krueperi*](#) Stierlin, 1887
- [*Otiorhynchus lithantracius*](#) Boheman, 1842
- [*Otiorhynchus macedonicus*](#) Reitter, 1913

- [*Otiorhynchus maculiscapus*](#) Reitter, 1914
- [*Otiorhynchus perrinae*](#) Bajtenov, 1980
- [*Otiorhynchus politus*](#) Gyllenhal, 1834
- [*Otiorhynchus problematicus*](#) Mesaroš, 1996
- [*Otiorhynchus proletarius*](#) Boheman, 1842
- [*Otiorhynchus puncticornis*](#) Gyllenhal, 1834 - Caucasus (?), Ukraine (Crimea) (?)
- [*Otiorhynchus regliae*](#) F. Solari, 1937
- [*Otiorhynchus ruscicus*](#) Stierlin, 1883
- [*Otiorhynchus scintillus*](#) Reitter, 1912
- [*Otiorhynchus shardaghensis*](#) Apfelbeck, 1908
- [*Otiorhynchus siccensis*](#) Peyerimhoff, 1930
- [*Otiorhynchus tomoricensis*](#) Lona, 1922
- [*Otiorhynchus turcicus*](#) Arnoldi, 1963
- [*Otiorhynchus winkleri*](#) F. Solari, 1937
- [*Otiorhynchus yakovlevi*](#) Legalov, 2020
- [*Otiorhynchus zaisanicus*](#) Bajtenov, 1974

Subgenus ***Sulcorhynchus***

- [*Otiorhynchus circassicus*](#) Reitter, 1888 - Russia (Karachay-Cherkessia)
- [*Otiorhynchus emrei*](#) Avgin & Colonnelli, 2011 - Türkiye (Hatay)
- [*Otiorhynchus inclinataesetis*](#) Magnano, 1999 - Russia (Karachay-Cherkessia)
- [*Otiorhynchus planipennis*](#) Magnano, 1999 - Russia (Karachay-Cherkessia)
- [*Otiorhynchus pseudocircassicus*](#) Magnano, 1999 - Russia (Karachay-Cherkessia)
- [*Otiorhynchus teberdensis*](#) Reitter, 1909 - Russia (Karachay-Cherkessia)

Subgenus ***Tecutinus***

- [*Otiorhynchus adoportus*](#) Białooki, 2017 - Türkiye (Sivas)
- [*Otiorhynchus brevicornis*](#) Boheman, 1842
- [*Otiorhynchus caesareus*](#) K. Daniel, 1906
- [*Otiorhynchus catonii*](#) Lona, 1943
- [*Otiorhynchus charleshuberi*](#) Germann, 2016
- [*Otiorhynchus corpusculus*](#) Białooki, 2017 - Türkiye (Afyonkarahisar)
- [*Otiorhynchus crassicornis*](#) Gyllenhal, 1839
- [*Otiorhynchus cribripennis*](#) Hochhuth, 1851
- [*Otiorhynchus crinitellus*](#) K. Daniel & J. Daniel, 1902
- [*Otiorhynchus escherichi*](#) Reitter, 1898
- [*Otiorhynchus flavosetosus*](#) Białooki, 2017 - Türkiye (Karaman, Konya)
- [*Otiorhynchus fremuthi*](#) Braun, 1989
- [*Otiorhynchus gultekini*](#) Germann, 2017
- [*Otiorhynchus gymnopterus*](#) K. Daniel & J. Daniel, 1902
- [*Otiorhynchus heinzianus*](#) Braun, 1988

- [*Otiorhynchus ikisderensis*](#) Smreczyński, 1970
- [*Otiorhynchus implicatus*](#) Białooki, 2017 - Türkiye (Antalya)
- [*Otiorhynchus karagolensis*](#) Smreczyński, 1970
- [*Otiorhynchus kindermanni*](#) Stierlin, 1861
- [*Otiorhynchus lacunosus*](#) Białooki, 2017 - Türkiye (Kütahya, Balıkesir)
- [*Otiorhynchus latifrons*](#) Stierlin, 1890
- [*Otiorhynchus lefkaoriensis*](#) Germann & Colonnelli, 2015
- [*Otiorhynchus marggii*](#) Germann, 2017 - Türkiye (Antalya)
- [*Otiorhynchus nigrosetosus*](#) Białooki, 2017 - Türkiye (Kırşehir)
- [*Otiorhynchus paracrinitellus*](#) Braun, 1989
- [*Otiorhynchus pseudocribripennis*](#) Braun, 1988
- [*Otiorhynchus riedeli*](#) Braun, 1989
- [*Otiorhynchus salbakosanus*](#) Lona, 1943
- [*Otiorhynchus sculptipterus*](#) Białooki, 2017 - Türkiye (Ankara)
- [*Otiorhynchus soganliensis*](#) Smreczyński, 1977
- [*Otiorhynchus staveni*](#) Braun, 2000
- [*Otiorhynchus tmolosensis*](#) Lona, 1943
- [*Otiorhynchus torulensis*](#) Benedikt, 2000

Subgenus ***Thalycrynychus***

- [*Otiorhynchus adonis*](#) Apfelbeck, 1906
- [*Otiorhynchus cephalonicus*](#) Pic, 1902
- [*Otiorhynchus conjungens*](#) Apfelbeck, 1918
- [*Otiorhynchus perdix*](#) (Olivier, 1807)
- [*Otiorhynchus prokletiensis*](#) Apfelbeck, 1918

Subgenus ***Tithonus***

- [*Otiorhynchus chrysocomus*](#) Germar, 1823

Subgenus ***Tournieria***

- [*Otiorhynchus adanensis*](#) Smreczyński, 1977
- [*Otiorhynchus anadolicus*](#) Boheman, 1842
- [*Otiorhynchus annaerosae*](#) Magnano, 2005
- [*Otiorhynchus brenskei*](#) Reitter, 1884
- [*Otiorhynchus callicnemis*](#) Apfelbeck, 1919
- [*Otiorhynchus emgei*](#) Stierlin, 1887
- [*Otiorhynchus europaeus*](#) Stierlin, 1883 - western Türkiye (?)
- [*Otiorhynchus lauraecristinae*](#) Magnano, 2005
- [*Otiorhynchus lubriculus*](#) Faust, 1890
- [*Otiorhynchus lutzi*](#) Magnano, 2006 - Türkiye (Erzincan)

- [Otiorhynchus meregallii](#) Magnano, 1977
- [Otiorhynchus omonimus](#) F. Solari, 1950
- [Otiorhynchus osmanlis](#) Stierlin, 1883 - Caucasus (?)
- [Otiorhynchus othryades](#) Reitter, 1914
- [Otiorhynchus pilosellus](#) Apfelbeck, 1919
- [Otiorhynchus scabriventris](#) Białooki, 2020
- [Otiorhynchus sengleti](#) Smreczynski, 1977
- [Otiorhynchus teucus](#) Reitter, 1914
- [Otiorhynchus veluchianus](#) Apfelbeck, 1912
- [Otiorhynchus vossianus](#) Magnano, 2001

Subgenus [Trichosmobodes](#)

- [Otiorhynchus lasiosemius](#) Bajtenov, 1978
- [Otiorhynchus lukjanovitshi](#) Korotyaev, 2021
- [Otiorhynchus obscurus](#) Gyllenhal, 1834
- [Otiorhynchus perplexus](#) Gyllenhal, 1834

Subgenus [Troglonamertanus](#)

- [Otiorhynchus golovatchi](#) Davidian & Savitsky, 2006 - Azerbaijan
- [Otiorhynchus gusarovi](#) Davidian & Savitsky, 2006 - Georgia (Abkhazia)
- [Otiorhynchus inaliparum](#) (Rost, 1893) - Russia (Caucasus), Georgia (Abkhazia)
- [Otiorhynchus myops](#) (Reitter, 1882) - Caucasus
- [Otiorhynchus victori](#) Davidian & Savitsky, 2006 - Georgia (Abkhazia)

Subgenus [Troglorhynchus](#)

- [Otiorhynchus anophthalmoides](#) Reitter, 1914 - Austria, Croatia, Italy, Slovenia
- [Otiorhynchus anophthalmus](#) (F. Schmidt, 1854) - Austria, Croatia, Italy, Slovenia
- [Otiorhynchus bericus](#) Magnano, 1977 - Italy (Trento)
- [Otiorhynchus prolixus](#) Rosenhauer, 1847 - Germany, Italy (Trentino Alto Adige)
- [Otiorhynchus radjai](#) Di Marco & G. Osella, 2002 - Croatia (Vis Island)
- [Otiorhynchus zanoni](#) Magrini & Benelli, 2021

Subgenus [Udonedus](#)

- [Otiorhynchus aibgae](#) Davidian & Yunakov, 2002 - Russia (Krasnodar Krai)
- [Otiorhynchus alexeevi](#) Korotyaev & Davidian, 2002
- [Otiorhynchus diabolicus](#) Reitter, 1895
- [Otiorhynchus galinae](#) Arzanov, 2002 - Russia (Krasnodar Krai, Adygea)
- [Otiorhynchus koenigi](#) Faust, 1888
- [Otiorhynchus kovalii](#) Davidian & Yunakov, 2002 - Georgia (Abkhazia)

- [*Otiorhynchus leventi*](#) Davidian & Yunakov, 2002
- [*Otiorhynchus makarovi*](#) Savitsky & Davidian, 2006 - Georgia (Abkhazia)

Subgenus [***Ulozenus***](#)

- [*Otiorhynchus funebris*](#) Apfelbeck, 1922
- [*Otiorhynchus infernalis*](#) (Germar, 1817)

Subgenus [***Urorrhynchus***](#)

- [*Otiorhynchus nobilis*](#) Germar, 1823
- [*Otiorhynchus sabulosus*](#) Gyllenhal, 1834
- [*Otiorhynchus sensitivus*](#) (Scopoli, 1763)
- [*Otiorhynchus stichopterus*](#) Apfelbeck, 1911
- [*Otiorhynchus truncatus*](#) Stierlin, 1861

Subgenus [***Vedopranus***](#)

- [*Otiorhynchus luigimagnanoi*](#) Davidian & Savitsky, 2006 - Russia (Adygea)
- [*Otiorhynchus panfilovi*](#) Savitsky, 2021
- [*Otiorhynchus retowskii*](#) Reitter, 1885 - Russia (Adygea, Krasnodar Krai)
- [*Otiorhynchus tatarchani*](#) Reitter, 1882

Subgenus [***Vicoranius***](#)

- [*Otiorhynchus fusciventris*](#) Fuss, 1868

Subgenus [***Vioprius***](#)

- [*Otiorhynchus asiaticus*](#) Stierlin, 1861
- [*Otiorhynchus formicarius*](#) Stierlin, 1861
- [*Otiorhynchus hirsutus*](#) Stierlin, 1880
- [*Otiorhynchus kirschi*](#) Marseul, 1873
- [*Otiorhynchus saevus*](#) Boheman, 1842

Subgenus [***Zadrehus***](#)

- [*Otiorhynchus atroapterus*](#) (De Geer, 1775) - Coastal Northern and Western Europe

Subgenus [***Zariedus***](#)

- [*Otiorhynchus bajtenowi*](#) Angelov, 1976
- [*Otiorhynchus boroldaicus*](#) Bajtenov, 1974
- [*Otiorhynchus haedillus*](#) Reitter, 1914

- [*Otiorhynchus hastilis*](#) Reitter, 1914
- [*Otiorhynchus hystericus*](#) Faust, 1892
- [*Otiorhynchus iliensis*](#) Bajtenov, 1974
- [*Otiorhynchus maschaticus*](#) Bajtenov, 1974
- [*Otiorhynchus piliporus*](#) Reitter, 1914
- [*Otiorhynchus saturnus*](#) Reitter, 1914
- [*Otiorhynchus secundarius*](#) Reitter, 1914
- [*Otiorhynchus sedulus*](#) Faust, 1894
- [*Otiorhynchus sugatensis*](#) Bajtenov, 1974

Subgenus [*Zavodesus*](#)

- [*Otiorhynchus bodemeyeri*](#) K. Daniel & J. Daniel, 1902
- [*Otiorhynchus glabellus*](#) Rosenhauer, 1847
- [*Otiorhynchus irregularis*](#) Stierlin, 1872
- [*Otiorhynchus miser*](#) Kirsch, 1880 - Türkiye (?)

Subgenus [*Zelotomelus*](#)

- [*Otiorhynchus erinaceus*](#) Stierlin, 1876 - Russia (Caucasus)
- [*Otiorhynchus parerinaceus*](#) Davidian & Savitsky, 2002 - Russia (Krasnodar Krai)

Subgenus [*Zustalestus*](#)

- [*Otiorhynchus brevipilis*](#) Apfelbeck, 1919
- [*Otiorhynchus consobrinus*](#) Reitter, 1913
- [*Otiorhynchus rugosostriatus*](#) (Goeze, 1777) - Europe, Portugal (Azores), North Africa (?), introduced to the United States, Canada (British Columbia, Alberta), Chile, Argentina, Australia (New South Wales, Victoria, South Australia, Tasmania), New Zealand and French Southern and Antarctic Lands (?)

[*Incertae sedis*](#)

- [*Otiorhynchus amoenus*](#) Faust, 1886
- [*Otiorhynchus civicus*](#) Gistel, 1857
- [*Otiorhynchus clavicrus*](#) Marseul, 1878 - Türkiye (Trabzon)
- [*Otiorhynchus conspersus*](#) (Herbst, 1795)
- [*Otiorhynchus conspicabilis*](#) Faldemann, 1838
- [*Otiorhynchus coriaceus*](#) (Panzer, 1795)
- [*Otiorhynchus delatus*](#) Faust, 1899
- [*Otiorhynchus dubius*](#) (Ström, 1783)
- [*Otiorhynchus fengaricus*](#) Białooki, 2024
- [*Otiorhynchus fominykhi*](#) Davidian, 2024

- [Otiorhynchus hirtellus](#) (Reiche, 1849)
- [Otiorhynchus hochhuthi](#) Marseul, 1872
- [Otiorhynchus intercalaris](#) Boheman, 1842
- [Otiorhynchus iratus](#) Reitter, 1913
- [Otiorhynchus karasevi](#) Davidian, 2024
- [Otiorhynchus karataviensis](#) Bajtenov, 1974
- [Otiorhynchus keskini](#) Davidian, 2024 - Türkiye (Adiyaman)
- [Otiorhynchus lothari](#) Alonso-Zarazaga, 2013
- [Otiorhynchus maderi](#) Formánek, 1920
- [Otiorhynchus malyi](#) (Obenberger, 1914)
- [Otiorhynchus maurus](#) (Schrank, 1781)
- [Otiorhynchus meschniggi](#) Petri, 1928
- [Otiorhynchus milleri](#) Stierlin, 1862
- [Otiorhynchus mucronatus](#) (Paykull, 1792)
- [Otiorhynchus neslihanæ](#) Davidian, 2024
- [Otiorhynchus ovinus](#) Penecke, 1928
- [Otiorhynchus petiginosus](#) Stierlin, 1861
- [Otiorhynchus pimelioides](#) (Olivier, 1807)
- [Otiorhynchus pinetorum](#) (Schrank, 1781)
- [Otiorhynchus piperatus](#) (Grimmer, 1841)
- [Otiorhynchus prasolovi](#) Davidian & Arzanov, 2025
- [Otiorhynchus puberulus](#) Hochhuth, 1851
- [Otiorhynchus pubescens](#) Boheman, 1837
- [Otiorhynchus sciaphilus](#) Gistel, 1857
- [Otiorhynchus seductor](#) Stierlin, 1861
- [Otiorhynchus shtepaneki](#) Davidian, 2019
- [Otiorhynchus striolaticeps](#) G.A.K. Marshall, 1916
- [Otiorhynchus stussineri](#) Stierlin, 1880
- [Otiorhynchus styriacus](#) (Grimmer, 1841)
- [Otiorhynchus subdepressus](#) Stierlin, 1872
- [Otiorhynchus tenuis](#) Stierlin, 1883
- [Otiorhynchus thracicus](#) Stierlin, 1861
- [Otiorhynchus vailatianus](#) Osella - Greece (Aitolokarnania)
- [Otiorhynchus vellicatus](#) Germar, 1823
- [Otiorhynchus vodenensis](#) Formánek, 1920

Sources

- ["Otiorhynchus Germar, 1822"](#). BioLib. Retrieved 18 February 2026.
- ["Otiorhynchus Germar, 1822"](#). Catalogue of Life. Retrieved 19 February 2026.

- ["Catalogue of selected weevils of the Palearctic region"](#). Curcupal.site.at. Retrieved 21 February 2026.
- Morrone, Juan J.; Hlaváč, Peter (2017). ["Checklist of the micro- and anophthalmic soil-dwelling weevils of the world \(Coleoptera: Curculionidae\)"](#). Zootaxa. **4239** (1): 1–102. doi:10.11646/zootaxa.4239.1.1.
- Davidian, G.E.; Savitsky, V.Yu. (2005). ["К познанию долгоносиков рода Otiorhynchus Germar \(Coleoptera: Curculionidae\) Кавказа и сопредельных регионов"](#) (PDF). Russian Entomological Journal (in Russian). **14** (4): 283–328.
- Magnano, Luigi (2006). ["Revisione di Otiorhynchus \(Meriplodus\) Reitter, 1912 \(Coleoptera Curculionidae\)"](#) (PDF). Atti dell'Accademia Roveretana degli Agiati. **8** (in Italian). **6** (B): 215–243.
- Białoński, Piotr (December 2017). ["On new taxa of Otiorhynchus Germar, 1822 \(Coleoptera: Curculionidae: Entiminae: Otiorhynchini\) from Greece and Turkey"](#). Polish Journal of Entomology. **86** (4). doi:10.1515/pjen-2017-0019.
- Casalini, Roberto; Colonnelli, Enzo (2019). ["Notes on some species of Otiorhynchus Germar, 1822 sensu strictu, with new synonymies and a neotype designation \(Coleoptera: Curculionidae\)"](#) (PDF). Gredleriana. **19**: 193–200. doi:10.5281/zenodo.3565327.
- Osella, Giuseppe; Zuppa, Anna Maria (1994). ["Gli Otiorhynchus Germar, 1824 del Monte Nerone e montagne viciniori \(Appennino umbro-marchigiano\) \(Coleoptera, Curculionidae\)"](#) (PDF). Biogeographia (in Italian). **17**: 367–397.
- [Bulletin de la Société Entomologique Suisse](#) (in German). Vol. 6. Huber & Comp. (Hans Körber). 1884.
- [Entomologische Monatsblätter](#) (in German). Vol. 1. G. Kraatz. 1876.
- Davidian, G.E.; Arzanov, Yu.G. (2024). ["Новые данные по систематике и морфологии долгоносиков рода Otiorhynchus Germar, 1822 \(Coleoptera: Curculionidae: Entiminae\) с описанием нового подвида из подрода Pseudocodalemes Reitter, 1912"](#) (PDF). Кавказский Энтомологический Бюллетень (in Russian). **20** (1): 9–23.
- Magnano, Luigi (2006). ["Tre nuove specie di Otiorhynchus Germar, 1822 di Turchia, Iran e Marocco \(Coleoptera, Curculionidae\)"](#) (PDF). Atti dell'Accademia Roveretana degli Agiati. **8** (in Italian). **6** (B): 245–252.
- Avgin, Sakine Serap; Colonnelli, Enzo (2011). ["A new species of Otiorhynchus Germar \(Coleoptera: Curculionidae\) from Turkey"](#). Türkiye Entomoloji Dergisi. **35** (2): 295–302. ISSN 1010-6960.
- Davidian, G.E.; Savitsky, Vladimir (2012). ["A review of weevils of the subgenus Hanibotus Reitter, 1912 of the genus Otiorhynchus Germar, 1822 \(Coleoptera: Curculionidae\)"](#). Caucasian Entomological Bulletin (in Russian). **8** (1): 71–99. doi:10.23885/1814-3326-2012-8-1-71-99.

Category:

- [Lists of insect species](#)
-

In [Israel](#), 67 species of [Odonata species](#) have been recorded, belonging to eight different [families](#). Israel is located at the crossroads of three [continents](#) and contains a wide variety of [biomes](#) concentrated in a small area; as a result, a relatively high diversity of Odonata species is observed despite its small size.

Due to extensive development in the region, many species are threatened. Notably, the [Hula Lake drainage project](#) led to the disappearance of several species that have not been observed in Israel since (such as [Calopteryx hyalina](#), [Urothemis edwardsii](#), and [Rhyothemis semihyalina](#)).

In 2015, the [Academy of the Hebrew Language](#) introduced Hebrew names for all species recorded in the country at the time, based on their morphology, coloration, or behavior.[\[1\]](#)

Damselflies ([Zygoptera](#))

[Lestidae](#)



[Chalcolestes parvidens](#)

Five species in three genera have been recorded in Israel:

Genus	Species	Distribution in Israel
Lestes	Lestes barbarus	Common mainly in northern Israel (Golan Heights) south to Netanya line
	Lestes macrostigma	Extremely rare; no sightings for decades
	Lestes virens	Fairly common in northern and central Israel

[Chalcolestes](#) [Chalcolestes](#)
[parvidens](#)

Common, found from northern Israel to the central regions

[Sympecma](#) [Sympecma](#)
[fusca](#)

Uncommon; more frequent in the north than in central regions

[Calopterygidae](#)



[Calopteryx syriaca](#) male, [Nahal Kziv](#)

Two species in one genus have been recorded:

Genus	Species	Distribution in Israel
<u>Calopteryx</u>	<u>Calopteryx syriaca</u>	Very common in suitable habitats in rivers and streams in northern Israel, reaching south to <u>Nahal Taninim</u>
	<u>Calopteryx hyalina</u>	Formerly recorded in the <u>Hula Valley</u> ; not observed for decades and likely <u>extirpated</u> following <u>the drainage of Hula Lake</u>

[Euphaeidae](#)

One species:

Genus	Species	Distribution in Israel
<u>Epallage</u>	<u>Epallage fatime</u>	Common in suitable habitats across most of the country

[Platycnemididae](#)



[Platycnemis dealbata](#) male, Hod HaSharon park

Two species in one genus:

Genus	Species	Distribution in Israel
<u>Platycnemis</u>	<u>Platycnemis dealbata</u>	Very common in northern and central Israel
	<u>Platycnemis kervillei</u>	Small, localized population in the <u>Hula Valley</u>

Coenagrionidae



Ceriagrion georgifreyi male, [Einot Tzukim](#)



Pseudagrion torridum hulae male, Hod HaSharon park

Fourteen species in six genera have been recorded:

Genus	Species	Distribution in Israel
<i>Agriocnemis</i>	<i>Agriocnemis sania</i>	Uncommon; mainly in the Golan Heights and northern valleys
<i>Ceriagrion</i>	<i>Ceriagrion georgifreyi</i>	Regularly observed in several sites in the Hula Valley , coastal plain, and Einot Tzukim
	<i>Coenagrion scitulum</i>	Uncommon; mainly in the Golan Heights and Upper Galilee
<i>Coenagrion</i>	<i>Coenagrion syriacum</i>	Common, especially in the Golan Heights and northern valleys
	<i>Erythromma lindenii</i>	Uncommon; northern Israel
<i>Erythromma</i>	<i>Erythromma viridulum</i>	Common in northern and central Israel up to the Jerusalem area
	<i>Ischnura elegans</i>	Very common in northern and central Israel; rarer in the south
	<i>Ischnura evansi</i>	Common along the Syrian-African Rift Valley
	<i>Ischnura fountaineae</i>	Locally common in freshwater habitats around the Dead Sea and south along the Arabah
<i>Ischnura</i>	<i>Ischnura pumilio</i>	Rare; mainly in the Golan Heights, Upper Galilee, and Hula Valley
	<i>Ischnura senegalensis</i>	Common throughout Israel, especially in the south and along the Jordan Rift Valley
<i>Pseudagrion</i>	<i>Pseudagrion sublacteum</i>	Common in the north and along the Jordan Rift Valley
	<i>Pseudagrion syriacum</i>	Very common in northern Israel and along the Rift to the Dead Sea

[Pseudagrion
torridum](#)

Common in northern valleys and along the coastal plain; local
subspecies named *P. t. hulae*

Dragonflies ([Anisoptera](#))

[Aeshnidae](#)



[Anax immaculifrons](#)

Seven species in three genera:

Genus	Species	Distribution in Israel
<u>Aeshna</u>	<u>Aeshna mixta</u>	Uncommon; mainly Upper Galilee
	<u>Aeshna isoceles</u>	Uncommon; mainly northern Israel
	<u>Anax ephippiger</u>	Common migrant, also observed in arid regions
<u>Anax</u>	<u>Anax immaculifrons</u>	Rare; northern Israel
	<u>Anax imperator</u>	Common throughout Israel
	<u>Anax parthenope</u>	Common in most parts of the country
<u>Caliaeschna</u>	<u>Caliaeschna microstigma</u>	Found in northern Israel

[Gomphidae](#)



[Gomphus davidi](#)

Seven species in four genera:

Genus	Species	Distribution in Israel
<u>Gomphus</u>	<u>Gomphus davidi</u>	Common in northern Israel and valleys
<u>Lindenia</u>	<u>Lindenia tetraphylla</u>	Formerly observed in the Jordan and Hula valleys; recently only a single observation
<u>Onychogomphus</u>	<u>Onychogomphus</u>	Extremely rare; not observed for decades

flexuosus

Onychogomphus

lefebvrei

Onychogomphus

macrodon

Paragomphus genei

Paragomphus

Paragomphus

sinaiticus

Most common species of the genus; found in northern and eastern Israel south to [Wadi Qelt](#)

Rare; recorded in the Hula Valley and Jordan Valley

Common mainly along the Jordan Rift Valley from north to southern Dead Sea

Recently recorded species; small population found near [Neot Smadar\[2\]](#)

Libellulidae



[*Brachythemis impartita*](#) immature male, [Dan, Israel](#)



[*Sympetrum fonscolombii*](#) teneral, Netanya winter pond park



Orthetrum chrysostigma mating wheel, [Ein Hemed](#)



Trithemis annulata male, [Shoham](#)

Twenty-nine species in twelve genera:

Genus	Species	Distribution in Israel
<i>Brachythemis</i>	<i>Brachythemis fuscopalliata</i>	Extirpated following the drainage of Hula Lake
	<i>Brachythemis impartita</i>	Very common in northern and central Israel and along the Rift Valley to Eilat
<i>Crocothemis</i>	<i>Crocothemis erythraea</i>	Very common across most of Israel
	<i>Crocothemis sanguinolenta</i>	Highly localized, mainly restricted to Nahal David
	<i>Crocothemis servilia</i>	Uncommon; mainly eastern Israel
<i>Diplacodes</i>	<i>Diplacodes lefebvrii</i>	Common throughout most of the country
<i>Libellula</i>	<i>Libellula depressa</i>	Formerly recorded in northern Israel; not observed in recent years
	<i>Libellula pontica</i>	Found in the Golan Heights and Hula Valley
<i>Orthetrum</i>	<i>Orthetrum brunneum</i>	Common from northern Israel to approximately Beersheba
	<i>Orthetrum cancellatum</i>	Recently recorded; population discovered in the Golan Heights in 2018

	<i>Orthetrum chrysostigma</i>	Very common across most of Israel
	<i>Orthetrum coerulescens</i>	Common throughout the country
	<i>Orthetrum ransonnetii</i>	Common in southern Israel, especially around Eilat
	<i>Orthetrum sabina</i>	Fairly common in northern and central Israel; also along the Rift Valley
	<i>Orthetrum taeniolatum</i>	Rare; recorded in The West Bank[3] and the Golan Heights
	<i>Orthetrum trinacria</i>	Fairly common in northern and central Israel
<i>Pantala</i>	<i>Pantala flavescens</i>	Common migrant between August and November
<i>Rhyothemis</i>	<i>Rhyothemis semihyalina</i>	Formerly common in the Hula Valley; extirpated following drainage
<i>Selysiothemis</i>	<i>Selysiothemis nigra</i>	Increasingly observed across much of Israel in recent years
	<i>Sympetrum fonscolombii</i>	Fairly common across most of Israel
<i>Sympetrum</i>	<i>Sympetrum meridionale</i>	Common in northern and central Israel
	<i>Sympetrum sanguineum</i>	Very rare; not recorded for decades
	<i>Sympetrum sinaiticum</i>	Rediscovered in 2020 in southern Israel
	<i>Sympetrum striolatum</i>	Common mainly in northern Israel
	<i>Trithemis annulata</i>	Very common across most of Israel
<i>Trithemis</i>	<i>Trithemis arteriosa</i>	Very common, especially in eastern and southern regions
	<i>Trithemis festiva</i>	Extremely rare
<i>Urothemis</i>	<i>Urothemis edwardsii</i>	Formerly common in the Hula Valley; extirpated following drainage
<i>Zygonyx</i>	<i>Zygonyx torridus</i>	Common mainly in eastern Israel; also observed along the coastal plain

Further reading

- J.-P. Boudot, S. Borisov, G. De Knijf, R. H. A. van Grunsven, A. Schröter, V. J. Kalkman, [Atlas of the dragonflies and damselflies of West and Central Asia](#), *Brachytron* 22 Supplement: 3-248, 2021
- Thomas Schneider, Jacob Schneider & Richard Seidenbusch, [Odonata of North-Israel with a focus on the Upper Jordan Valley \(Upper Galilee\) – an update and a comparison between observations a quarter of a century \(Odonata\)](#), *Entomologische Zeitschrift*
- Dumont, H.J., **Odonata of the Levant (Fauna Palaestina Insecta V)**, [Israel Academy of Sciences](#)

References

1.
 - Belkher, Michael (2015). ["Hebrew names for insects for environmental education and nature conservation: dragonflies and damselflies as a case study"](#) (PDF). *Negev, Dead Sea and Arava Studies*. 7 (3): 58–65.

- Schuster, Ruth (6 May 2024). [*"Sinai Hooktail Dragonfly Spotted in Israel for First Time". Haaretz.*](#)
-
- 3. Adawi, Shadi H.; Qasem, Khalid R.; Zawahra, Mubarak M.; Handal, Elias N. (29 May 2017). [*"On some Records of Dragonflies \(Insecta: Odonata: Anisoptera\) from the West Bank \(Palestine\)" \(PDF\).*](#) *Jordan Journal of Biological Sciences*. **10** (3): 151–157.

Categories:

- [Lists of insect species](#)
- [Lists of Odonata by location](#)
- [Odonata of Asia](#)
- [Fauna of Israel](#)
- [Lists of biota of Israel](#)
- [Insects of Israel](#)
-

This is a list of 399 species in [Lissonota](#), a genus of ichneumon wasps in the family [Ichneumonidae](#).^[1]
^[2]^[3]

***Lissonota* species**

- [Lissonota absenta](#) Chandra & Gupta, 1977 ^c ^g
- [Lissonota accusator](#) (Fabricius, 1793) ^c ^g
- [Lissonota aciculata](#) Townes, 1978 ^c ^g
- [Lissonota acrobasidis](#) (Ashmead, 1896) ^c ^g
- [Lissonota admontenis](#) Strobl, 1902 ^g
- [Lissonota admontensis](#) Strobl, 1902 ^c ^g
- [Lissonota adornata](#) Chandra, 1976 ^c ^g
- [Lissonota aequalis](#) (Constantineanu & Constantineanu, 1968) ^c ^g
- [Lissonota albicaudata](#) Chandra & Gupta, 1977 ^c ^g
- [Lissonota albicoxis](#) Kriechbaumer, 1888 ^c ^g
- [Lissonota albipennis](#) Townes, 1978 ^c ^g
- [Lissonota albivitta](#) Townes, 1978 ^c ^g
- [Lissonota albomaculata](#) (Cameron, 1899) ^c ^g
- [Lissonota albopicta](#) Smith, 1878 ^c ^g
- [Lissonota aleutiana](#) (Cresson, 1879) ^c ^g

- [*Lissonota alpestris*](#) (Cameron, 1886) ^c
- [*Lissonota alpina*](#) Habermehl, 1926 ^{c g}
- [*Lissonota alpinicola*](#) Bauer, 1985 ^{c g}
- [*Lissonota alpinistor*](#) Aubert, 1978 ^{c g}
- [*Lissonota alpivagator*](#) Aubert, 1976 ^{c g}
- [*Lissonota alutacea*](#) Townes, 1978 ^{c g}
- [*Lissonota alveata*](#) Townes, 1978 ^{c g}
- [*Lissonota amabilis*](#) Habermehl, 1918 ^{c g}
- [*Lissonota amatellae*](#) Townes, 1978 ^{c g}
- [*Lissonota amphithyris*](#) Townes, 1978 ^{c g}
- [*Lissonota angulata*](#) Townes, 1978 ^{c g}
- [*Lissonota angusta*](#) Taschenberg, 1863 ^{c g}
- [*Lissonota anipta*](#) Townes, 1978 ^{c g}
- [*Lissonota anomala*](#) Holmgren, 1860 ^g
- [*Lissonota antennalis*](#) Thomson, 1877 ^{c g}
- [*Lissonota anthophila*](#) Townes, 1978 ^{c g}
- [*Lissonota aorba*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota apprima*](#) Townes, 1978 ^{c g}
- [*Lissonota argiola*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota aspera*](#) Bain, 1970 ^{c g}
- [*Lissonota atra*](#) Bain, 1970 ^{c g}
- [*Lissonota atrella*](#) Townes, 1978 ^{c g}
- [*Lissonota atrimalis*](#) Townes, 1978 ^{c g}
- [*Lissonota atropos*](#) Schmiedeknecht, 1900 ^{c g}
- [*Lissonota aurantia*](#) Chandra, 1976 ^{c g}
- [*Lissonota axillaris*](#) Townes, 1978 ^{c g}
- [*Lissonota aziba*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota azteca*](#) (Cresson, 1874) ^{c g}
- [*Lissonota babel*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota balia*](#) Townes, 1978 ^{c g}
- [*Lissonota barbator*](#) Aubert, 1972 ^{c g}
- [*Lissonota bella*](#) Chandra, 1976 ^{c g}
- [*Lissonota benoiti*](#) Townes, 1973 ^{c g}
- [*Lissonota bezaga*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota bicincta*](#) Szepligeti, 1899 ^{c g}
- [*Lissonota biguttata*](#) Holmgren, 1860 ^{c g}

- [*Lissonota bilineata*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota bipartita*](#) Costa, 1886 ^{c g}
- [*Lissonota bispota*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota bistrigata*](#) Holmgren, 1860 ^{c g}
- [*Lissonota bivittata*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota boreliiphaga*](#) Rousse, 2016 ^g
- [*Lissonota brevipappus*](#) Townes, 1978 ^{c g}
- [*Lissonota breviseta*](#) Ratzeburg, 1852 ^{c g}
- [*Lissonota breviventris*](#) (Walsh, 1873) ^{c g}
- [*Lissonota brunnea*](#) Cresson, 1868 ^{c g}
- [*Lissonota buccator*](#) (Thunberg, 1822) ^{c g}
- [*Lissonota buolianae*](#) Hartig, 1838 ^{c g}
- [*Lissonota burmensis*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota busoma*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota calva*](#) Townes, 1978 ^{c g}
- [*Lissonota camptoneura*](#) Townes, 1978 ^{c g}
- [*Lissonota canula*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota carbonaria*](#) Holmgren, 1860 ^{c g}
- [*Lissonota carinulata*](#) Sheng, 2000 ^{c g}
- [*Lissonota castaneae*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota catamelas*](#) Townes, 1978 ^{c g}
- [*Lissonota cephalotes*](#) Townes, 1978 ^{c g}
- [*Lissonota chelata*](#) Townes, 1978 ^{c g}
- [*Lissonota chinensis*](#) (Cushman, 1922) ^{c g}
- [*Lissonota chosensis*](#) (Uchida, 1955) ^c
- [*Lissonota clypealis*](#) Thomson, 1877 ^{c g}
- [*Lissonota clypearis*](#) Costa, 1886 ^{c g}
- [*Lissonota clypeator*](#) (Gravenhorst, 1820) ^{c g}
- [*Lissonota coloradensis*](#) (Cresson, 1870) ^c
- [*Lissonota compar*](#) Fonscolombe, 1854 ^{c g}
- [*Lissonota complicator*](#) Aubert, 1967 ^{c g}
- [*Lissonota compressa*](#) Townes, 1978 ^{c g}
- [*Lissonota compta*](#) Townes, 1978 ^{c g}
- [*Lissonota conferta*](#) Townes, 1978 ^{c g}
- [*Lissonota conflagrata*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota confusa*](#) Rey del Castillo, 1992 ^{c g}

- [*Lissonota conocola*](#) Rohwer, 1920 ^{c g}
- [*Lissonota conulla*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota coracina*](#) (Gmelin, 1790) ^{c g}
- [*Lissonota coracinata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota costulata*](#) Townes, 1978 ^{c g}
- [*Lissonota cracens*](#) Townes, 1978 ^{c g}
- [*Lissonota cracentis*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota crevieri*](#) (Provancher, 1874) ^{c g}
- [*Lissonota cribraria*](#) Townes, 1978 ^{c g}
- [*Lissonota crudeta*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota cruentator*](#) (Panzer, 1809) ^{c g}
- [*Lissonota cruralis*](#) Townes, 1978 ^{c g}
- [*Lissonota culiciformis*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota curticauda*](#) Townes, 1978 ^{c g}
- [*Lissonota curtiterebra*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota curtiventris*](#) Horstmann & Yu, 1999 ^{c g}
- [*Lissonota dakrumae*](#) (Ashmead, 1896) ^{c g}
- [*Lissonota danielsi*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota daschi*](#) Townes, 1978 ^{c g}
- [*Lissonota davisi*](#) (Townes, 1944) ^{c g}
- [*Lissonota densata*](#) Townes, 1978 ^{c g}
- [*Lissonota depressifronta*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota deversor*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota digestor*](#) (Thunberg, 1822) ^{c g}
- [*Lissonota dineta*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota disrupta*](#) (Cockerell, 1921) ^{c g}
- [*Lissonota distincta*](#) Bridgman, 1889 ^{c g}
- [*Lissonota dreisbachorum*](#) Townes, 1978 ^{c g}
- [*Lissonota dubia*](#) Holmgren, 1856 ^{c g}
- [*Lissonota dusmeti*](#) (Seyrig, 1927) ^{c g}
- [*Lissonota electra*](#) Viereck, 1903 ^{c g}
- [*Lissonota elegantissima*](#) (Hellen, 1940) ^{c g}
- [*Lissonota elongator*](#) (Schiodte, 1839) ^{c g}
- [*Lissonota erythrina*](#) Holmgren, 1860 ^{c g}
- [*Lissonota eurycorsa*](#) Townes, 1978 ^{c g}
- [*Lissonota evetriae*](#) Rohwer, 1920 ^{c g}

- [*Lissonota excelsa*](#) Schmiedeknecht, 1900 ^{c g}
- [*Lissonota exulta*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota exigua*](#) (Cresson, 1870) ^{c g}
- [*Lissonota exilis*](#) (Cresson, 1870) ^{c g}
- [*Lissonota exophthalmus*](#) Townes, 1978 ^{c g}
- [*Lissonota extrema*](#) Hedwig, 1932 ^{c g}
- [*Lissonota fascipennis*](#) Townes, 1978 ^{c g}
- [*Lissonota fenella*](#) Viereck, 1903 ^{c g}
- [*Lissonota filiformis*](#) Sheng, 2000 ^{c g}
- [*Lissonota fissa*](#) Brischke, 1865 ^{c g}
- [*Lissonota flavicruris*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota flavipectus*](#) Townes, 1978 ^{c g}
- [*Lissonota flavofasciata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota flavopicta*](#) Smith, 1878 ^{c g}
- [*Lissonota flavovariegata*](#) (Lucas, 1849) ^{c g}
- [*Lissonota fletcheri*](#) Bridgman, 1882 ^{c g}
- [*Lissonota folii*](#) Thomson, 1877 ^{c g}
- [*Lissonota freyi*](#) (Hellen, 1915) ^{c g}
- [*Lissonota frontalis*](#) (Desvignes, 1856) ^{c g}
- [*Lissonota fugata*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota fulva*](#) Bain, 1970 ^{c g}
- [*Lissonota fulvicornis*](#) Townes, 1978 ^{c g}
- [*Lissonota fulvipes*](#) (Desvignes, 1856) ^{c g}
- [*Lissonota fundator*](#) (Thunberg, 1822) ^{c g}
- [*Lissonota funebris*](#) Habermehl, 1923 ^c
- [*Lissonota fuscifacies*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota fuscipes*](#) (Cameron, 1903) ^{c g}
- [*Lissonota fuscipilis*](#) Townes, 1978 ^{c g}
- [*Lissonota genator*](#) Aubert, 1972 ^{c g}
- [*Lissonota genoplana*](#) Townes, 1978 ^{c g}
- [*Lissonota gibboclypeata*](#) Chandra, 1976 ^{c g}
- [*Lissonota giganta*](#) (Uchida, 1928) ^{c g}
- [*Lissonota gracilenta*](#) Holmgren, 1860 ^{c g}
- [*Lissonota gracilipes*](#) Thomson, 1877 ^{c g}
- [*Lissonota granulata*](#) Chandra, 1976 ^{c g}
- [*Lissonota greeni*](#) Cameron, 1905 ^c

- [*Lissonota gurna*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota halidayi*](#) Holmgren, 1860 ^{c g}
- [*Lissonota hamus*](#) (Uchida, 1940) ^{c g}
- [*Lissonota heinrichi*](#) Townes, 1978 ^{c g}
- [*Lissonota heterodoxa*](#) Fonscolombe, 1854 ^{c g}
- [*Lissonota hilaris*](#) (Cresson, 1879) ^{c g}
- [*Lissonota hildae*](#) (Gyorfi, 1941) ^{c g}
- [*Lissonota himachala*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota histrio*](#) (Fabricius, 1798) ^c
- [*Lissonota horpa*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota hortorum*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota humerella*](#) Thomson, 1877 ^{c g}
- [*Lissonota hungarica*](#) Schmiedeknecht, 1900 ^{c g}
- [*Lissonota ibericator*](#) Aubert, 1972 ^{c g}
- [*Lissonota imitatrix*](#) (Walsh, 1873) ^{c g}
- [*Lissonota impressor*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota inareolata*](#) Pfeffer, 1913 ^{c g}
- [*Lissonota inconspicua*](#) Schmiedeknecht, 1935 ^{c g}
- [*Lissonota inconstans*](#) Cushman, 1940 ^{c g}
- [*Lissonota incrassata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota infulata*](#) Townes, 1978 ^c
- [*Lissonota insita*](#) (Cresson, 1870) ^{c g}
- [*Lissonota irrasa*](#) Townes, 1978 ^{c g}
- [*Lissonota jacobi*](#) (Walley, 1942) ^{c g}
- [*Lissonota jaei*](#) Townes, 1978 ^{c g}
- [*Lissonota japonica*](#) (Ashmead, 1906) ^{c g}
- [*Lissonota jonathani*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota justina*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota kaiyuanensis*](#) Uchida, 1942 ^{c g}
- [*Lissonota kamathi*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota kambaitensis*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota kircosa*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota kolae*](#) (Morley, 1933) ^{c g}
- [*Lissonota kolpa*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota kurilensis*](#) Uchida, 1928 ^{c g}
- [*Lissonota laeviceps*](#) Townes, 1978 ^{c g}

- [*Lissonota laevigata*](#) (Cresson, 1870) ^{c g}
- [*Lissonota lathami*](#) Townes, 1978 ^{c g}
- [*Lissonota laticincta*](#) Townes, 1978 ^{c g}
- [*Lissonota leionotum*](#) Townes, 1978 ^{c g}
- [*Lissonota leiponeura*](#) Townes, 1978 ^{c g}
- [*Lissonota lema*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota lenis*](#) Townes, 1978 ^{c g}
- [*Lissonota leptalea*](#) Townes, 1978 ^{c g}
- [*Lissonota leptura*](#) Townes, 1978 ^{c g}
- [*Lissonota leucogenys*](#) Townes, 1978 ^{c g}
- [*Lissonota leucophrys*](#) Townes, 1978 ^{c g}
- [*Lissonota leucopoda*](#) Cameron, 1886 ^{c g}
- [*Lissonota leucopus*](#) Townes, 1978 ^{c g}
- [*Lissonota leucoscelis*](#) Townes, 1978 ^{c g}
- [*Lissonota leurosa*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota limbata*](#) Townes, 1978 ^{c g}
- [*Lissonota linearis*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota lineata*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota lineolaris*](#) (Gmelin, 1790) ^{c g}
- [*Lissonota lirata*](#) Townes, 1978 ^{c g}
- [*Lissonota lissolabis*](#) Townes, 1978 ^{c g}
- [*Lissonota lissonotator*](#) Aubert, 1977 ^{c g}
- [*Lissonota longigena*](#) Bauer, 1985 ^{c g}
- [*Lissonota longior*](#) Townes, 1978 ^{c g}
- [*Lissonota longispiracularis*](#) (Uchida, 1940) ^{c g}
- [*Lissonota lophota*](#) Townes, 1978 ^{c g}
- [*Lissonota luffiator*](#) Aubert, 1969 ^{c g}
- [*Lissonota macqueeni*](#) Chandra, 1976 ^{c g}
- [*Lissonota macra*](#) (Cresson, 1870) ^c
- [*Lissonota maculata*](#) Brischke, 1865 ^{c g}
- [*Lissonota maculiventris*](#) (Rohwer, 1913) ^{c g}
- [*Lissonota magdalenae*](#) Pfankuch, 1921 ^{c g}
- [*Lissonota malaisei*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota manca*](#) Brauns, 1896 ^{c g}
- [*Lissonota mandschurica*](#) (Uchida, 1942) ^{c g}
- [*Lissonota marginata*](#) (Provancher, 1873) ^{c g}

- [*Lissonota mediterranea*](#) Seyrig, 1927 ^{c g}
- [*Lissonota mesorufa*](#) (Momi, 1970) ^c
- [*Lissonota mexicana*](#) (Cameron, 1886) ^c
- [*Lissonota michaelis*](#) Rey del Castillo, 1990 ^{c g}
- [*Lissonota microstoma*](#) Townes, 1978 ^{c g}
- [*Lissonota minuenta*](#) Morley, 1913 ^{c g}
- [*Lissonota monona*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota monosticta*](#) Kriechbaumer, 1900 ^{c g}
- [*Lissonota morum*](#) Morley, 1913 ^{c g}
- [*Lissonota muertae*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota mulleola*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota multicolor*](#) Colenso, 1885 ^{c g}
- [*Lissonota mutator*](#) Aubert, 1969 ^{c g}
- [*Lissonota neixiangica*](#) Sheng, 2000 ^{c g}
- [*Lissonota nigra*](#) Brischke, 1880 ^{c g}
- [*Lissonota nigricornis*](#) (Provancher, 1873) ^c
- [*Lissonota nigricorpa*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota nigridens*](#) Thomson, 1889 ^{c g}
- [*Lissonota nigromacra*](#) Townes, 1978 ^{c g}
- [*Lissonota nigrominiata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota nigroscutellata*](#) Chandra, 1976 ^{c g}
- [*Lissonota nirna*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota nishiguchii*](#) (Momi, 1962) ^{c g}
- [*Lissonota nitida*](#) (Gravenhorst, 1829) ^{c g}
- [*Lissonota oblongata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota obscuripes*](#) Strobl, 1902 ^{c g}
- [*Lissonota obsoleta*](#) Bridgman, 1889 ^{c g}
- [*Lissonota occidentalis*](#) (Cresson, 1870) ^c
- [*Lissonota ocularis*](#) Townes, 1978 ^{c g}
- [*Lissonota oculatoria*](#) (Fabricius, 1798) ^{c g}
- [*Lissonota oncolaba*](#) Townes, 1978 ^{c g}
- [*Lissonota orophila*](#) Townes, 1978 ^{c g}
- [*Lissonota otaruensis*](#) (Uchida, 1928) ^c
- [*Lissonota pallipleuris*](#) Townes, 1978 ^{c g}
- [*Lissonota palpalis*](#) Thomson, 1889 ^{c g}
- [*Lissonota parasitellae*](#) Horstmann, 2003 ^{c g}

- [*Lissonota parva*](#) (Cresson, 1870) ^C
- [*Lissonota paula*](#) Chandra & Gupta, 1977 ^{C g}
- [*Lissonota peckorum*](#) Townes, 1978 ^{C g}
- [*Lissonota pectinata*](#) (Benoit, 1955) ^{C g}
- [*Lissonota pectinator*](#) Aubert, 1972 ^{C g}
- [*Lissonota penerecta*](#) Townes, 1978 ^{C g}
- [*Lissonota pentazona*](#) Townes, 1978 ^{C g}
- [*Lissonota perina*](#) Ugalde & Gauld, 2002 ^{C g}
- [*Lissonota persimilis*](#) (Cameron, 1886) ^{C g}
- [*Lissonota perspicillator*](#) Gravenhorst, 1829 ^C
- [*Lissonota petila*](#) Townes, 1978 ^{C g}
- [*Lissonota petiolata*](#) Sheng, 2000 ^{C g}
- [*Lissonota pevola*](#) Ugalde & Gauld, 2002 ^{C g}
- [*Lissonota philippinensis*](#) Chandra & Gupta, 1977 ^{C g}
- [*Lissonota picta*](#) Boie, 1850 ^{C g}
- [*Lissonota picticoxis*](#) Schmiedeknecht, 1900 ^{C g}
- [*Lissonota pimplator*](#) (Zetterstedt, 1838) ^{C g}
- [*Lissonota pinguicula*](#) Townes, 1978 ^{C g}
- [*Lissonota pleuralis*](#) Brischke, 1880 ^{C g}
- [*Lissonota polonica*](#) Habermehl, 1918 ^{C g}
- [*Lissonota populi*](#) Townes, 1978 ^{C g}
- [*Lissonota posticalis*](#) Townes, 1978 ^{C g}
- [*Lissonota prionoxysti*](#) (Rohwer, 1915) ^{C g}
- [*Lissonota pristina*](#) (Brues, 1910) ^{C g}
- [*Lissonota prolixa*](#) Chandra & Gupta, 1977 ^{C g}
- [*Lissonota proxima*](#) Fonscolombe, 1854 ^{C g}
- [*Lissonota pseudeleboea*](#) Ugalde & Gauld, 2002 ^{C g}
- [*Lissonota punctata*](#) (Cresson, 1870) ^{C g}
- [*Lissonota punctipleuris*](#) Townes, 1978 ^{C g}
- [*Lissonota punctiventrator*](#) Aubert, 1977 ^{C g}
- [*Lissonota punctiventris*](#) Thomson, 1877 ^C
- [*Lissonota punctor*](#) Aubert, 1976 ^{C g}
- [*Lissonota punctulata*](#) Szepligeti, 1899 ^C
- [*Lissonota purpurea*](#) Seyrig, 1928 ^{C g}
- [*Lissonota pygmaea*](#) Strobl, 1902 ^{C g}
- [*Lissonota qilianica*](#) Sheng, 2006 ^{C g}

- [*Lissonota quadrata*](#) Szepligeti, 1899 ^c
- [*Lissonota quadrinotata*](#) Gravenhorst, 1829 ^{c g}
- [*Lissonota quinqueangularis*](#) Ratzeburg, 1852 ^{c g}
- [*Lissonota rasilis*](#) Townes, 1978 ^{c g}
- [*Lissonota reniculellae*](#) Townes, 1978 ^{c g}
- [*Lissonota risola*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota robusta*](#) Ratzeburg, 1852 ^{c g}
- [*Lissonota roveba*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota rubida*](#) Chandra, 1976 ^{c g}
- [*Lissonota rubrica*](#) (Cresson, 1870) ^{c g b}
- [*Lissonota rubricosa*](#) Brischke, 1880 ^{c g}
- [*Lissonota rufescens*](#) Boie, 1850 ^{c g}
- [*Lissonota rufina*](#) Costa, 1886 ^{c g}
- [*Lissonota rufipes*](#) Brischke, 1865 ^{c g}
- [*Lissonota rufitarsis*](#) Szepligeti, 1899 ^{c g}
- [*Lissonota rugosa*](#) Chandra, 1976 ^{c g}
- [*Lissonota rushi*](#) Townes, 1978 ^{c g}
- [*Lissonota russata*](#) Townes, 1978 ^{c g}
- [*Lissonota russula*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota sahlbergi*](#) Hellen, 1915 ^{c g}
- [*Lissonota sakala*](#) Cushman, 1942 ^{c g}
- [*Lissonota salubria*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota samuelsoni*](#) (Momoi, 1970) ^c
- [*Lissonota sapinea*](#) Townes, Momoi & Townes, 1965 ^{c g}
- [*Lissonota sardanator*](#) Aubert, 1969 ^{c g}
- [*Lissonota saturator*](#) (Thunberg, 1822) ^{c g}
- [*Lissonota saxenai*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota scabra*](#) Brischke, 1880 ^c
- [*Lissonota scabricauda*](#) Townes, 1978 ^{c g}
- [*Lissonota schmiedeknehti*](#) Smits van Burgst, 1914 ^c
- [*Lissonota scutellaris*](#) (Cresson, 1870) ^c
- [*Lissonota sector*](#) (Thunberg, 1822) ^{c g}
- [*Lissonota segnis*](#) (Cresson, 1879) ^{c g}
- [*Lissonota semirufa*](#) (Desvignes, 1856) ^c
- [*Lissonota semitropis*](#) Townes, 1978 ^{c g}
- [*Lissonota serrulota*](#) Sheng, 2000 ^{c g}

- [*Lissonota setosa*](#) (Geoffroy, 1785) ^{c g}
- [*Lissonota sevinga*](#) Ugalde & Gauld, 2002 ^{c g}
- [*Lissonota sexcincta*](#) (Ashmead, 1890) ^{c g}
- [*Lissonota shenefelti*](#) Townes, 1978 ^{c g}
- [*Lissonota sheni*](#) Sheng, 2000 ^{c g}
- [*Lissonota silvatica*](#) Habermehl, 1918 ^{c g}
- [*Lissonota spilocephala*](#) Cameron, 1906 ^{c g}
- [*Lissonota spilostethus*](#) Townes, 1978 ^{c g}
- [*Lissonota stenops*](#) Townes, 1978 ^{c g}
- [*Lissonota stenostoma*](#) Townes, 1978 ^{c g}
- [*Lissonota sternalis*](#) Costa, 1886 ^{c g}
- [*Lissonota stigmator*](#) Aubert, 1972 ^{c g}
- [*Lissonota striata*](#) Sheng, 2000 ^{c g}
- [*Lissonota striatopetiolata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota stygialis*](#) (Brues, 1910) ^{c g}
- [*Lissonota subaciculata*](#) Bridgman, 1886 ^{c g}
- [*Lissonota subcalva*](#) Townes, 1978 ^{c g}
- [*Lissonota subnodifer*](#) Townes, 1978 ^{c g}
- [*Lissonota subnuda*](#) Townes, 1978 ^{c g}
- [*Lissonota sulcula*](#) Townes, 1978 ^{c g}
- [*Lissonota superbator*](#) Aubert, 1967 ^{c g}
- [*Lissonota szepligetii*](#) Dalla Torre, 1901 ^{c g}
- [*Lissonota tacnaensis*](#) (Brèthes, 1916) ^{c g}
- [*Lissonota taeniata*](#) Townes, 1978 ^{c g}
- [*Lissonota tanyterebrata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota tarsata*](#) Townes, 1978 ^{c g}
- [*Lissonota tauriscorum*](#) Strobl, 1902 ^{c g}
- [*Lissonota tegularis*](#) (Cresson, 1870) ^{c g}
- [*Lissonota temporalis*](#) Townes, 1978 ^{c g}
- [*Lissonota tenebrosa*](#) (Brues, 1910) ^{c g}
- [*Lissonota tenerima*](#) Thomson, 1877 ^{c g}
- [*Lissonota tenuipes*](#) Townes, 1978 ^{c g}
- [*Lissonota terebrans*](#) Sheng, 2000 ^{c g}
- [*Lissonota tergolata*](#) Chandra & Gupta, 1977 ^{c g}
- [*Lissonota tetrazona*](#) Townes, 1978 ^{c g}
- [*Lissonota thuringiaca*](#) (Schmiedeknecht, 1900) ^{c g}

- [Lissonota tincta](#) Townes, 1978 ^{c g}
- [Lissonota tinctibasis](#) Townes, 1978 ^{c g}
- [Lissonota tostada](#) Ugalde & Gauld, 2002 ^{c g}
- [Lissonota transsylvanica](#) Constantineanu & Ciochia, 1968 ^{c g}
- [Lissonota transversostriata](#) (Smits van Burgst, 1921) ^{c g}
- [Lissonota trichota](#) Townes, 1978 ^{c g}
- [Lissonota trifasciola](#) Chandra & Gupta, 1977 ^{c g}
- [Lissonota tristis](#) Brischke, 1888 ^{c g}
- [Lissonota trochanterator](#) Aubert, 1972 ^{c g}
- [Lissonota ulbrichtii](#) (Ulbricht, 1909) ^{c g}
- [Lissonota uncata](#) Townes, 1978 ^{c g}
- [Lissonota ustulata](#) Chandra & Gupta, 1977 ^{c g}
- [Lissonota variabilis](#) Holmgren, 1860 ^{c g}
- [Lissonota vebena](#) Ugalde & Gauld, 2002 ^{c g}
- [Lissonota veris](#) Townes, 1978 ^{c g}
- [Lissonota versicolor](#) Holmgren, 1860 ^{c g}
- [Lissonota vidua](#) Townes, 1978 ^{c g}
- [Lissonota vincta](#) Townes, 1978 ^{c g}
- [Lissonota xanthofacia](#) Chandra & Gupta, 1977 ^{c g}
- [Lissonota xanthomus](#) Townes, 1978 ^{c g}
- [Lissonota xanthophrys](#) Townes, 1978 ^{c g}
- [Lissonota xanthopyga](#) Holmgren, 1868 ^{c g}
- [Lissonota xuthosoma](#) Chandra & Gupta, 1977 ^{c g}
- [Lissonota zonalis](#) Townes, 1978 ^{c g}

Data sources: c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

This is a list of 171 species in [Lispe](#), a genus of house flies, etc. in the family [Muscidae](#).^{[1][2][3]}

Lispe species

- [Lispe albicarpus](#) Shinonaga & Kano, 1989
- [Lispe albifacies](#) Malloch, 1929
- [Lispe albimacula](#) (Malloch, 1923)
- [Lispe albimaculata](#) Stein, 1910
- [Lispe albitarsis](#) (Stein, 1898)
- [Lispe albitarsus](#) Stein, 1901

- [*Lispe alpinicola*](#) Zhong, Wu & Fan, 1981
- [*Lispe ambigua*](#) Stein, 1913
- [*Lispe andrewi*](#) Paterson, 1953
- [*Lispe angustipalpis*](#) (Stein, 1920)
- [*Lispe antennata*](#) (Aldrich, 1913)
- [*Lispe apicalis*](#) Mik, 1869
- [*Lispe appendibacula*](#) Xue & Zhang, 2005
- [*Lispe approximata*](#) Hockett, 1966
- [*Lispe aquamarina*](#) Shinonaga & Kano, 1983
- [*Lispe argentea*](#) Snyder, 1954
- [*Lispe argenteiceps*](#) Ma & Mou, 1992
- [*Lispe argenteifacies*](#) Grimshaw, 1901
- [*Lispe armata*](#) Malloch, 1925
- [*Lispe armeniaca*](#) Canzoneri & Meneghini, 1972
- [*Lispe assimilis*](#) Wiedemann, 1824
- [*Lispe atrifrontata*](#) (Malloch, 1922)
- [*Lispe aurocochlearia*](#) Séguy, 1950
- [*Lispe bahama*](#) Snyder, 1958
- [*Lispe barbipes*](#) Stein, 1908
- [*Lispe bengalensis*](#) (Robineau-Desvoidy, 1830)
- [*Lispe bimaculata*](#) Walker, 1859
- [*Lispe binotata*](#) (Becker, 1914)
- [*Lispe bipunctata*](#) Séguy, 1938
- [*Lispe biseta*](#) Stein, 1913
- [*Lispe bivittata*](#) Stein, 1909
- [*Lispe boninensis*](#) Snyder, 1965
- [*Lispe brevipes*](#) (Aldrich, 1913)
- [*Lispe brunnica*](#) (Becker, 1904)
- [*Lispe caesia*](#) Meigen, 1826
- [*Lispe cana*](#) (Walker, 1849)
- [*Lispe canadensis*](#) Snyder, 1954
- [*Lispe cancellata*](#) Canzoneri & Meneghini, 1966
- [*Lispe candicans*](#) Kowarz, 1892
- [*Lispe capensis*](#) Zielke, 1971
- [*Lispe chui*](#) Shinonaga & Kano, 1989
- [*Lispe cilitarsis*](#) Loew, 1856
- [*Lispe cinifera*](#) (Becker, 1904)
- [*Lispe consanguinea*](#) Loew, 1858
- [*Lispe cotidiana*](#) Snyder, 1954
- [*Lispe cyrtoneurina*](#) Stein, 1900
- [*Lispe desertorum*](#) Hockett, 1966
- [*Lispe desjardinsii*](#) Macquart, 1851

- [*Lispe dictaeta* Stein, 1913](#)
- [*Lispe eidsvoldica* Malloch, 1925](#)
- [*Lispe elegantissima* \(Stackelberg, 1937\)](#)
- [*Lispe elkantarae* \(Becker, 1907\)](#)
- [*Lispe erratica* \(Malloch, 1932\)](#)
- [*Lispe ezensis* Shinonaga & Kano, 1983](#)
- [*Lispe flavicincta* Loew, 1847](#)
- [*Lispe flavicornis* \(Stein, 1909\)](#)
- [*Lispe flavinervis* \(Becker, 1904\)](#)
- [*Lispe flavipes* Stein, 1913](#)
- [*Lispe frigida* Erichson, 1851](#)
- [*Lispe frontalis* Zielke, 1972](#)
- [*Lispe fuscipalpis* Malloch, 1929](#)
- [*Lispe fuscipes* \(Ringdahl, 1930\)](#)
- [*Lispe geniseta* Stein, 1909](#)
- [*Lispe glabra* Wiedemann, 1824](#)
- [*Lispe halophora* \(Becker, 1903\)](#)
- [*Lispe hamanae* Hori & Kurahashi, 1966](#)
- [*Lispe hebeiensis* Ma & Tian, 1993](#)
- [*Lispe hirsutipes* Mou, 1992](#)
- [*Lispe hispida* Walker, 1849](#)
- [*Lispe hydromyzina* \(Fallén, 1825\)](#)
- [*Lispe incerta* \(Malloch, 1925\)](#)
- [*Lispe irvingi* Curran, 1937](#)
- [*Lispe isolata* Malloch, 1929](#)
- [*Lispe jamesi* Snyder, 1954](#)
- [*Lispe johnsoni* \(Aldrich, 1913\)](#)
- [*Lispe keiseri* Zielke, 1972](#)
- [*Lispe kowarzi* Becker, 1903](#)
- [*Lispe lanceoseta* Wang & Fan, 1981](#)
- [*Lispe lanzarotensis* Baez, 1978](#)
- [*Lispe latana* Snyder, 1949](#)
- [*Lispe leucocephala* Loew, 1856](#)
- [*Lispe leucospila* \(Wiedemann, 1830\)](#)
- [*Lispe leucosticta* Stein, 1918](#)
- [*Lispe levis* Stein, 1911](#)
- [*Lispe lisarba* Snyder, 1949](#)
- [*Lispe litorea* \(Fallén, 1825\)](#)
- [*Lispe loewi* Ringdahl, 1922](#)
- [*Lispe longicollis* Meigen, 1826](#)
- [*Lispe lowei* \(Ringdahl, 1922\)](#)
- [*Lispe maculata* Stein, 1913](#)

- [*Lispe madagascariensis*](#) Zielke, 1972
- [*Lispe manicata*](#) Wiedemann, 1830
- [*Lispe mapaoensis*](#) Paterson, 1953
- [*Lispe marina*](#) (Becker, 1913)
- [*Lispe maroccana*](#) Canzoneri & Meneghini, 1966
- [*Lispe martirei*](#) Vikhrev, 2014
- [*Lispe melaleuca*](#) Loew, 1847
- [*Lispe metatarsalis*](#) Thomson, 1869
- [*Lispe metatarsata*](#) Stein, 1900
- [*Lispe microchaeta*](#) (Séguy, 1940)
- [*Lispe microptera*](#) Séguy, 1937
- [*Lispe miochaeta*](#) Speiser, 1910
- [*Lispe mirabilis*](#) (Stein, 1918)
- [*Lispe modesta*](#) Stein, 1913
- [*Lispe monochaita*](#) Mou & Ma, 1992
- [*Lispe nana*](#) Macquart, 1835
- [*Lispe nasoni*](#) (Stein, 1898)
- [*Lispe neimongola*](#) Tian & Ma, 2000
- [*Lispe neo*](#) Malloch, 1922
- [*Lispe neouliginosa*](#) Snyder, 1954
- [*Lispe nigrimana*](#) (Malloch, 1923)
- [*Lispe nivalis*](#) Wiedemann, 1830
- [*Lispe niveimaculata*](#) Stein, 1906
- [*Lispe nuba*](#) Wiedemann, 1830
- [*Lispe nubilipennis*](#) Loew, 1873
- [*Lispe nudifacies*](#) Snyder, 1954
- [*Lispe orientalis*](#) Wiedemann, 1824
- [*Lispe pacifica*](#) Shinonaga & Pont, 1992
- [*Lispe palawanensis*](#) Shinonaga & Kano, 1989
- [*Lispe palposa*](#) (Walker, 1849)
- [*Lispe paraneo*](#) Zielke, 1972
- [*Lispe paraspila*](#) Zielke, 1972
- [*Lispe patellata*](#) (Aldrich, 1913)
- [*Lispe patellitarsis*](#) (Becker, 1914)
- [*Lispe pectinipes*](#) Becker, 1903
- [*Lispe pennitarsis*](#) Stein, 1918
- [*Lispe persica*](#) (Becker, 1904)
- [*Lispe polita*](#) (Coquillett, 1904)
- [*Lispe ponti*](#) Hardy, 1981
- [*Lispe probohemica*](#) (Speiser, 1914)
- [*Lispe pumila*](#) (Wiedemann, 1824)
- [*Lispe pygmaea*](#) (Fallén, 1825)

- [Lispe quaerens](#) (Villeneuve, 1936)
- [Lispe rigida](#) (Becker, 1903)
- [Lispe rufitibialis](#) Macquart, 1843
- [Lispe salina](#) (Aldrich, 1913)
- [Lispe scalaris](#) Loew, 1847
- [Lispe septentrionalis](#) Xue & Zhang, 2005
- [Lispe sericipalpis](#) (Stein, 1904)
- [Lispe serotina](#) Wulp, 1896
- [Lispe setuligera](#) Stein, 1911
- [Lispe sexnotata](#) Macquart, 1843
- [Lispe siamensis](#) Shinonaga & Kano, 1989
- [Lispe silvai](#) Paterson, 1953
- [Lispe simonyii](#) (Becker, 1910)
- [Lispe sineseta](#) Zielke, 1971
- [Lispe sinica](#) Hennig, 1960
- [Lispe sociabilis](#) Loew, 1862[4]
- [Lispe songensis](#) Zielke, 1970
- [Lispe sordida](#) (Aldrich, 1913)
- [Lispe stuckenbergi](#) Zielke, 1970
- [Lispe subbivittata](#) Mou, 1992
- [Lispe superciliosa](#) Loew, 1861
- [Lispe surda](#) Curran, 1937
- [Lispe sydneyensis](#) Schiner, 1868
- [Lispe tarsocilica](#) Xue & Zhang, 2005
- [Lispe tentaculata](#) (De Geer, 1776)
- [Lispe terastigma](#) Schiner, 1868
- [Lispe tienmuensis](#) Fan, 1974
- [Lispe tuberculitarsis](#) Stein, 1913
- [Lispe uliginosa](#) (Fallén, 1825)
- [Lispe unicolor](#) (Brullé, 1833)
- [Lispe uniseta](#) Malloch, 1922
- [Lispe vilis](#) Stein, 1911
- [Lispe vittipennis](#) Thomson, 1869
- [Lispe weschei](#) Malloch, 1922
- [Lispe wittei](#) Paterson, 1956
- [Lispe xanthophleba](#) Stein, 1950
- [Lispe xenochaeta](#) Malloch, 1923
- [Lispe zumpti](#) Paterson, 1953

This is a list of 310 species in the genus [Liris](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Liris* species**

- [*Liris abbreviatus*](#) (R. Turner, 1908)
- [*Liris abyssinicus*](#) (Arnold, 1933)
- [*Liris aciculatus*](#) (Cameron, 1905)
- [*Liris aedilis*](#) (F. Smith, 1858)
- [*Liris agilis*](#) (F. Smith, 1856)
- [*Liris agitatus*](#) (R. Turner, 1908)
- [*Liris alaris*](#) (de Saussure, 1892)
- [*Liris alberti*](#) (Arnold, 1944)
- [*Liris albopilosus*](#) Tsuneki, 1967
- [*Liris angustiventris*](#) (Arnold, 1923)
- [*Liris antaka*](#) (de Saussure, 1890)
- [*Liris anthracinus*](#) Kohl, 1892
- [*Liris anticus*](#) (F. Smith, 1856)
- [*Liris antilles*](#) (Krombein, 1953)
- [*Liris apicalis*](#) (W. Fox, 1896)
- [*Liris apicipennis*](#) (Cameron, 1889)
- [*Liris appendiculatus*](#) (Taschenberg, 1870)
- [*Liris argentatus*](#) (Palisot de Beauvois, 1811)
- [*Liris argenticauda*](#) (Cameron, 1889)
- [*Liris argentifrons*](#) (Cameron, 1889)
- [*Liris asymphonus*](#) Krombein and Shanks Gingras, 1984
- [*Liris aterrimus*](#) (F. Smith, 1856)
- [*Liris atratus*](#) (Spinola, 1805)
- [*Liris atripennis*](#) Tsuneki, 1982
- [*Liris atropos*](#) Gribodo, 1894
- [*Liris atrox*](#) Arnold, 1959
- [*Liris aurarius*](#) Tsuneki, 1983
- [*Liris aureohirtus*](#) Tsuneki, 1982
- [*Liris aurifrons*](#) (F. Smith, 1858)
- [*Liris aurulentus*](#) (Fabricius, 1787)
- [*Liris australis*](#) (de Saussure, 1854)
- [*Liris avellanipes*](#) (de Saussure, 1890)
- [*Liris baguionis*](#) Tsuneki, 1983
- [*Liris bakeri*](#) (F. Williams, 1928)
- [*Liris banoensis*](#) Tsuneki, 1983
- [*Liris basilissa*](#) (R. Turner, 1908)
- [*Liris beatus*](#) (Cameron, 1889)
- [*Liris bellus*](#) (Lepeletier de Saint Fargeau, 1845)
- [*Liris bembesianus*](#) (Bischoff, 1913)
- [*Liris bengalensis*](#) (Cameron, 1903)
- [*Liris bequaerti*](#) (Arnold, 1929)

- [*Liris bicolor*](#) (W.F. Kirby, 1900)
- [*Liris bidentatus*](#) (Arnold, 1923)
- [*Liris biro*](#) Tsuneki, 1983
- [*Liris bismarckanus*](#) Tsuneki, 1982
- [*Liris borneanus*](#) Tsuneki, 1974
- [*Liris bradleyi*](#) (Maidl, 1925)
- [*Liris braueri*](#) Kohl, 1884
- [*Liris braunsi*](#) (Arnold, 1923)
- [*Liris bredoi*](#) Benoit, 1951
- [*Liris brunnipennis*](#) Arnold, 1945
- [*Liris caeruleipennis*](#) (Maidl, 1925)
- [*Liris cameroni*](#) Tsuneki, 1976
- [*Liris campestris*](#) (F. Smith, 1856)
- [*Liris carinatus*](#) Tsuneki, 1976
- [*Liris carolinensis*](#) Yasumatsu, 1941
- [*Liris cavicola*](#) Tsuneki, 1983
- [*Liris championi*](#) (Cameron, 1889)
- [*Liris cheesmanae*](#) Menke in R. Bohart and Menke, 1976
- [*Liris chrysobaptus*](#) (F. Smith, 1862)
- [*Liris chrysonotus*](#) (F. Smith, 1869)
- [*Liris ciliatus*](#) (F. Smith, 1856)
- [*Liris claripennis*](#) Tsuneki, 1982
- [*Liris claviformis*](#) T. Li, Cai and Q. Li, 2009
- [*Liris cleopatra*](#) de Beaumont, 1961
- [*Liris clypeatus*](#) (F. Smith, 1873)
- [*Liris clypefoveolatus*](#) T. Li, Cai and Q. Li, 2009
- [*Liris clypeopunctatus*](#) Tsuneki, 1974
- [*Liris commixtus*](#) (R. Turner, 1908)
- [*Liris conjungens*](#) (Walker, 1871)
- [*Liris consobrinus*](#) Arnold, 1959
- [*Liris conspicuus*](#) (F. Smith, 1856)
- [*Liris corniger*](#) F. Williams, 1936
- [*Liris coronalis*](#) (F. Smith, 1856)
- [*Liris cowani*](#) (W.F. Kirby, 1883)
- [*Liris crassicornis*](#) (Maidl, 1925)
- [*Liris crepitans*](#) Leclercq, 1967
- [*Liris croesus*](#) (F. Smith, 1856)
- [*Liris crux*](#) Tsuneki, 1982
- [*Liris cubitalis*](#) (de Saussure, 1887)
- [*Liris cupreohirtus*](#) Tsuneki, 1976
- [*Liris danus*](#) Tsuneki, 1982
- [*Liris davaonis*](#) Tsuneki, 1983

- [*Liris dejectus*](#) Arnold, 1945
- [*Liris deliquus*](#) Krombein and Shanks Gingras, 1984
- [*Liris denticulatus*](#) (R. Turner, 1920)
- [*Liris dentipes*](#) (R. Turner, 1917)
- [*Liris deplanatus*](#) (Kohl, 1884)
- [*Liris diabolicus*](#) (F. Smith, 1873)
- [*Liris difficilis*](#) Tsuneki, 1983
- [*Liris distinguendus*](#) (Spinola, 1842)
- [*Liris dives*](#) (Lepelletier de Saint Fargeau, 1845)
- [*Liris dominganus*](#) (Strand, 1911)
- [*Liris dominicanus*](#) Evans, 1972
- [*Liris ducalis*](#) (F. Smith, 1860)
- [*Liris dyscheirus*](#) (de Saussure, 1892)
- [*Liris elegans*](#) (Bingham, 1897)
- [*Liris erythropus*](#) (Cameron, 1890)
- [*Liris erythropyga*](#) (Arnold, 1940)
- [*Liris erythrotomus*](#) (Cameron, 1908)
- [*Liris esakii*](#) Yasumatsu, 1941
- [*Liris evansi*](#) Krombein and Shanks Gingras, 1984
- [*Liris extensus*](#) (Walker, 1860)
- [*Liris facilis*](#) (F. Smith, 1873)
- [*Liris fasciatus*](#) (F. Smith, 1873)
- [*Liris ferrugineimarginalis*](#) T. Li, Cai and Q. Li, 2007
- [*Liris ferrugineipes*](#) (Lepelletier de Saint Fargeau, 1845)
- [*Liris festinans*](#) (F. Smith, 1858)
- [*Liris flavinervus*](#) (Cameron, 1900)
- [*Liris flavipennis*](#) (F. Williams, 1928)
- [*Liris flavitinctus*](#) (Arnold, 1940)
- [*Liris formosus*](#) Amarante, 2002
- [*Liris foveiscutis*](#) (Cameron, 1913)
- [*Liris fuliginosus*](#) (Dahlbom, 1843)
- [*Liris fulvipes*](#) Fabricius, 1804
- [*Liris fulviventrtris*](#) (Guérin-Méneville, 1844)
- [*Liris funereus*](#) (F. Smith, 1863)
- [*Liris fuscatus*](#) Tsuneki, 1971
- [*Liris fuscinervus*](#) (Cameron, 1905)
- [*Liris fuscistigma*](#) (Cameron, 1903)
- [*Liris ganahlia*](#) (Dalla Torre, 1897)
- [*Liris gibbosus*](#) Kohl, 1892
- [*Liris gowdeyi*](#) (R. Turner, 1913)
- [*Liris gracilicornis*](#) (Arnold, 1923)
- [*Liris gryllicida*](#) Evans, 1972

- [*Liris haemorrhoidalis*](#) (Fabricius, 1804)
- [*Liris hanedai*](#) Tsuneki, 1971
- [*Liris huonensis*](#) Tsuneki, 1983
- [*Liris inca*](#) Amarante, 2002
- [*Liris incertus*](#) Arnold, 1945
- [*Liris indicus*](#) (Cameron, 1903)
- [*Liris infrunitus*](#) Krombein and Shanks Gingras, 1984
- [*Liris inopinatus*](#) de Beaumont, 1961
- [*Liris insularis*](#) (de Saussure, 1867)
- [*Liris intermedius*](#) (Cameron, 1903)
- [*Liris iridipennis*](#) (Maidl, 1925)
- [*Liris iriomotensis*](#) Tsuneki, 1972
- [*Liris irroratus*](#) (F. Smith, 1856)
- [*Liris ituriensis*](#) Benoit, 1951
- [*Liris jaculator*](#) (F. Smith, 1856)
- [*Liris jucundus*](#) Arnold, 1959
- [*Liris kalilianus*](#) Tsuneki, 1982
- [*Liris karnyi*](#) (Maidl, 1927)
- [*Liris keiseri*](#) (Leclercq, 1961)
- [*Liris khasianus*](#) (Cameron, 1905)
- [*Liris krombeini*](#) Menke in R. Bohart and Menke, 1976
- [*Liris kuchingensis*](#) (Cameron, 1909)
- [*Liris labiatus*](#) (Fabricius, 1793)
- [*Liris laboriosus*](#) (F. Smith, 1856)
- [*Liris larriformis*](#) (F. Williams, 1928)
- [*Liris larroides*](#) (F. Williams, 1928)
- [*Liris laterisetosus*](#) (Spinola, 1851)
- [*Liris lemjamin*](#) Tsuneki, 1982
- [*Liris ligulatus*](#) (F. Williams, 1928)
- [*Liris limpidipennis*](#) (F. Smith, 1873)
- [*Liris liparus*](#) Krombein and Shanks Gingras, 1984
- [*Liris liriformis*](#) (F. Williams, 1947)
- [*Liris litoralis*](#) Tsuneki, 1963
- [*Liris longicornis*](#) (Cameron, 1900)
- [*Liris longitarsis*](#) (Cameron, 1900)
- [*Liris luctuosus*](#) (F. Smith, 1856)
- [*Liris luteipennis*](#) (Cresson, 1869)
- [*Liris lutusator*](#) (F. Williams, 1928)
- [*Liris magnificus*](#) Kohl, 1884
- [*Liris maidli*](#) (Arnold, 1929)
- [*Liris makiling*](#) Tsuneki, 1983
- [*Liris mandibularis*](#) Menke in R. Bohart and Menke, 1976

- [*Liris manusanus*](#) Tsuneki, 1982
- [*Liris melanius*](#) R. Turner, 1916
- [*Liris melanopterus*](#) Tsuneki, 1982
- [*Liris memnonius*](#) (F. Smith, 1856)
- [*Liris menkei*](#) Tsuneki, 1976
- [*Liris mescalero*](#) (Pate, 1943)
- [*Liris mexicanus*](#) Krombein and Shanks Gingras, 1984
- [*Liris mindanaoensis*](#) F. Williams, 1928
- [*Liris minimus*](#) (Arnold, 1923)
- [*Liris miscophoides*](#) (Arnold, 1923)
- [*Liris modestus*](#) (F. Smith, 1859)
- [*Liris molestus*](#) Krombein and Shanks Gingras, 1984
- [*Liris montivagus*](#) (Cameron, 1908)
- [*Liris mordax*](#) Kohl, 1892
- [*Liris morio*](#) Kohl, 1892
- [*Liris morobensis*](#) Tsuneki, 1983
- [*Liris morrae*](#) (Strand, 1910)
- [*Liris muspa*](#) (Pate, 1943)
- [*Liris mussauanus*](#) Tsuneki, 1982
- [*Liris naquilianus*](#) Tsuneki, 1983
- [*Liris nearcticus*](#) Krombein and Shanks Gingras, 1984
- [*Liris neavei*](#) (R. Turner, 1917)
- [*Liris negrosensis*](#) (F. Williams, 1928)
- [*Liris nielsenii*](#) Tsuneki, 1976
- [*Liris niger*](#) (Fabricius, 1775)
- [*Liris nigricans*](#) (Walker, 1871)
- [*Liris nigripes*](#) (de Saussure, 1867)
- [*Liris nigrispinus*](#) Krombein and Shanks Gingras, 1984
- [*Liris nitens*](#) (Arnold, 1929)
- [*Liris novaguineanus*](#) Tsuneki, 1983
- [*Liris nugax*](#) (Kohl, 1894)
- [*Liris obliquetruncatus*](#) (R. Turner, 1908)
- [*Liris obtusedentatus*](#) (Maidl, 1925)
- [*Liris odontophorus*](#) (Kohl, 1894)
- [*Liris opalipennis*](#) (Kohl, 1898)
- [*Liris ordinarius*](#) (Arnold, 1932)
- [*Liris ornatitarsis*](#) (Cameron, 1911)
- [*Liris pacificatrix*](#) (R. Turner, 1908)
- [*Liris palawanus*](#) Tsuneki, 1976
- [*Liris panamensis*](#) (Cameron, 1889)
- [*Liris papuanus*](#) Tsuneki, 1983
- [*Liris papuensis*](#) Tsuneki, 1983

- [*Liris partitus*](#) Krombein & Shanks Gingras, 1984
- [*Liris parvulus*](#) (Schrottky, 1903)
- [*Liris parvus*](#) (Cameron, 1903)
- [*Liris peruanus*](#) (Brèthes, 1924)
- [*Liris peterseni*](#) Tsuneki, 1976
- [*Liris picipes*](#) (Cameron, 1903)
- [*Liris pictipennis*](#) (Maidl, 1924)
- [*Liris piliventris*](#) (Cameron, 1903)
- [*Liris pilosa*](#) (Cameron, 1903)
- [*Liris pitamawa*](#) (Rohwer, 1919)
- [*Liris plebejus*](#) (Taschenberg, 1870)
- [*Liris pluto*](#) (F. Smith, 1856)
- [*Liris politicus*](#) (Dalla Torre, 1897)
- [*Liris primanius*](#) (Kohl, 1894)
- [*Liris pruinus*](#) (F. Smith, 1873)
- [*Liris pulcherrimus*](#) (Cameron, 1902)
- [*Liris punctatus*](#) Tsuneki, 1974
- [*Liris pygidialis*](#) Tsuneki, 1982
- [*Liris pygmaeus*](#) (Cameron, 1903)
- [*Liris quadrifasciatus*](#) (F. Smith, 1856)
- [*Liris radialis*](#) (de Saussure, 1887)
- [*Liris radulinus*](#) Evans, 1972
- [*Liris reconditus*](#) (R. Turner, 1916)
- [*Liris regina*](#) (R. Turner, 1908)
- [*Liris retirugosus*](#) T. Li, Cai and Q. Li, 2009
- [*Liris robustoides*](#) (F. Williams, 1928)
- [*Liris robustus*](#) (F. Williams, 1928)
- [*Liris rohweri*](#) (F. Williams, 1928)
- [*Liris rubellus*](#) (F. Smith, 1856)
- [*Liris rubricatus*](#) (F. Smith, 1856)
- [*Liris rubripes*](#) Tsuneki, 1982
- [*Liris rufipennis*](#) Fabricius, 1804
- [*Liris rufitarsis*](#) (Cameron, 1900)
- [*Liris rufoscapus*](#) (Cameron, 1905)
- [*Liris rufula*](#) Simon Thomas, 1995
- [*Liris rugifer*](#) (R. Turner, 1918)
- [*Liris sabrinus*](#) (Leclercq, 1961)
- [*Liris sabulosus*](#) (F. Smith, 1863)
- [*Liris sagax*](#) Kohl, 1892
- [*Liris samoa*](#) Menke in R. Bohart and Menke, 1976
- [*Liris samoensis*](#) F. Williams, 1928
- [*Liris scabriusculus*](#) Arnold, 1945

- [*Liris semiappendiculatus*](#) (Cameron, 1912)
- [*Liris semicarinatus*](#) Tsuneki, 1976
- [*Liris senegalensis*](#) Simon Thomas, 1995
- [*Liris sepulchralis*](#) (Gerstaecker in Peters, 1858)
- [*Liris serenus*](#) (R. Turner, 1908)
- [*Liris sericosoma*](#) (R. Turner, 1913)
- [*Liris seychellensis*](#) (Cameron, 1907)
- [*Liris silvicola*](#) (F. Williams, 1928)
- [*Lirisimbang*](#) Tsuneki, 1983
- [*Liris similis*](#) Krombein and Shanks Gingras, 1984
- [*Liris simulatrix*](#) (Arnold, 1923)
- [*Liris smithi*](#) Tsuneki, 1976
- [*Liris solomonis*](#) Tsuneki, 1982
- [*Liris solstitialis*](#) (F. Smith, 1856)
- [*Liris sophiae*](#) Evans, 1972
- [*Liris spathulifer*](#) (R. Turner, 1916)
- [*Liris splendens*](#) (Ashmead, 1900)
- [*Liris strenuus*](#) (Cameron, 1905)
- [*Liris striaticollis*](#) (Cameron, 1903)
- [*Liris subfasciatus*](#) (Walker, 1871)
- [*Liris subpetiolatus*](#) (F. Smith, 1856)
- [*Liris subtessellatus*](#) (F. Smith, 1856)
- [*Liris sulcifrons*](#) (Cameron, 1905)
- [*Liris sumatrensis*](#) (Maidl, 1927)
- [*Liris surusumi*](#) Tsuneki, 1966
- [*Liris tachytoides*](#) Tsuneki, 1963
- [*Liris tanoi*](#) Tsuneki, 1974
- [*Liris tegularis*](#) (Cameron, 1902)
- [*Liris tenebrosus*](#) (F. Smith, 1873)
- [*Liris testaceicornis*](#) (Cameron, 1905)
- [*Liris thaianus*](#) Tsuneki, 1963
- [*Liris thysanomerus*](#) (Kohl, 1894)
- [*Liris tibicundus*](#) Tsuneki, 1982
- [*Liris tinctipennis*](#) (Cameron, 1889)
- [*Liris tisiphone*](#) (F. Smith, 1858)
- [*Liris townesi*](#) (Krombein, 1949)
- [*Liris transversus*](#) Cheesman, 1955
- [*Liris trifasciatus*](#) (F. Smith, 1856)
- [*Liris tristis*](#) (F. Smith, 1856)
- [*Liris trivittatus*](#) (W.F. Kirby, 1900)
- [*Liris tropicalis*](#) Arnold, 1960
- [*Liris turneri*](#) Tsuneki, 1976

- [*Liris ubatama*](#) Tsuneki, 1982
- [*Liris uelensis*](#) Benoit, 1951
- [*Liris umbripennis*](#) (Cameron, 1902)
- [*Liris utopicus*](#) (Leclercq, 1961)
- [*Liris vagans*](#) (Arnold, 1940)
- [*Liris varipilosus*](#) (Cameron, 1903)
- [*Liris vechti*](#) Sudheendrakumar and Narendran, 1985
- [*Liris vigilans*](#) (F. Smith, 1856)
- [*Liris vincenti*](#) Krombein and Shanks Gingras, 1984
- [*Liris violaceipennis*](#) Cameron, 1904
- [*Liris vivax*](#) (Cameron, 1905)
- [*Liris voeltzkowii*](#) (Kohl, 1909)
- [*Liris vollenhovius*](#) (Ritsema, 1874)
- [*Liris wheeleri*](#) Arnold, 1960
- [*Liris xanthopterus*](#) Arnold, 1945
- [*Liris xavieri*](#) Tsuneki, 1976
- [*Liris yanonis*](#) Tsuneki, 1983

This is a list of 413 species in [*Liriomyza*](#), a genus of leaf miner flies in the family [*Agromyzidae*](#).^[1]

***Liriomyza* species**

- [*Liriomyza abnormis*](#) Spencer, 1981^[2]
- [*Liriomyza acrostichalis*](#) Papp, 2017^[3]
- [*Liriomyza aculeolata*](#) Zlobin, 2002^[4]
- [*Liriomyza admiranda*](#) Spencer, 1981^[2]
- [*Liriomyza aestiva*](#) Zlobin, 1997^[5]
- [*Liriomyza agrios*](#) Lonsdale, 2017^[6]
- [*Liriomyza alaskensis*](#) Spencer, 1969^[7]
- [*Liriomyza albispina*](#) Lonsdale, 2017^[6]
- [*Liriomyza allia*](#) (Frost, 1943)^[8]
- [*Liriomyza alticola*](#) Singh & Ipe, 1973
- [*Liriomyza alyssi*](#) (Hering, 1960)^[9]
- [*Liriomyza amarellae*](#) Hering, 1963^[10]
- [*Liriomyza americana*](#) (Schiner, 1868)^[11]
- [*Liriomyza amoena*](#) (Meigen, 1830)^[12]
- [*Liriomyza anaphalidis*](#) Sasakawa, 1961^[13]
- [*Liriomyza anatolis*](#) Lonsdale, 2017^[6]
- [*Liriomyza andina*](#) (Malloch, 1934)^[14]
- [*Liriomyza andryalae*](#) Hering, 1927^[15]

- [*Liriomyza angulicornis* \(Malloch, 1918\)\[16\]](#)
- [*Liriomyza anthemidis* Pakalniškis, 1994](#)
- [*Liriomyza antipoda* Harrison, 1976](#)
- [*Liriomyza antiquaria* Spencer, 1977\[17\]](#)
- [*Liriomyza aphila* Lonsdale, 2017\[6\]](#)
- [*Liriomyza apilaca* Lonsdale, 2017\[6\]](#)
- [*Liriomyza aposeridis* Beiger, 1972\[18\]](#)
- [*Liriomyza approximata* \(Hendel, 1920\)\[19\]](#)
- [*Liriomyza apsara* Singh & Ipe, 1973](#)
- [*Liriomyza aquapolis* Lonsdale, 2017\[6\]](#)
- [*Liriomyza archboldi* Frost, 1962\[20\]](#)
- [*Liriomyza arctii* Spencer, 1969\[7\]](#)
- [*Liriomyza arenarium* Lonsdale, 2017\[6\]](#)
- [*Liriomyza arida* Korytkowski, 2014\[21\]](#)
- [*Liriomyza arnaudi* Spencer, 1981\[2\]](#)
- [*Liriomyza artemisiae* Spencer, 1981\[2\]](#)
- [*Liriomyza artemisicola* Meijere, 1924](#)
- [*Liriomyza asclepiadis* Spencer, 1969\[7\]](#)
- [*Liriomyza asphodeli* Spencer, 1957\[22\]](#)
- [*Liriomyza assimilis* \(Malloch, 1918\)\[16\]](#)
- [*Liriomyza asteriphila* Zlobin, 1996](#)
- [*Liriomyza asteris* Hering, 1928\[23\]](#)
- [*Liriomyza asterivora* Sasakawa, 1956\[24\]](#)
- [*Liriomyza aterrima* Pakalniškis, 1998](#)
- [*Liriomyza atrassimilis* Lonsdale, 2017\[6\]](#)
- [*Liriomyza avicenniae* Martinez & Etienne, 2002](#)
- [*Liriomyza baccharidis* Spencer, 1963\[25\]](#)
- [*Liriomyza balcanica* \(Strobl, 1898\)\[26\]](#)
- [*Liriomyza baptisiae* \(Frost, 1931\)\[27\]](#)
- [*Liriomyza barrocoloradensis* \(Frost, 1936\)\[28\]](#)
- [*Liriomyza bartaki* Cerný, 2007\[29\]](#)
- [*Liriomyza beata* Hendel, 1931\[30\]](#)
- [*Liriomyza beatitae* Tschirnhaus, 2017\[31\]](#)
- [*Liriomyza belcanicoides* Sehgal, 1971\[32\]](#)
- [*Liriomyza bella* Spencer, 1981\[2\]](#)
- [*Liriomyza bellissima* \(Spencer, 1969\)\[7\]](#)
- [*Liriomyza bessarabica* Hering, 1941\[33\]](#)
- [*Liriomyza bharati* Singh & Ipe, 1973](#)
- [*Liriomyza bicolumbis* Lonsdale, 2017\[6\]](#)
- [*Liriomyza biensis* Boucher, 2014\[34\]](#)
- [*Liriomyza biformata* \(Becker, 1919\)\[35\]](#)
- [*Liriomyza bifurcata* Sehgal, 1971\[32\]](#)

- [*Liriomyza bispinosa*](#) Sasakawa, 1992[36]
- [*Liriomyza bispinula*](#) Lonsdale, 2011[37]
- [*Liriomyza bituberculata*](#) Sasakawa, 1994[38]
- [*Liriomyza blechi*](#) Spencer, 1973[39]
- [*Liriomyza bogotensis*](#) Arevalo, 1993
- [*Liriomyza borealis*](#) (Malloch, 1913)[40]
- [*Liriomyza brassicae*](#) (Riley, 1885)[41]
- [*Liriomyza braziliae*](#) Spencer, 1963[25]
- [*Liriomyza brunnifrons*](#) (Malloch, 1914)[42]
- [*Liriomyza bryoniae*](#) (Kaltenbach, 1858)[43]
- [*Liriomyza buhri*](#) Hering, 1937
- [*Liriomyza bulbata*](#) Hendel, 1931[30]
- [*Liriomyza bulbipalpis*](#) Tschirnhaus, 1992
- [*Liriomyza bulgarica*](#) Beiger, 1979[44]
- [*Liriomyza bulnesiae*](#) Spencer, 1963[25]
- [*Liriomyza caesalpiniae*](#) Valladares, 1991
- [*Liriomyza californiensis*](#) Spencer, 1981[2]
- [*Liriomyza canescens*](#) Spencer, 1976[45]
- [*Liriomyza cannabis*](#) Hendel, 1931[30]
- [*Liriomyza cardamines*](#) Sasakawa, 1954[46]
- [*Liriomyza cassiniae*](#) Spencer, 1977[47]
- [*Liriomyza caulophaga*](#) (Kleinschmidt, 1960)
- [*Liriomyza cekalovici*](#) Spencer, 1982[48]
- [*Liriomyza centaureae*](#) Hering, 1927[49]
- [*Liriomyza cepae*](#) (Hering, 1927)[50]
- [*Liriomyza certosa*](#) Spencer, 1961[51]
- [*Liriomyza cestri*](#) Spencer, 1982[48]
- [*Liriomyza charada*](#) Lonsdale, 2017[6]
- [*Liriomyza chemsaki*](#) Spencer, 1981[2]
- [*Liriomyza chilensis*](#) (Malloch, 1934)[14]
- [*Liriomyza chinensis*](#) (Kato, 1949)
- [*Liriomyza chlamydata*](#) (Melander, 1913)[52]
- [*Liriomyza cicerina*](#) (Rondani, 1874)[53]
- [*Liriomyza cilicornis*](#) Hendel, 1931[30]
- [*Liriomyza cirriformis*](#) Arevalo, 1993
- [*Liriomyza citreifemorata*](#) (Watt, 1923)
- [*Liriomyza clarae*](#) Beiger, 1972[54]
- [*Liriomyza clianthi*](#) (Watt, 1923)
- [*Liriomyza cocculi*](#) (Frick, 1953)[55]
- [*Liriomyza colombiella*](#) Spencer, 1984[56]
- [*Liriomyza commelinae*](#) (Frost, 1931)[57]
- [*Liriomyza concepcionensis*](#) Spencer, 1982[48]

- [*Liriomyza conclavis*](#) Lonsdale, 2011[37]
- [*Liriomyza congesta*](#) (Becker, 1903)[58]
- [*Liriomyza cordillerana*](#) Sehgal, 1968[59]
- [*Liriomyza coronillae*](#) Pakalniškis, 1994
- [*Liriomyza cortesi*](#) Spencer, 1982[48]
- [*Liriomyza costaricana*](#) Spencer, 1983[60]
- [*Liriomyza cracentis*](#) Lonsdale, 2017[6]
- [*Liriomyza craspediae*](#) Spencer, 1976[61]
- [*Liriomyza cruciferarum*](#) Hering, 1927[15]
- [*Liriomyza cunicularia*](#) Lonsdale, 2011[37]
- [*Liriomyza cyclaminis*](#) Süss, 1987
- [*Liriomyza debilis*](#) Sasakawa, 1956[24]
- [*Liriomyza decempunctata*](#) Sasakawa, 1961[13]
- [*Liriomyza deceptiva*](#) (Malloch, 1918)[16]
- [*Liriomyza deficiens*](#) Hendel, 1931[30]
- [*Liriomyza demeijerei*](#) Hering, 1930[62]
- [*Liriomyza dendranthema*](#) Nowakowski, 1975
- [*Liriomyza denudata*](#) Spencer, 1981[2]
- [*Liriomyza dianthicola*](#) (Venturi, 1949)
- [*Liriomyza diminuella*](#) (Spencer, 1961)[63]
- [*Liriomyza discalis*](#) (Malloch, 1913)[40]
- [*Liriomyza domestica*](#) Garg, 1971[64]
- [*Liriomyza dracunculi*](#) Hering, 1932[65]
- [*Liriomyza eboni*](#) Spencer, 1969[7]
- [*Liriomyza edmontonensis*](#) Spencer, 1969[7]
- [*Liriomyza electa*](#) Spencer, 1977[47]
- [*Liriomyza elevaster*](#) Lonsdale, 2017[6]
- [*Liriomyza elevata*](#) Spencer, 1986[66]
- [*Liriomyza elquensis*](#) Spencer, 1982[48]
- [*Liriomyza emaciata*](#) Lonsdale, 2017[6]
- [*Liriomyza emiliae*](#) Séguy, 1951[67]
- [*Liriomyza endiviae*](#) Hering, 1955[68]
- [*Liriomyza equiseti*](#) Meijere, 1924
- [*Liriomyza erucifolii*](#) Meijere, 1943
- [*Liriomyza eupatoriana*](#) Spencer, 1954[69]
- [*Liriomyza eupatoriella*](#) Spencer, 1986[66]
- [*Liriomyza eupatorii*](#) (Kaltenbach, 1874)[70]
- [*Liriomyza euphorbiae*](#) Martinez & Sobhian, 1999
- [*Liriomyza euphorbiana*](#) Hendel, 1931[30]
- [*Liriomyza euphorbivora*](#) Eiseman & Lonsdale, 2021[71]
- [*Liriomyza europaea*](#) Zlobin, 2002[4]
- [*Liriomyza fasciola*](#) (Meigen, 1838)[72]

- [*Liriomyza fasciventris*](#) (Becker, 1907)[73]
- [*Liriomyza flavalis*](#) Spencer, 1959[74]
- [*Liriomyza flaveola*](#) (Fallén, 1823)[75]
- [*Liriomyza flaviantennata*](#) (Spencer, 1966)[76]
- [*Liriomyza flavicola*](#) Spencer, 1981[2]
- [*Liriomyza flavocentralis*](#) (Watt, 1923)
- [*Liriomyza flavolateralis*](#) (Watt, 1923)
- [*Liriomyza flavonigra*](#) (Coquillett, 1902)[77]
- [*Liriomyza flavopicta*](#) Hendel, 1931[30]
- [*Liriomyza freidbergi*](#) Spencer, 1974[78]
- [*Liriomyza freyella*](#) Spencer, 1976[45]
- [*Liriomyza frickella*](#) Spencer, 1981[2]
- [*Liriomyza fricki*](#) Spencer, 1965[79]
- [*Liriomyza frigida*](#) Spencer, 1981[2]
- [*Liriomyza frommeri*](#) Spencer, 1981[2]
- [*Liriomyza frontella*](#) (Malloch, 1914)[42]
- [*Liriomyza fumeola*](#) Lonsdale, 2017[6]
- [*Liriomyza furva*](#) Spencer, 1976[45]
- [*Liriomyza galiivora*](#) (Spencer, 1969)[7]
- [*Liriomyza gayi*](#) (Porter, 1915)
- [*Liriomyza geniculata*](#) Sasakawa, 1992[36]
- [*Liriomyza gibsoni*](#) Lonsdale, 2017[6]
- [*Liriomyza globulariae*](#) Hendel, 1931[30]
- [*Liriomyza graminacea*](#) Spencer, 1981[2]
- [*Liriomyza graminivora*](#) Hering, 1949[80]
- [*Liriomyza grandis*](#) Spencer, 1963[25]
- [*Liriomyza griffithsi*](#) Lonsdale, 2017[6]
- [*Liriomyza groschkei*](#) Hering, 1956[81]
- [*Liriomyza guadeloupensis*](#) Martinez, 1992[82]
- [*Liriomyza gudmanni*](#) Hering, 1928[23]
- [*Liriomyza hampsteadensis*](#) Spencer, 1971[83]
- [*Liriomyza haploneura*](#) Hendel, 1931[30]
- [*Liriomyza hebae*](#) Spencer, 1976[61]
- [*Liriomyza helenii*](#) Spencer, 1981[2]
- [*Liriomyza helianthi*](#) Spencer, 1981[2]
- [*Liriomyza helichrysi*](#) Spencer, 1963[84]
- [*Liriomyza helichrysivora*](#) Spencer, 1965[85]
- [*Liriomyza hemerocallis*](#) Iwasaki, 1993
- [*Liriomyza heringi*](#) Nowakowski, 1961
- [*Liriomyza herrerae*](#) Spencer, 1984[56]
- [*Liriomyza hieracii*](#) (Kaltenbach, 1862)[86]
- [*Liriomyza hieracivora*](#) Spencer, 1971[87]

- [*Liriomyza hilairensis*](#) Lonsdale, 2017[6]
- [*Liriomyza himalayana*](#) Garg, 1971[64]
- [*Liriomyza homeri*](#) Spencer, 1976[61]
- [*Liriomyza hordei*](#) Spencer, 1984[56]
- [*Liriomyza huidobrensis*](#) (Blanchard, 1926)[88]
- [*Liriomyza hypopolymnia*](#) Eiseman & Lonsdale, 2021[71]
- [*Liriomyza impolita*](#) Spencer, 1977[47]
- [*Liriomyza imurai*](#) Sasakawa, 1993[89]
- [*Liriomyza inca*](#) Korytkowski, 2014[21]
- [*Liriomyza infusata*](#) Hering, 1926[90]
- [*Liriomyza inopinata*](#) Spencer, 1977[47]
- [*Liriomyza insignis*](#) Spencer, 1963[25]
- [*Liriomyza inti*](#) Korytkowski, 2014[21]
- [*Liriomyza intonsa*](#) Spencer, 1976[45]
- [*Liriomyza irazui*](#) Spencer, 1983[60]
- [*Liriomyza irwini*](#) Sasakawa, 1992[36]
- [*Liriomyza ivanauskasi*](#) Pakalniškis, 1998
- [*Liriomyza ivorcutleri*](#) Eiseman & Lonsdale, 2018[91]
- [*Liriomyza jezoensis*](#) Sasakawa, 1961[13]
- [*Liriomyza katoi*](#) Sasakawa, 1961[13]
- [*Liriomyza kenti*](#) Spencer, 1969[7]
- [*Liriomyza kerteszi*](#) Papp, 2017[3]
- [*Liriomyza khekhtsirica*](#) Zlobin, 2002[4]
- [*Liriomyza kleiniae*](#) Hering, 1927[15]
- [*Liriomyza korytkowskii*](#) Tschirnhaus, 2017[31]
- [*Liriomyza kovalevi*](#) Zlobin, 1998
- [*Liriomyza kumaonensis*](#) Garg, 1971[64]
- [*Liriomyza kuscheli*](#) Spencer, 1964[92]
- [*Liriomyza labanoro*](#) Pakalniškis, 1992
- [*Liriomyza lacertella*](#) (Rondani, 1875)[93]
- [*Liriomyza lacunosa*](#) (Spencer, 1977)[47]
- [*Liriomyza langei*](#) Frick, 1951[94]
- [*Liriomyza languida*](#) Spencer, 1977[47]
- [*Liriomyza lathyri*](#) Sehgal, 1971[32]
- [*Liriomyza lathyroides*](#) (Spencer, 1981)[2]
- [*Liriomyza latigenis*](#) (Hendel, 1920)[19]
- [*Liriomyza latipalpis*](#) Hendel, 1920[19]
- [*Liriomyza lepida*](#) Spencer, 1977[47]
- [*Liriomyza lepidii*](#) Harrison, 1976
- [*Liriomyza lesinensis*](#) Hering, 1967[95]
- [*Liriomyza lima*](#) (Melander, 1913)[52]
- [*Liriomyza limopsis*](#) Lonsdale, 2017[6]

- [*Liriomyza limpida*](#) Hering, 1933[96]
- [*Liriomyza litorea*](#) Shiao & Wu, 1995
- [*Liriomyza lituanica*](#) Pakalniškis, 1992
- [*Liriomyza lolii*](#) Spencer, 1982[48]
- [*Liriomyza lupinella*](#) Spencer, 1981[2]
- [*Liriomyza lupini*](#) Spencer, 1981[2]
- [*Liriomyza lupiniphaga*](#) Spencer, 1981[2]
- [*Liriomyza lusatiensis*](#) Hering, 1956[97]
- [*Liriomyza lutea*](#) (Meigen, 1830)[12]
- [*Liriomyza maai*](#) Sasakawa, 2008[98]
- [*Liriomyza madridensis*](#) Spencer, 1984[56]
- [*Liriomyza maipuensis*](#) Sasakawa, 1994[38]
- [*Liriomyza manii*](#) Singh & Ipe, 1973
- [*Liriomyza manni*](#) Spencer, 1985
- [*Liriomyza marginalis*](#) (Malloch, 1913)[40]
- [*Liriomyza mariaecamillae*](#) Arevalo, 1993
- [*Liriomyza mediterranea*](#) Hendel, 1931[30]
- [*Liriomyza melantherae*](#) Spencer, 1959[74]
- [*Liriomyza melitensis*](#) Spencer, 1973[99]
- [*Liriomyza menthavora*](#) Arevalo, 1993
- [*Liriomyza meracula*](#) Spencer, 1977[47]
- [*Liriomyza merga*](#) Lonsdale, 2011[37]
- [*Liriomyza mesocanadensis*](#) Lonsdale, 2017[6]
- [*Liriomyza michaeli*](#) Papp, 2017[3]
- [*Liriomyza microglossae*](#) Spencer, 1963[25]
- [*Liriomyza mikaniopsidis*](#) Spencer, 1961[100]
- [*Liriomyza mikanivora*](#) Spencer, 1973[101]
- [*Liriomyza minor*](#) Spencer, 1981[2]
- [*Liriomyza mirifica*](#) Spencer, 1963[102]
- [*Liriomyza miserabilis*](#) Lonsdale, 2011[37]
- [*Liriomyza monoensis*](#) Spencer, 1981[2]
- [*Liriomyza montana*](#) Sehgal, 1968[59]
- [*Liriomyza montella*](#) Spencer, 1986[66]
- [*Liriomyza montis*](#) Spencer, 1986[66]
- [*Liriomyza montserratensis*](#) Spencer, 1984[56]
- [*Liriomyza mosquerensis*](#) Arevalo, 1993
- [*Liriomyza mosselensis*](#) Spencer, 1965[85]
- [*Liriomyza muranica*](#) Cerný, 2012[103]
- [*Liriomyza myrsinitae*](#) Hering, 1957[104]
- [*Liriomyza mystica*](#) Boucher & Nishida, 2014[105]
- [*Liriomyza nana*](#) Spencer, 1965[85]
- [*Liriomyza nares*](#) Boucher & Wheeler, 2001[106]

- [*Liriomyza navarinensis*](#) Spencer, 1982[48]
- [*Liriomyza nebulosa*](#) Lonsdale, 2011[37]
- [*Liriomyza nietzkei*](#) Spencer, 1973[107]
- [*Liriomyza nigra*](#) Spencer, 1984[56]
- [*Liriomyza nigriscutellata*](#) Spencer, 1981[2]
- [*Liriomyza nigrissima*](#) Spencer, 1981[2]
- [*Liriomyza nordica*](#) Spencer, 1969[7]
- [*Liriomyza novissima*](#) Spencer, 1960[108]
- [*Liriomyza obliqua*](#) Hendel, 1931[30]
- [*Liriomyza obscurata*](#) Spencer, 1963[84]
- [*Liriomyza occipitalis*](#) Hendel, 1931[30]
- [*Liriomyza okrae*](#) Sousa & Couri, 2018[109]
- [*Liriomyza oldenbergi*](#) Hering, 1933[96]
- [*Liriomyza oleariae*](#) Spencer, 1976[61]
- [*Liriomyza oleariana*](#) Spencer, 1977[47]
- [*Liriomyza orbona*](#) (Meigen, 1830)[12]
- [*Liriomyza orilliensis*](#) Spencer, 1969[7]
- [*Liriomyza ornatipennata*](#) Korytkowski, 2014[21]
- [*Liriomyza ortizi*](#) Korytkowski, 2014[21]
- [*Liriomyza pagana*](#) (Malloch, 1934)[14]
- [*Liriomyza palauensis*](#) Spencer, 1963[110]
- [*Liriomyza parabella*](#) Lonsdale, 2011[37]
- [*Liriomyza paradigma*](#) Hering, 1936[111]
- [*Liriomyza parapuella*](#) Papp, 2017[3]
- [*Liriomyza pascuum*](#) (Meigen, 1838)[72]
- [*Liriomyza patagonica*](#) (Malloch, 1934)[14]
- [*Liriomyza patagoniensis*](#) Spencer, 1982[48]
- [*Liriomyza paumensis*](#) Spencer, 1981[2]
- [*Liriomyza pechumani*](#) Spencer, 1986[66]
- [*Liriomyza pectinimentula*](#) Sasakawa, 2005[112]
- [*Liriomyza peleensis*](#) Spencer, 1969[7]
- [*Liriomyza penella*](#) Spencer, 1982[48]
- [*Liriomyza penita*](#) Spencer, 1976[61]
- [*Liriomyza pereziae*](#) Hering, 1963[10]
- [*Liriomyza periorbita*](#) Hendel, 1931[30]
- [*Liriomyza persica*](#) Griffiths, 1963[113]
- [*Liriomyza peruensis*](#) Zlobin, 2001[114]
- [*Liriomyza peruviana*](#) Korytkowski, 2014[21]
- [*Liriomyza peullae*](#) (Malloch, 1934)[14]
- [*Liriomyza philadelphi*](#) Sasakawa, 1961[13]
- [*Liriomyza philadelphivora*](#) Spencer, 1969[7]
- [*Liriomyza phryne*](#) Hendel, 1931[30]

- [*Liriomyza phyllodes*](#) Lonsdale, 2011[37]
- [*Liriomyza pictella*](#) (Thomson, 1869)[115]
- [*Liriomyza pilicornis*](#) Lonsdale, 2017[6]
- [*Liriomyza pilosa*](#) Spencer, 1969[7]
- [*Liriomyza pirinensis*](#) Cerný, Barták, Kubík & Vála, 2022[116]
- [*Liriomyza pisivora*](#) Hering, 1957[104]
- [*Liriomyza pistilla*](#) Lonsdale, 2017[6]
- [*Liriomyza plantaginella*](#) Spencer, 1976[61]
- [*Liriomyza politella*](#) (Malloch, 1934)[14]
- [*Liriomyza polygalae*](#) Hering, 1927[49]
- [*Liriomyza praeusta*](#) Sasakawa, 1961[13]
- [*Liriomyza primitiva*](#) Spencer, 1977[47]
- [*Liriomyza projecta*](#) Lonsdale, 2011[37]
- [*Liriomyza prompta*](#) Boucher & Nishida, 2014[105]
- [*Liriomyza prostrata*](#) (Sasakawa, 1963)
- [*Liriomyza pseudopygmina*](#) (Hering, 1933)[96]
- [*Liriomyza ptarmicae*](#) Meijere, 1925
- [*Liriomyza puella*](#) (Meigen, 1830)[12]
- [*Liriomyza pulchella*](#) Sasakawa, 1961[13]
- [*Liriomyza pulloides*](#) Spencer, 1986[66]
- [*Liriomyza pusilla*](#) (Meigen, 1830)[12]
- [*Liriomyza pusio*](#) (Meigen, 1830)[12]
- [*Liriomyza quadrisetosa*](#) (Malloch, 1913)[40]
- [*Liriomyza quichuana*](#) Korytkowski, 2014[21]
- [*Liriomyza quiquestata*](#) Sasakawa, 1994[38]
- [*Liriomyza ranunculoides*](#) Spencer, 1969[7]
- [*Liriomyza richteri*](#) Hering, 1927[117]
- [*Liriomyza rigaudensis*](#) Lonsdale, 2017[6]
- [*Liriomyza robustae*](#) Spencer, 1984[56]
- [*Liriomyza rotundiphallus*](#) Papp, 2017[3]
- [*Liriomyza sabaziae*](#) Spencer, 1963[25]
- [*Liriomyza salpingion*](#) Lonsdale, 2011[37]
- [*Liriomyza santafecina*](#) Arevalo, 1993
- [*Liriomyza sativae*](#) Blanchard, 1938[118]
- [*Liriomyza scaevolae*](#) Spencer, 1977[47]
- [*Liriomyza schlingeri*](#) Spencer, 1981[2]
- [*Liriomyza schmidtii*](#) (Aldrich, 1929)[119]
- [*Liriomyza schmidtiana*](#) Spencer, 1973[120]
- [*Liriomyza schwabeii*](#) Spencer, 1963[25]
- [*Liriomyza scorzonerae*](#) Rydén, 1951
- [*Liriomyza securicornis*](#) Sasakawa, 1961[13]
- [*Liriomyza seneciella*](#) Spencer, 1963[25]

- [*Liriomyza senecionivora*](#) Sehgal, 1971[32]
- [*Liriomyza septentrionalis*](#) Sehgal, 1968[59]
- [*Liriomyza serrana*](#) Korytkowski, 2014[21]
- [*Liriomyza serriolae*](#) Hering, 1955[68]
- [*Liriomyza setistylus*](#) Papp, 2017[3]
- [*Liriomyza similis*](#) Spencer, 1981[2]
- [*Liriomyza simulator*](#) (Malloch, 1934)[14]
- [*Liriomyza singula*](#) Spencer, 1969[7]
- [*Liriomyza sinuata*](#) Sehgal, 1971[32]
- [*Liriomyza smilacinae*](#) Spencer, 1969[7]
- [*Liriomyza socialis*](#) Spencer, 1969[7]
- [*Liriomyza solanita*](#) Spencer, 1963[25]
- [*Liriomyza solanivora*](#) Spencer, 1973[101]
- [*Liriomyza solivaga*](#) Spencer, 1971[83]
- [*Liriomyza sonchi*](#) Hendel, 1931[30]
- [*Liriomyza soror*](#) Hendel, 1931[30]
- [*Liriomyza sorosis*](#) (Williston, 1896)[121]
- [*Liriomyza specifica*](#) Spencer, 1981[2]
- [*Liriomyza spencerella*](#) Valladares, 1985
- [*Liriomyza splendens*](#) Spencer, 1986[66]
- [*Liriomyza stachyos*](#) Spencer, 1981[2]
- [*Liriomyza strigata*](#) (Meigen, 1830)[12]
- [*Liriomyza strigosa*](#) Spencer, 1963[25]
- [*Liriomyza strumosa*](#) Sasakawa, 2008[98]
- [*Liriomyza subachoquensis*](#) Arevalo, 1993
- [*Liriomyza subartemisicola*](#) Frey, 1945
- [*Liriomyza subasclepiadis*](#) Spencer, 1986[66]
- [*Liriomyza subflavopicta*](#) Sasakawa, 1998
- [*Liriomyza subinsignis*](#) Spencer, 1982[48]
- [*Liriomyza subobliqua*](#) Hendel, 1931[30]
- [*Liriomyza subpusilla*](#) (Malloch, 1914)[42]
- [*Liriomyza subsativae*](#) Sasakawa, 1992
- [*Liriomyza subvirgo*](#) Rohdendorf-Holmanova, 1960
- [*Liriomyza suecica*](#) Rydén, 1956
- [*Liriomyza sylvatica*](#) Sehgal, 1971[32]
- [*Liriomyza synedrellae*](#) Martinez, 1992[82]
- [*Liriomyza tanacetii*](#) Meijere, 1924
- [*Liriomyza taraxaci*](#) Hering, 1927[49]
- [*Liriomyza taraxanox*](#) Lonsdale, 2017[6]
- [*Liriomyza taraxanuda*](#) Lonsdale, 2017[6]
- [*Liriomyza taurica*](#) Zlobin, 2002[4]
- [*Liriomyza temperata*](#) Spencer, 1986[66]

- [*Liriomyza tenera*](#) Spencer, 1977[47]
- [*Liriomyza tequendamae*](#) (Spencer, 1963)[25]
- [*Liriomyza tetrachaeta*](#) Zlobin, 2002[4]
- [*Liriomyza texella*](#) Spencer, 1986[66]
- [*Liriomyza thalhammeri*](#) Cerný, 2017[3]
- [*Liriomyza thalictri*](#) Hering, 1932[122]
- [*Liriomyza thesii*](#) Hering, 1924[123]
- [*Liriomyza tibidabensis*](#) Spencer, 1966[124]
- [*Liriomyza togata*](#) (Melander, 1913)[52]
- [*Liriomyza tragopogonis*](#) Meijere, 1928
- [*Liriomyza tricornis*](#) Lonsdale, 2011[37]
- [*Liriomyza trifoliarum*](#) Spencer, 1973[39]
- [*Liriomyza trifolii*](#) (Burgess, 1880)[125]
- [*Liriomyza trivialis*](#) Spencer, 1973[101]
- [*Liriomyza trixivora*](#) Lonsdale, 2011[37]
- [*Liriomyza tropaeoli*](#) Guglya, 2021[126]
- [*Liriomyza tryssos*](#) Lonsdale, 2017[6]
- [*Liriomyza tubifer*](#) (Melander, 1913)[52]
- [*Liriomyza tubula*](#) Spencer, 1981[2]
- [*Liriomyza tumbrensis*](#) Spencer, 1982[48]
- [*Liriomyza umbilici*](#) Hering, 1927[15]
- [*Liriomyza umbrina*](#) (Watt, 1923)
- [*Liriomyza umbrinella*](#) (Watt, 1923)
- [*Liriomyza umbrosa*](#) (Watt, 1923)
- [*Liriomyza undulatimentula*](#) Sasakawa, 1992[36]
- [*Liriomyza urophorina*](#) Mik, 1894[127]
- [*Liriomyza urticae*](#) (Watt, 1924)
- [*Liriomyza valerianae*](#) Hendel, 1932[128]
- [*Liriomyza valerianellae*](#) Hering, 1957[104]
- [*Liriomyza valerianivora*](#) Eiseman & Lonsdale, 2018[91]
- [*Liriomyza valladaresae*](#) Carvalho-Filho, Almeida & Esposito, 2016[129]
- [*Liriomyza variata*](#) (Malloch, 1913)[40]
- [*Liriomyza veluta*](#) Spencer, 1969[7]
- [*Liriomyza venegasiae*](#) Spencer, 1981[2]
- [*Liriomyza venturensis*](#) Spencer, 1981[2]
- [*Liriomyza vicina*](#) Spencer, 1976[61]
- [*Liriomyza vicunella*](#) Spencer, 1982[48]
- [*Liriomyza violicaulis*](#) Hering, 1962[130]
- [*Liriomyza violiphaga*](#) Hendel, 1932[128]
- [*Liriomyza violivora*](#) (Spencer, 1986)[66]
- [*Liriomyza virgo*](#) (Zetterstedt, 1837)[131]
- [*Liriomyza virgula*](#) Frey, 1946[132]

- [*Liriomyza viticola*](#) (Sasakawa, 1972)
- [*Liriomyza vitrimentula*](#) Sasakawa, 1994[133]
- [*Liriomyza volatilis*](#) Spencer, 1965[85]
- [*Liriomyza vulcanica*](#) Zlobin, 1997[5]
- [*Liriomyza wachtlii*](#) Hendel, 1920[19]
- [*Liriomyza wahlenbergiae*](#) Spencer, 1976[61]
- [*Liriomyza watti*](#) Spencer, 1976[61]
- [*Liriomyza xanthocera*](#) (Czerny, 1909)[134]
- [*Liriomyza yasumatsui*](#) Sasakawa, 1972
- [*Liriomyza zinniae*](#) Spencer, 1981[2]

This is a list of 436 species in [*Limonia*](#), a genus of limoniid crane flies in the family [*Limoniidae*](#). [1][2][3][4]

***Limonia* species**

- [*Limonia acaenophora*](#) Alexander, 1978 ^{c g}
- [*Limonia acerba*](#) Alexander, 1943 ⁱ
- [*Limonia achates*](#) Alexander, 1972 ^{c g}
- [*Limonia acinacis*](#) Alexander, 1965 ^{c g}
- [*Limonia acinomeca*](#) Alexander, 1968 ⁱ
- [*Limonia acutissima*](#) Alexander, 1968 ^{c g}
- [*Limonia adirondacensis*](#) (Alexander, 1922) ⁱ
- [*Limonia advena*](#) Alexander ^{i g}
- [*Limonia affinis*](#) (Zetterstedt, 1838) ^w
- [*Limonia alascaensis*](#) (Alexander, 1919) ⁱ
- [*Limonia albifrons*](#) (Meigen, 1818) ^{c g}
- [*Limonia albipes*](#) (Senior-White, 1924) ^{c g}
- [*Limonia alboangusta*](#) Alexander, 1972 ^{c g}
- [*Limonia alienata*](#) Alexander, 1948 ^{c g}
- [*Limonia alopecura*](#) Alexander, 1935 ^{c g}
- [*Limonia alpicola*](#) (Lackschewitz, 1928) ^w
- [*Limonia amabilis amabilis*](#) Alexander, 1924 ^w
- [*Limonia amabilis antistes*](#) Alexander, 1938 ^w
- [*Limonia amabilis*](#) Alexander, 1924 ^{c g}
- [*Limonia amblymera*](#) Alexander, 1967 ^{c g}
- [*Limonia amicula*](#) (Alexander, 1921) ^{c g}

- [Limonia analis](#) (Meigen, 1818) ^w
- [Limonia angulosa](#) Alexander, 1966 ^{c g}
- [Limonia annulata](#) Linnaeus, 1758 ^{i c g b}
- [Limonia annulus](#) (Meigen) ⁱ
- [Limonia anteapicalis](#) Alexander, 1946 ⁱ
- [Limonia anteterminalis](#) Alexander, 1965 ^{c g}
- [Limonia anthracina](#) (Alexander, 1922) ^c
- [Limonia apicalis](#) ^g
- [Limonia apicata](#) (Alexander) ^{i g}
- [Limonia apiceglabra](#) Alexander, 1968 ⁱ
- [Limonia aquilina](#) Stary, 1984 ^{c g}
- [Limonia aquita](#) (Dietz, 1915) ⁱ
- [Limonia argenteceps](#) (Alexander, 1912) ⁱ
- [Limonia argopoda](#) Alexander, 1960 ^{c g}
- [Limonia arthritica](#) Alexander, 1936 ^{c g}
- [Limonia atayal](#) Alexander, 1929 ^g
- [Limonia athabasca](#) (Alexander, 1927) ⁱ
- [Limonia atnitta](#) Theischinger, 1994 ^{c g}
- [Limonia atridorsum](#) (Alexander, 1920) ^{c g}
- [Limonia atrisoma](#) Alexander, 1940 ^{c g}
- [Limonia atroaurata](#) Alexander, 1931 ^{c g}
- [Limonia atwatye](#) Theischinger, 2000 ^{c g}
- [Limonia aureolenta](#) Alexander, 1948 ^{c g}
- [Limonia ayodhya](#) Alexander, 1966 ^{c g}
- [Limonia badia](#) (Walker, 1848) ^{i c g}
- [Limonia bagobo](#) Alexander, 1931 ^{c g}
- [Limonia bidens](#) Savchenko, 1979 ^{c g}
- [Limonia bifaria](#) Alexander, 1965 ^{c g}
- [Limonia bilan](#) Alexander, 1931 ^{c g}
- [Limonia bilobulifera](#) Alexander, 1931 ^{c g}
- [Limonia bipendula](#) Alexander, 1978 ^{c g}
- [Limonia bistigma](#) (Coquillett, 1905) ^{i c g}
- [Limonia borealis](#) (Doane, 1900) ^{i c g}
- [Limonia bougainvilleana](#) Alexander, 1971 ^{c g}
- [Limonia brachylabis](#) Alexander, 1965 ^{c g}
- [Limonia brevivena](#) (Osten Sacken, 1969) ⁱ

- [*Limonia brevivenula* Alexander, 1929](#) ⁱ
- [*Limonia brunettiella* Alexander, 1929](#) ^{c g}
- [*Limonia brunnea* \(Doane, 1900\)](#) ^{i g}
- [*Limonia bryaniana* Alexander, 1929](#) ^{c g}
- [*Limonia bryanti* \(Johnson, 1909\)](#) ⁱ
- [*Limonia cairnensis* \(Alexander, 1921\)](#) ^c
- [*Limonia calcarifera* Alexander, 1936](#) ^{c g}
- [*Limonia californica* \(Osten Sacken, 1861\)](#) ⁱ
- [*Limonia canadensis* \(Westwood, 1835\)](#) ⁱ
- [*Limonia catalinae* Alexander, 1944](#) ⁱ
- [*Limonia caucasica* Lackschewitz, 1940](#) ^{c g}
- [*Limonia cervina* \(Doane, 1908\)](#) ⁱ
- [*Limonia chaseni* Edwards, 1933](#) ^{c g}
- [*Limonia chillcotti* Alexander, 1968](#) ⁱ
- [*Limonia chorea* \(Meigen, 1818\)](#) ⁱ
- [*Limonia cinctipes* Say](#) ^{i b}
- [*Limonia cinctiventris* \(Brunetti, 1912\)](#) ^{c g}
- [*Limonia citrina* \(Doane, 1900\)](#) ⁱ
- [*Limonia citrofocalis* \(Edwards, 1926\)](#) ^{c g}
- [*Limonia clitelligera* Alexander, 1929](#) ^g
- [*Limonia commelina* Alexander, 1946](#) ⁱ
- [*Limonia communis* \(Osten Sacken, 1859\)](#) ^{i b}
- [*Limonia confinis* \(Brunetti, 1918\)](#) ^w
- [*Limonia congesta* Alexander, 1967](#) ^{c g}
- [*Limonia costalis* \(Wiedemann, 1824\)](#) ^{c g}
- [*Limonia cramptoniana* Alexander, 1929](#) ^{i g}
- [*Limonia ctenopyga* Alexander, 1943](#) ⁱ
- [*Limonia dactylolabis* \(Alexander, 1921\)](#) ^{c g}
- [*Limonia dampfi* \(Alexander, 1925\)](#) ^{i g}
- [*Limonia deceptor* Alexander, 1956](#) ^{c g}
- [*Limonia decurvans* Alexander, 1959](#) ^{c g}
- [*Limonia defuncta* \(Osten Sacken, 1859\)](#) ⁱ
- [*Limonia desiderata* Alexander, 1932](#) ^{c g}
- [*Limonia devata* Alexander, 1965](#) ^{c g}
- [*Limonia dietziana* Alexander, 1927](#) ⁱ
- [*Limonia dilutior* \(Edwards, 1921\)](#) ^{c g}

- [Limonia dilutissima](#) [Alexander](#), 1933 ^{c g}
- [Limonia dipinax](#) [Alexander](#), 1948 ^{c g}
- [Limonia distans](#) (Psten Sacken, 1859) ⁱ
- [Limonia distincta](#) (Doane, 1900) ⁱ
- [Limonia distivena](#) [Alexander](#), 1935 ^{c g}
- [Limonia diversoides](#) (Dietz, 1921) ^{i g}
- [Limonia divisa](#) [Alexander](#), 1929 ⁱ
- [Limonia domestica](#) [Osten Sacken](#), 1859 ^{i g b}
- [Limonia dreisbachi](#) [Alexander](#), 1965 ⁱ
- [Limonia duplicata](#) (Doane, 1900) ^{i b}
- [Limonia ectopa](#) [Alexander](#), 1967 ^{c g}
- [Limonia edax](#) [Alexander](#), 1961 ^{c g}
- [Limonia edura](#) [Alexander](#), 1935 ^{c g}
- [Limonia egesta](#) [Alexander](#), 1948 ^{c g}
- [Limonia elephantella](#) [Alexander](#), 1972 ^{c g}
- [Limonia elephantina](#) [Alexander](#), 1940 ^{c g}
- [Limonia enormis](#) [Sary](#), 2017 ^w
- [Limonia eos](#) [Sary and Savchenko](#), 1976 ^{c g}
- [Limonia episema](#) [Alexander](#), 1924 ^{c g}
- [Limonia erugata](#) [Alexander](#), 1978 ^{c g}
- [Limonia esakii](#) ([Alexander](#), 1922) ^c
- [Limonia evittata](#) ([Edwards](#), 1926) ^{c g}
- [Limonia exosa](#) [Alexander](#), 1930 ^w
- [Limonia expedita](#) [Alexander](#), 1936 ^{c g}
- [Limonia fallax](#) ([Johnson](#), 1909) ⁱ
- [Limonia festiva](#) ([Brunetti](#), 1912) ^{c g}
- [Limonia fidelis](#) [Osten Sacken](#) ^{i g}
- [Limonia filicauda](#) ([Alexander](#), 1925) ⁱ
- [Limonia firestonei](#) [Alexander](#), 1930 ^{c g}
- [Limonia flavescens](#) ([Macquart](#), 1834) ^w
- [Limonia flavipes](#) ([Fabricius](#), 1787) ^{c g}
- [Limonia flavoterminalis](#) ([Alexander](#), 1922) ^{c g}
- [Limonia floridana](#) ([Osten Sacken](#), 1869) ⁱ
- [Limonia fraudulenta](#) [Alexander](#), 1928 ^{c g}
- [Limonia fullowayi](#) ([Alexander](#), 1915) ^g
- [Limonia fulva](#) (Doane, 1900) ⁱ

- [*Limonia fusca* Meigen, 1804](#)ⁱ
- [*Limonia fusciceps* Alexander, 1924](#)^{c g}
- [*Limonia fuscofemorata* \(von Roser, 1840\)](#)^w
- [*Limonia garoana* Oosterbroek, 2009](#)^{c g}
- [*Limonia gaspicola* Alexander, 1941](#)ⁱ
- [*Limonia geronimo* Alexander, 1949](#)ⁱ
- [*Limonia geyserensis* Alexander, 1943](#)ⁱ
- [*Limonia gibsoni* \(Alexander, 1929\)](#)ⁱ
- [*Limonia gissarica* Savchenko, 1979](#)^{c g}
- [*Limonia gladiator* \(Osten Sacken, 1859\)](#)ⁱ
- [*Limonia globithorax* \(Osten Sacken, 1969\)](#)ⁱ
- [*Limonia goodenoughensis* Alexander, 1978](#)^{c g}
- [*Limonia gracilis* \(Wiedemann, 1828\)](#)^w
- [*Limonia graciosa* Alexander, 1978](#)^{c g}
- [*Limonia grimshawi* \(Alexander\)](#)ⁱ
- [*Limonia guatemalensis* \(Alexander, 1916\)](#)ⁱ
- [*Limonia guerrernesis* Alexander, 1916](#)^{i g}
- [*Limonia habra* Alexander, 1972](#)^{c g}
- [*Limonia haeretica* \(Osten Sacken, 1869\)](#)ⁱ
- [*Limonia halterata* \(Osten Sacken, 1869\)](#)ⁱ
- [*Limonia halterella* \(Edwards, 1921\)](#)ⁱ
- [*Limonia hardyana* \(Byers, 1985\)](#)
- [*Limonia hartveldae* Stary, 2017](#)^w
- [*Limonia hawaiiensis* \(Grimshaw\)](#)ⁱ
- [*Limonia hebridicola* Alexander, 1948](#)^{c g}
- [*Limonia helva* \(Doane, 1900\)](#)^{i g}
- [*Limonia hera* Alexander, 1948](#)^{c g}
- [*Limonia hercegovinae* \(Strobl, 1898\)](#)^{c g}
- [*Limonia hians* Alexander, 1967](#)^{c g}
- [*Limonia homichlophila* Alexander, 1958](#)ⁱ
- [*Limonia hostilis* Alexander, 1933](#)^{c g}
- [*Limonia huachucensis* Alexander, 1955](#)ⁱ
- [*Limonia hudsonica* \(Osten Sacken, 1861\)](#)^{i b}
- [*Limonia humidicola* \(Osten Sacken, 1859\)](#)^{i b}
- [*Limonia ibis* \(Alexander, 1916\)](#)ⁱ
- [*Limonia illustris* Alexander, 1944](#)ⁱ

- [*Limonia immanis* Alexander, 1950](#)ⁱ
- [*Limonia immatura* \(Osten Sacken, 1859\)](#)^{i b}
- [*Limonia immodesta* \(Osten Sacken, 1859\)](#)ⁱ
- [*Limonia immodestoides* Alexander, 1919](#)^{i g}
- [*Limonia inconsiderata* Alexander, 1956](#)^{c g}
- [*Limonia indigena indigena* \(Osten Sacken, 1860\)](#)^w
- [*Limonia indigena jacksoni* \(Alexander, 1917\)](#)^w
- [*Limonia indigena loloensis* Alexander, 1958](#)^w
- [*Limonia indigena* Osten Sacken](#)^{i c g b}
- [*Limonia indigenoides* \(Alexander, 1920\)](#)ⁱ
- [*Limonia infantula* Edwards, 1931](#)^{c g}
- [*Limonia infausta* Alexander, 1930](#)^{c g}
- [*Limonia infuscata* \(Doane, 1900\)](#)ⁱ
- [*Limonia inhabilis* Alexander, 1949](#)ⁱ
- [*Limonia iniquispina* Hardy](#)ⁱ
- [*Limonia innoxia* Alexander, 1968](#)ⁱ
- [*Limonia insitiva* Alexander, 1951](#)^{c g}
- [*Limonia insolabilis* Alexander, 1946](#)ⁱ
- [*Limonia interjecta* Stary, 1974](#)^{c g}
- [*Limonia intermedia* Garrett, 1922](#)^{i g}
- [*Limonia intricata* \(Alexander, 1927\)](#)ⁱ
- [*Limonia involuta* Alexander, 1968](#)ⁱ
- [*Limonia iowensis* Alexander, 1927](#)^{i g}
- [*Limonia iridescens* \(Edwards, 1912\)](#)^{c g}
- [*Limonia isabellina* \(Doane, 1900\)](#)ⁱ
- [*Limonia jacobus* \(Alexander\)](#)ⁱ
- [*Limonia japonica* \(Alexander, 1913\)](#)^c
- [*Limonia juvenca* Alexander, 1935](#)^{c g}
- [*Limonia karafutonis* Alexander, 1924](#)^{c g}
- [*Limonia kashmirica* \(Edwards, 1927\)](#)^{c g}
- [*Limonia kauaiensis* \(Grimshaw\)](#)ⁱ
- [*Limonia kernensis* Alexander, 1966](#)ⁱ
- [*Limonia knabi* \(Alexander, 1912\)](#)ⁱ
- [*Limonia kraussi* Alexander](#)^{i g}
- [*Limonia kumbu* Theischinger, 1994](#)^{c g}
- [*Limonia kuschei* Alexander, 1958](#)^{i c g}

- [Limonia labuana](#) Edwards, 1931 ^{c g}
- [Limonia lackschewitziana](#) Alexander, 1933 ^{c g}
- [Limonia lacroixi](#) (Alexander, 1926) ⁱ
- [Limonia laistes](#) Alexander, 1967 ⁱ
- [Limonia lateroflava](#) Alexander, 1971 ^{c g}
- [Limonia lateromacula](#) Edwards, 1933 ^{c g}
- [Limonia latiorflava](#) Alexander, 1966 ^{c g}
- [Limonia latipennis](#) (Macquart, 1834) ^w
- [Limonia laufferi](#) (Strobl, 1906) ^w
- [Limonia lecontei](#) Alexander, 1940 ⁱ
- [Limonia liberta](#) (Osten Sacken, 1859) ^{i b}
- [Limonia libertoides](#) (Alexander, 1912) ⁱ
- [Limonia lindbergi](#) Nielsen, 1962 ^{c g}
- [Limonia linsdalei](#) Alexander, 1943 ⁱ
- [Limonia livida](#) (Say, 1829) ⁱ
- [Limonia longeantennata](#) Alexander, 1936 ^{c g}
- [Limonia longipennis](#) (Schummel, 1829) ⁱ
- [Limonia longivena](#) (Edwards, 1911) ^{c g}
- [Limonia luteipostica](#) Alexander, 1965 ^{c g}
- [Limonia luteivittata](#) Alexander, 1930 ^{c g}
- [Limonia lyssa](#) Alexander, 1967 ^{c g}
- [Limonia macateei](#) (Alexander, 1916) ^{i c g}
- [Limonia macrostigma](#) (Schummel, 1829) ^{c g}
- [Limonia maculata](#) (Meigen, 1804) ^b
- [Limonia maculicosta](#) (Coquillett, 1905) ^{i c g}
- [Limonia maculipennis](#) (Meigen, 1818) ^{c g}
- [Limonia marginata](#) (Macquart, 1826) ^w
- [Limonia marginepunctata](#) (von Roser, 1840) ^w
- [Limonia marmorata](#) Osten Sacken, 1861 ^{i b}
- [Limonia masoni](#) (Edwards, 1921) ^w
- [Limonia melanocera](#) (Alexander, 1925) ⁱ
- [Limonia melleicauda](#) (Alexander, 1917) ⁱ
- [Limonia messaurea boreoorientalis](#) Savchenko, 1987 ^w
- [Limonia messaurea](#) Mendl, 1971 ^{c g}
- [Limonia metatarsalba](#) (Alexander, 1923) ^{c g}
- [Limonia michigana](#) Alexander, 1950 ⁱ

- [Limonia microlabis](#) (Edwards, 1926) ^{c g}
- [Limonia micropyga](#) Alexander, 1954 ^{c g}
- [Limonia modesta](#) (Meigen, 1818) ⁱ
- [Limonia moniliformis](#) (Doane, 1900) ⁱ
- [Limonia monilis](#) Alexander, 1932 ^{c g}
- [Limonia morioides](#) (Osten Sacken, 1860) ⁱ
- [Limonia mouicola](#) Alexander, 1948 ^{c g}
- [Limonia murcida](#) Alexander, 1967 ^{c g}
- [Limonia murina](#) (Zetterstedt, 1851) ⁱ
- [Limonia nebulinervis](#) Alexander, 1966 ^{c g}
- [Limonia nebulosa](#) (Zetterstedt, 1838) ^w
- [Limonia negativa](#) Edwards, 1933 ^{c g}
- [Limonia nelliana](#) (Alexander, 1914) ⁱ
- [Limonia nemoralis](#) Savchenko, 1983 ^{c g}
- [Limonia neoelegans](#) Alexander, 1954 ⁱ
- [Limonia neoindigena](#) Alexander, 1924 ^{c g}
- [Limonia neomorio](#) (Alexander, 1927) ⁱ
- [Limonia neonebulosa](#) Alexander, 1924 ⁱ
- [Limonia nielseniana](#) Alexander, 1949 ⁱ
- [Limonia nifrithorax](#) (Brunetti, 1912) ^g
- [Limonia nigrella](#) Alexander, 1929 ^{c g}
- [Limonia nigrescens](#) (Lackschewitz, 1928) ^w
- [Limonia nigricans](#) Alexander, 1929 ^w
- [Limonia nigricuspis](#) Alexander, 1938 ^w
- [Limonia nigrirostris](#) (Gimmerthal, 1847) ^w
- [Limonia nigroclavata](#) Alexander, 1942 ⁱ
- [Limonia nigronitida](#) Alexander, 1923 ^w
- [Limonia nigropolita](#) (Alexander) ^{i g}
- [Limonia nigropunctata intermixta](#) Savchenko, 1976 ^w
- [Limonia nigropunctata](#) (Schummel, 1829) ^{c g}
- [Limonia nitida](#) (Verrall, 1886) ^w
- [Limonia nitobei](#) (Edwards, 1916) ^{c g}
- [Limonia niveipes](#) (Brunetti, 1912) ^{c g}
- [Limonia nominata](#) Alexander, 1936 ^{c g}
- [Limonia novaeangliae](#) Alexander, 1929 ^{i b}
- [Limonia nubeculosa](#) Meigen, 1804 ^{c g}

- [Limonia nussbaumi](#) Stary and Freidberg, 2007 ^{c g}
- [Limonia nycteris](#) (Alexander, 1927) ⁱ
- [Limonia obsoleta](#) (Meigen, 1818) ^w
- [Limonia obtusistyla](#) Alexander, 1925 ⁱ
- [Limonia ocellata](#) (von Roder, 1886) ^{c g}
- [Limonia omniflava](#) Alexander, 1936 ^{c g}
- [Limonia oosterbroeki](#) Stary, 2017 ^w
- [Limonia opacipennis](#) Stary, 2017 ^w
- [Limonia orthorhabda](#) Alexander, 1940 ⁱ
- [Limonia ozarkensis](#) Alexander, 1968 ⁱ
- [Limonia pabulina](#) (Meigen, 1818) ^g
- [Limonia pacata](#) Alexander, 1930 ^{c g}
- [Limonia pacatella](#) Alexander, 1934 ^{c g}
- [Limonia pacatina](#) Edwards, 1933 ^{c g}
- [Limonia paitae](#) Alexander, 1948 ^w
- [Limonia pallida](#) (Macquart, 1838) ^w
- [Limonia pallidipleura](#) Alexander, 1924 ^{c g}
- [Limonia pannonica](#) (Kowarz, 1868) ^{c g}
- [Limonia parapentheres](#) Alexander, 1948 ⁱ
- [Limonia parietina](#) (Osten Sacken, 1861) ^{i c g b}
- [Limonia particeps](#) (Doane, 1908) ⁱ
- [Limonia parvipennis](#) Alexander, 1940 ^{c g}
- [Limonia parvispiculata](#) Alexander, 1934 ^{c g}
- [Limonia pennsylvanica](#) (Dietz, 1921) ^{i g}
- [Limonia penumbrata](#) Edwards, 1932 ^{c g}
- [Limonia peramabilis](#) Alexander, 1967 ^{c g}
- [Limonia perbeata](#) Alexander, 1938 ^{c g}
- [Limonia perdistincta](#) Alexander, 1979 ^{c g}
- [Limonia perextensa](#) Alexander, 1971 ^{c g}
- [Limonia perfecta](#) (Alexander, 1928) ⁱ
- [Limonia perisoptera](#) Alexander, 1962 ^{c g}
- [Limonia perkinsi](#) (Grimshaw) ^{i g}
- [Limonia pernigrina](#) Alexander, 1938 ^{c g}
- [Limonia pernodosa](#) Alexander, 1965 ^{c g}
- [Limonia perproducta](#) Alexander, 1967 ^{c g}
- [Limonia perserena](#) Alexander, 1946 ⁱ

- [*Limonia phalangioides* Alexander, 1943](#)ⁱ
- [*Limonia phragmitidis* \(Schrank, 1781\)](#)^{c g}
- [*Limonia pia* Podenas and Podeniene, 2017](#)^w[\[5\]](#)
- [*Limonia pilosicaudata* Alexander, 1931](#)^{c g}
- [*Limonia piscataquis* Alexander, 1941](#)ⁱ
- [*Limonia platyptera* \(Macquart, 1826\)](#)^w
- [*Limonia platyterga* Alexander, 1956](#)^{c g}
- [*Limonia pondoensis* Alexander, 1930](#)^{c g}
- [*Limonia praepostera* \(Alexander, 1925\)](#)ⁱ
- [*Limonia pristomera* Alexander, 1972](#)^c
- [*Limonia procericornis* Alexander, 1978](#)^{c g}
- [*Limonia profunda* \(Alexander, 1925\)](#)ⁱ
- [*Limonia prolixicornis* Alexander, 1931](#)^{c g}
- [*Limonia prolixisetosa* Alexander, 1971](#)^{c g}
- [*Limonia pronotalis* Alexander, 1931](#)^{c g}
- [*Limonia propior* Alexander, 1963](#)^{c g}
- [*Limonia proxima* Kuntze, 1920](#)^w
- [*Limonia prudentia* Alexander, 1935](#)^{c g}
- [*Limonia pubipennis* Osten Sacken](#)^{i g}
- [*Limonia pudica* \(Osten Sacken, 1859\)](#)ⁱ
- [*Limonia pudicoides* Alexander, 1929](#)ⁱ
- [*Limonia pullata aquila* Savchenko, 1983](#)^w
- [*Limonia pullata* Alexander, 1924](#)^{c g}
- [*Limonia punctigera* \(Walker, 1856\)](#)^w
- [*Limonia pygmea* \(Macquart, 1838\)](#)^{c g}
- [*Limonia quantilla* Alexander, 1934](#)^{c g}
- [*Limonia raiateae* Alexander, 1947](#)^{c g}
- [*Limonia rantaiensis* Alexander, 1929](#)^{c g}
- [*Limonia rapida* Alexander, 1946](#)ⁱ
- [*Limonia rara* \(Osten Sacken, 1869\)](#)ⁱ
- [*Limonia ravid* \(Alexander, 1925\)](#)ⁱ
- [*Limonia reticulata* \(Alexander, 1912\)](#)ⁱ
- [*Limonia rostrata* \(Say, 1823\)](#)^{i b}
- [*Limonia rostrifera* \(Osten Sacken, 1869\)](#)ⁱ
- [*Limonia sanguinea* \(Doleschall, 1857\)](#)^{c g}
- [*Limonia sannionis* Alexander, 1967](#)^{c g}

- [*Limonia scabristyla* Alexander, 1968](#)ⁱ
- [*Limonia schwarzi* \(Alexander, 1912\)](#)ⁱ
- [*Limonia sciophila* \(Osten Sacken, 1877\)](#)^w
- [*Limonia serandi* \(Alexander, 1919\)](#)^{c g}
- [*Limonia serpula* Alexander, 1967](#)^{c g}
- [*Limonia sexnotata* \(Schummel, 1829\)](#)^w
- [*Limonia sexpunctata* \(Fabricius, 1781\)](#)^w
- [*Limonia shannoni* Alexander](#)^{i g b}
- [*Limonia shelfordi* Alexander, 1944](#)ⁱ
- [*Limonia shushna* Alexander, 1952](#)^{c g}
- [*Limonia simulans* \(Walker, 1848\)](#)ⁱ
- [*Limonia sociabilis* \(Osten Sacken, 1869\)](#)^{i c g}
- [*Limonia solitaria* \(Osten Sacken, 1869\)](#)ⁱ
- [*Limonia soradida* \(Brunetti, 1912\)](#)^g
- [*Limonia sphagnicola* \(Alexander, 1925\)](#)ⁱ
- [*Limonia spinifera* \(Alexander, 1927\)](#)ⁱ
- [*Limonia splendens* Kuntze, 1920](#)^{c g}
- [*Limonia stenolabis* Alexander, 1965](#)^{c g}
- [*Limonia stigma* \(Meigen, 1818\)](#)^{c g}
- [*Limonia stigmata* \(Doane, 1900\)](#)ⁱ
- [*Limonia stoneri* Alexander, 1925](#)^{c g}
- [*Limonia striopleura* \(Edwards, 1919\)](#)^{c g}
- [*Limonia stulta* \(Osten Sacken, 1859\)](#)ⁱ
- [*Limonia stygipennis* \(Alexander\)](#)ⁱ
- [*Limonia subaequalis* Savchenko, 1979](#)^{c g}
- [*Limonia subhostilis* Alexander, 1935](#)^{c g}
- [*Limonia submurcida* Alexander, 1968](#)^{c g}
- [*Limonia subnubeculosa* \(Alexander, 1920\)](#)^w
- [*Limonia subpacata* Alexander, 1931](#)^{c g}
- [*Limonia subprolixa* Alexander, 1931](#)^{c g}
- [*Limonia sudetica* Czizek, 1931](#)^w
- [*Limonia suffusca* \(Garrett, 1922\)](#)ⁱ
- [*Limonia swezeyi* \(Alexander\)](#)ⁱ
- [*Limonia sylvicola* \(Schummel, 1829\)](#)^{c g}
- [*Limonia synempora* Alexander, 1933](#)^{c g}
- [*Limonia syrma* Alexander, 1978](#)^{c g}

- [Limonia tagax](#) Alexander, 1954 ^{c g}
- [Limonia talungensis](#) Alexander, 1971 ^{c g}
- [Limonia tanakai](#) (Alexander, 1921) ^{c g}
- [Limonia tanyrhyncha](#) Alexander, 1965 ^{c g}
- [Limonia tattakae](#) Alexander, 1923 ^g
- [Limonia taurica](#) (Strobl, 1895) ^{c g}
- [Limonia terraenovae](#) Alexander, 1920 ^{i g}
- [Limonia terrestris](#) (Linnaeus, 1758) ^w
- [Limonia tessellatipennis](#) Alexander, 1936 ^{c g}
- [Limonia thaleitrichia](#) Alexander, 1979 ^{c g}
- [Limonia thanatos](#) Alexander, 1949 ^{c g}
- [Limonia tigriventris](#) Alexander, 1968 ^{c g}
- [Limonia triarmata](#) Alexander, 1930 ^g
- [Limonia tributaria](#) Alexander, 1943 ^w
- [Limonia tricornis](#) Alexander ^{i g}
- [Limonia triocellata](#) (Osten Sacken, 1859) ^{i b}
- [Limonia triphaea](#) (Alexander, 1954) ^b
- [Limonia tripunctata](#) (Zetterstedt, 1838) ^w
- [Limonia tristigma](#) (Osten Sacken, 1860) ^w
- [Limonia trivittata](#) (Schummel, 1829) ^{c g}
- [Limonia turpis](#) (Walker, 1856) ^w
- [Limonia tuta](#) Alexander, 1935 ^{c g}
- [Limonia ubensis](#) Alexander, 1930 ^{c g}
- [Limonia uinta](#) Alexander, 1948 ⁱ
- [Limonia uliginosa](#) Alexander, 1929 ^{i g}
- [Limonia umbrata](#) (Brunetti, 1911) ^g
- [Limonia uniaculeata](#) Alexander, 1956 ^{c g}
- [Limonia unimaculata](#) (Macquart, 1826) ^w
- [Limonia vaillanti](#) Thomas, 1968 ^w
- [Limonia vajra](#) Alexander, 1958 ^{c g}
- [Limonia valverdensis](#) Alexander, 1946 ⁱ
- [Limonia vanduzeei](#) (Alexander, 1916) ⁱ
- [Limonia variabilis](#) (Grimshaw) ⁱ
- [Limonia varipes](#) (Dietz, 1921) ^w
- [Limonia venerabilis](#) Alexander, 1938 ^w
- [Limonia venustula](#) (Alexander, 1921) ^c

- [*Limonia vibhishana* Alexander](#), 1965 ^{c g}
- [*Limonia virescens*](#) (Loew, 1851) ⁱ
- [*Limonia viridicolor* Alexander](#), 1955 ^{c g}
- [*Limonia viridula*](#) (Alexander, 1922) ^g
- [*Limonia viticola* Alexander](#), 1978 ^{c g}
- [*Limonia vitripennis*](#) (Brunetti, 1912) ^w
- [*Limonia vormanni*](#) (Westhoff, 1882) ^w
- [*Limonia vulgata*](#) (Bergroth, 1888) ⁱ
- [*Limonia walleyi* Alexander](#), 1942 ⁱ
- [*Limonia whartoni*](#) (Needham, 1908) ⁱ
- [*Limonia willamettensis* Alexander](#), 1949 ⁱ
- [*Limonia woosnami*](#) (Alexander, 1920) ^{c g}
- [*Limonia yakushimensis* Alexander](#), 1930 ^{c g}
- [*Limonia yapicola* Alexander](#), 1972 ^{c g}
- [*Limonia yellowstonensis* Alexander](#), 1945 ^{i c g}
- [*Limonia yeranda*](#) Theischinger, 1994 ^{c g}
- [*Limonia ypsilon* Alexander](#), 1959 ⁱ
- [*Limonia zebrina*](#) Savchenko, 1979 ^w
- [*Limonia zionana* Alexander](#), 1948 ⁱ
- [*Limonia zwicki*](#) Devyatkov, 2012 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net,[4] w = Catalogue of the Craneflies of the World[6]

Species with uncertain placement in *Limonia*[6]

- [*Limonia arthritica* Alexander](#), 1936
- [*Limonia atroaurata* Alexander](#), 1931
- [*Limonia bilan* Alexander](#), 1931
- [*Limonia calcarifera* Alexander](#), 1936
- [*Limonia chaseni* Edwards](#), 1933
- [*Limonia congesta* Alexander](#), 1967
- [*Limonia costalis*](#) (Wiedemann, 1824)
- [*Limonia dactylolabis*](#) (Alexander, 1921)
- [*Limonia desiderata* Alexander](#), 1932
- [*Limonia flavoterminalis*](#) (Alexander, 1922)
- [*Limonia iridescens*](#) (Edwards, 1912)
- [*Limonia kuschei* Alexander](#), 1958
- [*Limonia latiorflava* Alexander](#), 1966
- [*Limonia longivena*](#) (Edwards, 1911)
- [*Limonia luteipostica* Alexander](#), 1965

- [*Limonia luteivittata* Alexander](#), 1930
- [*Limonia monilis* Alexander](#), 1932
- [*Limonia multinodulosa* Alexander](#), 1930
- [*Limonia negativa* Edwards](#), 1933
- [*Limonia ocellata*](#) (von Roder, 1886)
- [*Limonia parvispiculata* Alexander](#), 1934
- [*Limonia pernodosa* Alexander](#), 1965
- [*Limonia pilosicaudata* Alexander](#), 1931
- [*Limonia pondoensis* Alexander](#), 1930
- [*Limonia pygmea*](#) (Macquart, 1838)
- [*Limonia sanguinea*](#) (Doleschall, 1857)
- [*Limonia shushna* Alexander](#), 1952
- [*Limonia thanatos* Alexander](#), 1949
- [*Limonia tigriventris* Alexander](#), 1968
- [*Limonia tuta* Alexander](#), 1935
- [*Limonia vibhishana* Alexander](#), 1965
- [*Limonia viridicolor* Alexander](#), 1955
- [*Limonia yellowstonensis* Alexander](#), 1945

This is a list of 194 species in [*Limnephilus*](#), a genus of northern caddisflies in the family [*Limnephilidae*](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Limnephilus* species**

- [*Limnephilus abbreviatus*](#) Banks, 1908 ^{i c g}
- [*Limnephilus abstrusus*](#) McLachlan, 1872 ^{i c g}
- [*Limnephilus acnestus*](#) Ross, 1938 ^{i c g}
- [*Limnephilus acrophylax*](#) Schmid, 1952 ^{i c g}
- [*Limnephilus acula*](#) Ross & Merkley, 1952 ^{i c g}
- [*Limnephilus adapus*](#) Ross, 1950 ^{i c g}
- [*Limnephilus ademiensis*](#) Martynov, 1914 ^{i c g}
- [*Limnephilus ademus*](#) Ross, 1941 ^{i c g b}
- [*Limnephilus affinis*](#) Curtis, 1834 ^{i c g}
- [*Limnephilus aistleitneri*](#) Malicky, 1986 ^{i c g}
- [*Limnephilus alagnaki*](#) Ruiter, 1995 ^{i c g}
- [*Limnephilus alaicus*](#) (Martynov, 1915) ^{i c g}
- [*Limnephilus alberta*](#) Denning, 1958 ^{i c g}
- [*Limnephilusalconura*](#) Ross & Merkley, 1952 ^{i c g}

- [*Limnephilus algosus*](#) (McLachlan, 1868) ^{i c g}
- [*Limnephilus alienus*](#) Martynov, 1915 ^{i c g}
- [*Limnephilus anadyrensis*](#) Martynov, 1936 ^{i c g}
- [*Limnephilus apache*](#) Flint, 1965 ^{i c g}
- [*Limnephilus aretto*](#) Ross, 1938 ^{i c g}
- [*Limnephilus argenteornatus*](#) Hagen, 1873 ^{i c g}
- [*Limnephilus argenteus*](#) Banks, 1914 ^{i c g}
- [*Limnephilus arizona*](#) Ross, 1941 ^{i c g}
- [*Limnephilus asaphes*](#) McLachlan, 1880 ^{i c g}
- [*Limnephilus asiaticus*](#) (McLachlan, 1874) ^{i c g}
- [*Limnephilus assimilis*](#) (Banks, 1908) ^{i c g}
- [*Limnephilus atercus*](#) Denning, 1965 ^{i c g}
- [*Limnephilus atlanticus*](#) Nybom, 1948 ^{i c g}
- [*Limnephilus audeus*](#) Botosaneanu, 2000 ^g
- [*Limnephilus auricula*](#) Curtis, 1834 ^{i c g}
- [*Limnephilus baja*](#) Ruiter, 1995 ^{i c g}
- [*Limnephilus bifidus*](#) Banks, 1908 ^{i c g}
- [*Limnephilus binotatus*](#) Curtis, 1834 ^g
- [*Limnephilus biparta*](#) Denning in Denning & Sykora, 1966 ^{i c g}
- [*Limnephilus bipunctatus*](#) Curtis, 1834 ^{i c g}
- [*Limnephilus bloomfieldi*](#) Ruiter, 1995 ^{i c g}
- [*Limnephilus borealis*](#) (Zetterstedt, 1840) ^{i c g}
- [*Limnephilus bucketti*](#) Denning, 1965 ^{i c g}
- [*Limnephilus bulgani*](#) Mey, 1991 ^{i c g}
- [*Limnephilus canadensis*](#) Banks, 1908 ^{i c g}
- [*Limnephilus castor*](#) Ross & Merkley, 1952 ^{i c g}
- [*Limnephilus catula*](#) Denning, 1965 ^{i c g}
- [*Limnephilus caucasicus*](#) Schmid, 1955 ^{i c g}
- [*Limnephilus centralis*](#) Curtis, 1834 ^{i c g}
- [*Limnephilus challisa*](#) Denning, 1958 ^{i c g}
- [*Limnephilus chereshevi*](#) Nimmo, 1995 ^{i c g}
- [*Limnephilus cianficconiae*](#) Malicky, 1980 ^{i c g}
- [*Limnephilus cinctus*](#) Hagen, 1865 ^g
- [*Limnephilus cockerelli*](#) Banks, 1900 ^{i c g}
- [*Limnephilus coenosus*](#) Curtis, 1834 ^{i c g}
- [*Limnephilus coloradensis*](#) (Banks, 1899) ^{i c g}

- [Limnephilus concolor](#) Banks, 1899 ^{i c g b}
- [Limnephilus correptus](#) McLachlan, 1880 ^{i c g}
- [Limnephilus ctenifer](#) Flint, 1967 ^{i c g}
- [Limnephilus decipiens](#) (Kolenati, 1848) ^{i c g}
- [Limnephilus diphyes](#) McLachlan, 1880 ^{i c g}
- [Limnephilus discolor](#) (Banks, 1901) ^{i c g}
- [Limnephilus dispar](#) McLachlan, 1875 ^{i c g}
- [Limnephilus distinctus](#) Tian & Yang in Tian, Li, Yang & Sun, in Chen, editor, 1993 ^{i c g}
- [Limnephilus diversus](#) (Banks, 1903) ^{i c g}
- [Limnephilus doderoi](#) (Navas, 1929) ^{i c g}
- [Limnephilus ectus](#) Ross, 1941 ^{i c g}
- [Limnephilus elegans](#) Curtis, 1834 ^{i c g}
- [Limnephilus eocenicus](#) Cockerell, 1920 ^{i c g}
- [Limnephilus externus](#) Hagen, 1861 ^{i c g b}
- [Limnephilus extractus](#) Walker, 1852 ^{i c g}
- [Limnephilus extricatus](#) McLachlan, 1865 ^{i c g}
- [Limnephilus fagus](#) Ross, 1941 ^{i c g b}
- [Limnephilus femoralis](#) Kirby in Richardson, 1837 ^{i c g}
- [Limnephilus femoratus](#) (Zetterstedt, 1840) ^{i c g}
- [Limnephilus fenestratus](#) (Zetterstedt, 1840) ^{i c g}
- [Limnephilus fischeri](#) Ruiter, 1995 ^{i c g}
- [Limnephilus flavastellus](#) Banks, 1918 ^{i c g b}
- [Limnephilus flavicornis](#) (Fabricius, 1787) ^{i c g}
- [Limnephilus flavospinosus](#) (Stein, 1874) ^{i c g}
- [Limnephilus frijole](#) Ross, 1944 ^{i c g}
- [Limnephilus fumigatus](#) (Germar, 1827) ^{i c g}
- [Limnephilus fumosus](#) (Banks, 1900) ^{i c g}
- [Limnephilus fuscicornis](#) (Rambur, 1842) ^{i c g}
- [Limnephilus fuscinervis](#) (Zetterstedt, 1840) ^{i c g}
- [Limnephilus fuscoradiatus](#) Schmid & Guppy, 1952 ^{i c g}
- [Limnephilus fuscovittatus](#) Matsumura, 1904 ^{i c g}
- [Limnephilus germanus](#) McLachlan, 1875 ^{i c g}
- [Limnephilus graecus](#) Schmid, 1965 ^{i c g}
- [Limnephilus granti](#) Nimmo, 1991 ^{i c g}
- [Limnephilus griseus](#) (Linnaeus, 1758) ^{i c g}
- [Limnephilus guadarramicus](#) Schmid, 1955 ^{i c g}

- [Limnephilus hageni](#) Banks, 1930^{i c g}
- [Limnephilus hamifer](#) Flint, 1963^{i c g}
- [Limnephilus harrimani](#) Banks, 1900^{i c g}
- [Limnephilus helveticus](#) Schmid, 1965^{i c g}
- [Limnephilus hirsutus](#) (Pictet, 1834)^{i c g}
- [Limnephilus hovsgolicus](#) Morse, 1999^{i c g}
- [Limnephilus hyalinus](#) Hagen, 1861^{i c g}
- [Limnephilus hyperboreus](#) Thomson, 1891^{i c g}
- [Limnephilus ignavus](#) McLachlan, 1865^{i c g}
- [Limnephilus incertus](#) Martynov, 1909^{i c g}
- [Limnephilus indivisus](#) Walker, 1852^{i c g b}
- [Limnephilus infernalis](#) (Banks, 1914)^{i c g}
- [Limnephilus internalis](#) (Banks, 1914)^{i c g}
- [Limnephilus iranensis](#) (Martynov, 1928)^{i c g}
- [Limnephilus italicus](#) McLachlan, 1884^{i c g}
- [Limnephilus janus](#) Ross, 1938^{i c g}
- [Limnephilus kalama](#) Denning, 1968^{i c g}
- [Limnephilus kaumarajiva](#) Schmid, 1961^{i c g}
- [Limnephilus kedrovayaensis](#) Nimmo, 1995^{i c g}
- [Limnephilus kennicotti](#) Banks, 1920^{i c g}
- [Limnephilus labus](#) Ross, 1941^{i c g}
- [Limnephilus lakshaman](#) Olah, 1994^{i c g}
- [Limnephilus lithus](#) (Milne, 1935)^{i c g}
- [Limnephilus lopho](#) Ross, 1949^{i c g}
- [Limnephilus lucensis](#) Navas, 1924^{i c g}
- [Limnephilus lunatus](#) Curtis, 1834^{i c g}
- [Limnephilus luridus](#) Curtis, 1834^{i c g}
- [Limnephilus major](#) (Martynov, 1909)^{i c g}
- [Limnephilus malickyi](#) Sipahiler, 1992^{i c g}
- [Limnephilus marmoratus](#) Curtis, 1834^{i c g}
- [Limnephilus martynovi](#) Kumanski, 1994^{i c g}
- [Limnephilus maya](#) Flint, 1967^{i c g}
- [Limnephilus mexicanus](#) Flint, 1967^{i c g}
- [Limnephilus microdentatus](#) Martynov, 1913^{i c g}
- [Limnephilus minos](#) Malicky, 1971^{i c g}
- [Limnephilus moestus](#) Banks, 1908^{i c g}

- [*Limnephilus morrisoni*](#) Banks, 1920 ^{i c g b}
- [*Limnephilus nigriceps*](#) (Zetterstedt, 1840) ^{i c g}
- [*Limnephilus nimmoi*](#) Roy & Harper, 1975 ^{i c g}
- [*Limnephilus nipponicus*](#) Schmid, 1964 ^{i c g}
- [*Limnephilus nogus*](#) Ross, 1944 ^{i c g b}
- [*Limnephilus nybomi*](#) Malicky, 1984 ^{i c g}
- [*Limnephilus obsoletus*](#) Rambur, 1842 ^{i c g}
- [*Limnephilus occidentalis*](#) Banks, 1908 ^{i c g b}
- [*Limnephilus orientalis*](#) Martynov, 1935 ^{i c g}
- [*Limnephilus ornatulus*](#) Schmid, 1965 ^{i c g}
- [*Limnephilus ornatus*](#) Banks, 1897 ^{i c g b}
- [*Limnephilus pallens*](#) (Banks, 1920) ^{i c g}
- [*Limnephilus pantodapus*](#) McLachlan, 1875 ^{i c g}
- [*Limnephilus partitus*](#) Walker, 1852 ^{i c g}
- [*Limnephilus parvulus*](#) (Banks, 1905) ^{i c g b}
- [*Limnephilus pati*](#) O'Connor, 1980 ^{i c g}
- [*Limnephilus peculiaris*](#) McLachlan, 1875 ^{i c g}
- [*Limnephilus peltus*](#) Denning, 1962 ^{i c g}
- [*Limnephilus perjurus*](#) Hagen, 1861 ^{i c g}
- [*Limnephilus perpusillus*](#) Walker, 1852 ^{i c g}
- [*Limnephilus petri*](#) Marinkovic-Gospodnetic, 1966 ^{i c g}
- [*Limnephilus picturatus*](#) McLachlan, 1875 ^{i c g}
- [*Limnephilus plaga*](#) Walker, 1852 ^{i c g}
- [*Limnephilus politus*](#) McLachlan, 1865 ^{i c g}
- [*Limnephilus pollux*](#) Flint, 1967 ^{i c g}
- [*Limnephilus ponticus*](#) McLachlan, 1898 ^{i c g}
- [*Limnephilus primoryensis*](#) Nimmo, 1995 ^{i c g}
- [*Limnephilus productus*](#) Banks, 1914 ^{i c g}
- [*Limnephilus quadratus*](#) Martynov, 1914 ^{i c g}
- [*Limnephilus rhea*](#) Ruiter, 1995 ^{i c g}
- [*Limnephilus rhombicus*](#) (Linnaeus, 1758) ^{i c g b}
- [*Limnephilus rohweri*](#) Banks, 1908 ^{i c g}
- [*Limnephilus rothi*](#) Denning, 1966 ^{i c g}
- [*Limnephilus sackeni*](#) Banks, 1930 ^{i c g}
- [*Limnephilus samoedus*](#) (McLachlan, 1880) ^{i c g}
- [*Limnephilus sansoni*](#) Banks, 1918 ^{i c g}

- [*Limnephilus santanus*](#) Ross, 1949^{i c g}
- [*Limnephilus secludens*](#) Banks, 1914^{i c g}
- [*Limnephilus sericeus*](#) (Say, 1824)^{i c g b}
- [*Limnephilus sibiricus*](#) Martynov, 1929^{i c g}
- [*Limnephilus sibiricusoccidentis*](#) Spuris, 1988^{i c g}
- [*Limnephilus sierrata*](#) Denning, 1968^{i c g}
- [*Limnephilus signifer*](#) Martynov, 1909^{i c g}
- [*Limnephilus sitchensis*](#) (Kolenati, 1859)^{i c g}
- [*Limnephilus solidus*](#) (Hagen, 1861)^{i c g}
- [*Limnephilus soporatus*](#) Scudder, 1890^{i c g}
- [*Limnephilus sparsus*](#) Curtis, 1834^{i c g}
- [*Limnephilus sperryi*](#) (Banks, 1914)^{i c g}
- [*Limnephilus spinatus*](#) Banks, 1914^{i c g b}
- [*Limnephilus stigma*](#) Curtis, 1834^{i c g}
- [*Limnephilus subcentralis*](#) Brauer, 1857^{i c g}
- [*Limnephilus sublunatus*](#) Provancher, 1877^{i c g}
- [*Limnephilus submonilifer*](#) Walker, 1852^{i c g b}
- [*Limnephilus subnuditus*](#) McLachlan, 1875^{i c g}
- [*Limnephilus subnitidus*](#) McLachlan, 1875^g
- [*Limnephilus sylviae*](#) Denning, 1949^{i c g}
- [*Limnephilus taloga*](#) Ross, 1938^{i c g}
- [*Limnephilus tarsalis*](#) (Banks, 1920)^{i c g}
- [*Limnephilus tauricus*](#) Schmid, 1964^{i c g}
- [*Limnephilus thorus*](#) Ross, 1938^{i c g}
- [*Limnephilus tibeticus*](#) Schmid, 1966^{i c g}
- [*Limnephilus tiunovae*](#) Arefina & Levanidova in Arefina, Ivanov, & Levanidova, 1996^{i c g}
- [*Limnephilus transcaucasicus*](#) Martynov, 1909^{i c g}
- [*Limnephilus tricalcaratus*](#) (Mosely, 1936)^{i c g}
- [*Limnephilus tulatus*](#) Denning, 1962^{i c g}
- [*Limnephilus turanus*](#) (Martynov, 1928)^{i c g}
- [*Limnephilus uintah*](#) Nimmo, 1991^{i c g}
- [*Limnephilus vallei*](#) Malicky, 2004^g
- [*Limnephilus vittatus*](#) (Fabricius, 1798)^{i c g}
- [*Limnephilus wittmeri*](#) Malicky, 1972^{i c g}
- [*Limnephilus xanthodes*](#) McLachlan, 1873^{i c g}
- [*Limnephilus znojko*](#) Martynov, 1938^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 155 species in *Limnebius*, a genus of minute moss beetles in the family *Hydraenidae*. [1] [2] [3] [4]

***Limnebius* species**

- [*Limnebius acupunctus*](#) Perkins, 2004 ^{i c g}
- [*Limnebius aguilerai*](#) Ribera and Millán, 1998 ^{i c g}
- [*Limnebius alibei*](#) Hernando, Aguilera and Ribera, 1999 ^{i c g}
- [*Limnebius alluaudi*](#) Orchymont, 1948 ^{i c g}
- [*Limnebius almoranus*](#) Knisch, 1924 ^{i c g}
- [*Limnebius aluta*](#) Bedel, 1881 ^{i c g}
- [*Limnebius alutaceus*](#) (Casey, 1886) ^{i c g b}
- [*Limnebius angulatus*](#) Perkins, 2017 ^g
- [*Limnebius angustipennis*](#) Orchymont, 1932 ^{i c g}
- [*Limnebius angustulus*](#) (Casey, 1886) ^{i c g}
- [*Limnebius apolloniae*](#) Jäch and Delgado, 2013 ^{i c g}
- [*Limnebius arabicus*](#) Balfour-Browne, 1951 ^{i c g}
- [*Limnebius arenicolus*](#) Perkins, 1980 ^{i c g}
- [*Limnebius aridus*](#) Perkins, 1980 ^{i c g}
- [*Limnebius asperatus*](#) Knisch, 1922 ^{i c g}
- [*Limnebius atomus*](#) (Duftschmid, 1805) ^{i c g}
- [*Limnebius attalensis*](#) Jäch, 1993 ^{i c g}
- [*Limnebius bacchus*](#) Balfour-Browne, 1978 ^{i c g}
- [*Limnebius balkei*](#) Perkins, 2017 ^g
- [*Limnebius bergsteni*](#) Perkins, 2017 ^g
- [*Limnebius borealis*](#) Perkins, 1980 ^{i c g}
- [*Limnebius boukali*](#) Jäch, 1993 ^{i c g}
- [*Limnebius calabricus*](#) Jäch, 1993 ^{i c g}
- [*Limnebius canariensis*](#) Orchymont, 1938 ^{i c g}
- [*Limnebius capensis*](#) Perkins, 2015 ^{i c g}
- [*Limnebius championi*](#) Balfour-Browne, 1956 ^{i c g}
- [*Limnebius clandestinus*](#) Perkins, 2017 ^g
- [*Limnebius clavatus*](#) Pu, 1951 ^{i c g}
- [*Limnebius claviger*](#) Jäch, 1993 ^{i c g}

- [Limnebius clayae](#) Balfour-Browne, 1956^{i c g}
- [Limnebius conoideus](#) Régimbart, 1905^{i c g}
- [Limnebius convexus](#) Perkins, 2015^{i c g}
- [Limnebius cordobanus](#) Orchymont, 1938^{i c g}
- [Limnebius corfidius](#) Orchymont, 1945^{i c g}
- [Limnebius corybus](#) Orchymont, 1945^{i c g}
- [Limnebius crassipes](#) Kuwert, 1890^{i c g}
- [Limnebius crinifer](#) Rey, 1885^{i c g}
- [Limnebius cruzei](#) Jäch, 1982^{i c g}
- [Limnebius cupulifer](#) Orchymont, 1941^{i c g}
- [Limnebius curidius](#) Orchymont, 1941^{i c g}
- [Limnebius damasi](#) Balfour-Browne, 1950^{i c g}
- [Limnebius dioscoridus](#) Jäch and Delgado, 2012^{i c g}
- [Limnebius discolor](#) Casey, 1900^{i c g}
- [Limnebius distinctus](#) Knisch, 1924^{i c g}
- [Limnebius distinguendus](#) Ferro, 1989^{i c g}
- [Limnebius doderoi](#) Gridelli, 1926^{i c g}
- [Limnebius endroedyi](#) Perkins, 2015^{i c g}
- [Limnebius evanescens](#) Kiesenwetter, 1866^{i c g}
- [Limnebius extraneus](#) Orchymont, 1938^{i c g}
- [Limnebius fallaciosus](#) Ganglbauer, 1904^{i c g}
- [Limnebius ferroi](#) Jäch, 1993^{i c g}
- [Limnebius feuerborni](#) Orchymont, 1932^{i c g}
- [Limnebius fontinalis](#) Balfour-Browne, 1951^{i c g}
- [Limnebius fetalis](#) Peyerimhoff, 1913^{i c g}
- [Limnebius furcatus](#) Baudi, 1872^{i c g}
- [Limnebius gerhardti](#) Heyden, 1870^{i c g}
- [Limnebius glabriventris](#) Shatrovskiy, 1989^{i c g}
- [Limnebius gracilipes](#) Wollaston, 1864^{i c g}
- [Limnebius graecus](#) Jäch, 1993^{i c g}
- [Limnebius grandicollis](#) Wollaston, 1854^{i c g}
- [Limnebius gridellii](#) Pretner, 1929^{i c g}
- [Limnebius hieronymi](#) Vorst, 2006^{i c g}
- [Limnebius hilaris](#) Balfour-Browne, 1978^{i c g}
- [Limnebius hispanicus](#) Orchymont, 1941^{i c g}
- [Limnebius ibericus](#) Balfour-Browne, 1978^{i c g}

- [Limnebius ignarus](#) Balfour-Browne, 1978 ^{i c g}
- [Limnebius immersus](#) Knisch, 1926 ^{i c g}
- [Limnebius irmelae](#) Jäch, 1993 ^{i c g}
- [Limnebius javanus](#) Orchymont, 1932 ^{i c g}
- [Limnebius jeanneli](#) Orchymont, 1948 ^{i c g}
- [Limnebius kamali](#) Sáinz-Cantero and Bennis, 2006 ^{i c g}
- [Limnebius kaszabi](#) Chiesa, 1967 ^{i c g}
- [Limnebius kavango](#) Perkins, 2015 ^{i c g}
- [Limnebius kelaniyae](#) Jäch, 1982 ^{i c g}
- [Limnebius kocheri](#) Balfour-Browne, 1978 ^{i c g}
- [Limnebius kwangdongensis](#) Pu, 1937 ^g
- [Limnebius kwangtungensis](#) Pu, 1936 ^{i c g}
- [Limnebius kweichowensis](#) Pu, 1951 ^{i c g}
- [Limnebius labratus](#) Perkins, 2017 ^g
- [Limnebius lacrimosus](#) Perkins, 2017 ^g
- [Limnebius leachi](#) Orchymont, 1932 ^{i c g}
- [Limnebius leechi](#) Perkins, 1980 ^{i c g}
- [Limnebius levantinus](#) Jäch, 1993 ^{i c g}
- [Limnebius lobatus](#) Perkins, 2017 ^g
- [Limnebius loeblorum](#) Jäch, 1993 ^{i c g}
- [Limnebius lusitanus](#) Balfour-Browne, 1978 ^{i c g}
- [Limnebius masculinus](#) Perkins, 2015 ^{i c g}
- [Limnebius maurus](#) Balfour-Browne, 1978 ^{i c g}
- [Limnebius maximadus](#) Perkins, 2017 ^g
- [Limnebius mesatlanticus](#) Théry, 1933 ^{i c g}
- [Limnebius mexicanus](#) Perkins, 1980 ^{i c g}
- [Limnebius millani](#) Ribera and Hernando, 1998 ^{i c g}
- [Limnebius minoricensis](#) Jäch, Valladares and García-Avilés, 1996 ^{i c g}
- [Limnebius mitus](#) Perkins, 1980 ^{i c g}
- [Limnebius monfortei](#) Fresneda & Ribera, 1998 ^g
- [Limnebius montanus](#) Balfour-Browne, 1978 ^{i c g}
- [Limnebius mucronatus](#) Baudi, 1872 ^{i c g}
- [Limnebius mundus](#) Baudi, 1864 ^{i c g}
- [Limnebius murcus](#) Orchymont, 1945 ^{i c g}
- [Limnebius murentius](#) Orchymont, 1945 ^{i c g}
- [Limnebius mutatus](#) Orchymont, 1945 ^{i c g}

- [Limnebius myrmidon](#) Rey, 1883 ^{i c g}
- [Limnebius nakanei](#) Jäch and Matsui, 1994 ^{i c g}
- [Limnebius nanostillus](#) Perkins, 2017 ^g
- [Limnebius nanus](#) Jäch, 1993 ^{i c g}
- [Limnebius nigritus](#) Balfour-Browne, 1956 ^{i c g}
- [Limnebius nitiduloides](#) Baudi, 1872 ^{i c g}
- [Limnebius nitidus](#) (Marsham, 1802) ^{i c g}
- [Limnebius nitifarus](#) Orchymont, 1938 ^{i c g}
- [Limnebius nitigeus](#) Orchymont, 1945 ^{i c g}
- [Limnebius oblongus](#) Rey, 1883 ^{i c g}
- [Limnebius octolaevis](#) Perkins, 1980 ^{i c g}
- [Limnebius ordunyai](#) Fresneda & Ribera, 1998 ^g
- [Limnebius oweni](#) Jäch and Delgado, 2013 ^{i c g}
- [Limnebius ozapalachicus](#) Perkins, 1980 ^{i c g}
- [Limnebius paganettii](#) Ganglbauer, 1904 ^{i c g}
- [Limnebius papposus](#) Mulsant, 1844 ^{i c g}
- [Limnebius paranuristanus](#) Ferro, 1989 ^{i c g}
- [Limnebius parvulus](#) (Herbst, 1797) ^{i c g}
- [Limnebius perparvulus](#) Rey, 1884 ^{i c g}
- [Limnebius piceus](#) (Horn, 1872) ^{i c g}
- [Limnebius pilicauda](#) Guillebeau, 1896 ^{i c g}
- [Limnebius pollex](#) Jäch and Delgado, 2013 ^{i c g}
- [Limnebius probus](#) Perkins, 2015 ^{i c g}
- [Limnebius punctatus](#) Wollaston, 1864 ^{i c g}
- [Limnebius quantillus](#) Perkins, 2015 ^{i c g}
- [Limnebius retiolus](#) Perkins, 2015 ^{i c g}
- [Limnebius reuvenortali](#) Jäch, 1993 ^{i c g}
- [Limnebius richmondi](#) Perkins, 1980 ^{i c g}
- [Limnebius rubropiceus](#) Kuwert, 1890 ^{i c g}
- [Limnebius rufipennis](#) Régimbart, 1903 ^{i c g}
- [Limnebius sanctimontis](#) Jäch, 1993 ^{i c g}
- [Limnebius schoenmanni](#) Jäch, 1993 ^{i c g}
- [Limnebius setifer](#) Khnzorian, 1962 ^{i c g}
- [Limnebius shatrovskiyi](#) Jäch, 1993 ^{i c g}
- [Limnebius similis](#) Wollaston, 1865 ^{i c g}
- [Limnebius simplex](#) Baudi, 1882 ^{i c g}

- [Limnebius simulans](#) Orchymont, 1940^{i c g}
- [Limnebius sinuatus](#) (Sharp, 1882)^{i c g}
- [Limnebius speculatus](#) Perkins, 2015^{i c g}
- [Limnebius spinosus](#) Jäch, 1993^{i c g}
- [Limnebius stagnalis](#) Guillebeau, 1890^{i c g}
- [Limnebius steineri](#) Perkins, 2017^g
- [Limnebius suaviculatus](#) Perkins, 2015^{i c g}
- [Limnebius taiwanensis](#) Jäch, 1993^{i c g}
- [Limnebius texanus](#) Perkins, 1980^{i c g}
- [Limnebius theryi](#) Guillebeau, 1891^{i c g}
- [Limnebius thienemanni](#) Orchymont, 1932^{i c g}
- [Limnebius transversus](#) Perkins, 2015^{i c g}
- [Limnebius truncatellus](#) (Thunberg, 1794)^{i c g}
- [Limnebius utahensis](#) Perkins, 1980^{i c g}
- [Limnebius vinsoni](#) Orchymont, 1941^{i c g}
- [Limnebius wittei](#) Balfour-Browne, 1950^{i c g}
- [Limnebius wui](#) Pu, 1942^{i c g}
- [Limnebius zaerensis](#) Hernando, Aguilera and Ribera, 2008^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 92 species in [Ligyra](#), a genus of bee flies in the family [Bombyliidae](#).^{[1][2][3][4]}

***Ligyra* species**

- [Ligyra alea](#) Bowden, 1971
- [Ligyra alula](#) (Bezzi, 1906)
- [Ligyra antica](#) (Walker, 1871)
- [Ligyra argyura](#) (Brunetti, 1909)
- [Ligyra astarte](#) Greathead, 1980
- [Ligyra atricosta](#) (Bezzi, 1924)
- [Ligyra audouinii](#) (Macquart, 1840)
- [Ligyra aurantiaca](#) (Guérin, 1835)
- [Ligyra bombyliiformis](#) (Macleay, 1826)
- [Ligyra burnsi](#) Paramonov, 1967
- [Ligyra calabyana](#) Paramonov, 1967
- [Ligyra campbelli](#) Paramonov, 1967
- [Ligyra celebesi](#) (Paramonov, 1931)

- [*Ligyra chinnicki*](#) Paramonov, 1967
- [*Ligyra chrysolampis*](#) (Jaennicke, 1867)
- [*Ligyra cingulata*](#) (Wulp, 1885)
- [*Ligyra coleopterata*](#) (Bezzi, 1921)
- [*Ligyra commoni*](#) Paramonov, 1967
- [*Ligyra cruciata*](#) Bowden, 1971
- [*Ligyra cupido*](#) (Bezzi, 1924)
- [*Ligyra curvata*](#) (Meijere, 1911)
- [*Ligyra dammermani*](#) Evenhuis & Yukawa, 1986
- [*Ligyra dentata*](#) (Roberts, 1928)
- [*Ligyra devecta*](#) (Walker, 1860)
- [*Ligyra dives*](#) (Walker, 1849)
- [*Ligyra doryca*](#) (Boisduval, 1835)
- [*Ligyra erato*](#) Bowden, 1971
- [*Ligyra erebus*](#) (Walker, 1849)
- [*Ligyra eyreana*](#) Paramonov, 1967
- [*Ligyra fasciata*](#) Paramonov, 1967
- [*Ligyra ferrea*](#) (Walker, 1849)
- [*Ligyra flaviventris*](#) (Doleschall, 1857)
- [*Ligyra flavofasciata*](#) (Macquart, 1855)
- [*Ligyra flavotomentosa*](#) (Meijere, 1929)
- [*Ligyra flora*](#) (Frey, 1934)
- [*Ligyra formosana*](#) (Paramonov, 1931) (temperate Asia)
- [*Ligyra fuscipennis*](#) (Macquart, 1848)
- [*Ligyra galbina*](#) Yang, Yao & Cui, 2012
- [*Ligyra gebleri*](#) (Loew, 1854)
- [*Ligyra quangdonanus*](#) Yang, Yao & Cui, 2012
- [*Ligyra helena*](#) (Loew, 1854)
- [*Ligyra hemifusca*](#) (Roberts, 1928)
- [*Ligyra herzi*](#) (Portschinsky, 1891)
- [*Ligyra incondita*](#) Yang, Yao & Cui, 2012
- [*Ligyra inquinata*](#) (Roberts, 1928)
- [*Ligyra latipennis*](#) (Paramonov, 1931) (temperate Asia)
- [*Ligyra leptyna*](#) Bowden, 1971
- [*Ligyra leuconoe*](#) (Jaennicke, 1867)
- [*Ligyra leukon*](#) Yang, Yao & Cui, 2012
- [*Ligyra macassarensis*](#) (Paramonov, 1931)
- [*Ligyra melanoptera*](#) Bowden, 1964
- [*Ligyra merope*](#) (Wiedemann, 1824)
- [*Ligyra minerva*](#) Paramonov, 1953
- [*Ligyra nigripennis*](#) (Loew, 1852)
- [*Ligyra nigrocostalis*](#) (Guérin-Méneville, 1838)

- [*Ligyra niveifrons*](#) (Bezzi, 1914)
- [*Ligyra obliqua*](#) (Macquart, 1840)
- [*Ligyra ochracea*](#) Bowden, 1971
- [*Ligyra oenomaus*](#) (Rondani, 1875)
- [*Ligyra orest*](#) Paramonov, 1967
- [*Ligyra orientalis*](#) (Paramonov, 1931) (temperate Asia)
- [*Ligyra orphnus*](#) Yang, Yao & Cui, 2012
- [*Ligyra paludosa*](#) (Meijere, 1911)
- [*Ligyra peninsularis*](#) Pal, 1991
- [*Ligyra pilad*](#) Paramonov, 1967
- [*Ligyra punctipennis*](#) (Macquart, 1850)
- [*Ligyra purpuraria*](#) (Walker, 1852)
- [*Ligyra robertsi*](#) Paramonov, 1967
- [*Ligyra satyrus*](#) (Fabricius, 1775)
- [*Ligyra semialata*](#) Yang, Yao & Cui, 2012
- [*Ligyra semifuscata*](#) (Brunetti, 1912)
- [*Ligyra septentrionis*](#) (Roberts, 1928)
- [*Ligyra shirakii*](#) (Paramonov, 1931) (temperate Asia)
- [*Ligyra similis*](#) (Coquillett, 1898)
- [*Ligyra sinuatifascia*](#) (Macquart, 1855)
- [*Ligyra sphinx*](#) (Fabricius, 1787)
- [*Ligyra suffusipennis*](#) (Brunetti, 1909)
- [*Ligyra sumatrensis*](#) (Meijere, 1911)
- [*Ligyra tantalus*](#) (Fabricius, 1794) (temperate Asia)
- [*Ligyra tenebrosa*](#) Paramonov, 1967
- [*Ligyra thyridophora*](#) (Bezzi, 1912)
- [*Ligyra transiens*](#) (Bezzi, 1924)
- [*Ligyra tristis*](#) (Wulp, 1869)
- [*Ligyra umbrifer*](#) (Walker, 1849)
- [*Ligyra uncinata*](#) (Guérin, 1831)
- [*Ligyra ussuriensis*](#) (Paramonov, 1934)
- [*Ligyra ventrimacula*](#) (Doleschall, 1857)
- [*Ligyra virgo*](#) (Bezzi, 1924)
- [*Ligyra vittata*](#) (Ricardo, 1901)
- [*Ligyra vulcanus*](#) (Bezzi, 1924)
- [*Ligyra zibrina*](#) Yang, Yao & Cui, 2012
- [*Ligyra zonata*](#) Yang, Yao & Cui, 2012

This is a list of 212 species in [*Leuctra*](#), a genus of rolled-winged stoneflies in the family [*Leuctridae*](#).^[1]
^[2]^[3]^[4]

***Leuctra* species**

- [*Leuctra aculeata*](#) Zwick, P., 1982 ^{c g}
- [*Leuctra aegaeica*](#) Pardo & P. Zwick, 1993 ^{c g}
- [*Leuctra alabama*](#) James, 1974 ^{i c g}
- [*Leuctra albida*](#) Kempny, 1899 ^{c g}
- [*Leuctra alexanderi*](#) Hanson, 1941 ^{i c g}
- [*Leuctra alosi*](#) Navás, 1919 ^{c g}
- [*Leuctra alpina*](#) Kühtreiber, 1934 ^{c g}
- [*Leuctra alta*](#) James, 1974 ^{i c g}
- [*Leuctra alticola*](#) Despax, 1929 ^{c g}
- [*Leuctra ameliae*](#) Vinçon & Ravizza, 1996 ^{c g}
- [*Leuctra anatolica*](#) Kazanci, 1986 ^{c g}
- [*Leuctra andalusiaca*](#) Aubert, 1962 ^{c g}
- [*Leuctra annae*](#) Consiglio, 1975 ^{c g}
- [*Leuctra antalyana*](#) Vinçon & Sivec, 2001 ^{c g}
- [*Leuctra apenninicola*](#) Ravizza, C., 1988 ^{c g}
- [*Leuctra aptera*](#) Kacanski & P. Zwick, 1970 ^{c g}
- [*Leuctra archimedis*](#) Consiglio, 1968 ^{c g}
- [*Leuctra ariega*](#) Pardo & Vinçon, 1995 ^{c g}
- [*Leuctra armata*](#) Kempny, 1899 ^{c g}
- [*Leuctra artvinensis*](#) Vinçon & Sivec, 2001 ^{c g}
- [*Leuctra aspoeckorum*](#) Theischinger, 1976 ^{c g}
- [*Leuctra astridae*](#) Graf, 2005 ^{c g}
- [*Leuctra auberti*](#) Ravizza, C. & Ravizza Dematteis, 1985 ^{c g}
- [*Leuctra auriensis*](#) Membiela, 1989 ^{c g}
- [*Leuctra aurita*](#) Navás, 1919 ^{c g}
- [*Leuctra austriaca*](#) Aubert, 1954 ^{c g}
- [*Leuctra autumnalis*](#) Aubert, 1948 ^{c g}
- [*Leuctra baddecka*](#) Ricker, 1965 ^{i c g}
- [*Leuctra balcanica*](#) Raušer, 1965 ^{c g}
- [*Leuctra balearica*](#) Pardo & P. Zwick, 1993 ^{c g}
- [*Leuctra berthelemyi*](#) Zwick, P. & Vinçon, 1993 ^{c g}
- [*Leuctra besucheti*](#) Aubert, 1962 ^{c g}
- [*Leuctra bidula*](#) Aubert, 1962 ^{c g}
- [*Leuctra biloba*](#) Claassen, 1923 ^{i c g}
- [*Leuctra boluensis*](#) Kazanci, 1999 ^{c g}

- [Leuctra boreoni](#) Aubert, 1962 ^{c g}
- [Leuctra bozi](#) Vinçon & Sivec, 2001 ^{c g}
- [Leuctra brachyptera](#) Kazanci, 1985 ^{c g}
- [Leuctra braueri](#) Kempny, 1898 ^{c g}
- [Leuctra brevipennis](#) Ravizza, C., 1978 ^{c g}
- [Leuctra bronislawi](#) Sowa, 1970 ^{c g}
- [Leuctra brunnea](#) Provancher, 1878 ^c
- [Leuctra budtzi](#) Esben-Petersen, 1912 ^{c g}
- [Leuctra canavensis](#) Ravizza, C. & Ravizza Dematteis, 1992 ^{c g}
- [Leuctra candiae](#) Zwick, P., 1978 ^{c g}
- [Leuctra caprai](#) Festa, 1939 ^{c g}
- [Leuctra carolinensis](#) Claassen, 1923 ^{i c g}
- [Leuctra carpathica](#) Kis, 1966 ^{c g}
- [Leuctra castillana](#) Aubert, 1956 ^{c g}
- [Leuctra cazorlana](#) Aubert, 1962 ^{c g}
- [Leuctra cedrus](#) Vinçon, Dia & Sivec, 2014 ^{c g}
- [Leuctra cingulata](#) Kempny, 1899 ^{c g}
- [Leuctra clerguae](#) Vinçon & Pardo, 1994 ^{c g}
- [Leuctra colemanorum](#) Harrison, A.B. & Stark, 2010 ^{c g}
- [Leuctra collaris](#) Martynov, 1928 ^{c g}
- [Leuctra concii](#) Consiglio, 1958 ^{c g}
- [Leuctra costai](#) Aubert, 1953 ^{c g}
- [Leuctra cottaquilla](#) James, 1974 ^{i c g}
- [Leuctra cretica](#) Zwick, P., 1978 ^{c g}
- [Leuctra crimeana](#) Zhiltzova, 1967 ^{c g}
- [Leuctra crossi](#) James, 1974 ^{i c g}
- [Leuctra cypria](#) Zwick, P., 1978 ^{c g}
- [Leuctra cyrnea](#) Consiglio & Giudicelli, 1965 ^{c g}
- [Leuctra dalmoni](#) Vinçon & Murányi, 2007 ^{c g}
- [Leuctra delamellata](#) Zhiltzova, 1960 ^{c g}
- [Leuctra delmastroi](#) Vinçon, 2012 ^g
- [Leuctra dentiloba](#) Wu, C.F., 1973 ^{c g}
- [Leuctra despaxi](#) Mosely, 1930 ^{c g}
- [Leuctra digitata](#) Kempny, 1899 ^{c g}
- [Leuctra dispinata](#) Balinsky, 1950 ^{c g}
- [Leuctra dissimilis](#) Zhiltzova, 1960 ^{c g}

- [Leuctra dolasilla](#) Consiglio, 1955 ^{c g}
- [Leuctra duplicata](#) Claassen, 1923 ^{i c g b} (Atlantic needlefly)
- [Leuctra dylani](#) Graf, 2007 ^{c g}
- [Leuctra elisabethae](#) Ravizza, C., 1985 ^{c g}
- [Leuctra espanoli](#) Aubert, 1956 ^{c g}
- [Leuctra estrela](#) Aubert, 1962 ^{c g}
- [Leuctra ferruginea](#) (Walker, 1851) ^{i c g b} (eastern needlefly)
- [Leuctra festai](#) Aubert, 1954 ^{c g}
- [Leuctra flavicornis](#) (Pictet, F.J., 1836) ^{c g}
- [Leuctra flavomaculata](#) Mosely, 1935 ^{c g}
- [Leuctra franzi](#) Aubert, 1956 ^{c g}
- [Leuctra fraterna](#) Morton, 1930 ^{c g}
- [Leuctra furcatella](#) Martynov, 1928 ^{c g}
- [Leuctra fusca](#) (Linnaeus, 1758) ^{i c g}
- [Leuctra gallaeca](#) Membiela, 1989 ^{c g}
- [Leuctra gallica](#) Aubert, 1953 ^{c g}
- [Leuctra gardinii](#) Ravizza, C., 2005 ^{c g}
- [Leuctra garumna](#) Vinçon & Ravizza, 1996 ^{c g}
- [Leuctra geniculata](#) Stephens, 1836 ^{c g}
- [Leuctra graeca](#) Zwick, P., 1978 ^{c g}
- [Leuctra grandis](#) Banks, 1906 ^{i c g}
- [Leuctra handlirschi](#) Kempny, 1898 ^{c g}
- [Leuctra hansmalickyi](#) Graf, 2010 ^{c g}
- [Leuctra helenae](#) Braasch, 1972 ^{c g}
- [Leuctra helvetica](#) Aubert, 1956 ^{c g}
- [Leuctra hexacantha](#) Despax, 1940 ^{c g}
- [Leuctra hexacanthoides](#) Zwick, P. & Vinçon, 1993 ^{c g}
- [Leuctra hiberiaca](#) Aubert, 1956 ^{c g}
- [Leuctra hicksi](#) Harrison, A.B. & Stark, 2010 ^{c g}
- [Leuctra hippopoides](#) Kacanski & P. Zwick, 1970 ^{c g}
- [Leuctra hippopus](#) Kempny, 1899 ^{c g}
- [Leuctra hirsuta](#) Bogoescu & Tabacaru, 1960 ^{c g}
- [Leuctra hispanica](#) Aubert, 1952 ^{c g}
- [Leuctra holzschuhi](#) Theischinger, 1976 ^{c g}
- [Leuctra iliberis](#) Sánchez-Ortega & Alba-Tercedor, 1988 ^{c g}
- [Leuctra illiesi](#) Aubert, 1956 ^{c g}

- [Leuctra inermis](#) Kempny, 1899^{i c g}
- [Leuctra insubrica](#) Aubert, 1949^{c g}
- [Leuctra istenicae](#) Sivec, 1982^{c g}
- [Leuctra jahorinensis](#) Kacanski, 1972^g
- [Leuctra joani](#) Vinçon & Pardo, 1994^{c g}
- [Leuctra joosti](#) Braasch, 1970^{c g}
- [Leuctra juliettae](#) Vinçon & Graf, 2011^{c g}
- [Leuctra karcali](#) Vinçon & Sivec, 2001^{c g}
- [Leuctra kazanciae](#) Murányi & Vinçon, 2017^{c g}
- [Leuctra kempnyi](#) Mosely, 1932^{c g}
- [Leuctra ketamensis](#) Sánchez-Ortega & Azzouz, 1997^{c g}
- [Leuctra khroumiriensis](#) Vinçon & Pardo, 1998^{c g}
- [Leuctra klapperichi](#) Murányi, 2005^{c g}
- [Leuctra kopetdaghi](#) Zhiltzova, 1972^{c g}
- [Leuctra kumanskii](#) Braasch & Joost, 1977^{c g}
- [Leuctra kurui](#) Kazanci, 1983^{c g}
- [Leuctra kykladica](#) Pardo & P. Zwick, 1993^{c g}
- [Leuctra lamellosa](#) Despax, 1929^{c g}
- [Leuctra laura](#) Hitchcock, 1969^{i c g b} (Hampshire needlefly)
- [Leuctra leptogaster](#) Aubert, 1949^{c g}
- [Leuctra ligurica](#) Aubert, 1962^{c g}
- [Leuctra madritensis](#) Aubert, 1952^{c g}
- [Leuctra major](#) Brinck, 1949^{c g}
- [Leuctra malcor](#) Murányi, 2007^{c g}
- [Leuctra malickyi](#) Braasch & Joost, 1976^{c g}
- [Leuctra marani](#) Raušer, 1965^{c g}
- [Leuctra maria](#) Hanson, 1941^{i c g}
- [Leuctra marilouae](#) Vinçon & Sivec, 2001^{c g}
- [Leuctra marinettae](#) Ravizza, C. & Vinçon, 1989^{c g}
- [Leuctra maroccana](#) Aubert, 1956^{c g}
- [Leuctra martynovi](#) Zhiltzova, 1960^{c g}
- [Leuctra medjerdensis](#) Vinçon & Pardo, 1998^{c g}
- [Leuctra meridionalis](#) Aubert, 1951^{c g}
- [Leuctra metsovonica](#) Aubert, 1956^{c g}
- [Leuctra meyi](#) Braasch, 1981^{c g}
- [Leuctra microstyla](#) Vinçon & Ravizza, 2000^{c g}

- [Leuctra minoica](#) Pardo & P. Zwick, 1993 ^{c g}
- [Leuctra minuta](#) Zhiltzova, 1960 ^{c g}
- [Leuctra mitchellensis](#) Hanson, 1941 ^{i c g}
- [Leuctra moha](#) Ricker, 1952 ^{i c g}
- [Leuctra monticola](#) Hanson, 1941 ^{i c g}
- [Leuctra moreae](#) Zwick, P., 1978 ^{c g}
- [Leuctra mortoni](#) Kempny, 1899 ^{c g}
- [Leuctra moselyi](#) Morton, 1907 ^{i c g}
- [Leuctra muranyii](#) Vinçon & Graf, 2011 ^{c g}
- [Leuctra nephophila](#) Hanson, 1941 ^{i c g}
- [Leuctra nigra](#) (Olivier, 1811) ^{c g}
- [Leuctra niveola](#) Schmid, 1947 ^{c g}
- [Leuctra occitana](#) Despax, 1930 ^{c g}
- [Leuctra olympia](#) Aubert, 1956 ^{c g}
- [Leuctra paleo](#) Poulton and Stewart, 1991 ^{i c g}
- [Leuctra pasquinii](#) Consiglio, 1958 ^{c g}
- [Leuctra picteti](#) Sinitshenkova, 1987 ^{c g}
- [Leuctra pinhoti](#) Grubbs & Sheldon, 2009 ^{c g}
- [Leuctra prima](#) Kempny, 1899 ^{c g}
- [Leuctra pseudocingulata](#) Mendl, H., 1968 ^{c g}
- [Leuctra pseudocylindrica](#) Despax, 1929 ^{c g}
- [Leuctra pseudohippopus](#) Raušer, 1965 ^{c g}
- [Leuctra pseudorosinae](#) Aubert, 1954 ^{c g}
- [Leuctra pseudosignifera](#) Aubert, 1954 ^{c g}
- [Leuctra pusilla](#) Krno, 1985 ^{c g}
- [Leuctra quadrimaculata](#) Kis, 1963 ^{c g}
- [Leuctra queyrassiana](#) Ravizza, C. & Vinçon, 1991 ^{c g}
- [Leuctra rauscheri](#) Aubert, 1957 ^{c g}
- [Leuctra ravizzai](#) Ravizza Dematteis & Vinçon, 1994 ^{c g}
- [Leuctra rhodoica](#) Pardo & P. Zwick, 1993 ^{c g}
- [Leuctra rickeri](#) James, 1976 ^{i c g}
- [Leuctra rosinae](#) Kempny, 1900 ^{c g}
- [Leuctra sanainica](#) Zhiltzova, 1960 ^{c g}
- [Leuctra sartorii](#) Vinçon & Pardo, 1998 ^{c g}
- [Leuctra schistocerca](#) Zwick, P., 1971 ^{c g}
- [Leuctra schmidi](#) Aubert, 1946 ^{c g}

- [*Leuctra schusteri*](#) Grubbs, 2015 ^{c g}
- [*Leuctra sesvenna*](#) Aubert, 1953 ^{c g}
- [*Leuctra sibleyi*](#) Claassen, 1923 ^{i c g b} (brook needlefly)
- [*Leuctra signifera*](#) Kempny, 1899 ^{c g}
- [*Leuctra silana*](#) Aubert, 1953 ^{c g}
- [*Leuctra simplex*](#) Zhiltzova, 1960 ^{c g}
- [*Leuctra sipahilerae*](#) Vinçon & Sivec, 2001 ^{c g}
- [*Leuctra stupeningi*](#) Illies, 1954 ^{c g}
- [*Leuctra subalpina*](#) Vinçon, C. Ravizza & Aubert, 1995 ^{c g}
- [*Leuctra svanetica*](#) Zhiltzova, 1960 ^{c g}
- [*Leuctra szczytkoi*](#) Stark and Stewart, 1981 ^{i c g}
- [*Leuctra tarnogradskii*](#) Martynov, 1928 ^{c g}
- [*Leuctra tenella*](#) Provancher, 1878 ^{i c g b} (broad-lobed needlefly)
- [*Leuctra tenuis*](#) (Pictet, 1841) ^{i c g b} (narrow-lobed needlefly)
- [*Leuctra tergostyla*](#) Wu, C.F., 1973 ^{c g}
- [*Leuctra teriolensis*](#) Kempny, 1900 ^{c g}
- [*Leuctra theischingeri*](#) Vinçon & Sivec, 2001 ^{c g}
- [*Leuctra thomasi*](#) Zwick, P. & Vinçon, 1993 ^{c g}
- [*Leuctra torrenticola*](#) Zhiltzova, 1960 ^{c g}
- [*Leuctra transsylvanica*](#) Kis, 1964 ^{c g}
- [*Leuctra triloba*](#) Claassen, 1923 ^{i c g}
- [*Leuctra truncata*](#) Claassen, 1923 ^{i c g b} (truncate needlefly)
- [*Leuctra tunisica*](#) Pardo & P. Zwick, 1993 ^{c g}
- [*Leuctra uncinata*](#) Martynov, 1928 ^{c g}
- [*Leuctra usdi*](#) Grubbs, 2010 ^{c g}
- [*Leuctra vaillanti*](#) Aubert, 1956 ^{c g}
- [*Leuctra variabilis*](#) Hanson, 1941 ^{i c g b} (variable needlefly)
- [*Leuctra vesulensis*](#) Ravizza, C. & Ravizza Dematteis, 1984 ^{c g}
- [*Leuctra vinconi*](#) Ravizza, C. & Ravizza Dematteis, 1993 ^{c g}
- [*Leuctra visitor*](#) Murányi & Kovács, 2024 ^{c g}
- [*Leuctra wilmae*](#) Illies, 1954 ^{c g}
- [*Leuctra zangezurica*](#) Zhiltzova, 1960 ^{c g}
- [*Leuctra zhiltzovae*](#) Theischinger, 1976 ^{c g}
- [*Leuctra zwicki*](#) Ravizza, C. & Vinçon, 1991 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 246 species in [Leucophenga](#), a genus of fruit flies in the family [Drosophilidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

***Leucophenga* species**

- [Leucophenga abbreviata](#) (Meijere, 1911) ^{c g}
- [Leucophenga aculeata](#) ^g
- [Leucophenga acuticauda](#) ^g
- [Leucophenga acutifoliacea](#) ^g
- [Leucophenga acutipennis](#) Malloch, 1926 ^{c g}
- [Leucophenga acutipollinosa](#) Okada, 1987 ^{c g}
- [Leucophenga africana](#) Bachli, 1971 ^{c g}
- [Leucophenga albiceps](#) (Meijere, 1914) ^{c g}
- [Leucophenga albifascia](#) Okada, 1966 ^{c g}
- [Leucophenga albiterga](#) ^g
- [Leucophenga albofasciata](#) (Macquart, 1851) ^{c g}
- [Leucophenga ambigua](#) Kahl, 1917 ^{c g}
- [Leucophenga angulata](#) Singh, Dash & Fartyal, 2000 ^{c g}
- [Leucophenga angusta](#) Okada, 1956 ^{c g}
- [Leucophenga angustifoliacea](#) ^g
- [Leucophenga apicifera](#) (Adams, 1905) ^{c g}
- [Leucophenga apunctata](#) Huang & Chen ^g
- [Leucophenga arcuata](#) Huang & Chen ^g
- [Leucophenga argentata](#) (Meijere, 1914) ^{c g}
- [Leucophenga argenteiventris](#) Kahl, 1917 ^{c g}
- [Leucophenga argenteofasciata](#) Kahl, 1917 ^{c g}
- [Leucophenga argentina](#) (Meijere, 1924) ^{c g}
- [Leucophenga atra](#) Bachli, 1971 ^{c g}
- [Leucophenga atrinervis](#) Okada, 1968 ^{c g}
- [Leucophenga atriventris](#) Lin & Wheeler, 1972 ^{c g}
- [Leucophenga baculifoliacea](#) ^g
- [Leucophenga bakeri](#) (Sturtevant, 1927) ^{c g}
- [Leucophenga basilaris](#) (Adams, 1905) ^{c g}
- [Leucophenga bella](#) Curran, 1928 ^{c g}
- [Leucophenga bellula](#) (Bergroth, 1894) ^{c g}

- [Leucophenga bezzii](#) Sturtevant, 1927 ^{c g}
- [Leucophenga bifasciata](#) Duda, 1923 ^{c g}
- [Leucophenga bifurcata](#) ^g
- [Leucophenga bimaculata](#) (Loew, 1866) ^{c g}
- [Leucophenga bistrinata](#) Kahl, 1917 ^{c g}
- [Leucophenga bivirgata](#) Bachli, 1971 ^{c g}
- [Leucophenga boninensis](#) Wheeler & Takada, 1964 ^{c g}
- [Leucophenga brasiliensis](#) Malloch, 1924 ^{c g}
- [Leucophenga brevifoliacea](#) Huang & Chen ^g
- [Leucophenga brunneipennis](#) Kahl, 1917 ^{c g}
- [Leucophenga burlai](#) Bachli, 1971 ^{c g}
- [Leucophenga buxtoni](#) Duda, 1935 ^{c g}
- [Leucophenga caliginosa](#) Bachli, 1971 ^{c g}
- [Leucophenga candida](#) Bock, 1989 ^{c g}
- [Leucophenga capillata](#) Bachli, 1971 ^{c g}
- [Leucophenga chaco](#) Wheeler, 1968 ^{c g}
- [Leucophenga champawatensis](#) Fartyal & Singh, 2005 ^{c g}
- [Leucophenga cincta](#) (Meijere, 1911) ^{c g}
- [Leucophenga clubiata](#) Singh, Dash, and Fartyal, 2000 ^{c g}
- [Leucophenga concilia](#) Okada, 1956 ^{c g}
- [Leucophenga confluens](#) Duda, 1923 ^{c g}
- [Leucophenga cooperensis](#) Bock, 1979 ^{c g}
- [Leucophenga cornuta](#) ^g
- [Leucophenga costata](#) Okada, 1966 ^{c g}
- [Leucophenga cultella](#) ^g
- [Leucophenga cuneata](#) Bachli, 1971 ^{c g}
- [Leucophenga curvipila](#) Duda, 1939 ^{c g}
- [Leucophenga cuthbertsoni](#) Malloch, 1929 ^{c g}
- [Leucophenga cyanorosa](#) Bock, 1979 ^{c g}
- [Leucophenga cyclophylla](#) ^g
- [Leucophenga decaryi](#) (Seguy, 1932) ^{c g}
- [Leucophenga denigrata](#) Bachli, 1971 ^{c g}
- [Leucophenga dentata](#) Bachli, 1971 ^{c g}
- [Leucophenga digmasoma](#) Lin & Wheeler, 1972 ^{c g}
- [Leucophenga dilatata](#) Bachli, 1971 ^{c g}
- [Leucophenga disjuncta](#) Bachli, 1971 ^{c g}

- [Leucophenga domanda](#) Bock, 1984 ^{c g}
- [Leucophenga dudai](#) Bachli, 1971 ^{c g}
- [Leucophenga edwardsi](#) Bachli, 1971 ^{c g}
- [Leucophenga elegans](#) Duda, 1927 ^{c g}
- [Leucophenga euryphylla](#) Huang & Chen ^g
- [Leucophenga falcata](#) Huang & Chen ^g
- [Leucophenga fenchihuensis](#) Okada, 1987 ^{c g}
- [Leucophenga fenestrata](#) Duda, 1927 ^{c g}
- [Leucophenga ferrari](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga flaviclypeata](#) ^g
- [Leucophenga flavicosta](#) Duda, 1926 ^{c g}
- [Leucophenga flaviseta](#) (Adams, 1905) ^{c g}
- [Leucophenga flavohalterata](#) Malloch, 1925 ^{c g}
- [Leucophenga flavopuncta](#) Malloch, 1925 ^{c g}
- [Leucophenga formosa](#) Okada, 1987 ^{c g}
- [Leucophenga frontalis](#) (Williston, 1896) ^{c g}
- [Leucophenga fuscinitata](#) Huang & Chen ^g
- [Leucophenga fuscipedes](#) ^g
- [Leucophenga fuscipennis](#) Duda, 1923 ^{c g}
- [Leucophenga fuscithorax](#) Huang & Chen ^g
- [Leucophenga fuscorbitata](#) Bachli, 1971 ^{c g}
- [Leucophenga gibbosa](#) (Meijere, 1914) ^{c g}
- [Leucophenga glabella](#) Huang & Chen ^g
- [Leucophenga goodi](#) Kahl, 1917 ^{c g}
- [Leucophenga gracilenta](#) ^g
- [Leucophenga grossipalpis](#) (Lamb, 1914) ^{c g}
- [Leucophenga guro](#) Burla, 1954 ^{c g}
- [Leucophenga guttata](#) Wheeler, 1952 ^{i c g}
- [Leucophenga hasemani](#) Kahl, 1917 ^{c g}
- [Leucophenga helvetica](#) Bachli, Vilela & Haring, 2002 ^{c g}
- [Leucophenga hirsutina](#) Huang & Chen ^g
- [Leucophenga hirticeps](#) ^g
- [Leucophenga hirudinis](#) Huang & Chen ^g
- [Leucophenga horea](#) Tsacas & Chassagnard, 1991 ^{c g}
- [Leucophenga hungarica](#) Papp, 2000 ^{c g}
- [Leucophenga imminuta](#) Bachli, 1971 ^{c g}

- [Leucophenga incurvata](#) Bachli, 1971 ^{c g}
- [Leucophenga insulana](#) (Schiner, 1868) ^{c g}
- [Leucophenga interrupta](#) Duda, 1924 ^{c g}
- [Leucophenga iriomotensis](#) Chen & Aotsuka, 2003 ^{c g}
- [Leucophenga isaka](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga ivontaka](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga jacobsoni](#) Duda, 1926 ^{c g}
- [Leucophenga janicae](#) Bock, 1979 ^{c g}
- [Leucophenga japonica](#) Sidorenko, 1991 ^{c g}
- [Leucophenga kilembensis](#) Bachli, 1971 ^{c g}
- [Leucophenga kurahashii](#) Okada, 1987 ^{c g}
- [Leucophenga lacteusa](#) Takada & Wakahama, 1967 ^{c g}
- [Leucophenga latevittata](#) Duda, 1939 ^{c g}
- [Leucophenga latifascia](#) ^g
- [Leucophenga latifrons](#) Duda, 1923 ^{c g}
- [Leucophenga latipenis](#) ^g
- [Leucophenga limbipennis](#) (Meijere, 1908) ^{c g}
- [Leucophenga londti](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga lubrica](#) Bock, 1979 ^{c g}
- [Leucophenga lynettae](#) Bock, 1984 ^{c g}
- [Leucophenga maculata](#) (Dufour, 1839) ^{c g}
- [Leucophenga maculosa](#) (Coquillett, 1895) ^{i c g b}
- [Leucophenga magnicauda](#) ^g
- [Leucophenga magnipalpis](#) Duda, 1923 ^{c g}
- [Leucophenga magnornata](#) Bachli, 1971 ^{c g}
- [Leucophenga malgachensis](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga mananara](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga mansura](#) (Adams, 1905) ^{c g}
- [Leucophenga meijerei](#) Duda, 1924 ^{c g}
- [Leucophenga melanogaster](#) Tsacas & Chassagnard, 1991 ^{c g}
- [Leucophenga meredithiana](#) Okada, 1987 ^{c g}
- [Leucophenga montana](#) Wheeler, 1952 ^{i c g}
- [Leucophenga muden](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga multipunctata](#) Chen & Aotsuka, 2003 ^{c g}
- [Leucophenga munroi](#) Duda, 1939 ^{c g}
- [Leucophenga mutabilis](#) (Adams, 1905) ^{c g}

- [*Leucophenga neoangusta*](#) Godbole & Vaidya, 1976 ^{c g}
- [*Leucophenga neointerrupta*](#) Fartyal & Toda, 2005 ^g
- [*Leucophenga neolacteusa*](#) Singh & Bhatt, 1988 ^{c g}
- [*Leucophenga neopalpalis*](#) Bachli, 1971 ^{c g}
- [*Leucophenga neovaria*](#) Wheeler, 1960 ^{i c g}
- [*Leucophenga neovittata*](#) Bachli, 1971 ^{c g}
- [*Leucophenga nigriceps*](#) Okada, 1966 ^{c g}
- [*Leucophenga nigrinervis*](#) Duda, 1924 ^{c g}
- [*Leucophenga nigripalpalis*](#) Tsacas & Chassagnard, 1991 ^{c g}
- [*Leucophenga nigripalpis*](#) Duda, 1923 ^{c g}
- [*Leucophenga nigrorbitata*](#) Bachli, 1971 ^{c g}
- [*Leucophenga nigroscutellata*](#) Duda, 1924 ^{c g}
- [*Leucophenga obscura*](#) Chen & Aotsuka, 2003 ^{c g}
- [*Leucophenga obscuripennis*](#) (Loew, 1866) ^{c g}
- [*Leucophenga oedipus*](#) Seguy, 1938 ^{c g}
- [*Leucophenga okhalkandensis*](#) Singh, Dash & Fartyal, 2000 ^{c g}
- [*Leucophenga orientalis*](#) Lin & Wheeler, 1972 ^{c g}
- [*Leucophenga ornata*](#) Wheeler, 1959 ^{c g}
- [*Leucophenga ornativentris*](#) Kahl, 1917 ^{c g}
- [*Leucophenga pacifica*](#) Bock, 1986 ^{c g}
- [*Leucophenga palpalis*](#) (Adams, 1905) ^{c g}
- [*Leucophenga paludicola*](#) Patterson and Mainland, 1944 ^{i c g}
- [*Leucophenga papuana*](#) Okada, 1987 ^{c g}
- [*Leucophenga paracapillata*](#) Bachli, 1971 ^{c g}
- [*Leucophenga paracuthbertsoni*](#) Bachli, 1971 ^{c g}
- [*Leucophenga paraflaviseta*](#) Bachli, 1971 ^{c g}
- [*Leucophenga patternella*](#) Bock, 1979 ^{c g}
- [*Leucophenga pectinata*](#) Okada, 1968 ^{c g}
- [*Leucophenga pentapunctata*](#) Panigrahy & Gupta, 1982 ^{c g}
- [*Leucophenga perargentata*](#) Bachli, 1971 ^{c g}
- [*Leucophenga pinguifoliacea*](#) ^g
- [*Leucophenga piscifoliacea*](#) Huang & Chen ^g
- [*Leucophenga pleurovirgata*](#) Bachli, 1971 ^{c g}
- [*Leucophenga poeciliventris*](#) Malloch, 1923 ^{c g}
- [*Leucophenga ponapensis*](#) Wheeler & Takada, 1964 ^{c g}
- [*Leucophenga proxima*](#) (Adams, 1905) ^{c g}

- [Leucophenga pulcherrima](#) Patterson and Mainland, 1944 ^{i c g}
- [Leucophenga pulchra](#) (Schiner, 1868) ^{c g}
- [Leucophenga quadrifurcata](#) ^g
- [Leucophenga quadripunctata](#) (Meijere, 1908) ^{c g}
- [Leucophenga quinquemaculata](#) Strobl, 1893 ^{c g}
- [Leucophenga quinquemaculipennis](#) Okada, 1956 ^{c g}
- [Leucophenga ranohira](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga rectifoliacea](#) Huang & Chen ^g
- [Leucophenga rectinervis](#) Okada, 1966 ^{c g}
- [Leucophenga regina](#) Malloch, 1935 ^{c g}
- [Leucophenga repletoides](#) Bachli, 1971 ^{c g}
- [Leucophenga retifoliacea](#) ^g
- [Leucophenga retihirta](#) ^g
- [Leucophenga rhombura](#) ^g
- [Leucophenga rimbickana](#) Singh & Gupta, 1981 ^{c g}
- [Leucophenga rudis](#) (Walker, 1860) ^{c g}
- [Leucophenga rugatifolia](#) ^g
- [Leucophenga saigusai](#) Okada, 1968 ^{c g}
- [Leucophenga salatigae](#) (Meijere, 1914) ^{c g}
- [Leucophenga samoensis](#) Harrison, 1954 ^{c g}
- [Leucophenga scaevolaevora](#) (Seguy, 1951) ^{c g}
- [Leucophenga schnuseana](#) Duda, 1927 ^{c g}
- [Leucophenga sculpta](#) Chen & Toda, 1994 ^{c g}
- [Leucophenga scutellata](#) Malloch, 1923 ^{c g}
- [Leucophenga securis](#) ^g
- [Leucophenga sema](#) Burla, 1954 ^{c g}
- [Leucophenga semicapillata](#) Bachli, 1971 ^{c g}
- [Leucophenga sericea](#) (Lamb, 1914) ^{c g}
- [Leucophenga serrata](#) Bachli, 1971 ^{c g}
- [Leucophenga serrateifoliacea](#) Huang & Chen ^g
- [Leucophenga setipalpis](#) Duda, 1923 ^{c g}
- [Leucophenga shillongensis](#) Dwivedi & Gupta, 1979 ^{c g}
- [Leucophenga sierraleonica](#) Bachli, 1971 ^{c g}
- [Leucophenga sinupenis](#) ^g
- [Leucophenga sordida](#) Duda, 1923 ^{c g}
- [Leucophenga sorii](#) Kang, Lee & Bahng, 1965 ^{c g}

- [Leucophenga spilossoma](#) Lin & Wheeler, 1972 ^{c g}
- [Leucophenga spinifera](#) Okada, 1987 ^{c g}
- [Leucophenga stackelbergi](#) Duda, 1934 ^{c g}
- [Leucophenga stenomaculipennis](#) Okada, 1968 ^{c g}
- [Leucophenga stigma](#) Bock, 1979 ^{c g}
- [Leucophenga striata](#) Bachli, 1971 ^{c g}
- [Leucophenga striatipennis](#) Okada, 1989 ^{c g}
- [Leucophenga stuckenbergi](#) Bachli, Vilela & McEvey, 2005 ^{c g}
- [Leucophenga subacutipennis](#) Duda, 1924 ^{c g}
- [Leucophenga subpollinosa](#) (Meijere, 1914) ^{c g}
- [Leucophenga subulata](#) Huang & Chen ^g
- [Leucophenga subvirgata](#) Bachli, 1971 ^{c g}
- [Leucophenga subvittata](#) Duda, 1939 ^{c g}
- [Leucophenga sujuanae](#) ^g
- [Leucophenga taiwanensis](#) Lin & Wheeler, 1972 ^{c g}
- [Leucophenga tenebrosa](#) Bachli, 1971 ^{c g}
- [Leucophenga tenuipalpis](#) Takada & Momma, 1975 ^{c g}
- [Leucophenga todai](#) Sidorenko, 1991 ^{c g}
- [Leucophenga tripunctipennis](#) Malloch, 1926 ^{c g}
- [Leucophenga trisphenata](#) Wheeler, 1952 ^{i c g}
- [Leucophenga trispina](#) Upadhyay & Singh, 2007 ^{c g}
- [Leucophenga tritaeniata](#) Duda, 1923 ^{c g}
- [Leucophenga trivittata](#) Okada, 1991 ^{c g}
- [Leucophenga umbratula](#) Duda, 1924 ^{c g}
- [Leucophenga umbrosa](#) Bachli, 1971 ^{c g}
- [Leucophenga uncinata](#) Huang & Chen ^g
- [Leucophenga undulata](#) (Hendel, 1913) ^{c g}
- [Leucophenga unifasciventris](#) Malloch, 1926 ^{c g}
- [Leucophenga varia](#) (Walker, 1849) ^{i c g b}
- [Leucophenga varinervis](#) Duda, 1923 ^{c g}
- [Leucophenga villosa](#) ^g
- [Leucophenga violae](#) Bock, 1979 ^{c g}
- [Leucophenga wauensis](#) Okada, 1989 ^{c g}
- [Leucophenga xanthobasis](#) Curran, 1936 ^{c g}
- [Leucophenga zebra](#) Bock, 1979 ^{c g}
- [Leucophenga zhenfangae](#) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 182 species in [Leucochrysa](#), a genus of green lacewings in the family [Chrysopidae](#). [1] [2] [3] [4]

***Leucochrysa* species**

- [Leucochrysa adamsi](#) Penny, 2001 ^{i c g}
- [Leucochrysa affinis](#) de Freitas & Penny, 2001 ^{c g}
- [Leucochrysa aleura](#) (Banks, 1944) ^{i c g}
- [Leucochrysa alloneura](#) (Banks, 1946) ^{i c g}
- [Leucochrysa alternata](#) Navás, 1913 ^{i c g}
- [Leucochrysa amazonica](#) Navás, 1913 ^{i c g}
- [Leucochrysa americana](#) Banks, 1897 ^{i c g}
- [Leucochrysa amistadensis](#) Penny, 2001 ^{i c g}
- [Leucochrysa anae](#) de Freitas, 2007 ^{c g}
- [Leucochrysa anchietai](#) (Navás, 1922) ^{i c g}
- [Leucochrysa angrandi](#) (Navás, 1911) ^{c g}
- [Leucochrysa antennalis](#) (Navás, 1932) ^{i c g}
- [Leucochrysa antica](#) Navás, 1913 ^{i c g}
- [Leucochrysa apicalis](#) Banks, 1915 ^{i c g}
- [Leucochrysa apicata](#) (Navás, 1926) ^{i c g}
- [Leucochrysa arizonica](#) (Banks, 1906) ^{i c g}
- [Leucochrysa askanes](#) (Banks, 1946) ^{i c g}
- [Leucochrysa azevedoi](#) Navás, 1913 ^{i c g}
- [Leucochrysa barrei](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa bedoci](#) Navás, 1924 ^{i c g}
- [Leucochrysa benoisti](#) Navás, 1933 ^{i c g}
- [Leucochrysa benoistina](#) Navás, 1934 ^{i c g}
- [Leucochrysa bolivari](#) Banks, 1944 ^{c g}
- [Leucochrysa boliviana](#) (Banks, 1915) ^{i c g}
- [Leucochrysa boxi](#) Navás, 1930 ^{i c g}
- [Leucochrysa brasilica](#) (Navás, 1913) ^{i c g}
- [Leucochrysa bruneola](#) de Freitas & Penny, 2001 ^{c g}
- [Leucochrysa callota](#) Banks, 1915 ^{i c g}
- [Leucochrysa camposi](#) (Navás, 1913) ^{i c g}

- [Leucochrysa catarinae](#) de Freitas & Penny, 2001 ^{c g}
- [Leucochrysa caucella](#) Banks, 1910 ^{i c g}
- [Leucochrysa centralis](#) Navás, 1913 ^{i c g}
- [Leucochrysa cerverai](#) (Navás, 1922) ^{i c g}
- [Leucochrysa championi](#) Navás, 1914 ^{i c g}
- [Leucochrysa christophei](#) Banks, 1938 ^{i c g}
- [Leucochrysa cidae](#) de Freitas, 2007 ^{c g}
- [Leucochrysa clara](#) (McLachlan, 1867) ^{i c g}
- [Leucochrysa clepsydra](#) Banks, 1918 ^{i c g}
- [Leucochrysa clystera](#) Banks, 1918 ^{i c g}
- [Leucochrysa colombia](#) (Banks, 1910) ^{i c g}
- [Leucochrysa compar](#) (Navás, 1921) ^{i c g}
- [Leucochrysa confusa](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa cornesta](#) (Banks, 1944) ^{i c g}
- [Leucochrysa cornuta](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa cortesi](#) Navás, 1913 ^{i c g}
- [Leucochrysa cruentata](#) (Schneider, 1851) ^{i c g}
- [Leucochrysa deminuta](#) LaCroix, 1926 ^{i c g}
- [Leucochrysa diasi](#) (Navás, 1922) ^{i c g}
- [Leucochrysa digitiformis](#) C. Tauber and Albuquerque in C. Tauber et al., 2008 ^{i c g}
- [Leucochrysa dimidia](#) (Navás, 1925) ^{i c g}
- [Leucochrysa diversa](#) (Walker, 1853) ^{i c g}
- [Leucochrysa dolichocera](#) (Navás, 1913) ^{i c g}
- [Leucochrysa duarte](#) Banks, 1946 ^{i c g}
- [Leucochrysa egregia](#) Navás, 1913 ^{i c g}
- [Leucochrysa ehrhardti](#) Navás, 1929 ^{i c g}
- [Leucochrysa erminea](#) Banks, 1946 ⁱ
- [Leucochrysa eubule](#) (Banks, 1944) ^{i c g}
- [Leucochrysa euterpe](#) (Banks, 1944) ^{i c g}
- [Leucochrysa explorata](#) (Hagen, 1861) ^{i c g}
- [Leucochrysa firmini](#) (Navás, 1924) ^{i c g}
- [Leucochrysa floridana](#) Banks, 1897 ^{i c g}
- [Leucochrysa forciformis](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa forcipata](#) Penny, 1998 ^{i c g}
- [Leucochrysa furcata](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa fuscinervis](#) Navás, 1914 ^{i c g}

- [Leucochrysa garridoi](#) (Alayo, 1968) ^{i c g}
- [Leucochrysa gemina](#) (Navás, 1929) ^{i c g}
- [Leucochrysa geminata](#) Navás, 1913 ^{i c g}
- [Leucochrysa gloriosa](#) (Banks, 1910) ^{i c g}
- [Leucochrysa gossei](#) (Kimmins, 1940) ^{i c g}
- [Leucochrysa grisoli](#) (Navás, 1912) ^{i c g}
- [Leucochrysa guataparensis](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa heriocles](#) (Banks, 1944) ^{i c g}
- [Leucochrysa horni](#) (Navás, 1932) ^{i c g}
- [Leucochrysa hybrida](#) (Rambur, 1842) ^{i c g}
- [Leucochrysa icterica](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa ignatii](#) Navás, 1923 ^{i c g}
- [Leucochrysa incognita](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa indiga](#) (Navás, 1928) ^{i c g}
- [Leucochrysa inquinata](#) Gerstaecker, 1888 ^{i c g}
- [Leucochrysa insularis](#) (Walker, 1853) ^{i c g b}
- [Leucochrysa interata](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa intermedia](#) (Schneider, 1851) ^{i c g}
- [Leucochrysa israeli](#) (Alayo, 1968) ^{i c g}
- [Leucochrysa kotzbaueri](#) (Navás, 1926) ^{i c g}
- [Leucochrysa laertes](#) (Banks, 1946) ^{i c g}
- [Leucochrysa lafoni](#) (Navás, 1911) ^{i c g}
- [Leucochrysa lancala](#) (Banks, 1944) ^{i c g}
- [Leucochrysa lateralis](#) Navás, 1913 ^{i c g}
- [Leucochrysa lenora](#) Banks, 1944 ^{i c g}
- [Leucochrysa lestagei](#) Navás, 1922 ^{i c g}
- [Leucochrysa lineata](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa longicornis](#) (Gray in Cuvier, 1832) ^{i c g}
- [Leucochrysa longistigma](#) (Navás, 1930) ^{i c g}
- [Leucochrysa loretana](#) Navás, 1935 ^{i c g}
- [Leucochrysa maculosa](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa magnifica](#) (Banks, 1920) ^{i c g}
- [Leucochrysa mainerina](#) (Navás, 1929) ^{i c g}
- [Leucochrysa marginalis](#) Banks, 1915 ^{i c g}
- [Leucochrysa maronica](#) Navás, 1915 ^{i c g}
- [Leucochrysa marquezi](#) Navás, 1913 ^{i c g}

- [Leucochrysa melanocera](#) Navás, 1916^{i c g}
- [Leucochrysa meridana](#) (Navás, 1927)^{i c g}
- [Leucochrysa meteorica](#) Gerstaecker, 1894^{i c g}
- [Leucochrysa mexicana](#) Banks, 1900^{i c g}
- [Leucochrysa michelini](#) Freitas and Penny, 2001^{i c g}
- [Leucochrysa minima](#) Banks, 1918^{i c g}
- [Leucochrysa montanola](#) Banks, 1910^{i c g}
- [Leucochrysa morenoi](#) (Navás, 1934)^{i c g}
- [Leucochrysa morrisoni](#) (Navás, 1914)^{i c g}
- [Leucochrysa mortoni](#) LaCroix, 1926^{i c g}
- [Leucochrysa nativa](#) (Navás, 1911)^{i c g}
- [Leucochrysa navasi](#) (Kimmins, 1940)^{i c g}
- [Leucochrysa negata](#) (Navás, 1913)^{i c g}
- [Leucochrysa nesites](#) Navás, 1913^{i c g}
- [Leucochrysa neuralis](#) Banks, 1910^{i c g}
- [Leucochrysa nictheroyana](#) (Navás, 1926)^{i c g}
- [Leucochrysa nigrilabris](#) (Banks, 1915)^{i c g}
- [Leucochrysa nigrovaria](#) (Walker, 1853)^{i c g}
- [Leucochrysa notha](#) Navás, 1913^{i c g}
- [Leucochrysa notulata](#) (Navás, 1924)^{i c g}
- [Leucochrysa ocampina](#) (Banks, 1941)^{i c g}
- [Leucochrysa orthones](#) (Banks, 1946)^{i c g}
- [Leucochrysa pacifica](#) (Navás, 1929)^{i c g}
- [Leucochrysa pallescens](#) (Banks, 1946)^{i c g}
- [Leucochrysa panamana](#) (Banks, 1944)^{i c g}
- [Leucochrysa parallela](#) Freitas and Penny, 2001^{i c g}
- [Leucochrysa paraquaria](#) (Navás, 1929)^{i c g}
- [Leucochrysa pavidula](#) (Hagen, 1861)^{i c g b}
- [Leucochrysa phaeocephala](#) Navás, 1929^{c g}
- [Leucochrysa platyptera](#) Gerstaecker, 1888^{i c g}
- [Leucochrysa postica](#) Navás, 1913^{i c g}
- [Leucochrysa pretiosa](#) (Banks, 1910)^{i c g}
- [Leucochrysa prisca](#) Engel & Grimaldi, 2007^{c g}
- [Leucochrysa punctata](#) Banks, 1903^{i c g}
- [Leucochrysa radiosa](#) Gerstaecker, 1888^{i c g}
- [Leucochrysa ramosa](#) (Navás, 1917)^{i c g}

- [Leucochrysa ramosi](#) (Navás, 1916) ^{i c g}
- [Leucochrysa ratcliffei](#) Penny, 2001 ^{i c g}
- [Leucochrysa reedi](#) Navás, 1919 ^{i c g}
- [Leucochrysa retusa](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa risi](#) Esben-Petersen, 1933 ⁱ
- [Leucochrysa riveti](#) (Navás, 1913) ^{i c g}
- [Leucochrysa robusta](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa rochana](#) (Navás, 1922) ^{i c g}
- [Leucochrysa rodriguezi](#) Navás, 1913 ^{i c g}
- [Leucochrysa rufescens](#) (Navás, 1931) ^{i c g}
- [Leucochrysa salleana](#) (Navás, 1911) ^{i c g}
- [Leucochrysa santini](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa scomparini](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa scurra](#) LaCroix, 1926 ^{i c g}
- [Leucochrysa senior](#) (Navás, 1935) ^{i c g}
- [Leucochrysa serrei](#) (Navás, 1924) ^{i c g}
- [Leucochrysa serrula](#) Adams, 1979 ^{c g}
- [Leucochrysa squamisetosa](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa stichocera](#) Navás, 1908 ^{i c g}
- [Leucochrysa submacula](#) Banks, 1915 ^{i c g}
- [Leucochrysa sulcata](#) (Navás, 1921) ^{i c g}
- [Leucochrysa superior](#) Navás, 1913 ^{i c g}
- [Leucochrysa surinamensis](#) (Banks, 1944) ^{i c g}
- [Leucochrysa tabacina](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa tarini](#) (Navás, 1924) ^{i c g}
- [Leucochrysa tavaresi](#) Navás, 1916 ^{i c g}
- [Leucochrysa tenuis](#) Freitas and Penny, 2001 ^{i c g}
- [Leucochrysa theodori](#) (Navás, 1932) ^{i c g}
- [Leucochrysa theodorina](#) (Navás, 1935) ^{i c g}
- [Leucochrysa urucumis](#) de Freitas, 2007 ^{c g}
- [Leucochrysa varia](#) (Schneider, 1851) ^{i c g}
- [Leucochrysa variata](#) (Navás, 1913) ^{c g}
- [Leucochrysa vegana](#) (Navás, 1925) ^c
- [Leucochrysa vieirana](#) Navás, 1913 ^{c g}
- [Leucochrysa vieriana](#) Navás, 1913 ^{i g}
- [Leucochrysa vignisi](#) Freitas and Penny, 2001 ^{i c g}

- [Leucochrysa vigoi](#) Navás, 1913^{i c g}
- [Leucochrysa vinesi](#) (Navás, 1924)^{i c g}
- [Leucochrysa virginiae](#) Penny, 1998^{i c g}
- [Leucochrysa vittata](#) Freitas and Penny, 2001^{i c g}
- [Leucochrysa vulnerata](#) (Navás, 1914)^{i c g}
- [Leucochrysa walkerina](#) Navás, 1913ⁱ
- [Leucochrysa ypirangana](#) (Navás, 1932)^{i c g}
- [Leucochrysa zapotina](#) Navás, 1913^{i c g}
- [Leucochrysa zayasi](#) (Alayo, 1968)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Leucochrysa Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-26.
 - ["Browse Leucochrysa"](#). Catalogue of Life. Retrieved 2018-04-26.
 - ["Leucochrysa"](#). GBIF. Retrieved 2018-04-26.
 -
4. ["Leucochrysa Genus Information"](#). BugGuide.net. Retrieved 2018-04-26.

Categories:

- [Chrysopidae](#)
- [Lists of insect species](#)
-

This is a list of 116 species in [Leptopharsa](#), a genus of lace bugs in the family [Tingidae](#).^{[1][2][3][4]}

Leptopharsa species

- [Leptopharsa albella](#) Drake, 1935^{i c g}
- [Leptopharsa angustata](#) (Champion, 1897)^{i c g}
- [Leptopharsa aporia](#) Drake and Ruhoff, 1965^{i c g}
- [Leptopharsa arta](#) Drake and Poor, 1942^{i c g}
- [Leptopharsa artocarp](#)i Drake and Hambleton, 1938^{i c g}
- [Leptopharsa atibaiae](#) Drake and Ruhoff, 1962^{i c g}

- [Leptopharsa avia](#) Drake, 1953^{i c g}
- [Leptopharsa bifasciata](#) (Champion, 1897)^{i c}
- [Leptopharsa bondari](#) Drake and Poor, 1939^{i c g}
- [Leptopharsa bradleyi](#) (Drake, 1931)^{i c g}
- [Leptopharsa bredini](#) Froeschner, 1968^{i c g}
- [Leptopharsa callangae](#) Drake and Poor, 1940^{i c g}
- [Leptopharsa calopa](#) Drake, 1928^{i c g}
- [Leptopharsa clitoriae](#) (Heidemann, 1911)^{i c g}
- [Leptopharsa cognata](#) Drake and Hambleton, 1934^{i c g}
- [Leptopharsa constricta](#) (Champion, 1897)^{i c g}
- [Leptopharsa dampfi](#) (Drake, 1927)^{i c g}
- [Leptopharsa dapsilis](#) Drake and Hambleton, 1945^{i c g}
- [Leptopharsa deca](#) Drake and Hambleton, 1945^{i c g}
- [Leptopharsa decens](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa deides](#) Drake & Ruhoff, 1965^{c g}
- [Leptopharsa delicata](#) Monte, 1945^{i c g}
- [Leptopharsa difficilis](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa dilaticollis](#) (Champion, 1897)^{i c g}
- [Leptopharsa distans](#) Drake, 1928^{c g}
- [Leptopharsa distantis](#) Drake, 1928^{i g}
- [Leptopharsa distinconis](#) Drake, 1928^{i c g}
- [Leptopharsa divisa](#) (Champion, 1897)^{i c g}
- [Leptopharsa elata](#) (Champion, 1897)^{i c g}
- [Leptopharsa elegans](#) (Hacker, 1927)^{i c g}
- [Leptopharsa elegantula](#) Stål, 1873^{i c g}
- [Leptopharsa enodata](#) Drake, 1942^{i c g}
- [Leptopharsa euprines](#) Drake and Ruhoff, 1965^{i c g}
- [Leptopharsa evsyunini](#) Golub and Popov, 2000^{i g}
- [Leptopharsa farameae](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa fici](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa fimbriata](#) (Champion, 1897)^{i c g}
- [Leptopharsa firma](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa flava](#) Monte, 1940^{i c g}
- [Leptopharsa forsteroniae](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa fortis](#) Drake and Hambleton, 1934^{i c g}
- [Leptopharsa frater](#) Golub and Popov, 2003^{i g}

- [Leptopharsa furcata](#) (Stål, 1873)^{i c g}
- [Leptopharsa furculata](#) (Champion, 1897)^{i c g}
- [Leptopharsa fuscofasciata](#) (Champion, 1897)^{i c g}
- [Leptopharsa gibbicarina](#) Froeschner, 1977^{i c g}
- [Leptopharsa gracilenta](#) (Champion, 1897)^{i c g}
- [Leptopharsa guatemalensis](#) Drake and Poor, 1939^{i c g}
- [Leptopharsa heidemanni](#) (Osborn & Drake, 1916)^{i c g b}
- [Leptopharsa heveae](#) Drake and Poor, 1935^{i c g}
- [Leptopharsa hintoni](#) Drake, 1938^{i c g}
- [Leptopharsa hoffmani](#) Drake, 1928^{i c g}
- [Leptopharsa hyaloptera](#) (Stål, 1873)^{i c g}
- [Leptopharsa ignota](#) Drake and Hambleton, 1934^{i c g}
- [Leptopharsa inannana](#) Drake, 1953^{i c g}
- [Leptopharsa inaudita](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa jubaris](#) Drake and Hambleton, 1945^{i c g}
- [Leptopharsa laureata](#) Drake and Hambleton, 1945^{i c g}
- [Leptopharsa lauta](#) Drake and Hambleton, 1945^{i c g}
- [Leptopharsa lenatis](#) Drake, 1930^{i c g}
- [Leptopharsa lineata](#) (Champion, 1897)^{i c g}
- [Leptopharsa livida](#) Monte, 1943^{i c g}
- [Leptopharsa longipennis](#) (Champion, 1897)^{i c g}
- [Leptopharsa luxa](#) Drake and Hambleton, 1945^{i c g}
- [Leptopharsa machaerii](#) Drake and Hambleton, 1934^{i c g}
- [Leptopharsa machalana](#) Drake and Hambleton, 1946^{i c g}
- [Leptopharsa madrigali](#) Froeschner, 1989^{i c g}
- [Leptopharsa marginella](#) (Stål, 1858)^{i c g}
- [Leptopharsa miconiae](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa milleri](#) Drake, 1954^{c g}
- [Leptopharsa mira](#) Drake and Hambleton, 1934^{i c g}
- [Leptopharsa modica](#) Drake and Hambleton, 1939^{i c g}
- [Leptopharsa nota](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa oblonga](#) (Say, 1825)^{i c g b}
- [Leptopharsa ocoteae](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa ogloblini](#) Drake, 1936^{i c g}
- [Leptopharsa ornata](#) Monte, 1940^{i c g}
- [Leptopharsa ovariantis](#) Drake and Hambleton, 1945^{i c g}

- [Leptopharsa pacis](#) Drake and Hambleton, 1939^{i c g}
- [Leptopharsa pallens](#) Monte, 1943^{i c g}
- [Leptopharsa papella](#) Drake, 1941^{i c g}
- [Leptopharsa partita](#) (Champion, 1898)^{i c g}
- [Leptopharsa paulana](#) Drake, 1953^{i c g}
- [Leptopharsa pensa](#) Drake and Hambleton, 1939^{i c g}
- [Leptopharsa perbona](#) Drake, 1930^{i c g}
- [Leptopharsa peruensis](#) Drake, 1928^{i c g}
- [Leptopharsa poinari](#) Golub and Popov, 2000^{i g}
- [Leptopharsa posoqueriae](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa principis](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa probala](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa psychotriae](#) Drake and Hambleton, 1939^{i c g}
- [Leptopharsa pudens](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa ralla](#) Drake, 1963^{i c g}
- [Leptopharsa reflexa](#) Froeschner, 1989^{i c g}
- [Leptopharsa retrusa](#) Drake and Hambleton, 1939^{i c g}
- [Leptopharsa reuniona](#) Drake, 1957^{c g}
- [Leptopharsa rudgeae](#) Drake and Hambleton, 1934^{i c g}
- [Leptopharsa rumiana](#) Drake and Hambleton, 1946^{i c g}
- [Leptopharsa ruris](#) Drake, 1942^{i c g}
- [Leptopharsa satipona](#) Drake and Hambleton, 1944^{i c g}
- [Leptopharsa sera](#) Drake and Poor, 1939^{i c g}
- [Leptopharsa setigera](#) (Champion, 1897)^{i c g}
- [Leptopharsa siderea](#) Drake and Hambleton, 1946^{i c g}
- [Leptopharsa simulans](#) (Stål, 1858)^{i c g}
- [Leptopharsa sobrina](#) Monte, 1940^{i c g}
- [Leptopharsa tacanae](#) Coty, Garrouste and Nel, 2014^{i g}
- [Leptopharsa tenuatis](#) Drake, 1928^{i c g}
- [Leptopharsa tenuis](#) (Champion, 1897)^{i c g}
- [Leptopharsa unicarinata](#) Champion, 1897^{i c g}
- [Leptopharsa usingeri](#) Drake, 1938^{i c g}
- [Leptopharsa valida](#) Drake and Hambleton, 1938^{i c g}
- [Leptopharsa variegata](#) Monte, 1943^{i c g}
- [Leptopharsa velifer](#) (McAtee, 1917)^{i c g}
- [Leptopharsa vicina](#) Drake and Poor, 1939^{i c g}

- [*Leptopharsa vittipennis*](#) (Stål, 1873)^{i c g}
- [*Leptopharsa zeteki*](#) Drake, 1939^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - [*"Leptopharsa Report"*](#). *Integrated Taxonomic Information System*. Retrieved 2018-04-29.
 - [*"Browse Leptopharsa"*](#). *Catalogue of Life*. Retrieved 2018-04-29.
 - [*"Leptopharsa"*](#). *GBIF*. Retrieved 2018-04-29.
 -
4. [*"Leptopharsa Genus Information"*](#). *BugGuide.net*. Retrieved 2018-04-29.

Categories:

- [Tingidae](#)
- [Lists of insect species](#)
-

This is a list of 324 species in [*Leptogenys*](#), a genus of [ponerine](#) ants distributed globally in the tropics.
[\[1\]\[2\]\[3\]\[4\]\[5\]](#)

List

Extant species

- [*Leptogenys academica*](#) López-Muñoz et al., 2018
- [*Leptogenys acutangula*](#) Emery, 1914
- [*Leptogenys acutirostris*](#) Santschi, 1912
- [*Leptogenys adlerzi*](#) Forel, 1900
- [*Leptogenys alamando*](#) Rakotonirina & Fisher, 2014
- [*Leptogenys alatapia*](#) Rakotonirina & Fisher, 2014
- [*Leptogenys alluaudi*](#) Emery, 1895
- [*Leptogenys amazonica*](#) Borgmeier, 1930
- [*Leptogenys ambo*](#) Rakotonirina & Fisher, 2014
- [*Leptogenys amon*](#) Bolton, 1975
- [*Leptogenys amu*](#) Lattke, 2011
- [*Leptogenys andritantely*](#) Rakotonirina & Fisher, 2014

- [Leptogenys angusta](#) (Forel, 1892)
- [Leptogenys angustinoda](#) Clark, 1934
- [Leptogenys anitae](#) Forel, 1915
- [Leptogenys anjara](#) Rakotonirina & Fisher, 2014
- [Leptogenys ankhesa](#) Bolton, 1975
- [Leptogenys antillana](#) Wheeler, 1914
- [Leptogenys antongilensis](#) Emery, 1899
- [Leptogenys arcistrostris](#) Santschi, 1926
- [Leptogenys arcuata](#) Roger, 1861
- [Leptogenys arnoldi](#) Forel, 1913
- [Leptogenys aspera](#) (Andre, 1889)
- [Leptogenys assamensis](#) Forel, 1900
- [Leptogenys atra](#) Arimoto & Yamane, 2018
- [Leptogenys attenuata](#) (Smith, 1858)
- [Leptogenys australis](#) (Emery, 1888)
- [Leptogenys avaratra](#) Rakotonirina & Fisher, 2014
- [Leptogenys avo](#) Rakotonirina & Fisher, 2014
- [Leptogenys barimaso](#) Rakotonirina & Fisher, 2014
- [Leptogenys bellii](#) Emery, 1901
- [Leptogenys bezanozano](#) Rakotonirina & Fisher, 2014
- [Leptogenys bhartii](#) Wachkoo et al., 2018
- [Leptogenys bidentata](#) Forel, 1900
- [Leptogenys bifida](#) Lattke, 2011
- [Leptogenys binghamii](#) Forel, 1900
- [Leptogenys birmana](#) Forel, 1900
- [Leptogenys bituberculata](#) Emery, 1901
- [Leptogenys bohlsi](#) Emery, 1896
- [Leptogenys borivava](#) Rakotonirina & Fisher, 2014
- [Leptogenys borneensis](#) Wheeler, 1919
- [Leptogenys breviceps](#) Viehmeyer, 1914
- [Leptogenys breviloba](#) Arimoto, 2017
- [Leptogenys bubastis](#) Bolton, 1975
- [Leptogenys buyssoni](#) Forel, 1907
- [Leptogenys caeciliae](#) Viehmeyer, 1912
- [Leptogenys camerunensis](#) Stitz, 1910
- [Leptogenys carbonaria](#) Lattke, 2011
- [Leptogenys carinata](#) Donisthorpe, 1943
- [Leptogenys carioca](#) López-Muñoz et al., 2018
- [Leptogenys castanea](#) (Mayr, 1862)
- [Leptogenys centralis](#) Wheeler, 1915
- [Leptogenys chalybaea](#) (Emery, 1887)
- [Leptogenys chamela](#) Lattke, 2011

- [Leptogenys chelifera](#) (Santschi, 1928)
- [Leptogenys chinensis](#) (Mayr, 1870)
- [Leptogenys chrislaini](#) Rakotonirina & Fisher, 2014
- [Leptogenys ciliata](#) Lattke, 2011
- [Leptogenys clarki](#) Wheeler, 1933
- [Leptogenys coerulescens](#) Emery, 1895
- [Leptogenys comajojo](#) Rakotonirina & Fisher, 2014
- [Leptogenys confucii](#) Forel, 1912
- [Leptogenys conigera](#) (Mayr, 1876)
- [Leptogenys conradti](#) Forel, 1913
- [Leptogenys consanguinea](#) Wheeler, 1909
- [Leptogenys cordoba](#) Lattke, 2011
- [Leptogenys corniculans](#) Lattke, 2011
- [Leptogenys cracens](#) Lattke, 2011
- [Leptogenys crassicornis](#) Emery, 1895
- [Leptogenys crassinoda](#) Arnold, 1926
- [Leptogenys crudelis](#) (Smith, 1858)
- [Leptogenys crustosa](#) Santschi, 1914
- [Leptogenys cryptica](#) Bolton, 1975
- [Leptogenys cuneata](#) Lattke, 2011
- [Leptogenys curva](#) Arimoto, 2017
- [Leptogenys cyanicatena](#) Arimoto & Yamane, 2018
- [Leptogenys dalyi](#) Forel, 1900
- [Leptogenys darlingtoni](#) Wheeler, 1933
- [Leptogenys davydovi](#) Karavaiev, 1935
- [Leptogenys deborae](#) Lattke, 2011
- [Leptogenys dentilobis](#) Forel, 1900
- [Leptogenys diana](#) Rakotonirina & Fisher, 2014
- [Leptogenys diatra](#) Bolton, 1975
- [Leptogenys diminuta](#) (Smith, 1857)
- [Leptogenys donisthorpei](#) Mann, 1922
- [Leptogenys drepanon](#) Wilson, 1958
- [Leptogenys ebenina](#) Forel, 1915
- [Leptogenys edsoni](#) Rakotonirina & Fisher, 2014
- [Leptogenys elegans](#) Bolton, 1975
- [Leptogenys elongata](#) (Buckley, 1866)
- [Leptogenys elzasoares](#) Tozetto et al., 2022
- [Leptogenys emeryi](#) Forel, 1901
- [Leptogenys emiliae](#) Forel, 1902
- [Leptogenys ergatogyna](#) Wheeler, 1922
- [Leptogenys erugata](#) Lattke, 2011
- [Leptogenys erythraea](#) Emery, 1902

- [Leptogenys excellens](#) Bolton, 1975
- [Leptogenys excisa](#) (Mayr, 1876)
- [Leptogenys exigua](#) (Crawley, 1921)
- [Leptogenys exundans](#) (Walker, 1859)
- [Leptogenys falcigera](#) Roger, 1861
- [Leptogenys fallax](#) (Mayr, 1876)
- [Leptogenys famelica](#) Emery, 1896
- [Leptogenys fasika](#) Rakotonirina & Fisher, 2014
- [Leptogenys ferrarii](#) Forel, 1913
- [Leptogenys fiandry](#) Rakotonirina & Fisher, 2014
- [Leptogenys foraminosa](#) Lattke, 2011
- [Leptogenys foreli](#) Mann, 1919
- [Leptogenys fortior](#) Forel, 1900
- [Leptogenys fotsivava](#) Rakotonirina & Fisher, 2014
- [Leptogenys foveonates](#) Lattke, 2011
- [Leptogenys foveopunctata](#) Mann, 1921
- [Leptogenys fugax](#) Mann, 1921
- [Leptogenys furtiva](#) Arnold, 1926
- [Leptogenys gagates](#) Mann, 1922
- [Leptogenys gaigei](#) Wheeler, 1923
- [Leptogenys gatu](#) Lattke, 2011
- [Leptogenys glabra](#) Lattke, 2011
- [Leptogenys gorgona](#) Lattke, 2011
- [Leptogenys gracilis](#) Emery, 1899
- [Leptogenys grandidieri](#) Forel, 1910
- [Leptogenys grohli](#) Hamer et al., 2024
- [Leptogenys guianensis](#) Wheeler, 1923
- [Leptogenys guineensis](#) Santschi, 1914
- [Leptogenys hackeri](#) Clark, 1934
- [Leptogenys hainanensis](#) Chen et al., 2024
- [Leptogenys harmsi](#) Donisthorpe, 1935
- [Leptogenys havilandi](#) Forel, 1901
- [Leptogenys hebrideana](#) Wilson, 1958
- [Leptogenys hemioptica](#) Forel, 1901
- [Leptogenys hezhouensis](#) Zhou, 2001
- [Leptogenys honduriana](#) Mann, 1922
- [Leptogenys honoria](#) Bolton, 1975
- [Leptogenys huapingensis](#) Zhou, 2001
- [Leptogenys humiliata](#) Mann, 1921
- [Leptogenys hysterica](#) Forel, 1900
- [Leptogenys iheringi](#) Forel, 1911
- [Leptogenys imerinensis](#) Mann, 1922

- [Leptogenys imperatrix](#) Mann, 1922
- [Leptogenys incisa](#) Forel, 1891
- [Leptogenys indagatrix](#) Wilson, 1958
- [Leptogenys ingens](#) Mayr, 1866
- [Leptogenys intermedia](#) Emery, 1902
- [Leptogenys intricata](#) Viehmeyer, 1924
- [Leptogenys iridescent](#) (Smith, 1857)
- [Leptogenys iridipennis](#) (Smith, 1858)
- [Leptogenys itoi](#) Arimoto, 2017
- [Leptogenys ixta](#) Lattke, 2011
- [Leptogenys jeanettei](#) Mathew & Tiwari, 2000
- [Leptogenys jeanneli](#) Santschi, 1914
- [Leptogenys johary](#) Rakotonirina & Fisher, 2014
- [Leptogenys josephi](#) Mackay & MacKay, 2004
- [Leptogenys kanaoi](#) Arimoto, 2017
- [Leptogenys karawaiewi](#) Santschi, 1928
- [Leptogenys keysseri](#) Viehmeyer, 1914
- [Leptogenys khammouanensis](#) Roncin & Deharveng, 2003
- [Leptogenys khaura](#) Bolton, 1975
- [Leptogenys kiche](#) Lattke, 2011
- [Leptogenys kitteli](#) (Mayr, 1870)
- [Leptogenys kraepelini](#) Forel, 1905
- [Leptogenys laeviceps](#) (Smith, 1857)
- [Leptogenys laeviterga](#) Zhou et al., 2012
- [Leptogenys langi](#) Wheeler, 1923
- [Leptogenys laozii](#) Xu, 2000
- [Leptogenys lattkei](#) Bharti & Wachkoo, 2013
- [Leptogenys lavavava](#) Rakotonirina & Fisher, 2014
- [Leptogenys lei thorax](#) Prins, 1965
- [Leptogenys leleji](#) Zryanin, 2016
- [Leptogenys letilae](#) Mann, 1921
- [Leptogenys linda](#) Lattke, 2011
- [Leptogenys linearis](#) (Smith, 1858)
- [Leptogenys loarelae](#) Ramage, 2019
- [Leptogenys lohahela](#) Rakotonirina & Fisher, 2014
- [Leptogenys longensis](#) Forel, 1915
- [Leptogenys longiceps](#) Santschi, 1914
- [Leptogenys longiscapus](#) Donisthorpe, 1943
- [Leptogenys lucida](#) Rakotonirina & Fisher, 2014
- [Leptogenys lucidula](#) Emery, 1895
- [Leptogenys luederwaldti](#) Forel, 1913
- [Leptogenys mactans](#) Bolton, 1975

- [Leptogenys magna](#) Forel, 1900
- [Leptogenys malama](#) Rakotonirina & Fisher, 2014
- [Leptogenys malayana](#) Arimoto, 2017
- [Leptogenys mangabe](#) Rakotonirina & Fisher, 2014
- [Leptogenys manja](#) Rakotonirina & Fisher, 2014
- [Leptogenys manni](#) Wheeler, 1923
- [Leptogenys manongarivo](#) Rakotonirina & Fisher, 2014
- [Leptogenys mastax](#) Bolton, 1975
- [Leptogenys mavaca](#) Lattke, 2011
- [Leptogenys maxillosa](#) (Smith, 1858)
- [Leptogenys maya](#) Lattke, 2011
- [Leptogenys mayotte](#) Rakotonirina & Fisher, 2014
- [Leptogenys melena](#) Lattke, 2011
- [Leptogenys mengzii](#) Xu, 2000
- [Leptogenys meritans](#) (Walker, 1859)
- [Leptogenys microps](#) Bolton, 1975
- [Leptogenys minima](#) Lattke, 2011
- [Leptogenys mjobergi](#) Forel, 1915
- [Leptogenys modiglianii](#) Emery, 1900
- [Leptogenys moelleri](#) (Bingham, 1903)
- [Leptogenys montuosa](#) Lattke, 2011
- [Leptogenys mucronata](#) Forel, 1893
- [Leptogenys mutabilis](#) (Smith, 1861)
- [Leptogenys myops](#) (Emery, 1887)
- [Leptogenys namana](#) Rakotonirina & Fisher, 2014
- [Leptogenys namoroka](#) Rakotonirina & Fisher, 2014
- [Leptogenys navua](#) Mann, 1921
- [Leptogenys nebra](#) Bolton, 1975
- [Leptogenys neutralis](#) Forel, 1907
- [Leptogenys nigricans](#) Lattke, 2011
- [Leptogenys nitens](#) Donisthorpe, 1943
- [Leptogenys nuserra](#) Bolton, 1975
- [Leptogenys oaxaca](#) Lattke, 2011
- [Leptogenys occidentalis](#) Bernard, 1953
- [Leptogenys optica](#) Viehmeyer, 1914
- [Leptogenys orchidioides](#) Lattke, 2011
- [Leptogenys oresbia](#) Wilson, 1958
- [Leptogenys oswaldi](#) (Forel, 1891)
- [Leptogenys pangui](#) Xu, 2000
- [Leptogenys panops](#) Lattke, 2011
- [Leptogenys papuana](#) Emery, 1897
- [Leptogenys paraensis](#) Lattke, 2011

- [Leptogenys parvula](#) Emery, 1900
- [Leptogenys pavesii](#) Emery, 1892
- [Leptogenys peninsularis](#) Mann, 1926
- [Leptogenys peringueyi](#) Forel, 1913
- [Leptogenys peruana](#) Lattke, 2011
- [Leptogenys peuqueti](#) (Andre, 1887)
- [Leptogenys phylloba](#) Lattke, 2011
- [Leptogenys pilaka](#) Rakotonirina & Fisher, 2014
- [Leptogenys pinna](#) Lattke, 2011
- [Leptogenys piroskae](#) Forel, 1910
- [Leptogenys pittieri](#) Lattke, 2011
- [Leptogenys podenzanai](#) (Emery, 1895)
- [Leptogenys polaszeki](#) Sharaf & Akbar, 2017
- [Leptogenys pompiloides](#) (Smith, 1857)
- [Leptogenys princeps](#) Bolton, 1975
- [Leptogenys processionalis](#) (Jerdon, 1851)
- [Leptogenys pruinosa](#) Forel, 1900
- [Leptogenys pubiceps](#) Emery, 1890
- [Leptogenys pucuna](#) Lattke, 2011
- [Leptogenys pujoli](#) Cavalcanti & Lattke, 2024
- [Leptogenys punctata](#) Emery, 1914
- [Leptogenys punctaticeps](#) Emery, 1890
- [Leptogenys punctiventris](#) (Mayr, 1879)
- [Leptogenys purpurea](#) (Emery, 1887)
- [Leptogenys pusilla](#) (Emery, 1890)
- [Leptogenys qini](#) Chen et al., 2026
- [Leptogenys quadrata](#) Lattke, 2011
- [Leptogenys quiriguana](#) Wheeler, 1923
- [Leptogenys quirozi](#) Lattke, 2011
- [Leptogenys rabebe](#) Rakotonirina & Fisher, 2014
- [Leptogenys rabesoni](#) Rakotonirina & Fisher, 2014
- [Leptogenys ralipra](#) Rakotonirina & Fisher, 2014
- [Leptogenys rasila](#) Lattke, 2011
- [Leptogenys ravida](#) Bolton, 1975
- [Leptogenys reggae](#) Lattke, 2011
- [Leptogenys regis](#) Bolton, 1975
- [Leptogenys ridens](#) Forel, 1910
- [Leptogenys ritae](#) Forel, 1899
- [Leptogenys roberti](#) Forel, 1900
- [Leptogenys rouxi](#) (Emery, 1914)
- [Leptogenys rufa](#) Mann, 1922
- [Leptogenys rufida](#) Zhou et al., 2012

- [Leptogenys rugosopunctata](#) Karavaiev, 1925
- [Leptogenys sagaris](#) Wilson, 1958
- [Leptogenys sahamalaza](#) Rakotonirina & Fisher, 2014
- [Leptogenys santacruzii](#) Lattke, 2011
- [Leptogenys saussurei](#) (Forel, 1891)
- [Leptogenys scabra](#) Chen et al., 2026
- [Leptogenys schwabi](#) Forel, 1913
- [Leptogenys serrata](#) Lattke, 2011
- [Leptogenys sianka](#) Lattke, 2011
- [Leptogenys sjostedti](#) Forel, 1915
- [Leptogenys socorda](#) Lattke, 2011
- [Leptogenys sonora](#) Lattke, 2011
- [Leptogenys spandax](#) Bolton, 1975
- [Leptogenys stenocheilos](#) (Jerdon, 1851)
- [Leptogenys sterops](#) Bolton, 1975
- [Leptogenys strator](#) Bolton, 1975
- [Leptogenys strenna](#) Zhou, 2001
- [Leptogenys striatidens](#) Bolton, 1975
- [Leptogenys stuhlmanni](#) Mayr, 1893
- [Leptogenys stygia](#) Bolton, 1975
- [Leptogenys suarensis](#) Emery, 1895
- [Leptogenys sulcinoda](#) (Andre, 1892)
- [Leptogenys sunyatseni](#) Chen et al., 2026
- [Leptogenys sunzii](#) Xu & He, 2015
- [Leptogenys tama](#) Lattke, 2011
- [Leptogenys tatsimo](#) Rakotonirina & Fisher, 2014
- [Leptogenys terroni](#) Bolton, 1975
- [Leptogenys testacea](#) (Donisthorpe, 1948)
- [Leptogenys tiobil](#) Lattke, 2011
- [Leptogenys titan](#) Bolton, 1975
- [Leptogenys toeraniva](#) Rakotonirina & Fisher, 2014
- [Leptogenys toxeres](#) Lattke, 2011
- [Leptogenys transitionis](#) Bharti & Wachkoo, 2013
- [Leptogenys tricola](#) Taylor, 1969
- [Leptogenys triloba](#) Emery, 1901
- [Leptogenys trilobata](#) Santschi, 1924
- [Leptogenys truncata](#) Mann, 1919
- [Leptogenys truncatirostris](#) Forel, 1897
- [Leptogenys tsingy](#) Rakotonirina & Fisher, 2014
- [Leptogenys turneri](#) Forel, 1900
- [Leptogenys unistimulosa](#) Roger, 1863
- [Leptogenys variabilis](#) Rakotonirina & Fisher, 2014

- [*Leptogenys varicosa*](#) Stitz, 1925
- [*Leptogenys vatovavy*](#) Rakotonirina & Fisher, 2014
- [*Leptogenys vindicis*](#) Bolton, 1975
- [*Leptogenys violacea*](#) Donisthorpe, 1942
- [*Leptogenys vitiensis*](#) Mann, 1921
- [*Leptogenys vitsy*](#) Rakotonirina & Fisher, 2014
- [*Leptogenys voeltzkowi*](#) Forel, 1897
- [*Leptogenys vogeli*](#) Borgmeier, 1933
- [*Leptogenys volcanica*](#) Lattke, 2011
- [*Leptogenys wheeleri*](#) Forel, 1901
- [*Leptogenys yandii*](#) Xu & He, 2015
- [*Leptogenys yerburyi*](#) Forel, 1900
- [*Leptogenys yocota*](#) Lattke, 2011
- [*Leptogenys zapyxis*](#) Bolton, 1975
- [*Leptogenys zhoui*](#) Chen et al., 2024
- [*Leptogenys zhuangzii*](#) Xu, 2000
- [*Leptogenys zohy*](#) Rakotonirina & Fisher, 2014

Extinct species

- †[*Leptogenys lacerata*](#) Zhang, 1989

This is a list of 291 species in [*Leptogaster*](#), a genus of robber flies in the family [*Asilidae*](#).^{[1][2][3]}

Species

These species belong to the genus *Leptogaster*:^[1]

- [*Leptogaster abdominalis*](#) Hsia, 1949
- [*Leptogaster acanthozona*](#) Janssens, 1954
- [*Leptogaster aegra*](#) Martin, 1957
- [*Leptogaster aestiva*](#) White, 1914
- [*Leptogaster affinis*](#) Lehr, 1972
- [*Leptogaster aganniphe*](#) Janssens, 1957
- [*Leptogaster albimana*](#) Walker, 1858
- [*Leptogaster albimanus*](#) Walker, 1858
- [*Leptogaster albitarsis*](#) (Macquart, 1846)
- [*Leptogaster algarvensis*](#) Bosák & Hradský, 2008
- [*Leptogaster altacola*](#) Martin, 1957
- [*Leptogaster angela*](#) Osten Sacken, 1881
- [*Leptogaster angelus*](#) Osten Sacken, 1881
- [*Leptogaster angustilineola*](#) Martin, 1964

- [Leptogaster annulipes](#) Walker, 1855
- [Leptogaster antennalis](#) Janssens, 1954
- [Leptogaster antenorea](#) (Lioy, 1864)
- [Leptogaster antipoda](#) Bigot, 1878
- [Leptogaster antiquaria](#) Martin, 1964
- [Leptogaster apicalis](#) Enderlein, 1914
- [Leptogaster appendiculata](#) Hermann, 1917
- [Leptogaster arabica](#) Bosák & Hradský, 2011
- [Leptogaster arborcola](#) Martin, 1957
- [Leptogaster arenicola](#) James, 1937
- [Leptogaster arenicolus](#) James, 1937
- [Leptogaster argentinae](#) Martin, 1972
- [Leptogaster argionina](#) Speiser, 1910
- [Leptogaster arida](#) Cole, 1919
- [Leptogaster aristalis](#) Janssens, 1957
- [Leptogaster armeniaca](#) Paramonov, 1930
- [Leptogaster aruensis](#) Tomasovic, 2020
- [Leptogaster atridorsalis](#) Back, 1909
- [Leptogaster augusta](#) Hsia, 1949
- [Leptogaster auripulverella](#) Séguy, 1934
- [Leptogaster australis](#) Ricardo, 1912
- [Leptogaster autumnalis](#) White, 1916
- [Leptogaster bahamiensis](#) Scarbrough, 1996
- [Leptogaster bancrofti](#) Ricardo, 1912
- [Leptogaster basalis](#) Walker, 1855
- [Leptogaster basilaris](#) Coquillett, 1898
- [Leptogaster basilewskyi](#) Janssens, 1955
- [Leptogaster bengryi](#) Farr, 1963
- [Leptogaster biannulata](#) Martin, 1964
- [Leptogaster bicolor](#) (Macquart, 1848)
- [Leptogaster bicoloripes](#) (Hsia, 1949)
- [Leptogaster bilobata](#) Hermann, 1917
- [Leptogaster bivittata](#) Lehr, 1975
- [Leptogaster brevicornis](#) Loew, 1872
- [Leptogaster brevitarsis](#) Hardy, 1935
- [Leptogaster breviventris](#) Theodor, 1980
- [Leptogaster brunnea](#) Loew, 1858
- [Leptogaster calceata](#) Engel, 1925
- [Leptogaster californica](#) Martin, 1957
- [Leptogaster calvimacula](#) Martin, 1964
- [Leptogaster candidata](#) Séguy, 1929
- [Leptogaster canuta](#) Martin, 1964

- [Leptogaster carolinensis](#) Schiner, 1866
- [Leptogaster carotenoides](#) Tomasovic, 1999
- [Leptogaster cheriani](#) Bromley, 1938
- [Leptogaster cilipes](#) Frey, 1937
- [Leptogaster cingulipes](#) Walker, 1857
- [Leptogaster clavistila](#) (Rondani, 1848)
- [Leptogaster coarctata](#) Hermann, 1917
- [Leptogaster collata](#) Martin, 1964
- [Leptogaster coloradensis](#) James, 1937
- [Leptogaster concava](#) Martin, 1964
- [Leptogaster concinnata](#) Williston, 1901
- [Leptogaster coniata](#) Oldroyd, 1960
- [Leptogaster contermina](#) Edwards, 1919
- [Leptogaster cracens](#) Martin, 1964
- [Leptogaster crassipes](#) Hsia, 1949
- [Leptogaster crassitarsis](#) Frey, 1937
- [Leptogaster cressoni](#) Bromley, 1942
- [Leptogaster crocea](#) Williston, 1901
- [Leptogaster crockeri](#) Curran, 1936
- [Leptogaster cultaventriss](#) Martin, 1957
- [Leptogaster curvivena](#) Hsia, 1949
- [Leptogaster cylindrica](#) (De Geer, 1776) (Striped Slender Robberfly)
- [Leptogaster dalmatina](#) Engel, 1925
- [Leptogaster dasyphlebia](#) Martin, 1964
- [Leptogaster decellei](#) Oldroyd, 1968
- [Leptogaster deserticola](#) Bosák & Hradský, 2011
- [Leptogaster diluta](#) Martin, 1964
- [Leptogaster dissimilis](#) Ricardo, 1912
- [Leptogaster distincta](#) Schiner, 1867
- [Leptogaster doleschalli](#) Oldroyd, 1975
- [Leptogaster dorospicta](#) Hsia, 1949
- [Leptogaster ealensis](#) Janssens, 1954
- [Leptogaster elbaiensis](#) Efflatoun, 1937
- [Leptogaster elongata](#) Martin, 1964
- [Leptogaster entebbensis](#) Oldroyd, 1939
- [Leptogaster eoa](#) (Lehr, 1961)
- [Leptogaster erecta](#) Meunier, 1906
- [Leptogaster eudicrana](#) Loew, 1874
- [Leptogaster evanescens](#) Janssens, 1954
- [Leptogaster exacta](#) Walker, 1861
- [Leptogaster faragi](#) Efflatoun, 1937
- [Leptogaster ferruginea](#) Walker, 1855

- [Leptogaster fervens](#) Wiedemann, 1830
- [Leptogaster filiventr](#) Hsia, 1949
- [Leptogaster flavipes](#) Loew, 1862
- [Leptogaster flaviventris](#) Hsia, 1949
- [Leptogaster flavobrunnea](#) Hull, 1967
- [Leptogaster formosana](#) Enderlein, 1914
- [Leptogaster fornicata](#) Martin, 1957
- [Leptogaster freyi](#) Bromley, 1951
- [Leptogaster fulvicra](#) (Hsia, 1949)
- [Leptogaster fulvipes](#) Bigot, 1878
- [Leptogaster fumipennis](#) Loew, 1871
- [Leptogaster fumosa](#) Janssens, 1954
- [Leptogaster furculata](#) Hsia, 1949
- [Leptogaster fuscifacies](#) Martin, 1964
- [Leptogaster fuscipennis](#) Blanchard, 1854
- [Leptogaster galbicesta](#) Martin, 1964
- [Leptogaster geniculata](#) (Macquart, 1850)
- [Leptogaster globopyga](#) Hull, 1967
- [Leptogaster gracilipes](#) (Hsia, 1949)
- [Leptogaster gracilis](#) Loew, 1847
- [Leptogaster guttiventris](#) Zetterstedt, 1842 (Dashed Slender Robberfly)
- [Leptogaster habilis](#) Wulp, 1872
- [Leptogaster helvola](#) Loew, 1871
- [Leptogaster hermelina](#) Janssens, 1954
- [Leptogaster hermonensis](#) Theodor, 1980
- [Leptogaster hesperis](#) Martin, 1957
- [Leptogaster hirticollis](#) Wulp, 1872
- [Leptogaster hirtipes](#) Coquillett, 1904
- [Leptogaster hispanica](#) Meigen, 1838
- [Leptogaster hopehensis](#) Hsia, 1949
- [Leptogaster humeralis](#)
- [Leptogaster hyacinthina](#) Scarbrough, 1996
- [Leptogaster incisuralis](#) Loew, 1862
- [Leptogaster inflata](#) Osten Sacken, 1881
- [Leptogaster inflatus](#) Osten Sacken, 1881
- [Leptogaster insularis](#) Janssens, 1954
- [Leptogaster intermedia](#) Meigen & Walzl, 1835
- [Leptogaster intermedius](#) Meigen
- [Leptogaster intima](#) Williston, 1901
- [Leptogaster inutilis](#) Walker, 1856
- [Leptogaster jamaicensis](#) Farr, 1963
- [Leptogaster javanensis](#) Meijere, 1914

- [Leptogaster judaica](#) Janssens, 1969
- [Leptogaster kamerlacheri](#) Schiner, 1867
- [Leptogaster kashgarica](#) Paramonov, 1930
- [Leptogaster keiseri](#) Martin, 1964
- [Leptogaster koshunensis](#) Oldroyd, 1975
- [Leptogaster krada](#) Oldroyd, 1960
- [Leptogaster lambertoni](#) Bromley, 1942
- [Leptogaster lanata](#) Martin, 1957
- [Leptogaster laoshanensis](#) Hsia, 1949
- [Leptogaster latestriata](#) Becker, 1906
- [Leptogaster lehri](#) Hradský & Huttinger, 1983
- [Leptogaster lernerii](#) Curran, 1953
- [Leptogaster levis](#) Wulp, 1872
- [Leptogaster levusara](#) (Evenhuis, 2006)
- [Leptogaster linearis](#) Becker, 1906
- [Leptogaster lineata](#) Scarbrough, 1996
- [Leptogaster loaloo](#) (Evenhuis, 2006)
- [Leptogaster logicaudu](#) Hermann, 1917
- [Leptogaster longicauda](#) Hermann, 1917
- [Leptogaster longicrinita](#) Martin, 1964
- [Leptogaster longifurcata](#) Meijere, 1914
- [Leptogaster longipes](#) Walker, 1858
- [Leptogaster longitibialis](#) Efflatoun, 1937
- [Leptogaster ludens](#) Curran, 1927
- [Leptogaster macedo](#) Janssens, 1959
- [Leptogaster macilenta](#) Wulp, 1872
- [Leptogaster maculipennis](#) Hsia, 1949
- [Leptogaster madagascariensis](#) Frey, 1937
- [Leptogaster madangensis](#) Tomasovic, 2020
- [Leptogaster magnicollis](#) Walker, 1861
- [Leptogaster martini](#) Farr, 1963
- [Leptogaster masaica](#) Lindner, 1955
- [Leptogaster medicesta](#) Martin, 1964
- [Leptogaster megafemur](#) Hull, 1967
- [Leptogaster melanomystax](#) Janssens, 1954
- [Leptogaster meriel](#) (Evenhuis, 2006)
- [Leptogaster micropygialis](#) Williston, 1901
- [Leptogaster minomensis](#)
- [Leptogaster moluccana](#) (Doleschall, 1857)
- [Leptogaster montana](#) Theodor, 1980
- [Leptogaster multicincta](#) Walker, 1851
- [Leptogaster munda](#) Walker, 1859

- [Leptogaster murina](#) Loew, 1862
- [Leptogaster nartshukae](#) Lehr, 1961
- [Leptogaster nememusha](#) Speiser, 1910
- [Leptogaster nerophana](#) Oldroyd, 1960
- [Leptogaster niger](#) Wiedemann, 1828
- [Leptogaster nigra](#) Hsia, 1949
- [Leptogaster nigricoxa](#)
- [Leptogaster nikiforovi](#) Sakhvon, 2024
- [Leptogaster nitens](#) Bromley, 1947
- [Leptogaster nitida](#) Macquart, 1826
- [Leptogaster nitoris](#) Martin, 1957
- [Leptogaster nubeculosa](#) Bigot, 1878
- [Leptogaster obscuripennis](#) Johnson, 1895
- [Leptogaster obscuripes](#) Loew, 1862
- [Leptogaster occidentalis](#) White, 1914
- [Leptogaster occlusa](#) Meijere, 1914
- [Leptogaster ochricornis](#) Loew, 1858
- [Leptogaster odostata](#) Oldroyd, 1960
- [Leptogaster ophionea](#) Frey, 1937
- [Leptogaster pachypygalis](#) Engel, 1925
- [Leptogaster pacifica](#) Bezzi, 1928
- [Leptogaster palawanensis](#) Oldroyd, 1972
- [Leptogaster pallipes](#) Roser, 1840
- [Leptogaster palparis](#) Loew, 1847
- [Leptogaster panda](#) Martin, 1957
- [Leptogaster parvoclava](#) Martin, 1957
- [Leptogaster patula](#) Martin, 1957
- [Leptogaster pedania](#) Walker, 1849
- [Leptogaster pedunculata](#) Loew, 1847
- [Leptogaster pellucida](#) Janssens, 1954
- [Leptogaster penicillata](#) Janssens, 1954
- [Leptogaster petiola](#) Martin, 1964
- [Leptogaster pictipennis](#) Loew, 1858
- [Leptogaster pilosella](#) Hermann, 1917
- [Leptogaster plebeja](#) Janssens, 1957
- [Leptogaster plilcnemis](#) Janssens, 1954
- [Leptogaster princeps](#) Osten Sacken, 1882
- [Leptogaster pubescens](#) Curran, 1934
- [Leptogaster pubicornis](#) Loew, 1847
- [Leptogaster puella](#) Janssens, 1953
- [Leptogaster pumila](#) (Macquart, 1834)
- [Leptogaster pumilus](#) (Macquart, 1834)

- [Leptogaster pusilla](#) Jaennicke, 1867
- [Leptogaster pyragra](#) Janssens, 1957
- [Leptogaster radialis](#) Janssens, 1954
- [Leptogaster recurva](#) Martin, 1964
- [Leptogaster roederi](#) Williston, 1896
- [Leptogaster roederi](#) Williston, 1896[4]
- [Leptogaster rubida](#) Wiedemann, 1821
- [Leptogaster rufa](#) Janssens, 1953
- [Leptogaster ruficesta](#) Martin, 1964
- [Leptogaster rufirostris](#) Loew, 1858
- [Leptogaster rufithorax](#) Meijere, 1913
- [Leptogaster rutulica](#) Astakhov, 2019
- [Leptogaster salina](#) Lehr, 1972
- [Leptogaster salvia](#) Martin, 1957
- [Leptogaster schaefferi](#) Back, 1909
- [Leptogaster schoutedeni](#) Janssens, 1954
- [Leptogaster sericea](#) Janssens, 1954
- [Leptogaster seyrigi](#) Janssens, 1954
- [Leptogaster signata](#) Meijere, 1914
- [Leptogaster similis](#) Hsia, 1949
- [Leptogaster simplex](#) Bigot, 1878
- [Leptogaster sinensis](#) Hsia, 1949
- [Leptogaster spadix](#) Hsia, 1949
- [Leptogaster spinitarsis](#) Bromley, 1951
- [Leptogaster spinulosa](#) Meijere, 1914
- [Leptogaster stackelbergi](#) Lehr, 1961
- [Leptogaster stichosoma](#) Janssens, 1957
- [Leptogaster straminea](#) Becker, 1906
- [Leptogaster subtilis](#) Loew, 1847
- [Leptogaster suleymani](#) Hasbenli, 2006
- [Leptogaster tarsalis](#) Walker, 1861
- [Leptogaster taurica](#) Lehr, 1961
- [Leptogaster tenerrima](#) Meijere, 1914
- [Leptogaster tenuis](#) Loew, 1858
- [Leptogaster tesquorum](#) Lehr, 1961
- [Leptogaster texana](#) Bromley, 1934
- [Leptogaster tillyardi](#) Hardy, 1935
- [Leptogaster titanus](#) Carrera, 1958
- [Leptogaster tomentosa](#) Oldroyd, 1972
- [Leptogaster tornowii](#) Brèthes, 1904
- [Leptogaster triangulata](#) Williston, 1901
- [Leptogaster tricolor](#) Walker, 1856

- [*Leptogaster trifasciata*](#) Meijere, 1914
- [*Leptogaster trimaculata*](#) Meijere, 1914
- [*Leptogaster trimucronotata*](#) Hermann, 1917
- [*Leptogaster tropica*](#) Curran, 1934
- [*Leptogaster truncata*](#) Theodor, 1980
- [*Leptogaster turkmenica*](#) Paramonov, 1930
- [*Leptogaster ungula*](#) Martin, 1964
- [*Leptogaster unicolor*](#) (Doleschall, 1858)
- [*Leptogaster unihammata*](#) Hermann, 1917
- [*Leptogaster upembana*](#) Janssens, 1954
- [*Leptogaster urundiana*](#) Janssens, 1953
- [*Leptogaster varipes*](#) Wulp, 1880
- [*Leptogaster velutina*](#) Janssens, 1954
- [*Leptogaster venusta*](#) Bromley, 1929
- [*Leptogaster vernalis*](#) White, 1914
- [*Leptogaster virgata*](#) Coquillett, 1904
- [*Leptogaster vitiensis*](#) (Evenhuis, 2006)
- [*Leptogaster vitripennis*](#) Schiner, 1867
- [*Leptogaster vittata*](#) Wiedemann, 1828
- [*Leptogaster vittatus*](#) Wiedemann, 1828
- [*Leptogaster vorax*](#) Curran, 1934
- [*Leptogaster whitei*](#) Hardy, 1940
- † [*Leptogaster cerestensis*](#) Nel & Jouault, 2022
- † [*Leptogaster falloti*](#) Théobald, 1937
- † [*Leptogaster hellii*](#) Unger, 1841
- † [*Leptogaster prior*](#) Melander, 1947

These 212 species belong to [*Leptochilus*](#), a genus of potter and mason wasps in the family [*Vespidae*](#).^[1]
^[2]^[3]

***Leptochilus* species**

- [*Leptochilus acapulcoensis*](#) (Cameron, 1907) ^{c g}
- [*Leptochilus acolhuus*](#) (de Saussure, 1857) ^{c g b}
- [*Leptochilus admimulus*](#) Gusenleitner, 1993 ^{c g}
- [*Leptochilus aegineticus*](#) Gusenleitner, 1970 ^{c g}
- [*Leptochilus alborufulus*](#) Gusenleitner, 1977 ^{c g}
- [*Leptochilus alpestris*](#) (de Saussure, 1856) ^{c g}

- [Leptochilus alterego](#) Gusenleitner, 1970 ^{c g}
- [Leptochilus ambiguus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus ambitiosus](#) Giordani Soika, 1986 ^{c g}
- [Leptochilus amos](#) Gusenleitner, 1972 ^{c g}
- [Leptochilus andalusicus](#) Blüthgen, 1953 ^{c g}
- [Leptochilus anthracinus](#) Parker, 1966 ^{c g}
- [Leptochilus arabicus](#) Giordani Soika, 1979 ^{c g}
- [Leptochilus argentifrons](#) (Kostylev, 1935) ^{c g}
- [Leptochilus aridulus](#) Parker, 1966 ^{c g}
- [Leptochilus aterrimus](#) (Kirby, 1900) ^{c g}
- [Leptochilus atlanticus](#) Berland, 1943 ^{c g}
- [Leptochilus atriceps](#) Gusenleitner, 1977 ^{c g}
- [Leptochilus atroscutellatus](#) Giordani Soika, 1952 ^{c g}
- [Leptochilus autumnus](#) Parker, 1966 ^{c g}
- [Leptochilus avidus](#) Giordani Soika, 1986 ^{c g}
- [Leptochilus ayunensis](#) Giordani Soika, 1981 ^{c g}
- [Leptochilus beaumonti](#) Giordani Soika, 1952 ^{c g}
- [Leptochilus bellulus](#) (Cresson, 1872) ^{c g b}
- [Leptochilus bellus](#) Blüthgen, 1955 ^{c g}
- [Leptochilus biangulatus](#) Gusenleitner, 1977 ^{c g}
- [Leptochilus boharti](#) Parker, 1966 ^{c g}
- [Leptochilus brachialis](#) Parker, 1966 ^{c g}
- [Leptochilus brussiloffi](#) (Dusmet, 1917) ^{c g}
- [Leptochilus bulsamensis](#) Blüthgen, 1955 ^{c g}
- [Leptochilus bytinskii](#) Giordani Soika, 1952 ^{c g}
- [Leptochilus cacaloo](#) Parker, 1966 ^{c g}
- [Leptochilus californicus](#) Parker, 1966 ^{c g}
- [Leptochilus callidus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus camurus](#) (Giordani Soika, 1938) ^{c g}
- [Leptochilus castilianus](#) Blüthgen, 1951 ^{c g}
- [Leptochilus chichimecus](#) (de Saussure, 1857) ^{c g}
- [Leptochilus chinensis](#) Gusenleitner, 2001 ^{c g}
- [Leptochilus chinensis](#) Gusenleitner, 2001 ^{c g}
- [Leptochilus chiricahua](#) Parker, 1966 ^{c g}
- [Leptochilus chorezmicus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus conjunctus](#) Gusenleitner, 1998 ^{c g}

- [Leptochilus covexus](#) Giordani Soika, 1987 ^{c g}
- [Leptochilus crassiceps](#) (Kostylev, 1940) ^{c g}
- [Leptochilus crassipunctatus](#) (Maidl, 1922) ^{c g}
- [Leptochilus crocatus](#) Parker, 1966 ^{c g}
- [Leptochilus cruentatus](#) (Brullé, 1840) ^{c g}
- [Leptochilus desertus](#) Gusenleitner, 2001 ^{c g}
- [Leptochilus discedens](#) Gusenleitner, 1983 ^{c g}
- [Leptochilus dolius](#) Parker, 1966 ^{c g}
- [Leptochilus duplicatus](#) (Klug, 1835) ^{c g}
- [Leptochilus eatoni](#) (E.Saundas, 1905) ^c
- [Leptochilus ebmeri](#) Gusenleitner, 1985 ^{c g}
- [Leptochilus eburneopictus](#) (Kostylev, 1935) ^{c g}
- [Leptochilus electus](#) (Cresson, 1872) ^{c g}
- [Leptochilus ellenae](#) Parker, 1966 ^{c g}
- [Leptochilus elongatus](#) Parker, 1966 ^{c g}
- [Leptochilus emirufulus](#) Giordani Soika, 1986 ^{c g}
- [Leptochilus ergenicus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus errabundus](#) (Giordani Soika, 1938) ^{c g}
- [Leptochilus erubescens](#) (Bohart, 1940) ^{c g}
- [Leptochilus euleptochiloides](#) Giordani Soika, 1977 ^{c g}
- [Leptochilus exornatus](#) Kurzenko, 1974 ^{c g}
- [Leptochilus fallax](#) (de Saussure, 1852) ^c
- [Leptochilus ferrugineus](#) Parker, 1966 ^{c g}
- [Leptochilus festae](#) (Gribodo, 1925) ^{c g}
- [Leptochilus flavicornis](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus flegias](#) (Giordani Soika, 1938) ^{c g}
- [Leptochilus flexilis](#) (Giordani Soika, 1938) ^{c g}
- [Leptochilus fortunatus](#) Blüthgen, 1958 ^{c g}
- [Leptochilus frenchi](#) (Dusmet) ^{c g}
- [Leptochilus fuscipes](#) Gusenleitner, 1985 ^{c g}
- [Leptochilus gayuboi](#) Sanza 2003 ^{c g}
- [Leptochilus gemma](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus gemmeus](#) (Giordani Soika, 1941) ^{c g}
- [Leptochilus genalis](#) (Giordani Soika, 1941) ^{c g}
- [Leptochilus gibberus](#) Parker, 1966 ^{c g}
- [Leptochilus gobicus](#) (Kostylev, 1940) ^{c g}

- [Leptochilus guichardi](#) Giordani Soika, 1973 ^{c g}
- [Leptochilus gusenleitneri](#) Yilderim & Özbeck, 1995 ^{c g}
- [Leptochilus habyrganus](#) Kurzenko, 1977 ^{c g}
- [Leptochilus hermon](#) Gusenleitner, 1972 ^{c g}
- [Leptochilus hesperius](#) Gusenleitner, 1979 ^{c g}
- [Leptochilus hethiticus](#) Gusenleitner, 1985 ^{c g}
- [Leptochilus hina](#) (Dover, 1925) ^{c g}
- [Leptochilus humerus](#) Parker, 1966 ^{c g}
- [Leptochilus ibizanus](#) (Schulthess, 1934) ^{c g}
- [Leptochilus imerolatus](#) Gusenleitner 2006 ^{c g}
- [Leptochilus immodestus](#) (Giordani Soika, 1941) ^{c g}
- [Leptochilus incertus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus inflatipes](#) Giordani Soika, 1952 ^{c g}
- [Leptochilus innatus](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus insitivus](#) Gusenleitner, 1976 ^{c g}
- [Leptochilus insolitus](#) Gusenleitner, 2003 ^{c g}
- [Leptochilus irwini](#) Parker, 1966 ^{c g}
- [Leptochilus isthmus](#) Parker, 1966 ^{c g}
- [Leptochilus jaxarticus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus jordaneus](#) Gusenleitner, 1994 ^{c g}
- [Leptochilus josephi](#) Giordani Soika, 1947 ^{c g}
- [Leptochilus kemali](#) Gusenleitner, 1977 ^{c g}
- [Leptochilus kostylevi](#) Kurzenko, 1979 ^{c g}
- [Leptochilus kozlovi](#) Kurzenko, 1977 ^{c g}
- [Leptochilus krombeini](#) Parker, 1966 ^{c g}
- [Leptochilus kurnubensis](#) Blüthgen, 1955 ^{c g}
- [Leptochilus labrosus](#) Parker, 1966 ^{c g}
- [Leptochilus lemniscatus](#) Parker, 1966 ^{c g}
- [Leptochilus leopoldoi](#) Sanza 2003 ^{c g}
- [Leptochilus levinodus](#) Bohart, 1948 ^{c g}
- [Leptochilus limbiferoides](#) (Giordani Soika, 1938) ^{c g}
- [Leptochilus limbiferus](#) (Moravitz, 1867) ^{c g}
- [Leptochilus linsenmaieri](#) Gusenleitner, 1971 ^{c g}
- [Leptochilus locuples](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus longipalpus](#) Gusenleitner, 1985 ^{c g}
- [Leptochilus longipilis](#) Gusenleitner, 1988 ^{c g}

- [Leptochilus lorestanicus](#) Gusenleitner, 1995 ^{c g}
- [Leptochilus lucidus](#) (Giordani Soika, 1941) ^{c g}
- [Leptochilus lusitanicus](#) Blüthgen, 1953 ^{c g}
- [Leptochilus maracandicus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus marshi](#) Parker, 1966 ^{c g}
- [Leptochilus masiharensis](#) Giordani Soika, 1981 ^{c g}
- [Leptochilus mauritanicus](#) (Lepeletier, 1841) ^c
- [Leptochilus medanae](#) (Gribodo, 1886) ^{c g}
- [Leptochilus membranaceus](#) (Moravitz, 1867) ^{c g}
- [Leptochilus menkei](#) Parker, 1966 ^{c g}
- [Leptochilus mesolobus](#) Parker, 1966 ^{c g}
- [Leptochilus metatarsalis](#) Giordani Soika, 1986 ^{c g}
- [Leptochilus michelbacheri](#) (Bohart, 1948) ^{c g}
- [Leptochilus milleri](#) Parker, 1966 ^{c g}
- [Leptochilus mimulus](#) Gusenleitner, 1970 ^{c g}
- [Leptochilus minutissimus](#) (Bohart, 1940) ^{c g}
- [Leptochilus mirandus](#) Giordani Soika ^{c g}
- [Leptochilus mirificus](#) Gusenleitner 2006 ^{c g}
- [Leptochilus mixtecus](#) Parker, 1966 ^{c g}
- [Leptochilus mochianus](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus modestus](#) (de Saussure, 1852) ^{c g}
- [Leptochilus monticolus](#) Parker, 1966 ^{c g}
- [Leptochilus montivagus](#) Gusenleitner, 2002 ^{c g}
- [Leptochilus moustiersensis](#) Giordani Soika, 1973 ^{c g}
- [Leptochilus moustirsensis](#) Giordani Soika, 1973 ^g
- [Leptochilus muscatensis](#) Giordani Soika, 1979 ^{c g}
- [Leptochilus nabataeus](#) Gusenleitner, 1990 ^{c g}
- [Leptochilus nahuus](#) (de Saussure, 1870) ^{c g}
- [Leptochilus neutraliformis](#) Gusenleitner, 1977 ^{c g}
- [Leptochilus neutralis](#) (Giordani Soika, 1943) ^{c g}
- [Leptochilus nigrocitrinus](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus nigroclypeus](#) Gusenleitner, 1985 ^{c g}
- [Leptochilus nigromontanus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus nugdunensis](#) (de Saussure) ^{c g}
- [Leptochilus occidentalis](#) Giordani Soika, 1986 ^{c g}
- [Leptochilus occultus](#) Gusenleitner, 2003 ^{c g}

- [Leptochilus oculatus](#) Parker, 1966 ^{c g}
- [Leptochilus olmecus](#) (de Saussure, 1870) ^{c g}
- [Leptochilus oraniensis](#) (Lepeletier, 1841) ^{c g}
- [Leptochilus ornatulus](#) Gusenleitner, 1977 ^{c g}
- [Leptochilus ornatus](#) (de Saussure, 1853) ^c
- [Leptochilus osiris](#) (Schmiedeknecht, 1900) ^{c g}
- [Leptochilus osmanicus](#) Gusenleitner, 1988 ^{c g}
- [Leptochilus oxianus](#) (Kostylev, 1940) ^{c g}
- [Leptochilus pachuca](#) Parker, 1966 ^{c g}
- [Leptochilus paiute](#) Parker, 1966 ^{c g}
- [Leptochilus palandokenicus](#) Yilderim & Özbeck, 1995 ^{c g}
- [Leptochilus perialis](#) Parker, 1966 ^{c g}
- [Leptochilus perterrificus](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus perterritus](#) Giordani Soika ^{c g}
- [Leptochilus petilus](#) Parker, 1966 ^{c g}
- [Leptochilus praestans](#) Giordani Soika, 1970 ^{c g}
- [Leptochilus propodealis](#) Bohart, 1948 ^{c g}
- [Leptochilus pseudojosephi](#) Giordani Soika, 1952 ^{c g}
- [Leptochilus pulcher](#) Gusenleitner, 1995 ^{c g}
- [Leptochilus quintus](#) Gusenleitner, 1991 ^{c g}
- [Leptochilus quirogae](#) Parker, 1966 ^{c g}
- [Leptochilus radoschowskii](#) (André, 1884) ^{c g}
- [Leptochilus ratzenboeckii](#) Gusenleitner, 1994 ^{c g}
- [Leptochilus regulus](#) (de Saussure, 1856) ^{c g}
- [Leptochilus replenus](#) Giordani Soika, 1974 ^{c g}
- [Leptochilus republicanus](#) Gusenleitner, 2006 ^b
- [Leptochilus ressliei](#) Gusenleitner, 1985 ^{c g}
- [Leptochilus rivalis](#) Giordani Soika, 1986 ^{c g}
- [Leptochilus rotundipunctis](#) Giordani Soika 1977 ^{c g}
- [Leptochilus rubellulus](#) (Kohl, 1906) ^{c g}
- [Leptochilus rubicundulus](#) (Bohart, 1940) ^{c g}
- [Leptochilus rufina](#) Blüthgen, 1953 ^{c g}
- [Leptochilus rufinodus](#) (Cresson, 1868) ^{c g b}
- [Leptochilus salomon](#) Gusenleitner, 1972 ^{c g}
- [Leptochilus sarticus](#) Blüthgen, 1939 ^{c g}
- [Leptochilus schatzmayri](#) (Giordani Soika, 1938) ^{c g}

- [Leptochilus schindleri](#) (Guiglia, 1929) ^c ^g
- [Leptochilus sewerzowi](#) (Kostylev, 1940) ^c ^g
- [Leptochilus signatus](#) Gusenleitner, 1995 ^c ^g
- [Leptochilus somalicus](#) Giordani Soika, 1987 ^c ^g
- [Leptochilus sonora](#) Parker, 1966 ^c ^g
- [Leptochilus speciosus](#) Gusenleitner, 2002 ^c ^g
- [Leptochilus stangei](#) Parker, 1966 ^c ^g
- [Leptochilus subtarsatellus](#) Gusenleitner, 2002 ^c ^g
- [Leptochilus tarsatellus](#) Giordani Soika, 1970 ^c ^g
- [Leptochilus tarsatiformis](#) (Giordani Soika, 1943) ^c ^g
- [Leptochilus tarsatus](#) (de Saussure, 1855) ^c ^g
- [Leptochilus tassiliensis](#) Giordani Soika, 1954 ^c ^g
- [Leptochilus tertius](#) Gusenleitner, 1990 ^c ^g
- [Leptochilus tibetanus](#) Giordani Soika, 1966 ^c ^g
- [Leptochilus torretassoi](#) (Giordani Soika, 1938) ^c
- [Leptochilus tosquineti](#) (Cameron, 1909) ^c ^g
- [Leptochilus trachysomus](#) (Bohart, 1940) ^c
- [Leptochilus tropicanus](#) Parker, 1966 ^c ^g
- [Leptochilus tuareg](#) Gusenleitner 2006 ^c ^g
- [Leptochilus tussaci](#) Giordani Soika, 1986 ^c ^g
- [Leptochilus umerolatus](#) Gusenleitner, 2006 ^g
- [Leptochilus villosus](#) Gusenleitner, 2001 ^c ^g
- [Leptochilus washo](#) Parker, 1966 ^c ^g
- [Leptochilus weddigeni](#) (Dusmet, 1917) ^c ^g
- [Leptochilus zacatecus](#) Parker, 1966 ^c ^g
- [Leptochilus zendalus](#) (de Saussure, 1870) ^c

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Browse Leptochilus"](#). *Catalogue of Life*. Retrieved 2018-05-13.
 - ["Leptochilus"](#). *GBIF*. Retrieved 2018-05-13.
 - ["Leptochilus Genus Information"](#). *BugGuide.net*. Retrieved 2018-05-13.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-05-13.

Categories:

- [Vespidae](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 120 species in [Leptocerus](#), a genus of long-horned caddisflies in the family [Leptoceridae](#).^{[1][2][3]}

***Leptocerus* species**

- [Leptocerus agamemnon](#) Malicky & Chantaramongkol, 1996^{i c g}
- [Leptocerus agaue](#) Malicky & Chantaramongkol, 1996^{i c g}
- [Leptocerus agunachila](#) Schmid, 1987^{i c g}
- [Leptocerus akhunta](#) Schmid, 1987^{i c g}
- [Leptocerus allaeri](#) Jacquemart, 1966^{i c g}
- [Leptocerus americanus](#) (Banks, 1899)^{i c g b}
- [Leptocerus amoenus](#) (Ulmer, 1951)^{i c g}
- [Leptocerus amphioxus](#) (Marlier, 1965)^{i c g}
- [Leptocerus anakus](#) Gibbs, 1973^{i c g}
- [Leptocerus anchises](#) Malicky, 1997^{i c g}
- [Leptocerus ankuchagraha](#) Schmid, 1987^{i c g}
- [Leptocerus anuradha](#) (Schmid, 1958)^{i c g}
- [Leptocerus aprachasta](#) Schmid, 1987^{i c g}
- [Leptocerus argentoniger](#) (Ulmer, 1915)^{i c g}
- [Leptocerus assimulans](#) (Ulmer, 1916)^{i c g}
- [Leptocerus atidvaya](#) Schmid, 1987^{i c g}
- [Leptocerus atiraskrita](#) Schmid, 1987^{i c g}
- [Leptocerus atsou](#) Schmid, 1987^{i c g}
- [Leptocerus atyudatta](#) Schmid, 1987^{i c g}
- [Leptocerus australis](#) (Marlier, 1965)^{i c g}
- [Leptocerus bahuchaka](#) Schmid, 1987^{i c g}
- [Leptocerus bangsaenensis](#) Malicky & Chantaramongkol, 1991^{i c g}
- [Leptocerus bheriensis](#) Malicky, 1993^{i c g}

- [Leptocerus bifascipennis](#) (Ulmer, 1930) ^{i c g}
- [Leptocerus bimaculatus](#) (Martynov, 1936) ^{i c g}
- [Leptocerus bitaenianus](#) Yang & Morse, 2000 ^{i c g}
- [Leptocerus biwae](#) (Tsuda, 1942) ^{i c g}
- [Leptocerus bosei](#) Kimmins, 1963 ^{i c g}
- [Leptocerus burmanus](#) Kimmins, 1963 ^{i c g}
- [Leptocerus canaliculatus](#) (Ulmer, 1930) ^{i c g}
- [Leptocerus cauliculus](#) Yang & Morse, 2000 ^{i c g}
- [Leptocerus chaktika](#) Schmid, 1987 ^{i c g}
- [Leptocerus charopantaja](#) Schmid, 1987 ^{i c g}
- [Leptocerus chatadalaja](#) Schmid, 1987 ^{i c g}
- [Leptocerus cheesmanae](#) Kimmins, 1962 ^{i c g}
- [Leptocerus cherrensis](#) Kimmins, 1963 ^{i c g}
- [Leptocerus Chiangmaiensis](#) Malicky & Chantaramongkol, 1991 ^{i c g}
- [Leptocerus chyamavadata](#) Schmid, 1987 ^{i c g}
- [Leptocerus ciconiae](#) Malicky, 1993 ^{i c g}
- [Leptocerus circumflexus](#) Mey, 1998 ^{i c g}
- [Leptocerus cirritus](#) Yang & Morse, 2000 ^{i c g}
- [Leptocerus clavatus](#) Kimmins, 1961 ^{i c g}
- [Leptocerus clinatus](#) Yang & Morse, 2000 ^{i c g}
- [Leptocerus colophallus](#) Yang & Morse, 1997 ^{i c g}
- [Leptocerus coulibalyi](#) Gibon, 1992 ^{i c g}
- [Leptocerus datrayukta](#) Schmid, 1987 ^{i c g}
- [Leptocerus debilis](#) (Navás, 1931) ^{i c g}
- [Leptocerus dejouxi](#) Gibon, 1984 ^{i c g}
- [Leptocerus dicopennis](#) (Hwang, 1958) ^{i c g}
- [Leptocerus didymatus](#) (Barnard, 1934) ^{i c g}
- [Leptocerus diehli](#) Malicky & Chantaramongkol, 1991 ^{i c g}
- [Leptocerus dirghachuka](#) Gordon & Schmid in Schmid, 1987 ^{i c g}
- [Leptocerus foederatus](#) (Ulmer, 1951) ^{i c g}
- [Leptocerus funasiensis](#) Kobayashi, 1985 ^{i c g}
- [Leptocerus gracilis](#) (Ulmer, 1912) ^{i c g}
- [Leptocerus hamatus](#) Yang & Morse, 2000 ^{i c g}
- [Leptocerus inflatus](#) Kimmins, 1962 ^{i c g}
- [Leptocerus interruptus](#) (Fabricius, 1775) ^{i c g}
- [Leptocerus inthanonensis](#) Malicky & Chantaramongkol, 1991 ^{i c g}

- [Leptocerus intricatus](#) (Mosely, 1939) ^{i c g}
- [Leptocerus katakoroensis](#) Gibon, 1986 ^{i c g}
- [Leptocerus kchapavarna](#) Schmid, 1987 ^{i c g}
- [Leptocerus kritamukha](#) Schmid, 1987 ^{i c g}
- [Leptocerus lampunensis](#) Malicky & Chantaramongkol, 1991 ^{i c g}
- [Leptocerus lanzenbergeri](#) Malicky & Chantaramongkol, 1991 ^{i c g}
- [Leptocerus lauzannei](#) Gibon, 1992 ^{i c g}
- [Leptocerus longicornis](#) Yang & Morse, 2000 ^{i c g}
- [Leptocerus lusitanicus](#) (McLachlan, 1884) ^{i c g}
- [Leptocerus madhyamika](#) (Schmid, 1961) ^{i c g}
- [Leptocerus mahadbhuta](#) Schmid, 1987 ^{i c g}
- [Leptocerus mahasena](#) (Schmid, 1958) ^{i c g}
- [Leptocerus mahawansa](#) (Schmid, 1958) ^{i c g}
- [Leptocerus manichyana](#) Schmid, 1987 ^{i c g}
- [Leptocerus maroccanus](#) Dakki, 1982 ^{i c g}
- [Leptocerus masik](#) Malicky, 1995 ^{i c g}
- [Leptocerus mechakita](#) Schmid, 1987 ^{i c g}
- [Leptocerus mechavrichana](#) Schmid, 1987 ^{i c g}
- [Leptocerus merangirensis](#) Malicky, 1993 ^{i c g}
- [Leptocerus moselyi](#) (Martynov, 1935) ^{i c g}
- [Leptocerus mubalei](#) (Jacquemart, 1961) ^{i c g}
- [Leptocerus neavei](#) (Mosely, 1932) ^{i c g}
- [Leptocerus ophiophagi](#) Malicky, 1993 ^{i c g}
- [Leptocerus ousta](#) Schmid, 1987 ^{i c g}
- [Leptocerus parakum](#) Chantaramongkol & Malicky, 1986 ^{i c g}
- [Leptocerus pekingensis](#) (Ulmer, 1932) ^{i c g}
- [Leptocerus posticoides](#) Malicky, 1995 ^{i c g}
- [Leptocerus posticus](#) (Banks, 1911) ^{i c g}
- [Leptocerus prithudhara](#) Schmid, 1987 ^{i c g}
- [Leptocerus promkutkaewi](#) Malicky & Chantaramongkol, 1991 ^{i c g}
- [Leptocerus quilleverei](#) Gibon, 1984 ^{i c g}
- [Leptocerus rectus](#) Kimmins, 1956 ^{i c g}
- [Leptocerus sadbhuta](#) Schmid, 1987 ^{i c g}
- [Leptocerus sakantaka](#) Schmid, 1987 ^{i c g}
- [Leptocerus samchita](#) Schmid, 1987 ^{i c g}
- [Leptocerus samnata](#) Schmid, 1987 ^{i c g}

- [Leptocerus sarchtika](#) Schmid, 1987^{i c g}
- [Leptocerus sechani](#) Gibon, 1992^{i c g}
- [Leptocerus senarius](#) Yang & Morse, 2000^{i c g}
- [Leptocerus sibuanus](#) Malicky, 1993^{i c g}
- [Leptocerus similis](#) (McLachlan, 1875)^{i c g}
- [Leptocerus sinuosus](#) Gibbs, 1973^{i c g}
- [Leptocerus sounta](#) Mosely in Mosely & Kimmins, 1953^{i c g}
- [Leptocerus speciosus](#) Kimmins, 1956^{i c g}
- [Leptocerus stephanei](#) Gibon, 1992^{i c g}
- [Leptocerus sudhara](#) Schmid, 1987^{i c g}
- [Leptocerus sukhabaddha](#) Schmid, 1987^{i c g}
- [Leptocerus suthepensis](#) Malicky & Chantaramongkol, 1991^{i c g}
- [Leptocerus sylvaticus](#) Gibon, 1984^{i c g}
- [Leptocerus taianae](#) Gibon, 1992^{i c g}
- [Leptocerus tayaledra](#) Malicky, 1979^{i c g}
- [Leptocerus telimelensis](#) Gibon, 1992^{i c g}
- [Leptocerus tineiformis](#) Curtis, 1834^{i c g}
- [Leptocerus tungyawensis](#) Malicky & Chantaramongkol, 1991^{i c g}
- [Leptocerus tursiops](#) Malicky, 1979^{i c g}
- [Leptocerus ukchatara](#) Schmid, 1987^{i c g}
- [Leptocerus ultimus](#) Mey, 1998^{i c g}
- [Leptocerus vakrita](#) Schmid, 1987^{i c g}
- [Leptocerus valvatus](#) (Martynov, 1935)^{i c g}
- [Leptocerus wangtakraiensis](#) Malicky & Chantaramongkol, 1991^{i c g}
- [Leptocerus wanleelagi](#) Malicky & Chantaramongkol, 1991^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[4] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 136 species in [Lepidostoma](#), a genus of bizarre caddisflies in the family [Lepidostomatidae](#).^{[1][2][3][4]}

***Lepidostoma* species**

- [Lepidostoma acarolum](#) Denning, 1962^{i c g}
- [Lepidostoma americanum](#) (Banks, 1897)^{i c g}
- [Lepidostoma anorhopes](#) (Neboiss, 1990)^{i c g}

- [Lepidostoma aporum](#) Denning, 1949 ^{i c g}
- [Lepidostoma astaneum](#) Denning, 1954 ^{i c g}
- [Lepidostoma aztecum](#) Flint & Bueno-Soria, 1977 ^{i c g}
- [Lepidostoma bakeri](#) Flint, 1965 ^{i c g}
- [Lepidostoma basale](#) (Kolenati, 1848) ^g
- [Lepidostoma baxea](#) Denning, 1958 ^{i c g}
- [Lepidostoma bisculum](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma bryanti](#) (Banks, 1908) ^{i c g}
- [Lepidostoma canthum](#) Ross, 1941 ^{i c g}
- [Lepidostoma carolina](#) (Banks, 1911) ^{i c g}
- [Lepidostoma carrolli](#) Flint, 1958 ^{i c g}
- [Lepidostoma cascadenense](#) (Milne, 1936) ^{i c g b}
- [Lepidostoma castalianum](#) Weaver & Myers, 1998 ^{i c g}
- [Lepidostoma ceratinum](#) Weaver & Andersen, 1995 ^{i c g}
- [Lepidostoma chiriquiensis](#) Holzenthal & Strand, 1992 ^{i c g}
- [Lepidostoma cinereum](#) (Banks, 1899) ^{i c g b}
- [Lepidostoma compressum](#) Etnier & Way, 1973 ^{i c g}
- [Lepidostoma conjunctum](#) (Banks, 1934) ^{i c g}
- [Lepidostoma coreanum](#) Kumanski & Weaver, 1992 ^g
- [Lepidostoma corollatum](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma costale](#) (Banks, 1914) ^{i c g}
- [Lepidostoma cratis](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma curtispiculum](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma dafila](#) Bueno-Soria & Contreras-Ramos, 1986 ^{i c g}
- [Lepidostoma deceptivum](#) (Banks, 1907) ^{i c g}
- [Lepidostoma delongi](#) Ross, 1946 ^{i c g}
- [Lepidostoma denningi](#) Weaver, 1988 ^{i c g}
- [Lepidostoma dulitense](#) (Mosely, 1951) ^{i c g}
- [Lepidostoma ectopium](#) Holzenthal & Strand, 1992 ^{i c g}
- [Lepidostoma erectum](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma ermanae](#) Weaver, 1988 ^{i c g}
- [Lepidostoma errigenum](#) Denning, 1954 ^{i c g}
- [Lepidostoma etnieri](#) Weaver, 1988 ^{i c g}
- [Lepidostoma excavatum](#) Flint & Wiggins, 1961 ^{i c g}
- [Lepidostoma ferox](#) Branch ^g
- [Lepidostoma fimbriatum](#) (Pictet, 1865) ^{i c g}

- [Lepidostoma flinti](#) Wallace & Sherberger, 1972 ^{i c g}
- [Lepidostoma fraternum](#) Mey, 1998 ^{i c g}
- [Lepidostoma frontale](#) (Banks, 1901) ^{i c g}
- [Lepidostoma frosti](#) (Milne, 1936) ^{i c g}
- [Lepidostoma ganesa](#) Malicky & Chantaramongkol, 1994 ^{i c g}
- [Lepidostoma gigitarium](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma glenni](#) Wallace & Sherberger, 1972 ^{i c g}
- [Lepidostoma grande](#) (Banks, 1931) ^{i c g}
- [Lepidostoma griseum](#) (Banks, 1911) ^{i c g}
- [Lepidostoma hamatum](#) Weaver & Andersen, 1995 ^{i c g}
- [Lepidostoma hattorii](#) ^g
- [Lepidostoma heveli](#) Flint & Bueno-Soria, 1977 ^{i c g}
- [Lepidostoma hirtum](#) (Fabricius, 1775) ^{i c g}
- [Lepidostoma hoodi](#) Ross, 1948 ^{i c g b}
- [Lepidostoma ishigakiense](#) ^g
- [Lepidostoma jewetti](#) Ross, 1946 ^{i c g b}
- [Lepidostoma knulli](#) Ross, 1946 ^{i c g}
- [Lepidostoma kornmanni](#) Radovanovic, 1932 ^{i c g}
- [Lepidostoma lacinatum](#) Flint, 1967 ^{i c g}
- [Lepidostoma latipenne](#) (Banks, 1905) ^{i c g}
- [Lepidostoma leonilae](#) Bueno-Soria & Contreras-Ramos, 1986 ^{i c g}
- [Lepidostoma lescheni](#) Bowles, Mathis, & Weaver, 1994 ^{i c g}
- [Lepidostoma libum](#) Ross, 1941 ^{i c g}
- [Lepidostoma licolum](#) Denning, 1975 ^{i c g}
- [Lepidostoma lidderwatense](#) ^g
- [Lepidostoma lobatum](#) Wallace & Sherberger, 1972 ^{i c g}
- [Lepidostoma lotor](#) Ross, 1946 ^{i c g}
- [Lepidostoma lydia](#) Ross, 1939 ^{i c g}
- [Lepidostoma macroceron](#) Weaver & Andersen, 1995 ^{i c g}
- [Lepidostoma medium](#) (Banks, 1934) ^{i c g}
- [Lepidostoma memotong](#) Weaver & Huisman, 1992 ^{i c g}
- [Lepidostoma mexicanum](#) (Banks, 1901) ^{i c g}
- [Lepidostoma mitchelli](#) Flint & Wiggins, 1961 ^{i c g}
- [Lepidostoma modestum](#) (Banks, 1905) ^{i c g}
- [Lepidostoma montatan](#) Malicky & Chantaramongkol, 1994 ^{i c g}
- [Lepidostoma morsei](#) Weaver, 1988 ^{i c g}

- [*Lepidostoma nayarkot*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma nevoissi*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma niigataense*](#)^g
- [*Lepidostoma oaxacense*](#) Bueno-Soria & Contreras-Ramos, 1986^{i c g}
- [*Lepidostoma octolobium*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma ojanum*](#) Weaver & Myers, 1998^{i c g}
- [*Lepidostoma ontario*](#) Ross, 1941^{i c g}
- [*Lepidostoma oreion*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma ormeum*](#) Ross, 1946^{i c g}
- [*Lepidostoma ozarkense*](#) Flint & Harp, 1990^{i c g}
- [*Lepidostoma palawanensis*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma pedang*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma pendulum*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma pictile*](#) (Banks, 1899)^{i c g}
- [*Lepidostoma pilosum*](#) Navás, 1928^{i c g}
- [*Lepidostoma pluviale*](#) (Milne, 1936)^{i c g}
- [*Lepidostoma podagrurum*](#) (McLachlan, 1871)^{i c g}
- [*Lepidostoma polylepidum*](#) Holzenthal & Strand, 1992^{i c g}
- [*Lepidostoma prominens*](#) (Banks, 1930)^{i c g}
- [*Lepidostoma pseudabruptum*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma quaternarium*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma quercinum*](#) Ross, 1938^{i c g}
- [*Lepidostoma quila*](#) Bueno-Soria & Padilla-Ramirez, 1981^{i c g}
- [*Lepidostoma ratanapruksi*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma rayneri*](#) Ross, 1941^{i c g}
- [*Lepidostoma recinum*](#) Denning, 1954^{i c g}
- [*Lepidostoma rectangulare*](#) Flint, 1967^{i c g}
- [*Lepidostoma reimoseri*](#) Flint & Bueno-Soria, 1977^{i c g}
- [*Lepidostoma reosum*](#) Denning, 1954^{i c g b}
- [*Lepidostoma roafi*](#) (Milne, 1936)^{i c g}
- [*Lepidostoma sackeni*](#) (Banks, 1936)^{i c g}
- [*Lepidostoma sainii*](#)^g
- [*Lepidostoma schwendingeri*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma serratum*](#) Flint & Wiggins, 1961^{i c g}
- [*Lepidostoma sibuyana*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma simalungensis*](#) Malicky & Chantaramongkol, 1994^{i c g}

- [*Lepidostoma sommermanae*](#) Ross, 1946^{i c g b}
- [*Lepidostoma spicatum*](#) Denning, 1954^{i c g}
- [*Lepidostoma steinhauseri*](#) Flint & Bueno-Soria, 1977^{i c g}
- [*Lepidostoma stigma*](#) Banks, 1907^{i c g}
- [*Lepidostoma styliifer*](#) Flint & Wiggins, 1961^{i c g}
- [*Lepidostoma talamancense*](#) Flint & Bueno-Soria, 1977^{i c g}
- [*Lepidostoma tapanti*](#) Holzenthal & Strand, 1992^{i c g}
- [*Lepidostoma taurocorne*](#) Yang & Weaver, 2002^g
- [*Lepidostoma tectore*](#) (Neboiss, 1991)^{i c g}
- [*Lepidostoma tenellum*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma tenerifensis*](#) Malicky, 1992^{i c g}
- [*Lepidostoma tibiale*](#) (Carpenter, 1933)^{i c g}
- [*Lepidostoma togatum*](#) (Hagen, 1861)^{i c g b}
- [*Lepidostoma trilobatum*](#)^g
- [*Lepidostoma uncinatum*](#) Weaver & Huisman, 1992^{i c g}
- [*Lepidostoma unicolor*](#) (Banks, 1911)^{i c g}
- [*Lepidostoma varithi*](#) Malicky & Chantaramongkol, 1994^{i c g}
- [*Lepidostoma vernale*](#) (Banks, 1897)^{i c g b}
- [*Lepidostoma verodum*](#) Ross, 1948^{i c g}
- [*Lepidostoma weaveri*](#) Harris, 1986^{i c g}
- [*Lepidostoma wliense*](#) Weaver & Andersen, 1995^{i c g}
- [*Lepidostoma xolotl*](#) Holzenthal & Strand, 1992^{i c g}
- [*Lepidostoma xylochos*](#) (Neboiss, 1991)^{i c g}
- [*Lepidostoma yuwanense*](#)^g
- [*Lepidostoma zimmermanni*](#) Malicky & Chantaramongkol, 1994^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Lepidosaphes is a genus of armored scale insects in the family [*Diaspididae*](#). There are at least 190 described species in *Lepidosaphes*, found worldwide.[2][3][4]

Species

These 191 species belong to the genus *Lepidosaphes*: [3][4]

- [*Lepidosaphes abdominalis*](#) Takagi, 1960
- [*Lepidosaphes aberrans*](#) Lindinger, 1909

- [*Lepidosaphes abietis*](#) (Signoret, 1870)
- [*Lepidosaphes afganensis*](#) Borchsenius, 1962
- [*Lepidosaphes agalegae*](#) (Mamet, 1974)
- [*Lepidosaphes alnicola*](#) (Borchsenius, 1978)
- [*Lepidosaphes ambigua*](#) Rutherford, 1914
- [*Lepidosaphes antakaranae*](#) Mamet, 1959
- [*Lepidosaphes antidesmae*](#) (Rao, 1952)
- [*Lepidosaphes araucariae*](#) Beardsley, 1965
- [*Lepidosaphes arcana*](#) (Matile-Ferrero, 1988)
- [*Lepidosaphes australis*](#) Borchsenius, 1966
- [*Lepidosaphes beckii*](#) (Newman, 1869) (Machilus oystershell)
- [*Lepidosaphes belutchistana*](#) Balachowsky, 1954
- [*Lepidosaphes betulae*](#) (Borchsenius, 1967)
- [*Lepidosaphes boguschi*](#) McDaniel, 1972
- [*Lepidosaphes buzenensis*](#) (Kuwana, 1909)
- [*Lepidosaphes camelliae*](#) Hoke, 1921 (camellia parlatoria scale)
- [*Lepidosaphes carolinensis*](#) Beardsley, 1966
- [*Lepidosaphes cassinae*](#) (Green, 1905)
- [*Lepidosaphes casuarinae*](#) (Maskell, 1893)
- [*Lepidosaphes celtis*](#) Kuwana, 1925
- [*Lepidosaphes ceodes*](#) Kawai, 1972
- [*Lepidosaphes chamaecyparidis*](#) Takagi & Kawai, 1966
- [*Lepidosaphes chinensis*](#) Chamberlin, 1925 (Chinese lepidosaphes scale)
- [*Lepidosaphes chitinosus*](#) Lindinger, 1909
- [*Lepidosaphes citricola*](#) (Young & Hu, 1981)
- [*Lepidosaphes citrina*](#) (Borchsenius, 1964) (Indian citrus scale)
- [*Lepidosaphes cocculi*](#) (Green, 1896) (cocculus scale)
- [*Lepidosaphes conchiformis*](#) (Gmelin, 1790) (Mediterranean fig scale)
- [*Lepidosaphes conocarpi*](#) (Takagi, 2003)
- [*Lepidosaphes contorta*](#) Laing, 1929
- [*Lepidosaphes coreana*](#) (Borchsenius, 1962)
- [*Lepidosaphes corni*](#) Takahashi, 1957
- [*Lepidosaphes cornuta*](#) Ramakrishna Ayyar, 1937 (betelvine scale insect)
- [*Lepidosaphes corrugata*](#) Green, 1904
- [*Lepidosaphes cortrioides*](#) (Froggatt, 1914)
- [*Lepidosaphes crassa*](#) (Froggatt, 1914)
- [*Lepidosaphes crataegicola*](#) Savescu, 1985
- [*Lepidosaphes crawi*](#) (Cockerell, 1896)
- [*Lepidosaphes crudiae*](#) Lindinger, 1909
- [*Lepidosaphes cupressi*](#) Borchsenius, 1958
- [*Lepidosaphes cycadicola*](#) Kuwana, 1931
- [*Lepidosaphes daphniphylli*](#) (Borchsenius, 1978)

- [*Lepidosaphes defecta*](#) (Maskell, 1897)
- [*Lepidosaphes diaspidiformis*](#) Malenotti, 1916
- [*Lepidosaphes dorsalis*](#) Takagi & Kawai, 1966
- [*Lepidosaphes duponti*](#) Green, 1916 (Dupont scale)
- [*Lepidosaphes elmerrilleae*](#) Williams & Watson, 1988
- [*Lepidosaphes erythrinae*](#) Rutherford, 1914
- [*Lepidosaphes esakii*](#) Takahashi, 1939 (Dupont scale)
- [*Lepidosaphes eucalypti*](#) (Froggatt, 1914) (eucalyptus mussel scale)
- [*Lepidosaphes europae*](#) Mamet, 1956
- [*Lepidosaphes euryae*](#) (Kuwana, 1902)
- [*Lepidosaphes eurychlidonis*](#) Williams & Watson, 1988
- [*Lepidosaphes ficicola*](#) Takahashi, 1931
- [*Lepidosaphes flava*](#) (Signoret, 1870) (De Stefan scale)
- [*Lepidosaphes froggatti*](#) Laing, 1929
- [*Lepidosaphes fulleri*](#) Fernald, 1903
- [*Lepidosaphes garambiensis*](#) Takahashi, 1933
- [*Lepidosaphes garciniae*](#) (Young & Hu, 1981)
- [*Lepidosaphes geniostomae*](#) Williams & Watson, 1988
- [*Lepidosaphes giffardi*](#) (Adachi & Fullaway, 1953)
- [*Lepidosaphes glaucae*](#) Takahashi, 1932
- [*Lepidosaphes gloverii*](#) (Packard, 1869) (Glover scale)
- [*Lepidosaphes granati*](#) Koroneos, 1934 (dzhid comma armored scale)
- [*Lepidosaphes grisea*](#) (Maskell, 1890)
- [*Lepidosaphes huangyangensis*](#) (Young & Hu, 1981)
- [*Lepidosaphes huyoung*](#) Normark, 2019
- [*Lepidosaphes incisor*](#) Green, 1916
- [*Lepidosaphes indica*](#) (Borchsenius, 1967)
- [*Lepidosaphes ixorae*](#) Cockerell & Robinson, 1915 (santan scale)
- [*Lepidosaphes janguai*](#) Balachowsky, 1954
- [*Lepidosaphes japonica*](#) (Kuwana, 1902) (Kusamaki scale)
- [*Lepidosaphes jingdongensis*](#) (Young & Hu, 1981)
- [*Lepidosaphes juniperi*](#) Lindinger, 1912 (juniper comma scale)
- [*Lepidosaphes junipericola*](#) (Tang, 1986)
- [*Lepidosaphes kamakurensis*](#) Kuwana, 1925
- [*Lepidosaphes kamerunensis*](#) Lindinger, 1909
- [*Lepidosaphes karkarica*](#) Williams & Watson, 1988
- [*Lepidosaphes kashicola*](#) Takahashi, 1957
- [*Lepidosaphes kazimiae*](#) (Williams, 1963)
- [*Lepidosaphes keteleeriae*](#) Ferris, 1953
- [*Lepidosaphes kuwacola*](#) Kuwana, 1925
- [*Lepidosaphes lactea*](#) (Maskell, 1895)
- [*Lepidosaphes lasianthi*](#) (Green, 1900)

- [*Lepidosaphes laterochitinsa*](#) Green, 1925
- [*Lepidosaphes laurentina*](#) (Almeida, 1971)
- [*Lepidosaphes leei*](#) Takagi, 1970
- [*Lepidosaphes lidgetti*](#) (Cockerell, 1899)
- [*Lepidosaphes lithocarpi*](#) Takahashi, 1934
- [*Lepidosaphes lithocarpicola*](#) (Tang, 1986)
- [*Lepidosaphes lobulata*](#) (Froggatt, 1914)
- [*Lepidosaphes luzonica*](#) Robinson, 1917 (Luzon scale)
- [*Lepidosaphes maai*](#) (Williams & Watson, 1988)
- [*Lepidosaphes macadamiae*](#) Williams, 1973
- [*Lepidosaphes macella*](#) Williams, 1973
- [*Lepidosaphes mackieana*](#) McKenzie, 1943
- [*Lepidosaphes madagascariensis*](#) (Mamet, 1950)
- [*Lepidosaphes malicola*](#) Borchsenius, 1947 (Armenian comma hard scale)
- [*Lepidosaphes marginalis*](#) Leonardi, 1914
- [*Lepidosaphes marginata*](#) Ferris, 1935
- [*Lepidosaphes mcgregori*](#) Banks, 1906 (McGregor scale)
- [*Lepidosaphes melaleucae*](#) (Maskell, 1896)
- [*Lepidosaphes meliae*](#) (Tang, 1986)
- [*Lepidosaphes meridionalis*](#) Lindinger, 1909
- [*Lepidosaphes mexicana*](#) (Cockerell, 1898)
- [*Lepidosaphes micronesiensis*](#) Takahashi, 1942
- [*Lepidosaphes micropori*](#) (Borchsenius, 1958)
- [*Lepidosaphes morafenobensis*](#) Mamet, 1959
- [*Lepidosaphes mulgae*](#) (Froggatt, 1914)
- [*Lepidosaphes multipora*](#) (Leonardi, 1903)
- [*Lepidosaphes newsteadi*](#) (Šulc, 1895) (Newstead scale)
- [*Lepidosaphes nivalis*](#) Takagi, 1970
- [*Lepidosaphes novozealandica*](#) Green, 1929
- [*Lepidosaphes noxia*](#) McKenzie, 1946 (noxius scale)
- [*Lepidosaphes ocellata*](#) (Green, 1907)
- [*Lepidosaphes ogasawarensis*](#) Kawai, 1972
- [*Lepidosaphes okitsuensis*](#) Kuwana, 1925 (Japanese silver fir scale)
- [*Lepidosaphes olivina*](#) Leonardi, 1913
- [*Lepidosaphes orsomi*](#) Mamet, 1954
- [*Lepidosaphes palauensis*](#) Beardsley, 1966
- [*Lepidosaphes pallens*](#) (Maskell, 1890)
- [*Lepidosaphes pallida*](#) (Maskell, 1895) (Maskell scale)
- [*Lepidosaphes pallidula*](#) (Williams, 1969) (Maskell scale)
- [*Lepidosaphes pandani*](#) Laing, 1929
- [*Lepidosaphes pauliani*](#) Mamet, 1959
- [*Lepidosaphes perlonga*](#) (Cockerell, 1898)

- [*Lepidosaphes piceae*](#) (Tang, 1986)
- [*Lepidosaphes pinea*](#) (Borchsenius, 1964)
- [*Lepidosaphes pineti*](#) Borchsenius, 1958
- [*Lepidosaphes pini*](#) (Maskell, 1897) (Oriental pine scale)
- [*Lepidosaphes pinicolous*](#) Chen, 1937
- [*Lepidosaphes pinifolii*](#) (Borchsenius, 1964)
- [*Lepidosaphes piniphila*](#) Borchsenius, 1958
- [*Lepidosaphes piniroxburghii*](#) Takagi, 1975
- [*Lepidosaphes pinnaeformis*](#) (Bouché, 1851) (Machilus oystershell)
- [*Lepidosaphes piperis*](#) (Green, 1908)
- [*Lepidosaphes pistaciae*](#) Archangelskaya, 1930 (yellow pistachio scale)
- [*Lepidosaphes pitsikahitrae*](#) Mamet, 1959
- [*Lepidosaphes pitysophila*](#) (Takagi, 1970)
- [*Lepidosaphes pometiae*](#) Williams & Watson, 1988
- [*Lepidosaphes pseudogloverii*](#) (Borchsenius, 1964) (pseudo-rodshaped scale)
- [*Lepidosaphes pseudomachili*](#) (Borchsenius, 1964)
- [*Lepidosaphes pseudotsugae*](#) Takahashi, 1957
- [*Lepidosaphes punicae*](#) Laing, 1929
- [*Lepidosaphes pyrorum*](#) Tang, 1977
- [*Lepidosaphes quercicola*](#) (Borchsenius, 1967)
- [*Lepidosaphes recurrens*](#) (Takagi & Kawai, 1966)
- [*Lepidosaphes recurvata*](#) (Froggatt, 1914)
- [*Lepidosaphes rubrovittata*](#) Cockerell, 1905 (guava scale)
- [*Lepidosaphes salicina*](#) Borchsenius, 1958 (far eastern oystershell scale)
- [*Lepidosaphes schimae*](#) Kawai, 1972
- [*Lepidosaphes sciadopitysi*](#) McKenzie, 1955 (umbrella pine lepidosaphes)
- [*Lepidosaphes securicula*](#) Williams & Watson, 1988
- [*Lepidosaphes serrifrons*](#) (Leonardi, 1898)
- [*Lepidosaphes serrulata*](#) (Ganguli, 1957)
- [*Lepidosaphes shanxiensis*](#) Shi, 1990
- [*Lepidosaphes shikohabadensis*](#) Dutta, 1990
- [*Lepidosaphes similis*](#) Beardsley, 1975
- [*Lepidosaphes smilacis*](#) Takagi, 1960
- [*Lepidosaphes somalensis*](#) Malenotti, 1916
- [*Lepidosaphes spinosa*](#) (Fuller, 1899)
- [*Lepidosaphes stepta*](#) Williams & Watson, 1988
- [*Lepidosaphes subnivea*](#) Laing, 1929
- [*Lepidosaphes subspiculifera*](#) (Froggatt, 1914)
- [*Lepidosaphes szetchwanensis*](#) (Borchsenius, 1978)
- [*Lepidosaphes takahashii*](#) (Borchsenius, 1964) (Takahashi comma scale)
- [*Lepidosaphes takaoensis*](#) Takahashi, 1935
- [*Lepidosaphes tangi*](#) Tang, 1986

- [*Lepidosaphes tapiae*](#) Mamet, 1959
- [*Lepidosaphes tapleyi*](#) Williams, 1960 (guava long scale)
- [*Lepidosaphes tenuior*](#) Lindinger, 1909
- [*Lepidosaphes tokionis*](#) (Kuwana, 1902) (Croton Mussel Scale)
- [*Lepidosaphes towadensis*](#) Takagi & Kawai, 1966
- [*Lepidosaphes tritubulata*](#) Borchsenius, 1958
- [*Lepidosaphes tsugaedumosae*](#) Takagi, 1977
- [*Lepidosaphes tubulorum*](#) Ferris, 1921 (dark oystershell scale)
- [*Lepidosaphes turanica*](#) Archangelskaya, 1937 (dzhid comma armored scale)
- [*Lepidosaphes ulmi*](#) (Linnaeus, 1758) (Mediterranean fig scale)
- [*Lepidosaphes unguolata*](#) Green, 1905
- [*Lepidosaphes unicolor*](#) Banks, 1906 (buko scale)
- [*Lepidosaphes ussuriensis*](#) (Borchsenius, 1962) (dark oystershell scale)
- [*Lepidosaphes vermiculus*](#) Mamet, 1937 (elongate coconut scale)
- [*Lepidosaphes viticis*](#) (Takagi, 1970)
- [*Lepidosaphes xishuanbannae*](#) (Young & Hu, 1981)
- [*Lepidosaphes yamahoi*](#) Takahashi, 1935
- [*Lepidosaphes yanagicola*](#) Kuwana, 1925 (Euonymus Alatus scale)
- [*Lepidosaphes yoshimotoi*](#) Takagi, 1970
- [*Lepidosaphes yuanfeng*](#) Yuan & Feng, 2007
- [*Lepidosaphes zelkovae*](#) Takagi & Kawai, 1966

This is a list of 177 species in [*Lepidodexia*](#), a genus of flesh flies in the family [*Sarcophagidae*](#).^{[1][2][3]}

***Lepidodexia* species**

- [*L. affinis*](#) de Souza Lopez, 1983 ^{c g}
- [*L. albida*](#) (Lopes, 1951) ^{c g}
- [*L. albihirta*](#) (Dodge, 1965) ^{c g}
- [*L. amazonica*](#) (Townsend, 1934) ^{c g}
- [*L. andina*](#) (Townsend, 1912) ^{c g}
- [*L. angusta*](#) (Aldrich, 1925) ^{c g}
- [*L. angustifrons*](#) Lopes, 1993 ^{c g}
- [*L. angustiventris*](#) (Curran & Walley, 1934) ^{c g}
- [*L. antennata*](#) (Dodge, 1966) ^{c g}
- [*L. apolinari*](#) Lopes, 1951 ^{c g}
- [*L. aragua*](#) (Dodge, 1966) ^{c g}

- [*L. asiliformis*](#) (Townsend, 1927) ^{c g}
- [*L. atrata*](#) (Dodge, 1965) ^{c g}
- [*L. aurea*](#) (Townsend, 1934) ^{c g}
- [*L. azurea*](#) (Enderlein, 1928) ^{c g}
- [*L. bicolor*](#) (Dodge, 1967) ^c
- [*L. bisetosa*](#) (Dodge, 1968) ^{c g}
- [*L. bivittata*](#) Curran, 1928 ^{c g}
- [*L. blakeae*](#) Dodge, 1955 ^{c g}
- [*L. bocainensis*](#) Lopes, 1980 ^{c g}
- [*L. bogotana*](#) (Enderlein, 1928) ^{c g}
- [*L. boraceana*](#) Lopes & Tibana, 1984 ^{c g}
- [*L. borealis*](#) Reinhard, 1937 ^{c g}
- [*L. brevigaster*](#) (Lopes, 1945) ^c
- [*L. brevirostris*](#) (Lopes, 1946) ^{c g}
- [*L. bufonivora*](#) (Lopes & Vogelsang, 1953) ^{c g}
- [*L. calliphorina*](#) (Enderlein, 1928) ^{c g}
- [*L. camorim*](#) (Lopes, 1991) ^{c g}
- [*L. camorin*](#) Lopes, 1991 ^{c g}
- [*L. camura*](#) (Hall, 1938) ^{c g}
- [*L. carchiana*](#) Lopes, 1992 ^{c g}
- [*L. carthaginiensis*](#) Lopes & Tibana, 1988 ^{c g}
- [*L. carvalhoi*](#) Lopes, 1984 ^{c g}
- [*L. catamarca*](#) Lopes, 1991 ^{c g}
- [*L. chaetosa*](#) (Townsend, 1931) ^{c g}
- [*L. chapadensis*](#) Tibana & Lopes, 1985 ^{c g}
- [*L. chocoensis*](#) Lopes, 1992 ^{c g}
- [*L. cingulata*](#) Lopes, 1961 ^{c g}
- [*L. cochliomyia*](#) (Townsend, 1919) ^{c g}
- [*L. cognata*](#) (Walker, 1853) ^c
- [*L. comata*](#) (Aldrich, 1925) ^{c g}
- [*L. confusa*](#) (Lopes, 1946) ^c
- [*L. costalis*](#) (Townsend, 1927) ^{c g}
- [*L. costaricensis*](#) Lopes & Tibana, 1988 ^{c g}
- [*L. cubana*](#) (Lopes, 1951) ^c
- [*L. cuenquensis*](#) Lopes, 1992 ^{c g}
- [*L. currani*](#) Lopes, 1951 ^{c g}

- [*L. cyaneiventris*](#) (Lopes, 1946) ^c
- [*L. dimidiata*](#) ([Wiedemann](#), 1830) ^{c g}
- [*L. dissimilis*](#) (Dodge, 1965) ^{c g}
- [*L. distincta*](#) (Lopes, 1947) ^{c g}
- [*L. diversa*](#) (Lopes, 1946) ^c
- [*L. diversinervis*](#) (Wulp, 1895) ^{c g}
- [*L. diversipes*](#) ([Coquillett](#), 1900) ^{c g}
- [*L. dodgei*](#) Lopes, 1985 ^{c g}
- [*L. dominicensis*](#) (Lopes, 1975) ^c
- [*L. downesi*](#) (Dodge, 1965) ^{c g}
- [*L. downsi*](#) Lopes, 1991 ^{c g}
- [*L. ecuatoriana*](#) Lopes, 1984 ^{c g}
- [*L. egregia*](#) (Hall, 1933) ^{c g}
- [*L. elaborata*](#) (Hall, 1933) ^{c g}
- [*L. elegans*](#) [Coquillett](#), 1895 ^{c g}
- [*L. facialis*](#) ([Townsend](#), 1927) ^{c g}
- [*L. fervens*](#) ([Wiedemann](#), 1830) ^{c g}
- [*L. fiebrigi*](#) ([Enderlein](#), 1928) ^{c g}
- [*L. flavipes*](#) de Souza Lopez, 1983 ^{c g}
- [*L. flavopilosa*](#) (Lopes, 1951) ^{c g}
- [*L. frontalis*](#) [Aldrich](#), 1929 ^{c g}
- [*L. fulviventris*](#) Lopes, 1980 ^{c g}
- [*L. fumipennis*](#) (Lopes, 1946) ^{c g}
- [*L. fuscianalis*](#) (Wulp, 1895) ^{c g}
- [*L. gaucha*](#) Lopes, 1991 ^{c g}
- [*L. gomesi*](#) Lopes, 1980 ^{c g}
- [*L. grisea*](#) Lopes, 1951 ^{c g}
- [*L. griseus*](#) ([Townsend](#), 1927) ^{c g}
- [*L. guailabamba*](#) Lopes, 1991 ^{c g}
- [*L. guatemalteca*](#) Lopes, 1985 ^{c g}
- [*L. guimaraesi*](#) Lopes, 1991 ^{c g}
- [*L. hinei*](#) ([Aldrich](#), 1930) ^{c g}
- [*L. hirculus*](#) ([Coquillett](#), 1910) ^{c g}
- [*L. huixtlaensis*](#) de Souza Lopez, 1983 ^{c g}
- [*L. hyalinipennis*](#) Lopes, 1992 ^{c g}
- [*L. ignota*](#) (Lopes, 1947) ^{c g}

- [*L. inconismus*](#) (Reinhard, 1957) ^{c g}
- [*L. korytkowskii*](#) Lopes, 1992 ^{c g}
- [*L. latifrons*](#) Kano & Lopes, 1969 ^g
- [*L. lenti*](#) Lopes, 1980 ^{c g}
- [*L. lindneri*](#) (Townsend, 1931) ^{c g}
- [*L. maculata*](#) Lopes, 1991 ^{c g}
- [*L. major*](#) Lopes, 1993 ^{c g}
- [*L. matogrossensis*](#) Lopes, 1991 ^{c g}
- [*L. mendax*](#) Lopes, 1992 ^{c g}
- [*L. mendesi*](#) Lopes, 1991 ^{c g}
- [*L. metallica*](#) (Townsend, 1928) ^{c g}
- [*L. mexicana*](#) Lopes, 1985 ^{c g}
- [*L. miamensis*](#) (Townsend, 1918) ^{c g}
- [*L. micropyga*](#) (Wulp, 1895) ^{c g}
- [*L. minensis*](#) Lopes, 1980 ^{c g}
- [*L. minuta*](#) Lopes, 1991 ^{c g}
- [*L. modulata*](#) (Wulp, 1895) ^{c g}
- [*L. monochaeta*](#) (Dodge, 1968) ^{c g}
- [*L. myersi*](#) (Townsend, 1935) ^{c g}
- [*L. napoensis*](#) de Souza Lopez, 1983 ^{c g}
- [*L. nigribimbo*](#) (Dodge, 1965) ^{c g}
- [*L. nigropilosa*](#) Lopes, 1951 ^{c g}
- [*L. nocturnalis*](#) Walton, 1915 ^{c g}
- [*L. obscura*](#) (Lopes, 1950) ^{c g}
- [*L. occulta*](#) Lopes, 1986 ^{c g}
- [*L. ochristriga*](#) (Enderlein, 1928) ^{c g}
- [*L. ojedai*](#) Lopes, 1992 ^{c g}
- [*L. oliveirai*](#) (Lopes, 1974) ^{c g}
- [*L. olmaba*](#) Brimley, 1927 ^{c g}
- [*L. opima*](#) (Wiedemann, 1830) ^{c g}
- [*L. pacta*](#) (Townsend, 1934) ^{c g}
- [*L. pallipes*](#) (Lopes & Tibana, 1988) ^{c g}
- [*L. palpalis*](#) (Dodge, 1968) ^{c g}
- [*L. panamensis*](#) (Dodge, 1968) ^{c g}
- [*L. parva*](#) (Lopes, 1946) ^c
- [*L. peculiaris*](#) Lopes, 1985 ^{c g}

- [L. peruana](#) Lopes, 1986 ^{c g}
- [L. petersoni](#) Lopes, 1984 ^{c g}
- [L. pilosa](#) (Lopes, 1969) ^{c g}
- [L. plumigera](#) (Wulp, 1895) ^{c g}
- [L. pomaschi](#) Lopes, 1991 ^{c g}
- [L. proseni](#) Lopes, 1991 ^{c g}
- [L. quadrisetosa](#) Lopes, 1984 ^{c g}
- [L. reali](#) Lopes & Tibana, 1988 ^{c g}
- [L. reducens](#) (Enderlein, 1928) ^{c g}
- [L. reinhardi](#) Lopes, 1979 ^{c g}
- [L. retusa](#) (Hall, 1933) ^{c g}
- [L. robacki](#) (Lopes, 1975) ^{c g}
- [L. rubriventris](#) (Macquart, 1851) ^{c g}
- [L. rufianalis](#) (Lopes, 1975) ^{c g}
- [L. rufipes](#) (Dodge, 1965) ^{c g}
- [L. rufitibia](#) (Wulp, 1895) ^{c g}
- [L. rufocaudatata](#) (Bigot, 1889) ^{c g}
- [L. rustica](#) (Lopes, 1950) ^{c g}
- [L. sapucaiensis](#) Lopes, 1993 ^{c g}
- [L. sarcophagina](#) (Townsend, 1927) ^{c g}
- [L. setifacies](#) Lopes, 1984 ^{c g}
- [L. setifrons](#) de Souza Lopez, 1983 ^{c g}
- [L. setosa](#) (Coquillett, 1895) ^{c g}
- [L. sheldoni](#) (Coquillett, 1898) ^{c g}
- [L. shewelli](#) Lopes, 1984 ^{c g}
- [L. similis](#) Lopes, 1984 ^{c g}
- [L. sinopi](#) Lopes & Tibana, 1982 ^{c g}
- [L. souzalopesi](#) Lehrer, 1995 ^{c g}
- [L. squamata](#) (Walker, 1853) ^{c g}
- [L. strigosa](#) (Reinhard, 1945) ^{c g}
- [L. subcylindrica](#) (Townsend, 1935) ^{c g}
- [L. subpolita](#) (Aldrich, 1916) ^{c g}
- [L. takaruni](#) Lopes, 1991 ^{c g}
- [L. tandapiens](#) Lopes, 1988 ^{c g}
- [L. teffeensis](#) (Townsend, 1927) ^{c g}
- [L. tessellata](#) (Aldrich, 1916) ^{c g}

- [*L. tetraptera*](#) Brauer & von Bergenstamm, 1891 ^{c g}
- [*L. teutonia*](#) Lopes, 1991 ^{c g}
- [*L. townsendi*](#) (Aldrich, 1925) ^{c g}
- [*L. trinidadensis*](#) Lopes, 1985 ^{c g}
- [*L. tucumana*](#) (Blanchard, 1942) ^{c g}
- [*L. tungurahensis*](#) Lopes & Tibana, 1988 ^{c g}
- [*L. tungurauensis*](#) Lopes & Tibana, 1988 ^{c g}
- [*L. turrialba*](#) Lopes, 1991 ^{c g}
- [*L. unicolor*](#) Aldrich, 1916 ^{c g}
- [*L. uniseta*](#) (Lopes, 1950) ^{c g}
- [*L. uruhuasi*](#) (Townsend, 1917) ^{c g}
- [*L. veniseta*](#) (Dodge, 1968) ^{c g}
- [*L. vexator*](#) (Dodge, 1968) ^{c g}
- [*L. villipes*](#) (Dodge, 1965) ^{c g}
- [*L. virgata*](#) (Wiedemann, 1830) ^{c g}
- [*L. vittata*](#) (Lopes, 1968) ^c
- [*L. weyrauchi*](#) Lopes, 1991 ^{c g}
- [*L. woodi*](#) Lopes, 1985 ^{c g}
- [*L. woodorum*](#) Pape, 1989 ^{c g}
- [*L. wygodzinskyi*](#) Lopes, 1982 ^{c g}
- [*L. zeledoni*](#) Lopes, 1985 ^{c g}
- [*L. zygox*](#) (Hall, 1938) ^{c g}

This is a list of 177 species in [*Lepidodexia*](#), a genus of flesh flies in the family [Sarcophagidae](#).^{[1][2][3]}

Data sources: i = ITIS,^[4] c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

This is a list of 113 species in [*Leiodes*](#), a genus of round fungus beetles in the family [Leiodidae](#).^{[1][2][3]}

***Leiodes* species**

- [*Leiodes ales*](#) Baranowski, 1993 ^{i g}
- [*Leiodes alternata*](#) Melsheimer, 1844 ^{i g}
- [*Leiodes antennata*](#) (Fall, 1910) ^{i g}
- [*Leiodes appalachiana*](#) Baranowski, 1993 ^{i g b}
- [*Leiodes assimilis*](#) (LeConte, 1850) ^{i g b}

- [Leiodes assimiloides](#) Baranowski, 1993 ^{i g}
- [Leiodes austriacus](#) Daffner, 1983 ^g
- [Leiodes autumnalis](#) Baranowski, 1993 ^{i g}
- [Leiodes badia](#) (Sturm, 1807) ^g
- [Leiodes bicolor](#) (Schmidt, 1841) ^g
- [Leiodes brandisi](#) Holdhaus, 1902 ^g
- [Leiodes brunnea](#) (Sturm, 1807) ^g
- [Leiodes calcarata](#) (Erichson, 1845) ^g
- [Leiodes californica](#) Baranowski, 1993 ^{i g}
- [Leiodes campbelli](#) Baranowski, 1993 ^{i g}
- [Leiodes canariensis](#) (Wollaston, 1863) ^g
- [Leiodes carpathicus](#) (Ganglbauer, 1896) ^g
- [Leiodes cascadenis](#) Baranowski, 1993 ^{i g}
- [Leiodes castanescens](#) (Fairmaire, 1881) ^g
- [Leiodes ciliaris](#) (Schmidt, 1841) ^g
- [Leiodes cinnamomea](#) (Panzer, 1793) ^g
- [Leiodes collaris](#) (LeConte, 1850) ^{i g}
- [Leiodes conferta](#) (LeConte, 1866) ^{i g}
- [Leiodes conjuncta](#) Baranowski, 1993 ^{i g}
- [Leiodes contaminabilis](#) Baranowski, 1993 ^{i g}
- [Leiodes curvata](#) (Mannerheim, 1853) ^{i g}
- [Leiodes difficilis](#) (Horn, 1880) ^{i g}
- [Leiodes dilutipes](#) (Sahlberg, 1903) ^g
- [Leiodes discontignyi](#) (C.Brisout de Barneville, 1867) ^g
- [Leiodes distinguendus](#) (Fairmaire, 1856) ^g
- [Leiodes dubia](#) (Fabricius, 1792) ^g
- [Leiodes ferruginea](#) (Fabricius, 1787) ^g
- [Leiodes flavescens](#) (Schmidt, 1841) ^g
- [Leiodes flavicornis](#) (Brisout de Barneville, 1884) ^g
- [Leiodes fracta](#) (Seidlitz, 1874) ^g
- [Leiodes furva](#) (Erichson, 1845) ^g
- [Leiodes gallica](#) Reitter, 1884 ^g
- [Leiodes ganglbaueri](#) (Holdhaus, 1902) ^g
- [Leiodes graecus](#) Svec, 1993 ^g
- [Leiodes graefi](#) Svec, 1994 ^g
- [Leiodes grandipes](#) Baranowski, 1993 ^{i g}

- [Leiodes grossa](#) Hatch, 1957 ^{i g}
- [Leiodes gyllenhalii](#) Stephens, 1829 ^g
- [Leiodes hiemalis](#) (Abeille de Perrin, 1901) ^g
- [Leiodes horni](#) Hatch, 1957 ^{i g b}
- [Leiodes hybrida](#) (Erichson, 1845) ^g
- [Leiodes impersonata](#) Brown, 1932 ^{i g}
- [Leiodes impressa](#) Baranowski, 1993 ^{i g}
- [Leiodes inordinata](#) (J.Sahlberg, 1898) ^g
- [Leiodes interjecta](#) Baranowski, 1993 ^{i g}
- [Leiodes javorniki](#) (Hlisnikovsky, 1964) ^g
- [Leiodes karinae](#) Baranowski, 1993 ^{i g}
- [Leiodes klapperichi](#) Daffner, 1983 ^g
- [Leiodes lateritia](#) (Mannerheim, 1852) ^{i g}
- [Leiodes litura](#) Stephens, 1832 ^g
- [Leiodes longipes](#) (Schmidt, 1841) ^g
- [Leiodes longitarsis](#) Baranowski, 1993 ^{i g}
- [Leiodes lostine](#) (Hatch, 1957) ^{i g}
- [Leiodes lucens](#) (Fairmaire, 1855) ^g
- [Leiodes lunicollis](#) (Rye, 1872) ^g
- [Leiodes macropus](#) (Rye, 1873) ^g
- [Leiodes maculicollis](#) (Rye, 1875) ^g
- [Leiodes merkeliana](#) (Horn, 1895) ^{i g}
- [Leiodes morula](#) (LeConte, 1859) ^{i g}
- [Leiodes multidentata](#) Baranowski, 1993 ^{i g}
- [Leiodes neglecta](#) Baranowski, 1993 ^{i g b}
- [Leiodes nigrata](#) (Schmidt, 1841) ^g
- [Leiodes nitidula](#) (Erichson, 1845) ^g
- [Leiodes nitidus](#) (Reitter, 1884) ^g
- [Leiodes obesa](#) (Schmidt, 1841) ^g
- [Leiodes oblonga](#) (Erichson, 1845) ^g
- [Leiodes obscura](#) (Fairmaire & Coquerel, 1859) ^g
- [Leiodes oceanicus](#) (Wollaston, 1864) ^g
- [Leiodes opacipennis](#) (Fall, 1910) ^{i g}
- [Leiodes pacifica](#) Baranowski, 1993 ^{i g}
- [Leiodes pallens](#) (Sturm, 1807) ^g
- [Leiodes paludicola](#) (Crotch, 1874) ^{i g}

- [Leiodes picea](#) (Panzer, 1797) ^g
- [Leiodes polita](#) (Marsham, 1802) ^g
- [Leiodes puncticollis](#) (Thomson, 1862) ^{i g b}
- [Leiodes punctostriata](#) Kirby, 1837 ^{i g b}
- [Leiodes punctulata](#) (Gyllenhal, 1810) ^{i g}
- [Leiodes pygmaea](#) Baranowski, 1993 ^{i g}
- [Leiodes quebecensis](#) Baranowski, 1993 ^{i g}
- [Leiodes rhaetica](#) (Erichson, 1845) ^{i g}
- [Leiodes rosai](#) Daffner, 1983 ^g
- [Leiodes rotundata](#) (Erichson, 1845) ^g
- [Leiodes rubiginosa](#) (Schmidt, 1841) ^g
- [Leiodes ruficollis](#) (J.Sahlberg, 1898) ^g
- [Leiodes rufipennis](#) (Paykull, 1798) ^g
- [Leiodes rufipes](#) (Gebler, 1833) ^{i g b}
- [Leiodes rufobasalis](#) Baranowski, 1993 ^{i g}
- [Leiodes rugosa](#) Stephens, 1829 ^g
- [Leiodes scita](#) Erichson, 1845 ^g
- [Leiodes serripes](#) Hatch, 1936 ^{i g}
- [Leiodes sierranevadae](#) Baranowski, 1993 ^{i g}
- [Leiodes silesiaca](#) (Kraatz, 1852) ^g
- [Leiodes similis](#) (Fall, 1910) ^{i g}
- [Leiodes skalitzkyi](#) (Ganglbauer, 1899) ^g
- [Leiodes soerenssoni](#) Baranowski, 1993 ^{i g}
- [Leiodes sparreschneideri](#) Strand, 1943 ^g
- [Leiodes sphaerula](#) Baranowski, 1993 ^{i g}
- [Leiodes stephani](#) Baranowski, 1993 ^{i g}
- [Leiodes strigata](#) (LeConte, 1850) ^{i g}
- [Leiodes strigipennis](#) Daffner, 1983 ^g
- [Leiodes subconvexus](#) Daffner, 1983 ^g
- [Leiodes subtilicornis](#) Baranowski, 1993 ^{i g}
- [Leiodes subtilis](#) (Reitter, 1885) ^g
- [Leiodes tauricus](#) (Breit, 1917) ^g
- [Leiodes triepkei](#) (Schmidt, 1841) ^{i g}
- [Leiodes valida](#) (Horn, 1880) ^{i g}
- [Leiodes variipennis](#) Baranowski, 1993 ^{i g}
- [Leiodes vladimiri](#) (Fleischer, 1906) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[4] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - [*"Leiodes Report"*](#). *Integrated Taxonomic Information System*. Retrieved 2018-03-16.
 - [*"Leiodes"*](#). *GBIF*. Retrieved 2018-03-16.
 - [*"Leiodes Genus Information"*](#). *BugGuide.net*. Retrieved 2018-03-16.
 -
4. [*"Catalogue of Life"*](#). Retrieved 2018-03-16.

Categories:

- [Leiodidae](#)
- [Lists of insect species](#)
-

These 175 species belong to [Leia](#), a genus of fungus gnats in the family [Mycetophilidae](#).[\[1\]\[2\]\[3\]\[4\]](#)

Leia species

- [Leia aculeolusa](#) Wu, 2002 ^{c g}
- [Leia albicincta](#) Meijere, 1924 ^{c g}
- [Leia albicoxa](#) Enderlein, 1910 ^{c g}
- [Leia amabilis](#) Williston, 1900 ^{c g}
- [Leia amapaensis](#) Lane, 1959 ^{c g}
- [Leia ampulliforma](#) Wu, 2002 ^{c g}
- [Leia andirai](#) Lane, 1950 ^{c g}
- [Leia annae](#) (Lindner, 1958) ^{c g}
- [Leia annulicornis](#) (Brunetti, 1912) ^{c g}
- [Leia apicalis](#) (Kertész, 1902) ^c
- [Leia apinagei](#) Lane, 1950 ^{c g}
- [Leia arcuata](#) Brunetti, 1912 ^{c g}
- [Leia arsona](#) Hutson, 1978 ^{c g}
- [Leia aruaci](#) Lane, 1950 ^{c g}

- [Leia autumnata](#) Ostroverkhova & Grishina, 1974 ^{c g}
- [Leia barbarae](#) (Lindner, 1958) ^{c g}
- [Leia basilewskyi](#) Tollet, 1956 ^{c g}
- [Leia beckeri](#) Landrock, 1940 ^{c g}
- [Leia biamputata](#) Edwards, 1933 ^{c g}
- [Leia bicolor](#) (Fisher, 1939) ^c
- [Leia bilineata](#) (Winnertz, 1863) ^{c g}
- [Leia bilunula](#) Wiedemann, 1828 ^{c g}
- [Leia bimaculata](#) (Walker, 1848) ^{c g}
- [Leia biparitta](#) Lynch Arribalzaga, 1892 ^{c g}
- [Leia bipunctata](#) Fisher, 1939 ^{c g}
- [Leia bisetosa](#) Edwards, 1928 ^{c g}
- [Leia biumbaensis](#) Tollet, 1956 ^{c g}
- [Leia bivittata](#) Say, 1829 ^{i c g b}
- [Leia borealis](#) Winnertz ^g
- [Leia borgmeieri](#) Lane, 1959 ^{c g}
- [Leia bururiensis](#) Tollet, 1956 ^{c g}
- [Leia cayapoi](#) Lane, 1950 ^{c g}
- [Leia cincta](#) (Coquillett, 1895) ^{i c g}
- [Leia cincticauda](#) Enderlein, 1910 ^{c g}
- [Leia circumfera](#) Fisher, 1939 ^{c g}
- [Leia collarigera](#) Enderlein, 1910 ^{c g}
- [Leia completa](#) (Kertész, 1902) ^{c g}
- [Leia concinna](#) Williston, 1896 ^{c g}
- [Leia continua](#) Tollet, 1956 ^{c g}
- [Leia costaricensis](#) Fisher, 1940 ^{c g}
- [Leia crucigera](#) Zetterstedt, 1838 ^{c g}
- [Leia cuneola](#) (Adams, 1903) ^{i c g}
- [Leia cylindrica](#) (Winnertz, 1863) ^{c g}
- [Leia decora](#) (Loew, 1869) ^{i c g}
- [Leia delobeli](#) Matile, 1993 ^{c g}
- [Leia determinaticollis](#) Enderlein, 1910 ^{c g}
- [Leia dichroma](#) Freeman, 1951 ^{c g}
- [Leia diplechina](#) Wu, 2003 ^{c g}
- [Leia disgrega](#) Edwards, 1933 ^{c g}
- [Leia diversipes](#) Edwards, 1933 ^{c g}

- [Leia divesicornis](#) (Kertesz, 1902) ^{c g}
- [Leia dryas](#) Johannsen, 1912 ^{i c g}
- [Leia elegans](#) (Kertesz, 1902) ^{c g}
- [Leia falculata](#) Edwards, 1933 ^{c g}
- [Leia fasciata](#) (Kertesz, 1902) ^{c g}
- [Leia fascipennis](#) Meigen, 1818 ^{c g}
- [Leia fisherae](#) Shaw, 1950 ^{c g}
- [Leia flavipennis](#) Lastovka & Matile, 1974 ^{c g}
- [Leia flavobrunnea](#) Brunetti, 1912 ^{c g}
- [Leia flavolimbata](#) (Brunetti, 1912) ^{c g}
- [Leia flavoscutellata](#) Lynch Arribalzaga, 1892 ^{c g}
- [Leia fontana](#) Chandler, 2004 ^{c g}
- [Leia fulva](#) (Walker, 1856) ^{c g}
- [Leia fuscicalcar](#) Edwards, 1928 ^{c g}
- [Leia fuscicornis](#) Edwards, 1941 ^g
- [Leia gaudchaui](#) (Lindner, 1958) ^{c g}
- [Leia graeca](#) Bechev, 1997 ^{c g}
- [Leia quangxiana](#) Wu, 1999 ^{c g}
- [Leia quaycurusi](#) Lane, 1950 ^{c g}
- [Leia hemiata](#) Garrett, 1925 ^{i c g}
- [Leia humeralis](#) (Brunetti, 1912) ^{c g}
- [Leia hungarica](#) Sevcik & Papp, 2003 ^{c g}
- [Leia hyalina](#) (Coquillett, 1905) ^{i c g}
- [Leia immaculata](#) (Giglio-Tos, 1891) ^{c g}
- [Leia incompleta](#) Curran, 1928 ^{c g}
- [Leia indica](#) (Brunetti, 1912) ^c
- [Leia innotata](#) Enderlein, 1910 ^{c g}
- [Leia insignis](#) Brunetti, 1912 ^{c g}
- [Leia intermissa](#) Tollet, 1956 ^{c g}
- [Leia interrupta](#) (Kertesz, 1901) ^{c g}
- [Leia ishitanii](#) Sasakawa, 1994 ^{c g}
- [Leia iturupensis](#) Zaitzev, 2001 ^{c g}
- [Leia jeanneli](#) (Edwards, 1914) ^c
- [Leia junai](#) Lane, 1950 ^{c g}
- [Leia kamijoi](#) Sasakawa, 1964 ^{c g}
- [Leia kaszabi](#) Lastovka & Matile, 1974 ^{c g}

- [Leia leucocera](#) Edwards, 1933 ^{c g}
- [Leia lineola](#) (Adams, 1903) ^{i c g}
- [Leia longiseta](#) Barendrecht, 1938 ^{c g}
- [Leia longwangshana](#) Wu, 2002 ^{c g}
- [Leia maculosa](#) (Strobl, 1900) ^{c g}
- [Leia major](#) Edwards, 1933 ^{c g}
- [Leia malleolus](#) Freeman, 1954 ^{c g}
- [Leia martinovskyi](#) Sevcik & Papp, 2003 ^{c g}
- [Leia melaena](#) (Loew, 1869) ^{i c g}
- [Leia melanoptera](#) Ostroverkhova, 1977 ^{c g}
- [Leia monoleuca](#) Edwards, 1933 ^{c g}
- [Leia montanosilvatica](#) Zaitzev, 1994 ^{c g}
- [Leia muhavuraensis](#) Tollet, 1956 ^{c g}
- [Leia nepalensis](#) Plassmann, 1977 ^{c g}
- [Leia ngorongoroensis](#) Vanschuytbroeck, 1965 ^{c g}
- [Leia nigricans](#) Tollet, 1956 ^{c g}
- [Leia nigricauda](#) Edwards, 1933 ^{c g}
- [Leia nigricornis](#) Van Duzee, 1928 ^g
- [Leia nigripalpis](#) Edwards, 1928 ^{c g}
- [Leia nigriventris](#) Edwards, 1932 ^{c g}
- [Leia nigrocornis](#) Van Duzee, 1928 ^{i c g}
- [Leia nigronitida](#) (Edwards, 1914) ^{c g}
- [Leia nigrospleniata](#) Lynch Arribalzaga, 1892 ^{c g}
- [Leia nitens](#) Williston, 1896 ^{c g}
- [Leia notabilis](#) (Edwards, 1914) ^{c g}
- [Leia oblectabilis](#) (Loew, 1869) ^{i g b}
- [Leia oliveirai](#) Lane, 1959 ^{c g}
- [Leia opima](#) (Loew, 1869) ^{i c g b}
- [Leia orientalis](#) Vanschuytbroeck, 1965 ^{c g}
- [Leia padana](#) Chandler, 2004 ^{c g}
- [Leia paranensis](#) Edwards, 1933 ^{c g}
- [Leia paulensis](#) Edwards, 1933 ^{c g}
- [Leia pauliani](#) Matile, 1969 ^{c g}
- [Leia pedifer](#) Edwards, 1933 ^g
- [Leia pedifera](#) Edwards, 1933 ^{c g}
- [Leia picta](#) Meigen, 1830 ^{c g}

- [Leia picticornis](#) (Kertész, 1902) ^{c g}
- [Leia piffardi](#) Edwards, 1925 ^{c g}
- [Leia pilosa](#) Okada, 1938 ^{c g}
- [Leia plaumanni](#) Lane, 1959 ^{c g}
- [Leia plebeja](#) Johannsen, 1912 ^{i c g}
- [Leia poeciloptera](#) Philippi, 1865 ^{c g}
- [Leia punctata](#) Bellardi, 1862 ^{c g}
- [Leia punctiformis](#) Fisher, 1939 ^{c g}
- [Leia ravida](#) Wu, 1999 ^{c g}
- [Leia rubrithorax](#) Okada, 1939 ^{c g}
- [Leia rufiptera](#) Ostroverkhova, 1977 ^{c g}
- [Leia rufithorax](#) Freeman, 1951 ^{c g}
- [Leia rwankeriensis](#) Tollet, 1956 ^{c g}
- [Leia salobrensis](#) Edwards, 1941 ^{c g}
- [Leia schmidtii](#) Fisher, 1939 ^{c g}
- [Leia schnusei](#) Edwards, 1933 ^{c g}
- [Leia setosa](#) Matile, 1973 ^{c g}
- [Leia setosicauda](#) Edwards, 1933 ^{c g}
- [Leia smithi](#) Edwards, 1933 ^{c g}
- [Leia spinifer](#) Edwards, 1933 ^g
- [Leia spinifera](#) Edwards, 1933 ^{c g}
- [Leia stelviana](#) Kurina, 2008 ^{c g}
- [Leia stigmatica](#) Edwards, 1925 ^{c g}
- [Leia stonei](#) Lane, 1958 ^{c g}
- [Leia striata](#) (Williston, 1893) ^{i c g}
- [Leia subfasciata](#) (Meigen, 1818) ^{c g}
- [Leia sublunata](#) (Loew, 1869) ^{i c g b}
- [Leia submaculipennis](#) Freeman, 1954 ^{c g}
- [Leia subtrifasciata](#) (Strobl, 1906) ^{c g}
- [Leia thomensis](#) Edwards, 1934 ^{c g}
- [Leia tropicalis](#) Fisher, 1939 ^{c g}
- [Leia truncatovenosa](#) Enderlein, 1910 ^{c g}
- [Leia umbrosa](#) Caspers, 1991 ^{c g}
- [Leia uncinata](#) Ostroverkhova & Grishina, 1974 ^{c g}
- [Leia unicolor](#) (Winnertz, 1863) ^{c g}
- [Leia varia](#) Walker, 1848 ^{i c g b}

- [*Leia ventralis*](#) Say, 1824 ^{i c g b}
- [*Leia winthemi*](#) Lehmann, 1822 ^{c g}
- [*Leia yangi*](#) Wu, 1997 ^{c g}
- † [*Leia aberrans*](#) Statz, 1944 ^g
- † [*Leia crassipalpis*](#) (Meunier, 1904) ^g
- † [*Leia crassiuscula*](#) (Förster, 1891) ^g
- † [*Leia curvipetiolata*](#) (Meunier, 1904) ^g
- † [*Leia exhumata*](#) Statz, 1944 ^g
- † [*Leia frequens*](#) (Loew, 1850) ^g
- † [*Leia gracillima*](#) (Förster, 1891) ^g
- † [*Leia longipalpis*](#) (Meunier, 1904) ^g
- † [*Leia longipes*](#) (Förster, 1891) ^g
- † [*Leia longipetiolata*](#) (Meunier, 1904) ^g
- † [*Leia miocenica*](#) Cockerell, 1911 ^g
- † [*Leia platypus*](#) (Loew, 1850) ^g
- † [*Leia vetusta*](#) (Meunier, 1919) ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[3] g = GBIF,[2] b = Bugguide.net[4]

This is a list of 146 species in [*Lasioptera*](#), a genus of gall midges in the family [*Cecidomyiidae*](#).^{[1][2][3][4]}

***Lasioptera* species**

- [*Lasioptera abhamata*](#) Felt, 1907 ^{i c g}
- [*Lasioptera achyranthesae*](#) Sharma, 1988 ^{c g}
- [*Lasioptera achyranthii*](#) Shinji, 1939 ^{c g}
- [*Lasioptera aechynomensis*](#) (Brethes, 1918) ^{c g}
- [*Lasioptera aeschynanthusperottetti*](#) Mani, 1943 ^{c g}
- [*Lasioptera annandalei*](#) (Mani, 1934) ^{c g}
- [*Lasioptera anonae*](#) Tavares, 1908 ^{c g}
- [*Lasioptera argentata*](#) Loew, 1850 ^{c g}
- [*Lasioptera ariasis*](#) Skuhrava & Garcia, 2001 ^g
- [*Lasioptera arizonensis*](#) Felt, 1908 ^{i c g}
- [*Lasioptera artemisiae*](#) Dombrovskaja, 1940 ^{c g}
- [*Lasioptera artemisifoliae*](#) Shinji, 1939 ^{c g}

- [*Lasioptera arundinis*](#) Schiner, 1854 ^{c g}
- [*Lasioptera astericola*](#) Shinji, 1939 ^{c g}
- [*Lasioptera asterspinosae*](#) White, 1950 ^{i c g}
- [*Lasioptera asystasiae*](#) Nayar, 1944 ^{c g}
- [*Lasioptera aurata*](#) Skuse, 1888 ^{c g}
- [*Lasioptera auricincta*](#) Loew, 1850 ^{c g}
- [*Lasioptera azamii*](#) Shinji, 1939 ^{c g}
- [*Lasioptera basiflava*](#) Felt, 1908 ^{i c g}
- [*Lasioptera berberina*](#) (Schrank, 1781) ^{c g}
- [*Lasioptera berlesiana*](#) Paoli, 1907 ^{c g}
- [*Lasioptera bothriochloae*](#) Rao & Sharma, 1977 ^{c g}
- [*Lasioptera bryoniae*](#) Schiner, 1868 ^{c g}
- [*Lasioptera buhri*](#) Möhn, 1968 ^{c g}
- [*Lasioptera calamagrostidis*](#) Rübsaamen, 1893 ^{c g}
- [*Lasioptera callicarpae*](#) (Shinji, 1938) ^c
- [*Lasioptera camelliae*](#) Ohno & Yukawa, 1984 ^{c g}
- [*Lasioptera carophila*](#) Loew, 1874 ^{c g}
- [*Lasioptera caryae*](#) Felt, 1907 ^{i c g}
- [*Lasioptera centerensis*](#) Felt, 1918 ^{i c g}
- [*Lasioptera cephalandrae*](#) (Mani, 1934) ^{c g}
- [*Lasioptera cerasiphra*](#) Stelter, 1990 ^{c g}
- [*Lasioptera cerei*](#) Rübsaamen, 1905 ^{c g}
- [*Lasioptera chichindae*](#) (Grover, 1965) ^{c g}
- [*Lasioptera cimicifugae*](#) Kovalev, 1967 ^{c g}
- [*Lasioptera cinerea*](#) Felt, 1907 ^{i c g}
- [*Lasioptera clinopodii*](#) Kovalev, 1967 ^{c g}
- [*Lasioptera collinsonifolia*](#) (Beutenmuller, 1908) ^{i c g}
- [*Lasioptera cordobensis*](#) Kieffer & Jörgensen, 1910 ^{c g}
- [*Lasioptera corni*](#) Felt, 1907 ^{i c g}
- [*Lasioptera corusca*](#) Skuse, 1888 ^{c g}
- [*Lasioptera crataevae*](#) (Mani, 1934) ^c
- [*Lasioptera cratavae*](#) (Mani, 1934) ^{c g}
- [*Lasioptera cubitalis*](#) Kieffer, 1913 ^{c g}
- [*Lasioptera cylindrigallae*](#) Felt, 1907 ^{i c g}
- [*Lasioptera dioscoreae*](#) Kovalev, 1967 ^{c g}
- [*Lasioptera dombrovskajae*](#) Fedotova & Kovalev, 2005 ^{c g}

- [*Lasioptera donacis*](#) Coutin & Faivre-Amiot, 1982 ^{c g}
- [*Lasioptera ephedrae*](#) Cockerell, 1898 ^{i c g b}
- [*Lasioptera ephedricola*](#) Cockerell, 1902 ^{i c g}
- [*Lasioptera eriochloa*](#) Felt, 1926 ^{c g}
- [*Lasioptera eryngii*](#) (Vallot, 1829) ^{c g}
- [*Lasioptera euphobiae*](#) Shinji, 1944 ^{c g}
- [*Lasioptera excavata*](#) Felt, 1907 ^{i c g}
- [*Lasioptera falcata*](#) Felt, 1919 ^{c g}
- [*Lasioptera flavoventris*](#) (Felt, 1908) ^{i c g}
- [*Lasioptera fluitans*](#) Felt, 1917 ^{c g}
- [*Lasioptera foeniculi*](#) Dorchin & Freidberg ^g
- [*Lasioptera francoisi*](#) (Kieffer, 1902) ^{c g}
- [*Lasioptera fructuaria*](#) Felt, 1916 ^{i c g}
- [*Lasioptera furcata*](#) Philippi, 1865 ^{c g}
- [*Lasioptera gibaushi*](#) Shinji, 1939 ^{c g}
- [*Lasioptera graciliforceps*](#) Kieffer & Jörgensen, 1910 ^{c g}
- [*Lasioptera hamata*](#) (Felt, 1907) ^{i c g}
- [*Lasioptera helvipes*](#) Skuse, 1888 ^{c g}
- [*Lasioptera heterothalami*](#) Kieffer & Jörgensen, 1910 ^{c g}
- [*Lasioptera hieronymi*](#) (Weyenergh, 1875) ^{c g}
- [*Lasioptera howardi*](#) Felt, 1921 ^{i c g}
- [*Lasioptera humulicaulis*](#) Felt, 1907 ^{i c g}
- [*Lasioptera hungarica*](#) Möhn, 1968 ^{c g}
- [*Lasioptera hygrophila*](#) Kovalev, 1967 ^{c g}
- [*Lasioptera indica*](#) Rao, 1952 ^{c g}
- [*Lasioptera javanica*](#) Kieffer & Leeuwen-Reijnvaan, 1910 ^{c g}
- [*Lasioptera kallstroemia*](#) Felt, 1935 ^{i c g}
- [*Lasioptera kasarzewskella*](#) Marikovskij, 1958 ^{c g}
- [*Lasioptera koreana*](#) Kovalev, 1967 ^{c g}
- [*Lasioptera kosarzewskella*](#) Marikovskij, 1957 ^{c g}
- [*Lasioptera lactucae*](#) Felt, 1907 ^{i c g}
- [*Lasioptera lespedezae*](#) Shinji, 1939 ^{c g}
- [*Lasioptera lignicola*](#) Schiner, 1868 ^{c g}
- [*Lasioptera longipes*](#) Kieffer, 1904 ^{c g}
- [*Lasioptera longispatha*](#) Kieffer, 1909 ^{c g}
- [*Lasioptera lonicericola*](#) Kovalev, 1967 ^{c g}

- [*Lasioptera loyolai*](#) Mani, 1986 ^{c g}
- [*Lasioptera mangiflorae*](#) (Grover, 1968) ^{c g}
- [*Lasioptera manilensis*](#) Felt, 1918 ^{c g}
- [*Lasioptera mastersi*](#) Skuse, 1888 ^{c g}
- [*Lasioptera melampyri*](#) Möhn, 1968 ^{c g}
- [*Lasioptera miscella*](#) Skuse, 1888 ^{c g}
- [*Lasioptera molinae*](#) Möhn, 1968 ^{c g}
- [*Lasioptera monticola*](#) Kieffer & Herbst, 1909 ^{c g}
- [*Lasioptera nenuae*](#) (Grover, 1965) ^{c g}
- [*Lasioptera nigrocincta*](#) Kieffer, 1904 ^{c g}
- [*Lasioptera nodosae*](#) Skuse, 1888 ^{c g}
- [*Lasioptera obfuscata*](#) (Meigen, 1818) ^{c g}
- [*Lasioptera orientalis*](#) Rao, 1956 ^{c g}
- [*Lasioptera paederiae*](#) (Shinji, 1944) ^{c g}
- [*Lasioptera pallipes*](#) Philippi, 1865 ^{c g}
- [*Lasioptera paniculi*](#) Felt, 1920 ^{c g}
- [*Lasioptera parva*](#) (Walker, 1848) ^{c g}
- [*Lasioptera piriqueta*](#) Felt, 1917 ^{c g}
- [*Lasioptera populnea*](#) Wachtl, 1883 ^{c g}
- [*Lasioptera portulacae*](#) Cook, 1911 ^{c g}
- [*Lasioptera psederae*](#) Felt, 1934 ^{c g}
- [*Lasioptera puerariae*](#) (Shinji, 1938) ^{c g}
- [*Lasioptera pusilla*](#) (Meigen, 1818) ^{c g}
- [*Lasioptera querciflorae*](#) Felt, 1908 ^{i c g}
- [*Lasioptera querciperda*](#) Felt, 1908 ^{i c g}
- [*Lasioptera quercirami*](#) Felt, 1926 ^{i c g}
- [*Lasioptera rubi*](#) (Schrank, 1803) ^{c g}
- [*Lasioptera ruebsaameni*](#) Möhn, 1968 ^{c g}
- [*Lasioptera rufa*](#) Kieffer, 1904 ^{c g}
- [*Lasioptera serotina*](#) Felt, 1908 ^{i c g}
- [*Lasioptera solani*](#) (Felt, 1907) ^{i c g}
- [*Lasioptera solidaginis*](#) Osten Sacken, 1863 ^{i c g b}
- [*Lasioptera soongarica*](#) Fedotova, 1991 ^{c g}
- [*Lasioptera sorghivora*](#) (Harris, 1960) ^{c g}
- [*Lasioptera spiraeafolia*](#) Felt, 1909 ^{i c g}
- [*Lasioptera stelteri*](#) Möhn, 1968 ^{c g}

- [*Lasioptera tarbagataica*](#) Fedotova, 1991 ^{c g}
- [*Lasioptera taroiae*](#) (Grover, 1965) ^{c g}
- [*Lasioptera terminaliae*](#) Tavares, 1908 ^{c g}
- [*Lasioptera textor*](#) Kieffer, 1905 ^{c g}
- [*Lasioptera thuringica*](#) Möhn, 1968 ^{c g}
- [*Lasioptera tibialis*](#) Felt, 1914 ^{i c g}
- [*Lasioptera tiliarum*](#) Mamaeva, 1964 ^{c g}
- [*Lasioptera tomentosae*](#) (Grover, 1967) ^{c g}
- [*Lasioptera toombii*](#) (Grover, 1962) ^{c g}
- [*Lasioptera tridentifera*](#) Kieffer & Jörgensen, 1910 ^{c g}
- [*Lasioptera trilobata*](#) Kieffer, 1909 ^{c g}
- [*Lasioptera tuberosa*](#) Kieffer, 1913 ^{c g}
- [*Lasioptera turcica*](#) Möhn, 1968 ^{c g}
- [*Lasioptera ukogi*](#) Shinji, 1940 ^{c g}
- [*Lasioptera umbelliferarum*](#) Kieffer, 1909 ^{c g}
- [*Lasioptera uncinata*](#) Gagne, 1997 ^{c g}
- [*Lasioptera urvilleae*](#) Tavares, 1909 ^{c g}
- [*Lasioptera ussurica*](#) Mamaeva & Kritskaya, 1980 ^{c g}
- [*Lasioptera vastatrix*](#) Skuse, 1888 ^{c g}
- [*Lasioptera ventralis*](#) Say, 1824 ^{i c g}
- [*Lasioptera viburni*](#) Felt, 1907 ^{i c g}
- [*Lasioptera virgata*](#) Skuse, 1890 ^{c g}
- [*Lasioptera vitis*](#) Osten Sacken, 1862 ^{i c g b}
- [*Lasioptera wildi*](#) Skuse, 1890 ^{c g}
- [*Lasioptera yadokariae*](#) Yukawa & Haituka, 1994 ^{c g}
- [*Lasioptera ziziae*](#) Felt, 1908 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of species in the genus [*Lasioglossum*](#). [1][2][3]

Contents

- [A](#)
- [B](#)
- [C](#)

- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J-K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q-R](#)
- [S](#)
- [T](#)
- [U-V](#)
- [W-Z](#)
- [Notes](#)

***Lasioglossum* species**

A

- [*Lasioglossum abanci*](#) (Crawford, 1932)
- [*Lasioglossum aberrans*](#) (Crawford, 1903)
- [*Lasioglossum abietum*](#) (Michener, 1936)
- [*Lasioglossum ablenum*](#) (Blüthgen, 1934)
- [*Lasioglossum abrophilum*](#) Walker, 1995
- [*Lasioglossum absimile*](#) (Sandhouse, 1924)
- [*Lasioglossum absurdiceps*](#) (Timberlake, 1962)
- [*Lasioglossum abundum*](#) (Sandhouse, 1924)
- [*Lasioglossum aburiellum*](#) (Cockerell, 1946)
- [*Lasioglossum aburiense*](#) (Cockerell, 1945)
- [*Lasioglossum acaciae*](#) (Cockerell, 1939)
- [*Lasioglossum academicum*](#) (Sandhouse, 1924)
- [*Lasioglossum acanthostomum*](#) (Cockerell, 1942)
- [*Lasioglossum acanthum*](#) Ebmer, 1983
- [*Lasioglossum acarophilum*](#) McGinley, 1986
- [*Lasioglossum accentum*](#) (Sandhouse, 1924)
- [*Lasioglossum acephaloides*](#) (Blüthgen, 1931)
- [*Lasioglossum acephalum*](#) (Blüthgen, 1923)
- [*Lasioglossum acherontion*](#) Ebmer, 1978

- [*Lasioglossum achilleae*](#) (Mitchell, 1960)
- [*Lasioglossum achrostum*](#) (Michener, 1979)
- [*Lasioglossum actinosum*](#) (Sandhouse, 1924)
- [*Lasioglossum actuarium*](#) (Sandhouse, 1924)
- [*Lasioglossum acuiferum*](#) (Cockerell, 1935)
- [*Lasioglossum acuminatum*](#) McGinley, 1986
- [*Lasioglossum adabaschum*](#) (Blüthgen, 1931)
- [*Lasioglossum adaliae*](#) (Blüthgen, 1923)
- [*Lasioglossum adelaidae*](#) (Cockerell, 1905)
- [*Lasioglossum adiazetum*](#) (Walker, 1997)
- [*Lasioglossum admirandum*](#) (Sandhouse, 1924)
- [*Lasioglossum adonidiae*](#) (Cockerell, 1919)
- [*Lasioglossum adriani*](#) Genaro, 2001
- [*Lasioglossum adustum*](#) Walker, 1995
- [*Lasioglossum advertum*](#) (Mitchell, 1960)
- [*Lasioglossum aegyptiellum*](#) (Strand, 1909)
- [*Lasioglossum aeneiventre*](#) (Friese, 1917)
- [*Lasioglossum aeneum*](#) (Friese, 1917)
- [*Lasioglossum aequatum*](#) (Vachal, 1904)
- [*Lasioglossum aeratum*](#) (Kirby, 1802)
- [*Lasioglossum aethiopicum*](#) (Cameron, 1905)
- [*Lasioglossum aethiops*](#) (Blüthgen, 1935)
- [*Lasioglossum affine*](#) (Smith, 1853)
- [*Lasioglossum agelastum*](#) Fan & Ebmer, 1992
- [*Lasioglossum aglyphum*](#) (Pérez, 1895)
- [*Lasioglossum akroundicum*](#) (Blüthgen, 1937)
- [*Lasioglossum alacarinum*](#) Walker, 1995
- [*Lasioglossum alachuense*](#) (Mitchell, 1960)
- [*Lasioglossum alaicum*](#) Pesenko, 1986
- [*Lasioglossum alanum*](#) (Blüthgen, 1929)
- [*Lasioglossum albescens*](#) (Smith, 1853)
- [*Lasioglossum albipenne*](#) (Robertson, 1890)
- [*Lasioglossum albipes*](#) (Fabricius, 1781)
- [*Lasioglossum albitarsatum*](#) (Ashmead, 1896)
- [*Lasioglossum albitarse*](#) (Cresson, 1872)
- [*Lasioglossum albitarsoides*](#) (Blüthgen, 1931)
- [*Lasioglossum albobarbatum*](#) (Cockerell, 1937)
- [*Lasioglossum albocinctum*](#) (Lucas, 1849)
- [*Lasioglossum albohirtum*](#) (Crawford, 1907)
- [*Lasioglossum albopilosum*](#) Walker, 1995
- [*Lasioglossum albstictum*](#) (Cockerell, 1946)
- [*Lasioglossum albovirens*](#) (Pérez, 1895)

- [*Lasioglossum albuquerqueense*](#) (Michener, 1937)
- [*Lasioglossum alectore*](#) (Warncke, 1984)
- [*Lasioglossum alenicum*](#) (Strand, 1912)
- [*Lasioglossum alexanderi*](#) (McGinley, 1999)
- [*Lasioglossum alexandrinum*](#) Ebmer, 1995
- [*Lasioglossum algirum*](#) (Blüthgen, 1923)
- [*Lasioglossum alievi*](#) Pesenko, 1986
- [*Lasioglossum alinense*](#) (Cockerell, 1924)
- [*Lasioglossum aliud*](#) (Sandhouse, 1924)
- [*Lasioglossum allodalum*](#) Ebmer & Sakagami, 1985
- [*Lasioglossum allonotum*](#) (Cockerell, 1936)
- [*Lasioglossum alluadi*](#) (Vachal, 1903)
- [*Lasioglossum alphenum*](#) (Cameron, 1897)
- [*Lasioglossum alpigenum*](#) (Dalla Torre, 1877)
- [*Lasioglossum alpinum*](#) Walker, 1995
- [*Lasioglossum alternatum*](#) (Mitchell, 1960)
- [*Lasioglossum altichum*](#) (Smith, 1853)
- [*Lasioglossum altissimum*](#) (Pauly, 1986)
- [*Lasioglossum amamiense*](#) Ebmer & Sakagami, 1994
- [*Lasioglossum amboquestrum*](#) Walker, 1995
- [*Lasioglossum ameliae*](#) (Cockerell, 1937)
- [*Lasioglossum ameshoferi*](#) Landaverde-González, 2023
- [*Lasioglossum amicum*](#) (Cockerell, 1897)
- [*Lasioglossum amitinum*](#) (Vachal, 1895)
- [*Lasioglossum amnestum*](#) Moure & Hurd, 1987
- [*Lasioglossum amplexum*](#) Walker, 1995
- [*Lasioglossum amurense*](#) (Vachal, 1902)
- [*Lasioglossum andrewsi*](#) (W. F. Kirby, 1900)
- [*Lasioglossum anellum*](#) (Vachal, 1905)
- [*Lasioglossum anforticornum*](#) Walker, 1995
- [*Lasioglossum angaricum*](#) (Cockerell, 1937)
- [*Lasioglossum angelicum*](#) Gardener & Gibbs 2023 [4]
- [*Lasioglossum anguliceps*](#) (Morawitz, 1893)
- [*Lasioglossum anguligulare*](#) (Blüthgen, 1929)
- [*Lasioglossum angusticaudus*](#) (Cockerell, 1939)
- [*Lasioglossum angusticeps*](#) (Perkins, 1895)
- [*Lasioglossum angustipes*](#) Ebmer, 1972
- [*Lasioglossum angustissimum*](#) (Cockerell, 1946)
- [*Lasioglossum angustius*](#) (Cockerell, 1897)
- [*Lasioglossum angustulum*](#) (Cockerell, 1937)
- [*Lasioglossum anhybodinum*](#) (Cockerell, 1930)
- [*Lasioglossum anhypops*](#) McGinley, 1986

- [*Lasioglossum ankaratrensis*](#) (Benoist, 1962)
- [*Lasioglossum annexum*](#) (Cockerell, 1922)
- [*Lasioglossum annulipes*](#) (Morawitz, 1876)
- [*Lasioglossum anomalipenne*](#) (Cockerell, 1943)
- [*Lasioglossum anomalum*](#) (Robertson, 1892)
- [*Lasioglossum anthrax*](#) Ebmer, 1995
- [*Lasioglossum antiochense*](#) (McGinley, 2003)
- [*Lasioglossum apertum*](#) (Sandhouse, 1924)
- [*Lasioglossum apocyni*](#) (Mitchell, 1960)
- [*Lasioglossum apopkense*](#) (Robertson, 1892)
- [*Lasioglossum apostoli*](#) Ebmer, 1970
- [*Lasioglossum appositum*](#) (Rayment, 1939)
- [*Lasioglossum apricarium*](#) (Warncke, 1982)
- [*Lasioglossum aprilinum*](#) (Morawitz, 1876)
- [*Lasioglossum apristum*](#) (Vachal, 1903)
- [*Lasioglossum aquilae*](#) (Cockerell, 1898)
- [*Lasioglossum aquilonium*](#) Walker, 1995
- [*Lasioglossum arabs*](#) (Pérez, 1907)
- [*Lasioglossum aratum*](#) (Vachal, 1904)
- [*Lasioglossum araxanum*](#) (Blüthgen, 1923)
- [*Lasioglossum arcanum*](#) (Sandhouse, 1924)
- [*Lasioglossum arciferum*](#) (Cockerell, 1914)
- [*Lasioglossum arctifrons*](#) (Saunders, 1903)
- [*Lasioglossum arctoum*](#) (Vachal, 1904)
- [*Lasioglossum arctous*](#) (Vachal, 1904)
- [*Lasioglossum arenicola*](#) (Fries, 1916)
- [*Lasioglossum areolatum*](#) (Fries, 1909)
- [*Lasioglossum argaeum*](#) (Blüthgen, 1931)
- [*Lasioglossum argemonis*](#) (Cockerell, 1897)
- [*Lasioglossum argopilatum*](#) Walker, 1995
- [*Lasioglossum argutum*](#) McGinley, 1986
- [*Lasioglossum ariadne*](#) Ebmer, 1981
- [*Lasioglossum aricense*](#) (Schrottky, 1910)
- [*Lasioglossum arizonense*](#) (Crawford, 1907)
- [*Lasioglossum articulare*](#) (Pérez, 1895)
- [*Lasioglossum aruwimiense*](#) (Strand, 1911)
- [*Lasioglossum asaphes*](#) McGinley, 1986
- [*Lasioglossum asellum*](#) (Pérez, 1895)
- [*Lasioglossum ashabadiense*](#) (Blüthgen, 1923)
- [*Lasioglossum aspasia*](#) (Smith, 1879)
- [*Lasioglossum asperithorax*](#) (Cockerell, 1910)
- [*Lasioglossum aspilurum*](#) (Cockerell, 1925)

- [*Lasioglossum aspratulum*](#) Walker, 1995
- [*Lasioglossum asteria*](#) Ebmer, 1978
- [*Lasioglossum asteris*](#) (Mitchell, 1960)
- [*Lasioglossum astutum*](#) (Sandhouse, 1924)
- [*Lasioglossum atasum*](#) (Blüthgen, 1928)
- [*Lasioglossum athabascense*](#) (Sandhouse, 1933)
- [*Lasioglossum athrix*](#) Walker, 1995
- [*Lasioglossum atlanticum*](#) (Mitchell, 1960)
- [*Lasioglossum atopophlebium*](#) (Cockerell, 1937)
- [*Lasioglossum atopterum*](#) (Cockerell, 1937)
- [*Lasioglossum atrazureum*](#) (Moure & Hurd, 1987)
- [*Lasioglossum atricrum*](#) (Vachal, 1903)
- [*Lasioglossum atripygum*](#) (Kirby, 1890)
- [*Lasioglossum atriventre*](#) (Crawford, 1906)
- [*Lasioglossum atroglaucum*](#) (Strand, 1913)
- [*Lasioglossum atronitens*](#) (Cockerell, 1914)
- [*Lasioglossum atrorufescens*](#) (Cockerell, 1914)
- [*Lasioglossum atrum*](#) (Walker, 1986)
- [*Lasioglossum atschinense*](#) (Blüthgen, 1931)
- [*Lasioglossum atwoodi*](#) Gibbs, 2010
- [*Lasioglossum audasi*](#) (Cockerell, 1945)
- [*Lasioglossum aulacophorum*](#) (Strand, 1913)
- [*Lasioglossum aurantiacum*](#) (Cockerell, 1916)
- [*Lasioglossum auratum*](#) (Ashmead, 1900)
- [*Lasioglossum aureimontanum*](#) Ebmer, 1970
- [*Lasioglossum aureolum*](#) (Pérez, 1903)
- [*Lasioglossum aureopilatum*](#) Walker, 1995
- [*Lasioglossum aureotarse*](#) (Fries, 1921)
- [*Lasioglossum aureoviride*](#) Landaverde-González & Husemann, 2023
- [*Lasioglossum aurigrum*](#) (Krombein, 1950)
- [*Lasioglossum aurora*](#) (Smith, 1879)
- [*Lasioglossum australe*](#) (Vachal, 1903)
- [*Lasioglossum autranellum*](#) (Vachal, 1904)
- [*Lasioglossum avalonense*](#) (Cockerell, 1938)

B

- [*Lasioglossum babakanense*](#) (Fries, 1914)
- [*Lasioglossum baigakumense*](#) (Blüthgen, 1923)
- [*Lasioglossum bajaense*](#) McGinley, 1986
- [*Lasioglossum bakeri*](#) Pauly, 2001
- [*Lasioglossum balboae*](#) (Cockerell, 1928)
- [*Lasioglossum balearicus*](#) Pérez, 1903

- [*Lasioglossum baleicum*](#) (Cockerell, 1937)
- [*Lasioglossum banahaone*](#) (Cockerell, 1914)
- [*Lasioglossum barbatum*](#) (Vachal, 1903)
- [*Lasioglossum barbertonicum*](#) (Cockerell, 1946)
- [*Lasioglossum bardum*](#) (Cresson, 1872)
- [*Lasioglossum barretti*](#) (Cockerell, 1929)
- [*Lasioglossum baruense*](#) (Fries, 1918)
- [*Lasioglossum basilanum*](#) (Blüthgen, 1928)
- [*Lasioglossum basilautum*](#) (Cockerell, 1910)
- [*Lasioglossum basilicum*](#) (Sandhouse, 1924)
- [*Lasioglossum bassanum*](#) (Warncke, 1982)
- [*Lasioglossum bataviae*](#) (Blüthgen, 1926)
- [*Lasioglossum baudini*](#) (Cockerell, 1915)
- [*Lasioglossum bavaricum*](#) (Blüthgen, 1930)
- [*Lasioglossum behri*](#) (Cockerell, 1910)
- [*Lasioglossum beirense*](#) (Cockerell, 1937)
- [*Lasioglossum belliatum*](#) Pesenko, 1986
- [*Lasioglossum bellulum*](#) (Vachal, 1910)
- [*Lasioglossum benignum*](#) Pesenko, 1986
- [*Lasioglossum bernardinense*](#) (Michener, 1936)
- [*Lasioglossum beskei*](#) (Vachal, 1904)
- [*Lasioglossum betomarium*](#) (Blüthgen, 1925)
- [*Lasioglossum bhutanicum*](#) Ebmer, 1998
- [*Lasioglossum bianone*](#) (Cockerell, 1945)
- [*Lasioglossum bibrochum*](#) Walker, 1995
- [*Lasioglossum bicallosum*](#) (Morawitz, 1874)
- [*Lasioglossum biceps*](#) Walker, 1995
- [*Lasioglossum biciliatum*](#) (Fries, 1917)
- [*Lasioglossum bicingulatum*](#) (Smith, 1853)
- [*Lasioglossum bicolor*](#) Walker, 1995
- [*Lasioglossum bidentatulum*](#) Walker, 1999
- [*Lasioglossum bidentatum*](#) (Cameron, 1898)
- [*Lasioglossum bimaculatum*](#) (Dours, 1872)
- [*Lasioglossum birkmanni*](#) (Crawford, 1906)
- [*Lasioglossum bischoffi*](#) (Blüthgen, 1931)
- [*Lasioglossum biseptum*](#) (Vachal, 1904)
- [*Lasioglossum bivarum*](#) (Vachal, 1904)
- [*Lasioglossum blackburni*](#) (Cockerell, 1910)
- [*Lasioglossum blakistoni*](#) Sakagami & Munakata, 1990
- [*Lasioglossum blandulum*](#) (Cockerell, 1929)
- [*Lasioglossum blighi*](#) (Cockerell, 1915)
- [*Lasioglossum bluethgeni*](#) Ebmer, 1971

- [*Lasioglossum boreale*](#) Svensson, Ebmer & Sakagami, 1977
- [*Lasioglossum botanicorum*](#) (Cockerell, 1943)
- [*Lasioglossum bouyssoui*](#) (Vachal, 1903)
- [*Lasioglossum bowkeri*](#) (Cockerell, 1920)
- [*Lasioglossum brachycephalum*](#) (Cockerell, 1925)
- [*Lasioglossum brachyplectum*](#) (Moure, 1956)
- [*Lasioglossum bradleyi*](#) (Mitchell, 1960)
- [*Lasioglossum brassicae*](#) (Mitchell, 1960)
- [*Lasioglossum brazieri*](#) (Cockerell, 1916)
- [*Lasioglossum bredoi*](#) (Cockerell, 1939)
- [*Lasioglossum breedi*](#) Michener, 1979
- [*Lasioglossum bremerense*](#) (Rayment, 1931)
- [*Lasioglossum brevibasis*](#) (Cockerell, 1938)
- [*Lasioglossum brevicorne*](#) (Schenck, 1870)
- [*Lasioglossum brevicornutum*](#) (Walker, 1986)
- [*Lasioglossum breviventre*](#) (Schenck, 1853)
- [*Lasioglossum brevizona*](#) (Benoist, 1962)
- [*Lasioglossum bribiense*](#) (Cockerell, 1916)
- [*Lasioglossum bribiensiforme*](#) (Cockerell, 1930)
- [*Lasioglossum brisbanense*](#) (Cockerell, 1918)
- [*Lasioglossum briseis*](#) Ebmer, 2005
- [*Lasioglossum brochum*](#) Walker, 1995
- [*Lasioglossum bruesi*](#) (Cockerell, 1912)
- [*Lasioglossum bruneri*](#) (Crawford, 1902)
- [*Lasioglossum bruneriellum*](#) (Cockerell, 1918)
- [*Lasioglossum brunneiventre*](#) (Crawford, 1907)
- [*Lasioglossum brunnesetum*](#) Walker, 1995
- [*Lasioglossum bryotrichum*](#) (Cockerell, 1912)
- [*Lasioglossum bubrarium*](#) Walker, 1995
- [*Lasioglossum buccale*](#) (Pérez, 1903)
- [*Lasioglossum buccinum*](#) (Vachal, 1895)
- [*Lasioglossum bucculum*](#) Walker, 1995
- [*Lasioglossum bullatum*](#) Walker, 1995
- [*Lasioglossum burmanicum*](#) (Blüthgen, 1926)
- [*Lasioglossum burmense*](#) (Blüthgen, 1926)
- [*Lasioglossum burnupi*](#) (Cockerell, 1920)
- [*Lasioglossum buruense*](#) (Blüthgen, 1926)
- [*Lasioglossum busckellum*](#) (Cockerell, 1915)
- [*Lasioglossum butleri*](#) (Rayment, 1935)

C

- [*Lasioglossum cabrilli*](#) (Cockerell, 1937)

- [*Lasioglossum caducum*](#) (Sandhouse, 1924)
- [*Lasioglossum caeruleiceps*](#) (Friese, 1914)
- [*Lasioglossum caesium*](#) Walker, 1995
- [*Lasioglossum calcarium*](#) Ebmer, 2002
- [*Lasioglossum calceatum*](#) (Scopoli, 1763)
- [*Lasioglossum californiae*](#) (Ellis, 1924)
- [*Lasioglossum caliginosum*](#) Murao, Ebmer & Tadauchi, 2006
- [*Lasioglossum callaspis*](#) (Cockerell, 1915)
- [*Lasioglossum callidum*](#) (Sandhouse, 1924)
- [*Lasioglossum callizonium*](#) (Pérez, 1896)
- [*Lasioglossum callomelittinum*](#) (Cockerell, 1910)
- [*Lasioglossum callophrys*](#) Ebmer, 2002
- [*Lasioglossum callorhinum*](#) (Cockerell, 1937)
- [*Lasioglossum calophyllae*](#) (Rayment, 1935)
- [*Lasioglossum caloundrense*](#) (Cockerell, 1914)
- [*Lasioglossum calviniellum*](#) (Cockerell, 1940)
- [*Lasioglossum cambagei*](#) (Cockerell, 1910)
- [*Lasioglossum cameronellum*](#) (Cockerell, 1911)
- [*Lasioglossum camphorellum*](#) (Cockerell, 1940)
- [*Lasioglossum candicicinctum*](#) (Cockerell, 1945)
- [*Lasioglossum candidiferum*](#) (Cockerell, 1946)
- [*Lasioglossum capicola*](#) (Cameron, 1905)
- [*Lasioglossum capitale*](#) (Pérez, 1903)
- [*Lasioglossum capnopum*](#) (Vachal, 1903)
- [*Lasioglossum carbonarium*](#) (Smith, 1853)
- [*Lasioglossum cardaleae*](#) Walker, 1995
- [*Lasioglossum cardiurum*](#) (Cockerell, 1945)
- [*Lasioglossum carinatum*](#) (Cameron, 1903)
- [*Lasioglossum carinifrons*](#) (Cameron, 1904)
- [*Lasioglossum cariocum*](#) (Schrottky, 1910)
- [*Lasioglossum carneiventre*](#) (Dours, 1872)
- [*Lasioglossum carpobrotum*](#) Walker, 1995
- [*Lasioglossum caspicum*](#) (Morawitz, 1874)
- [*Lasioglossum cassiaefloris*](#) (Cockerell, 1914)
- [*Lasioglossum cassioides*](#) Ebmer, 2002
- [*Lasioglossum castilianum*](#) (Blüthgen, 1931)
- [*Lasioglossum castor*](#) Walker, 1995
- [*Lasioglossum catileps*](#) (Blüthgen, 1926)
- [*Lasioglossum cattellae*](#) (Ellis, 1913)
- [*Lasioglossum cavernifrons*](#) (Blüthgen, 1926)
- [*Lasioglossum cavillosum*](#) (Vachal, 1895)
- [*Lasioglossum ceanothi*](#) (Mitchell, 1960)

- [*Lasioglossum centesimum*](#) (Blüthgen, 1924)
- [*Lasioglossum cephalinotum*](#) (Cockerell, 1946)
- [*Lasioglossum cephalochilum*](#) Michener, 1965
- [*Lasioglossum cephalotes*](#) (Dalla Torre, 1896)
- [*Lasioglossum cerambyx*](#) Ebmer, 1980
- [*Lasioglossum cercothrix*](#) McGinley, 1986
- [*Lasioglossum cervicale*](#) (Cockerell, 1915)
- [*Lasioglossum cessulum*](#) (Cockerell, 1940)
- [*Lasioglossum cetti*](#) (Warncke, 1982)
- [*Lasioglossum chalcochiton*](#) (Vachal, 1911)
- [*Lasioglossum chalcodes*](#) (Brullé, 1840)
- [*Lasioglossum chalybaeum*](#) (Friese, 1917)
- [*Lasioglossum channelense*](#) McGinley, 1986
- [*Lasioglossum chanyomae*](#) (Blüthgen, 1931)
- [*Lasioglossum chapmani*](#) (Cockerell, 1910)
- [*Lasioglossum charisterion*](#) Ebmer, 2002
- [*Lasioglossum chinense*](#) (Dalla Torre, 1896)
- [*Lasioglossum chiromense*](#) (Cockerell, 1945)
- [*Lasioglossum chiwense*](#) (Blüthgen, 1931)
- [*Lasioglossum chloridicum*](#) Ebmer, 1974
- [*Lasioglossum chloronotulum*](#) (Cockerell, 1940)
- [*Lasioglossum chloronotum*](#) (Cockerell, 1937)
- [*Lasioglossum chlorophaenum*](#) Ebmer, 2008
- [*Lasioglossum chloropus*](#) (Morawitz, 1894)
- [*Lasioglossum chryseis*](#) (Smith, 1879)
- [*Lasioglossum chrysonotum*](#) (Ellis, 1914)
- [*Lasioglossum ciliatum*](#) Ebmer, 1998
- [*Lasioglossum cilicium*](#) Ebmer, 1972
- [*Lasioglossum cinclum*](#) (Warncke, 1984)
- [*Lasioglossum cinctipes*](#) (Provancher, 1888)
- [*Lasioglossum cinctulum*](#) (Cockerell, 1945)
- [*Lasioglossum cinereum*](#) (Friese, 1917)
- [*Lasioglossum cingulatum*](#) (Morawitz, 1876)
- [*Lasioglossum circe*](#) Ebmer, 1982
- [*Lasioglossum circinatum*](#) (Vachal, 1904)
- [*Lasioglossum circularum*](#) Fan & Ebmer, 1992
- [*Lasioglossum cire*](#) (Cameron, 1897)
- [*Lasioglossum cirriferum*](#) (Cockerell, 1910)
- [*Lasioglossum ciscapum*](#) (Blüthgen, 1931)
- [*Lasioglossum citerius*](#) (Vachal, 1904)
- [*Lasioglossum claricinctum*](#) (Cockerell, 1937)
- [*Lasioglossum clarigaster*](#) (Cockerell, 1918)

- [*Lasioglossum claripenne*](#) (Cockerell, 1946)
- [*Lasioglossum clarissimum*](#) (Ellis, 1914)
- [*Lasioglossum clarum*](#) (Nurse, 1902)
- [*Lasioglossum claudia*](#) Ebmer, 2002
- [*Lasioglossum clavigerellum*](#) (Cockerell, 1945)
- [*Lasioglossum clavipes*](#) (Dours, 1872)
- [*Lasioglossum clelandi*](#) (Cockerell, 1910)
- [*Lasioglossum clematisellum*](#) (Cockerell, 1904)
- [*Lasioglossum clivicola*](#) (Cockerell, 1937)
- [*Lasioglossum clypeare*](#) (Schenck, 1853)
- [*Lasioglossum clypeatum*](#) Walker, 1995
- [*Lasioglossum clypeiferellum*](#) (Strand, 1909)
- [*Lasioglossum clypeinitens*](#) Ebmer, 2002
- [*Lasioglossum coactum*](#) (Cresson, 1872)
- [*Lasioglossum cockerellellus*](#) (Blüthgen, 1931)
- [*Lasioglossum cocos*](#) (Pauly & Munzinger, 2003)
- [*Lasioglossum coeruleodorsatum*](#) (Strand, 1911)
- [*Lasioglossum coeruleum*](#) (Robertson, 1893)
- [*Lasioglossum cognatum*](#) (Smith, 1853)
- [*Lasioglossum colatum*](#) (Vachal, 1904)
- [*Lasioglossum collegum*](#) (Cameron, 1905)
- [*Lasioglossum collopiense*](#) (Pérez, 1903)
- [*Lasioglossum colonicum*](#) (Rayment, 1953)
- [*Lasioglossum coloratipes*](#) (Cockerell, 1946)
- [*Lasioglossum comagenense*](#) (Knerer & Atwood, 1964)
- [*Lasioglossum comorense*](#) Pauly, 2001
- [*Lasioglossum compressum*](#) (Blüthgen, 1926)
- [*Lasioglossum comulum*](#) Michener, 1951
- [*Lasioglossum concessum*](#) (Cockerell, 1946)
- [*Lasioglossum conciliatum*](#) (Cockerell, 1946)
- [*Lasioglossum congoense*](#) (Friese, 1921)
- [*Lasioglossum connexum*](#) (Cresson, 1872)
- [*Lasioglossum conspicuum*](#) (Smith, 1879)
- [*Lasioglossum constrictulum*](#) (Cockerell, 1945)
- [*Lasioglossum contaminatum*](#) (Cockerell, 1910)
- [*Lasioglossum contracticaudus*](#) (Cockerell, 1937)
- [*Lasioglossum convexiusculum*](#) (Schenck, 1853)
- [*Lasioglossum convexum*](#) (Smith, 1879)
- [*Lasioglossum cooleyi*](#) (Crawford, 1906)
- [*Lasioglossum copleyense*](#) Walker, 1995
- [*Lasioglossum cordleyi*](#) (Crawford, 1906)
- [*Lasioglossum coreopsis*](#) (Robertson, 1902)

- [*Lasioglossum coriaceum*](#) (Smith, 1853)
- [*Lasioglossum corsicanum*](#) (Blüthgen, 1931)
- [*Lasioglossum corvinum*](#) (Morawitz, 1876)
- [*Lasioglossum costale*](#) (Vachal, 1904)
- [*Lasioglossum costaricense*](#) (Crawford, 1906)
- [*Lasioglossum costulatum*](#) (Kriechbaumer, 1873)
- [*Lasioglossum crassepunctatum*](#) (Blüthgen, 1923)
- [*Lasioglossum crassicaudus*](#) (Cockerell, 1946)
- [*Lasioglossum crassiceps*](#) (Ellis, 1914)
- [*Lasioglossum crassivene*](#) (Cockerell, 1939)
- [*Lasioglossum creberrimum*](#) (Smith, 1853)
- [*Lasioglossum creightoni*](#) (Cockerell, 1908)
- [*Lasioglossum crepusculum*](#) Ebmer, 2008
- [*Lasioglossum cressonii*](#) (Robertson, 1890)
- [*Lasioglossum creusum*](#) (Schrottky, 1910)
- [*Lasioglossum cribrum*](#) Ebmer, 2008
- [*Lasioglossum cristula*](#) (Pérez, 1896)
- [*Lasioglossum croceipes*](#) (Morawitz, 1876)
- [*Lasioglossum crocinum*](#) (Vachal, 1903)
- [*Lasioglossum crocoturum*](#) (Vachal, 1904)
- [*Lasioglossum ctenander*](#) (Michener, 1965)
- [*Lasioglossum cubitale*](#) (Vachal, 1904)
- [*Lasioglossum cucullatum*](#) (Warncke, 1984)
- [*Lasioglossum cuniculum*](#) (Vachal, 1895)
- [*Lasioglossum cupreicolle*](#) (Fries, 1917)
- [*Lasioglossum cupromicans*](#) (Pérez, 1903)
- [*Lasioglossum curtulum*](#) (Vachal, 1904)
- [*Lasioglossum cyaneodiscum*](#) (Cockerell, 1946)
- [*Lasioglossum cyaneonotum*](#) (Crawford, 1907)
- [*Lasioglossum cyanescens*](#) (Cockerell, 1919)
- [*Lasioglossum cyaneum*](#) (Ashmead, 1900)
- [*Lasioglossum cyanorugosum*](#) Engel, Hinojosa-Díaz & Yáñez-Ordóñez, 2007
- [*Lasioglossum cyanurum*](#) (Cockerell, 1936)
- [*Lasioglossum cyclurum*](#) (Cockerell, 1915)

D

- [*Lasioglossum daggetti*](#) (Cockerell, 1916)
- [*Lasioglossum daglariense*](#) (Warncke, 1984)
- [*Lasioglossum damascenum*](#) (Pérez, 1910)
- [*Lasioglossum dampieri*](#) (Cockerell, 1905)
- [*Lasioglossum danforthi*](#) (McGinley, 2003)
- [*Lasioglossum danicorum*](#) (Cockerell, 1909)

- [*Lasioglossum danuvium*](#) (Blüthgen, 1944)
- [*Lasioglossum daphne*](#) Ebmer, 1978
- [*Lasioglossum darwiniellum*](#) (Cockerell, 1932)
- [*Lasioglossum dasiphorae*](#) (Cockerell, 1901)
- [*Lasioglossum dasygaster*](#) (Vachal, 1895)
- [*Lasioglossum dathei*](#) Ebmer, 2008
- [*Lasioglossum davide*](#) (Cockerell, 1910)
- [*Lasioglossum debile*](#) (Morawitz, 1893)
- [*Lasioglossum debilinerve*](#) (Cockerell, 1911)
- [*Lasioglossum debilior*](#) (Pérez, 1910)
- [*Lasioglossum deceptor*](#) (Ellis, 1914)
- [*Lasioglossum deceptum*](#) (Smith, 1853)
- [*Lasioglossum declivis*](#) (Pauly, 1980)
- [*Lasioglossum decolor*](#) (Pérez, 1895)
- [*Lasioglossum delectatum*](#) (Mitchell, 1960)
- [*Lasioglossum deliense*](#) (Strand, 1910)
- [*Lasioglossum delobeli*](#) Pauly & Munzinger, 2003
- [*Lasioglossum demicapillum*](#) Walker, 1995
- [*Lasioglossum denislucum*](#) (Strand, 1909)
- [*Lasioglossum denselineatum*](#) (Cockerell, 1945)
- [*Lasioglossum denticeps*](#) Michener, 1954
- [*Lasioglossum denticolle*](#) (Morawitz, 1891)
- [*Lasioglossum dernaense*](#) (Blüthgen, 1925)
- [*Lasioglossum desertum*](#) (Smith, 1879)
- [*Lasioglossum diatretum*](#) (Vachal, 1904)
- [*Lasioglossum dichrous*](#) (Blüthgen, 1924)
- [*Lasioglossum didomenon*](#) Ebmer, 1980
- [*Lasioglossum diloloense*](#) (Cockerell, 1937)
- [*Lasioglossum diluculum*](#) Ebmer, 2008
- [*Lasioglossum diminutellum*](#) (Cockerell, 1937)
- [*Lasioglossum dimorphum*](#) (Rayment, 1954)
- [*Lasioglossum dinazade*](#) Ebmer, 2000
- [*Lasioglossum disabanci*](#) (Knerer & Atwood, 1966)
- [*Lasioglossum disclusum*](#) (Cockerell, 1914)
- [*Lasioglossum discretulum*](#) (Cockerell, 1940)
- [*Lasioglossum discum*](#) (Smith, 1853)
- [*Lasioglossum discursum*](#) (Cameron, 1897)
- [*Lasioglossum disparile*](#) (Cresson, 1872)
- [*Lasioglossum dispositellum*](#) (Cockerell, 1934)
- [*Lasioglossum dissimulator*](#) (Cockerell, 1914)
- [*Lasioglossum divergenoides*](#) (Mitchell, 1960)
- [*Lasioglossum divergens*](#) (Lovell, 1905)

- [*Lasioglossum diversopunctatum*](#) (Ellis, 1914)
- [*Lasioglossum diversum*](#) (Smith, 1879)
- [*Lasioglossum doddi*](#) (Cockerell, 1914)
- [*Lasioglossum dolichocephalum*](#) (Blüthgen, 1923)
- [*Lasioglossum dorchini*](#) (Pauly, 2020)
- [*Lasioglossum dolus*](#) Ebmer, 1974
- [*Lasioglossum dotatum*](#) (Cockerell, 1912)
- [*Lasioglossum drakensbergense*](#) (Cockerell, 1946)
- [*Lasioglossum dreisbachi*](#) (Mitchell, 1960)
- [*Lasioglossum dubitatum*](#) (Mitchell, 1960)
- [*Lasioglossum duckei*](#) (Alfken, 1909)
- [*Lasioglossum duplex*](#) (Dalla Torre, 1896)
- [*Lasioglossum duponti*](#) (Vachal, 1903)
- [*Lasioglossum durbanense*](#) (Cockerell, 1940)
- [*Lasioglossum dusmeti*](#) (Blüthgen, 1924)
- [*Lasioglossum dybowski*](#) (Radoszkowski, 1876)
- [*Lasioglossum dynastes*](#) (Bingham, 1898)

E

- [*Lasioglossum ebeneum*](#) Walker, 1995
- [*Lasioglossum ebmerianum*](#) Sakagami & Tadauchi, 1995
- [*Lasioglossum ecanidum*](#) Pauly, 1980
- [*Lasioglossum edentulatum*](#) Walker, 1995
- [*Lasioglossum edessae*](#) Ebmer, 1974
- [*Lasioglossum eduardi*](#) (Blüthgen, 1931)
- [*Lasioglossum egregium*](#) (Vachal, 1904)
- [*Lasioglossum eickwortellum*](#) (Engel, 2001)
- [*Lasioglossum eickworti*](#) McGinley, 1986
- [*Lasioglossum eidmanni*](#) (Blüthgen, 1926)
- [*Lasioglossum elaiochromon*](#) Ebmer, 2002
- [*Lasioglossum elbanum*](#) (Blüthgen, 1934)
- [*Lasioglossum elegans*](#) (Lepeletier, 1841)
- [*Lasioglossum eleutherense*](#) (Engel, 2001)
- [*Lasioglossum ellipticeps*](#) (Blüthgen, 1923)
- [*Lasioglossum emirnense*](#) (Benoist, 1955)
- [*Lasioglossum engeli*](#) Genaro, 2001
- [*Lasioglossum enslini*](#) Ebmer, 1972
- [*Lasioglossum entebbianum*](#) (Cockerell, 1945)
- [*Lasioglossum eomontanum*](#) Ebmer, 2006
- [*Lasioglossum eophilium*](#) (Ellis, 1914)
- [*Lasioglossum eos*](#) Ebmer, 1978
- [*Lasioglossum epichlorum*](#) (Cockerell, 1937)

- [*Lasioglossum epicinctum*](#) (Strand, 1914)
- [*Lasioglossum epiense*](#) (Cockerell, 1916)
- [*Lasioglossum epiphron*](#) Ebmer, 1982
- [*Lasioglossum epipygiale*](#) (Blüthgen, 1924)
- [*Lasioglossum equestre*](#) (Morawitz, 1876)
- [*Lasioglossum equinum*](#) Ebmer, 1978
- [*Lasioglossum eremaeae*](#) Walker, 1995
- [*Lasioglossum eremophilum*](#) Walker, 1995
- [*Lasioglossum eriphyle*](#) Ebmer, 1996
- [*Lasioglossum ernesti*](#) Pauly, 2001
- [*Lasioglossum erraticum*](#) (Blüthgen, 1931)
- [*Lasioglossum erythrurum*](#) (Cockerell, 1914)
- [*Lasioglossum eschaton*](#) Ebmer, 1995
- [*Lasioglossum etheridgei*](#) (Cockerell, 1916)
- [*Lasioglossum euboeense*](#) (Strand, 1909)
- [*Lasioglossum eurasicum*](#) Ebmer, 1972
- [*Lasioglossum eurhodopum*](#) (Cockerell, 1914)
- [*Lasioglossum europense*](#) (Benoist, 1950)
- [*Lasioglossum euryale*](#) Ebmer, 1982
- [*Lasioglossum eurycephalum*](#) Walker, 1995
- [*Lasioglossum eurydikae*](#) Ebmer, 1974
- [*Lasioglossum euxanthopus*](#) Pesenko, 1986
- [*Lasioglossum euxinicum*](#) Ebmer, 1972
- [*Lasioglossum evanidum*](#) (Vachal, 1903)
- [*Lasioglossum evestigatum*](#) (Sandhouse, 1924)
- [*Lasioglossum ewarti*](#) (Cockerell, 1910)
- [*Lasioglossum exactum*](#) (Cockerell, 1937)
- [*Lasioglossum excisum*](#) Ebmer, 1998
- [*Lasioglossum excultum*](#) (Cockerell, 1913)
- [*Lasioglossum exiguiforme*](#) (Ellis, 1914)
- [*Lasioglossum exiguum*](#) (Smith, 1879)
- [*Lasioglossum exiliceps*](#) (Vachal, 1903)
- [*Lasioglossum exlautum*](#) (Cockerell, 1905)
- [*Lasioglossum exleyae*](#) (Walker, 1986)
- [*Lasioglossum exoneuroides*](#) (Rayment, 1953)
- [*Lasioglossum exophthalmum*](#) (Walker, 1986)
- [*Lasioglossum expansifrons*](#) (Cockerell, 1914)
- [*Lasioglossum expulsum*](#) (Cockerell, 1916)
- [*Lasioglossum exterum*](#) (Cockerell, 1911)
- [*Lasioglossum extraordinarium*](#) (Kohl, 1908)
- [*Lasioglossum exulans*](#) Ebmer, 1978

F

- [*Lasioglossum fahringeri*](#) (Fries, 1921)
- [*Lasioglossum falcatum*](#) Walker, 1995
- [*Lasioglossum fallax*](#) (Morawitz, 1874)
- [*Lasioglossum familiare*](#) (Erichson, 1842)
- [*Lasioglossum fasciatum*](#) Walker, 1995
- [*Lasioglossum fasciger*](#) (Strand, 1909)
- [*Lasioglossum fattigi*](#) (Mitchell, 1960)
- [*Lasioglossum faustum*](#) Ebmer, 1978
- [*Lasioglossum feai*](#) (Vachal, 1895)
- [*Lasioglossum fedorense*](#) (Crawford, 1906)
- [*Lasioglossum fedtschenkoi*](#) (Blüthgen, 1938)
- [*Lasioglossum femorale*](#) (Saunders, 1908)
- [*Lasioglossum fernandezis*](#) Engel, 2000
- [*Lasioglossum ferrerii*](#) (Baker, 1906)
- [*Lasioglossum figueresi*](#) Wcislo, 1990
- [*Lasioglossum fijiense*](#) (Perkins & Cheesman, 1928)
- [*Lasioglossum filiferreum*](#) (Pauly, 1986)
- [*Lasioglossum filipes*](#) Ebmer, 1972
- [*Lasioglossum fimbriatellum*](#) (Vachal, 1895)
- [*Lasioglossum flammeum*](#) (Pauly, 1986)
- [*Lasioglossum flaveriae*](#) (Mitchell, 1960)
- [*Lasioglossum flavipes*](#) (Moure, 1950)
- [*Lasioglossum flavipes*](#) (Pauly, 1986)
- [*Lasioglossum flavohirtum*](#) Ebmer, 2002
- [*Lasioglossum flavolineatum*](#) (Cockerell, 1937)
- [*Lasioglossum flavopunctatum*](#) (Fries, 1924)
- [*Lasioglossum flavoscapus*](#) Ebmer, 2008
- [*Lasioglossum flindersi*](#) (Cockerell, 1905)
- [*Lasioglossum florale*](#) (Smith, 1853)
- [*Lasioglossum floridanum*](#) Robertson, 1892
- [*Lasioglossum forbesii*](#) (Robertson, 1890)
- [*Lasioglossum formosae*](#) (Strand, 1910)
- [*Lasioglossum forrestae*](#) (Walker, 1986)
- [*Lasioglossum forresti*](#) (Cockerell, 1906)
- [*Lasioglossum foveolatum*](#) (Robertson, 1902)
- [*Lasioglossum foxii*](#) (Robertson, 1895)
- [*Lasioglossum frankenia*](#) Walker, 1995
- [*Lasioglossum franki*](#) (Fries, 1924)
- [*Lasioglossum fratellum*](#) (Pérez, 1903)
- [*Lasioglossum fraternum*](#) (Smith, 1860)
- [*Lasioglossum frenchellum*](#) Michener, 1965

- [*Lasioglossum frenchi*](#) (Cockerell, 1904)
- [*Lasioglossum frigidum*](#) Sakagami & Ebmer, 1996
- [*Lasioglossum froggatti*](#) (Cockerell, 1905)
- [*Lasioglossum froggatti*](#) (Cockerell, 1911)
- [*Lasioglossum froggatti*](#) Walker, 1995
- [*Lasioglossum fruhstorferi*](#) (Blüthgen, 1926)
- [*Lasioglossum fulgens*](#) (Nurse, 1902)
- [*Lasioglossum fulgonitens*](#) Ebmer, 1982
- [*Lasioglossum fultoni*](#) (Cockerell, 1914)
- [*Lasioglossum fulvicorne*](#) (Kirby, 1802)
- [*Lasioglossum fulvitarso*](#) (Morawitz, 1876)
- [*Lasioglossum fulviventre*](#) (Friese, 1924)
- [*Lasioglossum fulvofasciae*](#) Michener, 1965
- [*Lasioglossum fulvopacum*](#) Ebmer, 1983
- [*Lasioglossum fumidicaudus*](#) (Cockerell, 1914)
- [*Lasioglossum funebre*](#) (Cameron, 1897)
- [*Lasioglossum fuscipenne*](#) (Smith, 1853)
- [*Lasioglossum fynbosense*](#) (Pauly, Timmermann & Kuhlmann, 2008)

G

- [*Lasioglossum gastrophilinum*](#) (Cockerell, 1939)
- [*Lasioglossum gattaca*](#) Danforth & Wcislo, 1999
- [*Lasioglossum gemmatum*](#) (Smith, 1853)
- [*Lasioglossum gendettense*](#) (Cockerell, 1937)
- [*Lasioglossum gentianae*](#) (Rayment, 1951)
- [*Lasioglossum genuinum*](#) (Sandhouse, 1924)
- [*Lasioglossum georgicum*](#) (Cockerell, 1937)
- [*Lasioglossum getasanum*](#) (Blüthgen, 1926)
- [*Lasioglossum geteinum*](#) (Cockerell, 1945)
- [*Lasioglossum gibber*](#) (Vachal, 1892)
- [*Lasioglossum gibbosum*](#) (Friese, 1924)
- [*Lasioglossum giffardi*](#) (Michener, 1937)
- [*Lasioglossum giffardiellum*](#) (Cockerell, 1945)
- [*Lasioglossum gilanum*](#) (Blüthgen, 1931)
- [*Lasioglossum gilesi*](#) (Cockerell, 1905)
- [*Lasioglossum glabriusculum*](#) (Morawitz, 1872)
- [*Lasioglossum glabriventre*](#) (Crawford, 1907)
- [*Lasioglossum glaciegenitum*](#) Ebmer, 1972
- [*Lasioglossum glandon*](#) Ebmer, 2002
- [*Lasioglossum globosum*](#) (Smith, 1853)
- [*Lasioglossum godmanae*](#) Michener, 1969
- [*Lasioglossum goilalaense*](#) (Pauly, 1986)

- [*Lasioglossum goluratum*](#) (Blüthgen, 1926)
- [*Lasioglossum goniurum*](#) (Cockerell, 1937)
- [*Lasioglossum gorgasi*](#) (Cockerell, 1928)
- [*Lasioglossum gorge*](#) Ebmer, 1982
- [*Lasioglossum gorkiense*](#) (Blüthgen, 1931)
- [*Lasioglossum gorokaense*](#) (Pauly, 1986)
- [*Lasioglossum gossypiellum*](#) (Cockerell, 1945)
- [*Lasioglossum gotham*](#) Gibbs, 2011
- [*Lasioglossum graaffi*](#) (Cockerell, 1941)
- [*Lasioglossum grande*](#) (Meyer, 1920)
- [*Lasioglossum grandiceps*](#) (Friese, 1925)
- [*Lasioglossum granosum*](#) (Vachal, 1904)
- [*Lasioglossum greavesi*](#) (Rayment, 1930)
- [*Lasioglossum gressitti*](#) (Pauly, 1986)
- [*Lasioglossum grinnelli*](#) (Cockerell, 1916)
- [*Lasioglossum griseipenne*](#) (Cockerell, 1929)
- [*Lasioglossum grisellinum*](#) (Blüthgen, 1931)
- [*Lasioglossum griseocinctum*](#) (Cockerell, 1945)
- [*Lasioglossum griseolum*](#) (Morawitz, 1872)
- [*Lasioglossum grossopedalum*](#) (Walker, 1986)
- [*Lasioglossum grumiculum*](#) Walker, 1995
- [*Lasioglossum guaruvae*](#) (Moure, 1987)
- [*Lasioglossum guianense*](#) (Cockerell, 1936)
- [*Lasioglossum guineabium*](#) (Strand, 1912)
- [*Lasioglossum gulare*](#) (Vachal, 1904)
- [*Lasioglossum gunbowerense*](#) (Rayment, 1939)
- [*Lasioglossum gundlachii*](#) (Baker, 1906)
- [*Lasioglossum gunungense*](#) (Blüthgen, 1931)
- [*Lasioglossum gussakovskii*](#) (Blüthgen, 1929)
- [*Lasioglossum gynochilum*](#) Michener, 1965

H

- [*Lasioglossum hadrandrum*](#) (Michener, 1979)
- [*Lasioglossum halictoides*](#) (Smith, 1858)
- [*Lasioglossum halictoides*](#) (Fox, 1893)
- [*Lasioglossum halophitum*](#) (Graenicher, 1927)
- [*Lasioglossum hamatum*](#) Walker, 1995
- [*Lasioglossum hammondi*](#) (Cockerell, 1938)
- [*Lasioglossum hancocki*](#) (Cockerell, 1945)
- [*Lasioglossum hapsidum*](#) Walker, 1995
- [*Lasioglossum harmandi*](#) (Vachal, 1903)
- [*Lasioglossum harputicum*](#) Ebmer, 1972

- [*Lasioglossum hartii*](#) (Robertson, 1892)
- [*Lasioglossum hartmanni*](#) Danforth & Wcislo, 1999
- [*Lasioglossum havanense*](#) (Baker, 1906)
- [*Lasioglossum hazarani*](#) (Warncke, 1982)
- [*Lasioglossum hecate*](#) Ebmer, 1986
- [*Lasioglossum helichrysi*](#) (Cockerell, 1914)
- [*Lasioglossum helios*](#) Ebmer, 1985
- [*Lasioglossum hemichalceum*](#) (Cockerell, 1923)
- [*Lasioglossum hemicyaneum*](#) (Benoist, 1944)
- [*Lasioglossum hemileucospilum*](#) (Cockerell, 1937)
- [*Lasioglossum hemimelas*](#) (Cockerell, 1901)
- [*Lasioglossum herbstiellum*](#) (Fries, 1917)
- [*Lasioglossum heterognathum*](#) (Mitchell, 1960)
- [*Lasioglossum heterorhinum*](#) (Cockerell, 1930)
- [*Lasioglossum hethiticum*](#) Ebmer, 1970
- [*Lasioglossum hewetti*](#) (Cockerell, 1913)
- [*Lasioglossum hiemale*](#) (Cockerell, 1926)
- [*Lasioglossum highlandicum*](#) (Mitchell, 1960)
- [*Lasioglossum hilactum*](#) (Smith, 1853)
- [*Lasioglossum hilare*](#) Ebmer, 1972
- [*Lasioglossum hiltacum*](#) (Smith, 1853)
- [*Lasioglossum himalayense*](#) (Bingham, 1898)
- [*Lasioglossum hirashimae*](#) Ebmer & Sakagami, 1977
- [*Lasioglossum hirashimai*](#) (Michener, 1980)
- [*Lasioglossum hirsutifrons*](#) (Cockerell, 1946)
- [*Lasioglossum hirtiventre*](#) (Cockerell, 1922)
- [*Lasioglossum hirtulinum*](#) (Cockerell, 1939)
- [*Lasioglossum hispanicum*](#) (Blüthgen, 1931)
- [*Lasioglossum hoedillum*](#) (Vachal, 1903)
- [*Lasioglossum hofferi*](#) Pesenko, 1986
- [*Lasioglossum hoffmanni*](#) (Strand, 1915)
- [*Lasioglossum holochlorum*](#) (Cockerell, 1914)
- [*Lasioglossum holomelanurum*](#) (Cockerell, 1937)
- [*Lasioglossum holostictum*](#) (Cockerell, 1940)
- [*Lasioglossum houstoni*](#) (Walker, 1986)
- [*Lasioglossum hualitchu*](#) (Holmberg, 1886)
- [*Lasioglossum huanghe*](#) Ebmer, 2002
- [*Lasioglossum hudsoniellum*](#) (Cockerell, 1919)
- [*Lasioglossum humboldtense*](#) (Michener, 1936)
- [*Lasioglossum humei*](#) (Cockerell, 1905)
- [*Lasioglossum hummeli*](#) (Blüthgen, 1934)
- [*Lasioglossum hunteri*](#) (Cockerell, 1932)

- [*Lasioglossum huttoni*](#) (Cameron, 1900)
- [*Lasioglossum hyalinipenne*](#) (Morawitz, 1876)
- [*Lasioglossum hyalinum*](#) (Crawford, 1907)
- [*Lasioglossum hybodinum*](#) (Cockerell, 1912)
- [*Lasioglossum hydrocephalum*](#) (Blüthgen, 1926)
- [*Lasioglossum hypochlorinum*](#) (Cockerell, 1940)
- [*Lasioglossum hypochlorum*](#) (Ellis, 1914)
- [*Lasioglossum hypoleucum*](#) (Cockerell, 1937)
- [*Lasioglossum hypsiston*](#) Ebmer, 1980
- [*Lasioglossum hyrkanium*](#) Ebmer, 1978

I

- [*Lasioglossum ibadanicum*](#) (Cockerell, 1945)
- [*Lasioglossum ibericum*](#) Ebmer, 1975
- [*Lasioglossum ilicum*](#) (Blüthgen, 1924)
- [*Lasioglossum illinoense*](#) (Robertson, 1892)
- [*Lasioglossum imbecillum*](#) Ebmer, 1974
- [*Lasioglossum imbrex*](#) Gibbs, 2010
- [*Lasioglossum imitans*](#) (Cockerell, 1914)
- [*Lasioglossum imitator*](#) Michener, 1965
- [*Lasioglossum imitatum*](#) (Smith, 1853)
- [*Lasioglossum immaculatum*](#) Walker, 1995
- [*Lasioglossum immunitum*](#) (Vachal, 1895)
- [*Lasioglossum impavidum*](#) (Sandhouse, 1924)
- [*Lasioglossum impunctatum*](#) Walker, 1999
- [*Lasioglossum impurum*](#) (Cresson, 1872)
- [*Lasioglossum imuganense*](#) (Cockerell, 1919)
- [*Lasioglossum incompletum*](#) (Crawford, 1907)
- [*Lasioglossum inconditum*](#) (Cockerell, 1916)
- [*Lasioglossum indistinctum*](#) (Crawford, 1906)
- [*Lasioglossum infimum*](#) (Erichson, 1842)
- [*Lasioglossum inflatum*](#) Walker, 1995
- [*Lasioglossum ingogoense*](#) (Cockerell, 1940)
- [*Lasioglossum inoum*](#) (Cameron, 1904)
- [*Lasioglossum insculptum*](#) (Cockerell, 1918)
- [*Lasioglossum insigne*](#) (Meyer, 1920)
- [*Lasioglossum insolitum*](#) (Sandhouse, 1924)
- [*Lasioglossum instabilis*](#) (Cockerell, 1914)
- [*Lasioglossum insulsum*](#) (Sandhouse, 1924)
- [*Lasioglossum intermedium*](#) (Schenck, 1870)
- [*Lasioglossum interruptum*](#) (Panzer, 1798)
- [*Lasioglossum interstitinerve*](#) (Cameron, 1905)

- [*Lasioglossum intrepidum*](#) (Mitchell, 1960)
- [*Lasioglossum iranicum*](#) Ebmer, 1975
- [*Lasioglossum iridipenne*](#) (Smith, 1863)
- [*Lasioglossum israelense*](#) Ebmer, 1974
- [*Lasioglossum ituraeum*](#) Ebmer, 1972
- [*Lasioglossum iwatai*](#) Sakagami, 1968

J-K

- [*Lasioglossum jacobsoni*](#) (Friese, 1914)
- [*Lasioglossum jamaicae*](#) (Ellis, 1914)
- [*Lasioglossum jamesae*](#) (Cockerell, 1933)
- [*Lasioglossum japonicum*](#) (Dalla Torre, 1896)
- [*Lasioglossum jessicum*](#) (Cockerell, 1939)
- [*Lasioglossum jubatum*](#) (Vachal, 1904)
- [*Lasioglossum jultschinicum*](#) Ebmer, 1972
- [*Lasioglossum junaluskenense*](#) (Mitchell, 1960)
- [*Lasioglossum kabetiellum*](#) (Cockerell, 1945)
- [*Lasioglossum kafubuense*](#) (Cockerell, 1937)
- [*Lasioglossum kampalense*](#) (Cockerell, 1945)
- [*Lasioglossum kandiense*](#) (Cockerell, 1913)
- [*Lasioglossum kangeani*](#) (Pauly, 1980)
- [*Lasioglossum kankauchare*](#) (Strand, 1914)
- [*Lasioglossum kansuense*](#) (Blüthgen, 1934)
- [*Lasioglossum kappadokium*](#) Ebmer, 1974
- [*Lasioglossum kasparyani*](#) Pesenko, 1986
- [*Lasioglossum kasuloi*](#) (Cockerell, 1937)
- [*Lasioglossum katyae*](#) McGinley, 1986
- [*Lasioglossum kiautschouense*](#) (Strand, 1910)
- [*Lasioglossum kinabaluense*](#) Michener, 1986
- [*Lasioglossum kincaidii*](#) (Cockerell, 1898)
- [*Lasioglossum kingi*](#) (Cockerell, 1945)
- [*Lasioglossum kintonense*](#) (Blüthgen, 1926)
- [*Lasioglossum kirgisicum*](#) Ebmer, 1972
- [*Lasioglossum klipiellum*](#) (Cockerell, 1946)
- [*Lasioglossum klooficum*](#) (Cockerell, 1946)
- [*Lasioglossum korbi*](#) (Blüthgen, 1929)
- [*Lasioglossum koreanum*](#) Ebmer, 1978
- [*Lasioglossum kotschyi*](#) (Ebmer, 1981)
- [*Lasioglossum kowitense*](#) (Cockerell, 1937)
- [*Lasioglossum kozlovi*](#) (Friese, 1914)
- [*Lasioglossum krausi*](#) (Warncke, 1982)
- [*Lasioglossum kraussi*](#) Michener, 1954

- [*Lasioglossum krishna*](#) (Nurse, 1902)
- [*Lasioglossum kryopetrosum*](#) Ebmer, 2002
- [*Lasioglossum kulense*](#) (Strand, 1909)
- [*Lasioglossum kumejimense*](#) (Matsumura & Uchida, 1926)
- [*Lasioglossum kunzei*](#) (Cockerell, 1898)
- [*Lasioglossum kurandense*](#) (Cockerell, 1914)
- [*Lasioglossum kuroshio*](#) Sakagami & Takahashi, 1993
- [*Lasioglossum kussariense*](#) (Blüthgen, 1925)

L

- [*Lasioglossum lactescens*](#) (Cockerell, 1937)
- [*Lasioglossum lacthium*](#) (Smith, 1853)
- [*Lasioglossum lactineum*](#) (Sandhouse, 1924)
- [*Lasioglossum laeve*](#) (Kirby, 1802)
- [*Lasioglossum laeviderme*](#) (Cockerell, 1911)
- [*Lasioglossum laevidorsum*](#) (Blüthgen, 1923)
- [*Lasioglossum laevigatum*](#) (Kirby, 1802)
- [*Lasioglossum laevinode*](#) (Morawitz, 1876)
- [*Lasioglossum laevissimum*](#) (Smith, 1853)
- [*Lasioglossum laevoides*](#) Ebmer, 2005
- [*Lasioglossum lambatum*](#) Fan & Ebmer, 1992
- [*Lasioglossum lamborni*](#) (Cockerell, 1945)
- [*Lasioglossum lamellosum*](#) Walker, 1995
- [*Lasioglossum lampronotum*](#) McGinley, 1986
- [*Lasioglossum lanarium*](#) (Smith, 1853)
- [*Lasioglossum laratellum*](#) (Blüthgen, 1926)
- [*Lasioglossum laraticum*](#) (Blüthgen, 1926)
- [*Lasioglossum lasereanum*](#) (Benoist, 1964)
- [*Lasioglossum laterale*](#) (Brullé, 1832)
- [*Lasioglossum laterocinctum*](#) (Cockerell, 1945)
- [*Lasioglossum latesellatum*](#) (Cockerell, 1937)
- [*Lasioglossum latibalteatum*](#) (Meade-Waldo, 1916)
- [*Lasioglossum laticeps*](#) (Schenck, 1870)
- [*Lasioglossum latichilum*](#) Walker, 1995
- [*Lasioglossum latifrontellum*](#) (Cockerell, 1945)
- [*Lasioglossum latilabrum*](#) Murao & Tadauchi, 2006
- [*Lasioglossum latior*](#) (Cockerell, 1939)
- [*Lasioglossum latissimum*](#) (Cockerell, 1915)
- [*Lasioglossum latitarse*](#) (Friese, 1909)
- [*Lasioglossum lativalve*](#) (Warncke, 1984)
- [*Lasioglossum lativentre*](#) (Schenck, 1853)
- [*Lasioglossum latro*](#) (Perkins & Cheesman, 1928)

- [*Lasioglossum latum*](#) (Sandhouse, 1924)
- [*Lasioglossum layardi*](#) (Cockerell, 1920)
- [*Lasioglossum lazulis*](#) (Ellis, 1913)
- [*Lasioglossum lebedevi*](#) Ebmer, 1972
- [*Lasioglossum lectum*](#) (Mitchell, 1960)
- [*Lasioglossum leichardti*](#) (Cockerell, 1906)
- [*Lasioglossum leiosoma*](#) (Strand, 1914)
- [*Lasioglossum lepidii*](#) (Graenicher, 1927)
- [*Lasioglossum leptcephalum*](#) (Blüthgen, 1923)
- [*Lasioglossum leptorhynchum*](#) (Blüthgen, 1931)
- [*Lasioglossum leptospermi*](#) (Cockerell, 1916)
- [*Lasioglossum lessepsi*](#) (Cockerell, 1928)
- [*Lasioglossum leucocomum*](#) (Lovell, 1908)
- [*Lasioglossum leucomontanum*](#) (Ebmer, 1981)
- [*Lasioglossum leucophenax*](#) (Cockerell, 1939)
- [*Lasioglossum leucopus*](#) (Kirby, 1802)
- [*Lasioglossum leucopymatum*](#) (Dalla Torre, 1896)
- [*Lasioglossum leucorhinum*](#) (Cockerell, 1926)
- [*Lasioglossum leucozonium*](#) (Schrank, 1781)
- [*Lasioglossum leviense*](#) (Mitchell, 1960)
- [*Lasioglossum leviventre*](#) (Pérez, 1905)
- [*Lasioglossum libericum*](#) (Cockerell, 1945)
- [*Lasioglossum lichatinum*](#) (Cockerell, 1922)
- [*Lasioglossum lichatum*](#) (Smith, 1853)
- [*Lasioglossum lieftincki*](#) (Michener, 1980)
- [*Lasioglossum liguanense*](#) (Sandhouse, 1924)
- [*Lasioglossum limbelloides*](#) (Blüthgen, 1931)
- [*Lasioglossum limbellum*](#) (Morawitz, 1876)
- [*Lasioglossum linctum*](#) (Vachal, 1904)
- [*Lasioglossum lineare*](#) (Schenck, 1870)
- [*Lasioglossum lineatulum*](#) (Crawford, 1906)
- [*Lasioglossum lineatum*](#) Walker, 1995
- [*Lasioglossum lionotum*](#) (Sandhouse, 1923)
- [*Lasioglossum lippani*](#) (Cameron, 1905)
- [*Lasioglossum lisa*](#) Ebmer, 1998
- [*Lasioglossum lissonotum*](#) (Noskiewicz, 1926)
- [*Lasioglossum lithuscum*](#) (Smith, 1853)
- [*Lasioglossum litovillum*](#) Walker, 1995
- [*Lasioglossum littleri*](#) (Cockerell, 1914)
- [*Lasioglossum littorale*](#) (Blüthgen, 1924)
- [*Lasioglossum loetum*](#) (Brullé, 1840)
- [*Lasioglossum longicorne*](#) (Crawford, 1907)

- [*Lasioglossum longifacies*](#) Sakagami & Tadauchi, 1995
- [*Lasioglossum longifrons*](#) (Baker, 1906)
- [*Lasioglossum longirostre*](#) (Morawitz, 1876)
- [*Lasioglossum longmani*](#) (Cockerell, 1922)
- [*Lasioglossum lorentzi*](#) (Friese, 1911)
- [*Lasioglossum loweri*](#) (Cockerell, 1905)
- [*Lasioglossum lucidibase*](#) (Cockerell, 1943)
- [*Lasioglossum lucidulum*](#) (Schenck, 1861)
- [*Lasioglossum luctuosum*](#) Ebmer, 2002
- [*Lasioglossum lukulense*](#) (Cockerell, 1945)
- [*Lasioglossum luridipes*](#) (Vachal, 1892)
- [*Lasioglossum lusorium*](#) (Cresson, 1872)
- [*Lasioglossum lustrans*](#) (Cockerell, 1897)
- [*Lasioglossum lustricolle*](#) (Moure & Hurd, 1987)
- [*Lasioglossum luteipes*](#) (Friese, 1909)
- [*Lasioglossum luteoaeneum*](#) (Friese, 1924)

M

- [*Lasioglossum mabangense*](#) (Cockerell, 1946)
- [*Lasioglossum macilentum*](#) (Benoist, 1944)
- [*Lasioglossum mackiae*](#) (Cockerell, 1929)
- [*Lasioglossum macoupinense*](#) (Robertson, 1895)
- [*Lasioglossum macrops*](#) (Cockerell, 1916)
- [*Lasioglossum macrurops*](#) (Cockerell, 1937)
- [*Lasioglossum macrurum*](#) (Cockerell, 1931)
- [*Lasioglossum mactum*](#) (Sandhouse, 1924)
- [*Lasioglossum maculipes*](#) (Morawitz, 1876)
- [*Lasioglossum magdalena*](#) (Baker, 1906)
- [*Lasioglossum mahense*](#) (Cameron, 1908)
- [*Lasioglossum maidli*](#) (Blüthgen, 1925)
- [*Lasioglossum maitlandi*](#) (Cockerell, 1910)
- [*Lasioglossum majus*](#) (Nylander, 1852)
- [*Lasioglossum malachurum*](#) (Kirby, 1802)
- [*Lasioglossum malgiense*](#) (Pauly, 1986)
- [*Lasioglossum malinum*](#) (Sandhouse, 1924)
- [*Lasioglossum mandibulare*](#) (Morawitz, 1866)
- [*Lasioglossum manitouellum*](#) (Cockerell, 1908)
- [*Lasioglossum margelanicum*](#) Ebmer, 1972
- [*Lasioglossum marginatum*](#) (Brullé, 1832)
- [*Lasioglossum marginellum*](#) (Schenck, 1853)
- [*Lasioglossum marinense*](#) (Michener, 1936)
- [*Lasioglossum marinum*](#) (Crawford, 1904)

- [*Lasioglossum mariuticum*](#) (Blüthgen, 1934)
- [*Lasioglossum marshalli*](#) (Cockerell, 1937)
- [*Lasioglossum masaiense*](#) (Cockerell, 1945)
- [*Lasioglossum masculum*](#) (Pérez, 1895)
- [*Lasioglossum massuricum*](#) (Blüthgen, 1926)
- [*Lasioglossum mataroa*](#) Donovan, 2007
- [*Lasioglossum matianense*](#) (Blüthgen, 1926)
- [*Lasioglossum matopiense*](#) (Cockerell, 1940)
- [*Lasioglossum matoporum*](#) (Cockerell, 1934)
- [*Lasioglossum maunga*](#) Donovan, 2007
- [*Lasioglossum maurusium*](#) (Blüthgen, 1935)
- [*Lasioglossum mazicum*](#) (Cockerell, 1946)
- [*Lasioglossum mediocre*](#) (Benoist, 1962)
- [*Lasioglossum mediopolitum*](#) (Cockerell, 1914)
- [*Lasioglossum mediterraneum*](#) (Blüthgen, 1926)
- [*Lasioglossum megagnathum*](#) (Walker, 1997)
- [*Lasioglossum megastictum*](#) (Cockerell, 1937)
- [*Lasioglossum megastigmum*](#) (Cockerell, 1926)
- [*Lasioglossum melachloron*](#) Ebmer, 1983
- [*Lasioglossum melan*](#) Ebmer, 1980
- [*Lasioglossum melancholicum*](#) Ebmer, 2002
- [*Lasioglossum melanops*](#) Ebmer, 1985
- [*Lasioglossum melanopterum*](#) (Cockerell, 1914)
- [*Lasioglossum melanopus*](#) (Dalla Torre, 1896)
- [*Lasioglossum melanurum*](#) (Cockerell, 1919)
- [*Lasioglossum melbournense*](#) (Cockerell, 1904)
- [*Lasioglossum melli*](#) Ebmer, 1996
- [*Lasioglossum mellipes*](#) (Crawford, 1907)
- [*Lasioglossum mendocinense*](#) (Michener, 1936)
- [*Lasioglossum meneliki*](#) (Fries, 1915)
- [*Lasioglossum mergense*](#) (Blüthgen, 1924)
- [*Lasioglossum meritum*](#) (Sandhouse, 1924)
- [*Lasioglossum merosum*](#) (Sandhouse, 1924)
- [*Lasioglossum meruense*](#) (Fries, 1909)
- [*Lasioglossum mesembryanthemi*](#) (Cockerell, 1926)
- [*Lasioglossum mesillense*](#) (Cockerell, 1898)
- [*Lasioglossum mesopolitum*](#) (Cockerell, 1937)
- [*Lasioglossum mesosclerum*](#) (Pérez, 1903)
- [*Lasioglossum mesostenoideum*](#) Walker, 1995
- [*Lasioglossum mesoviride*](#) Ebmer, 1974
- [*Lasioglossum messoropse*](#) Ebmer, 2002
- [*Lasioglossum mestrei*](#) (Baker, 1906)

- [*Lasioglossum metallicum*](#) Walker, 1995
- [*Lasioglossum metis*](#) Ebmer, 2002
- [*Lasioglossum micante*](#) Michener, 1993
- [*Lasioglossum michaelinum*](#) (Cockerell, 1946)
- [*Lasioglossum michaelseni*](#) (Fries, 1916)
- [*Lasioglossum micheneri*](#) (Moure, 1956)
- [*Lasioglossum micheneri*](#) (Pauly, 1986)
- [*Lasioglossum michiganense*](#) (Mitchell, 1960)
- [*Lasioglossum microdontum*](#) (Cockerell, 1912)
- [*Lasioglossum microlepoides*](#) (Ellis, 1914)
- [*Lasioglossum microsellatum*](#) (Cockerell, 1945)
- [*Lasioglossum miguelse*](#) (Cockerell, 1937)
- [*Lasioglossum milneri*](#) (Cockerell, 1941)
- [*Lasioglossum milpa*](#) Landaverde-González, 2023
- [*Lasioglossum miniatulum*](#) (Mitchell, 1960)
- [*Lasioglossum minutissimum*](#) (Kirby, 1802)
- [*Lasioglossum minutuloides*](#) Ebmer, 1978
- [*Lasioglossum minutulum*](#) (Schenck, 1853)
- [*Lasioglossum minutum*](#) (Fabricius, 1798)
- [*Lasioglossum minutum*](#) (Pauly, 1986)
- [*Lasioglossum mirandum*](#) (Cockerell, 1914)
- [*Lasioglossum mirifrons*](#) (Cockerell, 1939)
- [*Lasioglossum miyabei*](#) Murao, Ebmer & Tadauchi, 2006
- [*Lasioglossum miyanoi*](#) Tadauchi, 1994
- [*Lasioglossum moderatum*](#) (Benoist, 1962)
- [*Lasioglossum modestum*](#) (Benoist, 1944)
- [*Lasioglossum moearae*](#) (Pauly, 1980)
- [*Lasioglossum molle*](#) (Sandhouse, 1924)
- [*Lasioglossum monodontum*](#) (Cockerell, 1941)
- [*Lasioglossum monsleone*](#) (Cockerell, 1946)
- [*Lasioglossum monstificum*](#) (Morawitz, 1891)
- [*Lasioglossum montanum*](#) (Fries, 1909)
- [*Lasioglossum montifringillum*](#) (Warncke, 1984)
- [*Lasioglossum montivolans*](#) Ebmer, 1970
- [*Lasioglossum moreense*](#) (Cockerell, 1930)
- [*Lasioglossum morio*](#) (Fabricius, 1793)
- [*Lasioglossum morobeense*](#) (Pauly, 1986)
- [*Lasioglossum moros*](#) Ebmer, 2002
- [*Lasioglossum morrilli*](#) (Cockerell, 1919)
- [*Lasioglossum mose*](#) Ebmer, 1974
- [*Lasioglossum mosselinum*](#) (Cockerell, 1945)
- [*Lasioglossum mu*](#) Walker, 1995

- [*Lasioglossum mughaninum*](#) (Blüthgen, 1931)
- [*Lasioglossum muiri*](#) (Cockerell, 1946)
- [*Lasioglossum multicavum*](#) (Walker, 1986)
- [*Lasioglossum mulungense*](#) (Cockerell, 1937)
- [*Lasioglossum mundulum*](#) (Cockerell, 1916)
- [*Lasioglossum murrayi*](#) (Cockerell, 1905)
- [*Lasioglossum musculoides*](#) Ebmer, 1974
- [*Lasioglossum musgravei*](#) (Cockerell, 1929)
- [*Lasioglossum musicum*](#) (Cockerell, 1913)
- [*Lasioglossum mutilum*](#) (Vachal, 1903)
- [*Lasioglossum mystaphium*](#) Ebmer, 2002
- [*Lasioglossum mystron*](#) Hinojosa-Díaz, 2003

N

- [*Lasioglossum nabardicum*](#) (Blüthgen, 1931)
- [*Lasioglossum nairobiicum*](#) (Cockerell, 1945)
- [*Lasioglossum nairobiense*](#) (Cockerell, 1945)
- [*Lasioglossum naitoi*](#) Ebmer & Maeta, 1994
- [*Lasioglossum namaense*](#) (Friese, 1909)
- [*Lasioglossum nanotegula*](#) Landaverde-González & Husemann, 2023
- [*Lasioglossum nanum*](#) (Smith, 1879)
- [*Lasioglossum natalicum*](#) (Cockerell, 1943)
- [*Lasioglossum natense*](#) (Cockerell, 1935)
- [*Lasioglossum nathanae*](#) Pauly, 2001
- [*Lasioglossum nefrens*](#) Walker, 1995
- [*Lasioglossum nelumbonis*](#) (Robertson, 1890)
- [*Lasioglossum nemorale*](#) Ebmer, 2006
- [*Lasioglossum neurophlaurum*](#) (Moure, 1956)
- [*Lasioglossum nevadense*](#) (Crawford, 1907)
- [*Lasioglossum nialense*](#) (Cockerell, 1945)
- [*Lasioglossum nicias*](#) Ebmer, 1997
- [*Lasioglossum nicolli*](#) (Cockerell, 1912)
- [*Lasioglossum nigrescens*](#) (Crawford, 1907)
- [*Lasioglossum nigricalle*](#) (Vachal, 1904)
- [*Lasioglossum nigriceps*](#) (Morawitz, 1880)
- [*Lasioglossum nigridens*](#) (Vachal, 1904)
- [*Lasioglossum nigrilabre*](#) (Morawitz, 1876)
- [*Lasioglossum nigrimente*](#) (Cockerell, 1937)
- [*Lasioglossum nigripes*](#) (Lepelletier, 1841)
- [*Lasioglossum nigritellum*](#) (Cockerell, 1937)
- [*Lasioglossum nigritinum*](#) (Cockerell, 1937)
- [*Lasioglossum nigritulinum*](#) (Cockerell, 1945)

- [*Lasioglossum nigroaeneum*](#) (Fries, 1917)
- [*Lasioglossum nigropolatum*](#) (Cockerell, 1929)
- [*Lasioglossum nigroviride*](#) (Graenicher, 1911)
- [*Lasioglossum nigrum*](#) (Viereck, 1903)
- [*Lasioglossum nipponense*](#) (Hirashima, 1953)
- [*Lasioglossum nipponicola*](#) Sakagami & Tadauchi, 1995
- [*Lasioglossum nitens*](#) Walker, 1995
- [*Lasioglossum nitidibase*](#) (Cockerell, 1941)
- [*Lasioglossum nitididorsatum*](#) (Benoist, 1950)
- [*Lasioglossum nitidiusculum*](#) (Kirby, 1802)
- [*Lasioglossum nitidulum*](#) (Fabricius, 1804)
- [*Lasioglossum niveatum*](#) (Meyer, 1920)
- [*Lasioglossum niveifrons*](#) (Cockerell, 1914)
- [*Lasioglossum niveocinctum*](#) (Blüthgen, 1923)
- [*Lasioglossum niveorufum*](#) (Fries, 1924)
- [*Lasioglossum niveostictum*](#) (Cockerell, 1937)
- [*Lasioglossum noachinum*](#) (Cockerell, 1914)
- [*Lasioglossum noctivaga*](#) Linsley & MacSwain, 1962
- [*Lasioglossum nodicorne*](#) (Morawitz, 1889)
- [*Lasioglossum nomion*](#) Ebmer, 1998
- [*Lasioglossum normale*](#) (Baker, 1906)
- [*Lasioglossum norvali*](#) (Cockerell, 1939)
- [*Lasioglossum notescens*](#) (Cockerell, 1930)
- [*Lasioglossum novascotiae*](#) (Mitchell, 1960)
- [*Lasioglossum nudatum*](#) (Benoist, 1962)
- [*Lasioglossum nudulum*](#) (Vachal, 1903)
- [*Lasioglossum nummatum*](#) (Krombein, 1950)
- [*Lasioglossum nupricola*](#) Sakagami, 1988
- [*Lasioglossum nursei*](#) (Blüthgen, 1926)
- [*Lasioglossum nusaense*](#) (Cockerell, 1919)
- [*Lasioglossum nyasense*](#) (Cockerell, 1945)
- [*Lasioglossum nyctere*](#) (Vachal, 1904)
- [*Lasioglossum nymphaearum*](#) (Robertson, 1895)
- [*Lasioglossum nymphale*](#) (Smith, 1853)

O

- [*Lasioglossum oaxacacola*](#) Engel, Hinojosa-Díaz & Yáñez-Ordóñez, 2007
- [*Lasioglossum oblitteratum*](#) (Cockerell, 1937)
- [*Lasioglossum oblitum*](#) (Smith, 1879)
- [*Lasioglossum oblongum*](#) (Lovell, 1905)
- [*Lasioglossum obnubilum*](#) (Sandhouse, 1924)
- [*Lasioglossum obscuratum*](#) (Morawitz, 1876)

- [*Lasioglossum obscurior*](#) (Friese, 1925)
- [*Lasioglossum obscuripes*](#) (Friese, 1917)
- [*Lasioglossum obscurissimum*](#) Michener, 1965
- [*Lasioglossum obscurum*](#) (Robertson, 1892)
- [*Lasioglossum occidens*](#) (Smith, 1873)
- [*Lasioglossum occidentale*](#) (Crawford, 1902)
- [*Lasioglossum occiduum*](#) Walker, 1999
- [*Lasioglossum occultum*](#) (Vachal, 1904)
- [*Lasioglossum oceanicum*](#)
- [*Lasioglossum ocellare*](#) (Michener, 1980)
- [*Lasioglossum ochreohirtum*](#) (Blüthgen, 1934)
- [*Lasioglossum ochrochilum*](#) Walker, 1995
- [*Lasioglossum ochroma*](#) Walker, 1995
- [*Lasioglossum odyneroides*](#) (Rayment, 1939)
- [*Lasioglossum oenotherae*](#) (Stevens, 1920)
- [*Lasioglossum ohei*](#) Hirashima & Sakagami, 1966
- [*Lasioglossum okinawa*](#) Ebmer & Maeta, 1999
- [*Lasioglossum oleosum*](#) (Cockerell, 1898)
- [*Lasioglossum olgae*](#) (Rayment, 1935)
- [*Lasioglossum olivaceum*](#) (Morawitz, 1889)
- [*Lasioglossum olympiae*](#) (Cockerell, 1898)
- [*Lasioglossum omnipunctatum*](#) Ebmer, 2004
- [*Lasioglossum oncephalum*](#) Ebmer, 1996
- [*Lasioglossum opacicolle*](#) (Cockerell, 1914)
- [*Lasioglossum opacolumpron*](#) Ebmer, 1997
- [*Lasioglossum opaconitens*](#) (Blüthgen, 1931)
- [*Lasioglossum opacum*](#) (Pérez, 1895)
- [*Lasioglossum opacum*](#) (Moure, 1940)
- [*Lasioglossum opisthochlorum*](#) (Cockerell, 1919)
- [*Lasioglossum oppositum*](#) (Smith, 1875)
- [*Lasioglossum oraniense*](#) (Blüthgen, 1930)
- [*Lasioglossum orbatum*](#) (Smith, 1853)
- [*Lasioglossum orbitatum*](#) Mitchell, 1960
- [*Lasioglossum orbitulum*](#) Ebmer, 1997
- [*Lasioglossum ordubadense*](#) (Friese, 1916)
- [*Lasioglossum orihuelicum*](#) (Blüthgen, 1924)
- [*Lasioglossum orion*](#) Ebmer, 1974
- [*Lasioglossum ornduffi*](#) (Hurd, 1970)
- [*Lasioglossum orpheopse*](#) (Blüthgen, 1931)
- [*Lasioglossum orpheum*](#) (Nurse, 1904)
- [*Lasioglossum orphnaeum*](#) McGinley, 1986
- [*Lasioglossum orthocarpus*](#) (Michener, 1936)

- [*Lasioglossum osiris*](#) Ebmer, 1986
- [*Lasioglossum osmioides*](#) (Ducke, 1902)
- [*Lasioglossum otsegoense*](#) (Mitchell, 1960)
- [*Lasioglossum ounuense*](#) (Cheesman & Perkins, 1939)
- [*Lasioglossum ovaliceps*](#) (Cockerell, 1898)

P

- [*Lasioglossum pabulator*](#) (Schrottky, 1910)
- [*Lasioglossum pacatum*](#) (Sandhouse, 1924)
- [*Lasioglossum pachyacanthum*](#) (Cockerell, 1937)
- [*Lasioglossum pachycephalum*](#) (Cockerell, 1916)
- [*Lasioglossum pacificum*](#) (Cockerell, 1898)
- [*Lasioglossum paitense*](#) (Cockerell, 1926)
- [*Lasioglossum palaonicum*](#) (Cockerell, 1939)
- [*Lasioglossum palapyense*](#) (Cockerell, 1942)
- [*Lasioglossum paleae*](#) Ebmer, 1972
- [*Lasioglossum pallens*](#) (Brullé, 1832)
- [*Lasioglossum pallicorne*](#) (Vachal, 1904)
- [*Lasioglossum pallidellum*](#) (Ellis, 1914)
- [*Lasioglossum pallidum*](#) (Radoszkowski, 1888)
- [*Lasioglossum pallilomum*](#) (Strand, 1914)
- [*Lasioglossum panagaeum*](#) Ebmer, 1978
- [*Lasioglossum pandrose*](#) Ebmer, 2002
- [*Lasioglossum pappodum*](#) Walker, 1995
- [*Lasioglossum papuarum*](#) (Cockerell, 1910)
- [*Lasioglossum paradmirandum*](#) (Knerer & Atwood, 1966)
- [*Lasioglossum paradnanum*](#) (Strand, 1914)
- [*Lasioglossum paraforbesii*](#) McGinley, 1986
- [*Lasioglossum paralepidii*](#) Gardner, 2023
- [*Lasioglossum paralphenum*](#) Sakagami, Ebmer & Tadauchi, 1996
- [*Lasioglossum paramelaenum*](#) (Cockerell, 1922)
- [*Lasioglossum paramorio*](#) (Fries, 1908)
- [*Lasioglossum parapastinum*](#) (Cockerell, 1940)
- [*Lasioglossum parasphcodum*](#) Walker, 1995
- [*Lasioglossum parkeri*](#) McGinley, 1986
- [*Lasioglossum parvulinum*](#) (Cockerell, 1939)
- [*Lasioglossum parvulum*](#) (Schenck, 1853)
- [*Lasioglossum parvum*](#) (Cresson, 1865)
- [*Lasioglossum pastinimum*](#) (Cockerell, 1939)
- [*Lasioglossum patongense*](#) (Rayment, 1948)
- [*Lasioglossum pauliani*](#) (Benoist, 1941)
- [*Lasioglossum paululum*](#) (Sandhouse, 1924)

- [*Lasioglossum pauperatum*](#) (Brullé, 1832)
- [*Lasioglossum pauxillum*](#) (Schenck, 1853)
- [*Lasioglossum pavo*](#) Sakagami, 1989
- [*Lasioglossum pavoninum*](#) (Ellis, 1913)
- [*Lasioglossum pavonotum*](#) (Cockerell, 1925)
- [*Lasioglossum paxtoni*](#) Landaverde-González, 2023
- [*Lasioglossum pecosense*](#) (Crawford, 1906)
- [*Lasioglossum pectinalus*](#) (Walker, 1986)
- [*Lasioglossum pectinatum*](#) (Robertson, 1890)
- [*Lasioglossum pectorale*](#) (Smith, 1853)
- [*Lasioglossum pectoraloides*](#) (Cockerell, 1895)
- [*Lasioglossum pellitosinum*](#) (Cockerell, 1946)
- [*Lasioglossum pellitosum*](#) (Cockerell, 1934)
- [*Lasioglossum pelorodontum*](#) (Michener, 1980)
- [*Lasioglossum pembense*](#) (Cockerell, 1945)
- [*Lasioglossum pendschakenticum*](#) (Blüthgen, 1935)
- [*Lasioglossum pensitum*](#) (Sandhouse, 1924)
- [*Lasioglossum perakense*](#) (Blüthgen, 1928)
- [*Lasioglossum peralpinum*](#) (Cockerell, 1919)
- [*Lasioglossum peraltum*](#) (Cockerell, 1901)
- [*Lasioglossum peratrum*](#) (Cockerell, 1927)
- [*Lasioglossum peraustrale*](#) (Cockerell, 1904)
- [*Lasioglossum percingulatum*](#) (Rayment, 1935)
- [*Lasioglossum perclavipes*](#) (Blüthgen, 1934)
- [*Lasioglossum percornutum*](#) (Cockerell, 1937)
- [*Lasioglossum percrassiceps*](#) (Cockerell, 1931)
- [*Lasioglossum perdifficile*](#) (Cockerell, 1895)
- [*Lasioglossum peregrinum*](#) (Blüthgen, 1923)
- [*Lasioglossum perexiguum*](#) (Sandhouse, 1924)
- [*Lasioglossum perichlarum*](#) (Cockerell, 1937)
- [*Lasioglossum pericinctum*](#) (Cockerell, 1937)
- [*Lasioglossum perihirtulum*](#) (Cockerell, 1937)
- [*Lasioglossum perihirtum*](#) (Cockerell, 1933)
- [*Lasioglossum permetallicum*](#) Michener, 1965
- [*Lasioglossum pernitens*](#) (Cockerell, 1934)
- [*Lasioglossum pernotescens*](#) (Cockerell, 1934)
- [*Lasioglossum perparvum*](#) (Ellis, 1914)
- [*Lasioglossum perpessicum*](#) (Kohl, 1908)
- [*Lasioglossum perplexans*](#) (Cockerell, 1925)
- [*Lasioglossum perpunctatulum*](#) (Knerer & Atwood, 1966)
- [*Lasioglossum perpunctatum*](#) (Ellis, 1913)
- [*Lasioglossum perscabrum*](#) McGinley, 1986

- [*Lasioglossum persicum*](#) Cockerell, 1919
- [*Lasioglossum perspicuum*](#) (Knerer & Atwood, 1966)
- [*Lasioglossum pertasmaniae*](#) (Rayment, 1953)
- [*Lasioglossum pertribuarium*](#) (Rayment, 1935)
- [*Lasioglossum perustum*](#) (Cockerell, 1914)
- [*Lasioglossum pervarians*](#) (Cockerell, 1919)
- [*Lasioglossum petrellum*](#) (Cockerell, 1903)
- [*Lasioglossum phaceliarum*](#) (Cockerell, 1919)
- [*Lasioglossum phaedrum*](#) (Schrottky, 1910)
- [*Lasioglossum pharum*](#) (Vachal, 1904)
- [*Lasioglossum pheidolopse*](#) (Blüthgen, 1926)
- [*Lasioglossum phenacorhinum*](#) (Cockerell, 1942)
- [*Lasioglossum philanthanum*](#) (Mitchell, 1960)
- [*Lasioglossum phleboleucum*](#) (Moure, 1956)
- [*Lasioglossum phoebos*](#) Ebmer, 1978
- [*Lasioglossum phoenicurum*](#) (Warncke, 1975)
- [*Lasioglossum picadense*](#) (Strand, 1910)
- [*Lasioglossum picipes*](#) (Morawitz, 1876)
- [*Lasioglossum picticorne*](#) (Cockerell, 1930)
- [*Lasioglossum pictum*](#) (Crawford, 1902)
- [*Lasioglossum pikei*](#) (Sandhouse, 1924)
- [*Lasioglossum pilicorne*](#) (Fries, 1930)
- [*Lasioglossum pilosellum*](#) (Cockerell, 1936)
- [*Lasioglossum pilosicaudus*](#) (Cockerell, 1937)
- [*Lasioglossum pilosigyna*](#) (Walker, 1997)
- [*Lasioglossum pilositaris*](#) (Pauly, 1986)
- [*Lasioglossum pilosum*](#) (Smith, 1853)
- [*Lasioglossum pineolense*](#) (Mitchell, 1960)
- [*Lasioglossum pinnatum*](#) (Vachal, 1910)
- [*Lasioglossum pistorium*](#) (Vachal, 1902)
- [*Lasioglossum plasunicum*](#) (Blüthgen, 1926)
- [*Lasioglossum platycephalum*](#) (Rayment, 1927)
- [*Lasioglossum platychilum*](#) Walker, 1999
- [*Lasioglossum platyparium*](#) (Robertson, 1895)
- [*Lasioglossum plebeium*](#) (Cockerell, 1914)
- [*Lasioglossum pleurospeculum*](#) Herrmann, 2001
- [*Lasioglossum plicatinum*](#) (Cockerell, 1937)
- [*Lasioglossum plorator*](#) (Cockerell, 1910)
- [*Lasioglossum plumbeum*](#) (Ashmead, 1900)
- [*Lasioglossum podolicum*](#) (Noskiewicz, 1925)
- [*Lasioglossum politescens*](#) (Cockerell, 1937)
- [*Lasioglossum politum*](#) (Schenk, 1853)

- [*Lasioglossum pollux*](#) Walker, 1995
- [*Lasioglossum polyctor*](#) (Bingham, 1908)
- [*Lasioglossum polygona*](#) (Cockerell, 1929)
- [*Lasioglossum popovi*](#) (Blüthgen, 1931)
- [*Lasioglossum posthirtum*](#) (Cockerell, 1946)
- [*Lasioglossum postnitens*](#) (Cockerell, 1946)
- [*Lasioglossum postpictum*](#) (Cockerell, 1937)
- [*Lasioglossum postumum*](#) (Vachal, 1903)
- [*Lasioglossum potaroense*](#) (Cockerell, 1930)
- [*Lasioglossum potosi*](#) (McGinley, 2003)
- [*Lasioglossum praepes*](#) (Sandhouse, 1924)
- [*Lasioglossum prasinum*](#) (Smith, 1848)
- [*Lasioglossum pressithorax*](#) Ebmer, 1974
- [*Lasioglossum primavera*](#) Sakagami & Maeta, 1990
- [*Lasioglossum problematicum*](#) (Blüthgen, 1923)
- [*Lasioglossum prominens*](#) (Cockerell, 1937)
- [*Lasioglossum pronotale*](#) Ebmer, 2002
- [*Lasioglossum providens*](#) (Smith, 1879)
- [*Lasioglossum proximatum*](#) (Smith, 1879)
- [*Lasioglossum proximum*](#) (Rayment, 1947)
- [*Lasioglossum pruinosiforme*](#) (Crawford, 1906)
- [*Lasioglossum pruinatum*](#) (Robertson, 1892)
- [*Lasioglossum prunellum*](#) (Warncke, 1975)
- [*Lasioglossum przewalskyi*](#) (Blüthgen, 1931)
- [*Lasioglossum pseudocaspicum*](#) (Blüthgen, 1923)
- [*Lasioglossum pseudocidens*](#) (Blüthgen, 1926)
- [*Lasioglossum pseudofallax*](#) (Blüthgen, 1923)
- [*Lasioglossum pseudoleptocephalum*](#) (Blüthgen, 1923)
- [*Lasioglossum pseudoleptorhynchum*](#) (Blüthgen, 1931)
- [*Lasioglossum pseudolittorale*](#) (Blüthgen, 1923)
- [*Lasioglossum pseudonigripes*](#) (Blüthgen, 1934)
- [*Lasioglossum pseudopalmeri*](#) (Blüthgen, 1926)
- [*Lasioglossum pseudopectoralis*](#) (Cockerell, 1896)
- [*Lasioglossum pseudoplanulum*](#) (Blüthgen, 1924)
- [*Lasioglossum pseudosphecodimorphum*](#) (Blüthgen, 1923)
- [*Lasioglossum pseudotegulare*](#) (Cockerell, 1896)
- [*Lasioglossum ptyon*](#) Walker, 1995
- [*Lasioglossum pudicum*](#) (Sandhouse, 1924)
- [*Lasioglossum pulchripes*](#) (Cockerell, 1937)
- [*Lasioglossum pulchritarse*](#) (Cockerell, 1940)
- [*Lasioglossum pulicarium*](#) (Warncke, 1975)
- [*Lasioglossum pullilabre*](#) (Vachal, 1904)

- [*Lasioglossum pulveris*](#) (Cockerell, 1930)
- [*Lasioglossum pulvitectum*](#) (Cockerell, 1915)
- [*Lasioglossum pumilum*](#) Sakagami & Tadauchi, 1995
- [*Lasioglossum punctatissimum*](#) (Schenck, 1853)
- [*Lasioglossum punctatoventre*](#) (Crawford, 1907)
- [*Lasioglossum punctatum*](#) (Smith, 1858)
- [*Lasioglossum puncticolle*](#) (Morawitz, 1872)
- [*Lasioglossum punctiferellum*](#) (Cockerell, 1937)
- [*Lasioglossum punctifrons*](#) (Crawford, 1914)
- [*Lasioglossum puzeyi*](#) (Cockerell, 1939)
- [*Lasioglossum pygmaeum*](#) (Schenck, 1853)

Q-R

- [*Lasioglossum quadratum*](#) Walker, 1995
- [*Lasioglossum quadrinotatiforme*](#) Ebmer, 1980
- [*Lasioglossum quadrinotatulum*](#) (Schenck, 1861)
- [*Lasioglossum quadrinotatum*](#) (Kirby, 1802)
- [*Lasioglossum quadrisignatum*](#) (Schenck, 1853)
- [*Lasioglossum quebecense*](#) (Crawford, 1907)
- [*Lasioglossum radiatum*](#) (Cockerell, 1937)
- [*Lasioglossum ragusanum*](#) (Blüthgen, 1931)
- [*Lasioglossum raleighense*](#) (Crawford, 1932)
- [*Lasioglossum ralunicolum*](#) (Friese, 1909)
- [*Lasioglossum ramphos*](#) Ebmer, 1997
- [*Lasioglossum ranacum*](#) (Pauly, 1980)
- [*Lasioglossum recantans*](#) (Cockerell, 1912)
- [*Lasioglossum recessum*](#) (Cockerell, 1914)
- [*Lasioglossum recessum*](#) (Cockerell, 1937)
- [*Lasioglossum redivivum*](#) (Blüthgen, 1928)
- [*Lasioglossum reenenicum*](#) (Cockerell, 1941)
- [*Lasioglossum regis*](#) (Cockerell, 1916)
- [*Lasioglossum repertulum*](#) (Cockerell, 1916)
- [*Lasioglossum repraesentans*](#) (Smith, 1853)
- [*Lasioglossum respersiforme*](#) (Cockerell, 1919)
- [*Lasioglossum respersum*](#) (Vachal, 1904)
- [*Lasioglossum resplendens*](#) (Morawitz, 1890)
- [*Lasioglossum reticulatum*](#) (Robertson, 1892)
- [*Lasioglossum reticulellum*](#) (Cockerell, 1946)
- [*Lasioglossum rhadiourgon*](#) Ebmer, 1980
- [*Lasioglossum rhodognathum*](#) (Cockerell, 1917)
- [*Lasioglossum rhodopterum*](#) (Cockerell, 1914)
- [*Lasioglossum rhynchites*](#) (Morawitz, 1876)

- [*Lasioglossum rhytidophorum*](#) (Moure, 1956)
- [*Lasioglossum richardsoni*](#) (Cockerell, 1937)
- [*Lasioglossum risbeci*](#) (Cockerell, 1929)
- [*Lasioglossum robertianum*](#) (Cameron, 1905)
- [*Lasioglossum robertsonellum*](#) Michener, 1951
- [*Lasioglossum robertsoni*](#) (Crawford, 1906)
- [*Lasioglossum robustum*](#) (Crawford, 1907)
- [*Lasioglossum roddi*](#) Walker, 1995
- [*Lasioglossum rohweri*](#) (Ellis, 1915)
- [*Lasioglossum rostratum*](#) (Eversmann, 1852)
- [*Lasioglossum rostratum*](#) (Moure, 1947)
- [*Lasioglossum rotaense*](#) (Cockerell, 1942)
- [*Lasioglossum rowlandi*](#) (Cockerell, 1910)
- [*Lasioglossum rubricaudis*](#) (Cameron, 1905)
- [*Lasioglossum rubripes*](#) (Alfken, 1932)
- [*Lasioglossum rubritarse*](#) (Cockerell, 1937)
- [*Lasioglossum rubrocinctum*](#) (Cockerell, 1945)
- [*Lasioglossum rubsectum*](#) Fan & Ebmer, 1992
- [*Lasioglossum rufibase*](#) (Cockerell, 1923)
- [*Lasioglossum ruficolle*](#) (Fries, 1924)
- [*Lasioglossum ruficorne*](#) (Crawford, 1907)
- [*Lasioglossum rufimente*](#) (Cockerell, 1937)
- [*Lasioglossum rufiscopa*](#) (Pauly, 1986)
- [*Lasioglossum rufitarse*](#) (Zetterstedt, 1838)
- [*Lasioglossum rufitarsellum*](#) (Cockerell, 1940)
- [*Lasioglossum rufitarsum*](#) (Rayment, 1929)
- [*Lasioglossum rufoaeneum*](#) (Fries, 1925)
- [*Lasioglossum rufocollare*](#) (Cockerell, 1930)
- [*Lasioglossum rufomarginatum*](#) (Smith, 1853)
- [*Lasioglossum rufopantex*](#) (Engel, 2001)
- [*Lasioglossum rufopurpureum*](#) (Pauly, 1986)
- [*Lasioglossum rufotegulare*](#) (Cockerell, 1914)
- [*Lasioglossum rufotibiale*](#) (Fries, 1925)
- [*Lasioglossum rufulipes*](#) (Cockerell, 1938)
- [*Lasioglossum rufulum*](#) (Fries, 1924)
- [*Lasioglossum rugifrons*](#) (Blüthgen, 1926)
- [*Lasioglossum rugolatum*](#) (Smith, 1853)
- [*Lasioglossum ruidosense*](#) (Cockerell, 1897)
- [*Lasioglossum rupestre*](#) (Warncke, 1984)
- [*Lasioglossum rupticristum*](#) McGinley, 1986
- [*Lasioglossum rusticolum*](#) (Warncke, 1982)
- [*Lasioglossum ruwenzicum*](#) (Cockerell, 1945)

- [*Lasioglossum ruwenzoriellum*](#) (Cockerell, 1945)

S

- [*Lasioglossum sablense*](#) (Gibbs, 2010)
- [*Lasioglossum sabulosum*](#) (Warncke, 1986)
- [*Lasioglossum saegeri*](#) Pauly, 1981
- [*Lasioglossum saffordi*](#) (Cockerell, 1914)
- [*Lasioglossum sagax*](#) (Sandhouse, 1924)
- [*Lasioglossum sakagamii*](#) Ebmer, 1978
- [*Lasioglossum sakishima*](#) Ebmer & Maeta, 1999
- [*Lasioglossum salebrosum*](#) (Blüthgen, 1934)
- [*Lasioglossum salinaecola*](#) (Fries, 1916)
- [*Lasioglossum salinum*](#) (Morawitz, 1876)
- [*Lasioglossum salutatrix*](#) (Cameron, 1897)
- [*Lasioglossum samarense*](#) (Blüthgen, 1926)
- [*Lasioglossum samaricum*](#) (Blüthgen, 1935)
- [*Lasioglossum samoae*](#) (Perkins & Cheesman, 1928)
- [*Lasioglossum sanctivincenti*](#) (Ashmead, 1900)
- [*Lasioglossum sandhouseae*](#) Michener, 1951
- [*Lasioglossum sandrae*](#) McGinley, 1986
- [*Lasioglossum sanfranciscois*](#) (Strand, 1917)
- [*Lasioglossum sanitarium*](#) (Blüthgen, 1926)
- [*Lasioglossum sarticum*](#) (Blüthgen, 1934)
- [*Lasioglossum satschauense*](#) (Blüthgen, 1934)
- [*Lasioglossum sauterum*](#) Fan & Ebmer, 1992
- [*Lasioglossum saxatile*](#) (Warncke, 1984)
- [*Lasioglossum scabrosum*](#) (Pauly, 1986)
- [*Lasioglossum scaphonotum*](#) (Strand, 1914)
- [*Lasioglossum schachti*](#) (Warncke, 1984)
- [*Lasioglossum scheherezade*](#) Ebmer, 2000
- [*Lasioglossum schomburgki*](#) (Cockerell, 1910)
- [*Lasioglossum schubotzi*](#) (Strand, 1911)
- [*Lasioglossum schwarzi*](#) Ebmer, 1985
- [*Lasioglossum scirpaceum*](#) (Warncke, 1975)
- [*Lasioglossum scitulum*](#) (Smith, 1873)
- [*Lasioglossum scobe*](#) (Vachal, 1903)
- [*Lasioglossum scopaceum*](#) (Fries, 1914)
- [*Lasioglossum scoteinum*](#) Ebmer, 1998
- [*Lasioglossum scrophulariae*](#) (Cockerell, 1906)
- [*Lasioglossum scrupulosum*](#) (Cockerell, 1930)
- [*Lasioglossum sculpturatum*](#) (Cockerell, 1930)
- [*Lasioglossum scutellare*](#) (Morawitz, 1876)

- [*Lasioglossum scutolactescens*](#) (Pauly, 1986)
- [*Lasioglossum scutopruinescens*](#) (Pauly, 1986)
- [*Lasioglossum seabrai*](#) (Moure, 1956)
- [*Lasioglossum sedi*](#) (Sandhouse, 1924)
- [*Lasioglossum sedlaceki*](#) (Michener, 1980)
- [*Lasioglossum seductum*](#) (Cockerell, 1914)
- [*Lasioglossum sellatiferum*](#) (Cockerell, 1945)
- [*Lasioglossum selma*](#) Ebmer, 2002
- [*Lasioglossum semibrunneum*](#) (Cockerell, 1895)
- [*Lasioglossum semicaeruleum*](#) (Cockerell, 1895)
- [*Lasioglossum semicyaneum*](#) (Cockerell, 1929)
- [*Lasioglossum semidiversum*](#) (Cockerell, 1940)
- [*Lasioglossum semilaeve*](#) (Blüthgen, 1923)
- [*Lasioglossum semilucens*](#) (Alfken, 1914)
- [*Lasioglossum semilucidum*](#) (Cockerell, 1945)
- [*Lasioglossum seminitens*](#) (Cockerell, 1929)
- [*Lasioglossum semiplicatum*](#) (Cockerell, 1943)
- [*Lasioglossum semipolitum*](#) (Cockerell, 1916)
- [*Lasioglossum semisculptum*](#) (Cockerell, 1911)
- [*Lasioglossum semiviride*](#) (Friese, 1909)
- [*Lasioglossum sequoiae*](#) (Michener, 1936)
- [*Lasioglossum serenum*](#) (Cameron, 1897)
- [*Lasioglossum seriatum*](#) Walker, 1999
- [*Lasioglossum serratum*](#) (Blüthgen, 1926)
- [*Lasioglossum sertum*](#) (Vachal, 1904)
- [*Lasioglossum setulellum*](#) (Strand, 1909)
- [*Lasioglossum setulosum*](#) (Strand, 1909)
- [*Lasioglossum sexmaculatum*](#) (Schenck, 1853)
- [*Lasioglossum sexnotatum*](#) (Nylander, 1852)
- [*Lasioglossum sexnotatum*](#) (Kirby, 1802)
- [*Lasioglossum sexsetum*](#) Walker, 1995
- [*Lasioglossum sexstrigatum*](#) (Schenck, 1870)
- [*Lasioglossum sextum*](#) (Cockerell, 1910)
- [*Lasioglossum shanganiense*](#) (Cockerell, 1937)
- [*Lasioglossum sharpi*](#) (Cockerell, 1946)
- [*Lasioglossum shendicum*](#) (Cockerell, 1945)
- [*Lasioglossum shestakovi*](#) Pesenko, 1986
- [*Lasioglossum shillongense*](#) (Blüthgen, 1926)
- [*Lasioglossum shoichi*](#) Ebmer, 2004
- [*Lasioglossum sibiriacum*](#) (Blüthgen, 1923)
- [*Lasioglossum sibuyanense*](#) (Blüthgen, 1926)
- [*Lasioglossum sicarium*](#) (Walker, 1997)

- [*Lasioglossum sichuanense*](#) Fan & Ebmer, 1992
- [*Lasioglossum sierramaestrensis*](#) Genaro, 2001
- [*Lasioglossum signicostatuloides*](#) (Strand, 1914)
- [*Lasioglossum siirtense*](#) (Warncke, 1984)
- [*Lasioglossum sikkimense*](#) (Blüthgen, 1926)
- [*Lasioglossum silvestris*](#) (Michener, 1980)
- [*Lasioglossum simlaense*](#) (Cameron, 1909)
- [*Lasioglossum simplex*](#) (Robertson, 1901)
- [*Lasioglossum simplicior*](#) (Cockerell, 1931)
- [*Lasioglossum simulator*](#) (Cockerell, 1935)
- [*Lasioglossum singapurellum*](#) (Blüthgen, 1926)
- [*Lasioglossum singhalense*](#) (Blüthgen, 1931)
- [*Lasioglossum sinicum*](#) (Blüthgen, 1934)
- [*Lasioglossum sisymbrii*](#) (Cockerell, 1895)
- [*Lasioglossum skorikovi*](#) (Blüthgen, 1929)
- [*Lasioglossum smaragdinum*](#) Walker, 1995
- [*Lasioglossum smeathmanellum*](#) (Kirby, 1802)
- [*Lasioglossum smilodon*](#) Ebmer & Sakagami, 1994
- [*Lasioglossum snelli*](#) (Cockerell, 1937)
- [*Lasioglossum sobrinum*](#) (Warncke, 1982)
- [*Lasioglossum socorium*](#) (Blüthgen, 1924)
- [*Lasioglossum solidaginis*](#) (Mitchell, 1960)
- [*Lasioglossum solis*](#) (Cockerell, 1922)
- [*Lasioglossum solisortus*](#) Ebmer & Maeta, 1994
- [*Lasioglossum solitarium*](#) (Warncke, 1975)
- [*Lasioglossum somereni*](#) (Cockerell, 1945)
- [*Lasioglossum sopinci*](#) (Crawford, 1932)
- [*Lasioglossum sordidulum*](#) (Cockerell, 1914)
- [*Lasioglossum sordidum*](#) (Smith, 1853)
- [*Lasioglossum soror*](#) (Saunders, 1901)
- [*Lasioglossum sororculum*](#) Walker, 1999
- [*Lasioglossum spatulatum*](#) Walker, 1995
- [*Lasioglossum speculatum*](#) Walker, 1995
- [*Lasioglossum speculellum*](#) (Cockerell, 1918)
- [*Lasioglossum speculiferum*](#) (Cockerell, 1912)
- [*Lasioglossum speculinum*](#) (Cockerell, 1925)
- [*Lasioglossum speculum*](#) (Benoist, 1964)
- [*Lasioglossum sphecodicolor*](#) Sakagami & Tadauchi, 1995
- [*Lasioglossum sphecodimorphum*](#) (Vachal, 1892)
- [*Lasioglossum sphecodoides*](#) (Smith, 1853)
- [*Lasioglossum sphecodopsis*](#) (Cockerell, 1905)
- [*Lasioglossum spinale*](#) (Vachal, 1904)

- [*Lasioglossum spinodorsum*](#) Fan & Wu, 1991
- [*Lasioglossum spinolae*](#) (Reed, 1892)
- [*Lasioglossum spinosum*](#) Ebmer, 1982
- [*Lasioglossum spinosum*](#) (Pauly, 1986)
- [*Lasioglossum splendidulum*](#) (Vachal, 1895)
- [*Lasioglossum spodiozonium*](#) (Vachal, 1895)
- [*Lasioglossum squamiceps*](#) (Strand, 1912)
- [*Lasioglossum squamosus*](#) (Pauly, 1984)
- [*Lasioglossum stellatifrons*](#) (Cockerell, 1945)
- [*Lasioglossum stenorhynchum*](#) (Blüthgen, 1928)
- [*Lasioglossum stevensoni*](#) (Cockerell, 1924)
- [*Lasioglossum stictaspis*](#) (Sandhouse, 1923)
- [*Lasioglossum stolidum*](#) (Warncke, 1982)
- [*Lasioglossum stradbrokeense*](#) (Cockerell, 1916)
- [*Lasioglossum striatum*](#) Walker, 1995
- [*Lasioglossum strictifrons*](#) (Vachal, 1895)
- [*Lasioglossum strigilalium*](#) (Pauly, 1986)
- [*Lasioglossum strigosigena*](#) Michener, 1954
- [*Lasioglossum stuartense*](#) (Mitchell, 1960)
- [*Lasioglossum stuchilum*](#) (Smith, 1853)
- [*Lasioglossum sturti*](#) (Cockerell, 1906)
- [*Lasioglossum subaenescens*](#) (Pérez, 1896)
- [*Lasioglossum subbuteo*](#) (Warncke, 1982)
- [*Lasioglossum subcarum*](#) (Cockerell, 1930)
- [*Lasioglossum subcyaneum*](#) (Ashmead, 1900)
- [*Lasioglossum subdeclivis*](#) (Pauly, 1980)
- [*Lasioglossum subequestre*](#) (Blüthgen, 1931)
- [*Lasioglossum subexterum*](#) (Cockerell, 1939)
- [*Lasioglossum subfasciatum*](#) (Imhoff, 1832)
- [*Lasioglossum subfratellum*](#) (Blüthgen, 1934)
- [*Lasioglossum subfulgens*](#) Fan & Ebmer, 1992
- [*Lasioglossum subfultoni*](#) (Cockerell, 1930)
- [*Lasioglossum subfulvicorne*](#) (Blüthgen, 1934)
- [*Lasioglossum subglobosum*](#) (Blüthgen, 1926)
- [*Lasioglossum subhirtum*](#) (Lepelletier, 1841)
- [*Lasioglossum sublatens*](#) (Cockerell, 1926)
- [*Lasioglossum sublaterale*](#) (Blüthgen, 1931)
- [*Lasioglossum sublautum*](#) (Cockerell, 1942)
- [*Lasioglossum subleiosoma*](#) (Blüthgen, 1931)
- [*Lasioglossum submeracum*](#) (Cockerell, 1930)
- [*Lasioglossum submetallicum*](#) (Benoist, 1944)
- [*Lasioglossum submoratum*](#) (Cockerell, 1930)

- [*Lasioglossum subobscurum*](#) (Cockerell, 1895)
- [*Lasioglossum subopacum*](#) (Smith, 1853)
- [*Lasioglossum subplebeium*](#) (Cockerell, 1930)
- [*Lasioglossum subpurpureum*](#) (Cockerell, 1919)
- [*Lasioglossum subrubsectum*](#) Fan & Ebmer, 1992
- [*Lasioglossum subrussatum*](#) (Cockerell, 1922)
- [*Lasioglossum subsemilucens*](#) (Blüthgen, 1934)
- [*Lasioglossum subsphecodes*](#) (Pauly, 1986)
- [*Lasioglossum subterminale*](#) (Cockerell, 1941)
- [*Lasioglossum subtropicum*](#) Sakagami, Miyanaga & Maeta, 1994
- [*Lasioglossum subversans*](#) (Mitchell, 1960)
- [*Lasioglossum subversicolum*](#) Fan & Ebmer, 1992
- [*Lasioglossum subviridatum*](#) (Cockerell, 1938)
- [*Lasioglossum succinipenne*](#) (Ellis, 1913)
- [*Lasioglossum sudum*](#) (Vachal, 1904)
- [*Lasioglossum suisharyonense*](#) (Strand, 1914)
- [*Lasioglossum sulcatulum*](#) (Cockerell, 1925)
- [*Lasioglossum sulthicum*](#) (Smith, 1853)
- [*Lasioglossum suppressum*](#) Ebmer, 1983
- [*Lasioglossum supraclypeatum*](#) (Mitchell, 1960)
- [*Lasioglossum supralucens*](#) (Cockerell, 1916)
- [*Lasioglossum supranitens*](#) (Cockerell, 1919)
- [*Lasioglossum surianae*](#) (Mitchell, 1960)
- [*Lasioglossum surrubresense*](#) (Strand, 1921)
- [*Lasioglossum sutepellum*](#) (Cockerell, 1937)
- [*Lasioglossum sutepinum*](#) (Cockerell, 1937)
- [*Lasioglossum sutshanicum*](#) Pesenko, 1986
- [*Lasioglossum swenki*](#) (Crawford, 1906)
- [*Lasioglossum swezeyi*](#) (Cockerell, 1939)
- [*Lasioglossum synavei*](#) (Pauly, 1984)
- [*Lasioglossum synthyridis*](#) (Crawford, 1906)
- [*Lasioglossum szentivanyi*](#) (Michener, 1960)

T

- [*Lasioglossum taclobanense*](#) (Cockerell, 1915)
- [*Lasioglossum tadschicum*](#) (Blüthgen, 1929)
- [*Lasioglossum taeniolellum*](#) (Vachal, 1903)
- [*Lasioglossum tahitense*](#) (Mitchell, 1960)
- [*Lasioglossum taihorine*](#) (Strand, 1914)
- [*Lasioglossum talchium*](#) (Smith, 1853)
- [*Lasioglossum taluche*](#) (Smith, 1853)
- [*Lasioglossum talyschense*](#) (Blüthgen, 1924)

- [*Lasioglossum tamburinei*](#) (Friese, 1917)
- [*Lasioglossum tamiamense*](#) (Mitchell, 1960)
- [*Lasioglossum tamulicum*](#) (Blüthgen, 1926)
- [*Lasioglossum tanganum*](#) (Cockerell, 1939)
- [*Lasioglossum taninense*](#) (Warncke, 1984)
- [*Lasioglossum tannaense*](#) (Cockerell, 1916)
- [*Lasioglossum tardum*](#) (Cameron, 1897)
- [*Lasioglossum tarponense*](#) (Mitchell, 1960)
- [*Lasioglossum tarsatum*](#) (Schenck, 1870)
- [*Lasioglossum tasmaniae*](#) (Cockerell, 1905)
- [*Lasioglossum tatei*](#) (Cockerell, 1910)
- [*Lasioglossum tauricum*](#) Ebmer, 1972
- [*Lasioglossum tegulare*](#) (Robertson, 1890)
- [*Lasioglossum tegulariforme*](#) (Crawford, 1907)
- [*Lasioglossum teltiri*](#) Walker, 1995
- [*Lasioglossum tenasserimicum*](#) (Blüthgen, 1926)
- [*Lasioglossum tenax*](#) (Sandhouse, 1924)
- [*Lasioglossum tenkeanum*](#) (Cockerell, 1937)
- [*Lasioglossum tenue*](#) (Ellis, 1913)
- [*Lasioglossum tenuicorne*](#) (Cockerell, 1946)
- [*Lasioglossum tenuilingue*](#) (Cockerell, 1937)
- [*Lasioglossum tenuivene*](#) (Cockerell, 1946)
- [*Lasioglossum tepperi*](#) (Cockerell, 1905)
- [*Lasioglossum terginum*](#) (Vachal, 1904)
- [*Lasioglossum tertium*](#) (Dalla Torre, 1896)
- [*Lasioglossum tessaranotatum*](#) Ebmer, 1998
- [*Lasioglossum testaceipes*](#) (Friese, 1914)
- [*Lasioglossum testaceum*](#) (Robertson, 1897)
- [*Lasioglossum testaciventre*](#) (Rayment, 1953)
- [*Lasioglossum texanum*](#) (Cresson, 1872)
- [*Lasioglossum textorium*](#) (Benoist, 1957)
- [*Lasioglossum theodori*](#) (Crawford, 1902)
- [*Lasioglossum theste*](#) (Cameron, 1905)
- [*Lasioglossum thomasseti*](#) (Cockerell, 1937)
- [*Lasioglossum thor*](#) (Cockerell, 1929)
- [*Lasioglossum tilachiforme*](#) (Cockerell, 1907)
- [*Lasioglossum tilachum*](#) (Smith, 1853)
- [*Lasioglossum timberlakei*](#) McGinley, 1986
- [*Lasioglossum tinguiricum*](#) (Holmberg, 1886)
- [*Lasioglossum tinnunculum*](#) (Warncke, 1982)
- [*Lasioglossum titusi*](#) (Crawford, 1902)
- [*Lasioglossum tonganum*](#) (Perkins & Cheesman, 1928)

- [*Lasioglossum tooloomense*](#) (Cockerell, 1929)
- [*Lasioglossum torulosum*](#) (Michener, 1980)
- [*Lasioglossum toxopei*](#) (Alfken, 1926)
- [*Lasioglossum tracyi*](#) (Cockerell, 1936)
- [*Lasioglossum tranquillum*](#) (Sandhouse, 1924)
- [*Lasioglossum transitorium*](#) (Schenck, 1868)
- [*Lasioglossum transpositum*](#) (Cockerell, 1925)
- [*Lasioglossum transvaalense*](#) (Cameron & Cockerell, 1937)
- [*Lasioglossum transvorsum*](#) (Vachal, 1904)
- [*Lasioglossum travassosi*](#) (Moure, 1940)
- [*Lasioglossum triangulatum*](#) Walker, 1995
- [*Lasioglossum trianguliferum*](#) (Cockerell, 1941)
- [*Lasioglossum triangulinum*](#) (Cockerell, 1946)
- [*Lasioglossum tribuarium*](#) (Rayment, 1935)
- [*Lasioglossum trichardti*](#) (Cockerell, 1939)
- [*Lasioglossum trichiosulum*](#) (Strand, 1914)
- [*Lasioglossum trichopygum*](#) (Blüthgen, 1923)
- [*Lasioglossum trichorhinum*](#) (Cockerell, 1925)
- [*Lasioglossum tricinctum*](#) (Schenck, 1874)
- [*Lasioglossum tricnicos*](#) (Vachal, 1904)
- [*Lasioglossum tricolor*](#) (Michener, 1965)
- [*Lasioglossum tridens*](#) Walker, 1995
- [*Lasioglossum trigoniformis*](#) (Pauly, 1986)
- [*Lasioglossum trincomalicum*](#) (Cameron, 1903)
- [*Lasioglossum trinidadense*](#) (Friese, 1909)
- [*Lasioglossum tripunctatum*](#) (Cockerell, 1929)
- [*Lasioglossum triste*](#) (Vachal, 1895)
- [*Lasioglossum trizonatum*](#) (Cresson, 1874)
- [*Lasioglossum tropicior*](#) (Ellis, 1914)
- [*Lasioglossum tropidonotum*](#) McGinley, 1986
- [*Lasioglossum truncaticolle*](#) (Morawitz, 1877)
- [*Lasioglossum truncatum*](#) (Robertson, 1901)
- [*Lasioglossum tschakarensense*](#) (Blüthgen, 1925)
- [*Lasioglossum tschardschuicum*](#) (Blüthgen, 1931)
- [*Lasioglossum tschibuklinum*](#) (Blüthgen, 1931)
- [*Lasioglossum tschulicum*](#) (Blüthgen, 1931)
- [*Lasioglossum tuchilas*](#) (Smith, 1853)
- [*Lasioglossum tunguense*](#) (Blüthgen, 1926)
- [*Lasioglossum tungusicum*](#) Ebmer, 1978
- [*Lasioglossum tuolumnense*](#) Gibbs, 2009
- [*Lasioglossum turneri*](#) (Cockerell, 1914)
- [*Lasioglossum turneri*](#) (Blüthgen, 1926)

- [*Lasioglossum tyndarus*](#) Ebmer, 2002

U-V

- [*Lasioglossum uelleburgense*](#) (Strand, 1912)
- [*Lasioglossum ufiomicum*](#) (Cockerell, 1945)
- [*Lasioglossum ugandicum*](#) (Cockerell, 1937)
- [*Lasioglossum ultimum*](#) (Cockerell, 1929)
- [*Lasioglossum umbone*](#) (Michener, 1980)
- [*Lasioglossum umbripenne*](#) (Ellis, 1913)
- [*Lasioglossum uncinatum*](#) Walker, 1995
- [*Lasioglossum unicum*](#) (Sandhouse, 1924)
- [*Lasioglossum upinense*](#) (Morawitz, 1890)
- [*Lasioglossum upoluense*](#) (Perkins & Cheesman, 1928)
- [*Lasioglossum urbanum*](#) (Smith, 1879)
- [*Lasioglossum urbanum*](#) Gonzalez, 2006
- [*Lasioglossum urenae*](#) Pauly, 2001
- [*Lasioglossum urguticum*](#) Ebmer, 1972
- [*Lasioglossum uvirense*](#) (Cockerell, 1937)
- [*Lasioglossum uyacicola*](#) (Cockerell, 1949)
- [*Lasioglossum vagans*](#) (Smith, 1857)
- [*Lasioglossum vaporellum*](#) (Cockerell, 1910)
- [*Lasioglossum vau*](#) (Cockerell, 1910)
- [*Lasioglossum vechti*](#) (Pauly, 1980)
- [*Lasioglossum veganum*](#) (Cockerell, 1901)
- [*Lasioglossum verae*](#) Pesenko, 1986
- [*Lasioglossum verapaz*](#) Engel, Hinojosa-Díaz & Yáñez-Ordóñez, 2007
- [*Lasioglossum vergilianum*](#) (Pérez, 1903)
- [*Lasioglossum vermiculatum*](#) (Cockerell, 1914)
- [*Lasioglossum veronicae*](#) (Cockerell, 1926)
- [*Lasioglossum versans*](#) (Lovell, 1905)
- [*Lasioglossum versatum*](#) (Robertson, 1902)
- [*Lasioglossum versicolum*](#) Fan & Ebmer, 1992
- [*Lasioglossum versifrons*](#) (Perkins & Cheesman, 1928)
- [*Lasioglossum verticulum*](#) (Walker, 1997)
- [*Lasioglossum vexator*](#) (Krombein, 1950)
- [*Lasioglossum victoriae*](#) (Cockerell, 1926)
- [*Lasioglossum victoriellum*](#) (Cockerell, 1914)
- [*Lasioglossum vierecki*](#) (Crawford, 1904)
- [*Lasioglossum villosulum*](#) (Kirby, 1802)
- [*Lasioglossum virens*](#) (Erichson, 1835)
- [*Lasioglossum viridatulum*](#) (Cockerell, 1919)
- [*Lasioglossum viridatum*](#) (Lovell, 1905)

- [*Lasioglossum viride*](#) (Brullé, 1840)
- [*Lasioglossum virideglaucum*](#) Ebmer & Sakagami, 1994
- [*Lasioglossum viridellum*](#) (Cockerell, 1931)
- [*Lasioglossum viriderostratum*](#) Ebmer, 1978
- [*Lasioglossum viridiscitum*](#) (Cockerell, 1911)
- [*Lasioglossum vitripenne*](#) (Smith, 1879)
- [*Lasioglossum vulcanicum*](#) (Blüthgen, 1928)
- [*Lasioglossum vulneratum*](#) (Cockerell, 1910)
- [*Lasioglossum vulsum*](#) (Vachal, 1903)

W-Z

- [*Lasioglossum warburtoni*](#) (Cockerell, 1906)
- [*Lasioglossum waterhousei*](#) (Cockerell, 1915)
- [*Lasioglossum wauense*](#) (Pauly, 1986)
- [*Lasioglossum weemsi*](#) (Mitchell, 1960)
- [*Lasioglossum wellingtoni*](#) (Cockerell, 1914)
- [*Lasioglossum wheeleri*](#) (Mitchell, 1960)
- [*Lasioglossum whiteanum*](#) (Cameron, 1905)
- [*Lasioglossum wilkinsoni*](#) (Cockerell, 1945)
- [*Lasioglossum willsi*](#) (Cockerell, 1906)
- [*Lasioglossum wilmattae*](#) (Cockerell, 1929)
- [*Lasioglossum wilsoni*](#) (Cheesman & Perkins, 1939)
- [*Lasioglossum windhukense*](#) (Fries, 1916)
- [*Lasioglossum wollastoni*](#) (Cockerell, 1922)
- [*Lasioglossum woodsi*](#) (Cockerell, 1910)
- [*Lasioglossum xanthopoides*](#) (Fries, 1925)
- [*Lasioglossum xanthopus*](#) (Kirby, 1802)
- [*Lasioglossum xerophilinum*](#) (Cockerell, 1945)
- [*Lasioglossum xerophilum*](#) Walker, 1995
- [*Lasioglossum xizangense*](#) Fan & Ebmer, 1992
- [*Lasioglossum xyriotropis*](#) McGinley, 1986
- [*Lasioglossum xystodorsum*](#) Ebmer, 1998
- [*Lasioglossum xystonotum*](#) (Vachal, 1895)
- [*Lasioglossum yakourense*](#) (Saunders, 1908)
- [*Lasioglossum yakuticum*](#) Pesenko & Davydova, 2004
- [*Lasioglossum yamanei*](#) Murao, Ebmer & Tadauchi, 2006
- [*Lasioglossum yapense*](#) (Cockerell, 1939)
- [*Lasioglossum yolense*](#) (Cockerell, 1945)
- [*Lasioglossum ypirangense*](#) (Schrottky, 1910)
- [*Lasioglossum yucatanense*](#) Landaverde-González, 2023
- [*Lasioglossum zachlorum*](#) (Cockerell, 1929)
- [*Lasioglossum zamelanum*](#) (Cockerell, 1930)

- [*Lasioglossum zamoranicum*](#) (Cockerell, 1949)
- [*Lasioglossum zanzibaricum*](#) (Cockerell, 1945)
- [*Lasioglossum zephyrus*](#) (Smith, 1853)
- [*Lasioglossum zeyanense*](#) Pesenko, 1986
- [*Lasioglossum zimbabwicum*](#) (Cockerell, 1937)
- [*Lasioglossum zingowli*](#) (Cheesman & Perkins, 1939)
- [*Lasioglossum zipangu*](#) Ebmer & Sakagami, 1994
- [*Lasioglossum zonaturum*](#) (Cockerell, 1945)
- [*Lasioglossum zonulus*](#) (Smith, 1848)
- [*Lasioglossum zophops*](#) (Ellis, 1914)
- [*Lasioglossum zostaceum*](#) (Warncke, 1982)
- [*Lasioglossum zunaga*](#) Sakagami & Tadauchi, 1995

Laphria is a large genus of **robber flies** found in North America, Europe, and Asia. Species include:[\[1\]](#)
[\[2\]](#)[\[3\]](#)[\[4\]](#)



Laphria sp.



Laphria sp.

- [*Laphria abdominalis*](#) (Walker, 1855) ^{c g}
- [*Laphria aberrans*](#) Wulp, 1898 ^{c g}
- [*Laphria aeatus*](#) Walker, 1849 ^{i c g}
- [*Laphria aeneiventris*](#) Costa, 1857 ^{c g}
- [*Laphria affinis*](#) Macquart, 1855 ^{i c g b}
- [*Laphria aimatis*](#) McAtee, 1919 ^{i c g}
- [*Laphria aktis*](#) McAtee, 1919 ^{i c g b}
- [*Laphria albimaculata*](#) Macquart, 1838 ^{c g}
- [*Laphria albitibialis*](#) Macquart, 1847 ^{c g}
- [*Laphria alebas*](#) Walker, 1849 ^{c g}
- [*Laphria alternans*](#) Wiedemann, 1828 ^{c g}
- [*Laphria altitudinum*](#) Bromley, 1924 ^{i c g b}

- [Laphria amabilis Wulp](#), 1872 ^{c g}
- [Laphria ampla Walker](#), 1862 ^{c g}
- [Laphria annulata Gimmerthal](#), 1834 ^{c g}
- [Laphria annulifemur Enderlein](#), 1914 ^{c g}
- [Laphria anthrax Meigen](#), 1804 ^{c g}
- [Laphria aperta Walker](#), 1858 ^{c g}
- [Laphria apila](#) (Bromley, 1951) ^{i c g b}
- [Laphria appendiculata Macquart](#), 1846 ^g
- [Laphria argentata](#) (Wiedemann, 1828)
- [Laphria argentifera Walker](#), 1861 ^{c g}
- [Laphria asackeni](#) Wilcox, 1965 ^{i c g b}
- [Laphria assamensis](#) Joseph & Parui, 1981 ^{c g}
- [Laphria astur Osten Sacken](#), 1877 ^{i c g b}
- [Laphria asturina](#) (Bromley, 1951) ^{i c g b}
- [Laphria atomentosa Oldroyd](#), 1960 ^{c g}
- [Laphria aurea](#) (Fabricius, 1794) ^c
- [Laphria aureola Wulp](#), 1872 ^{c g}
- [Laphria aureopilosa](#) Ricardo, 1900 ^{c g}
- [Laphria aureus](#) (Fabricius, 1794) ^{c g}
- [Laphria auribasis Walker](#), 1864 ^{c g}
- [Laphria auricincta Wulp](#), 1872 ^{c g}
- [Laphria auricomata](#) Hermann, 1914 ^{c g}
- [Laphria auricorpus](#) Hobby, 1948 ^{c g}
- [Laphria aurifera](#) Ricardo, 1925 ^{c g}
- [Laphria auriflua Gerstaecker](#), 1861 ^{c g}
- [Laphria auroria](#) (Wiedemann, 1828)
- [Laphria azurea](#) Hermann, 1914 ^{c g}
- [Laphria bancrofti](#) Ricardo, 1913 ^{c g}
- [Laphria barbicrura Rondani](#), 1875 ^{c g}
- [Laphria basalis](#) Hermann, 1914 ^{c g}
- [Laphria basigutta Walker](#), 1857 ^{c g}
- [Laphria bella Loew](#), 1858 ^{c g}
- [Laphria bellifontanea Villeneuve](#), 1928 ^{c g}
- [Laphria benardi Villeneuve](#), 1911 ^{c g}
- [Laphria bengalensis](#) (Wiedemann, 1828)
- [Laphria bernsteinii Wulp](#), 1872 ^{c g}
- [Laphria bifasciata](#) (Olivier, 1789) ^{c g}

- [Laphria bilykova](#) [Paramonov](#), 1930 ^{c g}
- [Laphria bimaculata](#) ([Walker](#), 1855) ^{c g}
- [Laphria bipartita](#) [Macquart](#), 1855 ^{c g}
- [Laphria bipenicillata](#) [Bigot](#), 1891 ^{c g}
- [Laphria bomboides](#) [Macquart](#), 1849 ^{c g}
- [Laphria breonii](#) [Macquart](#), 1838 ^{c g}
- [Laphria burnsi](#) [Paramonov](#), 1958 ^{c g}
- [Laphria calvescenta](#) [Baker](#), 1975 ^{i c g}
- [Laphria canis](#) [Williston](#), 1883 ^{i c g b}
- [Laphria carbonaria](#) ([Snow](#), 1896) ^{i c g}
- [Laphria carolinensis](#) [Schiner](#), 1867 ^{i c g}
- [Laphria caspica](#) [Hermann](#), 1906 ^{c g}
- [Laphria champlainii](#) ([Walton](#), 1910) ^{i c g b}
- [Laphria chappuisiana](#) ([Enderlein](#), 1914) ^{c g}
- [Laphria chrysocephala](#) [Meigen](#), 1820 ^{c g}
- [Laphria chrysonota](#) [Hermann](#), 1914 ^{c g}
- [Laphria chrysorhiza](#) [Hermann](#), 1914 ^{c g}
- [Laphria chrysotelus](#) ([Walker](#), 1855) ^{c g}
- [Laphria cinerea](#) ([Back](#), 1904) ^{i c g b}
- [Laphria cingulifera](#) [Walker](#), 1856 ^{c g}
- [Laphria claripennis](#) [Bigot](#), 1878 ^{c g}
- [Laphria coarctata](#) [Dufour](#), 1833 ^{c g}
- [Laphria coerulea](#) [Boisduval](#), 1835 ^{c g}
- [Laphria coerulescens](#) [Macquart](#), 1834 ^{c g}
- [Laphria columbica](#) [Walker](#), 1866 ^{i c g b}
- [Laphria comata](#) [White](#), 1918 ^{c g}
- [Laphria complens](#) [Walker](#), 1859 ^{c g}
- [Laphria completa](#) [Walker](#), 1856 ^{c g}
- [Laphria componens](#) [Walker](#), 1860 ^{c g}
- [Laphria comptissima](#) [Walker](#), 1856 ^{c g}
- [Laphria concludens](#) [Walker](#), 1859 ^{c g}
- [Laphria conopoides](#) ([Oldroyd](#), 1972) ^{c g}
- [Laphria consistens](#) [Curran](#), 1928 ^{c g}
- [Laphria constricta](#) ([Walker](#), 1855) ^{c g}
- [Laphria contristans](#) [Hobby](#), 1948 ^{c g}
- [Laphria contusa](#) [Wiedmann](#), 1828 ^{c g}

- [Laphria coquilletti](#) McAtee, 1919 ⁱ
- [Laphria coquillettii](#) McAtee, 1919 ^{c g b}
- [Laphria ctenoventris](#) Oldroyd, 1970 ^{c g}
- [Laphria cyaneogaster](#) Macquart, 1838 ^{c g}
- [Laphria declarata](#) Walker, 1858 ^{c g}
- [Laphria definita](#) Wulp, 1872 ^{c g}
- [Laphria dentipes](#) Fabricius, 1805 ^{c g}
- [Laphria detecta](#) Walker, 1856 ^{c g}
- [Laphria dichroa](#) Wiedemann, 1828 ^{c g}
- [Laphria dimidiata](#) Macquart, 1846 ^{c g}
- [Laphria dimidiatifemur](#) Oldroyd, 1960 ^{c g}
- [Laphria dira](#) (Walker, 1855) ^{c g}
- [Laphria dispar](#) Coquillett, 1898 ^{c g}
- [Laphria dissimilis](#) Doleschall, 1858 ^{c g}
- [Laphria diversa](#) Wulp, 1881 ^{c g}
- [Laphria divisor](#) (Banks, 1917) ^{i c g b}
- [Laphria divulsa](#) Walker, 1864 ^{c g}
- [Laphria dizonias](#) Loew, 1847 ^{c g}
- [Laphria dorsalis](#) (De Geer, 1776) ^{c g}
- [Laphria doryca](#) (Boisduval, 1835) ^{c g}
- [Laphria egregia](#) Wulp, 1898 ^{c g}
- [Laphria empyrea](#) Gerstaecker, 1861 ^{c g}
- [Laphria engelhardti](#) (Bromley, 1931) ^{i c g b}
- [Laphria ephippium](#) (Fabricius, 1781) ^{c g}
- [Laphria falvifacies](#) Macquart, 1850 ^{c g}
- [Laphria fattigi](#) (Bromley, 1951) ^{i c g}
- [Laphria felis](#) Osten Sacken, 1877 ^{i c g b}
- [Laphria fernaldi](#) (Back, 1904) ^{i c g b}
- [Laphria ferox](#) Williston, 1883 ^{i c g b}
- [Laphria ferruginosa](#) Wulp, 1872 ^{c g}
- [Laphria flagrantissima](#) Walker, 1858 ^{c g}
- [Laphria flammipennis](#) Walker, 1861 ^{c g}
- [Laphria flava](#) (Linnaeus, 1761) ^{c g}
- [Laphria flavescens](#) Macquart, 1838 ^{i c g}
- [Laphria flavicollis](#) Say, 1824 ^{i c g b}
- [Laphria flavidorsum](#) Matsumura, 1916 ^{c g}

- [Laphria flavifacies](#) (Macquart, 1849)
- [Laphria flavifemorata](#) Macquart, 1850 ^{c g}
- [Laphria flavipes](#) Wiedemann, 1821 ^{c g}
- [Laphria flavipila](#) Macquart, 1834 ^{i c g}
- [Laphria formosana](#) Matsumura, 1916 ^{c g}
- [Laphria fortipes](#) Walker, 1857 ^{c g}
- [Laphria franciscana](#) Bigot, 1878 ^{i c g b}
- [Laphria frommeri](#) Joseph & Parui, 1981 ^{c g}
- [Laphria fulvicrura](#) Rondani, 1875 ^{c g}
- [Laphria fulvipes](#) Ricardo, 1913 ^{c g}
- [Laphria fulvithorax](#) Fabricius, 1805 ^{c g}
- [Laphria furva](#) Wulp, 1898 ^{c g}
- [Laphria fuscata](#) (Joseph & Parui, 1997)
- [Laphria futilis](#) Wulp, 1872 ^{c g}
- [Laphria galathei](#) Costa, 1857 ^{c g}
- [Laphria georgina](#) Wiedemann, 1821 ^{i c g}
- [Laphria gibbosa](#) (Linnaeus, 1758) ^{c g}
- [Laphria gigas](#) Macquart, 1838 ^{c g}
- [Laphria gilva](#) (Linnaeus, 1758) ^{i c g b}
- [Laphria gilvoides](#) Wulp, 1898 ^{c g}
- [Laphria glauca](#) Enderlein, 1914 ^{c g}
- [Laphria gravipes](#) Wulp, 1872 ^{c g}
- [Laphria grossa](#) (Fabricius, 1775) ^{i c g b}
- [Laphria hakiensis](#) Matsumura, 1916 ^{c g}
- [Laphria hecate](#) Gerstaecker, 1861 ^{c g}
- [Laphria hera](#) Bromley, 1935 ^{c g}
- [Laphria hermanni](#) Meijere, 1924 ^{c g}
- [Laphria hirta](#) Ricardo, 1913 ^{c g}
- [Laphria hirticornis](#) Guerin-Meneville, 1835 ^{c g}
- [Laphria histrionica](#) Wulp, 1872 ^{c g}
- [Laphria hobelias](#) (Oldroyd, 1972) ^{c g}
- [Laphria horrida](#) (Walker, 1855) ^{c g}
- [Laphria howeana](#) Paramonov, 1958 ^{c g}
- [Laphria hradskyi](#) Young, 2008 ^{c g}
- [Laphria huron](#) (Bromley, 1929) ^{i c g b}
- [Laphria ignobilis](#) Wulp, 1872 ^{c g}
- [Laphria imbellis](#) Walker, 1857 ^{c g}

- [Laphria inaurea](#) Walker, 1857 ^{c g}
- [Laphria incivilis](#) Walker, 1856 ^{c g}
- [Laphria index](#) McAtee, 1919 ^{i c g b}
- [Laphria indica](#) Joseph & Parui, 1981 ^{c g}
- [Laphria insignis](#) (Banks, 1917) ^{i c g b}
- [Laphria interrupta](#) Walker, 1856 ^{c g}
- [Laphria iola](#) Bromley, 1935 ^{c g}
- [Laphria ithypyga](#) McAtee, 1919 ^{i c g b}
- [Laphria ivorina](#) Oldroyd, 1968 ^{c g}
- [Laphria janus](#) McAtee, 1919 ^{i c g b}
- [Laphria javana](#) Macquart, 1834 ^{c g}
- [Laphria justa](#) Walker, 1858 ^{c g}
- [Laphria karafutonis](#) Matsumura, 1916 ^{c g}
- [Laphria keralaensis](#) Joseph & Parui, 1981 ^{c g}
- [Laphria kistjakovskiji](#) Paramonov, 1929 ^{c g}
- [Laphria lasipes](#) Wiedemann, 1828 ^{i c g}
- [Laphria lata](#) Macquart, 1850 ^{i c g b}
- [Laphria lateralis](#) Fabricius, 1805 ^{c g}
- [Laphria laterepunctata](#) Macquart, 1838 ^{c g}
- [Laphria lepida](#) Walker, 1856 ^{c g}
- [Laphria leptogaster](#) Perty, 1833 ^{c g}
- [Laphria leucocephala](#) Meigen, 1804 ^{c g}
- [Laphria leucoprocta](#) Wiedemann, 1828 ^{c g}
- [Laphria limbinervis](#) Strobl, 1898 ^{c g}
- [Laphria lobifera](#) Hermann, 1914 ^{c g}
- [Laphria luctuosa](#) Macquart, 1847 ^{c g}
- [Laphria lukinsi](#) Paramonov, 1958 ^{c g}
- [Laphria luteipennis](#) (Macquart, 1848) ^{c g}
- [Laphria luteopilosa](#) Joseph & Parui, 1981 ^{c g}
- [Laphria macquarti](#) (Banks, 1917) ^{i c g b}
- [Laphria macra](#) Bigot, 1859 ^{c g}
- [Laphria manifesta](#) Walker, 1858 ^{c g}
- [Laphria marginalis](#) Williston, 1901 ^{c g}
- [Laphria maynei](#) Janssens, 1953 ^{c g}
- [Laphria melania](#) Bigot, 1878 ^{c g}
- [Laphria melanogaster](#) Wiedemann, 1821 ^{i c g}

- [Laphria mellipes](#) [Wiedemann](#), 1828 ^{c g}
- [Laphria meridionalis](#) [Mulsant](#), 1860 ^{c g}
- [Laphria metalli](#) [Walker](#), 1851 ^{c g}
- [Laphria milvina](#) [Bromley](#), 1929 ^{i c g}
- [Laphria mitsukurii](#) [Coquillett](#), 1898 ^{c g}
- [Laphria motodomariensis](#) [Matsumura](#), 1916 ^{c g}
- [Laphria mulleri](#) [Wulp](#), 1872 ^{c g}
- [Laphria multipunctata](#) [Oldroyd](#), 1974 ^{c g}
- [Laphria nathani](#) [Joseph & Parui](#), 1981 ^{c g}
- [Laphria nigella](#) ([Bromley](#), 1934) ^{i c g}
- [Laphria nigrescens](#) [Ricardo](#), 1925 ^{c g}
- [Laphria nigribimba](#) [Bromley](#), 1935 ^{c g}
- [Laphria nigripennis](#) [Meigen](#), 1820 ^{c g}
- [Laphria nigripes](#) [Paramonov](#), 1929 ^{c g}
- [Laphria nigrohirsuta](#) [Lichtwardt](#), 1809 ^{c g}
- [Laphria nitidula](#) ([Fabricius](#), 1794) ^{c g}
- [Laphria notabilis](#) [Walker](#), 1857 ^{c g}
- [Laphria nusoides](#) [Bromley](#), 1931 ^{c g}
- [Laphria ogasawarensis](#) [Matsumura](#), 1916 ^{c g}
- [Laphria ogumae](#) [Matsumura](#), 1911 ^{c g}
- [Laphria okinawensis](#) ([Matsumura](#), 1916)
- [Laphria orcus](#) [Walker](#), 1857 ^{c g}
- [Laphria orientalis](#) [Joseph & Parui](#), 1981 ^{c g}
- [Laphria ostensa](#) [Walker](#), 1862 ^{c g}
- [Laphria pacifera](#) ([Paramonov](#), 1958)
- [Laphria pacifica](#) [Paramonov](#), 1958 ^{c g}
- [Laphria partitor](#) ([Banks](#), 1917) ^{i c g b}
- [Laphria peristalsis](#) ([Oldroyd](#), 1972) ^{c g}
- [Laphria pernigra](#) [Wulp](#), 1872 ^{c g}
- [Laphria philippinensis](#) [Enderlein](#), 1914 ^{c g}
- [Laphria pilipes](#) [Macquart](#), 1834 ^{c g}
- [Laphria plana](#) [Walker](#), 1857 ^{c g}
- [Laphria posticata](#) [Say](#), 1824 ^{i c g b}
- [Laphria praelusia](#) [Séguy](#), 1930 ^{c g}
- [Laphria proxima](#) ([Walker](#), 1855) ^{c g}
- [Laphria puer](#) [Doleschall](#), 1858 ^{c g}
- [Laphria pusilla](#) [Wiedemann](#), 1828 ^{c g}

- [Laphria pyrrhothrix](#) Hermann, 1914 ^{c g}
- [Laphria radicalis](#) Walker, 1857 ^{c g}
- [Laphria rapax](#) Osten Sacken, 1877 ^{i c g}
- [Laphria reginae](#) Paramonov, 1958 ^{c g}
- [Laphria reinwardtii](#) Wiedemann, 1828 ^{c g}
- [Laphria remota](#) Hermann, 1914 ^{c g}
- [Laphria remoto](#) Hermann, 1914 ^g
- [Laphria ricardo](#)i Bromley, 1935 ^{c g}
- [Laphria royalensis](#) (Bromley, 1950) ^{i c g}
- [Laphria rubescens](#) Bigot, 1878 ^{c g}
- [Laphria rubidofasciata](#) Wulp, 1872 ^{c g}
- [Laphria rudis](#) Walker, 1856 ^{c g}
- [Laphria rueppelii](#) (Wiedemann, 1828) ^{c g}
- [Laphria rufa](#) Roder, 1887 ^{c g}
- [Laphria ruficauda](#) Williston, 1885 ^{c g}
- [Laphria rufifemorata](#) Macquart, 1846 ^{c g}
- [Laphria rufitibia](#) Oldroyd, 1960 ^{c g}
- [Laphria sackeni](#) (Banks, 1917) ^{c g b}
- [Laphria sacrator](#) Walker, 1849 ^{i c g b}
- [Laphria sadales](#) Walker, 1849 ^{i c g b}
- [Laphria saffrana](#) Fabricius, 1805 ^{i c g b}
- [Laphria sapporensis](#) Matsumura, 1911 ^{c g}
- [Laphria schoutedeni](#) Bromley, 1935 ^{c g}
- [Laphria scorpio](#) McAtee, 1919 ^{i c g b}
- [Laphria scutellata](#) Macquart, 1835 ^{c g}
- [Laphria semifulva](#) Bigot, 1878 ^{c g}
- [Laphria semitecta](#) (Coquillett, 1910) ^{i c g}
- [Laphria sericea](#) Say, 1823 ^{i c g b}
- [Laphria serpentina](#) Bezzi, 1908 ^{c g}
- [Laphria seticrura](#) Rondani, 1875 ^{c g}
- [Laphria sibirica](#) Lehr, 1989 ^{c g}
- [Laphria sricula](#) McAtee, 1919 ^{i c g b}
- [Laphria signatipes](#) Wulp, 1872 ^{c g}
- [Laphria sobria](#) Walker, 1857 ^{c g}
- [Laphria solita](#) Wulp, 1872 ^{c g}
- [Laphria soror](#) Wulp, 1872 ^{c g}

- [Laphria stuckenbergi](#) Oldroyd, 1960 ^{c g}
- [Laphria submetallica](#) Macquart, 1838 ^{c g}
- [Laphria taipinensis](#) (Matsumura, 1916)
- [Laphria taphia](#) Walker, 1849 ^{c g}
- [Laphria taphius](#) Walker, 1849 ^c
- [Laphria telecles](#) Walker, 1849 ^{c g}
- [Laphria terminalis](#) Wulp, 1872 ^{c g}
- [Laphria terraenovae](#) Macquart, 1838 ^{i c g}
- [Laphria thoracica](#) Fabricius, 1805 ^{i c g b}
- [Laphria tibialis](#) Meigen, 1820 ^{c g}
- [Laphria transatlantica](#) Schiner, 1868 ^{c g}
- [Laphria triangularis](#) (Walker, 1855) ^{c g}
- [Laphria tricolor](#) Wulp, 1872 ^{c g}
- [Laphria triligata](#) Walker, 1861 ^{c g}
- [Laphria tristis](#) Doleschall, 1857 ^{c g}
- [Laphria trux](#) McAtee, 1919 ^{i c g b}
- [Laphria unicolor](#) (Williston, 1883) ^{i c g b}
- [Laphria unifascia](#) Walker, 1856 ^{c g}
- [Laphria valparaiensis](#) (Joseph & Parui, 1997)
- [Laphria varia](#) Loew, 1865 ^{c g}
- [Laphria variana](#) White, 1918 ^{c g}
- [Laphria varipes](#) Bigot, 1878 ^{c g}
- [Laphria venatrix](#) Loew, 1847 ^{c g}
- [Laphria venezuelensis](#) Macquart, 1846 ^{c g}
- [Laphria ventralis](#) Williston, 1885 ^{i c g b}
- [Laphria violacea](#) Macquart, 1846 ^{c g}
- [Laphria virginica](#) (Banks, 1917) ^{i c g b}
- [Laphria vivax](#) Williston, 1883 ^{i c g}
- [Laphria vorax](#) (Bromley, 1929) ^{i c g b}
- [Laphria vulcana](#) Wiedemann, 1828 ^c
- [Laphria vulcanus](#) Wiedemann, 1828 ^{c g}
- [Laphria vulpina](#) Meigen, 1820 ^{c g}
- [Laphria vultur](#) Osten Sacken, 1877 ^{i c g b}
- [Laphria walkeri](#) Enderlein, 1914 ^{c g}
- [Laphria willistoniana](#) Enderlein, 1914 ^{c g}
- [Laphria winnemana](#) McAtee, 1919 ^{i c g b}
- [Laphria xanthothrix](#) Hermann, 1914 ^{c g}

- [Laphria yamatonis](#) [Matsumura](#), 1916 ^c ^g

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[2] g = GBIF,^[3] b = Bugguide.net^[4]

References

1.
 - ["Laphria Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-12.
 - ["Browse Laphria"](#). Catalogue of Life. Archived from [the original](#) on 2021-04-29. Retrieved 2018-04-12.
 - ["Laphria"](#). GBIF. Retrieved 2018-04-12.
 -
4. ["Laphria Genus Information"](#). BugGuide.net. Retrieved 2018-04-12.

Categories:

- [Laphria \(fly\)](#)
- [Lists of insect species](#)
-

This is a list of 137 species in [Laemosaccus](#), a genus of true weevils in the family [Curculionidae](#).^{[1][2][3][4]}

Laemosaccus species

- [Laemosaccus aciculaticollis](#) Hustache, 1937 ^c
- [Laemosaccus affaber](#) Boheman, 1844 ^c
- [Laemosaccus albiventris](#) Hustache, 1937 ^c
- [Laemosaccus angulatus](#) Janczyk, 1959 ^c
- [Laemosaccus angustifrons](#) Hustache, 1938 ^c
- [Laemosaccus argenteus](#) Lea, A.M., 1896 ^c
- [Laemosaccus ater](#) Lea, A.M., 1896 ^c
- [Laemosaccus atratus](#) Champion, G.C., 1903 ^c
- [Laemosaccus aureus](#) Hustache, 1937 ^c
- [Laemosaccus australis](#) Boisduval, 1835 ^c
- [Laemosaccus basalis](#) Hustache, 1937 ^c

- [*Laemosaccus bidentatus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus bilobus*](#) Lea, A.M., 1899 [Ⓒ]
- [*Laemosaccus biseriatus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus blandus*](#) Pascoe, F.P., 1886 [Ⓒ]
- [*Laemosaccus brasiliensis*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus brevipennis*](#) Pascoe, F.P., 1870 [Ⓒ]
- [*Laemosaccus brevis*](#) Lea, A.M., 1899 [Ⓒ]
- [*Laemosaccus bufonius*](#) Janczyk, 1959 [Ⓒ]
- [*Laemosaccus calotrichus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus canaliculatus*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus carinicollis*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus carinipyga*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus castaneipennis*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus castaneus*](#) Philippi, 1864 [Ⓒ]
- [*Laemosaccus catenatus*](#) Pascoe, F.P., 1871 [Ⓒ]
- [*Laemosaccus chadwicki*](#) Janczyk, 1966 [Ⓒ]
- [*Laemosaccus chevrolati*](#) Guérin-Méneville, F.E., 1829-44 [Ⓒ]
- [*Laemosaccus chevrolatii*](#) Guérin-Méneville, 1844 [Ⓒ]
- [*Laemosaccus compactus*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus copturoides*](#) Voss, 1937 [Ⓒ]
- [*Laemosaccus cossonoides*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus crassicollis*](#) Blanchard, E. in Gay, 1851 [Ⓒ]
- [*Laemosaccus crassirostris*](#) Bovie in Wytsman, 1909 [Ⓒ]
- [*Laemosaccus cristaticollis*](#) Blanchard, E. in Gay, 1851 [Ⓒ]
- [*Laemosaccus crucicollis*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus cryptonyx*](#) Pascoe, F.P., 1872 [Ⓒ]
- [*Laemosaccus cylindricus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus cylindrirostris*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus dapsilis*](#) Pascoe, F.P., 1872 [Ⓒ]
- [*Laemosaccus drewsi*](#) Bondar, 1947 [Ⓒ]
- [*Laemosaccus dubius*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus ebenus*](#) Pascoe, F.P., 1886 [Ⓒ]
- [*Laemosaccus electilis*](#) Pascoe, F.P., 1871 [Ⓒ]
- [*Laemosaccus erythronotus*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus exaratus*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus exsculptus*](#) Champion, G.C., 1903 [Ⓒ]

- [*Laemosaccus festivus*](#) Lea, A.M., 1896 ^C
- [*Laemosaccus frater*](#) Lea, A.M., 1899 ^C
- [*Laemosaccus frontalis*](#) Kirsch, T., 1875 ^C
- [*Laemosaccus fulvirostris*](#) Pascoe, F.P., 1873 ^C
- [*Laemosaccus funereus*](#) Pascoe, F.P., 1873 ^C
- [*Laemosaccus fuscicornis*](#) Hustache, 1937 ^C
- [*Laemosaccus germari*](#) Boheman, 1844 ^C
- [*Laemosaccus gibbosus*](#) Pascoe, F.P., 1873 ^C
- [*Laemosaccus guyanensis*](#) Hustache, 1937 ^C
- [*Laemosaccus hamatus*](#) Champion, G.C., 1903 ^C
- [*Laemosaccus haustellatus*](#) Lea, 1927 ^C
- [*Laemosaccus hieroglyphicus*](#) Lea, 1911 ^C
- [*Laemosaccus imitator*](#) Lea, 1927 ^C
- [*Laemosaccus instabilis*](#) Lea, A.M., 1896 ^C
- [*Laemosaccus insularis*](#) Pascoe, F.P., 1885 ^C
- [*Laemosaccus janczyki*](#) Wibmer & O'Brien, 1986 ^C
- [*Laemosaccus judaicus*](#) Lea, A.M., 1899 ^C
- [*Laemosaccus lacertosus*](#) Janczyk, 1959 ^C
- [*Laemosaccus latirostris*](#) Lea, 1927 ^C
- [*Laemosaccus leucopectoralis*](#) Voss, 1937 ^C
- [*Laemosaccus longiceps*](#) Pascoe, F.P., 1873 ^C
- [*Laemosaccus longimanus*](#) Pascoe, F.P., 1872 ^C
- [*Laemosaccus lucens*](#) Hustache, 1937 ^C
- [*Laemosaccus maculatus*](#) Champion, G.C., 1903 ^C
- [*Laemosaccus magdaloides*](#) Pascoe, F.P., 1873 ^C
- [*Laemosaccus marmoratus*](#) Lea, 1927 ^C
- [*Laemosaccus melanocephalus*](#) Lea, A.M., 1899 ^C
- [*Laemosaccus microps*](#) Lea, 1927 ^C
- [*Laemosaccus narinus*](#) Pascoe, F.P., 1872 ^C
- [*Laemosaccus nephele*](#) (Herbst, 1797) ^{i C g}
- [*Laemosaccus nigriceps*](#) Lea, 1911 ^C
- [*Laemosaccus nigrirostris*](#) Lea, 1927 ^C
- [*Laemosaccus nigrotuberosus*](#) Fairmaire, L., 1883 ^C
- [*Laemosaccus niveonotatus*](#) Lea, 1927 ^C
- [*Laemosaccus notatus*](#) Pascoe, F.P., 1871 ^C
- [*Laemosaccus obscurus*](#) Lea, A.M., 1896 ^C

- [*Laemosaccus obsoletus*](#) Blanchard, E. in Gay, 1851 [Ⓒ]
- [*Laemosaccus occidentalis*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus ocularis*](#) Pascoe, F.P., 1873 [Ⓒ]
- [*Laemosaccus pascoei*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus peccuarius*](#) Pascoe, F.P., 1871 [Ⓒ]
- [*Laemosaccus persimilis*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus peruvianus*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus petulans*](#) Pascoe, F.P., 1885 [Ⓒ]
- [*Laemosaccus pictus*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus plagiatus*](#) Schoenherr, 1823 [Ⓒ]
- [*Laemosaccus pruinus*](#) Blanchard, E. in Gay, 1851 [Ⓒ]
- [*Laemosaccus pubicollis*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus pullus*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus pustulatus*](#) Gyllenhal, 1836 [Ⓒ]
- [*Laemosaccus quadripustulatus*](#) Schoenherr, 1839 [Ⓒ]
- [*Laemosaccus quadriseriatus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus querulus*](#) Pascoe, F.P., 1873 [Ⓒ]
- [*Laemosaccus radiatus*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus rivularis*](#) Lea, A.M., 1899 [Ⓒ]
- [*Laemosaccus rufescens*](#) Pascoe, F.P., 1886 [Ⓒ]
- [*Laemosaccus ruficornis*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus rufipennis*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus rufipes*](#) Lea, A.M., 1896 [Ⓒ]
- [*Laemosaccus rufirostris*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus rufus*](#) Boheman, 1844 [Ⓒ]
- [*Laemosaccus salebrosus*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus scriptus*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus sculpturatus*](#) Champion, G.C., 1903 [Ⓒ]
- [*Laemosaccus scutellaris*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus semicrudus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus semirufus*](#) Hustache, 1937 [Ⓒ]
- [*Laemosaccus semiustus*](#) Pascoe, F.P., 1873 [Ⓒ]
- [*Laemosaccus silbermanni*](#) Chevrolat in Guérin-Ménéville, F.E., 1829-44 [Ⓒ]
- [*Laemosaccus silbermannii*](#) Chevrolat in Guérin-Ménéville, 1844 [Ⓒ]
- [*Laemosaccus subcylindricus*](#) Lea, 1927 [Ⓒ]
- [*Laemosaccus subsignatus*](#) Boheman, 1844 [Ⓒ]

- [Laemosaccus sulcifrons](#) Champion, 1910 ^c
- [Laemosaccus synopticus](#) Pascoe, F.P., 1870 ^c
- [Laemosaccus tantulus](#) Pascoe, F.P., 1870 ^c
- [Laemosaccus tarsalis](#) Pascoe, F.P., 1873 ^c
- [Laemosaccus tenuirostris](#) Lea, 1927 ^c
- [Laemosaccus texanus](#) Champion, 1903 ^{i c b}
- [Laemosaccus thorey](#) Janczyk, 1957 ^c
- [Laemosaccus triangulatus](#) Janczyk, 1957 ^c
- [Laemosaccus triseriatus](#) Lea, 1927 ^c
- [Laemosaccus tropicus](#) Lea, 1911 ^c
- [Laemosaccus trucidatus](#) Schoenherr, 1844 ^c
- [Laemosaccus unicolor](#) Blanchard, E. in Gay, 1851 ^c
- [Laemosaccus ustulus](#) Pascoe, F.P., 1871 ^c
- [Laemosaccus variabilis](#) Lea, A.M., 1896 ^c
- [Laemosaccus variegatus](#) Lea, A.M., 1899 ^c
- [Laemosaccus varius](#) Bovie in Wytzman, 1909 ^c
- [Laemosaccus ventralis](#) Lea, A.M., 1896 ^c
- [Laemosaccus virgulatus](#) Hustache, 1937 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 315 species in the genus [Lachesilla](#).^{[1][2][3][4]}

***Lachesilla* species**

- [Lachesilla abiesicola](#) Garcia Aldrete, 1990
- [Lachesilla acapulcana](#) Garcia Aldrete, 2011
- [Lachesilla acapulcanoides](#) Garcia Aldrete, 2011
- [Lachesilla aculeata](#) Garcia Aldrete, 1976
- [Lachesilla acuminata](#) Mockford, 1991
- [Lachesilla acuminiforceps](#) Garcia Aldrete, 1996
- [Lachesilla acuminiproctus](#) Garcia Aldrete, 2008
- [Lachesilla acutiloba](#) Broadhead & Alison Richards, 1982
- [Lachesilla aethiopica](#) (Enderlein, 1902)
- [Lachesilla ajuscana](#) Garcia Aldrete, 1990
- [Lachesilla albertina](#) Garcia Aldrete, 1992

- [*Lachesilla aldretei*](#) Badonnel, 1986
- [*Lachesilla aliciae*](#) Garcia Aldrete, 2005
- [*Lachesilla alpejia*](#) Garcia Aldrete, 1988
- [*Lachesilla alpha*](#) Garcia Aldrete, 1985
- [*Lachesilla amacayacuensis*](#) Garcia Aldrete, 2010
- [*Lachesilla amarilla*](#) New, 1971
- [*Lachesilla ambigua*](#) Badonnel, 1972
- [*Lachesilla anahuacensis*](#) Mockford, 2002
- [*Lachesilla andina*](#) Garcia Aldrete, 2009
- [*Lachesilla andra*](#) Sommerman, 1946
- [*Lachesilla anna*](#) Sommerman, 1946
- [*Lachesilla annulata*](#) Smithers, Courtenay, 1964
- [*Lachesilla anomala*](#) Badonnel, 1959
- [*Lachesilla anura*](#) Badonnel, 1931
- [*Lachesilla aptena*](#) Garcia Aldrete, 2008
- [*Lachesilla aquilina*](#) Badonnel, 1943
- [*Lachesilla ariasi*](#) Garcia Aldrete, 2004
- [*Lachesilla arida*](#) Chapman, 1930
- [*Lachesilla arimensis*](#) Garcia Aldrete, 2000
- [*Lachesilla arnae*](#) Sommerman, 1946
- [*Lachesilla aspera*](#) Garcia Aldrete, 1990
- [*Lachesilla asperiforceps*](#) Garcia Aldrete, 2001
- [*Lachesilla asymmetriproctus*](#) Garcia Aldrete, 2008
- [*Lachesilla badonneli*](#) Smithers, Courtenay, 1967
- [*Lachesilla bahiana*](#) Garcia Aldrete, 2000
- [*Lachesilla belemensis*](#) Garcia Aldrete, 2000
- [*Lachesilla bernardi*](#) Badonnel, 1938
- [*Lachesilla beta*](#) Garcia Aldrete, 1985
- [*Lachesilla biannulata*](#) Garcia Aldrete, 2005
- [*Lachesilla bicornata*](#) New & Thornton, 1975
- [*Lachesilla bifurcata*](#) Garcia Aldrete, 1986
- [*Lachesilla bilobata*](#) Garcia Aldrete, 1974
- [*Lachesilla bilunaris*](#) Garcia Aldrete, 1996
- [*Lachesilla bimaculata*](#) Garcia Aldrete, 1982
- [*Lachesilla bimaculatoides*](#) Garcia Aldrete, 2008
- [*Lachesilla bonaerensis*](#) Garcia Aldrete, 2004
- [*Lachesilla bottimeri*](#) Mockford and Gurney, 1956
- [*Lachesilla braheicola*](#) Garcia Aldrete, 1990
- [*Lachesilla brasiliensis*](#) Garcia Aldrete, 1997
- [*Lachesilla braticagua*](#) Garcia Aldrete, 2000
- [*Lachesilla breviforceps*](#) Garcia Aldrete, 1974
- [*Lachesilla brinchangensis*](#) New & S. S. Lee, 1991

- [*Lachesilla broadheadi*](#) Garcia Aldrete, 1990
- [*Lachesilla buettikeri*](#) New, 1979
- [*Lachesilla bugiriana*](#) Smithers, Courtenay, 1960
- [*Lachesilla bulbosiforceps*](#) Garcia Aldrete, 2010
- [*Lachesilla caecilioides*](#) Garcia Aldrete, 1981
- [*Lachesilla cameruna*](#) Badonnel, 1943
- [*Lachesilla capreola*](#) New, 1971
- [*Lachesilla caribe*](#) Garcia Aldrete, 1991
- [*Lachesilla carinata*](#) Garcia Aldrete, 1999
- [*Lachesilla carinatoides*](#) Garcia Aldrete, 1999
- [*Lachesilla carioca*](#) Garcia Aldrete, 1997
- [*Lachesilla carpintero*](#) Garcia Aldrete, 2010
- [*Lachesilla castrii*](#) Badonnel, 1963
- [*Lachesilla castroi*](#) Thornton & A. K. T. Woo, 1973
- [*Lachesilla centralis*](#) Garcia Aldrete, 1983
- [*Lachesilla cerorma*](#) Garcia Aldrete, 2010
- [*Lachesilla cesarcardonai*](#) Garcia Aldrete, Gonzalez Obando & Saldana Guzman,
- [*Lachesilla chamula*](#) Garcia Aldrete, 1982
- [*Lachesilla chapmani*](#) Sommerman, 1946
- [*Lachesilla chiapensis*](#) Garcia Aldrete, 1974
- [*Lachesilla chilensis*](#) Enderlein, 1926
- [*Lachesilla chiricahua*](#) Garcia Aldrete, 1990
- [*Lachesilla chrysostigma*](#) Badonnel, 1977
- [*Lachesilla cintalapa*](#) Garcia Aldrete, 1983
- [*Lachesilla cladiumicola*](#) Garcia Aldrete, 1999
- [*Lachesilla clavicularis*](#) Garcia Aldrete, 2011
- [*Lachesilla columnaris*](#) Garcia Aldrete, 1976
- [*Lachesilla concava*](#) Garcia Aldrete, 2000
- [*Lachesilla contraforcepeta*](#) Chapman, 1930
- [*Lachesilla convexa*](#) Garcia Aldrete, 2000
- [*Lachesilla convexicornis*](#) Garcia Aldrete, 2008
- [*Lachesilla corbalanae*](#) Garcia Aldrete, 2004
- [*Lachesilla cornisterna*](#) Broadhead & Alison Richards, 1982
- [*Lachesilla cornuta*](#) Badonnel, 1948
- [*Lachesilla corona*](#) Chapman, 1930
- [*Lachesilla crutifurca*](#) Li, Fasheng, 2002
- [*Lachesilla cuala*](#) Garcia Aldrete, 1988
- [*Lachesilla cuna*](#) Garcia Aldrete, 1982
- [*Lachesilla cupressicola*](#) Garcia Aldrete, 1990
- [*Lachesilla curviforceps*](#) Garcia Aldrete, 1974
- [*Lachesilla curvipila*](#) Garcia Aldrete, 1982
- [*Lachesilla cuzcoensis*](#) Garcia Aldrete, 2010

- [*Lachesilla dasytirionicola*](#) Garcia Aldrete, 1990
- [*Lachesilla delicata*](#) Garcia Aldrete, 2005
- [*Lachesilla delta*](#) Garcia Aldrete, 1985
- [*Lachesilla dentata*](#) Garcia Aldrete & Mockford, 2010
- [*Lachesilla denticulata*](#) Garcia Aldrete, 1988
- [*Lachesilla denticuliforceps*](#) Garcia Aldrete, 1996
- [*Lachesilla diamantina*](#) Garcia Aldrete & Da Silva, 2013
- [*Lachesilla dichodolichna*](#) (Li, Fasheng, 2002)
- [*Lachesilla dilatiforceps*](#) Garcia Aldrete, 1996
- [*Lachesilla dimorpha*](#) Lienhard, 1981
- [*Lachesilla disjuncta*](#) Garcia Aldrete, 1988
- [*Lachesilla dispariforceps*](#) Mockford, 1986
- [*Lachesilla dividiforceps*](#) Garcia Aldrete, 1984
- [*Lachesilla dividiproctus*](#) Garcia Aldrete, 2009
- [*Lachesilla dominicaensis*](#) Garcia Aldrete, 1996
- [*Lachesilla dona*](#) Sommerman, 1946
- [*Lachesilla ecuatoriana*](#) Garcia Aldrete, 2000
- [*Lachesilla eertmoedi*](#) Garcia Aldrete, 1990
- [*Lachesilla erwini*](#) Garcia Aldrete, 2008
- [*Lachesilla estradaorum*](#) Garcia Aldrete, 1999
- [*Lachesilla falcata*](#) Garcia Aldrete, 2000
- [*Lachesilla falcicula*](#) Badonnel, 1981
- [*Lachesilla filicicola*](#) Garcia Aldrete, 1999
- [*Lachesilla floridana*](#) Garcia Aldrete, 1999
- [*Lachesilla forcepeta*](#) Chapman, 1930
- [*Lachesilla furcata*](#) Badonnel, 1949
- [*Lachesilla fusca*](#) Badonnel, 1949
- [*Lachesilla fuscipalpis*](#) Badonnel, 1972
- [*Lachesilla gamma*](#) Garcia Aldrete, 1985
- [*Lachesilla gigantea*](#) Badonnel, 1935
- [*Lachesilla gladiata*](#) Garcia Aldrete, 2000
- [*Lachesilla gracilis*](#) Garcia Aldrete, 1988
- [*Lachesilla graminicola*](#) Badonnel, 1986
- [*Lachesilla grandis*](#) Badonnel, 1931
- [*Lachesilla greeni*](#) (Pearman, 1933)
- [*Lachesilla gridellii*](#) (Navas, 1927)
- [*Lachesilla guatemalensis*](#) Garcia Aldrete, 1973
- [*Lachesilla guayaquilensis*](#) Garcia Aldrete, 1997
- [*Lachesilla guentheri*](#) Garcia Aldrete, 1990
- [*Lachesilla gurneyi*](#) Garcia Aldrete, 1990
- [*Lachesilla hermosa*](#) Garcia Aldrete, 1982
- [*Lachesilla hirsuta*](#) Lienhard, 2002

- [*Lachesilla huasteca*](#) Mockford, 2002
- [*Lachesilla huitoto*](#) Saenz Manchola, Garcia Aldrete & Gonzalez Obando,
- [*Lachesilla iguazuensis*](#) Garcia Aldrete, 2004
- [*Lachesilla ilama*](#) Garcia Aldrete, 2014
- [*Lachesilla intrans*](#) Li, Fasheng, 1997
- [*Lachesilla ixtlanensis*](#) Garcia Aldrete & J. A. Casasola Gonzalez, 2012
- [*Lachesilla jeanae*](#) Sommerman, 1946
- [*Lachesilla juniperana*](#) Garcia Aldrete, 1990
- [*Lachesilla kahuziana*](#) Badonnel, 1946
- [*Lachesilla kathrynae*](#) Mockford & Gurney, 1956
- [*Lachesilla keniensis*](#) Broadhead & Alison Richards, 1982
- [*Lachesilla kerzhneri*](#) Günther, 1974
- [*Lachesilla kikerensis*](#) Badonnel, 1959
- [*Lachesilla kola*](#) Sommerman, 1946
- [*Lachesilla lachataoensis*](#) Garcia Aldrete & J. A. Casasola Gonzalez, 2012
- [*Lachesilla laciniosiforceps*](#) Garcia Aldrete, 1999
- [*Lachesilla lapadoce*](#) Garcia Aldrete & Da Silva, 2013
- [*Lachesilla latiforceps*](#) Garcia Aldrete, 2011
- [*Lachesilla latinerva*](#) Badonnel, 1955
- [*Lachesilla leonilae*](#) Garcia Aldrete, 1986
- [*Lachesilla lienhardi*](#) Garcia Aldrete, 1990
- [*Lachesilla lingua*](#) New & Thornton, 1975
- [*Lachesilla loisae*](#) Garcia Aldrete, 1988
- [*Lachesilla longiforceps*](#) Garcia Aldrete, 2008
- [*Lachesilla longiproctus*](#) Garcia Aldrete, 2009
- [*Lachesilla lugoi*](#) Garcia Aldrete, 2014
- [*Lachesilla lunata*](#) Garcia Aldrete, 2008
- [*Lachesilla macropudenda*](#) Garcia Aldrete, 2008
- [*Lachesilla maculata*](#) Garcia Aldrete, 1999
- [*Lachesilla maculipenna*](#) Garcia Aldrete, 1982
- [*Lachesilla madecassa*](#) Badonnel, 1967
- [*Lachesilla magna*](#) Garcia Aldrete, 1996
- [*Lachesilla magnifica*](#) Garcia Aldrete, 1976
- [*Lachesilla major*](#) Chapman, 1930
- [*Lachesilla marabaensis*](#) Garcia Aldrete, 2010
- [*Lachesilla maracayensis*](#) Garcia Aldrete, 2000
- [*Lachesilla marginata*](#) New & Thornton, 1975
- [*Lachesilla mariateresae*](#) Garcia Aldrete, 2004
- [*Lachesilla mathieui*](#) Garcia Aldrete, 1972
- [*Lachesilla mattogrossensis*](#) Garcia Aldrete, 1997
- [*Lachesilla maya*](#) Garcia Aldrete, 1986
- [*Lachesilla mayorgae*](#) Garcia Aldrete, 2000

- [*Lachesilla megaforcepeta*](#) Mockford, 1991
- [*Lachesilla meinanderi*](#) Lienhard, 1998
- [*Lachesilla merzi*](#) Lienhard, 1989
- [*Lachesilla mesomaculipenna*](#) Garcia Aldrete, 2008
- [*Lachesilla mexica*](#) Garcia Aldrete, 1982
- [*Lachesilla michiliensis*](#) Garcia Aldrete, 1991
- [*Lachesilla microplatyclatae*](#) Li, Fasheng, 1995
- [*Lachesilla micrura*](#) Badonnel, 1955
- [*Lachesilla minipudenda*](#) Garcia Aldrete, 2008
- [*Lachesilla mockfordi*](#) Garcia Aldrete, 1990
- [*Lachesilla mombachensis*](#) Garcia Aldrete, 2001
- [*Lachesilla mongolica*](#) Günther, 1981
- [*Lachesilla monocera*](#) Li, Fasheng, 2002
- [*Lachesilla monticola*](#) Garcia Aldrete, 1975
- [*Lachesilla mucronata*](#) Badonnel, 1946
- [*Lachesilla muncunilli*](#) (Navás, 1913)
- [*Lachesilla mutabilis*](#) Turner, B. D. & Cheke, 1983
- [*Lachesilla nadleri*](#) Garcia Aldrete, 1996
- [*Lachesilla neoleonensis*](#) Garcia Aldrete, 1974
- [*Lachesilla neotenica*](#) Garcia Aldrete, 2008
- [*Lachesilla nevermanni*](#) (Navás, 1933)
- [*Lachesilla newi*](#) Garcia Aldrete, 1990
- [*Lachesilla nigripalpa*](#) Turner, B. D. & Cheke, 1983
- [*Lachesilla nita*](#) Sommerman, 1946
- [*Lachesilla novemimaculata*](#) Li, Fasheng, 1993
- [*Lachesilla nubilis*](#) (Aaron, 1886)
- [*Lachesilla nubiloides*](#) Garcia Aldrete, 1975
- [*Lachesilla nuptialis*](#) Badonnel & Garcia Aldrete, 1980
- [*Lachesilla oaxacana*](#) Garcia Aldrete, 2001
- [*Lachesilla obrieni*](#) Garcia Aldrete, 1982
- [*Lachesilla otomi*](#) Mockford, 2002
- [*Lachesilla pachyura*](#) Badonnel, 1955
- [*Lachesilla pacifica*](#) Chapman, 1930
- [*Lachesilla pallida*](#) (Chapman, 1930)
- [*Lachesilla palmera*](#) New, 1971
- [*Lachesilla palmicola*](#) Garcia Aldrete, 1981
- [*Lachesilla papillata*](#) Garcia Aldrete, 2000
- [*Lachesilla papilloproctus*](#) Garcia Aldrete, 2008
- [*Lachesilla patula*](#) Garcia Aldrete, 2000
- [*Lachesilla patzunensis*](#) Garcia Aldrete, 1972
- [*Lachesilla paulista*](#) Garcia Aldrete, 1982
- [*Lachesilla peckorum*](#) Garcia Aldrete, 2009

- [*Lachesilla pedicularia*](#) (Linnaeus, 1758) (cosmopolitan grain barklouse)
- [*Lachesilla penta*](#) Sommerman, 1946
- [*Lachesilla pentaoides*](#) Garcia Aldrete, 2008
- [*Lachesilla pereirorum*](#) Garcia Aldrete, 2004
- [*Lachesilla perezii*](#) Garcia Aldrete, 1983
- [*Lachesilla picticeps*](#) Mockford, 1986
- [*Lachesilla picticepsoides*](#) Garcia Aldrete, 1997
- [*Lachesilla pigmentifrons*](#) Garcia Aldrete, 2008
- [*Lachesilla pigmentigena*](#) Garcia Aldrete, 2008
- [*Lachesilla pigmentipenna*](#) Garcia Aldrete, 2008
- [*Lachesilla pigmentithorax*](#) Garcia Aldrete, 1996
- [*Lachesilla pilosiforceps*](#) Garcia Aldrete, 2010
- [*Lachesilla pilosipenna*](#) Garcia Aldrete, 2010
- [*Lachesilla pinicola*](#) Garcia Aldrete, 1990
- [*Lachesilla pisaqensis*](#) Garcia Aldrete & Mockford, 2010
- [*Lachesilla platycladae*](#) Li, Fasheng, 1995
- [*Lachesilla punctata*](#) (Banks, 1905)
- [*Lachesilla putumayensis*](#) Saenz Manchola, Garcia Aldrete & Gonzalez Obando,
- [*Lachesilla qianshanensis*](#) (Li, Fasheng, 2002)
- [*Lachesilla quercicola*](#) Garcia Aldrete, 1990
- [*Lachesilla quercus*](#) (Kolbe, 1880)
- [*Lachesilla querpina*](#) Garcia Aldrete, 1991
- [*Lachesilla rectiforceps*](#) Garcia Aldrete, 1999
- [*Lachesilla rectigladia*](#) Broadhead & Alison Richards, 1982
- [*Lachesilla regiomontana*](#) Garcia Aldrete, 1974
- [*Lachesilla rena*](#) Sommerman, 1946
- [*Lachesilla renicula*](#) Garcia Aldrete, 2000
- [*Lachesilla reyesi*](#) Garcia Aldrete, 1991
- [*Lachesilla rhizophila*](#) Li, Fasheng, 2002
- [*Lachesilla riegeli*](#) Sommerman, 1946
- [*Lachesilla robusta*](#) Garcia Aldrete, 2008
- [*Lachesilla robustiforceps*](#) Garcia Aldrete, 2008
- [*Lachesilla rossica*](#) Roesler, 1953
- [*Lachesilla rufa*](#) (Walsh, 1863)
- [*Lachesilla rugosa*](#) Garcia Aldrete, 1996
- [*Lachesilla ruizabreorum*](#) Garcia Aldrete, 2004
- [*Lachesilla sabinae*](#) Li, Fasheng, 1993
- [*Lachesilla salamana*](#) Garcia Aldrete, 1990
- [*Lachesilla sandersoni*](#) Mockford, 1974
- [*Lachesilla sauteri*](#) Lienhard, 1977
- [*Lachesilla sclera*](#) New & Thornton, 1975
- [*Lachesilla septenaria*](#) Li, Fasheng, 2002

- [*Lachesilla silvatica*](#) Garcia Aldrete, 1988
- [*Lachesilla smithersi*](#) Garcia Aldrete, 1990
- [*Lachesilla soaresi*](#) Badonnel, 1973
- [*Lachesilla sola*](#) Garcia Aldrete, 1982
- [*Lachesilla sommermanae*](#) Garcia Aldrete, 1990
- [*Lachesilla sonamarga*](#) Garcia Aldrete, 1988
- [*Lachesilla spathuliforceps*](#) Garcia Aldrete, 2008
- [*Lachesilla spilotipenna*](#) Garcia Aldrete, 2008
- [*Lachesilla spiniforceps*](#) Garcia Aldrete, 2008
- [*Lachesilla squamiforceps*](#) Garcia Aldrete, 2010
- [*Lachesilla striatiforceps*](#) Garcia Aldrete, 2011
- [*Lachesilla sulcata*](#) Garcia Aldrete, 1986
- [*Lachesilla symmetriproctus*](#) Garcia Aldrete, 2008
- [*Lachesilla szirakii*](#) Garcia Aldrete, 2009
- [*Lachesilla tambopatensis*](#) Garcia Aldrete, 2008
- [*Lachesilla tanaidana*](#) Roesler, 1953
- [*Lachesilla tapanatepeca*](#) Garcia Aldrete, 1986
- [*Lachesilla tapiabarqueroi*](#) Garcia Aldrete, 2001
- [*Lachesilla taxodicola*](#) Garcia Aldrete, 1973
- [*Lachesilla tectorum*](#) Badonnel, 1931
- [*Lachesilla tehuautlensis*](#) Garcia Aldrete, 2000
- [*Lachesilla tekwaensis*](#) Smithers, Courtenay, 1999
- [*Lachesilla teresiana*](#) Garcia Aldrete, 1997
- [*Lachesilla texana*](#)
- [*Lachesilla texcocana*](#) Garcia Aldrete, 1972
- [*Lachesilla thorntoni*](#) Garcia Aldrete, 1990
- [*Lachesilla tlapaensis*](#) Garcia Aldrete, 2007
- [*Lachesilla torulosa*](#) Garcia Aldrete, 2000
- [*Lachesilla trinidadensis*](#) Garcia Aldrete, 1996
- [*Lachesilla tropica*](#) Garcia Aldrete, 1982
- [*Lachesilla trujillensis*](#) Garcia Aldrete, 1995
- [*Lachesilla trunca*](#) Garcia Aldrete, 2000
- [*Lachesilla tuita*](#) Garcia Aldrete, 1988
- [*Lachesilla turneri*](#) Garcia Aldrete, 1990
- [*Lachesilla typhicola*](#) Garcia Aldrete, 1999
- [*Lachesilla ultima*](#) Garcia Aldrete, 1982
- [*Lachesilla unsijensis*](#) Garcia Aldrete & J. A. Casasola Gonzalez, 2012
- [*Lachesilla valvula*](#) New & Thornton, 1975
- [*Lachesilla veneper*](#) Garcia Aldrete, 1997
- [*Lachesilla williamsi*](#) Garcia Aldrete, 2010
- [*Lachesilla wongae*](#) Garcia Aldrete, 1990
- [*Lachesilla wutaishanensis*](#) (Li, Fasheng, 2002)

- [*Lachesilla xalapensis*](#) Garcia Aldrete, 2001
- [*Lachesilla ximaensis*](#) Li, Fasheng, 2002
- [*Lachesilla yakima*](#) Mockford and Garcia Aldrete, 1974
- [*Lachesilla yanomami*](#) Mockford, 1996
- [*Lachesilla yanomamioides*](#) Garcia Aldrete, 1996
- [*Lachesilla yucateca*](#) Mockford, 2002
- [*Lachesilla yuccalnicola*](#) Garcia Aldrete, 1990
- [*Lachesilla zapoteca*](#) Garcia Aldrete, 1975
- [*Lachesilla zaragozai*](#) Garcia Aldrete & Mockford, 2010
- [*Lachesilla zeta*](#) Garcia Aldrete, 1985

This is a list of 147 species in [*Isonychus*](#), a genus of May beetles and junebugs in the family [*Scarabaeidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Isonychus* species**

- [*Isonychus aenescens*](#) Moser, 1919 ^{c g}
- [*Isonychus aequatorialis*](#) Moser, 1924 ^{c g}
- [*Isonychus albicinctus*](#) (Mannerheim, 1829) ^{c g}
- [*Isonychus albofasciatus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus albosignatus*](#) Moser, 1921 ^{c g}
- [*Isonychus alienus*](#) Frey, 1970 ^{c g}
- [*Isonychus angosturanus*](#) Moser, 1924 ^{c g}
- [*Isonychus arbusticola*](#) Erichson, 1847 ^{c g}
- [*Isonychus argentinus*](#) Moser, 1919 ^{c g}
- [*Isonychus arizonensis*](#) Howden, 1959 ^{i c g b}
- [*Isonychus bahianus*](#) Frey, 1974 ^{c g}
- [*Isonychus bimaculatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus bistrigus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus bivittatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus boliviensis*](#) Moser, 1918 ^{c g}
- [*Isonychus braumeisteri*](#) Frey, 1969 ^{c g}
- [*Isonychus bruchiformis*](#) (Germar, 1813) ^{c g}
- [*Isonychus burmeisteri*](#) Von Dalle Torre, 1912 ^{c g}
- [*Isonychus callosipygus*](#) Frey, 1965 ^{c g}
- [*Isonychus castaneus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus catharinae*](#) Blanchard, 1850 ^{c g}

- [*Isonychus caudiculatus*](#) Moser, 1918 ^{c g}
- [*Isonychus cervicapra*](#) Frey, 1965 ^{c g}
- [*Isonychus cervinalis*](#) Frey, 1965 ^{c g}
- [*Isonychus cervinodes*](#) Frey, 1965 ^{c g}
- [*Isonychus cervinus*](#) Erichson, 1847 ^{c g}
- [*Isonychus chacoensis*](#) Moser, 1918 ^{c g}
- [*Isonychus chiriquinus*](#) Bates, 1887 ^{c g}
- [*Isonychus cinereus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus costaricensis*](#) Moser, 1918 ^{c g}
- [*Isonychus crinitus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus denudatus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus discolor*](#) Moser, 1924 ^{c g}
- [*Isonychus egregius*](#) Frey, 1965 ^{c g}
- [*Isonychus elegans*](#) Blanchard, 1850 ^{c g}
- [*Isonychus elongatus*](#) Frey, 1965 ^{c g}
- [*Isonychus erectepilosus*](#) Frey, 1970 ^{c g}
- [*Isonychus fasciatipennis*](#) Moser, 1924 ^{c g}
- [*Isonychus fasciolatus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus flaviventris*](#) Moser, 1921 ^{c g}
- [*Isonychus flavopilosus*](#) Moser, 1921 ^{c g}
- [*Isonychus fraternus*](#) Moser, 1918 ^{c g}
- [*Isonychus fraudulentus*](#) Frey, 1969 ^{c g}
- [*Isonychus fulvescens*](#) Blanchard, 1850 ^{c g}
- [*Isonychus fulvipennis*](#) Moser, 1921 ^{c g}
- [*Isonychus fuscipennis*](#) Blanchard, 1850 ^{c g}
- [*Isonychus gracilipes*](#) Blanchard, 1850 ^{c g}
- [*Isonychus gracilis*](#) Burmeister, 1855 ^{c g}
- [*Isonychus granarius*](#) Burmeister, 1855 ^{c g}
- [*Isonychus granuliventris*](#) Frey, 1970 ^{c g}
- [*Isonychus griseolus*](#) Moser, 1921 ^{c g}
- [*Isonychus griseopilosus*](#) Moser, 1921 ^{c g}
- [*Isonychus griseus*](#) Mannerheim, 1829 ^{c g}
- [*Isonychus guayanensis*](#) Frey, 1970 ^{c g}
- [*Isonychus hiekei*](#) Frey, 1965 ^{c g}
- [*Isonychus hirsutus*](#) Bates, 1887 ^{c g}
- [*Isonychus kulzeri*](#) Frey, 1967 ^{c g}

- [*Isonychus kuntzeni*](#) Moser, 1921 ^{c g}
- [*Isonychus laevipygus*](#) Frey, 1964 ^{c g}
- [*Isonychus leechi*](#) Frey, 1969 ^{c g}
- [*Isonychus limbatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus lindemanna*](#) Frey, 1974 ^{c g}
- [*Isonychus lineatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus lineola*](#) Blanchard, 1850 ^{c g}
- [*Isonychus lituratus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus lojanus*](#) Frey, 1967 ^{c g}
- [*Isonychus maculatus*](#) Waterhouse, 1874 ^{c g}
- [*Isonychus maculipennis*](#) Moser, 1918 ^{c g}
- [*Isonychus marmoratus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus marmoreus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus microsquamosus*](#) Frey, 1970 ^{c g}
- [*Isonychus minutus*](#) (Fabricius, 1801) ^{c g}
- [*Isonychus murinus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus mus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus mutans*](#) Frey, 1970 ^{c g}
- [*Isonychus neglectus*](#) Moser, 1918 ^{c g}
- [*Isonychus nigripes*](#) Moser, 1921 ^{c g}
- [*Isonychus nitens*](#) Moser, 1921 ^{c g}
- [*Isonychus nitidus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus nubeculus*](#) Frey, 1969 ^{c g}
- [*Isonychus nubilus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus nudipennis*](#) Frey, 1967 ^{c g}
- [*Isonychus obesulus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus oblongoguttatus*](#) Moser, 1921 ^{c g}
- [*Isonychus oblongomaculatus*](#) Moser, 1921 ^{c g}
- [*Isonychus obsoletus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus ocellatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus ochraceus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus ohausi*](#) Moser, 1921 ^{c g}
- [*Isonychus ornatipennis*](#) Moser, 1921 ^{c g}
- [*Isonychus ovinus*](#) Erichson, 1847 ^{c g}
- [*Isonychus paganus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus paradoxus*](#) Bates, 1887 ^{c g}

- [*Isonychus parallelus*](#) Frey, 1970 ^{c g}
- [*Isonychus paranus*](#) Moser, 1921 ^{c g}
- [*Isonychus parvulus*](#) Moser, 1918 ^{c g}
- [*Isonychus pauloensis*](#) Frey, 1970 ^{c g}
- [*Isonychus pavonii*](#) Erichson, 1847 ^{c g}
- [*Isonychus penai*](#) Frey, 1966 ^{c g}
- [*Isonychus pereirai*](#) Frey, 1970 ^{c g}
- [*Isonychus peruanus*](#) Moser, 1921 ^{c g}
- [*Isonychus phlaeopterus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus pictus*](#) Sharp, 1877 ^{c g}
- [*Isonychus pilicollis*](#) Moser, 1924 ^{c g}
- [*Isonychus pilosus*](#) Evans, 2003 ^{c g}
- [*Isonychus piperitus*](#) Bates, 1887 ^{c g}
- [*Isonychus podicalis*](#) Moser, 1918 ^{c g}
- [*Isonychus politus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus prasinus*](#) Nonfried, 1891 ^{c g}
- [*Isonychus psittacinus*](#) Dejean, 1836 ^{c g}
- [*Isonychus pulchellus*](#) Moser, 1918 ^{c g}
- [*Isonychus religiosus*](#) Evans, 2003 ^{c g}
- [*Isonychus rosettae*](#) Frey, 1969 ^{c g}
- [*Isonychus rugicollis*](#) Burmeister, 1855 ^{c g}
- [*Isonychus saltanus*](#) Frey, 1969 ^{c g}
- [*Isonychus saylori*](#) Frey, 1969 ^{c g}
- [*Isonychus schneblei*](#) Frey, 1964 ^{c g}
- [*Isonychus scutellaris*](#) Moser, 1918 ^{c g}
- [*Isonychus setifer*](#) Moser, 1918 ^{c g}
- [*Isonychus similis*](#) Frey, 1973 ^{c g}
- [*Isonychus simplex*](#) Frey, 1976 ^{c g}
- [*Isonychus simulator*](#) Frey, 1969 ^{c g}
- [*Isonychus soricinus*](#) Blanchard, 1850 ^{c g}
- [*Isonychus squamifer*](#) Blanchard, 1850 ^{c g}
- [*Isonychus squamulosus*](#) Frey, 1970 ^{c g}
- [*Isonychus striatipennis*](#) Moser, 1918 ^{c g}
- [*Isonychus striolatus*](#) Frey, 1970 ^{c g}
- [*Isonychus submaculatus*](#) Moser, 1921 ^{c g}
- [*Isonychus sulcicollis*](#) Moser, 1921 ^{c g}

- [*Isonychus sulphureus*](#) Mannerheim, 1829 ^{c g}
- [*Isonychus suturalis*](#) Mannerheim, 1829 ^{c g}
- [*Isonychus tessellatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus tomentosus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus unicolor*](#) Blanchard, 1850 ^{c g}
- [*Isonychus unidens*](#) Frey, 1972 ^{c g}
- [*Isonychus uniformis*](#) Moser, 1920 ^{c g}
- [*Isonychus ursus*](#) Moser, 1918 ^{c g}
- [*Isonychus varians*](#) Blanchard, 1850 ^{c g}
- [*Isonychus variegatus*](#) (Germar, 1824) ^{c g}
- [*Isonychus variipennis*](#) Moser, 1918 ^{c g}
- [*Isonychus ventralis*](#) Moser, 1921 ^{c g}
- [*Isonychus vestitus*](#) (Castelnau, 1840) ^{c g}
- [*Isonychus vicinus*](#) Moser, 1918 ^{c g}
- [*Isonychus vittatus*](#) Burmeister, 1855 ^{c g}
- [*Isonychus vittiger*](#) Blanchard, 1850 ^{c g}
- [*Isonychus vittipennis*](#) Moser, 1921 ^{c g}
- [*Isonychus zikani*](#) Moser, 1921 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These species belong to the genus [*Hypothenemus*](#), oriental bark beetles.[1]

***Hypothenemus* species**

- [*Hypothenemus aberrans*](#) Browne, 1973
- [*Hypothenemus abhorrens*](#) Wood, 2007
- [*Hypothenemus abruptus*](#) (Schedl, 1961)
- [*Hypothenemus acaciae*](#) (Eggers, 1920)
- [*Hypothenemus adscitus*](#) (Schedl, 1950)
- [*Hypothenemus adustus*](#) Bright, 2019
- [*Hypothenemus aethiops*](#) (Schedl, 1965)
- [*Hypothenemus africanus*](#) (Hopkins, 1915)
- [*Hypothenemus agnatus*](#) (Eggers, 1924)
- [*Hypothenemus alternatus*](#) (Eggers, 1943)
- [*Hypothenemus amakusanus*](#) (Murayama, 1934)

- [Hypothenemus amplissimus](#) Bright & Torres, 2006
- [Hypothenemus apicalis](#) Wood, 1974
- [Hypothenemus areccae](#) (Hornung, 1842)
- [Hypothenemus artocarp](#)i Browne, 1978
- [Hypothenemus arundinis](#) (Eichhoff, 1878)
- [Hypothenemus ascitus](#) Wood, 1971
- [Hypothenemus ater](#) Eggers, 1932
- [Hypothenemus aterrimulus](#) Wood, 1989
- [Hypothenemus aterrimus](#) (Schedl, 1951)
- [Hypothenemus atomus](#) Hopkins, 1915
- [Hypothenemus atratus](#) (Schedl, 1964)
- [Hypothenemus attenuatus](#) (Eggers, 1935)
- [Hypothenemus aulmanni](#) Hagedorn, 1912
- [Hypothenemus avitus](#) Bright & Poinar, 1994
- [Hypothenemus balachowskyi](#) Menier, 1971
- [Hypothenemus baloghi](#) (Schedl, 1967)
- [Hypothenemus bambusae](#) Browne, 1980
- [Hypothenemus barinensis](#) Wood, 2007
- [Hypothenemus bauhaniae](#) (Schedl, 1950)
- [Hypothenemus bezaziani](#) Peyerimhoff, 1935
- [Hypothenemus bicinctus](#) Schedl, 1959
- [Hypothenemus bidens](#) Browne, 1973
- [Hypothenemus bifurcatus](#) Bright, 2019
- [Hypothenemus birmanus](#) (Eichhoff, 1878)
- [Hypothenemus biseriatus](#) (Eggers, 1919)
- [Hypothenemus bolivianus](#) (Eggers, 1931)
- [Hypothenemus brevicollis](#) (Eggers, 1927)
- [Hypothenemus brevis](#) Eggers, 1932
- [Hypothenemus californicus](#) Hopkins, 1915
- [Hypothenemus camerunus](#) (Eggers, 1922)
- [Hypothenemus carbonarius](#) Eggers, 1943
- [Hypothenemus carinafrons](#) Bright, 2019
- [Hypothenemus colae](#) (Schedl, 1957)
- [Hypothenemus collinus](#) Bright, 2019
- [Hypothenemus columbi](#) Hopkins, 1915
- [Hypothenemus concolor](#) Hagedorn, 1909
- [Hypothenemus costatus](#) (Eichhoff, 1878)
- [Hypothenemus crinatus](#) Bright, 2019
- [Hypothenemus criticus](#) (Schedl, 1937)
- [Hypothenemus crudiae](#) (Panzer, 1791)
- [Hypothenemus cryphaloides](#) (Eichhoff, 1878)
- [Hypothenemus cuneolus](#) (Schedl, 1936)

- [Hypothenemus curtipennis](#) (Schedl, 1950)
- [Hypothenemus cylindraceus](#) Schedl, 1972
- [Hypothenemus cynometrae](#) Schedl, 1957
- [Hypothenemus delicatus](#) Schedl, 1964
- [Hypothenemus deprecator](#) (Schedl, 1941)
- [Hypothenemus dexter](#) (Sampson, 1922)
- [Hypothenemus dimorphus](#) (Schedl, 1959)
- [Hypothenemus dipterocarpi](#) Hopkins, 1915
- [Hypothenemus discordis](#) Bright, 2019
- [Hypothenemus dissimilis](#) (Zimmermann, 1868)
- [Hypothenemus distinctus](#) Wood, 1954
- [Hypothenemus dolichocola](#) Hopkins, 1915
- [Hypothenemus donisi](#) (Schedl, 1957)
- [Hypothenemus dorsosignatus](#) (Schedl, 1950)
- [Hypothenemus dubitalis](#) Bright, 2019
- [Hypothenemus ebenus](#) Wood, 2007
- [Hypothenemus elephas](#) (Eichhoff, 1872)
- [Hypothenemus emmi](#) (Hagedorn, 1913)
- [Hypothenemus erectus](#) LeConte, 1876
- [Hypothenemus eruditus](#) (Westwood, 1834)
- [Hypothenemus euphorbiae](#) (Schedl, 1961)
- [Hypothenemus exceptus](#) Bright, 2019
- [Hypothenemus exiguus](#) (Wood, 1986)
- [Hypothenemus eximius](#) Schedl, 1951
- [Hypothenemus externedentatus](#) Schedl, 1959
- [Hypothenemus flavus](#) Hopkins, 1915
- [Hypothenemus fuscicollis](#) (Eichhoff, 1878)
- [Hypothenemus georgiae](#) (Hopkins, 1915)
- [Hypothenemus glabratus](#) (Schedl, 1957)
- [Hypothenemus glabripennis](#) (Hopkins, 1915)
- [Hypothenemus gossypii](#) (Hopkins, 1915)
- [Hypothenemus grandis](#) Schedl, 1939
- [Hypothenemus granulatus](#) Bright, 2019
- [Hypothenemus hampei](#) (Ferrari, 1867)
- [Hypothenemus hirsutus](#) (Wood, 1954)
- [Hypothenemus hystrix](#) (Eggers, 1919)
- [Hypothenemus ignotus](#) Bright, 2019
- [Hypothenemus improvidus](#) Bright, 2019
- [Hypothenemus incognitus](#) (Schedl, 1967)
- [Hypothenemus indigens](#) Wood, 1974
- [Hypothenemus indigenus](#) Bright & Peck, 1998
- [Hypothenemus indistinctus](#) Bright, 2019

- [*Hypothenemus ingens*](#) Schedl, 1942
- [*Hypothenemus inordinatus*](#) Bright, 2019
- [*Hypothenemus insulanus*](#) Bright, 2002
- [*Hypothenemus interstitialis*](#) (Hopkins, 1915)
- [*Hypothenemus intricatus*](#) (Schedl, 1950)
- [*Hypothenemus japonicus*](#) (Niisima, 1910)
- [*Hypothenemus javanus*](#) (Eggers, 1908)
- [*Hypothenemus kamathi*](#) Beaver, 1995
- [*Hypothenemus kraunhiae*](#) Murayama, 1950
- [*Hypothenemus lefevrei*](#) (Schedl, 1952)
- [*Hypothenemus leprieuri*](#) (Perris, 1866)
- [*Hypothenemus leptosquamus*](#) Bright, 2019
- [*Hypothenemus liberiensis*](#) (Hopkins, 1915)
- [*Hypothenemus liliputianus*](#) Bright, 2019
- [*Hypothenemus lineatus*](#) (Eggers, 1927)
- [*Hypothenemus longipennis*](#) (Eggers, 1935)
- [*Hypothenemus longipilis*](#) Schedl, 1952
- [*Hypothenemus loranthus*](#) (Schedl, 1942)
- [*Hypothenemus macrolobii*](#) (Eggers, 1940)
- [*Hypothenemus madagascariensis*](#) Schedl, 1953
- [*Hypothenemus magnus*](#) (Eggers, 1924)
- [*Hypothenemus major*](#) Browne, 1970
- [*Hypothenemus malayensis*](#) (Schedl, 1977)
- [*Hypothenemus mallyi*](#) (Hopkins, 1915)
- [*Hypothenemus malus*](#) (Schedl, 1957)
- [*Hypothenemus mangovorus*](#) Schedl, 1961
- [*Hypothenemus marginatus*](#) Johnson, 2020
- [*Hypothenemus marshalli*](#) (Eggers, 1936)
- [*Hypothenemus mateui*](#) (Schedl, 1965)
- [*Hypothenemus melanarius*](#) (Schedl, 1953)
- [*Hypothenemus melasomus*](#) (Lea, 1910)
- [*Hypothenemus meridensis*](#) Wood, 2007
- [*Hypothenemus miles*](#) (LeConte, 1878)
- [*Hypothenemus minor*](#) (Eggers, 1927)
- [*Hypothenemus modestus*](#) (Murayama, 1940)
- [*Hypothenemus morigerus*](#) (Schedl, 1957)
- [*Hypothenemus morio*](#) (Eggers, 1940)
- [*Hypothenemus morosus*](#) Schedl, 1965
- [*Hypothenemus mozambiquensis*](#) Eggers, 1943
- [*Hypothenemus mulongensis*](#) (Eggers, 1940)
- [*Hypothenemus multidentatulus*](#) (Schedl, 1962)
- [*Hypothenemus multidentatus*](#) (Hopkins, 1915)

- [*Hypothenemus multipunctatus*](#) (Schedl, 1939)
- [*Hypothenemus muticus*](#) (Schedl, 1961)
- [*Hypothenemus namosianus*](#) Browne, 1983
- [*Hypothenemus nanellus*](#) Wood, 1971
- [*Hypothenemus nanoparvus*](#) Bright, 2019
- [*Hypothenemus natalensis*](#) (Schedl, 1941)
- [*Hypothenemus nesiotes*](#) Bright, 2019
- [*Hypothenemus nigropiceus*](#) (Schedl, 1951)
- [*Hypothenemus novateutonicus*](#) (Schedl, 1951)
- [*Hypothenemus obscurifrons*](#) Bright, 2019
- [*Hypothenemus obscurus*](#) (Fabricius, 1801)
- [*Hypothenemus opacus*](#) (Eichhoff, 1872)
- [*Hypothenemus paradoxus*](#) Schedl, 1964
- [*Hypothenemus parallelus*](#) (Hopkins, 1915)
- [*Hypothenemus parasquamosus*](#) Bright, 2019
- [*Hypothenemus parvulus*](#) Bright, 2019
- [*Hypothenemus parvulus*](#) Browne, 1984
- [*Hypothenemus paulus*](#) Bright, 2019
- [*Hypothenemus perappositus*](#) (Schedl, 1934)
- [*Hypothenemus perexiguus*](#) Bright, 2019
- [*Hypothenemus perhispidus*](#) (Eggers, 1927)
- [*Hypothenemus perpunctatus*](#) (Eggers, 1940)
- [*Hypothenemus piaparolinae*](#) Johnson, Atkinson & Hulcr, 2016
- [*Hypothenemus pilosus*](#) Hopkins, 1915
- [*Hypothenemus ponticus*](#) Bright, 2019
- [*Hypothenemus praececellens*](#) (Schedl, 1972)
- [*Hypothenemus pubescens*](#) Hopkins, 1915
- [*Hypothenemus pubipennis*](#) (Eggers, 1935)
- [*Hypothenemus puertoricensis*](#) (Bright & Torres, 2006)
- [*Hypothenemus pullus*](#) (Wood, 1971)
- [*Hypothenemus pygmaeomorphus*](#) Bright, 2019
- [*Hypothenemus rotundicollis*](#) (Eichhoff, 1878)
- [*Hypothenemus rubrithorax*](#) Bright, 2019
- [*Hypothenemus ruficeps*](#) Perkins, 1900
- [*Hypothenemus rugifer*](#) (Schedl, 1965)
- [*Hypothenemus ruginosus*](#) Wood, 1989
- [*Hypothenemus rugosipes*](#) Wood, 2007
- [*Hypothenemus sambesianus*](#) Eggers, 1943
- [*Hypothenemus sapporoensis*](#) (Niisima, 1910)
- [*Hypothenemus sassaensis*](#) (Eggers, 1924)
- [*Hypothenemus schedli*](#) Browne, 1963
- [*Hypothenemus scutiae*](#) (Schedl, 1959)

- [*Hypothenemus seoulensis*](#) Choo & Woo, 1989
- [*Hypothenemus seriatus*](#) (Eichhoff, 1872)
- [*Hypothenemus setiferous*](#) Bright, 2019
- [*Hypothenemus setosus*](#) (Eichhoff, 1868)
- [*Hypothenemus simoni*](#) (Reitter, 1887)
- [*Hypothenemus sobrinus*](#) (Schedl, 1965)
- [*Hypothenemus socialis*](#) (Schedl, 1957)
- [*Hypothenemus solitarius*](#) (Schedl, 1950)
- [*Hypothenemus solivagus*](#) Bright, 2019
- [*Hypothenemus solocis*](#) Wood, 1974
- [*Hypothenemus sparsedentatus*](#) (Schedl, 1942)
- [*Hypothenemus sparsus*](#) Hopkins, 1915
- [*Hypothenemus spinatus*](#) (Schedl, 1977)
- [*Hypothenemus spinicollis*](#) (Schedl, 1965)
- [*Hypothenemus spinosus*](#) (Schedl, 1979)
- [*Hypothenemus squamosulus*](#) Johnson, 2020
- [*Hypothenemus squamosus*](#) (Hopkins, 1915)
- [*Hypothenemus stigmosus*](#) (Schedl, 1951)
- [*Hypothenemus striatus*](#) (Atkinson, 1993)
- [*Hypothenemus styrax*](#) (Schedl, 1942)
- [*Hypothenemus subacuminatus*](#) (Schedl, 1942)
- [*Hypothenemus subterrestris*](#) Johnson, Atkinson & Hulcr, 2016
- [*Hypothenemus suspectus*](#) Wood, 1974
- [*Hypothenemus tectus*](#) Bright, 2019
- [*Hypothenemus teretis*](#) Wood, 1971
- [*Hypothenemus teteforti*](#) (Menier, 1971)
- [*Hypothenemus tredli*](#) (Reitter, 1908)
- [*Hypothenemus tristis*](#) (Eichhoff, 1876)
- [*Hypothenemus trivialis*](#) Wood, 1974
- [*Hypothenemus tuberosus*](#) (Schedl, 1942)
- [*Hypothenemus turnbowi*](#) Bright, 2019
- [*Hypothenemus ustulatus*](#) Bright, 2019
- [*Hypothenemus vernaculus*](#) Bright, 2019
- [*Hypothenemus versicolor*](#) Bright, 2019
- [*Hypothenemus vesculus*](#) Wood, 1974
- [*Hypothenemus villosus*](#) Bright, 2019
- [*Hypothenemus virolae*](#) Wood, 2007
- [*Hypothenemus vitis*](#) Browne, 1970
- [*Hypothenemus winkleri*](#) (Reitter, 1907)
- [*Hypothenemus woodi*](#) Bright, 2019
- [*Hypothenemus xanthophloeae*](#) (Schedl, 1957)

This is a list of 123 species in [*Hypocaccus*](#), a genus of clown beetles in the family [*Histeridae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Hypocaccus* species**

- [*Hypocaccus acorni*](#) Bousquet and Laplante, 2006 ^{i c g}
- [*Hypocaccus acridens*](#) (Schmidt, 1890) ^{i c g}
- [*Hypocaccus aequabilis*](#) (Reichardt, 1932) ^{i c g}
- [*Hypocaccus ainu*](#) Lewis, 1899 ^{i c g}
- [*Hypocaccus amabilis*](#) (Penati and Vienna, 1995) ^{i c g}
- [*Hypocaccus angulosus*](#) (Wollaston, 1864) ^{i c g}
- [*Hypocaccus araneicola*](#) (Desbordes, 1930) ^{i c g}
- [*Hypocaccus ascendens*](#) (Reichardt, 1932) ^{i c g}
- [*Hypocaccus asiaticus*](#) (Mazur, 1975) ^{i c g}
- [*Hypocaccus asticus*](#) Lewis, 1911 ^{i c g}
- [*Hypocaccus axeli*](#) Kryzhanovskij in Kryzhanovskij and Reichardt, 1976 ^{i c g}
- [*Hypocaccus balux*](#) (Reichardt, 1932) ^{i c g}
- [*Hypocaccus basilewskyi*](#) (Thérond, 1955) ^{i c g}
- [*Hypocaccus baudii*](#) (Schmidt, 1890) ^{i c g}
- [*Hypocaccus becvari*](#) Gomy, 2009 ^{i c g}
- [*Hypocaccus beneteau*](#) (Gomy, 1986) ^{i c}
- [*Hypocaccus bigemmeus*](#) (J. L. LeConte, 1851) ^{i c g b}
- [*Hypocaccus bigener*](#) (J. E. LeConte, 1844) ^{i c g b}
- [*Hypocaccus brahminius*](#) (Marseul, 1864) ^{i c g}
- [*Hypocaccus brasiliensis*](#) (Paykull, 1811) ^{i c g b}
- [*Hypocaccus callani*](#) Thérond, 1958 ^{i c g}
- [*Hypocaccus canariensis*](#) (Thérond, 1966) ^{i c g}
- [*Hypocaccus consobrinus*](#) (Fall, 1901) ^{i c g}
- [*Hypocaccus consputus*](#) (Marseul, 1855) ^{i c g}
- [*Hypocaccus controversus*](#) (G. Müller, 1937) ^{i c g}
- [*Hypocaccus crassipes*](#) (Erichson, 1834) ^{i c g}
- [*Hypocaccus cupreolus*](#) (Vienna in Penati and Vienna, 1993) ^{i c g}
- [*Hypocaccus dauricus*](#) Reichardt, 1930 ^{i c g}
- [*Hypocaccus densus*](#) (Casey, 1924) ^{i c g}
- [*Hypocaccus dimidiatipennis*](#) (J. E. LeConte, 1824) ^{i c g b}

- [*Hypocaccus dimidiatus*](#) (Illiger, 1807) ^{i c g}
- [*Hypocaccus disjunctus*](#) (Marseul, 1855) ^{i c g}
- [*Hypocaccus dyolofensis*](#) (Gomy, 2004) ^{i c g}
- [*Hypocaccus emendatus*](#) (Peyerimhoff, 1917) ^{i c g}
- [*Hypocaccus eremobius*](#) (Reichardt, 1932) ^{i c g}
- [*Hypocaccus erosus*](#) (Wollaston, 1864) ^{i c g}
- [*Hypocaccus estriatus*](#) (J. L. LeConte, 1857) ^{i c g b}
- [*Hypocaccus ferrerii*](#) (Yélamos, 1992) ^{i c g}
- [*Hypocaccus ferrugineus*](#) (Marseul, 1855) ^{i c g}
- [*Hypocaccus fitchi*](#) (Marseul, 1862) ^{i c g b}
- [*Hypocaccus fochi*](#) (Auzat, 1921) ^{i c g}
- [*Hypocaccus formosus*](#) Reichardt, 1941 ^{i c g}
- [*Hypocaccus fraternus*](#) (Say, 1825) ^{i c g b}
- [*Hypocaccus fugax*](#) (Marseul, 1857) ^{i c g}
- [*Hypocaccus fugitivus*](#) (Desbordes, 1925) ^{i c g}
- [*Hypocaccus gaudens*](#) (J. L. LeConte, 1851) ^{i c g b}
- [*Hypocaccus gemmeus*](#) (Lewis, 1888) ^{i c g}
- [*Hypocaccus gienae*](#) (Vienna and Kanaar, 1996) ^{i c g}
- [*Hypocaccus grandini*](#) (Marseul, 1870) ^{i c g}
- [*Hypocaccus gridellii*](#) (G. Müller, 1929) ^{i c g}
- [*Hypocaccus grosclaudei*](#) (Normand, 1935) ^{i c g}
- [*Hypocaccus hirsutus*](#) Lackner, 2015 ^{i c g}
- [*Hypocaccus hosseinius*](#) (A. Théry, 1921) ^{i c g}
- [*Hypocaccus interpunctatus*](#) (Schmidt, 1885) ^{i c g}
- [*Hypocaccus iris*](#) (Fall, 1919) ^{i c g b}
- [*Hypocaccus janatii*](#) Gomy in Gomy et al., 2014 ^{i c g}
- [*Hypocaccus japhonis*](#) (Schmidt, 1890) ^{i c g}
- [*Hypocaccus kidpaddlei*](#) Gomy, 2008 ^{i c g}
- [*Hypocaccus kincaidi*](#) McGrath and Hatch, 1941 ^{i c g}
- [*Hypocaccus kiseritzkyi*](#) (Reichardt, 1932) ^{i c g}
- [*Hypocaccus kochi*](#) (Thérond, 1958) ^{i c g}
- [*Hypocaccus laevis*](#) Thérond, 1963 ^{i c g}
- [*Hypocaccus lewisii*](#) (Schmidt, 1890) ^{i c g}
- [*Hypocaccus lopatini*](#) Tishechkin, 2005 ^{i c g}
- [*Hypocaccus lucidulus*](#) (J. L. LeConte, 1851) ^{i c g b}
- [*Hypocaccus lustrans*](#) (Casey, 1926) ^{i c g}

- [Hypocaccus lyleae](#) Gomy and Vienna, 2011 ^{i c g}
- [Hypocaccus malabaricus](#) (Reichardt, 1932) ^{i c g}
- [Hypocaccus marginatus](#) (Vienna and Yélamos, 1997) ^{i c g}
- [Hypocaccus metallicus](#) (Herbst, 1791) ^{i c g}
- [Hypocaccus minor](#) Dahlgren, 1985 ^{i c g}
- [Hypocaccus mongolicus](#) (Reichardt, 1932) ^{i c g}
- [Hypocaccus mundus](#) (Wollaston, 1864) ^{i c g}
- [Hypocaccus nigrocaeruleus](#) (Thérond, 1960) ^{i c g}
- [Hypocaccus occator](#) (Reichardt, 1932) ^{i c g}
- [Hypocaccus occidentalis](#) Thérond, 1963 ^{i c g}
- [Hypocaccus omissus](#) (Casey, 1916) ^{i c g}
- [Hypocaccus orbus](#) (Reichardt, 1932) ^{i c g}
- [Hypocaccus oxytropis](#) (Reichardt, 1932) ^{i c g}
- [Hypocaccus paivae](#) (Wollaston, 1867) ^{i c g}
- [Hypocaccus patruelis](#) (J. E. LeConte, 1845) ^{i c g b}
- [Hypocaccus pavianus](#) (Bickhardt, 1921) ^{i c g}
- [Hypocaccus pelleti](#) (Marseul, 1862) ^{i c g}
- [Hypocaccus penatii](#) Gomy, 2009 ^{i c g}
- [Hypocaccus perparvulus](#) (Desbordes, 1916) ^{i c g}
- [Hypocaccus persanus](#) (Marseul, 1876) ^{i c g}
- [Hypocaccus phasanicus](#) (Peyerimhoff, 1946) ^{i c g}
- [Hypocaccus propensus](#) (Casey, 1893) ^{i c g}
- [Hypocaccus puncticollis](#) (Küster, 1849) ^{i c g}
- [Hypocaccus roeri](#) Vienna, 1979 ^{i c g}
- [Hypocaccus rubiciliae](#) Lewis, 1899 ^{i c g}
- [Hypocaccus rubripes](#) (Erichson, 1834) ^{i c g}
- [Hypocaccus rufipes](#) (Kugelann, 1792) ^{i c g}
- [Hypocaccus rugiceps](#) (Duftschmid, 1805) ^{i c g}
- [Hypocaccus rugifrons](#) (Paykull, 1798) ^{i c g}
- [Hypocaccus schmidtii](#) (Théry, 1897) ^{i c g}
- [Hypocaccus schulzei](#) (Schmidt, 1887) ^{i c g}
- [Hypocaccus seminitens](#) (J. L. LeConte, 1863) ^{i c g b}
- [Hypocaccus serrulatus](#) (J. L. LeConte, 1851) ^{i c g}
- [Hypocaccus servilis](#) (Casey, 1893) ^{i c g}
- [Hypocaccus simplicisternus](#) (Vienna, 1985) ^{i c g}
- [Hypocaccus sinae](#) (Marseul, 1862) ^{i c g}

- [*Hypocaccus snizeki*](#) Gomy, 2009^{i c g}
- [*Hypocaccus somaliensis*](#) (Vienna, 1990)^{i c g}
- [*Hypocaccus sparsus*](#) (Casey, 1916)^{i c g b}
- [*Hypocaccus specillum*](#) (Marseul, 1855)^{i c g}
- [*Hypocaccus specularis*](#) (Marseul, 1855)^{i c g}
- [*Hypocaccus speculifer*](#) (Vienna, 1994)^{i c g}
- [*Hypocaccus speculum*](#) (Schmidt, 1884)^{i c g}
- [*Hypocaccus strigithorax*](#) Hinton, 1935^{i c g}
- [*Hypocaccus subaeneus*](#) (Schmidt, 1890)^{i c g}
- [*Hypocaccus teretrioides*](#) (Schmidt, 1889)^{i c g}
- [*Hypocaccus texaco*](#) Mazur, 1991^{i c g}
- [*Hypocaccus tigris*](#) (Marseul, 1862)^{i c g}
- [*Hypocaccus transbaicalicus*](#) (Reichardt, 1932)^{i c g}
- [*Hypocaccus varians*](#) (Schmidt, 1890)^{i c g}
- [*Hypocaccus vernulus*](#) (Blackburn, 1903)^{i c g}
- [*Hypocaccus vethi*](#) (Bickhardt, 1912)^{i c g}
- [*Hypocaccus virescens*](#) (Thérond, 1963)^{i c g}
- [*Hypocaccus vlasovi*](#) (Kryzhanovskij, 1966)^{i c g}
- [*Hypocaccus vulturnus*](#) (Reichardt, 1932)^{i c g}
- [*Hypocaccus wittei*](#) (Thérond, 1952)^{i c g}
- [*Hypocaccus zanzibaricus*](#) (Reichardt, 1932)^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of species in [*Hypera*](#), a genus of clover and alfalfa weevils in the family [*Curculionidae*](#).^[1]
^[2]^[3]^[4]

***Hypera* species**

- [*Hypera abrutiana*](#) Desbr., 1903-04^c
- [*Hypera acetosae*](#) Dejean, 1821^c
- [*Hypera aequabilis*](#) Marshall, 1934^c
- [*Hypera albonotata*](#) Pic, 1925^c
- [*Hypera albosquamosa*](#) Pic, 1904^c
- [*Hypera alternans*](#) Dejean, 1821^c

- [Hypera amalek](#) Petri, 1901 ^C
- [Hypera amasiensis](#) Faust, 1890 ^C
- [Hypera amoena](#) Sturm, 1826 ^C
- [Hypera angustula](#) Reitter, 1915 ^C
- [Hypera anjumanensis](#) Voss, 1963 ^C
- [Hypera antiqua](#) Giebel, C.G., 1856 ^{C g}
- [Hypera arator](#) (Linnaeus, C., 1758) ^{C g}
- [Hypera arnoldii](#) Zaslavskij, 1967 ^C
- [Hypera arundinis](#) (Paykull, G. de, 1792) ^{C g}
- [Hypera arvernica](#) Cap., 1867 ^C
- [Hypera aubei](#) Cap., 1867 ^C
- [Hypera audax](#) Faust, 1887 ^C
- [Hypera auliensis](#) Petri, 1901 ^C
- [Hypera auriflua](#) Walzl, 1835 ^C
- [Hypera austera](#) Boh. in Schoenh., 1834 ^C
- [Hypera austriaca](#) Dejean, 1821 ^C
- [Hypera avernica](#) Petri, 1901 ^C
- [Hypera barnevillei](#) Cap., 1868 ^C
- [Hypera barroisi](#) Petri, 1901 ^C
- [Hypera bawosi](#) E. Guér., 1894 ^C
- [Hypera bidentata](#) Champion, 1918 ^C
- [Hypera biglobosa](#) Kirsch, 1880 ^C
- [Hypera biharica](#) Petri, 1901 ^C
- [Hypera bipunctata](#) Germar, E.F., 1821 ^C
- [Hypera bonvouloiri](#) Cap., 1867 ^C
- [Hypera borealis](#) Krausse, 1900 ^C
- [Hypera bosnica](#) Petri, 1901 ^C
- [Hypera bravardi](#) Pic, 1925 ^C
- [Hypera brucki](#) Cap., 1867 ^C
- [Hypera brunnipennis](#) (Boheman, 1834) ^{i b} (Egyptian alfalfa weevil)
- [Hypera bucovinensis](#) Penecke, 1928 ^C
- [Hypera budensis](#) Sturm, 1826 ^C
- [Hypera bulgarica](#) Kippenberg, 1986 ^C
- [Hypera caliginosa](#) Dejean, ^C
- [Hypera callosa](#) Petri, 1901 ^C
- [Hypera canescens](#) Stephens, 1829 ^C

- [Hypera capiomonti](#) Petri, 1901 ^C
- [Hypera carinicollis](#) Petri, 1901 ^C
- [Hypera carpathica](#) Petri, 1901 ^C
- [Hypera castor](#) (LeConte, 1876) ^{i g}
- [Hypera caucasica](#) Faust, 1887 ^C
- [Hypera chevrolati](#) Cap., 1868 ^C
- [Hypera chlorocoma](#) Boh. in Schoenh., 1842 ^C
- [Hypera circassicola](#) Reitt., 1888 ^C
- [Hypera coarcticollis](#) Krauss, 1900 ^C
- [Hypera comata](#) Dejean, 1821 ^C
- [Hypera compta](#) (Say, 1831) ^{i b}
- [Hypera conmaculata](#) (Herbst, J.F.W., 1795) ^{C g}
- [Hypera constans](#) Dejean, 1821 ^C
- [Hypera contaminata](#) (Herbst, J.F.W., 1795) ^{C g}
- [Hypera corcyrea](#) Faust, 1887 ^C
- [Hypera cordicollis](#) Petri, 1901 ^C
- [Hypera corrosa](#) Desbr., 1899-1900 ^C
- [Hypera crinita](#) Dejean, 1821 ^C
- [Hypera croatica](#) Dejean, 1821 ^C
- [Hypera curtirostris](#) Pic, 1941 ^C
- [Hypera curtithorax](#) Pic, 1925 ^C
- [Hypera cypris](#) Reiche & Saulcy, 1857 ^C
- [Hypera cyrta](#) Germar, E.F., 1821 ^C
- [Hypera damascena](#) Stierl., 1888 ^C
- [Hypera dauci](#) Dejean, 1821 ^C
- [Hypera delarouzei](#) Cap., 1868 ^C
- [Hypera deportata](#) Boh. in Schoenh., 1842 ^C
- [Hypera deserta](#) (Panzer, G.W.F., 1796) ^{C g}
- [Hypera deyrollei](#) Cap., 1868 ^C
- [Hypera dissimilis](#) Germar, E.F., 1821 ^C
- [Hypera distinguenda](#) Dejean, ^C
- [Hypera diversa](#) Dejean, ^C
- [Hypera diversipunctata](#) (Schrank, 1798) ^{i c g b}
- [Hypera dorica](#) Petri, 1901 ^C
- [Hypera dorsalis](#) Sturm, 1826 ^C
- [Hypera dubia](#) Cap., 1868 ^C

- [Hypera dubitabilis](#) Hustache, 1946 ^C
- [Hypera duplopunctata](#) Petri, 1901 ^C
- [Hypera educta](#) Tempère, 1972 ^C
- [Hypera elegans](#) Sturm, 1826 ^C
- [Hypera elongata](#) Dejean, 1821 ^C
- [Hypera eos](#) Suvorov, 1912 ^C
- [Hypera eximia](#) (LeConte, 1876) ^{i g}
- [Hypera fabae](#) Hoffmann, 1942 ^C
- [Hypera fairmairei](#) Cap., 1868 ^C
- [Hypera fasciculata](#) Germar, E.F., 1821 ^C
- [Hypera fauconneti](#) Pic, 1925 ^C
- [Hypera fausti](#) Petri, 1901 ^C
- [Hypera favarcqui](#) Pic, 1925 ^C
- [Hypera fiumana](#) Petri, 1901 ^C
- [Hypera flavicans](#) Dejean, 1821 ^C
- [Hypera folwacznyi](#) Dieckmann, 1975 ^C
- [Hypera fulvipes](#) Stephens, 1829 ^C
- [Hypera fumipes](#) Curtis, 1837 ^C
- [Hypera fuscocinerea](#) (Marsham, 1802) ^g
- [Hypera ganglbaueri](#) Petri, 1901 ^C
- [Hypera gemina](#) Zaslavskij, 1967 ^C
- [Hypera glacialis](#) Lomnicki, 1894 ^C
- [Hypera globosa](#) Dejean, 1821 ^C
- [Hypera gordiaea](#) Petri, 1901 ^C
- [Hypera gracilentia](#) Skuhrovec, 2012 ^C
- [Hypera gravida](#) Dejean, 1821 ^C
- [Hypera grisea](#) Dejean, 1821 ^C
- [Hypera grouvellei](#) Hustache, 1929 ^C
- [Hypera guttipes](#) Cap., 1868 ^C
- [Hypera helwigii](#) Ziegler, ^C
- [Hypera hierichontica](#) Cap., 1868 ^C
- [Hypera hispidula](#) Dejean, 1821 ^C
- [Hypera hostilis](#) Ziegler, ^C
- [Hypera humilis](#) Dejean, ^C
- [Hypera iberica](#) Cap., 1868 ^C
- [Hypera idriensis](#) Dahl, 1825 ^C

- [Hypera imbecilla](#) Faust, 1886 ^C
- [Hypera insubida](#) Germar, ^C
- [Hypera insularis](#) Cap., 1867 ^C
- [Hypera integrisquamis](#) Voss, 1967 ^C
- [Hypera johanni](#) Reitt., 1896 ^C
- [Hypera judaica](#) Petri, 1901 ^C
- [Hypera juvenca](#) Motsch., 1859-1860 ^C
- [Hypera kayali](#) Skuhrovec, 2006 ^C
- [Hypera kopalensis](#) Suvorov, 1912 ^C
- [Hypera korbi](#) Petri, 1901 ^C
- [Hypera kraatzi](#) Cap., 1867 ^C
- [Hypera kunzii](#) Germar, 1822 ^C
- [Hypera latifrons](#) Petri, 1901 ^C
- [Hypera leonisi](#) Pic, 1925 ^C
- [Hypera lhostei](#) Hoffmann, 1938 ^C
- [Hypera libanica](#) Pic, 1914 ^C
- [Hypera lindbergi](#) Hoffmann, 1957 ^C
- [Hypera lineata](#) Stephens, 1829 ^C
- [Hypera lineola](#) Sturm, 1826 ^C
- [Hypera litigiosa](#) Dejean, 1830 ^C
- [Hypera longicollis](#) Petri, 1901 ^C
- [Hypera longior](#) Pic, 1941 ^C
- [Hypera lucasi](#) Cap., 1867 ^C
- [Hypera lukjanovitschi](#) Zaslavskij, 1964 ^C
- [Hypera lunata](#) Titus, 1911 ^C
- [Hypera lurida](#) Cristofori & Jan, 1832 ^C
- [Hypera lusitanica](#) Cap., 1868 ^C
- [Hypera lydia](#) Petri, 1901 ^C
- [Hypera maculata](#) W. Redt., 1842 ^C
- [Hypera maculipennis](#) Dejean, 1821 ^C
- [Hypera maculosa](#) Dejean, 1821 ^C
- [Hypera maritima](#) (Titus, 1911) ⁱ
- [Hypera marmorata](#) Cap., 1867 ^C
- [Hypera marmottani](#) Cap., 1868 ^C
- [Hypera mauritanica](#) Cap., 1868 ^C
- [Hypera medicaginis](#) Marshall, 1913 ^C

- [Hypera mehadiensis](#) Sturm, 1826 ^c
- [Hypera melancholica](#) (Fabricius, J.C., 1792) ^{c g}
- [Hypera melarhyncha](#) Germar, E.F., 1821 ^c
- [Hypera meles](#) (Fabricius, 1792) ^{i c g b} (clover head weevil)
- [Hypera meridionalis](#) Villa & Villa, 1835 ^c
- [Hypera micans](#) Sturm, 186- ^c
- [Hypera miles](#) Stephens, 1829 ^c
- [Hypera minuta](#) Petri, 1901 ^c
- [Hypera mixta](#) Dejean, 1821 ^c
- [Hypera mnischei](#) Cap., 1867 ^c
- [Hypera moczarskii](#) Penecke, 1936 ^c
- [Hypera montivaga](#) Cap., 1868 ^c
- [Hypera multifida](#) Israelson, 1984 ^c
- [Hypera murina](#) Dejean, 1821 ^c
- [Hypera mutabilis](#) Germar, E.F., 1821 ^c
- [Hypera mutatoria](#) Faust, 1887 ^c
- [Hypera nebulosa](#) Stephens, 1831 ^c
- [Hypera nigrescens](#) Suvorov, 1912 ^c
- [Hypera nigrirostris](#) (Fabricius, 1775) ^{i c g b} (black-beaked green weevil)
- [Hypera nivosa](#) Petri, 1901 ^c
- [Hypera normandi](#) Hoffmann, 1957 ^c
- [Hypera noscibilis](#) Faust, 1890 ^c
- [Hypera noscidia](#) Faust, 1889 ^c
- [Hypera obscura](#) Cap., 1867 ^c
- [Hypera obtusa](#) Rosh., 1856 ^c
- [Hypera ocellata](#) Champion, 1902-04 ^c
- [Hypera okeni](#) Gistel, J., 1835 ^c
- [Hypera ononidis](#) (Chevrolat, 1863) ^g
- [Hypera ophthalmica](#) Desbr., 1898-99 ^c
- [Hypera orientalis](#) Cap., 1867 ^c
- [Hypera ornata](#) (Capiomont, 1864) ^g
- [Hypera ovalis](#) Boh. in Schoenh., 1842 ^c
- [Hypera oxalidis](#) Smreczynski, 1926 ^c
- [Hypera oxalis](#) Dejean, 1821 ^c
- [Hypera pallida](#) Dejean, 1821 ^c
- [Hypera paludicola](#) Warner, 1973 ^{i c}

- [Hypera palumbaria](#) Germar, E.F., 1821 ^C
- [Hypera palustris](#) Stephens, 1831 ^C
- [Hypera pantherina](#) Cap., 1867 ^C
- [Hypera parallela](#) Dejean, 1821 ^C
- [Hypera pastinacae](#) (Rossi, P., 1790) ^{C g}
- [Hypera pedestris](#) Dejean, 1821 ^C
- [Hypera perplexa](#) Cap., 1868 ^C
- [Hypera perrisi](#) Cap., 1868 ^C
- [Hypera petrii](#) Desbr., 1908 ^C
- [Hypera phaeopa](#) Stephens, 1829 ^C
- [Hypera philanthus](#) Dejean, 1821 ^C
- [Hypera picicornis](#) Stephens, 1831 ^C
- [Hypera picipes](#) Curtis, 1826 ^C
- [Hypera pimpinellae](#) Fischer de Waldheim, 1830 ^C
- [Hypera plantaginis](#) (DeGeer, C., 1775) ^{C g}
- [Hypera plochardi](#) Cap., 1868 ^C
- [Hypera pollux](#) Germar, E.F., 1821 ^C
- [Hypera polygona](#) Germar, 1817 ^C
- [Hypera porcella](#) Cap., 1868 ^C
- [Hypera postica](#) (Gyllenhal, 1813) ^{i c g b} (alfalfa weevil)
- [Hypera praecomata](#) Lomnicki, 1894 ^C
- [Hypera proxima](#) Cap., 1875 ^C
- [Hypera pruinosa](#) Suvorov, 1912 ^C
- [Hypera przewalskii](#) Suvorov, 1912 ^C
- [Hypera pseudotenuirostris](#) Skuhrovec & Winkelmann, 2008 ^C
- [Hypera pubescens](#) Ziegler, ^C
- [Hypera pubicollis](#) (LeConte, 1876) ^{i g}
- [Hypera punctata](#) (Fabricius, 1775) ^{i c}
- [Hypera puncticauda](#) Motsch. in Schrenck, 1860 ^C
- [Hypera punctulata](#) Dejean, 1821 ^C
- [Hypera pusilla](#) Petri, 1912 ^C
- [Hypera pustulata](#) (Frivaldszky, 1884) ^g
- [Hypera pyrenaea](#) Cap., 1867 ^C
- [Hypera pyrrhodactylus](#) Stephens, 1829 ^C
- [Hypera quadratocollis](#) Petri, 1901 ^C
- [Hypera quadricollis](#) (LeConte, 1876) ^{i g}

- [Hypera reductirostris](#) Pic, 1925 ^c
- [Hypera reichei](#) Cap., 1868 ^c
- [Hypera reitteri](#) Faust, 1887 ^c
- [Hypera repanda](#) Germar, E.F., 1821 ^c
- [Hypera rotundata](#) Cap., 1867 ^c
- [Hypera rubi](#) Krauss, 1900 ^c
- [Hypera rudicollis](#) Cap., 1868 ^c
- [Hypera rufimembris](#) Pic, 1925 ^c
- [Hypera rufipes](#) Stephens, 1829 ^c
- [Hypera rugulosa](#) Petri, 1901 ^c
- [Hypera rumicis](#) (Linnaeus, 1758) ^{i c b}
- [Hypera saulcyi](#) Cap., 1867 ^c
- [Hypera scanica](#) Germar, 1817 ^c
- [Hypera scapularis](#) Chevr., 1860 ^c
- [Hypera segnis](#) Cap., 1867 ^c
- [Hypera seigneurici](#) Tempère, 1984 ^c
- [Hypera septentrionalis](#) Kippenberg, 1986 ^c
- [Hypera seriata](#) (Mannerheim, 1853) ^{i g}
- [Hypera siccensis](#) Thompson, 2006 ^c
- [Hypera sierrana](#) Cap., 1868 ^c
- [Hypera signata](#) Grimmer, K.H.B., 1841 ^c
- [Hypera socialis](#) Boh. in Schoenh., 1842 ^c
- [Hypera solida](#) Petri, 1901 ^c
- [Hypera sordida](#) Dejean, ^c
- [Hypera souvorovi](#) Fleisch., 1909 ^c
- [Hypera spissa](#) Boh. in Schoenh., 1842 ^c
- [Hypera straminea](#) Stephens, 1829 ^c
- [Hypera striata](#) Sturm, 1826 ^c
- [Hypera stulta](#) Faust, 1883 ^c
- [Hypera suanetica](#) Petri, 1901 ^c
- [Hypera subfasciculata](#) Zaslavskij, 1967 ^c
- [Hypera sublineata](#) Curtis, 1826 ^c
- [Hypera subuniformis](#) Pic, 1914 ^c
- [Hypera sushkini](#) Zaslavskij, 1979 ^c
- [Hypera suspiciosa](#) Germar, E.F., 1821 ^c
- [Hypera swanetica](#) Faust, 1887 ^c

- [*Hypera tamarisci*](#) Dejean, 1821 ^c
- [*Hypera taraxaci*](#) Dahl, ^c
- [*Hypera taurica*](#) Zaslavskij, 1967 ^c
- [*Hypera temperei*](#) Hoffmann, 1958 ^c
- [*Hypera tessellata*](#) Dejean, 1821 ^c
- [*Hypera tigrina*](#) Walth, 1835 ^c
- [*Hypera timida*](#) Dejean, 1830 ^c
- [*Hypera trifolii*](#) Dejean, 1821 ^c
- [*Hypera tristis*](#) Cristofori & Jan, 1832 ^c
- [*Hypera trivittata*](#) (Say, 1831) ^{i g}
- [*Hypera tumida*](#) Dejean, 1821 ^c
- [*Hypera variabilis*](#) Sturm, 1826 ^c
- [*Hypera venusta*](#) (Fabricius, J.C., 1781) ^{c g}
- [*Hypera viciae*](#) Stephens, 1831 ^c
- [*Hypera vicina*](#) Cristofori & Jan, 1832 ^c
- [*Hypera vidua*](#) Gené, 1837 ^c
- [*Hypera viennensis*](#) Sturm, ^c
- [*Hypera villosula*](#) Curtis, 1826 ^c
- [*Hypera virescens*](#) Petri, 1901 ^c
- [*Hypera visnagae*](#) Cap., 1868 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 182 species in [*Hylesinus*](#), a genus of crenulate bark beetles in the family [*Curculionidae*](#).
[1][2][3][4]

***Hylesinus* species**

- [*Hylesinus abietinus*](#) Fabricius, J.C., 1801 ^c
- [*Hylesinus aculeatus*](#) Say, 1824 ^{i c b} (eastern ash bark beetle)
- [*Hylesinus adspersus*](#) Passerini, 1843 ^c
- [*Hylesinus aeneipennis*](#) Fabricius, J.C., 1801 ^c
- [*Hylesinus aesculi*](#) ^{c g}
- [*Hylesinus africanus*](#) Schedl, 1965f ^c
- [*Hylesinus alternans*](#) Schedl, 1959j ^c

- [Hylesinus angustatus](#) Gyllenhal, 1813 ^C
- [Hylesinus antipodus](#) Schedl, 1951d ^C
- [Hylesinus aspericollis](#) Leconte, 1876 ^C
- [Hylesinus ater](#) ^C
- [Hylesinus atomarius](#) Chapuis, 1869 ^C
- [Hylesinus attenuatus](#) Erichson, 1836 ^C
- [Hylesinus aubei](#) Perris, 1855 ^C
- [Hylesinus aztecus](#) Wood, 1980b ^C
- [Hylesinus bakeri](#) Sampson, 1921 ^C
- [Hylesinus bicolor](#) Brullé, 1832 ^C
- [Hylesinus botscharnikovi](#) Stark, V.N., 1931c ^C
- [Hylesinus brevicollis](#) Kolenati, 1846 ^C
- [Hylesinus brevipes](#) Fabricius, J.C., 1801 ^C
- [Hylesinus brevipilosus](#) Schedl, 1942c ^C
- [Hylesinus brevis](#) Gistel, 1848 ^C
- [Hylesinus brunneus](#) Erichson, 1836 ^C
- [Hylesinus californicus](#) (Swaine, 1916) ^{i c b} (western ash bark beetle)
- [Hylesinus canaliculatus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus caseariae](#) Wood, 1986c ^C
- [Hylesinus chloropus](#) Duftschmidt, 1825 ^C
- [Hylesinus cholodkovskyi](#) Berger, 1916 ^C
- [Hylesinus cingulatus](#) Blandford, 1894c ^C
- [Hylesinus coadunatus](#) Stephens, 1829 ^C
- [Hylesinus cordipennis](#) Lea, 1910 ^C
- [Hylesinus corticiperda](#) Erichson, 1836 ^C
- [Hylesinus costatus](#) Blandford, 1894c ^C
- [Hylesinus crassus](#) Beeson, 1929 ^C
- [Hylesinus crenatulus](#) Duftschmidt, 1825 ^C
- [Hylesinus crenatus](#) Panzer, 1813 ^{C g}
- [Hylesinus criddlei](#) (Swaine, 1918) ^{i c b}
- [Hylesinus cristatus](#) LeConte, 1868 ^C
- [Hylesinus cunicularius](#) Erichson, 1836 ^C
- [Hylesinus curvifer](#) Walker, F., 1859 ^C
- [Hylesinus debilis](#) Schedl (Chapuis in), 1958k ^C
- [Hylesinus decumanus](#) Erichson, 1836 ^C
- [Hylesinus denticulosus](#) Sokanovskii, B.V., 1956 ^C

- [Hylesinus despectus](#) Walker, F., 1859 ^C
- [Hylesinus dolus](#) Schedl, 1975e ^C
- [Hylesinus dromiscens](#) Scudder, S.H., 1893 ^C
- [Hylesinus elatus](#) Niisima, 1913a ^C
- [Hylesinus elegans](#) Thomson, J., 1858 ^C
- [Hylesinus elongatus](#) Schedl, 1942c ^C
- [Hylesinus eos](#) Spessivtsev, P., 1919 ^C
- [Hylesinus esau](#) Gredler, 1866 ^C
- [Hylesinus extractus](#) Scudder, S.H., 1893 ^C
- [Hylesinus facilis](#) Heer, O., 1856 ^{C g}
- [Hylesinus fasciatus](#) LeConte, 1868 ^{i c b}
- [Hylesinus fici](#) Lea, 1904 ^C
- [Hylesinus flavipes](#) Panzer, 1795 ^C
- [Hylesinus flavus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus fraxini](#) Fabricius, J.C., 1801 ^C
- [Hylesinus fraxinoides](#) Beeson, 1961 ^C
- [Hylesinus furcatus](#) Stephens, 1829 ^C
- [Hylesinus fuscus](#) Duftschmidt, 1825 ^C
- [Hylesinus gibbus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus globosus](#) Eichhoff, 1868c ^C
- [Hylesinus grandis](#) Dejean, 1821 ^C
- [Hylesinus granulifer](#) Motschulsky, 1863 ^C
- [Hylesinus graphus](#) Duftschmidt, 1825 ^C
- [Hylesinus guatemalensis](#) Wood, 1982b ^C
- [Hylesinus haemorrhoidalis](#) Stephens, 1829 ^C
- [Hylesinus hederæ](#) Schmidt, 1843 ^C
- [Hylesinus henscheli](#) Knotek, 1892b ^C
- [Hylesinus hispidus](#) Klug, 1833 ^C
- [Hylesinus hystrix](#) LeConte, 1858 ^C
- [Hylesinus impar](#) Schedl, 1975g ^C
- [Hylesinus imperialis](#) Eichhoff, 1868c ^C
- [Hylesinus indigenus](#) Wollaston, 1864 ^C
- [Hylesinus insularum](#) Beeson, 1940 ^C
- [Hylesinus interstitialis](#) Lea, 1910 ^C
- [Hylesinus javanus](#) Eggers, 1923a ^C
- [Hylesinus kraatzi](#) Eichhoff, 1864b ^C

- [Hylesinus laticollis](#) Blandford, 1894c ^C
- [Hylesinus ligniperda](#) Gyllenhal, 1813 ^C
- [Hylesinus linearis](#) Erichson, 1836 ^C
- [Hylesinus lineatus](#) Foerster, B., 1891 ^{C g}
- [Hylesinus lubarskii](#) Stark, V.N., 1936a ^C
- [Hylesinus luridus](#) Dejean, 1821 ^C
- [Hylesinus machilus](#) Schedl, 1959j ^C
- [Hylesinus maculatus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus maculipennis](#) Schedl, 1975g ^C
- [Hylesinus mandshuricus](#) Eggers, 1922c ^C
- [Hylesinus marginatus](#) Duftschmidt, 1825 ^C
- [Hylesinus melanocephalus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus mexicanus](#) (Wood, 1956) ^{i c b}
- [Hylesinus micans](#) Ratzeburg, 1839 ^C
- [Hylesinus minimus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus minor](#) Hartig, 1834 ^C
- [Hylesinus minutus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus nanus](#) Schedl, 1940b ^C
- [Hylesinus nebulosus](#) LeConte, 1859 ^C
- [Hylesinus neli](#) Petrov & Zherikhin, 2004 ^C
- [Hylesinus niger](#) Fabricius, J.C., 1801 ^C
- [Hylesinus nilgirinus](#) Eggers, 1923a ^C
- [Hylesinus nobilis](#) Blandford, 1894c ^C
- [Hylesinus obscurus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus oleae](#) Fabricius, J.C., 1801 ^C
- [Hylesinus oleiperda](#) Fabricius, J.C., 1801 ^C
- [Hylesinus opaculus](#) LeConte, 1868 ^C
- [Hylesinus opacus](#) Erichson, 1836 ^C
- [Hylesinus oregonus](#) (Blackman, 1943) ^{i c}
- [Hylesinus orni](#) Fuchs, 1906a ^C
- [Hylesinus pacificus](#) Beeson, 1929 ^C
- [Hylesinus palliatus](#) Gyllenhal, 1813 ^C
- [Hylesinus papuanus](#) Eggers, 1923a ^C
- [Hylesinus paykulli](#) Duftschmidt, 1825 ^C
- [Hylesinus paykullii](#) Duftschmidt, 1825 ^C
- [Hylesinus pellitus](#) Schedl, 1955b ^C

- [Hylesinus perrisi](#) Chapuis, 1869 ^C
- [Hylesinus persimilis](#) Eggers, 1927c ^C
- [Hylesinus pertinax](#) Schedl, 1975g ^C
- [Hylesinus philippinensis](#) Eggers, 1923a ^C
- [Hylesinus picipennis](#) Stephens, 1829 ^C
- [Hylesinus pictus](#) Sturm, 1826 ^C
- [Hylesinus pilifer](#) Eggers, 1927a ^C
- [Hylesinus pilosus](#) Ratzeburg, 1837 ^C
- [Hylesinus pilula](#) Erichson, 1847 ^C
- [Hylesinus piniperda](#) Fabricius, J.C., 1801 ^C
- [Hylesinus porcatus](#) Chapuis, 1869 ^C
- [Hylesinus porculus](#) Erichson, 1836 ^C
- [Hylesinus pravdini](#) Stark, V.N., 1936a ^C
- [Hylesinus prestae](#) Costa, 1839 ^C
- [Hylesinus pruinus](#) Eichhoff, 1868 ^{i c b}
- [Hylesinus prutenskyi](#) Sokanovskii, B.V., 1959a ^C
- [Hylesinus pubescens](#) Fabricius, J.C., 1801 ^C
- [Hylesinus pusillus](#) Gerstäcker, 1855 ^C
- [Hylesinus putonii](#) Eichhoff, 1868b ^C
- [Hylesinus pygmaeus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus retamae](#) Perris, 1864a ^C
- [Hylesinus reticulatus](#) Chapuis, 1869 ^C
- [Hylesinus rhododactylus](#) Gyllenhal, 1827 ^C
- [Hylesinus robustus](#) Eggers, 1939d ^C
- [Hylesinus samoanus](#) Schedl, 1951k ^C
- [Hylesinus scaber](#) Stephens, 1829 ^C
- [Hylesinus scabricollis](#) Sturm, 1826 ^C
- [Hylesinus scabrifrons](#) Ratzeburg (St. in), 1839 ^C
- [Hylesinus scobipennis](#) Chapuis, 1869 ^C
- [Hylesinus scolytus](#) Fabricius, J.C., 1801 ^C
- [Hylesinus scutulatus](#) Blandford, 1894c ^C
- [Hylesinus sericeus](#) Stephens, 1829 ^C
- [Hylesinus serraticornis](#) Dejean, 1821 ^C
- [Hylesinus serratus](#) LeConte, 1868 ^C
- [Hylesinus shabliovskiy](#) Kurenzov, 1941a ^C
- [Hylesinus similis](#) Eggers, 1923a ^C

- [Hylesinus simson](#) Gistel, 1848 ^c
- [Hylesinus sordidus](#) Dejean, 1821 ^c
- [Hylesinus spartii](#) Nordlinger, 1847 ^c
- [Hylesinus squamulatus](#) Redtenbacher, 1858 ^c
- [Hylesinus striatus](#) Eggers, 1933b ^c
- [Hylesinus subcostatus](#) Eggers, 1923a ^c
- [Hylesinus subopacus](#) Eggers, 1930c ^c
- [Hylesinus sulcinodis](#) Schedl, 1974d ^c
- [Hylesinus sumatranus](#) Eggers, 1923a ^c
- [Hylesinus suturalis](#) Redtenbacher, 1842 ^c
- [Hylesinus taranio](#) Wood & Bright, 1992 ^{c g}
- [Hylesinus tarsalis](#) Forster, A., 1849 ^c
- [Hylesinus tenebrosus](#) Sahlberg C R, 1836 ^c
- [Hylesinus tenerrimus](#) Sahlberg C R, 1836 ^c
- [Hylesinus terminatus](#) Sahlberg, 1839 ^c
- [Hylesinus testaceus](#) Fabricius, J.C., 1801 ^c
- [Hylesinus thujae](#) Perris, 1855 ^c
- [Hylesinus toranio](#) (D'Anthoine, 1788) ^g
- [Hylesinus trifolii](#) Mueller, 1803 ^c
- [Hylesinus tristis](#) Blandford, 1894c ^c
- [Hylesinus tupolevi](#) Stark, V.N., 1936a ^c
- [Hylesinus uniformis](#) Endrödi, 1957a ^c
- [Hylesinus varius](#) (Fabricius, J.C., 1775) ^{c g}
- [Hylesinus verae](#) Petrov, 2002 ^c
- [Hylesinus vestitus](#) Mulsant & Rey, 1861b ^c
- [Hylesinus vicinus](#) Comolli, 1837 ^c
- [Hylesinus villosus](#) Fabricius, J.C., 1801 ^c
- [Hylesinus vittatus](#) Fabricius, J.C., 1801 ^c
- [Hylesinus volvulus](#) Fabricius, J.C., 1801 ^c
- [Hylesinus wachtli](#) Reitter, 1887b ^c
- [Hylesinus wallacei](#) Blandford, 1896b ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 744 species in the genus [Hylaeus](#), masked bees.[1][2][3]

***Hylaeus* species**

- [*Hylaeus aberrans*](#) (Bridwell, 1919) ^{i c g}
- [*Hylaeus abjunctus*](#) Cockerell, 1936 ^{i c g}
- [*Hylaeus aborigensis*](#) Dathe, 1994 ^{i c g}
- [*Hylaeus absolutus*](#) (Gribodo, 1894) ^{i c g}
- [*Hylaeus absonulus*](#) Cockerell, 1936 ^{i c g}
- [*Hylaeus abyssinicus*](#) (Alfken, 1905) ^{i c g}
- [*Hylaeus acariphorus*](#) Snelling, 1985 ^{i c g}
- [*Hylaeus accipitris*](#) (Cockerell, 1914) ^{i c g}
- [*Hylaeus acer*](#) Dathe, 1980 ^{i c g}
- [*Hylaeus adamauanis*](#) Dathe, 2015 ^g
- [*Hylaeus adriaticus*](#) (Warncke, 1972) ^{i c g}
- [*Hylaeus advocatus*](#) (Nurse, 1903) ^{i c g}
- [*Hylaeus aenigmus*](#) (Viereck, 1903) ^{i c g}
- [*Hylaeus affinis*](#) (Smith, 1853) ^{i c g b}
- [*Hylaeus agilis*](#) (Smith, 1876) ^{i c g}
- [*Hylaeus akoko*](#) Magnacca & Daly, 2003 ^{i c g}
- [*Hylaeus alampes*](#) Moure, 1942 ^{i c g}
- [*Hylaeus albocuneatus*](#) (Cockerell, 1913) ^{i c g}
- [*Hylaeus albomaculatus*](#) (Smith, 1879) ^{i c g}
- [*Hylaeus albonitens*](#) (Cockerell, 1905) ^{i c g}
- [*Hylaeus albonotatus*](#) (Walker, 1871) ^{i c g}
- [*Hylaeus albozebratus*](#) Michener, 1965 ^{i c g}
- [*Hylaeus alcyoneus*](#) (Erichson, 1842) ^{i c g}
- [*Hylaeus alexandrinus*](#) (Warncke, 1992) ^{i c g}
- [*Hylaeus alfkeni*](#) (Fries, 1913) ^{i c g}
- [*Hylaeus alocaspis*](#) Snelling, 1975 ^{i c g}
- [*Hylaeus alpinus*](#) (Morawitz, 1867) ^{i c g}
- [*Hylaeus altaicus*](#) Dathe, 1986 ^{i c g}
- [*Hylaeus amatulus*](#) (Cockerell, 1922) ^{i c g}
- [*Hylaeus amatus*](#) (Cockerell, 1909) ^{i c g}
- [*Hylaeus amazonicus*](#) (Gribodo, 1894) ^{i c g}
- [*Hylaeus amelanocephalus*](#) Rayment, 1954 ^{i c g}
- [*Hylaeus ameliae*](#) Cockerell, 1942 ^{i c g}
- [*Hylaeus amharicus*](#) Dathe, 2014 ^g
- [*Hylaeus amiculiformis*](#) (Cockerell, 1909) ^{i c g}

- [Hylaeus amiculinus](#) (Cockerell, 1922) ^{i c g}
- [Hylaeus amicus](#) (Smith, 1879) ^{i c g}
- [Hylaeus ancoratus](#) (Cockerell, 1912) ^{i c g}
- [Hylaeus andrenoides](#) (Perkins, 1899) ^{i c g}
- [Hylaeus angustatus](#) (Schenck, 1861) ^{i c g}
- [Hylaeus angustifrons](#) Morawitz, 1876 ^{i c g}
- [Hylaeus angustulus](#) (Perkins, 1899) ^{i c g}
- [Hylaeus annelanocephalus](#) Rayment, 1954 ^{i c g}
- [Hylaeus annularis](#) (Kirby, 1802) ^{i c g}
- [Hylaeus annulatus](#) (Linnaeus, 1758) ^{i c g b}
- [Hylaeus anomalus](#) (Perkins, 1899) ^{i c g}
- [Hylaeus anthracinus](#) (Smith, 1853) ^{i c g}
- [Hylaeus aralis](#) (Cockerell, 1916) ^{i c g}
- [Hylaeus araxanus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus arenarius](#) Morawitz, 1876 ^{i c g}
- [Hylaeus armeniacus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus arnoldi](#) (Friese, 1913) ^{i c g}
- [Hylaeus arsenicus](#) (Vachal, 1901) ^{i c g}
- [Hylaeus asiaticus](#) (Dalla Torre, 1896) ^{i c g}
- [Hylaeus asininus](#) (Cockerell & Casad, 1895) ^{i c g}
- [Hylaeus asper](#) (Vachal, 1909) ^{i c g}
- [Hylaeus asperithorax](#) (Rayment, 1927) ^{i c g}
- [Hylaeus aspricollis](#) (Vachal, 1901) ^{i c g}
- [Hylaeus assimulans](#) (Perkins, 1899) ^{i c g}
- [Hylaeus aterrimus](#) (Friese, 1911) ^{i c}
- [Hylaeus atriceps](#) (Friese, 1911) ^{i c g}
- [Hylaeus atripes](#) (Vachal, 1901) ^{i c g}
- [Hylaeus auriferus](#) (Cockerell, 1918) ^{i c g}
- [Hylaeus azorae](#) (Warncke, 1992) ^{i c g}
- [Hylaeus aztecus](#) (Cresson, 1869) ^{i c g}
- [Hylaeus bacillarius](#) (Cockerell, 1914) ^{i c g}
- [Hylaeus basalis](#) (Smith, 1853) ^{i c g b}
- [Hylaeus basilautus](#) (Rayment, 1953) ^{i c g}
- [Hylaeus basimacula](#) (Cameron, 1904) ^{i c g}
- [Hylaeus basirufus](#) (Vachal, 1910) ^{i c g}
- [Hylaeus baudinensis](#) (Cockerell, 1905) ^{i c g}

- [Hylaeus beaumonti](#) (Benoist, 1943) ^{i c g}
- [Hylaeus bellicosus](#) (Cameron, 1897) ^{i c g}
- [Hylaeus benguetensis](#) (Cockerell, 1919) ^{i c g}
- [Hylaeus benoisti](#) Michener, 2000 ^{i c g}
- [Hylaeus bequaerti](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus bequaertianus](#) Bridwell, 1919 ^{i c g}
- [Hylaeus bernhardi](#) Dathe, 2014 ^g
- [Hylaeus bertonii](#) (Schrottky, 1907) ^{i c g}
- [Hylaeus bevisi](#) (Cockerell, 1917) ^{i c g}
- [Hylaeus biarmicus](#) (Warncke, 1992) ^{i c g}
- [Hylaeus bicoloratus](#) (Smith, 1853) ^{i c g}
- [Hylaeus bicolorellus](#) Michener, 1965 ^{i c g}
- [Hylaeus bicuneatus](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus bidentatus](#) (Smith, 1853) ^{i c g}
- [Hylaeus bifasciatus](#) (Jurine, 1807) ^{i c g}
- [Hylaeus binotatus](#) (Alfken, 1914) ^{i c g}
- [Hylaeus binus](#) (Vachal, 1909) ^{i c g}
- [Hylaeus bipunctatus](#) (Fabricius, 1798) ^{i c g}
- [Hylaeus biscutellus](#) (Vachal, 1909) ^{i c g}
- [Hylaeus bituberculatus](#) (Smith, 1879) ^{i c g}
- [Hylaeus blanchae](#) Rayment, 1953 ^{i c g}
- [Hylaeus bolivianus](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus boninensis](#) Yasumatsu, 1955 ^{i c g}
- [Hylaeus borchii](#) Rayment, 1935 ^{i c g}
- [Hylaeus borneensis](#) (Cockerell, 1920) ^{i c g}
- [Hylaeus bothros](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus bouyssoui](#) (Vachal, 1899) ^{i c g}
- [Hylaeus brachycephalus](#) (Morawitz, 1868) ^{i c g}
- [Hylaeus brachyceratomerus](#) (Moure, 1941) ^{i c g}
- [Hylaeus brasiliensis](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus braunsi](#) (Alfken, 1905) ^{i c g}
- [Hylaeus breviceps](#) Morawitz, 1876 ^{i c g}
- [Hylaeus brevicornis](#) Nylander, 1852 ^{i c g}
- [Hylaeus brevior](#) (Cockerell, 1918) ^{i c g}
- [Hylaeus breviradius](#) (Vachal, 1901) ^{i c g}
- [Hylaeus bridwelli](#) Ikudome, 1989 ^{i c g}

- [Hylaeus buddhae](#) Meade-Waldo, 1923^{i c g}
- [Hylaeus burnsi](#) (Michener, 1965)^{i c}
- [Hylaeus caarendyensis](#) (Schrottky, 1906)^{i c g}
- [Hylaeus callosulus](#) Meade-Waldo, 1923^{i c g}
- [Hylaeus callosus](#) (Cockerell, 1910)^{i c g}
- [Hylaeus calvus](#) (Metz, 1911)^{i c g b}
- [Hylaeus camerunensis](#) Dathe, 2014^g
- [Hylaeus canariensis](#) Erlandsson, 1983^{i c g}
- [Hylaeus capicola](#) (Alfken, 1914)^{i c g}
- [Hylaeus capitosus](#) (Smith, 1876)^{i c g}
- [Hylaeus cardioscapus](#) Cockerell, 1924^{i c g}
- [Hylaeus cecidonastes](#) Moure, 1972^{i c g}
- [Hylaeus ceniberus](#) (Cockerell, 1910)^{i c g}
- [Hylaeus certus](#) (Cockerell, 1921)^{i c g}
- [Hylaeus cervinus](#) (Warncke, 1992)^{i c g}
- [Hylaeus chasanensis](#) (Romankova, 1995)^{i c g}
- [Hylaeus chimani](#) Dathe, 2014^g
- [Hylaeus chlorosomus](#) (Cockerell, 1913)^{i c g}
- [Hylaeus chlorostictus](#) (Perkins, 1899)^{i c g}
- [Hylaeus chromaticus](#) (Cockerell, 1912)^{i c g}
- [Hylaeus chrysaspis](#) (Cockerell, 1910)^{i c g}
- [Hylaeus chukar](#) (Warncke, 1992)^{i c g}
- [Hylaeus cinereus](#) (Warncke, 1992)^{i c g}
- [Hylaeus claviger](#) (Cockerell)^g
- [Hylaeus clavigerus](#) (Cockerell, 1936)^{i c g}
- [Hylaeus cliffordiellus](#) Rayment, 1953^{i c g}
- [Hylaeus clypearis](#) (Schenck, 1853)^{i c g}
- [Hylaeus cockerelli](#) (Schrottky, 1906)^{i c g}
- [Hylaeus colei](#) Rayment, 1935^{i c g}
- [Hylaeus coloradensis](#) (Cockerell, 1896)^{i c g}
- [Hylaeus communis](#) Nylander, 1852^{i c g}
- [Hylaeus concinnus](#) Cockerell, 1924^{i c g}
- [Hylaeus confluens](#) (Smith, 1853)^{i c g}
- [Hylaeus conformis](#) Förster, 1871^{i c g}
- [Hylaeus confusus](#) Nylander, 1852^{i c g}
- [Hylaeus coniceps](#) (Blackburn, 1886)^{i c g}

- [*Hylaeus connectens*](#) (Perkins, 1899) ^{i c g}
- [*Hylaeus conspicuus*](#) (Metz, 1911) ^{i c g}
- [*Hylaeus constrictiformis*](#) (Cockerell, 1910) ^{i c g}
- [*Hylaeus constrictus*](#) (Cockerell, 1905) ^{i c g}
- [*Hylaeus contradictus*](#) (Cockerell, 1919) ^{i c g}
- [*Hylaeus convergens*](#) Dathe, 2000 ^{i c g}
- [*Hylaeus cookii*](#) (Metz, 1911) ^{i c g}
- [*Hylaeus coriaceus*](#) (Pérez, 1895) ^{i c g}
- [*Hylaeus cornutus*](#) Curtis, 1831 ^{i c g}
- [*Hylaeus coroicensis*](#) (Cockerell, 1918) ^{i c g}
- [*Hylaeus coronatulus*](#) (Cockerell, 1914) ^{i c g}
- [*Hylaeus coronatus*](#) (Cockerell, 1905) ^{i c g}
- [*Hylaeus costaricensis*](#) (Friese, 1917) ^{i c}
- [*Hylaeus crabronoides*](#) (Perkins, 1899) ^{i c g}
- [*Hylaeus crassanus*](#) (Warncke, 1972) ^{i c g}
- [*Hylaeus crassifemoratus*](#) (Cockerell, 1922) ^{i c g}
- [*Hylaeus cribellatus*](#) (Vachal, 1901) ^{i c g}
- [*Hylaeus cribratus*](#) (Bridwell, 1919) ^{i c g}
- [*Hylaeus crispulus*](#) Dathe, 1980 ^{i c g}
- [*Hylaeus cruentus*](#) (Vachal, 1910) ^{i c g}
- [*Hylaeus crustatus*](#) (Vachal, 1909) ^{i c g}
- [*Hylaeus culiciformis*](#) (Schrottky, 1906) ^{i c g}
- [*Hylaeus cuneiferus*](#) (Cockerell, 1919) ^{i c g}
- [*Hylaeus curtellus*](#) Moure, 1960 ^{i c g}
- [*Hylaeus curtulus*](#) (Vachal, 1910) ^{i c g}
- [*Hylaeus curvicarinatus*](#) (Cameron, 1905) ^{i c g}
- [*Hylaeus cuscoanus*](#) (Strand, 1911) ^{i c g}
- [*Hylaeus cyaneomicans*](#) (Cockerell, 1910) ^{i c g}
- [*Hylaeus cyanophilus*](#) (Cockerell, 1910) ^{i c g}
- [*Hylaeus cyanurus*](#) (Kirby, 1802) ^{i c g}
- [*Hylaeus cypricolus*](#) (Warncke, 1972) ^{i c g}
- [*Hylaeus damascenus*](#) (Magretti, 1890) ^{i c g}
- [*Hylaeus dathei*](#) Chen & Xu ^g
- [*Hylaeus daviesiae*](#) Houston, 1981 ^{i c g}
- [*Hylaeus decaoctus*](#) (Warncke, 1992) ^{i c g}
- [*Hylaeus deceptorius*](#) (Benoist, 1959) ^{i c g}

- [Hylaeus delicatus](#) (Cockerell, 1911) ^{i c g}
- [Hylaeus dentiferellus](#) (Strand, 1912) ^{i c g}
- [Hylaeus desertoris](#) Houston, 1981 ^{i c g}
- [Hylaeus dictyotus](#) Snelling, 1982 ^{i c g}
- [Hylaeus difficilis](#) (Perkins, 1899) ^{i c g}
- [Hylaeus difformis](#) (Eversmann, 1852) ^{i c g}
- [Hylaeus digitatus](#) (Houston, 1975) ^{i c g}
- [Hylaeus dilatatus](#) (Kirby, 1802) ^g
- [Hylaeus dimidiatus](#) (Perkins, 1899) ^{i c g}
- [Hylaeus dinkleri](#) (Friese, 1898) ^{i c g}
- [Hylaeus diplonymus](#) (Schulz, 1906) ^{i c g}
- [Hylaeus disjunctus](#) (Cockerell, 1905) ^{i c g}
- [Hylaeus distractus](#) (Cockerell, 1914) ^{i c g}
- [Hylaeus dolichocephalus](#) Morawitz, 1876 ^{i c g}
- [Hylaeus dominae](#) Cockerell, 1936 ^{i c g}
- [Hylaeus donbakeri](#) Dathe, 1995 ^{i c g}
- [Hylaeus dorni](#) Dathe, 1986 ^{i c g}
- [Hylaeus douglasi](#) Michener, 1965 ^{i c g}
- [Hylaeus dregei](#) (Strand, 1912) ^{i c g}
- [Hylaeus dromedarius](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus dubiosus](#) (Cresson, 1869) ^{i c g}
- [Hylaeus duckei](#) (Alfken, 1904) ^{i c g}
- [Hylaeus dumetorum](#) (Perkins, 1899) ^{i c g}
- [Hylaeus eardleyi](#) Dathe, 2014 ^g
- [Hylaeus ebmeri](#) Dathe, 1980 ^{i c g}
- [Hylaeus elatus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus elegans](#) (Smith, 1853) ^{i c}
- [Hylaeus elongatus](#) (Smith, 1879) ^{i c g}
- [Hylaeus emir](#) Dathe, 2000 ^{i c g}
- [Hylaeus episcopalis](#) (Cockerell, 1896) ^{i c g b}
- [Hylaeus eugeniellus](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus euphorbiae](#) Dathe, 2015 ^g
- [Hylaeus eurygnathus](#) Snelling, 1980 ^{i c g}
- [Hylaeus euryscapus](#) Förster, 1871 ^{i c g}
- [Hylaeus euxanthus](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus excelsus](#) (Alfken, 1931) ^{i c g}

- [Hylaeus exiguus](#) (Schrottky, 1902) ^{i c g}
- [Hylaeus exleyae](#) (Houston, 1975) ^{i c g}
- [Hylaeus expansus](#) (Vachal, 1909) ^{i c g}
- [Hylaeus extensicornis](#) Cockerell, 1936 ^{i c g}
- [Hylaeus extensus](#) (Cockerell, 1916) ^{i c g}
- [Hylaeus extrinsecus](#) Snelling, 1982 ^{i c g}
- [Hylaeus facilis](#) (Smith, 1879) ^{i c g}
- [Hylaeus feai](#) (Vachal, 1895) ^{i c g}
- [Hylaeus fedorica](#) (Cockerell, 1909) ^{i c g}
- [Hylaeus fedtschenkoi](#) Cockerell, 1906 ^g
- [Hylaeus femoralis](#) (Schrottky, 1902) ^{i c g}
- [Hylaeus fertoni](#) (Vachal, 1891) ^{i c g}
- [Hylaeus fijiensis](#) (Cockerell, 1909) ^{i c g}
- [Hylaeus filicum](#) (Perkins, 1911) ^{i c g}
- [Hylaeus finitimus](#) (Perkins, 1899) ^{i c g}
- [Hylaeus fissus](#) (Vachal, 1901) ^{i c g}
- [Hylaeus flammipes](#) (Robertson, 1893) ^{i c g}
- [Hylaeus flavifrons](#) (W. F. Kirby, 1880) ^{i c g}
- [Hylaeus flavipes](#) (Smith, 1853) ^{i c g}
- [Hylaeus flaviscutum](#) (Alfken, 1914) ^{i c g}
- [Hylaeus flavohumeralis](#) (Cockerell, 1918) ^{i c g}
- [Hylaeus flavojugatus](#) (Cockerell, 1912) ^{i c g}
- [Hylaeus floralis](#) (Smith, 1873) ^{i c g}
- [Hylaeus floridanus](#) (Robertson, 1893) ^{i c g}
- [Hylaeus formosus](#) Krombein, 1953 ^{i c g}
- [Hylaeus fortis](#) Cockerell, 1936 ^{i c g}
- [Hylaeus fossifer](#) Dathe, 1995 ^{i c g}
- [Hylaeus foveatus](#) (Rayment, 1950) ^{i c g}
- [Hylaeus fraternus](#) (Bingham, 1898) ^{i c g}
- [Hylaeus frederici](#) (Cockerell, 1905) ^{i c}
- [Hylaeus friesei](#) (Alfken, 1904) ^{i c g}
- [Hylaeus frontalis](#) Morawitz, 1876 ^{i c g}
- [Hylaeus fuliginosus](#) (Warncke, 1970) ^{i c g}
- [Hylaeus fumata](#) (Strand, 1912) ^{i c g}
- [Hylaeus funereus](#) (Warncke, 1992) ^{i c g}
- [Hylaeus fuscipennis](#) (Smith, 1879) ^{i c g}

- [Hylaeus gabonicus](#) (Vachal, 1899)^{i c g}
- [Hylaeus gaigei](#) (Cockerell, 1916)^{i c g}
- [Hylaeus garrulus](#) (Warncke, 1981)^{i c g}
- [Hylaeus garzettus](#) (Warncke, 1992)^{i c g}
- [Hylaeus gaullei](#) (Vachal, 1899)^{i c g}
- [Hylaeus gazagnairei](#) (Vachal, 1891)^{i c g}
- [Hylaeus geminus](#) (Vachal, 1910)^{i c g}
- [Hylaeus genualis](#) (Vachal, 1909)^{i c g}
- [Hylaeus georgicus](#) (Cockerell, 1898)^{i c g}
- [Hylaeus gessianus](#) Dathe, 2014^g
- [Hylaeus gibbus](#) Saunders, 1850^{i c g}
- [Hylaeus gigas](#) (Friese, 1911)^{i c g}
- [Hylaeus glacialis](#) Morawitz, 1872^{i c g}
- [Hylaeus gliddenae](#) Magnacca & Daly, 2003^{i c g}
- [Hylaeus globula](#) (Vachal, 1903)^{i c g}
- [Hylaeus globuliferus](#) (Cockerell, 1929)^{i c g}
- [Hylaeus graafii](#) Cockerell, 1936^{i c g}
- [Hylaeus gracilicornis](#) (Morawitz, 1867)^{i c g}
- [Hylaeus gracillimus](#) (Schrottky, 1902)^{i c g}
- [Hylaeus graenicheri](#) Mitchell, 1951^{i c g b}
- [Hylaeus granulatus](#) (Metz, 1911)^{i c g}
- [Hylaeus greavesi](#) (Rayment, 1935)^{i c g}
- [Hylaeus gredleri](#) Förster, 1871^{i c g}
- [Hylaeus gressitti](#) Hirashima, 1979^{i c g}
- [Hylaeus gribodoi](#) (Vachal, 1895)^{i c g}
- [Hylaeus grossus](#) (Cresson, 1869)^{i c g}
- [Hylaeus gualanicus](#) (Cockerell, 1912)^{i c g}
- [Hylaeus guamensis](#) (Cockerell, 1914)^{i c g}
- [Hylaeus guaraniticus](#) (Schrottky, 1906)^{i c g}
- [Hylaeus gujaraticus](#) (Nurse, 1903)^{i c g}
- [Hylaeus haematopodus](#) (Cockerell, 1913)^{i c g}
- [Hylaeus haemorrhous](#) (Benoist, 1946)^{i c g}
- [Hylaeus haladanius](#) Dathe, 2015^g
- [Hylaeus haleakalae](#) (Perkins, 1899)^{i c g}
- [Hylaeus halictiformis](#) (Perkins, 1912)^{i c g}
- [Hylaeus hameri](#) Dathe, 1995^{i c g}

- [Hylaeus haygoodi](#) Bridwell, 1919^{i c g}
- [Hylaeus heliacus](#) (Warncke, 1992)^{i c g}
- [Hylaeus hellenicus](#) Dathe, 2000^{i c g}
- [Hylaeus hemirhodus](#) Michener, 1965^{i c g}
- [Hylaeus heraldicus](#) (Smith, 1853)^{i c g}
- [Hylaeus heteroclitus](#) Hirashima, 1967^{i c g}
- [Hylaeus hiliaris](#) (Smith, 1879)^{i c g}
- [Hylaeus hirashimai](#) Ikudome, 1989^{i c g}
- [Hylaeus hirsutulus](#) (Perkins, 1899)^{i c g}
- [Hylaeus hirticaudus](#) Cockerell, 1939^{i c g}
- [Hylaeus hobartiellus](#) Cockerell, 1929^{i c g}
- [Hylaeus hohmanni](#) Dathe, 1993^{i c g}
- [Hylaeus honestus](#) (Smith, 1879)^{i c g}
- [Hylaeus hostilis](#) (Perkins, 1899)^{i c g}
- [Hylaeus hula](#) (Perkins, 1911)^{i c g}
- [Hylaeus hungaricus](#) (Alfken, 1905)^{i c g}
- [Hylaeus hurdi](#) Snelling, 1966^{i c g}
- [Hylaeus huselus](#) (Cockerell, 1910)^{i c g}
- [Hylaeus hyalinatus](#) Smith, 1842^{i c g b}
- [Hylaeus hydrophilus](#) (Schrottky, 1906)^{i c g}
- [Hylaeus hyperpunctatus](#) (Strand, 1909)^{i c g}
- [Hylaeus hypoleucus](#) (Cockerell, 1918)^{i c g}
- [Hylaeus hyrcanius](#) Dathe, 1980^{i c g}
- [Hylaeus ibericus](#) Dathe, 2000^{i c g}
- [Hylaeus iheringi](#) (Schrottky, 1910)^{i c g}
- [Hylaeus ikedai](#) (Yasumatsu, 1936)^{i c g}
- [Hylaeus illinoisensis](#) (Robertson, 1896)^{i c g}
- [Hylaeus immarginatus](#) (Alfken, 1914)^{i c g}
- [Hylaeus imparilis](#) Förster, 1871^{i c g}
- [Hylaeus implicatus](#) Dathe, 1980^{i c g}
- [Hylaeus impressiventris](#) (Benoist, 1960)^{i c g}
- [Hylaeus incommitatus](#) Snelling, 1970^{i c g}
- [Hylaeus incongruus](#) Förster, 1871^g
- [Hylaeus indecicus](#) Cockerell, 1929^{i c g}
- [Hylaeus indistinctus](#) Morawitz, 1890^{i c g}
- [Hylaeus infans](#) (Cockerell, 1910)^{i c g}

- [Hylaeus infulatus](#) Snelling, 1985 ^{i c g}
- [Hylaeus innocens](#) (Cameron, 1898) ^{i c g}
- [Hylaeus inquilina](#) (Perkins, 1899) ^{i c g}
- [Hylaeus insolitus](#) Snelling, 1966 ^{i c g}
- [Hylaeus insularum](#) Yasumatsu & Hirashima, 1965 ^{i c g}
- [Hylaeus iranicus](#) Dathe, 1980 ^{i c g}
- [Hylaeus iridipennis](#) (Schrottky, 1906) ^{i c g}
- [Hylaeus irritans](#) Dathe, 1980 ^{i c g}
- [Hylaeus isochromus](#) Cockerell, 1936 ^{i c g}
- [Hylaeus itapuensis](#) (Schrottky, 1906) ^{i c g}
- [Hylaeus izikosalis](#) Dathe, 2014 ^g
- [Hylaeus jacksoniae](#) Houston, 1981 ^{i c g}
- [Hylaeus jacobsoni](#) (Friese, 1914) ^{i c g}
- [Hylaeus jantaris](#) Dathe, 1980 ^{i c g}
- [Hylaeus jirisanensis](#) Chen & Xu ^g
- [Hylaeus joergenseni](#) (Schrottky, 1906) ^{i c g}
- [Hylaeus kahri](#) Förster, 1871 ^{i c g}
- [Hylaeus kashmirensis](#) (Nurse, 1903) ^{i c g}
- [Hylaeus kasindensis](#) Cockerell, 1936 ^{i c g}
- [Hylaeus kaszabi](#) Dathe, 1986 ^{i c g}
- [Hylaeus kauaiensis](#) (Perkins, 1899) ^{i c g}
- [Hylaeus kelvini](#) (Cockerell, 1912) ^{i c g}
- [Hylaeus kermadecensis](#) Donovan, 2007 ^{i c g}
- [Hylaeus knabi](#) (Cockerell, 1918) ^{i c g}
- [Hylaeus koenigsmanni](#) Dathe, 1981 ^{i c g}
- [Hylaeus kokeensis](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus kona](#) (Blackburn, 1886) ^{i c g}
- [Hylaeus koreaensis](#) Chen & Xu ^g
- [Hylaeus kotschisus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus kozlovi](#) Dathe & Proshchalykin ^g
- [Hylaeus krebsianus](#) (Strand, 1912) ^{i c g}
- [Hylaeus krombeini](#) Snelling, 1980 ^{i c g}
- [Hylaeus kuakea](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus kukui](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus kurdus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus labiatifrons](#) (Cockerell, 1896) ^{i c g}

- [Hylaeus lactiferus](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus lactipennis](#) (Benoist, 1957) ^{i c g}
- [Hylaeus laetus](#) (Perkins, 1899) ^{i c g}
- [Hylaeus larocai](#) Moure, 1972 ^{i c g}
- [Hylaeus lateralis](#) (Smith, 1879) ^{i c g}
- [Hylaeus leai](#) (Cockerell, 1912) ^{i c g}
- [Hylaeus lemuriae](#) (Benoist, 1945) ^{i c g}
- [Hylaeus lepidulus](#) Cockerell, 1924 ^{i c g}
- [Hylaeus leptcephalus](#) (Morawitz, 1870) ^{i c g b}
- [Hylaeus leptospermi](#) (Cockerell, 1922) ^{i c g}
- [Hylaeus leucolippa](#) (Fries, 1913) ^{i c g}
- [Hylaeus leviceps](#) (Houston, 1975) ^{i c g}
- [Hylaeus libericus](#) (Cockerell, 1936) ^{i c g}
- [Hylaeus lightfooti](#) Bridwell, 1919 ^{i c g}
- [Hylaeus limbifrons](#) (Cresson, 1869) ^{i c g}
- [Hylaeus lineaticeps](#) (Fries, 1913) ^{i c g}
- [Hylaeus lineolatus](#) (Schenck, 1861) ^{i c g}
- [Hylaeus liogonius](#) (Vachal, 1899) ^{i c g}
- [Hylaeus littleri](#) (Cockerell, 1918) ^{i c}
- [Hylaeus livius](#) (Warncke, 1992) ^{i c g}
- [Hylaeus longiceps](#) (Perkins, 1899) ^{i c g}
- [Hylaeus longimaculus](#) (Alfken, 1936) ^{i c g}
- [Hylaeus longulus](#) (Pérez, 1903) ^{i c g}
- [Hylaeus lubbocki](#) (Cockerell, 1905) ^{i c g}
- [Hylaeus luctuosus](#) (Benoist, 1944) ^{i c g}
- [Hylaeus lumbellus](#) (Vachal, 1910) ^{i c g}
- [Hylaeus lunicraterius](#) Snelling, 1970 ^{i c g}
- [Hylaeus luteobalteatus](#) (Dours, 1872) ^{i c g}
- [Hylaeus luzonicus](#) (Cockerell, 1914) ^{i c g}
- [Hylaeus lychnis](#) (Vachal, 1910) ^{i c g}
- [Hylaeus macilentus](#) Ikudome, 1989 ^{i c g}
- [Hylaeus maculatus](#) (Alfken, 1904) ^{i c g}
- [Hylaeus maculipennis](#) (Smith, 1879) ^{i c g}
- [Hylaeus maculipes](#) (Cockerell, 1936) ^{i c g}
- [Hylaeus maculosus](#) (Fries, 1921) ^{i c g}
- [Hylaeus maderensis](#) (Cockerell, 1921) ^g

- [Hylaeus magnificus](#) Cockerell, 1942 ^{i c g}
- [Hylaeus magrettii](#) (Vachal, 1892) ^{i c g}
- [Hylaeus mahafaly](#) Hensen, 1987 ^{i c g}
- [Hylaeus maiellus](#) Rayment, 1935 ^{i c g}
- [Hylaeus major](#) (Strand, 1912) ^{i c g}
- [Hylaeus makaha](#) ^g
- [Hylaeus malagassus](#) (Benoist, 1945) ^{i c g}
- [Hylaeus mana](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus mapirensis](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus margaretae](#) Hirashima & Tadauchi, 1984 ^{i c g}
- [Hylaeus maritimus](#) Bridwell, 1910 ^{i c g}
- [Hylaeus matamoko](#) Donovan, 2007 ^{i c g}
- [Hylaeus matsumurai](#) Bridwell, 1919 ^{i c g}
- [Hylaeus mauiensis](#) (Perkins, 1899) ^{i c g}
- [Hylaeus maximilianus](#) Dathe, 2006 ^{i c g}
- [Hylaeus medialis](#) Morawitz, 1890 ^{i c g}
- [Hylaeus mediolucens](#) Cockerell, 1911 ^g
- [Hylaeus mediovirens](#) (Cockerell, 1913) ^{i c g}
- [Hylaeus megalotis](#) (Swenk & Cockerell, 1910) ^{i c g}
- [Hylaeus melaleucaae](#) Rayment, 1953 ^{i c g}
- [Hylaeus melanocephalus](#) (Cockerell, 1922) ^{i c g}
- [Hylaeus melanosoma](#) (Cockerell, 1920) ^{i c g}
- [Hylaeus melanothrix](#) (Perkins, 1899) ^{i c g}
- [Hylaeus melba](#) (Warncke, 1992) ^{i c g}
- [Hylaeus mellon](#) Dathe & Proshchalykin ^g
- [Hylaeus meridianus](#) Yasumatsu & Hirashima, 1965 ^{i c g}
- [Hylaeus meridionalis](#) Förster, 1871 ^{i c g}
- [Hylaeus meriti](#) Rayment, 1935 ^{i c g}
- [Hylaeus mesillae](#) (Cockerell, 1896) ^{i c g b}
- [Hylaeus mexicanus](#) (Cresson, 1869) ^{i c}
- [Hylaeus microphenax](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus microstictus](#) Cockerell, 1942 ^{i c g}
- [Hylaeus mimicus](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus mindanensis](#) (Cockerell, 1915) ^{i c g}
- [Hylaeus minusculus](#) (Cockerell, 1913) ^{i c g}
- [Hylaeus mirandus](#) (Rayment, 1930) ^{i c g}

- [Hylaeus modestus](#) Say, 1837^{i c g b}
- [Hylaeus monedulus](#) (Warncke, 1992)^{i c g}
- [Hylaeus mongolicus](#) Morawitz, 1890^{i c g}
- [Hylaeus monilicornis](#) Motschulski, 1863^{i c g}
- [Hylaeus monostictus](#) Cockerell, 1924^{i c g}
- [Hylaeus montacuti](#) (Cockerell, 1942)^{i c g}
- [Hylaeus montanus](#) (Nurse, 1903)^{i c g}
- [Hylaeus monticola](#) Bridwell, 1919^{i c g}
- [Hylaeus montivagus](#) Dathe, 1986^{i c g}
- [Hylaeus moricei](#) (Friese, 1898)^{i c g}
- [Hylaeus multigibbosus](#) Michener, 1965^{i c g}
- [Hylaeus munageus](#) Ikudome, 2004^{i c g}
- [Hylaeus muranus](#) (Warncke, 1970)^{i c g}
- [Hylaeus murihiku](#) Donovan, 2007^{i c g}
- [Hylaeus murrayensis](#) Rayment, 1935^{i c g}
- [Hylaeus murrumbidgeanus](#) Houston, 1981^{i c g}
- [Hylaeus musgravei](#) Cockerell, 1929^{i c g}
- [Hylaeus mustelus](#) (Vachal, 1894)^{i c g}
- [Hylaeus mutatus](#) (Perkins, 1899)^{i c g}
- [Hylaeus nalo](#) Magnacca & Daly, 2003^{i c g}
- [Hylaeus namaquensis](#) Cockerell, 1942^{i c g}
- [Hylaeus nanseiensis](#) Ikudome, 1989^{i c g}
- [Hylaeus nasalis](#) Morawitz, 1876^{i c g}
- [Hylaeus nasutus](#) (Vachal, 1910)^{i c g}
- [Hylaeus neavei](#) Cockerell, 1942^{i c g}
- [Hylaeus nelumbonis](#) (Robertson, 1890)^{i c g}
- [Hylaeus nesoprosopoides](#) Bridwell, 1919^{i c g}
- [Hylaeus nevadensis](#) (Cockerell, 1896)^{i c g}
- [Hylaeus niger](#) Bridwell, 1919^{i c g}
- [Hylaeus nigrescens](#) (Cockerell, 1918)^{i c g}
- [Hylaeus nigricallosus](#) Morawitz, 1890^{i c g}
- [Hylaeus nigricans](#) (Friese, 1913)^{i c g}
- [Hylaeus nigriconcavus](#) (Houston, 1975)^{i c g}
- [Hylaeus nigripennis](#) (Vachal, 1909)^{i c g}
- [Hylaeus nigritus](#) (Fabricius, 1798)^{i c g}
- [Hylaeus niloticus](#) (Warncke, 1970)^{i c g}

- [Hylaeus nimbatus](#) Dathe, 1986^{i c g}
- [Hylaeus nippon](#) Hirashima, 1977^{i c g}
- [Hylaeus nivaliformis](#) Dathe, 1977^{i c g}
- [Hylaeus nivalis](#) (Morawitz, 1867)^{i c g}
- [Hylaeus niveofasciatus](#) (Dours, 1872)^{i c g}
- [Hylaeus nivicola](#) Meade-Waldo, 1923^{i c g}
- [Hylaeus noomen](#) Hirashima, 1977^{i c g}
- [Hylaeus nottoni](#) Dathe, 2014^g
- [Hylaeus nubilosus](#) (Smith, 1853)^{i c g}
- [Hylaeus nunenmacheri](#) Bridwell, 1919^{i c g}
- [Hylaeus nyassanus](#) (Strand, 1912)^{i c g}
- [Hylaeus nyrocus](#) (Warncke, 1992)^{i c g}
- [Hylaeus oblitus](#) (Warncke, 1970)^{i c g}
- [Hylaeus obtusatus](#) (Smith, 1879)^{i c g}
- [Hylaeus odontophora](#) Strand, 1914^g
- [Hylaeus oehlkei](#) Dathe, 2010^g
- [Hylaeus oenanthe](#) (Warncke, 1992)^{i c g}
- [Hylaeus ofarrelli](#) Michener, 1965^{i c g}
- [Hylaeus ogilviei](#) Cockerell, 1936^{i c g}
- [Hylaeus omanicus](#) Dathe, 1995^{i c g}
- [Hylaeus ombrias](#) (Perkins, 1910)^{i c g}
- [Hylaeus opacissimus](#) (Cockerell, 1919)^{i c g}
- [Hylaeus opaciventris](#) (Friese, 1925)^{i c g}
- [Hylaeus orbicus](#) (Vachal, 1910)^{i c g}
- [Hylaeus oresbius](#) Snelling, 1980^{i c g}
- [Hylaeus orientalicus](#) (Warncke, 1981)^{i c g}
- [Hylaeus ornatus](#) Mitchell, 1951^{i c g b}
- [Hylaeus oromialis](#) Dathe, 2014^g
- [Hylaeus palavanicus](#) (Cockerell, 1915)^{i c g}
- [Hylaeus pallidicornis](#) Morawitz, 1876^{i c g}
- [Hylaeus palmaris](#) (Vachal, 1901)^{i c g}
- [Hylaeus pamela](#) Dathe, 2014^g
- [Hylaeus panamensis](#) Michener, 1954^{i c g b}
- [Hylaeus pannosus](#) (Vachal, 1909)^{i c g}
- [Hylaeus pannuceus](#) Snelling, 1980^{i c g}
- [Hylaeus papuanus](#) (Hirashima & Roberts, 1986)^{i c g}

- [Hylaeus paradiformis](#) Ikudome, 1989^{i c g}
- [Hylaeus paradisicola](#) Hirashima & Tadauchi, 1984^{i c g}
- [Hylaeus paradoxicus](#) (Perkins, 1899)^{i c g}
- [Hylaeus paradoxus](#) (Schrottky, 1907)^{i c g}
- [Hylaeus paraguayensis](#) (Schrottky, 1906)^{i c g}
- [Hylaeus parmatus](#) Snelling, 1980^{i c g}
- [Hylaeus paulistanus](#) (Schrottky, 1906)^{i c g}
- [Hylaeus paulus](#) Bridwell, 1919^{i c g}
- [Hylaeus paulyi](#) Dathe, 2014^g
- [Hylaeus paumako](#) (Magnacca, 2025)^[4]
- [Hylaeus pectoralis](#) Förster, 1871^{i c g}
- [Hylaeus pele](#) (Perkins, 1911)^{i c g}
- [Hylaeus peltates](#) Snelling, 1980^{i c g}
- [Hylaeus penalaris](#) Dathe, 1979^{i c g}
- [Hylaeus penangensis](#) (Cockerell, 1920)^{i c g}
- [Hylaeus perater](#) Cockerell, 1936^{i c g}
- [Hylaeus perdensus](#) Cockerell, 1936^{i c g}
- [Hylaeus peregrinus](#) Dathe, 1986^{i c g}
- [Hylaeus perforatus](#) (Smith, 1873)^{i c g}
- [Hylaeus pergibbosus](#) Cockerell, 1926^{i c g}
- [Hylaeus perhumilis](#) (Cockerell, 1914)^{i c g}
- [Hylaeus peringueyi](#) (Bridwell, 1919)^{i c g}
- [Hylaeus perkinsianus](#) (Timberlake, 1926)^{i c g}
- [Hylaeus perpictus](#) Rayment, 1935^{i c g}
- [Hylaeus perplexus](#) (Smith, 1854)^{i c}
- [Hylaeus perrufus](#) Cockerell, 1929^{i c g}
- [Hylaeus personatellus](#) (Cockerell, 1915)^{i c g}
- [Hylaeus perspicuus](#) (Perkins, 1899)^{i c g}
- [Hylaeus peruvianus](#) (Schrottky, 1910)^{i c g}
- [Hylaeus pesenkoi](#) Proshchalykin & Dathe, 2016^g
- [Hylaeus petroselini](#) (Schrottky, 1906)^{i c g}
- [Hylaeus pfankuchi](#) (Alfken, 1919)^{i c g}
- [Hylaeus phaeoscapus](#) Snelling, 1982^{i c g}
- [Hylaeus philoleucus](#) (Cockerell, 1910)^{i c g}
- [Hylaeus pictipes](#) Nylander, 1852^{i c g}
- [Hylaeus pictulus](#) Michener, 1965^{i c g}

- [Hylaeus pictus](#) (Smith, 1853)^{i c g}
- [Hylaeus pilosulus](#) (Pérez, 1903)^{i c g}
- [Hylaeus pirus](#) Dathe, 1986^{i c g}
- [Hylaeus polifolii](#) (Cockerell, 1901)^{i c g b}
- [Hylaeus polybiaeformis](#) (Schrotsky, 1907)^{i c g}
- [Hylaeus polybioides](#) (Schrotsky, 1906)^{i c g}
- [Hylaeus pomarinus](#) (Warncke, 1992)^{i c g}
- [Hylaeus porcatus](#) Snelling, 1980^{i c g}
- [Hylaeus potaninii](#) Morawitz, 1890^{i c g}
- [Hylaeus praenotatus](#) Förster, 1871^{i c g}
- [Hylaeus preposterosus](#) Snelling, 1982^{i c g}
- [Hylaeus primulipictus](#) (Cockerell, 1905)^{i c g}
- [Hylaeus probligenatus](#) Houston, 1981^{i c g}
- [Hylaeus procurvus](#) (Rayment, 1939)^{i c g}
- [Hylaeus promontorii](#) Meade-Waldo, 1923^{i c g}
- [Hylaeus proteae](#) Cockerell, 1942^{i c g}
- [Hylaeus proximus](#) (Smith, 1879)^{i c g}
- [Hylaeus przewalskyi](#) Morawitz, 1886^{i c g}
- [Hylaeus psaenythioides](#) Snelling, 1985^{i c g}
- [Hylaeus psammobius](#) (Perkins, 1911)^{i c g}
- [Hylaeus psammophilus](#) (Schrotsky, 1906)^{i c g}
- [Hylaeus pubescens](#) (Perkins, 1899)^{i c g}
- [Hylaeus puerulus](#) (Vachal, 1910)^{i c g}
- [Hylaeus pumilus](#) Dathe, 2015^g
- [Hylaeus punctatus](#) (Brullé, 1832)^{i c g b}
- [Hylaeus punctiferus](#) Cockerell, 1936^{i c g}
- [Hylaeus punctulatissimus](#) Smith, 1842^{i c g}
- [Hylaeus punctus](#) Förster, 1871^{i c g}
- [Hylaeus pyrenaicus](#) Dathe, 2000^{i c g}
- [Hylaeus quadratifer](#) (Cockerell, 1912)^{i c g}
- [Hylaeus quadratus](#) (Smith, 1853)^{i c g}
- [Hylaeus quadriceps](#) (Smith, 1879)^{i c g}
- [Hylaeus quadricornis](#) (Hedicke, 1926)^{i c g}
- [Hylaeus quartinae](#) (Gribodo, 1894)^{i c g}
- [Hylaeus rawi](#) Snelling, 1982^{i c g}
- [Hylaeus recisus](#) (Vachal, 1910)^{i c g}

- [Hylaeus reditus](#) Cockerell, 1936^{i c g}
- [Hylaeus relegatus](#) (Smith, 1876)^{i c g}
- [Hylaeus repentens](#) (Nurse, 1903)^{i c g}
- [Hylaeus rhodesicus](#) (Cockerell, 1942)^{i c g}
- [Hylaeus rhodognathus](#) Cockerell, 1936^{i c g}
- [Hylaeus riekianus](#) Houston, 1981^{i c g}
- [Hylaeus rinki](#) (Gorski, 1852)^{i c g}
- [Hylaeus rivalis](#) (Schrottky, 1906)^{i c g}
- [Hylaeus robertianus](#) (Cameron, 1906)^{i c g}
- [Hylaeus rotensis](#) (Yasumatsu, 1939)^{i c g}
- [Hylaeus rotundiceps](#) (Smith, 1879)^{i c g}
- [Hylaeus royesi](#) Raw, 1984^{i c g}
- [Hylaeus rubicola](#) Saunders, 1850^{i c g}
- [Hylaeus rubrifacialis](#) (Strand, 1912)^{i c g}
- [Hylaeus rubroplagiatus](#) (Cameron, 1905)^{i c g}
- [Hylaeus rudbeckiae](#) (Cockerell & Casad, 1895)^{i c g}
- [Hylaeus ruficeps](#) (Smith, 1853)^{i c g}
- [Hylaeus rufipedoides](#) (Strand, 1911)^{i c g}
- [Hylaeus rufipes](#) (Smith, 1853)^{i c}
- [Hylaeus rufipictus](#) (Strand, 1912)^{i c g}
- [Hylaeus rufoclypeatus](#) (Fries, 1917)^{i c g}
- [Hylaeus rufulus](#) (Fries, 1908)^{i c g}
- [Hylaeus rugicollis](#) Morawitz, 1873^{i c g}
- [Hylaeus rugipunctus](#) (Alfken, 1914)^{i c g}
- [Hylaeus rugosus](#) (Smith, 1879)^{i c g}
- [Hylaeus rugulosus](#) (Perkins, 1899)^{i c g}
- [Hylaeus saltensis](#) (Fries, 1908)^{i c g}
- [Hylaeus sanctus](#) Cockerell, 1936^{i c g}
- [Hylaeus sandacanensis](#) (Cockerell, 1919)^{i c g}
- [Hylaeus sanguinipictus](#) (Cockerell, 1914)^{i c g}
- [Hylaeus saniculae](#) (Robertson, 1896)^{i c g}
- [Hylaeus sansibaribius](#) (Strand, 1912)^{i c g}
- [Hylaeus sariensis](#) Dathe, 1980^{i c g}
- [Hylaeus satelles](#) (Blackburn, 1886)^{i c g}
- [Hylaeus schwarzii](#) (Cockerell, 1896)^{i c g b}
- [Hylaeus scintillans](#) (Cockerell, 1922)^{i c g}

- [Hylaeus scintilliformis](#) (Cockerell, 1913) ^{i c g}
- [Hylaeus scintillus](#) (Cockerell, 1912) ^{i c g}
- [Hylaeus scrobicauda](#) (Vachal, 1901) ^{i c g}
- [Hylaeus scrupeus](#) (Vachal, 1909) ^{i c g}
- [Hylaeus sculptilis](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus sculptus](#) (Cockerell, 1911) ^{i c g}
- [Hylaeus scutaticornis](#) Michener, 1965 ^{i c g}
- [Hylaeus scutellaris](#) Morawitz, 1873 ^{i c g}
- [Hylaeus scutellatus](#) (Spinola, 1838) ^{i c g}
- [Hylaeus scutispinus](#) (Alfken, 1914) ^{i c g}
- [Hylaeus scutulus](#) (Vachal, 1894) ^{i c g}
- [Hylaeus seabrai](#) Urban & Moure, 2002 ^{i c g}
- [Hylaeus seclusus](#) Cockerell & Sumner, 1931 ^{i c g}
- [Hylaeus secretus](#) (Nurse, 1903) ^{i c g}
- [Hylaeus sedens](#) Snelling, 1980 ^{i c g}
- [Hylaeus sejunctus](#) Snelling, 1970 ^{i c g}
- [Hylaeus semicastaneus](#) (Cockerell, 1918) ^{i c g}
- [Hylaeus semipersonatus](#) Cockerell, 1929 ^{i c g}
- [Hylaeus semirufus](#) (Cockerell, 1914) ^{i c g}
- [Hylaeus serotinellus](#) (Cockerell, 1906) ^{i c g}
- [Hylaeus setosifrons](#) (Perkins, 1899) ^{i c g}
- [Hylaeus sibiricus](#) (Strand, 1909) ^{i c g}
- [Hylaeus sidensis](#) (Warncke, 1981) ^{i c g}
- [Hylaeus signatus](#) (Panzer, 1798) ^{i c g}
- [Hylaeus simplex](#) (Perkins, 1899) ^{i c g}
- [Hylaeus simplior](#) Meade-Waldo, 1923 ^{i c g}
- [Hylaeus simplus](#) Houston, 1993 ^{i c g}
- [Hylaeus simpsoni](#) Cockerell, 1942 ^{i c g}
- [Hylaeus simulans](#) Cockerell, 1942 ^{i c g}
- [Hylaeus simus](#) (Vachal, 1895) ^{i c g}
- [Hylaeus sinensis](#) Dathe, 2005 ^{i c g}
- [Hylaeus sinuatus](#) (Schenck, 1853) ^{i c g}
- [Hylaeus solaris](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus sonorensis](#) Cockerell, 1924 ^{i c g}
- [Hylaeus soror](#) (Pérez, 1903) ^{i c g}
- [Hylaeus sparsus](#) (Cresson, 1869) ^{i c g}

- [Hylaeus specularis](#) (Perkins, 1899) ^{i c g}
- [Hylaeus sphecodoides](#) (Perkins, 1899) ^{i c g}
- [Hylaeus spilotus](#) Förster, 1871 ^{i c g}
- [Hylaeus stenops](#) (Schrottky, 1910) ^{i c g}
- [Hylaeus stentoriscapus](#) Dathe, 1986 ^{i c g}
- [Hylaeus stictifrons](#) (Cockerell, 1936) ^{i c g}
- [Hylaeus stilbaspis](#) (Vachal, 1901) ^{i c g}
- [Hylaeus strenuus](#) (Cameron, 1897) ^{i c g}
- [Hylaeus stubbei](#) Dathe, 1986 ^{i c g}
- [Hylaeus styriacus](#) Förster, 1871 ^{i c g}
- [Hylaeus subbutea](#) (Warncke, 1992) ^{i c g}
- [Hylaeus subconstrictus](#) (Cockerell, 1922) ^{i c g}
- [Hylaeus subcoronatus](#) Rayment, 1935 ^{i c g}
- [Hylaeus subfortis](#) (Cockerell, 1942) ^{i c g}
- [Hylaeus subgriseus](#) (Cockerell, 1918) ^{i c g}
- [Hylaeus sublateralis](#) (Cockerell, 1914) ^{i c g}
- [Hylaeus sublucens](#) Cockerell, 1936 ^{i c g}
- [Hylaeus submonticola](#) Ikudome, 1989 ^{i c g}
- [Hylaeus subplebeius](#) (Cockerell, 1905) ^{i c g}
- [Hylaeus subreditus](#) Cockerell, 1942 ^{i c g}
- [Hylaeus suffusus](#) (Cockerell, 1896) ^{i c g}
- [Hylaeus sulphuripes](#) (Gribodo, 1894) ^{i c g}
- [Hylaeus taclobanus](#) (Cockerell, 1915) ^{i c g}
- [Hylaeus taeniolatus](#) Förster, 1871 ^{i c g}
- [Hylaeus tagala](#) (Ashmead, 1905) ^{i c g}
- [Hylaeus taihorinica](#) Strand, 1914 ^g
- [Hylaeus takumiae](#) Magnacca & Daly, 2003 ^{i c g}
- [Hylaeus tardus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus telmenicus](#) Dathe, 1986 ^{i c g}
- [Hylaeus tenuis](#) (Alfken, 1914) ^{i c g}
- [Hylaeus tephronotus](#) (Warncke, 1992) ^{i c g}
- [Hylaeus teruelus](#) (Warncke, 1981) ^{i c g}
- [Hylaeus tetris](#) Dathe, 2000 ^{i c g}
- [Hylaeus theodorei](#) (Perkins, 1912) ^{i c g}
- [Hylaeus thyreus](#) Snelling, 1980 ^{i c g}
- [Hylaeus timberlakei](#) Snelling, 1970 ^{i c g}

- [Hylaeus tinctulus](#) Cockerell, 1932^{i c g}
- [Hylaeus titanius](#) (Friese, 1925)^{i c g}
- [Hylaeus torquatus](#) (Warncke, 1992)^{i c g}
- [Hylaeus transversicostata](#)^g
- [Hylaeus transversus](#) (Vachal, 1909)^{i c g}
- [Hylaeus transvittatus](#) (Cockerell, 1917)^{i c g}
- [Hylaeus triangulum](#) Fabricius, 1793^{i c g}
- [Hylaeus tricolor](#) (Schrottky, 1906)^{i c g}
- [Hylaeus trifidus](#) (Alfken, 1936)^{i c g}
- [Hylaeus trilobatus](#) (Cockerell, 1910)^{i c g}
- [Hylaeus trimerops](#) (Cockerell, 1916)^{i c g}
- [Hylaeus trinotatus](#) (Pérez, 1895)^{i c g}
- [Hylaeus trisignatus](#) Morawitz, 1876^{i c g}
- [Hylaeus trisulcus](#) (Vachal, 1910)^{i c g}
- [Hylaeus trivittatus](#) (Friese, 1917)^{i c g}
- [Hylaeus tsingtauensis](#) Strand, 1915^g
- [Hylaeus tuamotuensis](#) Michener, 1965^{i c g}
- [Hylaeus tuertonis](#) (Cockerell, 1906)^{i c g}
- [Hylaeus turgicollaris](#) Michener, 1965^{i c g}
- [Hylaeus tyrolensis](#) Förster, 1871^{i c g}
- [Hylaeus ubertus](#) (Vachal, 1910)^{i c g}
- [Hylaeus uelleburgensis](#) (Strand, 1912)^{i c g}
- [Hylaeus ugandicus](#) (Cockerell, 1939)^{i c g}
- [Hylaeus ulanus](#) Dathe, 1986^{i c g}
- [Hylaeus ulaula](#)^g
- [Hylaeus umtalicus](#) (Cockerell, 1936)^{i c g}
- [Hylaeus unicus](#) (Perkins, 1899)^{i c g}
- [Hylaeus vachali](#) Meade-Waldo, 1923^{i c g}
- [Hylaeus vachalianus](#) Moure, 1960^{i c g}
- [Hylaeus valinis](#) Dathe, 1986^{i c g}
- [Hylaeus varians](#) Cockerell, 1936^{i c g}
- [Hylaeus variegatus](#) (Fabricius, 1798)^{i c g}
- [Hylaeus variolosus](#) (Smith, 1853)^{i c g}
- [Hylaeus venustus](#) Dathe, 2014^g
- [Hylaeus versicolor](#) Saunders, 1850^{i c g}
- [Hylaeus verticalis](#) (Cresson, 1869)^{i c g b}

- [Hylaeus vetustus](#) (Nurse, 1903) ^{i c g}
- [Hylaeus vigilans](#) (Smith, 1879) ^{i c}
- [Hylaeus villosellus](#) Moure, 1960 ^{i c g}
- [Hylaeus violaceus](#) (Smith, 1853) ^{i c g}
- [Hylaeus vittatifrons](#) (Cockerell, 1913) ^{i c g}
- [Hylaeus volatilis](#) (Smith, 1879) ^{i c g}
- [Hylaeus volcanicus](#) (Perkins, 1899) ^{i c g}
- [Hylaeus volusiensis](#) Mitchell, 1951 ^{i c g}
- [Hylaeus vulgaris](#) Morawitz, 1876 ^{i c g}
- [Hylaeus williamsi](#) (Bridwell, 1919) ^{i c g}
- [Hylaeus wilsoni](#) (Rayment, 1928) ^{i c g}
- [Hylaeus wootoni](#) (Cockerell, 1896) ^{i c}
- [Hylaeus worcesteri](#) (Cockerell, 1919) ^{i c g}
- [Hylaeus woyensis](#) Rayment, 1939 ^{i c g}
- [Hylaeus wynyardensis](#) Cockerell, 1929 ^{i c g}
- [Hylaeus xanthaspis](#) (Cockerell, 1910) ^{i c g}
- [Hylaeus xanthocephalus](#) (Schrotsky, 1906) ^{i c g}
- [Hylaeus xanthognathus](#) Rayment, 1935 ^{i c g}
- [Hylaeus xanthopoda](#) (Vachal, 1895) ^{i c g}
- [Hylaeus xanthopsyche](#) (Cockerell, 1922) ^{i c g}
- [Hylaeus xanthostoma](#) (Alfken, 1914) ^{i c g}
- [Hylaeus yaguarae](#) (Schrotsky, 1913) ^{i c g}
- [Hylaeus yapensis](#) (Yasumatsu, 1942) ^{i c g}
- [Hylaeus yasumatsui](#) Snelling, 1970 ^{i c g}
- [Hylaeus yoruba](#) (Bridwell, 1919) ^{i c g}
- [Hylaeus zamoranicus](#) (Cockerell, 1949) ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[5]

References

1.
 - ["Hylaeus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-12.
 - ["Browse Hylaeus"](#). Catalogue of Life. Retrieved 2018-04-12.
 - ["Hylaeus"](#). GBIF. Retrieved 2018-04-12.
 - Zoobank: [E4B78FBB-6248-4554-836E-65E4C046FD07](#)
 -
5. ["Hylaeus Genus Information"](#). BugGuide.net. Retrieved 2018-04-12.

Categories:

- [Colletidae](#)
- [Lists of insect species](#)
- [Lists of bees](#)
-

This is a list of 122 species in [Hydrometra](#), a genus of water measurers in the family [Hydrometridae](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Hydrometra species

- [Hydrometra acapulcana](#) Drake, 1952 ^{i c g}
- [Hydrometra aculeata](#) Montrouzier in Perroud, 1864 ^{i c g}
- [Hydrometra adnexa](#) Drake, 1956 ^{i c g}
- [Hydrometra aegyptia](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra aemula](#) Drake, 1956 ^{i c g}
- [Hydrometra aequatoriana](#) Cianferoni and Buzzetti, 2012 ^{i c g}
- [Hydrometra africana](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra albolineata](#) (Scott, 1874) ^{i c g}
- [Hydrometra albolineolata](#) Reuter, 1882 ^{i c g}
- [Hydrometra alloiona](#) Drake and Lauck, 1959 ^{i c g}
- [Hydrometra ambulator](#) Stål, 1855 ^{i c g}
- [Hydrometra annamana](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra argentina](#) Berg, 1879 ^{i c g}
- [Hydrometra australis](#) Say, 1832 ^{i c g b}
- [Hydrometra balkei](#) Zettel, 2014 ^{i c g}
- [Hydrometra barei](#) Hungerford, 1927 ^{i c g}
- [Hydrometra barrana](#) Drake, 1952 ^{i c g}
- [Hydrometra bifurcata](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra borneensis](#) Zettel and Yang, 2004 ^{i c g}
- [Hydrometra brevitarsus](#) Zettel and Yang, 2004 ^{i c g}
- [Hydrometra butleri](#) Hungerford and Evans, 1934 ^{i c g}

- [Hydrometra caraiba](#) Guérin-Ménéville, 1857 ^{i c g}
- [Hydrometra carayoni](#) Poisson, 1948 ^{i c g}
- [Hydrometra carinata](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [Hydrometra cavernicola](#) J. Polhemus and D. Polhemus, 1987 ^{i c g}
- [Hydrometra chaweewanae](#) Sites and J. Polhemus, 2003 ^{i c g}
- [Hydrometra cherukolensis](#) Jehamalar and Chandra, 2014 ^{i c g}
- [Hydrometra chinai](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra chopardi](#) Poisson, 1941 ^{i c g}
- [Hydrometra ciliata](#) Mychajliw, 1961 ^{i c g}
- [Hydrometra ciliosa](#) Drake and Lauck, 1959 ^{i c g}
- [Hydrometra claudie](#) J. Polhemus and Lansbury, 1997 ^{i c g}
- [Hydrometra comata](#) Torre-Bueno, 1926 ^{i c g}
- [Hydrometra consimilis](#) Barber, 1923 ^{i c g}
- [Hydrometra cracens](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [Hydrometra crossa](#) Drake and Lauck, 1959 ^{i c g}
- [Hydrometra cyprina](#) Torre-Bueno, 1926 ^{i c g}
- [Hydrometra darwiniana](#) J. Polhemus and Lansbury, 1997 ^{i c g}
- [Hydrometra eioana](#) J. Polhemus and Lansbury, 1997 ^{i c g}
- [Hydrometra exalla](#) Drake and Lauck, 1959 ^{i c g}
- [Hydrometra exilis](#) Torre-Bueno, 1926 ^{i c g}
- [Hydrometra fanjahira](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra feta](#) Hale, 1925 ^{i c g}
- [Hydrometra fruhstorferi](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra fuanucana](#) Drake, 1954 ^{i c g}
- [Hydrometra gagnei](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [Hydrometra gibara](#) Torre-Bueno, 1926 ^{i c g}
- [Hydrometra gilloglyi](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [Hydrometra goodi](#) Hungerford, 1951 ^{i c g}
- [Hydrometra gracilenta](#) Horváth, 1899 ^{i c g}
- [Hydrometra grassei](#) Poisson, 1945 ^{i c g}
- [Hydrometra greeni](#) Kirkaldy, 1898 ^{i c g}
- [Hydrometra groehni](#) Andersen, 2003 ^{i c g}
- [Hydrometra guianana](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra halei](#) Hungerford and Evans, 1934 ^{i c g}
- [Hydrometra heoki](#) Zettel and Yang, 2004 ^{i c g}
- [Hydrometra horvathi](#) Hungerford and Evans, 1934 ^{i c g}

- [*Hydrometra huallagana*](#) Drake, 1954 ^{i c g}
- [*Hydrometra hungerfordi*](#) Torre-Bueno, 1926 ^{i c g}
- [*Hydrometra hutchinsoni*](#) Hungerford and Evans, 1934 ^{i c g}
- [*Hydrometra intonsa*](#) Drake and Hottes, 1952 ^{i c g}
- [*Hydrometra isaka*](#) Hungerford and Evans, 1934 ^{i c g}
- [*Hydrometra jaczewskii*](#) Lundblad, 1933 ^{i c g}
- [*Hydrometra jourama*](#) J. Polhemus and Lansbury, 1997 ^{i c g}
- [*Hydrometra juba*](#) Linnavuori, 1971 ^{i c g}
- [*Hydrometra julieni*](#) Hungerford and Evans, 1934 ^{i c g}
- [*Hydrometra julienoides*](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [*Hydrometra kahallensis*](#) Karunaratne, 1969 ^{i c g}
- [*Hydrometra kelantan*](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [*Hydrometra kiunga*](#) J. Polhemus and Lansbury, 1997 ^{i c g}
- [*Hydrometra lentipes*](#) Champion, 1898 ^{i c g}
- [*Hydrometra lillianis*](#) Torre-Bueno, 1926 ^{i c g}
- [*Hydrometra lineata*](#) Eschscholtz, 1822 ^{i c g}
- [*Hydrometra lombok*](#) J. Polhemus and D. Polhemus, 1995 ^{i c g}
- [*Hydrometra longicapitis*](#) Torre-Bueno, 1927 ^{i c g}
- [*Hydrometra madagascarensis*](#) Hungerford and Evans, 1934 ^{i c g}
- [*Hydrometra maidli*](#) Hungerford and Evans, 1934 ^{i c g}
- [*Hydrometra maindroni*](#) Hungerford and Evans, 1934 ^{i c g}
- [*Hydrometra mameti*](#) Hungerford, 1951 ^{i c g}
- [*Hydrometra marani*](#) Hoberlandt, 1942 ^{i c g}
- [*Hydrometra martini*](#) Kirkaldy, 1900 ^{i c g b}
- [*Hydrometra metator*](#) Buchanan-White, 1879 ^{i c g}
- [*Hydrometra mindoroensis*](#) J. Polhemus in J. Polhemus and Reisen, 1976 ^{i c g}
- [*Hydrometra moneta*](#) Linnavuori, 1981 ^{i c g}
- [*Hydrometra monodi*](#) Poisson, 1939 ^{i c g}
- [*Hydrometra naiades*](#) Kirkaldy, 1902 ^{i c g}
- [*Hydrometra nicobarensis*](#) Jehamalar and Chandra, 2014 ^{i c g}
- [*Hydrometra novahollandiae*](#) J. Polhemus and Lansbury, 1997 ^{i c g}
- [*Hydrometra okinawana*](#) Drake, 1951 ^{i c g}
- [*Hydrometra olallai*](#) Mychajliw, 1961 ^{i c g}
- [*Hydrometra orientalis*](#) Lundblad, 1933 ^{i c g}
- [*Hydrometra panamensis*](#) Drake, 1952 ^{i c g}
- [*Hydrometra papuana*](#) Kirkaldy, 1901 ^{i c g}

- [Hydrometra phytophila](#) J. Polhemus and D. Polhemus, 1987^{i c g}
- [Hydrometra placita](#) Drake, 1953^{i c g}
- [Hydrometra poissoni](#) Hungerford, 1951^{i c g}
- [Hydrometra priscillae](#) Torre-Bueno, 1926^{i c g}
- [Hydrometra procera](#) Horváth, 1905^{i c g}
- [Hydrometra quadrispina](#) Perez Goodwyn, 2001^{i c g}
- [Hydrometra rhodesiana](#) Hungerford and Evans, 1934^{i c g}
- [Hydrometra ribesci](#) Hungerford, 1938^g
- [Hydrometra ripicola](#) Andersen, 1992^{i c g}
- [Hydrometra sapiranga](#) Moreira and Barbosa, 2013^{i c g}
- [Hydrometra scotti](#) Brown, 1951^{i c g}
- [Hydrometra seychellensis](#) J. Polhemus and D. Polhemus, 1995^{i c g}
- [Hydrometra sjoestedti](#) Lundblad, 1934^{i c g}
- [Hydrometra smithi](#) Hungerford and Evans, 1934^{i c g}
- [Hydrometra somaliensis](#) Poisson, 1949^{i c g}
- [Hydrometra stagnorum](#) (Linnaeus, 1758)^{i c g}
- [Hydrometra strigosa](#) (Skuse, 1893)^{i c g}
- [Hydrometra sztolcmani](#) Jaczewski, 1928^{i c g}
- [Hydrometra taxcana](#) Drake and Hottes, 1952^{i c g}
- [Hydrometra thomasi](#) Mychajliw, 1961^{i c g}
- [Hydrometra transvaalensis](#) Hungerford and Evans, 1934^{i c g}
- [Hydrometra turneri](#) Hungerford and Evans, 1934^{i c g}
- [Hydrometra ugandae](#) Jaczewski, 1932^{i c g}
- [Hydrometra wileyae](#) Hungerford, 1923^{i c g}
- [Hydrometra williamsi](#) Hungerford and Evans, 1934^{i c g}
- [Hydrometra yamoussoukroi](#) Poisson, 1945^{i c g}
- [Hydrometra yaqubi](#) Ghauri, 1964^{i c g}
- [Hydrometra zeteki](#) Drake, 1952^{i c g}
- [Hydrometra zeylanica](#) Gunawardane and Karunaratne, 1965^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 240 species in [Hydrellia](#), a genus of shore flies in the family [Ephydriidae](#).^{[1][2][3][4][5]}

***Hydrellia* species**

- [*H. acutipennis*](#) Harrison, 1959 ^{c g}
- [*H. administrata*](#) Bock, 1990 ^{c g}
- [*H. advenae*](#) Cresson, 1934[6]
- [*H. affinis*](#) Meigen, 1838[7]
- [*H. agitator*](#) Deonier, 1971[8]
- [*H. ainsworthi*](#) Deonier, 1971[8]
- [*H. alabamae*](#) Deonier, 1993[9]
- [*H. albiceps*](#) (Meigen, 1824)[10]
- [*H. albifacies*](#) (Adams, 1905)[11]
- [*H. albifrons*](#) (Fallén, 1813)[12]
- [*H. albilabris*](#) (Meigen, 1830)[13]
- [*H. alboguttata*](#) Loew, 1845[14]
- [*H. americana*](#) Cresson, 1931[15]
- [*H. amnicola*](#) Deonier, 1971[8]
- [*H. amplecta*](#) Deonier, 1995[16]
- [*H. anguliterga*](#) Deeming, 2002[17]
- [*H. annulata*](#) Loew, 1845[14]
- [*H. apalachee*](#) Deonier, 1993[9]
- [*H. approximata*](#) Becker, 1903[18]
- [*H. argyrogenia*](#) Becker, 1896[19]
- [*H. argyrostoma*](#) (Stenhammar, 1844)[20]
- [*H. armata*](#) Canzoneri & Meneghini, 1976 ^{c g}
- [*H. ascita*](#) Cresson, 1942[21]
- [*H. asymmetrica*](#) Papp, 1983 ^{c g}
- [*H. atlas*](#) Vitte, 1989 ^{c g}
- [*H. atroglaucia*](#) Coquillett, 1910[22]
- [*H. aurifer*](#) Cresson, 1932[23]
- [*H. balciunasi*](#) Bock, 1990 ^{c g}
- [*H. bergi*](#) Cresson, 1941[24]
- [*H. bezzii*](#) Cogan, 1980 ^{c g}
- [*H. bicarina*](#) Deonier, 1995[16]
- [*H. bicolor*](#) Meigen, 1838[7]
- [*H. bicolorithorax*](#) Giordani Soika, 1956 ^{c g}
- [*H. bilobifera*](#) Cresson, 1936 ^{i c g}
- [*H. biloxiae*](#) Deonier, 1971[8]
- [*H. bionotata*](#) Canzoneri & Meneghini, 1969 ^{c g}
- [*H. bocaiuensis*](#) Rodrigues, Mathi & Couri, 2014 ^g[25]
- [*H. bogorae*](#) Deonier, 1993[9]
- [*H. borealis*](#) Cresson, 1944 ^{i c g}

- [*H. brunifacies*](#) Robineau-Desvoidy, 1830[26]
- [*H. brunnipleura*](#) Giordani Soika, 1956 ^{c g}
- [*H. bryani*](#) Deonier, 1995[16]
- [*H. bumbunae*](#) Canzoneri, 1982 ^{c g}
- [*H. caesia*](#) (Stenhammar, 1844)[20]
- [*H. caledonica*](#) Collin, 1966 ^{c g}
- [*H. caliginosa*](#) Cresson, 1936 ^{i c g}
- [*H. calverti*](#) Cresson, 1918 ^{c g}
- [*H. canzonerii*](#) Zatwarnicki, 1988 ^{c g}
- [*H. cardamines*](#) Haliday, 1839 ^{c g}
- [*H. careelensis*](#) Bock, 1990 ^{c g}
- [*H. cavator*](#) Deonier, 1971[8]
- [*H. cephalotes*](#) Canzoneri & Meneghini, 1969 ^{c g}
- [*H. ceramensis*](#) Meijere, 1913 ^{c g}
- [*H. cessator*](#) Deonier, 1971[8]
- [*H. chinensis*](#) Qi & Li, 1983 ^{c g}
- [*H. chrisina*](#) Robineau-Desvoidy, 1830[26]
- [*H. chrysella*](#) Robineau-Desvoidy, 1830[26]
- [*H. cinerascens*](#) Macquart, 1835 ^{c g}
- [*H. cochleariae*](#) Haliday, 1839 ^{c g}
- [*H. columbata*](#) Deonier, 1971[8]
- [*H. concii*](#) Canzoneri & Meneghini, 1975 ^{c g}
- [*H. concolor*](#) (Stenhammar, 1844)[20]
- [*H. conformis*](#) Loew, 1869 ^{i c g}
- [*H. congensis*](#) Giordani Soika, 1956 ^{c g}
- [*H. crassipes*](#) Cresson, 1931[15]
- [*H. cruralis*](#) Coquillett, 1910[22]
- [*H. decens*](#) Cresson, 1931[15]
- [*H. deceptor*](#) Deonier, 1971[8]
- [*H. definita*](#) Cresson, 1944 ^{i c g}
- [*H. discursa*](#) Deonier, 1971[8]
- [*H. dubia*](#) Dahl, 1968 ^{c g}
- [*H. egeriae*](#) Rodrigues, Mathis & Hauser, 2015 ^g[27]
- [*H. elegans*](#) Dahl, 1973 ^{c g}
- [*H. enderbii*](#) (Hutton, 1901) ^{c g}
- [*H. fascitibia*](#) (Roser, 1840) ^{c g}
- [*H. feijeni*](#) Deeming, 2002[17]
- [*H. flaviceps*](#) (Meigen, 1830)[13]
- [*H. flavicornis*](#) (Fallén, 1823) ^{c g}

- [*H. flavicoxalis* Cresson](#), 1944^{i c g}
- [*H. flavipes* Macquart](#), 1835^{c g}
- [*H. floridana* Deonier](#), 1971[8]
- [*H. formosa* Loew](#), 1861^{i c g}
- [*H. frontalis* Loew](#), 1860^{c g}
- [*H. frontosa* Becker](#), 1926^{c g}
- [*H. fuliginosa* Robineau-Desvoidy](#), 1830[26]
- [*H. fulviceps* \(Stenhammar, 1844\)\[20\]](#)
- [*H. fulvipes* Macquart](#), 1835^{c g}
- [*H. fusca* \(Stenhammar, 1844\)\[20\]](#)
- [*H. geniculata* \(Stenhammar, 1844\)\[20\]](#)
- [*H. genitalis* Bock](#), 1990^{c g}
- [*H. gentilis* Dahl](#), 1968^{c g}
- [*H. ghanii* Deonier](#), 1978^{c g}
- [*H. gladiator* Deonier](#), 1971[8]
- [*H. griseola* \(Fallén, 1813\)\[12\]](#)
- [*H. harti* Cresson](#), 1936^{i c g}
- [*H. hawaiiensis* Cresson](#), 1936^{i c g}
- [*H. huttoni* Cresson](#), 1948^{c g}
- [*H. idolator* Deonier](#), 1971[8]
- [*H. indicae* Deonier](#), 1978^{c g}
- [*H. insulata* Deonier](#), 1971[8]
- [*H. inusitata* Canzoneri & Rampini](#), 1998^{c g}
- [*H. ipsata* Zatwarnicki](#), 1988^{c g}
- [*H. ischiaca* Loew](#), 1862^{i c g}
- [*H. italica* Canzoneri & Meneghini](#), 1974^{c g}
- [*H. itasca* Deonier](#), 1971[8]
- [*H. johnsoni* Cresson](#), 1941[24]
- [*H. karenae* Canzoneri](#), 1996^{c g}
- [*H. lappoinca* \(Stenhammar, 1844\)\[20\]](#)
- [*H. lata* Cresson](#), 1944^{i c g}
- [*H. laticapsula* Deonier](#), 1993[9]
- [*H. laticeps* \(Stenhammar, 1844\)\[20\]](#)
- [*H. latipalpis* Cresson](#), 1943^{c g}
- [*H. leannae* Bock](#), 1990^{c g}
- [*H. limnobii* Deonier](#), 1993[9]
- [*H. limosina* Becker](#), 1903[18]
- [*H. lineata* Macquart](#), 1835^{c g}
- [*H. litoralis* Miyagi](#), 1977^{c g}

- [*H. longiseta*](#) Rodrigues, Mathi & Couri, 2014^g[25]
- [*H. lucida*](#) Macquart, 1835^{c g}
- [*H. luctuosa*](#) Cresson, 1942[21]
- [*H. lunata*](#) Cresson, 1932[23]
- [*H. luteipes*](#) Cresson, 1932[23]
- [*H. maculiventris*](#) Becker, 1896[19]
- [*H. magna*](#) Miyagi, 1977^{c g}
- [*H. manitobae*](#) Deonier, 1971[8]
- [*H. mareeba*](#) Bock, 1990^{c g}
- [*H. maura*](#) Meigen, 1838[7]
- [*H. mayoli*](#) Canzoneri & Rallo, 1996^{c g}
- [*H. meigeni*](#) Zatwarnicki, 1988^{c g}
- [*H. melanderi*](#) Deonier, 1971[8]
- [*H. meneghinii*](#) Canzoneri, 1996^{c g}
- [*H. michelae*](#) Bock, 1990^{c g}
- [*H. minutissima*](#) Papp, 1983^{c g}
- [*H. morrisoni*](#) Cresson, 1924^{i c g}
- [*H. mutata*](#) (Zetterstedt, 1846)^{c g}
- [*H. naivashae*](#) Canzoneri & Raffone, 1987^{c g}
- [*H. najadis*](#) Deonier, 1993[9]
- [*H. nemoralis*](#) Dahl, 1968^{c g}
- [*H. nigra*](#) Canzoneri, 1982^{c g}
- [*H. nigricans*](#) (Stenhammar, 1844)[20]
- [*H. nigriceps*](#) (Meigen, 1830)[13]
- [*H. nigripes*](#) Robineau-Desvoidy, 1830[26]
- [*H. nigroquadrimalculata*](#) Giordani Soika, 1956^{c g}
- [*H. nitida*](#) Robineau-Desvoidy, 1830[26]
- [*H. nobilis*](#) (Loew, 1862)^{i c g}
- [*H. nostimoides*](#) Frey, 1958^{c g}
- [*H. notata*](#) Deonier, 1971[8]
- [*H. notiphiloides*](#) Cresson, 1924^{i c g}
- [*H. novaezealandiae*](#) Harrison, 1959^{c g}
- [*H. nymphaeae*](#) (Stenhammar, 1844)[20]
- [*H. obscura*](#) (Meigen, 1830)[26]
- [*H. ocalae*](#) Deonier, 1995[16]
- [*H. ochtheroides*](#) Canzoneri & Rampini, 1998^{c g}
- [*H. opaca*](#) Meigen, 1838[7]
- [*H. orientalis*](#) Miyagi, 1977^{c g}
- [*H. osorno*](#) Cresson, 1931[15]

- [H. otteliae](#) [Séguy](#), 1951 ^{c g}
- [H. padi](#) [Canzoneri & Meneghini](#), 1985 ^{c g}
- [H. pakistanae](#) [Deonier](#), 1978 ^{c g}
- [H. pallipes](#) ([Meigen](#), 1830)[26]
- [H. parafrontosa](#) [Papp](#), 1983 ^{c g}
- [H. penicili](#) [Cresson](#), 1944 ^{c g}
- [H. penicilli](#) [Cresson](#), 1944 ^{i c}
- [H. perfida](#) [Canzoneri & Rampini](#), 1994 ^{c g}
- [H. perplexa](#) [Bock](#), 1990 ^{c g}
- [H. personata](#) [Deonier](#), 1971[8]
- [H. philippina](#) [Ferino](#), 1968 ^{c g}
- [H. pilitarsis](#) ([Stenhammar](#), 1844)[20]
- [H. platygastera](#) [Cresson](#), 1931[15]
- [H. poecilogastra](#) [Becker](#), 1903[18]
- [H. pontederiae](#) [Deonier](#), 1993[9]
- [H. porphyrops](#) [Haliday](#), 1839 ^{c g}
- [H. portis](#) [Cresson](#), 1932[23]
- [H. proclinata](#) [Cresson](#), 1915 ^{i c g}
- [H. procteri](#) [Cresson](#), 1934[6]
- [H. propinqua](#) [Wahlgren](#), 1947 ^{c g}
- [H. prosternalis](#) [Deeming](#), 1977 ^{c g}
- [H. prudens](#) [Curran](#), 1930 ^{i c g}
- [H. pseudopulchella](#) [Canzoneri & Rampini](#), 1998 ^{c g}
- [H. pubescens](#) [Becker](#), 1926 ^{c g}
- [H. pulchella](#) [Canzoneri & Meneghini](#), 1969 ^{c g}
- [H. pulla](#) [Cresson](#), 1931[15]
- [H. punctum](#) [Becker](#), 1909 ^{c g}
- [H. raffonei](#) [Canzoneri & Rampini](#), 1989 ^{c g}
- [H. ranunculi](#) [Haliday](#), 1839 ^{c g}
- [H. rharbia](#) [Vitte](#), 1989 ^{c g}
- [H. rixator](#) [Deonier](#), 1971[8]
- [H. sagittata](#) [Canzoneri & Rampini](#), 1998 ^{c g}
- [H. saharae](#) [Giordani Soika](#), 1956 ^{c g}
- [H. saltator](#) [Deonier](#), 1971[8]
- [H. sarahae](#) [Deonier](#), 1993[9]
- [H. sasakii](#) [Yuasa & Isitani](#), 1939 ^{c g}
- [H. scarpai](#) [Canzoneri & Vienna](#), 1987 ^{c g}
- [H. schneiderae](#) [Rodrigues, Mathi & Couri](#), 2014 ^g[25]

- [H. serena](#) Cresson, 1931[15]
- [H. serica](#) Bock, 1990 ^{c g}
- [H. similis](#) Rodrigues, Mathi & Couri, 2014 ^g[25]
- [H. simplex](#) Rodrigues, Mathi & Couri, 2014 ^g[25]
- [H. soikai](#) Cogan, 1980 ^{c g}
- [H. spicornis](#) Cresson, 1918 ^{i c g}
- [H. spinicornis](#) Cresson, 1918 ^{c g}
- [H. stratiotae](#) Hering, 1925 ^{c g}
- [H. stratiotella](#) Wahlgren, 1947 ^{c g}
- [H. subalbiceps](#) Collin, 1966 ^{c g}
- [H. subnitens](#) Cresson, 1931[15]
- [H. surata](#) Deonier, 1971[8]
- [H. suspecta](#) Cresson, 1936 ^{i c g}
- [H. svecica](#) Zatwarnicki, 1988 ^{c g}
- [H. tarsata](#) Haliday, 1839 ^{c g}
- [H. tenebricosa](#) Collin, 1939 ^{c g}
- [H. thoracica](#) Haliday, 1839 ^{c g}
- [H. tibialis](#) Cresson, 1917 ^{i c g}
- [H. tibiospica](#) Deonier, 1995[16]
- [H. toma](#) Mathis & Zatwarnicki, 2010 ^{c g}
- [H. tozzii](#) Canzoneri & Raffone, 1987 ^{c g}
- [H. trichaeta](#) Cresson, 1944 ^{i c g}
- [H. trifasciata](#) Bock, 1990 ^{c g}
- [H. tritici](#) Coquillett, 1903 ^{c g}
- [H. unigena](#) Cresson, 1944 ^{c g}
- [H. valerosiae](#) Canzoneri & Rampini, 1990 ^{c g}
- [H. valida](#) Loew, 1862 ^{i c g b}
- [H. varipes](#) Lamb, 1912 ^{c g}
- [H. velutinifrons](#) Tonnoir & Malloch, 1926 ^{c g}
- [H. victoria](#) Cresson, 1932[23]
- [H. vidua](#) Cresson, 1932[23]
- [H. vilelai](#) Rodrigues, Mathi & Couri, 2014 ^g[25]
- [H. viridescens](#) Robineau-Desvoidy, 1830[26]
- [H. viridula](#) Robineau-Desvoidy, 1830[26]
- [H. vulgaris](#) Cresson, 1931[15]
- [H. warsakensis](#) Deonier, 1978 ^{c g}
- [H. wilburi](#) Cresson, 1944 ^{i c g}
- [H. williamsi](#) Cresson, 1936 ^{i c g}

- [*H. wirthi*](#) Korytkowski, 1982 ^{c g}
- [*H. wirthiana*](#) Deonier, 1997 ^{c g}
- [*H. xanthocera*](#) Cresson, 1938 ^{c g}

Data sources: i = ITIS,[2] c = Catalogue of Life,[3] g = GBIF,[4] b = Bugguide.net[5]

This is a list of 924 species in [*Hydraena*](#), a genus of minute moss beetles in the family [*Hydraenidae*](#). [1] [2] [3]

***Hydraena* species**

- [*Hydraena abbasigili*](#) Jäch, 1988 ^{i c g}
- [*Hydraena abdita*](#) Orchymont, 1948 ^{i c g}
- [*Hydraena abyssinica*](#) Régimbart, 1905 ^{i c g}
- [*Hydraena accurata*](#) Orchymont, 1948 ^{i c g}
- [*Hydraena achaica*](#) Jäch, 1995 ^{i c g}
- [*Hydraena acumena*](#) Perkins, 2011 ^{i c g}
- [*Hydraena adelbertensis*](#) Perkins, 2011 ^{i c g}
- [*Hydraena adrastea*](#) Orchymont, 1948 ^{i c g}
- [*Hydraena aethaliensis*](#) Breit, 1917 ^{i c g}
- [*Hydraena affirmata*](#) Perkins, 2007 ^{i c g}
- [*Hydraena affusa*](#) Orchymont, 1936 ^{i c g}
- [*Hydraena africana*](#) Kuwert, 1888 ^{i c g}
- [*Hydraena akameku*](#) Perkins, 2011 ^{i c g}
- [*Hydraena akbesiana*](#) Audisio, De Biase and Jäch, 1993 ^{i c g}
- [*Hydraena albai*](#) Sáinz-Cantero, 1993 ^{i c g}
- [*Hydraena alberti*](#) Balfour-Browne, 1950 ^{i c g}
- [*Hydraena alcantarana*](#) Ienistea, 1985 ^{i c g}
- [*Hydraena algerina*](#) Kaddouri, 1992 ^{i c g}
- [*Hydraena alia*](#) Orchymont, 1934 ^{i c g}
- [*Hydraena aliciae*](#) Jäch and Díaz, 2005 ^{i c g}
- [*Hydraena allomorpha*](#) Lagar and Fresneda, 1990 ^{i c g}
- [*Hydraena alluaudi*](#) Régimbart, 1906 ^{i c g}
- [*Hydraena alpicola*](#) Pretner, 1931 ^{i c g}
- [*Hydraena altamirensis*](#) Díaz Pazos and Garrido Gonzalez, 1993 ^{i c g}

- [Hydraena altapapua](#) Perkins, 2011 ^{i c g}
- [Hydraena alternata](#) Perkins, 1980 ^{i c g}
- [Hydraena alterra](#) Perkins, 1980 ^{i c g}
- [Hydraena alticola](#) Skale and Jäch, 2008 ^{i c g}
- [Hydraena altiphila](#) Perkins, 2011 ^{i c g}
- [Hydraena amazonica](#) Perkins, 2011 ^{i c g}
- [Hydraena ambiflagellata](#) Zwick, 1977 ^{i c g}
- [Hydraena ambigua](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena ambiosina](#) Perkins, 2007 ^{i c g}
- [Hydraena ambra](#) Perkins, 2011 ^{i c g}
- [Hydraena ambripes](#) Perkins, 2011 ^{i c g}
- [Hydraena ambroides](#) Perkins, 2011 ^{i c g}
- [Hydraena americana](#) Jäch, 1993 ^{i c g}
- [Hydraena amidensis](#) Jäch, 1988 ^{i c g}
- [Hydraena ampla](#) Perkins, 2011 ^{i c g}
- [Hydraena anaphora](#) Perkins, 1980 ^{i c g}
- [Hydraena anatolica](#) Janssens, 1963 ^{i c}
- [Hydraena ancylis](#) Perkins, 1980 ^{i c g}
- [Hydraena ancyræ](#) Jäch, 1992 ^{i c g}
- [Hydraena andalus](#) Lagar and Fresneda, 1990 ^{i c g}
- [Hydraena andreinii](#) Orchymont, 1934 ^{i c g}
- [Hydraena angulicollis](#) Notman, 1921 ^{i c g b}
- [Hydraena angulosa](#) Mulsant, 1844 ^{i c g}
- [Hydraena angustata](#) Sturm, 1836 ^{i c g}
- [Hydraena anisonycha](#) Perkins, 1980 ^{i c g}
- [Hydraena antaria](#) Perkins, 2007 ^{i c g}
- [Hydraena antiatlantica](#) Jäch, Aguilera and Hernando, 1998 ^{i c g}
- [Hydraena antiochena](#) Jäch, 1988 ^{i c g}
- [Hydraena apertista](#) Perkins, 2011 ^{i c g}
- [Hydraena apexa](#) Perkins, 2011 ^{i c g}
- [Hydraena appalachicola](#) Perkins, 1980 ^{i c g}
- [Hydraena appetita](#) Perkins, 2007 ^{i c g}
- [Hydraena aquila](#) Perkins, 2011 ^{i c g}
- [Hydraena arabica](#) Balfour-Browne, 1951 ^{i c g}
- [Hydraena arachthi](#) Ferro and Jäch, 2000 ^{i c g}
- [Hydraena arcta](#) Perkins, 2007 ^{i c g}

- [Hydraena arenicola](#) Perkins, 1980 ^{i c g}
- [Hydraena argutipes](#) Perkins, 1980 ^{i c g}
- [Hydraena ariana](#) Janssens, 1962 ^{i c g}
- [Hydraena arizonica](#) Perkins, 1980 ^{i c g}
- [Hydraena armata](#) Reitter, 1880 ^{i c g}
- [Hydraena armatura](#) Perkins, 2014 ^{i c g}
- [Hydraena armeniaca](#) Janssens, 1968 ^{i c g}
- [Hydraena armipalpis](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena armipes](#) Rey, 1886 ^{i c g}
- [Hydraena aroensis](#) (Ferro, 1991) ^{i c g}
- [Hydraena arunensis](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena ascensa](#) Perkins, 2007 ^{i c g}
- [Hydraena assimilis](#) Rey, 1885 ^{i c g}
- [Hydraena ateneo](#) Freitag, 2013 ^{i c g}
- [Hydraena athertonica](#) Perkins, 2007 ^{i c g}
- [Hydraena atrata](#) Desbrochers des Loges, 1891 ^{i c g}
- [Hydraena atroscintilla](#) Perkins, 2011 ^{i c g}
- [Hydraena attaleiae](#) Ferro, 1984 ^{i c g}
- [Hydraena audisioi](#) Jäch, 1992 ^{i c g}
- [Hydraena aulaarta](#) Perkins, 2011 ^{i c g}
- [Hydraena aurita](#) Jäch, 1988 ^{i c g}
- [Hydraena australica](#) Zwick, 1977 ^{i c g}
- [Hydraena australula](#) Perkins, 2007 ^{i c g}
- [Hydraena austrobesa](#) Perkins, 2011 ^{i c g}
- [Hydraena avuncula](#) Jäch, 1988 ^{i c g}
- [Hydraena bacchusi](#) Perkins, 2011 ^{i c g}
- [Hydraena bactriana](#) Janssens, 1962 ^{i c g}
- [Hydraena bakriensis](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena balearica](#) Orchymont, 1930 ^{i c g}
- [Hydraena balfourbrownei](#) Bameul, 1986 ^{i c g}
- [Hydraena balkei](#) Perkins, 2011 ^{i c g}
- [Hydraena balli](#) Orchymont, 1940 ^{i c g}
- [Hydraena barbipes](#) Zwick, 1977 ^{i c g}
- [Hydraena barricula](#) Perkins, 1980 ^{i c g}
- [Hydraena barrosi](#) Orchymont, 1934 ^{i c g}
- [Hydraena bedeli](#) Berthélemy, 1992 ^{i c g}

- [Hydraena belgica](#) Orchymont, 1930 ^{i c g}
- [Hydraena beniensis](#) Perkins, 2011 ^{i c g}
- [Hydraena benjaminus](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena bensae](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena bergeri](#) (Janssens, 1972) ^{i c g}
- [Hydraena berthelemyana](#) Jäch, Díaz and Dia in Jäch, Dia and Díaz, 2006 ^{i c g}
- [Hydraena berytus](#) Jäch, 1986 ^{i c g}
- [Hydraena beyarslani](#) Jäch, 1988 ^{i c g}
- [Hydraena bicarina](#) Perkins, 2014 ^{i c g}
- [Hydraena bicarinova](#) Perkins, 2011 ^{i c g}
- [Hydraena bicolorata](#) Jäch, 1997 ^{i c g}
- [Hydraena bicuspidata](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena bidefensa](#) Perkins, 2007 ^{i c g}
- [Hydraena bifunda](#) Perkins, 2011 ^{i c g}
- [Hydraena bihamata](#) Champion, 1920 ^{i c g}
- [Hydraena biimpressa](#) Perkins, 2007 ^{i c g}
- [Hydraena billi](#) Zwick, 1977 ^{i c g}
- [Hydraena bilobata](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena biltoni](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena bimagua](#) Jäch, 1986 ^{i c g}
- [Hydraena birendra](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena biseptosa](#) Perkins, 2014 ^{i c g}
- [Hydraena bispinosa](#) Pu, 1951 ^{i c g}
- [Hydraena bisulcata](#) Rey, 1884 ^{i c g}
- [Hydraena bitruncata](#) Orchymont, 1934 ^{i c g}
- [Hydraena bituberculata](#) Perkins, 1980 ^{i c g}
- [Hydraena biundulata](#) Perkins, 2011 ^{i c g}
- [Hydraena blackburni](#) Zaitzev, 1908 ^{i c g}
- [Hydraena bodemeyeri](#) Jäch and Díaz, 2001 ^{i c g}
- [Hydraena boetcheri](#) Orchymont, 1932 ^{i c g}
- [Hydraena bolivari](#) Orchymont, 1936 ^{i c g}
- [Hydraena boliviana](#) Perkins, 2011 ^{i c g}
- [Hydraena bononiensis](#) Binaghi, 1960 ^{i c g}
- [Hydraena borbonica](#) Fairmaire, 1898 ^{i c g}
- [Hydraena bosnica](#) Apfelbeck, 1909 ^{i c g}
- [Hydraena brachymera](#) Orchymont, 1936 ^{i c g}

- [Hydraena bractea](#) Perkins, 1980 ^{i c g}
- [Hydraena bractoides](#) Perkins, 1980 ^{i c g}
- [Hydraena brahmin](#) Perkins, 2011 ^{i c g}
- [Hydraena breedlovei](#) Perkins, 1980 ^{i c g}
- [Hydraena brevis](#) Sharp, 1882 ^{i c g}
- [Hydraena britteni](#) Joy, 1907 ^{i c g}
- [Hydraena brittoni](#) Zwick, 1977 ^{i c g}
- [Hydraena bromleyae](#) Jäch, 1986 ^{i c g}
- [Hydraena browni](#) Perkins, 1980 ^{i c g}
- [Hydraena bubulla](#) Perkins, 2011 ^{i c g}
- [Hydraena bulgarica](#) Breit, 1916 ^{i c g}
- [Hydraena buloba](#) Perkins, 2011 ^{i c g}
- [Hydraena buquintana](#) Perkins, 2011 ^{i c g}
- [Hydraena buschietanni](#) Freitag, 2021 ^{i c g}
- [Hydraena buscintilla](#) Perkins, 2011 ^{i c g}
- [Hydraena busuanga](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena calcarifera](#) Janssens, 1959 ^{i c g}
- [Hydraena californica](#) Perkins, 1980 ^{i c g}
- [Hydraena campbelli](#) Perkins, 1980 ^{i c g}
- [Hydraena canakcioglu](#) Janssens, 1965 ^{i c g}
- [Hydraena canticacollis](#) Perkins, 1980 ^{i c g}
- [Hydraena capacis](#) Perkins, 2007 ^{i c g}
- [Hydraena capensis](#) Perkins, 2014 ^{i c g}
- [Hydraena capetribensis](#) Perkins, 2007 ^{i c g}
- [Hydraena cappadocica](#) Jäch, 1988 ^{i c g}
- [Hydraena caprivica](#) Perkins, 2014 ^{i c g}
- [Hydraena capta](#) Orchymont, 1936 ^{i c g}
- [Hydraena carbonaria](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena carica](#) Jäch, 1988 ^{i c g}
- [Hydraena carinocisiva](#) Perkins, 2011 ^{i c g}
- [Hydraena carinulata](#) Rey, 1886 ^{i c g}
- [Hydraena carmellita](#) Perkins, 2011 ^{i c g}
- [Hydraena carniolica](#) Pretner, 1970 ^{i c g}
- [Hydraena castanea](#) Deane, 1937 ^{i c g}
- [Hydraena castanescens](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena cata](#) Orchymont, 1936 ^{i c g}

- [Hydraena catalonica](#) Fresneda, Aguilera and Hernando, 1994 ^{i c g}
- [Hydraena catherinae](#) Bameul and Jäch, 2001 ^{i c g}
- [Hydraena caucasica](#) Kuwert, 1888 ^{i c g}
- [Hydraena cavifrons](#) Perkins, 2011 ^{i c g}
- [Hydraena cephaleniaca](#) Jäch, 1985 ^{i c g}
- [Hydraena cervisophila](#) Jäch, 1992 ^{i c g}
- [Hydraena challeti](#) Perkins, 2011 ^{i c g}
- [Hydraena cheesmanae](#) Perkins, 2011 ^{i c g}
- [Hydraena chenae](#) Pu, 1951 ^{i c g}
- [Hydraena chersonesica](#) Jäch, Díaz and Przewozny, 2007 ^{i c g}
- [Hydraena cherylbarrae](#) Perkins, 2011 ^{i c g}
- [Hydraena chiapa](#) Perkins, 1980 ^{i c g}
- [Hydraena chiesai](#) Janssens, 1965 ^{i c g}
- [Hydraena chifengi](#) Jäch and Díaz, 1999 ^{i c g}
- [Hydraena chobauti](#) Guillebeau, 1896 ^{i c g}
- [Hydraena christinae](#) Audisio, De Biase and Jäch, 1996 ^{i c g}
- [Hydraena christoferi](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena ciliciensis](#) Jäch, 1988 ^{i c g}
- [Hydraena circulata](#) Perkins, 1980 ^{i c g b}
- [Hydraena cirrata](#) Champion, 1920 ^{i c g}
- [Hydraena clarinis](#) Perkins, 2011 ^{i c g}
- [Hydraena claudia](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena clavicula](#) Perkins, 2014 ^{i c g}
- [Hydraena clavigera](#) Zwick, 1977 ^{i c g}
- [Hydraena clemens](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena clinodorsa](#) Perkins, 2011 ^{i c g}
- [Hydraena clystera](#) Perkins, 2011 ^{i c g}
- [Hydraena cochabamba](#) Perkins, 2011 ^{i c g}
- [Hydraena colchica](#) Janssens, 1963 ^{i c g}
- [Hydraena colombiana](#) Perkins, 1980 ^{i c g}
- [Hydraena colorata](#) Perkins, 2011 ^{i c g}
- [Hydraena colymba](#) Perkins, 1980 ^{i c g}
- [Hydraena compressipilis](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena concepcionica](#) Perkins, 2011 ^{i c g}
- [Hydraena concinna](#) Orchymont, 1932 ^{i c g}
- [Hydraena confluenta](#) Perkins, 2011 ^{i c g}

- [Hydraena confusa](#) Pu, 1951 ^{i c g}
- [Hydraena connexa](#) Orchymont, 1932 ^{i c g}
- [Hydraena converga](#) Perkins, 2007 ^{i c g}
- [Hydraena coomani](#) Orchymont, 1932 ^{i c g}
- [Hydraena cooperi](#) Balfour-Browne, 1954 ^{i c g}
- [Hydraena cooperoides](#) Perkins, 2014 ^{i c g}
- [Hydraena copulata](#) Perkins, 2011 ^{i c g}
- [Hydraena cordata](#) Schaufuss, 1883 ^{i c g}
- [Hydraena cordiformis](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena cordispina](#) Perkins, 2011 ^{i c g}
- [Hydraena corinna](#) Orchymont, 1936 ^{i c g}
- [Hydraena cornelli](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena corrugis](#) Orchymont, 1934 ^{i c g}
- [Hydraena coryleti](#) Jäch, 1992 ^{i c g}
- [Hydraena costiniceps](#) Perkins, 1980 ^{i c g}
- [Hydraena crepidoptera](#) Jäch, 1992 ^{i c g}
- [Hydraena cristatigena](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena croatica](#) Kuwert, 1888 ^{i c g}
- [Hydraena cryptostoma](#) Jäch, 1992 ^{i c g}
- [Hydraena crystallina](#) Perkins, 1980 ^{i c g}
- [Hydraena cubista](#) Perkins, 2007 ^{i c g}
- [Hydraena cultrata](#) Perkins, 2007 ^{i c g}
- [Hydraena cunicula](#) Perkins, 2011 ^{i c g}
- [Hydraena cunninghamensis](#) Perkins, 2007 ^{i c g}
- [Hydraena curta](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena curtipalpis](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena curvipes](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena curvosa](#) Perkins, 2011 ^{i c g}
- [Hydraena cuspidicollis](#) Perkins, 1980 ^{i c g}
- [Hydraena cyclops](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena cygnus](#) Zwick, 1977 ^{i c g}
- [Hydraena czernohorskyi](#) Müller, 1911 ^{i c g}
- [Hydraena dalmatina](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena damascena](#) Pic, 1910 ^{i c g}
- [Hydraena dariensis](#) Perkins, 2011 ^{i c g}
- [Hydraena darwini](#) Perkins, 2007 ^{i c g}

- [Hydraena d-concava](#) Perkins, 2011 ^{i c g}
- [Hydraena d-destina](#) Perkins, 1980 ^{i c g}
- [Hydraena debeckeri](#) (Janssens, 1972) ^{i c g}
- [Hydraena decepta](#) Perkins, 2011 ^{i c g}
- [Hydraena decipiens](#) Zwick, 1977 ^{i c g}
- [Hydraena decolor](#) Sainte-Claire Deville, 1903 ^{i c g}
- [Hydraena decui](#) Spangler, 1980 ^{i c g}
- [Hydraena delia](#) Balfour-Browne, 1978 ^{i c g}
- [Hydraena deliquesca](#) Perkins, 2007 ^{i c g}
- [Hydraena delvasi](#) Delgado and Collantes, 1996 ^{i c g}
- [Hydraena densa](#) Fauvel, 1883 ^{i c g}
- [Hydraena dentipalpis](#) Reitter, 1888 ^{i c g}
- [Hydraena dentipes](#) Germar, 1824 ^{i c g}
- [Hydraena devillei](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena devincta](#) Orchymont, 1940 ^{i c g}
- [Hydraena diadema](#) Perkins, 2011 ^{i c g}
- [Hydraena diazi](#) Trizzino, Jäch and Ribera in Trizzino, Jäch, Audisio and Rivera, 2011 ^{i c g}
- [Hydraena diffusa](#) Perkins, 2011 ^{i c g}
- [Hydraena dilutipes](#) Fairmaire, 1898 ^{i c g}
- [Hydraena dimorpha](#) Orchymont, 1922 ^{i c g}
- [Hydraena dinosaurophila](#) Jäch, 1994 ^{i c g}
- [Hydraena discicollis](#) Fairmaire, 1898 ^{i c g}
- [Hydraena discreta](#) Ganglbauer, 1904 ^{i c g}
- [Hydraena disparamera](#) Perkins, 2007 ^{i c g}
- [Hydraena dochula](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena dolichogaster](#) Janssens, 1965 ^{i c g}
- [Hydraena dorrigoensis](#) Perkins, 2007 ^{i c g}
- [Hydraena draconisaurati](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena dudgeoni](#) Perkins, 2011 ^{i c g}
- [Hydraena duodecimata](#) Perkins, 2014 ^{i c g}
- [Hydraena duohamata](#) Perkins, 2011 ^{i c g}
- [Hydraena ebriimadli](#) Jäch, 1988 ^{i c g}
- [Hydraena ecuadormica](#) Perkins, 2011 ^{i c g}
- [Hydraena egoni](#) Jäch, 1986 ^{i c g}
- [Hydraena eichleri](#) Orchymont, 1937 ^{i c g}
- [Hydraena einsteini](#) Perkins, 2011 ^{i c g}

- [Hydraena elephanta](#) Perkins, 2014 ^{i c g}
- [Hydraena elisabethae](#) Jäch, 1992 ^{i c g}
- [Hydraena eliya](#) Jäch, 1982 ^{i c g}
- [Hydraena emarginata](#) Rey, 1885 ^{i c g}
- [Hydraena emineae](#) Jäch and Kasapoglu, 2006 ^{i c g}
- [Hydraena epeirosi](#) Ferro, 1985 ^{i c g}
- [Hydraena errina](#) Orchymont, 1948 ^{i c g}
- [Hydraena erythraea](#) Régimbart, 1905 ^{i c g}
- [Hydraena eryx](#) Orchymont, 1948 ^{i c g}
- [Hydraena esquinita](#) Brojer and Jäch, 2011 ^{i c g}
- [Hydraena essentia](#) Perkins, 2011 ^{i c g}
- [Hydraena eucnemis](#) Janssens, 1970 ^{i c g}
- [Hydraena evanescens](#) Rey, 1884 ^{i c g}
- [Hydraena evansi](#) Balfour-Browne, 1945 ^{i c g}
- [Hydraena exarata](#) Kiesenwetter, 1866 ^{i c g}
- [Hydraena exasperata](#) Orchymont, 1935 ^{i c g}
- [Hydraena excisa](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena exhalista](#) Perkins, 2011 ^{i c g}
- [Hydraena exilipes](#) Perkins, 1980 ^{i c g}
- [Hydraena expedita](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena explanata](#) Pic, 1905 ^{i c g}
- [Hydraena extorris](#) Zwick, 1977 ^{i c g}
- [Hydraena falcata](#) Jäch, 1992 ^{i c g}
- [Hydraena farsensis](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena fasciata](#) Perkins, 2011 ^{i c g}
- [Hydraena fascinata](#) Perkins, 2011 ^{i c g}
- [Hydraena fasciola](#) Perkins, 2011 ^{i c g}
- [Hydraena fasciolata](#) Perkins, 2011 ^{i c g}
- [Hydraena fasciopaca](#) Perkins, 2011 ^{i c g}
- [Hydraena favulosa](#) Perkins, 2014 ^{i c g}
- [Hydraena fenestella](#) Perkins, 2011 ^{i c g}
- [Hydraena ferethula](#) Perkins, 2007 ^{i c g}
- [Hydraena feryi](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena feuerborni](#) Orchymont, 1932 ^{i c g}
- [Hydraena fijiensis](#) Balfour-Browne, 1945 ^{i c g}
- [Hydraena filum](#) Sahlberg, 1908 ^{i c g}

- [Hydraena finita](#) Orchymont, 1943 ^{i c g}
- [Hydraena finki](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena finniganensis](#) Perkins, 2007 ^{i c g}
- [Hydraena fiorii](#) Porta, 1899 ^{i c g}
- [Hydraena fischeri](#) Schönmann, 1991 ^{i c g}
- [Hydraena flagella](#) Perkins, 2011 ^{i c g}
- [Hydraena fluvicola](#) (Perkins, 1980) ^{i c g}
- [Hydraena foliobba](#) Perkins, 2011 ^{i c g}
- [Hydraena fontana](#) Orchymont, 1932 ^{i c g}
- [Hydraena fontiscarsavii](#) (Jäch, 1988) ^{i c g}
- [Hydraena formosapala](#) Perkins, 2011 ^{i c g}
- [Hydraena formula](#) Orchymont, 1932 ^{i c g}
- [Hydraena forticollis](#) Perkins, 2007 ^{i c g}
- [Hydraena fosterorum](#) Trizzino, Jäch and Ribera in Trizzino, Jäch, Audisio and Rivera, 2011 ^{i c g}
- [Hydraena franklyni](#) Deler-Hernández and Delgado, 2012 ^{i c g}
- [Hydraena freitagii](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena frenzeli](#) Skale and Jäch, 2008 ^{i c g}
- [Hydraena fritzi](#) Jäch, 1992 ^{i c g}
- [Hydraena frondsicola](#) (Perkins, 1980) ^{i c g}
- [Hydraena funda](#) Perkins, 2011 ^{i c g}
- [Hydraena fundacta](#) Perkins, 2011 ^{i c g}
- [Hydraena fundaequalis](#) Perkins, 2007 ^{i c g}
- [Hydraena fundapta](#) Perkins, 2011 ^{i c g}
- [Hydraena fundarca](#) Perkins, 2011 ^{i c g}
- [Hydraena fundata](#) Perkins, 2007 ^{i c g}
- [Hydraena fundextra](#) Perkins, 2011 ^{i c g}
- [Hydraena furthi](#) Jäch, 1982 ^{i c g}
- [Hydraena gaditana](#) Lagar and Fresneda, 1990 ^{i c g}
- [Hydraena galatica](#) Janssens, 1970 ^{i c g}
- [Hydraena galea](#) Perkins, 2011 ^{i c g}
- [Hydraena gavarrensis](#) Jäch, Díaz and Martinoy, 2005 ^{i c g}
- [Hydraena geminya](#) Perkins, 1980 ^{i c g}
- [Hydraena genumorpha](#) Perkins, 2014 ^{i c g}
- [Hydraena georgiadesi](#) Orchymont, 1931 ^{i c g}
- [Hydraena geraldneuhauseri](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena germaini](#) Orchymont, 1923 ^{i c g}

- [Hydraena glassmani](#) Jäch, 1986 ^{i c g}
- [Hydraena gnatella](#) Orchymont, 1945 ^{i c g}
- [Hydraena gnatelloides](#) Orchymont, 1945 ^{i c g}
- [Hydraena gracilidelphis](#) Trizzino, Valladares, Garrido and Audisio, 2012 ^{i c g}
- [Hydraena gracilis](#) Germar, 1824 ^{i c g}
- [Hydraena graciloides](#) (Jäch, 1988) ^{i c g}
- [Hydraena grandis](#) Reitter, 1885 ^{i c g}
- [Hydraena graphica](#) Orchymont, 1931 ^{i c g}
- [Hydraena grata](#) Orchymont, 1944 ^{i c g}
- [Hydraena gregalis](#) Orchymont, 1944 ^{i c g}
- [Hydraena gressa](#) Orchymont, 1944 ^{i c g}
- [Hydraena griphus](#) Orchymont, 1944 ^{i c g}
- [Hydraena grouvellei](#) Orchymont, 1923 ^{i c g}
- [Hydraena grueberi](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena guadelupensis](#) Orchymont, 1923 ^{i c g}
- [Hydraena guangxiensis](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena guatemala](#) Perkins, 1980 ^{i c g}
- [Hydraena guentheri](#) Jäch, 1992 ^{i c g}
- [Hydraena guilin](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena gynaeophila](#) Jäch, 1997 ^{i c g}
- [Hydraena habitiva](#) Perkins, 2014 ^{i c g}
- [Hydraena hainzi](#) Jäch, 1988 ^{i c g}
- [Hydraena haitensis](#) Perkins, 1980 ^{i c g}
- [Hydraena hajeki](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena hamifera](#) Zwick, 1977 ^{i c g}
- [Hydraena hansreuteri](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena hayashii](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena helenae](#) Orchymont, 1929 ^{i c g}
- [Hydraena hendrichi](#) Jäch, Díaz and Skale, 2013 ^{i c g}
- [Hydraena hernandoi](#) Fresneda and Lagar, 1990 ^{i c g}
- [Hydraena herzogestella](#) Perkins, 2011 ^{i c g}
- [Hydraena heterogyna](#) Bedel, 1898 ^{i c g}
- [Hydraena hiekei](#) Jäch, 1992 ^{i c g}
- [Hydraena hillaryi](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena hintoni](#) Perkins, 2011 ^{i c g}
- [Hydraena hispanica](#) Ganglbauer, 1901 ^{i c g}

- [Hydraena holdhausi](#) Pretner, 1929^{i c g}
- [Hydraena hornabrooki](#) Perkins, 2011^{i c g}
- [Hydraena hortensis](#) Jäch and Díaz, 2000^{i c g}
- [Hydraena hosiwerigi](#) Freitag and Jäch, 2007^{i c g}
- [Hydraena hosseinieorum](#) Bilton and Jäch, 1998^{i c g}
- [Hydraena huangshanensis](#) Jäch and Díaz, 2005^{i c g}
- [Hydraena huitongensis](#) Jäch and Díaz, 2005^{i c g}
- [Hydraena humanica](#) Perkins, 2014^{i c g}
- [Hydraena hunanensis](#) Pu, 1951^{i c g}
- [Hydraena hungarica](#) Rey, 1884^{i c g}
- [Hydraena huonica](#) Perkins, 2011^{i c g}
- [Hydraena hyalina](#) Perkins, 1980^{i c g}
- [Hydraena hynesi](#) Zwick, 1977^{i c g}
- [Hydraena hypipamee](#) Perkins, 2007^{i c g}
- [Hydraena ibalimi](#) Perkins, 2011^{i c g}
- [Hydraena iberica](#) Orchymont, 1936^{i c g}
- [Hydraena idema](#) Perkins, 2011^{i c g}
- [Hydraena iheya](#) Jäch and Díaz, 1999^{i c g}
- [Hydraena ilamensis](#) Skale and Jäch in Jäch and Skale, 2009^{i c g}
- [Hydraena ilica](#) Jäch, 1994^{i c g}
- [Hydraena imbria](#) Jäch and Díaz, 2001^{i c g}
- [Hydraena impala](#) Perkins, 2011^{i c g}
- [Hydraena imperatrix](#) Kniz, 1919^{i c g}
- [Hydraena impercepta](#) Zwick, 1977^{i c g}
- [Hydraena impressicollis](#) Fairmaire, 1898^{i c g}
- [Hydraena inancala](#) Perkins, 2007^{i c g}
- [Hydraena inapicipalpis](#) Pic, 1918^{i c g}
- [Hydraena incisiva](#) Perkins, 2011^{i c g}
- [Hydraena incista](#) Perkins, 2011^{i c g}
- [Hydraena incurva](#) Orchymont, 1932^{i c g}
- [Hydraena indiana](#) Jäch, 1994^{i c g}
- [Hydraena indica](#) Orchymont, 1920^{i c g}
- [Hydraena infoveola](#) Perkins, 2011^{i c g}
- [Hydraena ingens](#) (Perkins, 1980)^{i c g}
- [Hydraena inhalista](#) Perkins, 2011^{i c g}
- [Hydraena injectiva](#) Perkins, 2014^{i c g}

- [Hydraena innuda](#) Perkins, 2007^{i c g}
- [Hydraena inopinata](#) Jäch and Díaz, 1998^{i c g}
- [Hydraena inplacopaca](#) Perkins, 2011^{i c g}
- [Hydraena insandalia](#) Perkins, 2011^{i c g}
- [Hydraena insita](#) Orchymont, 1932^{i c g}
- [Hydraena insolita](#) Orchymont, 1932^{i c g}
- [Hydraena insularis](#) Orchymont, 1945^{i c g}
- [Hydraena integra](#) Pretner, 1931^{i c g}
- [Hydraena intensa](#) Perkins, 2011^{i c g}
- [Hydraena intermedia](#) Rosenhauer, 1847^{i c g}
- [Hydraena intraangulata](#) Perkins, 2007^{i c g}
- [Hydraena inusta](#) Orchymont, 1932^{i c g}
- [Hydraena invicta](#) Perkins, 2007^{i c g}
- [Hydraena iriomotensis](#) Jäch and Díaz, 1999^{i c g}
- [Hydraena isabelae](#) Castro and Herrera, 2001^{i c g}
- [Hydraena isolinae](#) Jäch and Díaz, 1998^{i c g}
- [Hydraena ispirensis](#) Kasapoglu, Jäch and Skale, 2010^{i c g}
- [Hydraena iterata](#) Orchymont, 1948^{i c g}
- [Hydraena jacobsoni](#) Orchymont, 1932^{i c g}
- [Hydraena jaechiana](#) (Audisio and De Biase, 1990)^{i c g}
- [Hydraena jaegeri](#) Skale and Jäch in Jäch and Skale, 2009^{i c g}
- [Hydraena jailensis](#) Breit, 1917^{i c g}
- [Hydraena janczyki](#) Jäch, 1992^{i c g}
- [Hydraena janeceki](#) Jäch, 1987^{i c g}
- [Hydraena janssensi](#) Nilsson, 2001^{i c g}
- [Hydraena jengi](#) Jäch and Díaz, 1998^{i c g}
- [Hydraena jilanzhui](#) Jäch and Díaz, 2005^{i c g}
- [Hydraena jivaro](#) Perkins, 1980^{i c g}
- [Hydraena johncoltranei](#) Perkins, 2011^{i c g}
- [Hydraena jubilata](#) Perkins, 2011^{i c g}
- [Hydraena kadowakii](#) Jäch and Díaz, 2012^{i c g}
- [Hydraena kakadu](#) Perkins, 2007^{i c g}
- [Hydraena kamitei](#) Jäch and Díaz, 2012^{i c g}
- [Hydraena karinkukolae](#) Jäch, 1989^{i c g}
- [Hydraena karmai](#) Skale and Jäch in Jäch and Skale, 2009^{i c g}
- [Hydraena kasyi](#) Jäch, 1992^{i c g}

- [Hydraena kaufmanni](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena kellymilleri](#) Perkins, 2011 ^{i c g}
- [Hydraena khnzoriani](#) Janssens, 1968 ^{i c g}
- [Hydraena kilimandjarensis](#) Régimbart, 1906 ^{i c g}
- [Hydraena kitayamai](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena knischi](#) Orchymont, 1928 ^{i c g}
- [Hydraena kocheri](#) Berthélemy, 1992 ^{i c g}
- [Hydraena kodadai](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena koje](#) Perkins, 2011 ^{i c g}
- [Hydraena koma](#) Perkins, 2011 ^{i c g}
- [Hydraena krasnodarensis](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena kroumiriana](#) Kaddouri, 1992 ^{i c g}
- [Hydraena kucinici](#) Micetic Stankovic and Jäch, 2012 ^{i c g}
- [Hydraena kuehnelti](#) Jäch, 1989 ^{i c g}
- [Hydraena kurdistanica](#) Jäch, 1988 ^{i c g}
- [Hydraena kwangsiensis](#) Pu, 1951 ^{i c g}
- [Hydraena labropaca](#) Perkins, 2011 ^{i c g}
- [Hydraena lagamba](#) Brojer and Jäch, 2011 ^{i c g}
- [Hydraena lapidicola](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena lapissectilis](#) Jäch, 1992 ^{i c g}
- [Hydraena larissae](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena larsoni](#) Perkins, 2007 ^{i c g}
- [Hydraena lascrucensis](#) Brojer and Jäch, 2011 ^{i c g}
- [Hydraena lassulipes](#) Perkins, 2011 ^{i c g}
- [Hydraena latebricola](#) Jäch, 1986 ^{i c g}
- [Hydraena latoror](#) Perkins, 2007 ^{i c g}
- [Hydraena lazica](#) Janssens, 1963 ^{i c g}
- [Hydraena leechi](#) Perkins, 1980 ^{i c g}
- [Hydraena leei](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena legorskyi](#) Jäch and Brojer, 2012 ^{i c g}
- [Hydraena lehmanni](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena leonhardi](#) Breit, 1916 ^{i c g}
- [Hydraena leprieuri](#) Sainte-Claire Deville, 1905 ^{i c g}
- [Hydraena levantina](#) Sahlberg, 1908 ^{i c g}
- [Hydraena ligulipes](#) Jäch, 1988 ^{i c g}
- [Hydraena lilianae](#) Perkins, 2011 ^{i c g}

- [Hydraena limbobesa](#) Perkins, 2011 ^{i c g}
- [Hydraena limpidicollis](#) Perkins, 1980 ^{i c g}
- [Hydraena liriopae](#) Orchymont, 1943 ^{i c g}
- [Hydraena longicollis](#) Sharp, 1882 ^{i c g}
- [Hydraena loripes](#) Perkins, 2011 ^{i c g}
- [Hydraena lotti](#) Bilton, 2013 ^{i c g}
- [Hydraena lucasi](#) Lagar, 1984 ^{i c g}
- [Hydraena lucernae](#) Zwick, 1977 ^{i c g}
- [Hydraena ludovicae](#) Orchymont, 1931 ^{i c g}
- [Hydraena luminicollis](#) Perkins, 2007 ^{i c g}
- [Hydraena luridipennis](#) MacLeay, 1873 ^{i c g}
- [Hydraena lusitana](#) (Berthélemy in Berthélemy and Whytton Da Terra, 1977) ^{i c g}
- [Hydraena lycia](#) Jäch, 1988 ^{i c g}
- [Hydraena macedonica](#) Orchymont, 1931 ^{i c g}
- [Hydraena maculicollis](#) Champion, 1920 ^{i c g}
- [Hydraena maculopala](#) Perkins, 2011 ^{i c g}
- [Hydraena madronensis](#) Castor, García and Ferreras, 2000 ^{i c g}
- [Hydraena magna](#) Pu, 1951 ^{i c g}
- [Hydraena magnessa](#) Jäch, 1997 ^{i c g}
- [Hydraena magnetica](#) Zwick, 1977 ^{i c g}
- [Hydraena mahensis](#) Scott, 1913 ^{i c g}
- [Hydraena malagrica](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena malickyi](#) Jäch, 1989 ^{i c g}
- [Hydraena malkini](#) Perkins, 1980 ^{i c g}
- [Hydraena manabica](#) Perkins, 2011 ^{i c g}
- [Hydraena manaslu](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena manfredjaechi](#) Delgado and Soler, 1991 ^{i c g}
- [Hydraena manguao](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena manulea](#) Perkins, 2011 ^{i c g}
- [Hydraena manuloides](#) Perkins, 2011 ^{i c g}
- [Hydraena marawaka](#) Perkins, 2011 ^{i c g}
- [Hydraena marcosae](#) Aguilera, Hernando and Ribera, 1997 ^{i c g}
- [Hydraena marginicollis](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena mariannae](#) Jäch, 1992 ^{i c g}
- [Hydraena marinae](#) Castro, 2003 ^{i c g}
- [Hydraena martensi](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}

- [Hydraena martinschoepfi](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena masatakai](#) Jäch and Díaz, 2003 ^{i c g}
- [Hydraena maureenae](#) Perkins, 1980 ^{i c g}
- [Hydraena mauriciogarciai](#) Perkins, 2011 ^{i c g}
- [Hydraena mazamitla](#) Perkins, 1980 ^{i c g}
- [Hydraena mecai](#) Millán and Aguilera, 2000 ^{i c g}
- [Hydraena melas](#) Dalla Torre, 1877 ^{i c g}
- [Hydraena mercuriala](#) Perkins, 2011 ^{i c g}
- [Hydraena meschniggi](#) Pretner, 1929 ^{i c g}
- [Hydraena metzeni](#) Perkins, 2007 ^{i c g}
- [Hydraena mexicana](#) Perkins, 1980 ^{i c g}
- [Hydraena mianminica](#) Perkins, 2011 ^{i c g}
- [Hydraena michaelbalkei](#) Jäch, Díaz and Skale, 2013 ^{i c g}
- [Hydraena mignymixys](#) Perkins, 1980 ^{i c g}
- [Hydraena millerorum](#) Perkins, 2007 ^{i c g}
- [Hydraena miniretia](#) Perkins, 2007 ^{i c g}
- [Hydraena mintrita](#) Perkins, 2011 ^{i c g}
- [Hydraena mitchellensis](#) Perkins, 2007 ^{i c g}
- [Hydraena miyatakei](#) Satô, 1959 ^{i c g}
- [Hydraena modili](#) Jäch, 1988 ^{i c g}
- [Hydraena monikae](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena monscassius](#) Jäch, 1988 ^{i c g}
- [Hydraena monstrosipes](#) Ferro, 1986 ^{i c g}
- [Hydraena monteithi](#) Perkins, 2007 ^{i c g}
- [Hydraena morio](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena motzfeldi](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena mouzaiensis](#) Sainte-Claire Deville, 1909 ^{i c g}
- [Hydraena mpumalanga](#) Perkins, 2014 ^{i c g}
- [Hydraena muelleri](#) Pretner, 1931 ^{i c g}
- [Hydraena muezziginea](#) Jäch, 1988 ^{i c g}
- [Hydraena multiloba](#) Perkins, 2011 ^{i c g}
- [Hydraena multimurata](#) Perkins, 2014 ^{i c g}
- [Hydraena multispina](#) Perkins, 2011 ^{i c g}
- [Hydraena mylasae](#) Jäch, 1992 ^{i c g}
- [Hydraena namibiensis](#) Perkins, 2014 ^{i c g}
- [Hydraena nanocolorata](#) Perkins, 2011 ^{i c g}

- [Hydraena nanopala](#) Perkins, 2011 ^{i c g}
- [Hydraena nanoscintilla](#) Perkins, 2011 ^{i c g}
- [Hydraena natiforma](#) Perkins, 2014 ^{i c g}
- [Hydraena neblina](#) Perkins, 2011 ^{i c g}
- [Hydraena nelsonmandelai](#) Makhan, 2008 ^{i c g}
- [Hydraena neoaccurata](#) Perkins, 2014 ^{i c g}
- [Hydraena nevermanni](#) Perkins, 1980 ^{i c g}
- [Hydraena newtoni](#) Perkins, 1980 ^{i c g}
- [Hydraena nielshaggei](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena nigra](#) Hatch, 1965 ^{i c g}
- [Hydraena nigrita](#) Germar, 1824 ^{i c g}
- [Hydraena nike](#) Jäch, 1995 ^{i c g}
- [Hydraena nilguenae](#) (Jäch, 1988) ^{i c g}
- [Hydraena nitidimenta](#) Perkins, 2011 ^{i c g}
- [Hydraena nivalis](#) Jäch, 1992 ^{i c g}
- [Hydraena nomenipes](#) Perkins, 2014 ^{i c g}
- [Hydraena notsui](#) Satô, 1978 ^{i c g}
- [Hydraena novacula](#) Perkins, 2011 ^{i c g}
- [Hydraena numidica](#) Sainte-Claire Deville, 1905 ^{i c g}
- [Hydraena nurabadensis](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena nuratauensis](#) Jäch, 1994 ^{i c g}
- [Hydraena oaxaca](#) Perkins, 1980 ^{i c g}
- [Hydraena oblio](#) Perkins, 1980 ^{i c g}
- [Hydraena occidentalis](#) Perkins, 1980 ^{i c g}
- [Hydraena occitana](#) (Audisio and De Biase, 1995) ^{i c g}
- [Hydraena okapa](#) Perkins, 2011 ^{i c g}
- [Hydraena okinawensis](#) Jäch and Díaz, 1999 ^{i c g}
- [Hydraena olidipastoris](#) Jäch, 1988 ^{i c g}
- [Hydraena ollopa](#) Perkins, 2011 ^{i c g}
- [Hydraena optica](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena orchis](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena orcula](#) Perkins, 1980 ^{i c g}
- [Hydraena ordishi](#) Delgado and Palma, 1997 ^{i c g}
- [Hydraena orientalis](#) Breit, 1916 ^{i c g}
- [Hydraena ortalii](#) Jäch, 1986 ^{i c g}
- [Hydraena orthosia](#) Jäch, Díaz and Dia in Jäch, Dia and Díaz, 2006 ^{i c g}

- [Hydraena otiarca](#) Perkins, 2011 ^{i c g}
- [Hydraena ovata](#) Janssens, 1961 ^{i c g}
- [Hydraena owenobesa](#) Perkins, 2011 ^{i c g}
- [Hydraena oxiana](#) Janssens, 1974 ^{i c g}
- [Hydraena ozarkensis](#) Perkins, 1980 ^{i c g}
- [Hydraena pachyptera](#) Apfelbeck, 1909 ^{i c g}
- [Hydraena pacifica](#) Perkins, 1980 ^{i c g}
- [Hydraena pacificica](#) Perkins, 2011 ^{i c g}
- [Hydraena paeminosa](#) Perkins, 1980 ^{i c g}
- [Hydraena pagaluensis](#) Hernando and Ribera, 2001 ^{i c g}
- [Hydraena paganettii](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena pajarita](#) Brojer and Jäch, 2011 ^{i c g}
- [Hydraena pakistanica](#) Jäch, 1992 ^{i c g}
- [Hydraena pala](#) Perkins, 2011 ^{i c g}
- [Hydraena palamita](#) Perkins, 2011 ^{i c g}
- [Hydraena palawanensis](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena pallidula](#) Sainte-Claire Deville, 1909 ^{i c g}
- [Hydraena palustris](#) Erichson, 1837 ^{i c g}
- [Hydraena pamirica](#) Jäch, 1992 ^{i c g}
- [Hydraena pamphyli](#) Jäch and Díaz, 2001 ^{i c g}
- [Hydraena pangaei](#) Jäch, 1992 ^{i c g}
- [Hydraena pantanalensis](#) Perkins, 2011 ^{i c g}
- [Hydraena paraguayensis](#) Janssens, 1972 ^{i c g}
- [Hydraena parciplumea](#) Perkins, 2007 ^{i c g}
- [Hydraena particeps](#) Perkins, 1980 ^{i c g}
- [Hydraena parva](#) Zwick, 1977 ^{i c g}
- [Hydraena parysatis](#) Janssens, 1981 ^{i c g}
- [Hydraena paucistriata](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena paulmoritz](#) Jäch, Díaz and Skale, 2013 ^{i c g}
- [Hydraena pavicula](#) Perkins, 1980 ^{i c g}
- [Hydraena paxillipes](#) Perkins, 2011 ^{i c g}
- [Hydraena peckorum](#) Perkins, 2011 ^{i c g}
- [Hydraena pectenata](#) Perkins, 2011 ^{i c g}
- [Hydraena pedroaguilerai](#) Perkins, 2011 ^{i c g}
- [Hydraena pegopyga](#) Perkins, 2011 ^{i c g}
- [Hydraena pelops](#) Jäch, 1995 ^{i c g}

- [Hydraena pennsylvanica](#) Kiesenwetter, 1849^b
- [Hydraena pensylvanica](#) Kiesenwetter, 1849^{i c g}
- [Hydraena penultimata](#) Perkins, 2011^{i c g}
- [Hydraena perkinsi](#) Spangler, 1980^{i c g}
- [Hydraena perlonga](#) Balfour-Browne, 1950^{i c g}
- [Hydraena perpunctata](#) Perkins, 2011^{i c g}
- [Hydraena persica](#) Janssens, 1981^{i c g}
- [Hydraena pertransversa](#) Perkins, 2011^{i c g}
- [Hydraena peru](#) Perkins, 1980^{i c g}
- [Hydraena pesici](#) Skale and Jäch, 2011^{i c g}
- [Hydraena petila](#) Perkins, 1980^{i c g}
- [Hydraena phainops](#) Perkins, 2011^{i c g}
- [Hydraena phallerata](#) Orchymont, 1944^{i c g}
- [Hydraena phallica](#) Orchymont, 1930^{i c g}
- [Hydraena phassilyi](#) Orchymont, 1931^{i c g}
- [Hydraena philippi](#) Jäch and Díaz, 2005^{i c g}
- [Hydraena philyra](#) Orchymont, 1944^{i c g}
- [Hydraena phoenicia](#) Jäch, Díaz and Dia in Jäch, Dia and Díaz, 2006^{i c g}
- [Hydraena photogenica](#) Perkins, 2011^{i c g}
- [Hydraena pici](#) Sainte-Claire Deville, 1905^{i c g}
- [Hydraena picula](#) Perkins, 2011^{i c g}
- [Hydraena pilimera](#) Brojer and Jäch, 2011^{i c g}
- [Hydraena pilipes](#) Zwick, 1977^{i c g}
- [Hydraena pilulambra](#) Perkins, 2011^{i c g}
- [Hydraena pindica](#) Janssens, 1965^{i c g}
- [Hydraena pisciforma](#) Perkins, 2014^{i c g}
- [Hydraena planata](#) Kiesenwetter, 1849^{i c g}
- [Hydraena plastica](#) Orchymont, 1943^{i c g}
- [Hydraena platycnemis](#) Jäch, 1988^{i c g}
- [Hydraena platynaspis](#) Jäch, 1988^{i c g}
- [Hydraena platysoma](#) Janssens, 1968^{i c g}
- [Hydraena plaumanni](#) Orchymont, 1937^{i c g}
- [Hydraena plumipes](#) Rey, 1886^{i c g}
- [Hydraena pluralticola](#) Perkins, 2011^{i c g}
- [Hydraena plurifurcata](#) Jäch and Díaz, 1998^{i c g}
- [Hydraena polita](#) Kiesenwetter, 1849^{i c g}

- [Hydraena pontequula](#) Perkins, 1980 ^{i c g}
- [Hydraena pontica](#) Janssens, 1963 ^{i c g}
- [Hydraena porchi](#) Perkins, 2007 ^{i c g}
- [Hydraena porcula](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena praetermissa](#) Jäch, 1987 ^{i c g}
- [Hydraena premordica](#) Perkins, 1980 ^{i c g}
- [Hydraena pretneri](#) Chiesa, 1927 ^{i c g}
- [Hydraena prieto](#) Perkins, 1980 ^{i c g}
- [Hydraena princeps](#) Fauvel, 1903 ^{i c g}
- [Hydraena processa](#) Perkins, 2011 ^{i c g}
- [Hydraena producta](#) Mulsant and Rey, 1852 ^{i c g}
- [Hydraena proesei](#) Skale and Jäch, 2011 ^{i c g}
- [Hydraena profunda](#) Perkins, 2014 ^{i c g}
- [Hydraena prokini](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena propria](#) Perkins, 2011 ^{i c g}
- [Hydraena prusensis](#) Jäch, 1992 ^{i c g}
- [Hydraena pseudocirrata](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena pseudopalawanensis](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena pseudoriparia](#) Orchymont, 1945 ^{i c g}
- [Hydraena puetzi](#) Jäch, 1994 ^{i c g}
- [Hydraena pugillista](#) Perkins, 2007 ^{i c g}
- [Hydraena pulchella](#) Germar, 1824 ^{i c g}
- [Hydraena pulsatrix](#) Perkins, 1980 ^{i c g}
- [Hydraena punctata](#) LeConte, 1855 ^{i c g}
- [Hydraena puncticollis](#) Sharp, 1882 ^{i c g}
- [Hydraena punctilata](#) Perkins, 2011 ^{i c g}
- [Hydraena putearius](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena pygmaea](#) Waterhouse, 1833 ^{i c g}
- [Hydraena quadrata](#) (Janssens, 1980) ^{i c g}
- [Hydraena quadricollis](#) Wollaston, 1864 ^{i c g}
- [Hydraena quadricurvipes](#) Perkins, 1980 ^{i c g}
- [Hydraena quadriplumipes](#) Perkins, 2011 ^{i c g}
- [Hydraena quechua](#) Perkins, 1980 ^{i c g}
- [Hydraena queenslandica](#) Perkins, 2007 ^{i c g}
- [Hydraena quetiae](#) Castro, 2000 ^{i c g}
- [Hydraena quilisi](#) Lagar, Fresneda and Fernando, 1987 ^{i c g}

- [Hydraena quintana](#) Perkins, 2011 ^{i c g}
- [Hydraena ramuensis](#) Perkins, 2011 ^{i c g}
- [Hydraena ramuquintana](#) Perez, 2011 ^{i c g}
- [Hydraena receptiva](#) Perkins, 2011 ^{i c g}
- [Hydraena reflectiva](#) Perkins, 2014 ^{i c g}
- [Hydraena regimbarti](#) Zaitzev, 1908 ^{i c g}
- [Hydraena remulipes](#) Perkins, 2011 ^{i c g}
- [Hydraena reticulata](#) Zwick, 1977 ^{i c g}
- [Hydraena reticuloides](#) Perkins, 2007 ^{i c g}
- [Hydraena reticulositis](#) Perkins, 2007 ^{i c g}
- [Hydraena revelovela](#) Perkins, 2007 ^{i c g}
- [Hydraena reverberata](#) Perkins, 2011 ^{i c g}
- [Hydraena reyi](#) Kuwert, 1888 ^{i c g}
- [Hydraena rhinoceros](#) (Janssens, 1972) ^{i c g}
- [Hydraena rhodia](#) Jäch, 1985 ^{i c g}
- [Hydraena riberae](#) Jäch, Aguilera and Hernando, 1998 ^{i c g}
- [Hydraena richardimbi](#) Jäch, 1992 ^{i c g}
- [Hydraena rigua](#) Orchymont, 1931 ^{i c g}
- [Hydraena ripaeae](#) (Janssens, 1972) ^{i c g}
- [Hydraena riparia](#) Kugelann, 1794 ^{i c g}
- [Hydraena rivularis](#) Guillebeau, 1896 ^{i c g}
- [Hydraena robusta](#) Zwick, 1977 ^{i c g}
- [Hydraena rosannae](#) Audisio, Trizzino and De Biase in Audisio, Trizzino, De Biase, Mancini and Antonini, 2009 ^{i c g}
- [Hydraena rudallensis](#) Blackburn, 1896 ^{i c g}
- [Hydraena rufipennis](#) Boscá Berga, 1932 ^{i c g}
- [Hydraena rufipes](#) Curtis, 1830 ^{i c g}
- [Hydraena rugosa](#) Mulsant, 1844 ^{i c g}
- [Hydraena ruinosa](#) Zwick, 1977 ^{i c g}
- [Hydraena rukiyeae](#) Kasapoglu, Jäch and Skale, 2010 ^{i c g}
- [Hydraena sabella](#) Perkins, 1980 ^{i c g}
- [Hydraena saga](#) Orchymont, 1930 ^{i c g}
- [Hydraena sagatai](#) Perkins, 2011 ^{i c g}
- [Hydraena sahlbergi](#) Orchymont, 1923 ^{i c g}
- [Hydraena saluta](#) Perkins, 2011 ^{i c g}
- [Hydraena samia](#) Jäch, 1986 ^{i c g}

- [Hydraena samnitica](#) Knisch, 1924^{i c g}
- [Hydraena sanagergelyae](#) Brojer and Jäch, 2011^{i c g}
- [Hydraena sanfilippoi](#) (Audisio and De Biase, 1995)^{i c g}
- [Hydraena sappho](#) Janssens, 1965^{i c g}
- [Hydraena sardoa](#) Binaghi, 1961^{i c g}
- [Hydraena satoi](#) Jäch and Díaz, 1999^{i c g}
- [Hydraena sautakei](#) Jäch and Díaz, 1999^{i c g}
- [Hydraena sauteri](#) Orchymont, 1913^{i c g}
- [Hydraena scabra](#) Orchymont, 1925^{i c g}
- [Hydraena scabrosa](#) Orchymont, 1931^{i c g}
- [Hydraena schawalleri](#) Skale and Jäch in Jäch and Skale, 2009^{i c g}
- [Hydraena schilfii](#) Jäch, 1988^{i c g}
- [Hydraena schillhammeri](#) Jäch, 1988^{i c g}
- [Hydraena schmidi](#) Jäch and Díaz, 2001^{i c g}
- [Hydraena schoedli](#) Jäch, 1992^{i c g}
- [Hydraena schoenmanni](#) Jäch, 1988^{i c g}
- [Hydraena schubertorum](#) Jäch and Díaz, 2001^{i c g}
- [Hydraena schuelkei](#) Jäch, 1992^{i c g}
- [Hydraena schuleri](#) Ganglbauer, 1901^{i c g}
- [Hydraena scintilla](#) Perkins, 1980^{i c g}
- [Hydraena scintillabella](#) Perkins, 1980^{i c g}
- [Hydraena scintillamima](#) Perkins, 2011^{i c g}
- [Hydraena scintillapicta](#) Perkins, 2011^{i c g}
- [Hydraena scintillarca](#) Perkins, 2011^{i c g}
- [Hydraena scintillutea](#) Perkins, 1980^{i c g}
- [Hydraena scitula](#) Orchymont, 1943^{i c g}
- [Hydraena scolops](#) Perkins, 1980^{i c g}
- [Hydraena scopula](#) Perkins, 1980^{i c g}
- [Hydraena scythica](#) Janssens, 1974^{i c g}
- [Hydraena sebastiani](#) Perkins, 2014^{i c g}
- [Hydraena sepikramuensis](#) Perkins, 2011^{i c g}
- [Hydraena septemlacuum](#) Jäch, 1992^{i c g}
- [Hydraena serpentina](#) Jäch, 1988^{i c g}
- [Hydraena serricollis](#) Wollaston, 1864^{i c g}
- [Hydraena servilia](#) Orchymont, 1936^{i c g}
- [Hydraena sexarcuata](#) Perkins, 2011^{i c g}

- [Hydraena sexsuprema](#) Perkins, 2011 ^{i c g}
- [Hydraena sharmai](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena sharpi](#) Rey, 1886 ^{i c g}
- [Hydraena shorti](#) Perkins, 2011 ^{i c g}
- [Hydraena sicula](#) Kiesenwetter, 1849 ^{i c g}
- [Hydraena sidon](#) Jäch, Díaz and Dia in Jäch, Dia and Díaz, 2006 ^{i c g}
- [Hydraena sierra](#) Perkins, 1980 ^{i c g}
- [Hydraena similis](#) Orchymont, 1930 ^{i c g}
- [Hydraena simonidea](#) Orchymont, 1931 ^{i c g}
- [Hydraena simplicicollis](#) Blackburn, 1896 ^{i c g}
- [Hydraena simplipes](#) Zwick, 1977 ^{i c g}
- [Hydraena singaporensis](#) Jäch, Díaz and Skale, 2013 ^{i c g}
- [Hydraena sinope](#) Jäch, 1992 ^{i c g}
- [Hydraena smyrnensis](#) Sahlberg, 1908 ^{i c g}
- [Hydraena socius](#) Jäch and Díaz, 1999 ^{i c g}
- [Hydraena solarii](#) Pretner, 1930 ^{i c g}
- [Hydraena solodovnikovi](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena sordida](#) Sharp, 1882 ^{i c g}
- [Hydraena spangleri](#) Perkins, 1980 ^{i c g}
- [Hydraena spatula](#) Perkins, 2011 ^{i c g}
- [Hydraena speciosa](#) Orchymont, 1944 ^{i c g}
- [Hydraena spinipes](#) Baudi, 1882 ^{i c g}
- [Hydraena spinissima](#) Perkins, 2007 ^{i c g}
- [Hydraena spinobesa](#) Perkins, 2011 ^{i c g}
- [Hydraena splecoma](#) Perkins, 1980 ^{i c g}
- [Hydraena squalida](#) Orchymont, 1932 ^{i c g}
- [Hydraena stefani](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena steineri](#) Perkins, 2011 ^{i c g}
- [Hydraena stellula](#) Perkins, 2011 ^{i c g}
- [Hydraena storeyi](#) Perkins, 2007 ^{i c g}
- [Hydraena striolata](#) Perkins, 2011 ^{i c g}
- [Hydraena stussineri](#) Kuwert, 1888 ^{i c g}
- [Hydraena subacuminata](#) Rey, 1884 ^{i c g}
- [Hydraena subgrandis](#) Jäch, 1988 ^{i c g}
- [Hydraena subimpressa](#) Rey, 1885 ^{i c g}
- [Hydraena subina](#) Orchymont, 1944 ^{i c g}

- [Hydraena subinflata](#) Orchymont, 1944 ^{i c g}
- [Hydraena subinoides](#) Orchymont, 1944 ^{i c g}
- [Hydraena subintegra](#) Ganglbauer, 1901 ^{i c g}
- [Hydraena subinura](#) Orchymont, 1944 ^{i c g}
- [Hydraena subirregularis](#) Pic, 1918 ^{i c g}
- [Hydraena subjuncta](#) Orchymont, 1930 ^{i c g}
- [Hydraena sublamina](#) Orchymont, 1945 ^{i c g}
- [Hydraena sublapsa](#) Orchymont, 1945 ^{i c g}
- [Hydraena subsequens](#) Rey, 1886 ^{i c g}
- [Hydraena supersexa](#) Perkins, 2011 ^{i c g}
- [Hydraena supina](#) Perkins, 2011 ^{i c g}
- [Hydraena szechuanensis](#) Pu, 1951 ^{i c g}
- [Hydraena takin](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena takutu](#) Perkins, 2011 ^{i c g}
- [Hydraena tarsotricha](#) Perkins, 2011 ^{i c g}
- [Hydraena tarvisina](#) (Ferro, 1992) ^{i c g}
- [Hydraena tatii](#) Sáinz-Cantero and Alba-Tercedor, 1989 ^{i c g}
- [Hydraena tauricola](#) Jäch, 1988 ^{i c g}
- [Hydraena taxila](#) Janssens, 1962 ^{i c g}
- [Hydraena tekmanensis](#) Jäch, Skale and Kasapoglu, 2011 ^{i c g}
- [Hydraena tenjikuana](#) Satô, 1979 ^{i c g}
- [Hydraena tenuis](#) (Janssens, 1980) ^{i c g}
- [Hydraena tenuisella](#) Perkins, 2007 ^{i c g}
- [Hydraena tenuisoror](#) Perkins, 2007 ^{i c g}
- [Hydraena terebrans](#) Jäch, 1992 ^{i c g}
- [Hydraena terralta](#) Perkins, 1980 ^{i c g}
- [Hydraena testacea](#) Curtis, 1830 ^{i c g}
- [Hydraena tetana](#) Perkins, 2011 ^{i c g}
- [Hydraena textila](#) Perkins, 2007 ^{i c g}
- [Hydraena thienemanni](#) Orchymont, 1932 ^{i c g}
- [Hydraena thola](#) Perkins, 2011 ^{i c g}
- [Hydraena tholasoris](#) Perkins, 2011 ^{i c g}
- [Hydraena thumbelina](#) Perkins, 2011 ^{i c g}
- [Hydraena thumbelipes](#) Perkins, 2011 ^{i c g}
- [Hydraena thyene](#) Balfour-Browne, 1958 ^{i c g}
- [Hydraena tiara](#) Perkins, 2014 ^{i c g}

- [Hydraena tibiopaca](#) Perkins, 2011 ^{i c g}
- [Hydraena tobogan](#) Perkins, 2011 ^{i c g}
- [Hydraena torosopala](#) Perkins, 2011 ^{i c g}
- [Hydraena torricellica](#) Perkins, 2011 ^{i c g}
- [Hydraena transvallis](#) Perkins, 2011 ^{i c g}
- [Hydraena trapezoidalis](#) Zwick, 1977 ^{i c g}
- [Hydraena tricantha](#) Zwick, 1977 ^{i c g}
- [Hydraena trichotarsa](#) Perkins, 2011 ^{i c g}
- [Hydraena tricosipes](#) Perkins, 2011 ^{i c g}
- [Hydraena tridigita](#) Perkins, 2011 ^{i c g}
- [Hydraena tridisca](#) Perkins, 2007 ^{i c g}
- [Hydraena triloba](#) Perkins, 2007 ^{i c g}
- [Hydraena trinidensis](#) Perkins, 1980 ^{i c g}
- [Hydraena triparamera](#) Jäch, 1982 ^{i c g}
- [Hydraena tritropis](#) Perkins, 2011 ^{i c g}
- [Hydraena tritutela](#) Perkins, 2011 ^{i c g}
- [Hydraena truncata](#) Rey, 1885 ^{i c g}
- [Hydraena tsushimaensis](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena tubuliphallis](#) Jäch, 1982 ^{i c g}
- [Hydraena tucumanica](#) Perkins, 1980 ^{i c g}
- [Hydraena tuolumne](#) Perkins, 1980 ^{i c g}
- [Hydraena turcica](#) Janssens, 1965 ^{i c g}
- [Hydraena turrialba](#) Perkins, 1980 ^{i c g}
- [Hydraena tyrrhena](#) Binaghi, 1961 ^{i c g}
- [Hydraena ulna](#) Perkins, 2011 ^{i c g}
- [Hydraena umbolenta](#) Perkins, 2011 ^{i c g}
- [Hydraena unca](#) Valladares, 1989 ^{i c g}
- [Hydraena undevigintioctogintasisyphos](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena undulata](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena uniforma](#) Perkins, 2014 ^{i c g}
- [Hydraena unita](#) Perkins, 2011 ^{i c g}
- [Hydraena uzbekistanica](#) Jäch, 1994 ^{i c g}
- [Hydraena vadosa](#) Perkins, 2014 ^{i c g}
- [Hydraena valentini](#) Jäch and Díaz, 2012 ^{i c g}
- [Hydraena vandykei](#) Orchymont, 1923 ^{i c g}
- [Hydraena variopaca](#) Perkins, 2011 ^{i c g}

- [Hydraena vedrasi](#) Orchymont, 1931 ^{i c g}
- [Hydraena vela](#) Perkins, 1980 ^{i c g}
- [Hydraena velvetina](#) Perkins, 2011 ^{i c g}
- [Hydraena venezuela](#) Perkins, 2011 ^{i c g}
- [Hydraena verberans](#) Jäch and Díaz, 2006 ^{i c g}
- [Hydraena verstraeteni](#) Ferro, 1984 ^{i c g}
- [Hydraena victoriae](#) Jäch and Díaz, 1999 ^{i c g}
- [Hydraena vietnamensis](#) (Janssens, 1972) ^{i c g}
- [Hydraena virginalis](#) Janssens, 1963 ^{i c g}
- [Hydraena vodozi](#) Sainte-Claire Deville, 1908 ^{i c g}
- [Hydraena vulgaris](#) Jäch and Díaz, 2000 ^{i c g}
- [Hydraena waldheimi](#) Jäch, 1987 ^{i c g}
- [Hydraena wangi](#) Jäch and Díaz, 1998 ^{i c g}
- [Hydraena wangmiao](#) Jäch and Díaz, 2005 ^{i c g}
- [Hydraena watanabei](#) Jäch and Satô, 1988 ^{i c g}
- [Hydraena wattsi](#) Perkins, 2007 ^{i c g}
- [Hydraena weigeli](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena weiri](#) Perkins, 2007 ^{i c g}
- [Hydraena wencke](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena wewalkai](#) Jäch, 1988 ^{i c g}
- [Hydraena williamsensis](#) Deane, 1931 ^{i c g}
- [Hydraena wittmeri](#) Satô, 1979 ^{i c g}
- [Hydraena wolffi](#) Skale and Jäch in Jäch and Skale, 2009 ^{i c g}
- [Hydraena wrasei](#) Jäch, 1992 ^{i c g}
- [Hydraena xingu](#) Perkins, 2011 ^{i c g}
- [Hydraena yangae](#) Jäch, Díaz and Skale, 2013 ^{i c g}
- [Hydraena yonaguniensis](#) Jäch and Díaz, 2003 ^{i c g}
- [Hydraena yosemitensis](#) Perkins, 1980 ^{i c g}
- [Hydraena yoshitomii](#) Jäch and Díaz, 1999 ^{i c g}
- [Hydraena youngi](#) Perkins, 1980 ^{i c g}
- [Hydraena ypsilon](#) Zwick, 1977 ^{i c g}
- [Hydraena yunnanensis](#) Pu, 1942 ^{i c g}
- [Hydraena zapatina](#) Perkins, 1980 ^{i c g}
- [Hydraena zelandica](#) Ordish, 1984 ^{i c g}
- [Hydraena zetteli](#) Freitag and Jäch, 2007 ^{i c g}
- [Hydraena zezerensis](#) Díaz Pazos and Bilton, 1995 ^{i c g}

- [*Hydraena zimbabwensis*](#) Perkins, 2014^{i c g}
- [*Hydraena zwicki*](#) Perkins, 2007^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[4] b = Bugguide.net[3]

This is a list of species in the genus [*Hybomitra*](#).

***Hybomitra* species**

- [*Hybomitra aasa*](#) Philip, 1954[1]
- [*Hybomitra aatos*](#) Philip, 1941[2]
- [*Hybomitra abaensis*](#) Xu & Song, 1983[3]
- [*Hybomitra acuminata*](#) (Loew, 1858)[4]
- [*Hybomitra aequetincta*](#) (Becker, 1900)[5]
- [*Hybomitra afasciata*](#) Wang, 1989[6]
- [*Hybomitra affinis*](#) (Kirby, 1837)[7]
- [*Hybomitra agnitionalis*](#) (Austen, 1922)[8]
- [*Hybomitra agora*](#) Teskey, 1987[9]
- [*Hybomitra akiyamai*](#) Murdoch & Takahasi, 1969
- [*Hybomitra aksuensis*](#) Wang, 1985[10]
- [*Hybomitra alegrei*](#) Dias, 1984
- [*Hybomitra altaica*](#) (Olsufiev, 1936)
- [*Hybomitra alticola*](#) Wang, 1981
- [*Hybomitra ampulla*](#) Wang & Liu, 1990
- [*Hybomitra angolensis*](#) (Dias, 1964)
- [*Hybomitra arpad*](#) (Szilády, 1923)[11]
- [*Hybomitra astur*](#) (Erichson, 1851)[12]
- [*Hybomitra asturoides*](#) Liu & Wang, 1977[13]
- [*Hybomitra astuta*](#) (Osten Sacken, 1876)[14]
- [*Hybomitra aterrima*](#) (Meigen, 1820)[15]
- [*Hybomitra atripalpis*](#) Wang, 1992[16]
- [*Hybomitra atrobasis*](#) (McDunnough, 1921)[17]
- [*Hybomitra aurilimba*](#) (Stone, 1938)[18]
- [*Hybomitra auripila*](#) (Meigen, 1820)[15]
- [*Hybomitra baphoscota*](#) Xu & Liu, 1985[19]
- [*Hybomitra barkamensis*](#) Wang, 1981
- [*Hybomitra bhutanensis*](#) Datta, 1979
- [*Hybomitra bimaculata*](#) (Macquart, 1826)[20] - hairy-legged horsefly
- [*Hybomitra borealis*](#) (Fabricius, 1779)[21]

- [Hybomitra bouvieri](#) Philip, 1979[22]
- [Hybomitra branta](#) Wang, 1982[23]
- [Hybomitra brantoides](#) Wang, 1984[24]
- [Hybomitra brennani](#) (Stone, 1938)[18]
- [Hybomitra brevis](#) (Loew, 1858)[4]
- [Hybomitra bulongicauda](#) Liu & Xu, 1990[25]
- [Hybomitra burgeri](#) Kapoor, Grewal & Sharma, 1991
- [Hybomitra californica](#) (Marten, 1882)[26]
- [Hybomitra caparti](#) Leclercq, 1967
- [Hybomitra captonis](#) (Marten, 1882)[26]
- [Hybomitra castaneocallosa](#) Olsufiev, 1967
- [Hybomitra caucasi](#) (Szilády, 1923)[11]
- [Hybomitra caucasica](#) (Enderlein, 1925)[27]
- [Hybomitra chevalieri](#) (Surcouf, 1906)
- [Hybomitra chvalai](#) Xu & Zhang, 1990[28]
- [Hybomitra cincta](#) (Fabricius, 1794)[29]
- [Hybomitra coheri](#) Xu & Zhang, 1990[28]
- [Hybomitra ciureai](#) (Séguy, 1937) - Levels yellow-horned horsefly
- [Hybomitra confiformis](#) Chvála & Moucha, 1971[30]
- [Hybomitra criddlei](#) (Brooks, 1946)[31]
- [Hybomitra cuspidata](#) (Austen, 1924)[32]
- [Hybomitra cyanops](#) (Brauer, 1880)[33]
- [Hybomitra daeckei](#) (Hine, 1917)[34]
- [Hybomitra decora](#) (Loew, 1858)[4]
- [Hybomitra difficilis](#) (Wiedemann, 1828)[35]
- [Hybomitra distinguenda](#) (Verrall, 1909)[36] - bright horsefly
- [Hybomitra eberi](#) (Brauer, 1880)[33]
- [Hybomitra echusa](#) Wang, 1982[23]
- [Hybomitra enigmatica](#) Teskey, 1982[37]
- [Hybomitra epistates](#) (Osten Sacken, 1878)[38]
- [Hybomitra expollicata](#) (Pandellé, 1883)[39] - striped horsefly
- [Hybomitra fattigi](#) Philip, 1966[40]
- [Hybomitra flavicoma](#) Wang, 1981
- [Hybomitra formosovi](#) Olsufiev, 1967
- [Hybomitra frenchii](#) (Marten, 1883)[41]
- [Hybomitra frontalis](#) (Walker, 1848)[42]
- [Hybomitra frosti](#) Pechuman, 1960
- [Hybomitra fulvilateralis](#) (Macquart, 1838)[43]
- [Hybomitra fulvotaenia](#) Wang, 1982[23]
- [Hybomitra fuscomaculata](#) Wang, 1985[44]
- [Hybomitra gramina](#) Xu, 1983[45]
- [Hybomitra graminoida](#) Xu, 1983[45]

- [*Hybomitra haidongensis*](#) Xu & Jin, 1990
- [*Hybomitra harai*](#) Hayakawa & Takahasi, 1976
- [*Hybomitra hearlei*](#) (Philip, 1936)[46]
- [*Hybomitra himalayana*](#) (Enderlein, 1925)[27]
- [*Hybomitra hinei*](#) (Johnson, 1904)[47]
- [*Hybomitra hirta*](#) (Walker, 1850)[48]
- [*Hybomitra holonigera*](#) Xu & Li, 1982[49]
- [*Hybomitra hsiaohei*](#) Wang, 1982[23]
- [*Hybomitra hunnorum*](#) (Szilády, 1923)[11]
- [*Hybomitra illota*](#) (Osten Sacken, 1876)[14]
- [*Hybomitra ishiharai*](#) (Takahasi, 1950)
- [*Hybomitra itasca*](#) (Philip, 1936)[46]
- [*Hybomitra jersey*](#) (Takahasi, 1950)
- [*Hybomitra kalatopensis*](#) Kapoor, Grewal & Sharma, 1991
- [*Hybomitra kansuensis*](#) Olsufiev, 1967
- [*Hybomitra kashgarica*](#) Olsufiev, 1970
- [*Hybomitra kasongoensis*](#) (Benoit, 1964)[50]
- [*Hybomitra kaurii*](#) Chvála & Lyneborg, 1970[51]
- [*Hybomitra kavumuensis*](#) Fain & Elsen, 1981
- [*Hybomitra khazziarensis*](#) Kapoor, Grewal & Sharma, 1991
- [*Hybomitra koidzumii*](#) Murdoch & Takahasi, 1969
- [*Hybomitra kourii*](#) (Dias, 1974)
- [*Hybomitra kozlovi*](#) Olsufiev, 1967
- [*Hybomitra kuehlhorni*](#) Leclercq, 1967
- [*Hybomitra ladongensis*](#) Liu & Yao, 1981[52]
- [*Hybomitra lamades*](#) Philip, 1961[53]
- [*Hybomitra lanifera*](#) (McDunnough, 1922)
- [*Hybomitra lasiophthalma*](#) (Macquart, 1838)[43]
- [*Hybomitra lhasaensis*](#) Wang, 1982[23]
- [*Hybomitra liorhina*](#) (Philip, 1936)[46]
- [*Hybomitra litoralis*](#) Yonetsu, Shinogi & Watanabe, 2018[54]
- [*Hybomitra liui*](#) Yang & Xu, 1993[55]
- [*Hybomitra liupanshanensis*](#) Liu, Wang & Xu, 1990[56]
- [*Hybomitra longicornia*](#) Wang, 1984[24]
- [*Hybomitra longiglossa*](#) (Philip, 1931)[57]
- [*Hybomitra longipalpis*](#) (Kröber, 1923)[58]
- [*Hybomitra longziensis*](#) Xu, 1995
- [*Hybomitra lundbecki*](#) Lyneborg, 1959[59]
- [*Hybomitra lurida*](#) (Fallén, 1817)[60] - broad-headed horsefly
- [*Hybomitra lyneborgi*](#) Chvála, 1969[61]
- [*Hybomitra macularis*](#) (Fabricius, 1794)[29]
- [*Hybomitra magimeli*](#) (Dias, 1960)

- [*Hybomitra mai*](#) (Liu, 1959)
- [*Hybomitra mailloti*](#) (Ovazza & Taufflieb, 1959)
- [*Hybomitra marginalba*](#) Liu & Yao, 1981[52]
- [*Hybomitra medeirosi*](#) Dias, 1989
- [*Hybomitra media*](#) (Kröber, 1928)[62]
- [*Hybomitra melanorhina*](#) (Bigot, 1892)[63]
- [*Hybomitra mendesi*](#) Dias, 1989
- [*Hybomitra mendica*](#) (Villeneuve, 1912)
- [*Hybomitra micans*](#) (Meigen, 1804)[64]
- [*Hybomitra microcephala*](#) (Osten Sacken, 1876)[14]
- [*Hybomitra mima*](#) Philip, 1954[1]
- [*Hybomitra mimapis*](#) Wang, 1981
- [*Hybomitra minshanensis*](#) Xu & Liu, 1985[19]
- [*Hybomitra minuscula*](#) (Hine, 1907)[65]
- [*Hybomitra montana*](#) (Meigen, 1820)[15] - slender-horned horsefly
- [*Hybomitra morgani*](#) (Surcouf, 1912)
- [*Hybomitra mouchai*](#) Chvála, 1969[61]
- [*Hybomitra muehlfeldi*](#) (Brauer, 1880)[33] - broadland horsefly
- [*Hybomitra muluba*](#) (Bequaert, 1913)[66]
- [*Hybomitra nigella*](#) (Szilády, 1914)[67]
- [*Hybomitra nigricans*](#) (Wiedemann, 1828)[35]
- [*Hybomitra nigricornis*](#) (Zetterstedt, 1842)[68]
- [*Hybomitra nigricorpus*](#) (Kröber, 1923)[58]
- [*Hybomitra nitelofaciata*](#) Xu, 1985
- [*Hybomitra nitidifrons*](#) (Szilády, 1914)[67]
- [*Hybomitra nola*](#) Philip, 1961[69]
- [*Hybomitra nura*](#) Philip, 1961[69]
- [*Hybomitra nyingchiensis*](#) Zhang & Xu, 1993[70]
- [*Hybomitra obscurinervis*](#) (Violovich, 1956)
- [*Hybomitra ochroterma*](#) Xu & Liu, 1985[19]
- [*Hybomitra okayi*](#) Leclercq, 1967
- [*Hybomitra olsufjeviana*](#) (Moucha & Chvála, 1959)[71]
- [*Hybomitra omeishanensis*](#) Xu & Li, 1982[49]
- [*Hybomitra opaca*](#) (Coquillett, 1904)[72]
- [*Hybomitra osburni*](#) (Hine, 1904)[73]
- [*Hybomitra paulisseni*](#) Leclercq, 1967
- [*Hybomitra pavlovskii*](#) (Olsufiev, 1936)
- [*Hybomitra pechumani*](#) Teskey & Thomas, 1979[74]
- [*Hybomitra peculiaris*](#) (Szilády, 1914)[67]
- [*Hybomitra pediontis*](#) (McAlpine, 1961)[75]
- [*Hybomitra phaenops*](#) (Osten Sacken, 1877)[76]
- [*Hybomitra pilosa*](#) (Loew, 1858)[4]

- [Hybomitra polaris](#) (Frey, 1915)
- [Hybomitra popovi](#) (Olsufiev, 1937)
- [Hybomitra porgae](#) (Quélennec, 1963)
- [Hybomitra portucalensis](#) Dias, 1985
- [Hybomitra potanini](#) Olsufiev, 1967
- [Hybomitra procyon](#) (Osten Sacken, 1877)[76]
- [Hybomitra przewalskii](#) Olsufiev, 1967
- [Hybomitra pulchriventris](#) (Portschinsky, 1887)[77]
- [Hybomitra qiliangensis](#) Liu & Yao, 1981[52]
- [Hybomitra qinghaiensis](#) Liu & Yao, 1981[52]
- [Hybomitra quelenneci](#) Raymond & Taufflieb, 1976
- [Hybomitra rara](#) (Ricardo, 1911)[78]
- [Hybomitra reinigiana](#) (Enderlein, 1934)[79]
- [Hybomitra rhombica](#) (Osten Sacken, 1876)[14]
- [Hybomitra rickenbachi](#) Raymond & Taufflieb, 1976
- [Hybomitra robiginosa](#) Wang, 1982[23]
- [Hybomitra rotundabdominis](#) Wang, 1982[23]
- [Hybomitra rubrilata](#) (Philip, 1937)[80]
- [Hybomitra rupestris](#) (McDunnough, 1921)[17]
- [Hybomitra sachalinesis](#) (Matsumura, 1911)[81]
- [Hybomitra sareptana](#) (Szilády, 1914)[67]
- [Hybomitra seguyi](#) Trojan, 1990
- [Hybomitra semipollinosa](#) (Olsufiev, 1937)
- [Hybomitra sequax](#) (Williston, 1887)[82]
- [Hybomitra severini](#) (Surcouf, 1907)[83]
- [Hybomitra sexfasciata](#) (Hine, 1923)[84]
- [Hybomitra shanghaiensis](#) (Ôuchi, 1943)
- [Hybomitra shevtshenkoi](#) (Olsufiev, 1952)
- [Hybomitra shirakii](#) (Enderlein, 1925)[27]
- [Hybomitra shnitnikovi](#) (Olsufiev, 1937)
- [Hybomitra sodalis](#) (Williston, 1887)[82]
- [Hybomitra sogdiana](#) (Olsufiev, 1952)
- [Hybomitra solstitialis](#) (Meigen, 1820)[15] - scarce forest horsefly
- [Hybomitra sonomensis](#) (Osten Sacken, 1877)[76]
- [Hybomitra sousadiasi](#) (Dias, 1958)
- [Hybomitra stenopselapha](#) (Olsufiev, 1937)
- [Hybomitra stigmoptera](#) (Olsufiev, 1937)
- [Hybomitra subcallosa](#) (Ricardo, 1911)[78]
- [Hybomitra subfasciata](#) (Becker, 1922)[85]
- [Hybomitra subvittata](#) (Séguy, 1934)
- [Hybomitra susurra](#) (Marten, 1883)[41]
- [Hybomitra svenhedini](#) (Kröber, 1933)[86]

- [Hybomitra szechwanensis](#) Olsufiev, 1967
- [Hybomitra taibaishanensis](#) Xu, 1985
- [Hybomitra takahasii](#) Inaoka & Hayakawa, 1982
- [Hybomitra tamujosoi](#) Schacht & Portillo, 1982
- [Hybomitra tanatmisi](#) Altunsoy, 2018[87]
- [Hybomitra tarandina](#) (Linnaeus, 1758)[88]
- [Hybomitra tarandinoides](#) (Olsufiev, 1936)
- [Hybomitra tardigrada](#) Xu & Liu, 1985[19]
- [Hybomitra tatarica](#) (Portschinsky, 1887)[77]
- [Hybomitra tetrica](#) (Marten, 1883)[41]
- [Hybomitra tibetana](#) (Szilády, 1926)[89]
- [Hybomitra trepida](#) (McDunnough, 1921)[17]
- [Hybomitra trispila](#) (Wiedemann, 1828)[35]
- [Hybomitra tropica](#) (Linnaeus, 1758)[88]
- [Hybomitra tschuensis](#) (Olsufiev, 1962)
- [Hybomitra tsingvang](#) (Szilády, 1926)[89]
- [Hybomitra tsuchimaensis](#) Hayakawa, Yoneyama & Inaoka, 1980
- [Hybomitra tsushimaensis](#) Hayakawa, Yoneyama & Inaoka, 1980
- [Hybomitra tuerkmendagensis](#) Kiliç & Schacht, 1995
- [Hybomitra turanica](#) (Olsufiev, 1937)
- [Hybomitra turkestana](#) (Szilády, 1923)[11]
- [Hybomitra typha](#) (Whitney, 1904)[90]
- [Hybomitra ukrainica](#) (Olsufiev, 1952)
- [Hybomitra ussuriensis](#) (Olsufiev, 1937)
- [Hybomitra valenciae](#) (Leclercq, 1957)
- [Hybomitra vexans](#) (Loew, 1858)[91]
- [Hybomitra vicina](#) (Macquart, 1838)[43]
- [Hybomitra vittata](#) (Fabricius, 1794)[29]
- [Hybomitra vulpes](#) (Szilády, 1923)[11]
- [Hybomitra vuvang](#) (Szilády, 1926)[89]
- [Hybomitra wyvillei](#) (Ricardo, 1911)[78]
- [Hybomitra yajianensis](#) Zhang & Xu, 1993[70]
- [Hybomitra yaojiani](#) Sun & Xu, 1993
- [Hybomitra yaojiani](#) Sun & Xu, 2007[92]
- [Hybomitra yaoshanensis](#) Yang & Xu, 1996
- [Hybomitra yushuensis](#) Chen, 1985
- [Hybomitra zaballosi](#) Portillo, 1991
- [Hybomitra zancla](#) Philip, 1954[93]
- [Hybomitra zayuensis](#) Sun & Xu, 2007[92]
- [Hybomitra zayuensis](#) Sun & Xu, 2007
- [Hybomitra zhangi](#) Xu, 1995
- [Hybomitra zhaosuensis](#) Wang, 1985

- [*Hybomitra zonalis*](#) (Kirby, 1837)[7]
- [*Hybomitra zonata*](#) (Szilády, 1923)[11]
- [*Hybomitra zygota*](#) (Philip, 1937)[94]

The following is a list of [hoverfly](#) (Syrphidae) species recorded in [Great Britain](#).

Alan Stubbs and Steven Falk, in their 1983 work *British Hoverflies*,[\[1\]](#) divided the family into [subfamilies](#) and [tribes](#). These subdivisions are now believed to be, to some extent, artificial groupings, not reflecting the evolutionary relationships within the family, so in need of revision. As no replacement system is yet in place, though, these groupings are retained in this list.

The six unnamed species listed in Stubbs and Falk (1983)[\[1\]](#) are not included below.



This list is [incomplete](#); you can help by [adding missing items](#). (March 2012)

Subfamily Syrphinae

Main article: [Syrphinae](#)

Tribe Bacchini (incorporating Melanostomatini)

Main articles: [Bacchini](#) and [Melanostomatini](#)

[Baccha](#)

- [Baccha elongata](#)[\[2\]](#) (syn. *B. obscuripennis*)

[Melanostoma](#)

- [Melanostoma dubium](#)[\[2\]](#)
- [Melanostoma mellinum](#)[\[2\]](#)
- [Melanostoma scalare](#)[\[2\]](#)

[Platycheirus](#)

- Subgenus *Pachysphyria*
 - [Platycheirus ambiguus](#)[\[2\]](#)
- Subgenus *Platycheirus*
 - [Platycheirus albimanus](#)[\[2\]](#)
 - [Platycheirus amplus](#)[\[3\]](#)
 - [Platycheirus angustatus](#)[\[2\]](#)
 - [Platycheirus aurolateralis](#)[\[4\]](#)
 - [Platycheirus clypeatus](#)[\[2\]](#)
 - [Platycheirus discimanus](#)[\[2\]](#)
 - [Platycheirus europaeus](#)[\[2\]](#)[\[5\]](#)
 - [Platycheirus fulviventrīs](#)[\[2\]](#)
 - [Platycheirus immarginatus](#)[\[2\]](#)
 - [Platycheirus manicatus](#)[\[2\]](#)
 - [Platycheirus melanopsis](#)[\[2\]](#)
 - [Platycheirus nielsenī](#)[\[2\]](#)[\[6\]](#)

- [*Platycheirus occultus*\[2\]\[5\]](#)
- [*Platycheirus peltatus*\[2\]](#)
- [*Platycheirus perpallidus*\[2\]](#)
- [*Platycheirus podagratus*\[2\]](#)
- [*Platycheirus ramsaerensis*\[2\]\[5\]\[7\]](#)
- [*Platycheirus scambus*\[2\]](#)
- [*Platycheirus scutatus*\[2\]](#)
- [*Platycheirus splendidus*\[8\]](#)
- [*Platycheirus sticticus*\[2\]](#)
- [*Platycheirus tarsalis*\[2\]](#)
- Subgenus *Pyrophaena*
 - [*Platycheirus granditarsus*\[2\]](#)
 - [*Platycheirus rosarum*\[2\]](#)

Xanthandrus

- [*Xanthandrus comtus*\[2\]](#)

Tribe Paragini

Main article: [Paragini](#)

Paragus

- Subgenus *Pandasyopthalmus*
 - [*Paragus constrictus*\[2\]](#)
 - [*Paragus haemorrhous*\[2\]](#)
 - [*Paragus tibialis*\[2\]](#)
- Subgenus *Paragus*
 - [*Paragus albifrons*\[2\]](#)

Tribe Syrphini (incorporating Chrysotoxini)

Main articles: [Syrphini](#) and [Chrysotoxini](#)

Chrysotoxum

- [*Chrysotoxum arcuatum*\[2\]](#)
- [*Chrysotoxum bicinctum*\[2\]](#)
- [*Chrysotoxum cautum*\[2\]](#)
- [*Chrysotoxum elegans*\[2\]](#)
- [*Chrysotoxum festivum*\[2\]](#)
- [*Chrysotoxum octomaculatum*\[2\]](#)
- [*Chrysotoxum vernale*\[2\]](#)
- [*Chrysotoxum verralli*\[2\]](#)

Dasysyrphus

- [*Dasysyrphus albostriatus*\[2\]](#)
- [*Dasysyrphus friuliensis*\[2\]](#)
- [*Dasysyrphus hilaris* \[9\]](#)
- [*Dasysyrphus pauxillus*\[10\]\[11\]](#)
- [*Dasysyrphus pinastri*\[2\]\[Note 1\]](#)

- [*Dasysyrphus tricinctus*\[2\]](#)
- [*Dasysyrphus venustus*\[2\]](#)

[*Didea*](#)

- [*Didea alneti*\[2\]](#)
- [*Didea fasciata*\[2\]](#)
- [*Didea intermedia*\[2\]](#)

[*Doros*](#)

- [*Doros profuges*\[2\]\[Note 2\]](#)

[*Epistrophe*](#)

- Subgenus *Epistrophe*
 - [*Epistrophe diaphana*\[2\]](#)
 - [*Epistrophe eligans*\[2\]](#)
 - [*Epistrophe grossulariae*\[2\]](#)
 - [*Epistrophe melanostoma*\[2\]](#)
 - [*Epistrophe nitidicollis*\[2\]](#)
 - [*Epistrophe ochrostoma*\[2\]](#)

[*Epistrophella*](#)

- [*Epistrophella euchromus*\[2\]](#)

[*Episyrphus*](#)

- [*Episyrphus balteatus*\[2\]](#)

[*Eriozona*](#)

- Subgenus *Eriozona*
 - [*Eriozona syrphoides*\[2\]](#)

[*Eupeodes*\[Note 3\]](#)

- Subgenus *Eupeodes*
 - [*Eupeodes corollae*\[2\]](#)
 - [*Eupeodes latifasciatus*\[2\]](#)
 - [*Eupeodes latilunulatus*\[2\] \(*bucculatus*\)](#)
 - [*Eupeodes lundbecki*\[2\]](#)
 - [*Eupeodes luniger*\[2\]](#)
 - [*Eupeodes nielsenii*\[2\]](#)
 - [*Eupeodes nitens*\[2\]](#)

[*Fagisyrphus*](#)

- [*Fagisyrphus cinctus*\[2\]](#)

[*Lapposyrphus*](#)

- [*Lapposyrphus lapponicus*\[2\]](#)

[*Leucozona*](#)

- Subgenus *Ischyrosyrphus*

- [Leucozona glaucia](#)[2]
- [Leucozona lateraria](#)[2]
- Subgenus *Leucozona*
 - [Leucozona lucorum](#)[2]

Megasyrphus

- [Megasyrphus erraticus](#)[2][12] (syn. *Megasyrphus annulipes*)

Melangyna

- [Melangyna arctica](#)[2]
- [Melangyna barbifrons](#)[2]
- [Melangyna compositarum](#)[2]
- [Melangyna ericarum](#)[2]
- [Melangyna labiatarum](#)[2]
- [Melangyna lasiophthalma](#)[2]
- [Melangyna quadrimaculata](#)[2]
- [Melangyna umbellatarum](#)[2]

Meligramma

- [Meligramma guttatum](#)[2]
- [Meligramma triangulifera](#)[2]

Meliscaeva

- [Meliscaeva auricollis](#)[2]
- [Meliscaeva cinctella](#)[2]

Parasyrphus

- [Parasyrphus annulatus](#)[2]
- [Parasyrphus lineolus](#)[2]
- [Parasyrphus malinellus](#)[2]
- [Parasyrphus nigritarsis](#)[2][13]
- [Parasyrphus punctulatus](#)[2]
- [Parasyrphus vittiger](#)[2]

Philhelius

- [Philhelius citrofasciatus](#)[2]
- [Philhelius pedissequus](#)[2]
- [Philhelius stackelbergi](#)[14]

Scaeva

- [Scaeva albomaculata](#)[2]
- [Scaeva dignota](#)[15]
- [Scaeva mecogramma](#)[2]
- [Scaeva pyrastris](#)[2]
- [Scaeva selenitica](#)[2]

Sphaerophoria

- [Sphaerophoria bankowskiae](#)[2][9][16][17]

- [Sphaerophoria batava](#)[2][18]
- [Sphaerophoria fatarum](#)[2][9][16][19]
- [Sphaerophoria interrupta](#)[2]
- [Sphaerophoria loewi](#)[2]
- [Sphaerophoria philanthus](#)[2]
- [Sphaerophoria potentillae](#) [2][9][20][21]
- [Sphaerophoria rueppellii](#)[2]
- [Sphaerophoria scripta](#)[2]
- [Sphaerophoria taeniata](#)[2]
- [Sphaerophoria virgata](#) [2]

[Syrphus](#)

- [Syrphus ribesii](#)[2]
- [Syrphus torvus](#)[2]
- [Syrphus vitripennis](#)[2]

Subfamily Milesiinae

Main article: [Milesiinae](#)

Tribe Callicerini

Main article: [Callicerini](#)

[Callicera](#)

- [Callicera aurata](#)[2][Note 4]
- [Callicera rufa](#)[2]
- [Callicera spinolae](#)[2]

Tribe Cheilosini

Main article: [Cheilosini](#)

[Cheilosia](#)

- [Cheilosia ahenea](#)[22]
- [Cheilosia albipila](#)[2]
- [Cheilosia albitarsis](#)[2]
- [Cheilosia antiqua](#)[2]
- [Cheilosia barbata](#)[2]
- [Cheilosia bergenstammi](#)[2]
- [Cheilosia caerulescens](#)[23]
- [Cheilosia carbonaria](#)[2]
- [Cheilosia chrysocoma](#)[2]
- [Cheilosia cynocephala](#)[2]
- [Cheilosia fraterna](#)[2]
- [Cheilosia griseiventris](#)[2]
- [Cheilosia grossa](#)[2]
- [Cheilosia illustrata](#)[2]
- [Cheilosia impressa](#)[2]

- [Cheilosia lasiopa](#)[2][Note 5]
- [Cheilosia latifrons](#)[2] (syn. *C. intonsa*)
- [Cheilosia longula](#)[2]
- [Cheilosia mutabilis](#)[2]
- [Cheilosia nebulosa](#)[2]
- [Cheilosia nigripes](#)[2]
- [Cheilosia pagana](#)[2]
- [Cheilosia praecox](#)[2] (syn. *C. globulipes*)
- [Cheilosia proxima](#)[2]
- [Cheilosia psilophthalma](#)[2][24]
- [Cheilosia pubera](#)[2]
- [Cheilosia sahlbergi](#)[2]
- [Cheilosia scutellata](#)[2]
- [Cheilosia semifasciata](#)[2]
- [Cheilosia soror](#)[2]
- [Cheilosia uviformis](#)[2]
- [Cheilosia variabilis](#)[2]
- [Cheilosia velutina](#)[2]
- [Cheilosia vernalis](#)[2]
- [Cheilosia vicina](#)[2] (syn. *C. nasutula*)
- [Cheilosia vulpina](#)[2]

Ferdinandea

- [Ferdinandea cuprea](#)[2]
- [Ferdinandea ruficornis](#)[2]

Portevinia

- [Portevinia maculata](#)[2]

Rhingia

- [Rhingia campestris](#)[2]
- [Rhingia rostrata](#) [2]

Tribe Chrysogastrini

Main article: [Chrysogastrini](#)

Brachyopa

- [Brachyopa bicolor](#)[2]
- [Brachyopa insensilis](#)[2]
- [Brachyopa pilosa](#)[2]
- [Brachyopa scutellaris](#)[2]

Chrysogaster

- [Chrysogaster cemiteriorum](#)[2] (syn. *Ch. chalybeata*)
- [Chrysogaster solstitialis](#)[2]
- [Chrysogaster virescens](#)[2]

Hammerschmidtia

- [Hammerschmidtia ferruginea](#) [2]

[Lejogaster](#)

- Subgenus *Liogaster*
 - [Lejogaster metallina](#)[2]
 - [Lejogaster tarsata](#)[2] (syn. *L. splendida*)

[Melanogaster](#)[Note 6]

- [Melanogaster aerea](#)[2][Note 7]
- [Melanogaster hirtella](#)[2]

[Myolepta](#)

- [Myolepta dubia](#)[2][Note 8]
- [Myolepta potens](#)[2]

[Neoascia](#)

- Subgenus *Neoascia*
 - [Neoascia podagrica](#)[2]
 - [Neoascia tenur](#)[2]
- Subgenus *Neoasciella*
 - [Neoascia geniculata](#)[2]
 - [Neoascia interrupta](#)[2]
 - [Neoascia meticulosa](#)[2]
 - [Neoascia obliqua](#)[2]

[Orthonevra](#)

- [Orthonevra brevicornis](#)[2]
- [Orthonevra geniculata](#)[2]
- [Orthonevra intermedia](#)[25]
- [Orthonevra nobilis](#)[2]

[Riponnensia](#)

- [Riponnensia splendens](#)[2]

[Sphegina](#)

- Subgenus *Asiosphegina*
 - [Sphegina sibirica](#)[26]
- Subgenus *Sphegina*
 - [Sphegina clunipes](#)[2]
 - [Sphegina elegans](#)[2] (syn. *Sphegina kimakowiczi*)
 - [Sphegina verecunda](#)[2]

Tribe Eristalini

Main article: [Eristalini](#)

[Anasimyia](#)

- [Anasimyia contracta](#)[2]
- [Anasimyia interpuncta](#)[2]

- [*Anasimyia lineata*\[2\]](#)
- [*Anasimyia lunulata*\[2\]](#)
- [*Anasimyia transfuga*\[2\]](#)

Eristalinus

- Subgenus *Eristalinus*
 - [*Eristalinus sepulchralis*\[2\]](#)
- Subgenus *Lathyrrophthalmus*
 - [*Eristalinus aeneus*\[2\]](#)

Eristalis

- Subgenus *Eoseristalis*
 - [*Eristalis abusiva*\[2\]](#)
 - [*Eristalis arbustorum*\[2\]](#)
 - [*Eristalis cryptarum*\[2\]](#)
 - [*Eristalis horticola*\[2\]](#)
 - [*Eristalis interruptus*\[2\]\[Note 9\]](#)
 - [*Eristalis intricarius*\[2\]](#)
 - [*Eristalis pertinax*\[2\]](#)
 - [*Eristalis rupium*\[2\]](#)
 - [*Eristalis similis*\[2\]](#)
- Subgenus *Eristalis*
 - [*Eristalis tenax*\[2\]](#)

Helophilus

- [*Helophilus affinis*\[2\]\[27\]](#)
- [*Helophilus groenlandicus*\[2\]](#)
- [*Helophilus hybridus*\[2\]](#)
- [*Helophilus pendulus*\[2\]](#)
- [*Helophilus trivittatus*\[2\]](#)

Lejops

- [*Lejops vittatus*\[2\]](#)

Mallota

- [*Mallota cimbiciformis*\[2\]](#)

Myathropa

- [*Myathropa florea*\[2\]](#)

Parhelophilus

- [*Parhelophilus consimilis*\[2\]](#)
- [*Parhelophilus frutetorum*\[2\]](#)
- [*Parhelophilus versicolor*\[2\]](#)

Tribe Merodontini (incorporating Eumerini)

Main articles: [Merodontini](#) and [Eumerini](#)

Eumerus

- [Eumerus funeralis](#)
- [Eumerus ornatus](#)[2]
- [Eumerus sabulonum](#)[2]
- [Eumerus sogdianus](#)[28]
- [Eumerus strigatus](#)[2]

Merodon

- [Merodon equestris](#)[2]

Platynochaetus

- [Platynochaetus setosus](#) (accidental import on vegetables)[29]

Psilota

- [Psilota anthracina](#)[2]

Tribe Pelecocerini

Main article: [Pelecocerini](#)

Chamaesyrrhus

- [Chamaesyrrhus caledonicus](#)[2]
- [Chamaesyrrhus scaevoides](#)[2]

Pelecocera

- [Pelecocera tricincta](#)[2]

Tribe Pipizini

Main article: [Pipizini](#)

Heringia

- Subgenus *Heringia*
 - [Heringia heringi](#)[2]
- Subgenus *Neocnemodon*
 - [Heringia brevidens](#)[2]
 - [Heringia latitarsis](#)[2]
 - [Heringia pubescens](#)[2]
 - [Heringia verrucula](#)[2]
 - [Heringia vitripennis](#)[2]

Pipiza

- [Pipiza austriaca](#)[2]
- [Pipiza bimaculata](#)[2]
- [Pipiza fenestrata](#)[2]
- [Pipiza lugubris](#)[2]
- [Pipiza luteitarsis](#)[2]
- [Pipiza noctiluca](#)[2]

Pipizella

- [Pipizella maculipennis](#)[2]
- [Pipizella virens](#)[2]

Trichopsomyia

- [Trichopsomyia flavitarsis](#)[2]

Triglyphus

- [Triglyphus primus](#)[2]

Tribe Sericomyiini

Main article: [Sericomyiini](#)

Arctophila

- [Arctophila superbiens](#)[2] (syn. *A. fulva*)

Sericomyia

- [Sericomyia lappona](#)[2]
- [Sericomyia silentis](#)[2]

Tribe Volucellini

Main article: [Volucellini](#)

Volucella

- [Volucella bombylans](#)[2]
- [Volucella inanis](#)[2]
- [Volucella inflata](#)[2]
- [Volucella pellucens](#)[2]
- [Volucella zonaria](#)[2]

Tribe Xylotini

Main article: [Xylotini](#)

Blera

- [Blera fallax](#)[2]

Brachypalpoides

- [Brachypalpoides lentus](#)[2][[Note 10](#)]

Brachypalpus

- [Brachypalpus laphriformis](#) [2]

Caliprobola

- [Caliprobola speciosa](#)[2]

Chalcosyrphus

- Subgenus *Xylotina*
 - [Chalcosyrphus nemorum](#)[2]
- Subgenus *Xylotodes*
 - [Chalcosyrphus eunotus](#)[2]
- Subgenus *Xylotomima*
 - [Chalcosyrphus piger](#)[30]

Criorhina

- [Criorhina asilica](#)[2]
- [Criorhina berberina](#)[2]
- [Criorhina floccosa](#)[2]
- [Criorhina ranunculi](#)[2]

Pocota

- [Pocota personata](#)[2]

Syritta

- [Syritta pipiens](#)[2]

Tropidia

- [Tropidia scita](#)[2]

Xylota

- [Xylota abiens](#)[2]
- [Xylota coeruleiventris](#)[2]
- [Xylota florum](#)[2]
- [Xylota jakutorum](#)[1]
- [Xylota segnis](#)[2]
- [Xylota sylvarum](#)[2]
- [Xylota tarda](#)[2]
- [Xylota xanthocnema](#)[2]

Subfamily Microdontinae

Main article: [Microdontinae](#)

Microdon

- [Microdon analis](#)[2] (syn. *M. eggeri*)
- [Microdon devius](#)[2]
- [Microdon mutabilis](#)[2]
- [Microdon myrmicae](#)[31]

Notes

1.

- listed as *D. lunulatus* by [Stubbs & Falk \(1983\)](#)
- listed as *D. conopseus* by [Stubbs & Falk \(1983\)](#)

- *Metasyrphus* of [Stubbs & Falk \(1983\)](#)
- listed in [Stubbs & Falk \(1983\)](#) as *C. aenea*
- listed as *C. honesta* by [Stubbs & Falk \(1983\)](#)
- included in *Chrysogaster* in [Stubbs & Falk \(1983\)](#)
- listed as *Chrysogaster macquarti* in [Stubbs & Falk \(1983\)](#)
- listed as *M. luteola* in [Stubbs & Falk \(1983\)](#)
- listed as *E. nemorum* by [Stubbs & Falk \(1983\)](#)
- listed in [Stubbs & Falk \(1983\)](#) as *B. Lenta*

This is a list of 385 species in [Hoplitis](#), a genus of leafcutter, mason, and resin bees in the family [Megachilidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Hoplitis species

- [Hoplitis abbreviata](#) (Morawitz, 1875) ^{i c g}
- [Hoplitis abnormis](#) van der Zanden, 1992 ^{i c}
- [Hoplitis abnormis van-der](#) Zanden, 1992 ^g
- [Hoplitis acanthophora](#) (Morawitz, 1875) ^{i c g}
- [Hoplitis acuticornis](#) (Dufour & Perris, 1840) ^{i c g}
- [Hoplitis adunca](#) (Panzer, 1798) ^{i c g}
- [Hoplitis africana](#) (Warncke, 1990) ^{i c g}
- [Hoplitis agis](#) (Benoist, 1929) ^{i c g}
- [Hoplitis ahrensi](#) (Popov, 1962) ^{i c g}
- [Hoplitis alatauensis](#) (Tkalcu, 1992) ^{i c g}
- [Hoplitis alba](#) (van der Zanden, 1994) ^{i c g}
- [Hoplitis albaterra](#) Warncke, 1991 ^g
- [Hoplitis albifrons](#) Leach, 1814 ^{i c g b}
- [Hoplitis albopilosa](#) Wu, 1987 ^{i c g}
- [Hoplitis alboscopata](#) (Provancher, 1888) ^{i c g}
- [Hoplitis alchata](#) (Warncke, 1990) ^{i c g}
- [Hoplitis alexandrina](#) (Warncke, 1991) ^{i c g}
- [Hoplitis anipuncta](#) (Alfken, 1935) ^{i c g}
- [Hoplitis annulata](#) (Latreille, 1811) ^{i c g}
- [Hoplitis anonyma](#) (Cameron, 1904) ^{i c g}
- [Hoplitis antalyae](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis antennata](#) (Morawitz, 1876) ^{i c g}
- [Hoplitis anthocopoides](#) (Schenck, 1853) ^{i c g b}

- [Hoplitis antigae](#) (Pérez, 1895) ^{i c g}
- [Hoplitis aqabaensis](#) (Warncke, 1991) ^{i c g}
- [Hoplitis arabiae](#) Muller ^g
- [Hoplitis aravensis](#) Zanden, 1992 ^g
- [Hoplitis arenivaga](#) van der Zanden, 1996 ^{i c}
- [Hoplitis arenivaga van-der](#) Zanden, 1996 ^g
- [Hoplitis aristotelis](#) (Warncke, 1990) ^{i c g}
- [Hoplitis askhabadensis](#) (Radoszkowski, 1886) ^{i c g}
- [Hoplitis ayardi](#) (Benoist, 1929) ^{i c g}
- [Hoplitis barbigera](#) (Benoist, 1951) ^{i c g}
- [Hoplitis basingeri](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis bassana](#) (Warncke, 1991) ^{i c g}
- [Hoplitis batyamae](#) (van der Zanden, 1986) ^{i c g}
- [Hoplitis beijingensis](#) Wu, 1987 ^{i c g}
- [Hoplitis benoisti](#) (Alfken, 1935) ^{i c g}
- [Hoplitis bicallosa](#) (Morawitz, 1876) ^{i c g}
- [Hoplitis bidenticauda](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis bifoveolata](#) (Alfken, 1935) ^{i c g}
- [Hoplitis bihamata](#) (Costa, 1885) ^{i c g}
- [Hoplitis bilobulata](#) Wu, 1992 ^{i c g}
- [Hoplitis bipartita](#) (Fries, 1899) ^{i c g}
- [Hoplitis biscutellae](#) Cockerell, 1897 ^{i c g b}
- [Hoplitis bispinosa](#) van der Zanden, 1992 ^{i c}
- [Hoplitis bispinosa van-der](#) Zanden, 1992 ^g
- [Hoplitis bisulca](#) (Gerstäcker, 1869) ^{i c g}
- [Hoplitis boharti](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis bombiformis](#) van der Zanden, 1991 ^{i c g}
- [Hoplitis bombiformis van-der](#) Zanden, 1991 ^g
- [Hoplitis brachyodonta](#) (Cockerell, 1933) ^{i c g}
- [Hoplitis brachypogon](#) (Pérez, 1879) ^{i c g}
- [Hoplitis brevicornis](#) (Morawitz, 1880) ^{i c g}
- [Hoplitis brevifurca](#) (Benoist, 1934) ^{i c g}
- [Hoplitis brevispina](#) (Tkalcu, 2000) ^{i c g}
- [Hoplitis brevispora](#) (Warncke, 1992) ^{i c g}
- [Hoplitis brunnescens](#) (Benoist, 1950) ^{i c g}
- [Hoplitis bubulca](#) (van der Zanden, 1994) ^{i c g}

- [Hoplitis bullifacies](#) Michener, 1947 ^{i c g b}
- [Hoplitis bunocephala](#) Michener, 1947 ^{i c g b}
- [Hoplitis bytinskii](#) (Mavromoustakis, 1948) ^{i c}
- [Hoplitis cadiza](#) (Warncke, 1991) ^{i c g}
- [Hoplitis camelina](#) (Benoist, 1934) ^{i c g}
- [Hoplitis campanularis](#) (Morawitz, 1878) ^{i c g}
- [Hoplitis capsulifer](#) Popov, 1960 ^{i c g}
- [Hoplitis carinata](#) (Stanek, 1969) ^{i c g}
- [Hoplitis carinotarsa](#) Wu, 1987 ^{i c g}
- [Hoplitis cathena](#) (Cameron, 1904) ^{i c g}
- [Hoplitis caucasica](#) (Fries, 1920) ^{i c g}
- [Hoplitis caucasicola](#) ^g
- [Hoplitis caudex](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis caularis](#) (Morawitz, 1875) ^{i c g}
- [Hoplitis cercomela](#) (Warncke, 1991) ^{i c g}
- [Hoplitis christae](#) (Warncke, 1991) ^{i c g}
- [Hoplitis chukar](#) (Warncke, 1991) ^{i c g}
- [Hoplitis ciliaris](#) (Pérez, 1902) ^{i c g}
- [Hoplitis claviventris](#) (Thomson, 1872) ^{i c g}
- [Hoplitis colei](#) (Crawford, 1916) ^{i c g}
- [Hoplitis conchophila](#) Kuhlmann, 2011 ^g
- [Hoplitis conosimilis](#) van der Zanden, 1992 ^{i c}
- [Hoplitis conosimilis van-der](#) Zanden, 1992 ^g
- [Hoplitis contracta](#) (Walker, 1871) ^{i c g}
- [Hoplitis corniculatus van-der](#) Zanden, 1989 ^g
- [Hoplitis crassipunctata](#) Muller ^g
- [Hoplitis cretaea](#) (Tkalcu, 1992) ^{i c g}
- [Hoplitis cristatula](#) (van der Zanden, 1990) ^{i c g}
- [Hoplitis cryptanthae](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis ctenophora](#) (Benoist, 1934) ^{i c g}
- [Hoplitis curtula](#) (Pérez, 1895) ^{i c g}
- [Hoplitis curvipes](#) (Morawitz, 1871) ^{i c g}
- [Hoplitis cypriaca](#) (Mavromoustakis, 1938) ^{i c g}
- [Hoplitis dalmatica](#) (Morawitz, 1871) ^{i c g}
- [Hoplitis daniana](#) (Mavromoustakis, 1949) ^{i c g}
- [Hoplitis daurica](#) (Radoszkowski, 1887) ^{i c g}

- [Hoplitis decaocta](#) (Warncke, 1991) ^{i c g}
- [Hoplitis denudata](#) (Morawitz, 1880) ^{i c g}
- [Hoplitis deserticola](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis desertorum](#) Muller ^g
- [Hoplitis diabolica](#) (Benoist, 1934) ^{i c g}
- [Hoplitis dispersipunctata](#) Muller ^g
- [Hoplitis dorni](#) Tkalcu, 1995 ^{i c g}
- [Hoplitis duckeana](#) (Kohl, 1905) ^{i c g}
- [Hoplitis dumonti](#) (Benoist, 1929) ^{i c g}
- [Hoplitis eburnea](#) (Warncke, 1991) ^{i c g}
- [Hoplitis elaziga](#) (Warncke, 1991) ^{i c g}
- [Hoplitis elongaticeps](#) Michener, 1947 ^{i c g b}
- [Hoplitis emarginata](#) (Griswold, 1983) ^{i c g}
- [Hoplitis enslini](#) (Alfken, 1935) ^{i c g}
- [Hoplitis epeoliformis](#) (Ducke, 1899) ^{i c g}
- [Hoplitis eremophila](#) (Warncke, 1991) ^{i c g}
- [Hoplitis erythrogastra](#) (Mavromoustakis, 1954) ^{i c g}
- [Hoplitis erzurumensis](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis evansi](#) (Michener, 1936) ^{i c g}
- [Hoplitis excisa](#) (Morawitz, 1880) ^{i c g}
- [Hoplitis fabrei](#) van der Zanden, 1987 ^{i c}
- [Hoplitis fabrei van-der](#) Zanden, 1987 ^g
- [Hoplitis farabensis](#) (Popov, 1962) ^{i c g}
- [Hoplitis fascicularia](#) (Radoszkowski, 1886) ^{i c g}
- [Hoplitis fasciculata](#) (Alfken, 1934) ^g
- [Hoplitis ferianaensis](#) (van der Zanden, 1991) ^{i c g}
- [Hoplitis fertoni](#) (Pérez, 1891) ^{i c g}
- [Hoplitis flabellifera](#) (Morice, 1901) ^{i c g}
- [Hoplitis fortispina](#) (Pérez, 1895) ^{i c g}
- [Hoplitis fossulata](#) (Mocsáry, 1883) ^{i c g}
- [Hoplitis freygessneri](#) (Fries, 1899) ^{i c g}
- [Hoplitis fulgida](#) Cronquist ^{i c g b}
- [Hoplitis fulica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis fulva](#) (Eversmann, 1852) ^{i c g}
- [Hoplitis furcula](#) (Morawitz, 1875) ^{i c g}
- [Hoplitis galbula](#) (Warncke, 1991) ^{i c g}

- [Hoplitis galichicae](#) Muller ^g
- [Hoplitis gallinula](#) (Warncke, 1991) ^{i c g}
- [Hoplitis garzetta](#) (Warncke, 1991) ^{i c g}
- [Hoplitis gentilis](#) (Warncke, 1991) ^{i c g}
- [Hoplitis gerofita](#) (Warncke, 1990) ^{i c g}
- [Hoplitis glasunovi](#) (Morawitz, 1894) ^{i c g}
- [Hoplitis gleasoni](#) (Titus, 1904) ^{i c g}
- [Hoplitis gobiensis](#) Muller ^g
- [Hoplitis goulemina](#) (Warncke, 1991) ^{i c g}
- [Hoplitis graeca](#) (Tkalcu, 2000) ^{i c g}
- [Hoplitis grandiscapa](#) (Pérez, 1895) ^{i c g}
- [Hoplitis grinnelli](#) (Cockerell, 1910) ^{i c g}
- [Hoplitis grossepunctata](#) (Kohl, 1905) ^{i c g}
- [Hoplitis grumi](#) (Morawitz, 1894) ^{i c g}
- [Hoplitis gusenleitneri](#) (Warncke, 1991) ^{i c g}
- [Hoplitis haemi](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis halophila](#) Cross, 2023[5]
- [Hoplitis hamulicornis](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis heilungjiangensis](#) Wu, 1987 ^{i c g}
- [Hoplitis heinrichi](#) van der Zanden, 1980 ^{i c g}
- [Hoplitis heinrichi van-der](#) Zanden, 1980 ^g
- [Hoplitis helouanensis](#) (Fries, 1899) ^{i c g}
- [Hoplitis hemisphaerica](#) (Alfken, 1935) ^{i c g}
- [Hoplitis hierichonica](#) (Mavromoustakis, 1949) ^{i c g}
- [Hoplitis hilbera](#) ^g
- [Hoplitis hofferi](#) Tkalcu, 1977 ^{i c g}
- [Hoplitis hoggara](#) (Warncke, 1992) ^{i c g}
- [Hoplitis holmboei](#) (Mavromoustakis, 1948) ^{i c g}
- [Hoplitis homalocera](#) van der Zanden, 1991 ^{i c}
- [Hoplitis homalocera van-der](#) Zanden, 1991 ^g
- [Hoplitis howardi](#) (Cockerell, 1910) ^{i c g}
- [Hoplitis hyperplastica](#) (Morawitz, 1894) ^{i c g}
- [Hoplitis hypocrita](#) (A. Massal.) Fröberg, 1989 ^{i c g b}
- [Hoplitis idaensis](#) (Warncke, 1991) ^{i c g}
- [Hoplitis idalia](#) (Mavromoustakis, 1948) ^{i c g}
- [Hoplitis ilamana](#) (van der Zanden, 1994) ^{i c g}

- [Hoplitis illustris](#) van der Zanden, 1992 ^{i c g}
- [Hoplitis illustris van-der](#) Zanden, 1992 ^g
- [Hoplitis illyrica](#) (Noskiewicz, 1926) ^{i c g}
- [Hoplitis imperfecta](#) (Provancher, 1896) ^{i c g}
- [Hoplitis improceros](#) van der Zanden, 1998 ^{i c}
- [Hoplitis improceros van-der](#) Zanden, 1998 ^g
- [Hoplitis incanescens](#) (Cockerell, 1922) ^{i c g b}
- [Hoplitis incognita](#) van der Zanden, 1996 ^{i c}
- [Hoplitis incognita van-der](#) Zanden, 1996 ^g
- [Hoplitis inconspicua](#) Tkalcu, 1995 ^{i c g}
- [Hoplitis indostana](#) (Cameron, 1904) ^{i c g}
- [Hoplitis infrapicta](#) (Cockerell, 1916) ^{i c g}
- [Hoplitis insolita](#) (Benoist, 1928) ^{i c g}
- [Hoplitis insularis](#) (Schmiedeknecht, 1885) ^{i c g}
- [Hoplitis iranica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis israelica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis jacintana](#) (Cockerell, 1910) ^{i c g}
- [Hoplitis jakovlevi](#) (Radoszkowski, 1874) ^{i c g}
- [Hoplitis jejuna](#) Popov, 1952 ^{i c g}
- [Hoplitis jerichoensis](#) (van der Zanden, 1996) ^{i c g}
- [Hoplitis jheringii](#) (Ducke, 1898) ^{i c g}
- [Hoplitis karakalensis](#) (Popov, 1936) ^{i c g}
- [Hoplitis karikalensis](#) (Peters, 1972) ^{i c g}
- [Hoplitis kaszabi](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis kotschisa](#) Warncke, 1991 ^g
- [Hoplitis laboriosa](#) (Smith, 1878) ^{i c}
- [Hoplitis laevibullata](#) (Michener, 1943) ^{i c g}
- [Hoplitis laevifrons](#) (Morawitz, 1872) ^{i c g}
- [Hoplitis laeviscutum](#) (Alfken, 1935) ^{i c g}
- [Hoplitis lamina](#) (Pérez, 1895) ^{i c g}
- [Hoplitis laminifera](#) Popov, 1960 ^{i c g}
- [Hoplitis lapidaria](#) (Morawitz, 1878) ^{i c g}
- [Hoplitis latifemoralis](#) (Wu, 1985) ^{i c g}
- [Hoplitis latuspilosa](#) van der Zanden, 1992 ^{i c}
- [Hoplitis latuspilosa van-der](#) Zanden, 1992 ^g
- [Hoplitis lebanotica](#) (Mavromoustakis, 1955) ^{i c g}

- [Hoplitis lecerfi](#) (Benoist, 1929) ^{i c g}
- [Hoplitis lefeberi](#) van der Zanden, 1991 ^{i c}
- [Hoplitis lefeberi van-der](#) Zanden, 1991 ^g
- [Hoplitis leiocephala](#) (Mavromoustakis, 1954) ^{i c g}
- [Hoplitis lepeletieri](#) (Pérez, 1879) ^{i c g}
- [Hoplitis leucomelana](#) (Kirby, 1802) ^{i c g}
- [Hoplitis libanensis](#) (Morice, 1901) ^{i c g}
- [Hoplitis limassolica](#) (Mavromoustakis, 1937) ^{i c g}
- [Hoplitis linguaria](#) (Morawitz, 1876) ^{i c g}
- [Hoplitis linsdalei](#) Michener, 1947 ^{i c g}
- [Hoplitis lithodora](#) Müller, 2012 ^g
- [Hoplitis loboclypeata](#) Wu, 1990 ^{i c g}
- [Hoplitis longispina](#) (Pérez, 1895) ^{i c g}
- [Hoplitis loreicornis](#) (Benoist, 1934) ^{i c g}
- [Hoplitis loti](#) (Morawitz, 1867) ^{i c g}
- [Hoplitis louisae](#) (Cockerell, 1934) ^{i c}
- [Hoplitis lucidula](#) (Benoist, 1934) ^{i c g}
- [Hoplitis lysholmi](#) (Fries, 1899) ^{i c g}
- [Hoplitis maghrebensis](#) (van der Zanden, 1992) ^{i c g}
- [Hoplitis malyshevi](#) (Popov, 1963) ^{i c g}
- [Hoplitis manicata](#) (Morice, 1901) ^{i c g}
- [Hoplitis manuelae](#) ^g
- [Hoplitis marchali](#) (Pérez, 1902) ^{i c g}
- [Hoplitis maritima](#) (Romankova, 1985) ^{i c g}
- [Hoplitis maroccana](#) (van der Zanden, 1998) ^{i c g}
- [Hoplitis matheranensis](#) (Michener, 1966) ^{i c g}
- [Hoplitis mazzuccoi](#) (Schwarz & Gusenleitner, 2005) ^{i c g}
- [Hoplitis meyeri](#) (Benoist, 1934) ^{i c g}
- [Hoplitis micheneri](#) Mitchell, 1962 ^{i c g}
- [Hoplitis minor](#) (Morawitz, 1878) ^{i c g}
- [Hoplitis minuta](#) Wu, 1990 ^{i c g}
- [Hoplitis mitis](#) (Nylander, 1852) ^{i c g}
- [Hoplitis mocsaryi](#) (Fries, 1895) ^{i c g}
- [Hoplitis mojaviensis](#) Michener, 1947 ^{i c g}
- [Hoplitis mollis](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis mongolica](#) Wu, 1990 ^{i c g}

- [Hoplitis monstrabilis](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis monticola](#) ^g
- [Hoplitis moricei](#) (Friesse, 1899) ^{i c g}
- [Hoplitis morinella](#) (Warncke, 1991) ^{i c g}
- [Hoplitis mucida](#) (Dours, 1873) ^{i c g}
- [Hoplitis murina](#) (Tkalcu, 1992) ^{i c g}
- [Hoplitis mutica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis nanula](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis nasoincisa](#) (Ferton, 1914) ^{i c g}
- [Hoplitis neavei](#) (Cockerell, 1936) ^{i c g}
- [Hoplitis negevensis](#) (Warncke, 1991) ^{i c g}
- [Hoplitis nicolaei](#) ^g
- [Hoplitis nigrella](#) (Michener, 1954) ^{i c g}
- [Hoplitis nigrocolor](#) (van der Zanden, 1991) ^{i c g}
- [Hoplitis nisa](#) (Warncke, 1991) ^{i c g}
- [Hoplitis nitidula](#) (Morawitz, 1878) ^{i c g}
- [Hoplitis obtusa](#) (Friesse, 1899) ^{i c g}
- [Hoplitis occidentalis](#) Müller, 2012 ^g
- [Hoplitis ochraceicornis](#) (Ferton, 1902) ^{i c g}
- [Hoplitis ochruros](#) (Warncke, 1991) ^{i c g}
- [Hoplitis onychophora](#) (Mavromoustakis, 1939) ^{i c g}
- [Hoplitis oreades](#) (Benoist, 1934) ^{i c g}
- [Hoplitis orthodonta](#) (Cockerell, 1932) ^{i c g}
- [Hoplitis orthognatha](#) (Griswold, 1983) ^{i c g}
- [Hoplitis oxypyga](#) (Benoist, 1927) ^{i c g}
- [Hoplitis ozbeki](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis paiute](#) (Griswold, 1983) ^{i c g}
- [Hoplitis pallicornis](#) (Friesse, 1895) ^{i c g}
- [Hoplitis palmarum](#) (Cockerell, 1935) ^{i c g}
- [Hoplitis papaveris](#) (Latreille, 1799) ^{i c g}
- [Hoplitis paralias](#) (Mavromoustakis, 1954) ^{i c g}
- [Hoplitis parana](#) (Warncke, 1991) ^{i c g}
- [Hoplitis parasitica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis parnesica](#) (Mavromoustakis, 1958) ^{i c g}
- [Hoplitis paroselae](#) Michener, 1947 ^{i c g}
- [Hoplitis peniculifera](#) ^g

- [Hoplitis peralba](#) van der Zanden, 1992 ^{i c}
- [Hoplitis peralba van-der](#) Zanden, 1992 ^g
- [Hoplitis perezii](#) (Ferton, 1895) ^{i c g}
- [Hoplitis persica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis pici](#) (Fries, 1899) ^{i c g}
- [Hoplitis picicornis](#) (Morawitz, 1895) ^{i c g}
- [Hoplitis pilosifrons](#) (Cresson, 1864) ^{i c g}
- [Hoplitis pinkeunia](#) (Warncke, 1991) ^{i c g}
- [Hoplitis pisidiae](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis plagiostoma](#) Michener, 1947 ^{i c g}
- [Hoplitis platalea](#) (Warncke, 1990) ^{i c g}
- [Hoplitis pomarina](#) (Warncke, 1991) ^{i c g}
- [Hoplitis popovi](#) Wu, 2004 ^{i c g}
- [Hoplitis praestans](#) (Morawitz, 1893) ^{i c g}
- [Hoplitis premordica](#) Griswold, 1998 ^{i c g}
- [Hoplitis princeps](#) (Morawitz, 1872) ^{i c g}
- [Hoplitis procerior](#) (Tkalcu, 2000) ^{i c g}
- [Hoplitis producta](#) (Cresson, 1864) ^{i c b}
- [Hoplitis pulchella](#) (Pérez, 1895) ^{i c g}
- [Hoplitis pungens](#) (Benoist, 1929) ^{i c g}
- [Hoplitis pygmaea](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis pyrrhosoma](#) Wu, 1990 ^{i c g}
- [Hoplitis quadrispina](#) (Tkalcu, 1992) ^{i c g}
- [Hoplitis quarzazati](#) (van der Zanden, 1998) ^{i c g}
- [Hoplitis quettensis](#) Tkalcu, 2000 ^{i c g}
- [Hoplitis quinquespinosa](#) (Fries, 1899) ^{i c g}
- [Hoplitis ravouxi](#) (Pérez, 1902) ^{i c g}
- [Hoplitis recticauda](#) (Stanek, 1969) ^{i c g}
- [Hoplitis reducta](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis remotula](#) (Cockerell, 1910) ^{i c g}
- [Hoplitis ridibunda](#) (Warncke, 1991) ^{i c g}
- [Hoplitis robusta](#) (Nylander, 1848) ^{i c g}
- [Hoplitis rubricrus](#) (Fries, 1899) ^{i c g}
- [Hoplitis ruficornis](#) (Morawitz, 1875) ^{i c}
- [Hoplitis ruficrus](#) (Morawitz, 1875) ^{i c g}
- [Hoplitis rufimana](#) (Morawitz, 1875) ^{i c g}

- [Hoplitis rufoantennalis](#) Wu, 2004^{i c g}
- [Hoplitis rufopicta](#) (Morawitz, 1875)^{i c g}
- [Hoplitis rugidorsis](#) (Pérez, 1895)^{i c g}
- [Hoplitis samarkanda](#) (Warncke, 1991)^{i c g}
- [Hoplitis sambuci](#) Titus, 1904^{i c g}
- [Hoplitis saundersi](#) (Vachal, 1891)^{i c g}
- [Hoplitis saxialis](#) (van der Zanden, 1994)^{i c g}
- [Hoplitis scita](#) (Eversmann, 1852)^{i c g}
- [Hoplitis segura](#) (Warncke, 1991)^{i c g}
- [Hoplitis semilinguaria](#) Tkalcu, 1992^{i c g}
- [Hoplitis seminigra](#) (Timberlake & Michener, 1950)^{i c g}
- [Hoplitis semirubra](#) (Cockerell, 1898)^{i c g}
- [Hoplitis serainae](#)^g
- [Hoplitis shoshone](#) (Parker, 1976)^{i c g}
- [Hoplitis sichuanensis](#) Wu, 1992^{i c g}
- [Hoplitis significans](#) Tkalcu, 1995^{i c g}
- [Hoplitis similis](#) (Timberlake & Michener, 1950)^{i c g}
- [Hoplitis simplex](#) (Cresson, 1864)^{i c g}
- [Hoplitis simplicata](#) (Warncke, 1991)^{i c g}
- [Hoplitis simplicicornis](#) (Morawitz, 1875)^{i c g}
- [Hoplitis simula](#) (Gribodo, 1894)^{i c g}
- [Hoplitis singularis](#) (Morawitz, 1875)^{i c g}
- [Hoplitis sinuata](#) (Pérez, 1895)^{i c g}
- [Hoplitis sordida](#) (Benoist, 1929)^{i c g}
- [Hoplitis speculum](#) (Benoist, 1934)^{i c g}
- [Hoplitis speculumoides](#) van der Zanden, 1991^{i c}
- [Hoplitis speculumoides van-der](#) Zanden, 1991^g
- [Hoplitis spoliata](#) (Provancher, 1888)^{i c g b}
- [Hoplitis stellaris](#) (Warncke, 1991)^{i c g}
- [Hoplitis strepera](#) (Warncke, 1991)^{i c g}
- [Hoplitis strymonia](#) Tkalcu, 1999^{i c g}
- [Hoplitis subbutea](#) (Warncke, 1991)^{i c g}
- [Hoplitis submanicata](#) van der Zanden, 1984^{i c}
- [Hoplitis submanicata van-der](#) Zanden, 1984^g
- [Hoplitis subulicornis](#) (Morawitz, 1878)^{i c g}
- [Hoplitis taenioceras](#) (Benoist, 1927)^{i c g}

- [Hoplitis taurimordax](#) (Peters, 1983) ^{i c g}
- [Hoplitis tenuicornis](#) (Morawitz, 1875) ^{i c g}
- [Hoplitis tenuiserrata](#) (Benoist, 1950) ^{i c g}
- [Hoplitis tenuispina](#) (Alfken, 1937) ^{i c g}
- [Hoplitis testaceozonata](#) (Alfken, 1935) ^{i c g}
- [Hoplitis teucarii](#) (Benoist, 1927) ^{i c g}
- [Hoplitis tibetensis](#) Wu, 1987 ^{i c g}
- [Hoplitis tigrina](#) (Morawitz, 1872) ^{i c g}
- [Hoplitis tkalcuella](#) Le Goff, 2003 ^{i c g}
- [Hoplitis torchioi](#) (Parker, 1979) ^{i c g}
- [Hoplitis tricolor](#) (Saunders, 1908) ^{i c g}
- [Hoplitis tridentata](#) (Dufour & Perris, 1840) ^{i c g}
- [Hoplitis tringa](#) (Warncke, 1991) ^{i c g}
- [Hoplitis tristis](#) (Michener, 1936) ^{i c g}
- [Hoplitis truicauda](#) (Timberlake & Michener, 1950) ^{i c g}
- [Hoplitis truncata](#) (Cresson, 1878) ^{i c g}
- [Hoplitis tuberculata](#) (Nylander, 1848) ^{i c g}
- [Hoplitis tunica](#) (Warncke, 1991) ^{i c g}
- [Hoplitis ulaangomensis](#) (Tkalcu, 1995) ^{i c g}
- [Hoplitis uncaticornis](#) (Stanek, 1969) ^{i c g}
- [Hoplitis unispina](#) (Alfken, 1935) ^{i c g}
- [Hoplitis urfensis](#) (van der Zanden, 1984) ^{i c g}
- [Hoplitis ursina](#) (Friese, 1920) ^{i c g}
- [Hoplitis uvulalis](#) (Cockerell, 1902) ^{i c g}
- [Hoplitis verhoeffi](#) (Mavromoustakis, 1954) ^{i c g}
- [Hoplitis verruciventrif](#) (Morawitz, 1886) ^{i c g}
- [Hoplitis villiersi](#) (Benoist, 1950) ^{i c g}
- [Hoplitis villosa](#) (Schenck, 1853) ^{i c}
- [Hoplitis viridimicans](#) (Cockerell, 1897) ^{i c g}
- [Hoplitis wadicola](#) (Alfken, 1935) ^{i c g}
- [Hoplitis wahrmani](#) (Mavromoustakis, 1948) ^{i c g}
- [Hoplitis xanthoprymna](#) (Warncke, 1991) ^{i c g}
- [Hoplitis xerophila](#) (Cockerell, 1935) ^{i c g}
- [Hoplitis xinjiangensis](#) Wu, 1987 ^{i c g}
- [Hoplitis yermasoyiae](#) (Mavromoustakis, 1938) ^{i c g}
- [Hoplitis zaianorum](#) (Benoist, 1927) ^{i c g}

- [*Hoplitis zandeni*](#) (Teunissen & van Achterberg, 1992) ^{i c g}
- [*Hoplitis zonalis*](#) (Pérez, 1895) ^{i c g}
- [*Hoplitis zuni*](#) (Parker, 1977) ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 300 species in the genus [*Hoplia*](#), monkey beetles.[\[1\]\[2\]\[3\]\[4\]](#)

***Hoplia* species**

- [*Hoplia advena*](#) Brenske, 1894 ^{c g}
- [*Hoplia africana*](#) Escalera, 1914 ^{c g}
- [*Hoplia albisparsa*](#) Bates, 1887 ^{c g}
- [*Hoplia albomaculata*](#) Moser, 1912 ^{c g}
- [*Hoplia amoena*](#) Brenske, 1900 ^{c g}
- [*Hoplia anatolica*](#) Reitter, 1890 ^{c g}
- [*Hoplia angulata*](#) Reitter, 1902 ^{c g}
- [*Hoplia argentata*](#) Nonfried, 1891 ^{c g}
- [*Hoplia argentea*](#) (Poda, 1761) ^{c g}
- [*Hoplia argenteola*](#) Moser, 1921 ^{c g}
- [*Hoplia argyritis*](#) Bates, 1887 ^{c g}
- [*Hoplia asperula*](#) Bates, 1887 ^{c g}
- [*Hoplia asteria*](#) Reitter, 1901 ^{c g}
- [*Hoplia attilioi*](#) Massa, 1979 ^{c g}
- [*Hoplia aulica*](#) (Linnaeus, 1767) ^{c g}
- [*Hoplia aurantiaca*](#) Waterhouse, 1877 ^{c g}
- [*Hoplia aurata*](#) Waterhouse, 1877 ^{c g}
- [*Hoplia aureola*](#) (Pallas, 1781) ^{c g}
- [*Hoplia aurifera*](#) Brenske, 1893 ^{c g}
- [*Hoplia auromicans*](#) Brenske, 1893 ^{c g}
- [*Hoplia aurotincta*](#) Fairmaire, 1888 ^{c g}
- [*Hoplia bakeri*](#) Moser, 1921 ^{c g}
- [*Hoplia bezdeki*](#) Keith, 2002 ^{c g}
- [*Hoplia bilineata*](#) (Fabricius, 1801) ^{c g}
- [*Hoplia biplagiata*](#) Moser, 1917 ^{c g}

- [Hoplia bisignata](#) Gyllenhal, 1817 ^{c g}
- [Hoplia bomiensis](#) Zeng, 1986 ^{c g}
- [Hoplia borneensis](#) Moser, 1912 ^{c g}
- [Hoplia bowringi](#) Waterhouse, 1877 ^{c g}
- [Hoplia bracteata](#) Prokofiev, 2015 ^{c g}
- [Hoplia brastagiensis](#) Moser, 1924 ^{c g}
- [Hoplia breviceps](#) Moser, 1918 ^{c g}
- [Hoplia brevipes](#) Medvedev, 1952 ^{c g}
- [Hoplia brevis](#) Nonfried, 1895 ^{c g}
- [Hoplia bruchoides](#) Fairmaire, 1903 ^{c g}
- [Hoplia brunnipes](#) Bonelli, 1807 ^{c g}
- [Hoplia bucharica](#) Reitter, 1898 ^{c g}
- [Hoplia caffra](#) Burmeister, 1855 ^{c g}
- [Hoplia callipyge](#) LeConte, 1856 ^{i c g b}
- [Hoplia caucasica](#) Kolenati, 1846 ^{c g}
- [Hoplia chinensis](#) Endrödi, 1952 ^{c g}
- [Hoplia chlorophana](#) Erichson, 1848 ^{c g}
- [Hoplia choui](#) Miyake, 1986 ^{c g}
- [Hoplia ciliata](#) Castelnau, 1840 ^{c g}
- [Hoplia cincticollis](#) (Faldermann, 1833) ^{c g}
- [Hoplia cinereonebulosa](#) Nonfried, 1895 ^{i c g}
- [Hoplia ciscaucasica](#) Medvedev, 1952 ^{c g}
- [Hoplia citrea](#) Endrödi, 1952 ^{c g}
- [Hoplia citrinella](#) Fairmaire, 1887 ^{c g}
- [Hoplia clotildae](#) Sabatinelli, 1983 ^{c g}
- [Hoplia coerulea](#) (Drury, 1773) ^{c g}
- [Hoplia coeruleosignata](#) Moser, 1916 ^{c g}
- [Hoplia coffeae](#) Arrow, 1925 ^{c g}
- [Hoplia colchica](#) Petrovitz, 1967 ^{c g}
- [Hoplia colini](#) Moser, 1918 ^{c g}
- [Hoplia coluzzi](#) Sabatinelli, 1983 ^{c g}
- [Hoplia communis](#) Waterhouse, 1875 ^{c g}
- [Hoplia concolor](#) Sharp, 1878 ^{c g}
- [Hoplia convexicollis](#) Moser, 1912 ^{c g}
- [Hoplia coralipes](#) Reitter, 1883 ^{c g}
- [Hoplia corniculata](#) Reitter, 1890 ^{c g}

- [Hoplia corporaali](#) Moser, 1924 ^{c g}
- [Hoplia cretacea](#) Bates, 1887 ^{c g}
- [Hoplia cupulosa](#) Peyerimhoff, 1939 ^{c g}
- [Hoplia cyanosignata](#) Miyake, 1994 ^{c g}
- [Hoplia cylindrica](#) Reitter, 1903 ^{c g}
- [Hoplia dalatella](#) (Prokofiev, 2012) ^{c g}
- [Hoplia davidis](#) Fairmaire, 1887 ^{c g}
- [Hoplia detrita](#) Solsky, 1876 ^{c g}
- [Hoplia diana](#) Sharp, 1876 ^{c g}
- [Hoplia digitifera](#) Peyerimhoff, 1939 ^{c g}
- [Hoplia dilutipes](#) Reitter, 1890 ^{c g}
- [Hoplia dispar](#) LeConte, 1880 ^{i c g b}
- [Hoplia disparilis](#) Bates, 1887 ^{c g}
- [Hoplia dissexualis](#) Prokofiev, 2015 ^{c g}
- [Hoplia divina](#) Endrödi, 1953 ^{c g}
- [Hoplia djukini](#) Jacobson, 1914 ^{c g}
- [Hoplia dombrowskii](#) Nonfried, 1895 ^{c g}
- [Hoplia dubia](#) (Rossi, 1790) ^c
- [Hoplia elegantula](#) White, 1844 ^{c g}
- [Hoplia elongata](#) Quedenfeldt, 1888 ^{c g}
- [Hoplia endroedii](#) Balthasar, 1955 ^{c g}
- [Hoplia equina](#) LeConte, 1880 ^{i c g}
- [Hoplia errata](#) Fairmaire, 1898 ^{c g}
- [Hoplia ertli](#) Moser, 1919 ^{c g}
- [Hoplia euphratica](#) Zaitzev, 1923 ^{c g}
- [Hoplia excellens](#) Endrödi, 1952 ^{c g}
- [Hoplia festiva](#) Burmeister, 1844 ^{c g}
- [Hoplia fiorii](#) Fracassi, 1906 ^{c g}
- [Hoplia fissa](#) Reitter, 1890 ^g
- [Hoplia fissipes](#) Moser, 1912 ^{c g}
- [Hoplia flavipes](#) Germar, 1824 ^{c g}
- [Hoplia flavomaculata](#) Moser, 1912 ^{c g}
- [Hoplia floridana](#) Fisher, 1918 ^{i c g}
- [Hoplia forsteri](#) Tesar, 1969 ^{c g}
- [Hoplia freudei](#) Tesar, 1969 ^{c g}
- [Hoplia freyi](#) Baraud, 1967 ^{c g}

- [Hoplia fukiensis](#) Endrödi, 1952 ^{c g}
- [Hoplia fulgida](#) Waterhouse, 1877 ^{c g}
- [Hoplia fuliginosa](#) Nonfried, 1894 ^{c g}
- [Hoplia fulvipennis](#) Moser, 1912 ^{c g}
- [Hoplia fulvofemorata](#) Moser, 1912 ^{c g}
- [Hoplia fungifera](#) Prokofiev, 2015 ^{c g}
- [Hoplia gabonica](#) Moser, 1918 ^{c g}
- [Hoplia gibbicollis](#) Arrow, 1941 ^{c g}
- [Hoplia gilleti](#) Hardy, 1977 ^{i c g}
- [Hoplia golovjankoi](#) Jacobson, 1914 ^{c g}
- [Hoplia gracilis](#) Endrödi, 1952 ^{c g}
- [Hoplia graminicola](#) (Fabricius, 1792) ^{c g}
- [Hoplia grisea](#) Moser, 1912 ^{c g}
- [Hoplia griseonebulosa](#) Moser, 1921 ^{c g}
- [Hoplia griseosparsa](#) Moser, 1921 ^{c g}
- [Hoplia griseosquamosa](#) Moser, 1918 ^{c g}
- [Hoplia griseovestita](#) Moser, 1924 ^{c g}
- [Hoplia guandaoshana](#) Kobayashi, 2017
- [Hoplia guatemalensis](#) Bates, 1887 ^{c g}
- [Hoplia gyirongensis](#) Zeng, 1986 ^{c g}
- [Hoplia hakonensis](#) Sawada, 1938 ^{c g}
- [Hoplia hauseri](#) Reitter, 1904 ^{c g}
- [Hoplia hayashii](#) Miyake, 1986 ^{c g}
- [Hoplia herminiana](#) Apfelbeck, 1908 ^{c g}
- [Hoplia heterolepis](#) Prokofiev, 2015 ^{c g}
- [Hoplia hirsuta](#) Moser, 1912 ^{c g}
- [Hoplia hirta](#) LeConte, 1880 ^{i c g}
- [Hoplia hirticollis](#) Heyden, 1889 ^{c g}
- [Hoplia hofmanni](#) Nonfried, 1895 ^{c g}
- [Hoplia horrida](#) Moser, 1918 ^{c g}
- [Hoplia huettenbacheri](#) (Nonfried, 1891) ^{c g}
- [Hoplia hungarica](#) Burmeister, 1844 ^{c g}
- [Hoplia hyrcana](#) Medvedev, 1952 ^{c g}
- [Hoplia imitatrix](#) Nonfried, 1895 ^{c g}
- [Hoplia imparilis](#) Moser, 1912 ^{c g}
- [Hoplia indica](#) Moser, 1912 ^{c g}

- [Hoplia ingrata](#) Fairmaire, 1888 ^{c g}
- [Hoplia inops](#) Bates, 1887 ^{c g}
- [Hoplia inornata](#) Kobayashi, 1990 ^{c g}
- [Hoplia iridescent](#) Zeng, 1986 ^{c g}
- [Hoplia jacobsoni](#) Reitter, 1903 ^{c g}
- [Hoplia jalapana](#) Moser, 1918 ^{c g}
- [Hoplia javana](#) Moser, 1912 ^{c g}
- [Hoplia kamerunica](#) Moser, 1918 ^{c g}
- [Hoplia klapperichi](#) Endrödi, 1952 ^{c g}
- [Hoplia korbi](#) Petrovitz, 1958 ^{c g}
- [Hoplia koreana](#) Moser, 1920 ^{c g}
- [Hoplia kunzii](#) Schmidt, 1840 ^{c g}
- [Hoplia laconiae](#) Petrovitz, 1958 ^{c g}
- [Hoplia laetitia](#) Sabatinelli, 1983 ^{c g}
- [Hoplia lama](#) Endrödi, 1952 ^{c g}
- [Hoplia langbianella](#) Prokofiev, 2015 ^{c g}
- [Hoplia lao](#) Prokofiev, 2015 ^{c g}
- [Hoplia latesutulata](#) (Fairmaire, 1899) ^g
- [Hoplia latesuturata](#) (Fairmaire, 1900) ^{c g}
- [Hoplia laticollis](#) LeConte, 1856 ^{i c g b}
- [Hoplia leytenis](#) Kobayashi & Fujioka, 2014 ^{c g}
- [Hoplia limbata](#) LeConte, 1856 ^{c g}
- [Hoplia lindiana](#) Moser, 1918 ^{c g}
- [Hoplia lineata](#) Moser, 1921 ^{c g}
- [Hoplia lishana](#) Miyake, 1986 ^{c g}
- [Hoplia lurida](#) Moser, 1918 ^{c g}
- [Hoplia luzonica](#) Moser, 1924 ^{c g}
- [Hoplia maculifera](#) Moser, 1910 ^{c g}
- [Hoplia magnifica](#) Arrow, 1932 ^{c g}
- [Hoplia mahayana](#) Sabatinelli, 1983 ^{c g}
- [Hoplia malaccensis](#) Moser, 1912 ^{c g}
- [Hoplia malaisei](#) Arrow, 1946 ^{c g}
- [Hoplia manowensis](#) Moser, 1918 ^{c g}
- [Hoplia maremmana](#) (Leo, Liberto, Rattu & Sechi, 2010) ^{c g}
- [Hoplia mausonensis](#) Moser, 1921 ^{c g}
- [Hoplia medana](#) Moser, 1912 ^{c g}

- [Hoplia mediocris](#) Fairmaire, 1887 ^{c g}
- [Hoplia meridiana](#) ^g
- [Hoplia messapia](#) ^g
- [Hoplia mexicana](#) Harold, 1869 ^{c g}
- [Hoplia mina](#) Jacobson, 1914 ^{c g}
- [Hoplia mindoroensis](#) Kobayashi & Fujioka, 2014 ^{c g}
- [Hoplia minuscula](#) Fairmaire, 1889 ^{c g}
- [Hoplia minuta](#) (Panzer, 1789) ^{c g}
- [Hoplia modesta](#) Haldeman, 1843 ^{i c g b}
- [Hoplia moerens](#) Waterhouse, 1875 ^{c g}
- [Hoplia montana](#) Moser, 1921 ^{c g}
- [Hoplia moultoni](#) Moser, 1912 ^{c g}
- [Hoplia mucorea](#) (Germar, 1824) ^{i c g b}
- [Hoplia mulleri](#) Nonfried, 1895 ^{c g}
- [Hoplia nakanei](#) Miyake, 1986 ^{c g}
- [Hoplia nebulosa](#) Fairmaire, 1889 ^{c g}
- [Hoplia negrosensis](#) Kobayashi & Fujioka, 2014 ^{c g}
- [Hoplia nengkaoshana](#) Miyake, 1986 ^{c g}
- [Hoplia nepalensis](#) Tesar, 1969 ^{c g}
- [Hoplia nhatrangella](#) Prokofiev, 2015 ^{c g}
- [Hoplia niasana](#) Moser, 1912 ^{c g}
- [Hoplia nigrina](#) Reitter, 1885 ^{c g}
- [Hoplia nigromaculata](#) Moser, 1912 ^{c g}
- [Hoplia nigrosetosa](#) Miyake, 1994 ^{c g}
- [Hoplia nigrosparsa](#) Moser, 1921 ^{c g}
- [Hoplia nitidipunctata](#) Arrow, 1941 ^{c g}
- [Hoplia oblonga](#) Gyllenhal, 1817 ^{c g}
- [Hoplia ochracea](#) Burmeister, 1844 ^{c g}
- [Hoplia ochraceoscutellata](#) Moser, 1921 ^{c g}
- [Hoplia ochreatea](#) Fairmaire, 1889 ^{c g}
- [Hoplia opalescens](#) Fairmaire, 1893 ^{c g}
- [Hoplia paganettii](#) Müller, 1907 ^{c g}
- [Hoplia parvula](#) Krynicky, 1832 ^{c g}
- [Hoplia paupera](#) Krynicky, 1832 ^{c g}
- [Hoplia pentheri](#) Ganglbauer, 1906 ^{c g}
- [Hoplia peroni](#) Blanchard, 1850 ^{c g}

- [Hoplia philanthus](#) (Fuessly, 1775) ^{c g}
- [Hoplia philippinensis](#) Moser, 1910 ^{c g}
- [Hoplia pilifera](#) Desbrochers des Loges, 1869 ^{c g}
- [Hoplia pisicolor](#) Burmeister, 1844 ^{c g}
- [Hoplia platyca](#) Zeng, 1986 ^{c g}
- [Hoplia plebeja](#) Moser, 1921 ^{c g}
- [Hoplia polita](#) Bates, 1891 ^{c g}
- [Hoplia pollinosa](#) Krynicky, 1832 ^{c g}
- [Hoplia pontica](#) Petrovitz, 1967 ^{c g}
- [Hoplia potanini](#) Heyden, 1889 ^{c g}
- [Hoplia prasina](#) Arrow, 1941 ^{c g}
- [Hoplia praticola](#) Duftschmidt, 1805 ^{c g}
- [Hoplia pseudophilanthus](#) Petrovitz, 1967 ^{c g}
- [Hoplia psilocephala](#) Prokofiev, 2015 ^{c g}
- [Hoplia pubicollis](#) Küster, 1849 ^{c g}
- [Hoplia pulchella](#) Moser, 1912 ^{c g}
- [Hoplia pulchra](#) Miyake, 1986 ^{c g}
- [Hoplia puncticollis](#) Gebler, 1832 ^{c g}
- [Hoplia quasiplebeja](#) Prokofiev, 2015 ^{c g}
- [Hoplia reinii](#) Heyden, 1878 ^{c g}
- [Hoplia reitteri](#) Von Dalle Torre, 1912 ^{c g}
- [Hoplia rossica](#) Medvedev, 1952 ^{c g}
- [Hoplia rotunda](#) Bates, 1887 ^{c g}
- [Hoplia rufocuprea](#) Medvedev, 1952 ^{c g}
- [Hoplia rufopicta](#) Fairmaire, 1889 ^{c g}
- [Hoplia rungsi](#) Kocher, 1957 ^{c g}
- [Hoplia rutilapta](#) Prokofiev, 2015 ^{c g}
- [Hoplia sabatinellii](#) Rey, 2006 ^{c g}
- [Hoplia sabraechatila](#) Sabatinelli, 1983 ^{c g}
- [Hoplia sackenii](#) LeConte, 1880 ^{i c g b}
- [Hoplia salaama](#) Brenske, 1898 ^{c g}
- [Hoplia scheibei](#) Balthasar, 1936 ^{c g}
- [Hoplia scheini](#) Endrödi, 1953 ^{c g}
- [Hoplia schuberti](#) Petrovitz, 1962 ^{c g}
- [Hoplia schultheissi](#) Nonfried, 1894 ^{c g}
- [Hoplia scutellaris](#) Waterhouse, 1877 ^{c g}

- [Hoplia semenowi](#) Heyden, 1889 ^{c g}
- [Hoplia semicastanea](#) Fairmaire, 1887 ^{c g}
- [Hoplia setifera](#) Moser, 1912 ^{c g}
- [Hoplia setosella](#) Brenske, 1893 ^{c g}
- [Hoplia shibatai](#) ^g
- [Hoplia shimomurai](#) Kobayashi, 1990 ^{c g}
- [Hoplia shirakii](#) Nomura, 1959 ^{c g}
- [Hoplia shirozui](#) Kobayashi, 1990 ^{c g}
- [Hoplia sibuyana](#) Moser, 1924 ^{c g}
- [Hoplia signata](#) Moser, 1912 ^{c g}
- [Hoplia simillima](#) Miyake, 1986 ^{c g}
- [Hoplia simplex](#) Sharp, 1876 ^{c g}
- [Hoplia siningensis](#) Frivaldszky, 1892 ^{c g}
- [Hoplia sobrina](#) Sharp, 1876 ^{c g}
- [Hoplia sordida](#) Burmeister, 1844 ^{c g}
- [Hoplia spectabilis](#) Medvedev, 1952 ^{c g}
- [Hoplia squamacea](#) White, 1844 ^{c g}
- [Hoplia squamifera](#) Burmeister, 1844 ^{c g}
- [Hoplia squamiventris](#) Burmeister, 1855 ^{c g}
- [Hoplia stenolepis](#) Apfelbeck, 1908 ^{c g}
- [Hoplia striatipennis](#) Wickham, 1914 ^{c g}
- [Hoplia subcostata](#) Bates, 1887 ^{c g}
- [Hoplia sulcicollis](#) Moser, 1912 ^{c g}
- [Hoplia surata](#) Bates, 1887 ^{c g}
- [Hoplia susiana](#) Escalera, 1913 ^{c g}
- [Hoplia taipeiensis](#) Kobayashi & Chou, 2008 ^{c g}
- [Hoplia taiwana](#) Miyake, 1986 ^{c g}
- [Hoplia taliensis](#) Moser, 1921 ^{c g}
- [Hoplia tangana](#) Moser, 1924 ^{c g}
- [Hoplia teapensis](#) Bates, 1887 ^{c g}
- [Hoplia tenebrosa](#) Nonfried, 1895 ^{c g}
- [Hoplia tesari](#) Sabatinelli, 1983 ^{c g}
- [Hoplia testudinis](#) Sabatinelli, 1997 ^{c g}
- [Hoplia thibetana](#) Von Dalle Torre, 1912 ^{c g}
- [Hoplia trifasciata](#) Say, 1825 ^{i c g b} (three lined hoplia)
- [Hoplia trivialis](#) Harold, 1869 ^{i c g b} (dark hoplia)

- [*Hoplia tuberculicollis*](#) Moser, 1912 ^{c g}
- [*Hoplia tuberculifera*](#) Moser, 1924 ^{c g}
- [*Hoplia uniformis*](#) Reitter, 1885 ^{c g}
- [*Hoplia usambarica*](#) Moser, 1918 ^{c g}
- [*Hoplia ushijima*](#) Kobayashi, 1990 ^{c g}
- [*Hoplia ushijimai*](#) Kobayashi, 1990 ^g
- [*Hoplia validipes*](#) Fairmaire, 1889 ^{c g}
- [*Hoplia variabilis*](#) Kobayashi & Fujioka, 2014 ^{c g}
- [*Hoplia ventraerata*](#) Prokofiev, 2015 ^{c g}
- [*Hoplia ventricosa*](#) Brenske, 1893 ^{c g}
- [*Hoplia versicolor*](#) Moser, 1921 ^{c g}
- [*Hoplia vestita*](#) Boheman, 1858 ^{c g}
- [*Hoplia vicina*](#) Fivaldszky, 1890 ^{c g}
- [*Hoplia vidua*](#) Moser, 1918 ^{c g}
- [*Hoplia virginioi*](#) Sabatinelli, 1983 ^{c g}
- [*Hoplia viridisignata*](#) Moser, 1912 ^{c g}
- [*Hoplia viridissima*](#) Brenske, 1894 ^{c g}
- [*Hoplia viridula*](#) Brenske, 1899 ^{c g}
- [*Hoplia vittata*](#) Nonfried, 1895 ^{c g}
- [*Hoplia walterrossii*](#) Sabatinelli, 1992 ^{c g}
- [*Hoplia waterstradti*](#) Moser, 1912 ^{c g}
- [*Hoplia zaitzevi*](#) Jacobson, 1914 ^{c g}
- [*Hoplia zaragozai*](#) Carillo-Ruiz, 2011 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

Selected former species

- [*Hoplia monticola*](#) Miyake, 1986 ^{c g}

Species of unknown identity

A number of species figured in the atlas published by [Künckel D'Herculais](#) in 1887 are insufficiently recognizable and could represent any Malagasy Hopliini. For these reasons, the following species are to be considered *incertae sedis* and probably represent species described under a different name:[5]

- *Hoplia hova* Künckel, 1887
- *Hoplia lactea* Künckel, 1887
- *Hoplia striata* Künckel, 1887
- *Hoplia nigra* Künckel, 1887

- *Hoplia sinuata* Künckel, 1887
- *Hoplia madecassa* Künckel, 1887

References

1.
 - ["Hoplia Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-18.
 - ["Browse Hoplia"](#). Catalogue of Life. Retrieved 2018-03-18.
 - ["Hoplia"](#). GBIF. Retrieved 2018-03-18.
 - ["Hoplia Genus Information"](#). BugGuide.net. Retrieved 2018-03-18.
 -
5. Lacroix, M. (1998). ["Insectes Coléoptères Hopliidae \(2e partie\)"](#) (PDF). *Faune de Madagascar*. **88** (2): 401–755. Retrieved April 8, 2026.

Categories:

- [Lists of insect species](#)
- [Hoplia](#)
-

These 125 species belong to the genus [Homoeocerus](#), leaf-footed bug.[\[1\]\[2\]\[3\]](#)

Homoeocerus species

- [Homoeocerus abbreviatus](#) (Fabricius, 1794)
- [Homoeocerus abdominalis](#) Distant, 1901
- [Homoeocerus adustus](#) Blöte, 1936
- [Homoeocerus albiguttulus](#) Stål, 1873
- [Homoeocerus albiventris](#) Dallas, 1852
- [Homoeocerus angulatus](#) Westwood, 1842
- [Homoeocerus annulatus](#) (Thunberg, 1822)
- [Homoeocerus atkinsoni](#) Distant, 1901
- [Homoeocerus badgleyi](#) Distant, 1908
- [Homoeocerus bannaensis](#) Hsiao, 1962
- [Homoeocerus bequaerti](#) Schouteden, 1913
- [Homoeocerus bicolor](#) Germar, 1838
- [Homoeocerus bicoloripes](#) Li, 1981
- [Homoeocerus biguttatus](#) Westwood, 1842

- [Homoeocerus bipunctatus](#) Hsiao, 1962
- [Homoeocerus bipustulatus](#) Stål, 1871
- [Homoeocerus borneensis](#) Distant, 1901
- [Homoeocerus bredoi](#) Schouteden, 1938
- [Homoeocerus breviplicatus](#) Bergroth, 1921
- [Homoeocerus cingalensis](#) (Stål, 1860)
- [Homoeocerus cleio](#) Linnavuori, 1974
- [Homoeocerus cletoformis](#) Hsiao, 1963
- [Homoeocerus concisus](#) Walker, 1871
- [Homoeocerus concoloratus](#) (Uhler, 1860)
- [Homoeocerus dallasi](#) Blöte, 1936
- [Homoeocerus dan](#) Villiers, 1950
- [Homoeocerus delagoae](#) Distant, 1902
- [Homoeocerus dilatatus](#) Horváth, 1879
- [Homoeocerus discretus](#) Bergroth, 1893
- [Homoeocerus fasciatus](#) Stål, 1871
- [Homoeocerus fascifer](#) (Stål, 1860)
- [Homoeocerus fasciolatus](#) Stål, 1873
- [Homoeocerus fraternus](#) Distant, 1908
- [Homoeocerus freynei](#) Schouteden, 1938
- [Homoeocerus fuscicornis](#) Horváth, 1893
- [Homoeocerus glossatus](#) Ahmad & Perveen, 1994
- [Homoeocerus graminis](#) (Fabricius, 1803)
- [Homoeocerus gutta](#) Dallas, 1852
- [Homoeocerus herbaceus](#) Bergroth, 1921
- [Homoeocerus hulstaerti](#) Schouteden, 1938
- [Homoeocerus humeralis](#) Hsiao, 1962
- [Homoeocerus ignotus](#) Schouteden, 1938
- [Homoeocerus immaculatus](#) Stål, 1871
- [Homoeocerus immaculipennis](#) Stål, 1873
- [Homoeocerus impictus](#) Hsiao, 1962
- [Homoeocerus indus](#) Distant, 1918
- [Homoeocerus insignis](#) Hsiao, 1963
- [Homoeocerus insubidus](#) Germar, 1838
- [Homoeocerus javanicus](#) Dallas, 1852
- [Homoeocerus karschi](#) Haglund, 1895
- [Homoeocerus katangensis](#) Schouteden, 1938
- [Homoeocerus lacertosus](#) Distant, 1889
- [Homoeocerus laevilineus](#) Stål, 1873
- [Homoeocerus laterinotatus](#) Blöte, 1936
- [Homoeocerus limbatipennis](#) (Stål, 1860)
- [Homoeocerus limbatus](#) Hsiao, 1963

- [*Homoeocerus lineaticollis*](#) Stål, 1873
- [*Homoeocerus lineaticornis*](#) Haglund, 1895
- [*Homoeocerus lineatus*](#) Walker, 1871
- [*Homoeocerus lucidus*](#) Walker, 1871
- [*Homoeocerus ludovicus*](#) Schouteden, 1938
- [*Homoeocerus luluensis*](#) Schouteden, 1938
- [*Homoeocerus macula*](#) Dallas, 1852
- [*Homoeocerus malayensis*](#) Distant, 1901
- [*Homoeocerus marginatus*](#) (Ahmad & Perveen, 1983)
- [*Homoeocerus marginellus*](#) (Herrich-Schäffer, 1840)
- [*Homoeocerus marginepunctatus*](#) Blöte, 1936
- [*Homoeocerus marginiventris*](#) Dohrn, 1860
- [*Homoeocerus maynei*](#) Schouteden, 1938
- [*Homoeocerus meniscus*](#) Hsiao, 1962
- [*Homoeocerus montanus*](#) Distant, 1901
- [*Homoeocerus nigridorsum*](#) Horváth, 1889
- [*Homoeocerus nota*](#) Blöte, 1936
- [*Homoeocerus ochraceus*](#) Blöte, 1936
- [*Homoeocerus ornatcollis*](#) Breddin, 1912
- [*Homoeocerus ornativentris*](#) Breddin, 1900
- [*Homoeocerus overlaeti*](#) Schouteden, 1938
- [*Homoeocerus pallens*](#) (Fabricius, 1781)
- [*Homoeocerus pallescens*](#) Blöte, 1936
- [*Homoeocerus pallidulus*](#) Blöte, 1936
- [*Homoeocerus pallidus*](#) Hesse, 1935
- [*Homoeocerus perpolitus*](#) Distant, 1902
- [*Homoeocerus perpunctatus*](#) Distant, 1902
- [*Homoeocerus picturatus*](#) Schouteden, 1938
- [*Homoeocerus plebejus*](#) (Stål, 1860)
- [*Homoeocerus ponsi*](#) Schouteden, 1913
- [*Homoeocerus prasinus*](#) (Germar, 1838)
- [*Homoeocerus puncticornis*](#) (Burmeister, 1834)
- [*Homoeocerus punctum*](#) Dallas, 1852
- [*Homoeocerus pupillatus*](#) Bergroth, 1921
- [*Homoeocerus relatus*](#) Distant, 1908
- [*Homoeocerus rubefactus*](#) Distant, 1902
- [*Homoeocerus rubromaculatus*](#) (Hsiao, 1963)
- [*Homoeocerus rufulus*](#) Blöte, 1936
- [*Homoeocerus schoutedeni*](#) Villiers, 1950
- [*Homoeocerus scutellatus*](#) Distant, 1902
- [*Homoeocerus serrifer*](#) (Westwood, 1842)
- [*Homoeocerus shokaensis*](#) Matsumura, 1913

- [*Homoeocerus simiolus*](#) Distant, 1902
- [*Homoeocerus simplex*](#) Walker, 1871
- [*Homoeocerus sinicus*](#) Walker, 1871
- [*Homoeocerus sticheli*](#) Bergroth, 1924
- [*Homoeocerus striicornis*](#) Scott, 1874
- [*Homoeocerus subjectus*](#) Walker, 1871
- [*Homoeocerus sumbawensis*](#) Blöte, 1936
- [*Homoeocerus tangens*](#) Blöte, 1936
- [*Homoeocerus taprobanensis*](#) Distant, 1902
- [*Homoeocerus tenuicornis*](#) Stål, 1873
- [*Homoeocerus tigrinus*](#) Hesse, 1925
- [*Homoeocerus tinctus*](#) Distant, 1883
- [*Homoeocerus trabeatus*](#) Hesse, 1925
- [*Homoeocerus uelensis*](#) Schouteden, 1938
- [*Homoeocerus unicolor*](#) Li, 1981
- [*Homoeocerus unipunctatus*](#) (Thunberg, 1783)
- [*Homoeocerus urbanus*](#) Stål, 1873
- [*Homoeocerus varicolor*](#) Xiong, 1987
- [*Homoeocerus ventriosus*](#) Hesse, 1925
- [*Homoeocerus vicarians*](#) Karsch, 1892
- [*Homoeocerus virescens*](#) Villiers, 1973
- [*Homoeocerus viridis*](#) Hsiao, 1962
- [*Homoeocerus viridulus*](#) Ren, 1993
- [*Homoeocerus walkeri*](#) Kirby, 1892
- [*Homoeocerus walkerianus*](#) Lethierry & Severin, 1894
- [*Homoeocerus wealei*](#) Distant, 1893
- [*Homoeocerus yunnanensis*](#) Hsiao, 1962

References

1.
 - ["Homoeocerus Report"](#). Integrated Taxonomic Information System. Retrieved 2020-03-23.
 - ["Homoeocerus"](#). GBIF. Retrieved 2020-03-23.
 -
3. Webb, Nick; Eades, David C. (2019). ["genus Homoeocerus Burmeister, 1835"](#). Coreoidea species file online, Version 5.0. Retrieved 2019-07-02.

Categories:

- [Coreinae](#)
- [Lists of insect species](#)

•

This is a list of 131 species in [*Heterospilus*](#), a genus of wasp in the family [Braconidae](#).^{[1][2][3]}

***Heterospilus* species**

- [*Heterospilus aciculatus*](#) (Provancher, 1888) ^{c g}
- [*Heterospilus alboapicalis*](#) Belokobylskij, 1994 ^{c g}
- [*Heterospilus alternicoloratus*](#) ^g
- [*Heterospilus annulatus*](#) Marsh, 1982 ^{c g}
- [*Heterospilus annulicornis*](#) (Ashmead, 1894) ^{c g}
- [*Heterospilus anobiidivorus*](#) Muesebeck, 1939 ^{c g}
- [*Heterospilus anthaxiae*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus appalachicola*](#) (Viereck, 1905) ^{c g}
- [*Heterospilus arleiophagus*](#) Marsh & Melo, 1999 ^{c g}
- [*Heterospilus ater*](#) Fischer, 1960 ^{c g}
- [*Heterospilus atratus*](#) (Ashmead, 1890) ^{c g}
- [*Heterospilus atriceps*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus baeticatus*](#) (Provancher, 1880) ^{c g}
- [*Heterospilus balicyba*](#) ^g
- [*Heterospilus boliviensis*](#) Szepligeti, 1906 ^{c g}
- [*Heterospilus brachyptera*](#) (Jakimavicius, 1968) ^{c g}
- [*Heterospilus brasilophagus*](#) Marsh & Melo, 1999 ^{c g}
- [*Heterospilus breviatus*](#) Shi, Yang & Chen, 2002 ^{c g}
- [*Heterospilus brevicornalus*](#) Shi & Chen, 2004 ^{c g}
- [*Heterospilus bruchi*](#) Viereck, 1910 ^{c g}
- [*Heterospilus caesus*](#) (Nees, 1834) ^{c g}
- [*Heterospilus cancellatus*](#) Shi, 2002 ^{c g}
- [*Heterospilus caophongensis*](#) Belokobylskij, 1994 ^{c g}
- [*Heterospilus ceballosi*](#) (Docavo Alberti, 1960) ^{c g}
- [*Heterospilus cephi*](#) Rohwer, 1925 ^{c g}
- [*Heterospilus chinensis*](#) Chen & Shi, 2004 ^{c g}
- [*Heterospilus chittendenii*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus chui*](#) ^g
- [*Heterospilus concolor*](#) (Szepligeti, 1906) ^{c g}

- [*Heterospilus consimilis*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus corsicus*](#) (Marshall, 1888) ^{c g}
- [*Heterospilus curvisulcus*](#) ^g
- [*Heterospilus densistriatus*](#) ^g
- [*Heterospilus discolor*](#) (Cresson, 1865) ^{c g}
- [*Heterospilus divisus*](#) (Wollaston, 1858) ^{c g}
- [*Heterospilus dubitatus*](#) Brues, 1912 ^{c g}
- [*Heterospilus etiellae*](#) Rohwer, 1925 ^{c g}
- [*Heterospilus eurostae*](#) Viereck, 1917 ^{c g b}
- [*Heterospilus extasus*](#) Papp, 1987 ^{c g}
- [*Heterospilus fasciatus*](#) Ashmead, 1894 ^{c g}
- [*Heterospilus fasciventris*](#) Brues, 1912 ^{c g}
- [*Heterospilus faustinus*](#) Marsh, 1982 ^{c g}
- [*Heterospilus ferruginus*](#) Ashmead, 1894 ^{c g}
- [*Heterospilus fischeri*](#) Belokobylskij, 1983 ^{c g}
- [*Heterospilus flaviceps*](#) (Marshall, 1897) ^{c g}
- [*Heterospilus flavicollis*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus flavipes*](#) (Cameron, 1905) ^{c g}
- [*Heterospilus floridanus*](#) (Ashmead, 1893) ^c
- [*Heterospilus frommeri*](#) Marsh, 1989 ^{c g}
- [*Heterospilus fujianensis*](#) ^g
- [*Heterospilus fuscexilis*](#) Shaw, 1997 ^{c g}
- [*Heterospilus fuscinervis*](#) (Cameron, 1887) ^{c g}
- [*Heterospilus genalis*](#) Tobias, 1976 ^{c g}
- [*Heterospilus gossypii*](#) Muesebeck, 1937 ^{c g}
- [*Heterospilus gracilis*](#) Shi & Chen, 2004 ^{c g}
- [*Heterospilus hambletoni*](#) Muesebeck, 1937 ^{c g}
- [*Heterospilus hemipterus*](#) (Thomson, 1892) ^{c g}
- [*Heterospilus hemitestaceus*](#) Belokobylskij, 1996 ^{c g}
- [*Heterospilus humeralis*](#) Ashmead, 1894 ^{c g}
- [*Heterospilus hylotrupidis*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus indigenus*](#) Belokobylskij, 1983 ^{c g}
- [*Heterospilus jianfengensis*](#) ^g
- [*Heterospilus joni*](#) Marsh, 1982 ^{c g}
- [*Heterospilus kerzhneri*](#) Belokobylskij & Maeto, 2009 ^g
- [*Heterospilus koebelei*](#) (Ashmead, 1893) ^{c g}

- [*Heterospilus languriae*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus leptosoma*](#) Fischer, 1960 ^{c g}
- [*Heterospilus leptostyli*](#) Rohwer, 1913 ^c
- [*Heterospilus liopodis*](#) (Brues, 1910) ^{c g}
- [*Heterospilus liui*](#) ^g
- [*Heterospilus longicaudus*](#) (Ashmead, 1893) ^c
- [*Heterospilus longiventrius*](#) ^g
- [*Heterospilus luculentus*](#) (Belokobylskij, 1992) ^{c g}
- [*Heterospilus luridostigmus*](#) Marsh, 2002 ^{c g}
- [*Heterospilus marchi*](#) (Docavo Alberti, 1960) ^{c g}
- [*Heterospilus matthewsi*](#) Marsh & Melo, 1999 ^{c g}
- [*Heterospilus megalopus*](#) Marsh, 1982 ^{c g}
- [*Heterospilus melanocephalus*](#) Rohwer, 1925 ^{c g}
- [*Heterospilus melleus*](#) (Ashmead, 1893) ^c
- [*Heterospilus meridionalis*](#) Brues, 1912 ^{c g}
- [*Heterospilus micronesianus*](#) Belokobylskij & Maeto, 2008 ^{c g}
- [*Heterospilus microstigma*](#) Richards, 1935 ^{c g}
- [*Heterospilus minimus*](#) Fischer, 1960 ^{c g}
- [*Heterospilus mordellistenae*](#) Viereck, 1911 ^{c g}
- [*Heterospilus nanlingensis*](#) ^g
- [*Heterospilus niger*](#) (Szepligeti, 1906) ^c
- [*Heterospilus nigrescens*](#) Ashmead, 1894 ^{c g}
- [*Heterospilus nishijimus*](#) Belokobylskij & Maeto, 2008 ^{c g}
- [*Heterospilus oculatus*](#) Belokobylskij, 1988 ^{c g}
- [*Heterospilus orientalis*](#) Belokobylskij, 1983 ^{c g}
- [*Heterospilus pacificola*](#) Belokobylskij & Maeto, 2008 ^{c g}
- [*Heterospilus pallidipes*](#) Ashmead, 1894 ^{c g}
- [*Heterospilus paradoxus*](#) (Enderlein, 1920) ^{c g}
- [*Heterospilus pectinatus*](#) (Enderlein, 1920) ^c
- [*Heterospilus pinicola*](#) Belokobylskij, 1994 ^{c g}
- [*Heterospilus pityophthori*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus prodigiosus*](#) ^g
- [*Heterospilus prodoxi*](#) (Riley, 1880) ^{c g}
- [*Heterospilus pronotalis*](#) Belokobylskij, Iqbal & Austin, 2004 ^{c g}
- [*Heterospilus prosopidis*](#) Viereck, 1910 ^{c g}
- [*Heterospilus punctatus*](#) ^g

- [*Heterospilus qingliangensis*](#) ^g
- [*Heterospilus quaestor*](#) (Haliday, 1836) ^{c g}
- [*Heterospilus richardsi*](#) Marsh & Melo, 1999 ^{c g}
- [*Heterospilus rubicola*](#) Fischer, 1968 ^{c g}
- [*Heterospilus rubrocinctus*](#) (Ashmead, 1905) ^{c g}
- [*Heterospilus rufithorax*](#) (Cresson, 1865) ^{c g}
- [*Heterospilus scolyticida*](#) (Ashmead, 1893) ^{c g}
- [*Heterospilus selandriae*](#) (Ashmead, 1889) ^{c g}
- [*Heterospilus semidepressus*](#) ^g
- [*Heterospilus separatus*](#) Fischer, 1960 ^{c g}
- [*Heterospilus setosiscutum*](#) ^g
- [*Heterospilus setosus*](#) ^g
- [*Heterospilus shawi*](#) Marsh, Wild & Whitfield, 2013 ^g
- [*Heterospilus shoshonea*](#) (Viereck, 1907) ^{c g}
- [*Heterospilus sicanus*](#) (Marshall, 1888) ^{c g}
- [*Heterospilus striatiscutum*](#) Belokobylskij & Maeto, 2008 ^{c g}
- [*Heterospilus striatus*](#) Muesebeck & Walkley, 1951 ^{c g}
- [*Heterospilus tadhicus*](#) Belokobylskij, 1983 ^{c g}
- [*Heterospilus tauricus*](#) Telenga, 1941 ^{c g}
- [*Heterospilus tenuitergum*](#) ^g
- [*Heterospilus terminalis*](#) Ashmead, 1900 ^{c g}
- [*Heterospilus testaceus*](#) (Cameron, 1905) ^c
- [*Heterospilus tirnax*](#) Papp, 1987 ^{c g}
- [*Heterospilus tulyensis*](#) Belokobylskij, 1994 ^{c g}
- [*Heterospilus variegatus*](#) Ashmead, 1894 ^{c g}
- [*Heterospilus vilasi*](#) (Docavo Alberti, 1960) ^{c g}
- [*Heterospilus watanabei*](#) Belokobylskij & Maeto, 2008 ^{c g}
- [*Heterospilus wuyiensis*](#) Chen & Shi, 2004 ^{c g}
- [*Heterospilus zaykovi*](#) van Achterberg, 1992 ^{c g}
- [*Heterospilus zeteki*](#) Rohwer, 1925 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of former species in the butterfly genus [*Hesperia*](#), with the current species name.

Selected former species include:

Contents:

- [Top](#)
- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)
- [O](#)
- [P](#)
- [Q](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [X](#)
- [Y](#)
- [Z](#)

A

- *H. achelous* Plötz, 1882 - transferred to [Enosis achelous](#) (Plötz, 1882)
- *H. aesculapius* Fabricius, 1793 - transferred to [Amblyscirtes aesculapius](#) (Fabricius, 1793)
- *H. aethra* Plötz, 1886 - synonymized with [Lerema lineosa](#) (Herrich-Schäffer, 1865)
- *H. agricola* Boisduval, 1852 - transferred to [Ochlodes agricola](#) (Boisduval, 1852)
- *H. angellus* Plötz, 1886 - transferred to [Halotus angellus](#) (Plötz, 1886)
- *H. anthea* Hewitson, 1868 - transferred to [Acerbas anthea](#) (Hewitson, 1868)
- *H. artona* Hewitson, 1868 - transferred to [Artonia artona](#) (Hewitson, 1868)
- *H. atticus* Fabricius, 1793 - transferred to [Tagiades atticus](#) (Fabricius, 1793)
- *H. autumnna* Plötz, 1883 - transferred to [Cobalopsis autumnna](#) (Plötz, 1883)
- *H. avesta* Hewitson, 1868 - transferred to [Avestia avesta](#) (Hewitson, 1868)

B

- *H. basoches* Latreille, [1824] - transferred to [*Carystoides basoches*](#) (Latreille, [1824])
- *H. biforis* Weymer, 1890 - transferred to [*Zalomes biforis*](#) (Weymer, 1890)
- *H. borbonica* Boisduval, 1833 - transferred to [*Borbo borbonica*](#) (Boisduval, 1833)
- *H. braesia* Hewitson, 1867 - transferred to [*Rhinthon braesia*](#) (Hewitson, 1867)
- *H. brebisson* Latreille, [1824] - transferred to [*Gindanes brebisson*](#) (Latreille, [1824])

C

- *H. calvina* Hewitson, 1866 - transferred to [*Calvetta calvina*](#) (Hewitson, 1866)
- *H. camposa* Plötz, 1886 - transferred to [*Turmosa camposa*](#) (Plötz, 1886)
- *H. catullus* Fabricius, 1793 - transferred to [*Pholisora catullus*](#) (Fabricius, 1793)
- *H. caura* Plötz, 1882 - transferred to [*Thargella caura*](#) (Plötz, 1882)
- *H. celsus* Fabricius, 1793 - transferred to [*Lychnuchus celsus*](#) (Fabricius, 1793)
- *H. cinica* Plötz, 1882 - transferred to [*Dubiella dubius*](#) (Stoll, 1781)
- *H. circellata* Plötz, 1882 - transferred to [*Tricrista circellata*](#) (Plötz, 1882)
- *H. corisana* Plötz, 1882 - transferred to [*Nycea corisana*](#) (Plötz, 1882)
- *H. corticea* Plötz, 1882 - transferred to [*Corticea corticea*](#) (Plötz, 1882)
- *H. coryna* Hewitson, [1866] - transferred to [*Corra coryna*](#) (Hewitson, [1866])
- *H. cynea* Hewitson, 1876 - transferred to [*Cynea cynea*](#) (Hewitson, 1876)
- *H. cyrina* Hewitson, 1876 - transferred to [*Creteus cyrina*](#) (Hewitson, 1876)

D

- *H. dacela* Hewitson, 1876 - transferred to [*Caenides dacela*](#) (Hewitson, 1876)
- *H. dacena* Hewitson, 1876 - transferred to [*Hypoleucis dacena*](#) (Hewitson, 1876)
- *H. dares* Plötz, 1883 - transferred to [*Vernia dares*](#) (Plötz, 1883)
- *H. decinea* Hewitson, 1876 - transferred to [*Decinea decinea*](#) (Hewitson, 1876)
- *H. degener* Plötz, 1882 - transferred to [*Alychna degener*](#) (Plötz, 1882)
- *H. diana* Plötz, 1886 - transferred to [*Mielkeus diana*](#) (Plötz, 1886)
- *H. dido* Plötz, 1882 - transferred to [*Cynea cannae*](#) (Herrich-Schaffer, 1869)
- *H. discors* Plötz, 1882 - transferred to [*Carystina discors*](#) (Herrich-Schaffer, 1869)
- *H. distigma* Plötz, 1882 - transferred to [*Contrastia distigma*](#) (Plötz, 1882)
- *H. dolopia* Hewitson, 1868 - transferred to [*Sebastonyma dolopia*](#) (Hewitson, 1868)
- *H. duroca* Plötz, 1882 - transferred to [*Duroca duroca*](#) (Plötz, 1882)

E

- *H. edata* Plötz, 1882 - transferred to [*Cymaenes edata*](#) (Plötz, 1882)
- *H. epictetus* Fabricius, 1793 - transferred to [*Anthoptus epictetus*](#) (Fabricius, 1793)
- *H. ethoda* Hewitson, [1866] - transferred to [*Neoxeniades ethoda*](#) (Hewitson, [1866])
- *H. eufala* Edwards, 1869 - transferred to [*Lerodea eufala*](#) (Edwards, 1869)

F

- *H. fusca* Grote and Robinson, 1867 - synonymized with [*Nastra lherminier*](#) (Latreille, [1824])

H

- *H. hazarma* Hewitson, 1877 - transferred to [*Haza hazarma*](#) (Hewitson, 1877)
- *H. heraea* Hewitson, 1868 - synonymized with [*Molo mango*](#) (Guenée, 1865)
- *H. hermoda* Hewitson, 1870 - transferred to [*Xeniades hermoda*](#) (Hewitson, 1870)
- *H. hesia* Hewitson, 1870 - transferred to [*Rigga hesia*](#) (Hewitson, 1870)
- *H. hobomok* Harris, 1862 - transferred to [*Lon hobomok*](#) (Harris, 1862)
- *H. huron* Edwards, 1863 - transferred to [*Atalopedes campestris huron*](#) (Edwards, 1863)
- *H. hyboma* Plötz, 1886 - transferred to [*Metrocles hyboma*](#) (Plötz, 1886)

I

- *H. immaculata* Hewitson, 1868 - transferred to [*Lychnuchus immaculata*](#) (Hewitson, 1868)
- *H. ina* Plötz, 1882 - transferred to [*Methionopsis ina*](#) (Plötz, 1882)
- *H. infuscata* Plötz, 1882 - synonymized with [*Mnaseas derasa*](#) (Herrich-Schäffer, 1870)

J

- *H. justinianus* Latreille, [1824] - transferred to [*Justinia justinianus*](#) (Latreille, [1824])

K

- *H. kiowah* Reakirt, 1866 - transferred to [*Euphyes kiowah*](#) (Reakirt, 1866)
- *H. kora* Hewitson, 1877 - transferred to [*Koria kora*](#) (Hewitson, 1877)

L

- *H. lamponia* Hewitson, 1876 - transferred to [*Lamponia lamponia*](#) (Hewitson, 1876)
- *H. leonora* Plötz, 1879 - transferred to [*Leona leonora*](#) (Plötz, 1879)
- *H. lepenula* Wallengren, 1857 - transferred to [*Kedestes lepenula*](#) (Wallengren, 1857)
- *H. lepeletier* Latreille, 1824 - transferred to [*Lepella lepeletier*](#) (Latreille, 1824)
- *H. lherminier* Latreille, [1824] - transferred to [*Nastra lherminier*](#) (Latreille, [1824])
- *H. ligora* Hewitson, 1876 - transferred to [*Paronymus ligora*](#) (Hewitson, 1876)
- *H. limbata* Erschoff, 1876 - transferred to [*Chirgus limbata*](#) (Erschoff, 1876)
- *H. lina* Plötz, 1883 - transferred to [*Atalopedes lina*](#) (Plötz, 1883)
- *H. litana* Hewitson, [1866] - transferred to [*Vacerra litana*](#) (Hewitson, [1866])
- *H. lochius* Plötz, 1882 - transferred to [*Cymaenes lochius*](#) (Plötz, 1882)
- *H. locutia* Hewitson, 1876 - transferred to [*Oligoria locutia*](#) (Hewitson, 1876)
- *H. lota* Hewitson, 1877 - transferred to [*Carystus lota*](#) (Hewitson, 1877)
- *H. lucretius* Latreille, [1824] - transferred to [*Mielkeus lucretius*](#) (Latreille, [1824])

M

- *H. maculata* Edwards, 1865 - transferred to [*Oligoria maculata*](#) (Edwards, 1865)
- *H. maevius* Fabricius, 1793 - transferred to [*Taractrocera maevius*](#) (Fabricius, 1793)
- *H. mammaea* Hewitson, 1876 - transferred to [*Testia mammaea*](#) (Hewitson, 1876)
- *H. manataaqua* Scudder, 1864 - synonymized with [*Limochores origenes*](#) Fabricius, 1793
- *H. mango* Guenée, 1865 - transferred to [*Molo mango*](#) (Guenée, 1865)
- *H. maracanda* Hewitson, 1876 - transferred to [*Lennia maracanda*](#) (Hewitson, 1876)
- *H. massasoit* Scudder, 1863 - transferred to [*Poanes massasoit*](#) (Scudder, 1863)
- *H. melane* Edwards, 1869 - transferred to [*Lon melane*](#) (Edwards, 1869)
- *H. metacomet* Harris, 1862 - transferred to [*Euphyes vestris metacomet*](#) (Boisduval, 1852)
- *H. mohozutza* Wallengren, 1857 - transferred to [*Nervia mohozutza*](#) (Wallengren, 1857)

N

- *H. nemorum* Boisduval, 1852 - transferred to [*Ochlodes agricola nemorum*](#) (Boisduval, 1852)
- *H. nerva* Fabricius, 1793 - transferred to [*Nervia nerva*](#) (Fabricius, 1793)
- *H. nigrita* Latreille, [1824] - transferred to [*Tamela nigrita*](#) (Latreille, [1824])

O

- *H. osca* Plötz, 1882 - transferred to [*Rhinthon osca*](#) (Plötz, 1882)
- *H. omaha* Edwards, 1863 - transferred to [*Potanthus omaha*](#) (Edwards, 1863)

P

- *H. papyria* Boisduval, 1832 - transferred to [*Bibla pelopidas*](#) (Boisduval, 1832)
- *H. paria* Plötz, 1882 - transferred to [*Eutyichide paria*](#) (Plötz, 1882)
- *H. perla* Plötz, 1882 - synonymized with [*Tigasis perloides*](#) (Plötz, 1882)
- *H. pelopidas* Fabricius, 1793 - transferred to [*Hoodus pelopidas*](#) (Fabricius, 1793)
- *H. perloides* Plötz, 1882 - transferred to [*Tigasis perloides*](#) (Plötz, 1882)
- *H. phocylides* Plötz, 1882 - synonymized with [*Cymaenes edata*](#) (Plötz, 1882)
- *H. physcella* Hewitson, 1866 - transferred to [*Eutyichide physcella*](#) (Hewitson, 1866)
- *H. pompeius* Latreille, [1824] - transferred to [*Pompeius pompeius*](#) (Latreille, [1824])
- *H. propertius* Fabricius, 1793 - transferred to [*Propertius propertius*](#) (Fabricius, 1793)
- *H. pruinosa* Plötz, 1882 - transferred to [*Enosis uza pruinosa*](#) (Plötz, 1882)
- *H. pupillus* Plötz, 1882 - transferred to [*Limochores pupillus*](#) (Plötz, 1882)

R

- *H. radians* Lucas, 1857 - transferred to [*Choranthus radians*](#) (Lucas, 1857)
- *H. remus* Fabricius, 1798 - transferred to [*Remella remus*](#) (Fabricius, 1798)

S

- *H. sabina* Plötz, 1882 - transferred to [*Psoralis sabina*](#) (Plötz, 1882)
- *H. sacrator* Godman and Salvin, 1879 - transferred to [*Thracides sacrator*](#) (Godman and Salvin, 1879)
- *H. saptine* Godman and Salvin, 1879 - transferred to [*Perichares saptine*](#) (Godman and Salvin, 1879)
- *H. sucova* Schaus, 1902 - transferred to [*Mnasitheus sucova*](#) (Schaus, 1902)

U

- *H. ulphila* Plötz, 1883 - transferred to [*Lon ulphila*](#) (Plötz, 1883)
- *H. umbrata* Erschoff, 1876 - transferred to [*Psoralis umbrata*](#) (Erschoff, 1876)
- *H. uza* Hewitson, 1877 - transferred to [*Enosis uza*](#) (Hewitson, 1877)

V

- *H. vialis* Edwards, 1862 - transferred to [*Amblyscirtes vialis*](#) (Edwards, 1862)
- *H. viator* Edwards, 1865 - transferred to [*Poanes viator*](#) (Edwards, 1865)
- *H. vulpina* C. and R. Felder, 1867 - transferred to [*Oenides vulpina*](#) (C. and R. Felder, 1867)

Z

- *H. zabulon* Boisduval and Le Conte, [1837] - transferred to [*Lon zabulon*](#) (Boisduval and Le Conte, [1837])
- *H. zalma* Plötz, 1886 - synonymized with [*Mnasilus allubita*](#) (Butler, 1877)
- *H. zygia* Plötz, 1886 - synonymized with [*Mucia zygia*](#) (Plötz, 1886)

Categories:

- [Lists of insect species](#)
- [Hesperia \(butterfly\)](#)

These 139 species belong to [*Heriades*](#), a genus of leafcutter, mason, and resin bees in the family [*Megachilidae*](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

***Heriades* species**

- [*Heriades abessinicus*](#) Friese, 1915^{i c g}
- [*Heriades albiscopanus*](#) Strand, 1912^{i c g}
- [*Heriades aldabranus*](#) Cockerell, 1912^{i c g}

- [Heriades alfkeni](#) Benoist, 1938^{i c g}
- [Heriades ambiguus](#) Cockerell, 1946^{i c g}
- [Heriades ammodendri](#) Popov, 1960^{i c g}
- [Heriades angusticeps](#) Cockerell, 1937^{i c g}
- [Heriades angustulus](#) Cockerell, 1937^{i c g}
- [Heriades apriculus](#) Griswold, 1998^{i c g}
- [Heriades arcuatellus](#) Cockerell, 1937^{i c g}
- [Heriades arnoldi](#) Friese, 1922^{i c g}
- [Heriades bequaerti](#) Cockerell, 1931^{i c g}
- [Heriades bequerti](#) Cockerell, 1931^g
- [Heriades binodosus](#) Cockerell, 1936^{i c g}
- [Heriades bouyssoui](#) Vachal, 1903^{i c g}
- [Heriades brage](#) Strand, 1912^{i c g}
- [Heriades bruneri](#) Titus, 1904^{i c g}
- [Heriades burgeoni](#) Benoist, 1931^{i c g}
- [Heriades canalicaulata](#) Benoist, 1931^g
- [Heriades canaliculatus](#) Benoist, 1931^{i c g}
- [Heriades cancavus](#) Wu, 1982^{i c g}
- [Heriades capicola](#) Strand, 1912^{i c g}
- [Heriades carinata](#) Cresson, 1864^{i b}
- [Heriades carinatus](#) Cresson, 1864^{c g}
- [Heriades chariensis](#) Benoist, 1931^{i c g}
- [Heriades chrysogaster](#) (Cameron, 1897)^{i c g}
- [Heriades chubbi](#) Cockerell, 1916^{i c g}
- [Heriades cingulata](#) Benoist, 1931ⁱ
- [Heriades cingulatus](#) Benoist, 1931^{c g}
- [Heriades civicus](#) Cockerell, 1937^{i c g}
- [Heriades clavicornis](#) Morawitz, 1875^{i c g}
- [Heriades crenulatus](#) Nylander, 1856^{i c g}
- [Heriades cressoni](#) Michener, 1938^{i c g}
- [Heriades crucifer](#) Cockerell, 1897^{i c g}
- [Heriades currani](#) Michener, 1943^{i c g}
- [Heriades curviventris](#) Strand, 1912^{i c g}
- [Heriades dalmaticus](#) Maidl, 1922^{i c g}
- [Heriades debilicornis](#) Cockerell, 1940^{i c g}
- [Heriades diminutus](#) Cockerell, 1937^{i c g}

- [Heriades discrepans](#) Benoist, 1938 ^{i c g}
- [Heriades edentatus](#) Friese, 1922 ^g
- [Heriades ellenbergeri](#) Benoist, 1931 ^{i c g}
- [Heriades erythrosoma](#) Friese, 1922 ^{i c g}
- [Heriades eximius](#) Friese, 1904 ^{i c g}
- [Heriades fertoni](#) Benoist, 1938 ^{i c g}
- [Heriades filicornis](#) Friese, 1915 ^{i c g}
- [Heriades flocciferus](#) Brauns, 1929 ^{i c g}
- [Heriades freygessneri](#) Schletterer, 1889 ^{i c g}
- [Heriades frontosus](#) Schletterer, 1889 ^{i c g}
- [Heriades fuelleborni](#) Friese, 1922 ^{i c g}
- [Heriades fujiyamai](#) Yasumatsu & Hirashima, 1952 ^{i c g}
- [Heriades fulleborni](#) Friese, 1922 ^{i c g}
- [Heriades fulvescens](#) Cockerell, 1920 ^{i c g}
- [Heriades fulvohispidus](#) Yasumatsu & Hirashima, 1952 ^{i c g}
- [Heriades gibbosus](#) (Friese, 1909) ^{i c g}
- [Heriades glomerans](#) Schletterer, 1889 ^{c g}
- [Heriades glutinosus](#) Giraud, 1871 ^g
- [Heriades gracilior](#) Cockerell, 1897 ^{i c g}
- [Heriades hercules](#) Strand, 1911 ^{i c g}
- [Heriades hierosolomitius](#) Benoist, 1935 ^{i c g}
- [Heriades hissaricus](#) Popov, 1955 ^{i c g}
- [Heriades impressus](#) Schletterer, 1889 ^{i c g}
- [Heriades ingogoensis](#) Cockerell, 1946 ^{i c g}
- [Heriades labiatus](#) Pérez, 1896 ^{i c g}
- [Heriades langenburgicus](#) Strand, 1911 ^{i c g}
- [Heriades laosellus](#) Cockerell, 1929 ^{i c g}
- [Heriades latipes](#) Popov, 1960 ^{i c g}
- [Heriades leavitti](#) Crawford, 1913 ^{i c g b}
- [Heriades libericus](#) Cockerell, 1931 ^{i c g}
- [Heriades longicornis](#) (Friese, 1915) ^{i c g}
- [Heriades longispinis](#) Cockerell, 1944 ^{i c g}
- [Heriades macrognatus](#) Vachal, 1909 ^{i c g}
- [Heriades mamilliferus](#) Brauns, 1929 ^{i c g}
- [Heriades mandibularis](#) Friese, 1922 ^{i c g}
- [Heriades micheneri](#) Timberlake, 1947 ^{i c g}

- [Heriades microphthalma](#) Michener, 1954^{i c g}
- [Heriades microstictus](#) Cockerell, 1936^{i c g}
- [Heriades mundulus](#) Cockerell, 1920^{i c g}
- [Heriades nasiferus](#) Cockerell, 1946^{i c g}
- [Heriades nitescens](#) Cockerell, 1931^{i c g}
- [Heriades nodulosus](#) Cockerell, 1937^{i c g}
- [Heriades occidentalis](#) Michener, 1938^{i c g}
- [Heriades orientalis](#) Gupta, 1987^{i c g}
- [Heriades ornaticornis](#) Cockerell, 1936^{i c g}
- [Heriades otavica](#) Eardley & R. P. Urban, 2006ⁱ
- [Heriades otavicus](#) Eardley & R. P. Urban, 2006^{c g}
- [Heriades othonis](#) Friese, 1914^{i c g}
- [Heriades pachyacanthus](#) Cockerell, 1940^{i c g}
- [Heriades paganensis](#) Yasumatsu, 1942^{i c g}
- [Heriades parvulus](#) Bingham, 1897^{i c g}
- [Heriades patellus](#) (Nurse, 1902)^{i c g}
- [Heriades perminutus](#) Cockerell, 1935^{i c g}
- [Heriades perpolitus](#) Cockerell, 1946^{i c g}
- [Heriades phthisica](#) Gerstäcker, 1858ⁱ
- [Heriades phthisicus](#) Gerstäcker, 1857^{c g}
- [Heriades plumosus](#) Krombein, 1950^{i c g}
- [Heriades pogonura](#) Benoist, 1931^{i c g}
- [Heriades pretorii](#) Cockerell, 1946^{i c g}
- [Heriades prionsa](#) (Cameron, 1905)^{i c g}
- [Heriades psiadiae](#) Pauly & Griswold, 2001^{i c g}
- [Heriades punctulatus](#) Cockerell, 1917^{i c g}
- [Heriades punctulifer](#) Schletterer, 1889^{c g}
- [Heriades punctulifera](#) Schletterer, 1889ⁱ
- [Heriades rowlandi](#) (Cockerell, 1947)^{i c g}
- [Heriades rubicolus](#) Pérez, 1890^{i c g}
- [Heriades rufifrons](#) Cockerell, 1932^{i c g}
- [Heriades sakishimanus](#) Yasumatsu & Hirashima, 1965^{i c g}
- [Heriades sauteri](#) Cockerell, 1911^{i c g}
- [Heriades schwarzi](#) Griswold, 1998^{i c g}
- [Heriades scutellatus](#) Friese, 1922^{i c g}
- [Heriades seyrigi](#) Pauly & Griswold, 2001^{i c g}

- [*Heriades shestakovi*](#) Popov, 1960^{i c g}
- [*Heriades sinuatus*](#) Spinola, 1808^{i c g}
- [*Heriades spiniscutis*](#) (Cameron, 1905)^{i c g}
- [*Heriades strictifrons*](#) Cockerell, 1946^{i c g}
- [*Heriades subfrontosus*](#) Cockerell, 1939^{i c g}
- [*Heriades sulcatiferus*](#) Cockerell, 1937^{i c g}
- [*Heriades sulcatifrons*](#) Cockerell, 1936^{i c g}
- [*Heriades sulcatulus*](#) Cockerell, 1931^{i c g}
- [*Heriades swarzi*](#) Griswold, 1998^g
- [*Heriades tayrona*](#) Gonzalez & Griswold, 2011^g
- [*Heriades tenuis*](#) Nurse, 1904^{i c g}
- [*Heriades testaceicornis*](#) (Cameron, 1908)^{i c g}
- [*Heriades texanus*](#) Michener, 1938^{i c g}
- [*Heriades timberlakei*](#) Michener, 1938^{i c g}
- [*Heriades trigibbiferus*](#) Brauns, 1929^{i c g}
- [*Heriades trigiblifrons*](#) Brauns, 1929^g
- [*Heriades truncorum*](#) (Linnaeus, 1758)^{i c g}
- [*Heriades turcomanicus*](#) Popov, 1955^{i c g}
- [*Heriades usakensis*](#) Cockerell, 1937^{i c g}
- [*Heriades ustulata*](#) Benoist, 1931ⁱ
- [*Heriades ustulatus*](#) Benoist, 1931^{c g}
- [*Heriades variolosus*](#) (Cresson, 1872)^{i c g}
- [*Heriades victoriae*](#) Friese, 1922^{i c g}
- [*Heriades wellmani*](#) Cockerell, 1908^{i c g}
- [*Heriades wilmattae*](#) Cockerell, 1931^{i c g}
- [*Heriades xanthogaster*](#) Cockerell, 1932^{i c g}
- [*Heriades yunnanensis*](#) Wu, 1992^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 446 species in [*Hercostomus*](#), a genus of long-legged flies in the family [*Dolichopodidae*](#).
[1]

***Hercostomus* species**

- [*Hercostomus abnormis*](#) Yang, 1996[2]
- [*Hercostomus abortivus*](#) Parent, 1935
- [*Hercostomus absimilis*](#) Yang & Grootaert, 1999[3]

- [*Hercostomus acutangulatus*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus acuticornutus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus acutiformis*](#) Negrobov, Kumazawa & Tago, 2016[6]
- [*Hercostomus acutilobatus*](#) Liao, Zhou & Yang, 2006[7]
- [*Hercostomus acutus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus additus*](#) Parent, 1926
- [*Hercostomus albibarbus*](#) Negrobov, 1976
- [*Hercostomus albicoxa*](#) Pollet & Kazerani, 2017[9]
- [*Hercostomus albidipes*](#) Becker, 1922[10]
- [*Hercostomus albipodus*](#) Harmston & Knowlton, 1941
- [*Hercostomus amabilis*](#) Wei & Song, 2006
- [*Hercostomus amissus*](#) Bickel, 2008
- [*Hercostomus amoenus*](#) (Becker, 1922)[10][11]
- [*Hercostomus anae*](#) Zhang, Yang & Masunaga, 2007[12]
- [*Hercostomus anatoliensis*](#) Tonguc, Grootaert & Barlas, 2016[13]
- [*Hercostomus angustus*](#) (Loew, 1857)
- [*Hercostomus anomalipennis*](#) Stackelberg, 1933
- [*Hercostomus apicilaris*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus apiciniger*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus apicispinus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus apiculatus*](#) Yang & Grootaert, 1999[14]
- [*Hercostomus apiculus*](#) Wei, 1997
- [*Hercostomus apollo*](#) (Loew, 1869)
- [*Hercostomus argentifacies*](#) Parent, 1933
- [*Hercostomus argentifrons*](#) Oldenberg, 1916
- [*Hercostomus argyraceus*](#) Negrobov & Chalaya, 1987
- [*Hercostomus argyreus*](#) (Wei & Lu, 1996)[15][11]
- [*Hercostomus atypicalis*](#) Bickel, 2008
- [*Hercostomus aurifacies*](#) Parent, 1933
- [*Hercostomus aurifer*](#) (Thomson, 1869)
- [*Hercostomus autumnalis*](#) Parent, 1935
- [*Hercostomus baishanzuensis*](#) Yang & Yang, 1995
- [*Hercostomus baishuihensis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus baixiongouanus*](#) Qilemoge, Liu & Yang, 2017[17]
- [*Hercostomus bakeri*](#) Frey, 1928
- [*Hercostomus balensis*](#) Grichanov, 2004[18]
- [*Hercostomus basalis*](#) Yang, 1996[19]
- [*Hercostomus basantapuranus*](#) Yang, Saigusa & Masunaga, 2002[5]
- †[*Hercostomus bauckhorni*](#) (Meunier, 1915)[20]
- [*Hercostomus beijingensis*](#) Yang, 1996
- [*Hercostomus biancistrus*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus bicolor*](#) Yang & Saigusa, 2001[16]

- [*Hercostomus bidentatus*](#) Zhang, Yang & Grootaert, 2007[21]
- [*Hercostomus bigeminatus*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus binatus*](#) Yang, 1999[22]
- [*Hercostomus binotatus*](#) De Meijere, 1916
- [*Hercostomus bisetus*](#) Tang, Zhang & Yang, 2014[23]
- [*Hercostomus bispinifer*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus blepharopus*](#) Loew, 1871
- [*Hercostomus brandbergensis*](#) Grichanov, 2020[24]
- [*Hercostomus brevicercus*](#) Yang & Saigusa, 2001[25]
- [*Hercostomus brevicornis*](#) Zhang, Yang & Grootaert, 2008[26]
- [*Hercostomus brevidigitalis*](#) Zhang, Yang & Grootaert, 2008[26]
- [*Hercostomus brevifurcatus*](#) Yang & Saigusa, 2001[25]
- [*Hercostomus brevilobatus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus brevis*](#) Yang, 1997[27]
- [*Hercostomus breviseta*](#) Zhang, Yang & Grootaert, 2008[28]
- [*Hercostomus brevispinus*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus breviventris*](#) Parent, 1941
- [*Hercostomus brunneipygus*](#) (De Meijere, 1916)
- [*Hercostomus cacheae*](#) Harmston & Knowlton, 1941
- [*Hercostomus caecus*](#) Becker, 1922[10]
- [*Hercostomus caixiae*](#) Zhang, Yang & Grootaert, 2003[29]
- [*Hercostomus calcaratus*](#) Stackelberg, 1931
- [*Hercostomus canariensis*](#) Santos Abreu, 1929[30]
- [*Hercostomus chaetilamellatus*](#) Harmston & Knowlton, 1941
- [*Hercostomus chaeturus*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus chetifer*](#) (Walker, 1849)
- [*Hercostomus chiaiensis*](#) Zhang, Yang & Masunaga, 2005[31]
- [*Hercostomus chiliwanus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus clavatus*](#) Wei, 1997
- [*Hercostomus coloradensis*](#) Harmston, 1952
- [*Hercostomus completus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus compositus*](#) Becker, 1922[10]
- [*Hercostomus comsus*](#) Wei & Song, 2005
- [*Hercostomus concavus*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus concisus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus conformis*](#) (Loew, 1857)
- [*Hercostomus convergens*](#) (Loew, 1857)
- [*Hercostomus costalis*](#) Van Duzee, 1923
- [*Hercostomus costatus*](#) (Loew, 1857)
- [*Hercostomus crassiseta*](#) Yang & Saigusa, 2001[25]
- [*Hercostomus crassivenus*](#) Bickel, 2008
- [*Hercostomus cryptus*](#) Harmston & Knowlton, 1941

- [*Hercostomus curvarmatus*](#) Yang & Saigusa, 2000[32]
- [*Hercostomus curvativus*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus curvilobatus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus curviphallus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus curviseta*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus curvispinosus*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus curvispinus*](#) Yang & Saigusa, 2000[32]
- [*Hercostomus curvus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus cuspidicercus*](#) Olejníček, 2004
- [*Hercostomus cuspidiger*](#) Yang & Saigusa, 2000
- [*Hercostomus cylindripyga*](#) Stackelberg, 1931
- [*Hercostomus cyprius*](#) Parent, 1937
- [*Hercostomus dacicus*](#) Parvu, 1991
- [*Hercostomus dactylocera*](#) (Grootaert & Meuffels, 2001)
- [*Hercostomus dashahensis*](#) Zhang, Wei & Yang, 2009[33]
- [*Hercostomus dawuishanus*](#) Yang & Saigusa, 2001[34]
- [*Hercostomus dayaoshanensis*](#) Liao, Zhou & Yang, 2007[35]
- [*Hercostomus deltodontus*](#) Tang, Zhang & Yang, 2014[23]
- [*Hercostomus dentalis*](#) Yang, 1997[36]
- [*Hercostomus dentatus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus dichromopyga*](#) Stackelberg, 1933
- [*Hercostomus digitatus*](#) Yang, 1997
- [*Hercostomus digitiformis*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus dilatitarsis*](#) Stackelberg, 1949
- [*Hercostomus discriminatus*](#) Parent, 1925
- [*Hercostomus dissectus*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus dissimilis*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus dorsiniger*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus dorsiseta*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus dui*](#) Wei, 1997
- [*Hercostomus ebaeus*](#) Wei, 1997
- [*Hercostomus effugius*](#) Wei & Song, 2006
- [*Hercostomus effusus*](#) Wei & Song, 2006
- [*Hercostomus elongatus*](#) Becker, 1922[10]
- [*Hercostomus emarginatus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus emeiensis*](#) Yang, 1997
- [*Hercostomus emotoi*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus enghoffi*](#) Grichanov, 1999[37]
- [*Hercostomus erectus*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus eugenii*](#) Stackelberg, 1949
- [*Hercostomus exacutus*](#) Wei, 1997
- [*Hercostomus exarticulatoides*](#) Stackelberg, 1949

- [*Hercostomus exarticulatus*](#) (Loew, 1857)
- [*Hercostomus excertus*](#) Wei & Song, 2006
- [*Hercostomus excipiens*](#) Becker, 1907
- [*Hercostomus excisilamellatus*](#) Parent, 1944
- [*Hercostomus falcilis*](#) Negrobov, Kumazawa & Tago, 2016[6]
- [*Hercostomus fanjingensis*](#) Wei, 1997
- [*Hercostomus fatuus*](#) Wei, 1997
- [*Hercostomus fedotovae*](#) Grichanov, 2020[24]
- [*Hercostomus filiformis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus fistulus*](#) Wei, 1997
- [*Hercostomus flatus*](#) Yang & Grootaert, 1999[14]
- [*Hercostomus flavicans*](#) Grootaert & Meuffels, 2001
- [*Hercostomus flavicinctus*](#) Becker, 1922[10]
- [*Hercostomus flavicoxus*](#) Negrobov & Logvinovskij, 1977
- [*Hercostomus flavimaculatus*](#) Yang, 1998
- [*Hercostomus flavimarginatus*](#) Yang, 1999[22]
- [*Hercostomus flavipalpus*](#) Negrobov, Kumazawa, Tago & Sato, 2016[6]
- [*Hercostomus flavipes*](#) (von Roder, 1884)
- [*Hercostomus flaviscapus*](#) Yang & Saigusa, 2000
- [*Hercostomus flaviscutellum*](#) Yang, 1998[38]
- [*Hercostomus flaviventris*](#) Smirnov & Negrobov, 1979
- [*Hercostomus flavus*](#) Tang, Zhang & Yang, 2014[23]
- [*Hercostomus flexus*](#) Wei, 1997
- [*Hercostomus flutatus*](#) Harmston & Knowlton, 1945
- [*Hercostomus fluvius*](#) Wei, 1997
- [*Hercostomus fluxus*](#) Wei, 1997
- [*Hercostomus freidbergi*](#) Grichanov, 2004[18]
- [*Hercostomus frondosus*](#) Wei, 1997
- [*Hercostomus fugax*](#) (Loew, 1857)
- [*Hercostomus fulgidipes*](#) (Becker, 1922)[10][11]
- [*Hercostomus fulvicaudis*](#) (Haliday in Walker, 1851)
- [*Hercostomus fupingensis*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus furcatus*](#) Yang, 1996
- [*Hercostomus furcutus*](#) Wei, 1997
- [*Hercostomus fuscipennis*](#) (Meigen, 1824)
- [*Hercostomus galonglaensis*](#) Tang, Zhang & Yang, 2014[23]
- [*Hercostomus gansuensis*](#) Yang, 1996[19]
- [*Hercostomus gaoae*](#) Yang, Grootaert & Song, 2002[39]
- [*Hercostomus gavarniae*](#) Parent, 1927
- [*Hercostomus geniculatus*](#) Zhang, Yang & Masunaga, 2007[12]
- [*Hercostomus germanus*](#) (Wiedemann, 1817)
- [*Hercostomus golanensis*](#) Grichanov, 2015[40]

- [*Hercostomus gongshanensis*](#) Zhang & Yang, 2010[41]
- [*Hercostomus gracilior*](#) Negrobov, 1976
- [*Hercostomus gracilis*](#) (Stannius, 1831)
- [*Hercostomus grandicercus*](#) Negrobov & Nechay, 2009
- [*Hercostomus griseifrons*](#) Becker, 1910
- [*Hercostomus gymnopygus*](#) Frey, 1925
- [*Hercostomus hainanensis*](#) Zhang, Wei & Yang, 2009[33]
- [*Hercostomus heinrichi*](#) Grichanov, 2004[18]
- [*Hercostomus henanus*](#) Yang, 1999[22]
- [*Hercostomus himertus*](#) Wei, 1997
- [*Hercostomus histus*](#) Wei, 1997
- [*Hercostomus hoplitus*](#) Wei & Song, 2006
- [*Hercostomus huaguoensis*](#) Zhang & Yang, 2007[42]
- [*Hercostomus hualienensis*](#) Zhang, Yang & Masunaga, 2005[31]
- [*Hercostomus huanglianshanus*](#) Yang & Saigusa, 2001[34]
- [*Hercostomus hubeiensis*](#) Yang & Saigusa, 2001[43]
- [*Hercostomus huizhouensis*](#) Zhang, Yang & Grootaert, 2008[28]
- [*Hercostomus humeralis*](#) Frey, 1925
- [*Hercostomus hunanensis*](#) Yang, 1998[44]
- [*Hercostomus hypogaeus*](#) Wei & Song, 2006
- [*Hercostomus ibericus*](#) Naglis & Bartak, 2015[45]
- [*Hercostomus ignarus*](#) Wei & Song, 2006
- [*Hercostomus imperfectus*](#) (Becker, 1922)[10][11]
- [*Hercostomus impudicus*](#) Wheeler, 1899
- [*Hercostomus incilis*](#) Yang & Saigusa, 2001[25]
- [*Hercostomus incisus*](#) Yang & Saigusa, 2000[32]
- [*Hercostomus inclusus*](#) Becker, 1922[10]
- [*Hercostomus incrassatus*](#) Becker, 1922[10]
- [*Hercostomus indistinctus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus infirmus*](#) Parent, 1933
- [*Hercostomus insularum*](#) Becker, 1917
- [*Hercostomus intactus*](#) Wei, 1997
- [*Hercostomus intercedens*](#) Grichanov, 2004[18]
- [*Hercostomus interstinctus*](#) Becker, 1922[10]
- [*Hercostomus intraneus*](#) Yang & Saigusa, 2001[34]
- [*Hercostomus javanensis*](#) (De Meijere, 1916)
- [*Hercostomus jindinganus*](#) Yang & Saigusa, 2000[32]
- [*Hercostomus jingpingensis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus jingxingensis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus jinxiuensis*](#) Yang, 1997[36]
- [*Hercostomus jiulongensis*](#) Zhang & Yang, 2005[46]
- [*Hercostomus kedrovicus*](#) Negrobov & Logvinovskij, 1977

- [*Hercostomus kefaensis* Grichanov, 2004\[18\]](#)
- [*Hercostomus koshelevae* Grichanov, 2020\[24\]](#)
- [*Hercostomus kravchenkoi* Grichanov & Freidberg, 2018\[47\]](#)
- [*Hercostomus krivosheinae* Grichanov, 1999\[37\]](#)
- [*Hercostomus labiatus* \(Loew, 1871\)](#)
- [*Hercostomus lanceolatus* Zhang, Yang & Grootaert, 2008\[26\]](#)
- [*Hercostomus lateralis* Yang & Saigusa, 1999\[4\]](#)
- [*Hercostomus latilobatus* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus latus* Yang & Saigusa, 2002\[8\]](#)
- [*Hercostomus laufferi* \(Strobl, 1909\)](#)
- [*Hercostomus leigongshanus* Wei & Yang, 2007](#)
- [*Hercostomus lepanus* Yang, Saigusa & Masunaga, 2002\[5\]](#)
- [*Hercostomus libanicola* Parent, 1933](#)
- [*Hercostomus lichtwardti* Villeneuve, 1899](#)
- [*Hercostomus lijiangensis* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus limosus* Zhang, Yang & Grootaert, 2008\[26\]](#)
- [*Hercostomus litargus* Wei, 1997](#)
- [*Hercostomus longicercus* Yang & Yang, 1995](#)
- [*Hercostomus longidigitatus* Yang & Saigusa, 2001\[25\]](#)
- [*Hercostomus longifolius* Yang & Saigusa, 2000](#)
- [*Hercostomus longilamellus* Harmston & Knowlton, 1940](#)
- [*Hercostomus longilobatus* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus longipulvinatus* Yang, 1998](#)
- [*Hercostomus longisetus* Yang & Saigusa, 2000](#)
- [*Hercostomus longispinus* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus longiventris* \(Loew, 1857\)](#)
- [*Hercostomus longus* Yang & Saigusa, 2000\[32\]](#)
- [*Hercostomus longyuwanensis* Zhang, Yang & Grootaert, 2008\[28\]](#)
- [*Hercostomus lotus* Yang & Saigusa, 2002](#)
- [*Hercostomus loushanguanensis* Yang & Saigusa, 2001\[25\]](#)
- [*Hercostomus lucidiventris* Becker, 1922\[10\]](#)
- [*Hercostomus lunulatus* Becker, 1922\[10\]](#)
- [*Hercostomus luoshanensis* Yang & Saigusa, 2000](#)
- [*Hercostomus luteipleuratus* Parent, 1944](#)
- [*Hercostomus luteus* Parent, 1927](#)
- [*Hercostomus macropygus* De Meijere, 1916](#)
- [*Hercostomus maculithorax* Stackelberg, 1931](#)
- [*Hercostomus magnicornis* \(De Meijere, 1916\)](#)
- [*Hercostomus maoershanensis* Zhang, Yang & Masunaga, 2004\[48\]](#)
- [*Hercostomus marginatus* Yang & Saigusa, 2001\[25\]](#)
- [*Hercostomus masunagai* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus medialis* Yang & Saigusa, 2001\[16\]](#)

- [*Hercostomus meieri*](#) Zhang, Yang & Grootaert, 2008[26]
- [*Hercostomus mengyangensis*](#) Zhang & Yang, 2010[41]
- [*Hercostomus minutus*](#) [Negrobov](#) & Logvinovskij, 1977
- [*Hercostomus modestus*](#) (De Meijere, 1916)
- [*Hercostomus modificatus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus mostovskii*](#) [Grichanov](#), 1999[37]
- [*Hercostomus motuoensis*](#) Zhang, Yang & Grootaert, 2008[28]
- [*Hercostomus nakanishii*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus nanjingensis*](#) Yang, 1996
- [*Hercostomus nanlingensis*](#) Zhang, Yang & Grootaert, 2008[28]
- [*Hercostomus nantouensis*](#) Zhang, Yang & Grootaert, 2008[28]
- [*Hercostomus nanus*](#) ([Macquart](#), 1827)
- [*Hercostomus napoensis*](#) Yang, Grootaert & Song, 2002[39]
- [*Hercostomus nartshukae*](#) [Negrobov](#) & Logvinovskij, 1976
- [*Hercostomus nectarophagus*](#) [Curran](#), 1924
- [*Hercostomus neglectus*](#) [Becker](#), 1922[10]
- [*Hercostomus neimengensis*](#) Yang, 1997[36]
- [*Hercostomus neocryptus*](#) Harmston & Knowlton, 1941
- [*Hercostomus nepalensis*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus ngozi*](#) [Grichanov](#), 2004[18]
- [*Hercostomus nigricollaris*](#) [Negrobov](#), Kumazawa & Tago, 2016[6]
- [*Hercostomus nigrilamellatus*](#) ([Macquart](#), 1827)
- [*Hercostomus nigripalpus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus nigripennis*](#) ([Fallén](#), 1823)
- [*Hercostomus nigriplantis*](#) ([Stannius](#), 1831)
- [*Hercostomus nigrohalteratus*](#) [Becker](#), 1909
- [*Hercostomus notatus*](#) [Becker](#), 1922[10]
- [*Hercostomus nuciformis*](#) Tang, Zhang & Yang, 2014[23]
- [*Hercostomus nudiusculus*](#) Yang, 1999[22]
- [*Hercostomus nudus*](#) Yang, 1996[2]
- [*Hercostomus obesus*](#) Wei, 1997
- [*Hercostomus obtusus*](#) Samoh & Grootaert, 2024[49]
- [*Hercostomus occidentalis*](#) Cole, 1912
- [*Hercostomus ogloblini*](#) [Stackelberg](#), 1949
- [*Hercostomus orbicularis*](#) Harmston, 1952
- [*Hercostomus ovalicosta*](#) [Hollis](#), 1964
- [*Hercostomus ovatus*](#) [Becker](#), 1922[10]
- [*Hercostomus ozerovi*](#) [Grichanov](#), 1999[37]
- [*Hercostomus pachynervis*](#) Ramos & Grootaert, 2018[50]
- [*Hercostomus pailongensis*](#) Tang, Zhang & Yang, 2014[23]
- [*Hercostomus pallidus*](#) [Loew](#), 1871
- [*Hercostomus pallipilosus*](#) Yang & Saigusa, 2002[8]

- [*Hercostomus pandellei* Parent, 1926](#)
- [*Hercostomus papuanus* Yang, Saigusa & Masunaga, 2002\[5\]](#)
- [*Hercostomus patellitarsis* \(Parent, 1934\)](#)
- [*Hercostomus peronus* Wei, 1997](#)
- [*Hercostomus perspicillatus* Wei, 1997](#)
- [*Hercostomus perturbus* Curran, 1924](#)
- [*Hercostomus phaedrus* Wei, 1997](#)
- [*Hercostomus philpotti* Parent, 1933](#)
- [*Hercostomus phoebus* Parent, 1927](#)
- [*Hercostomus phollae* Hollis, 1964](#)
- [*Hercostomus pilicercus* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus pilifacies* Yang & Saigusa, 2001\[16\]](#)
- [*Hercostomus pingwuensis* Qilemoge, Liu & Yang, 2017\[17\]](#)
- [*Hercostomus placidus* \(Loew, 1873\)](#)
- [*Hercostomus plagiatus* \(Loew, 1857\)](#)
- [*Hercostomus plumatus* Zhang, Yang & Grootaert, 2008\[26\]](#)
- [*Hercostomus plumiger* Yang & Saigusa, 2002\[8\]](#)
- [*Hercostomus pokivajlovi* Maslova & Negrobov, 2011\[51\]](#)
- [*Hercostomus pokorny* Mik, 1889](#)
- [*Hercostomus polleti* Yang & Saigusa, 1999\[4\]](#)
- [*Hercostomus pollinifrons* Parent, 1933](#)
- [*Hercostomus porrectus* Becker, 1922\[10\]](#)
- [*Hercostomus praetentans* Lamb, 1924](#)
- [*Hercostomus proboscideus* Becker, 1907](#)
- [*Hercostomus productus* Wei, 1997](#)
- [*Hercostomus projectus* Yang & Saigusa, 2001\[25\]](#)
- [*Hercostomus prolongatus* Yang, 1996](#)
- [*Hercostomus promotus* Becker, 1922\[10\]](#)
- [*Hercostomus qingchenganus* Yang, 1998](#)
- [*Hercostomus qinlingensis* Yang & Saigusa, 2002\[8\]](#)
- [*Hercostomus quadratus* Yang & Grootaert, 1999\[3\]](#)
- [*Hercostomus quadriseta* Yang & Saigusa, 2001\[16\]](#)
- †[*Hercostomus quievreuxi* Parent & Quievreux, 1935](#)
- [*Hercostomus radialis* Stackelberg, 1933](#)
- [*Hercostomus regularis* Becker, 1922\[10\]](#)
- [*Hercostomus riparius* Negrobov & Grichanov, 1982](#)
- [*Hercostomus rivulorum* Stackelberg, 1933](#)
- [*Hercostomus rogenhoferi* \(Mik, 1878\)](#)
- [*Hercostomus rostellatus* \(Loew, 1871\)](#)
- [*Hercostomus rothi* \(Zetterstedt, 1859\)\[52\]](#)
- [*Hercostomus rubroviridis* Parent, 1927](#)
- [*Hercostomus rubroviridissimus* Negrobov, 1977](#)

- [*Hercostomus ruficauda*](#) (Zetterstedt, 1859)
- [*Hercostomus rusticus*](#) (Meigen, 1824)
- [*Hercostomus saetiger*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus sahlbergi*](#) (Zetterstedt, 1838)
- [*Hercostomus saigusai*](#) Olejnichek, 2004
- [*Hercostomus sanipass*](#) Grichanov, 2020[24]
- [*Hercostomus sanjiangyuanus*](#) Liao, Zhou & Yang, 2009[53]
- [*Hercostomus santosi*](#) Parent, 1929
- [*Hercostomus saranganicus*](#) Stackelberg, 1931
- [*Hercostomus sartus*](#) Stackelberg, 1927
- [*Hercostomus scotti*](#) Grichanov, 1999[37]
- [*Hercostomus selikhovkini*](#) Grichanov, 1999[37]
- [*Hercostomus separatus*](#) d'Assis Fonseca, 1976
- [*Hercostomus sequens*](#) Becker, 1922[10]
- [*Hercostomus serratus*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus serriformis*](#) Liao, Zhou & Yang, 2006[7]
- [*Hercostomus setitibia*](#) Kazerani & Pollet, 2017[9]
- [*Hercostomus setosus*](#) (Van Duzee, 1913)
- [*Hercostomus shelkovnikovi*](#) Stackelberg, 1926
- [*Hercostomus shennongjiensis*](#) Yang, 1997
- [*Hercostomus shimai*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus sichuanensis*](#) Yang, 1997
- [*Hercostomus singaporensis*](#) Zhang, Yang & Grootaert, 2008[26]
- [*Hercostomus sinicus*](#) Stackelberg, 1933
- [*Hercostomus siveci*](#) Zhang, Yang & Masunaga, 2005[54]
- [*Hercostomus sodalis*](#) Becker, 1922[10]
- [*Hercostomus solutus*](#) Wei, 1997
- [*Hercostomus songshanensis*](#) Zhang & Yang, 2011
- [*Hercostomus spathulatus*](#) Negrobov, Kumazawa, Tago & Sato, 2016[6]
- [*Hercostomus spatiosus*](#) Yang, 1996
- [*Hercostomus spiniger*](#) Yang, 1997
- [*Hercostomus spinitarsis*](#) Yang & Saigusa, 2000[32]
- [*Hercostomus spinitibialis*](#) Negrobov, Kumazawa & Tago, 2016[6]
- [*Hercostomus squamatus*](#) Samoh & Grootaert, 2024[49]
- [*Hercostomus stigmatifer*](#) Parent, 1944
- [*Hercostomus stroblianus*](#) Becker, 1917
- [*Hercostomus subapicispinus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus subdentatus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus subdigitatus*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus sublongus*](#) Yang & Saigusa, 2000[32]
- [*Hercostomus subnovus*](#) Yang & Yang, 1995
- [*Hercostomus subrusticus*](#) Zhang, Yang & Grootaert, 2008[28]

- [*Hercostomus subtruncatus*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus sviridovae*](#) Negrobov & Chalaya, 1987
- [*Hercostomus synolcus*](#) Steyskal, 1966
- [*Hercostomus tadjikorum*](#) Stackelberg, 1933
- [*Hercostomus taipeiensis*](#) Zhang, Yang & Masunaga, 2005[54]
- [*Hercostomus taitungensis*](#) Zhang, Yang & Masunaga, 2005[31]
- [*Hercostomus taiwanensis*](#) Zhang, Yang & Masunaga, 2005[55]
- [*Hercostomus takagii*](#) Smirnov & Negrobov, 1979
- [*Hercostomus tankanus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus tenebricosus*](#) Vaillant, 1973
- [*Hercostomus thraciensis*](#) Kechev & Negrobov, 2015[56]
- [*Hercostomus thudamanus*](#) Yang, Saigusa & Masunaga, 2002[5]
- [*Hercostomus tianeensis*](#) Zhang & Yang, 2003
- [*Hercostomus tianlinensis*](#) Zhang & Yang, 2003
- [*Hercostomus tibialis*](#) (Van Duzee, 1913)
- [*Hercostomus tiomanensis*](#) Zhang, Yang & Grootaert, 2007[21]
- [*Hercostomus tjibodas*](#) (De Meijere, 1916)
- [*Hercostomus tobiasi*](#) Grichanov, 1999[37]
- [*Hercostomus tomkovichi*](#) Grichanov, 2024[57]
- [*Hercostomus tonguci*](#) Naglis & Negrobov, 2017[58]
- [*Hercostomus transsylvanicus*](#) Parvu, 1987
- [*Hercostomus triseta*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus truncatus*](#) Harmston & Knowlton, 1940
- [*Hercostomus tugajorum*](#) Stackelberg, 1949
- [*Hercostomus tuomunanus*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus turanicola*](#) Stackelberg, 1949
- [*Hercostomus udeorum*](#) Stackelberg, 1933
- [*Hercostomus udovenkovae*](#) Negrobov & Logvinovskij, 1977
- [*Hercostomus ulleriensis*](#) Hollis, 1964
- [*Hercostomus ulrichi*](#) Yang, 1996[19]
- [*Hercostomus unicolor*](#) (Loew, 1864)
- [*Hercostomus uniformis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus utahensis*](#) Harmston & Knowlton, 1940
- [*Hercostomus uzbekorum*](#) Stackelberg, 1933
- [*Hercostomus vanduzeei*](#) (Curran, 1930)[59]
- [*Hercostomus ventralis*](#) Yang & Saigusa, 1999[4]
- [*Hercostomus verbekei*](#) Pollet, 1993
- [*Hercostomus vikhrevi*](#) Grichanov, 2020[24]
- [*Hercostomus vivax*](#) (Loew, 1857)
- [*Hercostomus vockerothi*](#) d'Assis Fonseca, 1976
- [*Hercostomus vodjanovi*](#) Negrobov, Maslova & Selivanova, 2016[60]
- [*Hercostomus wangi*](#) Tang, Pan & Yang, 2016[61]

- [*Hercostomus wasatchensis*](#) Harmston & Knowlton, 1943
- [*Hercostomus wittei*](#) Grichanov, 1999[37]
- [*Hercostomus wudangshanus*](#) Yang, 1997
- [*Hercostomus wuhongi*](#) Yang, 1997[27]
- [*Hercostomus wui*](#) Yang, 1997
- [*Hercostomus xanthocerus*](#) Parent, 1926
- [*Hercostomus xanthodes*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus xiaolongmensis*](#) Yang & Saigusa, 2001[43]
- [*Hercostomus xigouensis*](#) Yang & Saigusa, 2005
- [*Hercostomus xinjianganus*](#) Yang, 1996[19]
- [*Hercostomus xishuangbannensis*](#) Yang & Grootaert, 1999[3]
- [*Hercostomus xishuiensis*](#) Wei & Song, 2005
- [*Hercostomus xixianus*](#) Yang, 1999[22]
- [*Hercostomus xizangensis*](#) Yang, 1996
- [*Hercostomus yadonganus*](#) Yang, 1997
- [*Hercostomus yakovlevi*](#) Grichanov, 1999[37]
- [*Hercostomus yangi*](#) Olejníček, 2003
- [*Hercostomus yefremovae*](#) Grichanov & Freidberg, 2018[47]
- [*Hercostomus yinshanus*](#) Liao, Zhou & Yang, 2009[53]
- [*Hercostomus yiyanganus*](#) Zhang & Yang, 2008
- [*Hercostomus yongpingensis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus yunlongensis*](#) Yang & Saigusa, 2001[16]
- [*Hercostomus yunnanensis*](#) Wei, 1997
- [*Hercostomus zhangae*](#) Tang, Pan & Yang, 2016[61]
- [*Hercostomus zhenzhuristi*](#) Smirnov & Negrobov, 1979[6]
- [*Hercostomus zieheni*](#) Parent, 1929
- [*Hercostomus zunyianus*](#) Yang & Saigusa, 2001[25]
- [*Hercostomus zuoshuiensis*](#) Yang & Saigusa, 2002[8]
- [*Hercostomus zygolipes*](#) (Grootaert & Meuffels, 2001)

Nomina dubia:[62]

- *Hercostomus petulans* Parent, 1939 (type lost)

Synonyms:

- *Hercostomus tanjusilus* Negrobov & Zurikov, 1988: synonym of [*Hercostomus exarticulatus*](#) (Loew, 1857)[30]
- *Phalacrosona briarea* Wei & Lu, 1996:[15] synonym of [*Hercostomus zhenzhuristi*](#) Smirnov & Negrobov, 1979[33]
- *Phalacrosona sichuanense* Yang & Saigusa, 1999: synonym of [*Aphalacrosona modestus*](#) (Wei, 1998)[33]

Species transferred to [*Paraclius*](#):[62]

- *Hercostomus panamensis* Van Duzee, 1931

- *Hercostomus plumitarsis* Parent, 1931
- *Hercostomus problematicus* [Parent](#), 1930

Species transferred to [Tachytrechus](#):[\[62\]](#)

- *Hercostomus flavimanus* Van Duzee in [Curran](#), 1934

Species moved to other genera:[\[63\]](#)[\[64\]](#)

- *Hercostomus appendiculatus* ([Loew](#), 1859): moved to [Poecilobothrus](#)[\[65\]](#)
- *Hercostomus bitinctus* [Becker](#), 1922:[\[10\]](#) moved to [Gymnopternus](#)[\[57\]](#)
- *Hercostomus brevipilosus* Yang & Saigusa, 2002:[\[8\]](#) moved to [Poecilobothrus](#), synonym of [Poecilobothrus pterostichoides](#) ([Stackelberg](#), 1934)
- *Hercostomus brunus* Wei, 1997: moved to [Poecilobothrus](#)
- *Hercostomus cucullus* Wei, 1997: moved to [Poecilobothrus](#)
- *Hercostomus cyaneculus* Wei, 1997: moved to [Poecilobothrus](#)
- *Hercostomus daubichensis* [Stackelberg](#), 1933: moved to [Gymnopternus](#)
- *Hercostomus flaveolus* [Negrobov](#) & Chalaya, 1987: moved to [Poecilobothrus](#)
- *Hercostomus geminatus* [Becker](#), 1922:[\[10\]](#) moved to [Pseudohercostomus](#)[\[57\]](#)
- *Hercostomus gregalis* [Becker](#), 1922:[\[10\]](#) moved to [Gymnopternus](#)[\[57\]](#)
- *Hercostomus lii* Yang, 1996: moved to [Poecilobothrus](#)
- *Hercostomus longipilosus* Yang & Saigusa, 2001:[\[25\]](#) moved to [Poecilobothrus](#)
- *Hercostomus luchunensis* Yang & Saigusa, 2001:[\[16\]](#) moved to [Poecilobothrus](#)
- *Hercostomus mentougouensis* Zhang, Yang & Grootaert, 2003:[\[29\]](#) moved to [Poecilobothrus](#)
- *Hercostomus morenae* ([Strobl](#), 1899): moved to [Ortochile](#)
- *Hercostomus nemorum* Smirnov & [Negrobov](#), 1977: moved to [Gymnopternus](#)
- *Hercostomus palustris* Wei, 2006: moved to [Poecilobothrus](#)
- *Hercostomus parvilamellatus* ([Macquart](#), 1827): moved to [Sybistroma](#)
- *Hercostomus parvulus* [Parent](#), 1927: moved to [Sybistroma](#)
- *Hercostomus potanini* [Stackelberg](#), 1933: moved to [Poecilobothrus](#)
- *Hercostomus pterostichoides* [Stackelberg](#), 1934: moved to [Poecilobothrus](#)
- *Hercostomus rohdendorfi* [Stackelberg](#), 1933: moved to [Gymnopternus](#)[\[66\]](#)
- *Hercostomus saetosus* Yang & Saigusa, 2002:[\[8\]](#) moved to [Poecilobothrus](#)
- *Hercostomus singularis* Yang & Saigusa, 2001:[\[16\]](#) moved to [Poecilobothrus](#)
- †*Hercostomus devinctus* (Meunier, 1907):[\[20\]](#) moved to [Prohercostomus](#)[\[67\]](#)
- †*Hercostomus inumbratus* (Meunier, 1907):[\[20\]](#) moved to [Prohercostomus](#)[\[67\]](#)
- *Phalacrosoma hubeiense* Yang, 1998: moved to [Aphalacrosoma](#)[\[68\]](#)
- *Phalacrosoma postiseta* Yang & Saigusa, 2001: moved to [Aphalacrosoma](#)[\[68\]](#)
- *Phalacrosoma zhejiangense* Yang, 1997:[\[27\]](#) moved to [Poecilobothrus](#)

This is a list of 174 species in [Hemerodromia](#), a genus of dance flies in the family [Empididae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)
[\[4\]](#)

***Hemerodromia* species**

- [*Hemerodromia acuminata*](#) Collin, 1941 ^{c g}
- [*Hemerodromia acutata*](#) Grootaert, Yang & Saigusa, 2000 ^{c g}
- [*Hemerodromia adulatoria*](#) Collin, 1927 ^{c g}
- [*Hemerodromia albicornis*](#) Meigen, 1822 ^{c g}
- [*Hemerodromia alida*](#) Smith, 1969 ^{c g}
- [*Hemerodromia alphalutea*](#) ^g
- [*Hemerodromia amazonensis*](#) ^g
- [*Hemerodromia anisoserrata*](#) ^g
- [*Hemerodromia anomala*](#) ^g
- [*Hemerodromia apicalis*](#) Smith, 1969 ^{c g}
- [*Hemerodromia apiciserrata*](#) Grootaert, Yang & Saigusa, 2000 ^{c g}
- [*Hemerodromia attenuata*](#) ^g
- [*Hemerodromia baetica*](#) Collin, 1927 ^{c g}
- [*Hemerodromia basalis*](#) Smith, 1969 ^{c g}
- [*Hemerodromia beatice*](#) Collin, 1927 ^g
- [*Hemerodromia beijingensis*](#) Yang & Yang, 1988 ^{c g}
- [*Hemerodromia betalutea*](#) ^g
- [*Hemerodromia bethiana*](#) Vaillant & Gagneur, 1998 ^{c g}
- [*Hemerodromia bifurcata*](#) Collin, 1941 ^{c g}
- [*Hemerodromia brevicercata*](#) ^g
- [*Hemerodromia brevifrons*](#) Melander, 1947 ^{i c g}
- [*Hemerodromia breviradia*](#) ^g
- [*Hemerodromia brunnea*](#) Melander, 1927 ^{i c g}
- [*Hemerodromia burdicki*](#) MacDonald, 1998 ^{c g}
- [*Hemerodromia captus*](#) Coquillett, 1895 ^{i c g}
- [*Hemerodromia carioca*](#) ^g
- [*Hemerodromia cataluna*](#) Strobl, 1909 ^{c g}
- [*Hemerodromia cercusdilatata*](#) ^g
- [*Hemerodromia chelata*](#) MacDonald, 1998 ^{c g}
- [*Hemerodromia chillcotti*](#) Harper, 1974 ^{i c g}
- [*Hemerodromia chita*](#) Smith, 1965 ^{c g}
- [*Hemerodromia chitaoides*](#) Wagner, Leese & Panesar, 2004 ^{c g}
- [*Hemerodromia choulyana*](#) Vaillant & Gagneur, 1998 ^{c g}
- [*Hemerodromia claripennis*](#) Frey, 1958 ^{c g}
- [*Hemerodromia coleophora*](#) Melander, 1927 ^{i c g}

- [Hemerodromia collini](#) ^g
- [Hemerodromia concava](#) Yang & Yang, 1988 ^{c g}
- [Hemerodromia concinna](#) Smith, 1969 ^{c g}
- [Hemerodromia conspecta](#) ^g
- [Hemerodromia cornuhypanchialis](#) ^g
- [Hemerodromia cummingi](#) ^g
- [Hemerodromia curvata](#) Grootaert, Yang & Saigusa, 2000 ^{c g}
- [Hemerodromia defessa](#) Williston, 1893[5]
- [Hemerodromia deltalutea](#) ^g
- [Hemerodromia deminuta](#) ^g
- [Hemerodromia demissa](#) ^g
- [Hemerodromia denticulata](#) Wagner & Andersen, 1995 ^{c g}
- [Hemerodromia digitata](#) Grootaert, Yang & Saigusa, 2000 ^{c g}
- [Hemerodromia dorsalis](#) (Brunetti, 1913) ^{c g}
- [Hemerodromia dorsata](#) (Melander, 1928) ^{c g}
- [Hemerodromia dromodromoa](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia duce](#) Jones, 1940 ^{c g}
- [Hemerodromia elongata](#) Yang & Yang, 1995 ^{c g}
- [Hemerodromia elongatoides](#) Wagner, Leese & Panesar, 2004 ^{c g}
- [Hemerodromia empiformis](#) (Say, 1823) ^{i c g}
- [Hemerodromia epandriocurvalis](#) ^g
- [Hemerodromia epsilutea](#) ^g
- [Hemerodromia etalutea](#) ^g
- [Hemerodromia euneura](#) Yang, 1991 ^{c g}
- [Hemerodromia exhibitor](#) Melander, 1947 ^{i c g}
- [Hemerodromia fibrina](#) Landry, 1985 ^{i c g}
- [Hemerodromia flaviventris](#) Yang, 1991 ^{c g}
- [Hemerodromia flexiformis](#) MacDonald, 1998 ^{c g}
- [Hemerodromia furcata](#) Grootaert, Yang & Saigusa, 2000 ^{c g}
- [Hemerodromia fusca](#) Yang & Yang ^g
- [Hemerodromia gaditana](#) Wagner & Cobo, 2001 ^{c g}
- [Hemerodromia gagneuri](#) Vaillant, 1981 ^{c g}
- [Hemerodromia gammalutea](#) ^g
- [Hemerodromia gereckeii](#) Wagner, 1995 ^{c g}
- [Hemerodromia glabella](#) MacDonald, 1998 ^{c g}
- [Hemerodromia gogi](#) Smith, 1969 ^{c g}

- [Hemerodromia gonatopus](#) Speiser, 1908 ^{c g}
- [Hemerodromia goya](#) Jones, 1940 ^{c g}
- [Hemerodromia guangxiensis](#) Yang, 1991 ^{c g}
- [Hemerodromia hammanica](#) Vaillant & Moubayed, 1998 ^{c g}
- [Hemerodromia haruspex](#) Melander, 1947 ^{i c g}
- [Hemerodromia hermelina](#) Vaillant & Moubayed, 1998 ^{c g}
- [Hemerodromia icenae](#) Jones, 1940 ^{c g}
- [Hemerodromia illiesi](#) Joost, 1980 ^{c g}
- [Hemerodromia iqasoa](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia isochita](#) ^g
- [Hemerodromia isserana](#) Vaillant & Gagneur, 1998 ^{c g}
- [Hemerodromia jauensis](#) ^g
- [Hemerodromia joosti](#) Wagner, 1984 ^{c g}
- [Hemerodromia jugulator](#) Melander, 1927 ^{i c g}
- [Hemerodromia kumia](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia lamellata](#) ^g
- [Hemerodromia lativitta](#) Smith, 1969 ^{c g}
- [Hemerodromia laudatoria](#) Collin, 1927 ^{c g}
- [Hemerodromia ligata](#) MacDonald, 1998 ^{c g}
- [Hemerodromia loba](#) MacDonald, 1998 ^{c g}
- [Hemerodromia lomri](#) Smith, 1965 ^{c g}
- [Hemerodromia longilamellata](#) ^g
- [Hemerodromia macrocephala](#) Vaillant & Gagneur, 1998 ^{c g}
- [Hemerodromia maculata](#) Vaillant, 1968 ^{c g}
- [Hemerodromia magogi](#) Smith, 1969 ^{c g}
- [Hemerodromia maia](#) Jones, 1940 ^{c g}
- [Hemerodromia maturaca](#) ^g
- [Hemerodromia mazoviensis](#) Niesiolowski, 1987 ^{c g}
- [Hemerodromia megalamellata](#) ^g
- [Hemerodromia melangyna](#) Collin, 1927 ^{c g}
- [Hemerodromia melanosoma](#) Melander, 1947 ^{i c g}
- [Hemerodromia membranosa](#) ^g
- [Hemerodromia menghaiensis](#) Yang & Yang, 1988 ^{c g}
- [Hemerodromia menglunana](#) Grootaert, Yang & Saigusa, 2000 ^{c g}
- [Hemerodromia moqimoqilia](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia mourai](#) ^g

- [Hemerodromia namtokhinpoon](#) ^g
- [Hemerodromia nigrescens](#) Yang & Yang, 1995 ^{c g}
- [Hemerodromia nigrolineata](#) Roser, 1840 ^{c g}
- [Hemerodromia nympha](#) Melander, 1928 ^{c g}
- [Hemerodromia ocellata](#) ^g
- [Hemerodromia oratoria](#) Fallen, 1816 ^{c g}
- [Hemerodromia oriens](#) ^g
- [Hemerodromia orientalis](#) Meijere, 1911 ^{c g}
- [Hemerodromia phahompokensis](#) ^g
- [Hemerodromia pila](#) Smith, 1965 ^{c g}
- [Hemerodromia portia](#) Jones, 1940 ^{c g}
- [Hemerodromia puerensis](#) Yang & Yang, 1988 ^{c g}
- [Hemerodromia radialis](#) Collin, 1928 ^{c g}
- [Hemerodromia raptoria](#) Meigen, 1830 ^{c g}
- [Hemerodromia raradamua](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia reclinata](#) MacDonald, 1998 ^{c g}
- [Hemerodromia resurrecta](#) Jones, 1940 ^{c g}
- [Hemerodromia rhomboides](#) Wagner, Leese & Panesar, 2004 ^{c g}
- [Hemerodromia rogatoris](#) Coquillett, 1895 ^{i c g}
- [Hemerodromia seguyi](#) ^{i c g}
- [Hemerodromia senivaua](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia serpa](#) Smith, 1965 ^{c g}
- [Hemerodromia serrata](#) Saigusa & Yang, 2003 ^{c g}
- [Hemerodromia simplicinervis](#) Melander, 1928 ^{c g}
- [Hemerodromia sinclairi](#) MacDonald, 1998 ^{c g}
- [Hemerodromia slovenica](#) Horvat & Wagner, 1990 ^{c g}
- [Hemerodromia smithi](#) ^g
- [Hemerodromia songsee](#) ^g
- [Hemerodromia spectabilis](#) Smith, 1969 ^{c g}
- [Hemerodromia spiculata](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia spinosa](#) Vaillant & Gagneur, 1998 ^{c g}
- [Hemerodromia splendens](#) Smith, 1969 ^{c g}
- [Hemerodromia stellaris](#) Melander, 1947 ^{i c g}
- [Hemerodromia striata](#) Yang & Yang, 1988 ^{c g}
- [Hemerodromia subapicalis](#) Yang, Zhang & Zhang, 2007 ^{c g}
- [Hemerodromia subchelata](#) MacDonald, 1998 ^{c g}

- [Hemerodromia subiqasoa](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia subspinosa](#) Yang, Zhang & Zhang, 2007 ^{c g}
- [Hemerodromia sufflexa](#) Melander, 1947 ^{i c g}
- [Hemerodromia superstitiosa](#) Say, 1824 ^{i c g b}
- [Hemerodromia susana](#) Jones, 1940 ^{c g}
- [Hemerodromia systoechon](#) ^g
- [Hemerodromia tarda](#) Jones, 1940 ^{c g}
- [Hemerodromia tebbarana](#) Vaillant & Gagneur, 1998 ^{c g}
- [Hemerodromia telloutica](#) Vaillant & Gagneur, 1998 ^{c g}
- [Hemerodromia tigrigrana](#) Vaillant & Gagneur, 1998 ^{c g}
- [Hemerodromia todrhana](#) (Vaillant, 1956) ^{c g}
- [Hemerodromia ubajaraensis](#) ^g
- [Hemerodromia ultima](#) Jones, 1940 ^{c g}
- [Hemerodromia unilineata](#) Zetterstedt, 1842 ^{c g}
- [Hemerodromia ursula](#) Jones, 1940 ^{c g}
- [Hemerodromia vates](#) Melander, 1947 ^{i c g}
- [Hemerodromia vittata](#) Loew, 1862 ^{i c g}
- [Hemerodromia votovotoa](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia vucea](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia vulacia](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia vutivutia](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia wagneri](#) Cobo & Carreira, 2003 ^{c g}
- [Hemerodromia watlingi](#) Plant & Sinclair, 2008 ^{c g}
- [Hemerodromia xanthiocephala](#) Yang, 1991 ^{c g}
- [Hemerodromia xanthocephala](#) Yang & Yang, 1991 ^{c g}
- [Hemerodromia xiphias](#) Bezzi, 1914 ^{c g}
- [Hemerodromia xizangensis](#) Yang, 1991 ^{c g}
- [Hemerodromia yunnanensis](#) Yang & Yang, 1988 ^{c g}
- [Hemerodromia zarcana](#) Vaillant & Moubayed, 1998 ^{c g}
- [Hemerodromia zetalutea](#) ^g
- [Hemerodromia zwicki](#) Horvat, 1993 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 164 species in [Hemerobius](#), a genus of brown lacewings in the family [Hemerobiidae](#).^[1]
^[2]^[3]^[4]

***Hemerobius* species**

- [Hemerobius abditus](#) Tjeder, 1961 ^{c g}
- [Hemerobius adelgivorus](#) Kimmins, 1961 ^{c g}
- [Hemerobius albipennis](#) Banks, 1910 ^{i c g}
- [Hemerobius alpestris](#) Banks, 1908 ^{i c g}
- [Hemerobius angustipennis](#) C.-k. Yang, 1992 ^{c g}
- [Hemerobius anomalus](#) (Monserrat, 1992) ^{c g}
- [Hemerobius antigonus](#) Banks, 1941 ^{i c g}
- [Hemerobius apatridus](#) Monserrat, 2001 ^{c g}
- [Hemerobius aper](#) Tjeder, 1961 ^{c g}
- [Hemerobius aphidioides](#) Schrank, 1781 ^{c g}
- [Hemerobius aphidivorus](#) Schrank, 1781 ^{c g}
- [Hemerobius atriangulus](#) C.-k. Yang, 1987 ^{c g}
- [Hemerobius atrifrons](#) McLachlan, 1868 ^{c g}
- [Hemerobius atrocorpus](#) C.-k. Yang, 1997 ^{c g}
- [Hemerobius australis](#) Walker, 1853 ^{c g}
- [Hemerobius azoricus](#) Tjeder, 1948 ^{c g}
- [Hemerobius baquiensis](#) Navás, 1923 ^{c g}
- [Hemerobius barkalovi](#) Dubatolov, 1997 ^{c g}
- [Hemerobius betulinus](#) Strøm, 1788 ^{c g}
- [Hemerobius binigripunctatus](#) Fraser, 1957 ^{c g}
- [Hemerobius bispinus](#) Banks, 1940 ^{c g}
- [Hemerobius bistrigatus](#) Currie, 1904 ^{i c g b}
- [Hemerobius bolivari](#) Banks, 1910 ^{i c g}
- [Hemerobius canadai](#) Navás, 1925 ^{c g}
- [Hemerobius centralis](#) Navás, 1913 ^{i c g}
- [Hemerobius ceraticus](#) Navás, 1924 ^{c g}
- [Hemerobius cercodes](#) Navás, 1917 ^{c g}
- [Hemerobius chiangi](#) Banks, 1940 ^{c g}
- [Hemerobius chilensis](#) Nakahara, 1965 ^{i c g}
- [Hemerobius claggi](#) Banks, 1937 ^{c g}

- [Hemerobius coccophagus](#) Göszy, 1852 ^{c g}
- [Hemerobius colombianus](#) Krueger, 1922 ^{i c g}
- [Hemerobius comorensis](#) Krüger, 1922 ^{c g}
- [Hemerobius conjunctus](#) Fitch, 1855 ^{i c g}
- [Hemerobius contumax](#) Tjeder, 1932 ^{c g}
- [Hemerobius convexus](#) Monserrat, 2004 ^{c g}
- [Hemerobius corticus](#) Schrank, 1802 ^{c g}
- [Hemerobius costalis](#) Carpenter, 1940 ^{i c g}
- [Hemerobius cubanus](#) Banks, 1930 ^{i c g}
- [Hemerobius darlingtoni](#) Banks, 1938 ^{i c g}
- [Hemerobius daxueshanus](#) C.-k. Yang, 1992 ^{c g}
- [Hemerobius deceptor](#) Navás, 1914 ^{c g}
- [Hemerobius discretus](#) Navás, 1917 ^{i c g}
- [Hemerobius disparilis](#) Navás, 1936 ^{c g}
- [Hemerobius domingensis](#) Banks, 1941 ^{i c g}
- [Hemerobius dorsatus](#) Banks, 1904 ^{i c g}
- [Hemerobius eatoni](#) Morton, 1906 ^{c g}
- [Hemerobius edui](#) Monserrat, 1991 ^{c g}
- [Hemerobius elatus](#) Navás, 1914 ^{c g}
- [Hemerobius elongatus](#) Monserrat, 1990 ^{c g}
- [Hemerobius exceptatus](#) Nakahara, 1965 ^{i c g}
- [Hemerobius exoterus](#) Navás, 1936 ^{c g}
- [Hemerobius falciger](#) (Tjeder, 1963) ^{c g}
- [Hemerobius fenestratus](#) Tjeder, 1932 ^{c g}
- [Hemerobius flaveolus](#) (Banks, 1940) ^{c g}
- [Hemerobius flavus](#) Gmelin, 1790 ^c
- [Hemerobius fossilis](#) Weyenbergh, 1869 ^{c g}
- [Hemerobius frontalis](#) Hagen, 1858 ^{c g}
- [Hemerobius fujimotoi](#) Nakahara, 1960 ^{c g}
- [Hemerobius gaitoi](#) Monserrat, 1996 ^{c g}
- [Hemerobius gilvus](#) Stein, 1863 ^{c g}
- [Hemerobius grahami](#) Banks, 1940 ^{c g}
- [Hemerobius greeni](#) Banks, 1913 ^{c g}
- [Hemerobius griseus](#) Fabricius, 1777 ^{c g}
- [Hemerobius hagenii](#) Parfitt, 1860 ^{c g}
- [Hemerobius handschini](#) Tjeder, 1957 ^{c g}

- [Hemerobius harmandinus](#) Navás, 1910 ^{c g}
- [Hemerobius hedini](#) Tjeder, 1936 ^{c g}
- [Hemerobius hengduanus](#) C.-k. Yang, 1981 ^{c g}
- [Hemerobius hernandezi](#) Monserrat, 1996 ^{c g}
- [Hemerobius hespericus](#) Navás, 1931 ^{c g}
- [Hemerobius higginsii](#) Brodie, 1845 ^{c g}
- [Hemerobius hirsuticornis](#) Monserrat & Deretsky, 1999 ^{c g}
- [Hemerobius humulinus](#) Linnaeus, 1758 ^{i c g b}
- [Hemerobius hyalinus](#) Nakahara, 1966 ^{c g}
- [Hemerobius iamaicensis](#) Panzer, 1785 ^{c g}
- [Hemerobius immaculatus](#) Olivier, 1793 ^{c g}
- [Hemerobius incertus](#) Makarkin, 1991 ^{c g}
- [Hemerobius incursus](#) Banks, 1931 ^{c g}
- [Hemerobius indicus](#) Kimmins, 1938 ^{c g}
- [Hemerobius inversus](#) Navás, 1927 ^{c g}
- [Hemerobius jamaicensis](#) Banks, 1938 ^{i c g}
- [Hemerobius japonicus](#) Nakahara, 1915 ^{c g}
- [Hemerobius javanus](#) Krüger, 1922 ^{c g}
- [Hemerobius jucundus](#) Navás, 1928 ^{i c g}
- [Hemerobius kobayashii](#) Nakahara, 1956 ^{c g}
- [Hemerobius kokaneeanus](#) Currie, 1904 ^{i c g}
- [Hemerobius kutsimensis](#) New, 1989 ^{c g}
- [Hemerobius lautus](#) Navás, 1909 ^{c g}
- [Hemerobius lii](#) C.-k. Yang, 1981 ^{c g}
- [Hemerobius longialatus](#) C.-k. Yang, 1987 ^{c g}
- [Hemerobius lutescens](#) Fabricius, 1793 ^{c g}
- [Hemerobius madeirae](#) Tjeder, 1940 ^{c g}
- [Hemerobius marginatus](#) Stephens, 1836 ^{c g}
- [Hemerobius martinezae](#) Monserrat, 1996 ^{c g}
- [Hemerobius maxillosus](#) Lichtenstein, 1796 ^{c g}
- [Hemerobius melanostictos](#) Gmelin, 1790 ^{c g}
- [Hemerobius micans](#) Olivier, 1793 ^{c g}
- [Hemerobius montsae](#) Monserrat, 1996 ^{c g}
- [Hemerobius morobensis](#) New, 1989 ^{c g}
- [Hemerobius nairobicus](#) Navás, 1910 ^{c g}
- [Hemerobius namjagbarwanus](#) C.-k. Yang et al. in Huang et al., 1988 ^{c g}

- [Hemerobius natalensis](#) Tjeder, 1961 ^{c g}
- [Hemerobius nekoï](#) Monserrat, 1996 ^{c g}
- [Hemerobius nemoralis](#) Müller, 1764 ^{c g}
- [Hemerobius nemorensis](#) Kimmins, 1952 ^{c g}
- [Hemerobius niger](#) Uddman, 1790 ^c
- [Hemerobius nigrans](#) Carpenter, 1940 ^{i c g}
- [Hemerobius nigricornis](#) Nakahara, 1915 ^{c g}
- [Hemerobius nigradorsus](#) Monserrat, 1996 ^{c g}
- [Hemerobius nigrostigma](#) Monserrat, 1990 ^{c g}
- [Hemerobius nitidulus](#) Fabricius, 1777 ^{c g}
- [Hemerobius obscurus](#) Müller, 1764 ^{c g}
- [Hemerobius ovalis](#) Carpenter, 1940 ^{i c g}
- [Hemerobius pacificus](#) Banks, 1897 ^{i c g}
- [Hemerobius pallidus](#) Uddman, 1790 ^{c g}
- [Hemerobius pallipes](#) Olivier, 1793 ^{c g}
- [Hemerobius parvulus](#) (Rambur, 1842) ^{c g}
- [Hemerobius pehlkeanus](#) (Krüger, 1922) ^{c g}
- [Hemerobius pennii](#) Monserrat, 1996 ^{c g}
- [Hemerobius perelegans](#) Stephens, 1836 ^{c g}
- [Hemerobius phaleratus](#) (Schneider, 1847) ^{c g}
- [Hemerobius pini](#) Stephens, 1836 ^{c g}
- [Hemerobius pinidumus](#) Fitch, 1855 ^{i c g}
- [Hemerobius poppii](#) Esben-Petersen, 1921 ^{c g}
- [Hemerobius productus](#) (Tjeder, 1961) ^{c g}
- [Hemerobius prohumulinus](#) Makarkin, 1991 ^{c g}
- [Hemerobius punctatus](#) Turton, 1802 ^{c g}
- [Hemerobius radialis](#) Nakahara, 1956 ^{c g}
- [Hemerobius raphidioides](#) Villers, 1789 ^{c g}
- [Hemerobius reconditus](#) Navás, 1914 ^{c g}
- [Hemerobius ricarti](#) Navás, 1925 ^{c g}
- [Hemerobius rizali](#) Banks, 1920 ^{c g}
- [Hemerobius rudebecki](#) Tjeder, 1961 ^{c g}
- [Hemerobius rufescens](#) Göszy, 1852 ^{c g}
- [Hemerobius rufus](#) Villers, 1789 ^{c g}
- [Hemerobius schedli](#) Hölzel, 1970 ^{c g}
- [Hemerobius semblinus](#) Schrank, 1802 ^{c g}

- [*Hemerobius shibakawae*](#) Nakahara, 1915 ^{c g}
- [*Hemerobius signatus*](#) Krüger, 1922 ^c
- [*Hemerobius simulans*](#) Walker, 1853 ^{i c g}
- [*Hemerobius solanensis*](#) Ghosh, 1976 ^{c g}
- [*Hemerobius solidarius*](#) Monserrat, 1996 ^{c g}
- [*Hemerobius spinellus*](#) Lichtenstein, 1796 ^{c g}
- [*Hemerobius spodipennis*](#) C.-k. Yang, 1987 ^{c g}
- [*Hemerobius stenopterus*](#) Monserrat, 1996 ^{c g}
- [*Hemerobius stigma*](#) Stephens, 1836 ^{i c g b}
- [*Hemerobius striatus*](#) Nakahara, 1915 ^{c g}
- [*Hemerobius subfalcatus*](#) Nakahara, 1960 ^{c g}
- [*Hemerobius subtriangulus*](#) C.-k. Yang, 1987 ^{c g}
- [*Hemerobius tagalicus*](#) Banks, 1920 ^{c g}
- [*Hemerobius tateyamai*](#) Nakahara, 1960 ^{c g}
- [*Hemerobius ternarius*](#) C.-k. Yang, 1987 ^{c g}
- [*Hemerobius tibialis*](#) Navás, 1917 ^{i c g}
- [*Hemerobius tolimensis*](#) Banks, 1910 ^{i c g}
- [*Hemerobius triangularis*](#) McLachlan in Fedchenko, 1875 ^{c g}
- [*Hemerobius trifasciatus*](#) Navás, 1932 ^c
- [*Hemerobius tristriatus*](#) Kuwayama, 1954 ^{c g}
- [*Hemerobius vagans*](#) Banks, 1937 ^{c g}
- [*Hemerobius varius*](#) Villers, 1789 ^{c g}
- [*Hemerobius versicolor*](#) Gmelin, 1790 ^{c g}
- [*Hemerobius vnipunctatus*](#) Müller, 1764 ^{c g}
- [*Hemerobius withycombei*](#) (Kimmins, 1928) ^{i c g}
- [*Hemerobius zernyi*](#) Esben-Petersen, 1935 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 283 species in [*Heilipus*](#), a genus of pine weevils in the family [*Curculionidae*](#).^{[1][2][3][4]}

***Heilipus* species**

- [*Heilipus acatium*](#) Boheman, 1835 ^C
- [*Heilipus acutissimus*](#) Boheman, 1843 ^C
- [*Heilipus adjectus*](#) Hustache, 1938 ^C
- [*Heilipus admixtus*](#) Hustache, 1938 ^C
- [*Heilipus affinis*](#) Guérin-Méneville, 1844 ^C
- [*Heilipus ahrensii*](#) Boheman, 1843 ^C
- [*Heilipus alternans*](#) Guérin-Méneville, 1844 ^C
- [*Heilipus amictus*](#) Hustache, 1938 ^C
- [*Heilipus anguliferus*](#) Boheman, 1843 ^C
- [*Heilipus annuliger*](#) Schoenherr, 1843 ^C
- [*Heilipus apiatus*](#) (Olivier, 1807) ^{i c b} (avocado weevil)
- [*Heilipus argentinus*](#) Heller, 1921 ^C
- [*Heilipus arrogans*](#) Pascoe, F.P., 1889 ^C
- [*Heilipus ascius*](#) Germar, 1824 ^C
- [*Heilipus asperulus*](#) Erichson, 1847 ^C
- [*Heilipus audouini*](#) Boheman, 1835 ^C
- [*Heilipus aurantiaco-cinctus*](#) Lucas in Castelnau, 1859 ^C
- [*Heilipus baiulus*](#) Erichson, 1847 ^C
- [*Heilipus balteatus*](#) Boheman, 1843 ^C
- [*Heilipus bartelsi*](#) Boheman, 1835 ^C
- [*Heilipus bellicosus*](#) Schoenherr, 1835 ^C
- [*Heilipus bidentatus*](#) Guérin-Méneville, 1844 ^C
- [*Heilipus bifurcatus*](#) Hustache, 1938 ^C
- [*Heilipus bimaculatus*](#) Boheman, 1843 ^C
- [*Heilipus binotatus*](#) Dejean, 1830 ^C
- [*Heilipus bioculatus*](#) Boheman, 1843 ^C
- [*Heilipus biplagiatus*](#) Boheman, 1843 ^C
- [*Heilipus bipunctatus*](#) Boheman, 1843 ^C
- [*Heilipus bisignatus*](#) Dejean, 1830 ^C
- [*Heilipus bistigma*](#) Hustache, 1938 ^C
- [*Heilipus bohemani*](#) Boheman, 1843 ^C
- [*Heilipus bohemanii*](#) Guérin-Méneville, 1844 ^C
- [*Heilipus boliviensis*](#) Hustache, 1924 ^C
- [*Heilipus bonelli*](#) Boheman, 1835 ^C
- [*Heilipus brevicornis*](#) Hustache, 1938 ^C

- [Heilipus brunneus](#) Boheman, 1835 ^C
- [Heilipus buquetii](#) Guérin-Méneville, 1844 ^C
- [Heilipus cadivus](#) Germar, 1824 ^C
- [Heilipus callosus](#) Boheman, 1843 ^C
- [Heilipus carinifrons](#) Hustache, 1930 ^C
- [Heilipus carinirostris](#) Boheman, 1835 ^C
- [Heilipus catagraphus](#) Germar, 1824 ^C
- [Heilipus caudatus](#) Sturm, 1826 ^C
- [Heilipus cauterius](#) Boheman, 1843 ^C
- [Heilipus celsus](#) Boheman, 1835 ^C
- [Heilipus cestatus](#) Boheman, 1835 ^C
- [Heilipus championi](#) Marshall, 1930 ^C
- [Heilipus chevrolatii](#) Guérin-Méneville, 1844 ^C
- [Heilipus choicus](#) Schoenherr, 1835 ^C
- [Heilipus clavipes](#) Schoenherr, 1825 ^C
- [Heilipus colon](#) Cristofori & Jan, 1832 ^C
- [Heilipus commaculatus](#) Boheman, 1835 ^C
- [Heilipus comtus](#) Boheman, 1843 ^C
- [Heilipus conspersus](#) Schoenherr, 1835 ^C
- [Heilipus contaminatus](#) Boheman, 1843 ^C
- [Heilipus coronatus](#) Boheman, 1835 ^C
- [Heilipus corruptor](#) Boheman, 1835 ^C
- [Heilipus costalis](#) Boheman, 1835 ^C
- [Heilipus costirostris](#) Boheman, 1835 ^C
- [Heilipus crassirostris](#) Guérin-Méneville, 1844 ^C
- [Heilipus cribratus](#) Dejean, ^C
- [Heilipus crispus](#) Boheman, 1843 ^C
- [Heilipus crocopelmus](#) Boheman, 1843 ^C
- [Heilipus cruciatus](#) Chevrolat, 1833 ^C
- [Heilipus cultripes](#) Erichson, 1847 ^C
- [Heilipus cuvieri](#) Boheman, 1843 ^C
- [Heilipus cylindripennis](#) Hustache, 1924 ^C
- [Heilipus cymba](#) Boheman, 1835 ^C
- [Heilipus dahlbomi](#) Boheman, 1835 ^C
- [Heilipus decipiens](#) Dejean, 1830 ^C
- [Heilipus decussatus](#) Boheman, 1843 ^C

- [Heilipus degeeri](#) Boheman, 1835 ^C
- [Heilipus deletangi](#) Hustache, 1924 ^C
- [Heilipus delicatulus](#) Hustache, 1938 ^C
- [Heilipus destructor](#) Schoenherr, 1835 ^C
- [Heilipus difficilis](#) Boheman, 1837 ^C
- [Heilipus dimidiatus](#) Boheman, 1835 ^C
- [Heilipus discoides](#) Schoenherr, 1843 ^C
- [Heilipus dorbignyi](#) Guérin-Méneville, 1844 ^C
- [Heilipus dorsalis](#) Sturm, 1826 ^C
- [Heilipus dorsosulcatus](#) Boheman, 1843 ^C
- [Heilipus dorsualis](#) Boheman, 1835 ^C
- [Heilipus draco](#) Schoenherr, 1843 ^C
- [Heilipus echinatus](#) Boheman, 1835 ^C
- [Heilipus egenus](#) Boheman, 1835 ^C
- [Heilipus elegans](#) Guérin-Méneville, 1844 ^C
- [Heilipus elongatus](#) Rheinheimer, 2012 ^g
- [Heilipus erythrocephalus](#) Boheman, 1843 ^C
- [Heilipus erythropus](#) Dejean, ^C
- [Heilipus erythrorhynchus](#) Schoenherr, 1826 ^C
- [Heilipus erythrorrhynchus](#) Germar, E.F., 1824 ^C
- [Heilipus erythrocephalus](#) Boheman, 1843 ^C
- [Heilipus esmarki](#) Boheman, C.H. in Schönherr, C.J., 1843 ^C
- [Heilipus esmarkii](#) Boheman, 1843 ^C
- [Heilipus fahraei](#) Boheman, 1836 ^C
- [Heilipus faldermanni](#) Boheman, 1835 ^C
- [Heilipus fallax](#) Boheman, 1843 ^C
- [Heilipus falsus](#) Hustache, 1938 ^C
- [Heilipus famulus](#) Boheman, 1843 ^C
- [Heilipus fasciculatus](#) Boheman, 1843 ^C
- [Heilipus flammiger](#) Schoenherr, 1835 ^C
- [Heilipus fohraei](#) Boheman, 1835 ^C
- [Heilipus fossilis](#) Thomson J., 1859 ^C
- [Heilipus freyreissi](#) Boheman, 1835 ^C
- [Heilipus friesi](#) Boheman, C.H. in Schönherr, C.J., 1836 ^C
- [Heilipus friesii](#) Boheman, 1835 ^C
- [Heilipus gayi](#) Boheman, 1843 ^C

- [Heilipus germari](#) Boheman, 1835 ^C
- [Heilipus gibbus](#) ^g
- [Heilipus gistelii](#) Gistel, 1848 ^C
- [Heilipus globulicollis](#) Boheman, 1843 ^C
- [Heilipus granellus](#) Boheman, 1843 ^C
- [Heilipus granicostatus](#) Boheman, 1843 ^C
- [Heilipus granosus](#) Klug, 1850 ^C
- [Heilipus granulifer](#) Boheman, 1843 ^C
- [Heilipus granulospinosus](#) Brèthes, 1920 ^C
- [Heilipus guttatus](#) Boheman, 1843 ^C
- [Heilipus guyanensis](#) Hustache, 1938 ^C
- [Heilipus gyllenhalii](#) Guérin-Méneville, 1844 ^C
- [Heilipus honestus](#) Cristofori & Jan, 1832 ^C
- [Heilipus hopei](#) Boheman, 1843 ^C
- [Heilipus hummeli](#) Boheman, 1835 ^C
- [Heilipus hylobioides](#) Boheman, 1843 ^C
- [Heilipus illigeri](#) Boheman, 1835 ^C
- [Heilipus immundus](#) Kirsch, T., 1868 ^C
- [Heilipus inaequalis](#) Boheman, 1835 ^C
- [Heilipus inclusus](#) Hustache, 1938 ^C
- [Heilipus ineptus](#) Boheman, 1835 ^C
- [Heilipus integellus](#) Boheman, 1843 ^C
- [Heilipus interstinctus](#) Boheman, 1843 ^C
- [Heilipus intricatus](#) Boheman, 1835 ^C
- [Heilipus jocosus](#) Boheman, 1835 ^C
- [Heilipus lacordairei](#) Boheman, 1843 ^C
- [Heilipus lactarius](#) Germar, 1824 ^C
- [Heilipus laetabilis](#) Schoenherr, 1843 ^C
- [Heilipus laevicollis](#) Boheman, 1843 ^C
- [Heilipus laqueatus](#) Erichson, 1847 ^C
- [Heilipus lateralis](#) Schoenherr, 1835 ^C
- [Heilipus latro](#) Gyllenhal, 1835 ^C
- [Heilipus lauri](#) Boheman, 1845 ^{i C}
- [Heilipus lembunculus](#) Boheman, 1835 ^C
- [Heilipus leoninus](#) Boheman, 1843 ^C
- [Heilipus leopardus](#) Boheman, 1835 ^C

- [Heilipus letabilis](#) Boheman, 1843 ^C
- [Heilipus leucomelanostigma](#) Boheman, 1843 ^C
- [Heilipus leucomelas](#) Klug, ^C
- [Heilipus lituratus](#) Boheman, 1843 ^C
- [Heilipus loricatus](#) Boheman, 1843 ^C
- [Heilipus ludiosus](#) Marshall, 1952 ^C
- [Heilipus maculosus](#) Boheman, 1835 ^C
- [Heilipus margaritifer](#) Boheman, 1843 ^C
- [Heilipus marginalis](#) Dejean, ^C
- [Heilipus marklini](#) Boheman, 1835 ^C
- [Heilipus marmoratus](#) Schoenherr, 1843 ^C
- [Heilipus marmoreus](#) Schoenherr, 1843 ^C
- [Heilipus medioximus](#) Boheman, 1843 ^C
- [Heilipus melanopus](#) Perty, 1832 ^C
- [Heilipus meles](#) Boheman, 1843 ^C
- [Heilipus mendozensis](#) Hustache, 1938 ^C
- [Heilipus menetriesi](#) Boheman, 1835 ^C
- [Heilipus miliaris](#) Pascoe, F.P., 1881 ^C
- [Heilipus mixtus](#) Blanchard, 1846 ^C
- [Heilipus moestificus](#) Boheman, 1835 ^C
- [Heilipus mortuus](#) Thomson, J., 1859 ^C
- [Heilipus multigutattus](#) Schoenherr, 1825 ^C
- [Heilipus multiguttatus](#) Dejean, 1830 ^C
- [Heilipus multipunctatus](#) Erichson, 1847 ^C
- [Heilipus multisignatus](#) Boheman, 1835 ^C
- [Heilipus muricatus](#) Boheman, 1835 ^C
- [Heilipus myops](#) Boheman, 1835 ^C
- [Heilipus naevulus](#) Mannerheim, 1835 ^C
- [Heilipus nisseri](#) Boheman, 1835 ^C
- [Heilipus nodifer](#) Boheman, 1843 ^C
- [Heilipus norrisii](#) Guérin-Méneville, 1844 ^C
- [Heilipus nubilosus](#) Boheman, 1835 ^C
- [Heilipus obliquus](#) Boheman, 1843 ^C
- [Heilipus occultus](#) Pascoe, F.P., 1881 ^C
- [Heilipus ocellatus](#) Schoenherr, 1835 ^C
- [Heilipus ochraceofasciatus](#) Hustache, 1938 ^C

- [Heilipus ochrifer](#) Boheman, 1843 ^C
- [Heilipus oculatus](#) Schoenherr, 1826 ^C
- [Heilipus odoratus](#) Vanin & Gaiger, 2005 ^C
- [Heilipus okeni](#) Boheman, 1835 ^C
- [Heilipus onychinus](#) Schoenherr, 1825 ^C
- [Heilipus osculatii](#) Guérin, 1855 ^g
- [Heilipus paleoliferus](#) Boheman, 1843 ^C
- [Heilipus pantherinus](#) Dejean, 1835 ^C
- [Heilipus panzeri](#) Boheman, 1843 ^C
- [Heilipus parvus](#) Boheman, 1843 ^C
- [Heilipus pardus](#) Schoenherr, 1843 ^C
- [Heilipus parvulus](#) Boheman, 1843 ^C
- [Heilipus peplus](#) Guerin-Meneville, 1833 ^C
- [Heilipus perseae](#) Barber, 1920 ^C
- [Heilipus perturbatus](#) Boheman, 1843 ^C
- [Heilipus pertyi](#) Schoenherr, 1843 ^C
- [Heilipus piceirostris](#) Hustache, 1938 ^C
- [Heilipus picticollis](#) Champion, 1925 ^C
- [Heilipus picturatus](#) Schoenherr, 1835 ^C
- [Heilipus pictus](#) Boheman, 1835 ^C
- [Heilipus pissodeoides](#) Boheman, 1835 ^C
- [Heilipus pittieri](#) Barber, 1919 ^{i C}
- [Heilipus plagiatus](#) Boheman, 1843 ^C
- [Heilipus planiusculus](#) Perty, 1832 ^C
- [Heilipus polycoccus](#) Boheman, 1835 ^C
- [Heilipus polyguttatus](#) Hustache, 1938 ^C
- [Heilipus polymitus](#) Schoenherr, 1825 ^C
- [Heilipus potentator](#) Germar, ^C
- [Heilipus prodigialis](#) Schoenherr, 1825 ^C
- [Heilipus prolixus](#) Erichson, 1847 ^C
- [Heilipus punctatoscabratus](#) Boheman, 1843 ^C
- [Heilipus punctatus](#) Boheman, 1835 ^C
- [Heilipus pupillatus](#) Dejean, 1830 ^C
- [Heilipus pusio](#) Boheman, 1835 ^C
- [Heilipus querulus](#) Boheman, 1835 ^C
- [Heilipus reichenbachi](#) Boheman, 1843 ^C

- [Heilipus retusus](#) Boheman, 1835 ^C
- [Heilipus roeseli](#) Boheman, C.H. in Schönherr, C.J., 1836 ^C
- [Heilipus roeselii](#) Boheman, 1835 ^C
- [Heilipus rufescens](#) Boheman, 1835 ^C
- [Heilipus rufipes](#) Boheman, 1835 ^C
- [Heilipus rufirostris](#) Dejean, 1830 ^C
- [Heilipus rugicollis](#) Boheman, 1835 ^C
- [Heilipus ruptus](#) Marshall, 1949 ^C
- [Heilipus rusticanus](#) Boheman, 1835 ^C
- [Heilipus rusticus](#) Boheman, 1835 ^C
- [Heilipus sahlbergi](#) Boheman, 1843 ^C
- [Heilipus saxosus](#) Boheman, 1843 ^C
- [Heilipus scabripennis](#) Boheman, 1835 ^C
- [Heilipus scalaris](#) Westwood, 1837 ^C
- [Heilipus scapha](#) Boheman, 1835 ^C
- [Heilipus schmidtii](#) Boheman, 1843 ^C
- [Heilipus schoenherri](#) Boheman, 1835 ^C
- [Heilipus scrobicollis](#) Boheman, 1835 ^C
- [Heilipus scrobiculatus](#) Mannerheim, 1843 ^C
- [Heilipus semiamictus](#) Boheman, 1843 ^C
- [Heilipus semivittatus](#) Boheman, 1843 ^C
- [Heilipus septus](#) Marshall, 1949 ^C
- [Heilipus signatipennis](#) Blanchard, E. in Gay, 1851 ^C
- [Heilipus similis](#) Hustache, 1938 ^C
- [Heilipus sinuatus](#) Boheman, 1843 ^C
- [Heilipus spathulatus](#) Germar, 1824 ^C
- [Heilipus spinosus](#) Dejean, 1830 ^C
- [Heilipus squamosus](#) Boheman, 1835 ^C
- [Heilipus stellifer](#) Boheman, 1835 ^C
- [Heilipus stellimicans](#) Boheman, 1835 ^C
- [Heilipus stempelmanni](#) Voss, 1943 ^C
- [Heilipus stigma](#) Boheman, 1835 ^C
- [Heilipus stratioticus](#) Boheman, 1835 ^C
- [Heilipus strator](#) Boheman, 1835 ^C
- [Heilipus subcostatus](#) Boheman, 1843 ^C
- [Heilipus subfasciatus](#) Blanchard, E. in Gay, 1851 ^C

- [Heilipus submaculatus](#) Boheman, 1835 ^c
- [Heilipus subpartitus](#) Boheman, 1843 ^c
- [Heilipus taciturnus](#) Boheman, 1843 ^c
- [Heilipus testudo](#) Schoenherr, 1843 ^c
- [Heilipus tomentosus](#) Guérin-Méneville, 1844 ^c
- [Heilipus trachypterus](#) Schoenherr, 1825 ^c
- [Heilipus tricarinatus](#) Boheman, 1843 ^c
- [Heilipus tricolor](#) Perty, 1832 ^c
- [Heilipus trifasciatus](#) (Fabricius, J.C., 1787) ^{c g}
- [Heilipus tripunctatus](#) Chevrolat, 1840 ^g
- [Heilipus troglodytes](#) Boheman, 1835 ^c
- [Heilipus tuberculatus](#) Boheman, 1835 ^c
- [Heilipus tuberculosus](#) Perty, 1832 ^c
- [Heilipus tugusti](#) Boheman, 1843 ^c
- [Heilipus turrialbae](#) Champion, 1925 ^c
- [Heilipus undabundus](#) Boheman, 1835 ^c
- [Heilipus unguiculatus](#) Boheman, 1843 ^c
- [Heilipus urosus](#) Boheman, 1843 ^c
- [Heilipus ustulatus](#) Schoenherr, 1835 ^c
- [Heilipus variegatus](#) Perty, 1832 ^c
- [Heilipus velamen](#) Boheman, 1835 ^c
- [Heilipus ventralis](#) Hustache, 1938 ^c
- [Heilipus verrucosus](#) Erichson, 1847 ^c
- [Heilipus vicinus](#) Hustache, 1924 ^c
- [Heilipus viduus](#) Guérin-Méneville, 1844 ^c
- [Heilipus westringii](#) Boheman, 1843 ^c
- [Heilipus wiedemanni](#) Boheman, 1835 ^c
- [Heilipus yatahyensis](#) Hustache, 1924 ^c
- [Heilipus zetterstedtii](#) Boheman, 1843 ^c
- [Heilipus zieglerei](#) Boheman, 1843 ^c
- [Heilipus zonatus](#) Boheman, 1843 ^c
- [Heilipus zoubkoffii](#) Boheman, 1843 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 163 species belong to [Hebrus](#), a genus of velvet water bugs in the family [Hebridae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Hebrus species

- [Hebrus acutiscutatus](#) Brown, 1951 ^{i g}
- [Hebrus adrienneaebrasili](#) Poisson, 1944 ^{i g}
- [Hebrus africanus](#) Poisson, 1934 ^{i g}
- [Hebrus alaotranus](#) Poisson, 1949 ^{i g}
- [Hebrus alluaudi](#) Poisson, 1944 ^{i g}
- [Hebrus angolensis](#) Hoberlandt, 1951 ^{i g}
- [Hebrus anjouani](#) Poisson, 1959 ^{i g}
- [Hebrus antinous](#) Linnavuori, 1981 ^{i g}
- [Hebrus aristomides](#) Linnavuori, 1981 ^{i g}
- [Hebrus arkippe](#) Cobben and Linnavuori, 1983 ^{i g}
- [Hebrus atlas](#) Kment, Jindra and Berchi, 2016 ^{i g}
- [Hebrus atratus](#) (Distant, 1909) ^{i g}
- [Hebrus axillaris](#) Horváth, 1902 ^{i g}
- [Hebrus baigomi](#) Poisson, 1951 ^{i g}
- [Hebrus balnearis](#) Bergroth, 1918 ^{i g}
- [Hebrus beameri](#) Porter, 1952 ^{i c g}
- [Hebrus bengalensis](#) Distant, 1909 ^{i g}
- [Hebrus bergrothi](#) Horváth, 1929 ^{i g}
- [Hebrus berononoi](#) Poisson, 1952 ^{i g}
- [Hebrus bertrandi](#) Poisson, 1960 ^{i g}
- [Hebrus bilineatus](#) Champion, 1898 ^{i g}
- [Hebrus bimaculatus](#) Cobben, 1982 ^{i g}
- [Hebrus birmensis](#) Zettel, 2011 ^{i g}
- [Hebrus bituberculatus](#) Zettel, 2006 ^{i g}
- [Hebrus bombayensis](#) Paiva, 1919 ^{i g}
- [Hebrus boukali](#) Zettel, 2000 ^{i g}
- [Hebrus browni](#) Poisson, 1956 ^{i g}
- [Hebrus buenoi](#) Drake & Harris, 1943 ^{i c g b} (Bueno's velvet water bug)
- [Hebrus burmeisteri](#) Lethierry & Severin, 1896 ^{i c g b}

- [Hebrus caeruleus](#) Poisson, 1934 ^{i g}
- [Hebrus campestris](#) Linnavuori, 1971 ^{i g}
- [Hebrus camposi](#) Drake and Chapman, 1954 ^{i g}
- [Hebrus carayoni](#) Poisson, 1951 ^{i g}
- [Hebrus catus](#) Drake and Chapman, 1958 ^{i g}
- [Hebrus cebuensis](#) Zettel, 2006 ^{i g}
- [Hebrus chappuisi](#) Poisson, 1944 ^{i g}
- [Hebrus comatus](#) Drake and Harris, 1943 ^{i c g}
- [Hebrus concinnus](#) Uhler, 1894 ^{i c g}
- [Hebrus consolidus](#) Uhler, 1894 ^{i c g b}
- [Hebrus cruciatus](#) (Distant, 1910) ^{i g}
- [Hebrus dartevellei](#) Poisson, 1957 ^{i g}
- [Hebrus drakei](#) Porter, 1959 ^{i g}
- [Hebrus dubius](#) Poisson, 1944 ^{i g}
- [Hebrus eckerleini](#) (Jordan, 1954) ^{i g}
- [Hebrus ecuadoris](#) Drake and Harris, 1943 ^{i g}
- [Hebrus elegans](#) Lundblad, 1933 ^{i g}
- [Hebrus elimatus](#) Drake and Cobben, 1960 ^{i g}
- [Hebrus engaeus](#) Drake and Chapman, 1958 ^{i g}
- [Hebrus fischeri](#) Zettel, 2004 ^{i g}
- [Hebrus franzi](#) (Wagner, 1957) ^{i g}
- [Hebrus fulvinervis](#) Horváth, 1929 ^{i g}
- [Hebrus gembuanus](#) Linnavuori, 1981 ^{i g}
- [Hebrus gerardi](#) Poisson, 1950 ^{i g}
- [Hebrus gidshaensis](#) Cobben, 1982 ^{i g}
- [Hebrus gloriosus](#) Drake and Harris, 1943 ^{i g}
- [Hebrus haddeni](#) Porter, 1954 ^{i g}
- [Hebrus hamdoui](#) Poisson, 1951 ^{i g}
- [Hebrus harrisi](#) Porter, 1959 ^{i g}
- [Hebrus hasegawai](#) Miyamoto, 1964 ^{i g}
- [Hebrus hirsutulus](#) Zettel, 2004 ^{i g}
- [Hebrus hirsutus](#) Champion, 1898 ^{i g}
- [Hebrus hissarensis](#) Kanyukova, 1997 ^{i g}
- [Hebrus hoberlandti](#) Porter, 1959 ^{i g}
- [Hebrus houti](#) Poisson, 1956 ^{i g}
- [Hebrus hubbardi](#) Porter, 1952 ^{i c g}

- [Hebrus humeralis](#) Horváth, 1929 ^{i g}
- [Hebrus hungerfordi](#) Drake and Harris, 1943 ^{i g}
- [Hebrus ifellus](#) Linnavuori, 1973 ^{i g}
- [Hebrus iheriri](#) Poisson, 1953 ^{i g}
- [Hebrus ilaira](#) Cobben and Linnavuori, 1983 ^{i g}
- [Hebrus ilocanus](#) Zettel, 2014 ^{i g}
- [Hebrus isaloi](#) Poisson, 1951 ^{i g}
- [Hebrus jeanneli](#) Poisson, 1944 ^{i g}
- [Hebrus judithae](#) Zettel, 2006 ^{i g}
- [Hebrus kanseniae](#) Poisson, 1950 ^{i g}
- [Hebrus kasompui](#) Poisson, 1964 ^{i g}
- [Hebrus katompei](#) Poisson, 1950 ^{i g}
- [Hebrus kheiron](#) Linnavuori, 1981 ^{i g}
- [Hebrus kiritshenkoi](#) Kanyukova, 1997 ^{i g}
- [Hebrus kundelungui](#) Poisson, 1957 ^{i g}
- [Hebrus lacunatus](#) Drake and Chapman, 1958 ^{i g}
- [Hebrus lacustris](#) Zettel, 2006 ^{i g}
- [Hebrus laeviventris](#) Champion, 1898 ^{i g}
- [Hebrus latensis](#) (Hale, 1926) ^{i g}
- [Hebrus leleupi](#) Cobben, 1982 ^{i g}
- [Hebrus liliimacula](#) Horváth, 1929 ^{i g}
- [Hebrus limnaeus](#) Drake and Chapman, 1958 ^{i g}
- [Hebrus linnavuorii](#) J. Polhemus, 1989 ^{i g}
- [Hebrus lokobei](#) Poisson, 1951 ^{i g}
- [Hebrus longicornis](#) Linnavuori, 1981 ^{i g}
- [Hebrus longipilosus](#) Zettel, 2002 ^{i g}
- [Hebrus longisetosus](#) Zettel, 2004 ^{i g}
- [Hebrus longivillus](#) J. Polhemus and McKinnon, 1983 ^{i c g}
- [Hebrus lucidus](#) Poisson, 1952 ^{i g}
- [Hebrus machadoi](#) Hoberlandt, 1951 ^{i g}
- [Hebrus major](#) Champion, 1898 ^{i c g}
- [Hebrus manamboloi](#) Poisson, 1952 ^{i g}
- [Hebrus mancinii](#) Poisson, 1955 ^{i g}
- [Hebrus mangrovensis](#) J. Polhemus and D. Polhemus, 1989 ^{i g}
- [Hebrus megacephalus](#) Miyamoto, 1965 ^{i g}
- [Hebrus mizae](#) Hoberlandt, 1951 ^{i g}

- [Hebrus modestus](#) Poisson, 1952 ^{i g}
- [Hebrus montanus](#) Kolenati, 1857 ^{i g}
- [Hebrus monteithii](#) Lansbury, 1990 ^{i g}
- [Hebrus murphyi](#) Zettel, 2004 ^{i g}
- [Hebrus nasus](#) Zettel, 2000 ^{i g}
- [Hebrus nereis](#) J. Polhemus and D. Polhemus, 1989 ^{i g}
- [Hebrus nieseri](#) Zettel, 2004 ^{i g}
- [Hebrus nipponicus](#) Horváth, 1929 ^{i g}
- [Hebrus nkoupi](#) Poisson, 1951 ^{i g}
- [Hebrus nourlangiei](#) Lansbury, 1990 ^{i g}
- [Hebrus nubilis](#) Drake and Harris, 1943 ^{i g}
- [Hebrus obscurus](#) J. Polhemus and Chapman, 1966 ^{i c g}
- [Hebrus orientalis](#) Distant, 1904 ^{i g}
- [Hebrus oxianus](#) Kanyukova, 1997 ^{i g}
- [Hebrus palawanensis](#) Zettel, 2004 ^{i g}
- [Hebrus pamanzii](#) Poisson, 1959 ^{i g}
- [Hebrus pangantihoni](#) Zettel, 2006 ^{i g}
- [Hebrus papuanus](#) Horváth, 1929 ^{i g}
- [Hebrus parameralis](#) Zettel, 2004 ^{i g}
- [Hebrus parvulus](#) Stål, 1858 ^{i g}
- [Hebrus paulus](#) Drake and Harris, 1943 ^{i g}
- [Hebrus peculiaris](#) Horváth, 1929 ^{i g}
- [Hebrus perplexus](#) Poisson, 1944 ^{i g}
- [Hebrus philippinus](#) Zettel, 2006 ^{i g}
- [Hebrus pictipennis](#) Zettel, 2004 ^{i g}
- [Hebrus pilipes](#) Kanyukova, 1997 ^{i g}
- [Hebrus pilosellus](#) Kanyukova, 1997 ^{i g}
- [Hebrus pilosidorsus](#) J. Polhemus and Chapman, 1970 ^{i g}
- [Hebrus pilosus](#) Andersen and Weir, 2004 ^{i g}
- [Hebrus plaumanni](#) Porter, 1952 ^{i g}
- [Hebrus polysetosus](#) Zettel, 2004 ^{i g}
- [Hebrus priscus](#) Drake and Harris, 1943 ^{i g}
- [Hebrus pseudocruciatu](#) Zettel, 2004 ^{i g}
- [Hebrus pseudopusillus](#) Cobben, 1982 ^{i g}
- [Hebrus pudoris](#) Drake and Harris, 1943 ^{i g}
- [Hebrus pusillus](#) (Fallén, 1807) ^{i c g}

- [*Hebrus rhodesiana*](#) Poisson, 1964 ^{i g}
- [*Hebrus rogbanei*](#) Poisson, 1960 ^{i g}
- [*Hebrus rufescens*](#) Bergroth, 1918 ^{i g}
- [*Hebrus ruficeps*](#) Thomson, 1871 ^{i g}
- [*Hebrus saxatilis*](#) Linnavuori, 1971 ^{i g}
- [*Hebrus schillhammeri*](#) Zettel, 2011 ^{i g}
- [*Hebrus scutelloacutus*](#) Poisson, 1952 ^{i g}
- [*Hebrus seychellensis*](#) D. Polhemus, 1992 ^{i g}
- [*Hebrus seyferti*](#) Zettel, 2006 ^{i g}
- [*Hebrus sobrinus*](#) Uhler, 1877 ^{i c g}
- [*Hebrus spiculus*](#) J. Polhemus and McKinnon, 1983 ^{i g}
- [*Hebrus spinitibialis*](#) Cobben, 1982 ^{i g}
- [*Hebrus sulcatus*](#) Champion, 1898 ^{i g}
- [*Hebrus syriacus*](#) Horváth, 1896 ^{i g}
- [*Hebrus thymoma*](#) Cobben and Linnavuori, 1983 ^{i g}
- [*Hebrus timasiformis*](#) Zettel, 2004 ^{i g}
- [*Hebrus tsimbazazae*](#) Poisson, 1951 ^{i g}
- [*Hebrus tuberculifer*](#) Zettel, 2006 ^{i g}
- [*Hebrus tuckahoanus*](#) Drake and Chapman, 1954 ^{i c g}
- [*Hebrus ullrichi*](#) Zettel, 2004 ^{i g}
- [*Hebrus ulului*](#) Poisson, 1960 ^{i g}
- [*Hebrus usingeri*](#) Drake and Harris, 1943 ^{i g}
- [*Hebrus vaillanti*](#) Poisson, 1953 ^{i g}
- [*Hebrus vietnamensis*](#) Zettel and Tran, 2016 ^{i g}
- [*Hebrus violaceus*](#) Poisson, 1944 ^{i g}
- [*Hebrus wygodzinskyi*](#) Hoberlandt, 1951 ^{i g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

These 205 species belong to the genus [*Hapithus*](#), true crickets.[1]

Hapithus species

- [*Hapithus abejas*](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}

- [Hapithus achicos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus acutus](#) (Saussure, 1878) ^{c g}
- [Hapithus adaptos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus adorabilis](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus aeschyntelos](#) (Otte, D., 2006) ^{c g}
- [Hapithus agastos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus agitator](#) Uhler, 1864 ^{i c g b} (restless bush cricket)
- [Hapithus aigenetes](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus akation](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus alayoi](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus anactorios](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus annulicornis](#) (Saussure, 1874) ^{c g}
- [Hapithus anoptos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus antillarum](#) (Saussure, 1874) ^{c g}
- [Hapithus antiphonos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus aphenges](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus aphetos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus apito](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus atropex](#) Gorochoy, 2017 ^{c g}
- [Hapithus auditor](#) Otte, D., 2006 ^{c g}
- [Hapithus aztecus](#) (Saussure, 1874) ^{c g}
- [Hapithus bacaju](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus basilios](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus bellatulus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus bellus](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus brevipennis](#) (Saussure, 1897) ^{i c g b} (short-winged bush cricket)
- [Hapithus cabralense](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus canaster](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus cantrix](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus catacrotos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus cayennensis](#) (Saussure, 1897) ^{c g}
- [Hapithus celadinos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus celerans](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus cerbatana](#) Otte, D. & Perez-Gelabert, 2009 ^{c g} [2]
- [Hapithus chronios](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus conspersa](#) (Saussure, 1874) ^{c g}

- [Hapithus corrugatus](#) (Saussure, 1897) ^{c g}
- [Hapithus costalis](#) (Saussure, 1878) ^{c g}
- [Hapithus creshbii](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus crucis](#) (Fabricius, 1787) ^{c g}
- [Hapithus ctypodes](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus cucurucho](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus cuphos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus curiosus](#) (Otte, D., 2006) ^{c g}
- [Hapithus cydalimos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus demissus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus dignus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus diplastes](#) (Walker, T.J., 1969) ^{c g}
- [Hapithus domingensis](#) (Saussure, 1878) ^{c g}
- [Hapithus dubius](#) (Caudell, 1922) ^{c g}
- [Hapithus dystheratos](#) (Otte, D., 2015) ^{c g}
- [Hapithus echodes](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eclipses](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eclecticos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus efferata](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus egregius](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus elisae](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus elyunquensis](#) (Otte, D., 2015) ^{c g}
- [Hapithus emeljanovi](#) (Gorochov, 1993) ^{c g}
- [Hapithus empsychos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus energos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus epagogos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus epakros](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eperastos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus epholcos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus epidendrios](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus epimeles](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eribombos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus errabundus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus erronea](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eucelados](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eumeles](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}

- [Hapithus euprepes](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus evanidus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus eveches](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus exaitos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus facetus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus fascifer](#) Gorochoy, 2017 ^{c g}
- [Hapithus fraudans](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus fulvescens](#) (Saussure, 1878) ^{c g}
- [Hapithus fusiformis](#) (Walker, F., 1869) ^{c g}
- [Hapithus gaudialis](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus gaumeri](#) (Saussure, 1897) ^{c g}
- [Hapithus gavisia](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus gegonos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus gratus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus gryllodes](#) (Pallas, 1772) ^{c g}
- [Hapithus guanense](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus gymnopta](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus habros](#) (Otte & Perez-Gelabert, 2009)
- [Hapithus habros](#) (Otte, 2006)
- [Hapithus haiti](#) Gorochoy, 2017 ^{c g}
- [Hapithus helvola](#) (Saussure, 1874) ^{c g}
- [Hapithus honduras](#) Gorochoy, 2017 ^{c g}
- [Hapithus idanos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus illectans](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus illex](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus importatus](#) (Kevan, D.K.M., 1955) ^{c g}
- [Hapithus insulensis](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus irroratus](#) (Bolívar, I., 1888) ^{c g}
- [Hapithus jalisco](#) Gorochoy, 2017 ^{c g}
- [Hapithus kerzhneri](#) Gorochoy, 1993 ^{c g}
- [Hapithus killos](#) (Otte, D., 2015) ^{c g}
- [Hapithus kirrhos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus klugei](#) Gorochoy, 2017 ^{c g}
- [Hapithus kropion](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus krugi](#) (Saussure, 1878) ^{c g}
- [Hapithus krybelos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus lacandona](#) Gorochoy, 2017 ^{c g}

- [Hapithus latifrons](#) (Rehn, J.A.G., 1909) ^{c g}
- [Hapithus libratus](#) Otte, D., 2006 ^{c g}
- [Hapithus longivivax](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus lucreciae](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus luteolira](#) (Walker, T.J., 1969) ^{c g}
- [Hapithus mabuya](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus maculata](#) (Desutter-Grandcolas & Bland, 2003) ^{c g}
- [Hapithus maroniensis](#) (Chopard, 1912) ^{c g}
- [Hapithus maya](#) (Saussure, 1897) ^{c g}
- [Hapithus melodius](#) T. J. Walker, 1977 ^{i c g b} (musical bush cricket)
- [Hapithus melodos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus mexicanus](#) (Saussure, 1897) ^{c g}
- [Hapithus montanus](#) (Saussure, 1897) ^{c g}
- [Hapithus mundula](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus musica](#) (Saussure, 1897) ^{c g}
- [Hapithus mythicos](#) Otte, D. & Perez-Gelabert, 2009 ^{c g}
- [Hapithus nablista](#) (Saussure, 1897) ^{c g}
- [Hapithus nanion](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus naskreckii](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus nigrifrons](#) (Walker, T.J., 1969) ^{c g}
- [Hapithus nocticola](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus noctimonos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus nocturus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus nodulosus](#) Strohecker, 1953 ^{c g}
- [Hapithus obscurella](#) (Walker, F., 1869) ^{c g}
- [Hapithus ocellaris](#) (Saussure, 1897) ^{c g}
- [Hapithus onesimos](#) Otte, D., 2006 ^{c g}
- [Hapithus orimonos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus oriobates](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus palans](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus palenque](#) Gorochov, 2017 ^{c g}
- [Hapithus pannychios](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus paraxynticos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus pelliciens](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus perennans](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus periphantos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}

- [Hapithus phasma](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus piedrasense](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus pilosa](#) (Bolívar, I., 1888) ^{c g}
- [Hapithus pisina](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus planodes](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus planus](#) (Walker, F., 1869) ^{c g}
- [Hapithus polymechanus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus polyplanes](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus polypsophos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus properatos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus prosplatos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus protos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus proximus](#) (Gorochov, 2017) ^{c g}
- [Hapithus pudens](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus regificus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus regillus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus rodriguezi](#) (Saussure, 1874) ^{c g}
- [Hapithus rolphi](#) (Saussure, 1878) ^{c g}
- [Hapithus saba](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus sabaensis](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus sajoma](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus saltator](#) (Uhler, 1864) ^{c g}
- [Hapithus samanense](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus saukros](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus saulcyi](#) (Guérin-Ménéville, 1844) ^{c g}
- [Hapithus saussurei](#) (Desutter-Grandcolas, 2003) ^{c g}
- [Hapithus selva](#) (Gorochov, 2017) ^{c g}
- [Hapithus semnos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus sibilans](#) (Saussure, 1878) ^{c g}
- [Hapithus similis](#) (Walker, F., 1869) ^{c g}
- [Hapithus solivagus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus spectrum](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus symphonos](#) (Otte, D., 2006) ^{c g}
- [Hapithus taciturnus](#) (Otte, D., 2006) ^{c g}
- [Hapithus tenuicornis](#) (Walker, F., 1869) ^{c g}
- [Hapithus thaumasios](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}

- [Hapithus thorybodes](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus tibialis](#) (Saussure, 1897) ^{c g}
- [Hapithus tintinnans](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus trepida](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus tricornis](#) (Walker, T.J., 1969) ^{c g}
- [Hapithus turbulenta](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus tychaeos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus tyrannicos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus tyrannos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus unicolor](#) (Olivier, G.A., 1791) ^{c g}
- [Hapithus vaga](#) (Otte, D. & Perez-Gelabert, 2009) ^c
- [Hapithus vagus](#) Morse, 1916 ^{i c g}
- [Hapithus valida](#) (Walker, F., 1869) ^{c g}
- [Hapithus vexativa](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus vigil](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus vigilax](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus vivus](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus vocatus](#) (Otte, D., 2015) ^{c g}
- [Hapithus volatus](#) (Otte, D., 2015) ^{c g}
- [Hapithus vulgaris](#) Gorochov, 2017 ^{c g}
- [Hapithus xadani](#) Gorochov, 2017 ^{c g}
- [Hapithus xouthos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}
- [Hapithus zatheos](#) (Otte, D. & Perez-Gelabert, 2009) ^{c g}

Data sources: i = ITIS,[3] c = Catalogue of Life,[4] g = GBIF,[5] b = Bugguide.net[6]

This is a list of 47 species in [Halobates](#), a genus of water striders in the family [Gerridae](#).^{[1][2][3][4]}

Halobates species

- [Halobates acherontis](#) J.Polhemus, 1982 ^g
- [Halobates alluaudi](#) Bergroth, 1893 ^g
- [Halobates browni](#) Herring, 1961 ^g
- [Halobates bryani](#) Herring, 1961 ^g

- [Halobates calyptus](#) Herring, 1961 ^g
- [Halobates darwini](#) Herring, 1961 ^g
- [Halobates diana](#) Zettel, 2001 ^g
- [Halobates elephanta](#) Andersen & Foster, 1992 ^g
- [Halobates esakii](#) Miyamoto, 1967 ^g
- [Halobates fijiensis](#) Herring, 1958 ^g
- [Halobates flaviventris](#) Eschscholtz, 1822 ^g
- [Halobates formidabilis](#) (Distant, 1910) ^g
- [Halobates galatea](#) Herring, 1961 ^g
- [Halobates germanus](#) Buchanan White, 1883 ^g
- [Halobates hawaiiensis](#) Usinger, 1938 ^{i c g}
- [Halobates hayanus](#) Buchanan White, 1883 ^g
- [Halobates herringi](#) J.Polhemus & Cheng, 1982 ^g
- [Halobates japonicus](#) Esaki, 1924 ^g
- [Halobates katherinae](#) Herring, 1958 ^g
- [Halobates kelleni](#) Herring, 1961 ^g
- [Halobates lannae](#) Andersen & Weir, 1994 ^g
- [Halobates liaoi](#) Zettel, 2005 ^g
- [Halobates maculatus](#) Schadow, 1922 ^g
- [Halobates mariannarum](#) Esaki, 1924 ^g
- [Halobates matsumurai](#) Esaki, 1924 ^g
- [Halobates melleus](#) Linnavuori, 1971 ^g
- [Halobates micans](#) Eschscholtz, 1822 ^{i c g b}
- [Halobates mjobergi](#) Hale, 1925 ^g
- [Halobates murphyi](#) J.Polhemus & D.Polhemus, 1991 ^g
- [Halobates nereis](#) Herring, 1961 ^g
- [Halobates panope](#) Herring, 1961 ^g
- [Halobates peronis](#) Herring, 1961 ^g
- [Halobates poseidon](#) Herring, 1961 ^g
- [Halobates princeps](#) Buchanan White, 1883 ^g
- [Halobates proavus](#) Buchanan White, 1883 ^g
- [Halobates regalis](#) Carpenter, 1892 ^g
- [Halobates robinsoni](#) Andersen & Weir, 2003 ^g
- [Halobates robustus](#) Barber, 1925 ^g
- [Halobates salotae](#) Herring, 1961 ^g
- [Halobates sericeus](#) Eschscholtz, 1822 ^{i c g b} (Pacific pelagic water strider)

- [*Halobates sexualis*](#) Distant, 1903 ^g
- [*Halobates sobrinus*](#) Buchanan White, 1883 ^g
- [*Halobates splendens*](#) Witlaczil, 1886 ^g
- [*Halobates tethys*](#) Herring, 1961 ^g
- [*Halobates trynae*](#) Herring, 1964 ^g
- [*Halobates whiteleggei*](#) Skuse, 1891 ^g
- [*Halobates zephyrus*](#) Herring, 1961 ^g

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 121 species in [*Gyrophana*](#), a genus of rove beetles in the family [*Staphylinidae*](#). [1][2][3][4]

Gyrophana species

- [*Gyrophana affinis*](#) C. Sahlberg, 1834 ^{i c g}
- [*Gyrophana alligatrix*](#) Pace, 2007 ^g
- [*Gyrophana anguiculus*](#) Pace, 2007 ^g
- [*Gyrophana angustata*](#) (Stephens, 1832) ^g
- [*Gyrophana anmamontis*](#) Pace, 2007 ^g
- [*Gyrophana antennalis*](#) Casey, 1906 ^{i c g}
- [*Gyrophana arcus*](#) Pace, 2007 ^g
- [*Gyrophana arizonae*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana atropatena*](#) Enushchenko ^g
- [*Gyrophana barberi*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana bihamata*](#) Thomson, 1867 ^g
- [*Gyrophana bilobata*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana blackwelderi*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana blatchleyi*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana boleti*](#) (Linnaeus, 1758) ^g
- [*Gyrophana brevicollis*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana bucranium*](#) Pace, 2007 ^g
- [*Gyrophana californica*](#) (Casey, 1906) ^{i c g}
- [*Gyrophana caputserpentis*](#) Pace, 2007 ^g
- [*Gyrophana caseyi*](#) Seevers, 1951 ^{i c g}

- [*Gyrophæna caucasica*](#) A.Strand, 1939 ^g
- [*Gyrophæna chippewa*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna compacta*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna congrua*](#) Erichson, 1837 ^g
- [*Gyrophæna coniciventris*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna criddlei*](#) Casey, 1911 ^{i c g}
- [*Gyrophæna deprehendens*](#) Pace, 2007 ^g
- [*Gyrophæna draconis*](#) Pace, 2007 ^g
- [*Gyrophæna dybasi*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna egena*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna fasciata*](#) (Marsham, 1802) ^g
- [*Gyrophæna flammula*](#) Pace, 2007 ^g
- [*Gyrophæna flavicornis*](#) Melsheimer, 1844 ^{i c g b}
- [*Gyrophæna foraminis*](#) Pace, 2007 ^g
- [*Gyrophæna franciscana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna frosti*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna fuscicollis*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna gaudens*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna geniculata*](#) Méklin, 1853 ^g
- [*Gyrophæna gentilis*](#) Erichson, 1839 ^g
- [*Gyrophæna gerhardi*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna gilvicollis*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna gomyi*](#) Pace, 1984 ^g
- [*Gyrophæna gracilis*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna guadelupensis*](#) Pace, 1987 ^g
- [*Gyrophæna hansenii*](#) Strand, 1946 ^g
- [*Gyrophæna huachucae*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna illiana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna indiana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna insolens*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna involuta*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna joyi*](#) Wendeler, 1924 ^g
- [*Gyrophæna joyioides*](#) Wüsthoff, 1937 ^g
- [*Gyrophæna kangasi*](#) Rutanen, 1994 ^g
- [*Gyrophæna kansana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna kaunshanchiensis*](#) Pace, 2007 ^g

- [*Gyrophana keeni*](#) Casey, 1911 ^{i c g}
- [*Gyrophana korbi*](#) A.Strand, 1939 ^g
- [*Gyrophana kuanensis*](#) Pace, 2007 ^g
- [*Gyrophana laetula*](#) Casey, 1906 ^{i c g}
- [*Gyrophana laurana*](#) Casey, 1906 ^{i c g}
- [*Gyrophana lobata*](#) Casey, 1906 ^{i c g}
- [*Gyrophana longispinosa*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana lucidula*](#) Erichson, 1837 ^g
- [*Gyrophana manca*](#) Erichson, 1839 ^g
- [*Gyrophana meduxnekeagensis*](#) Klimaszewski & Webster, 2009 ^g
- [*Gyrophana michigana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana microanmashanicola*](#) Pace, 2007 ^g
- [*Gyrophana minima*](#) Erichson, 1837 ^g
- [*Gyrophana minimostruosa*](#) Pace, 2007 ^g
- [*Gyrophana mirantennalis*](#) Pace, 2007 ^g
- [*Gyrophana modesta*](#) Casey, 1906 ^{i c g}
- [*Gyrophana monstrosa*](#) Pace, 2007 ^g
- [*Gyrophana monticola*](#) Casey, 1906 ^{i c g}
- [*Gyrophana munsteri*](#) Strand, 1935 ^g
- [*Gyrophana nana*](#) (Paykull, 1800) ^{i c g}
- [*Gyrophana nanoides*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana neomexicana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana neonana*](#) Seevers, 1951 ^{i c g}
- [*Gyrophana nitidula*](#) (Gyllenhal, 1810) ^g
- [*Gyrophana obesula*](#) Casey, 1906 ^{i c g}
- [*Gyrophana obsoleta*](#) Ganglbauer, 1895 ^g
- [*Gyrophana orientalis*](#) Strand, 1938 ^g
- [*Gyrophana pectinis*](#) Pace, 2007 ^g
- [*Gyrophana peniculi*](#) Pace, 2007 ^g
- [*Gyrophana pileusmeni*](#) Pace, 2007 ^g
- [*Gyrophana piscatrix*](#) Pace, 2007 ^g
- [*Gyrophana polita*](#) (Gravenhorst, 1802) ^g
- [*Gyrophana poweri*](#) Crotch, 1866 ^g
- [*Gyrophana pseudocriddlei*](#) Klimaszewski & Webster, 2009 ^g
- [*Gyrophana pseudonana*](#) Strand, 1939 ^g
- [*Gyrophana pulchella*](#) Heer, 1839 ^g

- [*Gyrophæna pulli*](#) Pace, 2007 ^g
- [*Gyrophæna rhodeana*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna rousi*](#) Dvořák, 1966 ^g
- [*Gyrophæna rufa*](#) Melsheimer, 1844 ^{i c g}
- [*Gyrophæna rugipennis*](#) Mulsant & Rey, 1861 ^g
- [*Gyrophæna sculptipennis*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna sierræ*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna simpliciformis*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna simulans*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna spatulata*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna stella*](#) Pace, 2007 ^g
- [*Gyrophæna strictula*](#) Erichson, 1839 ^g
- [*Gyrophæna stroheckeri*](#) Seevers, 1951 ^{i c g}
- [*Gyrophæna subnitens*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna taeniae*](#) Pace, 2007 ^g
- [*Gyrophæna taiwacicatricosa*](#) Pace, 2007 ^g
- [*Gyrophæna taiwaculeifera*](#) Pace, 2007 ^g
- [*Gyrophæna taiwainopinata*](#) Pace, 2007 ^g
- [*Gyrophæna taiwanana*](#) Pace, 2007 ^g
- [*Gyrophæna taiwanensis*](#) Pace, 2007 ^g
- [*Gyrophæna taiwanova*](#) Pace, 2007 ^g
- [*Gyrophæna taiwaspinosa*](#) Pace, 2007 ^g
- [*Gyrophæna tenebrosa*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna tonensis*](#) Pace, 2007 ^g
- [*Gyrophæna transversalis*](#) Strand, 1939 ^g
- [*Gyrophæna uteana*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna vitrina*](#) Casey, 1906 ^{i c g}
- [*Gyrophæna williamsi*](#) Strand, 1935 ^g
- [*Gyrophæna wisconsinica*](#) Seevers, 1951 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 262 species in [*Gonatocerus*](#), a genus of fairyflies in the family [*Mymaridae*](#).^{[1][2][3]}

***Gonatocerus* species**

- [*Gonatocerus abbreviatus*](#) Ogloblin, 1953 ^g

- [*Gonatocerus acanophorae*](#) Ogloblin, 1938 ^g
- [*Gonatocerus acuminatus*](#) (Walker, 1846) ^{c g}
- [*Gonatocerus aegyptiacus*](#) Soyka, 1950 ^{c g}
- [*Gonatocerus aequatorianus*](#) Ogloblin, 1959 ^g
- [*Gonatocerus aethalionis*](#) Ogloblin, 1938 ^g
- [*Gonatocerus africanus*](#) Risbec, 1956 ^{c g}
- [*Gonatocerus americanus*](#) Brues, 1907 ^{c g}
- [*Gonatocerus angustiventris*](#) Girault, 1915 ^{c g}
- [*Gonatocerus annulicornis*](#) (Ogloblin, 1936) ^{c g}
- [*Gonatocerus anomocerus*](#) Crawford, 1913 ^{c g}
- [*Gonatocerus anthonomi*](#) Girault, 1905 ^{c g}
- [*Gonatocerus antillensis*](#) Dozier, 1937 ^{c g}
- [*Gonatocerus appendiculatus*](#) Ogloblin, 1939 ^g
- [*Gonatocerus arkadak*](#) ^g
- [*Gonatocerus ashmeadi*](#) Girault, 1915 ^{c g}
- [*Gonatocerus asulcifrons*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus ater*](#) Forster, 1841 ^g
- [*Gonatocerus atriclavus*](#) Girault, 1917 ^{c g}
- [*Gonatocerus aureus*](#) Girault, 1911 ^{c g}
- [*Gonatocerus australica*](#) Girault, 1913 ^{c g}
- [*Gonatocerus ayrensis*](#) Girault, 1913 ^{c g}
- [*Gonatocerus baconi*](#) Girault, 1912 ^{c g}
- [*Gonatocerus bakrotus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus barbos*](#) ^g
- [*Gonatocerus bashaj*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus berezovski*](#) Triapitsyn ^g
- [*Gonatocerus berijamus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus beshbarmak*](#) Triapitsyn ^g
- [*Gonatocerus bialbifuniculatus*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus bicolor*](#) Girault, 1913 ^{c g}
- [*Gonatocerus bicoloriventris*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus bifasciatiiventris*](#) Girault, 1917 ^{c g}
- [*Gonatocerus blefusu*](#) ^g
- [*Gonatocerus blesticus*](#) Ogloblin, 1957 ^g
- [*Gonatocerus bonaerensis*](#) Ogloblin, 1939 ^g
- [*Gonatocerus bonariensis*](#) Brethes, 1922 ^g

- [*Gonatocerus boswelli*](#) Girault, 1915 ^{c g}
- [*Gonatocerus bouceki*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus brachyurus*](#) Ogloblin, 1938 ^g
- [*Gonatocerus brevifuniculatus*](#) Subba Rao, 1970 ^{c g}
- [*Gonatocerus breviterebratus*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus brunneus*](#) Girault, 1911 ^{c g}
- [*Gonatocerus bruno*](#) Girault, 1912 ^{c g}
- [*Gonatocerus bucculentus*](#) Huber, 1988 ^{c g}
- [*Gonatocerus bukashka*](#) Triapitsyn ^g
- [*Gonatocerus bulgaricus*](#) Donev & Triapitsyn ^g
- [*Gonatocerus californicus*](#) Girault, 1911 ^{c g}
- [*Gonatocerus capitatus*](#) Gahan, 1932 ^{c g}
- [*Gonatocerus carahuensis*](#) Ogloblin, 1957 ^g
- [*Gonatocerus carlylei*](#) Girault, 1913 ^{c g}
- [*Gonatocerus caudatus*](#) Ogloblin, 1935 ^{c g}
- [*Gonatocerus chrysis*](#) (Debauche, 1948) ^{c g}
- [*Gonatocerus chusqueicolus*](#) Ogloblin, 1957 ^g
- [*Gonatocerus cincticipitis*](#) Sahad, 1982 ^{c g}
- [*Gonatocerus cingulatus*](#) Perkins, 1905 ^{c g}
- [*Gonatocerus circumvagus*](#) Girault, 1915 ^{c g}
- [*Gonatocerus comptei*](#) Girault, 1912 ^{c g}
- [*Gonatocerus concinnus*](#) Ogloblin, 1936 ^g
- [*Gonatocerus conicus*](#) (Mathot, 1969) ^g
- [*Gonatocerus coxalis*](#) Ogloblin, 1959 ^g
- [*Gonatocerus crassicornis*](#) Viggiani, 1969 ^g
- [*Gonatocerus cubensis*](#) Dozier, 1932 ^{c g}
- [*Gonatocerus cuscus*](#) ^g
- [*Gonatocerus dakhlae*](#) Soyka, 1950 ^{c g}
- [*Gonatocerus darwini*](#) Girault, 1912 ^{c g}
- [*Gonatocerus davinci*](#) Girault, 1912 ^{c g}
- [*Gonatocerus deficiens*](#) Ogloblin, 1946 ^g
- [*Gonatocerus deleoni*](#) Triapitsyn, Logarzo & Virla, 2008 ^g
- [*Gonatocerus delhiensis*](#) (Narayanan & Subba Rao, 1961) ^{c g}
- [*Gonatocerus devikulamus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus devitatakus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus dies*](#) Girault, 1913 ^{c g}

- [Gonatocerus dodo](#) Girault, 1920 ^{c g}
- [Gonatocerus dolichocerus](#) Ashmead, 1887 ^{c g}
- [Gonatocerus edentulus](#) Zeya, 1995 ^{c g}
- [Gonatocerus elizabethae](#) Girault, 1925 ^{c g}
- [Gonatocerus ella](#) Girault, 1931 ^{c g}
- [Gonatocerus enicmophilus](#) Huber, 1988 ^{c g}
- [Gonatocerus excisus](#) Ogloblin, 1936 ^g
- [Gonatocerus exiguus](#) Forster, 1861 ^g
- [Gonatocerus fasciiventris](#) Girault, 1913 ^{c g}
- [Gonatocerus fasciatus](#) Girault, 1911 ^{c g}
- [Gonatocerus flagellaris](#) Ogloblin, 1959 ^g
- [Gonatocerus flagellatus](#) Huber, 1988 ^{c g}
- [Gonatocerus flaviventris](#) Dozier, 1932 ^{c g}
- [Gonatocerus flavocinctus](#) (Walker, 1846) ^{c g}
- [Gonatocerus flavus](#) Soyka, 1950 ^{c g}
- [Gonatocerus floridensis](#) Huber, 1988 ^{c g}
- [Gonatocerus flosculus](#) Girault, 1915 ^{c g}
- [Gonatocerus fulgor](#) Girault, 1913 ^{c g}
- [Gonatocerus fulvipodus](#) Subba Rao, 1989 ^{c g}
- [Gonatocerus fuscicornis](#) (Walker, 1846) ^{c g}
- [Gonatocerus garchamp](#) ^g
- [Gonatocerus gerasim](#) ^g
- [Gonatocerus goethei](#) Girault, 1912 ^{c g}
- [Gonatocerus gracilicornis](#) Ogloblin, 1936 ^g
- [Gonatocerus grandis](#) Ogloblin, 1936 ^g
- [Gonatocerus granulatus](#) Ogloblin, 1959 ^g
- [Gonatocerus gregi](#) Girault, 1915 ^{c g}
- [Gonatocerus hackeri](#) Girault, 1938 ^{c g}
- [Gonatocerus haeckeli](#) Girault, 1912 ^{c g}
- [Gonatocerus hallami](#) Girault, 1920 ^{c g}
- [Gonatocerus heinei](#) Girault, 1938 ^{c g}
- [Gonatocerus helavai](#) Yoshimoto, 1990 ^{c g}
- [Gonatocerus helmholtzii](#) Girault, 1912 ^{c g}
- [Gonatocerus hispaniolus](#) ^g
- [Gonatocerus h-luteum](#) (Ogloblin, 1938) ^{c g}
- [Gonatocerus huberi](#) Zeya, 1995 ^{c g}

- [*Gonatocerus huxleyi*](#) Girault, 1912 ^{c g}
- [*Gonatocerus huyghensi*](#) Girault, 1912 ^{c g}
- [*Gonatocerus illinoiensis*](#) Girault, 1917 ^{c g}
- [*Gonatocerus impar*](#) Huber, 1988 ^{c g}
- [*Gonatocerus inaequalis*](#) Debauche, 1949 ^{c g}
- [*Gonatocerus inauditus*](#) Ogloblin, 1936 ^g
- [*Gonatocerus incomptus*](#) Huber, 1988 ^{c g}
- [*Gonatocerus indigenus*](#) Girault, 1938 ^{c g}
- [*Gonatocerus inexpectatus*](#) Huber, 1988 ^{c g}
- [*Gonatocerus inflatiscapus*](#) Huber, 1988 ^{c g}
- [*Gonatocerus io*](#) Girault, 1915 ^{c g}
- [*Gonatocerus ipswichia*](#) Girault, 1922 ^{c g}
- [*Gonatocerus janzeni*](#) Huber ^g
- [*Gonatocerus johnstonia*](#) Girault, 1917 ^{c g}
- [*Gonatocerus juvator*](#) Perkins, 1912 ^{c g}
- [*Gonatocerus kalika*](#) Triapitsyn ^g
- [*Gonatocerus karakum*](#) Triapitsyn ^g
- [*Gonatocerus karlik*](#) Triapitsyn ^g
- [*Gonatocerus katraps*](#) Triapitsyn ^g
- [*Gonatocerus kazak*](#) Triapitsyn ^g
- [*Gonatocerus kikimora*](#) Triapitsyn ^g
- [*Gonatocerus kiskis*](#) ^g
- [*Gonatocerus kochi*](#) Girault, 1936 ^{c g}
- [*Gonatocerus kodaianus*](#) (Mani & Saraswat, 1973) ^{c g}
- [*Gonatocerus koebelei*](#) Perkins, 1912 ^{c g}
- [*Gonatocerus komarik*](#) Triapitsyn ^g
- [*Gonatocerus koziavka*](#) Triapitsyn ^g
- [*Gonatocerus krasavchik*](#) Triapitsyn ^g
- [*Gonatocerus kulik*](#) Triapitsyn ^g
- [*Gonatocerus kum*](#) Triapitsyn ^g
- [*Gonatocerus kusaka*](#) Triapitsyn ^g
- [*Gonatocerus lamarcki*](#) Girault, 1912 ^{c g}
- [*Gonatocerus latipennis*](#) Girault, 1911 ^{c g}
- [*Gonatocerus lissonotus*](#) Huber, 1988 ^{c g}
- [*Gonatocerus litoralis*](#) (Haliday, 1833) ^{c g}
- [*Gonatocerus logarzoi*](#) ^g

- [*Gonatocerus lomonosoffi*](#) Girault, 1913 ^{c g}
- [*Gonatocerus longicornis*](#) Nees, 1834 ^{c g}
- [*Gonatocerus longicrus*](#) Kieffer, 1913 ^{c g}
- [*Gonatocerus longior*](#) Soyka, 1946 ^{c g}
- [*Gonatocerus longiterebratus*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus lucidus*](#) Dodd, 1919 ^{c g}
- [*Gonatocerus macauleyi*](#) Girault, 1920 ^{c g}
- [*Gonatocerus maculatus*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus maculipennis*](#) Ashmead, 1900 ^g
- [*Gonatocerus maga*](#) Girault, 1911 ^{c g}
- [*Gonatocerus malanadensis*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus mancae*](#) Fidalgo & Virla, 1995 ^g
- [*Gonatocerus margiscutum*](#) Girault, 1914 ^{c g}
- [*Gonatocerus masneri*](#) Yoshimoto, 1990 ^{c g}
- [*Gonatocerus mazzinini*](#) Girault, 1913 ^{c g}
- [*Gonatocerus mediterraneus*](#) Donev & Triapitsyn ^g
- [*Gonatocerus megalura*](#) (Mathot, 1969) ^g
- [*Gonatocerus merces*](#) Girault, 1913 ^{c g}
- [*Gonatocerus metanotalis*](#) Ogloblin, 1938 ^g
- [*Gonatocerus metchnikoffi*](#) Girault, 1912 ^{c g}
- [*Gonatocerus mexicanus*](#) Perkins, 1912 ^{c g}
- [*Gonatocerus minimus*](#) Forster, 1841 ^g
- [*Gonatocerus minor*](#) Matthews, 1986 ^{c g}
- [*Gonatocerus mirissimus*](#) Girault, 1913 ^{c g}
- [*Gonatocerus mirivorus*](#) Kurdjumov, 1912 ^g
- [*Gonatocerus mitjaevi*](#) Triapitsyn & Rakitov ^g
- [*Gonatocerus monticolus*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus morgani*](#) Triapitsyn, 2006 ^{c g}
- [*Gonatocerus morrilli*](#) (Howard, 1908) ^{c g}
- [*Gonatocerus mosesi*](#) Girault, 1938 ^{c g}
- [*Gonatocerus mumu*](#) ^g
- [*Gonatocerus munnarus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus musa*](#) Girault, 1938 ^{c g}
- [*Gonatocerus narayani*](#) (Subba Rao & Kaur, 1959) ^{c g}
- [*Gonatocerus nassau*](#) Girault, 1938 ^{c g}
- [*Gonatocerus nasutus*](#) Ogloblin, 1939 ^g

- [*Gonatocerus nigriceps*](#) Ogloblin, 1955 ^g
- [*Gonatocerus nigricornis*](#) Girault, 1917 ^{c g}
- [*Gonatocerus nigricarpus*](#) Girault, 1917 ^{c g}
- [*Gonatocerus nigriflagellum*](#) Girault, 1914 ^g
- [*Gonatocerus nigratarsis*](#) Ashmead, 1887 ^{c g}
- [*Gonatocerus nigrithorax*](#) (Ogloblin, 1953) ^{c g}
- [*Gonatocerus nonsulcatus*](#) Girault, 1915 ^{c g}
- [*Gonatocerus notabilis*](#) Girault, 1938 ^{c g}
- [*Gonatocerus novickyi*](#) Soyka, 1946 ^{c g}
- [*Gonatocerus novifasciatus*](#) Girault, 1911 ^{c g}
- [*Gonatocerus nox*](#) Girault, 1913 ^{c g}
- [*Gonatocerus nuntius*](#) Girault, 1920 ^{c g}
- [*Gonatocerus orientalis*](#) Girault, 1917 ^{c g}
- [*Gonatocerus ornatus*](#) Gahan, 1918 ^{c g}
- [*Gonatocerus ovicenatus*](#) Leonard & Crosby, 1915 ^{c g}
- [*Gonatocerus oxypygus*](#) Foerster, 1856 ^g
- [*Gonatocerus pachyscapha*](#) Girault, 1915 ^{c g}
- [*Gonatocerus pahlgamensis*](#) (Narayanan, 1961) ^{c g}
- [*Gonatocerus parcepilosus*](#) Ogloblin, 1957 ^g
- [*Gonatocerus partifuscipennis*](#) Girault, 1916 ^{c g}
- [*Gonatocerus pater*](#) Girault, 1920 ^{c g}
- [*Gonatocerus perdix*](#) Girault, 1938 ^{c g}
- [*Gonatocerus perforator*](#) Ogloblin, 1953 ^g
- [*Gonatocerus petrarchi*](#) Girault, 1920 ^{c g}
- [*Gonatocerus pictus*](#) (Haliday, 1833) ^{c g}
- [*Gonatocerus piriformis*](#) Ogloblin, 1955 ^g
- [*Gonatocerus poincarei*](#) Girault, 1913 ^{c g}
- [*Gonatocerus portoricensis*](#) Dozier, 1937 ^{c g}
- [*Gonatocerus pratensis*](#) Ogloblin, 1936 ^g
- [*Gonatocerus priesneri*](#) Soyka, 1950 ^{c g}
- [*Gonatocerus pusilus*](#) Ogloblin, 1935 ^g
- [*Gonatocerus pygmaeus*](#) Girault, 1911 ^{c g}
- [*Gonatocerus quadrivittatus*](#) Dozier, 1932 ^{c g}
- [*Gonatocerus quirogai*](#) Ogloblin, 1936 ^g
- [*Gonatocerus rakitovi*](#) ^g
- [*Gonatocerus ramakrishnai*](#) (Subba Rao & Kaur, 1959) ^{c g}

- [*Gonatocerus rivalis*](#) Girault, 1911 ^{c g b}
- [*Gonatocerus rogersi*](#) Matthews, 1986 ^{c g}
- [*Gonatocerus romae*](#) Girault, 1928 ^{c g}
- [*Gonatocerus rufescens*](#) Ashmead, 1904 ^g
- [*Gonatocerus sahadevani*](#) (Subba Rao & Kaur, 1959) ^{c g}
- [*Gonatocerus sarawakensis*](#) Sveum, 1982 ^{c g}
- [*Gonatocerus saulfrommeri*](#) Triapitsyn ^g
- [*Gonatocerus schajovskoi*](#) Ogloblin, 1957 ^g
- [*Gonatocerus seminiger*](#) Ogloblin, 1959 ^g
- [*Gonatocerus shakespearei*](#) Girault, 1915 ^{c g}
- [*Gonatocerus shamimi*](#) Subba Rao & Hayat, 1986 ^{c g}
- [*Gonatocerus silhouettae*](#) Masi, 1917 ^{c g}
- [*Gonatocerus spectabilis*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus spinozai*](#) Girault, 1912 ^{c g}
- [*Gonatocerus spiracularis*](#) Ogloblin, 1935 ^g
- [*Gonatocerus stenopterus*](#) Ogloblin, 1936 ^g
- [*Gonatocerus sulcatus*](#) Girault, 1915 ^{c g}
- [*Gonatocerus sulphuripes*](#) (Forster, 1847) ^g
- [*Gonatocerus svat*](#) Triapitsyn ^g
- [*Gonatocerus tamilanus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus tarae*](#) (Narayanan & Subba Rao, 1961) ^{c g}
- [*Gonatocerus taringae*](#) Girault, 1938 ^{c g}
- [*Gonatocerus tenuipennis*](#) Girault, 1911 ^{c g}
- [*Gonatocerus terrigena*](#) Girault, 1938 ^{c g}
- [*Gonatocerus thyrides*](#) (Debauche, 1948) ^{c g}
- [*Gonatocerus tolstoj*](#) Girault, 1913 ^{c g}
- [*Gonatocerus trialbifuniculatus*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus triangulifer*](#) Ogloblin, 1959 ^g
- [*Gonatocerus tricolor*](#) Girault, 1913 ^{c g}
- [*Gonatocerus triguttatus*](#) Girault, 1916 ^{c g}
- [*Gonatocerus tuberculifemur*](#) (Ogloblin, 1957) ^{c g}
- [*Gonatocerus uat*](#) Triapitsyn, 2006 ^{c g}
- [*Gonatocerus ucri*](#) Triapitsyn ^g
- [*Gonatocerus udakamundus*](#) Mani & Saraswat, 1973 ^{c g}
- [*Gonatocerus unicolouratus*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus urocerus*](#) Ogloblin, 1935 ^{c g}

- [*Gonatocerus utahensis*](#) Girault, 1917 ^{c g}
- [*Gonatocerus utkalensis*](#) Subba Rao, 1989 ^{c g}
- [*Gonatocerus valentinae*](#) Ogloblin, 1959 ^g
- [*Gonatocerus venustus*](#) Zeya, 1995 ^{c g}
- [*Gonatocerus vidanoi*](#) (Viggiani & Jesu, 1986) ^g
- [*Gonatocerus virilai*](#) S.Triapitsyn & Logarzo ^g
- [*Gonatocerus walkerjonesi*](#) Triapitsyn, 2006 ^{c g}
- [*Gonatocerus woohoo*](#) Triapitsyn ^g
- [*Gonatocerus yerongae*](#) Girault, 1938 ^{c g}

Data sources: c = Catalogue of Life,^[1] g = GBIF,^[2] b = Bugguide.net^[3]

These 309 species belong to the genus [*Glyptapanteles*](#), braconid wasps.^[1]

***Glyptapanteles* species**

- [*Glyptapanteles acasta*](#) (Nixon, 1973)
- [*Glyptapanteles acherontiae*](#) (Cameron, 1907)
- [*Glyptapanteles acraeae*](#) (Wilkinson, 1932)
- [*Glyptapanteles afiamaluanus*](#) (Fullaway, 1941)
- [*Glyptapanteles africanus*](#) (Cameron, 1911)
- [*Glyptapanteles aggestus*](#) (Granger, 1949)
- [*Glyptapanteles agrotivorus*](#) Whitfield, 2002
- [*Glyptapanteles agynus*](#) (de Saeger, 1944)
- [*Glyptapanteles aithos*](#) (Sharma, 1973)
- [*Glyptapanteles alejandrovalerioi*](#) Arias-Penna, 2019
- [*Glyptapanteles aletta*](#) (Nixon, 1973)
- [*Glyptapanteles alexborisenkoi*](#) Arias-Penna, 2019
- [*Glyptapanteles alexwildi*](#) Arias-Penna, 2019
- [*Glyptapanteles aliphera*](#) (Nixon, 1973)
- [*Glyptapanteles alticola*](#) (Ashmead, 1902)
- [*Glyptapanteles alvarowillei*](#) Arias-Penna, 2019
- [*Glyptapanteles amenophis*](#) (de Saeger, 1944)
- [*Glyptapanteles andrewdebeveci*](#) Arias-Penna, 2019
- [*Glyptapanteles andybennetti*](#) Arias-Penna, 2019
- [*Glyptapanteles andydeansi*](#) Arias-Penna, 2019
- [*Glyptapanteles andysuarezi*](#) Arias-Penna, 2019
- [*Glyptapanteles andywarreni*](#) Arias-Penna, 2019
- [*Glyptapanteles ankitaguptae*](#) Arias-Penna, 2019

- [*Glyptapanteles annettewalkerae*](#) Arias-Penna, 2019
- [*Glyptapanteles antarctiae*](#) (Blanchard, 1935)
- [*Glyptapanteles antinoe*](#) (Nixon, 1973)
- [*Glyptapanteles antsirabensis*](#) (Granger, 1949)
- [*Glyptapanteles anubis*](#) (de Saeger, 1944)
- [*Glyptapanteles arcuatus*](#) (Telenga, 1955)
- [*Glyptapanteles arginae*](#) (Bhatnagar, 1950)
- [*Glyptapanteles argus*](#) (de Saeger, 1944)
- [*Glyptapanteles aristolochiae*](#) (Wilkinson, 1928)
- [*Glyptapanteles artonae*](#) (Rohwer, 1926)
- [*Glyptapanteles ashmeadi*](#) (Wilkinson, 1928)
- [*Glyptapanteles atylana*](#) (Nixon, 1965)
- [*Glyptapanteles aucklandensis*](#) (Cameron, 1909)
- [*Glyptapanteles badgleyi*](#) (Wilkinson, 1928)
- [*Glyptapanteles barneyburksi*](#) Arias-Penna, 2019
- [*Glyptapanteles bataviensis*](#) (Rohwer, 1919)
- [*Glyptapanteles betogarciai*](#) Arias-Penna, 2019
- [*Glyptapanteles bidentatus*](#) (Sharma, 1972)
- [*Glyptapanteles billbrowni*](#) Arias-Penna, 2019
- [*Glyptapanteles bimus*](#) Papp, 1990
- [*Glyptapanteles bistonis*](#) (Watanabe, 1934)
- [*Glyptapanteles bobhanneri*](#) Arias-Penna, 2019
- [*Glyptapanteles bobkulai*](#) Arias-Penna, 2019
- [*Glyptapanteles bobwhartoni*](#) Arias-Penna, 2019
- [*Glyptapanteles boharti*](#) Arias-Penna, 2019
- [*Glyptapanteles borocerae*](#) (Granger, 1949)
- [*Glyptapanteles bourquini*](#) (Blanchard, 1936)
- [*Glyptapanteles breviscuta*](#) Song & Chen, 2004
- [*Glyptapanteles brianestjaquesae*](#) Arias-Penna, 2019
- [*Glyptapanteles caberatae*](#) (Muesebeck, 1956)
- [*Glyptapanteles cacao*](#) (Wilkinson, 1934)
- [*Glyptapanteles cadei*](#) (Risbec, 1951)
- [*Glyptapanteles caffreyi*](#) (Muesebeck, 1921)
- [*Glyptapanteles callidus*](#) (Haliday, 1834)
- [*Glyptapanteles capeki*](#) (Györfi, 1955)
- [*Glyptapanteles carinachicaizae*](#) Arias-Penna, 2019
- [*Glyptapanteles carinatus*](#) (Szépligeti, 1913)
- [*Glyptapanteles carlhuffakeri*](#) Arias-Penna, 2019
- [*Glyptapanteles carlossarmiento*](#) Arias-Penna, 2019
- [*Glyptapanteles carlrettenmeyeri*](#) Arias-Penna, 2019
- [*Glyptapanteles cassianus*](#) (Riley, 1881)
- [*Glyptapanteles celsoazevedoi*](#) Arias-Penna, 2019

- [*Glyptapanteles charlesmicheneri*](#) Arias-Penna, 2019
- [*Glyptapanteles charlesporteri*](#) Arias-Penna, 2019
- [*Glyptapanteles chidra*](#) Rousse & Gupta, 2013
- [*Glyptapanteles chrisdarlingi*](#) Arias-Penna, 2019
- [*Glyptapanteles chrisgrinteri*](#) Arias-Penna, 2019
- [*Glyptapanteles christerhanssoni*](#) Arias-Penna, 2019
- [*Glyptapanteles cinyras*](#) (de Saeger, 1944)
- [*Glyptapanteles clanisae*](#) Gupta, 2013
- [*Glyptapanteles claudiamartinezae*](#) Arias-Penna, 2019
- [*Glyptapanteles colemani*](#) (Viereck, 1912)
- [*Glyptapanteles compressiventris*](#) (Muesebeck, 1921)
- [*Glyptapanteles compressus*](#) (Muesebeck, 1919)
- [*Glyptapanteles concinnus*](#) (Muesebeck, 1958)
- [*Glyptapanteles corbetti*](#) (Wilkinson, 1928)
- [*Glyptapanteles corriemoreauae*](#) Arias-Penna, 2019
- [*Glyptapanteles creatonoti*](#) (Viereck, 1912)
- [*Glyptapanteles dalosoma*](#) de Santis, 1987
- [*Glyptapanteles darjeelingensis*](#) (Sharma & Chatterjee, 1970)
- [*Glyptapanteles daveroubiki*](#) Arias-Penna, 2019
- [*Glyptapanteles daveschindeli*](#) Arias-Penna, 2019
- [*Glyptapanteles davesmithi*](#) Arias-Penna, 2019
- [*Glyptapanteles davidwahli*](#) Arias-Penna, 2019
- [*Glyptapanteles deliasa*](#) Austin & Dangerfield, 1992
- [*Glyptapanteles diegocamposi*](#) Arias-Penna, 2019
- [*Glyptapanteles distatus*](#) Papp, 1990
- [*Glyptapanteles donquickei*](#) Arias-Penna, 2019
- [*Glyptapanteles dorislagosae*](#) Arias-Penna, 2019
- [*Glyptapanteles ecuadorius*](#) Whitfield, 2002
- [*Glyptapanteles edgardpalacioi*](#) Arias-Penna, 2019
- [*Glyptapanteles edwinnarvaezi*](#) Arias-Penna, 2019
- [*Glyptapanteles eowilsoni*](#) Arias-Penna, 2019
- [*Glyptapanteles erictepei*](#) Arias-Penna, 2019
- [*Glyptapanteles eryphanidis*](#) (Whitfield, 2011)
- [*Glyptapanteles eucosmae*](#) (Wilkinson, 1929)
- [*Glyptapanteles euproctisiphagus*](#) (Ahmad, 1945)
- [*Glyptapanteles eutelus*](#) (de Saeger, 1941)
- [*Glyptapanteles fabiae*](#) (Wilkinson, 1928)
- [*Glyptapanteles felipesotoi*](#) Arias-Penna, 2019
- [*Glyptapanteles femoratus*](#) Ashmead, 1906
- [*Glyptapanteles ferfernandezi*](#) Arias-Penna, 2019
- [*Glyptapanteles ficus*](#) (Granger, 1949)
- [*Glyptapanteles flavicoxis*](#) (Marsh, 1979)

- [*Glyptapanteles flavovariatus*](#) (Muesebeck, 1921)
- [*Glyptapanteles floridanus*](#) (Muesebeck, 1921)
- [*Glyptapanteles fraternus*](#) (Reinhard, 1880)
- [*Glyptapanteles fullawayi*](#) Austin & Dangerfield, 1992
- [*Glyptapanteles fulvigaster*](#) (Granger, 1949)
- [*Glyptapanteles fulvipes*](#) (Haliday, 1834)
- [*Glyptapanteles fuscinervis*](#) (Cameron, 1911)
- [*Glyptapanteles gahinga*](#) (de Saeger, 1944)
- [*Glyptapanteles garygibsoni*](#) Arias-Penna, 2019
- [*Glyptapanteles gavinbroadi*](#) Arias-Penna, 2019
- [*Glyptapanteles genorodriguezae*](#) Arias-Penna, 2019
- [*Glyptapanteles gerarddelvarei*](#) Arias-Penna, 2019
- [*Glyptapanteles globatus*](#) (Linnaeus, 1758)
- [*Glyptapanteles glyphodes*](#) (Wilkinson, 1932)
- [*Glyptapanteles gowdeyi*](#) (Gahan, 1918)
- [*Glyptapanteles grantgentryi*](#) Arias-Penna, 2019
- [*Glyptapanteles guierae*](#) (Risbec, 1951)
- [*Glyptapanteles gunnarbrehmi*](#) Arias-Penna, 2019
- [*Glyptapanteles guyanensis*](#) (Cameron, 1911)
- [*Glyptapanteles haroldgreeneyi*](#) Arias-Penna, 2019
- [*Glyptapanteles harrisinae*](#) (Muesebeck, 1953)
- [*Glyptapanteles helmuthaguirrei*](#) Arias-Penna, 2019
- [*Glyptapanteles henryhespenheidei*](#) Arias-Penna, 2019
- [*Glyptapanteles henrytownesi*](#) Arias-Penna, 2019
- [*Glyptapanteles herbertii*](#) (Ashmead, 1900)
- [*Glyptapanteles horus*](#) (de Saeger, 1944)
- [*Glyptapanteles howelldalyi*](#) Arias-Penna, 2019
- [*Glyptapanteles hugokonsi*](#) Arias-Penna, 2019
- [*Glyptapanteles hydroeciae*](#) (You & Xiong, 1983)
- [*Glyptapanteles hypermnestrae*](#) Gupta & Pereira, 2012
- [*Glyptapanteles iangauldi*](#) Arias-Penna, 2019
- [*Glyptapanteles ianyarrowi*](#) Arias-Penna, 2019
- [*Glyptapanteles ilarisaaksjarvi*](#) Arias-Penna, 2019
- [*Glyptapanteles inclusus*](#) (Ratzeburg, 1844)
- [*Glyptapanteles indiensis*](#) (Marsh, 1979)
- [*Glyptapanteles intermedius*](#) (Balevski, 1980)
- [*Glyptapanteles intricatus*](#) (de Saeger, 1944)
- [*Glyptapanteles jacklonginoi*](#) Arias-Penna, 2019
- [*Glyptapanteles jamesrobertsoni*](#) Arias-Penna, 2019
- [*Glyptapanteles jaquioconnorae*](#) Arias-Penna, 2019
- [*Glyptapanteles jeremydewaardi*](#) Arias-Penna, 2019
- [*Glyptapanteles jerrypowelli*](#) Arias-Penna, 2019

- [*Glyptapanteles jesusaldei*](#) Arias-Penna, 2019
- [*Glyptapanteles jimmilleri*](#) Arias-Penna, 2019
- [*Glyptapanteles jirodriguezae*](#) Arias-Penna, 2019
- [*Glyptapanteles johnburnsi*](#) Arias-Penna, 2019
- [*Glyptapanteles johnheraty*](#) Arias-Penna, 2019
- [*Glyptapanteles johnlasallei*](#) Arias-Penna, 2019
- [*Glyptapanteles johnnoyesi*](#) Arias-Penna, 2019
- [*Glyptapanteles johnstiremani*](#) Arias-Penna, 2019
- [*Glyptapanteles josesimbanai*](#) Arias-Penna, 2019
- [*Glyptapanteles juanvargasi*](#) Arias-Penna, 2019
- [*Glyptapanteles jumamuturii*](#) Arias-Penna, 2019
- [*Glyptapanteles keithwillmotti*](#) Arias-Penna, 2019
- [*Glyptapanteles kevinjohnsoni*](#) Arias-Penna, 2019
- [*Glyptapanteles kyleparks*](#) Arias-Penna, 2019
- [*Glyptapanteles lamborni*](#) (Wilkinson, 1928)
- [*Glyptapanteles lamprosemae*](#) (Wilkinson, 1928)
- [*Glyptapanteles laxatus*](#) (Wilkinson, 1930)
- [*Glyptapanteles lefevrei*](#) (de Saeger, 1941)
- [*Glyptapanteles leucotretae*](#) (Ullyett, 1946)
- [*Glyptapanteles linghsiuae*](#) Arias-Penna, 2019
- [*Glyptapanteles liparidis*](#) (Bouché, 1834)
- [*Glyptapanteles lissopleurus*](#) (de Saeger, 1944)
- [*Glyptapanteles longiantennatus*](#) (You & Xiong, 1987)
- [*Glyptapanteles longistigma*](#) Chen & Song, 2004
- [*Glyptapanteles longivena*](#) Chen & Song, 2004
- [*Glyptapanteles lubomasneri*](#) Arias-Penna, 2019
- [*Glyptapanteles luchosalagajei*](#) Arias-Penna, 2019
- [*Glyptapanteles luciana*](#) (Nixon, 1973)
- [*Glyptapanteles lucidus*](#) (Sharma, 1972)
- [*Glyptapanteles luteipennis*](#) (Muesebeck, 1921)
- [*Glyptapanteles maculitarsis*](#) (Cameron, 1905)
- [*Glyptapanteles madecassus*](#) (Granger, 1949)
- [*Glyptapanteles majalis*](#) (Wesmael, 1837)
- [*Glyptapanteles malleyneae*](#) Arias-Penna, 2019
- [*Glyptapanteles malloryvanwyngaardenae*](#) Arias-Penna, 2019
- [*Glyptapanteles malthacae*](#) (Muesebeck, 1958)
- [*Glyptapanteles mamiae*](#) Arias-Penna, 2019
- [*Glyptapanteles marcelotavaresi*](#) Arias-Penna, 2019
- [*Glyptapanteles marcepsteini*](#) Arias-Penna, 2019
- [*Glyptapanteles marcpolleti*](#) Arias-Penna, 2019
- [*Glyptapanteles marjorietownesae*](#) Arias-Penna, 2019
- [*Glyptapanteles markshawi*](#) Arias-Penna, 2019

- [*Glyptapanteles marquesi*](#) (Brèthes, 1924)
- [*Glyptapanteles marshawheelerae*](#) Arias-Penna, 2019
- [*Glyptapanteles meganmiltonae*](#) Arias-Penna, 2019
- [*Glyptapanteles megistusocellus*](#) Song & Chen, 2004
- [*Glyptapanteles mehrdadhajibabaei*](#) Arias-Penna, 2019
- [*Glyptapanteles melanotus*](#) (de Saeger, 1944)
- [*Glyptapanteles melissus*](#) (de Saeger, 1944)
- [*Glyptapanteles menander*](#) (Nixon, 1973)
- [*Glyptapanteles merope*](#) (Nixon, 1965)
- [*Glyptapanteles michelleduennesae*](#) Arias-Penna, 2019
- [*Glyptapanteles mikegatesi*](#) Arias-Penna, 2019
- [*Glyptapanteles mikepoguei*](#) Arias-Penna, 2019
- [*Glyptapanteles mikeschauffi*](#) Arias-Penna, 2019
- [*Glyptapanteles mikesharkeyi*](#) Arias-Penna, 2019
- [*Glyptapanteles militaris*](#) (Walsh, 1861)
- [*Glyptapanteles minor*](#) Ashmead, 1906
- [*Glyptapanteles mnesampela*](#) Austin, 2000
- [*Glyptapanteles montywoodi*](#) Arias-Penna, 2019
- [*Glyptapanteles muesebecki*](#) (Blanchard, 1947)
- [*Glyptapanteles mygdonia*](#) (Nixon, 1973)
- [*Glyptapanteles naromae*](#) (Risbec, 1951)
- [*Glyptapanteles nataliaivanovae*](#) Arias-Penna, 2019
- [*Glyptapanteles nealweberi*](#) Arias-Penna, 2019
- [*Glyptapanteles neoliparidis*](#) Chen & Song, 2004
- [*Glyptapanteles nepitae*](#) (Wilkinson, 1934)
- [*Glyptapanteles nigerrimus*](#) (Roman, 1924)
- [*Glyptapanteles nigrescens*](#) (Cameron, 1906)
- [*Glyptapanteles nigricornis*](#) (Muesebeck, 1921)
- [*Glyptapanteles ninazitaniae*](#) Arias-Penna, 2019
- [*Glyptapanteles ninus*](#) (de Saeger, 1944)
- [*Glyptapanteles nivalis*](#) (Papp, 1983)
- [*Glyptapanteles nkuli*](#) (de Saeger, 1941)
- [*Glyptapanteles obliquae*](#) (Wilkinson, 1928)
- [*Glyptapanteles octonarius*](#) (Ratzeburg, 1852)
- [*Glyptapanteles operculinae*](#) (Fullaway, 1941)
- [*Glyptapanteles pachopinasi*](#) Arias-Penna, 2019
- [*Glyptapanteles palabundus*](#) (Tobias, 1986)
- [*Glyptapanteles pallipes*](#) (Reinhard, 1880)
- [*Glyptapanteles pamitchellae*](#) Arias-Penna, 2019
- [*Glyptapanteles parasundanus*](#) (Bhatnagar, 1950)
- [*Glyptapanteles paulhansoni*](#) Arias-Penna, 2019
- [*Glyptapanteles paulheberti*](#) Arias-Penna, 2019

- [*Glyptapanteles paulhurdi*](#) Arias-Penna, 2019
- [*Glyptapanteles penelope*](#) (Nixon, 1965)
- [*Glyptapanteles penelopeus*](#) (Tobias, 1986)
- [*Glyptapanteles penthocratus*](#) (Austin, 1987)
- [*Glyptapanteles petermarzi*](#) Arias-Penna, 2019
- [*Glyptapanteles phildevriesi*](#) Arias-Penna, 2019
- [*Glyptapanteles philippinensis*](#) (Ashmead, 1904)
- [*Glyptapanteles philocampus*](#) (Cameron, 1911)
- [*Glyptapanteles philwardi*](#) Arias-Penna, 2019
- [*Glyptapanteles phoebe*](#) (Nixon, 1965)
- [*Glyptapanteles phragmataeciae*](#) (You & Zhou, 1990)
- [*Glyptapanteles phytometraduplus*](#) (Shenefelt, 1972)
- [*Glyptapanteles phytometrae*](#) (Wilkinson, 1928)
- [*Glyptapanteles pinicola*](#) (Lyle, 1917)
- [*Glyptapanteles politus*](#) (Riley, 1881)
- [*Glyptapanteles popovi*](#) (Telenga, 1955)
- [*Glyptapanteles porthetriae*](#) (Muesebeck, 1928)
- [*Glyptapanteles praesens*](#) (Muesebeck, 1947)
- [*Glyptapanteles propylae*](#) (de Saeger, 1941)
- [*Glyptapanteles pseudacraeae*](#) Donaldson, 1991
- [*Glyptapanteles pseudotsugae*](#) Fernandez-Triana, 2018
- [*Glyptapanteles puera*](#) (Wilkinson, 1928)
- [*Glyptapanteles rafamanitioi*](#) Arias-Penna, 2019
- [*Glyptapanteles ripus*](#) (Papp, 1983)
- [*Glyptapanteles robbinthorpi*](#) Arias-Penna, 2019
- [*Glyptapanteles ronaldzunigai*](#) Arias-Penna, 2019
- [*Glyptapanteles roysnellingi*](#) Arias-Penna, 2019
- [*Glyptapanteles rubens*](#) (Reinhard, 1880)
- [*Glyptapanteles sagmaria*](#) (Nixon, 1965)
- [*Glyptapanteles salepus*](#) (Papp, 1983)
- [*Glyptapanteles sarrothripae*](#) (Weed, 1887)
- [*Glyptapanteles scottmilleri*](#) Arias-Penna, 2019
- [*Glyptapanteles scottshawi*](#) Arias-Penna, 2019
- [*Glyptapanteles seydeli*](#) (de Saeger, 1941)
- [*Glyptapanteles shelbystedenfeldae*](#) Arias-Penna, 2019
- [*Glyptapanteles sibiricus*](#) (Papp, 1983)
- [*Glyptapanteles siderion*](#) (Nixon, 1965)
- [*Glyptapanteles simus*](#) (de Saeger, 1944)
- [*Glyptapanteles sondrawardae*](#) Arias-Penna, 2019
- [*Glyptapanteles speciosissimus*](#) (Granger, 1949)
- [*Glyptapanteles spilosomae*](#) (de Saeger, 1941)
- [*Glyptapanteles spodopterae*](#) Ahmad, 2009

- [*Glyptapanteles stackelbergi*](#) (Telenga, 1955)
- [*Glyptapanteles stephaniecluttsae*](#) Arias-Penna, 2019
- [*Glyptapanteles stephaniekirkae*](#) Arias-Penna, 2019
- [*Glyptapanteles subpunctatus*](#) (Granger, 1949)
- [*Glyptapanteles sujeevanratnasinghami*](#) Arias-Penna, 2019
- [*Glyptapanteles suniae*](#) Arias-Penna, 2019
- [*Glyptapanteles sureshnaiki*](#) Arias-Penna, 2019
- [*Glyptapanteles suzannegreenae*](#) Arias-Penna, 2019
- [*Glyptapanteles sydneycameronae*](#) Arias-Penna, 2019
- [*Glyptapanteles taniaariasae*](#) Arias-Penna, 2019
- [*Glyptapanteles tanyadapkeyae*](#) Arias-Penna, 2019
- [*Glyptapanteles taylori*](#) (Wilkinson, 1928)
- [*Glyptapanteles theivora*](#) (Shenefelt, 1972)
- [*Glyptapanteles thespis*](#) (de Saeger, 1944)
- [*Glyptapanteles thibautdelsinnei*](#) Arias-Penna, 2019
- [*Glyptapanteles thomaspapei*](#) Arias-Penna, 2019
- [*Glyptapanteles thompsoni*](#) (Lyle, 1927)
- [*Glyptapanteles thoseae*](#) (Wilkinson, 1934)
- [*Glyptapanteles toluagunbiadeae*](#) Arias-Penna, 2019
- [*Glyptapanteles tomwallai*](#) Arias-Penna, 2019
- [*Glyptapanteles trilochoae*](#) Gupta, 2013
- [*Glyptapanteles vafer*](#) (Nixon, 1965)
- [*Glyptapanteles venustus*](#) (de Saeger, 1944)
- [*Glyptapanteles victoriapookae*](#) Arias-Penna, 2019
- [*Glyptapanteles vitripennis*](#) (Curtis, 1830)
- [*Glyptapanteles websteri*](#) (Muesebeck, 1921)
- [*Glyptapanteles wilkinsoni*](#) (Fahringer, 1936)
- [*Glyptapanteles wilmersimbanai*](#) Arias-Penna, 2019
- [*Glyptapanteles wonyoungchoi*](#) Arias-Penna, 2019
- [*Glyptapanteles yalizhangae*](#) Arias-Penna, 2019
- [*Glyptapanteles yanayacuensis*](#) Arias-Penna, 2019

This is a list of 116 species in [*Glossosoma*](#), a genus of little black caddisflies in the family [*Glossosomatidae*](#).^{[1][2][3][4]}

Glossosoma species

- [Glossosoma abhikhara](#) Schmid, 1959^{i c g}
- [Glossosoma abhisares](#) Schmid, 1971^{i c g}
- [Glossosoma aequale](#) Banks, 1940^{i c g}
- [Glossosoma agarenorum](#) Schmid, 1959^{i c g}
- [Glossosoma alascense](#) Banks, 1900^{i c g}
- [Glossosoma ali](#) Mey, 1996^{i c g}
- [Glossosoma altaicum](#) (Martynov, 1914)^{i c g}
- [Glossosoma ambhi](#) Schmid, 1959^{i c g}
- [Glossosoma anakemei](#) Malicky, 1995^{i c g}
- [Glossosoma anakgunung](#) Malicky, 1995^{i c g}
- [Glossosoma anaktana](#) Malicky, 1995^{i c g}
- [Glossosoma anale](#) Martynov, 1931^{i c g}
- [Glossosoma angaricum](#) (Levanidova, 1967)^{i c g}
- [Glossosoma atchintitam](#) Schmid, 1971^{i c g}
- [Glossosoma atestas](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Glossosoma atitto](#) Malicky & Chantaramongkol, 1992^{i c g}
- [Glossosoma atreju](#) Malicky, 1986^{i c g}
- [Glossosoma atrichum](#) Ross, 1956^{i c g}
- [Glossosoma aveleta](#) Ross & Hwang, 1953^{i c g}
- [Glossosoma baclava](#) Malicky, 1972^{i c g}
- [Glossosoma bahukantakam](#) Schmid, 1971^{i c g}
- [Glossosoma balephiana](#) Malicky, 1995^{i c g}
- [Glossosoma beaumonti](#) Schmid, 1947^{i c g}
- [Glossosoma bifidum](#) McLachlan, 1879^g
- [Glossosoma boltoni](#) Curtis, 1834^{i c g}
- [Glossosoma bruna](#) Denning, 1954^{i c g}
- [Glossosoma bukitanum](#) Malicky, 1978^{i c g}
- [Glossosoma bunae](#) Marinkovic, 1988^g
- [Glossosoma burmanum](#) Kimmins, 1953^{i c g}
- [Glossosoma califica](#) Denning, 1948^{i c g}
- [Glossosoma capitatum](#) Martynov, 1913^{i c g}
- [Glossosoma caudatum](#) Martynov, 1931^{i c g}
- [Glossosoma confluens](#) Kimmins, 1953^{i c g}
- [Glossosoma conforme](#) Neboiss, 1963^{i c g}
- [Glossosoma conformis](#) Neboiss, 1963^g

- [*Glossosoma dentatum*](#) McLachlan, 1875^{i c g}
- [*Glossosoma develi*](#) Malicky, 1972^{i c g}
- [*Glossosoma dirghakantakam*](#) Schmid, 1971^{i c g}
- [*Glossosoma discophorum*](#) Klapálek, 1902^{i c g}
- [*Glossosoma dulkeji*](#) (Martynov, 1934)^{i c g}
- [*Glossosoma dusmeti*](#) Navas, 1920^{i c g}
- [*Glossosoma elvisso*](#) Malicky & Chantaramongkol, 1992^{i c g}
- [*Glossosoma excitum*](#) Ross, 1938^{i c g}
- [*Glossosoma furcatum*](#) Navás, 1932^{i c g}
- [*Glossosoma hazbanicum*](#) Botosaneanu in Botosaneanu & Gasith, 1971^{i c g}
- [*Glossosoma heliakreya*](#) Schmid, 1959^{i c g}
- [*Glossosoma hemantajam*](#) Schmid, 1971^{i c g}
- [*Glossosoma himalayanum*](#) (Martynov, 1930)^{i c g}
- [*Glossosoma hissarica*](#) Ivanov, 1992^{i c g}
- [*Glossosoma hospitum*](#) (Tsuda, 1940)^{i c g}
- [*Glossosoma idaho*](#) Ross, 1941^{i c g}
- [*Glossosoma inops*](#) (Tsuda, 1940)^{i c g}
- [*Glossosoma intermedium*](#) (Klapalek, 1892)^{i c g}
- [*Glossosoma japonicum*](#) Kobayashi, 1972^{i c g}
- [*Glossosoma javanicum*](#) Ulmer, 1930^{i c g}
- [*Glossosoma jentumar*](#) Malicky & Chantaramongkol, 1992^{i c g}
- [*Glossosoma kamarasikam*](#) Schmid, 1971^{i c g}
- [*Glossosoma kchinam*](#) Schmid, 1971^{i c g}
- [*Glossosoma kelleyi*](#) Ross, 1956^{i c g}
- [*Glossosoma kiritchenkoi*](#) (Martynov, 1927)^{i c g}
- [*Glossosoma kirke*](#) Malicky, 2003^g
- [*Glossosoma kissottoi*](#) Malicky, 1997^{i c g}
- [*Glossosoma klotho*](#) Malicky, 2003^g
- [*Glossosoma krichnarunam*](#) Schmid, 1971^{i c g}
- [*Glossosoma lividum*](#) (Hagen, 1861)^{i c g}
- [*Glossosoma mahasiah*](#) Malicky, 2014^g
- [*Glossosoma malayanum*](#) Banks, 1934^{i c g}
- [*Glossosoma melikertes*](#) Malicky, 2003^g
- [*Glossosoma mereca*](#) Denning, 1948^{i c g}
- [*Glossosoma minutum*](#) (Martynov, 1927)^{i c g}
- [*Glossosoma montana*](#) Ross, 1941^{i c g}

- [Glossosoma moselyi](#) Kimmins, 1953^{i c g}
- [Glossosoma neffi](#) Arefina, 2000^{i c g}
- [Glossosoma neretvae](#) Marinkovic, 1988^g
- [Glossosoma nichinkata](#) Schmid, 1971^{i c g}
- [Glossosoma nigrior](#) Banks, 1911^{i c g b}
- [Glossosoma nigroroseum](#) Schmid, 1971^{i c g}
- [Glossosoma nylanderii](#) McLachlan, 1879^{i c g}
- [Glossosoma oregonense](#) Ling, 1938^{i c g}
- [Glossosoma orientale](#) Kimmins, 1953^{i c g}
- [Glossosoma parvulum](#) Banks, 1904^{i c g}
- [Glossosoma penitus](#) Banks, 1914^{i c g}
- [Glossosoma persicum](#) Jacquemart, 1965^{i c g}
- [Glossosoma pinigisana](#) Malicky, 1994^{i c g}
- [Glossosoma privatum](#) McLachlan, 1884^{i c g}
- [Glossosoma pterna](#) Ross, 1947^{i c g}
- [Glossosoma pyroxum](#) Ross, 1941^{i c g}
- [Glossosoma sadoense](#) Kobayashi, 1982^{i c g}
- [Glossosoma schuhi](#) Ross, 1947^{i c g}
- [Glossosoma sellatum](#) Ross & Hwang, 1953^{i c g}
- [Glossosoma sequoia](#) Denning, 1973^{i c g}
- [Glossosoma shugnanica](#) Ivanov, 1992^{i c g}
- [Glossosoma sikkimense](#)^g
- [Glossosoma speculare](#) Kobayashi, 1972^{i c g}
- [Glossosoma spinatum](#) Ruiter, 2000^{i c g}
- [Glossosoma spoliatum](#) McLachlan, 1879^{i c g}
- [Glossosoma subaequale](#) Schmid, 1971^{i c g}
- [Glossosoma sumitaensis](#) Kobayashi, 1982^{i c g}
- [Glossosoma taeniatum](#) Ross & Hwang, 1953^{i c g}
- [Glossosoma taiwanensis](#)^g
- [Glossosoma timurense](#) Martynov, 1927^{i c g}
- [Glossosoma traviatum](#) Banks, 1936^{i c g}
- [Glossosoma tripartitum](#) Schmid, 1971^{i c g}
- [Glossosoma tunceliensis](#) Sipahiler in Sipahiler & Malicky, 1987^{i c g}
- [Glossosoma tunpuensis](#)^g
- [Glossosoma unguiculatum](#) Martynov, 1925^{i c g}
- [Glossosoma uogalanum](#) Kobayashi, 1982^{i c g}

- [*Glossosoma ussuricum*](#) (Martynov, 1934)^{i c g}
- [*Glossosoma valvatum*](#) Ulmer, 1926^{i c g}
- [*Glossosoma vaneyam*](#) Schmid, 1971^{i c g}
- [*Glossosoma varjakantakam*](#) Schmid, 1971^{i c g}
- [*Glossosoma velona*](#) Ross, 1938^{i c g}
- [*Glossosoma ventrale*](#) Banks, 1904^{i c g}
- [*Glossosoma verdonum*](#) Ross, 1938^{i c g}
- [*Glossosoma wenatchee*](#) Ross & Spencer, 1952^{i c g}
- [*Glossosoma yigilca*](#) Sipahiler, 1996^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Glossosoma Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-25.
 - ["Browse Glossosoma"](#). Catalogue of Life. Retrieved 2018-04-25.
 - ["Glossosoma"](#). GBIF. Retrieved 2018-04-25.
 -
4. ["Glossosoma Genus Information"](#). BugGuide.net. Retrieved 2018-04-25.

Categories:

- [Glossosomatidae](#)
- [Lists of insect species](#)
-

This is a list of 188 species in [Geron](#), a genus of bee flies in the family [Bombyliidae](#).^{[1][2][3][4]}

Geron species

- [Geron aaptis](#) Evenhuis, 1979^{c g}
- [Geron ablusus](#) Bowden, 1974^{c g}
- [Geron aequalis](#) Painter, 1932^{i c g}
- [Geron aesion](#) Evenhuis, 1979^{c g}
- [Geron africanus](#) Evenhuis & Greathead, 1999^{c g}

- [*Geron albarius*](#) Painter, 1932 ^{i c g}
- [*Geron albescens*](#) Brunetti, 1909 ^{c g}
- [*Geron albidipennis*](#) Loew, 1869 ^{i c g}
- [*Geron albidus*](#) Walker, 1857 ^{c g}
- [*Geron albifacies*](#) Bezzi, 1924 ^{c g}
- [*Geron albihalteris*](#) Evenhuis, 1979 ^{c g}
- [*Geron albipilosus*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron albus*](#) Cole, 1923 ^{i c g}
- [*Geron amboinensis*](#) Evenhuis, 1979 ^{c g}
- [*Geron anceps*](#) Hesse, 1938 ^{c g}
- [*Geron anomalus*](#) (Hesse, 1938) ^c
- [*Geron arenicola*](#) Painter, 1932 ^{i c g}
- [*Geron argentifrons*](#) Brunetti, 1909 ^{c g}
- [*Geron argutus*](#) Painter, 1932 ^{i c g}
- [*Geron aridus*](#) Painter, 1932 ^{i c g}
- [*Geron articulatus*](#) Scarbrough, 1985 ^{c g}
- [*Geron asiaticus*](#) Zaitzev, 1967 ^{c g}
- [*Geron auratus*](#) Zaitzev, 1962 ^{c g}
- [*Geron auricomus*](#) Hall, 1976 ^{c g}
- [*Geron australis*](#) Macquart, 1840 ^{c g}
- [*Geron balpi*](#) Evenhuis, 1979 ^{c g}
- [*Geron barbatus*](#) Bezzi, 1921 ^{c g}
- [*Geron basutoensis*](#) (Hesse, 1938) ^c
- [*Geron bechuanus*](#) Hesse, 1936 ^{c g}
- [*Geron bezzii*](#) (Paramonov, 1930) ^c
- [*Geron binatus*](#) Scarbrough, 1985 ^{c g}
- [*Geron borealis*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron bowdeni*](#) Evenhuis, 1979 ^{c g}
- [*Geron cabon*](#) Evenhuis, 1979 ^{c g}
- [*Geron calvus*](#) Loew, 1863 ^{i c g b}
- [*Geron candidulus*](#) Bowden, 1974 ^{c g}
- [*Geron canescens*](#) Zaitzev, 1962 ^{c g}
- [*Geron canus*](#) Philippi, 1865 ^{c g}
- [*Geron capensis*](#) Walker, 1852 ^{c g}
- [*Geron capicolus*](#) (Hesse, 1938) ^{c g}
- [*Geron cheilicterus*](#) (Hesse, 1938) ^{c g}

- [*Geron chrysonotum*](#) Evenhuis, 1979 ^{c g}
- [*Geron colei*](#) Evenhuis, 1978 ⁱ
- [*Geron confusus*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron consors*](#) (Hesse, 1938) ^{c g}
- [*Geron cressoni*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron curvipennis*](#) Zaitzev, 1972 ^{c g}
- [*Geron dasycerus*](#) (Hesse, 1938) ^{c g}
- [*Geron declinatus*](#) Scarbrough, 1985 ^{c g}
- [*Geron delicatus*](#) Hesse, 1938 ^{c g}
- [*Geron dicronus*](#) Bigot, 1892 ^{c g}
- [*Geron digitarius*](#) Cresson, 1919 ^{i c g}
- [*Geron dilutus*](#) Bowden, 1974 ^{c g}
- [*Geron dispar*](#) Macquart, 1850 ^{c g}
- [*Geron disparilis*](#) (Hesse, 1938) ^c
- [*Geron dissors*](#) Hesse, 1938 ^{c g}
- [*Geron dubiosus*](#) Hesse, 1938 ^{c g}
- [*Geron efflatouni*](#) Greathead, 1999 ^{c g}
- [*Geron elachys*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron emiliae*](#) Zaitzev, 1964 ^{c g}
- [*Geron eriogonae*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron erythroccipitalis*](#) Evenhuis, 1979 ^{c g}
- [*Geron erythropus*](#) Bezzi, 1925 ^{c g}
- [*Geron europacificus*](#) Evenhuis, 1979 ^{c g}
- [*Geron exemptus*](#) Bowden, 1974 ^{c g}
- [*Geron exumae*](#) Scarbrough, 1985 ^{c g}
- [*Geron farri*](#) Scarbrough, 1985 ^{c g}
- [*Geron flavocciput*](#) Evenhuis, 1979 ^{c g}
- [*Geron freidbergi*](#) Zaitzev, 1996 ^{c g}
- [*Geron fumipennis*](#) Evenhuis, 1979 ^{c g}
- [*Geron furcifer*](#) Hesse, 1938 ^{c g}
- [*Geron fuscipes*](#) (Hesse, 1938) ^{c g}
- [*Geron fusciscelis*](#) Evenhuis, 1979 ^{c g}
- [*Geron garagniae*](#) Efflatoun, 1945 ^{c g}
- [*Geron gariepinus*](#) Hesse, 1938 ^{c g}
- [*Geron gibbosus*](#) (Olivier, 1789) ^{c g}
- [*Geron gilloni*](#) Lachaise & Bowden, 1976 ^{c g}

- [*Geron grandis*](#) Painter, 1932 ^{i c g}
- [*Geron griseus*](#) Zaitzev, 1962 ^{c g}
- [*Geron halli*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron halteralis*](#) Wiedemann, 1820 ^{c g}
- [*Geron hemifuscis*](#) Evenhuis, 1979 ^{c g}
- [*Geron hesperidum*](#) Frey, 1936 ^{c g}
- [*Geron hessei*](#) Bowden, 1974 ^{c g}
- [*Geron heteropterus*](#) (Wiedemann, 1821) ^{c g}
- [*Geron holosericeus*](#) Walker, 1849 ^{i c g}
- [*Geron hybus*](#) Coquillett, 1894 ^{i c g}
- [*Geron inflatus*](#) Evenhuis, 1979 ^{c g}
- [*Geron infrequens*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron intonsus*](#) Bezzi, 1925 ^{c g}
- [*Geron johnsoni*](#) Painter, 1932 ^{i c g}
- [*Geron juxtus*](#) Bowden, 1974 ^{c g}
- [*Geron karakara*](#) Evenhuis, 1979 ^{c g}
- [*Geron karooanus*](#) (Hesse, 1938) ^{c g}
- [*Geron kazabi*](#) Zaitzev, 1972 ^{c g}
- [*Geron kerzhneri*](#) Zaitzev, 1975 ^{c g}
- [*Geron kozlovi*](#) Zaitzev, 1972 ^{c g}
- [*Geron krymensis*](#) Paramonov, 1929 ^{c g}
- [*Geron lactipennis*](#) Hesse, 1938 ^{c g}
- [*Geron lasiocornis*](#) (Hesse, 1938) ^{c g}
- [*Geron latifrons*](#) Hesse, 1938 ^{c g}
- [*Geron lepidus*](#) Bowden, 1962 ^{c g}
- [*Geron leptocerus*](#) Bezzi, 1921 ^{c g}
- [*Geron litoralis*](#) Painter, 1932 ^{i c g}
- [*Geron longiventris*](#) Efflatoun, 1945 ^{c g}
- [*Geron luctuosus*](#) Bezzi, 1921 ^{c g}
- [*Geron macquarti*](#) Greathead, 1999 ^{c g}
- [*Geron maculifacies*](#) Hesse, 1938 ^{c g}
- [*Geron malekulanus*](#) Evenhuis, 1979 ^{c g}
- [*Geron marius*](#) Bowden, 1980 ^{c g}
- [*Geron marshalli*](#) (Hesse, 1938) ^{c g}
- [*Geron meigeni*](#) Greathead, 2001 ^{c g}
- [*Geron michaili*](#) Zaitzev, 1972 ^{c g}

- [*Geron mononensis*](#) Evenhuis, 1979 ^{c g}
- [*Geron mononesensis*](#) Evenhuis, 1979 ^{c g}
- [*Geron montanus*](#) (Hesse, 1938) ^{c g}
- [*Geron monticola*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron munroi*](#) Hesse, 1938 ^{c g}
- [*Geron mystacinus*](#) Bezzi, 1924 ^{c g}
- [*Geron mysticus*](#) Evenhuis, 1979 ^{c g}
- [*Geron namaensis*](#) (Hesse, 1938) ^c
- [*Geron nasutus*](#) Bezzi, 1924 ^{c g}
- [*Geron nephroideus*](#) Scarbrough, 1985 ^{c g}
- [*Geron neromelanus*](#) (Hesse, 1938) ^{c g}
- [*Geron neutralis*](#) Evenhuis, 1979 ^{c g}
- [*Geron nevadensis*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron nigerrimus*](#) Hesse, 1938 ^{c g}
- [*Geron nigralis*](#) Roberts, 1929 ^{c g}
- [*Geron nigrifacies*](#) Hesse, 1938 ^{c g}
- [*Geron nigrifemoris*](#) (Hesse, 1938) ^c
- [*Geron nigripes*](#) Painter, 1932 ^{i c g}
- [*Geron nigrocciput*](#) Evenhuis, 1979 ^{c g}
- [*Geron niveolus*](#) Evenhuis & Greathead, 1999 ^{c g}
- [*Geron niveus*](#) Cresson, 1919 ^{i c g}
- [*Geron nomadicus*](#) Hesse, 1938 ^{c g}
- [*Geron notios*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron nudus*](#) Painter, 1932 ^{i c g}
- [*Geron olivierii*](#) Macquart, 1840 ^{c g}
- [*Geron opacus*](#) Bowden, 1971 ^{c g}
- [*Geron orthoperus*](#) Hesse, 1938 ^{c g}
- [*Geron painteri*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron pallipilosus*](#) Yang & Yang, 1992 ^{c g}
- [*Geron paramonovi*](#) Evenhuis, 1979 ^{c g}
- [*Geron paraaustralicus*](#) Evenhuis, 1979 ^{c g}
- [*Geron parvidus*](#) Painter, 1932 ^{i c g}
- [*Geron parvus*](#) Hesse, 1938 ^{c g}
- [*Geron peringueyi*](#) (Hesse, 1938) ^{c g}
- [*Geron peucon*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron phallophorus*](#) Bezzi, 1920 ^{c g}

- [*Geron philippinensis*](#) Evenhuis & Arakaki, 1980 ^{c g}
- [*Geron priapeus*](#) Bezzi, 1920 ^{c g}
- [*Geron prosopidis*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron psammobates*](#) Hesse, 1938 ^{c g}
- [*Geron ritae*](#) Zaitzev, 1996 ^{c g}
- [*Geron robertsi*](#) Evenhuis, 1979 ^{c g}
- [*Geron roborovskii*](#) Zaitzev, 1996 ^{c g}
- [*Geron robustus*](#) Cresson, 1919 ⁱ
- [*Geron rufipes*](#) Macquart, 1846 ^{i c g}
- [*Geron saccharus*](#) Bowden, 1974 ^{c g}
- [*Geron salmonus*](#) Scarbrough & Davidson, 1985 ^{c g}
- [*Geron samarus*](#) Bowden, 1974 ^{c g}
- [*Geron semifuscus*](#) Seguy, 1933 ^{c g}
- [*Geron senilis*](#) (Fabricius, 1794) ^{i c}
- [*Geron seychellarum*](#) Greathead, 1983 ^{c g}
- [*Geron simplex*](#) Walker, 1858 ^{c g}
- [*Geron simplicipennis*](#) Greathead, 1967 ^{c g}
- [*Geron sinensis*](#) Yang & Yang, 1992 ^{c g}
- [*Geron smirnovi*](#) Zaitzev, 1978 ^{c g}
- [*Geron snowi*](#) Painter, 1932 ^{i c g}
- [*Geron sparsus*](#) Bowden, 1971 ^{c g}
- [*Geron stenos*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron subauratus*](#) Loew, 1863 ^{i c g}
- [*Geron subflavofemoratus*](#) Andreu Rubio, 1959 ^{c g}
- [*Geron syriacus*](#) Zaitzev, 2002 ^{c g}
- [*Geron tenue*](#) Walker, 1857 ^{c g}
- [*Geron terminatus*](#) Evenhuis, 1979 ^{c g}
- [*Geron transvaalensis*](#) Hesse, 1938 ^{c g}
- [*Geron turneri*](#) Hesse, 1938 ^{c g}
- [*Geron umbripennis*](#) Bezzi, 1924 ^{c g}
- [*Geron validus*](#) Evenhuis, 1989 ^{c g}
- [*Geron varicapillis*](#) Bowden, 1974 ^{c g}
- [*Geron viaticus*](#) Bowden, 1974 ^{c g}
- [*Geron victorgae*](#) Zaitzev, 2004 ^{c g}
- [*Geron vitripennis*](#) Loew, 1869 ^{i c g b}
- [*Geron waltoni*](#) (Hesse, 1938) ^c

- [*Geron weemsi*](#) Hall & Evenhuis, 2003 ^{c g}
- [*Geron westralicus*](#) Evenhuis, 1979 ^{c g}
- [*Geron winburni*](#) Painter, 1932 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of the roughly 150 species in the genus [*Geocoris*](#), big-eyed bugs.[1][2][3]

***Geocoris* species**



[*Geocoris albipennis*](#) in [Pedrógão Grande](#) (Portugal)



[*Geocoris dispar*](#) in [Latvia](#)



Geocoris erythrocephalus in Fronton (France)



Geocoris megacephalus in Ansião (Portugal)

- *Geocoris acuticeps* Signoret, 1881 ^g
- *Geocoris aethiopicus* Montandon, 1913 ^g
- *Geocoris aethiops* Distant, 1901 ^g
- *Geocoris alboclavus* Barber, 1949 ^{i g}
- *Geocoris amabilis* Stal, 1855 ^g
- *Geocoris anticus* Pericart, 1994 ^g
- *Geocoris apertus* Kerzhner, 1979 ^g
- *Geocoris arenarius* (Jakovlev, 1867) ^g
- *Geocoris asetosus* Malipatil, 1994 ^g
- *Geocoris aspasia* Linnavuori, 1972 ^g
- *Geocoris ater* (Fabricius, 1787) ^g
- *Geocoris atricolor* Montandon, 1908 ^{i g b}
- *Geocoris barberi* Readio and Sweet, 1982 ^{i g}
- *Geocoris barrosi* Porter, 1917 ^g
- *Geocoris beameri* Barber, 1935 ^{i g}
- *Geocoris bengalensis* Mukhopadhyay & Ghosh, 1982 ^g
- *Geocoris borealis* Malipatil, 1994 ^g
- *Geocoris bullatus* (Say, 1832) ^{i g b} (large big-eyed bug)

- [Geocoris callosulus](#) Berg, 1879 ^g
- [Geocoris cardinalis](#) Puton, 1874 ^g
- [Geocoris carinatus](#) McAtee, 1914 ^{i g}
- [Geocoris caspiensis](#) Montandon, 1913 ^g
- [Geocoris chinai](#) Kiritschenko, 1931 ^g
- [Geocoris chinensis](#) Jakovlev, 1904 ^g
- [Geocoris chloroticus](#) Puton, 1888 ^g
- [Geocoris collaris](#) Puton, 1878 ^g
- [Geocoris confalonierii](#) (de Bergevin, 1932) ^g
- [Geocoris danalicus](#) Linnavuori, 1978 ^g
- [Geocoris davisii](#) Barber, 1935 ^{i g}
- [Geocoris decoratus](#) Uhler, 1877 ^{i g}
- [Geocoris deficiens](#) Lethierry, 1881 ^g
- [Geocoris desertorum](#) (Jakovlev, 1871) ^g
- [Geocoris discopterus](#) Stal, 1874 ^{i g b}
- [Geocoris dispar](#) (Waga, 1839) ^g
- [Geocoris disparatus](#) Johnson & Fox, 1892 ^g
- [Geocoris dubreuii](#) Montandon, 1909 ^g
- [Geocoris duzeii](#) Montandon, 1908 ^{i g}
- [Geocoris elegantulus](#) Distant, 1904 ^g
- [Geocoris erebus](#) Distant, 1918 ^g
- [Geocoris ernstheissi](#) Carapezza, 2006 ^g
- [Geocoris erythrocephalus](#) (Lepelitier & Serville, 1825) ^g
- [Geocoris erythrops](#) (Dufour, 1857) ^g
- [Geocoris fedtschenkoi](#) Reuter, 1885 ^g
- [Geocoris figuratus](#) (Amyot & Serville, 1843) ^g
- [Geocoris flaviceps](#) (Burmeister, 1834) ^g
- [Geocoris flavilineus](#) Stål, 1874 ^{i g}
- [Geocoris flavipes](#) Stal, 1854 ^g
- [Geocoris floridanus](#) Blatchley, 1926 ^{i g b} (Florida big-eyed bug)
- [Geocoris frisoni](#) Barber, 1926 ^{i g b}
- [Geocoris grylloides](#) (Linnaeus, 1761) ^{i g}
- [Geocoris hirsutus](#) Montandon, 1907 ^g
- [Geocoris hirticornis](#) (Jakovlev, 1881) ^g
- [Geocoris hispidulus](#) Puton, 1874 ^g
- [Geocoris howardi](#) Montandon, 1908 ^{i g b}

- [Geocoris hui](#) Zheng & Zou, 1987 ^g
- [Geocoris hyalinus](#) (Fieber, 1861) ^g
- [Geocoris infernorum](#) Scudder, 1890 ^g
- [Geocoris insularis](#) China, 1955 ^g
- [Geocoris jucundus](#) (Fieber, 1861) ^g
- [Geocoris junodi](#) Montandon, 1907 ^g
- [Geocoris kalighatus](#) Distant, 1910 ^g
- [Geocoris lapponicus](#) Zetterstedt, 1838 ^g
- [Geocoris leopoldi](#) Schouteden, 1933 ^g
- [Geocoris limbatellus](#) Horvath, 1895 ^g
- [Geocoris limbatus](#) Stal, 1874 ^{i g b}
- [Geocoris lineola](#) (Rambur, 1839) ^g
- [Geocoris linnavuorii](#) Pericart, 1994 ^g
- [Geocoris liolestes](#) Hesse, 1947 ^g
- [Geocoris lituratus](#) (Fieber, 1844) ^g
- [Geocoris lividipennis](#) Stål, 1862 ^{i g}
- [Geocoris lubrus](#) Kirkaldy, 1907 ^g
- [Geocoris luridus](#) (Fieber, 1844) ^g
- [Geocoris lutulentus](#) Distant, 1918 ^g
- [Geocoris lynceus](#) Lindberg, 1924 ^g
- [Geocoris maindroni](#) Montandon, 1907 ^g
- [Geocoris marduk](#) Linnavuori, 1984 ^g
- [Geocoris megacephalus](#) (Rossi, 1790) ^g
- [Geocoris membranaeus](#) (Montrouzier, 1861) ^g
- [Geocoris minusculus](#) Kerzhner & Josifov, 1966 ^g
- [Geocoris moderatus](#) Montandon, 1907 ^g
- [Geocoris modestus](#) (Fieber, 1861) ^g
- [Geocoris mongolicus](#) Horvath, 1901 ^g
- [Geocoris montandoniellus](#) Kiritshenko, 1916 ^g
- [Geocoris montanus](#) Zheng & Zou, 1981 ^g
- [Geocoris nanus](#) Barber, 1835 ^{i g}
- [Geocoris nebulosus](#) (Montandon, 1907) ^g
- [Geocoris ningal](#) Linnavuori, 1984 ^g
- [Geocoris nocturnus](#) Linnavuori, 1978 ^g
- [Geocoris ochraceus](#) (Fieber, 1861) ^g
- [Geocoris ochropterus](#) (Fieber, 1844) ^g

- [*Geocoris omani*](#) Barber, 1935 ^{i g}
- [*Geocoris ornatus*](#) (Fieber, 1861) ^g
- [*Geocoris oschanini*](#) (Jakovlev, 1871) ^g
- [*Geocoris pallens*](#) Stal, 1854 ^{i b} (western big-eyed bug)
- [*Geocoris pallidiceps*](#) Stal, 1858 ^g
- [*Geocoris pallidicornis*](#) Kerzhner, 1979 ^g
- [*Geocoris pallidipennis*](#) (A. Costa, 1843) ^g
- [*Geocoris pallipes*](#) Stal, 1859 ^g
- [*Geocoris pattakumensis*](#) Kiritschenko, 1914 ^g
- [*Geocoris paulus*](#) McAtee, 1914 ^{i g}
- [*Geocoris pedunculatus*](#) (Harris, 1835) ^g
- [*Geocoris petofii*](#) Kóbor, 2023[4]
- [*Geocoris phaeopterus*](#) (Germar, 1838)[[verification needed](#)]
- [*Geocoris piligerus*](#) Linnavuori, 1978 ^g
- [*Geocoris plagiatus*](#) (Fieber, 1844) ^g
- [*Geocoris proteus*](#) Distant, 1883 ^g
- [*Geocoris provisus*](#) Bergroth, 1895 ^g
- [*Geocoris pseudolineolus*](#) Linnavuori, 1978 ^g
- [*Geocoris pseudolituratus*](#) Mukhopadhyay & Ghosh, 1982 ^g
- [*Geocoris pubescens*](#) (Jakovlev, 1871) ^g
- [*Geocoris pulchricornis*](#) Linnavuori, 1960 ^g
- [*Geocoris pulvisculatus*](#) Distant, 1904 ^g
- [*Geocoris punctipes*](#) (Say, 1832) ^{i g b} (big-eye bug)
- [*Geocoris puri*](#) Distant, 1910 ^g
- [*Geocoris putonianus*](#) (Bergroth, 1892) ^g
- [*Geocoris quercicola*](#) Linnavuori, 1962 ^g
- [*Geocoris ruficeps*](#) (Germar, 1837) ^g
- [*Geocoris rufipennis*](#) Distant, 1918 ^g
- [*Geocoris rutiloides*](#) Distant, 1918 ^g
- [*Geocoris rutilus*](#) Distant, 1904 ^g
- [*Geocoris scitus*](#) (Fieber, 1861) ^g
- [*Geocoris scudderi*](#) Stål, 1874 ^{i g}
- [*Geocoris sjostedti*](#) Montandon, 1908 ^g
- [*Geocoris sobrinus*](#) (Blanchard, 1852) ^g
- [*Geocoris sokotranus*](#) Kirkaldy, 1899 ^g
- [*Geocoris spinolae*](#) (Montrouzier, 1865) ^g
- [*Geocoris stellatus*](#) (Montandon, 1907) ^g

- [*Geocoris striolus*](#) (Fieber, 1861) ^g
- [*Geocoris succineus*](#) Royer, 1923 ^g
- [*Geocoris superbus*](#) (Montandon, 1907) ^g
- [*Geocoris tenuatus*](#) Hesse, 1925 ^g
- [*Geocoris thoracicus*](#) (Fieber, 1861) ^{i g}
- [*Geocoris titan*](#) Linnavouri, 1986 ^g
- [*Geocoris toposa*](#) Linnavuori, 1978 ^g
- [*Geocoris uliginosus*](#) (Say, 1832) ^{i g b}
- [*Geocoris unicolor*](#) (Eckerlein & Wagner, 1965) ^g
- [*Geocoris variabilis*](#) Jakovlev, 1890 ^g
- [*Geocoris varipes*](#) Distant, 1918 ^g
- [*Geocoris varius*](#) (Uhler, 1860) ^g
- [*Geocoris ventralis*](#) (Fieber, 1861) ^g
- [*Geocoris vestitulus*](#) Schouteden, 1957 ^g
- [*Geocoris vestitus*](#) Distant, 1901 ^g
- [*Geocoris victoriensis*](#) Malipatil, 1994 ^g
- [*Geocoris walkeri*](#) Lethierry & Severin, 1894 ^g
- [*Geocoris willeyi*](#) Kirkaldy, 1905 ^g
- [*Geocoris woodwardi*](#) Malipatil, 1994 ^g

Data sources: i = ITIS,^[1] c = Catalogue of Life,^[5] g = GBIF,^[2] b = Bugguide.net^[3]

This is a list of 277 species in [*Gelis*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^{[1][2][3]}

***Gelis* species**

- [*Gelis abortivus*](#) (Spinola, 1851) ^{c g}
- [*Gelis acarorum*](#) (Linnaeus, 1758) ^{c g}
- [*Gelis aciculatus*](#) (Strickland, 1912) ^{c g}
- [*Gelis adili*](#) Bogacev, 1946 ^{c g}
- [*Gelis agilis*](#) (Fabricius, 1775) ^{c g}
- [*Gelis alator*](#) Aubert, 1989 ^{c g}
- [*Gelis albanicus*](#) (Fahringer, 1923) ^{c g}
- [*Gelis albicinctoides*](#) Schwarz, 1998 ^{c g}
- [*Gelis albicinctus*](#) (Ruthe, 1859) ^{c g}

- [*Gelis albipalpus*](#) (Thomson, 1884) ^{c g}
- [*Gelis albopilosus*](#) Schwarz, 2002 ^{c g}
- [*Gelis alegininus*](#) Carlson, 1979 ^{c g}
- [*Gelis algericus*](#) (Habermehl, 1920) ^c
- [*Gelis alogus*](#) (Viereck, 1905) ^{c g}
- [*Gelis alopecosae*](#) Horstmann, 1986 ^{c g}
- [*Gelis alpinus*](#) (Strobl, 1901) ^{c g}
- [*Gelis alpivagus*](#) (Strobl, 1901) ^{c g}
- [*Gelis alternatus*](#) (Cresson, 1872) ^c
- [*Gelis anataelianus*](#) Ceballos, 1925 ^{c g}
- [*Gelis anatolicus*](#) Schwarz, 1998 ^{c g}
- [*Gelis aneichi*](#) Schwarz, 1998 ^{c g}
- [*Gelis annulatus*](#) (Strickland, 1912) ^{c g}
- [*Gelis anthracinus*](#) (Forster, 1850) ^c
- [*Gelis apantelicidus*](#) (Viereck, 1913) ^{c g}
- [*Gelis apantelis*](#) Cushman, 1927 ^{c g}
- [*Gelis aponius*](#) Schwarz, 2002 ^{c g}
- [*Gelis apterus*](#) (Pontoppidan, 1763) ^{c g}
- [*Gelis araneator*](#) Seyrig, 1926 ^{c g}
- [*Gelis areator*](#) (Panzer, 1804) ^{c g}
- [*Gelis areolatus*](#) Ceballos, 1927 ^{c g}
- [*Gelis ariamus*](#) Schwarz, 1998 ^{c g}
- [*Gelis asozanus*](#) (Uchida, 1930) ^{c g}
- [*Gelis asperatus*](#) (Fonscolombe, 1852) ^{c g}
- [*Gelis athracinus*](#) (Förster, 1850) ^g
- [*Gelis atratus*](#) (de Stefani, 1884) ^{c g}
- [*Gelis austriacus*](#) Schwarz, 1998 ^{c g}
- [*Gelis avarus*](#) (Forster, 1850) ^{c g}
- [*Gelis balcanicus*](#) Horstmann, 1993 ^{c g}
- [*Gelis balteatus*](#) (Cameron, 1905) ^{c g}
- [*Gelis belfragei*](#) (Ashmead, 1890) ^{c g}
- [*Gelis bellicus*](#) Bogacev, 1963 ^{c g}
- [*Gelis bicolor*](#) (Villers, 1789) ^c
- [*Gelis bicoloratus*](#) (Cresson, 1872) ^{c g}
- [*Gelis birkmani*](#) (Brues, 1903) ^c
- [*Gelis brassicae*](#) Horstmann, 1986 ^{c g}

- [*Gelis brevicauda*](#) (Thomson, 1884) ^{c g}
- [*Gelis brevis*](#) (Bridgman, 1883) ^{c g}
- [*Gelis brevistylus*](#) (Strickland, 1912) ^{c g}
- [*Gelis brevithorax*](#) Roman, 1936 ^{c g}
- [*Gelis bruesii*](#) (Strickland, 1912) ^{c g}
- [*Gelis brunneellus*](#) Schwarz, 2002 ^{c g}
- [*Gelis californicus*](#) (Ashmead, 1890) ^{c g}
- [*Gelis campbellensis*](#) Townes, 1964 ^{c g}
- [*Gelis canadensis*](#) (Cresson, 1872) ^{c g}
- [*Gelis canariensis*](#) Horstmann, 1986 ^{c g}
- [*Gelis carbonarius*](#) (de Stefani, 1884) ^{c g}
- [*Gelis caudator*](#) Horstmann, 1986 ^{c g}
- [*Gelis caudatulus*](#) Horstmann, 1997 ^{c g}
- [*Gelis caudatus*](#) (Rudow, 1917) ^{c g}
- [*Gelis cayennator*](#) (Thunberg, 1822) ^{c g}
- [*Gelis cinctus*](#) (Linnaeus, 1758) ^c
- [*Gelis circumdatus*](#) (Schiodte, 1839) ^{c g}
- [*Gelis claviventris*](#) (Strobl, 1901) ^{c g}
- [*Gelis cockerelli*](#) (Brues, 1910) ^{c g}
- [*Gelis coloradensis*](#) (Strickland, 1912) ^{c g}
- [*Gelis columbianus*](#) (Ashmead, 1890) ^{c g}
- [*Gelis compactus*](#) (Cresson, 1872) ^{c g}
- [*Gelis constantineanui*](#) Ciochia, 1974 ^c
- [*Gelis crassulus*](#) (Brues, 1903) ^{c g}
- [*Gelis cursitans*](#) (Fabricius, 1775) ^{c g}
- [*Gelis curvicauda*](#) Horstmann, 1993 ^{c g}
- [*Gelis cushmani*](#) Carlson, 1979 ^{c g}
- [*Gelis cyanurus*](#) (Forster, 1850) ^{c g}
- [*Gelis davidsonii*](#) (Ashmead, 1896) ^{c g}
- [*Gelis debilis*](#) (Provancher, 1886) ^{c g}
- [*Gelis declivis*](#) (Forster, 1850) ^{c g}
- [*Gelis delicatus*](#) (Cresson, 1872) ^c
- [*Gelis delumbis*](#) (Brues, 1910) ^{c g}
- [*Gelis dendrolimi*](#) (Matsumura, 1926) ^c
- [*Gelis difficilis*](#) (Hedwig, 1950) ^{c g}
- [*Gelis dimidiativentris*](#) (Rudow, 1917) ^{c g}

- [*Gelis discedens*](#) (Forster, 1850) ^{c g}
- [*Gelis dispar*](#) (Strickland, 1912) ^{c g}
- [*Gelis divaricatus*](#) Horstmann, 1993 ^{c g}
- [*Gelis drassi*](#) (Riley, 1892) ^{c g}
- [*Gelis edentatus*](#) (Forster, 1850) ^{c g}
- [*Gelis elongatus*](#) (Rudow, 1917) ^{c g}
- [*Gelis elymi*](#) (Thomson, 1884) ^{c g}
- [*Gelis escalerae*](#) Ceballos, 1925 ^{c g}
- [*Gelis exareolatus*](#) (Forster, 1850) ^{c g}
- [*Gelis excellens*](#) (Hedwig, 1961) ^{c g}
- [*Gelis fabularis*](#) Schwarz, 1998 ^{c g}
- [*Gelis falcatus*](#) Horstmann, 1986 ^{c g}
- [*Gelis fallax*](#) (Forster, 1850) ^c
- [*Gelis fasciitinctus*](#) (Dalla Torre, 1901) ^{c g}
- [*Gelis fenestralis*](#) (Brues, 1910) ^{c g}
- [*Gelis ferruginosus*](#) (Strickland, 1912) ^{c g}
- [*Gelis festinans*](#) (Fabricius, 1798) ^{c g}
- [*Gelis formicarius*](#) (Linnaeus, 1758) ^{c g}
- [*Gelis forticornis*](#) (Forster, 1850) ^{c g}
- [*Gelis fortificator*](#) Aubert, 1980 ^{c g}
- [*Gelis fortunatus*](#) Schwarz, 1993 ^{c g}
- [*Gelis fossae*](#) Schwarz, 2002 ^{c g}
- [*Gelis foveatus*](#) (Brues, 1910) ^{c g}
- [*Gelis fumipennis*](#) Horstmann, 1986 ^{c g}
- [*Gelis fuscicorniformis*](#) Ciochia, 1973 ^{c g}
- [*Gelis fuscicornis*](#) (Retzius, 1783) ^{c g}
- [*Gelis gallicator*](#) (Aubert, 1971) ^{c g}
- [*Gelis gelechiaae*](#) (Ashmead, 1890) ^{c g}
- [*Gelis gibbifrons*](#) (Thomson, 1884) ^{c g}
- [*Gelis glacialis*](#) (Holmgren, 1869) ^{c g}
- [*Gelis gracillimus*](#) (Dalla Torre, 1902) ^c
- [*Gelis habilis*](#) (Brues, 1910) ^{c g}
- [*Gelis hammari*](#) (Viereck, 1912) ^{c g}
- [*Gelis hebraicator*](#) Aubert, 1971 ^{c g}
- [*Gelis heidenreichi*](#) Habermehl, 1930 ^{c g}
- [*Gelis helleni*](#) Kolarov, 1993 ^{c g}

- [*Gelis hispanicus*](#) Schwarz, 2002 ^{c g}
- [*Gelis hortensis*](#) (Christ, 1791) ^{c g}
- [*Gelis hypsibatus*](#) Schwarz, 1998 ^{c g}
- [*Gelis inermis*](#) (Viereck, 1903) ^{c g}
- [*Gelis infumatus*](#) (Thomson, 1884) ^{c g}
- [*Gelis insolitus*](#) (Howard, 1897) ^{c g}
- [*Gelis intermedius*](#) (Forster, 1850) ^{c g}
- [*Gelis inustus*](#) (Gravenhorst, 1829) ^{c g}
- [*Gelis inutilis*](#) Cushman, 1927 ^{c g}
- [*Gelis karakurti*](#) (Rossikov, 1904) ^{c g}
- [*Gelis keenii*](#) (Harrington, 1894) ^{c g}
- [*Gelis kiesenwetteri*](#) (Forster, 1850) ^{c g}
- [*Gelis kukakensis*](#) (Ashmead, 1902) ^c
- [*Gelis kumamotensis*](#) (Uchida, 1930) ^{c g}
- [*Gelis latrodectiphagus*](#) (Hesse, 1942) ^{c g}
- [*Gelis leiradoi*](#) Ceballos, 1925 ^{c g}
- [*Gelis lemae*](#) (Sonan, 1930) ^c
- [*Gelis leptogaster*](#) (Forster, 1850) ^c
- [*Gelis limbatus*](#) (Gravenhorst, 1829) ^c
- [*Gelis liparae*](#) (Giraud, 1863) ^{c g}
- [*Gelis longicauda*](#) (Thomson, 1884) ^{c g}
- [*Gelis longipes*](#) (Strickland, 1912) ^{c g}
- [*Gelis longistylus*](#) (Strickland, 1912) ^{c g}
- [*Gelis lucidulus*](#) (Forster, 1850) ^{c g}
- [*Gelis lymensis*](#) (Strickland, 1912) ^{c g}
- [*Gelis macer*](#) (Cresson, 1872) ^c
- [*Gelis macroptera*](#) (Strobl, 1901) ^{c g}
- [*Gelis maculatus*](#) (Strickland, 1912) ^{c g}
- [*Gelis maderi*](#) (Fahringier, 1923) ^{c g}
- [*Gelis maesticolor*](#) (Roman, 1933) ^{c g}
- [*Gelis mangeri*](#) (Gravenhorst, 1815) ^{c g}
- [*Gelis manni*](#) (Strickland, 1912) ^{c g}
- [*Gelis margaritae*](#) Bogacev, 1946 ^{c g}
- [*Gelis marikovskii*](#) Kuzin, 1948 ^{c g}
- [*Gelis maruyamensis*](#) (Uchida, 1932) ^c
- [*Gelis meabilis*](#) (Cresson, 1872) ^{c g}

- [*Gelis meigenii*](#) (Forster, 1850) ^{c g}
- [*Gelis melampus*](#) (Strobl, 1901) ^{c g}
- [*Gelis melanocephalus*](#) (Schränk, 1781) ^{c g}
- [*Gelis melanogaster*](#) (Thomson, 1884) ^{c g}
- [*Gelis melanogonus*](#) (Gravenhorst, 1829) ^{c g}
- [*Gelis melanophorus*](#) (Forster, 1851) ^{c g}
- [*Gelis merceti*](#) Ceballos, 1925 ^{c g}
- [*Gelis merops*](#) Schwarz, 2002 ^{c g}
- [*Gelis meuseli*](#) (Lange, 1911) ^{c g}
- [*Gelis micariae*](#) (Howard, 1892) ^{c g}
- [*Gelis micrurus*](#) (Forster, 1850) ^{c g}
- [*Gelis minimus*](#) (Walsh, 1861) ^{c g}
- [*Gelis mitis*](#) Schwarz, 1994 ^{c g}
- [*Gelis monozonius*](#) (Gravenhorst, 1829) ^{c g}
- [*Gelis mutillatus*](#) (Gmelin, 1790) ^{c g}
- [*Gelis nahanojus*](#) Schwarz, 1998 ^{c g}
- [*Gelis napocai*](#) Ciochia, 1974 ^{c g}
- [*Gelis nigerrimus*](#) (Dalla Torre, 1902) ^{c g}
- [*Gelis nigrifulvus*](#) (Zetterstedt, 1838) ^{c g}
- [*Gelis nigriventris*](#) (Brues, 1903) ^{c g}
- [*Gelis nigrofuscus*](#) (Strickland, 1912) ^{c g}
- [*Gelis nitidus*](#) Horstmann, 1986 ^{c g}
- [*Gelis nivariensis*](#) Schwarz, 1993 ^{c g}
- [*Gelis nocuus*](#) Cushman, 1927 ^{c g}
- [*Gelis notabilis*](#) (Forster, 1850) ^{c g}
- [*Gelis obesus*](#) (Ashmead, 1902) ^{c g}
- [*Gelis obscuratus*](#) (Strobl, 1901) ^{c g}
- [*Gelis obscuripes*](#) Horstmann, 1986 ^{c g}
- [*Gelis obscurus*](#) (Cresson, 1872) ^c
- [*Gelis operosus*](#) Schwarz, 2002 ^{c g}
- [*Gelis ornatulus*](#) (Thomson, 1884) ^c
- [*Gelis ostarrichi*](#) Schwarz, 1996 ^{c g}
- [*Gelis ottawaensis*](#) (Harrington, 1896) ^{c g}
- [*Gelis pallipes*](#) (Forster, 1851) ^c
- [*Gelis pamirensis*](#) Bogachev, 1963 ^{c g}
- [*Gelis papaveris*](#) (Förster, 1856) ^{c g}

- [Gelis parens](#) Schwarz, 1998 ^{c g}
- [Gelis parfentjevi](#) (Meyer, 1926) ^{c g}
- [Gelis pauxillus](#) (Kokujev, 1909) ^{c g}
- [Gelis pavlovskii](#) Jonaitis, 1981 ^{c g}
- [Gelis pennsylvanicus](#) (Strickland, 1912) ^{c g}
- [Gelis perniciosus](#) (Viereck, 1913) ^c
- [Gelis petraeus](#) Schwarz, 1998 ^{c g}
- [Gelis pettitii](#) (Cresson, 1872) ^{c g}
- [Gelis pezomachorum](#) (Ratzeburg, 1852) ^{c g}
- [Gelis philpottii](#) (Brues, 1922) ^{c g}
- [Gelis picipes](#) (Gravenhorst, 1829) ^{c g}
- [Gelis piger](#) (Kokujev, 1909) ^{c g}
- [Gelis pilosulus](#) (Thomson, 1884) ^{c g}
- [Gelis popofensis](#) (Ashmead, 1902) ^{c g}
- [Gelis potteri](#) Barron, 1987 ^{c g}
- [Gelis povolnyi](#) Sedivy, 1968 ^{c g}
- [Gelis problematicus](#) (Seyrig, 1952) ^{c g}
- [Gelis problemator](#) Aubert, 1989 ^{c g}
- [Gelis prospectus](#) Schwarz, 1998 ^{c g}
- [Gelis prosthesimae](#) (Riley, 1892) ^{c g}
- [Gelis proximus](#) (Forster, 1850) ^c
- [Gelis pulicarius](#) (Fabricius, 1793) ^{c g}
- [Gelis pusillus](#) (de Stefani, 1884) ^{c g}
- [Gelis rabidae](#) Barron, 1987 ^{c g}
- [Gelis ragusae](#) (de Stefani, 1884) ^c
- [Gelis recens](#) Schwarz, 2002 ^{c g}
- [Gelis robustus](#) (Strickland, 1912) ^{c g}
- [Gelis rotundiceps](#) (Cresson, 1872) ^{c g}
- [Gelis rotundiventris](#) (Forster, 1850) ^{c g}
- [Gelis rubricollis](#) (Thomson, 1884) ^{c g}
- [Gelis ruficeps](#) (Rudow, 1914) ^{c g}
- [Gelis rufipes](#) (Forster, 1850) ^{c g}
- [Gelis rufogaster](#) Thunberg, 1827 ^{c g}
- [Gelis rufoniger](#) Schwarz, 1998 ^{c g}
- [Gelis rufotinctus](#) (Bridgman, 1883) ^{c g}
- [Gelis rugifer](#) (Thomson, 1884) ^{c g}

- [*Gelis sanguinipectus*](#) (Schmiedeknecht, 1932) ^{c g}
- [*Gelis sapporoensis*](#) (Ashmead, 1906) ^{c g}
- [*Gelis schizocosae*](#) Barron & Bisdée, 1977 ^{c g}
- [*Gelis scvarschii*](#) (Rossikov, 1904) ^{c g}
- [*Gelis semirufus*](#) (de Stefani, 1884) ^{c g}
- [*Gelis sessilis*](#) (Provancher, 1874) ^{c g}
- [*Gelis seyrigi*](#) Ceballos, 1925 ^{c g}
- [*Gelis shafae*](#) Jonaitis & Alijev, 1988 ^{c g}
- [*Gelis shawidaani*](#) Schwarz, 2002 ^{c g}
- [*Gelis shushae*](#) Jonaitis & Alijev, 1988 ^{c g}
- [*Gelis sibiricus*](#) (Szépligeti, 1901) ^c
- [*Gelis solus*](#) Schwarz, 2002 ^{c g}
- [*Gelis speciosus*](#) (Hellen, 1949) ^{c g}
- [*Gelis spinula*](#) (Thomson, 1884) ^{c g}
- [*Gelis spiraculus*](#) (Strickland, 1912) ^{c g}
- [*Gelis spurius*](#) (Forster, 1850) ^{c g}
- [*Gelis stanfordensis*](#) (Strickland, 1912) ^{c g}
- [*Gelis stevenii*](#) (Gravenhorst, 1829) ^{c g}
- [*Gelis stigmaterus*](#) (Cresson, 1872) ^{c g}
- [*Gelis stigmaticus*](#) (Zetterstedt, 1838) ^{c g}
- [*Gelis stigmatus*](#) (Ashmead, 1890) ^{c g}
- [*Gelis stilatus*](#) (Rudow, 1914) ^{c g}
- [*Gelis striativentris*](#) Schwarz, 2003 ^{c g}
- [*Gelis stricklandi*](#) Townes, 1944 ^{c g}
- [*Gelis takadai*](#) Momoi, 1970 ^{c g}
- [*Gelis tantillus*](#) (Cresson, 1872) ^{c g}
- [*Gelis taschenbergii*](#) (Schmiedeknecht, 1897) ^{c g}
- [*Gelis tauriscus*](#) Schwarz, 1998 ^{c g}
- [*Gelis tenellus*](#) (Say, 1835) ^{c g b}
- [*Gelis tenerifensis*](#) Schwarz, 1993 ^{c g}
- [*Gelis terribilis*](#) Schwarz, 2002 ^{c g}
- [*Gelis texanus*](#) (Cresson, 1872) ^c
- [*Gelis thersites*](#) (Schmiedeknecht, 1933) ^{c g}
- [*Gelis thomsoni*](#) (Schmiedeknecht, 1933) ^{c g}
- [*Gelis thripites*](#) (Taylor, 1860) ^{c g}
- [*Gelis tibiator*](#) Schwarz, 2002 ^{c g}

- [*Gelis trux*](#) (Forster, 1850) ^c ^g
- [*Gelis tubulosus*](#) (Fahringier, 1923) ^c ^g
- [*Gelis turbator*](#) Schwarz, 2002 ^c ^g
- [*Gelis uniformis*](#) (Dalla Torre, 1902) ^c ^g
- [*Gelis urbanus*](#) (Brues, 1910) ^c ^g
- [*Gelis utahensis*](#) (Strickland, 1912) ^c ^g
- [*Gelis vagabundus*](#) (Forster, 1850) ^c ^g
- [*Gelis vasiljevi*](#) (Kokujev, 1912) ^c ^g
- [*Gelis venatorius*](#) (Forster, 1850) ^c ^g
- [*Gelis viduus*](#) (Forster, 1850) ^c ^g
- [*Gelis virginienensis*](#) (Ashmead, 1890) ^c ^g
- [*Gelis vulnerans*](#) (Forster, 1850) ^c ^g
- [*Gelis westerhauseri*](#) Gistel, 1857 ^c ^g
- [*Gelis wheeleri*](#) (Brues, 1903) ^c ^g
- [*Gelis yakutatensis*](#) (Ashmead, 1902) ^c ^g
- [*Gelis zeirapherator*](#) (Aubert, 1966) ^c ^g

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 1037 species in the genus [*Forcipomyia*](#).^{[1][2][3][4]}

***Forcipomyia* species**

- [*Forcipomyia abbaekiefferi*](#) Debenham, 1987^[5]
- [*Forcipomyia abdominalis*](#) Tokunaga, 1940
- [*Forcipomyia abercrombyi*](#) Macfie, 1938
- [*Forcipomyia abyssiniae*](#) (Kieffer, 1918)
- [*Forcipomyia acanthophora*](#) Remm & Havelka, 1976
- [*Forcipomyia acidicola*](#) (Tokunaga, 1937)
- [*Forcipomyia acinacis*](#) [Wirth](#) & Spinelli, 1993
- [*Forcipomyia acinacium*](#) Debenham, 1987^[5]
- [*Forcipomyia adhesipes*](#) (Macfie, 1932)
- [*Forcipomyia adjuncta*](#) Tokunaga, 1959
- [*Forcipomyia adversari*](#) Debenham, 1987^[5]
- [*Forcipomyia aenigma*](#) Meillon & Downes, 1986
- [*Forcipomyia aequalis*](#) ([Skuse](#), 1889)
- [*Forcipomyia aerea*](#) Saunders, 1956

- [*Forcipomyia aerobates*](#) (Macfie, 1936)
- [*Forcipomyia aeronautica*](#) Macfie, 1935
- [*Forcipomyia aeschnosuga*](#) (Meijere, 1927)
- [*Forcipomyia agas*](#) (Rondani, 1875)
- [*Forcipomyia aitkeni*](#) Meillon & [Wirth](#), 1980
- [*Forcipomyia aiyurae*](#) Debenham, 1983[6]
- [*Forcipomyia akizukii*](#) Tokunaga, 1940
- [*Forcipomyia alacris*](#) (Winnertz, 1852)
- [*Forcipomyia alamatae*](#) Macfie, 1937
- [*Forcipomyia alatauensis*](#) Remm, 1980
- [*Forcipomyia albiacies*](#) Debenham, 1987[5]
- [*Forcipomyia albiradialis*](#) Tokunaga, 1940
- [*Forcipomyia albontata*](#) (Kieffer, 1910)
- [*Forcipomyia albopunctata*](#) (Skuse, 1889)
- [*Forcipomyia albosignata*](#) (Kieffer, 1910)
- [*Forcipomyia allostylus*](#) Remm, 1979
- [*Forcipomyia alienus*](#) Debenham, 1987[5]
- [*Forcipomyia alleni*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia allocera*](#) Kieffer & Thienemann, 1916
- [*Forcipomyia almus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia alocasiae*](#) Tokunaga, 1961
- [*Forcipomyia altaica*](#) Remm, 1972
- [*Forcipomyia amazonica*](#) [Wirth](#), 1971
- [*Forcipomyia ambientis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia amieuensis*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia anabaenae*](#) Chan & Saunders, 1965
- [*Forcipomyia anachoreta*](#) Debenham, 1987[5]
- [*Forcipomyia ancoriformis*](#) Tokunaga, 1959
- [*Forcipomyia angelicae*](#) Tokunaga, 1940
- [*Forcipomyia anguliforceps*](#) Tokunaga, 1940
- [*Forcipomyia angyria*](#) (Yu & [Wirth](#), 1997)
- [*Forcipomyia anitae*](#) Huerta & Ibanez-Bernal, 1996
- [*Forcipomyia anna*](#) Meillon, 1959
- [*Forcipomyia annandalei*](#) [Edwards](#), 1932
- [*Forcipomyia annulata*](#) ([Meigen](#), 1838)
- [*Forcipomyia annulatipes*](#) Macfie, 1939
- [*Forcipomyia annulipes*](#) Tokunaga, 1940
- [*Forcipomyia anomala*](#) ([Macquart](#), 1826)
- [*Forcipomyia ansericolli*](#) Debenham, 1987[5]
- [*Forcipomyia anthropophila*](#) (Harrant, Huttel & Huttel, 1951)
- [*Forcipomyia antiquensis*](#) Saunders, 1956
- [*Forcipomyia antioquiae*](#) Clastrier & [Wirth](#), 1995

- [*Forcipomyia antipodum* Hudson, 1892](#)
- [*Forcipomyia antrijovis* \(Kieffer, 1919\)](#)
- [*Forcipomyia antrosus* Liu, Yan, Liu, Hao, Liu & Yu, 2001](#)
- [*Forcipomyia apicalis* Goetghebuer, 1935](#)
- [*Forcipomyia appendicular* Liu, Ge & Liu, 1996](#)
- [*Forcipomyia aquatica* Kieffer, 1922](#)
- [*Forcipomyia araea* \(Yu & Wirth, 1997\)](#)
- [*Forcipomyia araneivora* Clastrier & Legrand, 1991](#)
- [*Forcipomyia archboldi* Meillon & Wirth, 1980](#)
- [*Forcipomyia arcigera* Kieffer, 1921](#)
- [*Forcipomyia arcis* Debenham, 1987\[5\]](#)
- [*Forcipomyia argenteola* Macfie, 1939](#)
- [*Forcipomyia ariel* \(Macfie, 1932\)](#)
- [*Forcipomyia arandi* Harant & Huttel, 1952](#)
- [*Forcipomyia armativentris* Clastrier, 1960](#)
- [*Forcipomyia arnhemi* Debenham, 1987\[5\]](#)
- [*Forcipomyia ashantii* Ingram & Macfie, 1924](#)
- [*Forcipomyia asquamata* Clastrier & Delecolle, 1993](#)
- [*Forcipomyia asticta* Kieffer, 1913](#)
- [*Forcipomyia astyla* Tokunaga, 1940](#)
- [*Forcipomyia asymmetrica* Remm, 1980](#)
- [*Forcipomyia atomaria* Tokunaga, 1940](#)
- [*Forcipomyia atopia* Yu & Liu, 2000](#)
- [*Forcipomyia atricella* Debenham, 1987\[5\]](#)
- [*Forcipomyia attenuata* Saunders, 1964](#)
- [*Forcipomyia attonsa* Goetghebuer, 1950](#)
- [*Forcipomyia aurea* Malloch, 1915](#)
- [*Forcipomyia auripes* Ingram & Macfie, 1924](#)
- [*Forcipomyia auronitens* \(Kieffer, 1910\)](#)
- [*Forcipomyia australiensis* \(Kieffer, 1917\)](#)
- [*Forcipomyia australis* Clastrier & Delecolle, 1991](#)
- [*Forcipomyia austrina* Macfie, 1932](#)
- [*Forcipomyia avocadonis* Meillon & Wirth, 1979](#)
- [*Forcipomyia bacoti* \(Ingram & Macfie, 1923\)](#)
- [*Forcipomyia bahelea* Liu, Yan, Liu, Hao, Liu & Yu, 2001](#)
- [*Forcipomyia bahiensis* Wirth & Spinelli, 1992](#)
- [*Forcipomyia balteatus* Liu, Yan, Liu, Hao, Liu & Yu, 2001](#)
- [*Forcipomyia bambusa* Liu & Yu, 1996](#)
- [*Forcipomyia basendjiorum* Dessart, 1962](#)
- [*Forcipomyia basifemoralis* Wirth & Spinelli, 1993](#)
- [*Forcipomyia basiflava* Tokunaga, 1959](#)
- [*Forcipomyia baueri* Wirth, 1956](#)

- [*Forcipomyia beatulus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia beckae*](#) Wirth, 1976
- [*Forcipomyia belemensis*](#) Clastrier & Wirth, 1995
- [*Forcipomyia belkini*](#) Meillon & Wirth, 1979
- [*Forcipomyia bellerophon*](#) Debenham & Wirth, 1984[7]
- [*Forcipomyia bernicla*](#) (Yu & Wirth, 1997)
- [*Forcipomyia bessa*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia biannulata*](#) Ingram & Macfie, 1924
- [*Forcipomyia bicolor*](#) Lutz, 1914
- [*Forcipomyia bidenta*](#) (Yu & Wirth, 1997)
- [*Forcipomyia bifida*](#) Wirth & Spinelli, 1992
- [*Forcipomyia bifidipenis*](#) (Yu & Wirth, 1997)
- [*Forcipomyia bifurcifera*](#) Tokunaga, 1959
- [*Forcipomyia binifoliaceus*](#) (Yu & Wirth, 1997)
- [*Forcipomyia binigrimaculata*](#) Tokunaga, 1940
- [*Forcipomyia bipunctata*](#) (Linnaeus, 1767)
- [*Forcipomyia bipunctataproxima*](#) Chan and Leroux, 1971
- [*Forcipomyia biskraensis*](#) Kieffer, 1923
- [*Forcipomyia bispica*](#) (Yu & Wirth, 1997)
- [*Forcipomyia bispinula*](#) Liu & Yu, 1997
- [*Forcipomyia bitensis*](#) Kieffer, 1924
- [*Forcipomyia bituberculifera*](#) Tokunaga, 1959
- [*Forcipomyia blantoni*](#) Soria and Bystrak, 1975
- [*Forcipomyia blascoi*](#) Delecolle & Rieb, 1993
- [*Forcipomyia bonasa*](#) (Yu & Wirth, 1997)
- [*Forcipomyia boophila*](#) Lien, 1991
- [*Forcipomyia borbonica*](#) Clastrier, 1959
- [*Forcipomyia borealis*](#) Remm, 1966
- [*Forcipomyia borneoensis*](#) (Yu & Wirth, 1997)
- [*Forcipomyia boudinoti*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia brachypetiolata*](#) Vimmer, 1918
- [*Forcipomyia brachyrhynchus*](#) Wirth & Dow, 1972
- [*Forcipomyia brachytoma*](#) Kieffer, 1921
- [*Forcipomyia brasiliana*](#) Clastrier & Wirth, 1995
- [*Forcipomyia brasiliensis*](#) Macfie, 1939
- [*Forcipomyia braueri*](#) (Wasmann, 1893)
- [*Forcipomyia breelandi*](#) Clastrier & Wirth, 1995
- [*Forcipomyia brevicosta*](#) (Clastrier, 1960)
- [*Forcipomyia brevicubitus*](#) Goetghebuer, 1920
- [*Forcipomyia breviforceps*](#) Tokunaga, 1940
- [*Forcipomyia brevilabellata*](#) Clastrier & Wirth, 1995
- [*Forcipomyia brevipalpis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001

- [*Forcipomyia brevipedicellata*](#) (Kieffer, 1901)
- [*Forcipomyia brevipennis*](#) (Macquart, 1826)
- [*Forcipomyia brevis*](#) (Johannsen, 1927)
- [*Forcipomyia brevisicae*](#) Debenham, 1983[6]
- [*Forcipomyia brevitarsata*](#) (Ingram & Macfie, 1924)
- [*Forcipomyia briani*](#) Meillon & Wirth, 1979
- [*Forcipomyia brinchangensis*](#) Meillon & Wirth, 1980
- [*Forcipomyia brincki*](#) Meillon, 1959
- [*Forcipomyia broadheadi*](#) Clastrier & Wirth, 1995
- [*Forcipomyia bromeliae*](#) Saunders, 1956
- [*Forcipomyia bromelicola*](#) (Lutz, 1914)
- [*Forcipomyia brunnea*](#) Meillon & Downes, 1986
- [*Forcipomyia bucera*](#) Debenham, 1987[5]
- [*Forcipomyia bullata*](#) Debenham, 1987[5]
- [*Forcipomyia bureschi*](#) Zilahi-Sebess, 1934
- [*Forcipomyia bystraki*](#) Grogan & Wirth, 1975
- [*Forcipomyia cacaoi*](#) Dessart, 1963
- [*Forcipomyia cacaophila*](#) Ronderos & Spinelli, 1999
- [*Forcipomyia caelomacula*](#) Liu Jinhua, Yan Ge & Liu Guoping, 1996
- [*Forcipomyia caerulea*](#) Saunders, 1956
- [*Forcipomyia caesariata*](#) Debenham, 1983[6]
- [*Forcipomyia caestuum*](#) Debenham, 1987[5]
- [*Forcipomyia calamistrata*](#) Debenham & Wirth, 1984[7]
- [*Forcipomyia calathea*](#) Wirth, 1982
- [*Forcipomyia calcarata*](#) (Coquillett, 1905)
- [*Forcipomyia calcarhelea*](#) Wirth, 1973
- [*Forcipomyia calchaqui*](#) Spinelli & Marino, 1997
- [*Forcipomyia caledonica*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia caliginosa*](#) (Ingram & Macfie, 1924)
- [*Forcipomyia caliginosella*](#) Wirth, 1974
- [*Forcipomyia calotricha*](#) Kieffer, 1911
- [*Forcipomyia campana*](#) Debenham, 1987[5]
- [*Forcipomyia campanula*](#) Meillon & Downes, 1986
- [*Forcipomyia canadensis*](#) Bystrak and Wirth, 1978
- [*Forcipomyia canicularis*](#) Goetghebuer, 1948
- [*Forcipomyia cantabrica*](#) (Strobl, 1900)
- [*Forcipomyia capax*](#) Debenham, 1987[5]
- [*Forcipomyia caribbea*](#) Wirth and Dow, 1971
- [*Forcipomyia caribbeana*](#) Saunders, 1956
- [*Forcipomyia carolinea*](#) Tokunaga, 1959
- [*Forcipomyia carolinensis*](#) (Tokunaga, 1940)
- [*Forcipomyia castanea*](#) (Walker, 1848)

- [Forcipomyia castneri](#) Clastrier & [Wirth](#), 1995
- [Forcipomyia catarina](#) Clastrier & [Wirth](#), 1995
- [Forcipomyia catarinensis](#) Marino & Spinelli, 2002
- [Forcipomyia cattleyarum](#) Harant et Galan, 1924
- [Forcipomyia cavatus](#) Liu, Yan & Yu, 1999
- [Forcipomyia centrosus](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia centurio](#) Debenham, 1987[5]
- [Forcipomyia cerberus](#) Debenham, 1987[5]
- [Forcipomyia cerifera](#) Saunders, 1956
- [Forcipomyia chaetoptera](#) Remm, 1962
- [Forcipomyia charon](#) Debenham, 1987[5]
- [Forcipomyia chazeau](#) Clastrier & Delecolle, 1991
- [Forcipomyia chiengmai](#) (Yu & [Wirth](#), 1997)
- [Forcipomyia chilensis](#) ([Philippi](#), 1865)
- [Forcipomyia chirurgus](#) Debenham, 1987[5]
- [Forcipomyia chongmingensis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia christiansoni](#) Wirth and Hubert, 1960
- [Forcipomyia chrysolopha](#) ([Kieffer](#), 1911)
- [Forcipomyia chrysopipennis](#) [Wirth](#), 1966
- [Forcipomyia chrysothrix](#) ([Kieffer](#), 1921)
- [Forcipomyia ciliata](#) ([Winnertz](#), 1852)
- [Forcipomyia ciliola](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia cilipes](#) ([Coquillett](#), 1900)
- [Forcipomyia cinctipes](#) ([Coquillett](#), 1905)
- [Forcipomyia circinate](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia cirrhosa](#) Clastrier, Rioux & Descous, 1961
- [Forcipomyia citowitschi](#) Debenham, 1983[6]
- [Forcipomyia claggi](#) Tokunaga, 1959
- [Forcipomyia claris](#) Yu, 2001
- [Forcipomyia clastrieri](#) Dessart, 1963
- [Forcipomyia claudus](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia clavulus](#) Debenham, 1987[5]
- [Forcipomyia cliens](#) Debenham, 1987[5]
- [Forcipomyia coarctata](#) ([Kieffer](#), 1901)
- [Forcipomyia cochisei](#) [Wirth](#) & Spinelli, 1993
- [Forcipomyia coheni](#) Clastrier & [Wirth](#), 1995
- [Forcipomyia colemani](#) [Wirth](#), 1952
- [Forcipomyia collessi](#) (Yu & [Wirth](#), 1997)
- [Forcipomyia collinsi](#) Lane, 1977
- [Forcipomyia collyricus](#) Liu, Ge & Liu, 1996
- [Forcipomyia colombiae](#) [Wirth](#), 1970
- [Forcipomyia colombiana](#) Clastrier & [Wirth](#), 1995

- [*Forcipomyia colonus*](#) Debenham, 1987[5]
- [*Forcipomyia coloratus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia colum*](#) Debenham, 1983[6]
- [*Forcipomyia comis*](#) Johannsen, 1931
- [*Forcipomyia concolor*](#) Malloch, 1915
- [*Forcipomyia confluens*](#) Kieffer, 1913
- [*Forcipomyia confragosus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia conigera*](#) Kieffer, 1913
- [*Forcipomyia conocolor*](#) Malloch, 1915
- [*Forcipomyia consortis*](#) Meillon & Wirth, 1989
- [*Forcipomyia contraria*](#) Debenham, 1987[5]
- [*Forcipomyia conturbatus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia convexipenis*](#) Wirth & Spinelli, 1992
- [*Forcipomyia cooki*](#) Macfie, 1932
- [*Forcipomyia coprophila*](#) Kieffer, 1914
- [*Forcipomyia corinneae*](#) Gosseries, 1989
- [*Forcipomyia cornuta*](#) Saunders, 1964
- [*Forcipomyia corsoni*](#) Macfie, 1926
- [*Forcipomyia corticis*](#) Kieffer, 1911
- [*Forcipomyia crassipalpis*](#) Debenham, 1987[5]
- [*Forcipomyia crassipes*](#) (Winnertz, 1852)
- [*Forcipomyia creesi*](#) Meillon, Meiswinkel & Wirth, 1982
- [*Forcipomyia crepidinis*](#) Debenham, 1987[5]
- [*Forcipomyia crinita*](#) Saunders, 1964
- [*Forcipomyia crinume*](#) (Tokunaga, 1932)
- [*Forcipomyia cristata*](#) Clastrier & Wirth, 1995
- [*Forcipomyia crocea*](#) Debenham, 1983[6]
- [*Forcipomyia cubicularis*](#) Kieffer, 1911
- [*Forcipomyia cubitalis*](#) (Kieffer, 1918)
- [*Forcipomyia cuculli*](#) Debenham, 1983[6]
- [*Forcipomyia curticornis*](#) Goetghebuer, 1933
- [*Forcipomyia curtus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia cylindrica*](#) Wirth & Dow, 1972
- [*Forcipomyia cylindripalpis*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia cymodocea*](#) Nie, Li, Li & Yu, 2003
- [*Forcipomyia cypri*](#) (Kieffer, 1918)
- [*Forcipomyia dacica*](#) Damian-Georgescu, 1972
- [*Forcipomyia danaisi*](#) (Floch & Abonnenc, 1949)
- [*Forcipomyia danica*](#) Kieffer, 1915
- [*Forcipomyia danxianensis*](#) Yu & Liu, 1982
- [*Forcipomyia darwini*](#) Marino & Spinelli, 2003
- [*Forcipomyia davidi*](#) Debenham, 1987[5]

- [Forcipomyia daxingensis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia debenhamae](#) Clastrier & Delecolle, 1991
- [Forcipomyia decipiens](#) (Kieffer, 1910)
- [Forcipomyia declivis](#) Debenham, 1987[5]
- [Forcipomyia defatigatus](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia deformis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia delenificus](#) Liu Jinhua, Tang Boheng & Hao Boashan, 2002
- [Forcipomyia delpontei](#) Cavaliere, 1962
- [Forcipomyia demeter](#) Debenham, 1987[5]
- [Forcipomyia deminuta](#) Tokunaga & Murachi, 1959
- [Forcipomyia desertensis](#) Wirth and Hubert, 1960
- [Forcipomyia despecta](#) Kieffer, 1921
- [Forcipomyia desurvillei](#) Macfie, 1932
- [Forcipomyia desutterae](#) Clastrier & Wirth, 1995
- [Forcipomyia deucalionis](#) Debenham & Wirth, 1984[7]
- [Forcipomyia diaoluoensis](#) Yu & Liu, 1982
- [Forcipomyia dichromata](#) Remm & Zhogolev, 1968
- [Forcipomyia dirina](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia dirus](#) (Liu, Yan & Liu, 1996)
- [Forcipomyia discoloripes](#) Macfie, 1939
- [Forcipomyia dissimilis](#) Clastrier & Delecolle, 1991
- [Forcipomyia distapalpis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia dividus](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia dolichopodida](#) Chan & Linley, 1989
- [Forcipomyia dominicana](#) Meillon & Wirth, 1979
- [Forcipomyia donscoffi](#) Clastrier & Wirth, 1995
- [Forcipomyia dorsalis](#) Wirth & Dow, 1972
- [Forcipomyia dowi](#) Bystrak and Wirth, 1978
- [Forcipomyia draconis](#) Meillon & Wirth, 1980
- [Forcipomyia dubia](#) Macfie, 1939
- [Forcipomyia dubiamima](#) Wirth & Spinelli, 1993
- [Forcipomyia dunklei](#) Clastrier & Wirth, 1995
- [Forcipomyia dycei](#) Debenham & Wirth, 1984[7]
- [Forcipomyia eadsi](#) Wirth & Spinelli, 1993
- [Forcipomyia edgari](#) Tokunaga & Murachi, 1959
- [Forcipomyia edmistonii](#) Wirth & Spinelli, 1993
- [Forcipomyia edwardsi](#) (Saunders, 1925)
- [Forcipomyia edwardsiana](#) Wirth, 1974
- [Forcipomyia elegans](#) Meillon & Wirth, 1987
- [Forcipomyia elegantula](#) Malloch, 1915
- [Forcipomyia elongata](#) (Kieffer, 1901)
- [Forcipomyia emeishana](#) Yu & Liu, 1982

- [*Forcipomyia ensifera*](#) Macfie, 1934
- [*Forcipomyia episcopus*](#) Debenham, 1987[5]
- [*Forcipomyia eques*](#) (Johannsen, 1908)
- [*Forcipomyia equitans*](#) (Edwards, 1933)
- [*Forcipomyia eriophora*](#) (Williston, 1896)[8]
- [*Forcipomyia esakiana*](#) Tokunaga, 1940
- [*Forcipomyia esakii*](#) (Tokunaga, 1940)
- [*Forcipomyia eshowensis*](#) Meillon, 1937
- [*Forcipomyia eukosma*](#) Macfie, 1939
- [*Forcipomyia euthystyla*](#) Wirth & Spinelli, 1992
- [*Forcipomyia euzierei*](#) Harant et Galan, 1943
- [*Forcipomyia excellens*](#) Johannsen, 1931
- [*Forcipomyia exigua*](#) Ingram & Macfie, 1924
- [*Forcipomyia fairfaxensis*](#) Wirth, 1951
- [*Forcipomyia falcifera*](#) Saunders, 1959
- [*Forcipomyia falcinella*](#) (Kieffer, 1911)
- [*Forcipomyia fangchengensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia farri*](#) Wirth, 1966
- [*Forcipomyia fasciata*](#) Tokunaga, 1940
- [*Forcipomyia fascicauda*](#) Tokunaga, 1940
- [*Forcipomyia fehrrorum*](#) Grogan & Sigrist, 2007
- [*Forcipomyia felippebauerae*](#) Clastrier & Wirth, 1995
- [*Forcipomyia feminae*](#) (Tokunaga, 1940)
- [*Forcipomyia fenestrarum*](#) Debenham, 1983[6]
- [*Forcipomyia fengjiensis*](#) Yu, Liang, Chen, He & Su, 2007
- [*Forcipomyia ferrea*](#) Debenham, 1987[5]
- [*Forcipomyia ficula*](#) (Yu & Wirth, 1997)
- [*Forcipomyia fidelis*](#) Krivosheina, 1968
- [*Forcipomyia fidens*](#) (Macfie, 1936)
- [*Forcipomyia fijiensis*](#) (Macfie, 1945)
- [*Forcipomyia filicauda*](#) Remm, 1993
- [*Forcipomyia fimbriata*](#) (Coquillett, 1901)
- [*Forcipomyia fishi*](#) Wirth and Soria, 1980
- [*Forcipomyia flava*](#) (Williston, 1896)[8]
- [*Forcipomyia flaveola*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia flavescens*](#) Saunders, 1964
- [*Forcipomyia flaviceps*](#) Kieffer, 1913
- [*Forcipomyia flavicincta*](#) Santos Abreu, 1918
- [*Forcipomyia flavicoxis*](#) Goetghebuer, 1935
- [*Forcipomyia flavifemoris*](#) Macfie, 1940
- [*Forcipomyia flavipectoralis*](#) Tokunaga, 1959
- [*Forcipomyia flavitibialis*](#) Tokunaga & Murachi, 1959

- [*Forcipomyia flavomaculata*](#) Vimmer, 1928
- [*Forcipomyia flavominima*](#) Remm, 1971
- [*Forcipomyia flavus*](#) Liu, Ge & Liu, 1996
- [*Forcipomyia floridensis*](#) Dow and [Wirth](#), 1972
- [*Forcipomyia foliaceus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia folipenis*](#) Liu & Yu, 1997
- [*Forcipomyia folipennis*](#) Liu & Yu, 1997
- [*Forcipomyia forcipis*](#) Meillon & [Wirth](#), 1980
- [*Forcipomyia forfices*](#) Debenham, 1987[5]
- [*Forcipomyia forficula*](#) (Yu & [Wirth](#), 1997)
- [*Forcipomyia formicaria*](#) Kieffer & Thienemann, 1908
- [*Forcipomyia formosae*](#) (Kieffer, 1921)
- [*Forcipomyia formosana*](#) Kieffer, 1916
- [*Forcipomyia franklini*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia freyi*](#) Stora, 1936
- [*Forcipomyia frigidus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia frutetorum*](#) ([Winnertz](#), 1852)
- [*Forcipomyia fuliginata*](#) Clastrier, 1983
- [*Forcipomyia fuliginosa*](#) ([Meigen](#), 1818)
- [*Forcipomyia fulvescens*](#) Santos Abreu, 1918
- [*Forcipomyia furcifera*](#) Macfie, 1940
- [*Forcipomyia furculae*](#) Debenham, 1987[5]
- [*Forcipomyia furfura*](#) Meillon & [Wirth](#), 1989
- [*Forcipomyia fusca*](#) ([Philippi](#), 1865)
- [*Forcipomyia fuscicalcarata*](#) Bystrak and [Wirth](#), 1978
- [*Forcipomyia fusciforceps*](#) (Kieffer, 1918)
- [*Forcipomyia fuscimaculata*](#) Hardy, 1960
- [*Forcipomyia fuscimana*](#) (Kieffer, 1921)
- [*Forcipomyia fusicornis*](#) ([Coquillett](#), 1905)
- [*Forcipomyia galapagensis*](#) ([Coquillett](#), 1901)
- [*Forcipomyia galbiventris*](#) Borkent, 1997
- [*Forcipomyia galeata*](#) Debenham & [Wirth](#), 1984[7]
- [*Forcipomyia galliarii*](#) Marino & Spinelli, 1999
- [*Forcipomyia gandangara*](#) Debenham, 1987[5]
- [*Forcipomyia geniflava*](#) Tokunaga, 1959
- [*Forcipomyia genualis*](#) ([Loew](#), 1866)
- [*Forcipomyia geometrica*](#) (Clastrier, 1959)
- [*Forcipomyia gibbus*](#) Debenham, 1987[5]
- [*Forcipomyia glauca*](#) Macfie, 1934
- [*Forcipomyia globularis*](#) Edwards, 1928
- [*Forcipomyia gloriose*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia gokwe*](#) Meillon & [Wirth](#), 1989

- [*Forcipomyia goniognatha*](#) Wirth and Messersmith, 1971
- [*Forcipomyia grallator*](#) Debenham, 1987[5]
- [*Forcipomyia gramencola*](#) Lien, 1991
- [*Forcipomyia grandcolasi*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia grata*](#) Macfie, 1934
- [*Forcipomyia gravesi*](#) [Wirth](#) & Spinelli, 1992
- [*Forcipomyia gressitti*](#) Tokunaga & Murachi, 1959
- [*Forcipomyia gripha*](#) Borkent, 1997
- [*Forcipomyia guamai*](#) [Wirth](#) & Dow, 1972
- [*Forcipomyia guamensis*](#) Tokunaga & Murachi, 1959
- [*Forcipomyia guangdongensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia guarani*](#) Ronderos & Spinelli, 1999
- [*Forcipomyia guilleaumei*](#) Goetghebuer, 1935
- [*Forcipomyia guttata*](#) Meillon & [Wirth](#), 1989
- [*Forcipomyia guyana*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia hainana*](#) (Liu, Yan & Liu, 1996)
- [*Forcipomyia halterata*](#) ([Winnertz](#), 1852)
- [*Forcipomyia hamata*](#) Tokunaga, 1959
- [*Forcipomyia hamaticauda*](#) Tokunaga, 1959
- [*Forcipomyia hamoni*](#) Meillon, 1959
- [*Forcipomyia hardyi*](#) [Wirth](#) & Howarth, 1982
- [*Forcipomyia haroldi*](#) Meillon & [Wirth](#), 1989
- [*Forcipomyia harpa*](#) Spinelli & Borkent, 2004
- [*Forcipomyia hastata*](#) Meillon & [Wirth](#), 1981
- [*Forcipomyia heilongjiangensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia herbaceus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia herediae*](#) [Wirth](#) & Spinelli, 1992
- [*Forcipomyia hesiones*](#) Meillon, 1936
- [*Forcipomyia heterocera*](#) [Kieffer](#), 1913
- [*Forcipomyia hicksae*](#) Debenham, 1983[6]
- [*Forcipomyia hikosanensis*](#) Tokunaga, 1940
- [*Forcipomyia himalayae*](#) [Kieffer](#), 1911
- [*Forcipomyia hirsuta*](#) Ingram & Macfie, 1924
- [*Forcipomyia hirtipennis*](#) ([Malloch](#), 1915)
- [*Forcipomyia hirtula*](#) ([Zetterstedt](#), 1838)
- [*Forcipomyia hissarica*](#) Remm, 1980
- [*Forcipomyia hobbsi*](#) [Wirth](#) & Spinelli, 1992
- [*Forcipomyia homaliae*](#) Lien, 1991
- [*Forcipomyia humilavolita*](#) Yu & Liu, 1982
- [*Forcipomyia hunjiangensis*](#) Qu & Ye, 1995
- [*Forcipomyia hurdi*](#) [Wirth](#), 1952
- [*Forcipomyia hutsoni*](#) [Wirth](#) & Ratanaworabhan, 1976

- [Forcipomyia hutteli](#) Arnold & Jarry, 1956
- [Forcipomyia hybrida](#) Remm, 1980
- [Forcipomyia hydratus](#) Liu, Ge & Liu, 1996
- [Forcipomyia hygrophila](#) Kieffer, 1925
- [Forcipomyia hylecoeta](#) Yu & Xu, 2000
- [Forcipomyia iaculum](#) Debenham & [Wirth](#), 1984[7]
- [Forcipomyia idaeus](#) Yu & Liu, 2000
- [Forcipomyia ignobilis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia ikiniae](#) Meillon, Meiswinkel & [Wirth](#), 1982
- [Forcipomyia illimis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia immaculata](#) Vimmer, 1928
- [Forcipomyia imparidentis](#) Debenham, 1987[5]
- [Forcipomyia improbiserra](#) Debenham, 1987[5]
- [Forcipomyia incomposita](#) Debenham, 1983[6]
- [Forcipomyia inconspicuosq](#) Ingram & Macfie, 1924
- [Forcipomyia incubans](#) (Macfie, 1937)
- [Forcipomyia incus](#) Debenham, 1987[5]
- [Forcipomyia indecora](#) [Kieffer](#), 1914
- [Forcipomyia infans](#) Debenham, 1983[6]
- [Forcipomyia inflatipalpis](#) Clastrier & Delecolle, 1993
- [Forcipomyia ingenua](#) Macfie, 1934
- [Forcipomyia ingrami](#) Carter, 1960
- [Forcipomyia inornatipennis](#) ([Austen](#), 1912)
- [Forcipomyia insignicornis](#) (Macfie, 1947)
- [Forcipomyia insigniforceps](#) Macfie, 1939
- [Forcipomyia insignipalpis](#) Macfie, 1949
- [Forcipomyia insignis](#) ([Skuse](#), 1889)
- [Forcipomyia insulae](#) Clastrier & Delecolle, 1993
- [Forcipomyia intermedia](#) Saunders, 1964
- [Forcipomyia intrepida](#) Macfie, 1936
- [Forcipomyia intrudens](#) Liu, Ge & Liu, 1996
- [Forcipomyia iquitosensis](#) Clastrier & [Wirth](#), 1995
- [Forcipomyia ishikariensis](#) Yamashita, Kimatura & Nakamura, 1957
- [Forcipomyia ishizuchiensis](#) (Udaka, 1959)
- [Forcipomyia ixodoides](#) (Fiebrig-Gertz, 1928)
- [Forcipomyia jamaicensis](#) [Wirth](#), 1970
- [Forcipomyia japonica](#) (Tokunaga, 1937)
- [Forcipomyia jipajapae](#) [Wirth](#), 1970
- [Forcipomyia jocosa](#) Saunders, 1956
- [Forcipomyia jocosus](#) Yu & Maha, 1998
- [Forcipomyia johannseni](#) Thomsen, 1935
- [Forcipomyia kabashae](#) Meillon, 1959

- *Forcipomyia kaltenbachii* (Winnertz, 1852)
- *Forcipomyia kamilaroi* Debenham, 1983[6]
- *Forcipomyia kaneohe* Wirth & Howarth, 1982
- *Forcipomyia karnyi* Edwards, 1923
- *Forcipomyia kaufmannae* Wirth & Derron, 1976
- *Forcipomyia kawensis* Clastrier & Wirth, 1995
- *Forcipomyia keilini* (Saunders, 1925)
- *Forcipomyia khoisana* Meillon & Wirth, 1979
- *Forcipomyia kii* (Tokunaga, 1940)
- *Forcipomyia kilemae* Kieffer, 1913
- *Forcipomyia kitasirakawae* Tokunaga, 1940
- *Forcipomyia knockensis* Goetghebuer, 1938
- *Forcipomyia koniae* (Kieffer, 1918)
- *Forcipomyia kribiensis* (Kieffer, 1921)
- *Forcipomyia kuanosceles* Macfie, 1939
- *Forcipomyia kuscheli* Sublette & Wirth, 1980
- *Forcipomyia kyotoensis* Tokunaga, 1940
- *Forcipomyia labidentis* Yu & Zhang, 1982
- *Forcipomyia laboulbeni* (Perris, 1870)
- *Forcipomyia lacrimatorii* Macfie, 1939
- *Forcipomyia lagoenae* Debenham, 1987[5]
- *Forcipomyia lagonigera* Kieffer, 1921
- *Forcipomyia laguncula* Kieffer, 1925
- *Forcipomyia lairdi* (Wirth, 1956)
- *Forcipomyia lanceolata* Macfie, 1934
- *Forcipomyia largus* Liu, Yan, Liu, Hao, Liu & Yu, 2001
- *Forcipomyia lateralis* (Bouché, 1834)
- *Forcipomyia latifolia* (Yu & Wirth, 1997)
- *Forcipomyia latipes* (Macfie, 1936)
- *Forcipomyia latiunguis* Clastrier, 1983
- *Forcipomyia laxus* Liu, Yan, Liu, Hao, Liu & Yu, 2001
- *Forcipomyia lecordeurorum* Meillon, Meiswinkel & Wirth, 1982
- *Forcipomyia leei* Wirth and Ratanaworabhan, 1978
- *Forcipomyia lefanui* Carter, 1916
- *Forcipomyia lemuria* Meillon, 1961
- *Forcipomyia lepida* (Winnertz, 1852)
- *Forcipomyia lepidopus* (Kieffer, 1917)
- *Forcipomyia lepta* (Yu & Wirth, 1997)
- *Forcipomyia leptognatha* Wirth and Messersmith, 1971
- *Forcipomyia leptolepis* Krivosheina et Remm, 1974
- *Forcipomyia lesliei* Wirth, 1974
- *Forcipomyia letabanus* Meillon, Meiswinkel & Wirth, 1982

- [*Forcipomyia leucochaeta*](#) (Kieffer, 1921)
- [*Forcipomyia leucoptera*](#) (Meigen, 1804)
- [*Forcipomyia lignarius*](#) Debenham, 1987[5]
- [*Forcipomyia lignicola*](#) (Brunetti, 1912)
- [*Forcipomyia limnetis*](#) Ingram & Macfie, 1931
- [*Forcipomyia lingnanensis*](#) Liu, Yan & Yu, 1999
- [*Forcipomyia litoralis*](#) Santos Abreu, 1918
- [*Forcipomyia litoraurea*](#) (Ingram & Macfie, 1924)
- [*Forcipomyia lokki*](#) Remm, 1993
- [*Forcipomyia longicalcar*](#) Kieffer, 1912
- [*Forcipomyia longicauda*](#) (Yu, 1997)
- [*Forcipomyia longiconus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia longicornis*](#) (Tokunaga, 1940)
- [*Forcipomyia longineura*](#) Saunders, 1964
- [*Forcipomyia longipalpula*](#) (Yu & Wirth, 1997)
- [*Forcipomyia longiseta*](#) Yu & Liu, 1999
- [*Forcipomyia longisetosa*](#) Krivosheina et Remm, 1973
- [*Forcipomyia longispina*](#) Saunders, 1956
- [*Forcipomyia longitarsis*](#) (Malloch, 1915)
- [*Forcipomyia longurius*](#) Liu & Yu, 1997
- [*Forcipomyia lotus*](#) (Williston, 1896)[8]
- [*Forcipomyia louriei*](#) (Macfie, 1935)
- [*Forcipomyia lugubris*](#) (Zetterstedt, 1855)
- [*Forcipomyia lui*](#) (Liu, Yan & Liu, 1996)
- [*Forcipomyia lunata*](#) Debenham, 1987[5]
- [*Forcipomyia lushana*](#) Yu & Wang, 1982
- [*Forcipomyia luteigenua*](#) Wirth & Spinelli, 1992
- [*Forcipomyia luteisquamosa*](#) Wirth, 1972
- [*Forcipomyia luteofulvous*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia luzona*](#) (Yu & Wirth, 1997)
- [*Forcipomyia lydiae*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia macheti*](#) Clastrier & Legrand, 1990
- [*Forcipomyia macronyx*](#) Goetghebuer, 1933
- [*Forcipomyia macrorhynchus*](#) (Kieffer, 1910)
- [*Forcipomyia macrothrix*](#) Kieffer, 1911
- [*Forcipomyia macswaini*](#) Wirth, 1952
- [*Forcipomyia maculatus*](#) Liu, Ge & Liu, 1996
- [*Forcipomyia maculipennis*](#) Tokunaga, 1940
- [*Forcipomyia maculipes*](#) (Goetghebuer, 1933)
- [*Forcipomyia maculosa*](#) Ingram & Macfie, 1931
- [*Forcipomyia maculosicrura*](#) Tokunaga, 1959
- [*Forcipomyia madeira*](#) Clastrier, 1991

- [*Forcipomyia maderia*](#) Clastrier, 1991
- [*Forcipomyia magna*](#) (Saunders, 1925)
- [*Forcipomyia magnasacculus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia magnipunctata*](#) Tokunaga, 1940
- [*Forcipomyia magnispinosa*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia mahamutius*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia mahensis*](#) (Kieffer, 1911)
- [*Forcipomyia makanensis*](#) Hou, 2019[9]
- [*Forcipomyia malayae*](#) Saunders, 1956
- [*Forcipomyia manasi*](#) Maheshwari, 2003
- [*Forcipomyia manchuriensis*](#) Tokunaga, 1941
- [*Forcipomyia manis*](#) Debenham, 1987[5]
- [*Forcipomyia manzhuangensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia mapuche*](#) Marino & Spinelli, 2003
- [*Forcipomyia margaritae*](#) Szadziwski, 1983
- [*Forcipomyia marini*](#) Spinelli & Dippolito, 1995
- [*Forcipomyia marksae*](#) Tokunaga, 1961
- [*Forcipomyia marsafae*](#) Ghonaim, Ibrahim & Ali, 2001
- [*Forcipomyia marsalae*](#) (Vattier & Adam, 1966)
- [*Forcipomyia masaakii*](#) Debenham, 1989
- [*Forcipomyia matautuensis*](#) Clastrier & Delecolle, 1996
- [*Forcipomyia matilei*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia matsumurai*](#) Kitaoka, 1994
- [*Forcipomyia maura*](#) (Kieffer, 1918)
- [*Forcipomyia mcateeii*](#) Wirth, 1956
- [*Forcipomyia mcmillani*](#) Clastrier & Wirth, 1961
- [*Forcipomyia medipalus*](#) Debenham, 1987[5]
- [*Forcipomyia mediterranea*](#) (Kieffer, 1919)
- [*Forcipomyia melanchora*](#) Ingram & Macfie, 1924
- [*Forcipomyia mengi*](#) Liu & Yu, 1996
- [*Forcipomyia menzeli*](#) Clastrier & Wirth, 1995
- [*Forcipomyia mercuratas*](#) Liu, Ge & Liu, 1996
- [*Forcipomyia mesasiatica*](#) Remm, 1980
- [*Forcipomyia messersmithi*](#) Wirth & Dow, 1972
- [*Forcipomyia mexicana*](#) Wirth, 1956
- [*Forcipomyia microtoma*](#) (Kieffer, 1917)
- [*Forcipomyia minima*](#) (Tokunaga, 1940)
- [*Forcipomyia minisquamosa*](#) Wirth, 1972
- [*Forcipomyia ministra*](#) Debenham, 1983[6]
- [*Forcipomyia minitheca*](#) Marino & Spinelli, 2001
- [*Forcipomyia minor*](#) Liu, Ge & Liu, 1996
- [*Forcipomyia minuta*](#) (Tokunaga, 1940)

- [Forcipomyia mira](#) Johannsen, 1931
- [Forcipomyia miricornis](#) Kieffer, 1916
- [Forcipomyia mixta](#) Yu & Liu, 1982
- [Forcipomyia mollipes](#) (Macfie, 1932)
- [Forcipomyia monilicornis](#) (Coquillett, 1905)
- [Forcipomyia monoceros](#) Debenham, 1987[5]
- [Forcipomyia monoplectron](#) Lane, 1977
- [Forcipomyia montana](#) Meillon & Downes, 1986
- [Forcipomyia monticola](#) Kieffer, 1913
- [Forcipomyia monticolonina](#) Tokunaga, 1966
- [Forcipomyia moorei](#) Clastrier & Wirth, 1995
- [Forcipomyia mopsus](#) Meillon & Hardy, 1954
- [Forcipomyia morenoi](#) Marino & Spinelli, 2003
- [Forcipomyia moriokensis](#) Kitaoka, 1994
- [Forcipomyia mortuifolii](#) Saunders, 1959
- [Forcipomyia mucronis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia multidentata](#) Ronderos & Spinelli, 1999
- [Forcipomyia multipicta](#) Ingram & Macfie, 1931
- [Forcipomyia murina](#) (Winnertz, 1852)
- [Forcipomyia murphyi](#) Clastrier & Wirth, 1961
- [Forcipomyia musae](#) Clastrier & Delecolle, 1994
- [Forcipomyia muzoni](#) Marino & Spinelli, 2004
- [Forcipomyia myrmecophila](#) (Egger, 1863)
- [Forcipomyia nana](#) (Macfie, 1939)
- [Forcipomyia nanjingensis](#) Yu & Wang, 1982
- [Forcipomyia nanshengwei](#) Yu, Liang, Chen, He & Su, 2007
- [Forcipomyia narthekophora](#) Macfie, 1939
- [Forcipomyia nasuensis](#) Kitaoka, 1994
- [Forcipomyia natalia](#) (Meillon, 1936)
- [Forcipomyia navaiae](#) Bystrak and Wirth, 1978
- [Forcipomyia nemus](#) Debenham, 1983[6]
- [Forcipomyia neocaledoniensis](#) Clastrier & Delecolle, 1991
- [Forcipomyia neodebenhamae](#) Szadziewski & Borkent, 2003
- [Forcipomyia neomonticola](#) Borkent, 1997
- [Forcipomyia neotokunagai](#) Szadziewski & Borkent, 2003
- [Forcipomyia neotropica](#) Clastrier & Wirth, 1995
- [Forcipomyia neowirthi](#) Szadziewski & Borkent, 2003
- [Forcipomyia nepala](#) (Yu, 2000)
- [Forcipomyia nhulunbuyensis](#) Debenham, 1983[6]
- [Forcipomyia nigeriae](#) (Ingram & Macfie, 1924)
- [Forcipomyia nigeriensis](#) Ingram & Macfie, 1924
- [Forcipomyia nigra](#) (Winnertz, 1852)

- [Forcipomyia nigrans](#) Remm, 1962
- [Forcipomyia nigrescens](#) Macfie, 1939
- [Forcipomyia nigricoxis](#) Goetghebuer, 1935
- [Forcipomyia nigrimaxillata](#) Clastrier & Wirth, 1995
- [Forcipomyia nigrotibialis](#) Ingram & Macfie, 1924
- [Forcipomyia nilicola](#) (Kieffer, 1924)
- [Forcipomyia niligena](#) (Kieffer, 1921)
- [Forcipomyia nilotica](#) (Kieffer, 1921)
- [Forcipomyia nipponica](#) (Tokunaga, 1940)
- [Forcipomyia noctivaga](#) Kieffer, 1912
- [Forcipomyia nodosa](#) Saunders, 1959
- [Forcipomyia noewirthi](#) Szadziewski & Borkent, 2003
- [Forcipomyia notata](#) Macfie, 1939
- [Forcipomyia notohena](#) Liu & Yu, 1997
- [Forcipomyia notothena](#) Liu & Yu, 1997
- [Forcipomyia novaeteutoniae](#) Clastrier & Wirth, 1995
- [Forcipomyia novaguineae](#) Tokunaga, 1959
- [Forcipomyia nudocola](#) (Tokunaga, 1973)
- [Forcipomyia nuncupata](#) Macfie, 1949
- [Forcipomyia obesa](#) Lima, 1928
- [Forcipomyia obscura](#) (Walker, 1848)
- [Forcipomyia ochracea](#) Vimmer, 1928
- [Forcipomyia ocrearum](#) Debenham, 1987[5]
- [Forcipomyia odonatiphila](#) (Macfie, 1932)
- [Forcipomyia ogatai](#) Tokunaga, 1961
- [Forcipomyia okadai](#) (Tokunaga, 1939)
- [Forcipomyia oligarthra](#) Saunders, 1956
- [Forcipomyia onusta](#) Remm, 1980
- [Forcipomyia onustagalea](#) Yu, 2000
- [Forcipomyia onustus](#) Yu & Liu, 1999
- [Forcipomyia operimenti](#) Debenham, 1987[5]
- [Forcipomyia opilionivora](#) (Lane, 1947)
- [Forcipomyia orbis](#) Debenham, 1987[5]
- [Forcipomyia oreita](#) Liu & Yu, 1996
- [Forcipomyia orientalis](#) Kieffer, 1924
- [Forcipomyia ornata](#) Tokunaga, 1940
- [Forcipomyia ornatocrus](#) Kieffer, 1912
- [Forcipomyia ornatipennis](#) Macfie, 1939
- [Forcipomyia ornatipes](#) (Kieffer, 1918)
- [Forcipomyia oryx](#) Debenham, 1987[5]
- [Forcipomyia ostiola](#) (Yu & Wirth, 1997)
- [Forcipomyia oxypenis](#) (Yu & Wirth, 1997)

- [Forcipomyia oxyria](#) Yu & Liu, 1985
- [Forcipomyia pachyparamera](#) Clastrier & Delecolle, 1991
- [Forcipomyia pacifica](#) (Macfie, 1933)
- [Forcipomyia padi](#) Remm, 1979
- [Forcipomyia paenedentula](#) Debenham, 1983[6]
- [Forcipomyia paenulata](#) Debenham, 1987[5]
- [Forcipomyia palikuensis](#) Hardy, 1960
- [Forcipomyia pallida](#) (Winnertz, 1852)
- [Forcipomyia pallidipes](#) Santos Abreu, 1918
- [Forcipomyia pallidistylus](#) Krivosheina et Remm, 1974
- [Forcipomyia pallipes](#) (Meigen, 1818)
- [Forcipomyia palliscuta](#) Tokunaga, 1959
- [Forcipomyia palmarum](#) Debenham, 1987[5]
- [Forcipomyia palmensis](#) Santos Abreu, 1918
- [Forcipomyia paludia](#) (Macfie, 1936)
- [Forcipomyia paludis](#) (Macfie, 1936)
- [Forcipomyia palustris](#) (Meigen, 1804)
- [Forcipomyia pampoikila](#) Ingram & Macfie, 1924
- [Forcipomyia papuensis](#) Lane & Cotman, 1986
- [Forcipomyia pardus](#) Debenham, 1987[5]
- [Forcipomyia parenthesis](#) Debenham, 1983[6]
- [Forcipomyia parva](#) (Walker, 1848)
- [Forcipomyia parvicellula](#) Ingram & Macfie, 1931
- [Forcipomyia parvicrater](#) Debenham, 1987[5]
- [Forcipomyia parvitas](#) Liu & Yu, 1996
- [Forcipomyia paucidentis](#) Lien, 1991
- [Forcipomyia pechumani](#) Bystrak and Wirth, 1978
- [Forcipomyia pectinis](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia pectinunguis](#) (Meijere, 1923)
- [Forcipomyia pennambula](#) Macfie, 1932
- [Forcipomyia pennaticauda](#) Debenham, 1987[5]
- [Forcipomyia pensiledentia](#) (Yu & Wirth, 1997)
- [Forcipomyia penultima](#) Wirth, 1972
- [Forcipomyia perae](#) Debenham, 1983[6]
- [Forcipomyia perangusta](#) (Goetghebuer, 1935)
- [Forcipomyia peregrinator](#) Debenham, 1983[6]
- [Forcipomyia perflavida](#) Remm, 1971
- [Forcipomyia pergandei](#) (Coquillett, 1901)
- [Forcipomyia perpusillus](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia persa](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [Forcipomyia peruviana](#) Clastrier & Wirth, 1995
- [Forcipomyia phlebotomoides](#) Bangarter, 1933

- [*Forcipomyia pholeter* Wirth](#) & Howarth, 1982
- [*Forcipomyia phototropia*](#) Yu & Zhang, 1982
- [*Forcipomyia phototropisma*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia picheyeri*](#) Harant et Galan, 1942
- [*Forcipomyia pictiscutaris*](#) Tokunaga, 1959
- [*Forcipomyia pictisquamipennis*](#) Tokunaga, 1959
- [*Forcipomyia pictoni*](#) Macfie, 1938
- [*Forcipomyia picturatus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia pilosa*](#) (Coquillett, 1902)
- [*Forcipomyia pinamarensis*](#) Spinelli, 1983
- [*Forcipomyia pingxiangensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia pinheyi*](#) Clastrier & Legrand, 1984
- [*Forcipomyia pinicola*](#) Bystrak and Messersmith, 1980
- [*Forcipomyia pinjiensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia pipiens*](#) Liu, Ge & Liu, 1996
- [*Forcipomyia piroskyi*](#) Cavalieri, 1962
- [*Forcipomyia platensis*](#) (Brèthes, 1914)
- [*Forcipomyia plaumanni*](#) Clastrier & [*Wirth*](#), 1995
- [*Forcipomyia plumosa*](#) Debenham, 1983[6]
- [*Forcipomyia pluvialis*](#) Malloch, 1923
- [*Forcipomyia poluaineae*](#) Ingram & Macfie, 1931
- [*Forcipomyia pontica*](#) Remm & Zhogoley, 1968
- [*Forcipomyia postrema*](#) (Santos Abreu, 1918)
- [*Forcipomyia praealtus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia praecincta*](#) Santos Abreu, 1918
- [*Forcipomyia pretoriana*](#) (Kieffer, 1918)
- [*Forcipomyia pricei*](#) [*Wirth*](#) & Spinelli, 1993
- [*Forcipomyia proavia*](#) Debenham, 1987[5]
- [*Forcipomyia proximornata*](#) Debenham, 1987[5]
- [*Forcipomyia pseudonigra*](#) Delecolle & Schiegg, 1999
- [*Forcipomyia psilonota*](#) (Kieffer, 1911)
- [*Forcipomyia psychasta*](#) Kieffer, 1913
- [*Forcipomyia puhtuensis*](#) Remm, 1979
- [*Forcipomyia pulcherrima*](#) Santos Abreu, 1918
- [*Forcipomyia pulchrithorax*](#) Edwards, 1924
- [*Forcipomyia pulla*](#) Meillon & [*Wirth*](#), 1981
- [*Forcipomyia punctatipennis*](#) Kieffer, 1924
- [*Forcipomyia punctipes*](#) Edwards, 1928
- [*Forcipomyia punctumalbum*](#) (Kieffer, 1917)
- [*Forcipomyia puracensis*](#) [*Wirth*](#) & Dow, 1972
- [*Forcipomyia puteus*](#) Debenham, 1983[6]
- [*Forcipomyia qionghainensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001

- [*Forcipomyia quadriflava*](#) Tokunaga, 1959
- [*Forcipomyia quasicornuta*](#) Saunders, 1964
- [*Forcipomyia quasiingrami*](#) Macfie, 1939
- [*Forcipomyia quatei*](#) Wirth, 1952
- [*Forcipomyia quateriungula*](#) Tokunaga, 1959
- [*Forcipomyia quechua*](#) Marino & Spinelli, 2002
- [*Forcipomyia qufuensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia quinquereimis*](#) Debenham, 1987[5]
- [*Forcipomyia quokkae*](#) Debenham, 1987[5]
- [*Forcipomyia radicicola*](#) Edwards, 1924
- [*Forcipomyia radiifera*](#) (Kieffer, 1918)
- [*Forcipomyia randensis*](#) Meillon, 1931
- [*Forcipomyia randensoides*](#) Dessart, 1961
- [*Forcipomyia raposoensis*](#) Clastrier & Wirth, 1995
- [*Forcipomyia raposoi*](#) Meillon & Wirth, 1980
- [*Forcipomyia rastraria*](#) Debenham, 1983[6]
- [*Forcipomyia ratis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia reburra*](#) Borkent, 1997
- [*Forcipomyia recussus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia regulus*](#) (Winnertz, 1852)
- [*Forcipomyia repandus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia resinicola*](#) (Kieffer, 1901)
- [*Forcipomyia rettenmeyerorum*](#) Clastrier & Wirth, 1995
- [*Forcipomyia rhamphis*](#) (Yu & Wirth, 1997)
- [*Forcipomyia richardlanei*](#) Clastrier, 1983
- [*Forcipomyia riojana*](#) Spinelli & Marino, 1997
- [*Forcipomyia rioplatensis*](#) Marino & Spinelli, 2002
- [*Forcipomyia ripa*](#) (Yu & Liu, 2000)
- [*Forcipomyia roseae*](#) Meillon, Meiswinkel & Wirth, 1982
- [*Forcipomyia roubaudi*](#) Clastrier & Delecolle, 1997
- [*Forcipomyia rudebecki*](#) Meillon, 1959
- [*Forcipomyia rufescens*](#) (Kieffer, 1918)
- [*Forcipomyia rugosa*](#) Chan and Leroux, 1970
- [*Forcipomyia rupicola*](#) Debenham, 1987[5]
- [*Forcipomyia ruralis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia russelli*](#) Debenham, 1983[6]
- [*Forcipomyia rustica*](#) (Kieffer, 1919)
- [*Forcipomyia sabroskyi*](#) Tokunaga, 1959
- [*Forcipomyia sagittarius*](#) Debenham & Wirth, 1984[7]
- [*Forcipomyia sahariensis*](#) Kieffer, 1923
- [*Forcipomyia salmi*](#) (Meijere, 1909)
- [*Forcipomyia saltensis*](#) (Cavalieri, 1962)

- [*Forcipomyia saltivaga* Skuse, 1889](#)
- [*Forcipomyia samoensis* \(Edwards, 1928\)](#)
- [*Forcipomyia sanctaeclarae* Wirth, 1952](#)
- [*Forcipomyia sanguinolenta* Kieffer, 1925](#)
- [*Forcipomyia santosi* Remm, 1981](#)
- [*Forcipomyia sauteri* Kieffer, 1912](#)
- [*Forcipomyia saxicola* Lien, 1991](#)
- [*Forcipomyia sayhuequei* Marino & Spinelli, 2004](#)
- [*Forcipomyia scapularis* Goetghebuer, 1933](#)
- [*Forcipomyia scitula* Goetghebuer, 1935](#)
- [*Forcipomyia scorpio* Debenham, 1987\[5\]](#)
- [*Forcipomyia scurra* Debenham, 1987\[5\]](#)
- [*Forcipomyia sector* Debenham, 1987\[5\]](#)
- [*Forcipomyia semihamata* Debenham, 1987\[5\]](#)
- [*Forcipomyia seminole* Wirth, 1976](#)
- [*Forcipomyia semirustica* Remm & Zhogolev, 1968](#)
- [*Forcipomyia semota* Debenham, 1987\[5\]](#)
- [*Forcipomyia sensillata* Clastrier, 1983](#)
- [*Forcipomyia separatim* Liu, Ge & Liu, 1996](#)
- [*Forcipomyia serridentata* Debenham, 1983\[6\]](#)
- [*Forcipomyia serrulifimbria* Tokunaga, 1959](#)
- [*Forcipomyia setigera* Saunders, 1959](#)
- [*Forcipomyia setosicrus* \(Kieffer, 1906\)](#)
- [*Forcipomyia sexannulata* Clastrier, 1983](#)
- [*Forcipomyia sexvittata* Wirth, 1956](#)
- [*Forcipomyia shannoni* \(Ingram & Macfie, 1931\)](#)
- [*Forcipomyia sibirica* \(Buyanova, 1962\)](#)
- [*Forcipomyia sibmurina* Remm, 1980](#)
- [*Forcipomyia sihlwaldensis* Delecolle & Schiegg, 1999](#)
- [*Forcipomyia similis* Liu & Yu, 1997](#)
- [*Forcipomyia simulans* Johannsen, 1931](#)
- [*Forcipomyia sinuosa* Dow and Wirth, 1972](#)
- [*Forcipomyia sirycta* \(Yu & Liu, 2000\)](#)
- [*Forcipomyia skiaphila* \(Clastrier, 1960\)](#)
- [*Forcipomyia skusei* Debenham, 1987\[5\]](#)
- [*Forcipomyia soibelzoni* Marino & Spinelli, 2001](#)
- [*Forcipomyia solonensis* Wirth, 1951](#)
- [*Forcipomyia solutus* Liu, Yan, Liu, Hao, Liu & Yu, 2001](#)
- [*Forcipomyia somuncurensis* Marino & Spinelli, 2001](#)
- [*Forcipomyia sonora* Wirth, 1952](#)
- [*Forcipomyia soriai* Wirth, 1991](#)
- [*Forcipomyia spangleri* Meillon & Wirth, 1980](#)

- [*Forcipomyia spatulifera*](#) Saunders, 1956
- [*Forcipomyia spatuligera*](#) Macfie, 1949
- [*Forcipomyia sphagnophila*](#) Kieffer, 1925
- [*Forcipomyia spiculata*](#) Sinha, Mazumdar & Chaudhuri, 2003
- [*Forcipomyia spilmani*](#) Meillon & [Wirth](#), 1980
- [*Forcipomyia spinipenis*](#) Tokunaga, 1959
- [*Forcipomyia spinosa*](#) Saunders, 1956
- [*Forcipomyia spinuliforceps*](#) Tokunaga, 1959
- [*Forcipomyia squamianulipes*](#) Tokunaga & Murachi, 1959
- [*Forcipomyia squamigera*](#) Kieffer & Thienemann, 1916
- [*Forcipomyia squamipennis*](#) Ingram & Macfie, 1924
- [*Forcipomyia squamipes*](#) ([Coquillett](#), 1902)
- [*Forcipomyia squamitarsata*](#) (Clastrier, 1935)
- [*Forcipomyia squamithorax*](#) Clastrier, 1972
- [*Forcipomyia squamitibia*](#) Lutz, 1914
- [*Forcipomyia squamitibialis*](#) Tokunaga, 1959
- [*Forcipomyia squamosa*](#) Lutz, 1914
- [*Forcipomyia stabilis*](#) Sen & Gupta, 1968
- [*Forcipomyia stami*](#) [Wirth](#) & Ratanaworabhan, 1978
- [*Forcipomyia statirae*](#) Meillon, 1936
- [*Forcipomyia stelechos*](#) Debenham, 1987[5]
- [*Forcipomyia stellaris*](#) (Yu & [Wirth](#), 1997)
- [*Forcipomyia stenammatis*](#) (Long, 1902)
- [*Forcipomyia stewarti*](#) Meillon & Downes, 1986
- [*Forcipomyia stigmatipennis*](#) Tokunaga, 1959
- [*Forcipomyia stimulans*](#) ([Meijere](#), 1909)
- [*Forcipomyia striaticornis*](#) ([Kieffer](#), 1918)
- [*Forcipomyia styliifera*](#) (Lutz, 1913)
- [*Forcipomyia subaeronitens*](#) Tokunaga, 1940
- [*Forcipomyia suberis*](#) Clastrier, 1956
- [*Forcipomyia subfrigidus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia subitilis*](#) Johannsen, 1931
- [*Forcipomyia submurina*](#) Remm, 1980
- [*Forcipomyia subnitida*](#) ([Skuse](#), 1889)
- [*Forcipomyia subruralis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia subspadicifascia*](#) Tokunaga & Murachi, 1959
- [*Forcipomyia subulipenis*](#) Sinha, Mazumdar & Chaudhuri, 2003
- [*Forcipomyia sudanensis*](#) Macfie, 1947
- [*Forcipomyia supplex*](#) Debenham, 1987[5]
- [*Forcipomyia surculus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia swezeyana*](#) Tokunaga & Murachi, 1959
- [*Forcipomyia swezeyi*](#) [Edwards](#), 1928

- [*Forcipomyia taipei*](#) Lien, 1991
- [*Forcipomyia taiwana*](#) (Shiraki, 1913)
- [*Forcipomyia takahashii*](#) Tokunaga, 1940
- [*Forcipomyia tambunana*](#) (Yu & [Wirth](#), 1997)
- [*Forcipomyia tangae*](#) [Kieffer](#), 1913
- [*Forcipomyia tapleyi*](#) Ingram & Macfie, 1931
- [*Forcipomyia taragui*](#) Marino, Spinelli & Cazorla, 2002
- [*Forcipomyia tasmani*](#) Macfie, 1932
- [*Forcipomyia tauffiebi*](#) Clastrier, 1960
- [*Forcipomyia taurus*](#) Debenham, 1987[5]
- [*Forcipomyia tavetae*](#) [Kieffer](#), 1913
- [*Forcipomyia tawauensis*](#) (Yu & [Wirth](#), 1997)
- [*Forcipomyia tegula*](#) Liu & Yu, 1997
- [*Forcipomyia tehuelche*](#) Marino & Spinelli, 2004
- [*Forcipomyia tenuichela*](#) Dow and [Wirth](#), 1972
- [*Forcipomyia tenuidentis*](#) (Yu & [Wirth](#), 1997)
- [*Forcipomyia tenuiforceps*](#) Macfie, 1939
- [*Forcipomyia tenuis*](#) ([Winnertz](#), 1852)
- [*Forcipomyia tenuisquampies*](#) [Wirth](#), 1952
- [*Forcipomyia terrestris*](#) Saunders, 1964
- [*Forcipomyia testudo*](#) Debenham, 1987[5]
- [*Forcipomyia testuedo*](#) Debenham, 1987[5]
- [*Forcipomyia tetracлада*](#) [Kieffer](#), 1912
- [*Forcipomyia tetrasticta*](#) ([Kieffer](#), 1919)
- [*Forcipomyia tettigonaris*](#) [Wirth](#) & Castner, 1990
- [*Forcipomyia texana*](#) (Long, 1902)
- [*Forcipomyia thabinana*](#) Meillon, 1959
- [*Forcipomyia theobromae*](#) [Kieffer](#), 1912
- [*Forcipomyia thienemanni*](#) [Kieffer](#), 1912
- [*Forcipomyia thiensis*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia thomasi*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia tibialis*](#) Remm, 1961
- [*Forcipomyia tienshanica*](#) Remm, 1980
- [*Forcipomyia tigripes*](#) Ingram & Macfie, 1924
- [*Forcipomyia tillierorum*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia tinia*](#) Krivosheina, 1968
- [*Forcipomyia tipulivora*](#) Macfie, 1936
- [*Forcipomyia titillans*](#) ([Winnertz](#), 1852)
- [*Forcipomyia tiwaka*](#) Clastrier & Delecolle, 1993
- [*Forcipomyia tokunagai*](#) (Oka et Asahina, 1948)
- [*Forcipomyia tomaculorum*](#) Debenham, 1987[5]
- [*Forcipomyia tonicus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001

- [*Forcipomyia tonnoiri*](#) (Goetghebuer, 1920)
- [*Forcipomyia tortor*](#) Debenham, 1987[5]
- [*Forcipomyia tortula*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia tortuosa*](#) Debenham, 1987[5]
- [*Forcipomyia totus*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia townesi*](#) Wirth, 1952
- [*Forcipomyia townsendi*](#) Knab, 1915
- [*Forcipomyia townsvillensis*](#) (Taylor, 1918)
- [*Forcipomyia transversalis*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia triclota*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia trigonata*](#) Johannsen, 1931
- [*Forcipomyia trilineata*](#) Goetghebuer, 1934
- [*Forcipomyia trinidadensis*](#) Saunders, 1964
- [*Forcipomyia trinotata*](#) Kieffer, 1913
- [*Forcipomyia tristicta*](#) Kieffer, 1913
- [*Forcipomyia tristis*](#) (Meigen, 1830)
- [*Forcipomyia tsacasi*](#) Clastrier, 1983
- [*Forcipomyia tsutsumii*](#) Tokunaga, 1960
- [*Forcipomyia tuberculata*](#) Saunders, 1956
- [*Forcipomyia tugelensis*](#) Meillon, 1959
- [*Forcipomyia tumulus*](#) Debenham, 1987[5]
- [*Forcipomyia turanorustica*](#) Remm, 1980
- [*Forcipomyia turgepeda*](#) Yu & Liu, 1982
- [*Forcipomyia tuthilli*](#) Tokunaga, 1959
- [*Forcipomyia tuzeti*](#) Huttel & Huttel, 1952
- [*Forcipomyia tympanista*](#) Debenham, 1987[5]
- [*Forcipomyia tzaneenensis*](#) Meillon & Wirth, 1979
- [*Forcipomyia uncusidentis*](#) (Liu, Yan & Liu, 1996)
- [*Forcipomyia uncusipenis*](#) Yu & Zhang, 1982
- [*Forcipomyia unica*](#) Bystrak and Wirth, 1978
- [*Forcipomyia unifascicornis*](#) Tokunaga, 1959
- [*Forcipomyia unimaculata*](#) Sinha, Mazumdar & Chaudhuri, 2003
- [*Forcipomyia unitheca*](#) Tokunaga, 1959
- [*Forcipomyia unituberculata*](#) Tokunaga, 1959
- [*Forcipomyia univesicula*](#) Macfie, 1939
- [*Forcipomyia uramaensis*](#) Spinelli & Dippolito, 1995
- [*Forcipomyia urbana*](#) Goetghebuer, 1937
- [*Forcipomyia urnigera*](#) Kieffer, 1924
- [*Forcipomyia ursuli*](#) Remm, 1972
- [*Forcipomyia usingeri*](#) Wirth & Spinelli, 1993
- [*Forcipomyia ussurica*](#) Remm, 1971
- [*Forcipomyia utae*](#) Knab, 1915

- [*Forcipomyia valleensis*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia vandiemeni*](#) Debenham & [Wirth](#), 1984[7]
- [*Forcipomyia varicolor*](#) Saunders, 1956
- [*Forcipomyia variicrus*](#) Kieffer, 1913
- [*Forcipomyia varipennis*](#) Wirth and Williams, 1957
- [*Forcipomyia velox*](#) (Winnertz, 1852)
- [*Forcipomyia venetiana*](#) (Kieffer, 1919)
- [*Forcipomyia ventralis*](#) Borkent, 1997
- [*Forcipomyia venusta*](#) Ingram & Macfie, 1924
- [*Forcipomyia vernochei*](#) (Clastrier, 1959)
- [*Forcipomyia vernoni*](#) Clastrier & [Wirth](#), 1995
- [*Forcipomyia veroensis*](#) Wirth and Messersmith, 1971
- [*Forcipomyia vesicula*](#) Meillon & [Wirth](#), 1983
- [*Forcipomyia vespa*](#) Debenham, 1987[5]
- [*Forcipomyia vexans*](#) (Meijere, 1909)
- [*Forcipomyia vexillarius*](#) Debenham, 1987[5]
- [*Forcipomyia villiersi*](#) Clastrier, 1972
- [*Forcipomyia villosa*](#) (Macfie, 1934)
- [*Forcipomyia virgula*](#) Yu & Wen, 1985
- [*Forcipomyia viridis*](#) Clastrier & Delecolle, 1991
- [*Forcipomyia vittata*](#) Tokunaga, 1940
- [*Forcipomyia wahgi*](#) Debenham, 1987[5]
- [*Forcipomyia waldenia*](#) Meillon, 1940
- [*Forcipomyia waldermari*](#) Szadziewski, 1983
- [*Forcipomyia walschaertsi*](#) Gosseries, 1989
- [*Forcipomyia wansonii*](#) Meillon, 1939
- [*Forcipomyia warreni*](#) Meillon & [Wirth](#), 1981
- [*Forcipomyia watshami*](#) Meillon & [Wirth](#), 1989
- [*Forcipomyia weemsi*](#) [Wirth](#) & Spinelli, 1993
- [*Forcipomyia weihaiensis*](#) Xue & Yu, 1998
- [*Forcipomyia wernerii*](#) [Wirth](#) & Spinelli, 1993
- [*Forcipomyia wheeleri*](#) (Long, 1902)
- [*Forcipomyia williamsi*](#) Marino & Spinelli, 1999
- [*Forcipomyia willisa*](#) Debenham, 1987[5]
- [*Forcipomyia willisi*](#) Debenham, 1987[5]
- [*Forcipomyia willistoni*](#) [Wirth](#), 1971
- [*Forcipomyia winderi*](#) [Wirth](#), 1991
- [*Forcipomyia wirthi*](#) Saunders, 1956
- [*Forcipomyia wirthiana*](#) Szadziewski, 1983
- [*Forcipomyia wulai*](#) Lien, 1991
- [*Forcipomyia wuxiensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia wygodzinskyi*](#) Cavalieri, 1961

- [*Forcipomyia xichangensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia yamana*](#) Marino & Spinelli, 2001
- [*Forcipomyia yamauchii*](#) Tokunaga, 1940
- [*Forcipomyia yapensis*](#) Tokunaga & Murachi, 1959
- [*Forcipomyia yirrkala*](#) Debenham, 1987[5]
- [*Forcipomyia yoshimurai*](#) Tokunaga, 1940
- [*Forcipomyia yuani*](#) Yu, Liang, Chen, He & Su, 2007
- [*Forcipomyia yui*](#) (Liu, Yan & Liu, 1996)
- [*Forcipomyia yungurara*](#) Debenham, 1987[5]
- [*Forcipomyia zeteki*](#) Wirth & Dow, 1972
- [*Forcipomyia zhangmuensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia zhenbaodaoensis*](#) Yu & Liu, 1987
- [*Forcipomyia zhongshanensis*](#) Liu, Yan, Liu, Hao, Liu & Yu, 2001
- [*Forcipomyia zonaphalla*](#) Yu & Liu, 1982
- [*Forcipomyia zonogaster*](#) Ingram & Macfie, 1931

There are more than 870 species[1] of [flower fly \(Syrphidae\)](#) in [North America](#) .[2] The following is an attempt at a comprehensive North American list of this family of insects.[3]

Family [Syrphidae](#)

Subfamily [Syrphinae](#)

Tribe [Bacchini](#)

Genus [Baccha](#) Fabricius, 1805[4]

- [Baccha elongata](#) (Fabricius, 1775)[5]

Genus [Melanostoma](#) Schiner, 1860

- [Melanostoma mellinum](#) (Linnaeus, 1758)

Genus [Platycheirus](#) Lepeletier & Serville, 1828[6]

78 species [1]

- [Platycheirus aeratus](#)
- [Platycheirus albimanus](#)
- [Platycheirus alpigenus](#)
- [Platycheirus amplus](#)
- [Platycheirus angustatus](#)
- [Platycheirus brunnifrons](#)
- [Platycheirus chilosia](#)
- [Platycheirus ciliatus](#)

- [Platycheirus clausseni](#)
- [Platycheirus clypeatus](#)
- [Platycheirus coerulescens](#)
- [Platycheirus confusus](#) (Curran, 1925)
- [Platycheirus coracinus](#)
- [Platycheirus discimanus](#)
- [Platycheirus flabella](#)
- [Platycheirus granditarsus](#)
- [Platycheirus groenlandicus](#)
- [Platycheirus hesperius](#)
- [Platycheirus hispidipes](#)
- [Platycheirus hyperboreus](#)
- [Platycheirus immarginatus](#)
- [Platycheirus inversus](#)
- [Platycheirus jaerensis](#)
- [Platycheirus kelloggi](#)
- [Platycheirus latitarsis](#)
- [Platycheirus latus](#)
- [Platycheirus lundbecki](#)
- [Platycheirus luteipennis](#)
- [Platycheirus manicatus](#)
- [Platycheirus modestus](#)
- [Platycheirus meyeri](#)
- [Platycheirus naso](#)
- [Platycheirus nearcticus](#)
- [Platycheirus neoperpallidus](#)
- [Platycheirus nielsenii](#)
- [Platycheirus nigrofemoratus](#)
- [Platycheirus nodosus](#)
- [Platycheirus normae](#)
- [Platycheirus orarius](#)
- [Platycheirus obscurus](#)
- [Platycheirus ocarius](#)
- [Platycheirus octavus](#)
- [Platycheirus oreadis](#)
- [Platycheirus parmatus](#)
- [Platycheirus peltatoides](#)
- [Platycheirus perpallidus](#)
- [Platycheirus pictipes](#)
- [Platycheirus pilatus](#)
- [Platycheirus podagratus](#)
- [Platycheirus protrusus](#)

- [Platycheirus pullatus](#)
- [Platycheirus quadratus](#)
- [Platycheirus rosarum](#)
- [Platycheirus rufigaster](#)
- [Platycheirus rufimaculatus](#)
- [Platycheirus russatus](#)
- [Platycheirus sabulicola](#)
- [Platycheirus scamboides](#)
- [Platycheirus scambus](#)
- [Platycheirus scutatus](#)
- [Platycheirus setipes](#)
- [Platycheirus setitarsis](#)
- [Platycheirus speighti](#)
- [Platycheirus spinipes](#)
- [Platycheirus splendidus](#)
- [Platycheirus squamulae](#)
- [Platycheirus stegnoides](#)
- [Platycheirus stegnus](#)
- [Platycheirus striatus](#)
- [Platycheirus subordinatus](#)
- [Platycheirus tenebrosus](#)
- [Platycheirus thompsoni](#)
- [Platycheirus thylax](#)
- [Platycheirus trichopus](#)
- [Platycheirus urakawensis](#)
- [Platycheirus varipes](#)
- [Platycheirus woodi](#)
- [Platycheirus yukonensis](#)

Tribe **Paragini**

Genus **Paragus** Latreille

- [Paragus arizonensis](#) (Vockeroth, 1986)[7]
- [Paragus angustifrons](#) (Loew, 1863)
- [Paragus angustistylus](#) (Vockeroth, 1986)[7]
- [Paragus bicolor](#) (Fabricius, 1794)[8]
- [Paragus bispinosus](#) (Vockeroth, 1986)[7]
- [Paragus cooveri](#) (Vockeroth, 1986)[7]
- [Paragus haemorrhous](#) (Meigen, 1822)
- [Paragus longistylus](#) (Vockeroth, 1986)[7]
- [Paragus tibialis](#) (Fallén, 1817)
- [Paragus variabilis](#) (Vockeroth, 1986)[7]

Tribe **Pipizini**

Genus **Pipiza** Fallén

- [Pipiza crassipes](#) (Bigot, 1884) [9]
- [Pipiza cribbeni](#) (Coover, 1996)
- [Pipiza davidsoni](#) (Curran, 1921)[10]
- [Pipiza distincta](#) (Curran, 1921)[10]
- [Pipiza femoralis](#) (Loew, 1866)
- [Pipiza macrofemoralis](#) (Curran, 1921)[10]
- [Pipiza nigripilosa](#) (Williston, 1887)[10]
- [Pipiza puella](#) (Williston, 1887) [10]
- [Pipiza quadrimaculata](#) (Panzer, 1802) [10]

Genus **Heringia** Rondani, 1856

- [Heringia calcarata](#) Loew, 1866
- [Heringia latitarsis](#) (Egger, 1865)

Genus **Trichopsomyia** Williston, 1888

- [Trichopsomyia apisaon](#) Walker, 1849[11]
- [Trichopsomyia australis](#) (Johnson, 1907)
- [Trichopsomyia banksi](#) (Curran, 1921)
- [Trichopsomyia litoralis](#) Vockeroth, 1988
- [Trichopsomyia nigratarsis](#) (Curran, 1924)
- [Trichopsomyia occidentalis](#) (Townsend, 1897)
- [Trichopsomyia pubescens](#) (Loew, 1863)
- [Trichopsomyia recedens](#) (Walker, 1852)
- [Trichopsomyia rufithoracica](#) (Curran, 1921)
- [Trichopsomyia similis](#) (Curran, 1924)

Tribe **Syrphini**

Genus **Allograpta** Osten Sacken

5 species [1]

- [Allograpta exotica](#)
- [Allograpta obliqua](#)
- [Allograpta micrura](#)
- [Allograpta radiata](#)

Genus **Chrysotoxum** Meigen

13 species [2][12]

- [Chrysotoxum aztec](#)
- [Chrysotoxum chinook](#)
- [Chrysotoxum coloradensis](#)

- [Chrysotoxum derivatum](#)
- [Chrysotoxum flavifrons](#)
- [Chrysotoxum fasciatum](#)
- [Chrysotoxum integrum](#)
- [Chrysotoxum laterale](#)
- [Chrysotoxum plumeum](#)
- [Chrysotoxum pubescens](#)
- [Chrysotoxum radiosum](#) (Shannon, 1926)
- [Chrysotoxum villosulum](#)
- [Chrysotoxum ypsilon](#)

Genus **[Dasysyrphus](#)** Enderlein

14 species [2][13]

- [Dasysyrphus amalopis](#)
- [Dasysyrphus creper](#)
- [Dasysyrphus intrudens](#)
- [Dasysyrphus laticaudus](#)
- [Dasysyrphus limatus](#)
- [Dasysyrphus lotus](#)
- [Dasysyrphus nigricornis](#)
- [Dasysyrphus occidualis](#)
- [Dasysyrphus osborni](#)
- [Dasysyrphus pacificus](#)
- [Dasysyrphus pauxillus](#)
- [Dasysyrphus pinastris](#)
- [Dasysyrphus richardi](#)
- [Dasysyrphus venustus](#)

Genus **[Didea](#)** Macquart

2 species [2]

- [Didea alneti](#)
- [Didea fuscipes](#)

Genus **[Dioprosopa](#)** Hull, 1949

- [Dioprosopa clavata](#)

Genus **[Doros](#)** Meigen

- [Doros aequalis](#)

Genus **[Epistrophe](#)** Walker

- [Epistrophe grossulariae](#)
- [Epistrophe metcalfi](#)
- [Epistrophe nitidicollis](#)

- [Epistrophe terminalis](#)
- [Epistrophe xanthostoma](#)

Genus [Epistrophella](#)

- [Epistrophella emarginata](#)

Genus [Eriozona](#) Schiner

- [Eriozona laxa](#)

Genus [Eupeodes](#) Osten Sacken

21 Species [14]

- [Eupeodes americanus](#)
- [Eupeodes confertus](#)
- [Eupeodes curtus](#)
- [Eupeodes flukei](#)
- [Eupeodes fumipennis](#)
- [Eupeodes gentneri](#)
- [Eupeodes latifasciatus](#)
- [Eupeodes luniger](#)
- [Eupeodes medius](#)
- [Eupeodes montanus](#)
- [Eupeodes montivagus](#)
- [Eupeodes neoperplexus](#)
- [Eupeodes nigroventris](#)
- [Eupeodes perplexus](#)
- [Eupeodes pingreensis](#)
- [Eupeodes pomus](#)
- [Eupeodes sculleni](#)
- [Eupeodes snowi](#)
- [Eupeodes subsimus](#)
- [Eupeodes volucris](#)

Genus [Lapposyrphus](#)

- [Lapposyrphus aberrantis](#)
- [Lapposyrphus lapponicus](#)

Genus [Leucozona](#) Schiner

- [Leucozona americana](#)
- [Leucozona lucorum](#) (Linnaeus, 1758)
- [Leucozona velutina](#)
- [Leucozona xylotoides](#)

Genus [Melangyna](#) Verrall

- [Melangyna arctica](#)

- [Melangyna fisherii](#)
- [Melangyna labiatarum](#)
- [Melangyna lasiophthalma](#)
- [Melangyna subfasciata](#)
- [Melangyna triangulifera](#) (Zetterstedt, 1843)
- [Melangyna umbellatarum](#)

Genus [Meligramma](#) Frey

- [Meligramma guttata](#)
- [Meligramma triangulifera](#)
- [Meligramma vespertina](#)

Genus [Meliscaeva](#) Frey

- [Meliscaeva cinctella](#)

Genus [Ocyptamus](#) Macquart

14 species [2]

- [Ocyptamus antiphates](#)
- [Ocyptamus costatus](#)
- [Ocyptamus cubanus](#)
- [Ocyptamus cylindricus](#)
- [Ocyptamus dimidiatus](#)
- [Ocyptamus diversifasciatus](#)
- [Ocyptamus fascipennis](#)
- [Ocyptamus fuscipennis](#)
- [Ocyptamus lemur](#)
- [Ocyptamus lineatus](#)
- [Ocyptamus parvicornis](#)

Genus [Orphnabaccha](#) Vockeroth, 1969

- [Orphnabaccha coerulea](#) (Williston, 1891)
- [Orphnabaccha jactator](#) (Loew, 1861)

Genus [Parasyrphus](#) Matsumura

- [Parasyrphus currani](#) (Fluke, 1935)[15]
- [Parasyrphus genualis](#) (Williston, 1887)[16]
- [Parasyrphus groenlandicus](#) (Nielsen, 1910)
- [Parasyrphus insolitus](#) (Osburn, 1908)
- [Parasyrphus macularis](#) (Zetterstedt, 1843)
- [Parasyrphus melanderi](#) (Curran, 1925)[17]
- [Parasyrphus nigratarsis](#) (Zetterstedt, 1843)
- [Parasyrphus relictus](#) (Zetterstedt)
- [Parasyrphus semiinterruptus](#) (Fluke, 1935)

- [*Parasyrphus tarsatus*](#) (Zetterstedt, 1838)
- [*Parasyrphus vockerothi*](#) (Thompson, 2012)[18]

Genus [*Philhelius*](#)

- [*Philhelius flavipes*](#)

Genus [*Salpingogaster*](#) Schiner

- [*Salpingogaster punctifrons*](#)
- [*Salpingogaster nepenthe*](#)

Genus [*Scaeva*](#)

- [*Scaeva pyrastris*](#)
- [*Scaeva selenitica*](#)

Genus [*Sphaerophoria*](#)

13 species [1]

- [*Sphaerophoria abbreviata*](#)
- [*Sphaerophoria asymmetrica*](#)
- [*Sphaerophoria bifurcata*](#)
- [*Sphaerophoria brevipilosa*](#)
- [*Sphaerophoria contigua*](#)
- [*Sphaerophoria cranbrookensis*](#)
- [*Sphaerophoria longipilosa*](#)
- [*Sphaerophoria novaeanglae*](#)
- [*Sphaerophoria philanthus*](#)
- [*Sphaerophoria pyrrhina*](#)
- [*Sphaerophoria scripta*](#)
- [*Sphaerophoria sulphuripes*](#)
- [*Sphaerophoria weemsi*](#)

Genus [*Syrphus*](#)

11 species [1]

- [*Syrphus attenuatus*](#)
- [*Syrphus currani*](#)
- [*Syrphus intricatus*](#)
- [*Syrphus knabi*](#)
- [*Syrphus opinator*](#)
- [*Syrphus rectus*](#)
- [*Syrphus ribesii*](#)
- [*Syrphus sexmaculatus*](#)
- [*Syrphus sonorensis*](#)
- [*Syrphus torvus*](#)

Tribe Toxomerini

Genus Toxomerus

23 species [1]

- *T. arcifer* (Loew, 1866)
- *T. bistrigus* [19]
- *T. boscii* Macquart, 1842
- *T. corbis* (Walker, 1852)
- *T. dispar* (Fabricius, 1794)
- *T. floralis* (Fabricius, 1798)
- *T. geminatus* (Say, 1823)
- *T. jussiaeae* Vige, 1939
- *T. marginatus* (Say, 1823)
- *T. musicus* [19]
- *T. mutuus* [19]
- *T. norma* [19]
- *T. occidentalis* Curran, 1922
- *T. ovatus* [19]
- *T. parvulus* (Loew, 1866)
- *T. pictus* (Macquart, 1842)[20]
- *T. politus* (Say, 1823)
- *T. puellus* [19]
- *T. pulchellus* [19]
- *T. teligera* (Fluke, 1953)
- *T. verticalis* (Curran, 1927)
- *T. virgulatus* (Macquart, 1850)[21]
- *T. watsoni* (Curran, 1930)[21]

Subfamily Microdontinae

Genus Aristosyrphus

- *Aristosyrphus carpenteri* (Hull, 1945)
- *Aristosyrphus samperi* Thompson, 2008[22] – Colombia, Peru & Costa Rica

Genus Carreramyia

- *Carreramyia megacephalus* (Shannon, 1925)

Genus Microdon

29 species [23][24]

- *Microdon abstrusus* Thompson, 1981[23]
- *Microdon adventitius* Thompson, 1981[23]
- *Microdon albicomatus* Novák, 1977

- [*Microdon aurulentus*](#) (Fabricius, 1805)[25]
- [*Microdon baliopterus*](#) Loew, 1872[26]
- [*Microdon coarctatus*](#) Loew, 1864[27]
- [*Microdon cothurnatus*](#) Bigot, 1884 [9]
- [*Microdon craigheadii*](#) Walton, 1912 [28]
- [*Microdon diversipilosus*](#) Curran, 1925[29]
- [*Microdon fulgens*](#) Wiedemann, 1830
- [*Microdon fuscipennis*](#) (Macquart, 1834)
- [*Microdon globosus*](#) (Fabricius, 1805)[4]
- [*Microdon laetoides*](#) Fabricius, 1935 [23]
- [*Microdon laetus*](#) Loew, 1864 [27]
- [*Microdon lanceolatus*](#) Adams, 1903
- [*Microdon manitobensis*](#) Curran, 1924[30]
- [*Microdon marmoratum*](#) Bigot, 1884[9]
- [*Microdon megalogaster*](#) Snow, 1892[31]
- [*Microdon newcomeri*](#) Mann, 1924
- [*Microdon ocellaris*](#) Curran, 1924[30]
- [*Microdon painteri*](#) Hull, 1922 [32]
- [*Microdon pallipennis*](#) Curran, 1925[29]
- [*Microdon piperi*](#) Knab, 1917 [24]
- [*Microdon ruficrus*](#) Williston 1887 [23]
- [*Microdon rufipes*](#) (Macquart, 1842)[33]
- [*Microdon scauros*](#) Skevington & Locke, 2019[34]
- [*Microdon scutifer*](#) Knab, 1917 [24]
- [*Microdon tristis*](#) Loew, 1864[27]
- [*Microdon viridis*](#) Townsend, 1895 [35]
- [*Microdon xanthopilis*](#) Townsend, 1895[36]

Genus [*Mixogaster*](#)

Key to North American species[37]

- [*Mixogaster delongi*](#) (Hull, 1926)[37]
- [*Mixogaster johnsoni*](#) (Hull, 1941)[37]
- [*Mixogaster breviventris*](#) (Kahl, 1897)[38]
- [*Mixogaster fattigi*](#) (Skevington & Locke, 2019)[34]

Genus [*Omegasyrphus*](#)

- [*Omegasyrphus pallipennis*](#) (Curran, 1925)

Genus [*Peradon*](#)

- [*Peradon chrysopygus*](#) (Giglio-Tos, 1892)

Genus [Pseudomicrodon](#)

- [Pseudomicrodon claripennis](#) (Hine, 1914)

Genus [Rhopalosyrphus](#)

- [Rhopalosyrphus guentherii](#) (Lynch Arribáizaga, 1891)
- [Rhopalosyrphus ramulorum](#) Weems & Deyrup, 2003,[39]

Genus [Ubristes](#)

- [Ubristes jaguarinus](#) Reemer, 2013[40]

Subfamily [Eristalinae](#)

Tribe [Brachyopini](#)

Genus [Brachyopa](#) Meigen, 1822

17 species

- [Brachyopa caesariata](#) Moran & Skevington, 2019
- [Brachyopa cinereovittata](#) Bigot, 1884
- [Brachyopa cynops](#) Snow, 1892
- [Brachyopa daeckei](#) Johnson, 1917
- [Brachyopa diversa](#) Johnson, 1917
- [Brachyopa flavescens](#) Shannon, 1915
- [Brachyopa gigas](#) Lovett, 1919
- [Brachyopa media](#) Williston, 1882
- [Brachyopa notata](#) Osten Sacken, 5[6]
- [Brachyopa perplexa](#) Curran, 1922
- [Brachyopa punctipennis](#) Curran, 1925
- [Brachyopa rufiabdominalis](#) Jones, 1917
- [Brachyopa vacua](#) Osten Sacken, 5[6]

Genus [Chrysogaster](#) Meigen, 1803

- [Chrysogaster antitheus](#) Walker, 1849[11]
- [Chrysogaster inflatifrons](#) Shannon, 1916

Genus [Chrysosyrphus](#) Sedman, 1965

- [Chrysosyrphus alaskensis](#) (Shannon, 1922)
- [Chrysosyrphus frontosus](#) (Bigot, 1884)
- [Chrysosyrphus latus](#) (Loew, 1863)
- [Chrysosyrphus nasuta](#) (Zetterstedt, 1838)
- [Chrysosyrphus nigripennis](#) (Williston, 1882)

Genus [Hammerschmidtia](#) Schummel, 1834

- [Hammerschmidtia sedmani](#) (Vockeroth, Moran & Skevington, 2019)

- [*Hammerschmidtia ferruginea*](#) ([Fallen, 1817)

Genus [*Myolepta*](#)

8 species

- [*Myolepta auricaudata*](#) (Williston, 1891)
- [*Myolepta aurinota*](#) (Hine, 1903)
- [*Myolepta camillae*](#) Weems, 1956
- [*Myolepta cornellia*](#) ([Shannon, 1923)
- [*Myolepta lunulata*](#) Bigot, 1884
- [*Myolepta nigra*](#) (Loew, 1972)
- [*Myolepta strigilata*](#) (Loew, 1872)
- [*Myolepta varipes*](#) (Loew, 1869)

Genus [*Neoascia*](#)

- [*Neoascia distincta*](#) Williston, 1887
- [*Neoascia geniculata*](#) (Meigen, 1822)
- [*Neoascia globosa*](#) (Walker, 1849)[11]
- [*Neoascia metallica*](#) (Williston, 1882)
- [*Neoascia meticulosa*](#) (Scopoli, 1763)
- [*Neoascia sphaerophoria*](#) Curran, 1925
- [*Neoascia subchalybea*](#) Curran, 1925
- [*Neoascia tenur*](#) (Harris, 1780)[41] **The Black-kneed Fen Fly** is a common species that was formerly considered to be only European now considered to be throughout North America and Canada.[3]
- [*N. unifasciata*](#) (Strobl, 1898)[42]
- [*Neoascia willistoni*](#) Thompson, 1986

Genus [*Orthonevra*](#)

- [*Orthonevra anniae*](#) (Sedman, 1966)
- [*Orthonevra bellula*](#) (Williston, 1882)
- [*Orthonevra feei*](#) (Moran & Skevington, 2019)[43]
- [*Orthonevra flukei*](#) (Sedman, 1964)
- [*Orthonevra minuta*](#) (Hull, 1945)
- [*Orthonevra nigrovittata*](#) (Loew, 1876)
- [*Orthonevra nitida*](#) (Wiedemann, 1830)
- [*Orthonevra nitidula*](#) (Curran, 1925)
- [*Orthonevra parva*](#) (Shannon, 1916)
- [*Orthonevra pictipennis*](#) (Loew, 1863)
- [*Orthonevra pulchella*](#) (Williston, 1887)
- [*Orthonevra robusta*](#) (Shannon, 1916)
- [*Orthonevra sinuosa*](#) (Bigot, 1884)
- [*Orthonevra sonorensis*](#) (Shannon, 1964)
- [*Orthonevra stigmata*](#) (Williston, 1882)

- [*Orthonevra unicolor*](#) (Shannon, 1916)
- [*Orthonevra weemsi*](#) (Sedman, 1966)

Genus [*Sphegina*](#)

[44]

- [*Sphegina armatipes*](#) (Malloch, 1922)
- [*Sphegina appalachiensis*](#) Covert, 1977
- [*Sphegina biannulata*](#) Malloch, 1922
- [*Sphegina brachygaster*](#) Hull, 1935
- [*Sphegina californica*](#) (Malloch, 1922)
- [*Sphegina campanulata*](#) Robertson, 1901
- [*Sphegina flavimana*](#) Malloch, 1922
- [*Sphegina flavomaculata*](#) Malloch, 1922
- [*Sphegina infuscata*](#) (Loew, 1863)
- [*Sphegina keeniana*](#) Williston, 1887
- [*Sphegina lobata*](#) Loew, 1863
- [*Sphegina lobulifera*](#) Malloch, 1922
- [*Sphegina occidentalis*](#) (Malloch, 1922)
- [*Sphegina petiolata*](#) Coquillett, 1910
- [*Sphegina punctata*](#) (Cole [species], 1921)
- [*Sphegina rufiventris*](#) Loew, 1863

Tribe [*Callicerini*](#)

Genus [*Callicera*](#)

- [*Callicera duncani*](#) Curran, 1935
- [*Callicera erratica*](#) (Walker, 1849)[11]
- [*Callicera montensis*](#) Snow, 1892

Tribe [*Ceriodini*](#)

Genus [*Ceriana*](#)

- [*Ceriana abbreviata*](#) Loew, 1864
- [*Ceriana ancoralis*](#) (Coquillett, 1902)
- [*Ceriana durani*](#) (Davidson, 1925)
- [*Ceriana mime*](#) (Hull, 1935)
- [*Ceriana pictula*](#) (Loew, 1853)
- [*Ceriana snowi*](#) (Adams, 1904)
- [*Ceriana tridens*](#) (Loew, 1872)
- [*Ceriana willistoni*](#) (Kahl, 1897)[38]

Genus [*Monoceromyia*](#)

- [*Monoceromyia floridensis*](#) (Shannon, 1922)

Genus [Polybiomyia](#)

- [Polybiomyia engelhardti](#) (Shannon, 1925)
- [Polybiomyia bellardii](#) (Shannon, 1925)
- [Polybiomyia macquarti](#) Shannon, 1925
- [Polybiomyia pedicellata](#) (Williston, 1887)
- [Polybiomyia sayi](#) Shannon, 1925
- [Polybiomyia signifera](#) (Loew, 1853)
- [Polybiomyia schnablei](#) (Williston, 1892)
- [Polybiomyia townsendi](#) (Snow, 1895)

Genus [Sphiximorpha](#)

- [Sphiximorpha cylindrica](#) (Curran, 1921)
- [Sphiximorpha loewii](#) (Williston, 1887)

Tribe [Eristalini](#)

Genus [Eristalinus](#)

- [Eristalinus aeneus](#) Scopoli, 1844
- [Eristalinus taeniops](#) Weidemann, 1818

Genus [Eristalis](#)

- [Eristalis agrorum](#) (Weidemann), 1830
- [Eristalis anthophorina](#) (Fallén, 1817)
- [Eristalis arbustorum](#) (Linnaeus, 1758)
- [Eristalis bardus](#) (Say, 1829)
- [Eristalis basilaris](#) Macquart, 1834
- [Eristalis bellardii](#) Jeannicke, 1867[45]
- [Eristalis brousii](#) Williston, 1882
- [Eristalis calida](#) Walker, 1849[11]
- [Eristalis cryptarum](#) fabricius, 1794
- [Eristalis dimidiata](#) (Weidemann, 1830)
- [Eristalis dubia](#) Macquart, 1834
- [Eristalis flavipes](#) Walker, 1849[11]
- [Eristalis fratercula](#) (Zetterstedt, 1838)
- [Eristalis gomonojunovae](#) Violovitsh, 1977
- [Eristalis hirta](#) Loew, 1866
- [Eristalis interrupta](#) (Poda, 1761)
- [Eristalis mejerei](#) Goot, 1964
- [Eristalis obscura](#) (Loew, 1866)
- [Eristalis oestracea](#) (Linnaeus, 1758)
- [Eristalis parens](#) Bigot, 1880
- [Eristalis rupium](#) Fabricius, 1805
- [Eristalis saxorum](#) Weidemann, 1830
- [Eristalis stipator](#) Osten Sacken, 1877[45]

- [*Eristalis tenax*](#) (Linnaeus, 1758) - common drone fly
- [*Eristalis transversa*](#) (Weidemann, 1830) - transverse flower fly

Genus [*Helophilus*](#)

12 species [1]

- [*Helophilus bottnicus*](#) Wahlberg, 1844
- [*Helophilus fasciatus*](#) Walker, 1849[11]
- [*Helophilus groenlandicus*](#) (Fabricius, 1780)
- [*Helophilus hybridus*](#) Loew, 1846
- [*Helophilus intentus*](#) Curran and Fluke, 1922
- [*Helophilus lapponicus*](#) Wahlberg, 1844
- [*Helophilus latifrons*](#) Loew, 1863
- [*Helophilus neoaffinis*](#) Fluke, 1949
- [*Helophilus obscurus*](#) Loew, 1863
- [*Helophilus oxycanus*](#) (Walker, 1852)
- [*Helophilus pendulus*](#) Linnaeus, 1758
- [*Helophilus pilosus*](#) Hunter, 1897

Genus [*Lejops*](#)

- [*Lejops annulipes*](#) (Macquart, 1850)
- [*Lejops billinearis*](#) (Williston, 1887)
- [*Lejops borealis*](#) (Cole, 1921)
- [*Lejops chrysostomus*](#) (Wiedemann, 1830)
- [*Lejops cooleyi*](#) (Seamans, 1917)
- [*Lejops curvipes*](#) (Wiedemann, 1830)
- [*Lejops distinctus*](#) (Williston, 1887)
- [*Lejops grisescens*](#) Hull, 1943
- [*Lejops lineatus*](#) (Fabricius, 1787)
- [*Lejops lunulatus*](#) (Meigen, 1822)
- [*Lejops mexicanus*](#) (Macquart, 1842)
- [*Lejops perfidiosus*](#) (Hunter, 1897)
- [*Lejops polygrammus*](#) (Loew, 1872)
- [*Lejops willingii*](#) (Smith, 1912)

Genus [*Mallota*](#)

11 species [1]

- [*Mallota albipes*](#) Snow, 1895
- [*Mallota bautias*](#) (Walker, 1849)[11]
- [*Mallota bequaerti*](#) Hull, 1956
- [*Mallota posticata*](#) (Fabricius, 1805)
- [*Mallota sackeni*](#) Williston, 1882

Genus [Meromacrus](#)

- [Meromacrus acutus](#) (Fabricius, 1805)
- [Meromacrus croceatus](#) Hull, 1960
- [Meromacrus draco](#) Hull, 1942e
- [Meromacrus gloriosus](#) Hull, 1941
- [Meromacrus minuticornis](#) Thompson, 2001
- [Meromacrus panamensis](#) Curran, 1930

Genus [Myathropa](#)

- [Myathropa florea](#)

Genus [Palpada](#) Macquart, 1854

- [Palpada agrorum](#) (Fabricius, 1787)
- [Palpada albifrons](#) (Wiedemann, 1840)
- [Palpada alhambra](#) (Hull, 1925)
- [Palpada atrimana](#) (Loew, 1866)
- [Palpada furcata](#) (Wiedemann, 1819)
- [Palpada mexicana](#) (Macquart, 1847)[46]
- [Palpada minutalis](#) (Williston, 1891)
- [Palpada pusilla](#) (Macquart, 1842)
- [Palpada ruficeps](#) (Macquart, 1842)
- [Palpada rufiventris](#) (Macquart, 1846)
- [Palpada scutellaris](#) (Fabricius, 1805)
- [Palpada texana](#) (Hull, 1925)
- [Palpada triangularis](#) (Giglio-Tos, 1892)
- [Palpada vinetorum](#) (Fabricius, 1798)

Genus [Parhelophilus](#)

- [Parhelophilus brooksi](#) Curran, 1927
- [Parhelophilus currani](#) Fluke, 1953
- [Parhelophilus divisus](#) (Loew, 1863)
- [Parhelophilus flavifacies](#) (Bigot, 1883)
- [Parhelophilus integer](#) (Loew, 1963)
- [Parhelophilus laetus](#) (Loew, 1963)
- [Parhelophilus obsoletus](#) (Loew, 1863)
- [Parhelophilus porcus](#) (Walker, 1849)[11]
- [Parhelophilus rex](#) Curran and Fluke, 1922

Tribe [Sericomyiini](#)

Genus [Sericomymia](#)

14 species [1]

- [Sericomymia arctica](#) Schirmer, 1913
- [Sericomymia bifasciata](#) Williston, 1887

- [*Sericomyia carolinensis*](#) (Metcalf, 1917)
- [*Sericomyia chalcopyga*](#) Loew, 1863
- [*Sericomyia chrysotoxoides*](#) Macquart, 1842
- [*Sericomyia flagrans*](#) (Osten Sacken,) [9]
- [*Sericomyia harveyi*](#) (Osburn, 1908)
- [*Sericomyia lata*](#) (Coquillett, 1907)
- [*Sericomyia militaris*](#) Walker, 1849 [11]
- [*Sericomyia nigra*](#) Portschinsky, 1873
- [*Sericomyia sexfasciata*](#) Walker, 1849 [11]
- [*Sericomyia slossonae*](#) Curran, 1934
- [*Sericomyia tolli*](#) (Frey, 1915)
- [*Sericomyia transversa*](#) (Osburn, 1926)

Genus [*Pyritis*](#)

- [*Pyritis kincaidii*](#)

Tribe [*Merodontini*](#)

Genus [*Eumerus*](#)

- [*Eumerus funeralis*](#)

Genus [*Merodon*](#)

- [*Merodon equestris*](#) - Narcissus bulb fly

Genus [*Nausigaster*](#)

- [*Nausigaster texana*](#)
- [*Nausigaster unimaculata*](#)

Tribe [*Milesiini*](#)

Genus [*Blera*](#) Billberg, 1820 [47]

- [*Blera analis*](#) (Macquart, 1842) [33]
- [*Blera armillata*](#) (Osten Sacken, 1875) [48]
- [*Blera badia*](#) (Walker, 1849) [11]
- [*Blera confusa*](#) Johnson, 1913 [49]
- [*Blera flukei*](#) (Curran, 1953) [50]
- [*Blera garretti*](#) (Curran, 1924)
- [*Blera humeralis*](#) (Williston, 1882)
- [*Blera johnsoni*](#) (Coquillett, 1894)
- [*Blera metcalfi*](#) (Curran, 1925)
- [*Blera nigra*](#) (Williston, 1887)
- [*Blera nigripes*](#) (Curran, 1925)
- [*Blera notata*](#) (Wiedemann, 1830)
- [*Blera pictipes*](#) (Bigot, 1883)

- [*Blera robusta*](#) (Curran, 1922)
- [*Blera scitula*](#) (Williston, 1887)
- [*Blera umbratilis*](#) (Williston, 1887)

Genus [*Brachypalpus*](#)

- [*Brachypalpus alopex*](#) (Osten Sacken, 1877)
- [*Brachypalpus cyanella*](#) (Osten Sacken, 1877)
- [*Brachypalpus oarus*](#) (Walker, 1849)[11]

Genus [*Chalcosyrphus*](#)

- [*Chalcosyrphus anomalus*](#) (Shannon, 1925)
- [*Chalcosyrphus anthreas*](#) (Walker, 1849)[11]
- [*Chalcosyrphus aristatus*](#) (Johnson, 1929)
- [*Chalcosyrphus curvaria*](#) (Curran, 1941)
- [*Chalcosyrphus depressus*](#) (Shannon, 1925)
- [*Chalcosyrphus dubius*](#) (Shannon, 1926)
- [*Chalcosyrphus flexus*](#) (Curran, 1941)
- [*Chalcosyrphus inarmatus*](#) (Hunter, 1897)
- [*Chalcosyrphus interruptus*](#) (Panzer, 1804)
- [*Chalcosyrphus libo*](#) (Walker, 1849)[11]
- [*Chalcosyrphus metallicus*](#) (Wiedemann, 1830)
- [*Chalcosyrphus metallifer*](#) (Bigot, 1884)
- [*Chalcosyrphus nemorum*](#) (Fabricius, 1805)
- [*Chalcosyrphus nigromaculatus*](#) (Jones, 1917)
- [*Chalcosyrphus ontario*](#) (Curran, 1941)
- [*Chalcosyrphus parvus*](#) (Williston, 1887)
- [*Chalcosyrphus pauxilla*](#) (Williston, 1892)
- [*Chalcosyrphus piger*](#) (Fabricius, 1794)
- [*Chalcosyrphus plesia*](#) (Curran, 1925)
- [*Chalcosyrphus sacawajeae*](#) (Shannon, 1925)
- [*Chalcosyrphus satanica*](#) (Bigot, 1884)
- [*Chalcosyrphus vecors*](#) (Osten Sacken, 1875)[48]
- [*Chalcosyrphus violascens*](#) (Megerle, 1803)

Genus [*Criorhina*](#)

14 species [16] [10]

- [*Criorhina aurea*](#) (Lovett, 1919)
- [*Criorhina bubulcus*](#) (Walker, 1849)
- [*Criorhina caudata*](#) (Curran, 1925)
- [*Criorhina coquilletti*](#) (Williston), 1892
- [*Criorhina fusca*](#)
- [*Criorhina kincaidi*](#) (Coquillett, 1901)
- [*Criorhina mystaceae*](#) (Curran, 1925)

- [*Criorhina nigripes*](#) ([Williston](#), 1882)
- [*Criorhina nigriventris*](#) ([Walton](#), 1911)
- [*Criorhina occidentalis*](#)
- [*Criorhina quadriboscis*](#) ([Lovett](#), 1919)
- [*Criorhina tricolor*](#) ([Coquillett](#), 1900)
- [*Criorhina verbosa*](#) ([Walker](#), 1849)
- [*Criorhina villosa*](#) ([Bigot](#), 1882)

Genus [*Cynorhinella*](#)

- [*Cynorhinella longinasus*](#)
- [*Cynorhinella bella*](#)

Genus [*Hadromyia*](#) [Williston](#), 1882[51]

Subgenus [*Chrysosomidia*](#) [Curran](#), 1934[52]

- [*Hadromyia aepalius*](#) ([Walker](#), 1849)[11]
- [*Hadromyia aldrichi*](#) ([Shannon](#), 1916)[53]
- [*Hadromyia crawfordi*](#) ([Shannon](#), 1916)[53]
- [*Hadromyia opaca*](#) ([Shannon](#), 1916)[53]
- [*Hadromyia pulchra*](#) ([Williston](#), 1882)[54]

Subgenus [*Hadromyia*](#) [Williston](#), 1882[54]

- [*Hadromyia grandis*](#) [Williston](#), 1882[54]

Genus [*Merapoides*](#)

- [*Merapoides villosus*](#)

Genus [*Milesia*](#)

3 species [55]

- [*Milesia bella*](#) ([Townsend](#), 1897)
- [*Milesia scutellata*](#) ([Hull](#), 1924)
- [*Milesia virginienensis*](#) ([Drury](#), 1773)

Genus [*Palumbia*](#)

- [*Palumbia inflata*](#) ([Macquart](#), 1834)

Genus [*Pocota*](#)

- [*Pocota bomboides*](#) [Hunter](#), 1897[56]

Genus [*Pterallastes*](#) [Loew](#), 1863[57]

- [*Pterallastes thoracicus*](#) [Loew](#), 1863[57]

Genus [*Somula*](#) [Macquart](#), 1847[46]

- [*Somula decora*](#) [Macquart](#), 1847[46]
- [*Somula mississippiensis*](#) [Hull](#), 1922

Genus *Sphecomyia*

14 species [58][59]

- *Sphecomyia brevicornis* (Osten Sacken, 1877)[60]
- *Sphecomyia columbiana* (Vockeroth, 1965)[61]
- *Sphecomyia cryptica* (Moran, 2019)[58]
- *Sphecomyia dyari* (Shannon, 1925)[62]
- *Sphecomyia hoguei* (Moran, 2019)[58]
- *Sphecomyia interrupta* (Moran, 2019)[58]
- *Sphecomyia metallica* (Bigot, 1882)[63]
- *Sphecomyia occidentalis* (Osburn, 1908)
- *Sphecomyia oraria* (Moran, 2019)[58]
- *Sphecomyia pattonii* (Williston, 1882)[54]
- *Sphecomyia pseudosphecomima* (Moran, 2019)[58]
- *Sphecomyia sexfasciata* (Moran, 2019)[58]
- *Sphecomyia vittata* (Wiedemann, 1830)
- *Sphecomyia weismanni* (Moran, 2019)[58]

Genus *Spilomyia*

10 species [64]

- *Spilomyia alcimus* (Walker, 1849)[11]
- *Spilomyia citima* Vockeroth, 1958
- *Spilomyia crandalli* Curran, 1951
- *Spilomyia foxleei* Vockeroth, 1958
- *Spilomyia fusca* Loew, 1864
- *Spilomyia interrupta* Williston, 1882
- *Spilomyia kahli* Snow, 1895
- *Spilomyia liturata* Williston, 1887
- *Spilomyia longicornis* Loew, 1872
- *Spilomyia sayi* (Goot, 1964)

Genus *Syritta*

- *Syritta pipiens*
- *Syritta flaviventris*

Genus *Temnostoma*

10 species [1]

- *Temnostoma alternans*[3]
- *Temnostoma apiforme* [3]
- *Temnostoma barberi* [3]
- *Temnostoma balyras* [1]
- *Temnostoma dachous*[3]
- *Temnostoma excentrica* [3]

- [Temnostoma obscurum](#) [3]
- [Temnostoma trifasciatum](#) [3]
- [Temnostoma venustum](#) [3]

Genus [Teuchocnemis](#)

- [Teuchocnemis bacuntius](#)

Genus [Tropidia](#)

8 species [1]

- [Tropidia albistylum](#) Macquart, 1847[46]
- [Tropidia calcarata](#) Williston, 1887
- [Tropidia coloradensis](#) (Bigot, 1884)
- [Tropidia incana](#) Townsend, 1895
- [Tropidia mamillata](#) Loew, 1861
- [Tropidia montana](#) Hunter, 1896
- [Tropidia pygmaea](#) Shannon, 1926
- [Tropidia quadrata](#) (Say, 1824)

Genus [Xylota](#)

29 species [1]

- [Xylota analis](#) Williston, 1887[65]
- [Xylota angustiventris](#) Loew, 1866[66]
- [Xylota annulifera](#) Bigot, 1884[9]
- [Xylota argoi](#) Shannon, 1926[67]
- [Xylota barbata](#) Loew, 1864[27]
- [Xylota bicolor](#) Loew, 1864[27]
- [Xylota confusa](#) Shannon, 1926[67]
- [Xylota ejuncida](#) Say, 1824[68]
- [Xylota flavifrons](#) Walker, 1849[11]
- [Xylota flavitibia](#) Bigot, 1884[9]
- [Xylota flukei](#) (Curran, 1941)[69]
- [Xylota hinei](#) (Curran, 1941)[69]
- [Xylota lovetti](#) Curran, 1925[70]
- [Xylota naknek](#) Shannon, 1926[67]
- [Xylota nebulosa](#) Johnson, 1921[71]
- [Xylota ouelleti](#) (Curran, 1941)[69]
- [Xylota quadrimaculata](#) Loew, 1866[66]
- [Xylota scutellarmata](#) Lovett, 1919[72]
- [Xylota segnis](#) (Linnaeus, 1758)
- [Xylota subfasciata](#) Loew, 1866[66]
- [Xylota tuberculata](#) (Curran, 1941)[69]

Tribe Rhingiini

Genus Chamaesyrrhus

Genus Cheilosia

78 species

- C. aerea (Dufour, 1848)
- C. alaskensis (Hunter, 1897)
- C. albitarsis (Meigen, 1822) [73]
- Chilosia Agassiz, 1846[74]
- C. aldrichi (Hunter, 1896)
- C. atropapilla Hull and Fluke, 1950
- C. bardus (Harris, 1780)[41]
- C. baroni (Williston, 1887)
- C. bicolorata (Shannon, 1922)
- C. bigelowi (Curran, 1926)
- C. borealis (Coquillett, 1900)
- C. browni Curran, 1931
- C. burkei (Shannon, 1922)
- C. caltha (Shannon, 1922)
- C. capillata (Loew, 1863)
- C. catalina (Shannon, 1922)
- C. chalybescens (Williston, 1893)
- C. chintimini (Lovett, 1921)
- C. columbiae (Curran, 1922)
- C. comosa (Loew, 1863)
- C. consentiens (Curran, 1926)
- C. coerulea Fluke and Hull, 1946
- C. cottrelli Telford, 1939
- C. cratorhina Hull and Fluke, 1950
- C. cynoprosopa Hull and Fluke, 1950
- C. ferruginea (Lovett, 1919)
- C. florella (Shannon, 1922)
- C. grossa (Fallén, 1817)
- C. hermiona Hull and Fluke, 1950
- C. hesperia (Shannon, 1922)
- C. hiantha Hull and Fluke, 1950
- C. hoodiana (Bigot, 1883)[75]
- C. hunteri (Curran, 1922)
- C. julietta (Shannon, 1922)
- C. laevis (Bigot, 1884)
- C. lasiophthalmus Williston, 1882
- C. latrans (Walker, 1849)

- [*C. leucoparea*](#) (Loew, 1863)
- [*C. livida*](#) (Wehr, 1922)
- [*C. lucta*](#) (Snow, 1895)
- [*C. luna*](#) Hull and Fluke, 1950
- [*C. margarita*](#) Hull and Fluke, 1950
- [*C. meganosa*](#) Hull and Fluke, 1950
- [*C. montanipes*](#) Hull and Fluke, 1950
- [*C. nannomorpha*](#) Hull and Fluke, 1950
- [*C. nigrescens*](#) Hull and Fluke, 1950
- [*C. nigrobarba*](#) Hull and Fluke, 1950
- [*C. nigrovittata*](#) (Lovett, 1919)
- [*C. obesa*](#) Hull and Fluke, 1950
- [*C. occidentalis*](#) Williston, 1882
- [*C. orilliaensis*](#) Curran, 1922[75]
- [*C. pacifica*](#) Hunter, 1897
- [*C. pagana*](#) (Meigen, 1822)[73]
- [*C. pallipes*](#) Loew, 1863
- [*C. pikei*](#) Shannon, 1922
- [*C. pilosipes*](#) Hull and Fluke, 1950
- [*C. pontiaca*](#) (Shannon, 1922)
- [*C. porcina*](#) Hull and Fluke, 1950
- [*C. punctulata*](#) (Hunter, 1897)
- [*C. prima*](#) (Hunter, 1896)
- [*C. primoveris*](#) (Shannon, 1915)
- [*C. promethea*](#) Hull and Fluke, 1950
- [*C. rhinoprosopa*](#) Hull and Fluke, 1950
- [*C. rita*](#) (Curran, 1922)
- [*C. robusta*](#) (Hine, 1922)
- [*C. scilla*](#) Hull and Fluke, 1950
- [*C. sensua*](#) (Curran, 1922)
- [*C. seripila*](#) Hull and Fluke, 1950
- [*C. shannoni*](#) (Curran, 1923) [75]
- [*C. sororcula*](#) (Williston, 1891)
- [*C. speculum*](#) Hull and Fluke, 1950
- [*C. swannanoa*](#) Brimley, 1925
- [*C. tantalus*](#) Hull and Fluke, 1950
- [*C. wisconsinensis*](#) Fluke and Hull, 1947
- [*C. yukonensis*](#) (Shannon, 1922)

Genus *Ferdinandea*

- [*Ferdinandea aeneicolor*](#) Shannon, 1924
- [*Ferdinandea buccata*](#) (Loew, 1863)[76]
- [*Ferdinandea croesus*](#) (Osten Sacken, 1877)[77]

Genus [Rhingia](#)

- [Rhingia nasica](#)

Genus [Hiatomyia](#)

- *Hiatomyia canadensis* ([Shannon](#), 1922)
- *Hiatomyia chionthrix* [Hull](#) & fluke 1950 [78]
- *Hiatomyia chrysothrix* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia coriacea* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia cyanea* (Hunter, 1896)
- [Hiatomyia cyanescens](#) ([Loew](#), 1863)
- *Hiatomyia cyascens* ([Loew](#), 1863)
- *Hiatomyia gemini* ([Shannon](#), 1922)
- *Hiatomyia hecate* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia hyacintha* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia idahoa* ([Shannon](#), 1922)
- *Hiatomyia nigrocyanea* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia niveifrons* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia nyctichroma* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia olivia* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia plumosa* (Coquillett, 1904)
- *Hiatomyia plutonia* (Hunter, 1897)
- *Hiatomyia rubroflava* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia signatiseta* (Hunter, 1896)
- *Hiatomyia tessa* ([Hull](#) & Fluke, 1950) [78]
- *Hiatomyia townsendi* (Hunter, 1896)
- *Hiatomyia willistoni* (Snow, 1895)

Tribe [Volucellini](#)

Genus [Copestylum](#)

82 species [1]

- [C. abdominale](#) ([Wiedemann](#), 1930) [79]
- [C. alberlena](#) Marcos-Garcia & Perez-Banon, 2002 [80]
- [C. amethystinum](#) ([Bigot](#), 1875) [81]
- [C. anna](#) ([Williston](#), 1887) [16] (Anna's bromeliad fly)
- [C. apiciferum](#) ([Townsend](#), 1895)
- [C. barbara](#) Hancock & Marcos-Garcia, 2007 [82]
- [C. avidum](#) ([Osten Sacken](#), 1877) (yellow-spotted bromeliad fly)
- [C. barbara](#) Hancock & Marcos-Garcia, 2007 [82]
- [C. barei](#) ([Curran](#), 1925) (violet bromeliad fly)
- [C. boqueronense](#) Rotheray & Marcos-Garcia, 2007 [82]
- [C. brunneum](#) (Thunberg, 1789)
- [C. caesariatum](#) ([Williston](#), 1891) [83]

- [*C. caudatum*](#) Curran, 1927 (hairy-horned bromeliad fly)[84]
- [*C. chalybescens*](#) (Wiedemann, 1830)[79]
- [*C. comstocki*](#) (Williston, 1887) (Comstock's bromeliad fly)
- [*C. conabioi*](#) Marcos-Garcia & Rotheray, 2007[82]
- [*C. elizabethae*](#) Hancock & Rotheray, 2007[82]
- [*C. emeralda*](#) (Hull, 1944)
- [*C. eugenia*](#) (Williston, 1887)[16]
- [*C. florida*](#) (Hull, 1941) (Florida bromeliad fly)
- [*C. fornax*](#) (Townsend, 1895)
- [*C. fraudulentum*](#) (Williston, 1891)[83]
- [*C. fulvicorne*](#) (Bigot, 1883)
- [*C. gelenitae*](#) Marcos-Garcia & Rotheray, 2007
- [*C. gibberum*](#) (Schiner, 1868)
- [*C. haagii*](#) (Jaennicke, 1867) (Haag's bromeliad fly)
- [*C. hispaniolae*](#) Thompson, 1981
- [*C. isabellina*](#) (Williston, 1887) (Isabelle's bromeliad fly)
- [*C. joei*](#) Rotheray & Hancock, 2007[82]
- [*C. lentum*](#) Williston, 1887
- [*C. limbipenne*](#) Williston, 1887[16]
- [*C. macrocephalum*](#) (Giglio-tos, 1892)
- [*C. macquarti*](#) (Curran, 1926)
- [*C. mamorum*](#) Rotheray & Marcos-Garcia, 2007[82]
- [*C. marginatum*](#) (Say, 1829)
- [*C. megacephalum*](#) (Loew, 1863)[76]
- [*C. mexicanum*](#) (Macquart, 1842) (Mexican cactus fly)
- [*C. melleum*](#) (Jannicke, 1867)
- [*C. opalescens*](#) (Townsend, 1901)
- [*C. opinator*](#) (Williston, 1891)[83]
- [*C. ornatum*](#) (Williston, 1891)[83]
- [*C. oscillans*](#) Hancock & Rotheray, 2007
- [*C. pallens*](#) (Wiedemann, 1830)[79]
- [*C. pictum*](#) (Wiedemann, 1830)[79]
- [*C. posticum*](#) (Say, 1829)
- [*C. pubescens*](#) (Loew, 1861)
- [*C. punctigena*](#) (Hull, 1937)
- [*C. pusillum*](#) (Macquart, 1842)
- [*C. puyarum*](#) Rotheray & Hancock, 2007[82]
- [*C. quadratum*](#) (Williston, 1891)[83]
- [*C. rafaellanum*](#) (Townsend, 1897)
- [*C. satur*](#) (Osten Sacken, 1877) (spotted-wing bromeliad fly)
- [*C. sexmaculatum*](#) (Palisot de Beauvois, 1819) (six-spotted bromeliad fly)
- [*C. simile*](#) Giglio-Tos, 1892

- [*C. sternale*](#) (Curran, 1930)[85]
- [*C. sultzi*](#) (Curran, 1939)
- [*C. tacanense*](#) Rotheray & Hancock, 2007[82]
- [*C. tamaulipanum*](#) (Townsend, 1898)
- [*C. tapanti*](#) Rotheray & Hancock, 2007[82]
- [*C. tapia*](#) Rotheray & Hancock, 2007[82]
- [*C. tricinctum*](#) (Bigot, 1875)[81]
- [*C. triunfense*](#) Hancock, 2007[82]
- [*C. trivittatum*](#) Thompson, 1988
- [*C. tympanitis*](#) (Fabricius, 1805)[79]
- [*C. umamas*](#) Hancock & Rotheray, 2007[82]
- [*C. vagum*](#) (Wiedemann, 1830)[79]
- [*C. varians*](#) (Bigot, 1875)[81]
- [*C. vera*](#) (Hull, 1942)
- [*C. violaceum*](#) (Say, 1829) (purple bromeliad fly)
- [*C. virescens*](#) (Williston, 1891)[83]
- [*C. vittatum*](#) Thompson, 1976 (striped bromeliad fly)
- [*Copestylum versicularium*](#)
- [*C. victoria*](#) (Williston, 1887) (Victoria's bromeliad fly)
- [*C. violaceum*](#) (Say, 1829) (purple bromeliad fly)
- [*C. vittatum*](#) Thompson, 1976 (striped bromeliad fly)
- [*C. xalapensis*](#) Rotheray & Marcos-Garcia, 2007[82]
- [*C. yowoi*](#) Rotheray & Hancock, 2007[82]
- [*C. yura*](#) (Curran, 1930)[85]

Genus [*Ornidia*](#)

- [*Ornidia obesa*](#)

Genus [*Volucella*](#)

- [*Volucella bombylans*](#)

The following is a list of [hoverfly](#) (Syrphidae) species recorded in [New Zealand](#). This list is based on a list of New Zealand [flower flies](#) published by F. Christian Thompson in 2008. Currently the list consists of 37 [endemic](#) species, 1 native [Oceanian](#) species, and 5 [introduced invasive species](#). Beyond this there are another 48 endemic species awaiting formal description.[1]

Subfamily **Syrphinae**

Tribe **Bacchini**

Genus **Melanostoma** Schiner

- [*Melanostoma fasciatum*](#) (Macquart, 1850)

Genus **Platycheirus** Lepeletier & Serville

Subgenus ***Eocheilosia*** Hull

- [*Platycheirus antipodus*](#) (Hull, 1949)
- [*Platycheirus captalis*](#) (Miller, 1924)
- [*Platycheirus clarkei*](#) Miller, 1921
- [*Platycheirus cunninghami*](#) (Miller, 1921)
- [*Platycheirus fulvipes*](#) (Miller, 1924)
- [*Platycheirus harrisi*](#) (Miller, 1921)
- [*Platycheirus howesii*](#) (Miller, 1921)
- [*Platycheirus huttoni*](#) Thompson, 1989
- [*Platycheirus leptospermi*](#) (Miller, 1921)
- [*Platycheirus lignudus*](#) Miller, 1921
- [*Platycheirus myersii*](#) (Miller, 1924)
- [*Platycheirus notatus*](#) (Bigot, 1884)
- [*Platycheirus ronanus*](#) (Miller, 1921)

Tribe **Syrphini**

Genus **Allograpta** Osten Sacken

- [*Allograpta atkinsoni*](#) (Miller, 1921)
- [*Allograpta dorsalis*](#) (Miller, 1924)
- [*Allograpta flavofaciens*](#) (Miller, 1921)
- [*Allograpta hirsutifera*](#) (Hull, 1949)
- [*Allograpta hollowayae*](#) Thompson & Thompson, 2010
- [*Allograpta hudsoni*](#) (Miller, 1921)
- [*Allograpta pseudoropala*](#) (Miller, 1921)
- [*Allograpta ropala*](#) (Walker, 1849)
- [*Allograpta schlingeri*](#) Thompson & Thompson, 2010
- [*Allograpta ventralis*](#) (Miller, 1921)

Genus **Anu** Thompson

- [*Anu una*](#) Thompson, 2008

Genus [*Melangyna*](#) Verrall

Subgenus: *Austrosyrphus* Vockeroth

- [*Melangyna novaezelandiae*](#) (Macquart, 1855)

Genus [*Simosyrphus*](#) Bigot

- [*Simosyrphus grandicornis*](#) (Macquart, 1842) – widespread in Oceania

Subfamily [**Eristalinae**](#)

Tribe [**Eristalini**](#)

Genus [*Helophilus*](#) Meigen

Subgenus: *Pilinasica* Malloch

- [*Helophilus antipodus*](#) Schiner, 1868
- [*Helophilus campbelli*](#) (Miller, 1921)
- [*Helophilus campbellicus*](#) Hutton, 1902
- [*Helophilus cargilli*](#) Miller, 1911
- [*Helophilus chathamensis*](#) Hutton, 1901
- [*Helophilus cingulatus*](#) (Fabricius, 1775)
- [*Helophilus hectori*](#) Miller, 1924
- [*Helophilus hochstetteri*](#) (Nowicki, 1875)
- [*Helophilus ineptus*](#) Walker, 1849
- [*Helophilus montanus*](#) (Miller, 1921)
- [*Helophilus seelandicus*](#) (Gmelin, 1790)
- [*Helophilus taruensis*](#) Miller, 1924

Genus [*Eristalinus*](#) Rondani

- [*Eristalinus aeneus*](#) (Scopoli, 1763) – **introduced**

Genus [*Eristalis*](#) Latreille

- [*Eristalis tenax*](#) (Linnaeus, 1758) – **introduced**

Tribe [**Merodontini**](#)

Genus [*Eumerus*](#) Meigen

- [*Eumerus funeralis*](#) Meigen, 1822 – **introduced**
- [*Eumerus strigatus*](#) (Fallen, 1817) – **introduced**

Genus [*Merodon*](#) Meigen

- [*Merodon equestris*](#) (Fabricius, 1794) – **introduced**

Genus *[Psilota](#)* Meigen

- *[Psilota decessa](#)* (Hutton, 1901)

Tribe *[Milesiini](#)*

Genus *[Orthoprosopa](#)* Macquart

Subgenus: *[Paratropidia](#)* Hull

- *[Orthoprosopa bilineata](#)* (Walker, 1849)

References

These 136 species belong to *[Figulus](#)*, a genus of stag beetles in the family *[Lucanidae](#)*.^[1]

Species

These 136 species belong to the genus *Figulus*:^{[1][2]}

- *[Figulus acutangulus](#)* Arrow, 1935 (*[Vietnam](#)*)
- *[Figulus albertisii](#)* Gestro, 1881 (*[Indonesia](#)*)
- *[Figulus andamanus](#)* Kriesche, 1920 (*[India](#)* (Andaman))
- *[Figulus angustus](#)* Bomans, 1989 (India (West Bengal))
- *[Figulus anthracinus](#)* Klug, 1834 (*[Sub-Saharan Africa](#)*)
- *[Figulus approximatus](#)* Benesh, 1955 (*[Mauritius](#)*)
- *[Figulus aratus](#)* Arrow, 1935 (*[Sri Lanka](#)*, India (Tamil Nadu))
- *[Figulus beccarii](#)* Gestro, 1881 (Indonesia (Sumatra))
- *[Figulus bicolor](#)* Bomans, 1986 (China (Yunnan), Vietnam)
- *[Figulus binodulus](#)* Waterhouse, 1872 (temperate Asia)
- *[Figulus boileau](#)* Bomans, 1986 (Australia (Queensland))
- *[Figulus bomansi](#)* Ikeda, 2002 (*[Malaysia](#)* (Sabah))
- *[Figulus boninensis](#)* Nakane & Kurosawa, 1953
- *[Figulus borneensis](#)* Nagel, 1941 (Malaysia (Sabah))
- *[Figulus caecus](#)* Bomans, 1988 (Indonesia)
- *[Figulus cambodiensis](#)* Deyrolle, 1874 (*[Cambodia](#)*)
- *[Figulus canaliculatus](#)* Nagel, 1941 (Indonesia)
- *[Figulus caoi](#)* Huang & Chen, 2017 (China (Yunnan))
- *[Figulus capensis](#)* (Casstrom & Thunberg, 1781) (South Africa)
- *[Figulus caviceps](#)* Boileau, 1902 (*[Bhutan](#)*, China, India, *[Myanmar](#)*, *[Nepal](#)*, *[Thailand](#)*, Vietnam)
- *[Figulus cavifrons](#)* Bomans, 1987 (Indonesia (Sumatra))
- *[Figulus chaminadei](#)* Benoit & Bomans, 2001 (Indonesia (Sumba))
- *[Figulus cheesmani](#)* Arrow, 1938 (Indonesia)

- [*Figulus cicatricosus*](#) Boileau, 1905 (India(Tamil Nadu))
- [*Figulus cochinchinensis*](#) Nagel, 1928 (Vietnam)
- [*Figulus concatenatus*](#) Arrow, 1938 (Malaysia (Sarawak))
- [*Figulus confusus*](#) Westwood, 1838 (Cambodia, [Caroline Islands](#), Indonesia, Malaysia)
- [*Figulus coomani*](#) Arrow, 1935 (Vietnam)
- [*Figulus corvinus*](#) Kriesche, 1922 ([Cameroon](#))
- [*Figulus crupsinus*](#) Bomans, 1987 (Philippines (Luzon))
- [*Figulus curvicornis*](#) Benesh, 1950 (Philippines, temperate Asia)
- [*Figulus decipiens*](#) Albers, 1884 ([Sao Tomé](#))
- [*Figulus decorus*](#) de Lisle, 1968 ([Bismarck Islands](#))
- [*Figulus deletus*](#) Bomans, 1989 (China (Guangxi), Vietnam)
- [*Figulus delicatus*](#) Bomans, 1987 ([Singapore](#))
- [*Figulus delislei*](#) Benesh, 1953 (Vietnam)
- [*Figulus detzneri*](#) Kriesche, 1922 (Indonesia)
- [*Figulus elateroides*](#) Bomans, 1986 ([Laos](#))
- [*Figulus excavatus*](#) Bomans, 1987 (Indonesia)
- [*Figulus exquisitus*](#) Bomans, 1987 (Singapore)
- [*Figulus fissicollis*](#) Fairmaire, 1849 ([Tahiti](#), [Fiji](#), [Papua New Guinea](#), temperate Asia)
- [*Figulus foveicollis*](#) (Boisduval, 1835) (New Caledonia, Papua New Guinea, Tahiti)
- [*Figulus fulgens*](#) Bomans, 1987 (Pacific Islands)
- [*Figulus fusconitens*](#) Didier, 1931 ([Nias Island](#))
- [*Figulus gestroi*](#) Nagel, 1928 (Indonesia)
- [*Figulus gracilentus*](#) Didier, 1931 (Indonesia (Ambon))
- [*Figulus granulosus*](#) Bomans, 1986 (Indonesia (Sumatra))
- [*Figulus hoogstraali*](#) Benesh, 1958 (Philippines (Mindanao))
- [*Figulus hoplocnemus*](#) de Lisle, 1974 (Indonesia)
- [*Figulus hornabrooki*](#) Bomans, 1987 (Indonesia, Papua New Guinea)
- [*Figulus horni*](#) Zang, 1905 (Sri Lanka)
- [*Figulus hsui*](#) Huang & Chen, 2016 ([Taiwan](#) and temperate Asia)
- [*Figulus humeralis*](#) Didier, 1931 (Indonesia (Tenimber Island))
- [*Figulus impressicollis*](#) Ritsema, 1896 (Malaysia (Sabah))
- [*Figulus incertus*](#) Bomans, 1987 (Indonesia)
- [*Figulus incisus*](#) Bomans, 1987 (Singapore)
- [*Figulus insolitus*](#) Bomans, 1987 (Bhutan)
- [*Figulus insulanus*](#) Bomans, 1987 (Pacific Island)
- [*Figulus integricollis*](#) Thomson, 1862 (Marianas Islands)
- [*Figulus interruptus*](#) Waterhouse, 1874 (Sri Lanka)
- [*Figulus javanensis*](#) Nagel, 1941 (Indonesia(Java))
- [*Figulus joliveti*](#) Bomans, 1987 (Indonesia)
- [*Figulus kinabaluensis*](#) Bomans, 1987 (Malaysia(Sabah))
- [*Figulus laevipennis*](#) Montrouzier, 1860 (New Caledonia)
- [*Figulus lansbergei*](#) Ritsema, 1880 (Indonesia (Sumbawa))

- [*Figulus laoticus*](#) Bomans, 1986 (Laos)
- [*Figulus laticollis*](#) Reiche, 1853 (Philippines)
- [*Figulus leptochilus*](#) de Lisle, 1974 ([Solomon Islands](#))
- [*Figulus lilliputanus*](#) Westwood, 1855 (Australia)
- [*Figulus linearis*](#) (Didier, 1928) (India(Malabar Islands, Kerala))
- [*Figulus lozoki*](#) Kriesche, 1922 (Papua New Guinea, Indonesia)
- [*Figulus luminosus*](#) Bomans, 2010 (Caroline Islands)
- [*Figulus lupinus*](#) Kriesche, 1922 ([Palau Islands](#))
- [*Figulus magnus*](#) Benesh, 1955 ([Seychelles](#))
- [*Figulus manicatus*](#) Didier & Séguy, 1953 (Vietnam)
- [*Figulus manillarum*](#) Hope, 1845 (Philippines)
- [*Figulus marginalis*](#) Ritsema, 1879 ([Borneo](#), Indonesia (Java, Sumatra))
- [*Figulus mecynodontus*](#) de Lisle, 1974 (Solomon Islands (San Cristobal Island))
- [*Figulus mediocris*](#) Deyrolle, 1874 (Indonesia (Sumatra), Malaysia (Malacca))
- [*Figulus meridianus*](#) Bomans, 1986 (India (Kerala))
- [*Figulus minor*](#) Kriesche, 1920 ([Cameroon](#), [Ivory Coast](#))
- [*Figulus minutus*](#) Deyrolle, 1874 (Indonesia (Banda Island))
- [*Figulus moluccanus*](#) de Lisle, 1970 (Indonesia (Moluccas))
- [*Figulus morosus*](#) de Lisle, 1974 (Solomon Islands)
- [*Figulus myrmecodianus*](#) Cammaerts & Bomans, 1997 (Indonesia)
- [*Figulus napu*](#) Kriesche, 1922 (China (Yunnan), Vietnam)
- [*Figulus nitens*](#) Waterhouse, 1874 (Australia)
- [*Figulus nitidulus*](#) Gestro, 1881 (Papua New Guinea, Indonesia)
- [*Figulus nubilus*](#) Didier, 1931 (Indonesia (Tenimber Island))
- [*Figulus orientalis*](#) Bomans, 1989 (Indonesia (Moluccas, Dammer Island))
- [*Figulus orthognathus*](#) Benesh, 1950 (Philippines (Mindanao))
- [*Figulus papuanus*](#) Gestro, 1881 (Papua New Guinea, Indonesia)
- [*Figulus parallelicanthus*](#) Bomans, 1989 (China (Yunnan), Vietnam)
- [*Figulus parvus*](#) Bomans, 1987 (Cameroon, [Gabon](#), [DR Congo](#))
- [*Figulus philippinensis*](#) Benesh, 1955 (Philippines (Luzon))
- [*Figulus piceus*](#) Bomans, 1989 (Cambodia, Thailand, Vietnam)
- [*Figulus planifrons*](#) Bomans, 1987 (Indonesia (Sumatra))
- [*Figulus popei*](#) Bomans, 1987 (Solomon Islands)
- [*Figulus porrectus*](#) Bomans, 1989 (Indonesia (Sumatra))
- [*Figulus powelli*](#) Bomans, 1986 (Malaysia)
- [*Figulus praecipuus*](#) Bomans, 1987 (Indonesia)
- [*Figulus procericornis*](#) Bomans, 1987 (Philippines)
- [*Figulus procerus*](#) Heller, 1898 (Indonesia (Sulawesi))
- [*Figulus pseudominor*](#) Monte & Bartolozzi, 2005 (Sub-Saharan Africa)
- [*Figulus punctatus*](#) Waterhouse, 1872 (temperate Asia)
- [*Figulus punctifrons*](#) Bomans, 1987 (Borneo)
- [*Figulus quasisisimilis*](#) Bomans, 1989 (Malaysia (Sarawak))

- [*Figulus regularis*](#) Westwood, 1834 (Australia, Papua New Guinea, Indonesia)
- [*Figulus robustus*](#) Bomans, 1987 (Solomon Islands)
- [*Figulus rossi*](#) Gahan, 1900 ([Christmas Island](#))
- [*Figulus rubripes*](#) Bomans, 1986 (Indonesia)
- [*Figulus rugosus*](#) Deyrolle, 1874 (Borneo)
- [*Figulus samoanus*](#) Kriesche, 1920 ([Samoa](#))
- [*Figulus sarawakensis*](#) Bomans, 1987 (Malaysia (Sarawak))
- [*Figulus scaritiformis*](#) Parry, 1862 (Malaysia, Indonesia)
- [*Figulus schismonotus*](#) (de Lisle, 1975) (Indonesia)
- [*Figulus scotti*](#) Benesh, 1955 (Mauritius)
- [*Figulus serratus*](#) Arrow, 1938 (Malaysia (Sarawak))
- [*Figulus seychellensis*](#) Scott, 1912 (Seychelles)
- [*Figulus similis*](#) Bomans, 1987 (Indonesia)
- [*Figulus spinosus*](#) Bomans, 1987 (Solomon Islands)
- [*Figulus splendens*](#) Bomans, 1987 (Indonesia)
- [*Figulus striatus*](#) (Olivier, 1789) (Seychelles, [Madagascar](#), [Réunion](#), [Mauritius](#), [Rodrigues](#))
- [*Figulus subcastaneus*](#) Westwood, 1838 (Indonesia(Java))
- [*Figulus sublaevis*](#) (Palisot de Beauvois, 1805) (Sub-Saharan Africa)
- [*Figulus sulcicollis*](#) Hope, 1845 (Australia, Papua New Guinea, Indonesia)
- [*Figulus suzumurai*](#) Fujita, 2010 (Malaysia)
- [*Figulus tapinus*](#) Bomans, 1987 (India (Uttarakhand))
- [*Figulus trilobus*](#) Westwood, 1838 (Australia)
- [*Figulus tubericollis*](#) Bomans, 1989 (Vietnam)
- [*Figulus tumidimentum*](#) Bomans, 1989 (India (Tamil Nadu))
- [*Figulus venustus*](#) Bomans, 1989 (Korea)
- [*Figulus vinsoni*](#) Benesh, 1955 (Mauritius)
- [*Figulus weinreichi*](#) Bomans, 1986 (Indonesia)
- [*Figulus wittmeri*](#) Bomans & Lacroix, 1989 (Nepal)
- [*Figulus yipai*](#) Huang & Chen, 2017 (China (Hainan, Fujian))

References

These 372 species belong to [Exoprosopa](#), a genus of bee flies in the family [Bombyliidae](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Exoprosopa species

- [*Exoprosopa aberrans*](#) Paramonov, 1928 ^{c g}
- [*Exoprosopa abjecta*](#) Nurse, 1922 ^{c g}
- [*Exoprosopa abrogata*](#) Nurse, 1922 ^{c g}

- [Exoprosopa acrospila](#) Bezzi, 1923 ^{c g}
- [Exoprosopa actites](#) Painter, 1969 ^{i c g}
- [Exoprosopa affinissima](#) Senior-White, 1924 ^{c g}
- [Exoprosopa agassizii](#) Loew, 1869 ^{i c g b}
- [Exoprosopa ahtamara](#) Dils & Hikmet, 2007 ^{c g}
- [Exoprosopa albata](#) Bezzi, 1924 ^{c g}
- [Exoprosopa albicollaris](#) Painter, 1962 ^{i c g}
- [Exoprosopa albida](#) (Walker, 1852) ^{c g}
- [Exoprosopa albifrons](#) Curran, 1930 ^{i c g b}
- [Exoprosopa albofimbriata](#) Bezzi, 1924 ^{c g}
- [Exoprosopa aldabrae](#) Greathead, 1976 ^{c g}
- [Exoprosopa alexon](#) (Walker, 1849) ^{c g}
- [Exoprosopa allothyris](#) Bezzi, 1920 ^{c g}
- [Exoprosopa altaica](#) Paramonov, 1925 ^{c g}
- [Exoprosopa ammophila](#) Paramonov, 1931 ^{c g}
- [Exoprosopa amseli](#) Oldroyd, 1961 ^{c g}
- [Exoprosopa ancilla](#) Bezzi, 1924 ^{c g}
- [Exoprosopa andamanica](#) Pal, 1991 ^{c g}
- [Exoprosopa angusta](#) Bezzi, 1924 ^{c g}
- [Exoprosopa annandalei](#) Brunetti, 1909 ^{c g}
- [Exoprosopa anomala](#) Painter, 1934 ^{i c g b}
- [Exoprosopa anthracoidea](#) Jaennicke, 1867 ^{c g}
- [Exoprosopa antica](#) (Walker, 1852) ^{c g}
- [Exoprosopa aphelosticta](#) Hesse, 1956 ^{c g}
- [Exoprosopa apiformis](#) Hesse, 1956 ^{c g}
- [Exoprosopa arcuata](#) Macquart, 1847 ^{c g}
- [Exoprosopa arenicola](#) Johnson and Johnson, 1959 ^{i c g}
- [Exoprosopa argentifasciata](#) Macquart, 1846 ^{i c g b}
- [Exoprosopa argentifrons](#) Macquart, 1855 ^{c g}
- [Exoprosopa argyrophora](#) Bezzi, 1912 ^{c g}
- [Exoprosopa asiatica](#) Zaitzev, 1972 ^{c g}
- [Exoprosopa asiris](#) Greathead, 1980 ^{c g}
- [Exoprosopa atrata](#) Hesse, 1956 ^{c g}
- [Exoprosopa atrinasis](#) Speiser, 1910 ^{c g}
- [Exoprosopa atripes](#) Cole, 1923 ^{i c g}
- [Exoprosopa atrisquama](#) Hesse, 1956 ^{c g}

- [Exoprosopa aureola](#) Francois, 1967 ^{c g}
- [Exoprosopa auriplena](#) (Walker, 1852) ^{c g}
- [Exoprosopa aurivestrix](#) Francois, 1962 ^{c g}
- [Exoprosopa aurulans](#) Bezzi, 1924 ^{c g}
- [Exoprosopa aztec](#) Painter, 1969 ^{i c g}
- [Exoprosopa baccha](#) Loew, 1869 ^{c g}
- [Exoprosopa balioptera](#) Loew, 1860 ^{c g}
- [Exoprosopa bangalorensis](#) Zaitzev, 1987 ^{c g}
- [Exoprosopa barnardi](#) Hesse, 1956 ^{c g}
- [Exoprosopa basifascia](#) (Walker, 1849) ^{c g}
- [Exoprosopa basifiascia](#) (Walker, 1849) ^{c g}
- [Exoprosopa batrachoidea](#) Bezzi, 1912 ^{c g}
- [Exoprosopa bellula](#) Painter, 1969 ^{i c g}
- [Exoprosopa belutschistanica](#) Lindner, 1979 ^{c g}
- [Exoprosopa bengalensis](#) Macquart, 1840 ^{c g}
- [Exoprosopa bifurca](#) Loew, 1869 ^{i c g b}
- [Exoprosopa biguttata](#) (Macquart, 1834) ^{c g}
- [Exoprosopa bolbocera](#) Hesse, 1956 ^{c g}
- [Exoprosopa bowdeni](#) Sanchez-Terron, 1989 ^{c g}
- [Exoprosopa brachipleuralis](#) Hesse, 1956 ^{c g}
- [Exoprosopa brachycera](#) Bezzi, 1924 ^{c g}
- [Exoprosopa brahma](#) Schiner, 1868 ^{c g}
- [Exoprosopa brevinasis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa brevirostris](#) Williston, 1901 ^{i c g b}
- [Exoprosopa brevistylata](#) Williston, 1901 ^{i c g}
- [Exoprosopa brunettii](#) Zaitzev, 1987 ^{c g}
- [Exoprosopa bucharensis](#) Paramonov, 1929 ^{c g}
- [Exoprosopa bulteri](#) Johnson & Johnson, 1958 ^{c g}
- [Exoprosopa busiris](#) Jaennicke, 1867 ^{c g}
- [Exoprosopa butleri](#) Johnson & Johnson, 1959 ^{i c g b}
- [Exoprosopa caffra](#) (Wiedemann, 1821) ^{c g}
- [Exoprosopa californiae](#) (Walker, 1852) ^{i c g}
- [Exoprosopa caliptera](#) (Say, 1823) ^{i c b}
- [Exoprosopa callima](#) Painter, 1969 ^{i c g}
- [Exoprosopa capnoptera](#) Bezzi, 1912 ^{c g}
- [Exoprosopa capucina](#) (Fabricius, 1781) ^{c g}

- [Exoprosopa castilla](#) Painter, 1930 ^{c g}
- [Exoprosopa celer](#) Cole, 1916 ^{i c g}
- [Exoprosopa cervina](#) Bezzi, 1921 ^{c g}
- [Exoprosopa chan](#) Paramonov, 1928 ^{c g}
- [Exoprosopa chionea](#) Bezzi, 1924 ^{c g}
- [Exoprosopa circeoides](#) Paramonov, 1928 ^{c g}
- [Exoprosopa claripennis](#) Hesse, 1956 ^{c g}
- [Exoprosopa clarki](#) Curran, 1930 ^{i c g b}
- [Exoprosopa clausina](#) Bezzi, 1924 ^{c g}
- [Exoprosopa cleomene](#) Egger, 1859 ^{c g}
- [Exoprosopa collaris](#) (Wiedemann, 1828) ^{c g}
- [Exoprosopa conochila](#) Bezzi, 1924 ^{c g}
- [Exoprosopa contorta](#) Bezzi, 1924 ^{c g}
- [Exoprosopa convexa](#) (Walker, 1857) ^{c g}
- [Exoprosopa costalis](#) Macquart, 1846 ^{c g}
- [Exoprosopa cracens](#) Painter, 1969 ^{i c g}
- [Exoprosopa cubana](#) Loew, 1869 ^{i c g}
- [Exoprosopa curvicornis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa damarensis](#) Hesse, 1956 ^{c g}
- [Exoprosopa decastroi](#) Hesse, 1950 ^{c g}
- [Exoprosopa decipiens](#) Bezzi, 1924 ^{c g}
- [Exoprosopa decolor](#) Bezzi, 1924 ^{c g}
- [Exoprosopa decora](#) Loew, 1869 ^{i c g b}
- [Exoprosopa decrepita](#) (Wiedemann, 1828) ^{c g}
- [Exoprosopa dedecor](#) Loew, 1871 ^{c g}
- [Exoprosopa dedecoroides](#) Paramonov, 1928 ^{c g}
- [Exoprosopa delicata](#) Greathead, 1967 ^{c g}
- [Exoprosopa dichotoma](#) (Schiner, 1868) ^c
- [Exoprosopa didesma](#) Hesse, 1956 ^{c g}
- [Exoprosopa diluta](#) Bezzi, 1924 ^{c g}
- [Exoprosopa dimidiata](#) Macquart, 1846 ^{c g}
- [Exoprosopa discriminata](#) Bezzi, 1912 ^{c g}
- [Exoprosopa disrupta](#) Walker, 1871 ^{c g}
- [Exoprosopa divisa](#) (Coquillett, 1887) ^{i c g b}
- [Exoprosopa dodrans](#) Osten Sacken, 1877 ^{i c g b}
- [Exoprosopa dodrina](#) Curran, 1930 ^{i c g b}

- [Exoprosopa dorcadion](#) [Osten Sacken](#), 1877^{i c g b}
- [Exoprosopa doris](#) [Osten Sacken](#), 1877^{i c g b}
- [Exoprosopa dulcis](#) [Austen](#), 1936^{c g}
- [Exoprosopa dux](#) ([Wiedemann](#), 1828)^{c g}
- [Exoprosopa eclipsis](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa efflatounbeyi](#) [Paramonov](#), 1928^{c g}
- [Exoprosopa efflatouni](#) [Bezzi](#), 1925^{c g}
- [Exoprosopa elongata](#) [Ricardo](#), 1901^{c g}
- [Exoprosopa eluta](#) [Loew](#), 1860^{c g}
- [Exoprosopa empidiformis](#) [Lindner](#), 1979^{c g}
- [Exoprosopa enigma](#) [Greathead & Evenhuis](#), 2001^{c g}
- [Exoprosopa eremita](#) [Osten Sacken](#), 1877^{i c g b}
- [Exoprosopa eritreae](#) [Greathead](#), 1967^{c g}
- [Exoprosopa erronea](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa exigua](#) [Macquart](#), 1855^{c g}
- [Exoprosopa extensa](#) ([Wulp](#), 1888)^{c g}
- [Exoprosopa fasciata](#) [Macquart](#), 1840^{i c g b}
- [Exoprosopa fasciolata](#) [Painter](#), 1969^{i c g}
- [Exoprosopa fascipennis](#) ([Say](#), 1824)^{i c g b}
- [Exoprosopa fastidiosa](#) [Bezzi](#), 1921^{c g}
- [Exoprosopa filia](#) [Osten Sacken](#), 1886^{i c g}
- [Exoprosopa fissicornis](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa flammea](#) [Brunetti](#), 1909^{c g}
- [Exoprosopa flammicoma](#) [Francois](#), 1964^{c g}
- [Exoprosopa flavicans](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa flavinervis](#) ([Macquart](#), 1846)^c
- [Exoprosopa flexuosus](#) [Pal](#), 1991^{c g}
- [Exoprosopa formosula](#) [Bezzi](#), 1921^{c g}
- [Exoprosopa fuligosa](#) [Painter](#), 1969^{i c g}
- [Exoprosopa fulviops](#) [Szilady](#), 1942^{c g}
- [Exoprosopa fumosa](#) [Cresson](#), 1919^{i c g b}
- [Exoprosopa fuscescens](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa fuscula](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa gazophylax](#) ([Loew](#), 1869)^{c g}
- [Exoprosopa gentilis](#) [Bezzi](#), 1924^{c g}
- [Exoprosopa ghilarovi](#) [Zaitzev](#), 1988^{c g}

- [Exoprosopa glossops](#) Greathead, 2001 ^{c g}
- [Exoprosopa goliath](#) Bezzi, 1924 ^{c g}
- [Exoprosopa gracilis](#) Greathead, 2006 ^{c g}
- [Exoprosopa grandis](#) (Wiedemann in [Meigen](#), 1820) ^{c g}
- [Exoprosopa griqua](#) Hesse, 1956 ^{c g}
- [Exoprosopa grisecens](#) Bezzi, 1924 ^{c g}
- [Exoprosopa grisescens](#) Bezzi, 1924 ^g
- [Exoprosopa guerini](#) (Macquart, 1846) ^{c g}
- [Exoprosopa gujaratica](#) Nurse, 1922 ^{c g}
- [Exoprosopa heros](#) (Wiedemann, 1819) ^{c g}
- [Exoprosopa heterocera](#) Bezzi, 1912 ^{c g}
- [Exoprosopa hulli](#) Painter, 1930 ^{i c g}
- [Exoprosopa hyalinipennis](#) Cole, 1923 ^{c g}
- [Exoprosopa hyalipennis](#) Cole, 1923 ^{i c g}
- [Exoprosopa hyalodisca](#) Bezzi, 1923 ^{c g}
- [Exoprosopa hyaloptera](#) Hesse, 1956 ^{c g}
- [Exoprosopa hypargyra](#) Bezzi, 1921 ^{c g}
- [Exoprosopa hypargyroides](#) Hesse, 1956 ^{c g}
- [Exoprosopa hypomelaena](#) Bezzi, 1912 ^{c g}
- [Exoprosopa ignifera](#) (Walker, 1849) ^c
- [Exoprosopa inaequalipes](#) Loew, 1852 ^{c g}
- [Exoprosopa indecisa](#) (Walker, 1849) ^{c g}
- [Exoprosopa infumata](#) Bezzi, 1921 ^{c g}
- [Exoprosopa ingens](#) Cresson, 1919 ^{i c g b}
- [Exoprosopa inornata](#) Loew, 1860 ^{c g}
- [Exoprosopa insignifera](#) Evenhuis & Greathead, 1999 ^{c g}
- [Exoprosopa insulata](#) (Walker, 1852) ^{c g}
- [Exoprosopa interrupta](#) (Wiedemann, 1828) ^c
- [Exoprosopa iota](#) [Osten Sacken](#), 1886 ^{i c g b}
- [Exoprosopa italica](#) (Rossi, 1794) ^{c g}
- [Exoprosopa jacchus](#) (Fabricius, 1805) ^{c g}
- [Exoprosopa jonesi](#) Cresson, 1919 ^{i c g b}
- [Exoprosopa jubatipes](#) Hesse, 1956 ^{c g}
- [Exoprosopa junta](#) Curran, 1930 ^{i c g}
- [Exoprosopa khuzistanica](#) Lindner, 1979 ^{c g}
- [Exoprosopa lankiensis](#) Zaitzev, 1988 ^{c g}

- [Exoprosopa latifrons](#) Bezzi, 1924 ^{c g}
- [Exoprosopa latissima](#) Bezzi, 1924 ^{c g}
- [Exoprosopa leon](#) Painter, 1969 ^{i c g}
- [Exoprosopa lepida](#) Painter, 1969 ^{i c g}
- [Exoprosopa leucopepla](#) Bowden, 1964 ^{c g}
- [Exoprosopa linearis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa litoralis](#) Hesse, 1956 ^{c g}
- [Exoprosopa litorrhynchoides](#) Francois, 1962 ^{c g}
- [Exoprosopa louisae](#) Francois, 1962 ^{c g}
- [Exoprosopa lucidifrons](#) Becker & Stein, 1913 ^{c g}
- [Exoprosopa luctifera](#) Bezzi, 1912 ^{c g}
- [Exoprosopa lugens](#) Paramonov, 1928 ^{c g}
- [Exoprosopa lunulata](#) Bowden, 1964 ^{c g}
- [Exoprosopa luteicincta](#) Hesse, 1956 ^{c g}
- [Exoprosopa luteicosta](#) Bezzi, 1921 ^{c g}
- [Exoprosopa luteocera](#) Hesse, 1956 ^{c g}
- [Exoprosopa lutzi](#) Curran, 1930 ^{i c g}
- [Exoprosopa mackieae](#) Paramonov, 1955 ^{c g}
- [Exoprosopa madagascariensis](#) Macquart, 1850 ^{c g}
- [Exoprosopa maenas](#) Loew, 1869 ^{c g}
- [Exoprosopa magnipennis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa major](#) Ricardo, 1901 ^{c g}
- [Exoprosopa majuscula](#) Hesse, 1956 ^{c g}
- [Exoprosopa mara](#) (Walker, 1849) ^{c g}
- [Exoprosopa marleyi](#) Hesse, 1956 ^{c g}
- [Exoprosopa masienensis](#) Hesse, 1950 ^{c g}
- [Exoprosopa megaera](#) (Wiedemann in Meigen, 1820) ^{c g}
- [Exoprosopa meigenii](#) (Wiedemann, 1828) ^{i c g b}
- [Exoprosopa melaena](#) Loew, 1874 ^{c g}
- [Exoprosopa melanaspis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa melanozona](#) Hesse, 1956 ^{c g}
- [Exoprosopa melanthia](#) Hesse, 1956 ^{c g}
- [Exoprosopa metapleuralis](#) Hesse, 1956 ^{c g}
- [Exoprosopa metopargyra](#) Hesse, 1956 ^{c g}
- [Exoprosopa mimetica](#) Hesse, 1956 ^{c g}
- [Exoprosopa minoana](#) Paramonov, 1928 ^{c g}

- [Exoprosopa minoides](#) Paramonov, 1928 ^{c g}
- [Exoprosopa minois](#) Loew, 1869 ^{c g}
- [Exoprosopa minos](#) (Meigen, 1804) ^{c g}
- [Exoprosopa minuscula](#) Painter, 1969 ^{i c g}
- [Exoprosopa mira](#) Hesse, 1936 ^{c g}
- [Exoprosopa mongolica](#) Paramonov, 1928 ^{c g}
- [Exoprosopa monticola](#) Hesse, 1956 ^{c g}
- [Exoprosopa morosa](#) Loew, 1860 ^{c g}
- [Exoprosopa mozambica](#) Hesse, 1956 ^{c g}
- [Exoprosopa mudigerensis](#) Zaitzev, 1987 ^{c g}
- [Exoprosopa munda](#) Loew, 1869 ^{c g}
- [Exoprosopa mus](#) Curran, 1930 ^{i c g}
- [Exoprosopa nebulosa](#) Hesse, 1956 ^{c g}
- [Exoprosopa nemesis](#) (Fabricius, 1805) ^{c g}
- [Exoprosopa nigrifera](#) Walker, 1871 ^{c g}
- [Exoprosopa nigrifimbriata](#) Hesse, 1956 ^{c g}
- [Exoprosopa nigrina](#) Bezzi, 1924 ^{c g}
- [Exoprosopa nigrispina](#) Bezzi, 1924 ^{c g}
- [Exoprosopa nigrita](#) (Fabricius, 1775) ^{c g}
- [Exoprosopa nigritella](#) Bezzi, 1924 ^{c g}
- [Exoprosopa nigroventris](#) Painter, 1969 ^{c g}
- [Exoprosopa niveiventris](#) Brunetti, 1909 ^{c g}
- [Exoprosopa noctula](#) (Wiedemann, 1830) ^{i c g}
- [Exoprosopa nonna](#) Becker & Stein, 1913 ^{c g}
- [Exoprosopa nova](#) Ricardo, 1910 ^{c g}
- [Exoprosopa novaeformis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa nubifera](#) Loew, 1869 ^{c g}
- [Exoprosopa nuragasana](#) Hesse, 1956 ^{c g}
- [Exoprosopa obscurinotata](#) Hesse, 1956 ^{c g}
- [Exoprosopa obtusa](#) Bezzi, 1924 ^{c g}
- [Exoprosopa ogilviei](#) Hesse, 1956 ^{c g}
- [Exoprosopa onusta](#) (Walker, 1852) ^{c g}
- [Exoprosopa orientalis](#) Bezzi, 1924 ^{c g}
- [Exoprosopa ovamboana](#) Hesse, 1956 ^{c g}
- [Exoprosopa painterorum](#) Johnson & Johnson, 1960 ^{i c g b}
- [Exoprosopa pallasii](#) (Wiedemann, 1818) ^{c g}

- [Exoprosopa pallida](#) Bezzi, 1924 ^{c g}
- [Exoprosopa pallidifacies](#) Hesse, 1956 ^{c g}
- [Exoprosopa pallidipes](#) Hesse, 1956 ^{c g}
- [Exoprosopa pallidisetigera](#) Austen, 1937 ^{c g}
- [Exoprosopa palustris](#) Bezzi, 1924 ^{c g}
- [Exoprosopa panamensis](#) Curran, 1930 ^{c g}
- [Exoprosopa pandora](#) (Fabricius, 1805) ^{c g}
- [Exoprosopa paramonovi](#) Evenhuis, 1978 ^{c g}
- [Exoprosopa parda](#) Osten Sacken, 1886 ^{c g b}
- [Exoprosopa pardus](#) Osten Sacken, 1886 ^{i c}
- [Exoprosopa paucispina](#) Hesse, 1956 ^{c g}
- [Exoprosopa pauper](#) Walker, 1871 ^{c g}
- [Exoprosopa pavidia](#) Williston, 1901 ^{i c g}
- [Exoprosopa pectoralis](#) Loew, 1862 ^{c g}
- [Exoprosopa pelurga](#) Bowden, 1964 ^{c g}
- [Exoprosopa pennata](#) Nurse, 1922 ^{c g}
- [Exoprosopa penthoptera](#) Bezzi, 1912 ^{c g}
- [Exoprosopa perpulchra](#) Bezzi, 1921 ^{c g}
- [Exoprosopa pharaonis](#) Paramonov, 1928 ^{c g}
- [Exoprosopa pictillipennis](#) Austen, 1936 ^{c g}
- [Exoprosopa pilatei](#) (Macquart, 1846) ^c
- [Exoprosopa pleroxantha](#) Hesse, 1936 ^{c g}
- [Exoprosopa pleskei](#) Paramonov, 1928 ^{c g}
- [Exoprosopa porricella](#) Hesse, 1956 ^{c g}
- [Exoprosopa portshinskiji](#) Paramonov, 1928 ^{c g}
- [Exoprosopa povolnyi](#) Zaitzev, 1977 ^{c g}
- [Exoprosopa praeifica](#) Loew, 1860 ^{c g}
- [Exoprosopa procne](#) Osten Sacken, 1886 ^{c g}
- [Exoprosopa prometheus](#) (Macquart, 1855) ^c
- [Exoprosopa protuberans](#) Bezzi, 1924 ^{c g}
- [Exoprosopa pterosticha](#) Hesse, 1936 ^{c g}
- [Exoprosopa pueblensis](#) Jaennicke, 1867 ^{i c g b}
- [Exoprosopa puerula](#) Brunetti, 1920 ^{c g}
- [Exoprosopa pulcherrima](#) Paramonov, 1928 ^{c g}
- [Exoprosopa pullata](#) Zaitzev, 1976 ^{c g}
- [Exoprosopa punctifrons](#) Bezzi, 1924 ^{c g}

- [Exoprosopa punctulata](#) Macquart, 1840 ^{c g}
- [Exoprosopa punjabensis](#) Nurse, 1922 ^{c g}
- [Exoprosopa pusilla](#) Macquart, 1840 ^{c g}
- [Exoprosopa rectifascia](#) Bezzi, 1924 ^{c g}
- [Exoprosopa referta](#) Bezzi, 1924 ^{c g}
- [Exoprosopa restricta](#) Bezzi, 1924 ^{c g}
- [Exoprosopa retracta](#) Bezzi, 1924 ^{c g}
- [Exoprosopa retrorsa](#) Brunetti, 1909 ^{c g}
- [Exoprosopa rhea](#) [Osten Sacken](#), 1886 ^{i c g b}
- [Exoprosopa rhodesiensis](#) Hesse, 1956 ^{c g}
- [Exoprosopa richteri](#) Lindner, 1979 ^{c g}
- [Exoprosopa robertii](#) Macquart, 1840 ^{c g}
- [Exoprosopa rostrifera](#) Jaennicke, 1867 ^{i c g b}
- [Exoprosopa rubescens](#) Bezzi, 1924 ^{c g}
- [Exoprosopa rufa](#) Painter, 1962 ^{i c g}
- [Exoprosopa rufina](#) Bezzi, 1924 ^{c g}
- [Exoprosopa rutila](#) (Pallas & [Wiedemann](#), 1818) ^{c g}
- [Exoprosopa rutiloides](#) Bezzi, 1924 ^{c g}
- [Exoprosopa sackeni](#) Williston, 1901 ^{i c g}
- [Exoprosopa sanctipauli](#) Macquart, 1840 ^{c g}
- [Exoprosopa scaligera](#) Bezzi, 1912 ^{c g}
- [Exoprosopa schmidtii](#) Karsch, 1888 ^{c g}
- [Exoprosopa scutellata](#) Bhalla, 1991 ^{c g}
- [Exoprosopa selenops](#) Greathead, 2001 ^{c g}
- [Exoprosopa senegalensis](#) Macquart, 1840 ^{c g}
- [Exoprosopa serva](#) Bezzi, 1924 ^{c g}
- [Exoprosopa sharonae](#) Johnson and Johnson, 1959 ^{i c g}
- [Exoprosopa sigmoidea](#) Bezzi, 1912 ^{c g}
- [Exoprosopa sima](#) [Osten Sacken](#), 1877 ^{i c g}
- [Exoprosopa simillima](#) Hesse, 1956 ^{c g}
- [Exoprosopa simpsoni](#) Bowden, 1964 ^{c g}
- [Exoprosopa siva](#) Nurse, 1922 ^{c g}
- [Exoprosopa socia](#) [Osten Sacken](#), 1886 ^{i c g}
- [Exoprosopa sola](#) Painter, 1939 ^{c g}
- [Exoprosopa sordida](#) Loew, 1869 ^{i c g}
- [Exoprosopa spadix](#) Painter, 1933 ^{c g}

- [Exoprosopa spectrum](#) Speiser, 1910 ^{c g}
- [Exoprosopa stackelbergi](#) Zaitzev, 1972 ^{c g}
- [Exoprosopa stannusi](#) Bezzi, 1912 ^{c g}
- [Exoprosopa stenomelaena](#) Bezzi, 1924 ^{c g}
- [Exoprosopa stensoni](#) Hesse, 1956 ^{c g}
- [Exoprosopa strenua](#) Loew, 1860 ^{c g}
- [Exoprosopa stylata](#) Brunetti, 1920 ^{c g}
- [Exoprosopa subfascia](#) (Walker, 1849) ^{c g}
- [Exoprosopa tabanoides](#) Bezzi, 1924 ^{c g}
- [Exoprosopa tamerlan](#) Portschinsky, 1887 ^{c g}
- [Exoprosopa tarikerensis](#) Zaitzev, 1987 ^{c g}
- [Exoprosopa temnocera](#) Bezzi, 1924 ^{c g}
- [Exoprosopa texana](#) Curran, 1930 ^{i c g}
- [Exoprosopa thomae](#) Fabricius, 1805 ^{c g}
- [Exoprosopa thoracica](#) Bezzi, 1924 ^{c g}
- [Exoprosopa tiburonensis](#) Cole, 1923 ^{i c g}
- [Exoprosopa tihamae](#) Greathead, 1980 ^{c g}
- [Exoprosopa titubans](#) Osten Sacken, 1877 ^{i c g}
- [Exoprosopa transcaspica](#) Evenhuis, 1978 ^{c g}
- [Exoprosopa tricolor](#) Macquart, 1840 ^{c g}
- [Exoprosopa trigradata](#) Hesse, 1956 ^{c g}
- [Exoprosopa triloculina](#) Hesse, 1956 ^{c g}
- [Exoprosopa tripartita](#) Hesse, 1956 ^{c g}
- [Exoprosopa triplex](#) Bezzi, 1924 ^{c g}
- [Exoprosopa truquii](#) Rondani, 1863 ^{c g}
- [Exoprosopa tuckeri](#) Bezzi, 1921 ^{c g}
- [Exoprosopa turkestanica](#) Paramonov, 1925 ^{c g}
- [Exoprosopa tursonovi](#) Zaitzev, 1988 ^{c g}
- [Exoprosopa tursunovi](#) Zaitzev, 1988 ^{c g}
- [Exoprosopa unifasciata](#) Ricardo, 1901 ^{c g}
- [Exoprosopa uruguayi](#) Macquart, 1840 ^{c g}
- [Exoprosopa utahensis](#) Johnson and Johnson, 1959 ^{i c g}
- [Exoprosopa varicolor](#) Macquart, 1846 ^{c g}
- [Exoprosopa vassilijevi](#) Paramonov, 1928 ^{c g}
- [Exoprosopa vayssierei](#) Seguy, 1934 ^{c g}
- [Exoprosopa venosa](#) (Wiedemann, 1819) ^{c g}

- [*Exoprosopa villaeformis*](#) Bezzi, 1912 ^{c g}
- [*Exoprosopa villosa*](#) Bezzi, 1924 ^{c g}
- [*Exoprosopa virgata*](#) Bowden, 1964 ^{c g}
- [*Exoprosopa vumbuensis*](#) Hesse, 1956 ^{c g}
- [*Exoprosopa xanthina*](#) Painter, 1934 ^{i c g}
- [*Exoprosopa zambesiana*](#) Hesse, 1956 ^{c g}
- [*Exoprosopa zanoni*](#) Bezzi, 1922 ^{c g}
- [*Exoprosopa zarudnyi*](#) Paramonov, 1928 ^{c g}
- [*Exoprosopa zimini*](#) Paramonov, 1929 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 271 species in [*Exochus*](#), a genus of ichneumon wasps in the family [*Ichneumonidae*](#).^[1]
^[2]

***Exochus* species**

- [*Exochus abdominalis*](#) Tolkanitz, 2003 ^{c g}
- [*Exochus ablatu*](#)s Gauld & Sithole, 2002 ^{c g}
- [*Exochus aenigmatosus*](#) Tolkanitz, 1999 ^{c g}
- [*Exochus aizankeanus*](#) Kusigemati, 1971 ^{c g}
- [*Exochus albiceps*](#) Walsh, 1873 ^{c g}
- [*Exochus albicinctus*](#) Holmgren, 1873 ^{c g}
- [*Exochus albifrons*](#) Cresson, 1868 ^{c b}
- [*Exochus alpinus*](#) (Zetterstedt, 1838) ^{c g}
- [*Exochus angularis*](#) Kusigemati, 1971 ^{c g}
- [*Exochus annulicrus*](#) Walsh, 1873 ^{c g}
- [*Exochus annulitarsis*](#) Thomson, 1887 ^{c g}
- [*Exochus antennalis*](#) Tolkanitz, 1992 ^{c g}
- [*Exochus antiquus*](#) Haliday, 1838 ^{c g}
- [*Exochus antis*](#) Tolkanitz, 2003 ^{c g}
- [*Exochus appendiculatus*](#) Cameron, 1902 ^{c g}
- [*Exochus areolatus*](#) Hedwig, 1939 ^{c g}
- [*Exochus argutus*](#) Tolkanitz, 1993 ^{c g}
- [*Exochus armillosus*](#) Townes & Townes, 1959 ^{c g}
- [*Exochus assimilis*](#) Kusigemati, 1984 ^{c g}

- [Exochus ater](#) Tolkanitz, 1993 ^{c g}
- [Exochus atriceps](#) Walsh, 1873 ^{c g}
- [Exochus atrofemoratus](#) Tolkanitz, 1993 ^{c g}
- [Exochus avinus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus belokobylskii](#) Tolkanitz, 2001 ^{c g}
- [Exochus bessus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus bicoloripes](#) Kusigemati, 1971 ^{c g}
- [Exochus bifasciatus](#) Kusigemati, 1971 ^{c g}
- [Exochus bimaculatus](#) Kusigemati, 1984 ^{c g}
- [Exochus bolivari](#) Seyrig, 1927 ^{c g}
- [Exochus borealis](#) Kusigemati, 1971 ^{c g}
- [Exochus boxatus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus britannicus](#) Morley, 1911 ^{c g}
- [Exochus brutus](#) Townes & Townes, 1959 ^{c g}
- [Exochus bryanti](#) Townes & Townes, 1959 ^{c g}
- [Exochus canidens](#) Townes & Townes, 1959 ^{c g}
- [Exochus capnodes](#) Townes & Townes, 1959 ^{c g}
- [Exochus captus](#) Brues, 1910 ^{c g}
- [Exochus carens](#) Tolkanitz, 2003 ^{c g}
- [Exochus carnitus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus carri](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus castaniventris](#) Brauns, 1896 ^{c g}
- [Exochus caudatus](#) Kusigemati, 1971 ^{c g}
- [Exochus cephalotes](#) Tolkanitz, 2007 ^{c g}
- [Exochus certus](#) Tolkanitz, 2003 ^{c g}
- [Exochus citripes](#) Thomson, 1887 ^{c g}
- [Exochus cnemidotus](#) Townes & Townes, 1959 ^{c g}
- [Exochus cohersi](#) Habermehl, 1923 ^{c g}
- [Exochus collaborator](#) Seyrig, 1934 ^{c g}
- [Exochus compar](#) Seyrig, 1934 ^{c g}
- [Exochus compressiventris](#) Ratzeburg, 1848 ^{c g}
- [Exochus concitus](#) Tolkanitz, 2001 ^{c g}
- [Exochus consimilis](#) Holmgren, 1858 ^{c g}
- [Exochus convergens](#) Kusigemati, 1971 ^{c g}
- [Exochus convexus](#) Tolkanitz, 2003 ^{c g}
- [Exochus coronatus](#) Gravenhorst, 1829 ^{c g}

- [Exochus coronellus](#) Morley, 1913 ^{c g}
- [Exochus cuneatus](#) Townes & Townes, 1959 ^{c g}
- [Exochus curvinus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus daisetsuzanus](#) Kusigemati, 1987 ^{c g}
- [Exochus decoratus](#) ^b
- [Exochus delopius](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus denotatus](#) Townes & Townes, 1959 ^{c g}
- [Exochus dentifrons](#) Townes & Townes, 1959 ^{c g}
- [Exochus derasus](#) Tolkanitz, 2003 ^{c g}
- [Exochus destitutus](#) Tolkanitz, 2003 ^{c g}
- [Exochus dilatatus](#) Tolkanitz, 2003 ^{c g}
- [Exochus dominus](#) Seyrig, 1934 ^{c g}
- [Exochus dondus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus dorsalis](#) Cresson, 1864 ^{c g}
- [Exochus echigoensis](#) Kusigemati, 1987 ^{c g}
- [Exochus elimatus](#) Townes & Townes, 1959 ^{c g}
- [Exochus enodis](#) Townes & Townes, 1959 ^{c g}
- [Exochus erythrinus](#) Holmgren, 1868 ^{c g}
- [Exochus erythronotus](#) (Gravenhorst, 1820) ^{c g}
- [Exochus evetriae](#) Rohwer, 1920 ^{c g}
- [Exochus evitus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus externus](#) Townes & Townes, 1959 ^{c g}
- [Exochus farmellus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus fasciatus](#) Strobl, 1903 ^{c g}
- [Exochus fastigatus](#) Townes & Townes, 1959 ^{c g}
- [Exochus ferus](#) Tolkanitz, 1993 ^{c g}
- [Exochus fidus](#) Tolkanitz, 2003 ^{c g}
- [Exochus firmus](#) Kusigemati, 1971 ^{c g}
- [Exochus flavicaput](#) Morley, 1913 ^{c g}
- [Exochus flavidus](#) Hellen, 1949 ^{c g}
- [Exochus flavifacies](#) Kusigemati, 1984 ^{c g}
- [Exochus flavifrons](#) Boheman, 1863 ^{c g}
- [Exochus flavifrontalis](#) Davis, 1897 ^{c g}
- [Exochus flavinotum](#) Morley, 1913 ^{c g}
- [Exochus flavipes](#) Tolkanitz, 1999 ^{c g}
- [Exochus flavomarginatus](#) Holmgren, 1856 ^{c g}

- [Exochus flavonotatus](#) Kusigemati, 1983 ^{c g}
- [Exochus fletcheri](#) Bridgman, 1884 ^{c g}
- [Exochus flexus](#) Tolkanitz, 2003 ^{c g}
- [Exochus flubinus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus foveolatus](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus frater](#) Seyrig, 1934 ^{c g}
- [Exochus frontellus](#) Holmgren, 1858 ^{c g}
- [Exochus fuscipennis](#) Szepligeti, 1910 ^{c g}
- [Exochus gascus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus genualis](#) Townes & Townes, 1959 ^{c g}
- [Exochus grandis](#) Tolkanitz, 2003 ^{c g}
- [Exochus gratus](#) Tolkanitz, 2003 ^{c g}
- [Exochus gravipes](#) (Gravenhorst, 1820) ^{c g}
- [Exochus gravis](#) Gravenhorst, 1829 ^{c g}
- [Exochus guttatus](#) Tolkanitz, 1999 ^{c g}
- [Exochus hiraniwensis](#) Kusigemati, 1971 ^{c g}
- [Exochus hirsutus](#) Tolkanitz, 1993 ^{c g}
- [Exochus hiulcus](#) Townes & Townes, 1959 ^{c g}
- [Exochus hormus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus horridus](#) Tolkanitz, 2001 ^{c g}
- [Exochus humerator](#) Aubert, 1960 ^{c g}
- [Exochus intermedius](#) Morley, 1911 ^{c g}
- [Exochus izbus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus jacintus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus kanayamensis](#) Kusigemati, 1971 ^{c g}
- [Exochus karazini](#) Tolkanitz, 1993 ^{c g}
- [Exochus kasparyani](#) Tolkanitz, 2001 ^{c g}
- [Exochus kaszabi](#) Kusigemati, 1984 ^{c g}
- [Exochus kozlovi](#) Tolkanitz, 2001 ^{c g}
- [Exochus krellus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus kusigematii](#) Tolkanitz, 2007 ^{c g}
- [Exochus kuslitzkyi](#) Tolkanitz, 2003 ^{c g}
- [Exochus lascus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus latiareolus](#) Tolkanitz, 2003 ^{c g}
- [Exochus latifasciatus](#) Kusigemati, 1971 ^{c g}
- [Exochus latro](#) (Seyrig, 1934) ^{c g}

- [Exochus lenis](#) Tolkanitz, 2003 ^{c g}
- [Exochus lentipes](#) Gravenhorst, 1829 ^{c g}
- [Exochus leptomma](#) Chiu, 1962 ^{c g}
- [Exochus lictor](#) Haliday, 1838 ^{c g}
- [Exochus limbatus](#) Tolkanitz, 1993 ^{c g}
- [Exochus lineifrons](#) Thomson, 1887 ^{c g}
- [Exochus litus](#) Townes & Townes, 1959 ^{c g}
- [Exochus longicaudis](#) Chiu, 1962 ^{c g}
- [Exochus lucidus](#) Riggio & De Stefani, 1888 ^{c g}
- [Exochus mandschukuonis](#) Uchida, 1942 ^{c g}
- [Exochus marginalis](#) Kusigemati, 1984 ^{c g}
- [Exochus marklini](#) Holmgren, 1858 ^{c g}
- [Exochus megadon](#) Townes & Townes, 1959 ^{c g}
- [Exochus melanius](#) Tolkanitz, 1999 ^{c g}
- [Exochus mesodon](#) Townes & Townes, 1959 ^{c g}
- [Exochus mesorufus](#) Townes & Townes, 1959 ^{c g}
- [Exochus mirus](#) Tolkanitz, 2003 ^{c g}
- [Exochus mitratus](#) Gravenhorst, 1829 ^{c g}
- [Exochus moeus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus momoi](#) Tolkanitz, 2007 ^{c g}
- [Exochus monticola](#) Tolkanitz, 1999 ^{c g}
- [Exochus montivagus](#) Townes & Townes, 1959 ^{c g}
- [Exochus morionellus](#) Holmgren, 1858 ^{c g}
- [Exochus multicinctus](#) Strobl, 1904 ^{c g}
- [Exochus multicintus](#) Strobl, 1904 ^g
- [Exochus muscanus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus nasuzanus](#) Kusigemati, 1971 ^{c g}
- [Exochus navitus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus nigrifaciatus](#) Momoi, Kusigemati & Nakanishi, 1968 ^{c g}
- [Exochus nigripalpis](#) Thomson, 1887 ^{c b}
- [Exochus nigriparvus](#) Kusigemati, 1984 ^{c g}
- [Exochus nubosus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus obezus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus obscurus](#) Tolkanitz, 1999 ^{c g}
- [Exochus ochreatus](#) Townes & Townes, 1959 ^{c g}
- [Exochus ornatus](#) Momoi & Kusigemati, 1970 ^{c g}

- [Exochus oshimensis](#) Uchida, 1930 ^{c g}
- [Exochus ostentatus](#) Davis, 1897 ^{c g}
- [Exochus ozanus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus pallipes](#) (Motschoulsky, 1863) ^{c g}
- [Exochus pappi](#) Kusigemati, 1984 ^{c g}
- [Exochus parnassicus](#) Hedwig, 1939 ^{c g}
- [Exochus passaventii](#) Seyrig, 1934 ^{c g}
- [Exochus pedanticus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus perfectus](#) Kusigemati, 1983 ^{c g}
- [Exochus peroniae](#) Townes & Townes, 1959 ^{c g}
- [Exochus pictus](#) Holmgren, 1858 ^{c g}
- [Exochus pilosus](#) Tolkanitz, 2003 ^{c g}
- [Exochus pleuralis](#) Cresson, 1864 ^{c g}
- [Exochus plicatus](#) Tolkanitz, 1999 ^{c g}
- [Exochus postfurcalis](#) Townes & Townes, 1959 ^{c g}
- [Exochus posticus](#) Kusigemati, 1983 ^{c g}
- [Exochus prosopius](#) Gravenhorst, 1829 ^{c g}
- [Exochus protector](#) Seyrig, 1934 ^{c g}
- [Exochus pubitus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus pulchripes](#) Cresson, 1868 ^{c g}
- [Exochus pullatus](#) Townes & Townes, 1959 ^{c g}
- [Exochus punctatus](#) Kusigemati, 1984 ^{c g}
- [Exochus puncticeps](#) Cameron, 1886 ^{c g}
- [Exochus punctus](#) Holmgren, 1858 ^{c g}
- [Exochus quadradens](#) Townes & Townes, 1959 ^{c g}
- [Exochus quadrimaculatus](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus quozus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus radialis](#) Uchida, 1932 ^{c g}
- [Exochus ratzeburgi](#) Holmgren, 1858 ^{c g}
- [Exochus ravetus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus rectus](#) Tolkanitz ^{c g}
- [Exochus rombastus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus rubellus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus rubroater](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus rufator](#) Aubert, 1963 ^{c g}
- [Exochus rufigaster](#) Kusigemati, 1971 ^{c g}

- [Exochus rufipleuralis](#) Kusigemati, 1987 ^{c g}
- [Exochus russeus](#) Townes & Townes, 1959 ^{c g}
- [Exochus rutilatus](#) Townes & Townes, 1959 ^{c g b}
- [Exochus saigusai](#) Kusigemati, 1983 ^{c g}
- [Exochus scutellaris](#) Chiu, 1962 ^{c g}
- [Exochus selenanae](#) Tolkanitz, 1999 ^{c g}
- [Exochus semiflavus](#) Cushman, 1937 ^{c g}
- [Exochus semilividus](#) Vollenhoven, 1875 ^{c g}
- [Exochus semirufus](#) Cresson, 1868 ^{c g b}
- [Exochus separandus](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus septentrionalis](#) Holmgren, 1873 ^{c g}
- [Exochus serozus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus setaceous](#) Kusigemati, 1971 ^{c g}
- [Exochus signatus](#) Habermehl, 1925 ^{c g}
- [Exochus signifer](#) Townes & Townes, 1959 ^{c g}
- [Exochus signifrons](#) Thomson, 1887 ^{c g}
- [Exochus silus](#) Townes & Townes, 1959 ^{c g}
- [Exochus similis](#) Tolkanitz, 1992 ^{c g}
- [Exochus simulans](#) Tolkanitz, 2003 ^{c g}
- [Exochus spilotus](#) Townes & Townes, 1959 ^{c g b}
- [Exochus spinalis](#) Townes & Townes, 1959 ^{c g}
- [Exochus spurcus](#) Kusigemati, 1984 ^{c g}
- [Exochus stenostoma](#) Townes & Townes, 1959 ^{c g}
- [Exochus stenus](#) Chiu, 1962 ^{c g}
- [Exochus stramineipes](#) Cameron, 1886 ^{c g}
- [Exochus suborbitalis](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus suvanus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus synosialis](#) Tolkanitz, 1999 ^{c g}
- [Exochus szepligetii](#) Bajari, 1961 ^{c g}
- [Exochus taigensis](#) Tolkanitz, 2001 ^{c g}
- [Exochus tardigradus](#) Gravenhorst, 1829 ^{c g}
- [Exochus taximus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus teborus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus tectus](#) Tolkanitz, 1993 ^{c g}
- [Exochus tegularis](#) Ashmead, 1894 ^{c g}
- [Exochus tenebrosus](#) Townes & Townes, 1959 ^{c g}

- [Exochus tenius](#) Tolkanitz, 2003 ^{c g}
- [Exochus testaceus](#) Tolkanitz, 1999 ^{c g}
- [Exochus thomsoni](#) Schmiedeknecht, 1924 ^{c g}
- [Exochus tibialis](#) Holmgren, 1858 ^{c g}
- [Exochus transversus](#) Townes & Townes, 1959 ^{c g}
- [Exochus tumulus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus turgidus](#) Holmgren, 1858 ^{c g}
- [Exochus tutor](#) Seyrig, 1934 ^{c g}
- [Exochus tuxedus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus ubus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus ulanbaatorensis](#) Kusigemati, 1984 ^{c g}
- [Exochus unidentatus](#) Uchida, 1952 ^{c g}
- [Exochus upembaensis](#) Benoit, 1965 ^{c g}
- [Exochus urzus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus utilis](#) Tolkanitz, 2003 ^{c g}
- [Exochus vafer](#) Holmgren, 1873 ^{c g}
- [Exochus vanitus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus variegatus](#) Tolkanitz, 1993 ^{c g}
- [Exochus varipes](#) Tolkanitz, 1993 ^{c g}
- [Exochus velatus](#) Tolkanitz, 2003 ^{c g}
- [Exochus ventricosus](#) Townes & Townes, 1959 ^{c g}
- [Exochus vexator](#) Tolkanitz, 1993 ^{c g}
- [Exochus villosus](#) Tolkanitz, 2003 ^{c g}
- [Exochus virgatifrons](#) Townes & Townes, 1959 ^{c g}
- [Exochus vlops](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus voxanus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus wabitus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus washingtonensis](#) (Davis, 1897) ^{c g}
- [Exochus xanthopus](#) Cameron, 1902 ^{c g}
- [Exochus xarus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus xetus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus yalupus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus yasumatsui](#) Momoi, Kusigemati & Nakanishi, 1968 ^{c g}
- [Exochus yorizus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus zabus](#) Gauld & Sithole, 2002 ^{c g}
- [Exochus zyxus](#) Gauld & Sithole, 2002 ^{c g}

Data sources: i = ITIS,[3] c = Catalogue of Life,[4] g = GBIF,[1] b = Bugguide.net[2]

This is a list of 178 species in *Exechia*, a genus of fungus gnats in the family *Mycetophilidae*.[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Exechia species

- *Exechia abbreviata* (Skuse, 1888) ^{c g}
- *Exechia abrupta* Johannsen, 1912 ^{i c g}
- *Exechia absoluta* Johannsen, 1912 ^{i c g}
- *Exechia absurda* Johannsen, 1912 ^{i c g}
- *Exechia accisa* Wu & Zheng, 2001 ^{c g}
- *Exechia adamsi* Laffoon, 1965 ^{i c g}
- *Exechia adenaparva* Chandler, 2000 ^{c g}
- *Exechia aequalis* Van Duzee, 1928 ^{i c g}
- *Exechia aitkeni* (Lane, 1960) ^c
- *Exechia albicincta* Senior-White, 1922 ^{c g}
- *Exechia alexanderi* Shaw, 1951 ^{i c g}
- *Exechia ampullata* Senior-White, 1921 ^{c g}
- *Exechia angustata* Van Duzee, 1928 ^{i c g}
- *Exechia areolata* (Enderlein, 1910) ^{c g}
- *Exechia argenteofasciata* Senior-White, 1921 ^{c g}
- *Exechia arisaemae* Sasakawa, 1993 ^{c g}
- *Exechia assidua* Johannsen, 1912 ^{i c g}
- *Exechia atridonta* Wu, Xu & Yu, 2004 ^{c g}
- *Exechia attrita* Johannsen, 1912 ^{i c g}
- *Exechia auxiliaria* Johannsen, 1912 ^{i c g}
- *Exechia aviculata* Shaw, 1935 ^{i c g}
- *Exechia basilinea* Brunetti, 1912 ^{c g}
- *Exechia bella* Johannsen, 1912 ^{i c g}
- *Exechia bellula* Johannsen, 1912 ^{i c g}
- *Exechia bicincta* (Staeger, 1840) ^{i c g}
- *Exechia bifida* (Freeman, 1951) ^{c g}
- *Exechia bifurcata* Fisher, 1934 ^{i c g}

- [Exechia bilobata](#) Shaw, 1951^{i c g}
- [Exechia biseta](#) Tonnoir & Edwards, 1927^{c g}
- [Exechia borealis](#) Van Duzee, 1928^{i c g}
- [Exechia brevicornis](#) Senior-White, 1922^{c g}
- [Exechia brevifurcata](#) (Freeman, 1951)^{c g}
- [Exechia brevipetiolata](#) Van Duzee, 1928^{i c g}
- [Exechia brinckiana](#) Nielsen, 1966^{c g}
- [Exechia canalicula](#) Johannsen, 1912^{i c g}
- [Exechia capillata](#) Johannsen, 1912^{i c g}
- [Exechia captiva](#) Johannsen, 1912^{i c g}
- [Exechia chandleri](#) Caspers, 1987^{c g}
- [Exechia changbaiensis](#) Wu & Zheng, 2001^{c g}
- [Exechia cincinnata](#) Johannsen, 1912^{i c g b}
- [Exechia cincta](#) Winnertz, 1863^{c g}
- [Exechia cingulata](#) (Meigen, 1830)^{c g}
- [Exechia clepsydra](#) Fisher, 1937^{i c g}
- [Exechia concinna](#) Winnertz, 1863^{c g}
- [Exechia confinis](#) Winnertz, 1863^{c g}
- [Exechia contaminata](#) Winnertz, 1863^{i c g}
- [Exechia cornuta](#) Lundstrom, 1914^{c g}
- [Exechia cristata](#) Senior-White, 1921^{c g}
- [Exechia cristatoides](#) Senior-White, 1924^{c g}
- [Exechia dahli](#) Nielsen, 1966^{c g}
- [Exechia dizona](#) Edwards, 1924^{c g}
- [Exechia dorsalis](#) (Staeger, 1840)^{c g}
- [Exechia emarginata](#) Zaitzev, 1988^{c g}
- [Exechia exigua](#) Lundstrom, 1909^{c g}
- [Exechia extensa](#) (Freeman, 1951)^{c g}
- [Exechia fascipennis](#) (Skuse, 1890)^{c g}
- [Exechia festiva](#) Winnertz, 1863^{c g}
- [Exechia filata](#) Tonnoir & Edwards, 1927^{c g}
- [Exechia flabellipennis](#) (Enderlein, 1910)^{c g}
- [Exechia flava](#) Senior-White, 1922^{c g}
- [Exechia frigida](#) (Boheman, 1865)^{i c g}
- [Exechia fulva](#) Santos Abreu, 1920^{c g}
- [Exechia fumosa](#) (Skuse, 1888)^{c g}

- [Exechia funerea](#) (Freeman, 1951) ^{c g}
- [Exechia furcilla](#) (Freeman, 1954) ^{c g}
- [Exechia fusca](#) (Meigen, 1804) ^{i c g}
- [Exechia goianensis](#) (Lane, 1947) ^c
- [Exechia gracile](#) (Kertész, 1901) ^{c g}
- [Exechia gracilis](#) Bukowski, 1949 ^{c g}
- [Exechia hebetata](#) Wu, Xu & Yu, 2004 ^{c g}
- [Exechia hei](#) Wu, Xu & Yu, 2004 ^{c g}
- [Exechia hiemalis](#) (Marshall, 1896) ^{c g}
- [Exechia howesi](#) Tonnoir & Edwards, 1927 ^{c g}
- [Exechia inaperta](#) Ostroverkhova, 1979 ^{c g}
- [Exechia insularis](#) Sasakawa, 1992 ^{c g}
- [Exechia intermedia](#) Santos Abreu, 1920 ^{c g}
- [Exechia kunashirensis](#) Zaitzev, 1996 ^{c g}
- [Exechia longichaeta](#) Wu, Xu & Yu, 2004 ^{c g}
- [Exechia longicornisma](#) Senior-White, 1922 ^{c g}
- [Exechia lucidula](#) (Zetterstedt, 1838) ^{c g}
- [Exechia lundstroemi](#) Landrock, 1923 ^{i c g}
- [Exechia lutacea](#) Edwards, 1928 ^{c g}
- [Exechia lydiae](#) Matile, 1979 ^{c g}
- [Exechia macrura](#) Strobl, 1910 ^{c g}
- [Exechia macula](#) Chandler, 2001 ^{c g}
- [Exechia maculipennis](#) (Stannius, 1831) ^{c g}
- [Exechia mastigura](#) Edwards, 1928 ^{c g}
- [Exechia melasa](#) Wu & Zheng, 2001 ^{c g}
- [Exechia micans](#) Lastrovak & Matile, 1974 ^{c g}
- [Exechia mirastoma](#) Senior-White, 1922 ^{c g}
- [Exechia nativa](#) Johannsen, 1912 ^{i c g}
- [Exechia nexa](#) Johannsen, 1912 ^{i c g}
- [Exechia nigra](#) Edwards, 1925 ^{c g}
- [Exechia nigrofusca](#) Lundstrom, 1909 ^{c g}
- [Exechia nigroscutellata](#) Landrock, 1912 ^{c g}
- [Exechia nitidicollis](#) Lundstrom, 1913 ^{i c g}
- [Exechia noctivaga](#) Van Duzee, 1928 ^{i c g}
- [Exechia novaezelandiae](#) Tonnoir & Edwards, 1927 ^{c g}
- [Exechia nugatoria](#) Johannsen, 1912 ^{i c g}

- [Exechia obediens](#) Johannsen, 1912 ^{i c g}
- [Exechia pallidula](#) Edwards, 1926 ^{c g}
- [Exechia palmata](#) Johannsen, 1912 ^{i c g}
- [Exechia papyracea](#) Stackelberg, 1948 ^{c g}
- [Exechia paramirastoma](#) Senior-White, 1922 ^{c g}
- [Exechia pararepanda](#) Kallweit, 1995 ^{c g}
- [Exechia parava](#) Lundstrom, 1909 ^{c g}
- [Exechia parva](#) Lundström, 1909 ^g
- [Exechia parvula](#) (Zetterstedt, 1852) ^{c g}
- [Exechia paulistensis](#) (Lane, 1947) ^c
- [Exechia pavani](#) Tollet, 1959 ^{c g}
- [Exechia pectinata](#) Ostroverkhova, 1979 ^{c g}
- [Exechia pectinivalva](#) Stackelberg, 1948 ^{c g}
- [Exechia pedekiboana](#) Lindner, 1958 ^{c g}
- [Exechia perspicua](#) Johannsen, 1912 ⁱ
- [Exechia peyerimhoffi](#) Burghele, 1966 ^{c g}
- [Exechia pictiventris](#) (Skuse, 1888) ^{c g}
- [Exechia pilifera](#) Matile, 1979 ^{c g}
- [Exechia plebeia](#) (Walker, 1848) ^{i c g}
- [Exechia pollex](#) Shaw, 1935 ^{i c g}
- [Exechia praedita](#) Plassmann, 1976 ^{c g}
- [Exechia pratti](#) Shaw, 1951 ^{i c g}
- [Exechia pseudocincta](#) Strobl, 1910 ^{c g}
- [Exechia pseudocontaminata](#) Santos Abreu, 1920 ^{c g}
- [Exechia pseudofestiva](#) Lackschewitz, 1937 ^{c g}
- [Exechia pulchrigaster](#) Santos Abreu, 1920 ^{c g}
- [Exechia pullata](#) Ostroverkhova, 1979 ^{c g}
- [Exechia pullicauda](#) (Skuse, 1888) ^{c g}
- [Exechia quadrata](#) Johannsen, 1912 ^{i c g}
- [Exechia quadriclema](#) Wu & Zheng, 2001 ^{c g}
- [Exechia repanda](#) Johannsen, 1912 ^{i c g}
- [Exechia repandoides](#) Caspers, 1984 ^{c g}
- [Exechia rohdendorfi](#) Zaitzev, 1996 ^{c g}
- [Exechia rubella](#) Santos Abreu, 1920 ^{c g}
- [Exechia rufithorax](#) Wulp, 1874 ^{c g}
- [Exechia satiata](#) Johannsen, 1912 ^{i c g}

- [Exechia scalprifer](#) Edwards, 1928 ^{c g}
- [Exechia seducta](#) Plassmann, 1976 ^{c g}
- [Exechia semifumata](#) (Brunetti, 1912) ^{c g}
- [Exechia separata](#) Lundstrom, 1912 ^{c g}
- [Exechia seriata](#) (Meigen, 1830) ^{c g}
- [Exechia serrata](#) Winnertz, 1863 ^{c g}
- [Exechia setigera](#) (Freeman, 1951) ^{c g}
- [Exechia setosa](#) Matile, 1979 ^{c g}
- [Exechia shawi](#) Fisher, 1934 ^{i c g}
- [Exechia shitiakevora](#) Okada, 1939 ^{c g}
- [Exechia sibirica](#) Ostroverkhova, 1979 ^{c g}
- [Exechia similis](#) Lastovka & Matile, 1974 ^{c g}
- [Exechia simplex](#) (Brunetti, 1912) ^{c g}
- [Exechia snyderi](#) Colless, 1966 ^{c g}
- [Exechia solii](#) Zaitzev, 1999 ^{c g}
- [Exechia sororcula](#) Lackschewitz, 1937 ^{c g}
- [Exechia speciosa](#) Winnertz, 1863 ^{c g}
- [Exechia spinadhalae](#) Chandler, 2000 ^{c g}
- [Exechia spinigera](#) Winnertz, 1863 ^{c g}
- [Exechia spinuligera](#) Lundstrom, 1912 ^{c g}
- [Exechia styriaca](#) Strobl, 1898 ^{c g}
- [Exechia subcornuta](#) Zaitzev, 1996 ^{c g}
- [Exechia subfrigida](#) Lastovka & Matile, 1974 ^{c g}
- [Exechia subligulata](#) Shaw, 1952 ^{i c g}
- [Exechia subspinigera](#) Zaitzev, 1988 ^{c g}
- [Exechia subvenosa](#) (Enderlein, 1910) ^{c g}
- [Exechia tajimaensis](#) Okada, 1940 ^{c g}
- [Exechia tenuimaculata](#) Santos Abreu, 1920 ^{c g}
- [Exechia thomsoni](#) Miller, 1918 ^{c g}
- [Exechia tomosa](#) Wu & Zheng, 2001 ^{c g}
- [Exechia tricincta](#) (Enderlein, 1910) ^{c g}
- [Exechia triseta](#) Ostroverkhova, 1979 ^{c g}
- [Exechia trispinosa](#) Zaitzev, 1996 ^{c g}
- [Exechia truncata](#) (Freeman, 1951) ^c
- [Exechia turkmenica](#) Zaitzev, 1994 ^{c g}
- [Exechia umbratica](#) (Aldrich, 1897) ^{i c g}

- [Exechia umbrosa](#) Van Duzee, 1928^{i c g}
- [Exechia uncinata](#) Van Duzee, 1928^{i c g}
- [Exechia unicolor](#) Van Duzee, 1928^{i c g}
- [Exechia unifasciata](#) Lackschewitz, 1937^{c g}
- [Exechia unimaculata](#) (Zetterstedt, 1860)^{c g}
- [Exechia ussuriensis](#) Zaitzev, 1994^{c g}
- [Exechia zeylanica](#) Senior-White, 1921^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 133 species in [Eusphalerum](#), a genus of ocellate rove beetles in the family [Staphylinidae](#).^{[1][2][3]}

***Eusphalerum* species**

- [Eusphalerum aetolicum](#) (Kraatz, 1858)^g
- [Eusphalerum akikoe](#) Watanabe, 1999^{c g}
- [Eusphalerum albertae](#) Zanetti, 1981^g
- [Eusphalerum albipile](#) (Fauvel, 1900)^g
- [Eusphalerum alpinum](#) (Heer, 1839)^g
- [Eusphalerum alticola](#) Zanetti, 2004^{c g}
- [Eusphalerum anale](#) (Erichson, 1840)^g
- [Eusphalerum angusticollae](#) Fauvel, 1871^g
- [Eusphalerum angustum](#) (Kiesenwetter, 1850)^g
- [Eusphalerum annaerosae](#) Zanetti, 1986^g
- [Eusphalerum bargaglii](#) (Luze, 1910)^g
- [Eusphalerum baudii](#) (Fiori, 1894)^g
- [Eusphalerum bivittatum](#) (Eppelsheim, 1887)^g
- [Eusphalerum bolivari](#) (Koch, 1940)^g
- [Eusphalerum brandmayri](#) Zanetti, 1981^g
- [Eusphalerum calabrum](#) Zanetti, 1980^g
- [Eusphalerum californicum](#) (Fauvel, 1878)^g
- [Eusphalerum cariniphallum](#) Zanetti, 1998^{c g}
- [Eusphalerum caucasicum](#) (Bernhauer, 1908)^g
- [Eusphalerum celsum](#) (Luze, 1910)^g
- [Eusphalerum cerrutii](#) (Bernhauer, 1940)^g

- [Eusphalerum chinecum](#) Li, 1992 ^{c g}
- [Eusphalerum chinense](#) Bernhauer, 1938 ^{c g}
- [Eusphalerum clavipes](#) (Scriba, 1868) ^g
- [Eusphalerum coiffaiti](#) Nicolas, 1974 ^g
- [Eusphalerum contortispinum](#) Zanetti, 1998 ^{c g}
- [Eusphalerum convexum](#) Fauvel, 1878 ^{g b}
- [Eusphalerum corsicum](#) (Luze, 1910) ^g
- [Eusphalerum cribrellum](#) (Fauvel, 1900) ^g
- [Eusphalerum croaticum](#) (Luze, 1910) ^g
- [Eusphalerum dachuense](#) Zanetti, 2004 ^{c g}
- [Eusphalerum dissimile](#) (Luze, 1910) ^g
- [Eusphalerum dubitatum](#) Zanetti, 1998 ^{c g}
- [Eusphalerum elongatum](#) (Ganglbauer, 1895) ^g
- [Eusphalerum erdaoense](#) Zanetti, 2004 ^{c g}
- [Eusphalerum farrarae](#) (Hatch, 1944) ^g
- [Eusphalerum fenyesei](#) ^b
- [Eusphalerum ferrucci](#) Zanetti, 2004 ^{c g}
- [Eusphalerum formosae](#) Cameron, 1949 ^{c g}
- [Eusphalerum foveicollae](#) (Fauvel, 1871) ^g
- [Eusphalerum fujianense](#) Zanetti, 2004 ^{c g}
- [Eusphalerum grayae](#) (Hatch, 1944) ^g
- [Eusphalerum hapalaeoides](#) Zanetti, 1998 ^{c g}
- [Eusphalerum hispanicum](#) (Brisout de Barneville, 1866) ^g
- [Eusphalerum horni](#) ^b
- [Eusphalerum impressicollae](#) (Kiesenwetter, 1850) ^g
- [Eusphalerum italicum](#) (Koch, 1938) ^g
- [Eusphalerum jiudingense](#) Zanetti, 2004 ^{c g}
- [Eusphalerum jizuiense](#) Zanetti, 2004 ^{c g}
- [Eusphalerum kahleri](#) Zanetti, 1986 ^g
- [Eusphalerum kraatzii](#) (Jacquelin du Val, 1857) ^g
- [Eusphalerum kubani](#) Zanetti, 2004 ^{c g}
- [Eusphalerum lapponicum](#) (Mannerheim, 1830) ^g
- [Eusphalerum liepolti](#) (Bernhauer, 1943) ^g
- [Eusphalerum limbatum](#) (Erichson, 1840) ^g
- [Eusphalerum lindbergi](#) (Bernhauer, 1931) ^g
- [Eusphalerum luteicornae](#) (Erichson, 1840) ^g

- [*Eusphalerum luteoides*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum luteum*](#) (Marshall, 1802) ^g
- [*Eusphalerum macropterum*](#) (Kraatz, 1857) ^g
- [*Eusphalerum malaisei*](#) Scheerpeltz, 1965 ^{c g}
- [*Eusphalerum marshami*](#) (Fauvel, 1869) ^g
- [*Eusphalerum masatakai*](#) Watanabe, 1999 ^{c g}
- [*Eusphalerum metasternale*](#) (Fauvel, 1898) ^g
- [*Eusphalerum miaoershanum*](#) Watanabe, 1999 ^{c g}
- [*Eusphalerum michaeli*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum minutum*](#) (Fabricius, 1792) ^g
- [*Eusphalerum miricolle*](#) (Sainte-Claire Deville, 1901) ^g
- [*Eusphalerum mocsarkii*](#) Bernhauer, 1913 ^{c g}
- [*Eusphalerum montivagum*](#) (Heer, 1839) ^g
- [*Eusphalerum morator*](#) Zanetti, 1986 ^g
- [*Eusphalerum nigriceps*](#) (Fauvel, 1871) ^g
- [*Eusphalerum nitidicolle*](#) (Baudi, 1857) ^g
- [*Eusphalerum oblitum*](#) (Fairmaire & Laboulbène, 1856) ^g
- [*Eusphalerum obscuriceps*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum obsoletum*](#) (Erichson, 1840) ^g
- [*Eusphalerum obtusicolle*](#) (Fauvel, 1876) ^g
- [*Eusphalerum occidentale*](#) Coiffait, 1959 ^g
- [*Eusphalerum octavii*](#) (Fauvel, 1871) ^g
- [*Eusphalerum orientale*](#) ^b
- [*Eusphalerum pallens*](#) (Heer, 1841) ^g
- [*Eusphalerum palligerum*](#) (Kiesenwetter, 1847) ^g
- [*Eusphalerum parareitteri*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum parnassicum*](#) (Bernhauer, 1910) ^g
- [*Eusphalerum paucisetulosum*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum petzi*](#) (Bernhauer, 1910) ^g
- [*Eusphalerum petzianum*](#) (Bernhauer, 1929) ^g
- [*Eusphalerum pfefferi*](#) (Roubal, 1941) ^g
- [*Eusphalerum pothos*](#) (Mannerheim, 1843) ^{g b}
- [*Eusphalerum primulae*](#) (Stephens, 1834) ^g
- [*Eusphalerum procerum*](#) (Baudi di Selve, 1857) ^g
- [*Eusphalerum pruinsum*](#) (Fauvel, 1871) ^g
- [*Eusphalerum pseudaucupariae*](#) (E.Strand, 1916) ^g

- [*Eusphalerum pseudoreitteri*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum puetzi*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum pulcherrimum*](#) (Bernhauer, 1901) ^g
- [*Eusphalerum pyrenaeum*](#) Tronquet & Zanetti, 2008 ^g
- [*Eusphalerum rectangulum*](#) (Baudi, 1870) ^g
- [*Eusphalerum reflexum*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum rizzottivlachi*](#) Zanetti, 1992 ^g
- [*Eusphalerum robustum*](#) (Heer, 1839) ^g
- [*Eusphalerum rougemonti*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum ruffoi*](#) (Scheerpeltz, 1956) ^g
- [*Eusphalerum rugulosum*](#) (Méklin, 1853) ^{g b}
- [*Eusphalerum schatzmayri*](#) (Koch, 1938) ^g
- [*Eusphalerum schillhammeri*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum scribae*](#) (Schaufuss, 1862) ^g
- [*Eusphalerum segmentarium*](#) (Méklin, 1852) ^g
- [*Eusphalerum semicoleoptratum*](#) (Panzer, 1794) ^g
- [*Eusphalerum settei*](#) Zanetti, 1982 ^g
- [*Eusphalerum sibiricum*](#) Luze, 1910 ^{c g}
- [*Eusphalerum sicanum*](#) Zanetti, 1980 ^g
- [*Eusphalerum sichuanense*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum signatum*](#) (Märkel, 1857) ^g
- [*Eusphalerum simpliciphallum*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum smetanai*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum solitare*](#) Sharp, 1874 ^{c g}
- [*Eusphalerum songpanense*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum sorbicola*](#) Kangas, 1941 ^{c g}
- [*Eusphalerum stramineum*](#) (Kraatz, 1857) ^g
- [*Eusphalerum stussineri*](#) (Bernhauer, 1909) ^g
- [*Eusphalerum subsolanum*](#) Herman, 2001 ^g
- [*Eusphalerum swauki*](#) (Onibathum) swauki Hatch, 1957 ^{g b}
- [*Eusphalerum taiwanense*](#) Zanetti, 1998 ^{c g}
- [*Eusphalerum tempestivum*](#) (Erichson, 1840) ^g
- [*Eusphalerum tenenbaumi*](#) (Bernhauer, 1932) ^g
- [*Eusphalerum torquatum*](#) (Marsham, 1802) ^g
- [*Eusphalerum tronqueti*](#) Zanetti, 2004 ^{c g}
- [*Eusphalerum tronquetianum*](#) Zanetti, 2004 ^{c g}

- [*Eusphalerum umbellatarum*](#) (Kiesenwetter, 1850) ^g
- [*Eusphalerum viertli*](#) (Ganglbauer, 1895) ^g
- [*Eusphalerum zerchei*](#) Zanetti, 1992 ^g
- [*Eusphalerum zhongdianense*](#) Zanetti, 2004 ^{c g}

Data sources: i = ITIS,[[4](#)] c = Catalogue of Life,[[1](#)] g = GBIF,[[2](#)] b = Bugguide.net[[3](#)]

References

1.
 - ["Browse Eusphalerum"](#). *Catalogue of Life*. Retrieved 2018-04-05.
 - ["Eusphalerum"](#). *GBIF*. Retrieved 2018-04-05.
 - ["Eusphalerum Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-05.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-05.

Categories:

- [Omalinae](#)
- [Lists of insect species](#)
-

This is a list of 621 species in the genus [Eurytoma](#). [[1](#)]

Eurytoma species

- [Eurytoma abalosi](#) De Santis, 1964
- [Eurytoma abatos](#) Walker, 1843
- [Eurytoma abdita](#) Zerova, 1995
- [Eurytoma abieticola](#) Ratzeburg, 1844
- [Eurytoma abnormiclava](#) Girault, 1915
- [Eurytoma abnormicornis](#) Walsh, 1870
- [Eurytoma abrotani](#) (Panzer, 1801)
- [Eurytoma acaciacola](#) Hedqvist, 1967
- [Eurytoma acaciae](#) Risbec, 1951
- [Eurytoma acericola](#) Zerova, 1975
- [Eurytoma aciculata](#) Ratzeburg, 1848
- [Eurytoma acroptilae](#) Zerova, 1986
- [Eurytoma acuminata](#) Masi, 1940

- [*Eurytoma acus*](#) Bugbee, 1941
- [*Eurytoma acuta*](#) Bugbee, 1951
- [*Eurytoma adenophorae*](#) Zerova, 1993
- [*Eurytoma adiacrita*](#) Grissell, 1974
- [*Eurytoma adleriae*](#) Zerova, 1995
- [*Eurytoma aequabilis*](#) Bugbee, 1973
- [*Eurytoma aerflora*](#) Bugbee, 1975
- [*Eurytoma aethiops*](#) Boheman, 1836
- [*Eurytoma afra*](#) Boheman, 1836
- [*Eurytoma agalica*](#) Narendran, 1994
- [*Eurytoma albinervis*](#) Lindeman, 1881
- [*Eurytoma albotibialis*](#) Ashmead, 1905
- [*Eurytoma alhagicola*](#) Zerova, 1981
- [*Eurytoma almorensis*](#) Narendran, 1994
- [*Eurytoma aloineae*](#) (Burks, 1958)
- [*Eurytoma aloisifilippoi*](#) (Russo, 1938)
- [*Eurytoma altifossa*](#) Bugbee, 1967
- [*Eurytoma altiventris*](#) Masi, 1940
- [*Eurytoma amaranthusae*](#) Narendran, 1994
- [*Eurytoma amborasahae*](#) Risbec, 1952
- [*Eurytoma ampelodesmae*](#) (Viggiani, 1967)
- [*Eurytoma amplicoxa*](#) Bugbee, 1973
- [*Eurytoma amurensis*](#) Zerova, 1995
- [*Eurytoma amygdali*](#) Enderlein, 1907
- [*Eurytoma annilai*](#) Hedqvist, 1974
- [*Eurytoma annulipes*](#) Walker, 1832
- [*Eurytoma antica*](#) Walker, 1874
- [*Eurytoma antistrophii*](#) Bugbee, 1982
- [*Eurytoma anupama*](#) Narendran, 1994
- [*Eurytoma apantelesi*](#) Narendran, 1994
- [*Eurytoma apara*](#) Narendran, 1994
- [*Eurytoma aphloiae*](#) Risbec, 1952
- [*Eurytoma apicalis*](#) Walker, 1832
- [*Eurytoma apiculae*](#) Bugbee, 1966
- [*Eurytoma apionidis*](#) Risbec, 1951
- [*Eurytoma appendigaster*](#) (Swederus, 1795)
- [*Eurytoma arabica*](#) Risbec, 1951
- [*Eurytoma arachnophaga*](#) (Girault, 1925)
- [*Eurytoma arachnovora*](#) Hesse, 1942
- [*Eurytoma arctica*](#) Thomson, 1876
- [*Eurytoma aretheas*](#) Walker, 1839
- [*Eurytoma argentata*](#) Cameron, 1884

- [*Eurytoma argentifrons*](#) Askew, 2003
- [*Eurytoma arguta*](#) Zerova, 1995
- [*Eurytoma armenica*](#) Zerova & Fursov, 1991
- [*Eurytoma arnoldi*](#) Waterston, 1926
- [*Eurytoma aroueti*](#) Girault, 1929
- [*Eurytoma artemisiae*](#) Zerova, 1977
- [*Eurytoma ascendens*](#) Graham, 1984
- [*Eurytoma asiatica*](#) Zerova & Seryogina, 1999
- [*Eurytoma asphodeli*](#) Hedqvist, 1976
- [*Eurytoma asphondyliae*](#) Narendran, 1994
- [*Eurytoma aspila*](#) (Walker, 1836)[2]
- [*Eurytoma asyneumae*](#) Zerova, 1993
- [*Eurytoma aterrima*](#) (Schrank, 1781)
- [*Eurytoma atra*](#) (Walker, 1832)
- [*Eurytoma atrateges*](#) Bugbee, 1941
- [*Eurytoma atripes*](#) Gahan, 1933
- [*Eurytoma attiva*](#) Burks, 1958
- [*Eurytoma augasmae*](#) Zerova, 1977
- [*Eurytoma aureata*](#) Bugbee, 1945
- [*Eurytoma aurifrons*](#) Cameron, 1884
- [*Eurytoma australiensis*](#) Ashmead, 1900
- [*Eurytoma baccae*](#) Bugbee, 1967
- [*Eurytoma bambeyi*](#) Risbec, 1951
- [*Eurytoma bangalorica*](#) Narendran, 1994
- [*Eurytoma banksi*](#) Ashmead, 1905
- [*Eurytoma bararakae*](#) Risbec, 1952
- [*Eurytoma basilewskyi*](#) Risbec, 1957
- [*Eurytoma bicolor*](#) Walsh, 1870
- [*Eurytoma bicolorata*](#) Zerova, 1978
- [*Eurytoma bicoloriventris*](#) Girault, 1915
- [*Eurytoma bigeloviae*](#) Ashmead, 1890
- [*Eurytoma biumbae*](#) Risbec, 1957
- [*Eurytoma blanci*](#) Kieffer, 1902
- [*Eurytoma blastophagi*](#) Hedqvist, 1963
- [*Eurytoma bolteri*](#) Riley, 1869
- [*Eurytoma borneana*](#) Cameron, 1911
- [*Eurytoma bouceki*](#) Zerova, 2005[2]
- [*Eurytoma brevicoxa*](#) Zerova & Cam, 2003
- [*Eurytoma breviscaposa*](#) Narendran, 1994
- [*Eurytoma brevitergis*](#) Bugbee, 1975
- [*Eurytoma breviura*](#) Bugbee, 1945
- [*Eurytoma brevivena*](#) Bugbee, 1958

- [*Eurytoma bromi*](#) (Howard, 1896)
- [*Eurytoma browni*](#) Crawford, 1910
- [*Eurytoma brunneipennis*](#) Crawford, 1910
- [*Eurytoma brunniventris*](#) Ratzeburg, 1852
- [*Eurytoma bugbeeii*](#) Grissell, 1974
- [*Eurytoma butcheri*](#) (Burks, 1969)
- [*Eurytoma calcarea*](#) Bugbee, 1951
- [*Eurytoma calicotomae*](#) Zerova, 2005
- [*Eurytoma californica*](#) Ashmead, 1887
- [*Eurytoma calycis*](#) Bugbee, 1961
- [*Eurytoma camaromyiae*](#) Blanchard, 1936
- [*Eurytoma campanulae*](#) Zerova, 1978
- [*Eurytoma camposa*](#) Narendran, 1994
- [*Eurytoma caraganae*](#) Nikol'skaya, 1952
- [*Eurytoma carinatifrons*](#) Crawford, 1910
- [*Eurytoma carlylei*](#) Girault, 1915
- [*Eurytoma carpini*](#) Decaux, 1893
- [*Eurytoma caryedocida*](#) Rasplus, 1988
- [*Eurytoma castor*](#) Claridge, 1959
- [*Eurytoma casuarinae*](#) Girault, 1917
- [*Eurytoma caudata*](#) Narendran, 1994
- [*Eurytoma caulicola*](#) Zerova, 1971
- [*Eurytoma ceanothi*](#) Bugbee, 1971
- [*Eurytoma cebennica*](#) Graham, 1984
- [*Eurytoma cedrus*](#) Bugbee, 1973
- [*Eurytoma celsa*](#) Bugbee, 1945
- [*Eurytoma celtigalla*](#) Bugbee, 1957
- [*Eurytoma centaureae*](#) Claridge, 1960
- [*Eurytoma ceratinae*](#) Narendran, 1994
- [*Eurytoma chacoana*](#) Blanchard, 1942
- [*Eurytoma chaitra*](#) Narendran, 1994
- [*Eurytoma chrysothamni*](#) Bugbee, 1975
- [*Eurytoma chrysothrix*](#) Waterston, 1924
- [*Eurytoma clarissae*](#) Zerova, 2006
- [*Eurytoma cleri*](#) Ashmead, 1894
- [*Eurytoma coleophorae*](#) Zerova, 1977
- [*Eurytoma coleopterae*](#) Zerova, 1978
- [*Eurytoma collaris*](#) Walker, 1832
- [*Eurytoma collina*](#) Zerova, 1984
- [*Eurytoma compressa*](#) Bugbee, 1939
- [*Eurytoma conapionis*](#) Rasplus, 1988
- [*Eurytoma condaliae*](#) Kieffer, 1910

- [*Eurytoma congolense*](#) Delucchi, 1956
- [*Eurytoma conica*](#) Provancher, 1887
- [*Eurytoma contractura*](#) Bugbee, 1967
- [*Eurytoma contraria*](#) Walker, 1860
- [*Eurytoma cordoi*](#) De Santis, 1983
- [*Eurytoma corpulenta*](#) Bugbee, 1945
- [*Eurytoma couridae*](#) Cameron, 1913
- [*Eurytoma cousiniae*](#) Zerova, 1995
- [*Eurytoma crambeae*](#) Zerova, 1978
- [*Eurytoma crambicola*](#) Zerova, 1981
- [*Eurytoma crassa*](#) Bugbee, 1967
- [*Eurytoma crassinervis*](#) Thomson, 1876
- [*Eurytoma cressoni*](#) Howard, 1897
- [*Eurytoma cretheis*](#) Walker, 1843
- [*Eurytoma crotolariae*](#) Risbec, 1951
- [*Eurytoma ctenodactylomyii*](#) Girault, 1917
- [*Eurytoma cuneiforma*](#) Bugbee, 1982
- [*Eurytoma curculionum*](#) Mayr, 1878
- [*Eurytoma curta*](#) Walker, 1832
- [*Eurytoma cylindrica*](#) Thomson, 1876
- [*Eurytoma cynipicola*](#) Zerova, 1976
- [*Eurytoma cynipsea*](#) Boheman, 1836[2]
- [*Eurytoma cypriaca*](#) Masi, 1934
- [*Eurytoma daileyi*](#) Grissell, 1974
- [*Eurytoma danilovi*](#) Zerova, 1985
- [*Eurytoma densa*](#) Bugbee, 1945
- [*Eurytoma dentata*](#) Mayr, 1878
- [*Eurytoma descartesi*](#) Girault, 1925
- [*Eurytoma deserticola*](#) Zerova, 2004
- [*Eurytoma diastrophii*](#) Walsh, 1870
- [*Eurytoma differta*](#) Zerova, 1977
- [*Eurytoma diopsisi*](#) Risbec, 1956
- [*Eurytoma diorictriae*](#) Narendran, 1994
- [*Eurytoma discordans*](#) Bugbee, 1951
- [*Eurytoma dorcaschmae*](#) Ashmead, 1888
- [*Eurytoma dubiella*](#) Girault, 1915
- [*Eurytoma dumasi*](#) Girault, 1915
- [*Eurytoma duvanae*](#) Kieffer, 1910
- [*Eurytoma eccoptogastri*](#) Ratzeburg, 1844
- [*Eurytoma electa*](#) Crosby, 1909
- [*Eurytoma elistae*](#) Zerova, 1995
- [*Eurytoma ellenbergeri*](#) (Risbec, 1955)

- [*Eurytoma elongatula*](#) Silvestri, 1915
- [*Eurytoma elymi*](#) Zerova, 1978
- [*Eurytoma emarginata*](#) Narendran, 1994
- [*Eurytoma enicospilusi*](#) Risbec, 1952
- [*Eurytoma ephedrae*](#) Narendran & Prabha Sharma, 2006
- [*Eurytoma epicephalae*](#) Girault, 1915
- [*Eurytoma ermolenkoi*](#) Zerova, 1984
- [*Eurytoma erythroaspis*](#) Cameron, 1905
- [*Eurytoma esuriensi*](#) Yang, 1996
- [*Eurytoma eucalyptorum*](#) Girault, 1935
- [*Eurytoma euclus*](#) Walker, 1839
- [*Eurytoma eugeniae*](#) Risbec, 1952
- [*Eurytoma euphorbicola*](#) Zerova, 1994
- [*Eurytoma excellens*](#) Bugbee, 1945
- [*Eurytoma exempta*](#) Walker, 1871
- [*Eurytoma extincta*](#) Ratzeburg, 1852
- [*Eurytoma extremitatis*](#) Bugbee, 1968
- [*Eurytoma eylandti*](#) Girault, 1927
- [*Eurytoma festucae*](#) Zerova, 1977
- [*Eurytoma ficusgallae*](#) Boucek, 1981
- [*Eurytoma flaveola*](#) (Zerova, 1976)
- [*Eurytoma flavicornis*](#) Walker, 1836
- [*Eurytoma flavicrurensa*](#) Bugbee, 1951
- [*Eurytoma flavicrus*](#) Bugbee, 1967
- [*Eurytoma flavifacies*](#) Bugbee, 1969
- [*Eurytoma flavimana*](#) Boheman, 1836
- [*Eurytoma flavitegula*](#) Girault, 1915
- [*Eurytoma flaviventris*](#) Zerova, 1977
- [*Eurytoma flavocoxa*](#) Bugbee, 1941
- [*Eurytoma flavoscapularis*](#) Ratzeburg, 1844
- [*Eurytoma flavovaria*](#) (Ratzeburg, 1844)
- [*Eurytoma flavovultus*](#) Bugbee, 1957
- [*Eurytoma floridana*](#) (Ashmead, 1887)
- [*Eurytoma foligalla*](#) Bugbee, 1969
- [*Eurytoma fossae*](#) Bugbee, 1967
- [*Eurytoma fulva*](#) Bugbee, 1941
- [*Eurytoma fulviscapus*](#) (Girault, 1913)
- [*Eurytoma fulvivena*](#) Girault, 1928
- [*Eurytoma fumipennis*](#) Walker, 1836
- [*Eurytoma furva*](#) Bugbee, 1958
- [*Eurytoma fusca*](#) Bugbee, 1967
- [*Eurytoma fuscipennis*](#) (Girault, 1913)

- [Eurytoma gahani](#) Noble, 1939
- [Eurytoma galeati](#) Girault, 1916
- [Eurytoma gallephedrae](#) Askew, 1998
- [Eurytoma gastrae](#) Narendran, 1994
- [Eurytoma generalis](#) Walker, 1874
- [Eurytoma ghazvini](#) Zerova, 2004
- [Eurytoma ghilarovi](#) Zerova, 1988
- [Eurytoma gibsoni](#) Narendran, 1994
- [Eurytoma gigantea](#) Walsh, 1870
- [Eurytoma giraulti](#) Grissell & Schauff, 1990
- [Eurytoma globiventris](#) Thomson, 1876
- [Eurytoma goidanichi](#) Boucek, 1970
- [Eurytoma gracilior](#) Dalla Torre, 1898
- [Eurytoma gracilis](#) Walker, 1832
- [Eurytoma graminicola](#) Zerova, 1981
- [Eurytoma grata](#) Zerova, 1995
- [Eurytoma gregi](#) Girault, 1915
- [Eurytoma guianaensis](#) Cameron, 1913
- [Eurytoma haeckeli](#) Girault, 1913
- [Eurytoma hakonensis](#) Ashmead, 1904
- [Eurytoma hallami](#) Girault, 1920
- [Eurytoma harmoliticola](#) Zerova, 1977
- [Eurytoma hawthornei](#) Girault, 1915
- [Eurytoma hebes](#) Bugbee, 1973
- [Eurytoma hecale](#) Walker, 1843
- [Eurytoma helena](#) Girault, 1933
- [Eurytoma herbaria](#) Zerova, 1994
- [Eurytoma herbertonensis](#) Girault, 1935
- [Eurytoma heriadi](#) Zerova, 1984
- [Eurytoma hermonica](#) Zerova, 2005[2]
- [Eurytoma herrerae](#) (Ashmead, 1902)
- [Eurytoma hiems](#) Bugbee, 1945
- [Eurytoma hindupurensis](#) Gahan, 1919
- [Eurytoma hirsuta](#) Bugbee, 1941
- [Eurytoma howardii](#) Dalla Torre, 1898
- [Eurytoma hybrida](#) Zerova, 1978[2]
- [Eurytoma hypochoeridis](#) Claridge, 1960
- [Eurytoma ibaraca](#) Zerova, 2006
- [Eurytoma illinoisensis](#) Girault, 1920
- [Eurytoma imago](#) Bugbee, 1945
- [Eurytoma imminuta](#) Bugbee, 1951
- [Eurytoma incerta](#) Fullaway, 1912

- [*Eurytoma inconspicua*](#) Girault, 1915
- [*Eurytoma indi*](#) Ayyar, 1920
- [*Eurytoma infracta*](#) Mayr, 1904
- [*Eurytoma ingens*](#) Bugbee, 1944
- [*Eurytoma iniqua*](#) Bugbee, 1951
- [*Eurytoma inornata*](#) Bugbee, 1962
- [*Eurytoma insignis*](#) Walker, 1871
- [*Eurytoma insularis*](#) Ashmead, 1894
- [*Eurytoma inulae*](#) Domenichini, 2002
- [*Eurytoma irakensis*](#) Abdul-Rassoul, 1990
- [*Eurytoma iranica*](#) Narendran & Lotfalizadeh, 1999
- [*Eurytoma istriana*](#) Schmidt, 1851
- [*Eurytoma ivohibei*](#) Risbec, 1957
- [*Eurytoma jaceae*](#) Mayr, 1878
- [*Eurytoma jaltica*](#) [Zerova](#), 1994
- [*Eurytoma japonica*](#) Ashmead, 1904
- [*Eurytoma joanna*](#) Girault, 1935
- [*Eurytoma johnsoni*](#) Girault, 1925
- [*Eurytoma jozsefi*](#) [Zerova](#), 1977
- [*Eurytoma juglansi*](#) Yang, 1996
- [*Eurytoma juncea*](#) Rondani, 1877
- [*Eurytoma juniperina*](#) Marcovitch, 1915
- [*Eurytoma kangasi*](#) Hedqvist, 1966
- [*Eurytoma karnatakensis*](#) Mukerjee, 1981
- [*Eurytoma kasaragodensis*](#) Mukerjee, 1981
- [*Eurytoma kashiensis*](#) Liao, 1979
- [*Eurytoma kemalpasensis*](#) Narendran, Tezcan & Civelek, 1995
- [*Eurytoma kondarica*](#) [Zerova](#), 1994
- [*Eurytoma korneyevi*](#) [Zerova](#), 1995
- [*Eurytoma krishtali*](#) [Zerova](#), 1978
- [*Eurytoma kulamensis*](#) Narendran, 1994
- [*Eurytoma lactucae*](#) Bugbee, 1973
- [*Eurytoma lacunae*](#) Bugbee, 1967
- [*Eurytoma lamtoensis*](#) Rasplus, 1988
- [*Eurytoma laricis*](#) Yano, 1918
- [*Eurytoma larvicola*](#) Girault, 1925
- [*Eurytoma laserpitii*](#) Mayr, 1878
- [*Eurytoma lata*](#) Bugbee, 1945
- [*Eurytoma lathyri*](#) [Zerova](#), 1979
- [*Eurytoma latrodecti*](#) Fullaway, 1953
- [*Eurytoma laxitas*](#) Bugbee, 1941
- [*Eurytoma leeuwenhoekii*](#) Girault, 1929

- [Eurytoma leleyi](#) Zerova, 1987
- [Eurytoma lepidopterae](#) Risbec, 1951
- [Eurytoma leptovena](#) Bugbee, 1941
- [Eurytoma leuconeura](#) Cameron, 1913
- [Eurytoma leucoptera](#) Walker, 1874
- [Eurytoma levidensis](#) Bugbee, 1945
- [Eurytoma levivultus](#) Bugbee, 1957
- [Eurytoma levo](#) Bugbee, 1967
- [Eurytoma linariae](#) Zerova, 1987
- [Eurytoma lincolni](#) Girault, 1913
- [Eurytoma linearis](#) Bugbee, 1945
- [Eurytoma longavena](#) Bugbee, 1951
- [Eurytoma longicauda](#) Yang, 1996
- [Eurytoma longicornis](#) Walker, 1874
- [Eurytoma longipennis](#) Walker, 1832
- [Eurytoma longipetiolata](#) Girault, 1915
- [Eurytoma lucidula](#) Zerova, 1995
- [Eurytoma lutea](#) Bugbee, 1967
- [Eurytoma lycti](#) Ashmead, 1894
- [Eurytoma lyubae](#) Zerova, 1995
- [Eurytoma maculipes](#) Motschulsky, 1863
- [Eurytoma maculiventris](#) Ashmead, 1894
- [Eurytoma magdalis](#) Ashmead, 1894
- [Eurytoma mali](#) Bugbee, 1967
- [Eurytoma mammae](#) Bugbee, 1967
- [Eurytoma mandrakae](#) Risbec, 1952
- [Eurytoma manilensis](#) Ashmead, 1904
- [Eurytoma manpurensis](#) Mukerjee, 1981
- [Eurytoma martellii](#) Domenichini, 1960
- [Eurytoma maslovskii](#) Nikol'skaya, 1945
- [Eurytoma mateui](#) Hedqvist, 1967
- [Eurytoma mayri](#) Ashmead, 1887
- [Eurytoma mazzinii](#) Girault, 1913
- [Eurytoma melanagromyzae](#) Narendran, 1994
- [Eurytoma melikai](#) [2]
- [Eurytoma menon](#) Walker, 1839
- [Eurytoma microneura](#) Ratzeburg, 1852
- [Eurytoma mimosarum](#) Rasplus, 1988
- [Eurytoma minasensis](#) De Santis & Fernandes, 1989
- [Eurytoma minnesota](#) Girault, 1916
- [Eurytoma minutivespa](#) Girault, 1929
- [Eurytoma minutula](#) Dalla Torre, 1898

- [*Eurytoma mitsukurii*](#) Ashmead, 1904
- [*Eurytoma monemae*](#) Ruschka, 1918
- [*Eurytoma mongolica*](#) Zerova, 1977
- [*Eurytoma monticola*](#) Zerova, 2005
- [*Eurytoma mordax*](#) Girault, 1915
- [*Eurytoma morio*](#) Boheman, 1836
- [*Eurytoma motleyi*](#) Girault, 1935
- [*Eurytoma mucronura*](#) Bugbee, 1941
- [*Eurytoma multipunctum*](#) Girault, 1915
- [*Eurytoma myartsevi*](#) Zerova, 1995
- [*Eurytoma nalanda*](#) Narendran, 1994
- [*Eurytoma nartshukae*](#) Zerova, 1977
- [*Eurytoma natalensis*](#) Cameron, 1907
- [*Eurytoma neesii*](#) Walker, 1852
- [*Eurytoma nelsonia*](#) Girault, 1915
- [*Eurytoma neocaraganae*](#) Liao, 1979
- [*Eurytoma neomexicana*](#) Girault, 1920
- [*Eurytoma neoverticillata*](#) Narendran, 1994
- [*Eurytoma nevadensis*](#) (Ashmead, 1894)
- [*Eurytoma nigra*](#) (Girault, 1914)
- [*Eurytoma nigricoxa*](#) Provancher, 1887
- [*Eurytoma nigripedice*](#) Girault, 1925
- [*Eurytoma nigripes*](#) Girault, 1915
- [*Eurytoma nigrita*](#) Dalman, 1820
- [*Eurytoma nigroculex*](#) Girault, 1929
- [*Eurytoma nikkoensis*](#) Ashmead, 1904
- [*Eurytoma nikolskayae*](#) Zerova, 1989
- [*Eurytoma nippon*](#) Girault, 1916
- [*Eurytoma nochurae*](#) Zerova, 1995
- [*Eurytoma nodularis*](#) Boheman, 1836
- [*Eurytoma nodulosa*](#) Ratzeburg, 1848
- [*Eurytoma nova*](#) Zerova, 2001
- [*Eurytoma novalis*](#) Zerova, 1978
- [*Eurytoma nox*](#) Girault, 1928
- [*Eurytoma noxialis*](#) (Portschinsky, 1881)
- [*Eurytoma nymphe*](#) (Girault, 1913)
- [*Eurytoma obesa*](#) Risbec, 1957
- [*Eurytoma obocki*](#) Risbec, 1955
- [*Eurytoma obscura*](#) Boheman, 1836
- [*Eurytoma obtusa*](#) Bugbee, 1967
- [*Eurytoma obtusilobae*](#) Ashmead, 1885
- [*Eurytoma obtusiventris*](#) Gahan, 1934

- [*Eurytoma ochraceipes*](#) Kalina, 1970
- [*Eurytoma olbus*](#) Walker, 1839
- [*Eurytoma oleae*](#) Silvestri, 1915
- [*Eurytoma oliphantis*](#) Hedqvist, 1976
- [*Eurytoma omnirubricornis*](#) (Girault, 1922)
- [*Eurytoma onobrychidis*](#) Nikol'skaya, 1933
- [*Eurytoma onobrycola*](#) Zerova, 1994
- [*Eurytoma oophaga*](#) Silvestri, 1920
- [*Eurytoma orbicaulis*](#) Bugbee, 1982
- [*Eurytoma orbiculata*](#) Say, 1836
- [*Eurytoma orchidearum*](#) (Westwood, 1869)
- [*Eurytoma orientalis*](#) Zerova, 1995
- [*Eurytoma orseoliphaga*](#) Delvare, 1988
- [*Eurytoma oryzivora*](#) Delvare, 1988
- [*Eurytoma pachyneuron*](#) Girault, 1916
- [*Eurytoma padi*](#) Vereshchagin, 1953
- [*Eurytoma palanichamyi*](#) (Narendran, 1984)
- [*Eurytoma pallidiceps*](#) Spinola, 1851
- [*Eurytoma palliditarsis*](#) Cameron, 1911
- [*Eurytoma pallustris*](#) Bugbee, 1982
- [*Eurytoma paracynipsea*](#) Zerova, 1998
- [*Eurytoma paraguayensis*](#) Girault, 1911
- [*Eurytoma paraliae*](#) Graham, 1984
- [*Eurytoma paramygdali*](#) Zerova & Fursov, 1991
- [*Eurytoma pareuphorbiae*](#) Zerova, 1994
- [*Eurytoma parva*](#) Phillips, 1918
- [*Eurytoma parvula*](#) Thomson, 1876
- [*Eurytoma pauliani*](#) Risbec, 1952
- [*Eurytoma pax*](#) Girault, 1913
- [*Eurytoma pediaspisi*](#) Pujade i Villar, 1994
- [*Eurytoma pedicellata*](#) Yang, 1996
- [*Eurytoma peethapada*](#) Narendran, 1994
- [*Eurytoma pentaspina*](#) Narendran, 1994
- [*Eurytoma penuria*](#) Bugbee, 1973
- [*Eurytoma peraffinis*](#) Ashmead, 1894
- [*Eurytoma perineti*](#) Risbec, 1952
- [*Eurytoma petioliventrīs*](#) Cameron, 1884
- [*Eurytoma petrosa*](#) Zerova, 1994
- [*Eurytoma phalaridis*](#) Graham, 1974
- [*Eurytoma philager*](#) (Walker, 1839)
- [*Eurytoma philorobinae*](#) Liao, 1979
- [*Eurytoma phloeotribi*](#) Ashmead, 1894

- [*Eurytoma phlomidis* Zerova, 1978](#)
- [*Eurytoma phragmiticola* Zerova, 1978](#)
- [*Eurytoma phytophaga* Girault, 1919](#)
- [*Eurytoma picea* Bugbee, 1967](#)
- [*Eurytoma picus* Girault, 1914](#)
- [*Eurytoma piezotracheli* Rasplus, 1988](#)
- [*Eurytoma pigra* Burks, 1958](#)
- [*Eurytoma pilicornis* Cameron, 1905](#)
- [*Eurytoma pineticola* Zerova, 1981](#)
- [*Eurytoma pinetorum* Ratzeburg, 1852](#)
- [*Eurytoma pini* Bugbee, 1958](#)
- [*Eurytoma pinisilvae* Bugbee, 1981](#)
- [*Eurytoma pissodis* Girault, 1917](#)
- [*Eurytoma pistaciae* Rondani, 1877](#)
- [*Eurytoma piurae* Crawford, 1912](#)
- [*Eurytoma plana* Bugbee, 1944](#)
- [*Eurytoma plectroniae* Risbec, 1952](#)
- [*Eurytoma pletiodropa* Delvare, 1988](#)
- [*Eurytoma plotnikovi* Nikol'skaya, 1934](#)
- [*Eurytoma poincarei* Girault, 1913](#)
- [*Eurytoma pollux* Claridge, 1959](#)
- [*Eurytoma poloni* Girault, 1920](#)
- [*Eurytoma polygraphi* \(Ashmead, 1894\)](#)
- [*Eurytoma poredipecta* Delvare, 1988](#)
- [*Eurytoma poroensis* Mukerjee, 1981](#)
- [*Eurytoma potentillae* Zerova, 1995](#)
- [*Eurytoma profunda* Bugbee, 1967](#)
- [*Eurytoma pruni* Yang, 1996](#)
- [*Eurytoma prunicola* Walsh, 1870](#)
- [*Eurytoma pseudocynipsea* Zerova, 2003](#)
- [*Eurytoma pseudononis* Liao, 1979](#)
- [*Eurytoma puella* Girault, 1915](#)
- [*Eurytoma punctatella* Zerova, 1978](#)
- [*Eurytoma punctatifossa* Girault, 1925](#)
- [*Eurytoma punctifrons* Narendran, 1994](#)
- [*Eurytoma punctigastra* Narendran, 1994](#)
- [*Eurytoma pusilla* Bugbee, 1945](#)
- [*Eurytoma pyrrhocera* Crawford, 1911](#)
- [*Eurytoma quadrata* Bugbee, 1945](#)
- [*Eurytoma quadrispina* Narendran, 1994](#)
- [*Eurytoma querceticola* Zerova, 1995](#)
- [*Eurytoma querciglobuli* \(Fitch, 1859\)](#)

- [*Eurytoma quercipisi*](#) (Fitch, 1859)
- [*Eurytoma quinquenotata*](#) Girault, 1915
- [*Eurytoma radhakrishnani*](#) Narendran, 1994
- [*Eurytoma radicicola*](#) Risbec, 1952
- [*Eurytoma rajeevi*](#) Narendran, 1994
- [*Eurytoma ramdasi*](#) Narendran, 1994
- [*Eurytoma ranjithi*](#) Narendran, 1994
- [*Eurytoma raoi*](#) Narendran, 1994
- [*Eurytoma regiae*](#) Yang, 1996
- [*Eurytoma reunionensis*](#) Risbec, 1957
- [*Eurytoma rhois*](#) Crosby, 1909
- [*Eurytoma risa*](#) Narendran, 1994
- [*Eurytoma risbecomaphaga*](#) Rasplus, 1988
- [*Eurytoma robusta*](#) Mayr, 1878
- [*Eurytoma rosae*](#) Nees, 1834
- [*Eurytoma roseni*](#) Claridge, 1959
- [*Eurytoma rubribacca*](#) Bugbee, 1968
- [*Eurytoma rubrigalla*](#) Bugbee, 1968
- [*Eurytoma rubriventris*](#) Girault & Dodd, 1915
- [*Eurytoma rufa*](#) Zerova, 1970
- [*Eurytoma ruficornis*](#) Yang, 1996
- [*Eurytoma rufipes*](#) Walker, 1832
- [*Eurytoma rufitarsus*](#) Walker, 1834
- [*Eurytoma sabiae*](#) Mani, 1969
- [*Eurytoma saccharicola*](#) (Mani, 1941)
- [*Eurytoma saharensis*](#) Hedqvist, 1967
- [*Eurytoma salicigalla*](#) Bugbee, 1970
- [*Eurytoma salicis*](#) Walker, 1834
- [*Eurytoma salicisaquatica*](#) Bugbee, 1970
- [*Eurytoma salsa*](#) Zerova, 1995
- [*Eurytoma saltinata*](#) Girault, 1927
- [*Eurytoma salvicola*](#) Zerova, 2003
- [*Eurytoma samsonowi*](#) Vassiliev, 1915
- [*Eurytoma sarcophaga*](#) Girault, 1915
- [*Eurytoma saussureae*](#) Zerova, 1995
- [*Eurytoma scabritigera*](#) Bugbee, 1982
- [*Eurytoma scalaris*](#) Graham, 1984
- [*Eurytoma scaposa*](#) Narendran, 1994
- [*Eurytoma schaeferi*](#) Yasumatsu & Kamijo, 1979
- [*Eurytoma schreineri*](#) Schreiner, 1908
- [*Eurytoma sciromatis*](#) Bugbee, 1962
- [*Eurytoma scolyti*](#) Yang, 1996

- [*Eurytoma scrobata*](#) Narendran, 1994
- [*Eurytoma scrophulariae*](#) Zerova, 1981
- [*Eurytoma sculptura*](#) Girault, 1915
- [*Eurytoma semicircula*](#) Bugbee, 1967
- [*Eurytoma semifuscicornis*](#) Girault, 1915
- [*Eurytoma seminigrifemur*](#) Girault, 1935
- [*Eurytoma seminis*](#) Bugbee, 1941
- [*Eurytoma semivenae*](#) Bugbee, 1957
- [*Eurytoma senegalensis*](#) Risbec, 1951
- [*Eurytoma sepulta*](#) Brues, 1910
- [*Eurytoma sequax*](#) Brues, 1910
- [*Eurytoma serratulae*](#) (Fabricius, 1798)
- [*Eurytoma setitibia*](#) Gahan, 1919
- [*Eurytoma sheelae*](#) Narendran, 1994
- [*Eurytoma shyamagatra*](#) Narendran, 1994
- [*Eurytoma siamense*](#) Zerova, 1995
- [*Eurytoma silvae*](#) Girault, 1915
- [*Eurytoma silvipuer*](#) Girault, 1927
- [*Eurytoma similis*](#) Narendran, 1994
- [*Eurytoma sivinskii*](#) Gates & Grissell, 2004
- [*Eurytoma solenozopheriae*](#) Ashmead, 1887
- [*Eurytoma spadix*](#) Bugbee, 1945
- [*Eurytoma speciosa*](#) Girault, 1915
- [*Eurytoma spermophaga*](#) Silvestri, 1915
- [*Eurytoma spes*](#) Girault, 1915
- [*Eurytoma sphaera*](#) Bugbee, 1967
- [*Eurytoma sphegum*](#) (Fabricius, 1787)
- [*Eurytoma spicula*](#) Zerova, 2005
- [*Eurytoma spina*](#) Bugbee, 1951
- [*Eurytoma spinipes*](#) Kalina, 1970
- [*Eurytoma spongiosa*](#) Bugbee, 1951
- [*Eurytoma squamea*](#) Walker, 1834
- [*Eurytoma squamosa*](#) Bugbee, 1967
- [*Eurytoma steffani*](#) Claridge, 1959
- [*Eurytoma stegmaieri*](#) Bugbee, 1975
- [*Eurytoma stenostigma*](#) Thomson, 1876
- [*Eurytoma stepicola*](#) Zerova, 1978
- [*Eurytoma stepposa*](#) Zerova, 1980
- [*Eurytoma stigmati*](#) Ashmead, 1895
- [*Eurytoma striatifacies*](#) Girault, 1925
- [*Eurytoma striatigena*](#) Kieffer, 1910
- [*Eurytoma striatula*](#) Cameron, 1905

- [*Eurytoma strigifrons*](#) Thomson, 1876
- [*Eurytoma strigosa*](#) Bugbee, 1982
- [*Eurytoma striolata*](#) Ratzeburg, 1848
- [*Eurytoma studiosa*](#) Say, 1836
- [*Eurytoma subfusca*](#) Bugbee, 1945
- [*Eurytoma subsanguinea*](#) Girault, 1926
- [*Eurytoma sulcata*](#) Kieffer, 1905
- [*Eurytoma swezeyi*](#) Fullaway, 1953
- [*Eurytoma systoloides*](#) Crawford, 1910
- [*Eurytoma tanjorensis*](#) Narendran, 1994
- [*Eurytoma tapio*](#) Claridge, 1959
- [*Eurytoma tatipakensis*](#) Chandy Kurian, 1954
- [*Eurytoma tavolae*](#) Risbec, 1952
- [*Eurytoma tellis*](#) Walker, 1839
- [*Eurytoma tenebrica*](#) Crosby, 1909
- [*Eurytoma tenuis*](#) Bugbee, 1941
- [*Eurytoma tephritidis*](#) Fullaway, 1953
- [*Eurytoma tepicensis*](#) Ashmead, 1895
- [*Eurytoma terebinthi*](#) Rondani, 1877
- [*Eurytoma terrea*](#) Bugbee, 1951
- [*Eurytoma tessariae*](#) Kieffer, 1910
- [*Eurytoma tilicola*](#) Hedqvist, 1966
- [*Eurytoma tinctipennis*](#) Cameron, 1911
- [*Eurytoma toddaliae*](#) Risbec, 1952
- [*Eurytoma tolidepepra*](#) Delvare, 1988
- [*Eurytoma tomici*](#) Ashmead, 1894
- [*Eurytoma transvaalensis*](#) Cameron, 1911
- [*Eurytoma transversa*](#) [Zerova](#), 2005
- [*Eurytoma tricoloripes*](#) Girault, 1915
- [*Eurytoma trogocarpi*](#) (De Stefani, 1908)
- [*Eurytoma tropicana*](#) Risbec, 1953
- [*Eurytoma truncata*](#) Boheman, 1836
- [*Eurytoma truncatella*](#) [Zerova](#), 1978
- [*Eurytoma trypticola*](#) [Zerova](#), 1978
- [*Eurytoma tumida*](#) Walker, 1844
- [*Eurytoma tumoris*](#) Bugbee, 1962
- [*Eurytoma tuomurensis*](#) Liao, 1985
- [*Eurytoma turkestanica*](#) Zerova & Fursov, 1991
- [*Eurytoma turkezia*](#) Zerova & Cam, 2003
- [*Eurytoma turkomanica*](#) [Zerova](#), 1995
- [*Eurytoma tylodermatidis*](#) Ashmead, 1896
- [*Eurytoma udara*](#) Narendran, 1994

- [*Eurytoma undata*](#) Bugbee, 1941
- [*Eurytoma unicolor*](#) Zerova, 1978
- [*Eurytoma ussuriensis*](#) Zerova, 1995
- [*Eurytoma vadosa*](#) Bugbee, 1945
- [*Eurytoma varicolor*](#) Silvestri, 1915
- [*Eurytoma varivena*](#) Girault, 1929
- [*Eurytoma venula*](#) Bugbee, 1945
- [*Eurytoma vernonia*](#) Bugbee, 1967
- [*Eurytoma verticillata*](#) (Fabricius, 1798)
- [*Eurytoma vitis*](#) (Saunders, 1869)
- [*Eurytoma volkovi*](#) Zerova, 1994
- [*Eurytoma wachtli*](#) Mayr, 1878
- [*Eurytoma walshi*](#) Howard, 1897
- [*Eurytoma werauhia*](#) Gates, 2004
- [*Eurytoma xantherella*](#) Girault, 1915
- [*Eurytoma xanthopus*](#) Cameron, 1905
- [*Eurytoma xinganensis*](#) Yang, 1996
- [*Eurytoma xylophaga*](#) Yang, 1996
- [*Eurytoma yagii*](#) Ishii, 1938
- [*Eurytoma yunnanensis*](#) Yang, 1996
- [*Eurytoma zykovi*](#) Zerova, 1995

References

1.
 - ["Browse Eurytoma"](#). Catalogue of Life. Archived from [the original](#) on 2018-02-21. Retrieved 2018-02-20.
 -
2. Zerova, M. D.; Seryogina, L. Ya. (2009). "A review of Palaearctic species of the *Eurytoma* cynipsea group (Hymenoptera, Eurytomidae) with a description of a new species from Iran". *Entomological Review*. **89** (6). Pleiades Publishing Ltd: 721–729. doi:[10.1134/s0013873809060086](#). ISSN [0013-8738](#).

[Categories:](#)

- [Parasitoid wasps](#)
- [Lists of Hymenoptera](#)
- [Lists of insect species](#)
-

This is a list of 173 species in [Eugnamptus](#), a genus of leaf and bud weevils in the family [Attelabidae](#).
[\[1\]](#)[\[2\]](#)[\[3\]](#)[\[4\]](#)

Eugnamptus species

- [Eugnamptus abdominalis](#) Voss, 1941 ^c
- [Eugnamptus adjectus](#) Voss, 1937 ^c
- [Eugnamptus affinis](#) Voss, 1941 ^c
- [Eugnamptus amurensis](#) Faust, 1889 ^c
- [Eugnamptus angustatus](#) (Herbst, 1797) ^{i c g b}
- [Eugnamptus antennalis](#) Sharp, 1889 ^c
- [Eugnamptus apicalis](#) Faust, 1892 ^c
- [Eugnamptus apicipennis](#) Voss, 1961 ^c
- [Eugnamptus atratulus](#) Voss, 1941 ^c
- [Eugnamptus atriceps](#) Voss, 1941 ^c
- [Eugnamptus atripennis](#) Voss, 1941 ^c
- [Eugnamptus aurifrons](#) Roelofs, 1874 ^c
- [Eugnamptus bakeri](#) Voss, 1941 ^c
- [Eugnamptus balius](#) Hamilton & Novinger ^g
- [Eugnamptus basalis](#) Sharp, 1889 ^c
- [Eugnamptus bellus](#) Hamilton & Novinger ^g
- [Eugnamptus bicolor](#) Legalov, 2003 ^c
- [Eugnamptus bifenestratus](#) Faust, 1892 ^c
- [Eugnamptus bimaculosus](#) Voss, 1939 ^c
- [Eugnamptus bolivianus](#) Voss, 1941 ^c
- [Eugnamptus brevicollis](#) Sharp, 1889 ^c
- [Eugnamptus cervinus](#) Voss, 1930 ^c
- [Eugnamptus cinctus](#) Sharp, 1889 ^{c b}
- [Eugnamptus collaris](#) Schoenh., 1839 ^c
- [Eugnamptus congestus](#) Voss, 1941 ^c
- [Eugnamptus cornutus](#) Sharp, 1889 ^c
- [Eugnamptus decemsatus](#) Scudder, S.H., 1878 ^{c g}
- [Eugnamptus deporaoides](#) Voss, 1941 ^c
- [Eugnamptus diabroticus](#) Sharp, 1889 ^c
- [Eugnamptus dibaphus](#) Voss, 1942 ^c
- [Eugnamptus dimidiatus](#) Voss, 1941 ^c

- [*Eugnamptus dispar*](#) Sharp, 1889 ^C
- [*Eugnamptus distinctus*](#) Kono, 1930 ^C
- [*Eugnamptus diversus*](#) Voss, 1949 ^C
- [*Eugnamptus divisus*](#) Sharp, 1889 ^C
- [*Eugnamptus dubius*](#) Voss, 1949 ^C
- [*Eugnamptus elongatus*](#) Voss, 1941 ^C
- [*Eugnamptus excisipes*](#) Voss, 1941 ^C
- [*Eugnamptus exiguum*](#) Voss, ^C
- [*Eugnamptus flavicornis*](#) Voss, 1922 ^C
- [*Eugnamptus flavidus*](#) Faust, 1898 ^C
- [*Eugnamptus flavinasis*](#) Voss, 1941 ^C
- [*Eugnamptus flavinasus*](#) Boheman, 1845 ^C
- [*Eugnamptus flavipes*](#) Sharp, 1889 ^C
- [*Eugnamptus flavirostris*](#) Voss, 1941 ^C
- [*Eugnamptus fragilis*](#) Sharp, 1889 ^C
- [*Eugnamptus fukienensis*](#) Voss, 1942 ^C
- [*Eugnamptus furvus*](#) Marshall, 1948 ^C
- [*Eugnamptus fuscipes*](#) Pierce, 1913 ^C
- [*Eugnamptus germanus*](#) Sharp, 1890 ^C
- [*Eugnamptus giganteus*](#) Legalov, 2003 ^C
- [*Eugnamptus godmani*](#) Sharp, 1890 ^C
- [*Eugnamptus gracilicornis*](#) Dalla Torre & Voss, 1937 ^C
- [*Eugnamptus gracilipes*](#) Voss, 1941 ^C
- [*Eugnamptus gracilis*](#) Voss, 1941 ^C
- [*Eugnamptus grandaevus*](#) Voss, 1941 ^C
- [*Eugnamptus grandiceps*](#) Voss, 1957 ^C
- [*Eugnamptus grisescens*](#) Voss, 1945 ^C
- [*Eugnamptus grisesceus*](#) Voss, ^C
- [*Eugnamptus herediensis*](#) Hamilton & Novinger ^g
- [*Eugnamptus hirsutus*](#) Voss, 1924 ^C
- [*Eugnamptus hirtellus*](#) Sharp, 1889 ^C
- [*Eugnamptus inclusus*](#) Voss, 1939 ^C
- [*Eugnamptus instabilis*](#) Voss, 1941 ^C
- [*Eugnamptus insularis*](#) Dalla Torre & Voss, 1937 ^C
- [*Eugnamptus interruptus*](#) Voss, 1941 ^C
- [*Eugnamptus ixigerum*](#) Voss, 1941 ^C

- [*Eugnamptus kazantsevi*](#) Legalov, 2003 ^C
- [*Eugnamptus kuatunensis*](#) Voss, 1949 ^C
- [*Eugnamptus kubani*](#) Alonso-Zarazaga in Löbl & Smetana (eds.), 2011 ^C
- [*Eugnamptus lacunosus*](#) Voss, 1949 ^C
- [*Eugnamptus laticeps*](#) Voss, 1941 ^C
- [*Eugnamptus latifrons*](#) Sharp, 1889 ^C
- [*Eugnamptus latirostris*](#) Sharp, 1889 ^C
- [*Eugnamptus lituratus*](#) Voss, 1941 ^C
- [*Eugnamptus longicollis*](#) Voss, 1941 ^C
- [*Eugnamptus longipes*](#) Sharp, 1889 ^C
- [*Eugnamptus longiusculus*](#) Hamilton & Novinger ^g
- [*Eugnamptus longulus*](#) Sharp, 1889 ^C
- [*Eugnamptus maculatus*](#) Sharp, 1889 ^C
- [*Eugnamptus maculifer*](#) Voss, 1945 ^C
- [*Eugnamptus manshinsis*](#) Legalov, 2003 ^C
- [*Eugnamptus marginatus*](#) Pasc., 1883 ^C
- [*Eugnamptus marginellus*](#) Faust, 1898 ^C
- [*Eugnamptus medvedevi*](#) Legalov, 2003 ^C
- [*Eugnamptus minuta*](#) Voss, 1945 ^C
- [*Eugnamptus mirabilis*](#) Legalov, 2003 ^C
- [*Eugnamptus monchadskii*](#) Legalov, 2007 ^C
- [*Eugnamptus morimotoi*](#) Nakane, 1963 ^C
- [*Eugnamptus morio*](#) Voss, 1945 ^C
- [*Eugnamptus niger*](#) Sharp, 1889 ^C
- [*Eugnamptus nigriceps*](#) Voss, 1932 ^C
- [*Eugnamptus nigricornis*](#) Sharp, 1889 ^C
- [*Eugnamptus nigrinipennis*](#) Voss, 1941 ^C
- [*Eugnamptus nigrinipes*](#) Voss, 1945 ^C
- [*Eugnamptus nigrinus*](#) Dalla Torre & Voss, 1937 ^C
- [*Eugnamptus nigripennis*](#) Sharp, 1889 ^C
- [*Eugnamptus nigripes*](#) Melsh. & Pierce, 1913 ^C
- [*Eugnamptus nigriventris*](#) Schaeffer, 1905 ^{i c b}
- [*Eugnamptus nigrocapitus*](#) Legalov, 2007 ^C
- [*Eugnamptus nigropectoralis*](#) Voss, 1945 ^C
- [*Eugnamptus nigroruber*](#) Legalov, 2007 ^C
- [*Eugnamptus notatus*](#) Voss, 1941 ^C

- [Eugnamptus nuda](#) Voss, 1945 ^c
- [Eugnamptus obscurus](#) Sharp, 1889 ^c
- [Eugnamptus palleolus](#) Voss, 1939 ^c
- [Eugnamptus pallidus](#) Schaeffer, 1908 ^{i c b}
- [Eugnamptus pannosus](#) Marshall, 1948 ^c
- [Eugnamptus pardalis](#) Marshall, 1948 ^c
- [Eugnamptus parvulus](#) Voss, 1941 ^c
- [Eugnamptus pedestris](#) Voss, 1949 ^c
- [Eugnamptus piceus](#) Voss, 1941 ^c
- [Eugnamptus picticollis](#) Sharp, 1890 ^c
- [Eugnamptus pilosellus](#) Voss, 1941 ^c
- [Eugnamptus plebeius](#) Sharp, 1890 ^c
- [Eugnamptus pseudonigriventris](#) Hamilton, 1990 ^{i g}
- [Eugnamptus punctatus](#) Pierce, 1913 ^{i c b}
- [Eugnamptus puncticeps](#) LeConte, 1876 ^{i c b}
- [Eugnamptus punctiger](#) Voss, 1941 ^c
- [Eugnamptus pusillus](#) Hamilton & Novinger ^g
- [Eugnamptus quadrimaculatus](#) Voss, 1945 ^c
- [Eugnamptus rostralis](#) Hamilton & Novinger ^g
- [Eugnamptus ruber](#) Legalov, 2003 ^c
- [Eugnamptus rubricollis](#) Dalla Torre & Voss, 1937 ^c
- [Eugnamptus rudis](#) Legalov, 2007 ^c
- [Eugnamptus ruficeps](#) Pierce, 1913 ^c
- [Eugnamptus ruficollis](#) Dalla Torre & Voss, 1937 ^c
- [Eugnamptus rufifrons](#) Sharp, 1889 ^c
- [Eugnamptus rufipennis](#) Marshall, 1948 ^c
- [Eugnamptus rusticus](#) Legalov, 2003 ^c
- [Eugnamptus salvini](#) Sharp, 1889 ^c
- [Eugnamptus sanguinolentus](#) Voss, 1939 ^c
- [Eugnamptus sarapiquensis](#) Hamilton & Novinger ^g
- [Eugnamptus sauteri](#) Voss, 1921 ^c
- [Eugnamptus semipurpurea](#) Voss, 1941 ^c
- [Eugnamptus semivittatus](#) Sharp, 1889 ^c
- [Eugnamptus seriatus](#) Sharp, 1889 ^c
- [Eugnamptus sexmaculatus](#) Sharp, 1889 ^c
- [Eugnamptus sexpunctatus](#) Voss, 1945 ^c

- [Eugnamptus sheilae](#) Hamilton, 1990 ^{i g}
- [Eugnamptus sitshuanensis](#) Legalov, 2003 ^c
- [Eugnamptus striatus](#) LeConte, 1876 ^{i c}
- [Eugnamptus subcarinulatus](#) Voss, 1945 ^c
- [Eugnamptus subcoeruleifrons](#) Voss, 1939 ^c
- [Eugnamptus subcuprea](#) Voss, 1945 ^c
- [Eugnamptus subpurpureus](#) Voss, 1941 ^c
- [Eugnamptus sulcatus](#) Voss, 1941 ^c
- [Eugnamptus sulcicollis](#) Hamilton & Novinger ^g
- [Eugnamptus sulcifrons](#) Gyllenhal, 1839 ^c
- [Eugnamptus sumatranensis](#) Legalov, 2007 ^c
- [Eugnamptus suturalis](#) Sharp, 1889 ^c
- [Eugnamptus tahorinensis](#) Voss, 1922 ^c
- [Eugnamptus taihorinensis](#) Voss, 1941 ^c
- [Eugnamptus tenuicollis](#) Pascoe, 1885 ^c
- [Eugnamptus tessellatus](#) Voss, 1941 ^c
- [Eugnamptus testaceipennis](#) Voss, 1941 ^c
- [Eugnamptus testaceus](#) Pierce, 1910 ^c
- [Eugnamptus tibialis](#) Sharp, 1889 ^c
- [Eugnamptus trinotatus](#) Voss, 1941 ^c
- [Eugnamptus tropicus](#) Kirsch, 1874 ^c
- [Eugnamptus truncatus](#) Sharp, 1889 ^c
- [Eugnamptus tucumanensis](#) Voss, 1957 ^c
- [Eugnamptus validus](#) Sharp, 1889 ^c
- [Eugnamptus variabilis](#) Voss, 1945 ^c
- [Eugnamptus varicolor](#) Voss, 1941 ^c
- [Eugnamptus varius](#) Sharp, 1889 ^c
- [Eugnamptus vicinus](#) Voss, 1941 ^c
- [Eugnamptus vietnamensis](#) Legalov, 2003 ^c
- [Eugnamptus violaceiceps](#) Voss, 1939 ^c
- [Eugnamptus viridiana](#) Voss, 1941 ^c
- [Eugnamptus viridirostris](#) Voss, 1924 ^c
- [Eugnamptus yunnanensis](#) Voss, 1941 ^c
- [Eugnamptus zhejiangensis](#) Legalov, 2003 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

References

1.
 - ["Eugnamptus Report"](#). Integrated Taxonomic Information System. Retrieved 2018-04-20.
 - ["Browse Eugnamptus"](#). Catalogue of Life. Retrieved 2018-04-20.
 - ["Eugnamptus"](#). GBIF. Retrieved 2018-04-20.
 -
4. ["Eugnamptus Genus Information"](#). BugGuide.net. Retrieved 2018-04-20.

Categories:

- [Attelabidae](#)
- [Lists of insect species](#)
-

This is a list of selected species within the genus [Eucera](#). It does not include species from the former genera *Tetraloniella*, *Peponapis*, *Syntrichalonia*, *Cemolobus*, *Xenoglossodes* or *Xenoglossa*.

- [Eucera acerba](#) (Cresson, 1879)
- [Eucera actiosa](#) (Cresson, 1878)
- [Eucera aequata](#) Vachal, 1907
- [Eucera afghana](#) Tkalcu, 1978
- [Eucera albescens](#) (Timberlake, 1969)
- [Eucera alborufa](#) (Radoszkowski, 1872)
- [Eucera alfkeni](#) Risch, 2003
- [Eucera algeriensis](#) Dalla Torre, 1896
- [Eucera algira](#) Brullé, 1840
- [Eucera alopex](#) Risch, 1999
- [Eucera alternans](#) (Brullé, 1832)
- [Eucera amoena](#) (Zavortink, 1982)
- [Eucera amsinckiae](#) (Timberlake, 1969)
- [Eucera andreui](#) (Dusmet y Alonso, 1926)
- [Eucera angustifrons](#) (Timberlake, 1969)
- [Eucera arachosiae](#) Tkalcu, 1978
- [Eucera aragalli](#) (Cockerell, 1904)
- [Eucera argyrophila](#) (Cockerell, 1909)
- [Eucera armeniaca](#) (Morawitz, 1878)
- [Eucera atrata](#) Klug, 1845
- [Eucera atricornis](#) Fabricius, 1793

- [*Eucera atriventris*](#) (Smith, 1854)
- [*Eucera atroalba*](#) (Pérez, 1895)
- [*Eucera bakeri*](#) (Timberlake, 1973)
- [*Eucera barbiventris*](#) Pérez, 1902
- [*Eucera basizona*](#) (Spinola, 1839)
- [*Eucera belfragei*](#) (Cresson, 1872)
- [*Eucera bidentata*](#) Pérez, 1887
- [*Eucera birkmanniella*](#) (Cockerell, 1906)
- [*Eucera biscrensis*](#) (Alfken, 1933)
- [*Eucera brevitarsis*](#) Risch, 1997
- [*Eucera caeruleascens*](#) Friese, 1899
- [*Eucera californica*](#) (Cresson, 1878)
- [*Eucera carinata*](#) (Timberlake, 1961)
- [*Eucera carolinensis*](#) Dalla Torre, 1896
- [*Eucera caspica*](#) Morawitz, 1873
- [*Eucera cassandra*](#) Nurse, 1904
- [*Eucera cercidis*](#) (Timberlake, 1969)
- [*Eucera chinensis*](#) (Smith, 1854)
- [*Eucera chrysobotryae*](#) (Cockerell, 1908)
- [*Eucera chrysophila*](#) (Cockerell, 1914)
- [*Eucera chrysopyga*](#) Pérez, 1879
- [*Eucera cineraria*](#) Eversmann, 1852
- [*Eucera cinerea*](#) Lepeletier, 1841
- [*Eucera cinnamomea*](#) Alfken, 1935
- [*Eucera clypeata*](#) Erichson, 1835
- [*Eucera codinai*](#) Dusmet y Alonso, 1926
- [*Eucera collaris*](#) Dours, 1873
- [*Eucera commixta*](#) Dalla Torre & Friese, 1895
- [*Eucera conditi*](#) (Timberlake, 1969)
- [*Eucera conformis*](#) (Timberlake, 1969)
- [*Eucera cordleyi*](#) (Viereck, 1905)
- [*Eucera cuniculina*](#) Klug, 1845
- [*Eucera curvitaris*](#) Mocsáry, 1879
- [*Eucera cypria*](#) Alfken, 1933
- [*Eucera dalmatica*](#) Lepeletier, 1841
- [*Eucera deceptrix*](#) Smith, 1879
- [*Eucera decipiens*](#) Alfken, 1935
- [*Eucera decolorata*](#) Gribodo, 1924
- [*Eucera delphinii*](#) (Timberlake, 1969)
- [*Eucera diana*](#) Nurse, 1904
- [*Eucera digitata*](#) Friese, 1896
- [*Eucera dimidiata*](#) Brullé, 1832

- [*Eucera discoidalis*](#) Morawitz, 1878
- [*Eucera distincta*](#) Lepeletier, 1841
- [*Eucera distinguenda*](#) (Morawitz, 1875)
- [*Eucera dorsata*](#) (Timberlake, 1969)
- [*Eucera douglasiana*](#) (Cockerell, 1906)
- [*Eucera doursana*](#) Dalla Torre & Friese, 1894
- [*Eucera dubitata*](#) (Cresson, 1878)
- [*Eucera ebmeri*](#) Risch, 1999
- [*Eucera edwardsii*](#) (Cresson, 1878)
- [*Eucera elongatula*](#) Vachal, 1907
- [*Eucera eucnemidea*](#) Dours, 1873
- [*Eucera excisa*](#) Mocsáry, 1879
- [*Eucera fasciata*](#) Risch, 1999
- [*Eucera fasciatella*](#) Lepeletier, 1841
- [*Eucera fedtschenkoi*](#) Dalla Torre, 1896
- [*Eucera ferghanica*](#) Morawitz, 1875
- [*Eucera ferruginea*](#) Lepeletier, 1841
- [*Eucera flavicornis*](#) Risch, 2003
- [*Eucera floralia*](#) (Smith, 1854)
- [*Eucera frater*](#) (Cresson, 1878)
- [*Eucera friesei*](#) Risch, 2003
- [*Eucera fulvitaris*](#) (Cresson, 1878)
- [*Eucera fulviventris*](#) (Smith, 1854)
- [*Eucera fulvohirta*](#) (Cresson, 1878)
- [*Eucera furfurea*](#) Vachal, 1907
- [*Eucera gaullei*](#) Vachal, 1907
- [*Eucera genovefae*](#) Vachal, 1907
- [*Eucera gracilipes*](#) Pérez, 1895
- [*Eucera graeca*](#) Radoszkowski, 1876
- [*Eucera grandis*](#) (Fonscolombe, 1846)
- [*Eucera hamata*](#) (Bradley, 1942)
- [*Eucera helvola*](#) Klug, 1845
- [*Eucera hermoni*](#) Risch, 2003
- [*Eucera hirsuta*](#) Morawitz, 1875
- [*Eucera hirsutissima*](#) (Cockerell, 1916)
- [*Eucera hispaliensis*](#) Pérez, 1902
- [*Eucera hispana*](#) Lepeletier, 1841
- [*Eucera hungarica*](#) Friese, 1896
- [*Eucera hurdi*](#) (Timberlake, 1969)
- [*Eucera ignota*](#) (Timberlake, 1969)
- [*Eucera illinoensis*](#) (Robertson, 1902)
- [*Eucera interrupta*](#) Bär, 1850

- [*Eucera jacoti*](#) (Cockerell, 1930)
- [*Eucera kilikiae*](#) Risch, 1999
- [*Eucera kullenbergi*](#) Tkalcu, 1978
- [*Eucera kyrenaica*](#) Friese, 1923
- [*Eucera lanata*](#) Sitdikov, 1988
- [*Eucera lanuginosa*](#) Klug, 1845
- [*Eucera latipes*](#) Risch, 1997
- [*Eucera laxiscopa*](#) Alfken, 1935
- [*Eucera lepida*](#) (Cresson, 1878)
- [*Eucera longicornis*](#) (Linnaeus, 1758)
- [*Eucera lucasi*](#) (Gribodo, 1893)
- [*Eucera lunata*](#) (Timberlake, 1969)
- [*Eucera lutziana*](#) (Cockerell, 1933)
- [*Eucera lycii*](#) (Cockerell, 1897)
- [*Eucera maroccana*](#) (Dusmet y Alonso, 1928)
- [*Eucera mastrucata*](#) (Morawitz, 1875)
- [*Eucera matalae*](#) Tkalcu, 2003
- [*Eucera mauritaniae*](#) Tkalcu, 1984
- [*Eucera maxima*](#) Tkalcu, 1987
- [*Eucera mediterranea*](#) Friese, 1896
- [*Eucera melanocephala*](#) Morawitz, 1875
- [*Eucera metallescens*](#) (Morawitz, 1888)
- [*Eucera microsoma*](#) Cockerell, 1922
- [*Eucera minulla*](#) Risch, 2003
- [*Eucera mohavensis*](#) (Timberlake, 1969)
- [*Eucera monozona*](#) (Timberlake, 1969)
- [*Eucera monticola*](#) Risch, 2003
- [*Eucera moricei*](#) Alfken, 1935
- [*Eucera nigrescens*](#) Pérez, 1879
- [*Eucera nigrifacies*](#) Lepeletier, 1841
- [*Eucera nigrilabris*](#) Lepeletier, 1841[1]
- [*Eucera nigripes*](#) Klug, 1845
- [*Eucera nigrita*](#) Friese, 1895
- [*Eucera nipponensis*](#) (Pérez, 1911)[2]
- [*Eucera nitidiventris*](#) Mocsáry, 1879
- [*Eucera notata*](#) Lepeletier, 1841
- [*Eucera numida*](#) Lepeletier, 1841
- [*Eucera obliterata*](#) Pérez, 1896
- [*Eucera occidentalis*](#) Risch, 1999
- [*Eucera oraniensis*](#) Lepeletier, 1841
- [*Eucera oreophila*](#) Risch, 2003
- [*Eucera pagosana*](#) (Cockerell, 1925)

- [*Eucera palaestinae*](#) Friese, 1922[3]
- [*Eucera pallidihirta*](#) (Timberlake, 1969)
- [*Eucera pannonica*](#) Mocsáry, 1878
- [*Eucera paraclypeata*](#) Sitdikov, 1988
- [*Eucera parnassia*](#) Pérez, 1902
- [*Eucera pedata*](#) Dours, 1873
- [*Eucera pekingensis*](#) Yasumatsu, 1946
- [*Eucera penicillata*](#) Risch, 1997
- [*Eucera phaceliae*](#) (Cockerell, 1911)
- [*Eucera pici*](#) Vachal, 1907
- [*Eucera pitalomasa*](#) (Dover, 1925)
- [*Eucera polita*](#) Pérez, 1895
- [*Eucera pollinaris*](#) (Kirby, 1802)
- [*Eucera pomeranzevii*](#) (Morawitz, 1888)
- [*Eucera pomona*](#) Nurse, 1904
- [*Eucera popovi*](#) Sitdikov, 1988
- [*Eucera primiveris*](#) (Timberlake, 1969)
- [*Eucera pseudeucnemidea*](#) Risch, 1997
- [*Eucera pulveracea*](#) Dours, 1873
- [*Eucera punctatissima*](#) Pérez, 1895
- [*Eucera puncticollis*](#) Morawitz, 1876
- [*Eucera punctissima*](#) de Gaulle, 1908
- [*Eucera punctulata*](#) Alfken, 1942
- [*Eucera pusilla*](#) Morawitz, 1875
- [*Eucera pythagoras*](#) Risch, 2003
- [*Eucera quadricincta*](#) (Timberlake, 1969)
- [*Eucera quilisi*](#) (Dusmet y Alonso, 1926)
- [*Eucera rosae*](#) (Robertson, 1900)
- [*Eucera ruficollis*](#) (Brullé, 1832)
- [*Eucera rufipes*](#) Smith, 1879
- [*Eucera salamita*](#) Vachal, 1907
- [*Eucera seminuda*](#) Brullé, 1832
- [*Eucera serraticornis*](#) Risch, 1999
- [*Eucera sociabilis*](#) Smith, 1873
- [*Eucera sogdiana*](#) Morawitz, 1875
- [*Eucera spatulata*](#) Gribodo, 1893
- [*Eucera speciosa*](#) (Cresson, 1878)
- [*Eucera spectabilis*](#) (Morawitz, 1875)
- [*Eucera speculifer*](#) Pérez, 1911
- [*Eucera spinipes*](#) Risch, 2003
- [*Eucera spurcatipes*](#) Pérez, 1911
- [*Eucera squamosa*](#) Lepeletier, 1841

- [*Eucera stretchii*](#) (Cresson, 1878)
- [*Eucera suavis*](#) (Cresson, 1878)
- [*Eucera subrufa*](#) Lepeletier, 1841
- [*Eucera syriaca*](#) Dalla Torre, 1896
- [*Eucera taurica*](#) Morawitz, 1871
- [*Eucera tegularis*](#) Morawitz, 1875
- [*Eucera territella*](#) (Cockerell, 1909)
- [*Eucera texana*](#) (Timberlake, 1969)
- [*Eucera thoracica*](#) Spinola, 1839
- [*Eucera tibialis*](#) Morawitz, 1875
- [*Eucera transitoria*](#) (Morawitz, 1875)
- [*Eucera tricincta*](#) Erichson, 1835
- [*Eucera tricinctella*](#) (Timberlake, 1969)
- [*Eucera troglodytes*](#) Risch, 2003
- [*Eucera truttiae*](#) (Cockerell, 1905)
- [*Eucera tuberculata*](#) (Fabricius, 1793)
- [*Eucera turcomannica*](#) (Morawitz, 1880)
- [*Eucera vachali*](#) Pérez, 1895
- [*Eucera velutina*](#) (Morawitz, 1873)
- [*Eucera venusta*](#) (Timberlake, 1961)
- [*Eucera vernalis*](#) (Morawitz, 1875)
- [*Eucera vicina*](#) (Morawitz, 1876)
- [*Eucera vidua*](#) Lepeletier, 1841
- [*Eucera virgata*](#) (Cockerell, 1905)
- [*Eucera vittulata*](#) Noskiewicz, 1934
- [*Eucera vulpes*](#) Brullé, 1832
- [*Eucera warnckei*](#) Risch, 1999
- [*Eucera yunnanensis*](#) (Wu, 2000)
- [*Eucera zeta*](#) Dalla Torre, 1896
- [*Eucera zonata*](#) (Timberlake, 1969)

This is a list of 204 species in [*Eubulus*](#), a genus of hidden snout weevils in the family [*Curculionidae*](#).^[1]
^[2]^[3]^[4]

***Eubulus* species**

- [*Eubulus acuminatus*](#) Fiedler, 1954^C
- [*Eubulus albicollis*](#) Fiedler, 1954^C

- [Eubulus albifrons](#) Fiedler, 1939 ^C
- [Eubulus albocucullatus](#) Fiedler, 1952 ^C
- [Eubulus albopectus](#) Fiedler, 1954 ^C
- [Eubulus albopictus](#) Fiedler, 1939 ^C
- [Eubulus albovittatus](#) Fiedler, 1954 ^C
- [Eubulus alticarinatus](#) Champion, 1905 ^C
- [Eubulus altifrons](#) Fiedler, 1939 ^C
- [Eubulus amazonus](#) Fiedler, 1954 ^C
- [Eubulus angularis](#) Champion, 1905 ^C
- [Eubulus annulatus](#) Fiedler, 1939 ^C
- [Eubulus annulifer](#) Champion, 1905 ^C
- [Eubulus aspericollis](#) Kirsch, 1869 ^C
- [Eubulus atricollis](#) Champion, 1905 ^C
- [Eubulus atrodiscus](#) Champion, 1905 ^C
- [Eubulus basirubescens](#) Fiedler, 1952 ^C
- [Eubulus biangularis](#) Champion, 1905 ^C
- [Eubulus bicolor](#) Fiedler, 1939 ^C
- [Eubulus bicuspis](#) Champion, 1905 ^C
- [Eubulus bidentatus](#) Champion, 1905 ^C
- [Eubulus bifasciculatus](#) Champion, 1905 ^C
- [Eubulus bihamatus](#) Champion, 1905 ^C
- [Eubulus biplagiatus](#) Champion, 1905 ^C
- [Eubulus bisignatifrons](#) Papp, 1979 ^C
- [Eubulus bisignatus](#) (Say, 1831) ^{i c g b}
- [Eubulus boliviensis](#) Hustache, 1924 ^C
- [Eubulus brevifasciatus](#) Fiedler, 1954 ^C
- [Eubulus brevis](#) Champion, 1905 ^C
- [Eubulus bruchi](#) Hustache, 1926 ^C
- [Eubulus camelus](#) Champion, 1905 ^C
- [Eubulus campestris](#) Champion, 1905 ^C
- [Eubulus canaliculatus](#) Fiedler, 1939 ^C
- [Eubulus carinifrons](#) Champion, 1905 ^C
- [Eubulus cerviniventris](#) Fiedler, 1939 ^C
- [Eubulus cervinopunctatus](#) Fiedler, 1954 ^C
- [Eubulus cinctellus](#) Kirsch, 1869 ^C
- [Eubulus circumductus](#) Champion, 1905 ^C

- [*Eubulus circumlitus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus clavatopilosus*](#) Fiedler, 1952 [Ⓒ]
- [*Eubulus clavatus*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus coecus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus confusus*](#) Wibmer & O'Brien, 1986 [Ⓒ]
- [*Eubulus consanguineus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus convexipennis*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus coronatus*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus costatus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus costicollis*](#) Voss, 1947 [Ⓒ]
- [*Eubulus crassisetis*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus crinitus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus crispus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus cristula*](#) Champion, 1910 [Ⓒ]
- [*Eubulus curvifasciatus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus deceptor*](#) Champion, 1905 [Ⓒ]
- [*Eubulus densus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus diadematus*](#) Fiedler, 1954 [Ⓒ]
- [*Eubulus diaspis*](#) Champion, 1905 [Ⓒ]
- [*Eubulus discoideus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus dissecatus*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus diversipes*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus dumicola*](#) Champion, 1905 [Ⓒ]
- [*Eubulus ectypus*](#) Fiedler, 1952 [Ⓒ]
- [*Eubulus elongatus*](#) Hustache, 1924 [Ⓒ]
- [*Eubulus extensus*](#) Fiedler, 1954 [Ⓒ]
- [*Eubulus extraneus*](#) Fiedler, 1952 [Ⓒ]
- [*Eubulus fasciculaticollis*](#) Fiedler, 1954 [Ⓒ]
- [*Eubulus figuratus*](#) Voss, 1954 [Ⓒ]
- [*Eubulus filicornis*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus flavosparsus*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus flavovariegatus*](#) Champion, 1905 [Ⓒ]
- [*Eubulus foveirostris*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus fraternus*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus fulvescens*](#) Fiedler, 1939 [Ⓒ]
- [*Eubulus fulvicolor*](#) Fiedler, 1939 [Ⓒ]

- [*Eubulus fulvipes*](#) Fiedler, 1954 ^C
- [*Eubulus fulvisquamis*](#) Champion, 1905 ^C
- [*Eubulus fulvodiscus*](#) Champion, 1905 ^C
- [*Eubulus fulvopallidus*](#) Fiedler, 1939 ^C
- [*Eubulus fulvus*](#) Fiedler, 1939 ^C
- [*Eubulus gibbicollis*](#) Fiedler, 1954 ^C
- [*Eubulus gonocnemis*](#) Fiedler, 1954 ^C
- [*Eubulus gracilicornis*](#) Champion, 1905 ^C
- [*Eubulus granipennis*](#) Fiedler, 1939 ^C
- [*Eubulus granulatus*](#) Fiedler, 1939 ^C
- [*Eubulus haenschi*](#) Fiedler, 1954 ^C
- [*Eubulus hirsutus*](#) Fiedler, 1939 ^C
- [*Eubulus hirtus*](#) Fiedler, 1939 ^C
- [*Eubulus hospes*](#) Champion, 1905 ^C
- [*Eubulus hustachei*](#) Fiedler, 1954 ^C
- [*Eubulus ignifer*](#) Champion, 1905 ^C
- [*Eubulus imbricatus*](#) Fiedler, 1939 ^C
- [*Eubulus immarginatus*](#) Champion, 1905 ^C
- [*Eubulus impar*](#) Fiedler, 1939 ^C
- [*Eubulus inaequalis*](#) Champion, 1905 ^C
- [*Eubulus incrassatus*](#) Fiedler, 1939 ^C
- [*Eubulus incretus*](#) Fiedler, 1939 ^C
- [*Eubulus integer*](#) Champion, 1905 ^C
- [*Eubulus irrubescens*](#) Champion, 1905 ^C
- [*Eubulus lamellatus*](#) Champion, 1905 ^C
- [*Eubulus latefasciatus*](#) Fiedler, 1954 ^C
- [*Eubulus lateralis*](#) Fiedler, 1939 ^C
- [*Eubulus latevittatus*](#) Fiedler, 1954 ^C
- [*Eubulus laticollis*](#) Champion, 1905 ^C
- [*Eubulus leucopleura*](#) Champion, 1905 ^C
- [*Eubulus lineatipleura*](#) Champion, 1905 ^C
- [*Eubulus lineatulus*](#) Champion, 1905 ^C
- [*Eubulus longipes*](#) Champion, 1905 ^C
- [*Eubulus longisetis*](#) Champion, 1905 ^C
- [*Eubulus lugubris*](#) Fiedler, 1939 ^C
- [*Eubulus lunatus*](#) Hustache, 1932 ^C

- [*Eubulus maculicollis*](#) Fiedler, 1939 ^C
- [*Eubulus maculifrons*](#) Champion, 1905 ^C
- [*Eubulus marcidus*](#) Champion, 1905 ^C
- [*Eubulus marginatus*](#) Champion, 1905 ^C
- [*Eubulus melanodiscus*](#) Champion, 1905 ^C
- [*Eubulus melanotus*](#) Champion, 1905 ^C
- [*Eubulus melanurus*](#) Fiedler, 1939 ^g
- [*Eubulus miniatus*](#) Kuschel, 1950 ^C
- [*Eubulus misellus*](#) Champion, 1905 ^C
- [*Eubulus miser*](#) Champion, 1905 ^C
- [*Eubulus modestus*](#) Fiedler, 1954 ^C
- [*Eubulus moerens*](#) Champion, 1905 ^C
- [*Eubulus moestus*](#) Fiedler, 1939 ^C
- [*Eubulus monachus*](#) Hustache, 1936 ^C
- [*Eubulus multicostatus*](#) Fiedler, 1939 ^C
- [*Eubulus multisignatus*](#) Fiedler, 1939 ^g
- [*Eubulus munitus*](#) Kirsch, 1869 ^C
- [*Eubulus mutatus*](#) Champion, 1905 ^C
- [*Eubulus nigricollis*](#) Champion, 1905 ^C
- [*Eubulus nigrinus*](#) Fiedler, 1954 ^C
- [*Eubulus nigrocordatus*](#) Fiedler, 1939 ^C
- [*Eubulus nigrodiscus*](#) Champion, 1905 ^C
- [*Eubulus nigronotatus*](#) Hustache, 1924 ^C
- [*Eubulus nigroplagiatus*](#) Fiedler, 1954 ^C
- [*Eubulus nigrosignatus*](#) Champion, 1905 ^C
- [*Eubulus nimbatus*](#) Champion, 1905 ^C
- [*Eubulus niveipictus*](#) Hustache, 1940 ^C
- [*Eubulus niveopictus*](#) Fiedler, 1939 ^C
- [*Eubulus nodulosus*](#) Fiedler, 1939 ^C
- [*Eubulus notaticollis*](#) Fiedler, 1939 ^C
- [*Eubulus obliquefasciatus*](#) ^b
- [*Eubulus ocellatus*](#) Champion, 1905 ^C
- [*Eubulus olivaceus*](#) Fiedler, 1939 ^C
- [*Eubulus opacus*](#) Fiedler, 1939 ^C
- [*Eubulus orthomasticus*](#) Kirsch, 1869 ^C
- [*Eubulus ovalis*](#) Fiedler, 1939 ^C

- [Eubulus ovatellus](#) Fiedler, 1954 ^C
- [Eubulus paranaensis](#) Fiedler, 1954 ^C
- [Eubulus parilis](#) Fiedler, 1954 ^C
- [Eubulus parochus](#) (Herbst, 1797) ^{i c g b}
- [Eubulus perforatus](#) Fiedler, 1939 ^C
- [Eubulus persimilis](#) Fiedler, 1939 ^C
- [Eubulus pilipectus](#) Champion, 1905 ^C
- [Eubulus piluliformis](#) Fiedler, 1954 ^C
- [Eubulus plagiatus](#) Fiedler, 1939 ^C
- [Eubulus planifrons](#) Fiedler, 1939 ^C
- [Eubulus pleurostigma](#) Champion, 1905 ^C
- [Eubulus praestabilis](#) Fiedler, 1954 ^C
- [Eubulus protensus](#) Fiedler, 1939 ^C
- [Eubulus pulchellus](#) Champion, 1905 ^C
- [Eubulus punctifrons](#) Champion, 1905 ^C
- [Eubulus pygmaeus](#) Fiedler, 1954 ^C
- [Eubulus quadricollis](#) Champion, 1905 ^C
- [Eubulus quatuordecimcostatus](#) Fiedler, 1939 ^C
- [Eubulus reticollis](#) Fiedler, 1954 ^C
- [Eubulus reticulatus](#) Champion, 1905 ^C
- [Eubulus rhomboidalis](#) Fiedler, 1939 ^C
- [Eubulus romani](#) Fiedler, 1939 ^C
- [Eubulus rudis](#) Fiedler, 1954 ^C
- [Eubulus rugifrons](#) Fiedler, 1939 ^C
- [Eubulus sagittarius](#) Fiedler, 1952 ^C
- [Eubulus sellatus](#) Fiedler, 1954 ^C
- [Eubulus semifasciatus](#) Fiedler, 1939 ^C
- [Eubulus seminiger](#) Champion, 1905 ^C
- [Eubulus serius](#) Champion, 1905 ^C
- [Eubulus signaticollis](#) Champion, 1905 ^C
- [Eubulus signatifrons](#) Champion, 1905 ^C
- [Eubulus silaceus](#) Fiedler, 1939 ^C
- [Eubulus simplicifrons](#) Fiedler, 1939 ^C
- [Eubulus singularis](#) Fiedler, 1954 ^C
- [Eubulus sparsifrons](#) Fiedler, 1939 ^C
- [Eubulus sparsipes](#) Fiedler, 1939 ^C

- [*Eubulus squamipennis*](#) Champion, 1905 ^c
- [*Eubulus stipator*](#) Hustache, 1936 ^c
- [*Eubulus stipulator*](#) Kirsch, 1869 ^c
- [*Eubulus stramineus*](#) Fiedler, 1939 ^c
- [*Eubulus subovalis*](#) Fiedler, 1939 ^c
- [*Eubulus subrhombeus*](#) Fiedler, 1952 ^c
- [*Eubulus tenuicornis*](#) Fiedler, 1954 ^c
- [*Eubulus tenuifasciatus*](#) Fiedler, 1939 ^c
- [*Eubulus tenuivittatus*](#) Fiedler, 1954 ^c
- [*Eubulus tessellatus*](#) Blatchley & Leng, 1916 ^c
- [*Eubulus tetricus*](#) Champion, 1905 ^c
- [*Eubulus theobromae*](#) Wibmer & O'Brien, 1986 ^c
- [*Eubulus thoracicus*](#) Hustache, 1930 ^c
- [*Eubulus tigrensis*](#) Hustache, 1939 ^c
- [*Eubulus triangularis*](#) Kirsch, 1869 ^c
- [*Eubulus trigonalis*](#) Champion, 1905 ^c
- [*Eubulus truncatellus*](#) Fiedler, 1954 ^c
- [*Eubulus truncatus*](#) Champion, 1905 ^c
- [*Eubulus unidentatus*](#) Champion, 1905 ^c
- [*Eubulus variegatus*](#) Fiedler, 1939 ^c
- [*Eubulus variicollis*](#) Fiedler, 1939 ^c
- [*Eubulus virgatulus*](#) Marshall, 1933 ^c

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 145 species in [*Eubazus*](#), a genus of wasp in the family [*Braconidae*](#).^{[1][2][3]}

***Eubazus* species**

- [*Eubazus abieticola*](#) van Achterberg & Kenis, 2000 ^{c g}
- [*Eubazus aequator*](#) (Herrich-Schäffer, 1838) ^{c g}
- [*Eubazus aevenki*](#) Belokobylskij, 1994 ^{c g}
- [*Eubazus albicoxa*](#) Papp, 2005 ^{c g}
- [*Eubazus aliochinoi*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus antennalis*](#) Belokobylskij, 1994 ^{c g}

- [Eubazus atricornis](#) (Ashmead, 1889) ^{c g}
- [Eubazus atricoxa](#) Papp, 2005 ^{c g}
- [Eubazus augustinus](#) (Reinhard, 1867) ^{c g}
- [Eubazus azovicus](#) Tobias & Perepechayenko, 1992 ^{c g}
- [Eubazus bicolor](#) (Szepligeti, 1900) ^{c g}
- [Eubazus bicornis](#) (Martin, 1956) ^{c g}
- [Eubazus breviseta](#) (Snoflak, 1953) ^{c g}
- [Eubazus bucculentis](#) (Martin, 1956) ^{c g}
- [Eubazus calyptoides](#) (Martin, 1956) ^{c g}
- [Eubazus canadensis](#) (Provancher, 1881) ^c
- [Eubazus carinatus](#) (Nees, 1816) ^{c g}
- [Eubazus chinensis](#) (Watanabe, 1950) ^{c g}
- [Eubazus cingulatus](#) (Szepligeti, 1896) ^c
- [Eubazus claviventris](#) (Reinhard, 1867) ^c
- [Eubazus clypealis](#) Tobias, 1986 ^{c g}
- [Eubazus convexope](#) van Achterberg, 2000 ^{c g}
- [Eubazus corrugatus](#) (Reinhard, 1867) ^{c g}
- [Eubazus crabilli](#) (Martin, 1956) ^{c g}
- [Eubazus crassicornis](#) (Brues, 1933) ^{c g}
- [Eubazus crassigaster](#) (Provancher, 1886) ^{c g}
- [Eubazus cruentatus](#) (Reinhard, 1867) ^{c g}
- [Eubazus cserskii](#) Belokobylskij, 1998 ^{c g}
- [Eubazus cubiculus](#) Papp, 1998 ^{c g}
- [Eubazus curtis](#) Belokobylskij, 1998 ^{c g}
- [Eubazus danielssoni](#) Papp, 1999 ^{c g}
- [Eubazus debilis](#) Papp, 2005 ^{c g}
- [Eubazus definitus](#) (Muesebeck, 1957) ^{c g}
- [Eubazus denticlypealis](#) (Tobias, 1986) ^{c g}
- [Eubazus denticulatus](#) (Martin, 1956) ^{c g}
- [Eubazus destitutus](#) (Ratzeburg, 1848) ^{c g}
- [Eubazus discrepans](#) Papp, 2005 ^{c g}
- [Eubazus electus](#) (Muesebeck, 1957) ^{c g}
- [Eubazus elongatus](#) van Achterberg, 2000 ^{c g}
- [Eubazus eminens](#) Papp, 2005 ^{c g}
- [Eubazus eos](#) Belokobylskij, 1994 ^{c g}
- [Eubazus ernobii](#) (Muesebeck, 1957) ^{c g}

- [Eubazus evanidus](#) (Martin, 1956) ^{c g}
- [Eubazus exsertor](#) (Reinhard, 1867) ^{c g}
- [Eubazus fasciatus](#) (Nees, 1816) ^{c g}
- [Eubazus fiskei](#) (Rohwer, 1913) ^{c g}
- [Eubazus flavifacies](#) Belokobylskij, 1998 ^{c g}
- [Eubazus flavipes](#) (Haliday, 1835) ^{c g}
- [Eubazus frater](#) Papp, 2005 ^{c g}
- [Eubazus fuscipes](#) (Herrich-Schäffer, 1838) ^{c g}
- [Eubazus gallicus](#) (Reinhard, 1867) ^c
- [Eubazus gaullei](#) (Granger, 1949) ^{c g}
- [Eubazus gigas](#) (Fahringer, 1925) ^{c g}
- [Eubazus glabriclypealis](#) van Achterberg, 2000 ^{c g}
- [Eubazus gracilicornis](#) (Brues, 1939) ^{c g}
- [Eubazus heothinus](#) van Achterberg, 2000 ^{c g}
- [Eubazus indeprehensus](#) (Martin, 1956) ^{c g}
- [Eubazus interstitialis](#) (Ratzeburg, 1844) ^c
- [Eubazus involutus](#) Belokobylskij, 1998 ^{c g}
- [Eubazus iterabilis](#) Belokobylskij, 1998 ^{c g}
- [Eubazus janus](#) Belokobylskij, 1998 ^{c g}
- [Eubazus junctus](#) Belokobylskij, 1998 ^{c g}
- [Eubazus kedrovyi](#) Belokobylskij, 1998 ^{c g}
- [Eubazus lapponicus](#) (Thomson, 1892) ^{c g}
- [Eubazus latus](#) Belokobylskij, 1998 ^{c g}
- [Eubazus lepidus](#) (Haliday, 1835) ^{c g}
- [Eubazus longicauda](#) (Curtis, 1832) ^{c g}
- [Eubazus longicaudis](#) (Ratzeburg, 1844) ^{c g}
- [Eubazus longicaudus](#) (Provancher, 1886) ^{c g}
- [Eubazus longitempora](#) Papp, 2005 ^{c g}
- [Eubazus maacki](#) Belokobylskij, 1998 ^{c g}
- [Eubazus macrocephalus](#) Nees, 1812 ^{c g}
- [Eubazus macrurus](#) (Thomson, 1892) ^{c g}
- [Eubazus major](#) (Cresson, 1872) ^{c g}
- [Eubazus margaritovi](#) Belokobylskij, 1994 ^{c g}
- [Eubazus marginatus](#) (Martin, 1956) ^{c g}
- [Eubazus mexicanus](#) (Cresson, 1872) ^c
- [Eubazus micropilosus](#) Belokobylskij, 1998 ^{c g}

- [*Eubazus micus*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus minutus*](#) (Ratzeburg, 1848) ^{c g}
- [*Eubazus natalensis*](#) (Brues, 1926) ^c
- [*Eubazus nigricoxis*](#) (Wesmael, 1835) ^{c g}
- [*Eubazus nigripes*](#) (Reinhard, 1867) ^{c g}
- [*Eubazus nigroventralis*](#) van Achterberg, 2003 ^{c g}
- [*Eubazus normalis*](#) (Brues, 1923) ^{c g}
- [*Eubazus obtusus*](#) (Snoflak, 1953) ^{c g}
- [*Eubazus ochyrus*](#) van Achterberg, 2000 ^{c g}
- [*Eubazus olegi*](#) Belokobylskij, 1994 ^{c g}
- [*Eubazus orchesiae*](#) (Ashmead, 1889) ^{c g}
- [*Eubazus orientalis*](#) (Szepligeti, 1914) ^{c g}
- [*Eubazus pallipes*](#) Nees, 1812 ^{c g}
- [*Eubazus parvulus*](#) (Reinhard, 1867) ^c
- [*Eubazus patei*](#) (Martin, 1956) ^{c g}
- [*Eubazus phymatodis*](#) (Ashmead, 1889) ^{c g}
- [*Eubazus planifacialis*](#) van Achterberg, 2003 ^{c g}
- [*Eubazus punctatus*](#) (Ratzeburg, 1852) ^{c g}
- [*Eubazus punctifer*](#) van Achterberg, 2003 ^{c g}
- [*Eubazus pusillus*](#) (Brullé, 1832) ^{c g}
- [*Eubazus pygmaeus*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus regularis*](#) van Achterberg, 2000 ^{c g}
- [*Eubazus robustus*](#) (Ratzeburg, 1844) ^{c g}
- [*Eubazus rotundiceps*](#) (Cresson, 1872) ^{c g}
- [*Eubazus ruficoxis*](#) (Wesmael, 1835) ^{c g}
- [*Eubazus rufithorax*](#) (Abdinbekova, 1969) ^{c g}
- [*Eubazus rugosus*](#) (Ratzeburg, 1848) ^{c g}
- [*Eubazus rugulosus*](#) Papp, 2005 ^{c g}
- [*Eubazus salicicola*](#) (Muesebeck, 1957) ^{c g}
- [*Eubazus santacheza*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus satai*](#) (Watanabe, 1948) ^{c g}
- [*Eubazus sayi*](#) (Muesebeck & Walkley, 1951) ^{c g}
- [*Eubazus segmentatus*](#) (Marshall, 1889) ^{c g}
- [*Eubazus semicastaneus*](#) (Marshall, 1893) ^{c g}
- [*Eubazus semirugosus*](#) (Nees, 1816) ^{c g}
- [*Eubazus shishiniovae*](#) van Achterberg, 2000 ^{c g}

- [*Eubazus shufanicus*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus sibiricus*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus sigalphoides*](#) (Marshall, 1889) ^{c g}
- [*Eubazus simplex*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus sintuchae*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus sochiensis*](#) Tobias, 1976 ^{c g}
- [*Eubazus spasskii*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus stanleyi*](#) (Martin, 1956) ^{c g}
- [*Eubazus stictopleurus*](#) (Martin, 1956) ^{c g}
- [*Eubazus strigitergum*](#) (Cushman, 1930) ^{c g}
- [*Eubazus subvagus*](#) Tobias, 1986 ^{c g}
- [*Eubazus sudeticus*](#) (Snoflak, 1953) ^{c g}
- [*Eubazus taiga*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus tauricus*](#) Tobias, 1986 ^{c g}
- [*Eubazus teres*](#) Papp, 2005 ^{c g}
- [*Eubazus terminalis*](#) Belokobylskij, 1998 ^{c g}
- [*Eubazus testaceipes*](#) (Grese, 1928) ^{c g}
- [*Eubazus thoracicus*](#) (Ashmead, 1894) ^{c g}
- [*Eubazus tibialis*](#) (Haliday, 1835) ^{c g}
- [*Eubazus tomoxiae*](#) (Rohwer, 1915) ^{c g}
- [*Eubazus topali*](#) Papp, 2005 ^{c g}
- [*Eubazus tricoloripes*](#) van Achterberg, 2000 ^{c g}
- [*Eubazus tridentatus*](#) (Martin, 1956) ^{c g}
- [*Eubazus trilobatus*](#) (Say, 1836) ^{c g}
- [*Eubazus tumorulus*](#) Papp, 2005 ^{c g}
- [*Eubazus vagus*](#) (Reinhard, 1867) ^{c g}
- [*Eubazus venturii*](#) (Schrottky, 1902) ^{c g}
- [*Eubazus vitripennis*](#) (Herrich-Schäffer, 1838) ^{c g}
- [*Eubazus vladimiri*](#) Belokobylskij, 1994 ^{c g}
- [*Eubazus wilmattae*](#) (Brues, 1910) ^{c g}
- [*Eubazus zelinensis*](#) van Achterberg, 2000 ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

- 1.

- ["Browse Eubazus"](#). Catalogue of Life. Archived from [the original](#) on 2018-04-06. Retrieved 2018-04-05.
- ["Eubazus"](#). GBIF. Retrieved 2018-04-05.
- ["Eubazus Genus Information"](#). BugGuide.net. Retrieved 2018-04-05.
-
- 4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-05.

Categories:

- [Parasitoid wasps](#)
- [Lists of insect species](#)
- [Lists of Hymenoptera](#)
-

This is a list of 136 species in [Erythridula](#), a genus of leafhoppers in the family [Cicadellidae](#).^{[1][2][3]}

Erythridula species

- [Erythridula abolla](#) (McAtee, 1920) ^c ^g
- [Erythridula acicularis](#) (Beamer, 1932) ^c ^g
- [Erythridula acutalis](#) (Ross & DeLong, 1953) ^c ^g
- [Erythridula aenea](#) (Beamer, 1930) ^c ^g
- [Erythridula aesculella](#) (Ross & DeLong, 1953) ^c ^g
- [Erythridula afflicta](#) (Beamer, 1935) ^c ^g
- [Erythridula albescens](#) (Beamer, 1930) ^c ^g
- [Erythridula amabilis](#) (McAtee, 1924) ^c ^g
- [Erythridula ampla](#) (Knull, 1951) ^c ^g
- [Erythridula angularis](#) (Beamer, 1930) ^c ^g
- [Erythridula anomala](#) (Knull, 1946) ^c ^g
- [Erythridula apta](#) (Beamer, 1935) ^c ^g
- [Erythridula aspera](#) (Beamer & Griffith, 1935) ^c ^g
- [Erythridula atrimucronata](#) (Beamer, 1930) ^c ^g
- [Erythridula autenae](#) (Johnson, 1935) ^c ^g
- [Erythridula barbarae](#) (Hepner, 1978) ^c ^g
- [Erythridula beckiae](#) (Hepner, 1978) ^c ^g
- [Erythridula bicornis](#) (Beamer, 1930) ^c ^g

- [*Erythridula bitincta*](#) (McAtee, 1926) ^{c g b}
- [*Erythridula brundusa*](#) (Robinson, 1924) ^{c g b}
- [*Erythridula canadensis*](#) Dmitriev & Dietrich, 2009 ^{c g}
- [*Erythridula cauta*](#) (Beamer, 1935) ^{c g}
- [*Erythridula celebrata*](#) (Johnson, 1935) ^{c g}
- [*Erythridula clavata*](#) (DeLong, 1916) ^{c g b}
- [*Erythridula coarctata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula complicata*](#) (Johnson, 1935) ^{c g}
- [*Erythridula cornipes*](#) (Beamer, 1930) ^{c g}
- [*Erythridula cotidiana*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula crataegi*](#) (Johnson, 1935) ^{c g b}
- [*Erythridula crevecoeuri*](#) (Gillette, 1898) ^{c g b}
- [*Erythridula crossi*](#) (Hepner, 1976) ^{c g}
- [*Erythridula cruciformis*](#) (Beamer, 1930) ^{c g}
- [*Erythridula cuneata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula diffisa*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula divisa*](#) (McAtee, 1924) ^{c g b}
- [*Erythridula dolosa*](#) (Beamer & Griffith, 1935) ^{c g}
- [*Erythridula dorsalis*](#) ^b
- [*Erythridula dowelli*](#) (Beamer, 1932) ^{c g}
- [*Erythridula dunni*](#) (Hepner, 1976) ^{c g}
- [*Erythridula electa*](#) (McAtee, 1920) ^{c g}
- [*Erythridula eluta*](#) (McAtee, 1920) ^{c g}
- [*Erythridula enata*](#) (Knull, 1951) ^{c g}
- [*Erythridula falcata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula freta*](#) (Knull, 1951) ^{c g}
- [*Erythridula frisoni*](#) (Ross & DeLong, 1953) ^{c g}
- [*Erythridula fulvocephala*](#) (Robinson, 1924) ^{c g}
- [*Erythridula fumida*](#) (Gillette, 1898) ^{c g b}
- [*Erythridula funesta*](#) (Beamer, 1930) ^{c g}
- [*Erythridula furcillata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula gleditsia*](#) (Beamer, 1930) ^{c g}
- [*Erythridula hamata*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula harpax*](#) (Beamer, 1930) ^{c g}
- [*Erythridula haspata*](#) (Ross & DeLong, 1953) ^{c g}
- [*Erythridula herberti*](#) (Hepner, 1976) ^{c g}

- [*Erythridula idonea*](#) (Beamer, 1935) ^{c g}
- [*Erythridula ilicis*](#) (Ross, 1953) ^{c g}
- [*Erythridula inconspicua*](#) (Johnson, 1935) ^{c g}
- [*Erythridula infinita*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula insigna*](#) (Beamer & Griffith, 1935) ^{c g b}
- [*Erythridula intricata*](#) (Johnson, 1935) ^{c g}
- [*Erythridula jocosa*](#) (Beamer, 1935) ^{c g}
- [*Erythridula jonesi*](#) (Hepner, 1976) ^{c g}
- [*Erythridula juglandis*](#) (Knull & Auten, 1938) ^{c g}
- [*Erythridula juncea*](#) (Beamer, 1937) ^{c g}
- [*Erythridula kanza*](#) (Robinson, 1924) ^{c g b}
- [*Erythridula lasteri*](#) (Hepner, 1977) ^{c g}
- [*Erythridula lawsoniana*](#) (Baker, 1926) ^{c g}
- [*Erythridula lemnisca*](#) (McAtee, 1926) ^{c g}
- [*Erythridula lloydi*](#) (Hepner, 1977) ^{c g}
- [*Erythridula lucileae*](#) (Hepner, 1976) ^{c g}
- [*Erythridula lyratae*](#) (Ross & DeLong, 1953) ^{c g}
- [*Erythridula magnacalx*](#) (Beamer, 1930) ^{c g}
- [*Erythridula malleiformis*](#) (Beamer, 1930) ^{c g}
- [*Erythridula mansueta*](#) (Beamer, 1935) ^{c g}
- [*Erythridula martini*](#) (Hepner, 1976) ^{c g}
- [*Erythridula meridiana*](#) (Hepner, 1977) ^{c g}
- [*Erythridula minima*](#) (Johnson, 1935) ^{c g}
- [*Erythridula minuta*](#) (Johnson, 1935) ^{c g b}
- [*Erythridula modica*](#) (Beamer, 1930) ^{c g}
- [*Erythridula morrиси*](#) (Hepner, 1977) ^{c g}
- [*Erythridula nava*](#) (Beamer, 1935) ^{c g}
- [*Erythridula nigriphylla*](#) (Hepner, 1977) ^{c g}
- [*Erythridula nitida*](#) (Beamer, 1935) ^{c g b}
- [*Erythridula noeva*](#) (Gillette, 1898) ^{c g b}
- [*Erythridula nondescripta*](#) (Johnson, 1935) ^{c g}
- [*Erythridula normanti*](#) (Hepner, 1976) ^{c g}
- [*Erythridula obliqua*](#) (Say, 1825) ^{c g}
- [*Erythridula obvia*](#) (Beamer, 1930) ^{c g}
- [*Erythridula occidua*](#) (Beamer & Griffith, 1935) ^{c g}
- [*Erythridula ohioensis*](#) (Knull, 1945) ^{c g b}

- [*Erythridula parsonsi*](#) (Hepner, 1976) ^{c g}
- [*Erythridula parvispicata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula penelutea*](#) (Beamer, 1930) ^{c g}
- [*Erythridula penenoeva*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula penobliqua*](#) (Beamer, 1930) ^{c g}
- [*Erythridula perita*](#) (Beamer, 1935) ^{c g}
- [*Erythridula pfrimmeri*](#) (Hepner, 1977) ^{c g b}
- [*Erythridula planerae*](#) Dmitriev & Dietrich, 2009 ^{c g}
- [*Erythridula plena*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula praecisa*](#) (Knull, 1946) ^{c g b}
- [*Erythridula quadrata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula repleta*](#) (Johnson, 1935) ^{c g}
- [*Erythridula rhododendronae*](#) (Hepner, 1978) ^{c g}
- [*Erythridula rubens*](#) (Beamer, 1930) ^{c g}
- [*Erythridula rubrataeniensis*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula rubroscuta*](#) (Gillette, 1898) ^{c g}
- [*Erythridula rubrotincta*](#) (Johnson, 1935) ^{c g}
- [*Erythridula rufostigmosa*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula rugosae*](#) (Ross & DeLong, 1953) ^{c g}
- [*Erythridula sagittata*](#) (Beamer, 1930) ^{c g}
- [*Erythridula scissa*](#) (Beamer, 1930) ^{c g}
- [*Erythridula scythia*](#) (Auten & Johnson, 1936) ^{c g}
- [*Erythridula similalis*](#) (Ross & DeLong, 1953) ^{c g b}
- [*Erythridula sincera*](#) (Johnson, 1935) ^{c g}
- [*Erythridula sinua*](#) (Johnson, 1935) ^{c g}
- [*Erythridula spatulata*](#) (Beamer, 1930) ^c
- [*Erythridula spearca*](#) (Johnson & Auten, 1936) ^{c g}
- [*Erythridula stolata*](#) (McAtee, 1920) ^{c g b}
- [*Erythridula stylata*](#) (Johnson, 1935) ^{c g}
- [*Erythridula tenebrosa*](#) (Knull, 1946) ^{c g b}
- [*Erythridula tenuispica*](#) (Beamer, 1930) ^{c g}
- [*Erythridula tolerata*](#) (Knull, 1951) ^{c g}
- [*Erythridula torva*](#) (Beamer, 1935) ^{c g}
- [*Erythridula tridens*](#) (Beamer, 1930) ^{c g}
- [*Erythridula ulmalatae*](#) (Ross & DeLong, 1953) ^{c g}
- [*Erythridula ulmosa*](#) (Ross & DeLong, 1953) ^{c g b}

- [*Erythridula unicuspidis*](#) (Beamer, 1930) ^{c g}
- [*Erythridula varia*](#) (McAtee, 1920) ^{c g}
- [*Erythridula verdana*](#) (Ross & DeLong, 1953) ^{c g b}
- [*Erythridula victorialis*](#) (Knull, 1946) ^{c g}
- [*Erythridula vinaria*](#) (Beamer, 1930) ^{c g}
- [*Erythridula volucris*](#) (Beamer, 1930) ^{c g b}
- [*Erythridula whitti*](#) (Hepner, 1976) ^{c g}
- [*Erythridula wyatti*](#) Dmitriev & Dietrich, 2009 ^{c g}
- [*Erythridula wysongi*](#) (Ross & DeLong, 1953) ^{c g}
- [*Erythridula zephyr*](#) (Ross & DeLong, 1953) ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

This is a list of 197 species in [*Eratoneura*](#), a genus of leafhoppers in the family [*Cicadellidae*](#).^{[1][2][3]}

***Eratoneura* species**

- [*Eratoneura abjecta*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura acantha*](#) (Ross & DeLong, 1950) ^{c g b}
- [*Eratoneura accita*](#) (Knull, 1954) ^{c g}
- [*Eratoneura accola*](#) (McAtee, 1920) ^{c g}
- [*Eratoneura aculeata*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura adunca*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura aesculi*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura affinis*](#) (Fitch, 1851) ^{c g b}
- [*Eratoneura alicia*](#) (Ross, 1957) ^{c g}
- [*Eratoneura alloplana*](#) (Ross, 1956) ^{c g}
- [*Eratoneura amethica*](#) (Ross, 1957) ^{c g}
- [*Eratoneura andersoni*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura anseri*](#) (Hepner, 1966) ^{c g}
- [*Eratoneura ardens*](#) (McAtee, 1920) ^{c g b}
- [*Eratoneura arenosa*](#) (Ross & DeLong, 1950) ^{c g}
- [*Eratoneura arpegia*](#) (Ross, 1957) ^{c g b}
- [*Eratoneura arta*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura ballista*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura basilaris*](#) (Say, 1825) ^{c g b}

- [Eratoneura beeri](#) (Hepner, 1972) ^{c g b}
- [Eratoneura bella](#) (McAtee, 1920) ^{c g b}
- [Eratoneura betulae](#) Dmitriev & Dietrich, 2010 ^{c g}
- [Eratoneura bifida](#) (Beamer, 1931) ^{c g}
- [Eratoneura bigemina](#) (McAtee, 1920) ^{c g b}
- [Eratoneura biramosa](#) (Beamer, 1941) ^{c g}
- [Eratoneura bispinosa](#) (Beamer, 1931) ^{c g}
- [Eratoneura brevipes](#) (Beamer, 1931) ^{c g}
- [Eratoneura brooki](#) (Hepner, 1969) ^{c g}
- [Eratoneura calamitosa](#) (Beamer, 1931) ^{c g}
- [Eratoneura campora](#) (Robinson, 1924) ^{c g}
- [Eratoneura carmini](#) (Beamer, 1929) ^{c g b}
- [Eratoneura cera](#) (Hepner, 1966) ^{c g}
- [Eratoneura certa](#) (Beamer, 1932) ^{c g}
- [Eratoneura citrosa](#) (Ross, 1956) ^{c g}
- [Eratoneura clara](#) (Beamer, 1932) ^{c g}
- [Eratoneura claroides](#) (Hepner, 1967) ^{c g}
- [Eratoneura clavipes](#) (Beamer, 1931) ^{c g}
- [Eratoneura comoides](#) (Ross & DeLong, 1953) ^{c g b}
- [Eratoneura concisa](#) (Beamer, 1931) ^{c g}
- [Eratoneura confirmata](#) (McAtee, 1924) ^{c g b}
- [Eratoneura continua](#) (Knull & Auten, 1937) ^{c g}
- [Eratoneura contracta](#) (Beamer, 1931) ^{c g}
- [Eratoneura corylorubra](#) (Knull, 1945) ^{c g}
- [Eratoneura coxi](#) (Ross & DeLong, 1950) ^{c g}
- [Eratoneura crinita](#) (Beamer, 1932) ^{c g}
- [Eratoneura cristata](#) (Knull, 1951) ^{c g}
- [Eratoneura curta](#) (Beamer, 1932) ^{c g}
- [Eratoneura curvata](#) (Beamer, 1931) ^{c g}
- [Eratoneura delongi](#) (Knull & Auten, 1937) ^{c g}
- [Eratoneura dimidiata](#) (Knull, 1949) ^{c g}
- [Eratoneura dira](#) (Beamer, 1931) ^{c g}
- [Eratoneura direpta](#) (Knull, 1949) ^{c g}
- [Eratoneura distincta](#) (Knull & Auten, 1937) ^{c g}
- [Eratoneura dumosa](#) (Beamer, 1932) ^{c g}
- [Eratoneura econa](#) (Ross, 1957) ^{c g}

- [Eratoneura ellisi](#) (Hepner, 1969) ^{c g}
- [Eratoneura emquuu](#) (Ross & DeLong, 1953) ^{c g}
- [Eratoneura era](#) (McAtee, 1920) ^{c g b}
- [Eratoneura eversi](#) (Ross & DeLong, 1953) ^{c g}
- [Eratoneura externa](#) (Beamer, 1931) ^{c g}
- [Eratoneura facota](#) (Beamer, 1932) ^{c g}
- [Eratoneura fausta](#) (Knull, 1951) ^{c g}
- [Eratoneura fergusonii](#) (Hepner, 1969) ^{c g}
- [Eratoneura firma](#) (Beamer, 1932) ^{c g}
- [Eratoneura flexibilis](#) (Knull, 1949) ^{c g}
- [Eratoneura forfex](#) (Beamer, 1932) ^{c g}
- [Eratoneura fulleri](#) (Hepner, 1967) ^{c g b}
- [Eratoneura gemina](#) (McAtee, 1920) ^{c g}
- [Eratoneura gemoides](#) (Ross, 1953) ^{c g}
- [Eratoneura geronimoi](#) (Knull, 1945) ^{c g}
- [Eratoneura gilesi](#) (Hepner, 1966) ^{c g}
- [Eratoneura gillettei](#) (Beamer, 1931) ^{c g}
- [Eratoneura glicilla](#) (Ross, 1956) ^{c g}
- [Eratoneura greeni](#) (Hepner, 1969) ^{c g}
- [Eratoneura guiceii](#) (Hepner, 1972) ^{c g}
- [Eratoneura harnedi](#) (Hepner, 1966) ^{c g}
- [Eratoneura harpola](#) (Ross, 1956) ^{c g}
- [Eratoneura hartii](#) (Gillette, 1898) ^{c g b}
- [Eratoneura havana](#) (Ross & DeLong, 1953) ^{c g}
- [Eratoneura haysensis](#) (Hepner, 1966) ^{c g}
- [Eratoneura hyalina](#) (Knull & Auten, 1937) ^{c g}
- [Eratoneura hymac](#) (Robinson, 1924) ^{c g}
- [Eratoneura hymettana](#) (Knull, 1949) ^{c g b}
- [Eratoneura igella](#) (Ross & DeLong, 1950) ^{c g}
- [Eratoneura imbricariae](#) (Ross & DeLong, 1953) ^{c g b}
- [Eratoneura immota](#) (Beamer, 1932) ^{c g}
- [Eratoneura impar](#) (Beamer, 1931) ^{c g}
- [Eratoneura incondita](#) (Beamer, 1932) ^{c g}
- [Eratoneura inepta](#) (Beamer, 1932) ^{c g}
- [Eratoneura ingrata](#) (Beamer, 1932) ^{c g}
- [Eratoneura inksana](#) (Knull, 1954) ^{c g}

- [Eratoneura interna](#) (Beamer, 1931) ^{c g}
- [Eratoneura knighti](#) (Beamer, 1932) ^{c g}
- [Eratoneura knullae](#) (Ross, 1953) ^{c g}
- [Eratoneura lamucata](#) (Ross & DeLong, 1953) ^{c g}
- [Eratoneura lata](#) (Beamer, 1932) ^{c g}
- [Eratoneura lawsoni](#) (Robinson, 1924) ^{c g}
- [Eratoneura lenta](#) (Beamer, 1932) ^{c g b}
- [Eratoneura levecki](#) (Hepner, 1966) ^{c g}
- [Eratoneura ligata](#) (McAtee, 1920) ^{c g b}
- [Eratoneura linea](#) (Beamer, 1932) ^{c g}
- [Eratoneura longa](#) (Knull, 1955) ^{c g}
- [Eratoneura longifurca](#) (Hepner, 1966) ^{c g}
- [Eratoneura luculenta](#) (Knull, 1949) ^{c g}
- [Eratoneura lucyae](#) (Hepner, 1966) ^{c g}
- [Eratoneura lunata](#) (McAtee, 1924) ^{c g b}
- [Eratoneura lundi](#) (Hepner, 1967) ^{c g}
- [Eratoneura lusoria](#) (Van Duzee, 1924) ^{c g}
- [Eratoneura macra](#) (Beamer, 1932) ^{c g}
- [Eratoneura maculata](#) (Gillette, 1898) ^{c g}
- [Eratoneura maga](#) (Knull, 1951) ^{c g}
- [Eratoneura malaca](#) (Knull, 1949) ^{c g}
- [Eratoneura manus](#) (Beamer, 1932) ^{c g}
- [Eratoneura marilandicae](#) (Ross, 1957) ^{c g}
- [Eratoneura marra](#) (Beamer, 1932) ^{c g}
- [Eratoneura mcateeii](#) Dmitriev & Dietrich, 2010 ^{c g}
- [Eratoneura mensa](#) (Beamer, 1931) ^{c g}
- [Eratoneura metopia](#) (Ross, 1957) ^{c g}
- [Eratoneura micheneri](#) (Hepner, 1972) ^{c g b}
- [Eratoneura millsii](#) (Ross & DeLong, 1950) ^{c g}
- [Eratoneura mimica](#) (Ross, 1957) ^{c g}
- [Eratoneura minor](#) (Beamer, 1932) ^{c g}
- [Eratoneura mira](#) (Beamer, 1932) ^{c g b}
- [Eratoneura mirifica](#) (Beamer, 1932) ^{c g}
- [Eratoneura misera](#) (Beamer, 1932) ^{c g}
- [Eratoneura morgani](#) (DeLong, 1916) ^{c g b}
- [Eratoneura nevadensis](#) (Beamer, 1932) ^{c g}

- [*Eratoneura nigriventer*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura nimia*](#) (Knull, 1954) ^{c g}
- [*Eratoneura noncuspidis*](#) (Beamer, 1931) ^{c g b}
- [*Eratoneura omani*](#) (Beamer, 1930) ^{c g}
- [*Eratoneura opulenta*](#) (Beamer, 1932) ^{c g b}
- [*Eratoneura osborni*](#) (DeLong, 1916) ^{c g b}
- [*Eratoneura pamela*](#) (Hepner, 1967) ^{c g}
- [*Eratoneura paraesculi*](#) (Knull, 1945) ^{c g b}
- [*Eratoneura parallela*](#) (McAtee, 1924) ^{c g}
- [*Eratoneura parva*](#) (Beamer, 1932) ^{c g b}
- [*Eratoneura parvipes*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura patris*](#) (Ross & DeLong, 1953) ^{c g}
- [*Eratoneura penerostrata*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura penesica*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura phellos*](#) (Ross & DeLong, 1953) ^{c g}
- [*Eratoneura prolixa*](#) (Knull, 1949) ^{c g}
- [*Eratoneura propria*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura protuma*](#) (Ross, 1957) ^{c g}
- [*Eratoneura pyra*](#) (McAtee, 1924) ^{c g}
- [*Eratoneura rangifer*](#) (Ross & DeLong, 1950) ^{c g}
- [*Eratoneura restricta*](#) (Beamer, 1932) ^{c g b}
- [*Eratoneura retusa*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura richardsi*](#) (Ross, 1953) ^{c g}
- [*Eratoneura robusta*](#) (Knull, 1955) ^{c g}
- [*Eratoneura rostrata*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura rotunda*](#) (Beamer, 1931) ^{c g}
- [*Eratoneura rubranotata*](#) (Beamer, 1927) ^{c g}
- [*Eratoneura rubraza*](#) (Robinson, 1924) ^{c g b}
- [*Eratoneura sancta*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura sanctaerosae*](#) (Hepner, 1967) ^{c g}
- [*Eratoneura sandersoni*](#) (Ross, 1956) ^{c g}
- [*Eratoneura sebringensis*](#) (Hepner, 1966) ^{c g}
- [*Eratoneura separata*](#) (Beamer, 1932) ^{c g}
- [*Eratoneura severini*](#) (Knull, 1949) ^{c g}
- [*Eratoneura smithi*](#) (Ross, 1956) ^{c g}
- [*Eratoneura socia*](#) (Knull, 1954) ^{c g}

- [Eratoneura solita](#) (Beamer, 1932) ^{c g b}
- [Eratoneura sorota](#) (Hepner, 1975) ^{c g}
- [Eratoneura spala](#) (Ross & DeLong, 1950) ^{c g}
- [Eratoneura spinea](#) (Knull, 1951) ^{c g}
- [Eratoneura spinifera](#) (Beamer, 1931) ^{c g}
- [Eratoneura staffordi](#) (Hepner, 1966) ^{c g}
- [Eratoneura staminea](#) (Knull, 1954) ^{c g}
- [Eratoneura stannardi](#) (Hepner, 1967) ^{c g}
- [Eratoneura stephensoni](#) (Beamer, 1931) ^{c g b}
- [Eratoneura stoveri](#) (Ross & DeLong, 1950) ^{c g}
- [Eratoneura stupkaorum](#) (Knull, 1945) ^{c g}
- [Eratoneura tammina](#) (Ross & DeLong, 1953) ^{c g}
- [Eratoneura tantilla](#) (Beamer, 1931) ^{c g}
- [Eratoneura tantula](#) (Knull, 1954) ^{c g}
- [Eratoneura tenuitas](#) (Knull, 1954) ^{c g}
- [Eratoneura teres](#) (Beamer, 1931) ^{c g}
- [Eratoneura tersa](#) (Knull, 1951) ^{c g}
- [Eratoneura teshi](#) (Hepner, 1972) ^{c g}
- [Eratoneura texana](#) (Beamer, 1929) ^{c g}
- [Eratoneura torella](#) (Robinson, 1924) ^{c g}
- [Eratoneura trautmanae](#) (Knull, 1945) ^{c g}
- [Eratoneura triangulata](#) (Beamer, 1931) ^{c g}
- [Eratoneura trivittata](#) (Robinson, 1924) ^{c g b}
- [Eratoneura tumida](#) (Knull, 1954) ^{c g}
- [Eratoneura turgida](#) (Beamer, 1931) ^{c g}
- [Eratoneura unca](#) (Knull, 1954) ^{c g}
- [Eratoneura uncinata](#) (Beamer, 1931) ^{c g}
- [Eratoneura ungulata](#) (Beamer, 1932) ^{c g b}
- [Eratoneura unica](#) (Beamer, 1932) ^{c g}
- [Eratoneura usitata](#) (Beamer, 1932) ^{c g}
- [Eratoneura uvaldeana](#) (Knull, 1949) ^{c g}
- [Eratoneura valida](#) (Knull, 1954) ^{c g}
- [Eratoneura vittata](#) (Knull & Auten, 1937) ^{c g}
- [Eratoneura zioni](#) (Beamer, 1932) ^{c g}

Data sources: i = ITIS,[4] c = Catalogue of Life,[1] g = GBIF,[2] b = Bugguide.net[3]

References

1.
 - ["Browse Eratoneura"](#). *Catalogue of Life*. Retrieved 2018-04-05.[[dead link](#)]
 - ["Eratoneura"](#). *GBIF*. Retrieved 2018-04-05.
 - ["Eratoneura Genus Information"](#). *BugGuide.net*. Retrieved 2018-04-05.
 -
4. ["ITIS, Integrated Taxonomic Information System"](#). Retrieved 2018-04-05.

Categories:

- [Erythroneurini](#)
- [Lists of insect species](#)
-

This is a list of 124 species in [Endasys](#), a genus of ichneumon wasps in the family [Ichneumonidae](#).[\[1\]](#)
[\[2\]](#)[\[3\]](#)[\[4\]](#)

Endasys species

- [Endasys albior](#) Luhman, 1990 ^{i c g}
- [Endasys albitexanus](#) Luhman, 1990 ^{i c g}
- [Endasys alutaceus](#) (Habermehl, 1912) ^{c g}
- [Endasys amoenus](#) (Habermehl, 1912) ^{c g}
- [Endasys analis](#) (Thomson, 1883) ^{c g}
- [Endasys anglianus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys angularis](#) Luhman, 1990 ^{i c g}
- [Endasys annulatus](#) (Habermehl, 1912) ^{c g}
- [Endasys areolellae](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys arizonae](#) Luhman, 1990 ^{i c g}
- [Endasys arkansensis](#) Luhman, 1990 ^{i c g}
- [Endasys aurantifex](#) Luhman, 1990 ^{i c g}
- [Endasys aurarius](#) Luhman, 1990 ^{i c g}
- [Endasys aureolus](#) Luhman, 1990 ^{i c g}
- [Endasys auriculiferus](#) (Viereck, 1917) ^{i c g}
- [Endasys aurigena](#) Luhman, 1990 ^{i c g}

- [Endasys auriger](#) Luhman, 1990^{i c g}
- [Endasys bicolor](#) (Lundbeck, 1897)^{i c g}
- [Endasys bicolorescens](#) Luhman, 1990^{i c g}
- [Endasys brachyceratus](#) Luhman, 1990^{i c g}
- [Endasys brevicornis](#) Luhman, 1990^{i c g}
- [Endasys brevis](#) (Gravenhorst, 1829)^{c g}
- [Endasys brunnulus](#) Sawoniewicz & Luhman, 1992^{c g}
- [Endasys callidius](#) Luhman, 1990^{i c g}
- [Endasys callistus](#) Luhman, 1990^{i c g}
- [Endasys chiricahuanus](#) Luhman, 1990^{i c g}
- [Endasys chrysoleptus](#) Luhman, 1990^{i c g}
- [Endasys cnemargus](#) (Gravenhorst, 1829)^{c g}
- [Endasys concavus](#) Luhman, 1990^{i c g}
- [Endasys coriaceus](#) Luhman, 1990^{i c g}
- [Endasys daschi](#) Luhman, 1990^{i c g}
- [Endasys declivis](#) Luhman, 1990^{i c g}
- [Endasys durangensis](#) Luhman, 1990^{i c g}
- [Endasys elegantulus](#) Luhman, 1990^{i c g}
- [Endasys erythrogaster](#) (Gravenhorst, 1829)^{c g}
- [Endasys eurycerus](#) (Thomson, 1896)^{c g}
- [Endasys euryops](#) Luhman, 1990^{i c g}
- [Endasys euxestus](#) (Speiser, 1908)^{c g}
- [Endasys femoralis](#) (Habermehl, 1912)^{c g}
- [Endasys flavissimus](#) Luhman, 1990^{i c g}
- [Endasys flavivittatus](#) Luhman, 1990^{i c g}
- [Endasys gibbosus](#) Gonzalez-Moreno & Bordera^g
- [Endasys gracilis](#) Luhman, 1990^{i c g}
- [Endasys granulifacies](#) Luhman, 1990^{c g}
- [Endasys hesperus](#) Luhman, 1990^{i c g}
- [Endasys hexamerus](#) Luhman, 1990^{i c g}
- [Endasys hungarianus](#) Sawoniewicz & Luhman, 1992^{c g}
- [Endasys inflatus](#) (Provancher, 1875)^{i c g}
- [Endasys julianus](#) Luhman, 1990^{i c g}
- [Endasys kinoshitai](#) Uchida, 1955^{c g}
- [Endasys latissimus](#) Luhman, 1990^{i c g}
- [Endasys leiroleptus](#) Luhman, 1990^{i c g}

- [Endasys leopardus](#) Luhman, 1990 ^{i c g}
- [Endasys leptotexanus](#) Luhman, 1990 ^{i c g}
- [Endasys leucocnemis](#) Luhman, 1990 ^{i c g}
- [Endasys liaoningensis](#) Wang, Sun, Ma & Sheng, 1996 ^{c g}
- [Endasys lissorulus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys lygaeonematus](#) (Uchida, 1931) ^{c g}
- [Endasys maculatus](#) (Provancher, 1875) ^{i c g}
- [Endasys magnocellus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys megamelanus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys melanistus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys melanogaster](#) Luhman, 1990 ^{i c g}
- [Endasys melanopodis](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys melanurus](#) (Roman, 1909) ^{i c g}
- [Endasys michiganensis](#) Luhman, 1990 ^{i c g}
- [Endasys microcellus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys minutulus](#) (Thomson, 1883) ^{i c g}
- [Endasys monticola](#) (Dalla Torre, 1902) ^{i c g}
- [Endasys morulus](#) (Kokujev, 1909) ^{c g}
- [Endasys mucronatus](#) (Provancher, 1879) ^{i c}
- [Endasys nemati](#) Luhman, 1990 ^{i c g}
- [Endasys nigrans](#) Luhman, 1990 ^{i c g}
- [Endasys nitidus](#) (Habermehl, 1912) ^{c g}
- [Endasys obscurus](#) Luhman, 1990 ^{i c g}
- [Endasys occipitis](#) Luhman, 1990 ^{i c g}
- [Endasys oregonianus](#) Luhman, 1990 ^{i c g}
- [Endasys paludicola](#) (Brues, 1908) ^{i c g}
- [Endasys parviventris](#) (Gravenhorst, 1829) ^{c g}
- [Endasys patulus](#) (Viereck, 1911) ^{i c}
- [Endasys pentacrocus](#) Luhman, 1990 ^{i c g}
- [Endasys petiolus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys pieninus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys pinidiprionis](#) Luhman, 1990 ^{i c g}
- [Endasys plagiator](#) (Gravenhorst, 1829) ^{c g}
- [Endasys praegracilis](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys praerotundiceps](#) Luhman, 1990 ^{i c g}
- [Endasys proteuryopsis](#) Sawoniewicz & Luhman, 1992 ^{c g}

- [Endasys pseudocallistus](#) Luhman, 1990 ^{i c g}
- [Endasys pubescens](#) (Provancher, 1974) ^{i c g}
- [Endasys punctatior](#) Luhman, 1990 ^{i c g}
- [Endasys rhyssotexanus](#) Luhman, 1990 ^{i c g}
- [Endasys rotundiceps](#) (Provancher, 1877) ^{i c g}
- [Endasys rubescens](#) Luhman, 1990 ^{i c g}
- [Endasys rugiceps](#) Luhman, 1990 ^{i c g}
- [Endasys rugifacies](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys rugitexanus](#) Luhman, 1990 ^{i c g}
- [Endasys rugosus](#) Luhman, 1990 ^{i c g}
- [Endasys rusticus](#) (Habermehl, 1912) ^c
- [Endasys santacruzensis](#) Luhman, 1990 ^{i c g}
- [Endasys senilis](#) (Gmelin, 1790) ^{c g}
- [Endasys serratus](#) Luhman, 1990 ^{i c g}
- [Endasys sheni](#) Sheng, 2000 ^{c g}
- [Endasys spicus](#) Luhman, 1990 ^{i c g}
- [Endasys spinissimus](#) Luhman, 1990 ^{i c g}
- [Endasys stictogastris](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys striatus](#) (Kiss, 1924) ^{c g}
- [Endasys subclavatus](#) (Say, 1836) ^{i c g b}
- [Endasys sugiharai](#) (Uchida, 1936) ^{c g}
- [Endasys taiganus](#) Luhman, 1990 ^{i c g}
- [Endasys talitzkii](#) (Telenga, 1961) ^{c g}
- [Endasys testaceipes](#) (Brischke, 1891) ^{c g}
- [Endasys testaceus](#) (Taschenberg, 1865) ^c
- [Endasys tetralylus](#) Luhman, 1990 ^{i g}
- [Endasys tetratylus](#) Luhman, 1990 ^{c g}
- [Endasys texanus](#) (Cresson) ^{i c}
- [Endasys thunbergi](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys transverseareolatus](#) (Strobl, 1901) ^{c g}
- [Endasys triannulatus](#) Sawoniewicz & Luhman, 1992 ^{c g}
- [Endasys tricoloratus](#) Luhman, 1990 ^{i c g}
- [Endasys tyloidiphorus](#) Luhman, 1990 ^{i c g}
- [Endasys varipes](#) (Gravenhorst, 1829) ^{c g}
- [Endasys xanthopyrrhus](#) Luhman, 1990 ^{i c g}
- [Endasys xanthostomus](#) Luhman, 1990 ^{i c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[2] g = GBIF,[3] b = Bugguide.net[4]

This is a list of 833 species in *Empis*, a genus of dance flies in the family *Empididae*. [1][2][3]

***Empis* species**

- *Empis abbreviata* Loew, 1869 ^{c g}[4]
- *Empis abbrevinervis* Meijere, 1911 ^{c g}
- *Empis abcirus* Walker, 1849 ^{i c g}
- *Empis abdominalis* Daugeron, 1999[5] ^{c g}
- *Empis aberdarensis* Smith, 1971 ^{c g}
- *Empis abrupta* Thomson, 1869 ^{c g}
- *Empis achelota* Collin, 1941 ^{c g}
- *Empis acinerea* Chvála, 1985 ^{c g}
- *Empis acris* Daugeron & Grootaert, 2005 ^{c g}
- *Empis adamsi* Smith, 1967 ^{c g}[6]
- *Empis adelpha* Frey, 1953 ^{c g}
- *Empis adriani* Chvála, 1996 ^{c g}
- *Empis adusta* Loew, 1869 ^{c g}[4]
- *Empis adzharica* Shamshev, 1998 ^{c g}
- *Empis aemula* Loew, 1873 ^{c g}[7]
- *Empis aequalis* Loew, 1867 ^{c g}[8]
- *Empis aeripes* Melander, 1902 ^{i c g}
- *Empis aerobatica* Melander, 1902 ^{i c g}
- *Empis aestiva* Loew, 1867 ^{c g}[9]
- *Empis affinis* Egger, 1860 ^{c g}[10]
- *Empis afipsiensis* Shamsev & Kustov, 2008 ^{c g}
- *Empis agasthus* Walker, 1849 ^{i c g}
- *Empis alaarchaensis* Chvála, 1999 ^{c g}
- *Empis alampra* Loew, 1873 ^{c g}
- *Empis alanica* Shamshev, 1998 ^{c g}
- *Empis alata* Hardy, 1934 ^{c g}
- *Empis alatauensis* Chvála, 1999 ^{c g}
- *Empis albens* (Wiedemann, 1818) ^{c g}
- *Empis albicans* Meigen, 1822 ^{c g}[11]

- [Empis albicincta](#) Loew, 1858 ^{c g}
- [Empis albidiseta](#) Becker, 1907 ^{c g}
- [Empis albifrons](#) Bezzi, 1909 ^{c g}[12]
- [Empis albinervis](#) Meigen, 1822 ^{c g}[11]
- [Empis albipennis](#) Waltl, 1837 ^{c g}
- [Empis albohalteralis](#) Brunetti, 1920 ^{c g}
- [Empis albopilosa](#) Meijere, 1935 ^g
- [Empis albopilosa](#) Meijere, 1935 ^{c g}
- [Empis aldrichii](#) Melander, 1902 ^{i c g}
- [Empis algecirasensis](#) Strobl, 1909 ^{c g}[13]
- [Empis algira](#) Macquart, 1838 ^{c g}
- [Empis alpicola](#) Strobl, 1893 ^{c g}
- [Empis alpina](#) Loew, 1867 ^{c g}[8]
- [Empis ambigua](#) Bezzi, 1905 ^{c g}
- [Empis amurensis](#) Shamshev, 1998 ^{c g}
- [Empis amytis](#) Walker, 1849 ^{i c g}
- [Empis anfractuosa](#) Mik, 1884 ^{c g}
- [Empis angorae](#) Collin, 1937 ^{c g}[14]
- [Empis angustipennis](#) Bezzi, 1909 ^{c g}[12]
- [Empis annulipes](#) Wheeler & Melander, 1901 ^{c g}
- [Empis antennata](#) Collin, 1941 ^{c g}
- [Empis anthophila](#) Melander, 1946 ^{i c g}
- [Empis anthracina](#) Bigot, 1888 ^{c g}
- [Empis apfellbecki](#) Strobl, 1898 ^{c g}
- [Empis apicalis](#) Loew, 1865 ^{c g}
- [Empis apophysis](#) Frey, 1953 ^{c g}
- [Empis appalachicola](#) Sinclair, 2013 ^g
- [Empis appendiculata](#) Collin, 1938 ^{c g}
- [Empis aprica](#) (Stephens, 1829) ^{c g}
- [Empis aquila](#) White, 1916 ^{c g}
- [Empis ardesiaca](#) Wiedemann, 1822 ^{c g}[11]
- [Empis argentea](#) Daugeron, 2000 ^{c g}
- [Empis argyrivertris](#) Smith, 1969 ^{c g}
- [Empis armentalis](#) Collin, 1941 ^{c g}
- [Empis armipes](#) Loew, 1861 ^{i c g}
- [Empis arthritica](#) Melander, 1902 ^{i c g}

- [Empis asema](#) [Melander](#), 1902^{i c g}
- [Empis aspina](#) [Daugeron & Grootaert](#), 2005^{c g}
- [Empis assalemensis](#) [Daugeron](#), 2000^{c g}
- [Empis assimilis](#) [Strobl](#), 1893^{c g}
- [Empis ater](#) [Macquart](#), 1827^{c g}
- [Empis atra](#) ([Fabricius](#), 1780)^g
- [Empis atratata](#) [Daugeron & Grootaert](#), 2003^{c g}
- [Empis atrifemur](#) [Wheeler & Melander](#), 1901^{c g}
- [Empis aurata](#) [Villers](#), 1789^{c g}
- [Empis autumnalis](#) [Saigusa](#), 1964^{c g}
- [Empis azerbaijanica](#) [Shamshev](#), 2006^{c g}
- [Empis azishtauensis](#) [Shamshev & Kustov](#)^g
- [Empis azteca](#) [Wheeler & Melander](#), 1901^{c g}
- [Empis baldensis](#) [Strobl](#), 1899^{c g} [\[16\]](#)
- [Empis barbatoides](#) [Melander](#), 1965^{i c g}
- [Empis barbitos](#) [Smith](#), 1971^{c g}
- [Empis barotse](#) [Smith](#), 1969^{c g}
- [Empis basalis](#) [Loew](#), 1873^{c g} [\[7\]](#)
- [Empis basilaris](#) [Becker](#), 1908^{c g}
- [Empis basiliaris](#) [Becker](#), 1908^g
- [Empis bazini](#) [Collin](#), 1926^{c g} [\[17\]](#)
- [Empis bechuana](#) [Smith](#), 1969^{c g}
- [Empis beckeriana](#) [Engel](#), 1946^{c g}
- [Empis bellatoria](#) [White](#), 1916^{c g}
- [Empis belousovi](#) [Shamshev](#), 1998^{c g}
- [Empis bicolor](#) [Bellardi](#), 1861^{c g}
- [Empis bicuspidata](#) [Collin](#), 1927^{c g} [\[18\]](#)
- [Empis bigoti](#) [Melander](#), 1902^{i c g}
- [Empis bistortae](#) [Meigen](#), 1822^{c g} [\[11\]](#)
- [Empis bivittata](#) [Wiedemann](#), 1824^{c g}
- [Empis bohémica](#) [Chvala & Syrovatka](#), 1987^{c g}
- [Empis borealis](#) [Linnaeus](#), 1758^{c g}
- [Empis borisovae](#) [Shamshev](#), 2002^{c g}
- [Empis brachysoma](#) [Coquillett](#), 1900^{i c g}
- [Empis brandti](#) [Shamshev, Grootaert](#) [Shamshev & Grootaert](#), 2005^{c g}
- [Empis brazzavillensis](#) [Daugeron](#), 2001^{c g}

- [Empis brevipennata](#) [Macquart](#), 1827 ^{c g}
- [Empis brevirostris](#) [Macquart](#), 1850 ^{c g}
- [Empis brevis](#) ([Loew](#), 1862) ^{i c g}
- [Empis brincki](#) [Smith](#), 1967 ^{c g} [6]
- [Empis brouni](#) [Hutton](#), 1901 ^{c g}
- [Empis browni](#) [Curran](#), 1931 ^{i c g}
- [Empis brunnea](#) [Coquillett](#), 1903 ^{i c g}
- [Empis brunnipennis](#) [Meigen](#), 1822 ^{c g} [11]
- [Empis bullata](#) [Bezzi](#), 1905 ^{c g}
- [Empis bullifera](#) [Kessel and Kessel](#), 1951 ^{i c g}
- [Empis burmaensis](#) [Frey](#), 1953 ^{c g}
- [Empis caceresensis](#) [Daugeron](#), 2000 ^{c g}
- [Empis cacuminifer](#) [Melander](#), 1902 ^{i c g}
- [Empis caeligena](#) [Melander](#), 1902 ^{i c g}
- [Empis calcarata](#) [Bezzi](#), 1899 ^{c g} [16]
- [Empis calcitrans](#) [Scopoli](#), 1763 ^{c g}
- [Empis calvinia](#) [Smith](#), 1969 ^{c g}
- [Empis cameronensis](#) [Daugeron & Grootaert](#), 2005 ^{c g}
- [Empis canaster](#) [Melander](#), 1902 ^{i g}
- [Empis candida](#) [Rossi](#), 1790 ^{c g}
- [Empis candidata](#) [Loew](#), 1873 ^{c g} [7]
- [Empis cantabrica](#) [Strobl](#), 1899 ^{c g} [16]
- [Empis captus](#) [Coquillett](#), 1895 ^{i c g}
- [Empis carbonaria](#) [Brunetti](#), 1913 ^{c g}
- [Empis caucasica](#) [Bezzi](#), 1909 ^{c g} [12]
- [Empis caudatula](#) [Loew](#), 1867 ^{c g} [9]
- [Empis centralis](#) [Brunetti](#), 1913 ^{c g}
- [Empis cetywayoi](#) [Smith](#), 1969 ^{c g}
- [Empis ceylonica](#) [Bezzi](#), 1904 ^{c g}
- [Empis cherskii](#) [Shamshev](#), 2006 ^{c g}
- [Empis chioptera](#) [Meigen](#), 1804 ^{c g} [19]
- [Empis chiragra](#) [Bezzi](#), 1909 ^{c g} [12]
- [Empis chopardi](#) [Daugeron](#), 1997 ^{c g}
- [Empis chrysocera](#) [Collin](#), 1930 ^{c g}
- [Empis ciliata](#) [Fabricius](#), 1787 ^{c g}
- [Empis ciliatopennata](#) [Strobl](#), 1893 ^{c g}

- [Empis cilicauda](#) Collin, 1960 ^{c g}
- [Empis cincinnatula](#) Loew, 1867 ^{c g}[9]
- [Empis cinctiventris](#) Frey, 1953 ^{c g}
- [Empis cineraria](#) Bezzi, 1914 ^{c g}
- [Empis cinerarius](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis cinerea](#) Müller, 1776 ^{c g}
- [Empis cingulata](#) Gimmerthal, 1834 ^{c g}
- [Empis claricolor](#) Frey, 1953 ^{c g}
- [Empis clauda](#) Schrank, 1803 ^{c g}
- [Empis clausa](#) Coquillett, 1895 ^{i c g b}
- [Empis clausipyga](#) Saigusa, 1992 ^{c g}
- [Empis cochleata](#) Frey, 1953 ^{c g}
- [Empis cognata](#) Stephens, 1829 ^g
- [Empis colonica](#) Walker, 1849 ^{i c g}
- [Empis comantis](#) (Coquillett, 1955) ^{i c g}
- [Empis cometes](#) Steyskal, 1965 ^{i c g}
- [Empis compsoogyne](#) Frey, 1953 ^{c g}
- [Empis compta](#) Coquillett, 1895 ^{i c g}
- [Empis concolor](#) Verrall, 1872 ^{c g}
- [Empis confidens](#) Harris, 1776 ^{c g}
- [Empis confirmata](#) (Walker, 1852) ^{c g}
- [Empis confluens](#) Becker, 1907 ^{c g}
- [Empis confusa](#) Loew, 1865 ^{c g}
- [Empis consobrina](#) Syrovatka, 1983 ^{c g}
- [Empis constricta](#) Saigusa, 1992 ^{c g}
- [Empis contigua](#) (Loew, 1864) ^{c g}
- [Empis copiosa](#) Collin, 1933 ^{c g}
- [Empis coptophleboides](#) Frey, 1953 ^{c g}
- [Empis coracina](#) Bezzi, 1909 ^{c g}[12]
- [Empis corcyrica](#) Bezzi, 1909 ^{c g}[12]
- [Empis corvina](#) Loew, 1869 ^{c g}[4]
- [Empis cothurnata](#) Brullé, 1833 ^{c g}
- [Empis coxalis](#) Thomson, 1869 ^{c g}
- [Empis crassa](#) Nowicki, 1868 ^{c g}[20]
- [Empis crassifila](#) Loew, 1858 ^{c g}
- [Empis crassipes](#) Schrank, 1781 ^{c g}

- [*Empis ctenocnema* Melander](#), 1945^{i c g}
- [*Empis cucullata* Collin](#), 1933^{c g}
- [*Empis cuneipennis* Bezzi](#), 1899^{c g}[16]
- [*Empis curta* Loew](#), 1869^{c g}[4]
- [*Empis curticornis* Collin](#), 1960^{c g}
- [*Empis curvipes* Loew](#), 1868^{c g}[21]
- [*Empis curvitibia* Chvála](#), 2003^{c g}
- [*Empis cushcaensis* Shamsev](#), 2001^{c g}
- [*Empis cuthbertsoni* Smith](#), 1971^{c g}
- [*Empis cyaneiventris* Frey](#), 1953^{c g}
- [*Empis cylindeacea* Frey](#), 1953^{c g}
- [*Empis cyrenaica* \(Bezzi, 1925\)](#)^{c g}
- [*Empis dactylica* Melander](#), 1946^{i c g}
- [*Empis dahuriensis* Shamshev](#), 2002^{c g}
- [*Empis dalmatica* Oldenberg](#), 1925^{c g}
- [*Empis damara* Smith](#), 1969^{c g}
- [*Empis damascena* Collin](#), 1937^{c g}[14]
- [*Empis dasycera* \(Collin, 1960\)](#)^{c g}
- [*Empis dasychira* Mik](#), 1878^{c g}
- [*Empis dasynota* Loew](#), 1869^{c g}[4]
- [*Empis dasypoda* Egger](#), 1860^{c g}[10]
- [*Empis dasyprocta* Loew](#), 1867^{c g}[9]
- [*Empis dasytarsus* Smith](#), 1969^{c g}
- [*Empis daugeroni* Yang, Zhang & Zhang](#), 2007^{c g}
- [*Empis decora* Meigen](#), 1822^{c g}[11]
- [*Empis decorella* Chvála](#), 1981^{c g}[22]
- [*Empis dedecor* Loew](#), 1869^{c g}[4]
- [*Empis degener* Frey](#), 1953^{c g}
- [*Empis delumbis* Melander](#), 1965^{i c g}
- [*Empis demissa* Collin](#), 1949^{c g}
- [*Empis depilis* Loew](#), 1873^{c g}[7]
- [*Empis derbecki* Shamshev](#), 2006^{c g}
- [*Empis desiderata* Melander](#), 1965^{i c g}
- [*Empis deterra* Walley](#), 1927^{i g}
- [*Empis diagramma* Meigen](#), 1835^{c g}
- [*Empis difficilis* Frey](#), 1953^{c g}

- [Empis digramma](#) Meigen, 1835 ^{c g}
- [Empis dimidiata](#) Meigen, 1835 ^{c g}
- [Empis dingaani](#) Smith, 1969 ^{c g}
- [Empis discoidalis](#) Collin, 1941 ^{c g}
- [Empis discolor](#) Loew, 1856 ^{c g}
- [Empis discrepans](#) Collin, 1960 ^{c g}
- [Empis disjuncta](#) Collin, 1933 ^{c g}
- [Empis dispar](#) Scholtz, 1851 ^{c g}[23]
- [Empis dispina](#) Chvála, 1996 ^{c g}
- [Empis distans](#) Loew, 1869 ^{i c g}[4]
- [Empis distincta](#) Collin, 1933 ^{c g}
- [Empis divisa](#) Loew, 1869 ^{c g}[4]
- [Empis dixi](#) Steyskal, 1969 ^{i c g}
- [Empis dolabraria](#) Melander, 1902 ^{i c g}
- [Empis dolorosa](#) Wheeler & Melander, 1901 ^{c g}
- [Empis donga](#) Daugeron, Grootaert & Yang, 2003 ^{c g}
- [Empis doronicola](#) Çiftçi, 2014[24]
- [Empis dubia](#) (Scopoli, 1763) ^{c g}
- [Empis dumetorum](#) Philippi, 1865 ^{c g}
- [Empis duplex](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis dushanbensis](#) Shamsev, 2001 ^{c g}
- [Empis dusmetii](#) Strobl, 1909 ^{c g}[13]
- [Empis earina](#) Collin, 1960 ^{c g}
- [Empis echigoensis](#) Saigusa, 1964 ^{c g}
- [Empis edithae](#) Daugeron, 1997 ^{c g}
- [Empis edwardsi](#) Smith, 1971 ^{c g}
- [Empis elegans](#) Brunetti, 1913 ^{c g}
- [Empis engeli](#) Chvála, 1999 ^{c g}
- [Empis enodis](#) Melander, 1902 ^{i c g}
- [Empis erosa](#) Loew, 1869 ^{c g}[4]
- [Empis eudamides](#) Walker, 1849 ^{i c g}
- [Empis eumera](#) Loew, 1868 ^{c g}[21]
- [Empis eupeza](#) Loew, 1874 ^{c g}
- [Empis eversmanni](#) Loew, 1873 ^{c g}[7]
- [Empis exilis](#) Coquillett, 1903 ^{i c g}
- [Empis exotica](#) Wiedemann, 1824 ^{c g}

- [Empis fagina](#) Daugeron, 2009 ^g
- [Empis falcata](#) Melander, 1902 ^{i c g}
- [Empis fallax](#) Egger, 1860 ^{c g} [10]
- [Empis fasciculata](#) Strobl, 1901 ^{c g}
- [Empis femorata](#) Fabricius, 1798 ^{c g}
- [Empis ferruginea](#) (Meigen, 1822) ^g [11]
- [Empis filata](#) Loew, 1873 ^{c g} [7]
- [Empis fimbria](#) Walker, 1852 ^{c g}
- [Empis fiorii](#) Bezzi, 1910 ^{c g}
- [Empis fiumana](#) Egger, 1860 ^{c g} [10]
- [Empis flabilis](#) White, 1916 ^{c g}
- [Empis flava](#) Müller, 1764 ^{c g}
- [Empis flavescens](#) (Rossi, 1794) ^{c g}
- [Empis flavicans](#) Olivier, 1791 ^{c g}
- [Empis flavinervis](#) Philippi, 1865 ^{c g}
- [Empis flavipes](#) (Thunberg, 1784) ^{c g}
- [Empis flavitarsis](#) Roser, 1840 ^{c g}
- [Empis flavobasalis](#) Matsumura, 1915 ^{c g}
- [Empis florisomna](#) Loew, 1856 ^{c g}
- [Empis fovea](#) Saigusa, 1964 ^{c g}
- [Empis frauscheri](#) Strobl, 1901 ^{c g}
- [Empis freidbergi](#) Chvála, 1999 ^{c g}
- [Empis freyi](#) Yang, Zhang & Zhang, 2007 ^{c g}
- [Empis frontalis](#) Coquillett, 1903 ^{i c g}
- [Empis fulvicollis](#) Collin, 1933 ^{c g}
- [Empis fulvipes](#) Wiedemann, 1822 ^{c g} [11]
- [Empis fumida](#) Coquillett, 1900 ^{i c g}
- [Empis funebris](#) Meigen, 1804 ^{c g} [19]
- [Empis funesta](#) Waltl, 1837 ^{c g}
- [Empis fusca](#) Daugeron & Lefebvre, 2015 ^g
- [Empis fuscipes](#) Gmelin, 1790 ^g
- [Empis gaigeri](#) Gercke, 1886 ^{c g}
- [Empis geneatis](#) (Melander, 1902) ^{i c g b}
- [Empis gentilis](#) Frey, 1953 ^{c g}
- [Empis genualis](#) Strobl, 1893 ^{c g}
- [Empis ghigiana](#) Bezzi, 1924 ^{c g}

- [Empis gibbipes](#) Strobl, 1906 ^{c g}
- [Empis gibbosa](#) Gmelin, 1790 ^{c g}
- [Empis glabratella](#) Collin, 1941 ^{c g}
- [Empis gladiator](#) Melander, 1902 ^{i c g}
- [Empis glandis](#) Smith, 1969 ^{c g}
- [Empis golubi](#) Shamsev, 2001 ^{c g}
- [Empis gooti](#) Chvála, 1994 ^{c g}
- [Empis gorodkovi](#) Shamsev, 2001 ^{c g}
- [Empis gracilipes](#) Philippi, 1865 ^{c g}
- [Empis gracilis](#) Curtis, 1835 ^{c g}
- [Empis gracilitarsis](#) Strobl, 1899 ^{c g}[16]
- [Empis gravipes](#) Loew, 1856 ^{c g}
- [Empis gravis](#) Wiedemann, 1822 ^{c g}[11]
- [Empis grisea](#) Fallén, 1816 ^{c g}
- [Empis griseonigra](#) Brunetti, 1913 ^{c g}
- [Empis guilanensis](#) Kazerani & Shamshev, 2014 ^g
- [Empis gulosa](#) Coquillett, 1895 ^{i c g}
- [Empis gymnopoda](#) Bezzi, 1908 ^{c g}
- [Empis haemi](#) Loew, 1862 ^{c g}
- [Empis haemorrhica](#) Loew, 1869 ^{c g}[4]
- [Empis hainanensis](#) Yang, Yang & Hu, 2002 ^{c g}
- [Empis hayachinensis](#) Saigusa, 1964 ^{c g}
- [Empis heliciphora](#) Collin, 1937 ^{c g}[14]
- [Empis helophila](#) Loew, 1867 ^{c g}[9]
- [Empis hirsuta](#) Becker, 1915 ^{c g}
- [Empis hirsutipennis](#) Smith, 1976 ^{c g}
- [Empis hirta](#) Loew, 1865 ^{c g}
- [Empis hirticrus](#) Melander, 1927 ^{i c g}
- [Empis hirtipes](#) Wiedemann, 1824 ^{c g}
- [Empis hissarica](#) Chvála, 1999 ^{c g}
- [Empis hoffmannseggii](#) Loew, 1869 ^{c g}[4]
- [Empis holocleroides](#) Frey, 1953 ^{c g}
- [Empis holosericea](#) Walker, 1849 ^{c g}
- [Empis honsyuensis](#) Frey, 1953 ^{c g}
- [Empis hubeiensis](#) Yang & Yang, 1997 ^{c g}
- [Empis humeralis](#) Collin, 1933 ^{c g}

- [*Empis humilis* Coquillett](#), 1895 ^{i g}
- [*Empis hyalea* Melander](#), 1946 ^{c g}
- [*Empis hyalinata* Meigen](#), 1830 ^{c g}
- [*Empis hyalipennis* Fallén](#), 1816 ^{c g}
- [*Empis hyalogyne* Bezzi](#), 1912 ^{c g}
- [*Empis hypandrialis* Daugeron](#), 2000 ^{c g}
- [*Empis hystrichopyga* Bezzi](#), 1912 ^{c g}
- [*Empis hystrix* Loew](#), 1867 ^{c g}[9]
- [*Empis ifranensis* Daugeron](#), 1997 ^{c g}
- [*Empis impar* Melander](#), 1946 ^{c g}
- [*Empis impennis* Strobl](#), 1902 ^{c g}[15]
- [*Empis imputata* Collin](#), 1933 ^{c g}
- [*Empis incensa* Frey](#), 1953 ^{c g}
- [*Empis inclinata* Bezzi](#), 1912 ^{c g}
- [*Empis incompleta* Macquart](#), 1846 ^{c g}
- [*Empis inconspicua* Brunetti](#), 1913 ^{c g}
- [*Empis incurva* Daugeron & Grootaert](#), 2005 ^{c g}
- [*Empis indigirca* Chvála](#), 1999 ^{c g}
- [*Empis indissimilis* Collin](#), 1941 ^{c g}
- [*Empis indumeni* Smith](#), 1969 ^{c g}
- [*Empis induta* Bezzi](#), 1909 ^{c g}[12]
- [*Empis inferiseta* Daugeron & Grootaert](#), 2005 ^{c g}
- [*Empis infumata* Coquillett](#), 1900 ^{i c g}
- [*Empis ingrata* Frey](#), 1953 ^{c g}
- [*Empis inopinata* Collin](#), 1960 ^{c g}
- [*Empis inornata* Loew](#), 1858 ^{c g}
- [*Empis insularis* Chvála](#), 2003 ^{c g}
- [*Empis insulata* Collin](#), 1937 ^{c g}[14]
- [*Empis intercepta* Melander](#), 1928 ^{c g}
- [*Empis itoiana* Frey](#), 1953 ^{c g}
- [*Empis jacksoni* Smith](#), 1971 ^{c g}
- [*Empis jacobsoni* Meijere](#), 1907 ^{c g}
- [*Empis jacutiensis* Shamsev](#), 2001 ^{c g}
- [*Empis janssoni* Saigusa](#), 2012 ^g
- [*Empis japonica* Frey](#), 1955 ^{c g}
- [*Empis johnsoni* Melander](#), 1902 ^{i c g}

- [Empis juxtaripa](#) Daugeron, 2001 ^{c g}
- [Empis kafiri](#) Smith, 1969 ^{c g}
- [Empis kasparyani](#) Shamshev, 1998 ^{c g}
- [Empis kawatiensis](#) Frey, 1953 ^{c g}
- [Empis kazakhstanica](#) Chvála, 1999 ^{c g}
- [Empis keberlei](#) Shamsev, 2001 ^{c g}
- [Empis kerteszi](#) Bezzi, 1900 ^{c g}
- [Empis kirgizica](#) Chvála, 1999 ^{c g}
- [Empis kondaraensis](#) Shamshev, 2006 ^{c g}
- [Empis korana](#) Smith, 1969 ^{c g}
- [Empis kosametensis](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis kovalevi](#) Shamshev, 1998 ^{c g}
- [Empis kozlovi](#) Shamshev, 1998 ^{c g}
- [Empis krasnodarensis](#) Shamshev & Kustov, 2013 ^g
- [Empis kuaensis](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis kubaniensis](#) Shamsev & Kustov, 2008 ^{c g}
- [Empis kugleri](#) Chvála, 1999 ^{c g}
- [Empis kuntzei](#) Becker, 1910 ^{c g}
- [Empis kvakensis](#) Shamshev, 2003 ^{c g} [25]
- [Empis kyushuensis](#) Frey, 1953 ^{c g}
- [Empis labiata](#) Loew, 1861 ^{i c g}
- [Empis lachaisei](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis lacothea](#) Frey, 1955 ^{c g}
- [Empis laeta](#) Loew, 1869 ^{c g} [4]
- [Empis laetabilis](#) Collin, 1926 ^{c g} [17]
- [Empis laevigata](#) Loew, 1864 ^{i c g}
- [Empis lagoensis](#) Chvála, 1996 ^{c g}
- [Empis lamellalta](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis lamellata](#) Daugeron, 1999 [5] ^{c g}
- [Empis lamellimmanis](#) Daugeron, 1999 [5] ^{c g}
- [Empis lamellornata](#) Daugeron, Grootaert & Yang, 2003 ^{c g}
- [Empis laminata](#) Collin, 1927 ^{c g} [18]
- [Empis lamruensis](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis landbecki](#) Philippi, 1865 ^{c g}
- [Empis languescens](#) Collin, 1933 ^{c g}
- [Empis laniventris](#) Eschscholtz, 1823 ^{i c g}

- [Empis lata](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis lateralis](#) Collin, 1933 ^{c g}
- [Empis latiptera](#) Chvála, 1985 ^{c g}
- [Empis latrappensis](#) Ouellett, 1942 ^{i c g}
- [Empis latro](#) Frey, 1953 ^{c g}
- [Empis lepidopus](#) Meigen, 1822 ^{c g} [11]
- [Empis leptargyra](#) Frey, 1953 ^{c g}
- [Empis leptogastra](#) Loew, 1863 ^{i c g b}
- [Empis leptomorion](#) Bezzi, 1909 ^{c g} [12]
- [Empis leucopeza](#) Loew, 1873 ^{c g} [7]
- [Empis leucoptera](#) Meigen, 1804 ^g [19]
- [Empis leucostigma](#) Bezzi, 1905 ^{c g}
- [Empis leucotricha](#) Collin, 1960 ^{c g}
- [Empis levicula](#) Coquillett, 1895 ^{i c g}
- [Empis levis](#) Loew, 1873 ^{c g} [7]
- [Empis liberialis](#) Collin, 1933 ^{c g}
- [Empis licenti](#) Séguy, 1956 ^{c g}
- [Empis limata](#) Collin, 1927 ^{c g} [18]
- [Empis lindebergi](#) Saigusa, 2012 ^g
- [Empis linderi](#) Oldenberg, 1925 ^{c g}
- [Empis lindneri](#) Smith, 1967 ^{c g} [6]
- [Empis liodes](#) Bezzi, 1909 ^{c g} [12]
- [Empis liosoma](#) Bezzi, 1909 ^{c g} [12]
- [Empis liuxihensis](#) Daugeron, Grootaert & Yang, 2003 ^{c g}
- [Empis livida](#) Linnaeus, 1758 ^{c g}
- [Empis lobalis](#) Thomson, 1869 ^{c g}
- [Empis loewiana](#) Bezzi, 1909 ^{c g} [12]
- [Empis loici](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis longeoblita](#) Steyskal, 1965 ^{i c g}
- [Empis longicornis](#) Macquart, 1823 ^{c g}
- [Empis longimana](#) Loew, 1871 ^{c g}
- [Empis longipennis](#) Loew, 1868 ^{c g}
- [Empis longirostris](#) Meigen, 1804 ^{c g} [19]
- [Empis longiseta](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis loripedis](#) Coquillett, 1895 ^{i c g}
- [Empis lucida](#) Zetterstedt, 1838 ^{c g}

- [Empis lucidilabris](#) [Bezzi](#), 1905 ^{c g}
- [Empis lucidiventris](#) [Saigusa](#), 1992 ^{c g}
- [Empis lugens](#) [Philippi](#), 1865 ^{c g}
- [Empis lugubris](#) [Loew](#), 1869 ^{c g}[4]
- [Empis lurida](#) [Saigusa](#), 1992 ^{c g}
- [Empis lutea](#) [Meigen](#), 1804 ^{c g}[19]
- [Empis luteipilosa](#) [Saigusa](#), 1992 ^{c g}
- [Empis luteithorax](#) [Collin](#), 1933 ^{c g}
- [Empis lyneborgi](#) [Chvála](#), 1981 ^{c g}[22]
- [Empis lyra](#) [Smith](#), 1967 ^{c g}[6]
- [Empis lychebiensis](#) [Shamshev](#), 2006 ^{c g}
- [Empis macedoniensis](#) ([Bequaert](#), 1962) ^{c g}
- [Empis machipandensis](#) [Smith](#), 1969 ^{c g}
- [Empis macquarti](#) [Becker](#), 1907 ^{c g}
- [Empis macra](#) [Loew](#), 1867 ^{c g}[8]
- [Empis macropalpa](#) [Egger](#), 1860 ^{c g}[10]
- [Empis macropus](#) [Loew](#), 1858 ^{c g}
- [Empis macrorrhyncha](#) [Philippi](#), 1865 ^{c g}
- [Empis maculata](#) [Fabricius](#), 1781 ^{c g}
- [Empis maerens](#) [Loew](#), 1867 ^{c g}[9]
- [Empis makalaka](#) [Smith](#), 1969 ^{c g}
- [Empis makololo](#) [Smith](#), 1969 ^{c g}
- [Empis malaisei](#) [Frey](#), 1953 ^{c g}
- [Empis malleola](#) [Becker](#), 1887 ^{c g}
- [Empis manca](#) [Coquillett](#), 1895 ^{i c g}
- [Empis mandarina](#) [Frey](#), 1953 ^{c g}
- [Empis maraua](#) [Smith](#), 1962 ^{c g}
- [Empis marginata](#) [Brunetti](#), 1917 ^{c g}
- [Empis mariae](#) [Syrovatka](#), 1991 ^{c g}
- [Empis mashona](#) [Smith](#), 1969 ^{c g}
- [Empis matabele](#) [Smith](#), 1969 ^{c g}
- [Empis matilei](#) [Daugeron & Charbonnel](#), 2000 ^{c g}
- [Empis maviti](#) [Smith](#), 1969 ^{c g}
- [Empis mediasiatica](#) [Chvála](#), 1999 ^{c g}
- [Empis mediocris](#) [Becker](#), 1907 ^{c g}
- [Empis mediterranea](#) ([Loew](#), 1864) ^{c g}

- [*Empis melanderi*](#) Arnaud and Birchim, 1966 ^{i c g}
- [*Empis melanopa*](#) Stephens, 1829 ^{c g}
- [*Empis melanotricha*](#) Loew, 1873 ^{c g} [7]
- [*Empis mellipes*](#) Waltl, 1837 ^{c g}
- [*Empis menglunensis*](#) Daugeron & Grootaert, 2005 ^{c g}
- [*Empis mengyangensis*](#) Daugeron & Grootaert, 2005 ^{c g}
- [*Empis meridionalis*](#) Meigen, 1822 ^{c g} [11]
- [*Empis mesogramma*](#) Loew, 1867 ^{c g} [8]
- [*Empis metapleurialis*](#) Bezzi, 1909 ^{c g} [12]
- [*Empis micans*](#) Schiner, 1868 ^{c g}
- [*Empis micropyga*](#) Bezzi, 1905 ^{c g}
- [*Empis microtheca*](#) Frey, 1955 ^{c g}
- [*Empis mikii*](#) Strobl, 1899 ^{c g} [16]
- [*Empis minor*](#) Frey, 1953 ^{c g}
- [*Empis mira*](#) (Bigot, 1880) ^{i c g}
- [*Empis miranda*](#) Daugeron & Grootaert, 2003 ^{c g}
- [*Empis mirandica*](#) Chvála, 1981 ^{c g} [22]
- [*Empis mirifica*](#) Collin, 1960 ^{c g}
- [*Empis miripes*](#) Collin, 1933 ^{c g}
- [*Empis missai*](#) Daugeron & Grootaert, 2005 ^{c g}
- [*Empis mixopolia*](#) Melander, 1902 ^{i c g}
- [*Empis modesta*](#) Meigen, 1838 ^{c g}
- [*Empis modica*](#) Collin, 1933 ^{c g}
- [*Empis moiwasana*](#) (Matsumura, 1915) ^{c g}
- [*Empis mollis*](#) Syrovatka, 2000 ^{c g}
- [*Empis mollita*](#) Collin, 1933 ^{c g}
- [*Empis moncayoensis*](#) Daugeron, 2000 ^{c g}
- [*Empis montana*](#) Daugeron, 1997 ^{c g}
- [*Empis montezuma*](#) Wheeler & Melander, 1901 ^{c g}
- [*Empis monticola*](#) Loew, 1868 ^{c g} [26]
- [*Empis montiradicis*](#) James, 1942 ^{i c g}
- [*Empis montivaga*](#) Daugeron, 2000 ^{c g}
- [*Empis montywoodi*](#) Sinclair, Brooks & Cumming, 2013 ^g
- [*Empis morenae*](#) Strobl, 1899 ^{c g} [16]
- [*Empis morio*](#) Fabricius, 1794 ^{c g}
- [*Empis morosa*](#) Meigen, 1822 ^{c g} [11]

- [Empis multinodosa](#) Frey, 1953 ^{c g}
- [Empis multipennata](#) Melander, 1946 ^{c g}
- [Empis multispina](#) Daugeron, 1999[5] ^{c g}
- [Empis nabucco](#) Çiftçi, 2012 ^g[24]
- [Empis nahaeoensis](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis namaqua](#) Smith, 1969 ^{c g}
- [Empis namwamba](#) Smith, 1971 ^{c g}
- [Empis nanlinga](#) Daugeron, Grootaert & Yang, 2003 ^{c g}
- [Empis nartshuki](#) Shamsev, 2001 ^{c g}
- [Empis natalensis](#) Smith, 1967 ^{c g}[6]
- [Empis neesoonensis](#) Daugeron, 2005 ^{c g}
- [Empis negrobovi](#) Shamsev, 2001 ^{c g}
- [Empis nevadensis](#) Chvála, 1981 ^{c g}[22]
- [Empis nganga](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis nigerrima](#) Loew, 1862 ^{c g}
- [Empis nigra](#) Villers, 1789 ^{c g}
- [Empis nigricans](#) Meigen, 1804 ^{c g}[19]
- [Empis nigricolor](#) Collin, 1933 ^{c g}
- [Empis nigricoma](#) Loew, 1867 ^{c g}[27]
- [Empis nigricrus](#) Gmelin, 1790 ^{c g}
- [Empis nigrimana](#) Becker, 1907 ^{c g}
- [Empis nigripes](#) Fabricius, 1794 ^{c g}
- [Empis nigrisquama](#) Smith, 1969 ^{c g}
- [Empis nigritarsis](#) Meigen, 1804 ^{c g}[19]
- [Empis nigritibialis](#) Strobl, 1898 ^{c g}
- [Empis nigropilosa](#) Collin, 1937 ^{c g}[14]
- [Empis nimbaensis](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis nitida](#) Meigen, 1804 ^{c g}[19]
- [Empis nitidissima](#) Strobl, 1893 ^{c g}
- [Empis nitidiventris](#) Loew, 1873 ^{c g}[7]
- [Empis nitidula](#) Zetterstedt, 1859 ^{c g}
- [Empis nodipoplitea](#) Steyskal, 1965 ^{i c g}
- [Empis nondouensis](#) Daugeron, 2002 ^{c g}
- [Empis nuda](#) Loew, 1862 ^{i c g}
- [Empis nuntia](#) Meigen, 1822 ^{c g}[11]
- [Empis obesa](#) Loew, 1861 ^{i c g}

- [Empis obscura](#) [Macquart](#), 1827 ^{c g}
- [Empis obscuripes](#) ([Loew](#), 1873) ^{c g} [7]
- [Empis occlusa](#) [Collin](#), 1960 ^{c g}
- [Empis ochropus](#) [Philippi](#), 1865 ^{c g}
- [Empis odessa](#) [Shamsev](#), 2001 ^{c g}
- [Empis oertus](#) [Harris](#), 1776 ^{c g}
- [Empis olli](#) [Walker](#), 1849 ^{i c g}
- [Empis omissa](#) [Collin](#), 1933 ^{c g}
- [Empis opaca](#) [Meigen](#), 1804 ^{c g} [19]
- [Empis optabilis](#) [Collin](#), 1933 ^{c g}
- [Empis optiva](#) [Collin](#), 1941 ^{c g}
- [Empis oribi](#) [Smith](#), 1969 ^{c g}
- [Empis ostentator](#) [Melander](#), 1946 ^{c g}
- [Empis otakouensis](#) [Miller](#), 1910 ^{c g}
- [Empis otchontengriensis](#) [Shamsev](#), 2001 ^{c g}
- [Empis otiosa](#) [Coquillett](#), 1895 ^{i c g}
- [Empis oxilara](#) [Shamshev](#), 1998 ^{c g}
- [Empis pachymerina](#) [Schiner](#), 1868 ^{c g}
- [Empis pachymorion](#) [Frey](#), 1935 ^{c g}
- [Empis pachypodiata](#) [Bigot](#), 1889 ^{c g}
- [Empis pachystoma](#) [Philippi](#), 1865 ^{c g}
- [Empis padangensis](#) [Daugeron & Grootaert](#), 2005 ^{c g}
- [Empis pakensis](#) [Daugeron & Grootaert](#), 2003 ^{c g}
- [Empis palaestinensis](#) [Engel](#), 1946 ^{c g}
- [Empis palestinaca](#) ([Collin](#), 1960) ^{c g}
- [Empis pallida](#) [Loew](#), 1861 ^{i c g}
- [Empis pallipes](#) [Olivier](#), 1791 ^{c g}
- [Empis palustris](#) [Scopoli](#), 1763 ^{c g}
- [Empis pan](#) [Frey](#), 1953 ^{c g}
- [Empis pandellei](#) [Daugeron](#), 1999 [5] ^{c g}
- [Empis pandicauda](#) [Collin](#), 1960 ^{c g}
- [Empis papuana](#) [Bezzi](#), 1904 ^{c g}
- [Empis paralis](#) [Collin](#), 1933 ^{c g}
- [Empis parvula](#) [Daugeron & Grootaert](#), 2005 ^{c g}
- [Empis paschalis](#) [Gistel](#), 1848 ^{c g}
- [Empis patagiata](#) [Bezzi](#), 1914 ^{c g}

- [Empis pavesii](#) [Bezzi](#), 1895 ^{c g}
- [Empis pavli](#) [Shamshev](#), 1998 ^{c g}
- [Empis pectinata](#) [Sinclair](#), 2013 ^g
- [Empis pedispinosa](#) [Daugeron](#), [Grootaert](#) & [Yang](#), 2003 ^{c g}
- [Empis pegasus](#) [Osten Sacken](#), 1887 ^{c g}
- [Empis pellucida](#) [Coquillett](#), 1900 ^{i c g}
- [Empis penicillata](#) [Brooks](#), [Sinclair](#) & [Cumming](#), 2013 ^g
- [Empis pennata](#) [Panzer](#), 1803 ^{c g}
- [Empis pennipes](#) [Linnaeus](#), 1758 ^{c g}
- [Empis penniventris](#) [Bezzi](#), 1909 ^{c g} [\[12\]](#)
- [Empis peregrina](#) ([Melander](#), 1902) ^{i c g}
- [Empis perpendicularis](#) [Loew](#), 1858 ^{c g}
- [Empis perpusilla](#) [Collin](#), 1933 ^{c g}
- [Empis persimilis](#) [Frey](#), 1953 ^{c g}
- [Empis petulans](#) [Becker](#), 1910 ^{c g}
- [Empis pexata](#) [Collin](#), 1960 ^{c g}
- [Empis phaenomeris](#) [Loew](#), 1868 ^{c g} [\[28\]](#)
- [Empis picena](#) [Bezzi](#), 1899 ^{c g} [\[16\]](#)
- [Empis picipes](#) [Meigen](#), 1804 ^{c g} [\[19\]](#)
- [Empis pilicornis](#) [Loew](#), 1867 ^{c g} [\[27\]](#)
- [Empis pilimana](#) [Loew](#), 1869 ^{c g} [\[4\]](#)
- [Empis pilosa](#) [Loew](#), 1867 ^{c g} [\[27\]](#)
- [Empis pilositaris](#) [Frey](#), 1953 ^{c g}
- [Empis planetica](#) [Collin](#), 1927 ^{c g} [\[18\]](#)
- [Empis plebeja](#) [Loew](#), 1873 ^{c g} [\[7\]](#)
- [Empis plectrum](#) [Melander](#), 1946 ^{i c g}
- [Empis pleurica](#) ([Collin](#), 1960) ^{c g}
- [Empis plorans](#) [Bezzi](#), 1912 ^{c g}
- [Empis plumata](#) [Daugeron](#), 2001 ^{c g}
- [Empis podagra](#) [Melander](#), 1902 ^{i c g}
- [Empis podagrica](#) [Meigen](#), 1830 ^{c g}
- [Empis poeciloptera](#) [Loew](#), 1861 ^{i c g}
- [Empis poecilosoma](#) [Melander](#), 1946 ^{c g}
- [Empis polita](#) [Macquart](#), 1838 ^{c g}
- [Empis politea](#) [Loew](#), 1863 ^{i g}
- [Empis ponti](#) [Chvála](#), 1996 ^{c g}

- [*Empis poplitea* Loew, 1863](#) ^{c g}
- [*Empis portia* Smith, 1971](#) ^{c g}
- [*Empis praecox* Loew, 1867](#) ^{c g}[9]
- [*Empis praevia* Collin, 1927](#) ^{c g}[18]
- [*Empis probata* Collin, 1928](#) ^{c g}
- [*Empis proboprocera* Daugeron, 2000](#) ^{c g}
- [*Empis procera* Loew, 1873](#) ^{c g}[7]
- [*Empis prodigiosa* Cumming, 2013](#) ^g
- [*Empis prodromus* Loew, 1867](#) ^{c g}[9]
- [*Empis producta* Daugeron, 2005](#) ^{c g}
- [*Empis projecta* Daugeron & Grootaert, 2005](#) ^{c g}
- [*Empis prolongata* Wang, Li & Yang, 2010](#) ^g
- [*Empis prompta* Collin, 1933](#) ^{c g}
- [*Empis protarsalis* Collin, 1927](#) ^{c g}[18]
- [*Empis proxima* Meigen, 1838](#) ^{c g}
- [*Empis pruinosa* Wiedemann, 1824](#) ^{c g}
- [*Empis przhivalskii* Shamshev, 2006](#) ^{c g}
- [*Empis pseudodecora* Strobl, 1898](#) ^{c g}
- [*Empis pseudofasciculata* Syrovatka, 2000](#) ^{c g}
- [*Empis pseudomalleola* Strobl, 1893](#) ^{c g}
- [*Empis pseudonahaeoensis* Daugeron & Grootaert, 2005](#) ^{c g}
- [*Empis pseudonuntia* Syrovatka, 1991](#) ^{c g}
- [*Empis pseudoprodromus* Collin, 1969](#) ^{c g}
- [*Empis pseudorufiventris* \(Bequaert, 1962\)](#) ^{c g}
- [*Empis pseudosemicinerea* Daugeron, 2000](#) ^{c g}
- [*Empis pseudosetitarsus* Daugeron & Grootaert, 2003](#) ^{c g}
- [*Empis pseudospinotibialis* Daugeron & Grootaert, 2003](#) ^{c g}
- [*Empis pteropoda* Egger, 1860](#) ^{c g}[10]
- [*Empis ptilocnemis* \(Loew, 1873\)](#) ^{c g}[7]
- [*Empis ptilopoda* Wiedemann, 1822](#) ^{c g}[11]
- [*Empis pudica* \(Loew, 1861\)](#) ^{i c g}
- [*Empis pulchra* Saigusa, 1964](#) ^{c g}
- [*Empis pulchripes* Loew, 1869](#) ^{c g}[4]
- [*Empis pullata* Collin, 1933](#) ^{c g}
- [*Empis punctata* Meigen, 1804](#) ^{c g}[19]
- [*Empis purgata* \(Cederhielm, 1798\)](#) ^{c g}

- [Empis pusio](#) Egger, 1860 ^{c g}[10]
- [Empis quadrilineata](#) Gmelin, 1790 ^{c g}
- [Empis quadrimanus](#) Frey, 1953 ^{c g}
- [Empis quadrivittata](#) Lynch Arribalzaga, 1878 ^{c g}
- [Empis rapida](#) Meigen, 1838 ^{c g}
- [Empis raptoria](#) Bezzi, 1912 ^{c g}
- [Empis ratburiensis](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis rava](#) Loew, 1862 ^{c g}
- [Empis reciproca](#) Walker, 1857 ^{i c g}
- [Empis recordabilis](#) Collin, 1933 ^{c g}
- [Empis retroversa](#) Collin, 1933 ^{c g}
- [Empis richteri](#) Shamshev, 1998 ^{c g}
- [Empis ringdahli](#) (Collin, 1969) ^{c g}
- [Empis rohaceki](#) Chvála, 1994 ^{c g}
- [Empis rohdendorfi](#) Shamsev, 2001 ^{c g}
- [Empis rostrata](#) Brunetti, 1913 ^{c g}
- [Empis ruficornis](#) (Loew, 1864) ^{c g}
- [Empis rufipes](#) Gmelin, 1790 ^g
- [Empis rufiventris](#) Meigen, 1838 ^{c g}
- [Empis rustica](#) Fallén, 1816 ^{c g}
- [Empis salicina](#) Liroy, 1864 ^{c g}
- [Empis saltans](#) Engel, 1946 ^{c g}
- [Empis samaruensis](#) Daugeron, 2001 ^{c g}
- [Empis sauteriana](#) Bezzi, 1914 ^{c g}
- [Empis scatophagina](#) Melander, 1902 ^{i c g}
- [Empis scaura](#) Loew, 1867 ^{c g}[9]
- [Empis sciloptera](#) Wiedemann, 1830 ^{c g}
- [Empis scoparia](#) Coquillett, 1903 ^{i c g}
- [Empis scopulifera](#) Bezzi, 1912 ^{c g}
- [Empis scotica](#) Curtis, 1835 ^{c g}
- [Empis scutellata](#) Curtis, 1835 ^{c g}
- [Empis sedelnikovi](#) Shamshev, 2006 ^{c g}
- [Empis semicinerea](#) Loew, 1867 ^{c g}[8]
- [Empis seminitida](#) Frey, 1955 ^{c g}
- [Empis sericans](#) Brullé, 1833 ^{c g}
- [Empis sericata](#) White, 1916 ^{c g}

- [Empis sericea](#) Olivier, 1791 ^{c g}
- [Empis serotina](#) Loew, 1867 ^{c g}[9]
- [Empis serrata](#) Schrank, 1803 ^{c g}
- [Empis sesquata](#) (Ito, 1961) ^{c g}
- [Empis setigera](#) Loew, 1869 ^{c g}[4]
- [Empis setitarsus](#) Smith, 1969 ^{c g}
- [Empis setosa](#) Loew, 1867 ^{c g}[9]
- [Empis sevanensis](#) Shamshev, 2001 ^{c g}
- [Empis shatalkini](#) Shamshev, 2002 ^{c g}
- [Empis shennongana](#) Wang, Li & Yang, 2010 ^g
- [Empis shumana](#) Smith, 1962 ^{c g}
- [Empis shushaensis](#) Shamshev, 2001 ^{c g}
- [Empis sibillina](#) Bezzi, 1899 ^{c g}[16]
- [Empis sicular](#) Loew, 1867 ^{c g}[9]
- [Empis similis](#) Becker, 1908 ^{c g}
- [Empis simulium](#) (Nowicki, 1868) ^{c g}[20]
- [Empis sinensis](#) Melander, 1946 ^{c g}
- [Empis singulare](#) Daugeron, 2001 ^{c g}
- [Empis sinuosa](#) Daugeron, 1999[5] ^{c g}
- [Empis sjoestedti](#) Frey, 1935 ^{c g}
- [Empis skufini](#) Shamshev, 2003 ^{c g}[25]
- [Empis snoddyi](#) Steyskal, 1969 ^{i c g b}
- [Empis socrus](#) Syrovatka, 1983 ^{c g}
- [Empis sordida](#) Loew, 1861 ^{i c g}
- [Empis soror](#) Collin, 1937 ^{c g}[14]
- [Empis sororia](#) (Collin, 1960) ^{c g}
- [Empis spectabilis](#) Loew, 1862 ^{i c g b}
- [Empis specularis](#) Bezzi, 1909 ^{c g}[12]
- [Empis spinifemorata](#) Daugeron, 2000 ^{c g}
- [Empis spinifera](#) Bezzi, 1909 ^{c g}[12]
- [Empis spinosa](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis spinotibialis](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis spiralis](#) Collin, 1937 ^{c g}[14]
- [Empis spirifera](#) Bezzi, 1909 ^{c g}[12]
- [Empis spitzeri](#) Chvála, 1977 ^{c g}
- [Empis splendidella](#) Frey, 1953 ^{c g}

- [Empis spungaberaensis](#) Daugeron & Grootaert, 2003 ^{c g}
- [Empis squamipes](#) Coquillett, 1903 ^{c g}
- [Empis staegeri](#) Collin, 1963 ^{c g}
- [Empis stenoptera](#) Loew, 1864 ^{i c g}
- [Empis stercorea](#) Linnaeus, 1758, 1760 ^{c g}
- [Empis stigma](#) Walth, 1837 ^{c g}
- [Empis stigmatica](#) Frey, 1953 ^{c g}
- [Empis strigata](#) Loew, 1867 ^{c g}[29]
- [Empis styriaca](#) Strobl, 1893 ^{c g}
- [Empis subabreviata](#) Frey, 1953 ^{c g}
- [Empis subciliata](#) Loew, 1871 ^{c g}
- [Empis subcilipes](#) Brunetti, 1913 ^{c g}
- [Empis subclavata](#) (Loew, 1873) ^{c g}[7]
- [Empis suberis](#) Becker, 1907 ^{c g}
- [Empis subinfumata](#) Malloch, 1923 ^{i c g}
- [Empis submetallica](#) Daugeron & Grootaert, 2005 ^{c g}
- [Empis subnitida](#) Becker, 1914 ^{c g}
- [Empis subpatagiata](#) Frey, 1953 ^{c g}
- [Empis subpennata](#) Macquart, 1827 ^{c g}
- [Empis subscutellata](#) Shamshev, 1998 ^{c g}
- [Empis sugonyaevi](#) Shamshev, 2001 ^{c g}
- [Empis surata](#) Kuntze, 1907 ^{c g}
- [Empis syriaca](#) Collin, 1937 ^{c g}[14]
- [Empis syrovatkai](#) Chvála, 1985 ^{c g}
- [Empis syusiroiana](#) Frey, 1953 ^{c g}
- [Empis tajikistanica](#) Chvála, 1999 ^{c g}
- [Empis talyshensis](#) Shamshev, 2006 ^{c g}
- [Empis tanysphyra](#) Loew, 1873 ^{c g}[7]
- [Empis tashkentensis](#) Shamshev, 2006 ^{c g}
- [Empis tasmaniensis](#) Smith, 1989 ^{c g}
- [Empis tenebrosa](#) Coquillett, 1895 ^{c g}
- [Empis tenera](#) Syrovatka, 1983 ^{c g}
- [Empis tenuinervis](#) Bezzi, 1912 ^{c g}
- [Empis tenuipes](#) Loew, 1869 ^{c g}[4]
- [Empis teres](#) Melander, 1902 ^{i c g}
- [Empis tersa](#) Coquillett, 1895 ^{i c g}

- [*Empis tessellata* Fabricius, 1794](#) ^{c g}
- [*Empis testacea* Fabricius, 1805](#) ^{c g}
- [*Empis testiculata* Bezzi, 1909](#) ^{c g}[\[12\]](#)
- [*Empis thalhammeri* Strobl, 1898](#) ^{c g}
- [*Empis thapensis* Daugeron & Grootaert, 2003](#) ^{c g}
- [*Empis theodori* \(Collin, 1960\)](#) ^{c g}
- [*Empis thermophila* Wiedemann, 1830](#) ^{c g}
- [*Empis thiasotes* Melander, 1946](#) ^{c g}
- [*Empis thomsoni* Hardy, 1942](#) ^{c g}
- [*E. tianmushana* Li, Saigusa & Yang, 2012](#) ^g
- [*Empis tibetensis* Shamshev, 2006](#) ^{c g}
- [*Empis tibiiculata* Daugeron, Grootaert & Yang, 2003](#) ^{c g}
- [*Empis tibialis* Hardy, 1934](#) ^{c g}
- [*Empis tortuosa* Daugeron, 2005](#) ^{c g}
- [*Empis totipennis* Bellardi, 1861](#) ^{c g}
- [*Empis transbaicalica* Shamshev, 2006](#) ^{c g}
- [*Empis trianguligera* Strobl, 1898](#) ^{c g}
- [*Empis tribulis* Collin, 1933](#) ^{c g}
- [*Empis trichoscelis* Collin, 1933](#) ^{c g}
- [*Empis tridentata* Coquillett, 1901](#) ^{i c g b}
- [*Empis trigramma* Wiedemann, 1822](#) ^{c g}[\[11\]](#)
- [*Empis trilineata* Gmelin, 1790](#) ^{c g}
- [*Empis triseta* Daugeron, 2005](#) ^{c g}
- [*Empis tristis* Loew, 1867](#) ^{c g}[\[9\]](#)
- [*Empis trivittata* Macquart, 1827](#) ^{c g}
- [*Empis trochanterata* Saigusa, 1992](#) ^{c g}
- [*Empis trunca* Daugeron, 1999](#)[\[5\]](#) ^{c g}
- [*Empis tuberculata* Saigusa, 1992](#) ^{c g}
- [*Empis tumida* Meigen, 1822](#) ^{c g}[\[11\]](#)
- [*Empis turanica* Shamshev & Grootaert, 2005](#) ^{c g}
- [*Empis turneri* Smith, 1969](#) ^{c g}
- [*Empis ulrichi* Chvála, 1999](#) ^{c g}
- [*Empis umbrina* Wiedemann, 1822](#) ^{c g}[\[11\]](#)
- [*Empis umslangaani* Smith, 1969](#) ^{c g}
- [*Empis umzilai* Smith, 1969](#) ^{c g}
- [*Empis unicolor* Brullé, 1833](#) ^{c g}

- [Empis unistriata](#) [Becker](#), 1887 ^{c g}
- [Empis univittata](#) [Loew](#), 1867 ^{c g}[\[9\]](#)
- [Empis uruguayensis](#) [Lynch Arribalzaga](#), 1878 ^{c g}
- [Empis urumae](#) [Daugeron & Grootaert](#), 2005 ^{c g}
- [Empis ussuriensis](#) [Collin](#), 1941 ^{c g}
- [Empis uzbekistanica](#) [Chvála](#), 1999 ^{c g}
- [Empis vaginifer](#) [Melandar](#), 1902 ^{i c g}
- [Empis valdiviana](#) [Philippi](#), 1865 ^{c g}
- [Empis valentis](#) [Coquillett](#), 1895 ^{i c g}
- [Empis valga](#) [Collin](#), 1938 ^{c g}
- [Empis validis](#) [Adams](#), 1905 ^{c g}
- [Empis variabilis](#) [Bigot](#), 1857 ^{c g}
- [Empis variegata](#) [Meigen](#), 1804 ^{c g}[\[19\]](#)
- [Empis varipes](#) [Loew](#), 1861 ^{i c g}
- [Empis varzobiensis](#) [Shamshev](#), 2006 ^{c g}
- [Empis velutina](#) [Bezzi](#), 1912 ^{c g}
- [Empis velutinella](#) [Frey](#), 1953 ^{c g}
- [Empis verae](#) [Smith](#), 1969 ^{c g}
- [Empis verralli](#) [Collin](#), 1927 ^{c g}[\[18\]](#)
- [Empis verruca](#) [Daugeron](#), 2005 ^{c g}
- [Empis vetula](#) [Smith](#), 1969 ^{c g}
- [Empis vicaria](#) [Frey](#), 1935 ^{c g}
- [Empis vicina](#) [Lynch Arribalzaga](#), 1878 ^{c g}
- [Empis villosipes](#) [Frey](#), 1953 ^{c g}
- [Empis vina](#) [Smith](#), 1971 ^{c g}
- [Empis virgata](#) [Coquillett](#), 1895 ^{i c g}
- [Empis virgulata](#) [Daugeron](#), 2009 ^g
- [Empis vitisalutatoris](#) [Daugeron & Grootaert](#), 2005 ^{c g}
- [Empis vitripennis](#) [Meigen](#), 1822 ^{c g}[\[11\]](#)
- [Empis vockerothi](#) [Cumming](#), 2013 ^g
- [Empis volsella](#) [Sinclair](#), 2013 ^g
- [Empis volucris](#) [Wiedemann](#), 1822 ^{c g}[\[11\]](#)
- [Empis vumba](#) [Smith](#), 1969 ^{c g}
- [Empis waterhousei](#) [Hardy](#), 1934 ^{c g}
- [Empis woitapensis](#) [Daugeron & Grootaert](#), 2005 ^{c g}
- [Empis woodi](#) [Collin](#), 1927 ^{c g}[\[18\]](#)

- [*Empis xanthomelas*](#) Saigusa, 1992 ^{c g}
- [*Empis xanthopyga*](#) Schiner, 1868 ^{c g}
- [*Empis xanthotibia*](#) Saigusa, 1964 ^{c g}
- [*Empis xochitl*](#) Wheeler & Melander, 1901 ^{c g}
- [*Empis xui*](#) Daugeron, Grootaert & Yang, 2003 ^{c g}
- [*Empis yaroshenkoi*](#) Shamshev & Kustov, 2008 ^{c g}
- [*Empis zachardai*](#) Chvála, 1999 ^{c g}
- [*Empis zaslavskii*](#) Shamshev, 2001 ^{c g}
- [*Empis zhuae*](#) Li, Saigusa et Yang, 2012 ^g
- [*Empis zhuravskii*](#) Shamshev, 2006 ^{c g}
- [*Empis zimini*](#) Shamshev, 2003 ^{c g} [25]
- [*Empis zinovjevae*](#) Shamshev, 1998 ^{c g}
- [*Empis zlobini*](#) Shamshev, 1998 ^{c g}

Data sources: i = ITIS,[1] c = Catalogue of Life,[30] g = GBIF,[2] b = Bugguide.net[3]

This is a list of species in the [darkling beetle](#) genus [Eleodes](#). [1][2]

***Eleodes* species**

- [*Eleodes aalbui*](#) Triplehorn, 2007
- [*Eleodes acuta*](#) (Say, 1824)
- [*Eleodes acutangula*](#) Blaisdell, 1921
- [*Eleodes acuticauda*](#) LeConte, 1851
- [*Eleodes adumbrata*](#) Blaisdell, 1925
- [*Eleodes aequalis*](#) (Say, 1835)
- [*Eleodes alticola*](#) Blaisdell, 1925
- [*Eleodes amaura*](#) Champion, 1892
- [*Eleodes anachronus*](#) Triplehorn, 201035
- [*Eleodes angulata*](#) (Eschscholtz, 1829)
- [*Eleodes angusta*](#) Eschscholtz, 1829
- [*Eleodes anthracina*](#) Blaisdell, 1909
- [*Eleodes arcuata*](#) Casey, 1884
- [*Eleodes aristata*](#) Somerby, 1977
- [*Eleodes armata*](#) LeConte, 1851 (armored stink beetle)
- [*Eleodes aspera*](#) LeConte, 1866
- [*Eleodes barbata*](#) Wickham, 1918
- [*Eleodes bidens*](#) Triplehorn, 2007
- [*Eleodes bishopensis*](#) Somerby & Doyen, 1976

- [*Eleodes blanchardii*](#) Blaisdell, 1909
- [*Eleodes blapoides*](#) Eschscholtz, 1829
- [*Eleodes brevicollis*](#) Gemminger, 1870
- [*Eleodes brucei*](#) Triplehorn, 2007
- [*Eleodes brunnipes*](#) Casey, 1890
- [*Eleodes calcarata*](#) Champion, 1884
- [*Eleodes californica*](#) Blaisdell, 1929
- [*Eleodes carbonaria*](#) (Say, 1824)
- [*Eleodes caseyi*](#) Blaisdell, 1909
- [*Eleodes caudifera*](#) LeConte, 1858
- [*Eleodes clavicornis*](#) Eschscholtz, 1829
- [*Eleodes coarctata*](#) Champion, 1885
- [*Eleodes composita*](#) Casey, 1891
- [*Eleodes connata*](#) Solier, 1848
- [*Eleodes consobrina*](#) LeConte, 1851
- [*Eleodes constricta*](#) LeConte, 1858
- [*Eleodes cooperi*](#) Somerby & Doyen, 1976
- [*Eleodes cordata*](#) Eschscholtz, 1829
- [*Eleodes corrugans*](#) Triplehorn, 2007
- [*Eleodes corvina*](#) Blaisdell, 1921
- [*Eleodes curta*](#) Champion, 1884
- [*Eleodes curvidens*](#) Triplehorn & Cifuentes-Ruiz, 2011
- [*Eleodes debilis*](#) LeConte, 1858
- [*Eleodes delicata*](#) Blaisdell, 1929
- [*Eleodes dentipes*](#) Eschscholtz, 1829 (dentate stink beetle)
- [*Eleodes dilaticollis*](#) Champion, 1884
- [*Eleodes discincta*](#) Blaisdell, 1925
- [*Eleodes dissimilis*](#) Blaisdell, 1909
- [*Eleodes distincta*](#) Solier, 1848
- [*Eleodes easterlai*](#) Triplehorn, 1975
- [*Eleodes ebenina*](#) (Solier, 1848)
- [*Eleodes elongatula*](#) Eschscholtz, 1829
- [*Eleodes erratica*](#) Champion, 1884
- [*Eleodes eschscholtzii*](#) Solier, 1848
- [*Eleodes exarata*](#) Champion, 1884
- [*Eleodes extricata*](#) (Say, 1824)
- [*Eleodes femorata*](#) LeConte, 1851
- [*Eleodes fiski*](#) Triplehorn, 2015
- [*Eleodes forreri*](#) Champion, 1884
- [*Eleodes fuchsii*](#) Blaisdell, 1909
- [*Eleodes fusiformis*](#) LeConte, 1858
- [*Eleodes gigantea*](#) Mannerheim, 1843

- [*Eleodes glabricollis*](#) Champion, 1884
- [*Eleodes goryi*](#) Solier, 1848
- [*Eleodes gracilis*](#) LeConte, 1858
- [*Eleodes grandicollis*](#) Mannerheim, 1843
- [*Eleodes granosa*](#) LeConte, 1866
- [*Eleodes granulata*](#) LeConte, 1857
- [*Eleodes gravida*](#) (Eschscholtz, 1829)
- [*Eleodes grutus*](#) Aalbu, Smith & Triplehorn, 201232
- [*Eleodes guadalupensis*](#) Aalbu, Smith & Triplehorn, 2012
- [*Eleodes halli*](#) Blaisdell, 1941
- [*Eleodes hepburni*](#) Champion, 1884
- [*Eleodes hirsuta*](#) LeConte, 1861
- [*Eleodes hirtipennis*](#) Triplehorn, 1964
- [*Eleodes hispilabris*](#) (Say, 1824)
- [*Eleodes hoegei*](#) Champion, 1885
- [*Eleodes hoppingii*](#) Blaisdell, 1909
- [*Eleodes hornii*](#) Blaisdell, 1909
- [*Eleodes humeralis*](#) LeConte, 1857
- [*Eleodes hybrida*](#) Blaisdell, 1917
- [*Eleodes impolita*](#) (Say, 1835)
- [*Eleodes inculta*](#) LeConte, 1861 (island darkling beetle)
- [*Eleodes innocens*](#) LeConte, 1866
- [*Eleodes inornata*](#) Johnston, 2016
- [*Eleodes insularis*](#) Linell, 1899
- [*Eleodes kaweana*](#) Blaisdell, 1933
- [*Eleodes knullorum*](#) Triplehorn, 1971
- [*Eleodes labialis*](#) Triplehorn, 1975
- [*Eleodes laevigata*](#) Solier, 1848
- [*Eleodes lariversi*](#) Somerby & Doyen, 1976
- [*Eleodes lecontei*](#) Horn, 1870
- [*Eleodes leechi*](#) Tanner, 1961
- [*Eleodes leptoscelis*](#) Triplehorn, 1975
- [*Eleodes letcheri*](#) Blaisdell, 1909
- [*Eleodes littoralis*](#) (Eschscholtz, 1829)
- [*Eleodes longicollis*](#) LeConte, 1851
- [*Eleodes longicornis*](#) Champion, 1884
- [*Eleodes longipilosa*](#) Horn, 1891
- [*Eleodes loretensis*](#) Blaisdell, 1923
- [*Eleodes madrensis*](#) Johnston, 2015
- [*Eleodes manni*](#) Blaisdell, 1917
- [*Eleodes marginata*](#) Eschscholtz, 1829
- [*Eleodes maura*](#) (Say, 1835)

- [*Eleodes melanaria*](#) Eschscholtz, 1829
- [*Eleodes mexicana*](#) Blaisdell, 1943
- [*Eleodes microps*](#) Aalbu, Smith & Triplehorn, 2012
- [*Eleodes mirabilis*](#) Triplehorn, 2007
- [*Eleodes moesta*](#) Blaisdell, 1921
- [*Eleodes montana*](#) Champion, 1884
- [*Eleodes muricatula*](#) Triplehorn, 2007
- [*Eleodes mutilata*](#) Blaisdell, 1921
- [*Eleodes nana*](#) Blaisdell, 1909
- [*Eleodes neomexicana*](#) Blaisdell, 1909
- [*Eleodes neotomae*](#) Blaisdell, 1909
- [*Eleodes nevadensis*](#) Blaisdell, 1909
- [*Eleodes nigrina*](#) LeConte, 1858
- [*Eleodes nigropilosa*](#) (LeConte, 1851)
- [*Eleodes novoverrucula*](#) Boddy, 1957
- [*Eleodes nunenmacheri*](#) Blaisdell, 1918
- [*Eleodes oblitterata*](#) (Say, 1835)
- [*Eleodes obscura*](#) (Say, 1824)
- [*Eleodes olida*](#) Champion, 1892
- [*Eleodes opaca*](#) (Say, 1824) (plains false wireworm)
- [*Eleodes oregona*](#) Blaisdell, 1941
- [*Eleodes ornatipennis*](#) Blaisdell, 1937
- [*Eleodes orophila*](#) Somerby, 1977
- [*Eleodes osculans*](#) (LeConte, 1851) (wooly darkling beetle)
- [*Eleodes panamintensis*](#) Somerby, 1977
- [*Eleodes papillosa*](#) Blaisdell, 1917
- [*Eleodes parowana*](#) Blaisdell, 1925
- [*Eleodes parvicollis*](#) Eschscholtz, 1829
- [*Eleodes patulicollis*](#) Blaisdell, 1932
- [*Eleodes pedinoides*](#) LeConte, 1858
- [*Eleodes peropaca*](#) Champion, 1892
- [*Eleodes pilosa*](#) Horn, 1870
- [*Eleodes pimelioides*](#) Mannerheim, 1843
- [*Eleodes planata*](#) Eschscholtz, 1829
- [*Eleodes platypennis*](#) Triplehorn, 2007
- [*Eleodes polita*](#) Champion, 1892
- [*Eleodes ponderosa*](#) Champion, 1884
- [*Eleodes producta*](#) Mannerheim, 1843
- [*Eleodes propinqua*](#) Blaisdell, 1918
- [*Eleodes punctigera*](#) Blaisdell, 1935
- [*Eleodes quadricollis*](#) Eschscholtz, 1829
- [*Eleodes reddelli*](#) Triplehorn, 2007

- [*Eleodes rileyi*](#) Casey, 1891
- [*Eleodes robinetti*](#) Boddy, 1957
- [*Eleodes rossi*](#) Blaisdell, 1943
- [*Eleodes rotundicollis*](#) (Eschscholtz, 1829)
- [*Eleodes rotundipennis*](#) LeConte, 1857
- [*Eleodes rufipes*](#) Pierre, 1976
- [*Eleodes rugosa*](#) Perbosc, 1839
- [*Eleodes rugosifrons*](#) Triplehorn & Reddell, 1991
- [*Eleodes ruida*](#) (Say, 1835)
- [*Eleodes sallaei*](#) Champion, 1885
- [*Eleodes samalayucaae*](#) Triplehorn, 2007
- [*Eleodes sanmartinensis*](#) Blaisdell, 1921
- [*Eleodes scabricula*](#) LeConte, 1858
- [*Eleodes scabripennis*](#) LeConte, 1859
- [*Eleodes scabriventris*](#) Blaisdell, 1933
- [*Eleodes scabrosa*](#) Eschscholtz, 1829
- [*Eleodes scapularis*](#) Champion, 1884
- [*Eleodes schlingerii*](#) Somerby & Doyen, 1976
- [*Eleodes schwarzii*](#) Blaisdell, 1909
- [*Eleodes scyroptera*](#) Triplehorn, 2007
- [*Eleodes segregata*](#) Champion, 1892
- [*Eleodes snowii*](#) Blaisdell, 1909
- [*Eleodes solieri*](#) Champion, 1885
- [*Eleodes spiculifera*](#) Triplehorn, 2007
- [*Eleodes spilmani*](#) Somerby & Doyen, 1976
- [*Eleodes spinipes*](#) Solier, 1848
- [*Eleodes spinolae*](#) Solier, 1848
- [*Eleodes spoliata*](#) Blaisdell, 1933
- [*Eleodes sponsa*](#) LeConte, 1858
- [*Eleodes sprousei*](#) Triplehorn & Reddell, 1991
- [*Eleodes stolidi*](#) Champion, 1885
- [*Eleodes striata*](#) (Guérin-Méneville, 1834)
- [*Eleodes striolata*](#) LeConte, 1858
- [*Eleodes strumosa*](#) Blaisdell, 1932
- [*Eleodes subcylindrica*](#) Casey, 1890
- [*Eleodes subdeplanata*](#) (Blaisdell, 1943)
- [*Eleodes subnitens*](#) LeConte, 1851
- [*Eleodes subtuberculata*](#) Walker, 1866
- [*Eleodes subvestita*](#) (Blaisdell, 1939)
- [*Eleodes sulcata*](#) (Eschscholtz, 1829)
- [*Eleodes sulcatula*](#) Champion, 1884
- [*Eleodes suturalis*](#) (Say, 1824) (red-backed darkling beetle)

- [*Eleodes tenebricosa*](#) Gemminger, 1870
- [*Eleodes tenebrosa*](#) Horn, 1870
- [*Eleodes tenuipes*](#) Casey, 1890
- [*Eleodes tessellata*](#) Champion, 1892
- [*Eleodes thomasi*](#) Aalbu, Smith & Triplehorn, 2012
- [*Eleodes tibialis*](#) Blaisdell, 1909
- [*Eleodes tribulus*](#) Thomas, 2005
- [*Eleodes tricotata*](#) (Say, 1824)
- [*Eleodes triplehorni*](#) Somerby & Doyen, 1976
- [*Eleodes trita*](#) Blaisdell, 1917
- [*Eleodes tuberculata*](#) Eschscholtz, 1829
- [*Eleodes ursus*](#) Triplehorn, 1996
- [*Eleodes vanduzeei*](#) Blaisdell, 1923
- [*Eleodes versatilis*](#) Blaisdell, 1921
- [*Eleodes veterator*](#) Horn, 187433
- [*Eleodes volcanensis*](#) Somerby, 1977
- [*Eleodes wakelandi*](#) Somerby, 1977
- [*Eleodes watrousi*](#) Triplehorn, 2007
- [*Eleodes wenzeli*](#) Blaisdell, 1925
- [*Eleodes wheeleri*](#) Aalbu, Smith & Triplehorn, 2012
- [*Eleodes wynnei*](#) Aalbu, Smith & Triplehorn, 2012

These 375 species belong to [*Elaphropus*](#), a genus of ground beetles in the family [*Carabidae*](#).^{[1][2][3]}

***Elaphropus* species**

Subgenus [*Ammotachys*](#) Boyd & Erwin, 2016

- [*Elaphropus marchantarius*](#) Boyd & Erwin, 2016

Subgenus [*Barytachys*](#) Chaudoir, 1868

- [*Elaphropus anceps*](#) (LeConte, 1848)
- [*Elaphropus anthrax*](#) (LeConte, 1852)
- [*Elaphropus brevis*](#) (Casey, 1918)
- [*Elaphropus brunnicollis*](#) (Motschulsky, 1862)
- [*Elaphropus capax*](#) (LeConte, 1863)
- [*Elaphropus cockerelli*](#) (Fall, 1907)
- [*Elaphropus congener*](#) (Casey, 1918)
- [*Elaphropus conjugens*](#) (Notman, 1919)
- [*Elaphropus cruciatus*](#) (Chaudoir, 1868)

- [*Elaphropus dolosus*](#) (LeConte, 1848)
- [*Elaphropus fatuus*](#) (Casey, 1918)
- [*Elaphropus ferrugineus*](#) (Dejean, 1831)
- [*Elaphropus fuscicornis*](#) (Chaudoir, 1868)
- [*Elaphropus granarius*](#) (Dejean, 1831)
- [*Elaphropus incurvus*](#) (Say, 1830)
- [*Elaphropus liebecki*](#) (Hayward, 1900)
- [*Elaphropus mellitus*](#) (Casey, 1918)
- [*Elaphropus microspilus*](#) (Bates, 1882)
- [*Elaphropus monticola*](#) (Casey, 1918)
- [*Elaphropus mundulus*](#) (Bates, 1882)
- [*Elaphropus nebulosus*](#) (Chaudoir, 1868)
- [*Elaphropus obesulus*](#) (LeConte, 1852)
- [*Elaphropus obtusellus*](#) (Bates, 1882)
- [*Elaphropus pericallis*](#) (Bates, 1882)
- [*Elaphropus purgatus*](#) (Bates, 1882)
- [*Elaphropus rapax*](#) (LeConte, 1852)
- [*Elaphropus renoicus*](#) (Casey, 1918)
- [*Elaphropus rubricauda*](#) (Casey, 1918)
- [*Elaphropus saturatus*](#) (Casey, 1918)
- [*Elaphropus sectator*](#) (Casey, 1918)
- [*Elaphropus sedulus*](#) (Casey, 1918)
- [*Elaphropus tahoensis*](#) (Casey, 1918)
- [*Elaphropus tripunctatus*](#) (Say, 1830)
- [*Elaphropus tritax*](#) (Darlington, 1936)
- [*Elaphropus unistriatus*](#) (Bilimek, 1867)
- [*Elaphropus vernicatus*](#) (Casey, 1918)
- [*Elaphropus vivax*](#) (LeConte, 1848)
- [*Elaphropus xanthopus*](#) (Dejean, 1831)

Subgenus [*Elaphropus*](#) Motschulsky, 1839

- [*Elaphropus aethiopicus*](#) Chaudoir, 1876
- [*Elaphropus afer*](#) (Alluaud, 1933)
- [*Elaphropus ambiguus*](#) (Andrewes, 1925)
- [*Elaphropus ampliatus*](#) (Bates, 1886)
- [*Elaphropus asthenes*](#) (Andrewes, 1925)
- [*Elaphropus burgeoni*](#) (Alluaud, 1933)
- [*Elaphropus buxans*](#) (Andrewes, 1925)
- [*Elaphropus caraboides*](#) Motschulsky, 1839
- [*Elaphropus debilis*](#) (Péringuey, 1908)
- [*Elaphropus diversus*](#) (Andrewes, 1925)
- [*Elaphropus ethmoides*](#) (Alluaud, 1933)
- [*Elaphropus eurynotus*](#) (Andrewes, 1929)

- [*Elaphropus fartus*](#) (Péringuey, 1896)
- [*Elaphropus glis*](#) (Andrewes, 1925)
- [*Elaphropus globulus*](#) (Dejean, 1831)
- [*Elaphropus haliploides*](#) (Bates, 1892)
- [*Elaphropus imadatei*](#) (Jedlicka, 1966)
- [*Elaphropus imerinae*](#) Basilewsky, 1968
- [*Elaphropus krueperi*](#) (Apfelbeck, 1904)
- [*Elaphropus latissimus*](#) (Motschulsky, 1851)
- [*Elaphropus madecassus*](#) (Alluaud, 1933)
- [*Elaphropus marggii*](#) (Kirschenhofer, 1986)
- [*Elaphropus meridionalis*](#) (Jeannel, 1955)
- [*Elaphropus nanophyes*](#) (Andrewes, 1925)
- [*Elaphropus natalicus*](#) Basilewsky, 1958
- [*Elaphropus nigritulus*](#) (Burgeon, 1935)
- [*Elaphropus nipponicus*](#) (Habu & Baba, 1967)
- [*Elaphropus numatai*](#) (Jedlicka & Chujo, 1966)
- [*Elaphropus opacus*](#) (Andrewes, 1925)
- [*Elaphropus orphnaeus*](#) (Andrewes, 1935)
- [*Elaphropus ovoideus*](#) Jeannel, 1946
- [*Elaphropus pauliani*](#) Bruneau de Miré, 1965
- [*Elaphropus plumbeus*](#) Basilewsky, 1953
- [*Elaphropus porosus*](#) (Andrewes, 1925)
- [*Elaphropus punctus*](#) (Andrewes, 1925)
- [*Elaphropus saundersi*](#) (Andrewes, 1925)
- [*Elaphropus secutorius*](#) (Péringuey, 1908)
- [*Elaphropus shunichii*](#) Saito, 1995
- [*Elaphropus striatulus*](#) (Andrewes, 1925)
- [*Elaphropus zoster*](#) (Andrewes, 1937)
- [*Elaphropus zouhari*](#) (Jedlicka, 1961)

Subgenus [*Idiotachys*](#) Boyd & Erwin, 2016

- [*Elaphropus acutifrons*](#) Boyd & Erwin, 2016

Subgenus [*Nototachys*](#) Alluaud, 1930

- [*Elaphropus borealis*](#) (Andrewes, 1925)
- [*Elaphropus comptus*](#) (Andrewes, 1922)
- [*Elaphropus occidentalis*](#) Boyd & Erwin, 2016
- [*Elaphropus pluripunctus*](#) (Andrewes, 1925)
- [*Elaphropus pseudocomptus*](#) (G.Müller, 1942)
- [*Elaphropus sebakwensis*](#) (Péringuey, 1926)
- [*Elaphropus senegalensis*](#) (Alluaud, 1934)
- [*Elaphropus sphaeroidalis*](#) (Bruneau de Miré, 1952)

Subgenus Physotachys Jeannel, 1946

- *Elaphropus pachys* (Alluaud, 1936)

Subgenus Sphaerotachys G.Müller, 1926

- *Elaphropus burgeoni* (Bruneau de Miré, 1963)
- *Elaphropus curticolis* (Sloane, 1896)
- *Elaphropus emellen* (Bruneau de Miré, 1990)
- *Elaphropus fumicatus* (Motschulsky, 1851)
- *Elaphropus hoemorroidalis* (Ponza, 1805)
- *Elaphropus kanalensis* (Perroud & Montrouzier, 1864)

Subgenus Tachylopha Motschulsky, 1862

- *Elaphropus angolanus* (Bruneau de Miré, 1966)
- *Elaphropus basilewskyi* (Bruneau de Miré, 1966)
- *Elaphropus carvalhoi* (Bruneau de Miré, 1966)
- *Elaphropus chappuisi* (Bruneau de Miré, 1963)
- *Elaphropus congoanus* (Basilewsky, 1948)
- *Elaphropus corax* (Basilewsky, 1948)
- *Elaphropus cordatus* (Bruneau de Miré, 1966)
- *Elaphropus cordicollis* (Bruneau de Miré, 1966)
- *Elaphropus denticollis* Baehr, 1987
- *Elaphropus elegans* (Andrewes, 1925)
- *Elaphropus eumorphus* (Alluaud, 1930)
- *Elaphropus expunctus* (Bruneau de Miré, 1966)
- *Elaphropus feai* (Alluaud, 1925)
- *Elaphropus formosus* (Alluaud, 1939)
- *Elaphropus gerardianus* (Burgeon, 1935)
- *Elaphropus ghesquierei* (Burgeon, 1935)
- *Elaphropus humeralis* (Péringuey, 1896)
- *Elaphropus iaspideus* (Sloane, 1896)
- *Elaphropus jeanneli* (Alluaud, 1930)
- *Elaphropus laevissimus* (Bruneau de Miré, 1963)
- *Elaphropus lamottei* (Basilewsky, 1954)
- *Elaphropus leleupi* (Basilewsky in Basilewsky & Straneo, 1950)
- *Elaphropus loma* (Basilewsky, 1971)
- *Elaphropus massarti* (Bruneau de Miré, 1966)
- *Elaphropus maximus* (Bruneau de Miré, 1966)
- *Elaphropus mediopunctatus* (Bruneau de Miré, 1966)
- *Elaphropus monticola* (Bruneau de Miré, 1966)
- *Elaphropus morphnus* (Alluaud, 1930)
- *Elaphropus obliterated* (Andrewes, 1925)
- *Elaphropus optimus* (Péringuey, 1898)

- [*Elaphropus ovatus*](#) (Motschulsky, 1851)
- [*Elaphropus pauliani*](#) (Basilewsky, 1968)
- [*Elaphropus pseudofeai*](#) (Bruneau de Miré, 1966)
- [*Elaphropus pwetoensis*](#) (Burgeon, 1935)
- [*Elaphropus queinneci*](#) (Echaroux, 2014)
- [*Elaphropus reebi*](#) (Echaroux, 2014)
- [*Elaphropus rubronitens*](#) (Bruneau de Miré, 1966)
- [*Elaphropus seydeli*](#) (Bruneau de Miré, 1966)
- [*Elaphropus spenceri*](#) (Sloane, 1896)
- [*Elaphropus strongylus*](#) (Alluaud, 1930)
- [*Elaphropus tecospilus*](#) (Basilewsky, 1948)
- [*Elaphropus tshuapanus*](#) (Bruneau de Miré, 1966)

Subgenus [Tachyura](#) Motschulsky, 1862

- [*Elaphropus abimva*](#) (Burgeon, 1935)
- [*Elaphropus aeneus*](#) (Putzeys, 1875)
- [*Elaphropus aequistriatus*](#) Baehr, 2014
- [*Elaphropus akkadi*](#) (Abdel-Dayem, 2009)
- [*Elaphropus amabilis*](#) (Dejean, 1831)
- [*Elaphropus amplipennis*](#) (W.J.MacLeay, 1871)
- [*Elaphropus andrewesi*](#) (Jedlicka, 1932)
- [*Elaphropus angusticollis*](#) (Reitter in F.Hauser, 1894)
- [*Elaphropus annae*](#) (Burgeon, 1935)
- [*Elaphropus anomalus*](#) (Kolenati, 1845)
- [*Elaphropus apicalis*](#) (Boheman, 1848)
- [*Elaphropus arcuatus*](#) (Putzeys, 1875)
- [*Elaphropus ascendens*](#) (Alluaud, 1917)
- [*Elaphropus auberti*](#) (Bruneau de Miré, 1964)
- [*Elaphropus axillaris*](#) (Bruneau de Miré, 1952)
- [*Elaphropus babaulti*](#) (Andrewes, 1924)
- [*Elaphropus badius*](#) (Minowa, 1932)
- [*Elaphropus banksi*](#) (Sloane, 1921)
- [*Elaphropus barringtoni*](#) (Andrewes, 1925)
- [*Elaphropus bechynei*](#) (Basilewsky, 1956)
- [*Elaphropus belli*](#) (Andrewes, 1925)
- [*Elaphropus bembidiiformis*](#) (Jordan, 1894)
- [*Elaphropus biblis*](#) (Britton, 1948)
- [*Elaphropus bibulus*](#) (Coquerel, 1866)
- [*Elaphropus biby*](#) (Alluaud, 1918)
- [*Elaphropus biplagiatus*](#) (Dejean, 1831)
- [*Elaphropus bipustulatus*](#) (W.J.MacLeay, 1871)
- [*Elaphropus bisbimaculatus*](#) (Chevrolat, 1860)
- [*Elaphropus bisignatus*](#) (Boheman, 1848)

- [*Elaphropus blandus*](#) (Andrewes, 1924)
- [*Elaphropus boninensis*](#) (Nakane, 1979)
- [*Elaphropus borneensis*](#) (Andrewes, 1925)
- [*Elaphropus brittoni*](#) Baehr, 1987
- [*Elaphropus buprestioides*](#) (Sloane, 1896)
- [*Elaphropus capicola*](#) (Péringuey, 1896)
- [*Elaphropus cautus*](#) (Péringuey, 1898)
- [*Elaphropus ceylanicus*](#) (Nietner, 1858)
- [*Elaphropus chalceus*](#) (Andrewes, 1925)
- [*Elaphropus championi*](#) (Andrewes, 1925)
- [*Elaphropus charactus*](#) (Andrewes, 1925)
- [*Elaphropus charis*](#) (Andrewes, 1925)
- [*Elaphropus chimbu*](#) (Darlington, 1962)
- [*Elaphropus chujoi*](#) (Jedlicka, 1965)
- [*Elaphropus collarti*](#) (Burgeon, 1935)
- [*Elaphropus compactus*](#) (Andrewes, 1925)
- [*Elaphropus confusus*](#) (Coulon & Felix, 2011)
- [*Elaphropus conspicuus*](#) (Schaum, 1863)
- [*Elaphropus constrictus*](#) (Andrewes, 1925)
- [*Elaphropus convexicollis*](#) (Jeannel, 1946)
- [*Elaphropus conveximargo*](#) (Baehr, 2016)
- [*Elaphropus convexulus*](#) (Darlington, 1963)
- [*Elaphropus convexus*](#) (W.J.MacLeay, 1871)
- [*Elaphropus crassus*](#) (Darlington, 1962)
- [*Elaphropus curvimanus*](#) (Wollaston, 1854)
- [*Elaphropus decoratus*](#) (Andrewes, 1925)
- [*Elaphropus diabrachys*](#) (Kolenati, 1845)
- [*Elaphropus didymus*](#) Baehr, 1987
- [*Elaphropus divisus*](#) (Darlington, 1962)
- [*Elaphropus donaldi*](#) (Alluaud, 1916)
- [*Elaphropus drimostomoides*](#) (Fairmaire, 1869)
- [*Elaphropus dubius*](#) (Minowa, 1932)
- [*Elaphropus duplicatus*](#) Baehr, 2014
- [*Elaphropus elutus*](#) (Andrewes, 1935)
- [*Elaphropus emeritus*](#) (Péringuey, 1898)
- [*Elaphropus erotyloides*](#) (Andrewes, 1925)
- [*Elaphropus eueides*](#) (Bates, 1886)
- [*Elaphropus euphraticus*](#) (Reitter, 1885)
- [*Elaphropus expansicollis*](#) (Bates, 1892)
- [*Elaphropus fadli*](#) (Abdel-Dayem, 2009)
- [*Elaphropus faustus*](#) (Péringuey, 1896)
- [*Elaphropus ferroa*](#) (Kopecky in Löbl & Smetana, 2003)

- [*Elaphropus ferrugatus*](#) (Reitter, 1895)
- [*Elaphropus finitimus*](#) (Walker, 1858)
- [*Elaphropus flavicornis*](#) (Sloane, 1921)
- [*Elaphropus florus*](#) (Andrewes, 1925)
- [*Elaphropus fluviatilis*](#) (Bruneau de Miré, 1964)
- [*Elaphropus fordi*](#) (Darlington, 1962)
- [*Elaphropus frischeri*](#) (Coulon & Felix, 2009)
- [*Elaphropus fukiensis*](#) (Jedlicka, 1965)
- [*Elaphropus fumatus*](#) (Darlington, 1962)
- [*Elaphropus fur*](#) (Basilewsky, 1954)
- [*Elaphropus fuscicauda*](#) (Bates, 1873)
- [*Elaphropus fuscus*](#) (Schaum, 1860)
- [*Elaphropus fusiformis*](#) (Andrewes, 1925)
- [*Elaphropus gerardi*](#) (Burgeon, 1935)
- [*Elaphropus germanus*](#) (Chaudoir, 1876)
- [*Elaphropus gestroi*](#) (Andrewes, 1925)
- [*Elaphropus gongylus*](#) (Andrewes, 1925)
- [*Elaphropus gradatus*](#) (Bates, 1873)
- [*Elaphropus grandicollis*](#) (Chaudoir, 1846)
- [*Elaphropus granum*](#) (Alluaud, 1936)
- [*Elaphropus grimmi*](#) Baehr, 2016
- [*Elaphropus hamoni*](#) (Jeannel, 1953)
- [*Elaphropus helmsi*](#) (Sloane, 1898)
- [*Elaphropus hiermeieri*](#) Baehr, 2014
- [*Elaphropus hirsutus*](#) Baehr, 2014
- [*Elaphropus holomelas*](#) Baehr, 2014
- [*Elaphropus horni*](#) (Andrewes, 1935)
- [*Elaphropus hydraenoides*](#) (Alluaud, 1936)
- [*Elaphropus imitans*](#) (Péringuey, 1896)
- [*Elaphropus imperfectus*](#) (Andrewes, 1925)
- [*Elaphropus inaequalis*](#) (Kolenati, 1845)
- [*Elaphropus incilis*](#) (Andrewes, 1929)
- [*Elaphropus interpunctatus*](#) (Putzeys, 1875)
- [*Elaphropus iranicus*](#) (Jedlicka, 1963)
- [*Elaphropus jakli*](#) Baehr, 2014
- [*Elaphropus javanicus*](#) (Andrewes, 1925)
- [*Elaphropus klapperichi*](#) (Jedlicka, 1953)
- [*Elaphropus klugii*](#) (Nietner, 1858)
- [*Elaphropus kuriharai*](#) (Morita, 2008)
- [*Elaphropus laetificus*](#) (Bates, 1873)
- [*Elaphropus laotinus*](#) (Andrewes, 1925)
- [*Elaphropus latus*](#) (Peyron, 1858)

- [*Elaphropus lembodes*](#) (Andrewes, 1936)
- [*Elaphropus leptothorax*](#) Baehr, 1987
- [*Elaphropus lindemanna*](#) (Jedlicka, 1963)
- [*Elaphropus longior*](#) (Burgeon, 1935)
- [*Elaphropus loriae*](#) (Andrewes, 1925)
- [*Elaphropus lucasii*](#) (Jacquelin du Val, 1852)
- [*Elaphropus lusindoi*](#) (Burgeon, 1935)
- [*Elaphropus luteus*](#) (Andrewes, 1925)
- [*Elaphropus madagascariensis*](#) (Fairmaire, 1869)
- [*Elaphropus majusculus*](#) (Chaudoir, 1876)
- [*Elaphropus malabaricus*](#) (Andrewes, 1925)
- [*Elaphropus marani*](#) (Jedlicka, 1932)
- [*Elaphropus martensi*](#) Baehr, 2016
- [*Elaphropus milneanus*](#) (Darlington, 1962)
- [*Elaphropus moestus*](#) (Péringuey, 1926)
- [*Elaphropus momvu*](#) (Burgeon, 1935)
- [*Elaphropus mutatus*](#) (Darlington, 1962)
- [*Elaphropus nadzab*](#) (Darlington, 1962)
- [*Elaphropus nalandae*](#) (Andrewes, 1925)
- [*Elaphropus nanlingensis*](#) (Sun & Tian, 2013)
- [*Elaphropus nannodes*](#) (Andrewes, 1925)
- [*Elaphropus nepos*](#) (Darlington, 1962)
- [*Elaphropus nervosus*](#) (Sloane, 1903)
- [*Elaphropus nigellus*](#) (Andrewes, 1935)
- [*Elaphropus nigrolimbatus*](#) (Péringuey, 1908)
- [*Elaphropus nilgiricus*](#) (Andrewes, 1925)
- [*Elaphropus nitens*](#) (Andrewes, 1925)
- [*Elaphropus notaphoides*](#) (Bates, 1886)
- [*Elaphropus ocellatus*](#) (Bates, 1892)
- [*Elaphropus ordensis*](#) Baehr, 1987
- [*Elaphropus ovensensis*](#) (Blackburn, 1891)
- [*Elaphropus pakistanus*](#) (Jedlicka, 1963)
- [*Elaphropus pallidicauda*](#) (Burgeon, 1935)
- [*Elaphropus pallidicornis*](#) (Andrewes, 1925)
- [*Elaphropus papuae*](#) (Andrewes, 1925)
- [*Elaphropus par*](#) (Darlington, 1962)
- [*Elaphropus parapictus*](#) (Darlington, 1962)
- [*Elaphropus parasenarius*](#) (Darlington, 1971)
- [*Elaphropus parvulus*](#) (Dejean, 1831)
- [*Elaphropus patruelis*](#) (Baehr, 2016)
- [*Elaphropus peryphinus*](#) (Bates, 1886)
- [*Elaphropus pictus*](#) (Andrewes, 1925)

- [*Elaphropus poecilopterus*](#) (Bates, 1873)
- [*Elaphropus politus*](#) (Motschulsky, 1851)
- [*Elaphropus polyporus*](#) (Andrewes, 1925)
- [*Elaphropus pseudoconvexus*](#) Baehr, 1987
- [*Elaphropus pseudoornatus*](#) Baehr, 2014
- [*Elaphropus psiloides*](#) (Darlington, 1962)
- [*Elaphropus psilus*](#) (Andrewes, 1925)
- [*Elaphropus pulcher*](#) (Andrewes, 1925)
- [*Elaphropus quadrisignatus*](#) (Duftschmid, 1812)
- [*Elaphropus radjabii*](#) (Morvan, 1973)
- [*Elaphropus ravouxi*](#) (Jeannel, 1941)
- [*Elaphropus reticulatus*](#) (Andrewes, 1925)
- [*Elaphropus reticuloides*](#) (Darlington, 1962)
- [*Elaphropus rubescens*](#) (Andrewes, 1925)
- [*Elaphropus rufinus*](#) Baehr, 2016
- [*Elaphropus rufoniger*](#) Baehr, 2014
- [*Elaphropus sabulosus*](#) (Bruneau de Miré, 1990)
- [*Elaphropus salemus*](#) (Andrewes, 1933)
- [*Elaphropus schawalleri*](#) Baehr, 2016
- [*Elaphropus schuelei*](#) Baehr, 2014
- [*Elaphropus senarius*](#) (Darlington, 1962)
- [*Elaphropus septemstriatus*](#) Baehr, 2014
- [*Elaphropus serrulatus*](#) (Jeannel, 1946)
- [*Elaphropus serrulipennis*](#) Baehr, 2016
- [*Elaphropus sexstriatus*](#) (Duftschmid, 1812)
- [*Elaphropus shahinei*](#) (Schatzmayr & Koch, 1934)
- [*Elaphropus shirazi*](#) (Jedlicka, 1968)
- [*Elaphropus sinaiticus*](#) (Schatzmayr, 1936)
- [*Elaphropus singularis*](#) (Andrewes, 1925)
- [*Elaphropus skalei*](#) Baehr, 2014
- [*Elaphropus solidus*](#) (Sloane, 1921)
- [*Elaphropus spurcus*](#) (Andrewes, 1925)
- [*Elaphropus spurius*](#) (Péringuey, 1896)
- [*Elaphropus stenoderus*](#) (Andrewes, 1935)
- [*Elaphropus stevensi*](#) (Andrewes, 1925)
- [*Elaphropus straneo*](#) (Basilewsky, 1962)
- [*Elaphropus striatifrons*](#) (Andrewes, 1925)
- [*Elaphropus striolatus*](#) (W.J.MacLeay, 1871)
- [*Elaphropus subfumatus*](#) (Darlington, 1962)
- [*Elaphropus submutatus*](#) (Darlington, 1962)
- [*Elaphropus subopacus*](#) Baehr, 1987
- [*Elaphropus surdus*](#) (Basilewsky, 1953)

- [*Elaphropus suturalis*](#) (Motschulsky, 1851)
- [*Elaphropus tagax*](#) (Andrewes, 1925)
- [*Elaphropus tatei*](#) (Darlington, 1971)
- [*Elaphropus tetradymus*](#) (Fairmaire, 1893)
- [*Elaphropus tetraspilus*](#) (Solsky, 1874)
- [*Elaphropus thlibodes*](#) (Andrewes, 1935)
- [*Elaphropus thoracicus*](#) (Kolenati, 1845)
- [*Elaphropus tor*](#) (Darlington, 1971)
- [*Elaphropus tostus*](#) (Andrewes, 1925)
- [*Elaphropus transversalis*](#) (Bruneau de Miré, 1952)
- [*Elaphropus triloris*](#) (Andrewes, 1925)
- [*Elaphropus trinervis*](#) (Darlington, 1962)
- [*Elaphropus trisulcatus*](#) (Emden, 1937)
- [*Elaphropus tshibindensis*](#) (Burgeon, 1935)
- [*Elaphropus ubangiensis*](#) (Basilewsky, 1952)
- [*Elaphropus unitarius*](#) (Bates, 1892)
- [*Elaphropus vadoni*](#) (Jeannel, 1946)
- [*Elaphropus vafer*](#) (Andrewes, 1935)
- [*Elaphropus vagabundus*](#) (Andrewes, 1935)
- [*Elaphropus vagans*](#) (Péringuey, 1896)
- [*Elaphropus vandenberghiei*](#) (Basilewsky in Basilewsky & Straneo, 1950)
- [*Elaphropus vangelei*](#) (Basilewsky, 1952)
- [*Elaphropus variabilis*](#) (Chaudoir, 1876)
- [*Elaphropus victoriensis*](#) (Blackburn, 1891)
- [*Elaphropus vigens*](#) (Andrewes, 1925)
- [*Elaphropus virgatus*](#) (Andrewes, 1925)
- [*Elaphropus vixmaculatus*](#) (Andrewes, 1925)
- [*Elaphropus walkerianus*](#) (Sharp, 1913)
- [*Elaphropus weigeli*](#) Baehr, 2014
- [*Elaphropus yunax*](#) (Darlington, 1939)
- [*Elaphropus zulficari*](#) (Schatzmayer & Koch, 1934)

Subgenus [*Tachyuropsis*](#) Shilenkov, 2002

- [*Elaphropus bodemeyeri*](#) (A.Fleischer, 1915)
- [*Elaphropus bombycinus*](#) (Andrewes, 1925)
- [*Elaphropus castaneus*](#) (Andrewes, 1925)
- [*Elaphropus dulcis*](#) (Andrewes, 1925)
- [*Elaphropus exaratus*](#) (Bates, 1873)
- [*Elaphropus holzschuhi*](#) (Baehr, 2015)
- [*Elaphropus micraulax*](#) (Andrewes, 1924)
- [*Elaphropus rhombophorus*](#) (Andrewes, 1925)

Subgenus †[*Tarsitachys*](#) Erwin, 1971

- †[*Elaphropus bilobus*](#) (Erwin, 1971)

References

1.
 - "[Browse Elaphropus](#)". *Catalogue of Life*. Archived from [the original](#) on 2018-05-06. Retrieved 2018-05-05.
 - "[Elaphropus](#)". *GBIF*. Retrieved 2018-05-05.
 -
3. "[Elaphropus Genus Information](#)". *BugGuide.net*. Retrieved 2018-05-05.

Categories:

- [Elaphropus](#)
- [Lists of insect species](#)
-

This is a list of 188 species in the genus [Ectemnius](#).[\[1\]](#)[\[2\]](#)[\[3\]](#)

***Ectemnius* species**

- [Ectemnius abnormis](#) (Blackburn in Blackburn and Cameron, 1886)
- [Ectemnius abyssinicus](#) (Arnold, 1947)
- [Ectemnius adspectans](#) (Blackburn in Blackburn and Cameron, 1886)
- [Ectemnius agycus](#) (Cameron, 1904)
- [Ectemnius albomaculatus](#) Tsuneki, 1966
- [Ectemnius alishanus](#) Tsuneki, 1968
- [Ectemnius alpheus](#) Pate, 1946
- [Ectemnius ammanitus](#) Leclercq, 1958
- [Ectemnius anomalifulvus](#) Ch.-y Li and Q. Li, 2009
- [Ectemnius apo](#) Tsuneki, 1984
- [Ectemnius apoensis](#) Tsuneki, 1984
- [Ectemnius aprunatus](#) Leclercq, 1968
- [Ectemnius arcuatus](#) (Say, 1837)
- [Ectemnius arreptus](#) (Kohl, 1915)
- [Ectemnius arrogans](#) (Arnold, 1958)
- [Ectemnius atriceps](#) (Cresson, 1865)
- [Ectemnius atripennis](#) (R. Perkins in R. Perkins and Forel, 1899)
- [Ectemnius auriceps](#) (Cresson, 1865)

- [*Ectemnius aztecus*](#) Leclercq, 1951
- [*Ectemnius basiflavus*](#) (Brèthes, 1910)
- [*Ectemnius belli*](#) Leclercq, 1999
- [*Ectemnius berissus*](#) Leclercq, 1972
- [*Ectemnius besseyae*](#) (Rohwer, 1908)
- [*Ectemnius birmanus*](#) Leclercq, 1999
- [*Ectemnius bogorensis*](#) Leclercq, 1958
- [*Ectemnius boletus*](#) Leclercq, 1958
- [*Ectemnius borealis*](#) (Zetterstedt, 1838)
- [*Ectemnius burgdorfi*](#) Leclercq, 1968
- [*Ectemnius carinatus*](#) (F. Smith, 1873)
- [*Ectemnius cavifrons*](#) (Thomson, 1870)
- [*Ectemnius centralis*](#) (Cameron, 1891)
- [*Ectemnius cephalotes*](#) (Olivier, 1792)
- [*Ectemnius chagrinatus*](#) Leclercq, 1950
- [*Ectemnius chrysites*](#) (Kohl, 1892)
- [*Ectemnius clearei*](#) Leclercq, 1964
- [*Ectemnius compactus*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius confinis*](#) (Walker, 1871)
- [*Ectemnius conglobatus*](#) (R. Turner, 1908)
- [*Ectemnius continuus*](#) (Fabricius, 1804)
- [*Ectemnius cooperi*](#) Leclercq, 1991
- [*Ectemnius corporaali*](#) Leclercq, 1950
- [*Ectemnius corvidus*](#) Leclercq, 1961
- [*Ectemnius craesus*](#) (Lepelletier de Saint Fargeau and Brullé, 1835)
- [*Ectemnius crassicornis*](#) (Spinola, 1808)
- [*Ectemnius cripsi*](#) (Arnold, 1927)
- [*Ectemnius crudator*](#) Leclercq, 1968
- [*Ectemnius cuernosi*](#) Leclercq, 1963
- [*Ectemnius curictensis*](#) (Mader, 1940)
- [*Ectemnius curtipes*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius cyanauges*](#) Pate, 1941
- [*Ectemnius dartanus*](#) Leclercq, 1968
- [*Ectemnius dayi*](#) Leclercq, 1999
- [*Ectemnius decemmaculatus*](#) (Say, 1823)
- [*Ectemnius dilectus*](#) (Cresson, 1865)
- [*Ectemnius discrepans*](#) (Giffard, 1915)
- [*Ectemnius distinctus*](#) (F. Smith, 1856)
- [*Ectemnius dives*](#) (Lepelletier de Saint Fargeau & Brullé, 1835)
- [*Ectemnius dizoster*](#) Pate, 1947
- [*Ectemnius domingensis*](#) Leclercq, 1950
- [*Ectemnius dominicanus*](#) Evans, 1972

- [*Ectemnius dungensis*](#) Leclercq, 1958
- [*Ectemnius embeliae*](#) Leclercq, 1958
- [*Ectemnius erebus*](#) Leclercq, 1958
- [*Ectemnius excavatus*](#) (W. Fox, 1892)
- [*Ectemnius ferrasi*](#) Alayo Dalmau, 1968
- [*Ectemnius flagellarius*](#) (F. Morawitz, 1892)
- [*Ectemnius flavipennis*](#) (Lepelletier de Saint Fargeau and Brullé, 1835)
- [*Ectemnius flavohirtus*](#) Tsuneki, 1954
- [*Ectemnius fossorius*](#) (Linnaeus, 1758)
- [*Ectemnius fredericismithi*](#) (W. Schulz, 1906)
- [*Ectemnius fulvicrus*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius fulvopilosellus*](#) (Cameron, 1902)
- [*Ectemnius furuichii*](#) (Iwata, 1934)
- [*Ectemnius fuscipennis*](#) (Lepelletier de Saint Fargeau and Brullé, 1835)
- [*Ectemnius guadalupensis*](#) Leclercq, 1972
- [*Ectemnius guttatus*](#) (Vander Linden, 1829)
- [*Ectemnius haleakalae*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius hawaiiensis*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius hebetescens*](#) (R. Turner, 1908)
- [*Ectemnius hector*](#) (Cameron, 1891)
- [*Ectemnius hispanicus*](#) (Kohl, 1915)
- [*Ectemnius honiarae*](#) Leclercq, 1999
- [*Ectemnius hypsae*](#) (De Stefani Perez, 1884)
- [*Ectemnius iliganensis*](#) Tsuneki, 1984
- [*Ectemnius insignis*](#) (F. Smith, 1856)
- [*Ectemnius invalidus*](#) Leclercq, 1958
- [*Ectemnius iridifrons*](#) (Pérez, 1905)
- [*Ectemnius krieckbaumeri*](#) (Kohl, 1879)
- [*Ectemnius krombeini*](#) Tsuneki, 1983
- [*Ectemnius krusemani*](#) (Leclercq, 1950)
- [*Ectemnius kvak*](#) Marshakov, 1976
- [*Ectemnius laevidorsis*](#) Tsuneki, 1977
- [*Ectemnius lapidarius*](#) (Panzer, 1803)
- [*Ectemnius leonesus*](#) Leclercq, 1968
- [*Ectemnius lesticoides*](#) Leclercq, 1950
- [*Ectemnius lituratus*](#) (Panzer, 1803)
- [*Ectemnius lysias*](#) (Cameron, 1905)
- [*Ectemnius mackayensis*](#) (R. Turner, 1908)
- [*Ectemnius maculosus*](#) (Gmelin, 1790)
- [*Ectemnius mamasae*](#) Leclercq, 1999
- [*Ectemnius mandibularis*](#) (F. Smith, 1879)
- [*Ectemnius martjanowi*](#) (F. Morawitz, 1892)

- [*Ectemnius massiliensis*](#) (Kohl, 1883)
- [*Ectemnius mayeri*](#) (Dewitz, 1881)
- [*Ectemnius melanotarsis*](#) (Cameron, 1902)
- [*Ectemnius menyllus*](#) (Cameron, 1905)
- [*Ectemnius meridionalis*](#) (A. Costa, 1867)
- [*Ectemnius mindanaonis*](#) Tsuneki in Tsuneki et al., 1992
- [*Ectemnius molokaiensis*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius monticola*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius neptunus*](#) Leclercq, 1958
- [*Ectemnius nesiotus*](#) (Pate, 1937)
- [*Ectemnius nigellus*](#) R. Bohart in R. Bohart and Kimsey, 1979
- [*Ectemnius nigratarsus*](#) (Herrich-Schaeffer, 1841)
- [*Ectemnius nitobei*](#) (Matsumura, 1912)
- [*Ectemnius noyesi*](#) Leclercq, 1991
- [*Ectemnius odyneroides*](#) (Cresson, 1865)
- [*Ectemnius orius*](#) Leclercq, 1958
- [*Ectemnius pacuarus*](#) Leclercq, 1972
- [*Ectemnius pahangi*](#) Leclercq, 1958
- [*Ectemnius palamosi*](#) Leclercq, 1964
- [*Ectemnius paluster*](#) Alayo Dalmau, 1968
- [*Ectemnius papuanus*](#) Tsuneki, 1983
- [*Ectemnius papuensis*](#) Tsuneki, 1983
- [*Ectemnius paucimaculatus*](#) (Packard, 1866)
- [*Ectemnius pedicellaris*](#) (F. Morawitz, 1889)
- [*Ectemnius pelotarum*](#) Leclercq, 1968
- [*Ectemnius pempuchi*](#) Tsuneki, 1971
- [*Ectemnius pendleburyi*](#) Leclercq, 1958
- [*Ectemnius persicus*](#) (Kohl, 1888)
- [*Ectemnius philippinensis*](#) Tsuneki, 1976
- [*Ectemnius plutonius*](#) Leclercq, 1958
- [*Ectemnius polynesialis*](#) (Cameron, 1881)
- [*Ectemnius praeclarus*](#) (Arnold, 1945)
- [*Ectemnius praevius*](#) (Kohl, 1915)
- [*Ectemnius productus*](#) (W. Fox, 1897)
- [*Ectemnius psychosus*](#) Leclercq, 1999
- [*Ectemnius psyllus*](#) Leclercq, 1982
- [*Ectemnius pulawskii*](#) Leclercq, 1999
- [*Ectemnius radiatus*](#) (Pérez, 1905)
- [*Ectemnius recuperatus*](#) Leclercq, 1972
- [*Ectemnius reginellus*](#) (Leclercq, 1954)
- [*Ectemnius riosorum*](#) Leclercq, 1968
- [*Ectemnius rubicola*](#) (Dufour and Perris, 1840)

- [*Ectemnius rubrocaudatus*](#) (Blackburn in Blackburn and Cameron, 1886)
- [*Ectemnius ruficornis*](#) (Zetterstedt, 1838)
- [*Ectemnius rufifemur*](#) (Packard, 1866)
- [*Ectemnius rufipes*](#) (Lepeletier de Saint Fargeau & Brullé, 1835)
- [*Ectemnius rugifer*](#) (Dahlbom, 1845)
- [*Ectemnius rugosellus*](#) Tsuneki, 1984
- [*Ectemnius rugosus*](#) Tsuneki, 1984
- [*Ectemnius sagutorius*](#) Leclercq, 1999
- [*Ectemnius satan*](#) Pate, 1946
- [*Ectemnius scaber*](#) (Lepeletier de Saint Fargeau & Brullé, 1835)
- [*Ectemnius schlettereri*](#) (Kohl, 1888)
- [*Ectemnius schwarzi*](#) (Rohwer, 1911)
- [*Ectemnius semipunctatus*](#) (Lepeletier de Saint Fargeau and Brullé, 1835)
- [*Ectemnius semirus*](#) Leclercq, 1982
- [*Ectemnius sennacus*](#) Leclercq, 1968
- [*Ectemnius sexcinctus*](#) (Fabricius, 1775)
- [*Ectemnius seyrigi*](#) (Arnold, 1945)
- [*Ectemnius shimoyamai*](#) Tsuneki, 1958
- [*Ectemnius slateri*](#) (Arnold, 1926)
- [*Ectemnius sodalis*](#) (Bingham, 1897)
- [*Ectemnius solomonicus*](#) Tsuneki, 1983
- [*Ectemnius sonorensis*](#) (Cameron, 1891)
- [*Ectemnius spiniferus*](#) (W. Fox, 1895)
- [*Ectemnius spinipes*](#) (A. Morawitz, 1866)
- [*Ectemnius stirpicola*](#) (Packard, 1866)
- [*Ectemnius stygius*](#) (Kirby in Blackburn and Kirby, 1880)
- [*Ectemnius tabanicida*](#) (Fischer, 1929)
- [*Ectemnius taino*](#) Pate, 1947
- [*Ectemnius tarawakanus*](#) Tsuneki, 1976
- [*Ectemnius teleges*](#) Pate, 1946
- [*Ectemnius trichiosomus*](#) (Cameron, 1904)
- [*Ectemnius trifasciatus*](#) (Say, 1824)
- [*Ectemnius tsuifenicus*](#) Tsuneki, 1971
- [*Ectemnius tumidoventris*](#) (R. Perkins in R. Perkins and Forel, 1899)
- [*Ectemnius urophori*](#) (Radoszkowski, 1877)
- [*Ectemnius varentzowi*](#) (F. Morawitz, 1894)
- [*Ectemnius violaceipennis*](#) (Cameron, 1907)
- [*Ectemnius walteri*](#) (Kohl in Kohl and Handlirsch, 1889)
- [*Ectemnius wasbaueri*](#) Leclercq, 1999
- [*Ectemnius weberi*](#) Yoshimoto, 1960
- [*Ectemnius wickwari*](#) (R. Turner, 1920)
- [*Ectemnius yitonus*](#) Leclercq, 2007

- [*Ectemnius yoshimotoi*](#) R. Bohart in R. Bohart and Menke, 1976
- [*Ectemnius zonsteini*](#) H.-J. Jacobs, 2016

References

1.

- ["Ectemnius Genus Information"](#). BugGuide.net. Retrieved 2018-03-04.
- ["Ectemnius Report"](#). Integrated Taxonomic Information System. Retrieved 2018-03-04.
- ["Browse Ectemnius"](#). Catalogue of Life. Retrieved 2018-03-04.

Next Up D To A