

Build Prompt: Azwa Entertainment and Rewards Prototype

Act as a senior front-end engineer and mobile product designer. Build a polished static prototype for **Azwa** — عزوة, a Saudi entertainment booking and rewards service focused primarily on Riyadh.

The prototype must look like a modern mobile application while running as a responsive static website. Prioritize visual quality, intuitive navigation, Arabic usability, and a convincing hackathon demonstration. Keep the design clean and sleek without excessive animations, crowded interfaces, or unnecessary technical complexity.

1. Product Concept

Azwa allows users to:

- Recharge their Azwa balance through بنك الإنماء.
- Browse entertainment events and attractions in Riyadh.
- Book tickets using their available balance.
- Earn reward points after each booking.
- Redeem accumulated points toward future ticket purchases.
- View nearby entertainment destinations.
- Manage their personal profile and Azwa payment card.

This is a static front-end prototype. Do not implement a real payment gateway, authentication server, map service, or external banking integration.

2. Technology Requirements

Use:

- HTML5
- CSS3
- Vanilla JavaScript
- Local static image assets
- `localStorage` for lightweight prototype state where useful

Create three separate pages:

```
index.html
calendar.html
settings.html
```

Recommended project structure:

```
azwa-prototype/  
├─ index.html  
├─ calendar.html  
├─ settings.html  
├─ css/  
│   └─ styles.css  
├─ js/  
│   └─ app.js  
└─ assets/  
    ├─ logo.png  
    ├─ azwa-card.png  
    ├─ profile-placeholder.png  
    └─ events/
```

The three pages must share the same visual system, header, bottom navigation bar, typography, spacing, buttons, cards, and interaction patterns.

Do not use React, Vue, Angular, a database, or a build process. The prototype should work by opening `index.html`.

3. Language and Direction

The interface must be:

- Primarily in Arabic.
- Right-to-left using `dir="rtl"`.
- Written in natural, concise Arabic suitable for users in Saudi Arabia.
- Allowed to use a small amount of English only where it is part of a brand or event name.

Use an Arabic-friendly font such as:

- IBM Plex Sans Arabic
- Tajawal
- Noto Sans Arabic

A Google Fonts CDN may be used, but include a sensible system-font fallback.

4. Brand and Visual Direction

Color palette

Use these colors consistently:

- Primary teal: `#2EE6A8`
- Main dark blue: `#0C1B2E`

- Light background: #F4F7FA
- Supporting blue: #4DA3FF
- Supporting coral: #FF7A59

Design style

The interface should feel:

- Modern
- Premium but approachable
- Saudi-oriented
- Clean and practical
- Mobile-first
- Suitable for an entertainment and payment application

Use the dark blue for major backgrounds, navigation, and premium sections. Use teal for primary actions, balances, points, active navigation states, and positive indicators.

Use blue and coral only as supporting accents, such as category chips, event indicators, distance information, or small icons.

Avoid:

- Strong neon glow effects
- Excessive gradients
- Glassmorphism on every element
- Large amounts of decorative animation
- Overly rounded cartoon-style components
- Dense dashboards
- Desktop-style sidebars
- Generic fintech stock graphics

Use subtle shadows, clear spacing, restrained border radii, and strong visual hierarchy.

5. Mobile Application Layout

Design primarily for widths between approximately 360px and 430px.

On wider screens:

- Keep the application centered.
- Set a reasonable maximum width, approximately 480px.
- Display a subtle page background outside the application container.
- Do not stretch cards across the full desktop screen.

Account for mobile safe areas where practical.

The main content must have enough bottom padding so the fixed navigation bar never covers content.

6. Shared Header

Create a compact fixed or sticky header.

Requirements:

- Display the Azwa logo only.
- Do not add navigation links, search bars, notifications, or profile buttons.
- Keep the header visually simple.
- Give the logo enough space to remain recognizable.
- Use the same header on all three pages.

7. Shared Bottom Navigation

Create a fixed mobile navigation bar at the bottom with exactly three items:

1. الرئيسية
2. الفعاليات
3. الإعدادات

Each item should contain:

- A simple line icon
- An Arabic label
- A clear active state

The active item should use teal while inactive items use a muted gray or blue-gray.

Navigation must work between:

```
index.html  
calendar.html  
settings.html
```

Use accessible anchor elements rather than visual-only buttons.

Page One: Home

8. Welcome Area

At the beginning of the home content, include a small welcome message such as:

مساء الخير، أحمد
اكتشف فعاليات الرياض واستفد من نقاطك

Keep this section compact. Do not turn it into a large hero banner.

9. Balance Section

Create an attractive balance card showing:

- Label: رصيد عزوة
- Example balance: 1,280.50 ر.س
- Available points: for example 2,450 نقطة
- Primary button: شحن الرصيد
- Supporting text or badge: عبر بنك الإنماء

The section should make the money balance and reward points visually distinct.

Recharge interaction

When the user presses شحن الرصيد:

- Open a clean bottom sheet or modal.
- Provide preset values such as:
 - 100 ر.س
 - 250 ر.س
 - 500 ر.س
- Include a custom amount field.
- Show بنك الإنماء as the selected funding source.
- Include a confirmation button.
- Simulate a successful recharge without performing a real transaction.
- Update the visible balance using JavaScript.
- Save the simulated balance in localStorage.

Clearly treat this as a prototype interaction. Do not reproduce or imitate Alinma Bank's real banking interface.

10. Azwa Card Preview

Below the balance, display a collapsed preview of the Azwa card.

Requirements:

- Initially show only the upper edge or a partial portion of azwa-card.png.
- Add a label such as بطاقة عزوة.
- Add a small visual indication that the card can be expanded.

- When pressed, smoothly reveal the full card.
- Pressing it again may collapse it.
- Use a short, subtle CSS transition.
- Do not use a dramatic 3D flip animation.

Add a small supporting line such as:

استخدمها للدفع وكسب النقاط

11. Popular Events and Attractions

Create a section titled:

الأكثر رواجاً

Add a small secondary action:

عرض الكل

Use a horizontal swipeable list of event cards.

Each card should include:

- Event image
- Arabic title
- Optional smaller English title
- Date
- Venue or district
- Ticket price
- Points earned
- Short category label
- Booking button or clear pressable card area

Example points presentation:

نقطة +275

Make reward points noticeable but not louder than the event title.

Use realistic Riyadh examples such as:

- سيكس فلاجز مدينة القدية

- أكواريبيا مدينة القدية
- قاعدة سعد العود
- حسين محب لاييف في الرياض
- سوبر بارك الرياض
- BattleKart الرياض
- SENSAS تجربة الحواس الخمس
- ليالي أمالي الصيفية

Use a varied selection of entertainment categories:

- Theme parks
- Water attractions
- Concerts
- Family activities
- Indoor entertainment
- Live performances

At the time this prompt was prepared, current Riyadh listings included Six Flags Qiddiya City, Aquarabia Qiddiya City, Qaadet Saad Eloud, BattleKart, SuperPark Riyadh, SENSAS, and other concerts and entertainment experiences. Event details in the prototype may be treated as realistic sample content and do not need live API integration.

12. Event Card Interaction

When an event is selected, open a lightweight event details modal or bottom sheet containing:

- Larger image
- Event title
- Date and time
- Venue
- Short description
- Ticket price
- Points earned
- Quantity selector
- Current balance
- احجز الآن button

When booking:

1. Confirm that the simulated balance is sufficient.
2. Deduct the ticket price.
3. Add the displayed points.
4. Show a short success state:
5. تم الحجز بنجاح

6. تمت إضافة 275 نقطة إلى حسابك
7. Update the home balance and points.
8. Store the updated values in `localStorage`.

If the balance is insufficient, display:

الرصيد غير كافٍ لإتمام الحجز

Then offer a clear `شحن الرصيد` action.

Do not build a complete checkout system.

13. Nearby Places

Create another section titled:

أماكن قريبة منك

This should visually relate to the popular section but emphasize distance instead of date.

Each card should include:

- Image
- Place name
- District
- Distance, such as `1.8 كم`
- Starting price
- Available reward points
- Small directional or location icon

Example places:

- بوليفارد رياض سيتي
- فيا رياض
- سوهر بارك - خريص
- باتل كارت الرياض
- مركز ألعاب داخلي - غرناطة

Use hardcoded sample distances. Do not request the user's real GPS location.

Add a small disclaimer if necessary:

المسافات تقريبية لأغراض العرض

Page Two: Activities Calendar

14. Calendar Page Objective

This page should be simple, direct, and easy to scan. Do not create a complex month-grid calendar unless it improves the mobile experience.

Use a chronological agenda-style list ordered from the closest date to the farthest date.

15. Calendar Header and Filters

At the top of the content, include:

جدول الفعاليات

Supporting text:

اختر موعدك القادم في الرياض

Add compact filter chips such as:

- الكل
- هذا الأسبوع
- هذا الشهر
- عائلية
- حفلات
- تجارب

Filtering can be simulated using JavaScript.

16. Date Groups

Group activities by date using clear headings such as:

اليوم
الخميس، 16 يوليو
الجمعة، 31 يوليو
الجمعة، 7 أغسطس

Each calendar item should show:

- Compact image or category icon
- Event title
- Time
- Venue
- Price
- Points earned
- Availability status, where useful

Example statuses:

- متاح
- مقاعد محدودة
- الأكثر طلباً

Use restrained status colors.

Current sample listings suitable for the prototype include Qaadet Saad Eloud on July 16, Agents of Time & Son of Son on July 31, and Hussain Moheb Live on August 7, 2026. Treat dates and prices as editable mock data rather than live guarantees.

Pressing an activity should open the same event details and booking interaction used on the home page.

Page Three: Settings

17. Profile Area

Create a section titled:

الملف الشخصي

Display:

- Profile image
- First name
- Last name
- Mobile number

Use sample information such as:

الاسم الأول: أحمد
اسم العائلة: الغامدي
X XXX XXXX
رقم الجوال: 05

Provide an **تعديل البيانات** button.

When pressed:

- Convert the information into editable form fields.
- Allow changing the image using a file input and local preview.
- Validate that required fields are not empty.
- Save the changes locally.
- Show a small success confirmation.

18. Card Management

Create a card-management section showing:

- Masked card number, such as **•••• 4821**
- Card status: **مرتبطة**
- Small Azwa card thumbnail
- Button: **ربط بطاقة جديدة**

Pressing the button should open a simple prototype form containing:

- Cardholder name
- Last four digits or a sample card number field
- Confirmation button

Do not request or store real sensitive payment information. Clearly use placeholder data.

19. Customer Support

Add a prominent but secondary button:

تواصل مع خدمة العملاء

When pressed, open a bottom sheet with static options:

- **المحادثة المباشرة**
- **اتصال**
- **البريد الإلكتروني**
- **الأسئلة الشائعة**

The actions can display prototype notifications rather than opening real support channels.

20. Additional Settings

Include only a few useful settings:

- Notifications toggle
- Language row displaying العربية
- Privacy policy
- Terms and conditions
- Logout button

Do not add a large number of settings simply to fill the page.

21. Components and Interaction Quality

Create reusable visual patterns for:

- Primary buttons
- Secondary buttons
- Event cards
- Reward-point badges
- Filter chips
- Bottom sheets
- Modal overlays
- Form fields
- Toggle controls
- Success and error notifications

All interactions should feel responsive.

Use:

- Short transitions around 150–250ms
- Visible pressed states
- Clear focus styles
- Disabled states where relevant
- Skeletons only if genuinely useful

Avoid loading screens that delay the prototype.

22. Accessibility

Ensure:

- Sufficient text contrast
- Minimum comfortable touch targets
- Semantic HTML
- Useful `aria-label` attributes
- Meaningful image `alt` text
- Keyboard-accessible dialogs and buttons
- Focus trapping or sensible focus management for open modals
- No information communicated by color alone

Respect `prefers-reduced-motion`.

23. Responsive Behaviour

The design must remain usable on:

- Small Android phones
- Standard modern mobile widths
- Tablets
- Desktop browsers used by hackathon judges

On desktop, preserve the mobile-app appearance rather than redesigning it as a desktop dashboard.

24. Data Structure

Store mock events in a JavaScript array so the same data can be reused across pages.

Suggested structure:

```
const events = [  
  {  
    id: 1,  
    titleAr: "سيكس فلاغز مدينة القدية",  
    titleEn: "Six Flags Qiddiya City",  
    category: "مدن ترفيهية",  
    date: "2026-07-20",  
    time: "04:00 مساءً",  
    venue: "مدينة القدية",  
    district: "القدية",  
    distanceKm: 38,  
    price: 170,  
    points: 340,  
    image: "assets/events/six-flags.jpg",  
  },  
]
```

```
    popular: true,  
    nearby: false  
  }  
];
```

Use the data to generate cards dynamically where practical.

25. Prototype State

Use `localStorage` for:

- Current balance
- Reward points
- Updated user profile
- Simulated linked-card status
- Optional completed bookings

Provide sensible default values when no saved data exists.

Include a development-only reset function or hidden reset button so the prototype can be restored before the hackathon presentation.

26. Content Requirements

Use realistic Arabic interface text. Do not use lorem ipsum.

Prices should be displayed in Saudi riyals:

ر.س 170

Points should be displayed clearly:

نقطة +340

Distances should use:

كم 2.4

Keep descriptions short enough for mobile screens.

27. Final Deliverable

Produce a complete working static prototype containing:

- Three connected HTML pages
- One shared stylesheet
- One shared JavaScript file
- Mobile-first responsive design
- Arabic RTL interface
- Expandable Azwa card
- Simulated balance recharge
- Event booking interaction
- Reward-points updates
- Calendar filtering
- Editable profile
- Simulated card linking
- Customer-support options
- Shared bottom navigation

The final result must be visually polished enough for a hackathon presentation while remaining technically simple, readable, and easy to modify.

Before finishing, test:

- All three navigation links
- Mobile overflow
- Fixed bottom-navigation spacing
- RTL alignment
- Recharge interaction
- Card expansion
- Booking balance deduction
- Points addition
- Calendar filters
- Profile editing
- Modal closing
- Local storage persistence
- Empty and insufficient-balance states