

Olmran Item Builder

Full Usage Guide - v5.4.23

A tool for parsing Olmran/MUD-style game logs, extracting loot data, building a master equipment database, and finding the optimal gear set for your character.

This guide covers every tab and feature currently in the program. It's a companion to the README on GitHub, written for reading start-to-finish or jumping to the section you need.

Contents

1. Getting Started
2. Parse Tab
3. Fields Tab
4. Export Tab
5. Build Tab
 - 5.1 Master Database File
 - 5.2 Basic Constraints
 - 5.3 Armor Constraints
 - 5.4 Weapon Constraints
 - 5.5 Bank Build
 - 5.6 Shared Search Controls
6. Results Tab
7. Saved Builds Tab
8. Area Items Tab
9. Tips and Example Builds
10. Troubleshooting

1. Getting Started

- Download **OlmranItemBuilder.exe** from the download page and put it anywhere on your computer.
- Double-click it to run - no Python install, no admin rights, no setup step.
- Windows SmartScreen may warn about an unrecognized app the first time (it isn't code-signed yet) - click "More info" then "Run anyway".
- It's a PyInstaller "onefile" build, so it unpacks itself to a temp folder on every launch - expect a few seconds of startup delay each time, not just the first.
- The bundled community equipment list (*Olmran_Community_Eq_and_Stats_List.xlsx*) ships inside the .exe itself and loads automatically on startup.
- A small bar at the very top of the window (visible on every tab) has two buttons: **Download Page** opens this download site in your browser, and **Check for Update** checks GitHub's latest release against your current version. If you're current, it just says so; if a newer version exists, the button itself becomes **Download & Update** - click it (after confirming) to download the new exe and have the app automatically swap it in and restart, no manual reinstall needed.

2. Parse Tab

Load your game logs here and turn them into structured Chat, Combat, and Loot data.

- Load CHAT logs and ACTION logs - the file type is auto-detected from the filename. The Parse tab has its own inner sub-tabs: **Files & Search** (everything below) and a separate, always-visible **XP Counter** sub-tab - the file list appears on both and stays in sync, so files can be loaded without leaving either one.
- **XP Counter** (its own sub-tab) - computes overall XP/hour from the loaded log(s), parsed from "You gain BASE (+BONUS) experience points." lines, plus a breakdown by area using time actually spent in each one (tracked via the game's own room-title lines). Click the button to compute a working result (replaced each time you click); use its **Save** button to turn a result into its own persistent, named tab with a **Delete** button, surviving a restart.
- **Search Logs** finds every time an item actually dropped across a whole batch of loaded logs, independent of running a full parse:
- **Drops only** (default, on) - matches real drop events the same way the Loot parser does, so quality/material prefixes ("bright", "glowing", "shining", etc.) don't cause misses or false confidence. For each drop it shows a **snapshot**: every line from the last timestamp seen through the drop line itself, so you can see the fight and kill that led up to it. Click a result row to view its snapshot.
- Uncheck **Drops only** to instead do a plain raw-text search of every loaded file's lines (any mention of the term, not just drops), showing filename, line number, and timestamp per match.
- Case-sensitive matching is optional in both modes.
- Right-click any result row (either mode) for **Open Log at This Line** - opens the original log file in a new window, scrolled to and highlighting that exact line, so you can see it in its complete original context. That window has its own Find box at the top (with up/down buttons, or plain Enter/Shift+Enter) to search around the rest of the file, wrapping around at either end.

- **PvP** - three searches for player-vs-player combat, each result row also supporting Open Log at This Line:
- **Your Kills** - just a button, no name needed. Finds every time you killed someone ("You just killed !" immediately followed by "You earn N realm points!"), each labeled "You Killed " with the name pulled straight out of the matched line. The realm points number is unique per kill and isn't part of the match.
- **Your Deaths** - just a button, no name needed. Finds every time someone killed you (their killing blow line ending "at you for N damage!" immediately followed by a blank line and your own death message), each labeled " Killed you" with the attacker's name pulled straight out of the matched line. The "N minutes" at the end of the death message is unique per death and isn't part of the match.
- **Participated** - just a button, no name needed. Finds every "You earn N realm points!" line that isn't immediately preceded by "You just killed !" (that combo is a direct kill, already covered by Your Kills) - credit for participating in someone else's kill without landing the final blow yourself.
- Parse options (Chat / Combat / Loot) automatically enable or disable based on which file types are loaded.
- Use the Snapshot buttons to preview parsed data before exporting.
- Export everything to a formatted Excel workbook.
- **Credits** - far right of the Parse Results row. Opens a popup listing everyone who contributed to the project.

3. Fields Tab

- Customize which fields get extracted for Chat, Combat, and Loot.
- Add, edit, remove, and reorder fields per data type.
- "Reset to Defaults" restores the built-in field set.

4. Export Tab

- Create a new Master Loot Database or append to an existing one (fodder items excluded automatically).
- Export Combat and Loot as separate files if needed.
- Optional summary sheet with run statistics.
- Each chat log gets its own sheet on export.

5. Build Tab

This is where you search a master equipment database for the best gear for your character. It's organized into four inner sub-tabs: Basic Constraints, Armor Constraints, Weapon Constraints, and Bank Build. A shared control area at the bottom (Min/Max/Specific Level, and the search buttons) stays visible no matter which sub-tab is active.

5.1 Master Database File

- **Browse...** - pick your own .xlsx database.
- **Create New** - start a blank one.
- **Use Community List** - instantly loads the bundled community equipment list.
- **Load** - reads the selected file into memory for searching.

Items whose Area is "Class" are excluded from every search entirely at load time (they're role-specific class-quest rewards, not found in the open world) - see the Class Items dropdown below for the one way to still use one deliberately.

5.2 Basic Constraints

Desired Spells - pick spells from category dropdowns instead of typing them, each paired with a tier dropdown ((any), i, ii, iii):

- **Basic** - Agility, Bless, Dexterity, Constitution, Intelligence, Wisdom, Strength, Evade, Combat, Tough.skin
- **Shields/Buffs** - Protect, Blur, Shield, Vitalize, Regenerate, Bleed.resist, Disease.resist, Poison.resist
- **Class Specific** - 23 combat/skill-enhance spells (Reverb, Aura, Backstab, Bash, Berzerk, Crush, Direct, Double, Fired, Improve, Leathers, Lockpick, Mark, Martialarts, Maul, Melee, Pummel, Rake, Repair, Slash, Tap, Thrust, Track, Volley - none of these go above tier ii)
- **General Skills** - Platemail, Leathers, Thrust, Chaos.crush, Slash, All.weapons, Weapons, Climb, Hide, Jump, Swim, Percept, Sneak
- **Protects** - the 8 elemental/mental protects (Cold/Earth/Elemental/Fire/Lightning/Mental/Shock/Water), with their own minor/normal/improved tier labels instead of i/ii/iii

Some spells restrict which tiers are selectable (Agility/Bless cap at ii; Class Specific spells cap at ii; Disease.resist alone goes up to tier iv) - the tier dropdown greys out anything that spell can't reach. Click **Add to List** to add the current dropdown selection as a removable chip under **Wanted Spells**. Requesting the same spell at two different tiers (e.g. Dexterity i and Dexterity iii) is treated as one requirement, not two.

Wanted Sigils - pick one or more Sigil types (Cold/Earth/Fire/Lightning/Pain/Shock/Water) and the search actively favors armor carrying them, the same way it does for Wanted Spells - useful since many armor pieces carry a Sigil but no Spell at all. Unlike spells, sigils don't need to be exclusive to one slot - multiple slots can each independently carry a wanted Sigil, and a Wanted Spell always outranks a Wanted Sigil for the same slot. Separately, whenever two candidates for a slot are otherwise exactly tied, the search prefers whichever one's Sigil isn't already used elsewhere in the build - a last-resort tie-break only, never able to override a genuinely better item.

Priority Spells and **Priority Tier** - Priority Spells are always actively searched for (not just preferred among items that already matched something else). Priority Tier pairs one specific spell with one specific tier, so the search targets exactly that tier for it, even over a higher tier that's available elsewhere.

Required Items - type a specific item's name under **Require Item:** and click **Add to Build**. It's looked up by exact match first, falling back to a spelling-tolerant fuzzy search that asks you to confirm the closest match if there's no exact hit. Once added it's forced into its slot on every future search, with the rest of the build calculated around it.

Class Items dropdown - lists every item excluded for being in the "Class" area, formatted as *Item-MOB-Spell* and sorted by Mob (Mob shown in bold caps). Selecting one and clicking **Add to Build** forces it into Required Items - the one deliberate way an otherwise-excluded item can still end up in a build.

Level Filtering - Min Level / Max Level restrict to a range; Specific Level restricts to an exact level (mutually exclusive with Min/Max). Leave all three blank for no restriction.

If no match at Specific Level (only enabled once Specific Level has a value) controls what Find Optimal Build does when nothing matches a wanted spell at exactly that level/tier:

- **Go down a tier** - keep the exact level, accept a lower tier if needed
- **Go down in level** - keep the exact tier, search downward for the closest available level
- **Both** - relax level and tier together, preferring the closest combination
- **Don't populate slot** (default) - no fallback; the slot is left empty

Only Found In (realm filter) - check any combination of Evil, Chaos, Good, Glory Bea, Crafted, Event, or Kaid to restrict results to those realms. Leave everything unchecked (or check **All**) to search every realm except Crafted. Kaid has its own column: **Kaid All** matches any Kaid sub-realm, or check specific colors (White/Green/Red/Purple) instead - mutually exclusive with Kaid All. **Crafted items never appear unless the Crafted checkbox is checked**, and a build can include at most one Crafted-realm item even then. Below Crafted are two independent hard exclusions that apply no matter what else is selected above: **Non-Kaid** (excludes every Kaid realm) and **Non-Event** (excludes both Event and Glory Bea items).

Save Constraints (to the right of Only Found In, above Required Items) - names and saves a full snapshot of every current Basic, Armor, and Weapon Constraints selection at once. Saved sets are listed below the button with **Load**, **Rename**, and **Delete** buttons - selecting an entry only highlights it, so an explicit Load click is needed to actually apply it (protecting against accidentally overwriting constraints you're still setting up). Saving under a name that already exists asks to confirm before overwriting it. Persists across closing and reopening the program.

5.3 Armor Constraints

- The **All:** row sets an armor type for every slot at once.
- Override individual slots (Head, Cloak, Body, Hands, Legs, Feet) with Cloth / Leather / Studded / Plate.
- Per-slot **Defense** (range) and **Sigil** dropdowns - soft preferences: a matching item is favored, but a slot is never left empty just because nothing matches.
- Up to 3 slots can be marked **Max Lvl** priority - greedily locks that slot to the highest-level item that still carries a wanted/priority spell, before the normal search runs for everything else.
- **Set as Default** / **Clear Default** / **Clear All** manage your saved preferences, persisted between sessions.

5.4 Weapon Constraints

- **Weapon Types/Combo's** - check whichever your build uses: Dual-Wield 1h, 1h/Shield, 2h/Shield, Two-Handed, 1 Claw, 2 Claw, Fired 1h/Shield. Most have their own Style (Melee/Direct/Parry Staff/Fired) and Damage Type (Slashing/Thrusting/Crushing) dropdowns. Each row sits in its own thin bordered box, alternating between two shades of grey row by row.

- Leave everything unchecked and Weapon/Shield aren't populated at all. 1 Claw/2 Claw replace Weapon and Shield entirely rather than filling alongside them.
- **Melee Weapon Constraints** - soft-preference Damage/Timer/Fumble/Accuracy/Sigil dropdowns (each with an optional Priority checkbox, capped at 3), plus a **Weight** range - soft preference by default, or check **Hard Filter** to exclude out-of-range weapons outright. Applies to every weapon style and to Claw slots too. 1 Claw/2 Claw each get their own Sigil dropdown (first for claw 1, second for claw 2).
- **Shield Constraints** - Defense and Sigil dropdowns working like Armor Constraints' per-slot versions, plus Leather/Studded/Plate checkboxes (a hard filter, same as Armor Constraints' own - Cloth isn't offered here since shields are never made of cloth in-game).

5.5 Bank Build

Paste a bank/inventory listing from the game and use it as the basis for a search, instead of (or alongside) the full database. Three inner tabs share the idea:

- **Import** - paste a listing, type a Character Name, then click Save to Saved Items. The first time a given name is used, a new tab for that character is created automatically under Character Items (or Lockers, if the Locker checkbox below is checked); using the same name again just updates that character's existing list. Matching is by spelling only, regardless of capitalization - typing "aria" or "ARIA" when "Aria" already exists updates that same character rather than creating a case-sensitive duplicate. This is the only way items get into a character's list now - Import doesn't run a search itself. A **Locker** checkbox is here too - a Locker isn't a character you play, it's extra bank space (a spare character made just to hold overflow gear). A Locker's non-Kaid gear is automatically folded into every other character's Bank Build search, regardless of that character's own Search all characters setting - unless its own tab has **Exclude this Locker from other characters' Bank Build searches** checked (unchecked by default), which opts just that one Locker out of everyone else's searches while still showing up normally on its own tab. Toggling this checkbox on a later Import for an existing character moves its tab between Character Items and Lockers automatically.
- **Character Items** - a notebook of its own. **Main** is a read-only combined view of every character's items (Lockers included), plus anything saved before character tracking existed - just the list, and a Clear Saved List button scoped to that older, character-less leftover data (it never touches any character's own items). **Each non-Locker character gets its own tab** with its own Only Found In checkboxes, Prioritize Saved Items/Hard Search checkboxes, a **Search all characters** checkbox, **Good Gear only/Invasion Gear only** checkboxes, a Find Best Bank Build button, a Clear Saved List button, and a **Delete** button (bottom-right) that permanently removes that character's entire tab and its saved items - unlike Clear Saved List, which only empties the list but keeps the tab around.
- **Lockers** - always the rightmost of the three inner tabs. Itself a small notebook holding one sub-tab per Locker character, each with the exact same controls as a regular character tab plus the Exclude-from-others checkbox and a note reminding you it's overflow storage, not a played character - keeps pure storage characters visually separate from ones you actually play.

Hard Search holds each wanted spell's exact tier and restricts candidates to that character's items only - a slot with nothing at the exact tier reads "No available item". **Search all characters**, when checked, pools every character's non-Kaid items together for the search - but Kaid items still only come from that one character's own tab, since Kaid gear doesn't drop when you die and represents what that specific character

is actually carrying, not the whole roster's stash. **Good Gear only/Invasion Gear only** restrict Find Best Bank Build to just items carrying that Gear Tag (see below) - both can be checked together (either tag qualifies), and neither checked runs unrestricted, as normal.

Every Character Items table (Main, every character, and every Locker) can be sorted by clicking any column header - click again to reverse. Level sorts numerically; everything else sorts as text.

Each row also has a **Gear Tag** column (the rightmost one) - click a cell for a dropdown of "Good Gear" / "Invasion Gear" / "Both" / "Blank" (every item starts out Blank). One tag per item name, shared everywhere that item appears (Main and every character that has it), and persists across closing and reopening the program. For the Good Gear only/Invasion Gear only search checkboxes above, "Both" always qualifies under either one (it counts as both categories at once), while "Blank" qualifies under neither - so until you actually start tagging items, checking either box just filters the search down to nothing.

Four paste formats are recognized and can even be mixed in one paste: a numbered Strongbox listing (12.) *item name [Level|Slot...tags]*, the same listing without numbering, an Inventory listing ("(w)" / "(h)" marked lines always count; an unmarked or stack-count line also counts if it matches a real item in the loaded database), and an Items in use listing (*On Head: item name, Held Left: nothing*).

Each character's list reconciles by **content type** - bank listing vs. inventory/equipped listing - rather than which content was pasted most recently. Updating just a bank paste never wipes out that character's inventory-sourced items, and vice versa; a paste containing both kinds updates both. A second (or further) copy of the same item is listed at the bottom of a list, prefixed "::

The Bank icon appears in the leftmost column of every search's results (Find Optimal Build, Show All Matches, everywhere) whenever an item matches something saved anywhere - any character, or the older Main-only leftover data. If the item instead came from a Locker, that column shows a bold "L" and the Results tab's Locker column (see 6) shows which one.

5.6 Shared Search Controls

- ■ **Find Optimal Build** - exact search across every slot at once for the combination covering as many wanted spells as possible under your constraints. Hidden while the Bank Build sub-tab is selected, since it has its own per-character Find Best Bank Build button instead (see 5.5).
- ■ **Show All Matches** - lists every item matching your filters, without narrowing to one per slot. Also hidden on Bank Build for the same reason.
- ■ **Generate multiple build options** - also generates up to 10 alternate full builds by swapping in equally-good tied items slot by slot. Stays visible on every sub-tab, including Bank Build.

6. Results Tab

- **Display: Best Per Slot / All Matches** toggles between the two search modes above.
- **Build Variant** dropdown - active when multiple build options were generated.
- Columns: Bank icon, **Locker**, Slot, Item, Type, Spell, Sigil, Level, Mob, Area, and **Alt Options** (other items that tied for that slot). The Locker column shows the first 4 letters of a Locker character's name

whenever a row's item came from one - the Bank column shows a bold "L" instead of the usual ■ for those rows.

- **Right-click a filled item** to remove it from the build - the slot stays visible showing "No suitable item found" rather than disappearing, and it stays excluded from every future search until a genuinely new search runs. Two buttons appear once something's been removed:
- **Rebuild (Full Database)** - recomputes the whole build, re-searching everywhere, excluding what's been removed.
- **Rebuild (Saved Items First)** - builds as much of the whole set as possible from Saved Items (Lockers' non-Kaid gear included, their Kaid items excluded), then automatically searches the full database for whatever it can't cover - a complete gear set every time. Useful for PvP: remove a good item you don't want to risk losing on death, rebuild, and get a full set that reuses your bank wherever possible and clearly shows (via the missing Bank icon) exactly what you'd still need to go acquire for the rest.
- **Right-click an empty slot** ("No suitable item found", etc.) offers three options: **Search Full Database for This Slot** (finds a single best-fit item for just that one slot, honoring every active constraint and correctly avoiding a wanted spell some other slot already covers, without touching or recomputing anything else in the build); **Rebuild (Saved Items First)** (the same full-build rebuild described above); and **Rebuild (Full Database, Prefer Owned)** - a single unrestricted search that still favors items you already own, generating a stack of build options in the Build Variant dropdown ("0 new items", "1 new item", "2 new items", etc.) - the fewest new items needed to reach each successively better result, so you can weigh a smaller shopping list against a stronger build. When a looser cap has spare budget left over that coverage alone doesn't need, it also adds "N new items (alt)" options - equally-good unowned alternatives swapped into an owned slot one at a time, just for extra choices to compare.
- **Search Missing Slots (Full Database)** button appears whenever a Saved Items Hard Search leaves gaps - fills them in place from the full database, asking about a lower tier if the exact one isn't found anywhere.
- **Remove Area** - strip all items from a given area out of the current results.
- **Export Results / Save Build** - save the current table to Excel, HTML, image, or text, or pin it as a permanent panel under Saved Builds.

7. Saved Builds Tab

- Click **Save Build** from the Results tab to add the current results as a panel here.
- Each panel has its own renamable name, its own Export As... (Excel/HTML/Image/Text), and a Remove button.
- Saved Builds persist across closing and reopening the program.

8. Area Items Tab

- Pick an Area and browse every item droppable there, straight from the loaded master database.

- The Area field is typeable - type a few letters to narrow the list, or click/tab into it to see the full alphabetical list right away.
- Results are sorted by slot: armor first (Plate, Studded, Leather, Cloth), then Jewel, Shield, Weapon.

9. Tips and Example Builds

Quick start: Use Community List, add the spells you want, set level/armor/weapon/realm constraints as needed, click Find Optimal Build.

- **Tank:** Melee + Plate armor + Weapon + Shield + Slashing + Min Level 60
- **Two-Handed Warrior:** Melee + Plate armor + Two-Handed + Crushing + Level 50-70
- **Dual-Wield Rogue:** Melee + Leather armor + Weapon + Dual-Wield + Thrusting
- **Dual-Claw Fighter:** Melee + 2 Claw + Slashing
- **Caster with Staff:** Direct (Caster) + Cloth armor + Two-Handed + Crushing

10. Troubleshooting

- **"Windows protected your PC" / SmartScreen warning** - expected, the exe isn't code-signed yet. Click "More info" then "Run anyway".
- **The exe takes a few seconds to open every time** - expected; it's a PyInstaller onefile build that unpacks itself to a temp folder on every launch.
- **Files not loading** - check the file extension (.log, .txt, .xlsx), make sure it isn't open in another program, and try copying it somewhere else if the path has unusual characters.
- **Parse results empty** - verify the log actually contains delve output ("You examine X closely") and that CHAT vs ACTION auto-detection picked the right type.
- **Community List not found** - if running from source rather than the .exe, make sure Olmran_Community_Eq_and_Stats_List.xlsx is in the same folder, or use Browse... to point at it manually.
- **Can't see everything if the window is resized smaller** - the whole window scrolls (mouse wheel, or the scrollbar on the right edge) if it's ever shrunk below what its content needs.

Full version history and the latest release are on GitHub: github.com/Gnawbie/Olmran-parser-ItemBuilder