

EDLD652_Lab_PS3

Michelle Cui

2025-02-12

Data

```
honey <- read.csv(here("data", "honeyproduction.csv"))
summary(honey)
```

```
##      state      numcol      yieldpercol      totalprod
## Length:626      Min.   : 2000      Min.   : 19.00      Min.   : 84000
## Class :character 1st Qu.: 9000      1st Qu.: 48.00      1st Qu.: 475000
## Mode  :character Median : 26000      Median : 60.00      Median : 1533000
##                      Mean   : 60284      Mean   : 62.01      Mean   : 4169086
##                      3rd Qu.: 63750      3rd Qu.: 74.00      3rd Qu.: 4175250
##                      Max.   :510000      Max.   :136.00      Max.   :46410000
##      stocks      priceperlb      prodvalue      year
## Min.   : 8000      Min.   :0.4900      Min.   : 162000      Min.   :1998
## 1st Qu.: 143000      1st Qu.:0.9325      1st Qu.: 759250      1st Qu.:2001
## Median : 439500      Median :1.3600      Median : 1841500      Median :2005
## Mean   : 1318859      Mean   :1.4096      Mean   : 4715741      Mean   :2005
## 3rd Qu.: 1489500      3rd Qu.:1.6800      3rd Qu.: 4703250      3rd Qu.:2009
## Max.   :13800000      Max.   :4.1500      Max.   :69615000      Max.   :2012
```

```
str(honey)
```

```
## 'data.frame': 626 obs. of 8 variables:
## $ state : chr "AL" "AZ" "AR" "CA" ...
## $ numcol : num 16000 55000 53000 450000 27000 230000 75000 8000 120000 9000 ...
## $ yieldpercol: int 71 60 65 83 72 98 56 118 50 71 ...
## $ totalprod : num 1136000 3300000 3445000 37350000 1944000 ...
## $ stocks : num 159000 1485000 1688000 12326000 1594000 ...
## $ priceperlb : num 0.72 0.64 0.59 0.62 0.7 0.64 0.69 0.77 0.65 1.19 ...
## $ prodvalue : num 818000 2112000 2033000 23157000 1361000 ...
## $ year : int 1998 1998 1998 1998 1998 1998 1998 1998 1998 1998 ...
```

Lab Tasks

1. Create two plots from the same data. Choose wisely - so that they are two different types of plots (also note: plots with facet_wrap doesn't count here!)

```
honey_98_12 <- honey %>%
  filter(year == 1998 | year == 2012) %>%
  select(state, year, stocks) %>%
  mutate(state = fct_reorder(state, stocks))

p1 <- ggplot(honey_98_12, aes(x = state, y = stocks, fill = year)) +
  geom_col(position = "dodge") +
  labs(title = "Honey Stocks by State in 1998 vs 2012",
```

```

    x = "State",
    y = "Honey Stocks",
    fill = "Year") +
  theme(axis.text.x = element_text(angle = 90, hjust = 1, size = 5)) +
  scale_y_continuous(labels = label_comma())

honey_2012 <- honey %>%
  filter(year == 2012)

honey_2012 <- honey_2012 %>%
  mutate(state = tolower(state.name[match(state, state.abb)]))

us_states <- map_data("state")


map_data_merged <- us_states %>%
  left_join(honey_2012, by = c("region" = "state"))

p2 <- ggplot(map_data_merged, aes(x = long, y = lat, group = group, fill = prodvalue)) +
  geom_polygon(color = "white") +
  scale_fill_viridis_c(option = "plasma", na.value = "grey90") +
  scale_fill_continuous(name = "Production Value", labels = label_dollar()) +
  labs(title = "Honey Production Value by State(2012)",
       x = "Longitude",
       y = "Latitude",
       fill = "Production Value ($)")

```


2. Now combine those plots side-by-side using library(patchwork) we learned in week 5

```
p1 + p2
```



3. Now combine those plots by stacking them vertically (also using library(patchwork) we learned in week 5



p1/p2




4. Which one do you prefer when comparing #1 vs. #2 vs. #3? Reflect briefly.

Answer: I like the #3 most because the side by side stacking makes the plots look clustered. However, the #3 is not satisfying because the width of the p2 is affected by p1. I wonder how can I fix it. So I tried a few things.

```
p1/p2 + plot_layout(heights = c(1,0.7)) # Equal heights. This doesn't work well
```



```
p1/p2 + plot_layout(guides = "collect", heights = c(1,1))
```



This one looks slightly better

```
(p1 + plot_spacer()) / p2 + plot_layout(heights = c(1,1))
```

