

EDLD_650_DARE_03

Dodjivi Amekoudji & Michelle Cui

EDLD 650: Data Analysis and Replication Exercise

DARE 03

```
# Loading data

df <- read_csv(here("data/EDLD_650_DARE_3.csv"))
```

A. Baseline randomization checks

Answer

```
# Balance checks

df$assign_treat <- factor(df$treat,
  levels = c(0,1),
  labels = c("Control","Treatment"))

df$school <- factor(df$school)

random <- arsenal::tableby(assign_treat ~ frpl + female + dorf + school,
  numeric.stats = c("meansd"),
  cat.stats = c("N","countpct"),
  digits = 2, data = df)

mylabels <- list(female = "Female", frpl = "FRPL",
  dorf = "DORF", school = "School")

summary(random,
  labelTranslations = mylabels,
  text = TRUE,
  title = "Descriptive statistics by assigned treatment")
```

Table 1: Descriptive statistics by assigned treatment

	Control (N=157)	Treatment (N=155)	Total (N=312)	p value
FRPL				0.493
- Mean (SD)	0.71 (0.46)	0.67 (0.47)	0.69 (0.46)	
Female				0.503
- Mean (SD)	0.56 (0.50)	0.52 (0.50)	0.54 (0.50)	
DORF				0.783
- Mean (SD)	86.24 (25.94)	87.12 (30.12)	86.68 (28.05)	
School				0.794
- N	157	155	312	
- 1	38 (24.2%)	39 (25.2%)	77 (24.7%)	
- 2	43 (27.4%)	37 (23.9%)	80 (25.6%)	
- 3	40 (25.5%)	37 (23.9%)	77 (24.7%)	
- 4	36 (22.9%)	42 (27.1%)	78 (25.0%)	

B. Replication and Extension