

Questions on measure of central tendency

- 1) ***Business Problem: A retail store wants to analyze the sales data of a particular product category to understand the typical sales performance and make strategic decisions.***

Data:

Let's consider the weekly sales data (in units) for the past month for a specific product category:

Week 1: 50 units

Week 2: 60 units

Week 3: 55 units

Week 4: 70 units

Question:

1. Mean: What is the average weekly sales of the product category?
2. Median: What is the typical or central sales value for the product category?
3. Mode: Are there any recurring or most frequently occurring sales figures for the product category?

By answering these questions using the mean, median, and mode, the retail store can gain insights into the sales performance of the product category, identify any patterns or outliers, and make informed decisions regarding stock management, marketing strategies, and product placement.

- 2) ***Business Problem: A restaurant wants to analyze the waiting times of its customers to understand the typical waiting experience and improve service efficiency.***

Data:

Let's consider the waiting times (in minutes) for the past 20 customers:

15, 10, 20, 25, 15, 10, 30, 20, 15, 10,

10, 25, 15, 20, 20, 15, 10, 10, 20, 25

Question:

1. Mean: What is the average waiting time for customers at the restaurant?
2. Median: What is the typical or central waiting time experienced by customers?

3. Mode: Are there any recurring or most frequently occurring waiting times for customers?

By answering these questions using the mean, median, and mode, the restaurant can gain insights into the average waiting time, identify any common or peak waiting periods, and make informed decisions to optimize the customer service process, such as adjusting staffing levels, streamlining operations, or implementing strategies to reduce waiting times.

3) *Business Problem: A car rental company wants to analyze the rental durations of its customers to understand the typical rental period and optimize its pricing and fleet management strategies.*

Data:

Let's consider the rental durations (in days) for a sample of 50 customers:

3, 2, 5, 4, 7, 2, 3, 3, 1, 6,
4, 2, 3, 5, 2, 4, 2, 1, 3, 5,
6, 3, 2, 1, 4, 2, 4, 5, 3, 2,
7, 2, 3, 4, 5, 1, 6, 2, 4, 3,
5, 3, 2, 4, 2, 6, 3, 2, 4, 5

Question:

1. Mean: What is the average rental duration for customers at the car rental company?

2. Median: What is the typical or central rental duration experienced by customers?

3. Mode: Are there any recurring or most frequently occurring rental durations for customers?

By answering these questions using the mean, median, and mode, the car rental company can gain insights into the average rental duration, understand the most common rental periods, and make informed decisions regarding pricing, fleet size, and availability. Additionally, this analysis can help the company optimize resource allocation, plan for peak demand periods, and enhance customer satisfaction by aligning service offerings with customers' typical rental needs.

Questions on measure of dispersion

- 1) Problem: A manufacturing company wants to analyze the production output of a specific machine to understand the variability or spread in its performance.**

Data:

Let's consider the number of units produced per hour by the machine for a sample of 10 working days:

Day 1: 120 units
Day 2: 110 units
Day 3: 130 units
Day 4: 115 units
Day 5: 125 units
Day 6: 105 units
Day 7: 135 units
Day 8: 115 units
Day 9: 125 units
Day 10: 140 units

Question:

1. Range: What is the range of the production output for the machine?
2. Variance: What is the variance of the production output for the machine?
3. Standard Deviation: What is the standard deviation of the production output for the machine?

By answering these questions using different measures of dispersion, the manufacturing company can gain insights into the variability in the machine's production output. This information can help identify any fluctuations, assess the consistency of performance, and make informed decisions regarding quality control, scheduling, and resource allocation.

- 2) Problem: A retail store wants to analyze the sales of a specific product to understand the variability in daily sales and assess its inventory management.**

Data:

Let's consider the daily sales (in dollars) for the past 30 days:

\$500, \$700, \$400, \$600, \$550, \$750, \$650, \$500, \$600, \$550,

\$800, \$450, \$700, \$550, \$600, \$400, \$650, \$500, \$750, \$550,
\$700, \$600, \$500, \$800, \$550, \$650, \$400, \$600, \$750, \$550

Questions:

1. Range: What is the range of the daily sales?
2. Variance: What is the variance of the daily sales?
3. Standard Deviation: What is the standard deviation of the daily sales?

By answering these questions using different measures of dispersion, the retail store can gain insights into the variability in daily sales, assess the consistency of demand, and make informed decisions regarding inventory stocking levels, sales forecasting, and pricing strategies.

- 3) Problem: An e-commerce platform wants to analyze the delivery times of its shipments to understand the variability in order fulfillment and optimize its logistics operations.**

Data:

Let's consider the delivery times (in days) for a sample of 50 shipments:

3, 5, 2, 4, 6, 2, 3, 4, 2, 5,
7, 2, 3, 4, 2, 4, 2, 3, 5, 6,
3, 2, 1, 4, 2, 4, 5, 3, 2, 7,
2, 3, 4, 5, 1, 6, 2, 4, 3, 5,
3, 2, 4, 2, 6, 3, 2, 4, 5, 3

Questions:

1. Range: What is the range of the delivery times?
2. Variance: What is the variance of the delivery times?
3. Standard Deviation: What is the standard deviation of the delivery times?

By answering these questions using different measures of dispersion, the e-commerce platform can gain insights into the variability in delivery times, identify any bottlenecks in the logistics process, and make informed decisions regarding shipment tracking, customer expectations, and service level agreements.

- 4) Problem : A company wants to analyze the monthly revenue generated by one of its products to understand its performance and variability.**

Data:

Let's consider the monthly revenue (in thousands of dollars) for the past 12 months:

\$120, \$150, \$110, \$135, \$125, \$140, \$130, \$155, \$115, \$145, \$135, \$130

Questions:

1. Measure of Central Tendency: What is the average monthly revenue for the product?
2. Measure of Dispersion: What is the range of monthly revenue for the product?

By answering these questions, the company can gain insights into the average revenue generated by the product and understand the range or variability in its monthly revenue, which can help with financial planning, forecasting, and evaluating the product's performance.

5) Problem : A survey was conducted to gather feedback from customers regarding their satisfaction with a particular service on a scale of 1 to 10.

Data:

Let's consider the satisfaction ratings from 50 customers:

8, 7, 9, 6, 7, 8, 9, 8, 7, 6,
8, 9, 7, 8, 7, 6, 8, 9, 6, 7,
8, 9, 7, 6, 7, 8, 9, 8, 7, 6,
9, 8, 7, 6, 8, 9, 7, 8, 7, 6,
9, 8, 7, 6, 7, 8, 9, 8, 7, 6

Questions:

1. Measure of Central Tendency: What is the average satisfaction rating?
2. Measure of Dispersion: What is the standard deviation of the satisfaction ratings?

By answering these questions, the company can gain insights into the average satisfaction rating of customers and understand the spread or variability in their ratings. This information can help identify areas for improvement, evaluate customer perception, and make informed decisions to enhance the service quality.

6) Problem : A company wants to analyze the customer wait times at its call center to assess the efficiency of its customer service operations.

Data:

Let's consider the wait times (in minutes) for a sample of 100 randomly selected customer calls:

10, 15, 12, 18, 20, 25, 8, 14, 16, 22,
9, 17, 11, 13, 19, 23, 21, 16, 24, 27,
13, 10, 18, 16, 12, 14, 19, 21, 11, 17,
15, 20, 26, 13, 12, 14, 22, 19, 16, 11,
25, 18, 16, 13, 21, 20, 15, 12, 19, 17,
14, 16, 23, 18, 15, 11, 19, 22, 17, 12,
16, 14, 18, 20, 25, 13, 11, 22, 19, 17,
15, 16, 13, 14, 18, 20, 19, 21, 17, 12,
15, 13, 16, 14, 22, 21, 19, 18, 16, 11,
17, 14, 12, 20, 23, 19, 15, 16, 13, 18

Questions:

1. Measure of Central Tendency: What is the average wait time for customers at the call center?
2. Measure of Dispersion: What is the range of wait times for customers at the call center?
3. Measure of Dispersion: What is the standard deviation of the wait times for customers at the call center?

By answering these questions, the company can gain insights into the average wait time experienced by customers, assess the variability or spread in the wait times, and make informed decisions regarding staffing levels, call center efficiency, and customer satisfaction.

7) Problem : A transportation company wants to analyze the fuel efficiency of its vehicle fleet to identify any variations across different vehicle models.

Data:

Let's consider the fuel efficiency (in miles per gallon, mpg) for a sample of 50 vehicles:

Model A: 30, 32, 33, 28, 31, 30, 29, 30, 32, 31,
Model B: 25, 27, 26, 23, 28, 24, 26, 25, 27, 28,
Model C: 22, 23, 20, 25, 21, 24, 23, 22, 25, 24,
Model D: 18, 17, 19, 20, 21, 18, 19, 17, 20, 19,
Model E: 35, 36, 34, 35, 33, 34, 32, 33, 36, 34

Questions:

1. Measure of Central Tendency: What is the average fuel efficiency for each vehicle model?
2. Measure of Dispersion: What is the range of fuel efficiency for each vehicle model?
3. Measure of Dispersion: What is the variance of the fuel efficiency for each vehicle model?

By answering these questions, the transportation company can

gain insights into the average fuel efficiency of different vehicle models, understand the variations or spread in the fuel efficiency, and make informed decisions regarding fleet management, vehicle selection, and fuel consumption optimization.

More Statistics Questions

- 8) Problem : A company wants to analyze the ages of its employees to understand the age distribution and demographics within the organization.**

Data:

Let's consider the ages of 100 employees:

28, 32, 35, 40, 42, 28, 33, 38, 30, 41,
37, 31, 34, 29, 36, 43, 39, 27, 35, 31,
39, 45, 29, 33, 37, 40, 36, 29, 31, 38,
35, 44, 32, 39, 36, 30, 33, 28, 41, 35,
31, 37, 42, 29, 34, 40, 31, 33, 38, 36,
39, 27, 35, 30, 43, 29, 32, 36, 31, 40,
38, 44, 37, 33, 35, 41, 30, 31, 39, 28,
45, 29, 33, 38, 34, 32, 35, 31, 40, 36,
39, 27, 35, 30, 43, 29, 32, 36, 31, 40,
38, 44, 37, 33, 35, 41, 30, 31, 39, 28

Questions:

1. Frequency Distribution: Create a frequency distribution table for the ages of the employees.
2. Mode: What is the mode (most common age) among the employees?
3. Median: What is the median age of the employees?
4. Range: What is the range of ages among the employees?

By answering these questions using frequency distribution and other measures, the company can gain insights into the age distribution of its workforce, identify the most common age group, understand the central tendency, and assess the spread of ages. This information can be useful for workforce planning, diversity initiatives, and understanding the generational dynamics within the organization.

- 9) Problem : A retail store wants to analyze the purchase amounts made by customers to understand their spending habits.**

Data:

Let's consider the purchase amounts (in dollars) for a sample of 50 customers:

56, 40, 28, 73, 52, 61, 35, 40, 47, 65,
52, 44, 38, 60, 56, 40, 36, 49, 68, 57,
52, 63, 41, 48, 55, 42, 39, 58, 62, 49,
59, 45, 47, 51, 65, 41, 48, 55, 42, 39,
58, 62, 49, 59, 45, 47, 51, 65, 43, 58

Questions:

1. Frequency Distribution: Create a frequency distribution table for the purchase amounts.
2. Mode: What is the mode (most common purchase amount) among the customers?
3. Median: What is the median purchase amount among the customers?
4. Interquartile Range: What is the interquartile range of the purchase amounts?

By answering these questions using frequency distribution and other measures, the retail store can gain insights into the spending habits of its customers, identify the most common purchase amount

10) Problem : A manufacturing company wants to analyze the defect rates of its production line to identify the frequency of different types of defects.

Data:

Let's consider the types of defects and their corresponding frequencies observed in a sample of 200 products:

Defect Type: A, B, C, D, E, F, G

Frequency: 30, 40, 20, 10, 45, 25, 30

Questions:

1. Bar Chart: Create a bar chart to visualize the frequency of different defect types.
2. Most Common Defect: Which defect type has the highest frequency?
3. Histogram: Create a histogram to represent the defect frequencies.

By answering these questions using a bar chart and histogram, the manufacturing company can visually understand the distribution of defect types, identify the most common defect, and prioritize quality control efforts to address the prevalent issues.

11) Problem : A survey was conducted to gather feedback from customers about their satisfaction levels with a specific service on a scale of 1 to 5.

Data:

Let's consider the satisfaction ratings from 100 customers:

Ratings: 4, 5, 3, 4, 4, 3, 2, 5, 4, 3,
5, 4, 2, 3, 4, 5, 3, 4, 5, 3,
4, 3, 2, 4, 5, 3, 4, 5, 4, 3,
3, 4, 5, 2, 3, 4, 4, 3, 5, 4,
3, 4, 5, 4, 2, 3, 4, 5, 3, 4,
5, 4, 3, 4, 5, 3, 4, 5, 4, 3,
3, 4, 5, 2, 3, 4, 4, 3, 5, 4,
3, 4, 5, 4, 2, 3, 4, 5, 3, 4,
5, 4, 3, 4, 5, 3, 4, 5, 4, 3,
3, 4, 5, 2, 3, 4, 4, 3, 5, 4

Questions:

1. Histogram: Create a histogram to visualize the distribution of satisfaction ratings.
2. Mode: Which satisfaction rating has the highest frequency?
3. Bar Chart: Create a bar chart to display the frequency of each satisfaction rating.

By answering these questions using a histogram and bar chart, the organization can gain insights into the distribution of satisfaction ratings, identify the most common satisfaction level, and assess overall customer satisfaction.

12) Problem : A company wants to analyze the monthly sales figures of its products to understand the sales distribution across different price ranges.

Data:

Let's consider the monthly sales figures (in thousands of dollars) for a sample of 50 products:

Sales: 35, 28, 32, 45, 38, 29, 42, 30, 36, 41,
47, 31, 39, 43, 37, 30, 34, 39, 28, 33,
36, 40, 42, 29, 31, 45, 38, 33, 41, 35,
37,

34, 46, 30, 39, 43, 28, 32, 36, 29,
31, 37, 40, 42, 33, 39, 28, 35, 38, 43

Questions:

1. Histogram: Create a histogram to visualize the sales distribution across different price ranges.
2. Measure of Central Tendency: What is the average monthly sales figure?
3. Bar Chart: Create a bar chart to display the frequency of sales in different price ranges.

By answering these questions using a histogram and bar chart, the company can understand the distribution of sales figures, determine the average sales performance, and identify the price ranges where sales are concentrated or lacking.

13) Problem : A study was conducted to analyze the response times of a website for different user locations.

Data:

Let's consider the response times (in milliseconds) for a sample of 200 user requests:

Response Times: 125, 148, 137, 120, 135, 132, 145, 122, 130, 141,
118, 125, 132, 136, 128, 123, 132, 138, 126, 129,
136, 127, 130, 122, 125, 133, 140, 126, 133, 135,
130, 134, 141, 119, 125, 131, 136, 128, 124, 132,
136, 127, 130, 122, 125, 133, 140, 126, 133, 135,
130, 134, 141, 119, 125, 131, 136, 128, 124, 132,
136, 127, 130, 122, 125, 133, 140, 126, 133, 135,
130, 134, 141, 119, 125, 131, 136, 128, 124, 132,
136, 127, 130, 122, 125, 133, 140, 126, 133, 135,
130, 134, 141, 119, 125, 131, 136, 128, 124, 132

Questions:

1. Histogram: Create a histogram to visualize the distribution of response times.
2. Measure of Central Tendency: What is the median response time?
3. Bar Chart: Create a bar chart to display the frequency of response times within different ranges.

By answering these questions using a histogram and bar chart, the study can gain insights into the distribution of response times, understand the typical response time experienced by users, and assess the performance of the website.

14) Problem : A company wants to analyze the sales performance of its products across different regions.

Data:

Let's consider the sales figures (in thousands of dollars) for a sample of 50 products in three regions:

Region 1: 45, 35, 40, 38, 42, 37, 39, 43, 44, 41,
Region 2: 32, 28, 30, 34, 33, 35, 31, 29, 36, 37,
Region 3: 40, 39, 42, 41, 38, 43, 45, 44, 41, 37

Questions:

1. Bar Chart: Create a bar chart to compare the sales figures across the three regions.
2. Measure of Central Tendency: What is the average sales figure for each region?
3. Measure of Dispersion

: What is the range of sales figures in each region?

By answering these questions using a bar chart and measures of central tendency and dispersion, the company can compare the sales performance across different regions, identify the average sales figures, and understand the variability in sales within each region. This information can be used for regional sales analysis, resource allocation, and decision-making processes.

Questions on Measure of Skewness and Kurtosis

- 1) Question : A company wants to analyze the monthly returns of its investment portfolio to understand the distribution and risk associated with the returns.**

Data:

Let's consider the monthly returns (%) for the portfolio over a one-year period:

Returns: -2.5, 1.3, -0.8, -1.9, 2.1, 0.5, -1.2, 1.8, -0.5, 2.3,
 -0.7, 1.2, -1.5, -0.3, 2.6, 1.1, -1.7, 0.9, -1.4, 0.3,
 1.9, -1.1, -0.4, 2.2, -0.9, 1.6, -0.6, -1.3, 2.4, 0.7,
 -1.8, 1.5, -0.2, -2.1, 2.8, 0.8, -1.6, 1.4, -0.1, 2.5,
 -1.0, 1.7, -0.9, -2.0, 2.7, 0.6, -1.4, 1.1, -0.3, 2.0

Questions:

1. Skewness: Calculate the skewness of the monthly returns.
2. Kurtosis: Calculate the kurtosis of the monthly returns.
3. Interpretation: Based on the skewness and kurtosis values, what can be said about the distribution of returns?

By answering these questions using measures of skewness and kurtosis, the company can understand the shape and symmetry of the return distribution, assess the level of risk and potential outliers, and make informed decisions regarding portfolio management and risk mitigation strategies.

- 2) Question : A research study wants to analyze the income distribution of a population to understand the level of income inequality.**

Data:

Let's consider the monthly incomes (in thousands of dollars) of a sample of 100 individuals:

Incomes: 2.5, 4.8, 3.2, 2.1, 4.5, 2.9, 2.3, 3.1, 4.2, 3.9,
2.8, 4.1, 2.6, 2.4, 4.7, 3.3, 2.7, 3.0, 4.3, 3.7,
2.2, 3.6, 4.0, 2.7, 3.8, 3.5, 3.2, 4.4, 2.0, 3.4,
3.1, 2.9, 4.6, 3.3, 2.5, 4.9, 2.8, 3.0, 4.2, 3.9,
2.8, 4.1, 2.6, 2.4, 4.7, 3.3, 2.7, 3.0, 4.3, 3.7,
2.2, 3.6, 4.0, 2.7, 3.8, 3.5, 3.2, 4.4,

2.0, 3.4,
3.1, 2.9, 4.6, 3.3, 2.5, 4.9, 2.8, 3.0, 4.2, 3.9,
2.8, 4.1, 2.6, 2.4, 4.7, 3.3, 2.7, 3.0, 4.3, 3.7,
2.2, 3.6, 4.0, 2.7, 3.8, 3.5, 3.2, 4.4, 2.0, 3.4,
3.1, 2.9, 4.6, 3.3, 2.5, 4.9

Questions:

1. Skewness: Calculate the skewness of the income distribution.
2. Kurtosis: Calculate the kurtosis of the income distribution.
3. Interpretation: Based on the skewness and kurtosis values, what can be inferred about the income inequality?

By answering these questions using measures of skewness and kurtosis, the research study can assess the level of income inequality, determine the shape of the income distribution, and make informed policy recommendations to address income disparities.

3) Question : A survey was conducted to analyze the satisfaction ratings of customers on a scale of 1 to 5 for a specific product.

Data:

Let's consider the satisfaction ratings from 200 customers:

Ratings: 4, 5, 3, 4, 4, 3, 2, 5, 4, 3,
5, 4, 2, 3, 4, 5, 3, 4, 5, 3,
4, 3, 2, 4, 5, 3, 4, 5, 4, 3,
3, 4, 5, 2, 3, 4, 4, 3, 5, 4,
3, 4, 5, 4, 2, 3, 4, 5, 3, 4,
5, 4, 3, 4, 5, 3, 4, 5, 4, 3,
3, 4, 5, 2, 3, 4, 4, 3, 5, 4,
3, 4, 5, 4, 2, 3, 4, 5, 3, 4,
5, 4, 3, 4, 5, 3, 4, 5, 4, 3,
3, 4, 5, 2, 3, 4, 4, 3, 5, 4

Questions:

1. Skewness: Calculate the skewness of the satisfaction ratings.
2. Kurtosis: Calculate the kurtosis of the satisfaction ratings.

3. Interpretation: Based on the skewness and kurtosis values, what can be inferred about the satisfaction ratings distribution?

By answering these questions using measures of skewness and kurtosis, the survey can assess the skewness and peakedness of the satisfaction ratings, determine if the ratings are skewed towards positive or negative evaluations, and understand the distribution characteristics of customer satisfaction.

4) Question : A study wants to analyze the distribution of house prices in a specific city to understand the market trends.

Data:

Let's consider the house prices (in thousands of dollars) for

a sample of 150 houses:

House Prices: 280, 350, 310, 270, 390, 320, 290, 340, 310, 380,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290,
270, 350, 300, 330, 370, 310, 280, 320, 350, 290

Questions:

1. Skewness: Calculate the skewness of the house price distribution.
2. Kurtosis: Calculate the kurtosis of the house price distribution.
3. Interpretation: Based on the skewness and kurtosis values, what can be inferred about the distribution of house prices?

By answering these questions using measures of skewness and kurtosis, the study can assess the symmetry and peakedness of the house price distribution, identify any outliers or extreme values, and gain insights into the market trends and pricing dynamics.

5) Question : A company wants to analyze the waiting times of customers at a service center to improve operational efficiency.

Data:

Let's consider the waiting times (in minutes) for a sample of 100 customers:

Waiting Times: 12, 18, 15, 22, 20, 14, 16, 21, 19, 17,
22, 19, 13, 16, 21, 22, 17, 19, 22, 18,
14, 20, 19, 17, 22, 18, 15, 21, 20, 16,
12, 18, 15, 22, 20, 14, 16, 21, 19, 17,
22, 19, 13, 16, 21, 22, 17, 19, 22, 18,
14, 20, 19, 17, 22, 18, 15, 21, 20, 16,
12, 18, 15, 22, 20, 14, 16, 21, 19, 17,
22, 19, 13, 16, 21, 22, 17, 19, 22, 18,
14, 20, 19, 17, 22, 18, 15, 21, 20, 16,
12, 18, 15, 22, 20, 14, 16, 21, 19, 17

Questions:

1. Skewness: Calculate the skewness of the waiting time distribution.
2. Kurtosis

: Calculate the kurtosis of the waiting time distribution.

3. Interpretation: Based on the skewness and kurtosis values, what can be inferred about the waiting time distribution?

By answering these questions using measures of skewness and kurtosis, the company can assess the symmetry and tail behavior of the waiting time distribution, identify any patterns or anomalies in customer waiting times, and make improvements to streamline the service process and enhance customer satisfaction.

Questions on Percentile and Quartiles

- 1) **Question : A company wants to analyze the salary distribution of its employees to determine the income levels at different percentiles.**

Data:

Let's consider the monthly salaries (in thousands of dollars) of a sample of 200 employees:

Salaries: 40, 45, 50, 55, 60, 62, 65, 68, 70, 72,
75, 78, 80, 82, 85, 88, 90, 92, 95, 100,
105, 110, 115, 120, 125, 130, 135, 140, 145, 150,
155, 160, 165, 170, 175, 180, 185, 190, 195, 200,
205, 210, 215, 220, 225, 230, 235, 240, 245, 250,
255, 260, 265, 270, 275, 280, 285, 290, 295, 300,
305, 310, 315, 320, 325, 330, 335, 340, 345, 350,
355, 360, 365, 370, 375, 380, 385, 390, 395, 400,
405, 410, 415, 420, 425, 430, 435, 440, 445, 450,
455, 460, 465, 470, 475, 480, 485, 490, 495, 500

Questions:

1. Quartiles: Calculate the first quartile (Q1), median (Q2), and third quartile (Q3) of the salary distribution.
2. Percentiles: Calculate the 10th percentile, 25th percentile, 75th percentile, and 90th percentile of the salary distribution.
3. Interpretation: Based on the quartiles and percentiles, what can be inferred about the income distribution of the employees?

By answering these questions using quartiles and percentiles, the company can understand the income levels at different points in the distribution, identify the median salary and the spread of salaries, and make informed decisions related to compensation, employee benefits, and salary structures.

2) Question : A research study wants to analyze the weight distribution of a sample of individuals to assess their health and body composition.

Data:

Let's consider the weights (in kilograms) of a sample of 100 individuals:

Weights: 55, 60, 62, 65, 68, 70, 72, 75, 78, 80,
82, 85, 88, 90, 92, 95, 100, 105, 110, 115,
120, 125, 130, 135, 140, 145, 150, 155, 160, 165,
170, 175, 180, 185, 190, 195, 200, 205, 210, 215,
220, 225, 230, 235, 240, 245, 250, 255, 260, 265,
270, 275, 280, 285, 290, 295, 300, 305, 310, 315,
320, 325, 330, 335, 340, 345, 350, 355, 360, 365,
370, 375,

380, 385, 390, 395, 400, 405, 410, 415,
420, 425, 430, 435, 440, 445, 450, 455, 460, 465,
470, 475, 480, 485, 490, 495, 500, 505, 510, 515

Questions:

1. Quartiles: Calculate the first quartile (Q1), median (Q2), and third quartile (Q3) of the weight distribution.
2. Percentiles: Calculate the 15th percentile, 50th percentile, and 85th percentile of the weight distribution.
3. Interpretation: Based on the quartiles and percentiles, what can be inferred about the weight distribution of the individuals?

By answering these questions using quartiles and percentiles, the research study can understand the weight distribution and identify the weight ranges at different percentiles, such as underweight, normal weight, overweight, and obese categories. This information

can be used for evaluating health risks, designing appropriate interventions, and providing personalized recommendations for weight management.

3) Question : A retail store wants to analyze the distribution of customer purchase amounts to identify their spending patterns.

Data:

Let's consider the purchase amounts (in dollars) of a sample of 150 customers:

Purchase Amounts: 20, 25, 30, 35, 40, 45, 50, 55, 60, 65,
70, 75, 80, 85, 90, 95, 100, 105, 110, 115,
120, 125, 130, 135, 140, 145, 150, 155, 160, 165,
170, 175, 180, 185, 190, 195, 200, 205, 210, 215,
220, 225, 230, 235, 240, 245, 250, 255, 260, 265,
270, 275, 280, 285, 290, 295, 300, 305, 310, 315,
320, 325, 330, 335, 340, 345, 350, 355, 360, 365,
370, 375, 380, 385, 390, 395, 400, 405, 410, 415,
420, 425, 430, 435, 440, 445, 450, 455, 460, 465,
470, 475, 480, 485, 490, 495, 500, 505, 510, 515,
520, 525, 530, 535, 540, 545, 550, 555, 560, 565

Questions:

1. Quartiles: Calculate the first quartile (Q1), median (Q2), and third quartile (Q3) of the purchase amount distribution.
2. Percentiles: Calculate the 20th percentile, 40th percentile, and 80th percentile of the purchase amount distribution.
3. Interpretation: Based on the quartiles and percentiles, what can be inferred about the spending patterns of the customers?

By answering these questions using quartiles and percentiles, the retail store can understand the distribution of purchase amounts, identify the spending ranges at different percentiles, analyze customer segments based on their spending behavior, and tailor marketing strategies to target specific customer groups.

4) Question : A study wants to analyze the distribution of commute times of employees to determine the average time spent traveling to work.

Data:

Let's consider the commute times (in minutes) of a sample of 250 employees:

Commute Times: 15, 20, 25, 30, 35, 40, 45, 50, 55, 60,
65, 70, 75, 80, 85, 90, 95, 100, 105, 110,
115, 120, 125, 130, 135, 140, 145, 150, 155, 160,
165, 170, 175, 180, 185, 190, 195, 200, 205, 210,

215, 220, 225, 230, 235, 240, 245, 250, 255, 260,
265, 270, 275, 280, 285, 290, 295, 300, 305, 310,
315, 320, 325, 330, 335, 340, 345, 350, 355, 360,
365, 370, 375, 380, 385, 390, 395, 400, 405, 410,
415, 420, 425, 430, 435, 440, 445, 450, 455, 460,
465, 470, 475, 480, 485, 490, 495, 500, 505, 510,
515, 520, 525, 530, 535, 540, 545, 550, 555, 560,
565, 570, 575, 580, 585, 590, 595, 600, 605, 610

Questions:

1. Quartiles: Calculate the first quartile (Q1), median (Q2), and third quartile (Q3) of the commute time distribution.
2. Percentiles: Calculate the 30th percentile, 50th percentile, and 70th percentile of the commute time distribution.
3. Interpretation: Based on the quartiles and percentiles, what can be inferred about the average commute time of the employees?

By answering these questions using quartiles and percentiles, the study can determine the typical commute times, understand the spread of commute times, identify any outliers or extreme values, and provide insights for transportation planning, scheduling, and employee well-being initiatives.

5) Question : A manufacturing company wants to analyze the defect rates in its production process to evaluate product quality.

Data:

Let's consider the defect rates (in percentage) for a sample of 300 products:

Defect Rates: 0.5, 1.0, 0.2, 0.7, 0.3, 0.9, 1.2, 0.6, 0.4, 1.1,
0.8, 0.5, 0.3, 0.6, 1.0, 0.4, 0.5, 0.7, 0.9, 1.3,
0.8, 0.6, 0.4, 0.7, 0.9, 0.5, 0.2, 1.0, 0.8, 0.3,
0.6, 0.4, 0.7, 0.9, 1.2, 0.8, 0.3, 0.6, 0.5, 0.4,
0.7, 0.9, 1.1, 0.3, 1.4, 0.9, 0.6, 0.2, 1.5, 1.0
0.6, 0.4, 0.7, 1.0, 0.8, 0.3, 0.5, 0.8, 0.6, 0.3, 0.9
0.4, 0.7, 0.9, 1.0, 0.8, 0.3, 0.5, 0.6, 0.4, 0.7,
0.9, 1.1, 0.8, 0.3, 0.5, 0.6, 0.4, 0.7, 0.9, 1.0,
0.8, 0.3, 0.5, 0.6, 0.4, 0.7, 0.9, 1.1, 0.8, 0.3,
0.5, 0.6, 0.4, 0.7, 0.9, 1.0, 0.8, 0.3, 0.5, 0.6,
0.4, 0.7, 0.9, 1.1, 0.8, 0.3, 0.5, 0.6, 0.4, 0.7,
0.9, 1.0, 0.8, 0.3, 0.5, 0.6, 0.4, 0.7, 0.9, 1.1

Questions:

1. Quartiles: Calculate the first quartile (Q1), median (Q2), and third quartile (Q3) of the defect rate distribution.

2. Percentiles: Calculate the 25th percentile, 50th percentile, and 75th percentile of the defect rate distribution.
3. Interpretation: Based on the quartiles and percentiles, what can be inferred about the quality of the products?

By answering these questions using quartiles and percentiles, the manufacturing company can evaluate the defect rates, understand the spread of defects, identify any quality issues or deviations from standards, and take corrective actions to improve the production process and product quality.

Questions on Correlation and Covariance

- 1) **Question : A marketing department wants to understand the relationship between advertising expenditure and sales revenue to assess the effectiveness of their advertising campaigns.**

Data:

Let's consider the monthly advertising expenditure (in thousands of dollars) and corresponding sales revenue (in thousands of dollars) for a sample of 12 months:

Advertising Expenditure: 10, 12, 15, 18, 20, 22, 25, 28, 30, 32, 35, 38

Sales Revenue: 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105

Question:

Calculate the correlation coefficient between advertising expenditure and sales revenue. Interpret the value of the correlation coefficient and explain the nature of the relationship between advertising expenditure and sales revenue.

By analyzing the correlation coefficient, the marketing department can determine the strength and direction of the relationship between advertising expenditure and sales revenue. This information can help them make informed decisions about allocating their advertising budget and optimizing their marketing strategies.

- 2) **Question : An investment analyst wants to assess the relationship between the stock prices of two companies to identify potential investment opportunities.**

Data:

Let's consider the daily closing prices (in dollars) of Company A and Company B for a sample of 20 trading days:

Company A: 45, 47, 48, 50, 52, 53, 55, 56, 58, 60, 62, 64, 65, 67, 69, 70, 72, 74, 76, 77

Company B: 52, 54, 55, 57, 59, 60, 61, 62, 64, 66, 67, 69, 71, 73, 74, 76, 78, 80, 82, 83

Question:

Calculate the covariance between the stock prices of Company A and Company B. Interpret the value of the covariance and explain the nature of the relationship between the two stocks.

By analyzing the covariance, the investment analyst can determine whether the stock prices of Company A and Company B move together (positive covariance) or in opposite directions (negative covariance). This information can assist in identifying potential investment opportunities and understanding the diversification benefits of combining these stocks in a portfolio.

3) Question : A researcher wants to examine the relationship between the hours spent studying and the exam scores of a group of students.

Data:

Let's consider the number of hours spent studying and the corresponding exam scores for a sample of 30 students:

Hours Spent Studying: 10, 12, 15, 18, 20, 22, 25, 28, 30, 32, 35, 38, 40, 42, 45, 48, 50, 52, 55, 58, 60, 62, 65, 68, 70, 72, 75, 78, 80, 82

Exam Scores: 60, 65, 70, 75, 80, 82, 85, 88, 90, 92, 93, 95, 96, 97, 98, 99, 100, 102, 105, 106, 107, 108, 110, 112, 114, 115, 116, 118, 120, 122

Question:

Calculate the correlation coefficient between the hours spent studying and the exam scores. Interpret the value of the correlation coefficient and explain the nature of the relationship between studying hours and exam scores.

By analyzing the correlation coefficient, the researcher can determine the strength and direction of the relationship between studying hours and exam scores. This information can provide insights into the effectiveness of studying and help students and educators make informed decisions about study habits and academic performance.

Questions on discrete and continuous random variable

Discrete Random Variable:

1. Problem: A fair six-sided die is rolled 100 times. What is the probability of rolling exactly five 3's?

Data: Number of rolls (n) = 100

2. Problem: In a deck of 52 playing cards, five cards are randomly drawn without replacement. What is the probability of getting two hearts?

Data: Number of hearts in the deck (N) = 13, Number of cards drawn (n) = 5

3. Problem: A multiple-choice test consists of 10 questions, each with four possible answers. If a student randomly guesses on each question, what is the probability of getting at least 8 questions correct?

Data: Number of questions (n) = 10, Number of possible answers per question (k) = 4

4. Problem: A bag contains 30 red balls, 20 blue balls, and 10 green balls. Three balls are drawn without replacement. What is the probability that all three balls are blue?

Data: Number of blue balls in the bag (N) = 20, Number of balls drawn (n) = 3

5. Problem: In a football match, a player scores a goal with a 0.3 probability per shot. If the player takes 10 shots, what is the probability of scoring exactly three goals?

Data: Number of shots (n) = 10, Probability of scoring per shot (p) = 0.3

Continuous Random Variable:

1. Problem: The heights of students in a class are normally distributed with a mean of 165 cm and a standard deviation of 10 cm. What is the probability that a randomly selected student is taller than 180 cm?

Data: Mean height (μ) = 165 cm, Standard deviation (σ) = 10 cm, Height threshold (x) = 180 cm

2. Problem: The waiting times at a coffee shop are exponentially distributed with a mean of 5 minutes. What is the probability that a customer waits less than 3 minutes?

Data: Mean waiting time (μ) = 5 minutes, Waiting time threshold (x) = 3 minutes

3. Problem: The lifetimes of a certain brand of light bulbs are normally distributed with a mean of 1000 hours and a standard deviation of 100 hours. What is the probability that a randomly selected light bulb lasts between 900 and 1100 hours?

Data: Mean lifetime (μ) = 1000 hours, Standard deviation (σ) = 100 hours, Lifetime range (lower limit x_1 , upper limit x_2)

4. Problem: The weights of apples in a basket follow a uniform distribution between 100 grams and 200 grams. What is the probability that a randomly selected apple weighs between 150 and 170 grams?

Data: Weight range (lower limit x_1 , upper limit x_2)

5. Problem: The time taken to complete a task is exponentially distributed with a mean of 20 minutes. What is the probability that the task is completed in less than 15 minutes?

Data: Mean time (μ) = 20 minutes, Time threshold (x) = 15 minutes

Questions on Discrete Distribution and Continuous Distribution

Discrete Distribution:

1. Problem: A company sells smartphones, and the number of defects per batch follows a Poisson distribution with a mean of 2 defects. What is the probability of having exactly 3 defects in a randomly selected batch?

Data: Mean number of defects (λ) = 2, Number of defects (x) = 3

Explanation: The problem involves a discrete distribution (Poisson) because we are dealing with the count of defects in a batch of smartphones. The Poisson distribution models the probability of a given number of events occurring within a fixed interval of time or space.

2. Problem: In a game, a player has a 0.3 probability of winning each round. If the player plays 10 rounds, what is the probability of winning exactly 3 rounds?

Data: Probability of winning (p) = 0.3, Number of rounds (n) = 10, Number of wins (x) = 3

Explanation: This problem also involves a discrete distribution (Binomial) because we are dealing with a fixed number of independent trials (rounds) with a probability of success (winning) in each trial. The Binomial distribution models the probability of achieving a certain number of successes in a fixed number of trials.

3. Problem: A six-sided fair die is rolled three times. What is the probability of obtaining at least one 6?

Data: Number of rolls (n) = 3

Explanation: Here, we have a discrete distribution (Geometric) since we are interested in the number of trials required to achieve the first success (rolling a 6) in a sequence of independent trials. The Geometric distribution models the probability of achieving the first success on a specific trial.

Continuous Distribution:

1. Problem: The weights of apples in a basket follow a normal distribution with a mean of 150 grams and a standard deviation of 10 grams. What is the probability that a randomly selected apple weighs between 140 and 160 grams?

Data: Mean weight (μ) = 150 grams, Standard deviation (σ) = 10 grams, Weight range (lower limit x_1 , upper limit x_2)

Explanation: This problem involves a continuous distribution (Normal) since we are dealing with the weights of apples, which can take on any value within a range. The Normal distribution is commonly used to model continuous variables with a symmetric bell-shaped distribution.

2. Problem: The lifetimes of a certain brand of light bulbs are exponentially distributed with a mean of 1000 hours. What is the probability that a randomly selected light bulb lasts more than 900 hours?

Data: Mean lifetime (μ) = 1000 hours, Lifetime threshold (x) = 900 hours

Explanation: Here, we have a continuous distribution (Exponential) since we are interested in the time until an event (light bulb failure) occurs. The Exponential distribution models the probability of waiting a certain amount of time before the event happens.

Questions on Confidence Interval and Hypothesis Testings

Confidence Interval Problems:

1. Problem: A study is conducted to estimate the mean height of a population. A random sample of 100 individuals is selected, and their heights are measured. Calculate a 95% confidence interval for the population mean height, given that the sample mean height is 170 cm and the sample standard deviation is 8 cm.

Data: Sample size (n) = 100, Sample mean (\bar{x}) = 170 cm, Sample standard deviation (s) = 8 cm, Confidence level = 95%

Explanation: In this problem, we use a sample to estimate the population mean height. By calculating a confidence interval, we provide a range of plausible values for the population mean. The 95% confidence level indicates that we are 95% confident that the true population mean height falls within the calculated interval.

2. Problem: A survey is conducted to estimate the proportion of people in a city who support a particular policy. A random sample of 500 individuals is surveyed, and 320 of them express support for the policy. Calculate a 90% confidence interval for the population proportion, given the sample proportion.

Data: Sample size (n) = 500, Number of successes (x) = 320, Confidence level = 90%

Explanation: In this problem, we aim to estimate the population proportion based on the sample proportion. By constructing a confidence interval, we provide a range of plausible values for the population proportion. The 90% confidence level indicates that we are 90% confident that the true population proportion falls within the calculated interval.

Hypothesis Testing Problems:

3. Problem: A researcher wants to test whether a new teaching method improves student performance. A random sample of 50 students is divided into two groups: one group taught using the new method and the other using the traditional method. The average test scores of the two groups are compared. State the null and alternative hypotheses for this study.

Data: Sample size (n) = 50, Test scores of the two groups

Explanation: In this problem, we are interested in comparing the means of two groups (new method vs. traditional method). The null hypothesis (H_0) states that there is no

significant difference between the means, while the alternative hypothesis (H_a) suggests that there is a significant difference.

4. Problem: A manufacturing company claims that the average weight of its product is 500 grams. To test this claim, a random sample of 25 products is selected, and their weights are measured. The sample mean weight is found to be 510 grams with a sample standard deviation of 20 grams. Perform a hypothesis test to determine if there is evidence to support the company's claim.

Data: Sample size (n) = 25, Sample mean (\bar{x}) = 510 grams, Sample standard deviation (s) = 20 grams, Population mean (μ) = 500 grams

Explanation: In this problem, we are conducting a hypothesis test to assess whether the sample mean weight provides evidence to support the company's claim about the population mean weight. The null hypothesis (H_0) assumes that the population mean weight is equal to the claimed value, while the alternative hypothesis (H_a) suggests otherwise.

Module (2 and 3)

- 1) Use the average function and calculate the average of all the three category of weight. (for this question use excel file named *average 1*).
- 2) The excel file named **Average 3** , the table below contains precipitation measurement as measured in the Rochester NY area last year and we sampled 3 days in each of the first three months of 2018. Complete all the question in the file given .
- 3) In excel file named **Count 1**, The table below shows survey responses; the respondents could use any value for their answers. Answer all the questions using COUNT and COUNTA function.

- 4) In excel file named **COUNT 2** , The following table represents a bank statement of ExcelMaster company. Column E shows the total dollar value amount of each of the accounts. Answer all the questions using COUNT and COUNTA function.
- 5) In excel file named **COUNT 3** , Solve all the question by using formulas COUNT, COUNTA and COUNTBLANK:
- 6) In excel file named **HLOOKUP**, Solve all the question using HLOOKUP only.
- 7) In excel file named **IF 1** , Table A contains names and their respective grades for Excel 101 Course. Complete column C using only IF formula.
- 8) In excel file named **IF 2**, The following table is an extract from an accounting system that contains four journal entries. Check if column A's cells match column B's cell. if they match - return "match", otherwise return "no match".
- 9) In excel file named **IF 3**, The table below contains details of high school students names and ages, use IF formula to complete columns D and E.If the student's age is 16 or above, he/she is eligible for a driver's license. Check if they are eligible or not. Answer in column D. If the student is younger than 18 years old he/she is a minor. Check whether the student is a minor or not. for Minor return "Minor" and non minor = "Adult" answer in column E.
- 10) In excel file named **IF 4**, An A+ student gets 100% scholarship and non A+ gets 50% scholarship , The following table contains the names of students from 2024 class. Use IF function to calculate the scholarships' amounts each of them will get.
- 11) In excel file named **Math 1**, Use the following guidelines to calculate the statements given the file.
- 12) In excel file named **MAX MIN 1**, Use max, min and average formulas to answer all the following questions given in the file.
- 13) In the file named **MAX MIN 2** , The following table contains details about the scores of 4 students in a driving theory test. If a student fails at least one test - she or he needs to retake the course. Use IF and MAX/MIN to check if a student passed the test.
- 14) In the file named **MAX MIN 3**, IF at least one student got 99 points or more in a test - the test considered easy, Use MAX and IF to create a logic that checks if the test was "Easy" or not.
- 15) In the file named **Nested IF 1**, The school decided to use the following grade system:
 - A. Grade higher or equal to 80 - Excellent
 - B. Grade higher or equal to 60 but lower than 80 – Good
 - C. Grade lower than 60 - Failed

Complete all the task given in the file.

- 16) In the file named **SUM 1**, The following table includes ABC company's revenue by month. The company's CFO asked you to use SUM formula to calculate the total revenue for the year.
- 17) In the file named **SUM 2**, The following table represents daily costs by day for the first quarter of 2015. Calculate the total costs at the bottom of the table. Hint: to save time, use sum shortcuts.

- 18) In the file named **SUM 3**, Find the number of residents for each of the following groups from the table below, complete all the question in the file.
- 19) In the file named **SUMIF 1**, answer all the question given in the file.
- 20) In the file named **SUMIF 2**, answer all the question given in the file based on table.
- 21) In the file named **VLOOKUP APPROXIMATE MATCH**, Retrieve the GBP:USD exchange rate for the following dates using VLOOKUP function, from the table in columns G-H. In case there is no exchange rate for a certain date entry, return the the last known rate for that day.
- 22) In the file named **VLOOKUP 1**, Below is a list of the employees who work in your company: Answer all the question given in the file using vlookup function.
- 23) In the file named **VLOOKUP 2a**, According to the table , answer all the question given in the file using vlookup.
- 24) In Excel file **first_exercise**, For a table of populations, change data types and make other changes in Power Query. Do the following things to make this table easier to read:
- Tell Power Query to use the first row as column headings.
 - Delete the Source column (we don't need it).
 - Change the data type of the Date column to Date.
 - Change the data type of the Population column to Whole Number.
 - Shorten the name of the Country column.
 - And make other changes if needed to read data properly.
- 25) In Excel file **first_exercise**, Import a population table using Power Query, then tidy up the data:
- In the "**question_3_power_query_file**" , all the steps are mentiond to do the above exercise, please look and follow the steps.
- 26) In Excel file **first_exercise** , Divide exchange rate and investment symbols into more parts by splitting and removing columns:
- In the "**question_4_power_query_file**" , all the steps are mentiond to do the above exercise, please look and follow the steps.
- 27) In Excel file **first_exercise** , How to unpivot data in Power Query, then use this as a basis for a pivot table:
- In the "**question_5_power_query_file**" , all the steps are mentiond to do the above exercise, please look and follow the steps.
- 28) In Excel file **first_exercise**, Tidy up exchange rate and investment data in Power Query, splitting columns and replacing values:
- In the "**question_2_power_query_file**" , all the steps are mentiond to do the above exercise, please look and follow the steps.
- 29) In Excel file **first_exercise** , Create a query to import a table of tall buildings, create new columns and then pivot the data:
- In the "**question_6_power_query_file**" , all the steps are mentiond to do the above exercise, please look and follow the steps.
- 30) In Excel file **first_exercise** ,For a table of skyscrapers, perform lots of query transforms and then pivot the results:

- a. In the ***“question_7_power_query_file”*** , all the steps are mentiond to do the above exercise, please look and follow the steps.

Module 4 (SQL)

Database Name: HR

1. Display all information in the tables EMP and DEPT.
2. Display only the hire date and employee name for each employee.
3. Display the ename concatenated with the job ID, separated by a comma and space, and name the column Employee and Title
4. Display the hire date, name and department number for all clerks.
5. Create a query to display all the data from the EMP table. Separate each column by a comma. Name the column THE OUTPUT
6. Display the names and salaries of all employees with a salary greater than 2000.
7. Display the names and dates of employees with the column headers "Name" and "Start Date"
8. Display the names and hire dates of all employees in the order they were hired.
9. Display the names and salaries of all employees in reverse salary order.
10. Display 'ename' and 'deptno' who are all earned commission and display salary in reverse order.
11. Display the last name and job title of all employees who do not have a manager
12. Display the last name, job, and salary for all employees whose job is sales representative or stock clerk and whose salary is not equal to \$2,500, \$3,500, or \$5,000

Database Name: HR

- 1) Display the maximum, minimum and average salary and commission earned.
- 2) Display the department number, total salary payout and total commission payout for each department.
- 3) Display the department number and number of employees in each department.
- 4) Display the department number and total salary of employees in each department.
- 5) Display the employee's name who doesn't earn a commission. Order the result set without using the column name
- 6) Display the employees name, department id and commission. If an Employee doesn't earn the commission, then display as 'No commission'. Name the columns appropriately
- 7) Display the employee's name, salary and commission multiplied by 2. If an Employee doesn't earn the commission, then display as 'No commission. Name the columns appropriately
- 8) Display the employee's name, department id who have the first name same as another employee in the same department
- 9) Display the sum of salaries of the employees working under each Manager.
- 10) Select the Managers name, the count of employees working under and the department ID of the manager.
- 11) Select the employee name, department id, and the salary. Group the result with the manager name and the employee last name should have second letter 'a'
- 12) Display the average of sum of the salaries and group the result with the department id. Order the result with the department id.
- 13) Select the maximum salary of each department along with the department id
- 14) Display the commission, if not null display 10% of salary, if null display a default value 1

Database Name: HR

1. Write a query that displays the employee's last names only from the string's 2-5th position with the first letter capitalized and all other letters lowercase, Give each column an appropriate label.
2. Write a query that displays the employee's first name and last name along with a " in between for e.g.: first name : Ram; last name : Kumar then Ram-Kumar. Also displays the month on which the employee has joined.
3. Write a query to display the employee's last name and if half of the salary is greater than ten thousand then increase the salary by 10% else by 11.5% along with the bonus amount of 1500 each. Provide each column an appropriate label.
4. Display the employee ID by Appending two zeros after 2nd digit and 'E' in the end, department id, salary and the manager name all in Upper case, if the Manager name consists of 'z' replace it with '!'.
5. Write a query that displays the employee's last names with the first letter capitalized and all other letters lowercase, and the length of the names, for all employees whose name starts with J, A, or M. Give each column an appropriate label. Sort the results by the employees' last names
6. Create a query to display the last name and salary for all employees. Format the salary to be 15 characters long, left-padded with \$. Label the column SALARY
7. Display the employee's name if it is a palindrome
8. Display First names of all employees with initcaps.
9. From LOCATIONS table, extract the word between first and second space from the STREET ADDRESS column.
10. Extract first letter from First Name column and append it with the Last Name. Also add "@systechusa.com" at the end. Name the column as e-mail address. All characters should be in lower case. Display this along with their First Name.
11. Display the names and job titles of all employees with the same job as Tenna.
12. Display the names and department name of all employees working in the same city as Tenna.
13. Display the name of the employee whose salary is the lowest.
14. Display the names of all employees except the lowest paid.

Database Name: HR

1. Write a query to display the last name, department number, department name for all employees.
2. Create a unique list of all jobs that are in department 4. Include the location of the department in the output.
3. Write a query to display the employee last name, department name, location id and city of all employees who earn commission.
4. Display the employee last name and department name of all employees who have an 'a' in their last name
5. Write a query to display the last name, job, department number and department name for all employees who work in ATLANTA.
6. Display the employee last name and employee number along with their manager's last name and manager number.
7. Display the employee last name and employee number along with their manager's last name and manager number (including the employees who have no manager).
8. Create a query that displays employees last name, department number, and all the employees who work in the same department as a given employee.
9. Create a query that displays the name, job, department name, salary, grade for all employees. Derive grade based on salary(>=50000=A, >=30000=B, <30000=C)
10. Display the names and hire date for all employees who were hired before their managers along with their manager names and hire date. Label the columns as Employee name, emp_hire_date, manager name, man_hire_date

Database Name: AdventureWorks

1. Write a query to display employee numbers and employee name (first name, last name) of all the sales employees who received an amount of 2000 in bonus.
2. Fetch address details of employees belonging to the state CA. If address is null, provide default value N/A.
3. Write a query that displays all the products along with the Sales OrderID even if an order has never been placed for that product.
4. Find the subcategories that have at least two different prices less than \$15.
5. A. Write a query to display employees and their manager details. Fetch employee id, employee first name, and manager id, manager name.
B. Display the employee id and employee name of employees who do not have manager.
6. A. Display the names of all products of a particular subcategory 15 and the names of their vendors.
B. Find the products that have more than one vendor.
7. Find all the customers who do not belong to any store.
8. Find sales prices of product 718 that are less than the list price recommended for that product.
9. Display product number, description and sales of each product in the year 2001.
10. Build the logic on the above question to extract sales for each category by year. Fetch Product Name, Sales_2001, Sales_2002, Sales_2003.

Hint: For questions 9 & 10 (From Sales.SalesOrderHeader, sales. SalesOrderDetail, Production. Product. Use ShipDate of SalesOrderHeader to extract shipped year. Calculate sales using QTY and unitprice from Sales OrderDetail.)

Database Name: HR

1. Write a query to display the last name and hire date of any employee in the same department as SALES.
2. Create a query to display the employee numbers and last names of all employees who earn more than the average salary. Sort the results in ascending order of salary.
3. Write a query that displays the employee numbers and last names of all employees who work in a department with any employee whose last name contains a 'u'
4. Display the last name, department number, and job ID of all employees whose department location is ATLANTA.
5. Display the last name and salary of every employee who reports to FILLMORE.
6. Display the department number, last name, and job ID for every employee in the OPERATIONS department.
7. Modify the above query to display the employee numbers, last names, and salaries of all employees who earn more than the average salary and who work in a department with any employee with a 'u' in their name.
8. Display the names of all employees whose job title is the same as anyone in the sales dept.
9. Write a compound query to produce a list of employees showing raise percentages, employee IDs, and salaries. Employees in department 1 and 3 are given a 5% raise, employees in department 2 are given a 10% raise, employees in departments 4 and 5 are given a 15% raise, and employees in department 6 are not given a raise.
10. Write a query to display the top three earners in the EMPLOYEES table. Display their last names and salaries.
11. Display the names of all employees with their salary and commission earned. Employees with a null commission should have 0 in the commission column
12. Display the Managers (name) with top three salaries along with their salaries and department information.

Date Function

1) Find the date difference between the hire date and resignation_date for all the employees. Display in no. of days, months and year(1 year 3 months 5 days).

Emp_ID Hire Date Resignation_Date

```
1 1/1/2000 7/10/2013
2 4/12/2003 3/8/2017
3 22/9/2012 21/6/2015
4 13/4/2015 NULL
5 03/06/2016 NULL
6 08/08/2017 NULL
7 13/11/2016 NULL
```

2) Format the hire date as mm/dd/yyyy(09/22/2003) and resignation_date as mon dd, yyyy(Aug 12th, 2004). Display the null as (DEC, 01th 1900)

3) Calculate experience of the employee till date in Years and months(example 1 year and 3 months)

Use Getdate() as input date for the below three questions.

4) Display the count of days in the previous quarter

5) Fetch the previous Quarter's second week's first day's date

6) Fetch the financial year's 15th week's dates (Format: Mon DD YYYY)

7) Find out the date that corresponds to the last Saturday of January, 2015 using with clause.

Use Airport database for the below two question:

8) Find the number of days elapsed between first and last flights of a passenger.

9) Find the total duration in minutes and in seconds of the flight from Rostov to Moscow.

Module 6(Power Pivot & Power BI)

Power Pivot Questions

- 1) Create a pivot table of average prices for transactions. See and follow the steps in file ***"power_pivot_question_01"***.
- 2) From the MAM database, import 6 tables and use them to show the quantity sold by town. See and follow the steps in file ***"power_pivot_question_02"***.
- 3) Import tables from the Make-a-Mammal database, then hide tables and columns to create a clean data model. See and follow the steps in file ***"power_pivot_question_03"***.
- 4) Import a table then amend it and import others to create data model. See and follow the steps in file ***"power_pivot_question_04"***.
- 5) Import tables into PowerPivot, hide tables and columns and create a pivot table and slicer. See and follow the steps in file ***"power_pivot_question_05"***.
- 6) Create a pivot table with slicer based on ten different tables. See and follow the steps in file ***"power_pivot_question_06"***.
- 7) Create two pivot tables, and two timelines which control both of the pivot tables. See and follow the steps in file ***"power_pivot_question_07"***.
- 8) Use slicers to control 2 pivot tables, and Quick Explore to drill down. See and follow the steps in file ***"power_pivot_question_08"***.
- 9) Use a timeline to restrict a pivot table to 4 specific quarters. See and follow the steps in file ***"power_pivot_question_09"***.
- 10) Create a linked Excel workbook in PowerPivot and use it in relationships. See and follow the steps in file ***"power_pivot_question_10"***.
- 11) Import data from Access, Word and Excel, and link an Excel table, to create a PowerPivot data model. See and follow the steps in file ***"power_pivot_question_11"***.
- 12) Link to Excel, Access and the clipboard (via Word) to import and link 4 tables. See and follow the steps in file ***"power_pivot_question_12"***.
- 13) Link to two Excel workbooks and one SQL Server table in PowerPivot. See and follow the steps in file ***"power_pivot_question_13"***.
- 14) Create an aggregator column to sum transaction values by weekday in a pivot table. See and follow the steps in file ***"power_pivot_question_14"***.
- 15) Create two new calculated columns in a table, using RELATED and CONCATENATE. See and follow the steps in file ***"power_pivot_question_15"***.
- 16) Total sales by weekday, using simple two calculated columns. See and follow the steps in file ***"power_pivot_question_16"***.
- 17) Calculate age bands for different dates using the SWITCH function. See and follow the steps in file ***"power_pivot_question_17"***.
- 18) Divide shopping centres into the circles of hell, using the IF and the SWITCH functions. See and follow the steps in file ***"power_pivot_question_18"***.
- 19) Divide years into bands using SWITCH and calculated columns. See and follow the steps in file ***"power_pivot_question_19"***.

- 20) Summarise sales by status of animal, using calculated columns. See and follow the steps in file ***"power_pivot_question_20"***.
- 21) Calculate total and average transaction values using measures. See and follow the steps in file ***"power_pivot_question_21"***.
- 22) Calculate ratio of area to units for shopping centres using AVERAGEX. See and follow the steps in file ***"power_pivot_question_22"***.
- 23) Divide sales by 4 legs and other for a measure, using the FILTER function. See and follow the steps in file ***"power_pivot_question_23"***.
- 24) Use ALL and CALCULATE to get proportions of totals for regions. See and follow the steps in file ***"power_pivot_question_24"***.
- 25) Use the CALCULATE function to pick out only transactions whose price is a given amount. See and follow the steps in file ***"power_pivot_question_25"***.
- 26) Use the CALCULATE function to show percentages of row and column totals in a pivot table. See and follow the steps in file ***"power_pivot_question_26"***.
- 27) Create a ratio of sales between two different habitats, using the CALCULATE and SUMX functions. See and follow the steps in file ***"power_pivot_question_27"***.
- 28) Create measure using CALCULATE and ALL to get ratios against total. See and follow the steps in file ***"power_pivot_question_28"***.
- 29) Exclude a month from totals using the VALUES function to retain context. See and follow the steps in file ***"power_pivot_question_29"***.
- 30) Use CALCULATE to work out the ratio of total sales to sales for a specific type of animal. See and follow the steps in file ***"power_pivot_question_30"***.
- 31) Use FILTER and ALL to show sales as a proportion of one region's total. See and follow the steps in file ***"power_pivot_question_31"***.
- 32) Use the CALCULATE function to show total sales for Northern powerhouse shopping centres. See and follow the steps in file ***"power_pivot_question_32"***.
- 33) Use the RANKX function to order total sales over species. See and follow the steps in file ***"power_pivot_question_33"***.
- 34) Filter calculated sums to compare two stores' sales figures. See and follow the steps in file ***"power_pivot_question_34"***.
- 35) Use AVERAGEX to find average ratios, then CALCULATE to avoid divide-by-zero errors. See and follow the steps in file ***"power_pivot_question_35"***.
- 36) Create two measures, showing average price for the South and all other regions. See and follow the steps in file ***"power_pivot_question_36"***.
- 37) Exclude a single animal from a pivot table, using CALCULATE combined with the VALUES function. See and follow the steps in file ***"power_pivot_question_37"***.
- 38) Sorting total sales into ascending order, using the RANKX function. See and follow the steps in file ***"power_pivot_question_38"***.
- 39) Group purchases into shopping centre size bands, using the EARLIER and FILTER functions. See and follow the steps in file ***"power_pivot_question_39"***.
- 40) Group sales into size bands using the EARLIER function. See and follow the steps in file ***"power_pivot_question_40"***.
- 41) Create a basic report to show a simple table of Abba songs. See and follow the steps in file ***"power_pivot_question_41"***.

- 42) Create a matrix and return some appropriate images above. See and follow the steps in file ***"power_pivot_question_42"***.
- 43) Create a report listing Game of Thrones episodes, importing two tables. See and follow the steps in file ***"power_pivot_question_43"***.
- 44) Load a webpage of the best films, and use this to create a table. See and follow the steps in file ***"power_pivot_question_44"***.
- 45) Load FTSE data, and create a report with a table, shape and image. See and follow the steps in file ***"power_pivot_question_45"***.
- 46) Use a matrix to compare the number of websites by country and type. See and follow the steps in file ***"power_pivot_question_46"***.
- 47) Compare Oscars won by genre and certificate for films using a matrix. See and follow the steps in file ***"power_pivot_question_47"***.
- 48) Count the number of world events for each country and year. See and follow the steps in file ***"power_pivot_question_48"***.
- 49) Load example tables from a SQL Server database, and use them to create a matrix. See and follow the steps in file ***"power_pivot_question_49"***.
- 50) Create relationships between tables using two methods. See and follow the steps in file ***"power_pivot_question_50"***.
- 51) Load an Excel workbook of Disney princesses, and create a table from this. See and follow the steps in file ***"power_pivot_question_51"***.
- 52) Importing, tidying up and filtering skyscraper data to create a column chart. See and follow the steps in file ***"power_pivot_question_52"***.
- 53) Use Query Editor to import and tidy up a list of the richest people. See and follow the steps in file ***"power_pivot_question_53"***.
- 54) Use Query Editor to load and tidy up a list of FTSE share prices. See and follow the steps in file ***"power_pivot_question_54"***.
- 55) Use the query editor to transform a rubbish data file into something useful. See and follow the steps in file ***"power_pivot_question_55"***.
- 56) Use Query Editor to cleanse a list of imported top websites. See and follow the steps in file ***"power_pivot_question_56"***.
- 57) Use Query Editor to rename and split columns in a Game of Thrones worksheet. See and follow the steps in file ***"power_pivot_question_57"***.
- 58) Load some pivoted forecast data, unpivot it and much more!. See and follow the steps in file ***"power_pivot_question_58"***.
- 59) Use Query Editor to remove, transform and add columns to a tall buildings list. See and follow the steps in file ***"power_pivot_question_59"***.
- 60) Apply a filter and a slicer by continent to a list of most-visited websites. See and follow the steps in file ***"power_pivot_question_60"***.
- 61) Apply a page filter to a list of films, then create a slicer by category. See and follow the steps in file ***"power_pivot_question_61"***.
- 62) Allow a user to choose pizzas by calorie count and type using slicers. See and follow the steps in file ***"power_pivot_question_62"***.
- 63) Create a date, numeric, dropdown and horizontal slicer on a report. See and follow the steps in file ***"power_pivot_question_63"***.

- 64) Create a slicer and chart to choose which whale sightings dataset you want to see. See and follow the steps in file ***"power_pivot_question_64"***.
- 65) Import skyscraper data, creating a new column and showing this in a chart controlled by a slicer. See and follow the steps in file ***"power_pivot_question_65"***.
- 66) Use hidden synced slicers to filter all pages with a single slicer. See and follow the steps in file ***"power_pivot_question_66"***.
- 67) Create date and normal slicers on one page to affect visuals on other pages. See and follow the steps in file ***"power_pivot_question_67"***.
- 68) Create linked slicers to show a chart of crime statistics. See and follow the steps in file ***"power_pivot_question_68"***.
- 69) Enable drill-through for a report to show a breakdown of tests taken. See and follow the steps in file ***"power_pivot_question_69"***.
- 70) Compare Pizza Express pizza calories using pie and doughnut charts. See and follow the steps in file ***"power_pivot_question_70"***.
- 71) Compare the number of Abba songs released by year using a column chart. See and follow the steps in file ***"power_pivot_question_71"***.
- 72) Create a donut chart of population data, and morph this into a tree chart. See and follow the steps in file ***"power_pivot_question_72"***.
- 73) Analyse 2018 crime figures for the Manchester area using various visuals. See and follow the steps in file ***"power_pivot_question_73"***.
- 74) Compare the heights of skyscrapers by country and city, and create a KPI. See and follow the steps in file ***"power_pivot_question_74"***.
- 75) Create a column chart of record sales, and drill-down to a pie chart. See and follow the steps in file ***"power_pivot_question_75"***.
- 76) Use grouping in charts to show viewing figures by genre for BBC1. See and follow the steps in file ***"power_pivot_question_76"***.
- 77) Compare skills test results using a waterfall chart with breakdown. See and follow the steps in file ***"power_pivot_question_77"***.
- 78) Create a bubble chart comparing two sets of numbers, and play it over time to show changes. See and follow the steps in file ***"power_pivot_question_78"***.
- 79) Show a chart comparing films when you click on each genre in a tree map. See and follow the steps in file ***"power_pivot_question_79"***.
- 80) Compare sales of goods across the UK for large shopping centres. See and follow the steps in file ***"power_pivot_question_80"***.
- 81) Create a map showing passenger numbers for UK stations, with drill-down. See and follow the steps in file ***"power_pivot_question_81"***.
- 82) Use ArcGIS to generate a heat map showing train passengers in the UK. See and follow the steps in file ***"power_pivot_question_82"***.
- 83) Create a map comparing house price sales for expensive houses across the UK. See and follow the steps in file ***"power_pivot_question_83"***.
- 84) Create a map to show sales by town for selected regions. See and follow the steps in file ***"power_pivot_question_84"***.
- 85) Analyse Brexit voting patterns for the countries of the UK, using Electoral Commission data. See and follow the steps in file ***"power_pivot_question_85"***.