1 2 06/06 16:36:05: Launching 'app' on Pixel 2 API 30. 3 Install successfully finished in 103 ms. 4 \$ adb shell am start -n "com.faruq.apps.twitter/com.faruq. apps.twitter.LoginActivity" -a android.intent.action.MAIN c android.intent.category.LAUNCHER 5 Connected to process 18385 on device 'Pixel 2 API 30 [ emulator-5554]'. 6 Capturing and displaying logcat messages from application. This behavior can be disabled in the "Logcat output" section of the "Debugger" settings page. 7 I/uq.apps.twitte: Late-enabling -Xcheck:jni 8 I/uq.apps.twitte: Unquickening 12 vdex files! 9 V/studio.deploy: Startup agent attached to VM 10 V/studio.deploy: No existing instrumentation found. Loading instrumentation from instruments-962d6e1a.jar 11 W/uq.apps.twitte: DexFile /data/data/com.faruq.apps.twitter /code cache/.studio/instruments-962d6e1a.jar is in boot class path but is not in a known location 12 V/studio.deploy: Applying transforms with cached classes 13 W/ug.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders; -> < clinit>() V (blacklist, linking, denied) 14 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders; -> <init>() V (greylist-max-o, linking, denied) 15 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders; -> <init>() V (greylist-max-o, linking, denied) 16 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ApplicationLoaders;->mLoaders:Landroid/util/ArrayMap; ( greylist, linking, allowed) 17 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ApplicationLoaders; -> mSystemLibsCacheMap: Ljava/util/Map; ( blacklist, linking, denied) 18 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;-> createAndCacheNonBootclasspathSystemClassLoader(Landroid/ content/pm/SharedLibraryInfo;)V (blacklist, linking, denied 19 W/uq.apps.twitte: Accessing hidden method Landroid/content/ pm/SharedLibraryInfo;->getPath()Ljava/lang/String; ( blacklist, linking, denied) 20 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders; -> getClassLoader(Ljava/lang/String; IZLjava/lang/String;Ljava/lang/ ClassLoader; Ljava/lang/String; Ljava/lang/String; Ljava/util/ List;)Ljava/lang/ClassLoader; (blacklist, linking, denied)

21 W/uq.apps.twitte: Accessing hidden method Landroid/os/Trace ;->traceBegin(JLjava/lang/String;)V (greylist, linking,

- 21 allowed)
- 22 W/uq.apps.twitte: Accessing hidden method Lcom/android/
   internal/os/ClassLoaderFactory;->createClassLoader(Ljava/
   lang/String;Ljava/lang/String;Ljava/lang/
   ClassLoader;IZLjava/lang/String;Ljava/util/List;)Ljava/lang
   /ClassLoader; (blacklist, linking, denied)
- 23 W/uq.apps.twitte: Accessing hidden method Lcom/android/
   internal/os/ClassLoaderFactory;->createClassLoader(Ljava/
   lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;Ljava/
   lang/String;Ljava/util/List;)Ljava/lang/ClassLoader; (
   blacklist, linking, denied)
- 24 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>getDefault()Landroid/app/ ApplicationLoaders; (greylist, linking, allowed)
- 25 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ApplicationLoaders;—>gApplicationLoaders:Landroid/app/ ApplicationLoaders; (greylist—max—o, linking, denied)
- 26 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>sharedLibrariesEquals(Ljava/util/List; Ljava/util/List;)Z (blacklist, linking, denied)
- 27 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>addNative(Ljava/lang/ClassLoader;Ljava/util/Collection;)V (greylist-max-o, linking, denied)
- 28 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ BaseDexClassLoader;->addNativePath(Ljava/util/Collection;)V (greylist-max-o,core-platform-api, linking, denied)
- 29 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>addPath(Ljava/lang/ClassLoader;Ljava/lang/String;)V (greylist—max—o, linking, denied)
- 30 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ BaseDexClassLoader;->addDexPath(Ljava/lang/String;)V ( greylist,core-platform-api, linking, allowed)
- 31 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;-> createAndCacheNonBootclasspathSystemClassLoaders([Landroid/content/pm/SharedLibraryInfo;)V (blacklist, linking, denied)
- 32 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ApplicationLoaders;—>mSystemLibsCacheMap:Ljava/util/Map; (blacklist, linking, denied)
- 33 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   ApplicationLoaders;->mSystemLibsCacheMap:Ljava/util/Map; (
   blacklist, linking, denied)
- 34 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ApplicationLoaders;->
   createAndCacheNonBootclasspathSystemClassLoader(Landroid/
   content/pm/SharedLibraryInfo;)V (blacklist, linking, denied
  )
- 35 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>createAndCacheWebViewClassLoader(Ljava

- 35 /lang/String;Ljava/lang/String;)Ljava/
  lang/ClassLoader; (greylist-max-o, linking, denied)
- 36 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>getClassLoader(Ljava/lang/String; IZLjava/lang/String;Ljava/lang/String;Ljava/lang/ ClassLoader;Ljava/lang/String;Ljava/lang/String;Ljava/util/ List;)Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 37 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;->getCachedNonBootclasspathSystemLib( Ljava/lang/String;Ljava/lang/ClassLoader;Ljava/lang/String; Ljava/util/List;)Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 38 W/uq.apps.twitte: Accessing hidden field Landroid/app/
  ApplicationLoaders;->mSystemLibsCacheMap:Ljava/util/Map; (
   blacklist, linking, denied)
- 39 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ApplicationLoaders\$CachedClassLoader;->sharedLibraries: Ljava/util/List; (blacklist, linking, denied)
- 40 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   ApplicationLoaders;->sharedLibrariesEquals(Ljava/util/List;
   Ljava/util/List;)Z (blacklist, linking, denied)
- 41 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;->getClassLoader(Ljava/lang/String; IZLjava/lang/String;Ljava/lang/String;Ljava/lang/ ClassLoader;Ljava/lang/String;)Ljava/lang/ClassLoader; greylist-max-o, linking, denied)
- 42 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>getClassLoaderWithSharedLibraries( Ljava/lang/String;IZLjava/lang/String;Ljava/lang/String; Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/List;) Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 43 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>getClassLoaderWithSharedLibraries( Ljava/lang/String;IZLjava/lang/String;Ljava/lang/String; Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/List;) Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 44 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;->getClassLoader(Ljava/lang/String; IZLjava/lang/String;Ljava/lang/String;Ljava/lang/ ClassLoader;Ljava/lang/String;Ljava/lang/String;Ljava/util/ List;)Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 45 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   ApplicationLoaders;->
   getSharedLibraryClassLoaderWithSharedLibraries(Ljava/lang/
   String;IZLjava/lang/String;Ljava/lang/String;Ljava/lang/
   ClassLoader;Ljava/lang/String;Ljava/util/List;)Ljava/lang/
   ClassLoader; (blacklist, linking, denied)
- 46 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ApplicationLoaders;—>getCachedNonBootclasspathSystemLib( Ljava/lang/String;Ljava/lang/ClassLoader;Ljava/lang/String;

- 46 Ljava/util/List;)Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 47 W/uq.apps.twitte: Accessing hidden method Ljava/lang/Thread;-><clinit>()V (blacklist, linking, denied)
- 48 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>EMPTY\_STACK\_TRACE:[Ljava/lang/StackTraceElement; (qreylist-max-o, linking, denied)
- 49 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>SUBCLASS\_IMPLEMENTATION\_PERMISSION:Ljava/lang/RuntimePermission; (greylist-max-o, linking, denied)
- 50 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->lock:Ljava/lang/Object; (greylist, linking, allowed)
- 51 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>daemon:Z (greylist, linking, allowed)
- 52 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist—max—o, linking, denied)
- 53 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->threadLocals:Ljava/lang/ThreadLocal\$ThreadLocalMap; (
   greylist, linking, allowed)
- 54 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>inheritableThreadLocals:Ljava/lang/
  ThreadLocal\$ThreadLocalMap; (greylist, linking, allowed)
- 55 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 56 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 57 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 58 W/uq.apps.twitte: Accessing hidden method Ljava/lang/Thread;—>nextThreadNum()I (greylist-max-o, linking, denied)
- 59 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 60 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->systemDaemon:Z (blacklist, linking, denied)
- 61 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 62 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 63 W/uq.apps.twitte: Accessing hidden method Ljava/lang/Thread;—>nextThreadNum()I (greylist-max-o, linking, denied)
- 64 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist—max—o, linking, denied)
- 65 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 66 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 67 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking

- 67 , denied)
- 68 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;J)V (greylist-max-o, linking, denied)
- 69 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;-><init>(Ljava/lang/Runnable;Ljava/security/ AccessControlContext;)V (blacklist, linking, denied)
- 70 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 71 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 72 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 73 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 74 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nextThreadNum()I (greylist-max-o, linking, denied )
- 75 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 76 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 77 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 78 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>blockerLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
- 79 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;J)V (greylist-max-o, linking, denied)
- 80 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 81 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 82 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 83 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>blockerLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
- 84 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nextThreadNum()I (greylist-max-o, linking, denied )
- 85 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 86 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 87 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 88 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread

- 88 ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 89 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;J)V (greylist-max-o, linking, denied)
- 90 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 91 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 92 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 93 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 94 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;J)V (greylist-max-o, linking, denied)
- 95 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>stillborn:Z (greylist-max-o, linking, denied)
- 96 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>systemDaemon:Z (blacklist, linking, denied)
- 97 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 98 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>blockerLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
- 99 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;J)V (greylist-max-o, linking, denied)
- 100 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;-><init>(Ljava/lang/ThreadGroup;Ljava/lang/String;
   IZ)V (greylist, linking, allowed)
- 101 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->stillborn:Z (greylist-max-o, linking, denied)
- 102 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->systemDaemon:Z (blacklist, linking, denied)
- 103 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 104 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking
  , denied)
- 105 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->group:Ljava/lang/ThreadGroup; (greylist, linking,
  allowed)
- 106 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ ThreadGroup;->addUnstarted()V (greylist-max-o, linking, denied)
- 107 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->auditSubclass(Ljava/lang/Class;)Z (greylist-max-o
   , linking, denied)

- 109 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->exit()V (greylist-max-o, linking, denied)
- 110 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   ThreadGroup;->threadTerminated(Ljava/lang/Thread;)V (
   greylist, linking, allowed)
- 111 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->target:Ljava/lang/Runnable; (greylist, linking, allowed
  )
- 112 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->inheritedAccessControlContext:Ljava/security/
  AccessControlContext; (greylist, linking, allowed)
- 113 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->blocker:Lsun/nio/ch/Interruptible; (greylist-max-o,
  linking, denied)
- 114 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->uncaughtExceptionHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist-max-o, linking , denied)
- 115 W/uq.apps.twitte: Accessing hidden field Ljava/lang/
   ThreadGroup;->systemThreadGroup:Ljava/lang/ThreadGroup; (
   greylist, linking, allowed)
- 116 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->defaultUncaughtExceptionHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist-max-o, linking
  , denied)
- 117 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->getNativeTid()I (blacklist, linking, denied)
- 118 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->getUncaughtExceptionPreHandler()Ljava/lang/
   Thread\$UncaughtExceptionHandler; (greylist,core-platform-api, linking, allowed)
- 119 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->uncaughtExceptionPreHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist, linking, allowed)
- 120 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;J)V (greylist-max-o, linking, denied)
- 121 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread; ->init(Ljava/lang/ThreadGroup; Ljava/lang/Runnable;
   Ljava/lang/String; JLjava/security/AccessControlContext;) V
   (blacklist, linking, denied)
- 122 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;—>init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable; Ljava/lang/String;JLjava/security/AccessControlContext;)V (blacklist, linking, denied)
- 123 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread

- 123 ;->name:Ljava/lang/String; (greylist, linking, allowed)
- 124 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   ThreadGroup;->addUnstarted()V (greylist-max-o, linking,
   denied)
- 125 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->init2(Ljava/lang/Thread;)V (greylist-max-o,
   linking, denied)
- 126 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->contextClassLoader:Ljava/lang/ClassLoader; (greylist,
  linking, allowed)
- 127 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   ThreadLocal; -> createInheritedMap(Ljava/lang/
   ThreadLocal\$ThreadLocalMap;)Ljava/lang/
   ThreadLocal\$ThreadLocalMap; (greylist-max-o, linking, denied)
- 128 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->interrupt0()V (blacklist, linking, denied)
- 129 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->isCCLOverridden(Ljava/lang/Class;)Z (greylist-max -o, linking, denied)
- 130 W/uq.apps.twitte: Accessing hidden field Ljava/lang/ Thread\$Caches;->subclassAuditsQueue:Ljava/lang/ref/ ReferenceQueue; (greylist-max-o, linking, denied)
- 131 W/uq.apps.twitte: Accessing hidden field Ljava/lang/ Thread\$Caches;->subclassAudits:Ljava/util/concurrent/ ConcurrentMap; (greylist-max-o, linking, denied)
- 132 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->processQueue(Ljava/lang/ref/ReferenceQueue;Ljava/
   util/concurrent/ConcurrentMap;)V (greylist-max-o, linking
   , denied)
- 133 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nativeCreate(Ljava/lang/Thread;JZ)V (greylist-max -o, linking, denied)
- 134 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nativeGetStatus(Z)I (greylist-max-o, linking, denied)
- 135 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nextThreadID()J (greylist-max-o, linking, denied)
- 136 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->threadSegNumber:J (greylist, linking, allowed)
- 137 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nextThreadNum()I (greylist-max-o, linking, denied
- 138 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->threadInitNumber:I (greylist-max-o, linking, denied)
- 139 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>threadInitNumber:I (greylist-max-o, linking, denied)
- 140 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->processQueue(Ljava/lang/ref/ReferenceQueue;Ljava/
   util/concurrent/ConcurrentMap;)V (greylist-max-o, linking

- 140 , denied)
- 141 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->defaultUncaughtExceptionHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist-max-o, linking , denied)
- 142 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->setNativeName(Ljava/lang/String;)V (blacklist, linking, denied)
- 143 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->setPriority0(I)V (blacklist, linking, denied)
- 144 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->setUncaughtExceptionPreHandler(Ljava/lang/ Thread\$UncaughtExceptionHandler;)V (greylist-max-o,coreplatform-api, linking, denied)
- 145 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->sleep(Ljava/lang/Object;JI)V (greylist-max-o, linking, denied)
- 146 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->sleep(Ljava/lang/Object;JI)V (greylist-max-o, linking, denied)
- 147 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->blockedOn(Lsun/nio/ch/Interruptible;)V (greylist max-o, linking, denied)
- 148 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 149 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->blocker:Lsun/nio/ch/Interruptible; (greylist-max-o,
  linking, denied)
- 151 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>tid:J (greylist-max-o, linking, denied)
- 152 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->priority:I (greylist, linking, allowed)
- 153 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ VMStack;->getThreadStackTrace(Ljava/lang/Thread;)[Ljava/ lang/StackTraceElement; (greylist, linking, allowed)
- 154 W/uq.apps.twitte: Accessing hidden field Llibcore/util/ EmptyArray; ->STACK\_TRACE\_ELEMENT: [Ljava/lang/ StackTraceElement; (blacklist, linking, denied)
- 155 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 156 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nativeGetStatus(Z)I (greylist-max-o, linking, denied)
- 157 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->uncaughtExceptionHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist-max-o, linking

- 157 **,** denied)
- 158 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->uncaughtExceptionHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist-max-o, linking , denied)
- 159 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->blockerLock:Ljava/lang/Object; (greylist-max-o, linking , denied)
- 160 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread
  ;->blocker:Lsun/nio/ch/Interruptible; (greylist-max-o,
  linking, denied)
- 161 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->interrupt0()V (blacklist, linking, denied)
- 162 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->interrupt0()V (blacklist, linking, denied)
- 163 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->nativePeer:J (greylist, linking, allowed)
- 164 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   Thread;->setNativeName(Ljava/lang/String;)V (blacklist, linking, denied)
- 166 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->setSystemDaemon(Z)V (blacklist, linking, denied)
- 167 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->systemDaemon:Z (blacklist, linking, denied)
- 168 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->uncaughtExceptionHandler:Ljava/lang/
  Thread\$UncaughtExceptionHandler; (greylist-max-o, linking , denied)
- 169 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 170 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   ThreadGroup;->add(Ljava/lang/Thread;)V (greylist, linking, allowed)
- 171 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->started:Z (greylist-max-o, linking, denied)
- 172 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread ;->stackSize:J (greylist-max-o, linking, denied)
- 173 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ Thread;->nativeCreate(Ljava/lang/Thread;JZ)V (greylist-max -o, linking, denied)
- 174 W/uq.apps.twitte: Accessing hidden field Ljava/lang/Thread;—>started:Z (greylist-max-o, linking, denied)
- 176 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/

- 176 DexPathList; -> <init>(Ljava/lang/ClassLoader; Ljava/lang/String;) V (blacklist, linking, denied)
- 177 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/
   DexPathList;->definingContext:Ljava/lang/ClassLoader; (
   greylist, linking, allowed)
- 178 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;—>splitPaths(Ljava/lang/String;Z)Ljava/util/ List; (greylist, linking, allowed)
- 179 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/
   DexPathList; ->nativeLibraryDirectories:Ljava/util/List; (
   greylist, linking, allowed)
- 180 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/
   DexPathList;->systemNativeLibraryDirectories:Ljava/util/
   List; (greylist, linking, allowed)
- 181 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList; ->getAllNativeLibraryDirectories()Ljava/util/
   List; (blacklist, linking, denied)
- 182 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList; -><init>(Ljava/lang/ClassLoader; Ljava/lang/
   String; Ljava/lang/String; Ljava/io/File;) V (greylist, linking, allowed)
- 183 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;-><init>(Ljava/lang/ClassLoader;Ljava/lang/ String;Ljava/lang/String;Ljava/io/File;Z)V (greylist-max-o, linking, denied)
- 184 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;-><init>(Ljava/lang/ClassLoader;Ljava/lang/ String;Ljava/lang/String;Ljava/io/File;Z)V (greylist-max-o, linking, denied)
- 185 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList; ->splitDexPath(Ljava/lang/String;)Ljava/util/
   List; (greylist-max-o, linking, denied)
- 186 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->concat(Ljava/lang/Class;[Ljava/lang/Object;[ Ljava/lang/Object;)[Ljava/lang/Object; (blacklist, linking, denied)
- 187 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->getAllNativeLibraryDirectories()Ljava/util/
   List; (blacklist, linking, denied)
- 188 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;—>lambda\$initByteBufferDexPath\$0(Ljava/nio/ ByteBuffer;)Z (blacklist, linking, denied)
- 189 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;—>loadDexFile(Ljava/io/File;Ljava/io/File; Ljava/lang/ClassLoader;[Ldalvik/system/DexPathList\$Element;)Ldalvik/system/DexFile; (greylist, linking, allowed)
- 190 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexFile;-><init>(Ljava/io/File;Ljava/lang/ClassLoader;[
   Ldalvik/system/DexPathList\$Element;)V (greylist-max-o,
   linking, denied)

- 191 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->optimizedPathFor(Ljava/io/File;Ljava/io/File;)Ljava/lang/String; (greylist-max-o, linking, denied)
- 192 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->makeDexElements(Ljava/util/List;Ljava/io/
   File;Ljava/util/List;Ljava/lang/ClassLoader;)[Ldalvik/
   system/DexPathList\$Element; (greylist, linking, allowed)
- 193 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->makeDexElements(Ljava/util/List;Ljava/io/
   File;Ljava/util/List;Ljava/lang/ClassLoader;Z)[Ldalvik/
   system/DexPathList\$Element; (greylist-max-o, linking, denied)
- 194 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;—>makeDexElements(Ljava/util/List;Ljava/io/ File;Ljava/util/List;Ljava/lang/ClassLoader;Z)[Ldalvik/ system/DexPathList\$Element; (greylist-max-o, linking, denied)
- 195 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;-><init>(Ljava/io/File;)V (greylist max-o, linking, denied)
- 196 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;-><init>(Ldalvik/system/DexFile;Ljava/
   io/File;)V (greylist, linking, allowed)
- 197 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexFile;->setTrusted()V (greylist-max-o, linking, denied)
- 198 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;-><init>(Ljava/io/File;)V (greylist max-o, linking, denied)
- 199 W/uq.apps.twitte: Accessing hidden method Ljava/lang/
   System; -> logE(Ljava/lang/String; Ljava/lang/Throwable;) V (
   greylist, core-platform-api, linking, allowed)
- 200 W/uq.apps.twitte: Accessing hidden method Ljava/lang/ System; -> logW(Ljava/lang/String;)V (greylist-max-o, linking, denied)
- 201 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;-><init>(Ljava/io/File;)V (greylist max-o, linking, denied)
- 202 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;-><init>(Ljava/io/File;)V (greylist max-o, linking, denied)
- 203 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->makeInMemoryDexElements([Ljava/nio/
   ByteBuffer;Ljava/util/List;)[Ldalvik/system/
   DexPathList\$Element; (greylist, linking, allowed)
- 204 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexFile; -><init>([Ljava/nio/ByteBuffer;Ljava/lang/
   ClassLoader; [Ldalvik/system/DexPathList\$Element;)V (
   blacklist, linking, denied)
- 205 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexFile;-><init>([Ljava/nio/ByteBuffer;Ljava/lang/

- 205 ClassLoader; [Ldalvik/system/DexPathList\$Element;)V (
   blacklist, linking, denied)
- 206 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->makePathElements(Ljava/util/List;Ljava/io/
   File;Ljava/util/List;)[Ldalvik/system/DexPathList\$Element
   ; (greylist, linking, allowed)
- 207 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->makePathElements(Ljava/util/List;)[Ldalvik/
   system/DexPathList\$NativeLibraryElement; (greylist,
   linking, allowed)
- 208 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$NativeLibraryElement; -><init>(Ljava/io/File;
   Ljava/lang/String;)V (greylist-max-o, linking, denied)
- 209 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$NativeLibraryElement;-><init>(Ljava/io/File;)V
   (greylist, linking, allowed)
- 210 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$NativeLibraryElement;-><init>(Ljava/io/File;
   Ljava/lang/String;)V (greylist-max-o, linking, denied)
- 211 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->optimizedPathFor(Ljava/io/File;Ljava/io/File;)Ljava/lang/String; (greylist-max-o, linking, denied)
- 212 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList; ->splitDexPath(Ljava/lang/String;)Ljava/util/
   List; (greylist-max-o, linking, denied)
- 213 W/uq.apps.twitte: Accessing hidden field Llibcore/io/ Libcore;->os:Llibcore/io/Os; (greylist, linking, allowed)
- 214 W/uq.apps.twitte: Accessing hidden method Llibcore/io/0s
  ;->stat(Ljava/lang/String;)Landroid/system/StructStat; (
   greylist, linking, allowed)
- 215 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->addDexPath(Ljava/lang/String;Ljava/io/File;)
   V (greylist, linking, allowed)
- 216 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->addDexPath(Ljava/lang/String;Ljava/io/File;Z) )V (greylist-max-o, linking, denied)
- 217 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->addDexPath(Ljava/lang/String;Ljava/io/File;Z )V (greylist-max-o, linking, denied)
- 218 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->splitDexPath(Ljava/lang/String;)Ljava/util/ List; (greylist-max-o, linking, denied)
- 219 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->addNativePath(Ljava/util/Collection;)V (
   greylist, linking, allowed)
- 220 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/
   DexPathList;->nativeLibraryPathElements:[Ldalvik/system/
   DexPathList\$NativeLibraryElement; (greylist, linking,
   allowed)
- 221 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/

- 221 DexPathList; -> findClass(Ljava/lang/String; Ljava/util/List;) Ljava/lang/Class; (greylist-max-o, linking, denied)
- 222 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/
   DexPathList;->dexElements:[Ldalvik/system/
   DexPathList\$Element; (greylist, linking, allowed)
- 223 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;->findClass(Ljava/lang/String;Ljava/
   lang/ClassLoader;Ljava/util/List;)Ljava/lang/Class; (
   greylist-max-o, linking, denied)
- 224 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/
   DexPathList;->dexElementsSuppressedExceptions:[Ljava/io/
   IOException; (greylist, linking, allowed)
- 225 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->findLibrary(Ljava/lang/String;)Ljava/lang/
   String; (greylist-max-o, linking, denied)
- 226 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$NativeLibraryElement;->findNativeLibrary(Ljava
   /lang/String;)Ljava/lang/String; (greylist-max-o, linking
   , denied)
- 227 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->findResource(Ljava/lang/String;)Ljava/net/
   URL; (greylist-max-o, linking, denied)
- 228 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;->findResource(Ljava/lang/String;)
   Ljava/net/URL; (greylist-max-o, linking, denied)
- 229 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->findResources(Ljava/lang/String;)Ljava/util/ Enumeration; (greylist-max-o, linking, denied)
- 230 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList\$Element;->findResource(Ljava/lang/String;) Ljava/net/URL; (greylist-max-o, linking, denied)
- 231 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->getDexPaths()Ljava/util/List; (greylist-maxo, linking, denied)
- 232 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList\$Element;->access\$000(Ldalvik/system/
   DexPathList\$Element;)Ljava/lang/String; (blacklist,
   linking, denied)
- 233 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->getNativeLibraryDirectories()Ljava/util/List ; (greylist-max-o, linking, denied)
- 234 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
   DexPathList;->initByteBufferDexPath([Ljava/nio/ByteBuffer
   ;)V (blacklist, linking, denied)
- 235 W/uq.apps.twitte: Accessing hidden field Ldalvik/system/\$\$Lambda\$DexPathList\$\_CyMypnZmV6ArWiPOPB4EkAIeUc;->
  INSTANCE:Ldalvik/system/\$\$Lambda\$DexPathList\$\_CyMypnZmV6ArWiPOPB4EkAIeUc; (
  blacklist, linking, denied)
- 236 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/

- 236 DexFile;-><init>([Ljava/nio/ByteBuffer;Ljava/lang/ ClassLoader;[Ldalvik/system/DexPathList\$Element;)V ( blacklist, linking, denied)
- 237 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ DexPathList;->getAllNativeLibraryDirectories()Ljava/util/ List; (blacklist, linking, denied)
- 238 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;-><clinit>()V (blacklist, linking, denied)
- 239 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;-><init>(Landroid/app/ActivityThread;)V (
   greylist-max-o, linking, denied)
- 240 W/uq.apps.twitte: Accessing hidden method Landroid/view/ DisplayAdjustments;-><init>()V (greylist, linking, allowed )
- 241 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   LoadedApk;->mDisplayAdjustments:Landroid/view/
   DisplayAdjustments; (greylist, linking, allowed)
- 242 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mReceivers:Landroid/util/ArrayMap; (greylist, linking, allowed)
- 243 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnregisteredReceivers:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 244 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 245 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnboundServices:Landroid/util/ArrayMap; ( greylist-max-o, linking, denied)
- 246 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   LoadedApk;->mActivityThread:Landroid/app/ActivityThread; (
   greylist, linking, allowed)
- 247 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mApplicationInfo:Landroid/content/pm/ ApplicationInfo; (greylist, linking, allowed)
- 248 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mPackageName:Ljava/lang/String; (greylist, linking, allowed)
- 249 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mAppDir:Ljava/lang/String; (greylist, linking, allowed)
- 250 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mResDir:Ljava/lang/String; (greylist, linking , allowed)
- 251 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitAppDirs:[Ljava/lang/String; (greylistmax-o, linking, denied)
- 252 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitResDirs:[Ljava/lang/String; (greylist, linking, allowed)

- 253 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitClassLoaderNames:[Ljava/lang/String; ( greylist-max-o, linking, denied)
- 254 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mOverlayDirs:[Ljava/lang/String; (greylist-max -o, linking, denied)
- 255 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDataDir:Ljava/lang/String; (greylist, linking , allowed)
- 256 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDataDirFile:Ljava/io/File; (greylist-max-p, linking, denied)
- 257 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDeviceProtectedDataDirFile:Ljava/io/File; ( greylist-max-o, linking, denied)
- 258 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   LoadedApk;->mCredentialProtectedDataDirFile:Ljava/io/File
   ; (greylist-max-o, linking, denied)
- 259 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mLibDir:Ljava/lang/String; (greylist, linking , allowed)
- 260 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mBaseClassLoader:Ljava/lang/ClassLoader; ( greylist, linking, allowed)
- 261 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSecurityViolation:Z (greylist-max-o, linking , denied)
- 262 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mIncludeCode:Z (greylist-max-o, linking, denied)
- 263 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mRegisterPackage:Z (greylist-max-o, linking, denied)
- 264 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mResources:Landroid/content/res/Resources; ( greylist, linking, allowed)
- 265 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDefaultClassLoader:Ljava/lang/ClassLoader; ( blacklist, linking, denied)
- 266 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createAppFactory(Landroid/content/pm/ ApplicationInfo;Ljava/lang/ClassLoader;)Landroid/app/ AppComponentFactory; (greylist-max-o, linking, denied)
- 267 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;-><init>(Landroid/app/ActivityThread;Landroid/
   content/pm/ApplicationInfo;Landroid/content/res/
   CompatibilityInfo;Ljava/lang/ClassLoader;ZZZ)V (greylistmax-o, linking, denied)
- 268 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnregisteredReceivers:Landroid/util/ArrayMap

- 268 ; (greylist-max-o, linking, denied)
- 269 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 270 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnboundServices:Landroid/util/ArrayMap; ( greylist-max-o, linking, denied)
- 271 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->setApplicationInfo(Landroid/content/pm/ ApplicationInfo;)V (greylist-max-o, linking, denied)
- 272 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->access\$000(Landroid/app/LoadedApk;)[Ljava/lang
   /String; (blacklist, linking, denied)
- 273 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitNames:[Ljava/lang/String; (greylist-maxo, linking, denied)
- 274 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->access\$100(Landroid/app/LoadedApk;Ljava/util/
   List;)V (blacklist, linking, denied)
- 275 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createOrUpdateClassLoaderLocked(Ljava/util/ List;)V (greylist-max-o, linking, denied)
- 276 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->access\$200(Landroid/app/LoadedApk;)Ljava/lang/ ClassLoader; (blacklist, linking, denied)
- 277 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mClassLoader:Ljava/lang/ClassLoader; (greylist , linking, allowed)
- 278 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->access\$300(Landroid/app/LoadedApk;)[Ljava/lang
   /String; (blacklist, linking, denied)
- 279 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->access\$400(Landroid/app/LoadedApk;)[Ljava/lang
   /String; (blacklist, linking, denied)
- 280 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitAppDirs:[Ljava/lang/String; (greylistmax-o, linking, denied)
- 281 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->access\$500(Landroid/app/LoadedApk;)[Ljava/lang
   /String; (blacklist, linking, denied)
- 282 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitClassLoaderNames:[Ljava/lang/String; ( greylist-max-o, linking, denied)
- 283 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->adjustNativeLibraryPaths(Landroid/content/pm/
   ApplicationInfo;)Landroid/content/pm/ApplicationInfo; (
   greylist-max-o, linking, denied)
- 284 W/uq.apps.twitte: Accessing hidden field Landroid/content/ pm/ApplicationInfo;->primaryCpuAbi:Ljava/lang/String; ( greylist, linking, allowed)

- 285 W/uq.apps.twitte: Accessing hidden field Landroid/content/
  pm/ApplicationInfo;->secondaryCpuAbi:Ljava/lang/String; (
   greylist, linking, allowed)
- 286 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/
  VMRuntime; ->getRuntime()Ldalvik/system/VMRuntime; (
   greylist,core-platform-api, linking, allowed)
- 287 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ VMRuntime;->vmInstructionSet()Ljava/lang/String; (greylist,core-platform-api, linking, allowed)
- 288 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ VMRuntime;->getInstructionSet(Ljava/lang/String;)Ljava/ lang/String; (greylist,core-platform-api, linking, allowed)
- 289 W/uq.apps.twitte: Accessing hidden field Landroid/content/pm/ApplicationInfo;—>secondaryNativeLibraryDir:Ljava/lang/String; (greylist, linking, allowed)
- 290 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;—>allowThreadDiskReads()Landroid/os/ StrictMode\$ThreadPolicy; (blacklist, linking, denied)
- 291 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->appendApkLibPathIfNeeded(Ljava/lang/String;
   Landroid/content/pm/ApplicationInfo;Ljava/util/List;)V (
   greylist-max-o, linking, denied)
- 292 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->appendSharedLibrariesLibPathsIfNeeded(Ljava/ util/List;Landroid/content/pm/ApplicationInfo;Ljava/util/ Set;Ljava/util/List;)V (blacklist, linking, denied)
- 293 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/SharedLibraryInfo;->getAllCodePaths()Ljava/util/List; (blacklist, linking, denied)
- 294 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createAppFactory(Landroid/content/pm/ ApplicationInfo;Ljava/lang/ClassLoader;)Landroid/app/ AppComponentFactory; (greylist-max-o, linking, denied)
- 295 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mIncludeCode:Z (greylist-max-o, linking, denied)
- 296 W/uq.apps.twitte: Accessing hidden method Landroid/util/ Slog;->e(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ Throwable;)I (greylist, linking, allowed)
- 297 W/uq.apps.twitte: Accessing hidden field Landroid/app/ AppComponentFactory; -> DEFAULT: Landroid/app/ AppComponentFactory; (greylist-max-o, linking, denied)
- 298 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createOrUpdateClassLoaderLocked(Ljava/util/ List;)V (greylist-max-o, linking, denied)
- 299 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   LoadedApk;->mDefaultClassLoader:Ljava/lang/ClassLoader; (
   blacklist, linking, denied)
- 300 W/uq.apps.twitte: Accessing hidden field Landroid/app/

- 300 LoadedApk;->mDefaultClassLoader:Ljava/lang/ClassLoader; (
   blacklist, linking, denied)
- 301 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createAppFactory(Landroid/content/pm/ ApplicationInfo;Ljava/lang/ClassLoader;)Landroid/app/ AppComponentFactory; (greylist-max-o, linking, denied)
- 302 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ActivityThread;->currentPackageName()Ljava/lang/String; ( greylist, linking, allowed)
- 303 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mIncludeCode:Z (greylist-max-o, linking, denied)
- 304 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ActivityThread;->getPackageManager()Landroid/content/pm/ IPackageManager; (greylist, linking, allowed)
- 305 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/IPackageManager;->notifyPackageUse(Ljava/lang/String;I)V (greylist-max-o, linking, denied)
- 306 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mRegisterPackage:Z (greylist-max-o, linking, denied)
- 307 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ActivityManager;—>getService()Landroid/app/ IActivityManager; (greylist, linking, allowed)
- 308 W/uq.apps.twitte: Accessing hidden method Landroid/app/ IActivityManager;->addPackageDependency(Ljava/lang/String;)V (greylist-max-o, linking, denied)
- 309 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /pm/ApplicationInfo;->isSystemApp()Z (blacklist,test-api,
  linking, denied)
- 310 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDefaultClassLoader:Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 311 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createSharedLibrariesLoaders(Ljava/util/List; ZLjava/lang/String;Ljava/lang/String;)Ljava/util/List; (blacklist, linking, denied)
- 312 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createSharedLibraryLoader(Landroid/content/pm/ SharedLibraryInfo;ZLjava/lang/String;Ljava/lang/String;) Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 313 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getLibrariesFor(Ljava/lang/String;)[Ljava/lang/String; (greylist-max-o, linking, denied)
- 314 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/IPackageManager;->getApplicationInfo(Ljava/lang/String;II)Landroid/content/pm/ApplicationInfo; (greylist, linking, allowed)
- 315 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getServiceDispatcherCommon(Landroid/content/

- 315 ServiceConnection; Landroid/content/Context; Landroid/os/ Handler; Ljava/util/concurrent/Executor; I) Landroid/app/ IServiceConnection; (blacklist, linking, denied)
- 316 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 317 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 318 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ServiceDispatcher;-><init>(Landroid/content/ ServiceConnection;Landroid/content/Context;Ljava/util/ concurrent/Executor;I)V (blacklist, linking, denied)
- 319 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ServiceDispatcher;-><init>(Landroid/content/ ServiceConnection;Landroid/content/Context;Landroid/os/ Handler;I)V (greylist, linking, allowed)
- 320 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 321 W/uq.apps.twitte: Accessing hidden method Landroid/app/LoadedApk\$ServiceDispatcher;->getIServiceConnection()
  Landroid/app/IServiceConnection; (greylist, linking, allowed)
- 322 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ServiceDispatcher;->validate(Landroid/content/ Context;Landroid/os/Handler;Ljava/util/concurrent/Executor;)V (blacklist, linking, denied)
- 323 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->initializeJavaContextClassLoader()V (greylistmax-o, linking, denied)
- 324 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/PackageManager;->getPackageInfoAsUserCached(Ljava/lang /String;II)Landroid/content/pm/PackageInfo; (blacklist, linking, denied)
- 325 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->makePaths(Landroid/app/ActivityThread;Landroid/content/pm/ApplicationInfo;Ljava/util/List;)V (greylist-max-o, linking, denied)
- 326 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->makePaths(Landroid/app/ActivityThread; ZLandroid/content/pm/ApplicationInfo;Ljava/util/List;Ljava/util/List;)V (greylist-max-o, linking, denied)
- 327 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->makePaths(Landroid/app/ActivityThread; ZLandroid/content/pm/ApplicationInfo;Ljava/util/List;Ljava/util/List;)V (greylist-max-o, linking, denied)
- 328 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/ApplicationInfo;->requestsIsolatedSplitLoading()Z ( greylist-max-o, linking, denied)

- 329 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentationPackageName:Ljava/lang/ String; (greylist-max-o, linking, denied)
- 330 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentationAppDir:Ljava/lang/String; (greylist, linking, allowed)
- 331 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentationSplitAppDirs:[Ljava/lang/ String; (greylist-max-o, linking, denied)
- 332 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentationLibDir:Ljava/lang/String; (greylist-max-o, linking, denied)
- 333 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   ActivityThread;->mInstrumentedAppDir:Ljava/lang/String; (
   greylist, linking, allowed)
- 334 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentedSplitAppDirs:[Ljava/lang/ String; (greylist-max-o, linking, denied)
- 335 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentedLibDir:Ljava/lang/String; ( greylist-max-o, linking, denied)
- 336 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/ApplicationInfo;->requestsIsolatedSplitLoading()Z ( greylist-max-o, linking, denied)
- 337 W/uq.apps.twitte: Accessing hidden method Ldalvik/system/ VMRuntime;->is64BitAbi(Ljava/lang/String;)Z (greylist,core -platform-api, linking, allowed)
- 338 W/uq.apps.twitte: Accessing hidden field Landroid/content/pm/ApplicationInfo;->sharedLibraryInfos:Ljava/util/List; (blacklist, linking, denied)
- 339 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->appendSharedLibrariesLibPathsIfNeeded(Ljava/ util/List;Landroid/content/pm/ApplicationInfo;Ljava/util/ Set;Ljava/util/List;)V (blacklist, linking, denied)
- 340 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;—>rewriteRValues(Ljava/lang/ClassLoader;Ljava/ lang/String;I)V (greylist, linking, allowed)
- 341 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->setApplicationInfo(Landroid/content/pm/ ApplicationInfo;)V (greylist-max-o, linking, denied)
- 342 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->adjustNativeLibraryPaths(Landroid/content/pm/ ApplicationInfo;)Landroid/content/pm/ApplicationInfo; ( greylist-max-o, linking, denied)
- 343 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->setThreadPolicy(Landroid/os/ StrictMode\$ThreadPolicy;)V (blacklist, linking, denied)
- 344 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->setupJitProfileSupport()V (greylist-max-o, linking, denied)

- 345 W/uq.apps.twitte: Accessing hidden method Landroid/app/ DexLoadReporter;->getInstance()Landroid/app/ DexLoadReporter; (blacklist, linking, denied)
- 346 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createSharedLibraryLoader(Landroid/content/pm/ SharedLibraryInfo;ZLjava/lang/String;Ljava/lang/String;) Ljava/lang/ClassLoader; (blacklist, linking, denied)
- 347 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/SharedLibraryInfo;->getAllCodePaths()Ljava/util/List; (blacklist, linking, denied)
- 348 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->forgetReceiverDispatcher(Landroid/content/ Context;Landroid/content/BroadcastReceiver;)Landroid/ content/IIntentReceiver; (greylist-max-o, linking, denied)
- 349 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnregisteredReceivers:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 350 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnregisteredReceivers:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 351 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ReceiverDispatcher;->setUnregisterLocation(Ljava /lang/RuntimeException;)V (greylist-max-o, linking, denied )
- 352 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk\$ReceiverDispatcher;->mForgotten:Z (greylist-maxo, linking, denied)
- 353 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnregisteredReceivers:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 354 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ReceiverDispatcher;->getUnregisterLocation() Ljava/lang/RuntimeException; (greylist-max-o, linking, denied)
- 355 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->forgetServiceDispatcher(Landroid/content/ Context;Landroid/content/ServiceConnection;)Landroid/app/ IServiceConnection; (greylist-max-o, linking, denied)
- 356 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 357 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 358 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ServiceDispatcher;->doForget()V (greylist-max-o , linking, denied)
- 359 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mUnboundServices:Landroid/util/ArrayMap; ( greylist-max-o, linking, denied)

- 360 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ServiceDispatcher;->getUnbindLocation()Ljava/ lang/RuntimeException; (greylist-max-o, linking, denied)
- 361 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getAppDir()Ljava/lang/String; (greylist, linking, allowed)
- 362 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getAppFactory()Landroid/app/ AppComponentFactory; (greylist-max-o, linking, denied)
- 363 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mAppComponentFactory:Landroid/app/ AppComponentFactory; (greylist-max-o, linking, denied)
- 364 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getApplication()Landroid/app/Application; ( greylist-max-o, linking, denied)
- 365 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mApplication:Landroid/app/Application; ( greylist, linking, allowed)
- 366 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getApplicationInfo()Landroid/content/pm/ ApplicationInfo; (greylist, linking, allowed)
- 367 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getAssets()Landroid/content/res/AssetManager ; (greylist, linking, allowed)
- 368 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getResources()Landroid/content/res/Resources ; (greylist, linking, allowed)
- 369 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getClassLoader()Ljava/lang/ClassLoader; ( greylist, linking, allowed)
- 370 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->createOrUpdateClassLoaderLocked(Ljava/util/ List;)V (greylist-max-o, linking, denied)
- 371 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getCompatibilityInfo()Landroid/content/res/ CompatibilityInfo; (greylist, linking, allowed)
- 372 W/uq.apps.twitte: Accessing hidden method Landroid/view/
   DisplayAdjustments;->getCompatibilityInfo()Landroid/
   content/res/CompatibilityInfo; (greylist-max-o, linking,
   denied)
- 373 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getCredentialProtectedDataDirFile()Ljava/io/ File; (greylist-max-o, linking, denied)
- 374 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mCredentialProtectedDataDirFile:Ljava/io/File ; (greylist-max-o, linking, denied)
- 375 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getDataDir()Ljava/lang/String; (greylist-max-o, linking, denied)
- 376 W/uq.apps.twitte: Accessing hidden method Landroid/app/

- 376 LoadedApk;->getDataDirFile()Ljava/io/File; (greylist, linking, allowed)
- 377 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDataDirFile:Ljava/io/File; (greylist-max-p, linking, denied)
- 378 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getDeviceProtectedDataDirFile()Ljava/io/File ; (greylist-max-o, linking, denied)
- 379 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDeviceProtectedDataDirFile:Ljava/io/File; ( greylist-max-o, linking, denied)
- 380 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getLibDir()Ljava/lang/String; (greylist-max-o, linking, denied)
- 381 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getOverlayDirs()[Ljava/lang/String; (greylist, linking, allowed)
- 382 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mOverlayDirs:[Ljava/lang/String; (greylist-max -o, linking, denied)
- 383 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getPackageName()Ljava/lang/String; (greylist, linking, allowed)
- 384 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getReceiverDispatcher(Landroid/content/ BroadcastReceiver;Landroid/content/Context;Landroid/os/ Handler;Landroid/app/Instrumentation;Z)Landroid/content/ IIntentReceiver; (greylist-max-o, linking, denied)
- 385 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ReceiverDispatcher;-><init>(Landroid/content/ BroadcastReceiver;Landroid/content/Context;Landroid/os/ Handler;Landroid/app/Instrumentation;Z)V (greylist-max-o, linking, denied)
- 386 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$ReceiverDispatcher;—>validate(Landroid/content/ Context;Landroid/os/Handler;)V (greylist—max—o, linking, denied)
- 387 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getResDir()Ljava/lang/String; (greylist, linking, allowed)
- 388 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getSplitPaths(Ljava/lang/String;)[Ljava/lang/ String; (greylist-max-o, linking, denied)
- 389 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getServiceDispatcher(Landroid/content/ ServiceConnection;Landroid/content/Context;Landroid/os/ Handler;I)Landroid/app/IServiceConnection; (greylist, linking, allowed)
- 390 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getServiceDispatcherCommon(Landroid/content/

- 390 ServiceConnection; Landroid/content/Context; Landroid/os/ Handler; Ljava/util/concurrent/Executor; I) Landroid/app/ IServiceConnection; (blacklist, linking, denied)
- 391 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getServiceDispatcher(Landroid/content/ ServiceConnection;Landroid/content/Context;Ljava/util/ concurrent/Executor;I)Landroid/app/IServiceConnection; ( blacklist, linking, denied)
- 392 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getServiceDispatcherCommon(Landroid/content/ ServiceConnection;Landroid/content/Context;Landroid/os/ Handler;Ljava/util/concurrent/Executor;I)Landroid/app/ IServiceConnection; (blacklist, linking, denied)
- 393 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getSplitAppDirs()[Ljava/lang/String; (greylist -max-o, linking, denied)
- 394 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitAppDirs:[Ljava/lang/String; (greylistmax-o, linking, denied)
- 395 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getSplitClassLoader(Ljava/lang/String;)Ljava/ lang/ClassLoader; (greylist-max-o, linking, denied)
- 396 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitLoader:Landroid/app/ LoadedApk\$SplitDependencyLoaderImpl; (greylist-max-o, linking, denied)
- 397 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk\$SplitDependencyLoaderImpl;-> getClassLoaderForSplit(Ljava/lang/String;)Ljava/lang/ ClassLoader; (greylist-max-o, linking, denied)
- 398 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getSplitPaths(Ljava/lang/String;)[Ljava/lang/ String; (greylist-max-o, linking, denied)
- 399 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSplitLoader:Landroid/app/ LoadedApk\$SplitDependencyLoaderImpl; (greylist-max-o, linking, denied)
- 400 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk\$SplitDependencyLoaderImpl;->
   getSplitPathsForSplit(Ljava/lang/String;)[Ljava/lang/
   String; (greylist-max-o, linking, denied)
- 401 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getSplitResDirs()[Ljava/lang/String; (greylist , linking, allowed)
- 402 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->getTargetSdkVersion()I (greylist-max-o, linking, denied)
- 403 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;—>installSystemApplicationInfo(Landroid/content/ pm/ApplicationInfo;Ljava/lang/ClassLoader;)V (greylist—max

- 403 -o, linking, denied)
- 404 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mDefaultClassLoader:Ljava/lang/ClassLoader; ( blacklist, linking, denied)
- 405 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   LoadedApk;->createAppFactory(Landroid/content/pm/
   ApplicationInfo;Ljava/lang/ClassLoader;)Landroid/app/
   AppComponentFactory; (greylist-max-o, linking, denied)
- 406 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->isSecurityViolation()Z (greylist-max-o, linking, denied)
- 407 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mSecurityViolation:Z (greylist-max-o, linking, denied)
- 408 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->lookupServiceDispatcher(Landroid/content/ ServiceConnection;Landroid/content/Context;)Landroid/app/ IServiceConnection; (greylist, linking, allowed)
- 409 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 410 W/uq.apps.twitte: Accessing hidden field Landroid/app/ LoadedApk;->mServices:Landroid/util/ArrayMap; (greylistmax-p, linking, denied)
- 411 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->makeApplication(ZLandroid/app/Instrumentation;)Landroid/app/Application; (greylist, linking, allowed)
- 412 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->initializeJavaContextClassLoader()V (greylistmax-o, linking, denied)
- 413 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/AssetManager;->getAssignedPackageIdentifiers(ZZ) Landroid/util/SparseArray; (blacklist, linking, denied)
- 414 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ActivityThread;->mInstrumentation:Landroid/app/ Instrumentation; (greylist, linking, allowed)
- 415 W/uq.apps.twitte: Accessing hidden field Landroid/app/
   ActivityThread;->mAllApplications:Ljava/util/ArrayList; (
   greylist, linking, allowed)
- 416 W/uq.apps.twitte: Accessing hidden method Landroid/os/ Trace;->traceEnd(J)V (greylist, linking, allowed)
- 417 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;—>removeContextRegistrations(Landroid/content/ Context;Ljava/lang/String;Ljava/lang/String;)V (greylist max—o, linking, denied)
- 418 W/uq.apps.twitte: Accessing hidden method Landroid/os/ StrictMode;->vmRegistrationLeaksEnabled()Z (greylist-max-o, linking, denied)
- 419 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->setCompatibilityInfo(Landroid/content/res/

- 419 CompatibilityInfo;) V (greylist-max-o, linking, denied)
- 420 W/uq.apps.twitte: Accessing hidden method Landroid/view/ DisplayAdjustments;—>setCompatibilityInfo(Landroid/content/res/CompatibilityInfo;)V (greylist, linking, allowed)
- 421 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->updateApplicationInfo(Landroid/content/pm/ ApplicationInfo;Ljava/util/List;)V (greylist-max-o, linking, denied)
- 422 W/uq.apps.twitte: Accessing hidden method Landroid/app/ LoadedApk;->setApplicationInfo(Landroid/content/pm/ ApplicationInfo;)V (greylist-max-o, linking, denied)
- 423 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;-><init>()V (greylist, linking, allowed)
- 424 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResConfiguration:Landroid/content/res/ Configuration; (greylist, linking, allowed)
- 425 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResourceImpls:Landroid/util/ArrayMap; (greylist, linking, allowed)
- 426 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResourceReferences:Ljava/util/ ArrayList; (greylist, linking, allowed)
- 427 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResourcesReferencesQueue:Ljava/lang/ ref/ReferenceQueue; (blacklist, linking, denied)
- 428 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mLoadedApkAssets:Landroid/util/LruCache ; (greylist-max-o, linking, denied)
- 429 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 430 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;—>mActivityResourceReferences:Ljava/util/ WeakHashMap; (greylist, linking, allowed)
- 431 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mAdjustedDisplays:Landroid/util/ ArrayMap; (greylist-max-o, linking, denied)
- 432 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager\$UpdateHandler;-><init>(Landroid/app/ ResourcesManager;Landroid/app/ResourcesManager\$1;)V ( blacklist, linking, denied)
- 433 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager; ->access\$200(Landroid/app/
  ResourcesManager; Landroid/content/res/ResourcesImpl;)
  Landroid/content/res/ResourcesKey; (blacklist, linking, denied)
- 434 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findKeyForResourceImplLocked(Landroid/content/res/ResourcesImpl;)Landroid/content/res/ ResourcesKey; (greylist-max-o, linking, denied)

- 435 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->access\$300(Landroid/app/ ResourcesManager;Landroid/content/res/ResourcesKey;) Landroid/content/res/ResourcesImpl; (blacklist, linking, denied)
- 436 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 437 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>access\$400(Landroid/app/ ResourcesManager;)Landroid/util/ArrayMap; (blacklist, linking, denied)
- 438 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>access\$500(Landroid/app/ ResourcesManager;Landroid/util/ArrayMap;)V (blacklist, linking, denied)
- 439 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->redirectResourcesToNewImplLocked( Landroid/util/ArrayMap;)V (greylist-max-o, linking, denied)
- 440 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager;->applyConfigurationToResourcesLocked(
  Landroid/content/res/Configuration;Landroid/content/res/
  CompatibilityInfo;Landroid/content/res/Configuration;
  Landroid/content/res/ResourcesKey;Landroid/content/res/
  ResourcesImpl;)V (blacklist, linking, denied)
- 441 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/ResourcesKey;->hasOverrideConfiguration()Z (greylist-max-o, linking, denied)
- 442 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager; ->
   applyNonDefaultDisplayMetricsToConfiguration(Landroid/util
   /DisplayMetrics; Landroid/content/res/Configuration;) V (
   greylist-max-o, linking, denied)
- 443 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/Configuration;->resetScreenLayout(I)I (greylist-max-o, linking, denied)
- 444 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>cleanupReferences(Ljava/util/ArrayList; Ljava/lang/ref/ReferenceQueue;)V (blacklist, linking, denied)
- 445 W/uq.apps.twitte: Accessing hidden method Landroid/app/-\$\$Lambda\$ResourcesManager\$JPMYJ305qlFN-c1356pr2ximEb0;->< init>(Ljava/util/HashSet;)V (blacklist, linking, denied)
- 446 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->countLiveReferences(Ljava/util/ Collection;)I (greylist-max-o, linking, denied)
- 447 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>createResources(Landroid/os/IBinder;

- 447 Landroid/content/res/ResourcesKey;Ljava/lang/ClassLoader;)
  Landroid/content/res/Resources; (blacklist, linking,
  denied)
- 448 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 449 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager; -> createResourcesForActivityLocked(
   Landroid/os/IBinder; Ljava/lang/ClassLoader; Landroid/
   content/res/ResourcesImpl; Landroid/content/res/
   CompatibilityInfo;) Landroid/content/res/Resources; (
   blacklist, linking, denied)
- 450 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;-> getOrCreateActivityResourcesStructLocked(Landroid/os/ IBinder;)Landroid/app/ResourcesManager\$ActivityResources ; (greylist-max-o, linking, denied)
- 451 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>createResourcesImpl(Landroid/content/ res/ResourcesKey;)Landroid/content/res/ResourcesImpl; ( greylist-max-o, linking, denied)
- 452 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mOverrideConfiguration:Landroid/content/ /res/Configuration; (greylist-max-o, linking, denied)
- 453 W/uq.apps.twitte: Accessing hidden method Landroid/view/ DisplayAdjustments;-><init>(Landroid/content/res/ Configuration;)V (greylist-max-o, linking, denied)
- 454 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>createResourcesLocked(Ljava/lang/ ClassLoader;Landroid/content/res/ResourcesImpl;Landroid/ content/res/CompatibilityInfo;)Landroid/content/res/ Resources; (blacklist, linking, denied)
- 455 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResourcesReferencesQueue:Ljava/lang/ ref/ReferenceQueue; (blacklist, linking, denied)
- 456 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>cleanupReferences(Ljava/util/ArrayList; Ljava/lang/ref/ReferenceQueue;)V (blacklist, linking, denied)
- 457 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findKeyForResourceImplLocked(Landroid/content/res/ResourcesImpl;)Landroid/content/res/ ResourcesKey; (greylist-max-o, linking, denied)
- 458 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 459 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>findResourcesImplForKeyLocked(Landroid/

- 459 content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 460 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>findResourcesForActivityLocked(Landroid/os/IBinder;Landroid/content/res/ResourcesKey;Ljava/lang/ClassLoader;)Landroid/content/res/Resources; (blacklist, linking, denied)
- 461 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;-> getOrCreateActivityResourcesStructLocked(Landroid/os/ IBinder;)Landroid/app/ResourcesManager\$ActivityResources ; (greylist-max-o, linking, denied)
- 462 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>findResourcesImplForKeyLocked(Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 463 W/uq.apps.twitte: Accessing hidden method Landroid/content/res/ResourcesImpl;->getAssets()Landroid/content/res/AssetManager; (greylist, linking, allowed)
- 464 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/AssetManager;->isUpToDate()Z (greylist, linking, allowed)
- 465 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->generateConfig(Landroid/content/res/ ResourcesKey;Landroid/util/DisplayMetrics;)Landroid/ content/res/Configuration; (greylist-max-o, linking, denied)
- 466 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mDisplayId:I (greylist-max-o, linking, denied)
- 467 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/ResourcesKey;->hasOverrideConfiguration()Z (greylist-max-o, linking, denied)
- 468 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/ResourcesKey;->hasOverrideConfiguration()Z (greylist-max-o, linking, denied)
- 469 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->getAdjustedDisplay(ILandroid/view/ DisplayAdjustments;)Landroid/view/Display; (greylist-max-o, linking, denied)
- 470 W/uq.apps.twitte: Accessing hidden method Landroid/view/ DisplayAdjustments;-><init>(Landroid/view/ DisplayAdjustments;)V (greylist-max-o, linking, denied)
- 471 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mAdjustedDisplays:Landroid/util/ ArrayMap; (greylist-max-o, linking, denied)
- 472 W/uq.apps.twitte: Accessing hidden method Landroid/ hardware/display/DisplayManagerGlobal;—>getInstance() Landroid/hardware/display/DisplayManagerGlobal; (greylist , linking, allowed)

- 473 W/uq.apps.twitte: Accessing hidden method Landroid/ hardware/display/DisplayManagerGlobal;-> getCompatibleDisplay(ILandroid/view/DisplayAdjustments;) Landroid/view/Display; (greylist-max-o, linking, denied)
- 474 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>getInstance()Landroid/app/ ResourcesManager; (greylist, linking, allowed)
- 475 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->sResourcesManager:Landroid/app/ ResourcesManager; (greylist-max-o, linking, denied)
- 476 I/chatty: uid=10171(com.faruq.apps.twitter) identical 1 line
- 477 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->sResourcesManager:Landroid/app/ ResourcesManager; (greylist-max-o, linking, denied)
- 478 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager;->
   getOrCreateActivityResourcesStructLocked(Landroid/os/
   IBinder;)Landroid/app/ResourcesManager\$ActivityResources
   ; (greylist-max-o, linking, denied)
- 479 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager\$ActivityResources;-><init>(Landroid/app/ ResourcesManager\$1;)V (blacklist, linking, denied)
- 480 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->lambda\$cleanupReferences\$0(Ljava/util/ HashSet;Ljava/lang/ref/WeakReference;)Z (blacklist, linking, denied)
- 481 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>loadApkAssets(Ljava/lang/String;ZZ) Landroid/content/res/ApkAssets; (greylist-max-o, linking, denied)
- 482 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager\$ApkKey;-><init>(Ljava/lang/String;ZZ)V ( greylist-max-o, linking, denied)
- 483 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->overlayPathToIdmapPath(Ljava/lang/ String;)Ljava/lang/String; (greylist-max-o, linking, denied)
- 484 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>rebaseActivityOverrideConfig(Landroid/content/res/Resources;Landroid/content/res/Configuration; Landroid/content/res/Configuration;I)Landroid/content/res/ ResourcesKey; (blacklist, linking, denied)
- 485 W/uq.apps.twitte: Accessing hidden method Landroid/content/res/Resources;->getImpl()Landroid/content/res/ResourcesImpl; (greylist, linking, allowed)
- 486 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findKeyForResourceImplLocked(Landroid/content/res/ResourcesImpl;)Landroid/content/res/ ResourcesKey; (greylist-max-o, linking, denied)

- 487 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->rebaseKeyForActivity(Landroid/os/ IBinder;Landroid/content/res/ResourcesKey;)V (blacklist, linking, denied)
- 488 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;-> getOrCreateActivityResourcesStructLocked(Landroid/os/ IBinder;)Landroid/app/ResourcesManager\$ActivityResources ; (greylist-max-o, linking, denied)
- 489 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->redirectResourcesToNewImplLocked( Landroid/util/ArrayMap;)V (greylist-max-o, linking, denied)
- 490 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 491 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 492 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ActivityResources;—>activityResources: Ljava/util/ArrayList; (greylist-max-o, linking, denied)
- 493 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ActivityResources;->activityResources: Ljava/util/ArrayList; (greylist-max-o, linking, denied)
- 494 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 495 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ActivityResources;—>activityResources: Ljava/util/ArrayList; (greylist-max-o, linking, denied)
- 496 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)
- 497 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>updateActivityResources(Landroid/ content/res/Resources;Landroid/content/res/ResourcesKey;Z) V (blacklist, linking, denied)
- 498 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   ResourcesManager;->createResourcesImpl(Landroid/content/
   res/ResourcesKey;)Landroid/content/res/ResourcesImpl; (
   greylist-max-o, linking, denied)
- 499 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>findOrCreateResourcesImplForKeyLocked( Landroid/content/res/ResourcesKey;)Landroid/content/res/ ResourcesImpl; (greylist-max-o, linking, denied)

- 500 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->appendLibAssetForMainAssetPath(Ljava/lang/String;Ljava/lang/String;)V (greylist, linking, allowed)
- 501 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->appendLibAssetsForMainAssetPath(Ljava/lang/String;[Ljava/lang/String;)V (blacklist, linking, denied)
- 502 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->appendLibAssetsForMainAssetPath(Ljava/lang/String;[Ljava/lang/String;)V (blacklist, linking, denied)
- 503 W/uq.apps.twitte: Accessing hidden field Landroid/content/
   res/ResourcesKey;->mResDir:Ljava/lang/String; (greylist,
   linking, allowed)
- 504 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mLibDirs:[Ljava/lang/String; (greylistmax-o, linking, denied)
- 505 W/uq.apps.twitte: Accessing hidden method Lcom/android/
   internal/util/ArrayUtils;->appendElement(Ljava/lang/Class
   ;[Ljava/lang/Object;Ljava/lang/Object;)[Ljava/lang/Object
   ; (greylist, linking, allowed)
- 506 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mLibDirs:[Ljava/lang/String; (greylistmax-o, linking, denied)
- 507 W/uq.apps.twitte: Accessing hidden field Landroid/content/
   res/ResourcesKey;->mSplitResDirs:[Ljava/lang/String; (
   greylist, linking, allowed)
- 508 W/uq.apps.twitte: Accessing hidden field Landroid/content/
   res/ResourcesKey;->mOverlayDirs:[Ljava/lang/String; (
   greylist-max-o, linking, denied)
- 509 W/uq.apps.twitte: Accessing hidden field Landroid/content/
   res/ResourcesKey;->mDisplayId:I (greylist-max-o, linking,
   denied)
- 510 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mOverrideConfiguration:Landroid/content/ /res/Configuration; (greylist-max-o, linking, denied)
- 511 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mCompatInfo:Landroid/content/res/ CompatibilityInfo; (greylist-max-o, linking, denied)
- 512 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;—>mLoaders: [Landroid/content/res/loader/ ResourcesLoader; (blacklist, linking, denied)
- 513 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /res/ResourcesKey;-><init>(Ljava/lang/String;[Ljava/lang/
  String;[Ljava/lang/String;[Ljava/lang/String;ILandroid/
  content/res/Configuration;Landroid/content/res/
  CompatibilityInfo;[Landroid/content/res/loader/
  ResourcesLoader;)V (blacklist, linking, denied)
- 514 W/uq.apps.twitte: Accessing hidden field Landroid/content/

- 514 res/ResourcesKey; -> mLibDirs: [Ljava/lang/String; (greylist-max-o, linking, denied)
- 515 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mLibDirs:[Ljava/lang/String; (greylistmax-o, linking, denied)
- 516 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mOverlayDirs:[Ljava/lang/String; ( greylist-max-o, linking, denied)
- 517 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;—>mDisplayId:I (greylist—max—o, linking, denied)
- 518 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mOverrideConfiguration:Landroid/content/ /res/Configuration; (greylist-max-o, linking, denied)
- 519 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mCompatInfo:Landroid/content/res/ CompatibilityInfo; (greylist-max-o, linking, denied)
- 520 W/uq.apps.twitte: Accessing hidden field Landroid/content/ res/ResourcesKey;->mLoaders:[Landroid/content/res/loader/ ResourcesLoader; (blacklist, linking, denied)
- 521 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /res/ResourcesKey;-><init>(Ljava/lang/String; [Ljava/lang/
  String; [Ljava/lang/String; [Ljava/lang/String; ILandroid/
  content/res/Configuration; Landroid/content/res/
  CompatibilityInfo; [Landroid/content/res/loader/
  ResourcesLoader;) V (blacklist, linking, denied)
- 522 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager;->redirectResourcesToNewImplLocked(
   Landroid/util/ArrayMap;)V (greylist-max-o, linking, denied)
- 523 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager; -> applyCompatConfigurationLocked(
   ILandroid/content/res/Configuration;) Z (greylist-max-o, linking, denied)
- 524 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResCompatibilityInfo:Landroid/content/ res/CompatibilityInfo; (greylist-max-o, linking, denied)
- 525 W/uq.apps.twitte: Accessing hidden method Landroid/content
   /res/CompatibilityInfo;->supportsScreen()Z (greylist,
   linking, allowed)
- 526 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mResCompatibilityInfo:Landroid/content/ res/CompatibilityInfo; (greylist-max-o, linking, denied)
- 527 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/CompatibilityInfo;->applyToConfiguration(ILandroid/content/res/Configuration;)V (greylist-max-o, linking, denied)
- 528 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>applyConfigurationToResources(Landroid/content/res/Configuration;Landroid/content/res/

- 528 CompatibilityInfo;)Z (blacklist, linking, denied)
- 529 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->applyConfigurationToResourcesLocked( Landroid/content/res/Configuration;Landroid/content/res/ CompatibilityInfo;)Z (greylist-max-o, linking, denied)
- 530 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>applyConfigurationToResourcesLocked( Landroid/content/res/Configuration;Landroid/content/res/ CompatibilityInfo;)Z (greylist-max-o, linking, denied)
- 531 W/uq.apps.twitte: Accessing hidden method Landroid/content/res/Configuration;—>isOtherSeqNewer(Landroid/content/res/Configuration;)Z (greylist-max-o, linking, denied)
- 532 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager; ->applyNewResourceDirsLocked(Landroid/
  content/pm/ApplicationInfo;[Ljava/lang/String;)V (
   blacklist, linking, denied)
- 533 W/uq.apps.twitte: Accessing hidden method Landroid/content /pm/ApplicationInfo;->getBaseCodePath()Ljava/lang/String; (greylist-max-o, linking, denied)
- 534 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   ResourcesManager; -> createAssetManager(Landroid/content/res
   /ResourcesKey;)Landroid/content/res/AssetManager; (
   greylist, linking, allowed)
- 535 W/uq.apps.twitte: Accessing hidden method Landroid/content
   /res/AssetManager\$Builder;-><init>()V (greylist-max-o,
   linking, denied)
- 536 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager; ->createBaseTokenResources(Landroid/os/
  IBinder; Ljava/lang/String; [Ljava/lang/String; [Ljava/lang/
  String; [Ljava/lang/String; ILandroid/content/res/
  Configuration; Landroid/content/res/CompatibilityInfo; Ljava/
  lang/ClassLoader; Ljava/util/List; ) Landroid/content/res/
  Resources; (blacklist, linking, denied)
- 537 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /res/ResourcesKey;-><init>(Ljava/lang/String; [Ljava/lang/
  String; [Ljava/lang/String; [Ljava/lang/String; ILandroid/
  content/res/Configuration; Landroid/content/res/
  CompatibilityInfo; [Landroid/content/res/loader/
  ResourcesLoader;) V (blacklist, linking, denied)
- 538 I/chatty: uid=10171(com.faruq.apps.twitter) identical 1 line
- 539 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /res/ResourcesKey;-><init>(Ljava/lang/String; [Ljava/lang/
  String; [Ljava/lang/String; [Ljava/lang/String; ILandroid/
  content/res/Configuration; Landroid/content/res/
  CompatibilityInfo; [Landroid/content/res/loader/
  ResourcesLoader;) V (blacklist, linking, denied)
- 540 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->dump(Ljava/lang/String;Ljava/io/ PrintWriter;)V (greylist-max-o, linking, denied)

- 541 W/uq.apps.twitte: Accessing hidden method Lcom/android/ internal/util/IndentingPrintWriter;-><init>(Ljava/io/ Writer;Ljava/lang/String;)V (greylist, linking, allowed)
- 542 W/uq.apps.twitte: Accessing hidden method Lcom/android/ internal/util/IndentingPrintWriter;—>increaseIndent()Lcom/ android/internal/util/IndentingPrintWriter; (greylist, linking, allowed)
- 543 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mLoadedApkAssets:Landroid/util/LruCache ; (greylist-max-o, linking, denied)
- 544 I/chatty: uid=10171(com.faruq.apps.twitter) identical 5 lines
- 545 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mLoadedApkAssets:Landroid/util/LruCache ; (greylist-max-o, linking, denied)
- 546 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 547 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->countLiveReferences(Ljava/util/ Collection;)I (greylist-max-o, linking, denied)
- 548 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 549 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->countLiveReferences(Ljava/util/ Collection;)I (greylist-max-o, linking, denied)
- 550 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->getAdjustedDisplay(ILandroid/content/ res/Resources;)Landroid/view/Display; (greylist-max-o, linking, denied)
- 551 W/uq.apps.twitte: Accessing hidden method Landroid/
  hardware/display/DisplayManagerGlobal;->
   getCompatibleDisplay(ILandroid/content/res/Resources;)
   Landroid/view/Display; (greylist-max-o, linking, denied)
- 552 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->getConfiguration()Landroid/content/res/ Configuration; (greylist-max-o, linking, denied)
- 553 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->getDisplayMetrics()Landroid/util/ DisplayMetrics; (greylist-max-o, linking, denied)
- 554 W/uq.apps.twitte: Accessing hidden field Landroid/view/ DisplayAdjustments; -> DEFAULT\_DISPLAY\_ADJUSTMENTS: Landroid/ view/DisplayAdjustments; (greylist-max-o, linking, denied)
- 555 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager;->getDisplayMetrics(ILandroid/view/
  DisplayAdjustments;)Landroid/util/DisplayMetrics; (
   greylist-max-o, linking, denied)
- 556 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>getDisplayMetrics(ILandroid/view/

- 556 DisplayAdjustments;)Landroid/util/DisplayMetrics; (
  greylist-max-o, linking, denied)
- 557 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;->getAdjustedDisplay(ILandroid/view/ DisplayAdjustments;)Landroid/view/Display; (greylist-max-o, linking, denied)
- 558 W/uq.apps.twitte: Accessing hidden method Landroid/app/
  ResourcesManager;->getResources(Landroid/os/IBinder;Ljava/
  lang/String;[Ljava/lang/String;[Ljava/lang/String;[Ljava/
  lang/String;ILandroid/content/res/Configuration;Landroid/
  content/res/CompatibilityInfo;Ljava/lang/ClassLoader;Ljava/
  util/List;)Landroid/content/res/Resources; (blacklist,
  linking, denied)
- 559 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /res/ResourcesKey;-><init>(Ljava/lang/String; [Ljava/lang/
  String; [Ljava/lang/String; [Ljava/lang/String; ILandroid/
  content/res/Configuration; Landroid/content/res/
  CompatibilityInfo; [Landroid/content/res/loader/
  ResourcesLoader;) V (blacklist, linking, denied)
- 560 I/chatty: uid=10171(com.faruq.apps.twitter) identical 1 line
- 561 W/uq.apps.twitte: Accessing hidden method Landroid/content
  /res/ResourcesKey;-><init>(Ljava/lang/String; [Ljava/lang/
  String; [Ljava/lang/String; [Ljava/lang/String; ILandroid/
  content/res/Configuration; Landroid/content/res/
  CompatibilityInfo; [Landroid/content/res/loader/
  ResourcesLoader;) V (blacklist, linking, denied)
- 562 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   ResourcesManager;->invalidatePath(Ljava/lang/String;)V (
   greylist-max-o, linking, denied)
- 564 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 565 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 566 W/uq.apps.twitte: Accessing hidden field Landroid/app/
  ResourcesManager\$ApkKey;->path:Ljava/lang/String; (
   greylist-max-o, linking, denied)
- 567 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 568 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/ApkAssets;->close()V (blacklist, linking, denied)
- 569 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)

- 570 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ApkKey;->path:Ljava/lang/String; ( greylist-max-o, linking, denied)
- 571 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager;->mCachedApkAssets:Landroid/util/ArrayMap; (greylist-max-o, linking, denied)
- 572 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/ApkAssets;->close()V (blacklist, linking, denied)
- 573 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>isSameResourcesOverrideConfig(Landroid/os/IBinder;Landroid/content/res/Configuration;)Z (greylist—max—o, linking, denied)
- 574 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ActivityResources;->overrideConfig: Landroid/content/res/Configuration; (greylist-max-o, linking, denied)
- 575 I/chatty: uid=10171(com.faruq.apps.twitter) identical 1 line
- 576 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ActivityResources;->overrideConfig: Landroid/content/res/Configuration; (greylist-max-o, linking, denied)
- 577 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/Configuration;—>diffPublicOnly(Landroid/content/res/Configuration;)I (greylist-max-o, linking, denied)
- 578 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>overrideTokenDisplayAdjustments( Landroid/os/IBinder;Ljava/util/function/Consumer;)Z ( blacklist, linking, denied)
- 579 W/uq.apps.twitte: Accessing hidden field Landroid/app/ ResourcesManager\$ActivityResources;—>activityResources: Ljava/util/ArrayList; (greylist-max-o, linking, denied)
- 580 W/uq.apps.twitte: Accessing hidden method Landroid/content /res/Resources;->overrideDisplayAdjustments(Ljava/util/function/Consumer;)V (blacklist, linking, denied)
- 581 W/uq.apps.twitte: Accessing hidden method Landroid/app/ ResourcesManager;—>updateResourcesForActivity(Landroid/os/ IBinder;Landroid/content/res/Configuration;IZ)V (greylist max—o, linking, denied)
- 582 W/uq.apps.twitte: Accessing hidden method Landroid/app/
   ResourcesManager;->
   getOrCreateActivityResourcesStructLocked(Landroid/os/
   IBinder;)Landroid/app/ResourcesManager\$ActivityResources
   ; (greylist-max-o, linking, denied)
- 583 W/uq.apps.twitte: Redefining intrinsic method java.lang. Thread java.lang.Thread.currentThread(). This may cause the unexpected use of the original definition of java.lang.Thread java.lang.Thread.currentThread()in methods that have already been compiled.
- 584 W/uq.apps.twitte: Redefining intrinsic method boolean java

```
584 .lang.Thread.interrupted(). This may cause the unexpected
    use of the original definition of boolean java.lang. Thread
    .interrupted()in methods that have already been compiled.
585 D/NetworkSecurityConfig: No Network Security Config
    specified, using platform default
586 D/NetworkSecurityConfig: No Network Security Config
    specified, using platform default
587 I/stetho: Listening on @stetho com.farug.apps.
    twitter devtools remote
588 D/libEGL: loaded /vendor/lib64/eql/libEGL emulation.so
589 D/libEGL: loaded /vendor/lib64/egl/libGLESv1 CM emulation.
    SO
590 D/libEGL: loaded /vendor/lib64/egl/libGLESv2_emulation.so
591 W/ug.apps.twitte: Accessing hidden method Landroid/view/
    View; -> computeFitSystemWindows(Landroid/graphics/Rect;
    Landroid/graphics/Rect;)Z (greylist, reflection, allowed)
592 W/ug.apps.twitte: Accessing hidden method Landroid/view/
    ViewGroup; -> makeOptionalFitsSystemWindows()V (greylist,
    reflection, allowed)
593 I/System.out: CALLBACK URL: intent://faruqtwitter#Intent;
    action=android.intent.action.VIEW;scheme=oauth;package=com
    .faruq.apps.twitter;S.browser_fallback_url=https://
    codepath.github.io/android-rest-client-template/success.
    html;end
594 D/HostConnection: HostConnection::get() New Host
    Connection established 0xb400006dc9ba1a10, tid 18409
595 D/HostConnection: HostComposition ext
    ANDROID EMU CHECKSUM HELPER v1 ANDROID EMU native sync v2
    ANDROID EMU native sync v3 ANDROID EMU native sync v4
    ANDROID EMU dma v1 ANDROID EMU direct mem
    ANDROID_EMU_host_composition_v1
    ANDROID EMU host composition v2 ANDROID EMU vulkan
    ANDROID EMU deferred vulkan commands
    ANDROID_EMU_vulkan_null_optional_strings
    ANDROID EMU vulkan create resources with requirements
    ANDROID_EMU_YUV_Cache ANDROID_EMU_vulkan_ignored_handles
    ANDROID EMU has shared slots host memory allocator
    ANDROID EMU vulkan_free_memory_sync
    ANDROID EMU vulkan shader float16 int8
    ANDROID_EMU_vulkan_async_queue_submit
    ANDROID EMU sync buffer data
    ANDROID_EMU_read_color_buffer_dma
    GL OES EGL image external essl3 GL OES vertex array object
     GL KHR texture compression astc ldr
    ANDROID EMU host side tracing
    ANDROID EMU gles max version 3 0
596 W/OpenGLRenderer: Failed to choose config with
    EGL_SWAP_BEHAVIOR_PRESERVED, retrying without...
597 D/EGL emulation: eglCreateContext: 0xb400006db9bc7810: maj
     3 min 0 rcv 3
```

```
598 D/EGL emulation: eglMakeCurrent: 0xb400006db9bc7810: ver 3
     0 (tinfo 0xb400006d59c030a0) (first time)
599 I/Gralloc4: mapper 4.x is not supported
600 D/HostConnection: createUnique: call
601 D/HostConnection: HostConnection::get() New Host
    Connection established 0xb400006dc9ba2b50, tid 18409
602 D/goldfish-address-space: allocate: Ask for block of size
    0x100
603 D/goldfish-address-space: allocate: ioctl allocate
    returned offset 0x1efff8000 size 0x8000
604 D/HostConnection: HostComposition ext
    ANDROID_EMU_CHECKSUM_HELPER_v1 ANDROID_EMU_native_sync_v2
    ANDROID_EMU_native_sync_v3 ANDROID_EMU_native_sync_v4
    ANDROID EMU dma v1 ANDROID EMU direct mem
    ANDROID_EMU_host_composition_v1
    ANDROID EMU host composition v2 ANDROID EMU vulkan
    ANDROID EMU deferred vulkan commands
    ANDROID EMU vulkan null optional strings
    ANDROID EMU vulkan create resources with requirements
    ANDROID_EMU_YUV_Cache ANDROID_EMU_vulkan_ignored_handles
    ANDROID EMU has shared slots host memory allocator
    ANDROID EMU vulkan free memory sync
    ANDROID_EMU_vulkan_shader_float16_int8
    ANDROID_EMU_vulkan_async_queue_submit
    ANDROID EMU sync buffer data
    ANDROID_EMU_read_color_buffer_dma
    GL_0ES_EGL_image_external_essl3 GL_0ES_vertex_array_object
    GL_KHR_texture_compression astc ldr
    ANDROID EMU host side tracing
    ANDROID_EMU_gles_max_version_3_0
605 I/okhttp.OkHttpClient: --> GET https://api.twitter.com/1.1
    /statuses/home timeline.json?format=json
606 I/okhttp.OkHttpClient: --> END GET
607 E/RecyclerView: No adapter attached; skipping layout
608 W/System: A resource failed to call close.
609 I/okhttp.OkHttpClient: <-- 200 https://api.twitter.com/1.1
    /statuses/home timeline.json?format=json (5308ms)
610 I/okhttp.OkHttpClient: date: Mon, 06 Jun 2022 23:36:12 GMT
611 I/okhttp.OkHttpClient: pragma: no-cache
612 I/okhttp.OkHttpClient: server: tsa a
613 I/okhttp.OkHttpClient: status: 200 OK
614 I/okhttp.OkHttpClient: expires: Tue, 31 Mar 1981 05:00:00
615 I/okhttp.OkHttpClient: set-cookie: guest id marketing=v1%
    3A165455857192581419; Max-Age=63072000; Expires=Wed, 05
    Jun 2024 23:36:12 GMT; Path=/; Domain=.twitter.com; Secure
    ; SameSite=None
616 I/okhttp.OkHttpClient: set-cookie: quest id ads=v1%
    3A165455857192581419; Max-Age=63072000; Expires=Wed, 05
    Jun 2024 23:36:12 GMT; Path=/; Domain=.twitter.com; Secure
```

- 616 ; SameSite=None
- 617 I/okhttp.OkHttpClient: set-cookie: personalization\_id=" v1\_EKP3c0CL3dG+CENAjnk4qw=="; Max-Age=63072000; Expires= Wed, 05 Jun 2024 23:36:12 GMT; Path=/; Domain=.twitter.com; Secure; SameSite=None
- 618 I/okhttp.OkHttpClient: set-cookie: lang=en; Path=/
- 619 I/okhttp.OkHttpClient: set-cookie: guest\_id=v1% 3A165455857192581419; Max-Age=63072000; Expires=Wed, 05 Jun 2024 23:36:12 GMT; Path=/; Domain=.twitter.com; Secure ; SameSite=None
- 621 I/okhttp.OkHttpClient: cache-control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0
- 622 I/okhttp.OkHttpClient: last-modified: Mon, 06 Jun 2022 23: 36:12 GMT
- 623 I/okhttp.OkHttpClient: x-transaction: 0ee0a6dff9e8a74f
- 624 I/okhttp.OkHttpClient: x-access-level: read
- 625 I/okhttp.OkHttpClient: x-frame-options: SAMEORIGIN
- 626 I/okhttp.OkHttpClient: x-xss-protection: 0
- 627 I/okhttp.OkHttpClient: x-rate-limit-limit: 15
- 628 I/okhttp.OkHttpClient: x-rate-limit-reset: 1654559471
- 629 I/okhttp.OkHttpClient: content-disposition: attachment; filename=json.json
- 630 I/okhttp.OkHttpClient: x-content-type-options: nosniff
- 631 I/okhttp.OkHttpClient: x-rate-limit-remaining: 14
- 632 I/okhttp.OkHttpClient: x-twitter-response-tags: BouncerCompliant
- 633 I/okhttp.OkHttpClient: strict-transport-security: max-age= 631138519
- 634 I/okhttp.OkHttpClient: x-response-time: 185
- 635 I/okhttp.OkHttpClient: x-connection-hash: 49d59b8bee517745e2a402eaf079b041275b14648fcc2cd11ec07b7919 c82f8d
- 636 I/okhttp.OkHttpClient: <-- END HTTP

637 ":"photo","sizes":{"thumb":{"w":150,"h":150,"resize":"crop "},"medium":{"w":667,"h":1000,"resize":"fit"},"large":{"w ":667,"h":1000,"resize":"fit"},"small":{"w":454,"h":680," resize":"fit"}},"source\_status\_id":1533880015774834688." source\_status\_id\_str":"1533880015774834688"," source user id":1174194433945997312,"source user id str":" 1174194433945997312"}]},"extended\_entities":{"media":[{"id ":1533879989250031616,"id\_str":"1533879989250031616"," indices":[24,47],"media\_url":"http:\/\/pbs.twimg.com\/ media\/FUlvuS9UAAAretF.jpg","media\_url\_https":"https:\/\/ pbs.twimg.com\/media\/FUlvuS9UAAAretF.jpg","url":"https :\/\/t.co\/cghM8KKoUc","display\_url":"pic.twitter.com\/ cghM8KKoUc","expanded\_url":"https:\/\/twitter.com\/  $jencaywood\/status\/1533880015774834688\/photo\/1","type$ ":"photo", "sizes": {"thumb": {"w": 150, "h": 150, "resize": "crop "}, "medium": {"w":667, "h":1000, "resize": "fit"}, "large": {"w ":667,"h":1000,"resize":"fit"},"small":{"w":454,"h":680," resize":"fit"}},"source\_status\_id":1533880015774834688," source status id str":"1533880015774834688"," source\_user\_id":1174194433945997312,"source\_user\_id\_str":" 1174194433945997312"}]}, "source": "<a href=\"https:\/\/ mobile.twitter.com\" rel=\"nofollow\">Twitter Web App<\/a</pre> >","in\_reply\_to\_status\_id":null,"in\_reply\_to\_status\_id\_str ":null,"in\_reply\_to\_user\_id":null,"in\_reply\_to\_user\_id\_str ":null, "in reply to screen name":null, "user":{"id": 1353259867, "id\_str": "1353259867", "name": "Procreate", " screen\_name":"Procreate","location":"nipaluna (Hobart), Australia", "description": "The official Twitter account for the most advanced painting app ever designed for a mobile device\n → ENG\/中文\/日本語 okay → ","url":"https:\/\/t.co \/3u6jnKaEsK","entities":{"url":{"urls":[{"url":"https :\/\/t.co\/3u6jnKaEsK","expanded\_url":"http:\/\/procreate. art","display url":"procreate.art","indices":[0,23]}]}," description":{"urls":[]}},"protected":false," followers count":228381, "friends count":641, "listed count ":1198,"created at":"Mon Apr 15 02:17:07 +0000 2013"," favourites\_count":174222,"utc\_offset":null,"time\_zone": null, "geo\_enabled":true, "verified":true, "statuses\_count": 49302, "lang": null, "contributors enabled": false, " is\_translator":false,"is\_translation\_enabled":false," profile\_background\_color":"000000"," profile\_background\_image\_url":"http:\/\/abs.twimg.com\/ images\/themes\/theme14\/bq.qif"," profile background image url https":"https:\/\/abs.twimg. com\/images\/themes\/theme14\/bg.gif"," profile background tile":false,"profile image url":"http :\/\/pbs.twimg.com\/profile images\/1290491194141630465\/ r4kK4C7B\_normal.jpg","profile\_image\_url\_https":"https:\/\/ pbs.twimg.com\/profile images\/1290491194141630465\/ r4kK4C7B normal.jpg","profile banner url":"https:\/\/pbs.

```
637 twimg.com\/profile_banners\/1353259867\/1653373232","
     profile_link_color":"0076FF","profile_sidebar_border_color
     ":"000000","profile_sidebar_fill_color":"000000","
     profile_text_color":"000000","profile_use_background_image
":false,"has_extended_profile":true,"default_profile":
false,"default_profile_image":false,"following":true,"
     follow_request_sent":false,"notifications":false,"
     translator_type":"none","withheld_in_countries":[]},"geo":
null,"coordinates":null,"place":null,"contributors":null,"
      retweeted status":{"created at":"Mon Jun 06 18:34:
638
```