gki3Line.java

```
package gobalkrishnan_v_18_06_1995.graphics;

import gobalkrishnan_v_18_06_1995.color.gkiColor;

public class gki3Line {
@Override
   public String toString() {
      return  sp + ":" + ep ;
   }

public ArrayList<gkiColor>  color=new ArrayList<>();
public ArrayList<gki3Point> point=new ArrayList<>();

double sx,sy,sz,ex,ey,ez;
gkiColor sc,ec;
gki3Point sp,ep;

public void sx(double sx){this.sx=sx;sp.x=sx;}
public void sy(double sy){this.sy=sy;sp.y=sy;}
public void sz(double sz){this.sz=sz;sp.z=sz;}

public void ex(double ex){this.ex=ex;ep.x=ex;}
public void ey(double ey){this.ey=ey;ep.y=ey;}
public void ez(double ez){this.ez=ez;ep.z=ez;}

public void sc(gkiColor sc){this.sc=sc;}
public void ec(gkiColor ec){this.ec=ec;}
public void sp(gki3Point sp){
   this.sp=sp;
   sx=sp.x;
   sy=sp.y;
   sz=sp.z;
```

```
}
public void ep(gki3Point ep){
   this.ep=ep;
  ex=ep.x;
  ey=ep.y;
  ez=ep.z;
}
public void set(gki3Point sp,gkiColor sc,gki3Point ep,gkiColor ec){

   sp(sp);
   ep(ep);
   sc(sc);
   ec(ec);
}
gkiColor  col;
public void process(){
   color.removeAll(color);
   point.removeAll(point);

   double xdiff=ex-sx;
   double ydiff=ey-sy;
   double zdiff=ez-sz;

   if(xdiff == 0 && ydiff == 0 && zdiff == 0){
      point.add(new gki3Point(sp));
      color.add(sc);
   }

   double x_=fabs(xdiff);
   double y_=fabs(ydiff);
   double z_=fabs(zdiff);
```

```
if(x_>y_ && x_>z_){

   double xmin,xmax;
   if(sx<ex){
      xmin=sx;
      xmax=ex;
   }else{
      xmin=ex;
      xmax=sx;
   }

   double slopeY=ydiff/(double)xdiff;
   double slopeZ=zdiff/(double)xdiff;


   for(double x=xmin;x<=xmax;x++){
      double y=(double)(sy+((x-sx)*slopeY));
      double z=(double)(sz+((x-sx)*slopeZ));
      try{
         double ratio = (x-sx)/(double)xdiff;
         int alpha=(int)(ec.alpha*ratio + sc.alpha*(1-ratio));
         int red=(int)(ec.red*ratio+sc.red*(1-ratio));
         int green=(int)(ec.green*ratio+sc.green*(1-ratio));
         int blue=(int)(ec.blue*ratio+sc.blue*(1-ratio));
         if(alpha<0){alpha=0;}
         if(alpha>255){alpha=255;}
         if(red<0){red=0;}
         if(red>255){red=255;}
         if(green<0){green=0;}
         if(green>255){green=255;}
         if(blue<0){blue=0;}
```

```
            if(blue>255){blue=255;}
             col=new gkiColor(alpha, red, green, blue);
            color.add(col);
            }catch(NullPointerException e){

            }
            gki3Point p=new gki3Point(x,y,z);
            p.color(col);

            point.add(p);
        }
    }else if(y_>z_){
        double ymin,ymax;
        if(sy<ey){
            ymin=sy;
            ymax=ey;
        }else{
            ymin=ey;
            ymax=sy;
        }
        double slopeX=xdiff/(double)ydiff;
        double slopeZ=zdiff/(double)ydiff;

        for(double y=ymin;y<=ymax;y++){
            double x=sx+((y-sy)*slopeX);
            double z=sz+((y-sy)*slopeZ);

            try{
                double ratio=(y-sy)/(double)ydiff;
                int alpha= (int) (ec.alpha*ratio+sc.alpha*(1-ratio));
                int red=(int)(ec.red*ratio+sc.red*(1-ratio));
                int green=(int)(ec.green*ratio+sc.green*(1-ratio));
```

```
            int blue=(int)(ec.blue*ratio+sc.blue*(1-ratio));
            if(alpha<0){alpha=0;}
            if(alpha>255){alpha=255;}
            if(red<0){red=0;}
            if(red>255){red=255;}
            if(green<0){green=0;}
            if(green>255){green=255;}
            if(blue<0){blue=0;}
            if(blue>255){blue=255;}
            col=new gkiColor(alpha, red, green, blue);
            color.add(col);
            }catch(NullPointerException e){

            }
         gki3Point p=new gki3Point(x,y,z);
         p.color(col);

         point.add(p);


      }



   }else{
      double zmin,zmax;
      if(sz<ez){
         zmin=sz;
         zmax=ez;
      }else{
         zmin=ez;
         zmax=sz;
```

```
}
double slopeX=xdiff/(double)zdiff;
double slopeY=ydiff/(double)zdiff;

for(double z=zmin;z<=zmax;z++){
   double x=sx+((z-sz)*slopeX);
   double y=sy+((z-sz)*slopeY);

   try{
      double ratio=(y-sy)/(double)ydiff;
      int alpha= (int) (ec.alpha*ratio+sc.alpha*(1-ratio));
      int red=(int)(ec.red*ratio+sc.red*(1-ratio));
      int green=(int)(ec.green*ratio+sc.green*(1-ratio));
      int blue=(int)(ec.blue*ratio+sc.blue*(1-ratio));
      if(alpha<0){alpha=0;}
      if(alpha>255){alpha=255;}
      if(red<0){red=0;}
      if(red>255){red=255;}
      if(green<0){green=0;}
      if(green>255){green=255;}
      if(blue<0){blue=0;}
      if(blue>255){blue=255;}
      col=new gkiColor(alpha, red, green, blue);
      color.add(col);
      }catch(NullPointerException e){

      }

      gki3Point p=new gki3Point(x,y,z);
      p.color(col);

      point.add(p);
```

```
        }

    }


}
public void reverse(){
    gki3Point[] li=new gki3Point[point.size()];
    int a=0;
    for(int i=point.size()-1;i>=0;i--){
        li[a++]=point.get(i);
    }
    point.removeAll(point);
    for(int i=0;i<li.length;i++){
        point.add(li[i]);
    }

}
private double fabs(double g){
    if(g<0){
        g*=-1;
    }
    return g;
}


}
```