

Base URL: <https://brillon-tasks.onrender.com>

1. Event Registration API

Register for Event

Allows any student to register for a specific event.

- **Endpoint:** POST <https://brillon-tasks.onrender.com/api/registrations>
- **Access:** Public
- **Request Body (JSON):**

json

```
{  
  "name": "Jane Doe",  
  "email": "jane@example.com",  
  "eventId": "660c07e812d34e9ba0cd99ef"  
}
```

- **Response Body (JSON - 201 Created):**

json

```
{  
  "success": true,  
  "message": "Successfully registered for \"Tech Summit 2026\"!",  
  "registration": {  
    "_id": "660c08b412d34e9ba0cd99fa",  
    "studentName": "Jane Doe",  
    "email": "jane@example.com",  
    "eventId": "660c07e812d34e9ba0cd99ef",  
    "registeredAt": "2026-06-02T12:00:00.000Z"  
  }  
}
```

2. Admin APIs

A. Get All Registered Students

Fetch a list of all student registrations, populated with details of the event they registered for.

- **Endpoint:** GET <https://brillon-tasks.onrender.com/api/registrations>
- **Access:** Private (Admin Only)
- **Headers:**
 - Authorization: Bearer <ADMIN_TOKEN>
- **Response Body (JSON - 200 OK):**

json

```
{
  "success": true,
  "count": 1,
  "registrations": [
    {
      "_id": "660c08b412d34e9ba0cd99fa",
      "studentName": "Jane Doe",
      "email": "jane@example.com",
      "eventId": {
        "_id": "660c07e812d34e9ba0cd99ef",
        "name": "Tech Summit 2026",
        "date": "2026-10-10",
        "location": "Silicon Valley Center",
        "description": "Tech conference.",
        "category": "Technology"
      },
      "registeredAt": "2026-06-02T12:00:00.000Z"
    }
  ]
}
```

```
}  
]  
}
```

B. Create User Account

Admin creates a student account. Generates a temporary password, hashes it, and triggers a credentials email.

- **Endpoint:** POST <https://brillon-tasks.onrender.com/api/users/create>
- **Access:** Private (Admin Only)
- **Headers:**
 - Authorization: Bearer <ADMIN_TOKEN>
- **Request Body (JSON):**

json

```
{  
  "name": "Jane Doe",  
  "email": "jane@example.com"  
}
```

- **Response Body (JSON - 201 Created):**

json

```
{  
  "success": true,  
  "message": "User account created successfully for \"Jane Doe\". Credentials sent to jane@example.com.",  
  "user": {  
    "id": "660c091a12d34e9ba0cd99fd",  
    "name": "Jane Doe",  
    "email": "jane@example.com",  
    "role": "user",  
    "isFirstLogin": true,  
    "createdAt": "2026-06-02T12:05:00.000Z"
```

```
}  
}
```

3. Authentication APIs

A. User Login

Logs in standard student users or the default admin.

- **Endpoint:** POST <https://brillon-tasks.onrender.com/api/auth/login>
- **Access:** Public
- **Request Body (JSON):**

json

```
{  
  "email": "jane@example.com",  
  "password": "TemporaryPassword123"  
}
```

(For default admin login, use: email: "admin@gmail.com", password: "123456")

- **Response Body (JSON - 200 OK):**

json

```
{  
  "success": true,  
  "message": "Login successful.",  
  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZ...",  
  "isFirstLogin": true  
}
```

B. First Login Password Change

Updates temporary password to a secure new one. Sets isFirstLogin to false.

- **Endpoint:** PUT <https://brillon-tasks.onrender.com/api/auth/change-password>
- **Access:** Private (Requires Student JWT Token)
- **Headers:**

- Authorization: Bearer <USER_TOKEN>

- **Request Body (JSON):**

```
json
{
  "currentPassword": "TemporaryPassword123",
  "newPassword": "NewSecurePassword456!"
}
```

- **Response Body (JSON - 200 OK):**

```
json
{
  "success": true,
  "message": "Password updated successfully."
}
```

C. Logout

Terminates the user session. (Client discards the token).

- **Endpoint:** POST <https://brillon-tasks.onrender.com/api/auth/logout>
- **Access:** Private (Requires JWT Token)
- **Headers:**
 - Authorization: Bearer <JWT_TOKEN>
- **Response Body (JSON - 200 OK):**

```
json
{
  "success": true,
  "message": "Logged out successfully. Token invalidated on client."
}
```

4. User Dashboard APIs

A. Get User Profile

Retrieves profile data of the logged-in user.

- **Endpoint:** GET <https://brillon-tasks.onrender.com/api/users/profile>
- **Access:** Private (Requires JWT Token)
- **Headers:**
 - Authorization: Bearer <JWT_TOKEN>
- **Response Body (JSON - 200 OK):**

json

```
{
  "success": true,
  "user": {
    "_id": "660c091a12d34e9ba0cd99fd",
    "name": "Jane Doe",
    "email": "jane@example.com",
    "role": "user",
    "isFirstLogin": false,
    "createdAt": "2026-06-02T12:05:00.000Z"
  }
}
```

B. Update Profile

Updates the name or email address of the current user.

- **Endpoint:** PUT <https://brillon-tasks.onrender.com/api/users/profile>
- **Access:** Private (Requires Student JWT Token)
- **Headers:**
 - Authorization: Bearer <USER_TOKEN>
- **Request Body (JSON):**

json

```
{
  "name": "Jane Doe Updated",
```

```
"email": "jane.new@example.com"
}
```

- **Response Body (JSON - 200 OK):**

json

```
{
  "success": true,
  "message": "Profile updated successfully.",
  "user": {
    "id": "660c091a12d34e9ba0cd99fd",
    "name": "Jane Doe Updated",
    "email": "jane.new@example.com",
    "role": "user",
    "isFirstLogin": false
  }
}
```

C. Get Registered Events

Retrieves all events the user has signed up for based on their email.

- **Endpoint:** GET <https://brillon-tasks.onrender.com/api/users/events>
- **Access:** Private (Requires Student JWT Token)
- **Headers:**
 - Authorization: Bearer <USER_TOKEN>
- **Response Body (JSON - 200 OK):**

json

```
{
  "success": true,
  "count": 1,
  "events": [
    {
```

```
"_id": "660c07e812d34e9ba0cd99ef",
"name": "Tech Summit 2026",
"date": "2026-10-10",
"location": "Silicon Valley Center",
"description": "Tech conference.",
"image": "",
"category": "Technology"
}
]
}
```