

Cucumber Report

02-Jun-2023, 11:17:42 PM

Start : Jun 02, 11:16:48.450 PM

End : Jun 02, 11:17:41.554 PM

Duration : 53.104 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 3

SKIPPED - 0

PASSED - 15

FAILED - 3

SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>LimeRoad order</u>	53.104 s	4	1	3	0	26	15	3	8

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@login	1	1	0	0	1	0	1	0
@RegressionTest	4	1	3	0	1	0	1	0
@tshirt	1	0	1	0	1	0	1	0
@jeans	1	0	1	0	1	0	1	0
@home	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>LimeRoad order</u>	4	1	3	0	53.104 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>LimeRoad order</u>	<u>To login into the LimeRoad application</u>	8	8	0	0	19.213 s
2	<u>LimeRoad order</u>	<u>To search a product in Tshirt</u>	6	2	1	3	11.067 s
3	<u>LimeRoad order</u>	<u>To search a product in Jeans</u>	6	2	1	3	11.115 s
4	<u>LimeRoad order</u>	<u>To search a product in Home</u>	6	3	1	2	11.649 s

LimeRoad order



FAILED	DURATION - 53.104 s	Scenarios		Steps	
/ 11:16:48.450 PM // 11:17:41.554 PM /		Total - 4		Total - 26	
		Pass - 1		Pass - 15	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	

To login into the LimeRoad application

<div>PASSED</div>	<div>DURATION - 19.213 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:16:48.453 PM // 11:17:07.666 PM /</div>				
<div>LimeRoad order</div>				
<div>@login @RegressionTest</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch the url "https://www.limeroad.com/"	PASSED	0.463 s
2	When click the element to select shop men it navigate to men page	PASSED	0.651 s
3	And user Hover curser on profile icon login option will be shown below	PASSED	0.900 s
4	And user click the login button to navigate to login page	PASSED	0.837 s
5	And user enter login credintials as their mobile number	PASSED	0.344 s
6	And user click next button to receive the opt in thier mobile	PASSED	0.060 s
7	And user enter the otp in console as a input	PASSED	15.927 s
8	Then user click verify button if Otp matches user will succesfully login into the limeroad application	PASSED	0.001 s



To search a product in Tshirt

FAILED		DURATION - 11.067 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:17:07.694 PM // 11:17:18.761 PM /						
LimeRoad order						
@RegressionTest @tshirt						

#	Step / Hook Details	Status	Duration
1	When user navigate to the url "https://www.limeroad.com/"	PASSED	0.490 s
2	And user click Tshirt icon to get all collection of tshirts	PASSED	0.515 s
3	And user click required product model as Step Out In Style from the all product model org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'Step Out In Style')]" (Session info: chrome=113.0.5672.129) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-5QTL0E8', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.129, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\gobiv\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52560}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6519d644a6d911c23ddf60a021a03704 *** Element info: {Using=xpath, value=//div[contains(text(),'Step Out In Style')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	10.054 s

#	Step / Hook Details	Status	Duration
	<pre> at com.sun.proxy.\$Proxy19.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:484) at com.Base.BaseClass.scrollAndClick(BaseClass.java:199) at com.StepDefinition.LimeroadStepDefinition. user_click_required_product_model_as_step_out_in_style_from_the_all_product_model(LimeroadStepDefinition.java:77) at ?.user click required product model as Step Out In Style from the all product model(file:///C:/Users/gobiv/eclipse-workspace/ LimeRoad1/src/test/java/com/Feature/LimeRoad.feature:19) * Not displayable characters are replaced by '?'. </pre>		
4	And user click required product item as Maroon Solid T-Shirt from the all items displayed	SKIPPED	0.002 s
5	And user click required size as M from the various option provided	SKIPPED	0.000 s
6	And user click add to cart button to save the item to the cart	SKIPPED	0.000 s

To search a product in Jeans



<div>FAILED</div> <div>DURATION - 11.115 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 11:17:18.782 PM // 11:17:29.897 PM /</div>				
<div>LimeRoad order</div>				
<div>@RegressionTest @jeans</div>				

#	Step / Hook Details	Status	Duration
1	When user navigate to the url "https://www.limeroad.com/"	PASSED	0.531 s
2	And user click Jeans icon to get all collection of jeans	PASSED	0.550 s
3	And user click required product model as Mid Rise Jeans from the all product model <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[contains(text(), 'Mid Rise Jeans')])[1]"} (Session info: chrome=113.0.5672.129) For documentation on this error, please visit: https://www.seleniumhq.org/ exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: </pre>	FAILED	10.026 s

#	Step / Hook Details	Status	Duration
	<p>'LAPTOP-5QTLE0E8', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.129, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\gobiv\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52560}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6519d644a6d911c23ddf60a021a03704 *** Element info: {Using=xpath, value=(//div[contains(text(), 'Mid Rise Jeans')])[1]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy19.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)</p> <p>at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)</p> <p>at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)</p> <p>at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:484)</p> <p>at com.Base.BaseClass.scrollAndClick(BaseClass.java:199)</p> <p>at com.StepDefinition.LimeroadStepDefinition.user_click_required_product_model_as_mid_rise_jeans_from_the_all_product_model(LimeroadStepDefinition.java:103)</p> <p>at ?.user click required product model as Mid Rise Jeans from the all product model(file:///C:/Users/gobiv/eclipse-workspace/LimeRoad1/src/test/java/com/Feature/LimeRoad.feature:30)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	And user click required product item as Mid Rise Washed Denim Jean from the all items displayed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And user click required size as 36 from the various option provided	SKIPPED	0.000 s
6	And user click add to cart button to save the item to the cart	SKIPPED	0.000 s

To search a product in Home

<div>FAILED</div> <div>DURATION - 11.649 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:17:29.904 PM // 11:17:41.553 PM /				
LimeRoad order				
@RegressionTest @home				

#	Step / Hook Details	Status	Duration
1	When user navigate to the url "https://www.limeroad.com/"	PASSED	0.547 s
2	And user click Home icon to get all collection of home	PASSED	0.505 s
3	And user click required product model as New and Wow from the all product model	PASSED	0.548 s
4	And user click required product item as Microfiber Multipurpose Runner from the all items displayed <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#A316568719"} (Session info: chrome=113.0.5672.129) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-5Q7LE0E8', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.129, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\gobiv\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52560}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6519d644a6d911c23ddf60a021a03704 *** Element info: {Using=id, value=16568719} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</pre>	FAILED	10.042 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy19.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:484) at com.Base.BaseClass.scrollAndClick(BaseClass.java:199) at com.StepDefinition.LimeroadStepDefinition. user_click_required_product_item_as_microfiber_multipurpose_runner_from_the_all_items_displayed(LimeroadStepDefinition.java:125) at ?.user click required product item as Microfiber Multipurpose Runner from the all items displayed(file:///C:/Users/gobiv/eclipse-workspace/ LimeRoad1/src/test/java/com/Feature/LimeRoad.feature:41) * Not displayable characters are replaced by '?'. </pre>		
5	And user click add to cart button to save the item to the cart	SKIPPED	0.001 s
6	Then user close the browser to exit the current scenario	SKIPPED	0.000 s